



Hewlett-Packard Company

TPC Benchmark™ C
Full Disclosure Report
for
HP ProLiant DL580 G2/2.7GHz
using
Microsoft SQL Server 2000 Enterprise Edition SP3
and
Windows Server 2003, Enterprise Edition

First Edition
July 2004

First Edition –July 2004

Hewlett-Packard Company (HP) believes that the information in this document is accurate as of the publication date. The information in this document is subject to change without notice. HP assumes no responsibility for any errors that may appear in this document. The pricing information in this document is believed to accurately reflect the current prices as of the publication date. However, HP provides no warranty of the pricing information in this document.

Benchmark results are highly dependent upon workload, specific application requirements, and system design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC Benchmark C should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report were obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. HP does not warrant or represent that a user can or will achieve similar performance expressed in transactions per minute (tpmC) or normalized price/performance (\$/tpmC). No warranty of system performance or price/performance is expressed or implied in this report.

Copyright 2004 Hewlett-Packard Company.

All rights reserved. Permission is hereby granted to reproduce this document in whole or in part provided the copyright notice printed above is set forth in full text or on the title page of each item reproduced.

Printed in U.S.A., 2004

HP, NonStop, ProLiant DL580 G2, and ProLiant are registered trademarks of Hewlett-Packard Company.

Microsoft, Windows 2000, Windows Server 2003 and SQL Server 2000 are registered trademarks of Microsoft Corporation.

Xeon and Xeon MP are registered trademarks of Intel.

TPC Benchmark is a trademark of the Transaction Processing Performance Council.

Other product names mentioned in this document may be trademarks and/or registered trademarks of their respective companies.

Table of Contents

TABLE OF CONTENTS	III
PREFACE	V
TPC BENCHMARK C OVERVIEW	V
ABSTRACT	VI
OVERVIEW	VI
TPC BENCHMARK C METRICS	VI
STANDARD AND EXECUTIVE SUMMARY STATEMENTS	VI
AUDITOR	VI
GENERAL ITEMS	10
TEST SPONSOR.....	10
APPLICATION CODE AND DEFINITION STATEMENTS	10
PARAMETER SETTINGS	10
CONFIGURATION ITEMS	10
CLAUSE 1 RELATED ITEMS	12
TABLE DEFINITIONS	12
PHYSICAL ORGANIZATION OF DATABASE	12
<i>Benchmarked Configuration:</i>	12
PRICED CONFIGURATION VS. MEASURED CONFIGURATION:	13
INSERT AND DELETE OPERATIONS.....	13
PARTITIONING	13
REPLICATION, DUPLICATION OR ADDITIONS	13
CLAUSE 2 RELATED ITEMS	14
RANDOM NUMBER GENERATION.....	14
INPUT/OUTPUT SCREEN LAYOUT.....	14
PRICED TERMINAL FEATURE VERIFICATION.....	14
PRESENTATION MANAGER OR INTELLIGENT TERMINAL.....	14
TRANSACTION STATISTICS	14
QUEUEING MECHANISM	15
CLAUSE 3 RELATED ITEMS	16
TRANSACTION SYSTEM PROPERTIES (ACID)	16
ATOMICITY	16
<i>Completed Transactions</i>	16
<i>Aborted Transactions</i>	16
CONSISTENCY.....	16
ISOLATION	16
DURABILITY	17
<i>Durable Media Failure</i>	17
<i>Instantaneous Interruption and Loss of Memory</i>	17
CLAUSE 4 RELATED ITEMS	19
INITIAL CARDINALITY OF TABLES	19
DATABASE LAYOUT	19
TYPE OF DATABASE.....	20
DATABASE MAPPING.....	20
60 DAY SPACE.....	20

CLAUSE 5 RELATED ITEMS	21
THROUGHPUT	21
KEYING AND THINK TIMES.....	21
RESPONSE TIME FREQUENCY DISTRIBUTION CURVES AND OTHER GRAPHS	22
STEADY STATE DETERMINATION	25
WORK PERFORMED DURING STEADY STATE.....	26
MEASUREMENT PERIOD DURATION.....	26
REGULATION OF TRANSACTION MIX	27
TRANSACTION STATISTICS	27
CHECKPOINT COUNT AND LOCATION	28
CHECKPOINT DURATION.....	28
CLAUSE 6 RELATED ITEMS	29
RTE DESCRIPTIONS.....	29
EMULATED COMPONENTS	29
FUNCTIONAL DIAGRAMS	29
NETWORKS	29
OPERATOR INTERVENTION	29
CLAUSE 7 RELATED ITEMS	30
SYSTEM PRICING	30
AVAILABILITY, THROUGHPUT, AND PRICE PERFORMANCE	30
COUNTRY SPECIFIC PRICING.....	30
USAGE PRICING	30
CLAUSE 9 RELATED ITEMS	31
AUDITOR'S REPORT.....	31
AVAILABILITY OF THE FULL DISCLOSURE REPORT.....	31

Preface

The TPC Benchmark C was developed by the Transaction Processing Performance Council (TPC). The TPC was founded to define transaction processing benchmarks and to disseminate objective, verifiable performance data to the industry. This full disclosure report is based on the TPC Benchmark C Standard Specifications Version 5.3.

TPC Benchmark C Overview

The TPC describes this benchmark in Clause 0.1 of the specifications as follows:

TPC Benchmark™ C (TPC-C) is an OLTP workload. It is a mixture of read-only and update intensive transactions that simulate the activities found in complex OLTP application environments. It does so by exercising a breadth of system components associated with such environments, which are characterized by:

- The simultaneous execution of multiple transaction types that span a breadth of complexity
- On-line and deferred transaction execution modes
- Multiple on-line terminal sessions
- Moderate system and application execution time
- Significant disk input/output
- Transaction integrity (ACID properties)
- Non-uniform distribution of data access through primary and secondary keys
- Databases consisting of many tables with a wide variety of sizes, attributes, and relationships
- Contention on data access and update

The performance metric reported by TPC-C is a "business throughput" measuring the number of orders processed per minute. Multiple transactions are used to simulate the business activity of processing an order, and each transaction is subject to a response time constraint. The performance metric for this benchmark is expressed in transactions-per-minute-C (tpmC). To be compliant with the TPC-C standard, all references to tpmC results must include the tpmC rate, the associated price-per-tpmC, and the availability date of the priced configuration.

Although these specifications express implementation in terms of a relational data model with conventional locking scheme, the database may be implemented using any commercially available database management system (DBMS), database server, file system, or other data repository that provides a functionally equivalent implementation. The terms "table", "row", and "column" are used in this document only as examples of logical data structures.

TPC-C uses terminology and metrics that are similar to other benchmarks, originated by the TPC or others. Such similarity in terminology does not in any way imply that TPC-C results are comparable to other benchmarks. The only benchmark results comparable to TPC-C are other TPC-C results conformant with the same revision.

Despite the fact that this benchmark offers a rich environment that emulates many OLTP applications, this benchmark does not reflect the entire range of OLTP requirements. In addition, the extent to which a customer can achieve the results reported by a vendor is highly dependent on how closely TPC-C approximates the customer application. The relative performance of systems derived from this benchmark does not necessarily hold for other workloads or environments. Extrapolations to any other environment are not recommended.

Benchmark results are highly dependent upon workload, specific application requirements, and systems design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC-C should not be used as a substitute for a specific customer application benchmarking when critical capacity planning and/or product evaluation decisions are contemplated.

Abstract

Overview

This report documents the methodology and results of the TPC Benchmark C test conducted on the HP ProLiant DL580 G2. The operating system used for the benchmark was Windows Server 2003, Enterprise Edition. The DBMS used was Microsoft SQL Server 2000 Enterprise Edition SP3.

TPC Benchmark C Metrics

The standard TPC Benchmark C metrics, tpmC (transactions per minute), price per tpmC (three year capital cost per measured tpmC), and the availability date are reported as:

85,554 tpmC
\$3.58 per tpmC USD

The availability date is July 30, 2004.


Standard and Executive Summary Statements

The following pages contain executive summary of results for this benchmark.

Auditor

The benchmark configuration, environment and methodology were audited by Tom Sawyer of Performance Metrics, Inc. to verify compliance with the relevant TPC specifications.

Hewlett-Packard Company		ProLiant DL580 G2/2.7GHz		TPC-C Rev. 5.3	
		C/S with 6 ProLiant DL360R G3		Report Date: July 20, 2004	
Total System Cost		TPC-C Throughput		Price/Performance	
\$305,635 USD		85,554		\$3.58 USD	
Availability Date		July 30, 2004			
Processors	Database Manager	Operating System	Other Software		Number of Users
4 Intel Xeon MP 2.7 GHz – Server 6 Intel Xeon 3.2 GHz – Clients	Microsoft SQL Server 2000 Enterprise Edition SP3	Windows Server 2003, Enterprise Edition	Microsoft Visual C++ Microsoft COM+		68000



	Server		Each Client	
System Components	Quantity	Description	Quantity	Description
Processor	4	2.7 GHz Intel Xeon MP w/ 2MB Cache	1	2.8GHz Intel Xeon w/ 512K cache
Memory	16	2 GB DDR	4	256MB
Disk Controllers	1	Integrated Smart 5i Controller	1	Integrated SMART 5i Controller
	5	SMART 5304 Array Controllers		
Disk Drives	14	36 GB SCSI Drive	1	36 GB SCSI Drive
	226	18.2 GB SCSI Drive		
Total Storage		4305.44 GB		36 GB

Hewlett-Packard Company		HP ProLiant DL580 G2/2.7GHz-4P			TPC-C Rev. 5.3		
		Client/Server			Report Date:	19-Jul-04	
Description	Part Number	Third Party	Unit Price	Qty	Extended Price	3 yr. Maint. Price	
Server Hardware							
		Brand	Pricing				
ProLiant DL580 X2700 2P X2GB, Integrated Smart Array Controller	347904-001		1	11,299	1	11,299	
X2.7 GHz 2M processor	345322-B21		1	2,899	2	5,798	
8GB (4x2GB) DDR ECC 200MHz Memory	202173-B21		1	7,399	4	29,596	
StorageWorks Enclosure Model MSA-30 Single Bus	302969-B21		1	2,978	16	47,648	
StorageWorks Enclosure Model MSA-30 Dual Bus	302970-B21		1	3,209	1	3,209	
Smart Array 5304/256 Controller	283551-B21		1	2,247	5	11,235	
15" S5500 CRT Monitor 13.8" via Dot pitch 0.28mm	P9006A#ABA		1	119	1	119	
PS/2 scroll mse HP carbonite	DK725AV		1	10	1	10	
HP Enhanced Keyboard	DG170AV#ABA		1	10	1	10	
HP Rack 10642 (42U) Standard Pallet WW	245161-B21		1	1,359	2	2,718	
UPS R1500 XR Low Voltage US	204404-001		1	866	1	866	
18GB 15K U320 Pluggable Hard Drive	286775-B22		1	269	226	60,794	
18GB 15K U320 Pluggable Hard Drive (10% Spares external drives)	286775-B22		1	269	23		6,187
36GB 15K U320 Pluggable Hard Drive	286776-B22		1	349	14	4,886	
36GB 15K U320 Pluggable Hard Drive (2 spares)	286776-B22		1	349	2		698
FM-M1724-36 3YR 24X7 4HR 500 SERIES SVR	401782-002		1	1,795	1		1,795
FM-4E724-36 3YR 24X7/4HR EMPTY DISK ENCL	171242-002		1	157	17		2,669
Qlogic QLA-2350 Fibre-Channel VI Adapter	A390975		1	1,450	1	1,450	
					Subtotal	179,638	11,349
Server Software							
Microsoft SQL Server 2000 Enterprise Edition(per processor)	810-00846	Microsoft	2	16,541	4	66,164	Incl Below
Microsoft Visual C++ Standard	254-00170	Microsoft	2	109	1	109	Incl Below
Microsoft Windows 2003 Server, Enterprise Edition	P72-00264	Microsoft	2	2,399	1	2,399	Incl Below
Database Server Support Package 1-year term	PRO-PRORS-16U-01	Microsoft	2	1,950	3		5,850
					Subtotal	68,672	5,850
Client Hardware							
ProLiant DL360G3 X3.2GHz/533 1M 1GB 1P Rck	345101-001		1	2,999	6	17,994	
Dual Integrated Gigabit NIC, Integrated Smart Array Controller 5i							
36GB 15K U320 Pluggable Hard Drive	286776-B22		1	349	6	2,094	
FM-EL724-36 3YR 24X7 4HR ENTRY 300 SVR	162675-002		1	599	6		3,594
2GB Small Form Pluggable Adapter Kit	221470-B21		1	369	8	2,952	
5M LC to LC Cable Kit	221692-B22		1	82	8	656	
Qlogic QLA-2350 Fibre-Channel VI Adapter + 2 Spares	A390975		1	1,450	8	11,600	
					Subtotal	35,296	3,594
Client Software							
Microsoft Windows 2000 Server	C11-00821	Microsoft	2	738	6	4,428	Incl. Above
					Subtotal	4,428	0
User Connectivity							
HP StorageWorks SAN switch 2/16V	AA978A		1	12500	3	37,500	
					Subtotal	37,500	0
Large Purchase and Cash discount (See Note 1)	16.0%		1			(\$38,301)	(\$2,391)
					Total	\$287,233	\$18,402
<p>Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark pricing specifications. If you find that the stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org. Thank you.</p>					<p>Three-Year Cost of Ownership: USD 305,635</p> <p>tpmC Rating: 85554</p> <p>\$ / tpmC: USD 3.58</p>		
Pricing: 1=HP Direct 2= Microsoft							
Note 1 = Discount based on HP Direct guidance and large cash purchase level.							
Note: The benchmark results and test methodology were audited by Tom Sawyer of Performance Metrics, Inc.							

Numerical Quantities Summary

MQTH, Computed Maximum Qualified Throughput

85,554 tpmC

Response Times (in seconds)	Average	90%	Maximum
New-Order	0.30	0.49	5.63
Payment	0.24	0.43	5.21
Order-Status	0.26	0.45	5.07
Delivery (interactive portion)	0.10	0.11	0.24
Delivery (deferred portion)	0.16	0.22	0.92
Stock-Level	0.80	1.15	5.76
Menu	0.10	0.11	0.33

Transaction Mix, in percent of total transaction

New-Order	44.95%
Payment	43.00%
Order-Status	4.01%
Delivery	4.01%
Stock-Level	4.03%

Emulation Delay (in seconds)

	Resp.Time	Menu
New-Order	0.10	0.10
Payment	0.10	0.10
Order-Status	0.10	0.10
Delivery (interactive)	0.10	0.10
Stock-Level	0.10	0.10

Keying/Think Times (in seconds)

	Min.	Average	Max.
New-Order	18.00/0.00	18.02/12.06	18.04/120.51
Payment	3.00/0.00	3.02/12.05	3.04/120.50
Order-Status	2.00/0.00	2.02/10.04	2.04/100.50
Delivery (interactive)	2.00/0.00	2.02/5.04	2.03/50.50
Stock-Level	2.00/0.00	2.02/5.04	2.04/50.50

Test Duration

Ramp-up time	69 minutes
Measurement interval	120 minutes
Transactions (all types) completed during measurement interval	23,654,361
Ramp down time	33 minutes

Checkpointing

Number of checkpoints	4
Checkpoint interval	30 minutes

General Items

Test Sponsor

A statement identifying the benchmark sponsor(s) and other participating companies must be provided.

This benchmark was sponsored by Hewlett-Packard Company. The benchmark was developed and engineered by Hewlett-Packard Company. Testing took place at HP benchmarking laboratories in Houston, Texas.

Application Code and Definition Statements

The application program (as defined in clause 2.1.7) must be disclosed. This includes, but is not limited to, the code implementing the five transactions and the terminal input output functions.

Appendix A contains all source code implemented in this benchmark.

Parameter Settings

Settings must be provided for all customer-tunable parameters and options which have been changed from the defaults found in actual products, including by not limited to:

- *Database options*
- *Recover/commit options*
- *Consistency locking options*
- *Operating system and application configuration parameters*

This requirement can be satisfied by providing a full list of all parameters.


Appendix C contains the tunable parameters to for the database, the operating system, and the transaction monitor.

Configuration Items

Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences.

The configuration diagram for both the tested and priced systems are the same and included on the following page.

Figure 1. Benchmarked and Priced Configuration



Clause 1 Related Items

Table Definitions

Listing must be provided for all table definition statements and all other statements used to set up the database.

Appendix B contains the code used to define and load the database tables.

Physical Organization of Database

The physical organization of tables and indices within the database must be disclosed.

The tested configuration consisted of: 224 drives at 18.2GB for database data, two mirrored 18.2 GB drives for the operating system, and 14 drives at 36GB for database log. There were 56X18GB drives for database data on four controllers, 14X36GB drives for the fifth controller, and 2X18GB drives for the integrated Smart 5i controller.

Benchmarked Configuration:

U3 SCSI Integrated Controller, Array A

EISA UTILITIES PARTITION Total Capacity = 36 MB

HP System Configuration Utilities

LOGICAL DRIVE C: Total Capacity = 18.2 GB

Microsoft Windows 2003 Server, Enterprise Edition

SMART-5302 Controller, Slot 6, Array A

LOGICAL DRIVE F: Total Capacity = 237.42 GB RAID 0+1

MSSQL_tpcc_log

SMART-5304 Controller, Slot 2, Array A

LOGICAL DRIVE G: Total Capacity =47.85 GB RAID 0

Customer_fg

LOGICAL DRIVE K: Total Capacity =65.42 GB RAID 0

Stock_fg

LOGICAL DRIVE O: Total Capacity =55.66 GB RAID 0

OrderLine_fg

LOGICAL DRIVE S: Total Capacity =11.71 GB RAID 0

Misc_fg

LOGICAL DRIVE W: Total Capacity =384.48 GB RAID 0+1

TpccBackup

SMART-5304 Controller, Slot 3, Array A

LOGICAL DRIVE H: Total Capacity =47.85 GB RAID 0

Customer_fg

LOGICAL DRIVE L: Total Capacity =65.42 GB RAID 0

Stock_fg

LOGICAL DRIVE P: Total Capacity =55.66 GB RAID 0

OrderLine_fg

LOGICAL DRIVE T: Total Capacity =11.71 GB RAID 0

Misc_fg

LOGICAL DRIVE X: Total Capacity =384.48 GB RAID 0+1

TpccBackup

SMART-5304 Controller, Slot 4, Array A

<u>LOGICAL DRIVE I:</u> Customer_fg	<u>Total Capacity =47.85 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE M:</u> Stock_fg	<u>Total Capacity =65.42 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE Q:</u> OrderLine_fg	<u>Total Capacity =55.66 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE U:</u> Misc_fg	<u>Total Capacity =11.71 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE Y:</u> TpccBackup	<u>Total Capacity =384.48 GB</u>	<u>RAID 0+1</u>

SMART-5304 Controller, Slot 5, Array A

<u>LOGICAL DRIVE J:</u> Customer_fg	<u>Total Capacity =47.85 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE N:</u> Stock_fg	<u>Total Capacity =65.42 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE R:</u> OrderLine_fg	<u>Total Capacity =55.66 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE V:</u> Misc_fg	<u>Total Capacity =11.71 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE Z:</u> TpccBackup	<u>Total Capacity =384.48 GB</u>	<u>RAID 0+1</u>

Priced Configuration vs. Measured Configuration:

The measured and priced configurations were the same.

Insert and Delete Operations

It must be ascertained that insert and/or delete operations to any of the tables can occur concurrently with the TPC-C transaction mix. Furthermore, any restrictions in the SUT database implementation that precludes inserts beyond the limits defined in Clause 1.4.11 must be disclosed. This includes the maximum number of rows that can be inserted and the minimum key value for these new rows.

All insert and delete functions were fully operational during the entire benchmark.

Partitioning

While there are a few restrictions placed upon horizontal or vertical partitioning of tables and rows in the TPC-C benchmark, any such partitioning must be disclosed.

No partitioning was used in this benchmark.

Replication, Duplication or Additions

Replication of tables, if used, must be disclosed. Additional and/or duplicated attributes in any table must be disclosed along with a statement on the impact on performance.

No replications, duplications or additional attributes were used in this benchmark.

Clause 2 Related Items

Random Number Generation

The method of verification for the random number generation must be described.

In the Benchcraft RTE from Microsoft, each driver engine uses an independent random number sequence. All of the users within a given driver draw from the same sequence.

The Benchcraft RTE computes random integers as described in "Random Numbers Generators: Good Ones Are Hard to Find." Communications of the ACM - October 1988 Volume 31 Number 10.

The seeds for each user were captured and verified by the auditor to be unique. In addition, the contents of the database were systematically searched, and randomly sampled by the auditor for patterns that would indicate the random number generator had affected any kind of a discernible pattern; none were found.

Input/Output Screen Layout

The actual layout of the terminal input/output screens must be disclosed.

All screen layouts followed the specifications exactly.

Priced Terminal Feature Verification

The method used to verify that the emulated terminals provide all the features described in Clause 2.2.2.4 must be explained. Although not specifically priced, the type and model of the terminals used for the demonstration in 8.1.3.3 must be disclosed and commercially available (including supporting software and maintenance).

The terminal attributes were verified by the auditor. The auditor manually exercised each specification on a representative HP ProLiant web server.

Presentation Manager or Intelligent Terminal

Any usage of presentation managers or intelligent terminals must be explained.

Application code running on the client machines implemented the TPC-C user interface. No presentation manager software or intelligent terminal features were used. The source code for the forms applications is listed in Appendix A.

Transaction Statistics

Table 2.1 lists the numerical quantities that Clauses 8.1.3.5 to 8.1.3.11 require.

Table 2.1 Transaction Statistics

Statistic		Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse payments	85.00%
	Remote warehouse payments	15.00%

Statistic		Value
	Accessed by last name	60.02%
Order Status	Accessed by last name	60.02%
Transaction Mix	New Order	44.95%
	Payment	43.00%
	Order status	4.01%
	Delivery	4.01%
	Stock level	4.03%

Queuing Mechanism

The queuing mechanism used to defer the execution of the Delivery transaction must be disclosed.

Microsoft COM+ on each client machine served as the queuing mechanism to the database. Each delivery request was submitted to Microsoft COM+ asynchronously with control being returned to the client process immediately and the deferred delivery part completing asynchronously.

The source code is listed in Appendix A.

Clause 3 Related Items

Transaction System Properties (ACID)

The results of the ACID tests must be disclosed along with a description of how the ACID requirements were met. This includes disclosing which case was followed for the execution of Isolation Test 7.

All ACID tests with the exception of loss-of-system/memory tests were performed on the HP ProLiant DL-580-G2 TPC-C benchmark published March 1, 2004. The loss-of-system/memory tests were run on the benchmark system. All ACID property tests were successful. The executions are described below.

Atomicity

The system under test must guarantee that the database transactions are atomic; the system will either perform all individual operations on the data or will assure that no partially completed operations leave any effects on the data.

Completed Transactions

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was committed and the rows were verified to contain correctly updated balances.

Aborted Transactions

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was rolled back and the rows were verified to contain the original balances.

Consistency

Consistency is the property of the application that requires any execution of a database transaction to take the database from one consistent state to another, assuming that the database is initially in a consistent state.

Consistency conditions one through four were tested using a script to issue queries to the database. The results of the queries verified that the database was consistent for all four tests.

A run was executed under full load lasting over two hours and included a checkpoint.

The script was executed again. The result of the same queries verified that the database remained consistent after the run.

Isolation

Sufficient conditions must be enabled at either the system or application level to ensure the required isolation defined above (clause 3.4.1) is obtained.

Isolation tests one through nine were executed using shell scripts to issue queries to the database. Each script included timestamps to demonstrate the concurrency of operations. The results of the queries were captured to files. The captured files were verified by the auditor to demonstrate the required isolation had been met.

In addition, the phantom tests and the stock level tests were executed and verified.

For Isolation test seven, case A was followed.

Durability

The tested system must guarantee durability: the ability to preserve the effects of committed transaction and insure database consistency after recovery from any one of the failures listed in Clause 3.5.3.

Durable Media Failure

Loss of Data and Log

To demonstrate recovery from a permanent failure of durable medium containing DBMS logs and TPC-C tables, the following steps were executed:

- The total number of New Orders was determined by the sum of D_NEXT_O_ID of all rows in the DISTRICT table giving the beginning count.
- The RTEs were started with 10% of the benchmark users.
- The test was allowed to run for a minimum of 10 minutes.
- One log disk was removed from the drive cabinet.
- Since the disk was mirrored, processing was not interrupted. This was verified by checking the users status on the RTE.
- One of the data disks was removed from the drive cabinet.
- When Microsoft SQL Server recorded errors about not being able to access the database, the RTE was shut down.
- A dump of the transaction log was taken and the Microsoft SQL Server was shutdown.
- A new log disk was inserted into the log drive cabinet. A new data disk was inserted into the data drive cabinet. After the RAID recovery process finished, the system was rebooted and Microsoft SQL Server was started.
- The database was restored from backup and the transaction log dump was applied.
- Consistency condition #3 was executed and verified.
- Step 2 was repeated and the difference between the first and second counts was noted.
- An RTE report was generated for the entire run time giving the number of NEW-ORDERS successfully returned to the RTE.
- The counts in step 13 and 14 were compared and the results verified that all committed transactions had been successfully recovered.
- Samples were taken from the RTE files and used to query the database to demonstrate successful transactions had corresponding rows in the ORDER table.

Instantaneous Interruption and Loss of Memory

Because loss of power erases the contents of memory, the instantaneous interruption and the loss of memory tests were combined into a single test. This test was executed on a fully scaled database of 6800 warehouses under a full load of 68000 users. The following steps were executed:

- The total number of New Orders was determined by the sum of D_NEXT_O_ID of all rows in the DISTRICT table giving the beginning count.
- The RTE was started with 68000 users.
- The test was allowed to run for a minimum of 10 minutes.
- A checkpoint was performed.
- System crash and loss of memory were induced by switching the power off. The power cords were then physically removed from the SUT. No battery backup or Uninterruptible Power Supply (UPS) were used to preserve the contents of memory.
- The RTE was shutdown.
- Power was restored and the system restarted.
- Microsoft SQL Server was restarted and performed an automatic recovery.
- Consistency condition #3 was executed and verified.
- Step 1 was repeated and the difference between the first and second counts was noted.
- An RTE report was generated for the entire run time giving the number of NEW-ORDERS successfully returned to the RTE.

- The counts in step 10 and 11 were compared and the results verified that all committed transactions had been successfully recovered.
- Samples were taken from the RTE files and used to query the database to demonstrate successful transactions had corresponding rows in the ORDER table.

Clause 4 Related Items

Initial Cardinality of Tables

The cardinality (e.g. number of rows) of each table, as it existed at the start of the benchmark run, must be disclosed. If the database was over-scaled and inactive rows of the WAREHOUSE table were deleted, the cardinality of the WAREHOUSE table as initially configured and the number of rows deleted must be disclosed.

Table 4.1 Number of Rows for Server

Table	Cardinality as built
Warehouse	6,800
District	68,000
Customer	204,000,000
History	204,000,000
Orders	204,000,000
New Order	61,200,000
Order Line	2,039,997,667
Stock	680,000,000
Item	100,000
Deleted Warehouses	0

Database Layout

The distribution of tables and logs across all media must be explicitly depicted for tested and priced systems.

The benchmarked configuration used 5 SMART-5304 Array controllers with 4 SCSI channels each. Each controller is capable of accessing up to 14 disk drives per channel, and supports RAID 0, RAID 0+1, and RAID 5 per each logical volume configured. The data tables were stored on 4 RAID arrays of (56) 18.2GB 15K drives each. Each array was configured as RAID 0 and housed logical drives for database data. Some of these controllers also housed a RAID 0+1 volume used for backup of the database. The other SMART-5304 Array controller had one array consisting of (14) 36 GB 15K drives, and housed a RAID 0+1 logical volume for the database log. The operating system was housed internally on the integrated Smart 5i controller as one 18.2 GB 15K drive. The Array Accelerators on the data controllers were configured as 100% write cache and were enabled for all logical drives of “misc” and “order line” file groups on those controllers. The controller for the transaction log had the cache disabled. All RAID volumes used hardware RAID.

Section 1.2 of this report details the distribution of database tables across all disks. The code that creates the filegroups and tables is included in Appendix B.

Type of Database

A statement must be provided that describes:

- The data model implemented by DBMS used (e.g. relational, network, hierarchical).
- The database interface (e.g. embedded, call level) and access language (e.g. SQL, DL/I, COBOL read/write used to implement the TPC-C transaction. If more than one interface/access language is used to implement TPC-C, each interface/access language must be described and a list of which interface/access language is used with which transaction type must be disclosed.

Microsoft SQL Server 2000 Enterprise Edition is a relational DBMS.

The interface used was Microsoft SQL Server stored procedures accessed with Remote Procedure Calls embedded in C code.

Database Mapping

The mapping of database partitions/replications must be explicitly described.

The database was not replicated.

60 Day Space

Details of the 60-day space computations along with proof that the database is configured to sustain 8 hours of growth for the dynamic tables (Order, Order-Line, and History) must be disclosed.

To calculate the space required to sustain the database log for 8 hours of growth at steady state, the following steps were followed:

- The free space on the log file was queried using *dbcc sqlperf(logspace)*.
- Transactions were run against the database with a full load of users.
- The free space was again queried using *dbcc sqlperf(logspace)*.
- The space used was calculated as the difference between the first and second query.
- The number of NEW-ORDERS was verified from the difference in the sum(d_next_o_id) taken from before and after the run.
- The space used was divided by the number of NEW-ORDERS giving a space used per NEW-ORDER transaction.
- The space used per transaction was multiplied by the measured tpmC rate times 480 minutes.

The same methodology was used to compute growth requirements for dynamic tables Order, Order-Line and History.

The details of both the 8-hour transaction log space requirement and the 60-day space requirement is shown in Appendix D.

Clause 5 Related Items

Throughput

Measured tpmC must be reported

Measured tpmC 85,554 tpmC
Price per tpmC \$3.58 USD per tpmC

Response Times

Ninetieth percentile, maximum and average response times must be reported for all transaction types as well as for the menu response time.

Table 5.2: Response Times

Type	Average	90 th %	Maximum
New-Order	0.30	0.49	5.63
Payment	0.24	0.43	5.21
Order-Status	0.26	0.45	5.07
Interactive Delivery	0.10	0.11	0.24
Deferred Delivery	0.16	0.22	0.92
Stock-Level	0.80	1.15	5.76
Menu	0.10	0.11	0.33

Keying and Think Times

The minimum, the average, and the maximum keying and think times must be reported for each transaction type.

Table 5.3: Keying Times

Type	Minimum	Average	Maximum
New-Order	18.00	18.02	18.04
Payment	3.00	3.02	3.04
Order-Status	2.00	2.02	2.04
Interactive Delivery	2.00	2.02	2.03
Stock-Level	2.00	2.02	2.04

Table 5.4: Think Times

Type	Minimum	Average	Maximum
New-Order	0.00	12.06	120.51
Payment	0.00	12.05	120.50
Order-Status	0.00	10.04	100.50
Interactive Delivery	0.00	5.04	50.50
Stock-Level	0.00	5.04	50.50

Response Time Frequency Distribution Curves and Other Graphs

Response Time frequency distribution curves (see Clause 5.6.1) must be reported for each transaction type.

The performance curve for response times versus throughput (see Clause 5.6.2) must be reported for the New-Order transaction.

Think Time frequency distribution curves (see Clause 5.6.3) must be reported for each transaction type.

Keying Time frequency distribution curves (see Clause 5.6.4) must be reported for each transaction type.

A graph of throughput versus elapsed time (see Clause 5.6.5) must be reported for the New-Order transaction.

Figure 2. New Order Response Time Distribution




Figure 3. Payment Response Time Distribution




Figure 4. Order Status Response Time Distribution




Figure 5. Delivery Response Time Distribution




Figure 6. Stock Level Response Time Distribution




Figure 7. Response Time vs. Throughput




Figure 8. New Order Think Time Distribution





Figure 9. Throughput vs. Time Distribution



Steady State Determination

The method used to determine that the SUT had reached a steady state prior to commencing the measurement interval must be disclosed.

Steady state was determined using real time monitor utilities from the RTE. Steady state was further confirmed by the throughput data collected during the run and graphed in Figure 9.

Work Performed During Steady State

A description of how the work normally performed during a sustained test (for example checkpointing, writing redo/undo log records, etc.), actually occurred during the measurement interval must be reported.

The RTE generated the required input data to choose a transaction from the menu. This data was timestamped. The input screen for the requested transaction was returned and timestamped. The difference between these two timestamps was the menu response time. The RTE writes to the log file once per transaction on selective fields such as order id. There is one log file per driver engine.

The RTE generated the required input data for the chosen transaction. It waited to complete the minimum required key time before transmitting the input screen. The transmission was timestamped. The return of the screen with the required response data was timestamped. The difference between these two timestamps was the response time for that transaction.

The RTE then waited the required think time interval before repeating the process starting at selecting a transaction from the menu.

The RTE transmissions were sent to application processes running on the client machines through Ethernet LANs. These client application processes handled all screen I/O as well as all requests to the database on the server. The applications communicated with the database server over fibre channel using the VI protocol and DBLIB/RPC calls.

To perform checkpoints at specific intervals, the SQL Server *recovery interval* was set to 104 and a script was written to schedule multiple checkpoints at specific intervals. The script included a wait time between each checkpoint equal to 30 minutes so that the checkpoint interval was an integral multiple of the measurement interval, which was 120 minutes. The checkpoint script was started manually after the RTE had all users logged in and the database had achieved steady state.

At each checkpoint, Microsoft SQL Server wrote to disk all memory pages that had been updated but not yet physically written to disk. The positioning of the measurement interval is depicted on the graph in Figure 9.

Measurement Period Duration

A statement of the duration of the measurement interval for the reported Maximum Qualified Throughput (tpmC) must be included.

The reported measured interval was exactly 120 minutes long.

Regulation of Transaction Mix

The method of regulation of the transaction mix (e.g., card decks or weighted random distribution) must be described. If weighted distribution is used and the RTE adjusts the weights associated with each transaction type, the maximum adjustments to the weight from the initial value must be disclosed.

The RTE was given a weighted random distribution, which was not adjusted during the run.

Transaction Statistics

The percentage of the total mix for each transaction type must be disclosed. The percentage of New-Order transactions rolled back as a result of invalid item number must be disclosed. The average number of order-lines entered per New-Order transaction must be disclosed. The percentage of remote order lines per New-Order transaction must be disclosed. The percentage of remote Payment transactions must be disclosed. The percentage of customer selections by customer last name in the Payment and Order-Status transactions must be disclosed. The percentage of Delivery transactions skipped due to there being fewer than necessary orders in the New-Order table must be disclosed.

Table 5.5: Transaction Statistics

Statistic		Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse payments	85.00%
	Remote warehouse payments	15.00%
	Accessed by last name	60.02%
Delivery	Skipped transactions (interactive)	0
	Skipped transactions (deferred)	0
Order Status	Accessed by last name	60.02%
Transaction Mix	New Order	44.95%
	Payment	43.00%
	Order status	4.01%
	Delivery	4.01%
	Stock level	4.03%

Checkpoint Count and Location

The number of checkpoints in the Measurement Interval, the time in seconds from the start of the Measurement Interval to the first checkpoint, and the Checkpoint Interval must be disclosed.

The initial checkpoint was started 41 minutes after the start of the ramp-up. Subsequent checkpoints occurred every 30 minutes. Each checkpoint in the measurement interval lasted approximately 26 minutes. The measurement interval contains four checkpoints.

Checkpoint Duration

The start time and duration in seconds of at least the four longest checkpoints during the Measurement Interval must be disclosed.

Checkpoint Start Time	Duration
4:42:28p.m.	26 minutes, 0 seconds
5:12:25p.m.	25 minutes, 49 seconds
5:42:22p.m.	26 minutes, 0 seconds
6:12:19p.m.	26 minutes, 0 seconds

Clause 6 Related Items

RTE Descriptions

If the RTE is commercially available, then its inputs must be specified. Otherwise, a description must be supplied of what inputs (e.g., scripts) to the RTE had been used.

The RTE used was Microsoft Benchcraft RTE. Benchcraft is a proprietary tool provided by Microsoft and is not commercially available. The RTE's input is listed in Appendix A.

Emulated Components

It must be demonstrated that the functionality and performance of the components being emulated in the Driver System are equivalent to the priced system. The results of the test described in Clause 6.6.3.4 must be disclosed.

The driver system consisted of 6 HP ProLiant servers. These driver machines emulated the users' web browsers.

Functional Diagrams

A complete functional diagram of both the benchmark configuration and the configuration of the proposed (target) system must be disclosed. A detailed list of all hardware and software functionality being performed on the Driver System and its interface to the SUT must be disclosed.

The driver system performed the data generation and input functions of the priced display device. It also captured the input and output data and timestamps for post-processing of the reported metrics. No other functionality was included on the driver system.

Section 1.4 of this report contains detailed diagrams of both the benchmark configuration and the priced configuration.

Networks

The network configuration of both the tested services and proposed (target) services that are being represented and a thorough explanation of exactly which parts of the proposed configuration are being replaced with the Driver System must be disclosed.

The bandwidth of the networks used in the tested/priced configuration must be disclosed.

In the tested configuration, 6 driver (RTE) machines were connected through a gigabit ethernet switch to the client machines at 1Gbps, thus providing the path from the RTEs to the clients. The server (SUT) was connected to the clients through a fibre channel connection using a switch on a separate LAN.

The priced configuration was connected in the same manner as the tested configuration.

Operator Intervention

If the configuration requires operator intervention (see Clause 6.6.6), the mechanism and the frequency of this intervention must be disclosed.

This configuration does not require any operator intervention to sustain eight hours of the reported throughput.

Clause 7 Related Items

System Pricing

A detailed list of hardware and software used in the priced system must be reported. Each separately orderable item must have vendor part number, description, and release/revision level, and either general availability status or committed delivery data. If package-pricing is used, vendor part number of the package and a description uniquely identifying each of the components of the package must be disclosed. Pricing source and effective date(s) of price(s) must also be reported.

The total 3 year price of the entire configuration must be reported, including: hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed.

The details of the hardware and software are reported in the front of this report as part of the executive summary. All third party quotations are included at the end of this report as Appendix E.

Availability, Throughput, and Price Performance

The committed delivery date for general availability (availability date) of products used in the price calculation must be reported. When the priced system included products with different availability dates, the reported availability date for the priced system must be the date at which all components are committed to be available.

A statement of the measured tpmC as well as the respective calculations for the 5-year pricing, price/performance (price/tpmC), and the availability date must be included.

- | | |
|---------------------------------------|----------------------------|
| • Maximum Qualified Throughput | 85,554 tpmC |
| • Price per tpmC | \$3.58 USD per tpmC |
| • Availability | July 30, 2004 |

Country Specific Pricing

Additional Clause 7 related items may be included in the Full Disclosure Report for each country specific priced configuration. Country specific pricing is subject to Clause 7.1.7

This system is being priced for the United States of America.

Usage Pricing

For any usage pricing, the sponsor must disclose:

- Usage level at which the component was priced.
- A statement of the company policy allowing such pricing.

The component pricing based on usage is shown below:

- 6 Microsoft Windows 2000 Server
- 1 Microsoft Windows 2003 Server, Enterprise Edition
- 1 Microsoft SQL Server 2000 Enterprise Edition SP3 (per processor)
- 1 Microsoft Visual C++
- HP Servers include 3 years of support.

Clause 9 Related Items

Auditor's Report

The auditor's name, address, phone number, and a copy of the auditor's attestation letter indicating compliance must be included in the Full Disclosure Report.

This implementation of the TPC Benchmark C was audited by Tom Sawyer of Performance Metrics, Inc.

Performance Metrics, Inc.
137 Yankton St., Suite 101
Folsom, CA 95630
(phone) (916) 985-1131
(fax) (916) 985-1185
e-mail: lorna@perfmtrics.com

Availability of the Full Disclosure Report


The Full Disclosure Report must be readily available to the public at a reasonable charge, similar to the charges for similar documents by the test sponsor. The report must be made available when results are made public. In order to use the phrase "TPC Benchmark™ C", the Full Disclosure Report must have been submitted to the TPC Administrator as well as written permission obtained to distribute same.

Requests for this TPC Benchmark C Full Disclosure Report should be sent to:

Transaction Processing Performance Council
Presidio of San Francisco
Building 572B Ruger St. (surface)
P.O. Box 29920 (mail)
San Francisco, CA 94129-0920
Voice: 415-561-6272
Fax: 415-561-6120
Email: info@tpc.org

or

Hewlett-Packard Company
Database Performance Engineering
P.O. Box 692000
Houston, TX 77269-2000



PERFORMANCE METRICS INC.
TPC Certified Auditors

July 15, 2004

Mr. Brean Campbell
Hewlett-Packard Company
Database Performance Lab
20555 SH 249
Houston, TX 77070

I have verified the TPC Benchmark™ C client/server for the following configuration:

Platform: HP ProLiant DL580-G2 2.7GHz/2MB-4P
Database Manager: Microsoft SQL Server 2000 Enterprise Edition
Operating System: Microsoft Windows 2003 Server, Enterprise Edition
Transaction Manager: Microsoft COM+

Server: HP ProLiant DL580 X2700 4P 32GB				
CPUs	Memory	Disks	90% Response	tpmC
4 Xeon™ Processor @ 2.7 GHz	Main: 32 GB	226 18GB 14 36GB	0.49	85,554

Client: 6 HP ProLiant DL360-G3		
CPUs	Memory	Disks
1 Intel Xeon™ Processor @ 3.2 GHz	Main: 1 GB	1 @ 36GB

PERFORMANCE METRICS INC.
TPC Certified Auditors

In my opinion, these performance results were produced in compliance with the TPC requirements for the benchmark. The following attributes of the benchmark were given special attention:


- The transactions were correctly implemented.
- The database was properly sized and populated.
- The database was properly scaled with 6,800 warehouses.
- Input data was generated according to the specified percentages.
- Eight hours of mirrored log space was configured on the measured system.
- Eight hours of dynamic table growth space was configured on the measured system.
- The 60-day space calculation was verified; the measured system had sufficient storage.
- Measurement cycle times included a delay of 0.1 seconds.
- There were 68,000 user contexts present on the system.
- Each group of emulated users started with the same random number seed.
- The NURand constants used for database load and at run time were 123 and 233.
- The steady state portion of the test was 2 hours.
- One checkpoint was taken before the measured interval.
- Four checkpoints were taken during the measured interval.
- All ACID tests were performed on the HP ProLiant DL580-G2 3.0GHz/4MB-4P result released in February, 2004. The loss-of-system/memory tests were performed on the measured configuration – see Auditor Notes.
- The system pricing was checked for major components and maintenance.

Auditor Notes:

One of the client systems had a slightly slower processor than the others – 3.06GHz vs. 3.2GHz. The priced configuration uses the 3.2GHz processor for all clients. I believe this substitution would not adversely affect the result.

The ACID test system used ethernet to connect the clients to the server. This result used QLogic VI adapters. I felt that this change did not invalidate the earlier ACID tests.

Sincerely,



Tom Sawyer
Auditor

Appendix A: Source Code

The client source code is listed below.

Methods.h

```
/* FILE: METHODS.H
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 * not yet
 * audited
 * PURPOSE: Header file for COM components.
 * Change history:
 * 4.20.000 - first version
 */

enum COMPONENT_ERROR
{
    ERR_MISSING_REGISTRY_ENTRIES = 1,
    ERR_LOADDLL_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_UNKNOWN_DB_PROTOCOL
};

class CCOMPONENT_ERR : public CBaseErr
{
public:
    CCOMPONENT_ERR(COMPONENT_ERROR
Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    };

    CCOMPONENT_ERR(COMPONENT_ERROR
Err, char *szTextDetail, DWORD dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new
char[strlen(szTextDetail)+1];
        strcpy( m_szTextDetail,
szTextDetail );
    };
};
```

```
        m_SystemErr =
dwSystemErr;
        m_szErrorText = NULL;
    };
};

~CCOMPONENT_ERR()
{
    if (m_szTextDetail !=
NULL)
        delete []
m_szTextDetail;
    if (m_szErrorText !=
NULL)
        delete []
m_szErrorText;
};

COMPONENT_ERROR m_Error;
char
*m_szTextDetail;
char
*m_szErrorText;
DWORD
m_SystemErr;

int ErrorType() {return
ERR_TYPE_COMPONENT};
int ErrorNum() {return m_Error};
char *ErrorText();

static void WriteMessageToEventLog(LPTSTR lpszMsg);

////////////////////////////////////
// CTPCC_Common
class CTPCC_Common :
public ITPCC,
public IObjectControl,
public IObjectConstruct,
public
CComObjectRootEx<CComSingleThreadModel>
{
public:
BEGIN_COM_MAP(CTPCC_Common)
    COM_INTERFACE_ENTRY(ITPCC)
    COM_INTERFACE_ENTRY(IObjectControl)
    COM_INTERFACE_ENTRY(IObjectConstruct)
END_COM_MAP()

    CTPCC_Common();
    ~CTPCC_Common();

// ITPCC
public:
    HRESULT __stdcall NewOrder(
VARIANT txn_in, VARIANT* txn_out);
    HRESULT __stdcall Payment(
VARIANT txn_in, VARIANT* txn_out);
};
```

```
    HRESULT __stdcall Delivery(
VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out);
    HRESULT __stdcall OrderStatus(
VARIANT txn_in, VARIANT* txn_out);
    HRESULT __stdcall CallSetComplete();

// IObjectControl
    STDMETHODCALLTYPE CanBePooled() { return
m_bCanBePooled; }
    STDMETHODCALLTYPE Activate() { return S_OK; }
    // we don't support COM Services
    transactions (no enlistment)
    STDMETHODCALLTYPE Deactivate() { /*
nothing to do */ }

// IObjectConstruct
    STDMETHODCALLTYPE Construct(IDispatch * pUnk);

private:
    BOOL m_bCanBePooled;
    CTPCC_BASE *m_pTxn;

    struct COM_DATA
    {
        int retval;
        int error;
        union
        {
            NEW_ORDER_DATA
NewOrder;
            PAYMENT_DATA
Payment;
            DELIVERY_DATA
Delivery;
            STOCK_LEVEL_DATA
StockLevel;
            ORDER_STATUS_DATA
OrderStatus;
        } u;
    };

};

////////////////////////////////////
// CTPCC
class CTPCC :
public CTPCC_Common,
public CComCoClass<CTPCC, &CLSID_TPCC>
{
public:
    DECLARE_REGISTRY_RESOURCEID(IDR_TPCC)

    BEGIN_COM_MAP(CTPCC)
        COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
        COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
    END_COM_MAP()
};
```

```

};

////////////////////////////////////
////////////////////////////////////
// CNewOrder
class CNewOrder :
    public CTPCC_Common,
    public CComCoClass<CNewOrder,
&CLSID_NewOrder>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_NEWORDER)

BEGIN_COM_MAP(CNewOrder)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
// HRESULT __stdcall NewOrder(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    HRESULT __stdcall Payment(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
    HRESULT __stdcall OrderStatus(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

////////////////////////////////////
////////////////////////////////////
// COrderStatus
class COrderStatus :
    public CTPCC_Common,
    public CComCoClass<COrderStatus,
&CLSID_OrderStatus>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_ORDERSTATUS)

BEGIN_COM_MAP(COrderStatus)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
    HRESULT __stdcall NewOrder(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    HRESULT __stdcall Payment(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

```

```

    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
// HRESULT __stdcall OrderStatus(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

////////////////////////////////////
////////////////////////////////////
// CPayment
class CPayment :
    public CTPCC_Common,
    public CComCoClass<CPayment,
&CLSID_Payment>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_PAYMENT)

BEGIN_COM_MAP(CPayment)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
    HRESULT __stdcall NewOrder(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
// HRESULT __stdcall Payment(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
    HRESULT __stdcall OrderStatus(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

////////////////////////////////////
////////////////////////////////////
// CStockLevel
class CStockLevel :
    public CTPCC_Common,
    public CComCoClass<CStockLevel,
&CLSID_StockLevel>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_STOCKLEVEL)

BEGIN_COM_MAP(CStockLevel)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
    HRESULT __stdcall NewOrder(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

```

```

    HRESULT __stdcall Payment(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
// HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
    HRESULT __stdcall OrderStatus(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

```

ReadRegistry.c pp

```

/* FILE: READREGISTRY.CPP
* Microsoft
TPC-C Kit Ver. 4.20.000
* Copyright
Microsoft, 1999
* All Rights Reserved
*
* not yet
audited
*
* PURPOSE: Implementation for TPC-C Tuxedo
class.
* Contact: Charles Levine
(clevine@microsoft.com)
*
* Change history:
* 4.20.000 - first version
*/

/* FUNCTION: ReadTPCCRegistrySettings
*
* PURPOSE: This function reads the NT
registry for startup parameters. There parameters are
* under the TPCC key.
*
* RETURNS FALSE = no errors
* TRUE = error reading
registry
*/
BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg
)
{
    HKEY hKey;
    DWORD size;
    DWORD type;
    DWORD dwTmp;
    char szTmp[256];

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\Microsoft\TPCC", 0, KEY_READ, &hKey) !=
ERROR_SUCCESS )
        return TRUE;

    // determine database protocol to use; may
be either ODBC or DBLIB
    pReg->eDB_Protocol = Unspecified;

```

```

        size = sizeof(szTmp);
        if ( RegQueryValueEx(hKey, "DB_Protocol",
0, &type, (BYTE *)&szTmp, &size) == ERROR_SUCCESS )
        {
            if ( !strcmp(szTmp,
szDBNames[ODBC]) )
                pReg->eDB_Protocol =
ODBC;
            else if ( !strcmp(szTmp,
szDBNames[DBLIB]) )
                pReg->eDB_Protocol =
DBLIB;
        }

        pReg->eTxnMon = None;
        // determine txn monitor to use: may be
either TUXEDO, or blank
        size = sizeof(szTmp);
        if ( RegQueryValueEx(hKey, "TxnMonitor", 0,
&type, (BYTE *)&szTmp, &size) == ERROR_SUCCESS )
        {
            if ( !strcmp(szTmp,
szTxnMonNames[TUXEDO]) )
                pReg->eTxnMon = TUXEDO;
            else if ( !strcmp(szTmp,
szTxnMonNames[ENCINA]) )
                pReg->eTxnMon = ENCINA;
            else if ( !strcmp(szTmp,
szTxnMonNames[COM]) )
                pReg->eTxnMon = COM;
        }

        pReg->bCOM_SinglePool = FALSE;
        size = sizeof(szTmp);
        if ( RegQueryValueEx(hKey,
"COM_SinglePool", 0, &type, (BYTE *)&szTmp, &size) ==
ERROR_SUCCESS )
        {
            if ( !strcmp(szTmp, "YES") )
                pReg->bCOM_SinglePool =
TRUE;
        }

        pReg->dwMaxConnections = 0;
        size = sizeof(dwTmp);
        if ( ( RegQueryValueEx(hKey,
"MaxConnections", 0, &type, (LPBYTE)&dwTmp, &size) ==
ERROR_SUCCESS )
            && (type == REG_DWORD) )
            pReg->dwMaxConnections = dwTmp;

        pReg->dwMaxPendingDeliveries = 0;
        size = sizeof(dwTmp);
        if ( ( RegQueryValueEx(hKey,
"MaxPendingDeliveries", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )
            && (type == REG_DWORD) )
            pReg->dwMaxPendingDeliveries =
dwTmp;

        pReg->dwNumberOfDeliveryThreads = 0;
        size = sizeof(dwTmp);

```

```

        if ( ( RegQueryValueEx(hKey,
"NumberOfDeliveryThreads", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )
            && (type == REG_DWORD) )
            pReg->dwNumberOfDeliveryThreads =
dwTmp;

        size = sizeof( pReg->szPath );
        if ( RegQueryValueEx(hKey, "Path", 0,
&type, (BYTE *)&pReg->szPath, &size) != ERROR_SUCCESS )
            pReg->szPath[0] = 0;

        size = sizeof( pReg->szDbServer );
        if ( RegQueryValueEx(hKey, "DbServer", 0,
&type, (BYTE *)&pReg->szDbServer, &size) !=
ERROR_SUCCESS )
            pReg->szDbServer[0] = 0;

        size = sizeof( pReg->szDbName );
        if ( RegQueryValueEx(hKey, "DbName", 0,
&type, (BYTE *)&pReg->szDbName, &size) !=
ERROR_SUCCESS )
            pReg->szDbName[0] = 0;

        size = sizeof( pReg->szDbUser );
        if ( RegQueryValueEx(hKey, "DbUser", 0,
&type, (BYTE *)&pReg->szDbUser, &size) !=
ERROR_SUCCESS )
            pReg->szDbUser[0] = 0;

        size = sizeof( pReg->szDbPassword );
        if ( RegQueryValueEx(hKey, "DbPassword", 0,
&type, (BYTE *)&pReg->szDbPassword, &size) !=
ERROR_SUCCESS )
            pReg->szDbPassword[0] = 0;

        RegCloseKey(hKey);

        return FALSE;
    }

```

ReadRegistry.h

```

/* FILE: ReadRegistry.h
* Microsoft
TPC-C Kit Ver. 4.20.000 Copyright
Microsoft, 1999
* All Rights Reserved
* not audited
* PURPOSE: Header for registry related code.
* Change history:
* 4.20.000 - first version
*/

enum DBPROTOCOL { Unspecified, ODBC, DBLIB };
const char *szDBNames[] = { "Unspecified", "ODBC",
"DBLIB" };

```

```

enum TXNMON { None, TUXEDO, ENCINA, COM };
const char *szTxnMonNames[] = { "NONE", "TUXEDO",
"ENCINA", "COM" };

```

```

//This structure defines the data necessary to keep
distinct for each terminal or client connection.
typedef struct _TPCCREGISTRYDATA
{

```

```

    enum DBPROTOCOL eDB_Protocol;
    enum TXNMON eTxnMon;
    BOOL bCOM_SinglePool;
    DWORD dwMaxConnections;
    DWORD dwMaxPendingDeliveries;
    DWORD dwNumberOfDeliveryThreads;
    char szPath[128];
    char szDbServer[32];
    char szDbName[32];
    char szDbUser[32];
    char szDbPassword[32];
} TPCCREGISTRYDATA, *PTPCCREGISTRYDATA;

```

```

BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg
);

```

WEBCLNT.DSP

```

# Microsoft Developer Studio Project File -
Name="webclnt" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 5.00
# ** DO NOT EDIT **

```

```

# TARGETTYPE "Win32 (x86) Application" 0x0101

```

```

CFG=webclnt - Win32 Release
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "Webclnt.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "Webclnt.mak" CFG="webclnt - Win32
Release"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "webclnt - Win32 Release" (based on "Win32
(x86) Application")
!MESSAGE "webclnt - Win32 Debug" (based on "Win32
(x86) Application")
!MESSAGE

```

```

# Begin Project
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe

```

```

MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "webclnt - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir ".\Release"
# PROP BASE Intermediate_Dir ".\Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\Release"
# PROP Intermediate_Dir ".\Release"
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /c
# ADD CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG"
/D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /machine:I386

!ELSEIF "$(CFG)" == "webclnt - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir ".\Debug"
# PROP BASE Intermediate_Dir ".\Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\Debug"
# PROP Intermediate_Dir ".\Debug"
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /c
# ADD CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32" /D
"_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib

```

```

odbccp32.lib /nologo /subsystem:windows /debug
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /debug
/machine:I386

!ENDIF

# Begin Target

# Name "webclnt - Win32 Release"
# Name "webclnt - Win32 Debug"
# End Target
# End Project

```

Webclnt.dsw

```

Microsoft Developer Studio Workspace File, Format
Version 6.00
# WARNING: DO NOT EDIT OR DELETE THIS WORKSPACE FILE!

```

```

#####
#####

```

```

Project:
"db_dblib_dll"=".\\db_dblib_dll\\db_dblib_dll.dsp -
Package Owner=<4>

```

```

Package=<5>
{{{
}}

```

```

Package=<4>
{{{
}}

```

```

#####
#####

```

```

Project: "db_odbc_dll"=".\\db_odbc_dll\\db_odbc_dll.dsp
- Package Owner=<4>

```

```

Package=<5>
{{{
}}

```

```

Package=<4>
{{{
}}

```

```

#####
#####

```

```

Project: "install"=".\\install\\install.dsp - Package
Owner=<4>

```

```

Package=<5>
{{{
}}

```

```

Package=<4>
{{{
Begin Project Dependency
Project_Dep_Name isapi_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tuxapp
End Project Dependency
Begin Project Dependency
Project_Dep_Name db_dblib_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name db_odbc_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_com_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_tuxedo_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tpcc_com_all
End Project Dependency
Begin Project Dependency
Project_Dep_Name tpcc_com_ps
End Project Dependency
}}

```

```

#####
#####

```

```

Project: "isapi_dll"=".\\isapi_dll\\isapi_dll.dsp -
Package Owner=<4>

```

```

Package=<5>
{{{
}}

```

```

Package=<4>
{{{

```

```

Begin Project Dependency
Project_Dep_Name db_dblib_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name db_odbc_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_tuxedo_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_com_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_encina_dll
End Project Dependency
}}

```

```

#####
#####

```

```

Project: "tm_com_dll"=".\\tm_com_dll\\tm_com_dll.dsp -
Package Owner=<4>

```

```

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name tpcc_com_ps
  End Project Dependency
  Begin Project Dependency
  Project_Dep_Name tpcc_com_all
  End Project Dependency
}}}

#####
#####

Project:
"tm_encina_dll"=.\tm_encina_dll\tm_encina_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

Project:
"tm_tuxedo_dll"=.\tm_tuxedo_dll\tm_tuxedo_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

Project:
"tpcc_com_all"=.\tpcc_com_all\tpcc_com_all.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name tpcc_com_ps
  End Project Dependency
}}}

```

```

#####
#####

Project: "tpcc_com_ps"=.\tpcc_com_ps\tpcc_com_ps.dsp
- Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

Project: "tuxapp"=.\tuxapp\tuxapp.dsp - Package
Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name db_dblib_dll
  End Project Dependency
  Begin Project Dependency
  Project_Dep_Name db_odbc_dll
  End Project Dependency
}}}

#####
#####

Global:

Package=<5>
{{{
}}}

Package=<3>
{{{
}}}

#####
#####

db_dblib_dll.ds
p
# Microsoft Developer Studio Project File -
Name="db_dblib_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

```

```

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=db_dblib_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "db_dblib_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "db_dblib_dll.mak"
CFG="db_dblib_dll - Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "db_dblib_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_dblib_dll - Win32 Debug" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_dblib_dll - Win32 IceCAP" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "db_dblib_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe

```

```

# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 ntdbllib.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib /nologo
/subsystem:windows /dll /machine:I386
/out:".bin\tpcc_dblib.dll"

!ELSEIF "$(CFG)" == "db_dblib_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".bin"
# PROP Intermediate_Dir ".obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ntdbllib.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/out:".bin\tpcc_dblib.dll" /pdbtype:sept

!ELSEIF "$(CFG)" == "db_dblib_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "db_dblib"
# PROP BASE Intermediate_Dir "db_dblib"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".bin"
# PROP Intermediate_Dir ".obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""

```

```

# ADD BASE CPP /nologo /MDd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /Gm /GX /Zi /O2 /D "WIN32"
/D "NDEBUG" /D "_WINDOWS" /D "ICECAP" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 ntdbllib.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_dblib.dll"
/pdbtype:sept
# ADD LINK32 icap.lib ntdbllib.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_dblib.dll"
/pdbtype:sept

!ENDIF

# Begin Target

# Name "db_dblib_dll - Win32 Release"
# Name "db_dblib_dll - Win32 Debug"
# Name "db_dblib_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp"
# Begin Source File

SOURCE=.\src\tpcc_dblib.cpp
# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=..\common\src\error.h
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_dblib.h
# End Source File
# Begin Source File

SOURCE=..\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=..\common\src\txn_base.h
# End Source File
# End Group
# End Target

```

```
# End Project
```

db_odbc_dll.ds

p

```

# Microsoft Developer Studio Project File -
Name="db_odbc_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=db_odbc_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "db_odbc_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "db_odbc_dll.mak" CFG="db_odbc_dll
- Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "db_odbc_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_odbc_dll - Win32 Debug" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE "db_odbc_dll - Win32 IceCAP" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "db_odbc_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".bin"
# PROP Intermediate_Dir ".obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""

```



```

# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
/win32 "NUL"
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o /win32
"NUL"
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386 /out:".bin\tpcc_odbc.dll"

!ELSEIF "$(CFG) == "db_odbc_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /GX /ZI /Od /D "WIN32" /D
"_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
/win32 "NUL"
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o /win32
"NUL"
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdctype:sept
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdctype:sept
# ADD LINK32 icap.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib
odbc32.lib odbc32.lib /nologo /subsystem:windows
/dll /debug /machine:I386 /out:".bin\tpcc_odbc.dll"
/pdctype:sept

!ENDIF

# Begin Target

# Name "db_odbc_dll - Win32 Release"
# Name "db_odbc_dll - Win32 Debug"
# Name "db_odbc_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp"
# Begin Source File

SOURCE=.\src\tpcc_odbc.cpp
# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=.\common\src\error.h

```

```

!ELSEIF "$(CFG) == "db_odbc_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "db_odbc_"
# PROP BASE Intermediate_Dir "db_odbc_"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MDd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /Gm /GX /Zi /O2 /D "WIN32"
/D "NDEBUG" /D "_WINDOWS" /D "ICECAP" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
/win32 "NUL"
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o /win32
"NUL"
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_odbc.dll"
/pdctype:sept
# ADD LINK32 icap.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib
odbc32.lib odbc32.lib /nologo /subsystem:windows
/dll /debug /machine:I386 /out:".bin\tpcc_odbc.dll"
/pdctype:sept

!ENDIF

# Begin Target

# Name "db_odbc_dll - Win32 Release"
# Name "db_odbc_dll - Win32 Debug"
# Name "db_odbc_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp"
# Begin Source File

SOURCE=.\src\tpcc_odbc.cpp
# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=.\common\src\error.h

```

```

# End Source File
# Begin Source File

SOURCE=.\src\tpcc_odbc.h
# End Source File
# Begin Source File

SOURCE=.\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=.\common\src\txn_base.h
# End Source File
# End Group
# End Target
# End Project

```

dlldata.c

```

/*****
****
DllData file -- generated by MIDL compiler

DO NOT ALTER THIS FILE

This file is regenerated by MIDL on every IDL file
compile.

To completely reconstruct this file, delete it and
rerun MIDL
on all the IDL files in this DLL, specifying this
file for the
/dlldata command line option

****/

#include <rpcproxy.h>

#ifdef __cplusplus
extern "C" {
#endif

EXTERN_PROXY_FILE( tpcc_com_ps )

PROXYFILE_LIST_START
/* Start of list */
REFERENCE_PROXY_FILE( tpcc_com_ps ),
/* End of list */
PROXYFILE_LIST_END

DLLDATA_ROUTINES( aProxyFileList, GET_DLL_CLSID )

#ifdef __cplusplus
} /*extern "C" */
#endif

/* end of generated dlldata file */

```

error.h

```
/* FILE: ERROR.H Microsoft
 *
 * TPC-C Kit Ver. 4.20.000 Copyright
 * Microsoft, 1999
 * All Rights Reserved
 *
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 *
 * PURPOSE: Header file for error exception
 * classes.
 *
 * Change history:
 * 4.20.000 - updated rev number to
 * match kit
 * 4.21.000 - fixed bug: ~CBaseErr
 * needed to be declared virtual
 */

#pragma once

#ifndef _INC_STRING
#include <string.h>
#endif

const int m_szMsg_size = 512;
const int m_szApp_size = 64;
const int m_szLoc_size = 64;

//error message structure used in ErrorText routines
typedef struct _SERRORMSG
{
    int iError;
    char szMsg[256];
} SERRORMSG;

typedef enum _ErrorLevel
{
    ERR_FATAL_LEVEL = 1,
    ERR_WARNING_LEVEL = 2,
    ERR_INFORMATION_LEVEL = 3
} ErrorLevel;

#define ERR_TYPE_LOGIC -1
//logic error in program; internal error
#define ERR_SUCCESS 0
//success (a non-error error)
#define ERR_BAD_ITEM_ID 1
//expected abort record in txnRecord
```

```
#define ERR_TYPE_DELIVERY_POST 2
//expected delivery post failed
#define ERR_TYPE_WEBDDL 3
//tpcc web generated error
#define ERR_TYPE_SQL 4
//sql server generated error
#define ERR_TYPE_DBLIB 5
//dblib generated error
#define ERR_TYPE_ODBC 6
//odbc generated error
#define ERR_TYPE_SOCKET 7
//error on communication socket client rte
only
#define ERR_TYPE_DEADLOCK 8
//dblib and odbc only deadlock condition
#define ERR_TYPE_COM 9
//error from COM call
#define ERR_TYPE_TUXEDO 10
//tuxedo error
#define ERR_TYPE_OS 11
//operating system error
#define ERR_TYPE_MEMORY 12
//memory allocation error
#define ERR_TYPE_TPCC_ODBC 13
//error from tpcc odbc txn module
#define ERR_TYPE_TPCC_DBLIB 14
//error from tpcc dblib txn module
#define ERR_TYPE_DELISTRV 15
//delivery server error
#define ERR_TYPE_TXNLOG 16
//txn log error
#define ERR_TYPE_BCONN 17
//Benchcraft connection class
#define ERR_TYPE_TPCC_CONN 18
//Benchcraft connection class
#define ERR_TYPE_ENCINA 19
//Encina error
#define ERR_TYPE_COMPONENT 20
//error from COM component
#define ERR_TYPE_RTE 21
//Benchcraft rte
```

```
#define ERR_TYPE_AUTOMATION 22
//Benchcraft automation errors
#define ERR_TYPE_DRIVER 23
//Driver engine errors
#define ERR_TYPE_RTE_BASE 24
//Framework errors

#define ERR_INS_MEMORY "Insufficient Memory to continue."
#define ERR_UNKNOWN "Unknown error."
#define ERR_MSG_BUF_SIZE 512
#define INV_ERROR_CODE -1

class CBaseErr
{
public:
    CBaseErr(LPCTSTR szLoc = NULL)
    {
        m_idMsg =
        INV_ERROR_CODE;
        if (szLoc)
        {
            m_szLoc = new
            char[m_szLoc_size];
            strcpy(m_szLoc, szLoc);
        }
        else
            m_szLoc = NULL;
        m_szApp = new
        char[m_szApp_size];
        GetModuleFileName(GetModuleHandle(NULL),
        m_szApp, m_szApp_size);
    }
    CBaseErr(int idMsg, LPCTSTR szLoc = NULL)
    {
        m_idMsg = idMsg;
        if (szLoc)
        {
            m_szLoc = new
            char[m_szLoc_size];
            strcpy(m_szLoc, szLoc);
        }
        else
            m_szLoc = NULL;
        m_szApp = new
        char[m_szApp_size];
        GetModuleFileName(GetModuleHandle(NULL),
        m_szApp, m_szApp_size);
    }
    virtual ~CBaseErr(void)
    {

```

```

        if (m_szApp)
            delete [] m_szApp;
        if (m_szLoc)
            delete [] m_szLoc;
    };

    virtual void Draw(HWND hwnd, LPCTSTR szStr
= NULL)
    {
        int                j = 0;
        char                szTmp[512];

        if (szStr)
            j = wsprintf(szTmp,
"%s\n",szStr);
        if (ErrorNum() != INV_ERROR_CODE)
            j += wsprintf(szTmp+j,
"Error = %d\n", ErrorNum());
        if (m_szLoc)
            j += wsprintf(szTmp+j,
"Location = %s\n", GetLocation());

        j += wsprintf(szTmp+j, "%s\n",
ErrorText());

        ::MessageBox(hwnd, szTmp,
m_szApp, MB_OK);
    }

    char *GetApp(void) { return m_szApp; }
    char *GetLocation(void) { return m_szLoc; }
    virtual int ErrorNum() { return m_idMsg; }
    virtual int ErrorType() = 0; // a value
which distinguishes the kind of error that occurred
    virtual char *ErrorText() = 0; // a string
(i.e., human readable) representation of the error

protected:
    char                *m_szApp;
    char                *m_szLoc; // code location where
the error occurred
    int                m_idMsg;
};

class CSocketErr : public CBaseErr
{
public:
    enum Action
    {
        eNone,
        eSend,
        eSocket,
        eBind,
        eConnect,
        eListen,
        eHost,
        eRecv,
    };

    CSocketErr(Action eAction, LPCTSTR
szLocation = NULL);
    Action    m_eAction;

```

```

    int ErrorType() { return ERR_TYPE_SOCKET;};
    char *ErrorText(void);
};

class CSystemErr : public CBaseErr
{
public:
    enum Action
    {
        eNone = 0,
        eTransactNamedPipe,
        eWaitNamedPipe,
        eSetNamedPipeHandleState,
        eCreateFile,
        eCreateProcess,
        eCallNamedPipe,
        eCreateEvent,
        eCreateThread,
        eVirtualAlloc,
        eReadFile = 10,
        eWriteFile,
        eMapViewOfFile,
        eCreateFileMapping,
        eInitializeSecurityDescriptor,
        eSetSecurityDescriptorDacl,
        eCreateNamedPipe,
        eConnectNamedPipe,
        eWaitForSingleObject,
        eRegOpenKeyEx,
        eRegQueryValueEx = 20,
        eBeginThread,
        eRegEnumValue,
        eRegSetValueEx,
        eRegCreateKeyEx,
        eWaitForMultipleObjects,
    };

    CSystemErr(Action
eAction, LPCTSTR szLocation);
    int                ErrorType() { return
ERR_TYPE_OS;};
    char                *ErrorText(void);
    void                Draw(HWND hwnd, LPCTSTR szStr =
NULL);

    Action    m_eAction;

private:
    char m_szMsg[ERR_MSG_BUF_SIZE];
};

class CMemoryErr : public CBaseErr
{
public:
    CMemoryErr();

    int ErrorType() {return ERR_TYPE_MEMORY;};
    char *ErrorText() {return ERR_INS_MEMORY;};
};

```

install.c

```

/*      FILE:                INSTALL.C
 *                               Microsoft
 *      TPC-C Kit Ver. 4.20.000
 *                               Copyright
 *      Microsoft, 1999
 *                               All Rights Reserved
 *
 *                               not audited
 *
 *      PURPOSE: Automated installation
 *      application for TPC-C Web Kit
 *      *      Contact: Charles Levine
 *      (clevine@microsoft.com)
 *
 *      Change history:
 *      *      4.20.000 - added COM installation
 *      steps
 *      */

#include <windows.h>
#include <direct.h>
#include <io.h>
#include <stdlib.h>
#include <stdio.h>
#include <commctrl.h>
#include "..\..\common\src\ReadRegistry.h"

#include "resource.h"

#define WM_INITTEXT WM_USER+100

HICON hIcon;
HINSTANCE hInst;

DWORD versionExeMS;
DWORD versionExeLS;
DWORD versionExeMM;
DWORD versionDllMS;
DWORD versionDllLS;

// TPC-C registry settings
TPCCREGISTRYDATA Reg;

static int iPoolThreadLimit;
static int iThreadTimeout;
static int iListenBackLog;
static int iAcceptExOutstanding;

static int iMaxPhysicalMemory;
//max physical memory in MB
static char szLastFileName[64]; //
last file we worked on (for error reporting)

BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT
uMsg, WPARAM wParam, LPARAM lParam);
BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT
uMsg, WPARAM wParam, LPARAM lParam);
BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam);

```

```

BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam);
static void ProcessOK(HWND hwnd,
char *szDllPath);
static void
ReadRegistrySettings(void);
static void
WriteRegistrySettings(char *szDllPath);
static BOOL RegisterDLL(char
*szFileName);
static int
CopyFiles(HWND hDlg, char *szDllPath);
static BOOL GetInstallPath(char
*szDllPath);
static void GetVersionInfo(char
*szDllPath, char *szExePath);
static BOOL
CheckWWWebService(void);
static BOOL
StartWWWebService(void);
static BOOL StopWWWebService(void);
static void UpdateDialog(HWND
hDlg);

BOOL install_com(char *szDllPath);

#include "..\..\common\src\ReadRegistry.cpp"

int WINAPI WinMain( HINSTANCE hInstance, HINSTANCE
hPrevInstance, LPSTR lpCmdLine, int nCmdShow )
{
    int iRc;

    hInst = hInstance;

    InitCommonControls();

    hIcon = LoadIcon(hInstance,
MAKEINTRESOURCE(IDI_ICON1));

    iRc = DialogBox(hInstance,
MAKEINTRESOURCE(IDD_DIALOG4), GetDesktopWindow(),
LicenseDlgProc);
    if ( iRc )
    {
        iRc = DialogBox(hInstance,
MAKEINTRESOURCE(IDD_DIALOG1), GetDesktopWindow(),
MainDlgProc);
        if ( iRc )
        {
            DialogBoxParam(hInstance,
MAKEINTRESOURCE(IDD_DIALOG2), GetDesktopWindow(),
UpdatedDlgProc, (LPARAM)iRc);
        }
    }

    DestroyIcon(hIcon);
    return 0;
}

BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)

```

```

{
    HGLOBAL hRes;
    HRSRC hResInfo;
    BYTE *pSrc, *pDst;
    DWORD dwSize;
    static HFONT hFont;

    switch(uMsg)
    {
        case WM_INITDIALOG:
            hFont = CreateFont(-12,
0, 0, 0, 400, 0, 0, 0, 0, 0, 0, 0, 0, "Arial");
            SendMessage(
GetDlgItem(hwnd, IDR_LICENSE1), WM_SETFONT,
(WPARAM)hFont, MAKELPARAM(0, 0) );
            PostMessage(hwnd,
WM_INITTEXT, (LPARAM)0);
            return TRUE;
        case WM_INITTEXT:
            hResInfo =
FindResource(hInst, MAKEINTRESOURCE(IDR_LICENSE1),
"LICENSE");
            dwSize =
SizeofResource(hInst, hResInfo);
            hRes =
LoadResource(hInst, hResInfo );
            pSrc = (BYTE
*)LockResource(hRes);
            pDst = (unsigned char
*)malloc(dwSize+1);
            if ( pDst )
            {
                memcpy(pDst,
pSrc, dwSize);
                pDst[dwSize]
= 0;

                SetDlgItemText(hwnd, IDC_LICENSE, (const
char *)pDst);
            }
            else
            {
                SetDlgItemText(hwnd, IDC_LICENSE, (const
char *)pSrc);
                return TRUE;
            }
            case WM_DESTROY:
                DeleteObject(hFont);
                return TRUE;
            case WM_COMMAND:
                if ( wParam == IDOK )
                {
                    EndDialog(hwnd, TRUE);
                }
                if ( wParam == IDCANCEL )
                {
                    EndDialog(hwnd, FALSE);
                }
                default:
                    break;
            }
    }
    return FALSE;
}

```

```

BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    switch(uMsg)
    {
        case WM_INITDIALOG:
            switch(lParam)
            {
                case 1:
                case 2:
                    SetDlgItemText(hwnd, IDC_RESULTS, "TPC-C
Web Client Installed");
                    break;
            }
            return TRUE;
        case WM_COMMAND:
            if ( wParam == IDOK )
            {
                EndDialog(hwnd, TRUE);
            }
            break;
        default:
            break;
    }
    return FALSE;
}

BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    PAINTSTRUCT ps;
    MEMORYSTATUS memoryStatus;
    OSVERSIONINFO VI;
    char szTmp[256];
    static char
szDllPath[256];
    static char
szExePath[256];

    switch(uMsg)
    {
        case WM_INITDIALOG:
            GlobalMemoryStatus(&memoryStatus);
            iMaxPhysicalMemory =
(memoryStatus.dwTotalPhys/ 1048576);
            if (
GetInstallPath(szDllPath) )
            {
                MessageBox(hwnd, "Error internet service
inetsrv is not installed.", NULL, MB_ICONSTOP |
MB_OK);

                EndDialog(hwnd, FALSE);
            }
            return TRUE;
        // set default values
        ZeroMemory( &Reg,
sizeof(Reg) );
    }
}

```

```

    Reg.dwNumberOfDeliveryThreads = 4;
    Reg.dwMaxConnections =
100;
    Reg.dwMaxPendingDeliveries = 100;
    Reg.eDB_Protocol =
DBLIB;
    Reg.eTxnMon = None;
    strcpy(Reg.szDbServer,
    "");
    strcpy(Reg.szDbName,
    "tpcc");
    strcpy(Reg.szDbUser,
    "sa");
    strcpy(Reg.szDbPassword,
    "");
    iPoolThreadLimit =
iMaxPhysicalMemory * 2;
    iThreadTimeout = 86400;
    iListenBackLog = 15;
    iAcceptExOutstanding =
40;

    ReadTPCCRRegistrySettings( &Reg );
    ReadRegistrySettings();

    GetModuleFileName(hInst, szExePath,
sizeof(szExePath));
    GetVersionInfo(szDllPath, szExePath);

    wsprintf(szTmp,
"Version %d.%2d.%3d", versionExeMS, versionExeMM,
versionExeLS);
    SetDlgItemText(hwnd,
IDC_VERSION, szTmp);
    SetDlgItemText(hwnd,
IDC_PATH, szDllPath);
    SetDlgItemText(hwnd,
ED_DB_SERVER, Reg.szDbServer);
    SetDlgItemText(hwnd,
ED_DB_USER_ID, Reg.szDbUser);
    SetDlgItemText(hwnd,
ED_DB_PASSWORD, Reg.szDbPassword);
    SetDlgItemText(hwnd,
ED_DB_NAME, Reg.szDbName);
    SetDlgItemInt(hwnd,
ED_THREADS, Reg.dwNumberOfDeliveryThreads, FALSE);
    SetDlgItemInt(hwnd,
ED_MAXCONNECTION, Reg.dwMaxConnections, FALSE);
    SetDlgItemInt(hwnd,
ED_MAXDELIVERIES, Reg.dwMaxPendingDeliveries, FALSE);
    SetDlgItemInt(hwnd,
ED_IIS_MAX_THREAD_POOL_LIMIT, iPoolThreadLimit,
FALSE);

```

```

        SetDlgItemInt(hwnd,
ED_IIS_THREAD_TIMEOUT, iThreadTimeout, FALSE);
        SetDlgItemInt(hwnd,
ED_IIS_LISTEN_BACKLOG, iListenBackLog, FALSE);
        SetDlgItemInt(hwnd,
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE,
iAcceptExOutstanding, FALSE);

        CheckDlgButton(hwnd,
IDC_DBLIB, 0);
        CheckDlgButton(hwnd,
IDC_ODBC, 0);
        if ( Reg.eDB_Protocol
== DBLIB )
            CheckDlgButton(hwnd, IDC_DBLIB, 1);
        else
            CheckDlgButton(hwnd, IDC_ODBC, 1);

        // check OS version
        level for COM. Must be at least Windows 2000
        VI.dwOSVersionInfoSize
= sizeof(VI);
        GetVersionEx( &VI );
        if (VI.dwMajorVersion <
5)
        {
            HWND hDlg =
GetDlgItem( hwnd, IDC_TM_MTS );
            EnableWindow(
hDlg, 0 ); // disable COM option
            if
(Reg.eTxnMon == COM)
                Reg.eTxnMon = None;
        }
        CheckDlgButton(hwnd,
IDC_TM_NONE, 0);
        CheckDlgButton(hwnd,
IDC_TM_TUXEDO, 0);
        CheckDlgButton(hwnd,
IDC_TM_MTS, 0);
        CheckDlgButton(hwnd,
IDC_TM_ENCINA, 0);
        switch (Reg.eTxnMon)
        {
            case None:
                CheckDlgButton(hwnd, IDC_TM_NONE, 1);
                break;
            case TUXEDO:
                CheckDlgButton(hwnd, IDC_TM_TUXEDO, 1);
                break;
            case ENCINA:
                CheckDlgButton(hwnd, IDC_TM_ENCINA, 1);
                break;
            case COM:
                CheckDlgButton(hwnd, IDC_TM_MTS, 1);

```

```

                break;
            }
            return TRUE;
        case WM_PAINT:
            if ( IsIconic(hwnd) )
            {
                BeginPaint(hwnd, &ps);
                DrawIcon(ps.hdc, 0, 0, hIcon);
                EndPaint(hwnd, &ps);
                return TRUE;
            }
            break;
        case WM_COMMAND:
            if ( HIWORD(wParam) ==
BN_CLICKED )
            {
                switch(
LOWORD(wParam) )
                {
                    case IDC_DBLIB:
                        return TRUE;
                    case IDC_ODBC:
                        return TRUE;
                    case IDOK:
                        ProcessOK(hwnd, szDllPath);
                        return TRUE;
                    case IDCANCEL:
                        EndDialog(hwnd, FALSE);
                        return TRUE;
                    default:
                        return FALSE;
                }
            }
            break;
        default:
            break;
        }
        return FALSE;
    }

    static void ProcessOK(HWND hwnd, char *szDllPath)
    {
        int d;
        HWND hDlg;
        int rc;
        char szFullName[256];
    }

```

```

char    szErrTxt[128];

// read settings from dialog
Reg.dwNumberOfDeliveryThreads =
GetDlgItemInt(hwnd, ED_THREADS, &d, FALSE);
Reg.dwMaxConnections = GetDlgItemInt(hwnd,
ED_MAXCONNECTION, &d, FALSE);
Reg.dwMaxPendingDeliveries =
GetDlgItemInt(hwnd, ED_MAXDELIVERIES, &d, FALSE);

GetDlgItemText(hwnd, ED_DB_SERVER,
Reg.szDbServer, sizeof(Reg.szDbServer));
GetDlgItemText(hwnd, ED_DB_USER_ID,
Reg.szDbUser, sizeof(Reg.szDbUser));
GetDlgItemText(hwnd, ED_DB_PASSWORD,
Reg.szDbPassword, sizeof(Reg.szDbPassword));
GetDlgItemText(hwnd, ED_DB_NAME,
Reg.szDbName, sizeof(Reg.szDbName));

if ( IsDlgButtonChecked(hwnd, IDC_DBLIB) )
{
    Reg.eDB_Protocol = DBLIB;
    rc = 1;
}
else if ( IsDlgButtonChecked(hwnd,
IDC_ODBC) )
{
    Reg.eDB_Protocol = ODBC;
    rc = 2;
}

if ( IsDlgButtonChecked(hwnd, IDC_TM_NONE) )
    Reg.eTxnMon = None;
else if ( IsDlgButtonChecked(hwnd,
IDC_TM_TUXEDO) )
    Reg.eTxnMon = TUXEDO;
else if ( IsDlgButtonChecked(hwnd,
IDC_TM_MTS) )
    Reg.eTxnMon = COM;
else if ( IsDlgButtonChecked(hwnd,
IDC_TM_ENCINA) )
    Reg.eTxnMon = ENCINA;

iPoolThreadLimit = GetDlgItemInt(hwnd,
ED_IIS_MAX_THREAD_POOL_LIMIT, &d, FALSE);
iThreadTimeout = GetDlgItemInt(hwnd,
ED_IIS_THREAD_TIMEOUT, &d, FALSE);
iListenBackLog = GetDlgItemInt(hwnd,
ED_IIS_LISTEN_BACKLOG, &d, FALSE);
iAcceptExOutstanding = GetDlgItemInt(hwnd,
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE, &d, FALSE);

ShowWindow(hwnd, SW_HIDE);
hdlg = CreateDialog(hInst,
MAKEINTRESOURCE(IDD_DIALOG3), hwnd, CopyDlgProc);
ShowWindow(hdlg, SW_SHOWNA);
UpdateDialog(hdlg);

// write binaries to inetpub\wwwroot
rc = CopyFiles(hdlg, szDllPath);

```

```

if ( !rc )
{
    ShowWindow(hwnd, SW_SHOWNA);
    DestroyWindow(hdlg);
    strcpy( szErrTxt, "Error(s)
occured when creating " );
    strcat( szErrTxt, szLastFileName
);
    MessageBox(hwnd, szErrTxt, NULL,
MB_ICONSTOP | MB_OK);
}

// update registry
SetDlgItemText(hDlg, IDC_STATUS, "Updating
Registry.");
SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
UpdateDialog(hdlg);
WriteRegistrySettings(szDllPath);

// register com proxy stub
strcpy(szFullName, szDllPath);
strcat(szFullName, "tpcc_com_ps.dll");
if (!RegisterDLL(szFullName))
{
    ShowWindow(hwnd, SW_SHOWNA);
    DestroyWindow(hdlg);
    strcpy( szErrTxt, "Error occured
when registering " );
    strcat( szErrTxt, szFullName );
    MessageBox(hwnd, szErrTxt, NULL,
MB_ICONSTOP | MB_OK);
}

// if using COM
if (Reg.eTxnMon == COM)
{
    SetDlgItemText(hDlg, IDC_STATUS,
"Configuring COM.");
    SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
    UpdateDialog(hdlg);

    if (install_com(szDllPath))
    {
        ShowWindow(hwnd,
SW_SHOWNA);
        DestroyWindow(hdlg);
        strcpy( szErrTxt,
"Error occured when configuring COM settings." );
        MessageBox(hwnd,
szErrTxt, NULL, MB_ICONSTOP | MB_OK);
        EndDialog(hwnd, 0);
        return;
    }
}

Sleep(100);

```

```

ShowWindow(hwnd, SW_SHOWNA);
DestroyWindow(hdlg);

EndDialog(hwnd, rc);
return;
}

static void ReadRegistrySettings(void)
{
    HKEY    hKey;
    DWORD   size;
    DWORD   type;

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\Inetinfo\\Param
eters", 0, KEY_READ, &hKey) == ERROR_SUCCESS )
    {
        size = sizeof(iPoolThreadLimit);
        if ( RegQueryValueEx(hKey,
"PoolThreadLimit", 0, &type, (char
*)&iPoolThreadLimit, &size) == ERROR_SUCCESS )
            if ( !iPoolThreadLimit
)
                iPoolThreadLimit = iMaxPhysicalMemory * 2;

        size = sizeof(iThreadTimeout);
        if ( RegQueryValueEx(hKey,
"ThreadTimeout", 0, &type, (char *)&iThreadTimeout,
&size) == ERROR_SUCCESS )
            if ( !iThreadTimeout )
                iThreadTimeout = 86400;

        size = sizeof(iListenBackLog);
        if ( RegQueryValueEx(hKey,
"ListenBackLog", 0, &type, (char *)&iListenBackLog,
&size) == ERROR_SUCCESS )
            if ( !iListenBackLog )
                iListenBackLog = 15;

        RegCloseKey(hKey);
    }

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Paramete
rs", 0, KEY_READ, &hKey) == ERROR_SUCCESS )
    {
        size =
sizeof(iAcceptExOutstanding);
        if ( RegQueryValueEx(hKey,
"AcceptExOutstanding", 0, &type, (char
*)&iAcceptExOutstanding, &size) == ERROR_SUCCESS )
            if (
!iAcceptExOutstanding )
                iAcceptExOutstanding = 40;

        RegCloseKey(hKey);
    }
}

```

```

static void WriteRegistrySettings(char *szDllPath)
{
    HKEY    hKey;
    DWORD   dwDisposition;
    char    szTmp[256];
    char    *ptr;
    int     iRc;

    if ( RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\\Microsoft\\TPCC", 0, NULL,
REG_OPTION_NON_VOLATILE, KEY_ALL_ACCESS, NULL, &hKey,
&dwDisposition) == ERROR_SUCCESS )
    {
        strcpy(szTmp, szDllPath);
        ptr = strstr(szTmp, "tpcc");
        if ( ptr )
            *ptr = 0;

        RegSetValueEx(hKey, "Path", 0,
REG_SZ, szTmp, strlen(szTmp)+1);

        RegSetValueEx(hKey,
"NumberOfDeliveryThreads", 0, REG_DWORD, (char
*)&Reg.dwNumberOfDeliveryThreads,
sizeof(Reg.dwNumberOfDeliveryThreads));
        RegSetValueEx(hKey,
"MaxConnections", 0, REG_DWORD, (char
*)&Reg.dwMaxConnections,
sizeof(Reg.dwMaxConnections));
        RegSetValueEx(hKey,
"MaxPendingDeliveries", 0, REG_DWORD, (char
*)&Reg.dwMaxPendingDeliveries,
sizeof(Reg.dwMaxPendingDeliveries));

        RegSetValueEx(hKey,
"DB_Protocol", 0, REG_SZ,
szDBNames[Reg.eDB_Protocol],
strlen(szDBNames[Reg.eDB_Protocol])+1);
        RegSetValueEx(hKey, "TxnMonitor",
0, REG_SZ, szTxnMonNames[Reg.eTxnMon],
strlen(szTxnMonNames[Reg.eTxnMon])+1);

        RegSetValueEx(hKey, "DbServer",
0, REG_SZ, Reg.szDbServer, strlen(Reg.szDbServer)+1);
        RegSetValueEx(hKey, "DbName", 0,
REG_SZ, Reg.szDbName, strlen(Reg.szDbName)+1);
        RegSetValueEx(hKey, "DbUser", 0,
REG_SZ, Reg.szDbUser, strlen(Reg.szDbUser)+1);
        RegSetValueEx(hKey, "DbPassword",
0, REG_SZ, Reg.szDbPassword,
strlen(Reg.szDbPassword)+1);

        strcpy(szTmp, "YES");
        RegSetValueEx(hKey,
"COM_SinglePool", 0, REG_SZ, szTmp, strlen(szTmp)+1);

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if (
iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\Inetinfo\\Param

```

```

eters", 0, NULL, REG_OPTION_NON_VOLATILE,
KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        RegSetValueEx(hKey,
"PoolThreadLimit", 0, REG_DWORD, (char
*)&iPoolThreadLimit, sizeof(iPoolThreadLimit));
        RegSetValueEx(hKey,
"ThreadTimeout", 0, REG_DWORD, (char
*)&iThreadTimeout, sizeof(iThreadTimeout));
        RegSetValueEx(hKey,
"ListenBackLog", 0, REG_DWORD, (char
*)&iListenBackLog, sizeof(iListenBackLog));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if (
iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Paramete
rs", 0, NULL, REG_OPTION_NON_VOLATILE,
KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        RegSetValueEx(hKey,
"AcceptExOutstanding", 0, REG_DWORD, (char
*)&iAcceptExOutstanding,
sizeof(iAcceptExOutstanding));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    return;
}

BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    if ( uMsg == WM_INITDIALOG )
    {
        SendDlgItemMessage(hwnd,
IDC_PROGRESS1, PBM_SETRANGE, 0, MAKELPARAM(0, 15));
        SendDlgItemMessage(hwnd,
IDC_PROGRESS1, PBM_SETSTEP, (WPARAM)1, 0);
        return TRUE;
    }
    return FALSE;
}

BOOL RegisterDLL(char *szFileName)
{
    HINSTANCE hLib;
    FARPROC   lpDllEntryPoint;

    hLib = LoadLibrary(szFileName);
    if ( hLib == NULL )
        return FALSE;
    // Find the entry point.
    lpDllEntryPoint = GetProcAddress(hLib,
"DllRegisterServer");
    if (lpDllEntryPoint != NULL)

```

```

    {
        return ((*lpDllEntryPoint)()) ==
S_OK);
    }
    else
        return FALSE; //unable to
locate entry point
}

BOOL FileFromResource( char *szResourceName, int
iResourceId, char *szDllPath, char *szFileName )
{
    HGLOBAL          hDLL;
    HRSRC            hResInfo;
    HANDLE           hFile;
    DWORD            dwSize;
    BYTE             *pSrc;
    DWORD            d;
    char             szFullName[256];

    hResInfo = FindResource(hInst,
MAKEINTRESOURCE(iResourceId), szResourceName);

    strcpy(szFullName, szDllPath);
    strcat(szFullName, szFileName);

    dwSize = SizeofResource(hInst, hResInfo);
    hDLL = LoadResource(hInst, hResInfo );
    pSrc = (BYTE *)LockResource(hDLL);
    remove(szFullName);

    if ( !(hFile = CreateFile(szFullName,
GENERIC_WRITE, 0, NULL, CREATE_ALWAYS,
FILE_ATTRIBUTE_NORMAL, NULL)) )
        return FALSE;

    if ( !WriteFile(hFile, pSrc, dwSize, &d,
NULL) )
        return FALSE;

    CloseHandle(hFile);

    UnlockResource(hDLL);
    FreeResource(hDLL);
    return TRUE;
}

static int CopyFiles(HWND hDlg, char *szDllPath)
{
    BOOL          bSvcRunning;

    bSvcRunning = CheckWWWWebService();
    if ( bSvcRunning )
    {
        SetDlgItemText(hDlg, IDC_STATUS,
"Stopping Web Service.");
        SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
        StopWWWWebService();
    }
}

```

```

        SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
    }

    SetDlgItemText(hDlg, IDC_STATUS, "Copying
Files...");
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install TPCC.DLL
    strcpy( szLastFileName, "tpcc.dll" );
    if (!FileFromResource( "TPCCDLL",
IDR_TPCCDLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_dblib.dll
    strcpy( szLastFileName, "tpcc_dblib.dll" );
    if (!FileFromResource( "DBLIB_DLL",
IDR_DBLIB_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_odbc.dll
    strcpy( szLastFileName, "tpcc_odbc.dll" );
    if (!FileFromResource( "ODBC_DLL",
IDR_ODBC_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tuxapp.exe
    strcpy( szLastFileName, "tuxapp.exe" );
    if (!FileFromResource( "TUXEDO_APP",
IDR_TUXEDO_APP, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_tuxedo.dll
    strcpy( szLastFileName, "tpcc_tuxedo.dll"
);
    if (!FileFromResource( "TUXEDO_DLL",
IDR_TUXEDO_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_com.dll
    strcpy( szLastFileName, "tpcc_com.dll" );
    if (!FileFromResource( "COM_DLL",
IDR_COM_DLL, szDllPath, szLastFileName ))
        return 0;

```

```

        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        // install tpcc_com_ps.dll
        strcpy( szLastFileName, "tpcc_com_ps.dll"
);
        if (!FileFromResource( "COM_PS_DLL",
IDR_COMPS_DLL, szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        // install tpcc_com_all.dll
        strcpy( szLastFileName, "tpcc_com_all.dll"
);
        if (!FileFromResource( "COM_ALL_DLL",
IDR_COMALL_DLL, szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        //if we stopped service restart it.
        if ( bSvcRunning )
        {
            SetDlgItemText(hDlg, IDC_STATUS,
"Starting Web Service.");
            SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
            UpdateDialog(hDlg);
            StartWWWebService();
        }

        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        return 1;
    }

    static BOOL GetInstallPath(char *szDllPath)
    {
        HKEY hKey;
        BYTE szData[256];
        DWORD sv;
        BOOL bRc;
        int len;
        char *ptr;
        int iRc;

        szDllPath[0] = 0;
        bRc = TRUE;
        if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Paramete
rs\\Virtual Roots", 0, KEY_ALL_ACCESS, &hKey) ==
ERROR_SUCCESS )
        {
            sv = sizeof(szData);
            iRc = RegQueryValueEx( hKey,
"/,", NULL, NULL, szData, &sv ); // used by IIS 3.0
            if (iRc == ERROR_FILE_NOT_FOUND)

```

```

            iRc = RegQueryValueEx(
hKey, "/", NULL, NULL, szData, &sv ); // used by
IIS 4.0
            if (iRc == ERROR_SUCCESS)
            {
                bRc = FALSE;
                strcpy(szDllPath,
szData);
                if ( (ptr =
strchr(szDllPath, ',')) )
                    *ptr = 0;

                len =
strlen(szDllPath);
                if ( szDllPath[len-1]
!= '\\')
                {
                    szDllPath[len] = '\\';
                    szDllPath[len+1] = 0;
                }
                RegCloseKey(hKey);
            }
            return bRc;
        }

    static void GetVersionInfo(char *szDLLPath, char
*szExePath)
    {
        DWORD d;
        DWORD dwSize;
        DWORD dwBytes;
        char *ptr;
        VS_FIXEDFILEINFO *vs;

        versionDllMS = 0;
        versionDllLS = 0;
        if ( _access(szDLLPath, 0) == 0 )
        {
            dwSize =
GetFileVersionInfoSize(szDLLPath, &d);
            if ( dwSize )
            {
                ptr = (char
*)malloc(dwSize);
                GetFileVersionInfo(szDLLPath, 0, dwSize,
ptr);
                VerQueryValue(ptr,
"\\",&vs, &dwBytes);
                versionDllMS = vs-
>dwProductVersionMS;
                versionDllLS = vs-
>dwProductVersionLS;
                free(ptr);
            }
        }
    }

```



```

    }

    versionExeMS = 0x7FFF;
    versionExeLS = 0x7FFF;
    dwSize = GetFileVersionInfoSize(szExePath,
&d);
    if ( dwSize )
    {
        ptr = (char *)malloc(dwSize);
        GetFileVersionInfo(szExePath, 0,
dwSize, ptr);
        VerQueryValue(ptr, "\\",&vs,
&dwBytes);

        versionExeMS = vs-
>dwProductVersionMS;
        versionExeLS = LOWORD(vs-
>dwProductVersionLS);
        versionExeMM = HIWORD(vs-
>dwProductVersionLS);
        free(ptr);
    }
    return;
}

static BOOL CheckWWWWebService(void)
{
    SC_HANDLE      schSCManager;
    SC_HANDLE      schService;
    SERVICE_STATUS ssStatus;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto ServiceNotRunning;

    if ( !ControlService(schService,
SERVICE_CONTROL_STOP, &ssStatus) )
        goto ServiceNotRunning;
    //start Service pending, Check the status
until the service is running.
    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto ServiceNotRunning;

    CloseServiceHandle(schService);
    return TRUE;
}

ServiceNotRunning:

    CloseServiceHandle(schService);
    return FALSE;
}

static BOOL StartWWWWebService(void)
{
    SC_HANDLE      schSCManager;

```

```

    SC_HANDLE      schService;
    SERVICE_STATUS ssStatus;
    DWORD          dwOldCheckPoint;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! StartService(schService, 0, NULL) )
        goto StartWWWWebErr;
    //start Service pending, Check the status
until the service is running.
    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto StartWWWWebErr;
    while( ssStatus.dwCurrentState !=
SERVICE_RUNNING)
    {
        dwOldCheckPoint =
ssStatus.dwCheckPoint;
        //Save the current checkpoint.
        Sleep(ssStatus.dwWaitHint);

        //Wait for the specified interval.
        if (
!QueryServiceStatus(schService, &ssStatus) )
            //Check the status again.
            break;
        if (dwOldCheckPoint >=
ssStatus.dwCheckPoint) //Break if
the checkpoint has not been incremented.
            break;
    }

    if (ssStatus.dwCurrentState ==
SERVICE_RUNNING)
        goto StartWWWWebErr;

    CloseServiceHandle(schService);
    return TRUE;
}

StartWWWWebErr:
    CloseServiceHandle(schService);
    return FALSE;
}

static BOOL StopWWWWebService(void)
{
    SC_HANDLE      schSCManager;
    SC_HANDLE      schService;
    SERVICE_STATUS ssStatus;
    DWORD          dwOldCheckPoint;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
TEXT("W3SVC"), SERVICE_ALL_ACCESS);

```

```

    if (schService == NULL)
        return FALSE;

    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto StopWWWWebErr;

    if ( !ControlService(schService,
SERVICE_CONTROL_STOP, &ssStatus) )
        goto StopWWWWebErr;
    //start Service pending, Check the status
until the service is running.
    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto StopWWWWebErr;
    while( ssStatus.dwCurrentState ==
SERVICE_RUNNING)
    {
        dwOldCheckPoint =
ssStatus.dwCheckPoint;
        //Save the current checkpoint.
        Sleep(ssStatus.dwWaitHint);

        //Wait for the specified interval.
        if (
!QueryServiceStatus(schService, &ssStatus) )
            //Check the status again.
            break;
        if (dwOldCheckPoint >=
ssStatus.dwCheckPoint) //Break if
the checkpoint has not been incremented.
            break;
    }

    if (ssStatus.dwCurrentState ==
SERVICE_RUNNING)
        goto StopWWWWebErr;

    CloseServiceHandle(schService);
    return TRUE;
}

StopWWWWebErr:
    CloseServiceHandle(schService);
    return FALSE;
}

static void UpdateDialog(HWND hDlg)
{
    MSG msg;

    UpdateWindow(hDlg);
    while( PeekMessage(&msg, hDlg, 0, 0,
PM_REMOVE) )
    {
        TranslateMessage(&msg);
        DispatchMessage(&msg);
    }
    Sleep(250);
    return;
}

```

install.h

```
//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by install.rc
//

#define IDD_DIALOG1 101
#define IDI_ICON1 102
#define IDR_TPCCDLL 103
#define IDD_DIALOG2 105
#define IDI_ICON2 106
#define IDR_DELIVERY 107
#define IDD_DIALOG3 108

#define BN_LOG 1001
#define ED_KEEP 1002
#define ED_THREADS 1003
#define ED_THREADS2 1004
#define IDC_PATH 1007
#define IDC_VERSION 1009
#define IDC_RESULTS 1010
#define IDC_PROGRESS1 1011
#define IDC_STATUS 1012
#define IDC_BUTTON1 1013
#define ED_MAXCONNECTION 1014
#define ED_IIS_MAX_THREAD_POOL_LIMIT 1015
#define ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE 1017
#define ED_IIS_THREAD_TIMEOUT 1018
#define ED_IIS_LISTEN_BACKLOG 1019
#define IDC_DBLIB 1021
#define IDC_ODBC 1022
#define IDC_CONNECT_POOL 1023
#define ED_USER_CONNECT_DELAY_TIME 1024

// Next default values for new objects
//
```

install.rc

```
//Microsoft Developer Studio generated resource
script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"
////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS

////////////////////////////////////
// English (U.S.) resources
//
#if !defined(AFX_RESOURCE_DLL) ||
defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

////////////////////////////////////
//
// Dialog
//
IDD_DIALOG1 DIALOGEX 0, 0, 219, 351
STYLE DS_MODALFRAME | DS_CENTER | WS_MINIMIZEBOX |
WS_POPUP | WS_CAPTION |
WS_SYSMENU
CAPTION "TPC-C Web Client Installation Utility"
FONT 8, "MS Sans Serif"
BEGIN
    EDITTEXT        ED_THREADS,164,45,34,12,ES_RIGHT
    | ES_NUMBER,
    WS_EX_RTLREADING
    EDITTEXT
    ED_MAXDELIVERIES,164,59,34,12,ES_RIGHT | ES_NUMBER,
    WS_EX_RTLREADING
    EDITTEXT
    ED_MAXCONNECTION,164,73,34,12,ES_RIGHT | ES_NUMBER,
    WS_EX_RTLREADING
    CONTROL
    "None", IDC_TM_NONE, "Button", BS_AUTORADIOBUTTON |
    WS_GROUP |
WS_TABSTOP,43,100,33,10
    CONTROL
    "COM", IDC_TM_MTS, "Button", BS_AUTORADIOBUTTON |
    WS_TABSTOP,43,113,32,10
    CONTROL
    "TUXEDO", IDC_TM_TUXEDO, "Button", BS_AUTORADIOBUTTON |
    WS_TABSTOP,106,100,46,10
    CONTROL
    "ENCINA", IDC_TM_ENCINA, "Button", BS_AUTORADIOBUTTON |

WS_DISABLED |
WS_TABSTOP,106,113,43,10
    EDITTEXT
    ED_DB_SERVER,131,152,67,12,ES_AUTOHSCROLL
    EDITTEXT
    ED_DB_USER_ID,131,165,67,12,ES_AUTOHSCROLL
    EDITTEXT
    ED_DB_PASSWORD,131,178,67,12,ES_AUTOHSCROLL
    EDITTEXT
    ED_DB_NAME,131,191,67,12,ES_AUTOHSCROLL
    CONTROL
    "DBLIB", IDC_DBLIB, "Button", BS_AUTORADIOBUTTON |
WS_GROUP |
    WS_TABSTOP,45,219,39,12
    CONTROL
    "ODBC", IDC_ODBC, "Button", BS_AUTORADIOBUTTON |
WS_TABSTOP,
    91,219,39,12
    EDITTEXT
    ED_IIS_MAX_THREAD_POOL_LIMIT,164,263,34,12,ES_RIGHT |
    ES_NUMBER,WS_EX_RTLREADING
    EDITTEXT
    ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE,164,277,34,12,ES_RI
    GHT |
    ES_NUMBER,WS_EX_RTLREADING
    EDITTEXT
    ED_IIS_THREAD_TIMEOUT,164,291,34,12,ES_RIGHT |
    ES_NUMBER,
    WS_EX_RTLREADING
    EDITTEXT
    ED_IIS_LISTEN_BACKLOG,164,305,34,12,ES_RIGHT |
    ES_NUMBER,
    WS_EX_RTLREADING
    DEFPUSHBUTTON "OK",IDOK,53,331,50,14
    PUSHBUTTON "Cancel",IDCANCEL,119,331,50,14
    EDITTEXT
    IDC_PATH,106,26,91,13,ES_AUTOHSCROLL | ES_READONLY
    LTEXT "Number of Delivery
    Threads:", IDC_STATIC,35,45,115,12
    LTEXT "Max Number of
    Connections:", IDC_STATIC,35,73,115,12
    RTEXT "Version
    4.11", IDC_VERSION,120,4,89,9
    LTEXT "IIS Max Thread Pool
    Limit:", IDC_STATIC,36,263,115,12
    LTEXT "Web Service Backlog Queue
    Size:", IDC_STATIC,36,277,115,
    12
    LTEXT "IIS Thread Timeout
    (seconds):", IDC_STATIC,36,291,115,12
    LTEXT "IIS Listen
    Backlog:", IDC_STATIC,36,307,115,10
    GROUPBOX "Database
    Interface", IDC_STATIC,35,208,163,27,WS_GROUP
    LTEXT "Installation
    directory:", IDC_STATIC,35,229,71,10
    GROUPBOX "Transaction
    Monitor", IDC_STATIC,33,90,165,37
    LTEXT "Server
    Name:", IDC_STATIC,35,155,56,8
    LTEXT "User ID:", IDC_STATIC,35,168,60,8
    LTEXT "User
    Password:", IDC_STATIC,35,181,83,8
```

```

LTEXT "Database
Name:", IDC_STATIC, 35, 194, 54, 8
GROUPBOX "SQL Server Connection
Properties", IDC_STATIC, 22, 139, 187,
102
GROUPBOX "Web Client
Properties", IDC_STATIC, 22, 15, 187, 118
GROUPBOX "IIS
Settings", IDC_STATIC, 22, 247, 187, 79
LTEXT "Max Pending
Deliveries:", IDC_STATIC, 35, 59, 115, 12
END

IDD_DIALOG2 DIALOGEX 0, 0, 117, 62
STYLE DS_SETFOREGROUND | DS_3DLOOK | DS_CENTER |
WS_POPUP | WS_BORDER
EXSTYLE WS_EX_STATICEDGE
FONT 12, "MS Sans Serif", 0, 0, 0x1
BEGIN
DEFPUSHBUTTON "OK", IDOK, 33, 45, 50, 9
CTEXT "HTML TPC-C Installation
Successful", IDC_RESULTS, 7, 22,
102, 18, 0, WS_EX_CLIENTEDGE
ICON
IDI_ICON2, IDC_STATIC, 50, 7, 18, 20, SS_REALSIZEIMAGE,
WS_EX_TRANSPARENT
END

IDD_DIALOG3 DIALOG DISCARDABLE 0, 0, 91, 40
STYLE DS_SYSMODAL | DS_MODALFRAME | DS_3DLOOK |
DS_CENTER | WS_CAPTION
CAPTION "Installing TPC-C Web Client"
FONT 12, "Arial Black"
BEGIN
CONTROL
"Progress1", IDC_PROGRESS1, "msctl1_progress32", WS_BORD
ER,
7, 20, 77, 13
CTEXT
"Static", IDC_STATUS, 7, 7, 77, 12, SS_SUNKEN
END

IDD_DIALOG4 DIALOG DISCARDABLE 0, 0, 291, 202
STYLE DS_MODALFRAME | DS_CENTER | WS_POPUP |
WS_CAPTION | WS_SYSMENU
CAPTION "Client End User License"
FONT 8, "MS Sans Serif"
BEGIN
EDITTEXT
IDC_LICENSE, 7, 7, 271, 167, ES_MULTILINE | ES_AUTOVSCROLL
|
ES_AUTOHSCROLL | ES_READONLY |
WS_VSCROLL | WS_HSCROLL
DEFPUSHBUTTON "I &Agree", IDOK, 87, 181, 50, 14
PUSHBUTTON "&Cancel", IDCANCEL, 153, 181, 50, 14
END

////////////////////////////////////
//
// DESIGNINFO
//

```

```

#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
IDD_DIALOG1, DIALOG
BEGIN
LEFTMARGIN, 22
RIGHTMARGIN, 209
VERTGUIDE, 35
VERTGUIDE, 198
TOPMARGIN, 4
BOTTOMMARGIN, 345
END

IDD_DIALOG2, DIALOG
BEGIN
LEFTMARGIN, 7
RIGHTMARGIN, 109
TOPMARGIN, 7
BOTTOMMARGIN, 54
END

IDD_DIALOG3, DIALOG
BEGIN
LEFTMARGIN, 7
RIGHTMARGIN, 84
TOPMARGIN, 7
BOTTOMMARGIN, 33
END

IDD_DIALOG4, DIALOG
BEGIN
LEFTMARGIN, 7
RIGHTMARGIN, 278
TOPMARGIN, 7
BOTTOMMARGIN, 195
END
#endif // APSTUDIO_INVOKED

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
//
// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
"resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
#include "afxres.h"\r\n"
"\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
\r\n"
"\0"
END
#endif

```

```

END

#endif // APSTUDIO_INVOKED

////////////////////////////////////
//
// Icon
//
// Icon with lowest ID value placed first to ensure
application icon
// remains consistent on all systems.
IDI_ICON1 ICON DISCARDABLE
"icon1.ico"
IDI_ICON2 ICON DISCARDABLE
"icon2.ico"

////////////////////////////////////
//
// TPCCDLL
//
IDR_TPCCDLL TPCCDLL DISCARDABLE
"..\\..\\isapi_dll\\bin\\tpcc.dll"

#ifdef _MAC
////////////////////////////////////
//
// Version
//
VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,20,0
PRODUCTVERSION 0,4,20,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x1L
FILESUBTYPE 0x0L
BEGIN
BLOCK "StringFileInfo"
BEGIN
BLOCK "040904b0"
BEGIN
VALUE "Comments", "TPC-C Web Client
Installer\0"
VALUE "CompanyName", "Microsoft\0"
VALUE "FileDescription", "install\0"
VALUE "FileVersion", "0,4,20,0\0"
VALUE "InternalName", "install\0"
VALUE "LegalCopyright", "Copyright ©
1999\0"
VALUE "OriginalFilename", "install.exe\0"
VALUE "ProductName", "Microsoft
install\0"

```

```

        VALUE "ProductVersion", "0, 4, 20, 0\0"
    END
END
BLOCK "VarFileInfo"
BEGIN
    VALUE "Translation", 0x409, 1200
END
END

#endif // !_MAC

////////////////////////////////////
//
// LICENSE
//

IDR_LICENSE1          LICENSE DISCARDABLE
"license.txt"

////////////////////////////////////
//
// DBLIB_DLL
//

IDR_DBLIB_DLL          DBLIB_DLL DISCARDABLE
"..\\..\\db_dblib_dll\\bin\\tpcc_dblib.dll"

////////////////////////////////////
//
// ODBC_DLL
//

IDR_ODBC_DLL          ODBC_DLL DISCARDABLE
"..\\..\\db_odbc_dll\\bin\\tpcc_odbc.dll"

////////////////////////////////////
//
// TUXEDO_APP
//

IDR_TUXEDO_APP        TUXEDO_APP DISCARDABLE
"..\\..\\tuxapp\\bin\\tuxapp.exe"

////////////////////////////////////
//
// TUXEDO_DLL
//

IDR_TUXEDO_DLL        TUXEDO_DLL DISCARDABLE
"..\\..\\tm_tuxedo_dll\\bin\\tpcc_tuxedo.dll"

////////////////////////////////////
//
// COM_DLL
//

```

```

IDR_COM_DLL          COM_DLL DISCARDABLE
"..\\..\\tm_com_dll\\bin\\tpcc_com.dll"

////////////////////////////////////
//
// COM_PS_DLL
//

IDR_COMPS_DLL        COM_PS_DLL DISCARDABLE
"..\\..\\tpcc_com_ps\\bin\\tpcc_com_ps.dll"

////////////////////////////////////
//
// COM_ALL_DLL
//

IDR_COMALL_DLL        COM_ALL_DLL DISCARDABLE
"..\\..\\tpcc_com_all\\bin\\tpcc_com_all.dll"
#endif // English (U.S.) resources

////////////////////////////////////
//
// Generated from the TEXTINCLUDE 3 resource.
//

#ifndef APSTUDIO_INVOKED
////////////////////////////////////
//
//
//
// Generated from the TEXTINCLUDE 3 resource.
//

#endif // not APSTUDIO_INVOKED


```

install_com.cp

```

p
/* FILE:          INSTALL_COM.CPP
 *               Microsoft
 * TPC-C Kit Ver. 4.20.000
 *               Copyright
 * Microsoft, 1999
 *               All Rights Reserved
 *               not audited
 *
 * PURPOSE:  installation code for COM
 * application for TPC-C Web Kit
 * Contact:  Charles Levine
 * (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - first version
 */

```

```

#define _WIN32_WINNT 0x0500

#include <comdef.h>
#include <comadmin.h>
#include <stdio.h>
#include <tchar.h>

extern "C"
{
    BOOL install_com(char *szDllPath);
}

BOOL install_com(char *szDllPath)
{
    ICOMAdminCatalog* pCOMAdminCat = NULL;
    ICatalogCollection* pCatalogCollectionApp
= NULL;
    ICatalogCollection* pCatalogCollectionCo
= NULL;
    ICatalogCollection* pCatalogCollectionItf
= NULL;
    ICatalogCollection*
pCatalogCollectionMethod = NULL;

    ICatalogObject*
pCatalogObjectApp = NULL;
    ICatalogObject*
pCatalogObjectCo = NULL;
    ICatalogObject*
pCatalogObjectItf = NULL;
    ICatalogObject*
pCatalogObjectMethod = NULL;

    _bstr_t
bstrTemp, bstrTemp2, bstrTemp3, bstrTemp4;
    _bstr_t
bstrDllPath = szDllPath;
    _variant_t
vTmp, vKey;
    long
lActProp, lCount, lCountCo, lCountItf,
lCountMethod;
    bool
bTmp;

    CoInitializeEx(NULL, COINIT_MULTITHREADED);

    HRESULT hr =
CoCreateInstance(CLSID_COMAdminCatalog,
NULL,
CLSCTX_INPROC_SERVER,
IID_ICOMAdminCatalog,
(void**)
&pCOMAdminCat);

    if (!SUCCEEDED(hr)) goto Error;

```

```

        bstrTemp = "Applications";

        // Attempt to connect to "Applications" in
the Catalog
        hr = pCOMAdminCat->GetCollection(bstrTemp,
                                        (IDispatch**)
&pCatalogCollectionApp);
        if (!SUCCEEDED(hr)) goto Error;

        // Attempt to load the "Applications"
collection
        hr = pCatalogCollectionApp->Populate();
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogCollectionApp-
>get_Count(&lCount);
        if (!SUCCEEDED(hr)) goto Error;

        // iterate through applications to delete
existing "TPC-C" application (if any)
        while (lCount > 0)
        {
            hr = pCatalogCollectionApp-
>get_Item(lCount - 1, (IDispatch**)
&pCatalogObjectApp);
            if (!SUCCEEDED(hr)) goto Error;

            hr = pCatalogObjectApp-
>get_Name(&vTmp);
            if (!SUCCEEDED(hr)) goto Error;

            if (wcsncmp(vTmp.bstrVal, L"TPC-
C"))
            {
                lCount--;
                continue;
            }
            else
            {
                hr =
pCatalogCollectionApp->Remove(lCount - 1);
                if (!SUCCEEDED(hr))
                    goto Error;

                break;
            }
        }

        hr = pCatalogCollectionApp-
>SaveChanges(&lActProp);
        if (!SUCCEEDED(hr)) goto Error;

        // add the new application
        hr = pCatalogCollectionApp-
>Add((IDispatch**) &pCatalogObjectApp);
        if (!SUCCEEDED(hr)) goto Error;

        // set properties
        bstrTemp = "Name";
        vTmp = "TPC-C";
        hr = pCatalogObjectApp->put_Value(bstrTemp,
vTmp);

```

```

        if (!SUCCEEDED(hr)) goto Error;

        // set as a library (in process)
application
        bstrTemp = "Activation";
        lActProp = COMAdminActivationInproc;
        vTmp = lActProp;
        hr = pCatalogObjectApp->put_Value(bstrTemp,
vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        // set security level to process
        bstrTemp = "AccessChecksLevel";
        lActProp =
COMAdminAccessChecksApplicationLevel;
        vTmp = lActProp;
        hr = pCatalogObjectApp->put_Value(bstrTemp,
vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        // save key to get the Components
collection later
        hr = pCatalogObjectApp->get_Key(&vKey);
        if (!SUCCEEDED(hr)) goto Error;

        // save changes (app creation) so component
installation will work
        hr = pCatalogCollectionApp-
>SaveChanges(&lActProp);
        if (!SUCCEEDED(hr)) goto Error;

        pCatalogObjectApp->Release();
        pCatalogObjectApp = NULL;

        bstrTemp = "TPC-C";
        // app name
        bstrTemp2 = bstrDllPath +
"tpcc_com_all.dll"; // DLL
        bstrTemp3 = ""; // type

        library (TLB)
        bstrTemp4 = bstrDllPath +
"tpcc_com_ps.dll"; // proxy/stub dll

        hr = pCOMAdminCat-
>InstallComponent(bstrTemp,

        bstrTemp2,

        bstrTemp3,

        bstrTemp4);
        if (!SUCCEEDED(hr)) goto Error;

        bstrTemp = "Components";
        hr = pCatalogCollectionApp-
>GetCollection(bstrTemp, vKey, (IDispatch**)
&pCatalogCollectionCo);
        if (!SUCCEEDED(hr)) goto Error;

```

```

        hr = pCatalogCollectionCo->Populate();
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogCollectionCo-
>get_Count(&lCountCo);
        if (!SUCCEEDED(hr)) goto Error;

        // iterate through components in
application and set the properties
        while (lCountCo > 0)
        {
            hr = pCatalogCollectionCo-
>get_Item(lCountCo - 1, (IDispatch**)
&pCatalogObjectCo);
            if (!SUCCEEDED(hr)) goto Error;

            // used for debugging (view the
name)
            hr = pCatalogObjectCo-
>get_Name(&vTmp);
            if (!SUCCEEDED(hr)) goto Error;

            bstrTemp = "ConstructionEnabled";
            bTmp = TRUE;
            vTmp = bTmp;
            hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
            if (!SUCCEEDED(hr)) goto Error;

            bstrTemp = "ConstructorString";
            bstrTemp2 = "dummy string (do not
remove)";
            vTmp = bstrTemp2;
            hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
            if (!SUCCEEDED(hr)) goto Error;

            bstrTemp =
"JustInTimeActivation";
            bTmp = TRUE;
            vTmp = bTmp;
            hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
            if (!SUCCEEDED(hr)) goto Error;

            bstrTemp = "MaxPoolSize";
            vTmp.Clear(); // clear
variant so it isn't stored as a bool (_variant_t
feature)
            vTmp = (long)30;
            hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
            if (!SUCCEEDED(hr)) goto Error;

            bstrTemp =
"ObjectPoolingEnabled";
            bTmp = TRUE;
            vTmp = bTmp;
            hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
            if (!SUCCEEDED(hr)) goto Error;

```

```

// save key to get the
InterfacesForComponent collection
hr = pCatalogObjectCo-
>get_Key(&vKey);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp =
"InterfacesForComponent";
hr = pCatalogCollectionCo-
>GetCollection(bstrTemp, vKey, (IDispatch**)
&pCatalogCollectionItf);
if (!SUCCEEDED(hr)) goto Error;

>Populate();
if (!SUCCEEDED(hr)) goto Error;

hr = pCatalogCollectionItf-
>get_Count(&lCountItf);
if (!SUCCEEDED(hr)) goto Error;

// iterate through interfaces in
component
while (lCountItf > 0)
{
hr =
pCatalogCollectionItf->get_Item(lCountItf - 1,
(IDispatch**) &pCatalogObjectItf);
if (!SUCCEEDED(hr))
goto Error;

// save key to get the
MethodsForInterface collection
hr = pCatalogObjectItf-
>get_Key(&vKey);
if (!SUCCEEDED(hr))
goto Error;

bstrTemp =
"MethodsForInterface";
hr =
pCatalogCollectionItf->GetCollection(bstrTemp, vKey,
(IDispatch**) &pCatalogCollectionMethod);
if (!SUCCEEDED(hr))
goto Error;

hr =
pCatalogCollectionMethod->Populate();
if (!SUCCEEDED(hr))
goto Error;

hr =
pCatalogCollectionMethod->get_Count(&lCountMethod);
if (!SUCCEEDED(hr))
goto Error;

// iterate through
methods of interface
while (lCountMethod >
0)
{

```

```

hr =
pCatalogCollectionMethod->get_Item(lCountMethod - 1,
(IDispatch**) &pCatalogObjectMethod);
if
(!SUCCEEDED(hr)) goto Error;

bstrTemp =
"AutoComplete";
bTmp = TRUE;
vTmp = bTmp;
hr =
pCatalogObjectMethod->put_Value(bstrTemp, vTmp);
if
(!SUCCEEDED(hr)) goto Error;

pCatalogObjectMethod->Release();
pCatalogObjectMethod = NULL;

lCountMethod-
-;
}
// save changes
hr =
pCatalogCollectionMethod->SaveChanges(&lActProp);
if (!SUCCEEDED(hr))
goto Error;

pCatalogObjectItf-
>Release();
pCatalogObjectItf =
NULL;

lCountItf--;
}
pCatalogObjectCo->Release();
pCatalogObjectCo = NULL;

lCountCo--;
}
// save changes
hr = pCatalogCollectionCo-
>SaveChanges(&lActProp);
if (!SUCCEEDED(hr)) goto Error;

pCatalogCollectionApp->Release();
pCatalogCollectionApp = NULL;

pCatalogCollectionCo->Release();
pCatalogCollectionCo = NULL;

pCatalogCollectionItf->Release();
pCatalogCollectionItf = NULL;

pCatalogCollectionMethod->Release();
pCatalogCollectionMethod = NULL;

```

```

Error:
CoUninitialize();

if (!SUCCEEDED(hr))
{
LPTSTR lpBuf;
DWORD dwRes =
FormatMessage(FORMAT_MESSAGE_ALLOCATE_BUFFER |
FORMAT_MESSAGE_FROM_SYSTEM,
NULL,
hr,
MAKELANGID(LANG_NEUTRAL, SUBLANG_DEFAULT),
(LPTSTR)
&lpBuf,
0,
NULL);
//
_tprintf(_T("Error adding
components. HRESULT: 0x%x\n%s"), hr, lpBuf);
return TRUE;
}
else
return FALSE;
}

```

isapi_dll.dsp

```

# Microsoft Developer Studio Project File -
Name="isapi_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=isapi_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "isapi_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "isapi_dll.mak" CFG="isapi_dll -
Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "isapi_dll - Win32 Release" (based on "Win32
(x86) Dynamic-Link Library")

```

```

!MESSAGE "isapi_dll - Win32 Debug" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE "isapi_dll - Win32 IceCAP" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG) == "isapi_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "NDEBUG" /D
"WIN32" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "NDEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 ..\common\txnlog\lib\release\rtetime.lib
..\common\txnlog\lib\release\spinlock.lib
..\common\txnlog\lib\release\error.lib
..\common\txnlog\lib\release\txnolog.lib wsock32.lib
kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib
oleaut32.lib uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /dll /machine:I386
/nodefaultlib:"LIBCMT" /out:".bin\tpcc.dll"
# SUBTRACT LINK32 /nodefaultlib

!ELSEIF "$(CFG) == "isapi_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"

```

```

# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /GX /Zi /Od /D "_DEBUG" /D
"WIN32" /D "_WINDOWS" /FR /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ..\common\txnlog\lib\debug\rtetime.lib
..\common\txnlog\lib\debug\spinlock.lib
..\common\txnlog\lib\debug\error.lib
..\common\txnlog\lib\debug\txnolog.lib wsock32.lib
kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib
oleaut32.lib uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/nodefaultlib:"LIBCMTD" /out:".bin\tpcc.dll"
/pdbtype:sept
# SUBTRACT LINK32 /profile /pdb:none /nodefaultlib

!ELSEIF "$(CFG) == "isapi_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "isapi_dll"
# PROP BASE Intermediate_Dir "isapi_dll"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MDd /W3 /GX /Zi /Od /D
"_DEBUG" /D "WIN32" /D "_WINDOWS" /FR /YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /GX /Zi /O2 /D "NDEBUG" /D
"ICECAP" /D "WIN32" /D "_WINDOWS" /FR /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe

```

```

# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc.dll" /pdbtype:sept
# SUBTRACT BASE LINK32 /profile /pdb:none
# ADD LINK32 icap.lib
..\common\txnlog\lib\release\rtetime.lib
..\common\txnlog\lib\release\spinlock.lib
..\common\txnlog\lib\release\error.lib
..\common\txnlog\lib\release\txnolog.lib wsock32.lib
kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib
oleaut32.lib uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/out:".bin\tpcc.dll" /pdbtype:sept
# SUBTRACT LINK32 /profile /pdb:none /map

!ENDIF

# Begin Target

# Name "isapi_dll - Win32 Release"
# Name "isapi_dll - Win32 Debug"
# Name "isapi_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp, *.def, *.rc"
# Begin Source File

SOURCE=.\src\tpcc.cpp
# End Source File
# Begin Source File

SOURCE=.\src\tpcc.def
# End Source File
# Begin Source File

SOURCE=.\src\tpcc.rc
# End Source File
# End Group
# Begin Group "Header Files"

# PROP Default_Filter "*.h, *.hpp"
# Begin Source File

SOURCE=.\common\src\error.h
# End Source File
# Begin Source File

SOURCE=.\common\src\ReadRegistry.h
# End Source File
# Begin Source File

SOURCE=.\src\tpcc.h
# End Source File
# Begin Source File

SOURCE=.\db\dblib_dll\src\tpcc_dblib.h
# End Source File

```

```

# Begin Source File

SOURCE=..\db_odbc_dll\src\tpcc_odbc.h
# End Source File
# Begin Source File

SOURCE=..\tm_tuxedo_dll\src\tpcc_tux.h
# End Source File
# Begin Source File

SOURCE=..\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=..\common\src\txn_base.h
# End Source File
# End Group
# End Target
# End Project

```

rtetime.h

```

/* FILE: rtetime.h : header file
 * Copyright 1997 Microsoft Corp., All rights
reserved.
 *
 * Source code licensed to Tandem Computers for
Internal
 * use only. Redistribution of source or object
files or
 * any derivative works is prohibited. By agreement,
this
 * notice may not be removed.
 *
 * Authors: Charles Levine, Philip Durr
 *
 * Microsoft Corp.
 */

//FILE: RTETIME.H

#define MAX_JULIAN_TIME
0x7FFFFFFFFFFFFFFF
#define JULIAN_TIME __int64
#define TC_TIME DWORD
extern "C"
{
    BOOL InitJulianTime(LPSYSTEMTIME
lpInitTime);
    JULIAN_TIME GetJulianTime(void);
    DWORD MyTickCount(void);
    void GetJulianAndTC(JULIAN_TIME
*pJulian, DWORD *pTC);
    JULIAN_TIME ConvertTo64BitTime(int iYear, int
iMonth, int iDay, int iHour, int iMinute, int
iSecond);
    JULIAN_TIME Get64BitTime(LPSYSTEMTIME
lpInitTime);
    int JulianDay( int yr, int
mm, int dd );

```

```

void JulianToTime(JULIAN_TIME
julianTS, int* yr, int* mm, int* dd, int *hh, int
*mi, int *ss );
void JulianToCalendar( int day, int*
yr, int* mm, int* dd );
}

```

spinlock.h

```

/* FILE: SPINLOCK.H
 *
 * Copyright 1997 Microsoft Corp., All rights
reserved.
 *
 * Source code licensed to Tandem Computers for
Internal
 * use only. Redistribution of source or object
files or
 * any derivative works is prohibited. By agreement,
this
 * notice may not be removed.
 *
 * Authors: Mike Parkes, Charles Levine, Philip Durr
 *
 * Microsoft Corp.
 */

#ifndef _INC_Spinlock

const LONG LockClosed = 1;
const LONG LockOpen = 0;

/*****
 *
 * Spinlock and Semaphore locking.
 *
 * This class provides a very
conservative locking scheme.
 * The assumption behind the code is that
locks will be
 * held for a very short time. When a
lock is taken a memory
 * location is exchanged. All other
threads that want this
 * lock wait by spinning and sometimes
sleeping on a semaphore
 * until it becomes free again. The only
other choice is not
 * to wait at all and move on to do
something else. This
 * module should normally be used in
conjunction with cache
 * aligned memory in minimize cache line
misses.
 *
 *****/

class Spinlock
{
    // Private data.

```

```

HANDLE
Semaphore;
volatile LONG
m_Spinlock;
volatile LONG
Waiting;

#ifdef _DEBUG
// Counters for
debugging builds.
volatile LONG
TotalLocks;
volatile LONG
TotalSleeps;
volatile LONG
TotalSpins;
volatile LONG
TotalWaits;
#endif

public:
// Public functions.
Spinlock( void );

inline BOOL ClaimLock(
ReleaseLock( void );
~Spinlock( void );
// Disabled operations.
Spinlock( const
void operator=( const
Spinlock & Copy );

private:
// Private functions.
inline BOOL
ClaimSpinlock( volatile LONG *sl );
void WaitForLock( void
);
void WakeAllSleepers(
void );
};

/*****
 *
 * A guaranteed atomic exchange.
 *
 * An attempt is made to claim the
Spinlock. This action is
 * guaranteed to be atomic.
 *
 *****/

inline BOOL Spinlock::ClaimSpinlock(
volatile LONG *Spinlock )
{
#ifdef _DEBUG

```



```

        InterlockedIncrement(
(LPLONG) & TotalLocks );
    #endif
    return ( (*Spinlock) ==
LockOpen) && ( InterlockedExchange( (LPLONG)Spinlock,
LockClosed ) == LockOpen) );
}

/*****
 *
 * Claim the Spinlock.
 *
 * Claim the lock if available else wait
or exit.
 *
*****/

inline BOOL Spinlock::ClaimLock( BOOL Wait
)
{
    if ( ! ClaimSpinlock( (volatile
LONG*) & m_Spinlock ) )
    {
        if ( Wait )
            WaitForLock();
        return Wait;
    }
    return TRUE;
}

/*****
 *
 * Release the Spinlock.
 *
 * Release the lock and if needed wakeup
any sleepers.
 *
*****/

inline void Spinlock::ReleaseLock( void )
{
    m_Spinlock = LockOpen;
    if ( Waiting > 0 )
        WakeAllSleepers();
}

#define _INC_Spinlock

#endif

```

tm_com_dll.ds
p

```

# Microsoft Developer Studio Project File -
Name="tm_com_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=tm_com_dll - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tm_com_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tm_com_dll.mak" CFG="tm_com_dll -
Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tm_com_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tm_com_dll - Win32 Debug" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "tm_com_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "NDEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe

```

```

# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386 /out:".bin\tpcc_com.dll"

!ELSEIF "$(CFG)" == "tm_com_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdctype:sept
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_com.dll" /pdctype:sept

!ENDIF

# Begin Target

# Name "tm_com_dll - Win32 Release"
# Name "tm_com_dll - Win32 Debug"
# Begin Source File

SOURCE=.\src\tpcc_com.cpp
# End Source File
# Begin Source File

```

```
SOURCE=.\src\tpcc_com.h
# End Source File
# End Target
# End Project
```

tpcc.cpp

```
/* FILE: TPCC.C Microsoft
 * TPC-C Kit Ver. 4.20.000 Copyright
 * Microsoft, 1999
 * All Rights Reserved
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 *
 * PURPOSE: Main module for TPCC.DLL which is
 * an ISAPI service dll.
 * Contact: Charles Levine
 * (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - reworked error
 * handling; added options for COM and Encina txn
 * monitors
 */

#include <windows.h>
#include <process.h>
#include <tchar.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>
#include <assert.h>

#include <sqltypes.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\ReadRegistry.h"

#include "..\..\common\txnlog\include\rtetime.h"
#include "..\..\common\txnlog\include\spinlock.h"
#include "..\..\common\txnlog\include\txnlog.h"

// Database layer includes
```

```
#include "..\..\db_dblib_dll\src\tpcc_dblib.h"
// DBLIB implementation of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h"
// ODBC implementation of TPC-C txns

// Txn monitor layer includes
#include "..\..\tm_com_dll\src\tpcc_com.h"
// COM Services implementation on

TPC-C txns
#include "..\..\tm_tuxedo_dll\src\tpcc_tux.h"
// interface to Tuxedo libraries
#include "..\..\tm_encina_dll\src\tpcc_enc.h"
// interface to Encina libraries

#include "httpext.h"
//ISAPI DLL information header
#include "tpcc.h"
//this dlls specific structure, value e.t.
header.

#define LEN_ERR_STRING 256

// defines for Make<Txn>Form calls to distinguish
input and output flavors
#define OUTPUT_FORM 0
#define INPUT_FORM 1

char szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

//Terminal client id structure
TERM Term = { 0, 0, 0, NULL };

// The WEBCLIENT_VERSION string specifies the version
level of this web client interface.
// The RTE must be synchronized with the interface
level on login, otherwise the login
// will fail. This is a sanity check to catch
problems resulting from mismatched versions
// of the RTE and web client.
#define WEBCLIENT_VERSION "410"

static CRITICAL_SECTION
TermCriticalSection;

static HINSTANCE hLibInstanceTm = NULL;
static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;
TYPE_CTPCC_TUXEDO *pCTPCC_TUXEDO_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_post_init;
TYPE_CTPCC_COM *pCTPCC_COM_new;

// For deferred Delivery txns:

CTxnLog *txnDelilog = NULL;
//used to log delivery transaction
information
```

```
HANDLE hWorkerSemaphore = INVALID_HANDLE_VALUE;
HANDLE hDoneEvent = INVALID_HANDLE_VALUE;
HANDLE *pDeliHandles = NULL;

// configuration settings from registry
TPCCREGISTRYDATA Reg;

DWORD dwNumDeliveryThreads = 4;
CRITICAL_SECTION DelBuffCriticalSection;
//critical section for delivery
transactions cache
DELIVERY_TRANSACTION *pDelBuff
= NULL;

DWORD dwDelBuffSize = 100;
// size of circular buffer for delivery

txns
DWORD dwDelBuffFreeCount;
// number of buffers free

DWORD dwDelBuffBusyIndex = 0; //
index position of entry waiting to be delivered
DWORD dwDelBuffFreeIndex = 0; //
index position of unused entry

#include "..\..\common\src\ReadRegistry.cpp"

/* FUNCTION: DllMain
 *
 * PURPOSE: This function is the entry point
 * for the DLL. This implementation is based on the
 * fact that
 * DLL_PROCESS_ATTACH is only called from the inet
 * service once.
 *
 * ARGUMENTS: HANDLE hModule
 * module handle
 *
 * ul_reason_for_call reason for call
 * LPVOID LPVOID
 *
 * lpReserved reserved for future use
 *
 * RETURNS: BOOL FALSE
 * errors occurred in
 * initialization
 *
 * TRUE DLL
 * successfully initialized
 */

BOOL APIENTRY DllMain(HANDLE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
```

```

DWORD i;
char szEvent[LEN_ERR_STRING] = "\0";
char szLogFile[128];
char szDllName[128];

try
{
    switch( ul_reason_for_call )
    {
        case
DLL_PROCESS_ATTACH:
        {
            DWORD dwSize = MAX_COMPUTERNAME_LENGTH+1;
            GetComputerName(szMyComputerName, &dwSize);
            szMyComputerName[dwSize] = 0;
        }

        DisableThreadLibraryCalls((HMODULE)hModule)
;

        InitializeCriticalSection(&TermCriticalSection);

        ReadTPCCRegistrySettings( &Reg )
        if (
            throw new CWBCLNT_ERR(
ERR_MISSING_REGISTRY_ENTRIES );

            dwDelBuffSize
= min( Reg.dwMaxPendingDeliveries, 10000 ); // min
with 10000 as a sanity constraint

            dwNumDeliveryThreads = min(
Reg.dwNumberOfDeliveryThreads, 100 ); // min with
100 as a sanity constraint

            TermInit();

            // load DLL
            for txn monitor
            if
(Reg.eTxnMon == TUXEDO)
            {
                strcpy( szDllName, Reg.szPath );

                strcat( szDllName, "tpcc_tuxedo.dll");

                hLibInstanceTm = LoadLibrary( szDllName );
                if
(hLibInstanceTm == NULL)

                    throw new CWBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );

                //
                get function pointer to wrapper for class constructor

```

```

                pCTPCC_TUXEDO_new = (TYPE_CTPCC_TUXEDO*)
GetProcAddress(hLibInstanceTm, "CTPCC_TUXEDO_new");
                if
(pCTPCC_TUXEDO_new == NULL)

                    throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                else if
(Reg.eTxnMon == ENCINA)
                {
                    strcpy( szDllName, Reg.szPath );

                    strcat( szDllName, "tpcc_encina.dll");

                    hLibInstanceTm = LoadLibrary( szDllName );
                    if
(hLibInstanceTm == NULL)

                        throw new CWBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );

                    //
                    get function pointer to wrapper for class constructor

                    pCTPCC_ENCINA_new = (TYPE_CTPCC_ENCINA*)
GetProcAddress(hLibInstanceTm, "CTPCC_ENCINA_new");

                    pCTPCC_ENCINA_post_init =
(TYPE_CTPCC_ENCINA*)
GetProcAddress(hLibInstanceTm, "CTPCC_ENCINA_post_init
");
                    if
(pCTPCC_ENCINA_new == NULL)

                        throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                }
                else if
(Reg.eTxnMon == COM)
                {
                    strcpy( szDllName, Reg.szPath );

                    strcat( szDllName, "tpcc_com.dll");

                    hLibInstanceTm = LoadLibrary( szDllName );
                    if
(hLibInstanceTm == NULL)

                        throw new CWBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );

                    //
                    get function pointer to wrapper for class constructor

                    pCTPCC_COM_new = (TYPE_CTPCC_COM*)
GetProcAddress(hLibInstanceTm, "CTPCC_COM_new");
                    if
(pCTPCC_COM_new == NULL)

```

```

                    throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                }

                // load DLL
                for database connection
                if
((Reg.eTxnMon == None) || (dwNumDeliveryThreads > 0))
                {
                    if
(Reg.eDB_Protocol == DBLIB)
                    {
                        strcpy( szDllName, Reg.szPath );

                        strcat( szDllName, "tpcc_dblib.dll");

                        hLibInstanceDb = LoadLibrary( szDllName );
                        if (hLibInstanceDb == NULL)

                            throw new CWBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                        // get function pointer to wrapper for
class constructor

                        pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
GetProcAddress(hLibInstanceDb, "CTPCC_DBLIB_new");

                        if (pCTPCC_DBLIB_new == NULL)

                            throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                    }
                    else if (Reg.eDB_Protocol == ODBC)
                    {
                        strcpy( szDllName, Reg.szPath );

                        strcat( szDllName, "tpcc_odbc.dll");

                        hLibInstanceDb = LoadLibrary( szDllName );
                        if (hLibInstanceDb == NULL)

                            throw new CWBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                        // get function pointer to wrapper for
class constructor

                        pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");

                        if (pCTPCC_ODBC_new == NULL)

                            throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                    }
                }
            }
        }
    }
}

```

```

    }
    }
    if
(dwNumDeliveryThreads)
    {
//
for deferred delivery txns:
    hDoneEvent = CreateEvent( NULL, TRUE /*
manual reset */, FALSE /* initially not signalled */,
NULL );
    InitializeCriticalSection(&DelBuffCriticalS
ection);
    hWorkerSemaphore = CreateSemaphore( NULL,
0, dwDelBuffSize, NULL );
    dwDelBuffFreeCount = dwDelBuffSize;
    InitJulianTime(NULL);
//
create unique log file name based on delilog-yyymmdd-
hhmm.log
    SYSTEMTIME Time;
    GetLocalTime( &Time );
    wsprintf( szLogFile, "%sdelivery-
%2.2d%2.2d%2.2d-%2.2d%2.2d.log",
        Reg.szPath, Time.wYear % 100,
Time.wMonth, Time.wDay, Time.wHour, Time.wMinute );
    txnDelilog = new CTxnLog(szLogFile,
TXN_LOG_WRITE);
//write event into txn log for START
    txnDelilog-
>WriteCtrlRecToLog(TXN_EVENT_START, szMyComputerName,
sizeof(szMyComputerName));
//
allocate structures for delivery buffers and thread
mgmt
    pDeliHandles = new
HANDLE[dwNumDeliveryThreads];
    pDelBuff = new
DELIVERY_TRANSACTION[dwDelBuffSize];
//
launch DeliveryWorkerThread to perform actual
delivery txns
    for(i=0; i<dwNumDeliveryThreads; i++)
    {

```

```

        pDeliHandles[i] = (HANDLE) _beginthread(
DeliveryWorkerThread, 0, NULL );
        if (pDeliHandles[i] ==
INVALID_HANDLE_VALUE)
            throw new CWEBCLNT_ERR(
ERR_DELIVERY_THREAD_FAILED );
        }
        break;
    case
DLL_PROCESS_DETACH:
        if
(dwNumDeliveryThreads)
        {
            if
(txnDelilog != NULL)
            {
                //write event into txn log for STOP
                txnDelilog-
>WriteCtrlRecToLog(TXN_EVENT_STOP, szMyComputerName,
sizeof(szMyComputerName));
                // This will do a clean shutdown of the
delivery log file
                CTxnLog *txnDelilogLocal = txnDelilog;
                txnDelilog= NULL;
                delete txnDelilogLocal;
            }
            delete [] pDeliHandles;
            delete [] pDelBuff;
            CloseHandle( hWorkerSemaphore );
            CloseHandle( hDoneEvent );
            DeleteCriticalSection(&DelBuffCriticalSecti
on);
            DeleteCriticalSection(&TermCriticalSection)
;
            if
(hLibInstanceTm != NULL)
                FreeLibrary( hLibInstanceTm );

```

```

        hLibInstanceTm = NULL;
        if
(hLibInstanceDb != NULL)
            FreeLibrary( hLibInstanceDb );
        hLibInstanceDb = NULL;
        Sleep(500);
        break;
        default:
            /* nothing
*/;
    }
    catch (CBaseErr *e)
    {
        WriteMessageToEventLog( e-
>ErrorText() );
        delete e;
        TerminateExtension(0);
        return FALSE;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception. DLL could not load."));
        TerminateExtension(0);
        return FALSE;
    }
    return TRUE;
}
/* FUNCTION: GetExtensionVersion
*
* PURPOSE: This function is called by the
inet service when the DLL is first loaded.
*
* ARGUMENTS: HSE_VERSION_INFO *pVer
passed in structure in which to place
expected version number.
*
* RETURNS: TRUE inet service
expected return value.
*/
BOOL WINAPI GetExtensionVersion(HSE_VERSION_INFO
*pVer)
{
    pVer->dwExtensionVersion =
MAKELONG(HSE_VERSION_MINOR, HSE_VERSION_MAJOR);
    lstrcpy(pVer->lpszExtensionDesc, "TPC-C
Server.", HSE_MAX_EXT_DLL_NAME_LEN);
// TODO: why do we need this here instead
of in the DLL attach?
    if (Reg.eTxnMon == ENCINA)

```

```

        pCTPCC_ENCINA_post_init();

        return TRUE;
    }

/* FUNCTION: TerminateExtension
 *
 * PURPOSE:      This function is called by the
inet service when the DLL is about to be unloaded.
 *              Release all resources
in anticipation of being unloaded.
 *
 * RETURNS:      TRUE      inet service
expected return value.
 */

BOOL WINAPI TerminateExtension( DWORD dwFlags )
{
    if (pDeliHandles)
    {
        SetEvent( hDoneEvent );
        for(DWORD i=0;
i<dwNumDeliveryThreads; i++)
        WaitForSingleObject(
pDeliHandles[i], INFINITE );
    }

    TermDeleteAll();
    return TRUE;
}

/* FUNCTION: HttpExtensionProc
 *
 * PURPOSE:      This function is the main entry
point for the TPCC DLL. The internet service
 *              calls this function
passing in the http string.
 *
 * ARGUMENTS:    EXTENSION_CONTROL_BLOCK
 *pECB      structure pointer to passed in
internet
 *
 *              service information.
 *
 * RETURNS:      DWORD
HSE_STATUS_SUCCESS
connection can be dropped if
error
 *
HSE_STATUS_SUCCESS_AND_KEEP_CONN
keep connect valid comment sent
 *
 * COMMENTS:     None
 *
 */

DWORD WINAPI
HttpExtensionProc(EXTENSION_CONTROL_BLOCK *pECB)
{
    int          iCmd, FormId,
TermId, iSyncId;

```

```

char          szBuffer[4096];

int          lpbSize;
static char  szHeader[] = "200 Ok";
DWORD        dwSize = 6;
// initial value is strlen(szHeader)
char          szHeader1[4096];

#ifdef ICECAP
    StartCAP();
#endif

    try
    {
        //process http query
        ProcessQueryString(pECB, &iCmd,
&FormId, &TermId, &iSyncId);

        if (TermId != 0)
        {
            if ( TermId < 0 ||
TermId >= Term.iNumEntries ||
Term.pClientData[TermId].iNextFree != -1 )
            {
                //
                debugging...
                char
                szTmp[128];

                wsprintf(
szTmp, "Invalid term ID; TermId = %d", TermId );

                WriteMessageToEventLog( szTmp );

                throw new
CWEBCLNT_ERR( ERR_INVALID_TERMID );
            }
            //must have a valid
syncid here since termid is valid
            if (iSyncId !=
Term.pClientData[TermId].iSyncId)
                throw new
CWEBCLNT_ERR( ERR_INVALID_SYNC_CONNECTION );

            //set use time
            Term.pClientData[TermId].iTickCount =
GetTickCount();
        }

        switch(iCmd)
        {
        case 0:
            WelcomeForm(pECB,
szBuffer);
            break;
        case 1:
            switch( FormId )
            {
                case
WELCOME_FORM:

```

```

MAIN_MENU_FORM:
            break;
NEW_ORDER_FORM:
            ProcessNewOrderForm(pECB, TermId,
szBuffer);
            break;
PAYMENT_FORM:
            ProcessPaymentForm(pECB, TermId, szBuffer);
            break;
DELIVERY_FORM:
            ProcessDeliveryForm(pECB, TermId,
szBuffer);
            break;
ORDER_STATUS_FORM:
            ProcessOrderStatusForm(pECB, TermId,
szBuffer);
            break;
STOCK_LEVEL_FORM:
            ProcessStockLevelForm(pECB, TermId,
szBuffer);
            break;
            case 2:
                // new-order selected
from menu; display new-order input form
                MakeNewOrderForm(TermId, NULL, INPUT_FORM,
szBuffer);
                break;
            case 3:
                // payment selected
from menu; display payment input form
                MakePaymentForm(TermId,
NULL, INPUT_FORM, szBuffer);
                break;
            case 4:
                // delivery selected
from menu; display delivery input form
                MakeDeliveryForm(TermId, NULL, INPUT_FORM,
szBuffer);
                break;
            case 5:
                // order-status
selected from menu; display order-status input form

```

```

        MakeOrderStatusForm(TermId, NULL,
INPUT_FORM, szBuffer);
        break;
        case 6:
            // stock-level selected
from menu; display stock-level input form
        MakeStockLevelForm(TermId, NULL,
INPUT_FORM, szBuffer);
        break;
        case 7:
            // ExitCmd
TermDelete(TermId);
WelcomeForm(pECB,
szBuffer);
        break;
        case 8:
            SubmitCmd(pECB,
szBuffer);
        break;
        case 9:
            // menu
        MakeMainMenuForm(TermId,
Term.pClientData[TermId].iSyncId, szBuffer);
        break;
        case 10:
            // CMD=Clear
            // resets all
connections; should only be used when no other
connections are active
            TermDeleteAll();
            TermInit();
            WelcomeForm(pECB,
szBuffer);
        break;
        case 11:
            // CMD=Stats
StatsCmd(pECB,
szBuffer);
        break;
    }
    catch (CBaseErr *e)
    {
        ErrorForm( pECB, e->ErrorType(),
e->ErrorNum(), TermId, iSyncId, e->ErrorText(),
szBuffer );
        delete e;
    }
    catch (...)
    {
        ErrorForm( pECB, ERR_TYPE_WEBDLL,
0, TermId, iSyncId, "Error: Unhandled exception in
Web Client.", szBuffer );
    }
#endif ICECAP
StopCAP();
#endif

lpbSize = strlen(szBuffer);

```

```

        wsprintf(szHeader1,
                "Content-Type:
text/html\r\n"
                "Content-Length:
%d\r\n"
                "Connection: Keep-
Alive\r\n\r\n", lpbSize);
        strcat( szHeader1, szBuffer );

        (*pECB->ServerSupportFunction)(pECB-
>ConnID, HSE_REQ_SEND_RESPONSE_HEADER, szHeader,
(LPDWORD) &dwSize, (LPDWORD)szHeader1);

        //finish up and keep connection
pECB->dwHttpStatusCode = 200;
return HSE_STATUS_SUCCESS_AND_KEEP_CONN;
    }

void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR    szMsg[256];
    HANDLE   hEventSource;
    LPTSTR   lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL,
TEXT("TPCC.DLL"));

    _stprintf(szMsg, TEXT("Error in TPCC.DLL: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event
source
                EVENTLOG_ERROR_TYPE, // event type
                0, // event category
                0, // event ID
                NULL, // current user's
SID
                2, // strings in
lpszStrings
                0, // no bytes of raw
data
                (LPCTSTR *)lpszStrings, // array of
error strings
                NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

/* FUNCTION: DeliveryWorkerThread
*
* PURPOSE: This function processes deferred
delivery txns. There are typically several
* threads running this
routine. The number of threads is determined by an
entry

```

```

* read from the registry.
The thread waits for work by waiting on semaphore.
* When a delivery txn is
posted, the semaphore is released. After processing
* the delivery txn,
information is logged to record the txn status and
execution
* time.
*/

/*static*/ void DeliveryWorkerThread(void *ptr)
{
    CTPCC_BASE *pTxn = NULL;

    DELIVERY_TRANSACTION
delivery;
PDELIVERY_DATA
pDeliveryData;
TXN_RECORD_TPCC_DELIV_DEF txnDeliRec;

    DWORD index;
HANDLE handles[2];

    SYSTEMTIME trans_end;
//delivery transaction finished
time
    SYSTEMTIME trans_start;
//delivery transaction start time

    int
iRetryCnt = 0;
static int iMaxRetries =
10;

    assert(txnDeliLog != NULL);

Reconnect:
    try
    {
        if (Reg.eDB_Protocol == ODBC)
            pTxn = pCTPCC_ODBC_new(
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
szMyComputerName, Reg.szDbName );
        else if (Reg.eDB_Protocol ==
DBLIB)
            pTxn =
pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
        pDeliveryData = pTxn-
>BuffAddr_Delivery();
    }
    catch (CBaseErr *e)
    {
        char szTmp[1024];
        wsprintf( szTmp, "Error in
Delivery Txn thread. Could not connect to database.
"
                "%s.
Server=%s, User=%s, Password=%s, Database=%s",
                e-
>ErrorText(), Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, Reg.szDbName );
        WriteMessageToEventLog( szTmp );
    }
}

```

```

delete e;

// will retry connection up to
ten times
if (iRetryCnt++ < iMaxRetries)
{
    Sleep(5000); //
delay for 5 seconds
    goto Reconnect;
}

wsprintf( szTmp, "Delivery Txn
thread terminating after %d retries.", iMaxRetries );
WriteMessageToEventLog( szTmp );
goto ErrorExit;
}
catch (...)
{
    WriteMessageToEventLog(TEXT("Unhandled
exception caught in DeliveryWorkerThread. Delivery
Txn thread terminating."));
    goto ErrorExit;
}

while (TRUE)
{
    try
    {
        //while delivery thread
running, i.e. user has not requested termination
        while (TRUE)
        {
            // need to
wait for multiple objects: program exit or worker
semaphore;
            handles[0] =
hDoneEvent;
            handles[1] =
hWorkerSemaphore;
            index =
WaitForMultipleObjects( 2, &handles[0], FALSE,
INFINITE );
            if (index ==
WAIT_OBJECT_0)
                goto ErrorExit;

            ZeroMemory(&txnDeliRec,
sizeof(txnDeliRec));

            txnDeliRec.TxnType =
TXN_REC_TYPE_TPCC_DELIV_DEF;

            // make a
local copy of current entry from delivery buffer and
increment buffer index
            EnterCriticalSection(&DelBuffCriticalSectio
n);

```

```

delivery =
*(pDelBuff+dwDelBuffBusyIndex);

dwDelBuffFreeCount++;
dwDelBuffBusyIndex++;

if
(dwDelBuffBusyIndex == dwDelBuffSize) // wrap-
around if at end of buffer
    dwDelBuffBusyIndex = 0;

LeaveCriticalSection(&DelBuffCriticalSectio
n);

pDeliveryData->w_id = delivery.w_id;

pDeliveryData->o_carrier_id =
delivery.o_carrier_id;

txnDeliRec.w_id = pDeliveryData->w_id;

txnDeliRec.o_carrier_id = pDeliveryData-
>o_carrier_id;

txnDeliRec.TxnStartT0 =
Get64BitTime(&delivery.queue);

GetLocalTime(
&trans_start );
pTxn-
>Delivery();
GetLocalTime(
&trans_end );

//log txn
txnDeliRec.TxnStatus = ERR_SUCCESS;
for (int i=0;
i<10; i++)
    txnDeliRec.o_id[i] = pDeliveryData-
>o_id[i];

txnDeliRec.DeltaT4 =
(int)(Get64BitTime(&trans_end) -
txnDeliRec.TxnStartT0);

txnDeliRec.DeltaTxnExec =
(int)(Get64BitTime(&trans_end) -
Get64BitTime(&trans_start));

if
(txnDeliLog != NULL)
    txnDeliLog->WriteToLog(&txnDeliRec);
}
catch (CBaseErr *e)
{

```

```

char szTmp[1024];
wsprintf( szTmp, "Error
in Delivery Txn thread. %s", e->ErrorText() );
WriteMessageToEventLog(
szTmp );

// log the error txn
txnDeliRec.TxnStatus =
e->ErrorType();

if (txnDeliLog != NULL)
    txnDeliLog-
>WriteToLog(&txnDeliRec);

delete e;
}
catch (...)
{
    // unhandled exception;
shouldn't happen; not much we can do...

    WriteMessageToEventLog(TEXT("Unhandled
exception caught in DeliveryWorkerThread."));
}

ErrorExit:
delete pTxn;
_endthread();
}

/* FUNCTION: PostDeliveryInfo
*
* PURPOSE: This function enters the delivery
txn into the deferred delivery buffer.
*
* RETURNS: BOOL FALSE
delivery information posted successfully
TRUE error cannot post delivery info
*/
BOOL PostDeliveryInfo(short w_id, short o_carrier_id)
{
    BOOL bError;

    EnterCriticalSection(&DelBuffCriticalSectio
n);
    if (dwDelBuffFreeCount > 0)
    {
        bError = FALSE;
        (pDelBuff+dwDelBuffFreeIndex)-
= w_id;
        (pDelBuff+dwDelBuffFreeIndex)-
= o_carrier_id;

        GetLocalTime(&(pDelBuff+dwDelBuffFreeIndex)
->queue);

        dwDelBuffFreeCount--;
        dwDelBuffFreeIndex++;
        if (dwDelBuffFreeIndex ==
dwDelBuffSize)

```

```

        dwDelBuffFreeIndex = 0;
        // wrap-around if at end of
buffer
    }
    else
        // No free buffers. Return an
error, which indicates that the delivery buffer is
full.
        // Most likely, the number of
delivery worker threads needs to be increased to keep
up
        // with the txn rate.
        bError = TRUE;
        LeaveCriticalSection(&DelBuffCriticalSection);
    if (!bError)
        // increment worker semaphore to
wake up a worker thread
        ReleaseSemaphore(
hWorkerSemaphore, 1, NULL );
    return bError;
}

/* FUNCTION: ProcessQueryString
 *
 * PURPOSE:      This function extracts the
relevant information out of the http command passed
in from
 *              the browser.
 *
 * COMMENTS:     If this is the initial connection
i.e. client is at welcome screen then
 *              there will
not be a terminal id or current form id. If this is
the case
 *              then the
pTermid and pFormid return values are undefined.
 */

void ProcessQueryString(EXTENSION_CONTROL_BLOCK
*pECB, int *pCmd, int *pFormId, int *pTermId, int
*pSyncId)
{
    char *ptr = pECB->lpszQueryString;
    char szBuffer[25];
    int i;

    //allowable client command strings i.e.
CMD=command
    static char *szCmds[] =
    {
        "Process", "..NewOrder..",
        "..Payment..", "..Delivery..", "..Order-Status..",
        "..Stock-Level..",
        "..Exit..", "Submit", "Menu",
        "Clear", "Stats", ""
    };

    *pCmd      = 0;          // default is
the login screen
    *pTermId = 0;

```

```

        // if no params (i.e., empty query string),
then return login screen
        if (strlen(pECB->lpszQueryString) == 0)
            return;

        // parse FORMID, TERMID, and SYNCID
        *pFormId = GetIntKeyValue(&ptr, "FORMID",
NO_ERR, NO_ERR);
        *pTermId = GetIntKeyValue(&ptr, "TERMID",
NO_ERR, NO_ERR);
        *pSyncId = GetIntKeyValue(&ptr, "SYNCID",
NO_ERR, NO_ERR);

        // parse CMD
        GetKeyValue(&ptr, "CMD", szBuffer,
sizeof(szBuffer), ERR_COMMAND_UNDEFINED);

        // see which command it matches
        for(i=0; i++)
        {
            if (szCmds[i][0] == 0)
                // no more; no match;
            throw new CWEBCLNT_ERR(
ERR_COMMAND_UNDEFINED );
            if ( !strcmp(szCmds[i], szBuffer) )
            {
                *pCmd = i+1;
                break;
            }
        }

        return error;
    }

/* FUNCTION: void WelcomeForm
 *
 */
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    char szTmp[1024];

    //welcome to tpc-c html form buffer, this
is first form client sees.
    strcpy( szBuffer,
"HTML<HEAD><TITLE>TPC-C Web
Client</TITLE></HEAD><BODY>"
" <B><BIG>Microsoft TPC-C Web Client (ver
4.20)</BIG></B> <BR> <BR>"
" <font face=\\"Courier New\\"><PRE>"
"Compiled: " "__DATE__", "__TIME__" <BR>"
"Source: " "__FILE__" (" "__TIMESTAMP__" )
<BR>"
" </PRE></font>"
" <FORM ACTION=\\"tpcc.dll\\" METHOD=\\"GET\\">"

```

```

" <INPUT TYPE=\\"hidden\\" NAME=\\"STATUSID\\"
VALUE=\\"0\\">"
" <INPUT TYPE=\\"hidden\\" NAME=\\"ERROR\\"
VALUE=\\"0\\">"
" <INPUT TYPE=\\"hidden\\" NAME=\\"FORMID\\"
VALUE=\\"1\\">"
" <INPUT TYPE=\\"hidden\\" NAME=\\"TERMID\\"
VALUE=\\"0\\">"
" <INPUT TYPE=\\"hidden\\" NAME=\\"SYNCID\\"
VALUE=\\"0\\">"
" <INPUT TYPE=\\"hidden\\" NAME=\\"VERSION\\"
VALUE=\\" " WEBCLIENT_VERSION "\\">"
);

    sprintf( szTmp, "Configuration
Settings: <BR><font face=\\"Courier New\\"
color=\\"blue\\"><PRE>"
"Txn Monitor          = <B>%s</B><BR>"
"Database protocol    = <B>%s</B><BR>"
"Max Connections      = <B>%d</B><BR>"
"of Delivery Threads  = <B>%d</B><BR>"
"Max Pending Deliveries = <B>%d</B><BR>"
szTxnMonNames[Reg.eTxnMon],
szDBNames[Reg.eDB_Protocol],
Reg.dwMaxConnections,
dwNumDeliveryThreads, dwDelBuffSize );
    strcat( szBuffer, szTmp);

    if (Reg.eTxnMon == COM)
    {
        sprintf( szTmp, "COM Single
Pool          = <B>%s</B><BR>",
Reg.bCOM_SinglePool ?
"YES" : "NO" );
        strcat( szBuffer, szTmp);
    }
    strcat( szBuffer, "</PRE></font>");

    if (Reg.eTxnMon == None)
        // connection options may be
specified when not using a txn monitor
        sprintf( szTmp, "Please enter
your database options for this connection:<BR>"
" <font face=\\"Courier New\\"
color=\\"blue\\"><PRE>"
"DB Server      = <INPUT NAME=\\"db_server\\"
SIZE=20 VALUE=\\"%s\\"><BR>"

```



```

        "DB User ID = <INPUT NAME=\"db_user\"
SIZE=20 VALUE=\"%s\"><BR>"

        "DB Password = <INPUT NAME=\"db_passwd\"
SIZE=20 VALUE=\"%s\"><BR>"

        "DB Name = <INPUT NAME=\"db_name\"
SIZE=20 VALUE=\"%s\"><BR>"

        "</PRE></font>"

        ,
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
Reg.szDbName );
        else
            // if using a txn monitor,
            connection options are determined from registry;
            can't
            // set per user. show options
            fyi
            sprintf( szTmp, "Database
options which will be used by the transaction
monitor:<BR>"

        " <font face=\"Courier New\"
color=\"blue\"><PRE>"

        "DB Server = <B>%s</B><BR>"

        "DB User ID = <B>%s</B><BR>"

        "DB Password = <B>%s</B><BR>"

        "DB Name = <B>%s</B><BR>"

        "</PRE></font>"

        ,
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
Reg.szDbName );
        strcat( szBuffer, szTmp);

        sprintf( szTmp, "Please enter your
Warehouse and District for this session:<BR>"

        " <font face=\"Courier New\"
color=\"blue\"><PRE>" );
        strcat( szBuffer, szTmp);
        strcat( szBuffer, "Warehouse ID = <INPUT
NAME=\"w_id\" SIZE=4><BR>"

        "District ID = <INPUT NAME=\"d_id\"
SIZE=2><BR>"

        "</PRE></font><HR>"

        " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"Submit\">"

        "</FORM></BODY></HTML>" );
    }

/* FUNCTION: SubmitCmd
*

```

```

* PURPOSE: This function allocated a new
terminal id in the Term structure array.
*
*/

void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    int iNewTerm;
    char *ptr = pECB->lpszQueryString;

    char szVersion[32] = { 0 };
    char szServer[32] = { 0 };
    char szUser[32] = "sa";
    char szPassword[32] = { 0 };
    char szDatabase[32] = "tpcc";

    // validate version field; the version
    field ensures that the RTE is synchronized with the
    web client
    GetKeyValue(&ptr, "VERSION", szVersion,
    sizeof(szVersion), ERR_VERSION_MISMATCH);
    if ( strcmp( szVersion, WEBCLIENT_VERSION )
    )
        throw new CWEBCLNT_ERR(
        ERR_VERSION_MISMATCH );

    if (Reg.eTxnMon == None)
    {
        // parse Server name
        GetKeyValue(&ptr, "db_server",
        szServer, sizeof(szServer), ERR_NO_SERVER_SPECIFIED);
        // parse User name
        GetKeyValue(&ptr, "db_user",
        szUser, sizeof(szUser), NO_ERR);
        // parse Password
        GetKeyValue(&ptr, "db_passwd",
        szPassword, sizeof(szPassword), NO_ERR);
        // parse Database name
        GetKeyValue(&ptr, "db_name",
        szDatabase, sizeof(szDatabase), NO_ERR);
    }

    // parse warehouse ID
    int w_id = GetIntKeyValue(&ptr, "w_id",
    ERR_HTML_ILL_FORMED, ERR_W_ID_INVALID);
    if ( w_id < 1 )
        throw new CWEBCLNT_ERR(
        ERR_W_ID_INVALID );

    // parse district ID
    int d_id = GetIntKeyValue(&ptr, "d_id",
    ERR_HTML_ILL_FORMED, ERR_D_ID_INVALID);
    if ( d_id < 1 || d_id > 10 )
        throw new CWEBCLNT_ERR(
        ERR_D_ID_INVALID );

    iNewTerm = TermAdd();

    Term.pClientData[iNewTerm].w_id = w_id;
    Term.pClientData[iNewTerm].d_id = d_id;

```

```

    try
    {
        if (Reg.eTxnMon == TUXEDO)

            Term.pClientData[iNewTerm].pTxn =
            pCTPCC_TUXEDO_new();
        else if (Reg.eTxnMon == ENCINA)

            Term.pClientData[iNewTerm].pTxn =
            pCTPCC_ENCINA_new();
        else if (Reg.eTxnMon == COM)

            Term.pClientData[iNewTerm].pTxn =
            pCTPCC_COM_new( Reg.bCOM_SinglePool );
        else if (Reg.eDB_Protocol ==
        ODBC)

            Term.pClientData[iNewTerm].pTxn =
            pCTPCC_ODBC_new( szServer, szUser, szPassword,
            szMyComputerName, szDatabase );
        else if (Reg.eDB_Protocol ==
        DBLIB)

            Term.pClientData[iNewTerm].pTxn =
            pCTPCC_DBLIB_new( szServer, szUser, szPassword,
            szMyComputerName, szDatabase );
    }
    catch (...)
    {
        TermDelete(iNewTerm);
        throw; // pass
        exception upward
    }

    MakeMainMenuForm(iNewTerm,
    Term.pClientData[iNewTerm].iSyncId, szBuffer);
}

/* FUNCTION: StatsCmd
*
* PURPOSE: This function returns to the
browser the total number of active terminal ids.
* This routine is for
development/debugging purposes.
*
*/

void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    int i;
    int iTTotal;

    EnterCriticalSection(&TermCriticalSection);

    iTTotal = 0;
    for(i=0; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree
        == -1)

            iTTotal++;
    }

```

```

LeaveCriticalSection(&TermCriticalSection);
wsprintf( szBuffer,
"<HTML><HEAD><TITLE>TPC-C Web Client
Stats</TITLE></HEAD>"
"<BODY><B><BIG> Total
Active Connections: %d </BIG></B><BR></BODY></HTML>"
, iTotal );
}
char *CWEBCLNT_ERR::ErrorText()
{
static SERRORMSG errorMsgs[] =
{
{ ERR_COMMAND_UNDEFINED,
"Command undefined."
},
{ ERR_D_ID_INVALID,
"Invalid District ID Must be 1 to 10."
},
{ ERR_DELIVERY_CARRIER_ID_RANGE,
"Delivery Carrier ID out of range
must be 1 - 10."
},
{ ERR_DELIVERY_CARRIER_INVALID,
"Delivery Carrier ID invalid must be
numeric 1 - 10."
},
{ ERR_DELIVERY_MISSING_OCD_KEY,
"Delivery missing Carrier ID key \"OCD*\"."
},
{ ERR_DELIVERY_THREAD_FAILED,
"Could not start delivery worker
thread."
},
{ ERR_GETPROCADDR_FAILED,
"Could not map proc in DLL. GetProcAddr
error. DLL="
},
{ ERR_HTML_ILL_FORMED,
"Required key field is missing from HTML
string."
},
{ ERR_INVALID_SYNC_CONNECTION,
"Invalid Terminal Sync ID."
},
{ ERR_INVALID_TERMID,
"Invalid Terminal ID."
}
},

```

```

{ ERR_LOADDLL_FAILED,
"Load of DLL failed. DLL="
},
{ ERR_MAX_CONNECTIONS_EXCEEDED,
"No connections available. Max Connections
is probably too low."
},
{ ERR_MISSING_REGISTRY_ENTRIES,
"Required registry entries are missing.
Rerun INSTALL to correct."
},
{ ERR_NEWORDER_CUSTOMER_INVALID,
"New Order customer id invalid
data type, range = 1 to 3000."
},
{ ERR_NEWORDER_CUSTOMER_KEY,
"New Order missing Customer key
\"CID*\"."
},
{ ERR_NEWORDER_DISTRICT_INVALID,
"New Order District ID Invalid
range 1 - 10."
},
{ ERR_NEWORDER_FORM_MISSING_DID,
"New Order missing District key
\"DID*\"."
},
{ ERR_NEWORDER_ITEMID_INVALID,
"New Order Item Id is wrong data type, must
be numeric."
},
{ ERR_NEWORDER_ITEMID_RANGE,
"New Order Item Id is out of
range. Range = 1 to 999999."
},
{ ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
"New Order Item_Id field entered without a
corresponding Supp_W."
},
{ ERR_NEWORDER_MISSING_IID_KEY,
"New Order missing Item Id key \"IID*\"."
},
{ ERR_NEWORDER_MISSING_QTY_KEY,
"New Order Missing Qty key \"Qty##*\"."
},
{ ERR_NEWORDER_MISSING_SUPPW_KEY,
"New Order missing Supp_W key
\"SP##*\"."
},
{ ERR_NEWORDER_NOITEMS_ENTERED,
"New Order No order lines entered."
}
}

```

```

},
{ ERR_NEWORDER_QTY_INVALID,
"New Order Qty invalid must be
numeric range 1 - 99."
},
{ ERR_NEWORDER_QTY_RANGE,
"New Order Qty is out of range. Range = 1
to 99."
},
{ ERR_NEWORDER_QTY_WITHOUT_SUPPW,
"New Order Qty field entered
without a corresponding Supp_W."
},
{ ERR_NEWORDER_SUPPW_INVALID,
"New Order Supp_W invalid data
type must be numeric."
},
{ ERR_NO_SERVER_SPECIFIED,
"No Server name specified."
},
{ ERR_ORDERSTATUS_CID_AND_CLT,
"Order Status Only Customer ID or Last Name
may be entered, not both."
},
{ ERR_ORDERSTATUS_CID_INVALID,
"Order Status Customer ID invalid, range
must be numeric 1 - 3000."
},
{ ERR_ORDERSTATUS_CLT_RANGE,
"Order Status Customer last name
longer than 16 characters."
},
{ ERR_ORDERSTATUS_DID_INVALID,
"Order Status District invalid, value must
be numeric 1 - 10."
},
{ ERR_ORDERSTATUS_MISSING_CID_CLT,
"Order Status Either Customer ID or Last
Name must be entered."
},
{ ERR_ORDERSTATUS_MISSING_CID_KEY,
"Order Status missing Customer key
\"CID*\"."
},
{ ERR_ORDERSTATUS_MISSING_CLT_KEY,
"Order Status missing Customer Last Name
key \"CLT*\"."
},
{ ERR_ORDERSTATUS_MISSING_DID_KEY,
"Order Status missing District key
\"DID*\"."
},
{ ERR_PAYMENT_CDI_INVALID,
"Payment Customer district

```

```

invalid must be numeric."
    },
    {
        ERR_PAYMENT_CID_AND_CLT,
        "Payment Only Customer ID or Last
Name may be entered, not both."
    },
    {
        ERR_PAYMENT_CUSTOMER_INVALID,
        "Payment Customer data type invalid, must
be numeric."
    },
    {
        ERR_PAYMENT_CWI_INVALID,
        "Payment Customer Warehouse
invalid, must be numeric."
    },
    {
        ERR_PAYMENT_DISTRICT_INVALID,
        "Payment District ID is invalid, must be 1
- 10."
    },
    {
        ERR_PAYMENT_HAM_INVALID,
        "Payment Amount invalid data type
must be numeric."
    },
    {
        ERR_PAYMENT_HAM_RANGE,
        "Payment Amount out of range, 0 - 9999.99."
    },
    {
        ERR_PAYMENT_LAST_NAME_TO_LONG,
        "Payment Customer last name
longer than 16 characters."
    },
    {
        ERR_PAYMENT_MISSING_CDI_KEY,
        "Payment missing Customer district key
\"CDI*\"."
    },
    {
        ERR_PAYMENT_MISSING_CID_CLT,
        "Payment Either Customer ID or Last Name
must be entered."
    },
    {
        ERR_PAYMENT_MISSING_CID_KEY,
        "Payment missing Customer Key \"CID*\"."
    },
    {
        ERR_PAYMENT_MISSING_CLT_KEY,
        "Payment missing Customer Last Name key
\"CLT*\"."
    },
    {
        ERR_PAYMENT_MISSING_CWI_KEY,
        "Payment missing Customer Warehouse key
\"CWI*\"."
    },
    {
        ERR_PAYMENT_MISSING_DID_KEY,
        "Payment missing District Key \"DID*\"."
    },
    },

```

```

    {
        ERR_PAYMENT_MISSING_HAM_KEY,
        "Payment missing Amount key \"HAM*\"."
    },
    {
        ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
        "Stock Level; missing Threshold key
\"TT*\"."
    },
    {
        ERR_STOCKLEVEL_THRESHOLD_INVALID,
        "Stock Level; Threshold value must be in
the range = 1 - 99."
    },
    {
        ERR_STOCKLEVEL_THRESHOLD_RANGE,
        "Stock Level Threshold out of
range, range must be 1 - 99."
    },
    {
        ERR_VERSION_MISMATCH,
        "Invalid version field. RTE and Web Client
are probably out of sync."
    },
    {
        ERR_W_ID_INVALID,
        "Invalid Warehouse ID."
    },
    {
        0,
        ""
    },
};
char szTmp[256];
int i = 0;
while (TRUE)
{
    if (errorMsgs[i].szMsg[0] == 0)
    {
        strcpy( szTmp, "Unknown
error number." );
        break;
    }
    if (m_Error ==
errorMsgs[i].iError)
    {
        strcpy( szTmp,
errorMsgs[i].szMsg );
        break;
    }
    i++;
}
if (m_szTextDetail)
    strcat( szTmp, m_szTextDetail );
if (m_SystemErr)
    sprintf( szTmp+strlen(szTmp), "
Error=%d", m_SystemErr );
m_szErrorText = new char[strlen(szTmp)+1];
strcpy( m_szErrorText, szTmp );

```

```

return m_szErrorText;
}
/* FUNCTION: GetKeyValue
*
* PURPOSE: This function parses a http
formatted string for specific key values.
*
* ARGUMENTS: char http string from client
browser *pQueryString char key
* *pKey char
value to look for *pValue char
* character array into which to place key's
value * int
* maximum length of key value array.
* WEBERROR
err error value to throw
*
* RETURNS: nothing.
*
* ERROR: if (the pKey value is not found)
then if
(err == 0)
*
return (empty string)
*
else
*
throw CWEBCLNT_ERR(err)
*
* COMMENTS: http keys are formatted either
KEY=value& or KEY=value\0. This DLL formats
* TPC-C input
fields in such a manner that the keys can be
extracted in the
* above manner.
*/
void GetKeyValue(char **pQueryString, char *pKey,
char *pValue, int iMax, WEBERROR err)
{
    char *ptr;
    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorExit;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorExit;
    ptr++;
    iMax--; // one position is for terminating
    null while( *ptr && *ptr != '&' && iMax)
    {

```

```

        *pValue++ = *ptr++;
        iMax--;
    }
    *pValue = 0; // terminating null
    *pQueryString = ptr;
    return;
ErrorExit:
    if (err != NO_ERR)
        throw new CWEBCLNT_ERR( err );
    *pValue = 0; // return empty result string
}
/* FUNCTION: GetIntKeyValue
 *
 * PURPOSE:      This function parses a http
formatted string for a specific key value.
 *
 * ARGUMENTS:   char
                *pQueryString      http string from client
browser
                char              key
                *pKey              value to look for
 *
                WEBERROR          NoKeyErr      error value to throw if
key not found
                WEBERROR          NotIntErr    error value to throw if
value not numeric
 *
 * RETURNS:     integer
 *
 * ERROR:       if (the pKey value is not found)
then
 *
                if
(NoKeyErr != NO_ERR)
 *
                throw CWEBCLNT_ERR(err)
 *
                else
 *
                return 0
 *
                else if (non-
numeric char found) then
 *
                if
(NotIntErr != NO_ERR) then
 *
                throw CWEBCLNT_ERR(err)
 *
                else
 *
                return 0
 *
 * COMMENTS:    http keys are formatted either
KEY=value& or KEY=value\0. This DLL formats
 *
                TPC-C input
fields in such a manner that the keys can be
extracted in the
 *
                above manner.
 */

```

```

int GetIntKeyValue(char **pQueryString, char *pKey,
WEBERROR NoKeyErr, WEBERROR NotIntErr)
{
    char *ptr0;
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorNoKey;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorNoKey;
    ptr++;

    ptr0 = ptr; // remember
starting point
    // scan string until a terminator (null or
&) or a non-digit
    while( *ptr && *ptr != '&' && isdigit(*ptr)
)
        ptr++;

    // make sure we stopped scanning for the
right reason
    if ((ptr0 == ptr) || (*ptr && *ptr != '&'))
    {
        if (NotIntErr != NO_ERR)
            throw new CWEBCLNT_ERR(
NoKeyErr );
        return 0;
    }

    *pQueryString = ptr;
    return atoi(ptr0);
ErrorNoKey:
    if (NoKeyErr != NO_ERR)
        throw new CWEBCLNT_ERR( NoKeyErr
);
    return 0;
}
/* FUNCTION: TermInit
 *
 * PURPOSE:      This function initializes the
client terminal structure; it is called when the
TPCC.DLL
 *
                is first loaded by the
inet service.
 *
                */
void TermInit(void)
{
    EnterCriticalSection(&TermCriticalSection);
    Term.iMasterSyncId = 1;
    Term.iNumEntries =
Reg.dwMaxConnections+1;

    Term.pClientData = NULL;
    Term.pClientData =
(PCLIENTDATA)malloc(Term.iNumEntries *
sizeof(CLIENTDATA));

```

```

    if (Term.pClientData == NULL)
    {
        LeaveCriticalSection(&TermCriticalSection);
        throw new CWEBCLNT_ERR(
ERR_MEM_ALLOC_FAILED );
    }

    ZeroMemory( Term.pClientData,
Term.iNumEntries * sizeof(CLIENTDATA) );

    Term.iFreeList =
Term.iNumEntries-1;
    // build free list
    // note: Term.pClientData[0].iNextFree gets
set to -1, which marks it as "in use".
    // This is intentional, as the zero
entry is used as an anchor and never
    // allocated as an actual
terminal.
    for(int i=0; i<Term.iNumEntries; i++)
        Term.pClientData[i].iNextFree =
i-1;

    LeaveCriticalSection(&TermCriticalSection);
}
/* FUNCTION: TermDeleteAll
 *
 * PURPOSE:      This function frees allocated
resources associated with the terminal structure.
 *
 * ARGUMENTS:    none
 *
 * RETURNS:      None
 *
 * COMMENTS:     This function is called only when
the inet service unloads the TPCC.DLL
 *
                */
void TermDeleteAll(void)
{
    EnterCriticalSection(&TermCriticalSection);
    for(int i=1; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree
== -1)
            delete
Term.pClientData[i].pTxn;
    }

    Term.iFreeList = 0;
    Term.iNumEntries = 0;
    if ( Term.pClientData )
        free(Term.pClientData);
    Term.pClientData = NULL;

    LeaveCriticalSection(&TermCriticalSection);
}
/* FUNCTION: TermAdd

```

```

*
* PURPOSE:      This function assigns a terminal
id which is used to identify a client browser.
*
* RETURNS:      int
                assigned terminal id
*/

int TermAdd(void)
{
    DWORD    i;
    int      iNewTerm, iTickCount;

    if (Term.iNumEntries == 0)
        return -1;

    EnterCriticalSection(&TermCriticalSection);
    if (Term.iFreeList != 0)
    {
        // position is available
        iNewTerm = Term.iFreeList;
        Term.iFreeList =
Term.pClientData[iNewTerm].iNextFree;

        Term.pClientData[iNewTerm].iNextFree = -1;
        // indicates this position is in use
    }
    else
    {
        // no open slots, so find the
slot that hasn't been used in the longest time and
reuse it
        for(iNewTerm=1, i=1,
iTickCount=0x7FFFFFFF; i<Reg.dwMaxConnections; i++)
        {
            if (iTickCount >
Term.pClientData[i].iTickCount)
            {
                iTickCount =
Term.pClientData[i].iTickCount;
                iNewTerm = i;
            }
        }
        // if oldest term is less than
one minute old, it probably means that more
connections
        // are being attempted than were
specified as "Max Connections" at install. In this
case,
        // do not bump existing
connection; instead, return error to requester.
        if ((GetTickCount() - iTickCount)
< 60000)
        {
            LeaveCriticalSection(&TermCriticalSection);
            throw new CWEBCLNT_ERR(
ERR_MAX_CONNECTIONS_EXCEEDED );
        }

        Term.pClientData[iNewTerm].iTickCount =
GetTickCount();
    }
}

```

```

Term.pClientData[iNewTerm].iSyncId =
Term.iMasterSyncId++;
Term.pClientData[iNewTerm].pTxn = NULL;
LeaveCriticalSection(&TermCriticalSection);
return iNewTerm;
}

/* FUNCTION: TermDelete
*
* PURPOSE:      This function makes a terminal
entry in the Term array available for reuse.
*
* ARGUMENTS:    int      id
                Terminal id of client exiting
*/

void TermDelete(int id)
{
    if ( id > 0 && id < Term.iNumEntries )
    {
        delete Term.pClientData[id].pTxn;

        // put onto free list

        EnterCriticalSection(&TermCriticalSection);

        Term.pClientData[id].iNextFree =
Term.iFreeList;
        Term.iFreeList = id;

        LeaveCriticalSection(&TermCriticalSection);
    }
}

/* FUNCTION: MakeErrorForm
*/

void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int
iType, int iErrorNum, int iTermId, int iSyncId, char
*szErrorText, char *szBuffer )
{
    wsprintf(szBuffer,
"<HTML><HEAD><TITLE>TPC-C
Error</TITLE></HEAD><BODY>"
"<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
" <INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">"
" <INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"%d\">"
" <INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
" <INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
" <INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
" <BOLD>An Error
Occurred</BOLD><BR><BR>"

```

```

"%s"
"<BR><BR><HR>"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".NewOrder..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Payment..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Delivery..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Order-Status..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Stock-Level..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Exit..\">"
"</FORM></BODY></HTML>"
, iType, iErrorNum,
MAIN_MENU_FORM, iTermId, iSyncId, szErrorText );
}

/* FUNCTION: MakeMainMenuForm
*/

void MakeMainMenuForm(int iTermId, int iSyncId, char
*szForm)
{
    wsprintf(szForm,
"<HTML><HEAD><TITLE>TPC-C Main
Menu</TITLE></HEAD><BODY>"
"Select Desired
Transaction.<BR><HR>"
" <FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
" <INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">"
" <INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
" <INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
" <INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
" <INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".NewOrder..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Payment..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Delivery..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Order-Status..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Stock-Level..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Exit..\">"
"</FORM></BODY></HTML>"
, MAIN_MENU_FORM, iTermId,
iSyncId);
}

/* FUNCTION: MakeStockLevelForm
*
* PURPOSE:      This function constructs the
Stock Level HTML page.

```

```

*
* COMMENTS:      The internal client buffer is
created when the terminal id is assigned and should
not
*                be freed
except when the client terminal id is no longer
needed.
*/

void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm)
{
    int    c;

    c = sprintf(szForm,
               "<HTML><HEAD><TITLE>TPC-C Stock
Level</TITLE></HEAD><FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
               "<PRE><font face=\"Courier\">
Stock-Level<BR>"
               "Warehouse: %4.4d District:
%2.2d<BR> <BR>,"
               STOCK_LEVEL_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id,
Term.pClientData[iTermId].d_id);

    if ( bInput )
    {
        strcpy(szForm+c,
               "Stock Level Threshold:
<INPUT NAME=\"TT*\" SIZE=2><BR> <BR>"
               "low stock:
</font><BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR></PRE><HR>"
               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\">"
               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">"
               "</FORM></HTML>" );
    }
    else
    {
        sprintf(szForm+c,
               "Stock Level Threshold:
%2.2d<BR> <BR>"
               "low stock:
%3.3d</font> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR>"
               "<BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR></PRE><HR>"

```

```

               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">"
               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
               "</FORM></HTML>"
               , pStockLevelData-
>threshold, pStockLevelData->low_stock);
    }
}

/* FUNCTION: MakeNewOrderForm
*
* COMMENTS:      The internal client buffer is
created when the terminal id is assigned and should
not
*                be freed
except when the client terminal id is no longer
needed.
*/

void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm)
{
    int    i, c;
    BOOL   bValid;
    static char szBR[] = " <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR>";

    if (!bInput)
        assert( pNewOrderData-
>exec_status_code == eOK || pNewOrderData-
>exec_status_code == eInvalidItem );

    bValid = (bInput || (pNewOrderData-
>exec_status_code == eOK));

    c = sprintf(szForm,
               "<HTML><HEAD><TITLE>TPC-C New
Order</TITLE></HEAD><BODY>"
               "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
               "<PRE><font face=\"Courier\">
New Order<BR>"

```

```

               , bValid ? 0 : ERR_BAD_ITEM_ID,
NEW_ORDER_FORM, iTermId,
Term.pClientData[iTermId].iSyncId);

    if ( bInput )
    {
        c += sprintf(szForm+c,
"Warehouse: %4.4d ", Term.pClientData[iTermId].w_id
);

        strcpy( szForm+c,
               "District: <INPUT
NAME=\"DID*\" SIZE=1>
Date:<BR>"
               "Customer: <INPUT
NAME=\"CID*\" SIZE=4> Name:
Credit: %Disc:<BR>"
               "Order Number:
Number of Lines:      W_tax:      D_tax:<BR>
<BR>"
               "Supp_W Item_Id Item
Amount<BR>"
               " <INPUT
NAME=\"SP0*\" SIZE=4> <INPUT NAME=\"IID00*\"
SIZE=6> <INPUT
NAME=\"Qty0*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP01*\" SIZE=4> <INPUT NAME=\"IID01*\"
SIZE=6> <INPUT
NAME=\"Qty01*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP02*\" SIZE=4> <INPUT NAME=\"IID02*\"
SIZE=6> <INPUT
NAME=\"Qty02*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP03*\" SIZE=4> <INPUT NAME=\"IID03*\"
SIZE=6> <INPUT
NAME=\"Qty03*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP04*\" SIZE=4> <INPUT NAME=\"IID04*\"
SIZE=6> <INPUT
NAME=\"Qty04*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP05*\" SIZE=4> <INPUT NAME=\"IID05*\"
SIZE=6> <INPUT
NAME=\"Qty05*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP06*\" SIZE=4> <INPUT NAME=\"IID06*\"
SIZE=6> <INPUT
NAME=\"Qty06*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP07*\" SIZE=4> <INPUT NAME=\"IID07*\"
SIZE=6> <INPUT
NAME=\"Qty07*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP08*\" SIZE=4> <INPUT NAME=\"IID08*\"
SIZE=6> <INPUT
NAME=\"Qty08*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP09*\" SIZE=4> <INPUT NAME=\"IID09*\"
SIZE=6> <INPUT
NAME=\"Qty09*\" SIZE=1><BR>"

```

```

                " <INPUT
NAME=\SP10*\ " SIZE=4> <INPUT NAME=\IID10*\ "
SIZE=6>
                <INPUT
NAME=\Qty10*\ " SIZE=1><BR>"
                " <INPUT
NAME=\SP11*\ " SIZE=4> <INPUT NAME=\IID11*\ "
SIZE=6>
                <INPUT
NAME=\Qty11*\ " SIZE=1><BR>"
                " <INPUT
NAME=\SP12*\ " SIZE=4> <INPUT NAME=\IID12*\ "
SIZE=6>
                <INPUT
NAME=\Qty12*\ " SIZE=1><BR>"
                " <INPUT
NAME=\SP13*\ " SIZE=4> <INPUT NAME=\IID13*\ "
SIZE=6>
                <INPUT
NAME=\Qty13*\ " SIZE=1><BR>"
                " <INPUT
NAME=\SP14*\ " SIZE=4> <INPUT NAME=\IID14*\ "
SIZE=6>
                <INPUT
NAME=\Qty14*\ " SIZE=1><BR>"
                "Execution Status:
Total:<BR>"
                "</font></PRE><HR>"
                "<INPUT TYPE=\submit\"
NAME=\CMD\ " VALUE=\Process\">"
                "<INPUT TYPE=\submit\"
NAME=\CMD\ " VALUE=\Menu\">"
                "</FORM></HTML>"
            }
            else
            {
                c += sprintf(szForm+c,
"Warehouse: %4.4d District: %2.2d
Date: ",
                pNewOrderData->w_id,
                pNewOrderData->d_id);

                if ( bValid )
                {
                    c += sprintf(szForm+c,
"%2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
                    pNewOrderData->o_entry_d.day,
                    pNewOrderData->o_entry_d.month,
                    pNewOrderData->o_entry_d.year,
                    pNewOrderData->o_entry_d.hour,
                    pNewOrderData->o_entry_d.minute,
                    pNewOrderData->o_entry_d.second);
                }

                c += sprintf(szForm+c,
"<BR>Customer: %4.4d Name: %-16s Credit: %-2s
",
                pNewOrderData->c_id,
                pNewOrderData->c_last, pNewOrderData->c_credit);

                if ( bValid )

```

```

            {
                c += sprintf(szForm+c,
                "%&Disc: %5.2f <BR>"
                "Order Number: %8.8d Number of Lines:
                %2.2d W_tax: %5.2f D_tax: %5.2f <BR> <BR>"
                " Supp_W Item_Id Item Name
                Qty Stock B/G Price Amount<BR>",
                100.0*pNewOrderData->c_discount,
                pNewOrderData->o_id,
                pNewOrderData->o_ol_cnt,
                pNewOrderData->w_tax, 100.0 *
                pNewOrderData->d_tax);

                for(i=0;
                i<pNewOrderData->o_ol_cnt; i++)
                {
                    c +=
                    sprintf(szForm+c, " %4.4d %6.6d %-24s %2.2d
                    %3.3d %1.1s %$6.2f %$7.2f <BR>",
                    pNewOrderData->OL[i].ol_supply_w_id,
                    pNewOrderData->OL[i].ol_i_id,
                    pNewOrderData->OL[i].ol_i_name,
                    pNewOrderData->OL[i].ol_quantity,
                    pNewOrderData->OL[i].ol_stock,
                    pNewOrderData->OL[i].ol_brand_generic,
                    pNewOrderData->OL[i].ol_i_price,
                    pNewOrderData->OL[i].ol_amount );
                }
                else
                {
                    c += sprintf(szForm+c,
                    "%&Disc:<BR>"
                    "Order
                    W_tax:
                    Number: %8.8d Number of Lines:
                    D_tax:<BR> <BR>"
                    " Supp_W
                    Item_Id Item Name Qty Stock B/G
                    Price Amount<BR>"
                    pNewOrderData->o_id);

                    i = 0;
                }
                strncpy( szForm+c, szBR, (15-i)*5
            );

```

```

                c += (15-i)*5;

                if ( bValid )
                c += sprintf(szForm+c,
                "Execution Status: Transaction committed.
                Total: %$8.2f ",
                pNewOrderData->total_amount);
                else
                c += sprintf(szForm+c,
                "Execution Status: Item number is not valid.
                Total:");

                strcpy(szForm+c,
                "
                <BR></font></PRE><HR>"
                "<INPUT TYPE=\submit\"
                NAME=\CMD\ " VALUE=\NewOrder..\ ">"
                "<INPUT TYPE=\submit\"
                NAME=\CMD\ " VALUE=\Payment..\ ">"
                "<INPUT TYPE=\submit\"
                NAME=\CMD\ " VALUE=\Delivery..\ ">"
                "<INPUT TYPE=\submit\"
                NAME=\CMD\ " VALUE=\Order-Status..\ ">"
                "<INPUT TYPE=\submit\"
                NAME=\CMD\ " VALUE=\Stock-Level..\ ">"
                "<INPUT TYPE=\submit\"
                NAME=\CMD\ " VALUE=\Exit..\ ">"
                "</FORM></HTML>"
            );
        }
    }

/* FUNCTION: MakePaymentForm
 *
 * COMMENTS: The internal client buffer is
created when the terminal id is assigned and should
not
 * be freed
except when the client terminal id is no longer
needed.
 */

void MakePaymentForm(int iTermId, PAYMENT_DATA
 *pPaymentData, BOOL bInput, char *szForm)
{
    int c;

    c = sprintf(szForm,
    "<HTML><HEAD><TITLE>TPC-C
Payment</TITLE></HEAD><BODY>"
    "<FORM ACTION=\tpcc.dll\ "
    METHOD=\GET\">"
    "<INPUT TYPE=\hidden\"
    NAME=\STATUSID\ " VALUE=\0\">"
    "<INPUT TYPE=\hidden\"
    NAME=\ERROR\ " VALUE=\0\">"
    "<INPUT TYPE=\hidden\"
    NAME=\FORMID\ " VALUE=\%d\">"
    "<INPUT TYPE=\hidden\"
    NAME=\TERMINID\ " VALUE=\%d\">"
    "<INPUT TYPE=\hidden\"
    NAME=\SYCID\ " VALUE=\%d\">"

```

```

        "PRE"><font face="Courier">
Payment<BR>"
        "Date: "
        , PAYMENT_FORM, iTermId,
Term.pClientData[iTermId].iSyncId);
        if ( !bInput )
        {
                c += sprintf(szForm+c, "%2.2d-
%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
                pPaymentData-
>h_date.day,
                pPaymentData-
>h_date.month,
                pPaymentData-
>h_date.year,
                pPaymentData-
>h_date.hour,
                pPaymentData-
>h_date.minute,
                pPaymentData-
>h_date.second);
        }
        if ( bInput )
        {
                c += sprintf(szForm+c,
                "<BR> <BR>Warehouse:
%4.4d"
                "
District: <INPUT NAME="DID*" SIZE=1><BR> <BR> <BR>
<BR> <BR>"
                "Customer: <INPUT
NAME="CID*" SIZE=4>"
                "Cust-Warehouse: <INPUT
NAME="CWI*" SIZE=4> "
                "Cust-District: <INPUT
NAME="CDI*" SIZE=1><BR>"
                "Name:
<INPUT NAME="CLT*" SIZE=16>
Since:<BR>"
                "
Credit:<BR>"
                "
Disc:<BR>"
                "
Phone:<BR> <BR>"
                "Amount Paid:
$<INPUT NAME="HAM*" SIZE=7>      New Cust-
Balance:<BR>"
                "Credit Limit:<BR>
<BR>Cust-Data: <BR> <BR> <BR>
<BR></font></PRE><HR>"
                "<INPUT TYPE="submit"
NAME="CMD\" VALUE="Process"><INPUT TYPE="submit"
NAME="CMD\" VALUE="Menu">"
                "</BODY></FORM></HTML>"
Term.pClientData[iTermId].w_id);
        }
        else
        {
                c += sprintf(szForm+c,

```

```

                "<BR> <BR>Warehouse:
%4.4d
District: %2.2d<BR>"
                "%-20s<BR>"
                "%-20s
%-20s<BR>"
                "%-20s %-2s %5.5s-%4.4s<BR> <BR>"
                "Customer: %4.4d Cust-
Warehouse: %4.4d Cust-District: %2.2d<BR>"
                "Name: %-16s %-2s %-
16s      Since: %2.2d-%2.2d-%4.4d<BR>"
                "          %-20s
Credit: %-2s<BR>"
                "
Term.pClientData[iTermId].w_id, pPaymentData->d_id
                , pPaymentData-
>w_street_1, pPaymentData->d_street_1
                , pPaymentData-
>w_street_2, pPaymentData->d_street_2
                , pPaymentData->w_city,
pPaymentData->w_state, pPaymentData->w_zip,
pPaymentData->w_zip+5
                , pPaymentData->d_city,
pPaymentData->d_state, pPaymentData->d_zip,
pPaymentData->d_zip+5
                , pPaymentData->c_id,
pPaymentData->c_d_id
                , pPaymentData-
>c_first, pPaymentData->c_middle, pPaymentData-
>c_last
                , pPaymentData-
>c_since.day, pPaymentData->c_since.month,
                pPaymentData->c_since.year
                , pPaymentData-
>c_street_1, pPaymentData->c_credit
                );
                c += sprintf(szForm+c,
                "          %-20s
%%Disc: %5.2f<BR>",
                pPaymentData-
>c_street_2, 100.0*pPaymentData->c_discount);
                c += sprintf(szForm+c,
                "          %-20s %-2s
%5.5s-%4.4s      Phone: %6.6s-%3.3s-%3.3s-%4.4s<BR>
<BR>",
                pPaymentData->c_city,
pPaymentData->c_state, pPaymentData->c_zip,
pPaymentData->c_zip+5,
                pPaymentData->c_phone,
pPaymentData->c_phone+6, pPaymentData->c_phone+9,
pPaymentData->c_phone+12 );
                c += sprintf(szForm+c,
                "Amount Paid:
$%7.2f      New Cust-Balance: $%14.2f<BR>"
                "Credit Limit:
$%13.2f<BR> <BR>"
                , pPaymentData-
>h_amount, pPaymentData->c_balance

```

```

                , pPaymentData-
>c_credit_lim
                );
                if ( pPaymentData->c_credit[0] ==
'B' && pPaymentData->c_credit[1] == 'C' )
                c += sprintf(szForm+c,
                "Cust-Data: %-50.50s<BR>          %-
50.50s<BR>          %-50.50s<BR>          %-
50.50s<BR>",
                pPaymentData->c_data, pPaymentData-
>c_data+50, pPaymentData->c_data+100, pPaymentData-
>c_data+150 );
                else
                strcpy(szForm+c, "Cust-
Data: <BR> <BR> <BR> <BR>");
                strcat(szForm,
                "<BR></font></PRE><HR>"
                "<INPUT TYPE="submit" NAME="CMD\"
VALUE="..NewOrder..">"
                "<INPUT TYPE="submit" NAME="CMD\"
VALUE="..Payment..">"
                "<INPUT TYPE="submit" NAME="CMD\"
VALUE="..Delivery..">"
                "<INPUT TYPE="submit" NAME="CMD\"
VALUE="..Order-Status..">"
                "<INPUT TYPE="submit" NAME="CMD\"
VALUE="..Stock-Level..">"
                "<INPUT TYPE="submit" NAME="CMD\"
VALUE="..Exit..">"
                "</BODY></FORM></HTML>");
        }
        /* FUNCTION: MakeOrderStatusForm
        *
        * COMMENTS:      The internal client buffer is
        created when the terminal id is assigned and should
        not
        *
        *                  be freed
        except when the client terminal id is no longer
        needed.
        */
        void MakeOrderStatusForm(int iTermId,
ORDER_STATUS_DATA *pOrderStatusData, BOOL bInput,
char *szForm)
        {
                int          i, c;
                static char szBR[] = " <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR>";

```



```

        c = sprintf(szForm,
        "HTML<HEAD><TITLE>TPC-C Order-
Status</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
        "<PRE><font face=\"Courier\">
Order-Status<BR>"
        "Warehouse: %4.4d ",
        ORDER_STATUS_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id);

        if ( bInput )
        {
                strcpy(szForm+c,
                "District: <INPUT
NAME=\"DID*\" SIZE=1><BR>"
                "Customer: <INPUT
NAME=\"CID*\" SIZE=4> Name:
<INPUT NAME=\"CLT*\" SIZE=23><BR>"
                "Cust-Balance:<BR>
<BR>"
                "Order-Number:
Entry-Date:
Number:<BR>"
                "Carrier-
Supply-W Item-Id
Qty Amount Delivery-Date<BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<HR><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Process\"><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
                "</BODY></FORM></HTML>"
        );
        }
        else
        {
                c += sprintf(szForm+c,
                "District: %2.2d<BR>"
                "Customer: %4.4d
Name: %-16s %-2s %-16s<BR>",
                pOrderStatusData->d_id,
pOrderStatusData->c_id,
                pOrderStatusData-
>c_first, pOrderStatusData->c_middle,
pOrderStatusData->c_last);
                c += sprintf(szForm+c, "Cust-
Balance: %9.2f<BR> <BR>",
                pOrderStatusData-
>c_balance);

```

```

        c += sprintf(szForm+c,
        "Order-Number: %8.8d
Entry-Date: %2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d
Carrier-Number: %2.2d<BR>"
        "Supply-W Item-Id
Qty Amount Delivery-Date<BR>",
        pOrderStatusData->o_id,
pOrderStatusData-
>o_entry_d.day,
                pOrderStatusData-
>o_entry_d.month,
                pOrderStatusData-
>o_entry_d.year,
                pOrderStatusData-
>o_entry_d.hour,
                pOrderStatusData-
>o_entry_d.minute,
                pOrderStatusData-
>o_entry_d.second,
                pOrderStatusData-
>o_carrier_id);
        for(i=0; i< pOrderStatusData-
>o_ol_cnt; i++)
        {
                c += sprintf(szForm+c,
                "%4.4d %6.6d %2.2d %8.2f %2.2d-
%2.2d-%4.4d<BR>",
                pOrderStatusData->OL[i].ol_supply_w_id,
                pOrderStatusData->OL[i].ol_i_id,
                pOrderStatusData->OL[i].ol_quantity,
                pOrderStatusData->OL[i].ol_amount,
                pOrderStatusData->OL[i].ol_delivery_d.day,
                pOrderStatusData-
>OL[i].ol_delivery_d.month,
                pOrderStatusData-
>OL[i].ol_delivery_d.year);
        }
        strcpy( szForm+c, szBR, (15-i)*5
        );
        c += (15-i)*5;
        strcpy(szForm+c,
        "</font></PRE><HR><INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".NewOrder.\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Payment.\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Delivery.\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Order-Status.\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Stock-Level.\">"

```

```

        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Exit.\">"
        "</BODY></FORM></HTML>"
        );
        }
        /* FUNCTION: MakeDeliveryForm
        *
        * COMMENTS: The internal client buffer is
        created when the terminal id is assigned and should
        not
        * be freed
        except when the client terminal id is no longer
        needed.
        */
        void MakeDeliveryForm(int iTermId, DELIVERY_DATA
        *pDeliveryData, BOOL bInput, char *szForm)
        {
                int c;
                c = sprintf(szForm,
                "HTML<HEAD><TITLE>TPC-C
Delivery</TITLE></HEAD><BODY>"
                "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
                "<PRE><font face=\"Courier\">
Delivery<BR>"
                "Warehouse: %4.4d<BR> <BR>",
                (bInput && (pDeliveryData-
>exec_status_code != eOK)) ? ERR_TYPE_DELIVERY_POST :
0,
                DELIVERY_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id);
                if ( bInput )
                {
                        strcpy( szForm+c,
                        "Carrier Number: <INPUT
NAME=\"OCD*\" SIZE=1><BR> <BR>"
                        "Execution Status: <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> </font></PRE><HR>"
                        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\">"
                        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">"
                        "</BODY></FORM></HTML>"
                );
                }

```

```

else
{
    wsprintf( szForm+c,
              "Carrier Number:
%2.2d<BR> <BR>"
              "Execution Status: %s
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
" <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> </font></PRE>"
              "<HR><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..NewOrder..\">"
              "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
              "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
              "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
              "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
              "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
              "</BODY></FORM></HTML>"

              , pDeliveryData-
>o_carrier_id,
              (pDeliveryData-
>exec_status_code == eOK) ? "Delivery has been
queued." : "Delivery Post Failed
"
              );
}

/* FUNCTION: ProcessNewOrderForm
*
* PURPOSE: This function gets and validates
the input data from the new order form
*
* filling in the required
input variables. it then calls the SQLNewOrder
*
* transaction, constructs
the output form and writes it back to client
*
* browser.
*/

void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    PNEW_ORDER_DATA pNewOrder;

    pNewOrder = Term.pClientData[iTermId].pTxn-
>BuffAddr_NewOrder();

    ZeroMemory(pNewOrder,
sizeof(NEW_ORDER_DATA));
    pNewOrder->w_id =
Term.pClientData[iTermId].w_id;
    GetNewOrderData(pECB->lpszQueryString,
pNewOrder);

    Term.pClientData[iTermId].pTxn->NewOrder();

    pNewOrder = Term.pClientData[iTermId].pTxn-
>BuffAddr_NewOrder();
}

```

```

MakeNewOrderForm(iTermId, pNewOrder,
OUTPUT_FORM, szBuffer );
}

/* FUNCTION: void ProcessPaymentForm
*
* PURPOSE: This function gets and validates
the input data from the payment form
*
* filling in the required
input variables. It then calls the SQLPayment
*
* transaction, constructs
the output form and writes it back to client
*
* browser.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
*pECB passed in structure pointer from
inetsrv.
*
* int
*
* iTermId client browser terminal id
*/

void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    PPAYMENT_DATA pPayment;

    pPayment = Term.pClientData[iTermId].pTxn-
>BuffAddr_Payment();
    ZeroMemory(pPayment, sizeof(PAYMENT_DATA));
    pPayment->w_id =
Term.pClientData[iTermId].w_id;
    GetPaymentData(pECB->lpszQueryString,
pPayment);

    Term.pClientData[iTermId].pTxn->Payment();

    pPayment = Term.pClientData[iTermId].pTxn-
>BuffAddr_Payment();
    MakePaymentForm(iTermId, pPayment,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessOrderStatusForm
*
* PURPOSE: This function gets and validates
the input data from the Order Status
*
* form filling in the
required input variables. It then calls the
*
* SQLOrderStatus
transaction, constructs the output form and writes it
*
* back to client browser.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
*pECB passed in structure pointer from
inetsrv.
*
* int
*
* iTermId client browser terminal id
*/

```

```

void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    PORDER_STATUS_DATA pOrderStatus;

    pOrderStatus =
Term.pClientData[iTermId].pTxn-
>BuffAddr_OrderStatus();
    ZeroMemory(pOrderStatus,
sizeof(ORDER_STATUS_DATA));
    pOrderStatus->w_id =
Term.pClientData[iTermId].w_id;
    GetOrderStatusData(pECB->lpszQueryString,
pOrderStatus);

    Term.pClientData[iTermId].pTxn-
>OrderStatus();

    pOrderStatus =
Term.pClientData[iTermId].pTxn-
>BuffAddr_OrderStatus();
    MakeOrderStatusForm(iTermId, pOrderStatus,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessDeliveryForm
*
* PURPOSE: This function gets and validates
the input data from the delivery form
*
* filling in the required
input variables. It then calls the PostDeliveryInfo
*
* Api, The client is then
informed that the transaction has been posted.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
*pECB passed in structure pointer from
inetsrv.
*
* int
*
* iTermId client browser terminal id
*/

void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    char *ptr = pECB->lpszQueryString;

    PDELIVERY_DATA pDelivery;

    pDelivery = Term.pClientData[iTermId].pTxn-
>BuffAddr_Delivery();
    ZeroMemory(pDelivery,
sizeof(DELIVERY_DATA));
    pDelivery->w_id =
Term.pClientData[iTermId].w_id;

    pDelivery->o_carrier_id =
GetIntKeyValue(&ptr, "OCD**",
ERR_DELIVERY_MISSING_OCD_KEY,
ERR_DELIVERY_CARRIER_INVALID);
    if ( pDelivery->o_carrier_id > 10 ||
pDelivery->o_carrier_id < 1 )

```

```

        throw new CWBCLNT_ERR(
ERR_DELIVERY_CARRIER_ID_RANGE );

        if (dwNumDeliveryThreads)
        {
            //post delivery info
            if ( PostDeliveryInfo(pDelivery-
>w_id, pDelivery->o_carrier_id) )
                pDelivery-
>exec_status_code = eDeliveryFailed;
            else
                pDelivery-
>exec_status_code = eOK;
        }
        else // delivery is done synchronously if
no delivery threads configured
            Term.pClientData[iTermId].pTxn-
>Delivery();

        pDelivery = Term.pClientData[iTermId].pTxn-
>BuffAddr_Delivery();
        MakeDeliveryForm(iTermId, pDelivery,
OUTPUT_FORM, szBuffer);
    }

/* FUNCTION: ProcessStockLevelForm
 *
 * PURPOSE:      This function gets and validates
the input data from the Stock Level
 *
 *               form filling in the
required input variables. It then calls the
 *               SQLStockLevel
transaction, constructs the output form and writes it
 *               back to client browser.
 *
 * ARGUMENTS:    EXTENSION_CONTROL_BLOCK
 *               *pECB      passed in structure pointer from
inetsrv.
 *
 *               int
 *
 *               iTermId   client browser terminal id
 */

void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    char *ptr = pECB-
>lpszQueryString;

    PSTOCK_LEVEL_DATA pStockLevel;

    pStockLevel =
Term.pClientData[iTermId].pTxn-
>BuffAddr_StockLevel();
    ZeroMemory( pStockLevel,
sizeof(STOCK_LEVEL_DATA) );

    pStockLevel->w_id =
Term.pClientData[iTermId].w_id;
    pStockLevel->d_id =
Term.pClientData[iTermId].d_id;

```

```

        pStockLevel->threshold =
GetIntKeyValue(&ptr, "TT*",
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID);
        if ( pStockLevel->threshold >= 100 ||
pStockLevel->threshold < 0 )
            throw new CWBCLNT_ERR(
ERR_STOCKLEVEL_THRESHOLD_RANGE );

        Term.pClientData[iTermId].pTxn-
>StockLevel();

        pStockLevel =
Term.pClientData[iTermId].pTxn-
>BuffAddr_StockLevel();
        MakeStockLevelForm(iTermId, pStockLevel,
OUTPUT_FORM, szBuffer);
    }

/* FUNCTION: GetNewOrderData
 *
 * PURPOSE:      This function extracts and
validates the new order form data from an http
command string.
 *
 * ARGUMENTS:    LPSTR      client
                lpszQueryString   browser http command string
 *
 *               NEW_ORDER_DATA *pNewOrderData
                pointer to new order data structure
 *
 */

void GetNewOrderData(LPSTR lpszQueryString,
NEW_ORDER_DATA *pNewOrderData)
{
    char szTmp[26];
    int i;
    short items;
    int ol_i_id, ol_quantity;
    char *ptr = lpszQueryString;

    static char szSP[MAX_OL_NEW_ORDER_ITEMS][6]
=
    { "SP0*", "SP01*", "SP02*",
    "SP03*", "SP04*",
    "SP05*", "SP06*", "SP07*",
    "SP08*", "SP09*",
    "SP10*", "SP11*", "SP12*",
    "SP13*", "SP14*" };
    static char
szIID[MAX_OL_NEW_ORDER_ITEMS][7] =
    { "IID00*", "IID01*", "IID02*",
    "IID03*", "IID04*",
    "IID05*", "IID06*", "IID07*",
    "IID08*", "IID09*",
    "IID10*", "IID11*", "IID12*",
    "IID13*", "IID14*" };
    static char
szQty[MAX_OL_NEW_ORDER_ITEMS][7] =
    { "Qty00*", "Qty01*", "Qty02*",
    "Qty03*", "Qty04*",

```

```

    "Qty05*", "Qty06*", "Qty07*",
    "Qty08*", "Qty09*",
    "Qty10*", "Qty11*", "Qty12*",
    "Qty13*", "Qty14*" };

    pNewOrderData->d_id = GetIntKeyValue(&ptr,
"DID*", ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_DISTRICT_INVALID);
    pNewOrderData->c_id = GetIntKeyValue(&ptr,
"CID*", ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_CUSTOMER_INVALID);

    for(i=0, items=0; i<MAX_OL_NEW_ORDER_ITEMS;
i++)
    {
        GetKeyValue(&ptr, szSP[i], szTmp,
sizeof(szTmp), ERR_NEWORDER_MISSING_SUPPW_KEY);
        if ( szTmp[0] )
            {
                if ( !IsNumeric(szTmp) )
                    throw new
CWBCLNT_ERR( ERR_NEWORDER_SUPPW_INVALID );
                pNewOrderData-
>OL[items].ol_supply_w_id = (short)atoi(szTmp);

                ol_i_id =
pNewOrderData->OL[items].ol_i_id =
                GetIntKeyValue(&ptr, szIID[i],
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_ITEMID_INVALID);
                if ( ol_i_id > 999999
|| ol_i_id < 1 )
                    throw new
CWBCLNT_ERR( ERR_NEWORDER_ITEMID_RANGE );

                ol_quantity =
pNewOrderData->OL[items].ol_quantity =
                GetIntKeyValue(&ptr, szQty[i],
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_QTY_INVALID);
                if ( ol_quantity > 99
|| ol_quantity < 1 )
                    throw new
CWBCLNT_ERR( ERR_NEWORDER_QTY_RANGE );

                items++;
            }
        else
            // nothing entered for
supply warehouse, so item id and qty must also be
blank
                GetKeyValue(&ptr,
szIID[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_IID_KEY);
                if ( szTmp[0] )
                    throw new
CWBCLNT_ERR( ERR_NEWORDER_ITEMID_WITHOUT_SUPPW );

```

```

        GetKeyValue(&ptr,
szQty[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_QTY_KEY);
        if ( szTmp[0] )
            throw new
CWEBCLNT_ERR( ERR_NEWORDER_QTY_WITHOUT_SUPPW );
    }
    if ( items == 0 )
        throw new CWEBCLNT_ERR(
ERR_NEWORDER_NOITEMS_ENTERED );
    pNewOrderData->o_ol_cnt = items;
}

/* FUNCTION: GetPaymentData
 *
 * PURPOSE:      This function extracts and
validates the payment form data from an http command
string.
 *
 * ARGUMENTS:   LPSTR          client
                lpszQueryString browser http command string
 *
                *pPaymentData  PAYMENT_DATA
payment data structure pointer to
 */

void GetPaymentData(LPSTR lpszQueryString,
PAYMENT_DATA *pPaymentData)
{
    char    szTmp[26];
    char    *ptr = lpszQueryString;
    BOOL    bCustIdBlank;

    pPaymentData->d_id = GetIntKeyValue(&ptr,
"DID*", ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_DISTRICT_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        bCustIdBlank = TRUE;
        pPaymentData->c_id = 0;
    }
    else
    {
        // parse customer id and verify
that last name was NOT entered
        bCustIdBlank = FALSE;
        if ( !IsNumeric(szTmp) )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_CUSTOMER_INVALID );
        pPaymentData->c_id = atoi(szTmp);
    }

    pPaymentData->c_w_id = GetIntKeyValue(&ptr,
"CWI*", ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_CWI_INVALID);
    pPaymentData->c_d_id = GetIntKeyValue(&ptr,
"CDI*", ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_CDI_INVALID);

```

```

        if ( bCustIdBlank )
        {
            // customer id is blank, so last
name must be entered
            GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CLT_KEY);
            if ( szTmp[0] == 0 )
                throw new CWEBCLNT_ERR(
ERR_PAYMENT_MISSING_CID_CLT );
            _strupr( szTmp );
            if ( strlen(pPaymentData->c_last)
> LAST_NAME_LEN )
                throw new CWEBCLNT_ERR(
ERR_PAYMENT_LAST_NAME_TO_LONG );
            strcpy(pPaymentData->c_last,
szTmp);
        }
        else
        {
            // parse customer id and verify
that last name was NOT entered
            GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CLT_KEY);
            if ( szTmp[0] != 0 )
                throw new CWEBCLNT_ERR(
ERR_PAYMENT_CID_AND_CLT );
        }

        GetKeyValue(&ptr, "HAM*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_HAM_KEY);
        if ( !IsDecimal(szTmp) )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_HAM_INVALID );
        pPaymentData->h_amount = atof(szTmp);
        if ( pPaymentData->h_amount >= 10000.00 ||
pPaymentData->h_amount < 0 )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_HAM_RANGE );
    }

/* FUNCTION: GetOrderStatusData
 *
 * PURPOSE:      This function extracts and
validates the payment form data from an http command
string.
 *
 */
void GetOrderStatusData(LPSTR lpszQueryString,
ORDER_STATUS_DATA *pOrderStatusData)
{
    char    szTmp[26];
    char    *ptr = lpszQueryString;

    pOrderStatusData->d_id =
GetIntKeyValue(&ptr, "DID*",
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_ORDERSTATUS_DID_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        // customer id is blank, so last
name must be entered

```

```

        pOrderStatusData->c_id = 0;
        GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] == 0 )
            throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_MISSING_CID_CLT );
        _strupr( szTmp );
        if ( strlen(pOrderStatusData-
>c_last) > LAST_NAME_LEN )
            throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_CLT_RANGE );
        strcpy(pOrderStatusData->c_last,
szTmp);
    }
    else
    {
        // parse customer id and verify
that last name was NOT entered
        if ( !IsNumeric(szTmp) )
            throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_CID_INVALID );
        pOrderStatusData->c_id =
atoi(szTmp);
        GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] != 0 )
            throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_CID_AND_CLT );
    }
}

/* FUNCTION: BOOL IsNumeric(char *ptr)
 *
 * PURPOSE:      This function determines if a
string is numeric. It fails if any characters other
than numeric and null
terminator are present.
 *
 * ARGUMENTS:   char
                *ptr pointer to string to check.
 *
 * RETURNS:     BOOL FALSE if
string is not all numeric
                TRUE if string contains only numeric
characters i.e. '0' - '9'
 */
BOOL IsNumeric(char *ptr)
{
    if ( *ptr == 0 )
        return FALSE;

    while( *ptr && isdigit(*ptr) )
        ptr++;
    return ( !*ptr );
}

/* FUNCTION: BOOL IsDecimal(char *ptr)
 *
 * PURPOSE:      This function determines if a
string is a non-negative decimal value.

```

```

*      It fails if any characters other than a
series of numbers followed by
*      a decimal point,
another series of numbers, and a null terminator are
present.
*
* ARGUMENTS:      char
                  *ptr      pointer to string to check.
*
* RETURNS:        BOOL      FALSE      if
string is not a valid non-negative decimal value
*
TRUE      if string is OK
*/

BOOL IsDecimal(char *ptr)
{
    char *dotptr;
    BOOL  bValid;

    if ( *ptr == 0 )
        return FALSE;

    // find decimal point
    dotptr = strchr( ptr, '.' );
    if (dotptr == NULL)
        // no decimal point, so just
check for numeric      return IsNumeric(ptr);
    *dotptr = 0; // temporarily replace
decimal with a terminator

    if ( *ptr != 0 )
        bValid = IsNumeric(ptr);
    // string starts with decimal point
    else if (*(dotptr+1) == 0)
        return FALSE; // nothing but a
decimal point is bad
    else
        bValid = TRUE;

    if (*(dotptr+1) != 0)
        // check text after decimal point
        bValid &= IsNumeric(dotptr+1);

    *dotptr = '.'; // replace decimal point
    return bValid;
}

```

tpcc.def

```

LIBRARY TPCC.DLL

EXPORTS

    GetExtensionVersion @1
    HttpExtensionProc   @2
    TerminateExtension  @3

```

tpcc.h

```

/*      FILE:      TPCC.H      Microsoft
*
*      TPC-C Kit Ver. 4.20.000      Copyright
*
*      Microsoft, 1999
*
*      All Rights Reserved
*
*      Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*      PURPOSE: Header file for ISAPI TPCC.DLL,
defines structures and functions used in the isapi
tpcc.dll.
*/

//VERSION RESOURCE DEFINES
#define _APS_NEXT_RESOURCE_VALUE 101
#define _APS_NEXT_COMMAND_VALUE 40001
#define _APS_NEXT_CONTROL_VALUE 1000
#define _APS_NEXT_SYMED_VALUE 101

#define TP_MAX_RETRIES 50

//note that the welcome form must be processed first
as terminal ids assigned here, once the
//terminal id is assigned then the forms can be
processed in any order.
#define WELCOME_FORM 1
//beginning form no term id assigned, form
id
#define MAIN_MENU_FORM 2
//term id assigned main menu form id
#define NEW_ORDER_FORM 3
//new order form id
#define PAYMENT_FORM 4
//payment form id
#define DELIVERY_FORM 5
//delivery form id
#define ORDER_STATUS_FORM 6 //order
status id
#define STOCK_LEVEL_FORM 7 //stock level
form id

//This macro is used to prevent the compiler error
unused formal parameter

```

```

#define UNUSEDPARAM(x) (x = x)

//This structure defines the data necessary to keep
distinct for each terminal or client connection.
typedef struct _CLIENTDATA
{
    int iNextFree; //index of
next free element or -1 if this entry in use.
    int w_id; //warehouse
id assigned at welcome form
    int d_id; //district id
assigned at welcome form

    int iSyncId; //synchronization id
    int iTickCount; //time of
last access;

    CTPCC_BASE *pTxn;
} CLIENTDATA, *PCLIENTDATA;

//This structure is used to define the operational
interface for terminal id support
typedef struct _TERM
{
    int iNumEntries; //total allocated terminal array entries
    int iFreeList; //next available terminal array element or
-1 if none
    int iMasterSyncId; //synchronization id
    CLIENTDATA *pClientData; //pointer to
allocated client data
} TERM;

typedef TERM *PTERM; //pointer to
terminal structure type

enum WEBERROR
{
    NO_ERR,
    ERR_COMMAND_UNDEFINED,
    ERR_D_ID_INVALID,
    ERR_DELIVERY_CARRIER_ID_RANGE,
    ERR_DELIVERY_CARRIER_INVALID,
    ERR_DELIVERY_MISSING_OCD_KEY,
    ERR_DELIVERY_THREAD_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_HTML_ILL_FORMED,

```

```

ERR_INVALID_SYNC_CONNECTION,
ERR_INVALID_TERMID,
ERR_LOADDLL_FAILED,
ERR_MAX_CONNECTIONS_EXCEEDED,
ERR_MEM_ALLOC_FAILED,
ERR_MISSING_REGISTRY_ENTRIES,
ERR_NEWORDER_CUSTOMER_INVALID,
ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_DISTRICT_INVALID,
ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_ITEMID_INVALID,
ERR_NEWORDER_ITEMID_RANGE,

ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_MISSING_SUPPW_KEY,
ERR_NEWORDER_NOITEMS_ENTERED,
ERR_NEWORDER_QTY_INVALID,
ERR_NEWORDER_QTY_RANGE,
ERR_NEWORDER_QTY_WITHOUT_SUPPW,
ERR_NEWORDER_SUPPW_INVALID,
ERR_NO_SERVER_SPECIFIED,
ERR_ORDERSTATUS_CID_AND_CLT,
ERR_ORDERSTATUS_CID_INVALID,
ERR_ORDERSTATUS_CLT_RANGE,
ERR_ORDERSTATUS_DID_INVALID,
ERR_ORDERSTATUS_MISSING_CID_CLT,
ERR_ORDERSTATUS_MISSING_CID_KEY,
ERR_ORDERSTATUS_MISSING_CLT_KEY,
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_PAYMENT_CDI_INVALID,
ERR_PAYMENT_CID_AND_CLT,
ERR_PAYMENT_CUSTOMER_INVALID,
ERR_PAYMENT_CWI_INVALID,
ERR_PAYMENT_DISTRICT_INVALID,
ERR_PAYMENT_HAM_INVALID,
ERR_PAYMENT_HAM_RANGE,
ERR_PAYMENT_LAST_NAME_TO_LONG,
ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_MISSING_CID_CLT,
ERR_PAYMENT_MISSING_CID_KEY,
ERR_PAYMENT_MISSING_CLT,
ERR_PAYMENT_MISSING_CLT_KEY,
ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_MISSING_HAM_KEY,

ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID,
ERR_STOCKLEVEL_THRESHOLD_RANGE,
ERR_VERSION_MISMATCH,
ERR_W_ID_INVALID
};

class CWEBCLNT_ERR : public CBaseErr
{
public:
    CWEBCLNT_ERR(WEBERROR Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
    }
};

```

```

        m_SystemErr = 0;
        m_szErrorText = NULL;
    };

    CWEBCLNT_ERR(WEBERROR Err, char
    *szTextDetail, DWORD dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new
        char[strlen(szTextDetail)+1];
        strcpy( m_szTextDetail,
        szTextDetail );
        m_SystemErr =
        dwSystemErr;
        m_szErrorText = NULL;
    };

    ~CWEBCLNT_ERR()
    {
        if ( m_szTextDetail !=
        NULL)
            delete []
            m_szTextDetail;
        if ( m_szErrorText !=
        NULL)
            delete []
            m_szErrorText;
    };

    WEBERROR m_Error;
    char
    *m_szTextDetail; //
    char
    *m_szErrorText;
    DWORD m_SystemErr;

    int ErrorType() {return
    ERR_TYPE_WEBDLL;};

    int ErrorNum() {return m_Error;};
    char *ErrorText();
};

//These constants have already been defined in
engstat.h, but since we do
//not want to include it in the delisrv executable
#define TXN_EVENT_START 2
#define TXN_EVENT_STOP 4
#define TXN_EVENT_WARNING 6
//used to record a warning into the log

//function prototypes

BOOL APIENTRY DllMain(HANDLE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved);
void WriteMessageToEventLog(LPTSTR lpszMsg);
void ProcessQueryString(EXTENSION_CONTROL_BLOCK
*pECB, int *pCmd, int *pFormId, int *pTermId, int
*pSyncId);
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);

```

```

void BeginCmd(EXTENSION_CONTROL_BLOCK *pECB, int
iFormId, int iTermId);
void ProcessCmd(EXTENSION_CONTROL_BLOCK *pECB, int
iFormId, int iTermId);
void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void ErrorMessage(EXTENSION_CONTROL_BLOCK *pECB, int
iError, int iErrorType, char *szMsg, int iTermId);
void GetKeyValue(char **pQueryString, char *pKey,
char *pValue, int iMax, WEBERROR err);
int GetIntKeyValue(char **pQueryString, char *pKey,
WEBERROR NoKeyErr, WEBERROR NotIntErr);
void TermInit(void);
void TermDeleteAll(void);
int TermAdd(void);
void TermDelete(int id);
void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int
iType, int iErrorNum, int iTermId, int iSyncId, char
*szErrorText, char *szBuffer );
void MakeMainMenuForm(int iTermId, int iSyncId, char
*szForm);
void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm);
void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm);
void MakePaymentForm(int iTermId, PAYMENT_DATA
*pPaymentData, BOOL bInput, char *szForm);
void MakeOrderStatusForm(int iTermId,
ORDER_STATUS_DATA *pOrderStatusData, BOOL bInput,
char *szForm);
void MakeDeliveryForm(int iTermId, DELIVERY_DATA
*pDeliveryData, BOOL bInput, char *szForm);
void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void GetNewOrderData(LPSTR lpszQueryString,
NEW_ORDER_DATA *pNewOrderData);
void GetPaymentData(LPSTR lpszQueryString,
PAYMENT_DATA *pPaymentData);
void GetOrderStatusData(LPSTR lpszQueryString,
ORDER_STATUS_DATA *pOrderStatusData);
BOOL PostDeliveryInfo(short w_id, short
o_carrier_id);
BOOL IsNumeric(char *ptr);
BOOL IsDecimal(char *ptr);
void DeliveryWorkerThread(void *ptr);

```

tpcc.rc

```

//Microsoft Developer Studio generated resource
script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS

```

```

////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"

////////////////////////////////////
////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS

////////////////////////////////////
////////////////////////////////////
// English (U.S.) resources

#if !defined(AFX_RESOURCE_DLL) ||
defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef _MAC
////////////////////////////////////
////////////////////////////////////
//
// Version
//
VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,0,0
PRODUCTVERSION 0,4,0,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904b0"
        BEGIN
            VALUE "Comments", "TPC-C HTML DLL Server
(DBLIB)\0"
            VALUE "CompanyName", "Microsoft\0"
            VALUE "FileDescription", "TPC-C HTML DLL
Server (DBLIB)\0"
            VALUE "FileVersion", "0, 4, 0, 0\0"
            VALUE "InternalName", "tpcc\0"
            VALUE "LegalCopyright", "Copyright ©
1997\0"
            VALUE "OriginalFilename", "tpcc.dll\0"
            VALUE "ProductName", "Microsoft tpcc\0"
            VALUE "ProductVersion", "0, 4, 0, 0\0"
        END
    END
    BLOCK "VarFileInfo"
    BEGIN
        VALUE "Translation", 0x409, 1200
    END
END

```

```

END
END
#endif // !_MAC

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include \"afxres.h\"\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "\r\n"
    "\0"
END

#endif // APSTUDIO_INVOKED

////////////////////////////////////
////////////////////////////////////
//
// Dialog
//
IDD_DIALOG1 DIALOG DISCARDABLE 0, 0, 186, 95
STYLE_DS_MODALFRAME | WS_POPUP | WS_CAPTION |
WS_SYSMENU
CAPTION "Dialog"
FONT 8, "MS Sans Serif"
BEGIN
    DEFPUSHBUTTON "OK", IDOK, 129, 7, 50, 14
    PUSHBUTTON "Cancel", IDCANCEL, 129, 24, 50, 14
END

////////////////////////////////////
////////////////////////////////////
//
// DESIGNINFO
//
#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
    IDD_DIALOG1, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 179
    END
END

```

```

TOPMARGIN, 7
BOTTOMMARGIN, 88
END
#endif // APSTUDIO_INVOKED

#ifdef English (U.S.) resources
////////////////////////////////////
////////////////////////////////////

#endif APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
// Generated from the TEXTINCLUDE 3 resource.
//

////////////////////////////////////
////////////////////////////////////
#endif // not APSTUDIO_INVOKED



---


tpcc_com.cpp


---


/* FILE: TPCC_COM.CPP
* Microsoft
* TPC-C Kit Ver. 4.20.000
* Copyright
* Microsoft, 1999
* All Rights Reserved
* not yet
* audited
* PURPOSE: Source file for TPC-C COM+ class
implementation.
* Contact: Charles Levine
(clevine@microsoft.com)
* Change history:
* 4.20.000 - first version
*/

// needed for CoinitializeEx
#define WIN32_WINNT 0x0400

#include <windows.h>

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_com.h"

#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"

```

```

#include "..\..\tpcc_com_all\src\tpcc_com_all_i.c"

// wrapper routine for class constructor
_declspec(dllexport) CTPCC_COM* CTPCC_COM_new(BOOL
bSinglePool)
{
    return new CTPCC_COM(bSinglePool);
}

CTPCC_COM::CTPCC_COM(BOOL bSinglePool)
{
    HRESULT hr = NULL;
    long lRet = 0;
    ULONG ulTmpSize = 0;

    m_pTxn                = NULL;
    m_pNewOrder           = NULL;
    m_pPayment            = NULL;
    m_pStockLevel         = NULL;
    m_pOrderStatus       = NULL;

    m_bSinglePool        = bSinglePool;

    ulTmpSize = (ULONG) sizeof(COM_DATA);
    VariantInit(&m_vTxn);
    m_vTxn.vt = VT_SAFEARRAY;

    m_vTxn.parray =
SafeArrayCreateVector(VT_UI1, ulTmpSize, ulTmpSize);
    if (!m_vTxn.parray)
        throw new CCOMERR( E_FAIL );

    memset((void*)m_vTxn.parray-
>pvData,0,ulTmpSize);
    m_pTxn = (COM_DATA*)m_vTxn.parray->pvData;

    hr = CoInitializeEx(NULL,
COINIT_MULTITHREADED);
    if (FAILED(hr))
    {
        throw new CCOMERR( hr );
    }

    // create components
    if (m_bSinglePool)
    {
        hr = CoCreateInstance(CLSID_TPCC,
NULL, CLSCTX_SERVER, IID_ITPCC, (void
**) &m_pNewOrder);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        // all txns will use same
        component
            m_pPayment = m_pNewOrder;
            m_pStockLevel = m_pNewOrder;
            m_pOrderStatus = m_pNewOrder;
        }
    else
    {
        // use different components for
each txn

```

```

        hr =
CoCreateInstance(CLSID_NewOrder, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **) &m_pNewOrder);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr =
CoCreateInstance(CLSID_Payment, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **) &m_pPayment);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr =
CoCreateInstance(CLSID_StockLevel, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **) &m_pStockLevel);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr =
CoCreateInstance(CLSID_OrderStatus, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **) &m_pOrderStatus);
        if (FAILED(hr))
            throw new CCOMERR(hr);
    }

    // call setcomplete to release each
component back into pool
    hr = m_pNewOrder->CallSetComplete();
    if (FAILED(hr))
        throw new CCOMERR(hr);

    if (!m_bSinglePool)
    {
        hr = m_pPayment->
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pStockLevel->
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pOrderStatus->
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);
    }

    CTPCC_COM::~~CTPCC_COM()
    {
        if (m_pTxn)
            SafeArrayDestroy(m_vTxn.parray);

        ReleaseInterface(m_pNewOrder);
        if (!m_bSinglePool)
        {
            ReleaseInterface(m_pPayment);
            ReleaseInterface(m_pStockLevel);
            ReleaseInterface(m_pOrderStatus);
        }
        CoUninitialize();
    }

```

```

}

void CTPCC_COM::NewOrder()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pNewOrder->NewOrder(m_vTxn,
&vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData,vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

void CTPCC_COM::Payment()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pPayment->Payment(m_vTxn,
&vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData,vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

void CTPCC_COM::StockLevel()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pStockLevel-
>StockLevel(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData,vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

void CTPCC_COM::OrderStatus()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pOrderStatus-
>OrderStatus(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData,vTxn_out.parray->rgsabound[0].cElements);

```



```

        SafeArrayDestroy(vTxn_out.parray);

        if ( m_pTxn->ErrorType != ERR_SUCCESS )
            throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
    }

```

tpcc_com.h

```

/*      FILE:          TPCC_COM.H
 *
 *      TPC-C Kit Ver. 4.20.000
 *
 *      Microsoft
 *      Copyright
 *      Microsoft, 1999
 *      All Rights Reserved
 *
 *      not yet
 *      audited
 *
 *      PURPOSE:  Header file for TPC-C COM+ class
 *      implementation.
 *
 *      Change history:
 *      4.20.000 - first version
 */

#pragma once

#include <stdio.h>
#include "..\..\tpcc_com_ps\src\tpcc_com_ps.h"

// need to declare functions for import, unless
// define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CCOMERR : public CBaseErr
{
private:
    char m_szErrorText[64];

public:
    // use this interface for genuine
    COM errors
    CCOMERR( HRESULT hr )
    {
        m_hr = hr;
        m_iErrorType = 0;
        m_iError = 0;
    }

    // use this interface to
    impersonate a non-COM error type
    CCOMERR( int iErrorType, int
iError )
    {
        m_iErrorType =
iErrorType;
        m_iError = iError;
        m_hr = S_OK;
    }

```

```

    }

    int m_hr;
    int m_iErrorType;
    int m_iError;

    // A CCOMERR class can
    impersonate another
    class, which happens if the error
    // was not actually a COM
    Services error, but
    was simply transmitted back via
    COM.

    int ErrorType()
    {
        if ( m_iErrorType == 0 )
            return
ERR_TYPE_COM;
        else
            return
m_iErrorType;
    }

    int ErrorNum() {return m_hr;}

    char *ErrorText()
    {
        if ( m_hr == S_OK )
            sprintf(
m_szErrorText, "Error: Class %d, error # %d",
m_iErrorType, m_iError );
        else
            sprintf(
m_szErrorText, "Error: COM HRESULT %x", m_hr );
    }
};

class DllDecl CTPCC_COM : public CTPCC_BASE
{
private:
    BOOL m_bSinglePool;

    // COM Interface pointers
    ITPCC*
m_pNewOrder;
    ITPCC*
m_pPayment;
    ITPCC*
m_pStockLevel;
    ITPCC*
m_pOrderStatus;

    struct COM_DATA
    {
        int ErrorType;
        int error;
        union
        {
            NEW_ORDER_DATA      NewOrder;
            PAYMENT_DATA        Payment;
            DELIVERY_DATA       Delivery;
        }
    }

```

```

    STOCK_LEVEL_DATA      StockLevel;
    ORDER_STATUS_DATA     OrderStatus;
    } u;
    } *m_pTxn;

    VARIANT m_vTxn;

public:
    CTPCC_COM(BOOL bSinglePool);
    ~CTPCC_COM(void);

    inline PNEW_ORDER_DATA
    BuffAddr_NewOrder() { return
&m_pTxn->u.NewOrder; };
    inline PPAYMENT_DATA
    BuffAddr_Payment() { return
&m_pTxn->u.Payment; };
    inline PDELIVERY_DATA
    BuffAddr_Delivery() { return
&m_pTxn->u.Delivery; };
    inline PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel() { return
&m_pTxn->u.StockLevel; };
    inline PORDER_STATUS_DATA
    BuffAddr_OrderStatus() { return
&m_pTxn->u.OrderStatus; };

    void NewOrder      ();
    void Payment       ();
    void StockLevel    ();
    void OrderStatus   ();
    void Delivery      ();
    { throw new CCOMERR(E_NOTIMPL); } // not supported
};

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

// wrapper routine for class constructor
extern "C" __declspec(dllexport) CTPCC_COM*
CTPCC_COM_new(BOOL);

typedef CTPCC_COM* (TYPE_CTPCC_COM)(BOOL);

```

tpcc_com_all.c

pp

```

/*      FILE:          TPCC_COM_ALL.CPP
 *
 *      Microsoft
 *
 *      TPC-C Kit Ver. 4.20.000

```

```

*                                     Copyright
Microsoft, 1999
*                                     All Rights Reserved
*
*                                     Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*   PURPOSE: Implementation for TPC-C Tuxedo
class.
*   Contact: Charles Levine
(clevine@microsoft.com)
*
*   Change history:
*       4.20.000 - updated rev number to
match kit
*/

#define STRICT
#define _WIN32_WINNT 0x0400
#define _ATL_APARTMENT_THREADED

#include <stdio.h>
#include <atlbase.h>
//You may derive a class from CComModule and use it
if you want to override
//something, but do not change the name of _Module
extern CComModule _Module;

#include <atlcom.h>
#include <initguid.h>
#include <transact.h>
#include <atlimpl.cpp>
#include <comsvcs.h>

#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>

#include "tpcc_com_ps.h"
#include "..\..\common\src\trans.h"
//tpckit transaction
header contains definations of structures specific to
TPC-C
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\error.h"
#include "..\..\common\src\ReadRegistry.h"
#include "..\..\db_dblib_dll\src\tpcc_dblib.h"
// DBLIB implementation of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h"
// ODBC implementation of TPC-C txns

#include "resource.h"
#include "tpcc_com_all.h"
#include "tpcc_com_all_i.c"
#include "Methods.h"
#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\common\src\ReadRegistry.cpp"

CComModule _Module;

BEGIN_OBJECT_MAP(ObjectMap)

```

```

OBJECT_ENTRY(CLSID_TPCC, CTPCC)
OBJECT_ENTRY(CLSID_NewOrder, CNewOrder)
OBJECT_ENTRY(CLSID_OrderStatus,
COrderStatus)
OBJECT_ENTRY(CLSID_Payment, CPayment)
OBJECT_ENTRY(CLSID_StockLevel, CStockLevel)
END_OBJECT_MAP()

// configuration settings from registry
TPCCREGISTRYDATA Reg;
char
    szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;

////////////////////////////////////
////////////////////////////////////
// DLL Entry Point

extern "C"
BOOL WINAPI DllMain(HINSTANCE hInstance, DWORD
dwReason, LPVOID /*lpReserved*/)
{
    char szDllName[128];

    try
    {
        if (dwReason ==
DLL_PROCESS_ATTACH)
        {
            _Module.Init(ObjectMap,
hInstance);

            DisableThreadLibraryCalls(hInstance);

            DWORD dwSize =
MAX_COMPUTERNAME_LENGTH+1;

            GetComputerName(szMyComputerName, &dwSize);

            szMyComputerName[dwSize] = 0;

            if (
ReadTPCCRegistrySettings( &Reg ))
                throw new
CCOMPONENT_ERR( ERR_MISSING_REGISTRY_ENTRIES );

            if (Reg.eDB_Protocol ==
DBLIB)
            {
                strcpy(
szDllName, Reg.szPath );

                strcat(
szDllName, "tpcc_dblib.dll");

                hLibInstanceDb = LoadLibrary( szDllName );
            }
        }
    }
}

```

```

if
(hLibInstanceDb == NULL)
    throw new CCOMPONENT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

// get
function pointer to wrapper for class constructor

    pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
GetProcAddress(hLibInstanceDb, "CTPCC_DBLIB_new");
    if
(pCTPCC_DBLIB_new == NULL)
        throw new CCOMPONENT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
    else if
(Reg.eDB_Protocol == ODBC)
    {
        strcpy(
szDllName, Reg.szPath );

        strcat(
szDllName, "tpcc_odbc.dll");

        hLibInstanceDb = LoadLibrary( szDllName );
        if
(hLibInstanceDb == NULL)
            throw new CCOMPONENT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

        // get
function pointer to wrapper for class constructor

        pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");
        if
(pCTPCC_ODBC_new == NULL)
            throw new CCOMPONENT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
        else
            throw new
CCOMPONENT_ERR( ERR_UNKNOWN_DB_PROTOCOL );
        else if (dwReason ==
DLL_PROCESS_DETACH)
            _Module.Term();
    }
}
catch (CBaseErr *e)
{
    WriteMessageToEventLog(e-
>ErrorText());

    delete e;
    return FALSE;
}
catch (...)
{
}

```

```

        WriteMessageToEventLog(TEXT("Unhandled
exception in object DllMain"));
        return FALSE;
    }
    return TRUE;        // OK
}

////////////////////////////////////
////////////////////////////////////
// Used to determine whether the DLL can be unloaded
by OLE

STDAPI DllCanUnloadNow(void)
{
    return (_Module.GetLockCount()==0) ? S_OK :
S_FALSE;
}

////////////////////////////////////
////////////////////////////////////
// Returns a class factory to create an object of the
requested type

STDAPI DllGetClassObject(REFCLSID rclsid, REFIID
riid, LPVOID* ppv)
{
    return _Module.GetClassObject(rclsid, riid,
ppv);
}

////////////////////////////////////
////////////////////////////////////
// DllRegisterServer - Adds entries to the system
registry

STDAPI DllRegisterServer(void)
{
    // registers object, typelib and all
interfaces in typelib
    return _Module.RegisterServer(TRUE);
}

////////////////////////////////////
////////////////////////////////////
// DllUnregisterServer - Removes entries from the
system registry

STDAPI DllUnregisterServer(void)
{
    _Module.UnregisterServer();
    return S_OK;
}

static void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR    szMsg[256];
    HANDLE  hEventSource;
    LPTSTR  lpszStrings[2];

    // Use event logging to log the error.

```

```

//
hEventSource = RegisterEventSource(NULL,
TEXT("tpcc_com_all.dll"));

_stprintf(szMsg, TEXT("Error in COM+ TPC-C
Component: "));
lpszStrings[0] = szMsg;
lpszStrings[1] = lpszMsg;

if (hEventSource != NULL)
{
    ReportEvent(hEventSource, // handle of event
source
                EVENLOG_ERROR_TYPE, // event type
                0, // event category
                0, // event ID
                NULL, // current user's
SID
                2, // strings in
lpszStrings
                0, // no bytes of raw
data
                (LPCTSTR *)lpszStrings, // array of
error strings
                NULL); // no raw data

    (VOID) DeregisterEventSource(hEventSource);
}

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

/* FUNCTION: CCOMPONENT_ERR::ErrorText
*
*/

char* CCOMPONENT_ERR::ErrorText(void)
{
    static SERRORMSG errorMsgs[] =
    {
        { ERR_MISSING_REGISTRY_ENTRIES,
"Required entries missing from registry."
        },
        { ERR_LOADDLL_FAILED,
"Load of DLL failed. DLL="
        },
        { ERR_GETPROCADDR_FAILED,
"Could not map proc in DLL. GetProcAddr
error. DLL="
        },
        { ERR_UNKNOWN_DB_PROTOCOL,
"Unknown database protocol specified in
registry."
        },
        { 0, ""
        }
    }
}

```

```

};

char szTmp[256];
int i = 0;
while (TRUE)
{
    if (errorMsgs[i].szMsg[0] == 0)
    {
        strcpy( szTmp, "Unknown
error number.");
        break;
    }
    if (m_Error ==
errorMsgs[i].iError)
    {
        strcpy( szTmp,
errorMsgs[i].szMsg );
        break;
    }
    i++;
}

if (m_szTextDetail)
    strcat( szTmp, m_szTextDetail );
if (m_SystemErr)
    wsprintf( szTmp+strlen(szTmp), "
Error=%d", m_SystemErr );

m_szErrorText = new char[strlen(szTmp)+1];
strcpy( m_szErrorText, szTmp );
return m_szErrorText;
}

CTPCC_Common::CTPCC_Common()
{
    m_pTxn = NULL;
    m_bCanBePooled = TRUE;
}

CTPCC_Common::~CTPCC_Common()
{
    if (m_pTxn)
        delete m_pTxn;
}

HRESULT CTPCC_Common::CallSetComplete()
{
    IObjectContext* pObjectContext = NULL;

    // get our object context
    HRESULT hr = CoGetObjectContext(
IID_IObjectContext, (void **)&pObjectContext );
    pObjectContext->SetComplete();
    ReleaseInterface(pObjectContext);
    return hr;
}

//
// called by the ctor activator
//

```

```

STDMETHODIMP CTPCC_Common::Construct(IDispatch *
pUnk)
{
    // Code to access construction string, if
needed later...
    // if (!pUnk)
    //     return E_UNEXPECTED;
    // IObjectConstructString * pString
= NULL;
    // HRESULT hr = pUnk-
>QueryInterface(IID_IObjectConstructString, (void
**) &pString);
    // pString->Release();

    try
    {
        if (Reg.eDB_Protocol == ODBC)
            m_pTxn =
pCTPCC_ODBC_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
        else if (Reg.eDB_Protocol ==
DBLIB)
            m_pTxn =
pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
    }
    catch (CBaseErr *e)
    {
        WriteMessageToEventLog(e-
>ErrorText());
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception in object ::Construct"));
        return E_FAIL;
    }

    return S_OK;
}

HRESULT CTPCC_Common::NewOrder(VARIANT txn_in,
VARIANT* txn_out)
{
    PNEW_ORDER_DATA    pNewOrder;
    COM_DATA            *pData;
    try
    {
        pData = (COM_DATA*)txn_in.parray-
>pvData;
        pNewOrder = m_pTxn-
>BuffAddr_NewOrder();
        memcpy(pNewOrder, &pData-
>u.NewOrder, sizeof(NEW_ORDER_DATA));
        m_pTxn->NewOrder(); //
do the actual txn

        VariantInit(txn_out);

```

```

        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector(VT_UI1,
>cElements,
        txn_in.parray->rgsabound-
>cElements);
        pData = (COM_DATA*) txn_out-
>parray->pvData;
        memcpy( &pData->u.NewOrder,
pNewOrder, sizeof(NEW_ORDER_DATA));
        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005)) ||
            ((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

HRESULT CTPCC_Common::Payment(VARIANT txn_in,
VARIANT* txn_out)
{
    PPAYMENT_DATA      pPayment;
    COM_DATA            *pData;
    try
    {
        pData = (COM_DATA*)txn_in.parray-
>pvData;
        pPayment = m_pTxn-
>BuffAddr_Payment();
        memcpy(pPayment, &pData-
>u.Payment, sizeof(PAYMENT_DATA));
        m_pTxn->Payment(); //
do the actual txn

```

```

        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,
>cElements,
        txn_in.parray->rgsabound-
>cElements);
        pData = (COM_DATA*) txn_out-
>parray->pvData;
        memcpy( &pData->u.Payment,
pPayment, sizeof(PAYMENT_DATA));
        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005)) ||
            ((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

HRESULT CTPCC_Common::StockLevel(VARIANT txn_in,
VARIANT* txn_out)
{
    PSTOCK_LEVEL_DATA  pStockLevel;
    COM_DATA            *pData;
    try
    {
        pData = (COM_DATA*)txn_in.parray-
>pvData;
        pStockLevel = m_pTxn-
>BuffAddr_StockLevel();
        memcpy(pStockLevel, &pData-
>u.StockLevel, sizeof(STOCK_LEVEL_DATA));

```

```

        m_pTxn->StockLevel();

        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,

>cElements,
        txn_in.parray->rgsabound-
>cElements);
        txn_in.parray->rgsabound-
>parray->pvData;
        pData = (COM_DATA*)txn_out-
        memcpy( &pData->u.StockLevel,
pStockLevel, sizeof(STOCK_LEVEL_DATA));
        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005)) ||
            ((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

HRESULT CTPCC_Common::OrderStatus(VARIANT txn_in,
VARIANT* txn_out)
{
    PORDER_STATUS_DATA pOrderStatus;
    COM_DATA *pData;
    try
    {
        pData = (COM_DATA*)txn_in.parray-
>pvData;
        pOrderStatus = m_pTxn-
>BuffAddr_OrderStatus();

```

```

        memcpy(pOrderStatus, &pData-
>u.OrderStatus, sizeof(ORDER_STATUS_DATA));
        m_pTxn->OrderStatus();
        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,

>cElements,
        txn_in.parray->rgsabound-
>cElements);
        txn_in.parray->rgsabound-
>parray->pvData;
        pData = (COM_DATA*)txn_out-
        memcpy( &pData->u.OrderStatus,
pOrderStatus, sizeof(ORDER_STATUS_DATA));
        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005)) ||
            ((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

```

tpcc_com_all.d ***ef***

```

; tpcc_com_all.def : Declares the module parameters.

LIBRARY      "tpcc_com_all.dll"

EXPORTS

```

```

DllCanUnloadNow      @1 PRIVATE
DllGetClassObject    @2 PRIVATE
DllRegisterServer    @3 PRIVATE
DllUnregisterServer  @4 PRIVATE

```

tpcc_com_all.d ***sp***

```

# Microsoft Developer Studio Project File -
Name="tpcc_com_all" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=tpcc_com_all - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_all.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_all.mak"
CFG="tpcc_com_all - Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tpcc_com_all - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tpcc_com_all - Win32 Debug" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "tpcc_com_all - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""

```

```

# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 ..\db_dblib_dll\bin\tpcc_dblib.lib
..\db_odbc_dll\bin\tpcc_odbc.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /dll /machine:I386

!ELSEIF "$(CFG) == "tpcc_com_all - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ..\db_dblib_dll\bin\tpcc_dblib.lib
..\db_odbc_dll\bin\tpcc_odbc.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbc32.lib /nologo

```

```

/subsystem:windows /dll /debug /machine:I386
/pdbtype:sept
!ENDIF

# Begin Target

# Name "tpcc_com_all - Win32 Release"
# Name "tpcc_com_all - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter "*.cpp, *.c"
# Begin Source File

SOURCE=.\src\tpcc_com_all.cpp
# SUBTRACT CPP /YX
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_com_all.def
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_com_all.idl

!IF "$(CFG) == "tpcc_com_all - Win32 Release"

# PROP Ignore_Default_Tool 1
# Begin Custom Build - Performing MIDL step
InputPath=.\src\tpcc_com_all.idl

BuildCmds= \
    midl /Oicf /h "tpcc_com_all.h" /iid
    "tpcc_com_all_i.c"      ".\src\tpcc_com_all.idl"
    /out ".\src"

".\src\tpcc_com_all.tlb" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
    $(BuildCmds)

".\src\tpcc_com_all.h" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
    $(BuildCmds)

".\src\tpcc_com_all_i.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
    $(BuildCmds)
# End Custom Build

!ELSEIF "$(CFG) == "tpcc_com_all - Win32 Debug"

# PROP Ignore_Default_Tool 1
# Begin Custom Build - Performing MIDL step
InputPath=.\src\tpcc_com_all.idl

BuildCmds= \
    midl /Oicf /h "tpcc_com_all.h" /iid
    "tpcc_com_all_i.c"      ".\src\tpcc_com_all.idl"
    /out ".\src"

".\src\tpcc_com_all.tlb" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
    $(BuildCmds)

```

```

".\src\tpcc_com_all.h" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
    $(BuildCmds)

".\src\tpcc_com_all_i.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
    $(BuildCmds)
# End Custom Build

!ENDIF

# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=.\src\Methods.h
# End Source File
# Begin Source File

SOURCE=.\src\resource.h
# End Source File
# End Group
# Begin Source File

SOURCE=.\src\tpcc_com_all.rc
# End Source File
# End Target
# End Project

```

tpcc_com_all.h

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the
definitions for the interfaces */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:19 2000
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
    Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
    error checks: allocation ref bounds_check enum
stub_data
    VC __declspec() decoration level:
    __declspec(uuid()), __declspec(selectany),
__declspec(novtable)
    DECLSPEC_UUID(), MIDL_INTERFACE()
*/
/**/@MIDL_FILE_HEADERING( )

/* verify that the <rpcndr.h> version is high enough
to compile this file*/

```

```

#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __tpcc_com_all_h__
#define __tpcc_com_all_h__

/* Forward Declarations */

#ifndef __TPCC_FWD_DEFINED__
#define __TPCC_FWD_DEFINED__

#ifdef __cplusplus
typedef class TPCC TPCC;
#else
typedef struct TPCC TPCC;
#endif /* __cplusplus */

#endif /* __TPCC_FWD_DEFINED__ */

#ifndef __NewOrder_FWD_DEFINED__
#define __NewOrder_FWD_DEFINED__

#ifdef __cplusplus
typedef class NewOrder NewOrder;
#else
typedef struct NewOrder NewOrder;
#endif /* __cplusplus */

#endif /* __NewOrder_FWD_DEFINED__ */

#ifndef __OrderStatus_FWD_DEFINED__
#define __OrderStatus_FWD_DEFINED__

#ifdef __cplusplus
typedef class OrderStatus OrderStatus;
#else
typedef struct OrderStatus OrderStatus;
#endif /* __cplusplus */

#endif /* __OrderStatus_FWD_DEFINED__ */

#ifndef __Payment_FWD_DEFINED__
#define __Payment_FWD_DEFINED__

#ifdef __cplusplus
typedef class Payment Payment;
#else
typedef struct Payment Payment;
#endif /* __cplusplus */

#endif /* __Payment_FWD_DEFINED__ */

#ifndef __StockLevel_FWD_DEFINED__
#define __StockLevel_FWD_DEFINED__

```

```

#ifdef __cplusplus
typedef class StockLevel StockLevel;
#else
typedef struct StockLevel StockLevel;
#endif /* __cplusplus */

#endif /* __StockLevel_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"
#include "tpcc_com_ps.h"

#ifdef __cplusplus
extern "C"{
#endif

void __RPC_FAR * __RPC_USER
MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpcc_com_all_0000 */
/* [local] */

extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_all_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_all_0000_v0_0_s_ifspec;

#ifdef __TPCCLib_LIBRARY_DEFINED__
#define __TPCCLib_LIBRARY_DEFINED__

/* library TPCCLib */
/* [helpstring][version][uuid] */

EXTERN_C const IID LIBID_TPCCLib;

EXTERN_C const CLSID CLSID_TPCC;

#ifdef __cplusplus

class DECLSPEC_UUID("122A3128-2520-11D3-BA71-00C04FBFE08B")
TPCC;
#endif

EXTERN_C const CLSID CLSID_NewOrder;

#ifdef __cplusplus

class DECLSPEC_UUID("975BAABF-84A7-11D2-BA47-00C04FBFE08B")
NewOrder;

```

```

#endif

EXTERN_C const CLSID CLSID_OrderStatus;

#ifdef __cplusplus

class DECLSPEC_UUID("266836AD-A50D-11D2-BA4E-00C04FBFE08B")
OrderStatus;
#endif

EXTERN_C const CLSID CLSID_Payment;

#ifdef __cplusplus

class DECLSPEC_UUID("CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B")
Payment;
#endif

EXTERN_C const CLSID CLSID_StockLevel;

#ifdef __cplusplus

class DECLSPEC_UUID("2668369E-A50D-11D2-BA4E-00C04FBFE08B")
StockLevel;
#endif /* __TPCCLib_LIBRARY_DEFINED__ */

/* Additional Prototypes for ALL interfaces */

/* end of Additional Prototypes */

#ifdef __cplusplus
}
#endif

#endif

tpcc_com_all.i
dl
/* FILE: TPCC.IDL Microsoft
*
* TPC-C Kit Ver. 4.20.000 Copyright
*
* Microsoft, 1999 All Rights Reserved
*
* not yet
audited
*
* PURPOSE: IDL source for TPCC.dll. This
file is processed by the MIDL tool to
* produce the
type library (TPCC.tlb) and marshalling code.
*

```

```

* Change history:
*           4.20.000 - first version
*/

interface TPCC;
interface NewOrder;
interface OrderStatus;
interface Payment;
interface StockLevel;

import "oidl.idl";
import "ocidl.idl";
import "..\tpcc_com_ps\src\tpcc_com_ps.idl";

[
    uuid(122A3117-2520-11D3-BA71-00C04FBFE08B),
    version(1.0),
    helpstring("TPC-C 1.0 Type Library")
]
library TPCCLib
{
    importlib("stdole32.tlb");
    importlib("stdole2.tlb");

    [
        uuid(122A3128-2520-11D3-BA71-
00C04FBFE08B),
        helpstring("All Txns Class")
    ]
    coclass TPCC
    {
        [default] interface ITPCC;
    };

    [
        uuid(975BAABF-84A7-11D2-BA47-
00C04FBFE08B),
        helpstring("NewOrder Class")
    ]
    coclass NewOrder
    {
        [default] interface ITPCC;
    };

    [
        uuid(266836AD-A50D-11D2-BA4E-
00C04FBFE08B),
        helpstring("OrderStatus Class")
    ]
    coclass OrderStatus
    {
        [default] interface ITPCC;
    };

    [
        uuid(CD02F7EF-A4FA-11D2-BA4E-
00C04FBFE08B),
        helpstring("Payment Class")
    ]
}

```

```

coclass Payment
{
    [default] interface ITPCC;
};

[
    uuid(2668369E-A50D-11D2-BA4E-
00C04FBFE08B),
    helpstring("StockLevel Class")
]
coclass StockLevel
{
    [default] interface ITPCC;
};

```

tpcc_com_all.r

C

```

//Microsoft Developer Studio generated resource
script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "winres.h"

////////////////////////////////////
////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
////////////////////////////////////
// English (U.S.) resources

#if !defined(AFX_RESOURCE_DLL) ||
defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// TEXTINCLUDE
//

1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

```

```

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include "winres.h"\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "1 TYPELIB "tpcc_com_all.tlb"\r\n"
    "\0"
END

#ifdef APSTUDIO_INVOKED

#ifdef _MAC
////////////////////////////////////
////////////////////////////////////
//
// Version
//

VS_VERSION_INFO VERSIONINFO
FILEVERSION 1,0,0,1
PRODUCTVERSION 1,0,0,1
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x4L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904B0"
        BEGIN
            VALUE "CompanyName", "\0"
            VALUE "FileDescription", "tpcc_com_all
Module\0"
            VALUE "FileVersion", "1, 0, 0, 1\0"
            VALUE "InternalName", "TPCCNEWORDER\0"
            VALUE "LegalCopyright", "Copyright
1997\0"
            VALUE "OriginalFilename",
"tpcc_com_all.DLL\0"
            VALUE "ProductName", "tpcc_com_all
Module\0"
            VALUE "ProductVersion", "1, 0, 0, 1\0"
            VALUE "OLESelfRegister", "\0"
        END
    END
    BLOCK "VarFileInfo"
    BEGIN
        VALUE "Translation", 0x409, 1200
    END
END

#endif // !_MAC

```



```

////////////////////////////////////
////////////////////////////////////
//
// REGISTRY
//
IDR_TPCC                REGISTRY DISCARDABLE
"tpcc_com_all.rgs"
IDR_NEWORDER           REGISTRY DISCARDABLE
"tpcc_com_no.rgs"
IDR_ORDERSTATUS        REGISTRY DISCARDABLE
"tpcc_com_os.rgs"
IDR_PAYMENT            REGISTRY DISCARDABLE
"tpcc_com_pay.rgs"
IDR_STOCKLEVEL         REGISTRY DISCARDABLE
"tpcc_com_sl.rgs"

////////////////////////////////////
////////////////////////////////////
//
// String Table
//
STRINGTABLE DISCARDABLE
BEGIN
    IDS_PROJNAME        "tpcc_com_all"
END

#endif // English (U.S.) resources
////////////////////////////////////
////////////////////////////////////

#ifndef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 3 resource.
//
1 TYPELIB "tpcc_com_all.tlb"

////////////////////////////////////
////////////////////////////////////
#endif // not APSTUDIO_INVOKED

```

tpcc_com_all.rgs

```

HKCR
{
    TPCC.AllTxns.1 = s 'All Txns Class'
    {
        CLSID = s '{122A3128-2520-11D3-
BA71-00C04FBFE08B}'
    }
    TPCC.AllTxns = s 'TPCC Class'
    {

```

```

        CurVer = s 'TPCC.AllTxns.1'
    }
    NoRemove CLSID
    {
        ForceRemove {122A3128-2520-11D3-
BA71-00C04FBFE08B} = s 'TPCC Class'
        {
            ProgID = s
'TPCC.AllTxns.1'
            VersionIndependentProgID = s 'TPCC.AllTxns'
            InprocServer32 = s
'%MODULE%'
        }
        ThreadingModel = s 'Both'
    }
}

```

tpcc_com_all.i.c

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:19 2000
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@MIDL_FILE_HEADERING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

```

```

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \

DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif // !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib,0x122A3117,0x2520,0x11D3,0xBA,0x71,0x00,
0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC,0x122A3128,0x2520,0x11D3,0xBA,0x71,0x00,0x
C0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder,0x975BAABF,0x84A7,0x11D2,0xBA,0x47,0x0
0,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus,0x266836AD,0xA50D,0x11D2,0xBA,0x4E,
0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

```

```
MIDL_DEFINE_GUID(CLSID,
CLSID_Payment, 0xCD02F7EF, 0xA4FA, 0x11D2, 0xBA, 0x4E, 0x00,
, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);
```

```
MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel, 0x2668369E, 0xA50D, 0x11D2, 0xBA, 0x4E, 0x00,
x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);
```

```
#undef MIDL_DEFINE_GUID
```

```
#ifdef __cplusplus
}
#endif
```

```
#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/
```

```
#pragma warning( disable: 4049 ) /* more than 64k
source lines */
```

```
/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */
```

```
/* link this file in with the server and any clients
*/
```

```
/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:19 2000
*/
```

```
/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b
run, appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )
```

```
#if defined(_M_IA64) || defined(_M_AXP64)
```

```
#ifdef __cplusplus
extern "C"{
#endif
```

```
#include <rpc.h>
#include <rpcndr.h>
```

```
#ifdef _MIDL_USE_GUIDDEF_
```

```
#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
```

```
#undef INITGUID
#else
#include <guiddef.h>
#endif
```

```
#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \

DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)
```

```
#else // !_MIDL_USE_GUIDDEF_
```

```
#ifndef __IID_DEFINED__
#define __IID_DEFINED__
```

```
typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;
```

```
#endif // __IID_DEFINED__
```

```
#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED
```

```
#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}
```

```
#endif !_MIDL_USE_GUIDDEF_
```

```
MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib, 0x122A3117, 0x2520, 0x11D3, 0xBA, 0x71, 0x00,
, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);
```

```
MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC, 0x122A3128, 0x2520, 0x11D3, 0xBA, 0x71, 0x00, 0x
C0, 0x4F, 0xBF, 0xE0, 0x8B);
```

```
MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder, 0x975BAABF, 0x84A7, 0x11D2, 0xBA, 0x47, 0x0
0, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);
```

```
MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus, 0x266836AD, 0xA50D, 0x11D2, 0xBA, 0x4E,
0x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);
```

```
MIDL_DEFINE_GUID(CLSID,
CLSID_Payment, 0xCD02F7EF, 0xA4FA, 0x11D2, 0xBA, 0x4E, 0x00
, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);
```

```
MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel, 0x2668369E, 0xA50D, 0x11D2, 0xBA, 0x4E, 0
x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);
```

```
#undef MIDL_DEFINE_GUID
```

```
#ifdef __cplusplus
}
#endif
```

```
#endif /* defined(_M_IA64) || defined(_M_AXP64)*/
```

tpcc_com_no.r

gs

```
HKCR
{
    TPCC.NewOrder.1 = s 'NewOrder Class'
    {
        CLSID = s '{975BAABF-84A7-11D2-
BA47-00C04FBFE08B}'
    }
    TPCC.NewOrder = s 'NewOrder Class'
    {
        CurVer = s 'TPCC.NewOrder.1'
    }
    NoRemove CLSID
    {
        ForceRemove {975BAABF-84A7-11D2-
BA47-00C04FBFE08B} = s 'NewOrder Class'
        {
            ProgID = s
'TPCC.NewOrder.1'

            VersionIndependentProgID = s
'TPCC.NewOrder'

            InprocServer32 = s
'%MODULE%'
            {
                val
ThreadingModel = s 'Both'
            }
        }
    }
}
```

tpcc_com_os.r

gs

```
HKCR
{
    TPCC.OrderStatus.1 = s 'OrderStatus Class'
    {
```

```

        CLSID = s '{266836AD-A50D-11D2-BA4E-00C04FBFE08B}'
    }
    TPCC.OrderStatus = s 'OrderStatus Class'
    {
        CurVer = s 'TPCC.OrderStatus.1'
    }
    NoRemove CLSID
    {
        ForceRemove {266836AD-A50D-11D2-BA4E-00C04FBFE08B} = s 'OrderStatus Class'
        {
            ProgID = s
'TPCC.OrderStatus.1'

            VersionIndependentProgID = s
'TPCC.OrderStatus'

            InprocServer32 = s
'%MODULE%'
        {
            val
ThreadingModel = s 'Both'
        }
    }
}

```

tpcc_com_pay.rgs

```

HKCR
{
    TPCC.Payment.1 = s 'Payment Class'
    {
        CLSID = s '{CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B}'
    }
    TPCC.Payment = s 'Payment Class'
    {
        CurVer = s 'TPCC.Payment.1'
    }
    NoRemove CLSID
    {
        ForceRemove {CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B} = s 'Payment Class'
        {
            ProgID = s
'TPCC.Payment.1'

            VersionIndependentProgID = s 'TPCC.Payment'
            InprocServer32 = s
'%MODULE%'
        {
            val
ThreadingModel = s 'Both'
        }
    }
}

```

tpcc_com_ps.def

```

LIBRARY      "tpcc_com_ps"

DESCRIPTION  'Proxy/Stub DLL'

EXPORTS
    DllGetClassObject      @1    PRIVATE
    DllCanUnloadNow        @2    PRIVATE
    GetProxyDllInfo        @3    PRIVATE
    DllRegisterServer      @4
    PRIVATE
    DllUnregisterServer    @5
    PRIVATE

```

tpcc_com_ps.sp

```

# Microsoft Developer Studio Project File -
Name="tpcc_com_ps" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Application" 0x0101

CFG=tpcc_com_ps - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_ps.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_ps.mak" CFG="tpcc_com_ps
- Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tpcc_com_ps - Win32 Release" (based on
"Win32 (x86) Application")
!MESSAGE "tpcc_com_ps - Win32 Debug" (based on "Win32
(x86) Application")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe

```

```

RSC=rc.exe

!IF "$(CFG)" == "tpcc_com_ps - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG"
/D "_WIN32_WINNT=0x0400" /D "REGISTER_PROXY_DLL" /FD /c
# SUBTRACT CPP /YX
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /machine:I386
# ADD LINK32 kernel32.lib rpndr.lib rpcns4.lib
rpctr4.lib oleaut32.lib uuid.lib /nologo
/entry:"DllMain" /subsystem:windows /dll /pdb:none
/machine:I386 /def:".src\tpcc_com_ps.def"
# Begin Custom Build - Copying tpcc_com_ps.h
InputPath=.bin\tpcc_com_ps.dll
SOURCE="$(InputPath)"

"..\tpcc_com_all\src\tpcc_com_ps.h" : $(SOURCE)
"$(INTDIR)" "$(OUTDIR)"
copy ..\src\tpcc_com_ps.h
..\tpcc_com_all\src\

# End Custom Build

!ELSEIF "$(CFG)" == "tpcc_com_ps - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""

```

```

# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /ZI /Od /D "WIN32" /D "_DEBUG" /D
_WIN32_WINNT=0x0400 /D "REGISTER_PROXY_DLL" /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 kernel32.lib rpcndr.lib rpcns4.lib
rpcrt4.lib oleaut32.lib uuid.lib /nologo
/entry:"DllMain" /dll /debug /machine:IX86
/def:".src\tpcc_com_ps.def" /pdbtype:sept
# SUBTRACT LINK32 /pdb:none
# Begin Custom Build - Copying tpcc_com_ps.h
InputPath=.bin\tpcc_com_ps.dll
SOURCE="$(InputPath)"

..\tpcc_com_all\src\tpcc_com_ps.h" : $(SOURCE)
"$(INTDIR)" "$(OUTDIR)"
copy .\src\tpcc_com_ps.h
..\tpcc_com_all\src\

# End Custom Build

!ENDIF

# Begin Target

# Name "tpcc_com_ps - Win32 Release"
# Name "tpcc_com_ps - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter ""
# Begin Source File

SOURCE=.src\dlldata.c
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps.def
# PROP Exclude_From_Build 1
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps.idl

!IF "$(CFG)" == "tpcc_com_ps - Win32 Release"

# PROP Ignore_Default_Tool 1
# Begin Custom Build
InputPath=.src\tpcc_com_ps.idl

```

```

BuildCmds= \
midl /Oicf /h "tpcc_com_ps.h" /iid
"tpcc_com_ps_i.c" ".src\tpcc_com_ps.idl" /out
.\src"

.\src\tpcc_com_ps.h" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

.\src\tpcc_com_ps_i.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

.\src\dlldata.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

.\src\tpcc_com_ps_p.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)
# End Custom Build

!ELSEIF "$(CFG)" == "tpcc_com_ps - Win32 Debug"

# PROP Ignore_Default_Tool 1
# Begin Custom Build
InputPath=.src\tpcc_com_ps.idl

BuildCmds= \
midl /Oicf /h "tpcc_com_ps.h" /iid
"tpcc_com_ps_i.c" ".src\tpcc_com_ps.idl" /out
.\src"

.\src\tpcc_com_ps.h" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

.\src\tpcc_com_ps_i.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

.\src\dlldata.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

.\src\tpcc_com_ps_p.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)
# End Custom Build

!ENDIF

# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps_i.c
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps_p.c
# End Source File
# End Group
# End Target
# End Project

```

tpcc_com_ps.h

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the
definitions for the interfaces */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:12 2000
*/
/* Compiler settings for .src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

/* verify that the <rpcndr.h> version is high enough
to compile this file*/
#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __RPCNDR_H_VERSION__
#error this stub requires an updated version of
<rpcndr.h>
#endif // __RPCNDR_H_VERSION__

#ifndef COM_NO_WINDOWS_H
#include "windows.h"
#include "ole2.h"
#endif /*COM_NO_WINDOWS_H*/

#ifndef __tpcc_com_ps_h__
#define __tpcc_com_ps_h__

/* Forward Declarations */

#ifndef __ITPCC_FWD_DEFINED__
#define __ITPCC_FWD_DEFINED__
typedef interface ITPCC ITPCC;
#endif /* __ITPCC_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"

#ifndef __cplusplus

```

```

extern "C"{
#endif

void __RPC_FAR * __RPC_USER
MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpcc_com_ps_0000 */
/* [local] */

extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_ps_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_ps_0000_v0_0_s_ifspec;

#ifdef __ITPCC_INTERFACE_DEFINED__
#define __ITPCC_INTERFACE_DEFINED__

/* interface ITPCC */
/* [unique][helpstring][uuid][oleautomation][object] */

EXTERN_C const IID IID_ITPCC;

#if defined(__cplusplus) && !defined(CINTERFACE)

    MIDL_INTERFACE("FEE6AA2-84B1-11d2-BA47-00C04FBFE08B")
    ITPCC : public IUnknown
    {
    public:
        virtual HRESULT STDMETHODCALLTYPE NewOrder(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

        virtual HRESULT STDMETHODCALLTYPE Payment(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

        virtual HRESULT STDMETHODCALLTYPE Delivery(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

        virtual HRESULT STDMETHODCALLTYPE StockLevel(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

        virtual HRESULT STDMETHODCALLTYPE OrderStatus(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

        virtual HRESULT STDMETHODCALLTYPE CallSetComplete(
void) = 0;

```

```

};

#else /* C style interface */

typedef struct ITPCCVtbl
{
    BEGIN_INTERFACE

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR
*QueryInterface )(
            ITPCC __RPC_FAR * This,
            /* [in] */ REFIID riid,
            /* [iid_is][out] */ void __RPC_FAR
*__RPC_FAR **ppvObject);

        ULONG ( STDMETHODCALLTYPE __RPC_FAR *AddRef

)(
            ITPCC __RPC_FAR * This);

        ULONG ( STDMETHODCALLTYPE __RPC_FAR *Release

)(
            ITPCC __RPC_FAR * This);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *NewOrder )(
            ITPCC __RPC_FAR * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Payment )(
            ITPCC __RPC_FAR * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Delivery )(
            ITPCC __RPC_FAR * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *StockLevel )(
            ITPCC __RPC_FAR * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *OrderStatus )(
            ITPCC __RPC_FAR * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR
*CallSetComplete )(
            ITPCC __RPC_FAR * This);

    END_INTERFACE
} ITPCCVtbl;

interface ITPCC
{
    CONST_VTBL struct ITPCCVtbl __RPC_FAR
*lpVtbl;
};

```

```

#ifdef COBJMACROS

#define ITPCC_QueryInterface(This,riid,ppvObject) \
    (This)->lpVtbl -> QueryInterface(This,riid,ppvObject)

#define ITPCC_AddRef(This) \
    (This)->lpVtbl -> AddRef(This)

#define ITPCC_Release(This) \
    (This)->lpVtbl -> Release(This)

#define ITPCC_NewOrder(This,txn_in,txn_out) \
    (This)->lpVtbl -> NewOrder(This,txn_in,txn_out)

#define ITPCC_Payment(This,txn_in,txn_out) \
    (This)->lpVtbl -> Payment(This,txn_in,txn_out)

#define ITPCC_Delivery(This,txn_in,txn_out) \
    (This)->lpVtbl -> Delivery(This,txn_in,txn_out)

#define ITPCC_StockLevel(This,txn_in,txn_out) \
    (This)->lpVtbl -> StockLevel(This,txn_in,txn_out)

#define ITPCC_OrderStatus(This,txn_in,txn_out) \
    (This)->lpVtbl -> OrderStatus(This,txn_in,txn_out)

#define ITPCC_CallSetComplete(This) \
    (This)->lpVtbl -> CallSetComplete(This)

#endif /* COBJMACROS */

#endif /* C style interface */

HRESULT STDMETHODCALLTYPE ITPCC_NewOrder_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_NewOrder_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT STDMETHODCALLTYPE ITPCC_Payment_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_Payment_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,

```

```

DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_Delivery_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_Delivery_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_StockLevel_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_StockLevel_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_OrderStatus_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_OrderStatus_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_CallSetComplete_Proxy(
    ITPCC __RPC_FAR * This);

void __RPC_STUB ITPCC_CallSetComplete_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

#endif /* __ITPCC_INTERFACE_DEFINED__ */

/* Additional Prototypes for ALL interfaces */
unsigned long             __RPC_USER
VARIANT_UserSize(        unsigned long __RPC_FAR *,
unsigned long             , VARIANT __RPC_FAR * );

```

```

unsigned char __RPC_FAR * __RPC_USER
VARIANT_UserMarshal(    unsigned long __RPC_FAR *,
unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );
unsigned char __RPC_FAR * __RPC_USER
VARIANT_UserUnmarshal(unsigned long __RPC_FAR *,
unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );
void __RPC_USER
VARIANT_UserFree(       unsigned long __RPC_FAR *,
VARIANT __RPC_FAR * );

```

/* end of Additional Prototypes */

```

#ifdef __cplusplus
}
#endif

```

#endif

tpcc_com_ps.i

dl

```

/* FILE: ITPCC.IDL Microsoft
 * TPC-C Kit Ver. 4.20.000 Copyright
 * Microsoft, 1999
 * All Rights Reserved
 * not yet
 * audited
 * PURPOSE: Defines the interface used by
TPCC. This interface can be implemented by C++
components.
 * Change history:
 * 4.20.000 - first version
 */

```

```

// Forward declare all types defined
interface ITPCC;
import "oidl.idl";
import "ocidl.idl";

[
    object,
    oleautomation,
    uuid(FEEE6AA2-84B1-11d2-BA47-
00C04FBFE08B),
    helpstring("ITPCC Interface"),
    pointer_default(unique)
]
interface ITPCC : IUnknown
{
    HRESULT __stdcall NewOrder
    (

```

```

[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
};
HRESULT __stdcall Payment
(
[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
};
HRESULT __stdcall Delivery
(
[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
};
HRESULT __stdcall StockLevel
(
[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
};
HRESULT __stdcall OrderStatus
(
[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
};
HRESULT __stdcall CallSetComplete
(
);
}; // interface ITPCC

```

tpcc_com_ps_i

.C

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:12 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@MIDL_FILE_HEADERING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \

DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;

```

```

    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEB6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0x0
0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:12 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b
run,appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@MIDL_FILE_HEADERING( )

#if defined(_M_IA64) || defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{

```

```

#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \

DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEB6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0x0
0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* defined(_M_IA64) || defined(_M_AXP64)*/

```

tpcc_com_ps_ p.c

```
#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the proxy stub
code */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:12 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high
enough to compile this file*/
#ifndef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 440
#endif

#include "rpcproxy.h"
#ifndef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of
<rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 997
#define PROC_FORMAT_STRING_SIZE 193
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;
```

```
typedef struct _MIDL_PROC_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000,
ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0
x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0
x00,0x00,0x00,0x46}} */

/* Object interface: ITPCC, ver. 0.0,
GUID={0xFEEB6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0
x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short
ITPCC_FormatStringOffsetTable[] =
{
    0,
    34,
    68,
    102,
    136,
    170
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0,
    0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo
=
```

```
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0
};

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy,
    (void *)-1 /* ITPCC::NewOrder */ ,
    (void *)-1 /* ITPCC::Payment */ ,
    (void *)-1 /* ITPCC::Delivery */ ,
    (void *)-1 /* ITPCC::StockLevel */ ,
    (void *)-1 /* ITPCC::OrderStatus */ ,
    (void *)-1 /* ITPCC::CallSetComplete */
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

extern const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ];

static const MIDL_SERVER_INFO Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,
    0,
    0,
    0,
    0,
    0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x20000, /* Ndr library version */
    0,
    0x5030118, /* MIDL Version 5.3.280 */
    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* Reserved3 */
    0, /* Reserved4 */
    0, /* Reserved5 */
};

#pragma data_seg(".rdata")
```



```

static const USER_MARSHAL_ROUTINE_QUADRUPE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        VARIANT_UserSize
        ,VARIANT_UserMarshal
        ,VARIANT_UserUnmarshal
        ,VARIANT_UserFree
    }
};

#if !defined(__RPC_WIN32__)
#error Invalid build platform for this stub.
#endif

#if !(TARGET_IS_NT40_OR_LATER)
#error You need a Windows NT 4.0 or later to run this
stub because it uses these features:
#error -Oif or -Oicf, [wire_marshall] or
[user_marshall] attribute.
#error However, your C/C++ compilation flags indicate
you intend to run this app on earlier systems.
#error This app will die there with the
RPC_X_WRONG_STUB_VERSION error.
#endif

static const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString =
{
    0,
    {
        /* Procedure NewOrder */

        FC_AUTO_HANDLE /*
                                0x33,
                                */
        /*
        Old Flags: object, Oi2 */
        /* 2 */ NdrFcLong( 0x0 ), /* 0 */
        /* 6 */ NdrFcShort( 0x3 ), /* 3 */
        #ifndef _ALPHA_
        #ifndef _PPC_
        #if !defined(_MIPS_)
        /* 8 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
        #else
        NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
        #endif
        #else
        NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
        #endif
        #else
        NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
        #endif
        /* 10 */ NdrFcShort( 0x0 ), /* 0 */
        /* 12 */ NdrFcShort( 0x8 ), /* 8 */
    }
};

```

```

/* 14 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
3 */ 0x3, /*
/* Parameter txn_in */
/* 16 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 18 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 20 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */
/* Parameter txn_out */
/* 22 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 24 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 26 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */
/* Return value */
/* 28 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 30 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */

```

```

#else
NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 32 */ 0x8, /* FC_LONG */
0x0, /*
0 */
/* Procedure Payment */
/* 34 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 36 */ NdrFcLong( 0x0 ), /* 0 */
/* 40 */ NdrFcShort( 0x4 ), /* 4 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 42 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 44 */ NdrFcShort( 0x0 ), /* 0 */
/* 46 */ NdrFcShort( 0x8 ), /* 8 */
/* 48 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /*
3 */
/* Parameter txn_in */
/* 50 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 52 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */

```

```

#endif
#else
                NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 54 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

                /* Parameter txn_out */

/* 56 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 58 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
                NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
                NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
                NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 60 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

                /* Return value */

/* 62 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 64 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
                NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
                NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
                NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 66 */ 0x8, /* FC_LONG */
0x0, /*
0 */

                /* Procedure Delivery */

/* 68 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */

```

```

/* 70 */ NdrFcLong( 0x0 ), /* 0 */
/* 74 */ NdrFcShort( 0x5 ), /* 5 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 76 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
                NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
                NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
                NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 78 */ NdrFcShort( 0x0 ), /* 0 */
/* 80 */ NdrFcShort( 0x8 ), /* 8 */
/* 82 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /*
3 */

                /* Parameter txn_in */

/* 84 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 86 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
                NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
                NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
#else
                NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 88 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

                /* Parameter txn_out */

/* 90 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 92 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
                NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */

```

```

#endif
#else
                NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
                NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 94 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

                /* Return value */

/* 96 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 98 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
                NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
                NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
                NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 100 */ 0x8, /* FC_LONG */
0x0, /*
0 */

                /* Procedure StockLevel */

/* 102 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 104 */ NdrFcLong( 0x0 ), /* 0 */
/* 108 */ NdrFcShort( 0x6 ), /* 6 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 110 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
                NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
                NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
                NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 112 */ NdrFcShort( 0x0 ), /* 0 */
/* 114 */ NdrFcShort( 0x8 ), /* 8 */

```

```

/* 116 */ 0x7,          /* Oi2 Flags:  srv must
size, clt must size, has return, */
3 */              0x3,          /*

/* Parameter txn_in */

/* 118 */ NdrFcShort( 0x8b ), /* Flags:  must size,
must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 120 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 122 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 124 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 126 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 128 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

/* Return value */

/* 130 */ NdrFcShort( 0x70 ), /* Flags:  out, return,
base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 132 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */

```

```

#else
NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 134 */ 0x8,          /* FC_LONG */
0x0,          /*
0 */

/* Procedure OrderStatus */

/* 136 */ 0x33,          /* FC_AUTO_HANDLE */
0x6c,          /*
Old Flags:  object, Oi2 */
/* 138 */ NdrFcLong( 0x0 ), /* 0 */
/* 142 */ NdrFcShort( 0x7 ), /* 7 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 144 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 146 */ NdrFcShort( 0x0 ), /* 0 */
/* 148 */ NdrFcShort( 0x8 ), /* 8 */
/* 150 */ 0x7,          /* Oi2 Flags:  srv must
size, clt must size, has return, */
0x3,          /*
3 */

/* Parameter txn_in */

/* 152 */ NdrFcShort( 0x8b ), /* Flags:  must size,
must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 154 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */

```

```

#endif
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 156 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 158 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 160 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 162 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

/* Return value */

/* 164 */ NdrFcShort( 0x70 ), /* Flags:  out, return,
base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 166 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 168 */ 0x8,          /* FC_LONG */
0x0,          /*
0 */

/* Procedure CallSetComplete */

/* 170 */ 0x33,          /* FC_AUTO_HANDLE */
0x6c,          /*
Old Flags:  object, Oi2 */

```

```

/* 172 */ NdrFcLong( 0x0 ), /* 0 */
/* 176 */ NdrFcShort( 0x8 ), /* 8 */
#ifdef _ALPHA_
/* 178 */ NdrFcShort( 0x8 ), /* x86, MIPS, PPC Stack
size/offset = 8 */
#else
NdrFcShort( 0x10 ), /*
Alpha Stack size/offset = 16 */
#endif
/* 180 */ NdrFcShort( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x8 ), /* 8 */
/* 184 */ 0x4, /* Oi2 Flags: has
return, */
0x1, /*
1 */
/* Return value */
/* 186 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
/* 188 */ NdrFcShort( 0x4 ), /* x86, MIPS, PPC Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 190 */ 0x8, /* FC_LONG */
0x0, /*
0 */
0x0
}
};
static const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString =
{
0,
{
NdrFcShort( 0x0 ), /*
0 */
/* 2 */
0x12, 0x0, /*
FC_UP */
/* 4 */ NdrFcShort( 0x3b0 ), /* Offset=
944 (948) */
/* 6 */
0x2b, /*
FC_NON_ENCAPSULATED_UNION */
0x9, /*
FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT
*/
0x0, /*
*/
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */
/* 12 */ NdrFcShort( 0x2 ), /* Offset= 2 (14) */
/* 14 */ NdrFcShort( 0x10 ), /* 16 */
/* 16 */ NdrFcShort( 0x2b ), /* 43 */
/* 18 */ NdrFcLong( 0x3 ), /* 3 */
/* 22 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */

```

```

/* 24 */ NdrFcLong( 0x11 ), /* 17 */
/* 28 */ NdrFcShort( 0x8001 ), /* Simple arm
type: FC_BYTE */
/* 30 */ NdrFcLong( 0x2 ), /* 2 */
/* 34 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 36 */ NdrFcLong( 0x4 ), /* 4 */
/* 40 */ NdrFcShort( 0x800a ), /* Simple arm
type: FC_FLOAT */
/* 42 */ NdrFcLong( 0x5 ), /* 5 */
/* 46 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 48 */ NdrFcLong( 0xb ), /* 11 */
/* 52 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 54 */ NdrFcLong( 0xa ), /* 10 */
/* 58 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 60 */ NdrFcLong( 0x6 ), /* 6 */
/* 64 */ NdrFcShort( 0xd6 ), /* Offset= 214 (278) */
/* 66 */ NdrFcLong( 0x7 ), /* 7 */
/* 70 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 72 */ NdrFcLong( 0x8 ), /* 8 */
/* 76 */ NdrFcShort( 0xd0 ), /* Offset= 208 (284) */
/* 78 */ NdrFcLong( 0xd ), /* 13 */
/* 82 */ NdrFcShort( 0xe2 ), /* Offset= 226 (308) */
/* 84 */ NdrFcLong( 0x9 ), /* 9 */
/* 88 */ NdrFcShort( 0xee ), /* Offset= 238 (326) */
/* 90 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 94 */ NdrFcShort( 0xfa ), /* Offset= 250 (344) */
/* 96 */ NdrFcLong( 0x24 ), /* 36 */
/* 100 */ NdrFcShort( 0x308 ), /* Offset=
776 (876) */
/* 102 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 106 */ NdrFcShort( 0x302 ), /* Offset=
770 (876) */
/* 108 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 112 */ NdrFcShort( 0x300 ), /* Offset=
768 (880) */
/* 114 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 118 */ NdrFcShort( 0x2fe ), /* Offset=
766 (884) */
/* 120 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 124 */ NdrFcShort( 0x2fc ), /* Offset=
764 (888) */
/* 126 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 130 */ NdrFcShort( 0x2fa ), /* Offset=
762 (892) */
/* 132 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 136 */ NdrFcShort( 0x2f8 ), /* Offset=
760 (896) */
/* 138 */ NdrFcLong( 0x400b ), /* 16395 */
/* 142 */ NdrFcShort( 0x2e6 ), /* Offset=
742 (884) */
/* 144 */ NdrFcLong( 0x400a ), /* 16394 */
/* 148 */ NdrFcShort( 0x2e4 ), /* Offset=
740 (888) */
/* 150 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 154 */ NdrFcShort( 0x2ea ), /* Offset=
746 (900) */
/* 156 */ NdrFcLong( 0x4007 ), /* 16391 */

```

```

/* 160 */ NdrFcShort( 0x2e0 ), /* Offset=
736 (896) */
/* 162 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 166 */ NdrFcShort( 0x2e2 ), /* Offset=
738 (904) */
/* 168 */ NdrFcLong( 0x400d ), /* 16397 */
/* 172 */ NdrFcShort( 0x2e0 ), /* Offset=
736 (908) */
/* 174 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 178 */ NdrFcShort( 0x2de ), /* Offset=
734 (912) */
/* 180 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 184 */ NdrFcShort( 0x2dc ), /* Offset=
732 (916) */
/* 186 */ NdrFcLong( 0x400c ), /* 16396 */
/* 190 */ NdrFcShort( 0x2da ), /* Offset=
730 (920) */
/* 192 */ NdrFcLong( 0x10 ), /* 16 */
/* 196 */ NdrFcShort( 0x8002 ), /* Simple arm
type: FC_CHAR */
/* 198 */ NdrFcLong( 0x12 ), /* 18 */
/* 202 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 204 */ NdrFcLong( 0x13 ), /* 19 */
/* 208 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 210 */ NdrFcLong( 0x16 ), /* 22 */
/* 214 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 216 */ NdrFcLong( 0x17 ), /* 23 */
/* 220 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 222 */ NdrFcLong( 0xe ), /* 14 */
/* 226 */ NdrFcShort( 0x2be ), /* Offset=
702 (928) */
/* 228 */ NdrFcLong( 0x400e ), /* 16398 */
/* 232 */ NdrFcShort( 0x2c4 ), /* Offset=
708 (940) */
/* 234 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 238 */ NdrFcShort( 0x2c2 ), /* Offset=
706 (944) */
/* 240 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 244 */ NdrFcShort( 0x280 ), /* Offset=
640 (884) */
/* 246 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 250 */ NdrFcShort( 0x27e ), /* Offset=
638 (888) */
/* 252 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 256 */ NdrFcShort( 0x278 ), /* Offset=
632 (888) */
/* 258 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 262 */ NdrFcShort( 0x272 ), /* Offset=
626 (888) */
/* 264 */ NdrFcLong( 0x0 ), /* 0 */
/* 268 */ NdrFcShort( 0x0 ), /* Offset= 0 (268) */
/* 270 */ NdrFcLong( 0x1 ), /* 1 */
/* 274 */ NdrFcShort( 0x0 ), /* Offset= 0 (274) */
/* 276 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(275) */
/* 278 */
0x15, /*
FC_STRUCT */

```

```

0x7, /*
7 */
/* 280 */ NdrFcShort( 0x8 ), /* 8 */
/* 282 */ 0xb, /* FC_HYPER */
FC_END /*
/* 284 */
0x12, 0x0, /*
FC_UP /*
/* 286 */ NdrFcShort( 0xc ), /* Offset= 12 (298) */
/* 288 */
0x1b, /*
FC_CARRAY /*
0x1, /*
1 */
/* 290 */ NdrFcShort( 0x2 ), /* 2 */
/* 292 */ 0x9, /* Corr desc: FC_ULONG
*/
0x0, /*
/* 294 */ NdrFcShort( 0xffffc ), /* -4 */
/* 296 */ 0x6, /* FC_SHORT */
FC_END /*
/* 298 */
0x17, /*
FC_CSTRUCT /*
0x3, /*
3 */
/* 300 */ NdrFcShort( 0x8 ), /* 8 */
/* 302 */ NdrFcShort( 0xffffffff2 ), /* Offset= -
14 (288) */
/* 304 */ 0x8, /* FC_LONG */
FC_LONG /*
/* 306 */ 0x5c, /* FC_PAD */
FC_END /*
/* 308 */
0x2f, /*
FC_IP /*
0x5a, /*
FC_CONSTANT_IID /*
/* 310 */ NdrFcLong( 0x0 ), /* 0 */
/* 314 */ NdrFcShort( 0x0 ), /* 0 */
/* 316 */ NdrFcShort( 0x0 ), /* 0 */
/* 318 */ 0xc0, /* 192 */
0 */
/* 320 */ 0x0, /* 0 */
0 */
/* 322 */ 0x0, /* 0 */
0 */
/* 324 */ 0x0, /* 0 */
70 */
/* 326 */
0x2f, /*
FC_IP /*
0x5a, /*
FC_CONSTANT_IID */

```

```

/* 328 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 332 */ NdrFcShort( 0x0 ), /* 0 */
/* 334 */ NdrFcShort( 0x0 ), /* 0 */
/* 336 */ 0xc0, /* 192 */
0 */
/* 338 */ 0x0, /* 0 */
0 */
/* 340 */ 0x0, /* 0 */
0 */
/* 342 */ 0x0, /* 0 */
70 */
/* 344 */
0x12, 0x10, /*
FC_UP [pointer_deref] /*
/* 346 */ NdrFcShort( 0x2 ), /* Offset= 2 (348) */
/* 348 */
FC_UP /*
/* 350 */ NdrFcShort( 0x1fc ), /* Offset=
508 (858) */
/* 352 */
0x2a, /*
FC_ENCAPSULATED_UNION /*
0x49, /*
73 */
/* 354 */ NdrFcShort( 0x18 ), /* 24 */
/* 356 */ NdrFcShort( 0xa ), /* 10 */
/* 358 */ NdrFcLong( 0x8 ), /* 8 */
/* 362 */ NdrFcShort( 0x58 ), /* Offset= 88 (450) */
/* 364 */ NdrFcLong( 0xd ), /* 13 */
/* 368 */ NdrFcShort( 0x78 ), /* Offset= 120 (488) */
/* 370 */ NdrFcLong( 0x9 ), /* 9 */
/* 374 */ NdrFcShort( 0x94 ), /* Offset= 148 (522) */
/* 376 */ NdrFcLong( 0xc ), /* 12 */
/* 380 */ NdrFcShort( 0xbc ), /* Offset= 188 (568) */
/* 382 */ NdrFcLong( 0x24 ), /* 36 */
/* 386 */ NdrFcShort( 0x114 ), /* Offset=
276 (662) */
/* 388 */ NdrFcLong( 0x800d ), /* 32781 */
/* 392 */ NdrFcShort( 0x130 ), /* Offset=
304 (696) */
/* 394 */ NdrFcLong( 0x10 ), /* 16 */
/* 398 */ NdrFcShort( 0x148 ), /* Offset=
328 (726) */
/* 400 */ NdrFcLong( 0x2 ), /* 2 */
/* 404 */ NdrFcShort( 0x160 ), /* Offset=
352 (756) */
/* 406 */ NdrFcLong( 0x3 ), /* 3 */
/* 410 */ NdrFcShort( 0x178 ), /* Offset=
376 (786) */
/* 412 */ NdrFcLong( 0x14 ), /* 20 */
/* 416 */ NdrFcShort( 0x190 ), /* Offset=
400 (816) */
/* 418 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(417) */
/* 420 */
0x1b, /*
FC_CARRAY */

```

```

0x3, /*
3 */
/* 422 */ NdrFcShort( 0x4 ), /* 4 */
/* 424 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
/*
/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */
0x4b, /*
FC_PP /*
0x5c, /*
FC_PAD /*
/* 430 */
0x48, /*
FC_VARIABLE_REPEAT /*
0x49, /*
FC_FIXED_OFFSET /*
/* 432 */ NdrFcShort( 0x4 ), /* 4 */
/* 434 */ NdrFcShort( 0x0 ), /* 0 */
/* 436 */ NdrFcShort( 0x1 ), /* 1 */
/* 438 */ NdrFcShort( 0x0 ), /* 0 */
/* 440 */ NdrFcShort( 0x0 ), /* 0 */
/* 442 */ 0x12, 0x0, /* FC_UP */
/* 444 */ NdrFcShort( 0xffffffff6e ), /* Offset= -
146 (298) */
/* 446 */
0x5b, /*
FC_END /*
0x8, /*
FC_LONG /*
/* 448 */ 0x5c, /* FC_PAD */
FC_END /*
/* 450 */
0x16, /*
FC_PSTRUCT /*
0x3, /*
3 */
/* 452 */ NdrFcShort( 0x8 ), /* 8 */
/* 454 */
0x4b, /*
FC_PP /*
0x5c, /*
FC_PAD /*
/* 456 */
0x46, /*
FC_NO_REPEAT /*
0x5c, /*
FC_PAD /*
/* 458 */ NdrFcShort( 0x4 ), /* 4 */
/* 460 */ NdrFcShort( 0x4 ), /* 4 */
/* 462 */ 0x11, 0x0, /* FC_RP */
/* 464 */ NdrFcShort( 0xffffffffd4 ), /* Offset= -
44 (420) */
/* 466 */
0x5b, /*
FC_END /*
0x8, /*
FC_LONG /*
/* 468 */ 0x8, /* FC_LONG */

```

```

                                0x5b,          /*
FC_END */
/* 470 */
                                0x21,          /*
FC_BOGUS_ARRAY */
                                0x3,          /*
3 */
/* 472 */ NdrFcShort( 0x0 ), /* 0 */
/* 474 */ 0x19,          /* Corr desc: field
pointer, FC_ULONG */
                                0x0,          /*
*/
/* 476 */ NdrFcShort( 0x0 ), /* 0 */
/* 478 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 482 */ 0x4c,          /* FC_EMBEDDED_COMPLEX
*/
                                0x0,          /*
0 */
/* 484 */ NdrFcShort( 0xfffff50 ), /* Offset= -
176 (308) */
/* 486 */ 0x5c,          /* FC_PAD */
                                0x5b,          /*
FC_END */
/* 488 */
                                0x1a,          /*
FC_BOGUS_STRUCT */
                                0x3,          /*
3 */
/* 490 */ NdrFcShort( 0x8 ), /* 8 */
/* 492 */ NdrFcShort( 0x0 ), /* 0 */
/* 494 */ NdrFcShort( 0x6 ), /* Offset= 6 (500) */
/* 496 */ 0x8,          /* FC_LONG */
                                0x36,          /*
FC_POINTER */
/* 498 */ 0x5c,          /* FC_PAD */
                                0x5b,          /*
FC_END */
/* 500 */
                                0x11, 0x0,      /*
FC_RP */
/* 502 */ NdrFcShort( 0xfffffe0 ), /* Offset= -
32 (470) */
/* 504 */
                                0x21,          /*
FC_BOGUS_ARRAY */
                                0x3,          /*
3 */
/* 506 */ NdrFcShort( 0x0 ), /* 0 */
/* 508 */ 0x19,          /* Corr desc: field
pointer, FC_ULONG */
                                0x0,          /*
*/
/* 510 */ NdrFcShort( 0x0 ), /* 0 */
/* 512 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 516 */ 0x4c,          /* FC_EMBEDDED_COMPLEX
*/
                                0x0,          /*
0 */
/* 518 */ NdrFcShort( 0xfffff40 ), /* Offset= -
192 (326) */
/* 520 */ 0x5c,          /* FC_PAD */
                                0x5b,          /*
FC_END */

```

```

/* 522 */
FC_BOGUS_STRUCT */
                                0x1a,          /*
3 */
/* 524 */ NdrFcShort( 0x8 ), /* 8 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */
/* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 530 */ 0x8,          /* FC_LONG */
                                0x36,          /*
FC_POINTER */
/* 532 */ 0x5c,          /* FC_PAD */
                                0x5b,          /*
FC_END */
/* 534 */
                                0x11, 0x0,      /*
FC_RP */
/* 536 */ NdrFcShort( 0xfffffe0 ), /* Offset= -
32 (504) */
/* 538 */
                                0x1b,          /*
FC_CARRAY */
                                0x3,          /*
3 */
/* 540 */ NdrFcShort( 0x4 ), /* 4 */
/* 542 */ 0x19,          /* Corr desc: field
pointer, FC_ULONG */
                                0x0,          /*
*/
/* 544 */ NdrFcShort( 0x0 ), /* 0 */
/* 546 */
                                0x4b,          /*
FC_PP */
                                0x5c,          /*
FC_PAD */
/* 548 */
                                0x48,          /*
FC_VARIABLE_REPEAT */
                                0x49,          /*
FC_FIXED_OFFSET */
/* 550 */ NdrFcShort( 0x4 ), /* 4 */
/* 552 */ NdrFcShort( 0x0 ), /* 0 */
/* 554 */ NdrFcShort( 0x1 ), /* 1 */
/* 556 */ NdrFcShort( 0x0 ), /* 0 */
/* 558 */ NdrFcShort( 0x0 ), /* 0 */
/* 560 */ 0x12, 0x0,      /* FC_UP */
/* 562 */ NdrFcShort( 0x182 ), /* Offset=
386 (948) */
/* 564 */
                                0x5b,          /*
FC_END */
                                0x8,          /*
FC_LONG */
/* 566 */ 0x5c,          /* FC_PAD */
                                0x5b,          /*
FC_END */
/* 568 */
                                0x1a,          /*
FC_BOGUS_STRUCT */
                                0x3,          /*
3 */
/* 570 */ NdrFcShort( 0x8 ), /* 8 */

```

```

/* 572 */ NdrFcShort( 0x0 ), /* 0 */
/* 574 */ NdrFcShort( 0x6 ), /* Offset= 6 (580) */
/* 576 */ 0x8,          /* FC_LONG */
                                0x36,          /*
FC_POINTER */
/* 578 */ 0x5c,          /* FC_PAD */
                                0x5b,          /*
FC_END */
/* 580 */
                                0x11, 0x0,      /*
FC_RP */
/* 582 */ NdrFcShort( 0xfffffd4 ), /* Offset= -
44 (538) */
/* 584 */
                                0x2f,          /*
FC_IP */
                                0x5a,          /*
FC_CONSTANT_IID */
/* 586 */ NdrFcLong( 0x2f ), /* 47 */
/* 590 */ NdrFcShort( 0x0 ), /* 0 */
/* 592 */ NdrFcShort( 0x0 ), /* 0 */
/* 594 */ 0xc0,          /* 192 */
                                0x0,          /*
0 */
/* 596 */ 0x0,          /* 0 */
                                0x0,          /*
0 */
/* 598 */ 0x0,          /* 0 */
                                0x0,          /*
0 */
/* 600 */ 0x0,          /* 0 */
                                0x46,          /*
70 */
/* 602 */
                                0x1b,          /*
FC_CARRAY */
                                0x0,          /*
0 */
/* 604 */ NdrFcShort( 0x1 ), /* 1 */
/* 606 */ 0x19,          /* Corr desc: field
pointer, FC_ULONG */
                                0x0,          /*
*/
/* 608 */ NdrFcShort( 0x4 ), /* 4 */
/* 610 */ 0x1,          /* FC_BYTE */
                                0x5b,          /*
FC_END */
/* 612 */
                                0x1a,          /*
FC_BOGUS_STRUCT */
                                0x3,          /*
3 */
/* 614 */ NdrFcShort( 0x10 ), /* 16 */
/* 616 */ NdrFcShort( 0x0 ), /* 0 */
/* 618 */ NdrFcShort( 0xa ), /* Offset= 10 (628) */
/* 620 */ 0x8,          /* FC_LONG */
                                0x8,          /*
FC_LONG */
/* 622 */ 0x4c,          /* FC_EMBEDDED_COMPLEX
*/
                                0x0,          /*
0 */

```

```

/* 624 */ NdrFcShort( 0xfffffd8 ), /* Offset= -
40 (584) */
/* 626 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 628 */
0x12, 0x0, /*
FC_UP */
/* 630 */ NdrFcShort( 0xfffffe4 ), /* Offset= -
28 (602) */
/* 632 */
0x1b, /*
FC_CARRAY */
0x3, /*
3 */
/* 634 */ NdrFcShort( 0x4 ), /* 4 */
/* 636 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 638 */ NdrFcShort( 0x0 ), /* 0 */
/* 640 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 642 */
0x48, /*
FC_VARIABLE_REPEAT */
0x49, /*
FC_FIXED_OFFSET */
/* 644 */ NdrFcShort( 0x4 ), /* 4 */
/* 646 */ NdrFcShort( 0x0 ), /* 0 */
/* 648 */ NdrFcShort( 0x1 ), /* 1 */
/* 650 */ NdrFcShort( 0x0 ), /* 0 */
/* 652 */ NdrFcShort( 0x0 ), /* 0 */
/* 654 */ 0x12, 0x0, /* FC_UP */
/* 656 */ NdrFcShort( 0xfffffd4 ), /* Offset= -
44 (612) */
/* 658 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 660 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 662 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 664 */ NdrFcShort( 0x8 ), /* 8 */
/* 666 */ NdrFcShort( 0x0 ), /* 0 */
/* 668 */ NdrFcShort( 0x6 ), /* Offset= 6 (674) */
/* 670 */ 0x8, /* FC_LONG */
0x36, /*
FC_POINTER */
/* 672 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 674 */

```

```

0x11, 0x0, /*
FC_RP */
/* 676 */ NdrFcShort( 0xfffffd4 ), /* Offset= -
44 (632) */
/* 678 */
0x1d, /*
FC_SMPARRAY */
0x0, /*
0 */
/* 680 */ NdrFcShort( 0x8 ), /* 8 */
/* 682 */ 0x2, /* FC_CHAR */
0x5b, /*
FC_END */
/* 684 */
0x15, /*
FC_STRUCT */
0x3, /*
3 */
/* 686 */ NdrFcShort( 0x10 ), /* 16 */
/* 688 */ 0x8, /* FC_LONG */
0x6, /*
FC_SHORT */
/* 690 */ 0x6, /* FC_SHORT */
0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 692 */ 0x0, /* 0 */
NdrFcShort( 0xffffff1
), /* Offset= -15 (678) */
0x5b, /*
FC_END */
/* 696 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 698 */ NdrFcShort( 0x18 ), /* 24 */
/* 700 */ NdrFcShort( 0x0 ), /* 0 */
/* 702 */ NdrFcShort( 0xa ), /* Offset= 10 (712) */
/* 704 */ 0x8, /* FC_LONG */
0x36, /*
FC_POINTER */
/* 706 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /*
0 */
/* 708 */ NdrFcShort( 0xfffffe8 ), /* Offset= -
24 (684) */
/* 710 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 712 */
0x11, 0x0, /*
FC_RP */
/* 714 */ NdrFcShort( 0xfffff0c ), /* Offset= -
244 (470) */
/* 716 */
0x1b, /*
FC_CARRAY */
0x0, /*
0 */
/* 718 */ NdrFcShort( 0x1 ), /* 1 */
/* 720 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */

```

```

0x0, /*
*/
/* 722 */ NdrFcShort( 0x0 ), /* 0 */
/* 724 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 726 */
0x16, /*
FC_PSTRUCT */
0x3, /*
3 */
/* 728 */ NdrFcShort( 0x8 ), /* 8 */
/* 730 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 732 */
0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 734 */ NdrFcShort( 0x4 ), /* 4 */
/* 736 */ NdrFcShort( 0x4 ), /* 4 */
/* 738 */ 0x12, 0x0, /* FC_UP */
/* 740 */ NdrFcShort( 0xfffffe8 ), /* Offset= -
24 (716) */
/* 742 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 744 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 746 */
0x1b, /*
FC_CARRAY */
0x1, /*
1 */
/* 748 */ NdrFcShort( 0x2 ), /* 2 */
/* 750 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 752 */ NdrFcShort( 0x0 ), /* 0 */
/* 754 */ 0x6, /* FC_SHORT */
0x5b, /*
FC_END */
/* 756 */
0x16, /*
FC_PSTRUCT */
0x3, /*
3 */
/* 758 */ NdrFcShort( 0x8 ), /* 8 */
/* 760 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 762 */

```

```

0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 764 */ NdrFcShort( 0x4 ), /* 4 */
/* 766 */ NdrFcShort( 0x4 ), /* 4 */
/* 768 */ 0x12, 0x0, /* FC_UP */
/* 770 */ NdrFcShort( 0xffffffe8 ), /* Offset= -
24 (746) */
/* 772 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 774 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 776 */
0x1b, /*
FC_CARRAY */
0x3, /*
3 */
/* 778 */ NdrFcShort( 0x4 ), /* 4 */
/* 780 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 782 */ NdrFcShort( 0x0 ), /* 0 */
/* 784 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 786 */
0x16, /*
FC_PSTRUCT */
0x3, /*
3 */
/* 788 */ NdrFcShort( 0x8 ), /* 8 */
/* 790 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 792 */
0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 794 */ NdrFcShort( 0x4 ), /* 4 */
/* 796 */ NdrFcShort( 0x4 ), /* 4 */
/* 798 */ 0x12, 0x0, /* FC_UP */
/* 800 */ NdrFcShort( 0xffffffe8 ), /* Offset= -
24 (776) */
/* 802 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 804 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 806 */

```

```

0x1b, /*
FC_CARRAY */
0x7, /*
7 */
/* 808 */ NdrFcShort( 0x8 ), /* 8 */
/* 810 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 812 */ NdrFcShort( 0x0 ), /* 0 */
/* 814 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */
/* 816 */
0x16, /*
FC_PSTRUCT */
0x3, /*
3 */
/* 818 */ NdrFcShort( 0x8 ), /* 8 */
/* 820 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 822 */
0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 824 */ NdrFcShort( 0x4 ), /* 4 */
/* 826 */ NdrFcShort( 0x4 ), /* 4 */
/* 828 */ 0x12, 0x0, /* FC_UP */
/* 830 */ NdrFcShort( 0xffffffe8 ), /* Offset= -
24 (806) */
/* 832 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 834 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 836 */
0x15, /*
FC_STRUCT */
0x3, /*
3 */
/* 838 */ NdrFcShort( 0x8 ), /* 8 */
/* 840 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 842 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 844 */
0x1b, /*
FC_CARRAY */
0x3, /*
3 */
/* 846 */ NdrFcShort( 0x8 ), /* 8 */
/* 848 */ 0x7, /* Corr desc: FC_USHORT
*/

```

```

0x0, /*
*/
/* 850 */ NdrFcShort( 0xffd8 ), /* -40 */
/* 852 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 854 */ NdrFcShort( 0xfffffee ), /* Offset= -
18 (836) */
/* 856 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 858 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 860 */ NdrFcShort( 0x28 ), /* 40 */
/* 862 */ NdrFcShort( 0xfffffee ), /* Offset= -
18 (844) */
/* 864 */ NdrFcShort( 0x0 ), /* Offset= 0 (864) */
/* 866 */ 0x6, /* FC_SHORT */
0x6, /*
FC_SHORT */
/* 868 */ 0x38, /* FC_ALIGNM4 */
0x8, /*
FC_LONG */
/* 870 */ 0x8, /* FC_LONG */
0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 872 */ 0x0, /* 0 */
NdrFcShort( 0xfffffd7
), /* Offset= -521 (352) */
0x5b, /*
FC_END */
/* 876 */
0x12, 0x0, /*
FC_UP */
/* 878 */ NdrFcShort( 0xfffffef6 ), /* Offset= -
266 (612) */
/* 880 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 882 */ 0x1, /* FC_BYTE */
0x5c, /*
FC_PAD */
/* 884 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 886 */ 0x6, /* FC_SHORT */
0x5c, /*
FC_PAD */
/* 888 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 890 */ 0x8, /* FC_LONG */
0x5c, /*
FC_PAD */
/* 892 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 894 */ 0xa, /* FC_FLOAT */

```



```

                                0x5c,          /*
FC_PAD */
/* 896 */
                                0x12, 0x8,      /*
FC_UP [simple_pointer] */
/* 898 */ 0xc,          /* FC_DOUBLE */
                                0x5c,          /*
FC_PAD */
/* 900 */
                                0x12, 0x0,      /*
FC_UP */
/* 902 */ NdrFcShort( 0xfffffd90 ), /* Offset= -
624 (278) */
/* 904 */
                                0x12, 0x10,     /*
FC_UP [pointer_deref] */
/* 906 */ NdrFcShort( 0xfffffd92 ), /* Offset= -
622 (284) */
/* 908 */
                                0x12, 0x10,     /*
FC_UP [pointer_deref] */
/* 910 */ NdrFcShort( 0xfffffda6 ), /* Offset= -
602 (308) */
/* 912 */
                                0x12, 0x10,     /*
FC_UP [pointer_deref] */
/* 914 */ NdrFcShort( 0xfffffdb4 ), /* Offset= -
588 (326) */
/* 916 */
                                0x12, 0x10,     /*
FC_UP [pointer_deref] */
/* 918 */ NdrFcShort( 0xfffffdc2 ), /* Offset= -
574 (344) */
/* 920 */
                                0x12, 0x10,     /*
FC_UP [pointer_deref] */
/* 922 */ NdrFcShort( 0x2 ), /* Offset= 2 (924) */
/* 924 */
                                0x12, 0x0,      /*
FC_UP */
/* 926 */ NdrFcShort( 0x16 ), /* Offset= 22 (948) */
/* 928 */
                                0x15,          /*
FC_STRUCT */
                                0x7,          /*
7 */
/* 930 */ NdrFcShort( 0x10 ), /* 16 */
/* 932 */ 0x6,          /* FC_SHORT */
                                0x1,          /*
FC_BYTE */
/* 934 */ 0x1,          /* FC_BYTE */
                                0x38,         /*
FC_ALIGNM4 */
/* 936 */ 0x8,          /* FC_LONG */
                                0x39,         /*
FC_ALIGNM8 */
/* 938 */ 0xb,          /* FC_HYPER */
                                0x5b,         /*
FC_END */
/* 940 */
                                0x12, 0x0,      /*
FC_UP */

```

```

/* 942 */ NdrFcShort( 0xffffffff2 ), /* Offset= -
14 (928) */
/* 944 */
                                0x12, 0x8,      /*
FC_UP [simple_pointer] */
/* 946 */ 0x2,          /* FC_CHAR */
                                0x5c,         /*
FC_PAD */
/* 948 */
                                0x1a,         /*
FC_BOGUS_STRUCT */
                                0x7,          /*
7 */
/* 950 */ NdrFcShort( 0x20 ), /* 32 */
/* 952 */ NdrFcShort( 0x0 ), /* 0 */
/* 954 */ NdrFcShort( 0x0 ), /* Offset= 0 (954) */
/* 956 */ 0x8,          /* FC_LONG */
                                0x8,         /*
FC_LONG */
/* 958 */ 0x6,          /* FC_SHORT */
                                0x6,         /*
FC_SHORT */
/* 960 */ 0x6,          /* FC_SHORT */
                                0x6,         /*
FC_SHORT */
/* 962 */ 0x4c,         /* FC_EMBEDDED_COMPLEX
*/
                                0x0,         /*
0 */
/* 964 */ NdrFcShort( 0xfffffc42 ), /* Offset= -
958 (6) */
/* 966 */ 0x5c,          /* FC_PAD */
                                0x5b,         /*
FC_END */
/* 968 */ 0xb4,         /* FC_USER_MARSHAL */
                                0x83,         /*
131 */
/* 970 */ NdrFcShort( 0x0 ), /* 0 */
/* 972 */ NdrFcShort( 0x10 ), /* 16 */
/* 974 */ NdrFcShort( 0x0 ), /* 0 */
/* 976 */ NdrFcShort( 0xfffffc32 ), /* Offset= -
974 (2) */
/* 978 */
                                0x11, 0x4,      /*
FC_RP [allocated_on_stack] */
/* 980 */ NdrFcShort( 0x6 ), /* Offset= 6 (986) */
/* 982 */
                                0x13, 0x0,     /*
FC_OP */
/* 984 */ NdrFcShort( 0xfffffcdc ), /* Offset= -
36 (948) */
/* 986 */ 0xb4,         /* FC_USER_MARSHAL */
                                0x83,         /*
131 */
/* 988 */ NdrFcShort( 0x0 ), /* 0 */
/* 990 */ NdrFcShort( 0x10 ), /* 16 */
/* 992 */ NdrFcShort( 0x0 ), /* 0 */
/* 994 */ NdrFcShort( 0xfffffff4 ), /* Offset= -
12 (982) */
                                0x0
}
};

```

```

const CInterfaceProxyVtbl *
_tpcc_com_ps_ProxyVtblList[] =
{
    ( CInterfaceProxyVtbl *) &ITPCCProxyVtbl,
    0
};

const CInterfaceStubVtbl *
_tpcc_com_ps_StubVtblList[] =
{
    ( CInterfaceStubVtbl *) &ITPCCStubVtbl,
    0
};

PCInterfaceName const
_tpcc_com_ps_InterfaceNamesList[] =
{
    "ITPCC",
    0
};

#define _tpcc_com_ps_CHECK_IID(n)
IID_GENERIC_CHECK_IID( _tpcc_com_ps, pIID,
n)

int __stdcall _tpcc_com_ps_IID_Lookup( const IID *
pIID, int * pIndex )
{
    if(!_tpcc_com_ps_CHECK_IID(0))
    {
        *pIndex = 0;
        return 1;
    }

    return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo
=
{
    (PCInterfaceProxyVtblList *) &
_tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) &
_tpcc_com_ps_StubVtblList,
    (const PCInterfaceName *) &
_tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    &_tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
};

#endif /* !defined(_M_IA64) && !defined(_M_AXP64) */

```

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the proxy stub
code */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:12 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=12), Wl, Zp8, env=Win64 (32b
run, appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#ifdef _M_IA64 || defined(_M_XPP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high
enough to compile this file*/
#ifdef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 475
#endif

#include "rpcproxy.h"
#ifdef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of
<rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 979
#define PROC_FORMAT_STRING_SIZE 253
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString;

```

```

extern const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000,
ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0
x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0
x00,0x00,0x00,0x46}} */

/* Object interface: ITPCC, ver. 0.0,
GUID={0xFE6E6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0
x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short
ITPCC_FormatStringOffsetTable[] =
{
    0,
    44,
    88,
    132,
    176,
    220
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0,
    0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo
=
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0
};

```

```

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy ,
    (void *)-1 /* ITPCC::NewOrder */ ,
    (void *)-1 /* ITPCC::Payment */ ,
    (void *)-1 /* ITPCC::Delivery */ ,
    (void *)-1 /* ITPCC::StockLevel */ ,
    (void *)-1 /* ITPCC::OrderStatus */ ,
    (void *)-1 /* ITPCC::CallSetComplete */
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

extern const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ];

static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,
    0,
    0,
    0,
    0,
    0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x50002, /* Ndr library version */
    0,
    0x5030118, /* MIDL Version 5.3.280 */
    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* Reserved3 */
    0, /* Reserved4 */
    0 /* Reserved5 */
};

#pragma data_seg(".rdata")

static const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        VARIANT_UserSize,
        VARIANT_UserMarshal,
        VARIANT_UserUnmarshal,
        VARIANT_UserFree
    }
};

```

```

    };

#if !defined(__RPC_WIN64__)
#error Invalid build platform for this stub.
#endif

static const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString =
{
    0,
    {
        /* Procedure NewOrder */
        0x33, /*
FC_AUTO_HANDLE */
        0x6c, /*
Old Flags: object, Oi2 */
        /* 2 */ NdrFcLong( 0x0 ), /* 0 */
        /* 6 */ NdrFcShort( 0x3 ), /* 3 */
#ifdef _ALPHA_
        /* 8 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
        /* 10 */ NdrFcShort( 0x0 ), /* 0 */
        /* 12 */ NdrFcShort( 0x8 ), /* 8 */
        /* 14 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
        0x3, /*
3 */
        /* 16 */ 0xa, /* 10 */
        0x7, /*
Ext Flags: new corr desc, clt corr check, srv corr
check, */
        /* 18 */ NdrFcShort( 0x20 ), /* 32 */
        /* 20 */ NdrFcShort( 0x20 ), /* 32 */
        /* 22 */ NdrFcShort( 0x0 ), /* 0 */
        /* 24 */ NdrFcShort( 0x0 ), /* 0 */

        /* Parameter txn_in */

        /* 26 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
        /* 28 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
        NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
        /* 30 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

        /* Parameter txn_out */

        /* 32 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */

```

```

#ifdef _ALPHA_
/* 34 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
        NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
        /* 36 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

        /* Return value */

        /* 38 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
        /* 40 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
        NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
        /* 42 */ 0x8, /* FC_LONG */
        0x0, /*
0 */

        /* Procedure Payment */

        /* 44 */ 0x33, /* FC_AUTO_HANDLE */
        0x6c, /*
Old Flags: object, Oi2 */
        /* 46 */ NdrFcLong( 0x0 ), /* 0 */
        /* 50 */ NdrFcShort( 0x4 ), /* 4 */
#ifdef _ALPHA_
        /* 52 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
        /* 54 */ NdrFcShort( 0x0 ), /* 0 */
        /* 56 */ NdrFcShort( 0x8 ), /* 8 */
        /* 58 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
        0x3, /*
3 */
        /* 60 */ 0xa, /* 10 */
        0x7, /*
Ext Flags: new corr desc, clt corr check, srv corr
check, */
        /* 62 */ NdrFcShort( 0x20 ), /* 32 */
        /* 64 */ NdrFcShort( 0x20 ), /* 32 */
        /* 66 */ NdrFcShort( 0x0 ), /* 0 */
        /* 68 */ NdrFcShort( 0x0 ), /* 0 */

        /* Parameter txn_in */

        /* 70 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
        /* 72 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else

```

```

        NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
        /* 74 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

        /* Parameter txn_out */

        /* 76 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifdef _ALPHA_
        /* 78 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
        NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
        /* 80 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

        /* Return value */

        /* 82 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
        /* 84 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
        NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
        /* 86 */ 0x8, /* FC_LONG */
        0x0, /*
0 */

        /* Procedure Delivery */

        /* 88 */ 0x33, /* FC_AUTO_HANDLE */
        0x6c, /*
Old Flags: object, Oi2 */
        /* 90 */ NdrFcLong( 0x0 ), /* 0 */
        /* 94 */ NdrFcShort( 0x5 ), /* 5 */
#ifdef _ALPHA_
        /* 96 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
        /* 98 */ NdrFcShort( 0x0 ), /* 0 */
        /* 100 */ NdrFcShort( 0x8 ), /* 8 */
        /* 102 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
        0x3, /*
3 */
        /* 104 */ 0xa, /* 10 */
        0x7, /*
Ext Flags: new corr desc, clt corr check, srv corr
check, */
        /* 106 */ NdrFcShort( 0x20 ), /* 32 */
        /* 108 */ NdrFcShort( 0x20 ), /* 32 */
        /* 110 */ NdrFcShort( 0x0 ), /* 0 */

```

```

/* 112 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 114 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
/* 116 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
/* 118 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

/* Parameter txn_out */

/* 120 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifdef _ALPHA_
/* 122 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
/* 124 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Return value */

/* 126 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
/* 128 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
/* 130 */ 0x8, /* FC_LONG */
0x0, /*
0 */

/* Procedure StockLevel */

/* 132 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 134 */ NdrFcLong( 0x0 ), /* 0 */
/* 138 */ NdrFcShort( 0x6 ), /* 6 */
#ifdef _ALPHA_
/* 140 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
/* 142 */ NdrFcShort( 0x0 ), /* 0 */
/* 144 */ NdrFcShort( 0x8 ), /* 8 */

```

```

/* 146 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
0x3, /*
3 */
/* 148 */ 0xa, /* 10 */
0x7, /*
Ext Flags: new corr desc, clt corr check, srv corr
check, */
/* 150 */ NdrFcShort( 0x20 ), /* 32 */
/* 152 */ NdrFcShort( 0x20 ), /* 32 */
/* 154 */ NdrFcShort( 0x0 ), /* 0 */
/* 156 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 158 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
/* 160 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
/* 162 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

/* Parameter txn_out */

/* 164 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifdef _ALPHA_
/* 166 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
/* 168 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Return value */

/* 170 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
/* 172 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
/* 174 */ 0x8, /* FC_LONG */
0x0, /*
0 */

/* Procedure OrderStatus */

/* 176 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 178 */ NdrFcLong( 0x0 ), /* 0 */

```

```

/* 182 */ NdrFcShort( 0x7 ), /* 7 */
#ifdef _ALPHA_
/* 184 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
/* 186 */ NdrFcShort( 0x0 ), /* 0 */
/* 188 */ NdrFcShort( 0x8 ), /* 8 */
/* 190 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
0x3, /*
3 */
/* 192 */ 0xa, /* 10 */
0x7, /*
Ext Flags: new corr desc, clt corr check, srv corr
check, */
/* 194 */ NdrFcShort( 0x20 ), /* 32 */
/* 196 */ NdrFcShort( 0x20 ), /* 32 */
/* 198 */ NdrFcShort( 0x0 ), /* 0 */
/* 200 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 202 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
/* 204 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
/* 206 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

/* Parameter txn_out */

/* 208 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifdef _ALPHA_
/* 210 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
/* 212 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Return value */

/* 214 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
/* 216 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif

```

```

/* 218 */ 0x8, /* FC_LONG */
0 */
/* Procedure CallSetComplete */
/* 220 */ 0x33, /* FC_AUTO_HANDLE */
Old Flags: object, Oi2 */
/* 222 */ NdrFcLong( 0x0 ), /* 0 */
/* 226 */ NdrFcShort( 0x8 ), /* 8 */
/* 228 */ NdrFcShort( 0x10 ), /* ia64, axp64 Stack
size/offset = 16 */
/* 230 */ NdrFcShort( 0x0 ), /* 0 */
/* 232 */ NdrFcShort( 0x8 ), /* 8 */
/* 234 */ 0x44, /* Oi2 Flags: has
return, has ext, */
1 */
/* 236 */ 0xa, /* 10 */
Ext Flags: new corr desc, */
/* 238 */ NdrFcShort( 0x0 ), /* 0 */
/* 240 */ NdrFcShort( 0x0 ), /* 0 */
/* 242 */ NdrFcShort( 0x0 ), /* 0 */
/* 244 */ NdrFcShort( 0x0 ), /* 0 */
/* Return value */
/* 246 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 248 */ NdrFcShort( 0x8 ), /* ia64, axp64 Stack
size/offset = 8 */
/* 250 */ 0x8, /* FC_LONG */
0 */
0x0
};
static const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString =
{
0,
{
NdrFcShort( 0x0 ), /*
0 */
/* 2 */
0x12, 0x0, /*
FC_UP */
/* 4 */ NdrFcShort( 0x39e ), /* Offset=
926 (930) */
/* 6 */
0x2b, /*
FC_NON_ENCAPSULATED_UNION */
0x9, /*
FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT
*/
0x0, /*
*/
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */

```

```

/* 12 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 14 */ NdrFcShort( 0x2 ), /* Offset= 2 (16) */
/* 16 */ NdrFcShort( 0x10 ), /* 16 */
/* 18 */ NdrFcShort( 0x2b ), /* 43 */
/* 20 */ NdrFcLong( 0x3 ), /* 3 */
/* 24 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 26 */ NdrFcLong( 0x11 ), /* 17 */
/* 30 */ NdrFcShort( 0x8001 ), /* Simple arm
type: FC_BYTE */
/* 32 */ NdrFcLong( 0x2 ), /* 2 */
/* 36 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 38 */ NdrFcLong( 0x4 ), /* 4 */
/* 42 */ NdrFcShort( 0x800a ), /* Simple arm
type: FC_FLOAT */
/* 44 */ NdrFcLong( 0x5 ), /* 5 */
/* 48 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 50 */ NdrFcLong( 0xb ), /* 11 */
/* 54 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 56 */ NdrFcLong( 0xa ), /* 10 */
/* 60 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 62 */ NdrFcLong( 0x6 ), /* 6 */
/* 66 */ NdrFcShort( 0xd6 ), /* Offset= 214 (280) */
/* 68 */ NdrFcLong( 0x7 ), /* 7 */
/* 72 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 74 */ NdrFcLong( 0x8 ), /* 8 */
/* 78 */ NdrFcShort( 0xd0 ), /* Offset= 208 (286) */
/* 80 */ NdrFcLong( 0xd ), /* 13 */
/* 84 */ NdrFcShort( 0xe4 ), /* Offset= 228 (312) */
/* 86 */ NdrFcLong( 0x9 ), /* 9 */
/* 90 */ NdrFcShort( 0xf0 ), /* Offset= 240 (330) */
/* 92 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 96 */ NdrFcShort( 0xfc ), /* Offset= 252 (348) */
/* 98 */ NdrFcLong( 0x24 ), /* 36 */
/* 102 */ NdrFcShort( 0x2f4 ), /* Offset=
756 (858) */
/* 104 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 108 */ NdrFcShort( 0x2ee ), /* Offset=
750 (858) */
/* 110 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 114 */ NdrFcShort( 0x2ec ), /* Offset=
748 (862) */
/* 116 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 120 */ NdrFcShort( 0x2ea ), /* Offset=
746 (866) */
/* 122 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 126 */ NdrFcShort( 0x2e8 ), /* Offset=
744 (870) */
/* 128 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 132 */ NdrFcShort( 0x2e6 ), /* Offset=
742 (874) */
/* 134 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 138 */ NdrFcShort( 0x2e4 ), /* Offset=
740 (878) */
/* 140 */ NdrFcLong( 0x400b ), /* 16395 */
/* 144 */ NdrFcShort( 0x2d2 ), /* Offset=
722 (866) */

```

```

/* 146 */ NdrFcLong( 0x400a ), /* 16394 */
/* 150 */ NdrFcShort( 0x2d0 ), /* Offset=
720 (870) */
/* 152 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 156 */ NdrFcShort( 0x2d6 ), /* Offset=
726 (882) */
/* 158 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 162 */ NdrFcShort( 0x2cc ), /* Offset=
716 (878) */
/* 164 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 168 */ NdrFcShort( 0x2ce ), /* Offset=
718 (886) */
/* 170 */ NdrFcLong( 0x400d ), /* 16397 */
/* 174 */ NdrFcShort( 0x2cc ), /* Offset=
716 (890) */
/* 176 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 180 */ NdrFcShort( 0x2ca ), /* Offset=
714 (894) */
/* 182 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 186 */ NdrFcShort( 0x2c8 ), /* Offset=
712 (898) */
/* 188 */ NdrFcLong( 0x400c ), /* 16396 */
/* 192 */ NdrFcShort( 0x2c6 ), /* Offset=
710 (902) */
/* 194 */ NdrFcLong( 0x10 ), /* 16 */
/* 198 */ NdrFcShort( 0x8002 ), /* Simple arm
type: FC_CHAR */
/* 200 */ NdrFcLong( 0x12 ), /* 18 */
/* 204 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 206 */ NdrFcLong( 0x13 ), /* 19 */
/* 210 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 212 */ NdrFcLong( 0x16 ), /* 22 */
/* 216 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 218 */ NdrFcLong( 0x17 ), /* 23 */
/* 222 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 224 */ NdrFcLong( 0xe ), /* 14 */
/* 228 */ NdrFcShort( 0x2aa ), /* Offset=
682 (910) */
/* 230 */ NdrFcLong( 0x400e ), /* 16398 */
/* 234 */ NdrFcShort( 0x2b0 ), /* Offset=
688 (922) */
/* 236 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 240 */ NdrFcShort( 0x2ae ), /* Offset=
686 (926) */
/* 242 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 246 */ NdrFcShort( 0x26c ), /* Offset=
620 (866) */
/* 248 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 252 */ NdrFcShort( 0x26a ), /* Offset=
618 (870) */
/* 254 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 258 */ NdrFcShort( 0x264 ), /* Offset=
612 (870) */
/* 260 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 264 */ NdrFcShort( 0x25e ), /* Offset=
606 (870) */
/* 266 */ NdrFcLong( 0x0 ), /* 0 */
/* 270 */ NdrFcShort( 0x0 ), /* Offset= 0 (270) */
/* 272 */ NdrFcLong( 0x1 ), /* 1 */

```

```

/* 276 */ NdrFcShort( 0x0 ), /* Offset= 0 (276) */
/* 278 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(277) */
/* 280 */
FC_STRUCT */
0x15, /*
7 */
0x7, /*
/* 282 */ NdrFcShort( 0x8 ), /* 8 */
/* 284 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */
/* 286 */
0x12, 0x0, /*
FC_UP */
/* 288 */ NdrFcShort( 0xe ), /* Offset= 14 (302) */
/* 290 */
0x1b, /*
FC_CARRAY */
0x1, /*
1 */
/* 292 */ NdrFcShort( 0x2 ), /* 2 */
/* 294 */ 0x9, /* Corr desc: FC_ULONG
*/
0x0, /*
*/
/* 296 */ NdrFcShort( 0xffff ), /* -4 */
/* 298 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 300 */ 0x6, /* FC_SHORT */
0x5b, /*
FC_END */
/* 302 */
0x17, /*
FC_CSTRUCT */
0x3, /*
3 */
/* 304 */ NdrFcShort( 0x8 ), /* 8 */
/* 306 */ NdrFcShort( 0xffffffff0 ), /* Offset= -
16 (290) */
/* 308 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 310 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 312 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 314 */ NdrFcLong( 0x0 ), /* 0 */
/* 318 */ NdrFcShort( 0x0 ), /* 0 */
/* 320 */ NdrFcShort( 0x0 ), /* 0 */
/* 322 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 324 */ 0x0, /* 0 */
0x0, /*
0 */
/* 326 */ 0x0, /* 0 */
0x0, /*
0 */

```

```

/* 328 */ 0x0, /* 0 */
0x46, /*
70 */
/* 330 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 332 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 336 */ NdrFcShort( 0x0 ), /* 0 */
/* 338 */ NdrFcShort( 0x0 ), /* 0 */
/* 340 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 342 */ 0x0, /* 0 */
0x0, /*
0 */
/* 344 */ 0x0, /* 0 */
0x0, /*
0 */
/* 346 */ 0x0, /* 0 */
0x46, /*
70 */
/* 348 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 350 */ NdrFcShort( 0x2 ), /* Offset= 2 (352) */
/* 352 */
0x12, 0x0, /*
FC_UP */
/* 354 */ NdrFcShort( 0x1e6 ), /* Offset=
486 (840) */
/* 356 */
0x2a, /*
FC_ENCAPSULATED_UNION */
0x89, /*
137 */
/* 358 */ NdrFcShort( 0x20 ), /* 32 */
/* 360 */ NdrFcShort( 0xa ), /* 10 */
/* 362 */ NdrFcLong( 0x8 ), /* 8 */
/* 366 */ NdrFcShort( 0x50 ), /* Offset= 80 (446) */
/* 368 */ NdrFcLong( 0xd ), /* 13 */
/* 372 */ NdrFcShort( 0x70 ), /* Offset= 112 (484) */
/* 374 */ NdrFcLong( 0x9 ), /* 9 */
/* 378 */ NdrFcShort( 0x90 ), /* Offset= 144 (522) */
/* 380 */ NdrFcLong( 0xc ), /* 12 */
/* 384 */ NdrFcShort( 0xb0 ), /* Offset= 176 (560) */
/* 386 */ NdrFcLong( 0x24 ), /* 36 */
/* 390 */ NdrFcShort( 0x104 ), /* Offset=
260 (650) */
/* 392 */ NdrFcLong( 0x800d ), /* 32781 */
/* 396 */ NdrFcShort( 0x120 ), /* Offset=
288 (684) */
/* 398 */ NdrFcLong( 0x10 ), /* 16 */
/* 402 */ NdrFcShort( 0x13a ), /* Offset=
314 (716) */
/* 404 */ NdrFcLong( 0x2 ), /* 2 */
/* 408 */ NdrFcShort( 0x150 ), /* Offset=
336 (744) */
/* 410 */ NdrFcLong( 0x3 ), /* 3 */
/* 414 */ NdrFcShort( 0x166 ), /* Offset=
358 (772) */
/* 416 */ NdrFcLong( 0x14 ), /* 20 */

```

```

/* 420 */ NdrFcShort( 0x17c ), /* Offset=
380 (800) */
/* 422 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(421) */
/* 424 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 430 */ NdrFcShort( 0x0 ), /* 0 */
/* 432 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 434 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 438 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 440 */
0x12, 0x0, /*
FC_UP */
/* 442 */ NdrFcShort( 0xffff74 ), /* Offset= -
140 (302) */
/* 444 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 446 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 448 */ NdrFcShort( 0x10 ), /* 16 */
/* 450 */ NdrFcShort( 0x0 ), /* 0 */
/* 452 */ NdrFcShort( 0x6 ), /* Offset= 6 (458) */
/* 454 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 456 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 458 */
0x11, 0x0, /*
FC_RP */
/* 460 */ NdrFcShort( 0xfffffddc ), /* Offset= -
36 (424) */
/* 462 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 464 */ NdrFcShort( 0x0 ), /* 0 */
/* 466 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 468 */ NdrFcShort( 0x0 ), /* 0 */
/* 470 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 472 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 476 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 478 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/

```

```

0x0, /*
0 */
/* 480 */ NdrFcShort( 0xffffffff58 ), /* Offset= -
168 (312) */
/* 482 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 484 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 486 */ NdrFcShort( 0x10 ), /* 16 */
/* 488 */ NdrFcShort( 0x0 ), /* 0 */
/* 490 */ NdrFcShort( 0x6 ), /* Offset= 6 (496) */
/* 492 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 494 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 496 */
0x11, 0x0, /*
FC_RP */
/* 498 */ NdrFcShort( 0xffffffffdc ), /* Offset= -
36 (462) */
/* 500 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 502 */ NdrFcShort( 0x0 ), /* 0 */
/* 504 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 506 */ NdrFcShort( 0x0 ), /* 0 */
/* 508 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 510 */ NdrFcLong( 0xfffffffff ), /* -1 */
/* 514 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 516 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 518 */ NdrFcShort( 0xffffffff44 ), /* Offset= -
188 (330) */
/* 520 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 522 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 524 */ NdrFcShort( 0x10 ), /* 16 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */
/* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 530 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 532 */ 0x36, /* FC_POINTER */

```

```

0x5b, /*
FC_END */
/* 534 */
0x11, 0x0, /*
FC_RP */
/* 536 */ NdrFcShort( 0xffffffffdc ), /* Offset= -
36 (500) */
/* 538 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 540 */ NdrFcShort( 0x0 ), /* 0 */
/* 542 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 544 */ NdrFcShort( 0x0 ), /* 0 */
/* 546 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 548 */ NdrFcLong( 0xfffffffff ), /* -1 */
/* 552 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 554 */
0x12, 0x0, /*
FC_UP */
/* 556 */ NdrFcShort( 0x176 ), /* Offset=
374 (930) */
/* 558 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 560 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 562 */ NdrFcShort( 0x10 ), /* 16 */
/* 564 */ NdrFcShort( 0x0 ), /* 0 */
/* 566 */ NdrFcShort( 0x6 ), /* Offset= 6 (572) */
/* 568 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 570 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 572 */
0x11, 0x0, /*
FC_RP */
/* 574 */ NdrFcShort( 0xffffffffdc ), /* Offset= -
36 (538) */
/* 576 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 578 */ NdrFcLong( 0x2f ), /* 47 */
/* 582 */ NdrFcShort( 0x0 ), /* 0 */
/* 584 */ NdrFcShort( 0x0 ), /* 0 */
/* 586 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 588 */ 0x0, /* 0 */
0x0, /*
0 */

```

```

/* 590 */ 0x0, /* 0 */
0x0, /*
0 */
/* 592 */ 0x0, /* 0 */
0x46, /*
70 */
/* 594 */
0x1b, /*
FC_CARRAY */
0x0, /*
0 */
/* 596 */ NdrFcShort( 0x1 ), /* 1 */
/* 598 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 600 */ NdrFcShort( 0x4 ), /* 4 */
/* 602 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 604 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 606 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 608 */ NdrFcShort( 0x18 ), /* 24 */
/* 610 */ NdrFcShort( 0x0 ), /* 0 */
/* 612 */ NdrFcShort( 0xc ), /* Offset= 12 (624) */
/* 614 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 616 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 618 */ NdrFcShort( 0xffffffffd6 ), /* Offset= -
42 (576) */
/* 620 */ 0x39, /* FC_ALIGNM8 */
0x36, /*
FC_POINTER */
/* 622 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 624 */
0x12, 0x0, /*
FC_UP */
/* 626 */ NdrFcShort( 0xffffffffe0 ), /* Offset= -
32 (594) */
/* 628 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 630 */ NdrFcShort( 0x0 ), /* 0 */
/* 632 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 634 */ NdrFcShort( 0x0 ), /* 0 */
/* 636 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/

```

```

/* 638 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 642 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 644 */
                                0x12, 0x0, /*
FC_UP */
/* 646 */ NdrFcShort( 0xffffffffd8 ), /* Offset= -
40 (606) */
/* 648 */ 0x5c, /* FC_PAD */
                                0x5b, /*
FC_END */
/* 650 */
                                0x1a, /*
FC_BOGUS_STRUCT */
                                0x3, /*
3 */
/* 652 */ NdrFcShort( 0x10 ), /* 16 */
/* 654 */ NdrFcShort( 0x0 ), /* 0 */
/* 656 */ NdrFcShort( 0x6 ), /* Offset= 6 (662) */
/* 658 */ 0x8, /* FC_LONG */
                                0x39, /*
FC_ALIGNM8 */
/* 660 */ 0x36, /* FC_POINTER */
                                0x5b, /*
FC_END */
/* 662 */
                                0x11, 0x0, /*
FC_RP */
/* 664 */ NdrFcShort( 0xffffffffdc ), /* Offset= -
36 (628) */
/* 666 */
                                0x1d, /*
FC_SMFARRAY */
                                0x0, /*
0 */
/* 668 */ NdrFcShort( 0x8 ), /* 8 */
/* 670 */ 0x2, /* FC_CHAR */
                                0x5b, /*
FC_END */
/* 672 */
                                0x15, /*
FC_STRUCT */
                                0x3, /*
3 */
/* 674 */ NdrFcShort( 0x10 ), /* 16 */
/* 676 */ 0x8, /* FC_LONG */
                                0x6, /*
FC_SHORT */
/* 678 */ 0x6, /* FC_SHORT */
                                0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 680 */ 0x0, /* 0 */
NdrFcShort( 0xfffffffff1
), /* Offset= -15 (666) */
                                0x5b, /*
FC_END */
/* 684 */
                                0x1a, /*
FC_BOGUS_STRUCT */
                                0x3, /*
3 */
/* 686 */ NdrFcShort( 0x20 ), /* 32 */
/* 688 */ NdrFcShort( 0x0 ), /* 0 */
/* 690 */ NdrFcShort( 0xa ), /* Offset= 10 (700) */

```

```

/* 692 */ 0x8, /* FC_LONG */
                                0x39, /*
FC_ALIGNM8 */
/* 694 */ 0x36, /* FC_POINTER */
                                0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 696 */ 0x0, /* 0 */
NdrFcShort( 0xfffffffffe7
), /* Offset= -25 (672) */
                                0x5b, /*
FC_END */
/* 700 */
                                0x11, 0x0, /*
FC_RP */
/* 702 */ NdrFcShort( 0xfffffffff10 ), /* Offset= -
240 (462) */
/* 704 */
                                0x1b, /*
FC_CARRAY */
                                0x0, /*
0 */
/* 706 */ NdrFcShort( 0x1 ), /* 1 */
/* 708 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0, /*
*/
/* 710 */ NdrFcShort( 0x0 ), /* 0 */
/* 712 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 714 */ 0x1, /* FC_BYTE */
                                0x5b, /*
FC_END */
/* 716 */
                                0x1a, /*
FC_BOGUS_STRUCT */
                                0x3, /*
3 */
/* 718 */ NdrFcShort( 0x10 ), /* 16 */
/* 720 */ NdrFcShort( 0x0 ), /* 0 */
/* 722 */ NdrFcShort( 0x6 ), /* Offset= 6 (728) */
/* 724 */ 0x8, /* FC_LONG */
                                0x39, /*
FC_ALIGNM8 */
/* 726 */ 0x36, /* FC_POINTER */
                                0x5b, /*
FC_END */
/* 728 */
                                0x12, 0x0, /*
FC_UP */
/* 730 */ NdrFcShort( 0xfffffffffe6 ), /* Offset= -
26 (704) */
/* 732 */
                                0x1b, /*
FC_CARRAY */
                                0x1, /*
1 */
/* 734 */ NdrFcShort( 0x2 ), /* 2 */
/* 736 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0, /*
*/
/* 738 */ NdrFcShort( 0x0 ), /* 0 */

```

```

/* 740 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 742 */ 0x6, /* FC_SHORT */
                                0x5b, /*
FC_END */
/* 744 */
                                0x1a, /*
FC_BOGUS_STRUCT */
                                0x3, /*
3 */
/* 746 */ NdrFcShort( 0x10 ), /* 16 */
/* 748 */ NdrFcShort( 0x0 ), /* 0 */
/* 750 */ NdrFcShort( 0x6 ), /* Offset= 6 (756) */
/* 752 */ 0x8, /* FC_LONG */
                                0x39, /*
FC_ALIGNM8 */
/* 754 */ 0x36, /* FC_POINTER */
                                0x5b, /*
FC_END */
/* 756 */
                                0x12, 0x0, /*
FC_UP */
/* 758 */ NdrFcShort( 0xfffffffffe6 ), /* Offset= -
26 (732) */
/* 760 */
                                0x1b, /*
FC_CARRAY */
                                0x3, /*
3 */
/* 762 */ NdrFcShort( 0x4 ), /* 4 */
/* 764 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0, /*
*/
/* 766 */ NdrFcShort( 0x0 ), /* 0 */
/* 768 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 770 */ 0x8, /* FC_LONG */
                                0x5b, /*
FC_END */
/* 772 */
                                0x1a, /*
FC_BOGUS_STRUCT */
                                0x3, /*
3 */
/* 774 */ NdrFcShort( 0x10 ), /* 16 */
/* 776 */ NdrFcShort( 0x0 ), /* 0 */
/* 778 */ NdrFcShort( 0x6 ), /* Offset= 6 (784) */
/* 780 */ 0x8, /* FC_LONG */
                                0x39, /*
FC_ALIGNM8 */
/* 782 */ 0x36, /* FC_POINTER */
                                0x5b, /*
FC_END */
/* 784 */
                                0x12, 0x0, /*
FC_UP */
/* 786 */ NdrFcShort( 0xfffffffffe6 ), /* Offset= -
26 (760) */
/* 788 */
                                0x1b, /*
FC_CARRAY */

```



```

0x7, /*
7 */
/* 790 */ NdrFcShort( 0x8 ), /* 8 */
/* 792 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 794 */ NdrFcShort( 0x0 ), /* 0 */
/* 796 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 798 */ 0xb, /* FC_HYPER */
FC_END /*
/* 800 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 802 */ NdrFcShort( 0x10 ), /* 16 */
/* 804 */ NdrFcShort( 0x0 ), /* 0 */
/* 806 */ NdrFcShort( 0x6 ), /* Offset= 6 (812) */
/* 808 */ 0x8, /* FC_LONG */
FC_ALIGNM8 /*
/* 810 */ 0x36, /* FC_POINTER */
FC_END /*
/* 812 */
0x12, 0x0, /*
FC_UP */
/* 814 */ NdrFcShort( 0xffffffe6 ), /* Offset= -
26 (788) */
/* 816 */
0x15, /*
FC_STRUCT */
0x3, /*
3 */
/* 818 */ NdrFcShort( 0x8 ), /* 8 */
/* 820 */ 0x8, /* FC_LONG */
FC_LONG /*
/* 822 */ 0x5c, /* FC_PAD */
FC_END /*
/* 824 */
0x1b, /*
FC_CARRAY */
0x3, /*
3 */
/* 826 */ NdrFcShort( 0x8 ), /* 8 */
/* 828 */ 0x7, /* Corr desc: FC_USHORT
*/
0x0, /*
*/
/* 830 */ NdrFcShort( 0xffc8 ), /* -56 */
/* 832 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 834 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 836 */ NdrFcShort( 0xfffffec ), /* Offset= -
20 (816) */

```

```

/* 838 */ 0x5c, /* FC_PAD */
FC_END /*
/* 840 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 842 */ NdrFcShort( 0x38 ), /* 56 */
/* 844 */ NdrFcShort( 0xfffffec ), /* Offset= -
20 (824) */
/* 846 */ NdrFcShort( 0x0 ), /* Offset= 0 (846) */
/* 848 */ 0x6, /* FC_SHORT */
FC_SHORT /*
/* 850 */ 0x38, /* FC_ALIGNM4 */
FC_LONG /*
/* 852 */ 0x8, /* FC_LONG */
FC_EMBEDDED_COMPLEX /*
/* 854 */ 0x4, /* 4 */
), /* Offset= -499 (356) */
FC_END /*
/* 858 */
0x12, 0x0, /*
FC_UP */
/* 860 */ NdrFcShort( 0xfffff02 ), /* Offset= -
254 (606) */
/* 862 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 864 */ 0x1, /* FC_BYTE */
FC_PAD /*
/* 866 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 868 */ 0x6, /* FC_SHORT */
FC_PAD /*
/* 870 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 872 */ 0x8, /* FC_LONG */
FC_PAD /*
/* 874 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 876 */ 0xa, /* FC_FLOAT */
FC_PAD /*
/* 878 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 880 */ 0xc, /* FC_DOUBLE */
FC_PAD /*
/* 882 */

```

```

0x12, 0x0, /*
FC_UP */
/* 884 */ NdrFcShort( 0xffffda4 ), /* Offset= -
604 (280) */
/* 886 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 888 */ NdrFcShort( 0xffffda6 ), /* Offset= -
602 (286) */
/* 890 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 892 */ NdrFcShort( 0xffffdbc ), /* Offset= -
580 (312) */
/* 894 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 896 */ NdrFcShort( 0xffffdca ), /* Offset= -
566 (330) */
/* 898 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 900 */ NdrFcShort( 0xffffdd8 ), /* Offset= -
552 (348) */
/* 902 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 904 */ NdrFcShort( 0x2 ), /* Offset= 2 (906) */
/* 906 */
0x12, 0x0, /*
FC_UP */
/* 908 */ NdrFcShort( 0x16 ), /* Offset= 22 (930) */
/* 910 */
0x15, /*
FC_STRUCT */
0x7, /*
7 */
/* 912 */ NdrFcShort( 0x10 ), /* 16 */
/* 914 */ 0x6, /* FC_SHORT */
FC_BYTE /*
/* 916 */ 0x1, /* FC_BYTE */
FC_ALIGNM4 /*
/* 918 */ 0x8, /* FC_LONG */
FC_ALIGNM8 /*
/* 920 */ 0xb, /* FC_HYPER */
FC_END /*
/* 922 */
0x12, 0x0, /*
FC_UP */
/* 924 */ NdrFcShort( 0xfffffff2 ), /* Offset= -
14 (910) */
/* 926 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 928 */ 0x2, /* FC_CHAR */
FC_PAD /*
/* 930 */

```

```

FC_BOGUS_STRUCT */          0x1a,          /*
                                0x7,          /*
7 */
/* 932 */ NdrFcShort( 0x20 ), /* 32 */
/* 934 */ NdrFcShort( 0x0 ), /* 0 */
/* 936 */ NdrFcShort( 0x0 ), /* Offset= 0 (936) */
/* 938 */ 0x8,              /* FC_LONG */
                                0x8,          /*
FC_LONG */
/* 940 */ 0x6,              /* FC_SHORT */
                                0x6,          /*
FC_SHORT */
/* 942 */ 0x6,              /* FC_SHORT */
                                0x6,          /*
FC_SHORT */
/* 944 */ 0x4c,            /* FC_EMBEDDED_COMPLEX
*/
                                0x0,          /*
0 */
/* 946 */ NdrFcShort( 0xfffffc54 ), /* Offset= -
940 (6) */
/* 948 */ 0x5c,            /* FC_PAD */
                                0x5b,          /*
FC_END */
/* 950 */ 0xb4,            /* FC_USER_MARSHAL */
                                0x83,          /*
131 */
/* 952 */ NdrFcShort( 0x0 ), /* 0 */
/* 954 */ NdrFcShort( 0x18 ), /* 24 */
/* 956 */ NdrFcShort( 0x0 ), /* 0 */
/* 958 */ NdrFcShort( 0xfffffc44 ), /* Offset= -
956 (2) */
/* 960 */
                                0x11, 0x4,          /*
FC_RP [allocated_on_stack] */
/* 962 */ NdrFcShort( 0x6 ), /* Offset= 6 (968) */
/* 964 */
                                0x13, 0x0,          /*
FC_OP */
/* 966 */ NdrFcShort( 0xfffffcdc ), /* Offset= -
36 (930) */
/* 968 */ 0xb4,            /* FC_USER_MARSHAL */
                                0x83,          /*
131 */
/* 970 */ NdrFcShort( 0x0 ), /* 0 */
/* 972 */ NdrFcShort( 0x18 ), /* 24 */
/* 974 */ NdrFcShort( 0x0 ), /* 0 */
/* 976 */ NdrFcShort( 0xfffffff4 ), /* Offset= -
12 (964) */
                                0x0
    }
};

const CInterfaceProxyVtbl *
_tpcc_com_ps_ProxyVtblList[] =
{
    ( CInterfaceProxyVtbl * ) &_ITPCCProxyVtbl,
    0
};

```

```

const CInterfaceStubVtbl *
_tpcc_com_ps_StubVtblList[] =
{
    ( CInterfaceStubVtbl * ) &_ITPCCStubVtbl,
    0
};

PCInterfaceName const
_tpcc_com_ps_InterfaceNamesList[] =
{
    "ITPCC",
    0
};

#define _tpcc_com_ps_CHECK_IID(n)
    IID_GENERIC_CHECK_IID( _tpcc_com_ps, pIID,
n )

int __stdcall _tpcc_com_ps_IID_Lookup( const IID *
pIID, int * pIndex )
{
    if(!_tpcc_com_ps_CHECK_IID(0))
    {
        *pIndex = 0;
        return 1;
    }

    return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo
=
{
    (PCInterfaceProxyVtblList *) &
_tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) &
_tpcc_com_ps_StubVtblList,
    (const PCInterfaceName * ) &
_tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    & _tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
};

#ifdef _M_IA64 || defined(_M_AXP64)*/

```

tpcc_com_sl.rg

S

```

HKCR
{

```

```

TPCC.StockLevel.1 = s 'StockLevel Class'
{
    CLSID = s '{2668369E-A50D-11D2-
BA4E-00C04FBFE08B}'
}
TPCC.StockLevel = s 'StockLevel Class'
{
    CurVer = s 'TPCC.StockLevel.1'
}
NoRemove CLSID
{
    ForceRemove {2668369E-A50D-11D2-
BA4E-00C04FBFE08B} = s 'StockLevel Class'
{
    ProgID = s
'TPCC.StockLevel.1'
    VersionIndependentProgID = s
'TPCC.StockLevel'
    InprocServer32 = s
'%MODULE%'
    val
ThreadingModel = s 'Both'
}
}
}
}

```

tpcc_dblib.cpp

```

/* FILE: TPCC_DBLIB.CPP
* Microsoft
TPC-C Kit Ver. 4.20.000
* Copyright
Microsoft, 1999
* All Rights Reserved
* Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
* PURPOSE: Implements dblib calls for TPC-C
txns.
* Contact: Charles Levine
(clevine@microsoft.com)
*
* Change history:
* 4.20.000 - updated rev number to
match kit
* 4.10.001 - not deleting error
class in catch handler on deadlock retry;
* not a
functional bug, but a memory leak
* - had to
tweak some declarations to compile with latest SDK;
no functional change
*/

#include <windows.h>
#include <stdio.h>
#include <assert.h>

```

```

#define DBNTWIN32
#include <sqlfront.h>
#include <sqldb.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_dblib.h"

#define DEFCLPACKSIZE
4096

// version string; must match return value from
tpcc_version stored proc
const char sVersion[] = "4.10.000";

const iMaxRetries = 10;
// how many retries on deadlock
static long iConnectionCount = 0; // number
of current dblib connections

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

BOOL APIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:
            DisableThreadLibraryCalls(hModule);
            dbinit(); //
            initialize dblib break;

        case DLL_PROCESS_DETACH:
            dbexit(); //
            close all dblib structures/connections break;

        default:
            /* nothing */;
    }
    return TRUE;
}

int err_handler(DBPROCESS *dbproc, int severity, int
dberr, int oserr, LPCSTR dberrstr, LPCSTR oserrstr)
{
    CTPCC_DBLIB
    *pConn;

    assert(dbproc != NULL);

```

```

        pConn =
        (CTPCC_DBLIB*)dbgetuserdata(dbproc);

        if (pConn != NULL)
        {
            pConn->SetDbLibError( severity,
            dberr, oserr, dberrstr, oserrstr );
        }
        return INT_CANCEL;
    }

/* FUNCTION: int msg_handler(DBPROCESS *dbproc, DBINT
msgno, int msgstate, int severity, char *msgtext)
*
* PURPOSE: This function handles DB-Library
SQL Server error messages
*
* ARGUMENTS: DBPROCESS *dbproc
DBPROCESS id pointer DBINT
msgno
message number
msgstate int
severity int
*msgtext char
printable
message description
*
* RETURNS: int
INT_CONTINUE continue if
error is SQLETIME else INT_CANCEL action
INT_CANCEL
cancel operation
*
* COMMENTS: This function also sets the dead
lock dbproc variable if necessary.
*/

// typedef INT (SQLAPI *DBMSGHANDLE_PROC)(PDBPROCESS,
DBINT, INT, LPCSTR, LPCSTR, LPCSTR,
DBUSMALLINT);

int msg_handler(DBPROCESS *dbproc, DBINT msgno, int
msgstate, int severity,
LPCSTR
msgtext, LPCSTR srvname, LPCSTR procname, DBUSMALLINT
line)
{
    CTPCC_DBLIB
    *pConn;

    assert(dbproc != NULL);
    pConn =
    (CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {

```

```

        pConn->SetSqlError( msgno,
msgstate, severity, msgtext );
    }
}

return 0;
}

/* FUNCTION: void UtilStrCpy(char * pDest, char *
pSrc, int n)
*
* PURPOSE: This function copies n characters
from string pSrc to pDest and places a
null character at the
end of the destination string.
*
* ARGUMENTS: char
* pDest destination string pointer
char
* pSrc source string pointer
int
n
number of characters to copy
*
* RETURNS: None
*
* COMMENTS: Unlike strncpy this function
ensures that the result string is
always null
terminated.
*/

inline static void UtilStrCpy(char * pDest, const
BYTE * pSrc, int n)
{
    strncpy(pDest, (char *)pSrc, n);
    pDest[n] = '\0';

    return;
}

/* FUNCTION: CTPCC_DBLIB_ERR::ErrorText
*
*/

char* CTPCC_DBLIB_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,
        "Wrong version of stored procs on database
server" },
        { ERR_INVALID_CUST,
        "Invalid Customer id,name." },
        { ERR_NO_SUCH_ORDER,
        "No orders found for customer." },
        { ERR_RETRIED_TRANS,
        "Retries before transaction succeeded." },
    },

```

```

        { 0, ""
        }
    };

    static char szNotFound[] = "Unknown error
number.";

    for(i=0; errorMsgs[i].szMsg[0]; i++)
    {
        if ( m_errno ==
errorMsgs[i].iError )
            break;
    }
    if ( !errorMsgs[i].szMsg[0] )
        return szNotFound;
    else
        return errorMsgs[i].szMsg;
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_DBLIB* CTPCC_DBLIB_new(
    LPCSTR szServer, // name of
SQL server
    LPCSTR szUser, //
user name for login
    LPCSTR szPassword, // password
for login
    LPCSTR szHost, //
workstation name; shows up in sp_who; max 30 chars,
only first 10 kept by SQL Server
    LPCSTR szDatabase ) // name of
database to use
{
    return new CTPCC_DBLIB( szServer, szUser,
szPassword, szHost, szDatabase );
}

CTPCC_DBLIB::CTPCC_DBLIB (
    LPCSTR szServer, // name of
SQL server
    LPCSTR szUser, //
user name for login
    LPCSTR szPassword, // password
for login
    LPCSTR szHost, //
workstation name; shows up in sp_who; max 30 chars,
only first 10 kept by SQL Server
    LPCSTR szDatabase ) // name of
database to use
{
    LOGINREC *login;
    const BYTE *pData;

    // initialization
    m_dbproc = NULL;
    m_DbLibErr = (CDBLIBERR*)NULL;
    m_SqlErr = (CSQLERR*)NULL;

```

```

        m_MaxRetries = 10; // how many
retries on deadlock

        // increase max number of connections if
getting close
        if ( dbgetmaxprocs() < (iConnectionCount+5)
)
        {
            if (
dbsetmaxprocs(iConnectionCount+10) == FAIL )
                ThrowError(CDBLIBERR::eDbSetMaxProcs);
        }

        // allocate a login structure
        login = dblogin();
        if (login == NULL)
            ThrowError(CDBLIBERR::eLogin);
        InterlockedIncrement( &iConnectionCount );

        // register error and message handler
        if (dbprocerrhandle(login, err_handler) ==
NULL)
            ThrowError(CDBLIBERR::eDbProcHandler);

        if (dbprocmsghandle(login, msg_handler) ==
NULL)
            ThrowError(CDBLIBERR::eDbProcHandler);

        DBSETLUSER(login, szUser);
        DBSETLPWD(login, szPassword);
        DBSETLHOST(login, szHost);
        DBSETLPACKET(login, (unsigned
short)DEFCLPACKSIZE);
        DBSETLVERSION(login, DBVER60);
        // use dblib ver 6.0 client behavior

        // set time to wait for login
        if (dbsetlogintime(60) == FAIL)
            ThrowError(CDBLIBERR::eDbSet);

        // set time to wait for statement execution
        if (dbsettime(180) == FAIL)
            ThrowError(CDBLIBERR::eDbSet);

        m_dbproc = dbopen(login, szServer);

        // deallocate login structure before
checking for success
        dbfreelogin( login );

        if (m_dbproc == NULL)
            ThrowError(CDBLIBERR::eDbOpen);

        // save address of class instance so that
the message and error handler
        // can get to data.
        dbsetuserdata(m_dbproc, (LPVOID)this);

```

```

        // Use the the right database
        if (dbuse(m_dbproc, szDatabase) == FAIL)
            ThrowError(CDBLIBERR::eDbUse);

        // set connection properties to match those
used by ODBC
        dbcmd(m_dbproc, "set ANSI_DEFAULTS ON ");
        dbcmd(m_dbproc, "set CURSOR_CLOSE_ON_COMMIT
OFF ");
        dbcmd(m_dbproc, "set IMPLICIT_TRANSACTIONS
OFF ");
        dbcmd(m_dbproc, "set NOCOUNT ON ");
        // do not return row counts
        dbcmd(m_dbproc, "set XACT_ABORT ON ");
        // rollback transaction on abort

        // for coyote
        dbcmd(m_dbproc, "set ansi_warnings on ");
        //
        dbcmd(m_dbproc, "set ansi_nulls on ");
        //

        if (dbsqlxexec(m_dbproc) == FAIL)
            ThrowError(CDBLIBERR::eDbSqlExec);

        // This value must match the number of
commands above.
        DiscardNextResults(2);
        DiscardNextResults(5); // coyote

        // verify that version of stored procs on
server is correct
        dbrpcinit(m_dbproc, "tpcc_version", 0);
        if (dbrpcexec(m_dbproc) == FAIL)
            ThrowError(CDBLIBERR::eDbRpcExec);

        if (dbresults(m_dbproc) != SUCCEED)
            ThrowError(CDBLIBERR::eDbResults);

        if (dbnextrow(m_dbproc) != REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        char szSrvVersion[16];
        pData=dbdata(m_dbproc, 1);
        if (pData)
            UtilStrCpy(szSrvVersion, pData,
dbdatlen(m_dbproc, 1));
        else
            szSrvVersion[0]=0;
        if (strcmp(szSrvVersion,sVersion))
            throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_WRONG_SP_VERSION );

        DiscardNextRows(0);
        DiscardNextResults(0);
    }
}

```

```

CTPCC_DBLIB::~CTPCC_DBLIB( void )
{
    // close db connection and deallocate
resources
    dbcloses(m_dbproc);
    InterlockedDecrement( &iConnectionCount );
    if (m_DbLibErr != NULL)
        delete m_DbLibErr;
    if (m_SqlErr != NULL)
        delete m_SqlErr;
}

void CTPCC_DBLIB::SetDbLibError(int severity, int
dberr, int oserr, LPCSTR dberrstr, LPCSTR oserrstr)
{
    delete m_DbLibErr;
    m_DbLibErr = new
CDBLIBERR(CDBLIBERR::eUnknown, severity, dberr,
oserr);

    if (dberrstr != NULL)
    {
        m_DbLibErr->m_dberrstr = new
char[ strlen(dberrstr)+1 ];
        strcpy( m_DbLibErr->m_dberrstr,
dberrstr );
    }

    if (oserrstr != NULL)
    {
        m_DbLibErr->m_oserrstr = new
char[ strlen(oserrstr)+1 ];
        strcpy( m_DbLibErr->m_oserrstr,
oserrstr );
    }
}

void CTPCC_DBLIB::SetSqlError( int /*DBINT*/ msgno,
int msgstate, int severity, LPCSTR msgtext )
{
    if (m_SqlErr == NULL)
        m_SqlErr = new CSQLEERR();

    m_SqlErr->m_msgno = msgno;
    m_SqlErr->m_msgstate = msgstate;
    m_SqlErr->m_severity = severity;

    delete [] m_SqlErr->m_msgtext;
    if (msgtext != NULL)
    {
        m_SqlErr->m_msgtext = new char[
strlen(msgtext)+1 ];
        strcpy( m_SqlErr->m_msgtext,
msgtext );
    }
}

void CTPCC_DBLIB::ThrowError( CDBLIBERR::ACTION
eAction )
{
    // discard anything still in return buffer

```

```

        DiscardNextRows(-1);
        DiscardNextResults(-1);

        // check for SQL Server error first; if
yes, throw it and ignore any DLib error.
        if (m_SqlErr != NULL)
        {
            CSQLEERR *pSqlErr;
            pSqlErr = m_SqlErr;
            m_SqlErr = NULL; // clear our
pointer to instance; catch handler will delete
            throw pSqlErr;
        }

        CDBLIBERR *pDbLibErr;
        if (m_DbLibErr == NULL)
            // this case isn't expected to
happen, since it means that an error was returned
            // but the error handlers were
not called.
            pDbLibErr = new
CDBLIBERR(eAction);
        else
        {
            pDbLibErr = m_DbLibErr;
            pDbLibErr->m_eAction = eAction;
            m_DbLibErr = NULL; //
clear our pointer to instance; catch handler will
delete
        }

        throw pDbLibErr;
    }

    // Read and discard rows until no more. Throw an
exception if number of rows read doesn't
    // match number of rows expected. The row count will
be ignored if the expected count value
    // passed in is negative. A typical use of this
routine is to verify that there are no more
    // rows to be read.
    void CTPCC_DBLIB::DiscardNextRows(int iExpectedCount)
    {
        int          iRowsRead = 0;
        RETCODE      rc;

        while (TRUE)
        {
            rc = dbnextrow(m_dbproc);
            if (rc == NO_MORE_ROWS)
                break;
            if (rc == FAIL)
            {
                if (iExpectedCount >=
0)
                    ThrowError(CDBLIBERR::eDbNextRow);
                else
                    break;
            }
            iRowsRead++;
        }
    }

```

```

        if ((iExpectedCount >= 0) &&
(iExpectedCount != iRowsRead))
            ThrowError(CDBLIBERR::eWrongRowCount);
    }

    // Read and discard results until no more. Throw an
exception if number of result sets read doesn't
    // match number expected. The result set count will
be ignored if the expected count value
    // passed in is negative. A typical use of this
routine is to verify that there are no more
    // result sets to be read.
    void CTPCC_DBLIB::DiscardNextResults(int
iExpectedCount)
    {
        int          iResultsRead = 0;
        RETCODE      rc;

        while (TRUE)
        {
            rc = dbresults(m_dbproc);
            if (rc == NO_MORE_RESULTS)
                break;
            if (rc == FAIL)
            {
                if (iExpectedCount >=
0)
                    ThrowError(CDBLIBERR::eDbResults);
                else
                    break;
            }

            DiscardNextRows(-1);
            iResultsRead++;
        }

        if ((iExpectedCount >= 0) &&
(iExpectedCount != iResultsRead))
            ThrowError(CDBLIBERR::eWrongRowCount);
    }

    void CTPCC_DBLIB::StockLevel()
    {
        int          iTryCount =
0;
        const BYTE   *pData;
        ResetError();

        while (TRUE)
        {
            try
            {
                dbrpcinit(m_dbproc,
"tpcc_stocklevel", 0);

                dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.StockLevel.w_id); // @w_id
                smallint

```

```

        dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.StockLevel.d_id); // @d_id
tinyint

        dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.StockLevel.threshold); // @threshold
smallint

        if (dbrpcexec(m_dbproc)
== FAIL)
            ThrowError(CDBLIBERR::eDbRpcExec);

        if (dbresults(m_dbproc)
!= SUCCEED)
            ThrowError(CDBLIBERR::eDbResults);

        if (dbnextrow(m_dbproc)
!= REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        if
(pData=dbdata(m_dbproc, 1))
        m_txn.StockLevel.low_stock = *((long *)
pData);

        DiscardNextRows(0);
        DiscardNextResults(0);

        m_txn.StockLevel.exec_status_code = eOK;
        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205
||
== iErrOleDbProvider &&
>m_msgtext, sErrTimeoutExpired) != NULL) &&
<= iMaxRetries))
        {
            // hit
            deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    }
    // while (TRUE)

    //if (iTryCount)
    //    throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);

```

```

}

void CTPCC_DBLIB::NewOrder()
{
    int                i;
    DBINT              commit_flag;
    DBDATETIME         datetime;
    DBDATEREC          daterec;

    int                iTryCount =
0;
    const BYTE         *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_neworder", 0);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.NewOrder.w_id);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.d_id);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.NewOrder.c_id);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.o_ol_cnt);

            // check whether any
            order lines are for a remote warehouse

            m_txn.NewOrder.o_all_local = 1;
            for (i = 0; i <
m_txn.NewOrder.o_ol_cnt; i++)
            {
                if
(m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
                {
                    m_txn.NewOrder.o_all_local = 0; // at
                    least one remote warehouse

                    break;
                }
            }

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.o_all_local);

            for (i = 0; i <
m_txn.NewOrder.o_ol_cnt; i++)
            {

```

```

            dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_i_id);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_supply_w_id);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_quantity);
        }

        if (dbrpcexec(m_dbproc)
== FAIL)
            ThrowError(CDBLIBERR::eDbRpcExec);

        // Get order line
        results

        m_txn.NewOrder.total_amount = 0;
        for (i = 0;
i<m_txn.NewOrder.o_ol_cnt; i++)
        {
            if
(dbresults(m_dbproc) != SUCCEED)
                ThrowError(CDBLIBERR::eDbResults);

            if
(dbnumcols(m_dbproc) != 5)
                ThrowError(CDBLIBERR::eWrongNumCols);

            if
(dbnextrow(m_dbproc) != REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            if(pData=dbdata(m_dbproc, 1))
                UtilStrCpy(m_txn.NewOrder.OL[i].ol_i_name,
pData, dbdatlen(m_dbproc, 1));

            if(pData=dbdata(m_dbproc, 2))
                m_txn.NewOrder.OL[i].ol_stock =
                (*(DBSMALLINT *) pData);

            if(pData=dbdata(m_dbproc, 3))
                UtilStrCpy(m_txn.NewOrder.OL[i].ol_brand_ge
neric, pData, dbdatlen(m_dbproc, 3));

            if(pData=dbdata(m_dbproc, 4))
                dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc,4),
SQLFLT8, (BYTE
*)&m_txn.NewOrder.OL[i].ol_i_price, 8);

```

```

        if(pData=dbdata(m_dbproc, 5))

        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,5),
        SQLFLT8, (BYTE
*)&m_txn.NewOrder.OL[i].ol_amount, 8);

        m_txn.NewOrder.total_amount =
m_txn.NewOrder.total_amount +
m_txn.NewOrder.OL[i].ol_amount;

        DiscardNextRows(0);
    }

        // get remaining values
for w_tax, d_tax, o_id, c_last, c_discount, c_credit,
o_entry_d, commit_flag
        if (dbresults(m_dbproc)
!= SUCCEEDED)
            ThrowError(CDBLIBERR::eDbResults);

        if (dbnextrow(m_dbproc)
!= REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        if (dbnumcols(m_dbproc)
!= 8)
            ThrowError(CDBLIBERR::eWrongNumCols);

        if
(pData=dbdata(m_dbproc, 1))

        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,1), SQLFLT8, (BYTE
*)&m_txn.NewOrder.w_tax, 8);

        if
(pData=dbdata(m_dbproc, 2))

        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,2), SQLFLT8, (BYTE
*)&m_txn.NewOrder.d_tax, 8);

        if
(pData=dbdata(m_dbproc, 3))

        m_txn.NewOrder.o_id = *(DBINT *) pData);
        if
(pData=dbdata(m_dbproc, 4))

```

```

        UtilStrCpy(m_txn.NewOrder.c_last, pData,
dbdatlen(m_dbproc, 4));
        if
(pData=dbdata(m_dbproc, 5))

        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,5), SQLFLT8, (BYTE
*)&m_txn.NewOrder.c_discount, 8);

        if
(pData=dbdata(m_dbproc, 6))

        UtilStrCpy(m_txn.NewOrder.c_credit, pData,
dbdatlen(m_dbproc, 6));
        if
(pData=dbdata(m_dbproc, 7))
        {
            datetime =
*((DBDATETIME *) pData);

            dbdatecrack(m_dbproc, &daterec, &datetime);

            m_txn.NewOrder.o_entry_d.year =
daterec.year;

            m_txn.NewOrder.o_entry_d.month =
daterec.month;

            m_txn.NewOrder.o_entry_d.day =
daterec.day;

            m_txn.NewOrder.o_entry_d.hour =
daterec.hour;

            m_txn.NewOrder.o_entry_d.minute =
daterec.minute;

            m_txn.NewOrder.o_entry_d.second =
daterec.second;
        }
        if
(pData=dbdata(m_dbproc, 8))

            commit_flag =
*((DBTINYINT *) pData);

            DiscardNextRows(0);
            DiscardNextResults(0);

            if (commit_flag == 1)
            {
                m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
m_txn.NewOrder.c_discount));

                m_txn.NewOrder.exec_status_code = eOK;
            }
            else
                m_txn.NewOrder.exec_status_code =
eInvalidItem;

```

```

        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205
(e->m_msgno
== iErrOleDbProvider &&
(e->m_msgno
>m_msgtext, sErrTimeoutExpired) != NULL)) &&
(++iTryCount
<= iMaxRetries))
        {
            // hit
            deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    }
} // while (TRUE)

// if (iTryCount)
// throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Payment()
{
    DBDATETIME datetime;
    DBDATEREC daterec;

    int iTryCount =
0;
    const BYTE *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_payment", 0);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Payment.w_id);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Payment.c_w_id);

            dbrpcparam(m_dbproc,
NULL, 0, SQLFLT8, -1, -1, (BYTE *)
&m_txn.Payment.h_amount);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.d_id);

```

```

        dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.c_id);
        dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.Payment.c_id);

        // if customer id is
zero, then payment is by name
        if (m_txn.Payment.c_id
== 0)

            dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.Payment.c_last), (unsigned char
*)m_txn.Payment.c_last);

            if (dbrpcexec(m_dbproc)
== FAIL)

                ThrowError(CDBLIBERR::eDbRpcExec);

            if (dbresults(m_dbproc)
!= SUCCEED)

                ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc)
!= REG_ROW)

                ThrowError(CDBLIBERR::eDbNextRow);

            if (dbnumcols(m_dbproc)
!= 27)

                ThrowError(CDBLIBERR::eWrongNumCols);

            if
(pData=dbdata(m_dbproc, 1))

                m_txn.Payment.c_id = *((DBINT *) pData);

            if
(pData=dbdata(m_dbproc, 2))

                UtilStrCpy(m_txn.Payment.c_last, pData,
dbdatlen(m_dbproc, 2));

            if
(pData=dbdata(m_dbproc, 3))

                {
                    datetime =
*((DBDATETIME *) pData);

                    dbdatecrack(m_dbproc, &daterec, &datetime);

                    m_txn.Payment.h_date.year = daterec.year;

                    m_txn.Payment.h_date.month =
daterec.month;

                    m_txn.Payment.h_date.day = daterec.day;

                    m_txn.Payment.h_date.hour = daterec.hour;

```

```

        m_txn.Payment.h_date.minute =
daterec.minute;

        m_txn.Payment.h_date.second =
daterec.second;

        }
        if
(pData=dbdata(m_dbproc, 4))

            UtilStrCpy(m_txn.Payment.w_street_1, pData,
dbdatlen(m_dbproc, 4));

        if
(pData=dbdata(m_dbproc, 5))

            UtilStrCpy(m_txn.Payment.w_street_2, pData,
dbdatlen(m_dbproc, 5));

        if
(pData=dbdata(m_dbproc, 6))

            UtilStrCpy(m_txn.Payment.w_city, pData,
dbdatlen(m_dbproc, 6));

        if
(pData=dbdata(m_dbproc, 7))

            UtilStrCpy(m_txn.Payment.w_state, pData,
dbdatlen(m_dbproc, 7));

        if
(pData=dbdata(m_dbproc, 8))

            UtilStrCpy(m_txn.Payment.w_zip, pData,
dbdatlen(m_dbproc, 8));

        if
(pData=dbdata(m_dbproc, 9))

            UtilStrCpy(m_txn.Payment.d_street_1, pData,
dbdatlen(m_dbproc, 9));

        if
(pData=dbdata(m_dbproc, 10))

            UtilStrCpy(m_txn.Payment.d_street_2, pData,
dbdatlen(m_dbproc, 10));

        if
(pData=dbdata(m_dbproc, 11))

            UtilStrCpy(m_txn.Payment.d_city, pData,
dbdatlen(m_dbproc, 11));

        if
(pData=dbdata(m_dbproc, 12))

            UtilStrCpy(m_txn.Payment.d_state, pData,
dbdatlen(m_dbproc, 12));

        if
(pData=dbdata(m_dbproc, 13))

            UtilStrCpy(m_txn.Payment.d_zip, pData,
dbdatlen(m_dbproc, 13));

        if
(pData=dbdata(m_dbproc, 14))

            UtilStrCpy(m_txn.Payment.c_first, pData,
dbdatlen(m_dbproc, 14));

```

```

        if
(pData=dbdata(m_dbproc, 15))

            UtilStrCpy(m_txn.Payment.c_middle, pData,
dbdatlen(m_dbproc, 15));

        if
(pData=dbdata(m_dbproc, 16))

            UtilStrCpy(m_txn.Payment.c_street_1, pData,
dbdatlen(m_dbproc, 16));

        if
(pData=dbdata(m_dbproc, 17))

            UtilStrCpy(m_txn.Payment.c_street_2, pData,
dbdatlen(m_dbproc, 17));

        if
(pData=dbdata(m_dbproc, 18))

            UtilStrCpy(m_txn.Payment.c_city, pData,
dbdatlen(m_dbproc, 18));

        if
(pData=dbdata(m_dbproc, 19))

            UtilStrCpy(m_txn.Payment.c_state, pData,
dbdatlen(m_dbproc, 19));

        if
(pData=dbdata(m_dbproc, 20))

            UtilStrCpy(m_txn.Payment.c_zip, pData,
dbdatlen(m_dbproc, 20));

        if
(pData=dbdata(m_dbproc, 21))

            UtilStrCpy(m_txn.Payment.c_phone, pData,
dbdatlen(m_dbproc, 21));

        if
(pData=dbdata(m_dbproc, 22))

            {
                datetime =
*((DBDATETIME *) pData);

                dbdatecrack(m_dbproc, &daterec, &datetime);

                m_txn.Payment.c_since.year =
daterec.year;

                m_txn.Payment.c_since.month =
daterec.month;

                m_txn.Payment.c_since.day = daterec.day;

                m_txn.Payment.c_since.hour =
daterec.hour;

                m_txn.Payment.c_since.minute =
daterec.minute;

                m_txn.Payment.c_since.second =
daterec.second;

            }

        if(pData=dbdata(m_dbproc, 23))

```



```

        UtilStrCpy(m_txn.Payment.c_credit, pData,
dbdatlen(m_dbproc, 23));
        if(pData=dbdata(m_dbproc, 24))
            dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,24), SQLFLT8, (BYTE
*)&m_txn.Payment.c_credit_lim, 8);
        if(pData=dbdata(m_dbproc, 25))
            dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,25), SQLFLT8, (BYTE
*)&m_txn.Payment.c_discount, 8);
        if(pData=dbdata(m_dbproc, 26))
            dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,26), SQLFLT8, (BYTE
*)&m_txn.Payment.c_balance, 8);
        if(pData=dbdata(m_dbproc, 27))
            UtilStrCpy(m_txn.Payment.c_data, pData,
dbdatlen(m_dbproc, 27));
        DiscardNextRows(0);
        DiscardNextResults(0);
        if (m_txn.Payment.c_id
== 0)
            throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
        else
            m_txn.Payment.exec_status_code = eOK;
        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205
(e->m_msgno
        strstr(e-
>m_msgtext, sErrTimeoutExpired) != NULL) &&
(++iTryCount
<= iMaxRetries))
        {
            // hit
            deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    }
} // while (TRUE)

```

```

//      if (iTryCount)
//          throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::OrderStatus()
{
    int          i;
    DBDATETIME  datetime;
    DBDATEREC   daterec;

    int          iTryCount =
0;
    RETCODE     rc;
    const BYTE  *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_orderstatus", 0);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.OrderStatus.w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.OrderStatus.d_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.OrderStatus.c_id);

            // if customer id is
            zero, then order status is by name
            if
            (m_txn.OrderStatus.c_id == 0)
                dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.OrderStatus.c_last), (unsigned char
*)&m_txn.OrderStatus.c_last);

            if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            // Get order lines
            if (dbresults(m_dbproc)
!= SUCCEED)
            {
                if
                ((m_DbLibErr == NULL) && (m_SqlErr == NULL))
                    throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER );
                else

```

```

                ThrowError(CDBLIBERR::eDbResults);
            }
        }
        if (dbnumcols(m_dbproc)
!= 5)
            ThrowError(CDBLIBERR::eWrongNumCols);

        i = 0;
        while (TRUE)
        {
            rc =
dbnextrow(m_dbproc);
            if (rc ==
NO_MORE_ROWS)
                break;
            if (rc !=
REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            if(pData=dbdata(m_dbproc, 1))
                m_txn.OrderStatus.OL[i].ol_supply_w_id =
(*(DBSMALLINT *) pData);
            if(pData=dbdata(m_dbproc, 2))
                m_txn.OrderStatus.OL[i].ol_i_id = (*(DBINT
*) pData);
            if(pData=dbdata(m_dbproc, 3))
                m_txn.OrderStatus.OL[i].ol_quantity =
(*(DBSMALLINT *) pData);
            if(pData=dbdata(m_dbproc, 4))
                dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,4),
SQLFLT8, (BYTE
*)&m_txn.OrderStatus.OL[i].ol_amount, 8);
            if(pData=dbdata(m_dbproc, 5))
            {
                datetime = *((DBDATETIME *) pData);
                dbdatecrack(m_dbproc, &daterec, &datetime);
                m_txn.OrderStatus.OL[i].ol_delivery_d.year
= daterec.year;
                m_txn.OrderStatus.OL[i].ol_delivery_d.month
= daterec.month;
                m_txn.OrderStatus.OL[i].ol_delivery_d.day
= daterec.day;
            }
        }
    }
}

```

```

        m_txn.OrderStatus.OL[i].ol_delivery_d.hour
= daterec.hour;
        m_txn.OrderStatus.OL[i].ol_delivery_d.minut
e = daterec.minute;
        m_txn.OrderStatus.OL[i].ol_delivery_d.secon
d = daterec.second;
                }
                i++;
        }
        m_txn.OrderStatus.o_ol_cnt = i;

        if (dbresults(m_dbproc)
!= SUCCEEDED)
            ThrowError(CDBLIBERR::eDbResults);

        if (dbnextrow(m_dbproc)
!= REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        if (dbnumcols(m_dbproc)
!= 8)
            ThrowError(CDBLIBERR::eWrongNumCols);

        if(pData=dbdata(m_dbproc, 1))
            m_txn.OrderStatus.c_id = (*(DBINT *)
pData);

        if(pData=dbdata(m_dbproc, 2))
            UtilStrCpy(m_txn.OrderStatus.c_last, pData,
dbdatlen(m_dbproc,2));

        if(pData=dbdata(m_dbproc, 3))
            UtilStrCpy(m_txn.OrderStatus.c_first,
pData, dbdatlen(m_dbproc,3));

        if(pData=dbdata(m_dbproc, 4))
            UtilStrCpy(m_txn.OrderStatus.c_middle,
pData, dbdatlen(m_dbproc, 4));

        if(pData=dbdata(m_dbproc, 5))
        {
            datetime =
*( (DBDATETIME *) pData);
            dbdatecrack(m_dbproc, &daterec, &datetime);

            m_txn.OrderStatus.o_entry_d.year =
daterec.year;

```

```

        m_txn.OrderStatus.o_entry_d.month =
daterec.month;
        m_txn.OrderStatus.o_entry_d.day =
daterec.day;
        m_txn.OrderStatus.o_entry_d.hour =
daterec.hour;
        m_txn.OrderStatus.o_entry_d.minute =
daterec.minute;
        m_txn.OrderStatus.o_entry_d.second =
daterec.second;
        }
        if(pData=dbdata(m_dbproc, 6))
            m_txn.OrderStatus.o_carrier_id =
(*(DBSMALLINT *) pData);

        if(pData=dbdata(m_dbproc, 7))
            dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,7),
SQLFLT8, (BYTE
*)&m_txn.OrderStatus.c_balance, 8);

        if(pData=dbdata(m_dbproc, 8))
            m_txn.OrderStatus.o_id = (*(DBINT *)
pData);

            DiscardNextRows(0);
            DiscardNextResults(0);

            if
(m_txn.OrderStatus.o_ol_cnt == 0)
                throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER
);
            else if
(m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
                throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
            else
                m_txn.OrderStatus.exec_status_code = eOK;

                return;
            }
        catch (CSQLERR *e)
        {
            if ((e->m_msgno == 1205
== iErrOleDbProvider &&
>m_msgtext, sErrTimeoutExpired) != NULL) &&

```

```

            (++iTryCount
<= iMaxRetries))
        {
            // hit
            deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    } // while (TRUE)

    // if (iTryCount)
    // throw new
    CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Delivery()
{
    int
    int
    i;
    iTryCount =
0;
    const BYTE
    *pData;
    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_delivery", 0);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Delivery.w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Delivery.o_carrier_id);

            if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            if (dbresults(m_dbproc)
!= SUCCEEDED)
                ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc)
!= REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            if (dbnumcols(m_dbproc)
!= 10)
                ThrowError(CDBLIBERR::eWrongNumCols);

```

```

        for (i=0; i<10; i++)
        {
            if (pData =
dbdata(m_dbproc, i+1))
                m_txn.Delivery.o_id[i] = *((DBINT *)pData);
        }

        DiscardNextRows(0);
        DiscardNextResults(0);

        m_txn.Delivery.exec_status_code = eOK;
        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205
||
(e->m_msgno
== iErrOleDbProvider &&
>m_msgtext, sErrTimeoutExpired) != NULL) &&
(++iTryCount
<= iMaxRetries))
        {
            // hit
            deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    }
} // while (TRUE)

// if (iTryCount)
// throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::ResetError()
{
    if (m_DbLibErr != NULL)
    {
        delete m_DbLibErr;
        m_DbLibErr = (CDBLIBERR*)NULL;
    }

    if (m_SqlErr != NULL)
    {
        delete m_SqlErr;
        m_SqlErr = (CSQLERR*)NULL;
    }

    return;
}

```

tpcc_dblib.h

```

/* FILE: TPC_C_DBLIB.H
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 *
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 *
 * PURPOSE: Header file for TPC-C txn class
 * implementation.
 *
 * Change history:
 * 4.20.000 - updated rev number to
 * match kit
 */
#pragma once

#ifndef PDBPROCESS
#define DBPROCESS void // dbprocess structure type
typedef DBPROCESS * PDBPROCESS;
#endif

// need to declare functions for import, unless
// define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CSQLERR : public CBaseErr
{
public:
    CSQLERR(void)
    {
        m_msgno = 0;
        m_msgstate = 0;
        m_severity = 0;
        m_msgtext = NULL;
    };

    ~CSQLERR()
    {
        delete [] m_msgtext;
    };

    int m_msgno;
    int m_msgstate;
    int m_severity;
    char *m_msgtext;

    int ErrorType() {return
ERR_TYPE_SQL;};

    int ErrorNum() {return m_msgno;};
    char *ErrorText() {return
m_msgtext;};

};

class CDBLIBERR : public CBaseErr

```

```

{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eLogin,
        // error from dblogin
        eDbOpen,
        // error from dbopen
        eDbUse,
        // error from dbuse
        eDbSqlExec,
        // error from dbsqlexec
        eDbSet,
        // error from one of the dbset*
        eDbNextRow,
        // error from dbnextrow
        eWrongRowCount,
        // more or less rows returned than expected
        eWrongNumCols,
        // more or less columns returned than
        expected
        eDbResults,
        // error from dbresults
        eDbRpcExec,
        // error from dbrpcexec
        eDbSetMaxProcs,
        // error from dbsetmaxprocs
        eDbProcHandler,
        // error from either dbprocerrhandle or
        dbprocmsgshandle
    };

    CDBLIBERR(ACTION eAction, int
severity = 0, int dberror = 0, int oserr = 0)
    {
        m_eAction = eAction;
        m_severity = severity;
        m_dberror = dberror;
        m_oserr = oserr;

        m_dberrstr = NULL;
        m_oserrstr = NULL;
    };

    ~CDBLIBERR()
    {
        delete [] m_dberrstr;
        delete [] m_oserrstr;
    };

    ACTION m_eAction;
    int m_severity;
    int m_dberror;
    int m_oserr;
    char *m_dberrstr;
    char *m_oserrstr;

    int ErrorType() {return
ERR_TYPE_DBLIB;};
}

```

```

        int ErrorNum() {return
m_dberror;};
        char *ErrorText() {return
m_dberrstr;};
};

class CTPCC_DBLIB_ERR : public CBaseErr
{
    public:
        enum CTPCC_DBLIB_ERRS
        {
            ERR_WRONG_SP_VERSION =
1, // "Wrong version of stored procs on
database server"
            ERR_INVALID_CUST,
// "Invalid Customer id,name."
            ERR_NO_SUCH_ORDER,
// "No orders found for
customer."
            ERR_RETRIED_TRANS,
// "Retries before transaction
succeeded."
        };

        CTPCC_DBLIB_ERR( int iErr ) {
m_errno = iErr; m_iTryCount = 0; };

        CTPCC_DBLIB_ERR( int iErr, int
iTryCount ) { m_errno = iErr; m_iTryCount =
iTryCount; };

        int                m_errno;
        int                m_iTryCount;

        int ErrorType() {return
ERR_TYPE_TPCC_DBLIB;};
        int ErrorNum() {return m_errno;};

        char *ErrorText();
};

class DllDecl CTPCC_DBLIB : public CTPCC_BASE
{
    private:
        // declare variables and private
functions here...
        PDBPROCESS        m_dbproc;
        CDBLIBERR *m_DbLibErr;
        // not allocated until needed (maybe never)
        CSQLErr            *m_SqlErr;
        // not allocated until
needed (maybe never)
        int
        m_MaxRetries; // retry
count on deadlock

        void DiscardNextRows(int
iExpectedCount);
        void DiscardNextResults(int
iExpectedCount);
        void ThrowError(
CDBLIBERR::ACTION eAction );

```

```

void ResetError();

union
{
    NewOrder;           NEW_ORDER_DATA
    Payment;            PAYMENT_DATA
    Delivery;           DELIVERY_DATA
    StockLevel;         STOCK_LEVEL_DATA
    OrderStatus;       ORDER_STATUS_DATA
    m_txn;
    public:
        CTPCC_DBLIB(LPCSTR szServer,
LPCSTR szUser, LPCSTR szPassword, LPCSTR szHost,
LPCSTR szDatabase );
        ~CTPCC_DBLIB(void);

        inline PNEW_ORDER_DATA
        BuffAddr_NewOrder() { return
&m_txn.NewOrder; };
        inline PPAYMENT_DATA
        BuffAddr_Payment() { return
&m_txn.Payment; };
        inline PDELIVERY_DATA
        BuffAddr_Delivery() { return
&m_txn.Delivery; };
        inline PSTOCK_LEVEL_DATA
        BuffAddr_StockLevel() { return
&m_txn.StockLevel; };
        inline PORDER_STATUS_DATA
        BuffAddr_OrderStatus() { return
&m_txn.OrderStatus; };

        void NewOrder        ();
        void Payment         ();
        void Delivery        ();
        void StockLevel      ();
        void OrderStatus     ();

        // these are public because they
must be called from the dblib err_handler and
msg_hangler
        // outside of the class
        void SetDbLibError(int severity,
LPCSTR dberrstr, LPCSTR
oserrstr);
        void SetSqlError( int msgno, int
msgstate, int severity, LPCSTR msgtext );
};

extern "C" DllDecl CTPCC_DBLIB* CTPCC_DBLIB_new
( LPCSTR szServer, LPCSTR szUser, LPCSTR
szPassword, LPCSTR szHost, LPCSTR szDatabase );

```

```

typedef CTPCC_DBLIB* (TYPE_CTPCC_DBLIB)(LPCSTR,
LPCSTR, LPCSTR, LPCSTR, LPCSTR);

```

tpcc_odbc.cpp

```

/* FILE: TPCC_ODBC.CPP
 * Microsoft
TPC-C Kit Ver. 4.20.000
 * Copyright
Microsoft, 1999
 * All Rights Reserved
 * Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE: Implements ODBC calls for TPC-C
txns.
 * Contact: Charles Levine
(clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - updated rev number to
match kit
 * 4.10.001 - not deleting error
class in catch handler on deadlock retry; not a
functional bug, but a memory leak
 */

#include <windows.h>
#include <stdio.h>
#include <assert.h>

#define DBNTWIN32
#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>
#include <odbc.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_odbc.h"

// version string; must match return value from
tpcc_version stored proc
const char sVersion[] = "4.10.000";

const iMaxRetries = 10; // how many
retries on deadlock

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

```

```

static SQLHENV henv = SQL_NULL_HENV;
    // ODBC environment handle

BOOL APIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:

            DisableThreadLibraryCalls(hModule);
            if (
SQLAllocHandleStd(SQL_HANDLE_ENV, SQL_NULL_HANDLE,
&henv) != SQL_SUCCESS )
                return FALSE;
                break;

        case DLL_PROCESS_DETACH:
            if (henv != NULL)
                SQLFreeEnv(henv);
                break;

        default:
            /* nothing */;
    }
    return TRUE;
}

/* FUNCTION: CTPCC_ODBC_ERR::ErrorText
 *
 */

char* CTPCC_ODBC_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,
"Wrong version of stored procs on database
server" },
        { ERR_INVALID_CUST,
"Invalid Customer id,name." },
        { ERR_NO_SUCH_ORDER,
"No orders found for customer." },
        { ERR_RETRIED_TRANS,
"Retries before transaction succeeded." },
        { 0, "" }
    };

}

static char szNotFound[] = "Unknown error
number. ";

for(i=0; errorMsgs[i].szMsg[0]; i++)
{

```

```

        if ( m_errno ==
errorMsgs[i].iError )
            break;
    }
    if ( !errorMsgs[i].szMsg[0] )
        return szNotFound;
    else
        return errorMsgs[i].szMsg;
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_ODBC* CTPCC_ODBC_new(
LPCSTR szServer, // name of
SQL server
LPCSTR szUser, //
user name for login
LPCSTR szPassword, // password
for login
LPCSTR szHost, //
not used
LPCSTR szDatabase ) // name of
database to use
{
    return new CTPCC_ODBC( szServer, szUser,
szPassword, szHost, szDatabase );
}

CTPCC_ODBC::CTPCC_ODBC (
LPCSTR szServer,
// name of SQL server
LPCSTR szUser,
// user name for login
LPCSTR szPassword,
// password for login
LPCSTR szHost,
// not used
LPCSTR szDatabase
// name of database to use
)
{
    RETCODE rc;

    // initialization
    m_hdbc = SQL_NULL_HDBC;
    m_hstmt = SQL_NULL_HSTMT;

    m_hstmtNewOrder = SQL_NULL_HSTMT;
    m_hstmtPayment = SQL_NULL_HSTMT;
    m_hstmtDelivery = SQL_NULL_HSTMT;
    m_hstmtOrderStatus = SQL_NULL_HSTMT;
    m_hstmtStockLevel = SQL_NULL_HSTMT;

    m_descNewOrderCols1 = SQL_NULL_HDESC;
    m_descNewOrderCols2 = SQL_NULL_HDESC;
    m_descOrderStatusCols1 = SQL_NULL_HDESC;
    m_descOrderStatusCols2 = SQL_NULL_HDESC;

    if ( SQLAllocHandle(SQL_HANDLE_DBC, henv,
&m_hdbc) != SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);
}

```

```

        if ( SQLSetConnectOption(m_hdbc,
SQL_PACKET_SIZE, 4096) != SQL_SUCCESS )
            ThrowError(CODBCERR::eConnOption);
    {
        char
szConnectStr[256];
        char
szOutStr[1024];
        SQLSMALLINT
iOutStrLen;

        sprintf( szConnectStr,
"DRIVER=SQL
Server;SERVER=%s;UID=%s;PWD=%s;DATABASE=%s",
szServer, szUser,
szPassword, szDatabase );

        rc = SQLDriverConnect(m_hdbc,
NULL, (SQLCHAR*)szConnectStr, sizeof(szConnectStr),
(SQLCHAR*)szOutStr,
sizeof(szOutStr), &iOutStrLen,
SQL_DRIVER_NOPROMPT );

        if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
            ThrowError(CODBCERR::eConnect);
    }

    if (SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc,
&m_hstmt) != SQL_SUCCESS)
        ThrowError(CODBCERR::eAllocHandle);
    {
        char
buffer[128];

        // set some options affecting
connection behavior
strcpy(buffer, "set nocount on
");
        strcat(buffer, "set XACT_ABORT ON
");

        // for coyote
strcpy(buffer, "set ansi_warnings
on ");
        strcat(buffer, "set ansi_nulls on
");

        rc = SQLExecDirect(m_hstmt,
(unsigned char *)buffer, SQL_NTS);
        if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
            ThrowError(CODBCERR::eExecDirect);

        // verify that version of stored
procs on server is correct
char db_sp_version[10];

```

```

        strcpy(buffer, "{call
tpcc_version}");
        rc = SQLExecDirect(m_hstmt,
(unsigned char *)buffer, SQL_NTS);
        if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)

            ThrowError(CODBCERR::eExecDirect);
            if ( SQLBindCol(m_hstmt, 1,
SQL_C_CHAR, &db_sp_version, sizeof(db_sp_version),
NULL) != SQL_SUCCESS )

                ThrowError(CODBCERR::eBindCol);
                if ( SQLFetch(m_hstmt) ==
SQL_ERROR )

                    ThrowError(CODBCERR::eFetch);
                    if
(strcmp(db_sp_version,sVersion))
                        throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_WRONG_SP_VERSION
);

                SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmt);
            }

            // Bind parameters for each of the
transactions
            InitNewOrderParams();
            InitPaymentParams();
            InitOrderStatusParams();
            InitDeliveryParams();
            InitStockLevelParams();
        }

CTPCC_ODBC::~CTPCC_ODBC( void )
{
    // note: descriptors are automatically
released when the connection is dropped
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtNewOrder);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtPayment);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtDelivery);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtOrderStatus);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtStockLevel);

    SQLDisconnect(m_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, m_hdbc);
}

void CTPCC_ODBC::ThrowError( CODBCERR::ACTION eAction
)
{
    RETCODE          rc;
    SDWORD           lNativeError;
    char             szState[6];
    char             szMsg[SQL_MAX_MESSAGE_LENGTH];

```

```

    char
    szTmp[6*SQL_MAX_MESSAGE_LENGTH];
    CODBCERR        *pODBCErr;
    // not allocated until needed (maybe never)

    pODBCErr = new CODBCERR();

    pODBCErr->m_NativeError = 0;
    pODBCErr->m_eAction = eAction;
    pODBCErr->m_bDeadLock = FALSE;

    szTmp[0] = 0;
    while (TRUE)
    {
        rc = SQLError(henv, m_hdbc,
m_hstmt, (BYTE *)&szState, &lNativeError,
(BYTE *)&szMsg, sizeof(szMsg), NULL);
        if (rc == SQL_NO_DATA)
            break;

        // check for deadlock
        if (lNativeError == 1205 ||
(lNativeError == iErrOleDbProvider &&
strstr(szMsg,
sErrTimeoutExpired) != NULL))
            pODBCErr->m_bDeadLock =
TRUE;

        // capture the (first) database
error
        if (pODBCErr->m_NativeError == 0
&& lNativeError != 0)
            pODBCErr->m_NativeError
= lNativeError;

        // quit if there isn't enough
room to concatenate error text
        if ( (strlen(szMsg) + 2) >
(sizeof(szTmp) - strlen(szTmp)) )
            break;

        // include line break after first
error msg
        if (szTmp[0] != 0)
            strcat( szTmp, "\n");
            strcat( szTmp, szMsg );
    }

    if (pODBCErr->m_odbcerrstr != NULL)
    {
        delete [] pODBCErr->m_odbcerrstr;
        pODBCErr->m_odbcerrstr = NULL;
    }

    if (strlen(szTmp) > 0)
    {
        pODBCErr->m_odbcerrstr = new
char[ strlen(szTmp)+1 ];
        strcpy( pODBCErr->m_odbcerrstr,
szTmp );
    }

```

```

        SQLFreeStmt(m_hstmt, SQL_CLOSE);
        throw pODBCErr;
    }

void CTPCC_ODBC::InitStockLevelParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtStockLevel) != SQL_SUCCESS )

        ThrowError(CODBCERR::eAllocHandle);

        m_hstmt = m_hstmtStockLevel;

        int i = 0;
        if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.StockLevel.w_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_TINYINT, SQL_TINYINT, 0, 0,
&m_txn.StockLevel.d_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.StockLevel.threshold, 0, NULL) != SQL_SUCCESS
)
            ThrowError(CODBCERR::eBindParam);

        if ( SQLBindCol(m_hstmt, 1, SQL_C_SLONG,
&m_txn.StockLevel.low_stock, 0, NULL) != SQL_SUCCESS
)
            ThrowError(CODBCERR::eBindCol);
    }

void CTPCC_ODBC::StockLevel()
{
    RETCODE          rc;
    int              iTryCount =
0;

    m_hstmt = m_hstmtStockLevel;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)"L" {call
tpcc_stocklevel(?,?,?)", SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)

                ThrowError(CODBCERR::eExecDirect);

                if ( SQLFetch(m_hstmt)
== SQL_ERROR )

                    ThrowError(CODBCERR::eFetch);

                    SQLFreeStmt(m_hstmt,
SQL_CLOSE);

                    m_txn.StockLevel.exec_status_code = eOK;
                    break;

```

```

    }
    catch (COBDCERR *e)
    {
        if (!e->m_bDeadLock)
        || (++iTryCount > iMaxRetries))
            throw;

        // hit deadlock;
        backoff for increasingly longer period
        delete e;
        Sleep(10 * iTryCount);
    }

    // if (iTryCount)
    // throw new
    CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
    iTryCount);
}

void CTPCC_ODBC::InitNewOrderParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
    m_hdbc, &m_hstmtNewOrder) != SQL_SUCCESS
        ||
        SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
        &m_descNewOrderCols1) != SQL_SUCCESS
        ||
        SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
        &m_descNewOrderCols2) != SQL_SUCCESS
        )
        ThrowError(COBCERR::eAllocHandle);

    m_hstmt = m_hstmtNewOrder;

    if ( SQLSetStmtAttrW( m_hstmt,
    SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols1,
    SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(COBCERR::eSetStmtAttr);

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
    SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
    &m_txn.NewOrder.w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
    SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
    &m_txn.NewOrder.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
    SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
    &m_txn.NewOrder.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
    SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
    &m_txn.NewOrder.o_ol_cnt, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
    SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
    &m_txn.NewOrder.o_all_local, 0, NULL) != SQL_SUCCESS
        )
        ThrowError(COBCERR::eBindParam);

    for (int j=0; j<MAX_OL_NEW_ORDER_ITEMS;
    j++)

```

```

    {
        if ( SQLBindParameter(m_hstmt,
    ++i, SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
    &m_txn.NewOrder.OL[j].ol_i_id, 0, NULL) !=
    SQL_SUCCESS
            ||
            SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
    SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
    &m_txn.NewOrder.OL[j].ol_supply_w_id, 0, NULL) !=
    SQL_SUCCESS
            ||
            SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
    SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
    &m_txn.NewOrder.OL[j].ol_quantity, 0, NULL) !=
    SQL_SUCCESS
            )
            ThrowError(COBCERR::eBindParam);
    }

#ifdef new_order_strstr
    // set the bind offset pointer
    if ( SQLSetStmtAttrW( m_hstmt,
    SQL_ATTR_ROW_BIND_OFFSET_PTR, &BindOffset,
    SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(COBCERR::eSetStmtAttr);

    i = 0;
    if ( SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
    &m_txn.NewOrder.OL[0].ol_i_name,
    sizeof(m_txn.NewOrder.OL[0].ol_i_name), NULL) !=
    SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_SSHORT, &m_txn.NewOrder.OL[0].ol_stock, 0,
    NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_CHAR, &m_txn.NewOrder.OL[0].ol_brand_generic,
    sizeof(m_txn.NewOrder.OL[0].ol_brand_generic), NULL)
    != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_DOUBLE, &m_txn.NewOrder.OL[0].ol_i_price, 0,
    NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_DOUBLE, &m_txn.NewOrder.OL[0].ol_amount, 0,
    NULL) != SQL_SUCCESS
        )
        ThrowError(COBCERR::eBindCol);
#else
    // prototype to eliminate patindex in
    server: shift work to client
    i = 0;
    if ( SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
    &m_ol_i_name, sizeof(m_ol_i_name), NULL) !=
    SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_SSHORT, &m_ol_stock, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_CHAR, &m_i_data, sizeof(m_i_data), NULL) !=
    SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_CHAR, &m_s_data, sizeof(m_s_data), NULL) !=
    SQL_SUCCESS
        )

```

```

        || SQLBindCol(m_hstmt, ++i,
    SQL_C_DOUBLE, &m_ol_i_price, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_DOUBLE, &m_ol_amount, 0, NULL) != SQL_SUCCESS
        )
        ThrowError(COBCERR::eBindCol);
#endif

    // associate the column bindings for the
    second result set
    if ( SQLSetStmtAttrW( m_hstmt,
    SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols2,
    SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(COBCERR::eSetStmtAttr);

    i = 0;
    if ( SQLBindCol(m_hstmt, ++i,
    SQL_C_DOUBLE, &m_txn.NewOrder.w_tax, 0, NULL) !=
    SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_DOUBLE, &m_txn.NewOrder.d_tax, 0, NULL) !=
    SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_SLONG, &m_txn.NewOrder.o_id, 0, NULL) !=
    SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_CHAR, &m_txn.NewOrder.c_last,
    sizeof(m_txn.NewOrder.c_last), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_DOUBLE, &m_txn.NewOrder.c_discount, 0, NULL)
    != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_CHAR, &m_txn.NewOrder.c_credit,
    sizeof(m_txn.NewOrder.c_credit), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_TYPE_TIMESTAMP, &m_txn.NewOrder.o_entry_d, 0,
    NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_SLONG, &m_no_commit_flag, 0, NULL) !=
    SQL_SUCCESS
        )
        ThrowError(COBCERR::eBindCol);
}

void CTPCC_ODBC::NewOrder()
{
    int
    i;
    RETCODE rc;
    int
    iTryCount = 0;

    0 1 2

    012345678901234567890123456789
    wchar_t
    szSqlTemplate[] = L"call
    tpcc_neworder(?,?,?,?,"

```

```

L"?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?,"
L"?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?,"
L"?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?}";

    m_hstmt = m_hstmtNewOrder;

    // associate the parameter and column
bindings for this transaction
    if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )

        ThrowError(CODBCERR::eSetStmtAttr);

// clip statement buffer based on number of
parameters
// fixed part is 29 chars and variable part
is 6 chars per line item
i = 29 + m_txn.NewOrder.o_ol_cnt*6;
wcscpy( &szSqlTemplate[i], L" }" );

// check whether any order lines are for a
remote warehouse
m_txn.NewOrder.o_all_local = 1;
for ( i = 0; i < m_txn.NewOrder.o_ol_cnt;
i++)
{
    if
(m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
    {
        m_txn.NewOrder.o_all_local = 0; // at
least one remote warehouse
        break;
    }
}

while (TRUE)
{
    try
    {
        m_BindOffset = 0;
        rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)szSqlTemplate,
SQL_NTS);
        if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)
            ThrowError(CODBCERR::eExecDirect);

        // Get order line
        results
        m_txn.NewOrder.total_amount = 0;
        for ( i = 0;
i<m_txn.NewOrder.o_ol_cnt; i++)

```

```

{
#ifdef new_order_strstr
// set the
bind offset value...
m_BindOffset
= i * sizeof(m_txn.NewOrder.OL[0]);

        if (
SQLFetch(m_hstmt) == SQL_ERROR)
            ThrowError(CODBCERR::eFetch);
#else
        if (
SQLFetch(m_hstmt) == SQL_ERROR)
            ThrowError(CODBCERR::eFetch);

        strcpy(
m_txn.NewOrder.OL[i].ol_i_name, m_ol_i_name );

        if (
strstr(m_i_data, "ORIGINAL") != NULL &&
strstr(m_s_data, "ORIGINAL") != NULL )

            m_txn.NewOrder.OL[i].ol_brand_generic[0] =
'B';
        else
            m_txn.NewOrder.OL[i].ol_brand_generic[0] =
'G';

        m_txn.NewOrder.OL[i].ol_brand_generic[1] =
0;

        m_txn.NewOrder.OL[i].ol_stock
= m_ol_stock;

        m_txn.NewOrder.OL[i].ol_i_price
= m_ol_i_price;

        m_txn.NewOrder.OL[i].ol_amount
= m_ol_amount;
#endif

// move to
the next resultset
if (
SQLMoreResults(m_hstmt) == SQL_ERROR )
    ThrowError(CODBCERR::eMoreResults);

        m_txn.NewOrder.total_amount +=
m_txn.NewOrder.OL[i].ol_amount;
    }

// associate the column
bindings for the second result set
    if ( SQLSetStmtAttrW(
m_hstmt, SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols2,
SQL_IS_POINTER ) != SQL_SUCCESS )

```

```

        ThrowError(CODBCERR::eSetStmtAttr);

        if ( SQLFetch(m_hstmt)
== SQL_ERROR)
            ThrowError(CODBCERR::eFetch);

        SQLFreeStmt(m_hstmt,
SQL_CLOSE);

        if (m_no_commit_flag ==
1)
        {
            m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
m_txn.NewOrder.c_discount));

            m_txn.NewOrder.exec_status_code = eOK;
        }
        else
            m_txn.NewOrder.exec_status_code =
eInvalidItem;

        break;
    }
    catch (CODBCERR *e)
    {
        if (!e->m_bDeadLock)
        {
            if (++iTryCount > iMaxRetries)
                throw;

            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
    }

// if (iTryCount)
// throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitPaymentParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtPayment) != SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtPayment;

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Payment.w_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Payment.c_w_id, 0, NULL) != SQL_SUCCESS

```



```

        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_DOUBLE, SQL_NUMERIC, 6, 2,
&m_txn.Payment.h_amount, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.Payment.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.Payment.c_d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.Payment.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_CHAR, SQL_CHAR,
sizeof(m_txn.Payment.c_last), 0,
&m_txn.Payment.c_last, sizeof(m_txn.Payment.c_last),
NULL) != SQL_SUCCESS
    )
    ThrowError(CODBCERR::eBindParam);

    i = 0;
    if ( SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.Payment.c_id, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_last,
sizeof(m_txn.Payment.c_last), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.Payment.h_date,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_street_1,
sizeof(m_txn.Payment.w_street_1), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_street_2,
sizeof(m_txn.Payment.w_street_2), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_city,
sizeof(m_txn.Payment.w_city), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_state,
sizeof(m_txn.Payment.w_state), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_zip,
sizeof(m_txn.Payment.w_zip), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_street_1,
sizeof(m_txn.Payment.d_street_1), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_street_2,
sizeof(m_txn.Payment.d_street_2), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_city,
sizeof(m_txn.Payment.d_city), NULL) !=
SQL_SUCCESS

```

```

        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_state,
sizeof(m_txn.Payment.d_state), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_zip,
sizeof(m_txn.Payment.d_zip), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_first,
sizeof(m_txn.Payment.c_first), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_middle,
sizeof(m_txn.Payment.c_middle), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_street_1,
sizeof(m_txn.Payment.c_street_1), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_street_2,
sizeof(m_txn.Payment.c_street_2), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_city,
sizeof(m_txn.Payment.c_city), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_state,
sizeof(m_txn.Payment.c_state), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_zip,
sizeof(m_txn.Payment.c_zip), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_phone,
sizeof(m_txn.Payment.c_phone), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.Payment.c_since,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_credit,
sizeof(m_txn.Payment.c_credit), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_credit_lim, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_discount, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_balance, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_data,
sizeof(m_txn.Payment.c_data), NULL) !=
SQL_SUCCESS
    )
    ThrowError(CODBCERR::eBindCol);
}

```

```

void CTPCC_ODBC::Payment()
{
    RETCODE rc;
    int iTryCount =
0;

    m_hstmt = m_hstmtPayment;

    if (m_txn.Payment.c_id != 0)
        m_txn.Payment.c_last[0] = 0;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)L"call
tpcc_payment(?,?,?,?,?,?)", SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)

                ThrowError(CODBCERR::eExecDirect);

            if (SQLFetch(m_hstmt)
== SQL_ERROR)

                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt,
SQL_CLOSE);

            if (m_txn.Payment.c_id
== 0)

                throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_INVALID_CUST );
            else

                m_txn.Payment.exec_status_code = eOK;

            break;
        }
        catch (CODBCERR *e)
        {
            if (!(e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))

                throw;

            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
    }

    // if (iTryCount)
    // throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitOrderStatusParams()
{

```

```

        if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtOrderStatus) != SQL_SUCCESS
        ||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols1) != SQL_SUCCESS
        ||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols2) != SQL_SUCCESS
        )
    ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtOrderStatus;

    if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )
    ThrowError(CODBCERR::eSetStmtAttr);

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.OrderStatus.w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.OrderStatus.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.OrderStatus.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_CHAR, SQL_CHAR,
sizeof(m_txn.OrderStatus.c_last), 0,
&m_txn.OrderStatus.c_last,
sizeof(m_txn.OrderStatus.c_last), NULL) !=
SQL_SUCCESS
        )
    ThrowError(CODBCERR::eBindParam);

    // configure block cursor
    if ( SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROW_BIND_TYPE,
(SQLPOINTER)sizeof(m_txn.OrderStatus.OL[0]), 0) !=
SQL_SUCCESS
        || SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROWS_FETCHED_PTR, &m_RowsFetched, 0) !=
SQL_SUCCESS
        )
    ThrowError(CODBCERR::eSetStmtAttr);

    i = 0;
    if ( SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT,
&m_txn.OrderStatus.OL[0].ol_supply_w_id, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.OL[0].ol_i_id, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.OrderStatus.OL[0].ol_quantity,
0, NULL) != SQL_SUCCESS
    )

```

```

        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.OrderStatus.OL[0].ol_amount, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP,
&m_txn.OrderStatus.OL[0].ol_delivery_d, 0, NULL) !=
SQL_SUCCESS
    )
    ThrowError(CODBCERR::eBindCol);

    if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols2,
SQL_IS_POINTER ) != SQL_SUCCESS )
    ThrowError(CODBCERR::eSetStmtAttr);

    i = 0;
    if ( SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.c_id, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_last,
sizeof(m_txn.OrderStatus.c_last), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_first,
sizeof(m_txn.OrderStatus.c_first), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_middle,
sizeof(m_txn.OrderStatus.c_middle), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.OrderStatus.o_entry_d,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.OrderStatus.o_carrier_id, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.OrderStatus.c_balance, 0, NULL)
!= SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.o_id, 0, NULL) !=
SQL_SUCCESS
    )
    ThrowError(CODBCERR::eBindCol);
}

void CTPCC_ODBC::OrderStatus()
{
    int iTryCount = 0;
    RETCODE rc;

    m_hstmt = m_hstmtOrderStatus;

    if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )
    ThrowError(CODBCERR::eSetStmtAttr);
}

```

```

    if (m_txn.OrderStatus.c_id != 0)
        m_txn.OrderStatus.c_last[0] = 0;

    while (TRUE)
    {
        try
        {
            // configure block
            cursor
            if (
SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)1, 0) != SQL_SUCCESS )
            ThrowError(CODBCERR::eSetStmtAttr);

            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)"L'{call
tpcc_orderstatus(?,?,?,?)}'", SQL_NTS);
            if ( ((rc ==
SQL_SUCCESS_WITH_INFO) && (m_RowsFetched != 0)) ||
(rc == SQL_ERROR) )
            ThrowError(CODBCERR::eExecDirect);

            // configure block
            cursor
            if (
SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)MAX_OL_ORDER_STATUS_ITEMS, 0) !=
SQL_SUCCESS )
            ThrowError(CODBCERR::eSetStmtAttr);

            rc = SQLFetchScroll(
m_hstmt, SQL_FETCH_NEXT, 0 );
            if ( ((rc ==
SQL_SUCCESS_WITH_INFO) && (m_RowsFetched != 0)) ||
(rc == SQL_ERROR) )
            ThrowError(CODBCERR::eFetchScroll);

            m_txn.OrderStatus.o_ol_cnt =
(short)m_RowsFetched;

            if
(m_txn.OrderStatus.o_ol_cnt != 0)
            {
                if (
SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descOrderStatusCols2, SQL_IS_POINTER ) !=
SQL_SUCCESS )
                ThrowError(CODBCERR::eSetStmtAttr);

                if (
SQLMoreResults(m_hstmt) == SQL_ERROR )
                ThrowError(CODBCERR::eMoreResults);

                if ( (rc =
SQLFetch(m_hstmt)) == SQL_ERROR)

```

```

        ThrowError(CODBCERR::eFetch);
    }

    SQLFreeStmt(m_hstmt,
SQL_CLOSE);

        if
(m_txn.OrderStatus.o_ol_cnt == 0)
            throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_NO_SUCH_ORDER );
        else if
(m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
            throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_INVALID_CUST );
        else

            m_txn.OrderStatus.exec_status_code = eOK;

            break;
        }
        catch (CODBCERR *e)
        {
            if (!(e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))
                throw;

            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
    }

//        if (iTryCount)
//            throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitDeliveryParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtDelivery) != SQL_SUCCESS )

        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtDelivery;

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Delivery.w_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Delivery.o_carrier_id, 0, NULL) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eBindParam);

    for (i=0;i<10;i++)
    {

```

```

        if ( SQLBindCol(m_hstmt,
(UWORD)(i+1), SQL_C_SLONG, &m_txn.Delivery.o_id[i],
0, NULL) != SQL_SUCCESS )

            ThrowError(CODBCERR::eBindCol);
        }
    }

void CTPCC_ODBC::Delivery()
{
    RETCODE        rc;
    int            iTryCount =
0;

    m_hstmt = m_hstmtDelivery;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)L"call
tpcc_delivery(?,?)", SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)

                ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt)
== SQL_ERROR )

                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt,
SQL_CLOSE);

            m_txn.Delivery.exec_status_code = eOK;
            break;
        }
        catch (CODBCERR *e)
        {
            if (!(e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))
                throw;

            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
    }

//        if (iTryCount)
//            throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

tpcc_odbc.h
/*        FILE:        TPCC_ODBC.H

```

```

*        Microsoft
TPC-C Kit Ver. 4.20.000
*        Copyright
Microsoft, 1999
*        All Rights Reserved
*
*        Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*        PURPOSE:  Header file for TPC-C txn class
implementation.
*
*        Change history:
*
*        4.20.000 - updated rev number to
match kit
*/
#pragma once

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CODBCERR : public CBaseErr
{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eAllocConn,
        // error from SQLAllocConnect
        eAllocHandle,
        // error from SQLAllocHandle
        eConnOption,
        // error from SQLSetConnectOption
        eConnect,
        // error from SQLConnect
        eAllocStmt,
        // error from SQLAllocStmt
        eExecDirect,
        // error from SQLExeDirect
        eBindParam,
        // error from SQLBindParameter
        eBindCol,
        // error from SQLBindCol
        eFetch,
        // error from SQLFetch
        eFetchScroll,
        // error from SQLFetchScroll
        eMoreResults,
        // error from SQLMoreResults
        ePrepare,
        // error from SQLPrepare
        eExecute,
        // error from SQLExecute
        eSetEnvAttr,
        // error from SQLSetEnvAttr
        eSetStmtAttr,
        // error from SQLSetStmtAttr
    }

```

```

};
COBDCERR(void)
{
    m_eAction = eNone;
    m_NativeError = 0;
    m_bDeadLock = FALSE;
    m_odbcerrstr = NULL;
};
~COBDCERR()
{
    if (m_odbcerrstr !=
NULL)
        delete []
m_odbcerrstr;
};
ACTION    m_eAction;
int
m_NativeError;
BOOL    m_bDeadLock;
char    *m_odbcerrstr;

int ErrorType() {return
ERR_TYPE_ODBC;};
int ErrorNum() {return
m_NativeError;};
char *ErrorText() {return
m_odbcerrstr;};
};

class CTPCC_ODBC_ERR : public CBaseErr
{
public:
    enum TPCC_ODBC_ERRS
    {
        ERR_WRONG_SP_VERSION =
1, // "Wrong version of stored procs on
database server"
        ERR_INVALID_CUST,
// "Invalid Customer id,name."
        ERR_NO_SUCH_ORDER,
// "No orders found for
customer."
        ERR_RETRIED_TRANS,
// "Retries before transaction
succeeded."
    };

    CTPCC_ODBC_ERR( int iErr ) {
m_errno = iErr; m_iTryCount = 0; };

    CTPCC_ODBC_ERR( int iErr, int
iTryCount ) { m_errno = iErr; m_iTryCount =
iTryCount; };

    int                m_errno;
    int                m_iTryCount;

    int ErrorType() {return
ERR_TYPE_TPCC_ODBC;};

```

```

int ErrorNum() {return m_errno;};
char *ErrorText();
};

class DllDecl CTPCC_ODBC : public CTPCC_BASE
{
private:
// declare variables and private
functions here...
    BOOL                m_bDeadlock;
// transaction was selected as
deadlock victim
    int
m_MaxRetries; // retry
count on deadlock

    SQLHENV            m_henv;
// ODBC environment
handle
    SQLHDBC            m_hdbc;
    SQLHSTMT            m_hstmt;
// the current hstmt

    SQLHSTMT            m_hstmtNewOrder;
    SQLHSTMT            m_hstmtPayment;
    SQLHSTMT            m_hstmtDelivery;
    SQLHSTMT            m_hstmtOrderStatus;
    SQLHSTMT            m_hstmtStockLevel;

    SQLHDESC            m_descNewOrderCols1;
    SQLHDESC            m_descNewOrderCols2;
    SQLHDESC            m_descOrderStatusCols1;
    SQLHDESC            m_descOrderStatusCols2;

// new-order specific fields
    SQLUIINTEGER        m_BindOffset;
    SQLUIINTEGER
m_RowsFetched;
    int
m_no_commit_flag;

#ifdef new_order_strstr
// for new-order txn;
// output params
char
m_ol_i_name[I_NAME_LEN+1];
double                m_ol_i_price;
double                m_ol_amount;
short                 m_ol_stock;
// used locally, but not returned

to caller
    char
m_i_data[I_DATA_LEN];
    char
m_s_data[S_DATA_LEN];
#endif

    void ThrowError( COBDCERR::ACTION
eAction );

    void InitNewOrderParams();
    void InitPaymentParams();

```

```

void InitDeliveryParams();
void InitStockLevelParams();
void InitOrderStatusParams();

union
{
    NEW_ORDER_DATA
NewOrder;
    PAYMENT_DATA
Payment;
    DELIVERY_DATA
Delivery;
    STOCK_LEVEL_DATA
StockLevel;
    ORDER_STATUS_DATA
OrderStatus;
}
m_txn;

public:
    CTPCC_ODBC(LPCSTR szServer,
LPCSTR szUser, LPCSTR szPassword, LPCSTR szHost,
LPCSTR szDatabase);
    ~CTPCC_ODBC(void);

    inline PNEW_ORDER_DATA
BuffAddr_NewOrder() { return
&m_txn.NewOrder; };
    inline PPAYMENT_DATA
BuffAddr_Payment() { return
&m_txn.Payment; };
    inline PDELIVERY_DATA
BuffAddr_Delivery() { return
&m_txn.Delivery; };
    inline PSTOCK_LEVEL_DATA
BuffAddr_StockLevel() { return
&m_txn.StockLevel; };
    inline PORDER_STATUS_DATA
BuffAddr_OrderStatus() { return
&m_txn.OrderStatus; };

    void NewOrder            ();
    void Payment            ();
    void Delivery           ();
    void StockLevel         ();
    void OrderStatus        ();
};

// wrapper routine for class constructor
extern "C" DllDecl CTPCC_ODBC* CTPCC_ODBC_new
( LPCSTR szServer, LPCSTR szUser, LPCSTR
szPassword, LPCSTR szHost, LPCSTR szDatabase );

typedef CTPCC_ODBC* (TYPE_CTPCC_ODBC)(LPCSTR, LPCSTR,
LPCSTR, LPCSTR, LPCSTR);

trans.h
/* FILE: TRANS.H

```

```

*
* Microsoft
TPC-C Kit Ver. 4.20.000
* Copyright
Microsoft, 1999
* All Rights Reserved
*
* Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
* PURPOSE: Header file for TPC-C structure
templates.
*
* Change history:
* 4.20.000 - updated rev number to
match kit
*/
#pragma once

// String length constants
#define SERVER_NAME_LEN 20
#define DATABASE_NAME_LEN 20
#define USER_NAME_LEN 20
#define PASSWORD_LEN 20
#define TABLE_NAME_LEN 20
#define I_DATA_LEN 50
#define I_NAME_LEN 24
#define BRAND_LEN 1
#define LAST_NAME_LEN 16
#define W_NAME_LEN 10
#define ADDRESS_LEN 20
#define STATE_LEN 2
#define ZIP_LEN 9
#define S_DIST_LEN 24
#define S_DATA_LEN 50
#define D_NAME_LEN 10
#define FIRST_NAME_LEN 16
#define MIDDLE_NAME_LEN 2
#define PHONE_LEN 16
#define DATETIME_LEN 30
#define CREDIT_LEN 2
#define C_DATA_LEN 250
#define H_DATA_LEN 24
#define DIST_INFO_LEN 24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN 25
#define OL_DIST_INFO_LEN 24

// TIMESTAMP_STRUCT is provided by the ODBC header
file sqltypes.h, but is not available
// when compiling with dblink, so redefined here.
Note: we are using the symbol "__SQLTYPES"
// (declared in sqltypes.h) as a way to determine if
TIMESTAMP_STRUCT has been declared.
#ifdef __SQLTYPES
typedef struct
{
short
/* SQLSMALLINT */ year;
unsigned short /*
SQLUSMALLINT */ month;

```

```

unsigned short /*
SQLUSMALLINT */ day;
unsigned short /*
SQLUSMALLINT */ hour;
unsigned short /*
SQLUSMALLINT */ minute;
unsigned short /*
SQLUSMALLINT */ second;
unsigned long /*
SQLINTEGER */ fraction;
} TIMESTAMP_STRUCT;
#endif

// possible values for exec_status_code after
transaction completes
enum EXEC_STATUS
{
eOK, // 0
"Transaction committed.",
eInvalidItem, // 1 "Item number
is not valid.",
eDeliveryFailed // 2 "Delivery
Post Failed."
};

// transaction structures
typedef struct
{
// input params
short
ol_supply_w_id;
long
ol_i_id;
short
ol_quantity;

// output params
char
ol_i_name[I_NAME_LEN+1];
char
ol_brand_generic[BRAND_LEN+1];
double
ol_i_price;
double
ol_amount;
short
ol_stock;
} OL_NEW_ORDER_DATA;

typedef struct
{
// input params
short
w_id;
short
d_id;
long
c_id;
short
o_ol_cnt;

// output params
EXEC_STATUS
exec_status_code;
char
c_last[LAST_NAME_LEN+1];
char
c_credit[CREDIT_LEN+1];

```

```

double
c_discount;
double
w_tax;
double
d_tax;
long
o_id;
short
o_commit_flag;
TIMESTAMP_STRUCT
o_entry_d;
short
o_all_local;
double
total_amount;
OL_NEW_ORDER_DATA
OL[MAX_OL_NEW_ORDER_ITEMS];
} NEW_ORDER_DATA, *PNEW_ORDER_DATA;

typedef struct
{
// input params
short
w_id;
short
d_id;
long
c_id;
short
c_d_id;
short
c_w_id;
double
h_amount;
char
c_last[LAST_NAME_LEN+1];

// output params
EXEC_STATUS
exec_status_code;
TIMESTAMP_STRUCT
h_date;
char
w_street_1[ADDRESS_LEN+1];
char
w_street_2[ADDRESS_LEN+1];
char
w_city[ADDRESS_LEN+1];
char
w_state[STATE_LEN+1];
char
w_zip[ZIP_LEN+1];
char
d_street_1[ADDRESS_LEN+1];
char
d_street_2[ADDRESS_LEN+1];
char
d_city[ADDRESS_LEN+1];
char
d_state[STATE_LEN+1];
char
d_zip[ZIP_LEN+1];
char
c_first[FIRST_NAME_LEN+1];
char
c_middle[MIDDLE_NAME_LEN + 1];
char
c_street_1[ADDRESS_LEN+1];
char
c_street_2[ADDRESS_LEN+1];

```

```

char
c_city[ADDRESS_LEN+1];
char
c_state[STATE_LEN+1];
char
c_zip[ZIP_LEN+1];
char
c_phone[PHONE_LEN+1];
TIMESTAMP_STRUCT    c_since;
char
c_credit[CREDIT_LEN+1];
double
c_credit_lim;
double
c_discount;
double
c_balance;
char
c_data[200+1];
} PAYMENT_DATA, *PPAYMENT_DATA;

typedef struct
{
    long
    ol_i_id;
    short
    ol_supply_w_id;
    short
    ol_quantity;
    double
    ol_amount;
    TIMESTAMP_STRUCT    ol_delivery_d;
} OL_ORDER_STATUS_DATA;

typedef struct
{
    // input params
    short
    w_id;
    short
    d_id;
    long
    c_id;
    char
    c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS
    exec_status_code;
    char
    c_first[FIRST_NAME_LEN+1];
    char
    c_middle[MIDDLE_NAME_LEN+1];
    double
    c_balance;
    long
    o_id;
    TIMESTAMP_STRUCT
    o_entry_d;
    short
    o_carrier_id;
    OL_ORDER_STATUS_DATA
    OL_ORDER_STATUS_DATA;
} ORDER_STATUS_DATA, *PORDER_STATUS_DATA;

typedef struct
{
    // input params
    short
    w_id;
    short
    o_carrier_id;

```

```

// output params
EXEC_STATUS
exec_status_code;
SYSTEMTIME
queue_time;
long
o_id[10]; // id's of delivered
orders for districts 1 to 10
} DELIVERY_DATA, *PDELIVERY_DATA;

//This structure is used for posting delivery
transactions and for writing them to the delivery
server.
typedef struct _DELIVERY_TRANSACTION
{
    SYSTEMTIME
    queue;
    //time delivery transaction queued
    short
    w_id;
    //delivery warehouse
    short
    o_carrier_id;
    //carrier id
} DELIVERY_TRANSACTION;

typedef struct
{
    // input params
    short
    w_id;
    short
    d_id;
    short
    threshold;

    // output params
    EXEC_STATUS
    exec_status_code;
    long
    low_stock;
} STOCK_LEVEL_DATA, *PSTOCK_LEVEL_DATA;

txn_base.h
/* FILE: TXN_BASE.H
Microsoft
TPC-C Kit Ver. 4.20.000
Copyright
Microsoft, 1999
All Rights Reserved
Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
PURPOSE: Header file for TPC-C txn class
implementation.
Change history:
4.20.000 - updated rev number to
match kit
*/
#pragma once

```

```

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class DllDecl CTPCC_BASE
{
public:
    CTPCC_BASE(void) {};
    virtual ~CTPCC_BASE(void) {};

    virtual PNEW_ORDER_DATA
    BuffAddr_NewOrder() = 0;
    virtual PPAYMENT_DATA
    BuffAddr_Payment() = 0;
    virtual PDELIVERY_DATA
    BuffAddr_Delivery() = 0;
    virtual PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel() = 0;
    virtual PORDER_STATUS_DATA
    BuffAddr_OrderStatus() = 0;

    virtual void NewOrder
    () = 0;
    virtual void Payment
    () = 0;
    virtual void Delivery
    () = 0;
    virtual void StockLevel
    () = 0;
    virtual void OrderStatus
    () = 0;
};

```

txnlog.h

```

/* FILE: TXNLOG.H
Microsoft
TPC-C Kit Ver. 4.10.000
not yet
audited
PURPOSE: Header file for txn log class
Copyright
Microsoft, 1999
All Rights Reserved
*/

#pragma once

typedef struct _TXN_NEWORDER
{
    BYTE
    OL_Count; //range 0 to
31
    BYTE
    OL_Remote_Count; //range 0 to
31
    WORD
    c_id;
    int
    o_id;
} TXN_NEWORDER;

```

```

typedef struct _TXN_PAYMENT
{
    BYTE    CustByName;
    BYTE    IsRemote;
} TXN_PAYMENT;

typedef struct _TXN_ORDERSTATUS
{
    BYTE    CustByName;
} TXN_ORDERSTATUS;

typedef union _TXN_DETAILS
{
    TXN_NEWORDER    NewOrder;
    TXN_PAYMENT     Payment;
    TXN_ORDERSTATUS OrderStatus;
} TXN_DETAILS;

// Common header for all records in txn
log. The TxnType field is
// a switch which identifies the particular
variant.
#define TXN_REC_TYPE_CONTROL    1
//
#define TXN_REC_TYPE_TPCC      2
// replaces TRANSACTION_TYPE_TPCC
#define TXN_REC_TYPE_TPCC_DELIV_DEF    3

typedef struct _TXN_RECORD_HEADER
{
    JULIAN_TIME    TxnStartT0;
    // start of txn
    BYTE    TxnType;
    // one of TXN_REC_TYPE_*
    BYTE    TxnSubType;
    // depends on TxnType
} TXN_RECORD_HEADER, *PTXN_RECORD_HEADER;

typedef struct _TXN_RECORD_CONTROL
{
    // common header; must exactly
match TXN_RECORD_HEADER
    JULIAN_TIME    TxnStartT0;
    // start of txn
    BYTE    TxnType;
    // = TXN_REC_TYPE_CONTROL
    BYTE    TxnSubType;
    // depends on TxnType
    // end of common header

    DWORD    Len;
    // number of bytes after this
field
} TXN_RECORD_CONTROL, *PTXN_RECORD_CONTROL;

// TPC-C Txn Record Layout:
//

```

```

//'TxnStartT0' is a Julian timestamp
corresponding to the moment the
//txn is sent to the SUT, i.e., beginning of
response time. Deltas
//are in milliseconds. Note that if RTDelay > 0,
then the txn was
//delayed by this amount. The delay occurs at
the beginning of the
//response time. So if RTDelay > 0, then the txn
was actually sent
//at TxnStartT0 + RTDelay.
//
//Graphically:
//
// time -->
//
// |--- Menu ---|--- Keying ---|--- Response ---
|--- Think ---|
//
// <- DeltaT3 -> <- DeltaT1 -> <- DeltaT2 -> <- DeltaT4 ->
<- DeltaT3 ->
//
// ^
// ^ TxnStartT0
//
//RTDelay is the amount of response time delay
included in DeltaT4.
//RTDelay is recorded per txn because this value
can be changed on
//the fly, and so may vary from txn to txn.
//
//TxnStatus is the txn completion code. It is
used to indicate errors.
//For example, in the New Order txn, 1% of txns
abort. TxnStatus will
//reflect this.

typedef struct _TXN_RECORD_TPCC
{
    // common header; must exactly
match TXN_RECORD_HEADER
    JULIAN_TIME    TxnStartT0;
    // start of txn
    BYTE    TxnType;
    // = TXN_REC_TYPE_TPCC
    BYTE    TxnSubType;
    // depends on TxnType
    // end of common header

    int    DeltaT1;
    // menu time (ms)

    int    DeltaT2;
    // keying time (ms)

    int    DeltaT3;
    // think time (ms)

    int    DeltaT4;
    // response time (ms)

    int    RTDelay;
    // response time delay (ms)

    int    TxnError;
    // error code providing more detail for
TxnStatus

    WORD    w_id;
    // warehouse ID

```

```

    BYTE    d_id;
    // assigned district ID for this thread
    BYTE    d_id_ThisTxn;
    // district ID chosen for this particular
    BYTE    TxnStatus;
    // completion status for txn to indicate
errors
    BYTE    reserved;
    // for word alignment
    TXN_DETAILS    TxnDetails;
    //
    } TXN_RECORD_TPCC, *PTXN_RECORD_TPCC;
//
// TPC-C Deferred Delivery Txn Record
Layout:
//
//Incorporating delivery transaction information
into the above
//structure would increase the size of
TXN_DETAILS from 8 to 42 bytes.
//Hence, we store delivery transaction details in
a separate structure.
//
typedef struct _TXN_RECORD_TPCC_DELIV_DEF
{
    // common header; must exactly
match TXN_RECORD_HEADER
    JULIAN_TIME    TxnStartT0;
    // start of txn
    BYTE    TxnType;
    // = TXN_REC_TYPE_TPCC_DELIV_DEF
    BYTE    TxnSubType;
    // = 0
    // end of common header

    int    DeltaT4;
    // response time (ms)

    int    DeltaTxnExec;
    // execution time (ms)

    WORD    w_id;
    // warehouse ID
    BYTE    TxnStatus;
    // completion status for txn to indicate
errors
    BYTE    reserved;
    // for word alignment
    short    o_carrier_id;
    // carrier id
    long    o_id[10];
    // returned delivery transaction ids
    } TXN_RECORD_TPCC_DELIV_DEF,
*PTXN_RECORD_TPCC_DELIV_DEF;

#define TXN_LOG_VERSION    1
#define TXN_DATA_START    4096
// offset in log file where log
records start
#define TXN_LOG_EYE_CATCHER "BC"
// signature bytes at the start of log file

```

```

////////////////////////////////////
////////////////////////////////////
// The transaction log has a header as the
first 4K block.
//
typedef struct _TXN_LOG_HEADER
{
    char
    EyeCatcher[2];    // signature bytes;
should always be "BC"
    int
    LogVersion;      // set to
TXN_LOG_VERSION
    JULIAN_TIME
    BeginTxnTS;     // timestamp
of first (lowest) txn start
    JULIAN_TIME
    EndTxnTS;       // timestamp of last
(highest) txn completion time
    int
    iRecCount;      // number of
records in log file
    BOOL
    bLogSorted;     //
    int
    iFileSize;      // file size
in bytes

    // the record map provides a fast
way to get close to a particular timestamp in a
sorted log file.
//
    struct
    {
        JULIAN_TIME
        TS;         // timestamp
of record
    }
    int
    iPos;          // byte
position in file
//
    RecMap[RecMapSize];
// #define
    RecMapSize
    200
} TXN_LOG_HEADER, *PTXN_LOG_HEADER;

#define READ_BUFFER_SIZE    64*1024
#define WRITE_BUFFER_SIZE  8*1024

#define NUM_READ_BUFFERS    1
#define NUM_WRITE_BUFFERS  2
#define MAX_NUM_BUFFERS    2

// flags passed in to the constructor
#define TXN_LOG_WRITE       0x01
#define TXN_LOG_READ       0x02
#define TXN_LOG_SORTED     0x04

#define TXN_LOG_OS_ERROR    1
#define TXN_LOG_NOT_SORTED 2

```

```

#define SKIP_CTRL_RECS      1

class CTxnLog
{
private:
    DWORD    iBufferSize;
//buffer allocated size
    DWORD    iBytesFreeInBuffer;
//total bytes
available for use in buffer
    int
    iNumBuffers;
//buffers in use
    int
    iActiveBuffer;
//indicates which buffer is active: 0 or 1
    int
    iIoBuffer;
//buffer for any pending IO operation
    int
    iFilePointer;
//position in file.
    int
    iNextRec;
//when reading, ordinal value of next
record

    // A "save point" is remembered
each time GetNextRecord is called with a start time
specified.
    // The next time it is called, if
start time is after the save point, we start scanning
from the
    // save point. This is
particularly useful in FindBestInterval, where the
log is scanned repeatedly.
    JULIAN_TIME
    SavePtTime;
    int
    iSavePtFilePointer;
    int
    iSavePtNextRec;

    JULIAN_TIME    lastTS;
//when
writing sorted output, used to verify records are
sorted
    BOOL
    bWrite;
//writing log
file

    BOOL
    bLogSorted;
//
is log file sorted? applies to both input and output
    JULIAN_TIME
    BeginTxnTS;
//
timestamp of first (lowest) txn start
    JULIAN_TIME
    EndTxnTS;
// timestamp
of last (highest) txn completion time

```

```

    int
    iRecCount;
//
number of records in log file
    BYTE
    *pCurrent;
//ptr to
current buffer
    BYTE
    *pBuffer[MAX_NUM_BUFFERS];
    PTXN_RECORD_HEADER *TxnArray;
//transaction record pointer
array for sort
    DWORD    dwError;
HANDLE
    hTxnFile;
//handle to log file
    HANDLE
    hMapFile;
//map file used when
sorting the log
    HANDLE
    hIoComplete;
//event to signify that
there are no pending IOs
    HANDLE
    hLogFileIo;
//event to
signal the IO thread to write the inactive buffer

    Spinlock    Spin;
//spin lock to protect
the txn log file buffers

    int Write(BYTE *ptr, DWORD Size);
    static void LogFileIO(CTxnLog *);

public:
    CTxnLog:CTxnLog(LPCTSTR
szFileName, DWORD dwOpts);
    ~CTxnLog(void);

    int WriteToLog(PTXN_RECORD_TPCC
pTxnRcnd);
    int
    WriteToLog(PTXN_RECORD_TPCC_DELIV_DEF pTxnRcnd);
    int
    WriteToLog(PTXN_RECORD_CONTROL pCtrlRec);
    int WriteToLog(PTXN_RECORD_HEADER
pCtrlRec);

    int WriteCtrlRecToLog(BYTE
SubType, LPCTSTR lpStr, DWORD dwLen);

    void
    CloseTransactionLogFile(void);

    PTXN_RECORD_HEADER
    GetNextRecord(BOOL bSkipCtrlRecs = FALSE);
    PTXN_RECORD_HEADER
    GetNextRecord(JULIAN_TIME SeekTimeT0, BOOL
bSkipCtrlRecs = FALSE);

    int Sort(void);
    PTXN_RECORD_HEADER
    GetSortedRecord(int index);

```


Appendix B:

Database Design

The TPC-C database was created with the following Transact-SQL scripts:

removedb.sql

```
-- File:      REMOVEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Removes tpcc database and backup files
```

```
use master
go
```

```
-- remove any existing database and backup files
```

```
exec sp_dbremove tpcc, dropdev
go
```

```
exec sp_dropdevice 'tpccback1'
exec sp_dropdevice 'tpccback2'
exec sp_dropdevice 'tpccback3'
exec sp_dropdevice 'tpccback4'
go
```

backupdev.sql

```
-- File:      BACKUPDEVB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates tpcc database Backup Devices
```

```
use master
go
```

```
-- create backup devices
```

```
exec sp_addumpdevice 'disk', 'tpccback1', 'W:\tpccback1.dmp'
go
exec sp_addumpdevice 'disk', 'tpccback2', 'X:\tpccback2.dmp'
go
exec sp_addumpdevice 'disk', 'tpccback3', 'Y:\tpccback3.dmp'
go
exec sp_addumpdevice 'disk', 'tpccback4', 'Z:\tpccback4.dmp'
go
```

version.sql

```
-- File:      VERSION.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Returns version level of TPC-C stored procs
-- Note:     Always update the return value of this proc for
--           any interface changes or "must have" bug fixes.
--
-- The value returned by this SP defines the "interface level",
-- which must match between the stored procs and the client code.
-- The interface level may be down rev from the current kit. This
-- indicates that the interface hasn't changed since that version.
```

```
use tpcc
go
```

```
if exists ( select name from sysobjects where name = "tpcc_version" )
drop procedure tpcc_version
```

```
go
```

```
create proc tpcc_version
as
declare @version char(8)
```

```
begin
```

```
select @version = "4.10.000"
select @version as "Version"
```

```
end
```

```
go
```

createdb.sql

```
-- File:      CREATEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates tpcc database and backup files
```

```
use master
go
```

```
-- Create temporary table for timing
```

```
if exists ( select name from sysobjects where name = 'tpcc_timer' )
drop table tpcc_timer
```

```
go
```

```
create table tpcc_timer
```

```
(
start_date char(30),
end_date char(30)
)
```

```
insert into tpcc_timer values (0,0)
```

```
go
```

```
-- Store starting time
```

```

update tpcc_timer
set start_date = (select convert(char(30), getdate(),9))
go

-- create main database files

CREATE DATABASE tpcc
ON PRIMARY
(
    NAME = MSSQL_tpcc_root,
    FILENAME = "C:\MSSQL_tpcc_root.mdf",
    SIZE = 8MB,
    FILEGROWTH = 0),
FILEGROUP stock_fg
(
    NAME = MSSQL_stock1,
    FILENAME = "K:",
    SIZE = 65000MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_stock2,
    FILENAME = "L:",
    SIZE = 65000MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_stock3,
    FILENAME = "M:",
    SIZE = 65000MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_stock4,
    FILENAME = "N:",
    SIZE = 65000MB,
    FILEGROWTH = 0),
FILEGROUP cust_fg
(
    NAME = MSSQL_cust1,
    FILENAME = "G:",
    SIZE = 47000MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_cust2,
    FILENAME = "H:",
    SIZE = 47000MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_cust3,
    FILENAME = "I:",
    SIZE = 47000MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_cust4,
    FILENAME = "J:",
    SIZE = 47000MB,
    FILEGROWTH = 0),
FILEGROUP ordln_fg
(
    NAME = MSSQL_ordln1,
    FILENAME = "O:",
    SIZE = 55000MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_ordln2,
    FILENAME = "P:",
    SIZE = 55000MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_ordln3,
    FILENAME = "Q:",
    SIZE = 55000MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_ordln4,
    FILENAME = "R:",
    SIZE = 55000MB,
    FILEGROWTH = 0),

```

```

FILEGROUP misc_fg
(
    NAME = MSSQL_misc1,
    FILENAME = "S:",
    SIZE = 10000MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_misc2,
    FILENAME = "T:",
    SIZE = 10000MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_misc3,
    FILENAME = "U:",
    SIZE = 10000MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_misc4,
    FILENAME = "V:",
    SIZE = 10000MB,
    FILEGROWTH = 0)
LOG ON
(
    NAME = MSSQL_tpcc_log,
    FILENAME = "F:",
    SIZE = 242600MB,
    FILEGROWTH = 0)
COLLATE Latin1_General_Bin
go

-- Store ending time
update tpcc_timer
set end_date = (select convert(char(30), getdate(),9))
go

select "Elapsed time (in seconds): ", datediff(second,(select start_date from
tpcc_timer),(select end_date from tpcc_timer))

-- remove temporary table

if exists ( select name from sysobjects where name = 'tpcc_timer' )
drop table tpcc_timer
go

```

dbopt1.sql

```

-- File: DBOPT1.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Sets database options for data load

use master
go

exec sp_dboption tpcc,'select into/bulkcopy',true
exec sp_dboption tpcc,'trunc. log on chkpt.',true
go

use tpcc
go

checkpoint
go

```

dbopt2.sql

```
-- File:          DBOPT2.SQL
--               Microsoft TPC-C Benchmark Kit Ver. 4.22
--               Copyright Microsoft, 2001
-- Purpose:       Resets database options after data load

sp_dboption tpcc,'select into/bulkcopy',FALSE
GO

sp_dboption tpcc,'trunc. log on chkpt.',FALSE
GO

USE tpcc
GO

CHECKPOINT
GO

sp_configure 'allow updates',1
GO

RECONFIGURE WITH OVERRIDE
GO

DECLARE @msg          varchar(50)

--
--      OPTIONS FOR SQL SERVER 8.0
-- Set option values for user-defined indexes
--
SET @msg = ' '
PRINT @msg
SET @msg = 'Setting SQL Server indexoptions'
PRINT @msg
SET @msg = ' '
PRINT @msg

EXEC sp_indexoption 'customer',      'DisallowPageLocks',      TRUE
EXEC sp_indexoption 'district',      'DisallowPageLocks',      TRUE
EXEC sp_indexoption 'warehouse',     'DisallowPageLocks',      TRUE
EXEC sp_indexoption 'stock',         'DisallowPageLocks',      TRUE
EXEC sp_indexoption 'order_line',    'DisallowRowLocks',      TRUE
EXEC sp_indexoption 'orders',        'DisallowRowLocks',      TRUE
EXEC sp_indexoption 'new_order',     'DisallowRowLocks',      TRUE
EXEC sp_indexoption 'item',          'DisallowRowLocks',      TRUE
EXEC sp_indexoption 'item',          'DisallowPageLocks',      TRUE
GO

Print ' '
Print '*****'
Print 'Pre-specified Locking Hierarchy:'
Print '   Lockflag = 0 ==> No pre-specified hierarchy'
Print '   Lockflag = 1 ==> Lock at Page-level then Table-level'
Print '   Lockflag = 2 ==> Lock at Row-level then Table-level'
Print '   Lockflag = 3 ==> Lock at Table-level'
Print ' '
Print ' '

```

```
SELECT name,lockflags
FROM sysindexes
WHERE object_id('warehouse') = id OR
      object_id('district') = id OR
      object_id('customer') = id OR
      object_id('stock') = id OR
      object_id('orders') = id OR
      object_id('order_line') = id OR
      object_id('history') = id OR
      object_id('new_order') = id OR
      object_id('item') = id

ORDER BY lockflags asc
GO

sp_configure 'allow updates',0
GO

RECONFIGURE WITH OVERRIDE
GO

EXEC sp_dboption tpcc,          'auto update statistics',      FALSE
EXEC sp_dboption tpcc,          'auto create statistics',      FALSE
GO

EXEC sp_tableoption 'district',    'pintable',true
EXEC sp_tableoption 'warehouse',  'pintable',true
EXEC sp_tableoption 'new_order',  'pintable',true
EXEC sp_tableoption 'item',        'pintable',true
GO

```

RunSQLCfg.sql

```
/* TPC-C Benchmark Kit */
/* */
/* RUNSQLCFG.SQL */
/* */
/* This script file is used to set runtime server configuration parameters */
/* */

exec sp_configure "show advanced option", 1
go

reconfigure with override
go

/* change this value to approximately the number of connected users */
exec sp_configure "max worker threads",255

/* increase priority of user threads */
exec sp_configure "priority boost",1

/* disable automatic checkpointing */
exec sp_configure "recovery interval",32767

/* change to a mask appropriate for the number of processors on the server */
exec sp_configure "affinity mask",0xf

/* enable fibers */
exec sp_configure "lightweight pooling",1

go

```

```
reconfigure with override
go
```

VerifyTpccLoad.sql

```
-- File:      VERIFYTPCCLOAD.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Performs series of TPCC database checks to verify
--           that database load completed correctly

print      " "
select    convert(char(30), getdate(),9)
print      " "

use tpcc
go

--          *****
--          Check rows per table from SYSINDEXES
--          *****

print      'WAREHOUSE TABLE'

select    rows
from      sysindexes
where     id      = object_id("warehouse")
go

print      'DISTRICT TABLE = (10 * No of warehouses)''

select    rows
from      sysindexes
where     id      =object_id("district")
go

print      'ITEM TABLE = 100,000'

select    rows
from      sysindexes
where     id      =object_id("item")
go

print      'CUSTOMER TABLE = (30,000 * No of warehouses)''

select    rows
from      sysindexes
where     id      =object_id("customer")
go

print      'ORDERS TABLE = (30,000 * No of warehouses)''

select    rows
from      sysindexes
where     id      =object_id("orders")
go

print      'HISTORY TABLE = (30,000 * No of warehouses)''
```

```
select    rows
from      sysindexes
where     id      =object_id("history")
go

print      'STOCK TABLE = (100,000 * No of warehouses)''

select    rows
from      sysindexes
where     id      =object_id("stock")
go

print      'ORDER_LINE TABLE = (300,000 * No of warehouses + some change)''

select    rows
from      sysindexes
where     id      =object_id("order_line")
go

print      'NEW_ORDER TABLE = (9000 * No of warehouses)''

select    rows
from      sysindexes
where     id      =object_id("new_order")
go

--          *****
--          Check indices
--          *****

print      '*****Index Check*****'

use tpcc
go

sp_helpindex      customer
go

sp_helpindex      stock
go

sp_helpindex      district
go

sp_helpindex      item
go

sp_helpindex      new_order
go

sp_helpindex      orders
go

sp_helpindex      order_line
go

sp_helpindex      warehouse
go
```

backup.sql

```
-- File:      BACKUP.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates backup of tpcc database

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

dump database tpcc to tpccback1, tpccback2, tpccback3, tpccback4 with init, stats =
1

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go
```

restore.sql

```
-- File:      RESTORE.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Loads database backup from backup files

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

load database tpcc from tpccback1, tpccback2, tpccback3, tpccback4 with replace,
stats = 1

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go
```

sqlshutdown.sql

```
use tpcc
go
checkpoint
go
shutdown
go
```

idxcuscl.sql

```
-- File:      IDXCUSCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
```

```
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on customer table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'customer_cl' )
drop index customer.customer_cl

create unique clustered index customer_cl on customer(c_w_id, c_d_id, c_id)
on cust_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go
```

idxcusnc.sql

```
-- File:      IDXCUSNC.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates non-clustered index on customer table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'customer_nc1' )
drop index customer.customer_nc1

create unique nonclustered index customer_nc1 on customer(c_w_id, c_d_id, c_last,
c_first, c_id)
on cust_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go
```

idxdiscl.sql

```
-- File:      IDXDISCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
```

```

-- Purpose: Creates clustered index on district table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'district_cl' )
    drop index district.district_cl

create unique clustered index district_cl on district(d_w_id, d_id)
    with fillfactor=100 on misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

idxitmcl.sql

```

-- File:      IDXITMCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on item table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'item_cl' )
    drop index item.item_cl

create unique clustered index item_cl on item(i_id)
    on misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

idxnodcl.sql

```

-- File:      IDXNODCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on new_order table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'new_order_cl' )
    drop index new_order.new_order_cl

create unique clustered index new_order_cl on new_order(no_w_id, no_d_id, no_o_id)
    on misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

idxodlcl.sql

```

-- File:      IDXODLCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on order_line table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'order_line_cl' )
    drop index order_line.order_line_cl

create unique clustered index order_line_cl on order_line(ol_w_id, ol_d_id, ol_o_id,
ol_number)
    on ordln_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

idxordcl.sql

```

-- File:      IDXORDCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on orders table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'orders_cl' )
    drop index orders.orders_cl

create unique clustered index orders_cl on orders(o_w_id, o_d_id, o_id)
    on misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

idxordnc.sql

```

-- File:      IDXORDNC.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates non-clustered index on orders table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'orders_ncl' )
    drop index orders.orders_ncl

create index orders_ncl on orders(o_w_id, o_d_id, o_c_id, o_id)
    on misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

idxstkcl.sql

```

-- File:      IDXSTKCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on stock table

use tpcc
go

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'stock_cl' )
    drop index stock.stock_cl

create unique clustered index stock_cl on stock(s_i_id, s_w_id)
    on stock_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

idxwarcl.sql

```

-- File:      IDXWARCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on warehouse table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'warehouse_cl' )
    drop index warehouse.warehouse_cl

create unique clustered index warehouse_cl on warehouse(w_id)
    with fillfactor=100 on misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

tables.sql

```

-- File:      TABLES.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates TPC-C tables

```

```

use tpcc
go

set ANSI_NULL_DFLT_OFF on

```



```

go

sp_dboption 'tpcc', 'torn page detection', false
go

--
-- Remove all existing TPC-C tables
--

if exists ( select name from sysobjects where name = 'warehouse' )
drop table warehouse
go
if exists ( select name from sysobjects where name = 'district' )
drop table district
go
if exists ( select name from sysobjects where name = 'customer' )
drop table customer
go
if exists ( select name from sysobjects where name = 'history' )
drop table history
go
if exists ( select name from sysobjects where name = 'new_order' )
drop table new_order
go
if exists ( select name from sysobjects where name = 'orders' )
drop table orders
go
if exists ( select name from sysobjects where name = 'order_line' )
drop table order_line
go
if exists ( select name from sysobjects where name = 'item' )
drop table item
go
if exists ( select name from sysobjects where name = 'stock' )
drop table stock
go

--
-- Create new tables
--

create table warehouse
(
    w_id                smallint,
    w_name              char(10),
    w_street_1          char(20),
    w_street_2          char(20),
    w_city              char(20),
    w_state             char(2),
    w_zip              char(9),
    w_tax              numeric(4,4),
    w_ytd              numeric(12,2)
) on misc_fg
go

create table district
(
    d_id                tinyint,
    d_w_id              smallint,
    d_name              char(10),
    d_street_1          char(20),
    d_street_2          char(20),
    d_city              char(20),

```

```

    d_state            char(2),
    d_zip              char(9),
    d_tax              numeric(4,4),
    d_ytd              numeric(12,2),
    d_next_o_id        int
) on misc_fg
go

create table customer
(
    c_id                int,
    c_d_id              tinyint,
    c_w_id              smallint,
    c_first             char(16),
    c_middle            char(2),
    c_last              char(16),
    c_street_1          char(20),
    c_street_2          char(20),
    c_city              char(20),
    c_state             char(2),
    c_zip              char(9),
    c_phone            char(16),
    c_since            datetime,
    c_credit            char(2),
    c_credit_lim        numeric(12,2),
    c_discount          numeric(4,4),
    c_balance           numeric(12,2),
    c_ytd_payment       numeric(12,2),
    c_payment_cnt       smallint,
    c_delivery_cnt      smallint,
    c_data              char(500)
) on cust_fg
go

create table history
(
    h_c_id              int,
    h_c_d_id            tinyint,
    h_c_w_id            smallint,
    h_d_id              tinyint,
    h_w_id              smallint,
    h_date              datetime,
    h_amount            numeric(6,2),
    h_data              char(24)
) on misc_fg
go

create table new_order
(
    no_o_id             int,
    no_d_id             tinyint,
    no_w_id             smallint
) on misc_fg
go

create table orders
(
    o_id                int,
    o_d_id              tinyint,
    o_w_id              smallint,
    o_c_id              int,
    o_entry_d           datetime,
    o_carrier_id        tinyint,

```

```

        o_ol_cnt                tinyint,
        o_all_local             tinyint
    ) on misc_fg
go

create table order_line
(
    ol_o_id                    int,
    ol_d_id                    tinyint,
    ol_w_id                    smallint,
    ol_number                  tinyint,
    ol_i_id                    int,
    ol_supply_w_id             smallint,
    ol_delivery_d              datetime,
    ol_quantity                smallint,
    ol_amount                  numeric(6,2),
    ol_dist_info               char(24)
) on ordln_fg
go

create table item
(
    i_id                       int,
    i_im_id                    int,
    i_name                     char(24),
    i_price                    numeric(5,2),
    i_data                     char(50)
) on misc_fg
go

create table stock
(
    s_i_id                    int,
    s_w_id                    smallint,
    s_quantity                smallint,
    s_dist_01                 char(24),
    s_dist_02                 char(24),
    s_dist_03                 char(24),
    s_dist_04                 char(24),
    s_dist_05                 char(24),
    s_dist_06                 char(24),
    s_dist_07                 char(24),
    s_dist_08                 char(24),
    s_dist_09                 char(24),
    s_dist_10                 char(24),
    s_ytd                     int,
    s_order_cnt               smallint,
    s_remote_cnt              smallint,
    s_data                    char(50)
) on stock_fg
go

```

neword.sql

```

-- File:          NEWORD.SQL
--               Microsoft TPC-C Benchmark Kit Ver. 4.22
--               Copyright Microsoft, 2001
-- Purpose:       Creates new order transaction stored procedure
--
--               Interface Level: 4.10.000

use tpcc

```

```

go

if exists ( select name from sysobjects where name = "tpcc_neworder" )
    drop procedure tpcc_neworder
go

create proc tpcc_neworder
(
    @w_id                    smallint,
    @d_id                    tinyint,
    @c_id                    int,
    @o_ol_cnt                tinyint,
    @o_all_local             tinyint,
    @i_id1                   int = 0, @s_w_id1
    smallint = 0, @ol_qty1    smallint = 0,
    @i_id2                   int = 0, @s_w_id2
    smallint = 0, @ol_qty2    smallint = 0,
    @i_id3                   int = 0, @s_w_id3
    smallint = 0, @ol_qty3    smallint = 0,
    @i_id4                   int = 0, @s_w_id4
    smallint = 0, @ol_qty4    smallint = 0,
    @i_id5                   int = 0, @s_w_id5
    smallint = 0, @ol_qty5    smallint = 0,
    @i_id6                   int = 0, @s_w_id6
    smallint = 0, @ol_qty6    smallint = 0,
    @i_id7                   int = 0, @s_w_id7
    smallint = 0, @ol_qty7    smallint = 0,
    @i_id8                   int = 0, @s_w_id8
    smallint = 0, @ol_qty8    smallint = 0,
    @i_id9                   int = 0, @s_w_id9
    smallint = 0, @ol_qty9    smallint = 0,
    @i_id10                  int = 0, @s_w_id10
    smallint = 0, @ol_qty10   smallint = 0,
    @i_id11                  int = 0, @s_w_id11
    smallint = 0, @ol_qty11   smallint = 0,
    @i_id12                  int = 0, @s_w_id12
    smallint = 0, @ol_qty12   smallint = 0,
    @i_id13                  int = 0, @s_w_id13
    smallint = 0, @ol_qty13   smallint = 0,
    @i_id14                  int = 0, @s_w_id14
    smallint = 0, @ol_qty14   smallint = 0,
    @i_id15                  int = 0, @s_w_id15
    smallint = 0, @ol_qty15   smallint = 0
)
as
declare
    @w_tax                    numeric(4,4),
    @d_tax                    numeric(4,4),
    @c_last                   char(16),
    @c_credit                  char(2),
    @c_discount                numeric(4,4),
    @i_price                   numeric(5,2),
    @i_name                    char(24),
    @i_data                    char(50),
    @o_entry_d                 datetime,
    @remote_flag               int,
    @s_quantity                smallint,
    @s_data                    char(50),
    @s_dist                    char(24),
    @li_no                     int,
    @o_id                      int,
    @commit_flag               tinyint,
    @li_id                     int,
    @li_s_w_id                 smallint,

```

```

        @li_qty      smallint,
        @ol_number   int,
        @c_id_local  int

begin

begin transaction n

-- get district tax and next available order id and update
-- plus initialize local variables

        update  district
        set     @d_tax      = d_tax,
               @o_id      = d_next_o_id,
               d_next_o_id = d_next_o_id + 1,
               @o_entry_d  = getdate(),
               @li_no     = 0,
               @commit_flag = 1
        where   d_w_id     = @w_id and
               d_id      = @d_id

-- process orderlines

        while (@li_no < @o_ol_cnt)
        begin

                select @li_no = @li_no + 1

-- set i_id, s_w_id, and qty for this lineitem

                select  @li_id = case @li_no
                        when 1 then @i_id1
                        when 2 then @i_id2
                        when 3 then @i_id3
                        when 4 then @i_id4
                        when 5 then @i_id5
                        when 6 then @i_id6
                        when 7 then @i_id7
                        when 8 then @i_id8
                        when 9 then @i_id9
                        when 10 then @i_id10
                        when 11 then @i_id11
                        when 12 then @i_id12
                        when 13 then @i_id13
                        when 14 then @i_id14
                        when 15 then @i_id15
                        end,

                        @li_s_w_id = case @li_no
                        when 1 then @s_w_id1
                        when 2 then @s_w_id2
                        when 3 then @s_w_id3
                        when 4 then @s_w_id4
                        when 5 then @s_w_id5
                        when 6 then @s_w_id6
                        when 7 then @s_w_id7
                        when 8 then @s_w_id8
                        when 9 then @s_w_id9
                        when 10 then @s_w_id10
                        when 11 then @s_w_id11
                        when 12 then @s_w_id12
                        when 13 then @s_w_id13
                        when 14 then @s_w_id14

```

```

                        when 15 then @s_w_id15
                        end,

                        @li_qty = case @li_no
                        when 1 then @ol_qty1
                        when 2 then @ol_qty2
                        when 3 then @ol_qty3
                        when 4 then @ol_qty4
                        when 5 then @ol_qty5
                        when 6 then @ol_qty6
                        when 7 then @ol_qty7
                        when 8 then @ol_qty8
                        when 9 then @ol_qty9
                        when 10 then @ol_qty10
                        when 11 then @ol_qty11
                        when 12 then @ol_qty12
                        when 13 then @ol_qty13
                        when 14 then @ol_qty14
                        when 15 then @ol_qty15
                        end

-- get item data (no one updates item)

        select  @i_price = i_price,
               @i_name  = i_name,
               @i_data  = i_data
        from    item (tablock repeatableread)
        where   i_id = @li_id

-- update stock values

        update  stock
        set     s_ytd      = s_ytd + @li_qty,
               @s_quantity = s_quantity - @li_qty +
                        case when
                        (s_quantity - @li_qty < 10) then 91 else 0 end,
               s_order_cnt = s_order_cnt + 1,
               s_remote_cnt = s_remote_cnt + case when
                        (@li_s_w_id = @w_id) then 0 else 1 end,
               @s_data     = s_data,
               @s_dist    = case @d_id
                        when 1 then s_dist_01
                        when 2 then s_dist_02
                        when 3 then s_dist_03
                        when 4 then s_dist_04
                        when 5 then s_dist_05
                        when 6 then s_dist_06
                        when 7 then s_dist_07
                        when 8 then s_dist_08
                        when 9 then s_dist_09
                        when 10 then s_dist_10
                        end
        where   s_i_id     = @li_id and
               s_w_id     = @li_s_w_id

-- if there actually is a stock (and item) with these ids, go to work

        if (@@rowcount > 0)
        begin

-- insert order_line data (using data from item and stock)

```

```

insert into order_line values(@o_id,
                             @d_id,
                             @w_id,
                             @li_no,
                             @li_id,
                             @li_s_w_id,
                             "dec 31, 1899",
                             @li_qty,
                             @i_price *
@li_qty,
                             @s_dist)

-- send line-item data to client

select  @i_name,
        @s_quantity,
        b_g = case when (
(patindex("%ORIGINAL%",@i_data) > 0) and
(patindex("%ORIGINAL%",@s_data) > 0) )
        then "B" else "G" end,
        @i_price,
        @i_price * @li_qty

end
else
begin

-- no item (or stock) found - triggers rollback condition

select "",0,"",0,0
select @commit_flag = 0

end

end

-- get customer last name, discount, and credit rating

select  @c_last      = c_last,
        @c_discount = c_discount,
        @c_credit   = c_credit,
        @c_id_local = c_id

from    customer (repeatableread)
where   c_id         = @c_id and
        c_w_id       = @w_id and
        c_d_id       = @d_id

-- insert fresh row into orders table

insert into orders values ( @o_id,
                            @d_id,
                            @w_id,
                            @c_id_local,
                            @o_entry_d,
                            0,
                            @o_ol_cnt,
                            @o_all_local)

-- insert corresponding row into new-order table

insert into new_order values ( @o_id,
                               @d_id,

```

```

@w_id)

-- select warehouse tax

select  @w_tax = w_tax
from    warehouse (repeatableread)
where   w_id = @w_id

if (@commit_flag = 1)
    commit transaction n
else
    rollback transaction n

-- all that work for nuthn!!!

-- return order data to client

select  @w_tax,
        @d_tax,
        @o_id,
        @c_last,
        @c_discount,
        @c_credit,
        @o_entry_d,
        @commit_flag

end

go



---


delivery.sql


---


-- File: DELIVERY.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates delivery transaction stored procedure
--
-- Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_delivery" )
    drop procedure tpcc_delivery
go

create proc tpcc_delivery @w_id smallint,
                        @o_carrier_id smallint
as

declare @d_id tinyint,
        @o_id int,
        @c_id int,
        @total numeric(12,2),
        @oid1 int,
        @oid2 int,
        @oid3 int,
        @oid4 int,
        @oid5 int,
        @oid6 int,

```

```

        @oid7      int,
        @oid8      int,
        @oid9      int,
        @oid10     int

select @d_id = 0

begin tran d

    while (@d_id < 10)
    begin

        select      @d_id = @d_id + 1,
                   @total = 0,
                   @o_id = 0

        select      top 1
                   @o_id = no_o_id
        from        new_order (serializable uplock)
        where       no_w_id = @w_id and
                   no_d_id = @d_id
        order       by no_o_id asc

        if (@@rowcount <> 0)
        begin

-- claim the order for this district

                delete new_order
                where   no_w_id = @w_id and
                       no_d_id = @d_id and
                       no_o_id = @o_id

-- set carrier_id on this order (and get customer id)

                update orders
                set     o_carrier_id = @o_carrier_id,
                       @c_id = o_c_id
                where   o_w_id = @w_id and
                       o_d_id = @d_id and
                       o_id = @o_id

-- set date in all lineitems for this order (and sum amounts)

                update order_line
                set     ol_delivery_d = getdate(),
                       @total = @total + ol_amount
                where   ol_w_id = @w_id and
                       ol_d_id = @d_id and
                       ol_o_id = @o_id

-- accumulate lineitem amounts for this order into customer

                update customer
                set     c_balance = c_balance + @total,
                       c_delivery_cnt = c_delivery_cnt + 1

                where   c_w_id = @w_id and
                       c_d_id = @d_id and
                       c_id = @c_id

        end
    end

```

```

        select @oid1 = case @d_id when 1 then @o_id else @oid1 end,
               @oid2 = case @d_id when 2 then @o_id else @oid2 end,
               @oid3 = case @d_id when 3 then @o_id else @oid3 end,
               @oid4 = case @d_id when 4 then @o_id else @oid4 end,
               @oid5 = case @d_id when 5 then @o_id else @oid5 end,
               @oid6 = case @d_id when 6 then @o_id else @oid6 end,
               @oid7 = case @d_id when 7 then @o_id else @oid7 end,
               @oid8 = case @d_id when 8 then @o_id else @oid8 end,
               @oid9 = case @d_id when 9 then @o_id else @oid9 end,
               @oid10 = case @d_id when 10 then @o_id else @oid10 end

    end

commit tran d

-- return delivery data to client

select @oid1,
       @oid2,
       @oid3,
       @oid4,
       @oid5,
       @oid6,
       @oid7,
       @oid8,
       @oid9,
       @oid10

go



---


ordstat.sql


---


-- File:      ORDSTAT.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates order status transaction stored procedure
--
--           Interface Level: 4.10.000

use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_orderstatus" )
    drop procedure tpcc_orderstatus
go

create proc tpcc_orderstatus @w_id      smallint,
                           @d_id      tinyint,
                           @c_id      int,
                           @c_last    char(16) = ""

as

declare @c_balance          numeric(12,2),
        @c_first           char(16),
        @c_middle          char(2),
        @o_id              int,
        @o_entry_d         datetime,
        @o_carrier_id      smallint,
        @cnt                smallint

```

```

begin tran o
if (@c_id = 0)
begin
-- get customer id and info using last name

select @cnt = (count(*)+1)/2
from customer (repeatableread)
where c_last = @c_last and
c_w_id = @w_id and
c_d_id = @d_id

set rowcount @cnt

select @c_id = c_id,
@c_balance = c_balance,
@c_first = c_first,
@c_last = c_last,
@c_middle = c_middle
from customer (repeatableread)
where c_last = @c_last and
c_w_id = @w_id and
c_d_id = @d_id
order by c_w_id, c_d_id, c_last, c_first

set rowcount 0

end
else
begin
-- get customer info if by id

select @c_balance = c_balance,
@c_first = c_first,
@c_middle = c_middle,
@c_last = c_last
from customer (repeatableread)
where c_id = @c_id and
c_d_id = @d_id and
c_w_id = @w_id

select @cnt = @@rowcount

end

-- if no such customer
if (@cnt = 0)
begin
raiserror("Customer not found",18,1)
goto custnotfound
end

-- get order info

select @o_id = o_id,
@o_entry_d = o_entry_d,
@o_carrier_id = o_carrier_id
from orders (serializable)
where o_c_id = @c_id and

```

```

o_d_id = @d_id and
o_w_id = @w_id
order by o_id asc

-- select order lines for the current order

select ol_supply_w_id,
ol_i_id,
ol_quantity,
ol_amount,
ol_delivery_d
from order_line (repeatableread)
where ol_o_id = @o_id and
ol_d_id = @d_id and
ol_w_id = @w_id

custnotfound:

commit tran o

-- return data to client

select @c_id,
@c_last,
@c_first,
@c_middle,
@o_entry_d,
@o_carrier_id,
@c_balance,
@o_id

go

```

payment.sql

```

-- File: PAYMENT.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates payment transaction stored procedure
--
-- Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_payment" )
drop procedure tpcc_payment
go

create proc tpcc_payment @w_id smallint,
@c_w_id smallint,
@h_amount numeric(6,2),
@d_id tinyint,
@c_d_id tinyint,
@c_id int,
@c_last char(16) = ""

as
declare @w_street_1 char(20),
@w_street_2 char(20),
@w_city char(20),

```

```

@w_state      char(2),
@w_zip        char(9),
@w_name       char(10),
@d_street_1   char(20),
@d_street_2   char(20),
@d_city       char(20),
@d_state      char(2),
@d_zip        char(9),
@d_name       char(10),
@c_first      char(16),
@c_middle     char(2),
@c_street_1   char(20),
@c_street_2   char(20),
@c_city       char(20),
@c_state      char(2),
@c_zip        char(9),
@c_phone      char(16),
@c_since      datetime,
@c_credit     char(2),
@c_credit_lim numeric(12,2),
@c_balance    numeric(12,2),
@c_discount   numeric(4,4),
@data        char(500),
@c_data       char(500),
@datetime    datetime,
@w_ytd        numeric(12,2),
@d_ytd        numeric(12,2),
@cnt         smallint,
@val         smallint,
@screen_data char(200),
@d_id_local  tinyint,
@w_id_local  smallint,
@c_id_local  int

select @screen_data = ""

begin tran p

-- get payment date

select @datetime = getdate()

if (@c_id = 0)
begin

-- get customer id and info using last name

select @cnt = count(*)
from customer (repeatableread)
where c_last = @c_last and
c_w_id = @c_w_id and
c_d_id = @c_d_id

select @val = (@cnt + 1) / 2
set rowcount @val

select @c_id = c_id
from customer (repeatableread)
where c_last = @c_last and
c_w_id = @c_w_id and
c_d_id = @c_d_id

order by c_last, c_first

```

```

end set rowcount 0

-- get customer info and update balances

update customer
set @c_balance = c_balance - @h_amount,
c_payment_cnt = c_payment_cnt + 1,
c_ytd_payment = c_ytd_payment + @h_amount,
@c_first = c_first,
@c_middle = c_middle,
@c_last = c_last,
@c_street_1 = c_street_1,
@c_street_2 = c_street_2,
@c_city = c_city,
@c_state = c_state,
@c_zip = c_zip,
@c_phone = c_phone,
@c_credit = c_credit,
@c_credit_lim = c_credit_lim,
@c_discount = c_discount,
@c_since = c_since,
@data = c_data,
@c_id_local = c_id

where c_id = @c_id and
c_w_id = @c_w_id and
c_d_id = @c_d_id

-- if customer has bad credit get some more info

if (@c_credit = "BC")
begin

-- compute new info

select @c_data = convert(char(5),@c_id) +
convert(char(4),@c_d_id) +
convert(char(5),@c_w_id) +
convert(char(4),@d_id) +
convert(char(5),@w_id) +
convert(char(19),@h_amount) +
substring(@data, 1, 458)

-- update customer info

update customer
set c_data = @c_data
where c_id = @c_id and
c_w_id = @c_w_id and
c_d_id = @c_d_id

select @screen_data = substring (@c_data,1,200)

end

-- get district data and update year-to-date

update district
set d_ytd = d_ytd + @h_amount,
@d_street_1 = d_street_1,
@d_street_2 = d_street_2,
@d_city = d_city,
@d_state = d_state,

```

```

        @d_zip           = d_zip,
        @d_name          = d_name,
        @d_id_local      = d_id
where    d_w_id         = @w_id and
        d_id           = @d_id

-- get warehouse data and update year-to-date

update   warehouse
set      w_ytd          = w_ytd + @h_amount,
        @w_street_1    = w_street_1,
        @w_street_2    = w_street_2,
        @w_city        = w_city,
        @w_state       = w_state,
        @w_zip         = w_zip,
        @w_name        = w_name,
        @w_id_local    = w_id
where    w_id          = @w_id

-- create history record

insert into history values ( @c_id_local,
                            @c_d_id,
                            @c_w_id,
                            @d_id_local,
                            @w_id_local,
                            @datetime,
                            @h_amount,
                            @w_name + " " + @d_name)

commit tran p

-- return data to client

select  @c_id,
        @c_last,
        @datetime,
        @w_street_1,
        @w_street_2,
        @w_city,
        @w_state,
        @w_zip,
        @d_street_1,
        @d_street_2,
        @d_city,
        @d_state,
        @d_zip,
        @c_first,
        @c_middle,
        @c_street_1,
        @c_street_2,
        @c_city,
        @c_state,
        @c_zip,
        @c_phone,
        @c_since,
        @c_credit,
        @c_credit_lim,
        @c_discount,
        @c_balance,
        @screen_data

go

```

stocklev.sql

```

-- File:      STOCKLEV.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates stock level transaction stored procedure
--
--           Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_stocklevel" )
drop procedure tpcc_stocklevel
go

create proc tpcc_stocklevel @w_id          smallint,
                           @d_id          tinyint,
                           @threshold    smallint

as

declare @o_id_low int,
        @o_id_high int

select @o_id_low = (d_next_o_id - 20),
        @o_id_high = (d_next_o_id - 1)
from    district
where   d_w_id = @w_id and
        d_id = @d_id

select count(distinct(s_i_id))
from    stock, order_line
where   ol_w_id = @w_id and
        ol_d_id = @d_id and
        ol_o_id between @o_id_low and
                @o_id_high and
        s_w_id = ol_w_id and
        s_i_id = ol_i_id and
        s_quantity < @threshold

go

```

getargs.c

```

// File:      GETARGS.C
//           Microsoft TPC-C Kit Ver. 4.22
//           Copyright Microsoft, 1996, 1997, 1998, 1999,
//           2000, 2001
// Purpose:   Source file for command line processing

// Includes
#include "tpcc.h"

//=====
//
// Function name: GetArgsLoader
//
//=====

```



```

void GetArgsLoader(int argc, char **argv, TPCCLDR_ARGS *pargs)
{
    int          i;
    char        *ptr;

#ifdef DEBUG
    printf("[%ld]DBG: Entering GetArgsLoader()\n", (int) GetCurrentThreadId());
#endif

    /* init args struct with some useful values */
    pargs->server      = SERVER;
    pargs->user        = USER;
    pargs->password    = PASSWORD;
    pargs->database    = DATABASE;
    pargs->batch       = BATCH;
    pargs->num_warehouses = UNDEF;
    pargs->tables_all  = TRUE;
    pargs->table_item  = FALSE;
    pargs->table_warehouse = FALSE;
    pargs->table_customer = FALSE;
    pargs->table_orders = FALSE;
    pargs->loader_res_file = LOADER_RES_FILE;
    pargs->pack_size     = DEFLDPACKSIZE;
    pargs->starting_warehouse = DEF_STARTING_WAREHOUSE;
    pargs->build_index   = BUILD_INDEX;
    pargs->index_order   = INDEX_ORDER;
    pargs->index_script_path = INDEX_SCRIPT_PATH;
    pargs->scale_down    = SCALE_DOWN;

    /* check for zero command line args */
    if ( argc == 1 )
        GetArgsLoaderUsage();

    for ( i = 1; i < argc; ++i)
    {
        if (argv[i][0] != '-' && argv[i][0] != '/')
        {
            printf("\nUnrecognized command");
            GetArgsLoaderUsage();
            exit(1);
        }

        ptr = argv[i];

        switch (ptr[1])
        {
            /* Fall through */
            case 'H':
                GetArgsLoaderUsage();
                break;

            case 'D':
                pargs->database = ptr+2;
                break;

            case 'P':
                pargs->password = ptr+2;
                break;

            case 'S':
                pargs->server = ptr+2;
                break;
        }
    }
}

```

```

case 'U':
    pargs->user = ptr+2;
    break;

case 'b':
    pargs->batch = atol(ptr+2);
    break;

case 'W':
    pargs->num_warehouses = atol(ptr+2);
    break;

case 's':
    pargs->starting_warehouse = atol(ptr+2);
    break;

case 't':
    {
        pargs->tables_all = FALSE;
        if (strcmp(ptr+2,"item") == 0)
            pargs->table_item =
TRUE;
        else if (strcmp(ptr+2,"warehouse")
== 0)
            pargs->table_warehouse =
TRUE;
        else if (strcmp(ptr+2,"customer")
== 0)
            pargs->table_customer =
TRUE;
        else if (strcmp(ptr+2,"orders") ==
0)
            pargs->table_orders =
TRUE;
        else
        {
            printf("\nUnrecognized command");
            GetArgsLoaderUsage();
            exit(1);
        }
        break;
    }

case 'f':
    pargs->loader_res_file = ptr+2;
    break;

case 'p':
    pargs->pack_size = atol(ptr+2);
    break;

case 'i':
    pargs->build_index = atol(ptr+2);
    break;

case 'o':
    pargs->index_order = atol(ptr+2);
    break;

case 'c':
    pargs->scale_down = atol(ptr+2);

```

```

                break;

        case 'd':
                pargs->index_script_path = ptr+2;
                break;

        default:
                GetArgsLoaderUsage();
                exit(-1);
                break;
    }

    /* check for required args */
    if (pargs->num_warehouses == UNDEF )
    {
        printf("Number of Warehouses is required\n");
        exit(-2);
    }

    return;
}

//=====
//
// Function name: GetArgsLoaderUsage
//
//=====
void GetArgsLoaderUsage()
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering GetArgsLoaderUsage()\n", (int) GetCurrentThreadId());
#endif

    printf("TPCCldr:\n\n");
    printf("Parameter                                Default\n");
    printf("-----");

\n);
    printf("-W Number of Warehouses to Load                Required \n");
    printf("-S Server                                %s\n", SERVER);
    printf("-U Username                                %s\n", USER);
    printf("-P Password                                %s\n", PASSWORD);
    printf("-D Database                                %s\n", DATABASE);
    printf("-b Batch Size                                %ld\n",
(long) BATCH);
    printf("-p TDS packet size                                %ld\n",
(long) DEF_LD_PACKET_SIZE);
    printf("-f Loader Results Output Filename
LOADER_RES_FILE);
    printf("-s Starting Warehouse                                %ld\n",
(long) DEF_STARTING_WAREHOUSE);
    printf("-i Build Option (data = 0, data and index = 1) %ld\n",
(long) BUILD_INDEX);
    printf("-o Cluster Index Build Order (before = 1, after = 0) %ld\n",
(long) INDEX_ORDER);
    printf("-c Build Scaled Database (normal = 0, tiny = 1) %ld\n",
(long) SCALE_DOWN);
    printf("-d Index Script Path                                %s\n",
INDEX_SCRIPT_PATH);

```

```

                printf("-t Table to Load                                all tables
\n");
    printf("    [item|warehouse|customer|orders]\n");
    printf("    Notes: \n");
    printf("    - the '-t' parameter may be included multiple times to \n");
    printf("    - specify multiple tables to be loaded \n");
    printf("    - 'item' loads ITEM table \n");
    printf("    - 'warehouse' loads WAREHOUSE, DISTRICT, and STOCK tables \n");
    printf("    - 'customer' loads CUSTOMER and HISTORY tables \n");
    printf("    - 'orders' load NEW-ORDER, ORDERS, ORDER-LINE tables \n");

    printf("\nNote: Command line switches are case sensitive.\n");

    exit(0);
}

```

random.c

```

// File: RANDOM.C
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 1996, 1997, 1998, 1999,
// 2000, 2001
// Purpose: Random number generation routines for database loader

// Includes
#include "tpcc.h"
#include "math.h"

// Defines
#define A 16807
#define M 2147483647
#define Q 127773 /* M div A */
#define R 2836 /* M mod A */
#define Thread __declspec(thread)

// Globals
long Thread Seed = 0; /* thread local seed */

/*****
 *
 * random -
 * Implements a GOOD pseudo random number generator. This generator
 * will/should? run the complete period before repeating.
 *
 * Copied from:
 * Random Numbers Generators: Good Ones Are Hard to Find.
 * Communications of the ACM - October 1988 Volume 31 Number 10
 *
 * Machine Dependencies:
 * long must be 2 ^ 31 - 1 or greater.
 *
 *****/

/*****
 * seed - load the Seed value used in irand and drand. Should be used before
 * first call to irand or drand.
 *****/

void seed(long val)

```

```

{
#ifdef DEBUG
printf("[%ld]DBG: Entering seed()...\n", (int) GetCurrentThreadId());
printf("Old Seed %ld New Seed %ld\n", Seed, val);
#endif

if ( val < 0 )
    val = abs(val);

Seed = val;
}

/*****
*
* irand - returns a 32 bit integer pseudo random number with a period of
* 1 to 2 ^ 32 - 1.
*
* parameters:
* none.
*
* returns:
* 32 bit integer - defined as long ( see above ).
*
* side effects:
* seed get recomputed.
*****/
long irand()
{
    register long    s;        /* copy of seed */
    register long    test;    /* test flag */
    register long    hi;      /* tmp value for speed */
    register long    lo;      /* tmp value for speed */

#ifdef DEBUG
printf("[%ld]DBG: Entering irand()...\n", (int) GetCurrentThreadId());
#endif

    s = Seed;
    hi = s / Q;
    lo = s % Q;

    test = A * lo - R * hi;
    if ( test > 0 )
        Seed = test;
    else
        Seed = test + M;

    return( Seed );
}

/*****
*
* drand - returns a double pseudo random number between 0.0 and 1.0.
* See irand.
*****/
double drand()
{

```

```

#ifdef DEBUG
printf("[%ld]DBG: Entering drand()...\n", (int) GetCurrentThreadId());
#endif

return( (double)irand() / 2147483647.0);
}

//=====
// Function : RandomNumber
//
// Description:
//=====
long RandomNumber(long lower, long upper)
{
    long rand_num;

#ifdef DEBUG
printf("[%ld]DBG: Entering RandomNumber()...\n", (int) GetCurrentThreadId());
#endif

    if ( upper == lower ) /* pgd 08-13-96 perf enhancement */
        return lower;

    upper++;

    if ( upper <= lower )
        rand_num = upper;
    else
        rand_num = lower + irand() % (upper - lower); /* pgd 08-13-96
perf enhancement */

#ifdef DEBUG
printf("[%ld]DBG: RandomNumber between %ld & %ld ==> %ld\n",
(int) GetCurrentThreadId(), lower, upper,
rand_num);
#endif

return rand_num;
}

#if 0
//Original code pgd 08/13/96

long RandomNumber(long lower,
long upper)
{
    long rand_num;

#ifdef DEBUG
printf("[%ld]DBG: Entering RandomNumber()...\n", (int) GetCurrentThreadId());
#endif

    upper++;

    if ((upper <= lower))
        rand_num = upper;
    else

```

```

        rand_num = lower + irand() % ((upper > lower) ? upper - lower :
upper);

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld ==> %ld\n",
           (int) GetCurrentThreadId(), lower, upper,
rand_num);
#endif

    return rand_num;
}
#endif

//=====
// Function : NURand
//
// Description:
//=====
long NURand(int iConst,
            long x,
            long y,
            long C)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering NURand()...\n", (int) GetCurrentThreadId());
#endif

    rand_num = (((RandomNumber(0,iConst) | RandomNumber(x,y)) + C) % (y-x+1))+x;

#ifdef DEBUG
    printf("[%ld]DBG: NURand: num = %d\n", (int) GetCurrentThreadId(), rand_num);
#endif

    return rand_num;
}

```

strings.c

```

// File: STRINGS.C
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 1996, 1997, 1998, 1999,
2000, 2001
// Purpose: Source file for database loader string functions

// Includes
#include "tpcc.h"
#include <string.h>
#include <ctype.h>

//=====
//
// Function name: MakeAddress
//
//=====

```

```

void MakeAddress(char *street_1,
                char *street_2,
                char *city,
                char *state,
                char *zip)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeAddress()\n", (int) GetCurrentThreadId());
#endif

    MakeAlphaString (10, 20, ADDRESS_LEN, street_1);
    MakeAlphaString (10, 20, ADDRESS_LEN, street_2);
    MakeAlphaString (10, 20, ADDRESS_LEN, city);
    MakeAlphaString ( 2,  2, STATE_LEN, state);
    MakeZipNumberString( 9,  9, ZIP_LEN, zip);

#ifdef DEBUG
    printf("[%ld]DBG: MakeAddress: street_1: %s, street_2: %s, city: %s, state: %s,
zip: %s\n",
           (int) GetCurrentThreadId(), street_1, street_2, city,
state, zip);
#endif

    return;
}

//=====
//
// Function name: LastName
//
//=====
void LastName(int num,
             char *name)
{
    static char *n[] =
    {
        "BAR", "OUGHT", "ABLE", "PRI", "PRES",
        "ESE", "ANTI", "CALLY", "ATION", "EING"
    };

#ifdef DEBUG
    printf("[%ld]DBG: Entering LastName()\n", (int) GetCurrentThreadId());
#endif

    if ((num >= 0) && (num < 1000))
    {
        strcpy(name, n[(num/100)%10]);
        strcat(name, n[(num/10)%10]);
        strcat(name, n[(num/1)%10]);

        if (strlen(name) < LAST_NAME_LEN)
        {
            PaddString(LAST_NAME_LEN, name);
        }
    }
    else
    {

```

```

        printf("\nError in LastName()... num < %d> out of range
(0,999)\n", num);
        exit(-1);
    }

#ifdef DEBUG
    printf("[%d]DBG: LastName: num = [%d] ==> [%d][%d][%d]\n",
        (int) GetCurrentThreadId(), num, num/100, (num/10)%10,
num%10);
    printf("[%d]DBG: LastName: String = %s\n", (int) GetCurrentThreadId(),
name);
#endif

    return;
}

//=====
//
// Function name: MakeAlphaString
//
//=====
//philipdu 08/13/96 Changed MakeAlphaString to use A-Z, a-z, and 0-9 in
//accordance with spec see below:
//The spec says:
//4.3.2.2 The notation random a-string [x .. y]
//(respectively, n-string [x .. y]) represents a string of random alphanumeric
//(respectively, numeric) characters of a random length of minimum x, maximum y,
//and mean (y+x)/2. Alphanumerics are A..Z, a..z, and 0..9. The only other
//requirement is that the character set used "must be able to represent a minimum
//of 128 different characters". We are using 8-bit chars, so this is a non issue.
//It is completely unreasonable to stuff non-printing chars into the text fields.
//-CLevine 08/13/96

int MakeAlphaString( int x, int y, int z, char *str)
{
    int len;
    int i;
    char cc = 'a';
    static char chArray[] =
"0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz";
    static int chArrayMax = 61;

#ifdef DEBUG
    printf("[%d]DBG: Entering MakeAlphaString()\n", (int) GetCurrentThreadId());
#endif

    len= RandomNumber(x, y);
    for (i=0; i<len; i++)
    {
        cc = chArray[RandomNumber(0, chArrayMax)];
        str[i] = cc;
    }
    if ( len < z )
        memset(str+len, ' ', z - len);
    str[len] = 0;

    return len;
}

```

```

//=====
//
// Function name: MakeOriginalAlphaString
//
//=====
int MakeOriginalAlphaString(int x,
                            int y,
                            int z,
                            char *str,
                            int percent)
{
    int len;
    int val;
    int start;

#ifdef DEBUG
    printf("[%d]DBG: Entering MakeOriginalAlphaString()\n", (int)
GetCurrentThreadId());
#endif

    // verify prcentage is valid
    if ((percent < 0) || (percent > 100))
    {
        printf("MakeOriginalAlphaString: Invalid percentage: %d\n",
percent);
        exit(-1);
    }

    // verify string is at least 8 chars in length
    if ((x + y) <= 8)
    {
        printf("MakeOriginalAlphaString: string length must be >= 8\n");
        exit(-1);
    }

    // Make Alpha String
    len = MakeAlphaString(x,y, z, str);

    val = RandomNumber(1,100);
    if (val <= percent)
    {
        start = RandomNumber(0, len - 8);
        strncpy(str + start, "ORIGINAL", 8);
    }

#ifdef DEBUG
    printf("[%d]DBG: MakeOriginalAlphaString: : %s\n",
        (int) GetCurrentThreadId(), str);
#endif

    return strlen(str);
}

//=====
//
// Function name: MakeNumberString
//
//=====

```

```

int MakeNumberString(int x, int y, int z, char *str)
{
    char tmp[16];

    //MakeNumberString is always called MakeZipNumberString(16, 16, 16,
string)

    memset(str, '0', 16);
    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str+8, tmp, strlen(tmp));

    str[16] = 0;

    return 16;
}

//=====
//
// Function name: MakeZipNumberString
//
//=====
int MakeZipNumberString(int x, int y, int z, char *str)
{
    char tmp[16];

    //MakeZipNumberString is always called MakeZipNumberString(9, 9, 9,
string)

    strcpy(str, "000011111");

    itoa(RandomNumber(0, 9999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    return 9;
}

//=====
//
// Function name: InitString
//
//=====
void InitString(char *str, int len)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering InitString()\n", (int) GetCurrentThreadId());
#endif

    memset(str, ' ', len);
    str[len] = 0;
}

//=====
// Function name: InitAddress
//
// Description:
//
//=====

```

```

void InitAddress(char *street_1, char *street_2, char *city, char *state, char *zip)
{
    memset(street_1, ' ', ADDRESS_LEN+1);
    memset(street_2, ' ', ADDRESS_LEN+1);
    memset(city, ' ', ADDRESS_LEN+1);

    street_1[ADDRESS_LEN+1] = 0;
    street_2[ADDRESS_LEN+1] = 0;
    city[ADDRESS_LEN+1] = 0;

    memset(state, ' ', STATE_LEN+1);
    state[STATE_LEN+1] = 0;

    memset(zip, ' ', ZIP_LEN+1);
    zip[ZIP_LEN+1] = 0;
}

//=====
//
// Function name: PaddString
//
//=====
void PaddString(int max, char *name)
{
    int len;

    len = strlen(name);
    if ( len < max )
        memset(name+len, ' ', max - len);
    name[max] = 0;

    return;
}

```

time.c

```

// File: TIME.C
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 1996, 1997, 1998, 1999,
2000, 2001
// Purpose: Source file for time functions

// Includes
#include "tpcc.h"

// Globals
static long start_sec;

//=====
//
// Function name: TimeNow
//
//=====
long TimeNow()
{
    long time_now;

```

```

    struct _timeb el_time;

#ifdef DEBUG
    printf("[%ld]DBG: Entering TimeNow()\n", (int) GetCurrentThreadId());
#endif

    _ftime(&el_time);

    time_now = ((el_time.time - start_sec) * 1000) + el_time.millitm;

    return time_now;
}

```

tpcc.h

```

// File: TPC.C.H
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 1996, 1997, 1998, 1999,
// 2000, 2001
// Purpose: Header file for TPC-C database loader

// Build number of TPC Benchmark Kit
#define TPCKIT_VER "4.22"

// General headers
#include <windows.h>
#include <winbase.h>
#include <stdlib.h>
#include <stdio.h>
#include <process.h>
#include <stddef.h>
#include <stdarg.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <sys\types.h>

// ODBC headers
#include <sql.h>
#include <sqlext.h>
#include <odbc.h>

// General constants
#define MILLI 1000
#define FALSE 0
#define TRUE 1
#define UNDEF -1
#define MINPRINTASCII 32
#define MAXPRINTASCII 126

// Default environment constants
#define SERVER ""
#define DATABASE "tpcc"
#define USER "sa"
#define PASSWORD ""

// Default loader arguments
#define BATCH 10000
#define DEFLDPACKSIZE 32768

```

```

#define LOADER_RES_FILE "logs\\load.out"
#define LOADER_NURAND_C 123
#define DEF_STARTING_WAREHOUSE 1
#define BUILD_INDEX 1 // build both
data and indexes
#define INDEX_ORDER 1 // build
indexes before load
#define SCALE_DOWN 0 // build a normal
scale database
#define INDEX_SCRIPT_PATH "scripts"

typedef struct
{
    char *server;
    char *database;
    char *user;
    char *password;
    BOOL tables_all;
    BOOL // set if loading all tables
    BOOL table_item;
    BOOL // set if loading ITEM table specifically
    BOOL table_warehouse; // set if
loading WAREHOUSE, DISTRICT, and STOCK
    BOOL table_customer; //
set if loading CUSTOMER and HISTORY
    BOOL table_orders; //
set if loading NEW-ORDER, ORDERS, ORDER-LINE
    long num_warehouses;
    long batch;
    long verbose;
    long pack_size;
    char *loader_res_file;
    char *synch_servername;
    long case_sensitivity;
    long starting_warehouse;
    long build_index;
    long index_order;
    long scale_down;
    char *index_script_path;
} TPCCCLR_ARGS;

// String length constants
#define SERVER_NAME_LEN 20
#define DATABASE_NAME_LEN 20
#define USER_NAME_LEN 20
#define PASSWORD_LEN 20
#define TABLE_NAME_LEN 20
#define I_DATA_LEN 50
#define I_NAME_LEN 24
#define BRAND_LEN 1
#define LAST_NAME_LEN 16
#define W_NAME_LEN 10
#define ADDRESS_LEN 20
#define STATE_LEN 2
#define ZIP_LEN 9
#define S_DIST_LEN 24
#define S_DATA_LEN 50
#define D_NAME_LEN 10
#define FIRST_NAME_LEN 16
#define MIDDLE_NAME_LEN 2
#define PHONE_LEN 16
#define CREDIT_LEN 2
#define C_DATA_LEN 50

```

```

#define H_DATA_LEN          24
#define DIST_INFO_LEN      24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN         25
#define OL_DIST_INFO_LEN   24
#define C_SINCE_LEN        23
#define H_DATE_LEN         23
#define OL_DELIVERY_D_LEN  23
#define O_ENTRY_D_LEN      23

```

```

// Functions in random.c
void seed();
long irand();
double drand();
void WUCreate();
short WURand();
long RandomNumber(long lower, long upper);

```

```

// Functions in getargs.c;
void GetArgsLoader();
void GetArgsLoaderUsage();

```

```

// Functions in time.c
long TimeNow();

```

```

// Functions in strings.c
void MakeAddress();
void LastName();
int MakeAlphaString();
int MakeOriginalAlphaString();
int MakeNumberString();
int MakeZipNumberString();
void InitString();
void InitAddress();
void PaddString();

```

tpccldr.c

```

// File: TPCCLDR.C
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 2000, 2001
// Purpose: Source file for TPC-C database loader

```

```

// Includes
#include "tpcc.h"
#include "search.h"

```

```

// Defines
#define MAXITEMS          100000
#define MAXITEMS_SCALE_DOWN 100
#define CUSTOMERS_PER_DISTRICT 3000
#define CUSTOMERS_SCALE_DOWN 30
#define DISTRICT_PER_WAREHOUSE 10
#define ORDERS_PER_DISTRICT 3000
#define ORDERS_SCALE_DOWN 30
#define MAX_CUSTOMER_THREADS 2
#define MAX_ORDER_THREADS 3
#define MAX_MAIN_THREADS 4

```

```

// Functions declarations

```

```

void HandleErrorDBC (SQLHDBC hdbc1);

```

```

void CheckSQL();
void CheckDataBase();

```

```

long NURand();
void LoadItem();
void LoadWarehouse();

```

```

void Stock();
void District();

```

```

void LoadCustomer();
void CustomerBufInit();
void CustomerBufLoad();
void LoadCustomerTable();
void LoadHistoryTable();

```

```

void LoadOrders();
void OrdersBufInit();
void OrdersBufLoad();
void LoadOrdersTable();
void LoadNewOrderTable();
void LoadOrderLineTable();
void GetPermutation();
void CheckForCommit();
void OpenConnections();
void BuildIndex();
void FormatDate ();

```

```

// Shared memory structures

```

```

typedef struct
{
    long ol;
    long ol_i_id;
    short ol_supply_w_id;
    short ol_quantity;
    double ol_amount;
    char ol_dist_info[DIST_INFO_LEN+1];
    char ol_delivery_d[OL_DELIVERY_D_LEN+1];
} ORDER_LINE_STRUCT;

```

```

typedef struct
{
    long o_id;
    short o_d_id;
    short o_w_id;
    long o_c_id;
    short o_carrier_id;
    short o_ol_cnt;
    short o_all_local;
    ORDER_LINE_STRUCT o_ol[15];
} ORDERS_STRUCT;

```

```

typedef struct
{
    long c_id;
    short c_d_id;
    short c_w_id;
}

```



```

char          char          c_first[FIRST_NAME_LEN+1];
char          c_middle[MIDDLE_NAME_LEN+1];
char          c_last[LAST_NAME_LEN+1];
char          c_street_1[ADDRESS_LEN+1];
char          c_street_2[ADDRESS_LEN+1];
char          c_city[ADDRESS_LEN+1];
char          c_state[STATE_LEN+1];
char          c_zip[ZIP_LEN+1];
char          c_phone[PHONE_LEN+1];
char          c_credit[CREDIT_LEN+1];
double        c_credit_lim;
double        c_discount;
// fix to avoid ODBC float to numeric conversion problem.
// double     c_balance;
char          c_balance[6];

double        c_ytd_payment;
short         c_payment_cnt;
short         c_delivery_cnt;
char          c_data[C_DATA_LEN+1];
double        h_amount;
char          h_data[H_DATA_LEN+1];
} CUSTOMER_STRUCT;

typedef struct
{
    char          c_last[LAST_NAME_LEN+1];
    char          c_first[FIRST_NAME_LEN+1];
    long         c_id;
} CUSTOMER_SORT_STRUCT;

typedef struct
{
    long         time_start;
} LOADER_TIME_STRUCT;

// Global variables

char          szLastError[300];

HENV          henv;

HDBC          v_hdbc; // for SQL
Server version verification
HDBC          i_hdbc1; // for ITEM table
HDBC          w_hdbc1; // for WAREHOUSE,
DISTRICT, STOCK
HDBC          c_hdbc1; // for CUSTOMER
HDBC          c_hdbc2; // for HISTORY
HDBC          o_hdbc1; // for ORDERS
HDBC          o_hdbc2; // for NEW-ORDER

HDBC          o_hdbc3; // for ORDER-LINE

HSTMT         v_hstmt; // for SQL Server
version verification
HSTMT         i_hstmt1;
HSTMT         w_hstmt1;
HSTMT         c_hstmt1, c_hstmt2;
HSTMT         o_hstmt1, o_hstmt2, o_hstmt3;

ORDERS_STRUCT orders_buf[ORDERS_PER_DISTRICT];

```

```

CUSTOMER_STRUCT customer_buf[CUSTOMERS_PER_DISTRICT];
long            orders_rows_loaded;
long            new_order_rows_loaded;
long            order_line_rows_loaded;
long            history_rows_loaded;
long            customer_rows_loaded;
long            stock_rows_loaded;
long            district_rows_loaded;
long            item_rows_loaded;
long            warehouse_rows_loaded;
long            main_time_start;
long            main_time_end;
long            max_items;
long            customers_per_district;
long            orders_per_district;
long            first_new_order;
long            last_new_order;

TPCCCLDR_ARGS *aptr, args;

//=====
//
// Function name: main
//
//=====

int main(int argc, char **argv)
{
    DWORD        dwThreadID[MAX_MAIN_THREADS];
    HANDLE        hThread[MAX_MAIN_THREADS];
    FILE          *fLoader;
    char          buffer[255];
    int          i;

    for (i=0; i<MAX_MAIN_THREADS; i++)
        hThread[i] = NULL;

    printf("\n*****");
    printf("\n*");
    printf("\n* Microsoft SQL Server");
    printf("\n*");
    printf("\n* TPC-C BENCHMARK KIT: Database loader");
    printf("\n*");
    printf("\n* Version %s", TPCKIT_VER);
    printf("\n*");
    printf("\n*****\n\n");

    // process command line arguments

    aptr = &args;
    GetArgsLoader(argc, argv, aptr);

    // verify database and tables exist before attempting to load

    CheckSQL();
    CheckDataBase();

    printf("Build interface is ODBC.\n");

    if (aptr->build_index == 0)
        printf("Data load only - no index creation.\n");
}

```

```

else
    printf("Data load and index creation.\n");

if (aptr->index_order == 0)
    printf("Clustered indexes will be created after bulk load.\n");
else
    printf("Clustered indexes will be created before bulk load.\n");

// set database scale values
if (aptr->scale_down == 1)
{
    printf("**** Scaled Down Database ****\n");
    max_items = MAXITEMS_SCALE_DOWN;
    customers_per_district = CUSTOMERS_SCALE_DOWN;
    orders_per_district = ORDERS_SCALE_DOWN;
    first_new_order = 0;
    last_new_order = 30;
}
else
{
    max_items = MAXITEMS;
    customers_per_district = CUSTOMERS_PER_DISTRICT;
    orders_per_district = ORDERS_PER_DISTRICT;
    first_new_order = 2100;
    last_new_order = 3000;
}

// open connections to SQL Server
OpenConnections();

// open file for loader results
fLoader = fopen(aptr->loader_res_file, "w");
if (fLoader == NULL)
{
    printf("Error, loader result file open failed.");
    exit(-1);
}

// start loading data
sprintf(buffer, "TPC-C load started for %ld warehouses.\n", aptr->num_warehouses);

printf("%s", buffer);
fprintf(fLoader, "%s", buffer);

main_time_start = (TimeNow() / MILLI);

// start parallel load threads

if (aptr->tables_all || aptr->table_item)
{
    fprintf(fLoader, "\nStarting loader threads for: item\n");
    hThread[0] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE) LoadItem,
                                NULL,

```

```

                                0,
                                &dwThreadID[0]);

    if (hThread[0] == NULL)
    {
        printf("Error, failed in creating creating thread =
0.\n");
        exit(-1);
    }

    if (aptr->tables_all || aptr->table_warehouse)
    {
        fprintf(fLoader, "Starting loader threads for: warehouse\n");
        hThread[1] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE) LoadWarehouse,
                                NULL,
                                0,
                                &dwThreadID[1]);

        if (hThread[1] == NULL)
        {
            printf("Error, failed in creating creating thread =
1.\n");
            exit(-1);
        }

        if (aptr->tables_all || aptr->table_customer)
        {
            fprintf(fLoader, "Starting loader threads for: customer\n");
            hThread[2] = CreateThread(NULL,
                                    0,
                                    (LPTHREAD_START_ROUTINE) LoadCustomer,
                                    NULL,
                                    0,
                                    &dwThreadID[2]);

            if (hThread[2] == NULL)
            {
                printf("Error, failed in creating creating main thread
= 2.\n");
                exit(-1);
            }

            if (aptr->tables_all || aptr->table_orders)
            {
                fprintf(fLoader, "Starting loader threads for: orders\n");
                hThread[3] = CreateThread(NULL,
                                        0,

```

```

(LPTHREAD_START_ROUTINE) LoadOrders,
NULL,
0,
&dwThreadID[3]);

    if (hThread[3] == NULL)
    {
        printf("Error, failed in creating creating main thread
= 3.\n");
        exit(-1);
    }

    // Wait for threads to finish...
    for (i=0; i<MAX_MAIN_THREADS; i++)
    {
        if (hThread[i] != NULL)
        {
            WaitForSingleObject( hThread[i], INFINITE );
            CloseHandle(hThread[i]);
            hThread[i] = NULL;
        }

        main_time_end = (TimeNow() / MILLI);

        sprintf(buffer, "\nTPC-C load completed successfully in %ld minutes.\n",
            (main_time_end - main_time_start)/60);

        printf("%s", buffer);
        fprintf(fLoader, "%s", buffer);

        fclose(fLoader);

        SQLFreeEnv(henv);

        exit(0);

        return 0;
    }

//=====
//
// Function name: LoadItem
//
//=====

void LoadItem()
{
    long         i_id;
    long         i_im_id;
    char         i_name[I_NAME_LEN+1];
    double       i_price;
    char         i_data[I_DATA_LEN+1];
    char         name[20];
    long         time_start;
    RETCODE      rc;
    DBINT        rcint;
    char         bcphint[128];

```

```

// Seed with unique number
seed(1);

printf("Loading item table...\n");

// if build index before load
if ((aptr->build_index == 1) && (aptr->index_order == 1))
    BuildIndex("idxitmcl");

InitString(i_name, I_NAME_LEN+1);
InitString(i_data, I_DATA_LEN+1);

sprintf(name, "%s.%s", aptr->database, "item");

rc = bcp_init(i_hdbc1, name, NULL, "logs\\item.err", DB_IN);
if (rc != SUCCEEDED)
    HandleErrorDBC(i_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (i_id), ROWS_PER_BATCH =
100000");
    rc = bcp_control(i_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEEDED)
        HandleErrorDBC(i_hdbc1);
}

rc = bcp_bind(i_hdbc1, (BYTE *) &i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
if (rc != SUCCEEDED)
    HandleErrorDBC(i_hdbc1);

rc = bcp_bind(i_hdbc1, (BYTE *) &i_im_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 2);
if (rc != SUCCEEDED)
    HandleErrorDBC(i_hdbc1);

rc = bcp_bind(i_hdbc1, (BYTE *) i_name, 0, I_NAME_LEN, NULL, 0, 0, 3);
if (rc != SUCCEEDED)
    HandleErrorDBC(i_hdbc1);

rc = bcp_bind(i_hdbc1, (BYTE *) &i_price, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 4);
if (rc != SUCCEEDED)
    HandleErrorDBC(i_hdbc1);

rc = bcp_bind(i_hdbc1, (BYTE *) i_data, 0, I_DATA_LEN, NULL, 0, 0, 5);
if (rc != SUCCEEDED)
    HandleErrorDBC(i_hdbc1);

time_start = (TimeNow() / MILLI);

item_rows_loaded = 0;

for (i_id = 1; i_id <= max_items; i_id++)
{
    i_im_id = RandomNumber(1L, 10000L);

    MakeAlphaString(14, 24, I_NAME_LEN, i_name);

    i_price = ((float) RandomNumber(100L, 10000L))/100.0;

```

```

        MakeOriginalAlphaString(26, 50, I_DATA_LEN, i_data, 10);

        rc = bcp_sendrow(i_hdbc1);
        if (rc != SUCCEEDED)
            HandleErrorDBC(i_hdbc1);

        item_rows_loaded++;
        CheckForCommit(i_hdbc1, i_hstmt1, item_rows_loaded, "item",
&time_start);
    }

    rcint = bcp_done(i_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(i_hdbc1);

    printf("Finished loading item table.\n");

    SQLFreeStmt(i_hstmt1, SQL_DROP);
    SQLDisconnect(i_hdbc1);
    SQLFreeConnect(i_hdbc1);

    // if build index after load
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxitmcl");
}

//=====
//
// Function   : LoadWarehouse
//
// Loads WAREHOUSE table and loads Stock and District as Warehouses are created
//
//=====

void LoadWarehouse()
{
    short w_id;
    char w_name[W_NAME_LEN+1];
    char w_street_1[ADDRESS_LEN+1];
    char w_street_2[ADDRESS_LEN+1];
    char w_city[ADDRESS_LEN+1];
    char w_state[STATE_LEN+1];
    char w_zip[ZIP_LEN+1];
    double w_tax;
    double w_ytd;
    char name[20];
    long time_start;
    RETCODE rc;
    DBINT rcint;
    char bcphint[128];

    // Seed with unique number
    seed(2);

    printf("Loading warehouse table...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxwarcl");
}

```

```

    InitString(w_name, W_NAME_LEN+1);
    InitAddress(w_street_1, w_street_2, w_city, w_state, w_zip);

    sprintf(name, "%s.%s", aptr->database, "warehouse");

    rc = bcp_init(w_hdbc1, name, NULL, "logs\\whouse.err", DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (w_id), ROWS_PER_BATCH = %d",
aptr->num_warehouses);
        rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
    }

    rc = bcp_bind(w_hdbc1, (BYTE *) &w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_name, 0, W_NAME_LEN, NULL, 0, 0, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_city, 0, ADDRESS_LEN, NULL, 0, 0, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_state, 0, STATE_LEN, NULL, 0, 0, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_zip, 0, ZIP_LEN, NULL, 0, 0, 7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &w_tax, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &w_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    time_start = (TimeNow()) / MILLI;

    warehouse_rows_loaded = 0;
}

```

```

w_id++) for (w_id = (short)aptr->starting_warehouse; w_id <= aptr->num_warehouses;
{
    MakeAlphaString(6,10, W_NAME_LEN, w_name);

    MakeAddress(w_street_1, w_street_2, w_city, w_state, w_zip);

    w_tax = ((float) RandomNumber(0L,2000L))/10000.00;

    w_ytd = 300000.00;

    rc = bcp_sendrow(w_hdbc1);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    warehouse_rows_loaded++;
    CheckForCommit(w_hdbc1, i_hstmt1, warehouse_rows_loaded,
"warehouse", &time_start);
}

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

printf("Finished loading warehouse table.\n");

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxwarcl");

stock_rows_loaded = 0;
district_rows_loaded = 0;

District();
Stock();
}

//=====
//
// Function   : District
//
//=====

void District()
{
    short d_id;
    short d_w_id;
    char  d_name[D_NAME_LEN+1];
    char  d_street_1[ADDRESS_LEN+1];
    char  d_street_2[ADDRESS_LEN+1];
    char  d_city[ADDRESS_LEN+1];
    char  d_state[STATE_LEN+1];
    char  d_zip[ZIP_LEN+1];
    double d_tax;
    double d_ytd;
    char   name[20];
    long  d_next_o_id;
    long  time_start;
    int   w_id;
    RETCODE rc;
    DBINT rcint;

```

```

char    bcphint[128];

// Seed with unique number
seed(4);

printf("Loading district table...\n");

// build index before load
if ((aptr->build_index == 1) && (aptr->index_order == 1))
    BuildIndex("idxdiscl");

InitString(d_name, D_NAME_LEN+1);
InitAddress(d_street_1, d_street_2, d_city, d_state, d_zip);
sprintf(name, "%s.%s", aptr->database, "district");

rc = bcp_init(w_hdbc1, name, NULL, "logs\\district.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (d_w_id, d_id), ROWS_PER_BATCH
= %u", (aptr->num_warehouses * 10));
    rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
}

rc = bcp_bind(w_hdbc1, (BYTE *) &d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 1);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &d_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_name, 0, D_NAME_LEN, NULL, 0, 0, 3);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
4);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
5);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_city, 0, ADDRESS_LEN, NULL, 0, 0, 6);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_state, 0, STATE_LEN, NULL, 0, 0, 7);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_zip, 0, ZIP_LEN, NULL, 0, 0, 8);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

```

```

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_tax, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 10);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_next_o_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 11);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        d_ytd = 30000.0;

        d_next_o_id = orders_per_district+1;

        time_start = (TimeNow() / MILLI);

        for (w_id = aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
        {
            d_w_id = w_id;

            for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
            {
                MakeAlphaString(6,10,D_NAME_LEN, d_name);

                MakeAddress(d_street_1, d_street_2, d_city, d_state,
d_zip);

                d_tax = ((float) RandomNumber(0L,2000L))/10000.00;

                rc = bcp_sendrow(w_hdbc1);
                if (rc != SUCCEEDED)
                    HandleErrorDBC(w_hdbc1);

                district_rows_loaded++;
                CheckForCommit(w_hdbc1, w_hstmt1,
district_rows_loaded, "district", &time_start);
            }
        }

        rcint = bcp_done(w_hdbc1);
        if (rcint < 0)
            HandleErrorDBC(w_hdbc1);

        printf("Finished loading district table.\n");

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxdisc1");

    return;
}

//=====
//
// Function   : Stock

```

```

//
//=====

void Stock()
{
    long   s_i_id;
    short  s_w_id;
    short  s_quantity;
    char   s_dist_01[S_DIST_LEN+1];
    char   s_dist_02[S_DIST_LEN+1];
    char   s_dist_03[S_DIST_LEN+1];
    char   s_dist_04[S_DIST_LEN+1];
    char   s_dist_05[S_DIST_LEN+1];
    char   s_dist_06[S_DIST_LEN+1];
    char   s_dist_07[S_DIST_LEN+1];
    char   s_dist_08[S_DIST_LEN+1];
    char   s_dist_09[S_DIST_LEN+1];
    char   s_dist_10[S_DIST_LEN+1];
    long   s_ytd;
    short  s_order_cnt;
    short  s_remote_cnt;
    char   s_data[S_DATA_LEN+1];
    short  len;
    char   name[20];
    long   time_start;
    RETCODE rc;
    DBINT  rcint;
    char   bcphint[128];

    // Seed with unique number
    seed(3);

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxstkcl");

    sprintf(name, "%s.%s", aptr->database, "stock");

    rc = bcp_init(w_hdbc1, name, NULL, "logs\\stock.err", DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (s_i_id, s_w_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 100000));
        rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
    }

    rc = bcp_bind(w_hdbc1, (BYTE *) &s_i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    bcp_bind(w_hdbc1, (BYTE *) &s_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &s_quantity, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);

```

```

if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_01, 0, S_DIST_LEN, NULL, 0, 0, 4);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_02, 0, S_DIST_LEN, NULL, 0, 0, 5);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_03, 0, S_DIST_LEN, NULL, 0, 0, 6);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_04, 0, S_DIST_LEN, NULL, 0, 0, 7);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_05, 0, S_DIST_LEN, NULL, 0, 0, 8);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_06, 0, S_DIST_LEN, NULL, 0, 0, 9);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_07, 0, S_DIST_LEN, NULL, 0, 0, 10);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_08, 0, S_DIST_LEN, NULL, 0, 0, 11);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_09, 0, S_DIST_LEN, NULL, 0, 0, 12);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_10, 0, S_DIST_LEN, NULL, 0, 0, 13);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 14);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_order_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 15);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_remote_cnt, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT2, 16);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_data, 0, S_DATA_LEN, NULL, 0, 0, 17);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

s_ytd = s_order_cnt = s_remote_cnt = 0;

```

```

time_start = (TimeNow() / MILLI);

printf("...Loading stock table\n");

for (s_i_id=1; s_i_id <= max_items; s_i_id++)
{
    for (s_w_id = (short)aptr->starting_warehouse; s_w_id <= aptr-
>num_warehouses; s_w_id++)
    {
        s_quantity = (short)RandomNumber(10L,100L);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_01);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_02);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_03);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_04);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_05);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_06);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_07);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_08);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_09);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_10);

        len = MakeOriginalAlphaString(26,50, S_DATA_LEN,
s_data,10);

        rc = bcp_sendrow(w_hdbc1);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        stock_rows_loaded++;
        CheckForCommit(w_hdbc1, w_hstmt1, stock_rows_loaded,
"stock", &time_start);
    }
}

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

printf("Finished loading stock table.\n");

SQLFreeStmt(w_hstmt1, SQL_DROP);
SQLDisconnect(w_hdbc1);
SQLFreeConnect(w_hdbc1);

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxstkcl");

return;

}

//=====
//
// Function : LoadCustomer
//
//=====

void LoadCustomer()

```

```

{
    LOADER_TIME_STRUCT    customer_time_start;
    LOADER_TIME_STRUCT    history_time_start;
    short                 w_id;
    short                 d_id;
    DWORD                 dwThreadID[MAX_CUSTOMER_THREADS];
    HANDLE                hThread[MAX_CUSTOMER_THREADS];
    char                  name[20];
    RETCODE                rc;
    DBINT                 rcint;
    char                  bcphint[128];
    char                  cmd[256];
    char                  rc_l;
    // SQLRETURN            rc_l;
    // SQLSMALLINT          recnum, MsgLen;
    // SQLCHAR              SqlState[6],
Msg[SQL_MAX_MESSAGE_LENGTH];
    // SQLINTEGER           NativeError;

    // Seed with unique number
    seed(5);

    printf("Loading customer and history tables...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxcuscl");

    // Initialize bulk copy
    sprintf(name, "%s.%s", aptr->database, "customer");

    rc = bcp_init(c_hdbc1, name, NULL, "logs\\customer.err", DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (c_w_id, c_d_id, c_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
        rc = bcp_control(c_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);
    }

    sprintf(name, "%s.%s", aptr->database, "history");

    rc = bcp_init(c_hdbc2, name, NULL, "logs\\history.err", DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    sprintf(bcphint, "tablock");
    rc = bcp_control(c_hdbc2, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    customer_rows_loaded = 0;
    history_rows_loaded = 0;

    CustomerBufInit();

    customer_time_start.time_start = (TimeNow() / MILLI);
    history_time_start.time_start = (TimeNow() / MILLI);
}

```

```

for (w_id = (short)aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
{
    for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
    {
        CustomerBufLoad(d_id, w_id);

        // Start parallel loading threads here...

        // Start customer table thread
        printf("...Loading customer table for: d_id = %d, w_id
= %d\n", d_id, w_id);

        hThread[0] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadCustomerTable,
&customer_time_start,
0,
&dwThreadID[0]);

        if (hThread[0] == NULL)
        {
            printf("Error, failed in creating creating
thread = 0.\n");
            exit(-1);
        }

        // Start History table thread
        printf("...Loading history table for: d_id = %d, w_id
= %d\n", d_id, w_id);

        hThread[1] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadHistoryTable,
&history_time_start,
0,
&dwThreadID[1]);

        if (hThread[1] == NULL)
        {
            printf("Error, failed in creating creating
thread = 1.\n");
            exit(-1);
        }

        WaitForSingleObject( hThread[0], INFINITE );
        WaitForSingleObject( hThread[1], INFINITE );

        if (CloseHandle(hThread[0]) == FALSE)
        {

```



```

                printf("Error, failed in closing customer
thread handle with errno: %d\n", GetLastError());
            }
            if (CloseHandle(hThread[1]) == FALSE)
            {
                printf("Error, failed in closing history
thread handle with errno: %d\n", GetLastError());
            }
        }

        // flush the bulk connection
        rcint = bcp_done(c_hdbc1);
        if (rcint < 0)
            HandleErrorDBC(c_hdbc1);

        rcint = bcp_done(c_hdbc2);
        if (rcint < 0)
            HandleErrorDBC(c_hdbc2);

        printf("Finished loading customer table.\n");

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxcuscl");

        // build non-clustered index
        if (aptr->build_index == 1)
            BuildIndex("idxcusnc");

        // Output the NURAND used for the loader into C_FIRST for C_ID = 1,
        // C_W_ID = 1, and C_D_ID = 1
        sprintf(cmd, "isql -S%s -U%s -P%s -d%s -e -Q\"update customer set c_first
= 'C_LOAD = %d' where c_id = 1 and c_w_id = 1 and c_d_id = 1\" >
logs\\nurand_load.log",
                aptr->server,
                aptr->user,
                aptr->password,
                aptr->database,
                LOADER_NURAND_C);

        system(cmd);

        SQLFreeStmt(c_hstmt1, SQL_DROP);
        SQLDisconnect(c_hdbc1);
        SQLFreeConnect(c_hdbc1);

        SQLFreeStmt(c_hstmt2, SQL_DROP);
        SQLDisconnect(c_hdbc2);
        SQLFreeConnect(c_hdbc2);

    return;
}

//=====
//

```

```

// Function : CustomerBufInit
//
//=====
void CustomerBufInit()
{
    int i;

    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_id = 0;
        customer_buf[i].c_d_id = 0;
        customer_buf[i].c_w_id = 0;

        strcpy(customer_buf[i].c_first,"");
        strcpy(customer_buf[i].c_middle,"");
        strcpy(customer_buf[i].c_last,"");
        strcpy(customer_buf[i].c_street_1,"");
        strcpy(customer_buf[i].c_street_2,"");
        strcpy(customer_buf[i].c_city,"");
        strcpy(customer_buf[i].c_state,"");
        strcpy(customer_buf[i].c_zip,"");
        strcpy(customer_buf[i].c_phone,"");
        strcpy(customer_buf[i].c_credit,"");

        customer_buf[i].c_credit_lim = 0;
        customer_buf[i].c_discount = (float) 0;

        // fix to avoid ODBC float to numeric conversion problem.
        // customer_buf[i].c_balance = 0;
        strcpy(customer_buf[i].c_balance,"");

        customer_buf[i].c_ytd_payment = 0;
        customer_buf[i].c_payment_cnt = 0;
        customer_buf[i].c_delivery_cnt = 0;

        strcpy(customer_buf[i].c_data,"");

        customer_buf[i].h_amount = 0;

        strcpy(customer_buf[i].h_data,"");
    }
}

//=====
//
// Function : CustomerBufLoad
//
// Fills shared buffer for HISTORY and CUSTOMER
//=====
void CustomerBufLoad(int d_id, int w_id)
{
    long i;
    CUSTOMER_SORT_STRUCT c[CUSTOMERS_PER_DISTRICT];

    for (i=0;i<customers_per_district;i++)
    {

```

```

        if (i < 1000)
            LastName(i, c[i].c_last);
        else
            LastName(NURand(255,0,999,LOADER_NURAND_C),
                c[i].c_last);

        MakeAlphaString(8,16,FIRST_NAME_LEN, c[i].c_first);

        c[i].c_id = i+1;
    }

    printf("...Loading customer buffer for: d_id = %d, w_id = %d\n",
        d_id, w_id);

    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_d_id = d_id;
        customer_buf[i].c_w_id = w_id;
        customer_buf[i].h_amount = 10.0;

        customer_buf[i].c_ytd_payment = 10.0;

        customer_buf[i].c_payment_cnt = 1;
        customer_buf[i].c_delivery_cnt = 0;

        // Generate CUSTOMER and HISTORY data

        customer_buf[i].c_id = c[i].c_id;

        strcpy(customer_buf[i].c_first, c[i].c_first);
        strcpy(customer_buf[i].c_last, c[i].c_last);

        customer_buf[i].c_middle[0] = 'O';
        customer_buf[i].c_middle[1] = 'E';

        MakeAddress(customer_buf[i].c_street_1,
                    customer_buf[i].c_street_2,
                    customer_buf[i].c_city,
                    customer_buf[i].c_state,
                    customer_buf[i].c_zip);

        MakeNumberString(16, 16, PHONE_LEN, customer_buf[i].c_phone);

        if (RandomNumber(1L, 100L) > 10)
            customer_buf[i].c_credit[0] = 'G';
        else
            customer_buf[i].c_credit[0] = 'B';
        customer_buf[i].c_credit[1] = 'C';

        customer_buf[i].c_credit_lim = 50000.0;
        customer_buf[i].c_discount = ((float) RandomNumber(0L, 5000L)) /
10000.0;

        // fix to avoid ODBC float to numeric conversion problem.

        // customer_buf[i].c_balance = -10.0;
        strcpy(customer_buf[i].c_balance, "-10.0");

        MakeAlphaString(300, 500, C_DATA_LEN, customer_buf[i].c_data);

```

```

        // Generate HISTORY data
        MakeAlphaString(12, 24, H_DATA_LEN, customer_buf[i].h_data);
    }
}

//=====
//
// Function   : LoadCustomerTable
//
//=====

void LoadCustomerTable(LOADER_TIME_STRUCT *customer_time_start)
{
    int          i;
    long         c_id;
    short        c_d_id;
    short        c_w_id;
    char         c_first[FIRST_NAME_LEN+1];
    char         c_middle[MIDDLE_NAME_LEN+1];
    char         c_last[LAST_NAME_LEN+1];
    char         c_street_1[ADDRESS_LEN+1];
    char         c_street_2[ADDRESS_LEN+1];
    char         c_city[ADDRESS_LEN+1];
    char         c_state[STATE_LEN+1];
    char         c_zip[ZIP_LEN+1];
    char         c_phone[PHONE_LEN+1];
    char         c_credit[CREDIT_LEN+1];
    double       c_credit_lim;
    double       c_discount;

    // fix to avoid ODBC float to numeric conversion problem.
    // double          c_balance;
    char             c_balance[6];

    double          c_ytd_payment;
    short           c_payment_cnt;
    short           c_delivery_cnt;
    char            c_data[C_DATA_LEN+1];
    char            c_since[C_SINCE_LEN+1];
    RETCODE         rc;

    rc = bcp_bind(c_hdbc1, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_first, 0, FIRST_NAME_LEN, NULL, 0, 0, 4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_middle, 0, MIDDLE_NAME_LEN, NULL, 0, 0, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

```

```

rc = bcp_bind(c_hdbc1, (BYTE *) c_last, 0, LAST_NAME_LEN, NULL, 0, 0, 6);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_1, 0, ADDRESS_LEN, NULL, 0, 0, 7);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_2, 0, ADDRESS_LEN, NULL, 0, 0, 8);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_city, 0, ADDRESS_LEN, NULL, 0, 0, 9);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_state, 0, STATE_LEN, NULL, 0, 0, 10);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_zip, 0, ZIP_LEN, NULL, 0, 0, 11);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_phone, 0, PHONE_LEN, NULL, 0, 0, 12);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_since, 0, C_SINCE_LEN, NULL, 0,
SQLCHARACTER, 13);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_credit, 0, CREDIT_LEN, NULL, 0, 0, 14);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_credit_lim, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 15);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_discount, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 16);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

// fix to avoid ODBC float to numeric conversion problem.

// rc = bcp_bind(c_hdbc1, (BYTE *) &c_balance, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 17);
// if (rc != SUCCEEDED)
//     HandleErrorDBC(c_hdbc1);
rc = bcp_bind(c_hdbc1, (BYTE *) c_balance, 0, 5, NULL, 0, SQLCHARACTER, 17);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_ytd_payment, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 18);
if (rc != SUCCEEDED)

```

```

    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_payment_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 19);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_delivery_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 20);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_data, 0, 500, NULL, 0, 0, 21);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

for (i = 0; i < customers_per_district; i++)
{
    c_id = customer_buf[i].c_id;
    c_d_id = customer_buf[i].c_d_id;
    c_w_id = customer_buf[i].c_w_id;

    strcpy(c_first, customer_buf[i].c_first);
    strcpy(c_middle, customer_buf[i].c_middle);
    strcpy(c_last, customer_buf[i].c_last);
    strcpy(c_street_1, customer_buf[i].c_street_1);
    strcpy(c_street_2, customer_buf[i].c_street_2);
    strcpy(c_city, customer_buf[i].c_city);
    strcpy(c_state, customer_buf[i].c_state);
    strcpy(c_zip, customer_buf[i].c_zip);
    strcpy(c_phone, customer_buf[i].c_phone);
    strcpy(c_credit, customer_buf[i].c_credit);

    FormatDate(&c_since);

    c_credit_lim = customer_buf[i].c_credit_lim;
    c_discount = customer_buf[i].c_discount;

    // fix to avoid ODBC float to numeric conversion problem.

    // c_balance = customer_buf[i].c_balance;
    strcpy(c_balance, customer_buf[i].c_balance);

    c_ytd_payment = customer_buf[i].c_ytd_payment;
    c_payment_cnt = customer_buf[i].c_payment_cnt;
    c_delivery_cnt = customer_buf[i].c_delivery_cnt;

    strcpy(c_data, customer_buf[i].c_data);

    // Send data to server
    rc = bcp_sendrow(c_hdbc1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

    customer_rows_loaded++;
    CheckForCommit(c_hdbc1, c_hstmt1, customer_rows_loaded,
"customer", &customer_time_start->time_start);
}
}

```

```

//=====
//
// Function   : LoadHistoryTable
//
//=====
void LoadHistoryTable(LOADER_TIME_STRUCT *history_time_start)
{
    int         i;
    long        c_id;
    short       c_d_id;
    short       c_w_id;
    double      h_amount;
    char        h_data[H_DATA_LEN+1];
    char        h_date[H_DATE_LEN+1];
    RETCODE     rc;

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
3);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
4);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
5);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_date, 0, H_DATE_LEN, NULL, 0,
SQLCHARACTER, 6);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_amount, 0, SQL_VARLEN_DATA, NULL, 0, SQLFLT8,
7);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) h_data, 0, H_DATA_LEN, NULL, 0, 0, 8);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    for (i = 0; i < customers_per_district; i++)
    {
        c_id = customer_buf[i].c_id;
        c_d_id = customer_buf[i].c_d_id;
        c_w_id = customer_buf[i].c_w_id;
        h_amount = customer_buf[i].h_amount;
        strcpy(h_data, customer_buf[i].h_data);
    }
}

```

```

FormatDate(&h_date);

// send to server
rc = bcp_sendrow(c_hdbc2);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

    history_rows_loaded++;
    CheckForCommit(c_hdbc2, c_hstmt2, history_rows_loaded,
"history", &history_time_start->time_start);
}
}

//=====
//
// Function   : LoadOrders
//
//=====
void LoadOrders()
{
    LOADER_TIME_STRUCT  orders_time_start;
    LOADER_TIME_STRUCT  new_order_time_start;
    LOADER_TIME_STRUCT  order_line_time_start;
    short               w_id;
    short               d_id;
    DWORD               dwThreadId[MAX_ORDER_THREADS];
    HANDLE              hThread[MAX_ORDER_THREADS];
    char                name[20];
    RETCODE             rc;
    char                bcphint[128];

    // seed with unique number
    seed(6);

    printf("Loading orders...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        BuildIndex("idxordcl");
        BuildIndex("idxnodcl");
        BuildIndex("idxodcl");
    }

    // initialize bulk copy
    sprintf(name, "%s.%s", aptr->database, "orders");

    rc = bcp_init(o_hdbc1, name, NULL, "logs\\orders.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (o_w_id, o_d_id, o_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
        rc = bcp_control(o_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc1);
    }
}

```

```

sprintf(name, "%s..%s", aptr->database, "new_order");

rc = bcp_init(o_hdbc2, name, NULL, "logs\\neword.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (no_w_id, no_d_id, no_o_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 9000));
    rc = bcp_control(o_hdbc2, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);
}

sprintf(name, "%s..%s", aptr->database, "order_line");

rc = bcp_init(o_hdbc3, name, NULL, "logs\\ordline.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (ol_w_id, ol_d_id, ol_o_id,
ol_number), ROWS_PER_BATCH = %u", (aptr->num_warehouses * 300000));
    rc = bcp_control(o_hdbc3, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
}

orders_rows_loaded      = 0;
new_order_rows_loaded  = 0;
order_line_rows_loaded  = 0;

OrdersBufInit();

orders_time_start.time_start = (TimeNow() / MILLI);
new_order_time_start.time_start = (TimeNow() / MILLI);
order_line_time_start.time_start = (TimeNow() / MILLI);

for (w_id = (short)aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
{
    for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
    {
        OrdersBufLoad(d_id, w_id);

        // start parallel loading threads here...

        // start Orders table thread
        printf("...Loading Order Table for: d_id = %d, w_id =
%d\n", d_id, w_id);

        hThread[0] = CreateThread(NULL,

0,

(LPTHREAD_START_ROUTINE) LoadOrdersTable,

&orders_time_start,

```

```

0,

&dwThreadID[0]);

if (hThread[0] == NULL)
{
    printf("Error, failed in creating creating
thread = 0.\n");
    exit(-1);
}

// start NewOrder table thread
printf("...Loading New-Order Table for: d_id = %d,
w_id = %d\n", d_id, w_id);

hThread[1] = CreateThread(NULL,

0,

(LPTHREAD_START_ROUTINE) LoadNewOrderTable,

&new_order_time_start,

0,

&dwThreadID[1]);

if (hThread[1] == NULL)
{
    printf("Error, failed in creating creating
thread = 1.\n");
    exit(-1);
}

// start Order-Line table thread
printf("...Loading Order-Line Table for: d_id = %d,
w_id = %d\n", d_id, w_id);

hThread[2] = CreateThread(NULL,

0,

(LPTHREAD_START_ROUTINE) LoadOrderLineTable,

&order_line_time_start,

0,

&dwThreadID[2]);

if (hThread[2] == NULL)
{
    printf("Error, failed in creating creating
thread = 2.\n");
    exit(-1);
}

WaitForSingleObject( hThread[0], INFINITE );
WaitForSingleObject( hThread[1], INFINITE );
WaitForSingleObject( hThread[2], INFINITE );

```

```

        if (CloseHandle(hThread[0]) == FALSE)
        {
            printf("Error, failed in closing Orders
thread handle with errno: %d\n", GetLastError());
        }

        if (CloseHandle(hThread[1]) == FALSE)
        {
            printf("Error, failed in closing NewOrder
thread handle with errno: %d\n", GetLastError());
        }

        if (CloseHandle(hThread[2]) == FALSE)
        {
            printf("Error, failed in closing OrderLine
thread handle with errno: %d\n", GetLastError());
        }
    }

    printf("Finished loading orders.\n");

return;
}

//=====
//
// Function   : OrdersBufInit
//
// Clears shared buffer for ORDERS, NEWORDER, and ORDERLINE
//
//=====
void OrdersBufInit()
{
    int    i;
    int    j;

    for (i=0;i<orders_per_district;i++)
    {
        orders_buf[i].o_id = 0;
        orders_buf[i].o_d_id = 0;
        orders_buf[i].o_w_id = 0;
        orders_buf[i].o_c_id = 0;
        orders_buf[i].o_carrier_id = 0;
        orders_buf[i].o_ol_cnt = 0;
        orders_buf[i].o_all_local = 0;

        for (j=0;j<=14;j++)
        {
            orders_buf[i].o_ol[j].ol = 0;
            orders_buf[i].o_ol[j].ol_i_id = 0;
            orders_buf[i].o_ol[j].ol_supply_w_id = 0;
            orders_buf[i].o_ol[j].ol_quantity = 0;
            orders_buf[i].o_ol[j].ol_amount = 0;
            strcpy(orders_buf[i].o_ol[j].ol_dist_info, "");
        }
    }
}

```

```

}

//=====
//
// Function   : OrdersBufLoad
//
// Fills shared buffer for ORDERS, NEWORDER, and ORDERLINE
//
//=====
void OrdersBufLoad(int d_id, int w_id)
{
    int    cust[ORDERS_PER_DISTRICT+1];
    long   o_id;
    short  ol;

    printf("...Loading Order Buffer for: d_id = %d, w_id = %d\n",
        d_id, w_id);

    GetPermutation(cust, orders_per_district);

    for (o_id=0;o_id<orders_per_district;o_id++)
    {
        // Generate ORDER and NEW-ORDER data

        orders_buf[o_id].o_d_id = d_id;
        orders_buf[o_id].o_w_id = w_id;
        orders_buf[o_id].o_id = o_id+1;
        orders_buf[o_id].o_c_id = cust[o_id+1];
        orders_buf[o_id].o_ol_cnt = (short)RandomNumber(5L, 15L);

        if (o_id < first_new_order)
        {
            orders_buf[o_id].o_carrier_id =
(short)RandomNumber(1L, 10L);
            orders_buf[o_id].o_all_local = 1;
        }
        else
        {
            orders_buf[o_id].o_carrier_id = 0;
            orders_buf[o_id].o_all_local = 1;
        }

        for (ol=0; ol<orders_buf[o_id].o_ol_cnt; ol++)
        {

            orders_buf[o_id].o_ol[ol].ol = ol+1;
            orders_buf[o_id].o_ol[ol].ol_i_id = RandomNumber(1L,
max_items);
            orders_buf[o_id].o_ol[ol].ol_supply_w_id = w_id;
            orders_buf[o_id].o_ol[ol].ol_quantity = 5;
            MakeAlphaString(24, 24, OL_DIST_INFO_LEN,
&orders_buf[o_id].o_ol[ol].ol_dist_info);

            // Generate ORDER-LINE data
            if (o_id < first_new_order)
            {
                orders_buf[o_id].o_ol[ol].ol_amount = 0;

```

```

// Added to insure ol_delivery_d set
properly during load

    FormatDate(&orders_buf[o_id].o_ol[ol].ol_delivery_d);
    }
    else
    {
        orders_buf[o_id].o_ol[ol].ol_amount =
RandomNumber(1,999999)/100.0;
// Added to insure ol_delivery_d set
properly during load

// odbc datetime format

strcpy(orders_buf[o_id].o_ol[ol].ol_delivery_d,"1899-12-31 00:00:00.000");
    }
}

//=====
//
// Function   : LoadOrdersTable
//
//=====
void LoadOrdersTable(LOADER_TIME_STRUCT *orders_time_start)
{
    int         i;
    long        o_id;
    short       o_d_id;
    short       o_w_id;

    long        o_c_id;
    short       o_carrier_id;
    short       o_ol_cnt;
    short       o_all_local;

    char        o_entry_d[O_ENTRY_D_LEN+1];
    RETCODE     rc;
    DBINT       rcint;

    // bind ORDER data
    rc = bcp_bind(o_hdbc1, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_c_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4,
4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

```

```

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_entry_d, 0, O_ENTRY_D_LEN, NULL, 0,
SQLCHARACTER, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_carrier_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_ol_cnt, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_all_local, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    for (i = 0; i < orders_per_district; i++)
    {
        o_id         = orders_buf[i].o_id;
        o_d_id       = orders_buf[i].o_d_id;
        o_w_id       = orders_buf[i].o_w_id;
        o_c_id       = orders_buf[i].o_c_id;
        o_carrier_id = orders_buf[i].o_carrier_id;
        o_ol_cnt     = orders_buf[i].o_ol_cnt;
        o_all_local  = orders_buf[i].o_all_local;

        FormatDate(&o_entry_d);

        // send data to server
        rc = bcp_sendrow(o_hdbc1);
        if (rc != SUCCEEDED)
            HandleErrorDBC(o_hdbc1);

        orders_rows_loaded++;
        CheckForCommit(o_hdbc1, o_hstmt1, orders_rows_loaded, "orders",
&orders_time_start->time_start);
    }

    // rcint = bcp_batch(o_hdbc1);
    // if (rcint < 0)
    //     HandleErrorDBC(o_hdbc1);

    if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
    {
        rcint = bcp_done(o_hdbc1);
        if (rcint < 0)
            HandleErrorDBC(o_hdbc1);

        SQLFreeStmt(o_hstmt1, SQL_DROP);
        SQLDisconnect(o_hdbc1);
        SQLFreeConnect(o_hdbc1);

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxordc1");

        // build non-clustered index
        if (aptr->build_index == 1)

```

```

        BuildIndex("idxordnc");
    }
}

//=====
//
// Function   : LoadNewOrderTable
//
//=====

void LoadNewOrderTable(LOADER_TIME_STRUCT *new_order_time_start)
{
    int         i;
    long        o_id;
    short       o_d_id;
    short       o_w_id;
    RETCODE     rc;
    DBINT       rcint;

    // Bind NEW-ORDER data

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
3);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    for (i = first_new_order; i < last_new_order; i++)
    {
        o_id   = orders_buf[i].o_id;
        o_d_id = orders_buf[i].o_d_id;
        o_w_id = orders_buf[i].o_w_id;

        rc = bcp_sendrow(o_hdbc2);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc2);

        new_order_rows_loaded++;
        CheckForCommit(o_hdbc2, o_hstmt2, new_order_rows_loaded,
"new_order", &new_order_time_start->time_start);
    }

    // rcint = bcp_batch(o_hdbc2);
    // if (rcint < 0)
    //     HandleErrorDBC(o_hdbc2);

    if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
    {
        rcint = bcp_done(o_hdbc2);
        if (rcint < 0)
            HandleErrorDBC(o_hdbc2);

        SQLFreeStmt(o_hstmt2, SQL_DROP);
    }
}

```

```

SQLDisconnect(o_hdbc2);
SQLFreeConnect(o_hdbc2);

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxnodcl");
}
}

//=====
//
// Function   : LoadOrderLineTable
//
//=====

void LoadOrderLineTable(LOADER_TIME_STRUCT *order_line_time_start)
{
    int         i, j;
    long        o_id;
    short       o_d_id;
    short       o_w_id;
    long        ol;
    long        ol_i_id;
    short       ol_supply_w_id;
    short       ol_quantity;
    double      ol_amount;
    char        ol_dist_info[DIST_INFO_LEN+1];
    char        ol_delivery_d[OL_DELIVERY_D_LEN+1];
    RETCODE     rc;
    DBINT       rcint;

    // bind ORDER-LINE data
    rc = bcp_bind(o_hdbc3, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
3);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 4);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_i_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4,
5);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_supply_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 6);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
}

```



```

        rc = bcp_bind(o_hdbc3, (BYTE *) &ol_delivery_d, 0, OL_DELIVERY_D_LEN,
NULL, 0, SQLCHARACTER, 7);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);

        rc = bcp_bind(o_hdbc3, (BYTE *) &ol_quantity, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 8);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);

        rc = bcp_bind(o_hdbc3, (BYTE *) &ol_amount, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);

        rc = bcp_bind(o_hdbc3, (BYTE *) ol_dist_info, 0, DIST_INFO_LEN, NULL, 0, 0, 10);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);

        for (i = 0; i < orders_per_district; i++)
        {
            o_id = orders_buf[i].o_id;
            o_d_id = orders_buf[i].o_d_id;
            o_w_id = orders_buf[i].o_w_id;

            for (j=0; j < orders_buf[i].o_ol_cnt; j++)
            {
                ol = orders_buf[i].o_ol[j].ol;
                ol_i_id = orders_buf[i].o_ol[j].ol_i_id;
                ol_supply_w_id = orders_buf[i].o_ol[j].ol_supply_w_id;
                ol_quantity = orders_buf[i].o_ol[j].ol_quantity;
                ol_amount = orders_buf[i].o_ol[j].ol_amount;

                strcpy(ol_delivery_d,orders_buf[i].o_ol[j].ol_delivery_d);

                strcpy(ol_dist_info,orders_buf[i].o_ol[j].ol_dist_info);

                rc = bcp_sendrow(o_hdbc3);
                if (rc != SUCCEED)
                    HandleErrorDBC(o_hdbc3);

                order_line_rows_loaded++;
                CheckForCommit(o_hdbc3, o_hstmt3,
order_line_rows_loaded, "order_line", &order_line_time_start->time_start);
            }
        }

        // rcint = bcp_batch(o_hdbc3);
        // if (rcint < 0)
        //     HandleErrorDBC(o_hdbc3);

        if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
        {
            rcint = bcp_done(o_hdbc3);
            if (rcint < 0)
                HandleErrorDBC(o_hdbc3);

            SQLFreeStmt(o_hstmt3, SQL_DROP);
            SQLDisconnect(o_hdbc3);
            SQLFreeConnect(o_hdbc3);

```

```

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxodlcl1");
    }
}

//=====
//
// Function : GetPermutation
//
//=====
void GetPermutation(int perm[], int n)
{
    int i, r, t;

    for (i=1;i<=n;i++)
        perm[i] = i;

    for (i=1;i<=n;i++)
    {
        r = RandomNumber(i,n);
        t = perm[i];
        perm[i] = perm[r];
        perm[r] = t;
    }
}

//=====
//
// Function : CheckForCommit
//
//=====
void CheckForCommit(HDBC hdbc,
                    HSTMT hstmt,
                    int rows_loaded,
                    char *table_name,
                    long *time_start)
{
    long time_end, time_diff;
    // DBINT rcint;

    if ( !(rows_loaded % aptr->batch) )
    {
        // rcint = bcp_batch(hdbc);
        // if (rcint < 0)
        //     HandleErrorDBC(hdbc);

        time_end = (TimeNow() / MILLI);
        time_diff = time_end - *time_start;

        printf("-> Loaded %ld rows into %s in %ld sec - Total = %d (%.2f
rps)\n",
                    aptr->batch,

```

```

        table_name,
            time_diff,
        rows_loaded,
            (float) aptr->batch / (time_diff ? time_diff
: 1L));
    }
    *time_start = time_end;
}
return;
}

//=====
//
// Function : OpenConnections
//
//=====

void OpenConnections()
{
    RETCODE          rc;

    char              szDriverString[300];
    char              szDriverStringOut[1024];
    SQLSMALLINT       cbDriverStringOut;

    SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );

    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );

    SQLAllocHandle(SQL_HANDLE_DBC, henv , &i_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &w_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc2);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc2);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc3);

    SQLSetConnectAttr(i_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(w_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(c_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(c_hdbc2, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc2, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc3, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

    // Open connections to SQL Server

    // Connection 1

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

```

```

        aptr->user,
        aptr->password,
        aptr->database );

    rc = SQLSetConnectOption (i_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = SQLDriverConnect ( i_hdbc1,
                            NULL,
                            (SQLCHAR*)&szDriverString[0] ,
                            SQL_NTS,
                            (SQLCHAR*)&szDriverStringOut[0],
                            sizeof(szDriverStringOut),
                            &cbDriverStringOut,
                            SQL_DRIVER_NOPROMPT );
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    // Connection 2

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

    rc = SQLSetConnectOption (w_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = SQLDriverConnect ( w_hdbc1,
                            NULL,
                            (SQLCHAR*)&szDriverString[0] ,
                            SQL_NTS,
                            (SQLCHAR*)&szDriverStringOut[0],
                            sizeof(szDriverStringOut),
                            &cbDriverStringOut,
                            SQL_DRIVER_NOPROMPT );
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    // Connection 3

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

    rc = SQLSetConnectOption (c_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

```

```

rc = SQLDriverConnect ( c_hdbc1,
                        NULL,
(SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

// Connection 4
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
                        aptr->server,
                        aptr->user,
                        aptr->password,
                        aptr->database );

rc = SQLSetConnectOption ( c_hdbc2, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

rc = SQLDriverConnect ( c_hdbc2,
                        NULL,
(SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

// Connection 5
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
                        aptr->server,
                        aptr->user,
                        aptr->password,
                        aptr->database );

rc = SQLSetConnectOption ( o_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

rc = SQLDriverConnect ( o_hdbc1,
                        NULL,
(SQLCHAR*)&szDriverString[0] ,

```

```

                        SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

// Connection 6
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
                        aptr->server,
                        aptr->user,
                        aptr->password,
                        aptr->database );

rc = SQLSetConnectOption ( o_hdbc2, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

rc = SQLDriverConnect ( o_hdbc2,
                        NULL,
(SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

// Connection 7
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
                        aptr->server,
                        aptr->user,
                        aptr->password,
                        aptr->database );

rc = SQLSetConnectOption ( o_hdbc3, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = SQLDriverConnect ( o_hdbc3,
                        NULL,
(SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),

```

```

        &cbDriverStringOut,

        SQL_DRIVER_NOPROMPT );
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
}

//=====
//
// Function name: BuildIndex
//
//=====

void BuildIndex(char          *index_script)
{
    char          cmd[256];

    printf("Starting index creation:  %s\n",index_script);

    sprintf(cmd, "isql -S%s -U%s -P%s -e -i%s\\%s.sql > logs\\%s.log",
            aptr->server,
            aptr->user,
            aptr->password,
            aptr->index_script_path,
            index_script,
            index_script);

    system(cmd);

    printf("Finished index creation:  %s\n",index_script);
}

void HandleErrorDBC (SQLHDBC  hdbc1)
{
    SQLCHAR          SqlState[6], Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER        NativeError;
    SQLSMALLINT      i, MsgLen;
    SQLRETURN         rc2;
    char              timebuf[128];
    char              datebuf[128];
    FILE              *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_DBC , hdbc1, i, SqlState ,
    &NativeError,
                                Msg, sizeof(Msg) , &MsgLen )) !=
    SQL_NO_DATA )
    {

        sprintf( szLastError , "%s" , Msg );

        _strtime(timebuf);
        _strdate(datebuf);

        printf( "[%s : %s] %s\n" , datebuf, timebuf, szLastError);

        fp1 = fopen("logs\\tpccldr.err","w");
        if (fp1 == NULL)
            printf("ERROR:  Unable to open errorlog file.\n");

        if (fp1 == NULL)
            printf("ERROR:  Unable to open errorlog file.\n");
    }
}

```

```

        else
        {
            fprintf(fp1, "[%s : %s] %s\n" , datebuf, timebuf,
    szLastError);
            fclose(fp1);
        }
        i++;
    }
}

void HandleErrorSTMT (HSTMT  hstmt1)
{
    SQLCHAR          SqlState[6], Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER        NativeError;
    SQLSMALLINT      i, MsgLen;
    SQLRETURN         rc2;
    char              timebuf[128];
    char              datebuf[128];
    FILE              *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_STMT , hstmt1, i, SqlState ,
    &NativeError,
                                Msg, sizeof(Msg) , &MsgLen )) !=
    SQL_NO_DATA )
    {

        sprintf( szLastError , "%s" , Msg );

        _strtime(timebuf);
        _strdate(datebuf);

        printf( "[%s : %s] %s\n" , datebuf, timebuf, szLastError);

        fp1 = fopen("logs\\tpccldr.err","w");
        if (fp1 == NULL)
            printf("ERROR:  Unable to open errorlog file.\n");

        if (fp1 == NULL)
            printf("ERROR:  Unable to open errorlog file.\n");
    }
}

void FormatDate ( char* szTimeCOutput )
{
    struct tm when;
    time_t now;

    time( &now );
    when = *localtime( &now );

    mktime( &when );
}

```

```

// odbc datetime format
strftime( szTimeCOutput , 30 , "%Y-%m-%d %H:%M:%S.000", &when );
return;
}

//=====
//
// Function   : CheckSQL
//
//=====
void CheckSQL()
{
    RETCODE      rc;

    char          szDriverString[300];
    char          szDriverStringOut[1024];
    int           SQLBuildFlag;
    char          resp;

    SQLSMALLINT   cbDriverStringOut;
    SQLCHAR       SQLVersion[19];
    SQLINTEGER    SQLVersionInd;

    SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );
    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &v_hdbc);
    SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

    // Open connection to SQL Server
    sprintf( szDriverString , "DRIVER={SQL Server};SERVER=%s;UID=%s;PWD=%s" ,
            aptr->server,
            aptr->user,
            aptr->password );

    if ( SQLSetConnectAttr( v_hdbc, SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr-
>pack_size, SQL_IS_UINTEGER ) != SQL_SUCCESS )
        HandleErrorDBC(v_hdbc);

    rc = SQLDriverConnect ( v_hdbc,
                            NULL,
                            (SQLCHAR*)&szDriverString[0] ,
                            SQL_NTS,
                            (SQLCHAR*)&szDriverStringOut[0],
                            sizeof(szDriverStringOut),
                            &cbDriverStringOut,
                            SQL_DRIVER_NOPROMPT );

    if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))

```

```

        HandleErrorDBC(v_hdbc);
    if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt) != SQL_SUCCESS )
        HandleErrorSTMT(v_hstmt);

    rc = SQLBindCol(v_hstmt, 4, SQL_C_CHAR, &SQLVersion, sizeof(SQLVersion),
&SQLVersionInd);

    // issue SQL Server extended stored procedure (xp_msver) to determine
    installed version
    rc = SQLExecDirect(v_hstmt, "EXECUTE xp_msver ProductVersion", SQL_NTS);

    if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
        HandleErrorSTMT(v_hstmt);

    rc = SQLFetch(v_hstmt);

    if (rc != SQL_SUCCESS)
        HandleErrorDBC(v_hdbc);

    // Check build number to ensure 8.00.194 or higher
    SQLBuildFlag = 1;

    // first check the Major version
    if ( SQLVersion[0] == '8' )
    {
        if (( SQLVersion[2] == '0') & ( SQLVersion[3] == '0' ) )
        {
            if ( SQLVersion[5] == '1' )
            {
                if ( (SQLVersion[6] == '9') &
(SQLVersion[7] == '4') )
                {
                    SQLBuildFlag = 0;
                    printf("You are using SQL Server
version = %9s\n\n", SQLVersion);
                }
            }
            else
            {
                SQLBuildFlag = 1;
            }
        }
        else
        {
            if ( SQLVersion[5] == '3' )
            {
                if ( (SQLVersion[6] >= 53) &
(SQLVersion[7] >= 48) )
                {
                    SQLBuildFlag = 0;
                    printf("You are using
SQL Server version = %9s\n\n", SQLVersion);
                }
            }
            else
            {
                SQLBuildFlag = 1;
            }
        }
    }
}

```

```

else
{
    SQLBuildFlag = 1;
}

if ( SQLBuildFlag == 1 )
{
    printf("NOTE: The SQL Server version you are using is not
supported\n");
    printf("for TPC-C benchmarking. You currently have SQL Server
version %9s\n",SQLVersion);
    printf("installed. Please upgrade to Microsoft SQL Server 2000
(8.00.0194) or better.\n");
    printf("and re-run the SETUP program.\n\n");
    printf("Do you wish to continue with setup? (Y/N): ");
    resp = getchar();
    if ( ( resp == 'N' ) || (resp == '\n') )
    {
        printf("\nSetup Aborted!\n");
        exit(1);
    }
}

SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

return;
}

//=====
//
// Function : CheckDataBase
//
//=====
void CheckDataBase()
{
    RETCODE rc;

    char szDriverString[300];
    char szDriverStringOut[1024];
    char TablesBitMap[9] = {"000000000"};
    int i, ExitFlag;

    SQLSMALLINT cbDriverStringOut;
    SQLCHAR TabName[10];
    SQLINTEGER TabNameInd, TabCount, TabCountInd;

    ExitFlag = 0;

    SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );
    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );
    SQLAllocHandle(SQL_HANDLE_DBC, henv, &v_hdbc);
    SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

```

```

// Open connection to SQL Server

sprintf( szDriverString, "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s",

aptr->server,
aptr->user,
aptr->password,
aptr->database );

rc = SQLSetConnectAttr( v_hdbc, SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr-
>pack_size, SQL_IS_UIINTEGER );
if (rc != SQL_SUCCESS)
    HandleErrorDBC(v_hdbc);

rc = SQLDriverConnect ( v_hdbc,

NULL,

(SQLCHAR*)&szDriverString[0],

SQL_NTS,

(SQLCHAR*)&szDriverStringOut[0],

sizeof(szDriverStringOut),

&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );

// if the rc is SQL_ERROR, the the TPCC database probably does not exist
if (rc == SQL_ERROR)
{
    printf("The database TPCC does not appear to exist!\n");
    printf("\nCheck LOGS\\ directory for database creation
errors.\n");

    // cleanup database connections and handles
    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
    SQLDisconnect(v_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

    // since there is not a database, exit back to SETUP.CMD
    exit(1);
}

if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc, &v_hstmt) != SQL_SUCCESS )
    HandleErrorDBC(v_hdbc);

if ( SQLBindCol(v_hstmt, 1, SQL_C_ULONG, &TabCount, 0, &TabCountInd) !=
SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

// count the number of user tables from sysobjects
rc = SQLExecDirect(v_hstmt, "select count(*) from sysobjects where xtype =
'\U'", SQL_NTS);
if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorSTMT(v_hstmt);

if ( SQLFetch(v_hstmt) != SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

// if the number of tables is less than 9, select all the user tables in
TPCC
if (TabCount != 9)
{

```

```

SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);

SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc, &v_hstmt);

if ( SQLBindCol(v_hstmt, 1, SQL_C_CHAR, &TabName,
sizeof(TabName), &TabNameInd) != SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

// select the list of user tables into a result set
rc = SQLExecDirect(v_hstmt, "select * from sysobjects where
xtype = '\U'", SQL_NTS);
if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorSTMT(v_hstmt);

// go through the result set and set the bitmap for each found
table
// set the bitmap to '1' if the table name is found
while ((rc = SQLFetch(v_hstmt)) != SQL_NO_DATA)
{
    switch( TabName[0] )
    {
    case 'w':
        TablesBitMap[0] = '1';
        break;
    case 'd':
        TablesBitMap[1] = '1';
        break;
    case 'c':
        TablesBitMap[2] = '1';
        break;
    case 'h':
        TablesBitMap[3] = '1';
        break;
    case 'n':
        TablesBitMap[4] = '1';
        break;
    case 'o':
        if (TabName[5] = 's')
            TablesBitMap[5] = '1';
        if (TabName[5] = '_')
            TablesBitMap[6] = '1';
        break;
    case 'i':
        TablesBitMap[7] = '1';
        break;
    case 's':
        TablesBitMap[8] = '1';
        break;
    }
}

// a '0' ExitFlag means do NOT exit the loader early, a '1'
means exit the loader early
ExitFlag = 0;

// iterate through the bitmap to display which table(s) is
actually missing
for (i = 0; i <= 8; i++)
{
    switch(i)
    {
    case 0:

```

```

missing or damaged.\n");
}

case 1:
if (TablesBitMap[i] == '0')
{
    printf("The Warehouse table is
missing or damaged.\n");
    ExitFlag = 1;
}
break;

case 2:
if (TablesBitMap[i] == '0')
{
    printf("The District table is
missing or damaged.\n");
    ExitFlag = 1;
}
break;

case 3:
if (TablesBitMap[i] == '0')
{
    printf("The Customer table is
missing or damaged.\n");
    ExitFlag = 1;
}
break;

case 4:
if (TablesBitMap[i] == '0')
{
    printf("The History table is
missing or damaged.\n");
    ExitFlag = 1;
}
break;

case 5:
if (TablesBitMap[i] == '0')
{
    printf("The New_Order table is
missing or damaged.\n");
    ExitFlag = 1;
}
break;

case 6:
if (TablesBitMap[i] == '0')
{
    printf("The Orders table is
missing or damaged.\n");
    ExitFlag = 1;
}
break;

case 7:
if (TablesBitMap[i] == '0')
{
    printf("The Order_Line table is
missing or damaged.\n");
    ExitFlag = 1;
}
break;

case 8:
if (TablesBitMap[i] == '0')
{
    printf("The Item table is missing
or damaged.\n");
    ExitFlag = 1;
}
break;

```

```

                case 8:
                    if (TablesBitMap[i] == '0')
                    {
                        printf("The Stock table is missing
or damaged.\n");
                        ExitFlag = 1;
                    }
                    break;
                }
            }
        }
        // if one or more tables are missing, display message and exit
the loader
        if (ExitFlag = 1)
        {
            printf("\nExiting TPC-C Loader!\n");
            printf("\nCheck LOGS\\ directory for database\n");
            printf("or table creation errors.\n");

            // cleanup database connections and handles
            SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
            SQLDisconnect(v_hdbc);
            SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

            exit(1);
        }

        // cleanup database connections and handles
        SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
        SQLDisconnect(v_hdbc);
        SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

        return;
    }
}

```


Resource Device		0x00000000-0x00000CFF	PCI bus OK	0x00000CD4-0x00000CD7	Motherboard resources
I/O Port 0x00000000-0x00000CFF	PCI bus	0x00000000-0x00000CFF	Direct memory access	OK	
I/O Port 0x00000000-0x00000CFF	PCI bus	0x000003B0-0x000003BB	PCI bus OK	0x00000CF9-0x00000CF9	Motherboard resources
I/O Port 0x00000000-0x00000CFF	Direct memory access controller	0x000003B0-0x000003BB	Standard VGA Graphics Adapter OK	0x00000020-0x00000021	Programmable interrupt controller
I/O Port 0x000003C0-0x000003DF	PCI bus	0x000003C0-0x000003DF	PCI bus OK	0x000000A0-0x000000A1	Programmable interrupt controller
I/O Port 0x000003C0-0x000003DF	Standard VGA Graphics Adapter	0x000003C0-0x000003DF	Standard VGA Graphics Adapter OK	0x00000C00-0x00000C01	Programmable interrupt controller
Memory Address 0xF7E00000-0xF7FFFFFF	PCI bus	0x00001800-0x000018FF	Base System Device OK	0x00000040-0x00000043	System timer OK
Memory Address 0xF7E00000-0xF7FFFFFF	Smart Array 5300 Controller (Non-Miniport)	0x00002400-0x000024FF	Base System Device OK	0x00000080-0x0000008F	Direct memory access controller
IRQ 5 Base System Device		0x00002800-0x000028FF	Standard VGA Graphics Adapter OK	0x000000C0-0x000000DF	Direct memory access controller
IRQ 5 Compaq PCI Hotplug Controller		0x00000A79-0x00000A79	ISAPNP Read Data Port OK	0x0000040B-0x0000040B	Direct memory access controller
IRQ 7 ServerWorks (RCC) PCI to USB Open Host Controller		0x00000279-0x00000279	ISAPNP Read Data Port OK	0x000004D6-0x000004D6	Direct memory access controller
IRQ 7 Compaq PCI Hotplug Controller		0x00000274-0x00000277	ISAPNP Read Data Port OK	0x00000061-0x00000061	System speaker OK
I/O Port 0x00006000-0x000064FF	PCI bus	0x00000F50-0x00000F58	Motherboard resources	0x00000060-0x00000060	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
I/O Port 0x00006000-0x000064FF	QLogic QLA23xx PCI Fibre Channel Adapter	0x00000408-0x0000040F	Motherboard resources	0x00000064-0x00000064	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
I/O Port 0x00003000-0x000030FF	PCI bus	0x00000092-0x00000092	Motherboard resources	0x0000002E-0x0000002F	Extended IO Bus OK
I/O Port 0x00003000-0x000030FF	Compaq Smart Array 5i Controller	0x00000900-0x00000903	Motherboard resources	0x00000220-0x00000223	Extended IO Bus OK
I/O Port 0x00005000-0x000054FF	PCI bus	0x00000910-0x00000911	Motherboard resources	0x00000240-0x0000025F	Extended IO Bus OK
I/O Port 0x00005000-0x000054FF	Smart Array 5300 Controller (Non-Miniport)	0x00000920-0x00000923	Motherboard resources	0x00000070-0x00000073	Extended IO Bus OK
Memory Address 0xA0000-0xBFFFF	PCI bus	0x00000930-0x00000937	Motherboard resources	0x000003F8-0x000003FF	Communications Port (COM1) OK
Memory Address 0xA0000-0xBFFFF	Standard VGA Graphics Adapter	0x00000940-0x00000947	Motherboard resources	0x000003F2-0x000003F5	Standard floppy disk controller
I/O Port 0x000003B0-0x000003BB	PCI bus	0x00000950-0x00000957	Motherboard resources	0x000003F7-0x000003F7	Standard floppy disk controller
I/O Port 0x000003B0-0x000003BB	Standard VGA Graphics Adapter	0x00000C06-0x00000C08	Motherboard resources	0x00002000-0x0000200F	CSB5 IDE Controller OK
I/O Port 0x00004000-0x000044FF	PCI bus	0x00000C14-0x00000C14	Motherboard resources	0x000001F0-0x000001F7	Primary IDE Channel OK
I/O Port 0x00004000-0x000044FF	Smart Array 5300 Controller (Non-Miniport)	0x00000C49-0x00000C4A	Motherboard resources	0x000003F6-0x000003F6	Primary IDE Channel OK
[DMA]		0x00000C50-0x00000C52	Motherboard resources	0x00000170-0x00000177	Secondary IDE Channel
Resource Device Status		0x00000C6C-0x00000C6F	Motherboard resources	0x00000376-0x00000376	Secondary IDE Channel
Channel 7 Direct memory access controller	OK	0x00000010-0x0000001F	Motherboard resources	0x00003000-0x000030FF	PCI bus OK
Channel 2 Standard floppy disk controller	OK	0x00000230-0x00000233	Motherboard resources	0x00003000-0x000030FF	Compaq Smart Array 5i Controller
[Forced Hardware]		0x00000260-0x00000267	Motherboard resources	0x00004000-0x000044FF	PCI bus OK
Device PNP Device ID		0x000004D0-0x000004D1	Motherboard resources	0x00004000-0x000044FF	Smart Array 5300 Controller (Non-Miniport) OK
[I/O]		0x00000700-0x0000070F	Motherboard resources	0x00004400-0x000044FF	Smart Array 5300 Controller (Non-Miniport) OK
Resource Device Status		0x00000800-0x0000081F	Motherboard resources	0x00005000-0x000054FF	PCI bus OK
0x00000000-0x00000CFF	PCI bus OK	0x00000C80-0x00000C83	Motherboard resources	0x00005000-0x000054FF	Smart Array 5300 Controller (Non-Miniport) OK
		OK		0x00005400-0x000054FF	Smart Array 5300 Controller (Non-Miniport) OK

```

0x00006000-0x000064FF PCI bus OK
0x00006000-0x000064FF QLogic QLA23xx PCI
Fibre Channel Adapter OK
0x00006400-0x000064FF Smart Array 5300
Controller (Non-Miniport) OK

```

[IRQs]

```

Resource Device Status
IRQ 9 Microsoft ACPI-Compliant System OK

IRQ 3 Base System Device OK
IRQ 5 Base System Device OK
IRQ 5 Compaq PCI Hotplug Controller OK
IRQ 0 System timer OK
IRQ 1 Standard 101/102-Key or Microsoft Natural
PS/2 Keyboard OK
IRQ 12 PS/2 Compatible Mouse OK
IRQ 4 Communications Port (COM1) OK
IRQ 6 Standard floppy disk controller OK

IRQ 14 Primary IDE Channel OK
IRQ 7 ServerWorks (RCC) PCI to USB Open Host
Controller OK
IRQ 7 Compaq PCI Hotplug Controller OK
IRQ 31 Compaq Smart Array 5i Controller OK

IRQ 18 Smart Array 5300 Controller (Non-Miniport)
OK
IRQ 16 Smart Array 5300 Controller (Non-Miniport)
OK
IRQ 22 Smart Array 5300 Controller (Non-Miniport)
OK
IRQ 20 Smart Array 5300 Controller (Non-Miniport)
OK
IRQ 26 QLogic QLA23xx PCI Fibre Channel Adapter
OK
IRQ 24 Smart Array 5300 Controller (Non-Miniport)
OK

```

[Memory]

```

Resource Device Status
0xA0000-0xBFFFF PCI bus OK
0xA0000-0xBFFFF Standard VGA Graphics Adapter OK

0xF5F00000-0xF71FFFF PCI bus OK
0xF71F0000-0xF71F01FF Base System Device OK

0xF71E0000-0xF71E07FF Base System Device OK

0xF71D0000-0xF71D1FFF Base System Device OK

0xF7100000-0xF717FFFF Base System Device OK

0xF6000000-0xF6FFFFFF Standard VGA Graphics
Adapter OK
0xF5FF0000-0xF5FF0FFF Standard VGA Graphics
Adapter OK
0xF5FE0000-0xF5FE0FFF ServerWorks (RCC) PCI
to USB Open Host Controller
0xF7200000-0xF73FFFF PCI bus OK

```

```

0xF73C0000-0xF73FFFF Compaq Smart Array 5i
Controller OK
0xF72F0000-0xF72F3FFF Compaq Smart Array 5i
Controller OK
0xF7400000-0xF78FFFF PCI bus OK
0xF78C0000-0xF78FFFF Smart Array 5300
Controller (Non-Miniport) OK
0xF7700000-0xF77FFFF Smart Array 5300
Controller (Non-Miniport) OK
0xF76C0000-0xF76FFFF Smart Array 5300
Controller (Non-Miniport) OK
0xF7500000-0xF75FFFF Smart Array 5300
Controller (Non-Miniport) OK
0xF74F0000-0xF74F0FFF Compaq PCI Hotplug
Controller OK
0xF7900000-0xF7DFFFF PCI bus OK
0xF7DC0000-0xF7DFFFF Smart Array 5300
Controller (Non-Miniport) OK
0xF7C00000-0xF7CFFFF Smart Array 5300
Controller (Non-Miniport) OK
0xF7BC0000-0xF7BFFFF Smart Array 5300
Controller (Non-Miniport) OK
0xF7A00000-0xF7AFFFF Smart Array 5300
Controller (Non-Miniport) OK
0xF79F0000-0xF79F0FFF Compaq PCI Hotplug
Controller OK
0xF7E00000-0xF7FFFFF PCI bus OK
0xF7E00000-0xF7FFFFF Smart Array 5300
Controller (Non-Miniport) OK
0xF7FF0000-0xF7FF0FFF QLogic QLA23xx PCI
Fibre Channel Adapter
0xF7F80000-0xF7FBFFFF Smart Array 5300
Controller (Non-Miniport) OK

```

[Components]

[Multimedia]

[Audio Codecs]

```

CODEC Manufacturer Description
Status File Version Size
Creation Date
c:\windows\system32\msaud32.acm Microsoft
Corporation Windows Media Audio Codec OK
C:\WINDOWS\system32\MSAUD32.ACM
8.00.00.4487 288.00 KB (294,912
bytes) 3/25/2003 12:00 AM
c:\windows\system32\msg711.acm Microsoft
Corporation OK
C:\WINDOWS\system32\MSG711.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
10.00 KB (10,240 bytes) 3/25/2003
12:00 AM
c:\windows\system32\l3codeca.acm Fraunhofer
Institut Integrierte Schaltungen IIS Fraunhofer
IIS MPEG Layer-3 Codec OK
C:\WINDOWS\system32\L3CODECA.ACM 1,

```

```

9, 0, 0305 284.00 KB (290,816 bytes)
3/25/2003 12:00 AM
c:\windows\system32\msg723.acm Microsoft
Corporation OK
C:\WINDOWS\system32\MSG723.ACM
4.4.4000 116.00 KB (118,784 bytes)
12/31/2003 1:19 PM
c:\windows\system32\imaadp32.acm Microsoft
Corporation OK
C:\WINDOWS\system32\IMAADP32.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
15.50 KB (15,872 bytes) 3/25/2003
12:00 AM
c:\windows\system32\tssoft32.acm DSP GROUP,
INC. OK
C:\WINDOWS\system32\TSSOFT32.ACM
1.01 9.50 KB (9,728 bytes)
3/25/2003 12:00 AM
c:\windows\system32\msgsm32.acm Microsoft
Corporation OK
C:\WINDOWS\system32\MSGSM32.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
20.50 KB (20,992 bytes) 3/25/2003
12:00 AM
c:\windows\system32\sl_anet.acm Sipro Lab
Telecom Inc. Sipro Lab Telecom Audio Codec OK
C:\WINDOWS\system32\SL_ANET.ACM
3.02 84.00 KB (86,016 bytes)
3/25/2003 12:00 AM
c:\windows\system32\msadp32.acm Microsoft
Corporation OK
C:\WINDOWS\system32\MSADP32.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
14.50 KB (14,848 bytes) 3/25/2003
12:00 AM

[Video Codecs]

CODEC Manufacturer Description
Status File Version Size
Creation Date
c:\windows\system32\mrle32.dll Microsoft
Corporation OK
C:\WINDOWS\system32\MSRLE32.DLL
5.2.3790.0 (srv03_rtm.030324-2048)
10.50 KB (10,752 bytes) 3/25/2003
12:00 AM
c:\windows\system32\iyuv_32.dll Microsoft
Corporation OK
C:\WINDOWS\system32\IYUV_32.DLL
5.2.3790.0 (srv03_rtm.030324-2048)
45.00 KB (46,080 bytes) 3/24/2003
7:49 PM
c:\windows\system32\msh261.drv Microsoft
Corporation OK
C:\WINDOWS\system32\MSH261.DRV
4.4.4000 180.00 KB (184,320 bytes)
12/31/2003 1:19 PM
c:\windows\system32\tsbyuv.dll Microsoft
Corporation OK
C:\WINDOWS\system32\TSBYUV.DLL
5.2.3790.0 (srv03_rtm.030324-2048)

```

8.00 KB (8,192 bytes) 3/24/2003
 7:50 PM
 c:\windows.0\system32\msyuv.dll Microsoft Corporation OK
 C:\WINDOWS.0\system32\MSYUV.DLL
 5.2.3790.0 (srv03_rtm.030324-2048)
 16.50 KB (16,896 bytes) 3/24/2003

7:49 PM
 c:\windows.0\system32\msvidc32.dll Microsoft Corporation OK
 C:\WINDOWS.0\system32\MSVIDC32.DLL
 5.2.3790.0 (srv03_rtm.030324-2048)
 26.50 KB (27,136 bytes) 3/25/2003

12:00 AM
 c:\windows.0\system32\msh263.drv Microsoft Corporation OK
 C:\WINDOWS.0\system32\MSH263.DRV
 4.4.4000 284.00 KB (290,816 bytes)
 3/24/2003 7:46 PM

[CD-ROM]

Item	Value
Drive	D:
Description	CD-ROM Drive
Media Loaded	No
Media Type	CD-ROM
Name	COMPAQ CD-ROM SN-124
Manufacturer	(Standard CD-ROM drives)
Status	OK
Transfer Rate	Not Available
SCSI Target ID	0
PNP Device ID	IDE\CDROMCOMPAQ_CD-ROM_SN-124_N102_5\FB0C83D&0&0.0.0
Driver	c:\windows.0\system32\drivers\cdrom.sys (5.2.3790.0 (srv03_rtm.030324-2048), 49.50 KB (50,688 bytes), 3/25/2003 12:00 AM)

[Sound Device]

Item	Value
------	-------

[Display]

Item	Value
Name	Standard VGA Graphics Adapter
PNP Device ID	PCI\VEN_1002&DEV_4752&SUBSYS_001E0E11&REV_27\3&267A616A&0&18
Adapter Type	ATI MACH64, (Standard display types) compatible
Adapter Description	Standard VGA Graphics Adapter
Adapter RAM	7.94 MB (8,323,072 bytes)
Installed Drivers	vga.dll,framebuf.dll,vga256.dll,vga64k.dll
Driver Version	5.2.3790.0
INF File	display.inf (vga section)
Color Planes	1
Color Table Entries	65536
Resolution	800 x 600 x 1 hertz
Bits/Pixel	16
Memory Address	0xF6000000-0xF6FFFFFF

I/O Port	0x00002800-0x000028FF
Memory Address	0xF5FF0000-0xF5FF0FFF
I/O Port	0x000003B0-0x000003BB
I/O Port	0x000003C0-0x000003DF
Memory Address	0xA0000-0xBFFFF
Driver	c:\windows.0\system32\drivers\vgapnp.sys (5.2.3790.0 (srv03_rtm.030324-2048), 23.00 KB (23,552 bytes), 1/6/2004 9:08 AM)

[Infrared]

Item	Value
------	-------

[Input]

[Keyboard]

Item	Value
Description	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
Name	Enhanced (101- or 102-key)
Layout	00000409
PNP Device ID	ACPI\PNP0303\4&35118DFF&0
Number of Function Keys	12
I/O Port	0x00000060-0x0000006F
I/O Port	0x00000064-0x00000064
IRQ Channel	IRQ 1
Driver	c:\windows.0\system32\drivers\i8042prt.sys (5.2.3790.0 (srv03_rtm.030324-2048), 68.50 KB (70,144 bytes), 3/25/2003 12:00 AM)

[Pointing Device]

Item	Value
Hardware Type	PS/2 Compatible Mouse
Number of Buttons	5
Status	OK
PNP Device ID	ACPI\PNP0F13\4&35118DFF&0
Power Management Supported	No
Double Click Threshold	6
Handedness	Right Handed Operation
IRQ Channel	IRQ 12
Driver	c:\windows.0\system32\drivers\i8042prt.sys (5.2.3790.0 (srv03_rtm.030324-2048), 68.50 KB (70,144 bytes), 3/25/2003 12:00 AM)

[Modem]

Item	Value
------	-------

[Network]

[Adapter]

Item	Value
Name	[00000001] Intel(R) PRO/1000 MT Dual Port
Network Connection	
Adapter Type	Not Available

Product Type	Intel(R) PRO/1000 MT Dual Port
Network Connection	
Installed Yes	
PNP Device ID	Not Available
Last Reset	6/22/2004 10:56 AM
Index	1
Service Name	E1000
IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available
DHCP Enabled	No
DHCP Server	Not Available
DHCP Lease Expires	Not Available
DHCP Lease Obtained	Not Available
MAC Address	Not Available

Name	[00000002] Intel(R) PRO/1000 MT Dual Port
Network Connection	
Adapter Type	Not Available
Product Type	Intel(R) PRO/1000 MT Dual Port
Network Connection	
Installed Yes	
PNP Device ID	Not Available
Last Reset	6/22/2004 10:56 AM
Index	2
Service Name	E1000
IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available
DHCP Enabled	No
DHCP Server	Not Available
DHCP Lease Expires	Not Available
DHCP Lease Obtained	Not Available
MAC Address	Not Available

Name	[00000003] RAS Async Adapter
Adapter Type	Not Available
Product Type	RAS Async Adapter
Installed Yes	
PNP Device ID	Not Available
Last Reset	6/22/2004 10:56 AM
Index	3
Service Name	AsyncMac
IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available
DHCP Enabled	No
DHCP Server	Not Available
DHCP Lease Expires	Not Available
DHCP Lease Obtained	Not Available
MAC Address	Not Available

Name	[00000004] WAN Miniport (L2TP)
Adapter Type	Not Available
Product Type	WAN Miniport (L2TP)
Installed Yes	
PNP Device ID	ROOT\MS_L2TPMINIPORT\0000
Last Reset	6/22/2004 10:56 AM
Index	4
Service Name	Rasl2tp
IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available

DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Driver c:\windows.0\system32\drivers\rasl2tp.sys
 (5.2.3790.0 (srv03_rtm.030324-2048), 77.00 KB (78,848 bytes), 3/25/2003 12:00 AM)

Name [00000005] WAN Miniport (PPTP)
 Adapter Type Wide Area Network (WAN)
 Product Type WAN Miniport (PPTP)
 Installed Yes
 PNP Device ID ROOT\MS_PPTP\MINIPORT\0000
 Last Reset 6/22/2004 10:56 AM
 Index 5
 Service Name PptpMiniport
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 50:50:54:50:30:30
 Driver c:\windows.0\system32\drivers\raspppt.sys
 (5.2.3790.0 (srv03_rtm.030324-2048), 70.50 KB (72,192 bytes), 3/25/2003 12:00 AM)

Name [00000006] WAN Miniport (PPPOE)
 Adapter Type Wide Area Network (WAN)
 Product Type WAN Miniport (PPPOE)
 Installed Yes
 PNP Device ID ROOT\MS_PPPOE\MINIPORT\0000
 Last Reset 6/22/2004 10:56 AM
 Index 6
 Service Name Rasppoe
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 33:50:6F:45:30:30
 Driver c:\windows.0\system32\drivers\rasppoe.sys
 (5.2.3790.0 (srv03_rtm.030324-2048), 38.00 KB (38,912 bytes), 3/25/2003 12:00 AM)

Name [00000007] Direct Parallel
 Adapter Type Not Available
 Product Type Direct Parallel
 Installed Yes
 PNP Device ID ROOT\MS_PT\MINIPORT\0000
 Last Reset 6/22/2004 10:56 AM
 Index 7
 Service Name Raspti
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available

DHCP Lease Obtained Not Available
 MAC Address Not Available
 Driver c:\windows.0\system32\drivers\raspti.sys
 (5.2.3790.0 (srv03_rtm.030324-2048), 18.50 KB (18,944 bytes), 3/25/2003 12:00 AM)

Name [00000008] WAN Miniport (IP)
 Adapter Type Not Available
 Product Type WAN Miniport (IP)
 Installed Yes
 PNP Device ID ROOT\MS_NDISWANIP\0000
 Last Reset 6/22/2004 10:56 AM
 Index 8
 Service Name NdisWan
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Driver c:\windows.0\system32\drivers\ndiswan.sys
 (5.2.3790.0 (srv03_rtm.030324-2048), 96.50 KB (98,816 bytes), 3/25/2003 12:00 AM)

Name [00000009] Alacritech Accelerator
 Adapter Type Not Available
 Product Type Alacritech Accelerator
 Installed Yes
 PNP Device ID Not Available
 Last Reset 6/22/2004 10:56 AM
 Index 9
 Service Name SLIC
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available

Name [00000010] BCM5701 Gigabit Ethernet
 Adapter Type Not Available
 Product Type BCM5701 Gigabit Ethernet
 Installed Yes
 PNP Device ID Not Available
 Last Reset 6/22/2004 10:56 AM
 Index 10
 Service Name b57w2k
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available

[Protocol]

Item Value

Name MSAFD Tcpip [TCP/IP]
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 16 bytes
 Maximum Message Size 0 bytes
 Message Oriented No
 Minimum Address Size 16 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data Yes
 Supports Graceful Closing Yes
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD Tcpip [UDP/IP]
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 16 bytes
 Maximum Message Size 63.93 KB (65,467 bytes)

Message Oriented Yes
 Minimum Address Size 16 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting Yes

Name RSVP UDP Service Provider
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 16 bytes
 Maximum Message Size 63.93 KB (65,467 bytes)

Message Oriented Yes
 Minimum Address Size 16 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption Yes
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting Yes

Name RSVP TCP Service Provider
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 16 bytes
 Maximum Message Size 0 bytes
 Message Oriented No

Minimum Address Size 16 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption Yes
Supports Expedited Data Yes
Supports Graceful Closing Yes
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS
[\\Device\NetBT_Tcpip_{515240B2-2174-41F3-85C2-8F2AA5954AB3}] SEQPACKE 0
Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS
[\\Device\NetBT_Tcpip_{515240B2-2174-41F3-85C2-8F2AA5954AB3}] DATAGRAM 0
Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS
[\\Device\NetBT_Tcpip_{8C389334-EF7B-4929-93D3-DFA91B667EF7}] SEQPACKE 1
Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes

Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS
[\\Device\NetBT_Tcpip_{8C389334-EF7B-4929-93D3-DFA91B667EF7}] DATAGRAM 1
Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS
[\\Device\NetBT_Tcpip_{F78016E4-5A51-4DA7-9144-A314052EA61E}] SEQPACKE 2
Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS
[\\Device\NetBT_Tcpip_{F78016E4-5A51-4DA7-9144-A314052EA61E}] DATAGRAM 2
Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes

Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS
[\\Device\NetBT_Tcpip_{A8B3F537-8B1B-4B52-9F27-D225242AB08D}] SEQPACKE 3
Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS
[\\Device\NetBT_Tcpip_{A8B3F537-8B1B-4B52-9F27-D225242AB08D}] DATAGRAM 3
Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS
[\\Device\NetBT_Tcpip_{98583FBA-8440-460B-8E04-30A653688AB}] SEQPACKE 4
Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes

Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS
[\\Device\\NetBT_Tcpip_{98583FBA-8440-460B-8E04-30A6553688AB}] DATAGRAM 4
Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS
[\\Device\\NetBT_Tcpip_{A81EF4F5-44DA-4E70-90A0-37AB5A0CD0EA}] SEQPACKET 5
Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS
[\\Device\\NetBT_Tcpip_{A81EF4F5-44DA-4E70-90A0-37AB5A0CD0EA}] DATAGRAM 5
Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes

Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

[WinSock]
Item Value
File c:\\windows.0\\system32\\winsock.dll
Size 2.80 KB (2,864 bytes)
Version 3.10
File c:\\windows.0\\system32\\wsock32.dll
Size 22.00 KB (22,528 bytes)
Version 5.2.3790.0 (srv03_rtm.030324-2048)

[Ports]

[Serial]
Item Value
Name Communications Port (COM1)
Status OK
PNP Device ID ACPI\\PNP0501\\0
Maximum Input Buffer Size 0
Maximum Output Buffer Size No
Settable Baud Rate Yes
Settable Data Bits Yes
Settable Flow Control Yes
Settable Parity Yes
Settable Parity Check Yes
Settable Stop Bits Yes
Settable RLSD Yes
Supports RLSD Yes
Supports 16 Bit Mode No
Supports Special Characters No
Baud Rate 9600
Bits/Byte 8
Stop Bits 1
Parity None
Busy No
Abort Read/Write on Error No
Binary Mode Enabled Yes
Continue XMit on XOff No
CTS Outflow Control No
Discard NULL Bytes No
DSR Outflow Control 0
DSR Sensitivity 0
DTR Flow Control Type Enable
EOF Character 0
Error Replace Character 0
Error Replacement Enabled No
Event Character 0
Parity Check Enabled No
RTS Flow Control Type Enable

XOff Character 19
XOffXmit Threshold 512
XOn Character 17
XOnXmit Threshold 2048
XOnXoff InFlow Control 0
XOnXoff OutFlow Control 0
IRQ Channel IRQ 4
I/O Port 0x000003F8-0x000003FF
Driver c:\\windows.0\\system32\\drivers\\serial.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 76.00 KB (77,824 bytes), 3/25/2003 12:00 AM)

[Parallel]

Item Value

[Storage]

[Drives]

Item Value
Drive A:
Description 3 1/2 Inch Floppy Drive

Drive C:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 16.95 GB (18,198,999,040 bytes)
Free Space 10.47 GB (11,242,496,000 bytes)

Volume Name
Volume Serial Number C872B5A0

Drive D:
Description CD-ROM Disc

Drive F:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive G:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive H:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available

Volume Name Not Available
Volume Serial Number Not Available

Drive I:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive J:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive K:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive L:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive M:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive N:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive O:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available

Volume Name Not Available
Volume Serial Number Not Available

Drive P:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive Q:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive R:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive S:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive T:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive U:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive V:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available

Volume Name Not Available
Volume Serial Number Not Available

Drive W:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 384.48 GB (412,834,992,128 bytes)
Free Space 259.20 GB (278,319,058,944 bytes)

Volume Name TpcBack1
Volume Serial Number 2469A42F

Drive X:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 384.48 GB (412,834,992,128 bytes)
Free Space 259.20 GB (278,319,124,480 bytes)

Volume Name TpcBack2
Volume Serial Number 601419E7

Drive Y:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 384.48 GB (412,834,992,128 bytes)
Free Space 259.20 GB (278,319,124,480 bytes)

Volume Name TpcBack3
Volume Serial Number C8B4DDA1

Drive Z:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 384.48 GB (412,834,992,128 bytes)
Free Space 259.20 GB (278,319,124,480 bytes)

Volume Name TpcBack4
Volume Serial Number 44F2DD21

[Disks]

Item	Value
Description	\\.\PHYSICALDRIVE5
Manufacturer	Not Available
Model	Not Available
Bytes/Sector	512
Media Loaded	Yes
Media Type	Fixed hard disk
Partitions	1
SCSI Bus	Not Available
SCSI Logical Unit	Not Available
SCSI Port	Not Available
SCSI Target ID	Not Available
Sectors/Track	63
Size	237.42 GB (254,926,103,040 bytes)
Total Cylinders	30,993
Total Sectors	497,902,545
Total Tracks	7,903,215
Tracks/Cylinder	255

Partition Disk #5, Partition #0
Partition Size 237.42 GB (254,926,070,784 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE11
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 47.85 GB (51,375,098,880 bytes)
Total Cylinders 6,246
Total Sectors 100,341,990
Total Tracks 1,592,730
Tracks/Cylinder 255
Partition Disk #11, Partition #0
Partition Size 47.85 GB (51,375,066,624 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE12
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 65.42 GB (70,243,891,200 bytes)
Total Cylinders 8,540
Total Sectors 137,195,100
Total Tracks 2,177,700
Tracks/Cylinder 255
Partition Disk #12, Partition #0
Partition Size 65.42 GB (70,243,858,944 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE13
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 55.66 GB (59,764,884,480 bytes)
Total Cylinders 7,266

Total Sectors 116,728,290
Total Tracks 1,852,830
Tracks/Cylinder 255
Partition Disk #13, Partition #0
Partition Size 55.66 GB (59,764,852,224 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE14
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 11.71 GB (12,576,453,120 bytes)
Total Cylinders 1,529
Total Sectors 24,563,385
Total Tracks 389,895
Tracks/Cylinder 255
Partition Disk #14, Partition #0
Partition Size 11.71 GB (12,576,420,864 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE15
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 384.49 GB (412,843,253,760 bytes)
Total Cylinders 50,192
Total Sectors 806,334,480
Total Tracks 12,798,960
Tracks/Cylinder 255
Partition Disk #15, Partition #0
Partition Size 384.48 GB (412,834,996,224 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE16
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available

Sectors/Track 63
Size 47.85 GB (51,375,098,880 bytes)
Total Cylinders 6,246
Total Sectors 100,341,990
Total Tracks 1,592,730
Tracks/Cylinder 255
Partition Disk #16, Partition #0
Partition Size 47.85 GB (51,375,066,624 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE17
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 65.42 GB (70,243,891,200 bytes)
Total Cylinders 8,540
Total Sectors 137,195,100
Total Tracks 2,177,700
Tracks/Cylinder 255
Partition Disk #17, Partition #0
Partition Size 65.42 GB (70,243,858,944 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE18
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 55.66 GB (59,764,884,480 bytes)
Total Cylinders 7,266
Total Sectors 116,728,290
Total Tracks 1,852,830
Tracks/Cylinder 255
Partition Disk #18, Partition #0
Partition Size 55.66 GB (59,764,852,224 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE19
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available

SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 11.71 GB (12,576,453,120 bytes)
Total Cylinders 1,529
Total Sectors 24,563,385
Total Tracks 389,895
Tracks/Cylinder 255
Partition Disk #19, Partition #0
Partition Size 11.71 GB (12,576,420,864 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE20
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 384.49 GB (412,843,253,760 bytes)
Total Cylinders 50,192
Total Sectors 806,334,480
Total Tracks 12,798,960
Tracks/Cylinder 255
Partition Disk #20, Partition #0
Partition Size 384.48 GB (412,834,996,224 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE0
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 47.85 GB (51,375,098,880 bytes)
Total Cylinders 6,246
Total Sectors 100,341,990
Total Tracks 1,592,730
Tracks/Cylinder 255
Partition Disk #0, Partition #0
Partition Size 47.85 GB (51,375,066,624 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE1
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes

Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 65.42 GB (70,243,891,200 bytes)
Total Cylinders 8,540
Total Sectors 137,195,100
Total Tracks 2,177,700
Tracks/Cylinder 255
Partition Disk #1, Partition #0
Partition Size 65.42 GB (70,243,858,944 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE2
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 55.66 GB (59,764,884,480 bytes)
Total Cylinders 7,266
Total Sectors 116,728,290
Total Tracks 1,852,830
Tracks/Cylinder 255
Partition Disk #2, Partition #0
Partition Size 55.66 GB (59,764,852,224 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE3
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 11.71 GB (12,576,453,120 bytes)
Total Cylinders 1,529
Total Sectors 24,563,385
Total Tracks 389,895
Tracks/Cylinder 255
Partition Disk #3, Partition #0
Partition Size 11.71 GB (12,576,420,864 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE4
Manufacturer Not Available

Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 384.49 GB (412,843,253,760 bytes)
Total Cylinders 50,192
Total Sectors 806,334,480
Total Tracks 12,798,960
Tracks/Cylinder 255
Partition Disk #4, Partition #0
Partition Size 384.48 GB (412,834,996,224 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE6
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 47.85 GB (51,375,098,880 bytes)
Total Cylinders 6,246
Total Sectors 100,341,990
Total Tracks 1,592,730
Tracks/Cylinder 255
Partition Disk #6, Partition #0
Partition Size 47.85 GB (51,375,066,624 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE7
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 65.42 GB (70,243,891,200 bytes)
Total Cylinders 8,540
Total Sectors 137,195,100
Total Tracks 2,177,700
Tracks/Cylinder 255
Partition Disk #7, Partition #0
Partition Size 65.42 GB (70,243,858,944 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE8
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 55.66 GB (59,764,884,480 bytes)
 Total Cylinders 7,266
 Total Sectors 116,728,290
 Total Tracks 1,852,830
 Tracks/Cylinder 255
 Partition Disk #8, Partition #0
 Partition Size 55.66 GB (59,764,852,224 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE9
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 11.71 GB (12,576,453,120 bytes)
 Total Cylinders 1,529
 Total Sectors 24,563,385
 Total Tracks 389,895
 Tracks/Cylinder 255
 Partition Disk #9, Partition #0
 Partition Size 11.71 GB (12,576,420,864 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE10
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 384.49 GB (412,843,253,760 bytes)
 Total Cylinders 50,192
 Total Sectors 806,334,480
 Total Tracks 12,798,960
 Tracks/Cylinder 255
 Partition Disk #10, Partition #0

Partition Size 384.48 GB (412,834,996,224 bytes)

Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model COMPAQ LOGICAL VOLUME SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 3
 SCSI Target ID 4
 Sectors/Track 32
 Size 16.95 GB (18,203,197,440 bytes)
 Total Cylinders 4,357
 Total Sectors 35,553,120
 Total Tracks 1,111,035
 Tracks/Cylinder 255
 Partition Disk #21, Partition #0
 Partition Size 16.95 GB (18,199,003,136 bytes)

Partition Starting Offset 16,384 bytes

[SCSI]

Item Value
 Name Compaq Smart Array 5i Controller
 Manufacturer Compaq
 Status OK
 PNP Device ID
 PCI\VEN_0E11&DEV_B178&SUBSYS_40800E11&REV_0
 1\3&13C0B0C5&0&08
 Memory Address 0xF73C0000-0xF73FFFFF
 I/O Port 0x00003000-0x000030FF
 Memory Address 0xF72F0000-0xF72F3FFF
 IRQ Channel IRQ 31
 Driver c:\windows.0\system32\drivers\cpqcissm.sys
 (5.60.0.32 Build 2, 24.47 KB (25,056 bytes),
 1/21/2004 11:43 AM)

Name Smart Array 5300 Controller (Non-Miniport)

Manufacturer Hewlett-Packard
 Status OK
 PNP Device ID
 PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
 2\3&1070020&0&08
 Memory Address 0xF78C0000-0xF78FFFFF
 Memory Address 0xF7700000-0xF77FFFFF
 I/O Port 0x00004000-0x000044FF
 IRQ Channel IRQ 18
 Driver c:\windows.0\system32\drivers\hpgcissb.sys
 (5.6.2.32 built by: WinDDK, 38.00 KB (38,912 bytes),
 12/31/2003 1:40 PM)

Name Smart Array 5300 Controller (Non-Miniport)

Manufacturer Hewlett-Packard
 Status OK

PNP Device ID
 PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
 2\3&1070020&0&10
 Memory Address 0xF76C0000-0xF76FFFFF
 Memory Address 0xF7500000-0xF75FFFFF
 I/O Port 0x00004400-0x000044FF
 IRQ Channel IRQ 16
 Driver c:\windows.0\system32\drivers\hpgcissb.sys
 (5.6.2.32 built by: WinDDK, 38.00 KB (38,912 bytes),
 12/31/2003 1:40 PM)

Name Smart Array 5300 Controller (Non-Miniport)

Manufacturer Hewlett-Packard
 Status OK
 PNP Device ID
 PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
 2\3&29E81982&0&08
 Memory Address 0xF7DC0000-0xF7DFFFFF
 Memory Address 0xF7C00000-0xF7CFFFFF
 I/O Port 0x00005000-0x000054FF
 IRQ Channel IRQ 22
 Driver c:\windows.0\system32\drivers\hpgcissb.sys
 (5.6.2.32 built by: WinDDK, 38.00 KB (38,912 bytes),
 12/31/2003 1:40 PM)

Name Smart Array 5300 Controller (Non-Miniport)

Manufacturer Hewlett-Packard
 Status OK
 PNP Device ID
 PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
 2\3&29E81982&0&10
 Memory Address 0xF7BC0000-0xF7BFFFFF
 Memory Address 0xF7A00000-0xF7AFFFFF
 I/O Port 0x00005400-0x000054FF
 IRQ Channel IRQ 20
 Driver c:\windows.0\system32\drivers\hpgcissb.sys
 (5.6.2.32 built by: WinDDK, 38.00 KB (38,912 bytes),
 12/31/2003 1:40 PM)

Name QLogic QLA23xx PCI Fibre Channel Adapter

Manufacturer QLogic
 Status OK
 PNP Device ID
 PCI\VEN_1077&DEV_2312&SUBSYS_010C1077&REV_0
 2\3&172E68DD&0&08
 I/O Port 0x00006000-0x000064FF
 Memory Address 0xF7FF0000-0xF7FF0FFF
 IRQ Channel IRQ 26
 Driver c:\windows.0\system32\drivers\ql2300.sys
 (8.2.2.10 (W2K VI), 435.41 KB (445,858 bytes),
 4/16/2003 8:44 PM)

Name Smart Array 5300 Controller (Non-Miniport)

Manufacturer Hewlett-Packard
 Status OK
 PNP Device ID
 PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
 2\3&172E68DD&0&10
 Memory Address 0xF7F80000-0xF7FBFFFF

Memory Address 0xF7E00000-0xF7FFFFFF
 I/O Port 0x00006400-0x000064FF
 IRQ Channel IRQ 24
 Driver c:\windows.0\system32\drivers\hpgcissb.sys
 (5.6.2.32 built by: WinDDK, 38.00 KB (38,912 bytes),
 12/31/2003 1:40 PM)

[IDE]

Item Value
 Name CSB5 IDE Controller
 Manufacturer ServerWorks
 Status OK
 PNP Device ID
 PCI\VEN_1166&DEV_0212&SUBSYS_02121166&REV_9
 3\3&267A616A&0&79
 I/O Port 0x00002000-0x0000200F
 Driver c:\windows.0\system32\drivers\pciide.sys
 (5.2.3790.0 (srv03_rtm.030324-2048), 5.50 KB (5,632
 bytes), 3/25/2003 12:00 AM)

Name Primary IDE Channel
 Manufacturer (Standard IDE ATA/ATAPI
 controllers)
 Status OK
 PNP Device ID PCIIDE\IDECHANNEL\4&1024D5C6&0&0

I/O Port 0x000001F0-0x000001F7
 I/O Port 0x000003F6-0x000003F6
 IRQ Channel IRQ 14
 Driver c:\windows.0\system32\drivers\atapi.sys
 (5.2.3790.0 (srv03_rtm.030324-2048), 89.00 KB (91,136
 bytes), 3/25/2003 12:00 AM)

Name Secondary IDE Channel
 Manufacturer (Standard IDE ATA/ATAPI
 controllers)
 Status OK
 PNP Device ID PCIIDE\IDECHANNEL\4&1024D5C6&0&1

I/O Port 0x00000170-0x00000177
 I/O Port 0x00000376-0x00000376
 Driver c:\windows.0\system32\drivers\atapi.sys
 (5.2.3790.0 (srv03_rtm.030324-2048), 89.00 KB (91,136
 bytes), 3/25/2003 12:00 AM)

[Printing]

Name Driver Port Name Server Name

[Problem Devices]

Device PNP Device ID Error Code
 Base System Device
 PCI\VEN_0E11&DEV_B203&SUBSYS_B2060E11&REV_0
 1\3&267A616A&0&10 The drivers for this device are
 not installed.
 Base System Device
 PCI\VEN_0E11&DEV_B204&SUBSYS_B2060E11&REV_0
 1\3&267A616A&0&12 The drivers for this device are
 not installed.

[USB]

Device PNP Device ID
 ServerWorks (RCC) PCI to USB Open Host Controller
 PCI\VEN_1166&DEV_0220&SUBSYS_02201166&REV_0
 5\3&267A616A&0&7A
 USB Root Hub USB\ROOT_HUB\4&AF5358C&0

[Software Environment]

[System Drivers]

Name	Description	File	Type	Started	Start Mode	State	Accept Pause
abiosdsk	Abiosdsk	Not Available	Kernel Driver	No	Disabled	Stopped	OK
acpi	Microsoft ACPI Driver	c:\windows.0\system32\drivers\acpi.sys	Kernel Driver	Yes	Boot	Running	OK
acpiec	ACPIEC	c:\windows.0\system32\drivers\acpiec.sys	Kernel Driver	No	Disabled	Stopped	OK
adpu160m	adpu160m	Not Available	Kernel Driver	No	Disabled	Stopped	OK
adpu320	adpu320	Not Available	Kernel Driver	No	Disabled	Stopped	OK
afcmt	afcmt	Not Available	Kernel Driver	No	Disabled	Stopped	OK
afd	AFD Networking Support Environment	c:\windows.0\system32\drivers\afd.sys	Kernel Driver	Yes	Auto	Running	OK
ahal54x	Ahal54x	Not Available	Kernel Driver	No	Disabled	Stopped	OK
aic78u2	aic78u2	Not Available	Kernel Driver	No	Disabled	Stopped	OK
aic78xx	aic78xx	Not Available	Kernel Driver	No	Disabled	Stopped	OK
aliide	Aliide	Not Available	Kernel Driver	No	Disabled	Stopped	OK
asyncmac	RAS Asynchronous Media Driver	c:\windows.0\system32\drivers\asyncmac.sys	Kernel Driver	No	Manual	Stopped	OK
atapi	Standard IDE/ESDI Hard Disk Controller	c:\windows.0\system32\drivers\atapi.sys					

Kernel Driver	Yes	Boot		
Running	OK	Normal	No	Yes
atdisk	Atdisk	Not Available	Kernel Driver	
No	Ignore	Disabled	Stopped	OK
ati2mpad	ati2mpad	No	No	
	c:\windows.0\system32\drivers\ati2mpad.sys	Kernel Driver	No	Manual
Stopped	OK	Ignore	No	No
atmarpc	ATM ARP Client Protocol	c:\windows.0\system32\drivers\atmarpc.sys	Kernel Driver	No
Stopped	OK	Normal	No	No
audstub	Audio Stub Driver	c:\windows.0\system32\drivers\audstub.sys	Kernel Driver	Yes
Running	OK	Normal	No	Yes
b57w2k	BCM5701 Gigabit Ethernet	c:\windows.0\system32\drivers\b57xp32.sys	Kernel Driver	No
Stopped	OK	Normal	No	No
beep	Beep	c:\windows.0\system32\drivers\beep.sys	Kernel Driver	Yes
Running	OK	Normal	No	Yes
bus_use	bus_use.sys	\\?\c:\windows.0\system32\drivers\bus_use.s	Kernel Driver	No
ys	Kernel Driver	Stopped	OK	Normal
				No
cbidf2k	cbidf2k	c:\windows.0\system32\drivers\cbidf2k.sys	Kernel Driver	No
Stopped	OK	Normal	No	No
cd20xrnt	cd20xrnt	Not Available	Kernel Driver	
No	Normal	Disabled	Stopped	OK
cdfs	Cdfs	c:\windows.0\system32\drivers\cdfs.sys	File System Driver	Yes
Running	OK	Normal	No	Yes
cdrom	CD-ROM Driver	c:\windows.0\system32\drivers\cdrom.sys	Kernel Driver	Yes
Running	OK	Normal	No	Yes
changer	Changer	Not Available	Kernel Driver	
No	Ignore	System	Stopped	OK
clusdisk	Cluster Disk Driver	c:\windows.0\system32\drivers\clusdisk.sys	Kernel Driver	No
Stopped	OK	Normal	No	No

cmdide	CmdIde	Not Available	Kernel Driver	File System Driver	Yes	Disabled	Running	OK	Normal	No	Yes		
	No	Disabled	Stopped	Running	OK	Normal	No	Yes					
cpqarray	Cpqarray	Not Available	Kernel Driver	fdc	Floppy Disk Controller Driver				iirsp	iirsp	Not Available	Kernel Driver	
	No	Disabled	Stopped	OK	c:\windows.0\system32\drivers\fdc.sys				No	Disabled	Stopped	OK	
	Normal	No	No		Kernel Driver	Yes	Manual		Normal	No	No		
cpqarray2	Cpqarray2	Not Available	Kernel Driver	fips	Fips				imapi	CD-Burning Filter Driver			
	No	Disabled	Stopped	OK	c:\windows.0\system32\drivers\fips.sys				c:\windows.0\system32\drivers\imapi.sys				
	Normal	No	No		Kernel Driver	Yes	System		Kernel Driver	No	System		
cpqcissm	cpqcissm			Running	OK	Normal	No	Yes	Stopped	OK	Normal	No	No
	c:\windows.0\system32\drivers\cpqcissm.sys			Kernel Driver	Yes	System			intelide	IntelIde	Not Available	Kernel Driver	
	Running	OK	Normal	No	Yes				No	Disabled	Stopped	OK	
				Running	OK	Normal	No	Yes	Normal	No	No		
cpqfcalm	cpqfcalm	Not Available	Kernel Driver	flpydisk	Floppy Disk Driver				interruptaffinityfilter	Interrupt Affinity Filter	c:\windows.0\system32\drivers\intfiltr.sys		
	No	Disabled	Stopped	OK	c:\windows.0\system32\drivers\flpydisk.sys				Kernel Driver	Yes	Boot		
	Normal	No	No		Kernel Driver	Yes	Manual		Running	OK	Normal	No	Yes
				Running	OK	Normal	No	Yes					
crcdisk	CRC Disk Filter Driver			ftdisk	Volume Manager Driver				ipfilterdriver	IP Traffic Filter Driver			
	c:\windows.0\system32\drivers\crcdisk.sys			c:\windows.0\system32\drivers\ftdisk.sys					c:\windows.0\system32\drivers\ipfltdrv.sys				
	Kernel Driver	Yes	Boot	Kernel Driver	Yes	Boot			Kernel Driver	No	Manual		
	Running	OK	Normal	No	Yes				Stopped	OK	Normal	No	No
				Running	OK	Normal	No	Yes					
dac960nt	dac960nt	Not Available	Kernel Driver	gpc	Generic Packet Classifier				ipinip	IP in IP Tunnel Driver			
	No	Disabled	Stopped	OK	c:\windows.0\system32\drivers\msgpc.sys				c:\windows.0\system32\drivers\ipinip.sys				
	Normal	No	No		Kernel Driver	Yes	Manual		Kernel Driver	No	Manual		
dellcerc	dellcerc	Not Available	Kernel Driver	Running	OK	Normal	No	Yes	Stopped	OK	Normal	No	No
	Normal	No	No										
dfsdriver	DfsDriver			hpn	hpn	Not Available	Kernel Driver		ipnat	IP Network Address Translator			
	c:\windows.0\system32\drivers\dfs.sys			No	Disabled	Stopped	OK		c:\windows.0\system32\drivers\ipnat.sys				
	File System Driver	Yes	Boot	Normal	No	No			Kernel Driver	No	Manual		
	Running	OK	Normal	No	Yes				Stopped	OK	Normal	No	No
				Running	OK	Normal	No	Yes					
disk	Disk Driver			hpqcissb	Smart Array Controllers Non-Miniport Bus Driver				ipsec	IPSEC driver			
	c:\windows.0\system32\drivers\disk.sys			c:\windows.0\system32\drivers\hpqcissb.sys					c:\windows.0\system32\drivers\ipsec.sys				
	Kernel Driver	Yes	Boot	Kernel Driver	Yes	Boot			Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes				Running	OK	Normal	No	Yes
				Running	OK	Normal	No	Yes					
dmboot	dmboot			hpqcissd	Smart Array Controllers Non-Miniport Disk Driver				ipsraidn	ipsraidn	Not Available	Kernel Driver	
	c:\windows.0\system32\drivers\dmboot.sys			c:\windows.0\system32\drivers\hpqcissd.sys					No	Disabled	Stopped	OK	
	Kernel Driver	No	Disabled	Kernel Driver	Yes	Boot			Normal	No	No		
	Stopped	OK	Normal	No	No				isapnp	PnP ISA/EISA Bus Driver			
				Running	OK	Normal	No	Yes	c:\windows.0\system32\drivers\isapnp.sys				
				Running	OK	Normal	No	Yes	Kernel Driver	Yes	Boot		
				Running	OK	Normal	No	Yes	Running	OK	Critical	No	Yes
dmio	Logical Disk Manager Driver			hpqciss	HpqCissS				kbdclass	Keyboard Class Driver			
	c:\windows.0\system32\drivers\dmio.sys			c:\windows.0\system32\drivers\hpqciss.sys					c:\windows.0\system32\drivers\kbdclass.sys				
	Kernel Driver	Yes	Boot	Kernel Driver	Yes	Boot			Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes				Running	OK	Normal	No	Yes
				Running	OK	Normal	No	Yes					
dmload	dmload			hpt3xx	hpt3xx	Not Available	Kernel Driver		ksecdd	KSecDD			
	c:\windows.0\system32\drivers\dmload.sys			No	Disabled	Stopped	OK		c:\windows.0\system32\drivers\ksecdd.sys				
	Kernel Driver	Yes	Boot	Normal	No	No			Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes				Running	OK	Normal	No	Yes
				Running	OK	Normal	No	Yes					
dpti2o	dpti2o	Not Available	Kernel Driver	http	HTTP				i2omgmt	i2omgmt	Not Available	Kernel Driver	
	No	Disabled	Stopped	OK	c:\windows.0\system32\drivers\http.sys				No	System	Stopped	OK	
	Normal	No	No		Kernel Driver	No	Manual		Normal	No	No		
				Running	OK	Normal	No	No	Running	OK	Normal	No	Yes
				Running	OK	Normal	No	Yes					
e1000	Intel(R) PRO/1000 Device Driver			i2omp	i2omp	Not Available	Kernel Driver		lp6nds35	lp6nds35	Not Available	Kernel Driver	
	c:\windows.0\system32\drivers\e1000325.sys			No	Disabled	Stopped	OK		No	Disabled	Stopped	OK	
	Kernel Driver	No	Manual	Normal	No	No			Normal	No	No		
	Stopped	OK	Normal	No	No				Running	OK	Normal	No	Yes
				Running	OK	Normal	No	Yes					
fastfat	Fastfat			i8042prt	i8042 Keyboard and PS/2 Mouse Port Driver				mmmd	mmmd			
	c:\windows.0\system32\drivers\fastfat.sys			c:\windows.0\system32\drivers\i8042prt.sys					c:\windows.0\system32\drivers\mmdd.sys				
				Kernel Driver	Yes	System			Kernel Driver	Yes	System		

	Running	OK	Ignore	No	Yes
modem	Modem c:\windows.0\system32\drivers\modem.sys Kernel Driver No Manual Stopped OK Ignore No No				
mouclass	Mouse Class Driver c:\windows.0\system32\drivers\mouclass.sys Kernel Driver Yes System Running OK Normal No Yes				
mountmgr	Mount Point Manager c:\windows.0\system32\drivers\mountmgr.sys Kernel Driver Yes Boot Running OK Normal No Yes				
mrraid35x	mrraid35x Not Available Kernel Driver No Disabled Stopped OK Normal No No				
mrxdav	WebDav Client Redirector c:\windows.0\system32\drivers\mrxdav.sys File System Driver No Manual Stopped OK Normal No No				
mrxsmb	MRXSMB c:\windows.0\system32\drivers\mrxsmb.sys File System Driver Yes System Running OK Normal No Yes				
msfs	Msfs c:\windows.0\system32\drivers\msfs.sys File System Driver Yes System Running OK Normal No Yes				
mup	Mup c:\windows.0\system32\drivers\mup.sys File System Driver Yes Boot Running OK Normal No Yes				
ndis	NDIS System Driver c:\windows.0\system32\drivers\ndis.sys Kernel Driver Yes Boot Running OK Normal No Yes				
ndistapi	Remote Access NDIS TAPI Driver c:\windows.0\system32\drivers\ndistapi.sys Kernel Driver Yes Manual Running OK Normal No Yes				
ndisuiio	NDIS Usermode I/O Protocol c:\windows.0\system32\drivers\ndisuiio.sys Kernel Driver No Manual Stopped OK Normal No No				
ndiswan	Remote Access NDIS WAN Driver c:\windows.0\system32\drivers\ndiswan.sys Kernel Driver Yes Manual Running OK Normal No Yes				
ndproxy	NDIS Proxy c:\windows.0\system32\drivers\ndproxy.sys Kernel Driver Yes Manual				

	Running	OK	Normal	No	Yes
netbios	NetBIOS Interface c:\windows.0\system32\drivers\netbios.sys File System Driver Yes System Running OK Normal No Yes				
netbt	NetBios over Tcpip c:\windows.0\system32\drivers\netbt.sys Kernel Driver Yes System Running OK Normal No Yes				
nfrd960	nfrd960 Not Available Kernel Driver No Disabled Stopped OK Normal No No				
npfs	Npfs c:\windows.0\system32\drivers\npfs.sys File System Driver Yes System Running OK Normal No Yes				
ntfs	Ntfs c:\windows.0\system32\drivers\ntfs.sys File System Driver Yes Disabled Running OK Normal No Yes				
null	Null c:\windows.0\system32\drivers\null.sys Kernel Driver Yes System Running OK Normal No Yes				
parport	Parport c:\windows.0\system32\drivers\parport.sys Kernel Driver No Manual Stopped OK Ignore No No				
partmgr	Partition Manager c:\windows.0\system32\drivers\partmgr.sys Kernel Driver Yes Boot Running OK Normal No Yes				
pci	PCI Bus Driver c:\windows.0\system32\drivers\pci.sys Kernel Driver Yes Boot Running OK Critical No Yes				
pciide	PCIIde c:\windows.0\system32\drivers\pciide.sys Kernel Driver Yes Boot Running OK Normal No Yes				
pcmcia	Pcmcia c:\windows.0\system32\drivers\pcmcia.sys Kernel Driver No Disabled Stopped OK Normal No No				
pdcomp	PDCOMP Not Available Kernel Driver No Manual Stopped OK Ignore No No				
pdframe	PDFRAME Not Available Kernel Driver No Manual Stopped OK Ignore No No				

	pdreli	PDRELI	Not Available	Kernel Driver
		No	Manual Stopped	OK
		Ignore	No No	
	pdrframe	PDRFRAME	Not Available	Kernel Driver
		No	Manual Stopped	OK
		Ignore	No No	
	perc2	perc2	Not Available	Kernel Driver
		No	Disabled Stopped	OK
		Normal	No No	
	perc2hib	perc2hib	Not Available	Kernel Driver
		No	Disabled Stopped	OK
		Normal	No No	
	pptpminiport	WAN Miniport (PPTP)		
		c:\windows.0\system32\drivers\rasppptp.sys		
		Kernel Driver	Yes	Manual
		Running	OK	Normal No Yes
	processor	Processor Driver		
		c:\windows.0\system32\drivers\processr.sys		
		Kernel Driver	Yes	Manual
		Running	OK	Normal No Yes
	ptilink	Direct Parallel Link Driver		
		c:\windows.0\system32\drivers\ptilink.sys		
		Kernel Driver	Yes	Manual
		Running	OK	Normal No Yes
	q57w2k	HP NC7770 Gigabit Server Adapter		
		c:\windows.0\system32\drivers\q57xp32.sys		
		Kernel Driver	No	Manual
		Stopped	OK	Normal No No
	q11080	q11080	Not Available	Kernel Driver
		No	Disabled Stopped	OK
		Normal	No No	
	q110wnt	Q110wnt	Not Available	Kernel Driver
		No	Disabled Stopped	OK
		Normal	No No	
	q112160	q112160	Not Available	Kernel Driver
		No	Disabled Stopped	OK
		Normal	No No	
	q11240	q11240	Not Available	Kernel Driver
		No	Disabled Stopped	OK
		Normal	No No	
	q11280	q11280	Not Available	Kernel Driver
		No	Disabled Stopped	OK
		Normal	No No	
	q12100	q12100	Not Available	Kernel Driver
		No	Disabled Stopped	OK
		Normal	No No	
	q12200	q12200	Not Available	Kernel Driver
		No	Disabled Stopped	OK
		Normal	No No	
	q12300	q12300		
		c:\windows.0\system32\drivers\q12300.sys		
		Kernel Driver	Yes	Boot
		Running	OK	Normal No Yes
	qlvika	qlvika		
		c:\windows.0\system32\drivers\qlvika.sys		
		Kernel Driver	Yes	Auto
		Running	OK	Normal No Yes

rasacd	Remote Access Auto Connection Driver c:\windows.0\system32\drivers\rasacd.sys Kernel Driver Yes System Running OK Normal No Yes
rasl2tp	WAN Miniport (L2TP) c:\windows.0\system32\drivers\rasl2tp.sys Kernel Driver Yes Manual Running OK Normal No Yes
rasppoe	Remote Access PPPOE Driver c:\windows.0\system32\drivers\rasppoe.sys Kernel Driver Yes Manual Running OK Normal No Yes
raspti	Direct Parallel c:\windows.0\system32\drivers\raspti.sys Kernel Driver Yes Manual Running OK Normal No Yes
rdbss	Rdbss c:\windows.0\system32\drivers\rdbss.sys File System Driver Yes System Running OK Normal No Yes
rdpcdd	RDPcDD c:\windows.0\system32\drivers\rdpcdd.sys Kernel Driver Yes System Running OK Ignore No Yes
rdpdr	Terminal Server Device Redirector Driver c:\windows.0\system32\drivers\rdpdr.sys Kernel Driver Yes Manual Running OK Normal No Yes
rdpwd	RDPWD c:\windows.0\system32\drivers\rdpwd.sys Kernel Driver No Manual Stopped OK Ignore No No
redbook	Digital CD Audio Playback Filter Driver c:\windows.0\system32\drivers\redbook.sys Kernel Driver Yes System Running OK Normal No Yes
secdrv	Secdrv c:\windows.0\system32\drivers\secdrv.sys Kernel Driver No Manual Stopped OK Normal No No
serenum	Serenum Filter Driver c:\windows.0\system32\drivers\serenum.sys Kernel Driver Yes Manual Running OK Normal No Yes
serial	Serial port driver c:\windows.0\system32\drivers\serial.sys Kernel Driver Yes System Running OK Ignore No Yes
sfloppy	Sfloppy c:\windows.0\system32\drivers\sfloppy.sys Kernel Driver No System

simbad	Simbad Not Available Kernel Driver No Disabled Stopped OK Normal No No
slic	Alacritech Accelerator c:\windows.0\system32\drivers\slic100.sys Kernel Driver No Manual Stopped OK Normal No No
sparrow	Sparrow Not Available Kernel Driver No Disabled Stopped OK Normal No No
srv	Srv c:\windows.0\system32\drivers\srv.sys File System Driver No Manual Stopped OK Normal No No
swenum	Software Bus Driver c:\windows.0\system32\drivers\swenum.sys Kernel Driver Yes Manual Running OK Normal No Yes
symc810	symc810 Not Available Kernel Driver No Disabled Stopped OK Normal No No
symc8xx	symc8xx Not Available Kernel Driver No Disabled Stopped OK Normal No No
symmpi	symmpi Not Available Kernel Driver No Disabled Stopped OK Normal No No
sym_hi	sym_hi Not Available Kernel Driver No Disabled Stopped OK Normal No No
sym_u3	sym_u3 Not Available Kernel Driver No Disabled Stopped OK Normal No No
tcpip	TCP/IP Protocol Driver c:\windows.0\system32\drivers\tcpip.sys Kernel Driver Yes System Running OK Normal No Yes
tdpipe	TDPIPE c:\windows.0\system32\drivers\tdpipe.sys Kernel Driver No Manual Stopped OK Ignore No No
tdtcp	TDTCP c:\windows.0\system32\drivers\tdtcp.sys Kernel Driver No Manual Stopped OK Ignore No No
termdd	Terminal Device Driver c:\windows.0\system32\drivers\termdd.sys Kernel Driver Yes System Running OK Normal No Yes
toside	TosIde Not Available Kernel Driver No Disabled Stopped OK Normal No No
udfs	Udfs c:\windows.0\system32\drivers\udfs.sys

	File System Driver No Disabled Stopped OK Normal No No
ultra	ultra Not Available Kernel Driver No Disabled Stopped OK Normal No No
update	Microcode Update Driver c:\windows.0\system32\drivers\update.sys Kernel Driver Yes Manual Running OK Normal No Yes
usbhub	Microsoft USB Standard Hub Driver c:\windows.0\system32\drivers\usbhub.sys Kernel Driver Yes Manual Running OK Normal No Yes
usbhcci	Microsoft USB Open Host Controller Miniport Driver c:\windows.0\system32\drivers\usbhcci.sys Kernel Driver Yes Manual Running OK Normal No Yes
usbstor	USB Mass Storage Driver c:\windows.0\system32\drivers\usbstor.sys Kernel Driver No Manual Stopped OK Normal No No
vga	vga c:\windows.0\system32\drivers\vgapnp.sys Kernel Driver Yes Manual Running OK Ignore No Yes
vgasave	VGA Display Controller. c:\windows.0\system32\drivers\vga.sys Kernel Driver No System Stopped OK Ignore No No
viaide	ViaIde Not Available Kernel Driver No Disabled Stopped OK Normal No No
volsnap	Storage volumes c:\windows.0\system32\drivers\volsnap.sys Kernel Driver Yes Boot Running OK Normal No Yes
wanarp	Remote Access IP ARP Driver c:\windows.0\system32\drivers\wanarp.sys Kernel Driver Yes Manual Running OK Normal No Yes
wdica	WDICA Not Available Kernel Driver No Manual Stopped OK Ignore No No
wlbs	Network Load Balancing c:\windows.0\system32\drivers\wlbs.sys Kernel Driver No Manual Stopped OK Normal No No
[Signed Drivers]	
Device Name	Signed Device Class
Driver Version	Driver Date

Manufacturer INF Name Driver Name
Device ID
Not Available Not Available Not Available
Not Available Not Available Not Available Not
Available Not Available Not Available
HTREE\ROOT\0
ACPI Multiprocessor PC No COMPUTER
5.2.3790.0 10/1/2002 (Standard
computers) hal.inf Not Available
ROOT\ACPI_HAL\0000
Microsoft ACPI-Compliant System No
SYSTEM 5.2.3790.0 10/1/2002
Microsoft acpi.inf Not Available
ACPI_HAL\PNP0C08\0
Processor No PROCESSOR 5.2.3790.0
10/1/2002 (Standard processor types)
cpu.inf Not Available
ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_2\0
Processor No PROCESSOR 5.2.3790.0
10/1/2002 (Standard processor types)
cpu.inf Not Available
ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_2\1
Processor No PROCESSOR 5.2.3790.0
10/1/2002 (Standard processor types)
cpu.inf Not Available
ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_2\2
Processor No PROCESSOR 5.2.3790.0
10/1/2002 (Standard processor types)
cpu.inf Not Available
ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_2\3
PCI bus No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\0
ServerWorks Grand Champion CMIC_HE - NorthBridge High
End No SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0011&SUBSYS_00000000&REV_2
2\3&267A616A&0&00
ServerWorks Grand Champion CMIC_HE - NorthBridge High
End No SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0011&SUBSYS_00000000&REV_0
0\3&267A616A&0&01
ServerWorks Grand Champion CMIC_HE - NorthBridge High
End No SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0011&SUBSYS_00000000&REV_0
0\3&267A616A&0&02
ServerWorks Grand Champion CMIC_HE - NorthBridge High
End No SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0011&SUBSYS_00000000&REV_0
0\3&267A616A&0&03

Base System Device Not Available UNKNOWN Not
Available Not Available Not Available Not
Available Not Available
PCI\VEN_0E11&DEV_B203&SUBSYS_B2060E11&REV_0
1\3&267A616A&0&10
Base System Device Not Available UNKNOWN Not
Available Not Available Not Available Not
Available Not Available
PCI\VEN_0E11&DEV_B204&SUBSYS_B2060E11&REV_0
1\3&267A616A&0&12
Standard VGA Graphics Adapter No DISPLAY
5.2.3790.0 10/1/2002 (Standard
display types) display.inf Not Available
PCI\VEN_1002&DEV_4752&SUBSYS_001E0E11&REV_2
7\3&267A616A&0&18
Plug and Play Monitor No MONITOR
5.1.2001.0 6/6/2001 (Standard
monitor types) monitor.inf Not Available
DISPLAY\AV00402\4&89B5141&0&12345678&00&03
PCI standard ISA bridge No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_1166&DEV_0201&SUBSYS_00000000&REV_9
3\3&267A616A&0&78
ISAPNP Read Data Port No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ISAPNP\READDATAPORT\0
Motherboard resources No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ACPI\PNP0C02\0
Programmable interrupt controller No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
ACPI\PNP0000\4&35118DFF&0
System timer No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0100\4&35118DFF&0
Direct memory access controller No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
ACPI\PNP0200\4&35118DFF&0
System speaker No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0800\4&35118DFF&0
Standard 101/102-Key or Microsoft Natural PS/2
Keyboard No KEYBOARD 5.2.3790.0
10/1/2002 (Standard keyboards)
keyboard.inf Not Available
ACPI\PNP0303\4&35118DFF&0
PS/2 Compatible Mouse No MOUSE
5.2.3790.0 10/1/2002 Microsoft
msmouse.inf Not Available
ACPI\PNP0F13\4&35118DFF&0
Extended IO Bus No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)

machine.inf Not Available
ACPI\PNP0A06\4&35118DFF&0
Communications Port No PORTS 5.2.3790.0
10/1/2002 (Standard port types)
msports.inf Not Available
ACPI\PNP0501\0
Standard floppy disk controller No FDC
5.2.3790.0 10/1/2002 (Standard
floppy disk controllers) fdc.inf Not Available
ACPI\PNP0700\5&13237358&0
Floppy disk drive No FLOPPYDISK
5.2.3790.0 10/1/2002 (Standard
floppy disk drives) flpydisk.inf Not Available
FDC\GENERIC_FLOPPY_DRIVE\6&1C650E5D&0&0
CSB5 IDE Controller No HDC 5.2.3790.0
10/1/2002 ServerWorks mshdc.inf Not
Available
PCI\VEN_1166&DEV_0212&SUBSYS_02121166&REV_9
3\3&267A616A&0&79
Primary IDE Channel No HDC 5.2.3790.0
10/1/2002 (Standard IDE ATA/ATAPI
controllers) mshdc.inf Not Available
PCI\IDE\IDECHANNEL\4&1024D5C6&0&0
CD-ROM Drive No CDROM 5.2.3790.0
10/1/2002 (Standard CD-ROM drives)
cdrom.inf Not Available
IDE\CDROMCOMPAQ_CD-ROM_SN-
124_____N102___\5&FB0C83D&0&0.0.0
Secondary IDE Channel No HDC
5.2.3790.0 10/1/2002 (Standard IDE
ATA/ATAPI controllers) mshdc.inf Not Available
PCI\IDE\IDECHANNEL\4&1024D5C6&0&1
ServerWorks (RCC) PCI to USB Open Host Controller No
USB 5.2.3790.0 10/1/2002
Available ServerWorks (RCC) usbport.inf Not
PCI\VEN_1166&DEV_0220&SUBSYS_02201166&REV_0
5\3&267A616A&0&7A
USB Root Hub No USB 5.2.3790.0
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\4&AF5358C&0
Serverworks Champion CSB5 - SouthBridge 5 LPC No
SYSTEM 5.2.3790.0 10/1/2002
ServerWorks (RCC) machine.inf Not
Available
PCI\VEN_1166&DEV_0225&SUBSYS_00000000&REV_0
0\3&267A616A&0&7B
ServerWorks Grand Champion CIOB_X - I/O Bridge 100
Mhz No SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0010&SUBSYS_00000000&REV_0
3\3&267A616A&0&80
ServerWorks Grand Champion CIOB_X - I/O Bridge 100
Mhz No SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0010&SUBSYS_00000000&REV_0
3\3&267A616A&0&82
ServerWorks Grand Champion CIOB_X - I/O Bridge 100
Mhz No SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf


```

Not Available
PCI\VEN_1166&DEV_0010&SUBSYS_00000000&REV_0
3\3&267A616A&0&88
ServerWorks Grand Champion CIOB_X - I/O Bridge 100
Mhz No SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0010&SUBSYS_00000000&REV_0
3\3&267A616A&0&8A
PCI bus No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\1
Compaq Smart Array 5i Controller No
SCSIADAPTER 5.2.3790.0
10/1/2002 Compaq pnpscsi.inf Not
Available
PCI\VEN_0E11&DEV_B178&SUBSYS_40800E11&REV_0
1\3&13C0B0C5&0&08
Compaq Virtual LUN No SYSTEM 5.2.3790.0
10/1/2002 Compaq scsudev.inf Not
Available
SCSI\OTHER\VEN_COMPAQ&PROD_SCSI_COMMUNICATE
&REV_CISS\4&3349E2F1&0&000
Disk drive No DISKDRIVE 5.2.3790.0
10/1/2002 (Standard disk drives)
disk.inf Not Available
SCSI\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME&RE
V_2.38\4&3349E2F1&0&040
PCI bus No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\2
Smart Array 5300 Controller (Non-Miniport) No
SCSIADAPTER 5.6.59.32 4/8/2003
Hewlett-Packard oem0.inf Not Available
PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&1070020&0&08
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&33332AB6&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&33332AB6&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&33332AB6&0&0200004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&33332AB6&0&0300004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&33332AB6&0&0400004000000000

```

```

Smart Array 5300 Controller (Non-Miniport) No
SCSIADAPTER 5.6.59.32 4/8/2003
Hewlett-Packard oem0.inf Not Available
PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&1070020&0&10
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&16A16360&0&0000004000000000
Compaq PCI Hotplug Controller No SYSTEM
5.2.3790.0 10/1/2002 Compaq
machine.inf Not Available
PCI\VEN_0E11&DEV_A0F7&SUBSYS_A2FE0E11&REV_1
4\3&1070020&0&F0
PCI bus No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\3
Smart Array 5300 Controller (Non-Miniport) No
SCSIADAPTER 5.6.59.32 4/8/2003
Hewlett-Packard oem0.inf Not Available
PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&29E81982&0&08
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&38EB4840&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&38EB4840&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&38EB4840&0&0200004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&38EB4840&0&0300004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&38EB4840&0&0400004000000000
Smart Array 5300 Controller (Non-Miniport) No
SCSIADAPTER 5.6.59.32 4/8/2003
Hewlett-Packard oem0.inf Not Available
PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&29E81982&0&10
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&1C5980EA&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available

```

```

HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&1C5980EA&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&1C5980EA&0&0200004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&1C5980EA&0&0300004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&1C5980EA&0&0400004000000000
Compaq PCI Hotplug Controller No SYSTEM
5.2.3790.0 10/1/2002 Compaq
machine.inf Not Available
PCI\VEN_0E11&DEV_A0F7&SUBSYS_A2FE0E11&REV_1
4\3&29E81982&0&F0
PCI bus No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\4
QLogic QLA23xx PCI Fibre Channel Adapter No
SCSIADAPTER 8.2.2.10 4/16/2003
QLogic oem8.inf Not Available
PCI\VEN_1077&DEV_2312&SUBSYS_010C1077&REV_0
2\3&172E68DD&0&08
QLogic processor device No SYSTEM
5.2.3790.0 10/1/2002 QLOGIC
scsudev.inf Not Available
SCSI\PROCESSOR&VEN_QLOGIC&PROD_PSEUDO_LUN&R
EV\4&13981342&0&07F0
Smart Array 5300 Controller (Non-Miniport) No
SCSIADAPTER 5.6.59.32 4/8/2003
Hewlett-Packard oem0.inf Not Available
PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&172E68DD&0&10
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&2E12B67&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&2E12B67&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&2E12B67&0&0200004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&2E12B67&0&0300004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard

```

```

oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&2E12B67&0&0400004000000000
ACPI Thermal Zone No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\THERMALZONE\THM0
ACPI Fixed Feature Button No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ACPI\FIXEDBUTTON\2&DABA3FF&0
Logical Disk Manager No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\DMIO\0000
Volume Manager No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ROOT\FTDISK\0000
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
3FOFFSET7E00LENGTHTBF6314E00
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
3EOFFSET7E00LENGTHT105ADC3A00
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
3DOFFSET7E00LENGTHTDEA434600
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
3COFFSET7E00LENGTHT2ED9CF400
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
3BOFFSET7E00LENGTHT601EE22000
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
3AOFFSET7E00LENGTHT3B5AC72400
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
39OFFSET7E00LENGTHTBF6314E00
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
38OFFSET7E00LENGTHT105ADC3A00
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available

```

```

STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
27OFFSET7E00LENGTHTDEA434600
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
26OFFSET7E00LENGTHT2ED9CF400
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
25OFFSET7E00LENGTHT601EE22000
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
24OFFSET7E00LENGTHTBF6314E00
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
23OFFSET7E00LENGTHT105ADC3A00
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
22OFFSET7E00LENGTHTDEA434600
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
21OFFSET7E00LENGTHT2ED9CF400
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
20OFFSET7E00LENGTHT601EE22000
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
2FOFFSET7E00LENGTHTBF6314E00
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
2EOFFSET7E00LENGTHT105ADC3A00
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
2DOFFSET7E00LENGTHTDEA434600
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
2COFFSET7E00LENGTHT2ED9CF400
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE548DAC
2BOFFSET7E00LENGTHT601EE22000

```

```

Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE9DC69D
C6OFFSET4000LENGTHT43CBEC000
AFD Networking Support Environment Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_AFD\0000
Beep Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_BEEP\0000
CRC Disk Filter Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_CRCDISK\0000
dmbboot Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_DMBOOT\0000
dmload Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_DMLoad\0000
Fips Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_FIPS\0000
Generic Packet Classifier Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_GPC\0000
HpgCissS Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available
ROOT\LEGACY_HPQCISS\0000
IPSEC driver Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available
ROOT\LEGACY_IPSEC\0000
ksecdd Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_KSECDD\0000
mnmdd Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_MNMDD\0000
mountmgr Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available
ROOT\LEGACY_MOUNTMGR\0000
NDIS System Driver Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available
ROOT\LEGACY_NDIS\0000
Remote Access NDIS TAPI Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_NDISTAPI\0000
NDIS Usermode I/O Protocol Not Available
LEGACYDRIVER Not Available Not

```

```

Available Not Available Not Available Not
Available ROOT\LEGACY_NDISUIO\0000
NDProxy Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available
ROOT\LEGACY_NDPROXY\0000
NetBios over Tcpip Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available
ROOT\LEGACY_NETBT\0000
Null Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_NULL\0000

Partition Manager Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available
ROOT\LEGACY_PARTMGR\0000
qlvika Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_QLVIKA\0000

Remote Access Auto Connection Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_RASACD\0000
RDPCCD Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_RDPCCD\0000

RDPWD Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_RDPWD\0000

TCP/IP Protocol Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_TCPIP\0000
TDTCP Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_TDTCP\0000

volsnap Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available
ROOT\LEGACY_VOLSNAP\0000
Remote Access IP ARP Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_WANARP\0000
Audio Codecs No MEDIA 5.2.3790.0
10/1/2002 (Standard system devices)
wave.inf Not Available
ROOT\MEDIA\MS_MMVCD
Legacy Audio Drivers No MEDIA
5.2.3790.0 10/1/2002 (Standard
system devices) wave.inf Not Available
ROOT\MEDIA\MS_MMDRV
Media Control Devices No MEDIA
5.2.3790.0 10/1/2002 (Standard
system devices) wave.inf Not Available
ROOT\MEDIA\MS_MMMCI

```

```

Legacy Video Capture Devices No MEDIA
5.2.3790.0 10/1/2002 (Standard
system devices) wave.inf Not Available
ROOT\MEDIA\MS_MMVCD
Video Codecs No MEDIA 5.2.3790.0
10/1/2002 (Standard system devices)
wave.inf Not Available
ROOT\MEDIA\MS_MMVID
WAN Miniport (L2TP) No NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_L2TPMINIPOINT\0000
WAN Miniport (IP) No NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_NDISWANIP\0000
WAN Miniport (PPPOE) No NET
5.2.3790.0 10/1/2002 Microsoft
netrasa.inf Not Available
ROOT\MS_PPPOEMINIPOINT\0000
WAN Miniport (PPTP) No NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_PPTPMINIPOINT\0000
Direct Parallel No NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_PTMINIPOINT\0000
Terminal Server Device Redirector No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\RDPDR\0000
Terminal Server Keyboard Driver No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\RDP_KBD\0000
Terminal Server Mouse Driver No
SYSTEM 5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\RDP_MOUSE\0000
Plug and Play Software Device Enumerator No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\SYSTEM\0000
Microcode Update Device No
SYSTEM 5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\SYSTEM\0001

[Environment Variables]
Variable Value User Name
ComSpec %SystemRoot%\system32\cmd.exe <SYSTEM>
Path %SystemRoot%\system32;%SystemRoot%;%SystemR
oot%\System32\Wbem;C:\Program Files\Microsoft SQL
Server\80\Tools\BINN <SYSTEM>
windir %SystemRoot% <SYSTEM>
OS Windows_NT <SYSTEM>
PROCESSOR_ARCHITECTURE x86 <SYSTEM>
PROCESSOR_LEVEL 15 <SYSTEM>
PROCESSOR_IDENTIFIER x86 Family 15 Model 2
Stepping 6, GenuineIntel <SYSTEM>
PROCESSOR_REVISION 0206 <SYSTEM>
NUMBER_OF_PROCESSORS 8 <SYSTEM>
ClusterLog C:\WINDOWS.0\Cluster\cluster.log
<SYSTEM>

```

```

PATHEXT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF
;.WSH <SYSTEM>
TEMP %SystemRoot%\TEMP <SYSTEM>
TMP %SystemRoot%\TEMP <SYSTEM>
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\SYSTEM
TMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\SYSTEM
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\NETWORK SERVICE
TMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\NETWORK SERVICE
TEMP %USERPROFILE%\Local Settings\Temp
QUARK\Administrator
TMP %USERPROFILE%\Local Settings\Temp
QUARK\Administrator

[Print Jobs]
Document Size Owner Notify Status
Time Submitted Start Time
Elapsed Time
Pages Printed Job ID Priority
Parameters Driver Print
Processor Host Print Queue Data Type Name

[Network Connections]
Local Name Remote Name Type
Status User Name

[Running Tasks]
Name Path Process ID Priority Min
Working Set Max Working Set Start Time
Version Size File Date
system idle process Not Available 0 0
Not Available Not Available Not
Available Not Available Not Available Not
Available
system Not Available 4 8 0
1413120 Not Available Not Available
smss.exe Not Available 392 11
204800 1413120 6/22/2004 10:57 AM Not
Available Not Available Not Available
csrss.exe Not Available 448 13 Not
Available Not Available 6/22/2004 11:01 AM Not
Available Not Available Not Available
winlogon.exe
c:\windows.0\system32\winlogon.exe 472
13 204800 1413120 6/22/2004
11:01 AM 5.2.3790.0 (srv03_rtm.030324-2048)
536.50 KB (549,376 bytes) 3/25/2003
12:00 AM
services.exe
c:\windows.0\system32\services.exe 516
9 204800 1413120 6/22/2004
11:01 AM 5.2.3790.0 (srv03_rtm.030324-2048)
102.00 KB (104,448 bytes) 3/25/2003
12:00 AM

```

```

lsass.exe c:\windows.0\system32\lsass.exe 528
9 204800 1413120 6/22/2004
11:01 AM 5.2.3790.0 (srv03_rtm.030324-2048)
13.00 KB (13,312 bytes) 3/25/2003
12:00 AM
svchost.exe c:\windows.0\system32\svchost.exe
728 8 204800 1413120
6/22/2004 11:01 AM 5.2.3790.0
(srv03_rtm.030324-2048) 13.00 KB (13,312 bytes)
3/25/2003 12:00 AM
svchost.exe Not Available 784 8
Not Available Not Available
6/22/2004 11:01 AM Not Available Not
Available Not Available
msdtc.exe Not Available 812 8 Not
Available Not Available 6/22/2004 11:01 AM Not
Available Not Available Not Available
svchost.exe c:\windows.0\system32\svchost.exe
1016 8 204800 1413120
6/22/2004 11:01 AM 5.2.3790.0
(srv03_rtm.030324-2048) 13.00 KB (13,312 bytes)
3/25/2003 12:00 AM
mssearch.exe c:\program files\common
files\system\mssearch\bin\mssearch.exe 1048 8
204800 1413120 6/22/2004 11:01 AM
9.107.8320.0 68.00 KB (69,632 bytes)
1/21/2003 9:30 AM
wmiprvse.exe Not Available 1172 8
Not Available Not Available
6/22/2004 11:02 AM Not Available Not
Available Not Available
explorer.exe c:\windows.0\explorer.exe
1428 8 204800 1413120
6/22/2004 11:17 AM 6.00.3790.0
(srv03_rtm.030324-2048) 1,008.50 KB (1,032,704
bytes) 3/25/2003 12:00 AM
sqlmangr.exe c:\program files\microsoft sql
server\80\tools\bin\sqlmangr.exe 1508 8
204800 1413120 6/22/2004 11:17 AM
2000.080.0760.00 72.57 KB (74,308 bytes)
12/31/2003 12:27 PM
sqlservr.exe c:\program files\microsoft sql
server\mssql\bin\sqlservr.exe 1604 13
204800 1413120 6/22/2004 11:17 AM
2000.080.0760.00 7.17 MB (7,520,337
bytes) 5/28/2004 1:52 PM
cmd.exe c:\windows.0\system32\cmd.exe 428 8
204800 1413120 6/22/2004 11:48 AM
5.2.3790.0 (srv03_rtm.030324-2048)
374.00 KB (382,976 bytes) 3/25/2003
12:00 AM
helpctr.exe c:\windows.0\pchealth\helpctr\binaries\help
ctr.exe 196 8 204800 1413120
6/22/2004 2:06 PM 5.2.3790.0
(srv03_rtm.030324-2048) 764.00 KB (782,336
bytes) 12/31/2003 1:19 PM
wmiprvse.exe Not Available 348 8
Not Available Not Available
6/22/2004 2:06 PM Not Available Not
Available Not Available
helpsvc.exe c:\windows.0\pchealth\helpctr\binaries\help

```

```

svc.exe 332 8 204800 1413120
6/22/2004 2:06 PM 5.2.3790.0
(srv03_rtm.030324-2048) 720.00 KB (737,280
bytes) 12/31/2003 1:19 PM
[Loaded Modules]
Name Version Size File Date Manufacturer
Path
winlogon 5.2.3790.0 (srv03_rtm.030324-2048)
536.50 KB (549,376 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\winlogon.exe
ntdll 5.2.3790.0 (srv03_rtm.030324-2048)
722.50 KB (739,840 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\ntdll.dll
kernel32 5.2.3790.0 (srv03_rtm.030324-2048)
965.00 KB (988,160 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\kernel32.dll
msvcrt 7.0.3790.0 (srv03_rtm.030324-2048)
319.50 KB (327,168 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\msvcrt.dll
advapi32 5.2.3790.0 (srv03_rtm.030324-2048)
559.50 KB (572,928 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\advapi32.dll
rpcrt4 5.2.3790.0 (srv03_rtm.030324-2048)
643.50 KB (658,944 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\rpcrt4.dll
user32 5.2.3790.0 (srv03_rtm.030324-2048)
562.00 KB (575,488 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\user32.dll
gdi32 5.2.3790.0 (srv03_rtm.030324-2048)
263.00 KB (269,312 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\gdi32.dll
userenv 5.2.3790.0 (srv03_rtm.030324-2048)
732.50 KB (750,080 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\userenv.dll
nddeapi 5.2.3790.0 (srv03_rtm.030324-2048)
16.00 KB (16,384 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\nddeapi.dll
crypt32 5.131.3790.0 (srv03_rtm.030324-2048)
598.00 KB (612,352 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\crypt32.dll
msasn1 5.2.3790.0 (srv03_rtm.030324-2048)
58.00 KB (59,392 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\msasn1.dll
secur32 5.2.3790.0 (srv03_rtm.030324-2048)
63.00 KB (64,512 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\secur32.dll
winsta 5.2.3790.0 (srv03_rtm.030324-2048)
51.00 KB (52,224 bytes) 3/25/2003

```

```

12:00 AM Microsoft Corporation
c:\windows.0\system32\winsta.dll
netapi32 5.2.3790.0 (srv03_rtm.030324-2048)
317.00 KB (324,608 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\netapi32.dll
profmap 5.2.3790.0 (srv03_rtm.030324-2048)
22.00 KB (22,528 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\profmap.dll
regapi 5.2.3790.0 (srv03_rtm.030324-2048)
48.50 KB (49,664 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\regapi.dll
ws2_32 5.2.3790.0 (srv03_rtm.030324-2048)
87.50 KB (89,600 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\ws2_32.dll
ws2help 5.2.3790.0 (srv03_rtm.030324-2048)
19.50 KB (19,968 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\ws2help.dll
psapi 5.2.3790.0 (srv03_rtm.030324-2048)
21.50 KB (22,016 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\psapi.dll
version 5.2.3790.0 (srv03_rtm.030324-2048)
17.00 KB (17,408 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\version.dll
setupapi 5.2.3790.0 (srv03_rtm.030324-2048)
1,014.50 KB (1,038,848 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\setupapi.dll
msgina 5.2.3790.0 (srv03_rtm.030324-2048)
1.14 MB (1,191,936 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\msgina.dll
shsvcs 6.00.3790.0 (srv03_rtm.030324-2048)
121.50 KB (124,416 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\shsvcs.dll
shlwapi 6.00.3790.0 (srv03_rtm.030324-2048)
281.00 KB (287,744 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\shlwapi.dll
sfc 5.2.3790.0 (srv03_rtm.030324-2048)
4.50 KB (4,608 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\sfc.dll
sfc_os 5.2.3790.0 (srv03_rtm.030324-2048)
133.00 KB (136,192 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\sfc_os.dll
wintrust 5.131.3790.0 (srv03_rtm.030324-2048)
161.50 KB (165,376 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\wintrust.dll
ole32 5.2.3790.0 (srv03_rtm.030324-2048)
1.13 MB (1,187,328 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\ole32.dll

```

imagehlp 5.2.3790.0 (srv03_rtm.030324-2048)
142.50 KB (145,920 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\imagehlp.dll

comctl32 6.0 (srv03_rtm.030324-2048) 907.00 KB
(928,768 bytes) 12/31/2003 7:08 AM Microsoft
Corporation
c:\windows\winsxs\x86_microsoft.windows.c
ommon-controls_6595b64144ccf1df_6.0.100.0_x-
ww_8417450b\comctl32.dll

winscard 5.2.3790.0 (srv03_rtm.030324-2048)
98.50 KB (100,864 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\winscard.dll

wtsapi32 5.2.3790.0 (srv03_rtm.030324-2048)
17.50 KB (17,920 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\wtsapi32.dll

sxs 5.2.3790.0 (srv03_rtm.030324-2048)
733.00 KB (750,592 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\sxs.dll

shell32 6.00.3790.0 (srv03_rtm.030324-2048)
7.79 MB (8,166,400 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\shell32.dll

wldap32 5.2.3790.0 (srv03_rtm.030324-2048)
158.00 KB (161,792 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\wldap32.dll

cscd11 5.2.3790.0 (srv03_rtm.030324-2048)
99.00 KB (101,376 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\cscd11.dll

wlnotify 5.2.3790.0 (srv03_rtm.030324-2048)
87.50 KB (89,600 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\wlnotify.dll

winmm 5.2.3790.0 (srv03_rtm.030324-2048)
166.00 KB (169,984 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\winmm.dll

winspool 5.2.3790.0 (srv03_rtm.030324-2048)
140.00 KB (143,360 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\winspool.drv

mpr 5.2.3790.0 (srv03_rtm.030324-2048)
56.00 KB (57,344 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\mpr.dll

rsaenh 5.2.3790.0 (srv03_rtm.030324-2048)
176.83 KB (181,072 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\rsaenh.dll

comctl32 5.82 (srv03_rtm.030324-2048) 561.00 KB
(574,464 bytes) 12/31/2003 7:08 AM Microsoft
Corporation
c:\windows\winsxs\x86_microsoft.windows.c
ommon-controls_6595b64144ccf1df_5.82.0.0_x-
ww_8a69ba05\comctl32.dll

uxtheme 6.00.3790.0 (srv03_rtm.030324-2048)
196.00 KB (200,704 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\uxtheme.dll

samlib 5.2.3790.0 (srv03_rtm.030324-2048)
49.00 KB (50,176 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\samlib.dll

cscui 5.2.3790.0 (srv03_rtm.030324-2048)
305.00 KB (312,320 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\cscui.dll

oleaut32 5.2.3790.0 486.00 KB (497,664
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows\system32\oleaut32.dll

clbcatq 2001.12.4720.0 (srv03_rtm.030324-2048)
481.00 KB (492,544 bytes) 12/31/2003

1:15 PM Microsoft Corporation
c:\windows\system32\clbcatq.dll

comres 2001.12.4720.0 (srv03_rtm.030324-2048)
778.00 KB (796,672 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\comres.dll

ntmarta 5.2.3790.0 (srv03_rtm.030324-2048)
114.00 KB (116,736 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\ntmarta.dll

wbemprox 5.2.3790.0 (srv03_rtm.030324-2048)
17.50 KB (17,920 bytes) 12/31/2003

1:15 PM Microsoft Corporation
c:\windows\system32\wbem\wbemprox.dll

wbemcomn 5.2.3790.0 (srv03_rtm.030324-2048)
211.50 KB (216,576 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\wbem\wbemcomn.dll

wbemsvc 5.2.3790.0 (srv03_rtm.030324-2048)
42.50 KB (43,520 bytes) 12/31/2003

1:15 PM Microsoft Corporation
c:\windows\system32\wbem\wbemsvc.dll

fastprox 5.2.3790.0 (srv03_rtm.030324-2048)
443.00 KB (453,632 bytes) 12/31/2003

1:14 PM Microsoft Corporation
c:\windows\system32\wbem\fastprox.dll

msvc60 6.05.2144.0 388.00 KB (397,312
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows\system32\msvc60.dll

ntdsapi 5.2.3790.0 (srv03_rtm.030324-2048)
76.00 KB (77,824 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\ntdsapi.dll

dnsapi 5.2.3790.0 (srv03_rtm.030324-2048)
147.50 KB (151,040 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\dnsapi.dll

services 5.2.3790.0 (srv03_rtm.030324-2048)
102.00 KB (104,448 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\services.exe

scesrv 5.2.3790.0 (srv03_rtm.030324-2048)
316.50 KB (324,096 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\scesrv.dll

authz 5.2.3790.0 (srv03_rtm.030324-2048)
67.00 KB (68,608 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\authz.dll

umpnpgmr 5.2.3790.0 (srv03_rtm.030324-2048)
121.50 KB (124,416 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\umpnpgmr.dll

ncobjapi 5.2.3790.0 (srv03_rtm.030324-2048)
34.50 KB (35,328 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\ncobjapi.dll

eventlog 5.2.3790.0 (srv03_rtm.030324-2048)
60.50 KB (61,952 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\eventlog.dll

lsass 5.2.3790.0 (srv03_rtm.030324-2048)
13.00 KB (13,312 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\lsass.exe

lsasrv 5.2.3790.0 (srv03_rtm.030324-2048)
780.50 KB (799,232 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\lsasrv.dll

samsrv 5.2.3790.0 (srv03_rtm.030324-2048)
452.00 KB (462,848 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\samsrv.dll

cryptdll 5.2.3790.0 (srv03_rtm.030324-2048)
34.00 KB (34,816 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\cryptdll.dll

msprivs 5.2.3790.0 (srv03_rtm.030324-2048)
46.50 KB (47,616 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\msprivs.dll

kerberos 5.2.3790.0 (srv03_rtm.030324-2048)
332.50 KB (340,480 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\kerberos.dll

msv1_0 5.2.3790.0 (srv03_rtm.030324-2048)
127.00 KB (130,048 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\msv1_0.dll

netlogon 5.2.3790.0 (srv03_rtm.030324-2048)
409.00 KB (418,816 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\netlogon.dll

w32time 5.2.3790.0 (srv03_rtm.030324-2048)
216.00 KB (221,184 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\w32time.dll

iphlpapi 5.2.3790.0 (srv03_rtm.030324-2048)
82.50 KB (84,480 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\iphlpapi.dll

schannel 5.2.3790.0 (srv03_rtm.030324-2048)
149.50 KB (153,088 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\schannel.dll

wdigest 5.2.3790.0 (srv03_rtm.030324-2048)
61.00 KB (62,464 bytes) 3/25/2003

12:00 AM Microsoft Corporation
c:\windows\system32\wdigest.dll

```

rassfm 5.2.3790.0 (srv03_rtm.030324-2048)
20.50 KB (20,992 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\rassfm.dll
kdcsvc 5.2.3790.0 (srv03_rtm.030324-2048)
221.00 KB (226,304 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\kdcsvc.dll
ntdsa 5.2.3790.0 (srv03_rtm.030324-2048)
1.45 MB (1,520,640 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\ntdsa.dll
ntdsatq 5.2.3790.0 (srv03_rtm.030324-2048)
32.00 KB (32,768 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\ntdsatq.dll
mswsock 5.2.3790.0 (srv03_rtm.030324-2048)
254.00 KB (260,096 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\mswsock.dll
esent 5.2.3790.0 (srv03_rtm.030324-2048)
1.01 MB (1,056,256 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\esent.dll
scecli 5.2.3790.0 (srv03_rtm.030324-2048)
179.50 KB (183,808 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\scecli.dll
wshtccpip 5.2.3790.0 (srv03_rtm.030324-2048)
18.00 KB (18,432 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\wshtccpip.dll
dssenh 5.2.3790.0 (srv03_rtm.030324-2048)
131.33 KB (134,480 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\dssenh.dll
svchost 5.2.3790.0 (srv03_rtm.030324-2048)
13.00 KB (13,312 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\svchost.exe
rpcss 5.2.3790.0 (srv03_rtm.030324-2048)
276.50 KB (283,136 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\rpcss.dll
es 2001.12.4720.0 (srv03_rtm.030324-2048)
221.50 KB (226,816 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\es.dll
sens 5.2.3790.0 (srv03_rtm.030324-2048)
35.50 KB (36,352 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\sens.dll
wmisvc 5.2.3790.0 (srv03_rtm.030324-2048)
131.00 KB (134,144 bytes) 12/31/2003
1:15 PM Microsoft Corporation
c:\windows.0\system32\wbem\wmisvc.dll
vssapi 5.2.3790.0 (srv03_rtm.030324-2048)
528.00 KB (540,672 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\vssapi.dll
atl 3.05.2283 83.00 KB (84,992 bytes)
3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\atl.dll

```

```

comsvcs 2001.12.4720.0 (srv03_rtm.030324-2048)
1.14 MB (1,199,616 bytes) 12/31/2003
1:15 PM Microsoft Corporation
c:\windows.0\system32\comsvcs.dll
wbemcore 5.2.3790.0 (srv03_rtm.030324-2048)
457.00 KB (467,968 bytes) 12/31/2003
1:15 PM Microsoft Corporation
c:\windows.0\system32\wbem\wbemcore.dll
esscli 5.2.3790.0 (srv03_rtm.030324-2048)
235.50 KB (241,152 bytes) 12/31/2003
1:14 PM Microsoft Corporation
c:\windows.0\system32\wbem\esscli.dll
wmiutils 5.2.3790.0 (srv03_rtm.030324-2048)
90.50 KB (92,672 bytes) 12/31/2003
1:15 PM Microsoft Corporation
c:\windows.0\system32\wbem\wmiutils.dll
repdrvfs 5.2.3790.0 (srv03_rtm.030324-2048)
165.00 KB (168,960 bytes) 12/31/2003
1:15 PM Microsoft Corporation
c:\windows.0\system32\wbem\repdrvfs.dll
wmiprvsd 5.2.3790.0 (srv03_rtm.030324-2048)
405.50 KB (415,232 bytes) 12/31/2003
1:15 PM Microsoft Corporation
c:\windows.0\system32\wbem\wmiprvsd.dll
wbemess 5.2.3790.0 (srv03_rtm.030324-2048)
256.50 KB (262,656 bytes) 12/31/2003
1:15 PM Microsoft Corporation
c:\windows.0\system32\wbem\wbemess.dll
ncprov 5.2.3790.0 (srv03_rtm.030324-2048)
43.00 KB (44,032 bytes) 12/31/2003
1:14 PM Microsoft Corporation
c:\windows.0\system32\wbem\ncprov.dll
netman 5.2.3790.0 (srv03_rtm.030324-2048)
209.00 KB (214,016 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\netman.dll
mprapi 5.2.3790.0 (srv03_rtm.030324-2048)
81.00 KB (82,944 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\mprapi.dll
activeds 5.2.3790.0 (srv03_rtm.030324-2048)
189.00 KB (193,536 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\activeds.dll
adslsdp 2001.12.4720.0 (srv03_rtm.030324-2048)
142.50 KB (145,920 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\adslsdp.dll
credui 5.2.3790.0 (srv03_rtm.030324-2048)
159.00 KB (162,816 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\credui.dll
rtutils 5.2.3790.0 (srv03_rtm.030324-2048)
32.00 KB (32,768 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\rtutils.dll
rasapi32 5.2.3790.0 (srv03_rtm.030324-2048)
227.50 KB (232,960 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\rasapi32.dll
rasman 5.2.3790.0 (srv03_rtm.030324-2048)
56.50 KB (57,856 bytes) 3/25/2003

```

```

12:00 AM Microsoft Corporation
c:\windows.0\system32\rasman.dll
tapi32 5.2.3790.0 (srv03_rtm.030324-2048)
175.00 KB (179,200 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\tapi32.dll
wzcsvc 5.2.3790.0 (srv03_rtm.030324-2048)
272.50 KB (279,040 bytes) 3/25/2003
6:15 AM Microsoft Corporation
c:\windows.0\system32\wzcsvc.dll
wmi 5.2.3790.0 (srv03_rtm.030324-2048)
6.50 KB (6,656 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\wmi.dll
dhcpcsvc 5.2.3790.0 (srv03_rtm.030324-2048)
101.50 KB (103,936 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\dhcpcsvc.dll
wzcsapi 5.2.3790.0 (srv03_rtm.030324-2048)
24.50 KB (25,088 bytes) 3/25/2003
6:15 AM Microsoft Corporation
c:\windows.0\system32\wzcsapi.dll
netshell 5.2.3790.0 (srv03_rtm.030324-2048)
1.67 MB (1,747,456 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\netshell.dll
clusapi 5.2.3790.0 (srv03_rtm.030324-2048)
56.00 KB (57,344 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\clusapi.dll
rasdlg 5.2.3790.0 (srv03_rtm.030324-2048)
642.00 KB (657,408 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\rasdlg.dll
pchsvc 5.2.3790.0 (srv03_rtm.030324-2048)
31.50 KB (32,256 bytes) 12/31/2003
1:19 PM Microsoft Corporation
c:\windows.0\pchealth\helpctr\binaries\pch
vc.dll
wbemcons 5.2.3790.0 (srv03_rtm.030324-2048)
69.00 KB (70,656 bytes) 12/31/2003
1:15 PM Microsoft Corporation
c:\windows.0\system32\wbem\wbemcons.dll
mssearch 9.107.8320.0 68.00 KB (69,632 bytes)
1/21/2003 9:30 AM Microsoft Corporation
c:\program files\common
files\system\mssearch\bin\mssearch.exe
mssws 9.107.8320.0 32.00 KB (32,768 bytes)
1/21/2003 9:30 AM Microsoft Corporation
c:\program files\common
files\system\mssearch\bin\mssws.dll
msrch 9.107.8320.0 1.24 MB (1,302,528
bytes)
1/21/2003 9:30 AM Microsoft Corporation
c:\progra-1\common-1\system\mssearch\bin\ms
srch.dll
security 5.2.3790.0 (srv03_rtm.030324-2048)
5.50 KB (5,632 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\security.dll
tquery 9.107.8320.0 1.46 MB (1,536,000
bytes)
1/21/2003 9:30 AM Microsoft Corporation
c:\program files\common
files\system\mssearch\bin\tquery.dll

```

```

propdefs 9.107.8320.0 136.00 KB (139,264
bytes) 1/21/2003 9:30 AM Microsoft Corporation
c:\progra-1\common-1\system\mssearch\bin\pr
opdefs.dll
srchidx 9.107.8320.0 384.00 KB (393,216
bytes) 1/21/2003 9:30 AM Microsoft Corporation
c:\progra-1\common-1\system\mssearch\bin\sr
chidx.dll
iprop 5.2.3790.0 (srv03_rtm.030324-2048)
3.50 KB (3,584 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\iprop.dll
explorer 6.00.3790.0 (srv03_rtm.030324-2048)
1,008.50 KB (1,032,704 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\explorer.exe
browseui 6.00.3790.0 (srv03_rtm.030324-2048)
1.01 MB (1,057,280 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\browseui.dll
shdocvw 6.00.3790.0 (srv03_rtm.030324-2048)
1.33 MB (1,393,664 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\shdocvw.dll
apphelp 5.2.3790.0 (srv03_rtm.030324-2048)
122.00 KB (124,928 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\apphelp.dll
themeui 6.00.3790.0 (srv03_rtm.030324-2048)
360.50 KB (369,152 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\themeui.dll
msimg32 5.2.3790.0 (srv03_rtm.030324-2048)
4.50 KB (4,608 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\msimg32.dll
linkinfo 5.2.3790.0 (srv03_rtm.030324-2048)
16.50 KB (16,896 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\linkinfo.dll
ntshrui 6.00.3790.0 (srv03_rtm.030324-2048)
136.00 KB (139,264 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\ntshrui.dll
urlmon 6.00.3790.0 (srv03_rtm.030324-2048)
501.50 KB (513,536 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32?urlmon.dll
webcheck 6.00.3790.0 (srv03_rtm.030324-2048)
261.50 KB (267,776 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\webcheck.dll
wsock32 5.2.3790.0 (srv03_rtm.030324-2048)
22.00 KB (22,528 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\wsock32.dll
stobject 5.2.3790.0 (srv03_rtm.030324-2048)
117.50 KB (120,320 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\stobject.dll
batmeter 6.00.3790.0 (srv03_rtm.030324-2048)
28.50 KB (29,184 bytes) 3/25/2003

```

```

12:00 AM Microsoft Corporation
c:\windows.0\system32\batmeter.dll
powrprof 6.00.3790.0 (srv03_rtm.030324-2048)
14.50 KB (14,848 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\powrprof.dll
printui 5.2.3790.0 (srv03_rtm.030324-2048)
536.50 KB (549,376 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\printui.dll
cfgmgr32 5.2.3790.0 (srv03_rtm.030324-2048)
17.50 KB (17,920 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\cfgmgr32.dll
ntlanman 5.2.3790.0 (srv03_rtm.030324-2048)
41.00 KB (41,984 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\ntlanman.dll
netui0 5.2.3790.0 (srv03_rtm.030324-2048)
75.50 KB (77,312 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\netui0.dll
netui1 5.2.3790.0 (srv03_rtm.030324-2048)
184.00 KB (188,416 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\netui1.dll
drprov 5.2.3790.0 (srv03_rtm.030324-2048)
12.50 KB (12,800 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\drprov.dll
davclnt 5.2.3790.0 (srv03_rtm.030324-2048)
23.50 KB (24,064 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\davclnt.dll
wininet 6.00.3790.0 (srv03_rtm.030324-2048)
609.00 KB (623,616 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\wininet.dll
usbui 5.2.3790.0 (srv03_rtm.030324-2048)
69.50 KB (71,168 bytes) 12/31/2003
7:12 AM Microsoft Corporation
c:\windows.0\system32\usbui.dll
browselc 6.00.3790.0 (srv03_rtm.030324-2048)
62.00 KB (63,488 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\browselc.dll
shdoclc 6.00.3790.0 (srv03_rtm.030324-2048)
588.50 KB (602,624 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\shdoclc.dll
actxprxy 6.00.3790.0 (srv03_rtm.030324-2048)
95.00 KB (97,280 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\actxprxy.dll
mydocs 6.00.3790.0 (srv03_rtm.030324-2048)
88.00 KB (90,112 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\mydocs.dll
sqlmangr 2000.080.0760.00 72.57 KB (74,308 bytes)
12/31/2003 12:27 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\sqlmangr.exe

```

```

sqlunirl 2000.080.0728.00 176.56 KB (180,800
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\sqlunirl.dll
comdlg32 6.00.3790.0 (srv03_rtm.030324-2048)
261.00 KB (267,264 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\comdlg32.dll
w95scm 2000.080.0760.00 48.56 KB (49,728 bytes)
12/31/2003 12:27 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\w95scm.dll
odbc32 3.525.1022.0 (srv03_rtm.030324-2048)
232.00 KB (237,568 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\odbc32.dll
sqlsvc 2000.080.0760.00 92.56 KB (94,784 bytes)
12/31/2003 12:27 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\sqlsvc.dll
odbcbc 2000.085.1022.00 (srv03_rtm.030324-2048)
24.00 KB (24,576 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\odbcbc.dll
sqlresld 2000.080.0382.00 28.56 KB (29,248 bytes)
12/31/2003 12:27 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\sqlresld.dll
odbcint 3.525.1022.0 (srv03_rtm.030324-2048)
92.00 KB (94,208 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\odbcint.dll
resutils 5.2.3790.0 (srv03_rtm.030324-2048)
59.00 KB (60,416 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\resutils.dll
mfc42u 6.05.3014.0 960.00 KB (983,040
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\mfc42u.dll
sqlsvc 2000.080.0194.00 24.00 KB (24,576 bytes)
12/31/2003 12:27 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\resources\1033\sqlsvc.rll
sqlmangr 2000.080.0194.00 96.00 KB (98,304 bytes)
12/31/2003 12:27 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\resources\1033\sqlmangr.rll
sqlservr 2000.080.0760.00 7.17 MB (7,520,337
bytes) 5/28/2004 1:52 PM Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\sqlservr.exe
opends60 2000.080.0194.00 24.06 KB (24,639 bytes)
5/28/2004 1:52 PM Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\opends60.dll
ums 2000.080.0760.00 52.55 KB (53,808 bytes)
5/28/2004 1:52 PM Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\ums.dll
sqlsort 2000.080.0760.00 576.56 KB (590,396
bytes) 5/28/2004 1:52 PM Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\sqlsort.dll

```

```

msvcirt 7.0.3790.0 (srv03_rtm.030324-2048)
50.00 KB (51,200 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\msvcirt.dll
sqllevn70 2000.080.0760.00 28.00 KB (28,672 bytes)
5/28/2004 1:52 PM Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\resources\1033\sqllevn70.rll
xolehlp 2001.12.4720.0 (srv03_rtm.030324-2048)
8.50 KB (8,704 bytes) 12/31/2003
1:15 PM Microsoft Corporation
c:\windows.0\system32\xolehlp.dll
msdtcprx 2001.12.4720.0 (srv03_rtm.030324-2048)
427.50 KB (437,760 bytes) 12/31/2003
1:15 PM Microsoft Corporation
c:\windows.0\system32\msdtcprx.dll
mtxclu 2001.12.4720.0 (srv03_rtm.030324-2048)
74.50 KB (76,288 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\mtxclu.dll
winrrr 5.2.3790.0 (srv03_rtm.030324-2048)
15.00 KB (15,360 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\winrrr.dll
rasadhlp 5.2.3790.0 (srv03_rtm.030324-2048)
6.50 KB (6,656 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\rasadhlp.dll
ssnetlib 2000.080.0760.00 80.56 KB (82,492 bytes)
5/28/2004 1:52 PM Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\ssnetlib.dll
ssnmpn70 2000.080.0534.00 24.56 KB (25,148 bytes)
5/28/2004 1:52 PM Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\ssnmpn70.dll
ssmslpcn 2000.080.0760.00 28.56 KB (29,244 bytes)
5/28/2004 1:52 PM Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\ssmslpcn.dll
ssmsqlgc 2000.080.0760.00 32.56 KB (33,340 bytes)
5/28/2004 1:57 PM Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\ssmsqlgc.dll
qlvipl Not Available 92.05 KB (94,262 bytes)
3/3/2004 2:27 PM Not Available
c:\windows.0\system32\qlvipl.dll
sqlftqry 2000.080.0760.00 192.57 KB (197,196
bytes) 5/28/2004 1:53 PM Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\sqlftqry.dll
sqloledb 2000.085.1022.00 (srv03_rtm.030324-2048)
536.00 KB (548,864 bytes) 12/31/2003
11:29 AM Microsoft Corporation
c:\program
files\common files\system\ole db\sqloledb.dll
msdart 2.80.1022.0 (srv03_rtm.030324-2048)
164.00 KB (167,936 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\msdart.dll
msdatl3 2.80.1022.0 (srv03_rtm.030324-2048)
96.00 KB (98,304 bytes) 12/31/2003
11:29 AM Microsoft Corporation
c:\program
files\common files\system\ole db\msdatl3.dll

```

```

oledb32 2.80.1022.0 (srv03_rtm.030324-2048)
500.00 KB (512,000 bytes) 12/31/2003
11:29 AM Microsoft Corporation
c:\program
files\common files\system\ole db\oledb32.dll
oledb32r 2.80.1022.0 (srv03_rtm.030324-2048)
68.00 KB (69,632 bytes) 12/31/2003
11:29 AM Microsoft Corporation
c:\program
files\common files\system\ole db\oledb32r.dll
cmd 5.2.3790.0 (srv03_rtm.030324-2048)
374.00 KB (382,976 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\cmd.exe
helpctr 5.2.3790.0 (srv03_rtm.030324-2048)
764.00 KB (782,336 bytes) 12/31/2003
1:19 PM Microsoft Corporation
c:\windows.0\pchealth\helpctr\binaries\help
ctr.exe
hcappres 5.2.3790.0 (srv03_rtm.030324-2048)
6.50 KB (6,656 bytes) 12/31/2003
1:19 PM Microsoft Corporation
c:\windows.0\pchealth\helpctr\binaries\hcapp
pres.dll
itss 5.2.3790.0 (srv03_rtm.030324-2048)
119.50 KB (122,368 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\itss.dll
msxml3 8.40.9419.0 1.28 MB (1,337,344
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\msxml3.dll
pchshell 5.2.3790.0 (srv03_rtm.030324-2048)
100.50 KB (102,912 bytes) 12/31/2003
1:19 PM Microsoft Corporation
c:\windows.0\pchealth\helpctr\binaries\pchsh
hell.dll
mlang 6.00.3790.0 (srv03_rtm.030324-2048)
570.00 KB (583,680 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\mlang.dll
mshtml 6.00.3790.0 (srv03_rtm.030324-2048)
2.78 MB (2,916,352 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\mshtml.dll
msimtf 5.2.3790.0 (srv03_rtm.030324-2048)
149.00 KB (152,576 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\msimtf.dll
msctf 5.2.3790.0 (srv03_rtm.030324-2048)
287.00 KB (293,888 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\msctf.dll
jscript 5.6.0.8515 436.00 KB (446,464
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\jscript.dll
msls31 3.10.349.0 147.00 KB (150,528
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\msls31.dll
imm32 5.2.3790.0 (srv03_rtm.030324-2048)
105.50 KB (108,032 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\imm32.dll
mshtml3 6.00.3790.0 (srv03_rtm.030324-2048)
443.50 KB (454,144 bytes) 3/25/2003

```

```

12:00 AM Microsoft Corporation
c:\windows.0\system32\mshtml3.dll
vbscript 5.6.0.8515 404.00 KB (413,696
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\vbscript.dll
mfc42 6.05.3014.0 960.00 KB (983,040
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\mfc42.dll
msinfo 5.2.3790.0 (srv03_rtm.030324-2048)
358.50 KB (367,104 bytes) 12/31/2003
1:19 PM Microsoft Corporation
c:\windows.0\pchealth\helpctr\binaries\msin
fo.dll
riched32 5.2.3790.0 (srv03_rtm.030324-2048)
3.50 KB (3,584 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\riched32.dll
riched20 5.31.23.1218 406.00 KB (415,744
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\riched20.dll
helpsvc 5.2.3790.0 (srv03_rtm.030324-2048)
720.00 KB (737,280 bytes) 12/31/2003
1:19 PM Microsoft Corporation
c:\windows.0\pchealth\helpctr\binaries\help
svc.exe

[Services]

Display Name Name State Start Mode
Service Type Path Error Control
Start Name Tag ID
Alerter Alerter Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Application Layer Gateway Service ALG
Stopped Manual Own Process
c:\windows.0\system32\alg.exe Normal NT
AUTHORITY\LocalService 0
Application Management AppMgmt Stopped
Manual Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Windows Audio AudioSrv Stopped Disabled
Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Background Intelligent Transfer Service BITS
Stopped Manual Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Computer Browser Browser Stopped Manual
Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Indexing Service CsiSvc Stopped Disabled
Share Process
c:\windows.0\system32\cisvc.exe
Normal LocalSystem 0
ClipBook ClipSrv Stopped Disabled Own Process
c:\windows.0\system32\clipsrv.exe
Normal LocalSystem 0

```



```

COM+ System Application      COMSysApp Stopped
Manual Own Process
c:\windows.0\system32\dllhost.exe
/processid:{02d4b3f1-fd88-11d1-960d-00805fc79235}
Normal LocalSystem 0
Cryptographic Services     CryptSvc Stopped
Disabled Share Process
c:\windows.0\system32\svchost.exe -k
netshvc Normal LocalSystem 0
Distributed File System    Dfs Stopped
Disabled Own Process
c:\windows.0\system32\dfssvc.exe
Normal LocalSystem 0
DHCP Client                Dhcp Stopped Disabled
Share Process
c:\windows.0\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Logical Disk Manager Administrative Service
dmadmin Stopped Manual Share Process
c:\windows.0\system32\dmadmin.exe /com
Normal LocalSystem 0
Logical Disk Manager      dmsrvr Stopped
Manual Share Process
c:\windows.0\system32\svchost.exe -k
netshvc Normal LocalSystem 0
DNS Client                Dnscache Running Auto
Share Process
c:\windows.0\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Error Reporting Service   ERSvc Stopped
Disabled Share Process
c:\windows.0\system32\svchost.exe -k winerr
Ignore LocalSystem 0
Event Log Eventlog Running Auto Share Process
c:\windows.0\system32\services.exe
Normal LocalSystem 0
COM+ Event System        EventSystem Running
Manual Share Process
c:\windows.0\system32\svchost.exe -k
netshvc Normal LocalSystem 0
Help and Support         helpsvc Running Manual
Share Process
c:\windows.0\system32\svchost.exe -k
netshvc Normal LocalSystem 0
Human Interface Device Access HidServ Stopped
Disabled Share Process
c:\windows.0\system32\svchost.exe -k
netshvc Normal LocalSystem 0
HTTP SSL HTTPFilter Stopped Manual
Share Process
c:\windows.0\system32\lsass.exe
Normal LocalSystem 0
IMAPI CD-Burning COM Service ImapiService
Stopped Disabled Own Process
c:\windows.0\system32\imapi.exe
Normal LocalSystem 0
Intersite Messaging IsmServ Stopped Disabled Own
Process
c:\windows.0\system32\ismserv.exe
Normal LocalSystem 0
Kerberos Key Distribution Center kdc
Stopped Disabled Share Process

```

```

c:\windows.0\system32\lsass.exe
Normal LocalSystem 0
Server LanmanServer Stopped Manual
Share Process
c:\windows.0\system32\svchost.exe -k
netshvc Normal LocalSystem 0
Workstation LanmanWorkstation Stopped
Manual Share Process
c:\windows.0\system32\svchost.exe -k
netshvc Normal LocalSystem 0
License Logging LicenseService Stopped
Disabled Own Process
c:\windows.0\system32\llssrv.exe
Normal NT AUTHORITY\NetworkService 0
TCP/IP NetBIOS Helper LmHosts Stopped
Manual Share Process
c:\windows.0\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Messenger Messenger Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
netshvc Normal LocalSystem 0
NetMeeting Remote Desktop Sharing mnmrsvc
Stopped Disabled Own Process
c:\windows.0\system32\mmsrvc.exe
Normal LocalSystem 0
Distributed Transaction Coordinator MSDTC
Running Auto Own Process
c:\windows.0\system32\msdtc.exe
Normal NT AUTHORITY\NetworkService 0
Windows Installer MSIServer Stopped Manual
Share Process
c:\windows.0\system32\msiexec.exe /v
Normal LocalSystem 0
Microsoft Search MSSEARCH Running Auto
Share Process "c:\program
files\common files\system\mssearch\bin\mssearch.exe"
Normal LocalSystem 0
MSSQLSERVER MSSQLSERVER Stopped
Manual Own Process
c:\progra~1\micro~1\mssql~1\bin\sqlservr.exe
Normal LocalSystem 0
Network DDE NetDDE Stopped Disabled
Share Process
c:\windows.0\system32\netdde.exe
Normal LocalSystem 0
Network DDE DSDM NetDDEdsdm Stopped
Disabled Share Process
c:\windows.0\system32\netdde.exe
Normal LocalSystem 0
Net Logon Netlogon Stopped Manual Share Process
c:\windows.0\system32\lsass.exe
Normal LocalSystem 0
Network Connections Netman Running Manual
Share Process
c:\windows.0\system32\svchost.exe -k
netshvc Normal LocalSystem 0
Network Location Awareness (NLA) Nla
Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
netshvc Normal LocalSystem 0

```

```

File Replication NtFrms Stopped Manual Own
Process
c:\windows.0\system32\ntfrms.exe
Ignore LocalSystem 0
NT LM Security Support Provider NtLmSsp
Running Manual Share Process
c:\windows.0\system32\lsass.exe
Normal LocalSystem 0
Removable Storage NtmsSvc Stopped Manual
Share Process
c:\windows.0\system32\svchost.exe -k
netshvc Normal LocalSystem 0
Plug and Play PlugPlay Running Auto
Share Process
c:\windows.0\system32\services.exe
Normal LocalSystem 0
IPSEC Services PolicyAgent Stopped
Disabled Share Process
c:\windows.0\system32\lsass.exe
Normal LocalSystem 0
Protected Storage ProtectedStorage Stopped
Manual Share Process
c:\windows.0\system32\lsass.exe
Normal LocalSystem 0
Remote Access Auto Connection Manager RasAuto
Stopped Manual Share Process
c:\windows.0\system32\svchost.exe -k
netshvc Normal LocalSystem 0
Remote Access Connection Manager RasMan
Stopped Manual Share Process
c:\windows.0\system32\svchost.exe -k
netshvc Normal LocalSystem 0
Remote Desktop Help Session Manager RDSessMgr
Stopped Manual Own Process
c:\windows.0\system32\sessmgr.exe
Normal LocalSystem 0
Routing and Remote Access RemoteAccess
Stopped Manual Share Process
c:\windows.0\system32\svchost.exe -k
netshvc Normal LocalSystem 0
Remote Registry RemoteRegistry Stopped
Disabled Share Process
c:\windows.0\system32\svchost.exe -k regsvc
Normal NT AUTHORITY\LocalService 0
Remote Procedure Call (RPC) Locator RpcLocator
Stopped Manual Own Process
c:\windows.0\system32\locator.exe
Normal NT AUTHORITY\NetworkService 0
Remote Procedure Call (RPC) RpcSs Running
Auto Share Process
c:\windows.0\system32\svchost -k rpcss
Normal LocalSystem 0
Resultant Set of Policy Provider RSoPPProv
Stopped Manual Share Process
c:\windows.0\system32\rsopprov.exe
Normal LocalSystem 0
Special Administration Console Helper sacsvr
Stopped Manual Share Process
c:\windows.0\system32\svchost.exe -k
netshvc Normal LocalSystem 0
Security Accounts Manager SamSs Running
Auto Share Process

```

```

c:\windows.0\system32\lsass.exe
Normal LocalSystem 0
Smart Card SCardSvr Stopped Manual
Share Process
c:\windows.0\system32\scardsvr.exe
Ignore NT AUTHORITY\LocalService 0

Task Scheduler Schedule Stopped Disabled
Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Secondary Logon seclogon Stopped Disabled
Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Ignore LocalSystem 0
System Event Notification SENS Running
Auto Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Internet Connection Firewall (ICF) / Internet
Connection Sharing (ICS) SharedAccess
Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Shell Hardware Detection ShellHWDetection
Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Ignore LocalSystem 0
Print Spooler Spooler Stopped Manual Own
Process c:\windows.0\system32\spoolsv.exe
Normal LocalSystem 0
SQLSERVERAGENT SQLSERVERAGENT Stopped
Manual Own Process
c:\progra-1\micros-1\mssql-binn\sqlagent.ex
e Normal LocalSystem 0
Windows Image Acquisition (WIA) stisvc
Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k imgsvc
Normal NT AUTHORITY\LocalService 0

Microsoft Software Shadow Copy Provider swprv
Stopped Manual Own Process
c:\windows.0\system32\svchost.exe -k swprv
Normal LocalSystem 0
Performance Logs and Alerts SysmonLog Stopped
Manual Own Process
c:\windows.0\system32\smlogsvc.exe
Normal NT Authority\NetworkService 0

Telephony Tapisrv Stopped Manual Share Process
c:\windows.0\system32\svchost.exe -k
tapisrv Normal LocalSystem 0
Terminal Services TermService Stopped
Disabled Share Process
c:\windows.0\system32\svchost.exe -k
termsvcs Normal LocalSystem 0
Themes Themes Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Telnet TlntSvr Stopped Disabled Own Process
c:\windows.0\system32\tlntsvr.exe
Normal NT AUTHORITY\LocalService 0

```

```

Distributed Link Tracking Server TrkSvr
Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Distributed Link Tracking Client TrkWks
Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Terminal Services Session Directory Tssdis
Stopped Disabled Own Process
c:\windows.0\system32\tssdis.exe
Normal LocalSystem 0
Upload Manager uploadmgr Stopped Manual
Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Uninterruptible Power Supply UPS Stopped
Manual Own Process
c:\windows.0\system32\ups.exe Normal NT
AUTHORITY\LocalService 0
Virtual Disk Service vds Stopped
Manual Own Process
c:\windows.0\system32\vds.exe Normal
LocalSystem 0
Volume Shadow Copy VSS Stopped Manual Own
Process c:\windows.0\system32\vssvc.exe
Normal LocalSystem 0
Windows Time W32Time Stopped Disabled
Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
WebClient WebClient Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
WinHTTP Web Proxy Auto-Discovery Service
WinHttpAutoProxySvc Stopped Manual
Share Process
c:\windows.0\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Windows Management Instrumentation winmgmt
Running Auto Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Ignore LocalSystem 0
Portable Media Serial Number Service WmdmPmSN
Stopped Manual Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Windows Management Instrumentation Driver Extensions
Wmi Stopped Manual Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
WMI Performance Adapter WmiApSrv Stopped
Manual Own Process
c:\windows.0\system32\wbem\wmiapsrv.exe
Normal LocalSystem 0
Automatic Updates wuauerv Stopped Disabled
Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Wireless Configuration WZCSVC Stopped
Disabled Share Process

```

```

c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0

[Program Groups]

Group Name Name User Name
Accessories Default User:Accessories
Default User
Accessories\Accessibility Default
User:Accessories\Accessibility Default User
Accessories\Entertainment Default
User:Accessories\Entertainment Default User

Startup Default User:Startup Default User

Accessories All Users:Accessories All
Users
Accessories\Accessibility All
Users:Accessories\Accessibility All Users
Accessories\Communications All
Users:Accessories\Communications All Users
Accessories\Entertainment All
Users:Accessories\Entertainment All Users
Accessories\System Tools All
Users:Accessories\System Tools All Users
Administrative Tools All
Users:Administrative Tools All Users
Alacritch All Users:Alacritch All
Users
HP System Tools All Users:HP System Tools All
Users
HP System Tools\HP Array Configuration Utility All
Users:HP System Tools\HP Array Configuration Utility
All Users
Microsoft SQL Server All Users:Microsoft SQL
Server All Users
Startup All Users:Startup All Users
Accessories NT AUTHORITY\SYSTEM:Accessories
NT AUTHORITY\SYSTEM
Accessories\Accessibility NT
AUTHORITY\SYSTEM:Accessories\Accessibility NT
AUTHORITY\SYSTEM
Accessories\Entertainment NT
AUTHORITY\SYSTEM:Accessories\Entertainment
NT
AUTHORITY\SYSTEM
Startup NT AUTHORITY\SYSTEM:Startup NT
AUTHORITY\SYSTEM
Accessories QUARK\Administrator:Accessories
QUARK\Administrator
Accessories\Accessibility
QUARK\Administrator:Accessories\Accessibili
ty
QUARK\Administrator
Accessories\Entertainment
QUARK\Administrator:Accessories\Entertainme
nt
QUARK\Administrator
Administrative Tools
QUARK\Administrator:Administrative Tools
QUARK\Administrator
QLogic Corporation QUARK\Administrator:QLogic
Corporation QUARK\Administrator
QLogic Corporation\SANblade Control VIX
QUARK\Administrator:QLogic

```

```

Corporation\SANblade Control VIX
QUARK\Administrator
Startup QUARK\Administrator:Startup
QUARK\Administrator

[Startup Programs]

Program Command User Name Location
desktop desktop.ini NT AUTHORITY\SYSTEM
Startup
desktop desktop.ini QUARK\Administrator
Startup
desktop desktop.ini .DEFAULT Startup
desktop desktop.ini All Users Common
Startup
Service Manager
c:\progra-1\micro-1\80\tools\bin\sqlmgr
.exe /n All Users Common Startup
ShutdownEventCheck %systemroot%\system32\dumpprep 0 -
s All Users
HKLM\SOFTWARE\Microsoft\Windows\CurrentVers
ion\Run

[OLE Registration]

Object Local Server
Sound (OLE2) sndrec32.exe
Media Clip mplay32.exe
Video Clip mplay32.exe /avi
MIDI Sequence mplay32.exe /mid
Sound Not Available
Media Clip Not Available
WordPad Document "%programfiles%\windows
nt\accessories\wordpad.exe"
Windows Media Services DRM Storage object Not
Available
Bitmap Image mspaint.exe

[Windows Error Reporting]

Time Type Details

[Internet Settings]

[Internet Explorer]

[ Following are sub-categories of this main category
]
[Summary]

Item Value
Version 6.0.3790.0
Build 63790
Application Path C:\Program Files\Internet
Explorer
Language English (United States)
Active Printer Not Available

Cipher Strength 128-bit
Content Advisor Disabled
IEAK Install No

```

```

[File Versions]

File Version Size Date Path
Company
actxprxy.dll 6.0.3790.0 95 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
advpack.dll 6.0.3790.0 94 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
asctrls.ocx 6.0.3790.0 90 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
browselc.dll 6.0.3790.0 62 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
browseui.dll 6.0.3790.0 1,033 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
cdfview.dll 6.0.3790.0 144 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
comctl32.dll 5.82.3790.0 561 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
dxtrans.dll 6.3.3790.0 198 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
dxtmsft.dll 6.3.3790.0 344 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
iecont.dll <File Missing> Not Available
Not Available Not Available Not
Available
iecontlc.dll <File Missing> Not Available
Not Available Not Available Not
Available
iedkcs32.dll 16.0.3790.0 300 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
iepeers.dll 6.0.3790.0 230 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
iesetup.dll 6.0.3790.0 59 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
ieunit.inf Not Available 20 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32

```

```

iexplore.exe 6.0.3790.0 90 KB
3/25/2003 1:00:00 AM C:\Program
Files\Internet Explorer Microsoft Corporation
imgutil.dll 5.2.3790.0 35 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
inetctl.cpl 6.0.3790.0 303 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
inetctlc.dll 6.0.3790.0 109 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
inseng.dll 6.0.3790.0 72 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
mlang.dll 6.0.3790.0 570 KB 3/25/2003
1:00:00 AM C:\WINDOWS.0\system32
Microsoft Corporation
msencode.dll 2002.10.4.0 112 KB
3/25/2003 1:00:00 AM
C:\WINDOWS.0\system32
Not Available
mshta.exe 6.0.3790.0 26 KB 3/25/2003
1:00:00 AM C:\WINDOWS.0\system32
Microsoft Corporation
mshtml.dll 6.0.3790.0 2,848 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
mshtml.tlb 6.0.3790.0 1,319 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
mshtmlmled.dll 6.0.3790.0 444 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
mshtmlmrl.dll 6.0.3790.0 55 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
msident.dll 6.0.3790.0 47 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
msidentld.dll 6.0.3790.0 15 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
msieftpl.dll 6.0.3790.0 230 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation
msrating.dll 6.0.3790.0 132 KB
3/25/2003 1:00:00 AM Microsoft
C:\WINDOWS.0\system32
Corporation

```

```

mstime.dll          6.0.3790.0          491 KB
3/25/2003 1:00:00 AM
C:\WINDOWS.0\system32
Corporation
occache.dll        6.0.3790.0          89 KB
3/25/2003 1:00:00 AM
C:\WINDOWS.0\system32
Microsoft
Corporation
proctexe.ocx       6.3.3790.0          78 KB
3/25/2003 1:00:00 AM
C:\WINDOWS.0\system32
Intel
Corporation
sendmail.dll       6.0.3790.0          52 KB
3/25/2003 1:00:00 AM
C:\WINDOWS.0\system32
Microsoft
Corporation
shdoclc.dll        6.0.3790.0          589 KB
3/25/2003 1:00:00 AM
C:\WINDOWS.0\system32
Microsoft
Corporation
shdocvw.dll        6.0.3790.0          1,361 KB
3/25/2003 1:00:00 AM
C:\WINDOWS.0\system32
Microsoft
Corporation
shfolder.dll       6.0.3790.0          23 KB
3/25/2003 1:00:00 AM
C:\WINDOWS.0\system32
Microsoft
Corporation
shlwapi.dll        6.0.3790.0          281 KB
3/25/2003 1:00:00 AM
C:\WINDOWS.0\system32
Microsoft
Corporation
tdc.ocx            1.3.0.3130          58 KB 3/25/2003
1:00:00 AM
C:\WINDOWS.0\system32
Microsoft Corporation
url.dll            6.0.3790.0          36 KB 3/25/2003
1:00:00 AM
C:\WINDOWS.0\system32
Microsoft Corporation
urlmon.dll         6.0.3790.0          502 KB
3/25/2003 1:00:00 AM
C:\WINDOWS.0\system32
Microsoft
Corporation
webcheck.dll       6.0.3790.0          262 KB
3/25/2003 1:00:00 AM
C:\WINDOWS.0\system32
Microsoft
Corporation
wininet.dll        6.0.3790.0          609 KB
3/25/2003 1:00:00 AM
C:\WINDOWS.0\system32
Microsoft
Corporation

[Connectivity]

Item      Value
Connection Preference  Never dial

LAN Settings

AutoConfigProxy      Not Available
AutoProxyDetectMode Disabled
AutoConfigURL
Proxy Disabled
ProxyServer

```

```

ProxyOverride

[Cache]

[ Following are sub-categories of this main category ]
[Summary]

Item      Value
Page Refresh Type Automatic
Temporary Internet Files Folder C:\Documents
and Settings\NetworkService.NT AUTHORITY\Local
Settings\Temporary Internet Files
Total Disk Space Not Available
Available Disk Space Not Available
Maximum Cache Size Not Available
Available Cache Size Not Available

[List of Objects]

Program File      Status      CodeBase
No cached object information available

[Content]

[ Following are sub-categories of this main category ]
[Summary]

Item      Value
Content Advisor Disabled

[Personal Certificates]

Issued To Issued By Validity Signature Algorithm
No personal certificate information available

[Other People Certificates]

Issued To Issued By Validity Signature Algorithm
No other people certificate information available

[Publishers]

Name
No publisher information available

[Security]

Zone      Security Level
My Computer Custom
Local intranet Medium-low
Trusted sites Medium
Internet High
Restricted sites High

```

Server Bus Performance Driver Registry Parameters

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissb
Class Name: <NO CLASS>
Last Write Time: 7/15/2004 - 2:40 PM
Value 0
Name: Type
Type: REG_DWORD
Data: 0x1

Value 1
Name: Start
Type: REG_DWORD
Data: 0

Value 2
Name: ErrorControl
Type: REG_DWORD
Data: 0x1

Value 3
Name: Tag
Type: REG_DWORD
Data: 0x102

Value 4
Name: ImagePath
Type: REG_EXPAND_SZ
Data: system32\DRIVERS\hpqcissb.sys

Value 5
Name: DisplayName
Type: REG_SZ
Data: Smart Array Controllers Non-
Miniport Bus Driver

Value 6
Name: Group
Type: REG_SZ
Data: port

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissb\Parameters
Class Name: <NO CLASS>
Last Write Time: 6/21/2004 - 1:31 PM
Value 0
Name: CompletionMode
Type: REG_DWORD
Data: 0x2

```

```

Value 1
  Name:      CosTimerRate
  Type:      REG_DWORD
  Data:      0x1

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissb\Parameters\Controller1
Class Name:  <NO CLASS>
Last Write Time: 6/2/2004 - 9:12 AM
Value 0
  Name:      CompletionMode
  Type:      REG_DWORD
  Data:      0x1

```

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissb\Security
Class Name:  <NO CLASS>
Last Write Time: 1/2/2004 - 11:41 AM
Value 0
  Name:      Security
  Type:      REG_BINARY
  Data:
00000000  01 00 14 80 90 00 00 00 - 9c 00 00 00 14
00 00 00  .....
00000010  30 00 00 00 02 00 1c 00 - 01 00 00 00 02
80 14 00  0.....
00000020  ff 01 0f 00 01 01 00 00 - 00 00 00 01 00
00 00 00  Ÿ.....
00000030  02 00 60 00 04 00 00 00 - 00 00 14 00 fd
01 02 00  ..\.....Ÿ...
00000040  01 01 00 00 00 00 00 05 - 12 00 00 00 00
00 18 00  .....
00000050  ff 01 0f 00 01 02 00 00 - 00 00 00 05 20
00 00 00  Ÿ.....
00000060  20 02 00 00 00 00 14 00 - 8d 01 02 00 01
01 00 00  .....
00000070  00 00 00 05 0b 00 00 00 - 00 00 18 00 fd
01 02 00  ..\.....Ÿ...
00000080  01 02 00 00 00 00 00 05 - 20 00 00 00 23
02 00 00  .....#...
00000090  01 01 00 00 00 00 00 05 - 12 00 00 00 01
01 00 00  .....
00 00 00 05 12 00 00 00 -
.....

```

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissb\Enum
Class Name:  <NO CLASS>
Last Write Time: 7/15/2004 - 2:40 PM
Value 0
  Name:      0
  Type:      REG_SZ
  Data:
PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_02\3&107002
0&0&08

Value 1

```

```

Name:      Count
Type:      REG_DWORD
Data:      0x5

Value 2
  Name:      NextInstance
  Type:      REG_DWORD
  Data:      0x5

Value 3
  Name:      1
  Type:      REG_SZ
  Data:      PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_02\3&107002
0&0&10

Value 4
  Name:      2
  Type:      REG_SZ
  Data:      PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_02\3&29e819
82&0&08

Value 5
  Name:      3
  Type:      REG_SZ
  Data:      PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_02\3&29e819
82&0&10

Value 6
  Name:      4
  Type:      REG_SZ
  Data:      PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_02\3&172e68
dd&0&10

```

Server Disk Device Performance Driver Registry Parameters

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissd
Class Name:  <NO CLASS>
Last Write Time: 7/15/2004 - 2:40 PM
Value 0
  Name:      Type
  Type:      REG_DWORD
  Data:      0x1

```

```

Value 1
  Name:      Start
  Type:      REG_DWORD
  Data:      0

Value 2
  Name:      ErrorControl
  Type:      REG_DWORD
  Data:      0x1

Value 3
  Name:      Tag
  Type:      REG_DWORD
  Data:      0x102

Value 4
  Name:      ImagePath
  Type:      REG_EXPAND_SZ
  Data:      system32\DRIVERS\hpqcissd.sys

Value 5
  Name:      DisplayName
  Type:      REG_SZ
  Data:      Smart Array Controllers Non-
Miniport Disk Driver

Value 6
  Name:      Group
  Type:      REG_SZ
  Data:      Primary Disk

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissd\Security
Class Name:  <NO CLASS>
Last Write Time: 1/2/2004 - 11:48 AM
Value 0
  Name:      Security
  Type:      REG_BINARY
  Data:
00000000  01 00 14 80 90 00 00 00 - 9c 00 00 00 14
00 00 00  .....
00000010  30 00 00 00 02 00 1c 00 - 01 00 00 00 02
80 14 00  0.....
00000020  ff 01 0f 00 01 01 00 00 - 00 00 00 01 00
00 00 00  Ÿ.....
00000030  02 00 60 00 04 00 00 00 - 00 00 14 00 fd
01 02 00  ..\.....Ÿ...
00000040  01 01 00 00 00 00 00 05 - 12 00 00 00 00
00 18 00  .....
00000050  ff 01 0f 00 01 02 00 00 - 00 00 00 05 20
00 00 00  Ÿ.....
00000060  20 02 00 00 00 00 14 00 - 8d 01 02 00 01
01 00 00  .....
00000070  00 00 00 05 0b 00 00 00 - 00 00 18 00 fd
01 02 00  ..\.....Ÿ...
00000080  01 02 00 00 00 00 00 05 - 20 00 00 00 23
02 00 00  .....#...
00000090  01 01 00 00 00 00 00 05 - 12 00 00 00 01
01 00 00  .....
00 00 00 05 12 00 00 00 -
.....

```

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissd\Enum
Class Name: <NO CLASS>
Last Write Time: 7/15/2004 - 2:40 PM
Value 0
Name: 0
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&33332ab
6&0&0000004000000000

Value 1
Name: Count
Type: REG_DWORD
Data: 0x15

Value 2
Name: NextInstance
Type: REG_DWORD
Data: 0x15

Value 3
Name: 1
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&33332ab
6&0&0100004000000000

Value 4
Name: 2
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&33332ab
6&0&0200004000000000

Value 5
Name: 3
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&33332ab
6&0&0300004000000000

Value 6
Name: 4
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&33332ab
6&0&0400004000000000

Value 7
Name: 5
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&16a1636
0&0&0000004000000000

Value 8
Name: 6
Type: REG_SZ

```

```

Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&38eb484
0&0&0000004000000000

Value 9
Name: 7
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&38eb484
0&0&0100004000000000

Value 10
Name: 8
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&38eb484
0&0&0200004000000000

Value 11
Name: 9
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&38eb484
0&0&0300004000000000

Value 12
Name: 10
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&38eb484
0&0&0400004000000000

Value 13
Name: 11
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1c5980e
a&0&0000004000000000

Value 14
Name: 12
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1c5980e
a&0&0100004000000000

Value 15
Name: 13
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1c5980e
a&0&0200004000000000

Value 16
Name: 14
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1c5980e
a&0&0300004000000000

Value 17
Name: 15
Type: REG_SZ

```

```

Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1c5980e
a&0&0400004000000000

Value 18
Name: 16
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0000004000000000

Value 19
Name: 17
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0100004000000000

Value 20
Name: 18
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0200004000000000

Value 21
Name: 19
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0300004000000000

Value 22
Name: 20
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0400004000000000

```

Web Client Hardware Configuration

System Information report written at: 06/22/2004
02:00:50 PM
[System Information]

[Following are sub-categories of this main category]

[System Summary]

Item	Value
OS Name	Microsoft Windows 2000 Server
Version	5.0.2195 Service Pack 2 Build 2195
OS Manufacturer	Microsoft Corporation

```

System Name          QCL4
System Manufacturer  HP
System Model         ProLiant DL360 G3
System Type          X86-based PC
Processor x86 Family 15 Model 2 Stepping 5
GenuineIntel ~38226 Mhz
BIOS Version         10/31/03
Windows Directory    C:\WINNT
System Directory     C:\WINNT\System32
Boot Device          \Device\Harddisk0\Partition1
Locale               United States
User Name            QCL4\Administrator
Time Zone            Central Daylight Time
Total Physical Memory 1,048,084 KB
Available Physical Memory 885,624 KB
Total Virtual Memory 2,783,188 KB
Available Virtual Memory 2,552,756 KB
Page File Space     1,735,104 KB
Page File           C:\pagefile.sys

[Hardware Resources]

[ Following are sub-categories of this main category ]

[Conflicts/Sharing]

Resource Device
No conflicted/shared resources

[DMA]

Channel Device Status
7 Direct memory access controller OK
2 Standard floppy disk controller OK

[Forced Hardware]

Device PNP Device ID
No Forced Hardware

[I/O]

Address Range Device Status
0x0000-0x0CFF PCI bus OK
0x0000-0x0CFF PCI bus OK
0x0000-0x0CFF Direct memory access controller OK
0x03B0-0x03BB PCI bus OK
0x03B0-0x03BB ATI Technologies Inc. RAGE XL PCI OK
0x03C0-0x03DF PCI bus OK
0x03C0-0x03DF ATI Technologies Inc. RAGE XL PCI OK
0x2400-0x24FF ATI Technologies Inc. RAGE XL PCI OK
0x2800-0x28FF Smart Array 5i OK
0x1800-0x18FF HP ProLiant iLO Advanced System Management Controller OK
0x2C00-0x2CFF HP iLO Management Interface Driver OK
0x0A79-0x0A79 ISAPNP Read Data Port OK
0x0279-0x0279 ISAPNP Read Data Port OK

```

```

0x02F4-0x02F7 ISAPNP Read Data Port OK
0x0F50-0x0F58 Motherboard resources OK
0x0408-0x040F Motherboard resources OK
0x0092-0x0092 Motherboard resources OK
0x0900-0x0903 Motherboard resources OK
0x0910-0x0911 Motherboard resources OK
0x0920-0x0923 Motherboard resources OK
0x0930-0x0937 Motherboard resources OK
0x0940-0x0947 Motherboard resources OK
0x0950-0x0957 Motherboard resources OK
0x0C06-0x0C08 Motherboard resources OK
0x0C14-0x0C14 Motherboard resources OK
0x0C49-0x0C4A Motherboard resources OK
0x0C50-0x0C52 Motherboard resources OK
0x0C6C-0x0C6F Motherboard resources OK
0x0010-0x001F Motherboard resources OK
0x0230-0x0233 Motherboard resources OK
0x0260-0x0267 Motherboard resources OK
0x04D0-0x04D1 Motherboard resources OK
0x0700-0x070F Motherboard resources OK
0x0800-0x081F Motherboard resources OK
0x0C80-0x0C83 Motherboard resources OK
0x0CD4-0x0CD7 Motherboard resources OK
0x0CF9-0x0CF9 Motherboard resources OK
0x0020-0x0021 Programmable interrupt controller OK
0x00A0-0x00A1 Programmable interrupt controller OK
0x0C00-0x0C01 Programmable interrupt controller OK
0x0040-0x0043 System timer OK
0x0080-0x008F Direct memory access controller OK
0x00C0-0x00DF Direct memory access controller OK
0x040B-0x040B Direct memory access controller OK
0x04D6-0x04D6 Direct memory access controller OK
0x0061-0x0061 System speaker OK
0x0060-0x0060 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard OK
0x0064-0x0064 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard OK
0x002E-0x002F Extended IO Bus OK
0x0220-0x0223 Extended IO Bus OK
0x0240-0x025F Extended IO Bus OK
0x0070-0x0073 Extended IO Bus OK
0x03F8-0x03FF Communications Port (COM1) OK
0x03F2-0x03F5 Standard floppy disk controller OK
0x03F7-0x03F7 Standard floppy disk controller OK
0x2000-0x200F Standard Dual Channel PCI IDE Controller OK
0x01F0-0x01F7 Primary IDE Channel OK
0x03F6-0x03F6 Primary IDE Channel OK
0x0170-0x0177 Secondary IDE Channel OK
0x0376-0x0376 Secondary IDE Channel OK
0x3000-0x30FF PCI bus OK
0x3000-0x30FF QLogic QLA23xx PCI Fibre Channel Adapter OK

```

```

[IRQs]

IRQ Number Device
9 Microsoft ACPI-Compliant System
31 Smart Array 5i
23 HP ProLiant iLO Advanced System Management Controller
22 HP iLO Management Interface Driver
1 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
12 PS/2 Compatible Mouse
4 Communications Port (COM1)
6 Standard floppy disk controller
14 Primary IDE Channel
7 Standard OpenHCD USB Host Controller
28 QLogic QLA23xx PCI Fibre Channel Adapter
30 HP NC7781 Gigabit Server Adapter #2
29 HP NC7781 Gigabit Server Adapter

[Memory]

Range Device Status
0xA0000-0xBFFFF PCI bus OK
0xA0000-0xBFFFF ATI Technologies Inc. RAGE XL PCI OK
0xF5D00000-0xF6FFFFFF PCI bus OK
0xF6000000-0xF6FFFFFF ATI Technologies Inc. RAGE XL PCI OK
0xF5FF0000-0xF5FF0FFF ATI Technologies Inc. RAGE XL PCI OK
0xF5F80000-0xF5FBFFFF Smart Array 5i OK
0xF5DF0000-0xF5DF3FFF Smart Array 5i OK
0xF5F70000-0xF5F701FF HP ProLiant iLO Advanced System Management Controller OK
0xF5F60000-0xF5F607FF HP iLO Management Interface Driver OK
0xF5F50000-0xF5F51FFF HP iLO Management Interface Driver OK
0xF5E80000-0xF5EFFFFF HP iLO Management Interface Driver OK
0xF5E70000-0xF5E70FFF Standard OpenHCD USB Host Controller OK
0xF7E00000-0xF7EFFFFF PCI bus OK
0xF7EF0000-0xF7EF0FFF QLogic QLA23xx PCI Fibre Channel Adapter OK
0xF7EE0000-0xF7EEFFFF HP NC7781 Gigabit Server Adapter #2 OK
0xF7F00000-0xF7FFFFFF PCI bus OK
0xF7FF0000-0xF7FFFFFF HP NC7781 Gigabit Server Adapter OK

[Components]

[ Following are sub-categories of this main category ]

[Multimedia]

[ Following are sub-categories of this main category ]

[Audio Codecs]

```

```

Codec      Manufacturer      Description
Status File      Version Size
Creation Date
c:\winnt\system32\iac25_32.ax Intel Corporation
Indeo® audio software OK
C:\WINNT\System32\IAC25_32.AX 2.05.53
195.00 KB (199,680 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\msg723.acm Microsoft Corporation
OK
C:\WINNT\System32\MSG723.ACM 4.4.3385
106.77 KB (109,328 bytes) 9/13/2002
5:46:03 PM
c:\winnt\system32\lhacm.acm Microsoft Corporation
OK
C:\WINNT\System32\LHACM.ACM 4.4.3385
33.27 KB (34,064 bytes) 9/13/2002
5:46:04 PM
c:\winnt\system32\tssoft32.acm DSP GROUP,
INC.
OK
C:\WINNT\System32\TSSOFT32.ACM
1.01 9.27 KB (9,488 bytes)
12/7/1999 7:00:00 AM
c:\winnt\system32\msgsm32.acm Microsoft Corporation
OK
C:\WINNT\System32\MSGSM32.ACM 5.00.2134.1
22.27 KB (22,800 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\msg711.acm Microsoft Corporation
OK
C:\WINNT\System32\MSG711.ACM 5.00.2134.1
10.27 KB (10,512 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\msadp32.acm Microsoft Corporation
OK
C:\WINNT\System32\MSADP32.ACM 5.00.2134.1
14.77 KB (15,120 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\imaadp32.acm Microsoft
Corporation
OK
C:\WINNT\System32\IMAADP32.ACM
5.00.2134.1 16.27 KB (16,656 bytes)
12/7/1999 7:00:00 AM

[Video Codecs]

Codec      Manufacturer      Description
Status File      Version Size
Creation Date
c:\winnt\system32\ir50_32.dll Intel Corporation
Indeo® video 5.10 OK
C:\WINNT\System32\IR50_32.DLL
R.5.10.15.2.55 737.50 KB (755,200
bytes) 12/7/1999 7:00:00 AM
c:\winnt\system32\msh261.drv Microsoft Corporation
OK
C:\WINNT\System32\MSH261.DRV 4.4.3385
163.77 KB (167,696 bytes) 9/13/2002
5:46:04 PM
c:\winnt\system32\msh263.drv Microsoft Corporation
OK
C:\WINNT\System32\MSH263.DRV 4.4.3385

```

```

252.27 KB (258,320 bytes) 9/13/2002
5:45:39 PM
c:\winnt\system32\msvidc32.dll Microsoft
Corporation
OK
C:\WINNT\System32\MSVIDC32.DLL
5.00.2134.1 27.27 KB (27,920 bytes)
12/7/1999 7:00:00 AM
c:\winnt\system32\msrle32.dll Microsoft Corporation
OK
C:\WINNT\System32\MSRLE32.DLL 5.00.2134.1
10.77 KB (11,024 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\ir32_32.dll Intel(R) Corporation
OK
C:\WINNT\System32\IR32_32.DLL Not Available
194.50 KB (199,168 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\iccvld.dll Radius Inc.
OK
C:\WINNT\System32\ICCVLD.DLL
1.10.0.6 108.00 KB (110,592 bytes)
12/7/1999 7:00:00 AM

[CD-ROM]

Item Value
Drive D:
Description CD-ROM Drive
Media Loaded False
Media Type CD-ROM
Name COMPAQ CRN-8245B
Manufacturer (Standard CD-ROM drives)
Status OK
Transfer Rate Not Available
SCSI Target ID 0
PNP Device ID IDE\CDROMCOMPAQ_CRN-
8245B 2.19 \5&FB0C83D&0&0.0
.0

[Sound Device]

Item Value
No sound devices

[Display]

Item Value
Name ATI Technologies Inc. RAGE XL PCI
PNP Device ID PCI\VEN_1002&DEV_4752&SUBSYS_001E0E11&REV_2
7\3&267A616A&0&18
Adapter Type ATI RAGE XL PCI, ATI Technologies
Inc. compatible
Adapter Description ATI Technologies Inc. RAGE XL PCI
Adapter RAM 8.00 MB (8,388,608 bytes)
Installed Drivers atidrab.dll
Driver Version 5.00.2179.1
INF File display.inf (atirage3 section)
Color Planes 1
Color Table Entries 65536
Resolution 640 x 480 x 60 hertz
Bits/Pixel 16

```

```

[Infrared]

Item Value
No infrared devices

[Input]

[ Following are sub-categories of this main category
]

[Keyboard]

Item Value
Description Standard 101/102-Key or Microsoft
Natural PS/2 Keyboard
Name Enhanced (101- or 102-key)
Layout 00000409
PNP Device ID ACPI\PNP0303\4&35118DFF&0
NumberOfFunctionKeys 12

[Pointing Device]

Item Value
Hardware Type PS/2 Compatible Mouse
Number of Buttons 2
Status OK
PNP Device ID ACPI\PNP0F13\4&35118DFF&0
Power Management Supported False
Double Click Threshold 6
Handedness Right Handed Operation

[Modem]

Item Value
No modems

[Network]

[ Following are sub-categories of this main category
]

[Adapter]

Item Value
Name [00000000] RAS Async Adapter
Adapter Type Not Available
Product Name RAS Async Adapter
Installed True
PNP Device ID Not Available
Last Reset 6/22/2004 6:18:52 AM
Index 0
Service Name AsyncMac
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available

```


Service Name Not Available

Name [00000001] WAN Miniport (L2TP)
 Adapter Type Not Available
 Product Name WAN Miniport (L2TP)
 Installed True
 PNP Device ID ROOT\MS_L2TPMINIPORT\0000
 Last Reset 6/22/2004 6:18:52 AM
 Index 1
 Service Name Rasl2tp
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Service Name Rasl2tp
 Driver c:\winnt\system32\drivers\rasl2tp.sys
 (50800, 5.00.2179.1)

Name [00000002] WAN Miniport (PPTP)
 Adapter Type Wide Area Network (WAN)
 Product Name WAN Miniport (PPTP)
 Installed True
 PNP Device ID ROOT\MS_PPTPMINIPORT\0000
 Last Reset 6/22/2004 6:18:52 AM
 Index 2
 Service Name PptpMiniport
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 50:50:54:50:30:30
 Service Name PptpMiniport
 Driver c:\winnt\system32\drivers\raspptp.sys
 (47856, 5.00.2160.1)

Name [00000003] Direct Parallel
 Adapter Type Not Available
 Product Name Direct Parallel
 Installed True
 PNP Device ID ROOT\MS_PTMINIPORT\0000
 Last Reset 6/22/2004 6:18:52 AM
 Index 3
 Service Name Raspti
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Service Name Raspti
 Driver c:\winnt\system32\drivers\raspti.sys
 (16880, 5.00.2146.1)

Name [00000004] WAN Miniport (IP)

Adapter Type Not Available
 Product Name WAN Miniport (IP)
 Installed True
 PNP Device ID ROOT\MS_NDISWANIP\0000
 Last Reset 6/22/2004 6:18:52 AM
 Index 4
 Service Name NdisWan
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Service Name NdisWan
 Driver c:\winnt\system32\drivers\ndiswan.sys
 (90096, 5.00.2195.2779)

Name [00000008] HP NC7781 Gigabit Server Adapter
 Adapter Type Ethernet 802.3
 Product Name HP NC7781 Gigabit Server Adapter
 Installed True
 PNP Device ID PCI\VEN_14E4&DEV_16A7&SUBSYS_00CB0E11&REV_0
 2\3&1070020&0&10
 Last Reset 6/22/2004 6:18:52 AM
 Index 8
 Service Name q57w2k
 IP Address 130.172.20.4
 IP Subnet 255.255.0.0
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 00:0B:CD:CD:4D:02
 Service Name q57w2k
 IRQ Number 29
 Driver c:\winnt\system32\drivers\q57w2k.sys
 (107809, 6.64.0.0)

Name [00000009] HP NC7781 Gigabit Server Adapter
 Adapter Type Ethernet 802.3
 Product Name HP NC7781 Gigabit Server Adapter
 Installed True
 PNP Device ID PCI\VEN_14E4&DEV_16A7&SUBSYS_00CB0E11&REV_0
 2\3&13C0B0C5&0&10
 Last Reset 6/22/2004 6:18:52 AM
 Index 9
 Service Name q57w2k
 IP Address 130.168.206.44
 IP Subnet 255.255.0.0
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 00:0B:CD:CD:5D:8F
 Service Name q57w2k
 IRQ Number 30

Driver c:\winnt\system32\drivers\q57w2k.sys
 (107809, 6.64.0.0)

[Protocol]

Item	Value
Name	MSAFD Tcpip [TCP/IP]
ConnectionlessService	False
GuaranteesDelivery	True
GuaranteesSequencing	True
MaximumAddressSize	16 bytes
MaximumMessageSize	0 bytes
MessageOriented	False
MinimumAddressSize	16 bytes
PseudoStreamOriented	False
SupportsBroadcasting	False
SupportsConnectData	False
SupportsDisconnectData	False
SupportsEncryption	False
SupportsExpeditedData	True
SupportsGracefulClosing	True
SupportsGuaranteedBandwidth	False
SupportsMulticasting	False

Name	MSAFD Tcpip [UDP/IP]
ConnectionlessService	True
GuaranteesDelivery	False
GuaranteesSequencing	False
MaximumAddressSize	16 bytes
MaximumMessageSize	65467 bytes
MessageOriented	True
MinimumAddressSize	16 bytes
PseudoStreamOriented	False
SupportsBroadcasting	True
SupportsConnectData	False
SupportsDisconnectData	False
SupportsEncryption	False
SupportsExpeditedData	False
SupportsGracefulClosing	False
SupportsGuaranteedBandwidth	False
SupportsMulticasting	True

Name	RSVP UDP Service Provider
ConnectionlessService	True
GuaranteesDelivery	False
GuaranteesSequencing	False
MaximumAddressSize	16 bytes
MaximumMessageSize	65467 bytes
MessageOriented	True
MinimumAddressSize	16 bytes
PseudoStreamOriented	False
SupportsBroadcasting	True
SupportsConnectData	False
SupportsDisconnectData	False
SupportsEncryption	True
SupportsExpeditedData	False
SupportsGracefulClosing	False
SupportsGuaranteedBandwidth	False
SupportsMulticasting	True

Name	RSVP TCP Service Provider
ConnectionlessService	False

```

GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 16 bytes
MaximumMessageSize 0 bytes
MessageOriented False
MinimumAddressSize 16 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption True
SupportsExpeditedData True
SupportsGracefulClosing True
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\\Device\\NetBT_Tcpip_{C91CC83D-E635-400B-86DD-8C81DC0D07FB}] SEQPACKE
T 5
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\\Device\\NetBT_Tcpip_{C91CC83D-E635-400B-86DD-8C81DC0D07FB}] DATAGRAM 5
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\\Device\\NetBT_Tcpip_{F3D5BAF3-12F3-4911-93C9-FFE1B41398D1}] SEQPACKE
T 6
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes

```

```

MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\\Device\\NetBT_Tcpip_{F3D5BAF3-12F3-4911-93C9-FFE1B41398D1}] DATAGRAM 6
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\\Device\\NetBT_Tcpip_{D90E04F2-3AD9-4F98-9464-751E106D7E6A}] SEQPACKE
T 1
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\\Device\\NetBT_Tcpip_{D90E04F2-3AD9-4F98-9464-751E106D7E6A}] DATAGRAM 1
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes

```

```

PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\\Device\\NetBT_Tcpip_{3F1BA297-E685-416B-82D7-70E771CC8745}] SEQPACKE
T 2
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\\Device\\NetBT_Tcpip_{3F1BA297-E685-416B-82D7-70E771CC8745}] DATAGRAM 2
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

[WinSock]

Item Value
File c:\\winnt\\system32\\winsock.dll
Version 3.10
Size 2.80 KB (2,864 bytes)

File c:\\winnt\\system32\\wsock32.dll
Version 5.00.2195.2871
Size 21.27 KB (21,776 bytes)

```

[Ports]

[Following are sub-categories of this main category]

[Serial]

```

Item      Value
Name      COM1
Status    OK
PNP Device ID  ACPI\PNP0501\0
Maximum Input Buffer Size  0
Maximum Output Buffer Size  False
Settable Baud Rate  True
Settable Data Bits  True
Settable Flow Control  True
Settable Parity  True
Settable Parity Check  True
Settable Stop Bits  True
Settable RLSD  True
Supports RLSD  True
Supports 16 Bit Mode  False
Supports Special Characters  False
Baud Rate  9600
Bits/Byte  8
Stop Bits  1
Parity  None
Busy  0
Abort Read/Write on Error  0
Binary Mode Enabled -1
Continue XMit on XOff  0
CTS Outflow Control  0
Discard NULL Bytes  0
DSR Outflow Control  0
DSR Sensitivity  0
DTR Flow Control Type  Enable
EOF Character  0
Error Replace Character  0
Error Replacement Enabled  0
Event Character  0
Parity Check Enabled  0
RTS Flow Control Type  Enable
XOff Character  19
XOffXMit Threshold  512
XOn Character  17
XOnXMit Threshold  2048
XOnXOff InFlow Control  0
XOnXOff OutFlow Control  0
IRQ Number  4
I/O Port  0x03F8-0x03FF
Driver  c:\winnt\system32\drivers\serial.sys
(62416, 5.00.2195.2780)

```

[Parallel]

```

Item      Value
No parallel port information

```

[Storage]

[Following are sub-categories of this main category]

[Drives]

```

Item      Value
Drive A:
Description  3 1/2 Inch Floppy Drive

Drive C:
Description  Local Fixed Disk
Compressed  False
File System  NTFS
Size  16.95 GB (18,198,999,040 bytes)
Free Space  13.21 GB (14,188,322,816 bytes)
Volume Name
Volume Serial Number  C8B488FA
Partition Disk #0, Partition #0
Partition Size  16.95 GB (18,199,003,136 bytes)
Starting Offset  16384 bytes
Drive Description  Disk drive
Drive Manufacturer  (Standard disk drives)
Drive Model  COMPAQ LOGICAL VOLUME SCSI Disk
Device
Drive BytesPerSector  512
Drive MediaLoaded  True
Drive MediaType  Fixed hard disk media
Drive Partitions  1
Drive SCSIbus  0
Drive SCSILogicalUnit  0
Drive SCSIPort  2
Drive SCISITargetId  4
Drive SectorsPerTrack  32
Drive Size  18203197440 bytes
Drive TotalCylinders  4357
Drive TotalSectors  35553120
Drive TotalTracks  1111035
Drive TracksPerCylinder  255

```

[SCSI]

```

Item      Value
Name      Smart Array 5i
Caption   Smart Array 5i
Driver    cpqcissm
Status    OK
PNP Device ID
PCI\VEN_0E11&DEV_B178&SUBSYS_40800E11&REV_0
1\3&267A616A&0&20
Device ID
PCI\VEN_0E11&DEV_B178&SUBSYS_40800E11&REV_0
1\3&267A616A&0&20
Device Map  Not Available
Index  Not Available
Max Number Controlled  Not Available
IRQ Number  31
I/O Port  0x2800-0x28FF
Driver  c:\winnt\system32\drivers\cpqcissm.sys
(15952, 5.48.0.32 Build 4)

```

```

Name      QLogic QLA23xx PCI Fibre Channel Adapter
Caption   QLogic QLA23xx PCI Fibre Channel Adapter
Driver    ql2300
Status    OK

```

PNP Device ID

```

PCI\VEN_1077&DEV_2312&SUBSYS_010C1077&REV_0
2\3&13C0B0C5&0&08
Device ID
PCI\VEN_1077&DEV_2312&SUBSYS_010C1077&REV_0
2\3&13C0B0C5&0&08
Device Map  Not Available
Index  Not Available
Max Number Controlled  Not Available
IRQ Number  28
I/O Port  0x3000-0x30FF
Driver  c:\winnt\system32\drivers\ql2300.sys
(442328, 8.2.0.10 (W2K VI))

```

[Printing]

```

Name      Port Name Server Name
No printing information

```

[Problem Devices]

```

Device  PNP Device ID  Error Code
No Problem Devices

```

[USB]

```

Device  PNP Device ID
Standard OpenHCD USB Host Controller
PCI\VEN_1166&DEV_0220&SUBSYS_02201166&REV_0
5\3&267A616A&0&7A
USB Root Hub  USB\ROOT_HUB\4&AF5358C&0

```

[Software Environment]

[Following are sub-categories of this main category]

[Drivers]

Name	Description	File	Type
	Started	Start Mode	State
	Status	Error Control	Accept Pause
	Accept Stop		
abiosdsk	Abiosdsk	Not Available	Kernel Driver
	False	Disabled	Stopped
	Ignore	False	False
abp480n5	abp480n5	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
acpi	Microsoft ACPI Driver		
	c:\winnt\system32\drivers\acpi.sys		
	Kernel Driver	True	Boot
	Running	OK	Normal
	True		False
acpiec	ACPIEC		
	c:\winnt\system32\drivers\acpiec.sys		
	Kernel Driver	False	Disabled
	Stopped	OK	Normal
	False		False
adpu160m	adpu160m	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False

afd	AFD Networking Support Environment c:\winnt\system32\drivers\afd.sys Kernel Driver True Auto Running OK Normal False True
ahal54x	Ahal54x Not Available Kernel Driver False Disabled Stopped OK
aic116x	aic116x Not Available Kernel Driver False Disabled Stopped OK
aic78u2	aic78u2 Not Available Kernel Driver False Disabled Stopped OK
aic78xx	aic78xx Not Available Kernel Driver False Disabled Stopped OK
alkernel	Altiris Kernel Driver c:\winnt\system32\drivers\alkernel.sys Kernel Driver False Manual Stopped OK Normal False False
ami0nt	ami0nt Not Available Kernel Driver False Disabled Stopped OK
amsint	amsint Not Available Kernel Driver False Disabled Stopped OK
asc	asc Not Available Kernel Driver False Disabled Stopped OK
asc3350p	asc3350p Not Available Kernel Driver False Disabled Stopped OK
asc3550	asc3550 Not Available Kernel Driver False Disabled Stopped OK
asynmac	RAS Asynchronous Media Driver c:\winnt\system32\drivers\asynmac.sys Kernel Driver False Manual Stopped OK Normal False False
atapi	Standard IDE/ESDI Hard Disk Controller c:\winnt\system32\drivers\atapi.sys Kernel Driver True Boot Running OK Normal False True
atdisk	Atdisk Not Available Kernel Driver False Disabled Stopped OK Ignore False False
atirage3	atirage3 c:\winnt\system32\drivers\atimpab.sys Kernel Driver True Manual Running OK Ignore False True
atmarpc	ATM ARP Client Protocol c:\winnt\system32\drivers\atmarpc.sys Kernel Driver False Manual Stopped OK Normal False False
audstub	Audio Stub Driver c:\winnt\system32\drivers\audstub.sys Kernel Driver True Manual

beep	Running OK Normal False True Beep c:\winnt\system32\drivers\beep.sys Kernel Driver True System Running OK Normal False True
buslogic	BusLogic Not Available Kernel Driver False Disabled Stopped OK
cd20xrnt	cd20xrnt Not Available Kernel Driver False Disabled Stopped OK
cdaudio	Cdaudio c:\winnt\system32\drivers\cdaudio.sys Kernel Driver False System Stopped OK Ignore False False
cdfs	Cdfs c:\winnt\system32\drivers\cdfs.sys File System Driver True Disabled Running OK Normal False True
cdrom	CD-ROM Driver c:\winnt\system32\drivers\cdrom.sys Kernel Driver True System Running OK Normal False True
changer	Changer Not Available Kernel Driver False System Stopped OK Ignore False False
cpqarray	Cpqarray Not Available Kernel Driver False Disabled Stopped OK
cpqarray2	cpqarray2 Not Available Kernel Driver False Disabled Stopped OK
cpqasm2	HP ProLiant iLO Advanced System Management Controller c:\winnt\system32\drivers\cpqasm2.sys Kernel Driver True Manual Running OK Normal False True
cpqcidrv	HP Integrated Lights-Out c:\winnt\system32\drivers\cpqcidrv.sys Kernel Driver True Manual Running OK Normal False True
cpqcisse	CPQCISSE c:\winnt\system32\drivers\cpqcisse.sys Kernel Driver True Manual Running OK Normal False True
cpqcissm	cpqcissm c:\winnt\system32\drivers\cpqcissm.sys Kernel Driver True Boot Running OK Normal False True
cpqfcalm	cpqfcalm Not Available Kernel Driver False Disabled Stopped OK Normal False False

cpqfws2e	cpqfws2e Not Available Kernel Driver False Disabled Stopped OK Normal False False
dac960nt	dac960nt Not Available Kernel Driver False Disabled Stopped OK Normal False False
deckzpsx	deckzpsx Not Available Kernel Driver False Disabled Stopped OK Normal False False
dfsdriver	DfsDriver c:\winnt\system32\drivers\dfs.sys File System Driver True Boot Running OK Normal False True
disk	Disk Driver c:\winnt\system32\drivers\disk.sys Kernel Driver True Boot Running OK Normal False True
diskperf	Diskperf c:\winnt\system32\drivers\diskperf.sys Kernel Driver True Boot Running OK Normal False True
dmboot	dmboot c:\winnt\system32\drivers\dmboot.sys Kernel Driver False Disabled Stopped OK Normal False False
dmio	Logical Disk Manager Driver c:\winnt\system32\drivers\dmio.sys Kernel Driver True Boot Running OK Normal False True
dmload	dmload c:\winnt\system32\drivers\dmload.sys Kernel Driver True Boot Running OK Normal False True
efs	EFS c:\winnt\system32\drivers\efs.sys File System Driver True Disabled Running OK Normal False True
fastfat	Fastfat c:\winnt\system32\drivers\fastfat.sys File System Driver True Disabled Running OK Normal False True
fd16_700	Fd16_700 Not Available Kernel Driver False Disabled Stopped OK Normal False False
fdc	Floppy Disk Controller Driver c:\winnt\system32\drivers\fdc.sys Kernel Driver True Manual Running OK Normal False True
fips	Fips c:\winnt\system32\drivers\fips.sys Kernel Driver True Auto Running OK Normal False True
fireport	fireport Not Available Kernel Driver False Disabled Stopped OK Normal False False

```

flashpnt flashpnt Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
flpydisk Floppy Disk Driver
c:\winnt\system32\drivers\flpydisk.sys
Kernel Driver True Manual
Running OK Normal False
True
ftdisk Volume Manager Driver
c:\winnt\system32\drivers\ftdisk.sys
Kernel Driver True Boot
Running OK Normal False
True
gpc Generic Packet Classifier
c:\winnt\system32\drivers\msgpc.sys
Kernel Driver True Manual
Running OK Normal False
True
i8042prt i8042 Keyboard and PS/2 Mouse Port Driver
c:\winnt\system32\drivers\i8042prt.sys
Kernel Driver True System
Running OK Normal False
True
ini910u ini910u Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
intelide IntelIde Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
ipfilterdriver IP Traffic Filter Driver
c:\winnt\system32\drivers\ipfldrv.sys
Kernel Driver False Manual
Stopped OK Normal False
False
ipinip IP in IP Tunnel Driver
c:\winnt\system32\drivers\ipinip.sys
Kernel Driver False Manual
Stopped OK Normal False
False
ipnat IP Network Address Translator
c:\winnt\system32\drivers\ipnat.sys
Kernel Driver False Manual
Stopped OK Normal False
False
ipsec IPSEC driver
c:\winnt\system32\drivers\ipsec.sys
Kernel Driver False Manual
Stopped OK Normal False
False
ipsraidn ipsraidn Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
isapnp PnP ISA/EISA Bus Driver
c:\winnt\system32\drivers\isapnp.sys
Kernel Driver True Boot
Running OK Critical False
True
kbdclass Keyboard Class Driver
c:\winnt\system32\drivers\kbdclass.sys
Kernel Driver True System
Running OK Normal False
True

```

```

ksecdd KSecDD
c:\winnt\system32\drivers\ksecdd.sys
Kernel Driver True Boot
Running OK Normal False
True
lbrtfdc lbrtfdc Not Available Kernel Driver
False System Stopped OK
Ignore False False
lp6nds35 lp6nds35 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
mmdd mmdd
c:\winnt\system32\drivers\mmdd.sys
Kernel Driver True System
Running OK Ignore False
True
modem Modem
c:\winnt\system32\drivers\modem.sys
Kernel Driver False Manual
Stopped OK Ignore False
False
mouclass Mouse Class Driver
c:\winnt\system32\drivers\mouclass.sys
Kernel Driver True System
Running OK Normal False
True
mountmgr MountMgr
c:\winnt\system32\drivers\mountmgr.sys
Kernel Driver True Boot
Running OK Normal False
True
mraid35x mraid35x Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
mrx smb MRXSMB
c:\winnt\system32\drivers\mrx smb.sys
File System Driver True System
Running OK Normal False
True
msfs Msfs
c:\winnt\system32\drivers\msfs.sys
File System Driver True System
Running OK Normal False
True
mskssrv Microsoft Streaming Service Proxy
c:\winnt\system32\drivers\mskssrv.sys
Kernel Driver False Manual
Stopped OK Normal False
False
mspclock Microsoft Streaming Clock Proxy
c:\winnt\system32\drivers\mspclock.sys
Kernel Driver False Manual
Stopped OK Normal False
False
mspqm Microsoft Streaming Quality Manager Proxy
c:\winnt\system32\drivers\mspqm.sys
Kernel Driver False Manual
Stopped OK Normal False
False
mup Mup c:\winnt\system32\drivers\mup.sys
File System Driver True Boot
Running OK Normal False
True

```

```

n100 Compaq Ethernet or Fast Ethernet NIC NT
Driver c:\winnt\system32\drivers\n100nt5.sys
Kernel Driver False Manual
Stopped OK Normal False
False
ncrc710 Ncr710 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
ndis NDIS System Driver
c:\winnt\system32\drivers\ndis.sys
Kernel Driver True Boot
Running OK Normal False
True
ndistapi Remote Access NDIS TAPI Driver
c:\winnt\system32\drivers\ndistapi.sys
Kernel Driver True Manual
Running OK Normal False
True
ndiswan Remote Access NDIS WAN Driver
c:\winnt\system32\drivers\ndiswan.sys
Kernel Driver True Manual
Running OK Normal False
True
ndproxy NDIS Proxy
c:\winnt\system32\drivers\ndproxy.sys
Kernel Driver True Manual
Running OK Normal False
True
netbios NetBIOS Interface
c:\winnt\system32\drivers\netbios.sys
File System Driver True System
Running OK Normal False
True
netbt NetBios over Tcpip
c:\winnt\system32\drivers\netbt.sys
Kernel Driver True System
Running OK Normal False
True
netdetect NetDetect
c:\winnt\system32\drivers\netdetect.sys
Kernel Driver False Manual
Stopped OK Normal False
False
npfs Npfs
c:\winnt\system32\drivers\npfs.sys
File System Driver True System
Running OK Normal False
True
ntfs Ntfs
c:\winnt\system32\drivers\ntfs.sys
File System Driver True Disabled
Running OK Normal False
True
null Null
c:\winnt\system32\drivers\null.sys
Kernel Driver True System
Running OK Normal False
True
nwlnkflt IPX Traffic Filter Driver
c:\winnt\system32\drivers\nwlnkflt.sys
Kernel Driver False Manual
Stopped OK Normal False
False

```

nwlkfw	IPX Traffic Forwarder Driver c:\winnt\system32\drivers\nwlkfw.sys Kernel Driver Stopped False	Running OK Normal False							
openh	Microsoft USB Open Host Controller Driver c:\winnt\system32\drivers\openhci.sys Kernel Driver Running True	True Manual Normal False							
parallel	Parallel c:\winnt\system32\drivers\parallel.sys Kernel Driver Stopped False	True Manual Ignore False							
parport	Parport c:\winnt\system32\drivers\parport.sys Kernel Driver Stopped False	True Manual Ignore False							
partmgr	PartMgr c:\winnt\system32\drivers\partmgr.sys Kernel Driver Running True	True Boot Normal False							
parvdm	ParVdm c:\winnt\system32\drivers\parvdm.sys Kernel Driver Stopped False	False Manual Ignore False							
pci	PCI Bus Driver c:\winnt\system32\drivers\pci.sys Kernel Driver Running True	True Boot Critical False							
pcidump	PCIDump False Ignore	Not Available System False	Kernel Driver Stopped OK						
pciide	PCIIde c:\winnt\system32\drivers\pciide.sys Kernel Driver Running True	True Boot Normal False							
pcmcia	Pcmcia c:\winnt\system32\drivers\pcmcia.sys Kernel Driver Stopped False	False Disabled Normal False							
pdcomp	PDCOMP False Ignore	Not Available Manual False	Kernel Driver Stopped OK						
pdframe	PDFRAME False Ignore	Not Available Manual False	Kernel Driver Stopped OK						
pdreli	PDRELI False Ignore	Not Available Manual False	Kernel Driver Stopped OK						
pdrframe	PDRFRAME False Ignore	Not Available Manual False	Kernel Driver Stopped OK						
pptpminiport	WAN Miniport (PPTP) c:\winnt\system32\drivers\rasppptp.sys Kernel Driver	True Manual							
ptilink	Direct Parallel Link Driver c:\winnt\system32\drivers\ptilink.sys Kernel Driver Running True	True Manual Normal False							
q57w2k	HP NC7781 Gigabit Server Adapter c:\winnt\system32\drivers\q57w2k.sys Kernel Driver Running True	True Manual Normal False							
ql1080	ql1080 False Normal	Not Available Disabled False	Kernel Driver Stopped OK						
ql10wnt	Ql10wnt False Normal	Not Available Disabled False	Kernel Driver Stopped OK						
ql1240	ql1240 False Normal	Not Available Disabled False	Kernel Driver Stopped OK						
ql2100	ql2100 False Normal	Not Available Disabled False	Kernel Driver Stopped OK						
ql2300	ql2300 c:\winnt\system32\drivers\ql2300.sys Kernel Driver Running True	True Boot Normal False							
qlvika	qlvika c:\winnt\system32\drivers\qlvika.sys Kernel Driver Running True	True Auto Normal False							
rasacd	Remote Access Auto Connection Driver c:\winnt\system32\drivers\rasacd.sys Kernel Driver Running True	True System Normal False							
rasl2tp	WAN Miniport (L2TP) c:\winnt\system32\drivers\rasl2tp.sys Kernel Driver Running True	True Manual Normal False							
raspti	Direct Parallel c:\winnt\system32\drivers\raspti.sys Kernel Driver Running True	True Manual Normal False							
rca	Microsoft Streaming Network Raw Channel Access c:\winnt\system32\drivers\rca.sys Kernel Driver Stopped False	False Manual Normal False							
rdbs	Rdbs c:\winnt\system32\drivers\rdbs.sys File System Driver Running True	True System Normal False							
rdpdr	Terminal Server Device Redirector Driver c:\winnt\system32\drivers\rdpdr.sys Kernel Driver	True Manual							
rdpwd	RDPWD c:\winnt\system32\drivers\rdpwd.sys Kernel Driver Running True	True Manual Ignore False							
redbook	Digital CD Audio Playback Filter Driver c:\winnt\system32\drivers\redbook.sys Kernel Driver Stopped False	True System Normal False							
serenum	Serenum Filter Driver c:\winnt\system32\drivers\serenum.sys Kernel Driver Running True	True Manual Normal False							
serial	Serial port driver c:\winnt\system32\drivers\serial.sys Kernel Driver Running True	True Manual Ignore False							
sfloppy	Sfloppy c:\winnt\system32\drivers\sfloppy.sys Kernel Driver Stopped False	False System Ignore False							
sglfb	sglfb False Normal	Not Available System False	Kernel Driver Stopped OK						
simbad	Simbad False Normal	Not Available Disabled False	Kernel Driver Stopped OK						
sparrow	Sparrow False Normal	Not Available Disabled False	Kernel Driver Stopped OK						
spud	Special Purpose Utility Driver c:\winnt\system32\drivers\spud.sys Kernel Driver Running True	True Manual Normal False							
srv	Srv c:\winnt\system32\drivers\srv.sys File System Driver Running True	True Manual Normal False							
swenum	Software Bus Driver c:\winnt\system32\drivers\swenum.sys Kernel Driver Running True	True Manual Normal False							
symc810	symc810 False Normal	Not Available Disabled False	Kernel Driver Stopped OK						
symc8xx	symc8xx False Normal	Not Available Disabled False	Kernel Driver Stopped OK						
sym_hi	sym_hi False Normal	Not Available Disabled False	Kernel Driver Stopped OK						
sysmgmt	HP ProLiant System Management Interface c:\winnt\system32\drivers\sysmgmt.sys Kernel Driver	True Manual							

```

Running OK Normal False
True
TCP/IP Protocol Driver
tcpip c:\winnt\system32\drivers\tcpip.sys
Kernel Driver True System
Running OK Normal False
True
tdasync TDASYNC
c:\winnt\system32\drivers\tdasync.sys
Kernel Driver False Manual
Stopped OK Ignore False
False
tdipx TDIPX
c:\winnt\system32\drivers\tdipx.sys
Kernel Driver False Manual
Stopped OK Ignore False
False
tdnetb TDNETB
c:\winnt\system32\drivers\tdnetb.sys
Kernel Driver False Manual
Stopped OK Ignore False
False
tdpipe TDPIPE
c:\winnt\system32\drivers\tdpipe.sys
Kernel Driver False Manual
Stopped OK Ignore False
False
tdspix TDSPIX
c:\winnt\system32\drivers\tdspix.sys
Kernel Driver False Manual
Stopped OK Ignore False
False
tdtcp TDTCPC
c:\winnt\system32\drivers\tdtcp.sys
Kernel Driver True Manual
Running OK Ignore False
True
termdd Terminal Device Driver
c:\winnt\system32\drivers\termdd.sys
Kernel Driver True Auto
Running OK Normal False
True
tga tga Not Available Kernel Driver
False System Stopped OK
Ignore False False
udfs Udfs
c:\winnt\system32\drivers\udfs.sys
File System Driver False Disabled
Stopped OK Normal False
False
ultra66 ultra66 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
update Microcode Update Driver
c:\winnt\system32\drivers\update.sys
Kernel Driver True Manual
Running OK Normal False
True
usbhub Microsoft USB Standard Hub Driver
c:\winnt\system32\drivers\usbhub.sys
Kernel Driver True Manual
Running OK Normal False
True

```

```

vgasave VgaSave c:\winnt\system32\drivers\vga.sys
Kernel Driver True System
Running OK Ignore False
True
wanarp Remote Access IP ARP Driver
c:\winnt\system32\drivers\wanarp.sys
Kernel Driver True Manual
Running OK Normal False
True
wdica WDICA Not Available Kernel Driver
False Manual Stopped OK
Ignore False False

[Environment Variables]

Variable Value User Name
ComSpec %SystemRoot%\system32\cmd.exe <SYSTEM>
Os2LibPath %SystemRoot%\system32\os2\dll;
<SYSTEM>
Path %SystemRoot%\system32;%SystemRoot%;%SystemR
oot%\System32\Wbem;C:\Program Files\Microsoft SQL
Server\80\Tools\BINN <SYSTEM>
windir %SystemRoot% <SYSTEM>
OS Windows_NT <SYSTEM>
PROCESSOR_ARCHITECTURE x86 <SYSTEM>
PROCESSOR_LEVEL 15 <SYSTEM>
PROCESSOR_IDENTIFIER x86 Family 15 Model 2
Stepping 5, GenuineIntel <SYSTEM>
PROCESSOR_REVISION 0205 <SYSTEM>
NUMBER_OF_PROCESSORS 1 <SYSTEM>
PATHEXT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF
;.WSH <SYSTEM>
TEMP %SystemRoot%\TEMP <SYSTEM>
TMP %SystemRoot%\TEMP <SYSTEM>
TEMP %USERPROFILE%\Local Settings\Temp
QCL4\Administrator
TMP %USERPROFILE%\Local Settings\Temp
QCL4\Administrator

[Jobs]

[ Following are sub-categories of this main category ]

[Print]

Document Size Owner Notify Status
Time Submitted Start Time
Until Time Elapsed Time
Pages Printed Job ID Priority
Parameters Driver Name
Print Processor Host Print Queue
Data Type Name
Unknown Unknown Unknown Unknown
Unknown Unknown Unknown Unknown
Unknown Unknown Unknown Unknown
Unknown Unknown Unknown Unknown

[Network Connections]

```

```

Local Name Remote Name Type
Status User Name
E: \\inforb\audit_fdr Disk OK

[Running Tasks]

Name Path Process ID Priority Min
Working Set Max Working Set Start Time
Version Size File Date
system idle process Not Available 0 0
Not Available Not Available Not
Available Unknown Unknown Unknown
system Not Available 8 8 0
1413120 Not Available Unknown
Unknown Unknown
smss.exe c:\winnt\system32\smss.exe 208 11
204800 1413120 6/22/2004 11:19:05 AM
5.00.2195.2901 44.27 KB (45,328 bytes)
12/7/1999 7:00:00 AM
csrss.exe Not Available 232 13 Not
Available Not Available 6/22/2004 11:19:07 AM
Unknown Unknown Unknown
winlogon.exe c:\winnt\system32\winlogon.exe
256 13 204800 1413120
6/22/2004 11:19:08 AM
5.00.2195.2953 173.77 KB (177,936
bytes) 12/7/1999 7:00:00 AM
services.exe c:\winnt\system32\services.exe
284 9 204800 1413120
6/22/2004 11:19:09 AM
5.00.2195.2780 86.77 KB (88,848 bytes)
12/7/1999 7:00:00 AM
lsass.exe c:\winnt\system32\lsass.exe 296 9
204800 1413120 6/22/2004 11:19:09 AM
5.00.2195.2964 32.77 KB (33,552 bytes)
12/7/1999 7:00:00 AM
termsrv.exe c:\winnt\system32\termsrv.exe 408
10 204800 1413120 6/22/2004
11:19:09 AM 5.00.2195.2342 137.27 KB
(140,560 bytes) 9/13/2002 6:09:44 PM
svchost.exe c:\winnt\system32\svchost.exe 492
8 204800 1413120 6/22/2004
11:19:10 AM 5.00.2134.1 7.77 KB
(7,952 bytes) 12/7/1999 7:00:00 AM
msdtc.exe c:\winnt\system32\msdtc.exe 516 8
204800 1413120 6/22/2004 11:19:11 AM
1999.9.3421.3 6.77 KB (6,928 bytes)
9/13/2002 5:45:07 PM
svchost.exe c:\winnt\system32\svchost.exe 636
8 204800 1413120 6/22/2004
11:19:11 AM 5.00.2134.1 7.77 KB
(7,952 bytes) 12/7/1999 7:00:00 AM
rsys.exe c:\benchcraft\rsys.exe 652 8
204800 1413120 6/22/2004 11:19:11 AM
Not Available 32.00 KB (32,768 bytes)
9/17/2002 4:43:40 PM
winmgmt.exe c:\winnt\system32\wbem\winmgmt.exe 684
8 204800 1413120 6/22/2004
11:19:12 AM 1.50.1085.0029 192.08 KB
(196,685 bytes) 9/13/2002 6:09:52 PM
cpqrcmc.exe c:\winnt\system32\cpqrcmc.exe 696
8 204800 1413120 6/22/2004

```

```

11:19:12 AM      5.0.2.0  96.27 KB (98,576 bytes)
2/7/2001 4:40:24 PM
inetinfo.exe    c:\winnt\system32\inetrv\inetinfo.exe 724
8              204800  1413120  6/22/2004
11:19:12 AM      5.0.0.984 14.27 KB (14,608 bytes)
9/13/2002 6:10:42 PM
sysdown.exe    c:\winnt\system32\sysdown.exe 184
8              204800  1413120  6/22/2004
11:19:18 AM      5.32.3790.0 built by:
28.50 KB (29,184 bytes)      3/5/2004
2:16:18 PM
logon.scr      c:\winnt\system32\logon.scr 800      4
204800  1413120  6/22/2004 11:34:22 AM
5.00.2195.2104 127.77 KB (130,832
bytes) 9/13/2002 6:09:26 PM
csrss.exe     Not Available 928      13      Not
Available Not Available 6/22/2004 1:59:27 PM
Unknown Unknown
winlogon.exe  c:\winnt\system32\winlogon.exe
616          13          204800  1413120
6/22/2004 1:59:27 PM
5.00.2195.2953 173.77 KB (177,936
bytes) 12/7/1999 7:00:00 AM
rdpclip.exe  c:\winnt\system32\rdpclip.exe
1000         8          204800  1413120
6/22/2004 1:59:33 PM 5.00.2174.1
39.77 KB (40,720 bytes) 9/13/2002
5:45:10 PM
explorer.exe  c:\winnt\explorer.exe
1044         8          204800  1413120
6/22/2004 1:59:34 PM
5.00.3315.2846 237.27 KB (242,960
bytes) 9/13/2002 6:09:47 PM
aclntusr.exe c:\program
files\altiris\aclient\aclntusr.exe 1100      8
204800  1413120  6/22/2004 1:59:35 PM
5, 6, 0, 50 176.00 KB (180,224
bytes) 6/5/2003 1:56:24 PM
tardis.exe   c:\program files\tardis 2000
v1.4\tardis.exe 1144      8          204800
1413120  6/22/2004 1:59:36 PM 5,
0, 1, 4 308.00 KB (315,392 bytes) 9/13/2002
6:21:25 PM
mmc.exe      c:\winnt\system32\mmc.exe 1176      8
204800  1413120  6/22/2004 2:00:02 PM
5.00.2195.2301 589.27 KB (603,408
bytes) 9/13/2002 6:09:26 PM
rsvp.exe    c:\winnt\system32\rsvp.exe 1316      8
204800  1413120  6/22/2004 2:00:37 PM
5.00.2167.1 172.77 KB (176,912
bytes) 12/7/1999 7:00:00 AM

[Loaded Modules]
Name      Version  Size      File Date Manufacturer
Path
traffic.dll 5.00.2139.1 30.77 KB
(31,504 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\traffic.dll

```

```

rsvp.exe 5.00.2167.1 172.77 KB (176,912
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\rsvp.exe
wbemprox.dll 1.50.1085.0045 40.08 KB
(41,040 bytes) 9/13/2002 6:09:52 PM
Microsoft Corporation
c:\winnt\system32\wbem\wbemprox.dll
mlang.dll 5.00.3103.1000 510.77 KB (523,024
bytes) 9/13/2002 6:09:26 PM Microsoft
Corporation c:\winnt\system32\mlang.dll
cabinet.dll 5.00.2147.1 54.77 KB
(56,080 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cabinet.dll
msinfo32.dll 5.00.2177.1 312.27 KB
(319,760 bytes) 9/13/2002 5:46:00 PM
Microsoft Corporation c:\program
files\common files\microsoft
shared\msinfo\msinfo32.dll
mmcndmgr.dll 5.00.2178.1 815.27 KB
(834,832 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mmcndmgr.dll
mfc42u.dll 6.00.8665.0 972.05 KB
(995,384 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mfc42u.dll
mmc.exe 5.00.2195.2301 589.27 KB (603,408
bytes) 9/13/2002 6:09:26 PM Microsoft
Corporation c:\winnt\system32\mmc.exe
rapilib.dll 5.00.2195.2717 24.77 KB
(25,360 bytes) 9/13/2002 6:09:39 PM
Microsoft Corporation
c:\winnt\system32\rapilib.dll
rsvpsp.dll 5.00.2195.2749 74.77 KB
(76,560 bytes) 9/13/2002 6:09:40 PM
Microsoft Corporation
c:\winnt\system32\rsvpsp.dll
tardis.exe 5, 0, 1, 4 308.00 KB
(315,392 bytes) 9/13/2002 6:21:25 PM
H.C.Mingham-Smith Ltd. c:\program
files\tardis 2000 v1.4\tardis.exe
aclntusr.exe 5, 6, 0, 50 176.00 KB
(180,224 bytes) 6/5/2003 1:56:24 PM
c:\program
files\altiris\aclient\aclntusr.exe
shdoclc.dll 5.00.3315.2879 324.50 KB
(332,288 bytes) 9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\shdoclc.dll
rasdlg.dll 5.00.2195.2671 514.27 KB
(526,608 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rasdlg.dll
netplwiz.dll 5.00.2195.2370 169.77 KB
(173,840 bytes) 9/13/2002 6:09:34 PM
Microsoft Corporation
c:\winnt\system32\netplwiz.dll
netmsg.dll 5.00.2137.1 152.50 KB
(156,160 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\netmsg.dll

```

```

comdlg32.dll 5.00.3103.1000 236.77 KB
(242,448 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\comdlg32.dll
netui2.dll 5.00.2134.1 280.27 KB
(286,992 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\netui2.dll
mprui.dll 5.00.2195.2104 54.77 KB (56,080 bytes)
9/13/2002 6:09:27 PM Microsoft
Corporation c:\winnt\system32\mprui.dll
urlmon.dll 5.00.3315.1000 441.27 KB
(451,856 bytes) 9/13/2002 6:09:44 PM
Microsoft Corporation
c:\winnt\system32?urlmon.dll
faxshell.dll 5.00.2134.1 8.27 KB
(8,464 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\faxshell.dll
msacm32.dll 5.00.2134.1 65.27 KB
(66,832 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msacm32.dll
avifil32.dll 5.00.2134.1 76.27 KB
(78,096 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\avifil32.dll
msvfw32.dll 5.00.2134.1 113.77 KB
(116,496 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msvfw32.dll
docprop2.dll 5.00.2178.1 297.77 KB
(304,912 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\docprop2.dll
linkinfo.dll 5.00.2134.1 15.77 KB
(16,144 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\linkinfo.dll
msi.dll 1.11.2405.0 1.69 MB (1,767,184
bytes) 9/13/2002 6:09:29 PM Microsoft
Corporation c:\winnt\system32\msi.dll
powrprof.dll 5.00.3103.1000 13.27 KB
(13,584 bytes) 9/13/2002 6:09:38 PM
Microsoft Corporation
c:\winnt\system32\powrprof.dll
batmeter.dll 5.00.3103.1000 20.27 KB
(20,752 bytes) 9/13/2002 6:09:14 PM
Microsoft Corporation
c:\winnt\system32\batmeter.dll
stobject.dll 5.00.2195.2780 79.27 KB
(81,168 bytes) 9/13/2002 6:09:43 PM
Microsoft Corporation
c:\winnt\system32\stobject.dll
webcheck.dll 5.00.3315.1000 251.77 KB
(257,808 bytes) 9/13/2002 6:09:45 PM
Microsoft Corporation
c:\winnt\system32\webcheck.dll
browselc.dll 5.00.3315.2846 34.50 KB
(35,328 bytes) 9/13/2002 6:09:14 PM
Microsoft Corporation
c:\winnt\system32\browselc.dll

```


ntshrui.dll 5.00.2134.1 46.77 KB
(47,888 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ntshrui.dll
mydocs.dll 5.00.2920.0000 55.77 KB
(57,104 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mydocs.dll
browseui.dll 5.00.3315.2846 788.77 KB
(807,696 bytes) 9/13/2002 6:09:14 PM
Microsoft Corporation
c:\winnt\system32\browseui.dll
shdocvw.dll 5.00.3315.2879 1.05 MB
(1,104,144 bytes) 9/13/2002 6:09:42 PM
Microsoft Corporation
c:\winnt\system32\shdocvw.dll
explorer.exe 5.00.3315.2846 237.27 KB
(242,960 bytes) 9/13/2002 6:09:47 PM
Microsoft Corporation
c:\winnt\explorer.exe
rdpclip.exe 5.00.2174.1 39.77 KB
(40,720 bytes) 9/13/2002 5:45:10 PM
Microsoft Corporation
c:\winnt\system32\rdpclip.exe
cscui.dll 5.00.2195.2959 228.27 KB (233,744
bytes) 9/13/2002 6:09:17 PM Microsoft
Corporation c:\winnt\system32\cscui.dll
logon.scr 5.00.2195.2104 127.77 KB (130,832
bytes) 9/13/2002 6:09:26 PM Microsoft
Corporation c:\winnt\system32\logon.scr
util.dll 5.00.2153.1 25.77 KB
(26,384 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\util.dll
wtsapi32.dll 5.00.2134.1 14.27 KB
(14,608 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wtsapi32.dll
sysdown.exe 5.32.3790.0 built by:
28.50 KB (29,184 bytes) 3/5/2004
2:16:18 PM Compaq Computer Corporation
c:\winnt\system32\sysdown.exe
httpext.dll 0.9.3940.21 435.27 KB
(445,712 bytes) 9/13/2002 6:10:42 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\httpext.dll
fpexedll.dll 4.0.2.4324 20.06 KB
(20,541 bytes) 9/13/2002 6:10:33 PM
Microsoft Corporation c:\program
files\common files\microsoft shared\web server
extensions\40\bin\fpexedll.dll
md5filt.dll 5.00.0984 32.77 KB (33,552 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\md5filt.dll
gzip.dll 5.00.0984 30.27 KB (30,992 bytes)
9/13/2002 6:10:42 PM Microsoft
Corporation c:\winnt\system32\inetsrv\gzip.dll
compfilt.dll 5.00.0984 22.77 KB (23,312 bytes)
9/13/2002 6:10:41 PM Microsoft
Corporation c:\winnt\system32\inetsrv\compfilt.dll

sspifilt.dll 5.00.0984 43.27 KB (44,304 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\sspifilt.dll
iscomlog.dll 5.00.0984 24.77 KB (25,360 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\iscomlog.dll
lonsint.dll 5.00.0984 11.77 KB (12,048 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\lonsint.dll
inetsloc.dll 5.00.0984 20.27 KB (20,752 bytes)
9/13/2002 6:09:24 PM Microsoft
Corporation c:\winnt\system32\inetsloc.dll
iisfecnv.dll 5.00.0984 7.27 KB (7,440 bytes)
9/13/2002 5:45:32 PM Microsoft
Corporation c:\winnt\system32\inetsrv\iisfecnv.dll
isatq.dll 5.00.0984 60.27 KB (61,712 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\isatq.dll
infocomm.dll 5.00.0984 238.27 KB (243,984
bytes) 9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\infocomm.dll
w3svc.dll 5.00.0984 343.27 KB (351,504 bytes)
9/13/2002 6:10:44 PM Microsoft
Corporation c:\winnt\system32\inetsrv\w3svc.dll
security.dll 5.00.2154.1 5.77 KB
(5,904 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\security.dll
svcxext.dll 5.00.0984 39.77 KB (40,720 bytes)
9/13/2002 6:10:44 PM Microsoft
Corporation c:\winnt\system32\inetsrv\svcxext.dll
admexs.dll 5.00.0984 27.77 KB (28,432 bytes)
9/13/2002 6:10:41 PM Microsoft
Corporation c:\winnt\system32\inetsrv\admexs.dll
wamreg.dll 5.00.0984 45.77 KB (46,864 bytes)
9/13/2002 6:10:44 PM Microsoft
Corporation c:\winnt\system32\inetsrv\wamreg.dll
metadata.dll 5.00.0984 68.77 KB (70,416 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\metadata.dll
iismap.dll 5.00.0984 55.77 KB (57,104 bytes)
9/13/2002 6:09:23 PM Microsoft
Corporation c:\winnt\system32\iismap.dll
nsepm.dll 5.00.0984 43.27 KB (44,304 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\nsepm.dll
admwprox.dll 5.00.0984 31.77 KB (32,528 bytes)
9/13/2002 5:45:33 PM Microsoft
Corporation c:\winnt\system32\admwprox.dll
coadmin.dll 5.00.0984 39.27 KB (40,208 bytes)
9/13/2002 6:10:41 PM Microsoft

Corporation c:\winnt\system32\inetsrv\coadmin.dll
iisadmin.dll 5.00.0984 15.27 KB (15,632 bytes)
9/13/2002 6:10:42 PM Microsoft
Corporation c:\winnt\system32\inetsrv\iisadmin.dll
rpcpref.dll 5.00.0984 4.27 KB (4,368 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\rpcpref.dll
iisrsl.dll 5.00.0984 119.77 KB (122,640
bytes) 9/13/2002 6:09:23 PM Microsoft
Corporation c:\winnt\system32\iisrsl.dll
inetinfo.exe 5.00.0984 14.27 KB (14,608 bytes)
9/13/2002 6:10:42 PM Microsoft
Corporation c:\winnt\system32\inetsrv\inetinfo.exe
cpqrcmc.exe 5.0.2.0 96.27 KB (98,576 bytes)
2/7/2001 4:40:24 PM Compaq
c:\winnt\system32\cpqrcmc.exe
netui1.dll 5.00.2134.1 210.27 KB
(215,312 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\netui1.dll
netui0.dll 5.00.2134.1 70.27 KB
(71,952 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\netui0.dll
ntlanman.dll 5.00.2157.1 35.27 KB
(36,112 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ntlanman.dll
wshnetbs.dll 5.00.2134.1 7.77 KB
(7,952 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wshnetbs.dll
ntmarta.dll 5.00.2195.2862 98.77 KB
(101,136 bytes) 9/13/2002 6:09:35 PM
Microsoft Corporation
c:\winnt\system32\ntmarta.dll
perfos.dll 5.00.2155.1 21.27 KB
(21,776 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\perfos.dll
provthrd.dll 1.50.1085.0000 68.07 KB
(69,708 bytes) 9/13/2002 5:45:53 PM
Microsoft Corporation
c:\winnt\system32\wbem\provthrd.dll
ntevt.dll 1.50.1085.0000 192.06 KB (196,669
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\wbem\ntevt.dll
psapi.dll 5.00.2134.1 28.27 KB (28,944 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\psapi.dll
framedyn.dll 1.50.1085.0000 164.05 KB
(167,992 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wbem\framedyn.dll
cimwin32.dll 1.50.1085.0038 1.02 MB
(1,073,232 bytes) 9/13/2002 6:09:50 PM
Microsoft Corporation
c:\winnt\system32\wbem\cimwin32.dll

wbemsvc.dll 1.50.1085.0007 40.07 KB
 (41,036 bytes) 9/13/2002 6:09:52 PM
 Microsoft Corporation
 c:\winnt\system32\wbem\wbemsvc.dll
 wbemess.dll 1.50.1085.0039 364.07 KB
 (372,804 bytes) 9/13/2002 6:09:52 PM
 Microsoft Corporation
 c:\winnt\system32\wbem\wbemess.dll
 fastprox.dll 1.50.1085.0037 144.08 KB
 (147,536 bytes) 9/13/2002 6:09:51 PM
 Microsoft Corporation
 c:\winnt\system32\wbem\fastprox.dll
 wbemcore.dll 1.50.1085.0036 628.07 KB
 (643,140 bytes) 9/13/2002 6:09:52 PM
 Microsoft Corporation
 c:\winnt\system32\wbem\wbemcore.dll
 wbemcomn.dll 1.50.1085.0021 692.07 KB
 (708,675 bytes) 9/13/2002 6:09:51 PM
 Microsoft Corporation
 c:\winnt\system32\wbem\wbemcomn.dll
 winmgmt.exe 1.50.1085.0029 192.08 KB
 (196,685 bytes) 9/13/2002 6:09:52 PM
 Microsoft Corporation
 c:\winnt\system32\wbem\winmgmt.exe
 rsys.exe Not Available 32.00 KB (32,768 bytes)
 9/17/2002 4:43:40 PM Not Available
 c:\benchcraft\rsys.exe
 wmi.dll 5.00.2191.1 6.27 KB (6,416 bytes)
 12/7/1999 7:00:00 AM Microsoft
 Corporation c:\winnt\system32\wmi.dll
 netshell.dll 5.00.2195.2779 457.27 KB
 (468,240 bytes) 9/13/2002 6:09:34 PM
 Microsoft Corporation
 c:\winnt\system32\netshell.dll
 netman.dll 5.00.2195.2779 89.27 KB
 (91,408 bytes) 9/13/2002 6:09:34 PM
 Microsoft Corporation
 c:\winnt\system32\netman.dll
 es.dll 2000.2.3471.1 222.27 KB (227,600
 bytes) 9/13/2002 6:09:21 PM Microsoft
 Corporation c:\winnt\system32\es.dll
 ntmsdba.dll 5.00.2195.2779 167.27 KB
 (171,280 bytes) 9/13/2002 6:09:35 PM
 Microsoft Corporation
 c:\winnt\system32\ntmsdba.dll
 ntmsvc.dll 5.00.2195.2779 391.27 KB
 (400,656 bytes) 9/13/2002 6:09:35 PM
 Microsoft Corporation
 c:\winnt\system32\ntmsvc.dll
 mtxoci.dll 2000.2.3471.1 101.77 KB
 (104,208 bytes) 9/13/2002 6:09:33 PM
 Microsoft Corporation
 c:\winnt\system32\mtxoci.dll
 resutils.dll 5.00.2195.2787 39.77 KB
 (40,720 bytes) 9/13/2002 6:09:40 PM
 Microsoft Corporation
 c:\winnt\system32\resutils.dll
 clusapi.dll 5.00.2195.2104 54.27 KB
 (55,568 bytes) 9/13/2002 6:09:16 PM
 Microsoft Corporation
 c:\winnt\system32\clusapi.dll

msvcpc50.dll 5.00.7051 552.50 KB (565,760
 bytes) 12/7/1999 7:00:00 AM Microsoft
 Corporation c:\winnt\system32\msvcpc50.dll
 xolehlp.dll 1999.9.3421.3 17.27 KB
 (17,680 bytes) 9/13/2002 5:45:08 PM
 Microsoft Corporation
 c:\winnt\system32\xolehlp.dll
 msdtclog.dll 1999.9.3421.3 89.77 KB
 (91,920 bytes) 9/13/2002 5:45:07 PM
 Microsoft Corporation
 c:\winnt\system32\msdtclog.dll
 mtxclu.dll 2000.2.3471.1 51.27 KB
 (52,496 bytes) 9/13/2002 6:09:33 PM
 Microsoft Corporation
 c:\winnt\system32\mtxclu.dll
 msdtcprx.dll 2000.2.3471.1 665.77 KB
 (681,744 bytes) 9/13/2002 6:09:27 PM
 Microsoft Corporation
 c:\winnt\system32\msdtcprx.dll
 txfaux.dll 2000.2.3471.1 374.27 KB
 (383,248 bytes) 9/13/2002 6:09:44 PM
 Microsoft Corporation
 c:\winnt\system32\txfaux.dll
 msdtctm.dll 2000.2.3471.1 1.07 MB
 (1,120,528 bytes) 9/13/2002 6:09:28 PM
 Microsoft Corporation
 c:\winnt\system32\msdtctm.dll
 msdtc.exe 1999.9.3421.3 6.77 KB (6,928 bytes)
 9/13/2002 5:45:07 PM Microsoft
 Corporation c:\winnt\system32\msdtc.exe
 rpcss.dll 5.00.2195.2815 231.27 KB (236,816
 bytes) 9/13/2002 6:09:40 PM Microsoft
 Corporation c:\winnt\system32\rpcss.dll
 svchost.exe 5.00.2134.1 7.77 KB
 (7,952 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\svchost.exe
 rdpwsx.dll 5.00.2180.1 94.40 KB
 (96,664 bytes) 9/13/2002 5:45:10 PM
 Microsoft Corporation
 c:\winnt\system32\rdpwsx.dll
 ntlsapi.dll 5.00.2134.1 6.77 KB
 (6,928 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\ntlsapi.dll
 mstlsapi.dll 5.00.2181.1 24.77 KB
 (25,360 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\mstlsapi.dll
 icaapi.dll 5.00.2134.1 118.77 KB
 (121,616 bytes) 9/13/2002 5:45:09 PM
 Microsoft Corporation
 c:\winnt\system32\icaapi.dll
 regapi.dll 5.00.2155.1 35.27 KB
 (36,112 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\regapi.dll
 termsrv.exe 5.00.2195.2342 137.27 KB
 (140,560 bytes) 9/13/2002 6:09:44 PM
 Microsoft Corporation
 c:\winnt\system32\termsrv.exe
 scecli.dll 5.00.2195.2780 105.27 KB
 (107,792 bytes) 9/13/2002 6:09:41 PM

Microsoft Corporation
 c:\winnt\system32\scecli.dll
 atl.dll 3.00.8449 57.56 KB (58,938 bytes)
 12/7/1999 7:00:00 AM Microsoft
 Corporation c:\winnt\system32\atl.dll
 certcli.dll 5.00.2195.2778 130.77 KB
 (133,904 bytes) 9/13/2002 6:09:16 PM
 Microsoft Corporation
 c:\winnt\system32\certcli.dll
 esent.dll 6.0.3940.13 1.08 MB (1,135,376
 bytes) 9/13/2002 6:09:21 PM Microsoft
 Corporation c:\winnt\system32\esent.dll
 ntdsatq.dll 5.00.2195.2878 31.27 KB
 (32,016 bytes) 9/13/2002 6:09:35 PM
 Microsoft Corporation
 c:\winnt\system32\ntdsatq.dll
 ntdsa.dll 5.00.2195.2899 990.77 KB (1,014,544
 bytes) 9/13/2002 6:09:34 PM Microsoft
 Corporation c:\winnt\system32\ntdsa.dll
 kdcsvc.dll 5.00.2195.2878 137.77 KB
 (141,072 bytes) 9/13/2002 6:09:26 PM
 Microsoft Corporation
 c:\winnt\system32\kdcsvc.dll
 sfmapi.dll 5.00.2134.1 38.77 KB
 (39,696 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\sfmapi.dll
 rassfm.dll 5.00.2195.2671 21.27 KB
 (21,776 bytes) 9/13/2002 6:09:39 PM
 Microsoft Corporation
 c:\winnt\system32\rassfm.dll
 mpr.dll 5.00.2195.2779 53.27 KB (54,544 bytes)
 9/13/2002 6:09:27 PM Microsoft
 Corporation c:\winnt\system32\mpr.dll
 rsabase.dll 5.00.2195.2228 128.27 KB
 (131,344 bytes) 5/4/2001 12:05:02 PM
 Microsoft Corporation
 c:\winnt\system32\rsabase.dll
 schannel.dll 5.00.2195.2922 138.27 KB
 (141,584 bytes) 5/4/2001 12:05:02 PM
 Microsoft Corporation
 c:\winnt\system32\schannel.dll
 netlogon.dll 5.00.2195.2865 357.77 KB
 (366,352 bytes) 9/13/2002 6:09:34 PM
 Microsoft Corporation
 c:\winnt\system32\netlogon.dll
 kerberos.dll 5.00.2195.2913 198.77 KB
 (203,536 bytes) 9/13/2002 6:09:26 PM
 Microsoft Corporation
 c:\winnt\system32\kerberos.dll
 msprivs.dll 5.00.2154.1 41.50 KB
 (42,496 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\msprivs.dll
 samsrv.dll 5.00.2195.2918 369.77 KB
 (378,640 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\samsrv.dll
 lsasrv.dll 5.00.2195.2964 492.77 KB
 (504,592 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\lsasrv.dll

lsass.exe 5.00.2195.2964 32.77 KB (33,552 bytes)
 12/7/1999 7:00:00 AM Microsoft Corporation
 c:\winnt\system32\lsass.exe
 wmicore.dll 5.00.2195.2842 72.27 KB
 (74,000 bytes) 9/13/2002 6:09:46 PM
 Microsoft Corporation
 c:\winnt\system32\wmicore.dll
 mssock.dll 5.00.2195.2871 62.77 KB
 (64,272 bytes) 9/13/2002 6:09:33 PM
 Microsoft Corporation
 c:\winnt\system32\mssock.dll
 msgsvc.dll 5.00.2195.2939 34.27 KB
 (35,088 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\msgsvc.dll
 browser.dll 5.00.2195.2778 48.27 KB
 (49,424 bytes) 9/13/2002 6:09:14 PM
 Microsoft Corporation
 c:\winnt\system32\browser.dll
 trkwks.dll 5.00.2166.1 88.77 KB
 (90,896 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\trkwks.dll
 psbase.dll 5.00.2195.2779 111.77 KB
 (114,448 bytes) 9/13/2002 6:09:39 PM
 Microsoft Corporation
 c:\winnt\system32\psbase.dll
 cryptsvc.dll 5.00.2181.1 61.77 KB
 (63,248 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\cryptsvc.dll
 cryptdll.dll 5.00.2135.1 41.27 KB
 (42,256 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\cryptdll.dll
 wkssvc.dll 5.00.2195.2780 95.27 KB
 (97,552 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\wkssvc.dll
 srvsvc.dll 5.00.2195.2904 79.27 KB
 (81,168 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\srvsvc.dll
 cfmgr32.dll 5.00.2134.1 16.77 KB
 (17,168 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\cfmgr32.dll
 dmserver.dll 2195.2778.297.3 11.77 KB
 (12,048 bytes) 9/13/2002 6:09:19 PM
 VERITAS Software Corp.
 c:\winnt\system32\dmserver.dll
 lmhsvc.dll 5.00.2195.2778 9.77 KB
 (10,000 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\lmhsvc.dll
 eventlog.dll 5.00.2178.1 43.77 KB
 (44,816 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\eventlog.dll
 scesrv.dll 5.00.2195.2780 226.27 KB
 (231,696 bytes) 9/13/2002 6:09:41 PM
 Microsoft Corporation
 c:\winnt\system32\scesrv.dll

umpnpgm.dll 5.00.2182.1 86.27 KB
 (88,336 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\umpnpgm.dll
 services.exe 5.00.2195.2780 86.77 KB
 (88,848 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\services.exe
 wininet.dll 5.00.3315.1000 456.77 KB
 (467,728 bytes) 9/13/2002 6:09:46 PM
 Microsoft Corporation
 c:\winnt\system32\wininet.dll
 cryptnet.dll 5.131.2157.1 41.77 KB
 (42,768 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\cryptnet.dll
 msvl_0.dll 5.00.2195.2900 111.77 KB
 (114,448 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\msvl_0.dll
 ntdsapi.dll 5.00.2195.2661 55.77 KB
 (57,104 bytes) 9/13/2002 6:09:35 PM
 Microsoft Corporation
 c:\winnt\system32\ntdsapi.dll
 rasadhlp.dll 5.00.2168.1 7.27 KB
 (7,440 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\rasadhlp.dll
 winnr.dll 5.00.2160.1 18.77 KB
 (19,216 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\winnr.dll
 rnr20.dll 5.00.2195.2871 35.77 KB (36,624 bytes)
 9/13/2002 6:09:40 PM Microsoft Corporation
 c:\winnt\system32\rnr20.dll
 clbcatq.dll 2000.2.3471.1 496.77 KB
 (508,688 bytes) 9/13/2002 6:09:16 PM
 Microsoft Corporation
 c:\winnt\system32\clbcatq.dll
 dhcpcsvc.dll 5.00.2195.2778 88.77 KB
 (90,896 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\dhcpcsvc.dll
 tapi32.dll 5.00.2182.1 123.27 KB
 (126,224 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\tapi32.dll
 rasman.dll 5.00.2195.2780 54.77 KB
 (56,080 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\rasman.dll
 rasapi32.dll 5.00.2195.2671 189.77 KB
 (194,320 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\rasapi32.dll
 rtutils.dll 5.00.2168.1 43.77 KB
 (44,816 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\rtutils.dll
 adslrpc.dll 5.00.2195.2842 127.27 KB
 (130,320 bytes) 9/13/2002 6:09:12 PM
 Microsoft Corporation
 c:\winnt\system32\adslrpc.dll

activeds.dll 5.00.2195.2778 174.77 KB
 (178,960 bytes) 9/13/2002 6:09:09 PM
 Microsoft Corporation
 c:\winnt\system32\activeds.dll
 oleaut32.dll 2.40.4517 612.27 KB (626,960
 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\oleaut32.dll
 mprapi.dll 5.00.2181.1 79.27 KB
 (81,168 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\mprapi.dll
 icmp.dll 5.00.2134.1 7.27 KB (7,440 bytes)
 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\icmp.dll
 iphlapi.dll 5.00.2173.2 67.77 KB
 (69,392 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\iphlpapi.dll
 wshtcpip.dll 5.00.2195.2104 17.27 KB
 (17,680 bytes) 9/13/2002 6:09:46 PM
 Microsoft Corporation
 c:\winnt\system32\wshtcpip.dll
 msafd.dll 5.00.2195.2779 106.77 KB (109,328
 bytes) 9/13/2002 6:09:27 PM
 Microsoft Corporation
 c:\winnt\system32\msafd.dll
 winspool.drv 5.00.2195.2780 109.77 KB
 (112,400 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\winspool.drv
 winscard.dll 5.00.2134.1 77.27 KB
 (79,120 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\winscard.dll
 wlnotify.dll 5.00.2195.2780 53.77 KB
 (55,056 bytes) 9/13/2002 6:09:46 PM
 Microsoft Corporation
 c:\winnt\system32\wlnotify.dll
 csddl.dll 5.00.2195.2401 98.27 KB
 (100,624 bytes) 9/13/2002 6:09:17 PM
 Microsoft Corporation
 c:\winnt\system32\csddl.dll
 lz32.dll 5.00.2134.1 9.77 KB (10,000 bytes)
 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\lz32.dll
 version.dll 5.00.2134.1 15.77 KB
 (16,144 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\version.dll
 rsaenh.dll 5.00.2195.2228 130.77 KB
 (133,904 bytes) 9/13/2002 6:10:37 PM
 Microsoft Corporation
 c:\winnt\system32\rsaenh.dll
 mscat32.dll 5.131.2134.1 7.77 KB
 (7,952 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\mscat32.dll
 ole32.dll 5.00.2195.2887 969.77 KB (993,040
 bytes) 9/13/2002 6:09:38 PM
 Microsoft Corporation
 c:\winnt\system32\ole32.dll
 imagehlp.dll 5.00.2195.2778 125.77 KB
 (128,784 bytes) 5/4/2001 12:05:02 PM
 Microsoft Corporation
 c:\winnt\system32\imagehlp.dll

```

msasn1.dll          5.00.2134.1      51.27 KB
(52,496 bytes)     12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msasn1.dll
crypt32.dll        5.131.2195.2833 451.27 KB
(462,096 bytes)   9/13/2002 6:09:17 PM
Microsoft Corporation
c:\winnt\system32\crypt32.dll
wintrust.dll      5.131.2195.2779 162.27 KB
(166,160 bytes)   9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wintrust.dll
shlwapi.dll       5.00.3315.1000  282.77 KB
(289,552 bytes)   9/13/2002 6:09:42 PM
Microsoft Corporation
c:\winnt\system32\shlwapi.dll
shell32.dll       5.00.3315.2902  2.25 MB
(2,359,056 bytes) 9/13/2002 6:09:42 PM
Microsoft Corporation
c:\winnt\system32\shell32.dll
msgina.dll        5.00.2195.2779  324.27 KB
(332,048 bytes)   12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msgina.dll
comctl32.dll      5.81 537.77 KB (550,672
bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\comctl32.dll
setupapi.dll      5.00.2195.2663  555.77 KB
(569,104 bytes)   12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\setupapi.dll
winmm.dll         5.00.2161.1      184.77 KB (189,200
bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\winmm.dll
winsta.dll        5.00.2195.2386  36.77 KB
(37,648 bytes)    9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\winsta.dll
wsock32.dll       5.00.2195.2871  21.27 KB
(21,776 bytes)    9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wsock32.dll
dnsapi.dll        5.00.2195.2785  130.77 KB
(133,904 bytes)   9/13/2002 6:09:19 PM
Microsoft Corporation
c:\winnt\system32\dnsapi.dll
wldap32.dll       5.00.2195.2797  125.27 KB
(128,272 bytes)   9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wldap32.dll
ws2help.dll       5.00.2134.1      17.77 KB
(18,192 bytes)    12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ws2help.dll
ws2_32.dll        5.00.2195.2780  67.77 KB
(69,392 bytes)    9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\ws2_32.dll
samlib.dll        5.00.2195.2780  49.77 KB
(50,960 bytes)    12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\samlib.dll

```

```

netrap.dll         5.00.2134.1      11.27 KB
(11,536 bytes)    12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\netrap.dll
netapi32.dll      5.00.2195.2808  303.77 KB
(311,056 bytes)   9/13/2002 6:09:34 PM
Microsoft Corporation
c:\winnt\system32\netapi32.dll
profmap.dll       5.00.2181.1      29.27 KB
(29,968 bytes)    12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\profmap.dll
secur32.dll       5.00.2195.2862  46.77 KB
(47,888 bytes)    9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\secur32.dll
sfc.dll           5.00.2195.2896  92.11 KB (94,320 bytes)
9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\sfc.dll
nddeapi.dll       5.00.2137.1      15.27 KB
(15,632 bytes)    12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\nddeapi.dll
userenv.dll       5.00.2195.2780  361.77 KB
(370,448 bytes)   12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\userenv.dll
user32.dll        5.00.2195.2821  392.77 KB
(402,192 bytes)   12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\user32.dll
gdi32.dll         5.00.2195.2778  228.77 KB (234,256
bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\gdi32.dll
rpcrt4.dll        5.00.2195.2832  437.27 KB
(447,760 bytes)   9/13/2002 6:09:40 PM
Microsoft Corporation
c:\winnt\system32\rpcrt4.dll
advapi32.dll      5.00.2195.2867  351.77 KB
(360,208 bytes)   12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\advapi32.dll
kernel32.dll      5.00.2195.2778  714.77 KB
(731,920 bytes)   12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\kernel32.dll
msvcrt.dll        6.10.8924.0      284.05 KB
(290,869 bytes)   5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\msvcrt.dll
winlogon.exe      5.00.2195.2953  173.77 KB
(177,936 bytes)   12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\winlogon.exe
sfcfiles.dll      5.00.2195.2967  948.27 KB
(971,024 bytes)   9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\sfcfiles.dll
ntdll.dll         5.00.2195.2779  478.77 KB (490,256
bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\ntdll.dll

```

```

smss.exe 5.00.2195.2901 44.27 KB (45,328 bytes)
12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\smss.exe

[Services]

Display Name Name State Start Mode
Service Type Path Error Control
Start Name Tag ID
Altiris Client Service AClient Stopped
Auto Own Process c:\program
files\altiris\aclient\aclient.exe -service
Normal LocalSystem 0
Alerter Alerter Stopped Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Application Management AppMgmt Stopped
Manual Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Computer Browser Browser Running Auto
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Indexing Service cisvc Stopped Manual
Share Process
c:\winnt\system32\cisvc.exe
Normal LocalSystem 0
ClipBook ClipSrv Stopped Manual Own Process
c:\winnt\system32\clipsrv.exe Normal
LocalSystem 0
Compaq Remote Monitor Service CpqRcmc Running
Auto Own Process
c:\winnt\system32\cpqrcmc.exe Normal
LocalSystem 0
Distributed File System Dfs Stopped
Auto Own Process
c:\winnt\system32\dfssvc.exe Normal
LocalSystem 0
DHCP Client Dhcp Stopped Auto
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Logical Disk Manager Administrative Service
dmadm Stopped Manual Share Process
c:\winnt\system32\dmadm.exe /com
Normal LocalSystem 0
Logical Disk Manager dmserver Running
Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
DNS Client Dnscache Stopped Auto
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Event Log Eventlog Running Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
COM+ Event System EventSystem Running
Manual Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0

```

Fax Service	Fax	Stopped	Manual	Own
Process	c:\winnt\system32\faxsvc.exe	Normal		
	LocalSystem	0		
IIS Admin Service	IISADMIN	Running	Auto	
	Share Process			
	c:\winnt\system32\inetrv\inetinfo.exe			
	Normal	LocalSystem	0	
Intersite Messaging	IsmServ	Stopped	Disabled	Own
Process	c:\winnt\system32\ismsserv.exe	Normal		
	LocalSystem	0		
Kerberos Key Distribution Center			kdc	
	Stopped	Disabled	Share Process	
	c:\winnt\system32\lsass.exe	Normal		
	LocalSystem	0		
Server	lanmanserver	Running	Auto	
	Share Process			
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
Workstation	lanmanworkstation	Running		
	Auto	Share Process		
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
License Logging Service	LicenseService			
	Stopped	Auto	Own Process	
	c:\winnt\system32\llssrv.exe	Normal		
	LocalSystem	0		
TCP/IP NetBIOS Helper Service	LmHosts	Running		
	Auto	Share Process		
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
Messenger	Messenger	Running	Auto	Share Process
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
NetMeeting Remote Desktop Sharing	mnmsrvc			
	Stopped	Manual	Own Process	
	c:\winnt\system32\mnmsrvc.exe	Normal		
	LocalSystem	0		
Distributed Transaction Coordinator	MSDTC			
	Running	Auto	Own Process	
	c:\winnt\system32\msdtc.exe	Normal		
	LocalSystem	0		
Windows Installer	MSIServer	Stopped	Manual	
	Share Process			
	c:\winnt\system32\msiexec.exe	/v		
	Normal	LocalSystem	0	
Network DDE	NetDDE	Stopped	Manual	
	Share Process			
	c:\winnt\system32\netdde.exe	Normal		
	LocalSystem	0		
Network DDE DSDM	NetDDEdsdm		Stopped	
	Manual	Share Process		
	c:\winnt\system32\netdde.exe	Normal		
	LocalSystem	0		
Net Logon	Netlogon	Stopped	Manual	Share Process
	c:\winnt\system32\lsass.exe	Normal		
	LocalSystem	0		
Network Connections	Netman	Running	Manual	
	Share Process			
	c:\winnt\system32\svchost.exe	-k netsvcs		
	Normal	LocalSystem	0	
File Replication	NtFrs	Stopped	Manual	Own
Process	c:\winnt\system32\ntfrs.exe	Ignore		
	LocalSystem	0		

NT LM Security Support Provider	NtLmSsp			
	Stopped	Manual	Share Process	
	c:\winnt\system32\lsass.exe	Normal		
	LocalSystem	0		
Removable Storage	NtmsSvc	Running	Auto	
	Share Process			
	c:\winnt\system32\svchost.exe	-k netsvcs		
	Normal	LocalSystem	0	
Plug and Play	PlugPlay	Running	Auto	
	Share Process			
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
IPSEC Policy Agent	PolicyAgent		Stopped	
	Auto	Share Process		
	c:\winnt\system32\lsass.exe	Normal		
	LocalSystem	0		
Protected Storage	ProtectedStorage	Running		
	Auto	Share Process		
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
Remote Access Auto Connection Manager	RasAuto			
	Stopped	Manual	Share Process	
	c:\winnt\system32\svchost.exe	-k netsvcs		
	Normal	LocalSystem	0	
Remote Access Connection Manager	RasMan			
	Stopped	Manual	Share Process	
	c:\winnt\system32\svchost.exe	-k netsvcs		
	Normal	LocalSystem	0	
Routing and Remote Access	RemoteAccess			
	Stopped	Disabled	Share Process	
	c:\winnt\system32\svchost.exe	-k netsvcs		
	Normal	LocalSystem	0	
Remote Registry Service	RemoteRegistry			
	Stopped	Auto	Own Process	
	c:\winnt\system32\regsvc.exe	Normal		
	LocalSystem	0		
Remote Command Service	RMSYS	Running		
	Auto	Own Process		
	c:\benchmark\rsys.exe	Normal		
	LocalSystem	0		
Remote Procedure Call (RPC) Locator	RpcLocator			
	Stopped	Manual	Own Process	
	c:\winnt\system32\locator.exe	Normal		
	LocalSystem	0		
Remote Procedure Call (RPC)	RpcSs	Running		
	Auto	Share Process		
	c:\winnt\system32\svchost.exe	-k rpcss		
	Normal	LocalSystem	0	
QoS RSVP	RSVP	Running	Manual	Own Process
	c:\winnt\system32\rsvp.exe	-s	Normal	
	LocalSystem	0		
Security Accounts Manager	SamSs	Running		
	Auto	Share Process		
	c:\winnt\system32\lsass.exe	Normal		
	LocalSystem	0		
Smart Card Helper	SCardDrv	Stopped	Manual	
	Share Process			
	c:\winnt\system32\scardsvr.exe			
	Ignore	LocalSystem	0	
Smart Card	SCardSvr	Stopped	Manual	
	Share Process			
	c:\winnt\system32\scardsvr.exe			
	Ignore	LocalSystem	0	

Task Scheduler	Schedule	Stopped	Auto	
	Share Process			
	c:\winnt\system32\mstask.exe	Normal		
	LocalSystem	0		
RunAs Service	seclogon	Stopped	Auto	
	Share Process			
	c:\winnt\system32\services.exe			
	Ignore	LocalSystem	0	
System Event Notification	SENS		Stopped	
	Auto	Share Process		
	c:\winnt\system32\svchost.exe	-k netsvcs		
	Normal	LocalSystem	0	
Internet Connection Sharing	SharedAccess			
	Stopped	Manual	Share Process	
	c:\winnt\system32\svchost.exe	-k netsvcs		
	Normal	LocalSystem	0	
Print Spooler	Spooler	Stopped	Auto	Own
Process	c:\winnt\system32\spoolsv.exe	Normal		
	LocalSystem	0		
HP ProLiant System Shutdown Service	sysdown			
	Running	Auto	Own Process	
	c:\winnt\system32\sysdown.exe	Normal		
	LocalSystem	0		
Performance Logs and Alerts	SysmonLog	Stopped		
	Manual	Own Process		
	c:\winnt\system32\smlogsvc.exe			
	Normal	LocalSystem	0	
Telephony	TapiSrv	Stopped	Manual	Share Process
	c:\winnt\system32\svchost.exe	-k tapisrv		
	Normal	LocalSystem	0	
Terminal Services	TermService		Running	
	Auto	Own Process		
	c:\winnt\system32\termsrv.exe	Normal		
	LocalSystem	0		
Telnet	TlntSvr	Stopped	Manual	Own Process
	c:\winnt\system32\tlntsvr.exe	Normal		
	LocalSystem	0		
Distributed Link Tracking Server	TrkSvr			
	Stopped	Manual	Share Process	
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
Distributed Link Tracking Client	TrkWks			
	Running	Auto	Share Process	
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
Uninterruptible Power Supply	UPS		Stopped	
	Manual	Own Process		
	c:\winnt\system32\ups.exe	Normal		
	LocalSystem	0		
Utility Manager	UtilMan	Stopped	Manual	Own
Process	c:\winnt\system32\utilman.exe	Normal		
	LocalSystem	0		
Windows Time	W32Time	Stopped	Manual	
	Share Process			
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
World Wide Web Publishing Service	W3SVC			
	Running	Auto	Share Process	
	c:\winnt\system32\inetrv\inetinfo.exe			
	Normal	LocalSystem	0	
webd	webd	Stopped	Auto	Own Process
	c:\inetpub\wwwroot\webd.exe	http/1.1		
	Normal	LocalSystem	0	

```

Windows Management Instrumentation WinMgmt
Running Auto Own Process
c:\winnt\system32\wbem\winmgmt.exe
Ignore LocalSystem 0
Windows Management Instrumentation Driver Extensions
Wmi Running Manual Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0

```

[Program Groups]

Group Name	Name	User Name
Accessories	Default User:Accessories	Default User
Accessories\Accessibility	Default	Default User
Accessories\Entertainment	Default	Default User
Accessories\System Tools	Default	Default User
Startup	Default User:Startup	Default User
Accessories	All Users:Accessories	All Users
Accessories\Communications	All	All Users
Accessories\Entertainment	All	All Users
Accessories\Microsoft Script Debugger	All	All Users
Accessories\System Tools	All	All Users
Administrative Tools	All	All Users
HP System Tools	All Users:HP System Tools	All Users
Microsoft SQL Server	All Users:Microsoft SQL Server	All Users
Tardis	All Users:Tardis	All Users
Accessories	QCL4\Administrator:Accessories	QCL4\Administrator
Accessories\Accessibility	QCL4\Administrator:Accessories\Accessibility	QCL4\Administrator
Accessories\Entertainment	QCL4\Administrator:Accessories\Entertainment	QCL4\Administrator
Accessories\System Tools	QCL4\Administrator:Accessories\System Tools	QCL4\Administrator
Administrative Tools	QCL4\Administrator:Administrative Tools	QCL4\Administrator
Benchcraft	QCL4\Administrator:Benchcraft	QCL4\Administrator
QLogic Corporation	QCL4\Administrator:QLogic Corporation	QCL4\Administrator
QLogic Corporation\SANblade Control VIX	QCL4\Administrator:QLogic Corporation\SANblade Control VIX	QCL4\Administrator

```

Corporation\SANblade Control VIX
QCL4\Administrator
Startup QCL4\Administrator:Startup
QCL4\Administrator

```

[Startup Programs]

Program	Command	User Name	Location
Tardis 2000	c:\progra-1\tardis-1.4\tardis.exe	QCL4\Administrator	Startup
ACIntUsr	c:\program	files\altiris\aclient\aclntusr.exe	All Users
ion\Run	HKLM\SOFTWARE\Microsoft\Windows\CurrentVers		

[OLE Registration]

Object	Local Server
Sound (OLE2)	sndrec32.exe
Media Clip	mplay32.exe
Video Clip	mplay32.exe /avi
MIDI Sequence	mplay32.exe /mid
Sound	Not Available
Media Clip	Not Available
Image Document	"C:\Program Files\Windows NT\Accessories\ImageVue\KodakImg.exe"
WordPad Document	"%ProgramFiles%\Windows NT\Accessories\WORDPAD.EXE"
Windows Media Services DRM Storage object	Not Available
Bitmap Image	mspaint.exe

[Internet Explorer 5]

[Following are sub-categories of this main category]

[Summary]

Item	Value
Version	5.00.3315.1000
Build	53315.1000
Product ID	51876-270-9567332-05753
Application Path	C:\Program Files\Internet Explorer
Language	English (United States)
Active Printer	Not Available
Cipher Strength	168-bit
Content Advisor	Disabled
IEAK Install	No

[File Versions]

File	Version	Size	Date	Path
advapi32.dll	5.0.2195.2867	352 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32
advpack.dll	5.0.3103.1000	87 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32

File Name	Version	Size	Date	Path
browsei.dll	5.0.3315.2846	35 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32
browseui.dll	5.0.3315.2846	789 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32
ckcnv.exe	5.0.2189.1	9 KB	12/7/1999 8:00:00 AM	C:\WINNT\system32
comctl32.dll	5.81.3103.1000	538 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32
crypt32.dll	5.131.2195.2833	451 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32
ehnsig.dll	<File Missing>	Not Available	Not Available	Not Available
iemigrat.dll	<File Missing>	Not Available	Not Available	Not Available
iesetup.dll	5.0.3103.1000	57 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32
iexplore.exe	5.0.2920.0	59 KB	12/7/1999 8:00:00 AM	C:\Program Files\Internet Explorer
imagehlp.dll	5.0.2195.2778	126 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32
imghelp.dll	<File Missing>	Not Available	Not Available	Not Available
inseng.dll	5.0.3103.1000	72 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32
jobexec.dll	5.0.0.1	47 KB	12/7/1999 8:00:00 AM	C:\WINNT\system32
jscript.dll	5.1.0.5907	476 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32
jsproxy.dll	5.0.2920.0	13 KB	12/7/1999 8:00:00 AM	C:\WINNT\system32
mshahtml.dll	<File Missing>	Not Available	Not Available	Not Available
mshtml.dll	5.0.3315.2870	2290 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32
msjava.dll	5.0.3802.0	923 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32
msoss.dll	<File Missing>	Not Available	Not Available	Not Available
msxml.dll	8.0.5718.1	493 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32
occache.dll	5.0.3103.1000	86 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32

```

ole32.dll 5.0.2195.2887 970 KB 5/4/2001
12:05:02 PM C:\WINNT\system32 Microsoft
Corporation
oleaut32.dll 2.40.4517.0 612 KB
5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
olepro32.dll 5.0.4517.0 160 KB
5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
rsabase.dll 5.0.2195.2228 128 KB
5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
rsaenh.dll 5.0.2195.2228 131 KB
5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
rsapi32.dll <File Missing> Not Available
Not Available Not Available Not
Available
rsasig.dll <File Missing> Not Available
Not Available Not Available Not
Available
schannel.dll 5.1.2195.0 138 KB
5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
shdoc401.dll <File Missing> Not Available
Not Available Not Available Not
Available
shdocvw.dll 5.0.3315.2879 1078 KB
5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
shell32.dll 5.0.3315.2902 2304 KB
5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
shlwapi.dll 5.0.3315.1000 283 KB
5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
url.dll 5.0.2920.0 82 KB 12/7/1999
8:00:00 AM C:\WINNT\system32 Microsoft
Corporation
urlmon.dll 5.0.3315.1000 441 KB
5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
vbscript.dll 5.1.0.5907 428 KB
5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
webcheck.dll 5.0.3315.1000 252 KB
5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
win.com 5.0.2134.1 24 KB 12/7/1999
8:00:00 AM C:\WINNT\system32 Microsoft
Corporation
wininet.dll 5.0.3315.1000 457 KB
5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
winsock.dll 3.10.0.103 3 KB
12/7/1999 8:00:00 AM
C:\WINNT\system32 Microsoft Corporation
wintrust.dll 5.131.2195.2779 162 KB
5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
wsock.vxd <File Missing> Not Available Not
Available Not Available Not Available

```

```

wsock32.dll 5.0.2195.2871 21 KB
5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
wsock32n.dll <File Missing> Not Available
Not Available Not Available Not
Available

[Connectivity]

Item Value
Connection Preference Never dial
EnableHttp1.1 1
ProxyHttp1.1 0

LAN Settings

AutoConfigProxy wininet.dll
AutoProxyDetectMode Disabled
AutoConfigURL
Proxy Disabled
ProxyServer
ProxyOverride

[Cache]

[ Following are sub-categories of this main category
]

[Summary]

Item Value
Page Refresh Type Automatic
Temporary Internet Files Folder C:\Documents
and Settings\Administrator\Local Settings\Temporary
Internet Files
Total Disk Space 17355 MB
Available Disk Space 13531 MB
Maximum Cache Size 542 MB
Available Cache Size 542 MB

[List of Objects]

Program File Status CodeBase
No cached object information available

[Content]

[ Following are sub-categories of this main category
]

[Summary]

Item Value
Content Advisor Disabled

[Personal Certificates]

Issued To Issued By Validity Signature Algorithm
Administrator Administrator 9/13/2002 to
8/20/2102 sha1RSA

[Other People Certificates]

```

```

Issued To Issued By Validity Signature Algorithm
No other people certificate information available

```

[Publishers]

```

Name
No publisher information available

```

[Security]

```

Zone Security Level
Local intranet Medium-low
Trusted sites Low
Internet Medium
Restricted sites High

```

Microsoft COM Component Configuration Parameters

The component services tool in Windows 2000 was used to change the queue settings for the TPCC COM+ queue components. All tpcc queue components were set to enable object pooling, object construction, just in time activation, and component supports events and statistics. The construction string was Server = myserver; UID= sa; pwd=; DATABASE= tpcc; The single queue TpcAllTxn object was used, with the Min and Max both being set to 35 queues. Delivery threads were set under the TPCC key in the registry.

Internet Information Server Registry Parameters

```
REGEDIT4
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\InetInfo]
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\InetInfo\Parameters]
"ListenBackLog"=dword:00000019
"DispatchEntries"=hex(7):4c,44,41,50,53,56,43,00,00
"PoolThreadLimit"=dword:00000200
"ThreadTimeout"=dword:00015180

```


Number of Engines: 6

Name: RTE2
Description:
Directory: c:\blog\rte2.log
Machine: n5
Parameter Set: 2.2
Index: 100000000
Seed: 18546
Configured Users: 11330
Pipe Name: DRIVER53164609
Connect Rate: 10
Start Rate: 0
Max. Concurrency: 0
Concurrency Rate: 0
CLIENT_NURAND: 233
CPU: 1

Name: RTE1
Description:
Directory: c:\blog\rte1.log
Machine: n4
Parameter Set: 2.2
Index: 700000000
Seed: 18546
Configured Users: 11330
Pipe Name: DRIVER44265281
Connect Rate: 10
Start Rate: 0
Max. Concurrency: 0
Concurrency Rate: 0
CLIENT_NURAND: 233
CPU: 0

Name: RTE3
Description:
Directory: c:\blog\rte3.log
Machine: n231
Parameter Set: 2.2
Index: 200000000
Seed: 18546
Configured Users: 11330
Pipe Name: DRIVER3439676359
Connect Rate: 10
Start Rate: 0
Max. Concurrency: 0
Concurrency Rate: 0
CLIENT_NURAND: 233
CPU: 0

Name: RTE4
Description:
Directory: c:\blog\rte4.log
Machine: n232
Parameter Set: 2.2
Index: 300000000
Seed: 18546
Configured Users: 11330
Pipe Name: DRIVER4439706187
Connect Rate: 10
Start Rate: 0
Max. Concurrency: 0

Concurrency Rate: 0
CLIENT_NURAND: 233
CPU: 1

Name: RTE5
Description:
Directory: c:\blog\rte5.log
Machine: n233
Parameter Set: 2.2
Index: 400000000
Seed: 18546
Configured Users: 11340
Pipe Name: DRIVER5346413218
Connect Rate: 10
Start Rate: 0
Max. Concurrency: 0
Concurrency Rate: 0
CLIENT_NURAND: 233
CPU: 0

Name: RTE6
Description:
Directory: c:\blog\rte6.log
Machine: n234
Parameter Set: 2.2
Index: 500000000
Seed: 18546
Configured Users: 11340
Pipe Name: DRIVER6346617031
Connect Rate: 10
Start Rate: 0
Max. Concurrency: 0
Concurrency Rate: 0
CLIENT_NURAND: 233
CPU: 1

Number of User groups: 6

Driver Engine: RTE1
IIS Server: qcr1
SQL Server: quark
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 1 - 1133
w_id Min Warehouse: 1
w_id Max Warehouse: 6800
Scale: Normal
User Count: 11330
District id: 1
Scale Down: No

Driver Engine: RTE2
IIS Server: qcr2
SQL Server: quark
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 1134 - 2266
w_id Min Warehouse: 1
w_id Max Warehouse: 6800
Scale: Normal
User Count: 11330

District id: 1
Scale Down: No

Driver Engine: RTE3
IIS Server: qcr3
SQL Server: quark
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 2267 - 3399
w_id Min Warehouse: 1
w_id Max Warehouse: 6800
Scale: Normal
User Count: 11330
District id: 1
Scale Down: No

Driver Engine: RTE4
IIS Server: qcr4
SQL Server: quark
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 3400 - 4532
w_id Min Warehouse: 1
w_id Max Warehouse: 6800
Scale: Normal
User Count: 11330
District id: 1
Scale Down: No

Driver Engine: RTE5
IIS Server: qcr5
SQL Server: quark
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 4533 - 5666
w_id Min Warehouse: 1
w_id Max Warehouse: 6800
Scale: Normal
User Count: 11340
District id: 1
Scale Down: No

Driver Engine: RTE6
IIS Server: qcr6
SQL Server: quark
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 5667 - 6800
w_id Min Warehouse: 1
w_id Max Warehouse: 6800
Scale: Normal
User Count: 11340
District id: 1
Scale Down: No

Number of Parameter Sets: 65

~Default

Default Parameter Set						
Key	RT	RT	Menu	Txn	Think	
Time	Delay	Fence	Delay	Weight	Time	
			New Order	10.00		
12.05	18.01		0.10	5.00	0.10	
			Payment	10.00		
12.05	3.01		0.10	5.00	0.10	
			Delivery	1.00		
5.05	2.01		0.10	5.00	0.10	
			Stock Level	1.00		
5.05	2.01		0.10	20.00	0.10	
			Order Status	1.00		
10.05	2.01		0.10	5.00	0.10	

Tuned Distribution						
Key	RT	RT	Menu	Txn	Think	
Time	Delay	Fence	Delay	Weight	Time	
			New Order	44.75		
12.05	18.01		0.10	5.00	0.10	
			Payment	43.10		
12.05	3.01		0.10	5.00	0.10	
			Delivery	4.05		
5.05	2.01		0.10	5.00	0.10	
			Stock Level	4.05		
5.05	2.01		0.10	20.00	0.10	
			Order Status	4.05		
10.05	2.01		0.10	5.00	0.10	

No Think						
Key	RT	RT	Menu	Txn	Think	
Time	Delay	Fence	Delay	Weight	Time	
			New Order	10.00		
0.00	0.00		0.00	5.00	0.00	
			Payment	10.00		
0.00	0.00		0.00	5.00	0.00	
			Delivery	1.00		
0.00	0.00		0.00	5.00	0.00	
			Stock Level	1.00		
0.00	0.00		0.00	20.00	0.00	
			Order Status	1.00		
0.00	0.00		0.00	5.00	0.00	

95%						
Key	RT	RT	Menu	Txn	Think	
Time	Delay	Fence	Delay	Weight	Time	
			New Order	44.75		
13.00	18.01		0.10	5.00	0.10	
			Payment	43.10		
13.00	3.01		0.10	5.00	0.10	
			Delivery	4.05		
6.00	2.01		0.10	5.00	0.10	

6.00	2.01		Stock Level	4.05		
			0.10	20.00	0.10	
			Order Status	4.05		
11.00	2.01		0.10	5.00	0.10	
			90%			

Key	RT	RT	Menu	Txn	Think	
Time	Delay	Fence	Delay	Weight	Time	
			New Order	44.83		
16.00	18.01		0.10	5.00	0.10	
			Payment	43.05		
16.00	3.01		0.10	5.00	0.10	
			Delivery	4.04		
9.00	2.01		0.10	5.00	0.10	
			Stock Level	4.04		
9.00	2.01		0.10	20.00	0.10	
			Order Status	4.04		
14.00	2.01		0.10	5.00	0.10	

3.0

Key	RT	RT	Menu	Txn	Think	
Time	Delay	Fence	Delay	Weight	Time	
			New Order	44.75		
36.15	0.00		0.10	5.00	0.10	
			Payment	43.10		
36.15	0.00		0.10	5.00	0.10	
			Delivery	4.05		
15.15	0.00		0.10	5.00	0.10	
			Stock Level	4.05		
15.15	0.00		0.10	20.00	0.10	
			Order Status	4.05		
30.15	0.00		0.10	5.00	0.10	

4.0
4.0 tt

Key	RT	RT	Menu	Txn	Think	
Time	Delay	Fence	Delay	Weight	Time	
			New Order	44.75		
48.20	18.01		0.10	5.00	0.10	
			Payment	43.10		
48.20	3.01		0.10	5.00	0.10	
			Delivery	4.05		
20.20	2.01		0.10	5.00	0.10	
			Stock Level	4.05		
20.20	2.01		0.10	20.00	0.10	
			Order Status	4.05		
40.20	2.01		0.10	5.00	0.10	

3.8
3.8 tt

Key	RT	RT	Menu	Txn	Think	
Time	Delay	Fence	Delay	Weight	Time	
			New Order	44.75		
48.20	18.01		0.10	5.00	0.10	
			Payment	43.10		
48.20	3.01		0.10	5.00	0.10	
			Delivery	4.05		
20.20	2.01		0.10	5.00	0.10	
			Stock Level	4.05		
20.20	2.01		0.10	20.00	0.10	
			Order Status	4.05		
40.20	2.01		0.10	5.00	0.10	

45.70	18.01		New Order	44.75		
			0.10	5.00	0.10	
			Payment	43.10		
45.70	3.01		0.10	5.00	0.10	
			Delivery	4.05		
19.10	2.01		0.10	5.00	0.10	
			Stock Level	4.05		
19.10	2.01		0.10	20.00	0.10	
			Order Status	4.05		
38.10	2.01		0.10	5.00	0.10	
			3.6			
			3.6 tt			

Key	RT	RT	Menu	Txn	Think	
Time	Delay	Fence	Delay	Weight	Time	
			New Order	44.75		
43.30	18.01		0.10	5.00	0.10	
			Payment	43.10		
43.30	3.01		0.10	5.00	0.10	
			Delivery	4.05		
18.10	2.01		0.10	5.00	0.10	
			Stock Level	4.05		
18.10	2.01		0.10	20.00	0.10	
			Order Status	4.05		
36.18	2.01		0.10	5.00	0.10	

3.4
3.4 tt

Key	RT	RT	Menu	Txn	Think	
Time	Delay	Fence	Delay	Weight	Time	
			New Order	44.75		
40.90	18.01		0.10	5.00	0.10	
			Payment	43.10		
40.90	3.01		0.10	5.00	0.10	
			Delivery	4.05		
17.10	2.01		0.10	5.00	0.10	
			Stock Level	4.05		
17.10	2.01		0.10	20.00	0.10	
			Order Status	4.05		
17.10	2.01		0.10	5.00	0.10	

3.2
3.2 tt

Key	RT	RT	Menu	Txn	Think	
Time	Delay	Fence	Delay	Weight	Time	
			New Order	44.75		
38.50	18.01		0.10	5.00	0.10	
			Payment	43.10		
38.50	3.01		0.10	5.00	0.10	
			Delivery	4.05		
16.10	2.01		0.10	5.00	0.10	
			Stock Level	4.05		
16.10	2.01		0.10	20.00	0.10	
			Order Status	4.05		
32.10	2.01		0.10	5.00	0.10	

2.8

```

                2.8 tt
Key   RT      RT      Menu      Txn      Think
Time  Delay  Fence  Delay  Weight  Time
      18.01          0.10    5.00   44.75
33.74          New Order
      3.01          0.10    5.00   43.10
33.74          Payment
      2.01          0.10    5.00   4.05
14.14          Delivery
      2.01          0.10   20.00   4.05
14.14          Stock Level
      2.01          0.10    5.00   4.05
28.14          Order Status

                2.6
                2.6 tt
Key   RT      RT      Menu      Txn      Think
Time  Delay  Fence  Delay  Weight  Time
      18.01          0.10    5.00   44.75
31.30          New Order
      3.01          0.10    5.00   43.10
31.30          Payment
      2.01          0.10    5.00   4.05
13.10          Delivery
      2.01          0.10   20.00   4.05
13.10          Stock Level
      2.01          0.10    5.00   4.05
26.10          Order Status

                2.4
                2.4 tt
Key   RT      RT      Menu      Txn      Think
Time  Delay  Fence  Delay  Weight  Time
      18.01          0.10    5.00   44.75
28.90          New Order
      3.01          0.10    5.00   43.10
28.90          Payment
      2.01          0.10    5.00   4.05
12.10          Delivery
      2.01          0.10   20.00   4.05
12.10          Stock Level
      2.01          0.10    5.00   4.05
24.10          Order Status

                2.2
                2.2 tt
Key   RT      RT      Menu      Txn      Think
Time  Delay  Fence  Delay  Weight  Time
      18.01          0.10    5.00   44.75
28.90          New Order
      3.01          0.10    5.00   43.10
28.90          Payment
      2.01          0.10    5.00   4.05
12.10          Delivery

```

```

Stock Level      4.05
12.10      2.01      0.10   20.00   0.10
Order Status    4.05
24.12      2.01      0.10    5.00   0.10

                2.0
                2.0 tt
Key   RT      RT      Menu      Txn      Think
Time  Delay  Fence  Delay  Weight  Time
      18.01          0.10    5.00   44.75
24.10          New Order
      3.01          0.10    5.00   43.10
24.10          Payment
      2.01          0.10    5.00   4.05
10.10          Delivery
      2.01          0.10   20.00   4.05
10.10          Stock Level
      2.01          0.10    5.00   4.05
20.10          Order Status

                5.0
                5.0 tt
Key   RT      RT      Menu      Txn      Think
Time  Delay  Fence  Delay  Weight  Time
      18.01          0.10    5.00   44.75
60.25          New Order
      3.01          0.10    5.00   43.10
60.25          Payment
      2.01          0.10    5.00   4.05
25.25          Delivery
      2.01          0.10   20.00   4.05
25.25          Stock Level
      2.01          0.10    5.00   4.05
50.25          Order Status

                4.5
                4.5 tt
Key   RT      RT      Menu      Txn      Think
Time  Delay  Fence  Delay  Weight  Time
      18.01          0.10    5.00   44.75
54.20          New Order
      3.01          0.10    5.00   43.10
54.20          Payment
      2.01          0.10    5.00   4.05
22.70          Delivery
      2.01          0.10   20.00   4.05
22.70          Stock Level
      2.01          0.10    5.00   4.05
45.20          Order Status

                3.5
                3.5 tt
Key   RT      RT      Menu      Txn      Think
Time  Delay  Fence  Delay  Weight  Time
      18.01          0.10    5.00   44.75
54.20          New Order
      3.01          0.10    5.00   43.10
54.20          Payment
      2.01          0.10    5.00   4.05
22.70          Delivery
      2.01          0.10   20.00   4.05
22.70          Stock Level
      2.01          0.10    5.00   4.05
45.20          Order Status

                1.4

```

```

New Order      44.75
42.10      18.01      0.10    5.00   0.10
Payment      43.10
42.10      3.01          0.10    5.00   0.10
Delivery      4.05
17.60      2.01          0.10    5.00   0.10
17.60      2.01          0.10   20.00   4.05
35.10      2.01          0.10    5.00   0.10
Order Status

                1.8
                1.8 tt
Key   RT      RT      Menu      Txn      Think
Time  Delay  Fence  Delay  Weight  Time
      18.01          0.10    5.00   44.75
21.60          New Order
      3.01          0.10    5.00   43.10
21.60          Payment
      2.01          0.10    5.00   4.05
9.09          Delivery
      2.01          0.10   20.00   4.05
9.09          Stock Level
      2.01          0.10    5.00   4.05
18.09          Order Status

                4.2
                4.2 tt
Key   RT      RT      Menu      Txn      Think
Time  Delay  Fence  Delay  Weight  Time
      18.01          0.10    5.00   44.75
54.20          New Order
      3.01          0.10    5.00   43.10
54.20          Payment
      2.01          0.10    5.00   4.05
22.70          Delivery
      2.01          0.10   20.00   4.05
22.70          Stock Level
      2.01          0.10    5.00   4.05
45.20          Order Status

                1.6
                1.6 tt
Key   RT      RT      Menu      Txn      Think
Time  Delay  Fence  Delay  Weight  Time
      18.01          0.10    5.00   44.75
19.20          New Order
      3.01          0.10    5.00   43.10
19.20          Payment
      2.01          0.10    5.00   4.05
8.08          Delivery
      2.01          0.10    5.00   4.05
8.08          Stock Level
      2.01          0.10   20.00   4.05
16.08          Order Status

                1.4

```

```

1.4 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
16.87  18.01 New Order 0.10 5.00 44.75 0.10
16.87  3.01  Payment 0.10 5.00 43.10 0.10
7.07   2.01  Delivery 0.10 5.00 4.05 0.10
7.07   2.01  Stock Level 0.10 20.00 4.05 0.10
14.07  2.01  Order Status 0.10 5.00 4.05 0.10

1.2
1.2 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
14.46  18.01 New Order 0.10 5.00 44.83 0.10
14.46  3.01  Payment 0.10 5.00 43.05 0.10
6.06   2.01  Delivery 0.10 5.00 4.04 0.10
6.06   2.01  Stock Level 0.10 20.00 4.04 0.10
12.06  2.01  Order Status 0.10 5.00 4.04 0.10

3.5
3.5 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
42.10  18.01 New Order 0.10 5.00 44.75 0.10
42.10  3.01  Payment 0.10 5.00 43.10 0.10
17.60  2.01  Delivery 0.10 5.00 4.05 0.10
17.60  2.01  Stock Level 0.10 20.00 4.05 0.10
35.10  2.01  Order Status 0.10 5.00 4.05 0.10

1.9
1.9 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
22.89  18.01 New Order 0.10 5.00 44.75 0.10
22.89  3.01  Payment 0.10 5.00 43.10 0.10
9.59   2.01  Delivery 0.10 5.00 4.05 0.10

```

```

Stock Level 4.05
9.59 2.01 0.10 20.00 4.05 0.10
Order Status 4.05
19.09 2.01 0.10 5.00 0.10

1.1
1.1 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
13.25  18.01 New Order 0.10 5.00 44.83 0.10
13.25  3.01  Payment 0.10 5.00 43.05 0.10
5.55   2.01  Delivery 0.10 5.00 4.04 0.10
5.55   2.01  Stock Level 0.10 20.00 4.04 0.10
11.05  2.01  Order Status 0.10 5.00 4.04 0.10

1.05 better
1.05 tt better
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
12.65  18.01 New Order 0.10 5.00 44.92 0.10
12.65  3.01  Payment 0.10 5.00 43.01 0.10
5.30   2.01  Delivery 0.10 5.00 4.02 0.10
5.30   2.01  Stock Level 0.10 20.00 4.03 0.10
10.55  2.01  Order Status 0.10 5.00 4.02 0.10

1.09
1.09 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
13.13  18.01 New Order 0.10 5.00 44.83 0.10
13.13  3.01  Payment 0.10 5.00 43.05 0.10
5.50   2.01  Delivery 0.10 5.00 4.04 0.10
5.50   2.01  Stock Level 0.10 20.00 4.04 0.10
10.95  2.01  Order Status 0.10 5.00 4.04 0.10

1.08
1.08 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time

```

```

New Order 44.83
13.01 18.01 0.10 5.00 0.10
Payment 43.05
13.01 3.01 0.10 5.00 0.10
Delivery 4.04
5.45 2.01 0.10 5.00 0.10
Stock Level 4.04
5.45 2.01 0.10 20.00 0.10
Order Status 4.04
10.85 2.01 0.10 5.00 0.10

1.07
1.07 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
12.89  18.01 New Order 0.10 5.00 44.83 0.10
12.89  3.01  Payment 0.10 5.00 43.05 0.10
5.40   2.01  Delivery 0.10 5.00 4.04 0.10
5.40   2.01  Stock Level 0.10 20.00 4.04 0.10
10.75  2.01  Order Status 0.10 5.00 4.04 0.10

1.06
1.06 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
12.77  18.01 New Order 0.10 5.00 44.83 0.10
12.77  3.01  Payment 0.10 5.00 43.05 0.10
5.35   2.01  Delivery 0.10 5.00 4.04 0.10
5.35   2.01  Stock Level 0.10 20.00 4.04 0.10
10.65  2.01  Order Status 0.10 5.00 4.04 0.10

1.15
1.15 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
13.85  18.01 New Order 0.10 5.00 44.75 0.10
13.85  3.01  Payment 0.10 5.00 43.10 0.10
5.80   2.01  Delivery 0.10 5.00 4.05 0.10
5.80   2.01  Stock Level 0.10 20.00 4.05 0.10
11.55  2.01  Order Status 0.10 5.00 4.05 0.10

1.25

```

```

1.25 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
15.06  18.01      0.10  5.00  44.83  0.10
      New Order
15.06  3.01      0.10  5.00  43.05  0.10
      Payment
6.31   2.01      0.10  5.00  4.04   0.10
      Delivery
6.31   2.01      0.10  20.00 4.04   0.10
      Stock Level
12.56  2.01      0.10  5.00  4.04   0.10
      Order Status

1.3
1.3 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
15.66  18.01      0.10  5.00  44.83  0.10
      New Order
15.66  3.01      0.10  5.00  43.05  0.10
      Payment
6.56   2.01      0.10  5.00  4.04   0.10
      Delivery
6.56   2.01      0.10  20.00 4.04   0.10
      Stock Level
13.06  2.01      0.10  5.00  4.04   0.10
      Order Status

1.12
1.12 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
13.49  18.01      0.10  5.00  44.75  0.10
      New Order
13.49  3.01      0.10  5.00  43.10  0.10
      Payment
5.65   2.01      0.10  5.00  4.05   0.10
      Delivery
5.65   2.01      0.10  20.00 4.05   0.10
      Stock Level
11.25  2.01      0.10  5.00  4.05   0.10
      Order Status

1.18
1.18 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
14.21  18.01      0.10  5.00  44.75  0.10
      New Order
14.21  3.01      0.10  5.00  43.10  0.10
      Payment
5.95   2.01      0.10  5.00  4.05   0.10
      Delivery

```

```

5.95   2.01      0.10  20.00 4.05   0.10
      Stock Level
11.85  2.01      0.10  5.00  4.05   0.10
      Order Status

1.22
1.22 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
14.70  18.01      0.10  5.00  44.75  0.10
      New Order
14.70  3.01      0.10  5.00  43.10  0.10
      Payment
6.16   2.01      0.10  5.00  4.05   0.10
      Delivery
6.16   2.01      0.10  20.00 4.05   0.10
      Stock Level
12.26  2.01      0.10  5.00  4.05   0.10
      Order Status

1.28
1.28 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
15.42  18.01      0.10  5.00  44.75  0.10
      New Order
15.42  3.01      0.10  5.00  43.10  0.10
      Payment
6.46   2.01      0.10  5.00  4.05   0.10
      Delivery
6.46   2.01      0.10  20.00 4.05   0.10
      Stock Level
12.86  2.01      0.10  5.00  4.05   0.10
      Order Status

1.04
1.04 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
12.53  18.01      0.10  5.00  44.83  0.10
      New Order
12.53  3.01      0.10  5.00  43.05  0.10
      Payment
5.25   2.01      0.10  5.00  4.04   0.10
      Delivery
5.25   2.01      0.10  20.00 4.04   0.10
      Stock Level
10.45  2.01      0.10  5.00  4.04   0.10
      Order Status

1.03
1.03 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time

```

```

12.41  18.01      0.10  5.00  44.83  0.10
      New Order
12.41  3.01      0.10  5.00  43.05  0.10
      Payment
5.20   2.01      0.10  5.00  4.04   0.10
      Delivery
5.20   2.01      0.10  20.00 4.04   0.10
      Stock Level
10.35  2.01      0.10  5.00  4.04   0.10
      Order Status

1.02
1.02 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
12.29  18.01      0.10  5.00  44.83  0.10
      New Order
12.29  3.01      0.10  5.00  43.05  0.10
      Payment
5.15   2.01      0.10  5.00  4.04   0.10
      Delivery
5.15   2.01      0.10  20.00 4.04   0.10
      Stock Level
10.25  2.01      0.10  5.00  4.04   0.10
      Order Status

1.01
1.01 tt
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
12.17  18.01      0.10  5.00  44.83  0.10
      New Order
12.17  3.01      0.10  5.00  43.05  0.10
      Payment
5.10   2.01      0.10  5.00  4.04   0.10
      Delivery
5.10   2.01      0.10  20.00 4.04   0.10
      Stock Level
10.15  2.01      0.10  5.00  4.04   0.10
      Order Status

1.005_best
1.005 tt best
Key   RT   RT   Menu   Txn   Think
Time  Delay Fence Delay   Weight Time
12.11  18.01      0.10  5.00  44.96  0.10
      New Order
12.11  3.01      0.10  5.00  43.00  0.10
      Payment
5.07   2.01      0.10  5.00  4.00   0.10
      Delivery
5.07   2.01      0.10  20.00 4.03   0.10
      Stock Level
10.10  2.01      0.10  5.00  4.01   0.10
      Order Status

1.001_best

```

1.001 tt best					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.90	
12.06	18.01		0.10	5.00	0.10
			Payment	43.06	
12.06	3.01		0.10	5.00	0.10
			Delivery	4.00	
4.00	4.00		4.00	4.00	4.00
			Stock Level	4.03	
5.06	2.01		0.10	20.00	0.10
			Order Status	4.01	
10.06	2.01		0.10	5.00	0.10

1.03 better 1.03 tt more aggressive					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.92	
12.41	18.01		0.10	5.00	0.10
			Payment	43.01	
12.41	3.01		0.10	5.00	0.10
			Delivery	4.02	
5.20	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.20	2.01		0.10	20.00	0.10
			Order Status	4.02	
10.35	2.01		0.10	5.00	0.10

1.005 better 1.005 tt more aggressive					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.90	
12.11	18.01		0.10	5.00	0.10
			Payment	43.05	
12.11	3.01		0.10	5.00	0.10
			Delivery	4.01	
5.07	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.07	2.01		0.10	20.00	0.10
			Order Status	4.01	
10.10	2.01		0.10	5.00	0.10

1.02 better 1.02 tt more aggressive					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.92	
12.29	18.01		0.10	5.00	0.10
			Payment	43.01	
12.29	3.01		0.10	5.00	0.10
			Delivery	4.02	
5.15	2.01		0.10	5.00	0.10

5.15	2.01		Stock Level	4.03	
			0.10	20.00	0.10
			Order Status	4.02	
10.25	2.01		0.10	5.00	0.10
			1.01 best		
			1.01 tt best		

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.90	
12.17	18.01		0.10	5.00	0.10
			Payment	43.05	
12.17	3.01		0.10	5.00	0.10
			Delivery	4.01	
5.10	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.10	2.01		0.10	20.00	0.10
			Order Status	4.01	
10.15	2.01		0.10	5.00	0.10

			1.02 best		
			1.02 tt best		

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.96	
12.29	18.01		0.10	5.00	0.10
			Payment	43.00	
12.29	3.01		0.10	5.00	0.10
			Delivery	4.00	
5.15	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.15	2.01		0.10	20.00	0.10
			Order Status	4.01	
10.25	2.01		0.10	5.00	0.10

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.96	
12.41	18.01		0.10	5.00	0.10
			Payment	43.01	
12.41	3.01		0.10	5.00	0.10
			Delivery	4.01	
5.20	2.01		0.10	5.00	0.10
			Stock Level	4.01	
5.20	2.01		0.10	20.00	0.10
			Order Status	4.01	
10.35	2.01		0.10	5.00	0.10

			5.5		
			5.5 tt		

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time

66.28	18.01		New Order	44.83	
			0.10	5.00	0.10
			Payment	43.05	
66.28	3.01		0.10	5.00	0.10
			Delivery	4.04	
27.77	2.01		0.10	5.00	0.10
			Stock Level	4.04	
27.77	2.01		0.10	20.00	0.10
			Order Status	4.04	
55.27	2.01		0.10	5.00	0.10

			6.0		
			6.0 tt		

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
72.30	18.01		0.10	5.00	0.10
			Payment	43.05	
72.30	3.01		0.10	5.00	0.10
			Delivery	4.04	
30.30	2.01		0.10	5.00	0.10
			Stock Level	4.04	
30.30	2.01		0.10	20.00	0.10
			Order Status	4.04	
60.30	2.01		0.10	5.00	0.10

			6.5		
			6.5 tt		

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
79.53	18.01		0.10	5.00	0.10
			Payment	43.05	
79.53	3.01		0.10	5.00	0.10
			Delivery	4.04	
33.33	2.01		0.10	5.00	0.10
			Stock Level	4.04	
33.33	2.01		0.10	20.00	0.10
			Order Status	4.04	
66.33	2.01		0.10	5.00	0.10

			7.0		
			7.0 tt		

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
84.35	18.01		0.10	5.00	0.10
			Payment	43.05	
84.35	3.01		0.10	5.00	0.10
			Delivery	4.04	
35.35	2.01		0.10	5.00	0.10
			Stock Level	4.04	
35.35	2.01		0.10	20.00	0.10
			Order Status	4.04	
70.35	2.01		0.10	5.00	0.10

7.5

Key	RT	RT	Menu	Txn	Think
7.5	tt				
Time	Delay	Fence	Delay	Weight	Time
90.38	18.01		New Order	44.83	
			0.10	5.00	0.10
90.38	3.01		Payment	43.05	
			0.10	5.00	0.10
37.88	2.01		Delivery	4.04	
			0.10	5.00	0.10
37.88	2.01		Stock Level	4.04	
			0.10	20.00	0.10
75.38	2.01		Order Status	4.04	
			0.10	5.00	0.10

Key	RT	RT	Menu	Txn	Think
8.0	tt				
Time	Delay	Fence	Delay	Weight	Time
96.40	18.01		New Order	44.83	
			0.10	5.00	0.10
96.40	3.01		Payment	43.05	
			0.10	5.00	0.10
40.40	2.01		Delivery	4.04	
			0.10	5.00	0.10
40.40	2.01		Stock Level	4.04	
			0.10	20.00	0.10
80.40	2.01		Order Status	4.04	
			0.10	5.00	0.10

Key	RT	RT	Menu	Txn	Think
8.5	tt				
Time	Delay	Fence	Delay	Weight	Time
102.43	18.01		New Order	44.83	
			0.10	5.00	0.10
192.43	3.01		Payment	43.05	
			0.10	5.00	0.10
42.92	2.01		Delivery	4.04	
			0.10	5.00	0.10
42.92	2.01		Stock Level	4.04	
			0.10	20.00	0.10
85.42	2.01		Order Status	4.04	
			0.10	5.00	0.10

Key	RT	RT	Menu	Txn	Think
9.0	tt				
Time	Delay	Fence	Delay	Weight	Time
108.45	18.01		New Order	44.83	
			0.10	5.00	0.10
108.45	3.01		Payment	43.05	
			0.10	5.00	0.10
45.45	2.01		Delivery	4.04	
			0.10	5.00	0.10

45.45	2.01		Stock Level	4.04	
			0.10	20.00	0.10
90.45	2.01		Order Status	4.04	
			0.10	5.00	0.10
			9.5		
			9.5	tt	

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
114.47	18.01		New Order	44.83	
			0.10	5.00	0.10
114.47	3.01		Payment	43.05	
			0.10	5.00	0.10
47.98	2.01		Delivery	4.04	
			0.10	5.00	0.10
47.98	2.01		Stock Level	4.04	
			0.10	20.00	0.10
95.47	2.01		Order Status	4.04	
			0.10	5.00	0.10

Key	RT	RT	Menu	Txn	Think
10	tt				
Time	Delay	Fence	Delay	Weight	Time
120.50	18.01		New Order	44.83	
			0.10	5.00	0.10
120.50	3.01		Payment	43.05	
			0.10	5.00	0.10
50.50	2.01		Delivery	4.04	
			0.10	5.00	0.10
50.50	2.01		Stock Level	4.04	
			0.10	20.00	0.10
100.50	2.01		Order Status	4.04	
			0.10	5.00	0.10

			1.02 better		
			1.02 more aggressive		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.05	18.01		New Order	44.92	
			0.10	5.00	0.10
12.05	3.01		Payment	43.01	
			0.10	5.00	0.10
5.05	2.01		Delivery	4.02	
			0.10	5.00	0.10
5.05	2.01		Stock Level	4.03	
			0.10	20.00	0.10
10.05	2.01		Order Status	4.02	
			0.10	5.00	0.10

			1.01 better		
			1.01 more aggressive		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time

12.17	18.01		New Order	44.92	
			0.10	5.00	0.10
12.17	3.01		Payment	43.01	
			0.10	5.00	0.10
5.10	2.01		Delivery	4.02	
			0.10	5.00	0.10
5.10	2.01		Stock Level	4.03	
			0.10	20.00	0.10
10.15	2.01		Order Status	4.02	
			0.10	5.00	0.10

			1.001 better		
			1.001 more aggressive		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.06	18.01		New Order	44.92	
			0.10	5.00	0.10
12.06	3.01		Payment	43.01	
			0.10	5.00	0.10
5.06	2.01		Delivery	4.02	
			0.10	5.00	0.10
5.06	2.01		Stock Level	4.03	
			0.10	20.00	0.10
10.06	2.01		Order Status	4.02	
			0.10	5.00	0.10

			FullSpeed		
			1.000	tt	
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.05	18.01		New Order	44.92	
			0.10	5.00	0.10
12.05	3.01		Payment	43.01	
			0.10	5.00	0.10
5.05	2.01		Delivery	4.02	
			0.10	5.00	0.10
5.05	2.01		Stock Level	4.03	
			0.10	20.00	0.10
10.05	2.01		Order Status	4.02	
			0.10	5.00	0.10

HP Specific Drivers

The following Microsoft Windows 2003 Server device drivers were replaced with HP-specific device drivers:

- The Microsoft SMART-5300 Array Controller default device driver (CPQCISSM.SYS) was replaced with the HP SMART-5300 Array Controller Non-miniport Performance Drivers for Microsoft Windows 2003 Server (hpqcissb.sys and hpqcissd.sys).

Appendix D: 60-Day Space

TPC-C 60 Day Space Requirements						
Warehouses	6800				TpmC	85,555.00
Table	Rows	Data KB	Index KB	Extra 5% KB	8hr Space	Total Space KB
Warehouse	6,800	728	40	38		806
District	68,000	7,560	56	381		7997
Customer	204,000,000	148,363,640	8,846,640	7,860,514		165070794
History	204,000,000	11,333,344	32		2,303,667	11333376
NewOrder	61,200,000	967,592	1,992	48,479		1018063
Orders	204,000,000	6,252,880	2,843,192		8,013,832	9096072
OrderLine	2,039,997,667	127,499,856	269,824		27,837,527	127769680
Item	100,000	9,528	56	479		10063
Stock	680,000,000	217,600,000	406,432	10,900,322		228906754
Total		512,035,128	12,368,264	18,810,213	38,155,026	543,213,605
MB						
Dynamic Space	141,686	Sum of Data for Order, Orderline and History				
Static Space	388,796	Sum of Data+Index+5%-Dynamic Space				
Free Space	na	Total Allocated Spac - (Dynamic + Static Space)				
Daily Growth	28,522	(Dynamic Space/(W*62.5))*tpmc				
Daily Spread	-	(Free Space -1.5*Daily Growth) Zero Assumed				
60 Day Space MB	2,100,125					
60 Day Space GB	2,050.90	GB				
Log Size	242,600.00	MB				
KB Per New Order	4.71	KB				
8 hr log MB	188,698	MB				
8 hr log GB	184.2759	GB				
Space Usage	GB Needed	Disks Measured	GB Priced	Disk Size	Formatted Size	
60 Day Space DB	2,050.90	224	3796.80	18GB	16.950	33.92
			0.00	9GB	8.473	
			0.00	4GB	3.999	
Total DB	2,050.90	224.00	3796.80	OK		
8-hr log + mirror	368.5518	14	474.74	36GB	33.910	
OS, Swap	3	2	33.900	9GB		
Total Storage	2,422.46	GB	4,305.44	GB		

ipmC		85,555.00											
	Data	Index	Data	Index	Data	Index	Data	Index	Total	KB/New-Order	8-Hr Growth	8-Hr Growth	
	Before KB	Before KB	After KB	After KB	Grow KB	Grow KB	Grow KB	Grow KB	Grow KB	Order	MB	MB	
History	11,333,344	32	12,624,064	64	1,290,720	1,290,752	1,290,752	1,290,752	1,290,752	0.0561	2,303,666.95	2,249.67	
Order	6,252,880	2,843,192	7,881,776	5,704,472	1,628,896	4,490,176	2,861,280	4,490,176	4,490,176	0.1951	8,013,832.28	7,826.01	
Order-Line	127,499,856	269,824	142,827,432	539,704	15,327,576	15,597,456	269,880	15,597,456	15,597,456	0.6779	27,837,527.16	27,185.09	
	sum(*)		sum(*)		Num		Num					37,260.77	
	Before		After		New-		New-						
d_next_o_id	204,068,000		227,077,636		23,009,636		23,009,636						
	Before MB		After MB		Grow MB		Grow MB						
Log	2615.64		108344.01		105728.37		105728.37						
	242600		1.0781691							4.7052	188,698.50	184.28	
Database ipcc log used (%)			44.659527							4,818.1656	bytes		

Appendix E: *Third Party Letters*

Microsoft Corporation
One Microsoft Way
Redmond, WA 98052-6399

Tel 425 882 8080
Fax 425 936 7329
<http://www.microsoft.com/>

Microsoft

July 15, 2004

Hewlett-Packard
Company
Brean Campbell
MS150402
20555 SH 249
Houston, TX 77070

Mr. Campbell:

Here is the information you requested regarding pricing for several Microsoft products to be used in conjunction with your TPC-H benchmark testing.

All pricing shown is in US Dollars (\$).

Part Number	Description	Unit Price	Quantity	Price
810-00846	SQL Server 2000 Enterprise Edition Per processor licensing Discount Schedule: Open Program Level C Unit price reflects a 17% discount from the retail unit price of \$19,999	\$16,541	4	\$66,164
C11-00821	Windows 2000 Server Server license only - No CALs Discount Schedule: Open Program - No Level Unit price reflects an 8% discount from the retail unit price of \$799	\$738	6	\$4,428
P72-00264	Windows Server 2003, Enterprise Edition Server license only - No CALs Discount Schedule: Open Program - No Level Unit price reflects a 40% discount from the retail unit price of \$3,999	\$2,399	1	\$2,399
254-00170	Visual C++ Standard <i>No discounts applied</i>	\$109	1	\$109
PRO-PRORS-16U-01	Database Server Support Package 1 Year Term	\$1,950	3	\$5,850

All products are currently orderable through Microsoft's normal distribution channels.

This quote is valid for the next 90 days.

If we can be of any further assistance, please contact Jamie Reding at (425) 703-0510 or jamiere@microsoft.com.

Reference ID: PCbcc0328026807

Please include this Reference ID in any correspondence regarding this price quote.