

TPC Benchmark™ C

Full Disclosure Report for



PRIMERGY T850

**Using Microsoft SQL Server 2000
Enterprise Edition SP3**

**and Microsoft .NET Server 2003
Enterprise Edition**

January 21, 2003

First Edition

First Edition January 21, 2003

FUJITSU LIMITED believes that the information in this document is accurate as of the publication date. The information in this document is subject to change without notice. We assume no responsibility for any errors that may appear in this document. The pricing information in this document is believed to accurately reflect the current prices as of the publication date. However, we provide no warranty of the pricing information in this document.

Benchmark results are highly dependent upon workload, specific application requirements, system design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC Benchmark™ C should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report were obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. We do not warrant or represent that a user can or will achieve similar performance expressed in transactions per minute (tpmC) or normalized price/performance (Yen/tpmC). No warranty of system performance or price/performance is expressed or implied in this report.

Copyright © 1995-2003 FUJITSU LIMITED. All rights reserved.

Permission is hereby granted to reproduce this document in whole or in part provided the copyright notice printed above is set forth in full text on the title page of each item reproduced.

PRIMERGY T850 and PRIMERGY C200 are trademarks of FUJITSU LIMITED.

Microsoft, Windows 2000, .NET Server 2003, SQL Server and Benchcraft are registered trademarks of Microsoft Corporation.

Pentium®III, Pentium®III XEON and XEON™ MP are registered trademarks of Intel.

TPC Benchmark™ is a trademark of the Transaction Processing Performance Council (TPC).

Other product names mentioned in this document may be trademarks and/or registered trademarks of their respective companies.

Preface

The Transaction Processing Performance Council (TPC), of which FUJITSU LIMITED is a member, is an organization of computer companies, dedicated to the development of objective, industry-wide performance metrics in the area of transaction processing. FUJITSU LIMITED is involved in this effort, participating on the council and utilizing TPC benchmarks in performance evaluation.

The TPC Benchmark™ C Standard Specification was developed by the Transaction Processing Performance Council. This benchmark exercises the system components necessary to perform tasks associated with that class of on-line transaction processing (OLTP) environments emphasizing a mixture of read-only and update intensive transactions. This is a complex OLTP application environment exercising a breadth of system components associated by such environments characterized by:

- The simultaneous execution of multiple transaction types that span a breadth of complexity
- On-line and deferred transaction execution modes
- Multiple on-line terminal sessions
- Moderate system and application execution time
- Significant disk input/output
- Transaction integrity (ACID properties)
- Non-uniform distribution of data access through primary and secondary keys
- Databases consisting of many tables with a wide variety of sizes, attributes, and relationships
- Contention on data access and update

This benchmark defines four on-line transactions and one deferred transaction, intended to emulate functions that are common to many OLTP applications. However, this benchmark does not reflect the entire range of OLTP requirements. The extent to which a customer can achieve the results reported by a vendor is highly dependent on how closely TPC-C approximates the customer application. The relative performance of systems derived from this benchmark does not necessarily hold for other workloads or environments. Extrapolations to any other environment are not recommended.

Benchmark results are highly dependent upon workload, specific application requirements, system design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC-C should not be used as a substitute for a specific customer application benchmarking when critical capacity planning and/or product evaluation decisions are contemplated.

The performance metric reported by TPC-C is a "business throughput" measuring the number of orders processed per minute. Multiple transactions are used to simulate the business activity of processing an order, and each transaction is subjected to a response time constraint. The performance metric for this benchmark is expressed in transactions-per-minute-C (tpmC). To be compliant with the TPC-C standard, all references to tpmC results must include the tpmC rate, the associated price-per-tpmC, and the availability date of the priced configuration.


Summary


This report documents the TPC Benchmark™ C results achieved by the FUJITSU LIMITED using Microsoft SQL Server 2000 Enterprise Edition SP3 .

The TPC Benchmark™ C tests were run on a PRIMERGY T850 system using the Windows .NET Server 2003 Enterprise Edition operating system.

The results, summarized below, show the number of TPC Benchmark™ C transactions per minute (tpmC) and the price per tpmC (Yen/tpmC).

Hardware	Software	Total System Cost	tpmC	Yen/tpmC	Availability Date
FUJITSU LIMITED PRIMERGY T850	Microsoft SQL Server 2000 Enterprise Edition SP3 , Windows .NET Server 2003 Enterprise Edition	Yen 106,739,750	84,598.42	Yen 1,261.72	July 20, 2003

	PRIMERGY T850 C/S with 4 PRIMERGY C200		TPC-C REV 5.0 EXECUTIVE SUMMARY	
			Report Date: January 21, 2003	
Total System Cost	TPC-C Throughput	Price/Performance	Availability Date	
Yen 106,739,750	84,598.42 tpmC	Yen 1,261.72/tpmC	July 20, 2003	
Processors	Database Manager	Operating System	Other Software	Number of Users
Server 8 Intel Xeon™ MP 1.60 GHz with 1M iL3 SLC Client 4 x 2 Intel Pentium® III 1400 MHz with 512 KB SLC	Microsoft SQL Server 2000 Enterprise Edition SP3	Microsoft Windows .NET Server 2003 Enterprise Edition	Windows 2000 Server, IIS 5.0 and COM+	68000



System Components	Qty/Srv.	1 PRIMERGY T850	Qty/Client	4 PRIMERGY C200
Processors	8	Intel Xeon™ MP 1.60 GHz with 1M iL3 SLC	2	Intel Pentium® III 1400 MHz with 512 KB SLC
Memory	32	GB	768	MB
Disk Controller	7	Mylex eXtremeRAID 2000	1	SCSI Controller
Disk Drives	288	18 GB	1	18 GB
	15	36 GB		
Total GB of Storage	1	4,865 GB		
Tape Drive	1	20 GB DAT		



PRIMERGY T850

TPC-C REV 5.0
EXECUTIVE SUMMARY

C/S with 4 PRIMERGY C200

Report Date: January 21, 2003

Description	Part Number	Third Party	Unit Price	Qty.	Extended Price	3yr Maint. Price
		Brand Pricing				
PRIMERGY T850 2x Xeon 1.6 GHz	PGT8A42R	1	4,298,000 Yen	1	4,298,000 Yen	
Xeon MP Processor 1.6 GHz/1MB	PGBFG104	1	952,000 Yen	6	5,712,000 Yen	
CPU/Memory Extension Board	PGBCMB101	1	840,000 Yen	1	840,000 Yen	
RXE-100 Remote Extension Encl.Box	8684-1RX	2	660,000 Yen	1	660,000 Yen	
3 Year Maintenance Ext.Box, 7x24 hr	26L8708	2				171,000 Yen
Remote I/O PCI-X 6 Slot Exp. Kit	31P5998	2	250,000 Yen	1	250,000 Yen	
Memory 4GB SDRAM 133MHz Conversion Kit	PGBRU4L	1	700,000 Yen	1	700,000 Yen	
Main memory 4GB SDRAM 133MHz	PGBRM4L	1	1,190,000 Yen	7	8,330,000 Yen	
Tape DAT DDS4 20GB	GP5SDT401	1	140,000 Yen	1	140,000 Yen	
Disk 18GB, 15k, U160, hot plug, 1"	PG-HDH85B2	1	84,000 Yen	1	84,000 Yen	
Mylex eXtremeRAID 2000 4x U160 SCSI, BBU	PG-144B	1	294,000 Yen	7	2,058,000 Yen	
Keyboard (OADG without 10-key)	GP5-R1KB1	1	14,000 Yen	1	14,000 Yen	
Monitor 15"	FMV-DP849W	1	16,100 Yen	1	16,100 Yen	
PRIMERGY S30 GE RH 2-Channel U160 SCSI	PG-R1DC6	1	238,000 Yen	1	238,000 Yen	
SCSI Cable UHD68(S)	PG-CBLS004	1	21,000 Yen	2	42,000 Yen	
3 Year Maintenance Server, 7x24, 4hr Resp.						4,611,270 Yen
Server Hardware Subtotal					23,382,100 Yen	4,782,270 Yen
Standard Rack 36HU	PG-R3RC1	1	238,000 Yen	3	714,000 Yen	
APC-USV 3000VA Rack	GP5-R1UP3	1	271,600 Yen	2	543,200 Yen	
18GB, 15k, U160, Hot plug, 1"	PG-HDH85B2	1	84,000 Yen	288	24,192,000 Yen	
36GB, 15k, U160, Hot plug, 1"	PG-HDH65B	1	175,000 Yen	15	2,625,000 Yen	
PRIMERGY S30 GE RH 1-Ch incl. Spare	PG-R1DC6BZ	1	238,000 Yen	24	5,712,000 Yen	
SCSI Cable UHD68(S)	PG-CBLS005	1	28,000 Yen	24	672,000 Yen	
3 Year Maintenance Rack, 7x24, 4hr Resp.						7,070,820 Yen
Storage Subtotal					34,458,200 Yen	
Maint. Server + Storage						11,853,090 Yen
PRIMERGY C200 BU FS PIII 1.2GHz/512KB	PG2CP1A2	1	210,000 Yen	4	840,000 Yen	
Processor PIII 1.2->1.4GHz/512KB Conversion Kit	PGBFU12V	1	35,000 Yen	4	140,000 Yen	
Pentium III Processor 1.4GHz 512kB	PGBFG12V	1	140,000 Yen	4	560,000 Yen	
Memory 512MB SDRAM PC133 ECC	PGBRM51HA	1	70,000 Yen	4	280,000 Yen	
Hard Disk 18GB, 10k, U160, hot plug, 1"	PG-HDH81B2	1	56,000 Yen	4	224,000 Yen	
Monitor 15"	FMV-DP849W	1	16,100 Yen	4	64,400 Yen	
3 Year Maintenance, 7x24, 4hr Resp.						432,640 Yen
Client Hardware Subtotal					2,108,400 Yen	432,640 Yen
Windows .NET Enterprise Server 2003 (open program no level)	N/A	1	567,200 Yen	1	567,200 Yen	
MS SQL-Server 2000 Ent.Edit. Per Proc Lic. (open program level C)	B293C80YO	1	2,791,700 Yen	8	22,333,600 Yen	
Server Software Subtotal					22,900,800 Yen	
Windows Svr 2000 (open program no level)	B511C012A1	1	142,000 Yen	4	568,000 Yen	
VC++ Pro 6.0 Win32	B298C2033	1	84,600 Yen	1	84,600 Yen	
Client Software Subtotal					652,600 Yen	
Microsoft Software Support (all above)						6,041,440 Yen
FC Switch 8 Port, 2Gbit	SN20M215	1	1,134,250	1	1,134,250 Yen	
FC GBIC SFP Multi Mode 2 GB	SN20SWSFP	1	42,250	6	253,500 Yen	
Cable FC Cu, 5m, HSSDC / HSSDC	CBL-MLLB05	1	22,750	6	136,500 Yen	
FC card Qlogic 2350	PG-FC104Z	1	490,000	5	2,450,000 Yen	
3 Year Maintenance, 7x24, 4hr Resp.						936,230 Yen
User Connectivity Subtotal					3,974,250 Yen	
Total					87,476,350 Yen	19,263,400 Yen

1=FUJITSU, 2=IBM

Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing section of the TPC benchmark pricing specifications. If you find that the stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org. Thank you.

3 -Year Cost of Ownership: Yen 106,739,750
tpmC Rating: 84,598.42
Yen / tpmC: 1,261.72

Note: The benchmark results and test methodology were audited by Bradley Askins of InfoSizing

Numerical Quantities Summary

MQTh, computed Maximum Qualified Throughput		84,598.42 tpmC	
Response Times (in seconds)	90th percentile	Average	Maximum
- New-Order	0.89	0.53	5.73
- Payment	0.85	0.49	4.75
- Order-Status	0.83	0.48	4.94
- Delivery (interactive portion)	0.12	0.11	1.40
- Delivery (deferred portion)	0.29	0.18	1.80
- Stock-Level	1.37	0.91	5.15
- Menu	0.12	0.11	1.40
Transaction Mix, in percent of total transactions			
- New-Order			44.91 %
- Payment			43.03 %
- Order-Status			4.02 %
- Delivery			4.01 %
- Stock-Level			4.02 %
Emulation Delay (in seconds)		Response Time	Menu
- New-Order		0.1	0.1
- Payment		0.1	0.1
- Order-Status		0.1	0.1
- Delivery (interactive)		0.1	0.1
- Stock-Level		0.1	0.1
Keying/Think Times (in seconds)	Minimum	Average	Maximum
- New-Order	18.00/0.000	18.02/12.05	18.04/120.51
- Payment	3.00/0.000	3.02/12.05	3.04/120.51
- Order-Status	2.00/0.000	2.02/10.02	2.04/100.51
- Delivery (interactive)	2.00/0.000	2.02/ 5.04	2.04/ 50.51
- Stock-Level	2.00/0.000	2.02/ 5.06	2.04/ 50.51
Test Duration and Checkpointing			
- Ramp-up time		47 minutes	
- Measurement interval		120 minutes	
- Number of checkpoints		4	
- Checkpoint interval		30 minutes	
- Transactions during measurement interval (all types)		23,510,232	

Contents

PREFACE	3
SUMMARY	4
NUMERICAL QUANTITIES SUMMARY	7
CONTENTS	9
INTRODUCTION	12
<i>System Overview</i>	12
<i>Full Disclosure</i>	12
<i>Report Format</i>	12
<i>Additional Copies</i>	13
1. GENERAL ITEMS	15
1.1 <i>Application Code</i>	15
1.2 <i>Benchmark Sponsor</i>	15
1.3 <i>Parameter Settings</i>	15
1.4 <i>Configuration Diagrams</i>	15
2. CLAUSE 1 RELATED ITEMS - LOGICAL DATABASE DESIGN	18
2.1 <i>Table Definitions</i>	18
2.2 <i>Physical Organization of Database</i>	18
2.3 <i>Insert and Delete Operations</i>	20
2.4 <i>Database Partitioning</i>	20
2.5 <i>Replication of Tables</i>	20
2.6 <i>Additional and/or Duplicated Attributes</i>	20
3. CLAUSE 2 RELATED ITEMS - TRANSACTION AND TERMINAL PROFILES	21
3.1 <i>Random Number Generator</i>	21
3.2 <i>Input/Output Screen Layout</i>	21
3.3 <i>Configured Terminal Features</i>	21
3.4 <i>Presentation Managers or Intelligent Terminals</i>	21
3.5 <i>Transaction Statistics</i>	21
3.6 <i>Queueing Mechanism</i>	22
4. CLAUSE 3 RELATED ITEMS - TRANSACTION AND SYSTEM PROPERTIES	23
4.1 <i>Atomicity</i>	23
4.2 <i>Consistency</i>	24
4.3 <i>Isolation</i>	24
4.4 <i>Durability</i>	24
5. CLAUSE 4 RELATED ITEMS - SCALING AND DATABASE POPULATION	26
5.1 <i>Initial Cardinality of Tables</i>	26
5.2 <i>Distribution of Tables and Log</i>	27
5.3 <i>Database Model, Interface, and Access Language</i>	27
5.4 <i>Database Partitions/Replications Mapping</i>	28
5.5 <i>60 day space Calculation</i>	28

6.	CLAUSE 5 RELATED ITEMS - PERFORMANCE METRICS AND RESPONSE TIME	29
	6.1 Measured tpmC.....	29
	6.2 Response Times.....	29
	6.3 Keying and Think Times.....	29
	6.4 Graphs.....	30
	6.5 Steady State Determination.....	34
	6.6 Work Performed.....	34
	6.7 Duration of Checkpoints.....	35
	6.8 Duration of Measurement.....	35
	6.9 Regulation of Transaction Mix.....	36
	6.10 Transaction Mix.....	36
	6.11 Transaction Statistics.....	36
	6.12 Checkpoint Statistics.....	36
7.	CLAUSE 6 RELATED ITEMS - SUT, DRIVER, AND COMMUNICATION DEFINITION	37
	7.1 RTE Inputs	37
	7.2 Lost Connections.....	37
	7.3 Functionality and Performance of Emulated Components	37
	7.4 Functional Diagrams of the Benchmarked and Proposed Configuration.....	37
	7.5 Network Configurations of the Tested and Proposed Services	37
	7.6 Network Bandwidth.....	38
	7.7 Operator Intervention	38
8.	CLAUSE 7 RELATED ITEMS - PRICING.....	39
	8.1 System Pricing.....	39
	8.2 Availability Dates.....	39
	8.3 Throughput and Price/Performance	39
	8.4 Country Specific Pricing.....	39
	8.5 Usage Pricing	40
9.	CLAUSE 8 RELATED ITEMS - AUDIT	41
	APPENDIX A - APPLICATION SOURCE CODE	42
	APPENDIX B - DATABASE DETAILS	137
	BACKUP.SQL.....	137
	BACKUPDEV.SQL.....	138
	CREATEDB.SQL	138
	DBOPT1.SQL.....	139
	DBOPT2.SQL.....	139
	REMOVEDB.SQL.....	140
	RESTORE.SQL.....	140
	VERIFYTPCCLOAD.SQL.....	141
	IDXCUSCL.SQL	142
	IDXCUSNC.SQL.....	142
	IDXDISCL.SQL.....	142
	IDXITMCL.SQL.....	142
	IDXNODCL.SQL	143
	IDXODLCL.SQL.....	143
	IDXORDCL.SQL.....	143
	IDXORDNC.SQL	144
	IDXSTKCL.SQL.....	144
	IDXWARCL.SQL.....	144
	TABLES.SQL.....	144

<i>DELIVERY.SQL</i>	146
<i>NEWORD.SQL</i>	147
<i>ORDSTAT.SQL</i>	150
<i>PAYMENT.SQL</i>	151
<i>STOCKLEV.SQL</i>	153
<i>VERSION.SQL</i>	154
<i>GETARGS.C</i>	154
<i>RANDOM.C</i>	156
<i>STRINGS.C</i>	158
<i>TIME.C</i>	161
<i>TPCC.H</i>	162
<i>TPCCCLR.C</i>	163
APPENDIX C - TUNABLE PARAMETERS AND OPTIONS	193
APPENDIX D – SPACE CALCULATION	263
APPENDIX E - PRICE QUOTATIONS	264
APPENDIX F - ATTESTATION LETTER	267

Introduction

This is the Full Disclosure Report for the TPC Benchmark™ C running on the FUJITSU LIMITED system PRIMERGY T850. It meets the requirements of the TPC Benchmark™ C Standard Revision 5.0.

System Overview	<i>This report documents the compliance of the FUJITSU LIMITED TPC Benchmark™ C tests using Microsoft SQL Server 2000 Enterprise Edition SP3 Relational Database Management System.</i>
------------------------	---

The TPC Benchmark™ C tests were carried out on a PRIMERGY T850. The PRIMERGY T850 holds up to 8 Intel Xeon™ MP 1.60 GHz processors with 1M iL3 cache. The Intel® Xeon™ Processor family with the Intel® NetBurst™ micro-architecture uses Hyper-Threading Technology to provide additional performance and application scalability to multi-processor servers. Hyper-Threading Technology enables multi-threaded software to execute tasks in parallel within each processor. The system was equipped with 32 GB of SDRAM memory. The additional PCI extension box allows the use of 7 SCSI RAID controllers and one Qlogic FC controller. The client machines were 4 PRIMERGY C200 with 2 Intel Pentium® III 1400 MHz. They all included 768 MB ECC SDRAM memory, onboard ethernet adapter and one Qlogic FC Controller.

The server operating system was Windows .NET Server 2003 Enterprise Edition . The client operating system was Windows 2000 Server SP2.

Full Disclosure	<i>From Clause 8.1 of the TPC Benchmark™ C Standard Specification:</i> The intent of this disclosure is for a customer to be able to replicate the results of this benchmark given the appropriate documentation and products.
------------------------	---

FUJITSU LIMITED believes that this full disclosure report meets the stated intention. FUJITSU LIMITED has strived to maintain the integrity of the Specification by adhering not only to the letter of the Specification, but also to its spirit.

Report Format	<i>The format of this document follows Clause 8 of the TPC Benchmark™ C specification (TPC Benchmark™ C Standard Specification, Revision 5.0, Transaction Processing Performance Council) which describes the full disclosure report requirements for the test.</i>
----------------------	---

Each section of this report begins with the specification requirement printed in *italic type*. It is followed by plain type text that explains how the test complies with the requirement. Sections which require extensive listings reference appropriate appendices.

Report organization:

- General Items
- Clause 1 Related Items - Logical Database Design
- Clause 2 Related Items - Transaction and Terminal Profiles
- Clause 3 Related Items - Transaction and System Properties
- Clause 4 Related Items - Scaling and Database Population
- Clause 5 Related Items - Performance Metrics and Response Time
- Clause 6 Related Items - SUT, Driver, and Communication Definition
- Clause 7 Related Items - Pricing
- Clause 8 Related Items - Audit
- Appendix A - Application Source Code
- Appendix B - Database Details
- Appendix C - Tunable Parameters and Options
- Appendix D - Space Calculation
- Appendix E - Price Quotations
- Appendix F - Attestation Letter

Additional Copies	<i>Additional copies of this report are available upon request from FUJITSU LIMITED: Masayoshi TAKEI IA Server Division Personal Systems Business Group Fujitsu Limited 1-1, Kamikodanaka 4-Chome, Nakahara-ku, Kawasaki 211-8588, Japan</i>
--------------------------	--

1. General Items

1.1 Application Code	<i>The application program (as defined in Clause 2.1.7) must be disclosed. This includes, but is not limited to, the code implementing the five transactions and the terminal input and output functions. [Clause 8.1.1.4]</i>
---------------------------------	--

The source code of the application program is provided in Appendix A - Application Source Code.

1.2 Benchmark Sponsor	<i>A statement identifying the benchmark sponsor(s) and other participating companies must be provided. [Clause 8.1.1.5]</i>
----------------------------------	--

This benchmark was sponsored and executed by FUJITSU LIMITED.

The benchmark was developed and engineered by FUJITSU LIMITED and Microsoft Corporation. Testing took place at Fujitsu Siemens Computers PRIMERGY benchmark laboratories in Paderborn, Germany.

1.3 Parameter Settings	<i>Settings must be provided for all customer-tunable parameters and options which have been changed from the defaults found in actual products, including but not limited to:</i> <ul style="list-style-type: none">• <i>Database tuning options.</i>• <i>Recovery/commit options.</i>• <i>Consistency/locking options.</i>• <i>Operating system and application configuration parameters.</i> <i>[Clause 8.1.1.6]</i>
-----------------------------------	--

The significant parameters and system configuration files are provided in Appendix C - Tunable Parameters and Options.

1.4 Configuration Diagrams	<i>Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences. This includes, but is not limited to:</i> <ul style="list-style-type: none">• <i>Number and type of processors.</i>• <i>Size of allocated memory, and any specific mapping/partitioning of memory unique to the test.</i>• <i>Number and type of disk units (and controllers, if applicable).</i>• <i>Number of channels or bus connections to disk units, including their protocol type.</i>• <i>Number of LAN (e.g., Ethernet) connections, including routers, workstations, terminals, etc., that were physically used in the test or are incorporated into the pricing structure (see Clause 8.1.8).</i>• <i>Type and the run-time execution location of software components (e.g., DBMS, client processes, transaction monitors, software drivers, etc.).</i> <i>[Clause 8.1.1.7]</i>
---------------------------------------	---

Table 1: SUT Configuration PRIMERGY T850

8	Intel Xeon™ MP 1.60 GHz with 1M iL3 Cache
32	GB memory
7	Mylex eXtremRAID 2000 SCSI controllers
0	disks 9 GB measured
288	disks 18 GB measured
15	disks 36 GB measured
0	disks 9 GB priced
288	disks 18 GB priced
15	disks 36 GB priced
1	Qlogic 2350 2 GBit FC controller

Table 2: Client Configuration PRIMERGY C200

2	Intel Pentium® III 1400 MHz with 512 KB Second Level Cache
768	MB memory
1	SCSI controller
1	disk 18 GB
1	Onboard Intel LAN
1	Qlogic 2350 2 GBit FC controller

The benchmarked and priced system configurations are shown in Figure 1 and Figure 2 in accordance with Clause 8.1.1.7.

Figure 1: Benchmark System Configuration PRIMERGY T850





Figure 2: Priced System Configuration PRIMERGY T850



2. Clause 1 Related Items - Logical Database Design

2.1 Table Definitions	<i>Listings must be provided for all table definition statements and all other statements used to set-up the database. [Clause 8.1.2.1]</i>
----------------------------------	---

The programs that defined, created, and populated the Microsoft SQL Server 2000 Enterprise Edition SP3 database for this TPC benchmark™ C are listed in Appendix B - Database Details.

2.2 Physical Organization of Database	<i>The physical organization of tables and indices, within the database, must be disclosed. [Clause 8.1.2.2]</i>
--	--

Table 3: Physical Organization of the Database

Controller	Channel 0	Channel 1	Channel 2	Channel 3	RAID	Drive
eXtremeRAID 2000 #0	0-0 1-0 2-0 3-0 4-0 5-0 6-0	0-1 1-1 2-1 3-1 4-1 5-1 6-1			SPAN 0 to 1 RAID1	L:
eXtremeRAID 2000 #1	0-0 0-1 0-2 0-3 0-4 0-5 0-6 0-8 0-9 0-10 0-11 0-12	1-0 1-1 1-2 1-3 1-4 1-5 1-6 1-8 1-9 1-10 1-11 1-12	2-0 2-1 2-2 2-3 2-4 2-5 2-6 2-8 2-9 2-10 2-11 2-12	3-0 3-1 3-2 3-3 3-4 3-5 3-6 3-8 3-9 3-10 3-11 3-12	SPAN 0 to 3 RAID0	E: N: U:
eXtremeRAID 2000 #2	0-0 0-1 0-2 0-3 0-4 0-5 0-6 0-8 0-9 0-10 0-11	1-0 1-1 1-2 1-3 1-4 1-5 1-6 1-8 1-9 1-10 1-11	2-0 2-1 2-2 2-3 2-4 2-5 2-6 2-8 2-9 2-10 2-11	3-0 3-1 3-2 3-3 3-4 3-5 3-6 3-8 3-9 3-10 3-11	SPAN 0 to 3 RAID0	F: O: V:

	0-12	1-12	2-12	3-12		
eXtremeRAID 2000 #3	0-0 0-1 0-2 0-3 0-4 0-5 0-6 0-8 0-9 0-10 0-11 0-12	1-0 1-1 1-2 1-3 1-4 1-5 1-6 1-8 1-9 1-10 1-11 1-12	2-0 2-1 2-2 2-3 2-4 2-5 2-6 2-8 2-9 2-10 2-11 2-12	3-0 3-1 3-2 3-3 3-4 3-5 3-6 3-8 3-9 3-10 3-11 3-12	SPAN 0 to 3 RAID0	G: P: W:
eXtremeRAID 2000 #4	0-0 0-1 0-2 0-3 0-4 0-5 0-6 0-8 0-9 0-10 0-11 0-12	1-0 1-1 1-2 1-3 1-4 1-5 1-6 1-8 1-9 1-10 1-11 1-12	2-0 2-1 2-2 2-3 2-4 2-5 2-6 2-8 2-9 2-10 2-11 2-12	3-0 3-1 3-2 3-3 3-4 3-5 3-6 3-8 3-9 3-10 3-11 3-12	SPAN 0 to 3 RAID0	H: Q: X:
eXtremeRAID 2000 #5	0-0 0-1 0-2 0-3 0-4 0-5 0-6 0-8 0-9 0-10 0-11 0-12	1-0 1-1 1-2 1-3 1-4 1-5 1-6 1-8 1-9 1-10 1-11 1-12	2-0 2-1 2-2 2-3 2-4 2-5 2-6 2-8 2-9 2-10 2-11 2-12	3-0 3-1 3-2 3-3 3-4 3-5 3-6 3-8 3-9 3-10 3-11 3-12	SPAN 0 to 3 RAID0	I: R: Y:
eXtremeRAID 2000 #6	0-0 0-1 0-2 0-3 0-4 0-5 0-6 0-8 0-9 0-10 0-11 0-12	1-0 1-1 1-2 1-3 1-4 1-5 1-6 1-8 1-9 1-10 1-11 1-12	2-0 2-1 2-2 2-3 2-4 2-5 2-6 2-8 2-9 2-10 2-11 2-12	3-0 3-1 3-2 3-3 3-4 3-5 3-6 3-8 3-9 3-10 3-11 3-12	SPAN 0 to 3 RAID0	J: S: Z:

All controllers were configured with write cache disabled. Write cache was enabled on the log drives and disabled on the data drives. Disk types are Seagate ST318452 LC 18 GB and ST328452 LC 36 GB with 15000 rpm. Space was allocated to Microsoft SQL Server 2000 Enterprise Edition SP3 on SUT disks according to the data in section 5.2. The size of the datafile on each disk drive was calculated to provide even distribution on load across

the disk drives. The Windows Disk Manager was used to create raw devices for data/log and NTFS partitions for dump devices. For further information see Appendix B (Disk Usage) and Figure 4 in 5.2 (Distribution of Tables and Log). No attempt was made to alter the default physical organization of the database tables and indices chosen by Microsoft SQL Server 2000 Enterprise Edition SP3 .

2.3 Insert and Delete Operations	<i>It must be ascertained that insert and/or delete operations to any of the tables can occur concurrently with the TPC-C transaction mix. Furthermore, any restriction in the SUT database implementation that precludes inserts beyond the limits defined in Clause 1.4.11 must be disclosed. This includes the maximum number of rows that can be inserted and the maximum key value for these new rows. [Clause 8.1.2.3]</i>
---	--

There were no restrictions on insert and delete operations to any tables.

2.4 Database Partitioning	<i>While there are a few restrictions placed upon horizontal or vertical partitioning of tables and rows in the TPC benchmark™ C (see Clause 1.6), any such partitioning must be disclosed. [Clause 8.1.2.4]</i>
--------------------------------------	--

There was no partitioning used in this implementation.

2.5 Replication of Tables	<i>Replication of tables, if used, must be disclosed (see Clause 1.4.6). [Clause 8.1.2.5]</i>
--------------------------------------	---

Replication of tables was not used in this implementation.

2.6 Additional and/or Duplicated Attributes	<i>Additional and/or duplicated attributes in any table must be disclosed along with a statement on the impact on performance (see Clause 1.4.7). [Clause 8.1.2.6]</i>
--	--

No additional and/or duplicated attributes were used.

3. Clause 2 Related Items - Transaction and Terminal Profiles

3.1 Random Number Generator	<i>The method of verification for the random number generation must be described. [Clause 8.1.3.1]</i>
--	--

The random number generation was done in Microsoft BenchCraft, which was audited independently.

3.2 Input/Output Screen Layout	<i>The actual layouts of the terminal input/output screens must be disclosed. [Clause 8.1.3.2]</i>
---	--

The screen layout corresponded exactly to those of the TPC-C Standard Specification (specified in Clause 2.4.3, 2.5.3, 2.6.3, 2.7.3, and 2.8.3).

3.3 Configured Terminal Features	<i>The method used to verify that the emulated terminals provide all the features described in Clause 2.2.2.4 must be explained. Although not specifically priced, the type and model of the terminals used for the demonstration in 8.1.3.3 must be disclosed and commercially available (including supporting software and maintenance). [Clause 8.1.3.3]</i>
---	---

All of the requirements in clause 2.2.2.4. are supported. This was verified by manually exercising each specification on a PRIMERGY 870.

3.4 Presentation Managers or Intelligent Terminals	<i>Any usage of presentation managers or intelligent terminals must be explained. [Clause 8.1.3.4]</i>
---	--

Application code running on the client machines implemented the TPC-C user interface. No presentation manager software or intelligent terminal features were used. The source code for the forms application is listed in Appendix A - Application Source Code.

3.5 Transaction Statistics	<i>The numerical quantities which are required are listed in the following table. [Clause 8.1.3.5 to 8.1.3.11]</i>
---------------------------------------	--

Table 4: Transaction Statistics

	Statistics	Percentage
New-Order	Home order-lines	99.00%
	Remote order-lines	1.00%
	Rolled back transactions	0.99%
	Average items per order	10.00
Payment	Home transactions	85.00%
	Remote transactions	15.00%
	Non-primary key access	60.01%
Order-Status	Non-primary key access	60.06
Delivery	Skipped transactions	0
Transaction Mix	New-Order	44.91 %
	Payment	43.03 %
	Order-Status	4.02 %
	Delivery	4.01 %
	Stock-Level	4.02 %

3.6 Queueing Mechanism

The queuing mechanism used to defer the execution of the Delivery transaction must be disclosed. [Clause 8.1.12]

Deferred deliveries are queued by making an entry in an array within the client application process (tpcc.dll). The queued delivery transactions are processed and logged asynchronously by background threads within the application.

The source code is listed in Appendix A - Application Source Code.

4. Clause 3 Related Items - Transaction and System Properties

ACID Tests	<i>The results of the ACID tests must disclosed along with a description of how the ACID requirements were met. This includes disclosing which case was followed for the execution of Isolation Test 7. [Clause 8.1.4.1]</i>
-------------------	--

All ACID tests were performed successfully. The following sections describe the requirements of each of the tests as described in Clause 3 and the approach used to satisfy them.

All ACID tests were performed on the PRIMERGY T850 system using the fully scaled database, except for the test of durable media failure. This durability test was performed on a database scaled to 680 warehouses. This test would also pass on a fully scaled database.

4.1 Atomicity	<i>The system under test must guarantee that database transactions are atomic; the system will either perform all individual operations on the data, or will assure that no partially-completed operations leave any effects on the data. [Clause 3.2.1]</i>
----------------------	--

Commit Transaction	Perform the Payment transaction for a randomly selected warehouse, district, and customer (by customer number as specified in Clause 2.5.1.2) and verify that the records in the CUSTOMER, DISTRICT, and WAREHOUSE tables have been changed appropriately. [Clause 3.2.2.1]
---------------------------	---

The following steps demonstrated atomicity for completed (COMMIT) transactions:

- A row was randomly selected from the warehouse, district and customer table.
- the current balance was noted.
- A payment transaction was executed with the above identifiers and a known amount.
- The transaction was committed.
- It was verified, that the rows contain the correct updated balances.

Rollback Transaction	Perform the Payment transaction for a randomly selected warehouse, district, and customer (by customer number as specified in Clause 2.5.1.2) and substitute a ROLLBACK of the transaction for the COMMIT of the transaction. Verify that the records in the CUSTOMER, DISTRICT, and WAREHOUSE tables have NOT been changed. [Clause 3.2.2.2]
-----------------------------	---

The following steps demonstrated atomicity for aborted (ROLLBACK) transactions:

- A row was randomly selected from the warehouse, district and customer table.
- the current balance was noted.
- A payment transaction was executed with the above identifiers and a known amount.
- The transaction was rolled back.
- It was verified, that the rows contain the original balances.

4.2 Consistency	<i>Consistency is the property of the application that requires any execution of a database transaction to take the database from one consistent state to another, assuming that the database is initially in a consistent state. [Clause 3.3.1]</i>
----------------------------	--

Consistency conditions 1 - 4 were tested by issuing queries to the database. The results of the queries verified that the database was consistent for all these tests. The tests were performed before and after the performance run on the same database that was used for the benchmark.

4.3 Isolation	<i>Operations of concurrent transactions must yield results which are indistinguishable from the results which would be obtained by forcing each transaction to be serially executed to completion in some order.</i>
--------------------------	---

We ran all of the seven isolation tests as described in clause 3.4.2.1 to 3.4.2.7 and additionally the two phantom protection tests. The tests were executed using shell scripts to issue queries to the database. The results of the queries verified that the required isolation had been met.

4.4 Durability	<p><i>The tested system must guarantee durability: the ability to preserve the effects of committed transactions and insure database consistency after recovery from any one of the failures listed in Clause 3.5.3. [Clause 3.5]</i></p> <p><i>List of single failures</i></p> <ol style="list-style-type: none"> <i>1 Permanent irrecoverable failure of any single durable medium containing TPC-C database tables or recovery log data</i> <i>2 Instantaneous interruption (system crash / system hang) in processing which requires system reboot to recover</i> <i>3 Failure of all or part of memory (loss of contents).</i>
	<p><i>[Clause 3.5.3]</i></p> <p><i>The intent of these tests is to demonstrate that all transactions whose output messages have been received at the terminal or RTE have in fact been committed in spite of any single failure from the list in Clause 3.5.3 and that all consistency conditions are still met after the database is recovered.</i></p> <p><i>It is required that the system crash test(s) and the loss of memory test(s) described in Clause 3.5.3.2 and 3.5.3.3 be performed under full terminal load and a fully scaled database. The durable media failure test(s) described in Clause 3.5.3.1 may be performed on a subset of the SUT configuration and database. For the SUT subset, all multiple hardware components, such as processors and disk / controllers in the full SUT configuration, must be represented by the greater of 10% of the configuration or two of each of the multiple hardware components. The database must be scaled to at least 10% of the fully scaled database, with a minimum of two warehouses. ... Furthermore, the standard driving mechanism must be used in this test. The test sponsor must state that to the best of their knowledge, a fully scaled test would also pass all durability tests. [Clause 3.5.4]</i></p>

The failure of all or part of memory test and the system crash test were combined with the loss of log disk and performed under full load and by using a fully scaled database.

The full hardware configuration of the SUT (in accordance with Clause 3.5.4) and the same test procedure was used during all durability tests, except the test for loss of data.

- The current count of the total number of orders was determined by summing up the D_NEXT_O_ID fields of all rows in the DISTRICT table.

A test was started under full load and a checkpoint executed.

- After 5 min in steady state we pulled off one of the log disks. As we use hardware-mirrored diskpairs with the SCSI-controller, execution continued.
- After additional 5 min we powered of the server to emulate the loss of memory. After server system reboot, SQL-Server starts with recovering the database tpcc. After completion, we computed the sum of D_NEXT_O_ID from district. Client and RTE systems were interrupted and evaluation started on the RTE. The difference of all D_NEXT_O_ID between RTE an server was in the permitted scope.

The durable media failure test for loss of data disk was performed with 48 of the 288 data disks and a database scaled to 680 warehouses under the load of 6800 users. We used one RTE and one client system. To the best of the test sponsor's knowledge, a fully loaded and fully scaled database would also pass this durability test.

- The database was backed up.
- The current count of the total number of orders was determined by summing up the D_NEXT_O_ID fields of all rows in the DISTRICT table before the test.
- After 5 min in steady state we pulled of one of the data disks.
- SQL-Server recognized the loss of a device. We dumped the transaction log and removed the database with dropdevice. Then we shut down SQL-Server and the system.
- We replaced the disk and made it online.
- We restarted SQL-Server, no tpcc database and none of its devices were present. We recreated the database, loaded dump and load transaction log
- After completion, we computed the sum of D_NEXT_O_ID from district.
- Client and RTE systems were interrupted and evaluation started on the RTE. The difference of all D_NEXT_O_ID between RTE an server was in the permitted scope.

5. Clause 4 Related Items - Scaling and Database Population

5.1 Initial Cardinality of Tables	<i>The cardinality (e.g., the number of rows) of each table, as it existed at the start of the benchmark run (see Clause 4.2), must be disclosed. If the database was over-scaled and inactive rows of the WAREHOUSE table were deleted (see Clause 4.2.2), the cardinality of the WAREHOUSE table as initially configured and the number of rows deleted must be disclosed. [Clause 8.1.5.1]</i>
--	---

The database for the PRIMERGY T850 system was scaled for 6800 warehouses. The performance run used 6800 warehouses. In accordance with Clause 4.2, the following number of records were loaded in the specified tables:

Table 5: Number of Rows

Table	Number of Records
Warehouse	6800
District	68,000
Customer	204,000,000
History	204,000,000
Order	204,000,000
New-Order	61,200,000
Order-Line	2,039,997,667
Stock	680,000,000
Item	100,000
Deleted Warehouses	0

The following constant values were used during the database build and benchmark test for the NURand function:

Table 6: C_LAST value

Constant C	Value
C_LAST (build)	123
C_LAST (run)	233

**5.2
Distribution of Tables and Log**

The distribution of tables and logs across all media must be explicitly depicted for the tested and priced systems. [Clause 8.1.5.2]

Table 7: Logical Organization of the Database

Disk	Controller	Disktype	RAID Configuration	Drive Letter	Size MB	Filegroup or Filesystem
0	Onboard SCSI	36 GB	-	System C:	17000	NTFS
1	eXtremeRAID 2000 #0	14 x 36 GB	RAID 1	L:	120000	log
2	eXtremeRAID 2000 #1	48 x 18 GB	RAID 0	E: N: U:	65000 36000 300000	cs1 misc1 backup1
3	eXtremeRAID 2000 #2	48 x 18 GB	RAID 0	F: O: V:	65000 36000 300000	cs2 misc2 backup2
4	eXtremeRAID 2000 #3	48 x 18 GB	RAID 0	G: P: W:	65000 36000 300000	cs3 misc3 backup3
5	eXtremeRAID 2000 #4	48 x 18 GB	RAID 0	H: Q: X:	65000 36000 300000	cs4 misc4 backup4
6	eXtremeRAID 2000 #5	48 x 18 GB	RAID 0	I: R: Y:	65000 36000 300000	cs5 misc5 backup5
7	eXtremeRAID 2000 #6	48 x 18 GB	RAID 0	J: S: Z:	65000 36000 300000	cs6 misc6 backup6

**5.3
Database Model, Interface, and Access Language**

A statement must be provided that describes:

1. *The data model implemented by the DBMS used (e.g., relational, network, hierarchical)*
2. *The database interface (e.g., embedded, call level) and access language (e.g., SQL, DL/I, COBOL read/write) used to implement the TPC-C transactions. If more than one interface/access language is used to implement TPC-C, each interface / access language must be described and a list of which interface/access language is used with which transaction type must be disclosed.*

[Clause 8.1.5.3]

Microsoft SQL Server 2000 Enterprise Edition SP3 is a Relational DataBase Management System. The interface used was Microsoft SQL Server 2000 Enterprise Edition SP3 stored procedures accessed with Remote Procedure Calls embedded in C code.

5.4 Database Partitions/Replications Mapping	<i>The mapping of database partitions/replications must be explicitly described. [Clause 8.1.5.4]</i>
---	---

There was no partitioning and/or replication used in this implementation.

5.5 60 day space Calculation	<i>Details of the 60-day space computations along with proof that the database is configured to sustain 8 hours of growth for the dynamic tables (Order, Order-Line, and History) must be disclosed (see Clause 4.2.3). [Clause 8.1.5.5]</i>
---	--

Calculations of space requirements in the priced configurations for the 60-day period are provided in Appendix D – Space Calculation.

6. Clause 5 Related Items - Performance Metrics and Response Time

6.1 Measured tpmC	<i>Measured tpmC must be reported. [Clause 8.1.6.1]</i>
------------------------------------	---

During the 120 minutes measurement period on the PRIMERGY T850 the throughput measured was 84,598.42 tpmC.

6.2 Response Times	<i>Ninetieth percentile, maximum and average response times must be reported for all transaction types as well as for the Menu response time. [Clause 8.1.6.2]</i>
-------------------------------------	--

Table 8: Response Times

Type	Average	Maximum	90 Percentile
New-Order	0.53	5.73	0.89
Payment	0.49	4.75	0.85
Order-Status	0.48	4.94	0.83
Interactive Delivery	0.11	1.40	0.12
Deferred Delivery	0.18	1.80	0.29
Stock-Level	0.91	5.15	1.37
Menu	0.11	1.40	0.12

6.3 Keying and Think Times	<i>The minimum, the average, and the maximum keying and think times must be reported for each transaction type. [Clause 8.1.6.3]</i>
---	--

Table 9: Keying Times

Keying Times			
Type	Average	Maximum	Minimum
New-Order	18.02	18.04	18.00
Payment	3.02	3.04	3.00
Order-Status	2.02	2.04	2.00
Delivery	2.02	2.04	2.00
Stock-Level	2.02	2.04	2.00

Table 10: Think Times

Think Times			
Type	Average	Maximum	Minimum
New-Order	12.05	120.51	0.000
Payment	12.05	120.51	0.000
Order-Status	10.02	100.51	0.000
Delivery	5.04	50.51	0.000
Stock-Level	5.06	50.51	0.000

**6.4
Graphs**

Response Time frequency distribution curves (see Clause 5.6.1) must be reported for each transaction type. [Clause 8.1.6.4]

The performance curve for response times versus throughput (see Clause 5.6.2) must be reported for the New-Order transaction. [Clause 8.1.6.5]

Think Time frequency distribution curves (see Clause 5.6.3) must be reported for each transaction type. [Clause 8.1.6.6]

A graph of throughput versus elapsed time (see Clause 5.6.5) must be reported for the New-Order transaction. [Clause 8.1.6.8]

Figure 3: New-Order Response Time Distribution




FIGURE 4: PAYMENT RESPONSE TIME DISTRIBUTION




Figure 5: Order-Status Response Time Distribution




Figure 6: Delivery Response Time Distribution



Figure 7: Stock-Level Response Time Distribution




Figure 8: Response Time Versus Throughput




Figure 9: New-Order Think Time Distribution





Figure 10: Throughput Versus elapsed Time



**6.5
Steady State
Determination**

The method used to determine that the SUT had reached a steady state prior to commencing the measurement interval (see Clause 5.5) must be described. [Clause 8.1.6.9]

In all test runs, steady state was achieved before the measurement period began. Steady state was determined to occur based on a visual inspection of tpmC versus time (see graph in section 6.4).

The graph in section 6.4 illustrates that the measurement period was within the steady state period for the run. One checkpoint occurred before and four during the measurement period.

**6.6
Work Performed**

A description of how the work normally performed during a sustained test (for example checkpointing, writing redo/undo log records, etc.), actually occurred during the measurement interval must be reported. [Clause 8.1.6.10]

The RTE generated the required input data to choose a transaction from the menu. This data was timestamped and captured in RTE log files before being transmitted. There was one log file for each user. The input screen for the requested transaction was returned and it was also captured and timestamped in the RTE log files. The difference between these two timestamps was the menu response time.

The RTE generated the required input data for the chosen transaction. It waited to complete the minimum required key time before transmitting the input screen. The transmission was timestamped and captured in RTE log files. The return of the screen with the required response data was timestamped and captured in the RTE log files. The difference between these two timestamps was the response time for that transaction.

The RTE then waited the required think time interval before repeating the process starting at selecting a transaction from the menu.

The RTE transmissions were sent to Internet Information Server running on the client machines through Ethernet LANs. Internet Information Server handled all screen I/O as well as all requests to the database on the server. Internet Information Server communicated with the database server over COM+ which was used as transaction monitor.

All database operations like update, select, delete and insert are performed by one of the TPC-C back end programs. The TPC-C backend program commits the transaction after all the corresponding operations are done.

Modified database buffers are migrated to disk a least-recently-used basis independent of transaction commits. In addition, every block modification is protected by log records. Asynchronously the log buffers are flushed to a log file on disk either when the transaction is committed or when the log buffer's fill state reaches it's limit. The log buffer's always flushed by a commit before it become full.

To perform checkpoints at specific intervals, we wrote a script to schedule multiple checkpoints at specific intervals. By setting the trace flag #3502, SQL Server logged the checkpoint beginning and ending time in the ERRORLOG file. The script included a wait time between each checkpoint equal to a fourth of the measurement interval which was 120 minutes. The checkpoint script was started manually after the RTE had all users logged in and sending transactions.

At each checkpoint, Microsoft SQL Server wrote to disk all memory pages that had been updated but not yet physically written to disk. Upon completion of the checkpoint, Microsoft SQL Server wrote a special record to the recovery log to indicate that all disk operations had been satisfied to this point.

6.7 Duration of Checkpoints	<i>The start time and duration in seconds of at least the four (4) longest checkpoints during the MeasurementInterval must be disclosed (see Clause 5.5.2.2 (2)). [Clause 8.1.6.11]</i>
--	---

There was one checkpoint before measurement and four checkpoints during measurement. Starttime and duration of these four checkpoints is listed in the following table:

Table 11: Duration of Checkpoints

Measurement		duration	
Start =	End =	minutes	seconds
10:45:00	12:45:00	120	7200
4 Checkpoints		duration	
Start =	End =	minutes	seconds
10:45:06	11:14:07	29.02	1741
11:15:06	11:44:06	29.00	1740
11:45:04	12:14:05	29.02	1741
12:15:03	12:44:03	29.00	1740

6.8 Duration of Measurement	<i>A statement of the duration of the measurement interval for the reported Maximum Qualified Throughput (tpmC) must be included. [Clause 8.1.6.12]</i>
--	---

The measurement interval of the PRIMERGY T850 system test was 120 minutes.

**6.9
Regulation of Transaction Mix**

The method of regulation of the transaction mix (e.g., card decks or weighted random distribution) must be described. If weighted distribution is used and the RTE adjusts the weights associated with each transaction type, the maximum adjustments to the weight from the initial value must be disclosed. [Clause 8.1.6.13]

The transaction mix was regulated by weighted distribution. The chosen weights meet the required minimum percentages of the mix which are described in Clause 5.2.3 of the Standard Specifications. No adjustments were made by the RTE.

**6.10
Transaction Mix**

The percentage of the total mix for each transaction type must be disclosed. [Clause 8.1.6.14]

Table 12: Transaction Mix

	Percentage
New-Order	44.91 %
Payment	43.03 %
Order-Status	4.02 %
Delivery	4.01 %
Stock-Level	4.02 %

**6.11
Transaction Statistics**

The percentage of New-Order transactions rolled back as a result of invalid item number must be disclosed. [Clause 8.1.6.15]

The average number of order-lines entered per New-Order transaction must be disclosed. [Clause 8.1.6.16]

The percentage of remote order-lines entered per New-Order transaction must be disclosed. [Clause 8.1.6.17]

The percentage of remote Payment transactions must be disclosed. [Clause 8.1.6.18]

The percentage of customer selections by customer last name in the Payment and Order-Status transactions must be disclosed. [Clause 8.1.6.19]

The percentage of Delivery transactions skipped due to there being fewer than necessary orders in the New-Order table must be disclosed. [Clause 8.1.6.20]

The numerical quantities which are required in Clause 8.1.6.15 to 8.1.6.20 are already listed in a table above (see section 3.5).

**6.12
Checkpoint Statistics**

The number of checkpoints in the Measurement Interval, the time in seconds from the start of the Measurement Interval to the first checkpoint and the Checkpoint Interval must be disclosed. [Clause 8.1.6.21]

The numerical quantities which are required in Clause 8.1.6.21 are already listed above (see section 6.7).

7. Clause 6 Related Items - SUT, Driver, and Communication Definition

7.1 RTE Inputs	<i>If the RTE is commercially available, then its inputs must be specified. Otherwise, a description must be supplied of what inputs (e.g., scripts) to the RTE had been used. [Clause 8.1.7.1]</i>
---------------------------	---

Microsoft Benchcraft was used as the RTE to emulate the terminals. Its input parameters are shown in Appendix C - Tunable Parameters and Options.

We used COM+ to simulate terminal users, generate random data, record response times and statistical data. Its input parameters are shown in Appendix C - Tunable Parameters and Options.

7.2 Lost Connections	<i>The number of terminal connections lost during the Measurement Interval must be disclosed (see Clause 6.6.2). [Clause 8.1.7.3]</i>
---------------------------------	---

There were no lost connections during measurement interval.

7.3 Functionality and Performance of Emulated Components	<i>It must be demonstrated that the functionality and performance of the components being emulated in the Driver System are equivalent to that of the priced system. The results of the test described in Clause 6.6.3.4 must be disclosed. [Clause 8.1.7.3]</i>
---	--

The Driver System consisted of a PRIMERGY 870. This driver was attached to the client machine through a 100 Mbps ethernet LAN and switch. Since this is exactly the same connectivity as configured in the priced system, no component was emulated. Therefore, the test described in Clause 6.6.3.4 was not required.

7.4 Functional Diagrams of the Benchmarked and Proposed Configuration	<i>A complete functional diagram of both the benchmark configuration and the configuration of the proposed (target) system must be disclosed. A detailed list of all software and hardware functionality being performed on the Driver System, and its interface to the SUT must be disclosed (see Clause 6.6.3.6). [Clause 8.1.7.4]</i>
--	--

Figure 1 and Figure 2 in section 1.4 show the functional diagrams of the benchmark configuration and the priced configuration.

7.5 Network Configurations of the Tested and Proposed Services	<i>The network configurations of both the tested services and the proposed (target) services which are being represented and a thorough explanation of exactly which parts of the proposed configuration are being replaced with the Driver System must be disclosed (see Clause 6.6.4). [Clause 8.1.7.5]</i>
---	---

Figure 1 and Figure 2 in section 1.4 show the network setup of both configurations. The driver replaces the workstations.

In both configurations 2 Mbs FC was used to connect the server with the 4 clients with VI over FC and 100Mbs LAN with switch to connect the RTE systems or 68000 workstations to the clients.

7.6 Network Bandwidth	<i>The bandwidth of the network(s) used in the tested / priced configuration must be disclosed. [Clause 8.1.7.6]</i>
----------------------------------	--

The ethernet used in the local area network (LAN) between the emulated user system and the front-end system complies with the IEEE 802.3 standard. Its bandwidth is 100 Mbps. Between front-end and SUT the bandwidth is 100 Mbps.

7.7 Operator Intervention	<i>If the configuration requires operator intervention (see Clause 6.6.6), the mechanism and the frequency of this intervention must be disclosed. [Clause 8.1.7.7]</i>
--------------------------------------	---

The PRIMERGY T850 requires no operator intervention to sustain the reported throughput.

8. Clause 7 Related Items - Pricing

8.1 System Pricing	<p><i>A detailed list of hardware and software used in the priced system must be reported. Each separately orderable item must have vendor part number, description, and release/revision level, and either general availability status or committed delivery date. If package-pricing is used, vendor part number of the package and a description uniquely identifying each of the components of the package must be disclosed. Pricing source(s) and effective date(s) of price(s) must also be reported. [Clause 8.1.8.1]</i></p> <p><i>The total 3-year price of the entire configuration must be reported, including: hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed. [Clause 8.1.8.2]</i></p>
-------------------------------	---

The details of the hardware and software are reported in the summary in front of this report. The spreadsheet used to determine the 3-year price and the spreadsheet used to describe the priced configuration can be found in Appendix E - Price Quotations.

8.2 Availability Dates	<p><i>The committed delivery date for general availability (availability date) of products used in the price calculations must be reported. When the priced system includes products with different availability dates, the reported availability date for the priced system must be the date at which all components are committed to be available. This single date must be reported on the first page of the Executive Summary. All availability dates, whether for individual components or for the SUT as a whole, must be disclosed to a precision of one day. [Clause 8.1.8.3]</i></p>
-----------------------------------	---

All hardware and software components used in the price calculations of the PRIMERGY T850 system will be generally available from FUJITSU LIMITED as of July 20, 2003.

8.3 Throughput and Price/Performance	<p><i>A statement of the measured tpmC, as well as the respective calculations for 3-year pricing, price/performance (price/tpmC), and the availability date must be included. [Clause 8.1.8.4]</i></p>
---	---

PRIMERGY T850 system was measured at 84,598.42 tpmC with Microsoft SQL Server 2000 Enterprise Edition SP3 with a 3-year system price of Yen 106,739,750. The respective price/performance for the PRIMERGY T850 is Yen 1,261.72/tpmC. The priced PRIMERGY T850 will be available as of July 20, 2003.

8.4 Country Specific Pricing	<p><i>Additional Clause 7 related items may be included in the Full Disclosure Report for each country specific priced configuration. Country specific pricing is subject to Clause 7.1.7 [Clause 8.1.8.5]</i></p>
---	--

The system is being priced for Germany.

**8.5
Usage Pricing**

For any usage pricing, the sponsor must disclose:

- *Usage level at which the component was priced.*
- *A statement of the company policy allowing such pricing.*

[Clause 8.1.8.6]

The component pricing based on usage is shown below:

- One Microsoft SQL Server 2000 Enterprise Edition SP3
- One Windows .NET Server 2003 Enterprise Edition
- 4 Microsoft Windows 2000 Server SP2 license (includes 5 client access licenses)
- One Microsoft Visual C++ Professional 6.0

9. Clause 8 Related Items - Audit

9.1 Auditor	<p><i>The auditor's name, address, phone number, and a copy of the auditor's attestation letter indicating compliance must be included in the Full Disclosure Report.</i></p> <p><i>A review of the pricing model is required to ensure that all components required are priced (see Clause 9.2.8). The auditor is not required to review the final Full Disclosure Report or the final pricing prior to issuing the attestation letter. [Clause 8.1.9]</i></p>
------------------------	---

The benchmark test of the PRIMERGY T850 system with Microsoft SQL Server 2000 Enterprise Edition SP3 was independently audited by:

Bradley Askins, TPC certified auditors of Infosizing.
The attestation letter is included in Appendix F.

Requests for this TPC-C Full Disclosure Report should be sent to:

Transaction Processing Performance Council
c/o Shanley Public Relations
777 North First Street, Suite 6000
San Jose, CA 95112-6311

or

Masayoshi TAKEI
IA Server Division
Personal Systems Business Group
Fujitsu Limited
1-1, Kamikodanaka 4-Chome, Nakahara-ku, Kawasaki
211-8588, Japan

Appendix A - Application Source Code

```
LIBRARY TPCC.DLL
```

```
EXPORTS
```

```
    GetExtensionVersion @1
    HttpExtensionProc   @2
    TerminateExtension  @3
```

```
/* FILE:      TPCC.H
 *           Microsoft TPC-C Kit Ver. 4.20.000
 *           Copyright Microsoft, 1999
 *           All Rights Reserved
 *
 *           Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE:  Header file for ISAPI TPCC.DLL, defines structures and
functions used in the isapi tpcc.dll.
 *
 */
```

```
//VERSION RESOURCE DEFINES
```

```
#define _APS_NEXT_RESOURCE_VALUE      101
#define _APS_NEXT_COMMAND_VALUE      40001
#define _APS_NEXT_CONTROL_VALUE      1000
#define _APS_NEXT_SYMED_VALUE        101
```

```
#define TP_MAX_RETRIES                50
```

```
//note that the welcome form must be processed first as terminal ids
assigned here, once the
//terminal id is assigned then the forms can be processed in any order.
#define WELCOME_FORM                  1          //beginning form no
term id assigned, form id
#define MAIN_MENU_FORM                2          //term id
assigned main menu form id
#define NEW_ORDER_FORM               3          //new order
form id
#define PAYMENT_FORM                 4          //payment form id
#define DELIVERY_FORM                5          //delivery
form id
#define ORDER_STATUS_FORM            6          //order status id
```

```
#define STOCK_LEVEL_FORM              7          //stock level form
id

//This macro is used to prevent the compiler error unused formal parameter
#define UNUSEDPARAM(x) (x = x)

//This structure defines the data necessary to keep distinct for each
terminal or client connection.
typedef struct _CLIENTDATA
{
    int          iNextFree;                //index of next free element
or -1 if this entry in use.
    int          w_id;                    //warehouse id assigned at
welcome form
    int          d_id;                    //district id assigned at
welcome form

    int          iSyncId;                 //synchronization id
    int          iTickCount;              //time of last access;

    CTPCC_BASE *pTxn;

} CLIENTDATA, *PCLIENTDATA;

//This structure is used to define the operational interface for terminal id
support
typedef struct _TERM
{
    int          iNumEntries;              //total allocated
terminal array entries
    int          iFreeList;                //next available
terminal array element or -1 if none
    int          iMasterSyncId;           //synchronization id
    CLIENTDATA *pClientData;              //pointer to allocated
client data
} TERM;

typedef TERM *PTERM;                      //pointer to terminal
structure type

enum WEBERROR
{
    NO_ERR,
    ERR_COMMAND_UNDEFINED,
    ERR_D_ID_INVALID,
    ERR_DELIVERY_CARRIER_ID_RANGE,
    ERR_DELIVERY_CARRIER_INVALID,
    ERR_DELIVERY_MISSING_OCD_KEY,
    ERR_DELIVERY_THREAD_FAILED,
```

```

ERR_GETPROCADDR_FAILED,
ERR_HTML_ILL_FORMED,
ERR_INVALID_SYNC_CONNECTION,
ERR_INVALID_TERMID,
ERR_LOADDLL_FAILED,
ERR_MAX_CONNECTIONS_EXCEEDED,
ERR_MEM_ALLOC_FAILED,
ERR_MISSING_REGISTRY_ENTRIES,
ERR_NEWORDER_CUSTOMER_INVALID,
ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_DISTRICT_INVALID,
ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_ITEMID_INVALID,
ERR_NEWORDER_ITEMID_RANGE,
ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_MISSING_SUPPW_KEY,
ERR_NEWORDER_NOITEMS_ENTERED,
ERR_NEWORDER_QTY_INVALID,
ERR_NEWORDER_QTY_RANGE,
ERR_NEWORDER_QTY_WITHOUT_SUPPW,
ERR_NEWORDER_SUPPW_INVALID,
ERR_NO_SERVER_SPECIFIED,
ERR_ORDERSTATUS_CID_AND_CLT,
ERR_ORDERSTATUS_CID_INVALID,
ERR_ORDERSTATUS_CLT_RANGE,
ERR_ORDERSTATUS_DID_INVALID,
ERR_ORDERSTATUS_MISSING_CID_CLT,
ERR_ORDERSTATUS_MISSING_CID_KEY,
ERR_ORDERSTATUS_MISSING_CLT_KEY,
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_PAYMENT_CDI_INVALID,
ERR_PAYMENT_CID_AND_CLT,
ERR_PAYMENT_CUSTOMER_INVALID,
ERR_PAYMENT_CWI_INVALID,
ERR_PAYMENT_DISTRICT_INVALID,
ERR_PAYMENT_HAM_INVALID,
ERR_PAYMENT_HAM_RANGE,
ERR_PAYMENT_LAST_NAME_TO_LONG,
ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_MISSING_CID_CLT,
ERR_PAYMENT_MISSING_CID_KEY,
ERR_PAYMENT_MISSING_CLT,
ERR_PAYMENT_MISSING_CLT_KEY,
ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_MISSING_HAM_KEY,
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID,
ERR_STOCKLEVEL_THRESHOLD_RANGE,
ERR_VERSION_MISMATCH,
ERR_W_ID_INVALID
};

```

```

class CWEBCLNT_ERR : public CBaseErr
{
public:
    CWEBCLNT_ERR(WEBERROR Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    };

    CWEBCLNT_ERR(WEBERROR Err, char *szTextDetail, DWORD dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new char[strlen(szTextDetail)+1];
        strcpy( m_szTextDetail, szTextDetail );
        m_SystemErr = dwSystemErr;
        m_szErrorText = NULL;
    };

    ~CWEBCLNT_ERR()
    {
        if (m_szTextDetail != NULL)
            delete [] m_szTextDetail;
        if (m_szErrorText != NULL)
            delete [] m_szErrorText;
    };

    WEBERROR    m_Error;
    char        *m_szTextDetail;    //
    char        *m_szErrorText;
    DWORD       m_SystemErr;

    int ErrorType() {return ERR_TYPE_WEBDLL;};
    int ErrorNum() {return m_Error;};
    char *ErrorText();
};

//These constants have already been defined in engstut.h, but since we do
//not want to include it in the delisrv executable
#define TXN_EVENT_START    2
#define TXN_EVENT_STOP    4
#define TXN_EVENT_WARNING 6    //used to record a warning into the log

//function prototypes
BOOL APIENTRY DllMain(HANDLE hModule, DWORD ul_reason_for_call, LPVOID
lpReserved);
void WriteMessageToEventLog(LPTSTR lpszMsg);
void ProcessQueryString(EXTENSION_CONTROL_BLOCK *pECB, int *pCmd, int
*pFormId, int *pTermId, int *pSyncId);

```

```

void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer);
void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer);
void BeginCmd(EXTENSION_CONTROL_BLOCK *pECB, int iFormId, int iTermId);
void ProcessCmd(EXTENSION_CONTROL_BLOCK *pECB, int iFormId, int iTermId);
void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer);
void ErrorMessage(EXTENSION_CONTROL_BLOCK *pECB, int iError, int iErrorType,
char *szMsg, int iTermId);
void GetKeyValue(char **pQueryString, char *pKey, char *pValue, int iMax,
WEBERROR err);
int GetIntKeyValue(char **pQueryString, char *pKey, WEBERROR NoKeyErr,
WEBERROR NotIntErr);
void TermInit(void);
void TermDeleteAll(void);
int TermAdd(void);
void TermDelete(int id);
void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int iType, int iErrorNum, int
iTermId, int iSyncId, char *szErrorText, char *szBuffer );
void MakeMainMenuForm(int iTermId, int iSyncId, char *szForm);
void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA *pStockLevelData, BOOL
bInput, char *szForm);
void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA *pNewOrderData, BOOL
bInput, char *szForm);
void MakePaymentForm(int iTermId, PAYMENT_DATA *pPaymentData, BOOL bInput,
char *szForm);
void MakeOrderStatusForm(int iTermId, ORDER_STATUS_DATA *pOrderStatusData,
BOOL bInput, char *szForm);
void MakeDeliveryForm(int iTermId, DELIVERY_DATA *pDeliveryData, BOOL
bInput, char *szForm);
void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer);
void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer);
void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer);
void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer);
void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer);
void GetNewOrderData(LPSTR lpszQueryString, NEW_ORDER_DATA *pNewOrderData);
void GetPaymentData(LPSTR lpszQueryString, PAYMENT_DATA *pPaymentData);
void GetOrderStatusData(LPSTR lpszQueryString, ORDER_STATUS_DATA
*pOrderStatusData);
BOOL PostDeliveryInfo(short w_id, short o_carrier_id);
BOOL IsNumeric(char *ptr);
BOOL IsDecimal(char *ptr);
void DeliveryWorkerThread(void *ptr);

//Microsoft Developer Studio generated resource script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
/

```

```

//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"

////////////////////////////////////
/
#undef APSTUDIO_READONLY_SYMBOLS

////////////////////////////////////
/
// English (U.S.) resources

#if !defined(AFX_RESOURCE_DLL) || defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef _MAC
////////////////////////////////////
/
// Version
//

VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,0,0
PRODUCTVERSION 0,4,0,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904b0"
        BEGIN
            VALUE "Comments", "TPC-C HTML DLL Server (DBLIB)\0"
            VALUE "CompanyName", "Microsoft\0"
            VALUE "FileDescription", "TPC-C HTML DLL Server (DBLIB)\0"
            VALUE "FileVersion", "0, 4, 0, 0\0"
            VALUE "InternalName", "tpcc\0"
            VALUE "LegalCopyright", "Copyright © 1997\0"
            VALUE "OriginalFilename", "tpcc.dll\0"
            VALUE "ProductName", "Microsoft tpcc\0"
            VALUE "ProductVersion", "0, 4, 0, 0\0"
        END
    END
END

```

```

BLOCK "VarFileInfo"
BEGIN
    VALUE "Translation", 0x409, 1200
END
END

#endif    // !_MAC

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
/
//
// TEXTINCLUDE
//

1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include "afxres.h"\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "\r\n"
    "\0"
END

#endif    // APSTUDIO_INVOKED

////////////////////////////////////
/
//
// Dialog
//

IDD_DIALOG1 DIALOG DISCARDABLE  0, 0, 186, 95
STYLE DS_MODALFRAME | WS_POPUP | WS_CAPTION | WS_SYSMENU
CAPTION "Dialog"
FONT 8, "MS Sans Serif"
BEGIN
    DEFPUSHBUTTON    "OK", IDOK, 129, 7, 50, 14
    PUSHBUTTON      "Cancel", IDCANCEL, 129, 24, 50, 14
END

////////////////////////////////////
/

```

```

//
// DESIGNINFO
//

#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
    IDD_DIALOG1, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 179
        TOPMARGIN, 7
        BOTTOMMARGIN, 88
    END
END
#endif    // APSTUDIO_INVOKED

#endif    // English (U.S.) resources
////////////////////////////////////
/

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
/
//
// Generated from the TEXTINCLUDE 3 resource.
//

////////////////////////////////////
/
#endif    // not APSTUDIO_INVOKED

/* FILE:      TPCC.C
*             Microsoft TPC-C Kit Ver. 4.20.000
*             Copyright Microsoft, 1999
*             All Rights Reserved
*
*             Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
* PURPOSE:   Main module for TPCC.DLL which is an ISAPI service dll.
* Contact:   Charles Levine (clevine@microsoft.com)
*
* Change history:
*           4.20.000 - reworked error handling; added options for COM and
Encina txn monitors
*/

#include <windows.h>
#include <process.h>

```

```

#include <tchar.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>
#include <assert.h>

#include <sqltypes.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

#include "..\..\common\src\trans.h" //tpckit transaction header
contains definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\ReadRegistry.h"

#include "..\..\common\txnlog\include\rtetime.h"
#include "..\..\common\txnlog\include\spinlock.h"
#include "..\..\common\txnlog\include\txnlog.h"

// Database layer includes
#include "..\..\db_dblib_dll\src\tpcc_dblib.h" // DBLIB implementation
of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h" // ODBC implementation
of TPC-C txns

// Txn monitor layer includes
#include "..\..\tm_com_dll\src\tpcc_com.h" // COM Services
implementation on TPC-C txns
#include "..\..\tm_tuxedo_dll\src\tpcc_tux.h" // interface to Tuxedo
libraries
#include "..\..\tm_encina_dll\src\tpcc_enc.h" // interface to Encina
libraries

#include "httpext.h" //ISAPI DLL information header
#include "tpcc.h" //this dlls specific structure,
value e.t. header.

#define LEN_ERR_STRING 256

// defines for Make<Txn>Form calls to distinguish input and output flavors
#define OUTPUT_FORM 0
#define INPUT_FORM 1

char szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

```

```

//Terminal client id structure
TERM Term = { 0, 0, 0, NULL };

// The WEBCLIENT_VERSION string specifies the version level of this web
client interface.
// The RTE must be synchronized with the interface level on login, otherwise
the login
// will fail. This is a sanity check to catch problems resulting from
mismatched versions
// of the RTE and web client.
#define WEBCLIENT_VERSION "410"

static CRITICAL_SECTION TermCriticalSection;

static HINSTANCE hLibInstanceTm = NULL;
static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;
TYPE_CTPCC_TUXEDO *pCTPCC_TUXEDO_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_post_init;
TYPE_CTPCC_COM *pCTPCC_COM_new;

// For deferred Delivery txns:

CTxnLog *txnDelilog = NULL; //used to log
delivery transaction information

HANDLE hWorkerSemaphore = INVALID_HANDLE_VALUE;
HANDLE hDoneEvent = INVALID_HANDLE_VALUE;
HANDLE *pDeliHandles = NULL;

// configuration settings from registry
TPCCREGISTRYDATA Reg;

DWORD dwNumDeliveryThreads = 4;
CRITICAL_SECTION DelBuffCriticalSection; //critical section
for delivery transactions cache
DELIVERY_TRANSACTION *pDelBuff = NULL;
DWORD dwDelBuffSize = 100; // size of
circular buffer for delivery txns
DWORD dwDelBuffFreeCount; // number of
buffers free
DWORD dwDelBuffBusyIndex = 0; // index position
of entry waiting to be delivered
DWORD dwDelBuffFreeIndex = 0; // index position
of unused entry

#include "..\..\common\src\ReadRegistry.cpp"

/* FUNCTION: DllMain
*

```

```

* PURPOSE:      This function is the entry point for the DLL.  This
implementation is based on the
*              fact that DLL_PROCESS_ATTACH is only called from the inet
service once.
*
* ARGUMENTS:   HANDLE    hModule          module handle
*              DWORDul_reason_for_call  reason for call
*              LPVOID    lpReserved      reserved for future use
*
* RETURNS:     BOOL FALSE                errors occurred in
initialization
*              TRUE                 DLL successfully
initialized
*/

BOOL APIENTRY DllMain(HANDLE hModule, DWORD ul_reason_for_call, LPVOID
lpReserved)
{
    DWORD i;
    char szEvent[LEN_ERR_STRING] = "\0";
    char szLogFile[128];
    char szDllName[128];

// debugging...
// DebugBreak();

    try
    {
        switch( ul_reason_for_call )
        {
            case DLL_PROCESS_ATTACH:
                {
                    DWORD dwSize = MAX_COMPUTERNAME_LENGTH+1;
                    GetComputerName(szMyComputerName, &dwSize);
                    szMyComputerName[dwSize] = 0;
                }

                DisableThreadLibraryCalls((HMODULE)hModule);
                InitializeCriticalSection(&TermCriticalSection);

                if ( ReadTPCCRegistrySettings( &Reg ) )
                    throw new CWEBCLNT_ERR(
ERR_MISSING_REGISTRY_ENTRIES );

                dwDelBuffSize = min( Reg.dwMaxPendingDeliveries, 10000
); // min with 10000 as a sanity constraint
                dwNumDeliveryThreads = min(
Reg.dwNumberOfDeliveryThreads, 100 ); // min with 100 as a sanity
constraint

                TermInit();

                // load DLL for txn monitor
                if (Reg.eTxnMon == TUXEDO)

```

```

{
    strcpy( szDllName, Reg.szPath );
    strcat( szDllName, "tpcc_tuxedo.dll");
    hLibInstanceTm = LoadLibrary( szDllName );
    if (hLibInstanceTm == NULL)
        throw new CWEBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );

        // get function pointer to wrapper for class
constructor
        pCTPCC_TUXEDO_new = (TYPE_CTPCC_TUXEDO*)
GetProcAddress(hLibInstanceTm,"CTPCC_TUXEDO_new");
        if (pCTPCC_TUXEDO_new == NULL)
            throw new CWEBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
        }
        else if (Reg.eTxnMon == ENCINA)
        {
            strcpy( szDllName, Reg.szPath );
            strcat( szDllName, "tpcc_encina.dll");
            hLibInstanceTm = LoadLibrary( szDllName );
            if (hLibInstanceTm == NULL)
                throw new CWEBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );
            // get function pointer to wrapper for class
constructor
            pCTPCC_ENCINA_new = (TYPE_CTPCC_ENCINA*)
GetProcAddress(hLibInstanceTm,"CTPCC_ENCINA_new");
            pCTPCC_ENCINA_post_init = (TYPE_CTPCC_ENCINA*)
GetProcAddress(hLibInstanceTm,"CTPCC_ENCINA_post_init");
            if (pCTPCC_ENCINA_new == NULL)
                throw new CWEBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
            }
            else if (Reg.eTxnMon == COM)
            {
                strcpy( szDllName, Reg.szPath );
                strcat( szDllName, "tpcc_com.dll");
                hLibInstanceTm = LoadLibrary( szDllName );
                if (hLibInstanceTm == NULL)
                    throw new CWEBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );

                // get function pointer to wrapper for class
constructor
                pCTPCC_COM_new = (TYPE_CTPCC_COM*)
GetProcAddress(hLibInstanceTm,"CTPCC_COM_new");
                if (pCTPCC_COM_new == NULL)
                    throw new CWEBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
            }

            // load DLL for database connection

```

```

0))
    if ((Reg.eTxnMon == None) || (dwNumDeliveryThreads >
    {
        if (Reg.eDB_Protocol == DBLIB)
        {
            strcpy( szDllName, Reg.szPath );
            strcat( szDllName, "tpcc_dblib.dll");
            hLibInstanceDb = LoadLibrary( szDllName );
            if (hLibInstanceDb == NULL)
                throw new CWEBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

            // get function pointer to wrapper for class
constructor
            pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
GetProcAddress(hLibInstanceDb, "CTPCC_DBLIB_new");
            if (pCTPCC_DBLIB_new == NULL)
                throw new CWEBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
        }
        else if (Reg.eDB_Protocol == ODBC)
        {
            strcpy( szDllName, Reg.szPath );
            strcat( szDllName, "tpcc_odbc.dll");
            hLibInstanceDb = LoadLibrary( szDllName );
            if (hLibInstanceDb == NULL)
                throw new CWEBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

            // get function pointer to wrapper for class
constructor
            pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");
            if (pCTPCC_ODBC_new == NULL)
                throw new CWEBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
        }
    }

    if (dwNumDeliveryThreads)
    {
        // for deferred delivery txns:
        hDoneEvent = CreateEvent( NULL, TRUE /* manual
reset */, FALSE /* initially not signalled */, NULL );

        InitializeCriticalSection(&DelBuffCriticalSection);
        hWorkerSemaphore = CreateSemaphore( NULL, 0,
dwDelBuffSize, NULL );
        dwDelBuffFreeCount = dwDelBuffSize;

        InitJulianTime(NULL);

        // create unique log file name based on delilog-
yymmdd-hhmm.log

```

```

SYSTEMTIME Time;
GetLocalTime( &Time );
wsprintf( szLogFile, "%sdelivery-%2.2d%2.2d%2.2d-
%2.2d%2.2d.log",
            Reg.szPath, Time.wYear % 100,
            Time.wMonth, Time.wDay, Time.wHour, Time.wMinute );
            txnDelilog = new CTxnLog(szLogFile,
TXN_LOG_WRITE);

            //write event into txn log for START
            txnDelilog->WriteCtrlRecToLog(TXN_EVENT_START,
szMyComputerName, sizeof(szMyComputerName));

            // allocate structures for delivery buffers and
thread mgmt
            pDeliHandles = new HANDLE[dwNumDeliveryThreads];
            pDelBuff = new
DELIVERY_TRANSACTION[dwDelBuffSize];
            // launch DeliveryWorkerThread to perform actual
delivery txns
            for(i=0; i<dwNumDeliveryThreads; i++)
            {
                pDeliHandles[i] = (HANDLE) _beginthread(
DeliveryWorkerThread, 0, NULL );
                if (pDeliHandles[i] == INVALID_HANDLE_VALUE)
                    throw new CWEBCLNT_ERR(
ERR_DELIVERY_THREAD_FAILED );
            }
            break;

        case DLL_PROCESS_DETACH:
            if (dwNumDeliveryThreads)
            {
                if (txnDelilog != NULL)
                {
                    //write event into txn log for STOP
                    txnDelilog->WriteCtrlRecToLog(TXN_EVENT_STOP,
szMyComputerName, sizeof(szMyComputerName));

                    // This will do a clean shutdown of the
delivery log file
                    CTxnLog *txnDelilogLocal = txnDelilog;
                    txnDelilog= NULL;
                    delete txnDelilogLocal;
                }

                delete [] pDeliHandles;
                delete [] pDelBuff;

                CloseHandle( hWorkerSemaphore );
                CloseHandle( hDoneEvent );
                DeleteCriticalSection(&DelBuffCriticalSection);

```



```

    }

    DeleteCriticalSection(&TermCriticalSection);

    if (hLibInstanceTm != NULL)
        FreeLibrary( hLibInstanceTm );
    hLibInstanceTm = NULL;

    if (hLibInstanceDb != NULL)
        FreeLibrary( hLibInstanceDb );
    hLibInstanceDb = NULL;

    Sleep(500);
    break;

    default:
        /* nothing */;
}
}
}
catch (CBaseErr *e)
{
    WriteMessageToEventLog( e->ErrorText() );
    delete e;
    TerminateExtension(0);
    return FALSE;
}
catch (...)
{
    WriteMessageToEventLog(TEXT("Unhandled exception.  DLL could not
load."));
    TerminateExtension(0);
    return FALSE;
}

return TRUE;
}

/* FUNCTION: GetExtensionVersion
*
* PURPOSE:      This function is called by the inet service when the DLL is
first loaded.
*
* ARGUMENTS:   HSE_VERSION_INFO      *pVerpassed in structure in which to
place expected version number.
*
* RETURNS:     TRUE inet service expected return value.
*/

BOOL WINAPI GetExtensionVersion(HSE_VERSION_INFO *pVer)
{
    pVer->dwExtensionVersion = MAKELONG(HSE_VERSION_MINOR,
HSE_VERSION_MAJOR);

```

```

    lstrcpy(pVer->lpszExtensionDesc, "TPC-C Server.",
HSE_MAX_EXT_DLL_NAME_LEN);

    // TODO: why do we need this here instead of in the DLL attach?
    if (Reg.eTxnMon == ENCINA)
        pCTPCC_ENCINA_post_init();

    return TRUE;
}

/* FUNCTION: TerminateExtension
*
* PURPOSE:      This function is called by the inet service when the DLL is
about to be unloaded.
*
*               Release all resources in anticipation of being unloaded.
*
* RETURNS:     TRUE inet service expected return value.
*/

BOOL WINAPI TerminateExtension( DWORD dwFlags )
{
    if (pDeliHandles)
    {
        SetEvent( hDoneEvent );
        for(DWORD i=0; i<dwNumDeliveryThreads; i++)
            WaitForSingleObject( pDeliHandles[i], INFINITE );
    }

    TermDeleteAll();
    return TRUE;
}

/* FUNCTION: HttpExtensionProc
*
* PURPOSE:      This function is the main entry point for the TPCC DLL. The
internet service
*
*               calls this function passing in the http string.
*
* ARGUMENTS:   EXTENSION_CONTROL_BLOCK      *pECBstructure pointer to passed
in internet
*
*               service
information.
*
* RETURNS:     DWORDHSE_STATUS_SUCCESS
connection can be dropped if error
*
*               HSE_STATUS_SUCCESS_AND_KEEP_CONN      keep
connect valid comment sent
*
* COMMENTS:    None
*
*/

DWORD WINAPI HttpExtensionProc(EXTENSION_CONTROL_BLOCK *pECB)

```

```

{
    int          iCmd, FormId, TermId, iSyncId;
    char        szBuffer[4096];

    int          lpbSize;
    static char  szHeader[] = "200 Ok";
    DWORD        dwSize = 6;          // initial value is strlen(szHeader)
    char        szHeader1[4096];

#ifdef ICECAP
    StartCAP();
#endif

    try
    {
        //process http query
        ProcessQueryString(pECB, &iCmd, &FormId, &TermId, &iSyncId);

        if (TermId != 0)
        {
            if ( TermId < 0 || TermId >= Term.iNumEntries ||
Term.pClientData[TermId].iNextFree != -1 )
            {
                // debugging...
                char szTmp[128];
                wsprintf( szTmp, "Invalid term ID; TermId = %d", TermId
);

                WriteMessageToEventLog( szTmp );

                throw new CWEBCLNT_ERR( ERR_INVALID_TERMID );
            }

            //must have a valid syncid here since termid is valid
            if (iSyncId != Term.pClientData[TermId].iSyncId)
                throw new CWEBCLNT_ERR( ERR_INVALID_SYNC_CONNECTION );

            //set use time
            Term.pClientData[TermId].iTickCount = GetTickCount();
        }

        switch(iCmd)
        {
        case 0:
            WelcomeForm(pECB, szBuffer);
            break;
        case 1:
            switch( FormId )
            {
                case WELCOME_FORM:
                case MAIN_MENU_FORM:
                    break;
                case NEW_ORDER_FORM:

```

```

                ProcessNewOrderForm(pECB, TermId, szBuffer);
                break;
            case PAYMENT_FORM:
                ProcessPaymentForm(pECB, TermId, szBuffer);
                break;
            case DELIVERY_FORM:
                ProcessDeliveryForm(pECB, TermId, szBuffer);
                break;
            case ORDER_STATUS_FORM:
                ProcessOrderStatusForm(pECB, TermId, szBuffer);
                break;
            case STOCK_LEVEL_FORM:
                ProcessStockLevelForm(pECB, TermId, szBuffer);
                break;
        }
        break;
    case 2:
        // new-order selected from menu; display new-order input form
        MakeNewOrderForm(TermId, NULL, INPUT_FORM, szBuffer);
        break;
    case 3:
        // payment selected from menu; display payment input form
        MakePaymentForm(TermId, NULL, INPUT_FORM, szBuffer);
        break;
    case 4:
        // delivery selected from menu; display delivery input form
        MakeDeliveryForm(TermId, NULL, INPUT_FORM, szBuffer);
        break;
    case 5:
        // order-status selected from menu; display order-status
input form
        MakeOrderStatusForm(TermId, NULL, INPUT_FORM, szBuffer);
        break;
    case 6:
        // stock-level selected from menu; display stock-level input
form
        MakeStockLevelForm(TermId, NULL, INPUT_FORM, szBuffer);
        break;
    case 7:
        // ExitCmd
        TermDelete(TermId);
        WelcomeForm(pECB, szBuffer);
        break;
    case 8:
        SubmitCmd(pECB, szBuffer);
        break;
    case 9:
        // menu
        MakeMainMenuForm(TermId, Term.pClientData[TermId].iSyncId,
szBuffer);
        break;
    case 10:
        // CMD=Clear

```

```

        // resets all connections; should only be used when no other
connections are active
        TermDeleteAll();
        TermInit();
        WelcomeForm(pECB, szBuffer);
        break;
    case 11: // CMD=Stats
        StatsCmd(pECB, szBuffer);
        break;
    }
}
catch (CBaseErr *e)
{
    ErrorForm( pECB, e->ErrorType(), e->ErrorNum(), TermId, iSyncId,
e->ErrorText(), szBuffer );
    delete e;
}
catch (...)
{
    ErrorForm( pECB, ERR_TYPE_WEBDLL, 0, TermId, iSyncId, "Error:
Unhandled exception in Web Client.", szBuffer );
}

#ifdef ICECAP
    StopCAP();
#endif

    lpbSize = strlen(szBuffer);
    sprintf(szHeader1,
        "Content-Type: text/html\r\n"
        "Content-Length: %d\r\n"
        "Connection: Keep-Alive\r\n\r\n" , lpbSize);
    strcat( szHeader1, szBuffer );

    (*pECB->ServerSupportFunction)(pECB->ConnID,
HSE_REQ_SEND_RESPONSE_HEADER, szHeader, (LPDWORD) &dwSize,
(LPDWORD)szHeader1);

    //finish up and keep connection
    pECB->dwHttpStatusCode = 200;
    return HSE_STATUS_SUCCESS_AND_KEEP_CONN;
}

void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR    szMsg[256];
    HANDLE  hEventSource;
    LPTSTR  lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL, TEXT("TPCC.DLL"));

```

```

    _stprintf(szMsg, TEXT("Error in TPCC.DLL: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event source
            EVENTLOG_ERROR_TYPE, // event type
            0, // event category
            0, // event ID
            NULL, // current user's SID
            2, // strings in lpszStrings
            0, // no bytes of raw data
            (LPCTSTR *)lpszStrings, // array of error strings
            NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

/* FUNCTION: DeliveryWorkerThread
 *
 * PURPOSE: This function processes deferred delivery txns. There are
typically several
 * threads running this routine. The number of threads is
determined by an entry
 * read from the registry. The thread waits for work by waiting
on semaphore.
 * When a delivery txn is posted, the semaphore is released.
After processing
 * the delivery txn, information is logged to record the txn
status and execution
 * time.
 */

/*static*/ void DeliveryWorkerThread(void *ptr)
{
    CTPCC_BASE *pTxn = NULL;

    DELIVERY_TRANSACTION delivery;
    PDELIVERY_DATA pDeliveryData;
    TXN_RECORD_TPCC_DELIV_DEF txnDeliRec;

    DWORD index;
    HANDLE handles[2];

    SYSTEMTIME trans_end; //delivery transaction finished time
    SYSTEMTIME trans_start; //delivery transaction start time

    assert(txnDeliRec != NULL);

    try

```

```

    {
        if (Reg.eDB_Protocol == ODBC)
            pTxn = pCTPCC_ODBC_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
            else if (Reg.eDB_Protocol == DBLIB)
                pTxn = pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
            pDeliveryData = pTxn->BuffAddr_Delivery();
        }
        catch (CBaseErr *e)
        {
            char szTmp[1024];
            wsprintf( szTmp, "Error in Delivery Txn thread. Could not connect
to database. "
                "%s. Server=%s, User=%s, Password=%s, Database=%s",
                e->ErrorText(), Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, Reg.szDbName );
            WriteMessageToEventLog( szTmp );
            delete e;
            goto ErrorExit;
        }
        catch (...)
        {
            WriteMessageToEventLog(TEXT("Unhandled exception caught in
DeliveryWorkerThread."));
            goto ErrorExit;
        }
        while (TRUE)
        {
            try
            {
                //while delivery thread running, i.e. user has not requested
                //need to wait for multiple objects: program exit or
                //worker semaphore;
                handles[0] = hDoneEvent;
                handles[1] = hWorkerSemaphore;
                index = WaitForMultipleObjects( 2, &handles[0], FALSE,
INFINITE );

                if (index == WAIT_OBJECT_0)
                    goto ErrorExit;

                ZeroMemory(&txnDeliRec, sizeof(txnDeliRec));
                txnDeliRec.TxnType = TXN_REC_TYPE_TPCC_DELIV_DEF;

                // make a local copy of current entry from delivery
                //buffer and increment buffer index
                EnterCriticalSection(&DelBuffCriticalSection);
                delivery = *(pDelBuff+dwDelBuffBusyIndex);
                dwDelBuffFreeCount++;
                dwDelBuffBusyIndex++;
            }
        }
    }
}

```

```

        if (dwDelBuffBusyIndex == dwDelBuffSize) // wrap-
        around if at end of buffer
            dwDelBuffBusyIndex = 0;

        LeaveCriticalSection(&DelBuffCriticalSection);

        pDeliveryData->w_id = delivery.w_id;
        pDeliveryData->o_carrier_id = delivery.o_carrier_id;

        txnDeliRec.w_id = pDeliveryData->w_id;
        txnDeliRec.o_carrier_id = pDeliveryData->o_carrier_id;
        txnDeliRec.TxnStartT0 = Get64BitTime(&delivery.queue);

        GetLocalTime( &trans_start );
        pTxn->Delivery();
        GetLocalTime( &trans_end );

        //log txn
        txnDeliRec.TxnStatus = ERR_SUCCESS;
        for (int i=0; i<10; i++)
            txnDeliRec.o_id[i] = pDeliveryData->o_id[i];
        txnDeliRec.DeltaT4 = (int)(Get64BitTime(&trans_end) -
txnDeliRec.TxnStartT0);
        txnDeliRec.DeltaTxnExec =
(int)(Get64BitTime(&trans_end) - Get64BitTime(&trans_start));

        if (txnDelilog != NULL)
            txnDelilog->WriteToLog(&txnDeliRec);
    }
}
catch (CBaseErr *e)
{
    char szTmp[1024];
    wsprintf( szTmp, "Error in Delivery Txn thread. %s", e-
>ErrorText() );
    WriteMessageToEventLog( szTmp );

    // log the error txn
    txnDeliRec.TxnStatus = e->ErrorType();
    if (txnDelilog != NULL)
        txnDelilog->WriteToLog(&txnDeliRec);

    delete e;
}
catch (...)
{
    // unhandled exception; shouldn't happen; not much we can
do...
    WriteMessageToEventLog(TEXT("Unhandled exception caught in
DeliveryWorkerThread."));
}
}
ErrorExit:

```

```

    delete pTxn;
    _endthread();
}

/* FUNCTION: PostDeliveryInfo
 *
 * PURPOSE:      This function enters the delivery txn into the deferred
delivery buffer.
 *
 * RETURNS:      BOOL FALSE delivery information posted successfully
 *                TRUE error cannot post delivery info
 */

BOOL PostDeliveryInfo(short w_id, short o_carrier_id)
{
    BOOL bError;

    EnterCriticalSection(&DelBuffCriticalSection);
    if (dwDelBuffFreeCount > 0)
    {
        bError = FALSE;
        (pDelBuff+dwDelBuffFreeIndex)->w_id      = w_id;
        (pDelBuff+dwDelBuffFreeIndex)->o_carrier_id = o_carrier_id;
        GetLocalTime(&(amp;pDelBuff+dwDelBuffFreeIndex)->queue);

        dwDelBuffFreeCount--;
        dwDelBuffFreeIndex++;
        if (dwDelBuffFreeIndex == dwDelBuffSize)
            dwDelBuffFreeIndex = 0;          // wrap-around if at end of
buffer
    }
    else
        // No free buffers. Return an error, which indicates that the
delivery buffer is full.
        // Most likely, the number of delivery worker threads needs to be
increased to keep up
        // with the txn rate.
        bError = TRUE;
    LeaveCriticalSection(&DelBuffCriticalSection);

    if (!bError)
        // increment worker semaphore to wake up a worker thread
        ReleaseSemaphore( hWorkerSemaphore, 1, NULL );

    return bError;
}

/* FUNCTION: ProcessQueryString
 *
 * PURPOSE:      This function extracts the relevent information out of the
http command passed in from
 *                the browser.
 *
 */

```

```

 * COMMENTS:      If this is the initial connection i.e. client is at welcome
screen then
 *
 *                there will not be a terminal id or current form id. If
this is the case
 *
 *                then the pTermid and pFormid return values are
undefined.
 */

void ProcessQueryString(EXTENSION_CONTROL_BLOCK *pECB, int *pCmd, int
*pFormId, int *pTermId, int *pSyncId)
{
    char *ptr = pECB->lpszQueryString;
    char szBuffer[25];
    int i;

    //allowable client command strings i.e. CMD=command
    static char *szCmds[] =
    {
        "Process", "..NewOrder..", "..Payment..", "..Delivery..",
"..Order-Status..", "..Stock-Level..",
        "..Exit..", "Submit", "Menu", "Clear", "Stats", ""
    };

    *pCmd = 0;          // default is the login screen
    *pTermId = 0;

    // if no params (i.e., empty query string), then return login screen
    if (strlen(pECB->lpszQueryString) == 0)
        return;

    // parse FORMID, TERMID, and SYNCID
    *pFormId = GetIntKeyValue(&ptr, "FORMID", NO_ERR, NO_ERR);
    *pTermId = GetIntKeyValue(&ptr, "TERMID", NO_ERR, NO_ERR);
    *pSyncId = GetIntKeyValue(&ptr, "SYNCID", NO_ERR, NO_ERR);

    // parse CMD
    GetKeyValue(&ptr, "CMD", szBuffer, sizeof(szBuffer),
ERR_COMMAND_UNDEFINED);

    // see which command it matches
    for(i=0; ; i++)
    {
        if (szCmds[i][0] == 0)
            // no more; no match; return error
            throw new CWEBCLNT_ERR( ERR_COMMAND_UNDEFINED );
        if ( !strcmp(szCmds[i], szBuffer) )
        {
            *pCmd = i+1;
            break;
        }
    }
}

/* FUNCTION: void WelcomeForm

```

```

*
*/
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer)
{
    char szTmp[1024];

    //welcome to tpc-c html form buffer, this is first form client sees.
    strcpy( szBuffer, "<HTML><HEAD><TITLE>TPC-C Web Client</TITLE></HEAD><BODY>"
4.20)</BIG></B> <BR> <BR>"
        "<B><BIG>Microsoft TPC-C Web Client (ver
        "<font face=\"Courier New\"><PRE>"
        "Compiled:  \"__DATE__\", \"__TIME__\" <BR>"
        "Source:  \"__FILE__\" ( \"__TIMESTAMP__\" ) <BR>"
        "</PRE></font>"
        "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\""
        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\""
        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\""
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\""
        "<INPUT TYPE=\"hidden\" NAME=\"SYCID\""
        "<INPUT TYPE=\"hidden\" NAME=\"VERSION\""
        "<INPUT TYPE=\"hidden\" NAME=\"VERSION\""
        VALUE=\"\" WEBCLIENT_VERSION \"\>"
        );

    sprintf( szTmp, "Configuration Settings: <BR><font face=\"Courier New\""
color=\"blue\"><PRE>"
        "Txn Monitor          = <B>%s</B><BR>"
        "Database protocol      = <B>%s</B><BR>"
        "Max Connections        = <B>%d</B><BR>"
        "# of Delivery Threads   = <B>%d</B><BR>"
        "Max Pending Deliveries = <B>%d</B><BR>"
        , szTxnMonNames[Reg.eTxnMon], szDBNames[Reg.eDB_Protocol],
        Reg.dwMaxConnections, dwNumDeliveryThreads, dwDelBuffSize );
    strcat( szBuffer, szTmp);

    if (Reg.eTxnMon == COM)
    {
        sprintf( szTmp, "COM Single Pool          = <B>%s</B><BR>",
            Reg.bCOM_SinglePool ? "YES" : "NO" );
        strcat( szBuffer, szTmp);
    }
    strcat( szBuffer, "</PRE></font>");

    if (Reg.eTxnMon == None)
        // connection options may be specified when not using a txn
monitor

```

```

        sprintf( szTmp, "Please enter your database options for this
connection:<BR>"
            "<font face=\"Courier New\""
color=\"blue\"><PRE>"
            "DB Server      = <INPUT NAME=\"db_server\""
SIZE=20 VALUE=\"%s\"><BR>"
            "DB User ID       = <INPUT NAME=\"db_user\""
SIZE=20 VALUE=\"%s\"><BR>"
            "DB Password      = <INPUT NAME=\"db_passwd\""
SIZE=20 VALUE=\"%s\"><BR>"
            "DB Name          = <INPUT NAME=\"db_name\""
SIZE=20 VALUE=\"%s\"><BR>"
            "</PRE></font>"
            , Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
Reg.szDbName );
    else
        // if using a txn monitor, connection options are determined from
registry; can't
        // set per user. show options fyi
        sprintf( szTmp, "Database options which will be used by the
transaction monitor:<BR>"
            "<font face=\"Courier New\""
color=\"blue\"><PRE>"
            "DB Server          = <B>%s</B><BR>"
            "DB User ID          = <B>%s</B><BR>"
            "DB Password        = <B>%s</B><BR>"
            "DB Name            = <B>%s</B><BR>"
            "</PRE></font>"
            , Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
Reg.szDbName );
    strcat( szBuffer, szTmp);

    sprintf( szTmp, "Please enter your Warehouse and District for this
session:<BR>"
            "<font face=\"Courier New\" color=\"blue\"><PRE>"
);
    strcat( szBuffer, szTmp);
    strcat( szBuffer, "Warehouse ID = <INPUT NAME=\"w_id\" SIZE=4><BR>"
            "District ID = <INPUT NAME=\"d_id\""
SIZE=2><BR>"
            "</PRE></font><HR>"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\""
VALUE=\"Submit\">"
            "</FORM></BODY></HTML>");
}

/* FUNCTION: SubmitCmd
*
* PURPOSE:      This function allocated a new terminal id in the Term
structure array.
*
*/

void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer)

```

```

{
    int          iNewTerm;
    char *ptr = pECB->lpszQueryString;

    char szVersion[32]  = { 0 };
    char szServer[32]   = { 0 };
    char szUser[32]     = "sa";
    char szPassword[32] = { 0 };
    char szDatabase[32] = "tpcc";

    // validate version field; the version field ensures that the RTE is
    // synchronized with the web client
    GetKeyValue(&ptr, "VERSION", szVersion, sizeof(szVersion),
ERR_VERSION_MISMATCH);
    if ( strcmp( szVersion, WEBCLIENT_VERSION ) )
        throw new CWEBCLNT_ERR( ERR_VERSION_MISMATCH );

    if (Reg.eTxnMon == None)
    {
        // parse Server name
        GetKeyValue(&ptr, "db_server", szServer, sizeof(szServer),
ERR_NO_SERVER_SPECIFIED);
        // parse User name
        GetKeyValue(&ptr, "db_user", szUser, sizeof(szUser), NO_ERR);
        // parse Password
        GetKeyValue(&ptr, "db_passwd", szPassword, sizeof(szPassword),
NO_ERR);
        // parse Database name
        GetKeyValue(&ptr, "db_name", szDatabase, sizeof(szDatabase),
NO_ERR);
    }

    // parse warehouse ID
    int w_id = GetIntKeyValue(&ptr, "w_id", ERR_HTML_ILL_FORMED,
ERR_W_ID_INVALID);
    if ( w_id < 1 )
        throw new CWEBCLNT_ERR( ERR_W_ID_INVALID );

    // parse district ID
    int d_id = GetIntKeyValue(&ptr, "d_id", ERR_HTML_ILL_FORMED,
ERR_D_ID_INVALID);
    if ( d_id < 1 || d_id > 10 )
        throw new CWEBCLNT_ERR( ERR_D_ID_INVALID );

    iNewTerm = TermAdd();

    Term.pClientData[iNewTerm].w_id = w_id;
    Term.pClientData[iNewTerm].d_id = d_id;

    try
    {
        if (Reg.eTxnMon == TUXEDO)
            Term.pClientData[iNewTerm].pTxn = pCTPCC_TUXEDO_new();

```

```

        else if (Reg.eTxnMon == ENCINA)
            Term.pClientData[iNewTerm].pTxn = pCTPCC_ENCINA_new();
        else if (Reg.eTxnMon == COM)
            Term.pClientData[iNewTerm].pTxn = pCTPCC_COM_new(
Reg.bCOM_SinglePool );
        else if (Reg.eDB_Protocol == ODBC)
            Term.pClientData[iNewTerm].pTxn = pCTPCC_ODBC_new( szServer,
szUser, szPassword, szMyComputerName, szDatabase );
        else if (Reg.eDB_Protocol == DBLIB)
            Term.pClientData[iNewTerm].pTxn = pCTPCC_DBLIB_new( szServer,
szUser, szPassword, szMyComputerName, szDatabase );
    }
    catch (...)
    {
        TermDelete(iNewTerm);
        throw; // pass exception upward
    }

    MakeMainMenuForm(iNewTerm, Term.pClientData[iNewTerm].iSyncId,
szBuffer);
}

/* FUNCTION: StatsCmd
 *
 * PURPOSE: This function returns to the browser the total number of
 * active terminal ids.
 * This routine is for development/debugging purposes.
 *
 */

void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer)
{
    int i;
    int iTotals;

    EnterCriticalSection(&TermCriticalSection);

    iTotals = 0;
    for(i=0; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree == -1)
            iTotals++;
    }

    LeaveCriticalSection(&TermCriticalSection);

    wsprintf( szBuffer,
        "<HTML><HEAD><TITLE>TPC-C Web Client Stats</TITLE></HEAD>"
        "<BODY><B><BIG> Total Active Connections: %d"
</BIG></B><BR></BODY></HTML>"
        , iTotals );
}

char *CWEBCLNT_ERR::ErrorText()

```



```

        { ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY, "Stock Level;
missing Threshold key \"TT*\"." },
        { ERR_STOCKLEVEL_THRESHOLD_INVALID, "Stock Level;
Threshold value must be in the range = 1 - 99." },
        { ERR_STOCKLEVEL_THRESHOLD_RANGE, "Stock Level
Threshold out of range, range must be 1 - 99." },
        { ERR_VERSION_MISMATCH, "Invalid
version field. RTE and Web Client are probably out of sync." },
        { ERR_W_ID_INVALID, "Invalid
Warehouse ID." },
        { 0, "" },
    };

char szTmp[256];
int i = 0;
while (TRUE)
{
    if (errorMsgs[i].szMsg[0] == 0)
    {
        strcpy( szTmp, "Unknown error number." );
        break;
    }
    if (m_Error == errorMsgs[i].iError)
    {
        strcpy( szTmp, errorMsgs[i].szMsg );
        break;
    }
    i++;
}

if (m_szTextDetail)
    strcat( szTmp, m_szTextDetail );
if (m_SystemErr)
    wsprintf( szTmp+strlen(szTmp), " Error=%d", m_SystemErr );

m_szErrorText = new char[strlen(szTmp)+1];
strcpy( m_szErrorText, szTmp );
return m_szErrorText;
}

/* FUNCTION: GetKeyValue
 *
 * PURPOSE: This function parses a http formatted string for specific key
values.
 *
 * ARGUMENTS: char *pQueryString http string from client
browser
 * char *pKey key value to look for
 * char *pValue character array
into which to place key's value

```

```

 * int iMax maximum length of
key value array.
 * WEBERROR err error value to
throw
 *
 * RETURNS: nothing.
 *
 * ERROR: if (the pKey value is not found) then
 * if (err == 0)
 * return (empty string)
 * else
 * throw CWEBCLNT_ERR(err)
 *
 * COMMENTS: http keys are formatted either KEY=value& or KEY=value\0.
This DLL formats
 * TPC-C input fields in such a manner that the keys can
be extracted in the
 * above manner.
 */

void GetKeyValue(char **pQueryString, char *pKey, char *pValue, int iMax,
WEBERROR err)
{
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorExit;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorExit;
    ptr++;

    iMax--; // one position is for terminating null
    while( *ptr && *ptr != '&' && iMax)
    {
        *pValue++ = *ptr++;
        iMax--;
    }
    *pValue = 0; // terminating null

    *pQueryString = ptr;
    return;

ErrorExit:
    if (err != NO_ERR)
        throw new CWEBCLNT_ERR( err );
    *pValue = 0; // return empty result string
}

/* FUNCTION: GetIntKeyValue
 *
 * PURPOSE: This function parses a http formatted string for a specific
key value.
 *

```

```

* ARGUMENTS:  char          *pQueryString  http string from client
browser
*            char          *pKey          key value to look for
*            WEBERROR     NoKeyErr       error value to throw if
key not found
*            WEBERROR     NotIntErr      error value to throw if
value not numeric
*
* RETURNS:    integer
*
* ERROR:      if (the pKey value is not found) then
*              if (NoKeyErr != NO_ERR)
*                  throw CWEBCLNT_ERR(err)
*              else
*                  return 0
*              else if (non-numeric char found) then
*                  if (NotIntErr != NO_ERR) then
*                      throw CWEBCLNT_ERR(err)
*                  else
*                      return 0
*
* COMMENTS:   http keys are formatted either KEY=value& or KEY=value\0.
This DLL formats
*            TPC-C input fields in such a manner that the keys can
be extracted in the
*            above manner.
*/

int GetIntKeyValue(char **pQueryString, char *pKey, WEBERROR NoKeyErr,
WEBERROR NotIntErr)
{
    char *ptr0;
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorNoKey;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorNoKey;
    ptr++;

    ptr0 = ptr;          // remember starting point
    // scan string until a terminator (null or &) or a non-digit
    while( *ptr && *ptr != '&' && isdigit(*ptr) )
        ptr++;

    // make sure we stopped scanning for the right reason
    if ((ptr0 == ptr) || (*ptr && *ptr != '&'))
    {
        if (NotIntErr != NO_ERR)
            throw new CWEBCLNT_ERR( NoKeyErr );
        return 0;
    }
}

```

```

*pQueryString = ptr;
return atoi(ptr0);

ErrorNoKey:
    if (NoKeyErr != NO_ERR)
        throw new CWEBCLNT_ERR( NoKeyErr );
    return 0;
}

/* FUNCTION: TermInit
*
* PURPOSE:    This function initializes the client terminal structure; it
is called when the TPCC.DLL
*             is first loaded by the inet service.
*
*/

void TermInit(void)
{
    EnterCriticalSection(&TermCriticalSection);

    Term.iMasterSyncId = 1;
    Term.iNumEntries = Reg.dwMaxConnections+1;

    Term.pClientData = NULL;
    Term.pClientData = (PCLIENTDATA)malloc(Term.iNumEntries *
sizeof(CLIENTDATA));
    if (Term.pClientData == NULL)
    {
        LeaveCriticalSection(&TermCriticalSection);
        throw new CWEBCLNT_ERR( ERR_MEM_ALLOC_FAILED );
    }

    ZeroMemory( Term.pClientData, Term.iNumEntries * sizeof(CLIENTDATA) );

    Term.iFreeList = Term.iNumEntries-1;
    // build free list
    // note: Term.pClientData[0].iNextFree gets set to -1, which marks it
as "in use".
    // This is intentional, as the zero entry is used as an anchor
and never
    // allocated as an actual terminal.
    for(int i=0; i<Term.iNumEntries; i++)
        Term.pClientData[i].iNextFree = i-1;

    LeaveCriticalSection(&TermCriticalSection);
}

/* FUNCTION: TermDeleteAll
*
* PURPOSE:    This function frees allocated resources associated with the
terminal structure.
*
* ARGUMENTS:  none

```

```

*
* RETURNS:          None
*
* COMMENTS:        This function is called only when the inet service unloads
the TPCC.DLL
*
*/

void TermDeleteAll(void)
{
    EnterCriticalSection(&TermCriticalSection);

    for(int i=1; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree == -1)
            delete Term.pClientData[i].pTxn;
    }

    Term.iFreeList      = 0;
    Term.iNumEntries    = 0;
    if ( Term.pClientData )
        free(Term.pClientData);
    Term.pClientData    = NULL;

    LeaveCriticalSection(&TermCriticalSection);
}

/* FUNCTION: TermAdd
*
* PURPOSE:          This function assigns a terminal id which is used to identify
a client browser.
*
* RETURNS:          int          assigned terminal id
*
*/

int TermAdd(void)
{
    DWORD i;
    int     iNewTerm, iTickCount;

    if (Term.iNumEntries == 0)
        return -1;

    EnterCriticalSection(&TermCriticalSection);
    if (Term.iFreeList != 0)
    {
        // position is available
        iNewTerm = Term.iFreeList;
        Term.iFreeList = Term.pClientData[iNewTerm].iNextFree;
        Term.pClientData[iNewTerm].iNextFree = -1; // indicates this
position is in use
    }
    else

```

```

    {
        // no open slots, so find the slot that hasn't been used in the
longest time and reuse it
        for(iNewTerm=1, i=1, iTickCount=0x7FFFFFFF;
i<Reg.dwMaxConnections; i++)
        {
            if (iTickCount > Term.pClientData[i].iTickCount)
            {
                iTickCount = Term.pClientData[i].iTickCount;
                iNewTerm = i;
            }
        }
        // if oldest term is less than one minute old, it probably means
that more connections
// are being attempted than were specified as "Max Connections" at
install. In this case,
// do not bump existing connection; instead, return error to
requestor.
        if ((GetTickCount() - iTickCount) < 60000)
        {
            LeaveCriticalSection(&TermCriticalSection);
            throw new CWEBCLNT_ERR( ERR_MAX_CONNECTIONS_EXCEEDED );
        }

        Term.pClientData[iNewTerm].iTickCount = GetTickCount();
        Term.pClientData[iNewTerm].iSyncId = Term.iMasterSyncId++;
        Term.pClientData[iNewTerm].pTxn = NULL;

        LeaveCriticalSection(&TermCriticalSection);
        return iNewTerm;
    }
}

/* FUNCTION: TermDelete
*
* PURPOSE:          This function makes a terminal entry in the Term array
available for reuse.
*
* ARGUMENTS:        int          id          Terminal id of
client exiting
*
*/

void TermDelete(int id)
{
    if ( id > 0 && id < Term.iNumEntries )
    {
        delete Term.pClientData[id].pTxn;

        // put onto free list
        EnterCriticalSection(&TermCriticalSection);

        Term.pClientData[id].iNextFree = Term.iFreeList;
        Term.iFreeList = id;
    }
}

```

```

        LeaveCriticalSection(&TermCriticalSection);
    }
}

/* FUNCTION: MakeErrorForm
*/

void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int iType, int iErrorNum, int
iTermId, int iSyncId, char *szErrorText, char *szBuffer )
{
    wsprintf(szBuffer,
        "<HTML><HEAD><TITLE>TPC-C Error</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\" VALUE=\"%d\">"
        "<BOLD>An Error Occurred</BOLD><BR><BR>"
        "%s"
        "<BR><BR><HR>"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..NewOrder..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Payment..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Delivery..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Order-Status..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Exit..\">"
        "</FORM></BODY></HTML>"
        , iType, iErrorNum, MAIN_MENU_FORM, iTermId, iSyncId, szErrorText
    );
}

/* FUNCTION: MakeMainMenuForm
*/

void MakeMainMenuForm(int iTermId, int iSyncId, char *szForm)
{
    wsprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Main Menu</TITLE></HEAD><BODY>"
        "Select Desired Transaction.<BR><HR>"
        "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..NewOrder..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Payment..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Delivery..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Order-Status..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Exit..\">"
        "</FORM></BODY></HTML>"
    );
}

```

```

        , MAIN_MENU_FORM, iTermId, iSyncId);
}

/* FUNCTION: MakeStockLevelForm
*
* PURPOSE:      This function constructs the Stock Level HTML page.
*
* COMMENTS:    The internal client buffer is created when the terminal id is
assigned and should not
*              be freed except when the client terminal id is no
longer needed.
*/

void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA *pStockLevelData, BOOL
bInput, char *szForm)
{
    int c;

    c = wsprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Stock Level</TITLE></HEAD><FORM
ACTION=\"tpcc.dll\" METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\" VALUE=\"%d\">"
        "<PRE><font face=\"Courier\">"
        "Stock-Level<BR>"
        "Warehouse: %4.4d District: %2.2d<BR> <BR>,"
        "STOCK_LEVEL_FORM, iTermId, Term.pClientData[iTermId].iSyncId,
        Term.pClientData[iTermId].w_id, Term.pClientData[iTermId].d_id);

    if ( bInput )
    {
        strcpy(szForm+c,
            "Stock Level Threshold: <INPUT NAME=\"TT*\" SIZE=2><BR> <BR>"
            "low stock:      </font><BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>"
            <BR> <BR>"
            " <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR></PRE><HR>"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Process\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Menu\">"
            "</FORM></HTML>" );
    }
    else
    {
        wsprintf(szForm+c,
            "Stock Level Threshold: %2.2d<BR> <BR>"
            "low stock: %3.3d</font> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>"
            <BR> <BR>"
            " <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR></PRE><HR>"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..NewOrder..\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Payment..\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Delivery..\">"
            "</FORM></HTML>" );
    }
}

```



```

        c += sprintf(szForm+c, "%2.2d-%2.2d-%4.4d
%2.2d:%2.2d:%2.2d",
        pNewOrderData->o_entry_d.day,
        pNewOrderData->o_entry_d.month,
        pNewOrderData->o_entry_d.year,
        pNewOrderData->o_entry_d.hour,
        pNewOrderData->o_entry_d.minute,
        pNewOrderData->o_entry_d.second);
    }

    c += sprintf(szForm+c, "<BR>Customer: %4.4d  Name: %-16s
Credit: %-2s  ",
        pNewOrderData->c_id, pNewOrderData->c_last, pNewOrderData-
>c_credit);

    if ( bValid )
    {
        c += sprintf(szForm+c,
            "%Disc: %5.2f          <BR>"
            "Order Number: %8.8d  Number of Lines: %2.2d
W_tax: %5.2f  D_tax: %5.2f <BR> <BR>"
            " Supp_W  Item_Id  Item Name
Qty  Stock  B/G  Price  Amount<BR>",
            100.0*pNewOrderData->c_discount,
            pNewOrderData->o_id,
            pNewOrderData->o_ol_cnt,
            100.0 * pNewOrderData->w_tax,
            100.0 * pNewOrderData->d_tax);

        for(i=0; i<pNewOrderData->o_ol_cnt; i++)
        {
            c += sprintf(szForm+c, " %4.4d %6.6d %-24s %2.2d
%3.3d %1.1s %6.2f %7.2f <BR>",
                pNewOrderData->OL[i].ol_supply_w_id,
                pNewOrderData->OL[i].ol_i_id,
                pNewOrderData->OL[i].ol_i_name,
                pNewOrderData->OL[i].ol_quantity,
                pNewOrderData->OL[i].ol_stock,
                pNewOrderData->OL[i].ol_brand_generic,
                pNewOrderData->OL[i].ol_i_price,
                pNewOrderData->OL[i].ol_amount );
        }
    }
    else
    {
        c += sprintf(szForm+c,
            "%Disc:<BR>"
            "Order Number: %8.8d  Number of Lines:
W_tax:  D_tax:<BR> <BR>"
            " Supp_W  Item_Id  Item Name          Qty  Stock
B/G  Price  Amount<BR>"
            , pNewOrderData->o_id);

        i = 0;
    }

```

```

    }

    strncpy( szForm+c, szBR, (15-i)*5 );
    c += (15-i)*5;

    if ( bValid )
        c += sprintf(szForm+c, "Execution Status: Transaction
committed.          Total: $%8.2f  ",
            pNewOrderData->total_amount);
    else
        c += sprintf(szForm+c, "Execution Status: Item number is not
valid.          Total:");

    strcpy(szForm+c,
        " <BR></font></PRE><HR>"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..NewOrder..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Payment..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Delivery..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Order-
Status..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Stock-
Level..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Exit..\">"
        "</FORM></HTML>"
    );
}

/* FUNCTION: MakePaymentForm
*
* COMMENTS:  The internal client buffer is created when the terminal id is
assigned and should not
*            be freed except when the client terminal id is no
longer needed.
*/

void MakePaymentForm(int iTermId, PAYMENT_DATA *pPaymentData, BOOL bInput,
char *szForm)
{
    int c;

    c = sprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Payment</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\" VALUE=\"%d\">"
        "<PRE><font face=\"Courier\">"
        Payment<BR>"
        "Date: "
        , PAYMENT_FORM, iTermId, Term.pClientData[iTermId].iSyncId);
}

```

```

if ( !bInput )
{
    c += sprintf(szForm+c, "%2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
        pPaymentData->h_date.day,
        pPaymentData->h_date.month,
        pPaymentData->h_date.year,
        pPaymentData->h_date.hour,
        pPaymentData->h_date.minute,
        pPaymentData->h_date.second);
}

if ( bInput )
{
    c += sprintf(szForm+c,
        "<BR> <BR>Warehouse: %4.4d"
        " District: <INPUT NAME=\"DID*\"
SIZE=1><BR> <BR> <BR> <BR> <BR>"
        "Customer: <INPUT NAME=\"CID*\" SIZE=4>"
        "Cust-Warehouse: <INPUT NAME=\"CWI*\" SIZE=4> "
        "Cust-District: <INPUT NAME=\"CDI*\" SIZE=1><BR>"
        "Name: <INPUT NAME=\"CLT*\" SIZE=16>"
Since:<BR>"
        "
Credit:<BR>"
        "
Disc:<BR>"
        " Phone:<BR>"
<BR>"
        "Amount Paid: $<INPUT NAME=\"HAM*\" SIZE=7> New
Cust-Balance:<BR>"
        "Credit Limit:<BR> <BR>Cust-Data: <BR> <BR> <BR> <BR>"
<BR></font></PRE><HR>"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Process\"><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
        "</BODY></FORM></HTML>"
        , Term.pClientData[iTermId].w_id);
}
else
{
    c += sprintf(szForm+c,
        "<BR> <BR>Warehouse: %4.4d District:
%2.2d<BR>"
        "%-20s %-20s<BR>"
        "%-20s %-20s<BR>"
        "%-20s %-2s %5.5s-%4.4s %-20s %-2s %5.5s-%4.4s<BR>"
<BR>"
        "Customer: %4.4d Cust-Warehouse: %4.4d Cust-District:
%2.2d<BR>"
        "Name: %-16s %-2s %-16s Since: %2.2d-%2.2d-%4.4d<BR>"
        " %-20s Credit: %-2s<BR>"
        , Term.pClientData[iTermId].w_id, pPaymentData->d_id
        , pPaymentData->w_street_1, pPaymentData->d_street_1
        , pPaymentData->w_street_2, pPaymentData->d_street_2

```

```

        , pPaymentData->w_city, pPaymentData->w_state, pPaymentData->
w_zip, pPaymentData->w_zip+5
        , pPaymentData->d_city, pPaymentData->d_state, pPaymentData->
d_zip, pPaymentData->d_zip+5
        , pPaymentData->c_id, pPaymentData->c_w_id, pPaymentData->
c_d_id
        , pPaymentData->c_first, pPaymentData->c_middle,
pPaymentData->c_last
        , pPaymentData->c_since.day, pPaymentData->c_since.month,
pPaymentData->c_since.year
        , pPaymentData->c_street_1, pPaymentData->c_credit
        );

    c += sprintf(szForm+c,
        "%-20s %%Disc: %5.2f<BR>",
        pPaymentData->c_street_2, 100.0*pPaymentData->c_discount);

    c += sprintf(szForm+c,
        "%-20s %-2s %5.5s-%4.4s Phone: %6.6s-%3.3s-
%3.3s-%4.4s<BR>"
        , pPaymentData->c_city, pPaymentData->c_state, pPaymentData->
c_zip, pPaymentData->c_zip+5,
        pPaymentData->c_phone, pPaymentData->c_phone+6, pPaymentData->
c_phone+9, pPaymentData->c_phone+12 );

    c += sprintf(szForm+c,
        "Amount Paid: $%7.2f New Cust-Balance:
%$14.2f<BR>"
        "Credit Limit: $%13.2f<BR> <BR>"
        , pPaymentData->h_amount, pPaymentData->c_balance
        , pPaymentData->c_credit_lim
        );

    if ( pPaymentData->c_credit[0] == 'B' && pPaymentData->c_credit[1]
== 'C' )
    c += sprintf(szForm+c,
        "Cust-Data: %-50.50s<BR> %-50.50s<BR>
%-50.50s<BR> %-50.50s<BR>",
        pPaymentData->c_data, pPaymentData->c_data+50,
pPaymentData->c_data+100, pPaymentData->c_data+150 );
    else
        strcpy(szForm+c, "Cust-Data: <BR> <BR> <BR> <BR>");

    strcat(szForm, " <BR></font></PRE><HR>"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Payment..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Delivery..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Order-Status..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Stock-Level..\">"

```

```

                "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Exit..\">"
        }
}

/* FUNCTION: MakeOrderStatusForm
 *
 * COMMENTS: The internal client buffer is created when the terminal id is
assigned and should not
 *           be freed except when the client terminal id is no
longer needed.
 */

void MakeOrderStatusForm(int iTermId, ORDER_STATUS_DATA *pOrderStatusData,
BOOL bInput, char *szForm)
{
    int i, c;
    static char szBR[] = " <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR>";

    c = sprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Order-Status</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\" VALUE=\"%d\">"
        "<PRE><font face=\"Courier\">"
Order-Status<BR>"
        "Warehouse: %4.4d ",
        ORDER_STATUS_FORM, iTermId, Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id);

    if ( bInput )
    {
        strcpy(szForm+c,
            "District: <INPUT NAME=\"DID*\" SIZE=1><BR>"
            "Customer: <INPUT NAME=\"CID*\" SIZE=4> Name:
<INPUT NAME=\"CLT*\" SIZE=23><BR>"
            "Cust-Balance:<BR> <BR>"
            "Order-Number:          Entry-Date:
Carrier-Number:<BR>"
            "Supply-W      Item-Id      Qty      Amount      Delivery-
Date<BR> <BR> <BR> <BR> <BR>"
            " <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR></font></PRE>"
            "<HR><INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"Process\"><INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
            "</BODY></FORM></HTML>" );
    }
    else

```

```

    {
        c += sprintf(szForm+c,
            "District: %2.2d<BR>"
            "Customer: %4.4d Name: %-16s %-2s %-16s<BR>",
            pOrderStatusData->d_id, pOrderStatusData->c_id,
            pOrderStatusData->c_first, pOrderStatusData->c_middle,
            pOrderStatusData->c_last);

        c += sprintf(szForm+c, "Cust-Balance: $%9.2f<BR> <BR>",
            pOrderStatusData->c_balance);

        c += sprintf(szForm+c,
            "Order-Number: %8.8d Entry-Date: %2.2d-%2.2d-%4.4d
%2.2d:%2.2d:%2.2d Carrier-Number: %2.2d<BR>"
            "Supply-W      Item-Id      Qty      Amount      Delivery-
Date<BR>",
            pOrderStatusData->o_id,
            pOrderStatusData->o_entry_d.day,
            pOrderStatusData->o_entry_d.month,
            pOrderStatusData->o_entry_d.year,
            pOrderStatusData->o_entry_d.hour,
            pOrderStatusData->o_entry_d.minute,
            pOrderStatusData->o_entry_d.second,
            pOrderStatusData->o_carrier_id);

        for(i=0; i< pOrderStatusData->o_ol_cnt; i++)
        {
            c += sprintf(szForm+c, " %4.4d %6.6d %2.2d
%8.2f %2.2d-%2.2d-%4.4d<BR>",
                pOrderStatusData->OL[i].ol_supply_w_id,
                pOrderStatusData->OL[i].ol_i_id,
                pOrderStatusData->OL[i].ol_quantity,
                pOrderStatusData->OL[i].ol_amount,
                pOrderStatusData->OL[i].ol_delivery_d.day,
                pOrderStatusData->OL[i].ol_delivery_d.month,
                pOrderStatusData->OL[i].ol_delivery_d.year);
        }

        strncpy( szForm+c, szBR, (15-i)*5 );
        c += (15-i)*5;

        strcpy(szForm+c,
            "</font></PRE><HR><INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Payment..\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Delivery..\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Order-
Status..\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Stock-
Level..\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Exit..\">"
            "</BODY></FORM></HTML>" );
    }
}

```



```

/* FUNCTION: MakeDeliveryForm
 *
 * COMMENTS:   The internal client buffer is created when the terminal id is
assigned and should not
 *             be freed except when the client terminal id is no
longer needed.
 */

void MakeDeliveryForm(int iTermId, DELIVERY_DATA *pDeliveryData, BOOL
bInput, char *szForm)
{
    int    c;

    c = wsprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Delivery</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\" VALUE=\"%d\">"
        "<PRE><font face=\"Courier\">"
Delivery<BR>"
        "Warehouse: %4.4d<BR> <BR>",
        (!bInput && (pDeliveryData->exec_status_code != eOK)) ?
ERR_TYPE_DELIVERY_POST : 0,
        DELIVERY_FORM, iTermId, Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id);

    if ( bInput )
    {
        strcpy( szForm+c,
            "Carrier Number: <INPUT NAME=\"OCD*\" SIZE=1><BR> <BR>"
            "Execution Status: <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>"
            " <BR> <BR> <BR> <BR> <BR> <BR> <BR> </font></PRE><HR>"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Process\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
            "</BODY></FORM></HTML>" );
    }
    else
    {
        wsprintf( szForm+c,
            "Carrier Number: %2.2d<BR> <BR>"
            "Execution Status: %s <BR> <BR> <BR> <BR> <BR> <BR> <BR>"
<BR>"
            " <BR> <BR> <BR> <BR> <BR> <BR> <BR> </font></PRE>"
            "<HR><INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Payment..\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Delivery..\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Order-
Status..\">"

```

```

Level..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Exit..\">"
        "</BODY></FORM></HTML>"

        , pDeliveryData->o_carrier_id,
        (pDeliveryData->exec_status_code == eOK) ? "Delivery has been
queued." : "Delivery Post Failed "
    );
    }
}

/* FUNCTION: ProcessNewOrderForm
 *
 * PURPOSE:   This function gets and validates the input data from the new
order form
 *            filling in the required input variables. it then calls the
SQLNewOrder
 *            transaction, constructs the output form and writes it back to
client
 *            browser.
 */

void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer)
{
    PNEW_ORDER_DATA    pNewOrder;

    pNewOrder = Term.pClientData[iTermId].pTxn->BuffAddr_NewOrder();

    ZeroMemory(pNewOrder, sizeof(NEW_ORDER_DATA));
    pNewOrder->w_id = Term.pClientData[iTermId].w_id;
    GetNewOrderData(pECB->lpszQueryString, pNewOrder);

    Term.pClientData[iTermId].pTxn->NewOrder();

    pNewOrder = Term.pClientData[iTermId].pTxn->BuffAddr_NewOrder();
    MakeNewOrderForm(iTermId, pNewOrder, OUTPUT_FORM, szBuffer );
}

/* FUNCTION: void ProcessPaymentForm
 *
 * PURPOSE:   This function gets and validates the input data from the
payment form
 *            filling in the required input variables. It then calls the
SQLPayment
 *            transaction, constructs the output form and writes it back to
client
 *            browser.
 * ARGUMENTS: EXTENSION_CONTROL_BLOCK *pECBpassed in structure pointer
from inetsrv.
 *            int iTermId client
browser terminal id

```

```

*
*/
void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer)
{
    PPAYMENT_DATA    pPayment;

    pPayment = Term.pClientData[iTermId].pTxn->BuffAddr_Payment();
    ZeroMemory(pPayment, sizeof(PAYMENT_DATA));
    pPayment->w_id = Term.pClientData[iTermId].w_id;
    GetPaymentData(pECB->lpszQueryString, pPayment);

    Term.pClientData[iTermId].pTxn->Payment();

    pPayment = Term.pClientData[iTermId].pTxn->BuffAddr_Payment();
    MakePaymentForm(iTermId, pPayment, OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessOrderStatusForm
*
* PURPOSE:      This function gets and validates the input data from the
Order Status
*              form filling in the required input variables. It then calls
the
*              SQLOrderStatus transaction, constructs the output form and
writes it
*              back to client browser.
*
* ARGUMENTS:   EXTENSION_CONTROL_BLOCK    *pECBpassed in structure pointer
from inetsrv.
*              int                        iTermId    client
browser terminal id
*
*/
void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer)
{
    PORDER_STATUS_DATA    pOrderStatus;

    pOrderStatus = Term.pClientData[iTermId].pTxn->BuffAddr_OrderStatus();
    ZeroMemory(pOrderStatus, sizeof(ORDER_STATUS_DATA));
    pOrderStatus->w_id = Term.pClientData[iTermId].w_id;
    GetOrderStatusData(pECB->lpszQueryString, pOrderStatus);

    Term.pClientData[iTermId].pTxn->OrderStatus();

    pOrderStatus = Term.pClientData[iTermId].pTxn->BuffAddr_OrderStatus();
    MakeOrderStatusForm(iTermId, pOrderStatus, OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessDeliveryForm
*

```

```

* PURPOSE:      This function gets and validates the input data from the
delivery form
*              filling in the required input variables. It then calls the
PostDeliveryInfo
*              Api, The client is then informed that the transaction has
been posted.
*
* ARGUMENTS:   EXTENSION_CONTROL_BLOCK    *pECBpassed in structure pointer
from inetsrv.
*              int                        iTermId    client
browser terminal id
*
*/
void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer)
{
    char *ptr = pECB->lpszQueryString;

    PDELIVERY_DATA    pDelivery;

    pDelivery = Term.pClientData[iTermId].pTxn->BuffAddr_Delivery();
    ZeroMemory(pDelivery, sizeof(DELIVERY_DATA));
    pDelivery->w_id = Term.pClientData[iTermId].w_id;

    pDelivery->o_carrier_id = GetIntKeyValue(&ptr, "OCD*",
ERR_DELIVERY_MISSING_OCD_KEY, ERR_DELIVERY_CARRIER_INVALID);
    if ( pDelivery->o_carrier_id > 10 || pDelivery->o_carrier_id < 1 )
        throw new CWEBCLNT_ERR( ERR_DELIVERY_CARRIER_ID_RANGE );

    if (dwNumDeliveryThreads)
    {
        //post delivery info
        if ( PostDeliveryInfo(pDelivery->w_id, pDelivery->o_carrier_id) )
            pDelivery->exec_status_code = eDeliveryFailed;
        else
            pDelivery->exec_status_code = eOK;
    }
    else // delivery is done synchronously if no delivery threads
configured
        Term.pClientData[iTermId].pTxn->Delivery();

    pDelivery = Term.pClientData[iTermId].pTxn->BuffAddr_Delivery();
    MakeDeliveryForm(iTermId, pDelivery, OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessStockLevelForm
*
* PURPOSE:      This function gets and validates the input data from the
Stock Level
*              form filling in the required input variables. It then calls
the
*              SQLStockLevel transaction, constructs the output form and
writes it

```

```

*           back to client browser.
*
* ARGUMENTS:  EXTENSION_CONTROL_BLOCK  *pECBpassed in structure pointer
from inetsrv.
*           int           iTermId      client
browser terminal id
*/
void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer)
{
    char      *ptr = pECB->lpszQueryString;

    PSTOCK_LEVEL_DATA    pStockLevel;

    pStockLevel = Term.pClientData[iTermId].pTxn->BuffAddr_StockLevel();
    ZeroMemory( pStockLevel, sizeof(STOCK_LEVEL_DATA) );

    pStockLevel->w_id = Term.pClientData[iTermId].w_id;
    pStockLevel->d_id = Term.pClientData[iTermId].d_id;

    pStockLevel->threshold = GetIntKeyValue(&ptr, "TT*",
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY, ERR_STOCKLEVEL_THRESHOLD_INVALID);
    if ( pStockLevel->threshold >= 100 || pStockLevel->threshold < 0 )
        throw new CWEBCLNT_ERR( ERR_STOCKLEVEL_THRESHOLD_RANGE );

    Term.pClientData[iTermId].pTxn->StockLevel();

    pStockLevel = Term.pClientData[iTermId].pTxn->BuffAddr_StockLevel();
    MakeStockLevelForm(iTermId, pStockLevel, OUTPUT_FORM, szBuffer);
}

/* FUNCTION: GetNewOrderData
*
* PURPOSE:    This function extracts and validates the new order form data
from an http command string.
*
* ARGUMENTS:  LPSTR           lpszQueryString      client browser http
command string
*           NEW_ORDER_DATA  *pNewOrderData        pointer to new
order data structure
*/
void GetNewOrderData(LPSTR lpszQueryString, NEW_ORDER_DATA *pNewOrderData)
{
    char szTmp[26];
    int i;
    short items;
    int ol_i_id, ol_quantity;
    char *ptr = lpszQueryString;

    static char szSP[MAX_OL_NEW_ORDER_ITEMS][6] =

```

```

    { "SP00*", "SP01*", "SP02*", "SP03*", "SP04*",
      "SP05*", "SP06*", "SP07*", "SP08*", "SP09*",
      "SP10*", "SP11*", "SP12*", "SP13*", "SP14*" };
    static char szIID[MAX_OL_NEW_ORDER_ITEMS][7] =
    { "IID00*", "IID01*", "IID02*", "IID03*", "IID04*",
      "IID05*", "IID06*", "IID07*", "IID08*", "IID09*",
      "IID10*", "IID11*", "IID12*", "IID13*", "IID14*" };
    static char szQty[MAX_OL_NEW_ORDER_ITEMS][7] =
    { "Qty00*", "Qty01*", "Qty02*", "Qty03*", "Qty04*",
      "Qty05*", "Qty06*", "Qty07*", "Qty08*", "Qty09*",
      "Qty10*", "Qty11*", "Qty12*", "Qty13*", "Qty14*" };

    pNewOrderData->d_id = GetIntKeyValue(&ptr, "DID*",
ERR_NEWORDER_FORM_MISSING_DID, ERR_NEWORDER_DISTRICT_INVALID);
    pNewOrderData->c_id = GetIntKeyValue(&ptr, "CID*",
ERR_NEWORDER_CUSTOMER_KEY, ERR_NEWORDER_CUSTOMER_INVALID);

    for(i=0, items=0; i<MAX_OL_NEW_ORDER_ITEMS; i++)
    {
        GetKeyValue(&ptr, szSP[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_SUPPW_KEY);
        if ( szTmp[0] )
        {
            if ( !IsNumeric(szTmp) )
                throw new CWEBCLNT_ERR( ERR_NEWORDER_SUPPW_INVALID );
            pNewOrderData->OL[items].ol_supply_w_id = (short)atoi(szTmp);

            ol_i_id = pNewOrderData->OL[items].ol_i_id =
                GetIntKeyValue(&ptr, szIID[i],
ERR_NEWORDER_MISSING_IID_KEY, ERR_NEWORDER_ITEMID_INVALID);
            if ( ol_i_id > 999999 || ol_i_id < 1 )
                throw new CWEBCLNT_ERR( ERR_NEWORDER_ITEMID_RANGE );

            ol_quantity = pNewOrderData->OL[items].ol_quantity =
                GetIntKeyValue(&ptr, szQty[i],
ERR_NEWORDER_MISSING_QTY_KEY, ERR_NEWORDER_QTY_INVALID);
            if ( ol_quantity > 99 || ol_quantity < 1 )
                throw new CWEBCLNT_ERR( ERR_NEWORDER_QTY_RANGE );

            items++;
        }
        else
        { // nothing entered for supply warehouse, so item id and qty
must also be blank
            GetKeyValue(&ptr, szIID[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_IID_KEY);
            if ( szTmp[0] )
                throw new CWEBCLNT_ERR(
ERR_NEWORDER_ITEMID_WITHOUT_SUPPW );

            GetKeyValue(&ptr, szQty[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_QTY_KEY);
            if ( szTmp[0] )

```

```

        throw new CWEBCLNT_ERR( ERR_NEWORDER_QTY_WITHOUT_SUPPW
);
    }
}
if ( items == 0 )
    throw new CWEBCLNT_ERR( ERR_NEWORDER_NOITEMS_ENTERED );

pNewOrderData->o_ol_cnt = items;
}

/* FUNCTION: GetPaymentData
 *
 * PURPOSE:      This function extracts and validates the payment form data
from an http command string.
 *
 * ARGUMENTS:   LPSTR          lpszQueryString      client browser http
command string
 *              PAYMENT_DATA  *pPaymentData        pointer to payment
data structure
 */

void GetPaymentData(LPSTR lpszQueryString, PAYMENT_DATA *pPaymentData)
{
    char szTmp[26];
    char *ptr = lpszQueryString;
    BOOL bCustIdBlank;

    pPaymentData->d_id = GetIntKeyValue(&ptr, "DID*",
ERR_PAYMENT_MISSING_DID_KEY, ERR_PAYMENT_DISTRICT_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        bCustIdBlank = TRUE;
        pPaymentData->c_id = 0;
    }
    else
    {
        // parse customer id and verify that last name was NOT entered
        bCustIdBlank = FALSE;
        if ( !IsNumeric(szTmp) )
            throw new CWEBCLNT_ERR( ERR_PAYMENT_CUSTOMER_INVALID );
        pPaymentData->c_id = atoi(szTmp);
    }

    pPaymentData->c_w_id = GetIntKeyValue(&ptr, "CWI*",
ERR_PAYMENT_MISSING_CWI_KEY, ERR_PAYMENT_CWI_INVALID);
    pPaymentData->c_d_id = GetIntKeyValue(&ptr, "CDI*",
ERR_PAYMENT_MISSING_CDI_KEY, ERR_PAYMENT_CDI_INVALID);

    if ( bCustIdBlank )
    {
        // customer id is blank, so last name must be entered
        GetKeyValue(&ptr, "CLT*", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_CLT_KEY);

```

```

        if ( szTmp[0] == 0 )
            throw new CWEBCLNT_ERR( ERR_PAYMENT_MISSING_CID_CLT );

        _strupr( szTmp );
        if ( strlen(pPaymentData->c_last) > LAST_NAME_LEN )
            throw new CWEBCLNT_ERR( ERR_PAYMENT_LAST_NAME_TO_LONG );
        strcpy(pPaymentData->c_last, szTmp);
    }
    else
    {
        // parse customer id and verify that last name was NOT entered
        GetKeyValue(&ptr, "CLT*", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_CLT_KEY);
        if ( szTmp[0] != 0 )
            throw new CWEBCLNT_ERR( ERR_PAYMENT_CID_AND_CLT );
    }

    GetKeyValue(&ptr, "HAM*", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_HAM_KEY);
    if (!IsDecimal(szTmp))
        throw new CWEBCLNT_ERR( ERR_PAYMENT_HAM_INVALID );
    pPaymentData->h_amount = atof(szTmp);
    if ( pPaymentData->h_amount >= 10000.00 || pPaymentData->h_amount < 0 )
        throw new CWEBCLNT_ERR( ERR_PAYMENT_HAM_RANGE );
}

/* FUNCTION: GetOrderStatusData
 *
 * PURPOSE:      This function extracts and validates the payment form data
from an http command string.
 *
 */
void GetOrderStatusData(LPSTR lpszQueryString, ORDER_STATUS_DATA
*pOrderStatusData)
{
    char szTmp[26];
    char *ptr = lpszQueryString;

    pOrderStatusData->d_id = GetIntKeyValue(&ptr, "DID*",
ERR_ORDERSTATUS_MISSING_DID_KEY, ERR_ORDERSTATUS_DID_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp, sizeof(szTmp),
ERR_ORDERSTATUS_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        // customer id is blank, so last name must be entered
        pOrderStatusData->c_id = 0;
        GetKeyValue(&ptr, "CLT*", szTmp, sizeof(szTmp),
ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] == 0 )
            throw new CWEBCLNT_ERR( ERR_ORDERSTATUS_MISSING_CID_CLT );

        _strupr( szTmp );
        if ( strlen(pOrderStatusData->c_last) > LAST_NAME_LEN )
            throw new CWEBCLNT_ERR( ERR_ORDERSTATUS_CLT_RANGE );
        strcpy(pOrderStatusData->c_last, szTmp);

```

```

    }
    else
    {
        // parse customer id and verify that last name was NOT entered
        if ( !IsNumeric(szTmp) )
            throw new CWEBCLNT_ERR( ERR_ORDERSTATUS_CID_INVALID );
        pOrderStatusData->c_id = atoi(szTmp);
        GetKeyValue(&ptr, "CLT*", szTmp, sizeof(szTmp),
ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] != 0 )
            throw new CWEBCLNT_ERR( ERR_ORDERSTATUS_CID_AND_CLT );
    }
}

/* FUNCTION: BOOL IsNumeric(char *ptr)
 *
 * PURPOSE:      This function determines if a string is numeric. It fails if
any characters other
 *              than numeric and null terminator are present.
 *
 * ARGUMENTS:   char          *ptr pointer to string to check.
 *
 * RETURNS:     BOOL FALSE if string is not all numeric
 *              TRUE  if string contains only numeric
characters i.e. '0' - '9'
 */

BOOL IsNumeric(char *ptr)
{
    if ( *ptr == 0 )
        return FALSE;

    while( *ptr && isdigit(*ptr) )
        ptr++;
    return ( !*ptr );
}

/* FUNCTION: BOOL IsDecimal(char *ptr)
 *
 * PURPOSE:      This function determines if a string is a non-negative
decimal value.
 *              It fails if any characters other than a series of numbers
followed by
 *              a decimal point, another series of numbers, and a null
terminator are present.
 *
 * ARGUMENTS:   char          *ptr pointer to string to check.
 *
 * RETURNS:     BOOL FALSE if string is not a valid non-negative decimal
value
 *              TRUE  if string is OK
 */

BOOL IsDecimal(char *ptr)

```

```

{
    char *dotptr;
    BOOL  bValid;

    if ( *ptr == 0 )
        return FALSE;

    // find decimal point
    dotptr = strchr( ptr, '.' );
    if (dotptr == NULL)
        // no decimal point, so just check for numeric
        return IsNumeric(ptr);
    *dotptr = 0; // temporarily replace decimal with a terminator

    if ( *ptr != 0 )
        bValid = IsNumeric(ptr);
    // string starts with decimal point
    else if (*(dotptr+1) == 0)
        return FALSE; // nothing but a decimal point is bad
    else
        bValid = TRUE;

    if (*(dotptr+1) != 0)
        // check text after decimal point
        bValid &= IsNumeric(dotptr+1);

    *dotptr = '.'; // replace decimal point
    return bValid;
}

//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by tpcc.rc
//
#define IDD_DIALOG1                101

// Next default values for new objects
//
#ifdef APSTUDIO_INVOKED
#ifndef APSTUDIO_READONLY_SYMBOLS
#define _APS_NEXT_RESOURCE_VALUE    102
#define _APS_NEXT_COMMAND_VALUE    40001
#define _APS_NEXT_CONTROL_VALUE    1000
#define _APS_NEXT_SYMED_VALUE      101
#endif
#endif

/* FILE:      READREGISTRY.CPP
 *            Microsoft TPC-C Kit Ver. 4.20.000
 *            Copyright Microsoft, 1999
 *            All Rights Reserved
 *
 *            not yet audited
 */

```

```

*   PURPOSE:  Implementation for TPC-C Tuxedo class.
*   Contact:  Charles Levine (clevine@microsoft.com)
*
*   Change history:
*       4.20.000 - first version
*/

/* FUNCTION: ReadTPCCRegistrySettings
*
*   PURPOSE:  This function reads the NT registry for startup parameters.
There parameters are
*             under the TPCC key.
*
*   RETURNS FALSE = no errors
*             TRUE  = error reading registry
*/
BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg )
{
    HKEY hKey;
    DWORD size;
    DWORD type;
    DWORD dwTmp;
    char szTmp[256];

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE, "SOFTWARE\\Microsoft\\TPCC", 0,
KEY_READ, &hKey) != ERROR_SUCCESS )
        return TRUE;

    // determine database protocol to use; may be either ODBC or DBLIB
    pReg->eDB_Protocol = Unspecified;
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "DB_Protocol", 0, &type, (BYTE *)&szTmp,
&size) == ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp, szDBNames[ODBC]) )
            pReg->eDB_Protocol = ODBC;
        else if ( !strcmp(szTmp, szDBNames[DBLIB]) )
            pReg->eDB_Protocol = DBLIB;
    }

    pReg->eTxnMon = None;
    // determine txn monitor to use; may be either TUXEDO, or blank
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "TxnMonitor", 0, &type, (BYTE *)&szTmp,
&size) == ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp, szTxnMonNames[TUXEDO]) )
            pReg->eTxnMon = TUXEDO;
        else if ( !strcmp(szTmp, szTxnMonNames[ENCINA]) )
            pReg->eTxnMon = ENCINA;
        else if ( !strcmp(szTmp, szTxnMonNames[COM]) )
            pReg->eTxnMon = COM;
    }
}

```

```

    pReg->bCOM_SinglePool = FALSE;
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "COM_SinglePool", 0, &type, (BYTE *)&szTmp,
&size) == ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp, "YES") )
            pReg->bCOM_SinglePool = TRUE;
    }

    pReg->dwMaxConnections = 0;
    size = sizeof(dwTmp);
    if ( ( RegQueryValueEx(hKey, "MaxConnections", 0, &type,
(LPBYTE)&dwTmp, &size) == ERROR_SUCCESS )
        && (type == REG_DWORD) )
        pReg->dwMaxConnections = dwTmp;

    pReg->dwMaxPendingDeliveries = 0;
    size = sizeof(dwTmp);
    if ( ( RegQueryValueEx(hKey, "MaxPendingDeliveries", 0, &type,
(LPBYTE)&dwTmp, &size) == ERROR_SUCCESS )
        && (type == REG_DWORD) )
        pReg->dwMaxPendingDeliveries = dwTmp;

    pReg->dwNumberOfDeliveryThreads = 0;
    size = sizeof(dwTmp);
    if ( ( RegQueryValueEx(hKey, "NumberOfDeliveryThreads", 0, &type,
(LPBYTE)&dwTmp, &size) == ERROR_SUCCESS )
        && (type == REG_DWORD) )
        pReg->dwNumberOfDeliveryThreads = dwTmp;

    size = sizeof( pReg->szPath );
    if ( RegQueryValueEx(hKey, "Path", 0, &type, (BYTE *)&pReg->szPath,
&size) != ERROR_SUCCESS )
        pReg->szPath[0] = 0;

    size = sizeof( pReg->szDbServer );
    if ( RegQueryValueEx(hKey, "DbServer", 0, &type, (BYTE *)&pReg-
>szDbServer, &size) != ERROR_SUCCESS )
        pReg->szDbServer[0] = 0;

    size = sizeof( pReg->szDbName );
    if ( RegQueryValueEx(hKey, "DbName", 0, &type, (BYTE *)&pReg->szDbName,
&size) != ERROR_SUCCESS )
        pReg->szDbName[0] = 0;

    size = sizeof( pReg->szDbUser );
    if ( RegQueryValueEx(hKey, "DbUser", 0, &type, (BYTE *)&pReg->szDbUser,
&size) != ERROR_SUCCESS )
        pReg->szDbUser[0] = 0;

    size = sizeof( pReg->szDbPassword );
    if ( RegQueryValueEx(hKey, "DbPassword", 0, &type, (BYTE *)&pReg-
>szDbPassword, &size) != ERROR_SUCCESS )

```

```

        pReg->szDbPassword[0] = 0;

RegCloseKey(hKey);

return FALSE;
}

/* FILE:      ReadRegistry.h
 *           Microsoft TPC-C Kit Ver. 4.20.000
 *           Copyright Microsoft, 1999
 *           All Rights Reserved
 *
 *           not audited
 *
 * PURPOSE:   Header for registry related code.
 *
 * Change history:
 * 4.20.000 - first version
 */

enum DBPROTOCOL { Unspecified, ODBC, DBLIB };
const char *szDBNames[] = { "Unspecified", "ODBC", "DBLIB" };

enum TXNMON { None, TUXEDO, ENCINA, COM };
const char *szTxnMonNames[] = { "NONE", "TUXEDO", "ENCINA", "COM" };

//This structure defines the data necessary to keep distinct for each
terminal or client connection.
typedef struct _TPCCREGISTRYDATA
{
    enum DBPROTOCOL eDB_Protocol;
    enum TXNMON eTxnMon;
    BOOL bCOM_SinglePool;
    DWORD dwMaxConnections;
    DWORD dwMaxPendingDeliveries;
    DWORD dwNumberOfDeliveryThreads;
    char szPath[128];
    char szDbServer[32];
    char szDbName[32];
    char szDbUser[32];
    char szDbPassword[32];
} TPCCREGISTRYDATA, *PTPCCREGISTRYDATA;

BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg );

/* FILE:      ERROR.H
 *           Microsoft TPC-C Kit Ver. 4.20.000
 *           Copyright Microsoft, 1999
 *           All Rights Reserved
 *
 *           Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE:   Header file for error exception classes.

```

```

 *
 * Change history:
 * 4.20.000 - updated rev number to match kit
 * 4.21.000 - fixed bug: ~CBaseErr needed to be declared virtual
 */

#pragma once

#ifndef _INC_STRING
#include <string.h>
#endif

const int m_szMsg_size = 512;
const int m_szApp_size = 64;
const int m_szLoc_size = 64;

//error message structure used in ErrorText routines
typedef struct _SERRORMSG
{
    int iError; //error id of message
    char szMsg[256]; //message to sent to browser
} SERRORMSG;

#define ERR_FATAL_LEVEL 1
#define ERR_WARNING_LEVEL 2
#define ERR_INFORMATION_LEVEL 3

#define ERR_TYPE_LOGIC -1 //logic
error in program; internal error
#define ERR_SUCCESS 0
//success (a non-error error)
#define ERR_BAD_ITEM_ID 1
//expected abort record in txnRecord
#define ERR_TYPE_DELIVERY_POST 2 //expected
delivery post failed
#define ERR_TYPE_WEBDLL 3 //tpcc
web generated error
#define ERR_TYPE_SQL 4 //sql
server generated error
#define ERR_TYPE_DBLIB 5 //dblib
generated error
#define ERR_TYPE_ODBC 6 //odbc
generated error
#define ERR_TYPE_SOCKET 7 //error
on communication socket client rte only
#define ERR_TYPE_DEADLOCK 8 //dblib and
odbc only deadlock condition
#define ERR_TYPE_COM 9 //error from
COM call
#define ERR_TYPE_TUXEDO 10 //tuxedo
error
#define ERR_TYPE_OS 11
//operating system error

```

```

#define ERR_TYPE_MEMORY                12          //memory
allocation error
#define ERR_TYPE_TPCC_ODBC              13          //error from
tpcc odbc txn module
#define ERR_TYPE_TPCC_DBLIB             14          //error
from tpcc dblib txn module
#define ERR_TYPE_DELISRV                15          //delivery
server error
#define ERR_TYPE_TXNLOG                 16          //txn
log error
#define ERR_TYPE_BCCONN                 17          //Benchcraft connection class
//Benchcraft connection class
#define ERR_TYPE_TPCC_CONN              18          //Benchcraft
connection class
#define ERR_TYPE_ENCINA                 19          //Encina
error
#define ERR_TYPE_COMPONENT              20          //error from
COM component
#define ERR_TYPE_RTE                    21          //Benchcraft
rte
#define ERR_TYPE_AUTOMATION             22          //Benchcraft automation errors
//Benchcraft automation errors

class CBaseErr
{
public:
    char *m_szApp;
    char *m_szMsg;
    char *m_szLoc; // code location where the error occurred
    int     m_idMsg;

    CBaseErr(void)
    {
        m_idMsg      = 0;
        m_szMsg      = new char[m_szMsg_size];
        m_szApp      = new char[m_szApp_size];
        m_szLoc      = NULL;

        m_szMsg[0] = 0;
        m_szApp[0] = 0;

        GetModuleFileName(GetModuleHandle(NULL), m_szApp, m_szApp_size);
    }

    virtual ~CBaseErr(void)
    {
        if (m_szMsg)
            delete [] m_szMsg;
        if (m_szApp)
            delete [] m_szApp;
        if (m_szLoc)
            delete [] m_szLoc;
    };
};

```

```

CBaseErr(int idMsg)
{
    m_idMsg      = idMsg;
    m_szApp      = new char[m_szApp_size];
    m_szMsg      = new char[m_szMsg_size];
    m_szLoc      = NULL;

    GetModuleFileName(GetModuleHandle(NULL), m_szApp, m_szApp_size);
    LoadString(GetModuleHandle(NULL), idMsg, m_szMsg, m_szMsg_size);
}

CBaseErr(LPCTSTR szMsg)
{
    m_idMsg      = 0;
    m_szApp      = new char[m_szApp_size];
    m_szMsg      = new char[m_szMsg_size];
    m_szLoc      = NULL;

    GetModuleFileName(GetModuleHandle(NULL), m_szApp, m_szApp_size);
    strcpy(m_szMsg, szMsg);
}

void SetError(char *szMsg, LPCTSTR szLocation)
{
    if (szMsg != NULL)
        strcpy(m_szMsg, szMsg);
    else
        m_szMsg[0] = 0;

    if (szLocation != NULL)
    {
        delete [] m_szLoc;
        m_szLoc = new char[strlen(szLocation)+1];
        strcpy(m_szLoc, szLocation);
    }
    else
    {
        delete [] m_szLoc;
        m_szLoc = NULL;
    }
}

virtual void Draw(HWND hwnd, LPCTSTR szStr = NULL)
{
    int     j;
    char szTmp[512];

    if (szStr)
        j = wsprintf(szTmp, "%s\n", szStr);
    if (m_szLoc)
        j += wsprintf(szTmp+j, "Location=%s\n", m_szLoc);
    if (m_szMsg)
        j += wsprintf(szTmp+j, "%s\n", m_szMsg);
};

```



```

        ::MessageBox(hwnd, szTmp, m_szApp, MB_OK);
    }

    char *GetApp(void) { return m_szApp; }
    char *GetMsg(void) { return m_szMsg; }
    char *GetLocation(void) { return m_szLoc; }

    virtual int ErrorType() = 0;    // a value which distinguishes the kind
of error that occurred
    virtual int ErrorNum() = 0;    // an error value specific to the
error type
    virtual char *ErrorText() = 0; // a string (i.e., human readable)
representation of the error
};

class CSocketErr : public CBaseErr
{
public:
    enum Action
    {
        eNone,
        eSend,
        eSocket,
        eConnect
    };

    CSocketErr(Action eAction, LPCTSTR szLocation);
    CSocketErr(int iError) { m_errId = iError; };
    int m_errId;
    Action m_eAction;

    int ErrorType() { return ERR_TYPE_SOCKET; };
    int ErrorNum() { return m_errId; };
    char *ErrorText(void);
};

class CSystemErr : public CBaseErr
{
public:
    enum Action
    {
        eNone,
        eTransactNamedPipe,
        eWaitNamedPipe,
        eSetNamedPipeHandleState,
        eCreateFile,
        eCreateProcess,
        eCallNamedPipe,
        eCreateEvent,
        eCreateThread,
        eVirtualAlloc,
        eReadFile,

```

```

        eWriteFile,
        eMapViewOfFile,
        eCreateFileMapping,
        eInitializeSecurityDescriptor,
        eSetSecurityDescriptorDacl,
        eCreateNamedPipe,
        eConnectNamedPipe,
        eWaitForSingleObject,
        eRegOpenKeyEx,
        eRegQueryValueEx,
    };

    CSystemErr(Action eAction, LPCTSTR szLocation);

    void Draw(HWND hwnd, LPCTSTR szStr = NULL);

    int m_errId;
    Action m_eAction;

    int ErrorType() { return ERR_TYPE_OS; };
    int ErrorNum() { return m_errId; };
    char *ErrorText() { return m_szMsg; };
};

class CMemoryErr : public CBaseErr
{
public:
    CMemoryErr(void);

    int ErrorType() { return ERR_TYPE_MEMORY; };
    int ErrorNum() { return 0; };
    char *ErrorText() { return "Insufficient Memory to continue."; };
};

/* FILE: TRANS.H
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 * All Rights Reserved
 *
 * Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE: Header file for TPC-C structure templates.
 *
 * Change history:
 * 4.20.000 - updated rev number to match kit
 */
#pragma once

// String length constants
#define SERVER_NAME_LEN 20
#define DATABASE_NAME_LEN 20
#define USER_NAME_LEN 20
#define PASSWORD_LEN 20

```

```

#define TABLE_NAME_LEN      20
#define I_DATA_LEN           50
#define I_NAME_LEN           24
#define BRAND_LEN            1
#define LAST_NAME_LEN        16
#define W_NAME_LEN           10
#define ADDRESS_LEN          20
#define STATE_LEN            2
#define ZIP_LEN              9
#define S_DIST_LEN           24
#define S_DATA_LEN           50
#define D_NAME_LEN           10
#define FIRST_NAME_LEN       16
#define MIDDLE_NAME_LEN     2
#define PHONE_LEN            16
#define DATETIME_LEN         30
#define CREDIT_LEN           2
#define C_DATA_LEN           250
#define H_DATA_LEN           24
#define DIST_INFO_LEN        24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN           25
#define OL_DIST_INFO_LEN     24

```

```

// TIMESTAMP_STRUCT is provided by the ODBC header file sqltypes.h, but is
not available
// when compiling with dblink, so redefined here. Note: we are using the
symbol "__SQLTYPES"
// (declared in sqltypes.h) as a way to determine if TIMESTAMP_STRUCT has
been declared.

```

```

#ifndef __SQLTYPES
typedef struct
{
    short          /* SQLSMALLINT */    year;
    unsigned short /* SQLUSMALLINT */   month;
    unsigned short /* SQLUSMALLINT */   day;
    unsigned short /* SQLSMALLINT */   hour;
    unsigned short /* SQLUSMALLINT */   minute;
    unsigned short /* SQLUSMALLINT */   second;
    unsigned long  /* SQLINTEGER */     fraction;
} TIMESTAMP_STRUCT;
#endif

```

```

// possible values for exec_status_code after transaction completes
enum EXEC_STATUS
{
    eOK, // 0 "Transaction committed."
    eInvalidItem, // 1 "Item number is not valid."
    eDeliveryFailed // 2 "Delivery Post Failed."
};

```

```

// transaction structures
typedef struct

```

```

{
    // input params
    short          ol_supply_w_id;
    long           ol_i_id;
    short          ol_quantity;

    // output params
    char           ol_i_name[I_NAME_LEN+1];
    char           ol_brand_generic[BRAND_LEN+1];
    double         ol_i_price;
    double         ol_amount;
    short          ol_stock;
} OL_NEW_ORDER_DATA;

typedef struct
{
    // input params
    short          w_id;
    short          d_id;
    long           c_id;
    short          o_ol_cnt;

    // output params
    EXEC_STATUS    exec_status_code;
    char           c_last[LAST_NAME_LEN+1];
    char           c_credit[CREDIT_LEN+1];
    double         c_discount;
    double         w_tax;
    double         d_tax;
    long           o_id;
    short          o_commit_flag;
    TIMESTAMP_STRUCT o_entry_d;
    short          o_all_local;
    double         total_amount;
    OL_NEW_ORDER_DATA OL[MAX_OL_NEW_ORDER_ITEMS];
} NEW_ORDER_DATA, *PNEW_ORDER_DATA;

typedef struct
{
    // input params
    short          w_id;
    short          d_id;
    long           c_id;
    short          c_d_id;
    short          c_w_id;
    double         h_amount;
    char           c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS    exec_status_code;
    TIMESTAMP_STRUCT h_date;
    char           w_street_1[ADDRESS_LEN+1];
    char           w_street_2[ADDRESS_LEN+1];
    char           w_city[ADDRESS_LEN+1];
    char           w_state[STATE_LEN+1];
}

```

```

char          w_zip[ZIP_LEN+1];
char          d_street_1[ADDRESS_LEN+1];
char          d_street_2[ADDRESS_LEN+1];
char          d_city[ADDRESS_LEN+1];
char          d_state[STATE_LEN+1];
char          d_zip[ZIP_LEN+1];
char          c_first[FIRST_NAME_LEN+1];
char          c_middle[MIDDLE_NAME_LEN + 1];
char          c_street_1[ADDRESS_LEN+1];
char          c_street_2[ADDRESS_LEN+1];
char          c_city[ADDRESS_LEN+1];
char          c_state[STATE_LEN+1];
char          c_zip[ZIP_LEN+1];
char          c_phone[PHONE_LEN+1];
TIMESTAMP_STRUCT  c_since;
char          c_credit[CREDIT_LEN+1];
double        c_credit_lim;
double        c_discount;
double        c_balance;
char          c_data[200+1];
} PAYMENT_DATA, *PPAYMENT_DATA;

typedef struct
{
    long        ol_i_id;
    short       ol_supply_w_id;
    short       ol_quantity;
    double      ol_amount;
    TIMESTAMP_STRUCT  ol_delivery_d;
} OL_ORDER_STATUS_DATA;

typedef struct
{
    // input params
    short       w_id;
    short       d_id;
    long        c_id;
    char        c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS  exec_status_code;
    char         c_first[FIRST_NAME_LEN+1];
    char         c_middle[MIDDLE_NAME_LEN+1];
    double       c_balance;
    long         o_id;
    TIMESTAMP_STRUCT  o_entry_d;
    short        o_carrier_id;
    OL_ORDER_STATUS_DATA  OL[MAX_OL_ORDER_STATUS_ITEMS];
    short        o_ol_cnt;
} ORDER_STATUS_DATA, *PORDER_STATUS_DATA;

typedef struct
{
    // input params
    short       w_id;

```

```

short         o_carrier_id;

    // output params
    EXEC_STATUS  exec_status_code;
    SYSTEMTIME   queue_time;
    long         o_id[10];      // id's of delivered orders for
                                districts 1 to 10
} DELIVERY_DATA, *PDELIVERY_DATA;

//This structure is used for posting delivery transactions and for writing
them to the delivery server.
typedef struct _DELIVERY_TRANSACTION
{
    SYSTEMTIME queue;           //time delivery transaction queued
    short       w_id;          //delivery warehouse
    short       o_carrier_id;  //carrier id
} DELIVERY_TRANSACTION;

typedef struct
{
    // input params
    short       w_id;
    short       d_id;
    short       threshold;

    // output params
    EXEC_STATUS  exec_status_code;
    long         low_stock;
} STOCK_LEVEL_DATA, *PSTOCK_LEVEL_DATA;

/* FILE:      TXN_BASE.H
 *           Microsoft TPC-C Kit Ver. 4.20.000
 *           Copyright Microsoft, 1999
 *           All Rights Reserved
 *
 *           Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE:   Header file for TPC-C txn class implementation.
 *
 * Change history:
 *           4.20.000 - updated rev number to match kit
 */

#pragma once

// need to declare functions for import, unless define has already been
created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class DllDecl CTPCC_BASE
{

```

```

public:
    CTPCC_BASE(void) {};
    virtual ~CTPCC_BASE(void) {};

    virtual PNEW_ORDER_DATA      BuffAddr_NewOrder()      = 0;
    virtual PPAYMENT_DATA        BuffAddr_Payment()        = 0;
    virtual PDELIVERY_DATA        BuffAddr_Delivery()      = 0;
    virtual PSTOCK_LEVEL_DATA     BuffAddr_StockLevel()     = 0;
    virtual PORDER_STATUS_DATA    BuffAddr_OrderStatus()   = 0;

    virtual void NewOrder        () = 0;
    virtual void Payment         () = 0;
    virtual void Delivery        () = 0;
    virtual void StockLevel      () = 0;
    virtual void OrderStatus     () = 0;
};

/* FILE:      TPCCLIB.CPP
 *           Microsoft TPC-C Kit Ver. 4.20.000
 *           Copyright Microsoft, 1999
 *           All Rights Reserved
 *
 *           Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE:   Implements dblib calls for TPC-C txns.
 * Contact:   Charles Levine (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - updated rev number to match kit
 * 4.10.001 - not deleting error class in catch handler on deadlock
retry;
 *           not a functional bug, but a memory leak
 *           - had to tweak some declarations to compile with
latest SDK; no functional change
 */

#include <windows.h>
#include <stdio.h>
#include <assert.h>

#define DBNTWIN32
#include <sqlfront.h>
#include <sqlldb.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"

```

```

#include "..\..\common\src\txn_base.h"
#include "tpcc_dblib.h"

#define DEFCLPACKSIZE 4096

// version string; must match return value from tpcc_version stored proc
const char sVersion[] = "4.10.000";

const int iMaxRetries = 10; // how many retries on deadlock
static long iConnectionCount = 0; // number of current dblib connections

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

BOOL WINAPI DllMain(HMODULE hModule, DWORD ul_reason_for_call, LPVOID
lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:
            DisableThreadLibraryCalls(hModule);
            dbinit(); // initialize dblib
            break;

        case DLL_PROCESS_DETACH:
            dbexit(); // close all dblib structures/connections
            break;

        default:
            /* nothing */;
    }
    return TRUE;
}

int err_handler(DBPROCESS *dbproc, int severity, int dberr, int oserr,
LPCSTR dberrstr, LPCSTR oserrstr)
{
    CTPCC_DBLIB *pConn;

    assert(dbproc != NULL);
    pConn = (CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {
        pConn->SetDbLibError( severity, dberr, oserr, dberrstr, oserrstr
);
    }
    return INT_CANCEL;
}

/* FUNCTION: int msg_handler(DBPROCESS *dbproc, DBINT msgno, int msgstate,
int severity, char *msgtext)
 *

```

```

* PURPOSE:      This function handles DB-Library SQL Server error messages
*
* ARGUMENTS:   DBPROCESS      *dbproc      DBPROCESS id pointer
*              DBINT          msgno        message number
*              int            msgstate     message state
*              int            severity     message severity
*              char           *msgtxt      printable message
description
*
* RETURNS:     int            INT_CONTINUE  continue if error
is SQLETIME else INT_CANCEL action
*
*              INT_CANCEL      cancel operation
*
* COMMENTS:    This function also sets the dead lock dbproc variable if
necessary.
*
*/

// typedef INT (SQLAPI *DBMSGHANDLE_PROC)(PDBPROCESS, DBINT, INT, INT,
LPCSTR, LPCSTR, LPCSTR, DBUSMALLINT);

int msg_handler(DBPROCESS *dbproc, DBINT msgno, int msgstate, int severity,
LPCSTR msgtxt, LPCSTR srvname, LPCSTR procname,
DBUSMALLINT line)
{
    CTPCC_DBLIB      *pConn;

    assert(dbproc != NULL);
    pConn = (CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {
        pConn->SetSqlError( msgno, msgstate, severity, msgtxt );
    }

    return 0;
}

/* FUNCTION: void UtilStrCpy(char * pDest, char * pSrc, int n)
*
* PURPOSE:      This function copies n characters from string pSrc to pDst
and places a
*              null character at the end of the destination string.
*
* ARGUMENTS:   char           *pDest      destination string pointer
*              char           *pSrc       source string pointer
*              int            n           number of characters to
copy
*
* RETURNS:     None
*
* COMMENTS:    Unlike strncpy this function ensures that the result string
is
*              always null terminated.

```

```

*
*/
inline static void UtilStrCpy(char * pDest, const BYTE * pSrc, int n)
{
    strncpy(pDest, (char *)pSrc, n);
    pDest[n] = '\0';

    return;
}

/* FUNCTION: CTPCC_DBLIB_ERR::ErrorText
*
*/
char* CTPCC_DBLIB_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,      "Wrong version of stored procs on
database server" },
        { ERR_INVALID_CUST,          "Invalid Customer id,name." },
        { ERR_NO_SUCH_ORDER,         "No orders found for customer." },
        { ERR_RETRIED_TRANS,        "Retries before transaction succeeded." },
        { 0,                          "" }
    };

    static char szNotFound[] = "Unknown error number.";

    for(i=0; errorMsgs[i].szMsg[0]; i++)
    {
        if ( m_errno == errorMsgs[i].iError )
            break;
    }
    if ( !errorMsgs[i].szMsg[0] )
        return szNotFound;
    else
        return errorMsgs[i].szMsg;
}

// wrapper routine for class constructor
_declspec(dllexport) CTPCC_DBLIB* CTPCC_DBLIB_new(
    LPCSTR szServer,      // name of SQL server
    LPCSTR szUser,        // user name for login
    LPCSTR szPassword,    // password for login
    LPCSTR szHost,        // workstation name; shows up in sp_who; max
30 chars, only first 10 kept by SQL Server
    LPCSTR szDatabase )  // name of database to use

```

```

{
    return new CTPCC_DBLIB( szServer, szUser, szPassword, szHost,
szDatabase );
}

CTPCC_DBLIB::CTPCC_DBLIB (
    LPCSTR szServer,          // name of SQL server
    LPCSTR szUser,           // user name for login
    LPCSTR szPassword,       // password for login
    LPCSTR szHost,           // workstation name; shows up in sp_who; max
30 chars, only first 10 kept by SQL Server
    LPCSTR szDatabase )      // name of database to use
{
    LOGINREC *login;
    const BYTE *pData;

    // initialization
    m_dbproc = NULL;
    m_DbLibErr = (CDBLIBERR*)NULL;
    m_SqlErr = (CSQLERR*)NULL;

    m_MaxRetries = 10;        // how many retries on deadlock

    // increase max number of connections if getting close
    if ( dbgetmaxprocs() < (iConnectionCount+5) )
    {
        if ( dbsetmaxprocs(iConnectionCount+10) == FAIL )
            ThrowError(CDBLIBERR::eDbSetMaxProcs);
    }

    // allocate a login structure
    login = dblogin();
    if (login == NULL)
        ThrowError(CDBLIBERR::eLogin);
    InterlockedIncrement( &iConnectionCount );

    // register error and message handler functions
    if (dbprocerrhandle(login, err_handler) == NULL)
        ThrowError(CDBLIBERR::eDbProcHandler);

    if (dbprocmsghandle(login, msg_handler) == NULL)
        ThrowError(CDBLIBERR::eDbProcHandler);

    DBSETLUSER(login, szUser);
    DBSETLPWD(login, szPassword);
    DBSETLHOST(login, szHost);
    DBSETLPACKET(login, (unsigned short)DEFCLPACKSIZE);
    DBSETLVERSION(login, DBVER60);        // use dblink ver 6.0 client
behavior

    // set time to wait for login
    if (dbsetlogintime(60) == FAIL)

```

```

        ThrowError(CDBLIBERR::eDbSet);

    // set time to wait for statement execution
    if (dbsettime(180) == FAIL)
        ThrowError(CDBLIBERR::eDbSet);

    m_dbproc = dbopen(login, szServer);

    // deallocate login structure before checking for success
    dbfreelogin( login );

    if (m_dbproc == NULL)
        ThrowError(CDBLIBERR::eDbOpen);

    // save address of class instance so that the message and error handler
    // can get to data.
    dbsetuserdata(m_dbproc, (LPVOID)this);

    // Use the the right database
    if (dbuse(m_dbproc, szDatabase) == FAIL)
        ThrowError(CDBLIBERR::eDbUse);

    dbcmd(m_dbproc, "set nocount on ");          // do not return row
counts
    dbcmd(m_dbproc, "set XACT_ABORT ON");        // rollback transaction
on abort

    if (dbsqlxexec(m_dbproc) == FAIL)
        ThrowError(CDBLIBERR::eDbSqlExec);

    DiscardNextResults(2);

    // verify that version of stored procs on server is correct
    dbrpcinit(m_dbproc, "tpcc_version", 0);

    if (dbrpcexec(m_dbproc) == FAIL)
        ThrowError(CDBLIBERR::eDbRpcExec);

    if (dbresults(m_dbproc) != SUCCEED)
        ThrowError(CDBLIBERR::eDbResults);

    if (dbnextrow(m_dbproc) != REG_ROW)
        ThrowError(CDBLIBERR::eDbNextRow);

    char szSrvVersion[16];
    pData=dbdata(m_dbproc, 1);
    if (pData)
        UtilStrCpy(szSrvVersion, pData, dbdatlen(m_dbproc, 1));
    else
        szSrvVersion[0]=0;
    if (strcmp(szSrvVersion,sVersion))
        throw new CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_WRONG_SP_VERSION
);

```

```

DiscardNextRows(0);
DiscardNextResults(0);
}

CTPCC_DBLIB::~CTPCC_DBLIB( void )
{
    // close db connection and deallocate resources
    dbclose(m_dbproc);
    InterlockedDecrement( &iConnectionCount );
    if (m_DbLibErr != NULL)
        delete m_DbLibErr;
    if (m_SqlErr != NULL)
        delete m_SqlErr;
}

void CTPCC_DBLIB::SetDbLibError(int severity, int dberr, int oserr, LPCSTR
dberrstr, LPCSTR oserrstr)
{
    delete m_DbLibErr;
    m_DbLibErr = new CDBLIBERR(CDBLIBERR::eUnknown, severity, dberr,
oserr);

    if (dberrstr != NULL)
    {
        m_DbLibErr->m_dberrstr = new char[ strlen(dberrstr)+1 ];
        strcpy( m_DbLibErr->m_dberrstr, dberrstr );
    }

    if (oserrstr != NULL)
    {
        m_DbLibErr->m_oserrstr = new char[ strlen(oserrstr)+1 ];
        strcpy( m_DbLibErr->m_oserrstr, oserrstr );
    }
}

void CTPCC_DBLIB::SetSqlError( int /*DBINT*/ msgno, int msgstate, int
severity, LPCSTR msgtext )
{
    if (m_SqlErr == NULL)
        m_SqlErr = new CSQLERR();

    m_SqlErr->m_msgno = msgno;
    m_SqlErr->m_msgstate = msgstate;
    m_SqlErr->m_severity = severity;

    delete [] m_SqlErr->m_msgtext;
    if (msgtext != NULL)
    {
        m_SqlErr->m_msgtext = new char[ strlen(msgtext)+1 ];
        strcpy( m_SqlErr->m_msgtext, msgtext );
    }
}

```

```

}

void CTPCC_DBLIB::ThrowError( CDBLIBERR::ACTION eAction )
{
    // discard anything still in return buffer
    DiscardNextRows(-1);
    DiscardNextResults(-1);

    // check for SQL Server error first; if yes, throw it and ignore any
DBLib error.
    if (m_SqlErr != NULL)
    {
        CSQLERR *pSqlErr;
        pSqlErr = m_SqlErr;
        m_SqlErr = NULL; // clear our pointer to instance; catch
handler will delete
        throw pSqlErr;
    }

    CDBLIBERR *pDbLibErr;
    if (m_DbLibErr == NULL)
        // this case isn't expected to happen, since it means that an
error was returned
        // but the error handlers were not called.
        pDbLibErr = new CDBLIBERR(eAction);
    else
    {
        pDbLibErr = m_DbLibErr;
        pDbLibErr->m_eAction = eAction;
        m_DbLibErr = NULL; // clear our pointer to instance; catch
handler will delete
    }

    throw pDbLibErr;
}

// Read and discard rows until no more. Throw an exception if number of
rows read doesn't
// match number of rows expected. The row count will be ignored if the
expected count value
// passed in is negative. A typical use of this routine is to verify that
there are no more
// rows to be read.
void CTPCC_DBLIB::DiscardNextRows(int iExpectedCount)
{
    int iRowsRead = 0;
    RETCODE rc;

    while (TRUE)
    {
        rc = dbnextrow(m_dbproc);
        if (rc == NO_MORE_ROWS)
            break;
        if (rc == FAIL)

```

```

    {
        if (iExpectedCount >= 0)
            ThrowError(CDBLIBERR::eDbNextRow);
        else
            break;
    }
    iRowsRead++;
}

if ((iExpectedCount >= 0) &&
    (iExpectedCount != iRowsRead))
    ThrowError(CDBLIBERR::eWrongRowCount);
}

// Read and discard results until no more. Throw an exception if number of
// result sets read doesn't
// match number expected. The result set count will be ignored if the
// expected count value
// passed in is negative. A typical use of this routine is to verify that
// there are no more
// result sets to be read.
void CTPCC_DBLIB::DiscardNextResults(int iExpectedCount)
{
    int          iResultsRead = 0;
    RETCODE      rc;

    while (TRUE)
    {
        rc = dbresults(m_dbproc);
        if (rc == NO_MORE_RESULTS)
            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >= 0)
                ThrowError(CDBLIBERR::eDbResults);
            else
                break;
        }

        DiscardNextRows(-1);
        iResultsRead++;
    }

    if ((iExpectedCount >= 0) &&
        (iExpectedCount != iResultsRead))
        ThrowError(CDBLIBERR::eWrongRowCount);
}

void CTPCC_DBLIB::StockLevel()
{
    int          iTryCount = 0;
    const BYTE *pData;

    ResetError();

```

```

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_stocklevel", 0);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.StockLevel.w_id); // @w_id smallint
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.StockLevel.d_id); // @d_id tinyint
            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.StockLevel.threshold); // @threshold smallint

            if (dbrpcexec(m_dbproc) == FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            if (dbresults(m_dbproc) != SUCCEED)
                ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc) != REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            if (pData=dbdata(m_dbproc, 1))
                m_txn.StockLevel.low_stock = *((long *) pData);

            DiscardNextRows(0);
            DiscardNextResults(0);

            m_txn.StockLevel.exec_status_code = eOK;
            return;
        }
        catch (CSQLERR *e)
        {
            if ((e->m_msgno == 1205 ||
                (e->m_msgno == iErrOleDbProvider &&
                 strstr(e->m_msgtext, sErrTimeoutExpired) != NULL)) &&
                (++iTryCount <= iMaxRetries))
            {
                // hit deadlock; backoff for increasingly longer period
                delete e;
                Sleep(10 * iTryCount);
            }
            else
                throw;
        }
    } // while (TRUE)

    //if (iTryCount)
    // throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

```



```

void CTPCC_DBLIB::NewOrder()
{
    int            i;
    DBINT         commit_flag;
    DBDATETIME    datetime;
    DBDATEREC     daterec;

    int            iTryCount = 0;
    const BYTE *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_neworder", 0);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.NewOrder.w_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.d_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.NewOrder.c_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.o_ol_cnt);

            // check whether any order lines are for a remote warehouse
            m_txn.NewOrder.o_all_local = 1;
            for (i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
            {
                if (m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
                {
                    m_txn.NewOrder.o_all_local = 0; // at least one
remote warehouse
                    break;
                }
            }
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.o_all_local);

            for (i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
            {
                dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.NewOrder.OL[i].ol_i_id);
                dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.NewOrder.OL[i].ol_supply_w_id);
                dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.NewOrder.OL[i].ol_quantity);
            }

            if (dbrpcexec(m_dbproc) == FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);
        }
    }
}

```

```

// Get order line results
m_txn.NewOrder.total_amount = 0;
for (i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
{
    if (dbresults(m_dbproc) != SUCCEED)
        ThrowError(CDBLIBERR::eDbResults);

    if (dbnumcols(m_dbproc) != 5)
        ThrowError(CDBLIBERR::eWrongNumCols);

    if (dbnextrow(m_dbproc) != REG_ROW)
        ThrowError(CDBLIBERR::eDbNextRow);

    if (pData=dbdata(m_dbproc, 1))
        UtilStrCpy(m_txn.NewOrder.OL[i].ol_i_name, pData,
dbdatlen(m_dbproc, 1));
    if (pData=dbdata(m_dbproc, 2))
        m_txn.NewOrder.OL[i].ol_stock = (*(DBSMALLINT *)
pData);
    if (pData=dbdata(m_dbproc, 3))
        UtilStrCpy(m_txn.NewOrder.OL[i].ol_brand_generic,
pData, dbdatlen(m_dbproc, 3));
    if (pData=dbdata(m_dbproc, 4))
        dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc,4),
SQLFLT8, (BYTE *)&m_txn.NewOrder.OL[i].ol_i_price,
8);
    if (pData=dbdata(m_dbproc, 5))
        dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc,5),
SQLFLT8, (BYTE *)&m_txn.NewOrder.OL[i].ol_amount,
8);

    m_txn.NewOrder.total_amount =
m_txn.NewOrder.total_amount + m_txn.NewOrder.OL[i].ol_amount;

    DiscardNextRows(0);
}

// get remaining values for w_tax, d_tax, o_id, c_last,
c_discount, c_credit, o_entry_d, commit_flag
if (dbresults(m_dbproc) != SUCCEED)
    ThrowError(CDBLIBERR::eDbResults);

if (dbnextrow(m_dbproc) != REG_ROW)
    ThrowError(CDBLIBERR::eDbNextRow);

if (dbnumcols(m_dbproc) != 8)
    ThrowError(CDBLIBERR::eWrongNumCols);
}

```

```

        if (pData=dbdata(m_dbproc, 1))

            dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc,1), SQLFLT8, (BYTE *)&m_txn.NewOrder.w_tax, 8);
            if (pData=dbdata(m_dbproc, 2))

                dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc,2), SQLFLT8, (BYTE *)&m_txn.NewOrder.d_tax, 8);
                if (pData=dbdata(m_dbproc, 3))
                    m_txn.NewOrder.o_id = (*(DBINT *) pData);
                if (pData=dbdata(m_dbproc, 4))
                    UtilStrCpy(m_txn.NewOrder.c_last, pData,
dbdatlen(m_dbproc, 4));
                if (pData=dbdata(m_dbproc, 5))
                    dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc,5), SQLFLT8, (BYTE *)&m_txn.NewOrder.c_discount, 8);
                if (pData=dbdata(m_dbproc, 6))
                    UtilStrCpy(m_txn.NewOrder.c_credit, pData,
dbdatlen(m_dbproc, 6));
                if (pData=dbdata(m_dbproc, 7))
                {
                    datetime = *((DBDATETIME *) pData);
                    dbdatecrack(m_dbproc, &daterec, &datetime);
                    m_txn.NewOrder.o_entry_d.year = daterec.year;
                    m_txn.NewOrder.o_entry_d.month = daterec.month;
                    m_txn.NewOrder.o_entry_d.day = daterec.day;
                    m_txn.NewOrder.o_entry_d.hour = daterec.hour;
                    m_txn.NewOrder.o_entry_d.minute = daterec.minute;
                    m_txn.NewOrder.o_entry_d.second = daterec.second;
                }
                if (pData=dbdata(m_dbproc, 8))
                    commit_flag = (*(DBTINYINT *) pData);

                DiscardNextRows(0);
                DiscardNextResults(0);

                if (commit_flag == 1)
                {
                    m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
m_txn.NewOrder.c_discount));
                    m_txn.NewOrder.exec_status_code = eOK;
                }
                else
                    m_txn.NewOrder.exec_status_code = eInvalidItem;

                return;
            }
        catch (CSQLERR *e)
        {
            if ((e->m_msgno == 1205 ||
(e->m_msgno == iErrOleDbProvider &&
strstr(e->m_msgtext, sErrTimeoutExpired) != NULL)) &&

```

```

        (++iTryCount <= iMaxRetries))
        {
            // hit deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
        else
            throw;
    } // while (TRUE)

// if (iTryCount)
// throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Payment()
{
    DBDATETIME datetime;
    DBDATEREC daterec;

    int iTryCount = 0;
    const BYTE *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_payment", 0);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Payment.w_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Payment.c_w_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLFLT8, -1, -1, (BYTE *)
&m_txn.Payment.h_amount);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.d_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.c_d_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.Payment.c_id);

            // if customer id is zero, then payment is by name
            if (m_txn.Payment.c_id == 0)
                dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.Payment.c_last), (unsigned char *)m_txn.Payment.c_last);

            if (dbrpcexec(m_dbproc) == FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);
        }
    }
}

```

```

if (dbresults(m_dbproc) != SUCCEED)
    ThrowError(CDBLIBERR::eDbResults);

if (dbnextrow(m_dbproc) != REG_ROW)
    ThrowError(CDBLIBERR::eDbNextRow);

if (dbnumcols(m_dbproc) != 27)
    ThrowError(CDBLIBERR::eWrongNumCols);

if (pData=dbdata(m_dbproc, 1))
    m_txn.Payment.c_id = *((DBINT *) pData);
if (pData=dbdata(m_dbproc, 2))
    UtilStrCpy(m_txn.Payment.c_last, pData,
dbdatlen(m_dbproc, 2));
if (pData=dbdata(m_dbproc, 3))
{
    datetime = *((DBDATETIME *) pData);
    dbdatecrack(m_dbproc, &daterec, &datetime);
    m_txn.Payment.h_date.year = daterec.year;
    m_txn.Payment.h_date.month = daterec.month;
    m_txn.Payment.h_date.day = daterec.day;
    m_txn.Payment.h_date.hour = daterec.hour;
    m_txn.Payment.h_date.minute = daterec.minute;
    m_txn.Payment.h_date.second = daterec.second;
}
if (pData=dbdata(m_dbproc, 4))
    UtilStrCpy(m_txn.Payment.w_street_1, pData,
dbdatlen(m_dbproc, 4));
if (pData=dbdata(m_dbproc, 5))
    UtilStrCpy(m_txn.Payment.w_street_2, pData,
dbdatlen(m_dbproc, 5));
if (pData=dbdata(m_dbproc, 6))
    UtilStrCpy(m_txn.Payment.w_city, pData,
dbdatlen(m_dbproc, 6));
if (pData=dbdata(m_dbproc, 7))
    UtilStrCpy(m_txn.Payment.w_state, pData,
dbdatlen(m_dbproc, 7));
if (pData=dbdata(m_dbproc, 8))
    UtilStrCpy(m_txn.Payment.w_zip, pData,
dbdatlen(m_dbproc, 8));
if (pData=dbdata(m_dbproc, 9))
    UtilStrCpy(m_txn.Payment.d_street_1, pData,
dbdatlen(m_dbproc, 9));
if (pData=dbdata(m_dbproc, 10))
    UtilStrCpy(m_txn.Payment.d_street_2, pData,
dbdatlen(m_dbproc, 10));
if (pData=dbdata(m_dbproc, 11))
    UtilStrCpy(m_txn.Payment.d_city, pData,
dbdatlen(m_dbproc, 11));
if (pData=dbdata(m_dbproc, 12))
    UtilStrCpy(m_txn.Payment.d_state, pData,
dbdatlen(m_dbproc, 12));
if (pData=dbdata(m_dbproc, 13))

```

```

        UtilStrCpy(m_txn.Payment.d_zip, pData,
dbdatlen(m_dbproc, 13));
if (pData=dbdata(m_dbproc, 14))
    UtilStrCpy(m_txn.Payment.c_first, pData,
dbdatlen(m_dbproc, 14));
if (pData=dbdata(m_dbproc, 15))
    UtilStrCpy(m_txn.Payment.c_middle, pData,
dbdatlen(m_dbproc, 15));
if (pData=dbdata(m_dbproc, 16))
    UtilStrCpy(m_txn.Payment.c_street_1, pData,
dbdatlen(m_dbproc, 16));
if (pData=dbdata(m_dbproc, 17))
    UtilStrCpy(m_txn.Payment.c_street_2, pData,
dbdatlen(m_dbproc, 17));
if (pData=dbdata(m_dbproc, 18))
    UtilStrCpy(m_txn.Payment.c_city, pData,
dbdatlen(m_dbproc, 18));
if (pData=dbdata(m_dbproc, 19))
    UtilStrCpy(m_txn.Payment.c_state, pData,
dbdatlen(m_dbproc, 19));
if (pData=dbdata(m_dbproc, 20))
    UtilStrCpy(m_txn.Payment.c_zip, pData,
dbdatlen(m_dbproc, 20));
if (pData=dbdata(m_dbproc, 21))
    UtilStrCpy(m_txn.Payment.c_phone, pData,
dbdatlen(m_dbproc, 21));
if (pData=dbdata(m_dbproc, 22))
{
    datetime = *((DBDATETIME *) pData);
    dbdatecrack(m_dbproc, &daterec, &datetime);
    m_txn.Payment.c_since.year = daterec.year;
    m_txn.Payment.c_since.month = daterec.month;
    m_txn.Payment.c_since.day = daterec.day;
    m_txn.Payment.c_since.hour = daterec.hour;
    m_txn.Payment.c_since.minute = daterec.minute;
    m_txn.Payment.c_since.second = daterec.second;
}
if (pData=dbdata(m_dbproc, 23))
    UtilStrCpy(m_txn.Payment.c_credit, pData,
dbdatlen(m_dbproc, 23));
if (pData=dbdata(m_dbproc, 24))
    dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc, 24), SQLFLT8, (BYTE *)&m_txn.Payment.c_credit_lim, 8);
if (pData=dbdata(m_dbproc, 25))
    dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc, 25), SQLFLT8, (BYTE *)&m_txn.Payment.c_discount, 8);
if (pData=dbdata(m_dbproc, 26))
    dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc, 26), SQLFLT8, (BYTE *)&m_txn.Payment.c_balance, 8);
if (pData=dbdata(m_dbproc, 27))
    UtilStrCpy(m_txn.Payment.c_data, pData,
dbdatlen(m_dbproc, 27));

DiscardNextRows(0);

```

```

DiscardNextResults(0);

if (m_txn.Payment.c_id == 0)
    throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
else
    m_txn.Payment.exec_status_code = eOK;

return;
}
catch (CSQLErr *e)
{
    if ((e->m_msgno == 1205 ||
        (e->m_msgno == iErrOleDbProvider &&
         strstr(e->m_msgtext, sErrTimeoutExpired) != NULL) &&
         (++iTryCount <= iMaxRetries))
        {
            // hit deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
        else
            throw;
    }
} // while (TRUE)

// if (iTryCount)
//     throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
// iTryCount);
}

void CTPCC_DBLIB::OrderStatus()
{
    int i;
    DBDATETIME datetime;
    DBDATEREC daterec;

    int iTryCount = 0;
    RETCODE rc;
    const BYTE *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_orderstatus", 0);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.OrderStatus.w_id);

```

```

            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.OrderStatus.d_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.OrderStatus.c_id);

            // if customer id is zero, then order status is by name
            if (m_txn.OrderStatus.c_id == 0)
                dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.OrderStatus.c_last), (unsigned char
*)m_txn.OrderStatus.c_last);

            if (dbrpcexec(m_dbproc) == FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            // Get order lines
            if (dbresults(m_dbproc) != SUCCEED)
            {
                if ((m_DbLibErr == NULL) && (m_SqlErr == NULL))
                    throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER );
                else
                    ThrowError(CDBLIBERR::eDbResults);
            }

            if (dbnumcols(m_dbproc) != 5)
                ThrowError(CDBLIBERR::eWrongNumCols);

            i = 0;
            while (TRUE)
            {
                rc = dbnextrow(m_dbproc);
                if (rc == NO_MORE_ROWS)
                    break;
                if (rc != REG_ROW)
                    ThrowError(CDBLIBERR::eDbNextRow);

                if(pData=dbdata(m_dbproc, 1))
                    m_txn.OrderStatus.OL[i].ol_supply_w_id =
                (*(DBSMALLINT *) pData);
                if(pData=dbdata(m_dbproc, 2))
                    m_txn.OrderStatus.OL[i].ol_i_id = (*(DBINT *)
pData);
                if(pData=dbdata(m_dbproc, 3))
                    m_txn.OrderStatus.OL[i].ol_quantity =
                (*(DBSMALLINT *) pData);
                if(pData=dbdata(m_dbproc, 4))
                    dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc,4),
                                SQLFLT8, (BYTE
*)&m_txn.OrderStatus.OL[i].ol_amount, 8);
                if(pData=dbdata(m_dbproc, 5))
                {
                    datetime = *((DBDATETIME *) pData);

```

```

        dbdatecrack(m_dbproc, &daterec, &datetime);
        m_txn.OrderStatus.OL[i].ol_delivery_d.year =
daterec.year;
        m_txn.OrderStatus.OL[i].ol_delivery_d.month =
daterec.month;
        m_txn.OrderStatus.OL[i].ol_delivery_d.day =
daterec.day;
        m_txn.OrderStatus.OL[i].ol_delivery_d.hour =
daterec.hour;
        m_txn.OrderStatus.OL[i].ol_delivery_d.minute =
daterec.minute;
        m_txn.OrderStatus.OL[i].ol_delivery_d.second =
daterec.second;
    }
    i++;
}
m_txn.OrderStatus.o_ol_cnt = i;

if (dbresults(m_dbproc) != SUCCEED)
    ThrowError(CDBLIBERR::eDbResults);

if (dbnextrow(m_dbproc) != REG_ROW)
    ThrowError(CDBLIBERR::eDbNextRow);

if (dbnumcols(m_dbproc) != 8)
    ThrowError(CDBLIBERR::eWrongNumCols);

if(pData=dbdata(m_dbproc, 1))
    m_txn.OrderStatus.c_id = (*(DBINT *) pData);
if(pData=dbdata(m_dbproc, 2))
    UtilStrCpy(m_txn.OrderStatus.c_last, pData,
dbdatlen(m_dbproc,2));
if(pData=dbdata(m_dbproc, 3))
    UtilStrCpy(m_txn.OrderStatus.c_first, pData,
dbdatlen(m_dbproc,3));
if(pData=dbdata(m_dbproc, 4))
    UtilStrCpy(m_txn.OrderStatus.c_middle, pData,
dbdatlen(m_dbproc, 4));
if(pData=dbdata(m_dbproc, 5))
{
    datetime = *((DBDATETIME *) pData);
    dbdatecrack(m_dbproc, &daterec, &datetime);
    m_txn.OrderStatus.o_entry_d.year = daterec.year;
    m_txn.OrderStatus.o_entry_d.month = daterec.month;
    m_txn.OrderStatus.o_entry_d.day = daterec.day;
    m_txn.OrderStatus.o_entry_d.hour = daterec.hour;
    m_txn.OrderStatus.o_entry_d.minute = daterec.minute;
    m_txn.OrderStatus.o_entry_d.second = daterec.second;
}
if(pData=dbdata(m_dbproc, 6))
    m_txn.OrderStatus.o_carrier_id = (*(DBSMALLINT *)
pData);
if(pData=dbdata(m_dbproc, 7))

```

```

        dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc,7),
                SQLFLT8, (BYTE
*)&m_txn.OrderStatus.c_balance, 8);
        if(pData=dbdata(m_dbproc, 8))
            m_txn.OrderStatus.o_id = (*(DBINT *) pData);

        DiscardNextRows(0);
        DiscardNextResults(0);

        if (m_txn.OrderStatus.o_ol_cnt == 0)
            throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER );
        else if (m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
            throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
        else
            m_txn.OrderStatus.exec_status_code = eOK;

        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205 ||
(e->m_msgno == iErrOleDbProvider &&
strstr(e->m_msgtext, sErrTimeoutExpired) != NULL)) &&
(++iTryCount <= iMaxRetries))
        {
            // hit deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
        else
            throw;
    }
} // while (TRUE)

// if (iTryCount)
//     throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Delivery()
{
    int i;
    int iTryCount = 0;
    const BYTE *pData;

    ResetError();

    while (TRUE)

```

```

{
    try
    {
        dbrpcinit(m_dbproc, "tpcc_delivery", 0);

        dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Delivery.w_id);
        dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Delivery.o_carrier_id);

        if (dbrpcexec(m_dbproc) == FAIL)
            ThrowError(CDBLIBERR::eDbRpcExec);

        if (dbresults(m_dbproc) != SUCCEED)
            ThrowError(CDBLIBERR::eDbResults);

        if (dbnextrow(m_dbproc) != REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        if (dbnumcols(m_dbproc) != 10)
            ThrowError(CDBLIBERR::eWrongNumCols);

        for (i=0; i<10; i++)
        {
            if (pData = dbdata(m_dbproc, i+1))
                m_txn.Delivery.o_id[i] = *((DBINT *)pData);
        }

        DiscardNextRows(0);
        DiscardNextResults(0);

        m_txn.Delivery.exec_status_code = eOK;
        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205 ||
            (e->m_msgno == iErrOleDbProvider &&
             strstr(e->m_msgtext, sErrTimeoutExpired) != NULL)) &&
            (++iTryCount <= iMaxRetries))
        {
            // hit deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
        else
            throw;
    }
} // while (TRUE)

// if (iTryCount)
// throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

```

```

void CTPCC_DBLIB::ResetError()
{
    if (m_DbLibErr != NULL)
    {
        delete m_DbLibErr;
        m_DbLibErr = (CDBLIBERR*)NULL;
    }

    if (m_SqlErr != NULL)
    {
        delete m_SqlErr;
        m_SqlErr = (CSQLERR*)NULL;
    }
    return;
}

/* FILE:      TPCC_DBLIB.H
 *           Microsoft TPC-C Kit Ver. 4.20.000
 *           Copyright Microsoft, 1999
 *           All Rights Reserved
 *
 *           Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE:   Header file for TPC-C txn class implementation.
 *
 * Change history:
 *           4.20.000 - updated rev number to match kit
 */
#pragma once

#ifndef PDBPROCESS
#define DBPROCESS void // dbprocess structure type
typedef DBPROCESS * PDBPROCESS;
#endif

// need to declare functions for import, unless define has already been
// created
#ifndef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CSQLERR : public CBaseErr
{
public:
    CSQLERR(void)
    {
        m_msgno = 0;
        m_msgstate = 0;
        m_severity = 0;
        m_msgtext = NULL;
    }
}

```

```

};

~CSQLERR()
{
    delete [] m_msgtext;
};

int      m_msgno;
int      m_msgstate;
int      m_severity;
char     *m_msgtext;

int ErrorType() {return ERR_TYPE_SQL;};
int ErrorNum() {return m_msgno;};
char *ErrorText() {return m_msgtext;};

};

class CDBLIBERR : public CBaseErr
{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eLogin,           // error from dblogin
        eDbOpen,         // error from dbopen
        eDbUse,           // error from dbuse
        eDbSqlExec,      // error from dbsqlexec
        eDbSet,          // error from one of the dbset*
        eDbNextRow,      // error from dbnextrow
        eWrongRowCount,  // more or less rows returned than
        eWrongNumCols,  // more or less columns returned than
        eDbResults,      // error from dbresults
        eDbRpcExec,      // error from dbrpcexec
        eDbSetMaxProcs,  // error from dbsetmaxprocs
        eDbProcHandler   // error from either dbprocerrhandle or
    };
    routines
    expected
    expected
    dbprocmsghandle
};

CDBLIBERR(ACTION eAction, int severity = 0, int dberror = 0, int
oserr = 0)
{
    m_eAction = eAction;
    m_severity = severity;
    m_dberror = dberror;
    m_oserr = oserr;

    m_dberrstr = NULL;
    m_oserrstr = NULL;
};

```

```

~CDBLIBERR()
{
    delete [] m_dberrstr;
    delete [] m_oserrstr;
};

ACTION      m_eAction;
int         m_severity;
int         m_dberror;
int         m_oserr;
char       *m_dberrstr;
char       *m_oserrstr;

int ErrorType() {return ERR_TYPE_DBLIB;};
int ErrorNum() {return m_dberror;};
char *ErrorText() {return m_dberrstr;};

};

class CTPCC_DBLIB_ERR : public CBaseErr
{
public:
    enum CTPCC_DBLIB_ERRS
    {
        ERR_WRONG_SP_VERSION = 1, // "Wrong version of stored procs
on database server"
        ERR_INVALID_CUST,         // "Invalid Customer
id,name."
        ERR_NO_SUCH_ORDER,       // "No orders found for
customer."
        ERR_RETRIED_TRANS,       // "Retries before
transaction succeeded."
    };

    CTPCC_DBLIB_ERR( int iErr ) { m_errno = iErr; m_iTryCount = 0; };

    CTPCC_DBLIB_ERR( int iErr, int iTryCount ) { m_errno = iErr;
m_iTryCount = iTryCount; };

    int      m_errno;
    int      m_iTryCount;

    int ErrorType() {return ERR_TYPE_TPCC_DBLIB;};
    int ErrorNum() {return m_errno;};

    char *ErrorText();
};

class DllDecl CTPCC_DBLIB : public CTPCC_BASE
{
private:
    // declare variables and private functions here...
    PDBPROCESS m_dbproc;
};

```

```

        CDBLIBERR *m_DbLibErr;          // not allocated until needed
(maybe never)
        CSQLERR      *m_SqlErr;        // not allocated until needed
(maybe never)
        int          m_MaxRetries;     // retry count on deadlock

void DiscardNextRows(int iExpectedCount);
void DiscardNextResults(int iExpectedCount);
void ThrowError( CDBLIBERR::ACTION eAction );
void ResetError();

union
{
    NEW_ORDER_DATA      NewOrder;
    PAYMENT_DATA        Payment;
    DELIVERY_DATA       Delivery;
    STOCK_LEVEL_DATA    StockLevel;
    ORDER_STATUS_DATA   OrderStatus;
}
        m_txn;

public:
    CTPCC_DBLIB(LPCSTR szServer, LPCSTR szUser, LPCSTR szPassword,
LPCSTR szHost, LPCSTR szDatabase );
    ~CTPCC_DBLIB(void);

    inline PNEW_ORDER_DATA      BuffAddr_NewOrder()      { return
&m_txn.NewOrder;      };
    inline PPAYMENT_DATA        BuffAddr_Payment()        { return
&m_txn.Payment;      };
    inline PDELIVERY_DATA       BuffAddr_Delivery()       { return
&m_txn.Delivery;     };
    inline PSTOCK_LEVEL_DATA    BuffAddr_StockLevel()     { return
&m_txn.StockLevel;   };
    inline PORDER_STATUS_DATA   BuffAddr_OrderStatus()   { return
&m_txn.OrderStatus; };

    void NewOrder      ();
    void Payment       ();
    void Delivery      ();
    void StockLevel    ();
    void OrderStatus   ();

    // these are public because they must be called from the dblib
err_handler and msg_hangler
    // outside of the class
    void SetDbLibError(int severity, int dberr, int oserr, LPCSTR
dberrstr, LPCSTR oserrstr);
    void SetSqlError( int msgno, int msgstate, int severity, LPCSTR
msgtext );
};

extern "C" DllDecl CTPCC_DBLIB* CTPCC_DBLIB_new

```

```

        ( LPCSTR szServer, LPCSTR szUser, LPCSTR szPassword, LPCSTR szHost,
LPCSTR szDatabase );

typedef CTPCC_DBLIB* (TYPE_CTPCC_DBLIB)(LPCSTR, LPCSTR, LPCSTR, LPCSTR,
LPCSTR);

/*   FILE:      TPCC_COM.CPP
 *           Microsoft TPC-C Kit Ver. 4.20.000
 *           Copyright Microsoft, 1999
 *           All Rights Reserved
 *
 *           not yet audited
 *
 *   PURPOSE:   Source file for TPC-C COM+ class implementation.
 *   Contact:   Charles Levine (clevine@microsoft.com)
 *
 *   Change history:
 *           4.20.000 - first version
 */

// needed for CoInitializeEx
#define _WIN32_WINNT 0x0400

#include <windows.h>

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\trans.h" //tpckit transaction header
contains definations of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_com.h"

#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\tpcc_com_all\src\tpcc_com_all_i.c"

// wrapper routine for class constructor
__declspec( dllexport ) CTPCC_COM* CTPCC_COM_new(BOOL bSinglePool)
{
    return new CTPCC_COM(bSinglePool);
}

CTPCC_COM::CTPCC_COM(BOOL bSinglePool)
{
    HRESULT hr = NULL;
    long lRet = 0;
    ULONG ulTmpSize = 0;

    m_pTxn          = NULL;
    m_pNewOrder     = NULL;
    m_pPayment       = NULL;
    m_pStockLevel   = NULL;
    m_pOrderStatus  = NULL;
}

```



```

m_bSinglePool = bSinglePool;

ulTmpSize = (ULONG) sizeof(COM_DATA);
VariantInit(&m_vTxn);
m_vTxn.vt = VT_SAFEARRAY;

m_vTxn.parray = SafeArrayCreateVector(VT_UI1, ulTmpSize, ulTmpSize);
if (!m_vTxn.parray)
    throw new CCOMERR( E_FAIL );

memset((void*)m_vTxn.parray->pvData,0,ulTmpSize);
m_pTxn = (COM_DATA*)m_vTxn.parray->pvData;

hr = CoInitializeEx(NULL, COINIT_MULTITHREADED);
if (FAILED(hr))
{
    throw new CCOMERR( hr );
}

// create components
if (m_bSinglePool)
{
    hr = CoCreateInstance(CLSID_TPCC, NULL, CLSCTX_SERVER, IID_ITPCC,
(void **)&m_pNewOrder);
    if (FAILED(hr))
        throw new CCOMERR(hr);

    // all txns will use same component
    m_pPayment = m_pNewOrder;
    m_pStockLevel = m_pNewOrder;
    m_pOrderStatus = m_pNewOrder;
}
else
{
    // use different components for each txn

    hr = CoCreateInstance(CLSID_NewOrder, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pNewOrder);
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr = CoCreateInstance(CLSID_Payment, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pPayment);
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr = CoCreateInstance(CLSID_StockLevel, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pStockLevel);
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr = CoCreateInstance(CLSID_OrderStatus, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pOrderStatus);

```

```

        if (FAILED(hr))
            throw new CCOMERR(hr);
    }

    // call setcomplete to release each component back into pool
    hr = m_pNewOrder->CallSetComplete();
    if (FAILED(hr))
        throw new CCOMERR(hr);

    if (!m_bSinglePool)
    {
        hr = m_pPayment->CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pStockLevel->CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pOrderStatus->CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);
    }
}

CTPCC_COM::~CTPCC_COM()
{
    if (m_pTxn)
        SafeArrayDestroy(m_vTxn.parray);

    ReleaseInterface(m_pNewOrder);
    if (!m_bSinglePool)
    {
        ReleaseInterface(m_pPayment);
        ReleaseInterface(m_pStockLevel);
        ReleaseInterface(m_pOrderStatus);
    }
    CoUninitialize();
}

void CTPCC_COM::NewOrder()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pNewOrder->NewOrder(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );

    memcpy(m_pTxn, (void *)vTxn_out.parray->pvData,vTxn_out.parray-
>rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn->ErrorType, m_pTxn->error );
}

```

```

void CTPCC_COM::Payment()
{
    VARIANT    vTxn_out;

    HRESULT hr = m_pPayment->Payment(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray->pvData, vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn->ErrorType, m_pTxn->error );
}

void CTPCC_COM::StockLevel()
{
    VARIANT    vTxn_out;

    HRESULT hr = m_pStockLevel->StockLevel(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray->pvData, vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn->ErrorType, m_pTxn->error );
}

void CTPCC_COM::OrderStatus()
{
    VARIANT    vTxn_out;

    HRESULT hr = m_pOrderStatus->OrderStatus(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray->pvData, vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn->ErrorType, m_pTxn->error );
}

/* FILE:      TPCC_COM.H
 *             Microsoft TPC-C Kit Ver. 4.20.000
 *             Copyright Microsoft, 1999
 *             All Rights Reserved
 *
 *             not yet audited
 *
 * PURPOSE:   Header file for TPC-C COM+ class implementation.

```

```

*
* Change history:
*     4.20.000 - first version
*/

#pragma once

#include <stdio.h>
#include "..\..\tpcc_com_ps\src\tpcc_com_ps.h"

// need to declare functions for import, unless define has already been
// created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CCOMERR : public CBaseErr
{
private:
    char m_szErrorText[64];

public:
    // use this interface for genuine COM errors
    CCOMERR( HRESULT hr )
    {
        m_hr = hr;
        m_iErrorType = 0;
        m_iError = 0;
    }

    // use this interface to impersonate a non-COM error type
    CCOMERR( int iErrorType, int iError )
    {
        m_iErrorType = iErrorType;
        m_iError = iError;
        m_hr = S_OK;
    }

    int    m_hr;
    int    m_iErrorType;
    int    m_iError;

    // A CCOMERR class can impersonate another class, which happens if
    // the error
    // was not actually a COM Services error, but was simply
    // transmitted back via COM.
    int ErrorType()
    {
        if (m_iErrorType == 0)
            return ERR_TYPE_COM;
        else
            return m_iErrorType;
    }
}

```

```

int ErrorNum() {return m_hr;}

char *ErrorText()
{
    if (m_hr == S_OK)
        sprintf( m_szErrorText, "Error: Class %d, error # %d",
m_iErrorType, m_iError );
    else
        sprintf( m_szErrorText, "Error: COM HRESULT %x", m_hr
);
    return m_szErrorText;
}
};

class DllDecl CTPCC_COM : public CTPCC_BASE
{
private:
    BOOL m_bSinglePool;

    // COM Interface pointers
    ITPCC*      m_pNewOrder;
    ITPCC*      m_pPayment;
    ITPCC*      m_pStockLevel;
    ITPCC*      m_pOrderStatus;

    struct COM_DATA
    {
        int ErrorType;
        int error;
        union
        {
            NEW_ORDER_DATA      NewOrder;
            PAYMENT_DATA         Payment;
            DELIVERY_DATA        Delivery;
            STOCK_LEVEL_DATA     StockLevel;
            ORDER_STATUS_DATA    OrderStatus;
        } u;
    } *m_pTxn;

    VARIANT m_vTxn;
public:
    CTPCC_COM(BOOL bSinglePool);
    ~CTPCC_COM(void);

    inline PNEW_ORDER_DATA      BuffAddr_NewOrder()      { return
&m_pTxn->u.NewOrder;      };
    inline PPAYMENT_DATA        BuffAddr_Payment()        { return
&m_pTxn->u.Payment;        };
    inline PDELIVERY_DATA       BuffAddr_Delivery()       { return
&m_pTxn->u.Delivery;       };
    inline PSTOCK_LEVEL_DATA     BuffAddr_StockLevel()     { return
&m_pTxn->u.StockLevel;     };

```

```

    inline PORDER_STATUS_DATA BuffAddr_OrderStatus()      { return
&m_pTxn->u.OrderStatus; };

    void NewOrder      ();
    void Payment       ();
    void StockLevel    ();
    void OrderStatus   ();
    void Delivery      () { throw new CCOMERR(E_NOTIMPL); } // not
supported
};

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

// wrapper routine for class constructor
extern "C" __declspec(dllexport) CTPCC_COM* CTPCC_COM_new(BOOL);

typedef CTPCC_COM* (TYPE_CTPCC_COM)(BOOL);

/* FILE:      METHODS.H
 *           Microsoft TPC-C Kit Ver. 4.20.000
 *           Copyright Microsoft, 1999
 *           All Rights Reserved
 *
 *           not yet audited
 *
 * PURPOSE:   Header file for COM components.
 *
 * Change history:
 * 4.20.000 - first version
 */

enum COMPONENT_ERROR
{
    ERR_MISSING_REGISTRY_ENTRIES = 1,
    ERR_LOADDLL_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_UNKNOWN_DB_PROTOCOL
};

class CCOMPONENT_ERR : public CBaseErr
{
public:
    CCOMPONENT_ERR(COMPONENT_ERROR Err)
    {

```

```

        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
};

CCOMPONENT_ERR(COMPONENT_ERROR Err, char *szTextDetail, DWORD
dwSystemErr)
{
    m_Error = Err;
    m_szTextDetail = new char[strlen(szTextDetail)+1];
    strcpy( m_szTextDetail, szTextDetail );
    m_SystemErr = dwSystemErr;
    m_szErrorText = NULL;
};

~CCOMPONENT_ERR()
{
    if (m_szTextDetail != NULL)
        delete [] m_szTextDetail;
    if (m_szErrorText != NULL)
        delete [] m_szErrorText;
};

COMPONENT_ERROR m_Error;
char            *m_szTextDetail;
char            *m_szErrorText;
DWORD           m_SystemErr;

int ErrorType() {return ERR_TYPE_COMPONENT;};
int ErrorNum() {return m_Error;};
char *ErrorText();
};

static void WriteMessageToEventLog(LPTSTR lpszMsg);

////////////////////////////////////
/
// CTPCC_Common
class CTPCC_Common :
    public ITPCC,
    public IObjectControl,
    public IObjectConstruct,
    public CComObjectRootEx<CComSingleThreadModel>
{
public:
BEGIN_COM_MAP(CTPCC_Common)
    COM_INTERFACE_ENTRY(ITPCC)
    COM_INTERFACE_ENTRY(IObjectControl)
    COM_INTERFACE_ENTRY(IObjectConstruct)
END_COM_MAP()

```

```

CTPCC_Common();
~CTPCC_Common();

// ITPCC
public:
    HRESULT __stdcall NewOrder(          int* iSize, UCHAR** txn);
    HRESULT __stdcall Payment(         int* iSize, UCHAR** txn);
    HRESULT __stdcall Delivery(        int* iSize, UCHAR** txn) {return
E_NOTIMPL;};
    HRESULT __stdcall StockLevel(      int* iSize, UCHAR** txn);
    HRESULT __stdcall OrderStatus(     int* iSize, UCHAR** txn);

    HRESULT __stdcall CallSetComplete();

// IObjectControl
    STDMETHODCALLTYPE CanBePooled() { return m_bCanBePooled; }
    STDMETHODCALLTYPE Activate() { return S_OK; } // we don't support COM
Services transactions (no enlistment)
    STDMETHODCALLTYPE Deactivate() { /* nothing to do */ }

// IObjectConstruct
    STDMETHODCALLTYPE Construct(IDispatch * pUnk);

// helper methods
private:
    BOOL            m_bCanBePooled;
    CTPCC_BASE *m_pTxn;

    struct COM_DATA
    {
        int retval;
        int error;
        union
        {
            NEW_ORDER_DATA          NewOrder;
            PAYMENT_DATA             Payment;
            DELIVERY_DATA            Delivery;
            STOCK_LEVEL_DATA         StockLevel;
            ORDER_STATUS_DATA        OrderStatus;
        } u;
    };
};

////////////////////////////////////
/
// CTPCC
class CTPCC :
    public CTPCC_Common,
    public CComCoClass<CTPCC, &CLSID_TPCC>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_TPCC)

```

```

BEGIN_COM_MAP(CTPCC)
    COM_INTERFACE_ENTRY2(IUnknown, CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

};

////////////////////////////////////
/
// CNewOrder
class CNewOrder :
    public CTPCC_Common,
    public CComCoClass<CNewOrder, &CLSID_NewOrder>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_NEWORDER)

BEGIN_COM_MAP(CNewOrder)
    COM_INTERFACE_ENTRY2(IUnknown, CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
// HRESULT __stdcall NewOrder(          int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
// HRESULT __stdcall Payment(          int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
// HRESULT __stdcall StockLevel(      int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
// HRESULT __stdcall OrderStatus(     int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
};

////////////////////////////////////
/////
// COrderStatus
class COrderStatus :
    public CTPCC_Common,
    public CComCoClass<COrderStatus, &CLSID_OrderStatus>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_ORDERSTATUS)

BEGIN_COM_MAP(COrderStatus)
    COM_INTERFACE_ENTRY2(IUnknown, CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:

```

```

        HRESULT __stdcall NewOrder(          int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
        HRESULT __stdcall Payment(          int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
        HRESULT __stdcall StockLevel(      int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
// HRESULT __stdcall OrderStatus(     int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
};

////////////////////////////////////
/
// CPayment
class CPayment :
    public CTPCC_Common,
    public CComCoClass<CPayment, &CLSID_Payment>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_PAYMENT)

BEGIN_COM_MAP(CPayment)
    COM_INTERFACE_ENTRY2(IUnknown, CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
        HRESULT __stdcall NewOrder(          int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
// HRESULT __stdcall Payment(          int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
        HRESULT __stdcall StockLevel(      int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
        HRESULT __stdcall OrderStatus(     int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
};

////////////////////////////////////
/
// CStockLevel
class CStockLevel :
    public CTPCC_Common,
    public CComCoClass<CStockLevel, &CLSID_StockLevel>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_STOCKLEVEL)

BEGIN_COM_MAP(CStockLevel)
    COM_INTERFACE_ENTRY2(IUnknown, CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

```

```

// ITPCC
public:
    HRESULT __stdcall NewOrder(          int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
    HRESULT __stdcall Payment(         int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
    HRESULT __stdcall StockLevel(      int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
    HRESULT __stdcall OrderStatus(     int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
};

//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by tpcc_com_all.rc
//
#define IDS_PROJNAME                100
#define IDR_TPCC                    101
#define IDR_NEWORDER                102
#define IDR_ORDERSTATUS             103
#define IDR_PAYMENT                 104
#define IDR_STOCKLEVEL              105

// Next default values for new objects
//
#ifdef APSTUDIO_INVOKED
#ifndef APSTUDIO_READONLY_SYMBOLS
#define _APS_NEXT_RESOURCE_VALUE    202
#define _APS_NEXT_COMMAND_VALUE    32768
#define _APS_NEXT_CONTROL_VALUE    201
#define _APS_NEXT_SYMED_VALUE      106
#endif
#endif

/*   FILE:      TPCC_COM_ALL.CPP
*           Microsoft TPC-C Kit Ver. 4.20.000
*           Copyright Microsoft, 1999
*           All Rights Reserved
*
*           Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*   PURPOSE:   Implementation for TPC-C Tuxedo class.
*   Contact:   Charles Levine (clevine@microsoft.com)
*
*   Change history:
*       4.20.000 - updated rev number to match kit
*/

#define STRICT
#define _WIN32_WINNT 0x0400
#define _ATL_APARTMENT_THREADED

```

```

#include <stdio.h>
#include <atlbase.h>
//You may derive a class from CComModule and use it if you want to override
//something, but do not change the name of _Module
extern CComModule _Module;

#include <atlcom.h>
#include <initguid.h>
#include <transact.h>
#include <atlimpl.cpp>
#include <comsvcs.h>

#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>

#include "tpcc_com_ps.h"
#include "..\..\common\src\trans.h" //tpckit
transaction header contains definitions of structures specific to TPC-C
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\error.h"
#include "..\..\common\src\ReadRegistry.h"
#include "..\..\db_dblib_dll\src\tpcc_dblib.h" // DBLIB implementation
of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h" // ODBC implementation
of TPC-C txns

#include "resource.h"
#include "tpcc_com_all.h"
#include "tpcc_com_all_i.c"
#include "Methods.h"
#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\common\src\ReadRegistry.cpp"

CComModule _Module;

BEGIN_OBJECT_MAP(ObjectMap)
    OBJECT_ENTRY(CLSID_TPCC, CTPCC)
    OBJECT_ENTRY(CLSID_NewOrder, CNewOrder)
    OBJECT_ENTRY(CLSID_OrderStatus, COrderStatus)
    OBJECT_ENTRY(CLSID_Payment, CPayment)
    OBJECT_ENTRY(CLSID_StockLevel, CStockLevel)
END_OBJECT_MAP()

// configuration settings from registry
TPCCREGISTRYDATA Reg;
char szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;

```

```

TYPE_CTPCC_ODBC      *pCTPCC_ODBC_new;

////////////////////////////////////
/
// DLL Entry Point

extern "C"
BOOL WINAPI DllMain(HINSTANCE hInstance, DWORD dwReason, LPVOID
/*lpReserved*/)
{
    char szDllName[128];

    try
    {
        if (dwReason == DLL_PROCESS_ATTACH)
        {
            _Module.Init(ObjectMap, hInstance);
            DisableThreadLibraryCalls(hInstance);

            DWORD dwSize = MAX_COMPUTERNAME_LENGTH+1;
            GetComputerName(szMyComputerName, &dwSize);
            szMyComputerName[dwSize] = 0;

            if ( ReadTPCCRegistrySettings( &Reg ) )
                throw new CCOMPONENT_ERR( ERR_MISSING_REGISTRY_ENTRIES
);

            if (Reg.eDB_Protocol == DBLIB)
            {
                strcpy( szDllName, Reg.szPath );
                strcat( szDllName, "tpcc_dblib.dll");
                hLibInstanceDb = LoadLibrary( szDllName );
                if (hLibInstanceDb == NULL)
                    throw new CCOMPONENT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );

                // get function pointer to wrapper for class
            constructor
                pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
GetProcAddress(hLibInstanceDb,"CTPCC_DBLIB_new");
                if (pCTPCC_DBLIB_new == NULL)
                    throw new CCOMPONENT_ERR( ERR_GETPROCADDR_FAILED,
szDllName, GetLastError() );
            }
            else if (Reg.eDB_Protocol == ODBC)
            {
                strcpy( szDllName, Reg.szPath );
                strcat( szDllName, "tpcc_odbc.dll");
                hLibInstanceDb = LoadLibrary( szDllName );
                if (hLibInstanceDb == NULL)
                    throw new CCOMPONENT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );
            }
        }
    }
}

```

```

// get function pointer to wrapper for class
constructor
    pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb,"CTPCC_ODBC_new");
    if (pCTPCC_ODBC_new == NULL)
        throw new CCOMPONENT_ERR( ERR_GETPROCADDR_FAILED,
szDllName, GetLastError() );
    }
    else
        throw new CCOMPONENT_ERR( ERR_UNKNOWN_DB_PROTOCOL );
}
else if (dwReason == DLL_PROCESS_DETACH)
    _Module.Term();

}
catch (CBaseErr *e)
{
    WriteMessageToEventLog(e->ErrorText());
    delete e;
    return FALSE;
}
catch (...)
{
    WriteMessageToEventLog(TEXT("Unhandled exception in object
DllMain"));
    return FALSE;
}

return TRUE;    // OK
}

////////////////////////////////////
/
// Used to determine whether the DLL can be unloaded by OLE
STDAPI DllCanUnloadNow(void)
{
    return (_Module.GetLockCount()==0) ? S_OK : S_FALSE;
}

////////////////////////////////////
/
// Returns a class factory to create an object of the requested type
STDAPI DllGetClassObject(REFCLSID rclsid, REFIID riid, LPVOID* ppv)
{
    return _Module.GetClassObject(rclsid, riid, ppv);
}

////////////////////////////////////
/
// DllRegisterServer - Adds entries to the system registry
STDAPI DllRegisterServer(void)

```

```

{
    // registers object, typelib and all interfaces in typelib
    return _Module.RegisterServer(TRUE);
}

////////////////////////////////////
// DllUnregisterServer - Removes entries from the system registry

STDAPI DllUnregisterServer(void)
{
    _Module.UnregisterServer();
    return S_OK;
}

static void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR    szMsg[256];
    HANDLE   hEventSource;
    LPTSTR   lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL, TEXT("tpcc_com_all.dll"));

    _stprintf(szMsg, TEXT("Error in COM+ TPC-C Component: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event source
            EVENTLOG_ERROR_TYPE, // event type
            0, // event category
            0, // event ID
            NULL, // current user's SID
            2, // strings in lpszStrings
            0, // no bytes of raw data
            (LPCTSTR *)lpszStrings, // array of error strings
            NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

```

```

/* FUNCTION: CCOMPONENT_ERR::ErrorText
 *
 */

char* CCOMPONENT_ERR::ErrorText(void)
{
    static SERRORMSG errorMsgs[] =
    {
        { ERR_MISSING_REGISTRY_ENTRIES, "Required entries missing from
registry." },
        { ERR_LOADDLL_FAILED, "Load of DLL failed. DLL="
},
        { ERR_GETPROCADDR_FAILED, "Could not map proc in DLL.
GetProcAddress error. DLL=" },
        { ERR_UNKNOWN_DB_PROTOCOL, "Unknown database protocol
specified in registry." },
        { 0, ""
}
    };

    char szTmp[256];
    int i = 0;
    while (TRUE)
    {
        if (errorMsgs[i].szMsg[0] == 0)
        {
            strcpy( szTmp, "Unknown error number." );
            break;
        }
        if (m_Error == errorMsgs[i].iError)
        {
            strcpy( szTmp, errorMsgs[i].szMsg );
            break;
        }
        i++;
    }

    if (m_szTextDetail)
        strcat( szTmp, m_szTextDetail );
    if (m_SystemErr)
        wprintf( szTmp+strlen(szTmp), " Error=%d", m_SystemErr );

    m_szErrorText = new char[strlen(szTmp)+1];
    strcpy( m_szErrorText, szTmp );
    return m_szErrorText;
}

CTPCC_Common::CTPCC_Common()
{
    m_pTxn = NULL;
    m_bCanBePooled = TRUE;
}

```



```

CTPCC_Common::~CTPCC_Common()
{
    if (m_pTxn)
        delete m_pTxn;
}

HRESULT CTPCC_Common::CallSetComplete()
{
    IObjectContext* pObjectContext = NULL;

    // get our object context
    HRESULT hr = CoGetObjectContext( IID_IObjectContext, (void
**) &pObjectContext );
    pObjectContext->SetComplete();
    ReleaseInterface(pObjectContext);
    return hr;
}

//
// called by the ctor activator
//
STDMETHODIMP CTPCC_Common::Construct(IDispatch * pUnk)
{
    // Code to access construction string, if needed later...
    // if (!pUnk)
    //     return E_UNEXPECTED;
    // IObjectConstructString * pString = NULL;
    // HRESULT hr = pUnk->QueryInterface(IID_IObjectConstructString,
(void **) &pString);
    // pString->Release();

    try
    {
        if (Reg.eDB_Protocol == ODBC)
            m_pTxn = pCTPCC_ODBC_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
        else if (Reg.eDB_Protocol == DBLIB)
            m_pTxn = pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
    }
    catch (CBaseErr *e)
    {
        WriteMessageToEventLog(e->ErrorText());
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled exception in object
::Construct"));
        return E_FAIL;
    }
}

```

```

    return S_OK;
}

HRESULT CTPCC_Common::NewOrder(int* iSize, UCHAR **txn)
{
    PNEW_ORDER_DATA pNewOrder;
    COM_DATA *pData;

    try
    {
        pData = (COM_DATA*) *txn;
        pNewOrder = m_pTxn->BuffAddr_NewOrder();

        memcpy(pNewOrder, &pData->u.NewOrder, sizeof(NEW_ORDER_DATA));
        m_pTxn->NewOrder();
        memcpy( &pData->u.NewOrder, pNewOrder, sizeof(NEW_ORDER_DATA));

        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database connection; if yes, component is toast
        if ( ((e->ErrorType() == ERR_TYPE_DBLIB) && (e->ErrorNum() ==
10005)) ||
            ((e->ErrorType() == ERR_TYPE_ODBC) && (e->ErrorNum() ==
10054)) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

HRESULT CTPCC_Common::Payment(int* iSize, UCHAR** txn)
{
    PPAYMENT_DATA pPayment;
    COM_DATA *pData;

    try
    {
        pData = (COM_DATA*) *txn;
        pPayment = m_pTxn->BuffAddr_Payment();
    }
}

```

```

memcpy(pPayment, &pData->u.Payment, sizeof(PAYMENT_DATA) );
m_pTxn->Payment();
memcpy( &pData->u.Payment, pPayment, sizeof(PAYMENT_DATA) );

pData->retval = ERR_SUCCESS;
pData->error = 0;
return S_OK;
}
catch (CBaseErr *e)
{
    // check for lost database connection; if yes, component is toast
    if ( ((e->ErrorType() == ERR_TYPE_DBLIB) && (e->ErrorNum() ==
10005)) ||
        ((e->ErrorType() == ERR_TYPE_ODBC) && (e->ErrorNum() ==
10054)) )
        m_bCanBePooled = FALSE;

    pData->retval = e->ErrorType();
    pData->error = e->ErrorNum();
    delete e;
    return E_FAIL;
}
catch (...)
{
    WriteMessageToEventLog(TEXT("Unhandled exception.));
    pData->retval = ERR_TYPE_LOGIC;
    pData->error = 0;
    m_bCanBePooled = FALSE;
    return E_FAIL;
}
}

HRESULT CTPCC_Common::StockLevel(int* iSize, UCHAR** txn)
{
    PSTOCK_LEVEL_DATA    pStockLevel;
    COM_DATA              *pData;

    try
    {
        pData = (COM_DATA*)*txn;
        pStockLevel = m_pTxn->BuffAddr_StockLevel();

        memcpy(pStockLevel, &pData->u.StockLevel, sizeof(STOCK_LEVEL_DATA)
);

        m_pTxn->StockLevel();
        memcpy( &pData->u.StockLevel, pStockLevel,
sizeof(STOCK_LEVEL_DATA) );

        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)

```

```

    {
        // check for lost database connection; if yes, component is toast
        if ( ((e->ErrorType() == ERR_TYPE_DBLIB) && (e->ErrorNum() ==
10005)) ||
            ((e->ErrorType() == ERR_TYPE_ODBC) && (e->ErrorNum() ==
10054)) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled exception.));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

HRESULT CTPCC_Common::OrderStatus(int* iSize, UCHAR** txn)
{
    PORDER_STATUS_DATA    pOrderStatus;
    COM_DATA              *pData;

    try
    {
        pData = (COM_DATA*)*txn;
        pOrderStatus = m_pTxn->BuffAddr_OrderStatus();

        memcpy(pOrderStatus, &pData->u.OrderStatus,
sizeof(ORDER_STATUS_DATA) );
        m_pTxn->OrderStatus();
        memcpy( &pData->u.OrderStatus, pOrderStatus,
sizeof(ORDER_STATUS_DATA) );

        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database connection; if yes, component is toast
        if ( ((e->ErrorType() == ERR_TYPE_DBLIB) && (e->ErrorNum() ==
10005)) ||
            ((e->ErrorType() == ERR_TYPE_ODBC) && (e->ErrorNum() ==
10054)) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();

```

```

        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled exception.));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

; tpcc_com_all.def : Declares the module parameters.

LIBRARY      "tpcc_com_all.dll"

EXPORTS
    DllCanUnloadNow      @1 PRIVATE
    DllGetClassObject    @2 PRIVATE
    DllRegisterServer    @3 PRIVATE
    DllUnregisterServer  @4 PRIVATE

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the definitions for the interfaces */

/* File created by MIDL compiler version 5.03.0280 */
/* at Mon Jan 24 20:00:20 2000
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
    Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run), ms_ext, c_ext
    error checks: allocation ref bounds_check enum stub_data
    VC __declspec() decoration level:
        __declspec(uuid()), __declspec(selectany), __declspec(novtable)
        DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING(  )

/* verify that the <rpcndr.h> version is high enough to compile this file*/
#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __tpcc_com_all_h__
#define __tpcc_com_all_h__

/* Forward Declarations */

```

```

#ifndef __TPCC_FWD_DEFINED__
#define __TPCC_FWD_DEFINED__

#ifdef __cplusplus
typedef class TPCC TPCC;
#else
typedef struct TPCC TPCC;
#endif /* __cplusplus */

#endif /* __TPCC_FWD_DEFINED__ */

#ifndef __NewOrder_FWD_DEFINED__
#define __NewOrder_FWD_DEFINED__

#ifdef __cplusplus
typedef class NewOrder NewOrder;
#else
typedef struct NewOrder NewOrder;
#endif /* __cplusplus */

#endif /* __NewOrder_FWD_DEFINED__ */

#ifndef __OrderStatus_FWD_DEFINED__
#define __OrderStatus_FWD_DEFINED__

#ifdef __cplusplus
typedef class OrderStatus OrderStatus;
#else
typedef struct OrderStatus OrderStatus;
#endif /* __cplusplus */

#endif /* __OrderStatus_FWD_DEFINED__ */

#ifndef __Payment_FWD_DEFINED__
#define __Payment_FWD_DEFINED__

#ifdef __cplusplus
typedef class Payment Payment;
#else
typedef struct Payment Payment;
#endif /* __cplusplus */

#endif /* __Payment_FWD_DEFINED__ */

#ifndef __StockLevel_FWD_DEFINED__
#define __StockLevel_FWD_DEFINED__

#ifdef __cplusplus
typedef class StockLevel StockLevel;

```

```

#else
typedef struct StockLevel StockLevel;
#endif /* __cplusplus */

#endif /* __StockLevel_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"
#include "tpcc_com_ps.h"

#ifdef __cplusplus
extern "C"{
#endif

void __RPC_FAR * __RPC_USER MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpcc_com_all_0000 */
/* [local] */

extern RPC_IF_HANDLE __MIDL_itf_tpcc_com_all_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE __MIDL_itf_tpcc_com_all_0000_v0_0_s_ifspec;

#ifndef __TPCCLib_LIBRARY_DEFINED__
#define __TPCCLib_LIBRARY_DEFINED__

/* library TPCCLib */
/* [helpstring][version][uuid] */

EXTERN_C const IID LIBID_TPCCLib;

EXTERN_C const CLSID CLSID_TPCC;

#ifdef __cplusplus
class DECLSPEC_UUID("122A3128-2520-11D3-BA71-00C04FBFE08B")
TPCC;
#endif

EXTERN_C const CLSID CLSID_NewOrder;

#ifdef __cplusplus

```

```

class DECLSPEC_UUID("975BAABF-84A7-11D2-BA47-00C04FBFE08B")
NewOrder;
#endif

EXTERN_C const CLSID CLSID_OrderStatus;

#ifdef __cplusplus
class DECLSPEC_UUID("266836AD-A50D-11D2-BA4E-00C04FBFE08B")
OrderStatus;
#endif

EXTERN_C const CLSID CLSID_Payment;

#ifdef __cplusplus
class DECLSPEC_UUID("CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B")
Payment;
#endif

EXTERN_C const CLSID CLSID_StockLevel;

#ifdef __cplusplus
class DECLSPEC_UUID("2668369E-A50D-11D2-BA4E-00C04FBFE08B")
StockLevel;
#endif
#endif /* __TPCCLib_LIBRARY_DEFINED__ */

/* Additional Prototypes for ALL interfaces */

/* end of Additional Prototypes */

#ifdef __cplusplus
}
#endif

#endif

/*
FILE:      TPCC.IDL
*          Microsoft TPC-C Kit Ver. 4.20.000
*          Copyright Microsoft, 1999
*          All Rights Reserved
*
*          not yet audited
*
PURPOSE:   IDL source for TPCC.dll.  This file is processed by the MIDL
tool to
*          produce the type library (TPCC.tlb) and marshalling
code.
*
* Change history:

```

```

*      4.20.000 - first version
*/

interface TPCC;
interface NewOrder;
interface OrderStatus;
interface Payment;
interface StockLevel;

import "oidl.idl";
import "ocidl.idl";
import "..\tpcc_com_ps\src\tpcc_com_ps.idl";

[
    uuid(122A3117-2520-11D3-BA71-00C04FBFE08B),
    version(1.0),
    helpstring("TPC-C 1.0 Type Library")
]
library TPCCLib
{
    importlib("stdole32.tlb");
    importlib("stdole2.tlb");

    [
        uuid(122A3128-2520-11D3-BA71-00C04FBFE08B),
        helpstring("All Txns Class")
    ]
    coclass TPCC
    {
        [default] interface ITPCC;
    };

    [
        uuid(975BAABF-84A7-11D2-BA47-00C04FBFE08B),
        helpstring("NewOrder Class")
    ]
    coclass NewOrder
    {
        [default] interface ITPCC;
    };

    [
        uuid(266836AD-A50D-11D2-BA4E-00C04FBFE08B),
        helpstring("OrderStatus Class")
    ]
    coclass OrderStatus
    {
        [default] interface ITPCC;
    };
}

```

```

[
    uuid(CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B),
    helpstring("Payment Class")
]
coclass Payment
{
    [default] interface ITPCC;
};

[
    uuid(2668369E-A50D-11D2-BA4E-00C04FBFE08B),
    helpstring("StockLevel Class")
]
coclass StockLevel
{
    [default] interface ITPCC;
};
};

//Microsoft Developer Studio generated resource script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
/
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "winres.h"

////////////////////////////////////
/
#undef APSTUDIO_READONLY_SYMBOLS

////////////////////////////////////
/
// English (U.S.) resources

#if !defined(AFX_RESOURCE_DLL) || defined(AFX_TARG_ENU)
#ifndef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
/
//
// TEXTINCLUDE
//

```

```

1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include "winres.h"\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "1 TYPELIB "tpcc_com_all.tlb"\r\n"
    "\0"
END

#endif // APSTUDIO_INVOKED

#ifndef _MAC
////////////////////////////////////
/
//
// Version
//

VS_VERSION_INFO VERSIONINFO
FILEVERSION 1,0,0,1
PRODUCTVERSION 1,0,0,1
FILEFLAGS 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x4L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904B0"
        BEGIN
            VALUE "CompanyName", "\0"
            VALUE "FileDescription", "tpcc_com_all Module\0"
            VALUE "FileVersion", "1, 0, 0, 1\0"
            VALUE "InternalName", "TPCCNEWORDER\0"
            VALUE "LegalCopyright", "Copyright 1997\0"
            VALUE "OriginalFilename", "tpcc_com_all.DLL\0"
            VALUE "ProductName", "tpcc_com_all Module\0"
            VALUE "ProductVersion", "1, 0, 0, 1\0"
            VALUE "OLESelfRegister", "\0"
        END
    END
END

```

```

END
BLOCK "VarFileInfo"
BEGIN
    VALUE "Translation", 0x409, 1200
END

#endif // !_MAC

////////////////////////////////////
/
//
// REGISTRY
//

IDR_TPCC                REGISTRY DISCARDABLE    "tpcc_com_all.rgs"
IDR_NEWORDER            REGISTRY DISCARDABLE    "tpcc_com_no.rgs"
IDR_ORDERSTATUS        REGISTRY DISCARDABLE    "tpcc_com_os.rgs"
IDR_PAYMENT             REGISTRY DISCARDABLE    "tpcc_com_pay.rgs"
IDR_STOCKLEVEL         REGISTRY DISCARDABLE    "tpcc_com_sl.rgs"

////////////////////////////////////
/
//
// String Table
//

STRINGTABLE DISCARDABLE
BEGIN
    IDS_PROJNAME          "tpcc_com_all"
END

#endif // English (U.S.) resources
////////////////////////////////////
/

#ifndef APSTUDIO_INVOKED
////////////////////////////////////
/
//
// Generated from the TEXTINCLUDE 3 resource.
//
1 TYPELIB "tpcc_com_all.tlb"

////////////////////////////////////
/
#endif // not APSTUDIO_INVOKED

HKCR
{

```

```

TPCC.AllTxns.1 = s 'All Txns Class'
{
    CLSID = s '{122A3128-2520-11D3-BA71-00C04FBFE08B}'
}
TPCC.AllTxns = s 'TPCC Class'
{
    CurVer = s 'TPCC.AllTxns.1'
}
NoRemove CLSID
{
    ForceRemove {122A3128-2520-11D3-BA71-00C04FBFE08B} = s 'TPCC
Class'
    {
        ProgID = s 'TPCC.AllTxns.1'
        VersionIndependentProgID = s 'TPCC.AllTxns'
        InprocServer32 = s '%MODULE%'
        {
            val ThreadingModel = s 'Both'
        }
    }
}
}

```

```

#pragma warning( disable: 4049 ) /* more than 64k source lines */

```

```

/* this ALWAYS GENERATED file contains the IIDs and CLSIDs */

```

```

/* link this file in with the server and any clients */

```

```

/* File created by MIDL compiler version 5.03.0280 */

```

```

/* at Mon Jan 24 20:00:20 2000
*/

```

```

/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run), ms_ext, c_ext
error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany), __declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/

```

```

//@@MIDL_FILE_HEADING( )

```

```

#if !defined(_M_IA64) && !defined(_M_AXP64)

```

```

#ifdef __cplusplus
extern "C" {
#endif

```

```

#include <rpc.h>
#include <rpcndr.h>

```

```

#ifdef _MIDL_USE_GUIDDEF_

```

```

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    const type name = {l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib,0x122A3117,0x2520,0x11D3,0xBA,0x71,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC,0x122A3128,0x2520,0x11D3,0xBA,0x71,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder,0x975BAABF,0x84A7,0x11D2,0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

```

```

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus, 0x266836AD, 0xA50D, 0x11D2, 0xBA, 0x4E, 0x00, 0xC0, 0x4F, 0xBF, 0xE
0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_Payment, 0xCD02F7EF, 0xA4FA, 0x11D2, 0xBA, 0x4E, 0x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x
8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel, 0x2668369E, 0xA50D, 0x11D2, 0xBA, 0x4E, 0x00, 0xC0, 0x4F, 0xBF, 0xE0
, 0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the IIDs and CLSIDs */

/* link this file in with the server and any clients */

/* File created by MIDL compiler version 5.03.0280 */
/* at Mon Jan 24 20:00:20 2000
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b run, appending), ms_ext, c_ext,
robust
error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany), __declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_AXP64)

#ifdef __cplusplus
extern "C" {
#endif

#include <rpc.h>
#include <rpcndr.h>

```

```

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type, name, l, w1, w2, b1, b2, b3, b4, b5, b6, b7, b8) \
    DEFINE_GUID(name, l, w1, w2, b1, b2, b3, b4, b5, b6, b7, b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type, name, l, w1, w2, b1, b2, b3, b4, b5, b6, b7, b8) \
    const type name = {l, w1, w2, {b1, b2, b3, b4, b5, b6, b7, b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib, 0x122A3117, 0x2520, 0x11D3, 0xBA, 0x71, 0x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x
8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC, 0x122A3128, 0x2520, 0x11D3, 0xBA, 0x71, 0x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B)
;

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder, 0x975BAABF, 0x84A7, 0x11D2, 0xBA, 0x47, 0x00, 0xC0, 0x4F, 0xBF, 0xE0, 0
x8B);

```



```
MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus, 0x266836AD, 0xA50D, 0x11D2, 0xBA, 0x4E, 0x00, 0xC0, 0x4F, 0xBF, 0xE
0, 0x8B);
```

```
MIDL_DEFINE_GUID(CLSID,
CLSID_Payment, 0xCD02F7EF, 0xA4FA, 0x11D2, 0xBA, 0x4E, 0x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x
8B);
```

```
MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel, 0x2668369E, 0xA50D, 0x11D2, 0xBA, 0x4E, 0x00, 0xC0, 0x4F, 0xBF, 0xE0
, 0x8B);
```

```
#undef MIDL_DEFINE_GUID
```

```
#ifdef __cplusplus
}
#endif
```

```
#endif /* defined(_M_IA64) || defined(_M_AXP64)*/
```

```
HKCR
{
    TPCC.NewOrder.1 = s 'NewOrder Class'
    {
        CLSID = s '{975BAABF-84A7-11D2-BA47-00C04FBFE08B}'
    }
    TPCC.NewOrder = s 'NewOrder Class'
    {
        CurVer = s 'TPCC.NewOrder.1'
    }
    NoRemove CLSID
    {
        ForceRemove {975BAABF-84A7-11D2-BA47-00C04FBFE08B} = s 'NewOrder
Class'
        {
            ProgID = s 'TPCC.NewOrder.1'
            VersionIndependentProgID = s 'TPCC.NewOrder'
            InprocServer32 = s '%MODULE%'
            {
                val ThreadingModel = s 'Both'
            }
        }
    }
}
```

```
HKCR
{
    TPCC.OrderStatus.1 = s 'OrderStatus Class'
    {
```

```
        CLSID = s '{266836AD-A50D-11D2-BA4E-00C04FBFE08B}'
    }
    TPCC.OrderStatus = s 'OrderStatus Class'
    {
        CurVer = s 'TPCC.OrderStatus.1'
    }
    NoRemove CLSID
    {
        ForceRemove {266836AD-A50D-11D2-BA4E-00C04FBFE08B} = s
'OrderStatus Class'
        {
            ProgID = s 'TPCC.OrderStatus.1'
            VersionIndependentProgID = s 'TPCC.OrderStatus'
            InprocServer32 = s '%MODULE%'
            {
                val ThreadingModel = s 'Both'
            }
        }
    }
}
HKCR
{
    TPCC.Payment.1 = s 'Payment Class'
    {
        CLSID = s '{CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B}'
    }
    TPCC.Payment = s 'Payment Class'
    {
        CurVer = s 'TPCC.Payment.1'
    }
    NoRemove CLSID
    {
        ForceRemove {CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B} = s 'Payment
Class'
        {
            ProgID = s 'TPCC.Payment.1'
            VersionIndependentProgID = s 'TPCC.Payment'
            InprocServer32 = s '%MODULE%'
            {
                val ThreadingModel = s 'Both'
            }
        }
    }
}
```

```
#pragma warning( disable: 4049 ) /* more than 64k source lines */
```

```
/* this ALWAYS GENERATED file contains the definitions for the interfaces */
```

```
/* File created by MIDL compiler version 5.03.0280 */
/* at Mon Jan 24 20:00:07 2000
```

```

*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
   Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run), ms_ext, c_ext
   error checks: allocation ref bounds_check enum stub_data
   VC __declspec() decoration level:
       __declspec(uuid()), __declspec(selectany), __declspec(novtable)
       DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING(  )

/* verify that the <rpcndr.h> version is high enough to compile this file*/
#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __RPCNDR_H_VERSION__
#error this stub requires an updated version of <rpcndr.h>
#endif // __RPCNDR_H_VERSION__

#ifndef COM_NO_WINDOWS_H
#include "windows.h"
#include "ole2.h"
#endif /*COM_NO_WINDOWS_H*/

#ifndef __tpcc_com_ps_h__
#define __tpcc_com_ps_h__

/* Forward Declarations */

#ifndef __ITPCC_FWD_DEFINED__
#define __ITPCC_FWD_DEFINED__
typedef interface ITPCC ITPCC;
#endif /* __ITPCC_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"

#ifdef __cplusplus
extern "C"{
#endif

void __RPC_FAR * __RPC_USER MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

#ifndef __ITPCC_INTERFACE_DEFINED__
#define __ITPCC_INTERFACE_DEFINED__

/* interface ITPCC */

```

```

/* [unique][helpstring][uuid][object] */
EXTERN_C const IID IID_ITPCC;

#if defined(__cplusplus) && !defined(CINTERFACE)

    MIDL_INTERFACE("FEEE6AA2-84B1-11d2-BA47-00C04FBFE08B")
    ITPCC : public IUnknown
    {
    public:
        virtual HRESULT __stdcall NewOrder(
            /* [out][in] */ int __RPC_FAR *iSize,
            /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
            *__RPC_FAR *txn) = 0;

        virtual HRESULT __stdcall Payment(
            /* [out][in] */ int __RPC_FAR *iSize,
            /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
            *__RPC_FAR *txn) = 0;

        virtual HRESULT __stdcall Delivery(
            /* [in] */ int __RPC_FAR *iSize,
            /* [size_is][size_is][in] */ unsigned char __RPC_FAR *__RPC_FAR
            *txn) = 0;

        virtual HRESULT __stdcall StockLevel(
            /* [out][in] */ int __RPC_FAR *iSize,
            /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
            *__RPC_FAR *txn) = 0;

        virtual HRESULT __stdcall OrderStatus(
            /* [out][in] */ int __RPC_FAR *iSize,
            /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
            *__RPC_FAR *txn) = 0;

        virtual HRESULT __stdcall CallSetComplete( void) = 0;

    };
#else /* C style interface */

    typedef struct ITPCCVtbl
    {
        BEGIN_INTERFACE

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *QueryInterface )(
            ITPCC __RPC_FAR * This,
            /* [in] */ REFIID riid,
            /* [iid_is][out] */ void __RPC_FAR *__RPC_FAR *ppvObject);

        ULONG ( STDMETHODCALLTYPE __RPC_FAR *AddRef )(
            ITPCC __RPC_FAR * This);

```

```

ULONG ( STDMETHODCALLTYPE __RPC_FAR *Release )(
    ITPCC __RPC_FAR * This);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *NewOrder )(
    ITPCC __RPC_FAR * This,
    /* [out][in] */ int __RPC_FAR *iSize,
    /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
*_RPC_FAR *txn);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Payment )(
    ITPCC __RPC_FAR * This,
    /* [out][in] */ int __RPC_FAR *iSize,
    /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
*_RPC_FAR *txn);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Delivery )(
    ITPCC __RPC_FAR * This,
    /* [in] */ int __RPC_FAR *iSize,
    /* [size_is][size_is][in] */ unsigned char __RPC_FAR *_RPC_FAR
*txn);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *StockLevel )(
    ITPCC __RPC_FAR * This,
    /* [out][in] */ int __RPC_FAR *iSize,
    /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
*_RPC_FAR *txn);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *OrderStatus )(
    ITPCC __RPC_FAR * This,
    /* [out][in] */ int __RPC_FAR *iSize,
    /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
*_RPC_FAR *txn);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *CallSetComplete )(
    ITPCC __RPC_FAR * This);

    END_INTERFACE
} ITPCCVtbl;

interface ITPCC
{
    CONST_VTBL struct ITPCCVtbl __RPC_FAR *lpVtbl;
};

#ifdef COBJMACROS

#define ITPCC_QueryInterface(This,riid,ppvObject) \
    (This)->lpVtbl -> QueryInterface(This,riid,ppvObject)

#define ITPCC_AddRef(This)\
    (This)->lpVtbl -> AddRef(This)

```

```

#define ITPCC_Release(This) \
    (This)->lpVtbl -> Release(This)

#define ITPCC_NewOrder(This,iSize,txn) \
    (This)->lpVtbl -> NewOrder(This,iSize,txn)

#define ITPCC_Payment(This,iSize,txn) \
    (This)->lpVtbl -> Payment(This,iSize,txn)

#define ITPCC_Delivery(This,iSize,txn) \
    (This)->lpVtbl -> Delivery(This,iSize,txn)

#define ITPCC_StockLevel(This,iSize,txn) \
    (This)->lpVtbl -> StockLevel(This,iSize,txn)

#define ITPCC_OrderStatus(This,iSize,txn) \
    (This)->lpVtbl -> OrderStatus(This,iSize,txn)

#define ITPCC_CallSetComplete(This) \
    (This)->lpVtbl -> CallSetComplete(This)

#endif /* COBJMACROS */

#endif /* C style interface */

HRESULT STDMETHODCALLTYPE ITPCC_NewOrder_Proxy(
    ITPCC __RPC_FAR * This,
    /* [out][in] */ int __RPC_FAR *iSize,
    /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR *_RPC_FAR
*txn);

void __RPC_STUB ITPCC_NewOrder_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT STDMETHODCALLTYPE ITPCC_Payment_Proxy(
    ITPCC __RPC_FAR * This,
    /* [out][in] */ int __RPC_FAR *iSize,
    /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR *_RPC_FAR
*txn);

void __RPC_STUB ITPCC_Payment_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,

```

```

PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_Delivery_Proxy(
ITPCC __RPC_FAR * This,
/* [in] */ int __RPC_FAR *iSize,
/* [size_is][size_is][in] */ unsigned char __RPC_FAR *__RPC_FAR *txn);

void __RPC_STUB ITPCC_Delivery_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_StockLevel_Proxy(
ITPCC __RPC_FAR * This,
/* [out][in] */ int __RPC_FAR *iSize,
/* [size_is][size_is][out][in] */ unsigned char __RPC_FAR *__RPC_FAR
*txn);

void __RPC_STUB ITPCC_StockLevel_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_OrderStatus_Proxy(
ITPCC __RPC_FAR * This,
/* [out][in] */ int __RPC_FAR *iSize,
/* [size_is][size_is][out][in] */ unsigned char __RPC_FAR *__RPC_FAR
*txn);

void __RPC_STUB ITPCC_OrderStatus_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_CallSetComplete_Proxy(
ITPCC __RPC_FAR * This);

void __RPC_STUB ITPCC_CallSetComplete_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

```

```

#endif /* __ITPCC_INTERFACE_DEFINED__ */

/* Additional Prototypes for ALL interfaces */
/* end of Additional Prototypes */

#ifdef __cplusplus
}
#endif

#endif

HKCR
{
    TPCC.StockLevel.1 = s 'StockLevel Class'
    {
        CLSID = s '{2668369E-A50D-11D2-BA4E-00C04FBFE08B}'
    }
    TPCC.StockLevel = s 'StockLevel Class'
    {
        CurVer = s 'TPCC.StockLevel.1'
    }
    NoRemove CLSID
    {
        ForceRemove {2668369E-A50D-11D2-BA4E-00C04FBFE08B} = s 'StockLevel
Class'
    {
        ProgID = s 'TPCC.StockLevel.1'
        VersionIndependentProgID = s 'TPCC.StockLevel'
        InprocServer32 = s '%MODULE%'
        {
            val ThreadingModel = s 'Both'
        }
    }
    }
}

/*****
DllData file -- generated by MIDL compiler

DO NOT ALTER THIS FILE

This file is regenerated by MIDL on every IDL file compile.

To completely reconstruct this file, delete it and rerun MIDL
on all the IDL files in this DLL, specifying this file for the
/dlldata command line option

```

```

*****/

#include <rpcproxy.h>

#ifdef __cplusplus
extern "C" {
#endif

EXTERN_PROXY_FILE( tpcc_com_ps )

PROXYFILE_LIST_START
/* Start of list */
REFERENCE_PROXY_FILE( tpcc_com_ps ),
/* End of list */
PROXYFILE_LIST_END

DLLDATA_ROUTINES( aProxyFileList, GET_DLL_CLSID )

#ifdef __cplusplus
} /*extern "C" */
#endif

/* end of generated dlldata file */

LIBRARY      "tpcc_com_ps"

DESCRIPTION  'Proxy/Stub DLL'

EXPORTS
    DllGetClassObject      @1 PRIVATE
    DllCanUnloadNow        @2 PRIVATE
    GetProxyDllInfo        @3 PRIVATE
    DllRegisterServer      @4 PRIVATE
    DllUnregisterServer    @5 PRIVATE

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the definitions for the interfaces */

/* File created by MIDL compiler version 5.03.0280 */
/* at Sat Apr 08 16:40:10 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
    Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run), ms_ext, c_ext
    error checks: allocation ref bounds_check enum stub_data
    VC __declspec() decoration level:
        __declspec(uuid()), __declspec(selectany), __declspec(novtable)
        DECLSPEC_UUID(), MIDL_INTERFACE()

```

```

*/
//@@MIDL_FILE_HEADING(  )

/* verify that the <rpcndr.h> version is high enough to compile this file*/
#ifdef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifdef __RPCNDR_H_VERSION__
#error this stub requires an updated version of <rpcndr.h>
#endif // __RPCNDR_H_VERSION__

#ifdef COM_NO_WINDOWS_H
#include "windows.h"
#include "ole2.h"
#endif /*COM_NO_WINDOWS_H*/

#ifdef __tpcc_com_ps_h__
#define __tpcc_com_ps_h__

/* Forward Declarations */

#ifdef __ITPCC_FWD_DEFINED__
#define __ITPCC_FWD_DEFINED__
typedef interface ITPCC ITPCC;
#endif /* __ITPCC_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"

#ifdef __cplusplus
extern "C"{
#endif

void __RPC_FAR * __RPC_USER MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpcc_com_ps_0000 */
/* [local] */

extern RPC_IF_HANDLE __MIDL_itf_tpcc_com_ps_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE __MIDL_itf_tpcc_com_ps_0000_v0_0_s_ifspec;

#ifdef __ITPCC_INTERFACE_DEFINED__
#define __ITPCC_INTERFACE_DEFINED__

```

```

/* interface ITPCC */
/* [unique][helpstring][uuid][oleautomation][object] */

EXTERN_C const IID IID_ITPCC;

#if defined(__cplusplus) && !defined(CINTERFACE)

MIDL_INTERFACE("FEEE6AA2-84B1-11d2-BA47-00C04FBFE08B")
ITPCC : public IUnknown
{
public:
    virtual HRESULT STDMETHODCALLTYPE NewOrder(
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

    virtual HRESULT STDMETHODCALLTYPE Payment(
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

    virtual HRESULT STDMETHODCALLTYPE Delivery(
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

    virtual HRESULT STDMETHODCALLTYPE StockLevel(
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

    virtual HRESULT STDMETHODCALLTYPE OrderStatus(
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

    virtual HRESULT STDMETHODCALLTYPE CallSetComplete( void) = 0;

};

#else /* C style interface */

typedef struct ITPCCVtbl
{
    BEGIN_INTERFACE

    HRESULT ( STDMETHODCALLTYPE __RPC_FAR *QueryInterface )(
        ITPCC __RPC_FAR * This,
        /* [in] */ REFIID riid,
        /* [iid_is][out] */ void __RPC_FAR *__RPC_FAR *ppvObject);

    ULONG ( STDMETHODCALLTYPE __RPC_FAR *AddRef )(
        ITPCC __RPC_FAR * This);

    ULONG ( STDMETHODCALLTYPE __RPC_FAR *Release )(
        ITPCC __RPC_FAR * This);

```

```

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *NewOrder )(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Payment )(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Delivery )(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *StockLevel )(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *OrderStatus )(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *CallSetComplete )(
    ITPCC __RPC_FAR * This);

    END_INTERFACE
} ITPCCVtbl;

interface ITPCC
{
    CONST_VTBL struct ITPCCVtbl __RPC_FAR *lpVtbl;
};

#ifdef COBJMACROS

#define ITPCC_QueryInterface(This,riid,ppvObject) \
    (This)->lpVtbl -> QueryInterface(This,riid,ppvObject)

#define ITPCC_AddRef(This) \
    (This)->lpVtbl -> AddRef(This)

#define ITPCC_Release(This) \
    (This)->lpVtbl -> Release(This)

#define ITPCC_NewOrder(This,txn_in,txn_out) \
    (This)->lpVtbl -> NewOrder(This,txn_in,txn_out)

```

```

#define ITPCC_Payment(This,txn_in,txn_out) \
    (This)->lpVtbl -> Payment(This,txn_in,txn_out)

#define ITPCC_Delivery(This,txn_in,txn_out) \
    (This)->lpVtbl -> Delivery(This,txn_in,txn_out)

#define ITPCC_StockLevel(This,txn_in,txn_out) \
    (This)->lpVtbl -> StockLevel(This,txn_in,txn_out)

#define ITPCC_OrderStatus(This,txn_in,txn_out) \
    (This)->lpVtbl -> OrderStatus(This,txn_in,txn_out)

#define ITPCC_CallSetComplete(This) \
    (This)->lpVtbl -> CallSetComplete(This)

#endif /* COBJMACROS */

```

```

#endif /* C style interface */

```

```

HRESULT __stdcall ITPCC_NewOrder_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

```

```

void __RPC_STUB ITPCC_NewOrder_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

```

```

HRESULT __stdcall ITPCC_Payment_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

```

```

void __RPC_STUB ITPCC_Payment_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

```

```

HRESULT __stdcall ITPCC_Delivery_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

```

```

void __RPC_STUB ITPCC_Delivery_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

```

```

HRESULT __stdcall ITPCC_StockLevel_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

```

```

void __RPC_STUB ITPCC_StockLevel_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

```

```

HRESULT __stdcall ITPCC_OrderStatus_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

```

```

void __RPC_STUB ITPCC_OrderStatus_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

```

```

HRESULT __stdcall ITPCC_CallSetComplete_Proxy(
    ITPCC __RPC_FAR * This);

```

```

void __RPC_STUB ITPCC_CallSetComplete_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

```

```

#endif /* __ITPCC_INTERFACE_DEFINED__ */

```

```

/* Additional Prototypes for ALL interfaces */

```

```

unsigned long __RPC_USER VARIANT_UserSize( unsigned long
__RPC_FAR *, unsigned long , VARIANT __RPC_FAR * );
unsigned char __RPC_FAR * __RPC_USER VARIANT_UserMarshal( unsigned long
__RPC_FAR *, unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );

```

```

unsigned char __RPC_FAR * __RPC_USER VARIANT_UserUnmarshal(unsigned long
__RPC_FAR *, unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );
void __RPC_USER VARIANT_UserFree( unsigned long
__RPC_FAR *, VARIANT __RPC_FAR * );

```

```

/* end of Additional Prototypes */

```

```

#ifdef __cplusplus
}
#endif

```

```

#endif

```

```

/* FILE: ITPCC.IDL
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 * All Rights Reserved
 *
 * not yet audited
 *
 * PURPOSE: Defines the interface used by TPCC. This interface can be
implemented by C++ components.
 *
 * Change history:
 * 4.20.000 - first version
 */

```

```

// Forward declare all types defined
interface ITPCC;
import "oidl.idl";
import "ocidl.idl";

```

```

[
    object,
    oleautomation,
    uuid(FEEE6AA2-84B1-11d2-BA47-00C04FBFE08B),
    helpstring("ITPCC Interface"),
    pointer_default(unique)
]

```

```

interface ITPCC : IUnknown
{

```

```

    HRESULT _stdcall NewOrder
    (
        [in] VARIANT txn_in,
        [out] VARIANT *txn_out
    );

```

```

    HRESULT _stdcall Payment
    (
        [in] VARIANT txn_in,
        [out] VARIANT *txn_out
    );

```

```

    );
    HRESULT _stdcall Delivery
    (
        [in] VARIANT txn_in,
        [out] VARIANT *txn_out
    );
    HRESULT _stdcall StockLevel
    (
        [in] VARIANT txn_in,
        [out] VARIANT *txn_out
    );
    HRESULT _stdcall OrderStatus
    (
        [in] VARIANT txn_in,
        [out] VARIANT *txn_out
    );
    HRESULT _stdcall CallSetComplete
    (
    );

```

```

}; // interface ITPCC

```

```

#pragma warning( disable: 4049 ) /* more than 64k source lines */

```

```

/* this ALWAYS GENERATED file contains the IIDs and CLSIDs */

```

```

/* link this file in with the server and any clients */

```

```

/* File created by MIDL compiler version 5.03.0280 */
/* at Sat Apr 08 16:40:10 2000
 */

```

```

/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run), ms_ext, c_ext
error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany), __declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
 */

```

```

//@@MIDL_FILE_HEADING( )

```

```

#if !defined(_M_IA64) && !defined(_M_AXP64)

```

```

#ifdef __cplusplus
extern "C"{
#endif

```



```

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    const type name = {l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

```

```

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the IIDs and CLSIDs */

/* link this file in with the server and any clients */

/* File created by MIDL compiler version 5.03.0280 */
/* at Sat Apr 08 16:40:10 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
    Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b run,appending), ms_ext, c_ext,
robust
    error checks: allocation ref bounds_check enum stub_data
    VC __declspec() decoration level:
        __declspec(uuid()), __declspec(selectany), __declspec(novtable)
    DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#ifdef defined(_M_IA64) || defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;

```

```

    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    const type name = {l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEB6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* defined(_M_IA64) || defined(_M_AXP64) */

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the proxy stub code */

/* File created by MIDL compiler version 5.03.0280 */
/* at Sat Apr 08 16:40:10 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run), ms_ext, c_ext
error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany), __declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high enough to compile this file*/
#endif __REDQ_RPCPROXY_H_VERSION__

```

```

#define __REQUIRED_RPCPROXY_H_VERSION__ 440
#endif

#include "rpcproxy.h"
#ifndef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of <rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 997
#define PROC_FORMAT_STRING_SIZE 193
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short    Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short    Pad;
    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0x00,0x00,0x00,0x46}} */

/* Object interface: ITPCC, ver. 0.0,
GUID={0xFEEB6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short ITPCC_FormatStringOffsetTable[] =
{

```

```

0,
34,
68,
102,
136,
170
};

```

```

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0
};

```

```

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo =
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0
};

```

```

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy,
    (void *)-1 /* ITPCC::NewOrder */,
    (void *)-1 /* ITPCC::Payment */,
    (void *)-1 /* ITPCC::Delivery */,
    (void *)-1 /* ITPCC::StockLevel */,
    (void *)-1 /* ITPCC::OrderStatus */,
    (void *)-1 /* ITPCC::CallSetComplete */
};

```

```

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

```

```

extern const USER_MARSHAL_ROUTINE_QUADRUPLE UserMarshalRoutines[
WIRE_MARSHAL_TABLE_SIZE ];

```

```

static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,
    0,
    0,
    0,
    0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x20000, /* Ndr library version */
    0,
    0x5030118, /* MIDL Version 5.3.280 */
    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* Reserved3 */
    0, /* Reserved4 */
    0 /* Reserved5 */
};

```

```

#pragma data_seg(".rdata")

```

```

static const USER_MARSHAL_ROUTINE_QUADRUPLE UserMarshalRoutines[
WIRE_MARSHAL_TABLE_SIZE ] =

```

```

{
    {
        VARIANT_UserSize
        ,VARIANT_UserMarshal
        ,VARIANT_UserUnmarshal
        ,VARIANT_UserFree
    }
};

```

```

#if !defined(__RPC_WIN32__)
#error Invalid build platform for this stub.
#endif

```

```

#if !(TARGET_IS_NT40_OR_LATER)
#error You need a Windows NT 4.0 or later to run this stub because it uses these features:
#error -Oif or -Oicf, [wire_marshall] or [user_marshall] attribute.
#error However, your C/C++ compilation flags indicate you intend to run this app on earlier systems.
#error This app will die there with the RPC_X_WRONG_STUB_VERSION error.
#endif

```

```

static const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString =
{
    0,
    {
        /* Procedure NewOrder */

        0x33, /* FC_AUTO_HANDLE */
        0x6c, /* Old Flags: object, Oi2 */
/* 2 */ NdrFcLong( 0x0 ), /* 0 */
/* 6 */ NdrFcShort( 0x3 ), /* 3 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 8 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#endif
#else
NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
/* 10 */ NdrFcShort( 0x0 ), /* 0 */
/* 12 */ NdrFcShort( 0x8 ), /* 8 */
/* 14 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has return, */
/* 0x3, /* 3 */

        /* Parameter txn_in */

/* 16 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 18 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#endif
#else
NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 20 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

        /* Parameter txn_out */

/* 22 */ NdrFcShort( 0x4113 ), /* Flags: must size, must free, out, simple ref, srv alloc size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)

```

```

/* 24 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 26 */ NdrFcShort( 0x3da ), /* Type Offset=986 */

        /* Return value */

/* 28 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 30 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */
#endif
#endif
#else
NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 32 */ 0x8, /* FC_LONG */
/* 0x0, /* 0 */

        /* Procedure Payment */

/* 34 */ 0x33, /* FC_AUTO_HANDLE */
/* 0x6c, /* Old Flags: object, Oi2 */
/* 36 */ NdrFcLong( 0x0 ), /* 0 */
/* 40 */ NdrFcShort( 0x4 ), /* 4 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 42 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#endif
#else
NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
/* 44 */ NdrFcShort( 0x0 ), /* 0 */
/* 46 */ NdrFcShort( 0x8 ), /* 8 */
/* 48 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has return, */
/* 0x3, /* 3 */

```

```

/* Parameter txn_in */

/* 50 */NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#ifndef _MIPS_
/* 52 */NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 54 */NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Parameter txn_out */

/* 56 */NdrFcShort( 0x4113 ), /* Flags: must size, must free, out, simple ref, srv alloc size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#ifndef _MIPS_
/* 58 */NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 60 */NdrFcShort( 0x3da ), /* Type Offset=986 */

/* Return value */

/* 62 */NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#ifndef _MIPS_
/* 64 */NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 66 */0x8, /* FC_LONG */

```

```

0x0, /* 0 */

/* Procedure Delivery */

/* 68 */0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object, Oi2 */

/* 70 */NdrFcLong( 0x0 ), /* 0 */
/* 74 */NdrFcShort( 0x5 ), /* 5 */
#ifndef _ALPHA_
#ifndef _PPC_
#ifndef _MIPS_
/* 76 */NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
/* 78 */NdrFcShort( 0x0 ), /* 0 */
/* 80 */NdrFcShort( 0x8 ), /* 8 */
/* 82 */0x7, /* Oi2 Flags: srv must size, clt must size, has return, */
0x3, /* 3 */

/* Parameter txn_in */

/* 84 */NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#ifndef _MIPS_
/* 86 */NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 88 */NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Parameter txn_out */

/* 90 */NdrFcShort( 0x4113 ), /* Flags: must size, must free, out, simple ref, srv alloc size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#ifndef _MIPS_
/* 92 */NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif
#endif
#endif

```

```

#else
    NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
    NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 94 */NdrFcShort( 0x3da ), /* Type Offset=986 */

    /* Return value */

/* 96 */NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 98 */NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
    NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */
#endif
#else
    NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
    NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 100 */    0x8, /* FC_LONG */
            0x0, /* 0 */

    /* Procedure StockLevel */

/* 102 */    0x33, /* FC_AUTO_HANDLE */
            0x6c, /* Old Flags: object, Oi2 */
/* 104 */    NdrFcLong( 0x0 ), /* 0 */
/* 108 */    NdrFcShort( 0x6 ), /* 6 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 110 */    NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
    NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#else
    NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#else
    NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
/* 112 */    NdrFcShort( 0x0 ), /* 0 */
/* 114 */    NdrFcShort( 0x8 ), /* 8 */
/* 116 */    0x7, /* Oi2 Flags: srv must size, clt must size, has return, */
            0x3, /* 3 */

    /* Parameter txn_in */

/* 118 */    NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */

```

```

#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 120 */    NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
    NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#else
    NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
    NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 122 */    NdrFcShort( 0x3c8 ), /* Type Offset=968 */

    /* Parameter txn_out */

/* 124 */    NdrFcShort( 0x4113 ), /* Flags: must size, must free, out, simple ref, srv alloc size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 126 */    NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
    NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif
#else
    NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
    NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 128 */    NdrFcShort( 0x3da ), /* Type Offset=986 */

    /* Return value */

/* 130 */    NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 132 */    NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
    NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */
#endif
#else
    NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
    NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 134 */    0x8, /* FC_LONG */
            0x0, /* 0 */

    /* Procedure OrderStatus */

```

```

/* 136 */      0x33,          /* FC_AUTO_HANDLE */
                0x6c,          /* Old Flags: object, Oi2 */
/* 138 */      NdrFcLong( 0x0 ), /* 0 */
/* 142 */      NdrFcShort( 0x7 ), /* 7 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 144 */      NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
                NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#else
                NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#else
                NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
/* 146 */      NdrFcShort( 0x0 ), /* 0 */
/* 148 */      NdrFcShort( 0x8 ), /* 8 */
/* 150 */      0x7,          /* Oi2 Flags: srv must size, clt must size, has return, */
                0x3,          /* 3 */

        /* Parameter txn_in */

/* 152 */      NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 154 */      NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
                NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#else
                NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
                NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 156 */      NdrFcShort( 0x3c8 ), /* Type Offset=968 */

        /* Parameter txn_out */

/* 158 */      NdrFcShort( 0x4113 ), /* Flags: must size, must free, out, simple ref, srv alloc size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 160 */      NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
                NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif
#else
                NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
                NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
#endif

```

```

                NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 162 */      NdrFcShort( 0x3da ), /* Type Offset=986 */

        /* Return value */

/* 164 */      NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 166 */      NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
                NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */
#endif
#else
                NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
                NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 168 */      0x8,          /* FC_LONG */
                0x0,          /* 0 */

        /* Procedure CallSetComplete */

/* 170 */      0x33,          /* FC_AUTO_HANDLE */
                0x6c,          /* Old Flags: object, Oi2 */
/* 172 */      NdrFcLong( 0x0 ), /* 0 */
/* 176 */      NdrFcShort( 0x8 ), /* 8 */
#ifdef _ALPHA_
/* 178 */      NdrFcShort( 0x8 ), /* x86, MIPS, PPC Stack size/offset = 8 */
#else
                NdrFcShort( 0x10 ), /* Alpha Stack size/offset = 16 */
#endif
/* 180 */      NdrFcShort( 0x0 ), /* 0 */
/* 182 */      NdrFcShort( 0x8 ), /* 8 */
/* 184 */      0x4,          /* Oi2 Flags: has return, */
                0x1,          /* 1 */

        /* Return value */

/* 186 */      NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
/* 188 */      NdrFcShort( 0x4 ), /* x86, MIPS, PPC Stack size/offset = 4 */
#else
                NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 190 */      0x8,          /* FC_LONG */
                0x0,          /* 0 */

                0x0

    }
};

```

```

static const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString =
{
    0,
    {
        NdrFcShort( 0x0 ), /* 0 */
/* 2 */
        0x12, 0x0, /* FC_UP */
/* 4 */ NdrFcShort( 0x3b0 ), /* Offset= 944 (948) */
/* 6 */
        0x2b, /* FC_NON_ENCAPSULATED_UNION */
        0x9, /* FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT */
        0x0, /* */
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */
/* 12 */ NdrFcShort( 0x2 ), /* Offset= 2 (14) */
/* 14 */ NdrFcShort( 0x10 ), /* 16 */
/* 16 */ NdrFcShort( 0x2b ), /* 43 */
/* 18 */ NdrFcLong( 0x3 ), /* 3 */
/* 22 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 24 */ NdrFcLong( 0x11 ), /* 17 */
/* 28 */ NdrFcShort( 0x8001 ), /* Simple arm type: FC_BYTE */
/* 30 */ NdrFcLong( 0x2 ), /* 2 */
/* 34 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 36 */ NdrFcLong( 0x4 ), /* 4 */
/* 40 */ NdrFcShort( 0x800a ), /* Simple arm type: FC_FLOAT */
/* 42 */ NdrFcLong( 0x5 ), /* 5 */
/* 46 */ NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */
/* 48 */ NdrFcLong( 0xb ), /* 11 */
/* 52 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 54 */ NdrFcLong( 0xa ), /* 10 */
/* 58 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 60 */ NdrFcLong( 0x6 ), /* 6 */
/* 64 */ NdrFcShort( 0xd6 ), /* Offset= 214 (278) */
/* 66 */ NdrFcLong( 0x7 ), /* 7 */
/* 70 */ NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */
/* 72 */ NdrFcLong( 0x8 ), /* 8 */
/* 76 */ NdrFcShort( 0xd0 ), /* Offset= 208 (284) */
/* 78 */ NdrFcLong( 0xd ), /* 13 */
/* 82 */ NdrFcShort( 0xe2 ), /* Offset= 226 (308) */
/* 84 */ NdrFcLong( 0x9 ), /* 9 */
/* 88 */ NdrFcShort( 0xee ), /* Offset= 238 (326) */
/* 90 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 94 */ NdrFcShort( 0xfa ), /* Offset= 250 (344) */
/* 96 */ NdrFcLong( 0x24 ), /* 36 */
/* 100 */ NdrFcShort( 0x308 ), /* Offset= 776 (876) */
/* 102 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 106 */ NdrFcShort( 0x302 ), /* Offset= 770 (876) */
/* 108 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 112 */ NdrFcShort( 0x300 ), /* Offset= 768 (880) */
/* 114 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 118 */ NdrFcShort( 0x2fe ), /* Offset= 766 (884) */
/* 120 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 124 */ NdrFcShort( 0x2fc ), /* Offset= 764 (888) */
/* 126 */ NdrFcLong( 0x4004 ), /* 16388 */

```

```

/* 130 */ NdrFcShort( 0x2fa ), /* Offset= 762 (892) */
/* 132 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 136 */ NdrFcShort( 0x2f8 ), /* Offset= 760 (896) */
/* 138 */ NdrFcLong( 0x400b ), /* 16395 */
/* 142 */ NdrFcShort( 0x2e6 ), /* Offset= 742 (884) */
/* 144 */ NdrFcLong( 0x400a ), /* 16394 */
/* 148 */ NdrFcShort( 0x2e4 ), /* Offset= 740 (888) */
/* 150 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 154 */ NdrFcShort( 0x2ea ), /* Offset= 746 (900) */
/* 156 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 160 */ NdrFcShort( 0x2e0 ), /* Offset= 736 (896) */
/* 162 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 166 */ NdrFcShort( 0x2e2 ), /* Offset= 738 (904) */
/* 168 */ NdrFcLong( 0x400d ), /* 16397 */
/* 172 */ NdrFcShort( 0x2e0 ), /* Offset= 736 (908) */
/* 174 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 178 */ NdrFcShort( 0x2de ), /* Offset= 734 (912) */
/* 180 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 184 */ NdrFcShort( 0x2dc ), /* Offset= 732 (916) */
/* 186 */ NdrFcLong( 0x400c ), /* 16396 */
/* 190 */ NdrFcShort( 0x2da ), /* Offset= 730 (920) */
/* 192 */ NdrFcLong( 0x10 ), /* 16 */
/* 196 */ NdrFcShort( 0x8002 ), /* Simple arm type: FC_CHAR */
/* 198 */ NdrFcLong( 0x12 ), /* 18 */
/* 202 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 204 */ NdrFcLong( 0x13 ), /* 19 */
/* 208 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 210 */ NdrFcLong( 0x16 ), /* 22 */
/* 214 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 216 */ NdrFcLong( 0x17 ), /* 23 */
/* 220 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 222 */ NdrFcLong( 0xe ), /* 14 */
/* 226 */ NdrFcShort( 0x2be ), /* Offset= 702 (928) */
/* 228 */ NdrFcLong( 0x400e ), /* 16398 */
/* 232 */ NdrFcShort( 0x2c4 ), /* Offset= 708 (940) */
/* 234 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 238 */ NdrFcShort( 0x2c2 ), /* Offset= 706 (944) */
/* 240 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 244 */ NdrFcShort( 0x280 ), /* Offset= 640 (884) */
/* 246 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 250 */ NdrFcShort( 0x27e ), /* Offset= 638 (888) */
/* 252 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 256 */ NdrFcShort( 0x278 ), /* Offset= 632 (888) */
/* 258 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 262 */ NdrFcShort( 0x272 ), /* Offset= 626 (888) */
/* 264 */ NdrFcLong( 0x0 ), /* 0 */
/* 268 */ NdrFcShort( 0x0 ), /* Offset= 0 (268) */
/* 270 */ NdrFcLong( 0x1 ), /* 1 */
/* 274 */ NdrFcShort( 0x0 ), /* Offset= 0 (274) */
/* 276 */ NdrFcShort( 0xfffffff ), /* Offset= -1 (275) */
/* 278 */
        0x15, /* FC_STRUCT */
        0x7, /* 7 */
/* 280 */ NdrFcShort( 0x8 ), /* 8 */

```



```

/* 282 */ 0xb, /* FC_HYPER */
/* 284 */ 0x5b, /* FC_END */
/* 286 */ 0x12, 0x0, /* FC_UP */
/* 288 */ NdrFcShort( 0xc ), /* Offset= 12 (298) */
/* 290 */ 0x1b, /* FC_CARRAY */
/* 292 */ 0x1, /* 1 */
/* 294 */ NdrFcShort( 0x2 ), /* 2 */
/* 296 */ 0x9, /* Corr desc: FC_ULONG */
/* 298 */ 0x0, /* */
/* 300 */ NdrFcShort( 0xfffc ), /* -4 */
/* 302 */ 0x6, /* FC_SHORT */
/* 304 */ 0x5b, /* FC_END */
/* 306 */ 0x17, /* FC_CSTRUCT */
/* 308 */ 0x3, /* 3 */
/* 310 */ NdrFcShort( 0x8 ), /* 8 */
/* 312 */ NdrFcShort( 0xfffff2 ), /* Offset= -14 (288) */
/* 314 */ 0x8, /* FC_LONG */
/* 316 */ 0x8, /* FC_LONG */
/* 318 */ 0x5c, /* FC_PAD */
/* 320 */ 0x5b, /* FC_END */
/* 322 */ 0x2f, /* FC_IP */
/* 324 */ 0x5a, /* FC_CONSTANT_IID */
/* 326 */ NdrFcLong( 0x0 ), /* 0 */
/* 328 */ NdrFcShort( 0x0 ), /* 0 */
/* 330 */ NdrFcShort( 0x0 ), /* 0 */
/* 332 */ 0xc0, /* 192 */
/* 334 */ 0x0, /* 0 */
/* 336 */ 0x0, /* 0 */
/* 338 */ 0x0, /* 0 */
/* 340 */ 0x0, /* 0 */
/* 342 */ 0x0, /* 0 */
/* 344 */ 0x46, /* 70 */
/* 346 */ 0x12, 0x10, /* FC_UP [pointer_deref] */
NdrFcShort( 0x2 ), /* Offset= 2 (348) */

```

```

/* 348 */ 0x12, 0x0, /* FC_UP */
/* 350 */ NdrFcShort( 0x1fc ), /* Offset= 508 (858) */
/* 352 */ 0x2a, /* FC_ENCAPSULATED_UNION */
/* 354 */ 0x49, /* 73 */
/* 356 */ NdrFcShort( 0x18 ), /* 24 */
/* 358 */ NdrFcShort( 0xa ), /* 10 */
/* 360 */ NdrFcLong( 0x8 ), /* 8 */
/* 362 */ NdrFcShort( 0x58 ), /* Offset= 88 (450) */
/* 364 */ NdrFcLong( 0xd ), /* 13 */
/* 366 */ NdrFcShort( 0x78 ), /* Offset= 120 (488) */
/* 368 */ NdrFcLong( 0x9 ), /* 9 */
/* 370 */ NdrFcShort( 0x94 ), /* Offset= 148 (522) */
/* 372 */ NdrFcLong( 0xc ), /* 12 */
/* 374 */ NdrFcShort( 0xbc ), /* Offset= 188 (568) */
/* 376 */ NdrFcLong( 0x24 ), /* 36 */
/* 378 */ NdrFcShort( 0x114 ), /* Offset= 276 (662) */
/* 380 */ NdrFcLong( 0x800d ), /* 32781 */
/* 382 */ NdrFcShort( 0x130 ), /* Offset= 304 (696) */
/* 384 */ NdrFcLong( 0x10 ), /* 16 */
/* 386 */ NdrFcShort( 0x148 ), /* Offset= 328 (726) */
/* 388 */ NdrFcLong( 0x2 ), /* 2 */
/* 390 */ NdrFcShort( 0x160 ), /* Offset= 352 (756) */
/* 392 */ NdrFcLong( 0x3 ), /* 3 */
/* 394 */ NdrFcShort( 0x178 ), /* Offset= 376 (786) */
/* 396 */ NdrFcLong( 0x14 ), /* 20 */
/* 398 */ NdrFcShort( 0x190 ), /* Offset= 400 (816) */
/* 400 */ NdrFcShort( 0xfffffff ), /* Offset= -1 (417) */
/* 402 */ 0x1b, /* FC_CARRAY */
/* 404 */ 0x3, /* 3 */
/* 406 */ NdrFcShort( 0x4 ), /* 4 */
/* 408 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 410 */ 0x0, /* */
/* 412 */ NdrFcShort( 0x0 ), /* 0 */
/* 414 */ 0x4b, /* FC_PP */
/* 416 */ 0x5c, /* FC_PAD */
/* 418 */ 0x48, /* FC_VARIABLE_REPEAT */
/* 420 */ 0x49, /* FC_FIXED_OFFSET */
/* 422 */ NdrFcShort( 0x4 ), /* 4 */
/* 424 */ NdrFcShort( 0x0 ), /* 0 */
/* 426 */ NdrFcShort( 0x1 ), /* 1 */
/* 428 */ NdrFcShort( 0x0 ), /* 0 */
/* 430 */ NdrFcShort( 0x0 ), /* 0 */
/* 432 */ 0x12, 0x0, /* FC_UP */
/* 434 */ NdrFcShort( 0xfffff6e ), /* Offset= -146 (298) */
/* 436 */ 0x5b, /* FC_END */
/* 438 */ 0x8, /* FC_LONG */
/* 440 */ 0x5c, /* FC_PAD */

```

```

/* 450 */      0x5b,      /* FC_END */
/* 452 */      0x16,      /* FC_PSTRUCT */
/* 454 */      0x3,        /* 3 */
/* 456 */      NdrFcShort( 0x8 ), /* 8 */
/* 458 */      0x4b,      /* FC_PP */
/* 460 */      0x5c,      /* FC_PAD */
/* 462 */      0x46,      /* FC_NO_REPEAT */
/* 464 */      0x5c,      /* FC_PAD */
/* 466 */      NdrFcShort( 0x4 ), /* 4 */
/* 468 */      NdrFcShort( 0x4 ), /* 4 */
/* 470 */      0x11, 0x0, /* FC_RP */
/* 472 */      NdrFcShort( 0xffffd4 ), /* Offset= -44 (420) */
/* 474 */      0x5b,      /* FC_END */
/* 476 */      0x8,        /* FC_LONG */
/* 478 */      0x8,        /* FC_LONG */
/* 480 */      0x5b,      /* FC_END */
/* 482 */      0x21,      /* FC_BOGUS_ARRAY */
/* 484 */      0x3,        /* 3 */
/* 486 */      NdrFcShort( 0x0 ), /* 0 */
/* 488 */      0x19,      /* Corr desc: field pointer, FC_ULONG */
/* 490 */      0x0,        /* */
/* 492 */      NdrFcShort( 0x0 ), /* 0 */
/* 494 */      NdrFcLong( 0xffffffff ), /* -1 */
/* 496 */      0x4c,      /* FC_EMBEDDED_COMPLEX */
/* 498 */      0x0,        /* 0 */
/* 500 */      NdrFcShort( 0xfffff50 ), /* Offset= -176 (308) */
/* 502 */      0x5c,      /* FC_PAD */
/* 504 */      0x5b,      /* FC_END */
/* 506 */      0x1a,      /* FC_BOGUS_STRUCT */
/* 508 */      0x3,        /* 3 */
/* 510 */      NdrFcShort( 0x8 ), /* 8 */
/* 512 */      NdrFcShort( 0x0 ), /* 0 */
/* 514 */      NdrFcShort( 0x6 ), /* Offset= 6 (500) */
/* 516 */      0x8,        /* FC_LONG */
/* 518 */      0x36,      /* FC_POINTER */
/* 520 */      0x5c,      /* FC_PAD */
/* 522 */      0x5b,      /* FC_END */
/* 524 */      0x11, 0x0, /* FC_RP */
/* 526 */      NdrFcShort( 0xfffffe0 ), /* Offset= -32 (470) */
/* 528 */      0x21,      /* FC_BOGUS_ARRAY */
/* 530 */      0x3,        /* 3 */
/* 532 */      NdrFcShort( 0x0 ), /* 0 */
/* 534 */      0x19,      /* Corr desc: field pointer, FC_ULONG */
/* 536 */      0x0,        /* */
/* 538 */      NdrFcShort( 0x0 ), /* 0 */
/* 540 */      0x11, 0x0, /* FC_RP */
/* 542 */      NdrFcShort( 0xfffffe0 ), /* Offset= -32 (470) */
/* 544 */      0x21,      /* FC_BOGUS_ARRAY */
/* 546 */      0x3,        /* 3 */
/* 548 */      NdrFcShort( 0x8 ), /* 8 */
/* 550 */      NdrFcShort( 0x0 ), /* 0 */
/* 552 */      NdrFcShort( 0x6 ), /* Offset= 6 (580) */
/* 554 */      0x8,        /* FC_LONG */
/* 556 */      0x36,      /* FC_POINTER */
/* 558 */      0x5c,      /* FC_PAD */

```

```

/* 512 */      NdrFcLong( 0xffffffff ), /* -1 */
/* 516 */      0x4c,      /* FC_EMBEDDED_COMPLEX */
/* 518 */      0x0,        /* 0 */
/* 520 */      NdrFcShort( 0xfffff40 ), /* Offset= -192 (326) */
/* 522 */      0x5c,      /* FC_PAD */
/* 524 */      0x5b,      /* FC_END */
/* 526 */      0x1a,      /* FC_BOGUS_STRUCT */
/* 528 */      0x3,        /* 3 */
/* 530 */      NdrFcShort( 0x8 ), /* 8 */
/* 532 */      NdrFcShort( 0x0 ), /* 0 */
/* 534 */      NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 536 */      0x8,        /* FC_LONG */
/* 538 */      0x36,      /* FC_POINTER */
/* 540 */      0x5c,      /* FC_PAD */
/* 542 */      0x5b,      /* FC_END */
/* 544 */      0x11, 0x0, /* FC_RP */
/* 546 */      NdrFcShort( 0xfffffe0 ), /* Offset= -32 (504) */
/* 548 */      0x1b,      /* FC_CARRAY */
/* 550 */      0x3,        /* 3 */
/* 552 */      NdrFcShort( 0x4 ), /* 4 */
/* 554 */      0x19,      /* Corr desc: field pointer, FC_ULONG */
/* 556 */      0x0,        /* */
/* 558 */      NdrFcShort( 0x0 ), /* 0 */
/* 560 */      0x4b,      /* FC_PP */
/* 562 */      0x5c,      /* FC_PAD */
/* 564 */      0x48,      /* FC_VARIABLE_REPEAT */
/* 566 */      0x49,      /* FC_FIXED_OFFSET */
/* 568 */      NdrFcShort( 0x4 ), /* 4 */
/* 570 */      NdrFcShort( 0x0 ), /* 0 */
/* 572 */      NdrFcShort( 0x1 ), /* 1 */
/* 574 */      NdrFcShort( 0x0 ), /* 0 */
/* 576 */      NdrFcShort( 0x0 ), /* 0 */
/* 578 */      0x12, 0x0, /* FC_UP */
/* 580 */      NdrFcShort( 0x182 ), /* Offset= 386 (948) */
/* 582 */      0x5b,      /* FC_END */
/* 584 */      0x8,        /* FC_LONG */
/* 586 */      0x5c,      /* FC_PAD */
/* 588 */      0x5b,      /* FC_END */
/* 590 */      0x1a,      /* FC_BOGUS_STRUCT */
/* 592 */      0x3,        /* 3 */
/* 594 */      NdrFcShort( 0x8 ), /* 8 */
/* 596 */      NdrFcShort( 0x0 ), /* 0 */
/* 598 */      NdrFcShort( 0x6 ), /* Offset= 6 (580) */
/* 600 */      0x8,        /* FC_LONG */
/* 602 */      0x36,      /* FC_POINTER */
/* 604 */      0x5c,      /* FC_PAD */

```

```

/* 580 */      0x5b,      /* FC_END */
/* 582 */      0x11, 0x0, /* FC_RP */
/* 584 */      NdrFcShort( 0xfffffd4 ), /* Offset= -44 (538) */

/* 586 */      0x2f,      /* FC_IP */
/* 590 */      0x5a,      /* FC_CONSTANT_IID */
/* 592 */      NdrFcLong( 0x2f ), /* 47 */
/* 594 */      NdrFcShort( 0x0 ), /* 0 */
/* 596 */      NdrFcShort( 0x0 ), /* 0 */
/* 598 */      0xc0,      /* 192 */
/* 600 */      0x0,      /* 0 */
/* 602 */      0x0,      /* 0 */
/* 604 */      0x0,      /* 0 */
/* 606 */      0x0,      /* 0 */
/* 608 */      0x0,      /* 0 */
/* 610 */      0x46,      /* 70 */
/* 612 */      0x1b,      /* FC_CARRAY */
/* 614 */      0x0,      /* 0 */
/* 616 */      NdrFcShort( 0x1 ), /* 1 */
/* 618 */      0x19,      /* Corr desc: field pointer, FC_ULONG */
/* 620 */      0x0,      /* */
/* 622 */      NdrFcShort( 0x4 ), /* 4 */
/* 624 */      0x1,      /* FC_BYTE */
/* 626 */      0x5b,      /* FC_END */
/* 628 */      0x1a,      /* FC_BOGUS_STRUCT */
/* 630 */      0x3,      /* 3 */
/* 632 */      NdrFcShort( 0x10 ), /* 16 */
/* 634 */      NdrFcShort( 0x0 ), /* 0 */
/* 636 */      NdrFcShort( 0xa ), /* Offset= 10 (628) */
/* 638 */      0x8,      /* FC_LONG */
/* 640 */      0x8,      /* FC_LONG */
/* 642 */      0x4c,      /* FC_EMBEDDED_COMPLEX */
/* 644 */      0x0,      /* 0 */
/* 646 */      NdrFcShort( 0xfffffd8 ), /* Offset= -40 (584) */
/* 648 */      0x36,      /* FC_POINTER */
/* 650 */      0x5b,      /* FC_END */
/* 652 */      0x12, 0x0, /* FC_UP */
/* 654 */      NdrFcShort( 0xfffffe4 ), /* Offset= -28 (602) */
/* 656 */      0x1b,      /* FC_CARRAY */
/* 658 */      0x3,      /* 3 */
/* 660 */      NdrFcShort( 0x4 ), /* 4 */
/* 662 */      0x19,      /* Corr desc: field pointer, FC_ULONG */
/* 664 */      0x0,      /* */
/* 666 */      NdrFcShort( 0x0 ), /* 0 */
/* 668 */      0x4b,      /* FC_PP */
/* 670 */      0x5c,      /* FC_PAD */
/* 672 */

```

```

/* 644 */      0x48,      /* FC_VARIABLE_REPEAT */
/* 646 */      0x49,      /* FC_FIXED_OFFSET */
/* 648 */      NdrFcShort( 0x4 ), /* 4 */
/* 650 */      NdrFcShort( 0x0 ), /* 0 */
/* 652 */      NdrFcShort( 0x1 ), /* 1 */
/* 654 */      NdrFcShort( 0x0 ), /* 0 */
/* 656 */      NdrFcShort( 0x0 ), /* 0 */
/* 658 */      0x12, 0x0, /* FC_UP */
/* 660 */      NdrFcShort( 0xfffffd4 ), /* Offset= -44 (612) */
/* 662 */      0x5b,      /* FC_END */
/* 664 */      0x8,      /* FC_LONG */
/* 666 */      0x5c,      /* FC_PAD */
/* 668 */      0x5b,      /* FC_END */
/* 670 */      0x1a,      /* FC_BOGUS_STRUCT */
/* 672 */      0x3,      /* 3 */
/* 674 */      NdrFcShort( 0x8 ), /* 8 */
/* 676 */      NdrFcShort( 0x0 ), /* 0 */
/* 678 */      NdrFcShort( 0x6 ), /* Offset= 6 (674) */
/* 680 */      0x8,      /* FC_LONG */
/* 682 */      0x36,      /* FC_POINTER */
/* 684 */      0x5c,      /* FC_PAD */
/* 686 */      0x5b,      /* FC_END */
/* 688 */      0x11, 0x0, /* FC_RP */
/* 690 */      NdrFcShort( 0xfffffd4 ), /* Offset= -44 (632) */
/* 692 */      0x1d,      /* FC_SMFARRAY */
/* 694 */      0x0,      /* 0 */
/* 696 */      NdrFcShort( 0x8 ), /* 8 */
/* 698 */      0x2,      /* FC_CHAR */
/* 700 */      0x5b,      /* FC_END */
/* 702 */      0x15,      /* FC_STRUCT */
/* 704 */      0x3,      /* 3 */
/* 706 */      NdrFcShort( 0x10 ), /* 16 */
/* 708 */      0x8,      /* FC_LONG */
/* 710 */      0x6,      /* FC_SHORT */
/* 712 */      0x6,      /* FC_SHORT */
/* 714 */      0x4c,      /* FC_EMBEDDED_COMPLEX */
/* 716 */      0x0,      /* 0 */
/* 718 */      NdrFcShort( 0xfffff1 ), /* Offset= -15 (678) */
/* 720 */      0x5b,      /* FC_END */
/* 722 */      0x1a,      /* FC_BOGUS_STRUCT */
/* 724 */      0x3,      /* 3 */
/* 726 */      NdrFcShort( 0x18 ), /* 24 */
/* 728 */      NdrFcShort( 0x0 ), /* 0 */
/* 730 */      NdrFcShort( 0xa ), /* Offset= 10 (712) */
/* 732 */      0x8,      /* FC_LONG */
/* 734 */      0x36,      /* FC_POINTER */
/* 736 */      0x4c,      /* FC_EMBEDDED_COMPLEX */
/* 738 */

```

```

0x0, /* 0 */
/* 708 */ NdrFcShort( 0xfffffe8 ), /* Offset= -24 (684) */
/* 710 */ 0x5c, /* FC_PAD */
/* 712 */ 0x5b, /* FC_END */

0x11, 0x0, /* FC_RP */
/* 714 */ NdrFcShort( 0xfffff0c ), /* Offset= -244 (470) */
/* 716 */

0x1b, /* FC_CARRAY */
0x0, /* 0 */
/* 718 */ NdrFcShort( 0x1 ), /* 1 */
/* 720 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
0x0, /* */
/* 722 */ NdrFcShort( 0x0 ), /* 0 */
/* 724 */ 0x1, /* FC_BYTE */
/* 726 */ 0x5b, /* FC_END */

0x16, /* FC_PSTRUCT */
0x3, /* 3 */
/* 728 */ NdrFcShort( 0x8 ), /* 8 */
/* 730 */

0x4b, /* FC_PP */
0x5c, /* FC_PAD */
/* 732 */

0x46, /* FC_NO_REPEAT */
0x5c, /* FC_PAD */
/* 734 */ NdrFcShort( 0x4 ), /* 4 */
/* 736 */ NdrFcShort( 0x4 ), /* 4 */
/* 738 */ 0x12, 0x0, /* FC_UP */
/* 740 */ NdrFcShort( 0xfffffe8 ), /* Offset= -24 (716) */
/* 742 */ 0x5b, /* FC_END */

0x8, /* FC_LONG */
/* 744 */ 0x8, /* FC_LONG */
/* 746 */ 0x5b, /* FC_END */

0x1b, /* FC_CARRAY */
0x1, /* 1 */
/* 748 */ NdrFcShort( 0x2 ), /* 2 */
/* 750 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
0x0, /* */
/* 752 */ NdrFcShort( 0x0 ), /* 0 */
/* 754 */ 0x6, /* FC_SHORT */
/* 756 */ 0x5b, /* FC_END */

0x16, /* FC_PSTRUCT */
0x3, /* 3 */
/* 758 */ NdrFcShort( 0x8 ), /* 8 */
/* 760 */

0x4b, /* FC_PP */
0x5c, /* FC_PAD */
/* 762 */

0x46, /* FC_NO_REPEAT */

```

```

0x5c, /* FC_PAD */
/* 764 */ NdrFcShort( 0x4 ), /* 4 */
/* 766 */ NdrFcShort( 0x4 ), /* 4 */
/* 768 */ 0x12, 0x0, /* FC_UP */
/* 770 */ NdrFcShort( 0xfffffe8 ), /* Offset= -24 (746) */
/* 772 */

0x5b, /* FC_END */

0x8, /* FC_LONG */
/* 774 */ 0x8, /* FC_LONG */
/* 776 */ 0x5b, /* FC_END */

0x1b, /* FC_CARRAY */
0x3, /* 3 */
/* 778 */ NdrFcShort( 0x4 ), /* 4 */
/* 780 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
0x0, /* */
/* 782 */ NdrFcShort( 0x0 ), /* 0 */
/* 784 */ 0x8, /* FC_LONG */
/* 786 */ 0x5b, /* FC_END */

0x16, /* FC_PSTRUCT */
0x3, /* 3 */
/* 788 */ NdrFcShort( 0x8 ), /* 8 */
/* 790 */

0x4b, /* FC_PP */
0x5c, /* FC_PAD */
/* 792 */

0x46, /* FC_NO_REPEAT */
0x5c, /* FC_PAD */
/* 794 */ NdrFcShort( 0x4 ), /* 4 */
/* 796 */ NdrFcShort( 0x4 ), /* 4 */
/* 798 */ 0x12, 0x0, /* FC_UP */
/* 800 */ NdrFcShort( 0xfffffe8 ), /* Offset= -24 (776) */
/* 802 */

0x5b, /* FC_END */

0x8, /* FC_LONG */
/* 804 */ 0x8, /* FC_LONG */
/* 806 */ 0x5b, /* FC_END */

0x1b, /* FC_CARRAY */
0x7, /* 7 */
/* 808 */ NdrFcShort( 0x8 ), /* 8 */
/* 810 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
0x0, /* */
/* 812 */ NdrFcShort( 0x0 ), /* 0 */
/* 814 */ 0xb, /* FC_HYPER */
/* 816 */ 0x5b, /* FC_END */

0x16, /* FC_PSTRUCT */
0x3, /* 3 */
/* 818 */ NdrFcShort( 0x8 ), /* 8 */
/* 820 */

```

```

0x4b, /* FC_PP */
0x5c, /* FC_PAD */
/* 822 */
0x46, /* FC_NO_REPEAT */
0x5c, /* FC_PAD */
/* 824 */ NdrFcShort( 0x4 ), /* 4 */
/* 826 */ NdrFcShort( 0x4 ), /* 4 */
/* 828 */ 0x12, 0x0, /* FC_UP */
/* 830 */ NdrFcShort( 0xfffffe8 ), /* Offset= -24 (806) */
/* 832 */
0x5b, /* FC_END */
0x8, /* FC_LONG */
/* 834 */ 0x8, /* FC_LONG */
0x5b, /* FC_END */
/* 836 */
0x15, /* FC_STRUCT */
0x3, /* 3 */
/* 838 */ NdrFcShort( 0x8 ), /* 8 */
/* 840 */ 0x8, /* FC_LONG */
/* 842 */ 0x8, /* FC_LONG */
0x5c, /* FC_PAD */
0x5b, /* FC_END */
/* 844 */
0x1b, /* FC_CARRAY */
0x3, /* 3 */
/* 846 */ NdrFcShort( 0x8 ), /* 8 */
/* 848 */ 0x7, /* Corr desc: FC_USHORT */
0x0, /* */
/* 850 */ NdrFcShort( 0xffd8 ), /* -40 */
/* 852 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /* 0 */
/* 854 */ NdrFcShort( 0xfffffee ), /* Offset= -18 (836) */
/* 856 */ 0x5c, /* FC_PAD */
0x5b, /* FC_END */
/* 858 */
0x1a, /* FC_BOGUS_STRUCT */
0x3, /* 3 */
/* 860 */ NdrFcShort( 0x28 ), /* 40 */
/* 862 */ NdrFcShort( 0xfffffee ), /* Offset= -18 (844) */
/* 864 */ NdrFcShort( 0x0 ), /* Offset= 0 (864) */
/* 866 */ 0x6, /* FC_SHORT */
0x6, /* FC_SHORT */
/* 868 */ 0x38, /* FC_ALIGNM4 */
0x8, /* FC_LONG */
/* 870 */ 0x8, /* FC_LONG */
0x4c, /* FC_EMBEDDED_COMPLEX */
/* 872 */ 0x0, /* 0 */
NdrFcShort( 0xffffdf7 ), /* Offset= -521 (352) */
0x5b, /* FC_END */
/* 876 */
0x12, 0x0, /* FC_UP */
/* 878 */ NdrFcShort( 0xfffff6 ), /* Offset= -266 (612) */
/* 880 */

```

```

0x12, 0x8, /* FC_UP [simple_pointer] */
/* 882 */ 0x1, /* FC_BYTE */
0x5c, /* FC_PAD */
/* 884 */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* 886 */ 0x6, /* FC_SHORT */
0x5c, /* FC_PAD */
/* 888 */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* 890 */ 0x8, /* FC_LONG */
0x5c, /* FC_PAD */
/* 892 */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* 894 */ 0xa, /* FC_FLOAT */
0x5c, /* FC_PAD */
/* 896 */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* 898 */ 0xc, /* FC_DOUBLE */
0x5c, /* FC_PAD */
/* 900 */
0x12, 0x0, /* FC_UP */
/* 902 */ NdrFcShort( 0xffffd90 ), /* Offset= -624 (278) */
/* 904 */
0x12, 0x10, /* FC_UP [pointer_deref] */
/* 906 */ NdrFcShort( 0xffffd92 ), /* Offset= -622 (284) */
/* 908 */
0x12, 0x10, /* FC_UP [pointer_deref] */
/* 910 */ NdrFcShort( 0xffffda6 ), /* Offset= -602 (308) */
/* 912 */
0x12, 0x10, /* FC_UP [pointer_deref] */
/* 914 */ NdrFcShort( 0xffffdb4 ), /* Offset= -588 (326) */
/* 916 */
0x12, 0x10, /* FC_UP [pointer_deref] */
/* 918 */ NdrFcShort( 0xffffdc2 ), /* Offset= -574 (344) */
/* 920 */
0x12, 0x10, /* FC_UP [pointer_deref] */
/* 922 */ NdrFcShort( 0x2 ), /* Offset= 2 (924) */
/* 924 */
0x12, 0x0, /* FC_UP */
/* 926 */ NdrFcShort( 0x16 ), /* Offset= 22 (948) */
/* 928 */
0x15, /* FC_STRUCT */
0x7, /* 7 */
/* 930 */ NdrFcShort( 0x10 ), /* 16 */
/* 932 */ 0x6, /* FC_SHORT */
0x1, /* FC_BYTE */
/* 934 */ 0x1, /* FC_BYTE */
0x38, /* FC_ALIGNM4 */
/* 936 */ 0x8, /* FC_LONG */
0x39, /* FC_ALIGNM8 */
/* 938 */ 0xb, /* FC_HYPER */
0x5b, /* FC_END */
/* 940 */
0x12, 0x0, /* FC_UP */

```

```

/* 942 */ NdrFcShort( 0xffffffff2 ), /* Offset= -14 (928) */
/* 944 */
    0x12, 0x8, /* FC_UP [simple_pointer] */
/* 946 */ 0x2, /* FC_CHAR */
    0x5c, /* FC_PAD */
/* 948 */
    0x1a, /* FC_BOGUS_STRUCT */
    0x7, /* 7 */
/* 950 */ NdrFcShort( 0x20 ), /* 32 */
/* 952 */ NdrFcShort( 0x0 ), /* 0 */
/* 954 */ NdrFcShort( 0x0 ), /* Offset= 0 (954) */
/* 956 */ 0x8, /* FC_LONG */
    0x8, /* FC_LONG */
/* 958 */ 0x6, /* FC_SHORT */
    0x6, /* FC_SHORT */
/* 960 */ 0x6, /* FC_SHORT */
    0x6, /* FC_SHORT */
/* 962 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
    0x0, /* 0 */
/* 964 */ NdrFcShort( 0xfffffc42 ), /* Offset= -958 (6) */
/* 966 */ 0x5c, /* FC_PAD */
    0x5b, /* FC_END */
/* 968 */ 0xb4, /* FC_USER_MARSHAL */
    0x83, /* 131 */
/* 970 */ NdrFcShort( 0x0 ), /* 0 */
/* 972 */ NdrFcShort( 0x10 ), /* 16 */
/* 974 */ NdrFcShort( 0x0 ), /* 0 */
/* 976 */ NdrFcShort( 0xfffffc32 ), /* Offset= -974 (2) */
/* 978 */
    0x11, 0x4, /* FC_RP [allocated_on_stack] */
/* 980 */ NdrFcShort( 0x6 ), /* Offset= 6 (986) */
/* 982 */
    0x13, 0x0, /* FC_OP */
/* 984 */ NdrFcShort( 0xfffffcdc ), /* Offset= -36 (948) */
/* 986 */ 0xb4, /* FC_USER_MARSHAL */
    0x83, /* 131 */
/* 988 */ NdrFcShort( 0x0 ), /* 0 */
/* 990 */ NdrFcShort( 0x10 ), /* 16 */
/* 992 */ NdrFcShort( 0x0 ), /* 0 */
/* 994 */ NdrFcShort( 0xfffffff4 ), /* Offset= -12 (982) */
    0x0
}
};

```

```

const CInterfaceProxyVtbl * _tpcc_com_ps_ProxyVtblList[] =
{
    ( CInterfaceProxyVtbl *) &_ITPCCProxyVtbl,
    0
};

```

```

const CInterfaceStubVtbl * _tpcc_com_ps_StubVtblList[] =
{
    ( CInterfaceStubVtbl *) &_ITPCCStubVtbl,

```

```

    0
};

PCInterfaceName const _tpcc_com_ps_InterfaceNamesList[] =
{
    "ITPCC",
    0
};

#define _tpcc_com_ps_CHECK_IID(n) IID_GENERIC_CHECK_IID( _tpcc_com_ps, pIID, n)

int __stdcall _tpcc_com_ps_IID_Lookup( const IID * pIID, int * pIndex )
{
    if(!_tpcc_com_ps_CHECK_IID(0))
    {
        *pIndex = 0;
        return 1;
    }

    return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo =
{
    (PCInterfaceProxyVtblList *) &_tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) &_tpcc_com_ps_StubVtblList,
    (const PCInterfaceName *) &_tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    &_tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
};

#endif /* !defined(_M_IA64) && !defined(_M_AXP64) */

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the proxy stub code */

/* File created by MIDL compiler version 5.03.0280 */
/* at Sat Apr 08 16:40:10 2000 */
/*
/* Compiler settings for .\src\tpcc_com_ps.idl:
    Oicf (OptLev=i2), W1, Zp8, env=Win64 (32b run.appending), ms_ext, c_ext, robust
    error checks: allocation ref bounds_check enum stub_data

```

```

VC __declspec() decoration level:
    __declspec(uuid()), __declspec(selectany), __declspec(novtable)
    DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@@MIDL_FILE_HEADING( )

#ifdef _M_IA64 || defined(_M_AXP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high enough to compile this file*/
#ifndef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 475
#endif

#include "rpcproxy.h"
#ifndef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of <rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 979
#define PROC_FORMAT_STRING_SIZE 253
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short    Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short    Pad;
    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000, ver. 0.0,
    GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,
    GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0x00,0x00,0x00,0x46}} */

```

```

/* Object interface: ITPCC, ver. 0.0,
    GUID={0xFEEE6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short ITPCC_FormatStringOffsetTable[] =
{
    0,
    44,
    88,
    132,
    176,
    220
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo =
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0
};

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy ,
    (void *)-1 /* ITPCC::NewOrder */,
    (void *)-1 /* ITPCC::Payment */,
    (void *)-1 /* ITPCC::Delivery */,
    (void *)-1 /* ITPCC::StockLevel */,
    (void *)-1 /* ITPCC::OrderStatus */,

```

```

(void *)-1 /* ITPCC::CallSetComplete */
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

extern const USER_MARSHAL_ROUTINE_QUADRUPLE UserMarshalRoutines[
WIRE_MARSHAL_TABLE_SIZE ];

static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,
    0,
    0,
    0,
    0,
    0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x50002, /* Ndr library version */
    0,
    0x5030118, /* MIDL Version 5.3.280 */
    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* Reserved3 */
    0, /* Reserved4 */
    0 /* Reserved5 */
};

#pragma data_seg(".rdata")

static const USER_MARSHAL_ROUTINE_QUADRUPLE UserMarshalRoutines[
WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        {
            VARIANT_UserSize
        ,VARIANT_UserMarshal
        ,VARIANT_UserUnmarshal
        ,VARIANT_UserFree
        }
    }
};

```

```

#ifndef __RPC_WIN64__
#error Invalid build platform for this stub.
#endif

static const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString =
{
    0,
    {
        /* Procedure NewOrder */

        0x33, /* FC_AUTO_HANDLE */
        0x6c, /* Old Flags: object, Oi2 */

        /* 2 */ NdrFcLong( 0x0 ), /* 0 */
        /* 6 */ NdrFcShort( 0x3 ), /* 3 */
#ifdef _ALPHA_
        /* 8 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /* xpp64 Stack size/offset = 48 */
#endif
        /* 10 */ NdrFcShort( 0x0 ), /* 0 */
        /* 12 */ NdrFcShort( 0x8 ), /* 8 */
        /* 14 */ 0x47, /* Oi2 Flags: srv must size, clt must size, has return, has ext, */
        0x3, /* 3 */
        /* 16 */ 0xa, /* 10 */
        0x7, /* Ext Flags: new corr desc, clt corr check, srv corr check, */
        /* 18 */ NdrFcShort( 0x20 ), /* 32 */
        /* 20 */ NdrFcShort( 0x20 ), /* 32 */
        /* 22 */ NdrFcShort( 0x0 ), /* 0 */
        /* 24 */ NdrFcShort( 0x0 ), /* 0 */

        /* Parameter txn_in */

        /* 26 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifdef _ALPHA_
        /* 28 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
        NdrFcShort( 0x8 ), /* xpp64 Stack size/offset = 8 */
#endif
        /* 30 */ NdrFcShort( 0x3b6 ), /* Type Offset=950 */

        /* Parameter txn_out */

        /* 32 */ NdrFcShort( 0x6113 ), /* Flags: must size, must free, out, simple ref, srv alloc size=24 */
#ifdef _ALPHA_
        /* 34 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
        NdrFcShort( 0x20 ), /* xpp64 Stack size/offset = 32 */
#endif
        /* 36 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

        /* Return value */
    }
};

```



```

/* 38 */NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
/* 40 */NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
    NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 42 */0x8, /* FC_LONG */
    0x0, /* 0 */

    /* Procedure Payment */

/* 44 */0x33, /* FC_AUTO_HANDLE */
    0x6c, /* Old Flags: object, Oi2 */
/* 46 */NdrFcLong( 0x0 ), /* 0 */
/* 50 */NdrFcShort( 0x4 ), /* 4 */
#ifdef _ALPHA_
/* 52 */NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
    NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 54 */NdrFcShort( 0x0 ), /* 0 */
/* 56 */NdrFcShort( 0x8 ), /* 8 */
/* 58 */0x47, /* Oi2 Flags: srv must size, clt must size, has return, has ext, */
    0x3, /* 3 */
/* 60 */0xa, /* 10 */
    0x7, /* Ext Flags: new corr desc, clt corr check, srv corr check, */
/* 62 */NdrFcShort( 0x20 ), /* 32 */
/* 64 */NdrFcShort( 0x20 ), /* 32 */
/* 66 */NdrFcShort( 0x0 ), /* 0 */
/* 68 */NdrFcShort( 0x0 ), /* 0 */

    /* Parameter txn_in */

/* 70 */NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifdef _ALPHA_
/* 72 */NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
    NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 74 */NdrFcShort( 0x3b6 ), /* Type Offset=950 */

    /* Parameter txn_out */

/* 76 */NdrFcShort( 0x6113 ), /* Flags: must size, must free, out, simple ref, srv alloc size=24 */
#ifdef _ALPHA_
/* 78 */NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
    NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 80 */NdrFcShort( 0x3c8 ), /* Type Offset=968 */

    /* Return value */

/* 82 */NdrFcShort( 0x70 ), /* Flags: out, return, base type, */

```

```

#ifdef _ALPHA_
/* 84 */NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
    NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 86 */0x8, /* FC_LONG */
    0x0, /* 0 */

    /* Procedure Delivery */

/* 88 */0x33, /* FC_AUTO_HANDLE */
    0x6c, /* Old Flags: object, Oi2 */
/* 90 */NdrFcLong( 0x0 ), /* 0 */
/* 94 */NdrFcShort( 0x5 ), /* 5 */
#ifdef _ALPHA_
/* 96 */NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
    NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 98 */NdrFcShort( 0x0 ), /* 0 */
/* 100 */NdrFcShort( 0x8 ), /* 8 */
/* 102 */0x47, /* Oi2 Flags: srv must size, clt must size, has return, has ext, */
    0x3, /* 3 */
/* 104 */0xa, /* 10 */
    0x7, /* Ext Flags: new corr desc, clt corr check, srv corr check, */
/* 106 */NdrFcShort( 0x20 ), /* 32 */
/* 108 */NdrFcShort( 0x20 ), /* 32 */
/* 110 */NdrFcShort( 0x0 ), /* 0 */
/* 112 */NdrFcShort( 0x0 ), /* 0 */

    /* Parameter txn_in */

/* 114 */NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifdef _ALPHA_
/* 116 */NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
    NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 118 */NdrFcShort( 0x3b6 ), /* Type Offset=950 */

    /* Parameter txn_out */

/* 120 */NdrFcShort( 0x6113 ), /* Flags: must size, must free, out, simple ref, srv alloc size=24 */
#ifdef _ALPHA_
/* 122 */NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
    NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 124 */NdrFcShort( 0x3c8 ), /* Type Offset=968 */

    /* Return value */

/* 126 */NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_

```

```

/* 128 */      NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
                NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 130 */      0x8, /* FC_LONG */
                0x0, /* 0 */

/* Procedure StockLevel */

/* 132 */      0x33, /* FC_AUTO_HANDLE */
                0x6c, /* Old Flags: object, Oi2 */
/* 134 */      NdrFcLong( 0x0 ), /* 0 */
/* 138 */      NdrFcShort( 0x6 ), /* 6 */
#ifndef _ALPHA_
/* 140 */      NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
                NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 142 */      NdrFcShort( 0x0 ), /* 0 */
/* 144 */      NdrFcShort( 0x8 ), /* 8 */
/* 146 */      0x47, /* Oi2 Flags: srv must size, clt must size, has return, has ext, */
                0x3, /* 3 */
/* 148 */      0xa, /* 10 */
                0x7, /* Ext Flags: new corr desc, clt corr check, srv corr check, */
/* 150 */      NdrFcShort( 0x20 ), /* 32 */
/* 152 */      NdrFcShort( 0x20 ), /* 32 */
/* 154 */      NdrFcShort( 0x0 ), /* 0 */
/* 156 */      NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 158 */      NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
/* 160 */      NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
                NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 162 */      NdrFcShort( 0x3b6 ), /* Type Offset=950 */

/* Parameter txn_out */

/* 164 */      NdrFcShort( 0x6113 ), /* Flags: must size, must free, out, simple ref, srv alloc size=24 */
#ifndef _ALPHA_
/* 166 */      NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
                NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 168 */      NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Return value */

/* 170 */      NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
/* 172 */      NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */

```

```

#else
                NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 174 */      0x8, /* FC_LONG */
                0x0, /* 0 */

/* Procedure OrderStatus */

/* 176 */      0x33, /* FC_AUTO_HANDLE */
                0x6c, /* Old Flags: object, Oi2 */
/* 178 */      NdrFcLong( 0x0 ), /* 0 */
/* 182 */      NdrFcShort( 0x7 ), /* 7 */
#ifndef _ALPHA_
/* 184 */      NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
                NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 186 */      NdrFcShort( 0x0 ), /* 0 */
/* 188 */      NdrFcShort( 0x8 ), /* 8 */
/* 190 */      0x47, /* Oi2 Flags: srv must size, clt must size, has return, has ext, */
                0x3, /* 3 */
/* 192 */      0xa, /* 10 */
                0x7, /* Ext Flags: new corr desc, clt corr check, srv corr check, */
/* 194 */      NdrFcShort( 0x20 ), /* 32 */
/* 196 */      NdrFcShort( 0x20 ), /* 32 */
/* 198 */      NdrFcShort( 0x0 ), /* 0 */
/* 200 */      NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 202 */      NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
/* 204 */      NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
                NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 206 */      NdrFcShort( 0x3b6 ), /* Type Offset=950 */

/* Parameter txn_out */

/* 208 */      NdrFcShort( 0x6113 ), /* Flags: must size, must free, out, simple ref, srv alloc size=24 */
#ifndef _ALPHA_
/* 210 */      NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
                NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 212 */      NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Return value */

/* 214 */      NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
/* 216 */      NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */

```

```

        NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 218 */ 0x8, /* FC_LONG */
        0x0, /* 0 */

/* Procedure CallSetComplete */

/* 220 */ 0x33, /* FC_AUTO_HANDLE */
        0x6c, /* Old Flags: object, Oi2 */
/* 222 */ NdrFcLong( 0x0 ), /* 0 */
/* 226 */ NdrFcShort( 0x8 ), /* 8 */
/* 228 */ NdrFcShort( 0x10 ), /* ia64, axp64 Stack size/offset = 16 */
/* 230 */ NdrFcShort( 0x0 ), /* 0 */
/* 232 */ NdrFcShort( 0x8 ), /* 8 */
/* 234 */ 0x44, /* Oi2 Flags: has return, has ext, */
        0x1, /* 1 */
/* 236 */ 0xa, /* 10 */
        0x1, /* Ext Flags: new corr desc, */
/* 238 */ NdrFcShort( 0x0 ), /* 0 */
/* 240 */ NdrFcShort( 0x0 ), /* 0 */
/* 242 */ NdrFcShort( 0x0 ), /* 0 */
/* 244 */ NdrFcShort( 0x0 ), /* 0 */

/* Return value */

/* 246 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
/* 248 */ NdrFcShort( 0x8 ), /* ia64, axp64 Stack size/offset = 8 */
/* 250 */ 0x8, /* FC_LONG */
        0x0, /* 0 */

        0x0
    }
};

static const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString =
{
    0,
    {
        NdrFcShort( 0x0 ), /* 0 */
/* 2 */
        0x12, 0x0, /* FC_UP */
/* 4 */ NdrFcShort( 0x39e ), /* Offset= 926 (930) */
/* 6 */
        0x2b, /* FC_NON_ENCAPSULATED_UNION */
        0x9, /* FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT */
        0x0, /* */
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */
/* 12 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 14 */ NdrFcShort( 0x2 ), /* Offset= 2 (16) */
/* 16 */ NdrFcShort( 0x10 ), /* 16 */
/* 18 */ NdrFcShort( 0x2b ), /* 43 */
/* 20 */ NdrFcLong( 0x3 ), /* 3 */
/* 24 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */

```

```

/* 26 */ NdrFcLong( 0x11 ), /* 17 */
/* 30 */ NdrFcShort( 0x8001 ), /* Simple arm type: FC_BYTE */
/* 32 */ NdrFcLong( 0x2 ), /* 2 */
/* 36 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 38 */ NdrFcLong( 0x4 ), /* 4 */
/* 42 */ NdrFcShort( 0x800a ), /* Simple arm type: FC_FLOAT */
/* 44 */ NdrFcLong( 0x5 ), /* 5 */
/* 48 */ NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */
/* 50 */ NdrFcLong( 0xb ), /* 11 */
/* 54 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 56 */ NdrFcLong( 0xa ), /* 10 */
/* 60 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 62 */ NdrFcLong( 0x6 ), /* 6 */
/* 66 */ NdrFcShort( 0xd6 ), /* Offset= 214 (280) */
/* 68 */ NdrFcLong( 0x7 ), /* 7 */
/* 72 */ NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */
/* 74 */ NdrFcLong( 0x8 ), /* 8 */
/* 78 */ NdrFcShort( 0xd0 ), /* Offset= 208 (286) */
/* 80 */ NdrFcLong( 0xd ), /* 13 */
/* 84 */ NdrFcShort( 0xe4 ), /* Offset= 228 (312) */
/* 86 */ NdrFcLong( 0x9 ), /* 9 */
/* 90 */ NdrFcShort( 0xf0 ), /* Offset= 240 (330) */
/* 92 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 96 */ NdrFcShort( 0xfc ), /* Offset= 252 (348) */
/* 98 */ NdrFcLong( 0x24 ), /* 36 */
/* 102 */ NdrFcShort( 0x2f4 ), /* Offset= 756 (858) */
/* 104 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 108 */ NdrFcShort( 0x2ee ), /* Offset= 750 (858) */
/* 110 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 114 */ NdrFcShort( 0x2ec ), /* Offset= 748 (862) */
/* 116 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 120 */ NdrFcShort( 0x2ea ), /* Offset= 746 (866) */
/* 122 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 126 */ NdrFcShort( 0x2e8 ), /* Offset= 744 (870) */
/* 128 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 132 */ NdrFcShort( 0x2e6 ), /* Offset= 742 (874) */
/* 134 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 138 */ NdrFcShort( 0x2e4 ), /* Offset= 740 (878) */
/* 140 */ NdrFcLong( 0x400b ), /* 16395 */
/* 144 */ NdrFcShort( 0x2d2 ), /* Offset= 722 (866) */
/* 146 */ NdrFcLong( 0x400a ), /* 16394 */
/* 150 */ NdrFcShort( 0x2d0 ), /* Offset= 720 (870) */
/* 152 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 156 */ NdrFcShort( 0x2d6 ), /* Offset= 726 (882) */
/* 158 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 162 */ NdrFcShort( 0x2cc ), /* Offset= 716 (878) */
/* 164 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 168 */ NdrFcShort( 0x2ce ), /* Offset= 718 (886) */
/* 170 */ NdrFcLong( 0x400d ), /* 16397 */
/* 174 */ NdrFcShort( 0x2cc ), /* Offset= 716 (890) */
/* 176 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 180 */ NdrFcShort( 0x2ca ), /* Offset= 714 (894) */
/* 182 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 186 */ NdrFcShort( 0x2c8 ), /* Offset= 712 (898) */

```

```

/* 188 */ NdrFcLong( 0x400c ), /* 16396 */
/* 192 */ NdrFcShort( 0x2c6 ), /* Offset= 710 (902) */
/* 194 */ NdrFcLong( 0x10 ), /* 16 */
/* 198 */ NdrFcShort( 0x8002 ), /* Simple arm type: FC_CHAR */
/* 200 */ NdrFcLong( 0x12 ), /* 18 */
/* 204 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 206 */ NdrFcLong( 0x13 ), /* 19 */
/* 210 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 212 */ NdrFcLong( 0x16 ), /* 22 */
/* 216 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 218 */ NdrFcLong( 0x17 ), /* 23 */
/* 222 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 224 */ NdrFcLong( 0xe ), /* 14 */
/* 228 */ NdrFcShort( 0x2aa ), /* Offset= 682 (910) */
/* 230 */ NdrFcLong( 0x400e ), /* 16398 */
/* 234 */ NdrFcShort( 0x2b0 ), /* Offset= 688 (922) */
/* 236 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 240 */ NdrFcShort( 0x2ae ), /* Offset= 686 (926) */
/* 242 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 246 */ NdrFcShort( 0x26c ), /* Offset= 620 (866) */
/* 248 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 252 */ NdrFcShort( 0x26a ), /* Offset= 618 (870) */
/* 254 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 258 */ NdrFcShort( 0x264 ), /* Offset= 612 (870) */
/* 260 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 264 */ NdrFcShort( 0x25e ), /* Offset= 606 (870) */
/* 266 */ NdrFcLong( 0x0 ), /* 0 */
/* 270 */ NdrFcShort( 0x0 ), /* Offset= 0 (270) */
/* 272 */ NdrFcLong( 0x1 ), /* 1 */
/* 276 */ NdrFcShort( 0x0 ), /* Offset= 0 (276) */
/* 278 */ NdrFcShort( 0xffffffff ), /* Offset= -1 (277) */
/* 280 */
        0x15, /* FC_STRUCT */
        0x7, /* 7 */
/* 282 */ NdrFcShort( 0x8 ), /* 8 */
/* 284 */ 0xb, /* FC_HYPER */
        0x5b, /* FC_END */
/* 286 */
        0x12, 0x0, /* FC_UP */
/* 288 */ NdrFcShort( 0xe ), /* Offset= 14 (302) */
/* 290 */
        0x1b, /* FC_CARRAY */
        0x1, /* 1 */
/* 292 */ NdrFcShort( 0x2 ), /* 2 */
/* 294 */ 0x9, /* Corr desc: FC_ULONG */
        0x0, /* */
/* 296 */ NdrFcShort( 0xfffc ), /* -4 */
/* 298 */ NdrFcShort( 0x1 ), /* Corr flags: early */
/* 300 */ 0x6, /* FC_SHORT */
        0x5b, /* FC_END */
/* 302 */
        0x17, /* FC_CSTRUCT */
        0x3, /* 3 */
/* 304 */ NdrFcShort( 0x8 ), /* 8 */

```

```

/* 306 */ NdrFcShort( 0xffffffff ), /* Offset= -16 (290) */
/* 308 */ 0x8, /* FC_LONG */
        0x8, /* FC_LONG */
/* 310 */ 0x5c, /* FC_PAD */
        0x5b, /* FC_END */
/* 312 */
        0x2f, /* FC_IP */
        0x5a, /* FC_CONSTANT_IID */
/* 314 */ NdrFcLong( 0x0 ), /* 0 */
/* 318 */ NdrFcShort( 0x0 ), /* 0 */
/* 320 */ NdrFcShort( 0x0 ), /* 0 */
/* 322 */ 0xc0, /* 192 */
        0x0, /* 0 */
/* 324 */ 0x0, /* 0 */
        0x0, /* 0 */
/* 326 */ 0x0, /* 0 */
        0x0, /* 0 */
/* 328 */ 0x0, /* 0 */
        0x46, /* 70 */
/* 330 */
        0x2f, /* FC_IP */
        0x5a, /* FC_CONSTANT_IID */
/* 332 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 336 */ NdrFcShort( 0x0 ), /* 0 */
/* 338 */ NdrFcShort( 0x0 ), /* 0 */
/* 340 */ 0xc0, /* 192 */
        0x0, /* 0 */
/* 342 */ 0x0, /* 0 */
        0x0, /* 0 */
/* 344 */ 0x0, /* 0 */
        0x0, /* 0 */
/* 346 */ 0x0, /* 0 */
        0x46, /* 70 */
/* 348 */
        0x12, 0x10, /* FC_UP [pointer_deref] */
/* 350 */ NdrFcShort( 0x2 ), /* Offset= 2 (352) */
/* 352 */
        0x12, 0x0, /* FC_UP */
/* 354 */ NdrFcShort( 0x1e6 ), /* Offset= 486 (840) */
/* 356 */
        0x2a, /* FC_ENCAPSULATED_UNION */
        0x89, /* 137 */
/* 358 */ NdrFcShort( 0x20 ), /* 32 */
/* 360 */ NdrFcShort( 0xa ), /* 10 */
/* 362 */ NdrFcLong( 0x8 ), /* 8 */
/* 366 */ NdrFcShort( 0x50 ), /* Offset= 80 (446) */
/* 368 */ NdrFcLong( 0xd ), /* 13 */
/* 372 */ NdrFcShort( 0x70 ), /* Offset= 112 (484) */
/* 374 */ NdrFcLong( 0x9 ), /* 9 */
/* 378 */ NdrFcShort( 0x90 ), /* Offset= 144 (522) */
/* 380 */ NdrFcLong( 0xc ), /* 12 */
/* 384 */ NdrFcShort( 0xb0 ), /* Offset= 176 (560) */
/* 386 */ NdrFcLong( 0x24 ), /* 36 */
/* 390 */ NdrFcShort( 0x104 ), /* Offset= 260 (650) */

```

```

/* 392 */ NdrFcLong( 0x800d ), /* 32781 */
/* 396 */ NdrFcShort( 0x120 ), /* Offset= 288 (684) */
/* 398 */ NdrFcLong( 0x10 ), /* 16 */
/* 402 */ NdrFcShort( 0x13a ), /* Offset= 314 (716) */
/* 404 */ NdrFcLong( 0x2 ), /* 2 */
/* 408 */ NdrFcShort( 0x150 ), /* Offset= 336 (744) */
/* 410 */ NdrFcLong( 0x3 ), /* 3 */
/* 414 */ NdrFcShort( 0x166 ), /* Offset= 358 (772) */
/* 416 */ NdrFcLong( 0x14 ), /* 20 */
/* 420 */ NdrFcShort( 0x17c ), /* Offset= 380 (800) */
/* 422 */ NdrFcShort( 0xfffffff ), /* Offset= -1 (421) */
/* 424 */
        0x21, /* FC_BOGUS_ARRAY */
        0x3, /* 3 */
/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
        0x0, /* */
/* 430 */ NdrFcShort( 0x0 ), /* 0 */
/* 432 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 434 */ NdrFcLong( 0xfffffff ), /* -1 */
/* 438 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 440 */
        0x12, 0x0, /* FC_UP */
/* 442 */ NdrFcShort( 0xfffff74 ), /* Offset= -140 (302) */
/* 444 */ 0x5c, /* FC_PAD */
        0x5b, /* FC_END */
/* 446 */
        0x1a, /* FC_BOGUS_STRUCT */
        0x3, /* 3 */
/* 448 */ NdrFcShort( 0x10 ), /* 16 */
/* 450 */ NdrFcShort( 0x0 ), /* 0 */
/* 452 */ NdrFcShort( 0x6 ), /* Offset= 6 (458) */
/* 454 */ 0x8, /* FC_LONG */
        0x39, /* FC_ALIGNM8 */
/* 456 */ 0x36, /* FC_POINTER */
        0x5b, /* FC_END */
/* 458 */
        0x11, 0x0, /* FC_RP */
/* 460 */ NdrFcShort( 0xfffff4dc ), /* Offset= -36 (424) */
/* 462 */
        0x21, /* FC_BOGUS_ARRAY */
        0x3, /* 3 */
/* 464 */ NdrFcShort( 0x0 ), /* 0 */
/* 466 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
        0x0, /* */
/* 468 */ NdrFcShort( 0x0 ), /* 0 */
/* 470 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 472 */ NdrFcLong( 0xfffffff ), /* -1 */
/* 476 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 478 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
        0x0, /* 0 */
/* 480 */ NdrFcShort( 0xfffff58 ), /* Offset= -168 (312) */
/* 482 */ 0x5c, /* FC_PAD */
        0x5b, /* FC_END */

```

```

/* 484 */
        0x1a, /* FC_BOGUS_STRUCT */
        0x3, /* 3 */
/* 486 */ NdrFcShort( 0x10 ), /* 16 */
/* 488 */ NdrFcShort( 0x0 ), /* 0 */
/* 490 */ NdrFcShort( 0x6 ), /* Offset= 6 (496) */
/* 492 */ 0x8, /* FC_LONG */
        0x39, /* FC_ALIGNM8 */
/* 494 */ 0x36, /* FC_POINTER */
        0x5b, /* FC_END */
/* 496 */
        0x11, 0x0, /* FC_RP */
/* 498 */ NdrFcShort( 0xfffff4dc ), /* Offset= -36 (462) */
/* 500 */
        0x21, /* FC_BOGUS_ARRAY */
        0x3, /* 3 */
/* 502 */ NdrFcShort( 0x0 ), /* 0 */
/* 504 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
        0x0, /* */
/* 506 */ NdrFcShort( 0x0 ), /* 0 */
/* 508 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 510 */ NdrFcLong( 0xfffffff ), /* -1 */
/* 514 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 516 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
        0x0, /* 0 */
/* 518 */ NdrFcShort( 0xfffff44 ), /* Offset= -188 (330) */
/* 520 */ 0x5c, /* FC_PAD */
        0x5b, /* FC_END */
/* 522 */
        0x1a, /* FC_BOGUS_STRUCT */
        0x3, /* 3 */
/* 524 */ NdrFcShort( 0x10 ), /* 16 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */
/* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 530 */ 0x8, /* FC_LONG */
        0x39, /* FC_ALIGNM8 */
/* 532 */ 0x36, /* FC_POINTER */
        0x5b, /* FC_END */
/* 534 */
        0x11, 0x0, /* FC_RP */
/* 536 */ NdrFcShort( 0xfffff4dc ), /* Offset= -36 (500) */
/* 538 */
        0x21, /* FC_BOGUS_ARRAY */
        0x3, /* 3 */
/* 540 */ NdrFcShort( 0x0 ), /* 0 */
/* 542 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
        0x0, /* */
/* 544 */ NdrFcShort( 0x0 ), /* 0 */
/* 546 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 548 */ NdrFcLong( 0xfffffff ), /* -1 */
/* 552 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 554 */
        0x12, 0x0, /* FC_UP */
/* 556 */ NdrFcShort( 0x176 ), /* Offset= 374 (930) */

```

```

/* 558 */ 0x5c, /* FC_PAD */
/* 560 */ 0x5b, /* FC_END */
0x1a, /* FC_BOGUS_STRUCT */
0x3, /* 3 */
/* 562 */ NdrFcShort( 0x10 ), /* 16 */
/* 564 */ NdrFcShort( 0x0 ), /* 0 */
/* 566 */ NdrFcShort( 0x6 ), /* Offset= 6 (572) */
/* 568 */ 0x8, /* FC_LONG */
0x39, /* FC_ALIGNM8 */
/* 570 */ 0x36, /* FC_POINTER */
0x5b, /* FC_END */
/* 572 */
0x11, 0x0, /* FC_RP */
/* 574 */ NdrFcShort( 0xfffffd ), /* Offset= -36 (538) */
/* 576 */
0x2f, /* FC_IP */
0x5a, /* FC_CONSTANT_IID */
/* 578 */ NdrFcLong( 0x2f ), /* 47 */
/* 582 */ NdrFcShort( 0x0 ), /* 0 */
/* 584 */ NdrFcShort( 0x0 ), /* 0 */
/* 586 */ 0xc0, /* 192 */
0x0, /* 0 */
/* 588 */ 0x0, /* 0 */
0x0, /* 0 */
/* 590 */ 0x0, /* 0 */
0x0, /* 0 */
/* 592 */ 0x0, /* 0 */
0x46, /* 70 */
/* 594 */
0x1b, /* FC_CARRAY */
0x0, /* 0 */
/* 596 */ NdrFcShort( 0x1 ), /* 1 */
/* 598 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
0x0, /* */
/* 600 */ NdrFcShort( 0x4 ), /* 4 */
/* 602 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 604 */ 0x1, /* FC_BYTE */
0x5b, /* FC_END */
/* 606 */
0x1a, /* FC_BOGUS_STRUCT */
0x3, /* 3 */
/* 608 */ NdrFcShort( 0x18 ), /* 24 */
/* 610 */ NdrFcShort( 0x0 ), /* 0 */
/* 612 */ NdrFcShort( 0xc ), /* Offset= 12 (624) */
/* 614 */ 0x8, /* FC_LONG */
0x8, /* FC_LONG */
/* 616 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /* 0 */
/* 618 */ NdrFcShort( 0xfffffd6 ), /* Offset= -42 (576) */
/* 620 */ 0x39, /* FC_ALIGNM8 */
0x36, /* FC_POINTER */
/* 622 */ 0x5c, /* FC_PAD */
0x5b, /* FC_END */

```

```

/* 624 */
0x12, 0x0, /* FC_UP */
/* 626 */ NdrFcShort( 0xfffffe0 ), /* Offset= -32 (594) */
/* 628 */
0x21, /* FC_BOGUS_ARRAY */
0x3, /* 3 */
/* 630 */ NdrFcShort( 0x0 ), /* 0 */
/* 632 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
0x0, /* */
/* 634 */ NdrFcShort( 0x0 ), /* 0 */
/* 636 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 638 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 642 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 644 */
0x12, 0x0, /* FC_UP */
/* 646 */ NdrFcShort( 0xfffffd8 ), /* Offset= -40 (606) */
/* 648 */ 0x5c, /* FC_PAD */
0x5b, /* FC_END */
/* 650 */
0x1a, /* FC_BOGUS_STRUCT */
0x3, /* 3 */
/* 652 */ NdrFcShort( 0x10 ), /* 16 */
/* 654 */ NdrFcShort( 0x0 ), /* 0 */
/* 656 */ NdrFcShort( 0x6 ), /* Offset= 6 (662) */
/* 658 */ 0x8, /* FC_LONG */
0x39, /* FC_ALIGNM8 */
/* 660 */ 0x36, /* FC_POINTER */
0x5b, /* FC_END */
/* 662 */
0x11, 0x0, /* FC_RP */
/* 664 */ NdrFcShort( 0xfffffd ), /* Offset= -36 (628) */
/* 666 */
0x1d, /* FC_SMFARRAY */
0x0, /* 0 */
/* 668 */ NdrFcShort( 0x8 ), /* 8 */
/* 670 */ 0x2, /* FC_CHAR */
0x5b, /* FC_END */
/* 672 */
0x15, /* FC_STRUCT */
0x3, /* 3 */
/* 674 */ NdrFcShort( 0x10 ), /* 16 */
/* 676 */ 0x8, /* FC_LONG */
0x6, /* FC_SHORT */
/* 678 */ 0x6, /* FC_SHORT */
0x4c, /* FC_EMBEDDED_COMPLEX */
/* 680 */ 0x0, /* 0 */
NdrFcShort( 0xfffff1 ), /* Offset= -15 (666) */
0x5b, /* FC_END */
/* 684 */
0x1a, /* FC_BOGUS_STRUCT */
0x3, /* 3 */
/* 686 */ NdrFcShort( 0x20 ), /* 32 */
/* 688 */ NdrFcShort( 0x0 ), /* 0 */
/* 690 */ NdrFcShort( 0xa ), /* Offset= 10 (700) */

```

```

/* 692 */ 0x8, /* FC_LONG */
/* 694 */ 0x36, /* FC_POINTER */
/* 696 */ 0x0, /* 0 */
NdrFcShort( 0xfffff7 ), /* Offset= -25 (672) */
/* 700 */ 0x5b, /* FC_END */
/* 702 */ 0x11, 0x0, /* FC_RP */
NdrFcShort( 0xfffff10 ), /* Offset= -240 (462) */
/* 704 */ 0x1b, /* FC_CARRAY */
0x0, /* 0 */
/* 706 */ NdrFcShort( 0x1 ), /* 1 */
/* 708 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
0x0, /* */
/* 710 */ NdrFcShort( 0x0 ), /* 0 */
/* 712 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 714 */ 0x1, /* FC_BYTE */
0x5b, /* FC_END */
/* 716 */ 0x1a, /* FC_BOGUS_STRUCT */
0x3, /* 3 */
/* 718 */ NdrFcShort( 0x10 ), /* 16 */
/* 720 */ NdrFcShort( 0x0 ), /* 0 */
/* 722 */ NdrFcShort( 0x6 ), /* Offset= 6 (728) */
/* 724 */ 0x8, /* FC_LONG */
0x39, /* FC_ALIGNM8 */
/* 726 */ 0x36, /* FC_POINTER */
0x5b, /* FC_END */
/* 728 */ 0x12, 0x0, /* FC_UP */
NdrFcShort( 0xfffffe6 ), /* Offset= -26 (704) */
/* 732 */ 0x1b, /* FC_CARRAY */
0x1, /* 1 */
/* 734 */ NdrFcShort( 0x2 ), /* 2 */
/* 736 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
0x0, /* */
/* 738 */ NdrFcShort( 0x0 ), /* 0 */
/* 740 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 742 */ 0x6, /* FC_SHORT */
0x5b, /* FC_END */
/* 744 */ 0x1a, /* FC_BOGUS_STRUCT */
0x3, /* 3 */
/* 746 */ NdrFcShort( 0x10 ), /* 16 */
/* 748 */ NdrFcShort( 0x0 ), /* 0 */
/* 750 */ NdrFcShort( 0x6 ), /* Offset= 6 (756) */
/* 752 */ 0x8, /* FC_LONG */
0x39, /* FC_ALIGNM8 */
/* 754 */ 0x36, /* FC_POINTER */
0x5b, /* FC_END */
/* 756 */

```

```

0x12, 0x0, /* FC_UP */
/* 758 */ NdrFcShort( 0xfffffe6 ), /* Offset= -26 (732) */
/* 760 */ 0x1b, /* FC_CARRAY */
0x3, /* 3 */
/* 762 */ NdrFcShort( 0x4 ), /* 4 */
/* 764 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
0x0, /* */
/* 766 */ NdrFcShort( 0x0 ), /* 0 */
/* 768 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 770 */ 0x8, /* FC_LONG */
0x5b, /* FC_END */
/* 772 */ 0x1a, /* FC_BOGUS_STRUCT */
0x3, /* 3 */
/* 774 */ NdrFcShort( 0x10 ), /* 16 */
/* 776 */ NdrFcShort( 0x0 ), /* 0 */
/* 778 */ NdrFcShort( 0x6 ), /* Offset= 6 (784) */
/* 780 */ 0x8, /* FC_LONG */
0x39, /* FC_ALIGNM8 */
/* 782 */ 0x36, /* FC_POINTER */
0x5b, /* FC_END */
/* 784 */ 0x12, 0x0, /* FC_UP */
NdrFcShort( 0xfffffe6 ), /* Offset= -26 (760) */
/* 788 */ 0x1b, /* FC_CARRAY */
0x7, /* 7 */
/* 790 */ NdrFcShort( 0x8 ), /* 8 */
/* 792 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
0x0, /* */
/* 794 */ NdrFcShort( 0x0 ), /* 0 */
/* 796 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 798 */ 0xb, /* FC_HYPER */
0x5b, /* FC_END */
/* 800 */ 0x1a, /* FC_BOGUS_STRUCT */
0x3, /* 3 */
/* 802 */ NdrFcShort( 0x10 ), /* 16 */
/* 804 */ NdrFcShort( 0x0 ), /* 0 */
/* 806 */ NdrFcShort( 0x6 ), /* Offset= 6 (812) */
/* 808 */ 0x8, /* FC_LONG */
0x39, /* FC_ALIGNM8 */
/* 810 */ 0x36, /* FC_POINTER */
0x5b, /* FC_END */
/* 812 */ 0x12, 0x0, /* FC_UP */
/* 814 */ NdrFcShort( 0xfffffe6 ), /* Offset= -26 (788) */
/* 816 */ 0x15, /* FC_STRUCT */
0x3, /* 3 */
/* 818 */ NdrFcShort( 0x8 ), /* 8 */
/* 820 */ 0x8, /* FC_LONG */
0x8, /* FC_LONG */

```

```

/* 822 */ 0x5c, /* FC_PAD */
          0x5b, /* FC_END */
/* 824 */
          0x1b, /* FC_CARRAY */
          0x3, /* 3 */
/* 826 */ NdrFcShort( 0x8 ), /* 8 */
/* 828 */ 0x7, /* Corr desc: FC_USHORT */
          0x0, /* */
/* 830 */ NdrFcShort( 0xffc8 ), /* -56 */
/* 832 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 834 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
          0x0, /* 0 */
/* 836 */ NdrFcShort( 0xfffffec ), /* Offset= -20 (816) */
/* 838 */ 0x5c, /* FC_PAD */
          0x5b, /* FC_END */
/* 840 */
          0x1a, /* FC_BOGUS_STRUCT */
          0x3, /* 3 */
/* 842 */ NdrFcShort( 0x38 ), /* 56 */
/* 844 */ NdrFcShort( 0xfffffec ), /* Offset= -20 (824) */
/* 846 */ NdrFcShort( 0x0 ), /* Offset= 0 (846) */
/* 848 */ 0x6, /* FC_SHORT */
          0x6, /* FC_SHORT */
/* 850 */ 0x38, /* FC_ALIGNM4 */
          0x8, /* FC_LONG */
/* 852 */ 0x8, /* FC_LONG */
          0x4c, /* FC_EMBEDDED_COMPLEX */
/* 854 */ 0x4, /* 4 */
          NdrFcShort( 0xffffe0d ), /* Offset= -499 (356) */
          0x5b, /* FC_END */
/* 858 */
          0x12, 0x0, /* FC_UP */
/* 860 */ NdrFcShort( 0xfffff02 ), /* Offset= -254 (606) */
/* 862 */
          0x12, 0x8, /* FC_UP [simple_pointer] */
/* 864 */ 0x1, /* FC_BYTE */
          0x5c, /* FC_PAD */
/* 866 */
          0x12, 0x8, /* FC_UP [simple_pointer] */
/* 868 */ 0x6, /* FC_SHORT */
          0x5c, /* FC_PAD */
/* 870 */
          0x12, 0x8, /* FC_UP [simple_pointer] */
/* 872 */ 0x8, /* FC_LONG */
          0x5c, /* FC_PAD */
/* 874 */
          0x12, 0x8, /* FC_UP [simple_pointer] */
/* 876 */ 0xa, /* FC_FLOAT */
          0x5c, /* FC_PAD */
/* 878 */
          0x12, 0x8, /* FC_UP [simple_pointer] */
/* 880 */ 0xc, /* FC_DOUBLE */
          0x5c, /* FC_PAD */
/* 882 */

```

```

          0x12, 0x0, /* FC_UP */
/* 884 */ NdrFcShort( 0xffffda4 ), /* Offset= -604 (280) */
/* 886 */
          0x12, 0x10, /* FC_UP [pointer_deref] */
/* 888 */ NdrFcShort( 0xffffda6 ), /* Offset= -602 (286) */
/* 890 */
          0x12, 0x10, /* FC_UP [pointer_deref] */
/* 892 */ NdrFcShort( 0xffffdbc ), /* Offset= -580 (312) */
/* 894 */
          0x12, 0x10, /* FC_UP [pointer_deref] */
/* 896 */ NdrFcShort( 0xffffdca ), /* Offset= -566 (330) */
/* 898 */
          0x12, 0x10, /* FC_UP [pointer_deref] */
/* 900 */ NdrFcShort( 0xffffdd8 ), /* Offset= -552 (348) */
/* 902 */
          0x12, 0x10, /* FC_UP [pointer_deref] */
/* 904 */ NdrFcShort( 0x2 ), /* Offset= 2 (906) */
/* 906 */
          0x12, 0x0, /* FC_UP */
/* 908 */ NdrFcShort( 0x16 ), /* Offset= 22 (930) */
/* 910 */
          0x15, /* FC_STRUCT */
          0x7, /* 7 */
/* 912 */ NdrFcShort( 0x10 ), /* 16 */
/* 914 */ 0x6, /* FC_SHORT */
          0x1, /* FC_BYTE */
/* 916 */ 0x1, /* FC_BYTE */
          0x38, /* FC_ALIGNM4 */
/* 918 */ 0x8, /* FC_LONG */
          0x39, /* FC_ALIGNM8 */
/* 920 */ 0xb, /* FC_HYPER */
          0x5b, /* FC_END */
/* 922 */
          0x12, 0x0, /* FC_UP */
/* 924 */ NdrFcShort( 0xfffff2 ), /* Offset= -14 (910) */
/* 926 */
          0x12, 0x8, /* FC_UP [simple_pointer] */
/* 928 */ 0x2, /* FC_CHAR */
          0x5c, /* FC_PAD */
/* 930 */
          0x1a, /* FC_BOGUS_STRUCT */
          0x7, /* 7 */
/* 932 */ NdrFcShort( 0x20 ), /* 32 */
/* 934 */ NdrFcShort( 0x0 ), /* 0 */
/* 936 */ NdrFcShort( 0x0 ), /* Offset= 0 (936) */
/* 938 */ 0x8, /* FC_LONG */
          0x8, /* FC_LONG */
/* 940 */ 0x6, /* FC_SHORT */
          0x6, /* FC_SHORT */
/* 942 */ 0x6, /* FC_SHORT */
          0x6, /* FC_SHORT */
/* 944 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
          0x0, /* 0 */
/* 946 */ NdrFcShort( 0xffffc54 ), /* Offset= -940 (6) */

```



```

/* 948 */      0x5c,          /* FC_PAD */
                0x5b,          /* FC_END */
/* 950 */      0xb4,          /* FC_USER_MARSHAL */
                0x83,          /* 131 */
/* 952 */      NdrFcShort( 0x0 ), /* 0 */
/* 954 */      NdrFcShort( 0x18 ), /* 24 */
/* 956 */      NdrFcShort( 0x0 ), /* 0 */
/* 958 */      NdrFcShort( 0xffffc44 ), /* Offset= -956 (2) */
/* 960 */
                0x11, 0x4,      /* FC_RP [allocated_on_stack] */
/* 962 */      NdrFcShort( 0x6 ), /* Offset= 6 (968) */
/* 964 */
                0x13, 0x0,      /* FC_OP */
/* 966 */      NdrFcShort( 0xfffffdc ), /* Offset= -36 (930) */
/* 968 */      0xb4,          /* FC_USER_MARSHAL */
                0x83,          /* 131 */
/* 970 */      NdrFcShort( 0x0 ), /* 0 */
/* 972 */      NdrFcShort( 0x18 ), /* 24 */
/* 974 */      NdrFcShort( 0x0 ), /* 0 */
/* 976 */      NdrFcShort( 0xfffff4 ), /* Offset= -12 (964) */

                0x0

    }
};

const CInterfaceProxyVtbl * _tpcc_com_ps_ProxyVtblList[] =
{
    ( CInterfaceProxyVtbl *) &_ITPCCProxyVtbl,
    0
};

const CInterfaceStubVtbl * _tpcc_com_ps_StubVtblList[] =
{
    ( CInterfaceStubVtbl *) &_ITPCCStubVtbl,
    0
};

PCInterfaceName const _tpcc_com_ps_InterfaceNamesList[] =
{
    "ITPCC",
    0
};

#define _tpcc_com_ps_CHECK_IID(n)      IID_GENERIC_CHECK_IID( _tpcc_com_ps, pIID, n)

int _stdcall _tpcc_com_ps_IID_Lookup( const IID * pIID, int * pIndex )
{
    if(!_tpcc_com_ps_CHECK_IID(0))
    {
        *pIndex = 0;
        return 1;
    }
}

```

```

return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo =
{
    (PCInterfaceProxyVtblList *) &_tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) &_tpcc_com_ps_StubVtblList,
    (const PCInterfaceName *) &_tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    &_tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
};

#endif /* defined(_M_IA64) || defined(_M_AXP64) */

```

Appendix B - Database Details

BACKUP.SQL

```

-- File:      BACKUP.SQL
--            Microsoft TPC-C Benchmark Kit Ver. 4.20
--            Copyright Microsoft, 1999
-- Purpose:   Creates backup of tpcc database

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

```

```

dump database tpcc to tpccback1, tpccback2, tpccback3, tpccback4, tpccback5,
tpccback6 with init, stats = 1

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

```

```

go

```

BACKUPDEV.SQL

```
-- File:      BACKUPDEVB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates tpcc database Backup Devices

use master
go

-- create backup devices

exec sp_addumpdevice 'disk','tpccback1','U:\tpccback1.dmp'
exec sp_addumpdevice 'disk','tpccback2','V:\tpccback2.dmp'
exec sp_addumpdevice 'disk','tpccback3','W:\tpccback3.dmp'
exec sp_addumpdevice 'disk','tpccback4','X:\tpccback4.dmp'
exec sp_addumpdevice 'disk','tpccback5','Y:\tpccback5.dmp'
exec sp_addumpdevice 'disk','tpccback6','Z:\tpccback6.dmp'
go
```

CREATEDB.SQL

```
-- File:      CREATEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates tpcc database and backup files

use master
go

-- Create temporary table for timing

if exists ( select name from sysobjects where name = 'tpcc_timer' )
    drop table tpcc_timer
go

create table tpcc_timer
(
    start_date          char(30),
    end_date            char(30)
)

insert into tpcc_timer values (0,0)
go

-- Store starting time

update tpcc_timer
set start_date=(select convert(char(30), getdate(),9))
go

-- create main database files
```

```
CREATE DATABASE tpcc
ON PRIMARY
(
    NAME          = MSSQL70_tpcc_root,
    FILENAME     = "C:\tpcc_root.mdf",
    SIZE         = 50MB,
    FILEGROWTH   = 0),
FILEGROUP MSSQL70_cs_fg
(
    NAME          = MSSQL70_cs1,
    FILENAME     = "E:",
    SIZE         = 64500MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL70_cs2,
    FILENAME     = "F:",
    SIZE         = 64500MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL70_cs3,
    FILENAME     = "G:",
    SIZE         = 64500MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL70_cs4,
    FILENAME     = "H:",
    SIZE         = 64500MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL70_cs5,
    FILENAME     = "I:",
    SIZE         = 64500MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL70_cs6,
    FILENAME     = "J:",
    SIZE         = 64500MB,
    FILEGROWTH   = 0),
FILEGROUP MSSQL70_misc_fg
(
    NAME          = MSSQL70_misc1,
    FILENAME     = "N:",
    SIZE         = 35000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL70_misc2,
    FILENAME     = "O:",
    SIZE         = 35000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL70_misc3,
    FILENAME     = "P:",
    SIZE         = 35000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL70_misc4,
    FILENAME     = "Q:",
    SIZE         = 35000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL70_misc5,
    FILENAME     = "R:",
    SIZE         = 35000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL70_misc6,
```

```

FILENAME = "S:",
SIZE     = 35000MB,
FILEGROWTH = 0)
LOG ON
( NAME      =MSSQL70_tpcc_log,
  FILENAME  ="L:",
  SIZE     =120000MB,
  FILEGROWTH=0)
go

-- Store ending time
update   tpcc_timer
set end_date = (select convert(char(30), getdate(),9))
go

select "Elapsed time (in seconds): ", datediff(second,(select start_date
from tpcc_timer),(select end_date from tpcc_timer))

-- remove temporary table

if exists ( select name from sysobjects where name = 'tpcc_timer' )
  drop table tpcc_timer
go

```

DBOPT1.SQL

```

-- File:      DBOPT1.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.21
--           Copyright Microsoft, 1999, 2000
-- Purpose:   Sets database options for data load

```

```

use master
go

exec sp_dboption tpcc,'select into/bulkcopy',true
exec sp_dboption tpcc,'trunc. log on chkpt.',true
go

use tpcc
go

checkpoint
go

```

DBOPT2.SQL

```

-- File:      DBOPT2.SQL

```

```

--           Microsoft TPC-C Benchmark Kit Ver. 4.21
--           Copyright Microsoft, 1999, 2000
-- Purpose:   Resets database options after data load

sp_dboption tpcc,'select into/bulkcopy',FALSE
GO

sp_dboption tpcc,'trunc. log on chkpt.',FALSE
GO

USE tpcc
GO

CHECKPOINT
GO

sp_configure 'allow updates',1
GO

RECONFIGURE WITH OVERRIDE
GO

DECLARE   @msg          varchar(50)

IF (SELECT (SUBSTRING((SELECT @@version),1,26))) = 'Microsoft SQL Server
2000'
  BEGIN
    --
    --           OPTIONS FOR SQL SERVER 8.0
    -- Set option values for user-defined indexes
    --
    SET @msg = ' '
    PRINT@msg
    SET @msg = 'Setting SQL Server 8.0 indexoptions'
    PRINT@msg
    SET @msg = ' '
    PRINT@msg

    EXEC sp_indexoption 'customer', 'DisallowPageLocks', TRUE
    EXEC sp_indexoption 'district', 'DisallowPageLocks', TRUE
    EXEC sp_indexoption 'warehouse', 'DisallowPageLocks', TRUE
    EXEC sp_indexoption 'stock', 'DisallowPageLocks', TRUE
    EXEC sp_indexoption 'order_line', 'DisallowRowLocks', TRUE
    EXEC sp_indexoption 'orders', 'DisallowRowLocks', TRUE
    EXEC sp_indexoption 'new_order', 'DisallowRowLocks', TRUE
    EXEC sp_indexoption 'item', 'DisallowRowLocks', TRUE
    EXEC sp_indexoption 'item', 'DisallowPageLocks', TRUE
  END
ELSE
  BEGIN
    --
    --           OPTIONS FOR SQL SERVER 7.0
    -- Set option values for user-defined indexes
    --

```

```

--
SET @msg = ' '
PRINT @msg
SET @msg = 'Setting SQL Server 7.0 indexoptions'
PRINT @msg
SET @msg = ' '
PRINT @msg

EXEC sp_indexoption 'customer', 'AllowPageLocks', FALSE
EXEC sp_indexoption 'district', 'AllowPageLocks', FALSE
EXEC sp_indexoption 'warehouse', 'AllowPageLocks', FALSE
EXEC sp_indexoption 'stock', 'AllowPageLocks', FALSE
EXEC sp_indexoption 'order_line', 'AllowRowLocks', FALSE
EXEC sp_indexoption 'orders', 'AllowRowLocks', FALSE
EXEC sp_indexoption 'new_order', 'AllowRowLocks', FALSE
EXEC sp_indexoption 'item', 'AllowRowLocks', FALSE
EXEC sp_indexoption 'item', 'AllowPageLocks', FALSE

GO

END

GO

Print ' '
Print '*****'
Print 'Pre-specified Locking Hierarchy:'
Print ' Lockflag = 0 ==> No pre-specified hierarchy'
Print ' Lockflag = 1 ==> Lock at Page-level then Table-level'
Print ' Lockflag = 2 ==> Lock at Row-level then Table-level'
Print ' Lockflag = 3 ==> Lock at Table-level'
Print ' '

SELECT name,lockflags
FROM sysindexes
WHERE object_id('warehouse') = id OR
object_id('district') = id OR
object_id('customer') = id OR
object_id('stock') = id OR
object_id('orders') = id OR
object_id('order_line') = id OR
object_id('history') = id OR
object_id('new_order') = id OR
object_id('item') = id
ORDER BY lockflags asc
GO

sp_configure 'allow updates',0
GO

RECONFIGURE WITH OVERRIDE
GO

EXEC sp_dboption tpcc, 'auto update statistics', FALSE
EXEC sp_dboption tpcc, 'auto create statistics', FALSE
EXEC sp_dboption tpcc, 'torn page detection', FALSE

```

```

GO
EXEC sp_tableoption 'district', 'pintable',true
EXEC sp_tableoption 'warehouse', 'pintable',true
EXEC sp_tableoption 'new_order', 'pintable',true
EXEC sp_tableoption 'item', 'pintable',true
GO

```

REMOVEDB.SQL

```

-- File: REMOVEDB.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.20
-- Copyright Microsoft, 1999
-- Purpose: Removes tpcc database and backup files

```

```

use master
go

```

```

-- remove any existing database and backup files

```

```

exec sp_dbremove tpcc, dropdev
go

```

```

exec sp_dropdevice 'tpccback1'
exec sp_dropdevice 'tpccback2'
exec sp_dropdevice 'tpccback3'
exec sp_dropdevice 'tpccback4'
exec sp_dropdevice 'tpccback5'
exec sp_dropdevice 'tpccback6'
go

```

RESTORE.SQL

```

-- File: RESTORE.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.20
-- Copyright Microsoft, 1999
-- Purpose: Loads database backup from backup files

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

```

```

load database tpcc from tpccback1, tpccback2, tpccback3, tpccback4,
tpccback5, tpccback6 with stats = 1

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

```

```

go

```

VERIFYTPCCLOAD.SQL

```
-- File:      VERIFYTPCCLOAD.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.21
--           Copyright Microsoft, 1999, 2000
-- Purpose:   Performs series of TPCC database checks to verify
--           that database load completed correctly
```

```
print " "
select  convert(char(30), getdate(),9)
print " "

use tpcc
go

-- *****
-- Check rows per table from SYSINDEXES
-- *****

print 'WAREHOUSE TABLE'

select  rows
from sysindexes
whereid = object_id("warehouse")
go

print 'DISTRICT TABLE = (10 * No of warehouses) '

select  rows
from sysindexes
whereid =object_id("district")
go

print 'ITEM TABLE = 100,000'

select  rows
from sysindexes
whereid =object_id("item")
go

print 'CUSTOMER TABLE = (30,000 * No of warehouses) '

select  rows
from sysindexes
whereid =object_id("customer")
go

print 'ORDERS TABLE = (30,000 * No of warehouses) '

select  rows
from sysindexes
whereid =object_id("orders")
```

```
go

print 'HISTORY TABLE = (30,000 * No of warehouses) '

select  rows
from sysindexes
whereid =object_id("history")
go

print 'STOCK TABLE = (100,000 * No of warehouses) '

select  rows
from sysindexes
whereid =object_id("stock")
go

print 'ORDER_LINE TABLE = (300,000 * No of warehouses + some change) '

select  rows
from sysindexes
whereid =object_id("order_line")
go

print 'NEW_ORDER TABLE = (9000 * No of warehouses) '

select  rows
from sysindexes
whereid =object_id("new_order")
go

-- *****
-- Check indices
-- *****

print '*****Index Check*****'

use tpcc
go

sp_helpindex customer
go

sp_helpindex stock
go

sp_helpindex district
go

sp_helpindex item
go

sp_helpindex new_order
```

```

go

sp_helpindex    orders
go

sp_helpindex    order_line
go

sp_helpindex    warehouse
go

```

IDXCUSCL.SQL

```

-- File:      IDXCUSCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates clustered index on customer table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'customer_cl' )
    drop index customer.customer_cl

create unique clustered index customer_cl on customer(c_w_id, c_d_id, c_id)
    on MSSQL70_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

IDXCUSNC.SQL

```

-- File:      IDXCUSNC.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates non-clustered index on customer table

use tpcc
go

declare @startdate datetime
declare @enddate datetime

```

```

select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'customer_nc1' )
    drop index customer.customer_nc1

create unique nonclustered index customer_nc1 on customer(c_w_id, c_d_id,
c_last, c_first, c_id)
    on MSSQL70_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

IDXDISCL.SQL

```

-- File:      IDXDISCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates clustered index on district table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'district_cl' )
    drop index district.district_cl

create unique clustered index district_cl on district(d_w_id, d_id)
    with fillfactor=100 on MSSQL70_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

-- File:      IDXITMCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999

```

```
-- Purpose: Creates clustered index on item table
```

```
use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'item_cl' )
    drop index item.item_cl

create unique clustered index item_cl on item(i_id)
    on MSSQL70_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go
```

IDXNODCL.SQL

```
-- File:      IDXNODCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates clustered index on new_order table
```

```
use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'new_order_cl' )
    drop index new_order.new_order_cl

create unique clustered index new_order_cl on new_order(no_w_id, no_d_id,
no_o_id)
    on MSSQL70_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go
```

IDXODLCL.SQL

```
-- File:      IDXODLCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates clustered index on order_line table
```

```
use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'order_line_cl' )
    drop index order_line.order_line_cl

create unique clustered index order_line_cl on order_line(ol_w_id, ol_d_id,
ol_o_id, ol_number)
    on MSSQL70_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go
```

IDXORDCL.SQL

```
-- File:      IDXORDCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates clustered index on orders table
```

```
use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'orders_cl' )
    drop index orders.orders_cl

create unique clustered index orders_cl on orders(o_w_id, o_d_id, o_id)
    on MSSQL70_misc_fg

select @enddate = getdate()
```

```

select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

IDXORDNC.SQL

```

-- File:      IDXORDNC.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates non-clustered index on orders table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'orders_nc1' )
    drop index orders.orders_nc1

create index orders_nc1 on orders(o_w_id, o_d_id, o_c_id, o_id)
    on MSSQL70_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

IDXSTKCL.SQL

```

-- File:      IDXSTKCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates clustered index on stock table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'stock_c1' )

```

```

drop index stock.stock_c1

```

```

create unique clustered index stock_c1 on stock(s_i_id, s_w_id)
    on MSSQL70_cs_fg

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

IDXWARCL.SQL

```

-- File:      IDXWARCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates clustered index on warehouse table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'warehouse_c1' )
    drop index warehouse.warehouse_c1

create unique clustered index warehouse_c1 on warehouse(w_id)
    with fillfactor=100 on MSSQL70_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

TABLES.SQL

```

-- File:      TABLES.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates TPC-C tables

```

```

use tpcc
go

```



```

--
-- Remove all existing TPC-C tables
--
if exists ( select name from sysobjects where name = 'warehouse' )
    drop table warehouse
go
if exists ( select name from sysobjects where name = 'district' )
    drop table district
go
if exists ( select name from sysobjects where name = 'customer' )
    drop table customer
go
if exists ( select name from sysobjects where name = 'history' )
    drop table history
go
if exists ( select name from sysobjects where name = 'new_order' )
    drop table new_order
go
if exists ( select name from sysobjects where name = 'orders' )
    drop table orders
go
if exists ( select name from sysobjects where name = 'order_line' )
    drop table order_line
go
if exists ( select name from sysobjects where name = 'item' )
    drop table item
go
if exists ( select name from sysobjects where name = 'stock' )
    drop table stock
go
--
-- Create new tables
--
create table warehouse
(
    w_id                smallint,
    w_name              char(10),
    w_street_1         char(20),
    w_street_2         char(20),
    w_city              char(20),
    w_state             char(2),
    w_zip              char(9),
    w_tax               numeric(4,4),
    w_ytd               numeric(12,2)
) on MSSQL70_misc_fg
go
create table district
(
    d_id                tinyint,
    d_w_id              smallint,

```

```

    d_name              char(10),
    d_street_1         char(20),
    d_street_2         char(20),
    d_city              char(20),
    d_state             char(2),
    d_zip              char(9),
    d_tax               numeric(4,4),
    d_ytd               numeric(12,2),
    d_next_o_id        int
) on MSSQL70_misc_fg
go
create table customer
(
    c_id                int,
    c_d_id              tinyint,
    c_w_id              smallint,
    c_first             char(16),
    c_middle            char(2),
    c_last              char(16),
    c_street_1         char(20),
    c_street_2         char(20),
    c_city              char(20),
    c_state             char(2),
    c_zip              char(9),
    c_phone             char(16),
    c_since             datetime,
    c_credit            char(2),
    c_credit_lim        numeric(12,2),
    c_discount          numeric(4,4),
    c_balance           numeric(12,2),
    c_ytd_payment      numeric(12,2),
    c_payment_cnt       smallint,
    c_delivery_cnt      smallint,
    c_data              char(500)
) on MSSQL70_cs_fg
go
create table history
(
    h_c_id              int,
    h_c_d_id            tinyint,
    h_c_w_id            smallint,
    h_d_id              tinyint,
    h_w_id              smallint,
    h_date              datetime,
    h_amount            numeric(6,2),
    h_data              char(24)
) on MSSQL70_misc_fg
go
create table new_order
(
    no_o_id             int,

```

```

        no_d_id          tinyint,
        no_w_id          smallint
) on MSSQL70_misc_fg
go

create table orders
(
    o_id                int,
    o_d_id              tinyint,
    o_w_id              smallint,
    o_c_id              int,
    o_entry_d           datetime,
    o_carrier_id        tinyint,
    o_ol_cnt            tinyint,
    o_all_local         tinyint
) on MSSQL70_misc_fg
go

create table order_line
(
    ol_o_id             int,
    ol_d_id             tinyint,
    ol_w_id             smallint,
    ol_number           tinyint,
    ol_i_id             int,
    ol_supply_w_id      smallint,
    ol_delivery_d       datetime,
    ol_quantity         smallint,
    ol_amount           numeric(6,2),
    ol_dist_info        char(24)
) on MSSQL70_misc_fg
go

create table item
(
    i_id                int,
    i_im_id             int,
    i_name              char(24),
    i_price             numeric(5,2),
    i_data              char(50)
) on MSSQL70_misc_fg
go

create table stock
(
    s_i_id              int,
    s_w_id              smallint,
    s_quantity          smallint,
    s_dist_01           char(24),
    s_dist_02           char(24),
    s_dist_03           char(24),
    s_dist_04           char(24),
    s_dist_05           char(24),
    s_dist_06           char(24),

```

```

        s_dist_07       char(24),
        s_dist_08       char(24),
        s_dist_09       char(24),
        s_dist_10       char(24),
        s_ytd           int,
        s_order_cnt     smallint,
        s_remote_cnt    smallint,
        s_data          char(50)
) on MSSQL70_cs_fg
go

```

DELIVERY.SQL

```

-- File:      DELIVERY.SQL
--            Microsoft TPC-C Benchmark Kit Ver. 4.21.000
--            Copyright Microsoft, 1999, 2000
-- Purpose:   Creates delivery transaction stored procedure
--
-- Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_delivery" )
drop procedure tpcc_delivery
go

create proc tpcc_delivery @w_id          smallint,
                        @o_carrier_id    smallint
as

declare @d_id tinyint,
        @o_id int,
        @c_id int,
        @total numeric(12,2),
        @oid1 int,
        @oid2 int,
        @oid3 int,
        @oid4 int,
        @oid5 int,
        @oid6 int,
        @oid7 int,
        @oid8 int,
        @oid9 int,
        @oid10 int

select @d_id = 0

begin tran d

    while (@d_id < 10)
begin

```

```

        select @d_id = @d_id + 1,
               @total = 0,
               @o_id = 0

select top 1
       @o_id= no_o_id
from new_order (serializable uplock)
where no_w_id = @w_id and
       no_d_id = @d_id
order by no_o_id asc

       if (@@rowcount <> 0)
begin

-- claim the order for this district

       delete new_order
where no_w_id = @w_id and
       no_d_id = @d_id and
       no_o_id = @o_id

-- set carrier_id on this order (and get customer id)

       update orders
set o_carrier_id = @o_carrier_id,
   @c_id = o_c_id
where o_w_id = @w_id and
      o_d_id = @d_id and
      o_id = @o_id

-- set date in all lineitems for this order (and sum amounts)

       update order_line
set ol_delivery_d = getdate(),
   @total = @total + ol_amount
where ol_w_id = @w_id and
      ol_d_id = @d_id and
      ol_o_id = @o_id

-- accumulate lineitem amounts for this order into customer

       update customer
set c_balance = c_balance + @total,
   c_delivery_cnt = c_delivery_cnt + 1
where c_w_id = @w_id and
      c_d_id = @d_id and
      c_id = @c_id

end

select @oid1 = case @d_id when 1 then @o_id else @oid1 end,
       @oid2 = case @d_id when 2 then @o_id else @oid2 end,
       @oid3 = case @d_id when 3 then @o_id else @oid3 end,
       @oid4 = case @d_id when 4 then @o_id else @oid4 end,

```

```

       @oid5 = case @d_id when 5 then @o_id else @oid5 end,
       @oid6 = case @d_id when 6 then @o_id else @oid6 end,
       @oid7 = case @d_id when 7 then @o_id else @oid7 end,
       @oid8 = case @d_id when 8 then @o_id else @oid8 end,
       @oid9 = case @d_id when 9 then @o_id else @oid9 end,
       @oid10 = case @d_id when 10 then @o_id else @oid10 end

end

commit tran d

-- return delivery data to client

select @oid1,
       @oid2,
       @oid3,
       @oid4,
       @oid5,
       @oid6,
       @oid7,
       @oid8,
       @oid9,
       @oid10

go

NEWORD.SQL

-- File: NEWORD.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.21.000
-- Copyright Microsoft, 1999, 2000
-- Purpose: Creates new order transaction stored procedure
--
-- Interface Level: 4.10.000

use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_neworder" )
drop procedure tpcc_neworder
go

create proc tpcc_neworder
       @w_id smallint,
       @d_id tinyint,
       @c_id int,
       @o_ol_cnt tinyint,
       @o_all_local tinyint,
       @i_id1 int = 0, @s_w_id1 smallint = 0, @ol_qty1
smallint = 0,
       @i_id2 int = 0, @s_w_id2 smallint = 0, @ol_qty2
smallint = 0,
       @i_id3 int = 0, @s_w_id3 smallint = 0, @ol_qty3
smallint = 0,

```

```

        @i_id4 int = 0, @s_w_id4 smallint = 0, @ol_qty4
smallint = 0,
        @i_id5 int = 0, @s_w_id5 smallint = 0, @ol_qty5
smallint = 0,
        @i_id6 int = 0, @s_w_id6 smallint = 0, @ol_qty6
smallint = 0,
        @i_id7 int = 0, @s_w_id7 smallint = 0, @ol_qty7
smallint = 0,
        @i_id8 int = 0, @s_w_id8 smallint = 0, @ol_qty8
smallint = 0,
        @i_id9 int = 0, @s_w_id9 smallint = 0, @ol_qty9
smallint = 0,
        @i_id10 int = 0, @s_w_id10 smallint = 0, @ol_qty10
smallint = 0,
        @i_id11 int = 0, @s_w_id11 smallint = 0, @ol_qty11
smallint = 0,
        @i_id12 int = 0, @s_w_id12 smallint = 0, @ol_qty12
smallint = 0,
        @i_id13 int = 0, @s_w_id13 smallint = 0, @ol_qty13
smallint = 0,
        @i_id14 int = 0, @s_w_id14 smallint = 0, @ol_qty14
smallint = 0,
        @i_id15 int = 0, @s_w_id15 smallint = 0, @ol_qty15
smallint = 0

as
declare @w_tax numeric(4,4),
        @d_tax numeric(4,4),
        @c_last char(16),
        @c_credit char(2),
        @c_discount numeric(4,4),
        @i_price numeric(5,2),
        @i_name char(24),
        @i_data char(50),
        @o_entry_d datetime,
        @remote_flag int,
        @s_quantity smallint,
        @s_data char(50),
        @s_dist char(24),
        @li_no int,
        @o_id int,
        @commit_flag tinyint,
        @li_id int,
        @li_s_w_id smallint,
        @li_qty smallint,
        @ol_number int,
        @c_id_local int

begin
begin transaction n

-- get district tax and next available order id and update
-- plus initialize local variables

```

```

update district
set @d_tax = d_tax,
    @o_id = d_next_o_id,
    d_next_o_id = d_next_o_id + 1,
    @o_entry_d = getdate(),
    @li_no = 0,
    @commit_flag = 1
whered_w_id = @w_id and
d_id = @d_id

-- process orderlines

while (@li_no < @o_ol_cnt)
begin

    select @li_no = @li_no + 1

-- set i_id, s_w_id, and qty for this lineitem

select @li_id = case @li_no
    when 1 then @i_id1
    when 2 then @i_id2
    when 3 then @i_id3
    when 4 then @i_id4
    when 5 then @i_id5
    when 6 then @i_id6
    when 7 then @i_id7
    when 8 then @i_id8
    when 9 then @i_id9
    when 10 then @i_id10
    when 11 then @i_id11
    when 12 then @i_id12
    when 13 then @i_id13
    when 14 then @i_id14
    when 15 then @i_id15
end,

    @li_s_w_id = case @li_no
    when 1 then @s_w_id1
    when 2 then @s_w_id2
    when 3 then @s_w_id3
    when 4 then @s_w_id4
    when 5 then @s_w_id5
    when 6 then @s_w_id6
    when 7 then @s_w_id7
    when 8 then @s_w_id8
    when 9 then @s_w_id9
    when 10 then @s_w_id10
    when 11 then @s_w_id11
    when 12 then @s_w_id12
    when 13 then @s_w_id13
    when 14 then @s_w_id14
    when 15 then @s_w_id15

```

```

        end,

        @li_qty = case @li_no
            when 1 then @ol_qty1
            when 2 then @ol_qty2
            when 3 then @ol_qty3
            when 4 then @ol_qty4
            when 5 then @ol_qty5
            when 6 then @ol_qty6
            when 7 then @ol_qty7
            when 8 then @ol_qty8
            when 9 then @ol_qty9
            when 10 then @ol_qty10
            when 11 then @ol_qty11
            when 12 then @ol_qty12
            when 13 then @ol_qty13
            when 14 then @ol_qty14
            when 15 then @ol_qty15
        end

-- get item data (no one updates item)

        select      @i_price = i_price,
                   @i_name  = i_name,
                   @i_data  = i_data
        from item (tablock repeatableread)
        where i_id = @li_id

-- update stock values

        update      stock
        set  s_ytd = s_ytd + @li_qty,
           @s_quantity = s_quantity - @li_qty +
                case when (s_quantity - @li_qty < 10)
then 91 else 0 end,
           s_order_cnt = s_order_cnt + 1,
           s_remote_cnt = s_remote_cnt + case when (@li_s_w_id =
@w_id) then 0 else 1 end,
           @s_data = s_data,
           @s_dist = case @d_id
                when 1 then s_dist_01
                when 2 then s_dist_02
                when 3 then s_dist_03
                when 4 then s_dist_04
                when 5 then s_dist_05
                when 6 then s_dist_06
                when 7 then s_dist_07
                when 8 then s_dist_08
                when 9 then s_dist_09
                when 10 then s_dist_10
            end
        where s_i_id = @li_id and
              s_w_id = @li_s_w_id

-- if there actually is a stock (and item) with these ids, go to work
        if (@@rowcount > 0)
        begin
-- insert order_line data (using data from item and stock)

                insert into order_line values(@o_id,
                                                @d_id,
                                                @w_id,
                                                @li_no,
                                                @li_id,
                                                @li_s_w_id,
                                                "dec 31, 1899",
                                                @li_qty,
                                                @i_price * @li_qty,
                                                @s_dist)

-- send line-item data to client

                select      @i_name,
                           @s_quantity,
                           b_g = case when ( (patindex("%ORIGINAL%",@i_data) > 0)
and
                           (patindex("%ORIGINAL%",@s_data) > 0) )
                                then "B" else "G" end,
                           @i_price,
                           @i_price * @li_qty

                end
                else
                begin

-- no item (or stock) found - triggers rollback condition

                select "",0,"",0,0
                select @commit_flag = 0

                end
                end

-- get customer last name, discount, and credit rating

                select      @c_last = c_last,
                           @c_discount = c_discount,
                           @c_credit = c_credit,
                           @c_id_local = c_id
                from customer (repeatableread)
                where c_id = @c_id and
                      c_w_id = @w_id and
                      c_d_id = @d_id

-- insert fresh row into orders table

```

```

insert into orders values (    @o_id,
                             @d_id,
                             @w_id,
                             @c_id_local,
                             @o_entry_d,
                             0,
                             @o_ol_cnt,
                             @o_all_local)

-- insert corresponding row into new-order table

insert into new_order values ( @o_id,
                              @d_id,
                              @w_id)

-- select warehouse tax

select    @w_tax    = w_tax
from warehouse (repeatableread)
where w_id = @w_id

if (@commit_flag = 1)
    commit transaction n
else

-- all that work for nuthin!!!

    rollback transaction n

-- return order data to client

select    @w_tax,
         @d_tax,
         @o_id,
         @c_last,
         @c_discount,
         @c_credit,
         @o_entry_d,
         @commit_flag

end

go

```

ORDSTAT.SQL

```

-- File:      ORDSTAT.SQL
--            Microsoft TPC-C Benchmark Kit Ver. 4.21.000
--            Copyright Microsoft, 1999, 2000
-- Purpose:   Creates order status transaction stored procedure
--
-- Interface Level: 4.10.000

use tpcc

```

```

go

if exists ( select name from sysobjects where name = "tpcc_orderstatus" )
    drop procedure    tpcc_orderstatus
go

create proc tpcc_orderstatus    @w_idsmallint,
                               @d_idtinyint,
                               @c_idint,
                               @c_last    char(16) = ""

as

declare @c_balance    numeric(12,2),
        @c_first     char(16),
        @c_middle    char(2),
        @o_id        int,
        @o_entry_d    datetime,
        @o_carrier_id    smallint,
        @cnt         smallint

begin tran o

if (@c_id = 0)
    begin

-- get customer id and info using last name

        select    @cnt = (count(*)+1)/2
        from customer (repeatableread)
        where c_last    = @c_last and
              c_w_id    = @w_id and
              c_d_id    = @d_id

        set rowcount @cnt

        select    @c_id    = c_id,
                 @c_balance = c_balance,
                 @c_first  = c_first,
                 @c_last = c_last,
                 @c_middle = c_middle
        from customer (repeatableread)
        where c_last    = @c_last and
              c_w_id    = @w_id and
              c_d_id    = @d_id
        orderby c_w_id, c_d_id, c_last, c_first

        set rowcount 0

    end

else

begin

```

```

-- get customer info if by id

    select      @c_balance = c_balance,
               @c_first   = c_first,
               @c_middle  = c_middle,
               @c_last    = c_last
    from customer (repeatableread)
    where c_id   = @c_id and
          c_d_id = @d_id and
          c_w_id = @w_id

    select      @cnt = @@rowcount

end

-- if no such customer

    if (@cnt = 0)
    begin
        raiserror("Customer not found",18,1)
        goto custnotfound
    end

-- get order info

    select      @o_id      = o_id,
               @o_entry_d = o_entry_d,
               @o_carrier_id = o_carrier_id
    from orders (serializable)
    where o_c_id   = @c_id and
          o_d_id   = @d_id and
          o_w_id   = @w_id
    order by o_id asc

-- select order lines for the current order

    select      ol_supply_w_id,
               ol_i_id,
               ol_quantity,
               ol_amount,
               ol_delivery_d
    from order_line (repeatableread)
    where ol_o_id = @o_id and
          ol_d_id = @d_id and
          ol_w_id = @w_id

custnotfound:

commit tran o

-- return data to client

select      @c_id,
           @c_last,

```

```

@c_first,
@c_middle,
@o_entry_d,
@o_carrier_id,
@c_balance,
@o_id

```

go

PAYMENT.SQL

```

-- File:      PAYMENT.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.21.000
--           Copyright Microsoft, 1999, 2000
-- Purpose:   Creates payment transaction stored procedure
--
--           Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_payment" )
    drop procedure tpcc_payment
go

create proc tpcc_payment @w_id          smallint,
                       @c_w_id        smallint,
                       @h_amount       numeric(6,2),
                       @d_id           tinyint,
                       @c_d_id         tinyint,
                       @c_id           int,
                       @c_last         char(16) = ""

as
declare @w_street_1    char(20),
        @w_street_2    char(20),
        @w_city        char(20),
        @w_state       char(2),
        @w_zip         char(9),
        @w_name        char(10),
        @d_street_1    char(20),
        @d_street_2    char(20),
        @d_city        char(20),
        @d_state       char(2),
        @d_zip         char(9),
        @d_name        char(10),
        @c_first       char(16),
        @c_middle      char(2),
        @c_street_1    char(20),
        @c_street_2    char(20),
        @c_city        char(20),
        @c_state       char(2),
        @c_zip         char(9),

```

```

@c_phone      char(16),
@c_since      datetime,
@c_credit     char(2),
@c_credit_lim numeric(12,2),
@c_balance    numeric(12,2),
@c_discount   numeric(4,4),
@data        char(500),
@c_data       char(500),
@datetime    datetime,
@w_ytd        numeric(12,2),
@d_ytd        numeric(12,2),
@cnt          smallint,
@val          smallint,
@screen_data  char(200),
@d_id_local   tinyint,
@w_id_local   smallint,
@c_id_local   int

select @screen_data = ""

begin tran p

-- get payment date

select @datetime = getdate()

if (@c_id = 0)
begin

-- get customer id and info using last name

select @cnt = count(*)
from customer (repeatableread)
where c_last = @c_last and
       c_w_id = @c_w_id and
       c_d_id = @c_d_id

select @val = (@cnt + 1) / 2
set rowcount @val

select @c_id= c_id
from customer (repeatableread)
where c_last = @c_last and
       c_w_id = @c_w_id and
       c_d_id = @c_d_id
order by c_last, c_first

set rowcount 0

end

-- get customer info and update balances

update customer
set @c_balance = c_balance = c_balance - @h_amount,

```

```

c_payment_cnt = c_payment_cnt + 1,
c_ytd_payment = c_ytd_payment + @h_amount,
@c_first     = c_first,
@c_middle    = c_middle,
@c_last     = c_last,
@c_street_1  = c_street_1,
@c_street_2  = c_street_2,
@c_city     = c_city,
@c_state    = c_state,
@c_zip     = c_zip,
@c_phone   = c_phone,
@c_credit  = c_credit,
@c_credit_lim = c_credit_lim,
@c_discount = c_discount,
@c_since   = c_since,
@data     = c_data,
@c_id_local = c_id
where c_id = @c_id and
       c_w_id = @c_w_id and
       c_d_id = @c_d_id

-- if customer has bad credit get some more info

if (@c_credit = "BC")
begin

-- compute new info

select @c_data = convert(char(5),@c_id) +
               convert(char(4),@c_d_id) +
               convert(char(5),@c_w_id) +
               convert(char(4),@d_id) +
               convert(char(5),@w_id) +
               convert(char(19),@h_amount) +
               substring(@data, 1, 458)

-- update customer info

update customer
set c_data = @c_data
where c_id = @c_id and
       c_w_id = @c_w_id and
       c_d_id = @c_d_id

select @screen_data = substring (@c_data,1,200)
end

-- get district data and update year-to-date

update district
set d_ytd = d_ytd + @h_amount,
    @d_street_1 = d_street_1,
    @d_street_2 = d_street_2,
    @d_city = d_city,

```



```

        @d_state = d_state,
        @d_zip   = d_zip,
        @d_name  = d_name,
        @d_id_local = d_id
whered_w_id    = @w_id and
d_id          = @d_id

-- get warehouse data and update year-to-date

update    warehouse
set  w_ytd = w_ytd + @h_amount,
    @w_street_1 = w_street_1,
    @w_street_2 = w_street_2,
    @w_city     = w_city,
    @w_state    = w_state,
    @w_zip      = w_zip,
    @w_name     = w_name,
    @w_id_local = w_id
wherew_id    = @w_id

-- create history record

insert into history values (    @c_id_local,
                              @c_d_id,
                              @c_w_id,
                              @d_id_local,
                              @w_id_local,
                              @datetime,
                              @h_amount,
                              @w_name + " " + @d_name)

commit tran p

-- return data to client

select  @c_id,
        @c_last,
        @datetime,
        @w_street_1,
        @w_street_2,
        @w_city,
        @w_state,
        @w_zip,
        @d_street_1,
        @d_street_2,
        @d_city,
        @d_state,
        @d_zip,
        @c_first,
        @c_middle,
        @c_street_1,
        @c_street_2,
        @c_city,
        @c_state,
        @c_zip,

```

```

@c_phone,
@c_since,
@c_credit,
@c_credit_lim,
@c_discount,
@c_balance,
@screen_data

```

go

STOCKLEV.SQL

```

-- File:      STOCKLEV.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.21.000
--           Copyright Microsoft, 1999, 2000
-- Purpose:   Creates stock level transaction stored procedure
--
--           Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_stocklevel" )
drop procedure tpcc_stocklevel
go

create proc tpcc_stocklevel    @w_id          smallint,
                              @d_id          tinyint,
                              @threshold    smallint
as

declare  @o_id_low int,
         @o_id_high int

select  @o_id_low = (d_next_o_id - 20),
        @o_id_high = (d_next_o_id - 1)
from district
whered_w_id    = @w_id and
d_id          = @d_id

select  count(distinct(s_i_id))
from stock, order_line
where ol_w_id    = @w_id and
      ol_d_id    = @d_id and
      ol_o_id    between @o_id_low and
                    @o_id_high and
      s_w_id     = ol_w_id and
      s_i_id     = ol_i_id and
      s_quantity < @threshold

go

```

VERSION.SQL

```
-- File:      VERSION.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.21.000
--           Copyright Microsoft, 1999, 2000
-- Purpose:   Returns version level of TPC-C stored procs
-- Note:      Always update the return value of this proc for
--           any interface changes or "must have" bug fixes.
--
-- The value returned by this SP defines the "interface level",
-- which must match between the stored procs and the client code.
-- The interface level may be down rev from the current kit. This
-- indicates that the interface hasn't changed since that version.

use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_version" )
    drop procedure tpcc_version
go

create proc tpcc_version
as
declare    @version char(8)

begin
    select @version = "4.10.000"
    select @version as "Version"
end

go
```

GETARGS.C

```
// File:      GETARGS.C
//           Microsoft TPC-C Kit Ver. 4.20
//           Copyright Microsoft, 1996, 1997, 1998, 1999
// Purpose:   Source file for command line processing

// Includes
#include "tpcc.h"

//=====
//
// Function name: GetArgsLoader
//
//=====

void GetArgsLoader(int argc, char **argv, TPCCLDR_ARGS *pargs)
{
    int    i;
    char  *ptr;
```

```
#ifdef DEBUG
    printf("[%ld]DBG: Entering GetArgsLoader()\n", (int)
GetCurrentThreadId());
#endif

    /* init args struct with some useful values */
    pargs->server      = SERVER;
    pargs->user        = USER;
    pargs->password    = PASSWORD;
    pargs->database    = DATABASE;
    pargs->batch       = BATCH;
    pargs->num_warehouses = UNDEF;
    pargs->tables_all  = TRUE;
    pargs->table_item  = FALSE;
    pargs->table_warehouse = FALSE;
    pargs->table_customer = FALSE;
    pargs->table_orders = FALSE;
    pargs->loader_res_file = LOADER_RES_FILE;
    pargs->pack_size    = DEFLDPACKSIZE;
    pargs->starting_warehouse = DEF_STARTING_WAREHOUSE;
    pargs->build_index  = BUILD_INDEX;
    pargs->index_order  = INDEX_ORDER;
    pargs->index_script_path = INDEX_SCRIPT_PATH;
    pargs->scale_down   = SCALE_DOWN;

    /* check for zero command line args */
    if ( argc == 1 )
        GetArgsLoaderUsage();

    for ( i = 1; i < argc; ++i )
    {
        if (argv[i][0] != '-' && argv[i][0] != '/')
        {
            printf("\nUnrecognized command");
            GetArgsLoaderUsage();
            exit(1);
        }

        ptr = argv[i];

        switch (ptr[1])
        {
            case 'h':    /* Fall throught */
            case 'H':
                GetArgsLoaderUsage();
                break;

            case 'D':
                pargs->database = ptr+2;
                break;

            case 'P':
                pargs->password = ptr+2;
                break;
```

```

case 'S':
    pargs->server = ptr+2;
    break;

case 'U':
    pargs->user = ptr+2;
    break;

case 'b':
    pargs->batch = atol(ptr+2);
    break;

case 'W':
    pargs->num_warehouses = atol(ptr+2);
    break;

case 's':
    pargs->starting_warehouse = atol(ptr+2);
    break;

case 't':
    {
        pargs->tables_all = FALSE;
        if (strcmp(ptr+2,"item") == 0)
            pargs->table_item = TRUE;
        else if (strcmp(ptr+2,"warehouse") == 0)
            pargs->table_warehouse = TRUE;
        else if (strcmp(ptr+2,"customer") == 0)
            pargs->table_customer = TRUE;
        else if (strcmp(ptr+2,"orders") == 0)
            pargs->table_orders = TRUE;
        else
        {
            printf("\nUnrecognized command");
            GetArgsLoaderUsage();
            exit(1);
        }

        break;
    }

case 'f':
    pargs->loader_res_file = ptr+2;
    break;

case 'p':
    pargs->pack_size = atol(ptr+2);
    break;

case 'i':
    pargs->build_index = atol(ptr+2);
    break;

```

```

        case 'o':
            pargs->index_order = atol(ptr+2);
            break;

        case 'c':
            pargs->scale_down = atol(ptr+2);
            break;

        case 'd':
            pargs->index_script_path = ptr+2;
            break;

        default:
            GetArgsLoaderUsage();
            exit(-1);
            break;
    }
}

/* check for required args */
if (pargs->num_warehouses == UNDEF )
{
    printf("Number of Warehouses is required\n");
    exit(-2);
}

return;
}

//=====
//
// Function name: GetArgsLoaderUsage
//
//=====

void GetArgsLoaderUsage()
{
#ifdef DEBUG
    printf("[%d]DBG: Entering GetArgsLoaderUsage()\n", (int)
GetCurrentThreadId());
#endif

    printf("TPCCLDR:\n\n");
    printf("Parameter
Default\n");
    printf("-----
\n");
    printf("-W Number of Warehouses to Load           Required
\n");
    printf("-S Server                                           %s\n",
SERVER);

```

```

    printf("-U Username          %s\n",
USER);
    printf("-P Password          %s\n",
PASSWORD);
    printf("-D Database          %s\n",
DATABASE);
    printf("-b Batch Size          %ld\n",
(long) BATCH);
    printf("-p TDS packet size      %ld\n",
(long) DEF_LDPACKSIZE);
    printf("-f Loader Results Output Filename %s\n",
LOADER_RES_FILE);
    printf("-s Starting Warehouse      %ld\n",
(long) DEF_STARTING_WAREHOUSE);
    printf("-i Build Option (data = 0, data and index = 1) %ld\n",
(long) BUILD_INDEX);
    printf("-o Cluster Index Build Order (before = 1, after = 0) %ld\n",
(long) INDEX_ORDER);
    printf("-c Build Scaled Database (normal = 0, tiny = 1) %ld\n",
(long) SCALE_DOWN);
    printf("-d Index Script Path        %s\n",
INDEX_SCRIPT_PATH);
    printf("-t Table to Load            all
tables \n");
    printf("    [item|warehouse|customer|orders]\n");
    printf("    Notes: \n");
    printf("    - the '-t' parameter may be included multiple times to
\n");
    printf("    specify multiple tables to be loaded \n");
    printf("    - 'item' loads ITEM table \n");
    printf("    - 'warehouse' loads WAREHOUSE, DISTRICT, and STOCK tables
\n");
    printf("    - 'customer' loads CUSTOMER and HISTORY tables \n");
    printf("    - 'orders' load NEW-ORDER, ORDERS, ORDER-LINE tables \n");

    printf("\nNote: Command line switches are case sensitive.\n");

    exit(0);
}

```

RANDOM.C

```

// File:      RANDOM.C
//           Microsoft TPC-C Kit Ver. 4.20
//           Copyright Microsoft, 1996, 1997, 1998, 1999
// Purpose:   Random number generation routines for database loader

// Includes
#include "tpcc.h"
#include "math.h"

```

```

// Defines
#define A      16807
#define M      2147483647
#define Q      127773 /* M div A */
#define R      2836 /* M mod A */
#define Thread __declspec(thread)

// Globals
long Thread Seed = 0; /* thread local seed */

/*****
***
*
* random -
*
* Implements a GOOD pseudo random number generator. This generator
*
* will/should? run the complete period before repeating.
*
*
* Copied from:
*
* Random Numbers Generators: Good Ones Are Hard to Find.
*
* Communications of the ACM - October 1988 Volume 31 Number 10
*
*
* Machine Dependencies:
*
* long must be 2 ^ 31 - 1 or greater.
*
*
*****/

/*****
***
* seed - load the Seed value used in irand and drand. Should be used before
*
* first call to irand or drand.
*****/

void seed(long val)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering seed()...\n", (int) GetCurrentThreadId());
    printf("Old Seed %ld New Seed %ld\n", Seed, val);

```

```

#endif

    if ( val < 0 )
        val = abs(val);

    Seed = val;
}

/*****
**
**
**
** irand - returns a 32 bit integer pseudo random number with a period of
**
** 1 to 2 ^ 32 - 1.
**
**
** parameters:
**
**     none.
**
** returns:
**
**     32 bit integer - defined as long ( see above ).
**
**
** side effects:
**
**     seed get recomputed.
**
*****/
long irand()
{
    register long    s;        /* copy of seed */
    register long    test;    /* test flag */
    register long    hi;      /* tmp value for speed */
    register long    lo;      /* tmp value for speed */

#ifdef DEBUG
    printf("[%ld]DBG: Entering irand()...\n", (int) GetCurrentThreadId());
#endif

    s = Seed;
    hi = s / Q;
    lo = s % Q;

```

```

    test = A * lo - R * hi;
    if ( test > 0 )
        Seed = test;
    else
        Seed = test + M;

    return( Seed );
}

/*****
**
**
**
** drand - returns a double pseudo random number between 0.0 and 1.0.
**
** See irand.
**
*****/
double drand()
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering drand()...\n", (int) GetCurrentThreadId());
#endif

    return( (double)irand() / 2147483647.0);
}

//=====
// Function    : RandomNumber
//
// Description:
//=====
long RandomNumber(long lower, long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering RandomNumber()...\n", (int)
GetCurrentThreadId());
#endif

    if ( upper == lower )        /* pgd 08-13-96 perf enhancement */
        return lower;

    upper++;

    if ( upper <= lower )
        rand_num = upper;
    else

```

```

        rand_num = lower + irand() % (upper - lower); /* pgd 08-13-96 perf
enhancement */

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld ==> %ld\n",
           (int) GetCurrentThreadId(), lower, upper, rand_num);
#endif

    return rand_num;
}

#if 0
//Original code pgd 08/13/96

long RandomNumber(long lower,
                  long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering RandomNumber()...\n", (int)
GetCurrentThreadId());
#endif

    upper++;

    if ((upper <= lower))
        rand_num = upper;
    else
        rand_num = lower + irand() % ((upper > lower) ? upper - lower :
upper);

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld ==> %ld\n",
           (int) GetCurrentThreadId(), lower, upper, rand_num);
#endif

    return rand_num;
}
#endif

//=====
// Function   : NURand
//
// Description:
//=====
long NURand(int iConst,
            long x,

```

```

        long y,
        long C)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering NURand()...\n", (int) GetCurrentThreadId());
#endif

    rand_num = (((RandomNumber(0,iConst) | RandomNumber(x,y)) + C) % (y-
x+1))+x;

#ifdef DEBUG
    printf("[%ld]DBG: NURand: num = %d\n", (int) GetCurrentThreadId(),
rand_num);
#endif

    return rand_num;
}

```

STRINGS.C

```

// File:      STRINGS.C
//            Microsoft TPC-C Kit Ver. 4.20
//            Copyright Microsoft, 1996, 1997, 1998, 1999
// Purpose:   Source file for database loader string functions

```

```

// Includes
#include "tpcc.h"
#include <string.h>
#include <ctype.h>

//=====
//
// Function name: MakeAddress
//
//=====

```

```

void MakeAddress(char *street_1,
                 char *street_2,
                 char *city,
                 char *state,
                 char *zip)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeAddress()\n", (int)
GetCurrentThreadId());
#endif

    MakeAlphaString (10, 20, ADDRESS_LEN, street_1);

```

```

    MakeAlphaString (10, 20, ADDRESS_LEN, street_2);
    MakeAlphaString (10, 20, ADDRESS_LEN, city);
    MakeAlphaString ( 2,  2, STATE_LEN, state);
    MakeZipNumberString( 9,  9, ZIP_LEN, zip);

#ifdef DEBUG
    printf("[%ld]DBG: MakeAddress: street_1: %s, street_2: %s, city: %s,
state: %s, zip: %s\n",
        (int) GetCurrentThreadId(), street_1, street_2, city, state,
zip);
#endif

    return;
}

//=====
//
// Function name: LastName
//
//=====

void LastName(int num,
              char *name)
{
    static char *n[] =
    {
        "BAR" , "OUGHT", "ABLE" , "PRI" , "PRES",
        "ESE" , "ANTI" , "CALLY", "ATION", "EING"
    };

#ifdef DEBUG
    printf("[%ld]DBG: Entering LastName()\n", (int) GetCurrentThreadId());
#endif

    if ((num >= 0) && (num < 1000))
    {
        strcpy(name, n[(num/100)%10]);
        strcat(name, n[(num/10)%10]);
        strcat(name, n[(num/1)%10]);

        if (strlen(name) < LAST_NAME_LEN)
        {
            PaddString(LAST_NAME_LEN, name);
        }

    }
    else
    {
        printf("\nError in LastName()... num <%ld> out of range
(0,999)\n", num);
        exit(-1);
    }
}

```

```

#ifdef DEBUG
    printf("[%ld]DBG: LastName: num = [%d] ==> [%d][%d][%d]\n",
        (int) GetCurrentThreadId(), num, num/100, (num/10)%10,
num%10);
    printf("[%ld]DBG: LastName: String = %s\n", (int) GetCurrentThreadId(),
name);
#endif

    return;
}

//=====
//
// Function name: MakeAlphaString
//
//=====

//philipdu 08/13/96 Changed MakeAlphaString to use A-Z, a-z, and 0-9 in
//accordance with spec see below:
//The spec says:
//4.3.2.2 The notation random a-string [x .. y]
//(respectively, n-string [x .. y]) represents a string of random
alphanumeric
//(respectively, numeric) characters of a random length of minimum x,
maximum y,
//and mean (y+x)/2. Alphanumerics are A..Z, a..z, and 0..9. The only other
//requirement is that the character set used "must be able to represent a
minimum
//of 128 different characters". We are using 8-bit chars, so this is a non
issue.
//It is completely unreasonable to stuff non-printing chars into the text
fields.
//-CLevine 08/13/96

int MakeAlphaString( int x, int y, int z, char *str)
{
    int len;
    int i;
    char cc = 'a';
    static char chArray[] =
"0123456789ABCDEFGHIJKLMNQRSTUUVWXYZabcdefghijklmnopqrstuvwxyz";
    static int chArrayMax = 61;

#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeAlphaString()\n", (int)
GetCurrentThreadId());
#endif

    len= RandomNumber(x, y);

```

```

    for (i=0; i<len; i++)
    {
        cc = chArray[RandomNumber(0, chArrayMax)];
        str[i] = cc;
    }
    if ( len < z )
        memset(str+len, ' ', z - len);
    str[len] = 0;

    return len;
}

//=====
//
// Function name: MakeOriginalAlphaString
//
//=====

int MakeOriginalAlphaString(int  x,
                           int  y,
                           int  z,
                           char *str,
                           int  percent)
{
    int      len;
    int      val;
    int      start;

#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeOriginalAlphaString()\n", (int)
GetCurrentThreadId());
#endif

    // verify percent is valid
    if ((percent < 0) || (percent > 100))
    {
        printf("MakeOriginalAlphaString: Invalid percentage: %d\n",
percent);
        exit(-1);
    }

    // verify string is at least 8 chars in length
    if ((x + y) <= 8)
    {
        printf("MakeOriginalAlphaString: string length must be >= 8\n");
        exit(-1);
    }

    // Make Alpha String
    len = MakeAlphaString(x,y, z, str);

    val = RandomNumber(1,100);
    if (val <= percent)

```

```

    {
        start = RandomNumber(0, len - 8);
        strncpy(str + start, "ORIGINAL", 8);
    }

#ifdef DEBUG
    printf("[%ld]DBG: MakeOriginalAlphaString: : %s\n",
(int) GetCurrentThreadId(), str);
#endif

    return strlen(str);
}

//=====
//
// Function name: MakeNumberString
//
//=====

int MakeNumberString(int  x, int  y, int  z, char *str)
{
    char tmp[16];

    //MakeNumberString is always called MakeZipNumberString(16, 16, 16,
string)

    memset(str, '0', 16);
    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str+8, tmp, strlen(tmp));

    str[16] = 0;

    return 16;
}

//=====
//
// Function name: MakeZipNumberString
//
//=====

int MakeZipNumberString(int  x, int  y, int  z, char *str)
{
    char tmp[16];

    //MakeZipNumberString is always called MakeZipNumberString(9, 9, 9,
string)

    strcpy(str, "000011111");

```



```

        itoa(RandomNumber(0, 9999), tmp, 10);
        memcpy(str, tmp, strlen(tmp));

    return 9;
}

//=====
//
// Function name: InitString
//
//=====
void InitString(char *str, int len)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering InitString()\n", (int) GetCurrentThreadId());
#endif

    memset(str, ' ', len);
    str[len] = 0;
}

//=====
// Function name: InitAddress
//
// Description:
//
//=====
void InitAddress(char *street_1, char *street_2, char *city, char *state,
char *zip)
{
    memset(street_1, ' ', ADDRESS_LEN+1);
    memset(street_2, ' ', ADDRESS_LEN+1);
    memset(city, ' ', ADDRESS_LEN+1);

    street_1[ADDRESS_LEN+1] = 0;
    street_2[ADDRESS_LEN+1] = 0;
    city[ADDRESS_LEN+1] = 0;

    memset(state, ' ', STATE_LEN+1);
    state[STATE_LEN+1] = 0;

    memset(zip, ' ', ZIP_LEN+1);
    zip[ZIP_LEN+1] = 0;
}

//=====
//
// Function name: PaddString
//
//=====

```

```

void PaddString(int max, char *name)
{
    int    len;

    len = strlen(name);
    if ( len < max )
        memset(name+len, ' ', max - len);
    name[max] = 0;

    return;
}

```

TIME.C

```

// File:      TIME.C
//           Microsoft TPC-C Kit Ver. 4.20
//           Copyright Microsoft, 1996, 1997, 1998, 1999
// Purpose:   Source file for time functions

// Includes
#include "tpcc.h"

// Globals
static long start_sec;

//=====
//
// Function name: TimeNow
//
//=====
long TimeNow()
{
    long    time_now;
    struct _timeb el_time;

#ifdef DEBUG
    printf("[%ld]DBG: Entering TimeNow()\n", (int) GetCurrentThreadId());
#endif

    _ftime(&el_time);

    time_now = ((el_time.time - start_sec) * 1000) + el_time.millitm;

    return time_now;
}

```

TPCC.H

```
// File:      TPCC.H
//           Microsoft TPC-C Kit Ver. 4.20
//           Copyright Microsoft, 1996, 1997, 1998, 1999
// Purpose:   Header file for TPC-C database loader

// Build number of TPC Benchmark Kit
#define TPCKIT_VER "4.20"

// General headers
#include <windows.h>
#include <winbase.h>
#include <stdlib.h>
#include <stdio.h>
#include <process.h>
#include <stddef.h>
#include <stdarg.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <sys\types.h>

// ODBC headers
#include <sql.h>
#include <sqlext.h>
#include <odbcss.h>

// General constants
#define MILLI          1000
#define FALSE         0
#define TRUE          1
#define UNDEF         -1
#define MINPRINTASCII 32
#define MAXPRINTASCII 126

// Default environment constants
#define SERVER         ""
#define DATABASE       "tpcc"
#define USER           "sa"
#define PASSWORD       ""

// Default loader arguments
#define BATCH          10000
#define DEFLDPACKSIZE 32768
#define LOADER_RES_FILE "logs\\load.out"
#define LOADER_NURAND_C 123
#define DEF_STARTING_WAREHOUSE 1
#define BUILD_INDEX   1 // build both data and
indexes
#define INDEX_ORDER   1 // build indexes before load
#define SCALE_DOWN    0 // build a normal scale
database
```

```
#define INDEX_SCRIPT_PATH "scripts"

typedef struct
{
    char *server;
    char *database;
    char *user;
    char *password;
    BOOL tables_all; // set if loading all
tables
    BOOL table_item; // set if loading ITEM
table specifically
    BOOL table_warehouse; // set if loading WAREHOUSE,
DISTRICT, and STOCK
    BOOL table_customer; // set if loading CUSTOMER
and HISTORY
    BOOL table_orders; // set if loading NEW-ORDER,
ORDERS, ORDER-LINE
    long num_warehouses;
    long batch;
    long verbose;
    long pack_size;
    char *loader_res_file;
    char *synch_servername;
    long case_sensitivity;
    long starting_warehouse;
    long build_index;
    long index_order;
    long scale_down;
    char *index_script_path;
} TPCCCLR_ARGS;

// String length constants
#define SERVER_NAME_LEN 20
#define DATABASE_NAME_LEN 20
#define USER_NAME_LEN 20
#define PASSWORD_LEN 20
#define TABLE_NAME_LEN 20
#define I_DATA_LEN 50
#define I_NAME_LEN 24
#define BRAND_LEN 1
#define LAST_NAME_LEN 16
#define W_NAME_LEN 10
#define ADDRESS_LEN 20
#define STATE_LEN 2
#define ZIP_LEN 9
#define S_DIST_LEN 24
#define S_DATA_LEN 50
#define D_NAME_LEN 10
#define FIRST_NAME_LEN 16
#define MIDDLE_NAME_LEN 2
#define PHONE_LEN 16
#define CREDIT_LEN 2
#define C_DATA_LEN 500
```

```

#define H_DATA_LEN          24
#define DIST_INFO_LEN      24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN        25
#define OL_DIST_INFO_LEN  24
#define C_SINCE_LEN       23
#define H_DATE_LEN        23
#define OL_DELIVERY_D_LEN 23
#define O_ENTRY_D_LEN     23

```

```

// Functions in random.c
void seed();
long irand();
double drand();
void WUcreate();
short WURand();
long RandomNumber(long lower, long upper);

```

```

// Functions in getargs.c;
void GetArgsLoader();
void GetArgsLoaderUsage();

```

```

// Functions in time.c
long TimeNow();

```

```

// Functions in strings.c
void MakeAddress();
void LastName();
int MakeAlphaString();
int MakeOriginalAlphaString();
int MakeNumberString();
int MakeZipNumberString();
void InitString();
void InitAddress();
void PaddString();

```

TPCCLDR.C

```

// File: TPCCLDR.C
// Microsoft TPC-C Kit Ver. 4.20
// Copyright Microsoft, 1996, 1997, 1998, 1999
// Purpose: Source file for TPC-C database loader

```

```

// Includes
#include "tpcc.h"
#include "search.h"

```

```

// Defines
#define MAXITEMS          100000
#define MAXITEMS_SCALE_DOWN 100
#define CUSTOMERS_PER_DISTRICT 3000

```

```

#define CUSTOMERS_SCALE_DOWN 30
#define DISTRICT_PER_WAREHOUSE 10
#define ORDERS_PER_DISTRICT 3000
#define ORDERS_SCALE_DOWN 30
#define MAX_CUSTOMER_THREADS 2
#define MAX_ORDER_THREADS 3
#define MAX_MAIN_THREADS 4

```

```

// Functions declarations

```

```

void HandleErrorDBC (SQLHDBC hdbc1);

```

```

void CheckSQL();
void CheckDataBase();

```

```

long NURand();
void LoadItem();
void LoadWarehouse();

```

```

void Stock();
void District();

```

```

void LoadCustomer();
void CustomerBufInit();
void CustomerBufLoad();
void LoadCustomerTable();
void LoadHistoryTable();

```

```

void LoadOrders();
void OrdersBufInit();
void OrdersBufLoad();
void LoadOrdersTable();
void LoadNewOrderTable();
void LoadOrderLineTable();
void GetPermutation();
void CheckForCommit();
void OpenConnections();
void BuildIndex();
void FormatDate ();

```

```

// Shared memory structures

```

```

typedef struct
{
    long ol;
    long ol_i_id;
    short ol_supply_w_id;
    short ol_quantity;
    double ol_amount;
    char ol_dist_info[DIST_INFO_LEN+1];
    char ol_delivery_d[OL_DELIVERY_D_LEN+1];
} ORDER_LINE_STRUCT;

```

```

typedef struct

```

```

{
    long            o_id;
    short          o_d_id;
    short          o_w_id;
    long           o_c_id;
    short         o_carrier_id;
    short         o_ol_cnt;
    short         o_all_local;
    ORDER_LINE_STRUCT  o_ol[15];
} ORDERS_STRUCT;

typedef struct
{
    long            c_id;
    short          c_d_id;
    short          c_w_id;
    char           c_first[FIRST_NAME_LEN+1];
    char           c_middle[MIDDLE_NAME_LEN+1];
    char           c_last[LAST_NAME_LEN+1];
    char           c_street_1[ADDRESS_LEN+1];
    char           c_street_2[ADDRESS_LEN+1];
    char           c_city[ADDRESS_LEN+1];
    char           c_state[STATE_LEN+1];
    char           c_zip[ZIP_LEN+1];
    char           c_phone[PHONE_LEN+1];
    char           c_credit[CREDIT_LEN+1];
    double         c_credit_lim;
    double         c_discount;
// fix to avoid ODBC float to numeric conversion problem.
// double         c_balance;
    char           c_balance[6];

    double         c_ytd_payment;
    short          c_payment_cnt;
    short          c_delivery_cnt;
    char           c_data[C_DATA_LEN+1];
    double         h_amount;
    char           h_data[H_DATA_LEN+1];
} CUSTOMER_STRUCT;

typedef struct
{
    char           c_last[LAST_NAME_LEN+1];
    char           c_first[FIRST_NAME_LEN+1];
    long           c_id;
} CUSTOMER_SORT_STRUCT;

typedef struct
{
    long           time_start;
} LOADER_TIME_STRUCT;

// Global variables

char szLastError[300];

HENV henv;

HDBC v_hdbc; // for SQL Server version
verification
HDBC i_hdbc1; // for ITEM table
HDBC w_hdbc1; // for WAREHOUSE, DISTRICT, STOCK
HDBC c_hdbc1; // for CUSTOMER
HDBC c_hdbc2; // for HISTORY
HDBC o_hdbc1; // for ORDERS
HDBC o_hdbc2; // for NEW-ORDER
HDBC o_hdbc3; // for ORDER-LINE

HSTMT v_hstmt; // for SQL Server version verification
HSTMT i_hstmt1;
HSTMT w_hstmt1;
HSTMT c_hstmt1, c_hstmt2;
HSTMT o_hstmt1, o_hstmt2, o_hstmt3;

ORDERS_STRUCT  orders_buf[ORDERS_PER_DISTRICT];
CUSTOMER_STRUCT customer_buf[CUSTOMERS_PER_DISTRICT];
long           orders_rows_loaded;
long           new_order_rows_loaded;
long           order_line_rows_loaded;
long           history_rows_loaded;
long           customer_rows_loaded;
long           stock_rows_loaded;
long           district_rows_loaded;
long           item_rows_loaded;
long           warehouse_rows_loaded;
long           main_time_start;
long           main_time_end;
long           max_items;
long           customers_per_district;
long           orders_per_district;
long           first_new_order;
long           last_new_order;

TPCCLDR_ARGS  *aptr, args;

//=====
//
// Function name: main
//
//=====

int main(int argc, char **argv)
{
    DWORD           dwThreadID[MAX_MAIN_THREADS];

```

```

HANDLE          hThread[MAX_MAIN_THREADS];
FILE            *fLoader;
char            buffer[255];
int             i;

for (i=0; i<MAX_MAIN_THREADS; i++)
    hThread[i] = NULL;

printf("\n*****");
printf("\n*");
printf("\n* Microsoft SQL Server");
printf("\n*");
printf("\n* TPC-C BENCHMARK KIT: Database loader");
printf("\n* Version %s",
TPCKIT_VER);
printf("\n*");
printf("\n*****\n\n");

// process command line arguments

aptr = &args;
GetArgsLoader(argc, argv, aptr);

// verify correct SQL Server version in use
// you must be using SQL Server 7.00.623 or better to load

CheckSQL();

// verify database and tables exist before attempting to load

CheckDataBase();

printf("Build interface is ODBC.\n");

if (aptr->build_index == 0)
    printf("Data load only - no index creation.\n");
else
    printf("Data load and index creation.\n");

if (aptr->index_order == 0)
    printf("Clustered indexes will be created after bulk load.\n");
else
    printf("Clustered indexes will be created before bulk load.\n");

// set database scale values
if (aptr->scale_down == 1)
{
    printf("*** Scaled Down Database ***\n");
    max_items = MAXITEMS_SCALE_DOWN;
    customers_per_district = CUSTOMERS_SCALE_DOWN;
    orders_per_district = ORDERS_SCALE_DOWN;
    first_new_order = 0;
    last_new_order = 30;
}

```

```

else
{
    max_items = MAXITEMS;
    customers_per_district = CUSTOMERS_PER_DISTRICT;
    orders_per_district = ORDERS_PER_DISTRICT;
    first_new_order = 2100;
    last_new_order = 3000;
}

// open connections to SQL Server

OpenConnections();

// open file for loader results
fLoader = fopen(aptr->loader_res_file, "w");

if (fLoader == NULL)
{
    printf("Error, loader result file open failed.");
    exit(-1);
}

// start loading data

sprintf(buffer, "TPC-C load started for %ld warehouses.\n", aptr-
>num_warehouses);

printf("%s", buffer);
fprintf(fLoader, "%s", buffer);

main_time_start = (TimeNow() / MILLI);

// start parallel load threads

if (aptr->tables_all || aptr->table_item)
{
    fprintf(fLoader, "\nStarting loader threads for: item\n");

    hThread[0] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE)
LoadItem,
                                NULL,
                                0,
                                &dwThreadID[0]);

    if (hThread[0] == NULL)
    {
        printf("Error, failed in creating creating thread = 0.\n");
        exit(-1);
    }
}

```

```

if (aptr->tables_all || aptr->table_warehouse)
{
    fprintf(fLoader, "Starting loader threads for: warehouse\n");

    hThread[1] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE)
LoadWarehouse,
                                NULL,
                                0,
                                &dwThreadID[1]);

    if (hThread[1] == NULL)
    {
        printf("Error, failed in creating creating thread = 1.\n");
        exit(-1);
    }
}

if (aptr->tables_all || aptr->table_customer)
{
    fprintf(fLoader, "Starting loader threads for: customer\n");

    hThread[2] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE)
LoadCustomer,
                                NULL,
                                0,
                                &dwThreadID[2]);

    if (hThread[2] == NULL)
    {
        printf("Error, failed in creating creating main thread =
2.\n");
        exit(-1);
    }
}

if (aptr->tables_all || aptr->table_orders)
{
    fprintf(fLoader, "Starting loader threads for: orders\n");

    hThread[3] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE)
LoadOrders,
                                NULL,
                                0,
                                &dwThreadID[3]);

    if (hThread[3] == NULL)
    {

```

```

        printf("Error, failed in creating creating main thread =
3.\n");
        exit(-1);
    }
}

// Wait for threads to finish...
for (i=0; i<MAX_MAIN_THREADS; i++)
{
    if (hThread[i] != NULL)
    {
        WaitForSingleObject( hThread[i], INFINITE );
        CloseHandle(hThread[i]);
        hThread[i] = NULL;
    }
}

main_time_end = (TimeNow() / MILLI);

sprintf(buffer, "\nTPC-C load completed successfully in %ld minutes.\n",
        (main_time_end - main_time_start)/60);

printf("%s",buffer);
fprintf(fLoader, "%s", buffer);

fclose(fLoader);

SQLFreeEnv(henv);

exit(0);

return 0;
}

//=====
//
// Function name: LoadItem
//
//=====

void LoadItem()
{
    long        i_id;
    long        i_im_id;
    char        i_name[I_NAME_LEN+1];
    double      i_price;
    char        i_data[I_DATA_LEN+1];
    char        name[20];
    long        time_start;
    RETCODE     rc;
    DBINT       rcint;
    char        bcphint[128];

```

```

// Seed with unique number
seed(1);

printf("Loading item table...\n");

// if build index before load
if ((aptr->build_index == 1) && (aptr->index_order == 1))
    BuildIndex("idxitmcl");

InitString(i_name, I_NAME_LEN+1);
InitString(i_data, I_DATA_LEN+1);

sprintf(name, "%s..%s", aptr->database, "item");

rc = bcp_init(i_hdbc1, name, NULL, "logs\\item.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(i_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (i_id), ROWS_PER_BATCH =
100000");
    rc = bcp_control(i_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);
}

rc = bcp_bind(i_hdbc1, (BYTE *) &i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
if (rc != SUCCEED)
    HandleErrorDBC(i_hdbc1);

rc = bcp_bind(i_hdbc1, (BYTE *) &i_im_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 2);
if (rc != SUCCEED)
    HandleErrorDBC(i_hdbc1);

rc = bcp_bind(i_hdbc1, (BYTE *) i_name, 0, I_NAME_LEN, NULL, 0, 0, 3);
if (rc != SUCCEED)
    HandleErrorDBC(i_hdbc1);

rc = bcp_bind(i_hdbc1, (BYTE *) &i_price, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 4);
if (rc != SUCCEED)
    HandleErrorDBC(i_hdbc1);

rc = bcp_bind(i_hdbc1, (BYTE *) i_data, 0, I_DATA_LEN, NULL, 0, 0, 5);
if (rc != SUCCEED)
    HandleErrorDBC(i_hdbc1);

time_start = (TimeNow() / MILLI);

item_rows_loaded = 0;

```

```

for (i_id = 1; i_id <= max_items; i_id++)
{
    i_im_id = RandomNumber(1L, 10000L);

    MakeAlphaString(14, 24, I_NAME_LEN, i_name);

    i_price = ((float) RandomNumber(100L, 10000L))/100.0;

    MakeOriginalAlphaString(26, 50, I_DATA_LEN, i_data, 10);

    rc = bcp_sendrow(i_hdbc1);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    item_rows_loaded++;
    CheckForCommit(i_hdbc1, i_hstmt1, item_rows_loaded, "item",
&time_start);
}

rcint = bcp_done(i_hdbc1);
if (rcint < 0)
    HandleErrorDBC(i_hdbc1);

printf("Finished loading item table.\n");

SQLFreeStmt(i_hstmt1, SQL_DROP);
SQLDisconnect(i_hdbc1);
SQLFreeConnect(i_hdbc1);

// if build index after load
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxitmcl");
}

//=====
//
// Function : LoadWarehouse
//
// Loads WAREHOUSE table and loads Stock and District as Warehouses are
// created
//
//=====
void LoadWarehouse()
{
    short w_id;
    char w_name[W_NAME_LEN+1];
    char w_street_1[ADDRESS_LEN+1];
    char w_street_2[ADDRESS_LEN+1];
    char w_city[ADDRESS_LEN+1];

```

```

char w_state[STATE_LEN+1];
char w_zip[ZIP_LEN+1];
double w_tax;
double w_ytd;
char name[20];
long time_start;
RETCODE rc;
DBINTRcint;
char bcphint[128];

// Seed with unique number
seed(2);

printf("Loading warehouse table...\n");

// if build index before load...
if ((aptr->build_index == 1) && (aptr->index_order == 1))
    BuildIndex("idxwarcl");

InitString(w_name, W_NAME_LEN+1);
InitAddress(w_street_1, w_street_2, w_city, w_state, w_zip);

sprintf(name, "%s..%s", aptr->database, "warehouse");

rc = bcp_init(w_hdbc1, name, NULL, "logs\\whouse.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (w_id), ROWS_PER_BATCH = %d",
aptr->num_warehouses);
    rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
}

rc = bcp_bind(w_hdbc1, (BYTE *) &w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 1);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_name, 0, W_NAME_LEN, NULL, 0, 0, 2);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
3);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
4);

```

```

if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_city, 0, ADDRESS_LEN, NULL, 0, 0, 5);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_state, 0, STATE_LEN, NULL, 0, 0, 6);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_zip, 0, ZIP_LEN, NULL, 0, 0, 7);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &w_tax, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 8);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &w_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

time_start = (TimeNow() / MILLI);

warehouse_rows_loaded = 0;

for (w_id = (short)aptr->starting_warehouse; w_id <= aptr-
>num_warehouses; w_id++)
{
    MakeAlphaString(6,10, W_NAME_LEN, w_name);

    MakeAddress(w_street_1, w_street_2, w_city, w_state, w_zip);

    w_tax = ((float) RandomNumber(0L,2000L))/10000.00;

    w_ytd = 300000.00;

    rc = bcp_sendrow(w_hdbc1);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    warehouse_rows_loaded++;
    CheckForCommit(w_hdbc1, i_hstmt1, warehouse_rows_loaded,
"warehouse", &time_start);
}

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

printf("Finished loading warehouse table.\n");

```



```

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxwarcl");

stock_rows_loaded = 0;
district_rows_loaded = 0;

District();
Stock();
}

//=====
//
// Function   : District
//
//=====

void District()
{
    short d_id;
    short d_w_id;
    char d_name[D_NAME_LEN+1];
    char d_street_1[ADDRESS_LEN+1];
    char d_street_2[ADDRESS_LEN+1];
    char d_city[ADDRESS_LEN+1];
    char d_state[STATE_LEN+1];
    char d_zip[ZIP_LEN+1];
    double d_tax;
    double d_ytd;
    char name[20];
    long d_next_o_id;
    long time_start;
    int w_id;
    RETCODE rc;
    DBINT rcint;
    char bcphint[128];

    // Seed with unique number
    seed(4);

    printf("Loading district table...\n");

    // build index before load
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxdiscl");

    InitString(d_name, D_NAME_LEN+1);
    InitAddress(d_street_1, d_street_2, d_city, d_state, d_zip);
    sprintf(name, "%s..%s", aptr->database, "district");

    rc = bcp_init(w_hdbc1, name, NULL, "logs\\district.err", DB_IN);

```

```

if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (d_w_id, d_id), ROWS_PER_BATCH =
%u", (aptr->num_warehouses * 10));
    rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
}

rc = bcp_bind(w_hdbc1, (BYTE *) &d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 1);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &d_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_name, 0, D_NAME_LEN, NULL, 0, 0, 3);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
4);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
5);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_city, 0, ADDRESS_LEN, NULL, 0, 0, 6);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_state, 0, STATE_LEN, NULL, 0, 0, 7);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_zip, 0, ZIP_LEN, NULL, 0, 0, 8);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &d_tax, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

```

```

    rc = bcp_bind(w_hdbc1, (BYTE *) &d_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 10);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &d_next_o_id, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT4, 11);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    d_ytd = 30000.0;

    d_next_o_id = orders_per_district+1;

    time_start = (TimeNow() / MILLI);

    for (w_id = aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
    {
        d_w_id = w_id;

        for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
        {
            MakeAlphaString(6,10,D_NAME_LEN, d_name);

            MakeAddress(d_street_1, d_street_2, d_city, d_state, d_zip);

            d_tax = ((float) RandomNumber(0L,2000L))/10000.00;

            rc = bcp_sendrow(w_hdbc1);
            if (rc != SUCCEED)
                HandleErrorDBC(w_hdbc1);

            district_rows_loaded++;
            CheckForCommit(w_hdbc1, w_hstmt1, district_rows_loaded,
"district", &time_start);
        }
    }

    rcint = bcp_done(w_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(w_hdbc1);

    printf("Finished loading district table.\n");

    // if build index after load...
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxdiscl");

    return;
}

//=====

```

```

//
// Function : Stock
//
//=====

void Stock()
{
    long s_i_id;
    short s_w_id;
    short s_quantity;
    char s_dist_01[S_DIST_LEN+1];
    char s_dist_02[S_DIST_LEN+1];
    char s_dist_03[S_DIST_LEN+1];
    char s_dist_04[S_DIST_LEN+1];
    char s_dist_05[S_DIST_LEN+1];
    char s_dist_06[S_DIST_LEN+1];
    char s_dist_07[S_DIST_LEN+1];
    char s_dist_08[S_DIST_LEN+1];
    char s_dist_09[S_DIST_LEN+1];
    char s_dist_10[S_DIST_LEN+1];
    long s_ytd;
    short s_order_cnt;
    short s_remote_cnt;
    char s_data[S_DATA_LEN+1];
    short len;
    char name[20];
    long time_start;
    RETCODE rc;
    DBINT rcint;
    char bcphint[128];

    // Seed with unique number
    seed(3);

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxstkcl");

    sprintf(name, "%s..%s", aptr->database, "stock");

    rc = bcp_init(w_hdbc1, name, NULL, "logs\\stock.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (s_i_id, s_w_id), ROWS_PER_BATCH
= %u", (aptr->num_warehouses * 10000));
        rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
    }
}

```

```

rc = bcp_bind(w_hdbc1, (BYTE *) &s_i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

bcp_bind(w_hdbc1, (BYTE *) &s_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_quantity, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT2, 3);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

4); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_01, 0, S_DIST_LEN, NULL, 0, 0,
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

5); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_02, 0, S_DIST_LEN, NULL, 0, 0,
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

6); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_03, 0, S_DIST_LEN, NULL, 0, 0,
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

7); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_04, 0, S_DIST_LEN, NULL, 0, 0,
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

8); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_05, 0, S_DIST_LEN, NULL, 0, 0,
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

9); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_06, 0, S_DIST_LEN, NULL, 0, 0,
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

10); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_07, 0, S_DIST_LEN, NULL, 0, 0,
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

11); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_08, 0, S_DIST_LEN, NULL, 0, 0,
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

```

```

12); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_09, 0, S_DIST_LEN, NULL, 0, 0,
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

13); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_10, 0, S_DIST_LEN, NULL, 0, 0,
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 14);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_order_cnt, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT2, 15);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_remote_cnt, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 16);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_data, 0, S_DATA_LEN, NULL, 0, 0, 17);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

s_ytd = s_order_cnt = s_remote_cnt = 0;

time_start = (TimeNow() / MILLI);

printf("...Loading stock table\n");

for (s_i_id=1; s_i_id <= max_items; s_i_id++)
{
    for (s_w_id = (short)aptr->starting_warehouse; s_w_id <= aptr-
>num_warehouses; s_w_id++)
    {
        s_quantity = (short)RandomNumber(10L,100L);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_01);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_02);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_03);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_04);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_05);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_06);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_07);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_08);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_09);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_10);
    }
}

```

```

        len = MakeOriginalAlphaString(26,50, S_DATA_LEN, s_data,10);

        rc = bcp_sendrow(w_hdbc1);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        stock_rows_loaded++;
        CheckForCommit(w_hdbc1, w_hstmt1, stock_rows_loaded, "stock",
&time_start);
    }
}

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

printf("Finished loading stock table.\n");

SQLFreeStmt(w_hstmt1, SQL_DROP);
SQLDisconnect(w_hdbc1);
SQLFreeConnect(w_hdbc1);

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxstkcl");

return;
}

//=====
//
// Function   : LoadCustomer
//
//=====

void LoadCustomer()
{
    LOADER_TIME_STRUCT    customer_time_start;
    LOADER_TIME_STRUCT    history_time_start;
    short                 w_id;
    short                 d_id;
    DWORD                 dwThreadID[MAX_CUSTOMER_THREADS];
    HANDLE                 hThread[MAX_CUSTOMER_THREADS];
    char                   name[20];
    RETCODE                rc;
    DBINT                 rcint;
    char                   bcphint[128];
    char                   cmd[256];
    // SQLRETURN            rc_l;
    // SQLSMALLINT          recnum, MsgLen;

```

```

        // SQLCHAR                SqlState[6],
Msg[SQL_MAX_MESSAGE_LENGTH];
        // SQLINTEGER            NativeError;

        // Seed with unique number
        seed(5);

        printf("Loading customer and history tables...\n");

        // if build index before load...
        if ((aptr->build_index == 1) && (aptr->index_order == 1))
            BuildIndex("idxcuscl");

        // Initialize bulk copy
        sprintf(name, "%s..%s", aptr->database, "customer");

        rc = bcp_init(c_hdbc1, name, NULL, "logs\\customer.err", DB_IN);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);

        if ((aptr->build_index == 1) && (aptr->index_order == 1))
        {
            sprintf(bcphint, "tablock, order (c_w_id, c_d_id, c_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
            rc = bcp_control(c_hdbc1, BCPHINTS, (void*) bcphint);
            if (rc != SUCCEED)
                HandleErrorDBC(c_hdbc1);
        }

        sprintf(name, "%s..%s", aptr->database, "history");

        rc = bcp_init(c_hdbc2, name, NULL, "logs\\history.err", DB_IN);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc2);

        sprintf(bcphint, "tablock");
        rc = bcp_control(c_hdbc2, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc2);

        customer_rows_loaded    = 0;
        history_rows_loaded     = 0;

        CustomerBufInit();

        customer_time_start.time_start = (TimeNow() / MILLI);
        history_time_start.time_start = (TimeNow() / MILLI);

        for (w_id = (short)aptr->starting_warehouse; w_id <= aptr-
>num_warehouses; w_id++)
        {
            for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
            {

```

```

CustomerBufLoad(d_id, w_id);

// Start parallel loading threads here...

// Start customer table thread

printf("...Loading customer table for: d_id = %d, w_id =
%d\n", d_id, w_id);

hThread[0] = CreateThread(NULL,
                          0,
                          (LPTHREAD_START_ROUTINE)
LoadCustomerTable,
                          &customer_time_start,
                          0,
                          &dwThreadID[0]);

if (hThread[0] == NULL)
{
    printf("Error, failed in creating creating thread =
0.\n");
    exit(-1);
}

// Start History table thread

printf("...Loading history table for: d_id = %d, w_id =
%d\n", d_id, w_id);

hThread[1] = CreateThread(NULL,
                          0,
                          (LPTHREAD_START_ROUTINE)
LoadHistoryTable,
                          &history_time_start,
                          0,
                          &dwThreadID[1]);

if (hThread[1] == NULL)
{
    printf("Error, failed in creating creating thread =
1.\n");
    exit(-1);
}

WaitForSingleObject( hThread[0], INFINITE );
WaitForSingleObject( hThread[1], INFINITE );

if (CloseHandle(hThread[0]) == FALSE)
{
    printf("Error, failed in closing customer thread handle
with errno: %d\n", GetLastError());
}

if (CloseHandle(hThread[1]) == FALSE)

```

```

{
    printf("Error, failed in closing history thread handle
with errno: %d\n", GetLastError());
}
}

}

// flush the bulk connection
rcint = bcp_done(c_hdbc1);
if (rcint < 0)
    HandleErrorDBC(c_hdbc1);

rcint = bcp_done(c_hdbc2);
if (rcint < 0)
    HandleErrorDBC(c_hdbc2);

printf("Finished loading customer table.\n");

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxcuscl");

// build non-clustered index
if (aptr->build_index == 1)
    BuildIndex("idxcusnc");

// Output the NURAND used for the loader into C_FIRST for C_ID = 1,
// C_W_ID = 1, and C_D_ID = 1
sprintf(cmd, "isql -S%s -U%s -P%s -d%s -e -Q\"update customer set
c_first = 'C_LOAD = %d' where c_id = 1 and c_w_id = 1 and c_d_id = 1\" >
logs\\nurand_load.log",
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database,
        LOADER_NURAND_C);

system(cmd);

SQLFreeStmt(c_hstmt1, SQL_DROP);
SQLDisconnect(c_hdbc1);
SQLFreeConnect(c_hdbc1);

SQLFreeStmt(c_hstmt2, SQL_DROP);
SQLDisconnect(c_hdbc2);
SQLFreeConnect(c_hdbc2);

return;
}

```

```

//=====
//
// Function   : CustomerBufInit
//
//=====
void CustomerBufInit()
{
    int     i;

    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_id = 0;
        customer_buf[i].c_d_id = 0;
        customer_buf[i].c_w_id = 0;

        strcpy(customer_buf[i].c_first,"");
        strcpy(customer_buf[i].c_middle,"");
        strcpy(customer_buf[i].c_last,"");
        strcpy(customer_buf[i].c_street_1,"");
        strcpy(customer_buf[i].c_street_2,"");
        strcpy(customer_buf[i].c_city,"");
        strcpy(customer_buf[i].c_state,"");
        strcpy(customer_buf[i].c_zip,"");
        strcpy(customer_buf[i].c_phone,"");
        strcpy(customer_buf[i].c_credit,"");

        customer_buf[i].c_credit_lim = 0;
        customer_buf[i].c_discount = (float) 0;

        // fix to avoid ODBC float to numeric conversion problem.
        // customer_buf[i].c_balance = 0;
        strcpy(customer_buf[i].c_balance,"");

        customer_buf[i].c_ytd_payment = 0;
        customer_buf[i].c_payment_cnt = 0;
        customer_buf[i].c_delivery_cnt = 0;

        strcpy(customer_buf[i].c_data,"");

        customer_buf[i].h_amount = 0;

        strcpy(customer_buf[i].h_data,"");
    }
}

//=====
//
// Function   : CustomerBufLoad

```

```

//
// Fills shared buffer for HISTORY and CUSTOMER
//=====
void CustomerBufLoad(int d_id, int w_id)
{
    long          i;
    CUSTOMER_SORT_STRUCT  c[CUSTOMERS_PER_DISTRICT];

    for (i=0;i<customers_per_district;i++)
    {
        if (i < 1000)
            LastName(i, c[i].c_last);
        else
            LastName(NURand(255,0,999,LOADER_NURAND_C), c[i].c_last);

        MakeAlphaString(8,16,FIRST_NAME_LEN, c[i].c_first);

        c[i].c_id = i+1;
    }

    printf("...Loading customer buffer for: d_id = %d, w_id = %d\n",
           d_id, w_id);

    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_d_id = d_id;
        customer_buf[i].c_w_id = w_id;
        customer_buf[i].h_amount = 10.0;

        customer_buf[i].c_ytd_payment = 10.0;

        customer_buf[i].c_payment_cnt = 1;
        customer_buf[i].c_delivery_cnt = 0;

        // Generate CUSTOMER and HISTORY data

        customer_buf[i].c_id = c[i].c_id;

        strcpy(customer_buf[i].c_first, c[i].c_first);
        strcpy(customer_buf[i].c_last, c[i].c_last);

        customer_buf[i].c_middle[0] = 'O';
        customer_buf[i].c_middle[1] = 'E';

        MakeAddress(customer_buf[i].c_street_1,
                   customer_buf[i].c_street_2,
                   customer_buf[i].c_city,
                   customer_buf[i].c_state,
                   customer_buf[i].c_zip);
    }
}

```

```

MakeNumberString(16, 16, PHONE_LEN, customer_buf[i].c_phone);

if (RandomNumber(1L, 100L) > 10)
    customer_buf[i].c_credit[0] = 'G';
else
    customer_buf[i].c_credit[0] = 'B';
customer_buf[i].c_credit[1] = 'C';

customer_buf[i].c_credit_lim = 50000.0;
customer_buf[i].c_discount = ((float) RandomNumber(0L, 5000L)) /
10000.0;

// fix to avoid ODBC float to numeric conversion problem.

// customer_buf[i].c_balance = -10.0;
strcpy(customer_buf[i].c_balance, "-10.0");

MakeAlphaString(300, 500, C_DATA_LEN, customer_buf[i].c_data);

// Generate HISTORY data
MakeAlphaString(12, 24, H_DATA_LEN, customer_buf[i].h_data);
}
}

//=====
//
// Function   : LoadCustomerTable
//
//=====

void LoadCustomerTable(LOADER_TIME_STRUCT *customer_time_start)
{
    int         i;
    long        c_id;
    short       c_d_id;
    short       c_w_id;
    char        c_first[FIRST_NAME_LEN+1];
    char        c_middle[MIDDLE_NAME_LEN+1];
    char        c_last[LAST_NAME_LEN+1];
    char        c_street_1[ADDRESS_LEN+1];
    char        c_street_2[ADDRESS_LEN+1];
    char        c_city[ADDRESS_LEN+1];
    char        c_state[STATE_LEN+1];
    char        c_zip[ZIP_LEN+1];
    char        c_phone[PHONE_LEN+1];
    char        c_credit[CREDIT_LEN+1];
    double      c_credit_lim;
    double      c_discount;

    // fix to avoid ODBC float to numeric conversion problem.
    // double    c_balance;
    char        c_balance[6];

```

```

double        c_ytd_payment;
short         c_payment_cnt;
short         c_delivery_cnt;
char          c_data[C_DATA_LEN+1];
char          c_since[C_SINCE_LEN+1];
RETCODE       rc;

rc = bcp_bind(c_hdbc1, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_first, 0, FIRST_NAME_LEN, NULL, 0, 0,
4);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_middle, 0, MIDDLE_NAME_LEN, NULL, 0, 0,
5);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_last, 0, LAST_NAME_LEN, NULL, 0, 0,
6);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
7);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
8);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_city, 0, ADDRESS_LEN, NULL, 0, 0, 9);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_state, 0, STATE_LEN, NULL, 0, 0, 10);
if (rc != SUCCEED)

```

```

        HandleErrorDBC(c_hdbc1);
rc = bcp_bind(c_hdbc1, (BYTE *) c_zip, 0, ZIP_LEN, NULL, 0, 0, 11);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);
rc = bcp_bind(c_hdbc1, (BYTE *) c_phone, 0, PHONE_LEN, NULL, 0, 0, 12);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);
rc = bcp_bind(c_hdbc1, (BYTE *) &c_since, 0, C_SINCE_LEN, NULL, 0,
SQLCHARACTER, 13);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);
rc = bcp_bind(c_hdbc1, (BYTE *) c_credit, 0, CREDIT_LEN, NULL, 0, 0,
14);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);
rc = bcp_bind(c_hdbc1, (BYTE *) &c_credit_lim, 0, SQL_VARLEN_DATA, NULL,
0, SQLFLT8, 15);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);
rc = bcp_bind(c_hdbc1, (BYTE *) &c_discount, 0, SQL_VARLEN_DATA, NULL,
0, SQLFLT8, 16);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

// fix to avoid ODBC float to numeric conversion problem.

// rc = bcp_bind(c_hdbc1, (BYTE *) &c_balance, 0, SQL_VARLEN_DATA,
NULL, 0, SQLFLT8, 17);
// if (rc != SUCCEED)
//     HandleErrorDBC(c_hdbc1);
rc = bcp_bind(c_hdbc1, (BYTE *) c_balance, 0, 5, NULL, 0, SQLCHARACTER,
17);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_ytd_payment, 0, SQL_VARLEN_DATA,
NULL, 0, SQLFLT8, 18);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_payment_cnt, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 19);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

```

```

rc = bcp_bind(c_hdbc1, (BYTE *) &c_delivery_cnt, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 20);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);
rc = bcp_bind(c_hdbc1, (BYTE *) c_data, 0, 500, NULL, 0, 0, 21);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

for (i = 0; i < customers_per_district; i++)
{
    c_id = customer_buf[i].c_id;
    c_d_id = customer_buf[i].c_d_id;
    c_w_id = customer_buf[i].c_w_id;

    strcpy(c_first, customer_buf[i].c_first);
    strcpy(c_middle, customer_buf[i].c_middle);
    strcpy(c_last, customer_buf[i].c_last);
    strcpy(c_street_1, customer_buf[i].c_street_1);
    strcpy(c_street_2, customer_buf[i].c_street_2);
    strcpy(c_city, customer_buf[i].c_city);
    strcpy(c_state, customer_buf[i].c_state);
    strcpy(c_zip, customer_buf[i].c_zip);
    strcpy(c_phone, customer_buf[i].c_phone);
    strcpy(c_credit, customer_buf[i].c_credit);

    FormatDate(&c_since);

    c_credit_lim = customer_buf[i].c_credit_lim;
    c_discount = customer_buf[i].c_discount;

    // fix to avoid ODBC float to numeric conversion problem.

    // c_balance = customer_buf[i].c_balance;
    strcpy(c_balance, customer_buf[i].c_balance);

    c_ytd_payment = customer_buf[i].c_ytd_payment;
    c_payment_cnt = customer_buf[i].c_payment_cnt;
    c_delivery_cnt = customer_buf[i].c_delivery_cnt;

    strcpy(c_data, customer_buf[i].c_data);

    // Send data to server
    rc = bcp_sendrow(c_hdbc1);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    customer_rows_loaded++;
    CheckForCommit(c_hdbc1, c_hstmt1, customer_rows_loaded,
"customer", &customer_time_start->time_start);
}
}

```



```

//=====
//
// Function   : LoadHistoryTable
//
//=====

void LoadHistoryTable(LOADER_TIME_STRUCT *history_time_start)
{
    int         i;
    long        c_id;
    short       c_d_id;
    short       c_w_id;
    double      h_amount;
    char        h_data[H_DATA_LEN+1];
    char        h_date[H_DATE_LEN+1];
    RETCODE     rc;

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_date, 0, H_DATE_LEN, NULL, 0,
SQLCHARACTER, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_amount, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) h_data, 0, H_DATA_LEN, NULL, 0, 0, 8);

```

```

    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    for (i = 0; i < customers_per_district; i++)
    {
        c_id = customer_buf[i].c_id;
        c_d_id = customer_buf[i].c_d_id;
        c_w_id = customer_buf[i].c_w_id;
        h_amount = customer_buf[i].h_amount;
        strcpy(h_data, customer_buf[i].h_data);

        FormatDate(&h_date);

        // send to server
        rc = bcp_sendrow(c_hdbc2);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc2);

        history_rows_loaded++;
        CheckForCommit(c_hdbc2, c_hstmt2, history_rows_loaded, "history",
&history_time_start->time_start);
    }
}

//=====
//
// Function   : LoadOrders
//
//=====

void LoadOrders()
{
    LOADER_TIME_STRUCT    orders_time_start;
    LOADER_TIME_STRUCT    new_order_time_start;
    LOADER_TIME_STRUCT    order_line_time_start;
    short                 w_id;
    short                 d_id;
    DWORD                 dwThreadId[MAX_ORDER_THREADS];
    HANDLE                 hThread[MAX_ORDER_THREADS];
    char                  name[20];
    RETCODE                rc;
    char                  bcphint[128];

    // seed with unique number
    seed(6);

    printf("Loading orders...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))

```

```

{
    BuildIndex("idxordcl");
    BuildIndex("idxnodcl");
    BuildIndex("idxodlcl");
}

// initialize bulk copy
sprintf(name, "%s..%s", aptr->database, "orders");

rc = bcp_init(o_hdbc1, name, NULL, "logs\\orders.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (o_w_id, o_d_id, o_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
    rc = bcp_control(o_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);
}

sprintf(name, "%s..%s", aptr->database, "new_order");

rc = bcp_init(o_hdbc2, name, NULL, "logs\\neword.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (no_w_id, no_d_id, no_o_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 9000));
    rc = bcp_control(o_hdbc2, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);
}

sprintf(name, "%s..%s", aptr->database, "order_line");

rc = bcp_init(o_hdbc3, name, NULL, "logs\\ordline.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (ol_w_id, ol_d_id, ol_o_id,
ol_number), ROWS_PER_BATCH = %u", (aptr->num_warehouses * 300000));
    rc = bcp_control(o_hdbc3, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
}

orders_rows_loaded      = 0;

```

```

new_order_rows_loaded   = 0;
order_line_rows_loaded  = 0;

OrdersBufInit();

orders_time_start.time_start = (TimeNow() / MILLI);
new_order_time_start.time_start = (TimeNow() / MILLI);
order_line_time_start.time_start = (TimeNow() / MILLI);

for (w_id = (short)aptr->starting_warehouse; w_id <= aptr-
>num_warehouses; w_id++)
{
    for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
    {
        OrdersBufLoad(d_id, w_id);

        // start parallel loading threads here...

        // start Orders table thread

        printf("...Loading Order Table for: d_id = %d, w_id = %d\n",
d_id, w_id);

        hThread[0] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE)
LoadOrdersTable,
                                &orders_time_start,
                                0,
                                &dwThreadID[0]);

        if (hThread[0] == NULL)
        {
            printf("Error, failed in creating creating thread =
0.\n");
            exit(-1);
        }

        // start NewOrder table thread

        printf("...Loading New-Order Table for: d_id = %d, w_id =
%d\n", d_id, w_id);

        hThread[1] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE)
LoadNewOrderTable,
                                &new_order_time_start,
                                0,
                                &dwThreadID[1]);

        if (hThread[1] == NULL)
        {

```

```

        printf("Error, failed in creating creating thread =
1.\n");
    }
    exit(-1);
}
// start Order-Line table thread
printf("...Loading Order-Line Table for: d_id = %d, w_id =
%d\n", d_id, w_id);
hThread[2] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE)
LoadOrderLineTable,
&order_line_time_start,
0,
&dwThreadID[2]);
if (hThread[2] == NULL)
{
    printf("Error, failed in creating creating thread =
2.\n");
    exit(-1);
}
WaitForSingleObject( hThread[0], INFINITE );
WaitForSingleObject( hThread[1], INFINITE );
WaitForSingleObject( hThread[2], INFINITE );
if (CloseHandle(hThread[0]) == FALSE)
{
    printf("Error, failed in closing Orders thread handle
with errno: %d\n", GetLastError());
}
if (CloseHandle(hThread[1]) == FALSE)
{
    printf("Error, failed in closing NewOrder thread handle
with errno: %d\n", GetLastError());
}
if (CloseHandle(hThread[2]) == FALSE)
{
    printf("Error, failed in closing OrderLine thread
handle with errno: %d\n", GetLastError());
}
}
printf("Finished loading orders.\n");
return;

```

```

}
//=====
//
// Function   : OrdersBufInit
//
// Clears shared buffer for ORDERS, NEWORDER, and ORDERLINE
//
//=====
void OrdersBufInit()
{
    int     i;
    int     j;
    for (i=0;i<orders_per_district;i++)
    {
        orders_buf[i].o_id = 0;
        orders_buf[i].o_d_id = 0;
        orders_buf[i].o_w_id = 0;
        orders_buf[i].o_c_id = 0;
        orders_buf[i].o_carrier_id = 0;
        orders_buf[i].o_ol_cnt = 0;
        orders_buf[i].o_all_local = 0;
        for (j=0;j<=14;j++)
        {
            orders_buf[i].o_ol[j].ol = 0;
            orders_buf[i].o_ol[j].ol_i_id = 0;
            orders_buf[i].o_ol[j].ol_supply_w_id = 0;
            orders_buf[i].o_ol[j].ol_quantity = 0;
            orders_buf[i].o_ol[j].ol_amount = 0;
            strcpy(orders_buf[i].o_ol[j].ol_dist_info, "");
        }
    }
}
//=====
//
// Function   : OrdersBufLoad
//
// Fills shared buffer for ORDERS, NEWORDER, and ORDERLINE
//
//=====
void OrdersBufLoad(int d_id, int w_id)
{
    int     cust[ORDERS_PER_DISTRICT+1];
    long    o_id;
    short   ol;

```

```

printf("...Loading Order Buffer for: d_id = %d, w_id = %d\n",
      d_id, w_id);

GetPermutation(cust, orders_per_district);

for (o_id=0;o_id<orders_per_district;o_id++)
{
    // Generate ORDER and NEW-ORDER data

    orders_buf[o_id].o_d_id = d_id;
    orders_buf[o_id].o_w_id = w_id;
    orders_buf[o_id].o_id = o_id+1;
    orders_buf[o_id].o_c_id = cust[o_id+1];
    orders_buf[o_id].o_ol_cnt = (short)RandomNumber(5L, 15L);

    if (o_id < first_new_order)
    {
        orders_buf[o_id].o_carrier_id = (short)RandomNumber(1L, 10L);
        orders_buf[o_id].o_all_local = 1;
    }
    else
    {
        orders_buf[o_id].o_carrier_id = 0;
        orders_buf[o_id].o_all_local = 1;
    }

    for (ol=0; ol<orders_buf[o_id].o_ol_cnt; ol++)
    {
        orders_buf[o_id].o_ol[ol].ol = ol+1;
        orders_buf[o_id].o_ol[ol].ol_i_id = RandomNumber(1L,
max_items);
        orders_buf[o_id].o_ol[ol].ol_supply_w_id = w_id;
        orders_buf[o_id].o_ol[ol].ol_quantity = 5;
        MakeAlphaString(24, 24, OL_DIST_INFO_LEN,
&orders_buf[o_id].o_ol[ol].ol_dist_info);

        // Generate ORDER-LINE data
        if (o_id < first_new_order)
        {
            orders_buf[o_id].o_ol[ol].ol_amount = 0;
            // Added to insure ol_delivery_d set properly during
load

            FormatDate(&orders_buf[o_id].o_ol[ol].ol_delivery_d);

        }
        else
        {
            orders_buf[o_id].o_ol[ol].ol_amount =
RandomNumber(1,999999)/100.0;

```

```

// Added to insure ol_delivery_d set properly during
load

// odbc datetime format
strcpy(orders_buf[o_id].o_ol[ol].ol_delivery_d,"1899-
12-31 00:00:00.000");
    }
}

//=====
//
// Function : LoadOrdersTable
//
//=====

void LoadOrdersTable(LOADER_TIME_STRUCT *orders_time_start)
{
    int i;
    long o_id;
    short o_d_id;
    short o_w_id;
    long o_c_id;
    short o_carrier_id;
    short o_ol_cnt;
    short o_all_local;
    char o_entry_d[O_ENTRY_D_LEN+1];
    RETCODE rc;
    DBINT rcint;

    // bind ORDER data
    rc = bcp_bind(o_hdbc1, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_c_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 4);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

```

```

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_entry_d, 0, O_ENTRY_D_LEN, NULL, 0,
SQLCHARACTER, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_carrier_id, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT2, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_ol_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_all_local, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT2, 8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

for (i = 0; i < orders_per_district; i++)
{
    o_id          = orders_buf[i].o_id;
    o_d_id        = orders_buf[i].o_d_id;
    o_w_id        = orders_buf[i].o_w_id;
    o_c_id        = orders_buf[i].o_c_id;
    o_carrier_id = orders_buf[i].o_carrier_id;
    o_ol_cnt      = orders_buf[i].o_ol_cnt;
    o_all_local   = orders_buf[i].o_all_local;

    FormatDate(&o_entry_d);

    // send data to server
    rc = bcp_sendrow(o_hdbc1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    orders_rows_loaded++;
    CheckForCommit(o_hdbc1, o_hstmt1, orders_rows_loaded, "orders",
&orders_time_start->time_start);
}

// rcint = bcp_batch(o_hdbc1);
// if (rcint < 0)
//     HandleErrorDBC(o_hdbc1);

if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
{
    rcint = bcp_done(o_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(o_hdbc1);

    SQLFreeStmt(o_hstmt1, SQL_DROP);
    SQLDisconnect(o_hdbc1);

```

```

SQLFreeConnect(o_hdbc1);

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxordcl");

// build non-clustered index
if (aptr->build_index == 1)
    BuildIndex("idxordnc");
}
}

//=====================================================
//
// Function   : LoadNewOrderTable
//
//=====================================================

void LoadNewOrderTable(LOADER_TIME_STRUCT *new_order_time_start)
{
    int         i;
    long        o_id;
    short       o_d_id;
    short       o_w_id;
    RETCODE     rc;
    DBINT       rcint;

    // Bind NEW-ORDER data

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);

    for (i = first_new_order; i < last_new_order; i++)
    {
        o_id    = orders_buf[i].o_id;
        o_d_id  = orders_buf[i].o_d_id;
        o_w_id  = orders_buf[i].o_w_id;

        rc = bcp_sendrow(o_hdbc2);
        if (rc != SUCCEEDED)

```

```

        HandleErrorDBC(o_hdbc2);

        new_order_rows_loaded++;
        CheckForCommit(o_hdbc2, o_hstmt2, new_order_rows_loaded,
"new_order", &new_order_time_start->time_start);
    }

    // rcint = bcp_batch(o_hdbc2);
    // if (rcint < 0)
    //     HandleErrorDBC(o_hdbc2);

    if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
    {
        rcint = bcp_done(o_hdbc2);
        if (rcint < 0)
            HandleErrorDBC(o_hdbc2);

        SQLFreeStmt(o_hstmt2, SQL_DROP);
        SQLDisconnect(o_hdbc2);
        SQLFreeConnect(o_hdbc2);

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxnodcl");
    }
}

```

```

//=====
//
// Function   : LoadOrderLineTable
//
//=====

```

```

void LoadOrderLineTable(LOADER_TIME_STRUCT *order_line_time_start)
{
    int         i,j;
    long        o_id;
    short       o_d_id;
    short       o_w_id;
    long        ol;
    long        ol_i_id;
    short       ol_supply_w_id;
    short       ol_quantity;
    double      ol_amount;
    char        ol_dist_info[DIST_INFO_LEN+1];
    char        ol_delivery_d[OL_DELIVERY_D_LEN+1];
    RETCODE     rc;
    DBINT       rcint;

    // bind ORDER-LINE data

```

```

        rc = bcp_bind(o_hdbc3, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);

        rc = bcp_bind(o_hdbc3, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);

        rc = bcp_bind(o_hdbc3, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);

        rc = bcp_bind(o_hdbc3, (BYTE *) &ol, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 4);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);

        rc = bcp_bind(o_hdbc3, (BYTE *) &ol_i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 5);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);

        rc = bcp_bind(o_hdbc3, (BYTE *) &ol_supply_w_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 6);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);

        rc = bcp_bind(o_hdbc3, (BYTE *) &ol_delivery_d, 0, OL_DELIVERY_D_LEN,
NULL, 0, SQLCHARACTER, 7);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);

        rc = bcp_bind(o_hdbc3, (BYTE *) &ol_quantity, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT2, 8);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);

        rc = bcp_bind(o_hdbc3, (BYTE *) &ol_amount, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);

        rc = bcp_bind(o_hdbc3, (BYTE *) ol_dist_info, 0, DIST_INFO_LEN, NULL, 0,
0, 10);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);

        for (i = 0; i < orders_per_district; i++)
        {
            o_id     = orders_buf[i].o_id;
            o_d_id   = orders_buf[i].o_d_id;

```

```

o_w_id = orders_buf[i].o_w_id;

for (j=0; j < orders_buf[i].o_ol_cnt; j++)
{
    ol            = orders_buf[i].o_ol[j].ol;
    ol_i_id       = orders_buf[i].o_ol[j].ol_i_id;
    ol_supply_w_id = orders_buf[i].o_ol[j].ol_supply_w_id;
    ol_quantity    = orders_buf[i].o_ol[j].ol_quantity;
    ol_amount      = orders_buf[i].o_ol[j].ol_amount;

    strcpy(ol_delivery_d,orders_buf[i].o_ol[j].ol_delivery_d);

    strcpy(ol_dist_info,orders_buf[i].o_ol[j].ol_dist_info);

    rc = bcp_sendrow(o_hdbc3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    order_line_rows_loaded++;
    CheckForCommit(o_hdbc3, o_hstmt3, order_line_rows_loaded,
"order_line", &order_line_time_start->time_start);
}

}

// rcint = bcp_batch(o_hdbc3);
// if (rcint < 0)
//     HandleErrorDBC(o_hdbc3);

if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
{
    rcint = bcp_done(o_hdbc3);
    if (rcint < 0)
        HandleErrorDBC(o_hdbc3);

    SQLFreeStmt(o_hstmt3, SQL_DROP);
    SQLDisconnect(o_hdbc3);
    SQLFreeConnect(o_hdbc3);

    // if build index after load...
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxodlcl");
}

}

//=====
//
// Function   : GetPermutation
//
//=====

```

```

void GetPermutation(int perm[], int n)
{
    int i, r, t;

    for (i=1;i<=n;i++)
        perm[i] = i;

    for (i=1;i<=n;i++)
    {
        r = RandomNumber(i,n);
        t = perm[i];
        perm[i] = perm[r];
        perm[r] = t;
    }
}

//=====
//
// Function   : CheckForCommit
//
//=====

void CheckForCommit(HDBC hdbc,
                    HSTMT hstmt,
                    int rows_loaded,
                    char *table_name,
                    long *time_start)
{
    long time_end, time_diff;
    // DBINT rcint;

    if ( !(rows_loaded % aptr->batch) )
    {
        // rcint = bcp_batch(hdbc);
        // if (rcint < 0)
        //     HandleErrorDBC(hdbc);

        time_end = (TimeNow() / MILLI);
        time_diff = time_end - *time_start;

        printf("-> Loaded %ld rows into %s in %ld sec - Total = %d (%.2f
rps)\n",
                aptr->batch,
                table_name,
                time_diff,
                rows_loaded,
                (float) aptr->batch / (time_diff ? time_diff : 1L));

        *time_start = time_end;
    }
}

```

```

    return;
}

//=====
//
// Function   : OpenConnections
//
//=====

void OpenConnections()
{
    RETCODE          rc;

    char             szDriverString[300];
    char             szDriverStringOut[1024];
    SQLSMALLINT      cbDriverStringOut;

    SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );

    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );

    SQLAllocHandle(SQL_HANDLE_DBC, henv , &i_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &w_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc2);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc2);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc3);

    SQLSetConnectAttr(i_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(w_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(c_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(c_hdbc2, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc2, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc3, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

    // Open connections to SQL Server

    // Connection 1

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

```

```

        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

    rc = SQLSetConnectOption (i_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);

    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = SQLDriverConnect ( i_hdbc1,
        NULL,
        (SQLCHAR*)&szDriverString[0] ,
        SQL_NTS,
        (SQLCHAR*)&szDriverStringOut[0],
        sizeof(szDriverStringOut),
        &cbDriverStringOut,
        SQL_DRIVER_NOPROMPT );

    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    // Connection 2

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

    rc = SQLSetConnectOption (w_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);

    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = SQLDriverConnect ( w_hdbc1,
        NULL,
        (SQLCHAR*)&szDriverString[0] ,
        SQL_NTS,
        (SQLCHAR*)&szDriverStringOut[0],
        sizeof(szDriverStringOut),
        &cbDriverStringOut,
        SQL_DRIVER_NOPROMPT );

    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    // Connection 3

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

```



```

rc = SQLSetConnectOption (c_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);

if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = SQLDriverConnect ( c_hdbc1,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );

if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

// Connection 4

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

rc = SQLSetConnectOption (c_hdbc2, SQL_PACKET_SIZE, aptr->pack_size);

if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

rc = SQLDriverConnect ( c_hdbc2,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );

if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

// Connection 5

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

rc = SQLSetConnectOption (o_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);

if (rc != SUCCEED)

```

```

    HandleErrorDBC(o_hdbc1);

rc = SQLDriverConnect ( o_hdbc1,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );

if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

// Connection 6

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

rc = SQLSetConnectOption (o_hdbc2, SQL_PACKET_SIZE, aptr->pack_size);

if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

rc = SQLDriverConnect ( o_hdbc2,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );

if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

// Connection 7

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

rc = SQLSetConnectOption (o_hdbc3, SQL_PACKET_SIZE, aptr->pack_size);

if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = SQLDriverConnect ( o_hdbc3,
                        NULL,

```

```

                (SQLCHAR*)&szDriverString[0] ,
                SQL_NTS,
                (SQLCHAR*)&szDriverStringOut[0],
                sizeof(szDriverStringOut),
                &cbDriverStringOut,
                SQL_DRIVER_NOPROMPT );

    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
}

//=====
//
// Function name: BuildIndex
//
//=====

void BuildIndex(char *index_script)
{
    char cmd[256];

    printf("Starting index creation:  %s\n",index_script);

    sprintf(cmd, "isql -S%s -U%s -P%s -e -i%s\\%s.sql > logs\\%s.log",
            aptr->server,
            aptr->user,
            aptr->password,
            aptr->index_script_path,
            index_script,
            index_script);

    system(cmd);

    printf("Finished index creation:  %s\n",index_script);
}

void HandleErrorDBC (SQLHDBC  hdbc1)
{
    SQLCHAR          SqlState[6], Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER  NativeError;
    SQLSMALLINT i, MsgLen;
    SQLRETURN   rc2;
    char        timebuf[128];
    char        datebuf[128];
    FILE        *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_DBC , hdbc1, i, SqlState ,
    &NativeError,
                                Msg, sizeof(Msg) , &MsgLen )) != SQL_NO_DATA )
    {

```

```

        sprintf( szLastError , "%s" ,  Msg );

        _strtime(timebuf);
        _strdate(datebuf);

        printf( "[%s : %s] %s\n" , datebuf, timebuf, szLastError);

        fp1 = fopen("logs\\tpccldr.err","w");
        if (fp1 == NULL)
            printf("ERROR:  Unable to open errorlog file.\n");
        else
        {
            fprintf(fp1, "[%s : %s] %s\n" , datebuf, timebuf,
szLastError);
            fclose(fp1);
        }

        i++;
    }
}

void HandleErrorSTMT (HSTMT  hstmt1)
{
    SQLCHAR          SqlState[6], Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER  NativeError;
    SQLSMALLINT i, MsgLen;
    SQLRETURN   rc2;
    char        timebuf[128];
    char        datebuf[128];
    FILE        *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_STMT , hstmt1, i, SqlState ,
    &NativeError,
                                Msg, sizeof(Msg) , &MsgLen )) != SQL_NO_DATA )
    {

        sprintf( szLastError , "%s" ,  Msg );

        _strtime(timebuf);
        _strdate(datebuf);

        printf( "[%s : %s] %s\n" , datebuf, timebuf, szLastError);

        fp1 = fopen("logs\\tpccldr.err","w");
        if (fp1 == NULL)
            printf("ERROR:  Unable to open errorlog file.\n");
        else
        {
            fprintf(fp1, "[%s : %s] %s\n" , datebuf, timebuf,
szLastError);
            fclose(fp1);

```

```

    }
    i++;
}

void FormatDate ( char* szTimeCOutput )
{
    struct tm when;
    time_t now;

    time( &now );
    when = *localtime( &now );

    mktime( &when );

    // odbc datetime format
    strftime( szTimeCOutput , 30 , "%Y-%m-%d %H:%M:%S.000", &when );

    return;
}

//=====
//
// Function   : CheckSQL
//
//=====

void CheckSQL()
{
    RETCODE      rc;

    char         szDriverString[300];
    char         szDriverStringOut[1024];
    int          SQLBuildFlag;

    SQLSMALLINT  cbDriverStringOut;
    SQLCHAR      SQLVersion[19];
    SQLINTEGER   SQLVersionInd;

    SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );

    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );

    SQLAllocHandle(SQL_HANDLE_DBC, henv , &v_hdbc);

```

```

    SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

    // Open connection to SQL Server

    sprintf( szDriverString , "DRIVER={SQL Server};SERVER=%s;UID=%s;PWD=%s"
,
                aptr->server,
                aptr->user,
                aptr->password );

    if ( SQLSetConnectAttr( v_hdbc, SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr-
>pack_size, SQL_IS_UIINTEGER ) != SQL_SUCCESS )
        HandleErrorDBC(v_hdbc);

    rc = SQLDriverConnect ( v_hdbc,
                            NULL,
                            (SQLCHAR*)&szDriverString[0] ,
                            SQL_NTS,
                            (SQLCHAR*)&szDriverStringOut[0],
                            sizeof(szDriverStringOut),
                            &cbDriverStringOut,
                            SQL_DRIVER_NOPROMPT );

    if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
        HandleErrorDBC(v_hdbc);

    if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt) != SQL_SUCCESS
)
        HandleErrorSTMT(v_hstmt);

    rc = SQLBindCol(v_hstmt, 4, SQL_C_CHAR, &SQLVersion,
sizeof(SQLVersion), &SQLVersionInd);

    // issue SQL Server extended stored procedure (xp_msver) to determine
installed version
    rc = SQLExecDirect(v_hstmt, "EXECUTE xp_msver ProductVersion",
SQL_NTS);

    if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
        HandleErrorSTMT(v_hstmt);

    rc = SQLFetch(v_hstmt);

    if (rc != SQL_SUCCESS)
        HandleErrorDBC(v_hdbc);

    // Check build number to ensure 7.00.623 or higher

    SQLBuildFlag = 1;

    if ( SQLVersion[0] == 55 )
    {
        if ( SQLVersion[2] == 48 )

```

```

    {
        if ( SQLVersion[5] == 56 )
        {
            if ( (SQLVersion[6] >= 48) & (SQLVersion[7] >= 53) )
            {
                SQLBuildFlag = 0;
                printf("You are using SQL Server version =
%9s\n\n", SQLVersion);
            }
            else
            {
                SQLBuildFlag = 1;
            }
        }
        else
        {
            if ( SQLVersion[5] >= 54 )
            {
                if ( (SQLVersion[6] >= 50) & (SQLVersion[7] >= 51) )
                {
                    SQLBuildFlag = 0;
                    printf("You are using SQL Server version =
%9s\n\n", SQLVersion);
                }
                else
                {
                    SQLBuildFlag = 1;
                }
            }
            else
            {
                if ( SQLVersion[5] >= 55 )
                {
                    if ( (SQLVersion[6] >= 48) & (SQLVersion[7]
>= 48) )
                    {
                        SQLBuildFlag = 0;
                        printf("You are using SQL Server version
= %9s\n\n", SQLVersion);
                    }
                    else
                    {
                        SQLBuildFlag = 1;
                    }
                }
            }
        }
    }
}
else
{
    if ( SQLVersion[5] >= 49 )

```

```

    {
        if ( (SQLVersion[6] >= 52) & (SQLVersion[7] >= 48) )
        {
            SQLBuildFlag = 0;
            printf("You are using SQL Server version =
%9s\n\n", SQLVersion);
        }
        else
        {
            SQLBuildFlag = 1;
        }
    }
    else
    {
        SQLBuildFlag = 1;
    }
}
else
{
    SQLBuildFlag = 1;
}

if ( SQLBuildFlag == 1 )
{
    printf("ERROR. The SQL Server version you are using is not
supported\n");
    printf("for TPC-C benchmarking. You currently have SQL Server
version %9s\n",SQLVersion);
    printf("installed. Please upgrade to Microsoft SQL Server
7.00.623 or better.\n");
    printf("and re-run the SETUP program.\n\n");
    exit(1);
}

SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

return;
}

//=====
//
// Function : CheckDataBase
//
//=====

void CheckDataBase()
{
    RETCODE rc;

```

```

char        szDriverString[300];
char        szDriverStringOut[1024];
char        TablesBitMap[9] = {"000000000"};
int         i, ExitFlag;

SQLSMALLINT    cbDriverStringOut;
SQLCHAR        TabName[10];
SQLINTEGER     TabNameInd, TabCount, TabCountInd;

ExitFlag = 0;

SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );

SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );

SQLAllocHandle(SQL_HANDLE_DBC, henv , &v_hdbc);

SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

// Open connection to SQL Server

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

rc = SQLSetConnectAttr( v_hdbc, SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr-
>pack_size, SQL_IS_INTEGER );
if (rc != SQL_SUCCESS)
    HandleErrorDBC(v_hdbc);

rc = SQLDriverConnect ( v_hdbc,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );

// if the rc is SQL_ERROR, the the TPCC database probably does not
exist
if (rc == SQL_ERROR)
{
    printf("The database TPCC does not appear to exist!\n");
    printf("\nCheck LOGS\\ directory for database creation
errors.\n");

    // cleanup database connections and handles

```

```

SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

// since there is not a database, exit back to SETUP.CMD
exit(1);
}

if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt) != SQL_SUCCESS
)
    HandleErrorDBC(v_hdbc);

if ( SQLBindCol(v_hstmt, 1, SQL_C_ULONG, &TabCount, 0, &TabCountInd) !=
SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

// count the number of user tables from sysobjects
rc = SQLExecDirect(v_hstmt, "select count(*) from sysobjects where
xtype = \'U\'", SQL_NTS);
if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorSTMT(v_hstmt);

if ( SQLFetch(v_hstmt) != SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

// if the number of tables is less than 9, select all the user tables
in TPCC
if (TabCount != 9)
{
    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);

    SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt);

    if ( SQLBindCol(v_hstmt, 1, SQL_C_CHAR, &TabName, sizeof(TabName),
&TabNameInd) != SQL_SUCCESS )
        HandleErrorSTMT(v_hstmt);

    // select the list of user tables into a result set
rc = SQLExecDirect(v_hstmt, "select * from sysobjects where xtype
= \'U\'", SQL_NTS);
if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorSTMT(v_hstmt);

// go through the result set and set the bitmap for each found
table
// set the bitmap to '1' if the table name is found

while ((rc = SQLFetch(v_hstmt)) != SQL_NO_DATA)
{
    switch( TabName[0] )
    {
        case 'w':
            TablesBitMap[0] = '1';
            break;

```

```

    case 'd':
        TablesBitMap[1] = '1';
        break;
    case 'c':
        TablesBitMap[2] = '1';
        break;
    case 'h':
        TablesBitMap[3] = '1';
        break;
    case 'n':
        TablesBitMap[4] = '1';
        break;
    case 'o':
        if (TabName[5] = 's')
            TablesBitMap[5] = '1';
        if (TabName[5] = '_')
            TablesBitMap[6] = '1';
        break;
    case 'i':
        TablesBitMap[7] = '1';
        break;
    case 's':
        TablesBitMap[8] = '1';
        break;
}

// a '0' ExitFlag means do NOT exit the loader early, a '1' means
exit the loader early
ExitFlag = 0;

// iterate through the bitmap to display which table(s) is
actually missing
for (i = 0; i <= 8; i++)
{
    switch(i)
    {
    case 0:
        if (TablesBitMap[i] == '0')
        {
            printf("The Warehouse table is missing or
damaged.\n");
            ExitFlag = 1;
        }
        break;
    case 1:
        if (TablesBitMap[i] == '0')
        {
            printf("The District table is missing or
damaged.\n");
            ExitFlag = 1;
        }
        break;
    case 2:

```

```

        if (TablesBitMap[i] == '0')
        {
            printf("The Customer table is missing or
damaged.\n");
            ExitFlag = 1;
        }
        break;
    case 3:
        if (TablesBitMap[i] == '0')
        {
            printf("The History table is missing or
damaged.\n");
            ExitFlag = 1;
        }
        break;
    case 4:
        if (TablesBitMap[i] == '0')
        {
            printf("The New_Order table is missing or
damaged.\n");
            ExitFlag = 1;
        }
        break;
    case 5:
        if (TablesBitMap[i] == '0')
        {
            printf("The Orders table is missing or
damaged.\n");
            ExitFlag = 1;
        }
        break;
    case 6:
        if (TablesBitMap[i] == '0')
        {
            printf("The Order_Line table is missing or
damaged.\n");
            ExitFlag = 1;
        }
        break;
    case 7:
        if (TablesBitMap[i] == '0')
        {
            printf("The Item table is missing or damaged.\n");
            ExitFlag = 1;
        }
        break;
    case 8:
        if (TablesBitMap[i] == '0')
        {
            printf("The Stock table is missing or
damaged.\n");
            ExitFlag = 1;
        }
        break;
}

```

```

    }
}

// if one or more tables are missing, display message and exit the
loader
if (ExitFlag = 1)
{
    printf("\nExiting TPC-C Loader!\n");
    printf("\nCheck LOGS\\ directory for database\n");
    printf("or table creation errors.\n");

    // cleanup database connections and handles
    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
    SQLDisconnect(v_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

    exit(1);
}

// cleanup database connections and handles
SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

return;
}

```


Appendix C - Tunable Parameters and Options

This section discloses hardware information and the Windows .NET Server 2003 Enterprise Edition registry parameters used on the PRIMERGY T850 server system.

[System Summary]

Item Value
OS Name Microsoft® Windows® .NET Enterprise Server
Version 5.2.3663 Build 3663
OS Manufacturer Microsoft Corporation
System Name MOGUL
System Manufacturer FUJITSU SIEMENS
System Model PRIMERGY T850
System Type X86-based PC
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
Processor x86 Family 15 Model 1 Stepping 1 GenuineIntel ~1596 Mhz
BIOS Version/Date -[VIE112AUS-1.03]-, 6/18/2002
SMBIOS Version 2.3
Windows Directory C:\WINDOWS
System Directory C:\WINDOWS\system32
Boot Device \Device\HarddiskVolumel
Locale United States
Hardware Abstraction LayerVersion = "5.2.3663.0 (main.020715-1506)"
User Name MOGUL\Administrator
Time Zone W. Europe Daylight Time
Total Physical Memory 32,768.00 MB
Available Physical Memory 31.55 GB
Total Virtual Memory 65.64 GB
Available Virtual Memory 65.11 GB
Page File Space 33.65 GB

Page File C:\pagefile.sys

[Hardware Resources]

[Conflicts/Sharing]

Resource Device
I/O Port 0x00000000-0x00001FFF PCI bus
I/O Port 0x00000000-0x00001FFF Direct memory access controller

Memory Address 0xA8000-0xAFFFF PCI bus
Memory Address 0xA8000-0xAFFFF PCI bus

Memory Address 0xB0000-0xB7FFF PCI bus
Memory Address 0xB0000-0xB7FFF PCI bus

I/O Port 0x0000F000-0x0000FFFF DEC 21154 PCI to PCI bridge
I/O Port 0x0000F000-0x0000FFFF Mylex eXtremeRAID 2000 Disk Array Controller

I/O Port 0x00002000-0x000027FF PCI bus
I/O Port 0x00002000-0x000027FF Adaptec AIC-7899 Ultra160 PCI SCSI Card

Memory Address 0x94600000-0x946FFFFFF PCI bus
Memory Address 0x94600000-0x946FFFFFF Broadcom NetXtreme Gigabit Ethernet

Memory Address 0xB8000-0xBFFFF PCI bus
Memory Address 0xB8000-0xBFFFF PCI bus

I/O Port 0x00009000-0x00009FFF DEC 21154 PCI to PCI bridge
I/O Port 0x00009000-0x00009FFF Mylex eXtremeRAID 2000 Disk Array Controller

I/O Port 0x00006000-0x00006FFF PCI bus
I/O Port 0x00006000-0x00006FFF DEC 21154 PCI to PCI bridge
I/O Port 0x00006000-0x00006FFF Mylex eXtremeRAID 2000 Disk Array Controller

Memory Address 0x84000000-0x860FFFFFF DEC 21154 PCI to PCI bridge
Memory Address 0x84000000-0x860FFFFFF Mylex eXtremeRAID 2000 Disk Array Controller

Memory Address 0x80000000-0x87FFFFFF PCI bus
Memory Address 0x80000000-0x87FFFFFF DEC 21154 PCI to PCI bridge

Memory Address 0x80000000-0x87FFFFFF Mylex eXtremeRAID 2000 Disk Array Controller

I/O Port 0x00003000-0x00003FFF PCI bus
I/O Port 0x00003000-0x00003FFF DEC 21154 PCI to PCI bridge
I/O Port 0x00003000-0x00003FFF Mylex eXtremeRAID 2000 Disk Array Controller

IRQ 47 VIA Rev 5 or later USB Universal Host Controller
IRQ 47 VIA Rev 5 or later USB Universal Host Controller

Memory Address 0x94000000-0x943FFFFFF PCI bus
Memory Address 0x94000000-0x943FFFFFF Other PCI Bridge Device

Memory Address 0x90000000-0x93FFFFFF PCI bus
Memory Address 0x90000000-0x93FFFFFF DEC 21154 PCI to PCI bridge
Memory Address 0x90000000-0x93FFFFFF Mylex eXtremeRAID 2000 Disk Array Controller

Memory Address 0x8C000000-0x8FFFFFF PCI bus
Memory Address 0x8C000000-0x8FFFFFF DEC 21154 PCI to PCI bridge
Memory Address 0x8C000000-0x8FFFFFF Mylex eXtremeRAID 2000 Disk Array Controller

Memory Address 0xE4000000-0xE7FFFFFF PCI bus
Memory Address 0xE4000000-0xE7FFFFFF DEC 21154 PCI to PCI bridge
Memory Address 0xE4000000-0xE7FFFFFF Mylex eXtremeRAID 2000 Disk Array Controller

Memory Address 0xE0000000-0xE3FFFFFF PCI bus
Memory Address 0xE0000000-0xE3FFFFFF DEC 21154 PCI to PCI bridge
Memory Address 0xE0000000-0xE3FFFFFF Mylex eXtremeRAID 2000 Disk Array Controller

Memory Address 0xD0000000-0xD3FFFFFF PCI bus
Memory Address 0xD0000000-0xD3FFFFFF DEC 21154 PCI to PCI bridge
Memory Address 0xD0000000-0xD3FFFFFF Mylex eXtremeRAID 2000 Disk Array Controller

Memory Address 0xAC000000-0xAFFFFFF PCI bus
Memory Address 0xAC000000-0xAFFFFFF DEC 21154 PCI to PCI bridge
Memory Address 0xAC000000-0xAFFFFFF Mylex eXtremeRAID 2000 Disk Array Controller

I/O Port 0x00005000-0x00005FFF DEC 21154 PCI to PCI bridge
I/O Port 0x00005000-0x00005FFF Mylex eXtremeRAID 2000 Disk Array Controller

Memory Address 0x88000000-0x8BFFFFFF PCI bus
Memory Address 0x88000000-0x8BFFFFFF DEC 21154 PCI to PCI bridge
Memory Address 0x88000000-0x8BFFFFFF Mylex eXtremeRAID 2000 Disk Array Controller

Memory Address 0xA0000-0xA7FFF PCI bus

Memory Address 0xA0000-0xA7FFF S3 Graphics Inc. Savage4 (Microsoft Corporation)
Memory Address 0xA0000-0xA7FFF PCI bus

Memory Address 0xA0000000-0xA7FFFFFF PCI bus
Memory Address 0xA0000000-0xA7FFFFFF S3 Graphics Inc. Savage4 (Microsoft Corporation)

Memory Address 0xD4000000-0xD7FFFFFF PCI bus
Memory Address 0xD4000000-0xD7FFFFFF DEC 21154 PCI to PCI bridge
Memory Address 0xD4000000-0xD7FFFFFF Mylex eXtremeRAID 2000 Disk Array Controller

I/O Port 0x00008000-0x00009FFF PCI bus
I/O Port 0x00008000-0x00009FFF DEC 21154 PCI to PCI bridge
I/O Port 0x00008000-0x00009FFF Mylex eXtremeRAID 2000 Disk Array Controller

Memory Address 0xAE000000-0xAFFFFFF DEC 21154 PCI to PCI bridge
Memory Address 0xAE000000-0xAFFFFFF Mylex eXtremeRAID 2000 Disk Array Controller

Memory Address 0xB2000000-0xB3FFFFFF PCI bus
Memory Address 0xB2000000-0xB3FFFFFF DEC 21154 PCI to PCI bridge
Memory Address 0xB2000000-0xB3FFFFFF Mylex eXtremeRAID 2000 Disk Array Controller

Memory Address 0xB0000000-0xB1FFFFFF PCI bus
Memory Address 0xB0000000-0xB1FFFFFF DEC 21154 PCI to PCI bridge
Memory Address 0xB0000000-0xB1FFFFFF Mylex eXtremeRAID 2000 Disk Array Controller

Memory Address 0xA8000000-0xABFFFFFF PCI bus
Memory Address 0xA8000000-0xABFFFFFF DEC 21154 PCI to PCI bridge
Memory Address 0xA8000000-0xABFFFFFF Mylex eXtremeRAID 2000 Disk Array Controller

I/O Port 0x0000D000-0x0000DFFF DEC 21154 PCI to PCI bridge
I/O Port 0x0000D000-0x0000DFFF Mylex eXtremeRAID 2000 Disk Array Controller

[DMA]

Resource	Device	Status
Channel 2	Standard floppy disk controller	OK
Channel 4	Direct memory access controller	OK

[Forced Hardware]

Device	PNP Device ID
--------	---------------

[I/O]

Resource	Device	Status
----------	--------	--------

0x00000000-0x00001FFF PCI bus OK
0x00000000-0x00001FFF Direct memory access controller OK
0x000003B0-0x000003BB S3 Graphics Inc. Savage4 (Microsoft Corporation) OK
0x000003C0-0x000003DF S3 Graphics Inc. Savage4 (Microsoft Corporation) OK
0x00001800-0x0000187F Other PCI Bridge Device OK
0x00000A79-0x00000A79 ISAPNP Read Data Port OK
0x00000279-0x00000279 ISAPNP Read Data Port OK
0x00000274-0x00000277 ISAPNP Read Data Port OK
0x00000430-0x00000437 Motherboard resources OK
0x00000438-0x00000439 Motherboard resources OK
0x0000002E-0x0000002F Motherboard resources OK
0x00000064-0x00000064 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard OK
0x00000060-0x00000060 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard OK
0x000003F0-0x000003F5 Standard floppy disk controller OK
0x000003F7-0x000003F7 Standard floppy disk controller OK
0x00000020-0x00000021 Advanced programmable interrupt controller OK
0x000000A0-0x000000A1 Advanced programmable interrupt controller OK
0x00000080-0x0000008F Direct memory access controller OK
0x000000C0-0x000000DF Direct memory access controller OK
0x00000040-0x00000043 System timer OK
0x00000070-0x00000073 System CMOS/real time clock OK
0x00000061-0x00000061 System speaker OK
0x000000F0-0x000000FF Numeric data processor OK
0x00000500-0x0000057F Motherboard resources OK
0x00000700-0x0000070F VIA Bus Master IDE Controller OK
0x000001F0-0x000001F7 Primary IDE Channel OK
0x000003F6-0x000003F6 Primary IDE Channel OK
0x00000170-0x00000177 Secondary IDE Channel OK
0x00000376-0x00000376 Secondary IDE Channel OK
0x00001880-0x0000189F VIA Rev 5 or later USB Universal Host Controller OK
0x000018A0-0x000018BF VIA Rev 5 or later USB Universal Host Controller OK
0x00002000-0x000027FF PCI bus OK
0x00002000-0x000027FF Adaptec AIC-7899 Ultra160 PCI SCSI Card OK
0x00002100-0x000021FF Adaptec AIC-7899 Ultra160 PCI SCSI Card OK
0x00004000-0x00005FFF PCI bus OK
0x00005000-0x00005FFF DEC 21154 PCI to PCI bridge OK
0x00005000-0x00005FFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0x00003000-0x00003FFF PCI bus OK
0x00003000-0x00003FFF DEC 21154 PCI to PCI bridge OK
0x00003000-0x00003FFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0x00006000-0x00006FFF PCI bus OK
0x00006000-0x00006FFF DEC 21154 PCI to PCI bridge OK
0x00006000-0x00006FFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0x00008000-0x00009FFF PCI bus OK

0x00008000-0x00009FFF DEC 21154 PCI to PCI bridge OK
0x00008000-0x00009FFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0x00009000-0x00009FFF DEC 21154 PCI to PCI bridge OK
0x00009000-0x00009FFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0x0000A000-0x0000BFFF PCI bus OK
0x0000B000-0x0000B0FF QLogic QLA23xx PCI Fibre Channel Adapter OK
0x0000C000-0x0000DFFF PCI bus OK
0x0000D000-0x0000DFFF DEC 21154 PCI to PCI bridge OK
0x0000D000-0x0000DFFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0x0000E000-0x0000FFFF PCI bus OK
0x0000F000-0x0000FFFF DEC 21154 PCI to PCI bridge OK
0x0000F000-0x0000FFFF Mylex eXtremeRAID 2000 Disk Array Controller OK

[IRQs]

Resource	Device	Status
IRQ 36	Microsoft ACPI-Compliant System	OK
IRQ 4	Other PCI Bridge Device	OK
IRQ 1	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard	OK
IRQ 12	PS/2 Compatible Mouse	OK
IRQ 6	Standard floppy disk controller	OK
IRQ 0	System timer	OK
IRQ 8	System CMOS/real time clock	OK
IRQ 13	Numeric data processor	OK
IRQ 14	Primary IDE Channel	OK
IRQ 15	Secondary IDE Channel	OK
IRQ 47	VIA Rev 5 or later USB Universal Host Controller	OK
IRQ 47	VIA Rev 5 or later USB Universal Host Controller	OK
IRQ 40	Adaptec AIC-7899 Ultra160 PCI SCSI Card	OK
IRQ 41	Adaptec AIC-7899 Ultra160 PCI SCSI Card	OK
IRQ 42	Broadcom NetXtreme Gigabit Ethernet	OK
IRQ 51	Mylex eXtremeRAID 2000 Disk Array Controller	OK
IRQ 71	Mylex eXtremeRAID 2000 Disk Array Controller	OK
IRQ 67	Mylex eXtremeRAID 2000 Disk Array Controller	OK
IRQ 59	Mylex eXtremeRAID 2000 Disk Array Controller	OK
IRQ 63	Mylex eXtremeRAID 2000 Disk Array Controller	OK
IRQ 116	QLogic QLA23xx PCI Fibre Channel Adapter	OK
IRQ 109	Mylex eXtremeRAID 2000 Disk Array Controller	OK
IRQ 102	Mylex eXtremeRAID 2000 Disk Array Controller	OK

[Memory]

Resource	Device	Status
0xA0000-0xA7FFF	PCI bus	OK
0xA0000-0xA7FFF	S3 Graphics Inc. Savage4 (Microsoft Corporation)	OK
0xA0000-0xA7FFF	PCI bus	OK
0xA8000-0xAFFFF	PCI bus	OK
0xA8000-0xAFFFF	PCI bus	OK
0xB0000-0xB7FFF	PCI bus	OK
0xB0000-0xB7FFF	PCI bus	OK
0xB8000-0xBFFFF	PCI bus	OK

```

0xB8000-0xBFFFF PCI bus OK
0x94000000-0x943FFFF PCI bus OK
0x94000000-0x943FFFF Other PCI Bridge Device OK
0xA0000000-0xA7FFFF PCI bus OK
0xA0000000-0xA7FFFF S3 Graphics Inc. Savage4 (Microsoft Corporation) OK
0x94200000-0x9427FFF S3 Graphics Inc. Savage4 (Microsoft Corporation) OK
0x94600000-0x946FFFF PCI bus OK
0x94600000-0x946FFFF Broadcom NetXtreme Gigabit Ethernet OK
0x94610000-0x94610FFF Adaptec AIC-7899 Ultra160 PCI SCSI Card OK
0x94611000-0x94611FFF Adaptec AIC-7899 Ultra160 PCI SCSI Card OK
0x88000000-0x8BFFFF PCI bus OK
0x88000000-0x8BFFFF DEC 21154 PCI to PCI bridge OK
0x88000000-0x8BFFFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0xA8000000-0xABFFFF PCI bus OK
0xA8000000-0xABFFFF DEC 21154 PCI to PCI bridge OK
0xA8000000-0xABFFFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0x8C000000-0x8FFFF PCI bus OK
0x8C000000-0x8FFFF DEC 21154 PCI to PCI bridge OK
0x8C000000-0x8FFFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0xB0000000-0xB1FFFF PCI bus OK
0xB0000000-0xB1FFFF DEC 21154 PCI to PCI bridge OK
0xB0000000-0xB1FFFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0x90000000-0x93FFFF PCI bus OK
0x90000000-0x93FFFF DEC 21154 PCI to PCI bridge OK
0x90000000-0x93FFFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0xB2000000-0xB3FFFF PCI bus OK
0xB2000000-0xB3FFFF DEC 21154 PCI to PCI bridge OK
0xB2000000-0xB3FFFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0x80000000-0x87FFFF PCI bus OK
0x80000000-0x87FFFF DEC 21154 PCI to PCI bridge OK
0x80000000-0x87FFFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0xAC000000-0xAFFFF PCI bus OK
0xAC000000-0xAFFFF DEC 21154 PCI to PCI bridge OK
0xAC000000-0xAFFFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0x84000000-0x86FFFF DEC 21154 PCI to PCI bridge OK
0x84000000-0x86FFFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0xAE000000-0xAFFFF DEC 21154 PCI to PCI bridge OK
0xAE000000-0xAFFFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0xD8000000-0xD87FFFF PCI bus OK
0xE8000000-0xE83FFFF PCI bus OK
0xD8420000-0xD8420FFF QLogic QLA23xx PCI Fibre Channel Adapter OK
0xD0000000-0xD3FFFF PCI bus OK
0xD0000000-0xD3FFFF DEC 21154 PCI to PCI bridge OK

```

```

0xD0000000-0xD3FFFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0xE0000000-0xE3FFFF PCI bus OK
0xE0000000-0xE3FFFF DEC 21154 PCI to PCI bridge OK
0xE0000000-0xE3FFFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0xD4000000-0xD7FFFF PCI bus OK
0xD4000000-0xD7FFFF DEC 21154 PCI to PCI bridge OK
0xD4000000-0xD7FFFF Mylex eXtremeRAID 2000 Disk Array Controller OK
0xE4000000-0xE7FFFF PCI bus OK
0xE4000000-0xE7FFFF DEC 21154 PCI to PCI bridge OK
0xE4000000-0xE7FFFF Mylex eXtremeRAID 2000 Disk Array Controller OK

```

[Components]

[Multimedia]

[Audio Codecs]

CODEC	Manufacturer	Description	Status	File Version	Size
		Creation Date			
c:\windows\system32\msgsm32.acm	Microsoft Corporation		OK		
		C:\WINDOWS\system32\MSGSM32.ACM 5.2.3663.0 (main.020715-1506)		20.00	
		KB (20,480 bytes) 7/18/2002 2:00 PM			
c:\windows\system32\sl_anet.acm	Sipro Lab Telecom Inc.	Sipro Lab Telecom Audio Codec	OK		
		C:\WINDOWS\system32\SL_ANET.ACM 3.02		84.00	KB
		(86,016 bytes) 7/18/2002 2:00 PM			
c:\windows\system32\imaadp32.acm	Microsoft Corporation		OK		
		C:\WINDOWS\system32\IMAADP32.ACM 5.2.3663.0 (main.020715-1506)			
		15.50 KB (15,872 bytes) 7/18/2002 2:00 PM			
c:\windows\system32\msadp32.acm	Microsoft Corporation		OK		
		C:\WINDOWS\system32\MSADP32.ACM 5.2.3663.0 (main.020715-1506)		14.50	
		KB (14,848 bytes) 7/18/2002 2:00 PM			
c:\windows\system32\msaud32.acm	Microsoft Corporation	Windows Media Audio Codec	OK		
		C:\WINDOWS\system32\MSAUD32.ACM 8.00.00.4477			
		288.00 KB (294,912 bytes) 7/18/2002 2:00 PM			
c:\windows\system32\msg723.acm	Microsoft Corporation		OK		
		C:\WINDOWS\system32\MSG723.ACM 4.4.4000		116.00	KB (118,784 bytes)
		8/20/2002 10:47 AM			
c:\windows\system32\msg711.acm	Microsoft Corporation		OK		
		C:\WINDOWS\system32\MSG711.ACM 5.2.3663.0 (main.020715-1506)		10.00	
		KB (10,240 bytes) 7/18/2002 2:00 PM			
c:\windows\system32\l3codeca.acm	Fraunhofer Institut Integrierte Schaltungen IIS	Fraunhofer IIS MPEG Layer-3 Codec	OK		
		C:\WINDOWS\system32\L3CODECA.ACM 1, 9, 0, 0305		284.00	KB
		(290,816 bytes) 7/18/2002 2:00 PM			
c:\windows\system32\tsssoft32.acm	DSP GROUP, INC.		OK		
		C:\WINDOWS\system32\TSSOFT32.ACM 1.01		9.50	KB (9,728 bytes)
		7/18/2002 2:00 PM			

[Video Codecs]

CODEC	Manufacturer	Description	Status	File Version	Size
		Creation Date			
c:\windows\system32\iccvid.dll	Radius Inc.		OK		
	C:\WINDOWS\system32\ICCVID.DLL	1.10.0.6		108.00 KB (110,592 bytes)	
		7/18/2002 2:00 PM			
c:\windows\system32\msvidc32.dll	Microsoft Corporation		OK		
	C:\WINDOWS\system32\MSVIDC32.DLL	5.2.3663.0 (main.020715-1506)		26.50 KB (27,136 bytes)	7/18/2002 2:00 PM
c:\windows\system32\msh261.drv	Microsoft Corporation		OK		
	C:\WINDOWS\system32\MSH261.DRV	4.4.4000		180.00 KB (184,320 bytes)	8/20/2002 10:47 AM
c:\windows\system32\tsbyuv.dll	Microsoft Corporation		OK		
	C:\WINDOWS\system32\TSBYUV.DLL	5.2.3663.0 (main.020715-1506)		8.00 KB (8,192 bytes)	7/16/2002 3:48 PM
c:\windows\system32\msrle32.dll	Microsoft Corporation		OK		
	C:\WINDOWS\system32\MSRLE32.DLL	5.2.3663.0 (main.020715-1506)		10.50 KB (10,752 bytes)	7/18/2002 2:00 PM
c:\windows\system32\msyuv.dll	Microsoft Corporation		OK		
	C:\WINDOWS\system32\MSYUV.DLL	5.2.3663.0 (main.020715-1506)		16.50 KB (16,896 bytes)	7/16/2002 3:47 PM
c:\windows\system32\ir32_32.dll	Not Available		OK		
	C:\WINDOWS\system32\IR32_32.DLL	Not Available		194.50 KB (199,168 bytes)	7/18/2002 2:00 PM
c:\windows\system32\iyuv_32.dll	Microsoft Corporation		OK		
	C:\WINDOWS\system32\IYUV_32.DLL	5.2.3663.0 (main.020715-1506)		45.00 KB (46,080 bytes)	7/16/2002 3:47 PM
c:\windows\system32\msh263.drv	Microsoft Corporation		OK		
	C:\WINDOWS\system32\MSH263.DRV	4.4.4000		280.00 KB (286,720 bytes)	7/16/2002 3:46 PM

[CD-ROM]

Item Value

[Sound Device]

Item Value

[Display]

Item Value

Name S3 Graphics Inc. Savage4 (Microsoft Corporation)
 PNP Device ID
 PCI\VEN_5333&DEV_8A22&SUBSYS_01C51014&REV_06\3&267A616A&0&18
 Adapter Type S3 Savage4, S3 Graphics, Inc. compatible
 Adapter Description S3 Graphics Inc. Savage4 (Microsoft Corporation)
 Adapter RAM 8.00 MB (8,388,608 bytes)
 Installed Drivers S3gsav4.dll
 Driver Version 6.13.10.8009-13.95.09
 INF File s3gsav4.inf (S3SAVAGE4 section)
 Color Planes 1
 Color Table Entries 65536

Resolution 800 x 600 x 75 hertz
 Bits/Pixel 16
 Memory Address 0x94200000-0x9427FFFF
 Memory Address 0xA0000000-0xA7FFFFFF
 I/O Port 0x000003B0-0x000003BB
 I/O Port 0x000003C0-0x000003DF
 Memory Address 0xA0000-0xA7FFF
 Driver c:\windows\system32\drivers\s3gsav4m.sys (6.13.10.8009-13.95.09, 132.00 KB (135,168 bytes), 8/20/2002 12:32 PM)

[Infrared]

Item Value

[Input]

[Keyboard]

Item Value

Description Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
 Name Enhanced (101- or 102-key)
 Layout 00000409
 PNP Device ID ACPI\PNP0303\4&7FD7688&0
 Number of Function Keys 12
 IRQ Channel IRQ 1
 I/O Port 0x00000064-0x00000064
 I/O Port 0x00000060-0x00000060
 Driver c:\windows\system32\drivers\i8042prt.sys (5.2.3663.0 (main.020715-1506), 50.50 KB (51,712 bytes), 7/18/2002 2:00 PM)

[Pointing Device]

Item Value

Hardware Type PS/2 Compatible Mouse
 Number of Buttons 3
 Status OK
 PNP Device ID ACPI\PNP0F13\4&7FD7688&0
 Power Management SupportedNo
 Double Click Threshold 6
 Handedness Right Handed Operation
 IRQ Channel IRQ 12
 Driver c:\windows\system32\drivers\i8042prt.sys (5.2.3663.0 (main.020715-1506), 50.50 KB (51,712 bytes), 7/18/2002 2:00 PM)

[Modem]

Item Value

[Network]

[Adapter]

Item Value
Name [00000001] Broadcom NetXtreme Gigabit Ethernet
Adapter Type Ethernet 802.3
Product Type Broadcom NetXtreme Gigabit Ethernet
Installed Yes
PNP Device ID
PCI\VEN_14E4&DEV_1644&SUBSYS_02771014&REV_12\3&13C0B0C5&0&20
Last Reset 9/26/2002 12:54 PM
Index1
Service Name b57w2k
IP Address 100.100.100.100
IP Subnet 255.255.255.0
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 00:02:55:DC:08:74
Memory Address 0x94600000-0x946FFFFF
IRQ Channel IRQ 42
Driver c:\windows\system32\drivers\b57xp32.sys (2.67.0.0 built by:
WinDDK, 131.63 KB (134,784 bytes), 8/20/2002 12:32 PM)

Name [00000002] RAS Async Adapter
Adapter Type Not Available
Product Type RAS Async Adapter
Installed Yes
PNP Device ID Not Available
Last Reset 9/26/2002 12:54 PM
Index2
Service Name AsyncMac
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available

Name [00000003] WAN Miniport (L2TP)
Adapter Type Not Available
Product Type WAN Miniport (L2TP)
Installed Yes
PNP Device ID ROOT\MS_L2TPMINIPORT\0000
Last Reset 9/26/2002 12:54 PM
Index3
Service Name Rasl2tp
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available

DHCP Lease Obtained Not Available
MAC Address Not Available
Driver c:\windows\system32\drivers\rasl2tp.sys (5.2.3663.0
(main.020715-1506), 61.63 KB (63,104 bytes), 7/18/2002 2:00 PM)

Name [00000004] WAN Miniport (PPTP)
Adapter Type Wide Area Network (WAN)
Product Type WAN Miniport (PPTP)
Installed Yes
PNP Device ID ROOT\MS_PPTPMINIPORT\0000
Last Reset 9/26/2002 12:54 PM
Index4
Service Name PptpMiniport
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 50:50:54:50:30:30
Driver c:\windows\system32\drivers\raspptp.sys (5.2.3663.0
(main.020715-1506), 56.00 KB (57,344 bytes), 7/18/2002 2:00 PM)

Name [00000005] WAN Miniport (PPPOE)
Adapter Type Wide Area Network (WAN)
Product Type WAN Miniport (PPPOE)
Installed Yes
PNP Device ID ROOT\MS_PPPOEMINIPORT\0000
Last Reset 9/26/2002 12:54 PM
Index5
Service Name RasPppoe
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 33:50:6F:45:30:30
Driver c:\windows\system32\drivers\raspppoe.sys (5.2.3663.0
(main.020715-1506), 36.88 KB (37,760 bytes), 7/18/2002 2:00 PM)

Name [00000006] Direct Parallel
Adapter Type Not Available
Product Type Direct Parallel
Installed Yes
PNP Device ID ROOT\MS_PTMINIPORT\0000
Last Reset 9/26/2002 12:54 PM
Index6
Service Name Raspti
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No

DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Driver c:\windows\system32\drivers\raspti.sys (5.2.3663.0
(main.020715-1506), 16.38 KB (16,768 bytes), 7/18/2002 2:00 PM)

Name [00000007] WAN Miniport (IP)
Adapter Type Not Available
Product Type WAN Miniport (IP)
Installed Yes
PNP Device ID ROOT\MS_NDISWANIP\0000
Last Reset 9/26/2002 12:54 PM
Index 7

Service Name NdisWan
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Driver c:\windows\system32\drivers\ndiswan.sys (5.2.3663.0
(main.020715-1506), 87.13 KB (89,216 bytes), 7/18/2002 2:00 PM)

[Protocol]

Item Value
Name MSAFD Tcpip [TCP/IP]
Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes
Maximum Address Size 16 bytes
Maximum Message Size 0 bytes
Message Oriented No
Minimum Address Size 16 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data Yes
Supports Graceful Closing Yes
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD Tcpip [UDP/IP]
Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 16 bytes
Maximum Message Size 63.93 KB (65,467 bytes)
Message Oriented Yes
Minimum Address Size 16 bytes

Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting Yes

Name RSVP UDP Service Provider
Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 16 bytes
Maximum Message Size 63.93 KB (65,467 bytes)
Message Oriented Yes
Minimum Address Size 16 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption Yes
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting Yes

Name RSVP TCP Service Provider
Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes
Maximum Address Size 16 bytes
Maximum Message Size 0 bytes
Message Oriented No
Minimum Address Size 16 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption Yes
Supports Expedited Data Yes
Supports Graceful Closing Yes
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS [\\Device\NetBT_Tcpip_{04C22C36-E69B-4BF7-B81D-DADC9EF2717}] SEQPACKET 3
Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)
Message Oriented Yes
Minimum Address Size 20 bytes

Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{04C22C36-E69B-4BF7-B81D-DADCF9EF2717}] DATAGRAM 3

Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)
Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{D3EC93BE-CC09-4B70-B14F-00B02436065D}] SEQPACKET 0

Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)
Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{D3EC93BE-CC09-4B70-B14F-00B02436065D}] DATAGRAM 0

Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{AAF5F905-FEF4-4551-BD8A-2FC82BCCC14E}] SEQPACKET 1

Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)
Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{AAF5F905-FEF4-4551-BD8A-2FC82BCCC14E}] DATAGRAM 1

Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)
Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{78F8B33D-13E0-4BAC-92B5-3AAD2E2A6076}] SEQPACKET 2

Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes

Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)
Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{78F8B33D-13E0-4BAC-92B5-3AAD2E2A6076}] DATAGRAM 2
Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)
Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

[WinSock]

Item Value
File c:\windows\system32\winsock.dll
Size 2.80 KB (2,864 bytes)
Version 3.10

File c:\windows\system32\wsock32.dll
Size 22.00 KB (22,528 bytes)
Version 5.2.3663.0 (main.020715-1506)

[Ports]

[Serial]

Item Value

[Parallel]

Item Value

[Storage]

[Drives]

Item Value
DriveA:
Description 3 1/2 Inch Floppy Drive

DriveC:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 16.60 GB (17,824,145,408 bytes)
Free Space 12.97 GB (13,921,873,920 bytes)
Volume Name
Volume Serial Number A83A7583

DriveD:
Description CD-ROM Disc

DriveE:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

DriveF:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

DriveG:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

DriveH:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available

Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

DriveI:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

DriveJ:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

DriveL:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

DriveN:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

DriveO:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

DriveP:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available

Volume Name Not Available
Volume Serial Number Not Available

DriveQ:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

DriveR:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

DriveS:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

DriveU:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 292.97 GB (314,575,798,272 bytes)
Free Space 130.91 GB (140,559,896,576 bytes)
Volume Name backup1
Volume Serial Number 2C6B180E

DriveV:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 292.97 GB (314,575,798,272 bytes)
Free Space 130.91 GB (140,559,962,112 bytes)
Volume Name backup2
Volume Serial Number 508E74B3

DriveW:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 292.97 GB (314,575,798,272 bytes)
Free Space 130.90 GB (140,556,206,080 bytes)
Volume Name backup3

Volume Serial Number F4DD24D2

DriveX:

Description Local Fixed Disk
Compressed No
File System NTFS
Size 292.97 GB (314,575,798,272 bytes)
Free Space 79.46 GB (85,323,161,600 bytes)
Volume Name backup4
Volume Serial Number D4FBE081

DriveY:

Description Local Fixed Disk
Compressed No
File System NTFS
Size 292.97 GB (314,575,798,272 bytes)
Free Space 130.91 GB (140,560,027,648 bytes)
Volume Name backup5
Volume Serial Number 1824F05E

DriveZ:

Description Local Fixed Disk
Compressed No
File System NTFS
Size 292.97 GB (314,575,798,272 bytes)
Free Space 130.91 GB (140,559,564,800 bytes)
Volume Name backup6
Volume Serial Number EC384D2E

[Disks]

Item Value
Description Disk drive
Manufacturer (Standard disk drives)
ModelFUJITSU MAN3367MC SCSI Disk Device
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus 0
SCSI Logical Unit 0
SCSI Port 4
SCSI Target ID 0
Sectors/Track 63
Size 34.22 GB (36,742,325,760 bytes)
Total Cylinders 4,467
Total Sectors 71,762,355
Total Tracks 1,139,085
Tracks/Cylinder 255
Partition Disk #1, Partition #0
Partition Size 16.60 GB (17,824,149,504 bytes)
Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE3
Manufacturer Not Available

ModelNot Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 3
SCSI Bus 4
SCSI Logical Unit 0
SCSI Port 6
SCSI Target ID 0
Sectors/Track 63
Size 810.74 GB (870,530,734,080 bytes)
Total Cylinders 105,836
Total Sectors 1,700,255,340
Total Tracks 26,988,180
Tracks/Cylinder 255
Partition Disk #3, Partition #0
Partition Size 63.48 GB (68,162,863,104 bytes)
Partition Starting Offset 8,257,536 bytes
Partition Disk #3, Partition #1
Partition Size 35.16 GB (37,754,002,944 bytes)
Partition Starting Offset 68,171,152,896 bytes
Partition Disk #3, Partition #2
Partition Size 292.97 GB (314,575,801,344 bytes)
Partition Starting Offset 152,044,333,056 bytes

Description \\.\PHYSICALDRIVE8
Manufacturer Not Available
ModelNot Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 3
SCSI Bus 4
SCSI Logical Unit 0
SCSI Port 11
SCSI Target ID 0
Sectors/Track 63
Size 810.74 GB (870,530,734,080 bytes)
Total Cylinders 105,836
Total Sectors 1,700,255,340
Total Tracks 26,988,180
Tracks/Cylinder 255
Partition Disk #8, Partition #0
Partition Size 63.48 GB (68,162,863,104 bytes)
Partition Starting Offset 8,257,536 bytes
Partition Disk #8, Partition #1
Partition Size 35.16 GB (37,754,002,944 bytes)
Partition Starting Offset 68,171,152,896 bytes
Partition Disk #8, Partition #2
Partition Size 292.97 GB (314,575,801,344 bytes)
Partition Starting Offset 152,044,333,056 bytes

Description \\.\PHYSICALDRIVE7
Manufacturer Not Available
ModelNot Available

Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 3
SCSI Bus 4
SCSI Logical Unit 0
SCSI Port 10
SCSI Target ID 0
Sectors/Track 63
Size 810.74 GB (870,530,734,080 bytes)
Total Cylinders 105,836
Total Sectors 1,700,255,340
Total Tracks 26,988,180
Tracks/Cylinder 255
Partition Disk #7, Partition #0
Partition Size 63.48 GB (68,162,863,104 bytes)
Partition Starting Offset 8,257,536 bytes
Partition Disk #7, Partition #1
Partition Size 35.16 GB (37,754,002,944 bytes)
Partition Starting Offset 68,171,152,896 bytes
Partition Disk #7, Partition #2
Partition Size 292.97 GB (314,575,801,344 bytes)
Partition Starting Offset 152,044,333,056 bytes

Description \\.\PHYSICALDRIVE2
Manufacturer Not Available
ModelNot Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus 4
SCSI Logical Unit 0
SCSI Port 5
SCSI Target ID 0
Sectors/Track 63
Size 237.17 GB (254,662,894,080 bytes)
Total Cylinders 30,961
Total Sectors 497,388,465
Total Tracks 7,895,055
Tracks/Cylinder 255
Partition Disk #2, Partition #0
Partition Size 136.72 GB (146,804,765,184 bytes)
Partition Starting Offset 8,257,536 bytes

Description \\.\PHYSICALDRIVE6
Manufacturer Not Available
ModelNot Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 3
SCSI Bus 4
SCSI Logical Unit 0
SCSI Port 9

SCSI Target ID 0
Sectors/Track 63
Size 810.74 GB (870,530,734,080 bytes)
Total Cylinders 105,836
Total Sectors 1,700,255,340
Total Tracks 26,988,180
Tracks/Cylinder 255
Partition Disk #6, Partition #0
Partition Size 63.48 GB (68,162,863,104 bytes)
Partition Starting Offset 8,257,536 bytes
Partition Disk #6, Partition #1
Partition Size 35.16 GB (37,754,002,944 bytes)
Partition Starting Offset 68,171,152,896 bytes
Partition Disk #6, Partition #2
Partition Size 292.97 GB (314,575,801,344 bytes)
Partition Starting Offset 152,044,333,056 bytes

Description \\.\PHYSICALDRIVE5
Manufacturer Not Available
ModelNot Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 3
SCSI Bus 4
SCSI Logical Unit 0
SCSI Port 8
SCSI Target ID 0
Sectors/Track 63
Size 810.74 GB (870,530,734,080 bytes)
Total Cylinders 105,836
Total Sectors 1,700,255,340
Total Tracks 26,988,180
Tracks/Cylinder 255
Partition Disk #5, Partition #0
Partition Size 63.48 GB (68,162,863,104 bytes)
Partition Starting Offset 8,257,536 bytes
Partition Disk #5, Partition #1
Partition Size 35.16 GB (37,754,002,944 bytes)
Partition Starting Offset 68,171,152,896 bytes
Partition Disk #5, Partition #2
Partition Size 292.97 GB (314,575,801,344 bytes)
Partition Starting Offset 152,044,333,056 bytes

Description \\.\PHYSICALDRIVE4
Manufacturer Not Available
ModelNot Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 3
SCSI Bus 4
SCSI Logical Unit 0
SCSI Port 7
SCSI Target ID 0

Sectors/Track 63
 Size 810.74 GB (870,530,734,080 bytes)
 Total Cylinders 105,836
 Total Sectors 1,700,255,340
 Total Tracks 26,988,180
 Tracks/Cylinder 255
 Partition Disk #4, Partition #0
 Partition Size 63.48 GB (68,162,863,104 bytes)
 Partition Starting Offset 8,257,536 bytes
 Partition Disk #4, Partition #1
 Partition Size 35.16 GB (37,754,002,944 bytes)
 Partition Starting Offset 68,171,152,896 bytes
 Partition Disk #4, Partition #2
 Partition Size 292.97 GB (314,575,801,344 bytes)
 Partition Starting Offset 152,044,333,056 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model QLOGIC PSEUDO LUN SCSI Disk Device
 Bytes/Sector 512
 Media Loaded No
 Media Type Fixed hard disk
 Partitions Not Available
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 2
 SCSI Target ID 127
 Sectors/Track 0
 Size 0 bytes
 Total Cylinders 0
 Total Sectors 0
 Total Tracks 0
 Tracks/Cylinder 0

[SCSI]

Item Value

[IDE]

Item Value
 Name VIA Bus Master IDE Controller
 Manufacturer VIA Technologies, Inc.
 Status OK
 PNP Device ID
 PCI\VEN_1106&DEV_0571&SUBSYS_00000000&REV_06\3&267A616A&0&29
 I/O Port 0x00000700-0x0000070F
 Driver c:\windows\system32\drivers\vviaide.sys (1.00.01.00, 5.13 KB
 (5,248 bytes), 7/18/2002 2:00 PM)

Name Primary IDE Channel
 Manufacturer (Standard IDE ATA/ATAPI controllers)
 Status OK
 PNP Device ID PCIIDE\IDECHANNEL\4&1C0B4DED&0&0
 I/O Port 0x000001F0-0x000001F7

I/O Port 0x000003F6-0x000003F6
 IRQ Channel IRQ 14
 Driver c:\windows\system32\drivers\atapi.sys (5.2.3663.0 (main.020715-1506), 90.38 KB (92,544 bytes), 7/18/2002 2:00 PM)

Name Secondary IDE Channel
 Manufacturer (Standard IDE ATA/ATAPI controllers)
 Status OK
 PNP Device ID PCIIDE\IDECHANNEL\4&1C0B4DED&0&1
 I/O Port 0x00000170-0x00000177
 I/O Port 0x00000376-0x00000376
 IRQ Channel IRQ 15
 Driver c:\windows\system32\drivers\atapi.sys (5.2.3663.0 (main.020715-1506), 90.38 KB (92,544 bytes), 7/18/2002 2:00 PM)

[Printing]

Name	Driver	Port Name	Server Name
------	--------	-----------	-------------

[Problem Devices]

Device	PNP Device ID	Error Code
Other PCI Bridge Device	PCI\VEN_1014&DEV_010F&SUBSYS_01131014&REV_00\3&267A616A&0&20	The drivers for this device are not installed.

[USB]

Device	PNP Device ID
VIA Rev 5 or later USB Universal Host Controller	PCI\VEN_1106&DEV_3038&SUBSYS_12340925&REV_16\3&267A616A&0&2A
USB Root Hub	USB\ROOT_HUB\4&A764813&0
VIA Rev 5 or later USB Universal Host Controller	PCI\VEN_1106&DEV_3038&SUBSYS_12340925&REV_16\3&267A616A&0&2B
USB Root Hub	USB\ROOT_HUB\4&8436892&0

[Software Environment]

[System Drivers]

Name	Description	File Type	Started	Start Mode	State	Status	Error
Control	Accept Pause	Accept Stop					
abiosdsk	Abiosdsk	Not Available	Kernel Driver	No	Disabled		
	Stopped	OK	Ignore	No	No		
acpi	Microsoft ACPI Driver		c:\windows\system32\drivers\acpi.sys				
	Kernel Driver	Yes	Boot Running	OK	Normal	No	Yes
acpiec	ACPIEC		c:\windows\system32\drivers\acpiec.sys		Kernel		
	Driver	No	Disabled	Stopped	OK	Normal	No
adpu160m	adpu160m		c:\windows\system32\drivers\adpu160m.sys		Kernel		
	Driver	Yes	Boot Running	OK	Normal	No	Yes
adpu320	adpu320	Not Available	Kernel Driver	No	Disabled		
	Stopped	OK	Normal	No	No		

```

afcntafcntNot Available Kernel Driver No Disabled Stopped OK
Normal No No
afd AFD Networking Support Environment
c:\windows\system32\drivers\afd.sys Kernel Driver Yes Auto
Running OK Normal No Yes
aha154x Aha154x Not Available Kernel Driver No Disabled
Stopped OK Normal No No
aic78u2 aic78u2 Not Available Kernel Driver No Disabled
Stopped OK Normal No No
aic78xx aic78xx Not Available Kernel Driver No Disabled
Stopped OK Normal No No
aliide AliIde Not Available Kernel Driver No Disabled
Stopped OK Normal No No
asynmac RAS Asynchronous Media Driver
c:\windows\system32\drivers\asynmac.sys Kernel Driver No
Manual Stopped OK Normal No No
atapiStandard IDE/ESDI Hard Disk Controller
c:\windows\system32\drivers\atapi.sys Kernel Driver Yes Boot
Running OK Normal No Yes
atdisk Atdisk Not Available Kernel Driver No Disabled
Stopped OK Ignore No No
atmarpc ATM ARP Client Protocol
c:\windows\system32\drivers\atmarpc.sys Kernel Driver No
Manual Stopped OK Normal No No
audstub Audio Stub Driver c:\windows\system32\drivers\audstub.sys
Kernel Driver Yes Manual Running OK Normal No Yes
b57w2k Broadcom NetXtreme Gigabit Ethernet
c:\windows\system32\drivers\b57xp32.sys Kernel Driver Yes
Manual Running OK Normal No Yes
beep Beep c:\windows\system32\drivers\beep.sys Kernel Driver Yes
System Running OK Normal No Yes
cbidf2k cbidf2k c:\windows\system32\drivers\cbidf2k.sys Kernel
Driver No Disabled Stopped OK Normal No No
cd20xrnt cd20xrnt Not Available Kernel Driver No Disabled
Stopped OK Normal No No
cdfs Cdfs c:\windows\system32\drivers\cdfs.sys File System Driver Yes
Disabled Running OK Normal No Yes
cdromCD-ROM Driver c:\windows\system32\drivers\cdrom.sys Kernel
Driver Yes System Running OK Normal No Yes
changer Changer Not Available Kernel Driver No System
Stopped OK Ignore No No
clusdisk Cluster Disk Driver c:\windows\system32\drivers\clusdisk.sys
Kernel Driver No Disabled Stopped OK Normal No No
cmdide CmdIde Not Available Kernel Driver No Disabled
Stopped OK Normal No No
cpqarray Cpqarray Not Available Kernel Driver No Disabled
Stopped OK Normal No No
cpqarry2 cpqarry2 Not Available Kernel Driver No Disabled
Stopped OK Normal No No
cpqcissm cpqcissm Not Available Kernel Driver No Disabled
Stopped OK Normal No No
cpqfcalm cpqfcalm Not Available Kernel Driver No Disabled
Stopped OK Normal No No

```

```

crcdisk CRC Disk Filter Driver
c:\windows\system32\drivers\crcdisk.sys Kernel Driver Yes Boot
Running OK Normal No Yes
dac2w2k dac2w2k c:\windows\system32\drivers\dac2w2k.sys Kernel
Driver Yes Boot Running OK Normal No Yes
dac960nt dac960nt Not Available Kernel Driver No Disabled
Stopped OK Normal No No
dfsdriver DfsDriver c:\windows\system32\drivers\dfs.sys File System
Driver Yes Boot Running OK Normal No Yes
disk Disk Driver c:\windows\system32\drivers\disk.sys Kernel Driver
Yes Boot Running OK Normal No Yes
dmboot dmboot c:\windows\system32\drivers\dmboot.sys Kernel
Driver No Disabled Stopped OK Normal No No
dmio Logical Disk Manager Driver c:\windows\system32\drivers\dmio.sys
Kernel Driver Yes Boot Running OK Normal No Yes
dmload dmload c:\windows\system32\drivers\dmload.sys Kernel
Driver Yes Boot Running OK Normal No Yes
dpti2o dpti2o Not Available Kernel Driver No Disabled
Stopped OK Normal No No
e1000Intel(R) PRO/1000 Device Driver
c:\windows\system32\drivers\e1000325.sys Kernel Driver No
Manual Stopped OK Normal No No
fastfat Fastfat c:\windows\system32\drivers\fastfat.sys File
System Driver Yes Disabled Running OK Normal No Yes
fdc Floppy Disk Controller Driver c:\windows\system32\drivers\fdc.sys
Kernel Driver Yes Manual Running OK Normal No Yes
fips Fips c:\windows\system32\drivers\fips.sys Kernel Driver Yes
System Running OK Normal No Yes
flpydisk Floppy Disk Driver c:\windows\system32\drivers\flpydisk.sys
Kernel Driver Yes Manual Running OK Normal No Yes
ftdisk Volume Manager Driver
c:\windows\system32\drivers\ftdisk.sys Kernel Driver Yes Boot
Running OK Normal No Yes
gpc Generic Packet Classifier c:\windows\system32\drivers\msgpc.sys
Kernel Driver Yes Manual Running OK Normal No Yes
hpn hpn Not Available Kernel Driver No Disabled Stopped OK
Normal No No
hpt3xx hpt3xx Not Available Kernel Driver No Disabled
Stopped OK Normal No No
http HTTP c:\windows\system32\drivers\http.sys Kernel Driver No
Manual Stopped OK Normal No No
i2omgmt i2omgmt Not Available Kernel Driver No System
Stopped OK Normal No No
i2ompI2ompNot Available Kernel Driver No Disabled Stopped OK
Normal No No
i8042prt i8042 Keyboard and PS/2 Mouse Port Driver
c:\windows\system32\drivers\i8042prt.sys Kernel Driver Yes
System Running OK Normal No Yes
imapiCD-Burning Filter Driver c:\windows\system32\drivers\imapi.sys
Kernel Driver No System Stopped OK Normal No No
intelide IntelIde Not Available Kernel Driver No Disabled
Stopped OK Normal No No
ipfilterdriver IP Traffic Filter Driver
c:\windows\system32\drivers\ipfltdrv.sys Kernel Driver No
Manual Stopped OK Normal No No

```

```

ipinip IP in IP Tunnel Driver
      c:\windows\system32\drivers\ipinip.sys Kernel Driver No
      Manual Stopped OK Normal No No
ipnat IP Network Address Translator
      c:\windows\system32\drivers\ipnat.sys Kernel Driver No
      Manual Stopped OK Normal No No
ipsec IPSEC driver c:\windows\system32\drivers\ipsec.sys Kernel
Driver Yes System Running OK Normal No Yes
ipsraidn ipsraidn Not Available Kernel Driver No Disabled
      Stopped OK Normal No No
isapnp PnP ISA/EISA Bus Driver
      c:\windows\system32\drivers\isapnp.sys Kernel Driver Yes Boot
      Running OK Critical No Yes
kbdclass Keyboard Class Driver
      c:\windows\system32\drivers\kbdclass.sys Kernel Driver Yes
      System Running OK Normal No Yes
ksecdd KSecDD c:\windows\system32\drivers\ksecdd.sys Kernel
Driver Yes Boot Running OK Normal No Yes
lp6nds35 lp6nds35 Not Available Kernel Driver No Disabled
      Stopped OK Normal No No
macdisk macdisk c:\windows\system32\drivers\mac2w2k.sys Kernel
Driver Yes Boot Running OK Normal No Yes
mnmddmmdd c:\windows\system32\drivers\mnmdd.sys Kernel Driver Yes
      System Running OK Ignore No Yes
modemModem c:\windows\system32\drivers\modem.sys Kernel Driver No
      Manual Stopped OK Ignore No No
mouclass Mouse Class Driver c:\windows\system32\drivers\mouclass.sys
      Kernel Driver Yes System Running OK Normal No Yes
mountmgr Mount Point Manager c:\windows\system32\drivers\mountmgr.sys
      Kernel Driver Yes Boot Running OK Normal No Yes
mraid35x mraid35x Not Available Kernel Driver No Disabled
      Stopped OK Normal No No
mrxdav WebDav Client Redirector
      c:\windows\system32\drivers\mrxdav.sys File System Driver No
      Manual Stopped OK Normal No No
mrxsmb MRXSMB c:\windows\system32\drivers\mrxsmb.sys File
System Driver Yes System Running OK Normal No Yes
msfs Msfs c:\windows\system32\drivers\msfs.sys File System Driver Yes
      System Running OK Normal No Yes
mup Mup c:\windows\system32\drivers\mup.sys File System Driver Yes
      Boot Running OK Normal No Yes
ndis NDIS System Driver c:\windows\system32\drivers\ndis.sys Kernel
Driver Yes Boot Running OK Normal No Yes
ndistapi Remote Access NDIS TAPI Driver
      c:\windows\system32\drivers\ndistapi.sys Kernel Driver Yes
      Manual Running OK Normal No Yes
ndisuio NDIS Usermode I/O Protocol
      c:\windows\system32\drivers\ndisuio.sys Kernel Driver No
      Manual Stopped OK Normal No No
ndiswan Remote Access NDIS WAN Driver
      c:\windows\system32\drivers\ndiswan.sys Kernel Driver Yes
      Manual Running OK Normal No Yes
ndproxy NDIS Proxy c:\windows\system32\drivers\ndproxy.sys Kernel
Driver Yes Manual Running OK Normal No Yes

```

```

netbios NetBIOS Interface c:\windows\system32\drivers\netbios.sys
      File System Driver Yes System Running OK Normal No
      Yes
netbtNetBios over Tcpip c:\windows\system32\drivers\netbt.sys
      Kernel Driver Yes System Running OK Normal No Yes
nfrd960 nfrd960 Not Available Kernel Driver No Disabled
      Stopped OK Normal No No
nmcsfgr NIC Management Service Configuration Driver
      \??c:\windows\system32\drivers\nmcsfgr.sys Kernel Driver No
      Manual Stopped OK Normal No No
npfs Npfs c:\windows\system32\drivers\npfs.sys File System Driver Yes
      System Running OK Normal No Yes
ntfs Ntfs c:\windows\system32\drivers\ntfs.sys File System Driver Yes
      Disabled Running OK Normal No Yes
null Null c:\windows\system32\drivers\null.sys Kernel Driver Yes
      System Running OK Normal No Yes
parport Parport c:\windows\system32\drivers\parport.sys Kernel
Driver No Manual Stopped OK Ignore No No
partmgr Partition Manager c:\windows\system32\drivers\partmgr.sys
      Kernel Driver Yes Boot Running OK Normal No Yes
parvdm ParVdm c:\windows\system32\drivers\parvdm.sys Kernel
Driver No Auto Stopped OK Ignore No No
pci PCI Bus Driver c:\windows\system32\drivers\pci.sys Kernel Driver
      Yes Boot Running OK Critical No Yes
pciide PCIIDE Not Available Kernel Driver No Disabled
      Stopped OK Normal No No
pcmcia Pcmcia c:\windows\system32\drivers\pcmcia.sys Kernel
Driver No Disabled Stopped OK Normal No No
pdcomp PDCOMP Not Available Kernel Driver No Manual
      Stopped OK Ignore No No
pdframe PDFFRAME Not Available Kernel Driver No Manual
      Stopped OK Ignore No No
pdreli PDRELI Not Available Kernel Driver No Manual
      Stopped OK Ignore No No
pdrframe PDRFRAME Not Available Kernel Driver No Manual
      Stopped OK Ignore No No
perc2perc2Not Available Kernel Driver No Disabled Stopped OK
      Normal No No
perc2hib perc2hib Not Available Kernel Driver No Disabled
      Stopped OK Normal No No
pptpminiport WAN Miniport (PPTP)
      c:\windows\system32\drivers\rasppptp.sys Kernel Driver Yes
      Manual Running OK Normal No Yes
processor Processor Driver c:\windows\system32\drivers\processr.sys
      Kernel Driver Yes Manual Running OK Normal No Yes
ptilink Direct Parallel Link Driver
      c:\windows\system32\drivers\ptilink.sys Kernel Driver Yes
      Manual Running OK Normal No Yes
ql1080 ql1080 Not Available Kernel Driver No Disabled
      Stopped OK Normal No No
ql10wnt Ql10wnt Not Available Kernel Driver No Disabled
      Stopped OK Normal No No
ql12160 ql12160 Not Available Kernel Driver No Disabled
      Stopped OK Normal No No

```

```

ql1240 ql1240 Not Available Kernel Driver No Disabled
Stopped OK Normal No No
ql1280 ql1280 Not Available Kernel Driver No Disabled
Stopped OK Normal No No
ql2100 ql2100 Not Available Kernel Driver No Disabled
Stopped OK Normal No No
ql2200 ql2200 Not Available Kernel Driver No Disabled
Stopped OK Normal No No
ql2300 ql2300 c:\windows\system32\drivers\ql2300.sys Kernel
Driver Yes Boot Running OK Normal No Yes
qlvika qlvika c:\windows\system32\drivers\qlvika.sys Kernel
Driver Yes Auto Running OK Normal No Yes
rasacd Remote Access Auto Connection Driver
c:\windows\system32\drivers\rasacd.sys Kernel Driver Yes
System Running OK Normal No Yes
rasl2tp WAN Miniport (L2TP) c:\windows\system32\drivers\rasl2tp.sys
Kernel Driver Yes Manual Running OK Normal No Yes
rasppoe Remote Access PPPOE Driver
c:\windows\system32\drivers\rasppoe.sys Kernel Driver Yes
Manual Running OK Normal No Yes
raspti Direct Parallel c:\windows\system32\drivers\raspti.sys
Kernel Driver Yes Manual Running OK Normal No Yes
rdbss Rdbss c:\windows\system32\drivers\rdbss.sys File System Driver
Yes System Running OK Normal No Yes
rdpcdd RDPcDD c:\windows\system32\drivers\rdpcdd.sys Kernel
Driver Yes System Running OK Ignore No Yes
rdpdr Terminal Server Device Redirector Driver
c:\windows\system32\drivers\rdpdr.sys Kernel Driver Yes
Manual Running OK Normal No Yes
rdpwd RDPWd c:\windows\system32\drivers\rdpwd.sys Kernel Driver No
Manual Stopped OK Ignore No No
redbook Digital CD Audio Playback Filter Driver
c:\windows\system32\drivers\redbook.sys Kernel Driver Yes
System Running OK Normal No Yes
s3savage4 S3SAVAGE4 c:\windows\system32\drivers\s3gsav4m.sys Kernel
Driver Yes Manual Running OK Ignore No Yes
secdrv Secdrv c:\windows\system32\drivers\secdrv.sys Kernel
Driver No Manual Stopped OK Normal No No
serial Serial c:\windows\system32\drivers\serial.sys Kernel
Driver No Auto Stopped OK Ignore No No
sfloppy Sfloppy c:\windows\system32\drivers\sfloppy.sys Kernel
Driver No System Stopped OK Ignore No No
simbad Simbad Not Available Kernel Driver No Disabled
Stopped OK Normal No No
sparrow Sparrow Not Available Kernel Driver No Disabled
Stopped OK Normal No No
srv Srv c:\windows\system32\drivers\srv.sys File System Driver Yes
Manual Running OK Normal No Yes
swenum Software Bus Driver c:\windows\system32\drivers\swenum.sys
Kernel Driver Yes Manual Running OK Normal No Yes
symc810 symc810 Not Available Kernel Driver No Disabled
Stopped OK Normal No No
symc8xx symc8xx Not Available Kernel Driver No Disabled
Stopped OK Normal No No

```

```

symmpi symmpi Not Available Kernel Driver No Disabled
Stopped OK Normal No No
sym_hi sym_hi Not Available Kernel Driver No Disabled
Stopped OK Normal No No
sym_u3 sym_u3 Not Available Kernel Driver No Disabled
Stopped OK Normal No No
tcpip TCP/IP Protocol Driver c:\windows\system32\drivers\tcpip.sys
Kernel Driver Yes System Running OK Normal No Yes
tdpipe TDPIPE c:\windows\system32\drivers\tdpipe.sys Kernel
Driver No Manual Stopped OK Ignore No No
tdtcp TdTCP c:\windows\system32\drivers\tdtcp.sys Kernel Driver No
Manual Stopped OK Ignore No No
termdd Terminal Device Driver
c:\windows\system32\drivers\termdd.sys Kernel Driver Yes
System Running OK Normal No Yes
toside TosIde Not Available Kernel Driver No Disabled
Stopped OK Normal No No
udfs Udfs c:\windows\system32\drivers\udfs.sys File System Driver No
Disabled Stopped OK Normal No No
ultraultra Not Available Kernel Driver No Disabled Stopped OK
Normal No No
update Microcode Update Driver
c:\windows\system32\drivers\update.sys Kernel Driver Yes
Manual Running OK Normal No Yes
usbhub USB2 Enabled Hub c:\windows\system32\drivers\usbhub.sys
Kernel Driver Yes Manual Running OK Normal No Yes
usbuhci Microsoft USB Universal Host Controller Miniport Driver
c:\windows\system32\drivers\usbuhci.sys Kernel Driver Yes
Manual Running OK Normal No Yes
vgasave VGA Display Controller. c:\windows\system32\drivers\vga.sys
Kernel Driver Yes System Running OK Ignore No Yes
viaide ViaIde c:\windows\system32\drivers\viaide.sys Kernel
Driver Yes Boot Running OK Normal No Yes
volsnap VolSnap c:\windows\system32\drivers\volsnap.sys Kernel
Driver Yes Boot Running OK Normal No Yes
wanarp Remote Access IP ARP Driver
c:\windows\system32\drivers\wanarp.sys Kernel Driver Yes
Manual Running OK Normal No Yes
wdica WdICANot Available Kernel Driver No Manual Stopped OK
Ignore No No
wlbs Network Load Balancing c:\windows\system32\drivers\wlbs.sys
Kernel Driver No Manual Stopped OK Normal No No

```

[Signed Drivers]

```

Device Name Signed Device Class Driver Version Driver Date
Manufacturer INF Name Driver Name Device ID
Not Available Not Available Not Available Not Available Not
Available Not Available Not Available Not Available HTREE\ROOT\0
ACPI Multiprocessor PC No COMPUTER 5.2.3663.0 7/15/2002 (Standard
computers) hal.inf Not Available ROOT\ACPI_HAL\0000
Microsoft ACPI-Compliant System No SYSTEM 5.2.3663.0 7/15/2002
Microsoft acpi.inf Not Available ACPI_HAL\PNP0C08\0

```


Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\0
Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\1
Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\2
Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\3
Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\4
Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\5
Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\6
Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\7
Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\8
Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\9
Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\10
Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\11
Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\12
Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\13
Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\14
Processor No PROCESSOR 5.2.3663.0 7/15/2002 (Standard processor types)
cpu.inf Not Available ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_1\15
PCI bus No SYSTEM 5.2.3663.0 7/15/2002 (Standard system devices)
machine.inf Not Available ACPI\PNP0A03\0
PCI standard host CPU bridge No SYSTEM 5.2.3663.0 7/15/2002
(Standard system devices) machine.inf Not Available
PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_03\3&267A616A&0&00

S3 Graphics Inc. Savage4 (Microsoft Corporation) No DISPLAY
6.13.10.8009 7/2/2001 S3 Graphics, Inc. s3gsav4.inf Not
Available PCI\VEN_5333&DEV_8A22&SUBSYS_01C51014&REV_06\3&267A616A&0&18
Default Monitor No MONITOR 5.1.2001.0 6/6/2001 (Standard monitor
types) monitor.inf Not Available
DISPLAY\DEFAULT_MONITOR\4&509B198&0&11223344&00&03
Other PCI Bridge Device Not Available UNKNOWN Not Available Not
Available Not Available Not Available Not Available
PCI\VEN_1014&DEV_010F&SUBSYS_01131014&REV_00\3&267A616A&0&20
VIA Tech PCI to ISA bridgeNo SYSTEM 5.2.3663.0 7/15/2002 VIA
machine.inf Not Available
PCI\VEN_1106&DEV_0686&SUBSYS_00000000&REV_40\3&267A616A&0&28
ISAPNP Read Data Port No SYSTEM 5.2.3663.0 7/15/2002 (Standard
system devices) machine.inf Not Available ISAPNP\READDATAPORT\0
Motherboard resources No SYSTEM 5.2.3663.0 7/15/2002 (Standard
system devices) machine.inf Not Available ACPI\PNP0C02\2
Standard 101/102-Key or Microsoft Natural PS/2 Keyboard No KEYBOARD
5.2.3663.0 7/15/2002 (Standard keyboards) keyboard.inf Not
Available ACPI\PNP0303\4&7FD7688&0
PS/2 Compatible Mouse No MOUSE 5.2.3663.0 7/15/2002 Microsoft
msmouse.inf Not Available ACPI\PNP0F13\4&7FD7688&0
Standard floppy disk controllerNo FDC 5.2.3663.0 7/15/2002 (Standard
floppy disk controllers) fdc.inf Not Available
ACPI\PNP0700\4&7FD7688&0
Floppy disk drive No FLOPPYDISK 5.2.3663.0 7/15/2002 (Standard
floppy disk drives) fpydisk.inf Not Available
FDC\GENERIC_FLOPPY_DRIVE\5&17D92A40&0&0
Advanced programmable interrupt controller No SYSTEM 5.2.3663.0
7/15/2002 (Standard system devices) machine.inf Not Available
ACPI\PNP0003\4&7FD7688&0
Direct memory access controllerNo SYSTEM 5.2.3663.0 7/15/2002
(Standard system devices) machine.inf Not Available
ACPI\PNP0200\4&7FD7688&0
System timer No SYSTEM 5.2.3663.0 7/15/2002 (Standard system
devices) machine.inf Not Available ACPI\PNP0100\4&7FD7688&0
System CMOS/real time clock No SYSTEM 5.2.3663.0 7/15/2002
(Standard system devices) machine.inf Not Available
ACPI\PNP0B00\4&7FD7688&0
System speaker No SYSTEM 5.2.3663.0 7/15/2002 (Standard system
devices) machine.inf Not Available ACPI\PNP0800\4&7FD7688&0
Numeric data processor No SYSTEM 5.2.3663.0 7/15/2002 (Standard
system devices) machine.inf Not Available ACPI\PNP0C04\4&7FD7688&0
Motherboard resources No SYSTEM 5.2.3663.0 7/15/2002 (Standard
system devices) machine.inf Not Available ACPI\PNP0C02\3
VIA Bus Master IDE Controller No HDC 5.2.3663.0 7/15/2002 VIA
Technologies, Inc. mshdc.inf Not Available
PCI\VEN_1106&DEV_0571&SUBSYS_00000000&REV_06\3&267A616A&0&29
Primary IDE Channel No HDC 5.2.3663.0 7/15/2002 (Standard IDE
ATA/ATAPI controllers) mshdc.inf Not Available
PCIIDE\IDECHANNEL\4&1C0B4DED&0&0
CD-ROM Drive No CDROM 5.2.3663.0 7/15/2002 (Standard CD-ROM drives)
cdrom.inf Not Available IDE\CDROMHL-DT-ST_DVD-
ROM_GDR8081N_____0012____\5&2CDE688A&0&0.0.0

Secondary IDE Channel No HDC 5.2.3663.0 7/15/2002 (Standard IDE ATA/ATAPI controllers) mshdc.inf Not Available
 PCI\IDE\IDECHANNEL\4&1C0B4DED&0&1
 VIA Rev 5 or later USB Universal Host Controller No USB 5.2.3663.0 7/15/2002 VIA Technologies usbport.inf Not Available
 PCI\VEN_1106&DEV_3038&SUBSYS_12340925&REV_16\3&267A616A&0&2A
 USB Root Hub No USB 5.2.3663.0 7/15/2002 (Standard USB Host Controller) usbport.inf Not Available USB\ROOT_HUB\4&A764813&0
 VIA Rev 5 or later USB Universal Host Controller No USB 5.2.3663.0 7/15/2002 VIA Technologies usbport.inf Not Available
 PCI\VEN_1106&DEV_3038&SUBSYS_12340925&REV_16\3&267A616A&0&2B
 USB Root Hub No USB 5.2.3663.0 7/15/2002 (Standard USB Host Controller) usbport.inf Not Available USB\ROOT_HUB\4&8436892&0
 VIA Tech Power Management controller No SYSTEM 5.2.3663.0 7/15/2002
 VIA machine.inf Not Available
 PCI\VEN_1106&DEV_3057&SUBSYS_00000000&REV_40\3&267A616A&0&2C
 PCI bus No SYSTEM 5.2.3663.0 7/15/2002 (Standard system devices) machine.inf Not Available ACPI\PNP0A03\1
 PCI standard host CPU bridge No SYSTEM 5.2.3663.0 7/15/2002 (Standard system devices) machine.inf Not Available
 PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_03\3&13C0B0C5&0&00
 Adaptec AIC-7899 Ultra160 PCI SCSI Card No SCSIADAPTER 5.2.3663.0 7/15/2002 Adaptec pnpscsi.inf Not Available
 PCI\VEN_9005&DEV_00CF&SUBSYS_09AF1014&REV_01\3&13C0B0C5&0&18
 Adaptec AIC-7899 Ultra160 PCI SCSI Card No SCSIADAPTER 5.2.3663.0 7/15/2002 Adaptec pnpscsi.inf Not Available
 PCI\VEN_9005&DEV_00CF&SUBSYS_09AF1014&REV_01\3&13C0B0C5&0&19
 Disk drive No DISKDRIVE 5.2.3663.0 7/15/2002 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_FUJITSU&PROD_MAN3367MC&REV_5207\4&25A2C38F&0&000
 SCSI Processor Device No SYSTEM 5.2.3663.0 7/15/2002 IBM scsidev.inf Not Available
 SCSI\PROCESSOR&VEN_IBM&PROD_32P0003A_S320_1&REV_1\4&25A2C38F&0&080
 Broadcom NetXtreme Gigabit Ethernet No NET 2.67.0.0 7/15/2002
 Broadcom netb57xp.inf Not Available
 PCI\VEN_14E4&DEV_1644&SUBSYS_02771014&REV_12\3&13C0B0C5&0&20
 PCI bus No SYSTEM 5.2.3663.0 7/15/2002 (Standard system devices) machine.inf Not Available ACPI\PNP0A03\2
 PCI standard host CPU bridge No SYSTEM 5.2.3663.0 7/15/2002 (Standard system devices) machine.inf Not Available
 PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_03\3&1070020&0&00
 DEC 21154 PCI to PCI bridge No SYSTEM 5.2.3663.0 7/15/2002 DEC machine.inf Not Available
 PCI\VEN_1011&DEV_0026&SUBSYS_00000000&REV_05\3&1070020&0&08
 Mylex eXtremeRAID 2000 Disk Array Controller No SCSIADAPTER 9.0.4.0 9/8/2000 Mylexoem2.inf Not Available
 PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&235BDD1F&0&4008
 Qlogic processor device No SYSTEM 5.2.3663.0 7/15/2002 QLOGIC scsidev.inf Not Available
 SCSI\PROCESSOR&VEN_QLOGIC&PROD_GEM359&REV_1.06\5&22275B46&0&080
 Qlogic processor device No SYSTEM 5.2.3663.0 7/15/2002 QLOGIC scsidev.inf Not Available
 SCSI\PROCESSOR&VEN_QLOGIC&PROD_GEM359&REV_1.06\5&22275B46&0&180

Mylex Accelerated Driver No DISKDRIVE Not Available 9/8/2000 Mylex oem3.inf Not Available
 SCSI\DISK&VEN_MYLEX&PROD_EXTREMER RAID_2000&REV_0701\5&22275B46&0&400
 Mylex GAM Device No SYSTEM 5.2.3663.0 7/15/2002 Mylex scsidev.inf Not Available
 SCSI\PROCESSOR&VEN_MYLEX&PROD_GAM_DEVICE&REV_5&22275B46&0&660
 PCI bus No SYSTEM 5.2.3663.0 7/15/2002 (Standard system devices) machine.inf Not Available ACPI\PNP0A03\3
 PCI standard host CPU bridge No SYSTEM 5.2.3663.0 7/15/2002 (Standard system devices) machine.inf Not Available
 PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_03\3&29E81982&0&00
 DEC 21154 PCI to PCI bridge No SYSTEM 5.2.3663.0 7/15/2002 DEC machine.inf Not Available
 PCI\VEN_1011&DEV_0026&SUBSYS_00000000&REV_05\3&29E81982&0&20
 Mylex eXtremeRAID 2000 Disk Array Controller No SCSIADAPTER 9.0.4.0 9/8/2000 Mylexoem2.inf Not Available
 PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&1B89A02&0&4020
 Mylex Accelerated Driver No DISKDRIVE Not Available 9/8/2000 Mylex oem3.inf Not Available
 SCSI\DISK&VEN_MYLEX&PROD_EXTREMER RAID_2000&REV_0701\5&AA6C454&0&400
 Mylex GAM Device No SYSTEM 5.2.3663.0 7/15/2002 Mylex scsidev.inf Not Available
 SCSI\PROCESSOR&VEN_MYLEX&PROD_GAM_DEVICE&REV_5&AA6C454&0&660
 PCI bus No SYSTEM 5.2.3663.0 7/15/2002 (Standard system devices) machine.inf Not Available ACPI\PNP0A03\4
 PCI standard host CPU bridge No SYSTEM 5.2.3663.0 7/15/2002 (Standard system devices) machine.inf Not Available
 PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_03\3&172E68DD&0&00
 DEC 21154 PCI to PCI bridge No SYSTEM 5.2.3663.0 7/15/2002 DEC machine.inf Not Available
 PCI\VEN_1011&DEV_0026&SUBSYS_00000000&REV_05\3&172E68DD&0&18
 Mylex eXtremeRAID 2000 Disk Array Controller No SCSIADAPTER 9.0.4.0 9/8/2000 Mylexoem2.inf Not Available
 PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&3A39F236&0&4018
 Mylex Accelerated Driver No DISKDRIVE Not Available 9/8/2000 Mylex oem3.inf Not Available
 SCSI\DISK&VEN_MYLEX&PROD_EXTREMER RAID_2000&REV_0701\5&5BC43E6&0&400
 Mylex GAM Device No SYSTEM 5.2.3663.0 7/15/2002 Mylex scsidev.inf Not Available
 SCSI\PROCESSOR&VEN_MYLEX&PROD_GAM_DEVICE&REV_5&5BC43E6&0&660
 PCI bus No SYSTEM 5.2.3663.0 7/15/2002 (Standard system devices) machine.inf Not Available ACPI\PNP0A03\5
 PCI standard host CPU bridge No SYSTEM 5.2.3663.0 7/15/2002 (Standard system devices) machine.inf Not Available
 PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_03\3&474B838&0&00
 DEC 21154 PCI to PCI bridge No SYSTEM 5.2.3663.0 7/15/2002 DEC machine.inf Not Available
 PCI\VEN_1011&DEV_0026&SUBSYS_00000000&REV_05\3&474B838&0&08
 Mylex eXtremeRAID 2000 Disk Array Controller No SCSIADAPTER 9.0.4.0 9/8/2000 Mylexoem2.inf Not Available
 PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&18212E42&0&4008
 Mylex Accelerated Driver No DISKDRIVE Not Available 9/8/2000 Mylex oem3.inf Not Available
 SCSI\DISK&VEN_MYLEX&PROD_EXTREMER RAID_2000&REV_0701\5&185D32FD&0&400

Mylex GAM Device No SYSTEM 5.2.3663.0 7/15/2002 Mylex
scsidev.inf Not Available
SCSI\PROCESSOR&VEN_MYLEX&PROD_GAM_DEVICE&REV_\5&185D32FD&0&660
DEC 21154 PCI to PCI bridge No SYSTEM 5.2.3663.0 7/15/2002 DEC
machine.inf Not Available
PCI\VEN_1011&DEV_0026&SUBSYS_00000000&REV_05\3&474B838&0&10
Mylex eXtremeRAID 2000 Disk Array Controller No SCSIADAPTER
9.0.4.0 9/8/2000 Mylexoem2.inf Not Available
PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&372A30F3&0&4010
Mylex Accelerated Driver No DISKDRIVE Not Available 9/8/2000 Mylex
oem3.inf Not Available
SCSI\DISK&VEN_MYLEX&PROD_EXTREMERAIID_2000&REV_0701\5&1C398CB3&0&400
Mylex GAM Device No SYSTEM 5.2.3663.0 7/15/2002 Mylex
scsidev.inf Not Available
SCSI\PROCESSOR&VEN_MYLEX&PROD_GAM_DEVICE&REV_\5&1C398CB3&0&660
Motherboard resources No SYSTEM 5.2.3663.0 7/15/2002 (Standard
system devices) machine.inf Not Available ACPI\PNP0C02\10
Not Available Not Available Not Available Not Available Not
Available Not Available Not Available Not Available
ACPI\IBM37D4\2&DABA3FF&0
ACPI Fixed Feature Button No SYSTEM 5.2.3663.0 7/15/2002 (Standard
system devices) machine.inf Not Available
ACPI\FIXEDBUTTON\2&DABA3FF&0
PCI bus No SYSTEM 5.2.3663.0 7/15/2002 (Standard system devices)
machine.inf Not Available ACPI\PNP0A03\10
PCI standard host CPU bridge No SYSTEM 5.2.3663.0 7/15/2002
(Standard system devices) machine.inf Not Available
PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_03\3&A985F74&0&00
QLogic QLA23xx PCI Fibre Channel Adapter No SCSIADAPTER 8.1.5.0
3/13/2002 QLogic oem0.inf Not Available
PCI\VEN_1077&DEV_2312&SUBSYS_010C1077&REV_02\3&A985F74&0&08
Disk drive No DISKDRIVE 5.2.3663.0 7/15/2002 (Standard disk drives)
disk.inf Not Available
SCSI\DISK&VEN_QLOGIC&PROD_PSEUDO_LUN&REV_\4&52040CD&0&07F0
PCI bus No SYSTEM 5.2.3663.0 7/15/2002 (Standard system devices)
machine.inf Not Available ACPI\PNP0A03\11
PCI standard host CPU bridge No SYSTEM 5.2.3663.0 7/15/2002
(Standard system devices) machine.inf Not Available
PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_03\3&1D521019&0&00
DEC 21154 PCI to PCI bridge No SYSTEM 5.2.3663.0 7/15/2002 DEC
machine.inf Not Available
PCI\VEN_1011&DEV_0026&SUBSYS_00000000&REV_05\3&1D521019&0&08
Mylex eXtremeRAID 2000 Disk Array Controller No SCSIADAPTER
9.0.4.0 9/8/2000 Mylexoem2.inf Not Available
PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&19AD16C8&0&4008
Mylex Accelerated Driver No DISKDRIVE Not Available 9/8/2000 Mylex
oem3.inf Not Available
SCSI\DISK&VEN_MYLEX&PROD_EXTREMERAIID_2000&REV_0701\5&84AA231&0&400
Mylex GAM Device No SYSTEM 5.2.3663.0 7/15/2002 Mylex
scsidev.inf Not Available
SCSI\PROCESSOR&VEN_MYLEX&PROD_GAM_DEVICE&REV_\5&84AA231&0&660
PCI bus No SYSTEM 5.2.3663.0 7/15/2002 (Standard system devices)
machine.inf Not Available ACPI\PNP0A03\12

PCI standard host CPU bridge No SYSTEM 5.2.3663.0 7/15/2002
(Standard system devices) machine.inf Not Available
PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_03\3&300BC0BE&0&00
DEC 21154 PCI to PCI bridge No SYSTEM 5.2.3663.0 7/15/2002 DEC
machine.inf Not Available
PCI\VEN_1011&DEV_0026&SUBSYS_00000000&REV_05\3&300BC0BE&0&08
Mylex eXtremeRAID 2000 Disk Array Controller No SCSIADAPTER
9.0.4.0 9/8/2000 Mylexoem2.inf Not Available
PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&13078EE0&0&4008
Qlogic processor device No SYSTEM 5.2.3663.0 7/15/2002 QLOGIC
scsidev.inf Not Available
SCSI\PROCESSOR&VEN_QLOGIC&PROD_GEM359&REV_1.07\5&159CDCA6&0&080
Qlogic processor device No SYSTEM 5.2.3663.0 7/15/2002 QLOGIC
scsidev.inf Not Available
SCSI\PROCESSOR&VEN_QLOGIC&PROD_GEM359&REV_1.07\5&159CDCA6&0&180
Qlogic processor device No SYSTEM 5.2.3663.0 7/15/2002 QLOGIC
scsidev.inf Not Available
SCSI\PROCESSOR&VEN_QLOGIC&PROD_GEM359&REV_1.07\5&159CDCA6&0&280
Qlogic processor device No SYSTEM 5.2.3663.0 7/15/2002 QLOGIC
scsidev.inf Not Available
SCSI\PROCESSOR&VEN_QLOGIC&PROD_GEM359&REV_1.07\5&159CDCA6&0&380
Mylex Accelerated Driver No DISKDRIVE Not Available 9/8/2000 Mylex
oem3.inf Not Available
SCSI\DISK&VEN_MYLEX&PROD_EXTREMERAIID_2000&REV_0701\5&159CDCA6&0&400
Mylex GAM Device No SYSTEM 5.2.3663.0 7/15/2002 Mylex
scsidev.inf Not Available
SCSI\PROCESSOR&VEN_MYLEX&PROD_GAM_DEVICE&REV_\5&159CDCA6&0&660
Motherboard resources No SYSTEM 5.2.3663.0 7/15/2002 (Standard
system devices) machine.inf Not Available ACPI\PNP0C02\20
Logical Disk Manager No SYSTEM 5.2.3663.0 7/15/2002 (Standard
system devices) machine.inf Not Available ROOT\DMIO\0000
Volume Manager No SYSTEM 5.2.3663.0 7/15/2002 (Standard system
devices) machine.inf Not Available ROOT\FDISK\0000
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATUREE49DCF67OFFSET7E000LENGTH42666F0
00
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE2753D81EOFFSET7E000LENGTH222E3
EF200
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8020OFFSET7E000LENGTHFDED2
C000
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8020OFFSETFDF513E00LENGTH8C
A505E00
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8020OFFSET23668C6800LENGTH4
93E2DCC00
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available

STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8021OFFSET7E0000LENGTHFDED2
C000
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8021OFFSETFDF513E00LENGTH8C
A505E00
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8021OFFSET23668C6800LENGTH4
93E2DCC00
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8022OFFSET7E0000LENGTHFDED2
C000
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8022OFFSETFDF513E00LENGTH8C
A505E00
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8022OFFSET23668C6800LENGTH4
93E2DCC00
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8023OFFSET7E0000LENGTHFDED2
C000
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8023OFFSETFDF513E00LENGTH8C
A505E00
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8023OFFSET23668C6800LENGTH4
93E2DCC00
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8024OFFSET7E0000LENGTHFDED2
C000
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8024OFFSETFDF513E00LENGTH8C
A505E00
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8024OFFSET23668C6800LENGTH4
93E2DCC00
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8025OFFSET7E0000LENGTHFDED2
C000
Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8025OFFSETFDF513E00LENGTH8C
A505E00

Generic volume No VOLUME 5.2.3663.0 7/15/2002 Microsoft volume.inf
Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE18FA8025OFFSET23668C6800LENGTH4
93E2DCC00
AFD Networking Support Environment Not Available LEGACYDRIVER Not
Available Not Available Not Available Not Available
ROOT\LEGACY_AFD\0000
Beep Not Available LEGACYDRIVER Not Available Not Available Not
Available Not Available Not Available ROOT\LEGACY_BEEP\0000
CRC Disk Filter Driver Not Available LEGACYDRIVER Not Available
Not Available Not Available Not Available Not Available
ROOT\LEGACY_CRCDISK\0000
dmboot Not Available LEGACYDRIVER Not Available Not Available
Not Available Not Available Not Available
ROOT\LEGACY_DMBOOT\0000
dmload Not Available LEGACYDRIVER Not Available Not Available
Not Available Not Available Not Available
ROOT\LEGACY_DMLOAD\0000
Fips Not Available LEGACYDRIVER Not Available Not Available Not
Available Not Available Not Available ROOT\LEGACY_FIPS\0000
Generic Packet Classifier Not Available LEGACYDRIVER Not Available
Not Available Not Available Not Available Not Available
ROOT\LEGACY_GPC\0000
IPSEC driver Not Available LEGACYDRIVER Not Available Not
Available Not Available Not Available Not Available
ROOT\LEGACY_IPSEC\0000
ksecdd Not Available LEGACYDRIVER Not Available Not Available
Not Available Not Available Not Available
ROOT\LEGACY_KSECDD\0000
macdisk Not Available LEGACYDRIVER Not Available Not Available
Not Available Not Available Not Available
ROOT\LEGACY_MACDISK\0000
mmdd Not Available LEGACYDRIVER Not Available Not Available Not
Available Not Available Not Available ROOT\LEGACY_MNMDD\0000
mountmgr Not Available LEGACYDRIVER Not Available Not Available
Not Available Not Available Not Available
ROOT\LEGACY_MOUNTMGR\0000
NDIS System Driver Not Available LEGACYDRIVER Not Available Not
Available Not Available Not Available Not Available
ROOT\LEGACY_NDIS\0000
Remote Access NDIS TAPI Driver Not Available LEGACYDRIVER Not
Available Not Available Not Available Not Available
ROOT\LEGACY_NDISTAPI\0000
NDIS Usermode I/O Protocol Not Available LEGACYDRIVER Not Available
Not Available Not Available Not Available Not Available
ROOT\LEGACY_NDISUIO\0000
NDProxy Not Available LEGACYDRIVER Not Available Not Available
Not Available Not Available Not Available
ROOT\LEGACY_NDPROXY\0000
NetBios over Tcpip Not Available LEGACYDRIVER Not Available Not
Available Not Available Not Available Not Available
ROOT\LEGACY_NETBT\0000
Null Not Available LEGACYDRIVER Not Available Not Available Not
Available Not Available Not Available ROOT\LEGACY_NULL\0000

```

Partition Manager Not Available LEGACYDRIVER Not Available Not
Available Not Available Not Available Not Available
ROOT\LEGACY_PARTMGR\0000
ParVdm Not Available LEGACYDRIVER Not Available Not Available
Not Available Not Available Not Available
ROOT\LEGACY_PARVDM\0000
Remote Access Auto Connection Driver Not Available LEGACYDRIVER Not
Available Not Available Not Available Not Available Not Available
ROOT\LEGACY_RASACD\0000
RDPDCDD Not Available LEGACYDRIVER Not Available Not Available
Not Available Not Available Not Available
ROOT\LEGACY_RDPDCDD\0000
TCP/IP Protocol Driver Not Available LEGACYDRIVER Not Available
Not Available Not Available Not Available Not Available
ROOT\LEGACY_TCPIP\0000
VGA Display Controller. Not Available LEGACYDRIVER Not Available
Not Available Not Available Not Available Not Available
ROOT\LEGACY_VGASAVE\0000
volsnap Not Available LEGACYDRIVER Not Available Not Available
Not Available Not Available Not Available
ROOT\LEGACY_VOLSNAP\0000
Remote Access IP ARP Driver Not Available LEGACYDRIVER Not
Available Not Available Not Available Not Available Not Available
ROOT\LEGACY_WANARP\0000
Audio Codecs No MEDIA5.2.3663.0 7/15/2002 (Standard system devices)
wave.inf Not Available ROOT\MEDIA\MS_MMACM
Legacy Audio Drivers No MEDIA5.2.3663.0 7/15/2002 (Standard system
devices) wave.inf Not Available ROOT\MEDIA\MS_MMDRV
Media Control Devices No MEDIA5.2.3663.0 7/15/2002 (Standard
system devices) wave.inf Not Available ROOT\MEDIA\MS_MMMCI
Legacy Video Capture Devices No MEDIA5.2.3663.0 7/15/2002 (Standard
system devices) wave.inf Not Available ROOT\MEDIA\MS_MMVCD
Video Codecs No MEDIA5.2.3663.0 7/15/2002 (Standard system devices)
wave.inf Not Available ROOT\MEDIA\MS_MMVID
WAN Miniport (L2TP) No NET 5.2.3663.0 7/15/2002 Microsoft
netrasa.inf Not Available ROOT\MS_L2TPMINIPORT\0000
WAN Miniport (IP) No NET 5.2.3663.0 7/15/2002 Microsoft
netrasa.inf Not Available ROOT\MS_NDISWANIP\0000
WAN Miniport (PPPOE) No NET 5.2.3663.0 7/15/2002 Microsoft
netrasa.inf Not Available ROOT\MS_PPPOEMINIPORT\0000
WAN Miniport (PPTP) No NET 5.2.3663.0 7/15/2002 Microsoft
netrasa.inf Not Available ROOT\MS_PPTPMINIPORT\0000
Direct Parallel No NET 5.2.3663.0 7/15/2002 Microsoft netrasa.inf
Not Available ROOT\MS_PTMINIPORT\0000
Terminal Server Device Redirector No SYSTEM 5.2.3663.0 7/15/2002
(Standard system devices) machine.inf Not Available
ROOT\RDPDR\0000
Terminal Server Keyboard Driver No SYSTEM 5.2.3663.0 7/15/2002
(Standard system devices) machine.inf Not Available
ROOT\RDP_KBD\0000
Terminal Server Mouse Driver No SYSTEM 5.2.3663.0 7/15/2002
(Standard system devices) machine.inf Not Available
ROOT\RDP_MOU\0000

```

```

QLogic VI Kernel Agent driver No SCSIADAPTER Not Available Not
Available Not Available oem1.inf Not Available ROOT\SCSIADAPTER\0000

```

```

Plug and Play Software Device Enumerator No SYSTEM 5.2.3663.0
7/15/2002 (Standard system devices) machine.inf Not Available
ROOT\SYSTEM\0000
Microcode Update Device No SYSTEM 5.2.3663.0 7/15/2002 (Standard
system devices) machine.inf Not Available ROOT\SYSTEM\0001

```

[Environment Variables]

```

Variable Value User Name
ClusterLog C:\WINDOWS\Cluster\cluster.log <SYSTEM>
ComSpec %SystemRoot%\system32\cmd.exe <SYSTEM>
NUMBER_OF_PROCESSORS 16 <SYSTEM>
OS Windows_NT <SYSTEM>
Path
%SystemRoot%\system32;%SystemRoot%;%SystemRoot%\System32\Wbem;C:\Pro
gram Files\Microsoft SQL Server\MSSQL\BINN;C:\Program Files\Microsoft SQL
Server\80\Tools\BINN <SYSTEM>
PATHEXT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH <SYSTEM>
PROCESSOR_ARCHITECTURE x86 <SYSTEM>
PROCESSOR_IDENTIFIER x86 Family 15 Model 1 Stepping 1, GenuineIntel
<SYSTEM>
PROCESSOR_LEVEL 15 <SYSTEM>
PROCESSOR_REVISION 0101 <SYSTEM>
TEMP %SystemRoot%\TEMP <SYSTEM>
TMP %SystemRoot%\TEMP <SYSTEM>
windir %SystemRoot% <SYSTEM>
TEMP %USERPROFILE%\Local Settings\Temp NT AUTHORITY\SYSTEM
TMP %USERPROFILE%\Local Settings\Temp NT AUTHORITY\SYSTEM
TEMP %USERPROFILE%\Local Settings\Temp NT AUTHORITY\LOCAL SERVICE
TMP %USERPROFILE%\Local Settings\Temp NT AUTHORITY\LOCAL SERVICE
TEMP %USERPROFILE%\Local Settings\Temp NT AUTHORITY\NETWORK SERVICE
TMP %USERPROFILE%\Local Settings\Temp NT AUTHORITY\NETWORK SERVICE
TEMP %USERPROFILE%\Local Settings\Temp MOGUL\Administrator
TMP %USERPROFILE%\Local Settings\Temp MOGUL\Administrator

```

[Print Jobs]

```

Document Size Owner Notify Status Time Submitted Start Time Until
Time Elapsed Time Pages Printed Job ID Priority Parameters
Driver Print Processor Host Print Queue Data Type Name

```

[Network Connections]

```

Local Name Remote Name Type Status User Name

```

[Running Tasks]

```

Name Path Process ID Priority Min Working Set Max Working Set Start Time
Version Size File Date
system idle process Not Available 0 0 Not Available Not
Available Not Available Not Available Not Available Not Available

```

```

system      Not Available  4   8   0   1413120   Not Available  Not
Available  Not Available  Not Available
smss.exe    c:\windows\system32\smss.exe    440  11   204800   1413120
9/26/2002 12:55 PM  5.2.3663.0 (main.020715-1506)  46.00 KB
(47,104 bytes) 7/18/2002 2:00 PM
csrss.exe  Not Available  488  13   Not Available  Not Available
9/26/2002 12:55 PM  Not Available  Not Available  Not Available
winlogon.exe c:\windows\system32\winlogon.exe 512  13   204800
1413120 9/26/2002 12:55 PM  5.2.3663.0 (main.020715-1506)
512.00 KB (524,288 bytes) 7/18/2002 2:00 PM
services.exe c:\windows\system32\services.exe 556  9   204800
1413120 9/26/2002 12:55 PM  5.2.3663.0 (main.020715-1506)  99.00
KB (101,376 bytes) 7/18/2002 2:00 PM
lsass.exe  c:\windows\system32\lsass.exe 568  9   204800   1413120
9/26/2002 12:55 PM  5.2.3663.0 (main.020715-1506)  13.00 KB
(13,312 bytes) 7/18/2002 2:00 PM
svchost.exe c:\windows\system32\svchost.exe 772  8   204800
1413120 9/26/2002 12:55 PM  5.2.3663.0 (main.020715-1506)  12.00
KB (12,288 bytes) 7/18/2002 2:00 PM
svchost.exe Not Available  832  8   Not Available  Not Available
9/26/2002 12:55 PM  Not Available  Not Available  Not Available
svchost.exe c:\windows\system32\svchost.exe 868  8   204800
1413120 9/26/2002 12:55 PM  5.2.3663.0 (main.020715-1506)  12.00
KB (12,288 bytes) 7/18/2002 2:00 PM
llssrv.exe Not Available  980  8   Not Available  Not Available
9/26/2002 12:55 PM  Not Available  Not Available  Not Available
explorer.exe c:\windows\explorer.exe 1464  8   204800   1413120
9/26/2002 12:57 PM  6.00.3663.0 (main.020715-1506)  989.50 KB
(1,013,248 bytes) 7/18/2002 2:00 PM
helpctr.exe c:\windows\pchealth\helpctr\binaries\helpctr.exe 1380
8 204800 1413120 9/27/2002 8:03 AM  5.2.3663.0
(main.020715-1506) 670.00 KB (686,080 bytes) 8/20/2002 10:47 AM
helpsvc.exe c:\windows\pchealth\helpctr\binaries\helpsvc.exe 1412
8 204800 1413120 9/27/2002 8:03 AM  5.2.3663.0
(main.020715-1506) 683.50 KB (699,904 bytes) 8/20/2002 10:47 AM
wmiprvse.exe Not Available 1668  8   Not Available  Not Available
9/27/2002 8:03 AM  Not Available  Not Available  Not Available

```

[Loaded Modules]

Name	Version	Size	File Date	Manufacturer	Path
smss	5.2.3663.0 (main.020715-1506)	46.00 KB (47,104 bytes)	7/18/2002 2:00 PM	Microsoft Corporation	c:\windows\system32\smss.exe
ntdll	5.2.3663.0 (main.020715-1506)	697.50 KB (714,240 bytes)	7/18/2002 2:00 PM	Microsoft Corporation	c:\windows\system32\ntdll.dll
winlogon	5.2.3663.0 (main.020715-1506)	512.00 KB (524,288 bytes)	7/18/2002 2:00 PM	Microsoft Corporation	c:\windows\system32\winlogon.exe
kernel32	5.2.3663.0 (main.020715-1506)	934.50 KB (956,928 bytes)	7/18/2002 2:00 PM	Microsoft Corporation	c:\windows\system32\kernel32.dll
msvcrt	7.0.3663.0 (main.020715-1506)	319.50 KB (327,168 bytes)	7/18/2002 2:00 PM	Microsoft Corporation	c:\windows\system32\msvcrt.dll

```

advapi32 5.2.3663.0 (main.020715-1506) 526.00 KB (538,624 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\advapi32.dll
rpcrt4 5.2.3663.0 (main.020715-1506) 544.50 KB (557,568 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\rpcrt4.dll
user32 5.2.3663.0 (main.020715-1506) 547.50 KB (560,640 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\user32.dll
gdi32 5.2.3663.0 (main.020715-1506) 246.00 KB (251,904 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\gdi32.dll
userenv 5.2.3663.0 (main.020715-1506) 710.00 KB (727,040 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\userenv.dll
nddeapi 5.2.3663.0 (main.020715-1506) 15.00 KB (15,360 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\nddeapi.dll
crypt32 5.131.3663.0 (main.020715-1506) 545.00 KB (558,080 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\crypt32.dll
msasn1 5.2.3663.0 (main.020715-1506) 51.00 KB (52,224 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\msasn1.dll
secur32 5.2.3663.0 (main.020715-1506) 57.00 KB (58,368 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\secur32.dll
winsta 5.2.3663.0 (main.020715-1506) 48.00 KB (49,152 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\winsta.dll
netapi32 5.2.3663.0 (main.020715-1506) 309.50 KB (316,928 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\netapi32.dll
profmap 5.2.3663.0 (main.020715-1506) 21.00 KB (21,504 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\profmap.dll
regapi 5.2.3663.0 (main.020715-1506) 47.00 KB (48,128 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\regapi.dll
ws2_32 5.2.3663.0 (main.020715-1506) 77.00 KB (78,848 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\ws2_32.dll
ws2help 5.2.3663.0 (main.020715-1506) 19.00 KB (19,456 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\ws2help.dll
authz 5.2.3663.0 (main.020715-1506) 56.50 KB (57,856 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\authz.dll
psapi 5.2.3663.0 (main.020715-1506) 21.00 KB (21,504 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\psapi.dll
version 5.2.3663.0 (main.020715-1506) 16.50 KB (16,896 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\version.dll
setupapi 5.2.3663.0 (main.020715-1506) 917.50 KB (939,520 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\setupapi.dll

```

msgina 5.2.3663.0 (main.020715-1506) 1.19 MB (1,252,864 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\msgina.dll

shsvcs 6.00.3663.0 (main.020715-1506) 122.50 KB (125,440 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\shsvcs.dll

shlwapi 6.00.3663.0 (main.020715-1506) 269.00 KB (275,456 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\shlwapi.dll

sfc 5.2.3663.0 (main.020715-1506) 4.50 KB (4,608 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\sfc.dll

sfc_os 5.2.3663.0 (main.020715-1506) 130.00 KB (133,120 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\sfc_os.dll

wintrust 5.131.3663.0 (main.020715-1506) 155.00 KB (158,720 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\wintrust.dll

ole32 5.2.3663.0 (main.020715-1506) 1.08 MB (1,134,592 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\ole32.dll

imagehlp 5.2.3663.0 (main.020715-1506) 123.00 KB (125,952 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\imagehlp.dll

comctl32 6.0 (main.020715-1506) 905.00 KB (926,720 bytes) 8/20/2002
12:29 PM Microsoft Corporation
c:\windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_6.0.100.0_x-ww_8417450b\comctl32.dll

winscard 5.2.3663.0 (main.020715-1506) 93.50 KB (95,744 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\wincard.dll

wtsapi32 5.2.3663.0 (main.020715-1506) 17.00 KB (17,408 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\wtsapi32.dll

sxs 5.2.3663.0 (main.020715-1506) 685.50 KB (701,952 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\sxs.dll

shell32 6.00.3663.0 (main.020715-1506) 7.69 MB (8,067,072 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\shell32.dll

rsaenh 5.2.3663.0 (main.020715-1506) 174.07 KB (178,248 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\rsaenh.dll

wldap32 5.2.3663.0 (main.020715-1506) 167.00 KB (171,008 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\wldap32.dll

cscdll 5.2.3663.0 (main.020715-1506) 92.50 KB (94,720 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\cscdll.dll

wlnotify 5.2.3663.0 (main.020715-1506) 84.50 KB (86,528 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\wlnotify.dll

winmm 5.2.3663.0 (main.020715-1506) 163.00 KB (166,912 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\winmm.dll

winspool 5.2.3663.0 (main.020715-1506) 131.50 KB (134,656 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\winspool.drv

mpr 5.2.3663.0 (main.020715-1506) 55.00 KB (56,320 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\mpr.dll

comctl32 5.82 (main.020715-1506) 559.50 KB (572,928 bytes) 8/20/2002
12:29 PM Microsoft Corporation
c:\windows\winsxs\x86_microsoft.windows.common-
controls_6595b64144ccf1df_5.82.0.0_x-ww_8a69ba05\comctl32.dll

uxtheme 6.00.3663.0 (main.020715-1506) 190.50 KB (195,072 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\uxtheme.dll

mprapi 5.2.3663.0 (main.020715-1506) 78.00 KB (79,872 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\mprapi.dll

activeds 5.2.3663.0 (main.020715-1506) 184.50 KB (188,928 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\activeds.dll

adslsdp 5.2.3663.0 (main.020715-1506) 139.50 KB (142,848 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\adslsdp.dll

credui 5.2.3663.0 (main.020715-1506) 161.00 KB (164,864 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\credui.dll

atl 3.05.2144 82.00 KB (83,968 bytes) 7/18/2002 2:00 PM Microsoft
Corporation c:\windows\system32\atl.dll

oleaut32 5.2.3663.0 483.50 KB (495,104 bytes) 7/18/2002 2:00 PM
Microsoft Corporation c:\windows\system32\oleaut32.dll

rtutils 5.2.3663.0 (main.020715-1506) 31.00 KB (31,744 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\rtutils.dll

samlib 5.2.3663.0 (main.020715-1506) 40.50 KB (41,472 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\samlib.dll

cscui 5.2.3663.0 (main.020715-1506) 299.00 KB (306,176 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\cscui.dll

clbcatq 2001.12.4593.0 (main.020715-1506) 465.50 KB (476,672 bytes)
8/20/2002 10:44 AM Microsoft Corporation
c:\windows\system32\clbcatq.dll

comres 2001.12.4593.0 (main.020715-1506) 778.00 KB (796,672 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\comres.dll

ntmarta 5.2.3663.0 (main.020715-1506) 110.50 KB (113,152 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\ntmarta.dll

wbemprox 5.2.3663.0 (main.020715-1506) 16.00 KB (16,384 bytes)
8/20/2002 10:44 AM Microsoft Corporation
c:\windows\system32\wbem\wbemprox.dll

wbemcomm 5.2.3663.0 (main.020715-1506) 205.00 KB (209,920 bytes)
8/20/2002 10:44 AM Microsoft Corporation
c:\windows\system32\wbem\wbemcomm.dll

wbemsvc 5.2.3663.0 (main.020715-1506) 42.50 KB (43,520 bytes)
8/20/2002 10:44 AM Microsoft Corporation
c:\windows\system32\wbem\wbemsvc.dll

fastprox 5.2.3663.0 (main.020715-1506) 434.50 KB (444,928 bytes)
8/20/2002 10:43 AM Microsoft Corporation
c:\windows\system32\wbem\fastprox.dll

```

msvcpx60 6.05.2144.0 388.00 KB (397,312 bytes) 7/18/2002 2:00 PM
Microsoft Corporation c:\windows\system32\msvcpx60.dll
ntdsapi 5.2.3663.0 (main.020715-1506) 67.00 KB (68,608 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\ntdsapi.dll
dnsapi 5.2.3663.0 (main.020715-1506) 141.50 KB (144,896 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\dnsapi.dll
services 5.2.3663.0 (main.020715-1506) 99.00 KB (101,376 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\services.exe
scesrv 5.2.3663.0 (main.020715-1506) 301.00 KB (308,224 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\scesrv.dll
umpnpgmgr 5.2.3663.0 (main.020715-1506) 115.00 KB (117,760 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\umpnpgmgr.dll
ncobjapi 5.2.3663.0 (main.020715-1506) 33.00 KB (33,792 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\ncobjapi.dll
eventlog 5.2.3663.0 (main.020715-1506) 58.50 KB (59,904 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\eventlog.dll
lsass 5.2.3663.0 (main.020715-1506) 13.00 KB (13,312 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\lsass.exe
lsasrv 5.2.3663.0 (main.020715-1506) 711.00 KB (728,064 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\lsasrv.dll
samsrv 5.2.3663.0 (main.020715-1506) 408.00 KB (417,792 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\samsrv.dll
cryptdll 5.2.3663.0 (main.020715-1506) 30.00 KB (30,720 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\cryptdll.dll
msprivs 5.2.3663.0 (main.020715-1506) 44.00 KB (45,056 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\msprivs.dll
kerberos 5.2.3663.0 (main.020715-1506) 299.00 KB (306,176 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\kerberos.dll
msv1_0 5.2.3663.0 (main.020715-1506) 114.50 KB (117,248 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\msv1_0.dll
netlogon 5.2.3663.0 (main.020715-1506) 401.50 KB (411,136 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\netlogon.dll
w32time 5.2.3663.0 (main.020715-1506) 205.50 KB (210,432 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\w32time.dll
iphlpapi 5.2.3663.0 (main.020715-1506) 80.50 KB (82,432 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\iphlpapi.dll
schannel 5.2.3663.0 (main.020715-1506) 138.50 KB (141,824 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\schannel.dll

```

```

wdigest 5.2.3663.0 (main.020715-1506) 59.50 KB (60,928 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\wdigest.dll
rassfm 5.2.3663.0 (main.020715-1506) 20.50 KB (20,992 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\rassfm.dll
kdcsvc 5.2.3663.0 (main.020715-1506) 190.50 KB (195,072 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\kdcsvc.dll
ntdsa 5.2.3663.0 (main.020715-1506) 1.40 MB (1,465,344 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\ntdsa.dll
ntdsatq 5.2.3663.0 (main.020715-1506) 27.50 KB (28,160 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\ntdsatq.dll
mwssock 5.2.3663.0 (main.020715-1506) 243.50 KB (249,344 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\mwssock.dll
esent 5.2.3663.0 (main.020715-1506) 925.50 KB (947,712 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\esent.dll
certcli 5.2.3663.0 (main.020715-1506) 215.00 KB (220,160 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\certcli.dll
cryptui 5.131.3663.0 (main.020715-1506) 463.50 KB (474,624 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\cryptui.dll
scecli 5.2.3663.0 (main.020715-1506) 174.00 KB (178,176 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\scecli.dll
ipsecsvc 5.2.3663.0 (main.020715-1506) 158.00 KB (161,792 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\ipsecsvc.dll
oakley 5.2.3663.0 (main.020715-1506) 251.00 KB (257,024 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\oakley.dll
winipsec 5.2.3663.0 (main.020715-1506) 29.00 KB (29,696 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\winipsec.dll
pstorsvc 5.2.3663.0 (main.020715-1506) 24.00 KB (24,576 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\pstorsvc.dll
psbase 5.2.3663.0 (main.020715-1506) 81.00 KB (82,944 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\psbase.dll
wshtcpip 5.2.3663.0 (main.020715-1506) 17.00 KB (17,408 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\wshtcpip.dll
dssenh 5.2.3663.0 (main.020715-1506) 129.07 KB (132,168 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\dssenh.dll
wlbctrl 5.2.3663.0 (main.020715-1506) 75.50 KB (77,312 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\wlbctrl.dll
svchost 5.2.3663.0 (main.020715-1506) 12.00 KB (12,288 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\svchost.exe

```



```

rpcss 5.2.3663.0 (main.020715-1506) 266.00 KB (272,384 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\rpcss.dll
wkssvc 5.2.3663.0 (main.020715-1506) 122.00 KB (124,928 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\wkssvc.dll
es 2001.12.4593.0 (main.020715-1506) 218.00 KB (223,232 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\es.dll
srvsvc 5.2.3663.0 (main.020715-1506) 87.50 KB (89,600 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\srvsvc.dll
sens 5.2.3663.0 (main.020715-1506) 35.00 KB (35,840 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\sens.dll
wmisvc 5.2.3663.0 (main.020715-1506) 113.50 KB (116,224 bytes)
8/20/2002 10:44 AM Microsoft Corporation
c:\windows\system32\wbem\wmisvc.dll
vssapi 5.2.3663.0 (main.020715-1506) 471.00 KB (482,304 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\vssapi.dll
wbemcore 5.2.3663.0 (main.020715-1506) 448.50 KB (459,264 bytes)
8/20/2002 10:44 AM Microsoft Corporation
c:\windows\system32\wbem\wbemcore.dll
esscli 5.2.3663.0 (main.020715-1506) 232.00 KB (237,568 bytes)
8/20/2002 10:43 AM Microsoft Corporation
c:\windows\system32\wbem\esscli.dll
wmiutils 5.2.3663.0 (main.020715-1506) 88.50 KB (90,624 bytes)
8/20/2002 10:44 AM Microsoft Corporation
c:\windows\system32\wbem\wmiutils.dll
repdrvfs 5.2.3663.0 (main.020715-1506) 140.00 KB (143,360 bytes)
8/20/2002 10:43 AM Microsoft Corporation
c:\windows\system32\wbem\repdrvfs.dll
wmiprvsd 5.2.3663.0 (main.020715-1506) 403.50 KB (413,184 bytes)
8/20/2002 10:44 AM Microsoft Corporation
c:\windows\system32\wbem\wmiprvsd.dll
wbemess 5.2.3663.0 (main.020715-1506) 253.00 KB (259,072 bytes)
8/20/2002 10:44 AM Microsoft Corporation
c:\windows\system32\wbem\wbemess.dll
ncprov 5.2.3663.0 (main.020715-1506) 42.50 KB (43,520 bytes)
8/20/2002 10:43 AM Microsoft Corporation
c:\windows\system32\wbem\ncprov.dll
netman 5.2.3663.0 (main.020715-1506) 147.00 KB (150,528 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\netman.dll
rasapi32 5.2.3663.0 (main.020715-1506) 217.00 KB (222,208 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\rasapi32.dll
rasman 5.2.3663.0 (main.020715-1506) 55.00 KB (56,320 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\rasman.dll
tapi32 5.2.3663.0 (main.020715-1506) 169.50 KB (173,568 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\tapi32.dll
wzcsvc 5.2.3663.0 (main.020715-1506) 271.00 KB (277,504 bytes)
7/16/2002 3:48 PM Microsoft Corporation
c:\windows\system32\wzcsvc.dll

```

```

wmi 5.2.3663.0 (main.020715-1506) 6.50 KB (6,656 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\wmi.dll
dhcpcsvc 5.2.3663.0 (main.020715-1506) 101.00 KB (103,424 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\dhcpcsvc.dll
wzcsapi 5.2.3663.0 (main.020715-1506) 24.00 KB (24,576 bytes)
7/16/2002 3:48 PM Microsoft Corporation
c:\windows\system32\wzcsapi.dll
netshell 5.2.3663.0 (main.020715-1506) 1.57 MB (1,648,128 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\netshell.dll
clusapi 5.2.3663.0 (main.020715-1506) 54.50 KB (55,808 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\clusapi.dll
hnetcfg 5.2.3663.0 (main.020715-1506) 241.50 KB (247,296 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\hnetcfg.dll
wininet 6.00.3663.0 (main.020715-1506) 581.00 KB (594,944 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\wininet.dll
rasdlg 5.2.3663.0 (main.020715-1506) 637.00 KB (652,288 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\rasdlg.dll
rasadhlp 5.2.3663.0 (main.020715-1506) 6.00 KB (6,144 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\rasadhlp.dll
netcfgx 5.2.3663.0 (main.020715-1506) 616.00 KB (630,784 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\netcfgx.dll
wbemcons 5.2.3663.0 (main.020715-1506) 69.00 KB (70,656 bytes)
8/20/2002 10:44 AM Microsoft Corporation
c:\windows\system32\wbem\wbemcons.dll
dmserver 5.2.3663.0 (main.020715-1506) 22.00 KB (22,528 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\dmserver.dll
pchsvc 5.2.3663.0 (main.020715-1506) 30.00 KB (30,720 bytes)
8/20/2002 10:48 AM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\pchsvc.dll
explorer 6.00.3663.0 (main.020715-1506) 989.50 KB (1,013,248 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\explorer.exe
browseui 6.00.3663.0 (main.020715-1506) 999.50 KB (1,023,488 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\browseui.dll
shdocvw 6.00.3663.0 (main.020715-1506) 1.28 MB (1,341,952 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\shdocvw.dll
apphelp 5.2.3663.0 (main.020715-1506) 117.00 KB (119,808 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\apphelp.dll
themeui 6.00.3663.0 (main.020715-1506) 360.00 KB (368,640 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\themeui.dll

```

msimg32 5.2.3663.0 (main.020715-1506) 4.50 KB (4,608 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\msimg32.dll

linkinfo 5.2.3663.0 (main.020715-1506) 15.50 KB (15,872 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\linkinfo.dll

ntshrui 6.00.3663.0 (main.020715-1506) 134.50 KB (137,728 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\ntshrui.dll

webcheck 6.00.3663.0 (main.020715-1506) 253.50 KB (259,584 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\webcheck.dll

wsock32 5.2.3663.0 (main.020715-1506) 22.00 KB (22,528 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\wsock32.dll

stobject 5.2.3663.0 (main.020715-1506) 116.50 KB (119,296 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\stobject.dll

batmeter 6.00.3663.0 (main.020715-1506) 28.00 KB (28,672 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\batmeter.dll

powrprof 6.00.3663.0 (main.020715-1506) 14.00 KB (14,336 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\powrprof.dll

printui 5.2.3663.0 (main.020715-1506) 522.00 KB (534,528 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\printui.dll

cfgmgr32 5.2.3663.0 (main.020715-1506) 17.00 KB (17,408 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\cfgmgr32.dll

urlmon 6.00.3663.0 (main.020715-1506) 442.00 KB (452,608 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\urlmon.dll

drprov 5.2.3663.0 (main.020715-1506) 12.00 KB (12,288 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\drprov.dll

ntlanman 5.2.3663.0 (main.020715-1506) 39.50 KB (40,448 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\ntlanman.dll

netui0 5.2.3663.0 (main.020715-1506) 73.00 KB (74,752 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\netui0.dll

netuil 5.2.3663.0 (main.020715-1506) 176.50 KB (180,736 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\netuil.dll

davclnt 5.2.3663.0 (main.020715-1506) 23.00 KB (23,552 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\davclnt.dll

browselc 6.00.3663.0 (main.020715-1506) 61.50 KB (62,976 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\browselc.dll

shdoclc 6.00.3663.0 (main.020715-1506) 521.00 KB (533,504 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\shdoclc.dll

helpctr 5.2.3663.0 (main.020715-1506) 670.00 KB (686,080 bytes)
8/20/2002 10:47 AM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\helpctr.exe

hcappres 5.2.3663.0 (main.020715-1506) 6.50 KB (6,656 bytes)
8/20/2002 10:47 AM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\hcappres.dll

itss 5.2.3663.0 (main.020715-1506) 118.50 KB (121,344 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\itss.dll

msxml3 8.40.8806.0 1.06 MB (1,107,968 bytes) 7/18/2002 2:00 PM
Microsoft Corporation c:\windows\system32\msxml3.dll

pchshell 5.2.3663.0 (main.020715-1506) 94.00 KB (96,256 bytes)
8/20/2002 10:48 AM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\pchshell.dll

mlang 6.00.3663.0 (main.020715-1506) 564.50 KB (578,048 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\mlang.dll

mshtml 6.00.3663.0 (main.020715-1506) 2.57 MB (2,690,560 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\mshtml.dll

msimtf 5.2.3663.0 (main.020715-1506) 141.00 KB (144,384 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\msimtf.dll

msctf 5.2.3663.0 (main.020715-1506) 273.00 KB (279,552 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\msctf.dll

jscrip 5.6.0.7727 412.00 KB (421,888 bytes) 7/18/2002 2:00 PM
Microsoft Corporation c:\windows\system32\jscrip.dll

msls31 3.10.349.0 137.00 KB (140,288 bytes) 7/18/2002 2:00 PM
Microsoft Corporation c:\windows\system32\msls31.dll

imm32 5.2.3663.0 (main.020715-1506) 104.00 KB (106,496 bytes) 7/18/2002
2:00 PM Microsoft Corporation c:\windows\system32\imm32.dll

mshtml 6.00.3663.0 (main.020715-1506) 424.00 KB (434,176 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\mshtml.dll

vbscript 5.6.0.7727 388.00 KB (397,312 bytes) 7/18/2002 2:00 PM
Microsoft Corporation c:\windows\system32\vbscript.dll

mfc42 6.05.2178.0 960.00 KB (983,040 bytes) 7/18/2002 2:00 PM
Microsoft Corporation c:\windows\system32\mfc42.dll

msinfo 5.2.3663.0 (main.020715-1506) 352.00 KB (360,448 bytes)
8/20/2002 10:47 AM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\msinfo.dll

mfc42u 6.05.2178.0 960.00 KB (983,040 bytes) 7/18/2002 2:00 PM
Microsoft Corporation c:\windows\system32\mfc42u.dll

comdlg32 6.00.3663.0 (main.020715-1506) 255.00 KB (261,120 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\comdlg32.dll

riched32 5.2.3663.0 (main.020715-1506) 3.50 KB (3,584 bytes)
7/18/2002 2:00 PM Microsoft Corporation
c:\windows\system32\riched32.dll

riched20 5.31.23.1217 394.50 KB (403,968 bytes) 7/18/2002 2:00 PM
Microsoft Corporation c:\windows\system32\riched20.dll

helpsvc 5.2.3663.0 (main.020715-1506) 683.50 KB (699,904 bytes)
8/20/2002 10:47 AM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\helpsvc.exe

[Services]

Display Name	Name	State	Start Mode	Service Type	Path	Error Control
Alerter	Alerter	Running	Auto	Share Process	c:\windows\system32\svchost.exe -k localService	Normal NT
AUTHORITY\LocalService		0				
Application Layer Gateway Service	ALG	Stopped	Manual	Own	c:\windows\system32\alg.exe	Normal NT
AUTHORITY\LocalService		0				
Application Management	AppMgmt	Stopped	Manual	Share Process	c:\windows\system32\svchost.exe -k netsvcs	Normal
LocalSystem		0				
Windows Audio	AudioSrv	Stopped	Disabled	Share Process	c:\windows\system32\svchost.exe -k netsvcs	Normal
LocalSystem		0				
Background Intelligent Transfer Service	BITS	Stopped	Manual	Share	c:\windows\system32\svchost.exe -k netsvcs	Normal
LocalSystem		0				
Computer Browser	Browser	Stopped	Disabled	Share Process	c:\windows\system32\svchost.exe -k netsvcs	Normal
LocalSystem		0				
Indexing Service	CiSvc	Stopped	Manual	Share Process	c:\windows\system32\cisvc.exe	Normal LocalSystem 0
ClipBook	ClipSrv	Stopped	Disabled	Own Process	c:\windows\system32\clipsrv.exe	Normal LocalSystem 0
COM+ System Application	COMSysApp	Stopped	Manual	Own Process	c:\windows\system32\dllhost.exe /processid:{02d4b3f1-fd88-11d1-960d-00805fc79235}	Normal LocalSystem 0
Cryptographic Services	CryptSvc	Stopped	Manual	Share Process	c:\windows\system32\svchost.exe -k netsvcs	Normal
LocalSystem		0				
Distributed File System	Dfs	Stopped	Manual	Own Process	c:\windows\system32\dfssvc.exe	Normal LocalSystem 0
DHCP Client	Dhcp	Stopped	Manual	Share Process	c:\windows\system32\svchost.exe -k networkservice	Normal NT
AUTHORITY\NetworkService		0				
Logical Disk Manager Administrative Service	dmadmin	Stopped	Manual	Share Process	c:\windows\system32\dmadmin.exe /com	Normal LocalSystem 0
Logical Disk Manager	dmserver	Running	Manual	Share Process	c:\windows\system32\svchost.exe -k netsvcs	Normal
LocalSystem		0				
DNS Client	Dnscache	Stopped	Manual	Share Process	c:\windows\system32\svchost.exe -k networkservice	Normal NT
AUTHORITY\NetworkService		0				
Error Reporting Service	ERSvc	Stopped	Manual	Share Process	c:\windows\system32\svchost.exe -k netsvcs	Ignore
LocalSystem		0				
Event Log	Eventlog	Running	Auto	Share Process	c:\windows\system32\services.exe	Normal LocalSystem 0
COM+ Event System	EventSystem	Running	Manual	Share Process	c:\windows\system32\svchost.exe -k netsvcs	Normal
LocalSystem		0				
Help and Support	helpsvc	Running	Manual	Share Process	c:\windows\system32\svchost.exe -k netsvcs	Normal
LocalSystem		0				

Human Interface Device	Access	HidServ	Stopped	Disabled	Share
Process	c:\windows\system32\svchost.exe -k netsvcs			Normal	
LocalSystem		0			
HTTP SSL	HTTPFilter	Stopped	Manual	Share Process	
LocalSystem		0			
IMAPI CD-Burning COM Service	ImapiService	Stopped	Disabled	Own	
Process	"c:\windows\system32\imapi.exe"	Normal	LocalSystem		0
Intersite Messaging	IsmSrv	Stopped	Disabled	Own Process	
LocalSystem		0			
Kerberos Key Distribution Center	kdc	Stopped	Disabled	Share	
Process	c:\windows\system32\lsass.exe	Normal	LocalSystem		0
Server	lanmanserver	Running	Auto	Share Process	
LocalSystem		0			
Workstation	lanmanworkstation	Running	Auto	Share Process	
LocalSystem		0			
License Logging	LicenseService	Running	Auto	Own Process	
LocalSystem		0			
AUTHORITY\NetworkService		0			
TCP/IP NetBIOS Helper	LmHosts	Running	Auto	Share Process	
LocalSystem		0			
AUTHORITY\LocalService		0			
Messenger	Messenger	Stopped	Disabled	Share Process	
LocalSystem		0			
NetMeeting Remote Desktop Sharing	mnmsrvc	Stopped	Disabled	Own	
Process	c:\windows\system32\mnmsrvc.exe	Normal	LocalSystem		0
Distributed Transaction Coordinator	MSDTC	Stopped	Manual	Own	
Process	c:\windows\system32\msdtc.exe	Normal	NT		
AUTHORITY\NetworkService		0			
Windows Installer	MSIServer	Stopped	Manual	Share Process	
LocalSystem		0			
Microsoft Search	MSSEARCH	Stopped	Manual	Share Process	
LocalSystem		0			
MSSQLSERVER	MSSQLSERVER	Stopped	Manual	Own Process	
LocalSystem		0			
MSSQLServerADHelper	MSSQLServerADHelper	Stopped	Manual	Own	
Process	c:\program files\microsoft sql server\80\tools\bin\sqladhlp.exe	Normal	LocalSystem		0
Network DDE	NetDDE	Stopped	Disabled	Share Process	
LocalSystem		0			
Network DDE DSDM	NetDDEdsdm	Stopped	Disabled	Share Process	
LocalSystem		0			
Net Logon	Netlogon	Stopped	Manual	Share Process	
LocalSystem		0			
Network Connections	Netman	Running	Manual	Share Process	
LocalSystem		0			
Network Location Awareness (NLA)	Nla	Running	Manual	Share	
Process	c:\windows\system32\svchost.exe -k netsvcs	Normal	LocalSystem		0

```

Intel(R) NMS      NMSSvc      Stopped  Manual  Own Process
c:\windows\system32\nmssvc.exe Normal LocalSystem 0
File Replication NtFrfsStopped Manual  Own Process
c:\windows\system32\ntfrfs.exe Ignore LocalSystem 0
NT LM Security Support Provider NtLmSsp Stopped Manual Share
Process c:\windows\system32\lsass.exe Normal LocalSystem 0
Removable Storage NtmsSvc Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs Normal
LocalSystem 0
Plug and Play PlugPlay Running Auto Share Process
c:\windows\system32\services.exe Normal LocalSystem 0
IPSEC Services PolicyAgent Running Auto Share Process
c:\windows\system32\lsass.exe Normal LocalSystem 0
Protected Storage ProtectedStorage Running Auto Share Process
c:\windows\system32\lsass.exe Normal LocalSystem 0
Remote Access Auto Connection Manager RasAuto Stopped Manual
Share Process c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Access Connection Manager RasMan Stopped Manual Share
Process c:\windows\system32\svchost.exe -k netsvcs Normal
LocalSystem 0
Remote Desktop Help Session Manager RDSessMgr Stopped Manual Own
Process c:\windows\system32\sessmgr.exe Normal LocalSystem 0
Routing and Remote Access RemoteAccess Stopped Disabled Share
Process c:\windows\system32\svchost.exe -k netsvcs Normal
LocalSystem 0
Remote Registry RemoteRegistry Stopped Manual Share Process
c:\windows\system32\svchost.exe -k regsvc Normal NT
AUTHORITY\LocalService 0
Remote Procedure Call (RPC) Locator RpcLocator Stopped Manual Own
Process c:\windows\system32\locator.exe Normal NT
AUTHORITY\NetworkService 0
Remote Procedure Call (RPC) RpcSsRunning Auto Share Process
c:\windows\system32\svchost -k rpcss Normal LocalSystem 0
Resultant Set of Policy Provider RSoPProv Stopped Manual Share
Process c:\windows\system32\rsopprov.exe Normal LocalSystem
0
Special Administration Console Helper sacsvr Stopped Manual
Share Process c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Security Accounts Manager SamSsRunning Auto Share Process
c:\windows\system32\lsass.exe Normal LocalSystem 0
Smart Card SCardSvr Stopped Manual Share Process
c:\windows\system32\scardsvr.exe Ignore NT
AUTHORITY\LocalService 0
Task Scheduler Schedule Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs Normal
LocalSystem 0
Secondary Logon seclogon Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs Ignore
LocalSystem 0
System Event Notification SENS Running Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs Normal
LocalSystem 0

```

```

Internet Connection Firewall (ICF) / Internet Connection Sharing (ICS)
SharedAccess Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs Normal
LocalSystem 0
Shell Hardware Detection ShellHWDetection Stopped Manual Share
Process c:\windows\system32\svchost.exe -k netsvcs Ignore
LocalSystem 0
Print Spooler Spooler Stopped Manual Own Process
c:\windows\system32\spoolsv.exe Normal LocalSystem 0
SQLSERVERAGENT SQLSERVERAGENT Stopped Manual Own Process
c:\progra-1\microso-1\mssql\binn\sqlagent.exe Normal
LocalSystem 0
Windows Image Acquisition (WIA) stisvc Stopped Disabled Share
Process c:\windows\system32\svchost.exe -k imgs Normal NT
AUTHORITY\LocalService 0
Microsoft Software Shadow Copy Provider swprvStopped Manual Own
Process c:\windows\system32\svchost.exe -k swprv Normal
LocalSystem 0
Performance Logs and Alerts SysmonLog Stopped Manual Own
Process c:\windows\system32\smlogsvc.exe Normal NT
Authority\NetworkService 0
Telephony Tapisrv Stopped Manual Share Process
c:\windows\system32\svchost.exe -k tapisrv Normal
LocalSystem 0
Terminal Services TermService Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k terms Normal
LocalSystem 0
Themes Themes Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs Normal
LocalSystem 0
Telnet TlntSvr Stopped Disabled Own Process
c:\windows\system32\tlntsvr.exe Normal NT AUTHORITY\LOCAL SERVICE
0
Distributed Link Tracking Server TrkSvr Stopped Disabled Share
Process c:\windows\system32\svchost.exe -k netsvcs Normal
LocalSystem 0
Distributed Link Tracking Client TrkWks Stopped Manual Share
Process c:\windows\system32\svchost.exe -k netsvcs Normal
LocalSystem 0
Terminal Services Session Directory Tssdis Stopped Disabled Own
Process c:\windows\system32\tssdis.exe Normal LocalSystem 0
Upload Manager uploadmgr Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs Normal
LocalSystem 0
Uninterruptible Power Supply UPS Stopped Manual Own Process
c:\windows\system32\ups.exe Normal LocalSystem 0
Virtual Disk Service vds Stopped Manual Own Process
c:\windows\system32\vds.exe Normal LocalSystem 0
Volume Shadow Copy VSS Stopped Manual Own Process
c:\windows\system32\vssvc.exe Normal LocalSystem 0
Windows Time W32Time Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs Normal
LocalSystem 0

```

```

WebClient WebClient Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k localserviceNormal NT
AUTHORITY\LocalService 0
WinHTTP Web Proxy Auto-Discovery Service WinHttpAutoProxySvc Stopped
Manual Share Process c:\windows\system32\svchost.exe -k
localservice Normal NT AUTHORITY\LocalService 0
Windows Management Instrumentation winmgmt Running Auto Share
Process c:\windows\system32\svchost.exe -k netsvcs Ignore
LocalSystem 0
Portable Media Serial Number WmdmPmSp Stopped Manual Share
Process c:\windows\system32\svchost.exe -k netsvcs Normal
LocalSystem 0
Windows Management Instrumentation Driver Extensions Wmi Stopped
Manual Share Process c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
WMI Performance Adapter WmiApSrv Stopped Manual Own Process
c:\windows\system32\wbem\wmiaprv.exe Normal LocalSystem
0
Automatic Updates wuauerv Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs Normal
LocalSystem 0
Wireless Configuration WZCSVC Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs Normal
LocalSystem 0

[Program Groups]

Group Name Name User Name
Accessories Default User:Accessories Default User
Accessories\Accessibility Default User:Accessories\Accessibility
Default User
Accessories\Entertainment Default User:Accessories\Entertainment
Default User
Startup Default User:Startup Default User
Accessories All Users:Accessories All Users
Accessories\Accessibility All Users:Accessories\Accessibility All Users
Accessories\Communications All Users:Accessories\Communications All Users
Accessories\Entertainment All Users:Accessories\Entertainment All Users
Accessories\System Tools All Users:Accessories\System Tools All Users
Administrative Tools All Users:Administrative Tools All Users
Microsoft SQL Server All Users:Microsoft SQL Server All Users
Startup All Users:Startup All Users
Accessories NT AUTHORITY\SYSTEM:Accessories NT AUTHORITY\SYSTEM
Accessories\Accessibility NT AUTHORITY\SYSTEM:Accessories\Accessibility
NT AUTHORITY\SYSTEM
Accessories\Entertainment NT AUTHORITY\SYSTEM:Accessories\Entertainment
NT AUTHORITY\SYSTEM
Startup NT AUTHORITY\SYSTEM:Startup NT AUTHORITY\SYSTEM
Accessories MOGUL\Administrator:Accessories MOGUL\Administrator
Accessories\Accessibility MOGUL\Administrator:Accessories\Accessibility
MOGUL\Administrator
Accessories\Entertainment MOGUL\Administrator:Accessories\Entertainment
MOGUL\Administrator
Administrative Tools MOGUL\Administrator:Administrative Tools
MOGUL\Administrator

```

```

Startup MOGUL\Administrator:Startup MOGUL\Administrator

[Startup Programs]

Program Command User Name Location
desktop desktop.ini NT AUTHORITY\SYSTEM Startup
desktop desktop.ini MOGUL\Administrator Startup
desktop desktop.ini .DEFAULT Startup
desktop desktop.ini All Users Common Startup

[OLE Registration]

Object Local Server
Sound (OLE2) sndrec32.exe
Media Clip mplay32.exe
Video Clip mplay32.exe /avi
MIDI Sequence mplay32.exe /mid
SoundNot Available
Media Clip Not Available
Windows Media Player 7 Not Available
WordPad Document "%programfiles%\windows nt\accessories\wordpad.exe"
Windows Media Services DRM Storage object Not Available

[Windows Error Reporting]

Time Type Details

[Internet Settings]

[Internet Explorer]

[ Following are sub-categories of this main category ]
[Summary]

Item Value
Version 6.0.3663.0
Build63663
Application Path C:\Program Files\Internet Explorer
Language English (United States)
Active Printer Not Available

Cipher Strength 128-bit
Content Advisor Disabled
IEAK Install No

[File Versions]

File Version Size Date Path Company
actxprxy.dll 6.0.3663.0 95 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
advpack.dll 6.0.3663.0 93 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation

```

```

asctrls.ocx      6.0.3663.0 89 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
browsecl.dll    6.0.3663.0 62 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
browseui.dll    6.0.3663.0 1,000 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
cdfview.dll     6.0.3663.0 141 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
comctl32.dll    5.82.3663.0 560 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
dxtrans.dll     6.3.3663.0 188 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
dxtmsft.dll     6.3.3663.0 332 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
iecont.dll <File Missing> Not Available Not Available Not Available
Not Available
iecontlc.dll    <File Missing> Not Available Not Available Not
Available Not Available
iedkcs32.dll    16.0.3663.0 292 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
iepeers.dll     6.0.3663.0 229 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
iesetup.dll     6.0.3663.0 59 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
ieunit.inf      Not Available 19 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Not Available
iexplore.exe    6.0.3663.0 90 KB 7/18/2002 2:00:00 PM C:\Program
Files\Internet Explorer Microsoft Corporation
imgutil.dll     6.0.3663.0 30 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
inetctl.cpl     6.0.3663.0 296 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
inetctl.dll     6.0.3663.0 108 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
inseng.dll      6.0.3663.0 71 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
mlang.dll       6.0.3663.0 565 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
msencode.dll    2000.7.25.0 92 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Not Available
mshta.exe      6.0.3663.0 27 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
mshtml.dll     6.0.3663.0 2,628 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
mshtml.tlb     6.0.3663.0 1,319 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
mshtml.ed.dll  6.0.3663.0 424 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
mshtmlr.dll    6.0.3663.0 55 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
msident.dll    6.0.3663.0 47 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
msidentld.dll  6.0.3663.0 15 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation

```

```

msieftp.dll    6.0.3663.0 232 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
msrating.dll   6.0.3663.0 132 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
mstime.dll     6.0.3663.0 490 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
occache.dll    6.0.3663.0 88 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
proctexe.ocx   6.3.3663.0 78 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Intel Corporation
sendmail.dll   6.0.3663.0 54 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
shdoclc.dll    6.0.3663.0 521 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
shdocvw.dll    6.0.3663.0 1,311 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
shfolder.dll   6.0.3663.0 23 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
shlwapi.dll    6.0.3663.0 269 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
tdc.ocx        1.3.0.3130 57 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
url.dll        6.0.3663.0 40 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
urlmon.dll     6.0.3663.0 442 KB 7/18/2002 2:00:00 PM C:\WINDOWS\system32
Microsoft Corporation
webcheck.dll   6.0.3663.0 254 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation
wininet.dll    6.0.3663.0 581 KB 7/18/2002 2:00:00 PM
C:\WINDOWS\system32 Microsoft Corporation

```

[Connectivity]

```

Item Value
Connection Preference      Never dial

```

LAN Settings

```

AutoConfigProxy Not Available
AutoProxyDetectMode Disabled
AutoConfigURL
ProxyEnabled
ProxyServer
ProxyOverride <local>

```

[Cache]

```

[ Following are sub-categories of this main category ]
[Summary]

```

```

Item Value
Page Refresh Type      Automatic
Temporary Internet Files Folder C:\Documents and
Settings\NetworkService\Local Settings\Temporary Internet Files
Total Disk Space      Not Available

```

Available Disk Space Not Available
Maximum Cache Size Not Available
Available Cache Size Not Available

[List of Objects]

Program File Status CodeBase
No cached object information available

[Content]

[Following are sub-categories of this main category]
[Summary]

Item Value
Content Advisor Disabled

[Personal Certificates]

Issued To Issued By Validity Signature Algorithm
No personal certificate information available

[Other People Certificates]

Issued To Issued By Validity Signature Algorithm
No other people certificate information available

[Publishers]

Name
No publisher information available

[Security]

Zone Security Level
My Computer Custom
Local intranet Medium-low
Trusted sites Low
Internet Medium
Restricted sites High

=====
SCSI Controller 0
=====

GCFVERSION=2.00;

Begin

BeginGroup

PhysicalDevice0 = Channel=0, Target=0, Size=34700MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice1 = Channel=1, Target=0, Size=34700MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice2 = Channel=0, Target=1, Size=34700MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice3 = Channel=1, Target=1, Size=34700MB, State=Online,

TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice4 = Channel=0, Target=2, Size=34700MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice5 = Channel=1, Target=2, Size=34700MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice6 = Channel=0, Target=3, Size=34700MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice7 = Channel=1, Target=3, Size=34700MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice8 = Channel=0, Target=4, Size=34700MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice9 = Channel=1, Target=4, Size=34700MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice10 = Channel=0, Target=10, Size=34700MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice11 = Channel=1, Target=10, Size=34700MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice12 = Channel=0, Target=11, Size=34700MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice13 = Channel=1, Target=11, Size=34700MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
IntermediateDevice0 = StripeSize=64KB, Raid=1, WriteThrough=1,
Size=34696MB,
(PhysicalDevice0, StartAddress=0MB/0Blocks,
Size=34696MB/71057408Blocks),
(PhysicalDevice1, StartAddress=0MB/0Blocks,
Size=34696MB/71057408Blocks);
IntermediateDevice1 = StripeSize=64KB, Raid=1, WriteThrough=1,
Size=34696MB,
(PhysicalDevice2, StartAddress=0MB/0Blocks,
Size=34696MB/71057408Blocks),
(PhysicalDevice3, StartAddress=0MB/0Blocks,
Size=34696MB/71057408Blocks);
IntermediateDevice2 = StripeSize=64KB, Raid=1, WriteThrough=1,
Size=34696MB,
(PhysicalDevice4, StartAddress=0MB/0Blocks,
Size=34696MB/71057408Blocks),
(PhysicalDevice5, StartAddress=0MB/0Blocks,
Size=34696MB/71057408Blocks);
IntermediateDevice3 = StripeSize=64KB, Raid=1, WriteThrough=1,
Size=34696MB,
(PhysicalDevice6, StartAddress=0MB/0Blocks,
Size=34696MB/71057408Blocks),
(PhysicalDevice7, StartAddress=0MB/0Blocks,
Size=34696MB/71057408Blocks);
IntermediateDevice4 = StripeSize=64KB, Raid=1, WriteThrough=1,
Size=34696MB,
(PhysicalDevice8, StartAddress=0MB/0Blocks,
Size=34696MB/71057408Blocks),
(PhysicalDevice9, StartAddress=0MB/0Blocks,
Size=34696MB/71057408Blocks);
IntermediateDevice5 = StripeSize=64KB, Raid=1, WriteThrough=1,
Size=34696MB,
(PhysicalDevice10, StartAddress=0MB/0Blocks,
Size=34696MB/71057408Blocks),

```

        (PhysicalDevice11, StartAddress=0MB/0Blocks,
Size=34696MB/71057408Blocks);
        IntermediateDevice6 = StripeSize=64KB, Raid=1, WriteThrough=1,
Size=34696MB,
        (PhysicalDevice12, StartAddress=0MB/0Blocks,
Size=34696MB/71057408Blocks),
        (PhysicalDevice13, StartAddress=0MB/0Blocks,
Size=34696MB/71057408Blocks);
        LogicalDevice0 = StripeSize=64KB, Raid=12, WriteThrough=1,
Size=242872MB, BIOSGeometry=8GB,
        (IntermediateDevice0, StartAddress=0MB, Size=34696MB),
        (IntermediateDevice1, StartAddress=0MB, Size=34696MB),
        (IntermediateDevice2, StartAddress=0MB, Size=34696MB),
        (IntermediateDevice3, StartAddress=0MB, Size=34696MB),
        (IntermediateDevice4, StartAddress=0MB, Size=34696MB),
        (IntermediateDevice5, StartAddress=0MB, Size=34696MB),
        (IntermediateDevice6, StartAddress=0MB, Size=34696MB);
EndGroup
BeginControllerParameter
ControllerName = eXtremeRAID 2000;
ControllerType = 28;
FirmwareVersion = 7.01;
CacheLineSize = 8KB;
AutomaticRebuildRate = 50;
BackgroundInitializeRate = 50;
ConsistencyCheckRate = 50;
MORERate = 50;
InitiatorID = 7;
DevicesPerSpin = 2;
SequentialDelay = 6S;
EnableDriveSizing = 1;
EnableClustering = 0;
EnableBGInit = 1;
EnableBiosLoadDelay = 0;
EnableForcedUnitAccess = 0;
DisableBios = 1;
EnableCDROMBoot = 0;
EnableStorageWorks = 0;
EnableSAFTE = 0;
EnableSES = 0;
EnableARM = 0;
EnableOFM = 0;
OEMCode = 16;
StartupOption = 4;
EnableTempOffline = 0;
EnablePatrolRead = 0;
EnableSmartMode = 0;
DlyBtwnIterations = 336;
SmartScanInterval = 0;
EndControllerParameter
End

===== Controller 1 .. 5 =====

GCFVERSION=2.00;

```

```

Begin
BeginGroup
PhysicalDevice0 = Channel=0, Target=0, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice1 = Channel=0, Target=1, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice2 = Channel=0, Target=2, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice3 = Channel=0, Target=3, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice4 = Channel=0, Target=4, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice5 = Channel=0, Target=5, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice6 = Channel=0, Target=10, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice7 = Channel=0, Target=11, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice8 = Channel=0, Target=12, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice9 = Channel=0, Target=13, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice10 = Channel=0, Target=14, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice11 = Channel=0, Target=15, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice12 = Channel=1, Target=0, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice13 = Channel=1, Target=1, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice14 = Channel=1, Target=2, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice15 = Channel=1, Target=3, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice16 = Channel=1, Target=4, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice17 = Channel=1, Target=5, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice18 = Channel=1, Target=10, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice19 = Channel=1, Target=11, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice20 = Channel=1, Target=12, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice21 = Channel=1, Target=13, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice22 = Channel=1, Target=14, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice23 = Channel=1, Target=15, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice24 = Channel=2, Target=0, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice25 = Channel=2, Target=1, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice26 = Channel=2, Target=2, Size=17300MB, State=Online,

```


TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice27 = Channel=2, Target=3, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice28 = Channel=2, Target=4, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice29 = Channel=2, Target=5, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice30 = Channel=2, Target=10, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice31 = Channel=2, Target=11, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice32 = Channel=2, Target=12, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice33 = Channel=2, Target=13, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice34 = Channel=2, Target=14, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice35 = Channel=2, Target=15, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice36 = Channel=3, Target=0, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice37 = Channel=3, Target=1, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice38 = Channel=3, Target=2, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice39 = Channel=3, Target=3, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice40 = Channel=3, Target=4, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice41 = Channel=3, Target=5, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice42 = Channel=3, Target=10, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice43 = Channel=3, Target=11, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice44 = Channel=3, Target=12, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice45 = Channel=3, Target=13, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice46 = Channel=3, Target=14, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice47 = Channel=3, Target=15, Size=17300MB, State=Online,
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
IntermediateDevice0 = StripeSize=128KB, Raid=0, WriteThrough=1,
Size=207552MB,
(PhysicalDevice0, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice1, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice2, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice3, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice4, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),

(PhysicalDevice5, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice6, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice7, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice8, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice9, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice10, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice11, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks);
IntermediateDevice1 = StripeSize=128KB, Raid=0, WriteThrough=1,
Size=207552MB,
(PhysicalDevice12, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice13, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice14, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice15, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice16, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice17, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice18, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice19, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice20, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice21, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice22, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice23, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks);
IntermediateDevice2 = StripeSize=128KB, Raid=0, WriteThrough=1,
Size=207552MB,
(PhysicalDevice24, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice25, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice26, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice27, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice28, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
(PhysicalDevice29, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),

```

    (PhysicalDevice30, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice31, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice32, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice33, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice34, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice35, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks);
    IntermediateDevice3 = StripeSize=128KB, Raid=0, WriteThrough=1,
Size=207552MB,
    (PhysicalDevice36, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice37, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice38, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice39, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice40, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice41, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice42, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice43, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice44, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice45, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice46, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks),
    (PhysicalDevice47, StartAddress=0MB/0Blocks,
Size=17296MB/35422208Blocks);
    LogicalDevice0 = StripeSize=128KB, Raid=12, WriteThrough=1,
Size=830208MB, BIOSGeometry=8GB,
    (IntermediateDevice0, StartAddress=0MB, Size=207552MB),
    (IntermediateDevice1, StartAddress=0MB, Size=207552MB),
    (IntermediateDevice2, StartAddress=0MB, Size=207552MB),
    (IntermediateDevice3, StartAddress=0MB, Size=207552MB);
EndGroup
BeginControllerParameter
    ControllerName = eXtremeRAID 2000;
    ControllerType = 28;
    FirmwareVersion = 7.01;
    CacheLineSize = 8KB;
    AutomaticRebuildRate = 50;
    BackgroundInitializeRate = 50;
    ConsistencyCheckRate = 50;
    MORERate = 50;
    InitiatorID = 7;

```

```

DevicesPerSpin = 2;
SequentialDelay = 6S;
EnableDriveSizing = 1;
EnableClustering = 0;
EnableBGInit = 0;
EnableBiosLoadDelay = 0;
EnableForcedUnitAccess = 0;
DisableBios = 1;
EnableCDROMBoot = 0;
EnableStorageWorks = 0;
EnableSAFTE = 0;
EnableSES = 0;
EnableARM = 0;
EnableOFM = 0;
OEMCode = 16;
StartupOption = 4;
EnableTempOffline = 0;
EnablePatrolRead = 0;
EnableSmartMode = 0;
DlyBtwnIterations = 336;
SmartScanInterval = 0;
EndControllerParameter
End

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\dac2w2k
Class Name: <NO CLASS>
Last Write Time: 9/20/2002 - 9:22 AM
Value 0
    Name: Group
    Type: REG_SZ
    Data: SCSI Miniport

Value 1
    Name: Start
    Type: REG_DWORD
    Data: 0

Value 2
    Name: Tag
    Type: REG_DWORD
    Data: 0x21

Value 3
    Name: Type
    Type: REG_DWORD
    Data: 0x1

Value 4
    Name: ErrorControl
    Type: REG_DWORD
    Data: 0x1

Value 5
    Name: ImagePath

```

Type: REG_EXPAND_SZ
Data: system32\DRIVERS\dac2w2k.sys

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\dac2w2k\Parameters
Class Name: <NO CLASS>
Last Write Time: 8/20/2002 - 2:47 PM
Value 0
Name: BusType
Type: REG_DWORD
Data: 0x8

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\dac2w2k\Parameters\Device
Class Name: <NO CLASS>
Last Write Time: 8/23/2002 - 2:09 PM
Value 0
Name: DriverParameter
Type: REG_SZ
Data: ConfigureSIR=12

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\dac2w2k\Parameters\NpInterface
Class Name: <NO CLASS>
Last Write Time: 8/20/2002 - 12:30 PM
Value 0
Name: 2
Type: REG_DWORD
Data: 0x1

Value 1
Name: 5
Type: REG_DWORD
Data: 0x1

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\dac2w2k\Security
Class Name: <NO CLASS>
Last Write Time: 8/20/2002 - 12:07 PM
Value 0
Name: Security
Type: REG_BINARY
Data:

00000000 01 00 14 80 90 00 00 00 - 9c 00 00 00 14 00 00 00
.....
00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02 80 14 00
0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00 00 00 00
ÿ.....

00000030 02 00 60 00 04 00 00 00 - 00 00 14 00 fd 01 02 00
..`.....ÿ...
00000040 01 01 00 00 00 00 05 - 12 00 00 00 00 00 18 00
.....
00000050 ff 01 0f 00 01 02 00 00 - 00 00 00 05 20 00 00 00
ÿ.....
00000060 20 02 00 00 00 00 14 00 - 8d 01 02 00 01 01 00 00
.....
00000070 00 00 00 05 0b 00 00 00 - 00 00 18 00 fd 01 02 00
.....ÿ...
00000080 01 02 00 00 00 00 05 - 20 00 00 00 23 02 00 00
...#...
00000090 01 01 00 00 00 00 05 - 12 00 00 00 01 01 00 00
.....
00 00 00 05 12 00 00 00 -

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\dac2w2k\Enum
Class Name: <NO CLASS>
Last Write Time: 9/20/2002 - 9:22 AM
Value 0
Name: 0
Type: REG_SZ
Data: PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&235bdd1f&0&4008

Value 1
Name: Count
Type: REG_DWORD
Data: 0x7

Value 2
Name: NextInstance
Type: REG_DWORD
Data: 0x7

Value 3
Name: 1
Type: REG_SZ
Data: PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&1b89a02&0&4020

Value 4
Name: 2
Type: REG_SZ
Data: PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&3a39f236&0&4018

Value 5
Name: 3
Type: REG_SZ
Data: PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&18212e42&0&4008

Value 6
Name: 4
Type: REG_SZ
Data:
PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&372a30f3&0&4010

Value 7
Name: 5
Type: REG_SZ
Data:
PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&19ad16c8&0&4008

Value 8
Name: 6
Type: REG_SZ
Data:
PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&13078ee0&0&4008

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\Session Manager\I/O
System
Class Name: <NO CLASS>
Last Write Time: 8/20/2002 - 2:44 PM
Value 0
Name: CountOperations
Type: REG_DWORD
Data: 0

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\Session
Manager\Memory Management
Class Name: <NO CLASS>
Last Write Time: 8/22/2002 - 3:54 PM
Value 0
Name: ClearPageFileAtShutdown
Type: REG_DWORD
Data: 0

Value 1
Name: DisablePagingExecutive
Type: REG_DWORD
Data: 0

Value 2
Name: LargeSystemCache
Type: REG_DWORD
Data: 0

Value 3
Name: NonPagedPoolQuota
Type: REG_DWORD
Data: 0

Value 4
Name: NonPagedPoolSize
Type: REG_DWORD
Data: 0

Value 5
Name: PagedPoolQuota
Type: REG_DWORD
Data: 0

Value 6
Name: PagedPoolSize
Type: REG_DWORD
Data: 0

Value 7
Name: SecondLevelDataCache
Type: REG_DWORD
Data: 0

Value 8
Name: SystemPages
Type: REG_DWORD
Data: 0x33000

Value 9
Name: PagingFiles
Type: REG_MULTI_SZ
Data: C:\pagefile.sys 2046 4092

Value 10
Name: PhysicalAddressExtension
Type: REG_DWORD
Data: 0x1

Value 11
Name: WriteWatch
Type: REG_DWORD
Data: 0x1

Value 12
Name: SessionViewSize
Type: REG_DWORD
Data: 0x30

Value 13
Name: SessionPoolSize
Type: REG_DWORD
Data: 0x4

Value 14
Name: DontVerifyRandomDrivers
Type: REG_DWORD
Data: 0x1

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\Session
Manager\Memory Management\PrefetchParameters
Class Name: <NO CLASS>
Last Write Time: 9/20/2002 - 9:23 AM

Value 0
Name: VideoInitTime
Type: REG_DWORD
Data: 0x6d6

Value 1
Name: EnablePrefetcher
Type: REG_DWORD
Data: 0x2

Value 2
Name: AppLaunchMaxNumPages
Type: REG_DWORD
Data: 0xfa0

Value 3
Name: AppLaunchMaxNumSections
Type: REG_DWORD
Data: 0xaa

Value 4
Name: AppLaunchTimerPeriod
Type: REG_BINARY
Data: 80 69 67 ff ff ff ff ff - .igÿÿÿÿÿÿ

Value 5
Name: BootMaxNumPages
Type: REG_DWORD
Data: 0x1f400

Value 6
Name: BootMaxNumSections
Type: REG_DWORD
Data: 0xff0

Value 7
Name: BootTimerPeriod
Type: REG_BINARY
Data: 00 f2 d8 f8 ff ff ff ff - .ðøÿÿÿÿÿÿ

Value 8
Name: MaxNumActiveTraces
Type: REG_DWORD
Data: 0x8

Value 9
Name: MaxNumSavedTraces

Type: REG_DWORD
Data: 0x8

Value 10
Name: RootDirPath
Type: REG_SZ
Data: Prefetch

Value 11
Name: HostingAppList
Type: REG_SZ
Data: DLLHOST.EXE,MMC.EXE,RUNDLL32.EXE

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\qlvika
Class Name: <NO CLASS>
Last Write Time: 9/20/2002 - 9:21 AM

Value 0
Name: ErrorControl
Type: REG_DWORD
Data: 0x1

Value 1
Name: start
Type: REG_DWORD
Data: 0x2

Value 2
Name: type
Type: REG_DWORD
Data: 0x1

Value 3
Name: Tag
Type: REG_DWORD
Data: 0x1

Value 4
Name: group
Type: REG_SZ
Data: MVIA

Value 5
Name: ImagePath
Type: REG_EXPAND_SZ
Data: system32\DRIVERS\qlvika.sys

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\qlvika\Adapters
Class Name: <NO CLASS>
Last Write Time: 8/20/2002 - 2:50 PM

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\qlvika\Adapters\2100
00E08B072BB0
Class Name: <NO CLASS>
Last Write Time: 8/21/2002 - 3:22 PM
Value 0
Name: IPAddress
Type: REG_MULTI_SZ
Data: 129.103.192.216

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\qlvika\Parameters
Class Name: <NO CLASS>
Last Write Time: 8/15/2002 - 3:13 PM
Value 0
Name: MaxRegisterMBytes
Type: REG_DWORD
Data: 0x200

Value 1
Name: MaxRegisterRdmaMBytes
Type: REG_DWORD
Data: 0x200

Value 2
Name: MaxRegisterRegions
Type: REG_DWORD
Data: 0x1000

Value 3
Name: MaxVIs
Type: REG_DWORD
Data: 0x400

Value 4
Name: MaxCQs
Type: REG_DWORD
Data: 0x400

Value 5
Name: MaxCQEntries
Type: REG_DWORD
Data: 0x2000

Value 6
Name: MaxTransferSize
Type: REG_DWORD
Data: 0x10000

Value 7
Name: MaxPTags
Type: REG_DWORD
Data: 0x800

Value 8
Name: IuBuffers
Type: REG_DWORD
Data: 0x100

Value 9
Name: SendDescQuota
Type: REG_DWORD
Data: 0x8

Value 10
Name: RecvDescQuota
Type: REG_DWORD
Data: 0x8

Value 11
Name: SupportPrototypeCards
Type: REG_DWORD
Data: 0x1

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\qlvika\Security
Class Name: <NO CLASS>
Last Write Time: 8/20/2002 - 12:22 PM

Value 0
Name: Security
Type: REG_BINARY
Data:
00000000 01 00 14 80 90 00 00 00 - 9c 00 00 00 14 00 00 00
.....
00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02 80 14 00
0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00 00 00 00
ÿ.....
00000030 02 00 60 00 04 00 00 00 - 00 00 14 00 fd 01 02 00
..`.....ÿ...
00000040 01 01 00 00 00 00 00 05 - 12 00 00 00 00 00 18 00
.....
00000050 ff 01 0f 00 01 02 00 00 - 00 00 00 05 20 00 00 00
ÿ.....
00000060 20 02 00 00 00 00 14 00 - 8d 01 02 00 01 01 00 00
.....
00000070 00 00 00 05 0b 00 00 00 - 00 00 18 00 fd 01 02 00
.....ÿ...
00000080 01 02 00 00 00 00 00 05 - 20 00 00 00 23 02 00 00
...#...
00000090 01 01 00 00 00 00 00 05 - 12 00 00 00 01 01 00 00
.....
00 00 00 05 12 00 00 00 -

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\qlvika\Enum
Class Name: <NO CLASS>

Last Write Time: 9/20/2002 - 9:21 AM
Value 0
Name: 0
Type: REG_SZ
Data: Root\SCSIADAPTER\0000

Value 1
Name: Count
Type: REG_DWORD
Data: 0x1

Value 2
Name: NextInstance
Type: REG_DWORD
Data: 0x1

This section discloses hardware information and the Windows 2000 registry parameters used on the PRIMERGY C200 client systems.

[System Summary]

Item Value
OS Name Microsoft Windows 2000 Server
Version 5.0.2195 Service Pack 2 Build 2195
OS Manufacturer Microsoft Corporation
System Name C200CL1
System Manufacturer FUJITSU SIEMENS
System Model D1306
System Type X86-based PC
Processor x86 Family 6 Model 11 Stepping 1 GenuineIntel ~1393 Mhz
Processor x86 Family 6 Model 11 Stepping 1 GenuineIntel ~1393 Mhz
BIOS Version PhoenixBIOS Version 4.06 Rev. 1.03.1306
Windows Directory C:\WINNT
System Directory C:\WINNT\System32
Boot Device \Device\Harddisk0\Partition1
Locale United States
User Name C200CL1\Administrator
Time Zone W. Europe Daylight Time
Total Physical Memory 785,892 KB
Available Physical Memory 690,484 KB
Total Virtual Memory 2,051,752 KB
Available Virtual Memory 1,896,156 KB
Page File Space 1,265,860 KB
Page File C:\pagefile.sys

[Hardware Resources]

[Following are sub-categories of this main category]

[Conflicts/Sharing]

Resource Device
No conflicted/shared resources

[DMA]

Channel	Device	Status
4	Direct memory access controller	OK
2	Standard floppy disk controller	OK

[Forced Hardware]

Device	PNP Device ID
No Forced Hardware	

[I/O]

Address Range	Device	Status
0x0000-0x0CF7	PCI bus	OK
0x0000-0x0CF7	Direct memory access controller	OK
0x0D00-0x0FFF	PCI bus	OK
0x1000-0x1C0F	PCI bus	OK
0x1000-0x1C0F	ATI Technologies Inc. RAGE XL PCI	OK
0x03B0-0x03BB	ATI Technologies Inc. RAGE XL PCI	OK
0x03C0-0x03DF	ATI Technologies Inc. RAGE XL PCI	OK
0x1800-0x183F	Fujitsu Siemens Computers 82559-based Onboard Ethernet with WoL and AoL	OK
0x0A79-0x0A79	ISAPNP Read Data Port	OK
0x0279-0x0279	ISAPNP Read Data Port	OK
0x02F4-0x02F7	ISAPNP Read Data Port	OK
0x0010-0x001F	Motherboard resources	OK
0x0022-0x002D	Motherboard resources	OK
0x0030-0x003F	Motherboard resources	OK
0x0050-0x0053	Motherboard resources	OK
0x0062-0x0063	Motherboard resources	OK
0x0065-0x006F	Motherboard resources	OK
0x0074-0x007F	Motherboard resources	OK
0x0090-0x009F	Motherboard resources	OK
0x00A2-0x00B1	Motherboard resources	OK
0x00B4-0x00BF	Motherboard resources	OK
0x00E0-0x00EF	Motherboard resources	OK
0x0072-0x0073	Motherboard resources	OK
0x04D0-0x04D1	Motherboard resources	OK
0xF100-0xF10F	Motherboard resources	OK
0x0080-0x008F	Direct memory access controller	OK
0x00C0-0x00DF	Direct memory access controller	OK
0x0020-0x0021	Programmable interrupt controller	OK
0x00A0-0x00A1	Programmable interrupt controller	OK
0x0070-0x0071	System CMOS/real time clock	OK
0x0040-0x0043	System timer	OK
0x00F0-0x00FE	Numeric data processor	OK
0x0061-0x0061	System speaker	OK
0x0060-0x0060	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard	OK

0x0064-0x0064 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
OK
0x03F0-0x03F5 Standard floppy disk controller OK
0x03F7-0x03F7 Standard floppy disk controller OK
0x1C00-0x1C0F Standard Dual Channel PCI IDE Controller OK
0x01F0-0x01F7 Primary IDE Channel OK
0x03F6-0x03F6 Primary IDE Channel OK
0x0170-0x0177 Secondary IDE Channel OK
0x0376-0x0376 Secondary IDE Channel OK
0x2000-0x20FF PCI bus OK
0x2000-0x20FF Symbios Ultra3 PCI SCSI Adapter; 53C1010-66 Device OK
0x2400-0x24FF PCI bus OK
0x2400-0x24FF QLogic QLA23xx PCI Fibre Channel Adapter OK

[IRQs]

IRQ Number Device
9 Microsoft ACPI-Compliant System
30 Fujitsu Siemens Computers 82559-based Onboard Ethernet with WoL and AoL
8 System CMOS/real time clock
13 Numeric data processor
1 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
12 PS/2 Compatible Mouse
6 Standard floppy disk controller
15 Secondary IDE Channel
29 Symbios Ultra3 PCI SCSI Adapter; 53C1010-66 Device
26 QLogic QLA23xx PCI Fibre Channel Adapter

[Memory]

Range	Device	Status
0xA0000-0xBFFFF	PCI bus	OK
0xA0000-0xBFFFF	ATI Technologies Inc. RAGE XL PCI	OK
0xC8000-0xDFFFF	PCI bus	OK
0xFB000000-0xFC3FFFFF	PCI bus	OK
0xFB000000-0xFC3FFFFF	ATI Technologies Inc. RAGE XL PCI	OK
0xFC400000-0xFC4FFFFF	PCI bus	OK
0xFED00000-0xFEDFFFFF	PCI bus	OK
0xFEE01000-0xFFBFFFFF	PCI bus	OK
0xFC120000-0xFC120FFF	ATI Technologies Inc. RAGE XL PCI	OK
0xFC121000-0xFC121FFF	Fujitsu Siemens Computers 82559-based Onboard Ethernet with WoL and AoL	OK
0xFC100000-0xFC11FFFF	Fujitsu Siemens Computers 82559-based Onboard Ethernet with WoL and AoL	OK
0xFC500000-0xFC8FFFFF	PCI bus	OK
0xFC500000-0xFC8FFFFF	Symbios Ultra3 PCI SCSI Adapter; 53C1010-66 Device	OK
0xFC502000-0xFC5023FF	Symbios Ultra3 PCI SCSI Adapter; 53C1010-66 Device	OK
0xFC900000-0xFC9FFFFF	PCI bus	OK
0xFC900000-0xFC9FFFFF	QLogic QLA23xx PCI Fibre Channel Adapter	OK

[Components]

[Following are sub-categories of this main category]

[Multimedia]

[Following are sub-categories of this main category]

[Audio Codecs]

Codec	Manufacturer	Description	Status	File Version	Size
c:\winnt\system32\iac25_32.ax	Intel Corporation	Indeo® audio software	OK	2.05.53	195.00 KB (199,680 bytes)
c:\winnt\system32\lhacm.acm	Microsoft Corporation		OK		
C:\WINNT\System32\LHACM.ACM			4.4.3385	33.27 KB (34,064 bytes)	
c:\winnt\system32\msadp32.acm	Microsoft Corporation		OK		
C:\WINNT\System32\MSADP32.ACM			5.00.2134.1	14.77 KB (15,120 bytes)	
c:\winnt\system32\msg723.acm	Microsoft Corporation		OK		
C:\WINNT\System32\MSG723.ACM			4.4.3385	106.77 KB (109,328 bytes)	
c:\winnt\system32\tssoft32.acm	DSP GROUP, INC.		OK		
C:\WINNT\System32\TSSOFT32.ACM			1.01	9.27 KB (9,488 bytes)	
c:\winnt\system32\imaadp32.acm	Microsoft Corporation		OK		
C:\WINNT\System32\IMAADP32.ACM			5.00.2134.1	16.27 KB (16,656 bytes)	
c:\winnt\system32\msg711.acm	Microsoft Corporation		OK		
C:\WINNT\System32\MSG711.ACM			5.00.2134.1	10.27 KB (10,512 bytes)	
c:\winnt\system32\msgsm32.acm	Microsoft Corporation		OK		
C:\WINNT\System32\MSGSM32.ACM			5.00.2134.1	22.27 KB (22,800 bytes)	

[Video Codecs]

Codec	Manufacturer	Description	Status	File Version	Size
c:\winnt\system32\ir50_32.dll	Intel Corporation	Indeo® video 5.10	OK	R.5.10.15.2.55	737.50 KB (755,200 bytes)
c:\winnt\system32\msh261.drv	Microsoft Corporation		OK		
C:\WINNT\System32\MSH261.DRV			4.4.3385	163.77 KB (167,696 bytes)	
c:\winnt\system32\ir32_32.dll	Intel(R) Corporation		OK		
C:\WINNT\System32\IR32_32.DLL		Not Available		194.50 KB (199,168 bytes)	
c:\winnt\system32\msh263.drv	Microsoft Corporation		OK		
C:\WINNT\System32\MSH263.DRV			4.4.3385	252.27 KB (258,320 bytes)	
c:\winnt\system32\msrle32.dll	Microsoft Corporation		OK		
C:\WINNT\System32\MSRLE32.DLL			5.00.2134.1	10.77 KB (11,024 bytes)	

c:\winnt\system32\msvidc32.dll Microsoft Corporation OK
C:\WINNT\System32\MSVIDC32.DLL 5.00.2134.1 27.27 KB (27,920
bytes) 12/7/1999 1:00:00 PM
c:\winnt\system32\iccvid.dll Radius Inc. OK
C:\WINNT\System32\ICCVID.DLL 1.10.0.6 108.00 KB (110,592 bytes)
12/7/1999 1:00:00 PM

[CD-ROM]

Item Value
DriveD:
Description CD-ROM Drive
Media Loaded False
Media Type CD-ROM
Name MITSUMI CD-ROM FX4830T!B
Manufacturer (Standard CD-ROM drives)
Status OK
Transfer Rate Not Available
SCSI Target ID 0
PNP Device ID IDE\CDROMMITSUMI_CD-
ROM_FX4830T!B_____R02N____\5&3858FEE&0&0.0.0

[Sound Device]

Item Value
No sound devices

[Display]

Item Value
Name ATI Technologies Inc. RAGE XL PCI
PNP Device ID
PCI\VEN_1002&DEV_4752&SUBSYS_007A110A&REV_27\3&13C0B0C5&0&20
Adapter Type ATI RAGE XL PCI, ATI Technologies Inc. compatible
Adapter Description ATI Technologies Inc. RAGE XL PCI
Adapter RAM 8.00 MB (8,388,608 bytes)
Installed Drivers atidrab.dll
Driver Version 5.00.2179.1
INF File display.inf (atirage3 section)
Color Planes 1
Color Table Entries 16777216
Resolution 800 x 600 x 85 hertz
Bits/Pixel 24

[Infrared]

Item Value
No infrared devices

[Input]

[Following are sub-categories of this main category]

[Keyboard]

Item Value
Description Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
Name Enhanced (101- or 102-key)
Layout 00000409
PNP Device ID ACPI\PNP0303\5&1413D98F&0
NumberOfFunctionKeys 12

[Pointing Device]

Item Value
Hardware Type PS/2 Compatible Mouse
Number of Buttons 3
Status OK
PNP Device ID ACPI\PNP0F13\5&1413D98F&0
Power Management Supported False
Double Click Threshold 6
Handedness Right Handed Operation

[Modem]

Item Value
No modems

[Network]

[Following are sub-categories of this main category]

[Adapter]

Item Value
Name [00000000] Intel(R) PRO/100+ PCI Adapter
Adapter Type Not Available
Product Name Intel(R) PRO/100+ PCI Adapter
Installed True
PNP Device ID
PCI\VEN_8086&DEV_1229&SUBSYS_00098086&REV_05\3&13C0B0C5&0&48
Last Reset 9/27/2002 1:08:44 PM
Index0
Service Name E100B
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Service Name E100B
Driver c:\winnt\system32\drivers\e100bnt5.sys (139536, 6.01.03.0000)
Name [00000001] RAS Async Adapter

Adapter Type Not Available
Product Name RAS Async Adapter
Installed True
PNP Device ID Not Available
Last Reset 9/27/2002 1:08:44 PM
Index1
Service Name AsyncMac
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Service Name Not Available

Name [00000002] WAN Miniport (L2TP)
Adapter Type Not Available
Product Name WAN Miniport (L2TP)
Installed True
PNP Device ID ROOT\MS_L2TPMINIPORT\0000
Last Reset 9/27/2002 1:08:44 PM
Index2
Service Name Rasl2tp
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Service Name Rasl2tp
Driver c:\winnt\system32\drivers\rasl2tp.sys (50800, 5.00.2179.1)

Name [00000003] WAN Miniport (PPTP)
Adapter Type Wide Area Network (WAN)
Product Name WAN Miniport (PPTP)
Installed True
PNP Device ID ROOT\MS_PPTPMINIPORT\0000
Last Reset 9/27/2002 1:08:44 PM
Index3
Service Name PptpMiniport
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 50:50:54:50:30:30
Service Name PptpMiniport
Driver c:\winnt\system32\drivers\rasppptp.sys (47856, 5.00.2160.1)

Name [00000004] Direct Parallel
Adapter Type Not Available
Product Name Direct Parallel
Installed True
PNP Device ID ROOT\MS_PTMINIPORT\0000
Last Reset 9/27/2002 1:08:44 PM
Index4
Service Name Raspti
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Service Name Raspti
Driver c:\winnt\system32\drivers\raspti.sys (16880, 5.00.2146.1)

Name [00000005] WAN Miniport (IP)
Adapter Type Not Available
Product Name WAN Miniport (IP)
Installed True
PNP Device ID ROOT\MS_NDISWANIP\0000
Last Reset 9/27/2002 1:08:44 PM
Index5
Service Name NdisWan
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Service Name NdisWan
Driver c:\winnt\system32\drivers\ndiswan.sys (90096, 5.00.2195.2779)

Name [00000006] Fujitsu Siemens Computers 82559-based Onboard Ethernet with WoL and AoL
Adapter Type Ethernet 802.3
Product Name Fujitsu Siemens Computers 82559-based Onboard Ethernet with WoL and AoL
Installed True
PNP Device ID PCI\VEN_8086&DEV_1229&SUBSYS_004B110A&REV_09\3&13C0B0C5&0&50
Last Reset 9/27/2002 1:08:44 PM
Index6
Service Name E100B
IP Address 129.103.211.1
IP Subnet 255.255.255.0
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available

DHCP Lease Obtained Not Available
MAC Address 00:30:05:19:79:0F
Service Name E100B
IRQ Number 30
I/O Port 0x1800-0x183F
Driver c:\winnt\system32\drivers\e100bnt5.sys (139536, 6.01.03.0000)

[Protocol]

Item Value
Name MSAFD Tcpip [TCP/IP]
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 16 bytes
MaximumMessageSize 0 bytes
MessageOriented False
MinimumAddressSize 16 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData True
SupportsGracefulClosing True
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD Tcpip [UDP/IP]
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 16 bytes
MaximumMessageSize 65467 bytes
MessageOriented True
MinimumAddressSize 16 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting True

Name RSVP UDP Service Provider
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 16 bytes
MaximumMessageSize 65467 bytes
MessageOriented True
MinimumAddressSize 16 bytes

PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption True
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting True

Name RSVP TCP Service Provider
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 16 bytes
MaximumMessageSize 0 bytes
MessageOriented False
MinimumAddressSize 16 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption True
SupportsExpeditedData True
SupportsGracefulClosing True
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\\Device\NetBT_Tcpip_{75A03E77-80A6-4DFD-A783-6876E710AB9F}] SEQUENCEPACKET 3
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\\Device\NetBT_Tcpip_{75A03E77-80A6-4DFD-A783-6876E710AB9F}] DATAGRAM 3
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True

MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{BAFACDD3-FF58-4244-8343-63E521C918BC}] SEQPACKET 0
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{BAFACDD3-FF58-4244-8343-63E521C918BC}] DATAGRAM 0
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{CA92CE14-2FC2-4FF3-B680-1F7DF9594EAF}] SEQPACKET 1
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes

MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{CA92CE14-2FC2-4FF3-B680-1F7DF9594EAF}] DATAGRAM 1
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{FD73BFE5-0643-4705-9572-5E3D92E4F8AD}] SEQPACKET 2
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{FD73BFE5-0643-4705-9572-5E3D92E4F8AD}] DATAGRAM 2
ConnectionlessService True
GuaranteesDelivery False

GuaranteesSequencing False
 MaximumAddressSize 20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize 20 bytes
 PseudoStreamOriented False
 SupportsBroadcasting True
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

[WinSock]

Item Value
 File c:\winnt\system32\winsock.dll
 Version 3.10
 Size 2.80 KB (2,864 bytes)

File c:\winnt\system32\wsock32.dll
 Version 5.00.2195.2871
 Size 21.27 KB (21,776 bytes)

[Ports]

[Following are sub-categories of this main category]

[Serial]

Item Value
 No serial port information

[Parallel]

Item Value
 No parallel port information

[Storage]

[Following are sub-categories of this main category]

[Drives]

Item Value
 DriveA:
 Description 3 1/2 Inch Floppy Drive

DriveC:
 Description Local Fixed Disk
 Compressed False

File System NTFS
 Size 17.01 GB (18,268,311,552 bytes)
 Free Space 13.96 GB (14,986,842,112 bytes)
 Volume Name
 Volume Serial Number 080A3D50
 Partition Disk #0, Partition #0
 Partition Size 17.01 GB (18,268,314,624 bytes)
 Starting Offset 32256 bytes
 Drive Description Disk drive
 Drive Manufacturer (Standard disk drives)
 Drive Model FUJITSU MAG3182LC SCSI Disk Device
 Drive BytesPerSector 512
 Drive MediaLoaded True
 Drive MediaType Fixed hard disk media
 Drive Partitions 1
 Drive SCSIBus 0
 Drive SCSILogicalUnit 0
 Drive SCSIPort 2
 Drive SCSTargetId 0
 Drive SectorsPerTrack 63
 Drive Size 18268346880 bytes
 Drive TotalCylinders 2221
 Drive TotalSectors 35680365
 Drive TotalTracks 566355
 Drive TracksPerCylinder 255

[SCSI]

Item Value
 Name Symbios Ultra3 PCI SCSI Adapter; 53C1010-66 Device
 Caption Symbios Ultra3 PCI SCSI Adapter; 53C1010-66 Device
 Driver Sym_u3
 Status OK
 PNP Device ID
 PCI\VEN_1000&DEV_0021&SUBSYS_6030110A&REV_01\3&1070020&0&50
 Device ID PCI\VEN_1000&DEV_0021&SUBSYS_6030110A&REV_01\3&1070020&0&50
 Device Map Not Available
 Index Not Available
 Max Number Controlled Not Available
 IRQ Number 29
 I/O Port 0x2000-0x20FF
 Driver c:\winnt\system32\drivers\sym_u3.sys (37920, SYM_U3NT-5.08.00)

Name QLogic QLA23xx PCI Fibre Channel Adapter
 Caption QLogic QLA23xx PCI Fibre Channel Adapter
 Driver ql2300
 Status OK
 PNP Device ID
 PCI\VEN_1077&DEV_2312&SUBSYS_010C1077&REV_02\3&29E81982&0&48
 Device ID PCI\VEN_1077&DEV_2312&SUBSYS_010C1077&REV_02\3&29E81982&0&48
 Device Map Not Available
 Index Not Available
 Max Number Controlled Not Available
 IRQ Number 26

I/O Port 0x2400-0x24FF
Driver c:\winnt\system32\drivers\ql2300.sys (432012, 8.1.5.50 Beta 5 (W2K VI))

Name QLogic VI Kernel Agent driver
Caption QLogic VI Kernel Agent driver
Driver qlvika
Status OK
PNP Device ID ROOT\SCSIADAPTER\0000
Device ID ROOT\SCSIADAPTER\0000
Device Map Not Available
Index Not Available
Max Number Controlled Not Available
Driver c:\winnt\system32\drivers\qlvika.sys (48764, 1.00.11 (W2K))

[Printing]

Name Port Name Server Name
No printing information

[Problem Devices]

Device	PNP Device ID	Error Code
Intel(R) PRO/100+ PCI Adapter	PCI\VEN_8086&DEV_1229&SUBSYS_00098086&REV_05\3&13C0B0C5&0&48	22

[USB]

Device PNP Device ID
No USB Devices

[System Summary]

Item Value
OS Name Microsoft Windows 2000 Server
Version 5.0.2195 Service Pack 2 Build 2195
OS Manufacturer Microsoft Corporation
System Name C200CL1
System Manufacturer FUJITSU SIEMENS
System Model D1306
System Type X86-based PC
Processor x86 Family 6 Model 11 Stepping 1 GenuineIntel ~1393 Mhz
Processor x86 Family 6 Model 11 Stepping 1 GenuineIntel ~1393 Mhz
BIOS Version PhoenixBIOS Version 4.06 Rev. 1.03.1306
Windows Directory C:\WINNT
System Directory C:\WINNT\System32
Boot Device \Device\Harddisk0\Partition1
Locale United States
User Name C200CL1\Administrator
Time Zone W. Europe Daylight Time
Total Physical Memory 785,892 KB
Available Physical Memory 690,484 KB
Total Virtual Memory 2,051,752 KB
Available Virtual Memory 1,896,156 KB

Page File Space 1,265,860 KB
Page File C:\pagefile.sys

[Environment Variables]

Variable	Value	User Name
ComSpec	%SystemRoot%\system32\cmd.exe	<SYSTEM>
Os2LibPath	%SystemRoot%\system32\os2\dll;	<SYSTEM>
Path	%SystemRoot%\system32;%SystemRoot%;%SystemRoot%\System32\Wbem;C:\Program Files\Microsoft SQL Server\80\Tools\BINN	<SYSTEM>
windir	%SystemRoot%	<SYSTEM>
OS	Windows_NT	<SYSTEM>
PROCESSOR_ARCHITECTURE	x86	<SYSTEM>
PROCESSOR_LEVEL	6	<SYSTEM>
PROCESSOR_IDENTIFIER	x86 Family 6 Model 11 Stepping 1, GenuineIntel	<SYSTEM>
PROCESSOR_REVISION	0b01	<SYSTEM>
NUMBER_OF_PROCESSORS	2	<SYSTEM>
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH	<SYSTEM>
TEMP	%SystemRoot%\TEMP	<SYSTEM>
TMP	%SystemRoot%\TEMP	<SYSTEM>
TEMP	%USERPROFILE%\Local Settings\Temp	C200CL1\Administrator
TMP	%USERPROFILE%\Local Settings\Temp	C200CL1\Administrator

[Services]

Display Name	Name	State	Start	Mode	Service Type	Path	Error	Control
Alerter	Alerter	Running	Auto	Share	Process	c:\winnt\system32\services.exe	0	
Application Management	AppMgmt	Stopped	Manual	Share	Process	c:\winnt\system32\services.exe	0	
Computer Browser	Browser	Stopped	Disabled	Share	Process	c:\winnt\system32\services.exe	0	
Indexing Service	cisvc	Stopped	Manual	Share	Process	c:\winnt\system32\cisvc.exe	0	
ClipBook	ClipSrv	Stopped	Manual	Own	Process	c:\winnt\system32\clipsrv.exe	0	
Distributed File System	Dfs	Stopped	Manual	Own	Process	c:\winnt\system32\dfssvc.exe	0	
DHCP Client	Dhcp	Stopped	Disabled	Share	Process	c:\winnt\system32\services.exe	0	
Logical Disk Manager	Administrative Service	Stopped	Manual	Share	Process	c:\winnt\system32\dmadmin.exe	0	
Logical Disk Manager	dmserver	Stopped	Manual	Share	Process	c:\winnt\system32\services.exe	0	
DNS Client	Dnscache	Stopped	Manual	Share	Process	c:\winnt\system32\services.exe	0	
Event Log	Eventlog	Running	Auto	Share	Process	c:\winnt\system32\services.exe	0	

```

COM+ Event System      EventSystem      Running      Auto Share Process
      c:\winnt\system32\svchost.exe -k netsvcs Normal      LocalSystem
      0
Fax Service           Fax              Stopped     Disabled    Own Process
      c:\winnt\system32\faxsvc.exe Normal      LocalSystem 0
IIS Admin Service     IISADMIN        Running     Auto Share Process
      c:\winnt\system32\inetresrv\inetinfo.exe Normal      LocalSystem
      0
Intersite Messaging  IsmServ         Stopped     Disabled    Own Process
      c:\winnt\system32\ismserv.exe Normal      LocalSystem 0
Kerberos Key Distribution Center kdc Stopped     Disabled    Share
Process c:\winnt\system32\lsass.exe Normal      LocalSystem 0
Server               lanmanserver    Running     Auto Share Process
      c:\winnt\system32\services.exe Normal      LocalSystem 0
Workstation          lanmanworkstation Running     Auto Share Process
      c:\winnt\system32\services.exe Normal      LocalSystem 0
License Logging Service LicenseService Stopped     Manual      Own
Process c:\winnt\system32\llssrv.exe Normal      LocalSystem 0
TCP/IP NetBIOS Helper Service LmHosts        Running     Auto Share Process
      c:\winnt\system32\services.exe Normal      LocalSystem 0
Messenger Messenger       Running     Auto Share Process
      c:\winnt\system32\services.exe Normal      LocalSystem 0
NetMeeting Remote Desktop Sharing mnmsrvc Stopped     Disabled    Own
Process c:\winnt\system32\mnmsrvc.exe Normal      LocalSystem 0
Distributed Transaction Coordinator MSDTC Stopped     Manual      Own
Process c:\winnt\system32\msdtc.exe Normal      LocalSystem 0
Windows Installer    MSIServer       Stopped     Manual      Share Process
      c:\winnt\system32\msiexec.exe /v Normal      LocalSystem 0
Network DDE          NetDDE          Stopped     Manual      Share Process
      c:\winnt\system32\netdde.exe Normal      LocalSystem 0
Network DDE DSDM     NetDDEdsdm     Stopped     Manual      Share Process
      c:\winnt\system32\netdde.exe Normal      LocalSystem 0
Net Logon Netlogon       Stopped     Manual      Share Process
      c:\winnt\system32\lsass.exe Normal      LocalSystem 0
Network Connections Netman          Running     Manual      Share Process
      c:\winnt\system32\svchost.exe -k netsvcs Normal      LocalSystem
      0
Intel(R) NMS         NMSSvc          Running     Manual      Own Process
      c:\winnt\system32\nmssvc.exe Normal      LocalSystem 0
File Replication     NtFrs          Stopped     Manual      Own Process
      c:\winnt\system32\ntfrs.exe Ignore      LocalSystem 0
NT LM Security Support Provider NtLmSsp        Stopped     Manual      Share
Process c:\winnt\system32\lsass.exe Normal      LocalSystem 0
Removable Storage    NtmsSvc         Stopped     Disabled    Share Process
      c:\winnt\system32\svchost.exe -k netsvcs Normal      LocalSystem
      0
Plug and Play        PlugPlay        Running     Auto Share Process
      c:\winnt\system32\services.exe Normal      LocalSystem 0
IPSEC Policy Agent   PolicyAgent     Stopped     Manual      Share Process
      c:\winnt\system32\lsass.exe Normal      LocalSystem 0
Protected Storage    ProtectedStorage Running     Auto Share Process
      c:\winnt\system32\services.exe Normal      LocalSystem 0
Remote Access Auto Connection Manager RasAuto        Stopped     Manual
Share Process c:\winnt\system32\svchost.exe -k netsvcs Normal
LocalSystem 0

```

```

Remote Access Connection Manager RasMan        Stopped     Manual      Share
Process c:\winnt\system32\svchost.exe -k netsvcs Normal
LocalSystem 0
Routing and Remote Access RemoteAccess    Stopped     Disabled    Share
Process c:\winnt\system32\svchost.exe -k netsvcs Normal
LocalSystem 0
Remote Registry Service RemoteRegistry Stopped     Manual      Own
Process c:\winnt\system32\regsvc.exe Normal      LocalSystem 0
Remote Command Service RMSYS Stopped     Disabled    Own Process
      c:\benchrcrf_422\rsys.exe Normal      LocalSystem 0
Remote Procedure Call (RPC) Locator RpcLocator Stopped     Manual      Own
Process c:\winnt\system32\locator.exe Normal      LocalSystem 0
Remote Procedure Call (RPC) RpcSs Running     Auto Share Process
      c:\winnt\system32\svchost -k rpcss Normal      LocalSystem 0
QoS RSVP            RSVP            Running     Manual      Own Process
      c:\winnt\system32\rsvp.exe -s Normal      LocalSystem 0
Security Accounts Manager SamSs Stopped     Manual      Share Process
      c:\winnt\system32\lsass.exe Normal      LocalSystem 0
Smart Card Helper    SCardDrv       Stopped     Manual      Share Process
      c:\winnt\system32\scardsvr.exe Ignore      LocalSystem 0
Smart Card SCardSvr Stopped     Manual      Share Process
      c:\winnt\system32\scardsvr.exe Ignore      LocalSystem 0
Task Scheduler Schedule Stopped     Manual      Share Process
      c:\winnt\system32\mstask.exe Normal      LocalSystem 0
RunAs Service        seclogon       Stopped     Manual      Share Process
      c:\winnt\system32\services.exe Ignore      LocalSystem 0
System Event Notification SENS Running     Auto Share Process
      c:\winnt\system32\svchost.exe -k netsvcs Normal      LocalSystem
      0
Internet Connection Sharing SharedAccess    Stopped     Manual      Share
Process c:\winnt\system32\svchost.exe -k netsvcs Normal
LocalSystem 0
Simple Mail Transport Protocol (SMTP) SMTPSVC        Stopped     Manual
Share Process c:\winnt\system32\inetresrv\inetinfo.exe Normal
LocalSystem 0
Print Spooler        Spooler        Stopped     Manual      Own Process
      c:\winnt\system32\spoolsv.exe Normal      LocalSystem 0
Performance Logs and Alerts SysmonLog       Stopped     Manual      Own
Process c:\winnt\system32\smlogsvc.exe Normal      LocalSystem 0
Telephony Tapisrv       Running     Manual      Share Process
      c:\winnt\system32\svchost.exe -k tapisrv Normal      LocalSystem
      0
Terminal Services    TermService    Stopped     Disabled    Own Process
      c:\winnt\system32\termsrv.exe Normal      LocalSystem 0
Telnet              TlntSvr        Stopped     Disabled    Own Process
      c:\winnt\system32\tlntsvr.exe Normal      LocalSystem 0
Distributed Link Tracking Server TrkSvr         Stopped     Manual      Share
Process c:\winnt\system32\services.exe Normal      LocalSystem 0
Distributed Link Tracking Client TrkWks         Stopped     Manual      Share
Process c:\winnt\system32\services.exe Normal      LocalSystem 0
Uninterruptible Power Supply UPS            Stopped     Manual      Own Process
      c:\winnt\system32\ups.exe Normal      LocalSystem 0
Utility Manager UtilMan Stopped     Manual      Own Process
      c:\winnt\system32\utilman.exe Normal      LocalSystem 0

```

```

Windows Time      W32Time      Stopped      Manual      Share Process
c:\winnt\system32\services.exe Normal LocalSystem 0
World Wide Web Publishing Service W3SVCRunning Auto Share Process
c:\winnt\system32\inet_srv\inetinfo.exe Normal LocalSystem
0
Windows Management Instrumentation WinMgmt Running Auto Own
Process c:\winnt\system32\wbem\winmgmt.exe Ignore LocalSystem
0
Windows Management Instrumentation Driver Extensions Wmi Running
Manual Share Process c:\winnt\system32\services.exe Normal
LocalSystem 0

```

```

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0006
Class Name: <NO CLASS>
Last Write Time: 9/19/2002 - 2:29 PM

```

```

Value 0
Name: Adaptive_IFS
Type: REG_SZ
Data: 1

```

```

Value 1
Name: AdaptiveCarrierLoss
Type: REG_SZ
Data: 1

```

```

Value 2
Name: AdaptiveStalledInterrupts
Type: REG_SZ
Data: 1

```

```

Value 3
Name: AdaptiveTransmitMethod
Type: REG_SZ
Data: 1

```

```

Value 4
Name: AlwaysConnectGoal
Type: REG_SZ
Data: 0

```

```

Value 5
Name: ANSAPI
Type: REG_DWORD
Data: 0x2

```

```

Value 6
Name: AutoPowerSaveModeEnabled
Type: REG_SZ
Data: 1

```

```

Value 7
Name: BusNumber
Type: REG_SZ
Data: 0

```

```

Value 8
Name: BusType
Type: REG_SZ
Data: 5

```

```

Value 9
Name: Characteristics
Type: REG_DWORD
Data: 0x84

```

```

Value 10
Name: Coalesce
Type: REG_SZ
Data: 1

```

```

Value 11
Name: CoInstallFlag
Type: REG_DWORD
Data: 0x80000004

```

```

Value 12
Name: ComponentId
Type: REG_SZ
Data: pci\ven_8086&dev_1229&subsys_004b110a

```

```

Value 13
Name: ConfigIFS
Type: REG_SZ
Data: 6

```

```

Value 14
Name: CPUSaver
Type: REG_SZ
Data: 1536

```

```

Value 15
Name: DeviceVxDsPrefix
Type: REG_SZ
Data: e100b

```

```

Value 16
Name: DriverDate
Type: REG_SZ
Data: 2-25-2002

```

```

Value 17
Name: DriverDateData
Type: REG_BINARY
Data: 00000000 00 c0 1c 5e 8f bd c1 01 - .À.^.¼Á.

```

```

Value 18
Name: DriverDesc
Type: REG_SZ

```


Data: Fujitsu Siemens Computers 82559-based Onboard Ethernet
with WoL and AoL

Value 19
Name: DriverVersion
Type: REG_SZ
Data: 6.1.3.0

Value 20
Name: EnablePME
Type: REG_SZ
Data: 2

Value 21
Name: EnablePowerDownOnLinkLoss
Type: REG_SZ
Data: 0

Value 22
Name: FlowControl
Type: REG_SZ
Data: 0

Value 23
Name: Force10MbOnD3
Type: REG_SZ
Data: 0

Value 24
Name: HardwareAddress
Type: REG_SZ
Data: 00300519790F

Value 25
Name: HPQPriorityLevel
Type: REG_SZ
Data: 4

Value 26
Name: InfPath
Type: REG_SZ
Data: oem0.inf

Value 27
Name: InfSection
Type: REG_SZ
Data: D101SG.ndi

Value 28
Name: InfSectionExt
Type: REG_SZ
Data: .NTx86

Value 29
Name: IPSecTunnelMode

Type: REG_SZ
Data: 1

Value 30
Name: LinkBasedLogin
Type: REG_SZ
Data: 0

Value 31
Name: LogErrorMessage
Type: REG_SZ
Data: 1

Value 32
Name: LogLinkStateEvent
Type: REG_SZ
Data: 1

Value 33
Name: MatchingDeviceId
Type: REG_SZ
Data: pci\ven_8086&dev_1229&subsys_004b110a

Value 34
Name: MaxNumSecAssoc
Type: REG_SZ
Data: 64

Value 35
Name: MWIEnable
Type: REG_SZ
Data: 1

Value 36
Name: NetCfgInstanceId
Type: REG_SZ
Data: {75A03E77-80A6-4DFD-A783-6876E710AB9F}

Value 37
Name: NumCoalesce
Type: REG_SZ
Data: 32

Value 38
Name: NumRfd
Type: REG_SZ
Data: 64

Value 39
Name: NumTcb
Type: REG_SZ
Data: 32

Value 40
Name: Pcnic

Type: REG_SZ
Data: 1

Value 41
Name: PnPCapabilities
Type: REG_DWORD
Data: 0x38

Value 42
Name: ProviderName
Type: REG_SZ
Data: Intel

Value 43
Name: SlotNumber
Type: REG_SZ
Data: 10

Value 44
Name: SpeedDuplex
Type: REG_SZ
Data: 4

Value 45
Name: TaggingMode
Type: REG_SZ
Data: 0

Value 46
Name: TaskOffload
Type: REG_SZ
Data: 0

Value 47
Name: Threshold
Type: REG_SZ
Data: 32

Value 48
Name: UcodeSW
Type: REG_SZ
Data: 1

Value 49
Name: WakeOn
Type: REG_SZ
Data: 0

Key Name: SOFTWARE\Microsoft\MSSQLServer
Class Name: <NO CLASS>
Last Write Time: 2/13/2001 - 10:00 AM

Key Name: SOFTWARE\Microsoft\MSSQLServer\Client
Class Name: <NO CLASS>
Last Write Time: 3/12/2001 - 3:20 PM

Value 0
Name: SharedMemoryOn
Type: REG_DWORD
Data: 0

Key Name: SOFTWARE\Microsoft\MSSQLServer\Client\ConnectTo
Class Name: <NO CLASS>
Last Write Time: 8/16/2002 - 8:44 AM

Key Name: SOFTWARE\Microsoft\MSSQLServer\Client\DB-Lib
Class Name: <NO CLASS>
Last Write Time: 5/17/2001 - 9:31 AM

Value 0
Name: AutoAnsiToOem
Type: REG_SZ
Data: OFF

Value 1
Name: UseIntlSettings
Type: REG_SZ
Data: ON

Key Name: SOFTWARE\Microsoft\MSSQLServer\Client\SuperSocketNetLib
Class Name: <NO CLASS>
Last Write Time: 8/28/2002 - 2:52 PM

Value 0
Name: Encrypt
Type: REG_DWORD
Data: 0

Value 1
Name: ProtocolOrder
Type: REG_MULTI_SZ
Data: via
np
tcp

Key Name: SOFTWARE\Microsoft\MSSQLServer\Client\SuperSocketNetLib>LastConnect
Class Name: <NO CLASS>
Last Write Time: 9/27/2002 - 10:39 AM

Value 0
Name: mogul
Type: REG_SZ
Data: -1006501880:via:mogul

Key Name: SOFTWARE\Microsoft\MSSQLServer\Client\SuperSocketNetLib\Np
Class Name: <NO CLASS>

Last Write Time: 2/13/2001 - 10:02 AM

Value 0
Name: DefaultPipe
Type: REG_SZ
Data: sql\query

Key Name:
SOFTWARE\Microsoft\MSSQLServer\Client\SuperSocketNetLib\Tcp

Class Name: <NO CLASS>
Last Write Time: 2/13/2001 - 10:02 AM

Value 0
Name: DefaultPort
Type: REG_DWORD
Data: 0x599

Key Name:
SOFTWARE\Microsoft\MSSQLServer\Client\SuperSocketNetLib\VIA

Class Name: <NO CLASS>
Last Write Time: 8/15/2002 - 3:38 PM

Value 0
Name: DefaultClientNIC
Type: REG_SZ
Data: 0

Value 1
Name: DefaultServerPort
Type: REG_SZ
Data: 0:1433

Value 2
Name: RecognizedVendors
Type: REG_SZ
Data: Giganet, ServerNet II

Value 3
Name: Vendor
Type: REG_SZ
Data: Giganet

Key Name:
SOFTWARE\Microsoft\MSSQLServer\Client\TDS

Class Name: <NO CLASS>
Last Write Time: 8/16/2002 - 10:00 AM

Value 0
Name: h250
Type: REG_SZ
Data: 7.0

Value 1
Name: h400
Type: REG_SZ
Data: 7.0

Value 2
Name: mogul
Type: REG_SZ
Data: 7.0

Value 3
Name: r450
Type: REG_SZ
Data: 7.0

Value 4
Name: via:mogul,1433,0
Type: REG_SZ
Data: 7.0

Key Name:
SYSTEM\CurrentControlSet\Services\InetInfo

Class Name: <NO CLASS>
Last Write Time: 2/12/2001 - 4:45 PM

Key Name:
SYSTEM\CurrentControlSet\Services\InetInfo\Parameters

Class Name: <NO CLASS>
Last Write Time: 9/19/2002 - 2:19 PM

Value 0
Name: DispatchEntries
Type: REG_MULTI_SZ
Data: LDAPSVCLDAPSVCSMTPSVCListenBackLog

Value 1
Name: ListenBackLog
Type: REG_DWORD
Data: 0x4650

Value 2
Name: PoolThreadLimit
Type: REG_DWORD
Data: 0x230

Value 3
Name: ThreadTimeout
Type: REG_DWORD
Data: 0x15180

Key Name:
SYSTEM\CurrentControlSet\Services\InetInfo\Performance

Class Name: <NO CLASS>
Last Write Time: 9/27/2002 - 11:09 AM

Value 0
Name: Close
Type: REG_SZ
Data: CloseINFOPerformanceData

Value 1
Name: Collect

```

Type:          REG_SZ
Data:          CollectINFOPerformanceData

Value 2
Name:          First Counter
Type:          REG_DWORD
Data:          0x802

Value 3
Name:          First Help
Type:          REG_DWORD
Data:          0x803

Value 4
Name:          Last Counter
Type:          REG_DWORD
Data:          0x842

Value 5
Name:          Last Help
Type:          REG_DWORD
Data:          0x843

Value 6
Name:          Library
Type:          REG_SZ
Data:          infoctrs.dll

Value 7
Name:          Library Validation Code
Type:          REG_BINARY
Data:          00000000 7e 16 f0 b4 0a 95 c0 01 - 10 25 00 00 00 00 00 00
~.ð´..Ä..%.....

Value 8
Name:          Open
Type:          REG_SZ
Data:          OpenINFOPerformanceData

Value 9
Name:          WbemAdapFileSize
Type:          REG_DWORD
Data:          0x2510

Value 10
Name:          WbemAdapFileTime
Type:          REG_BINARY
Data:          00000000 00 9b 1a af 81 d4 c0 01 - ...´.ÔÄ.

Value 11
Name:          WbemAdapStatus
Type:          REG_DWORD
Data:          0

```

```

Key Name:      SYSTEM\CurrentControlSet\Services\Tcpip
Class Name:    Class
Last Write Time: 2/12/2001 - 5:40 PM
Value 0
Name:          Description
Type:          REG_SZ
Data:          TCP/IP Protocol Driver

Value 1
Name:          DisplayName
Type:          REG_SZ
Data:          TCP/IP Protocol Driver

Value 2
Name:          ErrorControl
Type:          REG_DWORD
Data:          0x1

Value 3
Name:          Group
Type:          REG_SZ
Data:          PNP_TDI

Value 4
Name:          ImagePath
Type:          REG_EXPAND_SZ
Data:          System32\DRIVERS\tcpip.sys

Value 5
Name:          Start
Type:          REG_DWORD
Data:          0x1

Value 6
Name:          Tag
Type:          REG_DWORD
Data:          0x4

Value 7
Name:          Type
Type:          REG_DWORD
Data:          0x1

Key Name:      SYSTEM\CurrentControlSet\Services\Tcpip\Enum
Class Name:    <NO CLASS>
Last Write Time: 9/27/2002 - 11:08 AM
Value 0
Name:          0
Type:          REG_SZ
Data:          Root\LEGACY_TCPIP\0000

Value 1

```

Name: Count
Type: REG_DWORD
Data: 0x1

Value 2
Name: NextInstance
Type: REG_DWORD
Data: 0x1

Key Name: SYSTEM\CurrentControlSet\Services\Tcpip\Linkage
Class Name: <NO CLASS>
Last Write Time: 6/26/2002 - 10:24 AM

Value 0
Name: Bind
Type: REG_MULTI_SZ
Data: \Device\{75A03E77-80A6-4DFD-A783-6876E710AB9F}
\Device\{BAFACDD3-FF58-4244-8343-63E521C918BC}
\Device\NdisWanIp

Value 1
Name: Export
Type: REG_MULTI_SZ
Data: \Device\Tcpip_{75A03E77-80A6-4DFD-A783-6876E710AB9F}
\Device\Tcpip_{BAFACDD3-FF58-4244-8343-63E521C918BC}
\Device\Tcpip_{CA92CE14-2FC2-4FF3-B680-1F7DF9594EAF}
\Device\Tcpip_{FD73BFE5-0643-4705-9572-5E3D92E4F8AD}

Value 2
Name: Route
Type: REG_MULTI_SZ
Data: "{75A03E77-80A6-4DFD-A783-6876E710AB9F}"
"{BAFACDD3-FF58-4244-8343-63E521C918BC}"
"NdisWanIp"

Key Name: SYSTEM\CurrentControlSet\Services\Tcpip\Parameters
Class Name: Class
Last Write Time: 7/4/2002 - 11:10 AM

Value 0
Name: AllowUnqualifiedQuery
Type: REG_DWORD
Data: 0

Value 1
Name: DataBasePath
Type: REG_EXPAND_SZ
Data: %SystemRoot%\System32\drivers\etc

Value 2
Name: DeadGWDetectDefault
Type: REG_DWORD

Data: 0x1

Value 3
Name: Domain
Type: REG_SZ
Data:

Value 4
Name: DontAddDefaultGatewayDefault
Type: REG_DWORD
Data: 0

Value 5
Name: EnableICMPRedirect
Type: REG_DWORD
Data: 0x1

Value 6
Name: EnableSecurityFilters
Type: REG_DWORD
Data: 0

Value 7
Name: ForwardBroadcasts
Type: REG_DWORD
Data: 0

Value 8
Name: Hostname
Type: REG_SZ
Data: C200CL1

Value 9
Name: IPEnableRouter
Type: REG_DWORD
Data: 0

Value 10
Name: MaxUserPort
Type: REG_DWORD
Data: 0xffff

Value 11
Name: NameServer
Type: REG_SZ
Data:

Value 12
Name: NV Hostname
Type: REG_SZ
Data: C200CL1

Value 13
Name: PrioritizeRecordData
Type: REG_DWORD

Data: 0x1

Value 14
 Name: SearchList
 Type: REG_SZ
 Data:

Value 15
 Name: UseDomainNameDevolution
 Type: REG_DWORD
 Data: 0

Key Name:
 SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Adapters
 Class Name: <NO CLASS>
 Last Write Time: 2/12/2001 - 5:40 PM

Key Name:
 SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Adapters\NdisWanIp
 Class Name: <NO CLASS>
 Last Write Time: 2/12/2001 - 5:41 PM

Value 0
 Name: IpConfig
 Type: REG_MULTI_SZ
 Data: Tcpip\Parameters\Interfaces\{CA92CE14-2FC2-4FF3-B680-1F7DF9594EAF}
 Tcpip\Parameters\Interfaces\{FD73BFE5-0643-4705-9572-5E3D92E4F8AD}

Value 1
 Name: IpInterfaces
 Type: REG_BINARY
 Data:
 00000000 14 ce 92 ca c2 2f f3 4f - b6 80 1f 7d f9 59 4e af
 .î.ÊÂ/ôO¶..}ùYN⁻
 00000010 e5 bf 73 fd 43 06 05 47 - 95 72 5e 3d 92 e4 f8 ad
 â¿sÝC..G.r^=.äø-

Value 2
 Name: LLInterface
 Type: REG_SZ
 Data: WANARP

Value 3
 Name: NumInterfaces
 Type: REG_DWORD
 Data: 0x2

Key Name:
 SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Adapters\{75A03E77-80A6-4DFD-A783-6876E710AB9F}
 Class Name: <NO CLASS>

Last Write Time: 6/26/2002 - 10:24 AM
 Value 0
 Name: IpConfig
 Type: REG_MULTI_SZ
 Data: Tcpip\Parameters\Interfaces\{75A03E77-80A6-4DFD-A783-6876E710AB9F}

Value 1
 Name: LLInterface
 Type: REG_SZ
 Data:

Key Name:
 SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Adapters\{BAFACDD3-FF58-4244-8343-63E521C918BC}
 Class Name: <NO CLASS>
 Last Write Time: 6/26/2002 - 10:20 AM

Value 0
 Name: IpConfig
 Type: REG_MULTI_SZ
 Data: Tcpip\Parameters\Interfaces\{BAFACDD3-FF58-4244-8343-63E521C918BC}

Value 1
 Name: LLInterface
 Type: REG_SZ
 Data:

Key Name:
 SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\DNSRegisteredAdapters
 Class Name: DynDnsRootClass
 Last Write Time: 2/12/2001 - 5:40 PM

Key Name:
 SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Interfaces
 Class Name: <NO CLASS>
 Last Write Time: 2/12/2001 - 5:40 PM

Key Name:
 SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Interfaces\{75A03E77-80A6-4DFD-A783-6876E710AB9F}
 Class Name: <NO CLASS>
 Last Write Time: 9/19/2002 - 4:00 PM

Value 0
 Name: DefaultGateway
 Type: REG_MULTI_SZ
 Data:

Value 1
 Name: DefaultGatewayMetric
 Type: REG_MULTI_SZ

Data:

Value 2
 Name: DisableDynamicUpdate
 Type: REG_DWORD
 Data: 0x1

Value 3
 Name: Domain
 Type: REG_SZ
 Data:

Value 4
 Name: EnableAdapterDomainNameRegistration
 Type: REG_DWORD
 Data: 0

Value 5
 Name: EnableDeadGWDetect
 Type: REG_DWORD
 Data: 0x1

Value 6
 Name: EnabledHCP
 Type: REG_DWORD
 Data: 0

Value 7
 Name: InterfaceMetric
 Type: REG_DWORD
 Data: 0x1

Value 8
 Name: IPAddress
 Type: REG_MULTI_SZ
 Data: 129.103.211.1

Value 9
 Name: NameServer
 Type: REG_SZ
 Data:

Value 10
 Name: NTEContextList
 Type: REG_MULTI_SZ
 Data: 0x00000002

Value 11
 Name: RawIPAllowedProtocols
 Type: REG_MULTI_SZ
 Data: 0

Value 12
 Name: SubnetMask
 Type: REG_MULTI_SZ
 Data: 255.255.255.0

Value 13
 Name: TCPAllowedPorts
 Type: REG_MULTI_SZ
 Data: 0

Value 14
 Name: UDPAllowedPorts
 Type: REG_MULTI_SZ
 Data: 0

Value 15
 Name: UseZeroBroadcast
 Type: REG_DWORD
 Data: 0

Key Name:
 SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Interfaces\{BAFACDD3-
 FF58-4244-8343-63E521C918BC}
 Class Name: <NO CLASS>
 Last Write Time: 8/30/2002 - 1:09 PM

Value 0
 Name: DefaultGateway
 Type: REG_MULTI_SZ
 Data:

Value 1
 Name: DefaultGatewayMetric
 Type: REG_MULTI_SZ
 Data:

Value 2
 Name: DisableDynamicUpdate
 Type: REG_DWORD
 Data: 0x1

Value 3
 Name: Domain
 Type: REG_SZ
 Data:

Value 4
 Name: EnableAdapterDomainNameRegistration
 Type: REG_DWORD
 Data: 0

Value 5

Name: EnableDeadGWDetect
Type: REG_DWORD
Data: 0x1

Value 6
Name: EnabledDHCP
Type: REG_DWORD
Data: 0

Value 7
Name: InterfaceMetric
Type: REG_DWORD
Data: 0x1

Value 8
Name: IPAddress
Type: REG_MULTI_SZ
Data: 129.103.182.211

Value 9
Name: NameServer
Type: REG_SZ
Data:

Value 10
Name: NTEContextList
Type: REG_MULTI_SZ
Data:

Value 11
Name: RawIPAllowedProtocols
Type: REG_MULTI_SZ
Data: 0

Value 12
Name: SubnetMask
Type: REG_MULTI_SZ
Data: 255.255.255.0

Value 13
Name: TCPAllowedPorts
Type: REG_MULTI_SZ
Data: 0

Value 14
Name: UDPAllowedPorts
Type: REG_MULTI_SZ
Data: 0

Value 15

Name: UseZeroBroadcast
Type: REG_DWORD
Data: 0

Key Name:
SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Interfaces\{CA92CE14-2FC2-4FF3-B680-1F7DF9594EAF}
Class Name: <NO CLASS>
Last Write Time: 2/12/2001 - 5:41 PM
Value 0
Name: DefaultGateway
Type: REG_MULTI_SZ
Data:

Value 1
Name: DontAddDefaultGateway
Type: REG_DWORD
Data: 0

Value 2
Name: EnableDeadGWDetect
Type: REG_DWORD
Data: 0x1

Value 3
Name: EnabledDHCP
Type: REG_DWORD
Data: 0

Value 4
Name: IPAddress
Type: REG_MULTI_SZ
Data: 0.0.0.0

Value 5
Name: SubnetMask
Type: REG_MULTI_SZ
Data: 0.0.0.0

Value 6
Name: UseZeroBroadcast
Type: REG_DWORD
Data: 0

Key Name:
SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Interfaces\{FD73BFE5-0643-4705-9572-5E3D92E4F8AD}
Class Name: <NO CLASS>
Last Write Time: 2/12/2001 - 5:41 PM
Value 0
Name: DefaultGateway


```

Type:          REG_MULTI_SZ
Data:
Value 1
Name:          DontAddDefaultGateway
Type:          REG_DWORD
Data:          0
Value 2
Name:          EnableDeadGWDetect
Type:          REG_DWORD
Data:          0x1
Value 3
Name:          EnableDHCP
Type:          REG_DWORD
Data:          0
Value 4
Name:          IPAddress
Type:          REG_MULTI_SZ
Data:          0.0.0.0
Value 5
Name:          SubnetMask
Type:          REG_MULTI_SZ
Data:          0.0.0.0
Value 6
Name:          UseZeroBroadcast
Type:          REG_DWORD
Data:          0
Key Name:      SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\PersistentRoutes
Class Name:    <NO CLASS>
Last Write Time: 2/12/2001 - 5:40 PM
Key Name:      SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Winsock
Class Name:    <NO CLASS>
Last Write Time: 2/12/2001 - 5:40 PM
Value 0
Name:          HelperDllName
Type:          REG_EXPAND_SZ
Data:          %SystemRoot%\System32\wshtcpip.dll
Value 1
Name:          Mapping
Type:          REG_BINARY
Data:

```

```

00000000  0b 00 00 00 03 00 00 00 - 02 00 00 00 01 00 00 00
.....
00000010  06 00 00 00 02 00 00 00 - 01 00 00 00 00 00 00 00
.....
00000020  02 00 00 00 00 00 00 00 - 06 00 00 00 00 00 00 00
.....
00000030  00 00 00 00 06 00 00 00 - 00 00 00 00 01 00 00 00
.....
00000040  06 00 00 00 02 00 00 00 - 02 00 00 00 11 00 00 00
.....
00000050  02 00 00 00 02 00 00 00 - 00 00 00 00 02 00 00 00
.....
00000060  00 00 00 00 11 00 00 00 - 00 00 00 00 00 00 00 00
.....
00000070  11 00 00 00 00 00 00 00 - 02 00 00 00 11 00 00 00
.....
00000080  02 00 00 00 03 00 00 00 - 00 00 00 00
.....

```

```

Value 2
Name:          MaxSockAddrLength
Type:          REG_DWORD
Data:          0x10
Value 3
Name:          MinSockAddrLength
Type:          REG_DWORD
Data:          0x10
Value 4
Name:          UseDelayedAcceptance
Type:          REG_DWORD
Data:          0
Key Name:      SYSTEM\CurrentControlSet\Services\Tcpip\Performance
Class Name:    <NO CLASS>
Last Write Time: 9/27/2002 - 11:09 AM
Value 0
Name:          Close
Type:          REG_SZ
Data:          CloseTcpIpPerformanceData
Value 1
Name:          Collect
Type:          REG_SZ
Data:          CollectTcpIpPerformanceData
Value 2
Name:          Library
Type:          REG_SZ
Data:          Perfctrs.dll
Value 3
Name:          Open

```

```

Type:          REG_SZ
Data:          OpenTcpIpPerformanceData

Value 4
Name:          WbemAdapFileSize
Type:          REG_DWORD
Data:          0xa310

Value 5
Name:          WbemAdapFileTime
Type:          REG_BINARY
Data:          00000000 00 9b 1a af 81 d4 c0 01 - ...-.ÔÀ.

Value 6
Name:          WbemAdapStatus
Type:          REG_DWORD
Data:          0

Key Name:      SYSTEM\CurrentControlSet\Services\Tcpip\Security
Class Name:    <NO CLASS>
Last Write Time: 2/12/2001 - 5:40 PM
Value 0
Name:          Security
Type:          REG_BINARY
Data:          00000000 01 00 14 80 a0 00 00 00 - ac 00 00 00 14 00 00 00
.....
00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02 80 14 00
0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00 00 00 00
ÿ.....
00000030 02 00 70 00 04 00 00 00 - 00 00 18 00 fd 01 02 00
..p.....ÿ...
00000040 01 01 00 00 00 00 00 05 - 12 00 00 00 02 00 00 00
.....
00000050 00 00 1c 00 ff 01 0f 00 - 01 02 00 00 00 00 00 05
....ÿ.....
00000060 20 00 00 00 20 02 00 00 - 03 00 00 00 00 00 18 00 ...
.....
00000070 8d 01 02 00 01 01 00 00 - 00 00 00 05 0b 00 00 00
.....
00000080 20 02 00 00 00 00 1c 00 - fd 01 02 00 01 02 00 00
.....ÿ.....
00000090 00 00 00 05 20 00 00 00 - 23 02 00 00 03 00 00 00 ....
...#.....
000000a0 01 01 00 00 00 00 00 05 - 12 00 00 00 01 01 00 00
.....
000000b0 00 00 00 05 12 00 00 00 - .....

```

```

Key Name:
SYSTEM\CurrentControlSet\Services\Tcpip\ServiceProvider
Class Name:    <NO CLASS>

```

```

Last Write Time: 2/12/2001 - 5:40 PM
Value 0
Name:          Class
Type:          REG_DWORD
Data:          0x8

Value 1
Name:          DnsPriority
Type:          REG_DWORD
Data:          0x7d0

Value 2
Name:          HostsPriority
Type:          REG_DWORD
Data:          0x1f4

Value 3
Name:          LocalPriority
Type:          REG_DWORD
Data:          0x1f3

Value 4
Name:          Name
Type:          REG_SZ
Data:          TCP/IP

Value 5
Name:          NetbtPriority
Type:          REG_DWORD
Data:          0x7d1

Value 6
Name:          ProviderPath
Type:          REG_EXPAND_SZ
Data:          %SystemRoot%\System32\wsock32.dll

Key Name:      SYSTEM\CurrentControlSet\Services\W3SVC
Class Name:    <NO CLASS>
Last Write Time: 8/30/2002 - 1:13 PM
Value 0
Name:          DependOnGroup
Type:          REG_MULTI_SZ
Data:

Value 1
Name:          DependOnService
Type:          REG_MULTI_SZ
Data:          IISADMIN

Value 2
Name:          Description
Type:          REG_SZ

```

Data: Provides Web connectivity and administration through the Internet Information Services snap-in.

Value 3
Name: DisplayName
Type: REG_SZ
Data: World Wide Web Publishing Service

Value 4
Name: ErrorControl
Type: REG_DWORD
Data: 0x1

Value 5
Name: ImagePath
Type: REG_EXPAND_SZ
Data: C:\WINNT\System32\inetsrv\inetinfo.exe

Value 6
Name: ObjectName
Type: REG_SZ
Data: LocalSystem

Value 7
Name: Start
Type: REG_DWORD
Data: 0x2

Value 8
Name: Type
Type: REG_DWORD
Data: 0x20

Key Name: SYSTEM\CurrentControlSet\Services\W3SVC\ASP
Class Name: <NO CLASS>
Last Write Time: 2/12/2001 - 4:46 PM
Value 0
Name: NOTE
Type: REG_SZ
Data: This is for backward compatibility only.

Key Name: SYSTEM\CurrentControlSet\Services\W3SVC\ASP\Parameters
Class Name: <NO CLASS>
Last Write Time: 2/12/2001 - 4:46 PM

Key Name: SYSTEM\CurrentControlSet\Services\W3SVC\Enum
Class Name: <NO CLASS>
Last Write Time: 9/27/2002 - 11:08 AM
Value 0
Name: 0
Type: REG_SZ
Data: Root\LEGACY_W3SVC\0000

Value 1
Name: Count
Type: REG_DWORD
Data: 0x1

Value 2
Name: NextInstance
Type: REG_DWORD
Data: 0x1

Key Name: SYSTEM\CurrentControlSet\Services\W3SVC\Parameters
Class Name: <NO CLASS>
Last Write Time: 3/2/2001 - 2:38 PM

Value 0
Name: AcceptExOutstanding
Type: REG_DWORD
Data: 0x28

Value 1
Name: AccessDeniedMessage
Type: REG_SZ
Data: Error: Access is Denied.

Value 2
Name: CertMapList
Type: REG_SZ
Data: C:\WINNT\System32\inetsrv\iisrmap.dll

Value 3
Name: Filter DLLs
Type: REG_SZ
Data:

Value 4
Name: InstallPath
Type: REG_SZ
Data: C:\WINNT\System32\inetsrv

Value 5
Name: LogFileDirectory
Type: REG_SZ
Data: C:\WINNT\System32\LogFiles

Value 6
Name: MajorVersion
Type: REG_DWORD
Data: 0x5

Value 7
Name: MinorVersion
Type: REG_DWORD
Data: 0

Key Name:
SYSTEM\CurrentControlSet\Services\W3SVC\Parameters\ADCLaunch
Class Name: <NO CLASS>
Last Write Time: 2/12/2001 - 4:47 PM

Key Name:
SYSTEM\CurrentControlSet\Services\W3SVC\Parameters\ADCLaunch\AdvancedData
Factory
Class Name: <NO CLASS>
Last Write Time: 2/12/2001 - 4:47 PM

Key Name:
SYSTEM\CurrentControlSet\Services\W3SVC\Parameters\ADCLaunch\RDSServer.Da
taFactory
Class Name: <NO CLASS>
Last Write Time: 2/12/2001 - 4:47 PM

Key Name:
SYSTEM\CurrentControlSet\Services\W3SVC\Parameters\Script Map
Class Name: <NO CLASS>
Last Write Time: 2/12/2001 - 4:57 PM

Key Name:
SYSTEM\CurrentControlSet\Services\W3SVC\Parameters\Virtual Roots
Class Name: <NO CLASS>
Last Write Time: 2/13/2001 - 9:46 AM

Value 0
Name: /
Type: REG_SZ
Data: c:\inetpub\wwwroot,,205

Value 1
Name: /IISAdmin
Type: REG_SZ
Data: C:\WINNT\System32\inet_srv\iisadmin,,201

Value 2
Name: /IISHelp
Type: REG_SZ
Data: c:\winnt\help\iishelp,,201

Value 3
Name: /IISamples
Type: REG_SZ
Data: c:\inetpub\iissamples,,201

Value 4
Name: /MSADC
Type: REG_SZ
Data: c:\program files\common files\system\msadc,,205

Value 5
Name: /Printers
Type: REG_SZ
Data: C:\WINNT\web\printers,,201

Value 6
Name: /Scripts
Type: REG_SZ
Data: c:\inetpub\scripts,,204

Key Name:
SYSTEM\CurrentControlSet\Services\W3SVC\Performance
Class Name: <NO CLASS>
Last Write Time: 9/27/2002 - 11:09 AM

Value 0
Name: Close
Type: REG_SZ
Data: CloseW3PerformanceData

Value 1
Name: Collect
Type: REG_SZ
Data: CollectW3PerformanceData

Value 2
Name: First Counter
Type: REG_DWORD
Data: 0x844

Value 3
Name: First Help
Type: REG_DWORD
Data: 0x845

Value 4
Name: Last Counter
Type: REG_DWORD
Data: 0x8e6

Value 5
Name: Last Help
Type: REG_DWORD
Data: 0x8e7

Value 6
Name: Library
Type: REG_SZ
Data: w3ctrs.dll

Value 7
Name: Library Validation Code
Type: REG_BINARY
Data: 00000000 e0 81 84 b7 0a 95 c0 01 - 10 3d 00 00 00 00 00 00
à.....À..=.....

Value 8
Name: Open
Type: REG_SZ

```

Data:          OpenW3PerformanceData

Value 9
Name:          WbemAdapFileSize
Type:          REG_DWORD
Data:          0x1d10

Value 10
Name:          WbemAdapFileTime
Type:          REG_BINARY
Data:          00000000 00 9b 1a af 81 d4 c0 01 - ...-.ÔÀ.

Value 11
Name:          WbemAdapStatus
Type:          REG_DWORD
Data:          0

Key Name:      SYSTEM\CurrentControlSet\Services\W3SVC\Security
Class Name:    <NO CLASS>
Last Write Time: 2/12/2001 - 4:46 PM
Value 0
Name:          Security
Type:          REG_BINARY
Data:          00000000 01 00 14 80 a0 00 00 00 - ac 00 00 00 14 00 00 00
... ..
00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02 80 14 00
0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00 00 00 00
ÿ.....
00000030 02 00 70 00 04 00 00 00 - 00 00 18 00 fd 01 02 00
..p.....ÿ...
00000040 01 01 00 00 00 00 00 05 - 12 00 00 00 74 00 6f 00
.....t.o.
00000050 00 00 1c 00 ff 01 0f 00 - 01 02 00 00 00 00 00 05
...ÿ.....
00000060 20 00 00 00 20 02 00 00 - 72 00 73 00 00 00 18 00 ...
...r.s....
00000070 8d 01 02 00 01 01 00 00 - 00 00 00 05 0b 00 00 00
.....
00000080 20 02 00 00 00 00 1c 00 - fd 01 02 00 01 02 00 00
.....ÿ.....
00000090 00 00 00 05 20 00 00 00 - 23 02 00 00 72 00 73 00 ....
...#...r.s.
000000a0 01 01 00 00 00 00 00 05 - 12 00 00 00 01 01 00 00
.....
000000b0 00 00 00 05 12 00 00 00 - .....

Key Name:      SOFTWARE\Microsoft\TPCC
Class Name:    <NO CLASS>
Last Write Time: 9/19/2002 - 2:18 PM
Value 0

```

```

Name:          COM_SinglePool
Type:          REG_SZ
Data:          YES

Value 1
Name:          DB_Protocol
Type:          REG_SZ
Data:          ODBC

Value 2
Name:          DbName
Type:          REG_SZ
Data:          tpcc

Value 3
Name:          DbPassword
Type:          REG_SZ
Data:

Value 4
Name:          DbServer
Type:          REG_SZ
Data:          mogul

Value 5
Name:          DbUser
Type:          REG_SZ
Data:          sa

Value 6
Name:          MaxConnections
Type:          REG_DWORD
Data:          0x4330

Value 7
Name:          MaxPendingDeliveries
Type:          REG_DWORD
Data:          0x6a4

Value 8
Name:          NumberOfDeliveryThreads
Type:          REG_DWORD
Data:          0x6

Value 9
Name:          Path
Type:          REG_SZ
Data:          c:\inetpub\wwwroot\

Value 10
Name:          TxnMonitor
Type:          REG_SZ
Data:          COM

Key Name:      SYSTEM\CurrentControlSet\Services\qlvika

```

Class Name: <NO CLASS>
 Last Write Time: 8/15/2002 - 2:40 PM
 Value 0
 Name: ErrorControl
 Type: REG_DWORD
 Data: 0x1

 Value 1
 Name: group
 Type: REG_SZ
 Data: MVIA

 Value 2
 Name: ImagePath
 Type: REG_EXPAND_SZ
 Data: System32\DRIVERS\qlvika.sys

 Value 3
 Name: start
 Type: REG_DWORD
 Data: 0x2

 Value 4
 Name: Tag
 Type: REG_DWORD
 Data: 0x1

 Value 5
 Name: type
 Type: REG_DWORD
 Data: 0x1

 Key Name: SYSTEM\CurrentControlSet\Services\qlvika\Adapters
 Class Name: <NO CLASS>
 Last Write Time: 8/15/2002 - 2:48 PM

 Key Name: SYSTEM\CurrentControlSet\Services\qlvika\Adapters\210000E08B072AB0
 Class Name: <NO CLASS>
 Last Write Time: 8/15/2002 - 2:55 PM
 Value 0
 Name: IPAddress
 Type: REG_MULTI_SZ
 Data: 129.103.192.211

 Key Name: SYSTEM\CurrentControlSet\Services\qlvika\Enum
 Class Name: <NO CLASS>
 Last Write Time: 9/27/2002 - 11:08 AM
 Value 0
 Name: 0
 Type: REG_SZ
 Data: Root\SCSIADAPTER\0000

Value 1
 Name: Count
 Type: REG_DWORD
 Data: 0x1

 Value 2
 Name: NextInstance
 Type: REG_DWORD
 Data: 0x1

 Key Name: SYSTEM\CurrentControlSet\Services\qlvika\Parameters
 Class Name: <NO CLASS>
 Last Write Time: 8/15/2002 - 3:13 PM
 Value 0
 Name: IuBuffers
 Type: REG_DWORD
 Data: 0x100

 Value 1
 Name: MaxCQEntries
 Type: REG_DWORD
 Data: 0x2000

 Value 2
 Name: MaxCQs
 Type: REG_DWORD
 Data: 0x400

 Value 3
 Name: MaxPTags
 Type: REG_DWORD
 Data: 0x800

 Value 4
 Name: MaxRegisterMBytes
 Type: REG_DWORD
 Data: 0x200

 Value 5
 Name: MaxRegisterRdmaMBytes
 Type: REG_DWORD
 Data: 0x200

 Value 6
 Name: MaxRegisterRegions
 Type: REG_DWORD
 Data: 0x1000

 Value 7
 Name: MaxTransferSize
 Type: REG_DWORD
 Data: 0x10000

```

Value 8
  Name:      MaxVIs
  Type:      REG_DWORD
  Data:      0x400

Value 9
  Name:      RecvDescQuota
  Type:      REG_DWORD
  Data:      0x8

Value 10
  Name:      SendDescQuota
  Type:      REG_DWORD
  Data:      0x8

Value 11
  Name:      SupportPrototypeCards
  Type:      REG_DWORD
  Data:      0x1

Key Name:    SYSTEM\CurrentControlSet\Services\qlvika\Security
Class Name:  <NO CLASS>
Last Write Time: 8/15/2002 - 2:40 PM
Value 0
  Name:      Security
  Type:      REG_BINARY
  Data:
00000000  01 00 14 80 a0 00 00 00 - ac 00 00 00 14 00 00 00
.....
00000010  30 00 00 00 02 00 1c 00 - 01 00 00 00 02 80 14 00
0.....
00000020  ff 01 0f 00 01 01 00 00 - 00 00 00 01 00 00 00 00
ÿ.....
00000030  02 00 70 00 04 00 00 00 - 00 00 18 00 fd 01 02 00
..p.....ÿ...
00000040  01 01 00 00 00 00 00 05 - 12 00 00 00 72 00 74 00
.....r.t.
00000050  00 00 1c 00 ff 01 0f 00 - 01 02 00 00 00 00 00 05
....ÿ.....
00000060  20 00 00 00 20 02 00 00 - 00 00 00 00 00 00 18 00  ...
.....
00000070  8d 01 02 00 01 01 00 00 - 00 00 00 05 0b 00 00 00
.....
00000080  20 02 00 00 00 00 1c 00 - fd 01 02 00 01 02 00 00
.....ÿ.....
00000090  00 00 00 05 20 00 00 00 - 23 02 00 00 00 00 00 00  ....
...#.....
000000a0  01 01 00 00 00 00 00 05 - 12 00 00 00 01 01 00 00
.....
000000b0  00 00 00 05 12 00 00 00 - .....

```

Component Services Configuration:
COM+ Component TPCC.ALLTXns Settings:

Enable object pooling
Minimum pool size 71
Maximum pool size 71
Creation timeout 60,000
Enable object construction
Enable just in time activation
Concurrency required

This section discloses the RTE parameters used on the PRIMERGY 870 system.

Profile: T850_Test_5x13600
File Path: E:\T850\T850_Test_5x13600.pro
Version: 1.0.1

Number of Engines: 20

Name: DRIVER01
Description: B210RT4 CL1
Directory: c:\b210rt4_cl1.log
Machine: b210rt4
Parameter Set: All_Times3
Index: 0
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER1424171
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 0

Name: DRIVER02
Description: B210RT4 CL2
Directory: c:\b210rt4_cl2.log
Machine: b210rt4
Parameter Set: All_Times3
Index: 100000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER2559625
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 1

Name: DRIVER03
Description: B210RT4 CL3
Directory: c:\b210rt4_cl3.log
Machine: b210rt4

Parameter Set: All_Times3
Index: 200000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER3602875
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 0

Name: DRIVER04
Description: B210RT4 CL4
Directory: c:\b210rt4_cl4.log
Machine: b210rt4
Parameter Set: All_Times3
Index: 300000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER4642312
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 1

Name: DRIVER05
Description: B210RT5 CL1
Directory: c:\b210rt5_cl1.log
Machine: b210rt5
Parameter Set: All_Times3
Index: 400000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER5691546
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 0

Name: DRIVER06
Description: B210RT5 CL2
Directory: c:\b210rt5_cl2.log
Machine: b210rt5
Parameter Set: All_Times3
Index: 500000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER6744125
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 1

Name: DRIVER07
Description: B210RT5 CL3
Directory: c:\b210rt5_cl3.log

Machine: b210rt5
Parameter Set: All_Times3
Index: 600000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER7781125
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 0

Name: DRIVER08
Description: B210RT5 CL4
Directory: c:\b210rt5_cl4.log
Machine: b210rt5
Parameter Set: All_Times3
Index: 700000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER8812109
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 1

Name: DRIVER09
Description: B210RT6 CL1
Directory: c:\b210rt6_cl1.log
Machine: b210rt6
Parameter Set: All_Times3
Index: 800000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER9847031
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 0

Name: DRIVER10
Description: B210RT6 CL2
Directory: c:\b210rt6_cl2.log
Machine: b210rt6
Parameter Set: All_Times3
Index: 900000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER10879078
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 1

Name: DRIVER11
Description: B210RT6 CL3

Directory: c:\b210rt6_cl3.log
Machine: b210rt6
Parameter Set: All_Times3
Index: 1000000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER11911953
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 0

Name: DRIVER12
Description: B210RT6 CL4
Directory: c:\B210rt6_cl4.log
Machine: b210rt6
Parameter Set: All_Times3
Index: 1100000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER12937328
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 1

Name: DRIVER13
Description: tuerkis CL1
Directory: f:\tuerkis_cl1.log
Machine: tuerkis
Parameter Set: All_Times3
Index: 1200000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER134383562
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 0

Name: DRIVER14
Description: tuerkis CL2
Directory: f:\tuerlis_cl2.log
Machine: tuerkis
Parameter Set: All_Times3
Index: 1300000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER144579000
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 1

Name: DRIVER15

Description: tuerkis CL3
Directory: f:\tuerkis_cl3.log
Machine: tuerkis
Parameter Set: All_Times3
Index: 1400000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER155027046
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 2

Name: DRIVER16
Description: tuerkis CL4
Directory: f:\tuerkis_cl4.log
Machine: tuerkis
Parameter Set: All_Times3
Index: 1500000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER165061968
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 3

Name: DRIVER17
Description: violet CL1
Directory: c:\violet_cl1.log
Machine: violet
Parameter Set: All_Times3
Index: 1600000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER1716783656
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 0

Name: DRIVER18
Description: violet CL2
Directory: c:\violet_cl2.log
Machine: violet
Parameter Set: All_Times3
Index: 1700000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER1816828546
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 1

Name: DRIVER19
Description: violet CL3
Directory: c:\violet_cl3.log
Machine: violet
Parameter Set: All_Times3
Index: 1800000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER1916863125
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 2

Name: DRIVER20
Description: violet CL4
Directory: c:\violet_cl4.log
Machine: violet
Parameter Set: All_Times3
Index: 1900000000
Seed: 11063
Configured Users: 3400
Pipe Name: DRIVER2016892828
Connect Rate: 200
Start Rate: 200
CLIENT_NURAND: 233
CPU: 3

Number of User groups: 20

Driver Engine: DRIVER01
IIS Server: c200c11
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 1 - 340
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER02
IIS Server: c200c12
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 341 - 680
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER03

IIS Server: c200c13
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 681 - 1020
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER04
IIS Server: c200c14
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 1021 - 1360
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER05
IIS Server: c200c11
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 1361 - 1700
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER06
IIS Server: c200c12
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 1701 - 2040
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER07
IIS Server: c200c13
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 2041 - 2380
w_id Max Warehouse: 6800
Scale: Normal

User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER08
IIS Server: c200cl4
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 2381 - 2720
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER09
IIS Server: c200cl1
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 2721 - 3060
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER10
IIS Server: c200cl2
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 3061 - 3400
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER11
IIS Server: c200cl3
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 3401 - 3740
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER12
IIS Server: c200cl4
SQL Server: mogul

User: sa
Protocol: Html
w_id Range: 3741 - 4080
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER13
IIS Server: c200cl1
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 4081 - 4420
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER14
IIS Server: c200cl2
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 4421 - 4760
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER15
IIS Server: c200cl3
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 4761 - 5100
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER16
IIS Server: c200cl4
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 5101 - 5440
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1

Scale Down: No

Driver Engine: DRIVER17
IIS Server: c200cl1
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 5441 - 5780
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

		Txn Weight	Think Time	Key Time	RT Delay	RT Fence	Menu Delay
5.00	0.10	10.00	12.05		18.01	0.10	
5.00	0.10	10.00	12.05		3.01	0.10	
5.00	0.10	1.00	5.05		2.01	0.10	
5.00	0.10	1.00	5.05		2.01	0.10	
20.00	0.10						
5.00	0.10	1.00	10.05		2.01	0.10	

Driver Engine: DRIVER18
IIS Server: c200cl2
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 5781 - 6120
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

		Txn Weight	Think Time	Key Time	RT Delay	RT Fence	Menu Delay
All_Times3 Run 2H							
5.00	0.10	44.90	12.05		18.01	0.10	
5.00	0.10	43.02	12.05		3.01	0.10	
5.00	0.10	4.02	5.05		2.01	0.10	
5.00	0.10	4.03	5.05		2.01	0.10	
20.00	0.10						
5.00	0.10	4.03	10.05		2.01	0.10	

Driver Engine: DRIVER19
IIS Server: c200cl3
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 6121 - 6460
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Driver Engine: DRIVER20
IIS Server: c200cl4
SQL Server: mogul
User: sa
Protocol: Html
w_id Range: 6461 - 6800
w_id Max Warehouse: 6800
Scale: Normal
User Count: 3400
District id: 1
Scale Down: No

Number of Parameter Sets: 2

~Default
Default Parameter Set

This section discloses the Microsoft SQL Server 2000 Enterprise Edition SP3 parameters used on the PRIMERGY T850 server system.

Microsoft SQL Server Startup Parameters:

```
sqlservr -c -x -T3502
```

where:

```
-c Start SQL Server independently of the Windows NT Service Control Manager
-x Disables the keeping of CPU time and cache-hit ratio statistics
-T3502 Prints a message to the SQL Server log at start and end of each checkpoint
```

Microsoft SQL Server Stack Size:

The default stack size for Microsoft SQL Server 2000 was changed using the EDITBIN utility:
editbin /STACK:131072

```
1> 2> 3> 4> 5> 6> 7> 8> 9> 10> 11>
-- File:      VERSION.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Returns SQL Server version string
```

```
print " "
select convert(char(30), getdate(),9)
print " "
```

```
-----
Sep 20 2002 12:51:51:380PM
```

(1 row affected)

```
1> 2> 3>
select @@version
```

```
-----
-----
-----
Microsoft SQL Server 2000 - 8.00.708 (Intel X86)
Jul 17 2002 13:56:23
Cop
yright (c) 1988-2002 Microsoft Corporation
Enterprise Edition on Windo
ws NT 5.2 (Build 3663: )
```

(1 row affected)

```
1> 2>
1> 2> 3> 4> 5> 6> 7> 8> 9> 10>
-- File:      CONFIG.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Collects SQL Server configuration parameters
```

```
print " "
select convert(char(30), getdate(),9)
print " "
```

```
-----
Sep 20 2002 12:51:52:160PM
```

(1 row affected)

1> 2> 3> DBCC execution completed. If DBCC printed error messages, contact your system administrator. Configuration option 'show advanced options' changed from 1 to 1. Run the RECONFIGURE statement to install.

```
sp_configure "show advanced",1
1> 2> reconfigure with override
1> 2> sp_configure
```

name	minimum	maximum	config_value	run_value
affinity mask	-2147483648	2147483647	65535	65535
allow updates	0	1	0	0
awe enabled	0	1	1	1
c2 audit mode	0	1	0	0
cost threshold for parallelism	0	32767	5	5
cursor threshold	-1	2147483647	-1	-1
default full-text language	0	2147483647	1033	1033
default language	0	9999	0	0
fill factor (%)	0	100	0	0
index create memory (KB)	704	2147483647	0	0
lightweight pooling	0	1	1	1
locks	5000	2147483647	11000	11000
max degree of parallelism	0	32	1	1
max server memory (MB)	4	2147483647	2147483647	2147483647
max text repl size (B)	0	2147483647	65536	65536
max worker threads	32	32767	328	328
media retention	0	365	0	0
min memory per query (KB)	512	2147483647	512	512
min server memory (MB)	0	2147483647	0	0
nested triggers	0	1	1	1
network packet size (B)	512	65536	512	512
open objects	0	2147483647	0	0
priority boost	0	1	1	1
query governor cost limit	0	2147483647	0	0
query wait (s)	-1	2147483647	-1	-1
recovery interval (min)	0	32767	116	116
remote access	0	1	1	1
remote login timeout (s)	0	2147483647	20	20
remote proc trans	0	1	0	0
remote query timeout (s)	0	2147483647	600	600
scan for startup procs	0	1	0	0
set working set size	0	1	0	0
show advanced options	0	1	1	1
two digit year cutoff	1753	9999	2049	2049
user connections	0	32767	0	0
user options	0	32767	0	0

1>

Appendix D – Space Calculation

Note : Numbers are in KBytes unless otherwise specified						
Warehouses	6800	tpmC	84598	tpmC/W	12.44	
Table	Rows	Data	Index	5% Space	8H Space	Total Space
Warehouse	6,800	728	56	39		823
District	68,000	7,560	72	382		8,014
Item	100,000	9,528	72	480		10,080
New-order	61,200,000	967,608	2,224		544,000	1,513,832
History	204,000,000	11,333,344	48		2,255,958	13,589,350
Orders	204,000,000	6,252,880	2,843,360		1,810,644	10,906,884
Customer	204,000,000	148,363,640	8,846,600	7,860,512		165,070,752
Order-line	2,039,997,667	127,499,856	269,856		25,433,087	153,202,799
Stock	680,000,000	217,600,008	406,464	10,900,324		228,906,796
Totals		512,035,152	12,368,752	18,761,736	30,043,690	573,209,330
Segment	LogDev Cnt.	Seg. Size	Needed	Overhead		Not Needed
misc	6	215,040,000	181,024,100	1,810,241		32,205,659
customer/stock	6	396,288,000	397,917,323	3,979,173		(5,608,496)
Totals		611,328,000	578,941,423	5,789,414		26,597,162
Dynamic space	145,086,080	Sum of Data for Order, Order-Line and History				
Static space	403,868,975	Data + Index + 5% Space + Overhead - Dynamic space				
Free space	35,775,783	Total Seg. Size - Dynamic Space - Static Space - Not Needed				
Daily growth	28,879,982	(Dynamic space/W * 62.5) * tpmC				
Daily spread	(7,544,189)	Free space - 1.5 * Daily growth (zero if negative)				
60 day (KB)	2,136,667,873	Static space + 60 (daily growth + daily spread)				
60 day (GB)	2,037.69	60-day space in GB (excludes OS, Paging and RDBMS Logs)				
Log size (MB)	120,000	Total size of log file				
% Log used	49.9398	% of log file used during entire run				
Total N-O Txn	13354300	Total count of N-O transactions during entire run				
Log per N-O txn	4.5952	KB of log per New-Order transaction				
8 Hour Log (GB)	177.95	8 hours of log in GB (excluding space for redundancy)				
Disk Capacity	MB	GB	disks needed	disks priced	GB priced	
18 GB 15000 rpm	17300	16.89		288	4,865.63	
60 day (GB)		2,037.69	120.61	288	4,865.63	
Disk Capacity	MB	GB	disks needed	disks priced		
36 GB 15000 rpm	34700	33.89				
8 Hour Log (RAID 1)		177.95	5.25	7+7		

Appendix E - Price Quotations

IBM Japan

ホーム | 製品 & サービス | サポート & ダウンロード | ユーザー登録

→ Select a country

server

IA サーバー (xSeries)

ニュース

製品情報

- 全製品

構成情報

技術情報

ソリューション

サポート/サービス

イベント/セミナー

お客様事例紹介

関連リンク

- IBM serverについて
- エンタープライズサーバー (zSeries)
- 統合アプリケーションサーバー (iSeries)
- UNIX サーバー (pSeries)
- ストレージ
- プリンター
- ソフトウェア

→ IBMショッピング

RXE-100 リモート拡張ユニット

8684-1RX

製品概要

価格

お問い合わせ

価格

-2002年07月18日現在-

ハードウェア製品名	製品番号	価格形式	価格
RXE-100 リモート拡張ユニット	86841 RX	IBMダイレクト価格	660,000円
6スロット拡張キット	31 P5998	IBMダイレクト価格	250,000円
3.5m インターコネク・ケーブル・キット	31 P6087	IBMダイレクト価格	7,500円
8m インターコネク・ケーブル・キット	31 P6088	IBMダイレクト価格	12,000円
3.5m リモートI/Oケーブル・キット	31 P6102	IBMダイレクト価格	90,000円
8m リモートI/Oケーブル・キット	31 P6103	IBMダイレクト価格	120,000円

- 価格形式の表示は次のとおりです。
標準価格=IBM標準価格
IBMダイレクト価格=IBMの直販による提供価格 (ビジネスパートナーなどの再販者の販売価格を拘束するものではありません。また、「IBMダイレクト価格」製品すべてが弊社WEBサイトで購入できることを意味するものではありません。)

ワランティ&メンテナンス・オプション - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Refresh Home Search Favorites History Print

Address http://www-6.ibm.com/cgi-bin/ibm/ibm/tp/services/its/support/servicepac/search.d2w/input?id=mttype Go

IBM Japan

ホーム | 製品 & サービス | サポート & ダウンロード | ユーザー登録

→ Select a country

→ インターグレート・テクノロジー サービス

テクニカル・サポート・サービス

ServicePacワランティ&メンテナンス・オプション

- マシントイプで検索
- ServicePac対象機器検索
- 製品名で検索
- ServicePac価格表・提供条件

→ IBMショッピング

ワランティ&メンテナンス・オプション

IBM ServicePac検索

マシントイプで検索

STEP1 マシントイプ・モデルの入力(7桁必須)
ServicePacを適用するPCのマシントイプ・モデルを指定し、「検索」ボタンをクリックしてください。
注) キットモデルにつきましては、製品のベースモデルのマシントイプ・モデル(7桁)で確認ください。複製製品からなるキットモデルにつきましてはそれぞれの製品にServicePacが必要となります。

検索入力例 **687022X**

68841 R01						

STEP2 ServicePacの種類を選択
 ServicePac(保守サービス) PCサポートパック

STEP3 適用機器状況
 ALL オーダー可能商品のみ 登録可能期限経過商品のみ

STEP4 サービスレベル(オプション)
 下記よりサービス・レベルをお選びください。(チェックがない場合はALLで検索されます)

<input type="checkbox"/> 3年間オンサイト修理/12×6	<input type="checkbox"/> 4年間オンサイト修理/12×6	<input type="checkbox"/> 5年間オンサイト修理/12×6
<input type="checkbox"/> 3年間オンサイト修理/24×7	<input type="checkbox"/> 4年間オンサイト修理/24×7	<input type="checkbox"/> 5年間オンサイト修理/24×7
<input type="checkbox"/> 3年間クーリエサービス	<input type="checkbox"/> 4年間クーリエサービス	
<input type="checkbox"/> 3年間OOEサービス	<input type="checkbox"/> 4年間OOEサービス	
<input type="checkbox"/> 3年間拡張クーリエサービス	<input type="checkbox"/> 4年間拡張クーリエサービス	

注) 12×6 (月-土 8:00-20:00), 24×7 (1日24時間、連7日)

日本IBMについて | プライバシー | リーガル | お問い合わせ

Done Internet

ワランティ&メンテナンス・オプション - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Search Favorites History

Address http://www-6.ibm.com/cgi-d2w/db2www/p/services/its/support/servicepac/search.d2w/report?id=mttype

IBM Japan

ホーム | 製品 & サービス | サポート & ダウンロード | ユーザー登録

Select a country

インテグレートド・テクノロジー サービス

テクニカル・サポート・サービス

ServicePacワランティ&メンテナンス・オプション

マシントイプで検索

ServicePac 対象機器検索

製品名で検索

ServicePac 価格表・提供条件

IBMショッピング

ワランティ&メンテナンス・オプション

IBM ServicePac 検索

・ ThinkPad製品保証内容の 30S+ とは、通常故障時のクーリエ 修理サービス(30S)+ThinkPad拡張オプション+Jサポートの適用を意味しております。
 ・ 製品保証内容とサービス・レベルにおけるサービスの内容は [保守サービスの種類](#)をご覧ください。

※「登録可能期限」以降に保証期間が開始される機器は、ServicePacを購入されても登録できません。

マシントイプ・モデル	機器製品名	製品保証内容	サービス・レベル (保証開始より)	商品番号	標準価格	JANコード	SVCコード	登録可能期限
86841 RX	RXE=100 REMOTE EXP ENCLOSURE	1年 30S	3年間オンサイト修理/12x6	26L6708	¥137,000	4968665511865	SVP 1	2006-02-28
			3年間オンサイト修理/24x7	26L8708	¥171,000	4968665511872	SVP 1	2006-02-28
			4年間オンサイト修理/12x6	13P5708	¥205,000	4968665511889	SVP 1	2005-02-28
			4年間オンサイト修理/24x7	26L8808	¥257,000	4968665511896	SVP 1	2005-02-28
			5年間オンサイト修理/12x6	13P6708	¥274,000	4968665511902	SVP 1	2004-02-29
			5年間オンサイト修理/24x7	26L8908	¥343,000	4968665511919	SVP 1	2004-02-29

日本IBMについて | プライバシー | リーガル | お問い合わせ

Done Internet

Appendix F - Attestation Letter

Benchmark Sponsor: Masayoshi TAKEI
Director, Development Dept. 1st
IA Server Div.
Personal Systems Business Group
Fujitsu Limited
1405, ohmaru, Inagi-shi, Tokyo 2068503, Japan

January 8, 2003

I remotely verified the TPC Benchmark™ C performance of the following Client/Server configuration:

Platform: **Fujitsu PRIMERGY T850**
Operating system: **Microsoft Windows .NET Server 2003 Enterprise Edition**
Database Manager: **Microsoft SQL Server 2000 Enterprise Edition SP3**
Transaction Manager: **Microsoft COM+ (Included in Windows 2000)**


The results were:

CPU's Speed	Memory	Disks	NewOrder 90% Response Time	tpmC
Server: Siemens PRIMERGY T850				
8 x Intel Xeon MP (1.60 GHz)	32 GB Main (1M L2 Cache per processor)	288 x 18 GB 15 x 36 GB	0.89 Seconds	84,598.42
Four (4) Clients: PRIMERGY C200 (Specification for each)				
2 x Pentium III (1400 MHz)	768 MB Main Cache: 512 KB	1 x 18 GB	n/a	n/a

In my opinion, these performance results were produced in compliance with the TPC's requirements for the benchmark. The following verification items were given special attention:

- The database records were the proper size
- The database was properly scaled and populated
- The required ACID properties were met
- The transactions were correctly implemented
- Input data was generated according to the specified percentages
- The transaction cycle times included the required keying and think times
- The reported response times were correctly measured.
- All 90% response times were under the specified maximums
- At least 90% of all delivery transactions met the 80 Second completion time limit
- The reported measurement interval was 120 minutes (7200 seconds)
- The reported measurement interval was representative of steady state conditions
- One checkpoint was taken during the reported measurement interval
- The repeatability of the measured performance was verified
- The 60 day storage requirement was correctly computed
- The system pricing was verified for major components and maintenance

Respectfully Yours,



François Raab, President



Bradley J. Askins, Auditor

