



# Hewlett-Packard Company

---

TPC Benchmark™ C  
Full Disclosure Report  
for  
ProLiant DL380-G3-1M-1P  
using  
Microsoft SQL Server 2000 Standard Edition  
and  
Microsoft Windows Server 2003, Standard Edition

---

**First Edition  
November 2003**

First Edition – November 2003

Hewlett-Packard Company (HP) believes that the information in this document is accurate as of the publication date. The information in this document is subject to change without notice. HP assumes no responsibility for any errors that may appear in this document. The pricing information in this document is believed to accurately reflect the current prices as of the publication date. However, HP provides no warranty of the pricing information in this document.

Benchmark results are highly dependent upon workload, specific application requirements, and system design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC Benchmark C should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report were obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. HP does not warrant or represent that a user can or will achieve similar performance expressed in transactions per minute (tpmC) or normalized price/performance (\$/tpmC). No warranty of system performance or price/performance is expressed or implied in this report.

Copyright 2003 Hewlett-Packard Company.

All rights reserved. Permission is hereby granted to reproduce this document in whole or in part provided the copyright notice printed above is set forth in full text or on the title page of each item reproduced.

Printed in U.S.A., 2003

HP, NonStop, ProLiant DL380G3R, ProLiant DL360 and ProLiant are registered trademarks of Hewlett-Packard Company.

Microsoft Windows 2000 Server, Microsoft Windows 2003 Server and Microsoft SQL Server 2000 are registered trademarks of Microsoft Corporation.

Xeon is a registered trademark of Intel.

TPC Benchmark is a trademark of the Transaction Processing Performance Council.

Other product names mentioned in this document may be trademarks and/or registered trademarks of their respective companies.

# Table of Contents

---

<b>TABLE OF CONTENTS</b> .....	<b>III</b>
<b>PREFACE</b> .....	<b>V</b>
TPC BENCHMARK C OVERVIEW .....	V
<b>ABSTRACT</b> .....	<b>VI</b>
OVERVIEW .....	VI
TPC BENCHMARK C METRICS .....	VI
STANDARD AND EXECUTIVE SUMMARY STATEMENTS .....	VI
AUDITOR .....	VI
<b>GENERAL ITEMS</b> .....	<b>10</b>
TEST SPONSOR.....	10
APPLICATION CODE AND DEFINITION STATEMENTS .....	10
PARAMETER SETTINGS .....	10
CONFIGURATION ITEMS .....	10
<b>CLAUSE 1 RELATED ITEMS</b> .....	<b>12</b>
TABLE DEFINITIONS .....	12
PHYSICAL ORGANIZATION OF DATABASE .....	12
<i>Benchmarked Configuration:</i> .....	12
PRICED CONFIGURATION VS. MEASURED CONFIGURATION: .....	13
INSERT AND DELETE OPERATIONS.....	13
PARTITIONING .....	13
REPLICATION, DUPLICATION OR ADDITIONS .....	13
<b>CLAUSE 2 RELATED ITEMS</b> .....	<b>14</b>
RANDOM NUMBER GENERATION .....	14
INPUT/OUTPUT SCREEN LAYOUT.....	14
PRICED TERMINAL FEATURE VERIFICATION.....	14
PRESENTATION MANAGER OR INTELLIGENT TERMINAL.....	14
TRANSACTION STATISTICS .....	14
QUEUEING MECHANISM .....	15
<b>CLAUSE 3 RELATED ITEMS</b> .....	<b>16</b>
TRANSACTION SYSTEM PROPERTIES (ACID) .....	16
ATOMICITY .....	16
<i>Completed Transactions</i> .....	16
<i>Aborted Transactions</i> .....	16
CONSISTENCY .....	16
ISOLATION .....	16
DURABILITY .....	17
<i>Durable Media Failure</i> .....	17
<i>Instantaneous Interruption and Loss of Memory</i> .....	17
<b>CLAUSE 4 RELATED ITEMS</b> .....	<b>19</b>
INITIAL CARDINALITY OF TABLES .....	19
DATABASE LAYOUT .....	19
TYPE OF DATABASE.....	20
DATABASE MAPPING.....	20
60 DAY SPACE.....	20
<b>CLAUSE 5 RELATED ITEMS</b> .....	<b>21</b>

THROUGHPUT .....	21
KEYING AND THINK TIMES.....	21
RESPONSE TIME FREQUENCY DISTRIBUTION CURVES AND OTHER GRAPHS .....	22
STEADY STATE DETERMINATION .....	27
WORK PERFORMED DURING STEADY STATE.....	27
MEASUREMENT PERIOD DURATION.....	27
REGULATION OF TRANSACTION MIX.....	28
TRANSACTION STATISTICS .....	28
CHECKPOINT COUNT AND LOCATION .....	29
CHECKPOINT DURATION.....	29
<b>CLAUSE 6 RELATED ITEMS .....</b>	<b>30</b>
RTE DESCRIPTIONS.....	30
EMULATED COMPONENTS .....	30
FUNCTIONAL DIAGRAMS .....	30
NETWORKS .....	30
OPERATOR INTERVENTION .....	30
<b>CLAUSE 7 RELATED ITEMS.....</b>	<b>31</b>
SYSTEM PRICING .....	31
AVAILABILITY, THROUGHPUT, AND PRICE PERFORMANCE .....	31
COUNTRY SPECIFIC PRICING.....	31
USAGE PRICING .....	31
<b>CLAUSE 9 RELATED ITEMS .....</b>	<b>32</b>
AUDITOR'S REPORT.....	32
AVAILABILITY OF THE FULL DISCLOSURE REPORT.....	32

# Preface

---

The TPC Benchmark C was developed by the Transaction Processing Performance Council (TPC). The TPC was founded to define transaction processing benchmarks and to disseminate objective, verifiable performance data to the industry. This full disclosure report is based on the TPC Benchmark C Standard Specifications Version 5.1, released December 2002.

## TPC Benchmark C Overview

The TPC describes this benchmark in Clause 0.1 of the specifications as follows:

TPC Benchmark™ C (TPC-C) is an OLTP workload. It is a mixture of read-only and update intensive transactions that simulate the activities found in complex OLTP application environments. It does so by exercising a breadth of system components associated with such environments, which are characterized by:

- The simultaneous execution of multiple transaction types that span a breadth of complexity
- On-line and deferred transaction execution modes
- Multiple on-line terminal sessions
- Moderate system and application execution time
- Significant disk input/output
- Transaction integrity (ACID properties)
- Non-uniform distribution of data access through primary and secondary keys
- Databases consisting of many tables with a wide variety of sizes, attributes, and relationships
- Contention on data access and update

The performance metric reported by TPC-C is a "business throughput" measuring the number of orders processed per minute. Multiple transactions are used to simulate the business activity of processing an order, and each transaction is subject to a response time constraint. The performance metric for this benchmark is expressed in transactions-per-minute-C (tpmC). To be compliant with the TPC-C standard, all references to tpmC results must include the tpmC rate, the associated price-per-tpmC, and the availability date of the priced configuration.

Although these specifications express implementation in terms of a relational data model with conventional locking scheme, the database may be implemented using any commercially available database management system (DBMS), database server, file system, or other data repository that provides a functionally equivalent implementation. The terms "table", "row", and "column" are used in this document only as examples of logical data structures.

TPC-C uses terminology and metrics that are similar to other benchmarks, originated by the TPC or others. Such similarity in terminology does not in any way imply that TPC-C results are comparable to other benchmarks. The only benchmark results comparable to TPC-C are other TPC-C results conformant with the same revision.

Despite the fact that this benchmark offers a rich environment that emulates many OLTP applications, this benchmark does not reflect the entire range of OLTP requirements. In addition, the extent to which a customer can achieve the results reported by a vendor is highly dependent on how closely TPC-C approximates the customer application. The relative performance of systems derived from this benchmark does not necessarily hold for other workloads or environments. Extrapolations to any other environment are not recommended.

Benchmark results are highly dependent upon workload, specific application requirements, and systems design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC-C should not be used as a substitute for a specific customer application benchmarking when critical capacity planning and/or product evaluation decisions are contemplated.

# *Abstract*

---

## **Overview**

This report documents the methodology and results of the TPC Benchmark C test conducted on the HP ProLiant DL380G3R. The operating system used for the benchmark was Microsoft Windows Server 2003, Standard Edition. The DBMS used was Microsoft SQL Server 2000 Standard Edition.

## **TPC Benchmark C Metrics**

The standard TPC Benchmark C metrics, tpmC (transactions per minute), price per tpmC (three year capital cost per measured tpmC), and the availability date are reported as:

19,814.35 tpmC  
\$2.24 per tpmC

The availability date is November 24, 2003.

## **Standard and Executive Summary Statements**

The following pages contain executive summary of results for this benchmark.


## **Auditor**

The benchmark configuration, environment and methodology were audited by Lorna Livingtree of Performance Metrics, Inc. to verify compliance with the relevant TPC specifications.

Hewlett Packard Company	ProLiant DL380-G3-1M 2P	TPC-C Rev. 5.1
	C/S with ProLiant DL360R02	Report Date: Nov. 24, 2003

Total System Cost	TPC-C Throughput	Price/Performance	Availability Date
<b>\$44,296</b>	<b>19,814.35</b>	<b>\$2.24</b>	<b>Nov. 24, 2003</b>

Processors	Database Manager	Operating System	Other Software	Number of Users
1 Intel Xeon 3.20 GHz – 1M L3 cache – Server  1 Intel Xeon 2.8 GHz – Clients	Microsoft SQL Server 2000 Standard Edition SP3	Microsoft Windows Server 2003, Standard Edition	Microsoft Visual C++ Microsoft COM+	<b>16000</b>



	Server		Each Client	
System Components	Quantity	Description	Quantity	Description
Processor	1	3.20 GHz Intel Xeon w/ 1M Cache	1	2.8 GHz Pentium III Xeon w/ 256K cache
Memory	6	512 MB DDR	1	1 GB (4x 256 MB)
Disk Controllers	1	Integrated SMART 5i Array Controller	1	Integrated SMART Array Controller
	2	SMART 5302 Array Controller		
Disk Drives	2	72.8 GB SCSI Drives	1	18 GB SCSI Drive
	42	18.2 GB SCSI Drives		
Total Storage		910 GB		18 GB
Backup Storage	1	DVD+R/DVD+RW drive		

Hewlett-Packard	HP ProLiant DL380 G3 1P		TPC-C Rev. 5.1			
Company	Client/Server		Report Date:	24-Nov-03		
Description	Part Number	Third Party	Unit Price	Qty	Extended Price	3 yr. Maint. Price
<b>Server Hardware</b>						
<b>Brand Pricing</b>						
DL380G3 X3.2GHz/533 1MB 1GB 1P Rck US	333705-001		1	3,899	1	3,899
1GB PC2100 DDR (2x512MB)	300679-B21		1	550	2	1,100
StorageWorks MSA30 Storage Enclosure - Rack-mountable	302969-B21		1	2,978	3	8,934
Smart Array 5302/128 Controller	283552-B21		1	1,299	2	2,598
S5500 15 carbon / silver monitor	261602-001		1	129	1	129
Standard 2 button mouse	402366-B22		1	5	1	5
PS/2 Easy Access Keyboard	304788-001		1	10	1	10
Pro UPS 500 (500VA/300 Watts; 110-127 VAC, 60Hz)	136386-001		1	146	1	146
18.2GB 15Krpm U320 UNI HDD	286775-B22		1	299	42	12,558
18.2GB 15Krpm U320 UNI HDD (10% spares)	286775-B22		1	299	5	1,495
72.8GB 10Krpm U320 UNI HDD (internal log)	286714-B22		1	489	2	978
HP CP 3Y 4H 24x7 HW 300 Srs 4-Hour 24 Hour x 7 Day Coverage 3 Year	162657-002		1	949	1	949
FM-4E724-36 3YR 24X7/4HR EMPTY DISK ENCL	171242-002		1	157	3	471
<b>Subtotal</b>					<b>30,357</b>	<b>2,915</b>
<b>Server Software</b>						
Database Server Support Package	4-PRORS-16U-01	Microsoft	2	1,950	3	5,850
SQL Server 2000 Standard Edition 32-bit	228-01079	Microsoft	2	4,999	1	Incl Above
Visual C++ .Net Standard	254-00170	Microsoft	2	109	1	Incl Above
Windows Server 2003 Standard Edition	P73-00295	Microsoft	2	738	1	Incl Above
<b>Subtotal</b>					<b>5,846</b>	<b>5,850</b>
<b>Client Hardware</b>						
ProLiant DL360 G3 1x2.8GHz, 512MB (2x256MB) , Two integrated Gigabit NIC, Integrated Smart Array Controller	292889-001		1	2,299	1	2,299
512MB PC2100 DDR SDRAM DIMM 2x256	300678-B21			298	1	298
18.2GB 15Krpm U320 UNI HDD	286775-B22		1	299	1	299
HP Carepaq 3YR 24X7/4HR ENTRY 300 SVR	162675-002		1	599	1	599
<b>Subtotal</b>					<b>2,896</b>	<b>599</b>
<b>Client Software</b>						
Windows 2000 Server 32-bit	C11-00821	Microsoft	2	738	1	Incl. Above
<b>Subtotal</b>					<b>738</b>	<b>0</b>
<b>User Connectivity and Server Backup Device</b>						
7 ft. CAT5e Patch cable	CBLC57	LanAdapter:	3	1	3	3
HP DVD Writer dvd300xe (external, USB)	460898		4	240	1	240
<b>Subtotal</b>					<b>243</b>	<b>0</b>
Large Purchase and Net 30 discount (See Note 1)	14.0%		1			
<b>Total</b>					<b>\$35,424</b>	<b>\$8,872</b>
Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark pricing specifications. If you find that the stated prices are not available according to these terms, please inform the TPC at <a href="mailto:pricing@tpc.org">pricing@tpc.org</a> . Thank you.					<b>Three-Year Cost of Ownership: \$44,296</b>	
					<b>tpmC Rating: 19814.35</b>	
					<b>\$ / tpmC: \$2.24</b>	
Pricing: 1=HP 2= Microsoft 3=LanAdapters.com 4=CDW.com						
Note 1 = Discount based on HP Direct guidance with large purchase and Net 30 discount.						
Note: The benchmark results and test methodology were audited by Lorna Livingtree of Performance Metrics, Inc.						



## Numerical Quantities Summary

**MQTH, Computed Maximum Qualified Throughput**

**19,814.35 tpmC**

<b>Response Times (in seconds)</b>	<b>Average</b>	<b>90%</b>	<b>Maximum</b>
New-Order	0.57	0.80	7.10
Payment	0.22	0.32	3.42
Order-Status	0.37	0.52	5.51
Delivery (interactive portion)	0.10	0.11	0.12
Delivery (deferred portion)	1.26	1.77	3.86
Stock-Level	4.50	5.68	12.93
Menu	0.10	0.11	0.32

### **Transaction Mix, in percent of total transaction**

New-Order	44.89%
Payment	43.03%
Order-Status	4.03%
Delivery	4.01%
Stock-Level	4.03%

### **Emulation Delay (in seconds)**

**Resp.Time      Menu**

New-Order	0.10	0.10
Payment	0.10	0.10
Order-Status	0.10	0.10
Delivery (interactive)	0.10	0.10
Stock-Level	0.10	0.10

### **Keying/Think Times (in seconds)**

**Min.      Average      Max.**

New-Order	18.00/0.00	18.02/12.11	18.05/121.11
Payment	3.00/0.00	3.02/12.11	3.04/121.12
Order-Status	2.00/0.00	2.02/10.10	2.03/101.00
Delivery (interactive)	2.00/0.00	2.02/5.09	2.04/50.81
Stock-Level	2.00/0.00	2.02/5.07	2.03/50.81

### **Test Duration**

Ramp-up time	35 minutes
Measurement interval	120 minutes
Transactions (all types) completed during measurement interval	5,485,379
Ramp down time	36 minutes

### **Checkpointing**

Number of checkpoints	4
Checkpoint interval	30 minutes

# General Items

---

## Test Sponsor

*A statement identifying the benchmark sponsor(s) and other participating companies must be provided.*

This benchmark was sponsored by Hewlett-Packard Company. The benchmark was developed and engineered by Hewlett-Packard Company. Testing took place at HP benchmarking laboratories in Houston, Texas.

## Application Code and Definition Statements

*The application program (as defined in clause 2.1.7) must be disclosed. This includes, but is not limited to, the code implementing the five transactions and the terminal input output functions.*

Appendix A contains all source code implemented in this benchmark.

## Parameter Settings

*Settings must be provided for all customer-tunable parameters and options which have been changed from the defaults found in actual products, including by not limited to:*

- *Database options*
- *Recover/commit options*
- *Consistency locking options*
- *Operating system and application configuration parameters*

*This requirement can be satisfied by providing a full list of all parameters.*


Appendix C contains the tunable parameters to for the database, the operating system, and the transaction monitor.

## Configuration Items

*Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences.*

The configuration diagrams for both the tested and priced systems are included on the following pages.

**Figure 1. Benchmarked and Priced Configuration**



# Clause 1 Related Items

---

## Table Definitions

Listing must be provided for all table definition statements and all other statements used to set up the database.

Appendix B contains the code used to define and load the database tables.

## Physical Organization of Database

The physical organization of tables and indices within the database must be disclosed.

The tested configuration consisted of: 42 18.2 GB 15K drives for the database data connected to 2 SMART 5302 RAID controllers and 2 72.8 GB 10K drives for the operating system and the transaction log connected to the embedded SMART array controller..

### Benchmarked Configuration:

#### Integrated SMART 5i Controller

LOGICAL DRIVE C: Total Capacity = 4.39 GB RAID 0+1  
Microsoft Windows Server 2003 Standard Edition, MSSQL\_tpcc\_root.mdf

#### Integrated SMART 5i Controller

LOGICAL DRIVE E: Total Capacity = 63.44 GB RAID 0+1  
MSSQL\_tpcc\_log

#### SMART-5302 Controller, Slot 1, Array A

LOGICAL DRIVE C:\mount\cs1 Total Capacity = 31.44 GB RAID 0  
MSSQL\_cs1

#### SMART-5302 Controller, Slot 1, Array A

LOGICAL DRIVE C:\mount\misc1 Total Capacity = 15.39 GB RAID 0  
MSSQL\_misc1

#### SMART-5302 Controller, Slot 1, Array A

LOGICAL DRIVE X:\ Total Capacity = 95.28 GB RAID 0+1  
Backup1

#### SMART-5302 Controller, Slot 1, Array B

LOGICAL DRIVE C:\mount\cs2 Total Capacity = 31.44 GB RAID 0  
MSSQL\_cs2

#### SMART-5302 Controller, Slot 1, Array B

LOGICAL DRIVE C:\mount\misc2 Total Capacity = 15.39 GB RAID 0  
MSSQL\_misc2

#### SMART-5302 Controller, Slot 1, Array B

LOGICAL DRIVE Y:\ Total Capacity = 95.28 GB RAID 0+1  
Backup2

#### SMART-5302 Controller, Slot 2, Array A

LOGICAL DRIVE C:\mount\cs3 Total Capacity = 31.44 GB RAID 0  
MSSQL\_cs3

**SMART-5302 Controller, Slot 2, Array A**

LOGICAL DRIVE C:\mount\misc3      Total Capacity = 15.39 GB      RAID 0  
MSSQL\_misc3

**SMART-5302 Controller, Slot 2, Array A**

LOGICAL DRIVE Z:\      Total Capacity = 95.28 GB      RAID 0+1  
Backup3

**Priced Configuration vs. Measured Configuration:**

The measured and priced configuration differ in that the measured configuration used disk drives for database backup and the priced configuration used a DAT drive for backup.

**Insert and Delete Operations**

*It must be ascertained that insert and/or delete operations to any of the tables can occur concurrently with the TPC-C transaction mix. Furthermore, any restrictions in the SUT database implementation that precludes inserts beyond the limits defined in Clause 1.4.11 must be disclosed. This includes the maximum number of rows that can be inserted and the minimum key value for these new rows.*

All insert and delete functions were fully operational during the entire benchmark.

**Partitioning**

*While there are a few restrictions placed upon horizontal or vertical partitioning of tables and rows in the TPC-C benchmark, any such partitioning must be disclosed.*

No partitioning was used in this benchmark.

**Replication, Duplication or Additions**

*Replication of tables, if used, must be disclosed. Additional and/or duplicated attributes in any table must be disclosed along with a statement on the impact on performance.*

No replications, duplications or additional attributes were used in this benchmark.

# Clause 2 Related Items

---

## Random Number Generation

*The method of verification for the random number generation must be described.*

In the Benchcraft RTE from Microsoft, each driver engine uses an independent random number sequence. All of the users within a given driver draw from the same sequence.

The Benchcraft RTE computes random integers as described in "Random Numbers Generators: Good Ones Are Hard to Find." Communications of the ACM - October 1988 Volume 31 Number 10.

The seeds for each user were captured and verified by the auditor to be unique. In addition, the contents of the database were systematically searched, and randomly sampled by the auditor for patterns that would indicate the random number generator had affected any kind of a discernible pattern; none were found.

## Input/Output Screen Layout

*The actual layout of the terminal input/output screens must be disclosed.*

All screen layouts followed the specifications exactly.

## Priced Terminal Feature Verification

*The method used to verify that the emulated terminals provide all the features described in Clause 2.2.2.4 must be explained. Although not specifically priced, the type and model of the terminals used for the demonstration in 8.1.3.3 must be disclosed and commercially available (including supporting software and maintenance).*

The terminal attributes were verified by the auditor. The auditor manually exercised each specification on a representative HP ProLiant web server.

## Presentation Manager or Intelligent Terminal

*Any usage of presentation managers or intelligent terminals must be explained.*

Application code running on the client machines implemented the TPC-C user interface. No presentation manager software or intelligent terminal features were used. The source code for the forms applications is listed in Appendix A.

## Transaction Statistics

*Table 2.1 lists the numerical quantities that Clauses 8.1.3.5 to 8.1.3.11 require.*

**Table 2.1 Transaction Statistics**

Statistic		Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse payments	85.00%
	Remote warehouse payments	15.00%

Statistic		Value
	Accessed by last name	59.97%
Order Status	Accessed by last name	60.15%
Transaction Mix	New Order	44.89%
	Payment	43.03%
	Order status	4.03%
	Delivery	4.01%
	Stock level	4.03%

### Queuing Mechanism

*The queuing mechanism used to defer the execution of the Delivery transaction must be disclosed.*

Microsoft COM+ on each client machine served as the queuing mechanism to the database. Each delivery request was submitted to Microsoft COM+ asynchronously with control being returned to the client process immediately and the deferred delivery part completing asynchronously.

The source code is listed in Appendix A.

# Clause 3 Related Items

---

## Transaction System Properties (ACID)

*The results of the ACID tests must be disclosed along with a description of how the ACID requirements were met. This includes disclosing which case was followed for the execution of Isolation Test 7.*

All ACID property tests were successful. The executions are described below.

### Atomicity

*The system under test must guarantee that the database transactions are atomic; the system will either perform all individual operations on the data or will assure that no partially completed operations leave any effects on the data.*

#### Completed Transactions

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was committed and the rows were verified to contain correctly updated balances.

#### Aborted Transactions

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was rolled back and the rows were verified to contain the original balances.

### Consistency

*Consistency is the property of the application that requires any execution of a database transaction to take the database from one consistent state to another, assuming that the database is initially in a consistent state.*

Consistency conditions one through four were tested using a script to issue queries to the database. The results of the queries verified that the database was consistent for all four tests.

A run was executed under full load lasting over two hours and included a checkpoint.

The script was executed again. The result of the same queries verified that the database remained consistent after the run.

### Isolation

*Sufficient conditions must be enabled at either the system or application level to ensure the required isolation defined above (clause 3.4.1) is obtained.*

Isolation tests one through nine were executed using shell scripts to issue queries to the database. Each script included timestamps to demonstrate the concurrency of operations. The results of the queries were captured to files. The captured files were verified by the auditor to demonstrate that the required isolation had been met.

In addition, the phantom tests and the stock level tests were executed and verified.

For Isolation test seven, case A was followed.



## Durability

*The tested system must guarantee durability: the ability to preserve the effects of committed transaction and insure database consistency after recovery from any one of the failures listed in Clause 3.5.3.*

### Durable Media Failure

#### Loss of Data and Log

To demonstrate recovery from a permanent failure of durable medium containing DBMS logs and TPC-C tables, the following steps were executed on a fully scaled database of 162 warehouses under a full load of 1620 users:

- The full database (162 warehouses) was started.
- The total number of New Orders was determined by the sum of D\_NEXT\_O\_ID of all rows in the DISTRICT table giving the beginning count.
- The RTE was started with 1620 users.
- The test was allowed to run for a minimum of 5 minutes.
- One log disk was removed from the server.
- Since the disk was mirrored, processing was not interrupted. This was verified by checking the users status on the RTE.
- One of the data disks was removed from a drive cabinet.
- When Microsoft SQL Server recorded errors about not being able to access the database, the RTE and SQL Server was shut down.
- A new log disk was inserted into the server. A new data disk was inserted into the data drive cabinet. After the RAID recovery process finished, the system was rebooted and Microsoft SQL Server was started.
- A dump of the transaction log was taken and the Microsoft SQL Server was shutdown.
- The database was restored from backup and the transaction log dump was applied.
- Consistency condition #3 was executed and verified.
- Step 2 was repeated and the difference between the first and second counts was noted.
- An RTE report was generated for the entire run time giving the number of NEW-ORDERS successfully returned to the RTE.
- The counts in step 13 and 14 were compared and the results verified that all committed transactions had been successfully recovered.
- Samples were taken from the RTE files and used to query the database to demonstrate successful transactions had corresponding rows in the ORDER table.

#### **Instantaneous Interruption and Loss of Memory :**

Because loss of power erases the contents of memory, the instantaneous interruption and the loss of memory tests were combined into a single test. This test was executed on a fully scaled database of 1600 warehouses under a full load of 16000 users. The following steps were executed:

- The full database was started.
- The total number of New Orders was determined by the sum of D\_NEXT\_O\_ID of all rows in the DISTRICT table giving the beginning count.
- The RTE was started with 16000 users.
- The test was allowed to run for a minimum of 5 minutes.
- A checkpoint was performed.
- The system crash and loss of memory were induced by physically removing the power cord from the SUT. No battery backup or Uninterruptible Power Supply (UPS) were used to preserve the contents of memory.
- The RTE was shutdown.
- Power was restored and the system restarted.
- Microsoft SQL Server was restarted and performed an automatic recovery.
- Consistency condition #3 was executed and verified.

- Step 2 was repeated and the difference between the first and second counts was noted.
- An RTE report was generated for the entire run time giving the number of NEW-ORDERS successfully returned to the RTE.
- The counts in step 10 and 11 were compared and the results verified that all committed transactions had been successfully recovered.
- Samples were taken from the RTE files and used to query the database to demonstrate successful transactions had corresponding rows in the ORDER table.

# Clause 4 Related Items

---

## Initial Cardinality of Tables

The cardinality (e.g. number of rows) of each table, as it existed at the start of the benchmark run, must be disclosed. If the database was over-scaled and inactive rows of the WAREHOUSE table were deleted, the cardinality of the WAREHOUSE table as initially configured and the number of rows deleted must be disclosed.

**Table 4.1 Number of Rows for Server**

Table	Cardinality as built
Warehouse	1,600
District	16,000
Customer	48,000,000
History	48,000,000
Orders	48,000,000
New Order	14,400,000
Order Line	479,997,078
Stock	160,000,000
Item	100,000
Deleted Warehouses	0

## Database Layout

The distribution of tables and logs across all media must be explicitly depicted for tested and priced systems.

The benchmarked configuration used 2 SMART-5302 Array controllers with 2 SCSI channels. Each controller is capable of accessing up to 14 disk drives per channel, and supports RAID 0, RAID 0+1, and RAID 5 per each logical volume configured. The data tables were stored on 3 RAID arrays of (14) 18.2GB 15K drives each. Each of the controllers had 2 RAID 0 logical drives for storing data tables and a RAID 0+1 logical drive used for backup of the database. The integrated SMART Array 5i controller had one array consisting of (2) 72.8 GB 10K drives with a RAID 0+1 logical volume for the operating system and a RAID 0+1 logical volume for the database log. The Array Accelerators on the data controllers were configured as 100% write cache and were enabled for all logical drives on these controllers. The logical drive for the transaction log had the cache disabled. All RAID volumes used hardware RAID.

Section 1.2 of this report details the distribution of database tables across all disks. The code that creates the filegroups and tables is included in Appendix B.

## Type of Database

A statement must be provided that describes:

- The data model implemented by DBMS used (e.g. relational, network, hierarchical).
- The database interface (e.g. embedded, call level) and access language (e.g. SQL, DL/I, COBOL read/write used to implement the TPC-C transaction. If more than one interface/access language is used to implement TPC-C, each interface/access language must be described and a list of which interface/access language is used with which transaction type must be disclosed.

Microsoft SQL Server 2000 Standard Edition is a relational DBMS.

The interface used was Microsoft SQL Server stored procedures accessed with Remote Procedure Calls embedded in C code.

## Database Mapping

The mapping of database partitions/replications must be explicitly described.

The database was not replicated.

## 60 Day Space

Details of the 60 day space computations along with proof that the database is configured to sustain 8 hours of growth for the dynamic tables (Order, Order-Line, and History) must be disclosed.

To calculate the space required to sustain the database log for 8 hours of growth at steady state, the following steps were followed:

- The free space on the log file was queried using *dbcc sqlperf(logspace)*.
- Transactions were run against the database with a full load of users.
- The free space was again queried using *dbcc sqlperf(logspace)*.
- The space used was calculated as the difference between the first and second query.
- The number of NEW-ORDERS was verified from the difference in the sum(d\_next\_o\_id) taken from before and after the run.
- The space used was divided by the number of NEW-ORDERS giving a space used per NEW-ORDER transaction.
- The space used per transaction was multiplied by the measured tpmC rate times 480 minutes.

The same methodology was used to compute growth requirements for dynamic tables Order, Order-Line and History.

The details of both the 8-hour transaction log space requirement and the 60-day space requirement is shown in Appendix D.

# Clause 5 Related Items

---

## Throughput

*Measured tpmC must be reported*

Measured tpmC            19,814.35 tpmC  
Price per tpmC            \$2.24 per tpmC

## Response Times

*Ninetieth percentile, maximum and average response times must be reported for all transaction types as well as for the menu response time.*

**Table 5.2: Response Times**

Type	Average	90 <sup>th</sup> %	Maximum
New-Order	0.57	0.80	7.10
Payment	0.22	0.32	3.42
Order-Status	0.37	0.52	5.51
Interactive Delivery	0.10	0.11	0.12
Deferred Delivery	1.26	1.77	3.86
Stock-Level	4.50	5.68	12.93
Menu	0.10	0.11	0.32

## Keying and Think Times

*The minimum, the average, and the maximum keying and think times must be reported for each transaction type.*

**Table 5.3: Keying Times**

Type	Minimum	Average	Maximum
New-Order	18.00	18.02	18.05
Payment	3.00	3.02	3.04
Order-Status	2.00	2.02	2.03
Interactive Delivery	2.00	2.02	2.04
Stock-Level	2.00	2.02	2.03

**Table 5.4: Think Times**

Type	Minimum	Average	Maximum
New-Order	0.00	12.11	121.11
Payment	0.00	12.11	121.12
Order-Status	0.00	10.10	101.00
Interactive Delivery	0.00	5.09	50.81
Stock-Level	0.00	5.07	50.81

**Response Time Frequency Distribution Curves and Other Graphs**

*Response Time frequency distribution curves (see Clause 5.6.1) must be reported for each transaction type.*


*The performance curve for response times versus throughput (see Clause 5.6.2) must be reported for the New-Order transaction.*

*Think Time frequency distribution curves (see Clause 5.6.3) must be reported for each transaction type.*


*Keying Time frequency distribution curves (see Clause 5.6.4) must be reported for each transaction type.*

*A graph of throughput versus elapsed time (see Clause 5.6.5) must be reported for the New-Order transaction.*


**Figure 3. New Order Response Time Distribution**




**Figure 4. Payment Response Time Distribution**



**Figure 5. Order Status Response Time Distribution**




**Figure 6. Delivery Response Time Distribution**







**Figure 7. Stock Level Response Time Distribution**




**Figure 8. Response Time vs. Throughput**



**Figure 9. New Order Think Time Distribution**



**Figure 10. Throughput vs. Time Distribution**



## Steady State Determination

*The method used to determine that the SUT had reached a steady state prior to commencing the measurement interval must be disclosed.*

Steady state was determined using real time monitor utilities from the RTE. Steady state was further confirmed by the throughput data collected during the run and graphed in Figure 10.

## Work Performed During Steady State

*A description of how the work normally performed during a sustained test (for example checkpointing, writing redo/undo log records, etc.), actually occurred during the measurement interval must be reported.*

The RTE generated the required input data to choose a transaction from the menu. This data was timestamped. The input screen for the requested transaction was returned and timestamped. The difference between these two timestamps was the menu response time. The RTE writes to the log file once per transaction on selective fields such as order id. There is one log file per driver engine.

The RTE generated the required input data for the chosen transaction. It waited to complete the minimum required key time before transmitting the input screen. The transmission was timestamped. The return of the screen with the required response data was timestamped. The difference between these two timestamps was the response time for that transaction.

The RTE then waited the required think time interval before repeating the process starting at selecting a transaction from the menu.

The RTE transmissions were sent to application processes running on the client machines through Ethernet LANs. These client application processes handled all screen I/O as well as all requests to the database on the server. The applications communicated with the database server over Ethernet LANs using DBLIB and RPC calls.

To perform checkpoints at specific intervals, the SQL Server *recovery interval* was set to 80 and a script was written to schedule multiple checkpoints at specific intervals. The script included a wait time between each checkpoint equal to 30 minutes so that the checkpoint interval was an integral multiple of the measurement interval, which was 120 minutes. The checkpoint script was started manually after the RTE had all users logged in and the database had achieved steady state.

At each checkpoint, Microsoft SQL Server wrote to disk all memory pages that had been updated but not yet physically written to disk. The positioning of the measurement interval is depicted on the graph in Figure 10.

## Measurement Period Duration

*A statement of the duration of the measurement interval for the reported Maximum Qualified Throughput (tpmC) must be included.*

The reported measured interval was exactly 120 minutes long.

## Regulation of Transaction Mix

*The method of regulation of the transaction mix (e.g., card decks or weighted random distribution) must be described. If weighted distribution is used and the RTE adjusts the weights associated with each transaction type, the maximum adjustments to the weight from the initial value must be disclosed.*

The RTE was given a weighted random distribution, which was not adjusted during the run.

## Transaction Statistics

*The percentage of the total mix for each transaction type must be disclosed. The percentage of New-Order transactions rolled back as a result of invalid item number must be disclosed. The average number of order-lines entered per New-Order transaction must be disclosed. The percentage of remote order lines per New-Order transaction must be disclosed. The percentage of remote Payment transactions must be disclosed. The percentage of customer selections by customer last name in the Payment and Order-Status transactions must be disclosed. The percentage of Delivery transactions skipped due to there being fewer than necessary orders in the New-Order table must be disclosed.*

**Table 5.5: Transaction Statistics**

Statistic		Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse payments	85.00%
	Remote warehouse payments	15.00%
	Accessed by last name	59.97%
Delivery	Skipped transactions (interactive)	0
	Skipped transactions (deferred)	0
Order Status	Accessed by last name	60.15%
Transaction Mix	New Order	44.89%
	Payment	43.03%
	Order status	4.03%
	Delivery	4.01%
	Stock level	4.03%

## Checkpoint Count and Location

*The number of checkpoints in the Measurement Interval, the time in seconds from the start of the Measurement Interval to the first checkpoint, and the Checkpoint Interval must be disclosed.*

The initial checkpoint was started 15 minutes and 32.92 seconds after the start of the ramp-up. Subsequent checkpoints occurred every 30 minutes. The measurement interval contains four checkpoints.

## Checkpoint Duration

*The start time and duration in seconds of at least the four longest checkpoints during the Measurement Interval must be disclosed.*

Checkpoint Start Time	Duration
10:54:37.81 p.m.	18 minutes, 19.95 seconds
11:24:32.71 p.m.	7 minutes, 44.35 seconds
11:54:27.81 p.m.	17 minutes, 29.97 seconds
12:24:22.74 a.m.	9 minutes, 44.27 seconds

# Clause 6 Related Items

---

## RTE Descriptions

*If the RTE is commercially available, then its inputs must be specified. Otherwise, a description must be supplied of what inputs (e.g., scripts) to the RTE had been used.*

The RTE used was Microsoft Benchcraft RTE. Benchcraft is a proprietary tool provided by Microsoft and is not commercially available. The RTE's input are listed in Appendix A.

## Emulated Components

*It must be demonstrated that the functionality and performance of the components being emulated in the Driver System are equivalent to the priced system. The results of the test described in Clause 6.6.3.4 must be disclosed.*

The driver system consisted of 1 HP ProLiant server. This driver machine emulated the users' web browsers.

## Functional Diagrams

*A complete functional diagram of both the benchmark configuration and the configuration of the proposed (target) system must be disclosed. A detailed list of all hardware and software functionality being performed on the Driver System and its interface to the SUT must be disclosed.*

The driver system performed the data generation and input functions of the priced display device. It also captured the input and output data and timestamps for post-processing of the reported metrics. No other functionality was included on the driver system.

Section 1.4 of this report contains detailed diagrams of both the benchmark configuration and the priced configuration.

## Networks

*The network configuration of both the tested services and proposed (target) services which are being represented and a thorough explanation of exactly which parts of the proposed configuration are being replaced with the Driver System must be disclosed.*

*The bandwidth of the networks used in the tested/priced configuration must be disclosed.*

In the tested configuration, 1 driver (RTE) machine was connected through a Gigabit switch to the client machines at 1000Mbps, thus providing the path from the RTE to the clients. The server (SUT) was connected to the client through a single Cat 5e Ethernet cable that was connected to the integrated Gigabit network cards in both the server and the client.

The priced configuration was connected in the same manner as the tested configuration.

## Operator Intervention

*If the configuration requires operator intervention (see Clause 6.6.6), the mechanism and the frequency of this intervention must be disclosed.*

This configuration does not require any operator intervention to sustain eight hours of the reported throughput.

# Clause 7 Related Items

---

## System Pricing

A detailed list of hardware and software used in the priced system must be reported. Each separately orderable item must have vendor part number, description, and release/revision level, and either general availability status or committed delivery data. If package-pricing is used, vendor part number of the package and a description uniquely identifying each of the components of the package must be disclosed. Pricing source and effective date(s) of price(s) must also be reported.

The total 3 year price of the entire configuration must be reported, including: hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed.

The details of the hardware and software are reported in the front of this report as part of the executive summary. All third party quotations are included at the end of this report as Appendix E.

## Availability, Throughput, and Price Performance

The committed delivery date for general availability (availability date) of products used in the price calculation must be reported. When the priced system included products with different availability dates, the reported availability date for the priced system must be the date at which all components are committed to be available.

A statement of the measured tpmC as well as the respective calculations for the 5-year pricing, price/performance (price/tpmC), and the availability date must be included.

- |                                       |                          |
|---------------------------------------|--------------------------|
| • <b>Maximum Qualified Throughput</b> | <b>19,814.35 tpmC</b>    |
| • <b>Price per tpmC</b>               | <b>\$2.24 per tpmC</b>   |
| • <b>Availability</b>                 | <b>November 24, 2003</b> |

## Country Specific Pricing

Additional Clause 7 related items may be included in the Full Disclosure Report for each country specific priced configuration. Country specific pricing is subject to Clause 7.1.7

This system is being priced for the United States of America.

## Usage Pricing

For any usage pricing, the sponsor must disclose:

- Usage level at which the component was priced.
- A statement of the company policy allowing such pricing.

The component pricing based on usage is shown below:

- 1 Microsoft Windows 2000 Server
- 1 Microsoft Server 2003 Standard Edition
- 1 Microsoft SQL Server 2000 Standard Edition (per processor)
- 1 Microsoft Visual C++
- HP Servers include 3 years of support.

# Clause 9 Related Items

---

## **Auditor's Report**

*The auditor's name, address, phone number, and a copy of the auditor's attestation letter indicating compliance must be included in the Full Disclosure Report.*

This implementation of the TPC Benchmark C was audited by Lorna Livingtree of Performance Metrics, Inc.

Performance Metrics, Inc.  
137 Yankton St., Suite 101  
Folsom, CA 95630  
(phone) (916) 985-1131  
(fax) (916) 985-1185  
e-mail: lorna@perfmetrics.com

## **Availability of the Full Disclosure Report**

*The Full Disclosure Report must be readily available to the public at a reasonable charge, similar to the charges for similar documents by the test sponsor. The report must be made available when results are made public. In order to use the phrase "TPC Benchmark™ C", the Full Disclosure Report must have been submitted to the TPC Administrator as well as written permission obtained to distribute same.*


Requests for this TPC Benchmark C Full Disclosure Report should be sent to:

Transaction Processing Performance Council  
c/o Shanley Public Relations  
777 North First Street, Suite 600  
San Jose, CA 95112-6311

or

Hewlett-Packard Company  
Database Performance Engineering  
P.O. Box 692000  
Houston, TX 77269-2000





**PERFORMANCE METRICS INC.**  
**TPC Certified Auditors**

---

November 14, 2003

Mr. John Ellyson  
Database Performance Engineer  
Hewlett-Packard Company  
20555 SH 249  
Houston, TX 77070

I have verified by remote the TPC Benchmark™ C for the following configuration:

Platform: HP ProLiant DL380G3-1M-1P  
Database Manager: Microsoft SQL Server 2000 Standard Edition  
Operating System: Microsoft Windows 2003 Standard Edition  
Transaction Monitor: COM+

System Under Test: HP ProLiant DL380G3-1M-1P with:				
CPU's	Memory	Disks (total)	90% Response	TpmC
1 Xeon @ 3.2 Ghz	Main: 3 GB	42 @ 18.2GB 2 @ 72 GB	0.80	19,814.35

In my opinion, these performance results were produced in compliance with the TPC requirements for the benchmark. The following attributes of the benchmark were given special attention:

- The transactions were correctly implemented.
- The database files were properly sized.
- The database was properly scaled with 1600 warehouses.
- The ACID properties were successfully demonstrated.
- Input data was generated according to the specified percentages.
- Eight hours of mirrored log space was present on the tested system.
- Eight hours of growth space for the dynamic tables was present on the tested system.
- The data for the 60 days space calculation was verified.
- The controller cache for the log disks was disabled.
- The steady state portion of the test was 120 minutes.
- More than one checkpoint was taken before the measured interval opened.

**PERFORMANCE METRICS INC.**  
**TPC Certified Auditors**

---

- Four checkpoints were completed inside the measured interval.
- The system pricing was checked for major components and maintenance.
- Third party quotes were verified for compliance.

Auditor Notes: None

Sincerely,



Lorna Livingtree  
Auditor

# Appendix A: Source Code

The client source code is listed below.

## client\_utils.c

```
/* client_utils.c
*/

#include <stdio.h>
#include <time.h>
#include <windows.h>
#include <winperf.h>
#include <winsock.h>
#include "client_utils.h"

#define Li2Double(x) ((double)((x).HighPart) *
4.294967296E9 + (double)((x).LowPart))

static LARGE_INTEGER pFreq;
static double sFreq;
static int print_thread_id = 1;
static int user_id = 0;
static char *user_code = "C";

/*
 * get_thread_id
 * A function that returns the thread ID of the
current thread
*/
static int get_thread_id()
{
    return(GetCurrentThreadId());
}

/*
 * get_prefix
 * Format the output prefix for printing:
 * It contains the user_id, 'C' or 'T'
depending on whether it
 * is a terminal or a client and optional a
thread identifier
 * The prefix is written in the buffer passed
in by the caller.
*/
static void get_prefix(char *buffer)
{
    if (print_thread_id) {
        int thread_id = get_thread_id();
        sprintf(buffer, "%s(%d-%s-
%d)%s",
```

```
user_id < 10 ? " " : user_id <
100 ? " " : "",
        user_id,
        user_code,
        thread_id,
        thread_id < 10 ? " " : "");
    } else {
        sprintf(buffer, "%s(%2d-%s)",
        user_id < 10 ? " " : "", user_id,
        user_code);
    }
}

/*
 * err_printf
 * A var-arg function that appends the current
time and
 * other data to the print request and sends it
to stderr
 * if it is not a web client, to a file if it is
*/
void err_printf(char *format, ...)
{
    time_t cur_time;
    char time_str[30];
    char line_prefix[50];
    va_list ap;

    va_start(ap, format);

    cur_time = time(&cur_time);
    strftime(time_str, 29, "%X",
    localtime(&cur_time));

    get_prefix(line_prefix);

    fprintf(ERROROUT, "%s %s - ", line_prefix,
time_str);
    vfprintf(ERROROUT, format, ap);
    fflush(ERROROUT);

    va_end(ap);
}

/*
 * encina_error_message
 *
 * Report an encina error message by interpreting it
and writing
 * it to both the logfile (if any) and to standard
error
*/
void encina_error_message(char *msg, unsigned long n)
{
    char errorMsg[ENCINA_MAX_STATUS_STRING_SIZE];
    encina_StatusToString(n,
ENCINA_MAX_STATUS_STRING_SIZE, errorMsg);
    err_printf("ERROR: %s. Error code = %s (%d 0x%x)
\n", msg, errorMsg, n, n);
}

int get_time_init()
```

```
{
    QueryPerformanceFrequency(&pFreq);
    sFreq=Li2Double(pFreq);
    return 0;
}

int get_local_time(time_type *timeP)
{
    double cur_t;
    LARGE_INTEGER counter;

    QueryPerformanceCounter(&counter);
    cur_t = Li2Double(counter) / sFreq;
    timeP->sec = (long)cur_t;
    /* timeP->usec = ((long)cur_t - timeP->sec) *
1000000;*/
    timeP->usec = (long)((cur_t - timeP->sec) *
1000000);
    return 0;
}

/*
 * time_diff_ms
 * Return the difference in milliseconds between
two times
*/
int time_diff_ms(struct timeval *t2, struct timeval
*t1)
{
    int t_diff;

    t_diff = (t2->tv_usec + 1000000 - t1->tv_usec +
500) / 1000 +
        (t2->tv_sec - t1->tv_sec - 1) * 1000;

    return(t_diff);
}

/*
 * perfClntDataInit:
 * Initialization for the shared file mapping.
 * return: pointer to the shared memory space
 *
 * This routine creates a named mapped memory section
that is used
 * to communicate the TPCC performance data to the
extensible
 * counter DLL for NT perfmon.
*/
total_tran_count_t *perfClntDataInit()
{
    HANDLE hMappedObject;
    total_tran_count_t *pClntInfo = NULL;
    TCHAR szMappedObjectName[] =
TEXT("TPCC_CLNT_COUNTER_BLOCK");

    /* create named section for the performance
data */
    hMappedObject =
CreateFileMapping((HANDLE)0xFFFFFFFF,
NULL,
PAGE_READWRITE,
```

```

        0,
        sizeof(total_tran_count_t),
        szMappedObjectName);
    if (hMappedObject == NULL) {
        err_printf("perfClntDataInit:
CreateFileMapping failed %x\n",
        GetLastError());
        pClntInfo = NULL;
    } else {
        /* map the section and assign the counter
block pointer
* to this section of memory
*/
        pClntInfo = (total_tran_count_t *)
MapViewOfFile(hMappedObject,
        FILE_MAP_ALL_ACCESS,
        0,
        0,
        0);
        if (pClntInfo == NULL) {
            err_printf("perfClntDataInit:
MapViewOfFile failed %x\n",
            GetLastError());
        } else {
            err_printf("perfClntDataInit:
MapViewOfFile success \n");
        }
    }
    return(pClntInfo);
}

```

## client\_utils.h

```

#ifndef TPCC_CLIENT_UTILS_H
#define TPCC_CLIENT_UTILS_H

#include <stdio.h>
#include <time.h>
#include <dce/rpc.h>
#include <dce/dce_error.h>
#include <encina/encina.h>
#include <stdlib.h>
#include <utils/trace.h>
#include <winsock.h>
#include "mon_client.h"
#include "../include/tpcc_type.h"

extern FILE * errtpcc;
extern FILE * logtpcc;
extern int debug;
extern char log_file_name[];
extern void logprintf( char *format, ...);
extern void err_printf( char *format, ...);
extern void encina_error_message(char *msg, unsigned
long n);
extern int time_diff_ms(struct timeval *t2, struct
timeval *t1);

```

```

typedef struct {
    int num;
    int errs;
    double RTtotal[2]; // 1 for server RT and 0 for
client RT
    int RTcount;
} tran_info_t;

/*
* total_tran_count_t
*
* structure that holds the total count of
transaction of each type
* as well as the reposne times.
*/
typedef struct {
    tran_info_t tran[MAX_TRAN_TYPE + 1];
    int errors;
    double time;
} total_tran_count_t;

/* enc_status_t
* structure that holds error information
*/
typedef struct {
    int status;
    int line;
    char file[268];
    unsigned long encinaError;
    char errorMsg[ENCINA_MAX_STATUS_STRING_SIZE];
} enc_status_t;

#define FALSE 0
#define TRUE 1

#define DPRINT(args) if (0) err_printf args

#define CHECK_ENVIRON(str,var) if (str == NULL) {
fprintf(ERROROUT, \
        "%s environment variable is
not defined.\n",var); }

#define CHK_STATUS(st, val, _errMsg)
\
    if(st) {
\
        enc_status.status=val;
\
        strcpy(enc_status.file, __FILE__);
\
        enc_status.line= __LINE__;
\
        enc_status.encinaError = st;
\
        if(_errMsg)strcpy(enc_status.errorMsg,
_errMsg);
\
        if(st!=1) return;
\
    }

#define UTIL_IDENT(a) a

```

```

#if ENCINA_C_ANSI_STRING_TOKEN_SUPPORT
#define UTIL_STRING(a) # a
#define UTIL_CONCAT(a, b) a ## b
#else /* ENCINA_C_ANSI_STRING_TOKEN_SUPPORT */
#define UTIL_STRING(a) "a"
#define UTIL_CONCAT(a, b) UTIL_IDENT(a)b
#endif /* ENCINA_C_ANSI_STRING_TOKEN_SUPPORT */

/* ENCINA_CALL: Make fail-fast calls on the various
services. */
#define ENCINA_CALL(proc_name,call) \
{
    unsigned long _status; \
    ENCINA_CALL_RC(proc_name,call,_status); \
    if (_status) exit_program(_status); \
}

#define ENCINA_CALL_RC(proc_name,call,rc)
\
{
\
    char _errorMsg[ENCINA_MAX_STATUS_STRING_SIZE];
\
    DPRINT(("ENCINA_CALL_RC: before call %s\n",
proc_name));
\
    rc = (call);
\
    DPRINT(("ENCINA_CALL_RC: after call %s\n",
proc_name));
\
    if (rc) {
\
        encina_StatusToString(rc,
ENCINA_MAX_STATUS_STRING_SIZE,
        _errorMsg);
\
        err_printf( "%x \n", rc);
\
        err_printf( "%s \n", _errorMsg);
\
        err_printf( "%s \n", proc_name);
\
    }
\
}

void err_printf(char *format, ...);
void encina_error_message(char *msg, unsigned long
n);
int get_time_init();
int get_local_time(time_type *timeP);
int time_diff_ms(struct timeval *t2, struct timeval
*t1);

#endif /* TPCC_CLIENT_UTILS_H */

databuf.h
/*

```

```

*   databuf.h
*
* $Revision: 1.1 $
* $Date: 1998/11/06 21:10:11 $
* $Log: databuf.h,v $
* Revision 4.2 95/05/16 10:55:31 10:55:31 tpcc
(TPCC Benchmark)
* Added necessary RCS ident strings
*
* Revision 4.1 95/05/09 15:21:02 15:21:02 strue
(Scott Truesdale)
* New code from Transarc - initial version
*
* Revision 3.2 95/04/03 17:43:09 17:43:09 strue
(Scott Truesdale)
* Changes from Transarc - added sql error handling
in client; cleaned up debug handling with macros;
added check on db paramters via call to server.
*
* Revision 3.1 95/04/03 15:10:30 15:10:30 strue
(Scott Truesdale)
* Base of rev 3 - shipped to transarc
*
*
* $TALog: databuf.h,v $
* Revision 1.1 1998/11/06 21:10:11 dongfeng
* - Move all files common to client and server to
tpcc/common
* directory
* [added by delta dongfeng-23677-TPCC-new-directory-
structures, r1.1]
*
* Revision 1.3 1998/10/22 15:33:04 wenjian
* Make changes to Encina server code to connect with
SQL server and add
* callsql.c and sql directory.
*
* Add ERR_BAD_ITEM_ID, which is returned by SLQnew
and same as INVALID_NEWO
* [from r1.2 by delta wenjian-23529-TPCC-integrate-
with-SQL-server, r1.1]
*
* Revision 1.2 1998/01/23 15:07:47 oz
* - Updated the SP TPCC directory to the latest
files used
* during the SP tpcc audit.
* [from r1.1 by delta oz-20774-TPCC-update-to-
latest-SP-version-11-27, r1.1]
*
* Revision 1.1 1997/04/20 11:57:57 oz
* - This is the code base modified at IBM
Poughkeepsie
* by Ofer Zajicek and Radha Sivaramakrishnan for
the
* SP scaling test for TPCC.
* [added by delta oz-19782-TPCC-add-ibm-sp-code,
r1.1]
*
* Revision 1.31 1995/10/30 19:10:54 oz
* [merge of changes from 1.29 to 1.30 into 1.27]
*

```

```

* Revision 1.30 1995/10/27 15:41:30 oz
* - Modified the tpc-c code to work with the new
informix
* sql code that is in ex_trans.ec
* [from r1.29 by delta oz-16761-TPCC-modify-code-to-
work-with-oracle, r1.1]
*
* Revision 1.27 1995/10/20 18:44:30 ctipper
* [merge of changes from 1.17 to 1.25 into 1.22]
*
* Revision 1.25 1995/10/20 18:15:34 ctipper
* Incorporate changes per code review.
*
* - add DISTRIBUTED_TRAN_FAILED,
TPCC_DB_INFO_PARTIAL, and
* TPCC_DB_INFO_FAILED error codes to tpcc_rc_t
* - got rid of MAX_NUM_SERVERS variables
* [from r1.23 by delta ctipper-16547-TPCC-more-
distributed-trans, r1.2]
*
* Revision 1.23 1995/10/13 17:00:26 ctipper
* This delta encompasses all changes necessary to do
distributed, XA
* transactions with the TPCC benchmark. This
includes the changes
* necessary to build with Informix version 6.
*
* Each client still talks to only one server,
however, if a distributed
* transaction is necessary, the client sends the
request to a different
* interface of that server which then forwards all
or part of the
* request on to the appropriate remote server.
*
* - added new error codes to the tpcc_rc_t
enumeration.
* - defined MAX_NUM_SERVERS to be 10
* [from r1.19 by delta ctipper-16547-TPCC-more-
distributed-trans, r1.1]
*
* Revision 1.19 1995/09/20 21:02:39 oz
* -Corrected code for the payment transaction
* - The distributed case now no longer uses
* stored procedures
* [from r1.18 by delta oz-16547-TPCC-add-
distributed-transactions, r1.2]
*
* Revision 1.18 1995/09/20 17:51:10 oz
* - Added distributed transactions for the new order
and
* payment transaction
*
* - Added new error codes
* [from r1.17 by delta oz-16547-TPCC-add-
distributed-transactions, r1.1]
*
* Revision 1.22 1995/10/02 20:31:07 oz
* - Corrected definition of ERROR()
* [from r1.21 by delta oz-16638-tpcc-modify-
terminal-for-RTE, r1.3]
*
* Revision 1.21 1995/10/02 18:51:45 oz

```

```

* - Added definitions needed for utils.c and
liberty.c
* [from r1.20 by delta oz-16638-tpcc-modify-
terminal-for-RTE, r1.2]
*
* Revision 1.20 1995/10/02 15:52:35 oz
* - Modified the TPC-C benchmark to be compatible
with the RTE.
* - There are now 3 terminal processes:
* emulator: the old terminal process with a
built in
* simple emulator
* curses: An interactive terminal process using
curses
* liberty: An interactive terminal process to be
used with
* the RTE compatible with the liberty
freedom terminal.
*
* - Define TRUE and FALSE only if they are not
already defined.
* (curses.h defines TRUE)
* - Removed READ_TO_DATE and YEAR_TO_SECOND
* - Added term_type_t
* - Added
* GOOD_INPUT (0)
* WRONG_INPUT (10)
* [from r1.17 by delta oz-16638-tpcc-modify-
terminal-for-RTE, r1.1]
*
* Revision 1.17 1995/07/28 15:28:23 oz
* - Added a -null and -no_marshallng option to TPCC
*
* - Added INVALID_TRAN_TYPE return code
* [from r1.16 by delta oz-16070-TPCC-add-null-and-
marshalling-test, r1.1]
*
* Revision 1.16 1995/07/18 17:02:38 oz
* - Added a DCE_ERROR error code
* [from r1.15 by delta oz-15938-TPCC-add-dce-only-
client, r1.1]
*
* Revision 1.15 1995/05/22 19:50:48 shl
* [merge of changes from 1.12 to 1.13 into 1.14]
*
* Revision 1.13 1995/05/18 15:11:27 oz
* [from r1.12 by delta oz-15290-TPCC-incorporate-hp-
drop-of-05-16-95, r1.1]
*
* Revision 1.14 1995/05/22 17:26:35 ctipper
* [merge of changes from 1.5 to 1.9 into 1.11]
*
* [*** log entries omitted ***]
*
*/

#ifndef __TPCC_DATABUF_H__
#define __TPCC_DATABUF_H__

#define I_NAME_LEN 24
#define I_DATA 50
#define W_NAME_LEN 10
#define ADDR_LEN 20

```

```

#define STATE_LEN      2
#define ZIP_LEN        9
#define DIST_INFO_LEN 24
#define S_DATA_LEN     50
#define D_NAME_LEN    10
#define H_DATA_LEN    24
#define CARRIER_LEN  2
#define C_LAST_LEN    17
#define C_MID_LEN      2
#define PHONE_LEN     16
#define CREDIT_LEN     2
#define C_DATA_LEN    500
#define BC_DTA_LEN    23

#define YEAR_TO_DATE   1
#define YEAR_TO_SECOND 2

#define ERROR(x) fprintf(stderr,"Error:
%s\n",#x),exit(11)

#define MAX_STR_LEN   255
#define MAX_OL        15

#ifdef TRUE
#define TRUE         1
#endif
#ifdef FALSE
#define FALSE        0
#endif

#define CANCEL        -1

#define DATETIME_LEN  19

#define D_PER_W        10

#define COLLECTOR     1          /* ctipper
5/3/95 */

#define ERR_BAD_ITEM_ID 1 /* copied from sql/tpcc.h
*/
#define RPC_ERROR      -2
#define SUCCESS_CODE    0

#define CHAR_NULL      '\0'    /* strue
1/23/95 */

typedef enum {
    liberty_term,
    curses_term,
    emulator_term
} term_type_t;

typedef enum {
    GOOD_INPUT = 0,

    SQL_ERROR = 2,
    DCE_ERROR = 4,
    NO_SUCH_LAST_NAME = 5,
    INVALID_TRAN_TYPE = 6,
    INVALID_HANDLE = 7,

    WRONG_INPUT = 10,

```

```

DISTRIBUTED_TRAN_FAILED = 15,

TPCC_DB_INFO_PARTIAL = 20,
TPCC_DB_INFO_FAILED,

TPCC_ERROR_BEGIN_NEWO = 110,

TPCC_ERROR_DECL_NEWO_SEL_ITEM,
TPCC_ERROR_OPEN_NEWO_SEL_ITEM,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_ITEM,
TPCC_ERROR_FETCH_NEWO_SEL_ITEM,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_ITEM,
TPCC_ERROR_PREP_NEWO_SEL_STCK,
TPCC_ERROR_DECL_NEWO_SEL_STCK,
TPCC_ERROR_OPEN_NEWO_SEL_STCK,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_STCK,
TPCC_ERROR_FETCH_NEWO_SEL_STCK,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_STCK,
TPCC_ERROR_NEWO_SELECT,
TPCC_ERROR_NEWO_UPD_STCK,
TPCC_ERROR_DIST_NEWO_UPD_STCK,
TPCC_ERROR_NEWO_SELECT_2,
TPCC_ERROR_DECL_NEWO_SEL_CUST,
TPCC_ERROR_OPEN_NEWO_SEL_CUST,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_CUST,
TPCC_ERROR_FETCH_NEWO_SEL_CUST,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_CUST,
TPCC_ERROR_DECL_NEWO_SEL_DIST,
TPCC_ERROR_OPEN_NEWO_SEL_DIST,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_DIST,
TPCC_ERROR_FETCH_NEWO_SEL_DIST,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_DIST,
TPCC_ERROR_PREP_NEWO_INS_OL,
TPCC_ERROR_DECL_NEWO_INS_OL,
TPCC_ERROR_OPEN_NEWO_INS_OL,
TPCC_ERROR_OPEN_DIST_NEWO_INS_OL,
TPCC_ERROR_PUT_NEWO_INS_OL,
TPCC_ERROR_PUT_DIST_NEWO_INS_OL,
TPCC_ERROR_DECL_NEWO_SEL_WARE,
TPCC_ERROR_OPEN_NEWO_SEL_WARE,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_WARE,
TPCC_ERROR_FETCH_NEWO_SEL_WARE,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_WARE,
TPCC_ERROR_EXECUTE_NEWO_UPD_INS,
TPCC_ERROR_UPDATE_NEWO_NEXT_OID,
TPCC_ERROR_PREP_NEWO_INS,
TPCC_ERROR_EXECUTE_DIST_NEWO_INS,
TPCC_ERROR_EXECUTE_NEWO_COMMIT,
TPCC_ERROR_ROLLBACK_NEWO,
TPCC_ERROR_REMOTE_OL_SELECT,
TPCC_ERROR_REMOTE_OL_UPDATE,

TPCC_ERROR_OPEN_ORDS_CNT_CID = 200,
TPCC_ERROR_FETCH_ORDS_CNT_CID,
TPCC_ERROR_OPEN_ORDS_SEL_CLAST,
TPCC_ERROR_FETCH_ORDS_SEL_CLAST,
TPCC_ERROR_OPEN_ORDS_SEL_CID,
TPCC_ERROR_FETCH_ORDS_SEL_CID,
TPCC_ERROR_OPEN_ORDS_SEL_OLDORD,
TPCC_ERROR_FETCH_ORDS_OLDORD,
TPCC_ERROR_OPEN_ORDS_SEL_OL,
TPCC_ERROR_FETCH_ORDS_SEL_OL,

```

```

TPCC_ERROR_EXECUTE_ORDS_COMMIT,

TPCC_ERROR_OPEN_DELIVERY_OLDEST_OID = 300,
TPCC_ERROR_FETCH_DELIVERY_OLDEST_OID,
TPCC_ERROR_EXECUTE_DELIVERY_COMMIT,
TPCC_ERROR_OPEN_DELIVERY_SEL_ORD,
TPCC_ERROR_FETCH_DELIVERY_SEL_ORD,
TPCC_ERROR_OPEN_DELIVERY_SEL_SUM_OL,
TPCC_ERROR_FETCH_DELIVERY_SEL_SUM_OL,
TPCC_ERROR_EXECUTE_DELIVERY_EXEC_DVRY,
TPCC_ERROR_SELECT_DELIVERY_ORDER_ID,
TPCC_ERROR_SELECT_DELIVERY_CARRIER_ID,
TPCC_ERROR_SELECT_DELIVERY_BALANCE,

TPCC_ERROR_OPEN_STOCKLEVEL_SEL_OID = 400,
TPCC_ERROR_FETCH_STOCKLEVEL_SEL_OID,
TPCC_ERROR_OPEN_STOCKLEVEL_CNT_SID,
TPCC_ERROR_FETCH_STOCKLEVEL_CNT_SID,
TPCC_ERROR_OPEN_STOCKLEVEL_FIND,
TPCC_ERROR_FETCH_STOCKLEVEL_FIND,
TPCC_ERROR_EXECUTE_STOCKLEVEL_COMMIT,

TPCC_ERROR_OPEN_PAYMENT_CNT_CID = 500,
TPCC_ERROR_FETCH_PAYMENT_CNT_CID,
TPCC_ERROR_OPEN_PAYMENT_SEL_CLAST,
TPCC_ERROR_FETCH_PAYMENT_SEL_CLAST,
TPCC_ERROR_OPEN_PAYMENT_SEL_CID,
TPCC_ERROR_FETCH_PAYMENT_SEL_CID,
TPCC_ERROR_DECL_PAYMENT_SEL_DIST,
TPCC_ERROR_OPEN_PAYMENT_SEL_DIST,
TPCC_ERROR_OPEN_DIST_PAYMENT_SEL_DIST,
TPCC_ERROR_FETCH_PAYMENT_SEL_DIST,
TPCC_ERROR_FETCH_DIST_PAYMENT_SEL_DIST,
TPCC_ERROR_DECL_PAYMENT_SEL_WARE,
TPCC_ERROR_OPEN_PAYMENT_SEL_WARE,
TPCC_ERROR_OPEN_DIST_PAYMENT_SEL_WARE,
TPCC_ERROR_FETCH_PAYMENT_SEL_WARE,
TPCC_ERROR_FETCH_DIST_PAYMENT_SEL_WARE,
TPCC_ERROR_EXECUTE_PAYMENT_UPD_CUST_LAST,
TPCC_ERROR_EXECUTE_PAYMENT_UPD_CUST_ID,
TPCC_ERROR_COMMIT_PAYMENT_UPD_CUST,
TPCC_ERROR_SELECT_PAYMENT_W_YTD,
TPCC_ERROR_SELECT_PAYMENT_D_YTD,
TPCC_ERROR_BEGIN_PAYMENT,
TPCC_ERROR_EXECUTE_PAYMENT_COMMIT,
TPCC_ERROR_PAYMENT_UPD_CUST_BY_NAME,
TPCC_ERROR_PAYMENT_UPD_CUST_BY_ID,
TPCC_ERROR_PAYMENT_UPDATE_DIST,
TPCC_ERROR_PAYMENT_UPDATE_WH,
TPCC_ERROR_PAYMENT_INSERT_HISTORY,
TPCC_ERROR_EXECUTE_PAYMENT_WH_DIST

} tpcc_rc_t;

typedef enum {
    TPCC_DEADLOCK_MSG = 10,
    TPCC_RETRY_MSG
} tpcc_msg_t;

#endif /* __TPCC_DATABUF_H__ */

```

## databuf.h.new

```
/*
 * databuf.h
 */

#ifndef TPCC_DATABUF_H_
#define TPCC_DATABUF_H_

#define I_NAME_LEN 24
#define I_DATA 50
#define W_NAME_LEN 10
#define ADDR_LEN 20
#define STATE_LEN 2
#define ZIP_LEN 9
#define DIST_INFO_LEN 24
#define S_DATA_LEN 50
#define D_NAME_LEN 10
#define H_DATA_LEN 24
#define CARRIER_LEN 2
#define C_LAST_LEN 17
#define C_MID_LEN 2
#define PHONE_LEN 16
#define CREDIT_LEN 2
/* #define C_DATA_LEN 500 */
#define BC_DTA_LEN 23

#define YEAR_TO_DATE 1
#define YEAR_TO_SECOND 2

#define MAX_STR_LEN 255
#define MAX_OL 15

#ifndef TRUE
#define TRUE 1
#endif
#ifndef FALSE
#define FALSE 0
#endif

#define CANCEL -1
/* #define DATETIME_LEN 19 */

#define D_PER_W 10

#define COLLECTOR 1 /* ctipper
5/3/95 */

#define ERR_BAD_ITEM_ID 1 /* copied from sql/tpcc.h
*/
#define RPC_ERROR -2
#define SUCCESS_CODE 0

#define CHAR_NULL '\0' /* strue
1/23/95 */

typedef enum {
liberty_term,
curses_term,
emulator_term
}
```

```
} term_type_t;

typedef enum {
TPCC_SUCCESS = 0,
GOOD_INPUT = 0,

INVALID_NEWO = 100,
SQL_ERROR = 2,
TRPC_ERROR = 3,
DCE_ERROR = 4,
NO_SUCH_LAST_NAME = 5,
INVALID_TRAN_TYPE = 6,
INVALID_HANDLE = 7,

WRONG_INPUT = 10,

DISTRIBUTED_TRAN_FAILED = 15,

TPCC_DB_INFO_PARTIAL = 20,
TPCC_DB_INFO_FAILED,

TPCC_ERROR_BEGIN_NEWO = 110,

TPCC_ERROR_DECL_NEWO_SEL_ITEM,
TPCC_ERROR_OPEN_NEWO_SEL_ITEM,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_ITEM,
TPCC_ERROR_FETCH_NEWO_SEL_ITEM,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_ITEM,
TPCC_ERROR_PREP_NEWO_SEL_STCK,
TPCC_ERROR_DECL_NEWO_SEL_STCK,
TPCC_ERROR_OPEN_NEWO_SEL_STCK,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_STCK,
TPCC_ERROR_FETCH_NEWO_SEL_STCK,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_STCK,
TPCC_ERROR_NEWO_SELECT,
TPCC_ERROR_NEWO_UPD_STCK,
TPCC_ERROR_DIST_NEWO_UPD_STCK,
TPCC_ERROR_NEWO_SELECT_2,
TPCC_ERROR_DECL_NEWO_SEL_CUST,
TPCC_ERROR_OPEN_NEWO_SEL_CUST,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_CUST,
TPCC_ERROR_FETCH_NEWO_SEL_CUST,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_CUST,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_CUST,
TPCC_ERROR_DECL_NEWO_SEL_DIST,
TPCC_ERROR_OPEN_NEWO_SEL_DIST,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_DIST,
TPCC_ERROR_FETCH_NEWO_SEL_DIST,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_DIST,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_DIST,
TPCC_ERROR_PREP_NEWO_INS_OL,
TPCC_ERROR_DECL_NEWO_INS_OL,
TPCC_ERROR_OPEN_NEWO_INS_OL,
TPCC_ERROR_OPEN_DIST_NEWO_INS_OL,
TPCC_ERROR_PUT_NEWO_INS_OL,
TPCC_ERROR_PUT_DIST_NEWO_INS_OL,
TPCC_ERROR_DECL_NEWO_SEL_WARE,
TPCC_ERROR_OPEN_NEWO_SEL_WARE,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_WARE,
TPCC_ERROR_FETCH_NEWO_SEL_WARE,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_WARE,
TPCC_ERROR_EXECUTE_NEWO_UPD_INS,
TPCC_ERROR_UPDATE_NEWO_NEXT_OID,
TPCC_ERROR_PREP_NEWO_INS,
TPCC_ERROR_EXECUTE_DIST_NEWO_INS,
}
```

```
TPCC_ERROR_EXECUTE_NEWO_COMMIT,
TPCC_ERROR_ROLLBACK_NEWO,
TPCC_ERROR_REMOTE_OL_SELECT,
TPCC_ERROR_REMOTE_OL_UPDATE,

TPCC_ERROR_OPEN_ORDS_CNT_CID = 200,
TPCC_ERROR_FETCH_ORDS_CNT_CID,
TPCC_ERROR_OPEN_ORDS_SEL_CLAST,
TPCC_ERROR_FETCH_ORDS_SEL_CLAST,
TPCC_ERROR_OPEN_ORDS_SEL_CID,
TPCC_ERROR_FETCH_ORDS_SEL_CID,
TPCC_ERROR_OPEN_ORDS_SEL_OLDORD,
TPCC_ERROR_FETCH_ORDS_OLDORD,
TPCC_ERROR_OPEN_ORDS_SEL_OL,
TPCC_ERROR_FETCH_ORDS_SEL_OL,
TPCC_ERROR_EXECUTE_ORDS_COMMIT,

TPCC_ERROR_OPEN_DELIVERY_OLDEST_OID = 300,
TPCC_ERROR_FETCH_DELIVERY_OLDEST_OID,
TPCC_ERROR_EXECUTE_DELIVERY_COMMIT,
TPCC_ERROR_OPEN_DELIVERY_SEL_ORD,
TPCC_ERROR_FETCH_DELIVERY_SEL_ORD,
TPCC_ERROR_OPEN_DELIVERY_SEL_SUM_OL,
TPCC_ERROR_FETCH_DELIVERY_SEL_SUM_OL,
TPCC_ERROR_EXECUTE_DELIVERY_EXEC_DVRY,
TPCC_ERROR_SELECT_DELIVERY_ORDER_ID,
TPCC_ERROR_SELECT_DELIVERY_CARRIER_ID,
TPCC_ERROR_SELECT_DELIVERY_BALANCE,

TPCC_ERROR_OPEN_STOCKLEVEL_SEL_OID = 400,
TPCC_ERROR_FETCH_STOCKLEVEL_SEL_OID,
TPCC_ERROR_OPEN_STOCKLEVEL_CNT_SID,
TPCC_ERROR_FETCH_STOCKLEVEL_CNT_SID,
TPCC_ERROR_OPEN_STOCKLEVEL_FIND,
TPCC_ERROR_FETCH_STOCKLEVEL_FIND,
TPCC_ERROR_EXECUTE_STOCKLEVEL_COMMIT,

TPCC_ERROR_OPEN_PAYMENT_CNT_CID = 500,
TPCC_ERROR_FETCH_PAYMENT_CNT_CID,
TPCC_ERROR_OPEN_PAYMENT_SEL_CLAST,
TPCC_ERROR_FETCH_PAYMENT_SEL_CLAST,
TPCC_ERROR_OPEN_PAYMENT_SEL_CID,
TPCC_ERROR_FETCH_PAYMENT_SEL_CID,
TPCC_ERROR_DECL_PAYMENT_SEL_DIST,
TPCC_ERROR_OPEN_PAYMENT_SEL_DIST,
TPCC_ERROR_OPEN_DIST_PAYMENT_SEL_DIST,
TPCC_ERROR_FETCH_PAYMENT_SEL_DIST,
TPCC_ERROR_FETCH_DIST_PAYMENT_SEL_DIST,
TPCC_ERROR_DECL_PAYMENT_SEL_WARE,
TPCC_ERROR_OPEN_PAYMENT_SEL_WARE,
TPCC_ERROR_OPEN_DIST_PAYMENT_SEL_WARE,
TPCC_ERROR_FETCH_PAYMENT_SEL_WARE,
TPCC_ERROR_FETCH_DIST_PAYMENT_SEL_WARE,
TPCC_ERROR_EXECUTE_PAYMENT_UPD_CUST_LAST,
TPCC_ERROR_EXECUTE_PAYMENT_UPD_CUST_ID,
TPCC_ERROR_COMMIT_PAYMENT_UPD_CUST,
TPCC_ERROR_SELECT_PAYMENT_W_YTD,
TPCC_ERROR_SELECT_PAYMENT_D_YTD,
TPCC_ERROR_BEGIN_PAYMENT,
TPCC_ERROR_EXECUTE_PAYMENT_COMMIT,
TPCC_ERROR_PAYMENT_UPD_CUST_BY_NAME,
TPCC_ERROR_PAYMENT_UPD_CUST_BY_ID,
TPCC_ERROR_PAYMENT_UPDATE_DIST,
```

```

TPCC_ERROR_PAYMENT_UPDATE_WH,
TPCC_ERROR_PAYMENT_INSERT_HISTORY,
TPCC_ERROR_EXECUTE_PAYMENT_WH_DIST
} tpcc_rc_t;

typedef enum {
TPCC_DEADLOCK_MSG = 10,
TPCC_RETRY_MSG
} tpcc_msg_t;

#endif /* __TPCC_DATABUF_H__ */

```

## db\_dblib\_dll.dsp

```

# Microsoft Developer Studio Project File -
Name="db_dblib_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=db_dblib_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "db_dblib_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "db_dblib_dll.mak"
CFG="db_dblib_dll - Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "db_dblib_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_dblib_dll - Win32 Debug" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_dblib_dll - Win32 IceCAP" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "db_dblib_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0

```

```

# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 ntdll.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib /nologo
/subsystem:windows /dll /machine:I386
/out:".bin\tpcc_dblib.dll"

!ELSEIF "$(CFG)" == "db_dblib_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib

```

```

ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ntdll.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/out:".bin\tpcc_dblib.dll" /pdbtype:sept

!ELSEIF "$(CFG)" == "db_dblib_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "db_dblib"
# PROP BASE Intermediate_Dir "db_dblib"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MDd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /Gm /GX /Zi /O2 /D "WIN32"
/D "NDEBUG" /D "_WINDOWS" /D "ICECAP" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 ntdll.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_dblib.dll"
/pdbtype:sept
# ADD LINK32 icap.lib ntdll.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_dblib.dll"
/pdbtype:sept

!ENDIF

# Begin Target

# Name "db_dblib_dll - Win32 Release"
# Name "db_dblib_dll - Win32 Debug"
# Name "db_dblib_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp"
# Begin Source File

SOURCE=. \src\tpcc_dblib.cpp

```



```

# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=..\common\src\error.h
# End Source File
# Begin Source File

SOURCE=..\src\tpcc_dblib.h
# End Source File
# Begin Source File

SOURCE=..\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=..\common\src\txn_base.h
# End Source File
# End Group
# End Target
# End Project

```

## db\_odbc\_dll.dsp

```

# Microsoft Developer Studio Project File -
Name="db_odbc_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=db_odbc_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "db_odbc_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "db_odbc_dll.mak" CFG="db_odbc_dll
- Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "db_odbc_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_odbc_dll - Win32 Debug" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE "db_odbc_dll - Win32 IceCAP" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

```

```

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "db_odbc_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
/win32 "NUL"
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o /win32
"NUL"
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll
/machine:I386 /out:".bin\tpcc_odbc.dll"

!ELSEIF "$(CFG)" == "db_odbc_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /GX /ZI /Od /D "WIN32" /D
"_DEBUG" /D "_WINDOWS" /YX /FD /c

```

```

# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
/win32 "NUL"
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o /win32
"NUL"
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdptype:sept
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_odbc.dll"
/pdptype:sept

!ELSEIF "$(CFG)" == "db_odbc_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "db_odbc_"
# PROP BASE Intermediate_Dir "db_odbc_"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MD /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /Gm /GX /Zi /O2 /D "WIN32"
/D "NDEBUG" /D "_WINDOWS" /D "ICECAP" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
/win32 "NUL"
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o /win32
"NUL"
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_odbc.dll"
/pdptype:sept

```

```

!ENDIF

# Begin Target

# Name "db_odbc_dll - Win32 Release"
# Name "db_odbc_dll - Win32 Debug"
# Name "db_odbc_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp"
# Begin Source File

SOURCE=.\src\tpcc_odbc.cpp
# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=.\common\src\error.h
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_odbc.h
# End Source File
# Begin Source File

SOURCE=.\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=.\common\src\txn_base.h
# End Source File
# End Group
# End Target
# End Project

```

---

## delivery.h

---

```

#ifdef TRANSARC_delivery_h
#define TRANSARC_delivery_h

#include <trpc/trpc.h>
#include "_delivery.h"

#include <encina/c_prologue.h>

#if defined(BUILDDLL)
#define DLLEXPORT __declspec( dllexport )
#else
#define DLLEXPORT extern
#endif

#ifdef ENCINA_STUB_CALLING
#define ENCINA_STUB_CALLING ENCINA_RPC_CALLING
#endif

#define delivery_v1_0_c_ifspec
    _delivery_v1_0_c_ifspec

```

```

#define delivery_v1_0_s_ifspec
    _delivery_v1_0_s_ifspec

typedef struct delivery_v1_0_epv {
void (ENCINA_STUB_CALLING *impTPCCDelivery) (
#ifdef IDL_PROTOTYPES

        idl_long_int length,
        idl_char *dataP,
        data_header *headerP,
        trpc_status_t *trpcStatus

#endif

);

} delivery_v1_0_epv_t;

DLLEXPORT void ENCINA_STUB_CALLING impTPCCDelivery (
#ifdef IDL_PROTOTYPES

        idl_long_int length,
        idl_char *dataP,
        data_header *headerP,
        trpc_status_t *trpcStatus

#endif

);

trpc_handle_t          ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t        *ifSpecP

#endif

);

void          ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_handle_t        trpcHandle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t        *ifSpecP

#endif

);

trpc_handle_t          ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t        *ifSpecP

#endif

);

void          ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_handle_t        trpcHandle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t        *ifSpecP

#endif

);

```

```

extern delivery_v1_0_epv_t
    delivery_v1_0_client_epv;
extern _delivery_v1_0_epv_t
    delivery_v1_0_manager_epv;
extern rpc_mgr_epv_t
    delivery_v1_0_mgr_epv;

#include <encina/c_epilogue.h>
#endif /* TRANSARC_delivery_h */

```

---

## dlldata.c

---

```

/*****
*****/
DllData file -- generated by MIDL compiler

DO NOT ALTER THIS FILE

This file is regenerated by MIDL on every IDL file
compile.

To completely reconstruct this file, delete it and
rerun MIDL
on all the IDL files in this DLL, specifying this
file for the
/dlldata command line option

*****/

#include <rpcproxy.h>

#ifdef __cplusplus
extern "C" {
#endif

EXTERN_PROXY_FILE( tpcc_com_ps )

PROXYFILE_LIST_START
/* Start of list */
REFERENCE_PROXY_FILE( tpcc_com_ps ),
/* End of list */
PROXYFILE_LIST_END

DLLDATA_ROUTINES( aProxyFileList, GET_DLL_CLSID )

#ifdef __cplusplus
} /*extern "C" */
#endif

/* end of generated dlldata file */

```

---

## error.h

---

```

/*          FILE:          ERROR.H

```

```

*
* Microsoft
* TPC-C Kit Ver. 4.20.000
* Copyright
* Microsoft, 1999
* All Rights Reserved
*
* Version
* 4.10.000 audited by Richard Gimarc, Performance
* Metrics, 3/17/99
*
* PURPOSE: Header file for error exception
* classes.
*
* Change history:
*
* 4.20.000 - updated rev number to
* match kit
*
* 4.21.000 - fixed bug: ~CBaseErr
* needed to be declared virtual
*/

#pragma once

#ifndef _INC_STRING
#include <string.h>
#endif

const int m_szMsg_size = 512;
const int m_szApp_size = 64;
const int m_szLoc_size = 64;

//error message structure used in ErrorText routines
typedef struct _SERRORMSG
{
    int iError;
    char szMsg[256];
} SERRORMSG;

typedef enum _ErrorLevel
{
    ERR_FATAL_LEVEL = 1,
    ERR_WARNING_LEVEL = 2,
    ERR_INFORMATION_LEVEL = 3
} ErrorLevel;

#define ERR_TYPE_LOGIC -1
//logic error in program; internal error
#define ERR_SUCCESS 0
//success (a non-error error)
#define ERR_BAD_ITEM_ID 1
//expected abort record in txnRecord
#define ERR_TYPE_DELIVERY_POST 2
//expected delivery post failed
#define ERR_TYPE_WEBDLL 3
//tpcc web generated error

```

```

#define ERR_TYPE_SQL 4
//sql server generated error
#define ERR_TYPE_DBLIB 5
//dblib generated error
#define ERR_TYPE_ODBC 6
//odbc generated error
#define ERR_TYPE_SOCKET 7
//error on communication socket client rte
only
#define ERR_TYPE_DEADLOCK 8
//dblib and odbc only deadlock condition
#define ERR_TYPE_COM 9
//error from COM call
#define ERR_TYPE_TUXEDO 10
//tuxedo error
#define ERR_TYPE_OS 11
//operating system error
#define ERR_TYPE_MEMORY 12
//memory allocation error
#define ERR_TYPE_TPCC_ODBC 13
//error from tpcc odbc txn module
#define ERR_TYPE_TPCC_DBLIB 14
//error from tpcc dblib txn module
#define ERR_TYPE_DELISRV 15
//delivery server error
#define ERR_TYPE_TXNLOG 16
//txn log error
#define ERR_TYPE_BCCONN 17
//Benchcraft connection class
#define ERR_TYPE_TPCC_CONN 18
//Benchcraft connection class
#define ERR_TYPE_ENCINA 19
//Encina error
#define ERR_TYPE_COMPONENT 20
//error from COM component
#define ERR_TYPE_RTE 21
//Benchcraft rte
#define ERR_TYPE_AUTOMATION 22
//Benchcraft automation errors
#define ERR_TYPE_DRIVER 23
//Driver engine errors

```

```

#define ERR_TYPE_RTE_BASE 24
//Framework errors
#define ERR_BUF_OVERFLOW 25
//Buffer overflow during receive
// TPC-W error types
#define ERR_TYPE_TPCW_CONN 50
//Benchcraft connection class
#define ERR_TYPE_TPCW_HTML 51
//error from TpcwHtml dll
#define ERR_TYPE_TPCW_USER 52
//error from TPC-W user class
#define ERR_TYPE_TPCW_BASE 53
#define ERR_TYPE_TPCW_ENG_OS 54
#define ERR_TYPE_HTML_RESP 55
#define ERR_TYPE_TPCW_ODBC 56
#define ERR_TYPE_SCHANNEL 57

#define ERR_INS_MEMORY
    "Insufficient Memory to continue."
#define ERR_UNKNOWN
    "Unknown error."
#define ERR_MSG_BUF_SIZE 512
#define INV_ERROR_CODE -1
#define ERR_INS_BUF_OVERFLOW "Insufficient Buffer
size to recieve HTML pages."

class CBaseErr
{
public:
    CBaseErr(LPCTSTR szLoc = NULL)
    {
        m_idMsg =
        INV_ERROR_CODE;

        if (szLoc)
        {
            m_szLoc = new
            char[m_szLoc_size];
            strcpy(m_szLoc, szLoc);
        }
        else
            m_szLoc = NULL;

        m_szApp = new
        char[m_szApp_size];
        GetModuleFileName(GetModuleHandle(NULL),
        m_szApp, m_szApp_size);
    }
}

```

```

CBaseErr(int idMsg, LPCTSTR szLoc = NULL)
{
    m_idMsg = idMsg;

    if (szLoc)
    {
        m_szLoc = new
char[m_szLoc_size];
        strcpy(m_szLoc, szLoc);
    }
    else
        m_szLoc = NULL;

    m_szApp = new
char[m_szApp_size];

    GetModuleFileName(GetModuleHandle(NULL),
m_szApp, m_szApp_size);
}

virtual ~CBaseErr(void)
{
    if (m_szApp)
        delete [] m_szApp;
    if (m_szLoc)
        delete [] m_szLoc;
};

virtual void Draw(HWND hwnd, LPCTSTR szStr
= NULL)
{
    int j = 0;
    char szTmp[512];

    if (szStr)
        j = wsprintf(szTmp,
"%s\n",szStr);
    if (ErrorNum() != INV_ERROR_CODE)
        j += wsprintf(szTmp+j,
"Error = %d\n", ErrorNum());
    if (m_szLoc)
        j += wsprintf(szTmp+j,
"Location = %s\n", GetLocation());

    j += wsprintf(szTmp+j, "%s\n",
ErrorText());

    ::MessageBox(hwnd, szTmp,
m_szApp, MB_OK);
}

char *GetApp(void) { return m_szApp; }
char *GetLocation(void) { return m_szLoc; }
virtual int ErrorNum() { return m_idMsg; }

```

```

    virtual int ErrorType() = 0; // a value
which distinguishes the kind of error that occurred
    virtual char *ErrorText() = 0; // a string
(i.e., human readable) representation of the error

protected:
    char *m_szApp;
    char *m_szLoc; // code location where
the error occurred
    int m_idMsg;

    //short m_errType;
};

class CSocketErr : public CBaseErr
{
public:
    enum Action
    {
        eNone = 0,
        eSend,
        eSocket,
        eBind,
        eConnect,
        eListen,
        eHost,
        eRecv,
        eGetHostByName,
        eWSACreateEvent,
        eWSASend,
        eWSASendImage,
        eWSAGetOverlappedResult,
        eWSARecv,
        eWSARecvImage,
        eWSAWaitForMultipleEvents,
        eWSAStartup,
        eWSAResetEvent,
        eNonRetryable,
    };

    CSocketErr(Action eAction, LPCTSTR
szLocation = NULL);

    ~CSocketErr()
    {
        if (m_szErrorText != NULL)
            delete []
m_szErrorText;
    };

    Action m_eAction;
    char *m_szErrorText;

    int ErrorType() { return ERR_TYPE_SOCKET;};
    char *ErrorText(void);
};

class CSystemErr : public CBaseErr
{
public:
    enum Action

```

```

{
    eNone = 0,
    eTransactNamedPipe,
    eWaitNamedPipe,
    eSetNamedPipeHandleState,
    eCreateFile,
    eCreateProcess,
    eCallNamedPipe,
    eCreateEvent,
    eCreateThread,
    eVirtualAlloc,
    eReadFile = 10,
    eWriteFile,
    eMapViewOfFile,
    eCreateFileMapping,
    eInitializeSecurityDescriptor,
    eSetSecurityDescriptorDacl,
    eCreateNamedPipe,
    eConnectNamedPipe,
    eWaitForSingleObject,
    eRegOpenKeyEx,
    eRegQueryValueEx = 20,
    eBeginThread,
    eRegEnumValue,
    eRegSetValueEx,
    eRegCreateKeyEx,
    eWaitForMultipleObjects,
    eRegisterClassEx,
    eCreateWindow,
    eCreateSemaphore,
    eFindFile,
    eFRead,
    eFWrite,
    eTmpFile,
    eSetFilePointer,
    eNew,
};

    CSystemErr(Action
eAction, LPCTSTR szLocation);
    CSystemErr(int iError,
Action eAction, LPCTSTR szLocation);
    int ErrorType() { return
ERR_TYPE_OS;};
    char *ErrorText(void);
    void Draw(HWND hwnd, LPCTSTR szStr =
NULL);

    Action m_eAction;

private:
    char m_szMsg[ERR_MSG_BUF_SIZE];
};

class CMemoryErr : public CBaseErr
{
public:
    CMemoryErr();

    int ErrorType() {return ERR_TYPE_MEMORY;};
    char *ErrorText() {return ERR_INS_MEMORY;};
};

```

```

class CBufferOverflowErr : public CBaseErr
{
public:
    CBufferOverflowErr(int, LPTSTR);

    int ErrorType() {return ERR_BUF_OVERFLOW;}

    char *ErrorText() {return
ERR_INS_BUF_OVERFLOW;}
};

```

## install.c

```

/* FILE: INSTALL.C
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 * not audited
 *
 * PURPOSE: Automated installation
 * application for TPC-C Web Kit
 * Contact: Charles Levine
 * (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - added COM installation
 */

#include <windows.h>
#include <direct.h>
#include <io.h>
#include <stdlib.h>
#include <stdio.h>
#include <commctrl.h>
#include "..\..\common\src\ReadRegistry.h"

#include "resource.h"

#define WM_INITTEXT WM_USER+100

HICON hIcon;
HINSTANCE hInst;

DWORD versionExeMS;
DWORD versionExeLS;
DWORD versionExeMM;
DWORD versionDllMS;
DWORD versionDllLS;

// TPC-C registry settings
TPCCREGISTRYDATA Reg;

static int iPoolThreadLimit;
static int iThreadTimeout;
static int iListenBackLog;

```

```

static int iAcceptExOutstanding;

static int iMaxPhysicalMemory;
//max physical memory in MB
static char szLastFileName[64]; //
last file we worked on (for error reporting)

BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT
uMsg, WPARAM wParam, LPARAM lParam);
BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT
uMsg, WPARAM wParam, LPARAM lParam);
BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam);
BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam);
static void ProcessOK(HWND hwnd,
char *szDllPath);
static void
ReadRegistrySettings(void);
static void
WriteRegistrySettings(char *szDllPath);
static BOOL RegisterDLL(char
*szFileName);
static int
CopyFiles(HWND hDlg, char *szDllPath);
static BOOL GetInstallPath(char
*szDllPath);
static void GetVersionInfo(char
*szDLLPath, char *szExePath);
static BOOL
CheckWWWebService(void);
static BOOL
StartWWWebService(void);
static BOOL StopWWWebService(void);
static void UpdateDialog(HWND
hDlg);

BOOL install_com(char *szDllPath);

#include "..\..\common\src\ReadRegistry.cpp"

int WINAPI WinMain( HINSTANCE hInstance, HINSTANCE
hPrevInstance, LPSTR lpCmdLine, int nCmdShow )
{
    int iRc;

    hInst = hInstance;

    InitCommonControls();

    hIcon = LoadIcon(hInstance,
MAKEINTRESOURCE(IDI_ICON1));

    iRc = DialogBox(hInstance,
MAKEINTRESOURCE(IDD_DIALOG4), GetDesktopWindow(),
LicenseDlgProc);
    if ( iRc )
    {
        iRc = DialogBox(hInstance,
MAKEINTRESOURCE(IDD_DIALOG1), GetDesktopWindow(),
MainDlgProc);
        if ( iRc )

```

```

{
    DialogBoxParam(hInstance,
MAKEINTRESOURCE(IDD_DIALOG2), GetDesktopWindow(),
UpdatedDlgProc, (LPARAM)iRc);
}
}

DestroyIcon(hIcon);
return 0;
}

BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    HGLOBAL hRes;
    HRSRC hResInfo;
    BYTE *pSrc, *pDst;
    DWORD dwSize;
    static HFONT hFont;

    switch(uMsg)
    {
        case WM_INITDIALOG:
            hFont = CreateFont(-12,
0, 0, 0, 400, 0, 0, 0, 0, 0, 0, 0, 0, "Arial");
            SendMessage(
GetDlgItem(hwnd, IDR_LICENSE1), WM_SETFONT,
(WPARAM)hFont, MAKELPARAM(0, 0) );
            PostMessage(hwnd,
WM_INITTEXT, (WPARAM)0, (LPARAM)0);
            return TRUE;
        case WM_INITTEXT:
            hResInfo =
FindResource(hInst, MAKEINTRESOURCE(IDR_LICENSE1),
"LICENSE");
            dwSize =
SizeofResource(hInst, hResInfo);
            hRes =
LoadResource(hInst, hResInfo );
            pSrc = (BYTE
*)LockResource(hRes);
            pDst = (unsigned char
*)malloc(dwSize+1);
            if ( pDst )
            {
                memcpy(pDst,
pSrc, dwSize);
                pDst[dwSize]
= 0;

                SetDlgItemText(hwnd, IDC_LICENSE, (const
char *)pDst);
                free(pDst);
            }
            else
                SetDlgItemText(hwnd, IDC_LICENSE, (const
char *)pSrc);
            return TRUE;
        case WM_DESTROY:
            DeleteObject(hFont);
            return TRUE;
    }
}

```

```

        case WM_COMMAND:
            if ( wParam == IDOK )
                EndDialog(hwnd, TRUE);
            if ( wParam == IDCANCEL )
                EndDialog(hwnd, FALSE);
            default:
                break;
        }
        return FALSE;
    }

BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    switch(uMsg)
    {
        case WM_INITDIALOG:
            switch(lParam)
            {
                case 1:
                case 2:
                    SetDlgItemText(hwnd, IDC_RESULTS, "TPC-C
Web Client Installed");
                    break;
            }
            return TRUE;
        case WM_COMMAND:
            if ( wParam == IDOK )
                EndDialog(hwnd, TRUE);
            break;
            default:
                break;
        }
        return FALSE;
    }
}

BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    PAINTSTRUCT ps;
    MEMORYSTATUS memoryStatus;
    OSVERSIONINFO VI;
    char szTmp[256];
    static char szDllPath[256];
    static char szExePath[256];

    switch(uMsg)
    {
        case WM_INITDIALOG:
            GlobalMemoryStatus(&memoryStatus);
            iMaxPhysicalMemory =
(memoryStatus.dwTotalPhys/ 1048576);

```

```

        if (
GetInstallPath(szDllPath) )
        {
            MessageBox(hwnd, "Error internet service
inetsrv is not installed.", NULL, MB_ICONSTOP |
MB_OK);
            EndDialog(hwnd, FALSE);
            return TRUE;
        }
        // set default values
        ZeroMemory( &Reg,
sizeof(Reg) );
        Reg.dwNumberOfDeliveryThreads = 4;
        Reg.dwMaxConnections =
100;
        Reg.dwMaxPendingDeliveries = 100;
        Reg.eDB_Protocol =
DBLIB;
        Reg.eTxnMon = None;
        strcpy(Reg.szDbServer,
"");
        strcpy(Reg.szDbName,
"tpcc");
        strcpy(Reg.szDbUser,
"sa");
        strcpy(Reg.szDbPassword,
"");
        iPoolThreadLimit =
iMaxPhysicalMemory * 2;
        iThreadTimeout = 86400;
        iListenBackLog = 15;
        iAcceptExOutstanding =
40;

        ReadTPCCRegistrySettings( &Reg );
        ReadRegistrySettings();

        GetModuleFileName(hInst, szExePath,
sizeof(szExePath));

        GetVersionInfo(szDllPath, szExePath);
        wprintf(szTmp,
"Version %d.%2d.%3d", versionExeMS, versionExeMM,
versionExeLS);
        SetDlgItemText(hwnd,
IDC_VERSION, szTmp);

        SetDlgItemText(hwnd,
IDC_PATH, szDllPath);

        SetDlgItemText(hwnd,
ED_DB_SERVER, Reg.szDbServer);
        SetDlgItemText(hwnd,
ED_DB_USER_ID, Reg.szDbUser);

```

```

        SetDlgItemText(hwnd,
ED_DB_PASSWORD, Reg.szDbPassword);
        SetDlgItemText(hwnd,
ED_DB_NAME, Reg.szDbName);

        SetDlgItemInt(hwnd,
ED_THREADS, Reg.dwNumberOfDeliveryThreads, FALSE);
        SetDlgItemInt(hwnd,
ED_MAXCONNECTION, Reg.dwMaxConnections, FALSE);
        SetDlgItemInt(hwnd,
ED_MAXDELIVERIES, Reg.dwMaxPendingDeliveries, FALSE);
        SetDlgItemInt(hwnd,
ED_IIS_MAX_THREAD_POOL_LIMIT, iPoolThreadLimit,
FALSE);
        SetDlgItemInt(hwnd,
ED_IIS_THREAD_TIMEOUT, iThreadTimeout, FALSE);
        SetDlgItemInt(hwnd,
ED_IIS_LISTEN_BACKLOG, iListenBackLog, FALSE);
        SetDlgItemInt(hwnd,
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE,
iAcceptExOutstanding, FALSE);

        CheckDlgButton(hwnd,
IDC_DBLIB, 0);
        CheckDlgButton(hwnd,
IDC_ODBC, 0);
        if ( Reg.eDB_Protocol
== DBLIB )
            CheckDlgButton(hwnd, IDC_DBLIB, 1);
        else
            CheckDlgButton(hwnd, IDC_ODBC, 1);

        // check OS version
        level for COM. Must be at least Windows 2000
        VI.dwOSVersionInfoSize
= sizeof(VI);
        GetVersionEx( &VI );
        if (VI.dwMajorVersion <
5)
        {
            HWND hDlg =
GetDlgItem( hwnd, IDC_TM_MTS );
            EnableWindow(
hDlg, 0 ); // disable COM option
            if
(Reg.eTxnMon == COM)
                Reg.eTxnMon = None;
        }

        CheckDlgButton(hwnd,
IDC_TM_NONE, 0);
        CheckDlgButton(hwnd,
IDC_TM_TUXEDO, 0);
        CheckDlgButton(hwnd,
IDC_TM_MTS, 0);
        CheckDlgButton(hwnd,
IDC_TM_ENCINA, 0);
        switch (Reg.eTxnMon)
        {
            case None:

```

```

CheckDlgButton(hwnd, IDC_TM_NONE, 1);
    break;
    case TUXEDO:
        break;
CheckDlgButton(hwnd, IDC_TM_TUXEDO, 1);
    break;
    case ENCINA:
        break;
CheckDlgButton(hwnd, IDC_TM_ENCINA, 1);
    break;
    case COM:
        break;
CheckDlgButton(hwnd, IDC_TM_MTS, 1);
    break;
}
return TRUE;
case WM_PAINT:
    if ( IsIconic(hwnd) )
    {
        BeginPaint(hwnd, &ps);
        DrawIcon(ps.hdc, 0, 0, hIcon);
        EndPaint(hwnd, &ps);
    }
    return TRUE;
case WM_COMMAND:
    if ( HIWORD(wParam) ==
BN_CLICKED )
        {
            LOWORD(wParam) )
                {
                    case IDC_DBLIB:
                        return TRUE;
                    case IDC_ODBC:
                        return TRUE;
                    case IDOK:
                        ProcessOK(hwnd, szDllPath);
                        return TRUE;
                    case IDCANCEL:
                        EndDialog(hwnd, FALSE);
                        return TRUE;
                    default:
                        return FALSE;
                }
        }
}

```

```

        break;
        default:
            break;
    }
    return FALSE;
}
static void ProcessOK(HWND hwnd, char *szDllPath)
{
    int         d;
    HWND        hDlg;
    int         rc;
    char        szFullName[256];
    char        szErrTxt[128];
    // read settings from dialog
    Reg.dwNumberOfDeliveryThreads =
GetDlgItemInt(hwnd, ED_THREADS, &d, FALSE);
    Reg.dwMaxConnections = GetDlgItemInt(hwnd,
ED_MAXCONNECTION, &d, FALSE);
    Reg.dwMaxPendingDeliveries =
GetDlgItemInt(hwnd, ED_MAXDELIVERIES, &d, FALSE);
    GetDlgItemText(hwnd, ED_DB_SERVER,
Reg.szDbServer, sizeof(Reg.szDbServer));
    GetDlgItemText(hwnd, ED_DB_USER_ID,
Reg.szDbUser, sizeof(Reg.szDbUser));
    GetDlgItemText(hwnd, ED_DB_PASSWORD,
Reg.szDbPassword, sizeof(Reg.szDbPassword));
    GetDlgItemText(hwnd, ED_DB_NAME,
Reg.szDbName, sizeof(Reg.szDbName));
    if ( IsDlgButtonChecked(hwnd, IDC_DBLIB) )
    {
        Reg.eDB_Protocol = DBLIB;
        rc = 1;
    }
    else if ( IsDlgButtonChecked(hwnd,
IDC_ODBC) )
    {
        Reg.eDB_Protocol = ODBC;
        rc = 2;
    }
    if ( IsDlgButtonChecked(hwnd, IDC_TM_NONE) )
        Reg.eTxnMon = None;
    else if ( IsDlgButtonChecked(hwnd,
IDC_TM_TUXEDO) )
        Reg.eTxnMon = TUXEDO;
    else if ( IsDlgButtonChecked(hwnd,
IDC_TM_MTS) )
        Reg.eTxnMon = COM;
    else if ( IsDlgButtonChecked(hwnd,
IDC_TM_ENCINA) )
        Reg.eTxnMon = ENCINA;
    iPoolThreadLimit = GetDlgItemInt(hwnd,
ED_IIS_MAX_THREAD_POOL_LIMIT, &d, FALSE);
    iThreadTimeout = GetDlgItemInt(hwnd,
ED_IIS_THREAD_TIMEOUT, &d, FALSE);
}

```

```

    iListenBackLog = GetDlgItemInt(hwnd,
ED_IIS_LISTEN_BACKLOG, &d, FALSE);
    iAcceptExOutstanding = GetDlgItemInt(hwnd,
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE, &d, FALSE);
    ShowWindow(hwnd, SW_HIDE);
    hDlg = CreateDialog(hInst,
MAKEINTRESOURCE(IDD_DIALOG3), hwnd, CopyDlgProc);
    ShowWindow(hDlg, SW_SHOWNA);
    UpdateDialog(hDlg);
    // write binaries to inetpub\wwwroot
    rc = CopyFiles(hDlg, szDllPath);
    if ( !rc )
    {
        ShowWindow(hwnd, SW_SHOWNA);
        DestroyWindow(hDlg);
        strcpy( szErrTxt, "Error(s)
occured when creating " );
        strcat( szErrTxt, szLastFileName
);
        MessageBox(hwnd, szErrTxt, NULL,
MB_ICONSTOP | MB_OK);
        EndDialog(hwnd, 0);
        return;
    }
    // update registry
    SetDlgItemText(hDlg, IDC_STATUS, "Updating
Registry.");
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);
    WriteRegistrySettings(szDllPath);
    // register com proxy stub
    strcpy(szFullName, szDllPath);
    strcat(szFullName, "tpcc_com_ps.dll");
    if (!RegisterDLL(szFullName))
    {
        ShowWindow(hwnd, SW_SHOWNA);
        DestroyWindow(hDlg);
        strcpy( szErrTxt, "Error occured
when registering " );
        strcat( szErrTxt, szFullName );
        MessageBox(hwnd, szErrTxt, NULL,
MB_ICONSTOP | MB_OK);
        EndDialog(hwnd, 0);
        return;
    }
    // if using COM
    if (Reg.eTxnMon == COM)
    {
        SetDlgItemText(hDlg, IDC_STATUS,
"Configuring COM.");
        SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
        if (install_com(szDllPath))

```

```

        {
            ShowWindow(hwnd,
SW_SHOWNA);
            DestroyWindow(hDlg);
            strcpy( szErrTxt,
"Error occured when configuring COM settings." );
            MessageBox(hwnd,
szErrTxt, NULL, MB_ICONSTOP | MB_OK);
            EndDialog(hwnd, 0);
            return;
        }
    }
    Sleep(100);

    ShowWindow(hwnd, SW_SHOWNA);
    DestroyWindow(hDlg);

    EndDialog(hwnd, rc);
    return;
}

static void ReadRegistrySettings(void)
{
    HKEY    hKey;
    DWORD  size;
    DWORD  type;

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\Inetinfo\\Param
eters", 0, KEY_READ, &hKey) == ERROR_SUCCESS )
    {
        size = sizeof(iPoolThreadLimit);
        if ( RegQueryValueEx(hKey,
"PoolThreadLimit", 0, &type, (char
*)&iPoolThreadLimit, &size) == ERROR_SUCCESS )
            if ( !iPoolThreadLimit )

                iPoolThreadLimit = iMaxPhysicalMemory * 2;

        size = sizeof(iThreadTimeout);
        if ( RegQueryValueEx(hKey,
"ThreadTimeout", 0, &type, (char *)&iThreadTimeout,
&size) == ERROR_SUCCESS )
            if ( !iThreadTimeout )

                iThreadTimeout = 86400;

        size = sizeof(iListenBackLog);
        if ( RegQueryValueEx(hKey,
"ListenBackLog", 0, &type, (char *)&iListenBackLog,
&size) == ERROR_SUCCESS )
            if ( !iListenBackLog )

                iListenBackLog = 15;

        RegCloseKey(hKey);
    }

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Paramete
rs", 0, KEY_READ, &hKey) == ERROR_SUCCESS )

```

```

        {
            size =
sizeof(iAcceptExOutstanding);
            if ( RegQueryValueEx(hKey,
"AcceptExOutstanding", 0, &type, (char
*)&iAcceptExOutstanding, &size) == ERROR_SUCCESS )
                if (
!iAcceptExOutstanding )

                    iAcceptExOutstanding = 40;

            RegCloseKey(hKey);
        }
    }

static void WriteRegistrySettings(char *szDllPath)
{
    HKEY    hKey;
    DWORD  dwDisposition;
    char    szTmp[256];
    char    *ptr;
    int     iRc;

    if ( RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\\Microsoft\\TPCC", 0, NULL,
REG_OPTION_NON_VOLATILE, KEY_ALL_ACCESS, NULL, &hKey,
&dwDisposition) == ERROR_SUCCESS )
    {
        strcpy(szTmp, szDllPath);
        ptr = strstr(szTmp, "tpcc");
        if ( ptr )
            *ptr = 0;

        RegSetValueEx(hKey, "Path", 0,
REG_SZ, szTmp, strlen(szTmp)+1);

        RegSetValueEx(hKey,
"NumberOfDeliveryThreads", 0, REG_DWORD, (char
*)&Reg.dwNumberOfDeliveryThreads,
sizeof(Reg.dwNumberOfDeliveryThreads));
        RegSetValueEx(hKey,
"MaxConnections", 0, REG_DWORD, (char
*)&Reg.dwMaxConnections,
sizeof(Reg.dwMaxConnections));
        RegSetValueEx(hKey,
"MaxPendingDeliveries", 0, REG_DWORD, (char
*)&Reg.dwMaxPendingDeliveries,
sizeof(Reg.dwMaxPendingDeliveries));

        RegSetValueEx(hKey,
"DB_Protocol", 0, REG_SZ,
szDBNames[Reg.eDB_Protocol],
strlen(szDBNames[Reg.eDB_Protocol])+1);
        RegSetValueEx(hKey, "TxnMonitor",
0, REG_SZ, szTxnMonNames[Reg.eTxnMon],
strlen(szTxnMonNames[Reg.eTxnMon])+1);

        RegSetValueEx(hKey, "DbServer",
0, REG_SZ, Reg.szDbServer, strlen(Reg.szDbServer)+1);
        RegSetValueEx(hKey, "DbName", 0,
REG_SZ, Reg.szDbName, strlen(Reg.szDbName)+1);
        RegSetValueEx(hKey, "DbUser", 0,
REG_SZ, Reg.szDbUser, strlen(Reg.szDbUser)+1);
    }
}

```

```

        RegSetValueEx(hKey, "DbPassword",
0, REG_SZ, Reg.szDbPassword,
strlen(Reg.szDbPassword)+1);

        strcpy(szTmp, "YES");
        RegSetValueEx(hKey,
"COM_SinglePool", 0, REG_SZ, szTmp, strlen(szTmp)+1);

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if (
(iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\Inetinfo\\Param
eters", 0, NULL, REG_OPTION_NON_VOLATILE,
KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        RegSetValueEx(hKey,
"PoolThreadLimit", 0, REG_DWORD, (char
*)&iPoolThreadLimit, sizeof(iPoolThreadLimit));
        RegSetValueEx(hKey,
"ThreadTimeout", 0, REG_DWORD, (char
*)&iThreadTimeout, sizeof(iThreadTimeout));
        RegSetValueEx(hKey,
"ListenBackLog", 0, REG_DWORD, (char
*)&iListenBackLog, sizeof(iListenBackLog));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if (
(iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Paramete
rs", 0, NULL, REG_OPTION_NON_VOLATILE,
KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        RegSetValueEx(hKey,
"AcceptExOutstanding", 0, REG_DWORD, (char
*)&iAcceptExOutstanding,
sizeof(iAcceptExOutstanding));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    return;
}

BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    if ( uMsg == WM_INITDIALOG )
    {
        SendDlgItemMessage(hwnd,
IDC_PROGRESS1, PBM_SETRANGE, 0, MAKELPARAM(0, 16));
        SendDlgItemMessage(hwnd,
IDC_PROGRESS1, PBM_SETSTEP, (WPARAM)1, 0);
        return TRUE;
    }
}

```



```

        return FALSE;
    }
}

BOOL RegisterDLL(char *szFileName)
{
    HINSTANCE hLib;
    FARPROC lpDllEntryPoint;

    hLib = LoadLibrary(szFileName);
    if ( hLib == NULL )
        return FALSE;
    // Find the entry point.
    lpDllEntryPoint = GetProcAddress(hLib,
    "DllRegisterServer");
    if (lpDllEntryPoint != NULL)
    {
        return ((*lpDllEntryPoint)() ==
    S_OK);
    }
    else
        return FALSE; //unable to
locate entry point
}

BOOL FileFromResource( char *szResourceName, int
iResourceId, char *szDllPath, char *szFileName )
{
    HGLOBAL hDLL;
    HRSRC hResInfo;
    HANDLE hFile;
    DWORD dwSize;
    BYTE *pSrc;
    DWORD d;
    char
    szFullName[256];

    hResInfo = FindResource(hInst,
    MAKEINTRESOURCE(iResourceId), szResourceName);

    strcpy(szFullName, szDllPath);
    strcat(szFullName, szFileName);

    dwSize = SizeofResource(hInst, hResInfo);
    hDLL = LoadResource(hInst, hResInfo);
    pSrc = (BYTE *)LockResource(hDLL);
    remove(szFullName);

    if ( !(hFile = CreateFile(szFullName,
    GENERIC_WRITE, 0, NULL, CREATE_ALWAYS,
    FILE_ATTRIBUTE_NORMAL, NULL)) )
        return FALSE;

    if ( !WriteFile(hFile, pSrc, dwSize, &d,
    NULL) )
        return FALSE;

    CloseHandle(hFile);

    UnlockResource(hDLL);
    FreeResource(hDLL);
    return TRUE;
}

```

```

static int CopyFiles(HWND hDlg, char *szDllPath)
{
    BOOL bSvcRunning;

    bSvcRunning = CheckWWWService();
    if ( bSvcRunning )
    {
        SetDlgItemText(hDlg, IDC_STATUS,
    "Stopping Web Service.");
        SendDlgItemMessage(hDlg,
    IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        StopWWWService();
        SendDlgItemMessage(hDlg,
    IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
    }

    SetDlgItemText(hDlg, IDC_STATUS, "Copying
    Files...");
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install TPCC_DLL
    strcpy( szLastFileName, "tpcc.dll" );
    if (!FileFromResource( "TPCCDLL",
    IDR_TPCCDLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_dblib.dll
    strcpy( szLastFileName, "tpcc_dblib.dll" );
    if (!FileFromResource( "DBLIB_DLL",
    IDR_DBLIB_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_odbc.dll
    strcpy( szLastFileName, "tpcc_odbc.dll" );
    if (!FileFromResource( "ODBC_DLL",
    IDR_ODBC_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tuxapp.exe
    strcpy( szLastFileName, "tuxapp.exe" );
    if (!FileFromResource( "TUXEDO_APP",
    IDR_TUXEDO_APP, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_tuxedo.dll

```

```

        strcpy( szLastFileName, "tpcc_tuxedo.dll"
    );
    if (!FileFromResource( "TUXEDO_DLL",
    IDR_TUXEDO_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_com.dll
    strcpy( szLastFileName, "tpcc_com.dll" );
    if (!FileFromResource( "COM_DLL",
    IDR_COM_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_com_all.tlb
    strcpy( szLastFileName, "tpcc_com_all.tlb"
    );
    if (!FileFromResource( "COM_TYPLIB",
    IDR_COMTYPLIB_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_com_ps.dll
    strcpy( szLastFileName, "tpcc_com_ps.dll"
    );
    if (!FileFromResource( "COM_PS_DLL",
    IDR_COMPS_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_com_all.dll
    strcpy( szLastFileName, "tpcc_com_all.dll"
    );
    if (!FileFromResource( "COM_ALL_DLL",
    IDR_COMALL_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    //if we stopped service restart it.
    if ( bSvcRunning )
    {
        SetDlgItemText(hDlg, IDC_STATUS,
    "Starting Web Service.");
        SendDlgItemMessage(hDlg,
    IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
        StartWWWService();
    }

    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);
}

```

```

        return 1;
    }

static BOOL GetInstallPath(char *szDllPath)
{
    HKEY hKey;
    BYTE szData[256];
    DWORD sv;
    BOOL bRc;
    int len;
    int iRc;

    // Registry key
    HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\InetStp\PathWWW
    Root is used to find the
    // IIS default web site directory and
    determine that IIS is installed.

    szDllPath[0] = 0;
    bRc = TRUE;
    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\Microsoft\InetStp", 0, KEY_ALL_ACCESS,
&hKey) == ERROR_SUCCESS )
    {
        sv = sizeof(szData);
        iRc = RegQueryValueEx( hKey,
"PathWWWRoot", NULL, NULL, szData, &sv ); // used by
IIS 5.0 & 6.0
        if (iRc == ERROR_SUCCESS)
        {
            bRc = FALSE;
            strcpy(szDllPath,
szData);
            len =
strlen(szDllPath);
            if ( szDllPath[len-1]
!= '\\' )
            {
                szDllPath[len] = '\\';
                szDllPath[len+1] = 0;
            }
            RegCloseKey(hKey);
        }
    }

    return bRc;
}

static void GetVersionInfo(char *szDLLPath, char
*szExePath)
{
    DWORD
    DWORD
    dwSize;
    DWORD
    dwBytes;
    char
    *ptr;
    VS_FIXEDFILEINFO *vs;

```

```

    versionDllMS = 0;
    versionDllLS = 0;
    if ( _access(szDLLPath, 00) == 0 )
    {
        dwSize =
GetFileVersionInfoSize(szDLLPath, &d);
        if ( dwSize )
        {
            ptr = (char
*)malloc(dwSize);

            GetFileVersionInfo(szDLLPath, 0, dwSize,
ptr);
            VerQueryValue(ptr,
"\\",&vs, &dwBytes);
            versionDllMS = vs-
>dwProductVersionMS;
            versionDllLS = vs-
>dwProductVersionLS;
            free(ptr);
        }
        versionExeMS = 0x7FFF;
        versionExeLS = 0x7FFF;
        dwSize = GetFileVersionInfoSize(szExePath,
&d);
        if ( dwSize )
        {
            ptr = (char *)malloc(dwSize);
            GetFileVersionInfo(szExePath, 0,
dwSize, ptr);
            VerQueryValue(ptr, "\\",&vs,
&dwBytes);
            versionExeMS = vs-
>dwProductVersionMS;
            versionExeLS = LOWORD(vs-
>dwProductVersionLS);
            versionExeMM = HIWORD(vs-
>dwProductVersionLS);
            free(ptr);
        }
        return;
    }

static BOOL CheckWWWService(void)
{
    SC_HANDLE schSCManager;
    SC_HANDLE schService;
    SERVICE_STATUS ssStatus;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto ServiceNotRunning;

```

```

    if ( !ControlService(schService,
SERVICE_CONTROL_STOP, &ssStatus) )
        goto ServiceNotRunning;
    //start Service pending, Check the status
until the service is running.
    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto ServiceNotRunning;

    CloseServiceHandle(schService);
    return TRUE;

ServiceNotRunning:
    CloseServiceHandle(schService);
    return FALSE;
}

static BOOL StartWWWService(void)
{
    SC_HANDLE schSCManager;
    SC_HANDLE schService;
    SERVICE_STATUS ssStatus;
    DWORD
    dwOldCheckPoint;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! StartService(schService, 0, NULL) )
        goto StartWWWWebErr;
    //start Service pending, Check the status
until the service is running.
    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto StartWWWWebErr;
    while( ssStatus.dwCurrentState !=
SERVICE_RUNNING)
    {
        dwOldCheckPoint =
ssStatus.dwCheckPoint;
        //Save the current checkpoint.
        Sleep(ssStatus.dwWaitHint);

        //Wait for the specified interval.
        if (
!QueryServiceStatus(schService, &ssStatus) )
            //Check the status again.
            break;
        if (dwOldCheckPoint >=
ssStatus.dwCheckPoint) //Break if
the checkpoint has not been incremented.
            break;
    }

    if (ssStatus.dwCurrentState ==
SERVICE_RUNNING)

```

```

        goto StartWWWebErr;

        CloseServiceHandle(schService);
        return TRUE;

StartWWWebErr:
        CloseServiceHandle(schService);
        return FALSE;
}

static BOOL StopWWWebService(void)
{
        SC_HANDLE          schSCManager;
        SC_HANDLE          schService;
        SERVICE_STATUS     ssStatus;
        DWORD              dwOldCheckPoint;

        schSCManager = OpenSCManager(NULL, NULL,
        SC_MANAGER_ALL_ACCESS);
        schService = OpenService(schSCManager,
        TEXT("W3SVC"), SERVICE_ALL_ACCESS);
        if (schService == NULL)
                return FALSE;

        if (! QueryServiceStatus(schService,
        &ssStatus) )
                goto StopWWWebErr;

        if ( !ControlService(schService,
        SERVICE_CONTROL_STOP, &ssStatus) )
                goto StopWWWebErr;

        //start Service pending, Check the status
        until the service is running.
        if (! QueryServiceStatus(schService,
        &ssStatus) )
                goto StopWWWebErr;
        while( ssStatus.dwCurrentState ==
        SERVICE_RUNNING)
        {
                dwOldCheckPoint =
        ssStatus.dwCheckPoint;
                //Save the current checkpoint.
                Sleep(ssStatus.dwWaitHint);

                //Wait for the specified interval.
                if (
        !QueryServiceStatus(schService, &ssStatus) )
                //Check the status again.
                        break;
                if (dwOldCheckPoint >=
        ssStatus.dwCheckPoint) //Break if
        the checkpoint has not been incremented.
                        break;
        }

        if (ssStatus.dwCurrentState ==
        SERVICE_RUNNING)
                goto StopWWWebErr;

        CloseServiceHandle(schService);
        return TRUE;

```

```

StopWWWebErr:
        CloseServiceHandle(schService);
        return FALSE;
}

static void UpdateDialog(HWND hDlg)
{
        MSG msg;

        UpdateWindow(hDlg);
        while( PeekMessage(&msg, hDlg, 0, 0,
        PM_REMOVE) )
        {
                TranslateMessage(&msg);
                DispatchMessage(&msg);
        }
        Sleep(250);
        return;
}

```

## install.dsp

```

# Microsoft Developer Studio Project File -
Name="install" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Application" 0x0101

CFG=install - Win32 Release
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "install.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "install.mak" CFG="install - Win32
Release"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "install - Win32 Release" (based on "Win32
(x86) Application")
!MESSAGE "install - Win32 Debug" (based on "Win32
(x86) Application")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe

```

```

RSC=rc.exe

!IF "$(CFG)" == "install - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir ".\Release"
# PROP BASE Intermediate_Dir ".\Release"
# PROP BASE Target_Dir "."
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir "."
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /c
# ADD CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG"
/D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /win32
# ADD BASE RSC /1 0x409 /d "NDEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /machine:I386
# ADD LINK32 version.lib comctl32.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /machine:I386
/out:"..\bin\install.exe"

!ELSEIF "$(CFG)" == "install - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir ".\Debug"
# PROP BASE Intermediate_Dir ".\Debug"
# PROP BASE Target_Dir "."
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir "."
# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /c
# ADD CPP /nologo /W3 /Gm /GX /ZI /Od /D "WIN32" /D
"_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe

```

```

# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /debug
/machine:I386
# ADD LINK32 version.lib comctl32.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /debug /machine:I386
/out:".bin\install.exe"

!ENDIF

# Begin Target

# Name "install - Win32 Release"
# Name "install - Win32 Debug"
# Begin Group "Source Files"

# PROP Default_Filter
"cpp;c;cx;rc;def;r;odl;hpj;bat;for;f90"
# Begin Source File

SOURCE=.\src\install.c
# End Source File
# Begin Source File

SOURCE=.\src\install.rc
# ADD BASE RSC /l 0x409 /i "src"
# ADD RSC /l 0x409 /i "src" /i ".\src"
# End Source File
# Begin Source File

SOURCE=.\src\install_com.cpp
# End Source File
# End Group
# Begin Group "Header Files"

# PROP Default_Filter "h;hpp;hxx;hm;inl;fi;fd"
# End Group
# Begin Group "Resource Files"

# PROP Default_Filter
"ico;cur;bmp;dlg;rc2;rct;bin;cnt;rtf;gif;jpg;jpeg;jpe"
# End Source File

SOURCE=.\SRC\ICON1.ICO
# End Source File
# Begin Source File

SOURCE=.\SRC\ICON2.ICO
# End Source File
# End Group
# Begin Source File

SOURCE=.\SRC\LICENSE.TXT
# End Source File
# Begin Source File

SOURCE=.\isapi_dll\bin\tpcc.dll
# End Source File

```

```

# Begin Source File

SOURCE=..\tm_com_dll\bin\tpcc_com.dll
# End Source File
# Begin Source File

SOURCE=..\tpcc_com_all\bin\tpcc_com_all.dll
# End Source File
# Begin Source File

SOURCE=..\tpcc_com_ps\bin\tpcc_com_ps.dll
# End Source File
# Begin Source File

SOURCE=..\db_dblib_dll\bin\tpcc_dblib.dll
# End Source File
# Begin Source File

SOURCE=..\db_odbc_dll\bin\tpcc_odbc.dll
# End Source File
# Begin Source File

SOURCE=..\tm_tuxedo_dll\bin\tpcc_tuxedo.dll
# End Source File
# Begin Source File

SOURCE=..\tuxapp\bin\tuxapp.exe
# End Source File
# End Target
# End Project

```

## install.h

```

//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by install.rc
//

#define IDD_DIALOG1 101
#define IDI_ICON1 102
#define IDR_TPCCDLL 103
#define IDD_DIALOG2 105
#define IDI_ICON2 106
#define IDR_DELIVERY 107
#define IDD_DIALOG3 108

#define BN_LOG 1001
#define ED_KEEP 1002
#define ED_THREADS 1003
#define ED_THREADS2 1004
#define IDC_PATH 1007
#define IDC_VERSION 1009
#define IDC_RESULTS 1010

```

```

#define IDC_PROGRESS1 1011
#define IDC_STATUS 1012
#define IDC_BUTTON1 1013
#define ED_MAXCONNECTION 1014
#define ED_IIS_MAX_THREAD_POOL_LIMIT 1015
#define ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE 1017
#define ED_IIS_THREAD_TIMEOUT 1018
#define ED_IIS_LISTEN_BACKLOG 1019
#define IDC_DBLIB 1021
#define IDC_ODBC 1022
#define IDC_CONNECT_POOL 1023
#define ED_USER_CONNECT_DELAY_TIME 1024

// Next default values for new objects
//

```

## install.rc

```

//Microsoft Developer Studio generated resource
script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"

////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS

////////////////////////////////////
// English (U.S.) resources

#if !defined(AFX_RESOURCE_DLL) ||
defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

////////////////////////////////////

```

```

//
// Dialog
//
IDD_DIALOG1 DIALOGEX 0, 0, 219, 351
STYLE DS_MODALFRAME | DS_CENTER | WS_MINIMIZEBOX |
WS_POPUP | WS_CAPTION |
WS_SYSMENU
CAPTION "TPC-C Web Client Installation Utility"
FONT 8, "MS Sans Serif"
BEGIN
    EDITTEXT        ED_THREADS,164,45,34,12,ES_RIGHT
    | ES_NUMBER,
    WS_EX_RTLREADING
    EDITTEXT
ED_MAXDELIVERIES,164,59,34,12,ES_RIGHT | ES_NUMBER,
WS_EX_RTLREADING
    EDITTEXT
ED_MAXCONNECTION,164,73,34,12,ES_RIGHT | ES_NUMBER,
WS_EX_RTLREADING
    CONTROL
"None", IDC_TM_NONE, "Button", BS_AUTORADIOBUTTON |
WS_TABSTOP, 43, 100, 33, 10
    CONTROL
"COM", IDC_TM_MTS, "Button", BS_AUTORADIOBUTTON |
WS_TABSTOP, 43, 113, 32, 10
    CONTROL
"TUXEDO", IDC_TM_TUXEDO, "Button", BS_AUTORADIOBUTTON |
WS_TABSTOP, 106, 100, 46, 10
    CONTROL
"ENCINA", IDC_TM_ENCINA, "Button", BS_AUTORADIOBUTTON |
WS_DISABLED |
WS_TABSTOP, 106, 113, 43, 10
    EDITTEXT
ED_DB_SERVER, 131, 152, 67, 12, ES_AUTOHSCROLL
    EDITTEXT
ED_DB_USER_ID, 131, 165, 67, 12, ES_AUTOHSCROLL
    EDITTEXT
ED_DB_PASSWORD, 131, 178, 67, 12, ES_AUTOHSCROLL
    EDITTEXT
ED_DB_NAME, 131, 191, 67, 12, ES_AUTOHSCROLL
    CONTROL
"DBLIB", IDC_DBLIB, "Button", BS_AUTORADIOBUTTON |
WS_GROUP |
WS_TABSTOP, 45, 219, 39, 12
    CONTROL
"ODBC", IDC_ODBC, "Button", BS_AUTORADIOBUTTON |
WS_TABSTOP,
91, 219, 39, 12
    EDITTEXT
ED_IIS_MAX_THREAD_POOL_LIMIT, 164, 263, 34, 12, ES_RIGHT |
ES_NUMBER, WS_EX_RTLREADING
    EDITTEXT
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE, 164, 277, 34, 12, ES_RI
GHT |
ES_NUMBER, WS_EX_RTLREADING
    EDITTEXT
ED_IIS_THREAD_TIMEOUT, 164, 291, 34, 12, ES_RIGHT |
ES_NUMBER,
WS_EX_RTLREADING

```

```

EDITTEXT
ED_IIS_LISTEN_BACKLOG, 164, 305, 34, 12, ES_RIGHT |
ES_NUMBER,
WS_EX_RTLREADING
DEFPUSHBUTTON "OK", IDOK, 53, 331, 50, 14
PUSHBUTTON "Cancel", IDCANCEL, 119, 331, 50, 14
EDITTEXT
IDC_PATH, 106, 26, 91, 13, ES_AUTOHSCROLL | ES_READONLY
LTEXT "Number of Delivery
Threads:", IDC_STATIC, 35, 45, 115, 12
LTEXT "Max Number of
Connections:", IDC_STATIC, 35, 73, 115, 12
RTEXT "Version
4.11", IDC_VERSION, 120, 4, 89, 9
LTEXT "IIS Max Thread Pool
Limit:", IDC_STATIC, 36, 263, 115, 12
LTEXT "Web Service Backlog Queue
Size:", IDC_STATIC, 36, 277, 115,
12
LTEXT "IIS Thread Timeout
(seconds):", IDC_STATIC, 36, 291, 115, 12
LTEXT "IIS Listen
Backlog:", IDC_STATIC, 36, 307, 115, 10
GROUPBOX "Database
Interface", IDC_STATIC, 35, 208, 163, 27, WS_GROUP
LTEXT "Installation
directory:", IDC_STATIC, 35, 29, 71, 10
GROUPBOX "Transaction
Monitor", IDC_STATIC, 33, 90, 165, 37
LTEXT "Server
Name:", IDC_STATIC, 35, 155, 56, 8
LTEXT "User ID:", IDC_STATIC, 35, 168, 60, 8
LTEXT "User
Password:", IDC_STATIC, 35, 181, 83, 8
LTEXT "Database
Name:", IDC_STATIC, 35, 194, 54, 8
GROUPBOX "SQL Server Connection
Properties", IDC_STATIC, 22, 139, 187,
102
GROUPBOX "Web Client
Properties", IDC_STATIC, 22, 15, 187, 118
GROUPBOX "IIS
Settings", IDC_STATIC, 22, 247, 187, 79
LTEXT "Max Pending
Deliveries:", IDC_STATIC, 35, 59, 115, 12
END
IDD_DIALOG2 DIALOGEX 0, 0, 117, 62
STYLE DS_SETFOREGROUND | DS_3DLOOK | DS_CENTER |
WS_POPUP | WS_BORDER
EXSTYLE WS_EX_STATICEDGE
FONT 12, "MS Sans Serif", 0, 0, 0x1
BEGIN
    DEFPUSHBUTTON "OK", IDOK, 33, 45, 50, 9
    CTEXT "HTML TPC-C Installation
Successful", IDC_RESULTS, 7, 22,
102, 18, 0, WS_EX_CLIENTEDGE
    ICON
IDI_ICON2, IDC_STATIC, 50, 7, 18, 20, SS_REALSIZEIMAGE,
WS_EX_TRANSPARENT
END
IDD_DIALOG3 DIALOG DISCARDABLE 0, 0, 91, 40

```

```

STYLE DS_SYSMODAL | DS_MODALFRAME | DS_3DLOOK |
DS_CENTER | WS_CAPTION
CAPTION "Installing TPC-C Web Client"
FONT 12, "Arial Black"
BEGIN
    CONTROL
"Progress1", IDC_PROGRESS1, "mctl_progress32", WS_BORD
ER,
7, 20, 77, 13
    CTEXT
"Static", IDC_STATUS, 7, 7, 77, 12, SS_SUNKEN
END
IDD_DIALOG4 DIALOG DISCARDABLE 0, 0, 291, 202
STYLE DS_MODALFRAME | DS_CENTER | WS_POPUP |
WS_CAPTION | WS_SYSMENU
CAPTION "Client End User License"
FONT 8, "MS Sans Serif"
BEGIN
    EDITTEXT
IDC_LICENSE, 7, 7, 271, 167, ES_MULTILINE | ES_AUTOVSCROLL
|
ES_AUTOHSCROLL | ES_READONLY |
WS_VSCROLL | WS_HSCROLL
DEFPUSHBUTTON "I &Agree", IDOK, 87, 181, 50, 14
PUSHBUTTON "&Cancel", IDCANCEL, 153, 181, 50, 14
END
////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
//
// DESIGNINFO
//
#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
    IDD_DIALOG1, DIALOG
    BEGIN
        LEFTMARGIN, 22
        RIGHTMARGIN, 209
        VERTGUIDE, 35
        VERTGUIDE, 198
        TOPMARGIN, 4
        BOTTOMMARGIN, 345
    END
    IDD_DIALOG2, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 109
        TOPMARGIN, 7
        BOTTOMMARGIN, 54
    END
    IDD_DIALOG3, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 84
        TOPMARGIN, 7
        BOTTOMMARGIN, 33
    END
END

```

```

IDR_DIALOG4, DIALOG
BEGIN
  LEFTMARGIN, 7
  RIGHTMARGIN, 278
  TOPMARGIN, 7
  BOTTOMMARGIN, 195
END
#endif // APSTUDIO_INVOKED

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
  "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
  "#include "afxres.h"\r\n"
  "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
  "\r\n"
  "\0"
END

#endif // APSTUDIO_INVOKED

////////////////////////////////////
////////////////////////////////////
//
// Icon
//
// Icon with lowest ID value placed first to ensure
// application icon
// remains consistent on all systems.
IDI_ICON1          ICON    DISCARDABLE
"icon1.ico"
IDI_ICON2          ICON    DISCARDABLE
"icon2.ico"

////////////////////////////////////
////////////////////////////////////
//
// TPCCDLL
//
IDR_TPCCDLL          TPCCDLL DISCARDABLE
"..\\..\\isapi_dll\\bin\\tpcc.dll"

#endifdef _MAC

```

```

////////////////////////////////////
////////////////////////////////////
//
// Version
//
VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,20,0
PRODUCTVERSION 0,4,20,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x1L
FILESUBTYPE 0x0L
BEGIN
  BLOCK "StringFileInfo"
  BEGIN
    BLOCK "040904b0"
    BEGIN
      VALUE "Comments", "TPC-C Web Client
Installer\0"
      VALUE "CompanyName", "Microsoft\0"
      VALUE "FileDescription", "install\0"
      VALUE "FileVersion", "0, 4, 20, 0\0"
      VALUE "InternalName", "install\0"
      VALUE "LegalCopyright", "Copyright ©
1999\0"
      VALUE "OriginalFilename", "install.exe\0"
      VALUE "ProductName", "Microsoft
install\0"
      VALUE "ProductVersion", "0, 4, 20, 0\0"
    END
    BLOCK "VarFileInfo"
    BEGIN
      VALUE "Translation", 0x409, 1200
    END
  END
END

#endif // !_MAC

////////////////////////////////////
////////////////////////////////////
//
// LICENSE
//
IDR_LICENSE1          LICENSE DISCARDABLE
"license.txt"

////////////////////////////////////
////////////////////////////////////
//
// DBLIB_DLL
//
IDR_DBLIB_DLL          DBLIB_DLL DISCARDABLE
"..\\..\\db_dblib_dll\\bin\\tpcc_dblib.dll"

```

```

////////////////////////////////////
////////////////////////////////////
//
// ODBC_DLL
//
IDR_ODBC_DLL          ODBC_DLL DISCARDABLE
"..\\..\\db_odbc_dll\\bin\\tpcc_odbc.dll"

////////////////////////////////////
////////////////////////////////////
//
// TUXEDO_APP
//
IDR_TUXEDO_APP          TUXEDO_APP DISCARDABLE
"..\\..\\tuxapp\\bin\\tuxapp.exe"

////////////////////////////////////
////////////////////////////////////
//
// TUXEDO_DLL
//
IDR_TUXEDO_DLL          TUXEDO_DLL DISCARDABLE
"..\\..\\tm_tuxedo_dll\\bin\\tpcc_tuxedo.dll"

////////////////////////////////////
////////////////////////////////////
//
// COM_DLL
//
IDR_COM_DLL          COM_DLL DISCARDABLE
"..\\..\\tm_com_dll\\bin\\tpcc_com.dll"

////////////////////////////////////
////////////////////////////////////
//
// COM_PS_DLL
//
IDR_COMPS_DLL          COM_PS_DLL DISCARDABLE
"..\\..\\tpcc_com_ps\\bin\\tpcc_com_ps.dll"

////////////////////////////////////
////////////////////////////////////
//
// COM_ALL_DLL
//
IDR_COMALL_DLL          COM_ALL_DLL DISCARDABLE
"..\\..\\tpcc_com_all\\bin\\tpcc_com_all.dll"

////////////////////////////////////
////////////////////////////////////
//
// COM_TYPLIB
//
IDR_COMTYPLIB_DLL          COM_TYPLIB DISCARDABLE
"..\\..\\tpcc_com_all\\src\\tpcc_com_all.tlb"

```

```

#endif // English (U.S.) resources
// ~~~~~
// ~~~~~

#ifndef APSTUDIO_INVOKED
// ~~~~~
// ~~~~~
//
// Generated from the TEXTINCLUDE 3 resource.
//
// ~~~~~
// ~~~~~
#endif // not APSTUDIO_INVOKED

```

## install\_com.cpp

```

/* FILE: INSTALL_COM.CPP
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 *
 * not audited
 *
 * PURPOSE: installation code for COM
 * application for TPC-C Web Kit
 * Contact: Charles Levine
 * (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - first version
 */

#define _WIN32_WINNT 0x0500

#include <comdef.h>
#include <comadmin.h>
#include <stdio.h>
#include <tchar.h>

extern "C"
{
    BOOL install_com(char *szDllPath);
}

BOOL install_com(char *szDllPath)
{
    ICOMAdminCatalog* pCOMAdminCat = NULL;
    ICatalogCollection* pCatalogCollectionApp
= NULL;
    ICatalogCollection* pCatalogCollectionCo
= NULL;

```

```

    ICatalogCollection* pCatalogCollectionItf
= NULL;
    ICatalogCollection*
pCatalogCollectionMethod = NULL;

    ICatalogObject*
pCatalogObjectApp = NULL;
    ICatalogObject*
pCatalogObjectCo = NULL;
    ICatalogObject*
pCatalogObjectItf = NULL;
    ICatalogObject*
pCatalogObjectMethod = NULL;

    _bstr_t
bstrTemp, bstrTemp2, bstrTemp3, bstrTemp4;
    _bstr_t
bstrDllPath = szDllPath;
    _variant_t
vTmp, vKey;
    long
lActProp, lCount, lCountCo, lCountItf,
lCountMethod;
    bool
bTmp;

    CoInitializeEx(NULL, COINIT_MULTITHREADED);

    HRESULT hr =
CoCreateInstance(CLSID_COMAdminCatalog,

    CLSCTX_INPROC_SERVER,

    IID_ICOMAdminCatalog,

    (void**)

    &pCOMAdminCat);

    if (!SUCCEEDED(hr)) goto Error;

    bstrTemp = "Applications";

    // Attempt to connect to "Applications" in
the Catalog
    hr = pCOMAdminCat->GetCollection(bstrTemp,

    (IDispatch**)

    &pCatalogCollectionApp);
    if (!SUCCEEDED(hr)) goto Error;

    // Attempt to load the "Applications"
collection
    hr = pCatalogCollectionApp->Populate();
    if (!SUCCEEDED(hr)) goto Error;

    hr = pCatalogCollectionApp-
>get_Count(&lCount);
    if (!SUCCEEDED(hr)) goto Error;

```

```

    // iterate through applications to delete
existing "TPC-C" application (if any)
    while (lCount > 0)
    {
        hr = pCatalogCollectionApp-
>get_Item(lCount - 1, (IDispatch**)
&pCatalogObjectApp);
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogObjectApp-
>get_Name(&vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        if (wcsncmp(vTmp.bstrVal, L"TPC-
C"))
        {
            lCount--;
            continue;
        }
        else
        {
            hr =
pCatalogCollectionApp->Remove(lCount - 1);
            if (!SUCCEEDED(hr))
                goto Error;
            break;
        }
    }

    hr = pCatalogCollectionApp-
>SaveChanges(&lActProp);
    if (!SUCCEEDED(hr)) goto Error;

    // add the new application
    hr = pCatalogCollectionApp-
>Add((IDispatch**) &pCatalogObjectApp);
    if (!SUCCEEDED(hr)) goto Error;

    // set properties
    bstrTemp = "Name";
    vTmp = "TPC-C";
    hr = pCatalogObjectApp->put_Value(bstrTemp,
vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    // set as a library (in process)
application
    bstrTemp = "Activation";
    lActProp = COMAdminActivationInproc;
    vTmp = lActProp;
    hr = pCatalogObjectApp->put_Value(bstrTemp,
vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    // set security level to process
    bstrTemp = "AccessChecksLevel";
    lActProp =
COMAdminAccessChecksApplicationLevel;
    vTmp = lActProp;
    hr = pCatalogObjectApp->put_Value(bstrTemp,
vTmp);
    if (!SUCCEEDED(hr)) goto Error;

```

```

        // save key to get the Components
collection later
        hr = pCatalogObjectApp->get_Key(&vKey);
        if (!SUCCEEDED(hr)) goto Error;

        // save changes (app creation) so component
installation will work
        hr = pCatalogCollectionApp-
>SaveChanges(&lActProp);
        if (!SUCCEEDED(hr)) goto Error;

        pCatalogObjectApp->Release();
        pCatalogObjectApp = NULL;

        bstrTemp = "TPC-C";
        // app name
        bstrTemp2 = bstrDllPath +
"tpcc_com_all.dll"; // DLL
        bstrTemp3 = bstrDllPath +
"tpcc_com_all.tlb"; // type library (TLB)
        bstrTemp4 = bstrDllPath +
"tpcc_com_ps.dll"; // proxy/stub dll

        hr = pCOMAdminCat-
>InstallComponent(bstrTemp,

        bstrTemp2,

        bstrTemp3,

        bstrTemp4);
        if (!SUCCEEDED(hr)) goto Error;

        bstrTemp = "Components";
        hr = pCatalogCollectionApp-
>GetCollection(bstrTemp, vKey, (IDispatch**)
&pCatalogCollectionCo);
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogCollectionCo->Populate();
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogCollectionCo-
>get_Count(&lCountCo);
        if (!SUCCEEDED(hr)) goto Error;

        // iterate through components in
application and set the properties
        while (lCountCo > 0)
        {
                hr = pCatalogCollectionCo-
>get_Item(lCountCo - 1, (IDispatch**)
&pCatalogObjectCo);
                if (!SUCCEEDED(hr)) goto Error;

                // used for debugging (view the
name)

```

```

        hr = pCatalogObjectCo-
>get_Name(&vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        bstrTemp = "ConstructionEnabled";
        bTmp = TRUE;
        vTmp = bTmp;
        hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        bstrTemp = "ConstructorString";
        bstrTemp2 = "dummy string (do not
remove)";

        vTmp = bstrTemp2;
        hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        bstrTemp =
"JustInTimeActivation";
        bTmp = TRUE;
        vTmp = bTmp;
        hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        bstrTemp = "MaxPoolSize";
        vTmp.Clear(); // clear
variant so it isn't stored as a bool (_variant_t
feature)

        vTmp = (long)30;
        hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        bstrTemp =
"ObjectPoolingEnabled";
        bTmp = TRUE;
        vTmp = bTmp;
        hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        // save key to get the
InterfacesForComponent collection
        hr = pCatalogObjectCo-
>get_Key(&vKey);
        if (!SUCCEEDED(hr)) goto Error;

        bstrTemp =
"InterfacesForComponent";
        hr = pCatalogCollectionCo-
>GetCollection(bstrTemp, vKey, (IDispatch**)
&pCatalogCollectionItf);
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogCollectionItf-
>Populate();
        if (!SUCCEEDED(hr)) goto Error;

```

```

        hr = pCatalogCollectionItf-
>get_Count(&lCountItf);
        if (!SUCCEEDED(hr)) goto Error;

        // iterate through interfaces in
component
        while (lCountItf > 0)
        {
                hr =
pCatalogCollectionItf->get_Item(lCountItf - 1,
(IDispatch**) &pCatalogObjectItf);
                if (!SUCCEEDED(hr))
goto Error;

                // save key to get the
MethodsForInterface collection
                hr = pCatalogObjectItf-
>get_Key(&vKey);
                if (!SUCCEEDED(hr))
goto Error;

                bstrTemp =
"MethodsForInterface";
                hr =
pCatalogCollectionItf->GetCollection(bstrTemp, vKey,
(IDispatch**) &pCatalogCollectionMethod);
                if (!SUCCEEDED(hr))
goto Error;

                hr =
pCatalogCollectionMethod->Populate();
                if (!SUCCEEDED(hr))
goto Error;

                hr =
pCatalogCollectionMethod->get_Count(&lCountMethod);
                if (!SUCCEEDED(hr))
goto Error;

                // iterate through
methods of interface
                while (lCountMethod >
0)
                {
                        hr =
pCatalogCollectionMethod->get_Item(lCountMethod - 1,
(IDispatch**) &pCatalogObjectMethod);
                        if
(!SUCCEEDED(hr)) goto Error;

                        bstrTemp =
"AutoComplete";
                        bTmp = TRUE;
                        vTmp = bTmp;
                        hr =
pCatalogObjectMethod->put_Value(bstrTemp, vTmp);
                        if
(!SUCCEEDED(hr)) goto Error;

                        pCatalogObjectMethod->Release();

                        pCatalogObjectMethod = NULL;

```



```

-;                                     lCountMethod-
                                        }
                                        // save changes
                                        hr =
pCatalogCollectionMethod->SaveChanges(&lActProp);
                                        if (!SUCCEEDED(hr))
goto Error;

                                        pCatalogObjectItf-
>Release();                             pCatalogObjectItf =
NULL;

                                        lCountItf--;
                                        }

                                        pCatalogObjectCo->Release();
                                        pCatalogObjectCo = NULL;

                                        lCountCo--;
                                        }

// save changes
hr = pCatalogCollectionCo-
>SaveChanges(&lActProp);
if (!SUCCEEDED(hr)) goto Error;

pCatalogCollectionApp->Release();
pCatalogCollectionApp = NULL;

pCatalogCollectionCo->Release();
pCatalogCollectionCo = NULL;

pCatalogCollectionItf->Release();
pCatalogCollectionItf = NULL;

pCatalogCollectionMethod->Release();
pCatalogCollectionMethod = NULL;

Error:
CoUninitialize();

if (!SUCCEEDED(hr))
{
    LPTSTR lpBuf;
    DWORD dwRes =
FormatMessage(FORMAT_MESSAGE_ALLOCATE_BUFFER |
FORMAT_MESSAGE_FROM_SYSTEM,
                NULL,
                hr,
                MAKELANGID(LANG_NEUTRAL, SUBLANG_DEFAULT),

```

```

                                        (LPTSTR)
&lpBuf,
                                        0,
                                        NULL);
//                                     _tprintf(_T("Error adding
components. HRESULT: 0x%x\n%s"), hr, lpBuf);
                                        return TRUE;
                                        }
                                        else
                                        return FALSE;
                                        }

```

## isapi\_dll.dsp

```

# Microsoft Developer Studio Project File -
Name="isapi_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=isapi_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "isapi_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "isapi_dll.mak" CFG="isapi_dll -
Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "isapi_dll - Win32 Release" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE "isapi_dll - Win32 Debug" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE "isapi_dll - Win32 IceCAP" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "isapi_dll - Win32 Release"

```

```

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "NDEBUG" /D
"WIN32" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 ..\common\txnlog\lib\release\rtetime.lib
..\common\txnlog\lib\release\spinlock.lib
..\common\txnlog\lib\release\error.lib
..\common\txnlog\lib\release\txnlog.lib wsock32.lib
kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib
oleaut32.lib uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /dll /machine:I386
/nodefaultlib:"LIBCMT" /out:".bin\tpcc.dll"
# SUBTRACT LINK32 /nodefaultlib

!ELSEIF "$(CFG)" == "isapi_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /GX /ZI /Od /D "_DEBUG" /D
"WIN32" /D "_WINDOWS" /FR /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"

```

```

# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ..\common\txnlog\lib\debug\rtetime.lib
..\common\txnlog\lib\debug\spinlock.lib
..\common\txnlog\lib\debug\error.lib
..\common\txnlog\lib\debug\txnlog.lib wsock32.lib
kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib
oleaut32.lib uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/nodfaultlib:"LIBCMDT" /out:".bin\tpcc.dll"
/pdbtype:sept
# SUBTRACT LINK32 /profile /pdb:none /nodefaultlib

!ELSEIF "$(CFG)" == "isapi_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "isapi_dll"
# PROP BASE Intermediate_Dir "isapi_dll"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MD /W3 /GX /Zi /Od /D
"_DEBUG" /D "WIN32" /D "_WINDOWS" /FR /YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /GX /Zi /O2 /D "NDEBUG" /D
"ICECAP" /D "WIN32" /D "_WINDOWS" /FR /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc.dll" /pdbtype:sept
# SUBTRACT BASE LINK32 /profile /pdb:none
# ADD LINK32 icap.lib
..\common\txnlog\lib\release\rtetime.lib
..\common\txnlog\lib\release\spinlock.lib
..\common\txnlog\lib\release\error.lib
..\common\txnlog\lib\release\txnlog.lib wsock32.lib
kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib

```

```

oleaut32.lib uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/out:".bin\tpcc.dll" /pdbtype:sept
# SUBTRACT LINK32 /profile /pdb:none /map

!ENDIF

# Begin Target

# Name "isapi_dll - Win32 Release"
# Name "isapi_dll - Win32 Debug"
# Name "isapi_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp, *.def, *.rc"
# Begin Source File

SOURCE=.\src\tpcc.cpp
# End Source File
# Begin Source File

SOURCE=.\src\tpcc.def
# End Source File
# Begin Source File

SOURCE=.\src\tpcc.rc
# End Source File
# End Group
# Begin Group "Header Files"

# PROP Default_Filter "*.h, *.hpp"
# Begin Source File

SOURCE=.\common\src\error.h
# End Source File
# Begin Source File

SOURCE=.\common\src\ReadRegistry.h
# End Source File
# Begin Source File

SOURCE=.\src\tpcc.h
# End Source File
# Begin Source File

SOURCE=.\db_dblib_dll\src\tpcc_dblib.h
# End Source File
# Begin Source File

SOURCE=.\db_odbc_dll\src\tpcc_odbc.h
# End Source File
# Begin Source File

SOURCE=.\tm_tuxedo_dll\src\tpcc_tux.h
# End Source File
# Begin Source File

SOURCE=.\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=.\common\src\txn_base.h
# End Source File

```

```

# End Group
# End Target
# End Project

```

## Methods.h

```

/* FILE: METHODS.H
 * Microsoft
TPC-C Kit Ver. 4.20.000
 * Copyright
Microsoft, 1999
 * All Rights Reserved
 *
 * not yet
 *
 * audited
 *
 * PURPOSE: Header file for COM components.
 *
 * Change history:
 * 4.20.000 - first version
 */

enum COMPONENT_ERROR
{
    ERR_MISSING_REGISTRY_ENTRIES = 1,
    ERR_LOADDLL_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_UNKNOWN_DB_PROTOCOL
};

class CCOMPONENT_ERR : public CBaseErr
{
public:
    CCOMPONENT_ERR(COMPONENT_ERROR
Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    };

    CCOMPONENT_ERR(COMPONENT_ERROR
Err, char *szTextDetail, DWORD dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new
char[strlen(szTextDetail)+1];
        strcpy( m_szTextDetail,
szTextDetail );
        m_SystemErr =
dwSystemErr;
        m_szErrorText = NULL;
    };

    ~CCOMPONENT_ERR()
    {
        if (m_szTextDetail !=
NULL)

```

```

delete []
m_szTextDetail;
        if (m_szErrorText !=
NULL)
delete []
m_szErrorText;
};

        COMPONENT_ERROR    m_Error;
        char
        *m_szTextDetail;
        char
        *m_szErrorText;
        DWORD
        m_SystemErr;

        int ErrorType() {return
ERR_TYPE_COMPONENT;};
        int ErrorNum() {return m_Error;};
        char *ErrorText();
};

static void WriteMessageToEventLog(LPTSTR lpszMsg);

////////////////////////////////////
////////////////////////////////////
// CTPCC_Common
class CTPCC_Common :
public ITPCC,
public IObjectControl,
public IObjectConstruct,
public
CComObjectRootEx<CComSingleThreadModel>
{
public:
BEGIN_COM_MAP(CTPCC_Common)
        COM_INTERFACE_ENTRY(ITPCC)
        COM_INTERFACE_ENTRY(IObjectControl)
        COM_INTERFACE_ENTRY(IObjectConstruct)
END_COM_MAP()

        CTPCC_Common();
        ~CTPCC_Common();

// ITPCC
public:
        HRESULT __stdcall NewOrder(
                VARIANT txn_in, VARIANT* txn_out);
        HRESULT __stdcall Payment(
                VARIANT txn_in, VARIANT* txn_out);
        HRESULT __stdcall Delivery(
                VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
        HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out);
        HRESULT __stdcall OrderStatus(
                VARIANT txn_in, VARIANT* txn_out);

        HRESULT __stdcall CallSetComplete();

// IObjectControl

```

```

        STDMETHODCALLTYPE CanBePooled() { return
m_bCanBePooled; }
        STDMETHODCALLTYPE Activate() { return S_OK; }
        // we don't support COM Services
        transactions (no enlistment)
        STDMETHODCALLTYPE Deactivate() { /*
nothing to do */ }

// IObjectConstruct
        STDMETHODCALLTYPE Construct(IDispatch * pUnk);

// helper methods
private:
        BOOL                m_bCanBePooled;
        CTPCC_BASE          *m_pTxn;

        struct COM_DATA
        {
                int retval;
                int error;
                union
                {
                        NEW_ORDER_DATA
                        Payment;
                        DELIVERY_DATA
                        StockLevel;
                        ORDER_STATUS_DATA
                        OrderStatus;
                } u;
        };

////////////////////////////////////
////////////////////////////////////
// CTPCC
class CTPCC :
public CTPCC_Common,
public CComCoClass<CTPCC, &CLSID_TPCC>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_TPCC)

BEGIN_COM_MAP(CTPCC)
        COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
        COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()
};

////////////////////////////////////
////////////////////////////////////
// CNewOrder
class CNewOrder :
public CTPCC_Common,
public CComCoClass<CNewOrder,
&CLSID_NewOrder>

```

```

{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_NEWORDER)

BEGIN_COM_MAP(CNewOrder)
        COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
        COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
        HRESULT __stdcall NewOrder(
                VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
        HRESULT __stdcall Payment(
                VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
        HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;};
        HRESULT __stdcall OrderStatus(
                VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
};

////////////////////////////////////
////////////////////////////////////
// COrderStatus
class COrderStatus :
public CTPCC_Common,
public CComCoClass<COrderStatus,
&CLSID_OrderStatus>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_ORDERSTATUS)

BEGIN_COM_MAP(COrderStatus)
        COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
        COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
        HRESULT __stdcall NewOrder(
                VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
        HRESULT __stdcall Payment(
                VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
        HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;};
        // HRESULT __stdcall OrderStatus(
                VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
};

////////////////////////////////////
////////////////////////////////////
// CPayment
class CPayment :

```

```

        public CTPCC_Common,
        public CComCoClass<CPayment,
&CLSID_Payment>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_PAYMENT)

BEGIN_COM_MAP(CPayment)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
    HRESULT __stdcall NewOrder(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    //
    HRESULT __stdcall Payment(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
    HRESULT __stdcall OrderStatus(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

////////////////////////////////////
////////////////////////////////////
// CStockLevel
class CStockLevel :
    public CTPCC_Common,
    public CComCoClass<CStockLevel,
&CLSID_StockLevel>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_STOCKLEVEL)

BEGIN_COM_MAP(CStockLevel)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
    HRESULT __stdcall NewOrder(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    HRESULT __stdcall Payment(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    //
    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
    HRESULT __stdcall OrderStatus(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

```

## mon\_client.c

```

/*
 *      mon_client.c
 *
 */

#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <stdarg.h>
#include <time.h>
#include <pthread.h>
#include <tpm/mon/mon.h>
#include <utils/trace.h>
#include "../include/delivery.h"
#include "../include/neworder.h"
#include "../include/payment.h"
#include "../include/stocklevel.h"
#include "../include/orderstatus.h"
#include "../include/tpcc_type.h"
#include "mon_client.h"
#include "client_utils.h"

extern total_tran_count_t *perfCntDataInit();
static void read_mon_environment(void);

static char *cellName;
static int envRetrieval = 0;
static int useSecurity = FALSE;
static CRITICAL_SECTION  init_lock;
static total_tran_count_t *pClientInfo=NULL; /*
keep stats for the client process */
static num_active_threads = 0;
static int iStatsFrequency = 1;
FILE *errtpcc;
char *errFile = "C:/temp/tpcc_encina.out";
enc_status_t enc_status;

#define NewOrder_code    NEWO_TRANS
#define Payment_code    PAYMENT_TRANS
#define OrderStatus_code    ORDER_STAT_TRANS
#define Delivery_code    DELIVERY_TRANS
#define StockLevel_code    STOCK_TRANS

#define INT_ENV_VALUE(var, default) \
    (var = getenv(#var) ? atoi(getenv(#var)) : default)

#define PRE_RPC_WORK(headerP, tran, sub_tran) \
    if (iStatsFrequency > 0) \
        pre_rpc(headerP, tran, sub_tran);

\
    else
\
        (headerP->stats = 0;
#define POST_RPC_WORK(headerP, tran) \
    if (iStatsFrequency > 0) \
        post_rpc(headerP, tran)

/* CALTPCC

```

```

 * Macro to sends 1 RPC and then handles any errors.
 *
 * The macro takes the name of the RPC (e.g.,
NewOrder)
 * and makes the RPC by calling the appropriate
function
 * (e.g., impTPCCNewOrder).
 */
#define
CALLTPCC(name,length,dataP,header,trpcStatusP)
\
\
UTIL_CONCAT(impTPCC,name)(length,dataP,&header,trpcSt
atusP);
\
    if (*(trpcStatusP)) {
\
        char msg[100];
\
        sprintf(msg, "TRPC error during impTPCC%s",
UTIL_STRING(name));
\
        header.returncode = TRPC_ERROR;
\
        encina_error_message(msg, *(trpcStatusP));
\
    } else if ((header.returncode != TPCC_SUCCESS) &&
\
        (header.returncode != INVALID_NEWO)) {
\
        char msg[100];
\
        sprintf(msg, "App error during impTPCC%s: ",
UTIL_STRING(name));
\
        encina_error_message(msg, header.returncode);
\
    }
}

/*
 * pre_rpc -- For debug purposes
 *
 * Called before an RPC is made.
 * Set the state of the thread and keep track of the
time the RPC is sent.
 * This is used by the Background thread to report
the state of the client.
 */
static void pre_rpc(data_header *headerP,
                    int tran_type,
                    int sub_tran_type)
{
    if (iStatsFrequency < 1) {
        headerP->stats = 0;
    } else {
        int num;
        num = ++ (pClientInfo->tran[tran_type].num);
        headerP->stats = (num % iStatsFrequency==0) ?
1 : 0;
        if (headerP->stats)
            { /* measure the time for RT */

```

```

        get_local_time(&headerP->clnt_start);
        headerP->srv_start.sec = 0; /*
initialize the server time */
        headerP->srv_start.usec = 0;
        headerP->srv_end.sec = 0;
        headerP->srv_end.usec = 0;
    }
}

/*
 * post_rpc
 *
 * Called when the RPC returns from the server
 *
 * Keeps track of the client response time and the
server response time
 * as well as the state of the thread. This is used
by the background
 * debug thread to report the state of the client
 */
static void post_rpc(data_header *headerP,
                    int tran_type)
{
    double time_diff;
    int tran_failed;
    struct timeval start_time, end_time;

    if (headerP->stats)
        get_local_time(&headerP-
>clnt_end);
    else
        return;

    /* Store the info for each client.
 * Note: Since we don't use mutex for performance
reason, pClientInfo
 * may not be accurate if more than one
thread work on the same
 * data at a same time. But this should
give us reasonable info.
 */
    if ((headerP->returncode == TPCC_SUCCESS) ||
        (headerP->returncode == INVALID_NEWO)) {
        tran_failed = 0;
    } else {
        pClientInfo->tran[tran_type].errs ++;
        pClientInfo->errors ++;
        tran_failed = 1;
    }
    if (headerP->stats && tran_type <= MAX_TRAN_TYPE
&& tran_type > 0
        && !tran_failed) {
        /* update total server round trip response
time */
        start_time.tv_sec = headerP-
>srv_start.sec;
        start_time.tv_usec = headerP-
>srv_start.usec;
        end_time.tv_sec = headerP->srv_end.sec;
        end_time.tv_usec = headerP->srv_end.usec;

```

```

        time_diff = time_diff_ms(&end_time,
&start_time);
        pClientInfo->tran[tran_type].RTtotal[1] +=
time_diff;
        DPRINT(("srv start_time %d.%d, end_time
%d.%d, time_diff %f\n",
                start_time.tv_sec,
start_time.tv_usec,
                end_time.tv_sec,
end_time.tv_usec,
                time_diff));

        /* update total client round trip response
time */
        start_time.tv_sec = headerP-
>clnt_start.sec;
        start_time.tv_usec = headerP-
>clnt_start.usec;
        end_time.tv_sec = headerP->clnt_end.sec;
        end_time.tv_usec = headerP-
>clnt_end.usec;
        time_diff = time_diff_ms(&end_time,
&start_time);
        pClientInfo->tran[tran_type].RTtotal[0] +=
time_diff;
        DPRINT(("clnt start_time %d.%d, end_time
%d.%d, time_diff %f\n",
                start_time.tv_sec,
start_time.tv_usec,
                end_time.tv_sec,
end_time.tv_usec,
                time_diff));

        /* update num for the number of trans
which have RT measured */
        pClientInfo->tran[tran_type].RTcount ++;
    }
}

/*
 * The following send_*** functions are called from
CTPCC_ENCINA class.
 */
/*
 * send_new_order
 *
 * Send a new order request to the server
 */
int send_new_order(long length, unsigned char *dataP)
{
    trpc_status_t trpcStatus;
    data_header header;

    PRE_RPC_WORK(&header, NEWO_TRANS, 0);

    CALLTPCC(NewOrder,length,dataP,header,&trpcStatus);
    POST_RPC_WORK(&header, NEWO_TRANS);
    if (header.returncode == INVALID_NEWO)
        return TPCC_SUCCESS;
    else
        return header.returncode;
}

```

```

}

/*
 * send_payment
 *
 * Send a payment request to the server
 */
int send_payment(long length, unsigned char *dataP)
{
    trpc_status_t trpcStatus;
    data_header header;

    PRE_RPC_WORK(&header, PAYMENT_TRANS, 0);

    CALLTPCC(Payment,length,dataP,header,&trpcStatus);
    POST_RPC_WORK(&header, PAYMENT_TRANS);
    return header.returncode;
}

/*
 * send_order_status
 *
 * Send a order status request to the server
 */
int send_order_status(long length, unsigned char
*dataP)
{
    trpc_status_t trpcStatus;
    data_header header;

    PRE_RPC_WORK(&header, ORDER_STAT_TRANS, 0);

    CALLTPCC(OrderStatus,length,dataP,header,&trpcStatus);
    POST_RPC_WORK(&header, ORDER_STAT_TRANS);
    return header.returncode;
}

/*
 * send_delivery
 *
 * Send a delivery request to the server
 */
int send_delivery(long length, unsigned char *dataP)
{
    trpc_status_t trpcStatus;
    data_header header;

    PRE_RPC_WORK(&header, DELIVERY_TRANS, 0);

    CALLTPCC(Delivery,length,dataP,header,&trpcStatus);
    POST_RPC_WORK(&header, DELIVERY_TRANS);
    return header.returncode;
}

/*
 * send_stock_level
 *
 * Send a stock level request to the server
 */
int send_stock_level(long length, unsigned char
*dataP)
{
    trpc_status_t trpcStatus;
    data_header header;

    PRE_RPC_WORK(&header, STOCK_TRANS, 0);
}

```

```

CALLTPCC(StockLevel, length, dataP, header, &trpcStatus);
POST_RPC_WORK(&header, STOCK_TRANS);
return header.returncode;
}

/*
 * Enroll the client:
 * get the necessary handles.
 * This function should be called only once. Use
static var client_enrolled to control it.
 */
void enroll_client()
{
    static char *clientName="tpcc_client";
    unsigned long status ;
    static int client_enrolled = 0;
    unsigned32 client_authnLevel;
    unsigned32 client_authzSvc;
    time_type a_time;
    char err_msg[100];

    MUTEX_INIT(&init_lock);
    get_local_time(&a_time);
    srand(a_time.sec ^ a_time.usec);

    MUTEX_LOCK(&init_lock);
    if (client_enrolled) {
        MUTEX_UNLOCK(&init_lock);
        return;
    }

    /* open output file for tracing */
    errtpcc = fopen(errFile, "w");
    if(!errtpcc)
    {
        sprintf(err_msg, "Cannot open
file %s", errFile);
        CHK_STATUS(1,
ERROR_FILE_NOT_FOUND, err_msg);
    }

    get_time_init();
    // initialize the space for perfmon
    pClientInfo = perfClntDataInit();
    if (pClientInfo == NULL) // in case something
wrong
        pClientInfo =
malloc(sizeof(total_tran_count_t));
    memset(pClientInfo, 0,
sizeof(total_tran_count_t));

    read_mon_environment();

    if(!cellName)
        CHK_STATUS(30, CELL_NAME_UNAVAILABLE,
"ENCINA_TPM_CELL is not set!");

    if (useSecurity) {
        client_authnLevel =
rpc_c_protect_level_connect;

```

```

        client_authzSvc =
rpc_c_authz_dce;
    } else {
        client_authnLevel =
rpc_c_protect_level_none;
        client_authzSvc =
rpc_c_authz_none;
    }

    if (envRetrieval == 0) {
        ENCINA_CALL_RC("mon_RetrieveEnable", mon_RetrieveEnabl
e(FALSE), status);
        CHK_STATUS(status, MON_RETRIEVEENABLE_FAILED,
"mon_RetrieveEnable failed");
    }

    err_printf("enroll_client: calling mon_InitClient
\n");

    ENCINA_CALL_RC("mon_InitClient", mon_InitClient(client
Name, cellName), status);
    CHK_STATUS(status, MON_INITCLIENT_FAILED,
"mon_InitClient failed");

    DPRINT(("mon_SecuritySetDefaults-> authn %d,
authz %d\n",
client_authnLevel, client_authzSvc));
    ENCINA_CALL_RC("mon_SecuritySetDefaults",
mon_SecuritySetDefaults(client_authnLevel, c
lient_authzSvc),
status);
    CHK_STATUS(status, MON_SECURITYSET_FAILED,
"mon_SecuritySetDefaults failed");

    ENCINA_CALL_RC("mon_SetHandleCacheRefreshInterval",
mon_SetHandleCacheRefreshInterval(300),
status);
    CHK_STATUS(status, MON_SETREFRESHINTERVAL_FAILED,
"mon_SetHandleCacheRefreshInterval
failed");

    {
        dbInfo_data_t data;
        trpc_status_t trpcStatus;
        /* Get DB Info -- currently id does not do
anything
but it will tell us if there is a server
out there.
Better to know instead of when all the
terminals
are up and ready
 */
        impTPCCNOInfo(&data, &trpcStatus);
        if (trpcStatus) {
            char msg[100];
            sprintf(msg, "TRPC error during db info
at init.");
            encina_error_message(msg, trpcStatus);
            CHK_STATUS(33, NOINFO_TRPC_ERROR,

```

```

"TRPC error during db info at
init");
        }
    }

    client_enrolled = 1;
    MUTEX_UNLOCK(&init_lock);
    err_printf("end of enroll_client\n");
}

/*-----*/
/* Read environment paramaters and registry
entries */
/*-----*/
static void read_mon_environment()
{
    char *env_str;
    char *registryKey =
"SOFTWARE\\TransarcCorporation\\TxTpc";
    HKEY hKey;
    DWORD size;
    DWORD type;
    char szTmp[256];

    cellName = getenv("ENCINA_TPM_CELL");
    CHECK_ENVIRON(cellName, "ENCINA_TPM_CELL");

    if (env_str = getenv("TPCC_ENV_RETRIEVE")) {
        envRetrieval = atoi(env_str);
    }

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
registryKey, 0, KEY_READ, &hKey) != ERROR_SUCCESS )
        return;

    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "StatsFrequency", 0,
&type, szTmp, &size) == ERROR_SUCCESS)
        iStatsFrequency = atoi(szTmp);

    RegCloseKey(hKey);
}

```

## mon\_client.h

```

/*
 * mon_client.h
 */

#ifndef MON_CLIENT_H
#define MON_CLIENT_H

#define MUTEX_T CRITICAL_SECTION
#define MUTEX_LOCK(a) EnterCriticalSection(a)
#define MUTEX_UNLOCK(a) LeaveCriticalSection(a)

```

```

#define MUTEX_INIT(mut)
InitializeCriticalSection(mut)
#define MUTEX_DESTROY(mut) DeleteCriticalSection(mut)
#define ERROROUT errtpcc

/*initialization status */
#define INIT_SUCCESS 0
#define INIT_FAILED 1
#define CELL_NAME_UNAVAILABLE 2
#define MON_RETRIEVEENABLE_FAILED 3
#define MON_INITCLIENT_FAILED 4
#define MON_SECURITYSET_FAILED 5
#define MON_SETREFRESHINTERVAL_FAILED 6
#define NOINFO_TRPC_ERROR 7
#define ENROLL_CLIENT_EXCEPTION 8
#define ERROROUT_FILE_NOT_FOUND 9
#define LOG_FILE_NOT_FOUND 10
#define TPCC_KEY_NOT_FOUND 11
#define TERM_ALLOC_FAILED 12

/*
 * Routines and declarations that are common to all
 * clients
 */
#ifdef __cplusplus
extern "C" {
#endif
int send_new_order(long, unsigned char *);
int send_payment(long, unsigned char *);
int send_order_status(long, unsigned char *);
int send_delivery(long, unsigned char *);
int send_stock_level(long, unsigned char *);
void enroll_client();
#ifdef __cplusplus
}
#endif

#endif /* MON_CLIENT_H */

```

---

## neworder.h

---

```

#ifdef TRANSARC_neworder_h
#define TRANSARC_neworder_h

#include <trpc/trpc.h>
#include "_neworder.h"

#include <encina/c_prologue.h>

#ifdef BUILDDDL
#define DLLEXPORT __declspec( dllexport )
#else
#define DLLEXPORT extern
#endif

#ifdef ENCINA_STUB_CALLING
#define ENCINA_STUB_CALLING ENCINA_RPC_CALLING
#endif

```

```

#define neworder_v1_0_c_ifspec
    _neworder_v1_0_c_ifspec
#define neworder_v1_0_s_ifspec
    _neworder_v1_0_s_ifspec

typedef struct neworder_v1_0_epv {
void (ENCINA_STUB_CALLING *impTPCCNewOrder) (
#ifdef IDL_PROTOTYPES

        idl_long_int length,
        idl_char *dataP,
        data_header *headerP,
        trpc_status_t *trpcStatus

#endif
);

void (ENCINA_STUB_CALLING *impTPCCNOInfo) (
#ifdef IDL_PROTOTYPES

        dbInfo_data_t *dataP,
        trpc_status_t *trpcStatus

#endif
);

} neworder_v1_0_epv_t;

DLLEXPORT void ENCINA_STUB_CALLING impTPCCNewOrder (
#ifdef IDL_PROTOTYPES

        idl_long_int length,
        idl_char *dataP,
        data_header *headerP,
        trpc_status_t *trpcStatus

#endif
);

DLLEXPORT void ENCINA_STUB_CALLING impTPCCNOInfo (
#ifdef IDL_PROTOTYPES

        dbInfo_data_t *dataP,
        trpc_status_t *trpcStatus

#endif
);

trpc_handle_t          ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t *ifSpecP

#endif
);

void          ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_handle_t          trpcHandle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t *ifSpecP

#endif
);

```

```

trpc_handle_t          ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t *ifSpecP

#endif
);

void          ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_handle_t          trpcHandle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t *ifSpecP

#endif
);

extern neworder_v1_0_epv_t
        neworder_v1_0_client_epv;
extern _neworder_v1_0_epv_t
        neworder_v1_0_manager_epv;
extern rpc_mgr_epv_t
        neworder_v1_0_mgr_epv;

#include <encina/c_epilogue.h>
#endif /* TRANSARC_neworder_h */

```

---

## orderstatus.h

---

```

#ifdef TRANSARC_orderstatus_h
#define TRANSARC_orderstatus_h

#include <trpc/trpc.h>
#include "_orderstatus.h"

#include <encina/c_prologue.h>

#ifdef BUILDDDL
#define DLLEXPORT __declspec( dllexport )
#else
#define DLLEXPORT extern
#endif

#ifdef ENCINA_STUB_CALLING
#define ENCINA_STUB_CALLING ENCINA_RPC_CALLING
#endif

#define orderstatus_v1_0_c_ifspec
    _orderstatus_v1_0_c_ifspec
#define orderstatus_v1_0_s_ifspec
    _orderstatus_v1_0_s_ifspec

typedef struct orderstatus_v1_0_epv {
void (ENCINA_STUB_CALLING *impTPCCOrderStatus) (
#ifdef IDL_PROTOTYPES

        idl_long_int length,
        idl_char *dataP,
        data_header *headerP,

```

```

        trpc_status_t *trpcStatus
#endif
);
} orderstatus_v1_0_epv_t;

DLEXPOR void ENCINA_STUB_CALLING impTPCCOrderStatus
(
#ifdef IDL_PROTOTYPES

        idl_long_int length,
        idl_char *dataP,
        data_header *headerP,
        trpc_status_t *trpcStatus
#endif
);

trpc_handle_t          ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t *ifSpecP
#endif
);

void          ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_handle_t        trpcHandle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t *ifSpecP
#endif
);

trpc_handle_t          ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t *ifSpecP
#endif
);

void          ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_handle_t        trpcHandle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t *ifSpecP
#endif
);

extern orderstatus_v1_0_epv_t
        orderstatus_v1_0_client_epv;
extern _orderstatus_v1_0_epv_t
        orderstatus_v1_0_manager_epv;
extern rpc_mgr_epv_t
        orderstatus_v1_0_mgr_epv;

#include <encina/c_epilogue.h>
#endif /* TRANSARC_orderstatus_h */

```

## payment.h

```

#ifndef TRANSARC_payment_h
#define TRANSARC_payment_h

#include <trpc/trpc.h>
#include "_payment.h"

#include <encina/c_prologue.h>

#ifdef BUILD_DLL
#define DLEXPOR __declspec( dllexport )
#else
#define DLEXPOR extern
#endif

#ifndef ENCINA_STUB_CALLING
#define ENCINA_STUB_CALLING ENCINA_RPC_CALLING
#endif

#define payment_v1_0_c_ifspec _payment_v1_0_c_ifspec
#define payment_v1_0_s_ifspec _payment_v1_0_s_ifspec

typedef struct payment_v1_0_epv {
void (ENCINA_STUB_CALLING *impTPCCPayment) (
#ifdef IDL_PROTOTYPES

        idl_long_int length,
        idl_char *dataP,
        data_header *headerP,
        trpc_status_t *trpcStatus
#endif
);
} payment_v1_0_epv_t;

DLEXPOR void ENCINA_STUB_CALLING impTPCCPayment (
#ifdef IDL_PROTOTYPES

        idl_long_int length,
        idl_char *dataP,
        data_header *headerP,
        trpc_status_t *trpcStatus
#endif
);

trpc_handle_t          ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t *ifSpecP
#endif
);

void          ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_handle_t        trpcHandle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t *ifSpecP
#endif
);

```

```

#endif
);

trpc_handle_t          ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t *ifSpecP
#endif
);

void          ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_handle_t        trpcHandle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t *ifSpecP
#endif
);

extern payment_v1_0_epv_t
        payment_v1_0_client_epv;
extern _payment_v1_0_epv_t
        payment_v1_0_manager_epv;
extern rpc_mgr_epv_t
        payment_v1_0_mgr_epv;

#include <encina/c_epilogue.h>
#endif /* TRANSARC_payment_h */

```

## ReadRegistry.cpp

```

/*      FILE:          READREGISTRY.CPP
*
*      TPC-C Kit Ver. 4.20.000
*
*      Microsoft
*
*      Copyright
*
*      Microsoft, 1999
*
*      All Rights Reserved
*
*
*      not yet
*
*      audited
*
*      PURPOSE:  Implementation for TPC-C Tuxedo
class.
*
*      Contact:  Charles Levine
(clevine@microsoft.com)
*
*      Change history:
*
*      4.20.000 - first version
*/

/* FUNCTION: ReadTPCCRegistrySettings
*
* PURPOSE:      This function reads the NT
registry for startup parameters. These parameters are
*
*               under the TPCC key.
*
* RETURNS      FALSE = no errors

```



```

* TRUE = error reading
registry
*/
BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg
)
{
    HKEY hKey;
    DWORD size;
    DWORD type;
    DWORD dwTmp;
    char szTmp[256];

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\\Microsoft\\TPCC", 0, KEY_READ, &hKey) !=
ERROR_SUCCESS )
        return TRUE;

    // determine database protocol to use; may
be either ODBC or DBLIB
    pReg->eDB_Protocol = Unspecified;
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "DB_Protocol",
0, &type, (BYTE *)&szTmp, &size) == ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp,
szDBNames[ODBC]) )
            pReg->eDB_Protocol =
ODBC;
        else if ( !strcmp(szTmp,
szDBNames[DBLIB]) )
            pReg->eDB_Protocol =
DBLIB;
    }

    pReg->eTxnMon = None;
    // determine txn monitor to use; may be
either TUXEDO, or blank
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "TxnMonitor", 0,
&type, (BYTE *)&szTmp, &size) == ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp,
szTxnMonNames[TUXEDO]) )
            pReg->eTxnMon = TUXEDO;
        else if ( !strcmp(szTmp,
szTxnMonNames[ENCINA]) )
            pReg->eTxnMon = ENCINA;
        else if ( !strcmp(szTmp,
szTxnMonNames[COM]) )
            pReg->eTxnMon = COM;
    }

    pReg->bCOM_SinglePool = FALSE;
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey,
"COM_SinglePool", 0, &type, (BYTE *)&szTmp, &size) ==
ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp, "YES") )
            pReg->bCOM_SinglePool =
TRUE;
    }
}

```

```

pReg->dwMaxConnections = 0;
size = sizeof(dwTmp);
if ( ( RegQueryValueEx(hKey,
"MaxConnections", 0, &type, (LPBYTE)&dwTmp, &size) ==
ERROR_SUCCESS )
    && (type == REG_DWORD) )
    pReg->dwMaxConnections = dwTmp;

pReg->dwMaxPendingDeliveries = 0;
size = sizeof(dwTmp);
if ( ( RegQueryValueEx(hKey,
"MaxPendingDeliveries", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )
    && (type == REG_DWORD) )
    pReg->dwMaxPendingDeliveries =
dwTmp;

pReg->dwNumberOfDeliveryThreads = 0;
size = sizeof(dwTmp);
if ( ( RegQueryValueEx(hKey,
"NumberOfDeliveryThreads", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )
    && (type == REG_DWORD) )
    pReg->dwNumberOfDeliveryThreads =
dwTmp;

size = sizeof( pReg->szPath );
if ( RegQueryValueEx(hKey, "Path", 0,
&type, (BYTE *)&pReg->szPath, &size) != ERROR_SUCCESS
)
    pReg->szPath[0] = 0;

size = sizeof( pReg->szDbServer );
if ( RegQueryValueEx(hKey, "DbServer", 0,
&type, (BYTE *)&pReg->szDbServer, &size) !=
ERROR_SUCCESS )
    pReg->szDbServer[0] = 0;

size = sizeof( pReg->szDbName );
if ( RegQueryValueEx(hKey, "DbName", 0,
&type, (BYTE *)&pReg->szDbName, &size) !=
ERROR_SUCCESS )
    pReg->szDbName[0] = 0;

size = sizeof( pReg->szDbUser );
if ( RegQueryValueEx(hKey, "DbUser", 0,
&type, (BYTE *)&pReg->szDbUser, &size) !=
ERROR_SUCCESS )
    pReg->szDbUser[0] = 0;

size = sizeof( pReg->szDbPassword );
if ( RegQueryValueEx(hKey, "DbPassword", 0,
&type, (BYTE *)&pReg->szDbPassword, &size) !=
ERROR_SUCCESS )
    pReg->szDbPassword[0] = 0;

RegCloseKey(hKey);

return FALSE;
}

```

## ReadRegistry.h

```

/* FILE: ReadRegistry.h
* Microsoft
TPC-C Kit Ver. 4.20.000
* Copyright
Microsoft, 1999
* All Rights Reserved
*
* not audited
*
* PURPOSE: Header for registry related code.
*
* Change history:
* 4.20.000 - first version
*/

enum DBPROTOCOL { Unspecified, ODBC, DBLIB };
const char *szDBNames[] = { "Unspecified", "ODBC",
"DBLIB" };

enum TXNMON { None, TUXEDO, ENCINA, COM };
const char *szTxnMonNames[] = { "NONE", "TUXEDO",
"ENCINA", "COM" };

//This structure defines the data necessary to keep
distinct for each terminal or client connection.
typedef struct _TPCCREGISTRYDATA
{
    enum DBPROTOCOL eDB_Protocol;
    enum TXNMON eTxnMon;
    BOOL bCOM_SinglePool;
    DWORD dwMaxConnections;
    DWORD dwMaxPendingDeliveries;
    DWORD dwNumberOfDeliveryThreads;
    char szPath[128];
    char szDbServer[32];
    char szDbName[32];
    char szDbUser[32];
    char szDbPassword[32];
} TPCCREGISTRYDATA, *PTPCCREGISTRYDATA;

BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg
);


```

## RESOURCE.H

```

//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by install.rc
//
#define IDD_DIALOG1 101
#define IDI_ICON1 102
#define IDR_TPCCDLL 103
#define IDD_DIALOG2 105
#define IDI_ICON2 106
#define IDR_DELIVERY 107
#define IDD_DIALOG3 108
#define IDR_LICENSE1 112

```

```

#define IDD_DIALOG4          113
#define IDR_TPCCOBJ1        117
#define IDR_TPCCSTUB1       118
#define IDR_DBLIB_DLL       122
#define IDR_ODBC_DLL        123
#define IDR_TUXEDO_APP      124
#define IDR_TUXEDO_DLL      125
#define IDR_COM_DLL         126
#define IDR_COMPS_DLL       127
#define IDR_COMALL_DLL      128
#define IDR_COMTYPLIB_DLL   129
#define BN_LOG              1001
#define ED_KEEP             1002
#define ED_THREADS         1003
#define ED_THREADS2        1004
#define IDC_PATH           1007
#define IDC_VERSION        1009
#define IDC_RESULTS        1010
#define IDC_PROGRESS1      1011
#define IDC_STATUS         1012
#define IDC_BUTTON1       1013
#define ED_MAXCONNECTION   1014
#define ED_IIS_MAX_THREAD_POOL_LIMIT 1015
#define ED_MAXDELIVERIES   1016
#define ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE 1017
#define ED_IIS_THREAD_TIMEOUT 1018
#define ED_IIS_LISTEN_BACKLOG 1019
#define IDC_DBLIB         1021
#define IDC_LICENSE       1022
#define IDC_ODBC          1022
#define IDC_CONNECT_POOL  1023
#define ED_DB_SERVER      1023
#define ED_USER_CONNECT_DELAY_TIME 1024
#define ED_DB_USER_ID     1024
#define IDC_MTS           1025
#define IDC_TM_MTS        1025
#define IDC_TM_TUXEDO     1026
#define IDC_TM_NONE       1027
#define ED_DB_PASSWORD    1028
#define ED_DB_NAME        1029
#define IDC_TM_ENCINA     1030

// Next default values for new objects
//
#ifdef APSTUDIO_INVOKED
#ifdef APSTUDIO_READONLY_SYMBOLS
#define _APS_NEXT_RESOURCE_VALUE 130
#define _APS_NEXT_COMMAND_VALUE 40001
#define _APS_NEXT_CONTROL_VALUE 1031
#define _APS_NEXT_SYMED_VALUE 101
#endif
#endif

```

## rtetime.h

```

/* FILE: rtetime.h : header file
 * Copyright 1997 Microsoft Corp., All rights reserved.
 */

```

```

 * Source code licensed to Tandem Computers for Internal
 * use only. Redistribution of source or object files or
 * any derivative works is prohibited. By agreement, this
 * notice may not be removed.
 *
 * Authors: Charles Levine, Philip Durr
 *
 * Microsoft Corp.
 */

//FILE: RTETIME.H

#define MAX_JULIAN_TIME 0x7FFFFFFFFFFFFFFF
#define JULIAN_TIME __int64
#define TC_TIME DWORD
extern "C"
{
    BOOL InitJulianTime(LPSYSTEMTIME lpInitTime);
    JULIAN_TIME GetJulianTime(void);
    DWORD MyTickCount(void);
    void GetJulianAndTC(JULIAN_TIME *pJulian, DWORD *pTC);
    JULIAN_TIME ConvertTo64BitTime(int iYear, int iMonth, int iDay, int iHour, int iMinute, int iSecond);
    JULIAN_TIME Get64BitTime(LPSYSTEMTIME lpInitTime);
    int JulianDay( int yr, int mm, int dd );
    void JulianToTime(JULIAN_TIME julianTS, int* yr, int* mm, int* dd, int* hh, int* mi, int* ss );
    void JulianToCalendar( int day, int* yr, int* mm, int* dd );
}

```

## spinlock.h

```

/* FILE: SPINLOCK.H
 *
 * Copyright 1997 Microsoft Corp., All rights reserved.
 *
 * Source code licensed to Tandem Computers for Internal
 * use only. Redistribution of source or object files or
 * any derivative works is prohibited. By agreement, this
 * notice may not be removed.
 *
 * Authors: Mike Parkes, Charles Levine, Philip Durr
 *
 * Microsoft Corp.
 */

```

```

#ifndef _INC_Spinlock

const LONG LockClosed = 1;
const LONG LockOpen = 0;

/*****
 *
 * Spinlock and Semaphore locking.
 *
 * This class provides a very conservative locking scheme.
 * The assumption behind the code is that locks will be
 * held for a very short time. When a lock is taken a memory
 * location is exchanged. All other threads that want this
 * lock wait by spinning and sometimes sleeping on a semaphore
 * until it becomes free again. The only other choice is not
 * to wait at all and move on to do something else. This
 * module should normally be used in conjunction with cache
 * aligned memory in minimize cache line misses.
 *
 *****/

class Spinlock
{
    // Private data.
    HANDLE
Semaphore;
    volatile LONG
m_Spinlock;
    volatile LONG
Waiting;

#ifdef _DEBUG
    // Counters for debugging builds.
    volatile LONG
TotalLocks;
    volatile LONG
TotalSleeps;
    volatile LONG
TotalSpins;
    volatile LONG
TotalWaits;
#endif
public:
    // Public functions.
    Spinlock( void );
    inline BOOL ClaimLock(
        BOOL Wait = TRUE );

```

```

ReleaseLock( void );

Spinlock & Copy );
Spinlock & Copy );

private:
// Private functions.
inline BOOL
ClaimSpinlock( volatile LONG *sl );
void WaitForLock( void );
void WakeAllSleepers( void );
};

/*****
*
* A guaranteed atomic exchange.
*
* An attempt is made to claim the
Spinlock. This action is
* guaranteed to be atomic.
*
*****/

inline BOOL Spinlock::ClaimSpinlock(
volatile LONG *Spinlock )
{
#ifdef _DEBUG
InterlockedIncrement(
(LPLONG) & TotalLocks );
#endif
return ( ((*Spinlock) ==
LockOpen) && (InterlockedExchange( (LPLONG)Spinlock,
LockClosed) == LockOpen) );
}

/*****
*
* Claim the Spinlock.
*
* Claim the lock if available else wait
or exit.
*
*****/

inline BOOL Spinlock::ClaimLock( BOOL Wait
)
{
if ( ! ClaimSpinlock( (volatile
LONG*) & m_Spinlock ) )
{
if ( Wait )

```

```

WaitForLock();
return Wait;
}
return TRUE;
}

/*****
*
* Release the Spinlock.
*
* Release the lock and if needed wakeup
any sleepers.
*
*****/

inline void Spinlock::ReleaseLock( void )
{
m_Spinlock = LockOpen;
if ( Waiting > 0 )
WakeAllSleepers();
}

#define _INC_Spinlock

#endif

stocklevel.h

#ifdef TRANSARC_stocklevel_h
#define TRANSARC_stocklevel_h

#include <trpc/trpc.h>
#include "_stocklevel.h"

#include <encina/c_prologue.h>

#if defined(BUILDDLL)
#define DLLEXPORT __declspec( dlllexport )
#else
#define DLLEXPORT extern
#endif

#ifdef ENCINA_STUB_CALLING
#define ENCINA_STUB_CALLING ENCINA_RPC_CALLING
#endif

#define stocklevel_v1_0_c_ifspec
_stocklevel_v1_0_c_ifspec
#define stocklevel_v1_0_s_ifspec
_stocklevel_v1_0_s_ifspec

typedef struct stocklevel_v1_0_epv {
void (ENCINA_STUB_CALLING *impTPCCStockLevel) (
#ifdef IDL_PROTOTYPES

idl_long_int length,

```

```

idl_char *dataP,
data_header *headerP,
trpc_status_t *trpcStatus
#endif
);
} stocklevel_v1_0_epv_t;

DLLEXPORT void ENCINA_STUB_CALLING impTPCCStockLevel
(
#ifdef IDL_PROTOTYPES

idl_long_int length,
idl_char *dataP,
data_header *headerP,
trpc_status_t *trpcStatus
#endif
);

trpc_handle_t ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
mon_handle_t handle,
trpc_tranInfo_t *tranInfoP,
trpc_ifSpec_t *ifSpecP
#endif
);

void ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
mon_handle_t handle,
trpc_handle_t trpcHandle,
trpc_tranInfo_t *tranInfoP,
trpc_ifSpec_t *ifSpecP
#endif
);

trpc_handle_t ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
mon_handle_t handle,
trpc_tranInfo_t *tranInfoP,
trpc_ifSpec_t *ifSpecP
#endif
);

void ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
mon_handle_t handle,
trpc_handle_t trpcHandle,
trpc_tranInfo_t *tranInfoP,
trpc_ifSpec_t *ifSpecP
#endif
);

extern stocklevel_v1_0_epv_t
stocklevel_v1_0_client_epv;
extern _stocklevel_v1_0_epv_t
stocklevel_v1_0_manager_epv;
extern rpc_mgr_epv_t
stocklevel_v1_0_mgr_epv;

#include <encina/c_epilogue.h>

```

```
#endif /* TRANSARC_stocklevel_h */
```

## tm\_com\_dll.dsp

```
# Microsoft Developer Studio Project File -
Name="tm_com_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=tm_com_dll - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tm_com_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tm_com_dll.mak" CFG="tm_com_dll -
Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tm_com_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tm_com_dll - Win32 Debug" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "tm_com_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c

!ELSEIF "$(CFG)" == "tm_com_dll - Win32 Debug"

# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "NDEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386 /out:".bin\tpcc_com.dll"

!ELSEIF "$(CFG)" == "tm_com_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdptype:sept
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_com.dll" /pdptype:sept

!ENDIF

# Begin Target
```

```
# Name "tm_com_dll - Win32 Release"
# Name "tm_com_dll - Win32 Debug"
# Begin Source File

SOURCE=.\src\tpcc_com.cpp
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_com.h
# End Source File
# End Target
# End Project
```

## tm\_encina\_dll.dsp

```
# Microsoft Developer Studio Project File -
Name="tm_encina_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=tm_encina_dll - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tm_encina_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tm_encina_dll.mak"
CFG="tm_encina_dll - Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tm_encina_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tm_encina_dll - Win32 Debug" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "tm_encina_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c

!ELSEIF "$(CFG)" == "tm_encina_dll - Win32 Debug"

# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "NDEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdptype:sept
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_com.dll" /pdptype:sept

!ENDIF

# Begin Target
```

```

# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386 /out:".bin\tpcc_encina.dll"

!ELSEIF "$(CFG) == "tm_encina_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib

```

```

odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_encina.dll"
/pdbtype:sept

!ENDIF

# Begin Target

# Name "tm_encina_dll - Win32 Release"
# Name "tm_encina_dll - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter "*.c, *.cpp"
# Begin Source File

SOURCE=.\src\client_utils.c
# End Source File
# Begin Source File

SOURCE=.\src\mon_client.c
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_enc.cpp
# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=.\src\client_utils.h
# End Source File
# Begin Source File

SOURCE=.\src\mon_client.h
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_enc.h
# End Source File
# End Group
# End Target
# End Project

```

## tm\_tuxedo\_dll.dsp

```

# Microsoft Developer Studio Project File -
Name="tm_tuxedo_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETYPE "Win32 (x86) Dynamic-Link Library" 0x0102

```

```

CFG=tm_tuxedo_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tm_tuxedo_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tm_tuxedo_dll.mak"
CFG="tm_tuxedo_dll - Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tm_tuxedo_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tm_tuxedo_dll - Win32 Debug" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tm_tuxedo_dll - Win32 IceCAP" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG) == "tm_tuxedo_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib

```

```

odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib libtux.lib libbuft.lib libtux2.lib
libfml.lib libfml32.lib libgp.lib /nologo
/subsystem:windows /dll /machine:I386
/out:".bin\tpcc_tuxedo.dll"

!ELSEIF "$(CFG) == "tm_tuxedo_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib libtux.lib libbuft.lib libtux2.lib
libfml.lib libfml32.lib libgp.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/out:".bin\tpcc_tuxedo.dll" /pdbtype:sept

!ELSEIF "$(CFG) == "tm_tuxedo_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "tm_tuxed"
# PROP BASE Intermediate_Dir "tm_tuxed"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0

```

```

# PROP Target_Dir ""
# ADD BASE CPP /nologo /MDd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /Gm /GX /Zi /O2 /D "WIN32"
/D "NDEBUG" /D "_WINDOWS" /D "ICECAP" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib libtux.lib libbuft.lib libtux2.lib
libfml.lib libfml32.lib libgp.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/out:".bin\tpcc_tuxedo.dll" /pdbtype:sept
# ADD LINK32 icap.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib
odbc32.lib odbc32.lib libtux.lib libbuft.lib
libtux2.lib libfml.lib libfml32.lib libgp.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/out:".bin\tpcc_tuxedo.dll" /pdbtype:sept

!ENDIF

# Begin Target

# Name "tm_tuxedo_dll - Win32 Release"
# Name "tm_tuxedo_dll - Win32 Debug"
# Name "tm_tuxedo_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp"
# Begin Source File

SOURCE=.src\tpcc_tux.cpp
# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=.src\tpcc_tux.h
# End Source File
# End Group
# End Target
# End Project

/*      FILE:      TPCC.C

```

## tpcc.cpp

```

*
*      Microsoft
TPC-C Kit Ver. 4.20.000
*
*      Copyright
Microsoft, 1999
*
*      All Rights Reserved
*
*
*      Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*      PURPOSE: Main module for TPCC.DLL which is
an ISAPI service dll.
*      Contact: Charles Levine
(clevine@microsoft.com)
*
*      Change history:
*      4.20.000 - reworked error
handling; added options for COM and Encina txn
monitors
*/

#include <windows.h>
#include <process.h>
#include <tchar.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>
#include <assert.h>

#include <sqltypes.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\ReadRegistry.h"

#include "..\..\common\txnlog\include\rtetime.h"
#include "..\..\common\txnlog\include\spinlock.h"
#include "..\..\common\txnlog\include\txnlog.h"

// Database layer includes
#include "..\..\db_dblib_dll\src\tpcc_dblib.h"
// DBLIB implementation of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h"
// ODBC implementation of TPC-C txns

// Txn monitor layer includes
#include "..\..\tm_com_dll\src\tpcc_com.h"
// COM Services implementation on

TPC-C txns
#include "..\..\tm_tuxedo_dll\src\tpcc_tux.h"
// interface to Tuxedo libraries

```

```

#include "..\..\tm_encina_dll\src\tpcc_enc.h"
// interface to Encina libraries

#include "httpext.h"
//ISAPT DLL information header
#include "tpcc.h"
//this dlls specific structure, value e.t.
header.

#define LEN_ERR_STRING 256

// defines for Make<Txn>Form calls to distinguish
input and output flavors
#define OUTPUT_FORM 0
#define INPUT_FORM 1

char
    szMyComputerName[MAX_COMPUTERNAME_LENGTH+1]
;

//Terminal client id structure
TERM Term = { 0, 0, 0, NULL };

// The WEBCLIENT_VERSION string specifies the version
level of this web client interface.
// The RTE must be synchronized with the interface
level on login, otherwise the login
// will fail. This is a sanity check to catch
problems resulting from mismatched versions
// of the RTE and web client.
#define WEBCLIENT_VERSION "410"

static CRITICAL_SECTION
    TermCriticalSection;

static HINSTANCE hLibInstanceTm = NULL;
static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;
TYPE_CTPCC_TUXEDO *pCTPCC_TUXEDO_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_post_init;
TYPE_CTPCC_COM *pCTPCC_COM_new;

// For deferred Delivery txns:

CTxnLog
    *txnDelilog = NULL;
//used to log delivery transaction
information

HANDLE
    hWorkerSemaphore = INVALID_HANDLE_VALUE;
HANDLE
    hDoneEvent =
INVALID_HANDLE_VALUE;
HANDLE
    *pDeliHandles = NULL;

// configuration settings from registry
TPCCREGISTRYDATA Reg;

```

```

DWORD
    dwNumDeliveryThreads = 4;
CRITICAL_SECTION
    DelBuffCriticalSection;
transactions cache
DELIVERY_TRANSACTION *pDelBuff
    = NULL;

DWORD
    dwDelBuffSize = 100;
// size of circular buffer for delivery

txns
DWORD
    dwDelBuffFreeCount;
// number of buffers free

DWORD
    dwDelBuffBusyIndex = 0;
//
index position of entry waiting to be delivered
DWORD
    dwDelBuffFreeIndex = 0;
//
index position of unused entry

#include "..\..\common\src\ReadRegistry.cpp"

/* FUNCTION: DllMain
 *
 * PURPOSE: This function is the entry point
for the DLL. This implementation is based on the
 *
 * fact that
DLL_PROCESS_ATTACH is only called from the inet
service once.
 *
 * ARGUMENTS: HANDLE hModule
module handle
 *
 * ul_reason_for_call reason for call
 *
 * lpReserved LPVOID
reserved for future use
 *
 * RETURNS: BOOL FALSE
errors occurred in
initialization
 *
 * TRUE DLL
successfully initialized
 */

BOOL APIENTRY DllMain(HANDLE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    DWORD i;
    char szEvent[LEN_ERR_STRING] = "\0";
    char szLogFile[128];
    char szDllName[128];

// debugging...
// DebugBreak();

    try
    {
        switch( ul_reason_for_call )

```

```

{
    case
        DLL_PROCESS_ATTACH:
            {
                DWORD dwSize = MAX_COMPUTERNAME_LENGTH+1;
                GetComputerName(szMyComputerName, &dwSize);
                szMyComputerName[dwSize] = 0;
            }

        ;

        DisableThreadLibraryCalls((HMODULE)hModule)

        InitializeCriticalSection(&TermCriticalSection);

        if (
            ReadTPCCRegistrySettings( &Reg ) )
            throw new CWEBCLNT_ERR(
                ERR_MISSING_REGISTRY_ENTRIES );

            dwDelBuffSize
            = min( Reg.dwMaxPendingDeliveries, 10000 ); // min
            with 10000 as a sanity constraint

            dwNumDeliveryThreads = min(
                Reg.dwNumberOfDeliveryThreads, 100 ); // min with
            100 as a sanity constraint

            TermInit();

            // load DLL
            for txn monitor
            if
            (Reg.eTxnMon == TUXEDO)
            {
                strcpy( szDllName, Reg.szPath );
                strcat( szDllName, "tpcc_tuxedo.dll");
                hLibInstanceTm = LoadLibrary( szDllName );
                if
                (hLibInstanceTm == NULL)
                throw new CWEBCLNT_ERR( ERR_LOADDLL_FAILED,
                    szDllName, GetLastError() );

                //
                get function pointer to wrapper for class constructor

                pCTPCC_TUXEDO_new = (TYPE_CTPCC_TUXEDO*)
                GetProcAddress(hLibInstanceTm, "CTPCC_TUXEDO_new");
                if
                (pCTPCC_TUXEDO_new == NULL)
                throw new CWEBCLNT_ERR(
                    ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
            }

```

```

else if
(Reg.eTxnMon == ENCINA)
{
    strcpy( szDllName, Reg.szPath );
    strcat( szDllName, "tpcc_encina.dll");
    hLibInstanceTm = LoadLibrary( szDllName );
    if
    (hLibInstanceTm == NULL)
        throw new CWBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );
//
get function pointer to wrapper for class constructor
    pCTPCC_ENCINA_new = (TYPE_CTPCC_ENCINA*)
GetProcAddress(hLibInstanceTm, "CTPCC_ENCINA_new");
    pCTPCC_ENCINA_post_init =
(TYPE_CTPCC_ENCINA*)
GetProcAddress(hLibInstanceTm, "CTPCC_ENCINA_post_init
");
    if
    (pCTPCC_ENCINA_new == NULL)
        throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
    else if
    (Reg.eTxnMon == COM)
    {
        strcpy( szDllName, Reg.szPath );
        strcat( szDllName, "tpcc_com.dll");
        hLibInstanceTm = LoadLibrary( szDllName );
        if
        (hLibInstanceTm == NULL)
            throw new CWBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );
//
get function pointer to wrapper for class constructor
        pCTPCC_COM_new = (TYPE_CTPCC_COM*)
GetProcAddress(hLibInstanceTm, "CTPCC_COM_new");
        if
        (pCTPCC_COM_new == NULL)
            throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
// load DLL
for database connection
        if
        ((Reg.eTxnMon == None) || (dwNumDeliveryThreads > 0))
        {

```

```

(Reg.eDB_Protocol == DBLIB)
{
    strcpy( szDllName, Reg.szPath );
    strcat( szDllName, "tpcc_dblib.dll");
    hLibInstanceDb = LoadLibrary( szDllName );
    if (hLibInstanceDb == NULL)
        throw new CWBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );
//
get function pointer to wrapper for
class constructor
    pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
GetProcAddress(hLibInstanceDb, "CTPCC_DBLIB_new");
    if (pCTPCC_DBLIB_new == NULL)
        throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
    else if (Reg.eDB_Protocol == ODBC)
    {
        strcpy( szDllName, Reg.szPath );
        strcat( szDllName, "tpcc_odbc.dll");
        hLibInstanceDb = LoadLibrary( szDllName );
        if (hLibInstanceDb == NULL)
            throw new CWBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );
//
get function pointer to wrapper for
class constructor
        pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");
        if (pCTPCC_ODBC_new == NULL)
            throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
    }
    if
    (dwNumDeliveryThreads)
    {
//
for deferred delivery txns:
        hDoneEvent = CreateEvent( NULL, TRUE /*

```

```

manual reset */, FALSE /* initially not signalled */,
NULL );
        InitializeCriticalSection(&DelBuffCriticalS
ection);
        hWorkerSemaphore = CreateSemaphore( NULL,
0, dwDelBuffSize, NULL );
        dwDelBuffFreeCount = dwDelBuffSize;
        InitJulianTime(NULL);
//
create unique log file name based on delilog-yyymmdd-
hmm.log
        SYSTEMTIME Time;
        GetLocalTime( &Time );
        wsprintf( szLogFile, "%sdelivery-
%2.2d%2.2d%2.2d-%2.2d%2.2d.log",
                Reg.szPath, Time.wYear % 100,
Time.wMonth, Time.wDay, Time.wHour, Time.wMinute );
        txnDelilog = new CTxnLog(szLogFile,
TXN_LOG_WRITE);
//
write event into txn log for START
        txnDelilog-
>WriteCtrlRecToLog(TXN_EVENT_START, szMyComputerName,
sizeof(szMyComputerName));
//
allocate structures for delivery buffers and thread
mgmt
        pDeliHandles = new
HANDLE[dwNumDeliveryThreads];
        pDelBuff = new
DELIVERY_TRANSACTION[dwDelBuffSize];
//
launch DeliveryWorkerThread to perform actual
delivery txns
        for(i=0; i<dwNumDeliveryThreads; i++)
        {
            pDeliHandles[i] = (HANDLE) _beginthread(
DeliveryWorkerThread, 0, NULL );
            if (pDeliHandles[i] ==
INVALID_HANDLE_VALUE)
                throw new CWBCLNT_ERR(
ERR_DELIVERY_THREAD_FAILED );
        }

```



```

        }
        break;
    case
        DLL_PROCESS_DETACH:
        {
            if
            (dwNumDeliveryThreads
            != 0)
            {
                if
                (txnDelilog != NULL)
                {
                    //write event into txn log for STOP
                    txnDelilog-
                    >WriteCtrlRecToLog(TXN_EVENT_STOP, szMyComputerName,
                    sizeof(szMyComputerName));

                    // This will do a clean shutdown of the
                    delivery log file
                    CTxnLog *txnDelilogLocal = txnDelilog;
                    txnDelilog= NULL;
                    delete txnDelilogLocal;
                }

                delete [] pDeliHandles;
                delete [] pDelBuff;

                CloseHandle( hWorkerSemaphore );
                CloseHandle( hDoneEvent );
                DeleteCriticalSection(&DelBuffCriticalSection);
            }

            DeleteCriticalSection(&TermCriticalSection);
        }

        if
        (hLibInstanceTm != NULL)
        {
            FreeLibrary( hLibInstanceTm );
            hLibInstanceTm = NULL;
        }

        if
        (hLibInstanceDb != NULL)
        {
            FreeLibrary( hLibInstanceDb );
            hLibInstanceDb = NULL;
        }

        Sleep(500);
    }
}

```

```

        break;
    default: /* nothing
    */;
}
}
catch (CBaseErr *e)
{
    WriteMessageToEventLog( e-
    >ErrorText() );
    delete e;
    TerminateExtension(0);
    return FALSE;
}
catch (...)
{
    WriteMessageToEventLog(TEXT("Unhandled
    exception. DLL could not load.));
    TerminateExtension(0);
    return FALSE;
}
}
return TRUE;
}

/* FUNCTION: GetExtensionVersion
*
* PURPOSE: This function is called by the
inet service when the DLL is first loaded.
*
* ARGUMENTS: HSE_VERSION_INFO *pVer
passed in structure in which to place
expected version number.
*
* RETURNS: TRUE inet service
expected return value.
*/

BOOL WINAPI GetExtensionVersion(HSE_VERSION_INFO
*pVer)
{
    pVer->dwExtensionVersion =
    MAKELONG(HSE_VERSION_MINOR, HSE_VERSION_MAJOR);
    lstrcpy(pVer->lpszExtensionDesc, "TPC-C
    Server.", HSE_MAX_EXT_DLL_NAME_LEN);

    // TODO: why do we need this here instead
    of in the DLL attach?
    if (Reg.eTxnMon == ENCINA)
        pCTPCC_ENCINA_post_init();

    return TRUE;
}

/* FUNCTION: TerminateExtension
*
* PURPOSE: This function is called by the
inet service when the DLL is about to be unloaded.
*
* Release all resources
in anticipation of being unloaded.

```

```

*
* RETURNS: TRUE inet service
expected return value.
*/

BOOL WINAPI TerminateExtension( DWORD dwFlags )
{
    if (pDeliHandles)
    {
        SetEvent( hDoneEvent );
        for(DWORD i=0;
        i<dwNumDeliveryThreads; i++)
            WaitForSingleObject(
            pDeliHandles[i], INFINITE );
    }

    TermDeleteAll();
    return TRUE;
}

/* FUNCTION: HttpExtensionProc
*
* PURPOSE: This function is the main entry
point for the TPCC DLL. The internet service
*
* calls this function
passing in the http string.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
*pECB structure pointer to passed in
internet
*
*
* service information.
*
* RETURNS: DWORD
HSE_STATUS_SUCCESS
connection can be dropped if
error
*
HSE_STATUS_SUCCESS_AND_KEEP_CONN
keep connect valid comment sent
*
* COMMENTS: None
*/

DWORD WINAPI
HttpExtensionProc(EXTENSION_CONTROL_BLOCK *pECB)
{
    int iCmd, FormId,
    TermId, iSyncId;
    char szBuffer[4096];

    int lpbSize;
    static char szHeader[] = "200 Ok";
    DWORD dwSize = 6;
    // initial value is strlen(szHeader)
    char szHeader1[4096];

#ifdef ICECAP
    StartCAP();
#endif
}

```

```

#endif
    try
    {
        //process http query
        ProcessQueryString(pECB, &iCmd,
        &FormId, &TermId, &iSyncId);

        if (TermId != 0)
        {
            if ( TermId < 0 ||
            TermId >= Term.iNumEntries ||
            Term.pClientData[TermId].iNextFree != -1 )
            {
                //
                debugging...
                char
                szTmp[128];
                wsprintf(
                szTmp, "Invalid term ID; TermId = %d", TermId );

                WriteMessageToEventLog( szTmp );

                throw new
                CWBCLNT_ERR( ERR_INVALID_TERMID );
            }

            //must have a valid
            syncid here since termid is valid
            if (iSyncId !=
            Term.pClientData[TermId].iSyncId)
            throw new
            CWBCLNT_ERR( ERR_INVALID_SYNC_CONNECTION );

            //set use time
            Term.pClientData[TermId].iTickCount =
            GetTickCount();
        }

        switch(iCmd)
        {
        case 0:
            WelcomeForm(pECB,
            szBuffer);
            break;

        case 1:
            switch( FormId )
            {
                case
                WELCOME_FORM:
                MAIN_MENU_FORM:
                    break;

                case
                NEW_ORDER_FORM:
                    ProcessNewOrderForm(pECB, TermId,
                    szBuffer);
                    break;
            }
        }
    }

```

```

        case
        PAYMENT_FORM:
            ProcessPaymentForm(pECB, TermId, szBuffer);
            break;

        case
        DELIVERY_FORM:
            ProcessDeliveryForm(pECB, TermId,
            szBuffer);
            break;

        case
        ORDER_STATUS_FORM:
            ProcessOrderStatusForm(pECB, TermId,
            szBuffer);
            break;

        case
        STOCK_LEVEL_FORM:
            ProcessStockLevelForm(pECB, TermId,
            szBuffer);
            break;

        case 2:
            // new-order selected
            from menu; display new-order input form
            MakeNewOrderForm(TermId, NULL, INPUT_FORM,
            szBuffer);
            break;

        case 3:
            // payment selected
            from menu; display payment input form
            MakePaymentForm(TermId,
            NULL, INPUT_FORM, szBuffer);
            break;

        case 4:
            // delivery selected
            from menu; display delivery input form
            MakeDeliveryForm(TermId, NULL, INPUT_FORM,
            szBuffer);
            break;

        case 5:
            // order-status
            selected from menu; display order-status input form
            MakeOrderStatusForm(TermId, NULL,
            INPUT_FORM, szBuffer);
            break;

        case 6:
            // stock-level selected
            from menu; display stock-level input form
            MakeStockLevelForm(TermId, NULL,
            INPUT_FORM, szBuffer);
            break;

```

```

        case 7:
            // ExitCmd
            TermDelete(TermId);
            WelcomeForm(pECB,
            szBuffer);
            break;

        case 8:
            SubmitCmd(pECB,
            szBuffer);
            break;

        case 9:
            // menu
            MakeMainMenuForm(TermId,
            Term.pClientData[TermId].iSyncId, szBuffer);
            break;

        case 10:
            // CMD=Clear
            // resets all
            connections; should only be used when no other
            connections are active
            TermDeleteAll();
            TermInit();
            WelcomeForm(pECB,
            szBuffer);
            break;

        case 11:
            // CMD=Stats
            StatsCmd(pECB,
            szBuffer);
            break;
    }
    catch (CBaseErr *e)
    {
        ErrorForm( pECB, e->ErrorType(),
        e->ErrorNum(), TermId, iSyncId, e->ErrorText(),
        szBuffer );
        delete e;
    }
    catch (...)
    {
        ErrorForm( pECB, ERR_TYPE_WEBDLL,
        0, TermId, iSyncId, "Error: Unhandled exception in
        Web Client.", szBuffer );
    }

#ifdef ICECAP
    StopCAP();
#endif

    lpbSize = strlen(szBuffer);
    wsprintf(szHeader1,
    "Content-Type:
    text/html\r\n"
    "Content-Length:
    %d\r\n"
    "Connection: Keep-
    Alive\r\n\r\n", lpbSize);
    strcat( szHeader1, szBuffer );

```

```

        (*pECB->ServerSupportFunction)(pECB-
>ConnID, HSE_REQ_SEND_RESPONSE_HEADER, szHeader,
(LPDWORD) &dwSize, (LPDWORD)szHeader1);

        //finish up and keep connection
pECB->dwHttpStatusCode = 200;
return HSE_STATUS_SUCCESS_AND_KEEP_CONN;
}

void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR    szMsg[256];
    HANDLE   hEventSource;
    LPTSTR   lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL,
TEXT("TPCC.DLL"));

    _stprintf(szMsg, TEXT("Error in TPCC.DLL: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event
source
            EVENTLOG_ERROR_TYPE, // event type
            0, // event category
            0, // event ID
            NULL, // current user's
SID
            2, // strings in
lpszStrings
            0, // no bytes of raw
data
            (LPCSTR *)lpszStrings, // array of
error strings
            NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

/* FUNCTION: DeliveryWorkerThread
 *
 * PURPOSE: This function processes deferred
delivery txns. There are typically several
 * threads running this
routine. The number of threads is determined by an
entry
 * read from the registry.
The thread waits for work by waiting on semaphore.
 * When a delivery txn is
posted, the semaphore is released. After processing
 * the delivery txn,
information is logged to record the txn status and
execution
 *
 * time.
 */

```

```

/*static*/ void DeliveryWorkerThread(void *ptr)
{
    CTPCC_BASE *pTxn = NULL;

    DELIVERY_TRANSACTION
delivery;
PDELIVERY_DATA
pDeliveryData;
TXN_RECORD_TPCC_DELIV_DEF txnDeliRec;

    DWORD
index;
HANDLE
handles[2];

    SYSTEMTIME trans_end;
//delivery transaction finished
time
    SYSTEMTIME trans_start;
//delivery transaction start time

    assert(txnDeliRec != NULL);

    try
    {
        if (Reg.eDB_Protocol == ODBC)
            pTxn = pCTPCC_ODBC_new(
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
szMyComputerName, Reg.szDbName );
        else if (Reg.eDB_Protocol ==
DBLIB)
            pTxn =
pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
        pDeliveryData = pTxn-
>BuffAddr_Delivery();
    }
    catch (CBaseErr *e)
    {
        char szTmp[1024];
        wsprintf( szTmp, "Error in
Delivery Txn thread. Could not connect to database.
"
                "%s.
Server=%s, User=%s, Password=%s, Database=%s",
                e-
>ErrorText(), Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, Reg.szDbName );
        WriteMessageToEventLog( szTmp );
        delete e;
        goto ErrorExit;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception caught in DeliveryWorkerThread."));
        goto ErrorExit;
    }

    while (TRUE)
    {

```

```

        try
        {
            //while delivery thread
running, i.e. user has not requested termination
while (TRUE)
            {
                // need to
wait for multiple objects: program exit or worker
semaphore;
                handles[0] =
hDoneEvent;
                handles[1] =
hWorkerSemaphore;
                index =
WaitForMultipleObjects( 2, &handles[0], FALSE,
INFINITE );
                if (index ==
WAIT_OBJECT_0)
                    goto ErrorExit;

                ZeroMemory(&txnDeliRec,
sizeof(txnDeliRec));

                txnDeliRec.TxnType =
TXN_REC_TYPE_TPCC_DELIV_DEF;

                // make a
local copy of current entry from delivery buffer and
increment buffer index

                EnterCriticalSection(&DelBuffCriticalSectio
n);
                delivery =
*(pDelBuff+dwDelBuffBusyIndex);
                dwDelBuffFreeCount++;
                dwDelBuffBusyIndex++;
                if
(dwDelBuffBusyIndex == dwDelBuffSize) // wrap-
around if at end of buffer
                    dwDelBuffBusyIndex = 0;

                LeaveCriticalSection(&DelBuffCriticalSectio
n);

                pDeliveryData->w_id = delivery.w_id;

                pDeliveryData->o_carrier_id =
delivery.o_carrier_id;

                txnDeliRec.w_id = pDeliveryData->w_id;

                txnDeliRec.o_carrier_id = pDeliveryData-
>o_carrier_id;

```

```

        txnDeliRec.TxnStartT0 =
Get64BitTime(&delivery.queue);

        GetLocalTime(
&trans_start );
        pTxn-
>Delivery();
        GetLocalTime(
&trans_end );

        //log txn

        txnDeliRec.TxnStatus = ERR_SUCCESS;
        for (int i=0;
i<10; i++)

        txnDeliRec.o_id[i] = pDeliveryData-
>o_id[i];

        txnDeliRec.DeltaT4 =
(int)(Get64BitTime(&trans_end) -
txnDeliRec.TxnStartT0);

        txnDeliRec.DeltaTxnExec =
(int)(Get64BitTime(&trans_end) -
Get64BitTime(&trans_start));

        if
(txnDelilog != NULL)

        txnDelilog->WriteToLog(&txnDeliRec);
        }
        catch (CBaseErr *e)
        {
            char szTmp[1024];
            wsprintf( szTmp, "Error
in Delivery Txn thread. %s", e->ErrorText() );
            WriteMessageToEventLog(
szTmp );

            // log the error txn
            txnDeliRec.TxnStatus =
e->ErrorType();

            if (txnDelilog != NULL)
                txnDelilog-
>WriteToLog(&txnDeliRec);

            delete e;
        }
        catch (...)
        {
            // unhandled exception;
shouldn't happen; not much we can do...

            WriteMessageToEventLog(TEXT("Unhandled
exception caught in DeliveryWorkerThread."));
        }
    }

ErrorExit:
    delete pTxn;

```

```

        _endthread();
    }

/* FUNCTION: PostDeliveryInfo
 *
 * PURPOSE: This function enters the delivery
txn into the deferred delivery buffer.
 *
 * RETURNS: BOOL FALSE
            delivery information posted successfully
            TRUE error cannot post delivery info
 */
BOOL PostDeliveryInfo(short w_id, short o_carrier_id)
{
    BOOL bError;

    EnterCriticalSection(&DelBuffCriticalSectio
n);
    if (dwDelBuffFreeCount > 0)
    {
        bError = FALSE;
        (pDelBuff+dwDelBuffFreeIndex)-
        = w_id;
        (pDelBuff+dwDelBuffFreeIndex)-
        = o_carrier_id;

        GetLocalTime(&(pDelBuff+dwDelBuffFreeIndex)
->queue);

        dwDelBuffFreeCount--;
        dwDelBuffFreeIndex++;
        if (dwDelBuffFreeIndex ==
dwDelBuffSize)
            dwDelBuffFreeIndex = 0;
        // wrap-around if at end of
        buffer
    }
    else
        // No free buffers. Return an
error, which indicates that the delivery buffer is
full.
        // Most likely, the number of
delivery worker threads needs to be increased to keep
up
        // with the txn rate.
        bError = TRUE;

    LeaveCriticalSection(&DelBuffCriticalSectio
n);

    if (!bError)
        // increment worker semaphore to
wake up a worker thread
        ReleaseSemaphore(
hWorkerSemaphore, 1, NULL );

    return bError;
}

/* FUNCTION: ProcessQueryString
 *

```

```

 * PURPOSE: This function extracts the
relevent information out of the http command passed
in from
            the browser.
 *
 * COMMENTS: If this is the initial connection
i.e. client is at welcome screen then
            there will
not be a terminal id or current form id. If this is
the case
            then the
pTermid and pFormid return values are undefined.
 */

void ProcessQueryString(EXTENSION_CONTROL_BLOCK
*pECB, int *pCmd, int *pFormId, int *pTermId, int
*pSyncId)
{
    char *ptr = pECB->lpszQueryString;
    char szBuffer[25];
    int i;

    //allowable client command strings i.e.
CMD=command
    static char *szCmds[] =
    {
        "Process", "..NewOrder..",
        "..Payment..", "..Delivery..", "..Order-Status..",
        "..Stock-Level..",
        "..Exit..", "Submit", "Menu",
        "Clear", "Stats", ""
    };

    *pCmd = 0; // default is
the login
screen
    *pTermId = 0;

    // if no params (i.e., empty query string),
then return login screen
    if (strlen(pECB->lpszQueryString) == 0)
        return;

    // parse FORMID, TERMIID, and SYNCID
    *pFormId = GetIntKeyValue(&ptr, "FORMID",
NO_ERR, NO_ERR);
    *pTermId = GetIntKeyValue(&ptr, "TERMIID",
NO_ERR, NO_ERR);
    *pSyncId = GetIntKeyValue(&ptr, "SYNCID",
NO_ERR, NO_ERR);

    // parse CMD
    GetKeyValue(&ptr, "CMD", szBuffer,
sizeof(szBuffer), ERR_COMMAND_UNDEFINED);

    // see which command it matches
    for(i=0; ; i++)
    {
        if (szCmds[i][0] == 0)
            // no more; no match;
return error
            throw new CWEBCLNT_ERR(
ERR_COMMAND_UNDEFINED );
    }
}

```

```

        if ( !strcmp(szCmds[i], szBuffer)
    )
        {
            *pCmd = i+1;
            break;
        }
    }
}

/* FUNCTION: void WelcomeForm
 *
 */
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    char szTmp[1024];

    //welcome to tpc-c html form buffer, this
is first form client sees.
    strcpy( szBuffer,
    "<HTML><HEAD><TITLE>TPC-C Web
Client</TITLE></HEAD><BODY>"

    "<B><BIG>Microsoft TPC-C Web Client (ver
4.20)</BIG></B> <BR> <BR>"

    "<font face=\"Courier New\"><PRE>"

    "Compiled: \"__DATE__\", \"__TIME__\" <BR>"

    "Source: \"__FILE__\" ( \"__TIMESTAMP__\" )
<BR>"

    "</PRE></font>"

    "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\""

    "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\"
VALUE=\"0\""

    "<INPUT TYPE=\"hidden\" NAME=\"ERROR\"
VALUE=\"0\""

    "<INPUT TYPE=\"hidden\" NAME=\"FORMID\"
VALUE=\"1\""

    "<INPUT TYPE=\"hidden\" NAME=\"TERMID\"
VALUE=\"0\""

    "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\"
VALUE=\"0\""

    "<INPUT TYPE=\"hidden\" NAME=\"VERSION\"
VALUE=\"\" WEBCLIENT_VERSION \"\""
    );

    sprintf( szTmp, "Configuration
Settings: <BR><font face=\"Courier New\"
color=\"blue\"><PRE>"

    "Txn Monitor          = <B>%s</B><BR>"

```

```

    "Database protocol      = <B>%s</B><BR>"

    "Max Connections       = <B>%d</B><BR>"      "#
of Delivery Threads = <B>%d</B><BR>"

    "Max Pending Deliveries = <B>%d</B><BR>"

    szTxnMonNames[Reg.eTxnMon],
    szDBNames[Reg.eDB_Protocol],
    Reg.dwMaxConnections,
    dwNumDeliveryThreads, dwDelBuffSize );
    strcat( szBuffer, szTmp);

    if (Reg.eTxnMon == COM)
    {
        sprintf( szTmp, "COM Single
Pool          = <B>%s</B><BR>",
        Reg.bCOM_SinglePool ?
"YES" : "NO" );
        strcat( szBuffer, szTmp);
    }
    strcat( szBuffer, "</PRE></font>");

    if (Reg.eTxnMon == None)
    // connection options may be
specified when not using a txn monitor
    sprintf( szTmp, "Please enter
your database options for this connection:<BR>"

    "<font face=\"Courier New\"
color=\"blue\"><PRE>"

    "DB Server      = <INPUT NAME=\"db_server\"
SIZE=20 VALUE=\"%s\"><BR>"

    "DB User ID     = <INPUT NAME=\"db_user\"
SIZE=20 VALUE=\"%s\"><BR>"

    "DB Password    = <INPUT NAME=\"db_passwd\"
SIZE=20 VALUE=\"%s\"><BR>"

    "DB Name        = <INPUT NAME=\"db_name\"
SIZE=20 VALUE=\"%s\"><BR>"

    "</PRE></font>"

    Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
    Reg.szDbName );
    else
        // if using a txn monitor,
connection options are determined from registry;
can't
        // set per user. show options
fyi
        sprintf( szTmp, "Database
options which will be used by the transaction
monitor:<BR>"

    "<font face=\"Courier New\"
color=\"blue\"><PRE>"

```

```

    "DB Server          = <B>%s</B><BR>"

    "DB User ID        = <B>%s</B><BR>"

    "DB Password       = <B>%s</B><BR>"

    "DB Name           = <B>%s</B><BR>"

    "</PRE></font>"

    Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
    Reg.szDbName );
    strcat( szBuffer, szTmp);

    sprintf( szTmp, "Please enter your
Warehouse and District for this session:<BR>"

    "<font face=\"Courier New\"
color=\"blue\"><PRE>" );
    strcat( szBuffer, szTmp);
    strcat( szBuffer, "Warehouse ID = <INPUT
NAME=\"w_id\" SIZE=4><BR>"

    "District ID = <INPUT NAME=\"d_id\"
SIZE=2><BR>"

    "</PRE></font><HR>"

    "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"Submit\""

    "</FORM></BODY></HTML>");
}

/* FUNCTION: SubmitCmd
 *
 * PURPOSE:      This function allocated a new
terminal id in the Term structure array.
 *
 */
void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    int          iNewTerm;
    char         *ptr = pECB->lpszQueryString;

    char         szVersion[32]      = { 0 };
    char         szServer[32]       = { 0 };
    char         szUser[32]         =
"sa";
    char         szPassword[32]     = { 0 };
    char         szDatabase[32]     = "tpcc";

    // validate version field; the version
field ensures that the RTE is synchronized with the
web client
    GetKeyValue(&ptr, "VERSION", szVersion,
sizeof(szVersion), ERR_VERSION_MISMATCH);
    if ( strcmp( szVersion, WEBCLIENT_VERSION )
)

```

```

        throw new CWEBCLNT_ERR(
ERR_VERSION_MISMATCH );

        if (Reg.eTxnMon == None)
        {
            // parse Server name
            GetKeyValue(&ptr, "db_server",
szServer, sizeof(szServer), ERR_NO_SERVER_SPECIFIED);
            // parse User name
            GetKeyValue(&ptr, "db_user",
szUser, sizeof(szUser), NO_ERR);
            // parse Password
            GetKeyValue(&ptr, "db_passwd",
szPassword, sizeof(szPassword), NO_ERR);
            // parse Database name
            GetKeyValue(&ptr, "db_name",
szDatabase, sizeof(szDatabase), NO_ERR);
        }

        // parse warehouse ID
        int w_id = GetIntKeyValue(&ptr, "w_id",
ERR_HTML_ILL_FORMED, ERR_W_ID_INVALID);
        if ( w_id < 1 )
            throw new CWEBCLNT_ERR(
ERR_W_ID_INVALID );

        // parse district ID
        int d_id = GetIntKeyValue(&ptr, "d_id",
ERR_HTML_ILL_FORMED, ERR_D_ID_INVALID);
        if ( d_id < 1 || d_id > 10 )
            throw new CWEBCLNT_ERR(
ERR_D_ID_INVALID );

        iNewTerm = TermAdd();

        Term.pClientData[iNewTerm].w_id = w_id;
        Term.pClientData[iNewTerm].d_id = d_id;

        try
        {
            if (Reg.eTxnMon == TUXEDO)

                Term.pClientData[iNewTerm].pTxn =
pCTPCC_TUXEDO_new();
            else if (Reg.eTxnMon == ENCINA)

                Term.pClientData[iNewTerm].pTxn =
pCTPCC_ENCINA_new();
            else if (Reg.eTxnMon == COM)

                Term.pClientData[iNewTerm].pTxn =
pCTPCC_COM_new( Reg.bCOM_SinglePool );
            else if (Reg.eDB_Protocol ==
ODBC)

                Term.pClientData[iNewTerm].pTxn =
pCTPCC_ODBC_new( szServer, szUser, szPassword,
szMyComputerName, szDatabase );
            else if (Reg.eDB_Protocol ==
DBLIB)

                Term.pClientData[iNewTerm].pTxn =

```

```

pCTPCC_DBLIB_new( szServer, szUser, szPassword,
szMyComputerName, szDatabase );
        }
        catch (...)
        {
            TermDelete(iNewTerm);
            throw; // pass
        }
    }
    exception upward
    }

    MakeMainMenuForm(iNewTerm,
Term.pClientData[iNewTerm].iSyncId, szBuffer);
}

/* FUNCTION: StatsCmd
 *
 * PURPOSE:      This function returns to the
browser the total number of active terminal ids.
 *              This routine is for
development/debugging purposes.
 *
 */

void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    int i;
    int iTotal;

    EnterCriticalSection(&TermCriticalSection);

    iTotal = 0;
    for(i=0; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree
== -1)
            iTotal++;
    }

    LeaveCriticalSection(&TermCriticalSection);

    wsprintf( szBuffer,

        "<HTML><HEAD><TITLE>TPC-C Web Client
Stats</TITLE></HEAD>"

        "<BODY><B><BIG> Total
Active Connections: %d </BIG></B><BR></BODY></HTML>"
        , iTotal );
}

char *CWEBCLNT_ERR::ErrorText()
{
    static SERRORMSG errorMsgs[] =
    {
        { ERR_COMMAND_UNDEFINED,
"Command undefined."
},
        { ERR_D_ID_INVALID,
"Invalid District ID Must be 1 to 10."
}
    },

```

```

    },
    { ERR_DELIVERY_CARRIER_ID_RANGE,
"Delivery Carrier ID out of range
must be 1 - 10."
},
    {
        ERR_DELIVERY_CARRIER_INVALID,
"Delivery Carrier ID invalid must be
numeric 1 - 10."
    },
    {
        ERR_DELIVERY_MISSING_OCD_KEY,
"Delivery missing Carrier ID key \"OCD*\"."
    },
    {
        ERR_DELIVERY_THREAD_FAILED,
"Could not start delivery worker
thread."
    },
    {
        ERR_GETPROCADDR_FAILED,
"Could not map proc in DLL. GetProcAddr
error. DLL="
    },
    { ERR_HTML_ILL_FORMED,
string."
    },
    {
        ERR_INVALID_SYNC_CONNECTION,
"Invalid Terminal Sync ID."
    },
    {
        ERR_INVALID_TERMID,
"Invalid Terminal ID."
    },
    {
        ERR_LOADDLL_FAILED,
"Load of DLL failed. DLL="
    },
    {
        ERR_MAX_CONNECTIONS_EXCEEDED,
"No connections available. Max Connections
is probably too low."
    },
    {
        ERR_MISSING_REGISTRY_ENTRIES,
"Required registry entries are missing.
Rerun INSTALL to correct."
    },
    {
        ERR_NEWORDER_CUSTOMER_INVALID,
"New Order customer id invalid
data type, range = 1 to 3000."
    },
    {
        ERR_NEWORDER_CUSTOMER_KEY,
"New Order missing Customer key
\"CID*\"."
    },
    {
        ERR_NEWORDER_DISTRICT_INVALID,

```

```

    "New Order District ID Invalid
range 1 - 10."
    },
    {
        ERR_NEWORDER_FORM_MISSING_DID,
        "New Order missing District key
\"DID*\"."
    },
    {
        ERR_NEWORDER_ITEMID_INVALID,
        "New Order Item Id is wrong data type, must
be numeric."
    },
    {
        ERR_NEWORDER_ITEMID_RANGE,
        "New Order Item Id is out of
range. Range = 1 to 999999."
    },
    {
        ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
        "New Order Item Id field entered without a
corresponding Supp_W."
    },
    {
        ERR_NEWORDER_MISSING_IID_KEY,
        "New Order missing Item Id key \"IID*\"."
    },
    {
        ERR_NEWORDER_MISSING_QTY_KEY,
        "New Order Missing Qty key \"Qty##*\"."
    },
    {
        ERR_NEWORDER_MISSING_SUPPW_KEY,
        "New Order missing Supp_W key
\"SP##*\"."
    },
    {
        ERR_NEWORDER_NOITEMS_ENTERED,
        "New Order No order lines entered."
    },
    {
        ERR_NEWORDER_QTY_INVALID,
        "New Order Qty invalid must be
numeric range 1 - 99."
    },
    {
        ERR_NEWORDER_QTY_RANGE,
        "New Order Qty is out of range. Range = 1
to 99."
    },
    {
        ERR_NEWORDER_QTY_WITHOUT_SUPPW,
        "New Order Qty field entered
without a corresponding Supp_W."
    },
    {
        ERR_NEWORDER_SUPPW_INVALID,
        "New Order Supp_W invalid data
type must be numeric."
    },
    {
        ERR_NO_SERVER_SPECIFIED,
        "No Server name specified."
    },
    },

```

```

    {
        ERR_ORDERSTATUS_CID_AND_CLT,
        "Order Status Only Customer ID or Last Name
may be entered, not both."
    },
    {
        ERR_ORDERSTATUS_CID_INVALID,
        "Order Status Customer ID invalid, range
must be numeric 1 - 3000."
    },
    {
        ERR_ORDERSTATUS_CLT_RANGE,
        "Order Status Customer last name
longer than 16 characters."
    },
    {
        ERR_ORDERSTATUS_DID_INVALID,
        "Order Status District invalid, value must
be numeric 1 - 10."
    },
    {
        ERR_ORDERSTATUS_MISSING_CID_CLT,
        "Order Status Either Customer ID or Last
Name must be entered."
    },
    {
        ERR_ORDERSTATUS_MISSING_CID_KEY,
        "Order Status missing Customer key
\"CID*\"."
    },
    {
        ERR_ORDERSTATUS_MISSING_CLT_KEY,
        "Order Status missing Customer Last Name
key \"CLT*\"."
    },
    {
        ERR_ORDERSTATUS_MISSING_DID_KEY,
        "Order Status missing District key
\"DID*\"."
    },
    {
        ERR_PAYMENT_CDI_INVALID,
        "Payment Customer district
invalid must be numeric."
    },
    {
        ERR_PAYMENT_CID_AND_CLT,
        "Payment Only Customer ID or Last
Name may be entered, not both."
    },
    {
        ERR_PAYMENT_CUSTOMER_INVALID,
        "Payment Customer data type invalid, must
be numeric."
    },
    {
        ERR_PAYMENT_CWI_INVALID,
        "Payment Customer Warehouse
invalid, must be numeric."
    },
    {
        ERR_PAYMENT_DISTRICT_INVALID,
        "Payment District ID is invalid, must be 1
- 10."
    },
    {
        ERR_PAYMENT_HAM_INVALID,
        "Payment Amount invalid data type
must be numeric."
    },
    {
        ERR_PAYMENT_HAM_RANGE,

```

```

        "Payment Amount out of range, 0 - 9999.99."
    },
    {
        ERR_PAYMENT_LAST_NAME_TO_LONG,
        "Payment Customer last name
longer than 16 characters."
    },
    {
        ERR_PAYMENT_MISSING_CDI_KEY,
        "Payment missing Customer district key
\"CDI*\"."
    },
    {
        ERR_PAYMENT_MISSING_CID_CLT,
        "Payment Either Customer ID or Last Name
must be entered."
    },
    {
        ERR_PAYMENT_MISSING_CID_KEY,
        "Payment missing Customer Key \"CID*\"."
    },
    {
        ERR_PAYMENT_MISSING_CLT_KEY,
        "Payment missing Customer Last Name key
\"CLT*\"."
    },
    {
        ERR_PAYMENT_MISSING_CWI_KEY,
        "Payment missing Customer Warehouse key
\"CWI*\"."
    },
    {
        ERR_PAYMENT_MISSING_DID_KEY,
        "Payment missing District Key \"DID*\"."
    },
    {
        ERR_PAYMENT_MISSING_HAM_KEY,
        "Payment missing Amount key \"HAM*\"."
    },
    {
        ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
        "Stock Level; missing Threshold key
\"TT*\"."
    },
    {
        ERR_STOCKLEVEL_THRESHOLD_INVALID,
        "Stock Level; Threshold value must be in
the range = 1 - 99."
    },
    {
        ERR_STOCKLEVEL_THRESHOLD_RANGE,
        "Stock Level Threshold out of
range, range must be 1 - 99."
    },
    {
        ERR_VERSION_MISMATCH,
        "Invalid version field. RTE and Web Client
are probably out of sync."
    },
    {
        ERR_W_ID_INVALID,
        "Invalid Warehouse ID."
    },

```

```

    },
    { 0, "" }
};

char szTmp[256];
int i = 0;
while (TRUE)
{
    if (errorMsgs[i].szMsg[0] == 0)
    {
        strcpy( szTmp, "Unknown
error number." );
        break;
    }
    if (m_Error ==
errorMsgs[i].iError)
    {
        strcpy( szTmp,
errorMsgs[i].szMsg );
        break;
    }
    i++;
}

if (m_szTextDetail)
    strcat( szTmp, m_szTextDetail );
if (m_SystemErr)
    sprintf( szTmp+strlen(szTmp), "
Error=%d", m_SystemErr );

m_szErrorText = new char[strlen(szTmp)+1];
strcpy( m_szErrorText, szTmp );
return m_szErrorText;
}

/* FUNCTION: GetKeyValue
*
* PURPOSE: This function parses a http
formatted string for specific key values.
*
* ARGUMENTS: char
*pQueryString http string from client
browser
*
* *pKey char key
value to look for
*
* *pValue char
character array into which to place key's
value
*
* iMax int
maximum length of key value array.
*
* err WEBERROR
error value to throw

```

```

*
* RETURNS: nothing.
*
* ERROR: if (the pKey value is not found)
then
* if
(err == 0)
*
return (empty string)
*
else
*
throw CWEBCLNT_ERR(err)
*
* COMMENTS: http keys are formatted either
KEY=value& or KEY=value\0. This DLL formats
* TPC-C input
fields in such a manner that the keys can be
extracted in the
* above manner.
*/

void GetKeyValue(char **pQueryString, char *pKey,
char *pValue, int iMax, WEBERROR err)
{
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorExit;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorExit;
    ptr++;

    iMax--; // one position is for terminating
null
while( *ptr && *ptr != '&' && iMax)
    {
        *pValue++ = *ptr++;
        iMax--;
    }
    *pValue = 0; // terminating null

    *pQueryString = ptr;
    return;

ErrorExit:
    if (err != NO_ERR)
        throw new CWEBCLNT_ERR( err );
    *pValue = 0; // return empty result string
}

/* FUNCTION: GetIntKeyValue
*
* PURPOSE: This function parses a http
formatted string for a specific key value.
*
* ARGUMENTS: char
*pQueryString http string from client
browser
*
* *pKey char key
value to look for

```

```

*
* WEBERROR
NoKeyErr error value to throw if
key not found
*
* WEBERROR
NotIntErr error value to throw if
value not numeric
*
* RETURNS: integer
*
* ERROR: if (the pKey value is not found)
then
* if
(NoKeyErr != NO_ERR)
*
throw CWEBCLNT_ERR(err)
*
else
*
return 0
*
else if (non-
numeric char found) then
* if
(NotIntErr != NO_ERR) then
*
throw CWEBCLNT_ERR(err)
*
else
*
return 0
*
* COMMENTS: http keys are formatted either
KEY=value& or KEY=value\0. This DLL formats
* TPC-C input
fields in such a manner that the keys can be
extracted in the
* above manner.
*/

int GetIntKeyValue(char **pQueryString, char *pKey,
WEBERROR NoKeyErr, WEBERROR NotIntErr)
{
    char *ptr0;
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorNoKey;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorNoKey;
    ptr++;

    ptr0 = ptr; // remember
starting point
// scan string until a terminator (null or
&) or a non-digit
while( *ptr && *ptr != '&' && isdigit(*ptr)
)
        ptr++;

// make sure we stopped scanning for the
right reason
if ((ptr0 == ptr) || (*ptr && *ptr != '&'))
    {

```



```

        if (NotIntErr != NO_ERR)
            throw new CWBCLNT_ERR(
NoKeyErr );
        return 0;
    }
    *pQueryString = ptr;
    return atoi(ptr0);

ErrorNoKey:
    if (NoKeyErr != NO_ERR)
        throw new CWBCLNT_ERR( NoKeyErr
);
    return 0;
}

/* FUNCTION: TermInit
 *
 * PURPOSE:      This function initializes the
client terminal structure; it is called when the
TPCC.DLL
 *
 *              is first loaded by the
inet service.
 *
 */

void TermInit(void)
{
    EnterCriticalSection(&TermCriticalSection);

    Term.iMasterSyncId = 1;
    Term.iNumEntries =
Reg.dwMaxConnections+1;

    Term.pClientData = NULL;
    Term.pClientData =
(PCLIENTDATA)malloc(Term.iNumEntries *
sizeof(CLIENTDATA));
    if (Term.pClientData == NULL)
    {
        LeaveCriticalSection(&TermCriticalSection);
        throw new CWBCLNT_ERR(
ERR_MEM_ALLOC_FAILED );
    }

    ZeroMemory( Term.pClientData,
Term.iNumEntries * sizeof(CLIENTDATA) );

    Term.iFreeList =
Term.iNumEntries-1;
    // build free list
    // note: Term.pClientData[0].iNextFree gets
set to -1, which marks it as "in use".
    // This is intentional, as the zero
entry is used as an anchor and never
    // allocated as an actual
terminal.
    for(int i=0; i<Term.iNumEntries; i++)
        Term.pClientData[i].iNextFree =
i-1;

    LeaveCriticalSection(&TermCriticalSection);

```

```

}

/* FUNCTION: TermDeleteAll
 *
 * PURPOSE:      This function frees allocated
resources associated with the terminal structure.
 *
 * ARGUMENTS:    none
 *
 * RETURNS:      None
 *
 * COMMENTS:     This function is called only when
the inet service unloads the TPCC.DLL
 *
 */

void TermDeleteAll(void)
{
    EnterCriticalSection(&TermCriticalSection);
    for(int i=1; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree
== -1)
            delete
Term.pClientData[i].pTxn;

        Term.iFreeList = 0;
        Term.iNumEntries = 0;
        if ( Term.pClientData )
            free(Term.pClientData);
        Term.pClientData = NULL;

        LeaveCriticalSection(&TermCriticalSection);
    }

/* FUNCTION: TermAdd
 *
 * PURPOSE:      This function assigns a terminal
id which is used to identify a client browser.
 *
 * RETURNS:      int
                assigned terminal id
 *
 */

int TermAdd(void)
{
    DWORD   i;
    int     iNewTerm, iTickCount;

    if (Term.iNumEntries == 0)
        return -1;

    EnterCriticalSection(&TermCriticalSection);
    if (Term.iFreeList != 0)
    {
        // position is available
        iNewTerm = Term.iFreeList;
        Term.iFreeList =
Term.pClientData[iNewTerm].iNextFree;

```

```

        Term.pClientData[iNewTerm].iNextFree = -1;
// indicates this position is in use
    }
    else
    {
        // no open slots, so find the
slot that hasn't been used in the longest time and
reuse it
        for(iNewTerm=1, i=1,
iTickCount=0x7FFFFFFF; i<Reg.dwMaxConnections; i++)
        {
            if (iTickCount >
Term.pClientData[i].iTickCount)
            {
                iTickCount =
Term.pClientData[i].iTickCount;
                iNewTerm = i;
            }
        }
        // if oldest term is less than
one minute old, it probably means that more
connections
        // are being attempted than were
specified as "Max Connections" at install. In this
case,
        // do not bump existing
connection; instead, return error to requestor.
        if ((GetTickCount() - iTickCount)
< 60000)
        {
            LeaveCriticalSection(&TermCriticalSection);
            throw new CWBCLNT_ERR(
ERR_MAX_CONNECTIONS_EXCEEDED );
        }

        Term.pClientData[iNewTerm].iTickCount =
GetTickCount();
        Term.pClientData[iNewTerm].iSyncId =
Term.iMasterSyncId++;
        Term.pClientData[iNewTerm].pTxn = NULL;

        LeaveCriticalSection(&TermCriticalSection);
        return iNewTerm;
    }
}

/* FUNCTION: TermDelete
 *
 * PURPOSE:      This function makes a terminal
entry in the Term array available for reuse.
 *
 * ARGUMENTS:    int
                id
                Terminal id of client exiting
 *
 */

void TermDelete(int id)
{
    if ( id > 0 && id < Term.iNumEntries )
    {
        delete Term.pClientData[id].pTxn;

```

```

        // put onto free list
        EnterCriticalSection(&TermCriticalSection);
        Term.pClientData[id].iNextFree =
Term.iFreeList;
        Term.iFreeList = id;

        LeaveCriticalSection(&TermCriticalSection);
    }

/* FUNCTION: MakeErrorForm
*/

void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int
iType, int iErrorNum, int iTermId, int iSyncId, char
*szErrorText, char *szBuffer )
{
    wsprintf(szBuffer,
        "<HTML><HEAD><TITLE>TPC-C
Error</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
        "<BOLD>An Error
Occurred</BOLD><BR><BR>"
        "%s"
        "<BR><BR><HR>"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
        "</FORM></BODY></HTML>"
        , iType, iErrorNum,
MAIN_MENU_FORM, iTermId, iSyncId, szErrorText );

/* FUNCTION: MakeMainMenuForm
*/

void MakeMainMenuForm(int iTermId, int iSyncId, char
*szForm)

```

```

{
    wsprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Main
Menu</TITLE></HEAD><BODY>"
        "Select Desired
Transaction.<BR><HR>"
        "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%0\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"%0\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
        "</FORM></BODY></HTML>"
        , MAIN_MENU_FORM, iTermId,
iSyncId);
}

/* FUNCTION: MakeStockLevelForm
*
* PURPOSE: This function constructs the
Stock Level HTML page.
*
* COMMENTS: The internal client buffer is
created when the terminal id is assigned and should
not
* be freed
* except when the client terminal id is no longer
needed.
*/

void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm)
{
    int c;

    c = wsprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Stock
Level</TITLE></HEAD><FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%0\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"%0\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"

```

```

        "<INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
        "<PRE><font face=\"Courier\">
Stock-Level<BR>"
        "Warehouse: %4.4d District:
%2.2d<BR><BR>,"
        STOCK_LEVEL_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id,
Term.pClientData[iTermId].d_id);

        if ( bInput )
        {
            strcpy(szForm+c,
                "Stock Level Threshold:
<INPUT NAME=\"TT*\" SIZE=2><BR><BR>"
                "low stock:
</font><BR><BR><BR><BR><BR><BR><BR><BR>
<BR><BR><BR></PRE><HR>"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">"
                "</FORM></HTML>" );
        }
        else
        {
            wsprintf(szForm+c,
                "Stock Level Threshold:
%2.2d<BR><BR>"
                "low stock:
%3.3d</font><BR><BR><BR><BR><BR><BR><BR>
<BR><BR><BR><BR></PRE><HR>"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
                "</FORM></HTML>"
                , pStockLevelData->low_stock);
        }
    }

/* FUNCTION: MakeNewOrderForm
*
* COMMENTS: The internal client buffer is
created when the terminal id is assigned and should
not

```

```

*                                     be freed
except when the client terminal id is no longer
needed.
*/

void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm)
{
    int             i, c;
    BOOL           bValid;
    static char szBR[] = " <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR>";

    if (!bInput)
        assert( pNewOrderData-
>exec_status_code == eOK || pNewOrderData-
>exec_status_code == eInvalidItem );

    bValid = (bInput || (pNewOrderData-
>exec_status_code == eOK));

    c = sprintf(szForm,
"HTML<>HEAD<>TITLE>TPC-C New
Order</TITLE></HEAD><BODY>
"FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">
"INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">
"INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">
"INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">
"INPUT TYPE=\"hidden\"
NAME=\"TERMIN\" VALUE=\"%d\">
"INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">
"PRE<>font face=\"Courier\">
New Order<BR>
", bValid ? 0 : ERR_BAD_ITEM_ID,
NEW_ORDER_FORM, iTermId,
Term.pClientData[iTermId].iSyncId);

    if ( bInput )
    {
        c += sprintf(szForm+c,
"Warehouse: %4.4d ", Term.pClientData[iTermId].w_id
);

        strcpy( szForm+c,
"District: <INPUT
NAME=\"DID\" SIZE=1>
Date:<BR>
"Customer: <INPUT
NAME=\"CID\" SIZE=4> Name:
Credit: %Disc:<BR>
"Order Number:
Number of Lines: W_tax: D_tax:<BR>
<BR>
" Supp_W Item_Id Item
Name Qty Stock B/G Price
Amount<BR>

```

```

" <INPUT
NAME=\"SP00*\" SIZE=4> <INPUT NAME=\"IID00*\"
SIZE=6> <INPUT
NAME=\"Qty00*\" SIZE=1><BR>
" <INPUT
NAME=\"SP01*\" SIZE=4> <INPUT NAME=\"IID01*\"
SIZE=6> <INPUT
NAME=\"Qty01*\" SIZE=1><BR>
" <INPUT
NAME=\"SP02*\" SIZE=4> <INPUT NAME=\"IID02*\"
SIZE=6> <INPUT
NAME=\"Qty02*\" SIZE=1><BR>
" <INPUT
NAME=\"SP03*\" SIZE=4> <INPUT NAME=\"IID03*\"
SIZE=6> <INPUT
NAME=\"Qty03*\" SIZE=1><BR>
" <INPUT
NAME=\"SP04*\" SIZE=4> <INPUT NAME=\"IID04*\"
SIZE=6> <INPUT
NAME=\"Qty04*\" SIZE=1><BR>
" <INPUT
NAME=\"SP05*\" SIZE=4> <INPUT NAME=\"IID05*\"
SIZE=6> <INPUT
NAME=\"Qty05*\" SIZE=1><BR>
" <INPUT
NAME=\"SP06*\" SIZE=4> <INPUT NAME=\"IID06*\"
SIZE=6> <INPUT
NAME=\"Qty06*\" SIZE=1><BR>
" <INPUT
NAME=\"SP07*\" SIZE=4> <INPUT NAME=\"IID07*\"
SIZE=6> <INPUT
NAME=\"Qty07*\" SIZE=1><BR>
" <INPUT
NAME=\"SP08*\" SIZE=4> <INPUT NAME=\"IID08*\"
SIZE=6> <INPUT
NAME=\"Qty08*\" SIZE=1><BR>
" <INPUT
NAME=\"SP09*\" SIZE=4> <INPUT NAME=\"IID09*\"
SIZE=6> <INPUT
NAME=\"Qty09*\" SIZE=1><BR>
" <INPUT
NAME=\"SP10*\" SIZE=4> <INPUT NAME=\"IID10*\"
SIZE=6> <INPUT
NAME=\"Qty10*\" SIZE=1><BR>
" <INPUT
NAME=\"SP11*\" SIZE=4> <INPUT NAME=\"IID11*\"
SIZE=6> <INPUT
NAME=\"Qty11*\" SIZE=1><BR>
" <INPUT
NAME=\"SP12*\" SIZE=4> <INPUT NAME=\"IID12*\"
SIZE=6> <INPUT
NAME=\"Qty12*\" SIZE=1><BR>
" <INPUT
NAME=\"SP13*\" SIZE=4> <INPUT NAME=\"IID13*\"
SIZE=6> <INPUT
NAME=\"Qty13*\" SIZE=1><BR>
" <INPUT
NAME=\"SP14*\" SIZE=4> <INPUT NAME=\"IID14*\"
SIZE=6> <INPUT
NAME=\"Qty14*\" SIZE=1><BR>
"Execution Status:
Total:<BR>
" </font></PRE><HR>

```

```

" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\">
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">
" </FORM></HTML>
);
}
else
{
    c += sprintf(szForm+c,
"Warehouse: %4.4d District: %2.2d
Date: ",
pNewOrderData->w_id,
pNewOrderData->d_id);

    if ( bValid )
    {
        c += sprintf(szForm+c,
"%2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
pNewOrderData->o_entry_d.day,
pNewOrderData->o_entry_d.month,
pNewOrderData->o_entry_d.year,
pNewOrderData->o_entry_d.hour,
pNewOrderData->o_entry_d.minute,
pNewOrderData->o_entry_d.second);

        c += sprintf(szForm+c,
"<BR>Customer: %4.4d Name: %16s Credit: %2s
",
pNewOrderData->c_id,
pNewOrderData->c_last, pNewOrderData->c_credit);

        if ( bValid )
        {
            c += sprintf(szForm+c,
"%Disc: %5.2f <BR>
"Order Number: %8.8d Number of Lines:
W_tax: %5.2f D_tax: %5.2f <BR> <BR>
" Supp_W Item_Id Item Name
Qty Stock B/G Price Amount<BR>,
100.0*pNewOrderData->c_discount,
pNewOrderData->o_id,
pNewOrderData->o_ol_cnt,
pNewOrderData->w_tax, 100.0 *
pNewOrderData->d_tax);

            for(i=0;
i<pNewOrderData->o_ol_cnt; i++)

```

```

        {
            c +=
sprintf(szForm+c, " %4.4d %6.6d %-24s %2.2d
%3.3d %1.1s %6.2f %7.2f <BR>",

    pNewOrderData->OL[i].ol_supply_w_id,
    pNewOrderData->OL[i].ol_i_id,
    pNewOrderData->OL[i].ol_i_name,
    pNewOrderData->OL[i].ol_quantity,
    pNewOrderData->OL[i].ol_stock,
    pNewOrderData->OL[i].ol_brand_generic,
    pNewOrderData->OL[i].ol_i_price,
    pNewOrderData->OL[i].ol_amount );
        }
    }
    else
    {
        c += wsprintf(szForm+c,
"%Disc:<BR>"
"Order
Number: %8.8d Number of Lines: W_tax:
D_tax:<BR> <BR>"
" Supp_W
Item_Id Item Name Qty Stock B/G
Price Amount<BR>"
,
    pNewOrderData->o_id);
        i = 0;
    }
    strncpy( szForm+c, szBR, (15-i)*5
);
    c += (15-i)*5;
    if ( bValid )
        c += sprintf(szForm+c,
"Execution Status: Transaction committed.
Total: %8.2f ",
    pNewOrderData->total_amount);
    else
        c += wsprintf(szForm+c,
"Execution Status: Item number is not valid.
Total:");
    strcpy(szForm+c,
"
"
"<BR></font></PRE><HR>"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"

```

```

" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
" </FORM></HTML>"
);
    }
}
/* FUNCTION: MakePaymentForm
*
* COMMENTS: The internal client buffer is
created when the terminal id is assigned and should
not
* be freed
except when the client terminal id is no longer
needed.
*/
void MakePaymentForm(int iTermId, PAYMENT_DATA
*pPaymentData, BOOL bInput, char *szForm)
{
    int c;
    c = wsprintf(szForm,
"<HTML><HEAD><TITLE>TPC-C
Payment</TITLE></HEAD><BODY>"
" <FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
" <INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">"
" <INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
" <INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
" <INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
" <INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
" <PRE><font face=\"Courier\">"
Payment<BR>"
"Date: "
, PAYMENT_FORM, iTermId,
Term.pClientData[iTermId].iSyncId);
    if ( !bInput )
    {
        c += wsprintf(szForm+c, "%2.2d-
%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
    pPaymentData-
>h_date.day, pPaymentData-
>h_date.month, pPaymentData-
>h_date.year, pPaymentData-
>h_date.hour, pPaymentData-
>h_date.minute, pPaymentData-
>h_date.second);

```

```

    }
    if ( bInput )
    {
        c += wsprintf(szForm+c,
"<BR> <BR>Warehouse:
%4.4d
District: <INPUT NAME=\"DID*\" SIZE=1><BR> <BR> <BR>
<BR> <BR>"
"Customer: <INPUT
NAME=\"CID*\" SIZE=4>"
"Cust-Warehouse: <INPUT
NAME=\"CWI*\" SIZE=4> "
"Cust-District: <INPUT
NAME=\"CDI*\" SIZE=1><BR>"
"Name:
<INPUT NAME=\"CLT*\" SIZE=16>
Since:<BR>"
"
Credit:<BR>"
"
Disc:<BR>"
"
Phone:<BR> <BR>"
"Amount Paid:
$<INPUT NAME=\"HAM*\" SIZE=7>
New Cust-
Balance:<BR>"
"Credit Limit:<BR>
<BR>Cust-Data: <BR> <BR> <BR>
<BR></font></PRE><HR>"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\"><INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">"
" </BODY></FORM></HTML>"
Term.pClientData[iTermId].w_id);
    }
    else
    {
        c += wsprintf(szForm+c,
"<BR> <BR>Warehouse:
%4.4d
District: %2.2d<BR>"
"%-20s
"%-20s
"%-20s %-2s %5.5s-%4.4s<BR> <BR>"
"Customer: %4.4d Cust-
Warehouse: %4.4d Cust-District: %2.2d<BR>"
"Name: %-16s %-2s %-
16s Since: %2.2d-%2.2d-%4.4d<BR>"
"%-20s
Credit: %-2s<BR>"
,
Term.pClientData[iTermId].w_id, pPaymentData->d_id
, pPaymentData-
>w_street_1, pPaymentData->d_street_1
, pPaymentData-
>w_street_2, pPaymentData->d_street_2

```

```

        , pPaymentData->w_city,
pPaymentData->w_state, pPaymentData->w_zip,
pPaymentData->w_zip+5
        , pPaymentData->d_city,
pPaymentData->d_state, pPaymentData->d_zip,
pPaymentData->d_zip+5
        , pPaymentData->c_id,
pPaymentData->c_w_id,
pPaymentData->c_d_id,
        , pPaymentData-
>c_first, pPaymentData->c_middle, pPaymentData-
>c_last
        , pPaymentData-
>c_since.day, pPaymentData->c_since.month,
        pPaymentData->c_since.year
        , pPaymentData-
>c_street_1, pPaymentData->c_credit
    );

    c += sprintf(szForm+c,
                "          %-20s
%%Disc:  %5.2f<BR>",
                pPaymentData-
>c_street_2, 100.0*pPaymentData->c_discount);

    c += wsprintf(szForm+c,
                "          %-20s %-2s
%5.5s-%4.4s      Phone:  %6.6s-%3.3s-%3.3s-%4.4s<BR>
<BR>",
                pPaymentData->c_city,
pPaymentData->c_state, pPaymentData->c_zip,
pPaymentData->c_zip+5,
                pPaymentData->c_phone,
pPaymentData->c_phone+6, pPaymentData->c_phone+9,
pPaymentData->c_phone+12 );

    c += sprintf(szForm+c,
                "Amount Paid:
%%7.2f      New Cust-Balance:  %%14.2f<BR>"
                "Credit Limit:
%%13.2f<BR> <BR>"
                , pPaymentData-
>h_amount, pPaymentData->c_balance
                , pPaymentData-
>c_credit_lim
    );

    if ( pPaymentData->c_credit[0] ==
'B' && pPaymentData->c_credit[1] == 'C' )
        c += wsprintf(szForm+c,
                "Cust-Data:  %-50.50s<BR>
50.50s<BR>          %-50.50s<BR>
50.50s<BR>",
                pPaymentData->c_data, pPaymentData-
>c_data+50, pPaymentData->c_data+100, pPaymentData-
>c_data+150 );
    else
        strcpy(szForm+c, "Cust-
Data: <BR> <BR> <BR> <BR>");
    strcat(szForm,
"
<BR></font></PRE><HR>"

```

```

        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Payment..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Delivery..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Order-Status..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Stock-Level..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Exit..\">"
    }
}

/* FUNCTION: MakeOrderStatusForm
 *
 * COMMENTS:      The internal client buffer is
created when the terminal id is assigned and should
not
 *                be freed
 *                except when the client terminal id is no longer
needed.
 */

void MakeOrderStatusForm(int iTermId,
ORDER_STATUS_DATA *pOrderStatusData, BOOL bInput,
char *szForm)
{
    int i, c;
    static char szBR[] = " <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR>";

    c = wsprintf(szForm,
                "<HTML><HEAD><TITLE>TPC-C Order-
Status</TITLE></HEAD><BODY>"
                "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
                "<PRE><font face=\"Courier\">
Order-Status<BR>"
                "Warehouse:  %4.4d  ",

```

```

ORDER_STATUS_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id);

    if ( bInput )
    {
        strcpy(szForm+c,
                "District: <INPUT
NAME=\"DID*\" SIZE=1><BR>"
                "Customer: <INPUT
NAME=\"CID*\" SIZE=4> Name:
<INPUT NAME=\"CLT*\" SIZE=23><BR>"
                "Cust-Balance: <BR>
<BR>"
                "Order-Number:
Entry-Date:
Number: <BR>"
                "Supply-W      Item-Id
Qty      Amount      Delivery-Date<BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
" <BR> <BR> <BR> <BR> <BR>
" <HR><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Process\"><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
                "</BODY></FORM></HTML>"
    );
    }
    else
    {
        c += wsprintf(szForm+c,
                "District:  %2.2d<BR>"
                "Customer:  %4.4d
Name:  %-16s %-2s %-16s<BR>",
                pOrderStatusData->d_id,
                pOrderStatusData-
>c_first, pOrderStatusData->c_middle,
                pOrderStatusData->c_last);

        c += sprintf(szForm+c, "Cust-
Balance:  %%9.2f<BR> <BR>",
                pOrderStatusData-
>c_balance);

        c += wsprintf(szForm+c,
                "Order-Number:  %%8.8d
Entry-Date:  %2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d
Carrier-Number:  %2.2d<BR>"
                "Supply-W      Item-Id
Qty      Amount      Delivery-Date<BR>",
                pOrderStatusData->o_id,
                pOrderStatusData-
>o_entry_d.day,
                pOrderStatusData-
>o_entry_d.month,
                pOrderStatusData-
>o_entry_d.year,
                pOrderStatusData-
>o_entry_d.hour,
                pOrderStatusData-
>o_entry_d.minute,

```

```

                pOrderStatusData-
>o_entry_d.second,
                pOrderStatusData-
>o_carrier_id);

                for(i=0; i< pOrderStatusData-
>o_ol_cnt; i++)
                {
                        c += sprintf(szForm+c,
" %4.4d      %6.6d      %2.2d      %8.2f      %2.2d-
%2.2d-%4.4d<BR>",

                pOrderStatusData->OL[i].ol_supply_w_id,
                pOrderStatusData->OL[i].ol_i_id,
                pOrderStatusData->OL[i].ol_quantity,
                pOrderStatusData->OL[i].ol_amount,
                pOrderStatusData->OL[i].ol_delivery_d.day,

                pOrderStatusData-
>OL[i].ol_delivery_d.month,

                pOrderStatusData-
>OL[i].ol_delivery_d.year);
                }

                strncpy( szForm+c, szBR, (15-i)*5
);
                c += (15-i)*5;
                strcpy(szForm+c,

                "</font></PRE><HR><INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
                "</BODY></FORM></HTML>"
);
                }

/* FUNCTION: MakeDeliveryForm
*
* COMMENTS:      The internal client buffer is
created when the terminal id is assigned and should
not
*                be freed
except when the client terminal id is no longer
needed.
*/

```

```

void MakeDeliveryForm(int iTermId, DELIVERY_DATA
*pDeliveryData, BOOL bInput, char *szForm)
{
        int        c;

        c = wsprintf(szForm,
                "<HTML><HEAD><TITLE>TPC-C
Delivery</TITLE></HEAD><BODY>"
                "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"TERMIN\" VALUE=\"%d\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
                "<PRE><font face=\"Courier\">
Delivery<BR>"
                "Warehouse: %4.4d<BR> <BR>",
                (!bInput && (pDeliveryData-
>exec_status_code != eOK)) ? ERR_TYPE_DELIVERY_POST :
0,
                DELIVERY_FORM, iTermId,
                Term.pClientData[iTermId].iSyncId,
                Term.pClientData[iTermId].w_id);

        if ( bInput )
        {
                strcpy( szForm+c,
                "Carrier Number: <INPUT
NAME=\"OCD*\" SIZE=1<><BR> <BR>"
                "Execution Status: <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR>
" <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> </font></PRE><HR>"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">"
                "</BODY></FORM></HTML>"
);
        }
        else
        {
                wsprintf( szForm+c,
                "Carrier Number:
%2.2d<BR> <BR>"
                "Execution Status: %s
<BR> <BR> <BR> <BR> <BR> <BR> <BR>
" <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> </font></PRE>"
                "<HR><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..NewOrder..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"

```

```

                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
                "</BODY></FORM></HTML>"
                , pDeliveryData-
                (pDeliveryData-
>exec_status_code == eOK) ? "Delivery has been
queued." : "Delivery Post Failed
"
                );
        }

/* FUNCTION: ProcessNewOrderForm
*
* PURPOSE:      This function gets and validates
the input data from the new order form
*                filling in the required
input variables. it then calls the SQLNewOrder
*                transaction, constructs
the output form and writes it back to client
*                browser.
*/

void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
        PNEW_ORDER_DATA        pNewOrder;

        pNewOrder = Term.pClientData[iTermId].pTxn-
>BuffAddr_NewOrder();

        ZeroMemory(pNewOrder,
sizeof(NEW_ORDER_DATA));
        pNewOrder->w_id =
Term.pClientData[iTermId].w_id;
        GetNewOrderData(pECB->lpszQueryString,
pNewOrder);

        Term.pClientData[iTermId].pTxn->NewOrder();

        pNewOrder = Term.pClientData[iTermId].pTxn-
>BuffAddr_NewOrder();
        MakeNewOrderForm(iTermId, pNewOrder,
OUTPUT_FORM, szBuffer );
}

/* FUNCTION: void ProcessPaymentForm
*
* PURPOSE:      This function gets and validates
the input data from the payment form
*                filling in the required
input variables. It then calls the SQLPayment
*                transaction, constructs
the output form and writes it back to client
*                browser.
*
* ARGUMENTS:    EXTENSION_CONTROL_BLOCK
                *pECB
                passed in structure pointer from
inetsrv.

```

```

*
*          int
*
*          iTermId  client browser terminal id
*/
void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    PPAYMENT_DATA    pPayment;

    pPayment = Term.pClientData[iTermId].pTxn-
>BuffAddr_Payment();
    ZeroMemory(pPayment, sizeof(PAYMENT_DATA));
    pPayment->w_id =
Term.pClientData[iTermId].w_id;
    GetPaymentData(pECB->lpszQueryString,
pPayment);

    Term.pClientData[iTermId].pTxn->Payment();

    pPayment = Term.pClientData[iTermId].pTxn-
>BuffAddr_Payment();
    MakePaymentForm(iTermId, pPayment,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessOrderStatusForm
*
* PURPOSE:      This function gets and validates
the input data from the Order Status
*
*               form filling in the
required input variables. It then calls the
SQLOrderStatus
transaction, constructs the output form and writes it
back to client browser.
*
* ARGUMENTS:    EXTENSION_CONTROL_BLOCK
                *pECB    passed in structure pointer from
inetsrv.
*
*               int
*
*               iTermId  client browser terminal id
*/
void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    PORDER_STATUS_DATA  pOrderStatus;

    pOrderStatus =
Term.pClientData[iTermId].pTxn-
>BuffAddr_OrderStatus();
    ZeroMemory(pOrderStatus,
sizeof(ORDER_STATUS_DATA));
    pOrderStatus->w_id =
Term.pClientData[iTermId].w_id;
    GetOrderStatusData(pECB->lpszQueryString,
pOrderStatus);

    Term.pClientData[iTermId].pTxn-
>OrderStatus();

```

```

    pOrderStatus =
Term.pClientData[iTermId].pTxn-
>BuffAddr_OrderStatus();
    MakeOrderStatusForm(iTermId, pOrderStatus,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessDeliveryForm
*
* PURPOSE:      This function gets and validates
the input data from the delivery form
*
*               filling in the required
input variables. It then calls the PostDeliveryInfo
Api, The client is then
informed that the transaction has been posted.
*
* ARGUMENTS:    EXTENSION_CONTROL_BLOCK
                *pECB    passed in structure pointer from
inetsrv.
*
*               int
*
*               iTermId  client browser terminal id
*/
void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    char *ptr = pECB->lpszQueryString;
    PDELIVERY_DATA    pDelivery;

    pDelivery = Term.pClientData[iTermId].pTxn-
>BuffAddr_Delivery();
    ZeroMemory(pDelivery,
sizeof(DELIVERY_DATA));
    pDelivery->w_id =
Term.pClientData[iTermId].w_id;

    pDelivery->o_carrier_id =
GetIntKeyValue(&ptr, "OCD*",
ERR_DELIVERY_MISSING_OCD_KEY,
ERR_DELIVERY_CARRIER_INVALID);
    if ( pDelivery->o_carrier_id > 10 ||
pDelivery->o_carrier_id < 1 )
        throw new CWBCLNT_ERR(
ERR_DELIVERY_CARRIER_ID_RANGE );

    if (dwNumDeliveryThreads)
    {
        //post delivery info
        if ( PostDeliveryInfo(pDelivery-
>w_id, pDelivery->o_carrier_id ) )
            pDelivery-
>exec_status_code = eDeliveryFailed;
        else
            pDelivery-
>exec_status_code = eOK;
    }
    else // delivery is done synchronously if
no delivery threads configured

```

```

Term.pClientData[iTermId].pTxn-
>Delivery();

    pDelivery = Term.pClientData[iTermId].pTxn-
>BuffAddr_Delivery();
    MakeDeliveryForm(iTermId, pDelivery,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessStockLevelForm
*
* PURPOSE:      This function gets and validates
the input data from the Stock Level
*
*               form filling in the
required input variables. It then calls the
SQLStockLevel
transaction, constructs the output form and writes it
back to client browser.
*
* ARGUMENTS:    EXTENSION_CONTROL_BLOCK
                *pECB    passed in structure pointer from
inetsrv.
*
*               int
*
*               iTermId  client browser terminal id
*/
void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    char *ptr = pECB-
>lpszQueryString;
    PSTOCK_LEVEL_DATA  pStockLevel;

    pStockLevel =
Term.pClientData[iTermId].pTxn-
>BuffAddr_StockLevel();
    ZeroMemory( pStockLevel,
sizeof(STOCK_LEVEL_DATA) );

    pStockLevel->w_id =
Term.pClientData[iTermId].w_id;
    pStockLevel->d_id =
Term.pClientData[iTermId].d_id;

    pStockLevel->threshold =
GetIntKeyValue(&ptr, "TT*",
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID);
    if ( pStockLevel->threshold >= 100 ||
pStockLevel->threshold < 0 )
        throw new CWBCLNT_ERR(
ERR_STOCKLEVEL_THRESHOLD_RANGE );

    Term.pClientData[iTermId].pTxn-
>StockLevel();

    pStockLevel =
Term.pClientData[iTermId].pTxn-
>BuffAddr_StockLevel();

```

```

        MakeStockLevelForm(iTermId, pStockLevel,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: GetNewOrderData
*
* PURPOSE: This function extracts and
validates the new order form data from an http
command string.
*
* ARGUMENTS: LPSTR client
lpzQueryString browser http command string
*
NEW_ORDER_DATA *pNewOrderData
pointer to new order data structure
*
*/

void GetNewOrderData(LPSTR lpzQueryString,
NEW_ORDER_DATA *pNewOrderData)
{
    char szTmp[26];
    int i;
    short items;
    int ol_i_id, ol_quantity;
    char *ptr = lpzQueryString;

    static char szSP[MAX_OL_NEW_ORDER_ITEMS][6]
=
"SP03*", "SP04*", {"SP00*", "SP01*", "SP02*",
"SP03*", "SP04*", "SP05*", "SP06*", "SP07*",
"SP08*", "SP09*", "SP10*", "SP11*", "SP12*",
"SP13*", "SP14*"};
    static char
szIID[MAX_OL_NEW_ORDER_ITEMS][7] =
"IID03*", "IID04*", {"IID00*", "IID01*", "IID02*",
"IID03*", "IID04*", "IID05*", "IID06*", "IID07*",
"IID08*", "IID09*", "IID10*", "IID11*", "IID12*",
"IID13*", "IID14*"};
    static char
szQty[MAX_OL_NEW_ORDER_ITEMS][7] =
"Qty03*", "Qty04*", {"Qty00*", "Qty01*", "Qty02*",
"Qty03*", "Qty04*", "Qty05*", "Qty06*", "Qty07*",
"Qty08*", "Qty09*", "Qty10*", "Qty11*", "Qty12*",
"Qty13*", "Qty14*"};

    pNewOrderData->d_id = GetIntKeyValue(&ptr,
"DID*", ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_DISTRICT_INVALID);
    pNewOrderData->c_id = GetIntKeyValue(&ptr,
"CID*", ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_CUSTOMER_INVALID);

    for(i=0, items=0; i<MAX_OL_NEW_ORDER_ITEMS;
i++)
    {

```

```

        GetKeyValue(&ptr, szSP[i], szTmp,
sizeof(szTmp), ERR_NEWORDER_MISSING_SUPPW_KEY);
        if ( szTmp[0] )
        {
            if ( !IsNumeric(szTmp)
)
                throw new
CWEBCLNT_ERR( ERR_NEWORDER_SUPPW_INVALID );
            pNewOrderData->
>OL[items].ol_supply_w_id = (short)atoi(szTmp);

            ol_i_id =
pNewOrderData->OL[items].ol_i_id =
                GetIntKeyValue(&ptr, szIID[i],
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_ITEMID_INVALID);
            if ( ol_i_id > 999999
|| ol_i_id < 1 )
                throw new
CWEBCLNT_ERR( ERR_NEWORDER_ITEMID_RANGE );

            ol_quantity =
pNewOrderData->OL[items].ol_quantity =
                GetIntKeyValue(&ptr, szQty[i],
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_QTY_INVALID);
            if ( ol_quantity > 99
|| ol_quantity < 1 )
                throw new
CWEBCLNT_ERR( ERR_NEWORDER_QTY_RANGE );

            items++;
        }
        else
        { // nothing entered for
supply warehouse, so item id and qty must also be
blank
            GetKeyValue(&ptr,
szIID[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_IID_KEY);
            if ( szTmp[0] )
                throw new
CWEBCLNT_ERR( ERR_NEWORDER_ITEMID_WITHOUT_SUPPW );

            GetKeyValue(&ptr,
szQty[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_QTY_KEY);
            if ( szTmp[0] )
                throw new
CWEBCLNT_ERR( ERR_NEWORDER_QTY_WITHOUT_SUPPW );

        }
        if ( items == 0 )
            throw new CWEBCLNT_ERR(
ERR_NEWORDER_NOITEMS_ENTERED );

        pNewOrderData->o_ol_cnt = items;
    }
}

/* FUNCTION: GetPaymentData
*

```

```

* PURPOSE: This function extracts and
validates the payment form data from an http command
string.
*
* ARGUMENTS: LPSTR client
lpzQueryString browser http command string
*
* pPaymentData pointer to
payment data structure
*/

void GetPaymentData(LPSTR lpzQueryString,
PAYMENT_DATA *pPaymentData)
{
    char szTmp[26];
    char *ptr = lpzQueryString;
    BOOL bCustIdBlank;

    pPaymentData->d_id = GetIntKeyValue(&ptr,
"DID*", ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_DISTRICT_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        bCustIdBlank = TRUE;
        pPaymentData->c_id = 0;
    }
    else
    { // parse customer id and verify
that last name was NOT entered
        bCustIdBlank = FALSE;
        if ( !IsNumeric(szTmp) )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_CUSTOMER_INVALID );
        pPaymentData->c_id = atoi(szTmp);
    }

    pPaymentData->c_w_id = GetIntKeyValue(&ptr,
"CWI*", ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_CWI_INVALID);
    pPaymentData->c_d_id = GetIntKeyValue(&ptr,
"CDI*", ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_CDI_INVALID);

    if ( bCustIdBlank )
    { // customer id is blank, so last
name must be entered
        GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CLT_KEY);
        if ( szTmp[0] == 0 )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_MISSING_CID_CLT );

        _strupr( szTmp );
        if ( strlen(pPaymentData->c_last
> LAST_NAME_LEN )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_LAST_NAME_TO_LONG );
        strcpy(pPaymentData->c_last,
szTmp);
    }
}

```



```

    }
    else
    {
        // parse customer id and verify
        that last name was NOT entered
        GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CLT_KEY);
        if ( szTmp[0] != 0 )
            throw new CWBCLNT_ERR(
ERR_PAYMENT_CID_AND_CLT );
    }

    GetKeyValue(&ptr, "HAM*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_HAM_KEY);
    if (!IsDecimal(szTmp))
        throw new CWBCLNT_ERR(
ERR_PAYMENT_HAM_INVALID );
    pPaymentData->h_amount = atof(szTmp);
    if ( pPaymentData->h_amount >= 10000.00 ||
pPaymentData->h_amount < 0 )
        throw new CWBCLNT_ERR(
ERR_PAYMENT_HAM_RANGE );
}

/* FUNCTION: GetOrderStatusData
 *
 * PURPOSE:      This function extracts and
validates the payment form data from an http command
string.
 *
 */
void GetOrderStatusData(LPSTR lpszQueryString,
ORDER_STATUS_DATA *pOrderStatusData)
{
    char    szTmp[26];
    char    *ptr = lpszQueryString;

    pOrderStatusData->d_id =
GetIntKeyValue(&ptr, "DID*",
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_ORDERSTATUS_DID_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        // customer id is blank, so last
name must be entered
        pOrderStatusData->c_id = 0;
        GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] == 0 )
            throw new CWBCLNT_ERR(
ERR_ORDERSTATUS_MISSING_CID_CLT );

        _strupr( szTmp );
        if ( strlen(pOrderStatusData-
>c_last) > LAST_NAME_LEN )
            throw new CWBCLNT_ERR(
ERR_ORDERSTATUS_CLT_RANGE );
        strcpy(pOrderStatusData->c_last,
szTmp);
    }
    else

```

```

    {
        // parse customer id and verify
that last name was NOT entered
        if ( !IsNumeric(szTmp) )
            throw new CWBCLNT_ERR(
ERR_ORDERSTATUS_CID_INVALID );
        pOrderStatusData->c_id =
atoi(szTmp);
        GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] != 0 )
            throw new CWBCLNT_ERR(
ERR_ORDERSTATUS_CID_AND_CLT );
    }
}

/* FUNCTION: BOOL IsNumeric(char *ptr)
 *
 * PURPOSE:      This function determines if a
string is numeric. It fails if any characters other
than numeric and null
terminator are present.
 *
 * ARGUMENTS:    char
                 *ptr      pointer to string to check.
 *
 * RETURNS:      BOOL      FALSE   if
string is not all numeric
 *
                 TRUE       if string contains only numeric
characters i.e. '0' - '9'
 */
BOOL IsNumeric(char *ptr)
{
    if ( *ptr == 0 )
        return FALSE;

    while( *ptr && isdigit(*ptr) )
        ptr++;
    return ( !*ptr );
}

/* FUNCTION: BOOL IsDecimal(char *ptr)
 *
 * PURPOSE:      This function determines if a
string is a non-negative decimal value.
 *
 * It fails if any characters other than a
series of numbers followed by
a decimal point,
another series of numbers, and a null terminator are
present.
 *
 * ARGUMENTS:    char
                 *ptr      pointer to string to check.
 *
 * RETURNS:      BOOL      FALSE   if
string is not a valid non-negative decimal value
 *
                 TRUE       if string is OK
 */
BOOL IsDecimal(char *ptr)

```

```

{
    char *dotpstr;
    BOOL bValid;

    if ( *ptr == 0 )
        return FALSE;

    // find decimal point
    dotpstr = strchr( ptr, '.' );
    if (dotpstr == NULL)
        // no decimal point, so just
check for numeric
        return IsNumeric(ptr);
    *dotpstr = 0; // temporarily replace
decimal with a terminator

    if ( *ptr != 0 )
        bValid = IsNumeric(ptr);
    // string starts with decimal point
    else if (*(dotpstr+1) == 0)
        return FALSE; // nothing but a
decimal point is bad
    else
        bValid = TRUE;

    if (*(dotpstr+1) != 0)
        // check text after decimal point
        bValid &= IsNumeric(dotpstr+1);

    *dotpstr = '.'; // replace decimal point
    return bValid;
}

```

---

## tpcc.def

---

LIBRARY TPCC.DLL

EXPORTS

```

    GetExtensionVersion @1
    HttpExtensionProc @2
    TerminateExtension @3

```

---

## tpcc.h

---

```

/*      FILE:      TPCC.H
 *
 *      TPC-C Kit Ver. 4.20.000
 *
 *      Copyright
Microsoft, 1999
 *      All Rights Reserved
 *
 *      Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *

```

```

*      PURPOSE: Header file for ISAPI TPCC.DLL,
defines structures and functions used in the isapi
tpcc.dll.
*
*/
//VERSION RESOURCE DEFINES
#define _APS_NEXT_RESOURCE_VALUE
        101
#define _APS_NEXT_COMMAND_VALUE
        40001
#define _APS_NEXT_CONTROL_VALUE
        1000
#define _APS_NEXT_SYMED_VALUE
        101

#define TP_MAX_RETRIES
        50

//note that the welcome form must be processed first
as terminal ids assigned here, once the
//terminal id is assigned then the forms can be
processed in any order.
#define WELCOME_FORM
        1
        //beginning form no term id assigned, form
id
#define MAIN_MENU_FORM
        2
        //term id assigned main menu form id
#define NEW_ORDER_FORM
        3
        //new order form id
#define PAYMENT_FORM
        4
        //payment form id
#define DELIVERY_FORM
        5
        //delivery form id
#define ORDER_STATUS_FORM
        6
        //order
status id
#define STOCK_LEVEL_FORM
        7
        //stock level
form id

//This macro is used to prevent the compiler error
unused formal parameter
#define UNUSEDPARAM(x) (x = x)

//This structure defines the data necessary to keep
distinct for each terminal or client connection.
typedef struct _CLIENTDATA
{
        int                iNextFree;
                                //index of
next free element or -1 if this entry in use.
        int                w_id;
                                //warehouse
id assigned at welcome form

```

```

        int                d_id;
                                //district id
assigned at welcome form

        int                iSyncId;
                                //synchronization id
        int                iTickCount;
                                //time of
last access;

        CTPCC_BASE        *pTxn;

} CLIENTDATA, *PCLIENTDATA;

//This structure is used to define the operational
interface for terminal id support
typedef struct _TERM
{
        int                iNumEntries;
                                //total allocated terminal array entries
        int                iFreeList;
                                //next available terminal array element or
-1 if none
        int                iMasterSyncId;
                                //synchronization id
        CLIENTDATA        *pClientData;
                                //pointer to
allocated client data
} TERM;

typedef TERM *PTERM;
                                //pointer to
terminal structure type

enum WEBERROR
{
        NO_ERR,
        ERR_COMMAND_UNDEFINED,
        ERR_D_ID_INVALID,
        ERR_DELIVERY_CARRIER_ID_RANGE,
        ERR_DELIVERY_CARRIER_INVALID,
        ERR_DELIVERY_MISSING_OCD_KEY,
        ERR_DELIVERY_THREAD_FAILED,
        ERR_GETPROCADDR_FAILED,
        ERR_HTML_ILL_FORMED,
        ERR_INVALID_SYNC_CONNECTION,
        ERR_INVALID_TERMID,
        ERR_LOADDLL_FAILED,
        ERR_MAX_CONNECTIONS_EXCEEDED,
        ERR_MEM_ALLOC_FAILED,
        ERR_MISSING_REGISTRY_ENTRIES,
        ERR_NEWORDER_CUSTOMER_INVALID,
        ERR_NEWORDER_CUSTOMER_KEY,
        ERR_NEWORDER_DISTRICT_INVALID,
        ERR_NEWORDER_FORM_MISSING_DID,
        ERR_NEWORDER_ITEMID_INVALID,
        ERR_NEWORDER_ITEMID_RANGE,

```

```

ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_MISSING_SUPPW_KEY,
ERR_NEWORDER_NOITEMS_ENTERED,
ERR_NEWORDER_QTY_INVALID,
ERR_NEWORDER_QTY_RANGE,
ERR_NEWORDER_QTY_WITHOUT_SUPPW,
ERR_NEWORDER_SUPPW_INVALID,
ERR_NO_SERVER_SPECIFIED,
ERR_ORDERSTATUS_CID_AND_CLT,
ERR_ORDERSTATUS_CID_INVALID,
ERR_ORDERSTATUS_CLT_RANGE,
ERR_ORDERSTATUS_DID_INVALID,
ERR_ORDERSTATUS_MISSING_CID_CLT,
ERR_ORDERSTATUS_MISSING_CID_KEY,
ERR_ORDERSTATUS_MISSING_CLT_KEY,
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_PAYMENT_CDI_INVALID,
ERR_PAYMENT_CID_AND_CLT,
ERR_PAYMENT_CUSTOMER_INVALID,
ERR_PAYMENT_CWI_INVALID,
ERR_PAYMENT_DISTRICT_INVALID,
ERR_PAYMENT_HAM_INVALID,
ERR_PAYMENT_HAM_RANGE,
ERR_PAYMENT_LAST_NAME_TO_LONG,
ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_MISSING_CID_CLT,
ERR_PAYMENT_MISSING_CID_KEY,
ERR_PAYMENT_MISSING_CLT,
ERR_PAYMENT_MISSING_CLT_KEY,
ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_MISSING_HAM_KEY,

ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID,
ERR_STOCKLEVEL_THRESHOLD_RANGE,
ERR_VERSION_MISMATCH,
ERR_W_ID_INVALID
};

class CWEBCLNT_ERR : public CBaseErr
{
public:
        CWEBCLNT_ERR(WEBERROR Err)
        {
                m_Error = Err;
                m_szTextDetail = NULL;
                m_SystemErr = 0;
                m_szErrorText = NULL;
        };

        CWEBCLNT_ERR(WEBERROR Err, char
        *szTextDetail, DWORD dwSystemErr)
        {
                m_Error = Err;
                m_szTextDetail = new
                char[strlen(szTextDetail)+1];
                strcpy( m_szTextDetail,
                szTextDetail );

```

```

        m_SystemErr =
dwSystemErr;
        m_szErrorText = NULL;
    };
    ~CWEBCLNT_ERR()
    {
        if (m_szTextDetail !=
NULL)
            delete []
m_szTextDetail;
        if (m_szErrorText !=
NULL)
            delete []
m_szErrorText;
    };
    WEBERROR m_Error;
    char
    *m_szTextDetail; //
    char
    *m_szErrorText;
    DWORD
        m_SystemErr;

    int ErrorType() {return
ERR_TYPE_WEBDLL;};
    int ErrorNum() {return m_Error;};
    char *ErrorText();
};

//These constants have already been defined in
engstat.h, but since we do
//not want to include it in the delisrv executable
#define TXN_EVENT_START 2
#define TXN_EVENT_STOP 4
#define TXN_EVENT_WARNING 6
//used to record a warning into the log

//function prototypes

BOOL APIENTRY DllMain(HANDLE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved);
void WriteMessageToEventLog(LPTSTR lpszMsg);
void ProcessQueryString(EXTENSION_CONTROL_BLOCK
*pECB, int *pCmd, int *pFormId, int *pTermId, int
*pSyncId);
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void BeginCmd(EXTENSION_CONTROL_BLOCK *pECB, int
iFormId, int iTermId);
void ProcessCmd(EXTENSION_CONTROL_BLOCK *pECB, int
iFormId, int iTermId);
void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void ErrorMessage(EXTENSION_CONTROL_BLOCK *pECB, int
iError, int iErrorType, char *szMsg, int iTermId);
void GetKeyValue(char **pQueryString, char *pKey,
char *pValue, int iMax, WEBERROR err);
int GetIntKeyValue(char **pQueryString, char *pKey,
WEBERROR NoKeyErr, WEBERROR NotIntErr);

```

```

void TermInit(void);
void TermDeleteAll(void);
int TermAdd(void);
void TermDelete(int id);
void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int
iType, int iErrorNum, int iTermId, int iSyncId, char
*szErrorText, char *szBuffer );
void MakeMainMenuForm(int iTermId, int iSyncId, char
*szForm);
void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm);
void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm);
void MakePaymentForm(int iTermId, PAYMENT_DATA
*pPaymentData, BOOL bInput, char *szForm);
void MakeOrderStatusForm(int iTermId,
ORDER_STATUS_DATA *pOrderStatusData, BOOL bInput,
char *szForm);
void MakeDeliveryForm(int iTermId, DELIVERY_DATA
*pDeliveryData, BOOL bInput, char *szForm);
void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void GetNewOrderData(LPSTR lpszQueryString,
NEW_ORDER_DATA *pNewOrderData);
void GetPaymentData(LPSTR lpszQueryString,
PAYMENT_DATA *pPaymentData);
void GetOrderStatusData(LPSTR lpszQueryString,
ORDER_STATUS_DATA *pOrderStatusData);
BOOL PostDeliveryInfo(short w_id, short
o_carrier_id);
BOOL IsNumeric(char *ptr);
BOOL IsDecimal(char *ptr);
void DeliveryWorkerThread(void *ptr);

```

## tpcc.rc

```

//Microsoft Developer Studio generated resource
script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"

////////////////////////////////////
////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS

```

```

////////////////////////////////////
////////////////////////////////////
// English (U.S.) resources

#ifdef _WIN32
#define AFX_RESOURCE_DLL
#define AFX_TARG_ENU
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef _MAC
////////////////////////////////////
////////////////////////////////////
//
// Version
//

VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,0,0
PRODUCTVERSION 0,4,0,0
FILEFLAGS 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904b0"
        BEGIN
            VALUE "Comments", "TPC-C HTML DLL Server
(DBLIB)\0"
            VALUE "CompanyName", "Microsoft\0"
            VALUE "FileDescription", "TPC-C HTML DLL
Server (DBLIB)\0"
            VALUE "FileVersion", "0, 4, 0, 0\0"
            VALUE "InternalName", "tpcc\0"
            VALUE "LegalCopyright", "Copyright ©
1997\0"
            VALUE "OriginalFilename", "tpcc.dll\0"
            VALUE "ProductName", "Microsoft tpcc\0"
            VALUE "ProductVersion", "0, 4, 0, 0\0"
        END
    END
    BLOCK "VarFileInfo"
    BEGIN
        VALUE "Translation", 0x409, 1200
    END
END
#endif // !_MAC

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//

```

```

// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
"resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
#include "afxres.h"\r\n"
"\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
"\r\n"
"\0"
END

#endif // APSTUDIO_INVOKED

////////////////////////////////////
////////////////////////////////////
//
// Dialog
//
IDD_DIALOG1 DIALOG DISCARDABLE 0, 0, 186, 95
STYLE DS_MODALFRAME | WS_POPUP | WS_CAPTION |
WS_SYSMENU
CAPTION "Dialog"
FONT 8, "MS Sans Serif"
BEGIN
DEFPUSHBUTTON "OK",IDOK,129,7,50,14
PUSHBUTTON "Cancel",IDCANCEL,129,24,50,14
END

////////////////////////////////////
////////////////////////////////////
//
// DESIGNINFO
//

#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
IDD_DIALOG1, DIALOG
BEGIN
LEFTMARGIN, 7
RIGHTMARGIN, 179
TOPMARGIN, 7
BOTTOMMARGIN, 88
END
END
#endif // APSTUDIO_INVOKED

#endif // English (U.S.) resources
////////////////////////////////////
////////////////////////////////////

```

```

#ifndef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 3 resource.
//

////////////////////////////////////
////////////////////////////////////
#endif // not APSTUDIO_INVOKED



---



## Tpcc.ubb



---


*RESOURCES
IPCKEY 133133

MAXACCESSERS 500
MAXSERVERS 100
MAXSERVICES 100
MODEL SHM
MASTER Master
LDBAL Y
SCANUNIT 15
BLOCKTIME 60
BBLQUERY 60

*MACHINES
DEFAULT:

IIS_NODE LMID= Master
TUXDIR="C:\tuxedo"
APPDIR="C:\InetPub\wwwroot"
TUXCONFIG="C:\InetPub\wwwroot\tuxconfig"
ULOGPPX="C:\InetPub\wwwroot\ULOG"
TYPE="WinNT"
UID= 0
GID= 0

*GROUPS
GROUPNO
LMID=Master GRPNO=1 OPENINFO=NONE

GROUPPAY
LMID=Master GRPNO=2 OPENINFO=NONE

GROUPOS
LMID=Master GRPNO=3 OPENINFO=NONE

GROUPSL
LMID=Master GRPNO=4 OPENINFO=NONE

GROUPDEL
LMID=Master GRPNO=5 OPENINFO=NONE

*SERVERS
DEFAULT:

```

```

tuxapp SRVGRP=GROUPNO
SRVID=100
MIN=2 MAX=10
CLOPT="-s NEWORDER -- -Sdbserver"
RQADDR=newq REPLYQ=Y

tuxapp SRVGRP=GROUPPAY
SRVID=200
MIN=2 MAX=10
CLOPT="-s PAYMENT -- -Sdbserver"
RQADDR=payq REPLYQ=Y

tuxapp SRVGRP=GROUPOS
SRVID=300
MIN=1 MAX=2
CLOPT="-s ORDERSTATUS -- -Sdbserver"
RQADDR=ordq REPLYQ=Y

tuxapp SRVGRP=GROUPSL
SRVID=400
MIN=2 MAX=5
CLOPT="-s STOCKLEVEL -- -Sdbserver"
RQADDR=stkq REPLYQ=Y

tuxapp SRVGRP=GROUPDEL
SRVID=500
MIN=1 MAX=5
CLOPT="-s DELIVERY -- -Sdbserver"
RQADDR=delq REPLYQ=N

*SERVICES

```

---

## tpcc\_com.cpp

---

```

/* FILE: TPCC_COM.CPP
* Microsoft
TPC-C Kit Ver. 4.20.000
* Copyright
Microsoft, 1999
* All Rights Reserved
* not yet
* audited
* PURPOSE: Source file for TPC-C COM+ class
implementation.
* Contact: Charles Levine
(clevine@microsoft.com)
* Change history:
* 4.20.000 - first version
*/

// needed for CoinitializeEx
#define _WIN32_WINNT 0x0400

#include <windows.h>

```

```

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_com.h"

#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\tpcc_com_all\src\tpcc_com_all_i.c"

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_COM* CTPCC_COM_new(BOOL
bSinglePool)
{
    return new CTPCC_COM(bSinglePool);
}

CTPCC_COM::CTPCC_COM(BOOL bSinglePool)
{
    HRESULT hr = NULL;
    long lRet = 0;
    ULONG ulTmpSize = 0;

    m_pTxn                = NULL;
    m_pNewOrder           = NULL;
    m_pPayment            = NULL;
    m_pStockLevel        = NULL;
    m_pOrderStatus       = NULL;

    m_bSinglePool        = bSinglePool;

    ulTmpSize = (ULONG) sizeof(COM_DATA);
    VariantInit(&m_vTxn);
    m_vTxn.vt = VT_SAFEARRAY;

    m_vTxn.parray =
SafeArrayCreateVector(VT_UI1, ulTmpSize, ulTmpSize);
    if (!m_vTxn.parray)
        throw new CCOMERR( E_FAIL );

    memset((void*)m_vTxn.parray-
>pvData,0,ulTmpSize);
    m_pTxn = (COM_DATA*)m_vTxn.parray->pvData;

    hr = CoInitializeEx(NULL,
COINIT_MULTITHREADED);
    if (FAILED(hr))
    {
        throw new CCOMERR( hr );
    }

    // create components
    if (m_bSinglePool)
    {
        hr = CoCreateInstance(CLSID_TPCC,
NULL, CLSCTX_SERVER, IID_ITPCC, (void
**)&m_pNewOrder);
        if (FAILED(hr))
            throw new CCOMERR(hr);

```

```

component // all txns will use same
    m_pPayment = m_pNewOrder;
    m_pStockLevel = m_pNewOrder;
    m_pOrderStatus = m_pNewOrder;
    }
    else
    {
        // use different components for
each txn
        hr =
CoCreateInstance(CLSID_NewOrder, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pNewOrder);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr =
CoCreateInstance(CLSID_Payment, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pPayment);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr =
CoCreateInstance(CLSID_StockLevel, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **)&m_pStockLevel);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr =
CoCreateInstance(CLSID_OrderStatus, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **)&m_pOrderStatus);
        if (FAILED(hr))
            throw new CCOMERR(hr);
    }

    // call setcomplete to release each
component back into pool
    hr = m_pNewOrder->CallSetComplete();
    if (FAILED(hr))
        throw new CCOMERR(hr);

    if (!m_bSinglePool)
    {
        hr = m_pPayment->
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pStockLevel->
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pOrderStatus->
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);
    }

CTPCC_COM::~CTPCC_COM()
{

```

```

    if (m_pTxn)
        SafeArrayDestroy(m_vTxn.parray);

    ReleaseInterface(m_pNewOrder);
    if (!m_bSinglePool)
    {
        ReleaseInterface(m_pPayment);
        ReleaseInterface(m_pStockLevel);
        ReleaseInterface(m_pOrderStatus);
    }
    CoUninitialize();
}

void CTPCC_COM::NewOrder()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pNewOrder->NewOrder(m_vTxn,
&vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData,vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

void CTPCC_COM::Payment()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pPayment->Payment(m_vTxn,
&vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData,vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

void CTPCC_COM::StockLevel()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pStockLevel->
>StockLevel(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData,vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

```

```

void CTPCC_COM::OrderStatus()
{
    VARIANT    vTxn_out;

    HRESULT hr = m_pOrderStatus-
>OrderStatus(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData, vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

```

## tpcc\_com.h

```

/*      FILE:          TPCC_COM.H
 *
 *      TPC-C Kit Ver. 4.20.000      Microsoft
 *
 *      Copyright
 *      Microsoft, 1999
 *      All Rights Reserved
 *
 *      not yet
 *      audited
 *
 *      PURPOSE:  Header file for TPC-C COM+ class
 *      implementation.
 *
 *      Change history:
 *      4.20.000 - first version
 */

#pragma once

#include <stdio.h>
#include "..\..\tpcc_com_ps\src\tpcc_com_ps.h"

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CCOMERR : public CBaseErr
{
private:
    char m_szErrorText[64];

public:
    // use this interface for genuine
    COM errors
    CCOMERR( HRESULT hr )
    {
        m_hr = hr;
    }
}

```

```

        m_iErrorType = 0;
        m_iError = 0;
    }

    // use this interface to
    impersonate a non-COM error type
    CCOMERR( int iErrorType, int
    iError )
    {
        m_iErrorType =
        iErrorType;
        m_iError = iError;
        m_hr = S_OK;
    }

    int m_hr;
    int m_iErrorType;
    int m_iError;

    // A CCOMERR class can
    impersonate another class, which happens if the error
    // was not actually a COM
    Services error, but was simply transmitted back via
    COM.

    int ErrorType()
    {
        if (m_iErrorType == 0)
            return
            ERR_TYPE_COM;
        else
            return
            m_iErrorType;
    }

    int ErrorNum() {return m_hr;}

    char *ErrorText()
    {
        if (m_hr == S_OK)
            sprintf(
            m_szErrorText, "Error: Class %d, error # %d",
            m_iErrorType, m_iError );
        else
            sprintf(
            m_szErrorText, "Error: COM HRESULT %x", m_hr );
        return m_szErrorText;
    }
};

class DllDecl CTPCC_COM : public CTPCC_BASE
{
private:
    BOOL m_bSinglePool;

    // COM Interface pointers
    ITPCC*
    m_pNewOrder;
    ITPCC*
    m_pPayment;
    ITPCC*
    m_pStockLevel;
    ITPCC*
    m_pOrderStatus;
}

```

```

struct COM_DATA
{
    int ErrorType;
    int error;
    union
    {
        NEW_ORDER_DATA      NewOrder;
        PAYMENT_DATA        Payment;
        DELIVERY_DATA        Delivery;
        STOCK_LEVEL_DATA    StockLevel;
        ORDER_STATUS_DATA    OrderStatus;
    } u;
} *m_pTxn;

VARIANT m_vTxn;

public:
    CTPCC_COM(BOOL bSinglePool);
    ~CTPCC_COM(void);

    inline PNEW_ORDER_DATA
    BuffAddr_NewOrder() { return
    &m_pTxn->u.NewOrder; }
    inline PPAYMENT_DATA
    BuffAddr_Payment() { return
    &m_pTxn->u.Payment; }
    inline PDELIVERY_DATA
    BuffAddr_Delivery() { return
    &m_pTxn->u.Delivery; }
    inline PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel() { return
    &m_pTxn->u.StockLevel; }
    inline PORDER_STATUS_DATA
    BuffAddr_OrderStatus() { return
    &m_pTxn->u.OrderStatus; }

    void NewOrder      ();
    void Payment      ();
    void StockLevel    ();
    void OrderStatus  ();
    void Delivery      ();
    { throw new CCOMERR(E_NOTIMPL); } // not supported
};

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

// wrapper routine for class constructor
extern "C" __declspec(dlllexport) CTPCC_COM*
CTPCC_COM_new(BOOL);

```

```
typedef CTPCC_COM* (TYPE_CTPCC_COM)(BOOL);
```

## tpcc\_com\_all.cpp

```
/* FILE: TPCCOM_ALL.CPP
 * Microsoft
TPC-C Kit Ver. 4.20.000
 * Copyright
Microsoft, 1999
 * All Rights Reserved
 *
 * Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE: Implementation for TPC-C Tuxedo
class.
 * Contact: Charles Levine
(clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - updated rev number to
match kit
 */

#define STRICT
#define WIN32_WINNT 0x0400
#define ATL_APARTMENT_THREADED

#include <stdio.h>
#include <atlbase.h>
//You may derive a class from CComModule and use it
if you want to override
//something, but do not change the name of _Module
extern CComModule _Module;

#include <atlc.h>
#include <initguid.h>
#include <transact.h>
#include <atlimpl.cpp>
#include <comsvcs.h>

#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>

#include "tpcc_com_ps.h"
#include "..\..\common\src\trans.h"
//tpckit transaction
header contains definations of structures specific to
TPC-C
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\error.h"
#include "..\..\common\src\ReadRegistry.h"
#include "..\..\db_dblib_dll\src\tpcc_dblib.h"
// DBLIB implementation of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h"
// ODBC implementation of TPC-C txns
```

```
#include "resource.h"
#include "tpcc_com_all.h"
#include "tpcc_com_all_i.c"
#include "Methods.h"
#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\common\src\ReadRegistry.cpp"

CComModule _Module;

BEGIN_OBJECT_MAP(ObjectMap)
OBJECT_ENTRY(CLSID_TPCC, CTPCC)
OBJECT_ENTRY(CLSID_NewOrder, CNewOrder)
OBJECT_ENTRY(CLSID_OrderStatus,
COrderStatus)
OBJECT_ENTRY(CLSID_Payment, CPayment)
OBJECT_ENTRY(CLSID_StockLevel, CStockLevel)
END_OBJECT_MAP()

// configuration settings from registry
TPCCREGISTRYDATA Reg;
char
szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;

////////////////////////////////////
////////////////////////////////////
// DLL Entry Point
extern "C"
BOOL WINAPI DllMain(HINSTANCE hInstance, DWORD
dwReason, LPVOID /*lpReserved*/)
{
char szDllName[128];
try
{
if (dwReason ==
DLL_PROCESS_ATTACH)
{
_Module.Init(ObjectMap,
hInstance);

DisableThreadLibraryCalls(hInstance);

DWORD dwSize =
MAX_COMPUTERNAME_LENGTH+1;

GetComputerName(szMyComputerName, &dwSize);

szMyComputerName[dwSize] = 0;

if (
ReadTPCCRegistrySettings( &Reg ) )
throw new
CCOMPONENT_ERR( ERR_MISSING_REGISTRY_ENTRIES );
```

```
if (Reg.eDB_Protocol ==
DBLIB)
{
strcpy(
szDllName, Reg.szPath );
strcat(
szDllName, "tpcc_dblib.dll");

hLibInstanceDb = LoadLibrary( szDllName );
if
(hLibInstanceDb == NULL)
throw new CCOMPONENT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

// get
function pointer to wrapper for class constructor
pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
GetProcAddress(hLibInstanceDb, "CTPCC_DBLIB_new");
if
(pCTPCC_DBLIB_new == NULL)
throw new CCOMPONENT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
else if
(Reg.eDB_Protocol == ODBC)
{
strcpy(
szDllName, Reg.szPath );
strcat(
szDllName, "tpcc_odbc.dll");

hLibInstanceDb = LoadLibrary( szDllName );
if
(hLibInstanceDb == NULL)
throw new CCOMPONENT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

// get
function pointer to wrapper for class constructor
pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");
if
(pCTPCC_ODBC_new == NULL)
throw new CCOMPONENT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
else
throw new
CCOMPONENT_ERR( ERR_UNKNOWN_DB_PROTOCOL );
else if (dwReason ==
DLL_PROCESS_DETACH)
_Module.Term();
}
catch (CBaseErr *e)
```

```

        {
            WriteMessageToEventLog(e-
>ErrorText());
            delete e;
            return FALSE;
        }
        catch (...)
        {
            WriteMessageToEventLog(TEXT("Unhandled
exception in object DllMain"));
            return FALSE;
        }
        return TRUE; // OK
    }

    ////////////////////////////////////////////////////////////////////
    // Used to determine whether the DLL can be unloaded
    by OLE

    STDAPI DllCanUnloadNow(void)
    {
        return (_Module.GetLockCount()==0) ? S_OK :
S_FALSE;
    }

    ////////////////////////////////////////////////////////////////////
    // Returns a class factory to create an object of the
    requested type

    STDAPI DllGetClassObject(REFCLSID rclsid, REFIID
riid, LPVOID* ppv)
    {
        return _Module.GetClassObject(rclsid, riid,
ppv);
    }

    ////////////////////////////////////////////////////////////////////
    // DllRegisterServer - Adds entries to the system
    registry

    STDAPI DllRegisterServer(void)
    {
        // registers object, typelib and all
        interfaces in typelib
        return _Module.RegisterServer(TRUE);
    }

    ////////////////////////////////////////////////////////////////////
    // DllUnregisterServer - Removes entries from the
    system registry

    STDAPI DllUnregisterServer(void)
    {
        _Module.UnregisterServer();
        return S_OK;
    }

```

```

static void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR szMsg[256];
    HANDLE hEventSource;
    LPTSTR lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL,
TEXT("tpcc_com_all.dll"));

    _stprintf(szMsg, TEXT("Error in COM+ TPC-C
Component: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event
source
        EVENTLOG_ERROR_TYPE, // event type
        0, // event category
        0, // event ID
        NULL, // current user's
SID
        2, // strings in
lpszStrings
        0, // no bytes of raw
data
        (LPCTSTR *)lpszStrings, // array of
error strings
        NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

/* FUNCTION: CCOMPONENT_ERR::ErrorText
*
*/

char* CCOMPONENT_ERR::ErrorText(void)
{
    static SERRORMSG errorMsgs[] =
    {
        { ERR_MISSING_REGISTRY_ENTRIES,
"Required entries missing from registry."
        },
        { ERR_LOADDLL_FAILED,
"Load of DLL failed. DLL="
        },
    },

```

```

        { ERR_GETPROCADDR_FAILED,
"Could not map proc in DLL. GetProcAddress
error. DLL="
        },
        { ERR_UNKNOWN_DB_PROTOCOL,
"Unknown database protocol specified in
registry."
        },
    },
    { 0, ""
    }
};

char szTmp[256];
int i = 0;
while (TRUE)
{
    if (errorMsgs[i].szMsg[0] == 0)
    {
        strcpy( szTmp, "Unknown
error number." );
        break;
    }
    if (m_Error ==
errorMsgs[i].iError)
    {
        strcpy( szTmp,
errorMsgs[i].szMsg );
        break;
    }
    i++;
}

if (m_szTextDetail)
    strcat( szTmp, m_szTextDetail );
if (m_SystemErr)
    wsprintf( szTmp+strlen(szTmp), "
Error=%d", m_SystemErr );

m_szErrorText = new char[strlen(szTmp)+1];
strcpy( m_szErrorText, szTmp );
return m_szErrorText;
}

CTPCC_Common::CTPCC_Common()
{
    m_pTxn = NULL;
    m_bCanBePooled = TRUE;
}

CTPCC_Common::~CTPCC_Common()
{
    if (m_pTxn)
        delete m_pTxn;
}

HRESULT CTPCC_Common::CallSetComplete()
{
    IObjectContext* pObjectContext = NULL;

    // get our object context

```



```

        HRESULT hr = CoGetObjectContext(
IID_IObjectContext, (void **)&pObjectContext );
pObjectContext->SetComplete();
ReleaseInterface(pObjectContext);
return hr;
}

//
// called by the ctor activator
//
STDMETHODIMP CTPCC_Common::Construct(IDispatch *
pUnk)
{
    // Code to access construction string, if
needed later...
    // if (!pUnk)
    // return E_UNEXPECTED;
    // IObjectConstructString * pString
= NULL;
    // HRESULT hr = pUnk-
>QueryInterface(IID_IObjectConstructString, (void
**)&pString);
    // pString->Release();

    try
    {
        if (Reg.eDB_Protocol == ODBC)
            m_pTxn =
pCTPCC_ODBC_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
        else if (Reg.eDB_Protocol ==
DBLIB)
            m_pTxn =
pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
    }
    catch (CBaseErr *e)
    {
        WriteMessageToEventLog(e-
>ErrorText());
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception in object ::Construct"));
        return E_FAIL;
    }

    return S_OK;
}

HRESULT CTPCC_Common::NewOrder(VARIANT txn_in,
VARIANT* txn_out)
{
    PNEW_ORDER_DATA pNewOrder;
    COM_DATA *pData;
    try
    {
        pData = (COM_DATA*)txn_in.parray-
>pvData;

```

```

        pNewOrder = m_pTxn-
>BuffAddr_NewOrder();
        memcpy(pNewOrder, &pData-
>u.NewOrder, sizeof(NEW_ORDER_DATA));
        m_pTxn->NewOrder(); //
do the actual txn
        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector(VT_UI1,
        txn_in.parray->rgsabound-
>cElements,
        txn_in.parray->rgsabound-
>cElements);
        pData = (COM_DATA*) txn_out-
>parray->pvData;
        memcpy( &pData->u.NewOrder,
pNewOrder, sizeof(NEW_ORDER_DATA));
        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005) ||
((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054) ) )
            m_bCanBePooled = FALSE;
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

HRESULT CTPCC_Common::Payment(VARIANT txn_in,
VARIANT* txn_out)
{
    PPAYMENT_DATA pPayment;
    COM_DATA *pData;
    try
    {

```

```

        pData = (COM_DATA*)txn_in.parray-
>pvData;
        pPayment = m_pTxn-
>BuffAddr_Payment();
        memcpy(pPayment, &pData-
>u.Payment, sizeof(PAYMENT_DATA));
        m_pTxn->Payment(); //
do the actual txn
        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,
        txn_in.parray->rgsabound-
>cElements,
        txn_in.parray->rgsabound-
>cElements);
        pData = (COM_DATA*) txn_out-
>parray->pvData;
        memcpy( &pData->u.Payment,
pPayment, sizeof(PAYMENT_DATA));
        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005) ||
((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054) ) )
            m_bCanBePooled = FALSE;
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

HRESULT CTPCC_Common::StockLevel(VARIANT txn_in,
VARIANT* txn_out)
{
    PSTOCK_LEVEL_DATA pStockLevel;
    COM_DATA *pData;

```

```

        try
        {
            pData = (COM_DATA*)txn_in.parray-
>pvData;
            pStockLevel = m_pTxn-
>BuffAddr_StockLevel();
            memcpy(pStockLevel, &pData-
>u.StockLevel, sizeof(STOCK_LEVEL_DATA));
            m_pTxn->StockLevel();
            VariantInit(txn_out);
            txn_out->vt = VT_SAFEARRAY;
            txn_out->parray =
SafeArrayCreateVector( VT_UI1,
>cElements,
            txn_in.parray->rgsabound-
>cElements);
            pData = (COM_DATA*)txn_out-
>parray->pvData;
            memcpy( &pData->u.StockLevel,
pStockLevel, sizeof(STOCK_LEVEL_DATA));
            pData->retval = ERR_SUCCESS;
            pData->error = 0;
            return S_OK;
        }
        catch (CBaseErr *e)
        {
            // check for lost database
            connection; if yes, component is toast
            if ( (e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005) ||
            ((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054) )
                m_bCanBePooled = FALSE;
            pData->retval = e->ErrorType();
            pData->error = e->ErrorNum();
            delete e;
            return E_FAIL;
        }
        catch (...)
        {
            WriteMessageToEventLog(TEXT("Unhandled
exception."));
            pData->retval = ERR_TYPE_LOGIC;
            pData->error = 0;
            m_bCanBePooled = FALSE;
            return E_FAIL;
        }
    }
}

HRESULT CTPCC_Common::OrderStatus(VARIANT txn_in,
VARIANT* txn_out)
{

```

```

        ORDER_STATUS_DATA pOrderStatus;
        COM_DATA *pData;
        try
        {
            pData = (COM_DATA*)txn_in.parray-
>pvData;
            pOrderStatus = m_pTxn-
>BuffAddr_OrderStatus();
            memcpy(pOrderStatus, &pData-
>u.OrderStatus, sizeof(ORDER_STATUS_DATA));
            m_pTxn->OrderStatus();
            VariantInit(txn_out);
            txn_out->vt = VT_SAFEARRAY;
            txn_out->parray =
SafeArrayCreateVector( VT_UI1,
>cElements,
            txn_in.parray->rgsabound-
>cElements);
            pData = (COM_DATA*)txn_out-
>parray->pvData;
            memcpy( &pData->u.OrderStatus,
pOrderStatus, sizeof(ORDER_STATUS_DATA));
            pData->retval = ERR_SUCCESS;
            pData->error = 0;
            return S_OK;
        }
        catch (CBaseErr *e)
        {
            // check for lost database
            connection; if yes, component is toast
            if ( (e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005) ||
            ((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054) )
                m_bCanBePooled = FALSE;
            pData->retval = e->ErrorType();
            pData->error = e->ErrorNum();
            delete e;
            return E_FAIL;
        }
        catch (...)
        {
            WriteMessageToEventLog(TEXT("Unhandled
exception."));
            pData->retval = ERR_TYPE_LOGIC;
            pData->error = 0;
            m_bCanBePooled = FALSE;
            return E_FAIL;
        }
    }
}

```

## tpcc\_com\_all.def

```

; tpcc_com_all.def : Declares the module parameters.

LIBRARY      "tpcc_com_all.dll"

EXPORTS
    DllCanUnloadNow      @1 PRIVATE
    DllGetClassObject    @2 PRIVATE
    DllRegisterServer    @3 PRIVATE
    DllUnregisterServer  @4 PRIVATE

```

## tpcc\_com\_all.dsp

```

# Microsoft Developer Studio Project File -
Name="tpcc_com_all" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=tpcc_com_all - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_all.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_all.mak"
CFG="tpcc_com_all - Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tpcc_com_all - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tpcc_com_all - Win32 Debug" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "tpcc_com_all - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"

```

```

# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 ..\db_dblib_dll\bin\tpcc_dblib.lib
..\db_odbc_dll\bin\tpcc_odbc.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /dll /machine:I386

!ELSEIF "$(CFG) == "tpcc_com_all - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib

```

```

odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ..\db_dblib_dll\bin\tpcc_dblib.lib
..\db_odbc_dll\bin\tpcc_odbc.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/pdbtype:sept

!ENDIF

# Begin Target

# Name "tpcc_com_all - Win32 Release"
# Name "tpcc_com_all - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter "*.cpp, *.c"
# Begin Source File

SOURCE=.\src\tpcc_com_all.cpp
# SUBTRACT CPP /YX
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_com_all.def
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_com_all.idl

!IF "$(CFG) == "tpcc_com_all - Win32 Release"

# PROP Ignore_Default_Tool 1
# Begin Custom Build - Performing MIDL step
InputPath=.\src\tpcc_com_all.idl

BuildCmds= \
midl /Oicf /h "tpcc_com_all.h" /iid
"tpcc_com_all_i.c"      ".\src\tpcc_com_all.idl"
/out ".\src"

".\src\tpcc_com_all.tlb" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

".\src\tpcc_com_all.h" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

".\src\tpcc_com_all_i.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)
# End Custom Build

!ELSEIF "$(CFG) == "tpcc_com_all - Win32 Debug"

# PROP Ignore_Default_Tool 1
# Begin Custom Build - Performing MIDL step
InputPath=.\src\tpcc_com_all.idl

BuildCmds= \

```

```

midl /Oicf /h "tpcc_com_all.h" /iid
"tpcc_com_all_i.c"      ".\src\tpcc_com_all.idl"
/out ".\src"

".\src\tpcc_com_all.tlb" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

".\src\tpcc_com_all.h" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

".\src\tpcc_com_all_i.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)
# End Custom Build

!ENDIF

# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=.\src\Methods.h
# End Source File
# Begin Source File

SOURCE=.\src\resource.h
# End Source File
# End Group
# Begin Source File

SOURCE=.\src\tpcc_com_all.rc
# End Source File
# End Target
# End Project

```

---

## tpcc\_com\_all.h

---

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the
definitions for the interfaces */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:14 2001
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:

```

```

    __declspec(uuid()), __declspec(selectany),
    __declspec(novtable)
    DECLSPEC_UUID(), MIDL_INTERFACE()
*/
/**@MIDL_FILE_HEADING( )

/* verify that the <rpcndr.h> version is high enough
to compile this file*/
#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __tpcc_com_all_h__
#define __tpcc_com_all_h__

/* Forward Declarations */

#ifndef __TPCC_FWD_DEFINED__
#define __TPCC_FWD_DEFINED__

#ifdef __cplusplus
typedef class TPCC TPCC;
#else
typedef struct TPCC TPCC;
#endif /* __cplusplus */

#endif /* __TPCC_FWD_DEFINED__ */

#ifndef __NewOrder_FWD_DEFINED__
#define __NewOrder_FWD_DEFINED__

#ifdef __cplusplus
typedef class NewOrder NewOrder;
#else
typedef struct NewOrder NewOrder;
#endif /* __cplusplus */

#endif /* __NewOrder_FWD_DEFINED__ */

#ifndef __OrderStatus_FWD_DEFINED__
#define __OrderStatus_FWD_DEFINED__

#ifdef __cplusplus
typedef class OrderStatus OrderStatus;
#else
typedef struct OrderStatus OrderStatus;
#endif /* __cplusplus */

#endif /* __OrderStatus_FWD_DEFINED__ */

#ifndef __Payment_FWD_DEFINED__
#define __Payment_FWD_DEFINED__

#ifdef __cplusplus
typedef class Payment Payment;
#else

```

```

typedef struct Payment Payment;
#endif /* __cplusplus */

#endif /* __Payment_FWD_DEFINED__ */

#ifndef __StockLevel_FWD_DEFINED__
#define __StockLevel_FWD_DEFINED__

#ifdef __cplusplus
typedef class StockLevel StockLevel;
#else
typedef struct StockLevel StockLevel;
#endif /* __cplusplus */

#endif /* __StockLevel_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"
#include "tpcc_com_ps.h"

#ifdef __cplusplus
extern "C"{
#endif

void __RPC_FAR * __RPC_USER
MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpcc_com_all_0000 */
/* [local] */

extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_all_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_all_0000_v0_0_s_ifspec;

#ifndef __TPCCLib_LIBRARY_DEFINED__
#define __TPCCLib_LIBRARY_DEFINED__

/* library TPCCLib */
/* [helpstring][version][uuid] */

EXTERN_C const IID LIBID_TPCCLib;

EXTERN_C const CLSID CLSID_TPCC;

#ifdef __cplusplus

class DECLSPEC_UUID("122A3128-2520-11D3-BA71-
00C04FBFE08B")
TPCC;

```

```

#endif

EXTERN_C const CLSID CLSID_NewOrder;

#ifdef __cplusplus

class DECLSPEC_UUID("975BAABF-84A7-11D2-BA47-
00C04FBFE08B")
NewOrder;
#endif

EXTERN_C const CLSID CLSID_OrderStatus;

#ifdef __cplusplus

class DECLSPEC_UUID("266836AD-A50D-11D2-BA4E-
00C04FBFE08B")
OrderStatus;
#endif

EXTERN_C const CLSID CLSID_Payment;

#ifdef __cplusplus

class DECLSPEC_UUID("CD02F7EF-A4FA-11D2-BA4E-
00C04FBFE08B")
Payment;
#endif

EXTERN_C const CLSID CLSID_StockLevel;

#ifdef __cplusplus

class DECLSPEC_UUID("2668369E-A50D-11D2-BA4E-
00C04FBFE08B")
StockLevel;
#endif /* __TPCCLib_LIBRARY_DEFINED__ */

/* Additional Prototypes for ALL interfaces */

/* end of Additional Prototypes */

#ifdef __cplusplus
}
#endif

#endif



---


tpcc_com_all.idl


---



```

/* FILE: TPCC.IDL
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 *

```


```

```

*                                     not yet
audited
*
*   PURPOSE: IDL source for TPCC.dll. This
file is processed by the MIDL tool to
*               produce the
type library (TPCC.tlb) and marshalling code.
*
* Change history:
*   4.20.000 - first version
*/

interface TPCC;
interface NewOrder;
interface OrderStatus;
interface Payment;
interface StockLevel;

import "oidl.idl";
import "ocidl.idl";
import "..\tpcc_com_ps\src\tpcc_com_ps.idl";

[
    uuid(122A3117-2520-11D3-BA71-00C04FBFE08B),
    version(1.0),
    helpstring("TPC-C 1.0 Type Library")
]
library TPCCLib
{
    importlib("stdole32.tlb");
    importlib("stdole2.tlb");

    [
        uuid(122A3128-2520-11D3-BA71-
00C04FBFE08B),
        helpstring("All Txns Class")
    ]
    coclass TPCC
    {
        [default] interface ITPCC;
    };

    [
        uuid(975BAABF-84A7-11D2-BA47-
00C04FBFE08B),
        helpstring("NewOrder Class")
    ]
    coclass NewOrder
    {
        [default] interface ITPCC;
    };

    [
        uuid(266836AD-A50D-11D2-BA4E-
00C04FBFE08B),
        helpstring("OrderStatus Class")
    ]
    coclass OrderStatus
    {
        [default] interface ITPCC;
    };
}

```

```

};

[
    uuid(CD02F7EF-A4FA-11D2-BA4E-
00C04FBFE08B),
    helpstring("Payment Class")
]
coclass Payment
{
    [default] interface ITPCC;
};

[
    uuid(2668369E-A50D-11D2-BA4E-
00C04FBFE08B),
    helpstring("StockLevel Class")
]
coclass StockLevel
{
    [default] interface ITPCC;
};
}

```

## tpcc\_com\_all.rc

```

//Microsoft Developer Studio generated resource
script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "winres.h"

//
//
//
//
// English (U.S.) resources
//
#if !defined(AFX_RESOURCE_DLL) ||
defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef APSTUDIO_INVOKED
//
//
//
//

```

```

// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include \"winres.h\"\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "1 TYPELIB \"tpcc_com_all.tlb\"\r\n"
    "\0"
END

#ifdef APSTUDIO_INVOKED

#ifdef _MAC
//
// Version
//
VS_VERSION_INFO VERSIONINFO
FILEVERSION 1,0,0,1
PRODUCTVERSION 1,0,0,1
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x4L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904B0"
        BEGIN
            VALUE "CompanyName", "\0"
            VALUE "FileDescription", "tpcc_com_all
Module\0"
            VALUE "FileVersion", "1, 0, 0, 1\0"
            VALUE "InternalName", "TPCCNEWORDER\0"
            VALUE "LegalCopyright", "Copyright
1997\0"
            VALUE "OriginalFilename",
"tpcc_com_all.DLL\0"
            VALUE "ProductName", "tpcc_com_all
Module\0"
            VALUE "ProductVersion", "1, 0, 0, 1\0"
            VALUE "OLESelfRegister", "\0"
        END
    END
    BLOCK "VarFileInfo"

```

```

BEGIN
    VALUE "Translation", 0x409, 1200
END
ENDIF
#endif // !_MAC

////////////////////////////////////
////////////////////////////////////
//
// REGISTRY
//

IDR_TPCC                REGISTRY DISCARDABLE
"tpcc_com_all.rgs"
IDR_NEWORDER           REGISTRY DISCARDABLE
"tpcc_com_no.rgs"
IDR_ORDERSTATUS        REGISTRY DISCARDABLE
"tpcc_com_os.rgs"
IDR_PAYMENT            REGISTRY DISCARDABLE
"tpcc_com_pay.rgs"
IDR_STOCKLEVEL         REGISTRY DISCARDABLE
"tpcc_com_sl.rgs"

////////////////////////////////////
////////////////////////////////////
//
// String Table
//

STRINGTABLE DISCARDABLE
BEGIN
    IDS_PROJNAME        "tpcc_com_all"
END

#endif // English (U.S.) resources
////////////////////////////////////
////////////////////////////////////

#ifndef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 3 resource.
//
1 TYPELIB "tpcc_com_all.tlb"

////////////////////////////////////
////////////////////////////////////
#endif // not APSTUDIO_INVOKED


```

---

## tpcc\_com\_all.rgs

```

HKCR
{
    TPCC.AllTxns.1 = s 'All Txns Class'
}

```

```

{
    CLSID = s '{122A3128-2520-11D3-
BA71-00C04FBFE08B}'
}
TPCC.AllTxns = s 'TPCC Class'
{
    CurVer = s 'TPCC.AllTxns.1'
}
NoRemove CLSID
{
    ForceRemove {122A3128-2520-11D3-
BA71-00C04FBFE08B} = s 'TPCC Class'
{
    ProgID = s
'TPCC.AllTxns.1'
    VersionIndependentProgID = s 'TPCC.AllTxns'
    InprocServer32 = s
'%MODULE%'
{
    val
ThreadingModel = s 'Both'
}
}
}

```

---

## tpcc\_com\_all\_i.c

---

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:14 2001
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#ifdef !defined(_M_IA64) && !defined(_M_AXP64)

#ifdef __cplusplus
extern "C" {

```

```

#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
const type name = \
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib,0x122A3117,0x2520,0x11D3,0xBA,0x71,0x00,0x00,0x00,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC,0x122A3128,0x2520,0x11D3,0xBA,0x71,0x00,0x00,0x00,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder,0x975BAABF,0x84A7,0x11D2,0xBA,0x47,0x00,0x00,0x00,0x4F,0xBF,0xE0,0x8B);

```

```

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus, 0x266836AD, 0xA50D, 0x11D2, 0xBA, 0x4E,
0x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_Payment, 0xCD02F7EF, 0xA4FA, 0x11D2, 0xBA, 0x4E, 0x00,
0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel, 0x2668369E, 0xA50D, 0x11D2, 0xBA, 0x4E, 0x00,
0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:14 2001
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf (OptLev=12), Wl, Zp8, env=Win64 (32b
run, appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#ifdef _M_IA64 || defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

```

```

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \

DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
{ l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8} }

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib, 0x122A3117, 0x2520, 0x11D3, 0xBA, 0x71, 0x00,
0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC, 0x122A3128, 0x2520, 0x11D3, 0xBA, 0x71, 0x00, 0x00,
0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus, 0x266836AD, 0xA50D, 0x11D2, 0xBA, 0x4E, 0x00,
0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder, 0x975BAABF, 0x84A7, 0x11D2, 0xBA, 0x47, 0x00,
0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus, 0x266836AD, 0xA50D, 0x11D2, 0xBA, 0x4E, 0x00,
0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

```

```

MIDL_DEFINE_GUID(CLSID,
CLSID_Payment, 0xCD02F7EF, 0xA4FA, 0x11D2, 0xBA, 0x4E, 0x00,
0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel, 0x2668369E, 0xA50D, 0x11D2, 0xBA, 0x4E, 0x00,
0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* defined(_M_IA64) || defined(_M_AXP64)*/

```

---

## tpcc\_com\_no.rgs

---

```

HKCR
{
    TPCC.NewOrder.1 = s 'NewOrder Class'
    {
        CLSID = s '{975BAABF-84A7-11D2-BA47-00C04FBFE08B}'
    }
    TPCC.NewOrder = s 'NewOrder Class'
    {
        CurVer = s 'TPCC.NewOrder.1'
    }
    NoRemove CLSID
    {
        ForceRemove {975BAABF-84A7-11D2-BA47-00C04FBFE08B} = s 'NewOrder Class'
        {
            ProgID = s
                'TPCC.NewOrder.1'
            VersionIndependentProgID = s
                'TPCC.NewOrder'
            InprocServer32 = s
                '%MODULE%'
            {
                val
                ThreadingModel = s 'Both'
            }
        }
    }
}

```

---

## tpcc\_com\_os.rgs

---

```

HKCR
{

```

```

TPCC.OrderStatus.1 = s 'OrderStatus Class'
{
    CLSID = s '{266836AD-A50D-11D2-
BA4E-00C04FBFE08B}'
}
TPCC.OrderStatus = s 'OrderStatus Class'
{
    CurVer = s 'TPCC.OrderStatus.1'
}
NoRemove CLSID
{
    ForceRemove {266836AD-A50D-11D2-
BA4E-00C04FBFE08B} = s 'OrderStatus Class'
    {
        ProgID = s
'TPCC.OrderStatus.1'

        VersionIndependentProgID = s
'TPCC.OrderStatus'
        InprocServer32 = s
'%MODULE%'
    {
        val
ThreadingModel = s 'Both'
    }
}
}

```

## tpcc\_com\_pay.rgs

```

HKCR
{
    TPCC.Payment.1 = s 'Payment Class'
    {
        CLSID = s '{CD02F7EF-A4FA-11D2-
BA4E-00C04FBFE08B}'
    }
    TPCC.Payment = s 'Payment Class'
    {
        CurVer = s 'TPCC.Payment.1'
    }
    NoRemove CLSID
    {
        ForceRemove {CD02F7EF-A4FA-11D2-
BA4E-00C04FBFE08B} = s 'Payment Class'
        {
            ProgID = s
'TPCC.Payment.1'

            VersionIndependentProgID = s 'TPCC.Payment'
            InprocServer32 = s
'%MODULE%'
        {
            val
ThreadingModel = s 'Both'
        }
    }
}

```

## tpcc\_com\_ps.def

```

LIBRARY      "tpcc_com_ps"

DESCRIPTION  'Proxy/Stub DLL'

EXPORTS
    DllGetClassObject      @1    PRIVATE
    DllCanUnloadNow        @2    PRIVATE
    GetProxyDllInfo        @3    PRIVATE
    DllRegisterServer      @4
    PRIVATE
    DllUnregisterServer    @5
    PRIVATE

```

## tpcc\_com\_ps.dsp

```

# Microsoft Developer Studio Project File -
Name="tpcc_com_ps" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Application" 0x0101

CFG=tpcc_com_ps - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_ps.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_ps.mak" CFG="tpcc_com_ps
- Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tpcc_com_ps - Win32 Release" (based on
"Win32 (x86) Application")
!MESSAGE "tpcc_com_ps - Win32 Debug" (based on "Win32
(x86) Application")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "tpcc_com_ps - Win32 Release"

```

```

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG"
/D "_WIN32_WINNT=0x0400" /D "REGISTER_PROXY_DLL" /FD /c
# SUBTRACT CPP /YX
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "NDEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /machine:I386
# ADD LINK32 kernel32.lib rpcndr.lib rpcns4.lib
rpcrt4.lib oleaut32.lib uuid.lib /nologo
/entry:"DllMain" /subsystem:windows /dll /pdb:none
/machine:I386 /def:".src\tpcc_com_ps.def"
# Begin Custom Build - Copying tpcc_com_ps.h
InputPath=.bin\tpcc_com_ps.dll
SOURCE="$(InputPath)"

"..\tpcc_com_all\src\tpcc_com_ps.h" : $(SOURCE)
"$(INTDIR)" "$(OUTDIR)"
copy ..\src\tpcc_com_ps.h
..\tpcc_com_all\src\

# End Custom Build

!ELSEIF "$(CFG)" == "tpcc_com_ps - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /ZI /Od /D "WIN32" /D "_DEBUG" /D
_WIN32_WINNT=0x0400 /D "REGISTER_PROXY_DLL" /FD /c

```



```

# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbc32.lib /nologo /subsystem:windows /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 kernel32.lib rpcndr.lib rpcns4.lib
rpctr4.lib oleaut32.lib uuid.lib /nologo
/entry:"DllMain" /dll /debug /machine:IX86
/def:".src\tpcc_com_ps.def" /pdbtype:sept
# SUBTRACT LINK32 /pdb:none
# Begin Custom Build - Copying tpcc_com_ps.h
InputPath=.bin\tpcc_com_ps.dll
SOURCE="$(InputPath)"

"..\tpcc_com_all\src\tpcc_com_ps.h" : $(SOURCE)
"$(INTDIR)" "$(OUTDIR)"
copy ..\src\tpcc_com_ps.h
..\tpcc_com_all\src\

# End Custom Build

!ENDIF

# Begin Target

# Name "tpcc_com_ps - Win32 Release"
# Name "tpcc_com_ps - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter ""
# Begin Source File

SOURCE=.src\dlldata.c
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps.def
# PROP Exclude_From_Build 1
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps.idl

!IF "$(CFG)" == "tpcc_com_ps - Win32 Release"

# PROP Ignore_Default_Tool 1
# Begin Custom Build
InputPath=.src\tpcc_com_ps.idl

BuildCmds= \
midl /Oicf /h "tpcc_com_ps.h" /iid
"tpcc_com_ps_i.c" ".src\tpcc_com_ps.idl" /out
".src"

".src\tpcc_com_ps.h" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

".src\tpcc_com_ps_i.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

".src\dlldata.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

".src\tpcc_com_ps_p.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)
# End Custom Build

!ENDIF

# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps_i.c
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps_p.c
# End Source File
# End Group
# End Target
# End Project

```

```

".src\tpcc_com_ps.h" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

".src\tpcc_com_ps_i.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

".src\dlldata.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

".src\tpcc_com_ps_p.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)
# End Custom Build

!ELSEIF "$(CFG)" == "tpcc_com_ps - Win32 Debug"

# PROP Ignore_Default_Tool 1
# Begin Custom Build
InputPath=.src\tpcc_com_ps.idl

BuildCmds= \
midl /Oicf /h "tpcc_com_ps.h" /iid
"tpcc_com_ps_i.c" ".src\tpcc_com_ps.idl" /out
".src"

".src\tpcc_com_ps.h" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

".src\tpcc_com_ps_i.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

".src\dlldata.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

".src\tpcc_com_ps_p.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)
# End Custom Build

!ENDIF

# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps_i.c
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps_p.c
# End Source File
# End Group
# End Target
# End Project

```

## tpcc\_com\_ps.h

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the
definitions for the interfaces */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:08 2001
*/
/* Compiler settings for .src\tpcc_com_ps.idl:
Oicf (OptLev=12), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
/**@MIDL_FILE_HEADING( )

/* verify that the <rpcndr.h> version is high enough
to compile this file*/
#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __RPCNDR_H_VERSION__
#error this stub requires an updated version of
<rpcndr.h>
#endif // __RPCNDR_H_VERSION__

#ifndef COM_NO_WINDOWS_H
#include "windows.h"
#include "ole2.h"
#endif /*COM_NO_WINDOWS_H*/

#ifndef __tpcc_com_ps_h__
#define __tpcc_com_ps_h__

/* Forward Declarations */

#ifndef __ITPCC_FWD_DEFINED__
#define __ITPCC_FWD_DEFINED__
typedef interface ITPCC ITPCC;
#endif /* __ITPCC_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"

```

```

#ifdef __cplusplus
extern "C"{
#endif

void __RPC_USER * __RPC_USER
MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpsc_com_ps_0000 */
/* [local] */

extern RPC_IF_HANDLE
__MIDL_itf_tpsc_com_ps_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE
__MIDL_itf_tpsc_com_ps_0000_v0_0_s_ifspec;

#ifdef __ITPCC_INTERFACE_DEFINED__
#define __ITPCC_INTERFACE_DEFINED__

/* interface ITPCC */
/* [unique][helpstring][uuid][oleautomation][object] */

EXTERN_C const IID IID_ITPCC;

#if defined(__cplusplus) && !defined(CINTERFACE)

    MIDL_INTERFACE("FEE6AA2-84B1-11d2-BA47-00C04FBFE08B")
    ITPCC : public IUnknown
    {
    public:
        virtual HRESULT STDMETHODCALLTYPE NewOrder(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

        virtual HRESULT STDMETHODCALLTYPE Payment(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

        virtual HRESULT STDMETHODCALLTYPE Delivery(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

        virtual HRESULT STDMETHODCALLTYPE StockLevel(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

        virtual HRESULT STDMETHODCALLTYPE OrderStatus(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

        virtual HRESULT STDMETHODCALLTYPE CallSetComplete(
void) = 0;

```

```

};

#else /* C style interface */

typedef struct ITPCCVtbl
{
    BEGIN_INTERFACE

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR
*QueryInterface )(
            ITPCC __RPC_FAR * This,
            /* [in] */ REFIID riid,
            /* [iid_is][out] */ void __RPC_FAR
*__RPC_FAR *ppvObject);

        ULONG ( STDMETHODCALLTYPE __RPC_FAR *AddRef
)(
            ITPCC __RPC_FAR * This);

        ULONG ( STDMETHODCALLTYPE __RPC_FAR *Release
)(
            ITPCC __RPC_FAR * This);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *NewOrder )(
            ITPCC __RPC_FAR * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Payment )(
            ITPCC __RPC_FAR * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Delivery )(
            ITPCC __RPC_FAR * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *StockLevel )(
            ITPCC __RPC_FAR * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *OrderStatus )(
            ITPCC __RPC_FAR * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR
*CallSetComplete )(
            ITPCC __RPC_FAR * This);

    END_INTERFACE
} ITPCCVtbl;

interface ITPCC
{
    CONST_VTBL struct ITPCCVtbl __RPC_FAR
*lpVtbl;
};

```

```

#ifdef COBJMACROS

#define ITPCC_QueryInterface(This,riid,ppvObject) \
(This)->lpVtbl -> QueryInterface(This,riid,ppvObject)

#define ITPCC_AddRef(This) \
(This)->lpVtbl -> AddRef(This)

#define ITPCC_Release(This) \
(This)->lpVtbl -> Release(This)

#define ITPCC_NewOrder(This,txn_in,txn_out) \
(This)->lpVtbl -> NewOrder(This,txn_in,txn_out)

#define ITPCC_Payment(This,txn_in,txn_out) \
(This)->lpVtbl -> Payment(This,txn_in,txn_out)

#define ITPCC_Delivery(This,txn_in,txn_out) \
(This)->lpVtbl -> Delivery(This,txn_in,txn_out)

#define ITPCC_StockLevel(This,txn_in,txn_out) \
(This)->lpVtbl -> StockLevel(This,txn_in,txn_out)

#define ITPCC_OrderStatus(This,txn_in,txn_out) \
(This)->lpVtbl -> OrderStatus(This,txn_in,txn_out)

#define ITPCC_CallSetComplete(This) \
(This)->lpVtbl -> CallSetComplete(This)

#endif /* COBJMACROS */

#ifdef /* C style interface */

HRESULT STDMETHODCALLTYPE ITPCC_NewOrder_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_NewOrder_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT STDMETHODCALLTYPE ITPCC_Payment_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_Payment_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,

```

```

PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_Delivery_Proxy(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_Delivery_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_StockLevel_Proxy(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_StockLevel_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_OrderStatus_Proxy(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_OrderStatus_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_CallSetComplete_Proxy(
ITPCC __RPC_FAR * This);

void __RPC_STUB ITPCC_CallSetComplete_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

#endif /* __ITPCC_INTERFACE_DEFINED__ */

/* Additional Prototypes for ALL interfaces */

unsigned long             __RPC_USER
VARIANT_UserSize(        unsigned long __RPC_FAR *,
unsigned long             , VARIANT __RPC_FAR * );

```

```

unsigned char __RPC_FAR * __RPC_USER
VARIANT_UserMarshal(    unsigned long __RPC_FAR *,
unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );
unsigned char __RPC_FAR * __RPC_USER
VARIANT_UserUnmarshal(unsigned long __RPC_FAR *,
unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );
void __RPC_USER
VARIANT_UserFree(       unsigned long __RPC_FAR *,
VARIANT __RPC_FAR * );

/* end of Additional Prototypes */

#ifdef __cplusplus
}
#endif

#endif



---


tpcc_com_ps.idl


---


/* FILE: ITPCC.IDL Microsoft
* TPC-C Kit Ver. 4.20.000 Copyright
* Microsoft, 1999 All Rights Reserved
* not yet audited
* PURPOSE: Defines the interface used by
TPCC. This interface can be implemented by C++
components.
* Change history: 4.20.000 - first version
*/

// Forward declare all types defined
interface ITPCC;
import "oidl.idl";
import "ocidl.idl";

[
    object,
    oleautomation,
    uuid(FEED6AA2-84B1-11d2-BA47-
00C04FBFE08B),
    helpstring("ITPCC Interface"),
    pointer_default(unique)
]
interface ITPCC : IUnknown
{
    HRESULT __stdcall NewOrder
    (

```

```

[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
HRESULT __stdcall Payment
(
[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
HRESULT __stdcall Delivery
(
[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
HRESULT __stdcall StockLevel
(
[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
HRESULT __stdcall OrderStatus
(
[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
HRESULT __stdcall CallSetComplete
(
); // interface ITPCC
};

```

---

**tpcc\_com\_ps.i.c**


---

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:08 2001
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
/**@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEB6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xc
0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:08 2001
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b
run,appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
/**@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#endif

```

```

} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEB6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xc
0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:08 2001
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b
run,appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
/**@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#endif

```

```

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEB6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xc
0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* defined(_M_IA64) || defined(_M_AXP64)*/

```

## tpcc\_com\_ps\_p.c

```
#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the proxy stub
code */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:08 2001
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high
enough to compile this file*/
#ifndef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 440
#endif

#include "rpcproxy.h"
#ifndef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of
<rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 997
#define PROC_FORMAT_STRING_SIZE 193
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
```

```
    } MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000,
ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0
x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0
x00,0x00,0x00,0x46}} */

/* Object interface: ITPCC, ver. 0.0,
GUID={0xFE6E6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0
x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short
ITPCC_FormatStringOffsetTable[] =
{
    0,
    34,
    68,
    102,
    136,
    170
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo
=
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
```

```
0,
0,
0
};

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy ,
    (void *)-1 /* ITPCC::NewOrder */ ,
    (void *)-1 /* ITPCC::Payment */ ,
    (void *)-1 /* ITPCC::Delivery */ ,
    (void *)-1 /* ITPCC::StockLevel */ ,
    (void *)-1 /* ITPCC::OrderStatus */ ,
    (void *)-1 /* ITPCC::CallSetComplete */
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

extern const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ];

static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,
    0,
    0,
    0,
    0,
    0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x20000, /* Ndr library version */
    0,
    0x5030118, /* MIDL Version 5.3.280 */
    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* Reserved3 */
    0, /* Reserved4 */
    0, /* Reserved5 */
};

#pragma data_seg(".rdata")

static const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
```

```

        VARIANT_UserSize
        ,VARIANT_UserMarshal
        ,VARIANT_UserUnmarshal
        ,VARIANT_UserFree
    }
};

#if !defined(__RPC_WIN32__)
#error Invalid build platform for this stub.
#endif

#if !(TARGET_IS_NT40_OR_LATER)
#error You need a Windows NT 4.0 or later to run this
stub because it uses these features:
#error -Oif or -Oicf, [wire_marshal] or
[user_marshal] attribute.
#error However, your C/C++ compilation flags indicate
you intend to run this app on earlier systems.
#error This app will die there with the
RPC_X_WRONG_STUB_VERSION error.
#endif

static const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString =
{
    0,
    {
        /* Procedure NewOrder */
        0x33, /* FC_AUTO_HANDLE */
        0x6c, /* Old Flags: object, Oi2 */
        /* 2 */ NdrFcLong( 0x0 ), /* 0 */
        /* 6 */ NdrFcShort( 0x3 ), /* 3 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 8 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 10 */ NdrFcShort( 0x0 ), /* 0 */
/* 12 */ NdrFcShort( 0x8 ), /* 8 */
/* 14 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /* 3 */

```

```

        /* Parameter txn_in */
        /* 16 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 18 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 20 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */
        /* Parameter txn_out */
        /* 22 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 24 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 26 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */
        /* Return value */
        /* 28 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 30 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 8 */
#endif

```

```

NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 32 */ 0x8, /* FC_LONG */
0x0, /* 0 */
        /* Procedure Payment */
        /* 34 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object, Oi2 */
/* 36 */ NdrFcLong( 0x0 ), /* 0 */
/* 40 */ NdrFcShort( 0x4 ), /* 4 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 42 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 44 */ NdrFcShort( 0x0 ), /* 0 */
/* 46 */ NdrFcShort( 0x8 ), /* 8 */
/* 48 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /* 3 */
        /* Parameter txn_in */
        /* 50 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 52 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif

```

```

/* 54 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 56 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 58 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 60 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

/* Return value */

/* 62 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 64 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 66 */ 0x8, /* FC_LONG */
0x0, /*
0 */

/* Procedure Delivery */

/* 68 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 70 */ NdrFcLong( 0x0 ), /* 0 */
/* 74 */ NdrFcShort( 0x5 ), /* 5 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)

```

```

/* 76 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 78 */ NdrFcShort( 0x0 ), /* 0 */
/* 80 */ NdrFcShort( 0x8 ), /* 8 */
/* 82 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /*
3 */

/* Parameter txn_in */

/* 84 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 86 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 88 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 90 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 92 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif

```

```

#else
NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 94 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

/* Return value */

/* 96 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 98 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /*
Alpha Stack size/offset = 32 */
#endif
/* 100 */ 0x8, /* FC_LONG */
0x0, /*
0 */

/* Procedure StockLevel */

/* 102 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 104 */ NdrFcLong( 0x0 ), /* 0 */
/* 108 */ NdrFcShort( 0x6 ), /* 6 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 110 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 112 */ NdrFcShort( 0x0 ), /* 0 */
/* 114 */ NdrFcShort( 0x8 ), /* 8 */
/* 116 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /*
3 */

```

```

        /* Parameter txn_in */

/* 118 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 120 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
        NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
        NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
#else
        NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 122 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

        /* Parameter txn_out */

/* 124 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 126 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
        NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
        NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
        NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 128 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

        /* Return value */

/* 130 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 132 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
        NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else

```

```

        NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
        NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 134 */ 0x8, /* FC_LONG */
0x0, /*
0 */

        /* Procedure OrderStatus */

/* 136 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 138 */ NdrFcLong( 0x0 ), /* 0 */
/* 142 */ NdrFcShort( 0x7 ), /* 7 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 144 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
        NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
        NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
        NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 146 */ NdrFcShort( 0x0 ), /* 0 */
/* 148 */ NdrFcShort( 0x8 ), /* 8 */
/* 150 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /*
3 */

        /* Parameter txn_in */

/* 152 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 154 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
        NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
        NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
#else
        NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif

```

```

/* 156 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

        /* Parameter txn_out */

/* 158 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 160 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
        NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
        NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
        NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 162 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

        /* Return value */

/* 164 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 166 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
        NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
        NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
        NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 168 */ 0x8, /* FC_LONG */
0x0, /*
0 */

        /* Procedure CallSetComplete */

/* 170 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 172 */ NdrFcLong( 0x0 ), /* 0 */
/* 176 */ NdrFcShort( 0x8 ), /* 8 */
#ifndef _ALPHA_
/* 178 */ NdrFcShort( 0x8 ), /* x86, MIPS, PPC Stack
size/offset = 8 */

```



```

#else
    NdrFcShort( 0x10 ), /*
Alpha Stack size/offset = 16 */
#endif
/* 180 */ NdrFcShort( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x8 ), /* 8 */
/* 184 */ 0x4, /* Oi2 Flags: has
return, */
0x1, /*
1 */

/* Return value */

/* 186 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
/* 188 */ NdrFcShort( 0x4 ), /* x86, MIPS, PPC Stack
size/offset = 4 */
#else
    NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 190 */ 0x8, /* FC_LONG */
0x0, /*
0 */

0x0

}
};

static const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString =
{
    0,
    {
        NdrFcShort( 0x0 ), /*
0 */
/* 2 */
0x12, 0x0, /*
FC_UP */
/* 4 */ NdrFcShort( 0x3b0 ), /* Offset=
944 (948) */
/* 6 */
0x2b, /*
FC_NON_ENCAPSULATED_UNION */
0x9, /*
FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT
*/
0x0, /*
*/
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */
/* 12 */ NdrFcShort( 0x2 ), /* Offset= 2 (14) */
/* 14 */ NdrFcShort( 0x10 ), /* 16 */
/* 16 */ NdrFcShort( 0x2b ), /* 43 */
/* 18 */ NdrFcLong( 0x3 ), /* 3 */
/* 22 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 24 */ NdrFcLong( 0x11 ), /* 17 */
/* 28 */ NdrFcShort( 0x8001 ), /* Simple arm
type: FC_BYTE */
/* 30 */ NdrFcLong( 0x2 ), /* 2 */

```

```

/* 34 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 36 */ NdrFcLong( 0x4 ), /* 4 */
/* 40 */ NdrFcShort( 0x800a ), /* Simple arm
type: FC_FLOAT */
/* 42 */ NdrFcLong( 0x5 ), /* 5 */
/* 46 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 48 */ NdrFcLong( 0xb ), /* 11 */
/* 52 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 54 */ NdrFcLong( 0xa ), /* 10 */
/* 58 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 60 */ NdrFcLong( 0x6 ), /* 6 */
/* 64 */ NdrFcShort( 0xd6 ), /* Offset= 214 (278) */
/* 66 */ NdrFcLong( 0x7 ), /* 7 */
/* 70 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 72 */ NdrFcLong( 0x8 ), /* 8 */
/* 76 */ NdrFcShort( 0xd0 ), /* Offset= 208 (284) */
/* 78 */ NdrFcLong( 0xd ), /* 13 */
/* 82 */ NdrFcShort( 0xe2 ), /* Offset= 226 (308) */
/* 84 */ NdrFcLong( 0x9 ), /* 9 */
/* 88 */ NdrFcShort( 0xee ), /* Offset= 238 (326) */
/* 90 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 94 */ NdrFcShort( 0xfa ), /* Offset= 250 (344) */
/* 96 */ NdrFcLong( 0x24 ), /* 36 */
/* 100 */ NdrFcShort( 0x308 ), /* Offset=
776 (876) */
/* 102 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 106 */ NdrFcShort( 0x302 ), /* Offset=
770 (876) */
/* 108 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 112 */ NdrFcShort( 0x300 ), /* Offset=
768 (880) */
/* 114 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 118 */ NdrFcShort( 0x2fe ), /* Offset=
766 (884) */
/* 120 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 124 */ NdrFcShort( 0x2fc ), /* Offset=
764 (888) */
/* 126 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 130 */ NdrFcShort( 0x2fa ), /* Offset=
762 (892) */
/* 132 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 136 */ NdrFcShort( 0x2f8 ), /* Offset=
760 (896) */
/* 138 */ NdrFcLong( 0x400b ), /* 16395 */
/* 142 */ NdrFcShort( 0x2e6 ), /* Offset=
742 (884) */
/* 144 */ NdrFcLong( 0x400a ), /* 16394 */
/* 148 */ NdrFcShort( 0x2e4 ), /* Offset=
740 (888) */
/* 150 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 154 */ NdrFcShort( 0x2ea ), /* Offset=
746 (900) */
/* 156 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 160 */ NdrFcShort( 0x2e0 ), /* Offset=
736 (896) */
/* 162 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 166 */ NdrFcShort( 0x2e2 ), /* Offset=
738 (904) */

```

```

/* 168 */ NdrFcLong( 0x400d ), /* 16397 */
/* 172 */ NdrFcShort( 0x2e0 ), /* Offset=
736 (908) */
/* 174 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 178 */ NdrFcShort( 0x2de ), /* Offset=
734 (912) */
/* 180 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 184 */ NdrFcShort( 0x2dc ), /* Offset=
732 (916) */
/* 186 */ NdrFcLong( 0x400c ), /* 16396 */
/* 190 */ NdrFcShort( 0x2da ), /* Offset=
730 (920) */
/* 192 */ NdrFcLong( 0x10 ), /* 16 */
/* 196 */ NdrFcShort( 0x8002 ), /* Simple arm
type: FC_CHAR */
/* 198 */ NdrFcLong( 0x12 ), /* 18 */
/* 202 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 204 */ NdrFcLong( 0x13 ), /* 19 */
/* 208 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 210 */ NdrFcLong( 0x16 ), /* 22 */
/* 214 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 216 */ NdrFcLong( 0x17 ), /* 23 */
/* 220 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 222 */ NdrFcLong( 0xe ), /* 14 */
/* 226 */ NdrFcShort( 0x2be ), /* Offset=
702 (928) */
/* 228 */ NdrFcLong( 0x400e ), /* 16398 */
/* 232 */ NdrFcShort( 0x2c4 ), /* Offset=
708 (940) */
/* 234 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 238 */ NdrFcShort( 0x2c2 ), /* Offset=
706 (944) */
/* 240 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 244 */ NdrFcShort( 0x280 ), /* Offset=
640 (884) */
/* 246 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 250 */ NdrFcShort( 0x27e ), /* Offset=
638 (888) */
/* 252 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 256 */ NdrFcShort( 0x278 ), /* Offset=
632 (888) */
/* 258 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 262 */ NdrFcShort( 0x272 ), /* Offset=
626 (888) */
/* 264 */ NdrFcLong( 0x0 ), /* 0 */
/* 268 */ NdrFcShort( 0x0 ), /* Offset= 0 (268) */
/* 270 */ NdrFcLong( 0x1 ), /* 1 */
/* 274 */ NdrFcShort( 0x0 ), /* Offset= 0 (274) */
/* 276 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(275) */
/* 278 */
0x15, /*
FC_STRUCT */
0x7, /*
7 */
/* 280 */ NdrFcShort( 0x8 ), /* 8 */
/* 282 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */

```

```

/* 284 */
FC_UP */
/* 286 */ NdrFcShort( 0xc ), /* Offset= 12 (298) */
/* 288 */
FC_CARRAY */
1 */
/* 290 */ NdrFcShort( 0x2 ), /* 2 */
/* 292 */ 0x9, /* Corr desc: FC_ULONG */
/*
/* 294 */ NdrFcShort( 0xffffc ), /* -4 */
/* 296 */ 0x6, /* FC_SHORT */
FC_END */
/* 298 */
FC_CSTRUCT */
3 */
/* 300 */ NdrFcShort( 0x8 ), /* 8 */
/* 302 */ NdrFcShort( 0xffffffff2 ), /* Offset= -14 (288) */
/* 304 */ 0x8, /* FC_LONG */
FC_LONG */
/* 306 */ 0x5c, /* FC_PAD */
FC_END */
/* 308 */
FC_IP */
FC_CONSTANT_IID */
/* 310 */ NdrFcLong( 0x0 ), /* 0 */
/* 314 */ NdrFcShort( 0x0 ), /* 0 */
/* 316 */ NdrFcShort( 0x0 ), /* 0 */
/* 318 */ 0xc0, /* 192 */
0 */
/* 320 */ 0x0, /* 0 */
0 */
/* 322 */ 0x0, /* 0 */
0 */
/* 324 */ 0x0, /* 0 */
70 */
/* 326 */
FC_IP */
FC_CONSTANT_IID */
/* 328 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 332 */ NdrFcShort( 0x0 ), /* 0 */
/* 334 */ NdrFcShort( 0x0 ), /* 0 */
/* 336 */ 0xc0, /* 192 */
0 */

```

```

/* 338 */ 0x0, /* 0 */
0 */
/* 340 */ 0x0, /* 0 */
0 */
/* 342 */ 0x0, /* 0 */
70 */
/* 344 */
FC_UP [pointer_deref] */
/* 346 */ NdrFcShort( 0x2 ), /* Offset= 2 (348) */
/* 348 */
FC_UP */
/* 350 */ NdrFcShort( 0x1fc ), /* Offset= 508 (858) */
/* 352 */
FC_ENCAPSULATED_UNION */
73 */
/* 354 */ NdrFcShort( 0x18 ), /* 24 */
/* 356 */ NdrFcShort( 0xa ), /* 10 */
/* 358 */ NdrFcLong( 0x8 ), /* 8 */
/* 362 */ NdrFcShort( 0x58 ), /* Offset= 88 (450) */
/* 364 */ NdrFcLong( 0xd ), /* 13 */
/* 368 */ NdrFcShort( 0x78 ), /* Offset= 120 (488) */
/* 370 */ NdrFcLong( 0x9 ), /* 9 */
/* 374 */ NdrFcShort( 0x94 ), /* Offset= 148 (522) */
/* 376 */ NdrFcLong( 0xc ), /* 12 */
/* 380 */ NdrFcShort( 0xbc ), /* Offset= 188 (568) */
/* 382 */ NdrFcLong( 0x24 ), /* 36 */
/* 386 */ NdrFcShort( 0x114 ), /* Offset= 276 (662) */
/* 388 */ NdrFcLong( 0x800d ), /* 32781 */
/* 392 */ NdrFcShort( 0x130 ), /* Offset= 304 (696) */
/* 394 */ NdrFcLong( 0x10 ), /* 16 */
/* 398 */ NdrFcShort( 0x148 ), /* Offset= 328 (726) */
/* 400 */ NdrFcLong( 0x2 ), /* 2 */
/* 404 */ NdrFcShort( 0x160 ), /* Offset= 352 (756) */
/* 406 */ NdrFcLong( 0x3 ), /* 3 */
/* 410 */ NdrFcShort( 0x178 ), /* Offset= 376 (786) */
/* 412 */ NdrFcLong( 0x14 ), /* 20 */
/* 416 */ NdrFcShort( 0x190 ), /* Offset= 400 (816) */
/* 418 */ NdrFcShort( 0xffffffff ), /* Offset= -1 (417) */
/* 420 */
FC_CARRAY */
3 */
/* 422 */ NdrFcShort( 0x4 ), /* 4 */
/* 424 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/*

```

```

/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */
FC_PP */
FC_PAD */
/* 430 */
FC_VARIABLE_REPEAT */
FC_FIXED_OFFSET */
/* 432 */ NdrFcShort( 0x4 ), /* 4 */
/* 434 */ NdrFcShort( 0x0 ), /* 0 */
/* 436 */ NdrFcShort( 0x1 ), /* 1 */
/* 438 */ NdrFcShort( 0x0 ), /* 0 */
/* 440 */ NdrFcShort( 0x0 ), /* 0 */
/* 442 */ 0x12, 0x0, /* FC_UP */
/* 444 */ NdrFcShort( 0xffffffff6e ), /* Offset= -146 (298) */
/* 446 */
FC_END */
FC_LONG */
/* 448 */ 0x5c, /* FC_PAD */
FC_END */
/* 450 */
FC_PSTRUCT */
3 */
/* 452 */ NdrFcShort( 0x8 ), /* 8 */
/* 454 */
FC_PP */
FC_PAD */
/* 456 */
FC_NO_REPEAT */
FC_PAD */
/* 458 */ NdrFcShort( 0x4 ), /* 4 */
/* 460 */ NdrFcShort( 0x4 ), /* 4 */
/* 462 */ 0x11, 0x0, /* FC_RP */
/* 464 */ NdrFcShort( 0xffffffffd4 ), /* Offset= -44 (420) */
/* 466 */
FC_END */
FC_LONG */
/* 468 */ 0x8, /* FC_LONG */
FC_END */
/* 470 */
FC_BOGUS_ARRAY */
3 */

```

```

/* 472 */ NdrFcShort( 0x0 ), /* 0 */
/* 474 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 476 */ NdrFcShort( 0x0 ), /* 0 */
/* 478 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 482 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 484 */ NdrFcShort( 0xffffffff50 ), /* Offset= -
176 (308) */
/* 486 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 488 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 490 */ NdrFcShort( 0x8 ), /* 8 */
/* 492 */ NdrFcShort( 0x0 ), /* 0 */
/* 494 */ NdrFcShort( 0x6 ), /* Offset= 6 (500) */
/* 496 */ 0x8, /* FC_LONG */
0x36, /*
FC_POINTER */
/* 498 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 500 */
0x11, 0x0, /*
FC_RP */
/* 502 */ NdrFcShort( 0xffffffffe0 ), /* Offset= -
32 (470) */
/* 504 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 506 */ NdrFcShort( 0x0 ), /* 0 */
/* 508 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 510 */ NdrFcShort( 0x0 ), /* 0 */
/* 512 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 516 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 518 */ NdrFcShort( 0xffffffff40 ), /* Offset= -
192 (326) */
/* 520 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 522 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 524 */ NdrFcShort( 0x8 ), /* 8 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */

```

```

/* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 530 */ 0x8, /* FC_LONG */
0x36, /*
FC_POINTER */
/* 532 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 534 */
0x11, 0x0, /*
FC_RP */
/* 536 */ NdrFcShort( 0xffffffffe0 ), /* Offset= -
32 (504) */
/* 538 */
0x1b, /*
FC_CARRAY */
0x3, /*
3 */
/* 540 */ NdrFcShort( 0x4 ), /* 4 */
/* 542 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 544 */ NdrFcShort( 0x0 ), /* 0 */
/* 546 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 548 */
0x48, /*
FC_VARIABLE_REPEAT */
0x49, /*
FC_FIXED_OFFSET */
/* 550 */ NdrFcShort( 0x4 ), /* 4 */
/* 552 */ NdrFcShort( 0x0 ), /* 0 */
/* 554 */ NdrFcShort( 0x1 ), /* 1 */
/* 556 */ NdrFcShort( 0x0 ), /* 0 */
/* 558 */ NdrFcShort( 0x0 ), /* 0 */
/* 560 */ 0x12, 0x0, /* FC_UP */
/* 562 */ NdrFcShort( 0x182 ), /* Offset=
386 (948) */
/* 564 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 566 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 568 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 570 */ NdrFcShort( 0x8 ), /* 8 */
/* 572 */ NdrFcShort( 0x0 ), /* 0 */
/* 574 */ NdrFcShort( 0x6 ), /* Offset= 6 (580) */
/* 576 */ 0x8, /* FC_LONG */
0x36, /*
FC_POINTER */
/* 578 */ 0x5c, /* FC_PAD */

```

```

0x5b, /*
FC_END */
/* 580 */
0x11, 0x0, /*
FC_RP */
/* 582 */ NdrFcShort( 0xffffffffd4 ), /* Offset= -
44 (538) */
/* 584 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 586 */ NdrFcLong( 0x2f ), /* 47 */
/* 590 */ NdrFcShort( 0x0 ), /* 0 */
/* 592 */ NdrFcShort( 0x0 ), /* 0 */
/* 594 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 596 */ 0x0, /* 0 */
0x0, /*
0 */
/* 598 */ 0x0, /* 0 */
0x0, /*
0 */
/* 600 */ 0x0, /* 0 */
0x46, /*
70 */
/* 602 */
0x1b, /*
FC_CARRAY */
0x0, /*
0 */
/* 604 */ NdrFcShort( 0x1 ), /* 1 */
/* 606 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 608 */ NdrFcShort( 0x4 ), /* 4 */
/* 610 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 612 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 614 */ NdrFcShort( 0x10 ), /* 16 */
/* 616 */ NdrFcShort( 0x0 ), /* 0 */
/* 618 */ NdrFcShort( 0xa ), /* Offset= 10 (628) */
/* 620 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 622 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 624 */ NdrFcShort( 0xffffffffd8 ), /* Offset= -
40 (584) */
/* 626 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 628 */

```

```

                                0x12, 0x0,      /*
FC_UP */
/* 630 */ NdrFcShort( 0xffffffffe4 ), /* Offset= -
28 (602) */
/* 632 */
                                0x1b,      /*
FC_CARRAY */
                                0x3,      /*
3 */
/* 634 */ NdrFcShort( 0x4 ), /* 4 */
/* 636 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0,      /*
*/
/* 638 */ NdrFcShort( 0x0 ), /* 0 */
/* 640 */
                                0x4b,      /*
FC_PP */
                                0x5c,      /*
FC_PAD */
/* 642 */
                                0x48,      /*
FC_VARIABLE_REPEAT */
                                0x49,      /*
FC_FIXED_OFFSET */
/* 644 */ NdrFcShort( 0x4 ), /* 4 */
/* 646 */ NdrFcShort( 0x0 ), /* 0 */
/* 648 */ NdrFcShort( 0x1 ), /* 1 */
/* 650 */ NdrFcShort( 0x0 ), /* 0 */
/* 652 */ NdrFcShort( 0x0 ), /* 0 */
/* 654 */ 0x12, 0x0, /* FC_UP */
/* 656 */ NdrFcShort( 0xffffffffd4 ), /* Offset= -
44 (612) */
/* 658 */
                                0x5b,      /*
FC_END */
                                0x8,      /*
FC_LONG */
/* 660 */ 0x5c, /* FC_PAD */
                                0x5b,      /*
FC_END */
/* 662 */
                                0x1a,      /*
FC_BOGUS_STRUCT */
                                0x3,      /*
3 */
/* 664 */ NdrFcShort( 0x8 ), /* 8 */
/* 666 */ NdrFcShort( 0x0 ), /* 0 */
/* 668 */ NdrFcShort( 0x6 ), /* Offset= 6 (674) */
/* 670 */ 0x8, /* FC_LONG */
                                0x36,      /*
FC_POINTER */
/* 672 */ 0x5c, /* FC_PAD */
                                0x5b,      /*
FC_END */
/* 674 */
                                0x11, 0x0, /*
FC_RP */
/* 676 */ NdrFcShort( 0xffffffffd4 ), /* Offset= -
44 (632) */
/* 678 */

```

```

                                0x1d,      /*
FC_SMFARRAY */
                                0x0,      /*
0 */
/* 680 */ NdrFcShort( 0x8 ), /* 8 */
/* 682 */ 0x1, /* FC_BYTE */
                                0x5b,      /*
FC_END */
/* 684 */
                                0x15,      /*
FC_STRUCT */
                                0x3,      /*
3 */
/* 686 */ NdrFcShort( 0x10 ), /* 16 */
/* 688 */ 0x8, /* FC_LONG */
                                0x6,      /*
FC_SHORT */
/* 690 */ 0x6, /* FC_SHORT */
                                0x4c,      /*
FC_EMBEDDED_COMPLEX */
/* 692 */ 0x0, /* 0 */
                                NdrFcShort( 0xfffffffff1
), /* Offset= -15 (678) */
                                0x5b,      /*
FC_END */
/* 696 */
                                0x1a,      /*
FC_BOGUS_STRUCT */
                                0x3,      /*
3 */
/* 698 */ NdrFcShort( 0x18 ), /* 24 */
/* 700 */ NdrFcShort( 0x0 ), /* 0 */
/* 702 */ NdrFcShort( 0xa ), /* Offset= 10 (712) */
/* 704 */ 0x8, /* FC_LONG */
                                0x36,      /*
FC_POINTER */
/* 706 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
                                0x0,      /*
0 */
/* 708 */ NdrFcShort( 0xffffffffe8 ), /* Offset= -
24 (684) */
/* 710 */ 0x5c, /* FC_PAD */
                                0x5b,      /*
FC_END */
/* 712 */
                                0x11, 0x0, /*
FC_RP */
/* 714 */ NdrFcShort( 0xfffffffff0c ), /* Offset= -
244 (470) */
/* 716 */
                                0x1b,      /*
FC_CARRAY */
                                0x0,      /*
0 */
/* 718 */ NdrFcShort( 0x1 ), /* 1 */
/* 720 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0,      /*
*/
/* 722 */ NdrFcShort( 0x0 ), /* 0 */
/* 724 */ 0x1, /* FC_BYTE */

```

```

                                0x5b,      /*
FC_END */
/* 726 */
                                0x16,      /*
FC_PSTRUCT */
                                0x3,      /*
3 */
/* 728 */ NdrFcShort( 0x8 ), /* 8 */
/* 730 */
                                0x4b,      /*
FC_PP */
                                0x5c,      /*
FC_PAD */
/* 732 */
                                0x46,      /*
FC_NO_REPEAT */
                                0x5c,      /*
FC_PAD */
/* 734 */ NdrFcShort( 0x4 ), /* 4 */
/* 736 */ NdrFcShort( 0x4 ), /* 4 */
/* 738 */ 0x12, 0x0, /* FC_UP */
/* 740 */ NdrFcShort( 0xffffffffe8 ), /* Offset= -
24 (716) */
/* 742 */
                                0x5b,      /*
FC_END */
                                0x8,      /*
FC_LONG */
/* 744 */ 0x8, /* FC_LONG */
                                0x5b,      /*
FC_END */
/* 746 */
                                0x1b,      /*
FC_CARRAY */
                                0x1,      /*
1 */
/* 748 */ NdrFcShort( 0x2 ), /* 2 */
/* 750 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0,      /*
*/
/* 752 */ NdrFcShort( 0x0 ), /* 0 */
/* 754 */ 0x6, /* FC_SHORT */
                                0x5b,      /*
FC_END */
/* 756 */
                                0x16,      /*
FC_PSTRUCT */
                                0x3,      /*
3 */
/* 758 */ NdrFcShort( 0x8 ), /* 8 */
/* 760 */
                                0x4b,      /*
FC_PP */
                                0x5c,      /*
FC_PAD */
/* 762 */
                                0x46,      /*
FC_NO_REPEAT */
                                0x5c,      /*
FC_PAD */
/* 764 */ NdrFcShort( 0x4 ), /* 4 */

```

```

/* 766 */ NdrFcShort( 0x4 ), /* 4 */
/* 768 */ 0x12, 0x0, /* FC_UP */
/* 770 */ NdrFcShort( 0xffffffe8 ), /* Offset= -
24 (746) */
/* 772 */
FC_END */
0x5b, /*
FC_LONG */
/* 774 */ 0x8, /* FC_LONG */
/* 776 */
FC_END */
/* 776 */
FC_CARRAY */
0x1b, /*
3 */
/* 778 */ NdrFcShort( 0x4 ), /* 4 */
/* 780 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 782 */ NdrFcShort( 0x0 ), /* 0 */
/* 784 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 786 */
FC_PSTRUCT */
0x16, /*
3 */
/* 788 */ NdrFcShort( 0x8 ), /* 8 */
/* 790 */
FC_PP */
0x4b, /*
FC_PAD */
/* 792 */
0x5c, /*
FC_NO_REPEAT */
0x46, /*
FC_PAD */
/* 794 */ NdrFcShort( 0x4 ), /* 4 */
/* 796 */ NdrFcShort( 0x4 ), /* 4 */
/* 798 */ 0x12, 0x0, /* FC_UP */
/* 800 */ NdrFcShort( 0xffffffe8 ), /* Offset= -
24 (776) */
/* 802 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 804 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 806 */
0x1b, /*
FC_CARRAY */
0x7, /*
7 */
/* 808 */ NdrFcShort( 0x8 ), /* 8 */

```

```

/* 810 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 812 */ NdrFcShort( 0x0 ), /* 0 */
/* 814 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */
/* 816 */
0x16, /*
FC_PSTRUCT */
0x3, /*
3 */
/* 818 */ NdrFcShort( 0x8 ), /* 8 */
/* 820 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 822 */
0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 824 */ NdrFcShort( 0x4 ), /* 4 */
/* 826 */ NdrFcShort( 0x4 ), /* 4 */
/* 828 */ 0x12, 0x0, /* FC_UP */
/* 830 */ NdrFcShort( 0xffffffe8 ), /* Offset= -
24 (806) */
/* 832 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 834 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 836 */
0x15, /*
FC_STRUCT */
0x3, /*
3 */
/* 838 */ NdrFcShort( 0x8 ), /* 8 */
/* 840 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 842 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 844 */
0x1b, /*
FC_CARRAY */
0x3, /*
3 */
/* 846 */ NdrFcShort( 0x8 ), /* 8 */
/* 848 */ 0x7, /* Corr desc: FC_USHORT
*/
0x0, /*
*/
/* 850 */ NdrFcShort( 0xffd8 ), /* -40 */
/* 852 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/

```

```

0x0, /*
0 */
/* 854 */ NdrFcShort( 0xffffffe8 ), /* Offset= -
18 (836) */
/* 856 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 858 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 860 */ NdrFcShort( 0x28 ), /* 40 */
/* 862 */ NdrFcShort( 0xffffffe8 ), /* Offset= -
18 (844) */
/* 864 */ NdrFcShort( 0x0 ), /* Offset= 0 (864) */
/* 866 */ 0x6, /* FC_SHORT */
0x6, /*
FC_SHORT */
/* 868 */ 0x38, /* FC_ALIGNM4 */
0x8, /*
FC_LONG */
/* 870 */ 0x8, /* FC_LONG */
0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 872 */ 0x0, /* 0 */
NdrFcShort( 0xfffffd7
), /* Offset= -521 (352) */
0x5b, /*
FC_END */
/* 876 */
0x12, 0x0, /*
FC_UP */
/* 878 */ NdrFcShort( 0xfffffef6 ), /* Offset= -
266 (612) */
/* 880 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 882 */ 0x1, /* FC_BYTE */
0x5c, /*
FC_PAD */
/* 884 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 886 */ 0x6, /* FC_SHORT */
0x5c, /*
FC_PAD */
/* 888 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 890 */ 0x8, /* FC_LONG */
0x5c, /*
FC_PAD */
/* 892 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 894 */ 0xa, /* FC_FLOAT */
0x5c, /*
FC_PAD */
/* 896 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 898 */ 0xc, /* FC_DOUBLE */

```

```

                                0x5c,          /*
FC_PAD */
/* 900 */
                                0x12, 0x0,      /*
FC_UP */
/* 902 */ NdrFcShort( 0xfffffd90 ), /* Offset= -
624 (278) */
/* 904 */
                                0x12, 0x10,      /*
FC_UP [pointer_deref] */
/* 906 */ NdrFcShort( 0xfffffd92 ), /* Offset= -
622 (284) */
/* 908 */
                                0x12, 0x10,      /*
FC_UP [pointer_deref] */
/* 910 */ NdrFcShort( 0xfffffda6 ), /* Offset= -
602 (308) */
/* 912 */
                                0x12, 0x10,      /*
FC_UP [pointer_deref] */
/* 914 */ NdrFcShort( 0xfffffdb4 ), /* Offset= -
588 (326) */
/* 916 */
                                0x12, 0x10,      /*
FC_UP [pointer_deref] */
/* 918 */ NdrFcShort( 0xfffffdc2 ), /* Offset= -
574 (344) */
/* 920 */
                                0x12, 0x10,      /*
FC_UP [pointer_deref] */
/* 922 */ NdrFcShort( 0x2 ), /* Offset= 2 (924) */
/* 924 */
                                0x12, 0x0,      /*
FC_UP */
/* 926 */ NdrFcShort( 0x16 ), /* Offset= 22 (948) */
/* 928 */
                                0x15,          /*
FC_STRUCT */
                                0x7,          /*
7 */
/* 930 */ NdrFcShort( 0x10 ), /* 16 */
/* 932 */ 0x6, /* FC_SHORT */
                                0x1,          /*
FC_BYTE */
/* 934 */ 0x1, /* FC_BYTE */
                                0x38,         /*
FC_ALIGNM4 */
/* 936 */ 0x8, /* FC_LONG */
                                0x39,         /*
FC_ALIGNM8 */
/* 938 */ 0xb, /* FC_HYPER */
                                0x5b,         /*
FC_END */
/* 940 */
                                0x12, 0x0,      /*
FC_UP */
/* 942 */ NdrFcShort( 0xfffffff2 ), /* Offset= -
14 (928) */
/* 944 */
                                0x12, 0x8,      /*
FC_UP [simple_pointer] */
/* 946 */ 0x2, /* FC_CHAR */

```

```

                                0x5c,          /*
FC_PAD */
/* 948 */
                                0x1a,          /*
FC_BOGUS_STRUCT */
                                0x7,          /*
7 */
/* 950 */ NdrFcShort( 0x20 ), /* 32 */
/* 952 */ NdrFcShort( 0x0 ), /* 0 */
/* 954 */ NdrFcShort( 0x0 ), /* Offset= 0 (954) */
/* 956 */ 0x8, /* FC_LONG */
                                0x8,          /*
FC_LONG */
/* 958 */ 0x6, /* FC_SHORT */
                                0x6,          /*
FC_SHORT */
/* 960 */ 0x6, /* FC_SHORT */
                                0x6,          /*
FC_SHORT */
/* 962 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
                                0x0,          /*
0 */
/* 964 */ NdrFcShort( 0xfffffc42 ), /* Offset= -
958 (6) */
/* 966 */ 0x5c, /* FC_PAD */
                                0x5b,         /*
FC_END */
/* 968 */ 0xb4, /* FC_USER_MARSHAL */
                                0x83,         /*
131 */
/* 970 */ NdrFcShort( 0x0 ), /* 0 */
/* 972 */ NdrFcShort( 0x10 ), /* 16 */
/* 974 */ NdrFcShort( 0x0 ), /* 0 */
/* 976 */ NdrFcShort( 0xfffffc32 ), /* Offset= -
974 (2) */
/* 978 */
                                0x11, 0x4,      /*
FC_RP [allocated_on_stack] */
/* 980 */ NdrFcShort( 0x6 ), /* Offset= 6 (986) */
/* 982 */
                                0x13, 0x0,      /*
FC_OP */
/* 984 */ NdrFcShort( 0xfffffddc ), /* Offset= -
36 (948) */
/* 986 */ 0xb4, /* FC_USER_MARSHAL */
                                0x83,         /*
131 */
/* 988 */ NdrFcShort( 0x0 ), /* 0 */
/* 990 */ NdrFcShort( 0x10 ), /* 16 */
/* 992 */ NdrFcShort( 0x0 ), /* 0 */
/* 994 */ NdrFcShort( 0xfffffff4 ), /* Offset= -
12 (982) */
                                0x0
    };
const CInterfaceProxyVtbl *
_tpcc_com_ps_ProxyVtblList[] =
{
    ( CInterfaceProxyVtbl * ) &ITPCCProxyVtbl,
    0
};

```

```

};
const CInterfaceStubVtbl *
_tpcc_com_ps_StubVtblList[] =
{
    ( CInterfaceStubVtbl * ) &ITPCCStubVtbl,
    0
};
PCInterfaceName const
_tpcc_com_ps_InterfaceNamesList[] =
{
    "ITPCC",
    0
};
#define _tpcc_com_ps_CHECK_IID(n)
IID_GENERIC_CHECK_IID( _tpcc_com_ps, pIID,
n)
int __stdcall _tpcc_com_ps_IID_Lookup( const IID *
pIID, int * pIndex )
{
    if(!_tpcc_com_ps_CHECK_IID(0))
    {
        *pIndex = 0;
        return 1;
    }
    return 0;
}
const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo
=
{
    (PCInterfaceProxyVtblList *) &
_tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) &
_tpcc_com_ps_StubVtblList,
    (const PCInterfaceName *) &
_tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    &_tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
};
#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/
#pragma warning( disable: 4049 ) /* more than 64k
source lines */
/* this ALWAYS GENERATED file contains the proxy stub
code */

```

```

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:08 2001
*/
/*
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b
run,appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
/**@MIDL_FILE_HEADING( )

#if defined(M_IA64) || defined(M_AXP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high
enough to compile this file*/
#ifndef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 475
#endif

#include "rpcproxy.h"
#ifndef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of
<rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 979
#define PROC_FORMAT_STRING_SIZE 253
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000,
ver. 0.0,

```

```

GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0
x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,

GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0
x00,0x00,0x00,0x46}} */

/* Object interface: ITPCC, ver. 0.0,

GUID={0xFEEB6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0
x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short
ITPCC_FormatStringOffsetTable[] =
{
    0,
    44,
    88,
    132,
    176,
    220
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0,
    0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo
=
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0
};

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,

```

```

IUnknown_Release_Proxy ,
(void *)-1 /* ITPCC::NewOrder */ ,
(void *)-1 /* ITPCC::Payment */ ,
(void *)-1 /* ITPCC::Delivery */ ,
(void *)-1 /* ITPCC::StockLevel */ ,
(void *)-1 /* ITPCC::OrderStatus */ ,
(void *)-1 /* ITPCC::CallSetComplete */
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

extern const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ];

static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,
    0,
    0,
    0,
    0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x50002, /* Ndr library version */
    0,
    0x5030118, /* MIDL Version 5.3.280 */
    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* Reserved3 */
    0, /* Reserved4 */
    0 /* Reserved5 */
};

#pragma data_seg(".rdata")

static const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        VARIANT_UserSize
        ,VARIANT_UserMarshal
        ,VARIANT_UserUnmarshal
        ,VARIANT_UserFree
    }
};

#if !defined(__RPC_WIN64__)
#error Invalid build platform for this stub.

```

```

#endif

static const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString =
{
    0,
    {
        /* Procedure NewOrder */
        FC_AUTO_HANDLE /* 0x33, */
        /* 0x6c, */
        Old Flags: object, Oi2 /*
        /* 2 */ NdrFcLong( 0x0 ), /* 0 */
        /* 6 */ NdrFcShort( 0x3 ), /* 3 */
        #ifndef _ALPHA_
        /* 8 */ NdrFcShort( 0x38 ), /* ia64 Stack
        size/offset = 56 */
        #else
        NdrFcShort( 0x30 ), /*
        axp64 Stack size/offset = 48 */
        #endif
        /* 10 */ NdrFcShort( 0x0 ), /* 0 */
        /* 12 */ NdrFcShort( 0x8 ), /* 8 */
        /* 14 */ 0x47, /* Oi2 Flags: srv must
        size, clt must size, has return, has ext, */
        /* 0x3, */
        3 /*
        /* 16 */ 0xa, /* 10 */
        /* 0x7, */
        Ext Flags: new corr desc, clt corr check, srv corr
        check, */
        /* 18 */ NdrFcShort( 0x20 ), /* 32 */
        /* 20 */ NdrFcShort( 0x20 ), /* 32 */
        /* 22 */ NdrFcShort( 0x0 ), /* 0 */
        /* 24 */ NdrFcShort( 0x0 ), /* 0 */

        /* Parameter txn_in */

        /* 26 */ NdrFcShort( 0x8b ), /* Flags: must size,
        must free, in, by val, */
        #ifndef _ALPHA_
        /* 28 */ NdrFcShort( 0x10 ), /* ia64 Stack
        size/offset = 16 */
        #else
        NdrFcShort( 0x8 ), /*
        axp64 Stack size/offset = 8 */
        #endif
        /* 30 */ NdrFcShort( 0x3b6 ), /* Type
        Offset=950 */

        /* Parameter txn_out */

        /* 32 */ NdrFcShort( 0x6113 ), /* Flags:
        must size, must free, out, simple ref, srv alloc
        size=24 */
        #ifndef _ALPHA_
        /* 34 */ NdrFcShort( 0x28 ), /* ia64 Stack
        size/offset = 40 */
        #else
        NdrFcShort( 0x20 ), /*
        axp64 Stack size/offset = 32 */

```

```

#endif
/* 36 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Return value */

/* 38 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
/* 40 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
/* 42 */ 0x8, /* FC_LONG */
0 /*
0x0, */

/* Procedure Payment */

/* 44 */ 0x33, /* FC_AUTO_HANDLE */
/* 0x6c, */
Old Flags: object, Oi2 /*
/* 46 */ NdrFcLong( 0x0 ), /* 0 */
/* 50 */ NdrFcShort( 0x4 ), /* 4 */
#ifndef _ALPHA_
/* 52 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
/* 54 */ NdrFcShort( 0x0 ), /* 0 */
/* 56 */ NdrFcShort( 0x8 ), /* 8 */
/* 58 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
/* 0x3, */
3 /*
/* 60 */ 0xa, /* 10 */
/* 0x7, */
Ext Flags: new corr desc, clt corr check, srv corr
check, */
/* 62 */ NdrFcShort( 0x20 ), /* 32 */
/* 64 */ NdrFcShort( 0x20 ), /* 32 */
/* 66 */ NdrFcShort( 0x0 ), /* 0 */
/* 68 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 70 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_
/* 72 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
/* 74 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

/* Parameter txn_out */

```

```

/* 76 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifndef _ALPHA_
/* 78 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
/* 80 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Return value */

/* 82 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
/* 84 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
/* 86 */ 0x8, /* FC_LONG */
0 /*
0x0, */

/* Procedure Delivery */

/* 88 */ 0x33, /* FC_AUTO_HANDLE */
/* 0x6c, */
Old Flags: object, Oi2 /*
/* 90 */ NdrFcLong( 0x0 ), /* 0 */
/* 94 */ NdrFcShort( 0x5 ), /* 5 */
#ifndef _ALPHA_
/* 96 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
/* 98 */ NdrFcShort( 0x0 ), /* 0 */
/* 100 */ NdrFcShort( 0x8 ), /* 8 */
/* 102 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
/* 0x3, */
3 /*
/* 104 */ 0xa, /* 10 */
/* 0x7, */
Ext Flags: new corr desc, clt corr check, srv corr
check, */
/* 106 */ NdrFcShort( 0x20 ), /* 32 */
/* 108 */ NdrFcShort( 0x20 ), /* 32 */
/* 110 */ NdrFcShort( 0x0 ), /* 0 */
/* 112 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 114 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_

```



```

/* 116 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
    NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
/* 118 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

    /* Parameter txn_out */

/* 120 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifndef _ALPHA_
/* 122 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
    NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
/* 124 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

    /* Return value */

/* 126 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
/* 128 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
    NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
/* 130 */ 0x8, /* FC_LONG */
0x0, /*
0 */

    /* Procedure StockLevel */

/* 132 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*

Old Flags: object, Oi2 */
/* 134 */ NdrFcLong( 0x0 ), /* 0 */
/* 138 */ NdrFcShort( 0x6 ), /* 6 */
#ifndef _ALPHA_
/* 140 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
    NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
/* 142 */ NdrFcShort( 0x0 ), /* 0 */
/* 144 */ NdrFcShort( 0x8 ), /* 8 */
/* 146 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
0x3, /*
3 */
/* 148 */ 0xa, /* 10 */
0x7, /*
Ext Flags: new corr desc, clt corr check, srv corr
check, */

```

```

/* 150 */ NdrFcShort( 0x20 ), /* 32 */
/* 152 */ NdrFcShort( 0x20 ), /* 32 */
/* 154 */ NdrFcShort( 0x0 ), /* 0 */
/* 156 */ NdrFcShort( 0x0 ), /* 0 */

    /* Parameter txn_in */

/* 158 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_
/* 160 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
    NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
/* 162 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

    /* Parameter txn_out */

/* 164 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifndef _ALPHA_
/* 166 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
    NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
/* 168 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

    /* Return value */

/* 170 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
/* 172 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
    NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
/* 174 */ 0x8, /* FC_LONG */
0x0, /*
0 */

    /* Procedure OrderStatus */

/* 176 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*

Old Flags: object, Oi2 */
/* 178 */ NdrFcLong( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x7 ), /* 7 */
#ifndef _ALPHA_
/* 184 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
    NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif

```

```

/* 186 */ NdrFcShort( 0x0 ), /* 0 */
/* 188 */ NdrFcShort( 0x8 ), /* 8 */
/* 190 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
0x3, /*
3 */
/* 192 */ 0xa, /* 10 */
0x7, /*
Ext Flags: new corr desc, clt corr check, srv corr
check, */
/* 194 */ NdrFcShort( 0x20 ), /* 32 */
/* 196 */ NdrFcShort( 0x20 ), /* 32 */
/* 198 */ NdrFcShort( 0x0 ), /* 0 */
/* 200 */ NdrFcShort( 0x0 ), /* 0 */

    /* Parameter txn_in */

/* 202 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_
/* 204 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
    NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
/* 206 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

    /* Parameter txn_out */

/* 208 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifndef _ALPHA_
/* 210 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
    NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
/* 212 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

    /* Return value */

/* 214 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
/* 216 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
    NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
/* 218 */ 0x8, /* FC_LONG */
0x0, /*
0 */

    /* Procedure CallSetComplete */

/* 220 */ 0x33, /* FC_AUTO_HANDLE */

```

```

                                0x6c,          /*
Old Flags: object, Oi2 */
/* 222 */ NdrFcLong( 0x0 ), /* 0 */
/* 226 */ NdrFcShort( 0x8 ), /* 8 */
/* 228 */ NdrFcShort( 0x10 ), /* ia64, axp64 Stack
size/offset = 16 */
/* 230 */ NdrFcShort( 0x0 ), /* 0 */
/* 232 */ NdrFcShort( 0x8 ), /* 8 */
/* 234 */ 0x44, /* Oi2 Flags: has
return, has ext, */
                                0x1,          /*
1 */
/* 236 */ 0xa, /* 10 */
                                0x1,          /*
Ext Flags: new corr desc, */
/* 238 */ NdrFcShort( 0x0 ), /* 0 */
/* 240 */ NdrFcShort( 0x8 ), /* 8 */
/* 242 */ NdrFcShort( 0x0 ), /* 0 */
/* 244 */ NdrFcShort( 0x0 ), /* 0 */

/* Return value */

/* 246 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 248 */ NdrFcShort( 0x8 ), /* ia64, axp64 Stack
size/offset = 8 */
/* 250 */ 0x8, /* FC_LONG */
                                0x0,          /*
0 */

                                0x0

};

static const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString =
{
    0,
    {
        NdrFcShort( 0x0 ), /*
0 */
/* 2 */

                                0x12, 0x0, /*
FC_UP */
/* 4 */ NdrFcShort( 0x39e ), /* Offset=
926 (930) */
/* 6 */

                                0x2b, /*
FC_NON_ENCAPSULATED_UNION */
0x9, /*
FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT
*/

                                0x0, /*
*/
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */
/* 12 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 14 */ NdrFcShort( 0x2 ), /* Offset= 2 (16) */
/* 16 */ NdrFcShort( 0x10 ), /* 16 */
/* 18 */ NdrFcShort( 0x2b ), /* 43 */
/* 20 */ NdrFcLong( 0x3 ), /* 3 */

```

```

/* 24 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 26 */ NdrFcLong( 0x11 ), /* 17 */
/* 30 */ NdrFcShort( 0x8001 ), /* Simple arm
type: FC_BYTE */
/* 32 */ NdrFcLong( 0x2 ), /* 2 */
/* 36 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 38 */ NdrFcLong( 0x4 ), /* 4 */
/* 42 */ NdrFcShort( 0x800a ), /* Simple arm
type: FC_FLOAT */
/* 44 */ NdrFcLong( 0x5 ), /* 5 */
/* 48 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 50 */ NdrFcLong( 0xb ), /* 11 */
/* 54 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 56 */ NdrFcLong( 0xa ), /* 10 */
/* 60 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 62 */ NdrFcLong( 0x6 ), /* 6 */
/* 66 */ NdrFcShort( 0xd6 ), /* Offset= 214 (280) */
/* 68 */ NdrFcLong( 0x7 ), /* 7 */
/* 72 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 74 */ NdrFcLong( 0x8 ), /* 8 */
/* 78 */ NdrFcShort( 0xd0 ), /* Offset= 208 (286) */
/* 80 */ NdrFcLong( 0xd ), /* 13 */
/* 84 */ NdrFcShort( 0xe4 ), /* Offset= 228 (312) */
/* 86 */ NdrFcLong( 0x9 ), /* 9 */
/* 90 */ NdrFcShort( 0xf0 ), /* Offset= 240 (330) */
/* 92 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 96 */ NdrFcShort( 0xfc ), /* Offset= 252 (348) */
/* 98 */ NdrFcLong( 0x24 ), /* 36 */
/* 102 */ NdrFcShort( 0x2f4 ), /* Offset=
756 (858) */
/* 104 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 108 */ NdrFcShort( 0x2ee ), /* Offset=
750 (858) */
/* 110 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 114 */ NdrFcShort( 0x2ec ), /* Offset=
748 (862) */
/* 116 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 120 */ NdrFcShort( 0x2ea ), /* Offset=
746 (866) */
/* 122 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 126 */ NdrFcShort( 0x2e8 ), /* Offset=
744 (870) */
/* 128 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 132 */ NdrFcShort( 0x2e6 ), /* Offset=
742 (874) */
/* 134 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 138 */ NdrFcShort( 0x2e4 ), /* Offset=
740 (878) */
/* 140 */ NdrFcLong( 0x400b ), /* 16395 */
/* 144 */ NdrFcShort( 0x2d2 ), /* Offset=
722 (866) */
/* 146 */ NdrFcLong( 0x400a ), /* 16394 */
/* 150 */ NdrFcShort( 0x2d0 ), /* Offset=
720 (870) */
/* 152 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 156 */ NdrFcShort( 0x2d6 ), /* Offset=
726 (882) */

```

```

/* 158 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 162 */ NdrFcShort( 0x2cc ), /* Offset=
716 (878) */
/* 164 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 168 */ NdrFcShort( 0x2ce ), /* Offset=
718 (886) */
/* 170 */ NdrFcLong( 0x400d ), /* 16397 */
/* 174 */ NdrFcShort( 0x2cc ), /* Offset=
716 (890) */
/* 176 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 180 */ NdrFcShort( 0x2ca ), /* Offset=
714 (894) */
/* 182 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 186 */ NdrFcShort( 0x2c8 ), /* Offset=
712 (898) */
/* 188 */ NdrFcLong( 0x400c ), /* 16396 */
/* 192 */ NdrFcShort( 0x2c6 ), /* Offset=
710 (902) */
/* 194 */ NdrFcLong( 0x10 ), /* 16 */
/* 198 */ NdrFcShort( 0x8002 ), /* Simple arm
type: FC_CHAR */
/* 200 */ NdrFcLong( 0x12 ), /* 18 */
/* 204 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 206 */ NdrFcLong( 0x13 ), /* 19 */
/* 210 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 212 */ NdrFcLong( 0x16 ), /* 22 */
/* 216 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 218 */ NdrFcLong( 0x17 ), /* 23 */
/* 222 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 224 */ NdrFcLong( 0xe ), /* 14 */
/* 228 */ NdrFcShort( 0x2aa ), /* Offset=
682 (910) */
/* 230 */ NdrFcLong( 0x400e ), /* 16398 */
/* 234 */ NdrFcShort( 0x2b0 ), /* Offset=
688 (922) */
/* 236 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 240 */ NdrFcShort( 0x2ae ), /* Offset=
686 (926) */
/* 242 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 246 */ NdrFcShort( 0x26c ), /* Offset=
620 (866) */
/* 248 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 252 */ NdrFcShort( 0x26a ), /* Offset=
618 (870) */
/* 254 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 258 */ NdrFcShort( 0x264 ), /* Offset=
612 (870) */
/* 260 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 264 */ NdrFcShort( 0x25e ), /* Offset=
606 (870) */
/* 266 */ NdrFcLong( 0x0 ), /* 0 */
/* 270 */ NdrFcShort( 0x0 ), /* Offset= 0 (270) */
/* 272 */ NdrFcLong( 0x1 ), /* 1 */
/* 276 */ NdrFcShort( 0x0 ), /* Offset= 0 (276) */
/* 278 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(277) */
/* 280 */

                                0x15,          /*
FC_STRUCT */

```

```

0x7, /*
7 */
/* 282 */ NdrFcShort( 0x8 ), /* 8 */
/* 284 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */
/* 286 */
0x12, 0x0, /*
FC_UP */
/* 288 */ NdrFcShort( 0xe ), /* Offset= 14 (302) */
/* 290 */
0x1b, /*
FC_CARRAY */
0x1, /*
1 */
/* 292 */ NdrFcShort( 0x2 ), /* 2 */
/* 294 */ 0x9, /* Corr desc: FC_ULONG */
0x0, /*
*/
/* 296 */ NdrFcShort( 0xffffc ), /* -4 */
/* 298 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 300 */ 0x6, /* FC_SHORT */
0x5b, /*
FC_END */
/* 302 */
0x17, /*
FC_CSTRUCT */
0x3, /*
3 */
/* 304 */ NdrFcShort( 0x8 ), /* 8 */
/* 306 */ NdrFcShort( 0xffffffff0 ), /* Offset= -16 (290) */
/* 308 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 310 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 312 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 314 */ NdrFcLong( 0x0 ), /* 0 */
/* 318 */ NdrFcShort( 0x0 ), /* 0 */
/* 320 */ NdrFcShort( 0x0 ), /* 0 */
/* 322 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 324 */ 0x0, /* 0 */
0x0, /*
0 */
/* 326 */ 0x0, /* 0 */
0x0, /*
0 */
/* 328 */ 0x0, /* 0 */
0x46, /*
70 */
/* 330 */
0x2f, /*
FC_IP */

```

```

0x5a, /*
FC_CONSTANT_IID */
/* 332 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 336 */ NdrFcShort( 0x0 ), /* 0 */
/* 338 */ NdrFcShort( 0x0 ), /* 0 */
/* 340 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 342 */ 0x0, /* 0 */
0x0, /*
0 */
/* 344 */ 0x0, /* 0 */
0x0, /*
0 */
/* 346 */ 0x0, /* 0 */
0x46, /*
70 */
/* 348 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 350 */ NdrFcShort( 0x2 ), /* Offset= 2 (352) */
/* 352 */
0x12, 0x0, /*
FC_UP */
/* 354 */ NdrFcShort( 0x1e6 ), /* Offset= 486 (840) */
/* 356 */
0x2a, /*
FC_ENCAPSULATED_UNION */
0x89, /*
137 */
/* 358 */ NdrFcShort( 0x20 ), /* 32 */
/* 360 */ NdrFcShort( 0xa ), /* 10 */
/* 362 */ NdrFcLong( 0x8 ), /* 8 */
/* 366 */ NdrFcShort( 0x50 ), /* Offset= 80 (446) */
/* 368 */ NdrFcLong( 0xd ), /* 13 */
/* 372 */ NdrFcShort( 0x70 ), /* Offset= 112 (484) */
/* 374 */ NdrFcLong( 0x9 ), /* 9 */
/* 378 */ NdrFcShort( 0x90 ), /* Offset= 144 (522) */
/* 380 */ NdrFcLong( 0xc ), /* 12 */
/* 384 */ NdrFcShort( 0xb0 ), /* Offset= 176 (560) */
/* 386 */ NdrFcLong( 0x24 ), /* 36 */
/* 390 */ NdrFcShort( 0x104 ), /* Offset= 260 (650) */
/* 392 */ NdrFcLong( 0x800d ), /* 32781 */
/* 396 */ NdrFcShort( 0x120 ), /* Offset= 288 (684) */
/* 398 */ NdrFcLong( 0x10 ), /* 16 */
/* 402 */ NdrFcShort( 0x13a ), /* Offset= 314 (716) */
/* 404 */ NdrFcLong( 0x2 ), /* 2 */
/* 408 */ NdrFcShort( 0x150 ), /* Offset= 336 (744) */
/* 410 */ NdrFcLong( 0x3 ), /* 3 */
/* 414 */ NdrFcShort( 0x166 ), /* Offset= 358 (772) */
/* 416 */ NdrFcLong( 0x14 ), /* 20 */
/* 420 */ NdrFcShort( 0x17c ), /* Offset= 380 (800) */
/* 422 */ NdrFcShort( 0xffffffff ), /* Offset= -1 (421) */
/* 424 */

```

```

0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
0x0, /*
*/
/* 430 */ NdrFcShort( 0x0 ), /* 0 */
/* 432 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 434 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 438 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 440 */
0x12, 0x0, /*
FC_UP */
/* 442 */ NdrFcShort( 0xffffffff74 ), /* Offset= -140 (302) */
/* 444 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 446 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 448 */ NdrFcShort( 0x10 ), /* 16 */
/* 450 */ NdrFcShort( 0x0 ), /* 0 */
/* 452 */ NdrFcShort( 0x6 ), /* Offset= 6 (458) */
/* 454 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 456 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 458 */
0x11, 0x0, /*
FC_RP */
/* 460 */ NdrFcShort( 0xffffffffdc ), /* Offset= -36 (424) */
/* 462 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 464 */ NdrFcShort( 0x0 ), /* 0 */
/* 466 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
0x0, /*
*/
/* 468 */ NdrFcShort( 0x0 ), /* 0 */
/* 470 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 472 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 476 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 478 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /*
0 */
/* 480 */ NdrFcShort( 0xffffffff58 ), /* Offset= -168 (312) */
/* 482 */ 0x5c, /* FC_PAD */

```

```

0x5b, /*
FC_END */
/* 484 */
FC_BOGUS_STRUCT */
0x1a, /*
0x3, /*
3 */
/* 486 */ NdrFcShort( 0x10 ), /* 16 */
/* 488 */ NdrFcShort( 0x0 ), /* 0 */
/* 490 */ NdrFcShort( 0x6 ), /* Offset= 6 (496) */
/* 492 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 494 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 496 */
0x11, 0x0, /*
FC_RP */
/* 498 */ NdrFcShort( 0xfffffcdc ), /* Offset= -
36 (462) */
/* 500 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 502 */ NdrFcShort( 0x0 ), /* 0 */
/* 504 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 506 */ NdrFcShort( 0x0 ), /* 0 */
/* 508 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 510 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 514 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 516 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 518 */ NdrFcShort( 0xfffff44 ), /* Offset= -
188 (330) */
/* 520 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 522 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 524 */ NdrFcShort( 0x10 ), /* 16 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */
/* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 530 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 532 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 534 */
0x11, 0x0, /*
FC_RP */

```

```

/* 536 */ NdrFcShort( 0xfffffcdc ), /* Offset= -
36 (500) */
/* 538 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 540 */ NdrFcShort( 0x0 ), /* 0 */
/* 542 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 544 */ NdrFcShort( 0x0 ), /* 0 */
/* 546 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 548 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 552 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 554 */
0x12, 0x0, /*
FC_UP */
/* 556 */ NdrFcShort( 0x176 ), /* Offset=
374 (930) */
/* 558 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 560 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 562 */ NdrFcShort( 0x10 ), /* 16 */
/* 564 */ NdrFcShort( 0x0 ), /* 0 */
/* 566 */ NdrFcShort( 0x6 ), /* Offset= 6 (572) */
/* 568 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 570 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 572 */
0x11, 0x0, /*
FC_RP */
/* 574 */ NdrFcShort( 0xfffffcdc ), /* Offset= -
36 (538) */
/* 576 */
0x2E, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 578 */ NdrFcLong( 0x2f ), /* 47 */
/* 582 */ NdrFcShort( 0x0 ), /* 0 */
/* 584 */ NdrFcShort( 0x0 ), /* 0 */
/* 586 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 588 */ 0x0, /* 0 */
0x0, /*
0 */
/* 590 */ 0x0, /* 0 */
0x0, /*
0 */
/* 592 */ 0x0, /* 0 */

```

```

0x46, /*
70 */
/* 594 */
0x1b, /*
FC_CARRAY */
0x0, /*
0 */
/* 596 */ NdrFcShort( 0x1 ), /* 1 */
/* 598 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 600 */ NdrFcShort( 0x4 ), /* 4 */
/* 602 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 604 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 606 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 608 */ NdrFcShort( 0x18 ), /* 24 */
/* 610 */ NdrFcShort( 0x0 ), /* 0 */
/* 612 */ NdrFcShort( 0xc ), /* Offset= 12 (624) */
/* 614 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 616 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 618 */ NdrFcShort( 0xfffffd6 ), /* Offset= -
42 (576) */
/* 620 */ 0x39, /* FC_ALIGNM8 */
0x36, /*
FC_POINTER */
/* 622 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 624 */
0x12, 0x0, /*
FC_UP */
/* 626 */ NdrFcShort( 0xffffffe0 ), /* Offset= -
32 (594) */
/* 628 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 630 */ NdrFcShort( 0x0 ), /* 0 */
/* 632 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 634 */ NdrFcShort( 0x0 ), /* 0 */
/* 636 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 638 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 642 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 644 */

```

```

                                0x12, 0x0,      /*
FC_UP */
/* 646 */ NdrFcShort( 0xfffffd8 ), /* Offset= -
40 (606) */
/* 648 */ 0x5c, /* FC_PAD */
                                0x5b,      /*
FC_END */
/* 650 */
FC_BOGUS_STRUCT */
                                0x1a,      /*
3 */
                                0x3,        /*
/* 652 */ NdrFcShort( 0x10 ), /* 16 */
/* 654 */ NdrFcShort( 0x0 ), /* 0 */
/* 656 */ NdrFcShort( 0x6 ), /* Offset= 6 (662) */
/* 658 */ 0x8, /* FC_LONG */
                                0x39,      /*
FC_ALIGNM8 */
/* 660 */ 0x36, /* FC_POINTER */
                                0x5b,      /*
FC_END */
/* 662 */
                                0x11, 0x0, /*
FC_RP */
/* 664 */ NdrFcShort( 0xfffffdc ), /* Offset= -
36 (628) */
/* 666 */
FC_SMPARRAY */
                                0x1d,      /*
0 */
/* 668 */ NdrFcShort( 0x8 ), /* 8 */
/* 670 */ 0x1, /* FC_BYTE */
                                0x5b,      /*
FC_END */
/* 672 */
FC_STRUCT */
                                0x15,      /*
3 */
/* 674 */ NdrFcShort( 0x10 ), /* 16 */
/* 676 */ 0x8, /* FC_LONG */
                                0x6,        /*
FC_SHORT */
/* 678 */ 0x6, /* FC_SHORT */
                                0x4c,      /*
FC_EMBEDDED_COMPLEX */
/* 680 */ 0x0, /* 0 */
                                NdrFcShort( 0xfffffff1
), /* Offset= -15 (666) */
                                0x5b,      /*
FC_END */
/* 684 */
                                0x1a,      /*
FC_BOGUS_STRUCT */
                                0x3,        /*
3 */
/* 686 */ NdrFcShort( 0x20 ), /* 32 */
/* 688 */ NdrFcShort( 0x0 ), /* 0 */
/* 690 */ NdrFcShort( 0xa ), /* Offset= 10 (700) */
/* 692 */ 0x8, /* FC_LONG */
                                0x39,      /*
FC_ALIGNM8 */

```

```

/* 694 */ 0x36, /* FC_POINTER */
                                0x4c,      /*
FC_EMBEDDED_COMPLEX */
/* 696 */ 0x0, /* 0 */
                                NdrFcShort( 0xffffffe7
), /* Offset= -25 (672) */
                                0x5b,      /*
FC_END */
/* 700 */
                                0x11, 0x0, /*
FC_RP */
/* 702 */ NdrFcShort( 0xffffff10 ), /* Offset= -
240 (462) */
/* 704 */
                                0x1b,      /*
FC_CARRAY */
                                0x0,        /*
0 */
/* 706 */ NdrFcShort( 0x1 ), /* 1 */
/* 708 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0,        /*
*/
/* 710 */ NdrFcShort( 0x0 ), /* 0 */
/* 712 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 714 */ 0x1, /* FC_BYTE */
                                0x5b,      /*
FC_END */
/* 716 */
                                0x1a,      /*
FC_BOGUS_STRUCT */
                                0x3,        /*
3 */
/* 718 */ NdrFcShort( 0x10 ), /* 16 */
/* 720 */ NdrFcShort( 0x0 ), /* 0 */
/* 722 */ NdrFcShort( 0x6 ), /* Offset= 6 (728) */
/* 724 */ 0x8, /* FC_LONG */
                                0x39,      /*
FC_ALIGNM8 */
/* 726 */ 0x36, /* FC_POINTER */
                                0x5b,      /*
FC_END */
/* 728 */
                                0x12, 0x0, /*
FC_UP */
/* 730 */ NdrFcShort( 0xffffffe6 ), /* Offset= -
26 (704) */
/* 732 */
                                0x1b,      /*
FC_CARRAY */
                                0x1,        /*
1 */
/* 734 */ NdrFcShort( 0x2 ), /* 2 */
/* 736 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0,        /*
*/
/* 738 */ NdrFcShort( 0x0 ), /* 0 */
/* 740 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 742 */ 0x6, /* FC_SHORT */

```

```

                                0x5b,      /*
FC_END */
/* 744 */
                                0x1a,      /*
FC_BOGUS_STRUCT */
                                0x3,        /*
3 */
/* 746 */ NdrFcShort( 0x10 ), /* 16 */
/* 748 */ NdrFcShort( 0x0 ), /* 0 */
/* 750 */ NdrFcShort( 0x6 ), /* Offset= 6 (756) */
/* 752 */ 0x8, /* FC_LONG */
                                0x39,      /*
FC_ALIGNM8 */
/* 754 */ 0x36, /* FC_POINTER */
                                0x5b,      /*
FC_END */
/* 756 */
                                0x12, 0x0, /*
FC_UP */
/* 758 */ NdrFcShort( 0xffffffe6 ), /* Offset= -
26 (732) */
/* 760 */
                                0x1b,      /*
FC_CARRAY */
                                0x3,        /*
3 */
/* 762 */ NdrFcShort( 0x4 ), /* 4 */
/* 764 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0,        /*
*/
/* 766 */ NdrFcShort( 0x0 ), /* 0 */
/* 768 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 770 */ 0x8, /* FC_LONG */
                                0x5b,      /*
FC_END */
/* 772 */
                                0x1a,      /*
FC_BOGUS_STRUCT */
                                0x3,        /*
3 */
/* 774 */ NdrFcShort( 0x10 ), /* 16 */
/* 776 */ NdrFcShort( 0x0 ), /* 0 */
/* 778 */ NdrFcShort( 0x6 ), /* Offset= 6 (784) */
/* 780 */ 0x8, /* FC_LONG */
                                0x39,      /*
FC_ALIGNM8 */
/* 782 */ 0x36, /* FC_POINTER */
                                0x5b,      /*
FC_END */
/* 784 */
                                0x12, 0x0, /*
FC_UP */
/* 786 */ NdrFcShort( 0xffffffe6 ), /* Offset= -
26 (760) */
/* 788 */
                                0x1b,      /*
FC_CARRAY */
                                0x7,        /*
7 */
/* 790 */ NdrFcShort( 0x8 ), /* 8 */

```

```

/* 792 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 794 */ NdrFcShort( 0x0 ), /* 0 */
/* 796 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 798 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */
/* 800 */
FC_BOGUS_STRUCT */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 802 */ NdrFcShort( 0x10 ), /* 16 */
/* 804 */ NdrFcShort( 0x0 ), /* 0 */
/* 806 */ NdrFcShort( 0x6 ), /* Offset= 6 (812) */
/* 808 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 810 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 812 */
0x12, 0x0, /*
FC_UP */
/* 814 */ NdrFcShort( 0xfffffe6 ), /* Offset= -
26 (788) */
/* 816 */
0x15, /*
FC_STRUCT */
0x3, /*
3 */
/* 818 */ NdrFcShort( 0x8 ), /* 8 */
/* 820 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 822 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 824 */
0x1b, /*
FC_CARRAY */
0x3, /*
3 */
/* 826 */ NdrFcShort( 0x8 ), /* 8 */
/* 828 */ 0x7, /* Corr desc: FC_USHORT
*/
0x0, /*
*/
/* 830 */ NdrFcShort( 0xffc8 ), /* -56 */
/* 832 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 834 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 836 */ NdrFcShort( 0xfffffec ), /* Offset= -
20 (816) */
/* 838 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */

```

```

/* 840 */
FC_BOGUS_STRUCT */
0x1a, /*
0x3, /*
3 */
/* 842 */ NdrFcShort( 0x38 ), /* 56 */
/* 844 */ NdrFcShort( 0xfffffec ), /* Offset= -
20 (824) */
/* 846 */ NdrFcShort( 0x0 ), /* Offset= 0 (846) */
/* 848 */ 0x6, /* FC_SHORT */
0x6, /*
FC_SHORT */
/* 850 */ 0x38, /* FC_ALIGNM4 */
0x8, /*
FC_LONG */
/* 852 */ 0x8, /* FC_LONG */
0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 854 */ 0x4, /* 4 */
NdrFcShort( 0xfffffe0d
), /* Offset= -499 (356) */
0x5b, /*
FC_END */
/* 858 */
0x12, 0x0, /*
FC_UP */
/* 860 */ NdrFcShort( 0xfffff02 ), /* Offset= -
254 (606) */
/* 862 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 864 */ 0x1, /* FC_BYTE */
0x5c, /*
FC_PAD */
/* 866 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 868 */ 0x6, /* FC_SHORT */
0x5c, /*
FC_PAD */
/* 870 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 872 */ 0x8, /* FC_LONG */
0x5c, /*
FC_PAD */
/* 874 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 876 */ 0xa, /* FC_FLOAT */
0x5c, /*
FC_PAD */
/* 878 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 880 */ 0xc, /* FC_DOUBLE */
0x5c, /*
FC_PAD */
/* 882 */
0x12, 0x0, /*
FC_UP */
/* 884 */ NdrFcShort( 0xffffda4 ), /* Offset= -
604 (280) */

```

```

/* 886 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 888 */ NdrFcShort( 0xffffda6 ), /* Offset= -
602 (286) */
/* 890 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 892 */ NdrFcShort( 0xffffdbc ), /* Offset= -
580 (312) */
/* 894 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 896 */ NdrFcShort( 0xffffdca ), /* Offset= -
566 (330) */
/* 898 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 900 */ NdrFcShort( 0xffffdd8 ), /* Offset= -
552 (348) */
/* 902 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 904 */ NdrFcShort( 0x2 ), /* Offset= 2 (906) */
/* 906 */
0x12, 0x0, /*
FC_UP */
/* 908 */ NdrFcShort( 0x16 ), /* Offset= 22 (930) */
/* 910 */
0x15, /*
FC_STRUCT */
0x7, /*
7 */
/* 912 */ NdrFcShort( 0x10 ), /* 16 */
/* 914 */ 0x6, /* FC_SHORT */
0x1, /*
FC_BYTE */
/* 916 */ 0x1, /* FC_BYTE */
0x38, /*
FC_ALIGNM4 */
/* 918 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 920 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */
/* 922 */
0x12, 0x0, /*
FC_UP */
/* 924 */ NdrFcShort( 0xffffff2 ), /* Offset= -
14 (910) */
/* 926 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 928 */ 0x2, /* FC_CHAR */
0x5c, /*
FC_PAD */
/* 930 */
0x1a, /*
FC_BOGUS_STRUCT */
0x7, /*
7 */
/* 932 */ NdrFcShort( 0x20 ), /* 32 */

```

```

/* 934 */ NdrFcShort( 0x0 ), /* 0 */
/* 936 */ NdrFcShort( 0x0 ), /* Offset= 0 (936) */
/* 938 */ 0x8, /* FC_LONG */
/* FC_LONG */
/* 940 */ 0x6, /* FC_SHORT */
/* FC_SHORT */
/* 942 */ 0x6, /* FC_SHORT */
/* FC_SHORT */
/* 944 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/*
0 */
/* 946 */ NdrFcShort( 0xfffffc54 ), /* Offset= -
940 (6) */
/* 948 */ 0x5c, /* FC_PAD */
/* FC_END */
/* 950 */ 0xb4, /* FC_USER_MARSHAL */
0x83,
131 */
/* 952 */ NdrFcShort( 0x0 ), /* 0 */
/* 954 */ NdrFcShort( 0x18 ), /* 24 */
/* 956 */ NdrFcShort( 0x0 ), /* 0 */
/* 958 */ NdrFcShort( 0xfffffc44 ), /* Offset= -
956 (2) */
/* 960 */
0x11, 0x4,
/* FC_RP [allocated_on_stack] */
/* 962 */ NdrFcShort( 0x6 ), /* Offset= 6 (968) */
/* 964 */
0x13, 0x0,
/* FC_OP */
/* 966 */ NdrFcShort( 0xfffffcdc ), /* Offset= -
36 (930) */
/* 968 */ 0xb4, /* FC_USER_MARSHAL */
0x83,
131 */
/* 970 */ NdrFcShort( 0x0 ), /* 0 */
/* 972 */ NdrFcShort( 0x18 ), /* 24 */
/* 974 */ NdrFcShort( 0x0 ), /* 0 */
/* 976 */ NdrFcShort( 0xfffff4 ), /* Offset= -
12 (964) */
0x0
}
};

const CInterfaceProxyVtbl *
_tpcc_com_ps_ProxyVtblList[] =
{
( CInterfaceProxyVtbl * ) &ITPCCProxyVtbl,
0
};

const CInterfaceStubVtbl *
_tpcc_com_ps_StubVtblList[] =
{
( CInterfaceStubVtbl * ) &ITPCCStubVtbl,
0
};

```

```

PCInterfaceName const
_tpcc_com_ps_InterfaceNamesList[] =
{
"ITPCC",
0
};

#define _tpcc_com_ps_CHECK_IID(n)
IID_GENERIC_CHECK_IID( _tpcc_com_ps, pIID,
n)

int __stdcall _tpcc_com_ps_IID_Lookup( const IID *
pIID, int * pIndex )
{
if(!_tpcc_com_ps_CHECK_IID(0))
{
*pIndex = 0;
return 1;
}

return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo
=
{
(PCInterfaceProxyVtblList *) &
_tpcc_com_ps_ProxyVtblList,
(PCInterfaceStubVtblList *) &
_tpcc_com_ps_StubVtblList,
(const PCInterfaceName *) &
_tpcc_com_ps_InterfaceNamesList,
0, // no delegation
& _tpcc_com_ps_IID_Lookup,
1,
2,
0, /* table of [async_uuid] interfaces */
0, /* Filler1 */
0, /* Filler2 */
0, /* Filler3 */
};

#endif /* defined(_M_IA64) || defined(_M_AXP64)*/

```

## tpcc\_com\_sl.rgs

```

HKCR
{
TPCC.StockLevel.1 = s 'StockLevel Class'
{
CLSID = s '{2668369E-A50D-11D2-
BA4E-00C04FBFE08B}'
TPCC.StockLevel = s 'StockLevel Class'
}
}

```

```

CurVer = s 'TPCC.StockLevel.1'
}
NoRemove CLSID
{
ForceRemove {2668369E-A50D-11D2-
BA4E-00C04FBFE08B} = s 'StockLevel Class'
{
ProgID = s
'TPCC.StockLevel.1'
VersionIndependentProgID = s
'TPCC.StockLevel'
InprocServer32 = s
'%MODULE%'
{
val
ThreadingModel = s 'Both'
}
}
}
}

```

## tpcc\_dblib.cpp

```

/* FILE: TPCC_DBLIB.CPP
* Microsoft
TPC-C Kit Ver. 4.20.000
* Copyright
Microsoft, 1999
* All Rights Reserved
* Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
* PURPOSE: Implements dblib calls for TPC-C
txns.
* Contact: Charles Levine
(clevine@microsoft.com)
*
* Change history:
* 4.20.000 - updated rev number to
match kit
* 4.10.001 - not deleting error
class in catch handler on deadlock retry;
* not a
functional bug, but a memory leak
* - had to
tweak some declarations to compile with latest SDK;
no functional change
*/

#include <windows.h>
#include <stdio.h>
#include <assert.h>

#define DBNTWIN32
#include <sqlfront.h>
#include <sqlldb.h>

```

```

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_dblib.h"

#define DEFCLPKSIZE
4096

// version string; must match return value from
tpcc_version stored proc
const char sVersion[] = "4.10.000";

const iMaxRetries = 10;
// how many retries on deadlock
static long iConnectionCount = 0; // number
of current dblib connections

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

BOOL WINAPI DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:

            DisableThreadLibraryCalls(hModule);
            dbinit(); //
            initialize dblib
                break;

        case DLL_PROCESS_DETACH:
            dbexit(); //
            close all dblib structures/connections
                break;

        default:
            /* nothing */;
    }
    return TRUE;
}

int err_handler(DBPROCESS *dbproc, int severity, int
dberr, int oserr, LPCSTR dberrstr, LPCSTR oserrstr)
{
    CTPCC_DBLIB
    *pConn;

    assert(dbproc != NULL);
    pConn =
(CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {

```

```

        pConn->SetDbLibError( severity,
dberr, oserr, dberrstr, oserrstr );
    }
    return INT_CANCEL;
}

/* FUNCTION: int msg_handler(DBPROCESS *dbproc, DBINT
msgno, int msgstate, int severity, char *msgtext)
*
* PURPOSE: This function handles DB-Library
SQL Server error messages
*
* ARGUMENTS: DBPROCESS *dbproc
DBPROCESS id pointer DBINT
*
* message number
*
* message state msgstate int
*
* message severity severity int
*
* *msgtext char
printable
*
message description
*
* RETURNS: int
INT_CONTINUE continue if
error is SQLETIME else INT_CANCEL action
*
INT_CANCEL
cancel operation
*
* COMMENTS: This function also sets the dead
lock dbproc variable if necessary.
*
*/

// typedef INT (SQLAPI *DBMSGHANDLE_PROC)(PDBPROCESS,
DBINT, INT, INT, LPCSTR, LPCSTR, LPCSTR,
DBUSMALLINT);

int msg_handler(DBPROCESS *dbproc, DBINT msgno, int
msgstate, int severity,
LPCSTR
msgtext, LPCSTR srvname, LPCSTR procname, DBUSMALLINT
line)
{
    CTPCC_DBLIB
    *pConn;

    assert(dbproc != NULL);
    pConn =
(CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {
        pConn->SetSqlError( msgno,
msgstate, severity, msgtext );
    }

    return 0;
}

```

```

}

/* FUNCTION: void UtilStrCpy(char * pDest, char *
pSrc, int n)
*
* PURPOSE: This function copies n characters
from string pSrc to pDest and places a
* null character at the
end of the destination string.
*
* ARGUMENTS: char
* *pDest destination string pointer
char
* *pSrc source string pointer
int
*
n
number of characters to copy
*
* RETURNS: None
*
* COMMENTS: Unlike strncpy this function
ensures that the result string is
always null
terminated.
*
*/

inline static void UtilStrCpy(char * pDest, const
BYTE * pSrc, int n)
{
    strncpy(pDest, (char *)pSrc, n);
    pDest[n] = '\0';

    return;
}

/* FUNCTION: CTPCC_DBLIB_ERR::ErrorText
*
*/

char* CTPCC_DBLIB_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,
"Wrong version of stored procs on database
server" },
        { ERR_INVALID_CUST,
"Invalid Customer id,name." },
        { ERR_NO_SUCH_ORDER,
"No orders found for customer." },
        { ERR_RETRIED_TRANS,
"Retries before transaction succeeded." },
        { 0, "" }
    },
}

```



```

};

static char szNotFound[] = "Unknown error
number.";

for(i=0; errorMsgs[i].szMsg[0]; i++)
{
    if ( m_errno ==
errorMsgs[i].iError )
        break;
}
if ( !errorMsgs[i].szMsg[0] )
    return szNotFound;
else
    return errorMsgs[i].szMsg;
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_DBLIB* CTPCC_DBLIB_new(
LPCSTR szServer, // name of
SQL server
LPCSTR szUser, //
user name for login
LPCSTR szPassword, // password
for login
LPCSTR szHost, //
workstation name: shows up in sp_who: max 30 chars,
only first 10 kept by SQL Server
LPCSTR szDatabase ) // name of
database to use
{
    return new CTPCC_DBLIB( szServer, szUser,
szPassword, szHost, szDatabase );
}

CTPCC_DBLIB::CTPCC_DBLIB (
LPCSTR szServer, // name of
SQL server
LPCSTR szUser, //
user name for login
LPCSTR szPassword, // password
for login
LPCSTR szHost, //
workstation name: shows up in sp_who: max 30 chars,
only first 10 kept by SQL Server
LPCSTR szDatabase ) // name of
database to use
{
    LOGINREC *login;
    const BYTE *pData;

    // initialization
    m_dbproc = NULL;
    m_DbLibErr = (CDBLIBERR*)NULL;
    m_SqlErr = (CSQLERR*)NULL;

    m_MaxRetries = 10; // how many
retries on deadlock

    // increase max number of connections if
getting close

```

```

)
    if ( dbgetmaxprocs() < (iConnectionCount+5)
)
    {
        if (
dbsetmaxprocs(iConnectionCount+10) == FAIL )
            ThrowError(CDBLIBERR::eDbSetMaxProcs);
        }

        // allocate a login structure
        login = dblogin();
        if (login == NULL)
            ThrowError(CDBLIBERR::eLogin);
        InterlockedIncrement( &iConnectionCount );

        // register error and message handler
        if (dbprocerrhandle(login, err_handler) ==
NULL)
            ThrowError(CDBLIBERR::eDbProcHandler);

        if (dbprocmsghandle(login, msg_handler) ==
NULL)
            ThrowError(CDBLIBERR::eDbProcHandler);

        DBSETLUSER(login, szUser);
        DBSETLPWD(login, szPassword);
        DBSETLHOST(login, szHost);
        DBSETLPACKET(login, (unsigned
short)DEFCLPACKSIZE);
        DBSETLVERSION(login, DBVER60);
        // use dblib ver 6.0 client behavior

        // set time to wait for login
        if (dbsetlogintime(60) == FAIL)
            ThrowError(CDBLIBERR::eDbSet);

        // set time to wait for statement execution
        if (dbsettime(180) == FAIL)
            ThrowError(CDBLIBERR::eDbSet);

        m_dbproc = dbopen(login, szServer);

        // deallocate login structure before
checking for success
        dbfreelogin( login );

        if (m_dbproc == NULL)
            ThrowError(CDBLIBERR::eDbOpen);

        // save address of class instance so that
the message and error handler
        // can get to data.
        dbsetuserdata(m_dbproc, (LPVOID)this);

        // Use the the right database
        if (dbuse(m_dbproc, szDatabase) == FAIL)
            ThrowError(CDBLIBERR::eDbUse);

```

```

dbcmd(m_dbproc, "set nocount on ");
// do not return row counts
dbcmd(m_dbproc, "set XACT_ABORT ON");
// rollback transaction on abort

if (dbsqlexec(m_dbproc) == FAIL)
    ThrowError(CDBLIBERR::eDbSqlExec);

DiscardNextResults(2);

// verify that version of stored procs on
server is correct
dbrpcinit(m_dbproc, "tpcc_version", 0);

if (dbrpcexec(m_dbproc) == FAIL)
    ThrowError(CDBLIBERR::eDbRpcExec);

if (dbresults(m_dbproc) != SUCCEED)
    ThrowError(CDBLIBERR::eDbResults);

if (dbnextrow(m_dbproc) != REG_ROW)
    ThrowError(CDBLIBERR::eDbNextRow);

char szSrvVersion[16];
pData=dbdata(m_dbproc, 1);
if (pData)
    UtilStrCpy(szSrvVersion, pData,
dbdatlen(m_dbproc, 1));
else
    szSrvVersion[0]=0;
if (strcmp(szSrvVersion,sVersion))
    throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_WRONG_SP_VERSION );

DiscardNextRows(0);
DiscardNextResults(0);
}

CTPCC_DBLIB::~CTPCC_DBLIB( void )
{
    // close db connection and deallocate
resources
    dbclose(m_dbproc);
    InterlockedDecrement( &iConnectionCount );
    if (m_DbLibErr != NULL)
        delete m_DbLibErr;
    if (m_SqlErr != NULL)
        delete m_SqlErr;
}

void CTPCC_DBLIB::SetDbLibError(int severity, int
dberr, int oserr, LPCSTR dberrstr, LPCSTR oserrstr)
{
    delete m_DbLibErr;
    m_DbLibErr = new
CDBLIBERR(CDBLIBERR::eUnknown, severity, dberr,
oserr);

```

```

        if (dberrstr != NULL)
        {
            m_DbLibErr->m_dberrstr = new
char[ strlen(dberrstr)+1 ];
            strcpy( m_DbLibErr->m_dberrstr,
dberrstr );
        }

        if (oserrstr != NULL)
        {
            m_DbLibErr->m_oserrstr = new
char[ strlen(oserrstr)+1 ];
            strcpy( m_DbLibErr->m_oserrstr,
oserrstr );
        }
    }

void CTPCC_DBLIB::SetSqlError( int /*DBINT*/ msgno,
int msgstate, int severity, LPCSTR msgtext )
{
    if (m_SqlErr == NULL)
        m_SqlErr = new CSQLERR();

    m_SqlErr->m_msgno = msgno;
    m_SqlErr->m_msgstate = msgstate;
    m_SqlErr->m_severity = severity;

    delete [] m_SqlErr->m_msgtext;
    if (msgtext != NULL)
    {
        m_SqlErr->m_msgtext = new char[
strlen(msgtext)+1 ];
        strcpy( m_SqlErr->m_msgtext,
msgtext );
    }
}

void CTPCC_DBLIB::ThrowError( CDBLIBERR::ACTION
eAction )
{
    // discard anything still in return buffer
    DiscardNextRows(-1);
    DiscardNextResults(-1);

    // check for SQL Server error first; if
yes, throw it and ignore any DLib error.
    if (m_SqlErr != NULL)
    {
        CSQLERR *pSqlErr;
        pSqlErr = m_SqlErr;
        m_SqlErr = NULL; // clear our
pointer to instance; catch handler will delete
        throw pSqlErr;
    }

    CDBLIBERR *pDbLibErr;
    if (m_DbLibErr == NULL)
        // this case isn't expected to
happen, since it means that an error was returned
        // but the error handlers were
not called.

```

```

        pDbLibErr = new
CDBLIBERR(eAction);
    else
    {
        pDbLibErr = m_DbLibErr;
        pDbLibErr->m_eAction = eAction;
        m_DbLibErr = NULL; //
clear our pointer to instance; catch handler will
delete
    }

    throw pDbLibErr;
}

// Read and discard rows until no more. Throw an
exception if number of rows read doesn't
// match number of rows expected. The row count will
be ignored if the expected count value
// passed in is negative. A typical use of this
routine is to verify that there are no more
// rows to be read.
void CTPCC_DBLIB::DiscardNextRows(int iExpectedCount)
{
    int iRowsRead = 0;
    RETCODE rc;

    while (TRUE)
    {
        rc = dbnextrow(m_dbproc);
        if (rc == NO_MORE_ROWS)
            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >=
0)

                ThrowError(CDBLIBERR::eDbNextRow);
            else
                break;
        }
        iRowsRead++;
    }

    if ((iExpectedCount >= 0) &&
(iExpectedCount != iRowsRead))

        ThrowError(CDBLIBERR::eWrongRowCount);
}

// Read and discard results until no more. Throw an
exception if number of result sets read doesn't
// match number expected. The result set count will
be ignored if the expected count value
// passed in is negative. A typical use of this
routine is to verify that there are no more
// result sets to be read.
void CTPCC_DBLIB::DiscardNextResults(int
iExpectedCount)
{
    int iResultsRead = 0;
    RETCODE rc;

    while (TRUE)

```

```

    {
        rc = dbresults(m_dbproc);
        if (rc == NO_MORE_RESULTS)
            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >=
0)

                ThrowError(CDBLIBERR::eDbResults);
            else
                break;
        }

        DiscardNextRows(-1);
        iResultsRead++;
    }

    if ((iExpectedCount >= 0) &&
(iExpectedCount != iResultsRead))

        ThrowError(CDBLIBERR::eWrongRowCount);
}

void CTPCC_DBLIB::StockLevel()
{
    int iTryCount =
0;
    const BYTE *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_stocklevel", 0);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.StockLevel.w_id); // @w_id
            smallint
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.StockLevel.d_id); // @d_id
            tinyint
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.StockLevel.threshold); // @threshold
            smallint

                if (dbrpcexec(m_dbproc)
== FAIL)

                    ThrowError(CDBLIBERR::eDbRpcExec);

            if (dbresults(m_dbproc)
!= SUCCEED)

                ThrowError(CDBLIBERR::eDbResults);

```

```

        if (dbnextrow(m_dbproc)
:= REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        if
(pData=dbdata(m_dbproc, 1))
            m_txn.StockLevel.low_stock = *((long *)
pData);

            DiscardNextRows(0);
            DiscardNextResults(0);

            m_txn.StockLevel.exec_status_code = eOK;
            return;
        }
        catch (CSQLERR *e)
        {
            if ((e->m_msgno == 1205
||
== iErrOleDbProvider &&
>m_msgtext, sErrTimeoutExpired) != NULL) &&
<= iMaxRetries))
            {
                // hit
                deadlock; backoff for increasingly longer period
                delete e;
                Sleep(10 *
iTryCount);
            }
            else
                throw;
        }
    } // while (TRUE)

    //if (iTryCount)
    //    throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::NewOrder()
{
    int                i;
    DBINT              commit_flag;
    DBDATETIME         datetime;
    DBDATEREC          daterec;

    int                iTryCount =
0;
    const BYTE         *pData;

    ResetError();

    while (TRUE)
    {
        try

```

```

        {
            dbrpcinit(m_dbproc,
"tpcc_neworder", 0);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.NewOrder.w_id);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.d_id);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.NewOrder.c_id);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.o_ol_cnt);

            // check whether any
            order lines are for a remote warehouse

            m_txn.NewOrder.o_all_local = 1;
            for (i = 0; i <
m_txn.NewOrder.o_ol_cnt; i++)
            {
                if
(m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
                {
                    m_txn.NewOrder.o_all_local = 0; // at
                    least one remote warehouse

                    break;
                }
            }

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.o_all_local);

            for (i = 0; i <
m_txn.NewOrder.o_ol_cnt; i++)
            {
                dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_i_id);

                dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_supply_w_id);

                dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_quantity);
            }

            if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            // Get order line
            results

            m_txn.NewOrder.total_amount = 0;

```

```

            for (i = 0;
i<m_txn.NewOrder.o_ol_cnt; i++)
            {
                if
(dbresults(m_dbproc) != SUCCEED)
                    ThrowError(CDBLIBERR::eDbResults);

                if
(dbnumcols(m_dbproc) != 5)
                    ThrowError(CDBLIBERR::eWrongNumCols);

                if
(dbnextrow(m_dbproc) != REG_ROW)
                    ThrowError(CDBLIBERR::eDbNextRow);

                if (pData=dbdata(m_dbproc, 1))
                    UtilStrCpy(m_txn.NewOrder.OL[i].ol_i_name,
pData, dbdatlen(m_dbproc, 1));

                if (pData=dbdata(m_dbproc, 2))
                    m_txn.NewOrder.OL[i].ol_stock =
                    (*(DBSMALLINT *) pData);

                if (pData=dbdata(m_dbproc, 3))
                    UtilStrCpy(m_txn.NewOrder.OL[i].ol_brand_ge
neric, pData, dbdatlen(m_dbproc, 3));

                if (pData=dbdata(m_dbproc, 4))
                    dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc,4),
SQLFLT8, (BYTE
*)&m_txn.NewOrder.OL[i].ol_i_price, 8);

                if (pData=dbdata(m_dbproc, 5))
                    dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc,5),
SQLFLT8, (BYTE
*)&m_txn.NewOrder.OL[i].ol_amount, 8);

                m_txn.NewOrder.total_amount =
m_txn.NewOrder.total_amount +
m_txn.NewOrder.OL[i].ol_amount;

                DiscardNextRows(0);
            }

```

```

// get remaining values
for w_tax, d_tax, o_id, c_last, c_discount, c_credit,
o_entry_d, commit_flag
    if (dbresults(m_dbproc)
!= SUCCEED)
        ThrowError(CDBLIBERR::eDbResults);
        if (dbnextrow(m_dbproc)
!= REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);
        if (dbnumcols(m_dbproc)
!= 8)
            ThrowError(CDBLIBERR::eWrongNumCols);
        if
(pData=dbdata(m_dbproc, 1))
            dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,1), SQLFLT8, (BYTE
*)&m_txn.NewOrder.w_tax, 8);
        if
(pData=dbdata(m_dbproc, 2))
            dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,2), SQLFLT8, (BYTE
*)&m_txn.NewOrder.d_tax, 8);
        if
(pData=dbdata(m_dbproc, 3))
            m_txn.NewOrder.o_id = (*(DBINT *) pData);
        if
(pData=dbdata(m_dbproc, 4))
            UtilStrCpy(m_txn.NewOrder.c_last, pData,
dbdatlen(m_dbproc, 4));
        if
(pData=dbdata(m_dbproc, 5))
            dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,5), SQLFLT8, (BYTE
*)&m_txn.NewOrder.c_discount, 8);
        if
(pData=dbdata(m_dbproc, 6))
            UtilStrCpy(m_txn.NewOrder.c_credit, pData,
dbdatlen(m_dbproc, 6));
        if
(pData=dbdata(m_dbproc, 7))
            {
                datetime =
                (*(DBDATETIME *) pData);
                dbdatecrack(m_dbproc, &daterec, &datetime);

```

```

        m_txn.NewOrder.o_entry_d.year =
daterec.year;
        m_txn.NewOrder.o_entry_d.month =
daterec.month;
        m_txn.NewOrder.o_entry_d.day =
daterec.day;
        m_txn.NewOrder.o_entry_d.hour =
daterec.hour;
        m_txn.NewOrder.o_entry_d.minute =
daterec.minute;
        m_txn.NewOrder.o_entry_d.second =
daterec.second;
        if
(pData=dbdata(m_dbproc, 8))
            commit_flag =
(*(DBTINYINT *) pData);
            DiscardNextRows(0);
            DiscardNextResults(0);
            if (commit_flag == 1)
                {
                    m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
m_txn.NewOrder.c_discount));
                    m_txn.NewOrder.exec_status_code = eOK;
                }
            else
                m_txn.NewOrder.exec_status_code =
eInvalidItem;
            return;
        }
        catch (CSQLERR *e)
        {
            if ((e->m_msgno == 1205
||
== iErrOleDbProvider &&
(e->m_msgno
>m_msgtext, sErrTimeoutExpired) != NULL)) &&
(++iTryCount
<= iMaxRetries))
            {
                // hit
                deadlock; backoff for increasingly longer period
                delete e;
                Sleep(10 *
iTryCount);
            }
            else
                throw;

```

```

        }
        // while (TRUE)
        if (iTryCount)
            throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
    }

void CTPCC_DBLIB::Payment()
{
    DBDATETIME datetime;
    DBDATEREC daterec;

    int iTryCount =
0;
    const BYTE *pData;
    ResetError();
    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_payment", 0);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Payment.w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Payment.c_w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLFLT8, -1, -1, (BYTE *)
&m_txn.Payment.h_amount);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.d_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.c_d_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.Payment.c_id);
            // if customer id is
            zero, then payment is by name
            if (m_txn.Payment.c_id
== 0)
                dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.Payment.c_last), (unsigned char
*)&m_txn.Payment.c_last);
            if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);
            if (dbresults(m_dbproc)
!= SUCCEED)

```

```

ThrowError(CDBLIBERR::eDbResults);
        if (dbnextrow(m_dbproc)
!= REG_ROW)
        ThrowError(CDBLIBERR::eDbNextRow);
        if (dbnumcols(m_dbproc)
!= 27)
        ThrowError(CDBLIBERR::eWrongNumCols);
        if
(pData=dbdata(m_dbproc, 1))
        m_txn.Payment.c_id = *((DBINT *) pData);
        if
(pData=dbdata(m_dbproc, 2))
        UtilStrCpy(m_txn.Payment.c_last, pData,
dbdatlen(m_dbproc, 2));
        if
(pData=dbdata(m_dbproc, 3))
        {
                datetime =
*((DBDATETIME *) pData);
                dbdatecrack(m_dbproc, &daterec, &datetime);
                m_txn.Payment.h_date.year = daterec.year;
                m_txn.Payment.h_date.month =
daterec.month;
                m_txn.Payment.h_date.day = daterec.day;
                m_txn.Payment.h_date.hour = daterec.hour;
                m_txn.Payment.h_date.minute =
daterec.minute;
                m_txn.Payment.h_date.second =
daterec.second;
        }
        if
(pData=dbdata(m_dbproc, 4))
        UtilStrCpy(m_txn.Payment.w_street_1, pData,
dbdatlen(m_dbproc, 4));
        if
(pData=dbdata(m_dbproc, 5))
        UtilStrCpy(m_txn.Payment.w_street_2, pData,
dbdatlen(m_dbproc, 5));
        if
(pData=dbdata(m_dbproc, 6))
        UtilStrCpy(m_txn.Payment.w_city, pData,
dbdatlen(m_dbproc, 6));
        if
(pData=dbdata(m_dbproc, 7))

```

```

        UtilStrCpy(m_txn.Payment.w_state, pData,
dbdatlen(m_dbproc, 7));
        if
(pData=dbdata(m_dbproc, 8))
        UtilStrCpy(m_txn.Payment.w_zip, pData,
dbdatlen(m_dbproc, 8));
        if
(pData=dbdata(m_dbproc, 9))
        UtilStrCpy(m_txn.Payment.d_street_1, pData,
dbdatlen(m_dbproc, 9));
        if
(pData=dbdata(m_dbproc, 10))
        UtilStrCpy(m_txn.Payment.d_street_2, pData,
dbdatlen(m_dbproc, 10));
        if
(pData=dbdata(m_dbproc, 11))
        UtilStrCpy(m_txn.Payment.d_city, pData,
dbdatlen(m_dbproc, 11));
        if
(pData=dbdata(m_dbproc, 12))
        UtilStrCpy(m_txn.Payment.d_state, pData,
dbdatlen(m_dbproc, 12));
        if
(pData=dbdata(m_dbproc, 13))
        UtilStrCpy(m_txn.Payment.d_zip, pData,
dbdatlen(m_dbproc, 13));
        if
(pData=dbdata(m_dbproc, 14))
        UtilStrCpy(m_txn.Payment.c_first, pData,
dbdatlen(m_dbproc, 14));
        if
(pData=dbdata(m_dbproc, 15))
        UtilStrCpy(m_txn.Payment.c_middle, pData,
dbdatlen(m_dbproc, 15));
        if
(pData=dbdata(m_dbproc, 16))
        UtilStrCpy(m_txn.Payment.c_street_1, pData,
dbdatlen(m_dbproc, 16));
        if
(pData=dbdata(m_dbproc, 17))
        UtilStrCpy(m_txn.Payment.c_street_2, pData,
dbdatlen(m_dbproc, 17));
        if
(pData=dbdata(m_dbproc, 18))
        UtilStrCpy(m_txn.Payment.c_city, pData,
dbdatlen(m_dbproc, 18));
        if
(pData=dbdata(m_dbproc, 19))
        UtilStrCpy(m_txn.Payment.c_state, pData,
dbdatlen(m_dbproc, 19));

```

```

        if
(pData=dbdata(m_dbproc, 20))
        UtilStrCpy(m_txn.Payment.c_zip, pData,
dbdatlen(m_dbproc, 20));
        if
(pData=dbdata(m_dbproc, 21))
        UtilStrCpy(m_txn.Payment.c_phone, pData,
dbdatlen(m_dbproc, 21));
        if
(pData=dbdata(m_dbproc, 22))
        {
                datetime =
*((DBDATETIME *) pData);
                dbdatecrack(m_dbproc, &daterec, &datetime);
                m_txn.Payment.c_since.year =
daterec.year;
                m_txn.Payment.c_since.month =
daterec.month;
                m_txn.Payment.c_since.day = daterec.day;
                m_txn.Payment.c_since.hour =
daterec.hour;
                m_txn.Payment.c_since.minute =
daterec.minute;
                m_txn.Payment.c_since.second =
daterec.second;
        }
        if(pData=dbdata(m_dbproc, 23))
        UtilStrCpy(m_txn.Payment.c_credit, pData,
dbdatlen(m_dbproc, 23));
        if(pData=dbdata(m_dbproc, 24))
        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,24), SQLFLT8, (BYTE
*)&m_txn.Payment.c_credit_lim, 8);
        if(pData=dbdata(m_dbproc, 25))
        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,25), SQLFLT8, (BYTE
*)&m_txn.Payment.c_discount, 8);
        if(pData=dbdata(m_dbproc, 26))
        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,26), SQLFLT8, (BYTE
*)&m_txn.Payment.c_balance, 8);
        if(pData=dbdata(m_dbproc, 27))
        UtilStrCpy(m_txn.Payment.c_data, pData,
dbdatlen(m_dbproc, 27));

```



```

        if (dbnumcols(m_dbproc)
!= 8)
        ThrowError(CDBLIBERR::eWrongNumCols);

        if(pData=dbdata(m_dbproc, 1))
        m_txn.OrderStatus.c_id = (*(DBINT *)
pData);

        if(pData=dbdata(m_dbproc, 2))

        UtilStrCpy(m_txn.OrderStatus.c_last, pData,
dbdatlen(m_dbproc,2));

        if(pData=dbdata(m_dbproc, 3))

        UtilStrCpy(m_txn.OrderStatus.c_first,
pData, dbdatlen(m_dbproc,3));

        if(pData=dbdata(m_dbproc, 4))

        UtilStrCpy(m_txn.OrderStatus.c_middle,
pData, dbdatlen(m_dbproc, 4));

        if(pData=dbdata(m_dbproc, 5))
        {
                datetime =
*(DBDATETIME *) pData);
                dbdatecrack(m_dbproc, &daterec, &datetime);

                m_txn.OrderStatus.o_entry_d.year =
daterec.year;

                m_txn.OrderStatus.o_entry_d.month =
daterec.month;

                m_txn.OrderStatus.o_entry_d.day =
daterec.day;

                m_txn.OrderStatus.o_entry_d.hour =
daterec.hour;

                m_txn.OrderStatus.o_entry_d.minute =
daterec.minute;

                m_txn.OrderStatus.o_entry_d.second =
daterec.second;
        }

        if(pData=dbdata(m_dbproc, 6))

        m_txn.OrderStatus.o_carrier_id =
*(DBSMALLINT *) pData);

        if(pData=dbdata(m_dbproc, 7))

        dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc,7),

```

```

        SQLFLT8, (BYTE
*)&m_txn.OrderStatus.c_balance, 8);

        if(pData=dbdata(m_dbproc, 8))
        m_txn.OrderStatus.o_id = (*(DBINT *)
pData);

        DiscardNextRows(0);
        DiscardNextResults(0);

        if
(m_txn.OrderStatus.o_ol_cnt == 0)
        throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER
);

        else if
(m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
        throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
        else
        m_txn.OrderStatus.exec_status_code = eOK;

        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205

        ||
        == iErrOleDbProvider &&
        strstr(e-
>m_msgtext, sErrTimeoutExpired) != NULL) &&
        (++iTryCount
<= iMaxRetries))
        {
            // hit
            deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    }
    // while (TRUE)

    // if (iTryCount)
    // throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Delivery()
{
    int
    int
    i;
    iTryCount =
0;

```

```

        const BYTE
        *pData;

        ResetError();

        while (TRUE)
        {
            try
            {
                dbrpcinit(m_dbproc,
"tpcc_delivery", 0);

                dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Delivery.w_id);

                dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Delivery.o_carrier_id);

                if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

                if (dbresults(m_dbproc)
!= SUCCEEDED)
                ThrowError(CDBLIBERR::eDbResults);

                if (dbnextrow(m_dbproc)
!= REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

                if (dbnumcols(m_dbproc)
!= 10)
                ThrowError(CDBLIBERR::eWrongNumCols);

                for (i=0; i<10; i++)
                {
                    if (pData =
dbdata(m_dbproc, i+1))
                    m_txn.Delivery.o_id[i] = (*(DBINT *)pData);
                }

                DiscardNextRows(0);
                DiscardNextResults(0);

                m_txn.Delivery.exec_status_code = eOK;
                return;
            }
            catch (CSQLERR *e)
            {
                if ((e->m_msgno == 1205

                ||
                == iErrOleDbProvider &&
                strstr(e-
>m_msgtext, sErrTimeoutExpired) != NULL) &&
                (++iTryCount
<= iMaxRetries))

```

```

        {
            // hit
            deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    }
    // while (TRUE)
}

// if (iTryCount)
// throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::ResetError()
{
    if (m_DbLibErr != NULL)
    {
        delete m_DbLibErr;
        m_DbLibErr = (CDBLIBERR*)NULL;
    }

    if (m_SqlErr != NULL)
    {
        delete m_SqlErr;
        m_SqlErr = (CSQLEERR*)NULL;
    }
    return;
}

```

## tpcc\_dblib.h

```

/* FILE: TPCC_DBLIB.H
 * Microsoft
TPC-C Kit Ver. 4.20.000
 * Copyright
Microsoft, 1999
 * All Rights Reserved
 *
 * Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE: Header file for TPC-C txn class
implementation.
 *
 * Change history:
 * 4.20.000 - updated rev number to
match kit
 */
#pragma once

#ifndef PDBPROCESS
#define DBPROCESS void // dbprocess structure type
typedef DBPROCESS * PDBPROCESS;
#endif

```

```

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CSQLEERR : public CBaseErr
{
public:
    CSQLEERR(void)
    {
        m_msgno = 0;
        m_msgstate = 0;
        m_severity = 0;
        m_msgtext = NULL;
    };

    ~CSQLEERR()
    {
        delete [] m_msgtext;
    };

    int m_msgno;
    int m_msgstate;
    int m_severity;
    char *m_msgtext;

    int ErrorType() {return
ERR_TYPE_SQL;};

    int ErrorNum() {return m_msgno;};
    char *ErrorText() {return
m_msgtext;};
};

class CDBLIBERR : public CBaseErr
{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eLogin,
        // error from dblogin
        eDbOpen,
        // error from dbopen
        eDbUse,
        // error from dbuse
        eDbSqlExec,
        // error from dbsqlexec
        eDbSet,
        // error from one of the dbset*
        eDbNextRow,
        // error from dbnextrow
        eWrongRowCount,
        // more or less rows returned than expected
        eWrongNumCols,
        // more or less columns returned than
        expected
    };
};

```

```

        eDbResults,
        // error from dbresults
        eDbRpcExec,
        // error from dbrpcexec
        eDbSetMaxProcs,
        // error from dbsetmaxprocs
        eDbProcHandler
        // error from either dbprocerrhandle or
        dbprocmsghandle
    };

    CDBLIBERR(ACTION eAction, int
severity = 0, int dberror = 0, int oserr = 0)
    {
        m_eAction = eAction;
        m_severity = severity;
        m_dberror = dberror;
        m_oserr = oserr;

        m_dberrstr = NULL;
        m_oserrstr = NULL;
    };

    ~CDBLIBERR()
    {
        delete [] m_dberrstr;
        delete [] m_oserrstr;
    };

    ACTION m_eAction;
    int m_severity;
    int m_dberror;
    int m_oserr;
    char *m_dberrstr;
    char *m_oserrstr;

    int ErrorType() {return
ERR_TYPE_DBLIB;};

    int ErrorNum() {return
m_dberror;};

    char *ErrorText() {return
m_dberrstr;};
};

class CTPCC_DBLIB_ERR : public CBaseErr
{
public:
    enum CTPCC_DBLIB_ERRS
    {
        ERR_WRONG_SP_VERSION =
1, // "Wrong version of stored procs on
database server"
        ERR_INVALID_CUST,
        // "Invalid Customer id,name."
        ERR_NO_SUCH_ORDER,
        // "No orders found for
customer."
        ERR_RETRIED_TRANS,
        // "Retries before transaction
succeeded."
    };
};

```



```

        CTPCC_DBLIB_ERR( int iErr ) {
m_errno = iErr; m_iTryCount = 0; }

        CTPCC_DBLIB_ERR( int iErr, int
iTryCount ) { m_errno = iErr; m_iTryCount =
iTryCount; };

        int                m_errno;
        int                m_iTryCount;

        int ErrorType() {return
ERR_TYPE_TPCC_DBLIB;};
        int ErrorNum() {return m_errno;};

        char *ErrorText();

};

class DllDecl CTPCC_DBLIB : public CTPCC_BASE
{
private:
// declare variables and private
functions here...
        PDBPROCESS        m_dbproc;
        CDBLIBERR *m_DbLibErr;
        // not allocated until needed (maybe never)
        CSQLErr          *m_SqlErr;
        // not allocated until
needed (maybe never)
        int
        m_MaxRetries;          // retry
count on deadlock

        void DiscardNextRows(int
iExpectedCount);
        void DiscardNextResults(int
iExpectedCount);
        void ThrowError(
CDBLIBERR::ACTION eAction );
        void ResetError();

        union
        {
                NEW_ORDER_DATA
NewOrder;
                PAYMENT_DATA
Payment;
                DELIVERY_DATA
Delivery;
                STOCK_LEVEL_DATA
StockLevel;
                ORDER_STATUS_DATA
OrderStatus;
        }
        m_txn;

public:
        CTPCC_DBLIB(LPCSTR szServer,
LPCSTR szUser, LPCSTR szPassword, LPCSTR szHost,
LPCSTR szDatabase );
        ~CTPCC_DBLIB(void);

```

```

        inline PNEW_ORDER_DATA
        BuffAddr_NewOrder()      { return
&m_txn.NewOrder;
        };
        inline PPAYMENT_DATA
        BuffAddr_Payment()       { return
&m_txn.Payment;
        };
        inline PDELIVERY_DATA
        BuffAddr_Delivery()      { return
&m_txn.Delivery;
        };
        inline PSTOCK_LEVEL_DATA
        BuffAddr_StockLevel()    { return
&m_txn.StockLevel;
        };
        inline PORDER_STATUS_DATA
        BuffAddr_OrderStatus()   { return
&m_txn.OrderStatus;
        };

        void NewOrder            ();
        void Payment             ();
        void Delivery            ();
        void StockLevel         ();
        void OrderStatus        ();

// these are public because they
must be called from the dblib err_handler and
msg_hangler
// outside of the class
void SetDbLibError(int severity,
int dberr, int oserr, LPCSTR dberrstr, LPCSTR
oserrstr);
void SetSqlError( int msgno, int
msgstate, int severity, LPCSTR msgtext );
};

extern "C" DllDecl CTPCC_DBLIB* CTPCC_DBLIB_new
( LPCSTR szServer, LPCSTR szUser, LPCSTR
szPassword, LPCSTR szHost, LPCSTR szDatabase );

typedef CTPCC_DBLIB* (TYPE_CTPCC_DBLIB)(LPCSTR,
LPCSTR, LPCSTR, LPCSTR);

```

## tpcc\_enc.cpp

```

// tpcc_enc.cpp: implementation of the CTPCC_ENCINA
class.
//
////////////////////////////////////
////////////////////////////////////
#include <windows.h>
#include <process.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>

```

```

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\trans.h"
//tpckit transaction header contains definitions of
structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_enc.h"
#include "..\include\tpcc_type.h"
#include "mon_client.h"
#include "client_utils.h"

static CRITICAL_SECTION      TpCriticalSection;
extern "C" char *errFile;

BOOL APIENTRY DllMain(HANDLE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
        switch( ul_reason_for_call )
        {
                case DLL_PROCESS_ATTACH:

DisableThreadLibraryCalls(hModule);

InitializeCriticalSection(&TpCriticalSection);
                break;

                case DLL_PROCESS_DETACH:

DeleteCriticalSection(&TpCriticalSection);
                break;

                default:
                /* nothing */;
        }
        return TRUE;
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_ENCINA*
CTPCC_ENCINA_new()
{
        return new CTPCC_ENCINA();
}

// wrapper routine for enroll_client
__declspec(dllexport) CTPCC_ENCINA*
CTPCC_ENCINA_post_init()
{
        enroll_client();
        return NULL;
}

// constructor and destructor
CTPCC_ENCINA::CTPCC_ENCINA()

```

```

{
    //      Add initialization of ENCINA
    Structures if any
    m_txn = (ENC_DATA
*)malloc(sizeof(ENC_DATA));
    if (m_txn == NULL)
        throw new
CENCERR(ERR_TYPE_MEMORY, ERR_FATAL_LEVEL);
}

CTPCC_ENCINA::~CTPCC_ENCINA()
{
    // free the data structure allocated with
tpalloc
    free((char *)m_txn);
}

void CTPCC_ENCINA::NewOrder()
{
    // question: if we need to prepare the
data?
    if (send_new_order(sizeof(ENC_DATA), (unsigned
char *)m_txn) == TRPC_ERROR)
        throw new CENCERR(TRPC_ERROR);

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CENCERR( m_txn-
>ErrorType, m_txn->error );
}

void CTPCC_ENCINA::Payment()
{
    if (send_payment(sizeof(ENC_DATA), (unsigned char
*)m_txn) == TRPC_ERROR)
        throw new CENCERR(TRPC_ERROR);

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CENCERR( m_txn-
>ErrorType, m_txn->error );
}

void CTPCC_ENCINA::Delivery()
{
    // Note: Delivery txn code in the tuxedo
server does not implement logging of the delivery
    //      txn results, so cannot be used as
is to run an auditable TPC-C result. For that
    //      reason, delivery txns should not
be done via Tuxedo.
    //      The code is included for
completeness.
    //m_txn->u.Delivery.exec_status_code =
eDeliveryFailed;
    //return;

    // Note: If we use the delivery thread in
tpcc.dll, it is not possible to get to this
    //      point for delivery txns. But if we
use Encina delivery server, the code is
    //      needed. It is suggested using the
delivery thread in tpcc.dll since it is

```

```

//      convenient and provides best
performance.
    GetLocalTime(&m_txn-
>u.Delivery.queue_time);

    if (send_delivery(sizeof(ENC_DATA), (unsigned
char *)m_txn) == TRPC_ERROR)
        m_txn-
>u.Delivery.exec_status_code = eDeliveryFailed;
    else
        m_txn-
>u.Delivery.exec_status_code = eOK;
}

void CTPCC_ENCINA::StockLevel()
{
    if (send_stock_level(sizeof(ENC_DATA), (unsigned
char *)m_txn) == TRPC_ERROR)
        throw new CENCERR(TRPC_ERROR);

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CENCERR( m_txn-
>ErrorType, m_txn->error );
}

void CTPCC_ENCINA::OrderStatus()
{
    if (send_order_status(sizeof(ENC_DATA), (unsigned
char *)m_txn) == TRPC_ERROR)
        throw new CENCERR(TRPC_ERROR);

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CENCERR( m_txn-
>ErrorType, m_txn->error );
}

char *CENCERR::ErrorText()
{
    if (m_iErrorType == TRPC_ERROR)
    {
        sprintf( m_szErrorText, "Error:
ENCINA TRPC error (see log file %s for details)",
errFile);
    }
    else
        sprintf( m_szErrorText, "Error:
Class %d, error # %d", m_iErrorType, m_iError );
    return m_szErrorText;
};

```

## tpcc\_enc.h

```

/*      FILE:          TPCC_ENCINA.H
*
TPC-C Kit Ver. 4.10.000
*
audited
not yet

```

```

*
*      PURPOSE: Header file for TPC-C Encina
class implementation.
*
*
*      Copyright
Microsoft, 1999
*      All Rights Reserved
*
*/

#ifndef _TPCC_ENCINA_H_
#define _TPCC_ENCINA_H_

#pragma once

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CTPCC_ENCINA : public CTPCC_BASE
{
private:
    struct ENC_DATA
    {
        int
        ErrorType;
        int
        error;
        union
        {
            NEW_ORDER_DATA      NewOrder;
            PAYMENT_DATA
            Payment;
            DELIVERY_DATA
            Delivery;
            STOCK_LEVEL_DATA    StockLevel;
            ORDER_STATUS_DATA   OrderStatus;
        } u;
    } *m_txn;

public:
    CTPCC_ENCINA();
    virtual ~CTPCC_ENCINA();

    inline PNEW_ORDER_DATA
    BuffAddr_NewOrder() { return
&m_txn->u.NewOrder; };
    inline PPAYMENT_DATA
    BuffAddr_Payment() { return
&m_txn->u.Payment; };
    inline PDELIVERY_DATA
    BuffAddr_Delivery() { return
&m_txn->u.Delivery; };
    inline PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel() { return
&m_txn->u.StockLevel; };

```

```

        inline PORDER_STATUS_DATA
        BuffAddr_OrderStatus() { return
&m_txn->u.OrderStatus; };

        void NewOrder          ();
        void Payment           ();
        void Delivery          ();
        void StockLevel        ();
        void OrderStatus      ();
};

class CENCERR : public CBaseErr
{
private:
    char    m_szErrorText[64];
public:
    int     m_errno;
    //
    int     m_iErrorType;
// match ErrorType in CTPCC_ENCINA
    int     m_iError;
    // machine error in CTPCC_ENCINA

    // use this interface for genuine
    Encina errors
    CENCERR( int iErr )
    {
        m_errno = iErr;
        m_iErrorType =
ERR_TYPE_ENCINA;
        m_iError = 0;
// only meaningful if m_errno == TPEOS
    };

    // use this interface to
    impersonate a non-Encina error type
    CENCERR( int iErrorType, int
iError )
    {
        m_iErrorType =
iErrorType;
        m_iError = iError;
        m_errno = iError;
    };

    // A CENCERR class can
    impersonate another
    class, which happens if the error
    // was not actually a Tuxedo
    error, but was simply
    transmitted back via Tuxedo.
    int ErrorType()
    {
        return m_iErrorType;
    }

    int ErrorNum() {return m_errno;};
    char *ErrorText();
};

// wrapper routine for class constructor:

```

```

extern "C" __declspec(dllexport) CTPCC_ENCINA*
CTPCC_ENCINA_new();
extern "C" __declspec(dllexport) CTPCC_ENCINA*
CTPCC_ENCINA_post_init();

typedef CTPCC_ENCINA* (TYPE_CTPCC_ENCINA)();

#endif // !defined(_TPCC_ENCINA_H_)

tpcc_odbc.cpp
-----
/*      FILE:          TPCC_ODBC.CPP
 *
 *      TPC-C Kit Ver. 4.20.000
 *
 *      Microsoft
 *
 *      Copyright
 *
 *      Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *
 *      Version
 *
 *      4.10.000 audited by Richard Gimarc, Performance
 *      Metrics, 3/17/99
 *
 *      PURPOSE:  Implements ODBC calls for TPC-C
 *      txns.
 *
 *      Contact:  Charles Levine
 *      (clevine@microsoft.com)
 *
 *      Change history:
 *
 *      4.20.000 - updated rev number to
 *      match kit
 *
 *      4.10.001 - not deleting error
 *      class in catch handler on deadlock retry;
 *
 *      not a
 *      functional bug, but a memory leak
 */

#include <windows.h>
#include <stdio.h>
#include <assert.h>

#define DBNTWIN32
#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>
#include <odbcss.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_odbc.h"

// version string; must match return value from
tpcc_version stored proc

```

```

const char    sVersion[] = "4.10.000";

const int iMaxRetries = 10;
// how many
retries on deadlock

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

static SQLHENV henv = SQL_NULL_HENV;
// ODBC environment handle

BOOL WINAPI DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:

            DisableThreadLibraryCalls(hModule);
            if (
SQLAllocHandleStd(SQL_HANDLE_ENV, SQL_NULL_HANDLE,
&henv) != SQL_SUCCESS )
                return FALSE;

            break;

        case DLL_PROCESS_DETACH:
            if (henv != NULL)

                SQLFreeEnv(henv);
                break;

        default:
            /* nothing */;
    }
    return TRUE;
}

/* FUNCTION: CTPCC_ODBC_ERR::ErrorText
 *
 */

char* CTPCC_ODBC_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,
"Wrong version of stored procs on database
server" },
        { ERR_INVALID_CUST,
"Invalid Customer id,name." },
        { ERR_NO_SUCH_ORDER,
"No orders found for customer." },
        { ERR_RETRIED_TRANS,
"Retries before transaction succeeded." },
    },
    { 0, "" }
}

```

```

    }
};
static char szNotFound[] = "Unknown error
number.";
for(i=0; errorMsgs[i].szMsg[0]; i++)
{
    if ( m_errno ==
errorMsgs[i].iError )
        break;
    if ( !errorMsgs[i].szMsg[0] )
        return szNotFound;
    else
        return errorMsgs[i].szMsg;
}
// wrapper routine for class constructor
__declspec(dllexport) CTPCC_ODBC* CTPCC_ODBC_new(
LPCSTR szServer, // name of
SQL server
LPCSTR szUser, //
user name for login
LPCSTR szPassword, // password
for login
LPCSTR szHost, //
not used
LPCSTR szDatabase ) // name of
database to use
{
    return new CTPCC_ODBC( szServer, szUser,
szPassword, szHost, szDatabase );
}
CTPCC_ODBC::CTPCC_ODBC (
LPCSTR szServer,
// name of SQL server
LPCSTR szUser,
// user name for login
LPCSTR szPassword,
// password for login
LPCSTR szHost,
// not used
LPCSTR szDatabase
// name of database to use
)
{
    RETCODE rc;
// initialization
m_hdbc = SQL_NULL_HDBC;
m_hstmt = SQL_NULL_HSTMT;
m_hstmtNewOrder = SQL_NULL_HSTMT;
m_hstmtPayment = SQL_NULL_HSTMT;
m_hstmtDelivery = SQL_NULL_HSTMT;
m_hstmtOrderStatus = SQL_NULL_HSTMT;
m_hstmtStockLevel = SQL_NULL_HSTMT;
m_descNewOrderCols1 = SQL_NULL_HDESC;

```

```

m_descNewOrderCols2 = SQL_NULL_HDESC;
m_descOrderStatusCols1 = SQL_NULL_HDESC;
m_descOrderStatusCols2 = SQL_NULL_HDESC;
if ( SQLAllocHandle(SQL_HANDLE_DBC, henv,
&m_hdbc) != SQL_SUCCESS )
    ThrowError(CODBCERR::eAllocHandle);
if ( SQLSetConnectOption(m_hdbc,
SQL_PACKET_SIZE, 4096) != SQL_SUCCESS )
    ThrowError(CODBCERR::eConnOption);
{
    char
szConnectStr[256];
char
szOutStr[1024];
iOutStrLen;
sprintf( szConnectStr,
"DRIVER=SQL
Server;SERVER=%s;UID=%s;PWD=%s;DATABASE=%s",
szServer, szUser,
szPassword, szDatabase );
rc = SQLDriverConnect(m_hdbc,
NULL, (SQLCHAR*)szConnectStr, sizeof(szConnectStr),
(SQLCHAR*)szOutStr,
sizeof(szOutStr), &iOutStrLen, SQL_DRIVER_NOPROMPT );
if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
    ThrowError(CODBCERR::eConnect);
}
if (SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc,
&m_hstmt) != SQL_SUCCESS)
    ThrowError(CODBCERR::eAllocHandle);
{
    char buffer[128];
// set some options affecting
connection behavior
strcpy(buffer, "set nocount on
set XACT_ABORT ON");
rc = SQLExecDirect(m_hstmt,
(unsigned char *)buffer, SQL_NTS);
if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
    ThrowError(CODBCERR::eExecDirect);
// verify that version of stored
procs on server is correct
char db_sp_version[10];

```

```

strcpy(buffer, "{call
tpcc_version}");
rc = SQLExecDirect(m_hstmt,
(unsigned char *)buffer, SQL_NTS);
if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
    ThrowError(CODBCERR::eExecDirect);
if ( SQLBindCol(m_hstmt, 1,
SQL_C_CHAR, &db_sp_version, sizeof(db_sp_version),
NULL) != SQL_SUCCESS )
    ThrowError(CODBCERR::eBindCol);
if ( SQLFetch(m_hstmt) ==
SQL_ERROR )
    ThrowError(CODBCERR::eFetch);
if
(strcmp(db_sp_version,sVersion))
throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_WRONG_SP_VERSION
);
SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmt);
}
// Bind parameters for each of the
transactions
InitNewOrderParams();
InitPaymentParams();
InitOrderStatusParams();
InitDeliveryParams();
InitStockLevelParams();
}
CTPCC_ODBC::~CTPCC_ODBC( void )
{
// note: descriptors are automatically
released when the connection is dropped
SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtNewOrder);
SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtPayment);
SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtDelivery);
SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtOrderStatus);
SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtStockLevel);
SQLDisconnect(m_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, m_hdbc);
}
void CTPCC_ODBC::ThrowError( CODBCERR::ACTION eAction
)
{
    RETCODE rc;
    SDWORD lNativeError;
    char szState[6];
    char
szMsg[SQL_MAX_MESSAGE_LENGTH];

```

```

char
szTmp[6*SQL_MAX_MESSAGE_LENGTH];
CODBCERR *pODBCERR;
// not allocated until needed (maybe never)

pODBCERR = new CODBCERR();

pODBCERR->m_NativeError = 0;
pODBCERR->m_eAction = eAction;
pODBCERR->m_bDeadLock = FALSE;

szTmp[0] = 0;
while (TRUE)
{
    rc = SQLError(henv, m_hdbc,
m_hstmt, (BYTE *)&szState, &lNativeError,
(BYTE *)&szMsg, sizeof(szMsg), NULL);
    if (rc == SQL_NO_DATA)
        break;

    // check for deadlock
    if (lNativeError == 1205 ||
(lNativeError == iErrOleDbProvider &&
sstrchr(szMsg,
sErrTimeoutExpired) != NULL))
        pODBCERR->m_bDeadLock =
TRUE;

    // capture the (first) database
error
    if (pODBCERR->m_NativeError == 0
&& lNativeError != 0)
        pODBCERR->m_NativeError =
lNativeError;

    // quit if there isn't enough
room to concatenate error text
    if ( (strlen(szMsg) + 2) >
(sizeof(szTmp) - strlen(szTmp)) )
        break;

    // include line break after first
error msg
    if (szTmp[0] != 0)
        strcat( szTmp, "\n");
    strcat( szTmp, szMsg );
}

if (pODBCERR->m_odbcerrstr != NULL)
{
    delete [] pODBCERR->m_odbcerrstr;
    pODBCERR->m_odbcerrstr = NULL;
}

if (strlen(szTmp) > 0)
{
    pODBCERR->m_odbcerrstr = new
char[ strlen(szTmp)+1 ];
    strcpy( pODBCERR->m_odbcerrstr,
szTmp );
}

```

```

SQLFreeStmt(m_hstmt, SQL_CLOSE);
throw pODBCERR;
}

void CTPCC_ODBC::InitStockLevelParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtStockLevel) != SQL_SUCCESS )

        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtStockLevel;

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.StockLevel.w_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.StockLevel.d_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.StockLevel.threshold, 0, NULL) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eBindParam);

    if ( SQLBindCol(m_hstmt, 1, SQL_C_SLONG,
&m_txn.StockLevel.low_stock, 0, NULL) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eBindCol);
}

void CTPCC_ODBC::StockLevel()
{
    RETCODE rc;
    int iTryCount =
0;

    m_hstmt = m_hstmtStockLevel;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)"L" {call
tpcc_stocklevel(?,?,?)", SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)
                ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt)
== SQL_ERROR )
                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt,
SQL_CLOSE);

            m_txn.StockLevel.exec_status_code = eOK;
            break;

```

```

}
catch (CODBCERR *e)
{
    if (!e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))
        throw;

    // hit deadlock;
backoff for increasingly longer period
    delete e;
    Sleep(10 * iTryCount);
}

// if (iTryCount)
// throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitNewOrderParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtNewOrder) != SQL_SUCCESS
||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descNewOrderCols1) != SQL_SUCCESS
||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descNewOrderCols2) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtNewOrder;

    if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.NewOrder.w_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.NewOrder.d_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.NewOrder.c_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.NewOrder.o_ol_cnt, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.NewOrder.o_all_local, 0, NULL) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eBindParam);

    for (int j=0; j<MAX_OL_NEW_ORDER_ITEMS;
j++)

```

```

        {
            if ( SQLBindParameter(m_hstmt,
++i, SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.NewOrder.OL[j].ol_i_id, 0, NULL) !=
SQL_SUCCESS
                ||
SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.NewOrder.OL[j].ol_supply_w_id, 0, NULL) !=
SQL_SUCCESS
                ||
SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.NewOrder.OL[j].ol_quantity, 0, NULL) !=
SQL_SUCCESS
            )
                ThrowError(CODBCERR::eBindParam);
        }

        // set the bind offset pointer
        if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_ROW_BIND_OFFSET_PTR, &m_BindOffset,
SQL_IS_POINTER ) != SQL_SUCCESS )

            ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.NewOrder.OL[0].ol_i_name,
sizeof(m_txn.NewOrder.OL[0].ol_i_name), NULL) !=
SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.NewOrder.OL[0].ol_stock, 0,
NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.NewOrder.OL[0].ol_brand_generic,
sizeof(m_txn.NewOrder.OL[0].ol_brand_generic), NULL)
!= SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.OL[0].ol_i_price, 0,
NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.OL[0].ol_amount, 0,
NULL) != SQL_SUCCESS
            )
                ThrowError(CODBCERR::eBindCol);

        // associate the column bindings for the
second result set
        if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols2,
SQL_IS_POINTER ) != SQL_SUCCESS )

            ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.w_tax, 0, NULL) !=
SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.d_tax, 0, NULL) !=
SQL_SUCCESS
            )

```

```

                || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.NewOrder.o_id, 0, NULL) !=
SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.NewOrder.c_last,
sizeof(m_txn.NewOrder.c_last), NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.c_discount, 0, NULL)
!= SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.NewOrder.c_credit,
sizeof(m_txn.NewOrder.c_credit), NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.NewOrder.o_entry_d, 0,
NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_no_commit_flag, 0, NULL) !=
SQL_SUCCESS
            )
                ThrowError(CODBCERR::eBindCol);
        }

void CTPCC_ODBC::NewOrder()
{
    int
    i;
    RETCODE rc;
    int
    iTryCount = 0;

    0 1 2 //
    012345678901234567890123456789 //
    wchar_t
    szSqlTemplate[] = L"call
tpcc_neworder(?,?,?,?,?,
L"?,?,?,?,?,?,?,?,?,?,?,?,?,
L"?,?,?,?,?,?,?,?,?,?,?,?,?,
L"?,?,?,?,?,?,?,?,?,?,?,?,?)";

    m_hstmt = m_hstmtNewOrder;

    // associate the parameter and column
bindings for this transaction
    if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )

        ThrowError(CODBCERR::eSetStmtAttr);

    // clip statement buffer based on number of
parameters
    // fixed part is 29 chars and variable part
is 6 chars per line item
    i = 29 + m_txn.NewOrder.o_ol_cnt*6;

```

```

        wcsncpy( &szSqlTemplate[i], L" )" );

        // check whether any order lines are for a
remote warehouse
        m_txn.NewOrder.o_all_local = 1;
        for ( i = 0; i < m_txn.NewOrder.o_ol_cnt;
i++)
        {
            if
(m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
                {
                    m_txn.NewOrder.o_all_local = 0; // at
least one remote warehouse
                    break;
                }
        }

        while (TRUE)
        {
            try
            {
                m_BindOffset = 0;
                rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)szSqlTemplate,
SQL_NTS);
                if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)

                    ThrowError(CODBCERR::eExecDirect);

                // Get order line
results
                m_txn.NewOrder.total_amount = 0;
                for ( i = 0;
i<m_txn.NewOrder.o_ol_cnt; i++)
                {
                    // set the
bind offset value...
                    m_BindOffset
= i * sizeof(m_txn.NewOrder.OL[0]);

                    if (
SQLFetch(m_hstmt) == SQL_ERROR)

                        ThrowError(CODBCERR::eFetch);

                    // move to
the next resultset
                    if (
SQLMoreResults(m_hstmt) == SQL_ERROR )

                        ThrowError(CODBCERR::eMoreResults);

                    m_txn.NewOrder.total_amount +=
m_txn.NewOrder.OL[i].ol_amount;
                }

                // associate the column
bindings for the second result set

```

```

        if ( SQLSetStmtAttrW(
m_hstmt, SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols2,
SQL_IS_POINTER ) != SQL_SUCCESS )

        ThrowError(CODBCERR::eSetStmtAttr);

        if ( SQLFetch(m_hstmt)
== SQL_ERROR)

        ThrowError(CODBCERR::eFetch);

        SQLFreeStmt(m_hstmt,
SQL_CLOSE);

        if (m_no_commit_flag ==
1)
        {
            m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
m_txn.NewOrder.c_discount));

            m_txn.NewOrder.exec_status_code = eOK;
        }
        else
        {
            m_txn.NewOrder.exec_status_code =
eInvalidItem;

            break;
        }
        catch (CODBCERR *e)
        {
            if (!(e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))
                throw;

            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }

        // if (iTryCount)
        // throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
    }

void CTPCC_ODBC::InitPaymentParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtPayment) != SQL_SUCCESS )

        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtPayment;

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Payment.w_id, 0, NULL) != SQL_SUCCESS

```

```

        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Payment.c_w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_DOUBLE, SQL_NUMERIC, 6, 2,
&m_txn.Payment.h_amount, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.Payment.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.Payment.c_d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.Payment.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_CHAR, SQL_CHAR,
sizeof(m_txn.Payment.c_last), 0,
&m_txn.Payment.c_last, sizeof(m_txn.Payment.c_last),
NULL) != SQL_SUCCESS
        )
        ThrowError(CODBCERR::eBindParam);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.Payment.c_id, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_last,
sizeof(m_txn.Payment.c_last), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.Payment.h_date,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_street_1,
sizeof(m_txn.Payment.w_street_1), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_street_2,
sizeof(m_txn.Payment.w_street_2), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_city,
sizeof(m_txn.Payment.w_city), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_state,
sizeof(m_txn.Payment.w_state), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_zip,
sizeof(m_txn.Payment.w_zip), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_street_1,
sizeof(m_txn.Payment.d_street_1), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_street_2,
sizeof(m_txn.Payment.d_street_2), NULL) !=
SQL_SUCCESS

```

```

        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_city,
sizeof(m_txn.Payment.d_city), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_state,
sizeof(m_txn.Payment.d_state), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_zip,
sizeof(m_txn.Payment.d_zip), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_first,
sizeof(m_txn.Payment.c_first), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_middle,
sizeof(m_txn.Payment.c_middle), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_street_1,
sizeof(m_txn.Payment.c_street_1), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_street_2,
sizeof(m_txn.Payment.c_street_2), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_city,
sizeof(m_txn.Payment.c_city), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_state,
sizeof(m_txn.Payment.c_state), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_zip,
sizeof(m_txn.Payment.c_zip), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_phone,
sizeof(m_txn.Payment.c_phone), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.Payment.c_since,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_credit,
sizeof(m_txn.Payment.c_credit), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_credit_lim, 0, NULL)
!= SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_discount, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_balance, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_data,

```

```

        sizeof(m_txn.Payment.c_data), NULL) !=
SQL_SUCCESS
    )
        ThrowError(CODBCERR::eBindCol);
}

void CTPCC_ODBC::Payment()
{
    RETCODE        rc;
    int            iTryCount =
0;

    m_hstmt = m_hstmtPayment;

    if (m_txn.Payment.c_id != 0)
        m_txn.Payment.c_last[0] = 0;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)L"call
tpcc_payment(?,?,?,?,?,?)", SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)
                ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt)
== SQL_ERROR)
                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt,
SQL_CLOSE);

            if (m_txn.Payment.c_id
== 0)
                throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_INVALID_CUST );
            else
                m_txn.Payment.exec_status_code = eOK;

            break;
        }
        catch (CODBCERR *e)
        {
            if (!(e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))
                throw;

            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
    }

    // if (iTryCount)

```

```

// throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitOrderStatusParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtOrderStatus) != SQL_SUCCESS
||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols1) != SQL_SUCCESS
||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols2) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtOrderStatus;

    if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.OrderStatus.w_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.OrderStatus.d_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.OrderStatus.c_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_CHAR, SQL_CHAR,
sizeof(m_txn.OrderStatus.c_last), 0,
&m_txn.OrderStatus.c_last,
sizeof(m_txn.OrderStatus.c_last), NULL) !=
SQL_SUCCESS
)
        ThrowError(CODBCERR::eBindParam);

    // configure block cursor
    if ( SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROW_BIND_TYPE,
(SQLPOINTER)sizeof(m_txn.OrderStatus.OL[0]), 0) !=
SQL_SUCCESS
|| SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROWS_FETCHED_PTR, &m_RowsFetched, 0) !=
SQL_SUCCESS
)
        ThrowError(CODBCERR::eSetStmtAttr);

    i = 0;
    if ( SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT,
&m_txn.OrderStatus.OL[0].ol_supply_w_id, 0, NULL) !=
SQL_SUCCESS

```

```

|| SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.OL[0].ol_i_id, 0,
NULL) != SQL_SUCCESS
|| SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.OrderStatus.OL[0].ol_quantity,
0, NULL) != SQL_SUCCESS
|| SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.OrderStatus.OL[0].ol_amount, 0,
NULL) != SQL_SUCCESS
|| SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP,
&m_txn.OrderStatus.OL[0].ol_delivery_d, 0, NULL) !=
SQL_SUCCESS
)
        ThrowError(CODBCERR::eBindCol);

    if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols2,
SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    i = 0;
    if ( SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.c_id, 0, NULL) !=
SQL_SUCCESS
|| SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_last,
sizeof(m_txn.OrderStatus.c_last), NULL) !=
SQL_SUCCESS
|| SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_first,
sizeof(m_txn.OrderStatus.c_first), NULL) !=
SQL_SUCCESS
|| SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_middle,
sizeof(m_txn.OrderStatus.c_middle), NULL) !=
SQL_SUCCESS
|| SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.OrderStatus.o_entry_d,
0, NULL) != SQL_SUCCESS
|| SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.OrderStatus.o_carrier_id, 0,
NULL) != SQL_SUCCESS
|| SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.OrderStatus.c_balance, 0, NULL)
!= SQL_SUCCESS
|| SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.o_id, 0, NULL) !=
SQL_SUCCESS
)
        ThrowError(CODBCERR::eBindCol);
}

void CTPCC_ODBC::OrderStatus()
{
    int            iTryCount = 0;
    RETCODE        rc;

    m_hstmt = m_hstmtOrderStatus;

```



```

        if ( SQLSetStmAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )

        ThrowError(CODBCERR::eSetStmAttr);

        if (m_txn.OrderStatus.c_id != 0)
            m_txn.OrderStatus.c_last[0] = 0;

        while (TRUE)
        {
            try
            {
                // configure block
                cursor
                if (
SQLSetStmAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)1, 0) != SQL_SUCCESS )

                ThrowError(CODBCERR::eSetStmAttr);

                rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)L"call
tpcc_orderstatus(?,?,?,?)", SQL_NTS);
                if ((rc ==
SQL_SUCCESS_WITH_INFO) && (m_RowsFetched != 0)) ||
(rc == SQL_ERROR) )

                ThrowError(CODBCERR::eExecDirect);

                // configure block
                cursor
                if (
SQLSetStmAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)MAX_OL_ORDER_STATUS_ITEMS, 0) !=
SQL_SUCCESS )

                ThrowError(CODBCERR::eSetStmAttr);

                rc = SQLFetchScroll(
m_hstmt, SQL_FETCH_NEXT, 0 );
                if ((rc ==
SQL_SUCCESS_WITH_INFO) && (m_RowsFetched != 0)) ||
(rc == SQL_ERROR) )

                ThrowError(CODBCERR::eFetchScroll);

                m_txn.OrderStatus.o_ol_cnt =
(short)m_RowsFetched;

                if
(m_txn.OrderStatus.o_ol_cnt != 0)
                {
                    if (
SQLSetStmAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descOrderStatusCols2, SQL_IS_POINTER ) !=
SQL_SUCCESS )

                    ThrowError(CODBCERR::eSetStmAttr);

```

```

                    if (
SQLMoreResults(m_hstmt) == SQL_ERROR )

                    ThrowError(CODBCERR::eMoreResults);

                    if ( rc =
SQLFetch(m_hstmt)) == SQL_ERROR )

                    ThrowError(CODBCERR::eFetch);
                }
            }
            SQLFreeStm(m_hstmt,
SQL_CLOSE);

            if
(m_txn.OrderStatus.o_ol_cnt == 0)

            throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_NO_SUCH_ORDER );
            else if
(m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)

            throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_INVALID_CUST );
            else

            m_txn.OrderStatus.exec_status_code = eOK;

            break;
        }
        catch (CODBCERR *e)
        {
            if (!(e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))

            throw;

            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
    }

    // if (iTryCount)
    // throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitDeliveryParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtDelivery) != SQL_SUCCESS )

    ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtDelivery;

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Delivery.w_id, 0, NULL) != SQL_SUCCESS

```

```

|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Delivery.o_carrier_id, 0, NULL) != SQL_SUCCESS
)

    ThrowError(CODBCERR::eBindParam);

    for (i=0;i<10;i++)
    {
        if ( SQLBindCol(m_hstmt,
(UWORD)(i+1), SQL_C_SLONG, &m_txn.Delivery.o_id[i],
0, NULL) != SQL_SUCCESS )

        ThrowError(CODBCERR::eBindCol);
    }
}

void CTPCC_ODBC::Delivery()
{
    RETCODE rc;
    int iTryCount =
0;

    m_hstmt = m_hstmtDelivery;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)L"call
tpcc_delivery(?,?)", SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)

            ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt)
== SQL_ERROR )

            ThrowError(CODBCERR::eFetch);

            SQLFreeStm(m_hstmt,
SQL_CLOSE);

            m_txn.Delivery.exec_status_code = eOK;
            break;
        }
        catch (CODBCERR *e)
        {
            if (!(e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))

            throw;

            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
    }

    // if (iTryCount)

```

```

//          throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

```

## tpcc\_odbc.h

```

/*      FILE:          TPCC_ODBC.H
 *      Microsoft
TPC-C Kit Ver. 4.20.000
 *      Copyright
Microsoft, 1999
 *      All Rights Reserved
 *
 *      Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 *      PURPOSE:  Header file for TPC-C txn class
implementation.
 *
 *      Change history:
 *      4.20.000 - updated rev number to
match kit
 */
#pragma once

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CODBCERR : public CBaseErr
{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eAllocConn,
        // error from SQLAllocConnect
        eAllocHandle,
        // error from SQLAllocHandle
        eConnOption,
        // error from SQLSetConnectOption
        eConnect,
        // error from SQLConnect
        eAllocStmt,
        // error from SQLAllocStmt
        eExecDirect,
        // error from SQLExecDirect
        eBindParam,
        // error from SQLBindParameter
        eBindCol,
        // error from SQLBindCol
        eFetch,
        // error from SQLFetch
    };
};

```

```

eFetchScroll,
// error from SQLFetchScroll
eMoreResults,
// error from SQLMoreResults
ePrepare,
// error from SQLPrepare
eExecute,
// error from SQLExecute
eSetEnvAttr,
// error from SQLSetEnvAttr
eSetStmtAttr,
// error from SQLSetStmtAttr
};

CODBCERR(void)
{
    m_eAction = eNone;
    m_NativeError = 0;
    m_bDeadLock = FALSE;
    m_odbcerrstr = NULL;
};

~CODBCERR()
{
    if (m_odbcerrstr !=
NULL)
        delete []
m_odbcerrstr;
};

ACTION m_eAction;
int
m_NativeError;
BOOL m_bDeadLock;
char *m_odbcerrstr;

int ErrorType() {return
ERR_TYPE_ODBC;};
int ErrorNum() {return
m_NativeError;};
char *ErrorText() {return
m_odbcerrstr;};
};

class CTPCC_ODBC_ERR : public CBaseErr
{
public:
    enum TPCC_ODBC_ERRS
    {
        ERR_WRONG_SP_VERSION =
1, // "Wrong version of stored procs on
database server"
        ERR_INVALID_CUST, // "Invalid Customer id,name."
        ERR_NO_SUCH_ORDER, // "No orders found for
customer."
        ERR_RETRIED_TRANS, // "Retries before transaction
succeeded."
    };
};

```

```

CTPCC_ODBC_ERR( int iErr ) {
m_errno = iErr; m_iTryCount = 0; };

CTPCC_ODBC_ERR( int iErr, int
iTryCount ) { m_errno = iErr; m_iTryCount =
iTryCount; };

int m_errno;
int m_iTryCount;

int ErrorType() {return
ERR_TYPE_TPCC_ODBC;};
int ErrorNum() {return m_errno;};

char *ErrorText();
};

class DllDecl CTPCC_ODBC : public CTPCC_BASE
{
private:
    // declare variables and private
functions here...
    BOOL m_bDeadlock;
    // transaction was selected as
deadlock victim
    int
m_MaxRetries; // retry
count on deadlock

    SQLHENV m_henv;
    // ODBC environment
handle
    SQLHDBC m_hdbc;
    // the current hstmt
    SQLHSTMT m_hstmtNewOrder;
    SQLHSTMT m_hstmtPayment;
    SQLHSTMT m_hstmtDelivery;
    SQLHSTMT m_hstmtOrderStatus;
    SQLHSTMT m_hstmtStockLevel;

    SQLHDESC m_descNewOrderCols1;
    SQLHDESC m_descNewOrderCols2;
    SQLHDESC m_descOrderStatusCols1;
    SQLHDESC m_descOrderStatusCols2;

    // new-order specific fields
    SQLINTEGER m_BindOffset;
    SQLINTEGER
m_RowsFetched;
    int
m_no_commit_flag;

    void ThrowError( CODBCERR::ACTION
eAction );

    void InitNewOrderParams();
    void InitPaymentParams();
    void InitDeliveryParams();
    void InitStockLevelParams();
    void InitOrderStatusParams();
};

```

```

        union
        {
            NewOrder;          NEW_ORDER_DATA
            Payment;           PAYMENT_DATA
            Delivery;          DELIVERY_DATA
            StockLevel;        STOCK_LEVEL_DATA
            OrderStatus;       ORDER_STATUS_DATA
            m_txn;
        }

    public:
        CTPCC_ODBC(LPCSTR szServer,
        LPCSTR szUser, LPCSTR szPassword, LPCSTR szHost,
        LPCSTR szDatabase);
        ~CTPCC_ODBC(void);

        inline PNEW_ORDER_DATA
        BuffAddr_NewOrder() { return
        &m_txn.NewOrder; };
        inline PPAYMENT_DATA
        BuffAddr_Payment() { return
        &m_txn.Payment; };
        inline PDELIVERY_DATA
        BuffAddr_Delivery() { return
        &m_txn.Delivery; };
        inline PSTOCK_LEVEL_DATA
        BuffAddr_StockLevel() { return
        &m_txn.StockLevel; };
        inline PORDER_STATUS_DATA
        BuffAddr_OrderStatus() { return
        &m_txn.OrderStatus; };

        void NewOrder          ();
        void Payment           ();
        void Delivery          ();
        void StockLevel        ();
        void OrderStatus       ();
};

// wrapper routine for class constructor
extern "C" DllDecl CTPCC_ODBC* CTPCC_ODBC_new
( LPCSTR szServer, LPCSTR szUser, LPCSTR
szPassword, LPCSTR szHost, LPCSTR szDatabase );

typedef CTPCC_ODBC* (TYPE_CTPCC_ODBC)(LPCSTR, LPCSTR,
LPCSTR, LPCSTR, LPCSTR);

```

## tpcc\_tux.cpp

```

/* FILE:          TPCC_TUX.CPP
 *               Microsoft
TPC-C Kit Ver. 4.20.000

```

```

 *                               Copyright
Microsoft, 1999
 *                               All Rights Reserved
 *
 *                               Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE: Implementation for TPC-C Tuxedo
class.
 * Contact: Charles Levine
(clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - updated rev number to
match kit
 */

#include <windows.h>
#include <process.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <i.o.h>
#include <assert.h>

#include <tmenv.h>
#include <xa.h>
#include <atmi.h>

#ifdef ICECAP
// for IceCAP profiling
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_tux.h"
// interface to Tuxedo libraries

static TPINIT
*tpinf;
static DWORD
    TLSIsTpInitedKey;
static CRITICAL_SECTION
    TpCriticalSection;

BOOL APIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {

```

```

        case DLL_PROCESS_ATTACH:
            DisableThreadLibraryCalls(hModule);

            // create thread local
            storage to determine Tuxedo initialization per
            thread.
            // it really should be
            possible to do this in the DLL_THREAD_ATTACH call,
            but
            // Ed says he could not
            get it to work.
            // assumption: value
            init'd to 0
            TLSIsTpInitedKey =
            TlsAlloc();

            if ((tpinf = (TPINIT
            *)tpalloc("TPINIT", NULL, sizeof(TPINIT))) == NULL)
            {
                // int TpRc =
                tperrno;
                return FALSE;
            }
            tpinf->flags |=
            TFMULTICONTEXTS;

            InitializeCriticalSection(&TpCriticalSection);
            break;

            case DLL_PROCESS_DETACH:
                TlsFree(TLSIsTpInitedKey);
                DeleteCriticalSection(&TpCriticalSection);
                break;

            default:
                /* nothing */;
            }
            return TRUE;
        }

        static void ThrTpInit()
        {
            static int num_tpinit=0;
            int iRc, TpRc;

            // has this thread been initialized? check
            thread local storage
            if(!TlsGetValue(TLSIsTpInitedKey))
            {
                EnterCriticalSection(&TpCriticalSection);
                itoa(++num_tpinit, tpinf-
                >cltname, 10);

                iRc = tpinit(tpinf);
                TpRc = tperrno;

                LeaveCriticalSection(&TpCriticalSection);

```

```

        if (iRc < 0)
            throw new CTUXERR(
tperrno );

        int value = 1;

        TlsSetValue(TLSIsTpInitedKey,&value);
    }
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_TUXEDO*
CTPCC_TUXEDO_new()
{
    return new CTPCC_TUXEDO();
}

CTPCC_TUXEDO::CTPCC_TUXEDO()
{
    //      Add initialization of Tuxedo
Structures
    m_txn = (TUX_DATA *)tpalloc("CARRAY", NULL,
sizeof(TUX_DATA));
    if (m_txn == NULL)
        throw new CTUXERR( tperrno );
}

CTPCC_TUXEDO::~CTPCC_TUXEDO()
{
    //      free the data structure allocated with
tpalloc
    tpfree((char *)m_txn);
}

void CTPCC_TUXEDO::NewOrder()
{
    long    ilen, *olen;

    ThrTpInit();

    ilen = sizeof(TUX_DATA);
    olen = &ilen;

    if (tpcall("NEWORDER", (char *)m_txn, ilen,
(char **)&m_txn, (long *)olen, TPSIGRSTRT) == -1)
        throw new CTUXERR( tperrno );

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CTUXERR( m_txn->ErrorType, m_txn->error );
}

void CTPCC_TUXEDO::Payment()
{
    long    ilen, *olen;

    ThrTpInit();

    ilen = sizeof(TUX_DATA);
    olen = &ilen;

```

```

        if (tpcall("PAYMENT", (char *)m_txn, ilen,
(char **)&m_txn, (long *)olen, TPSIGRSTRT) == -1)
            throw new CTUXERR( tperrno );

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CTUXERR( m_txn->ErrorType, m_txn->error );
}

void CTPCC_TUXEDO::Delivery()
{
    int     iRc;
    long    ilen, *olen;

    // Note: Delivery txn code in the tuxedo
server does not implement logging of the delivery
txn results, so cannot be used as
is to run an auditable TPC-C result. For that
reason, delivery txns should not
be done via tuxedo.
    //      The code is included for
completeness.
    m_txn->u.Delivery.exec_status_code =
eDeliveryFailed;
    return;

    //      normal path...
    ThrTpInit();

    GetLocalTime(&m_txn->u.Delivery.queue_time);

    ilen = sizeof(TUX_DATA);
    olen = &ilen;

    if ((iRc = tpcall("DELIVERY", (char
*)m_txn, ilen, TPNOREPLY)) == -1)
    {
        int TpRc = tperrno;
        m_txn->u.Delivery.exec_status_code = eDeliveryFailed;
    }
    else
        m_txn->u.Delivery.exec_status_code = eOK;
}

void CTPCC_TUXEDO::StockLevel()
{
    long    ilen, *olen;

    ThrTpInit();

    ilen = sizeof(TUX_DATA);
    olen = &ilen;

    if (tpcall("STOCKLEVEL", (char *)m_txn,
ilen, (char **)&m_txn, (long *)olen, TPSIGRSTRT) == -
1)
        throw new CTUXERR( tperrno );
}

```

```

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CTUXERR( m_txn->ErrorType, m_txn->error );
}

void CTPCC_TUXEDO::OrderStatus()
{
    long    ilen, *olen;

    ThrTpInit();

    ilen = sizeof(TUX_DATA);
    olen = &ilen;

    if (tpcall("ORDERSTATUS", (char *)m_txn,
ilen, (char **)&m_txn, (long *)olen, TPSIGRSTRT) == -
1)
        throw new CTUXERR( tperrno );

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CTUXERR( m_txn->ErrorType, m_txn->error );
}

char *CTUXERR::ErrorText()
{
    if (m_iErrorType == 0)
    {
        if (m_errno == TPEOS)
            sprintf( m_szErrorText,
"Error: TUXEDO error # %d, OS error # %d", m_errno,
m_iError );
        else
            sprintf( m_szErrorText,
"Error: TUXEDO error # %d", m_errno );
    }
    else
        sprintf( m_szErrorText, "Error:
Class %d, error # %d", m_iErrorType, m_iError );
    return m_szErrorText;
};

```

## tpcc\_tux.h

```

/*      FILE:                TPCC_TUX.H
*
*      Microsoft
TPC-C Kit Ver. 4.20.000
*
*      Copyright
Microsoft, 1999
*      All Rights Reserved
*
*      Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*      PURPOSE:  Header file for TPC-C Tuxedo
class implementation.
*
*      Change history:

```

```

*           4.20.000 - updated rev number to
match kit
*/

#pragma once

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class DllDecl CTPCC_TUXEDO : public CTPCC_BASE
{
private:
    struct TUX_DATA
    {
        int
        ErrorType;
        int
        error;

        union
        {
            NEW_ORDER_DATA      NewOrder;
            PAYMENT_DATA        Payment;
            DELIVERY_DATA       Delivery;

            STOCK_LEVEL_DATA    StockLevel;
            ORDER_STATUS_DATA   OrderStatus;
        } *m_txn;

public:
    CTPCC_TUXEDO();
    ~CTPCC_TUXEDO(void);

    inline PNEW_ORDER_DATA
    BuffAddr_NewOrder() { return
    &m_txn->u.NewOrder; };
    inline PPAYMENT_DATA
    BuffAddr_Payment() { return
    &m_txn->u.Payment; };
    inline PDELIVERY_DATA
    BuffAddr_Delivery() { return
    &m_txn->u.Delivery; };
    inline PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel() { return
    &m_txn->u.StockLevel; };
    inline PORDER_STATUS_DATA
    BuffAddr_OrderStatus() { return
    &m_txn->u.OrderStatus; };

    void NewOrder      ();
    void Payment      ();
    void Delivery      ();
    void StockLevel    ();
    void OrderStatus  ();
};

```

```

};

class CTUXERR : public CBaseErr
{
private:
    // TODO: should use the sz_Msg
    // field of the base class instead
    char m_szErrorText[64];

public:
    // use this interface for genuine
    Tuxedo errors
    CTUXERR( int iErr )
    {
        m_errno = iErr;
        m_iErrorType = 0;
        m_iError =
    };
    GetLastError(); // only meaningful if m_errno ==
    TPEOS

    // use this interface to
    // impersonate a non-Tuxedo error type
    CTUXERR( int iErrorType, int
    iError )
    {
        m_iErrorType =
        m_iError = iError;
        m_errno = 0;
    }

    int m_errno;
    int m_iErrorType;
    int m_iError;

    // A CTUXERR class can
    // impersonate another
    // class, which happens if the error
    // was not actually a Tuxedo
    // error, but was simply
    // transmitted back via Tuxedo.
    int ErrorType()
    {
        if (m_iErrorType == 0)
            return
        else
            return
    }

    int m_iErrorType;

    int ErrorNum() {return m_errno;};
    char *ErrorText();

};

// wrapper routine for class constructor
extern "C" __declspec(dllexport) CTPCC_TUXEDO*
CTPCC_TUXEDO_new();

typedef CTPCC_TUXEDO* (TYPE_CTPCC_TUXEDO)();

```

## tpcc\_type.h

```

/* Generated by IDL compiler version DEC DCE V2.0.0-6
*/
#ifdef tpcc_types_v1_0_included
#define tpcc_types_v1_0_included
#ifdef IDLBASE_H
#include <dce\idlbase.h>
#endif
#endif

#ifdef __cplusplus
extern "C" {
#endif

#ifdef nbase_v0_0_included
#include "dce\nbase.h"
#endif

#define NAME_LENGTH (32)
#define NEWO_INTERFACE (1)
#define PAYMENT_INTERFACE (2)
#define ORDER_STAT_INTERFACE (4)
#define DELIVERY_INTERFACE (8)
#define STOCK_INTERFACE (16)
#define ONLINE_INTERFACES (23)
#define ALL_INTERFACE (65535)
#define NEWO_TRANS (1)
#define PAYMENT_TRANS (2)
#define ORDER_STAT_TRANS (3)
#define DELIVERY_TRANS (4)
#define STOCK_TRANS (5)
#define MAX_TRAN_TYPE (5)
#define TPCC_SUCCESS (0)
#define TRPC_ERROR (1)
#define INVALID_NEWO (100)
typedef struct {
    idl_long_int sec;
    idl_long_int usec;
} time_type;
typedef struct {
    idl_short_int returncode;
    idl_short_int stats;
    time_type srv_start;
    time_type srv_end;
    time_type clnt_start;
    time_type clnt_end;
} data_header;
typedef struct {
    idl_long_int first_wh;
    idl_long_int last_wh;
    idl_long_int server_id;
} dbInfo_data_t;

#ifdef __cplusplus
}
#endif
#endif

```

# trans.h

```
/* FILE: TRANS.H Microsoft
 *
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 *
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 *
 * PURPOSE: Header file for TPC-C structure
 * templates.
 *
 * Change history:
 * 4.20.000 - updated rev number to
 * match kit
 */
#pragma once

// String length constants
#define SERVER_NAME_LEN 20
#define DATABASE_NAME_LEN 20
#define USER_NAME_LEN 20
#define PASSWORD_LEN 20
#define TABLE_NAME_LEN 20
#define I_DATA_LEN 50
#define I_NAME_LEN 24
#define BRAND_LEN 1
#define LAST_NAME_LEN 16
#define W_NAME_LEN 10
#define ADDRESS_LEN 20
#define STATE_LEN 2
#define ZIP_LEN 9
#define S_DIST_LEN 24
#define S_DATA_LEN 50
#define D_NAME_LEN 10
#define FIRST_NAME_LEN 16
#define MIDDLE_NAME_LEN 2
#define PHONE_LEN 16
#define DATETIME_LEN 30
#define CREDIT_LEN 2
#define C_DATA_LEN 250
#define H_DATA_LEN 24
#define DIST_INFO_LEN 24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN 25
#define OL_DIST_INFO_LEN 24

// TIMESTAMP_STRUCT is provided by the ODBC header
// file sqltypes.h, but is not available
// when compiling with dblib, so redefined here.
// Note: we are using the symbol "__SQLTYPES"
// (declared in sqltypes.h) as a way to determine if
// TIMESTAMP_STRUCT has been declared.
#ifdef __SQLTYPES
typedef struct
{
```

```
short
/* SQLSMALLINT */
year;
unsigned short /*
SQLUSMALLINT */ month;
unsigned short /*
SQLUSMALLINT */ day;
unsigned short /*
SQLUSMALLINT */ hour;
unsigned short /*
SQLUSMALLINT */ minute;
unsigned short /*
SQLUSMALLINT */ second;
unsigned long /*
SQLINTEGER */ fraction;
} TIMESTAMP_STRUCT;
#endif

// possible values for exec_status_code after
// transaction completes
enum EXEC_STATUS
{
    eOK, // 0
    "Transaction committed."
    eInvalidItem, // 1 "Item number
    "is not valid."
    eDeliveryFailed // 2 "Delivery
    Post Failed."
};

// transaction structures
typedef struct
{
    // input params
    short
    ol_supply_w_id;
    long
    ol_i_id;
    short
    ol_quantity;

    // output params
    char
    ol_i_name[I_NAME_LEN+1];
    char
    ol_brand_generic[BRAND_LEN+1];
    double
    ol_i_price;
    double
    ol_amount;
    short
    ol_stock;
} OL_NEW_ORDER_DATA;

typedef struct
{
    // input params
    short
    w_id;
    short
    d_id;
    long
    c_id;
    short
    o_ol_cnt;

    // output params
```

```
EXEC_STATUS
exec_status_code;
char
c_last[LAST_NAME_LEN+1];
char
c_credit[CREDIT_LEN+1];
double
c_discount;
double
w_tax;
double
d_tax;
long
o_id;
short
o_commit_flag;
TIMESTAMP_STRUCT
o_entry_d;
short
o_all_local;
double
total_amount;
OL_NEW_ORDER_DATA
OL[MAX_OL_NEW_ORDER_ITEMS];
} NEW_ORDER_DATA, *PNEW_ORDER_DATA;

typedef struct
{
    // input params
    short
    w_id;
    short
    d_id;
    long
    c_id;
    short
    c_d_id;
    short
    c_w_id;
    double
    h_amount;
    char
    c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS
    exec_status_code;
    TIMESTAMP_STRUCT
    h_date;
    char
    w_street_1[ADDRESS_LEN+1];
    char
    w_street_2[ADDRESS_LEN+1];
    char
    w_city[ADDRESS_LEN+1];
    char
    w_state[STATE_LEN+1];
    char
    w_zip[ZIP_LEN+1];
    char
    d_street_1[ADDRESS_LEN+1];
    char
    d_street_2[ADDRESS_LEN+1];
    char
    d_city[ADDRESS_LEN+1];
    char
    d_state[STATE_LEN+1];
    char
    d_zip[ZIP_LEN+1];
    char
    c_first[FIRST_NAME_LEN+1];
    char
    c_middle[MIDDLE_NAME_LEN + 1];
```

```

        char
c_street_1[ADDRESS_LEN+1];
        char
c_street_2[ADDRESS_LEN+1];
        char
c_city[ADDRESS_LEN+1];
        char
c_state[STATE_LEN+1];
        char
c_zip[ZIP_LEN+1];
        char
c_phone[PHONE_LEN+1];
        TIMESTAMP_STRUCT    c_since;
        char
c_credit[CREDIT_LEN+1];
        double
c_credit_lim;
        double
c_discount;
        double
c_balance;
        char
c_data[200+1];
    } PAYMENT_DATA, *PPAYMENT_DATA;

typedef struct
{
    long
    ol_i_id;
    short
    ol_supply_w_id;
    short
    ol_quantity;
    double
    ol_amount;
    TIMESTAMP_STRUCT    ol_delivery_d;
} OL_ORDER_STATUS_DATA;

typedef struct
{
    // input params
    short                w_id;
    short                d_id;
    long                c_id;
    char

c_last[LAST_NAME_LEN+1];

        // output params
        EXEC_STATUS
exec_status_code;
        char
c_first[FIRST_NAME_LEN+1];
        char
c_middle[MIDDLE_NAME_LEN+1];
        double                c_balance;
        long                o_id;
        TIMESTAMP_STRUCT    o_entry_d;
        short                o_carrier_id;
        OL_ORDER_STATUS_DATA
OL[MAX_OL_ORDER_STATUS_ITEMS];
        short                o_ol_cnt;
    } ORDER_STATUS_DATA, *PORDER_STATUS_DATA;

```

```

typedef struct
{
    // input params
    short                w_id;
    short                o_carrier_id;

        // output params
        EXEC_STATUS
exec_status_code;
        SYSTEMTIME
queue_time;
        long
o_id[10];        // id's of delivered
orders for districts 1 to 10
} DELIVERY_DATA, *PDELIVERY_DATA;

//This structure is used for posting delivery
transactions and for writing them to the delivery
server.
typedef struct _DELIVERY_TRANSACTION
{
        SYSTEMTIME        queue;
        //time delivery transaction queued
        short                w_id;
        //delivery warehouse
        short                o_carrier_id;
        //carrier id
    } DELIVERY_TRANSACTION;

typedef struct
{
    // input params
    short
    w_id;
    short
    d_id;
    short
    threshold;

        // output params
        EXEC_STATUS
exec_status_code;
        long
low_stock;
    } STOCK_LEVEL_DATA, *PSTOCK_LEVEL_DATA;

```

## tuxapp.cpp

```

/*      FILE:                TUXAPP.CPP
 *
 *      Microsoft
TPC-C Kit Ver. 4.20.000
 *
 *      Copyright
Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *
 *      Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 *      PURPOSE:  Implementation for TPC-C Tuxedo
server.
 *
 *      Contact:  Charles Levine
(clevine@microsoft.com)

```

```

 *
 *      Change history:
 *
 *      4.20.000 - updated rev number to
match kit
 */

#include <windows.h>
#include <process.h>
#include <tchar.h>
#include <stdio.h>
#include <stdarg.h>
#include <iostream.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>
#include <assert.h>

#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>

#include <tmenv.h>
#include <xa.h>
#include <atmi.h>

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\ReadRegistry.h"
#include "..\..\db_dblib_dll\src\tpcc_dblib.h"
// DBLIB implementation of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h"
// ODBC implementation of TPC-C txns
#include "tuxapp.h"

char
szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

// configuration settings from registry
TPCCREGISTRYDATA    Reg;

CTPCC_BASE                *pTxn = NULL;

#include "..\..\common\src\ReadRegistry.cpp"

/* FUNCTION:  tpsvrint ( int argc, char *argv[])
 *
 * PURPOSE:    Initialize the Server to Database
connection.
 *
 * RETURNS:    int            0
                Success
 *
 *                Failure
 */

```

```

int tpsvrinit ( int argc, char *argv[] )
{
    try
    {
        DWORD dwSize =
MAX_COMPUTERNAME_LENGTH+1;
        GetComputerName(szMyComputerName,
&dwSize);
        szMyComputerName[dwSize] = 0;

        if ( ReadTPCCRegistrySettings(
&Reg ) )
            throw new CTUXAPP_ERR(
ERR_MISSING_REGISTRY_ENTRIES );

        GetParameters(argc, argv);

        switch (Reg.eDB_Protocol)
        {
            case ODBC:
                pTxn = new CTPCC_ODBC(
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
szMyComputerName, Reg.szDbName );
                break;
            case DBLIB:
                pTxn = new CTPCC_DBLIB(
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
szMyComputerName, Reg.szDbName );
                break;
        }
    }
    catch (CBaseErr *e)
    {
        WriteMessageToEventLog(e-
>ErrorText());
        delete e;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
    }

    return 0;
}

/* FUNCTION: tpsvrdone ( void )
*
*/

void tpsvrdone ( void )
{
    delete pTxn;
    pTxn = NULL;
}

/* FUNCTION: BOOL GetParameters(int argc, char
*argv[])
*
* PURPOSE: This function parses the command
line passed in to the delivery executable,
initializing

```

```

*
* and filling in global
variable parameters.
*
* ARGUMENTS: int argc
number of command line arguments passed to
delivery
* char
*argv[] array of command line argument
pointers
*
*/

static void GetParameters(int argc, char *argv[])
{
    // advance through args until "--" is found
    for(int j=0; j<argc; j++)
    {
        if (strcmp(argv[j],"--") == 0)
            break;
    }

    for(int i=j+1; i<argc; i++)
    {
        if ( argv[i][0] == '-' ||
argv[i][0] == '/' )
        {
            switch(argv[i][1])
            {
                case 'S':
                    strcpy(Reg.szDbServer, argv[i]+2);
                    break;
                case 'D':
                    strcpy(Reg.szDbName, argv[i]+2);
                    break;
                case 'P':
                    strcpy(Reg.szDbPassword, argv[i]+2);
                    break;
                case 'U':
                    strcpy(Reg.szDbUser, argv[i]+2);
                    break;
                default:
                    cout << "Microsoft TPC-C Kit" << endl;
                    cout << "Tuxedo Server" << endl << endl;
                    cout << "Usage:" << endl;

                    cout << " tuxapp [<tuxedo-args>] -- -
S<sql-server> [-D<database>] [-U<user>] [-
P<password>]" << endl << endl;

                    cout << "All parameters default to values
in registry." << endl;
            }
        }
    }
}

```

```

        throw new CTUXAPP_ERR( ERR_BAD_SYNTAX );
    }
}

static void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR szMsg[256];
    HANDLE hEventSource;
    LPTSTR lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL,
TEXT("TUXAPP.EXE"));

    _stprintf(szMsg, TEXT("Error in TUXAPP.EXE: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event
source
EVENTLOG_ERROR_TYPE, // event type
0, // event category
0, // event ID
NULL, // current user's
SID
2, // strings in
lpszStrings
0, // no bytes of raw
data
(LPCTSTR *)lpszStrings, // array of
error strings
NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

void NEWORDER( TPSVCINFO *rqst )
{
    PNEW_ORDER_DATA pNewOrder;
    TUX_DATA *pData;
    const int iSize = sizeof(pData-
>u.NewOrder);

    try
    {
        pData = (TUX_DATA*)rqst->data;
        pData->retval = ERR_SUCCESS;
        pData->error = 0;

        pNewOrder = pTxn-
>BuffAddr_NewOrder();
        assert( rqst->len ==
sizeof(TUX_DATA) );
        memcpy(pNewOrder, &pData-
>u.NewOrder, iSize );
    }
}

```



```

        pTxn->NewOrder();
        memcpy( &pData->u.NewOrder,
pNewOrder, iSize );
        treturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
    catch (CBaseErr *e)
    {
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        memcpy( &pData->u.NewOrder,
pNewOrder, iSize );
        treturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
        delete e;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        memcpy( &pData->u.NewOrder,
pNewOrder, iSize );
        treturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
}

void PAYMENT( TPSVCINFO *rqst )
{
    PPAYMENT_DATA    pPayment;
    TUX_DATA          *pData;
    const int        iSize = sizeof(pData-
>u.Payment);

    try
    {
        pData = (TUX_DATA*)rqst->data;
        pData->retval = ERR_SUCCESS;
        pData->error = 0;

        pPayment = pTxn-
>BuffAddr_Payment();
        assert( rqst->len ==
sizeof(TUX_DATA) );
        memcpy(pPayment, &pData-
>u.Payment, iSize );

        pTxn->Payment();
        memcpy( &pData->u.Payment,
pPayment, iSize );
        treturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
    catch (CBaseErr *e)
    {
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        memcpy( &pData->u.Payment,
pPayment, iSize );

```

```

        treturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
        delete e;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        memcpy( &pData->u.Payment,
pPayment, iSize );
        treturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
}

// Note: Delivery txn code below does not implement
logging of the delivery
//      txn results, so cannot be used as is to run
an auditable TPC-C result.
//      The code is included for completeness.
void DELIVERY( TPSVCINFO *rqst )
{
    PDELIVERY_DATA    pDelivery;
    TUX_DATA          *pData;
    const int        iSize = sizeof(pData-
>u.Delivery);

    try
    {
        pData = (TUX_DATA*)rqst->data;
        pData->retval = ERR_SUCCESS;
        pData->error = 0;

        pDelivery = pTxn-
>BuffAddr_Delivery();
        assert( rqst->len ==
sizeof(TUX_DATA) );
        memcpy(pDelivery, &pData-
>u.Delivery, iSize );

        pTxn->Delivery();
        memcpy( &pData->u.Delivery,
pDelivery, iSize );
        treturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
    catch (CBaseErr *e)
    {
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        memcpy( &pData->u.Delivery,
pDelivery, iSize );
        treturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
        delete e;
    }
    catch (...)
    {

```

```

        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        memcpy( &pData->u.Delivery,
pDelivery, iSize );
        treturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
}

void STOCKLEVEL( TPSVCINFO *rqst )
{
    PSTOCK_LEVEL_DATA pStockLevel;
    TUX_DATA          *pData;
    const int        iSize =
sizeof(pData->u.StockLevel);

    try
    {
        pData = (TUX_DATA*)rqst->data;
        pData->retval = ERR_SUCCESS;
        pData->error = 0;

        pStockLevel = pTxn-
>BuffAddr_StockLevel();
        assert( rqst->len ==
sizeof(TUX_DATA) );
        memcpy(pStockLevel, &pData-
>u.StockLevel, iSize );

        pTxn->StockLevel();
        memcpy( &pData->u.StockLevel,
pStockLevel, iSize );
        treturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
    catch (CBaseErr *e)
    {
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        memcpy( &pData->u.StockLevel,
pStockLevel, iSize );
        treturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
        delete e;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        memcpy( &pData->u.StockLevel,
pStockLevel, iSize );
        treturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
}

void ORDERSTATUS( TPSVCINFO *rqst )

```

```

{
    PORTER_STATUS_DATA pOrderStatus;
    TUX_DATA *pData;
    const int iSize = sizeof(pData-
>u.OrderStatus);

    try
    {
        pData = (TUX_DATA*)rqst->data;
        pData->retval = ERR_SUCCESS;
        pData->error = 0;

        pOrderStatus = pTxn-
>BuffAddr_OrderStatus();
        assert( rqst->len ==
sizeof(TUX_DATA) );
        memcpy(pOrderStatus, &pData-
>u.OrderStatus, iSize );

        pTxn->OrderStatus();
        memcpy( &pData->u.OrderStatus,
pOrderStatus, iSize );
        tpreturn( TFSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
    catch (CBaseErr *e)
    {
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        memcpy( &pData->u.OrderStatus,
pOrderStatus, iSize );
        tpreturn( TFSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
        delete e;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));

        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        memcpy( &pData->u.OrderStatus,
pOrderStatus, iSize );
        tpreturn( TFSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
}

/* FUNCTION: CTUXAPP_ERR::ErrorText
 *
 */

char* CTUXAPP_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_MISSING_REGISTRY_ENTRIES,
"Required entries missing from registry."
},

```

```

        { ERR_BAD_SYNTAX,
"Syntax error in input
parameters."
},
        { ERR_UNKNOWN_DB_PROTOCOL,
"Unknown database protocol specified in
registry."
},
        { 0, ""
}
};

static char szNotFound[] = "Unknown error
number.";

for(i=0; errorMsgs[i].szMsg[0]; i++)
{
    if ( m_Error ==
errorMsgs[i].iError )
        break;
}

if ( !errorMsgs[i].szMsg[0] )
    return szNotFound;
else
    return errorMsgs[i].szMsg;
}

```

## tuxapp.dsp

```

# Microsoft Developer Studio Project File -
Name="tuxapp" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Console Application" 0x0103

CFG=tuxapp - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tuxapp.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tuxapp.mak" CFG="tuxapp - Win32
Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tuxapp - Win32 Release" (based on "Win32
(x86) Console Application")

```

```

!MESSAGE "tuxapp - Win32 Debug" (based on "Win32
(x86) Console Application")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
RSC=rc.exe

!IF "$(CFG)" == "tuxapp - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_CONSOLE" /D "_MBCS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_CONSOLE" /D "_MBCS" /YX /FD /c
# ADD BASE RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:console /machine:I386
# ADD LINK32 ..\db_dblib_dll\bin\tpcc_dblib.lib
..\db_odbc_dll\bin\tpcc_odbc.lib libtux.lib
libbuft.lib libtux2.lib libfml.lib libfml32.lib
libgp.lib kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:console /machine:I386

!ELSEIF "$(CFG)" == "tuxapp - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /Gm /Zi /Od /D "WIN32"
/D "_DEBUG" /D "_CONSOLE" /D "_MBCS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_CONSOLE" /D "_MBCS" /YX /FD /c

```

```

# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:console /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ..\db_dblib_dll\bin\tpcc_dblib.lib
..\db_odbc_dll\bin\tpcc_odbc.lib libtux.lib
libbuft.lib libtux2.lib libfml.lib libfml32.lib
libgp.lib kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:console /debug
/machine:I386 /pdbtype:sept

!ENDIF

# Begin Target

# Name "tuxapp - Win32 Release"
# Name "tuxapp - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter "*.cpp;*.c"
# Begin Source File

SOURCE=.\src\tuxapp.cpp

!IF "$(CFG)" == "tuxapp - Win32 Release"

# ADD CPP /MD

!ELSEIF "$(CFG)" == "tuxapp - Win32 Debug"

# ADD CPP /MDd

!ENDIF

# End Source File
# Begin Source File

SOURCE=.\src\tuxmain.c

!IF "$(CFG)" == "tuxapp - Win32 Release"

# ADD CPP /MD

!ELSEIF "$(CFG)" == "tuxapp - Win32 Debug"

# ADD CPP /MDd

!ENDIF

# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"

```

```

# Begin Source File

SOURCE=.\src\tuxapp.h
# End Source File
# End Group
# End Target
# End Project

```

## tuxapp.h

```

/* FILE: TUXAPP.H
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 * PURPOSE: Header file for TPC-C Tuxedo
 * server.
 * Change history:
 * 4.20.000 - updated rev number to
 * match kit
 */

enum TUXERROR
{
    ERR_MISSING_REGISTRY_ENTRIES = 1,
    ERR_BAD_SYNTAX,
    ERR_UNKNOWN_DB_PROTOCOL
};

class CTUXAPP_ERR : public CBaseErr
{
public:
    TUXERROR m_Error;

    CTUXAPP_ERR(TUXERROR Err) {
        m_Error = Err; };
    ~CTUXAPP_ERR() {};

    int ErrorType() {return
ERR_TYPE_TUXEDO;};

    int ErrorNum() {return m_Error;};
    char *ErrorText();
};

struct TUX_DATA
{
    int
    retval;
    int
    error;

    union
    {

```

```

        NEW_ORDER_DATA
        NewOrder;
        PAYMENT_DATA
        Payment;
        DELIVERY_DATA
        Delivery;
        STOCK_LEVEL_DATA StockLevel;
        ORDER_STATUS_DATA OrderStatus;
    } u;

};

static void GetParameters(int argc, char *argv[]);
static void WriteMessageToEventLog(LPTSTR lpszMsg);

#ifdef __cplusplus
extern "C" {
#endif

void NEWORDER( TPSVCINFO *rqst );
void PAYMENT( TPSVCINFO *rqst );
void DELIVERY( TPSVCINFO *rqst );
void STOCKLEVEL( TPSVCINFO *rqst );
void ORDERSTATUS( TPSVCINFO *rqst );

#ifdef __cplusplus
}
#endif

```

## tuxmain.c

```

/* FILE: TUXMAIN.C
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 * PURPOSE: Implementation for TPC-C Tuxedo
 * server.
 * Contact: Charles Levine
 * (clevine@microsoft.com)
 * Change history:
 * 4.20.000 - updated rev number to
 * match kit
 */

#include <stdio.h>
#include <xa.h>
#include <atmi.h>

#ifdef __cplusplus
extern "C" {
#endif

```

```

extern int _tmrunserver _((int));
extern void DELIVERY _((TPSVCINFO *));
extern void NEWORDER _((TPSVCINFO *));
extern void ORDERSTATUS _((TPSVCINFO *));
extern void PAYMENT _((TPSVCINFO *));
extern void STOCKLEVEL _((TPSVCINFO *));
#ifdef __cplusplus
}
#endif

static struct tmdsptchtbl_t tmdsptchtbl[] = {
    { "DELIVERY", "DELIVERY", (void (*)
    _((TPSVCINFO *)) DELIVERY, 0, 0 },
    { "NEWORDER", "NEWORDER", (void (*)
    _((TPSVCINFO *)) NEWORDER, 1, 0 },
    { "ORDERSTATUS", "ORDERSTATUS", (void (*)
    _((TPSVCINFO *)) ORDERSTATUS, 2, 0 },
    { "PAYMENT", "PAYMENT", (void (*)
    _((TPSVCINFO *)) PAYMENT, 3, 0 },
    { "STOCKLEVEL", "STOCKLEVEL", (void (*)
    _((TPSVCINFO *)) STOCKLEVEL, 4, 0 },
    { NULL, NULL, NULL, 0, 0 }
};

#ifdef _TMDLLIMPORT
#define _TMDLLIMPORT
#endif

_TMDLLIMPORT extern struct xa_switch_t tnull_switch;

struct tmsvargs_t tmsvargs = {
    NULL,
    &tmdsptchtbl[0],
    0,
    tpsvrinit,
    tpsvrdone,
    _tmrunserver, /* PRIVATE */
    NULL, /* RESERVED */
    NULL, /* RESERVED */
    NULL, /* RESERVED */
    NULL /* RESERVED */
};

struct tmsvargs_t *
#ifdef _TMPROTOTYPES
_tmgetsrvargs(void)
#else
_tmgetsrvargs()
#endif
{
    tmsvargs.xa_switch = &tnull_switch;
    return(&tmsvargs);
}

int
#ifdef _TMPROTOTYPES
main(int argc, char **argv)
#else
main(argc,argv)

```

```

int argc;
char **argv;
#endif
{
#ifdef TMAINEXIT
#include "mainexit.h"
#endif

    return( _tmstartserver( argc, argv,
    _tmgetsrvargs()));
}

txnlog.h


---


/* FILE: TXNLOG.H Microsoft
 * TPC-C Kit Ver. 4.10.000 not yet
 * audited
 * PURPOSE: Header file for txn log class Copyright
 * Microsoft, 1999 All Rights Reserved
 */
#pragma once

typedef struct _TXN_NEWORDER
{
    31 BYTE OL_Count; //range 0 to
    31 BYTE OL_Remote_Count; //range 0 to
    WORD c_id;
    int o_id;
} TXN_NEWORDER;

typedef struct _TXN_PAYMENT
{
    BYTE CustByName;
    BYTE IsRemote;
} TXN_PAYMENT;

typedef struct _TXN_ORDERSTATUS
{
    BYTE CustByName;
} TXN_ORDERSTATUS;

typedef union _TXN_DETAILS
{
    TXN_NEWORDER NewOrder;
    TXN_PAYMENT
    Payment;
    TXN_ORDERSTATUS OrderStatus;
} TXN_DETAILS;

```

```

// Common header for all records in txn
log. The TxnType field is
// a switch which identifies the particular
variant.
#define TXN_REC_TYPE_CONTROL 1
//
#define TXN_REC_TYPE_TPCC 2 // replaces TRANSACTION_TYPE_TPCC
#define TXN_REC_TYPE_TPCC_DELIV_DEF 3

typedef struct _TXN_RECORD_HEADER
{
    JULIAN_TIME TxnStartT0;
    // start of txn
    BYTE TxnType;
    // one of TXN_REC_TYPE_*
    BYTE TxnSubType;
    // depends on TxnType
} TXN_RECORD_HEADER, *PTXN_RECORD_HEADER;

typedef struct _TXN_RECORD_CONTROL
{
    // common header; must exactly
    match TXN_RECORD_HEADER
    JULIAN_TIME TxnStartT0;
    // start of txn
    BYTE TxnType;
    // = TXN_REC_TYPE_CONTROL
    BYTE TxnSubType;
    // depends on TxnType
    // end of common header
    DWORD Len;
    // number of bytes after this
    field } TXN_RECORD_CONTROL, *PTXN_RECORD_CONTROL;

// TPC-C Txn Record Layout:
//
// 'TxnStartT0' is a Julian timestamp
// corresponding to the moment the
// txn is sent to the SUT, i.e., beginning of
// response time. Deltas
// are in milliseconds. Note that if RTDelay > 0,
// then the txn was
// delayed by this amount. The delay occurs at
// the beginning of the
// response time. So if RTDelay > 0, then the txn
// was actually sent
// at TxnStartT0 + RTDelay.
//
// Graphically:
//
// time -->
//
// |--- Menu ---|--- Keying ---|--- Response ---
|--- Think ---|
// <- DeltaT1 -> <- DeltaT2 -> <- DeltaT4 ->
<- DeltaT3 ->
//
// ^

```

```

//          ^ TxnStartT0
//
//RTDelay is the amount of response time delay
included in DeltaT4.
//RTDelay is recorded per txn because this value
can be changed on
//the fly, and so may vary from txn to txn.
//
//TxnStatus is the txn completion code. It is
used to indicate errors.
//For example, in the New Order txn, 1% of txns
abort. TxnStatus will
//reflect this.

typedef struct _TXN_RECORD_TPCC
{
    // common header; must exactly
match TXN_RECORD_HEADER
    JULIAN_TIME      TxnStartT0;
    // start of txn
    BYTE      TxnType;
    // = TXN_REC_TYPE_TPCC
    BYTE      TxnSubType;
    // depends on TxnType
    // end of common header

    int      DeltaT1;
    //
menu time (ms)
    int      DeltaT2;
    //
keying time (ms)
    int      DeltaT3;
    //
think time (ms)
    int      DeltaT4;
    //
response time (ms)
    int      RTDelay;
    //
response time delay (ms)
    int      TxnError;
    //
TxnStatus
    int      w_id;
    // warehouse ID
    BYTE      d_id;
    // assigned district ID for this thread
    BYTE      d_id_ThisTxn;
    //
district ID chosen for this particular
    BYTE      TxnStatus;
    // completion status for txn to indicate
errors
    BYTE      reserved;
    //
for word alignment
    TXN_DETAILS      TxnDetails;
    //
} TXN_RECORD_TPCC, *PTXN_RECORD_TPCC;

// TPC-C Deferred Delivery Txn Record
Layout:
//
//Incorporating delivery transaction information
into the above
//structure would increase the size of
TXN_DETAILS from 8 to 42 bytes.
//Hence, we store delivery transaction details in
a separate structure.

```

```

//
typedef struct _TXN_RECORD_TPCC_DELIV_DEF
{
    // common header; must exactly
match TXN_RECORD_HEADER
    JULIAN_TIME      TxnStartT0;
    // start of txn
    BYTE      TxnType;
    // = TXN_REC_TYPE_TPCC_DELIV_DEF
    BYTE      TxnSubType;
    // = 0
    // end of common header

    int      DeltaT4;
    //
response time (ms)
    int      DeltaTxnExec;
    // execution time (ms)
    int      w_id;
    // warehouse ID
    BYTE      TxnStatus;
    // completion status for txn to indicate
errors
    BYTE      reserved;
    //
for word alignment
    short    o_carrier_id;
    //
carrier id
    long     o_id[10];
    //
returned delivery transaction ids
} TXN_RECORD_TPCC_DELIV_DEF,
*PTXN_RECORD_TPCC_DELIV_DEF;

#define      TXN_LOG_VERSION      2
#define      TXN_DATA_START      4096
// offset in log file where log
records start
#define      TXN_LOG_EYE_CATCHER "BC"
//
signature bytes at the start of log file

////////////////////////////////////
////////////////////////////////////
// The transaction log has a header as the
first 4K block.
//
typedef struct _TXN_LOG_HEADER
{
    char
    EyeCatcher[2];
    // signature bytes;
should always be "BC"
    int
    LogVersion;
    // set to
TXN_LOG_VERSION
    JULIAN_TIME
    BeginTxnTS;
    // timestamp
of first (lowest) txn start
    JULIAN_TIME
    EndTxnTS;
    // timestamp of last
(highest) txn completion time
    int
    iRecCount;
    // number of
records in log file

```

```

    BOOL
    bLogSorted;
    int
    iFileSize;
    // file size
in bytes
    // the record map provides a fast
way to get close to a particular timestamp in a
sorted log file.
    struct
    {
        JULIAN_TIME
        TS;
        // timestamp
of record
    int
    iPos;
    // byte
position in file
    }
    RecMap[RecMapSize];
#define      RecMapSize
200
} TXN_LOG_HEADER, *PTXN_LOG_HEADER;

/* Header of the sorted pointers blocks in
Temp file (in merging). */
typedef struct BLOCK_HEADER {
    long    BlockPos;
    __int64 CurPos;
    DWORD   BytesRead;
    int     nRecords;
    BYTE    *offset; /* offset of
pointers to records in the log file */
} BLOCK_HEADER, *PBLOCK_HEADER;

#define      READ_BUFFER_SIZE      64*1024
#define      WRITE_BUFFER_SIZE     8*1024

#define      NUM_READ_BUFFERS      1
#define      NUM_WRITE_BUFFERS     2
#define      MAX_NUM_BUFFERS       2

// flags passed in to the constructor
#define      TXN_LOG_WRITE          0x01
#define      TXN_LOG_READ          0x02
#define      TXN_LOG_SORTED        0x04
#define      TXN_LOG_CRASHOPEN     0x08
//
if set, invalid headers will be tolerated; used for
recovery

#define      TXN_LOG_OS_ERROR      1
#define      TXN_LOG_NOT_SORTED    2

#define      SKIP_CTRL_RECS        1

class CTxnLog
{
private:
    DWORD
    iBufferSize;
    //buffer allocated size

```

```

        DWORD
        iBytesFreeInBuffer; //total bytes
available for use in buffer
        int
        iNumBuffers;
//buffers in use
        int
        iActiveBuffer;
//indicates which buffer is active: 0 or 1
        int
        iIoBuffer;
//buffer for any pending IO operation
//
//
        int
        iFilePointer;
//position in file.
        LARGE_INTEGER lFilePointer;
//position in file.
        int
        iNextRec;
//when reading, ordinal value of next
record

        // A "save point" is remembered
each time GetNextRecord is called with a start time
specified.
        // The next time it is called, if
start time is after the save point, we start scanning
from the
        // save point. This is
particularly useful in FindBestInterval, where the
log is scanned repeatedly.
        JULIAN_TIME
        SavePtTime;
//
        int
        iSavePtFilePointer;
        LARGE_INTEGER
        lSavePtFilePointer;
        int
        iSavePtNextRec;

        JULIAN_TIME lastTS;
//when
writing sorted output, used to verify records are
sorted
        BOOL bWrite;
//writing log
file
        BOOL bCrashOpen;
// tolerate
bad headers and consistency checks
        BOOL
        bLogSorted; //
is log file sorted? applies to both input and output
        JULIAN_TIME
        BeginTxnTS; //
timestamp of first (lowest) txn start
        JULIAN_TIME
        EndTxnTS; // timestamp
of last (highest) txn completion time
        int
        iRecCount; //
number of records in log file

```

```

        BYTE *pCurrent;
//ptr to
current buffer
        BYTE
        *pBuffer[MAX_NUM_BUFFERS];
array for sort
        PTXN_RECORD_HEADER *TxnArray;
//transaction record pointer
        DWORD dwError;
        HANDLE hTxnFile;
//handle to log file
        HANDLE hMapFile;
//map file used when
sorting the log
        HANDLE hIoComplete;
//event to signify that
there are no pending IOs
        HANDLE hLogFileIo;
//event to
signal the IO thread to write the inactive buffer
        Spinlock Spin;
//spin lock to protect
the txn log file buffers
        FILE
        *tmpFile; //temp file for merging
sorted pieces
        PBLOCK_HEADER //sorted
        tmpHeaders;
pointers block header
        BYTE
        **recPointers; //record pointer
buffers for each sorted block
        PTXN_RECORD_HEADER *recBuffers;
//record buffers for each sorted block
        int
        *PointersRead;
//# of pointers processed in each block
        BOOL *BlockAvailable;
//whether to check a particular
block for jmin
        int nBlocks;
        int jmin;
//index (block-wise) of the lowest
timestamp record
        int
        iAvgRecordLen;
//average record length
        int
        iSortedReturnedCount;
//keeps track of the # of sorted records
returned through GetSortedRecord()
        int Write(BYTE *ptr, DWORD Size);
        static void LogFileIO(CTXNLog *);

```

```

        void LoadBuffers(int j);
//used in sort/merge to load
record buffers
        public:
                CTxnLog::CTXNLog(LPCTSTR
                szFileName, DWORD dwOpts);
                ~CTXNLog(void);
                int WriteToLog(PTXN_RECORD_TPCC
                pTxnRcrd);
                int
                WriteToLog(PTXN_RECORD_TPCC_DELIV_DEF pTxnRcrd);
                int
                WriteToLog(PTXN_RECORD_CONTROL pCtrlRec);
                int WriteToLog(PTXN_RECORD_HEADER
                pCtrlRec);
                int WriteCtrlRecToLog(BYTE
                SubType, LPCTSTR lpStr, DWORD dwLen);
                void
                CloseTransactionLogFile(void);
                PTXN_RECORD_HEADER
                GetNextRecord(BOOL bSkipCtrlRecs = FALSE);
                PTXN_RECORD_HEADER
                GetNextRecord(JULIAN_TIME SeekTimeT0, BOOL
                bSkipCtrlRecs = FALSE);
                int Sort(void);
                PTXN_RECORD_HEADER
                GetSortedRecord();
                inline BOOL IsSorted(void) {
                return bLogSorted; };
                inline JULIAN_TIME BeginTS(void)
                { return BeginTxnTS; };
                inline JULIAN_TIME EndTS(void) {
                return EndTxnTS; };
                inline int RecordCount(void) {
                return iRecCount; };
                };
        class CTXNLOG_ERR : public CBaseErr
        {
        public:
                enum CTXNLOG_ERRS
                {
                        ERR_BAD_FILE_FORMAT,
                        // "File format is invalid."
                        ERR_UNKNOWN_LOG_VERSION, // "Log file
                        version is unknown."
                        ERR_BROKEN_LOG_FILE,
                        // "Log file is broken."
                        ERR_LOG_NOT_SORTED,
                        // "Log file is not sorted"
                        ERR_INVALID_TIME_SEQ,
                        // "Internal Error: Record Time
                        Sequence invalid."
                };
        };

```

```

    };

    CBaseErr(iErr) {};

    CTXNLOG_ERR(int iErr) :

    int ErrorType() {return

ERR_TYPE_TXNLOG;};

    char *ErrorText()
    {
        static char *szMsgs[] =
        {
            "File format
is invalid.",
            "Log file
version is unknown.",
            "Log file is
broken.",
            "Log file is
not sorted",
            "Internal
Error: Record Time Sequence invalid.",
            ""
        };
        for(int i = 0;
            if ( m_idMsg
== i )
                break;
        }
        return(szMsgs[i][0] ?
            ERR_UNKNOWN);
    };
};

```

## txn\_base.h

```

/* FILE: TXN_BASE.H
 * Microsoft
TPC-C Kit Ver. 4.20.000
 * Copyright
Microsoft, 1999
 * All Rights Reserved
 *
 * Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE: Header file for TPC-C txn class
implementation.
 *
 * Change history:
 * 4.20.000 - updated rev number to
match kit
 */

```

```

#pragma once

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class DllDecl CTPCC_BASE
{
public:
    CTPCC_BASE(void) {};
    virtual ~CTPCC_BASE(void) {};

    virtual PNEW_ORDER_DATA
    BuffAddr_NewOrder() = 0;
    virtual PPAYMENT_DATA
    BuffAddr_Payment() = 0;
    virtual PDELIVERY_DATA
    BuffAddr_Delivery() = 0;
    virtual PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel() = 0;
    virtual PORDER_STATUS_DATA
    BuffAddr_OrderStatus() = 0;

    virtual void NewOrder
    () = 0;
    virtual void Payment
    () = 0;
    virtual void Delivery
    () = 0;
    virtual void StockLevel
    () = 0;
    virtual void OrderStatus
    ()
    = 0;
};

```

## WEBCLNT.DSP

```

# Microsoft Developer Studio Project File -
Name="webclnt" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 5.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Application" 0x0101

CFG=webclnt - Win32 Release
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE
!MESSAGE NMAKE /f "Webclnt.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE

```

```

!MESSAGE NMAKE /f "Webclnt.mak" CFG="webclnt - Win32
Release"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "webclnt - Win32 Release" (based on "Win32
(x86) Application")
!MESSAGE "webclnt - Win32 Debug" (based on "Win32
(x86) Application")
!MESSAGE

# Begin Project
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "webclnt - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir ".\Release"
# PROP BASE Intermediate_Dir ".\Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\Release"
# PROP Intermediate_Dir ".\Release"
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /c
# ADD CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG"
/D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbc32.lib /nologo /subsystem:windows /machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbc32.lib /nologo /subsystem:windows /machine:I386

!ELSEIF "$(CFG)" == "webclnt - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir ".\Debug"
# PROP BASE Intermediate_Dir ".\Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\Debug"
# PROP Intermediate_Dir ".\Debug"
# PROP Target_Dir ""

```

```

# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /c
# ADD CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32" /D
"_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /debug
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /debug
/machine:I386

!ENDIF

# Begin Target

# Name "webclnt - Win32 Release"
# Name "webclnt - Win32 Debug"
# End Target
# End Project

```

## Webclnt.dsw

```

Microsoft Developer Studio Workspace File, Format
Version 6.00
# WARNING: DO NOT EDIT OR DELETE THIS WORKSPACE FILE!

#####
#####

Project:
"db_dblib_dll"=.\db_dblib_dll\db_dblib_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

Project: "db_odbc_dll"=.\db_odbc_dll\db_odbc_dll.dsp
- Package Owner=<4>

Package=<5>

```

```

{{{
}}}

Package=<4>
{{{
}}}

#####
#####

Project: "install"=.\install\install.dsp - Package
Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
Begin Project Dependency
Project_Dep_Name isapi_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tuxapp
End Project Dependency
Begin Project Dependency
Project_Dep_Name db_dblib_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name db_odbc_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_com_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_tuxedo_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tpcc_com_all
End Project Dependency
Begin Project Dependency
Project_Dep_Name tpcc_com_ps
End Project Dependency
}}}

#####
#####

Project: "isapi_dll"=.\isapi_dll\isapi_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
Begin Project Dependency
Project_Dep_Name db_dblib_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name db_odbc_dll
End Project Dependency
}}}

```

```

Begin Project Dependency
Project_Dep_Name tm_tuxedo_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_com_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_encina_dll
End Project Dependency
}}}

#####
#####

Project: "tm_com_dll"=.\tm_com_dll\tm_com_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
Begin Project Dependency
Project_Dep_Name tpcc_com_ps
End Project Dependency
Begin Project Dependency
Project_Dep_Name tpcc_com_all
End Project Dependency
}}}

#####
#####

Project:
"tm_encina_dll"=.\tm_encina_dll\tm_encina_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

Project:
"tm_tuxedo_dll"=.\tm_tuxedo_dll\tm_tuxedo_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

```



```

Project:
"tpcc_com_all"=.\tpcc_com_all\tpcc_com_all.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name tpcc_com_ps
  End Project Dependency
}}}

#####
#####

Project: "tpcc_com_ps"=.\tpcc_com_ps\tpcc_com_ps.dsp
- Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

Project: "tuxapp"=.\tuxapp\tuxapp.dsp - Package
Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name db_dblib_dll
  End Project Dependency
  Begin Project Dependency
  Project_Dep_Name db_odbc_dll
  End Project Dependency
}}}

#####
#####

Global:

Package=<5>
{{{
}}}

Package=<3>
{{{
}}}

```

```

#####
#####

_____
delivery.h
_____

/* Generated by IDL compiler version DEC DCE V2.0.0-6
*/
#ifdef _delivery_v1_0_included
#define _delivery_v1_0_included
#endif
#include <dce\idlbase.h>
#include <dce\rpc.h>
#include "trpc/trpc.h"

#ifdef __cplusplus
extern "C" {
#endif

#ifdef nbase_v0_0_included
#include "dce\nbase.h"
#endif
#ifdef trpcImports_v0_0_included
#include "trpc/trpcImports.h"
#endif
#ifdef mon_handle_v1_0_included
#include "tpm/mon\mon_handle.h"
#endif
#ifdef tpcc_types_v1_0_included
#include "tpcc_type.h"
#endif
#include <dce\rpcexc.h>
extern EXCEPTION encina_x_transaction_aborted;
extern EXCEPTION encina_x_server_shutdown;
extern EXCEPTION encina_x_permission_denied;
extern EXCEPTION encina_x_object_not_found;
extern EXCEPTION encina_x_empty_slot1;
extern EXCEPTION encina_x_empty_slot2;
extern EXCEPTION encina_x_empty_slot3;
extern EXCEPTION encina_x_empty_slot4;
extern EXCEPTION encina_x_empty_slot5;
extern EXCEPTION encina_x_undefined_exception;
extern void IDL_STD_STDCALL _delivery_GetApplId(
#ifdef IDL_PROTOTYPES
  /* [in] */ handle_t handle,
  /* [out] */ trpc_byteData_t applString,
  /* [out] */ idl_ulong_int *applStringLength,
  /* [out] */ trpc_byteData_t address,
  /* [out] */ idl_ulong_int *addressLength,
  /* [out] */ error_status_t *c_status,
  /* [out] */ error_status_t *f_status
#endif
);
extern void IDL_STD_STDCALL _impTPCCDelivery(
#ifdef IDL_PROTOTYPES
  /* [in] */ handle_t trpc_h,
  /* [in] */ idl_long_int length,
  /* [in, out] */ idl_char *dataP,
  /* [in, out] */ data_header *headerP,

```

```

  /* [in] */ trpc_byteData_t applAndAddress,
  /* [in] */ idl_ulong_int applAndAddressLength,
  /* [in] */ trpc_callbackData_t inCallbackData,
  /* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
globalref mon_handle_t handle;
#ifdef __VMS && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __save
#pragma extern_model __common_block __shr
#endif
typedef struct _delivery_v1_0_epv_t {
void ( IDL_STD_STDCALL *_delivery_GetApplId)(
#ifdef IDL_PROTOTYPES
  /* [in] */ handle_t handle,
  /* [out] */ trpc_byteData_t applString,
  /* [out] */ idl_ulong_int *applStringLength,
  /* [out] */ trpc_byteData_t address,
  /* [out] */ idl_ulong_int *addressLength,
  /* [out] */ error_status_t *c_status,
  /* [out] */ error_status_t *f_status
#endif
);
void ( IDL_STD_STDCALL *_impTPCCDelivery)(
#ifdef IDL_PROTOTYPES
  /* [in] */ handle_t trpc_h,
  /* [in] */ idl_long_int length,
  /* [in, out] */ idl_char *dataP,
  /* [in, out] */ data_header *headerP,
  /* [in] */ trpc_byteData_t applAndAddress,
  /* [in] */ idl_ulong_int applAndAddressLength,
  /* [in] */ trpc_callbackData_t inCallbackData,
  /* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
} _delivery_v1_0_epv_t;
extern rpc_if_handle_t _delivery_v1_0_c_ifspec;
extern rpc_if_handle_t _delivery_v1_0_s_ifspec;
#ifdef __VMS && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __restore
#endif

#ifdef __cplusplus
}
#endif

#else
#endif
#endif

_____
neworder.h
_____

/* Generated by IDL compiler version DEC DCE V2.0.0-6
*/
#ifdef _neworder_v1_0_included
#define _neworder_v1_0_included
#endif
#include <dce\idlbase.h>
#endif

```

```

#include <dce\rpc.h>
#include "trpc\trpc.h"

#ifdef __cplusplus
extern "C" {
#endif

#ifndef nbase_v0_0_included
#include "dce\nbase.h"
#endif
#ifndef trpcImports_v0_0_included
#include "trpc\trpcImports.h"
#endif
#ifndef mon_handle_v1_0_included
#include "tpm\mon\mon_handle.h"
#endif
#ifndef tpcc_types_v1_0_included
#include "tpcc_type.h"
#endif
#include <dce\rpcexc.h>
extern EXCEPTION encina_x_transaction_aborted;
extern EXCEPTION encina_x_server_shutdown;
extern EXCEPTION encina_x_permission_denied;
extern EXCEPTION encina_x_object_not_found;
extern EXCEPTION encina_x_empty_slot1;
extern EXCEPTION encina_x_empty_slot2;
extern EXCEPTION encina_x_empty_slot3;
extern EXCEPTION encina_x_empty_slot4;
extern EXCEPTION encina_x_empty_slot5;
extern EXCEPTION encina_x_undefined_exception;
extern void IDL_STD_STDCALL _neworder_GetAppId(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t handle,
    /* [out] */ trpc_byteData_t applString,
    /* [out] */ idl_ulong_int *applStringLength,
    /* [out] */ trpc_byteData_t address,
    /* [out] */ idl_ulong_int *addressLength,
    /* [out] */ error_status_t *c_status,
    /* [out] */ error_status_t *f_status
#endif
);
extern void IDL_STD_STDCALL _impTPCCNewOrder(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t trpc_h,
    /* [in] */ idl_long_int length,
    /* [in, out] */ idl_char *dataP,
    /* [in, out] */ data_header *headerP,
    /* [in] */ trpc_byteData_t applAndAddress,
    /* [in] */ idl_ulong_int applAndAddressLength,
    /* [in] */ trpc_callbackData_t inCallbackData,
    /* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
extern void IDL_STD_STDCALL _impTPCCNOInfo(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t trpc_h,
    /* [out] */ dbInfo_data_t *dataP,
    /* [in] */ trpc_byteData_t applAndAddress,
    /* [in] */ idl_ulong_int applAndAddressLength,
    /* [in] */ trpc_callbackData_t inCallbackData,
    /* [in] */ idl_ulong_int numOfInCallbackData
#endif
);

```

```

globalref mon_handle_t handle;
#ifdef __cplusplus
#pragma extern_model __save
#pragma extern_model __common_block __shr
#endif
typedef struct _neworder_v1_0_epv_t {
void ( IDL_STD_STDCALL *_neworder_GetAppId)(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t handle,
    /* [out] */ trpc_byteData_t applString,
    /* [out] */ idl_ulong_int *applStringLength,
    /* [out] */ trpc_byteData_t address,
    /* [out] */ idl_ulong_int *addressLength,
    /* [out] */ error_status_t *c_status,
    /* [out] */ error_status_t *f_status
#endif
);
void ( IDL_STD_STDCALL *_impTPCCNewOrder)(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t trpc_h,
    /* [in] */ idl_long_int length,
    /* [in, out] */ idl_char *dataP,
    /* [in, out] */ data_header *headerP,
    /* [in] */ trpc_byteData_t applAndAddress,
    /* [in] */ idl_ulong_int applAndAddressLength,
    /* [in] */ trpc_callbackData_t inCallbackData,
    /* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
void ( IDL_STD_STDCALL *_impTPCCNOInfo)(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t trpc_h,
    /* [out] */ dbInfo_data_t *dataP,
    /* [in] */ trpc_byteData_t applAndAddress,
    /* [in] */ idl_ulong_int applAndAddressLength,
    /* [in] */ trpc_callbackData_t inCallbackData,
    /* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
};
extern rpc_if_handle_t _neworder_v1_0_c_ifspec;
extern rpc_if_handle_t _neworder_v1_0_s_ifspec;
#ifdef __cplusplus
}
#endif
}
#ifdef __cplusplus
}
#endif
}
/* Generated by IDL compiler version DEC DCE V2.0.0-6
*/
#ifndef _orderstatus_v1_0_included

```

## orderstatus.h

```

#define _orderstatus_v1_0_included
#ifndef IDLBASE_H
#include <dce\idlbase.h>
#endif
#include <dce\rpc.h>
#include "trpc\trpc.h"

#ifdef __cplusplus
extern "C" {
#endif

#ifndef nbase_v0_0_included
#include "dce\nbase.h"
#endif
#ifndef trpcImports_v0_0_included
#include "trpc\trpcImports.h"
#endif
#ifndef mon_handle_v1_0_included
#include "tpm\mon\mon_handle.h"
#endif
#ifndef tpcc_types_v1_0_included
#include "tpcc_type.h"
#endif
#include <dce\rpcexc.h>
extern EXCEPTION encina_x_transaction_aborted;
extern EXCEPTION encina_x_server_shutdown;
extern EXCEPTION encina_x_permission_denied;
extern EXCEPTION encina_x_object_not_found;
extern EXCEPTION encina_x_empty_slot1;
extern EXCEPTION encina_x_empty_slot2;
extern EXCEPTION encina_x_empty_slot3;
extern EXCEPTION encina_x_empty_slot4;
extern EXCEPTION encina_x_empty_slot5;
extern EXCEPTION encina_x_undefined_exception;
extern void IDL_STD_STDCALL _orderstatus_GetAppId(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t handle,
    /* [out] */ trpc_byteData_t applString,
    /* [out] */ idl_ulong_int *applStringLength,
    /* [out] */ trpc_byteData_t address,
    /* [out] */ idl_ulong_int *addressLength,
    /* [out] */ error_status_t *c_status,
    /* [out] */ error_status_t *f_status
#endif
);
extern void IDL_STD_STDCALL _impTPCCOrderStatus(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t trpc_h,
    /* [in] */ idl_long_int length,
    /* [in, out] */ idl_char *dataP,
    /* [in, out] */ data_header *headerP,
    /* [in] */ trpc_byteData_t applAndAddress,
    /* [in] */ idl_ulong_int applAndAddressLength,
    /* [in] */ trpc_callbackData_t inCallbackData,
    /* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
globalref mon_handle_t handle;
#ifdef __cplusplus
#pragma extern_model __save
#pragma extern_model __common_block __shr
#endif

```

```

typedef struct _orderstatus_v1_0_epv_t {
void ( IDL_STD_STDCALL *_orderstatus_GetApplId)(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t handle,
/* [out] */ trpc_byteData_t applString,
/* [out] */ idl_ulong_int *applStringLength,
/* [out] */ trpc_byteData_t address,
/* [out] */ idl_ulong_int *addressLength,
/* [out] */ error_status_t *c_status,
/* [out] */ error_status_t *f_status
#endif
);
void ( IDL_STD_STDCALL *_impTPCCOrderStatus)(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t trpc_h,
/* [in] */ idl_long_int length,
/* [in, out] */ idl_char *dataP,
/* [in, out] */ data_header *headerP,
/* [in] */ trpc_byteData_t applAndAddress,
/* [in] */ idl_ulong_int applAndAddressLength,
/* [in] */ trpc_callbackData_t inCallbackData,
/* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
} _orderstatus_v1_0_epv_t;
extern rpc_if_handle_t _orderstatus_v1_0_c_ifspec;
extern rpc_if_handle_t _orderstatus_v1_0_s_ifspec;
#if defined(__VMS) && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __restore
#endif

#ifdef __cplusplus
}
#else
#endif
#endif

```

## \_payment.h

```

/* Generated by IDL compiler version DEC DCE V2.0.0-6
*/
#ifdef _payment_v1_0_included
#define _payment_v1_0_included
#ifdef IDLBASE_H
#include <dce\idlbase.h>
#endif
#include <dce\rpc.h>
#include "trpc/trpc.h"

#ifdef __cplusplus
extern "C" {
#endif

#ifdef nbase_v0_0_included
#include "dce\nbase.h"
#endif
#ifdef trpcImports_v0_0_included
#include "trpc\trpcImports.h"

```

```

#endif
#ifdef mon_handle_v1_0_included
#include "tpm\mon\mon_handle.h"
#endif
#ifdef tpcc_types_v1_0_included
#include "tpcc_type.h"
#endif
#include <dce\rpcexc.h>
extern EXCEPTION encina_x_transaction_aborted;
extern EXCEPTION encina_x_server_shutdown;
extern EXCEPTION encina_x_permission_denied;
extern EXCEPTION encina_x_object_not_found;
extern EXCEPTION encina_x_empty_slot1;
extern EXCEPTION encina_x_empty_slot2;
extern EXCEPTION encina_x_empty_slot3;
extern EXCEPTION encina_x_empty_slot4;
extern EXCEPTION encina_x_empty_slot5;
extern EXCEPTION encina_x_undefined_exception;
extern void IDL_STD_STDCALL _payment_GetApplId(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t handle,
/* [out] */ trpc_byteData_t applString,
/* [out] */ idl_ulong_int *applStringLength,
/* [out] */ trpc_byteData_t address,
/* [out] */ idl_ulong_int *addressLength,
/* [out] */ error_status_t *c_status,
/* [out] */ error_status_t *f_status
#endif
);
extern void IDL_STD_STDCALL _impTPCCPayment(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t trpc_h,
/* [in] */ idl_long_int length,
/* [in, out] */ idl_char *dataP,
/* [in, out] */ data_header *headerP,
/* [in] */ trpc_byteData_t applAndAddress,
/* [in] */ idl_ulong_int applAndAddressLength,
/* [in] */ trpc_callbackData_t inCallbackData,
/* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
globalref mon_handle_t handle;
#if defined(__VMS) && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __save
#pragma extern_model __common_block __shr
#endif
typedef struct _payment_v1_0_epv_t {
void ( IDL_STD_STDCALL *_payment_GetApplId)(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t handle,
/* [out] */ trpc_byteData_t applString,
/* [out] */ idl_ulong_int *applStringLength,
/* [out] */ trpc_byteData_t address,
/* [out] */ idl_ulong_int *addressLength,
/* [out] */ error_status_t *c_status,
/* [out] */ error_status_t *f_status
#endif
);
void ( IDL_STD_STDCALL *_impTPCCPayment)(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t trpc_h,
/* [in] */ idl_long_int length,

```

```

/* [in, out] */ idl_char *dataP,
/* [in, out] */ data_header *headerP,
/* [in] */ trpc_byteData_t applAndAddress,
/* [in] */ idl_ulong_int applAndAddressLength,
/* [in] */ trpc_callbackData_t inCallbackData,
/* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
} _payment_v1_0_epv_t;
extern rpc_if_handle_t _payment_v1_0_c_ifspec;
extern rpc_if_handle_t _payment_v1_0_s_ifspec;
#if defined(__VMS) && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __restore
#endif

#ifdef __cplusplus
}
#else
#endif

```

## stocklevel.h

```

/* Generated by IDL compiler version DEC DCE V2.0.0-6
*/
#ifdef _stocklevel_v1_0_included
#define _stocklevel_v1_0_included
#ifdef IDLBASE_H
#include <dce\idlbase.h>
#endif
#include <dce\rpc.h>
#include "trpc/trpc.h"

#ifdef __cplusplus
extern "C" {
#endif

#ifdef nbase_v0_0_included
#include "dce\nbase.h"
#endif
#ifdef trpcImports_v0_0_included
#include "trpc\trpcImports.h"
#endif
#ifdef mon_handle_v1_0_included
#include "tpm\mon\mon_handle.h"
#endif
#ifdef tpcc_types_v1_0_included
#include "tpcc_type.h"
#endif
#include <dce\rpcexc.h>
extern EXCEPTION encina_x_transaction_aborted;
extern EXCEPTION encina_x_server_shutdown;
extern EXCEPTION encina_x_permission_denied;
extern EXCEPTION encina_x_object_not_found;
extern EXCEPTION encina_x_empty_slot1;
extern EXCEPTION encina_x_empty_slot2;
extern EXCEPTION encina_x_empty_slot3;
extern EXCEPTION encina_x_empty_slot4;

```

```

extern EXCEPTION encina_x_empty_slot5;
extern EXCEPTION encina_x_undefined_exception;
extern void IDL_STD_STDCALL _stocklevel_GetApplId(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t handle,
    /* [out] */ trpc_byteData_t applString,
    /* [out] */ idl_ulong_int *applStringLength,
    /* [out] */ trpc_byteData_t address,
    /* [out] */ idl_ulong_int *addressLength,
    /* [out] */ error_status_t *c_status,
    /* [out] */ error_status_t *f_status
#endif
);
extern void IDL_STD_STDCALL _impTPCCStockLevel(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t trpc_h,
    /* [in] */ idl_long_int length,
    /* [in, out] */ idl_char *dataP,
    /* [in, out] */ data_header *headerP,
    /* [in] */ trpc_byteData_t applAndAddress,
    /* [in] */ idl_ulong_int applAndAddressLength,
    /* [in] */ trpc_callbackData_t inCallbackData,
    /* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
globalref mon_handle_t handle;
#if defined(__VMS) && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __save
#pragma extern_model __common_block __shr
#endif
typedef struct _stocklevel_v1_0_epv_t {
void ( IDL_STD_STDCALL *_stocklevel_GetApplId)(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t handle,
    /* [out] */ trpc_byteData_t applString,
    /* [out] */ idl_ulong_int *applStringLength,
    /* [out] */ trpc_byteData_t address,
    /* [out] */ idl_ulong_int *addressLength,
    /* [out] */ error_status_t *c_status,
    /* [out] */ error_status_t *f_status
#endif
);
};
void ( IDL_STD_STDCALL *_impTPCCStockLevel)(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t trpc_h,
    /* [in] */ idl_long_int length,
    /* [in, out] */ idl_char *dataP,
    /* [in, out] */ data_header *headerP,
    /* [in] */ trpc_byteData_t applAndAddress,
    /* [in] */ idl_ulong_int applAndAddressLength,
    /* [in] */ trpc_callbackData_t inCallbackData,
    /* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
} _stocklevel_v1_0_epv_t;
extern rpc_if_handle_t _stocklevel_v1_0_c_ifspec;
extern rpc_if_handle_t _stocklevel_v1_0_s_ifspec;
#if defined(__VMS) && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __restore
#endif
#endif

```

```

#ifdef __cplusplus
}
#else
#endif
#endif

```

# Appendix B: Database Design

The TPC-C database was created with the following Transact-SQL scripts:

## backup.sql

```
-- File:      BACKUP.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates backup of tpcc database

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)

dump database tpcc to tpccback1, tpccback2, tpccback3
with init, stats = 1

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

go
```

## backupdev.sql

```
-- File:      BACKUPDEVB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates tpcc database Backup Devices

use master
go

-- create backup devices

exec sp_addumpdevice
'disk', 'tpccback1', 'X:\tpccback1.dmp'
go
exec sp_addumpdevice
'disk', 'tpccback2', 'Y:\tpccback2.dmp'
```

```
go
exec sp_addumpdevice
'disk', 'tpccback3', 'Z:\tpccback3.dmp'
go
```

## config.sql

```
-- File:      CONFIG.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.00
--           Copyright Microsoft, 1996
-- Purpose:   Collects SQL Server configuration
parameters

print " "
select convert(char(30), getdate(),9)
print " "
go

sp_configure "show advanced",1
go
reconfigure with override
go
exec sp_configure "affinity mask",          3
exec sp_configure "cost threshold for parallelism",
5
exec sp_configure "index create memory",    704
exec sp_configure "lightweight pooling",    1
exec sp_configure "awe enabled",           0
exec sp_configure "locks",                 0
exec sp_configure "max degree of parallelism", 1
exec sp_configure "max server memory",
2147483647
exec sp_configure "max worker threads",    450
exec sp_configure "min memory per query",  512
exec sp_configure "min server memory",     0
exec sp_configure "nested triggers",       1
exec sp_configure "network packet size",   4096
exec sp_configure "open objects",          0
exec sp_configure "priority boost",        1
exec sp_configure "recovery interval",     80
exec sp_configure "set working set size",  0
exec sp_configure "user connections",      0
```

```
go

reconfigure with override
go
sp_configure
go
```

## createdb.sql

```
-- File:      CREATEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
```

```
--           Copyright Microsoft, 2001
-- Purpose:   Creates tpcc database and backup files
```

```
use master
go
```

```
-- Create temporary table for timing
```

```
if exists ( select name from sysobjects where name =
'tpcc_timer' )
drop table tpcc_timer
```

```
go

create table tpcc_timer
(
start_date
char(30),
end_date
char(30)
)
```

```
insert into tpcc_timer values (0,0)
go
```

```
-- Store starting time
```

```
update tpcc_timer
set start_date = (select
convert(char(30), getdate(),9))
go
```

```
-- create main database files
```

```
CREATE DATABASE tpcc
ON PRIMARY
(
NAME = MSSQL_tpcc_root,
FILENAME = "C:\MSSQL_tpcc_root.mdf",
SIZE = 8MB,
FILEGROWTH = 0),
FILEGROUP MSSQL_cs_fg
(
NAME = MSSQL_cs1,
FILENAME = "C:\mount\cs1\",
SIZE = 32150MB,
FILEGROWTH = 0),
(
NAME = MSSQL_cs2,
FILENAME = "C:\mount\cs2\",
SIZE = 32150MB,
FILEGROWTH = 0),
(
NAME = MSSQL_cs3,
FILENAME = "C:\mount\cs3\",
SIZE = 32150MB,
FILEGROWTH = 0),
FILEGROUP MSSQL_misc_fg
(
NAME = MSSQL_misc1,
FILENAME = "C:\mount\misc1\",
SIZE = 15717MB,
FILEGROWTH = 0),
(
NAME = MSSQL_misc2,
FILENAME = "C:\mount\misc2\",
SIZE = 15717MB,
```

```

        FILEGROWTH      = 0),
    (
        NAME             = MSSQL_misc3,
        FILENAME         = "C:\mount\misc3\",
        SIZE             = 15717MB,
        FILEGROWTH      = 0)

LOG ON
(
    NAME                 =MSSQL_tpcc_log,
    FILENAME             ="E:",
    SIZE                 =64900MB,
    FILEGROWTH           =0)

COLLATE Latin1_General_Bin
go

-- Store ending time
update tpcc_timer
set end_date = (select convert(char(30),
getdate(),9))
go

select "Elapsed time (in seconds): ",
datediff(second,(select start_date from
tpcc_timer),(select end_date from tpcc_timer))

-- remove temporary table

if exists ( select name from sysobjects where name =
'tpcc_timer' )
drop table tpcc_timer
go

```

## dbopt1.sql

```

-- File:      DBOPT1.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Sets database options for data load

use master
go

exec sp_dboption tpcc,'select into/bulkcopy',true
exec sp_dboption tpcc,'trunc. log on chkpt.',true
go

use tpcc
go

checkpoint
go

```

## dbopt2.sql

```

-- File:      DBOPT2.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Resets database options after data load

sp_dboption tpcc,'select into/bulkcopy',FALSE
GO

sp_dboption tpcc,'trunc. log on chkpt.',FALSE
GO

USE tpcc
GO

CHECKPOINT
GO

sp_configure 'allow updates',1
GO

RECONFIGURE WITH OVERRIDE
GO

DECLARE @msg          varchar(50)

--           OPTIONS FOR SQL SERVER 8.0
-- Set option values for user-defined indexes
--

SET @msg = ' '
PRINT @msg
SET @msg = 'Setting SQL Server
indexoptions'
PRINT @msg
SET @msg = ' '
PRINT @msg

EXEC sp_indexoption 'customer',
'DisAllowPageLocks', TRUE
EXEC sp_indexoption 'district',
'DisAllowPageLocks', TRUE
EXEC sp_indexoption 'warehouse',
'DisAllowPageLocks', TRUE
EXEC sp_indexoption 'stock', 'DisAllowPageLocks',
TRUE
EXEC sp_indexoption 'order_line',
'DisAllowRowLocks', TRUE
EXEC sp_indexoption 'orders', 'DisAllowRowLocks',
TRUE
EXEC sp_indexoption 'new_order',
'DisAllowRowLocks', TRUE
EXEC sp_indexoption 'item',
'DisAllowRowLocks', TRUE
EXEC sp_indexoption 'item',
'DisAllowPageLocks', TRUE
GO

Print ' '

```

```

Print '*****'
Print 'Pre-specified Locking Hierarchy:'
Print ' Lockflag = 0 ==> No pre-specified
hierarchy'
Print ' Lockflag = 1 ==> Lock at Page-level then
Table-level'
Print ' Lockflag = 2 ==> Lock at Row-level then
Table-level'
Print ' Lockflag = 3 ==> Lock at Table-level'
Print ' '

SELECT name,lockflags
FROM sysindexes
WHERE object_id('warehouse') = id OR
object_id('district') = id OR
object_id('customer') = id OR
object_id('stock') = id OR
object_id('orders') = id OR
object_id('order_line') = id OR
object_id('history') = id OR
object_id('new_order') = id OR
object_id('item') = id

ORDER BY lockflags asc
GO

sp_configure 'allow updates',0
GO

RECONFIGURE WITH OVERRIDE
GO

EXEC sp_dboption tpcc, 'auto update
statistics', FALSE
EXEC sp_dboption tpcc, 'auto create
statistics', FALSE
GO

EXEC sp_tableoption 'district',
'pintable',true
EXEC sp_tableoption 'warehouse',
'pintable',true
EXEC sp_tableoption 'new_order',
'pintable',true
EXEC sp_tableoption 'item',
'pintable',true
GO

```

## delivery.sql

```

-- File:      DELIVERY.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates delivery transaction stored
procedure
--
--           Interface Level: 4.10.000

use tpcc
go

```

```

if exists (select name from sysobjects where name =
"tpcc_delivery" )
    drop procedure tpcc_delivery
go
create proc tpcc_delivery    @w_id
smallint,
                                @o_carrier_id
smallint
as
declare @d_id    tinyint,
        @o_id    int,
        @c_id    int,
        @total   numeric(12,2),
        @oid1    int,
        @oid2    int,
        @oid3    int,
        @oid4    int,
        @oid5    int,
        @oid6    int,
        @oid7    int,
        @oid8    int,
        @oid9    int,
        @oid10   int
select @d_id = 0
begin tran d
    while (@d_id < 10)
    begin
        select    @d_id = @d_id + 1,
                  @total = 0,
                  @o_id = 0
        select    top 1
                  @o_id = no_o_id
        from      new_order (serializable)
        where    no_w_id = @w_id and
                  no_d_id = @d_id
        order    by no_o_id asc
        if (@@rowcount <> 0)
        begin
            -- claim the order for this district
            delete new_order
            where  no_w_id =
@w_id and
@o_id and
@d_id and
@o_id
            -- set carrier_id on this order (and get customer
            id)

```

```

update  orders
set     o_carrier_id
       = @o_carrier_id,
       @c_id
       = o_c_id
       where  o_w_id
            = @w_id and
            o_d_id
            = @d_id and
            o_id
            = @o_id
-- set date in all lineitems for this order (and sum
amounts)
update  order_line
set     ol_delivery_d
       = getdate(),
       @total
       = @total + ol_amount
       where  ol_w_id
            = @w_id and
            ol_d_id
            = @d_id and
            ol_o_id
            = @o_id
-- accumulate lineitem amounts for this order into
customer
update  customer
set     c_balance =
c_balance + @total,
       c_delivery_cnt = c_delivery_cnt + 1
       where  c_w_id
            = @w_id and
            c_d_id
            = @d_id and
            c_id
            = @c_id
end
select @oid1 = case @d_id when 1 then
@o_id else @oid1 end,
       @oid2 = case @d_id when 2 then @o_id
else @oid2 end,
       @oid3 = case @d_id when 3 then @o_id
else @oid3 end,
       @oid4 = case @d_id when 4 then @o_id
else @oid4 end,
       @oid5 = case @d_id when 5 then @o_id
else @oid5 end,
       @oid6 = case @d_id when 6 then @o_id
else @oid6 end,
       @oid7 = case @d_id when 7 then @o_id
else @oid7 end,
       @oid8 = case @d_id when 8 then @o_id
else @oid8 end,
       @oid9 = case @d_id when 9 then @o_id
else @oid9 end,

```

```

                                @oid10 = case @d_id when 10 then @o_id
else @oid10 end
end
commit tran d
-- return delivery data to client
select @oid1,
       @oid2,
       @oid3,
       @oid4,
       @oid5,
       @oid6,
       @oid7,
       @oid8,
       @oid9,
       @oid10
go

```

## getargs.c

```

// File: GETARGS.C
// Microsoft
TPC-C Kit Ver. 4.22
// Copyright
Microsoft, 1996, 1997, 1998, 1999, 2000, 2001
// Purpose: Source file for command line
processing

// Includes
#include "tpcc.h"

//=====
//
// Function name: GetArgsLoader
//
//=====
void GetArgsLoader(int argc, char **argv,
TPCCLDR_ARGS *pargs)
{
    int i;
    char *ptr;

#ifdef DEBUG
    printf("[%ld]DBG: Entering GetArgsLoader()\n",
(int) GetCurrentThreadId());
#endif

    /* init args struct with some useful values */
    pargs->server = SERVER;
    pargs->user = USER;
    pargs->password = PASSWORD;
    pargs->database = DATABASE;

```

```

    pargs->batch = BATCH;
    pargs->num_warehouses = UNDEF;
    pargs->tables_all =
TRUE;
    pargs->table_item =
FALSE;
    pargs->table_warehouse =
FALSE;
    pargs->table_customer =
FALSE;
    pargs->table_orders =
FALSE;
    pargs->loader_res_file =
LOADER_RES_FILE;
    pargs->pack_size =
DEFLDPACKSIZE;
    pargs->starting_warehouse =
DEF_STARTING_WAREHOUSE;
    pargs->build_index =
BUILD_INDEX;
    pargs->index_order =
INDEX_ORDER;
    pargs->index_script_path =
INDEX_SCRIPT_PATH;
    pargs->scale_down =
SCALE_DOWN;

    /* check for zero command line args */
    if ( argc == 1 )
        GetArgsLoaderUsage();

    for ( i = 1; i < argc; ++i)
    {
        if (argv[i][0] != '/' &&
argv[i][0] != '\')
        {
            printf("\nUnrecognized command");
            GetArgsLoaderUsage();
            exit(1);
        }
        ptr = argv[i];
        switch (ptr[1])
        {
            case 'h': /* Fall through */
            case 'H':
                GetArgsLoaderUsage();
                break;

            case 'D':
                pargs->
>database = ptr+2;
                break;

            case 'P':
                pargs->
>password = ptr+2;
                break;

            case 'S':

```

```

                pargs->server
                = ptr+2;
                break;

            case 'U':
                pargs->user =
                ptr+2;
                break;

            case 'b':
                pargs->batch
                = atol(ptr+2);
                break;

            case 'W':
                pargs->
>num_warehouses = atol(ptr+2);
                break;

            case 's':
                pargs->
>starting_warehouse = atol(ptr+2);
                break;

            case 't':
                {
                    pargs->tables_all = FALSE;
                    if
                    (strcmp(ptr+2,"item") == 0)
                        pargs->table_item = TRUE;
                    else if (strcmp(ptr+2,"warehouse") == 0)
                        pargs->table_warehouse = TRUE;
                    else if (strcmp(ptr+2,"customer") == 0)
                        pargs->table_customer = TRUE;
                    else if (strcmp(ptr+2,"orders") == 0)
                        pargs->table_orders = TRUE;
                    else
                        {
                            printf("\nUnrecognized command");
                            GetArgsLoaderUsage();
                            exit(1);
                        }
                    break;

                    case 'f':
                        pargs->
>loader_res_file = ptr+2;
                        break;

```

```

                case 'p':
                    pargs->
>pack_size = atol(ptr+2);
                    break;

                case 'i':
                    pargs->
>build_index = atol(ptr+2);
                    break;

                case 'o':
                    pargs->
>index_order = atol(ptr+2);
                    break;

                case 'c':
                    pargs->
>scale_down = atol(ptr+2);
                    break;

                case 'd':
                    pargs->
>index_script_path = ptr+2;
                    break;

                default:
                    GetArgsLoaderUsage();
                    exit(-1);
                    break;
            }
        }

        /* check for required args */
        if (pargs->num_warehouses == UNDEF )
        {
            printf("Number of Warehouses is
required\n");
            exit(-2);
        }
        return;
    }

    //=====
    //
    // Function name: GetArgsLoaderUsage
    //
    //=====
    void GetArgsLoaderUsage()
    {
        #ifdef DEBUG
            printf("[%ld]DBG: Entering
GetArgsLoaderUsage()\n", (int) GetCurrentThreadId());
        #endif

        printf("TPCCCLR:\n\n");

```



```

        printf("Parameter
Default\n");
        printf("-----\n");
        printf("-W Number of Warehouses to Load
Required \n");
        printf("-S Server
%s\n", SERVER);
        printf("-U Username
%s\n", USER);
        printf("-P Password
%s\n", PASSWORD);
        printf("-D Database
%s\n", DATABASE);
        printf("-b Batch Size
%ld\n", (long) BATCH);
        printf("-p TDS packet size
%ld\n", (long) DEF_LD_PACKET_SIZE);
        printf("-f Loader Results Output Filename
%s\n", LOADER_RES_FILE);
        printf("-s Starting Warehouse
%ld\n", (long) DEF_STARTING_WAREHOUSE);
        printf("-i Build Option (data = 0, data and
index = 1)
%ld\n", (long) BUILD_INDEX);
        printf("-o Cluster Index Build Order
(before = 1, after = 0) %ld\n", (long) INDEX_ORDER);
        printf("-c Build Scaled Database (normal =
0, tiny = 1)
%ld\n", (long) SCALE_DOWN);
        printf("-d Index Script Path
%s\n", INDEX_SCRIPT_PATH);
        printf("-t Table to Load
all tables \n");
        printf(" [item|warehouse|customer|orders]\n");
        printf(" Notes: \n");
        printf(" - the '-t' parameter may be included
multiple times to \n");
        printf(" specify multiple tables to be
loaded \n");
        printf(" - 'item' loads ITEM table \n");
        printf(" - 'warehouse' loads WAREHOUSE,
DISTRICT, and STOCK tables \n");
        printf(" - 'customer' loads CUSTOMER and
HISTORY tables \n");
        printf(" - 'orders' load NEW-ORDER, ORDERS,
ORDER-LINE tables \n");

        printf("\nNote: Command line switches are
case sensitive.\n");

        exit(0);
}

```

## idxcuscl.sql

```

-- File:      IDXCUSCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001

```

```

-- Purpose:  Creates clustered index on customer
table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name =
'customer_cl' )
drop index customer.customer_cl

create unique clustered index customer_cl on
customer(c_w_id, c_d_id, c_id)
on MSSQL_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

go

```

## idxcusnc.sql

```

-- File:      IDXCUSNC.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates non-clustered index on customer
table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)

```

```

if exists ( select name from sysindexes where name =
'customer_nc1' )
drop index customer.customer_nc1

create unique nonclustered index customer_nc1 on
customer(c_w_id, c_d_id, c_last, c_first, c_id)
on MSSQL_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

```

```
go
```

## idxdiscl.sql

```

-- File:      IDXDISCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on district
table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)

```

```

if exists ( select name from sysindexes where name =
'district_cl' )
drop index district.district_cl

create unique clustered index district_cl on
district(d_w_id, d_id)
with fillfactor=100 on MSSQL_misc_fg

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

```

```
go
```

## idxitmcl.sql

```

-- File:      IDXITMCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on item table

```

```

use tpcc
go

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)

```

```

if exists ( select name from sysindexes where name =
'item_cl' )

```

```

drop index item.item_cl

create unique clustered index item_cl on item(i_id)
on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

go

```

---

## idxnodcl.sql

---

```

-- File:      IDXNODCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on new_order
table

```

```

use tpcc
go

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)

```

```

if exists ( select name from sysindexes where name =
'new_order_cl' )
drop index new_order.new_order_cl

```

```

create unique clustered index new_order_cl on
new_order(no_w_id, no_d_id, no_o_id)
on MSSQL_misc_fg

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

```

```

go

```

---

## idxodlcl.sql

---

```

-- File:      IDXODLCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on order_line
table

```

```

use tpcc
go

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)

```

```

if exists ( select name from sysindexes where name =
'order_line_cl' )
drop index order_line.order_line_cl

```

```

create unique clustered index order_line_cl on
order_line(ol_w_id, ol_d_id, ol_o_id, ol_number)
on MSSQL_misc_fg

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

```

```

go

```

---

## idxordcl.sql

---

```

-- File:      IDXORDCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on orders table

```

```

use tpcc
go

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)

```

```

if exists ( select name from sysindexes where name =
'orders_cl' )
drop index orders.orders_cl

```

```

create unique clustered index orders_cl on
orders(o_w_id, o_d_id, o_id)
on MSSQL_misc_fg

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

```

```

go

```

---

## idxordnc.sql

---

```

-- File:      IDXORDNC.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates non-clustered index on orders
table

```

```

use tpcc
go

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)

```

```

if exists ( select name from sysindexes where name =
'orders_nc1' )
drop index orders.orders_nc1

```

```

create index orders_nc1 on orders(o_w_id, o_d_id,
o_c_id, o_id)
on MSSQL_misc_fg

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

```

```

go

```

---

## idxstkcl.sql

---

```

-- File:      IDXSTKCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on stock table

```

```

use tpcc
go

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)

```

```

if exists ( select name from sysindexes where name =
'stock_cl' )
drop index stock.stock_cl

```

```

create unique clustered index stock_cl on
stock(s_i_id, s_w_id)
on MSSQL_cs_fg

```

```

select @enddate = getdate()

```

```
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)
```

```
go
```

## idxwarcl.sql

```
-- File:      IDXWARCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on warehouse
table
```

```
use tpcc
go
```

```
declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)
```

```
if exists ( select name from sysindexes where name =
'warehouse_c1' )
drop index warehouse.warehouse_c1
```

```
create unique clustered index warehouse_c1 on
warehouse(w_id)
with fillfactor=100 on MSSQL_misc_fg
```

```
select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)
```

```
go
```

## neword.sql

```
-- File:      NEWORD.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates new order transaction stored
procedure
--           Interface Level: 4.10.000
```

```
use tpcc
go
```

```
if exists ( select name from sysobjects where name =
"tpcc_neworder" )
drop procedure tpcc_neworder
```

```
go
```

```
create proc tpcc_neworder
```

```
    @w_id          smallint,
    @d_id          tinyint,
    @c_id          int,
    @o_ol_cnt      tinyint,
    @o_all_local   tinyint,
    @i_id1 int = 0, @s_w_id1 smallint = 0,
@ol_qty1 smallint = 0,
    @i_id2 int = 0, @s_w_id2 smallint = 0,
@ol_qty2 smallint = 0,
    @i_id3 int = 0, @s_w_id3 smallint = 0,
@ol_qty3 smallint = 0,
    @i_id4 int = 0, @s_w_id4 smallint = 0,
@ol_qty4 smallint = 0,
    @i_id5 int = 0, @s_w_id5 smallint = 0,
@ol_qty5 smallint = 0,
    @i_id6 int = 0, @s_w_id6 smallint = 0,
@ol_qty6 smallint = 0,
    @i_id7 int = 0, @s_w_id7 smallint = 0,
@ol_qty7 smallint = 0,
    @i_id8 int = 0, @s_w_id8 smallint = 0,
@ol_qty8 smallint = 0,
    @i_id9 int = 0, @s_w_id9 smallint = 0,
@ol_qty9 smallint = 0,
    @i_id10 int = 0, @s_w_id10 smallint = 0,
@ol_qty10 smallint = 0,
    @i_id11 int = 0, @s_w_id11 smallint = 0,
@ol_qty11 smallint = 0,
    @i_id12 int = 0, @s_w_id12 smallint = 0,
@ol_qty12 smallint = 0,
    @i_id13 int = 0, @s_w_id13 smallint = 0,
@ol_qty13 smallint = 0,
    @i_id14 int = 0, @s_w_id14 smallint = 0,
@ol_qty14 smallint = 0,
    @i_id15 int = 0, @s_w_id15 smallint = 0,
@ol_qty15 smallint = 0
```

```
as
declare @w_tax          numeric(4,4),
```

```
@d_tax          numeric(4,4),
@c_last         char(16),
@c_credit       char(2),
@c_discount     numeric(4,4),
@i_price        numeric(5,2),
@i_name         char(24),
@i_data        char(50),
@o_entry_d      datetime,
@remote_flag   int,
@s_quantity    smallint,
@s_data        char(50),
@s_dist        char(24),
@li_no         int,
@o_id          int,
@commit_flag   tinyint,
@li_id         int,
@li_s_w_id     smallint,
@li_qty        smallint,
@ol_number     int,
@c_id_local    int
```

```
begin
```

```
begin transaction n
```

```
-- get district tax and next available order id and
update
-- plus initialize local variables
```

```
update district
set @d_tax = d_tax,
    @o_id = d_next_o_id,
    d_next_o_id = d_next_o_id + 1,
    @o_entry_d = getdate(),
    @li_no = 0,
    @commit_flag = 1
where d_w_id = @w_id and
      d_id = @d_id
```

```
-- process orderlines
```

```
while (@li_no < @o_ol_cnt)
begin
    select @li_no = @li_no + 1
```

```
-- set i_id, s_w_id, and qty for this lineitem
```

```
select @li_id = case @li_no
                when 1 then
                when 2 then
                when 3 then
                when 4 then
                when 5 then
                when 6 then
```

```

when 7 then
@i_id7
when 8 then
@i_id8
when 9 then
@i_id9
when 10 then
@i_id10
when 11 then
@i_id11
when 12 then
@i_id12
when 13 then
@i_id13
when 14 then
@i_id14
when 15 then
@i_id15
end,
@li_s_w_id = case
@li_no
when 1
then @s_w_id1
when 2
then @s_w_id2
when 3
then @s_w_id3
when 4
then @s_w_id4
when 5
then @s_w_id5
when 6
then @s_w_id6
when 7
then @s_w_id7
when 8
then @s_w_id8
when 9
then @s_w_id9
when 10
then @s_w_id10
when 11
then @s_w_id11
when 12
then @s_w_id12
when 13
then @s_w_id13
when 14
then @s_w_id14
when 15
then @s_w_id15
end,
@li_qty = case @li_no
when 1 then
@ol_qty1
when 2 then
@ol_qty2
when 3 then
@ol_qty3
when 4 then
@ol_qty4
when 5 then
@ol_qty5
when 6 then
@ol_qty6
when 7 then
@ol_qty7
when 8 then
@ol_qty8
when 9 then
@ol_qty9
then @ol_qty10
when @ol_qty11
then @ol_qty12
when @ol_qty13
then @ol_qty14
then @ol_qty15
-- get item data (no one updates item)
select @i_price = i_price,
@i_name = i_name,
@i_data = i_data
from item (tablock
repeatable read)
where i_id = @li_id
-- update stock values
update stock
set s_ytd =
s_ytd + @li_qty,
@s_quantity =
s_quantity - @li_qty +
case when (s_quantity - @li_qty < 10)
then 91 else 0 end,
s_order_cnt =
s_order_cnt + 1,
s_remote_cnt =
s_remote_cnt + case when (@li_s_w_id = @w_id) then 0
else 1 end,
@s_data =
@s_data
@s_dist =
@s_dist
case @d_id
when 1 then s_dist_01
when 2 then s_dist_02
when 3 then s_dist_03
when 4 then s_dist_04
when 5 then s_dist_05
when 5 then
when 6 then
when 7 then
when 8 then
when 9 then
when 10
when 11
when 12
when 13
when 14
when 15
end
-- if there actually is a stock (and item) with
these ids, go to work
if (@@rowcount > 0)
begin
-- insert order_line data (using data from item and
stock)
insert into order_line
values(@o_id,
@d_id,
@w_id,
@li_no,
@li_id,
@li_s_w_id,
"dec 31, 1899",
@li_qty,
@i_price * @li_qty,
@s_dist)
-- send line-item data to client
select @i_name,
@s_quantity,
b_g = case
when ( (patindex("%ORIGINAL%",@i_data) > 0) and
(patindex("%ORIGINAL%",@s_data) > 0) )
then
"B" else "G" end,
@i_price,
@i_price *
@li_qty
end
else

```

```

begin
-- no item (or stock) found - triggers rollback
condition
                select "",0,"",0,0
                select @commit_flag = 0
end
-- get customer last name, discount, and credit
rating
select  @c_last   = c_last,
        @c_discount = c_discount,
        @c_credit  = c_credit,
        @c_id_local = c_id
from    customer (repeatableread)
where   c_id      = @c_id and
        c_w_id    = @w_id and
        c_d_id    = @d_id
-- insert fresh row into orders table
insert into orders values ( @o_id,
                            @d_id,
                            @w_id,
                            @c_id_local,
                            @o_entry_d,
                            @o_ol_cnt,
                            @o_all_local)
-- insert corresponding row into new-order table
insert into new_order values (
    @o_id,
    @d_id,
    @w_id)
-- select warehouse tax
select  @w_tax   = w_tax
from    warehouse (repeatableread)
where   w_id     = @w_id
if (@commit_flag = 1)
    commit transaction n
else
    rollback transaction n
-- all that work for nuthin!!!

```

```

-- return order data to client
select  @w_tax,
        @d_tax,
        @o_id,
        @c_last,
        @c_discount,
        @c_credit,
        @o_entry_d,
        @commit_flag
end
go

```

## null-txns.sql

```

-- TPC-C Null Txn Stored Procs
-- Microsoft TPC-C Kit
-- 8/17/99
--
-- This script will create stored procs which accept
the same parameters and return correctly formed
-- results sets to match the standard TPC-C stored
procs. Of course, the advantage is that these
-- stored procs place almost no load on SQL Server
and do not require a database.
--
-- The purpose of these stored procs is to size and
test the web client without the need of a fully
-- scaled database.
--
drop proc tpcc_delivery
drop proc tpcc_neworder
drop proc tpcc_orderstatus
drop proc tpcc_payment
drop proc tpcc_stocklevel
drop proc tpcc_version
drop table order_line_null
go
create proc tpcc_delivery @w_id
smallint,
        @o_carrier_id smallint
as
declare @d_id tinyint,
        @o_id int,
        @c_id int,
        @total numeric(12,2),
        @oid1 int,
        @oid2 int,
        @oid3 int,
        @oid4 int,
        @oid5 int,
        @oid6 int,

```

```

        @oid7 int,
        @oid8 int,
        @oid9 int,
        @oid10 int
declare @delaytime varchar(30)
-- uniform random delay of 0 - 1 second; avg = 0.50
select @delaytime = '00:00:0' +
cast(cast((rand()*1.00) as decimal(4,3)) as char(5))
waitfor delay @delaytime
select 3001, 3001, 3001, 3001, 3001, 3001, 3001,
3001, 3001, 3001
GO
create proc tpcc_neworder
        @w_id smallint,
        @d_id tinyint,
        @c_id int,
        @o_ol_cnt tinyint,
        @o_all_local tinyint,
        @i_id1 int = 0, @s_w_id1 smallint = 0,
@ol_qty1 smallint = 0,
        @i_id2 int = 0, @s_w_id2 smallint = 0,
@ol_qty2 smallint = 0,
        @i_id3 int = 0, @s_w_id3 smallint = 0,
@ol_qty3 smallint = 0,
        @i_id4 int = 0, @s_w_id4 smallint = 0,
@ol_qty4 smallint = 0,
        @i_id5 int = 0, @s_w_id5 smallint = 0,
@ol_qty5 smallint = 0,
        @i_id6 int = 0, @s_w_id6 smallint = 0,
@ol_qty6 smallint = 0,
        @i_id7 int = 0, @s_w_id7 smallint = 0,
@ol_qty7 smallint = 0,
        @i_id8 int = 0, @s_w_id8 smallint = 0,
@ol_qty8 smallint = 0,
        @i_id9 int = 0, @s_w_id9 smallint = 0,
@ol_qty9 smallint = 0,
        @i_id10 int = 0, @s_w_id10 smallint = 0,
@ol_qty10 smallint = 0,
        @i_id11 int = 0, @s_w_id11 smallint = 0,
@ol_qty11 smallint = 0,

```

```

        @i_id12 int = 0, @s_w_id12 smallint = 0,
@ol_qty12 smallint = 0,

        @i_id13 int = 0, @s_w_id13 smallint = 0,
@ol_qty13 smallint = 0,

        @i_id14 int = 0, @s_w_id14 smallint = 0,
@ol_qty14 smallint = 0,

        @i_id15 int = 0, @s_w_id15 smallint = 0,
@ol_qty15 smallint = 0

as
declare  @w_tax          numeric(4,4),
@d_tax   numeric(4,4),
@c_last  char(16),
@c_credit char(2),
@c_discount numeric(4,4),
@i_price numeric(5,2),
@i_name  char(24),
@o_entry_d datetime,
@li_no   int,
@o_id    int,
@commit_flag tinyint,
@li_id   int,
@li_qty  smallint

declare @delaytime varchar(30)

begin
-- uniform random delay of 0 - 0.6 second; avg =
0.3
select @delaytime = '00:00:0' +
cast(cast((rand()*0.60) as decimal(4,3)) as char(5))
waitfor delay @delaytime

-- process orderlines

select @commit_flag = 1, @li_no = 0

while (@li_no < @o_ol_cnt)
begin

select @li_id = case @li_no
                when 1 then @i_id1
                when 2 then @i_id2
                when 3 then @i_id3
                when 4 then @i_id4
                when 5 then @i_id5
                when 6 then @i_id6
                when 7 then @i_id7
                when 8 then @i_id8
                when 9 then @i_id9
                when 10 then
@i_id10
                when 11 then
@i_id11
                when 12 then
@i_id12

```

```

                when 13 then
@i_id13
                when 14 then
@i_id14
                when 15 then
@i_id15
            end

select @li_no = @li_no + 1
select @i_price = 23.45, @li_qty = @li_no

if (@li_id = 999999)
begin
select ',0,',0,0
select @commit_flag = 0
end
else
begin
select 'Item Name blah',17,'G',
@i_price, @i_price * @li_qty
end

end

-- return order data to client

select  @w_tax = 0.1234,
@d_tax = 0.0987,
@o_id = 3001,
@c_last = 'BAROUGHTABLE',
@c_discount = 0.2198,
@c_credit = 'GC',
@o_entry_d = getdate()

select  @w_tax,
@d_tax,
@o_id,
@c_last,
@c_discount,
@c_credit,
@o_entry_d,
@commit_flag

end

GO

create proc tpcc_orderstatus @w_id
smallint,

@d_id          tinyint,

@c_id          int,

@c_last char(16) = ''

as

declare @c_balance          numeric(12,2),

```

```

@c_first      char(16),
@c_middle     char(2),
@o_id         int,
@o_entry_d    datetime,
@o_carrier_id smallint,
@ol_cnt       smallint

declare @delaytime varchar(30)

-- uniform random delay of 0 - 0.2 second; avg =
0.1
select @delaytime = '00:00:0' +
cast(cast((rand()*0.20) as decimal(4,3)) as char(5))
waitfor delay @delaytime

select
@c_id      = 113,
@c_balance = -10.00,
@c_first  = '8YCodgytqCj8',
@c_middle = 'OE',
@c_last   = 'OUGHTOUGHTABLE',
@o_id     = 3456,
@o_entry_d = getdate(),
@o_carrier_id = 1

select @ol_cnt = (rand() * 11) + 5
SET ROWCOUNT @ol_cnt

select
ol_supply_w_id,
ol_i_id,
ol_quantity,
ol_amount,
ol_delivery_d
from order_line_null

select @c_id,
@c_last,
@c_first,
@c_middle,

@o_entry_d,
@o_carrier_id,
@c_balance,
@o_id

GO

create proc tpcc_payment @w_id          smallint,

@c_w_id          smallint,

@h_amount        numeric(6,2),

@d_id           tinyint,

@c_d_id         tinyint,

@c_id           int,

@c_last         char(16) = ''

```

```

as
declare @w_street_1 char(20),
        @w_street_2 char(20),
        @w_city     char(20),
        @w_state    char(2),
        @w_zip      char(9),
        @w_name     char(10),
        @d_street_1 char(20),
        @d_street_2 char(20),
        @d_city     char(20),
        @d_state    char(2),
        @d_zip      char(9),
        @d_name     char(10),
        @c_first    char(16),
        @c_middle   char(2),
        @c_street_1 char(20),
        @c_street_2 char(20),
        @c_city     char(20),
        @c_state    char(2),
        @c_zip      char(9),
        @c_phone    char(16),
        @c_since    datetime,
        @c_credit   char(2),
        @c_credit_lim numeric(12,2),
        @c_balance  numeric(12,2),
        @c_discount numeric(4,4),
        @data       char(500),
        @c_data     char(500),
        @datetime   datetime,
        @w_ytd      numeric(12,2),
        @d_ytd      numeric(12,2),
        @cnt        smallint,
        @val        smallint,
        @screen_data char(200),
        @d_id_local tinyint,
        @w_id_local smallint,
        @c_id_local int

declare @delaytime varchar(30)

-- uniform random delay of 0 - 0.3 second; avg =
0.15
select @delaytime = '00:00:0' +
cast(cast((rand()*0.30) as decimal(4,3)) as char(5))
waitfor delay @delaytime

select @screen_data = ''

-- get customer info and update balances

select
        @d_street_1 = 'rqSHHakqyV',
        @d_street_2 = 'zZ98nW3BR2s',
        @d_city     = 'ArNr4GNFV9',
        @d_state    = 'aV',
        @d_zip      = '453511111'

-- get warehouse data and update year-to-date

select

```

```

        @w_street_1 = 'rqSHHakqyV',
        @w_street_2 = 'zZ98nW3BR2s',
        @w_city     = 'ArNr4GNFV9',
        @w_state    = 'aV',
        @w_zip      = '453511111'

select
        @c_id       = 123,
        @c_balance  = -10000.00,
        @c_first    = 'Kmr03Xureb',
        @c_middle   = 'OE',
        @c_last     = 'BAROUGHTBAR',
        @c_street_1 =
'QpGdOHjv8mR9vNI8V',
        @c_street_2 =
'dzKoCObBqbc3yu',
        @c_city     =
'zAKZXdC037FQxq',
        @c_state    = 'QA',
        @c_zip      = '700311111',
        @c_phone    =
'2967264064528555',
        @c_credit   = 'GC',
        @c_credit_lim = 50000.00,
        @c_discount = 0.3069,
        @c_since    = getdate(),
        @datetime   = getdate()

-- return data to client

select @c_id,
        @c_last,
        @datetime,
        @w_street_1,
        @w_street_2,
        @w_city,
        @w_state,
        @w_zip,
        @d_street_1,
        @d_street_2,
        @d_city,
        @d_state,
        @d_zip,
        @c_first,
        @c_middle,
        @c_street_1,
        @c_street_2,
        @c_city,
        @c_state,
        @c_zip,
        @c_phone,
        @c_since,
        @c_credit,
        @c_credit_lim,
        @c_discount,
        @c_balance,
        @screen_data

GO

```

```

create proc tpcc_stocklevel @w_id
        smallint,
        @d_id tinyint,
        @threshold smallint
as
declare @delaytime varchar(30)

-- uniform random delay of 0 - 3.6 second; avg =
1.8
select @delaytime = '00:00:0' +
cast(cast((rand()*3.60) as decimal(4,3)) as char(5))
waitfor delay @delaytime

select 49

GO

create proc tpcc_version
as
declare @version char(8)

begin
        select @version = '4.10.000'
        select @version as 'Version'

end

GO

CREATE TABLE order_line_null (
        [ol_i_id] [int] NOT NULL ,
        [ol_supply_w_id] [smallint] NOT NULL ,
        [ol_delivery_d] [datetime] NOT NULL ,
        [ol_quantity] [smallint] NOT NULL ,
        [ol_amount] [numeric](6, 2) NOT NULL
) ON [PRIMARY]
GO

insert into order_line_null values ( 101, 1,
getdate(), 1, 123.45 )
insert into order_line_null values ( 102, 1,
getdate(), 2, 123.45 )
insert into order_line_null values ( 103, 1,
getdate(), 3, 123.45 )
insert into order_line_null values ( 104, 1,
getdate(), 4, 123.45 )
insert into order_line_null values ( 105, 1,
getdate(), 5, 123.45 )
insert into order_line_null values ( 106, 1,
getdate(), 1, 123.45 )
insert into order_line_null values ( 107, 1,
getdate(), 2, 123.45 )
insert into order_line_null values ( 108, 1,
getdate(), 3, 123.45 )
insert into order_line_null values ( 109, 1,
getdate(), 4, 123.45 )
insert into order_line_null values ( 110, 1,
getdate(), 5, 123.45 )
insert into order_line_null values ( 111, 1,
getdate(), 1, 123.45 )

```

```

insert into order_line_null values ( 112, 1,
getdate(), 2, 123.45 )
insert into order_line_null values ( 113, 1,
getdate(), 3, 123.45 )
insert into order_line_null values ( 114, 1,
getdate(), 4, 123.45 )
insert into order_line_null values ( 115, 1,
getdate(), 5, 123.45 )

```

GO

## ordstat.sql

```

-- File:      ORDSTAT.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates order status transaction stored
--           procedure
--
--           Interface Level: 4.10.000

use tpcc
go

if exists ( select name from sysobjects where name =
"tpcc_orderstatus" )
    drop procedure    tpcc_orderstatus
go

create proc tpcc_orderstatus @w_id    smallint,
                             @d_id    tinyint,
                             @c_id    int,
                             @c_last  char(16) = ""

as

declare @c_balance    numeric(12,2),
        @c_first     char(16),
        @c_middle    char(2),
        @o_id        int,
        @o_entry_d   datetime,
        @o_carrier_id smallint,
        @cnt         smallint

begin tran o

if (@c_id = 0)
    begin

-- get customer id and info using last name

        select @cnt =
(count(*)+1)/2
        from customer
(repeatbleread)

```

```

where c_last = @c_last and
c_w_id = @w_id and
c_d_id = @d_id

set rowcount @cnt

select @c_id =
@c_balance =
@c_first =
@c_last =
@c_middle =
from customer
(repeatbleread)
where c_last =
@c_w_id =
@c_d_id =
order by c_w_id, c_d_id,
c_last, c_first

end
else
begin

-- get customer info if by id

select @c_balance =
@c_first = c_first,
@c_middle = c_middle,
@c_last =
from customer
where c_id =
@c_d_id =
@c_w_id =

select @cnt = @@rowcount

end

-- if no such customer

if (@cnt = 0)
begin
raiserror("Customer not
found",18,1)
goto custnotfound
end

```

```

-- get order info

select @o_id = o_id,
@o_entry_d = o_entry_d,
@o_carrier_id =
from orders (serializable)
where o_c_id = @c_id and
o_d_id = @d_id and
o_w_id = @w_id
order by o_id asc

-- select order lines for the current order

select ol_supply_w_id,
ol_i_id,
ol_quantity,
ol_amount,
ol_delivery_d
from order_line (repeatbleread)
where ol_o_id = @o_id and
ol_d_id = @d_id and
ol_w_id = @w_id

custnotfound:

commit tran o

-- return data to client

select @c_id,
@c_last,
@c_first,
@c_middle,
@o_entry_d,
@o_carrier_id,
@c_balance,
@o_id

go

```

## payment.sql

```

-- File:      PAYMENT.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates payment transaction stored
--           procedure
--
--           Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name =
"tpcc_payment" )
    drop procedure tpcc_payment
go

```



```

create proc tpcc_payment      @w_id
smallint,                    @c_w_id
                               @h_amount
smallint,                    @d_id
numeric(6,2),                @c_d_id
tinyint,                      @c_id
tinyint,                      @c_last
int,                           @c_last
char(16) = ""

as
declare @w_street_1 char(20),
        @w_street_2 char(20),
        @w_city     char(20),
        @w_state    char(2),
        @w_zip      char(9),
        @w_name     char(10),
        @d_street_1 char(20),
        @d_street_2 char(20),
        @d_city     char(20),
        @d_state    char(2),
        @d_zip      char(9),
        @d_name     char(10),
        @c_first    char(16),
        @c_middle   char(2),
        @c_street_1 char(20),
        @c_street_2 char(20),
        @c_city     char(20),
        @c_state    char(2),
        @c_zip      char(9),
        @c_phone    char(16),
        @c_since    datetime,
        @c_credit   char(2),
        @c_credit_lim numeric(12,2),
        @c_balance  numeric(12,2),
        @c_discount numeric(4,4),
        @data       char(500),
        @c_data     char(500),
        @datetime   datetime,
        @w_ytd     numeric(12,2),
        @d_ytd     numeric(12,2),
        @cnt       smallint,
        @val       smallint,
        @screen_data char(200),
        @d_id_local tinyint,
        @w_id_local  smallint,
        @c_id_local  int

select @screen_data = ""

begin tran p
-- get payment date

```

```

select @datetime = getdate()

if (@c_id = 0)
begin
-- get customer id and info using last name

select @cnt = count(*)
from customer

(repeatableread)
where c_last = @c_last and
       c_w_id = @c_w_id and
       c_d_id = @c_d_id

select @val = (@cnt + 1) / 2
set rowcount @val

select @c_id = c_id
from customer

(repeatableread)
where c_last = @c_last and
       c_w_id = @c_w_id and
       c_d_id = @c_d_id

order by c_last, c_first

set rowcount 0

end

-- get customer info and update balances

update customer
set @c_balance = c_balance
  = c_balance - @h_amount,
  c_payment_cnt =
c_payment_cnt + 1,
  c_ytd_payment =
c_ytd_payment + @h_amount,
  @c_first = c_first,
  @c_middle = c_middle,
  @c_last = c_last,
  @c_street_1 = c_street_1,
  @c_street_2 = c_street_2,
  @c_city = c_city,
  @c_state = c_state,
  @c_zip = c_zip,
  @c_phone = c_phone,
  @c_credit = c_credit,
  @c_credit_lim =

c_credit_lim,
  @c_discount = c_discount,
  @c_since = c_since,
  @data = c_data,

where @c_id_local = c_id
      c_id = @c_id and
      c_w_id = @c_w_id and
      c_d_id = @c_d_id

-- if customer has bad credit get some more info

if (@c_credit = "BC")

```

```

begin
-- compute new info

select @c_data =
convert(char(5),@c_id) +
convert(char(4),@c_d_id) +
convert(char(5),@c_w_id) +
convert(char(4),@d_id) +
convert(char(5),@w_id) +
convert(char(19),@h_amount) +
substring(@data, 1, 458)

-- update customer info

update customer
set c_data = @c_data
where c_id = @c_id and
       c_w_id = @c_w_id and
       c_d_id = @c_d_id

select @screen_data =
substring(@c_data,1,200)
end

-- get district data and update year-to-date

update district
set d_ytd = d_ytd +
@h_amount,
  @d_street_1 = d_street_1,
  @d_street_2 = d_street_2,
  @d_city = d_city,
  @d_state = d_state,
  @d_zip = d_zip,
  @d_name = d_name,
  @d_id_local = d_id
where d_w_id = @w_id and
      d_id = @d_id

-- get warehouse data and update year-to-date

update warehouse
set w_ytd = w_ytd +
@h_amount,
  @w_street_1 = w_street_1,
  @w_street_2 = w_street_2,
  @w_city = w_city,
  @w_state = w_state,
  @w_zip = w_zip,
  @w_name = w_name,
  @w_id_local = w_id
where w_id = @w_id

-- create history record

```

```

insert into history values ( @c_id_local,
@c_d_id,
@c_w_id,
@d_id_local,
@w_id_local,
@datetime,
@h_amount,
@w_name + " " + @d_name)
commit tran p
-- return data to client
select @c_id,
@c_last,
@datetime,
@w_street_1,
@w_street_2,
@w_city,
@w_state,
@w_zip,
@d_street_1,
@d_street_2,
@d_city,
@d_state,
@d_zip,
@c_first,
@c_middle,
@c_street_1,
@c_street_2,
@c_city,
@c_state,
@c_zip,
@c_phone,
@c_since,
@c_credit,
@c_credit_lim,
@c_discount,
@c_balance,
@screen_data
go

```

## random.c

```

// File: RANDOM.C
// Microsoft
TPC-C Kit Ver. 4.22
// Copyright
Microsoft, 1996, 1997, 1998, 1999, 2000, 2001
// Purpose: Random number generation routines
for database loader

```

```

// Includes
#include "tpcc.h"
#include "math.h"

// Defines
#define A 16807
#define M 2147483647
#define Q 127773 /* M div A */
#define R 2836 /* M mod A */
#define Thread __declspec(thread)

// Globals
long Thread Seed = 0; /* thread local seed */

/*****
*****
*
*
* random -
*
* Implements a GOOD pseudo random number
generator. This generator *
* will/should? run the complete period before
repeating. *
*
* Copied from:
*
* Random Numbers Generators: Good Ones Are Hard
to Find. *
* Communications of the ACM - October 1988
Volume 31 Number 10 *
*
* Machine Dependencies:
*
* long must be 2 ^ 31 - 1 or greater.
*
*
*
*
*
*****
*****
* seed - load the Seed value used in irand and drand.
Should be used before *
* first call to irand or drand.
*
*****
*****
void seed(long val)
{
#ifdef DEBUG
printf("[%ld]DBG: Entering seed()...\n", (int)
GetCurrentThreadId());
printf("Old Seed %ld New Seed %ld\n",Seed,
val);
#endif

```

```

if ( val < 0 )
val = abs(val);

Seed = val;
}

/*****
*****
*
*
* irand - returns a 32 bit integer pseudo random
number with a period of *
* 1 to 2 ^ 32 - 1.
*
* parameters:
*
* none.
*
* returns:
*
* 32 bit integer - defined as long ( see above
* ).
*
* side effects:
*
* seed get recomputed.
*****
*****/

long irand()
{
register long s; /* copy of seed */
register long test; /* test flag */
register long hi; /* tmp value for speed */
register long lo; /* tmp value for speed */

#ifdef DEBUG
printf("[%ld]DBG: Entering irand()...\n", (int)
GetCurrentThreadId());
#endif

s = Seed;
hi = s / Q;
lo = s % Q;

test = A * lo - R * hi;
if ( test > 0 )
Seed = test;
else
Seed = test + M;

return( Seed );
}

```

```

/*****
*****
*
*
* drand - returns a double pseudo random number
between 0.0 and 1.0.
* See irand.
*
*****
*****/
double drand()
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering drand()...\n", (int)
GetCurrentThreadId());
#endif

    return( (double)irand() / 2147483647.0);
}

//=====
// Function : RandomNumber
//
// Description:
//=====
long RandomNumber(long lower, long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering RandomNumber()...\n",
(int) GetCurrentThreadId());
#endif

    if ( upper == lower ) /* pgd 08-13-
96 perf enhancement */
        return lower;

    upper++;

    if ( upper <= lower )
        rand_num = upper;

    else
        rand_num = lower + irand() %
(upper - lower); /* pgd 08-13-96 perf enhancement */

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld
=> %ld\n",
(int)
GetCurrentThreadId(), lower, upper, rand_num);
#endif

    return rand_num;
}

```

```

#if 0
//Original code pgd 08/13/96

long RandomNumber(long lower,
                    long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering RandomNumber()...\n",
(int) GetCurrentThreadId());
#endif

    upper++;

    if ((upper <= lower)
        rand_num = upper;

    else
        rand_num = lower + irand() %
((upper > lower) ? upper - lower : upper);

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld
=> %ld\n",
(int)
GetCurrentThreadId(), lower, upper, rand_num);
#endif

    return rand_num;
}
#endif

//=====
// Function : NURand
//
// Description:
//=====
long NURand(int iConst,
            long x,
            long y,
            long C)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering NURand()...\n", (int)
GetCurrentThreadId());
#endif

    rand_num = (((RandomNumber(0,iConst) |
RandomNumber(x,y)) + C) % (y-x+1))+x;

#ifdef DEBUG
    printf("[%ld]DBG: NURand: num = %d\n", (int)
GetCurrentThreadId(), rand_num);
#endif
}

```

```

        return rand_num;
}

```

---

## removedb.sql

---

```

-- File:      REMOVEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Removes tpcc database and backup files

use master
go

-- remove any existing database and backup files

exec sp_dbremove tpcc, dropdev
go

exec sp_dropdevice 'tpccback1'
exec sp_dropdevice 'tpccback2'
exec sp_dropdevice 'tpccback3'
go

```

---

## restore.sql

---

```

-- File:      RESTORE.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Loads database backup from backup files

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)

load database tpcc from tpccback1, tpccback2,
tpccback3 with stats = 1

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

go

```

---

## RunSQLCfg.sql

---

```

/* TPC-C Benchmark Kit
*/

```

```

/*
*/
/* RUNSQLCFG.SQL
*/
/*
*/
/* This script file is used to set runtime server
configuration parameters */
/*
*/

exec sp_configure "show advanced option", 1
go

reconfigure with override
go

/* change this value to approximately the number of
connected users */
exec sp_configure "max worker threads",255

/* increase priority of user threads */
exec sp_configure "priority boost",1

/* disable automatic checkpointing */
exec sp_configure "recovery interval",32767

/* change to a mask appropriate for the number of
processors on the server */
exec sp_configure "affinity mask",0xf

/* enable fibers */
exec sp_configure "lightweight pooling",1

go

reconfigure with override
go

```

## sqlshutdown.sql

```

use tpcc
go
checkpoint
go
shutdown
go

```

## stocklev.sql

```

-- File: STOCKLEV.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates stock level transaction stored
procedure
--

```

```

-- Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name =
"tpcc_stocklevel" )
drop procedure tpcc_stocklevel
go

create proc tpcc_stocklevel @w_id
smallint, @d_id
tinyint, @threshold
smallint
as

declare @o_id_low int,
@o_id_high int

select @o_id_low = (d_next_o_id - 20),
@o_id_high = (d_next_o_id - 1)
from district
where d_w_id = @w_id and
d_id = @d_id

select count(distinct(s_i_id))
stock, order_line
from stock, order_line
where ol_w_id = @w_id and
ol_d_id = @d_id and
ol_o_id between @o_id_low
and @o_id_high and
s_w_id = ol_w_id and
s_i_id = ol_i_id and
s_quantity < @threshold

go

```

## strings.c

```

// File: STRINGS.C
// Microsoft
TPC-C Kit Ver. 4.22
// Copyright
Microsoft, 1996, 1997, 1998, 1999, 2000, 2001
// Purpose: Source file for database loader
string functions

// Includes
#include "tpcc.h"
#include <string.h>
#include <ctype.h>

//=====
//

```

```

// Function name: MakeAddress
//
//=====
void MakeAddress(char *street_1,
char
*street_2,
char *city,
char *state,
char *zip)
{
#ifdef DEBUG
printf("[%d]DBG: Entering MakeAddress()\n",
(int) GetCurrentThreadId());
#endif

MakeAlphaString (10, 20, ADDRESS_LEN, street_1);
MakeAlphaString (10, 20, ADDRESS_LEN, street_2);
MakeAlphaString (10, 20, ADDRESS_LEN, city);
MakeAlphaString ( 2, 2, STATE_LEN, state);
MakeZipNumberString( 9, 9, ZIP_LEN, zip);

#ifdef DEBUG
printf("[%d]DBG: MakeAddress: street_1: %s,
street_2: %s, city: %s, state: %s, zip: %s\n",
(int)
GetCurrentThreadId(), street_1, street_2, city,
state, zip);
#endif

return;
}

//=====
//
// Function name: LastName
//
//=====
void LastName(int num,
char *name)
{
static char *n[] =
{
"BAR" , "OUGHT" , "ABLE" , "PRI"
, "PRES" ,
"ESE" , "ANTI" , "CALLY" ,
"ATION" , "EING"
};

#ifdef DEBUG
printf("[%d]DBG: Entering LastName()\n", (int)
GetCurrentThreadId());
#endif

if ((num >= 0) && (num < 1000))
{

```

```

        strcpy(name, n[(num/100)%10]);
        strcat(name, n[(num/10)%10]);
        strcat(name, n[(num/1)%10]);

        if (strlen(name) < LAST_NAME_LEN)
        {
            PaddString(LAST_NAME_LEN, name);
        }
    }
    else
    {
        printf("\nError in LastName()...
num < %ld> out of range (0,999)\n", num);
        exit(-1);
    }

#ifdef DEBUG
    printf("[%ld]DBG: LastName: num = [%d] ==>
[%d][%d][%d]\n",
            (int)
GetCurrentThreadId(), num, num/100, (num/10)%10,
num%10);
    printf("[%ld]DBG: LastName: String = %s\n",
(int) GetCurrentThreadId(), name);
#endif

    return;
}

//=====
//
// Function name: MakeAlphaString
//
//=====
//philipdu 08/13/96 Changed MakeAlphaString to use A-
Z, a-z, and 0-9 in
//accordance with spec see below:
//The spec says:
//4.3.2.2 The notation random a-string [x .. y]
// (respectively, n-string [x .. y]) represents a
string of random alphanumeric
// (respectively, numeric) characters of a random
length of minimum x, maximum y,
// and mean (y+x)/2. Alphanumerics are A..Z, a..z, and
0..9. The only other
// requirement is that the character set used "must be
able to represent a minimum
// of 128 different characters". We are using 8-bit
chars, so this is a non issue.
// It is completely unreasonable to stuff non-printing
chars into the text fields.
// -CLevine 08/13/96

int MakeAlphaString( int x, int y, int z, char
*str)

```

```

{
    int len;
    int i;
    char cc = 'a';
    static char chArray[] =
"0123456789ABCDEFGHIJKLMNPOQRSTUVWXYZabcdefghijklmnopqrstuvwxyz";
    static int chArrayMax = 61;

#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeAlphaString()\n",
(int) GetCurrentThreadId());
#endif

    len= RandomNumber(x, y);

    for (i=0; i<len; i++)
    {
        cc = chArray[RandomNumber(0,
chArrayMax)];
        str[i] = cc;
    }

    if ( len < z )
        memset(str+len, ' ', z - len);
    str[len] = 0;

    return len;
}

//=====
//
// Function name: MakeOriginalAlphaString
//
//=====
int MakeOriginalAlphaString(int x,
        int y,
        int z,
        char *str,
        int percent)
{
    int len;
    int val;
    int start;

#ifdef DEBUG
    printf("[%ld]DBG: Entering
MakeOriginalAlphaString()\n", (int)
GetCurrentThreadId());
#endif

    // verify percentage is valid
    if ((percent < 0) || (percent > 100))
    {
        printf("MakeOriginalAlphaString:
Invalid percentage: %d\n", percent);
    }
}

```

```

        exit(-1);
    }

    // verify string is at least 8 chars in length
    if ((x + y) <= 8)
    {
        printf("MakeOriginalAlphaString:
string length must be >= 8\n");
        exit(-1);
    }

    // Make Alpha String
    len = MakeAlphaString(x, y, z, str);

    val = RandomNumber(1,100);
    if (val <= percent)
    {
        start = RandomNumber(0, len - 8);
        strncpy(str + start, "ORIGINAL",
8);
    }

#ifdef DEBUG
    printf("[%ld]DBG: MakeOriginalAlphaString: :
%s\n",
            (int)
GetCurrentThreadId(), str);
#endif

    return strlen(str);
}

//=====
//
// Function name: MakeNumberString
//
//=====
int MakeNumberString(int x, int y, int z, char
*str)
{
    char tmp[16];

    //MakeNumberString is always called
MakeZipNumberString(16, 16, 16, string)

    memset(str, '0', 16);
    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str+8, tmp, strlen(tmp));

    str[16] = 0;

    return 16;
}

```

```

//=====
//
// Function name: MakeZipNumberString
//
//=====
int MakeZipNumberString(int x, int y, int z, char
*str)
{
    char tmp[16];

    //MakeZipNumberString is always called
MakeZipNumberString(9, 9, 9, string)

    strcpy(str, "000011111");

    itoa(RandomNumber(0, 9999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    return 9;
}

//=====
//
// Function name: InitString
//
//=====
void InitString(char *str, int len)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering InitString()\n", (int)
GetCurrentThreadId());
#endif

    memset(str, ' ', len);
    str[len] = 0;
}

//=====
//
// Function name: InitAddress
//
// Description:
//
//=====
void InitAddress(char *street_1, char *street_2, char
*city, char *state, char *zip)
{
    memset(street_1, ' ', ADDRESS_LEN+1);
    memset(street_2, ' ', ADDRESS_LEN+1);
    memset(city, ' ', ADDRESS_LEN+1);

    street_1[ADDRESS_LEN+1] = 0;
    street_2[ADDRESS_LEN+1] = 0;
    city[ADDRESS_LEN+1] = 0;
}

```

```

    memset(state, ' ', STATE_LEN+1);
    state[STATE_LEN+1] = 0;

    memset(zip, ' ', ZIP_LEN+1);
    zip[ZIP_LEN+1] = 0;
}

//=====
//
// Function name: PaddString
//
//=====
void PaddString(int max, char *name)
{
    int len;

    len = strlen(name);
    if ( len < max )
        memset(name+len, ' ', max - len);
    name[max] = 0;

    return;
}

```

## tables.sql

```

-- File: TABLES.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates TPC-C tables

use tpcc
go

-- Remove all existing TPC-C tables
--

if exists ( select name from sysobjects where name =
'warehouse' )
    drop table warehouse
go
if exists ( select name from sysobjects where name =
'district' )
    drop table district
go
if exists ( select name from sysobjects where name =
'customer' )
    drop table customer
go
if exists ( select name from sysobjects where name =
'history' )
    drop table history
go

```

```

if exists ( select name from sysobjects where name =
'new_order' )
    drop table new_order
go
if exists ( select name from sysobjects where name =
'orders' )
    drop table orders
go
if exists ( select name from sysobjects where name =
'order_line' )
    drop table order_line
go
if exists ( select name from sysobjects where name =
'item' )
    drop table item
go
if exists ( select name from sysobjects where name =
'stock' )
    drop table stock
go

--
-- Create new tables
--

create table warehouse
(
    w_id
    smallint,
    w_name
    char(10),
    w_street_1
    char(20),
    w_street_2
    char(20),
    w_city
    char(20),
    w_state
    char(2),
    w_zip
    char(9),
    w_tax
    numeric(4,4),
    w_ytd
    numeric(12,2)
) on MSSQL_misc_fg
go

create table district
(
    d_id
    tinyint,
    d_w_id
    smallint,
    d_name
    char(10),
    d_street_1
    char(20),
    d_street_2
    char(20),
    d_city
    char(20),

```

```

        d_state
        char(2),
        d_zip
        char(9),
        d_tax
        numeric(4,4),
        d_ytd
        numeric(12,2),
        d_next_o_id
        int
    ) on MSSQL_misc_fg
    go

create table customer
(
    c_id
    int,
    c_d_id
    tinyint,
    c_w_id
    smallint,
    c_first
    char(16),
    c_middle
    char(2),
    c_last
    char(16),
    c_street_1
    char(20),
    c_street_2
    char(20),
    c_city
    char(20),
    c_state
    char(2),
    c_zip
    char(9),
    c_phone
    char(16),
    c_since
    datetime,
    c_credit
    char(2),
    c_credit_lim
    numeric(12,2),
    c_discount
    numeric(4,4),
    c_balance
    numeric(12,2),
    c_ytd_payment
    numeric(12,2),
    c_payment_cnt
    smallint,
    c_delivery_cnt
    smallint,
    c_data
    char(500)
) on MSSQL_cs_fg
go

create table history
(
    h_c_id
    int,
    h_c_d_id
    tinyint,
    h_c_w_id
    smallint,
    h_d_id
    tinyint,

```

```

        h_w_id
        smallint,
        h_date
        datetime,
        h_amount
        numeric(6,2),
        h_data
        char(24)
    ) on MSSQL_misc_fg
    go

create table new_order
(
    no_o_id
    int,
    no_d_id
    tinyint,
    no_w_id
    smallint
) on MSSQL_misc_fg
go

create table orders
(
    o_id
    int,
    o_d_id
    tinyint,
    o_w_id
    smallint,
    o_c_id
    int,
    o_entry_d
    datetime,
    o_carrier_id
    tinyint,
    o_ol_cnt
    tinyint,
    o_all_local
    tinyint
) on MSSQL_misc_fg
go

create table order_line
(
    ol_o_id
    int,
    ol_d_id
    tinyint,
    ol_w_id
    smallint,
    ol_number
    tinyint,
    ol_i_id
    int,
    ol_supply_w_id
    smallint,
    ol_delivery_d
    datetime,
    ol_quantity
    smallint,
    ol_amount
    numeric(6,2),
    ol_dist_info
    char(24)
) on MSSQL_misc_fg
go

create table item
(
    i_id
    int,

```

```

        i_im_id
        int,
        i_name
        char(24),
        i_price
        numeric(5,2),
        i_data
        char(50)
    ) on MSSQL_misc_fg
    go

create table stock
(
    s_i_id
    int,
    s_w_id
    smallint,
    s_quantity
    smallint,
    s_dist_01
    char(24),
    s_dist_02
    char(24),
    s_dist_03
    char(24),
    s_dist_04
    char(24),
    s_dist_05
    char(24),
    s_dist_06
    char(24),
    s_dist_07
    char(24),
    s_dist_08
    char(24),
    s_dist_09
    char(24),
    s_dist_10
    char(24),
    s_ytd
    int,
    s_order_cnt
    smallint,
    s_remote_cnt
    smallint,
    s_data
    char(50)
) on MSSQL_cs_fg
go

```

---

## time.c

---

```

// File: TIME.C Microsoft
// TPC-C Kit Ver. 4.22
// Copyright
// Microsoft, 1996, 1997, 1998, 1999, 2000, 2001
// Purpose: Source file for time functions

// Includes
#include "tpcc.h"

// Globals
static long start_sec;

//=====
//
// Function name: TimeNow

```

```
//
//=====
//=====

long TimeNow()
{
    long         time_now;
    struct _timeb el_time;

#ifdef DEBUG
    printf("[%ld]DBG: Entering TimeNow()\n", (int)
GetCurrentThreadId());
#endif

    _ftime(&el_time);

    time_now = ((el_time.time - start_sec) * 1000) +
el_time.millitm;

    return time_now;
}

```

## tpcc.h

```
// File: TPC.C H Microsoft
// TPC-C Kit Ver. 4.22
// Copyright
// Microsoft, 1996, 1997, 1998, 1999, 2000, 2001
// Purpose: Header file for TPC-C database
loader

// Build number of TPC Benchmark Kit
#define TPCKIT_VER "4.22"

// General headers
#include <windows.h>
#include <winbase.h>
#include <stdlib.h>
#include <stdio.h>
#include <process.h>
#include <stddef.h>
#include <stdarg.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <sys\types.h>

// ODBC headers
#include <sql.h>
#include <sqlext.h>
#include <odbc.h>

// General constants
#define MILLI 1000
#define FALSE 0
#define TRUE 1

```

```
#define UNDEF -1
#define MINPRINTASCII 32
#define MAXPRINTASCII 126

// Default environment constants
#define SERVER ""
#define DATABASE "tpcc"
#define USER "sa"
#define PASSWORD ""

// Default loader arguments
#define BATCH 10000
#define DEFLOADPACKSIZE 32768
#define LOADER_RES_FILE "logs\\load.out"
#define LOADER_NURAND_C 123
#define DEF_STARTING_WAREHOUSE 1
#define BUILD_INDEX 1 // build both data and indexes
#define INDEX_ORDER 1 // build indexes before load
#define SCALE_DOWN 0 // build a normal scale database
#define INDEX_SCRIPT_PATH "scripts"

typedef struct
{
    char *server;
    char *database;
    char *user;
    char *password;
    BOOL tables_all; //
    set if loading all tables
    BOOL table_item; //
    set if loading ITEM table specifically
    BOOL table_warehouse; // set if loading
    WAREHOUSE, DISTRICT, and STOCK
    BOOL table_customer; // set if
    loading CUSTOMER and HISTORY
    BOOL table_orders; // set if
    loading NEW-ORDER, ORDERS, ORDER-LINE
    long num_warehouses;
    long batch;
    long verbose;
}

```

```
long pack_size;
char *loader_res_file;
char *synch_servername;
long case_sensitivity;
long starting_warehouse;
long build_index;
long index_order;
long scale_down;
char *index_script_path;
} TPCCCLR_ARGS;

// String length constants
#define SERVER_NAME_LEN 20
#define DATABASE_NAME_LEN 20
#define USER_NAME_LEN 20
#define PASSWORD_LEN 20
#define TABLE_NAME_LEN 20
#define I_DATA_LEN 50
#define I_NAME_LEN 24
#define BRAND_LEN 1
#define LAST_NAME_LEN 16
#define W_NAME_LEN 10
#define ADDRESS_LEN 20
#define STATE_LEN 2
#define ZIP_LEN 9
#define S_DIST_LEN 24
#define S_DATA_LEN 50
#define D_NAME_LEN 10
#define FIRST_NAME_LEN 16
#define MIDDLE_NAME_LEN 2
#define PHONE_LEN 16
#define CREDIT_LEN 2
#define C_DATA_LEN 500
#define H_DATA_LEN 24
#define DIST_INFO_LEN 24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN 25
#define OL_DIST_INFO_LEN 24
#define C_SINCE_LEN 23
#define H_DATE_LEN 23
#define OL_DELIVERY_D_LEN 23
#define O_ENTRY_D_LEN 23

// Functions in random.c
void seed();
long irand();
double drand();
void WUcreate();

```



```

short    WURand();
long     RandomNumber(long lower, long upper);

// Functions in getargs.c;
void     GetArgsLoader();
void     GetArgsLoaderUsage();

// Functions in time.c
long     TimeNow();

// Functions in strings.c
void     MakeAddress();
void     LastName();
int      MakeAlphaString();
int      MakeOriginalAlphaString();
int      MakeNumberString();
int      MakeZipNumberString();
void     InitString();
void     InitAddress();
void     PaddString();

```

## tpccldr.c

```

//      File:                TPCCLDR.C
//      Microsoft
TPC-C Kit Ver. 4.22
//      Copyright
Microsoft, 2000, 2001
//      Purpose:  Source file for TPC-C database
loader

// Includes
#include "tpcc.h"
#include "search.h"

// Defines
#define MAXITEMS                100000
#define MAXITEMS_SCALE_DOWN    100
#define CUSTOMERS_PER_DISTRICT 3000
#define CUSTOMERS_SCALE_DOWN   30
#define DISTRICT_PER_WAREHOUSE 10
#define ORDERS_PER_DISTRICT    3000
#define ORDERS_SCALE_DOWN      30
#define MAX_CUSTOMER_THREADS   2
#define MAX_ORDER_THREADS      3
#define MAX_MAIN_THREADS       4

// Functions declarations
void HandleErrorDBC (SQLHDBC hdbc1);

void ChecksSQL();
void CheckDataBase();

long NURand();
void LoadItem();
void LoadWarehouse();

void Stock();

```

```

void District();

void LoadCustomer();
void CustomerBufInit();
void CustomerBufLoad();
void LoadCustomerTable();
void LoadHistoryTable();

void LoadOrders();
void OrdersBufInit();
void OrdersBufLoad();
void LoadOrdersTable();
void LoadNewOrderTable();
void LoadOrderLineTable();
void GetPermutation();
void CheckForCommit();
void OpenConnections();
void BuildIndex();
void FormatDate ();

// Shared memory structures

typedef struct
{
    long          ol;
    long          ol_i_id;
    short         ol_supply_w_id;
    short         ol_quantity;
    double        ol_amount;
    char
    ol_dist_info[DIST_INFO_LEN+1];
    char
    ol_delivery_d[OL_DELIVERY_D_LEN+1];
} ORDER_LINE_STRUCT;

typedef struct
{
    long          o_id;
    short         o_d_id;
    short         o_w_id;
    long          o_c_id;
    short         o_carrier_id;
    short         o_ol_cnt;
    short         o_all_local;
    ORDER_LINE_STRUCT  o_ol[15];
} ORDERS_STRUCT;

typedef struct
{
    long          c_id;
    short         c_d_id;
    short         c_w_id;
    char
    c_first[FIRST_NAME_LEN+1];
    char
    c_middle[MIDDLE_NAME_LEN+1];
    char
    c_last[LAST_NAME_LEN+1];
    char
    c_street_1[ADDRESS_LEN+1];
    char
    c_street_2[ADDRESS_LEN+1];

```

```

char
    c_city[ADDRESS_LEN+1];
char
    c_state[STATE_LEN+1];
char
    c_zip[ZIP_LEN+1];
char
    c_phone[PHONE_LEN+1];
char
    c_credit[CREDIT_LEN+1];
double
    c_credit_lim;
double
    c_discount;
// fix to avoid ODBC float to numeric conversion
// double
    c_balance;
char
    c_balance[6];

double
    c_ytd_payment;
short
    c_payment_cnt;
short
    c_delivery_cnt;
char
    c_data[C_DATA_LEN+1];
double
    h_amount;
char
    h_data[H_DATA_LEN+1];
} CUSTOMER_STRUCT;

typedef struct
{
    char
    c_last[LAST_NAME_LEN+1];
    char
    c_first[FIRST_NAME_LEN+1];
    long
    c_id;
} CUSTOMER_SORT_STRUCT;

typedef struct
{
    long          time_start;
} LOADER_TIME_STRUCT;

// Global variables
char            szLastError[300];
HENV           henv;
HDBC           v_hdbc;
// for SQL Server version
verification
HDBC           i_hdbc1;
// for ITEM table
HDBC           w_hdbc1;
// for WAREHOUSE, DISTRICT, STOCK

```

```

HDBC      c_hdbc1;
          // for CUSTOMER
HDBC      c_hdbc2;
          // for HISTORY
HDBC      o_hdbc1;
          // for ORDERS
HDBC      o_hdbc2;
          // for NEW-ORDER

HDBC      o_hdbc3;
          // for ORDER-LINE

HSTMT     v_hstmt;
          // for SQL Server version verification
HSTMT     i_hstmt1;
HSTMT     w_hstmt1;
HSTMT     c_hstmt1, c_hstmt2;
HSTMT     o_hstmt1, o_hstmt2, o_hstmt3;

ORDERS_STRUCT  orders_buf[ORDERS_PER_DISTRICT];
CUSTOMER_STRUCT customer_buf[CUSTOMERS_PER_DISTRICT];
long           orders_rows_loaded;
long           new_order_rows_loaded;
long           order_line_rows_loaded;
long           history_rows_loaded;
long           customer_rows_loaded;
long           stock_rows_loaded;
long           district_rows_loaded;
long           item_rows_loaded;
long           warehouse_rows_loaded;
long           main_time_start;
long           main_time_end;
long           max_items;
long           customers_per_district;
long           orders_per_district;
long           first_new_order;
long           last_new_order;

TPCCLDR_ARGS  *aptr, argc;

//=====
//
// Function name: main
//
//=====
int main(int  argc, char **argv)
{
    DWORD
dwThreadId[MAX_MAIN_THREADS];
HANDLE      hThread[MAX_MAIN_THREADS];
FILE        *fLoader;
char        buffer[255];
int         i;

    for (i=0; i<MAX_MAIN_THREADS; i++)
        hThread[i] = NULL;

```

```

printf("\n*****\n");
        printf("\n*
**);
        printf("\n* Microsoft SQL Server
**);
        printf("\n*
**);
        printf("\n* TPC-C BENCHMARK KIT: Database
loader          *");
        printf("\n* Version %s
**, TPCKIT_VER);
        printf("\n*
**);
        printf("\n*****\n");
*****\n");

        // process command line arguments
        aptr = &argc;
        GetArgsLoader(argc, argv, aptr);

        // verify database and tables exist before
attempting to load

        CheckSQL();
        CheckDataBase();

        printf("Build interface is ODBC.\n");

        if (aptr->build_index == 0)
            printf("Data load only - no index
creation.\n");
        else
            printf("Data load and index
creation.\n");

        if (aptr->index_order == 0)
            printf("Clustered indexes will be
created after bulk load.\n");
        else
            printf("Clustered indexes will be
created before bulk load.\n");

        // set database scale values
        if (aptr->scale_down == 1)
        {
            printf("*** Scaled Down Database
***\n");
            max_items = MAXITEMS_SCALE_DOWN;
            customers_per_district =
CUSTOMERS_SCALE_DOWN;
            orders_per_district =
ORDERS_SCALE_DOWN;
            first_new_order = 0;
            last_new_order = 30;
        }
        else
        {
            max_items = MAXITEMS;
            customers_per_district =
CUSTOMERS_PER_DISTRICT;

```

```

            orders_per_district =
ORDERS_PER_DISTRICT;
            first_new_order = 2100;
            last_new_order = 3000;
        }

        // open connections to SQL Server
        OpenConnections();

        // open file for loader results
        fLoader = fopen(aptr->loader_res_file, "w");

        if (fLoader == NULL)
        {
            printf("Error, loader result file
open failed.");
            exit(-1);
        }

        // start loading data

        sprintf(buffer, "TPC-C load started for %ld
warehouses.\n", aptr->num_warehouses);

        printf("%s", buffer);
        fprintf(fLoader, "%s", buffer);

        main_time_start = (TimeNow() / MILLI);

        // start parallel load threads

        if (aptr->tables_all || aptr->table_item)
        {
            fprintf(fLoader, "\nStarting
loader threads for: item\n");

            hThread[0] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadItem,
NULL,
0,
&dwThreadId[0]);

            if (hThread[0] == NULL)
            {
                printf("Error, failed
in creating creating thread = 0.\n");
                exit(-1);
            }

            if (aptr->tables_all || aptr-
>table_warehouse)

```

```

    {
        fprintf(fLoader, "Starting loader
threads for: warehouse\n");
        hThread[1] = CreateThread(NULL,
            0,
(LPTHREAD_START_ROUTINE) LoadWarehouse,
            NULL,
            0,
            &dwThreadID[1]);
        if (hThread[1] == NULL)
        {
            printf("Error, failed
in creating creating thread = 1.\n");
            exit(-1);
        }
        if (aptr->tables_all || aptr-
>table_customer)
        {
            fprintf(fLoader, "Starting loader
threads for: customer\n");
            hThread[2] = CreateThread(NULL,
                0,
(LPTHREAD_START_ROUTINE) LoadCustomer,
                    NULL,
                    0,
                    &dwThreadID[2]);
            if (hThread[2] == NULL)
            {
                printf("Error, failed
in creating creating main thread = 2.\n");
                exit(-1);
            }
        }
        if (aptr->tables_all || aptr->table_orders)
        {
            fprintf(fLoader, "Starting loader
threads for: orders\n");
            hThread[3] = CreateThread(NULL,
                0,
(LPTHREAD_START_ROUTINE) LoadOrders,

```

```

            NULL,
            0,
            &dwThreadID[3]);
            if (hThread[3] == NULL)
            {
                printf("Error, failed
in creating creating main thread = 3.\n");
                exit(-1);
            }
        }
        // Wait for threads to finish...
        for (i=0; i<MAX_MAIN_THREADS; i++)
        {
            if (hThread[i] != NULL)
                WaitForSingleObject(
hThread[i], INFINITE );
            CloseHandle(hThread[i]);
            hThread[i] = NULL;
        }
        main_time_end = (TimeNow() / MILLI);
        sprintf(buffer, "\nTPC-C load completed
successfully in %ld minutes.\n",
            (main_time_end -
main_time_start)/60);
        printf("%s",buffer);
        fprintf(fLoader, "%s", buffer);
        fclose(fLoader);
        SQLFreeEnv(henv);
        exit(0);
    }
    return 0;
}
//=====
//
// Function name: LoadItem
//
//=====
void LoadItem()
{
    long        i_id;
    long        i_im_id;
    char        i_name[I_NAME_LEN+1];
    double      i_price;
    char        i_data[I_DATA_LEN+1];

```

```

    char        name[20];
    long        time_start;
    RETCODE     rc;
    DBINT       rcint;
    char        bcpint[128];

    // Seed with unique number
    seed(1);

    printf("Loading item table...\n");

    // if build index before load
    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
        BuildIndex("idxitmc1");

    InitString(i_name, I_NAME_LEN+1);
    InitString(i_data, I_DATA_LEN+1);

    sprintf(name, "%s.%s", aptr->database,
"item");

    rc = bcp_init(i_hdbc1, name, NULL,
"logs\\item.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
    {
        sprintf(bcpint, "tablock, order
(i_id), ROWS_PER_BATCH = 100000");
        rc = bcp_control(i_hdbc1,
BCPHINTS, (void*) bcpint);
        if (rc != SUCCEED)
            HandleErrorDBC(i_hdbc1);
    }

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_im_id,
0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) i_name, 0,
I_NAME_LEN, NULL, 0, 3);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_price,
0, SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 4);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) i_data, 0,
I_DATA_LEN, NULL, 0, 5);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

```

```

time_start = (TimeNow() / MILLI);
item_rows_loaded = 0;
for (i_id = 1; i_id <= max_items; i_id++)
{
    i_im_id = RandomNumber(1L,
10000L);
    MakeAlphaString(14, 24,
I_NAME_LEN, i_name);
    i_price = ((float)
RandomNumber(100L, 10000L))/100.0;
    MakeOriginalAlphaString(26, 50,
I_DATA_LEN, i_data, 10);
    rc = bcp_sendrow(i_hdbc1);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);
    item_rows_loaded++;
    CheckForCommit(i_hdbc1, i_hstmt1,
item_rows_loaded, "item", &time_start);
}
rcint = bcp_done(i_hdbc1);
if (rcint < 0)
    HandleErrorDBC(i_hdbc1);
printf("Finished loading item table.\n");
SQLFreeStmt(i_hstmt1, SQL_DROP);
SQLDisconnect(i_hdbc1);
SQLFreeConnect(i_hdbc1);
// if build index after load
if ((aptr->build_index == 1) && (aptr-
>index_order == 0))
    BuildIndex("idxitmc1");
}
//=====
//
// Function   : LoadWarehouse
//
// Loads WAREHOUSE table and loads Stock and District
as Warehouses are created
//
//=====
void LoadWarehouse()
{

```

```

short w_id;
char w_name[W_NAME_LEN+1];
char w_street_1[ADDRESS_LEN+1];
char w_street_2[ADDRESS_LEN+1];
char w_city[ADDRESS_LEN+1];
char w_state[STATE_LEN+1];
char w_zip[ZIP_LEN+1];
double w_tax;
double w_ytd;
char name[20];
long time_start;
RETCODE rc;
DBINT rcint;
char bcphint[128];
// Seed with unique number
seed(2);
printf("Loading warehouse table...\n");
// if build index before load...
if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
    BuildIndex("idxwarc1");
InitString(w_name, W_NAME_LEN+1);
InitAddress(w_street_1, w_street_2, w_city,
w_state, w_zip);
sprintf(name, "%s..%s", aptr->database,
"warehouse");
rc = bcp_init(w_hdbc1, name, NULL,
"log\warehouse.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);
if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
{
    sprintf(bcphint, "tablock, order
(w_id), ROWS_PER_BATCH = %d", aptr->num_warehouses);
    rc = bcp_control(w_hdbc1,
BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
}
rc = bcp_bind(w_hdbc1, (BYTE *) &w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 1);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) w_name, 0,
W_NAME_LEN, NULL, 0, 0, 2);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) w_street_1,
0, ADDRESS_LEN, NULL, 0, 0, 3);
if (rc != SUCCEED)

```

```

        HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) w_street_2,
0, ADDRESS_LEN, NULL, 0, 0, 4);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) w_city, 0,
ADDRESS_LEN, NULL, 0, 0, 5);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) w_state, 0,
STATE_LEN, NULL, 0, 0, 6);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) w_zip, 0,
ZIP_LEN, NULL, 0, 0, 7);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) &w_tax, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 8);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) &w_ytd, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 9);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
        time_start = (TimeNow() / MILLI);
        warehouse_rows_loaded = 0;
        for (w_id = (short)aptr-
>starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
        {
            MakeAlphaString(6,10, W_NAME_LEN,
w_name);
            MakeAddress(w_street_1,
w_street_2, w_city, w_zip);
            w_tax = ((float)
RandomNumber(0L,2000L))/10000.00;
            w_ytd = 300000.00;
            rc = bcp_sendrow(w_hdbc1);
            if (rc != SUCCEED)
                HandleErrorDBC(w_hdbc1);
            warehouse_rows_loaded++;
            CheckForCommit(w_hdbc1, i_hstmt1,
warehouse_rows_loaded, "warehouse", &time_start);
        }
        rcint = bcp_done(w_hdbc1);
        if (rcint < 0)

```

```

        HandleErrorDBC(w_hdbc1);

        printf("Finished loading warehouse
table.\n");

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr-
>index_order == 0))
            BuildIndex("idxwarc1");

        stock_rows_loaded = 0;
        district_rows_loaded = 0;

        District();
        Stock();
    }

//=====
//
// Function   : District
//
//=====
void District()
{
    short d_id;
    short d_w_id;
    char d_name[D_NAME_LEN+1];
    char d_street_1[ADDRESS_LEN+1];
    char d_street_2[ADDRESS_LEN+1];
    char d_city[ADDRESS_LEN+1];
    char d_state[STATE_LEN+1];
    char d_zip[ZIP_LEN+1];
    double d_tax;
    double d_ytd;
    char name[20];
    long d_next_o_id;
    long time_start;
    int w_id;
    RETCODE rc;
    DBINT rcint;
    char bcp hint[128];

    // Seed with unique number
    seed(4);

    printf("Loading district table...\n");

    // build index before load
    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
        BuildIndex("idxdiscl");

    InitString(d_name, D_NAME_LEN+1);
    InitAddress(d_street_1, d_street_2, d_city,
d_state, d_zip);
    sprintf(name, "%s.%s", aptr->database,
"district");

```

```

        rc = bcp_init(w_hdbc1, name, NULL,
"logs\\district.err", DB_IN);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
        {
            sprintf(bcp hint, "tablock, order
(d_w_id, d_id), ROWS_PER_BATCH = %u", (aptr-
>num_warehouses * 10));
            rc = bcp_control(w_hdbc1,
BCPHINTS, (void*) bcp hint);
            if (rc != SUCCEED)

                HandleErrorDBC(w_hdbc1);
        }

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 1);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_name, 0,
D_NAME_LEN, NULL, 0, 0, 3);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_street_1,
0, ADDRESS_LEN, NULL, 0, 0, 4);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_street_2,
0, ADDRESS_LEN, NULL, 0, 0, 5);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_city, 0,
ADDRESS_LEN, NULL, 0, 0, 6);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_state, 0,
STATE_LEN, NULL, 0, 0, 7);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_zip, 0,
ZIP_LEN, NULL, 0, 0, 8);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_tax, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 9);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

```

```

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_ytd, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 10);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *)
&d_next_o_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4,
11);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        d_ytd = 30000.0;

        d_next_o_id = orders_per_district+1;

        time_start = (TimeNow() / MILLI);

        for (w_id = aptr->starting_warehouse; w_id
<= aptr->num_warehouses; w_id++)
        {
            d_w_id = w_id;

            for (d_id = 1; d_id <=
DISTRICT_PER_WAREHOUSE; d_id++)
            {
                MakeAlphaString(6,10,D_NAME_LEN, d_name);

                MakeAddress(d_street_1,
d_street_2, d_city, d_state, d_zip);

                d_tax = ((float)
RandomNumber(0L,2000L))/10000.00;

                rc =
bcp_sendrow(w_hdbc1);
                if (rc != SUCCEED)

                    HandleErrorDBC(w_hdbc1);

                district_rows_loaded++;
                CheckForCommit(w_hdbc1,
w_hstmt1, district_rows_loaded, "district",
&time_start);
            }
        }

        rcint = bcp_done(w_hdbc1);
        if (rcint < 0)
            HandleErrorDBC(w_hdbc1);

        printf("Finished loading district
table.\n");

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr-
>index_order == 0))
            BuildIndex("idxdiscl");

        return;
    }

```

```

//=====
//
// Function   : Stock
//
//=====
void Stock()
{
    long  s_i_id;
    short s_w_id;
    short s_quantity;
    char  s_dist_01[S_DIST_LEN+1];
    char  s_dist_02[S_DIST_LEN+1];
    char  s_dist_03[S_DIST_LEN+1];
    char  s_dist_04[S_DIST_LEN+1];
    char  s_dist_05[S_DIST_LEN+1];
    char  s_dist_06[S_DIST_LEN+1];
    char  s_dist_07[S_DIST_LEN+1];
    char  s_dist_08[S_DIST_LEN+1];
    char  s_dist_09[S_DIST_LEN+1];
    char  s_dist_10[S_DIST_LEN+1];
    long  s_ytd;
    short s_order_cnt;
    short s_remote_cnt;
    char  s_data[S_DATA_LEN+1];
    short len;
    char  name[20];
    long  time_start;
    RETCODE rc;
    DBINT rcint;
    char  bcphint[128];

    // Seed with unique number
    seed(3);

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxstkcl");

    sprintf(name, "%s.%s", aptr->database, "stock");

    rc = bcp_init(w_hdbc1, name, NULL, "logs\\stock.err", DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (%s_i_id, s_w_id), ROWS_PER_BATCH = %u", (aptr->num_warehouses * 100000));
        rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
    }
}

```

```

}

rc = bcp_bind(w_hdbc1, (BYTE *) &s_i_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_quantity, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_01, 0, S_DIST_LEN, NULL, 0, 0, 4);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_02, 0, S_DIST_LEN, NULL, 0, 0, 5);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_03, 0, S_DIST_LEN, NULL, 0, 0, 6);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_04, 0, S_DIST_LEN, NULL, 0, 0, 7);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_05, 0, S_DIST_LEN, NULL, 0, 0, 8);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_06, 0, S_DIST_LEN, NULL, 0, 0, 9);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_07, 0, S_DIST_LEN, NULL, 0, 0, 10);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_08, 0, S_DIST_LEN, NULL, 0, 0, 11);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_09, 0, S_DIST_LEN, NULL, 0, 0, 12);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
}

```

```

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_10, 0, S_DIST_LEN, NULL, 0, 0, 13);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_ytd, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 14);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_order_cnt, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2, 15);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_remote_cnt, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2, 16);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_data, 0, S_DATA_LEN, NULL, 0, 0, 17);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

s_ytd = s_order_cnt = s_remote_cnt = 0;

time_start = (TimeNow() / MILLI);

printf("...Loading stock table\n");

for (s_i_id=1; s_i_id <= max_items; s_i_id++)
{
    for (s_w_id = (short)aptr->starting_warehouse; s_w_id <= aptr->num_warehouses; s_w_id++)
    {
        s_quantity = (short)RandomNumber(10L,100L);
        len =
        MakeAlphaString(24,24,S_DIST_LEN, s_dist_01);
        len =
        MakeAlphaString(24,24,S_DIST_LEN, s_dist_02);
        len =
        MakeAlphaString(24,24,S_DIST_LEN, s_dist_03);
        len =
        MakeAlphaString(24,24,S_DIST_LEN, s_dist_04);
        len =
        MakeAlphaString(24,24,S_DIST_LEN, s_dist_05);
        len =
        MakeAlphaString(24,24,S_DIST_LEN, s_dist_06);
        len =
        MakeAlphaString(24,24,S_DIST_LEN, s_dist_07);
        len =
        MakeAlphaString(24,24,S_DIST_LEN, s_dist_08);
        len =
        MakeAlphaString(24,24,S_DIST_LEN, s_dist_09);
    }
}

```

```

        len =
        MakeAlphaString(24,24,S_DIST_LEN, s_dist_10);

        len =
        MakeOriginalAlphaString(26,50, S_DATA_LEN,
        s_data,10);

        rc =
        bcp_sendrow(w_hdbc1);

        if (rc != SUCCEED)

            HandleErrorDBC(w_hdbc1);

            stock_rows_loaded++;
            CheckForCommit(w_hdbc1,
            w_hstmt1, stock_rows_loaded, "stock", &time_start);

        }

    }

    rcint = bcp_done(w_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(w_hdbc1);

    printf("Finished loading stock table.\n");

    SQLFreeStmt(w_hstmt1, SQL_DROP);
    SQLDisconnect(w_hdbc1);
    SQLFreeConnect(w_hdbc1);

    // if build index after load...
    if ((aptr->build_index == 1) && (aptr-
    >index_order == 0))
        BuildIndex("idxstkcl");

    return;
}

//=====
//
// Function   : LoadCustomer
//
//=====
void LoadCustomer()
{
    LOADER_TIME_STRUCT
    customer_time_start;
    LOADER_TIME_STRUCT    history_time_start;
    short                 w_id;
    short                 d_id;

    DWORD
    dwThreadId[MAX_CUSTOMER_THREADS];
    HANDLE
    hThread[MAX_CUSTOMER_THREADS];
    char
    name[20];
    RETCODE
    rc;

```

```

    DBINT
    rcint;
    char
    bcphint[128];
    char
    cmd[256];
    // SQLRETURN
    rc_1;
    // SQLSMALLINT
    recnum, MsgLen;
    // SQLCHAR
    SqlState[6],
    Msg[SQL_MAX_MESSAGE_LENGTH];
    // SQLINTEGER
    NativeError;

    // Seed with unique number
    seed(5);

    printf("Loading customer and history
    tables...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr-
    >index_order == 1))
        BuildIndex("idxcuscl");

    // Initialize bulk copy
    sprintf(name, "%s..%s", aptr->database,
    "customer");

    rc = bcp_init(c_hdbc1, name, NULL,
    "logs\\customer.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    if ((aptr->build_index == 1) && (aptr-
    >index_order == 1))
    {
        sprintf(bcphint, "tablock, order
        (c_w_id, c_d_id, c_id), ROWS_PER_BATCH = %u", (aptr-
        >num_warehouses * 30000));
        rc = bcp_control(c_hdbc1,
        BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)

            HandleErrorDBC(c_hdbc1);
    }

    sprintf(name, "%s..%s", aptr->database,
    "history");

    rc = bcp_init(c_hdbc2, name, NULL,
    "logs\\history.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    sprintf(bcphint, "tablock");
    rc = bcp_control(c_hdbc2, BCPHINTS, (void*)
    bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

```

```

    customer_rows_loaded    = 0;
    history_rows_loaded     = 0;

    CustomerBufInit();

    customer_time_start.time_start = (TimeNow()
    / MILLI);
    history_time_start.time_start = (TimeNow()
    / MILLI);

    for (w_id = (short)aptr-
    >starting_warehouse; w_id <= aptr->num_warehouses;
    w_id++)
    {
        for (d_id = 1; d_id <=
        DISTRICT_PER_WAREHOUSE; d_id++)
        {
            CustomerBufLoad(d_id,
            w_id);

            // Start parallel
            loading threads here...

            // Start customer table
            thread

            printf("...Loading
            customer table for: d_id = %d, w_id = %d\n", d_id,
            w_id);

            hThread[0] =
            CreateThread(NULL,

            0,

            (LPTHREAD_START_ROUTINE) LoadCustomerTable,
            &customer_time_start,

            0,

            &dwThreadId[0]);

            if (hThread[0] == NULL)
            {
                printf("Error, failed in creating creating
                thread = 0.\n");
                exit(-1);
            }

            // Start History table
            thread

            printf("...Loading
            history table for: d_id = %d, w_id = %d\n", d_id,
            w_id);

```

```

        hThread[1] =
CreateThread(NULL,
            0,
(LPTHREAD_START_ROUTINE) LoadHistoryTable,
&history_time_start,
            0,
&dwThreadID[1]);
        if (hThread[1] == NULL)
        {
            printf("Error, failed in creating creating
thread = 1.\n");
            exit(-1);
        }
        WaitForSingleObject(
hThread[0], INFINITE );
        WaitForSingleObject(
hThread[1], INFINITE );
        if
(CloseHandle(hThread[0]) == FALSE)
        {
            printf("Error, failed in closing customer
thread handle with errno: %d\n", GetLastError());
        }
        if
(CloseHandle(hThread[1]) == FALSE)
        {
            printf("Error, failed in closing history
thread handle with errno: %d\n", GetLastError());
        }
    }
}
// flush the bulk connection
rcint = bcp_done(c_hdbc1);
if (rcint < 0)
    HandleErrorDBC(c_hdbc1);
rcint = bcp_done(c_hdbc2);
if (rcint < 0)
    HandleErrorDBC(c_hdbc2);
printf("Finished loading customer
table.\n");

```

```

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr-
>index_order == 0))
            BuildIndex("idxcuscl");
        // build non-clustered index
        if (aptr->build_index == 1)
            BuildIndex("idxcusnc");
        // Output the NURAND used for the loader
        into C_FIRST for C_ID = 1,
        // C_W_ID = 1, and C_D_ID = 1
        sprintf(cmd, "isql -S%s -U%s -P%s -d%s -e -
Q\"update customer set c_first = 'C_LOAD = %d' where
c_id = 1 and c_w_id = 1 and c_d_id = 1\" >
logs\nurand_load.log",
            aptr->server,
            aptr->user,
            aptr->password,
            aptr->database,
            LOADER_NURAND_C);
        system(cmd);
        SQLFreeStmt(c_hstmt1, SQL_DROP);
        SQLDisconnect(c_hdbc1);
        SQLFreeConnect(c_hdbc1);
        SQLFreeStmt(c_hstmt2, SQL_DROP);
        SQLDisconnect(c_hdbc2);
        SQLFreeConnect(c_hdbc2);
        return;
    }
}
//=====
//
// Function : CustomerBufInit
//
//=====
void CustomerBufInit()
{
    int i;
    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_id = 0;
        customer_buf[i].c_d_id = 0;
        customer_buf[i].c_w_id = 0;
        strcpy(customer_buf[i].c_first,"");
    }
}

```

```

        strcpy(customer_buf[i].c_middle,"");
        strcpy(customer_buf[i].c_last,"");
        strcpy(customer_buf[i].c_street_1,"");
        strcpy(customer_buf[i].c_street_2,"");
        strcpy(customer_buf[i].c_city,"");
        strcpy(customer_buf[i].c_state,"");
        strcpy(customer_buf[i].c_zip,"");
        strcpy(customer_buf[i].c_phone,"");
        strcpy(customer_buf[i].c_credit,"");
        customer_buf[i].c_credit_lim = 0;
        customer_buf[i].c_discount =
(float) 0;
        // fix to avoid ODBC float to
numeric conversion problem.
        //
        customer_buf[i].c_balance = 0;
        strcpy(customer_buf[i].c_balance,"");
        customer_buf[i].c_ytd_payment =
0;
        customer_buf[i].c_payment_cnt =
0;
        customer_buf[i].c_delivery_cnt =
0;
        strcpy(customer_buf[i].c_data,"");
        customer_buf[i].h_amount = 0;
        strcpy(customer_buf[i].h_data,"");
    }
}
//=====
//
// Function : CustomerBufLoad
//
// Fills shared buffer for HISTORY and CUSTOMER
//=====
void CustomerBufLoad(int d_id, int w_id)
{

```



```

long i;
CUSTOMER_SORT_STRUCT
c(CUSTOMERS_PER_DISTRICT);

for (i=0;i<customers_per_district;i++)
{
    if (i < 1000)
        LastName(i,
c[i].c_last);
    else
        LastName(NURand(255,0,999,LOADER_NURAND_C),
c[i].c_last);

    MakeAlphaString(8,16,FIRST_NAME_LEN,
c[i].c_first);

    c[i].c_id = i+1;
}

printf("...Loading customer buffer for:
d_id = %d, w_id = %d\n",
d_id, w_id);

for (i=0;i<customers_per_district;i++)
{
    customer_buf[i].c_d_id = d_id;
    customer_buf[i].c_w_id = w_id;
    customer_buf[i].h_amount = 10.0;

10.0;
    customer_buf[i].c_ytd_payment =
1;
    customer_buf[i].c_payment_cnt =
0;
    customer_buf[i].c_delivery_cnt =

// Generate CUSTOMER and HISTORY
data
    customer_buf[i].c_id = c[i].c_id;
c[i].c_first);
    strcpy(customer_buf[i].c_first,
c[i].c_last);
    strcpy(customer_buf[i].c_last,

'0';
    customer_buf[i].c_middle[0] =
'E';
    customer_buf[i].c_middle[1] =

    MakeAddress(customer_buf[i].c_street_1,
customer_buf[i].c_street_2,

```

```

customer_buf[i].c_city,
customer_buf[i].c_state,
customer_buf[i].c_zip);

    MakeNumberString(16, 16,
PHONE_LEN, customer_buf[i].c_phone);

    if (RandomNumber(1L, 100L) > 10)
        customer_buf[i].c_credit[0] = 'G';
    else
        customer_buf[i].c_credit[0] = 'B';
    customer_buf[i].c_credit[1] =
'C';

    customer_buf[i].c_credit_lim =
50000.0;
    customer_buf[i].c_discount =
((float) RandomNumber(0L, 5000L) / 10000.0;

// fix to avoid ODBC float to
numeric conversion problem.
// customer_buf[i].c_balance = -
10.0;

    strcpy(customer_buf[i].c_balance,"-10.0");

    MakeAlphaString(300, 500,
C_DATA_LEN, customer_buf[i].c_data);

// Generate HISTORY data
    MakeAlphaString(12, 24,
H_DATA_LEN, customer_buf[i].h_data);
}

//=====
//
// Function : LoadCustomerTable
//
//=====
void LoadCustomerTable(LOADER_TIME_STRUCT
*customer_time_start)
{
    int i;
    long c_id;
    short c_d_id;
    short c_w_id;
    char c_first[FIRST_NAME_LEN+1];
    char c_middle[MIDDLE_NAME_LEN+1];
    char c_last[LAST_NAME_LEN+1];
    char c_street_1[ADDRESS_LEN+1];
    char c_street_2[ADDRESS_LEN+1];
    char c_city[ADDRESS_LEN+1];

```

```

char c_state[STATE_LEN+1];
char c_zip[ZIP_LEN+1];
char c_phone[PHONE_LEN+1];
char c_credit[CREDIT_LEN+1];
double c_credit_lim;
double c_discount;

// fix to avoid ODBC float to numeric
conversion problem.
// double c_balance;
char c_balance[6];

double c_ytd_payment;
short c_payment_cnt;
short c_delivery_cnt;
char c_data[C_DATA_LEN+1];
char c_since[C_SINCE_LEN+1];

RETCODE rc;

rc = bcp_bind(c_hdbc1, (BYTE *) &c_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_first, 0,
FIRST_NAME_LEN, NULL, 0, 0, 4);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_middle, 0,
MIDDLE_NAME_LEN, NULL, 0, 0, 5);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_last, 0,
LAST_NAME_LEN, NULL, 0, 0, 6);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_1, 0,
ADDRESS_LEN, NULL, 0, 0, 7);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_2, 0,
ADDRESS_LEN, NULL, 0, 0, 8);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_city, 0,
ADDRESS_LEN, NULL, 0, 0, 9);
if (rc != SUCCEEDED)

```

```

        HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) c_state, 0,
STATE_LEN, NULL, 0, 0, 10);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) c_zip, 0,
ZIP_LEN, NULL, 0, 0, 11);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) c_phone, 0,
PHONE_LEN, NULL, 0, 0, 12);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) &c_since,
0, C_SINCE_LEN, NULL, 0, SQLCHARACTER, 13);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) c_credit, 0,
CREDIT_LEN, NULL, 0, 0, 14);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) &c_credit_lim, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 15);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) &c_discount, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 16);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);

        // fix to avoid ODBC float to numeric
conversion problem.
        // rc = bcp_bind(c_hdbc1, (BYTE *) &c_balance,
0, SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 17);
        // if (rc != SUCCEEDED)
        //     HandleErrorDBC(c_hdbc1);
        rc = bcp_bind(c_hdbc1, (BYTE *) c_balance, 0, 5,
NULL, 0, SQLCHARACTER, 17);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) &c_ytd_payment,
0, SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 18);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) &c_payment_cnt,
0, SQL_VARLEN_DATA, NULL, 0, SQLINT2, 19);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *)
&c_delivery_cnt, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
20);

```

```

        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) c_data, 0, 500,
NULL, 0, 0, 21);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);

        for (i = 0; i < customers_per_district; i++)
        {
            c_id = customer_buf[i].c_id;
            c_d_id = customer_buf[i].c_d_id;
            c_w_id = customer_buf[i].c_w_id;

            strcpy(c_first,
customer_buf[i].c_first);
            strcpy(c_middle,
customer_buf[i].c_middle);
            strcpy(c_last,
customer_buf[i].c_last);
            strcpy(c_street_1,
customer_buf[i].c_street_1);
            strcpy(c_street_2,
customer_buf[i].c_street_2);
            strcpy(c_city,
customer_buf[i].c_city);
            strcpy(c_state,
customer_buf[i].c_state);
            strcpy(c_zip,
customer_buf[i].c_zip);
            strcpy(c_phone,
customer_buf[i].c_phone);
            strcpy(c_credit,
customer_buf[i].c_credit);

            FormatDate(&c_since);

            c_credit_lim =
customer_buf[i].c_credit_lim;
            c_discount =
customer_buf[i].c_discount;

            // fix to avoid ODBC float to
numeric conversion problem.
            // c_balance =
customer_buf[i].c_balance;
            strcpy(c_balance,
customer_buf[i].c_balance);

            c_ytd_payment =
customer_buf[i].c_ytd_payment;
            c_payment_cnt =
customer_buf[i].c_payment_cnt;
            c_delivery_cnt =
customer_buf[i].c_delivery_cnt;

            strcpy(c_data,
customer_buf[i].c_data);

            // Send data to server
            rc = bcp_sendrow(c_hdbc1);
            if (rc != SUCCEEDED)

```

```

        HandleErrorDBC(c_hdbc1);

        customer_rows_loaded++;
        CheckForCommit(c_hdbc1, c_hstmt1,
customer_rows_loaded, "customer",
&customer_time_start->time_start);
    }
}

//=====
//
// Function   : LoadHistoryTable
//
//=====
void LoadHistoryTable(LOADER_TIME_STRUCT
*history_time_start)
{
    int         i;
    long        c_id;
    short       c_d_id;
    short       c_w_id;
    double      h_amount;
    char        h_data[H_DATA_LEN+1];
    char        h_date[H_DATE_LEN+1];

    RETCODE     rc;

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_date, 0,
H_DATE_LEN, NULL, 0, SQLCHARACTER, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

```

```

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_amount, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) h_data, 0,
H_DATA_LEN, NULL, 0, 0, 8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    for (i = 0; i < customers_per_district; i++)
    {
        c_id = customer_buf[i].c_id;
        c_d_id = customer_buf[i].c_d_id;
        c_w_id = customer_buf[i].c_w_id;
        h_amount =
customer_buf[i].h_amount;
        strcpy(h_data,
customer_buf[i].h_data);

        FormatDate(&h_date);

        // send to server
        rc = bcp_sendrow(c_hdbc2);
        if (rc != SUCCEEDED)

            HandleErrorDBC(c_hdbc2);

        history_rows_loaded++;
        CheckForCommit(c_hdbc2, c_hstmt2,
history_rows_loaded, "history", &history_time_start-
>time_start);
    }

}

//=====
//
// Function   : LoadOrders
//
//=====
void LoadOrders()
{
    LOADER_TIME_STRUCT    orders_time_start;
    LOADER_TIME_STRUCT
new_order_time_start;
    LOADER_TIME_STRUCT
order_line_time_start;
    short                 w_id;
    short                 d_id;
    DWORD
dwThreadId[MAX_ORDER_THREADS];
    HANDLE
hThread[MAX_ORDER_THREADS];
    char                  name[20];

```

```

RETCODE
rc;
char
bcphint[128];

// seed with unique number
seed(6);

printf("Loading orders...\n");

// if build index before load...
if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
{
    BuildIndex("idxordc1");
    BuildIndex("idxnodc1");
    BuildIndex("idxodlc1");
}

// initialize bulk copy
sprintf(name, "%s..%s", aptr->database,
"orders");

rc = bcp_init(o_hdbc1, name, NULL,
"logs\\orders.err", DB_IN);
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc1);

if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
{
    sprintf(bcphint, "tablock, order
(o_w_id, o_d_id, o_id), ROWS_PER_BATCH = %u", (aptr-
>num_warehouses * 30000));
    rc = bcp_control(o_hdbc1,
BCPHINTS, (void*) bcphint);
    if (rc != SUCCEEDED)

        HandleErrorDBC(o_hdbc1);
}

sprintf(name, "%s..%s", aptr->database,
"new_order");

rc = bcp_init(o_hdbc2, name, NULL,
"logs\\neword.err", DB_IN);
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc2);

if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
{
    sprintf(bcphint, "tablock, order
(no_w_id, no_d_id, no_o_id), ROWS_PER_BATCH = %u",
(aptr->num_warehouses * 9000));
    rc = bcp_control(o_hdbc2,
BCPHINTS, (void*) bcphint);
    if (rc != SUCCEEDED)

        HandleErrorDBC(o_hdbc2);
}

```

```

    sprintf(name, "%s..%s", aptr->database,
"order_line");

    rc = bcp_init(o_hdbc3, name, NULL,
"logs\\ordline.err", DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
    {
        sprintf(bcphint, "tablock, order
(ol_w_id, ol_d_id, ol_o_id, ol_number),
ROWS_PER_BATCH = %u", (aptr->num_warehouses *
300000));
        rc = bcp_control(o_hdbc3,
BCPHINTS, (void*) bcphint);
        if (rc != SUCCEEDED)

            HandleErrorDBC(o_hdbc3);
    }

    orders_rows_loaded = 0;
    new_order_rows_loaded = 0;
    order_line_rows_loaded = 0;

    OrdersBufInit();

    orders_time_start.time_start = (TimeNow() /
MILLI);
    new_order_time_start.time_start =
(TimeNow() / MILLI);
    order_line_time_start.time_start =
(TimeNow() / MILLI);

    for (w_id = (short)aptr-
>starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
    {
        for (d_id = 1; d_id <=
DISTRICT_PER_WAREHOUSE; d_id++)
        {
            OrdersBufLoad(d_id,
w_id);

            // start parallel
loading threads here...

            // start Orders table
thread

            printf("...Loading
Order Table for: d_id = %d, w_id = %d\n", d_id,
w_id);

            hThread[0] =
CreateThread(NULL,

                0,

(LPTHREAD_START_ROUTINE) LoadOrdersTable,

```

```

&orders_time_start,
                                0,

&dwThreadID[0]);
                                if (hThread[0] == NULL)
                                {
                                    printf("Error, failed in creating creating
thread = 0.\n");
                                    exit(-1);
                                }
                                // start NewOrder table
                                printf("...Loading New-
Order Table for: d_id = %d, w_id = %d\n", d_id,
w_id);
                                hThread[1] =
CreateThread(NULL,
                                0,
(LPTHREAD_START_ROUTINE) LoadNewOrderTable,
&new_order_time_start,
                                0,
&dwThreadID[1]);
                                if (hThread[1] == NULL)
                                {
                                    printf("Error, failed in creating creating
thread = 1.\n");
                                    exit(-1);
                                }
                                // start Order-Line
                                printf("...Loading
Order-Line Table for: d_id = %d, w_id = %d\n", d_id,
w_id);
                                hThread[2] =
CreateThread(NULL,
                                0,
(LPTHREAD_START_ROUTINE) LoadOrderLineTable,

```

```

&order_line_time_start,
                                0,

&dwThreadID[2]);
                                if (hThread[2] == NULL)
                                {
                                    printf("Error, failed in creating creating
thread = 2.\n");
                                    exit(-1);
                                }
                                WaitForSingleObject(
hThread[0], INFINITE );
                                WaitForSingleObject(
hThread[1], INFINITE );
                                WaitForSingleObject(
hThread[2], INFINITE );
                                if
(CloseHandle(hThread[0]) == FALSE)
                                {
                                    printf("Error, failed in closing Orders
thread handle with errno: %d\n", GetLastError());
                                }
                                if
(CloseHandle(hThread[1]) == FALSE)
                                {
                                    printf("Error, failed in closing NewOrder
thread handle with errno: %d\n", GetLastError());
                                }
                                if
(CloseHandle(hThread[2]) == FALSE)
                                {
                                    printf("Error, failed in closing OrderLine
thread handle with errno: %d\n", GetLastError());
                                }
                                }
                                printf("Finished loading orders.\n");
                                return;
                                }
                                //=====
                                //
                                // Function : OrdersBufInit
                                //

```

```

// Clears shared buffer for ORDERS, NEWORDER, and
ORDERLINE
//
//=====
void OrdersBufInit()
{
    int i;
    int j;
    for (i=0;i<orders_per_district;i++)
    {
        orders_buf[i].o_id = 0;
        orders_buf[i].o_d_id = 0;
        orders_buf[i].o_w_id = 0;
        orders_buf[i].o_c_id = 0;
        orders_buf[i].o_carrier_id = 0;
        orders_buf[i].o_ol_cnt = 0;
        orders_buf[i].o_all_local = 0;
        for (j=0;j<=14;j++)
        {
            orders_buf[i].o_ol[j].ol = 0;
            orders_buf[i].o_ol[j].ol_i_id = 0;
            orders_buf[i].o_ol[j].ol_supply_w_id = 0;
            orders_buf[i].o_ol[j].ol_quantity = 0;
            orders_buf[i].o_ol[j].ol_amount = 0;
            strcpy(orders_buf[i].o_ol[j].ol_dist_info,
                " ");
        }
    }
}
//=====
//
// Function : OrdersBufLoad
//
// Fills shared buffer for ORDERS, NEWORDER, and
ORDERLINE
//
//=====
void OrdersBufLoad(int d_id, int w_id)
{
    int cust[ORDERS_PER_DISTRICT+1];
    long o_id;
    short ol;

```

```

        printf("...Loading Order Buffer for: d_id =
%d, w_id = %d\n",
                d_id, w_id);

        GetPermutation(cust, orders_per_district);

        for
(o_id=0;o_id<orders_per_district;o_id++)
        {

data                // Generate ORDER and NEW-ORDER

                orders_buf[o_id].o_d_id = d_id;
                orders_buf[o_id].o_w_id = w_id;
                orders_buf[o_id].o_id = o_id+1;
                orders_buf[o_id].o_c_id =

cust[o_id+1];      orders_buf[o_id].o_ol_cnt =
(short)RandomNumber(5L, 15L);

                if (o_id < first_new_order)
                {

                        orders_buf[o_id].o_carrier_id =
(short)RandomNumber(1L, 10L);

                        orders_buf[o_id].o_all_local = 1;
                        }
                        else
                        {

                                orders_buf[o_id].o_carrier_id = 0;
                                orders_buf[o_id].o_all_local = 1;
                                }

                                for (ol=0;
                                ol<orders_buf[o_id].o_ol_cnt; ol++)
                                {

                                        orders_buf[o_id].o_ol[ol].ol = ol+1;

                                        orders_buf[o_id].o_ol[ol].ol_i_id =
                                        RandomNumber(1L, max_items);

                                        orders_buf[o_id].o_ol[ol].ol_supply_w_id =
                                        w_id;

                                        orders_buf[o_id].o_ol[ol].ol_quantity = 5;
                                        MakeAlphaString(24, 24,
                                        OL_DIST_INFO_LEN,
                                        &orders_buf[o_id].o_ol[ol].ol_dist_info);

data                // Generate ORDER-LINE

                                first_new_order)        if (o_id <

                                        {

                                                orders_buf[o_id].o_ol[ol].ol_amount = 0;

```

```

// Added to
insure ol_delivery_d set properly during load

                FormatDate(&orders_buf[o_id].o_ol[ol].ol_de
livery_d);

                                }
                                else
                                {

                                        orders_buf[o_id].o_ol[ol].ol_amount =
                                        RandomNumber(1,999999)/100.0;

// Added to
insure ol_delivery_d set properly during load

// odbc
datetime format

                                strcpy(orders_buf[o_id].o_ol[ol].ol_deliver
y_d,"1899-12-31 00:00:00.000");

                                }

                                }

//=====
//
// Function : LoadOrdersTable
//
//=====
void LoadOrdersTable(LOADER_TIME_STRUCT
*orders_time_start)
{
        int         i;
        long        o_id;
        short       o_d_id;
        short       o_w_id;
        long        o_c_id;
        short       o_carrier_id;
        short       o_ol_cnt;
        short       o_all_local;
        char        o_entry_d[O_ENTRY_D_LEN+1];
        RETCODE     rc;
        DBINT       rcint;

        // bind ORDER data
        rc = bcp_bind(o_hdbc1, (BYTE *) &o_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
        if (rc != SUCCEEDED)
                HandleErrorDBC(o_hdbc1);

        rc = bcp_bind(o_hdbc1, (BYTE *) &o_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
        if (rc != SUCCEEDED)

```

```

                HandleErrorDBC(o_hdbc1);

        rc = bcp_bind(o_hdbc1, (BYTE *) &o_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
        if (rc != SUCCEEDED)
                HandleErrorDBC(o_hdbc1);

        rc = bcp_bind(o_hdbc1, (BYTE *) &o_c_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 4);
        if (rc != SUCCEEDED)
                HandleErrorDBC(o_hdbc1);

        rc = bcp_bind(o_hdbc1, (BYTE *) &o_entry_d,
0, O_ENTRY_D_LEN, NULL, 0, SQLCHARACTER, 5);
        if (rc != SUCCEEDED)
                HandleErrorDBC(o_hdbc1);

        rc = bcp_bind(o_hdbc1, (BYTE *) &o_carrier_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 6);
        if (rc != SUCCEEDED)
                HandleErrorDBC(o_hdbc1);

        rc = bcp_bind(o_hdbc1, (BYTE *) &o_ol_cnt, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 7);
        if (rc != SUCCEEDED)
                HandleErrorDBC(o_hdbc1);

        rc = bcp_bind(o_hdbc1, (BYTE *) &o_all_local, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 8);
        if (rc != SUCCEEDED)
                HandleErrorDBC(o_hdbc1);

        for (i = 0; i < orders_per_district; i++)
        {
                orders_buf[i].o_id;          o_id          =
                orders_buf[i].o_d_id;        o_d_id          =
                orders_buf[i].o_w_id;        o_w_id          =
                orders_buf[i].o_w_id;        o_w_id          =
                orders_buf[i].o_c_id;        o_c_id          =
                orders_buf[i].o_c_id;        o_c_id          =
                orders_buf[i].o_carrier_id;   o_carrier_id   =
                orders_buf[i].o_carrier_id;   o_carrier_id   =
                orders_buf[i].o_ol_cnt;       o_ol_cnt        =
                orders_buf[i].o_ol_cnt;       o_ol_cnt        =
                orders_buf[i].o_all_local;    o_all_local     =
                orders_buf[i].o_all_local;    o_all_local     =

                FormatDate(&o_entry_d);

                // send data to server
                rc = bcp_sendrow(o_hdbc1);
                if (rc != SUCCEEDED)

                HandleErrorDBC(o_hdbc1);

                orders_rows_loaded++;

                CheckForCommit(o_hdbc1, o_hstmt1,
orders_rows_loaded, "orders", &orders_time_start-
>time_start);

```

```

}

// rcint = bcp_batch(o_hdbc1);
// if (rcint < 0)
//     HandleErrorDBC(o_hdbc1);

if ((o_w_id == aptr->num_warehouses) &&
(o_d_id == 10))
{
    rcint = bcp_done(o_hdbc1);

    if (rcint < 0)

        HandleErrorDBC(o_hdbc1);

        SQLFreeStmt(o_hstmt1, SQL_DROP);
        SQLDisconnect(o_hdbc1);
        SQLFreeConnect(o_hdbc1);

        // if build index after load...
        if ((aptr->build_index == 1) &&
(aptr->index_order == 0))
            BuildIndex("idxordc1");

            // build non-clustered index
            if (aptr->build_index == 1)
                BuildIndex("idxordnc");
        }
}

//=====
//
// Function   : LoadNewOrderTable
//
//=====
void LoadNewOrderTable(LOADER_TIME_STRUCT
*new_order_time_start)
{
    int         i;
    long        o_id;
    short       o_d_id;
    short       o_w_id;

    RETCODE     rc;
    DBINT       rcint;

    // Bind NEW-ORDER data

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);
}

```

```

rc = bcp_bind(o_hdbc2, (BYTE *) &o_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);

    for (i = first_new_order; i <
last_new_order; i++)
    {
        o_id   = orders_buf[i].o_id;
        o_d_id = orders_buf[i].o_d_id;
        o_w_id = orders_buf[i].o_w_id;

        rc = bcp_sendrow(o_hdbc2);
        if (rc != SUCCEEDED)

            HandleErrorDBC(o_hdbc2);

            new_order_rows_loaded++;

            CheckForCommit(o_hdbc2, o_hstmt2,
new_order_rows_loaded, "new_order",
&new_order_time_start->time_start);
        }

        // rcint = bcp_batch(o_hdbc2);
        // if (rcint < 0)
        //     HandleErrorDBC(o_hdbc2);

        if ((o_w_id == aptr->num_warehouses) &&
(o_d_id == 10))
        {
            rcint = bcp_done(o_hdbc2);

            if (rcint < 0)

                HandleErrorDBC(o_hdbc2);

                SQLFreeStmt(o_hstmt2, SQL_DROP);
                SQLDisconnect(o_hdbc2);
                SQLFreeConnect(o_hdbc2);

                // if build index after load...
                if ((aptr->build_index == 1) &&
(aptr->index_order == 0))
                    BuildIndex("idxnodc1");
        }
    }

//=====
//
// Function   : LoadOrderLineTable
//
//=====
void LoadOrderLineTable(LOADER_TIME_STRUCT
*order_line_time_start)

```

```

{
    int         i, j;
    long        o_id;
    short       o_d_id;
    short       o_w_id;

    long        ol;
    long        ol_i_id;
    short       ol_supply_w_id;
    short       ol_quantity;
    double      ol_amount;
    char        ol_dist_info[DIST_INFO_LEN+1];

    char        ol_delivery_d[OL_DELIVERY_D_LEN+1];
    RETCODE     rc;
    DBINT       rcint;

    // bind ORDER-LINE data
    rc = bcp_bind(o_hdbc3, (BYTE *) &o_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &o_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &o_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_i_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_supply_w_id,
0, SQL_VARLEN_DATA, NULL, 0, SQLINT2, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *)
&ol_delivery_d, 0, OL_DELIVERY_D_LEN, NULL, 0,
SQL_CHARACTER, 7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_quantity, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_amount, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 9);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);
}

```

```

rc = bcp_bind(o_hdbc3, (BYTE *) ol_dist_info, 0,
DIST_INFO_LEN, NULL, 0, 0, 10);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

for (i = 0; i < orders_per_district; i++)
{
    o_id = orders_buf[i].o_id;
    o_d_id = orders_buf[i].o_d_id;
    o_w_id = orders_buf[i].o_w_id;

    for (j=0; j <
orders_buf[i].o_ol_cnt; j++)
    {
        ol =
orders_buf[i].o_ol[j].ol;
        ol_i_id =
orders_buf[i].o_ol[j].ol_i_id;
        ol_supply_w_id =
orders_buf[i].o_ol[j].ol_supply_w_id;
        ol_quantity =
orders_buf[i].o_ol[j].ol_quantity;
        ol_amount =
orders_buf[i].o_ol[j].ol_amount;

        strcpy(ol_delivery_d,orders_buf[i].o_ol[j].
ol_delivery_d);

        strcpy(ol_dist_info,orders_buf[i].o_ol[j].o
l_dist_info);

rc =
bcp_sendrow(o_hdbc3);
        if (rc != SUCCEED)

            HandleErrorDBC(o_hdbc3);

        order_line_rows_loaded++;
        CheckForCommit(o_hdbc3,
o_hstmt3, order_line_rows_loaded, "order_line",
&order_line_time_start->time_start);
    }

    // rcint = bcp_batch(o_hdbc3);
    // if (rcint < 0)
    //     HandleErrorDBC(o_hdbc3);

    if ((o_w_id == aptr->num_warehouses) &&
(o_d_id == 10))
    {
        rcint = bcp_done(o_hdbc3);

        if (rcint < 0)

            HandleErrorDBC(o_hdbc3);
    }
}

```

```

SQLFreeStmt(o_hstmt3, SQL_DROP);
SQLDisconnect(o_hdbc3);
SQLFreeConnect(o_hdbc3);

// if build index after load...
if ((aptr->build_index == 1) &&
(aptr->index_order == 0))
    BuildIndex("idxodlcl");
}

//=====
//
// Function : GetPermutation
//
//=====
void GetPermutation(int perm[], int n)
{
    int i, r, t;

    for (i=1;i<=n;i++)
        perm[i] = i;

    for (i=1;i<=n;i++)
    {
        r = RandomNumber(i,n);
        t = perm[i];
        perm[i] = perm[r];
        perm[r] = t;
    }
}

//=====
//
// Function : CheckForCommit
//
//=====
void CheckForCommit(HDBC hdbc,
                    HSTMT hstmt, int
rows_loaded,
                    char *table_name, long
*time_start)
{
    long time_end, time_diff;
    // DBINT rcint;

    if (!(rows_loaded % aptr->batch) )

```

```

{
    // rcint = bcp_batch(hdbc);
    // if (rcint < 0)
    //     HandleErrorDBC(hdbc);

    time_end = (TimeNow() / MILLI);
    time_diff = time_end -
*time_start;

    printf("-> Loaded %ld rows into
%s in %ld sec - Total = %d (%.2f rps)\n",
aptr->batch,
table_name,
time_diff,
rows_loaded,
(float) aptr->
batch / (time_diff ? time_diff : 1L));

    *time_start = time_end;
}

return;
}

//=====
//
// Function : OpenConnections
//
//=====
void OpenConnections()
{
    RETCODE rc;

    char
szDriverString[300];
    char
szDriverStringOut[1024];
    SQLSMALLINT
cbDriverStringOut;

    SQLAllocHandle(SQL_HANDLE_ENV,
SQL_NULL_HANDLE, &henv );

    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION,
(void*)SQL_OV_ODBC3, 0 );

    SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&i_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&w_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&c_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&c_hdbc2);
}

```

```

        SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&o_hdbc1);
        SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&o_hdbc2);
        SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&o_hdbc3);

        SQLSetConnectAttr(i_hdbc1, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
        SQLSetConnectAttr(w_hdbc1, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
        SQLSetConnectAttr(c_hdbc1, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
        SQLSetConnectAttr(o_hdbc1, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
        SQLSetConnectAttr(o_hdbc2, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
        SQLSetConnectAttr(o_hdbc3, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );

        // Open connections to SQL Server
        // Connection 1

        sprintf( szDriverString, "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

        aptr->server,

        aptr->user,

        aptr->password,

        aptr->database );

        rc = SQLSetConnectOption (i_hdbc1,
SQL_PACKET_SIZE, aptr->pack_size);
        if (rc != SUCCEED)
            HandleErrorDBC(i_hdbc1);

        rc = SQLDriverConnect ( i_hdbc1,

NULL,

(SQLCHAR*)&szDriverString[0] ,

SQL_NTS,

(SQLCHAR*)&szDriverStringOut[0],

sizeof(szDriverStringOut),

&cbDriverStringOut,

SQL_DRIVER_NOPROMPT );
        if (rc != SUCCEED)
            HandleErrorDBC(i_hdbc1);

        // Connection 2

```

```

        sprintf( szDriverString, "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

        aptr->server,

        aptr->user,

        aptr->password,

        aptr->database );

        rc = SQLSetConnectOption (w_hdbc1,
SQL_PACKET_SIZE, aptr->pack_size);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = SQLDriverConnect ( w_hdbc1,

NULL,

(SQLCHAR*)&szDriverString[0] ,

SQL_NTS,

(SQLCHAR*)&szDriverStringOut[0],

sizeof(szDriverStringOut),

&cbDriverStringOut,

SQL_DRIVER_NOPROMPT );
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        // Connection 3

        sprintf( szDriverString, "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

        aptr->server,

        aptr->user,

        aptr->password,

        aptr->database );

        rc = SQLSetConnectOption (c_hdbc1,
SQL_PACKET_SIZE, aptr->pack_size);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);

        rc = SQLDriverConnect ( c_hdbc1,

NULL,

(SQLCHAR*)&szDriverString[0] ,

SQL_NTS,

(SQLCHAR*)&szDriverStringOut[0],

sizeof(szDriverStringOut),

```

```

        &cbDriverStringOut,

        SQL_DRIVER_NOPROMPT );
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);

        // Connection 4

        sprintf( szDriverString, "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

        aptr->server,

        aptr->user,

        aptr->password,

        aptr->database );

        rc = SQLSetConnectOption (c_hdbc2,
SQL_PACKET_SIZE, aptr->pack_size);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc2);

        rc = SQLDriverConnect ( c_hdbc2,

NULL,

(SQLCHAR*)&szDriverString[0] ,

SQL_NTS,

(SQLCHAR*)&szDriverStringOut[0],

sizeof(szDriverStringOut),

&cbDriverStringOut,

SQL_DRIVER_NOPROMPT );
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc2);

        // Connection 5

        sprintf( szDriverString, "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

        aptr->server,

        aptr->user,

        aptr->password,

        aptr->database );

        rc = SQLSetConnectOption (o_hdbc1,
SQL_PACKET_SIZE, aptr->pack_size);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc1);

        rc = SQLDriverConnect ( o_hdbc1,

```



```

        NULL,
        (SQLCHAR*)&szDriverString[0] ,
        SQL_NTS,
        (SQLCHAR*)&szDriverStringOut[0],
        sizeof(szDriverStringOut),
        &cbDriverStringOut,
        SQL_DRIVER_NOPROMPT );
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    // Connection 6
    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

    rc = SQLSetConnectOption (o_hdbc2,
SQL_PACKET_SIZE, aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    rc = SQLDriverConnect ( o_hdbc2,
        NULL,
        (SQLCHAR*)&szDriverString[0] ,
        SQL_NTS,
        (SQLCHAR*)&szDriverStringOut[0],
        sizeof(szDriverStringOut),
        &cbDriverStringOut,
        SQL_DRIVER_NOPROMPT );
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    // Connection 7
    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

        aptr->server,
        aptr->user,
        aptr->password,

```

```

        aptr->database );

    rc = SQLSetConnectOption (o_hdbc3,
SQL_PACKET_SIZE, aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = SQLDriverConnect ( o_hdbc3,
        NULL,
        (SQLCHAR*)&szDriverString[0] ,
        SQL_NTS,
        (SQLCHAR*)&szDriverStringOut[0],
        sizeof(szDriverStringOut),
        &cbDriverStringOut,
        SQL_DRIVER_NOPROMPT );
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
}

//=====
//
// Function name: BuildIndex
//
//=====
void BuildIndex(char *index_script)
{
    char cmd[256];

    printf("Starting index creation:
%s\n",index_script);

    sprintf(cmd, "isql -S%s -U%s -P%s -e -
i%s\\%s.sql > logs\\%s.log",

        aptr->server,
        aptr->user,
        aptr->password,
        aptr->index_script_path,
        index_script,

        index_script);

    system(cmd);

    printf("Finished index creation:
%s\n",index_script);
}

void HandleErrorDBC (SQLHDBC hdbc1)

```

```

{
    SQLCHAR SqlState[6],
    Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER NativeError;
    SQLSMALLINT i, MsgLen;
    SQLRETURN rc2;
    char timebuf[128];
    char datebuf[128];
    FILE *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_DBC
, hdbc1, i, SqlState, &NativeError,
        Msg,
        sizeof(Msg) , &MsgLen ) != SQL_NO_DATA )
        {
            sprintf( szLastError , "%s" ,
            Msg );

            _strtime(timebuf);
            _strdate(datebuf);

            printf( "[%s : %s] %s\n" ,
            datebuf, timebuf, szLastError);

            fp1 =
            fopen("logs\\tpccldr.err","w");
            if (fp1 == NULL)
                printf("ERROR: Unable
to open errorlog file.\n");
            else
            {
                fprintf(fp1, "[%s : %s]
%s\n" , datebuf, timebuf, szLastError);
                fclose(fp1);
            }

            i++;
        }
}

void HandleErrorSTMT (HSTMT hstmt1)
{
    SQLCHAR SqlState[6],
    Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER NativeError;
    SQLSMALLINT i, MsgLen;
    SQLRETURN rc2;
    char timebuf[128];
    char datebuf[128];
    FILE *fp1;

    i = 1;
    while (( rc2 =
SQLGetDiagRec(SQL_HANDLE_STMT , hstmt1, i, SqlState ,
&NativeError,
        Msg,
        sizeof(Msg) , &MsgLen ) != SQL_NO_DATA )
        {

```

```

        sprintf( szLastError , "%s" ,
Msg );

        _strtime(timebuf);
        _strdate(datebuf);

        printf( "[%s : %s] %s\n" ,
datebuf, timebuf, szLastError);

        fpl =
fopen("logs\\tpccldr.err","w");
        if (fpl == NULL)
to open errorlog file.\n");
        else
        {
            fprintf(fpl, "[%s : %s]
%s\n" , datebuf, timebuf, szLastError);
            fclose(fpl);
        }
        i++;
    }
}

void FormatDate ( char* szTimeCOutput )
{
    struct tm when;
    time_t now;

    time( &now );
    when = *localtime( &now );

    mktime( &when );

    // odbc datetime format
    strftime( szTimeCOutput , 30 , "%Y-%m-%d
%H:%M:%S.000" , &when );

    return;
}

//=====
//
// Function : CheckSQL
//
//=====

void CheckSQL()
{
    RETCODE rc;

    char
szDriverString[300];

```

```

char
szDriverStringOut[1024];
int
SQLBuildFlag;
char
resp;

SQLSMALLINT
cbDriverStringOut;
SQLCHAR
SQLVersion[19];
SQLINTEGER
SQLVersionInd;

SQLAllocHandle(SQL_HANDLE_ENV,
SQL_NULL_HANDLE, &henv );

SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION,
(void*)SQL_OV_ODBC3, 0 );

SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&v_hdbc);

SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );

// Open connection to SQL Server

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s" ,

aptr->server,
aptr->user,
aptr->password );

if ( SQLSetConnectAttr( v_hdbc,
SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr->pack_size,
SQL_IS_UIINTEGER ) != SQL_SUCCESS )
    HandleErrorDBC(v_hdbc);

rc = SQLDriverConnect ( v_hdbc,
NULL,

(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,

(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );

if ((rc != SQL_SUCCESS) && (rc !=
SQL_SUCCESS_WITH_INFO))
    HandleErrorDBC(v_hdbc);

```

```

        if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc
, &v_hstmt) != SQL_SUCCESS )
            HandleErrorSTMT(v_hstmt);

        rc = SQLBindCol(v_hstmt, 4, SQL_C_CHAR,
&SQLVersion, sizeof(SQLVersion), &SQLVersionInd);

        // issue SQL Server extended stored
procedure (xp_msver) to determine installed version

        rc = SQLExecDirect(v_hstmt, "EXECUTE
xp_msver ProductVersion", SQL_NTS);

        if ((rc != SQL_SUCCESS) && (rc !=
SQL_SUCCESS_WITH_INFO))
            HandleErrorSTMT(v_hstmt);

        rc = SQLFetch(v_hstmt);

        if (rc != SQL_SUCCESS)
            HandleErrorDBC(v_hdbc);

        // Check build number to ensure 8.00.194 or
higher

        SQLBuildFlag = 1;

        // first check the Major version

        if ( SQLVersion[0] == '8' )
        {
            if (( SQLVersion[2] == '0' ) & (
SQLVersion[3] == '0' ) )
            {
                if ( SQLVersion[5] ==
'1' )
                {
                    if (
(SQLVersion[6] == '9' ) & (SQLVersion[7] == '4' ) )
                    {
                        SQLBuildFlag = 0;

                        printf("You are using SQL Server version =
%s\n\n", SQLVersion);
                    }
                }
            }
        }

        SQLBuildFlag = 1;
    }
    else
    {
        if (
SQLVersion[5] == '3' )
        {
            if (
( (SQLVersion[6] >= 53) & (SQLVersion[7] >= 48) ) )
            {

```

```

        SQLBuildFlag = 0;

        printf("You are using SQL Server version =
        %9s\n\n", SQLVersion);
    }

    else
    {
        SQLBuildFlag = 1;
    }
}

}

else
{
    SQLBuildFlag = 1;
}

if ( SQLBuildFlag == 1 )
{
    printf("NOTE: The SQL Server
    version you are using is not supported\n");
    printf("for TPC-C benchmarking.
    You currently have SQL Server version
    %9s\n",SQLVersion);
    printf("installed. Please
    upgrade to Microsoft SQL Server 2000 (8.00.0194) or
    better.\n");
    printf("and re-run the SETUP
    program.\n\n");
    printf("Do you wish to continue
    with setup? (Y/N): ");
    resp = getchar();
    if ( ( resp == 'N' ) || (resp ==
    'n' ) )
    {
        printf("\nSetup
        Aborted!\n");
        exit(1);
    }

    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
    SQLDisconnect(v_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

    return;
}

//=====
//
// Function   : CheckDataBase
//
//=====

void CheckDataBase()

```

```

{
    RETCODE      rc;

    char
    szDriverString[300];
    char
    szDriverStringOut[1024];
    char
    TablesBitMap[9] = {"000000000"};
    int
    i,
    ExitFlag;

    SQLSMALLINT
    cbDriverStringOut;
    SQLCHAR
    TabName[10];
    SQLINTEGER
    TabNameInd,
    TabCount, TabCountInd;

    ExitFlag = 0;

    SQLAllocHandle(SQL_HANDLE_ENV,
    SQL_NULL_HANDLE, &henv );

    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION,
    (void*)SQL_OV_ODBC3, 0 );

    SQLAllocHandle(SQL_HANDLE_DBC, henv ,
    &v_hdbc);

    SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP,
    (void *)SQL_BCP_ON, SQL_IS_INTEGER );

    // Open connection to SQL Server

    sprintf( szDriverString , "DRIVER={SQL
    Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

    aptr->server,
    aptr->user,
    aptr->password,
    aptr->database );

    rc = SQLSetConnectAttr( v_hdbc,
    SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr->pack_size,
    SQL_IS_UIINTEGER );
    if (rc != SQL_SUCCESS)
        HandleErrorDBC(v_hdbc);

    rc = SQLDriverConnect ( v_hdbc,

    NULL,

    (SQLCHAR*)&szDriverString[0] ,

    SQL_NTS,

    (SQLCHAR*)&szDriverStringOut[0],

```

```

    sizeof(szDriverStringOut),
    &cbDriverStringOut,
    SQL_DRIVER_NOPROMPT );

    // if the rc is SQL_ERROR, the the TPCC
    database probably does not exist
    if (rc == SQL_ERROR)
    {
        printf("The database TPCC does
        not appear to exist!\n");
        printf("\nCheck LOGS\\ directory
        for database creation errors.\n");

        // cleanup database connections
        // and handles
        SQLFreeHandle(SQL_HANDLE_STMT,
        v_hstmt);
        SQLDisconnect(v_hdbc);
        SQLFreeHandle(SQL_HANDLE_DBC,
        v_hdbc);

        // since there is not a database,
        exit back to SETUP.CMD
        exit(1);
    }

    if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc
    , &v_hstmt) != SQL_SUCCESS )
        HandleErrorDBC(v_hdbc);

    if ( SQLBindCol(v_hstmt, 1, SQL_C_ULONG,
    &TabCount, 0, &TabCountInd) != SQL_SUCCESS )
        HandleErrorSTMT(v_hstmt);

    // count the number of user tables from
    sysobjects
    rc = SQLExecDirect(v_hstmt, "select
    count(*) from sysobjects where xtype = '\U\'," ,
    SQL_NTS);
    if ((rc != SQL_SUCCESS) && (rc !=
    SQL_SUCCESS_WITH_INFO))
        HandleErrorSTMT(v_hstmt);

    if ( SQLFetch(v_hstmt) != SQL_SUCCESS )
        HandleErrorSTMT(v_hstmt);

    // if the number of tables is less than 9,
    select all the user tables in TPCC
    if (TabCount != 9)
    {
        SQLFreeHandle(SQL_HANDLE_STMT,
        v_hstmt);

        SQLAllocHandle(SQL_HANDLE_STMT,
        v_hdbc , &v_hstmt);

        if ( SQLBindCol(v_hstmt, 1,
        SQL_C_CHAR, &TabName, sizeof(TabName), &TabNameInd)
        != SQL_SUCCESS )

```

```

        HandleErrorSTMT(v_hstmt);
    // select the list of user tables
    into a result set
        rc = SQLExecDirect(v_hstmt,
        "select * from sysobjects where xtype = '\U'",
        SQL_NTDS);
        if ((rc != SQL_SUCCESS) && (rc !=
        SQL_SUCCESS_WITH_INFO))
            HandleErrorSTMT(v_hstmt);

        // go through the result set and
        set the bitmap for each found table
        // set the bitmap to '1' if the
        table name is found

        while ((rc = SQLFetch(v_hstmt))
        != SQL_NO_DATA)
        {
            switch( TabName[0] )
            {
                case 'w':

                TablesBitMap[0] = '1';
                break;

                case 'd':

                TablesBitMap[1] = '1';
                break;

                case 'c':

                TablesBitMap[2] = '1';
                break;

                case 'h':

                TablesBitMap[3] = '1';
                break;

                case 'n':

                TablesBitMap[4] = '1';
                break;

                case 'o':
                    if
                    (TabName[5] = 's')
                        TablesBitMap[5] = '1';
                    if
                    (TabName[5] = '_')
                        TablesBitMap[6] = '1';
                    break;

                case 'i':

                TablesBitMap[7] = '1';
                break;

                case 's':

                TablesBitMap[8] = '1';
                break;

            }
        }
    }

```

```

        // a '0' ExitFlag means do NOT
        exit the loader early, a '1' means exit the loader
        early
        ExitFlag = 0;

        // iterate through the bitmap to
        display which table(s) is actually missing
        for (i = 0; i <= 8; i++)
        {
            switch(i)
            {
                case 0:
                    if
                    (TablesBitMap[i] == '0')
                        printf("The Warehouse table is missing or
                        damaged.\n");
                    ExitFlag = 1;
                    break;

                case 1:
                    if
                    (TablesBitMap[i] == '0')
                        printf("The District table is missing or
                        damaged.\n");
                    ExitFlag = 1;
                    break;

                case 2:
                    if
                    (TablesBitMap[i] == '0')
                        printf("The Customer table is missing or
                        damaged.\n");
                    ExitFlag = 1;
                    break;

                case 3:
                    if
                    (TablesBitMap[i] == '0')
                        printf("The History table is missing or
                        damaged.\n");
                    ExitFlag = 1;
                    break;

                case 4:
                    if
                    (TablesBitMap[i] == '0')
                        printf("The New_Order table is missing or
                        damaged.\n");
                    break;
            }
        }
    }

```

```

        ExitFlag = 1;
        }
        break;
        case 5:
            if
            (TablesBitMap[i] == '0')
                printf("The Orders table is missing or
                damaged.\n");
            ExitFlag = 1;
            break;
        case 6:
            if
            (TablesBitMap[i] == '0')
                printf("The Order_Line table is missing or
                damaged.\n");
            ExitFlag = 1;
            break;
        case 7:
            if
            (TablesBitMap[i] == '0')
                printf("The Item table is missing or
                damaged.\n");
            ExitFlag = 1;
            break;
        case 8:
            if
            (TablesBitMap[i] == '0')
                printf("The Stock table is missing or
                damaged.\n");
            ExitFlag = 1;
            break;
        }
    }

    // if one or more tables are
    missing, display message and exit the loader
    if (ExitFlag = 1)
    {
        printf("\nExiting TPC-C
        Loader!\n");
        printf("\nCheck LOGS\
        directory for database\n");
        printf("or table
        creation errors.\n");
    }
}

```

```

// cleanup database
connections and handles

SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdbc);

SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

        exit(1);
    }
}

// cleanup database connections and handles
SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

return;
}

```

## VerifyTpccLoad.sql

```

-- File:      VERIFYTPCCLOAD.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Performs series of TPC-C database checks
--           to verify          that database load completed
--           correctly

print      " "
select    convert(char(30), getdate(),9)
print    " "

use tpcc
go

-- *****
--           Check rows per table from SYSINDEXES
-- *****

print      'WAREHOUSE TABLE'

select    rows
from      sysindexes
where     id      = object_id("warehouse")
go

print      'DISTRICT TABLE = (10 * No of warehouses)'

select    rows
from      sysindexes
where     id      =object_id("district")
go

print      'ITEM TABLE = 100,000'

select    rows

```

```

from      sysindexes
where     id      =object_id("item")
go

print      'CUSTOMER TABLE = (30,000 * No of
warehouses) '

select    rows
from      sysindexes
where     id      =object_id("customer")
go

print      'ORDERS TABLE = (30,000 * No of warehouses) '

select    rows
from      sysindexes
where     id      =object_id("orders")
go

print      'HISTORY TABLE = (30,000 * No of
warehouses) '

select    rows
from      sysindexes
where     id      =object_id("history")
go

print      'STOCK TABLE = (100,000 * No of
warehouses) '

select    rows
from      sysindexes
where     id      =object_id("stock")
go

print      'ORDER_LINE TABLE = (300,000 * No of
warehouses + some change) '

select    rows
from      sysindexes
where     id      =object_id("order_line")
go

print      'NEW_ORDER TABLE = (9000 * No of
warehouses) '

select    rows
from      sysindexes
where     id      =object_id("new_order")
go

-- *****
--           Check indices
-- *****

print      '*****Index Check*****'

use tpcc
go

sp_helpindex      customer

```

```

go

sp_helpindex      stock
go

sp_helpindex      district
go

sp_helpindex      item
go

sp_helpindex      new_order
go

sp_helpindex      orders
go

sp_helpindex      order_line
go

sp_helpindex      warehouse
go

```

## version.sql

```

-- File:      VERSION.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Returns version level of TPC-C stored
--           procs
-- Note:     Always update the return value of this
--           proc for          any interface changes or "must have"
--           bug fixes.
--           The value returned by this SP defines the
--           "interface level",
--           which must match between the stored procs and the
--           client code.
--           The interface level may be down rev from the
--           current kit. This
--           indicates that the interface hasn't changed since
--           that version.

use tpcc
go

if exists ( select name from sysobjects where name =
"tpcc_version" )
drop procedure tpcc_version
go

create proc tpcc_version
as
declare @version char(8)

begin
select @version = "4.10.000"
select @version as "Version"

end

```

90

## Appendix C: Tunable Parameters

### Microsoft SQL Server 2000 Startup Parameters

```
start sqlservr.exe -c -x -t3502 -g32
```

Where:

```
-c      Start SQL Server independently of the
Windows NT Service Control Manager
-x      Disables the keeping of CPU time and cache-
hit ratio statistics
-t3502 Prints a message to the SQL Server log at the
start and end of each checkpoint
-g32    Specify the amount of virtual address space
in MB, SQL Server will leave available for memory
allocations, excluding the buffer pool and threads
stack, such as dynamically- loaded DLLs, extended
procedure calls, etc. Incorrect use of this option
can lead to conditions under which SQL Server may not
start or may encounter runtime errors.
```

File locations:

```
sqlserver.exe           C:\Program
Files\Microsoft SQL Server\MSSQL\BINN
ERRORLOG                C:\Program Files\Microsoft SQL
Server\MSSQL\LOG
```

### Boot.ini Parameters

```
[boot loader]
timeout=10
default=multi(0)disk(0)rdisk(0)partition(1)\WINDOWS
[operating systems]
multi(0)disk(0)rdisk(0)partition(1)\WINDOWS="Windows
Server 2003, Standard /3GB" /fastdetect /3GB
multi(0)disk(0)rdisk(0)partition(1)\WINDOWS="Windows
Server 2003, Standard" /fastdetect
```

### Microsoft SQL Server 2000 Configuration Parameters

```
1> 2> name
      minimum      maximum      config_value
run_value
-----
-----
-----
-----
affinity mask
-2147483648  2147483647      3
3
allow updates
0 0 1 0
awe enabled
0 0 1 0
c2 audit mode
0 0 1 0
cost threshold for parallelism
0 0 32767 5
5
Cross DB Ownership Chaining
0 0 1 0
0
cursor threshold
-1 2147483647 -1
-1
default full-text language
0 2147483647 1033
1033
default language
0 0 9999 0
0
fill factor (%)
0 0 100 0
0
index create memory (KB)
704 2147483647 704
704
lightweight pooling
0 0 1 1
1
locks
5000 2147483647 0
0
max degree of parallelism
0 0 32 1
1
max server memory (MB)
4 2147483647 2147483647
2147483647
max text repl size (B)
```

```
0 2147483647 65536
65536
max worker threads
32 32767 450
450
media retention
0 0 365 0
0
min memory per query (KB)
512 2147483647 512
512
min server memory (MB)
0 2147483647 0
0
nested triggers
0 0 1 1
1
network packet size (B)
512 65536 4096
4096
open objects
0 2147483647 0
0
priority boost
0 0 1 1
1
query governor cost limit
0 2147483647 0
0
query wait (s)
-1 2147483647 -1
-1
recovery interval (min)
0 32767 80
80
remote access
0 0 1 1
1
remote login timeout (s)
0 2147483647 20
20
remote proc trans
0 0 1 0
0
remote query timeout (s)
0 2147483647 600
600
scan for startup procs
0 0 1 0
0
set working set size
0 0 1 0
0
show advanced options
0 0 1 1
1
two digit year cutoff
1753 9999 2049
2049
user connections
0 32767 0
0
user options
```

```

0
0 32767 0
1> 2> 3>

```

## Microsoft SQL Server 2000 Torn Page Detection Status

```

1> 2> sp_dboption 'tpcc', 'torn page detection'
OptionName      CurrentSetting
-----
torn page detection off

1> 2> 3>

```

## Benchcraft Profile

```

Profile: minicoaster_1600
File Path: C:\Benchcraft\minicoaster_1600.pro
Version: 3

Number of Engines: 3

Name: DRIVER1
Description:
Directory: c:\blog\d23a.log
Machine: N2
Parameter Set: 1.005
Index: 300000000
Seed: 18546
Configured Users: 5330
Pipe Name: DRIVER4271522484
Connect Rate: 10000
Start Rate: 10000
Max. Concurrency: 5300
Concurrency Rate: 10000
CLIENT_NURAND: 233
CPU: 0

Name: DRIVER2
Description:
Directory: c:\blog\d23b.log
Machine: N2
Parameter Set: 1.005
Index: 400000000
Seed: 18546
Configured Users: 5330

```

```

Pipe Name: DRIVER5271576000
Connect Rate: 10000
Start Rate: 10000
Max. Concurrency: 5300
Concurrency Rate: 10000
CLIENT_NURAND: 233
CPU: 1

```

```

Name: DRIVER3
Description:
Directory: c:\blog\d23c.log
Machine: N2
Parameter Set: 1.005
Index: 500000000
Seed: 18546
Configured Users: 5340
Pipe Name: DRIVER6271650171
Connect Rate: 10000
Start Rate: 10000
Max. Concurrency: 5300
Concurrency Rate: 10000
CLIENT_NURAND: 233
CPU: 0

```

Number of User groups: 3

```

Driver Engine: DRIVER1
IIS Server: cr23
SQL Server: minicoaster
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 1 - 533
w_id Min Warehouse: 1
w_id Max Warehouse: 1600
Scale: Normal
User Count: 5330
District id: 1
Scale Down: No

```

```

Driver Engine: DRIVER2
IIS Server: cr23
SQL Server: minicoaster
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 534 - 1066
w_id Min Warehouse: 1
w_id Max Warehouse: 1600
Scale: Normal
User Count: 5330
District id: 1
Scale Down: No

```

```

Driver Engine: DRIVER3
IIS Server: cr23
SQL Server: minicoaster
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 1067 - 1600
w_id Min Warehouse: 1
w_id Max Warehouse: 1600

```

```

Scale: Normal
User Count: 5340
District id: 1
Scale Down: No

Number of Parameter Sets: 39

```

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.05	18.01		New Order	5.00	10.00
12.05	3.01		Payment	5.00	10.00
5.05	2.01		Delivery	5.00	1.00
5.05	2.01		Stock Level	20.00	1.00
10.05	2.01		Order Status	5.00	1.00

Tuned Distribution

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.05	18.01		New Order	5.00	44.75
12.05	3.01		Payment	5.00	43.10
5.05	2.01		Delivery	5.00	4.05
5.05	2.01		Stock Level	20.00	4.05
10.05	2.01		Order Status	5.00	4.05

No Think

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
0.00	0.00		New Order	5.00	10.00
0.00	0.00		Payment	5.00	10.00
0.00	0.00		Delivery	5.00	1.00
0.00	0.00		Stock Level	20.00	1.00
0.00	0.00		Order Status	5.00	1.00

95%

Key	RT	RT	Menu	Txn	Think
-----	----	----	------	-----	-------



Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
13.00	18.01	0.10	5.00	0.10	
			Payment	43.10	
13.00	3.01	0.10	5.00	0.10	
			Delivery	4.05	
6.00	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
6.00	2.01	0.10	20.00	0.10	
			Order Status	4.05	
11.00	2.01	0.10	5.00	0.10	
			90%		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
16.00	18.01	0.10	5.00	0.10	
			Payment	43.10	
16.00	3.01	0.10	5.00	0.10	
			Delivery	4.05	
9.00	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
9.00	2.01	0.10	20.00	0.10	
			Order Status	4.05	
14.00	2.01	0.10	5.00	0.10	
			1.6		
			1.6 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
19.28	18.01	0.10	5.00	0.10	
			Payment	43.10	
19.28	3.01	0.10	5.00	0.10	
			Delivery	4.05	
8.08	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
8.08	2.01	0.10	20.00	0.10	
			Order Status	4.05	
16.08	2.01	0.10	5.00	0.10	
			2.0		
			2.0 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.88	
24.10	24.10	0.10	5.00	0.10	
			Payment	43.03	
24.10	24.10	0.10	5.00	0.10	
			Delivery	4.03	
10.10	10.10	0.10	5.00	0.10	
			Stock Level	4.03	
10.10	10.10	0.10	20.00	0.10	
			Order Status	4.03	
20.10	20.10	0.10	5.00	0.10	

Key	RT	RT	Menu	Txn	Think
			2.6		
			2.6 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
31.33	18.01	0.10	5.00	0.10	
			Payment	43.10	
31.33	3.01	0.10	5.00	0.10	
			Delivery	4.05	
13.13	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
13.13	2.01	0.10	20.00	0.10	
			Order Status	4.05	
26.13	2.01	0.10	5.00	0.10	
			3.0		
			3.0 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
36.15	18.01	0.10	5.00	0.10	
			Payment	43.10	
36.15	3.01	0.10	5.00	0.10	
			Delivery	4.05	
15.15	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
15.15	2.01	0.10	20.00	0.10	
			Order Status	4.05	
30.15	2.01	0.10	5.00	0.10	
			4.0		
			4.0 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
48.20	18.01	0.10	5.00	0.10	
			Payment	43.10	
48.20	3.01	0.10	5.00	0.10	
			Delivery	4.05	
20.20	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
20.20	2.01	0.10	20.00	0.10	
			Order Status	4.05	
40.20	2.01	0.10	5.00	0.10	
			3.8		
			3.8 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
45.80	18.01	0.10	5.00	0.10	
			Payment	43.10	
45.80	3.01	0.10	5.00	0.10	

Key	RT	RT	Menu	Txn	Think
			Delivery	4.05	
19.20	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
19.20	2.01	0.10	20.00	0.10	
			Order Status	4.05	
38.20	2.01	0.10	5.00	0.10	
			3.6		
			3.6 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
43.38	18.01	0.10	5.00	0.10	
			Payment	43.10	
43.38	3.01	0.10	5.00	0.10	
			Delivery	4.05	
18.18	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
18.18	2.01	0.10	20.00	0.10	
			Order Status	4.05	
36.18	2.01	0.10	5.00	0.10	
			3.4		
			3.4 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
40.97	18.01	0.10	5.00	0.10	
			Payment	43.10	
40.97	3.01	0.10	5.00	0.10	
			Delivery	4.05	
17.17	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
17.17	2.01	0.10	20.00	0.10	
			Order Status	4.05	
34.17	2.01	0.10	5.00	0.10	
			3.2		
			3.2 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
38.56	18.01	0.10	5.00	0.10	
			Payment	43.10	
38.56	3.01	0.10	5.00	0.10	
			Delivery	4.05	
16.16	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
16.16	2.01	0.10	20.00	0.10	
			Order Status	4.05	
32.16	2.01	0.10	5.00	0.10	
			2.8		
			2.8 tt		
Key	RT	RT	Menu	Txn	Think

Time	Delay	Fence	Delay	Weight	Time
33.74	18.01	New Order	0.10	5.00	44.75
33.74	3.01	Payment	0.10	5.00	43.10
14.14	2.01	Delivery	0.10	5.00	4.05
14.14	2.01	Stock Level	0.10	20.00	4.05
28.14	2.01	Order Status	0.10	5.00	4.05
2.4					
2.4 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
28.92	18.01	New Order	0.10	5.00	44.88
28.92	3.01	Payment	0.10	5.00	43.03
12.12	2.01	Delivery	0.10	5.00	4.03
12.12	2.01	Stock Level	0.10	20.00	4.03
24.12	2.01	Order Status	0.10	5.00	4.03
2.2					
2.2 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
26.51	18.01	New Order	0.10	5.00	44.86
26.51	3.01	Payment	0.10	5.00	43.05
11.11	2.01	Delivery	0.10	5.00	4.03
11.11	2.01	Stock Level	0.10	20.00	4.03
22.11	2.01	Order Status	0.10	5.00	4.03
1.1					
1.1 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
13.25	18.01	New Order	0.10	5.00	44.86
13.25	3.01	Payment	0.10	5.00	43.05
5.55	2.01	Delivery	0.10	5.00	4.03
5.55	2.01	Stock Level	0.10	20.00	4.03
5.55	2.01	Order Status	0.10	5.00	4.03

Time	Delay	Fence	Delay	Weight	Time
14.46	18.01	New Order	0.10	5.00	44.86
14.46	3.01	Payment	0.10	5.00	43.05
6.06	2.01	Delivery	0.10	5.00	4.03
6.06	2.01	Stock Level	0.10	20.00	4.03
12.06	2.01	Order Status	0.10	5.00	4.03
1.05					
1.05tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.65	18.01	New Order	0.10	5.00	44.86
12.65	3.01	Payment	0.10	5.00	43.05
5.30	2.01	Delivery	0.10	5.00	4.03
5.30	2.01	Stock Level	0.10	20.00	4.03
10.55	2.01	Order Status	0.10	5.00	4.03
1.01					
1.01tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.17	18.01	New Order	0.10	5.00	44.86
12.17	3.01	Payment	0.10	5.00	43.05
5.10	2.01	Delivery	0.10	5.00	4.03
5.10	2.01	Stock Level	0.10	20.00	4.03
10.15	2.01	Order Status	0.10	5.00	4.03
1.02					
1.02tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.29	18.01	New Order	0.10	5.00	44.86
12.29	3.01	Payment	0.10	5.00	43.05

Time	Delay	Fence	Delay	Weight	Time
5.15	2.01	Delivery	0.10	5.00	4.03
5.15	2.01	Stock Level	0.10	20.00	4.03
10.25	2.01	Order Status	0.10	5.00	4.03
1.08					
1.08 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
13.01	18.01	New Order	0.10	5.00	44.86
13.01	3.01	Payment	0.10	5.00	43.05
5.45	2.01	Delivery	0.10	5.00	4.03
5.45	2.01	Stock Level	0.10	20.00	4.03
10.85	2.01	Order Status	0.10	5.00	4.03
1.06					
1.06tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.77	18.01	New Order	0.10	5.00	44.86
12.77	3.01	Payment	0.10	5.00	43.05
5.35	2.01	Delivery	0.10	5.00	4.03
5.35	2.01	Stock Level	0.10	20.00	4.03
10.65	2.01	Order Status	0.10	5.00	4.03
1.07					
1.07tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.89	18.01	New Order	0.10	5.00	44.86
12.89	3.01	Payment	0.10	5.00	43.05
5.40	2.01	Delivery	0.10	5.00	4.03
5.40	2.01	Stock Level	0.10	20.00	4.03
10.75	2.01	Order Status	0.10	5.00	4.03
1.03					
1.03tt					
Key	RT	RT	Menu	Txn	Think

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.86	
12.41	18.01		0.10	5.00	0.10
			Payment	43.05	
12.41	3.01		0.10	5.00	0.10
			Delivery	4.03	
5.20	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.20	2.01		0.10	20.00	0.10
			Order Status	4.03	
10.35	2.01		0.10	5.00	0.10
			1.04		
			1.04tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.86	
12.53	18.01		0.10	5.00	0.10
			Payment	43.05	
12.53	3.01		0.10	5.00	0.10
			Delivery	4.03	
5.25	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.25	2.01		0.10	20.00	0.10
			Order Status	4.03	
10.45	2.01		0.10	5.00	0.10
			12.04		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.86	
12.04	18.01		0.10	5.00	0.10
			Payment	43.05	
12.04	3.01		0.10	5.00	0.10
			Delivery	4.03	
5.04	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.04	2.01		0.10	20.00	0.10
			Order Status	4.03	
10.04	2.01		0.10	5.00	0.10
			12.03		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.86	
12.03	18.01		0.10	5.00	0.10
			Payment	43.05	
12.03	3.01		0.10	5.00	0.10
			Delivery	4.03	
5.03	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.03	2.01		0.10	20.00	0.10
			Order Status	4.03	
10.03	2.01		0.10	5.00	0.10

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.86	
12.02	18.01		0.10	5.00	0.10
			Payment	43.05	
12.02	3.01		0.10	5.00	0.10
			Delivery	4.03	
5.02	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.02	2.01		0.10	20.00	0.10
			Order Status	4.03	
10.02	2.01		0.10	5.00	0.10
			1.005		
			1.005tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.86	
12.11	18.01		0.10	5.00	0.10
			Payment	43.06	
12.11	3.01		0.10	5.00	0.10
			Delivery	4.02	
5.08	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.08	2.01		0.10	20.00	0.10
			Order Status	4.03	
10.10	2.01		0.10	5.00	0.10
			1.4		
			1.4		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.86	
16.87	18.01		0.10	5.00	0.10
			Payment	43.05	
16.87	3.01		0.10	5.00	0.10
			Delivery	4.03	
7.07	2.01		0.10	5.00	0.10
			Stock Level	4.03	
7.07	2.01		0.10	20.00	0.10
			Order Status	4.03	
14.07	2.01		0.10	5.00	0.10
			1.3		
			1.3		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.84	
15.67	18.01		0.10	5.00	0.10
			Payment	43.06	
15.67	3.01		0.10	5.00	0.10

Time	Delay	Fence	Delay	Weight	Time
			Delivery	4.03	
6.57	2.01		0.10	5.00	0.10
			Stock Level	4.03	
6.57	2.01		0.10	20.00	0.10
			Order Status	4.03	
13.07	2.01		0.10	5.00	0.10
			FullSpeed		
			Full Speed		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.86	
12.00	18.01		0.10	5.00	0.10
			Payment	43.05	
12.00	3.01		0.10	5.00	0.10
			Delivery	4.03	
5.00	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.00	2.01		0.10	20.00	0.10
			Order Status	4.03	
10.00	2.01		0.10	5.00	0.10
			0.97		
			0.97 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.86	
11.69	18.01		0.10	5.00	0.10
			Payment	43.05	
11.69	3.01		0.10	5.00	0.10
			Delivery	4.03	
4.90	2.01		0.10	5.00	0.10
			Stock Level	4.03	
4.90	2.01		0.10	20.00	0.10
			Order Status	4.03	
9.75	2.01		0.10	5.00	0.10
			1.5		
			1.5 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.86	
18.07	18.01		0.10	5.00	0.10
			Payment	43.05	
18.07	3.01		0.10	5.00	0.10
			Delivery	4.03	
7.58	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.58	2.01		0.10	20.00	0.10
			Order Status	4.03	
15.07	2.01		0.10	5.00	0.10
			1.45		
			1.45 tt		
Key	RT	RT	Menu	Txn	Think



```

00,1c,00,01,00,00,00,02,80,14,00,ff,01,0f,00,01,01,00
,00,00,00,00,01,00,00,\
00,00,02,00,70,00,04,00,00,00,00,18,00,fd,01,02,00
,01,01,00,00,00,00,00,\
05,12,00,00,00,74,00,6f,00,00,00,1c,00,ff,01,0f,00,01
,02,00,00,00,00,00,05,\
20,00,00,00,20,02,00,00,72,00,73,00,00,00,18,00,8d,01
,02,00,01,01,00,00,00,\
00,00,05,0b,00,00,00,20,02,00,00,00,00,1c,00,fd,01,02
,00,01,02,00,00,00,00,\
00,05,20,00,00,00,23,02,00,00,72,00,73,00,01,01,00,00
,00,00,00,05,12,00,00,\
00,01,01,00,00,00,00,00,05,12,00,00,00

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Enum]
"0"="Root\LEGACY_W3SVC\0000"
"Count"=dword:0000001
"NextInstance"=dword:0000001

```

## TPCC Application Registry Parameters

REGEDIT4

```

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\TPCC]
"Path"="C:\\Inetpub\\wwwroot\\"
"NumberOfDeliveryThreads"=dword:0000003c
"MaxConnections"=dword:00004e20
"MaxPendingDeliveries"=dword:000007d0
"DB_Protocol"="DBLIB"
"TxnMonitor"="COM"
"DbServer"="minicoaster"
"DbName"="tpcc"
"DbUser"="sa"
"DbPassword"=""
"COM_SinglePool"="YES"

```

## Server Bus Performance Driver Registry Parameters

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissb

```

```

Class Name: <NO CLASS>
Last Write Time: 11/17/2003 - 9:29 AM
Value 0
Name: Type
Type: REG_DWORD
Data: 0x1

Value 1
Name: Start
Type: REG_DWORD
Data: 0

Value 2
Name: ErrorControl
Type: REG_DWORD
Data: 0x1

Value 3
Name: Tag
Type: REG_DWORD
Data: 0x102

Value 4
Name: ImagePath
Type: REG_EXPAND_SZ
Data: system32\DRIVERS\hpqcissb.sys

Value 5
Name: DisplayName
Type: REG_SZ
Data: Smart Array Controllers Non-
Miniport Bus Driver

Value 6
Name: Group
Type: REG_SZ
Data: port

```

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissb\Parameters
Class Name: <NO CLASS>
Last Write Time: 11/17/2003 - 9:23 AM
Value 0
Name: CompletionMode
Type: REG_DWORD
Data: 0x2

```

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissb\Security
Class Name: <NO CLASS>
Last Write Time: 11/2/2003 - 2:59 PM
Value 0
Name: Security
Type: REG_BINARY
Data:
00000000 01 00 14 80 90 00 00 00 - 9c 00 00 00 14
00 00 00 .....
00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02
80 14 00 0.....

```

```

00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00
00 00 00 y.....
00000030 02 00 60 00 04 00 00 00 - 00 00 14 00 fd
01 02 00 ..`.....y...
00000040 01 01 00 00 00 00 05 - 12 00 00 00 00
00 18 00 .....
00000050 ff 01 0f 00 01 02 00 00 - 00 00 00 05 20
00 00 00 y.....
00000060 20 02 00 00 00 00 14 00 - 8d 01 02 00 01
01 00 00 .....
00000070 00 00 00 05 0b 00 00 00 - 00 00 18 00 fd
01 02 00 .....y...
00000080 01 02 00 00 00 00 05 - 20 00 00 00 23
02 00 00 .....#...
00000090 01 01 00 00 00 00 05 - 12 00 00 00 01
01 00 00 .....
00 00 00 05 12 00 00 00 -
.....

```

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissb\Enum
Class Name: <NO CLASS>
Last Write Time: 11/17/2003 - 9:29 AM
Value 0
Name: 0
Type: REG_SZ
Data:
PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_02\3&29e819
82&0&08

```

```

Value 1
Name: Count
Type: REG_DWORD
Data: 0x2

Value 2
Name: NextInstance
Type: REG_DWORD
Data: 0x2

```

```

Value 3
Name: 1
Type: REG_SZ
Data:
PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_02\3&172e68
dd&0&08

```

# Server Disk Device Performance Driver Registry Parameters

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissd
Class Name: <NO CLASS>
Last Write Time: 11/17/2003 - 9:29 AM
Value 0
Name: Type
Type: REG_DWORD
Data: 0x1

Value 1
Name: Start
Type: REG_DWORD
Data: 0

Value 2
Name: ErrorControl
Type: REG_DWORD
Data: 0x1

Value 3
Name: Tag
Type: REG_DWORD
Data: 0x102

Value 4
Name: ImagePath
Type: REG_EXPAND_SZ
Data: system32\DRIVERS\hpqcissd.sys

Value 5
Name: DisplayName
Type: REG_SZ
Data: Smart Array Controllers Non-
Miniport Disk Driver

Value 6
Name: Group
Type: REG_SZ
Data: Primary Disk

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissd\Security
Class Name: <NO CLASS>
Last Write Time: 11/2/2003 - 3:00 PM
Value 0
Name: Security
Type: REG_BINARY
Data:
00000000 01 00 14 80 90 00 00 00 - 9c 00 00 00 14
00 00 00 .....

```

```

00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02
80 14 00 0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00
00 00 00 y.....
00000030 02 00 60 00 04 00 00 00 - 00 00 14 00 fd
01 02 00 ..`.....y...
00000040 01 01 00 00 00 00 00 05 - 12 00 00 00 00
00 18 00 .....
00000050 ff 01 0f 00 01 02 00 00 - 00 00 00 05 20
00 00 00 y.....
00000060 20 02 00 00 00 00 14 00 - 8d 01 02 00 01
01 00 00 .....
00000070 00 00 00 05 0b 00 00 00 - 00 00 18 00 fd
01 02 00 .....y...
00000080 01 02 00 00 00 00 05 - 20 00 00 00 23
02 00 00 .....#...
00000090 01 01 00 00 00 00 05 - 12 00 00 00 01
01 00 00 .....
00 00 00 05 12 00 00 00 -
.....

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissd\Enum
Class Name: <NO CLASS>
Last Write Time: 11/17/2003 - 9:29 AM
Value 0
Name: 0
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&38eb484
0&0&0000004000000000

Value 1
Name: Count
Type: REG_DWORD
Data: 0x9

Value 2
Name: NextInstance
Type: REG_DWORD
Data: 0x9

Value 3
Name: 1
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&38eb484
0&0&0100004000000000

Value 4
Name: 2
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&38eb484
0&0&0200004000000000

Value 5
Name: 3
Type: REG_SZ

```

```

Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&38eb484
0&0&0300004000000000

Value 6
Name: 4
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&38eb484
0&0&0400004000000000

Value 7
Name: 5
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&38eb484
0&0&0500004000000000

Value 8
Name: 6
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1f72f2b
d&0&0000004000000000

Value 9
Name: 7
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1f72f2b
d&0&0100004000000000

Value 10
Name: 8
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1f72f2b
d&0&0200004000000000

```

## System Summary

```

System Information report written at: 11/13/03
10:05:42
System Name: MINICOASTER
[System Summary]

Item      Value
OS Name   Microsoft(R) Windows(R) Server 2003,
Standard Edition
Version   5.2.3790   Build 3790
OS Manufacturer   Microsoft Corporation
System Name   MINICOASTER
System Manufacturer   HP
System Model   ProLiant DL380 G3
System Type   X86-based PC
Processor   x86 Family 15 Model 2 Stepping 5
GenuineIntel ~3187 Mhz

```

Processor x86 Family 15 Model 2 Stepping 5  
 GenuineIntel ~3186 Mhz  
 BIOS Version/Date HP P29, 7/25/2003  
 SMBIOS Version 2.3  
 Windows Directory C:\WINDOWS  
 System Directory C:\WINDOWS\system32  
 Boot Device \Device\HarddiskVolume10  
 Locale United States  
 Hardware Abstraction Layer Version = "5.2.3790.0  
 (srv03\_rtm.030324-2048)"  
 User Name Not Available  
 Time Zone Central Standard Time  
 Total Physical Memory 3,072.00 MB  
 Available Physical Memory 2.77 GB  
 Total Virtual Memory 7.88 GB  
 Available Virtual Memory 7.54 GB  
 Page File Space 4.88 GB  
 Page File C:\pagefile.sys

[Hardware Resources]

[Conflicts/Sharing]

Resource Device  
 I/O Port 0x00000000-0x00000CFF PCI bus  
 I/O Port 0x00000000-0x00000CFF PCI bus  
 I/O Port 0x00000000-0x00000CFF Direct memory access controller  
 I/O Port 0x000003C0-0x000003DF PCI bus  
 I/O Port 0x000003C0-0x000003DF RAGE XL PCI Family (Microsoft Corporation)  
 IRQ 5 Base System Device  
 IRQ 5 ServerWorks (RCC) PCI to USB Open Host Controller  
 I/O Port 0x00003000-0x000030FF PCI bus  
 I/O Port 0x00003000-0x000030FF Compaq Smart Array 5i Controller  
 I/O Port 0x00005000-0x00007FFF PCI bus  
 I/O Port 0x00005000-0x00007FFF Smart Array 5300 Controller (Non-Miniport)  
 Memory Address 0xA0000-0xBFFFF PCI bus  
 Memory Address 0xA0000-0xBFFFF RAGE XL PCI Family (Microsoft Corporation)  
 Memory Address 0xF2B00000-0xF2CFFFFF PCI bus  
 Memory Address 0xF2B00000-0xF2CFFFFF Smart Array 5300 Controller (Non-Miniport)  
 I/O Port 0x000003B0-0x000003BB PCI bus  
 I/O Port 0x000003B0-0x000003BB RAGE XL PCI Family (Microsoft Corporation)  
 I/O Port 0x00004000-0x000040FF PCI bus  
 I/O Port 0x00004000-0x000040FF Smart Array 5300 Controller (Non-Miniport)

[DMA]

Resource Device Status  
 Channel 7 Direct memory access controller OK  
 Channel 2 Standard floppy disk controller OK

[Forced Hardware]

Device PNP Device ID

[I/O]

Resource Device Status  
 0x00000000-0x00000CFF PCI bus OK  
 0x00000000-0x00000CFF PCI bus OK  
 0x00000000-0x00000CFF Direct memory access controller OK  
 0x000003B0-0x000003BB PCI bus OK  
 0x000003B0-0x000003BB RAGE XL PCI Family (Microsoft Corporation) OK  
 0x000003C0-0x000003DF PCI bus OK  
 0x000003C0-0x000003DF RAGE XL PCI Family (Microsoft Corporation) OK  
 0x00002400-0x000024FF RAGE XL PCI Family (Microsoft Corporation) OK  
 0x00001800-0x000018FF Base System Device OK  
 0x00002800-0x000028FF Base System Device OK  
 0x00000A79-0x00000A79 ISAPNP Read Data Port OK  
 0x00000279-0x00000279 ISAPNP Read Data Port OK  
 0x00000274-0x00000277 ISAPNP Read Data Port OK  
 0x00000F50-0x00000F58 Motherboard resources OK  
 0x00000408-0x0000040F Motherboard resources OK  
 0x00000092-0x00000092 Motherboard resources OK  
 0x00000900-0x00000903 Motherboard resources OK  
 0x00000910-0x00000911 Motherboard resources OK  
 0x00000920-0x00000923 Motherboard resources OK  
 0x00000930-0x00000937 Motherboard resources OK  
 0x00000940-0x00000947 Motherboard resources OK  
 0x00000950-0x00000957 Motherboard resources OK  
 0x00000C06-0x00000C08 Motherboard resources OK  
 0x00000C14-0x00000C14 Motherboard resources OK  
 0x00000C49-0x00000C4A Motherboard resources OK

0x00000C50-0x00000C52 Motherboard resources OK  
 0x00000C6C-0x00000C6F Motherboard resources OK  
 0x00000010-0x0000001F Motherboard resources OK  
 0x00000230-0x00000233 Motherboard resources OK  
 0x00000260-0x00000267 Motherboard resources OK  
 0x000004D0-0x000004D1 Motherboard resources OK  
 0x00000700-0x0000070F Motherboard resources OK  
 0x00000800-0x0000081F Motherboard resources OK  
 0x00000C80-0x00000C83 Motherboard resources OK  
 0x00000CD4-0x00000CD7 Motherboard resources OK  
 0x00000CF9-0x00000CF9 Motherboard resources OK  
 0x00000020-0x00000021 Programmable interrupt controller OK  
 0x000000A0-0x000000A1 Programmable interrupt controller OK  
 0x00000C00-0x00000C01 Programmable interrupt controller OK  
 0x00000040-0x00000043 System timer OK  
 0x00000080-0x0000008F Direct memory access controller OK  
 0x000000C0-0x000000DF Direct memory access controller OK  
 0x0000040B-0x0000040B Direct memory access controller OK  
 0x000004D6-0x000004D6 Direct memory access controller OK  
 0x00000061-0x00000061 System speaker OK  
 0x00000060-0x00000060 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard OK  
 0x00000064-0x00000064 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard OK  
 0x0000002E-0x0000002F Extended IO Bus OK  
 0x00000220-0x00000223 Extended IO Bus OK  
 0x00000240-0x0000025F Extended IO Bus OK  
 0x00000070-0x00000073 Extended IO Bus OK  
 0x000003F8-0x000003FF Communications Port (COM1) OK  
 0x000003F2-0x000003F5 Standard floppy disk controller OK  
 0x000003F7-0x000003F7 Standard floppy disk controller OK  
 0x00002000-0x0000200F CSB5 IDE Controller OK  
 0x000001F0-0x000001F7 Primary IDE Channel OK

```

0x00003F6-0x00003F6 Primary IDE Channel OK
0x0000170-0x0000177 Secondary IDE Channel
OK
0x0000376-0x0000376 Secondary IDE Channel
OK
0x0003000-0x00030FF PCI bus OK
0x0003000-0x00030FF Compaq Smart Array 5i
Controller OK
0x0004000-0x00040FF PCI bus OK
0x0004000-0x00040FF Smart Array 5300
Controller (Non-Miniport) OK
0x0005000-0x0007FFF PCI bus OK
0x0005000-0x0007FFF Smart Array 5300
Controller (Non-Miniport) OK

```

[IRQs]

```

Resource Device Status
IRQ 9 Microsoft ACPI-Compliant System OK

IRQ 3 Base System Device OK
IRQ 5 Base System Device OK
IRQ 5 ServerWorks (RCC) PCI to USB Open Host
Controller OK
IRQ 0 System timer OK
IRQ 1 Standard 101/102-Key or Microsoft Natural
PS/2 Keyboard OK
IRQ 12 PS/2 Compatible Mouse OK
IRQ 4 Communications Port (COM1) OK
IRQ 6 Standard floppy disk controller OK

IRQ 14 Primary IDE Channel OK
IRQ 30 Compaq Smart Array 5i Controller OK

IRQ 29 BCM5703 Gigabit Ethernet OK
IRQ 31 BCM5703 Gigabit Ethernet #2 OK
IRQ 20 Smart Array 5300 Controller (Non-Miniport)
OK
IRQ 24 Smart Array 5300 Controller (Non-Miniport)
OK
IRQ 15 Compaq PCI Hotplug Controller OK

```

[Memory]

```

Resource Device Status
0xA0000-0xBFFFF PCI bus OK
0xA0000-0xBFFFF RAGE XL PCI Family (Microsoft
Corporation) OK
0xF0E00000-0xF1FFFFFF PCI bus OK
0xF1000000-0xF1FFFFFF RAGE XL PCI Family
(Microsoft Corporation) OK
0xF0FF0000-0xF0FF0FFF RAGE XL PCI Family
(Microsoft Corporation) OK
0xF0FE0000-0xF0FE01FF Base System Device OK

0xF0FD0000-0xF0FD07FF Base System Device OK

0xF0FC0000-0xF0FC1FFF Base System Device OK

0xF0F00000-0xF0F7FFFF Base System Device OK

```

```

0xF0EF0000-0xF0EF0FFF ServerWorks (RCC) PCI
to USB Open Host Controller
OK
0xF2800000-0xF29FFFFF PCI bus OK
0xF29C0000-0xF29FFFFF Compaq Smart Array 5i
Controller OK
0xF28F0000-0xF28F3FFF Compaq Smart Array 5i
Controller OK
0xF2A00000-0xF2AFFFFF PCI bus OK
0xF2AF0000-0xF2AFFFFF BCM5703 Gigabit
Ethernet OK
0xF2AE0000-0xF2AEFFFF BCM5703 Gigabit
Ethernet #2 OK
0xF2B00000-0xF2CFFFFF PCI bus OK
0xF2B00000-0xF2CFFFFF Smart Array 5300
Controller (Non-Miniport) OK
0xF2CC0000-0xF2CFFFFF Smart Array 5300
Controller (Non-Miniport) OK
0xF2D00000-0xF2FFFFFF PCI bus OK
0xF7FC0000-0xF7FFFFFF Smart Array 5300
Controller (Non-Miniport) OK
0xF7E00000-0xF7EFFFFF Smart Array 5300
Controller (Non-Miniport) OK
0xF7DF0000-0xF7DF0FFF Compaq PCI Hotplug
Controller OK

```

[Components]

[Multimedia]

[Audio Codecs]

```

CODEC Manufacturer Description
Status File Version Size
Creation Date
c:\windows\system32\sl_anet.acm Sipro Lab
Telecom Inc. Sipro Lab Telecom Audio Codec OK
C:\WINDOWS\system32\SL_ANET.ACM
3.02 84.00 KB (86,016 bytes)
3/25/2003 6:00 AM
c:\windows\system32\l3codeca.acm Fraunhofer
Institut Integrierte Schaltungen IIS Fraunhofer
IIS MPEG Layer-3 Codec OK
C:\WINDOWS\system32\L3CODECA.ACM 1,
9, 0, 0305 284.00 KB (290,816 bytes)
3/25/2003 6:00 AM
c:\windows\system32\msaud32.acm Microsoft
Corporation Windows Media Audio Codec OK
C:\WINDOWS\system32\MSAUD32.ACM
8.00.00.4487 288.00 KB (294,912
bytes) 3/25/2003 6:00 AM
c:\windows\system32\msg723.acm Microsoft
Corporation OK
C:\WINDOWS\system32\MSG723.ACM
4.4.4000 116.00 KB (118,784 bytes)
10/31/2003 11:57 AM
c:\windows\system32\msadp32.acm Microsoft
Corporation OK
C:\WINDOWS\system32\MSADP32.ACM
5.2.3790.0 (srv03_rtm.030324-2048)

```

```

14.50 KB (14,848 bytes) 3/25/2003
6:00 AM
c:\windows\system32\tssoft32.acm DSP GROUP,
INC. OK
C:\WINDOWS\system32\TSSOFT32.ACM
1.01 9.50 KB (9,728 bytes)
3/25/2003 6:00 AM
c:\windows\system32\msg711.acm Microsoft
Corporation OK
C:\WINDOWS\system32\MSG711.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
10.00 KB (10,240 bytes) 3/25/2003
6:00 AM
c:\windows\system32\msgsm32.acm Microsoft
Corporation OK
C:\WINDOWS\system32\MSGSM32.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
20.50 KB (20,992 bytes) 3/25/2003
6:00 AM
c:\windows\system32\imaadp32.acm Microsoft
Corporation OK
C:\WINDOWS\system32\IMAADP32.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
15.50 KB (15,872 bytes) 3/25/2003

```

[Video Codecs]

```

CODEC Manufacturer Description
Status File Version Size
Creation Date
c:\windows\system32\msh261.drv Microsoft
Corporation OK
C:\WINDOWS\system32\MSH261.DRV
4.4.4000 180.00 KB (184,320 bytes)
10/31/2003 11:57 AM
c:\windows\system32\tsbyuv.dll Microsoft
Corporation OK
C:\WINDOWS\system32\TSBYUV.DLL
5.2.3790.0 (srv03_rtm.030324-2048)
8.00 KB (8,192 bytes) 3/24/2003
7:50 PM
c:\windows\system32\msyuv.dll Microsoft Corporation
OK
C:\WINDOWS\system32\MSYUV.DLL 5.2.3790.0
(srv03_rtm.030324-2048) 16.50 KB (16,896 bytes)
3/24/2003 7:49 PM
c:\windows\system32\msvidc32.dll Microsoft
Corporation OK
C:\WINDOWS\system32\MSVIDC32.DLL
5.2.3790.0 (srv03_rtm.030324-2048)
26.50 KB (27,136 bytes) 3/25/2003
6:00 AM
c:\windows\system32\msrle32.dll Microsoft
Corporation OK
C:\WINDOWS\system32\MSRLE32.DLL
5.2.3790.0 (srv03_rtm.030324-2048)
10.50 KB (10,752 bytes) 3/25/2003
6:00 AM
c:\windows\system32\iyuv_32.dll Microsoft
Corporation OK
C:\WINDOWS\system32\IYUV_32.DLL
5.2.3790.0 (srv03_rtm.030324-2048)

```



45.00 KB (46,080 bytes) 3/24/2003  
 7:49 PM  
 c:\windows\system32\msh263.drv Microsoft Corporation  
 Corporation OK  
 C:\WINDOWS\system32\MSH263.DRV  
 4.4.4000 284.00 KB (290,816 bytes)  
 3/24/2003 7:46 PM

[CD-ROM]

Item	Value
Drive	D:
Description	CD-ROM Drive
Media Loaded	No
Media Type	CD-ROM
Name	COMPAQ CD-ROM SN-124
Manufacturer	(Standard CD-ROM drives)
Status	OK
Transfer Rate	Not Available
SCSI Target ID	0
PNP Device ID	IDE\CDROMCOMPAQ_CD-ROM_SN-124
Driver	c:\windows\system32\drivers\cdrom.sys (5.2.3790.0 (srv03_rtm.030324-2048), 49.50 KB (50,688 bytes), 3/25/2003 6:00 AM)

[Sound Device]

Item	Value
Name	RAGE XL PCI Family (Microsoft Corporation)

PNP Device ID PCI\VEN\_1002&DEV\_4752&SUBSYS\_001E0E11&REV\_27\3&267A616A&0&18  
 Adapter Type ATI RAGE XL PCI (B41), ATI Technologies Inc. compatible  
 Adapter Description RAGE XL PCI Family (Microsoft Corporation)  
 Adapter RAM 8.00 MB (8,388,608 bytes)  
 Installed Drivers ati2drad.dll  
 Driver Version 5.10.3663.6013  
 INF File atiixpad.inf (ati2mpad section)  
 Color Planes 1  
 Color Table Entries 4294967296  
 Resolution 800 x 600 x 70 hertz  
 Bits/Pixel 32  
 Memory Address 0xF1000000-0xF1FFFFFF  
 I/O Port 0x00002400-0x000024FF  
 Memory Address 0xF0FF0000-0xF0FF0FFF  
 I/O Port 0x00003B0-0x00003BB  
 I/O Port 0x00003C0-0x00003DF  
 Memory Address 0xA0000-0xBFFFF  
 Driver c:\windows\system32\drivers\ati2mpad.sys (5.10.3663.6013, 335.38 KB (343,424 bytes), 10/31/2003 5:50 AM)

[Infrared]

Item	Value
------	-------

[Input]

[Keyboard]

Item	Value
Description	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
Name	Enhanced (101- or 102-key)
Layout	00000409
PNP Device ID	ACPI\PNP0303\4&35118DFF&0
Number of Function Keys	12
I/O Port	0x00000060-0x00000060
I/O Port	0x00000064-0x00000064
IRQ Channel	IRQ 1
Driver	c:\windows\system32\drivers\i804prt.sys (5.2.3790.0 (srv03_rtm.030324-2048), 68.50 KB (70,144 bytes), 3/25/2003 6:00 AM)

[Pointing Device]

Item	Value
Hardware Type	PS/2 Compatible Mouse
Number of Buttons	5
Status	OK
PNP Device ID	ACPI\PNP0F13\4&35118DFF&0
Power Management Supported	No
Double Click Threshold	6
Handedness	Right Handed Operation
IRQ Channel	IRQ 12
Driver	c:\windows\system32\drivers\i804prt.sys (5.2.3790.0 (srv03_rtm.030324-2048), 68.50 KB (70,144 bytes), 3/25/2003 6:00 AM)

[Modem]

Item	Value
------	-------

[Network]

[Adapter]

Item	Value
Name	[00000001] BCM5703 Gigabit Ethernet
Adapter Type	Ethernet 802.3
Product Type	BCM5703 Gigabit Ethernet
Installed Yes	
PNP Device ID	PCI\VEN_14E4&DEV_16A7&SUBSYS_00CB0E11&REV_02\3&1070020&0&8
Last Reset	11/12/2003 5:32 PM
Index	1
Service Name	b57w2k
IP Address	130.168.40.151
IP Subnet	255.255.255.0
Default IP Gateway	Not Available
DHCP Enabled	No
DHCP Server	Not Available
DHCP Lease Expires	Not Available

DHCP Lease Obtained Not Available  
 MAC Address 00:0B:CD:6A:13:DB  
 Memory Address 0xF2AF0000-0xF2AFFFFF  
 IRQ Channel IRQ 29  
 Driver c:\windows\system32\drivers\b57xp32.sys (2.91.0.0 built by: WinDDK, 137.00 KB (140,288 bytes), 10/31/2003 5:51 AM)

Name	[00000002] BCM5703 Gigabit Ethernet
Adapter Type	Ethernet 802.3
Product Type	BCM5703 Gigabit Ethernet
Installed Yes	
PNP Device ID	PCI\VEN_14E4&DEV_16A7&SUBSYS_00CB0E11&REV_02\3&1070020&0&10
Last Reset	11/12/2003 5:32 PM
Index	2
Service Name	b57w2k
IP Address	130.168.212.152
IP Subnet	255.255.0.0
Default IP Gateway	Not Available
DHCP Enabled	No
DHCP Server	Not Available
DHCP Lease Expires	Not Available
DHCP Lease Obtained	Not Available
MAC Address	00:0B:CD:6A:13:DA
Memory Address	0xF2AE0000-0xF2AEFFFF
IRQ Channel	IRQ 31
Driver	c:\windows\system32\drivers\b57xp32.sys (2.91.0.0 built by: WinDDK, 137.00 KB (140,288 bytes), 10/31/2003 5:51 AM)

Name	[00000003] RAS Async Adapter
Adapter Type	Not Available
Product Type	RAS Async Adapter
Installed Yes	
PNP Device ID	Not Available
Last Reset	11/12/2003 5:32 PM
Index	3
Service Name	AsyncMac
IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available
DHCP Enabled	No
DHCP Server	Not Available
DHCP Lease Expires	Not Available
DHCP Lease Obtained	Not Available
MAC Address	Not Available

Name	[00000004] WAN Miniport (L2TP)
Adapter Type	Not Available
Product Type	WAN Miniport (L2TP)
Installed Yes	
PNP Device ID	ROOT\MS_L2TPMINIPORT\0000
Last Reset	11/12/2003 5:32 PM
Index	4
Service Name	Rasl2tp
IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available
DHCP Enabled	No
DHCP Server	Not Available
DHCP Lease Expires	Not Available

DHCP Lease Obtained Not Available  
 MAC Address Not Available  
 Driver c:\windows\system32\drivers\rasl2tp.sys  
 (5.2.3790.0 (srv03\_rtm.030324-2048), 77.00 KB (78,848  
 bytes), 3/25/2003 6:00 AM)

Name [00000005] WAN Miniport (PPTP)  
 Adapter Type Wide Area Network (WAN)  
 Product Type WAN Miniport (PPTP)  
 Installed Yes  
 PNP Device ID ROOT\MS\_PPTPMINIPOINT\0000  
 Last Reset 11/12/2003 5:32 PM  
 Index 5  
 Service Name PptpMiniport  
 IP Address Not Available  
 IP Subnet Not Available  
 Default IP Gateway Not Available  
 DHCP Enabled No  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address 50:50:54:50:30:30  
 Driver c:\windows\system32\drivers\rasppptp.sys  
 (5.2.3790.0 (srv03\_rtm.030324-2048), 70.50 KB (72,192  
 bytes), 3/25/2003 6:00 AM)

Name [00000006] WAN Miniport (PPPOE)  
 Adapter Type Wide Area Network (WAN)  
 Product Type WAN Miniport (PPPOE)  
 Installed Yes  
 PNP Device ID ROOT\MS\_PPPOEMINIPOINT\0000  
 Last Reset 11/12/2003 5:32 PM  
 Index 6  
 Service Name RasPppoe  
 IP Address Not Available  
 IP Subnet Not Available  
 Default IP Gateway Not Available  
 DHCP Enabled No  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address 33:50:6F:45:30:30  
 Driver c:\windows\system32\drivers\raspppoe.sys  
 (5.2.3790.0 (srv03\_rtm.030324-2048), 38.00 KB (38,912  
 bytes), 3/25/2003 6:00 AM)

Name [00000007] Direct Parallel  
 Adapter Type Not Available  
 Product Type Direct Parallel  
 Installed Yes  
 PNP Device ID ROOT\MS\_PTMINIPOINT\0000  
 Last Reset 11/12/2003 5:32 PM  
 Index 7  
 Service Name Raspti  
 IP Address Not Available  
 IP Subnet Not Available  
 Default IP Gateway Not Available  
 DHCP Enabled No  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address Not Available

Driver c:\windows\system32\drivers\raspti.sys  
 (5.2.3790.0 (srv03\_rtm.030324-2048), 18.50 KB (18,944  
 bytes), 3/25/2003 6:00 AM)

Name [00000008] WAN Miniport (IP)  
 Adapter Type Not Available  
 Product Type WAN Miniport (IP)  
 Installed Yes  
 PNP Device ID ROOT\MS\_NDISWANIP\0000  
 Last Reset 11/12/2003 5:32 PM  
 Index 8  
 Service Name NdisWan  
 IP Address Not Available  
 IP Subnet Not Available  
 Default IP Gateway Not Available  
 DHCP Enabled No  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address Not Available  
 Driver c:\windows\system32\drivers\ndiswan.sys  
 (5.2.3790.0 (srv03\_rtm.030324-2048), 96.50 KB (98,816  
 bytes), 3/25/2003 6:00 AM)

[Protocol]

Item	Value
Name	MSAFD Tcpip [TCP/IP]
Connectionless Service	No
Guarantees Delivery	Yes
Guarantees Sequencing	Yes
Maximum Address Size	16 bytes
Maximum Message Size	0 bytes
Message Oriented	No
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	Yes
Supports Graceful Closing	Yes
Supports Guaranteed Bandwidth	No
Supports Multicasting	No

Name	MSAFD Tcpip [UDP/IP]
Connectionless Service	Yes
Guarantees Delivery	No
Guarantees Sequencing	No
Maximum Address Size	16 bytes
Maximum Message Size	63.93 KB (65,467 bytes)

Message Oriented	Yes
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	Yes
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No
Supports Multicasting	Yes

Name	RSVP UDP Service Provider
Connectionless Service	Yes
Guarantees Delivery	No
Guarantees Sequencing	No
Maximum Address Size	16 bytes
Maximum Message Size	63.93 KB (65,467 bytes)

Message Oriented	Yes
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	Yes
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	Yes
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No
Supports Multicasting	Yes

Name	RSVP TCP Service Provider
Connectionless Service	No
Guarantees Delivery	Yes
Guarantees Sequencing	Yes
Maximum Address Size	16 bytes
Maximum Message Size	0 bytes
Message Oriented	No
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	Yes
Supports Graceful Closing	Yes
Supports Guaranteed Bandwidth	No
Supports Multicasting	No

Name	MSAFD NetBIOS
[Device\NetBT_Tcpip_{E529716F-D9A2-465C-8F32-29E6FE3724D1}] SEQPACKET 0	
Connectionless Service	No
Guarantees Delivery	Yes
Guarantees Sequencing	Yes
Maximum Address Size	20 bytes
Maximum Message Size	62.50 KB (64,000 bytes)

Message Oriented	Yes
Minimum Address Size	20 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No
Supports Multicasting	No

Name	MSAFD NetBIOS
[Device\NetBT_Tcpip_{E529716F-D9A2-465C-8F32-29E6FE3724D1}] DATAGRAM 0	
Connectionless Service	Yes

Guarantees Delivery No  
 Guarantees Sequencing No  
 Maximum Address Size 20 bytes  
 Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes  
 Minimum Address Size 20 bytes  
 Pseudo Stream Oriented No  
 Supports Broadcasting Yes  
 Supports Connect Data No  
 Supports Disconnect Data No  
 Supports Encryption No  
 Supports Expedited Data No  
 Supports Graceful Closing No  
 Supports Guaranteed Bandwidth No  
 Supports Multicasting No

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{6F0B2200-935D-4831-8F71-91067C54486E}] SEQPACKET 1  
 Connectionless Service No  
 Guarantees Delivery Yes  
 Guarantees Sequencing Yes  
 Maximum Address Size 20 bytes  
 Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes  
 Minimum Address Size 20 bytes  
 Pseudo Stream Oriented No  
 Supports Broadcasting No  
 Supports Connect Data No  
 Supports Disconnect Data No  
 Supports Encryption No  
 Supports Expedited Data No  
 Supports Graceful Closing No  
 Supports Guaranteed Bandwidth No  
 Supports Multicasting No

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{6F0B2200-935D-4831-8F71-91067C54486E}] DATAGRAM 1  
 Connectionless Service Yes  
 Guarantees Delivery No  
 Guarantees Sequencing No  
 Maximum Address Size 20 bytes  
 Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes  
 Minimum Address Size 20 bytes  
 Pseudo Stream Oriented No  
 Supports Broadcasting Yes  
 Supports Connect Data No  
 Supports Disconnect Data No  
 Supports Encryption No  
 Supports Expedited Data No  
 Supports Graceful Closing No  
 Supports Guaranteed Bandwidth No  
 Supports Multicasting No

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{ECB52B45-D17C-472E-8D4B-F2FA459C89ED}] SEQPACKET 2  
 Connectionless Service No

Guarantees Delivery Yes  
 Guarantees Sequencing Yes  
 Maximum Address Size 20 bytes  
 Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes  
 Minimum Address Size 20 bytes  
 Pseudo Stream Oriented No  
 Supports Broadcasting No  
 Supports Connect Data No  
 Supports Disconnect Data No  
 Supports Encryption No  
 Supports Expedited Data No  
 Supports Graceful Closing No  
 Supports Guaranteed Bandwidth No  
 Supports Multicasting No

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{ECB52B45-D17C-472E-8D4B-F2FA459C89ED}] DATAGRAM 2  
 Connectionless Service Yes  
 Guarantees Delivery No  
 Guarantees Sequencing No  
 Maximum Address Size 20 bytes  
 Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes  
 Minimum Address Size 20 bytes  
 Pseudo Stream Oriented No  
 Supports Broadcasting Yes  
 Supports Connect Data No  
 Supports Disconnect Data No  
 Supports Encryption No  
 Supports Expedited Data No  
 Supports Graceful Closing No  
 Supports Guaranteed Bandwidth No  
 Supports Multicasting No

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{FF07F82C-CF9A-4F13-BAA5-86E9E885EE6B}] SEQPACKET 3  
 Connectionless Service No  
 Guarantees Delivery Yes  
 Guarantees Sequencing Yes  
 Maximum Address Size 20 bytes  
 Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes  
 Minimum Address Size 20 bytes  
 Pseudo Stream Oriented No  
 Supports Broadcasting No  
 Supports Connect Data No  
 Supports Disconnect Data No  
 Supports Encryption No  
 Supports Expedited Data No  
 Supports Graceful Closing No  
 Supports Guaranteed Bandwidth No  
 Supports Multicasting No

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{FF07F82C-CF9A-4F13-BAA5-86E9E885EE6B}] DATAGRAM 3  
 Connectionless Service Yes

Guarantees Delivery No  
 Guarantees Sequencing No  
 Maximum Address Size 20 bytes  
 Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes  
 Minimum Address Size 20 bytes  
 Pseudo Stream Oriented No  
 Supports Broadcasting Yes  
 Supports Connect Data No  
 Supports Disconnect Data No  
 Supports Encryption No  
 Supports Expedited Data No  
 Supports Graceful Closing No  
 Supports Guaranteed Bandwidth No  
 Supports Multicasting No

[WinSock]

Item Value  
 File c:\windows\system32\winsock.dll  
 Size 2.80 KB (2,864 bytes)  
 Version 3.10

File c:\windows\system32\wsock32.dll  
 Size 22.00 KB (22,528 bytes)  
 Version 5.2.3790.0 (srv03\_rtm.030324-2048)

[Ports]

[Serial]

Item Value  
 Name Communications Port (COM1)  
 Status OK  
 PNP Device ID ACPI\PNP0501\0  
 Maximum Input Buffer Size 0  
 Maximum Output Buffer Size No  
 Settable Baud Rate Yes  
 Settable Data Bits Yes  
 Settable Flow Control Yes  
 Settable Parity Yes  
 Settable Parity Check Yes  
 Settable Stop Bits Yes  
 Settable RLSD Yes  
 Supports RLSD Yes  
 Supports 16 Bit Mode No  
 Supports Special Characters No  
 Baud Rate 9600  
 Bits/Byte 8  
 Stop Bits 1  
 Parity None  
 Busy No  
 Abort Read/Write on Error No  
 Binary Mode Enabled Yes  
 Continue XMit on XOff No  
 CTS Outflow Control No  
 Discard NULL Bytes No  
 DSR Outflow Control 0  
 DSR Sensitivity 0  
 DTR Flow Control Type Enable

```

EOF Character      0
Error Replace Character  0
Error Replacement Enabled  No
Event Character    0
Parity Check Enabled  No
RTS Flow Control Type  Enable
XOff Character    19
XOffXmit Threshold  512
XOn Character     17
XOnXmit Threshold  2048
XOnXoff InFlow Control  0
XOnXoff OutFlow Control  0
IRQ Channel       IRQ 4
I/O Port         0x000003F8-0x000003FF
Driver           c:\windows\system32\drivers\serial.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 76.00 KB (77,824
bytes), 3/25/2003 6:00 AM)

```

[Parallel]

```
Item      Value
```

[Storage]

[Drives]

```
Item      Value
```

```
Drive A:
Description      3 1/2 Inch Floppy Drive
```

```
Drive C:
Description      Local Fixed Disk
Compressed       No
File System      NTFS
Size             4.39 GB (4,712,673,280 bytes)
Free Space       822.06 MB (861,990,912 bytes)
Volume Name
Volume Serial Number      1C2D418E
```

```
Drive D:
Description      CD-ROM Disc
```

```
Drive E:
Description      Local Fixed Disk
Compressed       Not Available
File System      Not Available
Size             Not Available
Free Space       Not Available
Volume Name      Not Available
Volume Serial Number      Not Available
```

```
Drive W:
Description      Network Connection
Provider Name    Not Available
```

```
Drive X:
Description      Local Fixed Disk
Compressed       No
File System      NTFS
Size             95.28 GB (102,305,996,800 bytes)
```

```
Free Space      51.96 GB (55,787,020,288 bytes)
```

```
Volume Name     Backup1
Volume Serial Number      B07B5770
```

```
Drive Y:
Description     Local Fixed Disk
Compressed      No
File System     NTFS
Size            95.28 GB (102,305,996,800 bytes)
Free Space      51.96 GB (55,787,085,824 bytes)
```

```
Volume Name     Backup2
Volume Serial Number      B4854034
```

```
Drive Z:
Description     Local Fixed Disk
Compressed      No
File System     NTFS
Size            95.25 GB (102,273,097,728 bytes)
Free Space      51.65 GB (55,453,724,672 bytes)
```

```
Volume Name     Backup3
Volume Serial Number      548DE240
```

[Disks]

```
Item      Value
Description  \\.\PHYSICALDRIVE6
Manufacturer Not Available
Model       Not Available
Bytes/Sector  512
Media Loaded Yes
Media Type  Fixed hard disk
Partitions  1
SCSI Bus    Not Available
SCSI Logical Unit Not Available
SCSI Port   Not Available
SCSI Target ID Not Available
Sectors/Track  63
Size        31.44 GB (33,756,549,120 bytes)
Total Cylinders  4,104
Total Sectors  65,930,760
Total Tracks  1,046,520
Tracks/Cylinder  255
Partition Disk #6, Partition #0
Partition Size  31.44 GB (33,756,516,864 bytes)
```

```
Partition Starting Offset  32,256 bytes
```

```
Description  \\.\PHYSICALDRIVE7
Manufacturer Not Available
Model       Not Available
Bytes/Sector  512
Media Loaded Yes
Media Type  Fixed hard disk
Partitions  1
SCSI Bus    Not Available
SCSI Logical Unit Not Available
SCSI Port   Not Available
SCSI Target ID Not Available
Sectors/Track  63
Size        15.39 GB (16,524,587,520 bytes)
```

```
Total Cylinders  2,009
Total Sectors    32,274,585
Total Tracks     512,295
Tracks/Cylinder  255
Partition Disk #7, Partition #0
Partition Size    15.39 GB (16,524,555,264 bytes)
```

```
Partition Starting Offset  32,256 bytes
```

```
Description  \\.\PHYSICALDRIVE8
Manufacturer Not Available
Model       Not Available
Bytes/Sector  512
Media Loaded Yes
Media Type  Fixed hard disk
Partitions  1
SCSI Bus    Not Available
SCSI Logical Unit Not Available
SCSI Port   Not Available
SCSI Target ID Not Available
Sectors/Track  63
Size        95.25 GB (102,273,131,520 bytes)
Total Cylinders  12,434
Total Sectors  199,752,210
Total Tracks  3,170,670
Tracks/Cylinder  255
Partition Disk #8, Partition #0
Partition Size    95.25 GB (102,273,099,264 bytes)
```

```
Partition Starting Offset  32,256 bytes
```

```
Description  \\.\PHYSICALDRIVE0
Manufacturer Not Available
Model       Not Available
Bytes/Sector  512
Media Loaded Yes
Media Type  Fixed hard disk
Partitions  1
SCSI Bus    Not Available
SCSI Logical Unit Not Available
SCSI Port   Not Available
SCSI Target ID Not Available
Sectors/Track  63
Size        31.44 GB (33,756,549,120 bytes)
Total Cylinders  4,104
Total Sectors  65,930,760
Total Tracks  1,046,520
Tracks/Cylinder  255
Partition Disk #0, Partition #0
Partition Size    31.44 GB (33,756,516,864 bytes)
```

```
Partition Starting Offset  32,256 bytes
```

```
Description  \\.\PHYSICALDRIVE1
Manufacturer Not Available
Model       Not Available
Bytes/Sector  512
Media Loaded Yes
Media Type  Fixed hard disk
Partitions  1
SCSI Bus    Not Available
SCSI Logical Unit Not Available
SCSI Port   Not Available
```

SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 15.39 GB (16,524,587,520 bytes)  
 Total Cylinders 2,009  
 Total Sectors 32,274,585  
 Total Tracks 512,295  
 Tracks/Cylinder 255  
 Partition Disk #1, Partition #0  
 Partition Size 15.39 GB (16,524,555,264 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE2  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 95.28 GB (102,306,032,640 bytes)  
 Total Cylinders 12,438  
 Total Sectors 199,816,470  
 Total Tracks 3,171,690  
 Tracks/Cylinder 255  
 Partition Disk #2, Partition #0  
 Partition Size 95.28 GB (102,306,000,384 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE3  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 31.44 GB (33,756,549,120 bytes)  
 Total Cylinders 4,104  
 Total Sectors 65,930,760  
 Total Tracks 1,046,520  
 Tracks/Cylinder 255  
 Partition Disk #3, Partition #0  
 Partition Size 31.44 GB (33,756,516,864 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE4  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1

SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 15.39 GB (16,524,587,520 bytes)  
 Total Cylinders 2,009  
 Total Sectors 32,274,585  
 Total Tracks 512,295  
 Tracks/Cylinder 255  
 Partition Disk #4, Partition #0  
 Partition Size 15.39 GB (16,524,555,264 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE5  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 95.28 GB (102,306,032,640 bytes)  
 Total Cylinders 12,438  
 Total Sectors 199,816,470  
 Total Tracks 3,171,690  
 Tracks/Cylinder 255  
 Partition Disk #5, Partition #0  
 Partition Size 95.28 GB (102,306,000,384 bytes)

Partition Starting Offset 32,256 bytes

Description Disk drive  
 Manufacturer (Standard disk drives)  
 Model COMPAQ LOGICAL VOLUME SCSI Disk Device  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus 4  
 SCSI Logical Unit 0  
 SCSI Port 2  
 SCSI Target ID 0  
 Sectors/Track 32  
 Size 4.39 GB (4,716,871,680 bytes)  
 Total Cylinders 1,129  
 Total Sectors 9,212,640  
 Total Tracks 287,895  
 Tracks/Cylinder 255  
 Partition Disk #9, Partition #0  
 Partition Size 4.39 GB (4,712,677,376 bytes)  
 Partition Starting Offset 16,384 bytes

Description Disk drive  
 Manufacturer (Standard disk drives)  
 Model COMPAQ LOGICAL VOLUME SCSI Disk Device  
 Bytes/Sector 512  
 Media Loaded Yes

Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus 4  
 SCSI Logical Unit 0  
 SCSI Port 2  
 SCSI Target ID 1  
 Sectors/Track 32  
 Size 63.44 GB (68,116,807,680 bytes)  
 Total Cylinders 16,304  
 Total Sectors 133,040,640  
 Total Tracks 4,157,520  
 Tracks/Cylinder 255  
 Partition Disk #10, Partition #0  
 Partition Size 63.44 GB (68,113,511,424 bytes)

Partition Starting Offset 32,256 bytes

[SCSI]  
 Item Value  
 Name Compaq Smart Array 5i Controller  
 Manufacturer Compaq  
 Status OK  
 PNP Device ID  
 PCI\VEN\_0E11&DEV\_B178&SUBSYS\_40800E11&REV\_0  
 1\3&13C0B0C5&0&18  
 Memory Address 0xF29C0000-0xF29FFFFF  
 I/O Port 0x00003000-0x000030FF  
 Memory Address 0xF28F0000-0xF28F3FFF  
 IRQ Channel IRQ 30  
 Driver c:\windows\system32\drivers\cpqccissm.sys  
 (5.8.74.1 built by: Microsoft, 13.00 KB (13,312 bytes), 3/25/2003 6:00 AM)

Name Smart Array 5300 Controller (Non-Miniport)

Manufacturer Hewlett-Packard  
 Status OK  
 PNP Device ID  
 PCI\VEN\_0E11&DEV\_B060&SUBSYS\_40700E11&REV\_0  
 2\3&29E81982&0&08  
 Memory Address 0xF2CC0000-0xF2CFFFFF  
 Memory Address 0xF2B00000-0xF2BFFFFF  
 I/O Port 0x00004000-0x000040FF  
 IRQ Channel IRQ 20  
 Driver c:\windows\system32\drivers\hpqccissb.sys  
 (5.6.2.32 built by: WinDDK, 38.00 KB (38,912 bytes), 11/2/2003 2:57 PM)

Name Smart Array 5300 Controller (Non-Miniport)

Manufacturer Hewlett-Packard  
 Status OK  
 PNP Device ID  
 PCI\VEN\_0E11&DEV\_B060&SUBSYS\_40700E11&REV\_0  
 2\3&172E68DD&0&08  
 Memory Address 0xF7FC0000-0xF7FFFFFF  
 Memory Address 0xF7E00000-0xF7EFFFFF  
 I/O Port 0x00005000-0x00007FFF  
 IRQ Channel IRQ 24  
 Driver c:\windows\system32\drivers\hpqccissb.sys  
 (5.6.2.32 built by: WinDDK, 38.00 KB (38,912 bytes), 11/2/2003 2:57 PM)

[IDE]

Item Value  
Name CSB5 IDE Controller  
Manufacturer ServerWorks  
Status OK  
PNP Device ID  
PCI\VEN\_1166&DEV\_0212&SUBSYS\_02121166&REV\_93\3&267A616A&0&79  
I/O Port 0x00002000-0x0000200F  
Driver c:\windows\system32\drivers\pciide.sys  
(5.2.3790.0 (srv03\_rtm.030324-2048), 5.50 KB (5,632 bytes), 3/25/2003 6:00 AM)

Name Primary IDE Channel  
Manufacturer (Standard IDE ATA/ATAPI controllers)  
Status OK  
PNP Device ID PCI\IDE\IDECHANNEL\4&1024D5C6&0&0

I/O Port 0x000001F0-0x000001F7  
I/O Port 0x000003F6-0x000003FF  
IRQ Channel IRQ 14  
Driver c:\windows\system32\drivers\atapi.sys  
(5.2.3790.0 (srv03\_rtm.030324-2048), 89.00 KB (91,136 bytes), 3/25/2003 6:00 AM)

Name Secondary IDE Channel  
Manufacturer (Standard IDE ATA/ATAPI controllers)  
Status OK  
PNP Device ID PCI\IDE\IDECHANNEL\4&1024D5C6&0&1

I/O Port 0x00000170-0x00000177  
I/O Port 0x00000376-0x0000037F  
Driver c:\windows\system32\drivers\atapi.sys  
(5.2.3790.0 (srv03\_rtm.030324-2048), 89.00 KB (91,136 bytes), 3/25/2003 6:00 AM)

[Printing]

Name Driver Port Name Server Name  
CCA15109 on ccaprint02 (from SOUNDWAVE) in session 1  
HP LaserJet 4100 Series PCL TS002

Labprinter on inforb (from SOUNDWAVE) in session 1  
HP LaserJet 5Si/5Si MX PS TS001

[Problem Devices]

Device PNP Device ID Error Code  
Base System Device  
PCI\VEN\_0E11&DEV\_B203&SUBSYS\_B2060E11&REV\_01\3&267A616A&0&20 The drivers for this device are not installed.  
Base System Device  
PCI\VEN\_0E11&DEV\_B204&SUBSYS\_B2060E11&REV\_01\3&267A616A&0&22 The drivers for this device are not installed.

[USB]

Device PNP Device ID  
ServerWorks (RCC) PCI to USB Open Host Controller  
PCI\VEN\_1166&DEV\_0220&SUBSYS\_02201166&REV\_05\3&267A616A&0&7A  
USB Root Hub USB\ROOT\_HUB\4&AF5358C&0

[Software Environment]

[System Drivers]

Name	Description	File	Type
	Started Start Mode		State
	Status Error Control		Accept Pause
	Accept Stop		
abiosdsk	Abiosdsk	Not Available	Kernel Driver
	No Disabled Stopped	OK	
	Ignore No No		
acpi	Microsoft ACPI Driver		
	c:\windows\system32\drivers\acpi.sys		
	Kernel Driver	Yes	Boot
	Running OK	Normal	No Yes
acpiec	ACPIEC		
	c:\windows\system32\drivers\acpiec.sys		
	Kernel Driver	No	Disabled
	Stopped OK	Normal	No No
adpu160m	adpu160m	Not Available	Kernel Driver
	No Disabled Stopped	OK	
	Normal No No		
adpu320	adpu320	Not Available	Kernel Driver
	No Disabled Stopped	OK	
	Normal No No		
afcnt	afcnt	Not Available	Kernel Driver
	No Disabled Stopped	OK	
	Normal No No		
afd	AFD Networking Support Environment		
	c:\windows\system32\drivers\afd.sys		
	Kernel Driver	Yes	Auto
	Running OK	Normal	No Yes
ahal54x	Ahal54x	Not Available	Kernel Driver
	No Disabled Stopped	OK	
	Normal No No		
aic78u2	aic78u2	Not Available	Kernel Driver
	No Disabled Stopped	OK	
	Normal No No		
aic78xx	aic78xx	Not Available	Kernel Driver
	No Disabled Stopped	OK	
	Normal No No		
aliide	Aliide	Not Available	Kernel Driver
	No Disabled Stopped	OK	
	Normal No No		
asynccmac	RAS Asynchronous Media Driver		
	c:\windows\system32\drivers\asynccmac.sys		
	Kernel Driver	No	Manual
	Stopped OK	Normal	No No
atapi	Standard IDE/ESDI Hard Disk Controller		
	c:\windows\system32\drivers\atapi.sys		

Kernel Driver	Yes	Boot	
Running OK	Normal	No	Yes
atdisk	Atdisk	Not Available	Kernel Driver
	No Disabled Stopped	OK	
	Ignore No No		
ati2mpad	ati2mpad		
	c:\windows\system32\drivers\ati2mpad.sys		
	Kernel Driver	Yes	Manual
	Running OK	Ignore	No Yes
atmarpc	ATM ARP Client Protocol		
	c:\windows\system32\drivers\atmarpc.sys		
	Kernel Driver	No	Manual
	Stopped OK	Normal	No No
audstub	Audio Stub Driver		
	c:\windows\system32\drivers\audstub.sys		
	Kernel Driver	Yes	Manual
	Running OK	Normal	No Yes
b57w2k	BCM5703 Gigabit Ethernet		
	c:\windows\system32\drivers\b57xp32.sys		
	Kernel Driver	Yes	Manual
	Running OK	Normal	No Yes
beep	Beep		
	c:\windows\system32\drivers\beep.sys		
	Kernel Driver	Yes	System
	Running OK	Normal	No Yes
cbidf2k	cbidf2k		
	c:\windows\system32\drivers\cbidf2k.sys		
	Kernel Driver	No	Disabled
	Stopped OK	Normal	No No
cd20xrnt	cd20xrnt	Not Available	Kernel Driver
	No Disabled Stopped	OK	
	Normal No No		
cdfs	Cdfs		
	c:\windows\system32\drivers\cdfs.sys		
	File System Driver	Yes	Disabled
	Running OK	Normal	No Yes
cdrom	CD-ROM Driver		
	c:\windows\system32\drivers\cdrom.sys		
	Kernel Driver	Yes	System
	Running OK	Normal	No Yes
changer	Changer	Not Available	Kernel Driver
	No System Stopped	OK	
	Ignore No No		
clusdisk	Cluster Disk Driver		
	c:\windows\system32\drivers\clusdisk.sys		
	Kernel Driver	No	Disabled
	Stopped OK	Normal	No No
cmdide	CmdIde	Not Available	Kernel Driver
	No Disabled Stopped	OK	
	Normal No No		
cpqarray	Cpqarray	Not Available	Kernel Driver
	No Disabled Stopped	OK	
	Normal No No		

cpqgarry2	cpqgarry2	Not Available	Kernel Driver	Running	OK	Normal	No	Yes	Stopped	OK	Normal	No	No
	No	Disabled	Stopped	OK									
	Normal	No	No										
cpqcissm	cpqcissm								ipinip	IP in IP Tunnel Driver			
	c:\windows\system32\drivers\cpqcissm.sys									c:\windows\system32\drivers\ipinip.sys			
	Kernel Driver	Yes	Boot	Running	OK	Normal	No	Yes	Kernel Driver	No	Manual		
	Running	OK	Normal	No	Yes				Stopped	OK	Normal	No	No
cpqfcalm	cpqfcalm	Not Available	Kernel Driver						ipnat	IP Network Address Translator			
	No	Disabled	Stopped	OK						c:\windows\system32\drivers\ipnat.sys			
	Normal	No	No						Kernel Driver	No	Manual		
	Normal	No	No						Stopped	OK	Normal	No	No
crcdisk	CRC Disk Filter Driver								ipsecc	IPSEC driver			
	c:\windows\system32\drivers\crcdisk.sys									c:\windows\system32\drivers\ipsecc.sys			
	Kernel Driver	Yes	Boot	Running	OK	Normal	No	Yes	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes				Running	OK	Normal	No	Yes
dac960nt	dac960nt	Not Available	Kernel Driver						ipsraidn	ipsraidn	Not Available	Kernel Driver	
	No	Disabled	Stopped	OK						No	Disabled	Stopped	OK
	Normal	No	No						Normal	No	No		
dellcerc	dellcerc	Not Available	Kernel Driver						irenum	IR Enumerator Service			
	No	Disabled	Stopped	OK						c:\windows\system32\drivers\irenum.sys			
	Normal	No	No						Kernel Driver	No	Manual		
dfsdriver	DfsDriver								Stopped	OK	Normal	No	No
	c:\windows\system32\drivers\dfs.sys												
	File System Driver	Yes	Boot	Running	OK	Normal	No	Yes	isapnp	PnP ISA/EISA Bus Driver			
	Running	OK	Normal	No	Yes					c:\windows\system32\drivers\isapnp.sys			
									Kernel Driver	Yes	Boot		
disk	Disk Driver								Running	OK	Critical	No	Yes
	c:\windows\system32\drivers\disk.sys												
	Kernel Driver	Yes	Boot	Running	OK	Normal	No	Yes	kbdclass	Keyboard Class Driver			
	Running	OK	Normal	No	Yes					c:\windows\system32\drivers\kbdclass.sys			
									Kernel Driver	Yes	System		
									Running	OK	Normal	No	Yes
dmboot	dmboot								ksecdd	KSecDD			
	c:\windows\system32\drivers\dmboot.sys									c:\windows\system32\drivers\ksecdd.sys			
	Kernel Driver	No	Disabled	Stopped	OK	Normal	No	No	Kernel Driver	Yes	Boot		
	Stopped	OK	Normal	No	No				Running	OK	Normal	No	Yes
dmio	Logical Disk Manager Driver								i2omgmt	i2omgmt	Not Available	Kernel Driver	
	c:\windows\system32\drivers\dmio.sys									No	System	Stopped	OK
	Kernel Driver	Yes	Boot	Running	OK	Normal	No	Yes	Normal	No	No		
	Running	OK	Normal	No	Yes				i2omp	i2omp	Not Available	Kernel Driver	
										No	Disabled	Stopped	OK
									Normal	No	No		
dmload	dmload								i8042prt	i8042 Keyboard and PS/2 Mouse Port Driver			
	c:\windows\system32\drivers\dmload.sys									c:\windows\system32\drivers\i8042prt.sys			
	Kernel Driver	Yes	Boot	Running	OK	Normal	No	Yes	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes				Running	OK	Normal	No	Yes
dpti2o	dpti2o	Not Available	Kernel Driver						iirsp	iirsp	Not Available	Kernel Driver	
	No	Disabled	Stopped	OK						No	Disabled	Stopped	OK
	Normal	No	No						Normal	No	No		
fastfat	Pastfat								imapi	CD-Burning Filter Driver			
	c:\windows\system32\drivers\fastfat.sys									c:\windows\system32\drivers\imapi.sys			
	File System Driver	No	Disabled	Stopped	OK	Normal	No	No	Kernel Driver	No	System		
	Stopped	OK	Normal	No	No				Stopped	OK	Normal	No	No
									intelide	IntelIde	Not Available	Kernel Driver	
fdc	Floppy Disk Controller Driver									No	Disabled	Stopped	OK
	c:\windows\system32\drivers\fdc.sys								Normal	No	No		
	Kernel Driver	Yes	Manual	Running	OK	Normal	No	Yes	ipfilterdriver	IP Traffic Filter Driver			
	Running	OK	Normal	No	Yes					c:\windows\system32\drivers\ipfltdrv.sys			
									Kernel Driver	No	Manual		
fips	Fips												
	c:\windows\system32\drivers\fips.sys												
	Kernel Driver	Yes	System										

mrraid35x	mrraid35x	Not Available	Kernel Driver				File System Driver	Yes	System			Kernel Driver	Yes	Manual				
	No	Disabled	Stopped	OK			Running	OK	Normal	No	Yes	Running	OK	Normal	No	Yes		
mrxdav	WebDav Client Redirector						ntfs	Ntfs				ptilink	Direct Parallel Link Driver					
	c:\windows\system32\drivers\mrxdav.sys							c:\windows\system32\drivers\ntfs.sys					c:\windows\system32\drivers\ptilink.sys					
	File System Driver	No	Manual					File System Driver	Yes	Disabled			Kernel Driver	Yes	Manual			
	Stopped	OK	Normal	No	No			Running	OK	Normal	No	Yes	Running	OK	Normal	No	Yes	
mrxsmb	MRXSMB						null	Null				ql1080	ql1080	Not Available	Kernel Driver			
	c:\windows\system32\drivers\mrxsmb.sys							c:\windows\system32\drivers\null.sys					No	Disabled	Stopped	OK		
	File System Driver	Yes	System					Kernel Driver	Yes	System			Normal	No	No			
	Running	OK	Normal	No	Yes			Running	OK	Normal	No	Yes	ql10wnt	Ql10wnt	Not Available	Kernel Driver		
msfs	Msfs						parport	Parport					Normal	No	No	OK		
	c:\windows\system32\drivers\msfs.sys							c:\windows\system32\drivers\parport.sys					ql12160	ql12160	Not Available	Kernel Driver		
	File System Driver	Yes	System					Kernel Driver	No	Manual			No	Disabled	Stopped	OK		
	Running	OK	Normal	No	Yes			Stopped	OK	Ignore	No	No	ql1240	ql1240	Not Available	Kernel Driver		
mup	Mup						partmgr	Partition Manager					Normal	No	No	OK		
	c:\windows\system32\drivers\mup.sys							c:\windows\system32\drivers\partmgr.sys					ql1280	ql1280	Not Available	Kernel Driver		
	File System Driver	Yes	Boot					Kernel Driver	Yes	Boot			No	Disabled	Stopped	OK		
	Running	OK	Normal	No	Yes			Running	OK	Normal	No	Yes	Normal	No	No			
ndis	NDIS System Driver						pci	PCI Bus Driver					ql2100	ql2100	Not Available	Kernel Driver		
	c:\windows\system32\drivers\ndis.sys							c:\windows\system32\drivers\pci.sys					No	Disabled	Stopped	OK		
	Kernel Driver	Yes	Boot					Kernel Driver	Yes	Boot			Normal	No	No			
	Running	OK	Normal	No	Yes			Running	OK	Critical	No	Yes	ql2200	ql2200	Not Available	Kernel Driver		
ndistapi	Remote Access NDIS TAPI Driver						pciide	PCIIde					Normal	No	No	OK		
	c:\windows\system32\drivers\ndistapi.sys							c:\windows\system32\drivers\pciide.sys					ql2300	ql2300	Not Available	Kernel Driver		
	Kernel Driver	Yes	Manual					Kernel Driver	Yes	Boot			No	Disabled	Stopped	OK		
	Running	OK	Normal	No	Yes			Running	OK	Normal	No	Yes	Normal	No	No			
ndisuio	NDIS Usermode I/O Protocol						pcmcia	Pcmcia					rasacd	Remote Access Auto Connection Driver				
	c:\windows\system32\drivers\ndisuio.sys							c:\windows\system32\drivers\pcmcia.sys						c:\windows\system32\drivers\rasacd.sys				
	Kernel Driver	Yes	Manual					Kernel Driver	No	Disabled			Running	OK	Yes	System		
	Running	OK	Normal	No	Yes			Stopped	OK	Normal	No	No		Normal	No	Yes		
ndiswan	Remote Access NDIS WAN Driver						pdcomp	PDCOMP	Not Available	Kernel Driver			rasl2tp	WAN Miniport (L2TP)				
	c:\windows\system32\drivers\ndiswan.sys							No	Manual	Stopped	OK			c:\windows\system32\drivers\rasl2tp.sys				
	Kernel Driver	Yes	Manual					Ignore	No	No			Running	OK	Yes	Manual		
	Running	OK	Normal	No	Yes			PDFRAME	Not Available	Kernel Driver				Normal	No	Yes		
ndproxy	NDIS Proxy						pdframe	PDFRAME	Not Available	Kernel Driver			raspppoe	Remote Access PPPoE Driver				
	c:\windows\system32\drivers\ndproxy.sys							No	Manual	Stopped	OK			c:\windows\system32\drivers\raspppoe.sys				
	Kernel Driver	Yes	Manual					Ignore	No	No			Running	OK	Yes	Manual		
	Running	OK	Normal	No	Yes			Ignore	No	No			Running	OK	Normal	No	Yes	
netbios	NetBIOS Interface						pdreli	PDRELI	Not Available	Kernel Driver			raspti	Direct Parallel				
	c:\windows\system32\drivers\netbios.sys							No	Manual	Stopped	OK			c:\windows\system32\drivers\raspti.sys				
	File System Driver	Yes	System					Ignore	No	No			Running	OK	Yes	Manual		
	Running	OK	Normal	No	Yes			Ignore	No	No			Running	OK	Normal	No	Yes	
netbt	NetBios over Tcpip						pdrframe	PDRFRAME	Not Available	Kernel Driver			perc2	perc2	Not Available	Kernel Driver		
	c:\windows\system32\drivers\netbt.sys							No	Manual	Stopped	OK			No	Disabled	Stopped	OK	
	Kernel Driver	Yes	System					Normal	No	No			Normal	No	No			
	Running	OK	Normal	No	Yes			Normal	No	No			Normal	No	No			
nfrd960	nfrd960	Not Available	Kernel Driver				perc2hib	perc2hib	Not Available	Kernel Driver			pptpminiport	WAN Miniport (PPTP)				
	No	Disabled	Stopped	OK				No	Disabled	Stopped	OK			c:\windows\system32\drivers\rasppptp.sys				
	Normal	No	No					Normal	No	No			Running	OK	Yes	Manual		
	Running	OK	Normal	No	Yes			Running	OK	Normal	No	Yes		Running	OK	Normal	No	Yes
npfs	Npfs						processor	Processor Driver					rdpcdd	RDPCDD				
	c:\windows\system32\drivers\npfs.sys							c:\windows\system32\drivers\processr.sys						c:\windows\system32\drivers\rdpcdd.sys				
													Running	OK	Ignore	No	Yes	



```

rdpdr Terminal Server Device Redirector Driver
c:\windows\system32\drivers\rdpdr.sys
Kernel Driver Yes Manual
Running OK Normal No Yes

rdpwd RDPWD
c:\windows\system32\drivers\rdpwd.sys
Kernel Driver Yes Manual
Running OK Ignore No Yes

redbook Digital CD Audio Playback Filter Driver
c:\windows\system32\drivers\redbook.sys
Kernel Driver Yes System
Running OK Normal No Yes

secdrv Secdrv
c:\windows\system32\drivers\secdrv.sys
Kernel Driver No Manual
Stopped OK Normal No No

serenum Serenum Filter Driver
c:\windows\system32\drivers\serenum.sys
Kernel Driver Yes Manual
Running OK Normal No Yes

serial Serial port driver
c:\windows\system32\drivers\serial.sys
Kernel Driver Yes System
Running OK Ignore No Yes

sfloppy Sfloppy
c:\windows\system32\drivers\sfloppy.sys
Kernel Driver No System
Stopped OK Ignore No No

simbad Simbad Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

sparrow Sparrow Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

srv Srv
c:\windows\system32\drivers\srv.sys
File System Driver Yes Manual
Running OK Normal No Yes

swenum Software Bus Driver
c:\windows\system32\drivers\swenum.sys
Kernel Driver Yes Manual
Running OK Normal No Yes

symc810 symc810 Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

symc8xx symc8xx Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

symmpi symmpi Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

sym_hi sym_hi Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

```

```

sym_u3 sym_u3 Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

tcpip TCP/IP Protocol Driver
c:\windows\system32\drivers\tcpip.sys
Kernel Driver Yes System
Running OK Normal No Yes

tdpipe TDPIPE
c:\windows\system32\drivers\tdpipe.sys
Kernel Driver No Manual
Stopped OK Ignore No No

tdtcp TDTCP
c:\windows\system32\drivers\tdtcp.sys
Kernel Driver Yes Manual
Running OK Ignore No Yes

termdd Terminal Device Driver
c:\windows\system32\drivers\termdd.sys
Kernel Driver Yes System
Running OK Normal No Yes

toside TosIde Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

udfs Udfs
c:\windows\system32\drivers\udfs.sys
File System Driver No Disabled
Stopped OK Normal No No

ultra ultra Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

update Microcode Update Driver
c:\windows\system32\drivers\update.sys
Kernel Driver Yes Manual
Running OK Normal No Yes

usbhub USB2 Enabled Hub
c:\windows\system32\drivers\usbhub.sys
Kernel Driver Yes Manual
Running OK Normal No Yes

usbohci Microsoft USB Open Host Controller Miniport
Driver
c:\windows\system32\drivers\usbohci.sys
Kernel Driver Yes Manual
Running OK Normal No Yes

vgasave VGA Display Controller.
c:\windows\system32\drivers\vga.sys
Kernel Driver Yes System
Running OK Ignore No Yes

viaide ViaIde Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

volsnap Storage volumes
c:\windows\system32\drivers\volsnap.sys
Kernel Driver Yes Boot
Running OK Normal No Yes

```

```

wanarp Remote Access IP ARP Driver
c:\windows\system32\drivers\wanarp.sys
Kernel Driver Yes Manual
Running OK Normal No Yes

wdica WDICA Not Available Kernel Driver
No Manual Stopped OK
Ignore No No

wlbs Network Load Balancing
c:\windows\system32\drivers\wlbs.sys
Kernel Driver No Manual
Stopped OK Normal No No

[Signed Drivers]

Device Name Signed Device Class
Driver Version Driver Date
Manufacturer INF Name Driver Name
Device ID

Not Available Not Available Not Available
Not Available Not Available Not Available
Available Not Available Not Available
HTREE\ROOT\0
ACPI Multiprocessor PC Yes COMPUTER
5.2.3790.0 10/1/2002 (Standard
computers) hal.inf Not Available
ROOT\ACPI_HAL\0000
Microsoft ACPI-Compliant System Yes
SYSTEM 5.2.3790.0 10/1/2002
Microsoft acpi.inf Not Available
ACPI_HAL\PNP0C08\0
Processor Yes PROCESSOR 5.2.3790.0
10/1/2002 (Standard processor types)
cpu.inf Not Available
ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_2\_6
Processor Yes PROCESSOR 5.2.3790.0
10/1/2002 (Standard processor types)
cpu.inf Not Available
ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_2\_7
PCI bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\0
ServerWorks (RCC) CMIC_LE Processor to PCI Bridge(*)
Yes SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0014&SUBSYS_00000000&REV_3
2\3&267A616A&0&00
ServerWorks (RCC) CMIC_LE Processor to PCI Bridge(*)
Yes SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0014&SUBSYS_00000000&REV_0
0\3&267A616A&0&01
ServerWorks (RCC) CMIC_LE Processor to PCI Bridge(*)
Yes SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available

```

```

PCI\VEN_1166&DEV_0014&SUBSYS_00000000&REV_0
0\3&267A616A&0&02
RAGE XL PCI Family (Microsoft Corporation) Yes
DISPLAY 5.10.2600.6014 8/8/2001 ATI
Technologies Inc. atixpad.inf Not Available
PCI\VEN_1002&DEV_4752&SUBSYS_001E0E11&REV_2
7\3&267A616A&0&18
Plug and Play Monitor Yes MONITOR
5.1.2001.0 6/6/2001 (Standard
monitor types) monitor.inf Not Available
DISPLAY\AV00402\4&89B5141&0&80000001&00&03

Base System Device Not Available UNKNOWN Not
Available Not Available Not Available Not
Available Not Available
PCI\VEN_0E11&DEV_B203&SUBSYS_B2060E11&REV_0
1\3&267A616A&0&20
Base System Device Not Available UNKNOWN Not
Available Not Available Not Available Not
Available Not Available
PCI\VEN_0E11&DEV_B204&SUBSYS_B2060E11&REV_0
1\3&267A616A&0&22
PCI standard ISA bridge Yes SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_1166&DEV_0201&SUBSYS_00000000&REV_9
3\3&267A616A&0&78
ISAPNP Read Data Port Yes SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ISAPNP\READDATA\PORT\0
Motherboard resources Yes SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ACPI\PNP0C02\0
Programmable interrupt controller Yes
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
ACPI\PNP0000\4&35118DFF&0
System timer Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0100\4&35118DFF&0
Direct memory access controller Yes
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
ACPI\PNP0200\4&35118DFF&0
System speaker Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0800\4&35118DFF&0
Standard 101/102-Key or Microsoft Natural PS/2
Keyboard Yes KEYBOARD 5.2.3790.0
10/1/2002 (Standard keyboards)
keyboard.inf Not Available
ACPI\PNP0303\4&35118DFF&0
PS/2 Compatible Mouse Yes MOUSE
5.2.3790.0 10/1/2002 Microsoft
msmouse.inf Not Available
ACPI\PNP0F13\4&35118DFF&0

```

```

Extended IO Bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A06\4&35118DFF&0
Communications Port Yes PORTS 5.2.3790.0
10/1/2002 (Standard port types)
msports.inf Not Available
ACPI\PNP0501\0
Standard floppy disk controller Yes FDC
5.2.3790.0 10/1/2002 (Standard
floppy disk controllers) fdc.inf Not Available
ACPI\PNP0700\5&13237358&0
Floppy disk drive Yes FLOPPYDISK
5.2.3790.0 10/1/2002 (Standard
floppy disk drives) flpydisk.inf Not Available
FDC\GENERIC_FLOPPY_DRIVE\6&1C650E5D&0&0
CSB5 IDE Controller Yes HDC 5.2.3790.0
10/1/2002 ServerWorks mshdc.inf Not
Available
PCI\VEN_1166&DEV_0212&SUBSYS_02121166&REV_9
3\3&267A616A&0&79
Primary IDE Channel Yes HDC 5.2.3790.0
10/1/2002 (Standard IDE ATA/ATAPI
controllers) mshdc.inf Not Available
PCI\IDE\IDECHANNEL\4&1024D5C6&0&0
CD-ROM Drive Yes CDROM 5.2.3790.0
10/1/2002 (Standard CD-ROM drives)
cdrom.inf Not Available
IDE\CDROM\COMPAQ_CD-ROM-SN-
124_____N104_____5\FB0C83D&0&0.0.0
Secondary IDE Channel Yes HDC
5.2.3790.0 10/1/2002 (Standard IDE
ATA/ATAPI controllers) mshdc.inf Not Available
PCI\IDE\IDECHANNEL\4&1024D5C6&0&1
ServerWorks (RCC) PCI to USB Open Host Controller Yes
USB 5.2.3790.0 10/1/2002
ServerWorks (RCC) usbport.inf Not
Available
PCI\VEN_1166&DEV_0220&SUBSYS_02201166&REV_0
5\3&267A616A&0&7A
USB Root Hub Yes USB 5.2.3790.0
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\4&AF5358C&0
Serverworks Champion CSB5 - SouthBridge 5 LPC Yes
SYSTEM 5.2.3790.0 10/1/2002
ServerWorks (RCC) machine.inf Not
Available
PCI\VEN_1166&DEV_0225&SUBSYS_00000000&REV_0
0\3&267A616A&0&7B
ServerWorks Grand Champion CIOB_X2 - I/O Bridge 133
Mhz Yes SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0101&SUBSYS_00000000&REV_0
5\3&267A616A&0&80
ServerWorks Grand Champion CIOB_X2 - I/O Bridge 133
Mhz Yes SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0101&SUBSYS_00000000&REV_0
5\3&267A616A&0&82

```

```

ServerWorks Grand Champion CIOB_X2 - I/O Bridge 133
Mhz Yes SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0101&SUBSYS_00000000&REV_0
5\3&267A616A&0&88
ServerWorks Grand Champion CIOB_X2 - I/O Bridge 133
Mhz Yes SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0101&SUBSYS_00000000&REV_0
5\3&267A616A&0&8A
PCI bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\1
Compaq Smart Array 5i Controller Yes
SCSIADAPTER 5.2.3790.0
10/1/2002 Compaq pnp SCSI.inf Not
Available
PCI\VEN_0E11&DEV_B178&SUBSYS_40800E11&REV_0
1\3&13C0B0C5&0&18
Compaq Virtual LUN Yes SYSTEM 5.2.3790.0
10/1/2002 Compaq scsudev.inf Not
Available
SCSI\OTHER\VEN_COMPAQ&PROD_SCSI_COMMUNICATE
&REV_CISS\4&73DC70A&0&000
Disk drive Yes DISKDRIVE 5.2.3790.0
10/1/2002 (Standard disk drives)
disk.inf Not Available
SCSI\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME&RE
V_2.36\4&73DC70A&0&400
Disk drive Yes DISKDRIVE 5.2.3790.0
10/1/2002 (Standard disk drives)
disk.inf Not Available
SCSI\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME&RE
V_2.36\4&73DC70A&0&410
PCI bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\2
BCM5703 Gigabit Ethernet Yes NET
2.91.0.0 10/1/2002 Narrowcom netb57xp.inf
Not Available
PCI\VEN_14E4&DEV_16A7&SUBSYS_00CB0E11&REV_0
2\3&1070020&0&08
BCM5703 Gigabit Ethernet Yes NET
2.91.0.0 10/1/2002 Narrowcom netb57xp.inf
Not Available
PCI\VEN_14E4&DEV_16A7&SUBSYS_00CB0E11&REV_0
2\3&1070020&0&10
PCI bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\3
Smart Array 5300 Controller (Non-Miniport) No
SCSIADAPTER 5.6.59.32 4/8/2003
Hewlett-Packard oem0.inf Not Available
PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&29E81982&0&08
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem1.inf Not Available

```

```

HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&38EB4840&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oeml.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&38EB4840&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oeml.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&38EB4840&0&0200004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oeml.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&38EB4840&0&0300004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oeml.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&38EB4840&0&0400004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oeml.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&38EB4840&0&0500004000000000
PCI bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\4
Smart Array 5300 Controller (Non-Miniport) No
SCSIADAPTER 5.6.59.32 4/8/2003
Hewlett-Packard oem0.inf Not Available
PCI\VEN_0E11&DEV_B06&SUBSYS_40700E11&REV_0
2\3&172E68DD&0&8
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oeml.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&1F72F2BD&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oeml.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&1F72F2BD&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oeml.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&1F72F2BD&0&0200004000000000
Compaq PCI Hotplug Controller Yes SYSTEM
5.2.3790.0 10/1/2002 Compaq
machine.inf Not Available
PCI\VEN_0E11&DEV_A0F7&SUBSYS_A2FE0E11&REV_1
4\3&172E68DD&0&F0
ACPI Thermal Zone Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\THERMALZONE\THM0
ACPI Fixed Feature Button Yes SYSTEM
5.2.3790.0 10/1/2002 (Standard

```

```

system devices) machine.inf Not Available
ACPI\FIXEDBUTTON\2&DABA3FF&0
Logical Disk Manager Yes SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\DMIO\0000
Volume Manager Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ROOT\FTDISK\0000
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE2931A8
400FFSET7E00LENGTH7DC0B9200
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE2931A8
430FFSET7E00LENGTH3D8F0B400
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE2931A9
BDOFFSET7E00LENGTH17D1E9AE00
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE2931A9
BCOFFSET7E00LENGTH7DC0B9200
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE2931A9
BFOFFSET7E00LENGTH3D8F0B400
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE2931A9
B9OFFSET7E00LENGTH17D1E9AE00
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE2931A9
B8OFFSET7E00LENGTH7DC0B9200
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE2931A9
BBOFFSET7E00LENGTH3D8F0B400
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE2931A9
BAOFFSET7E00LENGTH17CF3A600
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE10FFSE
T4000LENGTH118E5C000
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available

```

```

STORAGE\VOLUME\1&30A96598&0&SIGNATURE30334A
280FFSET7E00LENGTHFDDB1B400
AFD Networking Support Environment Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_AFD\0000
Beep Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_BEEP\0000
CRC Disk Filter Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_CRCDISK\0000
dmboot Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_DMBOOT\0000
dmload Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_DMLoad\0000
Fips Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_FIPS\0000
Generic Packet Classifier Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_GPC\0000
IPSEC driver Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available Not
ROOT\LEGACY_IPSEC\0000
ksecdd Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_KSECDD\0000
mmmd Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_MMDD\0000
mountmgr Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available
ROOT\LEGACY_MOUNTMGR\0000
NDIS System Driver Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available Not
ROOT\LEGACY_NDIS\0000
Remote Access NDIS TAPI Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_NDIS\TAPI\0000
NDIS Usermode I/O Protocol Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_NDISUIO\0000
NDProxy Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available
ROOT\LEGACY_NDPROXY\0000

```

```

NetBios over Tcpip Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available
ROOT\LEGACY_NETBT\0000
Null Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_NULL\0000

Partition Manager Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available Not
ROOT\LEGACY_PARTMGR\0000

Remote Access Auto Connection Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_RASACD\0000
RDP added LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_RDP added\0000

RDP added Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_RDP added\0000

TCP/IP Protocol Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_TCPIP\0000
TDTCP Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_TDTCP\0000

VGA Display Controller. Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_VGASAVE\0000
volsnap Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_VOLSnap\0000

Remote Access IP ARP Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_WANARP\0000
Audio Codecs Yes MEDIA 5.2.3790.0
10/1/2002 (Standard system devices)
wave.inf Not Available
ROOT\MEDIA\MS_MMCM

Legacy Audio Drivers Yes MEDIA
5.2.3790.0 10/1/2002 (Standard
system devices) wave.inf Not Available
ROOT\MEDIA\MS_MMDRV

Media Control Devices Yes MEDIA
5.2.3790.0 10/1/2002 (Standard
system devices) wave.inf Not Available
ROOT\MEDIA\MS_MMCII

Legacy Video Capture Devices Yes MEDIA
5.2.3790.0 10/1/2002 (Standard
system devices) wave.inf Not Available
ROOT\MEDIA\MS_MMVCD

Video Codecs Yes MEDIA 5.2.3790.0
10/1/2002 (Standard system devices)

```

```

wave.inf Not Available
ROOT\MEDIA\MS_MMVID

WAN Miniport (L2TP) Yes NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_L2TPMINIPOINT\0000
WAN Miniport (IP) Yes NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_NDISWANIP\0000
WAN Miniport (PPPOE) Yes NET
5.2.3790.0 10/1/2002 Microsoft
netrasa.inf Not Available
ROOT\MS_PPPOEMINIPOINT\0000
WAN Miniport (PPTP) Yes NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_PPTPMINIPOINT\0000
Direct Parallel Yes NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_PTMINIPOINT\0000
Terminal Server Device Redirector Yes
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\RDPDR\0000
Terminal Server Keyboard Driver Yes
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\RDP_KBD\0000
Terminal Server Mouse Driver Yes SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\RDP_MOUSE\0000
Plug and Play Software Device Enumerator Yes
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\SYSTEM\0000
Microcode Update Device Yes SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\SYSTEM\0001
Not Available Yes Not Available
2:5.0,2:5.1,2:5.2 Not Available Not
Available Not Available Not Available
CCAL5109 on ccaprint02 (from SOUNDWAVE) in
session 1
Not Available Yes Not Available
2:5.0,2:5.1,2:5.2 Not Available Not
Available Not Available Not Available
Labprinter on inforb (from SOUNDWAVE) in
session 1

[Environment Variables]
Variable Value User Name
ComSpec %SystemRoot%\system32\cmd.exe <SYSTEM>
Path %SystemRoot%\system32;%SystemRoot%\SystemR
oot%\System32\Wbem;C:\Program Files\Microsoft SQL
Server\80\Tools\BINN
<SYSTEM>
windir %SystemRoot% <SYSTEM>
OS Windows_NT <SYSTEM>
PROCESSOR_ARCHITECTURE x86 <SYSTEM>
PROCESSOR_LEVEL 15 <SYSTEM>
PROCESSOR_IDENTIFIER x86 Family 15 Model 2
Stepping 5, GenuineIntel <SYSTEM>

```

```

PROCESSOR_REVISION 0205 <SYSTEM>
NUMBER_OF_PROCESSORS 2 <SYSTEM>
ClusterLog C:\WINDOWS\Cluster\cluster.log
<SYSTEM>
PATHEXT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF
;.WSH <SYSTEM>
TEMP %SystemRoot%\TEMP <SYSTEM>
TMP %SystemRoot%\TEMP <SYSTEM>
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\SYSTEM
TMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\SYSTEM
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\LOCAL SERVICE
TMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\LOCAL SERVICE
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\NETWORK SERVICE
TMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\NETWORK SERVICE
TEMP %USERPROFILE%\Local Settings\Temp
MINICOASTER\Administrator
TMP %USERPROFILE%\Local Settings\Temp
MINICOASTER\Administrator

[Print Jobs]
Document Size Owner Notify Status
Time Submitted Start Time
Until Time Elapsed Time
Pages Printed Job ID Priority
Parameters Driver Print
Processor Host Print Queue Data Type Name

[Network Connections]
Local Name Remote Name Type
Status User Name

[Running Tasks]
Name Path Process ID Priority Min
Working Set Max Working Set Start Time
Version Size File Date
system idle process Not Available 0 0
Not Available Not Available Not
Available Not Available Not Available Not
Available system 4 8 0
1413120 Not Available Not Available
Not Available Not Available
smss.exe Not Available 340 11
204800 1413120 11/12/2003 5:32 PM Not
Available Not Available Not Available
csrss.exe Not Available 544 13 Not
Available Not Available 11/12/2003 5:33 PM Not
Available Not Available Not Available
winlogon.exe c:\windows\system32\winlogon.exe
568 13 204800 1413120
11/12/2003 5:33 PM 5.2.3790.0
(srv03_rtm.030324-2048) 536.50 KB (549,376
bytes) 3/25/2003 6:00 AM

```

```

services.exe c:\windows\system32\services.exe
612 9 204800 1413120
11/12/2003 5:33 PM 5.2.3790.0
(srv03_rtm.030324-2048) 102.00 KB (104,448
bytes) 3/25/2003 6:00 AM
lsass.exe c:\windows\system32\lsass.exe 624 9
204800 1413120 11/12/2003 5:33 PM
5.2.3790.0 (srv03_rtm.030324-2048)
13.00 KB (13,312 bytes) 3/25/2003
6:00 AM
svchost.exe c:\windows\system32\svchost.exe
776 8 204800 1413120
11/12/2003 5:33 PM 5.2.3790.0
(srv03_rtm.030324-2048) 13.00 KB (13,312 bytes)
3/25/2003 6:00 AM
svchost.exe c:\windows\system32\svchost.exe
828 8 204800 1413120
11/12/2003 5:33 PM 5.2.3790.0
(srv03_rtm.030324-2048) 13.00 KB (13,312 bytes)
3/25/2003 6:00 AM
svchost.exe Not Available 1004 8
Not Available Not Available
11/12/2003 5:33 PM Not Available Not
Available Not Available
svchost.exe c:\windows\system32\svchost.exe
1088 8 204800 1413120
11/12/2003 5:33 PM 5.2.3790.0
(srv03_rtm.030324-2048) 13.00 KB (13,312 bytes)
3/25/2003 6:00 AM
spoolsv.exe c:\windows\system32\spoolsv.exe
1304 8 204800 1413120
11/12/2003 5:33 PM 5.2.3790.0
(srv03_rtm.030324-2048) 55.00 KB (56,320 bytes)
3/25/2003 6:00 AM
msdtc.exe Not Available 1336 8 Not
Available Not Available 11/12/2003 5:33 PM Not
Available Not Available Not Available
svchost.exe c:\windows\system32\svchost.exe
1528 8 204800 1413120
11/12/2003 5:33 PM 5.2.3790.0
(srv03_rtm.030324-2048) 13.00 KB (13,312 bytes)
3/25/2003 6:00 AM
svchost.exe Not Available 1564 8
Not Available Not Available
11/12/2003 5:33 PM Not Available Not
Available Not Available
mssearch.exe c:\program files\common
files\system\mssearch\bin\mssearch.exe 1608 8
204800 1413120 11/12/2003 5:33 PM
9.107.8320.0 68.00 KB (69,632 bytes)
1/21/2003 9:30 AM
dfssvc.exe c:\windows\system32\dfssvc.exe
1856 8 204800 1413120
11/12/2003 5:33 PM 5.2.3790.0
(srv03_rtm.030324-2048) 130.50 KB (133,632
bytes) 3/25/2003 6:00 AM
wmiprvse.exe Not Available 1128 8
Not Available Not Available

```

```

11/12/2003 5:34 PM Not Available Not
Available Not Available
csrss.exe Not Available 1572 13 Not
Available Not Available 11/13/2003 9:56 AM Not
Available Not Available Not Available
winlogon.exe c:\windows\system32\winlogon.exe
1192 13 204800 1413120
11/13/2003 9:56 AM 5.2.3790.0
(srv03_rtm.030324-2048) 536.50 KB (549,376
bytes) 3/25/2003 6:00 AM
rdpclip.exe c:\windows\system32\rdpclip.exe
1944 8 204800 1413120
11/13/2003 9:56 AM 5.2.3790.0
(srv03_rtm.030324-2048) 53.00 KB (54,272 bytes)
10/31/2003 11:54 AM
explorer.exe c:\windows\explorer.exe 684
8 204800 1413120 11/13/2003
9:56 AM 6.00.3790.0 (srv03_rtm.030324-2048)
1,008.50 KB (1,032,704 bytes) 3/25/2003
6:00 AM
sqlmangr.exe c:\program files\microsoft sql
server\80\tools\bin\sqlmangr.exe 220 8
204800 1413120 11/13/2003 9:56 AM
2000.080.0760.00 72.57 KB (74,308 bytes)
11/2/2003 3:34 PM
helpctr.exe
c:\windows\pchealth\helpctr\binaries\helpctr
.exe 132 8 204800 1413120
11/13/2003 10:04 AM 5.2.3790.0
(srv03_rtm.030324-2048) 764.00 KB (782,336
bytes) 10/31/2003 11:57 AM
helpsvc.exe
c:\windows\pchealth\helpctr\binaries\helpsv
c.exe 588 8 204800 1413120
11/13/2003 10:04 AM 5.2.3790.0
(srv03_rtm.030324-2048) 720.00 KB (737,280
bytes) 10/31/2003 11:57 AM
wmiprvse.exe Not Available 1368 8
Not Available Not Available
11/13/2003 10:04 AM Not Available Not
Available Not Available
logon.scr Not Available 1384 4 Not
Available Not Available 11/13/2003 10:05 AM Not
Available Not Available Not Available

[Loaded Modules]
Name Version Size File Date Manufacturer
Path
winlogon 5.2.3790.0 (srv03_rtm.030324-2048)
536.50 KB (549,376 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\winlogon.exe
6:00 AM 5.2.3790.0 (srv03_rtm.030324-2048)
722.50 KB (739,840 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\ntdll.dll
6:00 AM 5.2.3790.0 (srv03_rtm.030324-2048)
965.00 KB (988,160 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\kernel32.dll
6:00 AM 7.0.3790.0 (srv03_rtm.030324-2048)
319.50 KB (327,168 bytes) 3/25/2003

```

```

6:00 AM Microsoft Corporation
c:\windows\system32\msvcrtdll
advapi32 5.2.3790.0 (srv03_rtm.030324-2048)
559.50 KB (572,928 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\advapi32.dll
6:00 AM 5.2.3790.0 (srv03_rtm.030324-2048)
643.50 KB (658,944 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\rpcrt4.dll
6:00 AM 5.2.3790.0 (srv03_rtm.030324-2048)
562.00 KB (575,488 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\user32.dll
6:00 AM 5.2.3790.0 (srv03_rtm.030324-2048)
263.00 KB (269,312 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\gdi32.dll
6:00 AM 5.2.3790.0 (srv03_rtm.030324-2048)
732.50 KB (750,080 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\userenv.dll
6:00 AM 5.2.3790.0 (srv03_rtm.030324-2048)
16.00 KB (16,384 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\nddeapi.dll
6:00 AM 5.131.3790.0 (srv03_rtm.030324-2048)
598.00 KB (612,352 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\crypt32.dll
6:00 AM 5.2.3790.0 (srv03_rtm.030324-2048)
58.00 KB (59,392 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\msasn1.dll
6:00 AM 5.2.3790.0 (srv03_rtm.030324-2048)
63.00 KB (64,512 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\secur32.dll
6:00 AM 5.2.3790.0 (srv03_rtm.030324-2048)
51.00 KB (52,224 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\winsta.dll
6:00 AM 5.2.3790.0 (srv03_rtm.030324-2048)
317.00 KB (324,608 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\netapi32.dll
6:00 AM 5.2.3790.0 (srv03_rtm.030324-2048)
22.00 KB (22,528 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\profmap.dll
6:00 AM 5.2.3790.0 (srv03_rtm.030324-2048)
48.50 KB (49,664 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\regapi.dll
6:00 AM 5.2.3790.0 (srv03_rtm.030324-2048)
87.50 KB (89,600 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\ws2_32.dll
6:00 AM 5.2.3790.0 (srv03_rtm.030324-2048)
19.50 KB (19,968 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\ws2help.dll

```

psapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
21.50 KB (22,016 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\psapi.dll  
version 5.2.3790.0 (srv03\_rtm.030324-2048)  
17.00 KB (17,408 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\version.dll  
setupapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
1,014.50 KB (1,038,848 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\setupapi.dll  
msgina 5.2.3790.0 (srv03\_rtm.030324-2048)  
1.14 MB (1,191,936 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\msgina.dll  
shsvcs 6.00.3790.0 (srv03\_rtm.030324-2048)  
121.50 KB (124,416 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\shsvcs.dll  
shlwapi 6.00.3790.0 (srv03\_rtm.030324-2048)  
281.00 KB (287,744 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\shlwapi.dll  
sfc 5.2.3790.0 (srv03\_rtm.030324-2048)  
4.50 KB (4,608 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\sfc.dll  
sfc\_os 5.2.3790.0 (srv03\_rtm.030324-2048)  
133.00 KB (136,192 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\sfc\_os.dll  
wintrust 5.131.3790.0 (srv03\_rtm.030324-2048)  
161.50 KB (165,376 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\wintrust.dll  
ole32 5.2.3790.0 (srv03\_rtm.030324-2048)  
1.13 MB (1,187,328 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\ole32.dll  
imagehlp 5.2.3790.0 (srv03\_rtm.030324-2048)  
142.50 KB (145,920 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\imagehlp.dll  
comctl32 6.0 (srv03\_rtm.030324-2048) 907.00 KB  
(928,768 bytes) 10/31/2003 5:47 AM Microsoft  
Corporation  
c:\windows\winsxs\x86\_microsoft.windows.com  
mon-controls\_6595b64144ccf1df\_6.0.100.0\_x-  
ww\_8417450b\comctl32.dll  
winscard 5.2.3790.0 (srv03\_rtm.030324-2048)  
98.50 KB (100,864 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\winscard.dll  
wtsapi32 5.2.3790.0 (srv03\_rtm.030324-2048)  
17.50 KB (17,920 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\wtsapi32.dll  
winmm 5.2.3790.0 (srv03\_rtm.030324-2048)  
166.00 KB (169,984 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\winmm.dll

sxs 5.2.3790.0 (srv03\_rtm.030324-2048)  
733.00 KB (750,592 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\sxs.dll  
shell32 6.00.3790.0 (srv03\_rtm.030324-2048)  
7.79 MB (8,166,400 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\shell32.dll  
rsaenh 5.2.3790.0 (srv03\_rtm.030324-2048)  
176.83 KB (181,072 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\rsaenh.dll  
wldap32 5.2.3790.0 (srv03\_rtm.030324-2048)  
158.00 KB (161,792 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\wldap32.dll  
csccdll 5.2.3790.0 (srv03\_rtm.030324-2048)  
99.00 KB (101,376 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\csccdll.dll  
wlnotify 5.2.3790.0 (srv03\_rtm.030324-2048)  
87.50 KB (89,600 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\wlnotify.dll  
winspool 5.2.3790.0 (srv03\_rtm.030324-2048)  
140.00 KB (143,360 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\winspool.drv  
mpr 5.2.3790.0 (srv03\_rtm.030324-2048)  
56.00 KB (57,344 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\mpr.dll  
comctl32 5.82 (srv03\_rtm.030324-2048) 561.00 KB  
(574,464 bytes) 10/31/2003 5:47 AM Microsoft  
Corporation  
c:\windows\winsxs\x86\_microsoft.windows.com  
mon-controls\_6595b64144ccf1df\_5.82.0.0\_x-  
ww\_8a69ba05\comctl32.dll  
uxtheme 6.00.3790.0 (srv03\_rtm.030324-2048)  
196.00 KB (200,704 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\uxtheme.dll  
samlib 5.2.3790.0 (srv03\_rtm.030324-2048)  
49.00 KB (50,176 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\samlib.dll  
oleaut32 5.2.3790.0 486.00 KB (497,664  
bytes) 3/25/2003 6:00 AM Microsoft Corporation  
c:\windows\system32\oleaut32.dll  
clbcatq 2001.12.4720.0 (srv03\_rtm.030324-2048)  
481.00 KB (492,544 bytes) 10/31/2003  
11:54 AM Microsoft Corporation  
c:\windows\system32\clbcatq.dll  
comres 2001.12.4720.0 (srv03\_rtm.030324-2048)  
778.00 KB (796,672 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\comres.dll  
ntmarta 5.2.3790.0 (srv03\_rtm.030324-2048)  
114.00 KB (116,736 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\ntmarta.dll  
wbemprox 5.2.3790.0 (srv03\_rtm.030324-2048)  
17.50 KB (17,920 bytes) 10/31/2003

11:54 AM Microsoft Corporation  
c:\windows\system32\wbem\wbemprox.dll  
wbemcomn 5.2.3790.0 (srv03\_rtm.030324-2048)  
211.50 KB (216,576 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\wbem\wbemcomn.dll  
wbemsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
42.50 KB (43,520 bytes) 10/31/2003  
11:54 AM Microsoft Corporation  
c:\windows\system32\wbem\wbemsvc.dll  
fastprox 5.2.3790.0 (srv03\_rtm.030324-2048)  
443.00 KB (453,632 bytes) 10/31/2003  
11:54 AM Microsoft Corporation  
c:\windows\system32\wbem\fastprox.dll  
msvcpl60 6.05.2144.0 388.00 KB (397,312  
bytes) 3/25/2003 6:00 AM Microsoft Corporation  
c:\windows\system32\msvcpl60.dll  
ntdsapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
76.00 KB (77,824 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\ntdsapi.dll  
dnsapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
147.50 KB (151,040 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\dnsapi.dll  
authz 5.2.3790.0 (srv03\_rtm.030324-2048)  
67.00 KB (68,608 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\authz.dll  
cryptnet 5.131.3790.0 (srv03\_rtm.030324-2048)  
59.50 KB (60,928 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\cryptnet.dll  
sensapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
6.00 KB (6,144 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\sensapi.dll  
scldntfy 5.2.3790.0 (srv03\_rtm.030324-2048)  
19.50 KB (19,968 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\scldntfy.dll  
es 2001.12.4720.0 (srv03\_rtm.030324-2048)  
221.50 KB (226,816 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\es.dll  
drprov 5.2.3790.0 (srv03\_rtm.030324-2048)  
12.50 KB (12,800 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\drprov.dll  
ntlanman 5.2.3790.0 (srv03\_rtm.030324-2048)  
41.00 KB (41,984 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\ntlanman.dll  
netui0 5.2.3790.0 (srv03\_rtm.030324-2048)  
75.50 KB (77,312 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\netui0.dll  
netuil 5.2.3790.0 (srv03\_rtm.030324-2048)  
184.00 KB (188,416 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\netuil.dll  
davclnt 5.2.3790.0 (srv03\_rtm.030324-2048)  
23.50 KB (24,064 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
c:\windows\system32\davclnt.dll  
rasapi32 5.2.3790.0 (srv03\_rtm.030324-2048)  
227.50 KB (232,960 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\rasapi32.dll  
rasman 5.2.3790.0 (srv03\_rtm.030324-2048)  
56.50 KB (57,856 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\rasman.dll  
tapi32 5.2.3790.0 (srv03\_rtm.030324-2048)  
175.00 KB (179,200 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\tapi32.dll  
rtutils 5.2.3790.0 (srv03\_rtm.030324-2048)  
32.00 KB (32,768 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\rtutils.dll  
services 5.2.3790.0 (srv03\_rtm.030324-2048)  
102.00 KB (104,448 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\services.exe  
sceerv 5.2.3790.0 (srv03\_rtm.030324-2048)  
316.50 KB (324,096 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\sceerv.dll  
umpnpgmr 5.2.3790.0 (srv03\_rtm.030324-2048)  
121.50 KB (124,416 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\umpnpgmr.dll  
ncobjapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
34.50 KB (35,328 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\ncobjapi.dll  
eventlog 5.2.3790.0 (srv03\_rtm.030324-2048)  
60.50 KB (61,952 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\eventlog.dll  
lsass 5.2.3790.0 (srv03\_rtm.030324-2048)  
13.00 KB (13,312 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\lsass.exe  
lsaasrv 5.2.3790.0 (srv03\_rtm.030324-2048)  
780.50 KB (799,232 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\lsaasrv.dll  
samsvr 5.2.3790.0 (srv03\_rtm.030324-2048)  
452.00 KB (462,848 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\samsvr.dll  
cryptdll 5.2.3790.0 (srv03\_rtm.030324-2048)  
34.00 KB (34,816 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\cryptdll.dll  
msprivs 5.2.3790.0 (srv03\_rtm.030324-2048)  
46.50 KB (47,616 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\msprivs.dll  
kerberos 5.2.3790.0 (srv03\_rtm.030324-2048)  
332.50 KB (340,480 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\kerberos.dll

msvl\_0 5.2.3790.0 (srv03\_rtm.030324-2048)  
127.00 KB (130,048 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\msvl\_0.dll  
netlogon 5.2.3790.0 (srv03\_rtm.030324-2048)  
409.00 KB (418,816 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\netlogon.dll  
w32time 5.2.3790.0 (srv03\_rtm.030324-2048)  
216.00 KB (221,184 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\w32time.dll  
iphlpapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
82.50 KB (84,480 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\iphlpapi.dll  
schannel 5.2.3790.0 (srv03\_rtm.030324-2048)  
149.50 KB (153,088 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\schannel.dll  
wdigest 5.2.3790.0 (srv03\_rtm.030324-2048)  
61.00 KB (62,464 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\wdigest.dll  
rassfm 5.2.3790.0 (srv03\_rtm.030324-2048)  
20.50 KB (20,992 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\rassfm.dll  
kdcsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
221.00 KB (226,304 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\kdcsvc.dll  
ntdsa 5.2.3790.0 (srv03\_rtm.030324-2048)  
1.45 MB (1,520,640 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\ntdsa.dll  
ntdsatq 5.2.3790.0 (srv03\_rtm.030324-2048)  
32.00 KB (32,768 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\ntdsatq.dll  
mwssock 5.2.3790.0 (srv03\_rtm.030324-2048)  
254.00 KB (260,096 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\mwssock.dll  
esent 5.2.3790.0 (srv03\_rtm.030324-2048)  
1.01 MB (1,056,256 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\esent.dll  
scecli 5.2.3790.0 (srv03\_rtm.030324-2048)  
179.50 KB (183,808 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\scecli.dll  
wshtcpip 5.2.3790.0 (srv03\_rtm.030324-2048)  
18.00 KB (18,432 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\wshtcpip.dll  
ipsecsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
162.50 KB (166,400 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\ipsecsvc.dll  
oakley 5.2.3790.0 (srv03\_rtm.030324-2048)  
325.50 KB (333,312 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
c:\windows\system32\oakley.dll  
winipsec 5.2.3790.0 (srv03\_rtm.030324-2048)  
34.50 KB (35,328 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\winipsec.dll  
pstorsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
24.00 KB (24,576 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\pstorsvc.dll  
psbase 5.2.3790.0 (srv03\_rtm.030324-2048)  
81.00 KB (82,944 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\psbase.dll  
dssenh 5.2.3790.0 (srv03\_rtm.030324-2048)  
131.33 KB (134,480 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\dssenh.dll  
wlbsctrl 5.2.3790.0 (srv03\_rtm.030324-2048)  
78.00 KB (79,872 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\wlbsctrl.dll  
svchost 5.2.3790.0 (srv03\_rtm.030324-2048)  
13.00 KB (13,312 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\svchost.exe  
rpcss 5.2.3790.0 (srv03\_rtm.030324-2048)  
276.50 KB (283,136 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\rpcss.dll  
termsrv 5.2.3790.0 (srv03\_rtm.030324-2048)  
216.50 KB (221,696 bytes) 10/31/2003  
11:54 AM Microsoft Corporation  
c:\windows\system32\termsrv.dll  
icaapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
10.50 KB (10,752 bytes) 10/31/2003  
11:54 AM Microsoft Corporation  
c:\windows\system32\icaapi.dll  
mstlsapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
104.50 KB (107,008 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\mstlsapi.dll  
activeds 5.2.3790.0 (srv03\_rtm.030324-2048)  
189.00 KB (193,536 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\activeds.dll  
adslrpc 5.2.3790.0 (srv03\_rtm.030324-2048)  
142.50 KB (145,920 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\adslrpc.dll  
credui 5.2.3790.0 (srv03\_rtm.030324-2048)  
159.00 KB (162,816 bytes) 3/25/2003  
6:00 AM Microsoft Corporation  
c:\windows\system32\credui.dll  
atl 3.05.2283 83.00 KB (84,992 bytes)  
3/25/2003 6:00 AM Microsoft Corporation  
c:\windows\system32\atl.dll  
rdpwsx 5.2.3790.0 (srv03\_rtm.030324-2048)  
80.13 KB (82,056 bytes) 10/31/2003  
11:54 AM Microsoft Corporation  
c:\windows\system32\rdpwsx.dll  
wzcsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
272.50 KB (279,040 bytes) 3/25/2003

6:15 AM Microsoft Corporation  
 c:\windows\system32\wzcsvc.dll  
 wmi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 6.50 KB (6,656 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\wmi.dll  
 dhcpcsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 101.50 KB (103,936 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\dhcpcsvc.dll  
 rastls 5.2.3790.0 (srv03\_rtm.030324-2048)  
 155.00 KB (158,720 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\rastls.dll  
 cryptui 5.131.3790.0 (srv03\_rtm.030324-2048)  
 473.50 KB (484,864 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\cryptui.dll  
 mprapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 81.00 KB (82,944 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\mprapi.dll  
 raschap 5.2.3790.0 (srv03\_rtm.030324-2048)  
 106.00 KB (108,544 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\raschap.dll  
 schedsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 176.00 KB (180,224 bytes) 10/31/2003

11:57 AM Microsoft Corporation  
 c:\windows\system32\schedsvc.dll  
 msidle 6.00.3790.0 (srv03\_rtm.030324-2048)  
 5.50 KB (5,632 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\msidle.dll  
 audiosrv 5.2.3790.0 (srv03\_rtm.030324-2048)  
 38.00 KB (38,912 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\audiosrv.dll  
 wkssvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 125.00 KB (128,000 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\wkssvc.dll  
 wiarpc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 30.00 KB (30,720 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\wiarpc.dll  
 cryptsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 51.00 KB (52,224 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\cryptsvc.dll  
 certcli 5.2.3790.0 (srv03\_rtm.030324-2048)  
 228.00 KB (233,472 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\certcli.dll  
 vssapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 528.00 KB (540,672 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\vssapi.dll  
 dmserver 5.2.3790.0 (srv03\_rtm.030324-2048)  
 24.00 KB (24,576 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\dmserver.dll

pchsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 31.50 KB (32,256 bytes) 10/31/2003

11:57 AM Microsoft Corporation  
 c:\windows\pchealth\helpctr\binaries\pchsvc  
 .dll  
 seclogon 5.2.3790.0 (srv03\_rtm.030324-2048)  
 16.50 KB (16,896 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\seclogon.dll  
 srvsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 89.00 KB (91,136 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\srvsvc.dll  
 trkwks 5.2.3790.0 (srv03\_rtm.030324-2048)  
 85.00 KB (87,040 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\trkwks.dll  
 wuauerv 5.4.3790.0 (srv03\_rtm.030324-2048)  
 10.50 KB (10,752 bytes) 10/31/2003

11:54 AM Microsoft Corporation  
 c:\windows\system32\wuauerv.dll  
 wuaueng 5.4.3790.0 (srv03\_rtm.030324-2048)  
 188.50 KB (193,024 bytes) 10/31/2003

11:54 AM Microsoft Corporation  
 c:\windows\system32\wuaueng.dll  
 advpack 6.00.3790.0 (srv03\_rtm.030324-2048)  
 93.50 KB (95,744 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\advpack.dll  
 wininet 6.00.3790.0 (srv03\_rtm.030324-2048)  
 609.00 KB (623,616 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\wininet.dll  
 wmisvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 131.00 KB (134,144 bytes) 10/31/2003

11:54 AM Microsoft Corporation  
 c:\windows\system32\wmisvc.dll  
 winnr 5.2.3790.0 (srv03\_rtm.030324-2048)  
 15.00 KB (15,360 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\winnr.dll  
 sens 5.2.3790.0 (srv03\_rtm.030324-2048)  
 35.50 KB (36,352 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\sens.dll  
 comsvcs 2001.12.4720.0 (srv03\_rtm.030324-2048)  
 1.14 MB (1,199,616 bytes) 10/31/2003

11:54 AM Microsoft Corporation  
 c:\windows\system32\comsvcs.dll  
 browser 5.2.3790.0 (srv03\_rtm.030324-2048)  
 70.50 KB (72,192 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\browser.dll  
 rasadhlp 5.2.3790.0 (srv03\_rtm.030324-2048)  
 6.50 KB (6,656 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\rasadhlp.dll  
 wbemcore 5.2.3790.0 (srv03\_rtm.030324-2048)  
 457.00 KB (467,968 bytes) 10/31/2003

11:54 AM Microsoft Corporation  
 c:\windows\system32\wbem\wbemcore.dll  
 esscli 5.2.3790.0 (srv03\_rtm.030324-2048)  
 235.50 KB (241,152 bytes) 10/31/2003

11:54 AM Microsoft Corporation  
 c:\windows\system32\wbem\esscli.dll  
 wmiutils 5.2.3790.0 (srv03\_rtm.030324-2048)  
 90.50 KB (92,672 bytes) 10/31/2003

11:54 AM Microsoft Corporation  
 c:\windows\system32\wbem\wmiutils.dll  
 repdrvfs 5.2.3790.0 (srv03\_rtm.030324-2048)  
 165.00 KB (168,960 bytes) 10/31/2003

11:54 AM Microsoft Corporation  
 c:\windows\system32\wbem\repdrvfs.dll  
 wmiprvsd 5.2.3790.0 (srv03\_rtm.030324-2048)  
 405.50 KB (415,232 bytes) 10/31/2003

11:54 AM Microsoft Corporation  
 c:\windows\system32\wbem\wmiprvsd.dll  
 netman 5.2.3790.0 (srv03\_rtm.030324-2048)  
 209.00 KB (214,016 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\netman.dll  
 wzcsapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 24.50 KB (25,088 bytes) 3/25/2003

6:15 AM Microsoft Corporation  
 c:\windows\system32\wzcsapi.dll  
 netshell 5.2.3790.0 (srv03\_rtm.030324-2048)  
 1.67 MB (1,747,456 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\netshell.dll  
 clusapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 56.00 KB (57,344 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\clusapi.dll  
 wbemess 5.2.3790.0 (srv03\_rtm.030324-2048)  
 256.50 KB (262,656 bytes) 10/31/2003

11:54 AM Microsoft Corporation  
 c:\windows\system32\wbem\wbemess.dll  
 hnetcfg 5.2.3790.0 (srv03\_rtm.030324-2048)  
 243.50 KB (249,344 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\hnetcfg.dll  
 rasdlg 5.2.3790.0 (srv03\_rtm.030324-2048)  
 642.00 KB (657,408 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\rasdlg.dll  
 ncprov 5.2.3790.0 (srv03\_rtm.030324-2048)  
 43.00 KB (44,032 bytes) 10/31/2003

11:54 AM Microsoft Corporation  
 c:\windows\system32\wbem\ncprov.dll  
 winhttp 5.2.3790.0 (srv03\_rtm.030324-2048)  
 327.50 KB (335,360 bytes) 10/31/2003

5:47 AM Microsoft Corporation  
 c:\windows\winsxs\x86\_microsoft.windows.win  
 http\_6595b64144ccf1df\_5.1.0.0\_x-  
 ww\_e0651936\winhttp.dll  
 netrap 5.2.3790.0 (srv03\_rtm.030324-2048)  
 11.50 KB (11,776 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\netrap.dll  
 netcfgx 5.2.3790.0 (srv03\_rtm.030324-2048)  
 726.00 KB (743,424 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\netcfgx.dll  
 actxprxy 6.00.3790.0 (srv03\_rtm.030324-2048)  
 95.00 KB (97,280 bytes) 3/25/2003



6:00 AM Microsoft Corporation  
 c:\windows\system32\actxprxy.dll  
 spoolsv 5.2.3790.0 (srv03\_rtm.030324-2048)  
 55.00 KB (56,320 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\spoolsv.exe  
 spoolss 5.2.3790.0 (srv03\_rtm.030324-2048)  
 79.00 KB (80,896 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\spoolss.dll  
 localspl 5.2.3790.0 (srv03\_rtm.030324-2048)  
 304.50 KB (311,808 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\localspl.dll  
 cnbjmon 5.2.3680.0 (Lab03\_dev\skatari).020509-1043)  
 45.50 KB (46,592 bytes) 3/24/2003  
 7:48 PM Microsoft Corporation  
 c:\windows\system32\cnbjmon.dll  
 pjlmom 5.2.3790.0 (srv03\_rtm.030324-2048)  
 15.00 KB (15,360 bytes) 3/24/2003  
 7:49 PM Microsoft Corporation  
 c:\windows\system32\pjlmom.dll  
 tcpmon 5.2.3790.0 (srv03\_rtm.030324-2048)  
 44.00 KB (45,056 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\tcpmon.dll  
 mgmtapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 14.00 KB (14,336 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\mgmtapi.dll  
 snmpapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 17.50 KB (17,920 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\snmpapi.dll  
 wsnmp32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 39.50 KB (40,448 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\wsnmp32.dll  
 usbmon 5.2.3790.0 (srv03\_rtm.030324-2048)  
 17.00 KB (17,408 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\usbmon.dll  
 wshqos 5.2.3790.0 (srv03\_rtm.030324-2048)  
 23.00 KB (23,552 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\wshqos.dll  
 win32spl 5.2.3790.0 (srv03\_rtm.030324-2048)  
 94.50 KB (96,768 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\win32spl.dll  
 inetpp 5.2.3790.0 (srv03\_rtm.030324-2048)  
 71.50 KB (73,216 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\inetpp.dll  
 icmp 5.2.3790.0 (srv03\_rtm.030324-2048)  
 4.50 KB (4,608 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\icmp.dll  
 ps5ui 5.2.3790.0 (srv03\_rtm.030324-2048)  
 129.50 KB (132,608 bytes) 11/2/2003  
 3:23 PM Microsoft Corporation  
 c:\windows\system32\spool\drivers\w32x86\3\  
 ps5ui.dll

unidrvui 5.2.3790.0 (srv03\_rtm.030324-2048)  
 197.50 KB (202,240 bytes) 11/2/2003  
 3:23 PM Microsoft Corporation  
 c:\windows\system32\spool\drivers\w32x86\3\  
 unidrvui.dll  
 ersvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 22.00 KB (22,528 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\ersvc.dll  
 mssearch 9.107.8320.0 68.00 KB (69,632 bytes)  
 1/21/2003 9:30 AM Microsoft Corporation  
 c:\program files\common  
 files\system\mssearch\bin\mssearch.exe  
 mssws 9.107.8320.0 32.00 KB (32,768 bytes)  
 1/21/2003 9:30 AM Microsoft Corporation  
 c:\program files\common  
 files\system\mssearch\bin\mssws.dll  
 mssrch 9.107.8320.0 1.24 MB (1,302,528  
 bytes) 1/21/2003 9:30 AM Microsoft Corporation  
 c:\progra-1\common-1\system\mssearch\bin\ms  
 srch.dll  
 security 5.2.3790.0 (srv03\_rtm.030324-2048)  
 5.50 KB (5,632 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\security.dll  
 tquery 9.107.8320.0 1.46 MB (1,536,000  
 bytes) 1/21/2003 9:30 AM Microsoft Corporation  
 c:\program files\common  
 files\system\mssearch\bin\tquery.dll  
 propdefs 9.107.8320.0 136.00 KB (139,264  
 bytes) 1/21/2003 9:30 AM Microsoft Corporation  
 c:\progra-1\common-1\system\mssearch\bin\pr  
 opdefs.dll  
 srchidx 9.107.8320.0 384.00 KB (393,216  
 bytes) 1/21/2003 9:30 AM Microsoft Corporation  
 c:\progra-1\common-1\system\mssearch\bin\sr  
 chidx.dll  
 iprop 5.2.3790.0 (srv03\_rtm.030324-2048)  
 3.50 KB (3,584 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\iprop.dll  
 dfssvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 130.50 KB (133,632 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\dfssvc.exe  
 resutils 5.2.3790.0 (srv03\_rtm.030324-2048)  
 59.00 KB (60,416 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\resutils.dll  
 mfc42u 6.05.3014.0 960.00 KB (983,040  
 bytes) 3/25/2003 6:00 AM Microsoft Corporation  
 c:\windows\system32\mfc42u.dll  
 wsock32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 22.00 KB (22,528 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\wsock32.dll  
 rdpsnd 5.2.3790.0 (srv03\_rtm.030324-2048)  
 18.00 KB (18,432 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\rdpsnd.dll  
 scredir 5.2.3790.0 (srv03\_rtm.030324-2048)  
 27.00 KB (27,648 bytes) 3/25/2003

6:00 AM Microsoft Corporation  
 c:\windows\system32\scredir.dll  
 cscui 5.2.3790.0 (srv03\_rtm.030324-2048)  
 305.00 KB (312,320 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\cscui.dll  
 msacm32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 21.00 KB (21,504 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\msacm32.drv  
 msacm32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 67.50 KB (69,120 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\msacm32.dll  
 imaadp32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 15.50 KB (15,872 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\imaadp32.acm  
 msadp32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 14.50 KB (14,848 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\msadp32.acm  
 msg711 5.2.3790.0 (srv03\_rtm.030324-2048)  
 10.00 KB (10,240 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\msg711.acm  
 msgsm32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 20.50 KB (20,992 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\msgsm32.acm  
 tssoft32 1.01 9.50 KB (9,728 bytes)  
 3/25/2003 6:00 AM DSP GROUP, INC.  
 c:\windows\system32\tssoft32.acm  
 tsd32 1.03 16.50 KB (16,896 bytes)  
 3/25/2003 6:00 AM DSP GROUP, INC.  
 c:\windows\system32\tsd32.dll  
 msg723 4.4.4000 116.00 KB (118,784 bytes)  
 10/31/2003 11:57 AM Microsoft Corporation  
 c:\windows\system32\msg723.acm  
 msaud32 8.00.00.4487 288.00 KB (294,912  
 bytes) 3/25/2003 6:00 AM Microsoft Corporation  
 c:\windows\system32\msaud32.acm  
 sl\_anet 3.02 84.00 KB (86,016 bytes)  
 3/25/2003 6:00 AM Sipro Lab Telecom Inc.  
 c:\windows\system32\sl\_anet.acm  
 l3codeca 1, 9, 0, 0305 284.00 KB (290,816  
 bytes) 3/25/2003 6:00 AM Fraunhofer Institut  
 Integrierte Schaltungen IIS  
 c:\windows\system32\l3codeca.acm  
 printui 5.2.3790.0 (srv03\_rtm.030324-2048)  
 536.50 KB (549,376 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\printui.dll  
 cfgmgr32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 17.50 KB (17,920 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\cfgmgr32.dll  
 cabinet 5.2.3790.0 (srv03\_rtm.030324-2048)  
 61.00 KB (62,464 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\cabinet.dll  
 rdpcclip 5.2.3790.0 (srv03\_rtm.030324-2048)  
 53.00 KB (54,272 bytes) 10/31/2003

11:54 AM Microsoft Corporation  
 c:\windows\system32\rdpclip.exe  
 explorer 6.00.3790.0 (srv03\_rtm.030324-2048)  
 1,008.50 KB (1,032,704 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\explorer.exe  
 browseui 6.00.3790.0 (srv03\_rtm.030324-2048)  
 1.01 MB (1,057,280 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\browseui.dll  
 shdocvw 6.00.3790.0 (srv03\_rtm.030324-2048)  
 1.33 MB (1,393,664 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\shdocvw.dll  
 apphelp 5.2.3790.0 (srv03\_rtm.030324-2048)  
 122.00 KB (124,928 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\apphelp.dll  
 themeui 6.00.3790.0 (srv03\_rtm.030324-2048)  
 360.50 KB (369,152 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\themeui.dll  
 msimg32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 4.50 KB (4,608 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\msimg32.dll  
 linkinfo 5.2.3790.0 (srv03\_rtm.030324-2048)  
 16.50 KB (16,896 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\linkinfo.dll  
 ntshrui 6.00.3790.0 (srv03\_rtm.030324-2048)  
 136.00 KB (139,264 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\ntshrui.dll  
 urlmon 6.00.3790.0 (srv03\_rtm.030324-2048)  
 501.50 KB (513,536 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32?urlmon.dll  
 mprui 5.2.3790.0 (srv03\_rtm.030324-2048)  
 49.00 KB (50,176 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\mprui.dll  
 netui2 5.2.3790.0 (srv03\_rtm.030324-2048)  
 309.50 KB (316,928 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\netui2.dll  
 comdlg32 6.00.3790.0 (srv03\_rtm.030324-2048)  
 261.00 KB (267,264 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\comdlg32.dll  
 netmsg 5.2.3790.0 (srv03\_rtm.030324-2048)  
 178.00 KB (182,272 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\netmsg.dll  
 netplwiz 5.2.3790.0 (srv03\_rtm.030324-2048)  
 843.00 KB (863,232 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\netplwiz.dll  
 webcheck 6.00.3790.0 (srv03\_rtm.030324-2048)  
 261.50 KB (267,776 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\webcheck.dll

stobject 5.2.3790.0 (srv03\_rtm.030324-2048)  
 117.50 KB (120,320 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\stobject.dll  
 batmeter 6.00.3790.0 (srv03\_rtm.030324-2048)  
 28.50 KB (29,184 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\batmeter.dll  
 powrprof 6.00.3790.0 (srv03\_rtm.030324-2048)  
 14.50 KB (14,848 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\powrprof.dll  
 browselc 6.00.3790.0 (srv03\_rtm.030324-2048)  
 62.00 KB (63,488 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\browselc.dll  
 mydocs 6.00.3790.0 (srv03\_rtm.030324-2048)  
 88.00 KB (90,112 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\mydocs.dll  
 shdoclc 6.00.3790.0 (srv03\_rtm.030324-2048)  
 588.50 KB (602,624 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\shdoclc.dll  
 sqlmangr 2000.080.0760.00 72.57 KB (74,308 bytes)  
 11/2/2003 3:34 PM Microsoft Corporation  
 c:\program files\microsoft sql  
 server\80\tools\bin\sqlmangr.exe  
 sqlunirl 2000.080.0728.00 176.56 KB (180,800  
 bytes) 3/25/2003 6:00 AM Microsoft Corporation  
 c:\windows\system32\sqlunirl.dll  
 w95scm 2000.080.0760.00 48.56 KB (49,728 bytes)  
 11/2/2003 3:34 PM Microsoft Corporation  
 c:\program files\microsoft sql  
 server\80\tools\bin\w95scm.dll  
 odbcb32 3.525.1022.0 (srv03\_rtm.030324-2048)  
 232.00 KB (237,568 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\odbcb32.dll  
 sqlsvc 2000.080.0760.00 92.56 KB (94,784 bytes)  
 11/2/2003 3:34 PM Microsoft Corporation  
 c:\program files\microsoft sql  
 server\80\tools\bin\sqlsvc.dll  
 odbcbcp 2000.085.1022.00 (srv03\_rtm.030324-2048)  
 24.00 KB (24,576 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\odbcbcp.dll  
 sqlresld 2000.080.0382.00 28.56 KB (29,248 bytes)  
 11/2/2003 3:34 PM Microsoft Corporation  
 c:\program files\microsoft sql  
 server\80\tools\bin\sqlresld.dll  
 odbcbint 3.525.1022.0 (srv03\_rtm.030324-2048)  
 92.00 KB (94,208 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\odbcbint.dll  
 sqlsvc 2000.080.0194.00 24.00 KB (24,576 bytes)  
 11/2/2003 3:34 PM Microsoft Corporation  
 c:\program files\microsoft sql  
 server\80\tools\bin\resources\1033\sqlsvc.rll  
 sqlmangr 2000.080.0194.00 96.00 KB (98,304 bytes)  
 11/2/2003 3:34 PM Microsoft Corporation  
 c:\program files\microsoft sql  
 server\80\tools\bin\resources\1033\sqlmangr.rll

helpctr 5.2.3790.0 (srv03\_rtm.030324-2048)  
 764.00 KB (782,336 bytes) 10/31/2003  
 11:57 AM Microsoft Corporation  
 c:\windows\pchealth\helpctr\binaries\helpctr  
 r.exe  
 hcappres 5.2.3790.0 (srv03\_rtm.030324-2048)  
 6.50 KB (6,656 bytes) 10/31/2003  
 11:57 AM Microsoft Corporation  
 c:\windows\pchealth\helpctr\binaries\hcappres.dll  
 itss 5.2.3790.0 (srv03\_rtm.030324-2048)  
 119.50 KB (122,368 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\itss.dll  
 msxml3 8.40.9419.0 1.28 MB (1,337,344  
 bytes) 3/25/2003 6:00 AM Microsoft Corporation  
 c:\windows\system32\msxml3.dll  
 pchshell 5.2.3790.0 (srv03\_rtm.030324-2048)  
 100.50 KB (102,912 bytes) 10/31/2003  
 11:57 AM Microsoft Corporation  
 c:\windows\pchealth\helpctr\binaries\pchshell.dll  
 mlang 6.00.3790.0 (srv03\_rtm.030324-2048)  
 570.00 KB (583,680 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\mlang.dll  
 mshtml 6.00.3790.0 (srv03\_rtm.030324-2048)  
 2.78 MB (2,916,352 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\mshtml.dll  
 msimtf 5.2.3790.0 (srv03\_rtm.030324-2048)  
 149.00 KB (152,576 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\msimtf.dll  
 msctf 5.2.3790.0 (srv03\_rtm.030324-2048)  
 287.00 KB (293,888 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\msctf.dll  
 jscript 5.6.0.8515 436.00 KB (446,464  
 bytes) 3/25/2003 6:00 AM Microsoft Corporation  
 c:\windows\system32\jscript.dll  
 msls31 3.10.349.0 147.00 KB (150,528  
 bytes) 3/25/2003 6:00 AM Microsoft Corporation  
 c:\windows\system32\msls31.dll  
 imm32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 105.50 KB (108,032 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\imm32.dll  
 mshtml 6.00.3790.0 (srv03\_rtm.030324-2048)  
 443.50 KB (454,144 bytes) 3/25/2003  
 6:00 AM Microsoft Corporation  
 c:\windows\system32\mshtml.dll  
 vbscript 5.6.0.8515 404.00 KB (413,696  
 bytes) 3/25/2003 6:00 AM Microsoft Corporation  
 c:\windows\system32\vbscript.dll  
 mfc42 6.05.3014.0 960.00 KB (983,040  
 bytes) 3/25/2003 6:00 AM Microsoft Corporation  
 c:\windows\system32\mfc42.dll  
 msinfo 5.2.3790.0 (srv03\_rtm.030324-2048)  
 358.50 KB (367,104 bytes) 10/31/2003  
 11:57 AM Microsoft Corporation  
 c:\windows\pchealth\helpctr\binaries\msinfo  
 .dll

```

riched32 5.2.3790.0 (srv03_rtm.030324-2048)
3.50 KB (3,584 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\riched32.dll
riched20 5.31.23.1218 406.00 KB (415,744
bytes) 3/25/2003 6:00 AM Microsoft Corporation
c:\windows\system32\riched20.dll
helpsvc 5.2.3790.0 (srv03_rtm.030324-2048)
720.00 KB (737,280 bytes) 10/31/2003
Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\helpsv
c.exe

```

[Services]

Display Name	Name	State	Start Mode
Service Type	Path	Error Control	
Start Name	Tag ID		
Alerter	Alerter	Stopped	Share Process
	c:\windows\system32\svchost.exe -k		
localservice	Normal	NT	
AUTHORITY\LocalService		0	
Application Layer Gateway Service	ALG		
	Stopped	Manual	Own Process
	c:\windows\system32\alg.exe	Normal	NT
AUTHORITY\LocalService		0	
Application Management	AppMgmt	Stopped	
	Manual	Share Process	
	c:\windows\system32\svchost.exe -k netsvcs		
	Normal	LocalSystem	0
Windows Audio	AudioSrv	Running	Auto
	Share Process		
	c:\windows\system32\svchost.exe -k netsvcs		
	Normal	LocalSystem	0
Background Intelligent Transfer Service BITS		Stopped	Manual
	Share Process		
	c:\windows\system32\svchost.exe -k netsvcs		
	Normal	LocalSystem	0
Computer Browser	Browser	Running	Auto
	Share Process		
	c:\windows\system32\svchost.exe -k netsvcs		
	Normal	LocalSystem	0
Indexing Service	CISvc	Stopped	Disabled
	Share Process		
	c:\windows\system32\cisvc.exe	Normal	
	LocalSystem	0	
ClipBook	ClipSrv	Stopped	Disabled
	Own Process		
	c:\windows\system32\clipsrv.exe		
	Normal	LocalSystem	0
COM+ System Application	COMSysApp	Stopped	
	Manual	Own Process	
	c:\windows\system32\dllhost.exe		
/processid:{02d4b3f1-fd88-11d1-960d-00805fc79235}			
	Normal	LocalSystem	0
Cryptographic Services	CryptSvc	Running	
	Auto	Share Process	
	c:\windows\system32\svchost.exe -k netsvcs		
	Normal	LocalSystem	0
Distributed File System	Dfs	Running	
	Auto	Own Process	
	c:\windows\system32\dfsrv.exe		
	Normal	LocalSystem	0

```

DHCP Client Dhcp Running Auto
Share Process
c:\windows\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Logical Disk Manager Administrative Service
dmadmin Stopped Manual Share Process
c:\windows\system32\dmadmin.exe /com
Normal LocalSystem 0
Logical Disk Manager dmserver Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
DNS Client Dnscache Running Auto
Share Process
c:\windows\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Error Reporting Service ERSvc Running
Auto Share Process
c:\windows\system32\svchost.exe -k winerr
Ignore LocalSystem 0
Event Log Eventlog Running Auto Share Process
c:\windows\system32\services.exe
Normal LocalSystem 0
COM+ Event System EventSystem Running
Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Help and Support helpsvc Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Human Interface Device Access HidServ Stopped
Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
HTTP SSL HTTPFilter Stopped Manual
Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
IMAPI CD-Burning COM Service ImapiService
Stopped Disabled Own Process
c:\windows\system32\imapi.exe Normal
LocalSystem 0
Intersite Messaging IsmSrv Stopped Disabled Own
Process c:\windows\system32\ismsrv.exe
Normal LocalSystem 0
Kerberos Key Distribution Center kdc
Stopped Disabled Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Server lanmanserver Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Workstation lanmanworkstation Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
License Logging LicenseService Stopped
Disabled Own Process
c:\windows\system32\llssrv.exe

```

```

Normal NT AUTHORITY\NetworkService 0
TCP/IP NetBIOS Helper LmHosts Running
Auto Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Messenger Messenger Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
NetMeeting Remote Desktop Sharing nmmsrvc
Stopped Disabled Own Process
c:\windows\system32\mmmsrvc.exe
Normal LocalSystem 0
Distributed Transaction Coordinator MSDTC
Running Auto Own Process
c:\windows\system32\msdtc.exe Normal NT
AUTHORITY\NetworkService 0
Windows Installer MSIServer Stopped Manual
Share Process
c:\windows\system32\msiexec.exe /v
Normal LocalSystem 0
Microsoft Search MSSEARCH Running Auto
Share Process "c:\program
files\common files\system\mssearch\bin\mssearch.exe"
Normal LocalSystem 0
MSSQLSERVER MSSQLSERVER Stopped
Manual Own Process
c:\progra~1\micro~1\mssql~1\bin\sqlservr.ex
e Normal LocalSystem 0
MSSQLServerADHelper MSSQLServerADHelper Stopped
Manual Own Process c:\program
files\microsoft sql server\80\tools\bin\sqladhlp.exe
Normal LocalSystem 0
Network DDE NetDDE Stopped Disabled
Share Process
c:\windows\system32\netdde.exe
Normal LocalSystem 0
Network DDE DSDM NetDDEdsdm Stopped
Disabled Share Process
c:\windows\system32\netdde.exe
Normal LocalSystem 0
Net Logon Netlogon Stopped Manual Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Network Connections Netman Running Manual
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Network Location Awareness (NLA) Nla
Running Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
File Replication NtFrs Stopped Manual Own
Process c:\windows\system32\ntfrs.exe Ignore
LocalSystem 0
NT LM Security Support Provider NtLmSsp
Running Manual Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Removable Storage NtmsSvc Stopped Manual
Share Process

```

```

c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Plug and Play PlugPlay Running Auto
Share Process
c:\windows\system32\services.exe
Normal LocalSystem 0
IPSEC Services PolicyAgent Running
Auto Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Protected Storage ProtectedStorage Running
Auto Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Remote Access Auto Connection Manager RasAuto
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Access Connection Manager RasMan
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Desktop Help Session Manager RDSessMgr
Stopped Manual Own Process
c:\windows\system32\sessmgr.exe
Normal LocalSystem 0
Routing and Remote Access RemoteAccess
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Registry RemoteRegistry Running
Auto Share Process
c:\windows\system32\svchost.exe -k regsvr
Normal NT AUTHORITY\LocalService 0
Remote Procedure Call (RPC) Locator RpcLocator
Stopped Manual Own Process
c:\windows\system32\locator.exe
Normal NT AUTHORITY\NetworkService 0
Remote Procedure Call (RPC) RpcSs Running
Auto Share Process
c:\windows\system32\svchost -k rpcss
Normal LocalSystem 0
Resultant Set of Policy Provider RSOPProv
Stopped Manual Share Process
c:\windows\system32\rsopprov.exe
Normal LocalSystem 0
Special Administration Console Helper sacsvr
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Security Accounts Manager SamSs Running
Auto Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Smart Card SCardSvr Stopped Manual
Share Process
c:\windows\system32\scardsvr.exe
Ignore NT AUTHORITY\LocalService 0
Task Scheduler Schedule Running Auto
Share Process

```

```

c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Secondary Logon seclogon Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Ignore LocalSystem 0
System Event Notification SENS Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Internet Connection Firewall (ICF) / Internet
Connection Sharing (ICS) SharedAccess
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Shell Hardware Detection ShellHWDetection
Running Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Ignore LocalSystem 0
Print Spooler Spooler Running Auto Own
Process c:\windows\system32\spoolsv.exe
Normal LocalSystem 0
SQLSERVERAGENT SQLSERVERAGENT Stopped
Manual Own Process
c:\progra-1\microso-1\mssql\bin\sqlagent.exe
Normal LocalSystem 0
Windows Image Acquisition (WIA) stisvc
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k imgsvc
Normal NT AUTHORITY\LocalService 0
Microsoft Software Shadow Copy Provider swprv
Stopped Manual Own Process
c:\windows\system32\svchost.exe -k swprv
Normal LocalSystem 0
Performance Logs and Alerts SysmonLog Stopped
Manual Own Process
c:\windows\system32\smlogsvc.exe
Normal NT Authority\NetworkService 0
Telephony TapiSrv Stopped Manual Share Process
c:\windows\system32\svchost.exe -k tapisrv
Normal LocalSystem 0
Terminal Services TermService Running
Manual Share Process
c:\windows\system32\svchost.exe -k termsvcs
Normal LocalSystem 0
Themes Themes Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Telnet TlntSvr Stopped Disabled Own Process
c:\windows\system32\tlntsvr.exe
Normal NT AUTHORITY\LocalService 0
Distributed Link Tracking Server TrkSvr
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Distributed Link Tracking Client TrkWks
Running Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0

```

```

Terminal Services Session Directory Tssdis
Stopped Disabled Own Process
c:\windows\system32\tssdis.exe
Normal LocalSystem 0
Upload Manager uploadmgr Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Uninterruptible Power Supply UPS Stopped
Manual Own Process
c:\windows\system32\ups.exe Normal NT
AUTHORITY\LocalService 0
Virtual Disk Service vds Stopped
Manual Own Process
c:\windows\system32\vds.exe Normal
LocalSystem 0
Volume Shadow Copy VSS Stopped Manual Own
Process c:\windows\system32\vssvc.exe Normal
LocalSystem 0
Windows Time W32Time Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
WebClient WebClient Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
WinHTTP Web Proxy Auto-Discovery Service
WinHttpAutoProxySvc Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Windows Management Instrumentation winmgmt
Running Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Ignore LocalSystem 0
Portable Media Serial Number Service WmdmPmSN
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Windows Management Instrumentation Driver Extensions
Wmi Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
WMI Performance Adapter WmiApSrv Stopped
Manual Own Process
c:\windows\system32\wbem\wmiapsrv.exe
Normal LocalSystem 0
Automatic Updates wuauclt Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Wireless Configuration WZCSVC Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
[Program Groups]
Group Name Name User Name
Accessories Default User:Accessories
Default User

```

```

Accessories\Accessibility Default
User:Accessories\Accessibility Default User

Accessories\Entertainment Default
User:Accessories\Entertainment Default User

Startup Default User:Startup Default User

Accessories All Users:Accessories All
Users
Accessories\Accessibility All
Users:Accessories\Accessibility All Users
Accessories\Communications All
Users:Accessories\Communications All Users
Accessories\Entertainment All
Users:Accessories\Entertainment All Users
Accessories\System Tools All
Users:Accessories\System Tools All Users
Administrative Tools All
Users:Administrative Tools All Users
Microsoft SQL Server All Users:Microsoft SQL
Server All Users
Microsoft SQL Server - Switch All Users:Microsoft SQL
Server - Switch All Users
Startup All Users:Startup All Users
Accessories NT AUTHORITY\SYSTEM:Accessories
NT AUTHORITY\SYSTEM
Accessories\Accessibility NT
AUTHORITY\SYSTEM:Accessories\Accessibility NT
AUTHORITY\SYSTEM
Accessories\Entertainment NT
AUTHORITY\SYSTEM:Accessories\Entertainment NT
AUTHORITY\SYSTEM
Startup NT AUTHORITY\SYSTEM:Startup NT
AUTHORITY\SYSTEM
Accessories
MINICOASTER\Administrator:Accessories
MINICOASTER\Administrator
Accessories\Accessibility
MINICOASTER\Administrator:Accessories\Acces
sibility MINICOASTER\Administrator
Accessories\Entertainment
MINICOASTER\Administrator:Accessories\Enter
tainment MINICOASTER\Administrator
Administrative Tools
MINICOASTER\Administrator:Administrative
Tools MINICOASTER\Administrator
Startup MINICOASTER\Administrator:Startup
MINICOASTER\Administrator

[Startup Programs]

Program Command User Name Location
desktop desktop.ini NT AUTHORITY\SYSTEM
Startup
desktop desktop.ini
MINICOASTER\Administrator Startup
desktop desktop.ini .DEFAULT Startup
desktop desktop.ini All Users Common
Startup
Service Manager
c:\progra-1\micros-1\80\tools\bin\sqlmangr
.exe /n All Users Common Startup

```

```

[OLE Registration]

Object Local Server
Sound (OLE2) sndrec32.exe
Media Clip mplay32.exe
Video Clip mplay32.exe /avi
MIDI Sequence mplay32.exe /mid
Sound Not Available
Media Clip Not Available
WordPad Document "%programfiles%\windows
nt\accessories\wordpad.exe"
Windows Media Services DRM Storage object Not
Available
Bitmap Image mspaint.exe

[Windows Error Reporting]

Time Type Details

[Internet Settings]

[Internet Explorer]

[ Following are sub-categories of this main category
]
[Summary]

Item Value
Version 6.0.3790.0
Build 63790
Application Path C:\Program Files\Internet
Explorer
Language English (United States)
Active Printer CCA15109 on ccaprint02 (from
SOUNDWAVE) in session 1,winspool,TS002

Cipher Strength 128-bit
Content Advisor Disabled
IEAK Install No

[File Versions]

File Version Size Date Path
Company
actxprxy.dll 6.0.3790.0 95 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
advpack.dll 6.0.3790.0 94 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
asctrls.ocx 6.0.3790.0 90 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
browselc.dll 6.0.3790.0 62 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation

```

```

browseui.dll 6.0.3790.0 1,033 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
cdfview.dll 6.0.3790.0 144 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
comctl32.dll 5.82.3790.0 561 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
dxtrans.dll 6.3.3790.0 198 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
dxtmsft.dll 6.3.3790.0 344 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
iecont.dll <File Missing> Not Available
Not Available Not Available Not
Available
iecontlc.dll <File Missing> Not Available
Not Available Not Available Not
Available
iedkcs32.dll 16.0.3790.0 300 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
iepeers.dll 6.0.3790.0 230 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
iesetup.dll 6.0.3790.0 59 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
ieuinit.inf Not Available 20 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Not Available
iexplore.exe 6.0.3790.0 90 KB
3/25/2003 6:00:00 AM
C:\Program
Files\Internet Explorer Microsoft Corporation
imgutil.dll 5.2.3790.0 35 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
inetcppl.cpl 6.0.3790.0 303 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
inetcplc.dll 6.0.3790.0 109 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
inseng.dll 6.0.3790.0 72 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation

```

```

mlang.dll 6.0.3790.0 570 KB 3/25/2003
6:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
msencode.dll 2002.10.4.0 112 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Not Available
mshta.exe 6.0.3790.0 26 KB 3/25/2003
6:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
mshtml.dll 6.0.3790.0 2,848 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mshtml.tlb 6.0.3790.0 1,319 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mshtmlmled.dll 6.0.3790.0 444 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mshtmlmer.dll 6.0.3790.0 55 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msident.dll 6.0.3790.0 47 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msidntld.dll 6.0.3790.0 15 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msieftp.dll 6.0.3790.0 230 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msrating.dll 6.0.3790.0 132 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mstime.dll 6.0.3790.0 491 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
occache.dll 6.0.3790.0 89 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
proctexe.ocx 6.3.3790.0 78 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Intel Corporation
sendmail.dll 6.0.3790.0 52 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
shdoclc.dll 6.0.3790.0 589 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
shdocvw.dll 6.0.3790.0 1,361 KB
3/25/2003 6:00:00 AM

```

```

C:\WINDOWS\system32 Microsoft Corporation
shfolder.dll 6.0.3790.0 23 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
shlwapi.dll 6.0.3790.0 281 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
tdc.ocx 1.3.0.3130 58 KB 3/25/2003
6:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
url.dll 6.0.3790.0 36 KB 3/25/2003
6:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
urlmon.dll 6.0.3790.0 502 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
webcheck.dll 6.0.3790.0 262 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
wininet.dll 6.0.3790.0 609 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation

[Connectivity]
Item Value
Connection Preference Never dial

LAN Settings
AutoConfigProxy Not Available
AutoProxyDetectMode Disabled
AutoConfigURL
Proxy Disabled
ProxyServer
ProxyOverride

[Cache]
[ Following are sub-categories of this main category ]
[Summary]
Item Value
Page Refresh Type Automatic
Temporary Internet Files Folder C:\Documents
and Settings\NetworkService\Local Settings\Temporary
Internet Files
Total Disk Space Not Available
Available Disk Space Not Available
Maximum Cache Size Not Available
Available Cache Size Not Available

[List of Objects]
Program File Status CodeBase

```

No cached object information available

[Content]

[ Following are sub-categories of this main category ]  
[Summary]

Item	Value
Content Advisor	Disabled

[Personal Certificates]

Issued To	Issued By	Validity	Signature	Algorithm
No personal certificate information available				

[Other People Certificates]

Issued To	Issued By	Validity	Signature	Algorithm
No other people certificate information available				

[Publishers]

Name
No publisher information available

[Security]

Zone	Security Level
My Computer	Custom
Local intranet	Medium-low
Trusted sites	Medium
Internet High	
Restricted sites	High

## Client Summary

System Information report written at: 11/13/2003  
10:13:35 AM  
[System Information]

[ Following are sub-categories of this main category ]

[System Summary]

Item	Value
OS Name	Microsoft Windows 2000 Server
Version	5.0.2195 Service Pack 2 Build 2195
OS Manufacturer	Microsoft Corporation
System Name	CL23
System Manufacturer	HP
System Model	ProLiant DL360 G3
System Type	X86-based PC
Processor	x86 Family 15 Model 2 Stepping 7
GenuineIntel	~37826 Mhz

```

Processor x86 Family 15 Model 2 Stepping 7
GenuineIntel ~37826 Mhz
BIOS Version 03/01/03
Windows Directory C:\WINNT
System Directory C:\WINNT\System32
Boot Device \Device\Harddisk0\Partition1
Locale United States
User Name CL23\Administrator
Time Zone Central Standard Time
Total Physical Memory 1,048,084 KB
Available Physical Memory 883,128 KB
Total Virtual Memory 2,783,644 KB
Available Virtual Memory 2,547,532 KB
Page File Space 1,735,560 KB
Page File C:\pagefile.sys

[Hardware Resources]

[ Following are sub-categories of this main category
]

[Conflicts/Sharing]

Resource Device
IRQ 7 Base System Device
IRQ 7 Standard OpenHCD USB Host Controller

[DMA]

Channel Device Status
7 Direct memory access controller OK
2 Standard floppy disk controller OK

[Forced Hardware]

Device PNP Device ID
No Forced Hardware

[I/O]

Address Range Device Status
0x0000-0x0CFF PCI bus OK
0x0000-0x0CFF PCI bus OK
0x0000-0x0CFF Direct memory access controller OK
0x03B0-0x03BB PCI bus OK
0x03B0-0x03BB ATI Technologies Inc. RAGE XL PCI OK
0x03C0-0x03DF PCI bus OK
0x03C0-0x03DF ATI Technologies Inc. RAGE XL PCI OK
0x2400-0x24FF ATI Technologies Inc. RAGE XL PCI OK
0x2800-0x28FF Compaq Smart Array 5i OK
0x1800-0x18FF Base System Device OK
0x2C00-0x2CFF Base System Device OK
0x0A79-0x0A79 ISAPNP Read Data Port OK
0x0279-0x0279 ISAPNP Read Data Port OK
0x02F4-0x02F7 ISAPNP Read Data Port OK
0x0F50-0x0F58 Motherboard resources OK
0x0408-0x040F Motherboard resources OK
0x0092-0x0092 Motherboard resources OK
0x0900-0x0903 Motherboard resources OK

```

```

0x0910-0x0911 Motherboard resources OK
0x0920-0x0923 Motherboard resources OK
0x0930-0x0937 Motherboard resources OK
0x0940-0x0947 Motherboard resources OK
0x0950-0x0957 Motherboard resources OK
0x0C06-0x0C08 Motherboard resources OK
0x0C14-0x0C14 Motherboard resources OK
0x0C49-0x0C4A Motherboard resources OK
0x0C50-0x0C52 Motherboard resources OK
0x0C6C-0x0C6F Motherboard resources OK
0x0010-0x001F Motherboard resources OK
0x0230-0x0233 Motherboard resources OK
0x0260-0x0267 Motherboard resources OK
0x04D0-0x04D1 Motherboard resources OK
0x0700-0x070F Motherboard resources OK
0x0800-0x081F Motherboard resources OK
0x0C80-0x0C83 Motherboard resources OK
0x0CD4-0x0CD7 Motherboard resources OK
0x0CF9-0x0CF9 Motherboard resources OK
0x0020-0x0021 Programmable interrupt controller OK
0x00A0-0x00A1 Programmable interrupt controller OK
0x0C00-0x0C01 Programmable interrupt controller OK
0x0040-0x0043 System timer OK
0x0080-0x008F Direct memory access controller OK
0x00C0-0x00DF Direct memory access controller OK
0x040B-0x040B Direct memory access controller OK
0x04D6-0x04D6 Direct memory access controller OK
0x0061-0x0061 System speaker OK
0x0060-0x0060 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard OK
0x0064-0x0064 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard OK
0x002E-0x002F Extended IO Bus OK
0x0220-0x0223 Extended IO Bus OK
0x0240-0x025F Extended IO Bus OK
0x0070-0x0073 Extended IO Bus OK
0x03F8-0x03FF Communications Port (COM1) OK
0x03F2-0x03F5 Standard floppy disk controller OK
0x03F7-0x03F7 Standard floppy disk controller OK
0x2000-0x200F Standard Dual Channel PCI IDE Controller OK
0x01F0-0x01F7 Primary IDE Channel OK
0x03F6-0x03F6 Primary IDE Channel OK
0x0170-0x0177 Secondary IDE Channel OK
0x0376-0x0376 Secondary IDE Channel OK

[IRQs]

IRQ Number Device
9 Microsoft ACPI-Compliant System
31 Compaq Smart Array 5i
5 Base System Device
7 Base System Device
7 Standard OpenHCD USB Host Controller

```

```

1 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
12 PS/2 Compatible Mouse
4 Communications Port (COM1)
6 Standard floppy disk controller
14 Primary IDE Channel
30 Compaq NC7781 Gigabit Server Adapter #2
29 Compaq NC7781 Gigabit Server Adapter

[Memory]

Range Device Status
0xA0000-0xBFFFF PCI bus OK
0xA0000-0xBFFFF ATI Technologies Inc. RAGE XL PCI OK
0xF5D00000-0xF6FFFFFF PCI bus OK
0xF6000000-0xF6FFFFFF ATI Technologies Inc. RAGE XL PCI OK
0xF5FF0000-0xF5FF0FFF ATI Technologies Inc. RAGE XL PCI OK
0xF5F80000-0xF5FBFFFF Compaq Smart Array 5i OK
0xF5DF0000-0xF5DF3FFF Compaq Smart Array 5i OK
0xF5F70000-0xF5F701FF Base System Device OK
0xF5F60000-0xF5F607FF Base System Device OK
0xF5F50000-0xF5F51FFF Base System Device OK
0xF5E80000-0xF5E8FFFF Base System Device OK
0xF5E70000-0xF5E70FFF Standard OpenHCD USB Host Controller OK
0xF7E00000-0xF7EFFFFF PCI bus OK
0xF7EF0000-0xF7EFFFFF Compaq NC7781 Gigabit Server Adapter #2 OK
0xF7F00000-0xF7F7FFFF PCI bus OK
0xF7FF0000-0xF7FFFFFF Compaq NC7781 Gigabit Server Adapter OK

[Components]

[ Following are sub-categories of this main category
]

[Multimedia]

[ Following are sub-categories of this main category
]

[Audio Codecs]

Codec Manufacturer Description
Status File Version Size
Creation Date
c:\winnt\system32\msgsm32.acm Microsoft Corporation OK
C:\WINNT\System32\MSGSM32.ACM 5.00.2134.1
22.27 KB (22,800 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\lhacm.acm Microsoft Corporation OK
C:\WINNT\System32\LHACM.ACM 4.4.3385
33.27 KB (34,064 bytes) 9/13/2002
5:46:04 PM

```

```

c:\winnt\system32\tsoft32.acm      DSP GROUP,
INC.                               OK
      C:\WINNT\System32\TSSOFT32.ACM
      1.01      9.27 KB (9,488 bytes)
      12/7/1999 7:00:00 AM
c:\winnt\system32\msg711.acm      Microsoft Corporation
      OK
      C:\WINNT\System32\MSG711.ACM  5.00.2134.1
      10.27 KB (10,512 bytes)      12/7/1999
7:00:00 AM
c:\winnt\system32\iac25_32.ax      Intel Corporation
Indeo® audio software             OK
      C:\WINNT\System32\IAC25_32.AX  2.05.53
      195.00 KB (199,680 bytes)      12/7/1999
7:00:00 AM
c:\winnt\system32\imaadp32.acm     Microsoft
Corporation                       OK
      C:\WINNT\System32\IMAADP32.ACM
      5.00.2134.1      16.27 KB (16,656 bytes)
      12/7/1999 7:00:00 AM
c:\winnt\system32\msadp32.acm     Microsoft Corporation
      OK
      C:\WINNT\System32\MSADP32.ACM  5.00.2134.1
      14.77 KB (15,120 bytes)      12/7/1999
7:00:00 AM
c:\winnt\system32\msg723.acm      Microsoft Corporation
      OK
      C:\WINNT\System32\MSG723.ACM  4.4.3385
      106.77 KB (109,328 bytes)      9/13/2002
5:46:03 PM

[Video Codecs]

Codec      Manufacturer      Description
Status      File      Version      Size
Creation Date

c:\winnt\system32\ir50_32.dll      Intel Corporation
Indeo® video 5.10      OK
      C:\WINNT\System32\IR50_32.DLL
      R.5.10.15.2.55      737.50 KB (755,200
bytes)      12/7/1999 7:00:00 AM
c:\winnt\system32\msh261.drv      Microsoft Corporation
      OK
      C:\WINNT\System32\MSH261.DRV  4.4.3385
      163.77 KB (167,696 bytes)      9/13/2002
5:46:04 PM
c:\winnt\system32\msh263.drv      Microsoft Corporation
      OK
      C:\WINNT\System32\MSH263.DRV  4.4.3385
      252.27 KB (258,320 bytes)      9/13/2002
5:45:39 PM
c:\winnt\system32\mrle32.dll      Microsoft Corporation
      OK
      C:\WINNT\System32\MSRLE32.DLL  5.00.2134.1
      10.77 KB (11,024 bytes)      12/7/1999
7:00:00 AM
c:\winnt\system32\msvidc32.dll     Microsoft
Corporation                       OK
      C:\WINNT\System32\MSVIDC32.DLL
      5.00.2134.1      27.27 KB (27,920 bytes)
      12/7/1999 7:00:00 AM
c:\winnt\system32\iccvid.dll      Radius Inc.
      OK
      C:\WINNT\System32\ICCVID.DLL

```

```

      1.10.0.6  108.00 KB (110,592 bytes)
      12/7/1999 7:00:00 AM
c:\winnt\system32\ir32_32.dll      Intel(R) Corporation
      OK
      C:\WINNT\System32\IR32_32.DLL Not Available
      194.50 KB (199,168 bytes)      12/7/1999
7:00:00 AM

[CD-ROM]

Item      Value
Drive      D:
Description      CD-ROM Drive
Media Loaded      False
Media Type      CD-ROM
Name      COMPAQ CRN-8245B
Manufacturer      (Standard CD-ROM drives)
Status      OK
Transfer Rate      Not Available
SCSI Target ID      0
PNP Device ID      IDE\CDROMCOMPAQ_CRN-
8245B_____2.19____\5&PB0C83D&0&0.0
.0

[Sound Device]

Item      Value
No sound devices

[Display]

Item      Value
Name      ATI Technologies Inc. RAGE XL PCI
PNP Device ID      PCI\VEN_1002&DEV_4752&SUBSYS_001E0E11&REV_2
7\3&267A616A&0&18
Adapter Type      ATI RAGE XL PCI, ATI Technologies
Inc. compatible
Adapter Description      ATI Technologies Inc. RAGE XL PCI
Adapter RAM      8.00 MB (8,388,608 bytes)
Installed Drivers      atidrab.dll
Driver Version      5.00.2179.1
INF File      display.inf (atirage3 section)
Color Planes      1
Color Table Entries      65536
Resolution      640 x 480 x 60 hertz
Bits/Pixel      16

[Infrared]

Item      Value
No infrared devices

[Input]

[ Following are sub-categories of this main category
]

[Keyboard]

Item      Value

```

```

Description      Standard 101/102-Key or Microsoft
Natural PS/2 Keyboard
Name      Enhanced (101- or 102-key)
Layout      00000409
PNP Device ID      ACPI\PNP0303\4&35118DFF&0
NumberOfFunctionKeys      12

[Pointing Device]

Item      Value
Hardware Type      PS/2 Compatible Mouse
Number of Buttons      5
Status      OK
PNP Device ID      ACPI\PNP0F13\4&35118DFF&0
Power Management Supported      False
Double Click Threshold      6
Handedness      Right Handed Operation

[Modem]

Item      Value
No modems

[Network]

[ Following are sub-categories of this main category
]

[Adapter]

Item      Value
Name      [00000000] RAS Async Adapter
Adapter Type      Not Available
Product Name      RAS Async Adapter
Installed True
PNP Device ID      Not Available
Last Reset      11/12/2003 11:01:53 AM
Index      0
Service Name      AsyncMac
IP Address      Not Available
IP Subnet      Not Available
Default IP Gateway      Not Available
DHCP Enabled      False
DHCP Server      Not Available
DHCP Lease Expires      Not Available
DHCP Lease Obtained      Not Available
MAC Address      Not Available
Service Name      Not Available

Name      [00000001] WAN Miniport (L2TP)
Adapter Type      Not Available
Product Name      WAN Miniport (L2TP)
Installed True
PNP Device ID      ROOT\MS_L2TPMINIPOINT\0000
Last Reset      11/12/2003 11:01:53 AM
Index      1
Service Name      Rasl2tp
IP Address      Not Available
IP Subnet      Not Available
Default IP Gateway      Not Available
DHCP Enabled      False

```



DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address Not Available  
 Service Name Rasl2tp  
 Driver c:\winnt\system32\drivers\rasl2tp.sys  
 (50800, 5.00.2179.1)

Name [00000002] WAN Miniport (PPTP)  
 Adapter Type Wide Area Network (WAN)  
 Product Name WAN Miniport (PPTP)  
 Installed True  
 PNP Device ID ROOT\MS\_PPTPMINIPORT\0000  
 Last Reset 11/12/2003 11:01:53 AM  
 Index 2  
 Service Name PptpMiniport  
 IP Address Not Available  
 IP Subnet Not Available  
 Default IP Gateway Not Available  
 DHCP Enabled False  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address 50:50:54:50:30:30  
 Service Name PptpMiniport  
 Driver c:\winnt\system32\drivers\raspptp.sys  
 (47856, 5.00.2160.1)

Name [00000003] Direct Parallel  
 Adapter Type Not Available  
 Product Name Direct Parallel  
 Installed True  
 PNP Device ID ROOT\MS\_PTMINIPORT\0000  
 Last Reset 11/12/2003 11:01:53 AM  
 Index 3  
 Service Name Raspti  
 IP Address Not Available  
 IP Subnet Not Available  
 Default IP Gateway Not Available  
 DHCP Enabled False  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address Not Available  
 Service Name Raspti  
 Driver c:\winnt\system32\drivers\raspti.sys  
 (16880, 5.00.2146.1)

Name [00000004] WAN Miniport (IP)  
 Adapter Type Not Available  
 Product Name WAN Miniport (IP)  
 Installed True  
 PNP Device ID ROOT\MS\_NDISWANIP\0000  
 Last Reset 11/12/2003 11:01:53 AM  
 Index 4  
 Service Name NdisWan  
 IP Address Not Available  
 IP Subnet Not Available  
 Default IP Gateway Not Available  
 DHCP Enabled False  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available

MAC Address Not Available  
 Service Name NdisWan  
 Driver c:\winnt\system32\drivers\ndiswan.sys  
 (90096, 5.00.2195.2779)

Name [00000005] Compaq NC7780 Gigabit Server  
 Adapter  
 Adapter Type Not Available  
 Product Name Compaq NC7780 Gigabit Server  
 Adapter  
 Installed True  
 PNP Device ID Not Available  
 Last Reset 11/12/2003 11:01:53 AM  
 Index 5  
 Service Name q57w2k  
 IP Address 130.168.40.23  
 IP Subnet 255.255.255.0  
 Default IP Gateway Not Available  
 DHCP Enabled True  
 DHCP Server 130.168.253.2  
 DHCP Lease Expires 9/16/2002 7:03:07 PM  
 DHCP Lease Obtained 9/15/2002 7:03:07 PM  
 MAC Address 00:0B:CD:83:31:FD  
 Service Name Not Available

Name [00000006] Compaq NC7780 Gigabit Server  
 Adapter  
 Adapter Type Not Available  
 Product Name Compaq NC7780 Gigabit Server  
 Adapter  
 Installed True  
 PNP Device ID Not Available  
 Last Reset 11/12/2003 11:01:53 AM  
 Index 6  
 Service Name q57w2k  
 IP Address 130.172.11.23  
 IP Subnet 255.255.0.0  
 Default IP Gateway Not Available  
 DHCP Enabled False  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address 00:0B:CD:83:31:FC  
 Service Name Not Available

Name [00000007] Compaq NC3123 Fast Ethernet NIC  
 Adapter Type Not Available  
 Product Name Compaq NC3123 Fast Ethernet NIC  
 Installed True  
 PNP Device ID Not Available  
 Last Reset 11/12/2003 11:01:53 AM  
 Index 7  
 Service Name N100  
 IP Address 130.172.11.23  
 IP Subnet 255.255.0.0  
 Default IP Gateway Not Available  
 DHCP Enabled True  
 DHCP Server 130.168.253.2  
 DHCP Lease Expires 9/16/2002 3:58:55 PM  
 DHCP Lease Obtained 9/15/2002 3:58:55 PM  
 MAC Address 00:0B:CD:83:31:FC  
 Service Name Not Available

Name [00000008] Compaq NC7781 Gigabit Server  
 Adapter  
 Adapter Type Ethernet 802.3  
 Product Name Compaq NC7781 Gigabit Server  
 Adapter  
 Installed True  
 PNP Device ID  
 PCI\VEN\_14E4&DEV\_16A7&SUBSYS\_00CB0E11&REV\_0  
 2\3&1070020&0&10  
 Last Reset 11/12/2003 11:01:53 AM  
 Index 8  
 Service Name q57w2k  
 IP Address 130.172.11.23  
 IP Subnet 255.255.0.0  
 Default IP Gateway Not Available  
 DHCP Enabled False  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address 00:0B:CD:83:31:FC  
 Service Name q57w2k  
 IRQ Number 29  
 Driver c:\winnt\system32\drivers\q57w2k.sys  
 (77776, 2.75.0.0)

Name [00000009] Compaq NC7781 Gigabit Server  
 Adapter  
 Adapter Type Ethernet 802.3  
 Product Name Compaq NC7781 Gigabit Server  
 Adapter  
 Installed True  
 PNP Device ID  
 PCI\VEN\_14E4&DEV\_16A7&SUBSYS\_00CB0E11&REV\_0  
 2\3&13C0B0C5&0&10  
 Last Reset 11/12/2003 11:01:53 AM  
 Index 9  
 Service Name q57w2k  
 IP Address 130.168.40.23  
 IP Subnet 255.255.255.0  
 Default IP Gateway Not Available  
 DHCP Enabled False  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address 00:0B:CD:83:31:FD  
 Service Name q57w2k  
 IRQ Number 30  
 Driver c:\winnt\system32\drivers\q57w2k.sys  
 (77776, 2.75.0.0)

[Protocol]

Item	Value
Name	MSAFD Tcpip [TCP/IP]
ConnectionlessService	False
GuaranteesDelivery	True
GuaranteesSequencing	True
MaximumAddressSize	16 bytes
MaximumMessageSize	0 bytes
MessageOriented	False
MinimumAddressSize	16 bytes
PseudoStreamOriented	False

SupportsBroadcasting False  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData True  
 SupportsGracefulClosing True  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD Tcpip [UDP/IP]  
 ConnectionlessService True  
 GuaranteesDelivery False  
 GuaranteesSequencing False  
 MaximumAddressSize 16 bytes  
 MaximumMessageSize 65467 bytes  
 MessageOriented True  
 MinimumAddressSize 16 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting True  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting True

Name RSVP UDP Service Provider  
 ConnectionlessService True  
 GuaranteesDelivery False  
 GuaranteesSequencing False  
 MaximumAddressSize 16 bytes  
 MaximumMessageSize 65467 bytes  
 MessageOriented True  
 MinimumAddressSize 16 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting True  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption True  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting True

Name RSVP TCP Service Provider  
 ConnectionlessService False  
 GuaranteesDelivery True  
 GuaranteesSequencing True  
 MaximumAddressSize 16 bytes  
 MaximumMessageSize 0 bytes  
 MessageOriented False  
 MinimumAddressSize 16 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting False  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption True  
 SupportsExpeditedData True  
 SupportsGracefulClosing True  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{2D8AA674-9F13-43EE-9055-F9ECADD87F7F}] SEQPACKE 6  
 ConnectionlessService False  
 GuaranteesDelivery True  
 GuaranteesSequencing True  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting False  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{2D8AA674-9F13-43EE-9055-F9ECADD87F7F}] DATAGRAM 6  
 ConnectionlessService True  
 GuaranteesDelivery False  
 GuaranteesSequencing False  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting True  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{EFD5741D-3A14-456C-98EB-17ABC580A075}] SEQPACKE 5  
 ConnectionlessService False  
 GuaranteesDelivery True  
 GuaranteesSequencing True  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting False  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{EFD5741D-3A14-456C-98EB-17ABC580A075}] DATAGRAM 5

ConnectionlessService True  
 GuaranteesDelivery False  
 GuaranteesSequencing False  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting True  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{4249431A-469E-4735-A292-01AA526741FC}] SEQPACKE 4  
 ConnectionlessService False  
 GuaranteesDelivery True  
 GuaranteesSequencing True  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting False  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{4249431A-469E-4735-A292-01AA526741FC}] DATAGRAM 4  
 ConnectionlessService True  
 GuaranteesDelivery False  
 GuaranteesSequencing False  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting True  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{3B09DDB7-7EB8-4941-8121-52DC6359F5A6}] SEQPACKE 3  
 ConnectionlessService False  
 GuaranteesDelivery True  
 GuaranteesSequencing True

MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting False  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{3B09DDE7-7EB8-4941-8121-52DC6359F5A6}] DATAGRAM 3  
 ConnectionlessService True  
 GuaranteesDelivery False  
 GuaranteesSequencing False  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting True  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{684FA660-D082-4A8C-AC8C-C9D449B21686}] SEQPACKE 0  
 ConnectionlessService False  
 GuaranteesDelivery True  
 GuaranteesSequencing True  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting False  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{684FA660-D082-4A8C-AC8C-C9D449B21686}] DATAGRAM 0  
 ConnectionlessService True  
 GuaranteesDelivery False  
 GuaranteesSequencing False  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True

MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting True  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{D90E04F2-3AD9-4F98-9464-751E106D7E6A}] SEQPACKE 1  
 ConnectionlessService False  
 GuaranteesDelivery True  
 GuaranteesSequencing True  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting False  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{D90E04F2-3AD9-4F98-9464-751E106D7E6A}] DATAGRAM 1  
 ConnectionlessService True  
 GuaranteesDelivery False  
 GuaranteesSequencing False  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting True  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{3F1BA297-E685-416B-82D7-70E771CC8745}] SEQPACKE 2  
 ConnectionlessService False  
 GuaranteesDelivery True  
 GuaranteesSequencing True  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting False

SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{3F1BA297-E685-416B-82D7-70E771CC8745}] DATAGRAM 2  
 ConnectionlessService True  
 GuaranteesDelivery False  
 GuaranteesSequencing False  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting True  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

[WinSock]

Item	Value
File	c:\winnt\system32\winsock.dll
Version	3.10
Size	2.80 KB (2,864 bytes)

Item	Value
File	c:\winnt\system32\wsock32.dll
Version	5.00.2195.2871
Size	21.27 KB (21,776 bytes)

[Ports]

[ Following are sub-categories of this main category ]

[Serial]

Item	Value
Name	COM1
Status	OK
PNP Device ID	ACPI\PNP0501\0
Maximum Input Buffer Size	0
Maximum Output Buffer Size	False
Settable Baud Rate	True
Settable Data Bits	True
Settable Flow Control	True
Settable Parity	True
Settable Parity Check	True
Settable Stop Bits	True
Settable RLS D	True
Supports RLS D	True
Supports 16 Bit Mode	False

```

Supports Special Characters False
Baud Rate 9600
Bits/Byte 8
Stop Bits 1
Parity None
Busy 0
Abort Read/Write on Error 0
Binary Mode Enabled -1
Continue XMit on XOff 0
CTS Outflow Control 0
Discard NULL Bytes 0
DSR Outflow Control 0
DSR Sensitivity 0
DTR Flow Control Type Enable
EOF Character 0
Error Replace Character 0
Error Replacement Enabled 0
Event Character 0
Parity Check Enabled 0
RTS Flow Control Type Enable
XOff Character 19
XOffXMit Threshold 512
XOn Character 17
XOnXMit Threshold 2048
XOnXOff InFlow Control 0
XOnXOff OutFlow Control 0
IRQ Number 4
I/O Port 0x03F8-0x03FF
Driver c:\winnt\system32\drivers\serial.sys
(62416, 5.00.2195.2780)

[Parallel]

Item Value
No parallel port information

[Storage]

[ Following are sub-categories of this main category
]

[Drives]

Item Value
Drive A:
Description 3 1/2 Inch Floppy Drive

Drive C:
Description Local Fixed Disk
Compressed False
File System NTFS
Size 16.95 GB (18,203,181,056 bytes)
Free Space 14.15 GB (15,197,597,696 bytes)
Volume Name
Volume Serial Number C8B488FA
Partition Disk #0, Partition #0
Partition Size 16.95 GB (18,203,181,056 bytes)
Starting Offset 16384 bytes
Drive Description Disk drive
Drive Manufacturer (Standard disk drives)
Drive Model COMPAQ LOGICAL VOLUME SCSI Disk
Device

```

```

Drive BytesPerSector 512
Drive MediaLoaded True
Drive MediaType Fixed hard disk media
Drive Partitions 1
Drive SCSI Bus 0
Drive SCSILogicalUnit 0
Drive SCSI Port 2
Drive SCSTargetId 4
Drive SectorsPerTrack 32
Drive Size 18203197440 bytes
Drive TotalCylinders 4357
Drive TotalSectors 35553120
Drive TotalTracks 1111035
Drive TracksPerCylinder 255

[SCSI]

Item Value
Name Compaq Smart Array 5i
Caption Compaq Smart Array 5i
Driver cpqcissm
Status OK
PNP Device ID
PCI\VEN_0E11&DEV_B178&SUBSYS_40800E11&REV_0
1\3&267A616A&0&20
Device ID
PCI\VEN_0E11&DEV_B178&SUBSYS_40800E11&REV_0
1\3&267A616A&0&20
Device Map Not Available
Index Not Available
Max Number Controlled Not Available
IRQ Number 31
I/O Port 0x2800-0x28FF
Driver c:\winnt\system32\drivers\cpqcissm.sys
(14992, 5.40.2.0)

[Printing]

Name Port Name Server Name
No printing information

[Problem Devices]

Device PNP Device ID Error Code
Base System Device
PCI\VEN_0E11&DEV_B203&SUBSYS_B2060E11&REV_0
1\3&267A616A&0&28 28
Base System Device
PCI\VEN_0E11&DEV_B204&SUBSYS_B2060E11&REV_0
1\3&267A616A&0&2A 28

[USB]

Device PNP Device ID
Standard OpenHCD USB Host Controller
PCI\VEN_1166&DEV_0220&SUBSYS_02201166&REV_0
5\3&267A616A&0&7A
USB Root Hub USB\ROOT_HUB\4&AF5358C&0

[Software Environment]

```

```

[ Following are sub-categories of this main category
]

[Drivers]

Name Description File Type
Started Start Mode State
Status Error Control Accept Pause
Accept Stop
abiosdsk Abiosdsk Not Available Kernel Driver
False Disabled Stopped OK
Ignore False False
abp480n5 abp480n5 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
acpi Microsoft ACPI Driver
c:\winnt\system32\drivers\acpi.sys
Kernel Driver True Boot
Running OK Normal False
acpiec ACPIEC
c:\winnt\system32\drivers\acpiec.sys
Kernel Driver False Disabled
Stopped OK Normal False
adpu160m adpu160m Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
afd AFD Networking Support Environment
c:\winnt\system32\drivers\afd.sys
Kernel Driver True Auto
Running OK Normal False
True
ahal54x Ahal54x Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
aic116x aic116x Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
aic78u2 aic78u2 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
aic78xx aic78xx Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
alkernel Altiris Kernel Driver
c:\winnt\system32\drivers\alkernel.sys
Kernel Driver False Manual
Stopped OK Normal False
ami0nt ami0nt Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
amsint amsint Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
asc asc Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
asc3350p asc3350p Not Available Kernel Driver
False Disabled Stopped OK
Normal False False

```

asc3550	asc3550	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Normal	False	False
asynmac	RAS Asynchronous Media Driver		
	c:\winnt\system32\drivers\asynmac.sys		
	Kernel Driver	False	Manual
	Stopped	OK	Normal False
	False		
atapi	Standard IDE/ESDI Hard Disk Controller		
	c:\winnt\system32\drivers\atapi.sys		
	Kernel Driver	True	Boot
	Running	OK	Normal False
	True		
atdisk	Atdisk	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Ignore	False	False
atirage3	atirage3		
	c:\winnt\system32\drivers\atimpab.sys		
	Kernel Driver	True	Manual
	Running	OK	Ignore False
	True		
atmarpc	ATM ARP Client Protocol		
	c:\winnt\system32\drivers\atmarpc.sys		
	Kernel Driver	False	Manual
	Stopped	OK	Normal False
	False		
audstub	Audio Stub Driver		
	c:\winnt\system32\drivers\audstub.sys		
	Kernel Driver	True	Manual
	Running	OK	Normal False
	True		
beep	Beep		
	c:\winnt\system32\drivers\beep.sys		
	Kernel Driver	True	System
	Running	OK	Normal False
	True		
buslogic	BusLogic	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Normal	False	False
cd20xrnt	cd20xrnt	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Normal	False	False
cdaudio	Cdaudio		
	c:\winnt\system32\drivers\cdaudio.sys		
	Kernel Driver	False	System
	Stopped	OK	Ignore False
	False		
cdfs	Cdfs		
	c:\winnt\system32\drivers\cdfs.sys		
	File System Driver	True	Disabled
	Running	OK	Normal False
	True		
cdrom	CD-ROM Driver		
	c:\winnt\system32\drivers\cdrom.sys		
	Kernel Driver	True	System
	Running	OK	Normal False
	True		
changer	Changer	Not Available	Kernel Driver
	False	System	Stopped OK
	Ignore	False	False
cpqarray	Cpqarray	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Normal	False	False

cpqgarry2	cpqgarry2	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Normal	False	False
cpqcissm	cpqcissm		
	c:\winnt\system32\drivers\cpqcissm.sys		
	Kernel Driver	True	Boot
	Running	OK	Normal False
	True		
cpqfcalm	cpqfcalm	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Normal	False	False
cpqfws2e	cpqfws2e	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Normal	False	False
dac960nt	dac960nt	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Normal	False	False
deckzpsx	deckzpsx	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Normal	False	False
dfsdriver	DfsDriver	c:\winnt\system32\drivers\dfs.sys	
	File System Driver	True	Boot
	Running	OK	Normal False
	True		
disk	Disk Driver		
	c:\winnt\system32\drivers\disk.sys		
	Kernel Driver	True	Boot
	Running	OK	Normal False
	True		
diskperf	Diskperf		
	c:\winnt\system32\drivers\diskperf.sys		
	Kernel Driver	True	Boot
	Running	OK	Normal False
	True		
dmboot	dmboot		
	c:\winnt\system32\drivers\dmboot.sys		
	Kernel Driver	False	Disabled
	Stopped	OK	Normal False
	False		
dmio	Logical Disk Manager Driver		
	c:\winnt\system32\drivers\dmio.sys		
	Kernel Driver	True	Boot
	Running	OK	Normal False
	True		
dmload	dmload		
	c:\winnt\system32\drivers\dmload.sys		
	Kernel Driver	True	Boot
	Running	OK	Normal False
	True		
efs	EFS	c:\winnt\system32\drivers\efs.sys	
	File System Driver	True	Disabled
	Running	OK	Normal False
	True		
fastfat	Fastfat		
	c:\winnt\system32\drivers\fastfat.sys		
	File System Driver	True	Disabled
	Running	OK	Normal False
	True		
fd16_700	Pd16_700	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Normal	False	False
fdc	Floppy Disk Controller Driver		
	c:\winnt\system32\drivers\fdc.sys		

	Kernel Driver	True	Manual
	Running	OK	Normal False
	True		
fips	Fips		
	c:\winnt\system32\drivers\fips.sys		
	Kernel Driver	True	Auto
	Running	OK	Normal False
	True		
fireport	fireport	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Normal	False	False
flashpnt	flashpnt	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Normal	False	False
flpydisk	Floppy Disk Driver		
	c:\winnt\system32\drivers\flpydisk.sys		
	Kernel Driver	True	Manual
	Running	OK	Normal False
	True		
ftdisk	Volume Manager Driver		
	c:\winnt\system32\drivers\ftdisk.sys		
	Kernel Driver	True	Boot
	Running	OK	Normal False
	True		
gpc	Generic Packet Classifier		
	c:\winnt\system32\drivers\msgpc.sys		
	Kernel Driver	True	Manual
	Running	OK	Normal False
	True		
i8042prt	i8042 Keyboard and PS/2 Mouse Port Driver		
	c:\winnt\system32\drivers\i8042prt.sys		
	Kernel Driver	True	System
	Running	OK	Normal False
	True		
ini910u	ini910u	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Normal	False	False
intelide	IntelIde	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Normal	False	False
ipfilterdriver	IP Traffic Filter Driver		
	c:\winnt\system32\drivers\ipfltdrv.sys		
	Kernel Driver	False	Manual
	Stopped	OK	Normal False
	False		
ipinip	IP in IP Tunnel Driver		
	c:\winnt\system32\drivers\ipinip.sys		
	Kernel Driver	False	Manual
	Stopped	OK	Normal False
	False		
ipnat	IP Network Address Translator		
	c:\winnt\system32\drivers\ipnat.sys		
	Kernel Driver	False	Manual
	Stopped	OK	Normal False
	False		
ipsec	IPSEC driver		
	c:\winnt\system32\drivers\ipsec.sys		
	Kernel Driver	True	Manual
	Running	OK	Normal False
	True		
ipsraidn	ipsraidn	Not Available	Kernel Driver
	False	Disabled	Stopped OK
	Normal	False	False

```

isapnp PnP ISA/EISA Bus Driver
c:\winnt\system32\drivers\isapnp.sys
Kernel Driver True Boot
Running OK Critical False
True

kbdclass Keyboard Class Driver
c:\winnt\system32\drivers\kbdclass.sys
Kernel Driver True System
Running OK Normal False
True

ksecdd KSecDD
c:\winnt\system32\drivers\ksecdd.sys
Kernel Driver True Boot
Running OK Normal False
True

lbrtfdc lbrtfdc Not Available Kernel Driver
False System Stopped OK
Ignore False False

lp6nds35 lp6nds35 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False

mnmdd mnmdd
c:\winnt\system32\drivers\mnmdd.sys
Kernel Driver True System
Running OK Ignore False
True

modem Modem
c:\winnt\system32\drivers\modem.sys
Kernel Driver False Manual
Stopped OK Ignore False
False

mouclass Mouse Class Driver
c:\winnt\system32\drivers\mouclass.sys
Kernel Driver True System
Running OK Normal False
True

mountmgr MountMgr
c:\winnt\system32\drivers\mountmgr.sys
Kernel Driver True Boot
Running OK Normal False
True

mraid35x mraid35x Not Available Kernel Driver
False Disabled Stopped OK
Normal False False

mrx smb MRXSMB
c:\winnt\system32\drivers\mrx smb.sys
File System Driver True System
Running OK Normal False
True

msfs Msfs
c:\winnt\system32\drivers\msfs.sys
File System Driver True System
Running OK Normal False
True

mks ssvr Microsoft Streaming Service Proxy
c:\winnt\system32\drivers\mks ssvr.sys
Kernel Driver False Manual
Stopped OK Normal False
False

mspclock Microsoft Streaming Clock Proxy
c:\winnt\system32\drivers\mspclock.sys
Kernel Driver False Manual

```

```

Stopped OK Normal False
False
mspqm Microsoft Streaming Quality Manager Proxy
c:\winnt\system32\drivers\mspqm.sys
Kernel Driver False Manual
Stopped OK Normal False
False

mup Mup c:\winnt\system32\drivers\mup.sys
File System Driver True Boot
Running OK Normal False
True

n100 Compaq Ethernet or Fast Ethernet NIC NT
Driver c:\winnt\system32\drivers\n100nt5.sys
Kernel Driver False Manual
Stopped OK Normal False
False

ncrc710 Ncrc710 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False

ndis NDIS System Driver
c:\winnt\system32\drivers\ndis.sys
Kernel Driver True Boot
Running OK Normal False
True

ndistapi Remote Access NDIS TAPI Driver
c:\winnt\system32\drivers\ndistapi.sys
Kernel Driver True Manual
Running OK Normal False
True

ndiswan Remote Access NDIS WAN Driver
c:\winnt\system32\drivers\ndiswan.sys
Kernel Driver True Manual
Running OK Normal False
True

ndproxy NDIS Proxy
c:\winnt\system32\drivers\ndproxy.sys
Kernel Driver True Manual
Running OK Normal False
True

netbios NetBIOS Interface
c:\winnt\system32\drivers\netbios.sys
File System Driver True System
Running OK Normal False
True

netbt NetBios over Tcpip
c:\winnt\system32\drivers\netbt.sys
Kernel Driver True System
Running OK Normal False
True

netdetect NetDetect
c:\winnt\system32\drivers\netdetect.sys
Kernel Driver False Manual
Stopped OK Normal False
False

npfs Npfs
c:\winnt\system32\drivers\npfs.sys
File System Driver True System
Running OK Normal False
True

ntfs Ntfs
c:\winnt\system32\drivers\ntfs.sys
File System Driver True Disabled

```

```

Running OK Normal False
True
Null
null c:\winnt\system32\drivers\null.sys
Kernel Driver True System
Running OK Normal False
True

nwl nflt IPX Traffic Filter Driver
c:\winnt\system32\drivers\nwl nflt.sys
Kernel Driver False Manual
Stopped OK Normal False
False

nwl nfw IPX Traffic Forwarder Driver
c:\winnt\system32\drivers\nwl nfw.sys
Kernel Driver False Manual
Stopped OK Normal False
False

openhci Microsoft USB Open Host Controller Driver
c:\winnt\system32\drivers\openhci.sys
Kernel Driver True Manual
Running OK Normal False
True

parallel Parallel
c:\winnt\system32\drivers\parallel.sys
Kernel Driver False Auto
Stopped OK Ignore False
False

parport Parport
c:\winnt\system32\drivers\parport.sys
Kernel Driver False Auto
Stopped OK Ignore False
False

partmgr PartMgr
c:\winnt\system32\drivers\partmgr.sys
Kernel Driver True Boot
Running OK Normal False
True

parvdm ParVdm
c:\winnt\system32\drivers\parvdm.sys
Kernel Driver False Auto
Stopped OK Ignore False
False

pci PCI Bus Driver
c:\winnt\system32\drivers\pci.sys
Kernel Driver True Boot
Running OK Critical False
True

pcidump PCIDump Not Available Kernel Driver
False System Stopped OK
Ignore False False

pciide PCIIDE
c:\winnt\system32\drivers\pciide.sys
Kernel Driver True Boot
Running OK Normal False
True

pcmcia Pcmcia
c:\winnt\system32\drivers\pcmcia.sys
Kernel Driver False Disabled
Stopped OK Normal False
False

pdcomp PDCOMP Not Available Kernel Driver
False Manual Stopped OK
Ignore False False

```

pdframe	PDFFRAME	Not Available	Kernel Driver	Kernel Driver	True	Manual	Running	OK	Normal	False
	False	Manual	Stopped	Running	OK	Normal	False	True		
	Ignore	False	False	True				TDASync		
pdreli	PDRELI	Not Available	Kernel Driver	rdpwd	RDPWD			c:\winnt\system32\drivers\tdasync.sys		
	False	Manual	Stopped	Kernel Driver	c:\winnt\system32\drivers\rdpwd.sys	True	Manual	Kernel Driver	False	Manual
	Ignore	False	False	Running	True	True	Manual	Stopped	OK	Ignore
pdrframe	PDRFRAME	Not Available	Kernel Driver	redbook	Digital CD Audio Playback Filter Driver	Running	OK	Ignore	False	False
	False	Manual	Stopped	True				TDIPX		
	Ignore	False	False	Kernel Driver	c:\winnt\system32\drivers\redbook.sys	True	Manual	c:\winnt\system32\drivers\tdipx.sys		
pptpminiport	WAN Miniport (PPTP)			Kernel Driver	False	System	Running	Stopped	OK	Ignore
	c:\winnt\system32\drivers\rasppptp.sys			Stopped	OK	Normal	False	False		
	Kernel Driver	True	Manual	True				tdnetb	TDNETB	
	Running	OK	Normal	False				c:\winnt\system32\drivers\tdnetb.sys		
	True			serenum	Serenum Filter Driver			Kernel Driver	False	Manual
ptilink	Direct Parallel Link Driver			Kernel Driver	c:\winnt\system32\drivers\serenum.sys	True	Manual	Stopped	OK	Ignore
	c:\winnt\system32\drivers\ptilink.sys			Running	OK	Normal	False	False		
	Kernel Driver	True	Manual	True				tdpipe	TDPIPE	
	Running	OK	Normal	False				c:\winnt\system32\drivers\tdpipe.sys		
	True			serial	Serial port driver			Kernel Driver	False	Manual
q57w2k	Compaq NC7781 Gigabit Server Adapter			Kernel Driver	c:\winnt\system32\drivers\serial.sys	True	System	Stopped	OK	Ignore
	c:\winnt\system32\drivers\q57w2k.sys			Running	OK	Ignore	False	False		
	Kernel Driver	True	Manual	True				tdspix	TDSPX	
	Running	OK	Normal	False				c:\winnt\system32\drivers\tdspix.sys		
	True			sfloppy	Sfloppy			Kernel Driver	False	Manual
q11080	q11080	Not Available	Kernel Driver	Kernel Driver	c:\winnt\system32\drivers\sfloppy.sys	False	System	Stopped	OK	Ignore
	False	Disabled	Stopped	Stopped	OK	Ignore	False	False		
	Normal	False	False	True				tdtcp	TDTCP	
q110wnt	Q110wnt	Not Available	Kernel Driver	sglfb	sglfb	Not Available	Kernel Driver	c:\winnt\system32\drivers\tdtcp.sys		
	False	Disabled	Stopped	False	System	Stopped	OK	Kernel Driver	True	Manual
	Normal	False	False	Normal	False	False		Running	OK	Ignore
q11240	q11240	Not Available	Kernel Driver	simbad	Simbad	Not Available	Kernel Driver	True		
	False	Disabled	Stopped	False	Disabled	Stopped	OK	termdd	Terminal Device Driver	
	Normal	False	False	Normal	False	False		c:\winnt\system32\drivers\termdd.sys		
q12100	q12100	Not Available	Kernel Driver	sparrow	Sparrow	Not Available	Kernel Driver	Kernel Driver	True	Auto
	False	Disabled	Stopped	False	Disabled	Stopped	OK	Running	OK	Normal
	Normal	False	False	Normal	False	False		True		False
rasacd	Remote Access Auto Connection Driver			spud	Special Purpose Utility Driver			tga	tga	Not Available
	c:\winnt\system32\drivers\rasacd.sys			Kernel Driver	c:\winnt\system32\drivers\spud.sys	True	Manual	False	System	Stopped
	Kernel Driver	True	System	Running	OK	Normal	False	Ignore	False	False
	Running	OK	Normal	False				udfs	Udfs	
	True			True				c:\winnt\system32\drivers\udfs.sys		
rasl2tp	WAN Miniport (L2TP)			srv	Srv	c:\winnt\system32\drivers\srv.sys		File System Driver	False	Disabled
	c:\winnt\system32\drivers\rasl2tp.sys			File System Driver	True	Manual		Stopped	OK	Normal
	Kernel Driver	True	Manual	Running	OK	Normal	False	False		
	Running	OK	Normal	False				ultra66	ultra66	Not Available
	True			swenum	Software Bus Driver			False	Disabled	Stopped
raspti	Direct Parallel			Kernel Driver	c:\winnt\system32\drivers\swenum.sys	True	Manual	Normal	False	False
	c:\winnt\system32\drivers\raspti.sys			Running	OK	Normal	False	True		
	Kernel Driver	True	Manual	True				update	Microcode Update Driver	
	Running	OK	Normal	False				c:\winnt\system32\drivers\update.sys		
	True			symc810	symc810	Not Available	Kernel Driver	Kernel Driver	True	Manual
rca	Microsoft Streaming Network Raw Channel			False	Disabled	Stopped	OK	Running	OK	Normal
Access	c:\winnt\system32\drivers\rca.sys			Normal	False	False		True		False
	Kernel Driver	False	Manual	symc8xx	symc8xx	Not Available	Kernel Driver	Microsoft USB Standard Hub Driver		
	Stopped	OK	Normal	False	Disabled	Stopped	OK	c:\winnt\system32\drivers\usbhubs.sys		
	False			Normal	False	False		Kernel Driver	True	Manual
rdbss	Rdbss			sym_hi	sym_hi	Not Available	Kernel Driver	Running	OK	Normal
	c:\winnt\system32\drivers\rdbss.sys			False	Disabled	Stopped	OK	True		False
	File System Driver	True	System	Normal	False	False		VgaSave	c:\winnt\system32\drivers\vga.sys	
	Running	OK	Normal	False				Kernel Driver	True	System
	True			tcpip	TCP/IP Protocol Driver			Running	OK	Ignore
rdpdr	Terminal Server Device Redirector Driver			Kernel Driver	c:\winnt\system32\drivers\tcpip.sys	True	System	True		
	c:\winnt\system32\drivers\rdpdr.sys									

```
wanarp Remote Access IP ARP Driver
c:\winnt\system32\drivers\wanarp.sys
Kernel Driver True Manual
Running OK Normal False
True

wdica WDICA Not Available Kernel Driver
False Manual Stopped OK
Ignore False False
```

[Environment Variables]

```
Variable Value User Name
ComSpec %SystemRoot%\system32\cmd.exe <SYSTEM>
Os2LibPath %SystemRoot%\system32\os2\dll;
<SYSTEM>
Path
%SystemRoot%\system32;%SystemRoot%;%SystemR
oot%\System32\Wbem;C:\Program Files\Microsoft SQL
Server\80\Tools\BINN <SYSTEM>
windir %SystemRoot% <SYSTEM>
OS Windows_NT <SYSTEM>
PROCESSOR_ARCHITECTURE x86 <SYSTEM>
PROCESSOR_LEVEL 15 <SYSTEM>
PROCESSOR_IDENTIFIER x86 Family 15 Model 2
Stepping 7, GenuineIntel <SYSTEM>
PROCESSOR_REVISION 0207 <SYSTEM>
NUMBER_OF_PROCESSORS 2 <SYSTEM>
PATHEXT
.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF
;.WSH <SYSTEM>
TEMP %SystemRoot%\TEMP <SYSTEM>
TMP %SystemRoot%\TEMP <SYSTEM>
TEMP %USERPROFILE%\Local Settings\Temp
CL23\Administrator
TMP %USERPROFILE%\Local Settings\Temp
CL23\Administrator
```

[Jobs]

[ Following are sub-categories of this main category ]

[Print]

Document	Size	Owner	Notify	Status
	Time Submitted		Start Time	
	Until Time		Elapsed Time	
	Pages Printed		Job ID	Priority
	Parameters		Driver Name	
	Print Processor		Host	Print Queue
	Data Type	Name		
Unknown	Unknown	Unknown	Unknown	Unknown
Unknown	Unknown	Unknown	Unknown	Unknown
Unknown	Unknown	Unknown	Unknown	Unknown
Unknown	Unknown	Unknown	Unknown	Unknown
Unknown	Unknown	Unknown	Unknown	Unknown

[Network Connections]

Local Name	Remote Name	Type
Status	User Name	
No network connections information		

[Running Tasks]

Name	Path	Process ID	Priority	Min
Working Set	Max Working Set	Start Time		
Version	Size	File Date		
system idle process	Not Available	0	0	0
Available	Unknown	Unknown	Unknown	Not
system	Not Available	8	8	0
	1413120	Not Available	Unknown	
	Unknown	Unknown		
smss.exe	c:\winnt\system32\smss.exe	184	11	
	204800	1413120	11/12/2003 5:02:03 PM	
	5.00.2195.2901	44.27 KB (45,328 bytes)		
	12/7/1999 7:00:00 AM			
csrss.exe	Not Available	212	13	Not
Available	Not Available	11/12/2003 5:02:04 PM		
	Unknown	Unknown	Unknown	
winlogon.exe	c:\winnt\system32\winlogon.exe			
	208	13	204800	1413120
	11/12/2003 5:02:05 PM			
	5.00.2195.2953	173.77 KB (177,936 bytes)		
	12/7/1999 7:00:00 AM			
services.exe	c:\winnt\system32\services.exe			
	260	9	204800	1413120
	11/12/2003 5:02:06 PM			
	5.00.2195.2780	86.77 KB (88,848 bytes)		
	12/7/1999 7:00:00 AM			
lsass.exe	c:\winnt\system32\lsass.exe	272	9	
	204800	1413120	11/12/2003 5:02:06 PM	
	5.00.2195.2964	32.77 KB (33,552 bytes)		
	12/7/1999 7:00:00 AM			
termsrv.exe	c:\winnt\system32\termsrv.exe	376		
	10	204800	1413120	11/12/2003
5:02:06 PM		5.00.2195.2342	137.27 KB	
(140,560 bytes)		9/13/2002 6:09:44 PM		
acllient.exe	c:\program			
files\altiris\acllient\acllient.exe	476	8		
	204800	1413120	11/12/2003 5:02:07 PM	
	5.6.124	3.83 MB (4,018,252 bytes)		
	6/5/2003 1:55:46 PM			
regsvcs.exe	c:\winnt\system32\regsvcs.exe	512		
	8	204800	1413120	11/12/2003
5:02:08 PM		5.00.2195.2104	65.27 KB	
(66,832 bytes)		9/13/2002 6:09:39 PM		
rsys.exe	c:\benchmark\rsys.exe	540	8	
	204800	1413120	11/12/2003 5:02:08 PM	
	Not Available	32.00 KB (32,768 bytes)		
	9/13/2002 6:30:57 PM			
svchost.exe	c:\winnt\system32\svchost.exe	564		
	8	204800	1413120	11/12/2003
5:02:08 PM		5.00.2134.1	7.77 KB	
(7,952 bytes)		12/7/1999 7:00:00 AM		
svchost.exe	c:\winnt\system32\svchost.exe	664		
	8	204800	1413120	11/12/2003
5:02:14 PM		5.00.2134.1	7.77 KB	
(7,952 bytes)		12/7/1999 7:00:00 AM		
mstask.exe	c:\winnt\system32\mstask.exe	692		
	8	204800	1413120	11/12/2003
5:02:14 PM		4.71.2195.1	115.27 KB	
(118,032 bytes)		9/13/2002 6:09:32 PM		

```
winmgmt.exe
c:\winnt\system32\wbem\winmgmt.exe 708
8
204800 1413120 11/12/2003
5:02:14 PM 1.50.1085.0029 192.08 KB
(196,685 bytes) 9/13/2002 6:09:52 PM
inetinfo.exe
c:\winnt\system32\inetinfo.exe 748
8
204800 1413120 11/12/2003
5:02:15 PM 5.00.0984 14.27 KB (14,608 bytes)
9/13/2002 6:10:42 PM
dfssvc.exe
c:\winnt\system32\dfssvc.exe 696
8
204800 1413120 11/12/2003
5:02:17 PM 5.00.2195.2841 88.27 KB
(90,384 bytes) 9/13/2002 6:09:18 PM
svchost.exe
c:\winnt\system32\svchost.exe 984
8
204800 1413120 11/12/2003
5:02:56 PM 5.00.2134.1 7.77 KB
(7,952 bytes) 12/7/1999 7:00:00 AM
logon.scr
c:\winnt\system32\logon.scr 716 4
204800 1413120 11/12/2003 5:17:18 PM
5.00.2195.2104 127.77 KB (130,832
bytes) 9/13/2002 6:09:26 PM
csrss.exe Not Available 728 13 Not
Available Not Available 11/13/2003 10:12:45 AM
Unknown Unknown Unknown
winlogon.exe c:\winnt\system32\winlogon.exe
792 13 204800 1413120
11/13/2003 10:12:45 AM
5.00.2195.2953 173.77 KB (177,936
bytes) 12/7/1999 7:00:00 AM
rdpclip.exe
c:\winnt\system32\rdpclip.exe 900
8
204800 1413120 11/13/2003
10:12:47 AM 5.00.2174.1 39.77 KB
(40,720 bytes) 9/13/2002 5:45:10 PM
explorer.exe
c:\winnt\explorer.exe 916
8
204800 1413120 11/13/2003
10:12:47 AM 5.00.3315.2846 237.27 KB
(242,960 bytes) 9/13/2002 6:09:47 PM
aclntusr.exe
c:\program
files\altiris\aclnt\aclntusr.exe 1108 8
204800 1413120 11/13/2003 10:12:48 AM
5, 6, 0, 50 176.00 KB (180,224
bytes) 6/5/2003 1:55:47 PM
tardis.exe
c:\program files\tardis 2000
v1.4\tardis.exe 1152 8 204800
1413120 11/13/2003 10:12:49 AM 5,
0, 1, 4 308.00 KB (315,392 bytes) 9/13/2002
6:21:25 PM
mmc.exe
c:\winnt\system32\mmc.exe 1196 8
204800 1413120 11/13/2003 10:12:53 AM
5.00.2195.2301 589.27 KB (603,408
bytes) 9/13/2002 6:09:26 PM
rsvp.exe
c:\winnt\system32\rsvp.exe 1340 8
204800 1413120 11/13/2003 10:13:23 AM
5.00.2167.1 172.77 KB (176,912
bytes) 12/7/1999 7:00:00 AM

[Loaded Modules]
Name Version Size File Date Manufacturer
Path
traffic.dll 5.00.2139.1 30.77 KB
(31,504 bytes) 12/7/1999 7:00:00 AM
```



```

Microsoft Corporation
c:\winnt\system32\traffic.dll
rsvp.exe 5.00.2167.1 172.77 KB (176,912
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\rsvp.exe
wbemprox.dll 1.50.1085.0045 40.08 KB
(41,040 bytes) 9/13/2002 6:09:52 PM
Microsoft Corporation
c:\winnt\system32\wbem\wbemprox.dll
mlang.dll 5.00.3103.1000 510.77 KB (523,024
bytes) 9/13/2002 6:09:26 PM Microsoft
Corporation c:\winnt\system32\mlang.dll
cabinet.dll 5.00.2147.1 54.77 KB
(56,080 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cabinet.dll
msinfo32.dll 5.00.2177.1 312.27 KB
(319,760 bytes) 9/13/2002 5:46:00 PM
Microsoft Corporation c:\program
files\common files\microsoft
shared\msinfo\msinfo32.dll
mmcmdmgr.dll 5.00.2178.1 815.27 KB
(834,832 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mmcmdmgr.dll
msvcp50.dll 5.00.7051 552.50 KB (565,760
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\msvcp50.dll
mmc.exe 5.00.2195.2301 589.27 KB (603,408
bytes) 9/13/2002 6:09:26 PM Microsoft
Corporation c:\winnt\system32\mmc.exe
tardis.exe 5, 0, 1, 4 308.00 KB
(315,392 bytes) 9/13/2002 6:21:25 PM
H.C.Mingham-Smith Ltd. c:\program
files\tardis 2000 vl.4\tardis.exe
aclntusr.exe 5, 6, 0, 50 176.00 KB
(180,224 bytes) 6/5/2003 1:55:47 PM
c:\program
files\altiris\aclient\aclntusr.exe
shdoclc.dll 5.00.3315.2879 324.50 KB
(332,288 bytes) 9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\shdoclc.dll
wininet.dll 5.00.3315.1000 456.77 KB
(467,728 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wininet.dll
faxshell.dll 5.00.2134.1 8.27 KB
(8,464 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\faxshell.dll
msacm32.dll 5.00.2134.1 65.27 KB
(66,832 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msacm32.dll
avifil32.dll 5.00.2134.1 76.27 KB
(78,096 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\avifil32.dll
msvfw32.dll 5.00.2134.1 113.77 KB
(116,496 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msvfw32.dll

```

```

docprop2.dll 5.00.2178.1 297.77 KB
(304,912 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\docprop2.dll
linkinfo.dll 5.00.2134.1 15.77 KB
(16,144 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\linkinfo.dll
powrprof.dll 5.00.3103.1000 13.27 KB
(13,584 bytes) 9/13/2002 6:09:38 PM
Microsoft Corporation
c:\winnt\system32\powrprof.dll
batmeter.dll 5.00.3103.1000 20.27 KB
(20,752 bytes) 9/13/2002 6:09:14 PM
Microsoft Corporation
c:\winnt\system32\batmeter.dll
stobject.dll 5.00.2195.2780 79.27 KB
(81,168 bytes) 9/13/2002 6:09:43 PM
Microsoft Corporation
c:\winnt\system32\stobject.dll
msi.dll 1.11.2405.0 1.69 MB (1,767,184
bytes) 9/13/2002 6:09:29 PM Microsoft
Corporation c:\winnt\system32\msi.dll
webcheck.dll 5.00.3315.1000 251.77 KB
(257,808 bytes) 9/13/2002 6:09:45 PM
Microsoft Corporation
c:\winnt\system32\webcheck.dll
ntshrui.dll 5.00.2134.1 46.77 KB
(47,888 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ntshrui.dll
mydocs.dll 5.00.2920.0000 55.77 KB
(57,104 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mydocs.dll
browseui.dll 5.00.3315.2846 788.77 KB
(807,696 bytes) 9/13/2002 6:09:14 PM
Microsoft Corporation
c:\winnt\system32\browseui.dll
shdocvw.dll 5.00.3315.2879 1.05 MB
(1,104,144 bytes) 9/13/2002 6:09:42 PM
Microsoft Corporation
c:\winnt\system32\shdocvw.dll
explorer.exe 5.00.3315.2846 237.27 KB
(242,960 bytes) 9/13/2002 6:09:47 PM
Microsoft Corporation
c:\winnt\explorer.exe
rdpclip.exe 5.00.2174.1 39.77 KB
(40,720 bytes) 9/13/2002 5:45:10 PM
Microsoft Corporation
c:\winnt\system32\rdpclip.exe
cscui.dll 5.00.2195.2959 228.27 KB (233,744
bytes) 9/13/2002 6:09:17 PM Microsoft
Corporation c:\winnt\system32\cscui.dll
logon.scr 5.00.2195.2104 127.77 KB (130,832
bytes) 9/13/2002 6:09:26 PM Microsoft
Corporation c:\winnt\system32\logon.scr
tapisrv.dll 5.00.2195.2955 169.27 KB
(173,328 bytes) 9/13/2002 6:09:44 PM
Microsoft Corporation
c:\winnt\system32\tapisrv.dll
resutils.dll 5.00.2195.2787 39.77 KB
(40,720 bytes) 9/13/2002 6:09:40 PM

```

```

Microsoft Corporation
c:\winnt\system32\resutils.dll
clusapi.dll 5.00.2195.2104 54.27 KB
(55,568 bytes) 9/13/2002 6:09:16 PM
Microsoft Corporation
c:\winnt\system32\clusapi.dll
dfssvc.exe 5.00.2195.2841 88.27 KB
(90,384 bytes) 9/13/2002 6:09:18 PM
Microsoft Corporation
c:\winnt\system32\dfssvc.exe
iislog.dll 5.00.0984 75.27 KB (77,072 bytes)
9/13/2002 6:10:42 PM Microsoft
Corporation c:\winnt\system32\iislog.dll
httpext.dll 0.9.3940.21 435.27 KB
(445,712 bytes) 9/13/2002 6:10:42 PM
Microsoft Corporation
c:\winnt\system32\iislog\httpext.dll
fpexedll.dll 4.0.2.4324 20.06 KB
(20,541 bytes) 9/13/2002 6:10:33 PM
Microsoft Corporation c:\program
files\common files\microsoft shared\web server
extensions\40\bin\fpexedll.dll
md5filt.dll 5.00.0984 32.77 KB (33,552 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\iislog\md5filt.dll
gzip.dll 5.00.0984 30.27 KB (30,992 bytes)
9/13/2002 6:10:42 PM Microsoft
Corporation c:\winnt\system32\iislog\gzip.dll
compfilt.dll 5.00.0984 22.77 KB (23,312 bytes)
9/13/2002 6:10:41 PM Microsoft
Corporation c:\winnt\system32\iislog\compfilt.dll
sspifilt.dll 5.00.0984 43.27 KB (44,304 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\iislog\sspifilt.dll
iscomlog.dll 5.00.0984 24.77 KB (25,360 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\iislog\iscomlog.dll
lonsint.dll 5.00.0984 11.77 KB (12,048 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\iislog\lonsint.dll
inetsloc.dll 5.00.0984 20.27 KB (20,752 bytes)
9/13/2002 6:09:24 PM Microsoft
Corporation c:\winnt\system32\iislog\inetsloc.dll
iisfecnv.dll 5.00.0984 7.27 KB (7,440 bytes)
9/13/2002 5:45:32 PM Microsoft
Corporation c:\winnt\system32\iislog\iisfecnv.dll
isatq.dll 5.00.0984 60.27 KB (61,712 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\iislog\isatq.dll
infocomm.dll 5.00.0984 238.27 KB (243,984
bytes) 9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\iislog\infocomm.dll

```

w3svc.dll 5.00.0984 343.27 KB (351,504 bytes)  
 9/13/2002 6:10:44 PM Microsoft Corporation  
 c:\winnt\system32\inetrv\w3svc.dll  
 security.dll 5.00.2154.1 5.77 KB (5,904 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\security.dll  
 svcext.dll 5.00.0984 39.77 KB (40,720 bytes)  
 9/13/2002 6:10:44 PM Microsoft Corporation  
 c:\winnt\system32\inetrv\svcext.dll  
 admxs.dll 5.00.0984 27.77 KB (28,432 bytes)  
 9/13/2002 6:10:41 PM Microsoft Corporation  
 c:\winnt\system32\inetrv\admxs.dll  
 wamreg.dll 5.00.0984 45.77 KB (46,864 bytes)  
 9/13/2002 6:10:44 PM Microsoft Corporation  
 c:\winnt\system32\inetrv\wamreg.dll  
 metadata.dll 5.00.0984 68.77 KB (70,416 bytes)  
 9/13/2002 6:10:43 PM Microsoft Corporation  
 c:\winnt\system32\inetrv\metadata.dll  
 iismap.dll 5.00.0984 55.77 KB (57,104 bytes)  
 9/13/2002 6:09:23 PM Microsoft Corporation  
 c:\winnt\system32\iismap.dll  
 nsepm.dll 5.00.0984 43.27 KB (44,304 bytes)  
 9/13/2002 6:10:43 PM Microsoft Corporation  
 c:\winnt\system32\inetrv\nsepm.dll  
 admwprox.dll 5.00.0984 31.77 KB (32,528 bytes)  
 9/13/2002 5:45:33 PM Microsoft Corporation  
 c:\winnt\system32\admwprox.dll  
 coadmin.dll 5.00.0984 39.27 KB (40,208 bytes)  
 9/13/2002 6:10:41 PM Microsoft Corporation  
 c:\winnt\system32\inetrv\coadmin.dll  
 iisadmin.dll 5.00.0984 15.27 KB (15,632 bytes)  
 9/13/2002 6:10:42 PM Microsoft Corporation  
 c:\winnt\system32\inetrv\iisadmin.dll  
 rpcpref.dll 5.00.0984 4.27 KB (4,368 bytes)  
 9/13/2002 6:10:43 PM Microsoft Corporation  
 c:\winnt\system32\inetrv\rpcpref.dll  
 iisrtl.dll 5.00.0984 119.77 KB (122,640 bytes)  
 9/13/2002 6:09:23 PM Microsoft Corporation  
 c:\winnt\system32\iisrtl.dll  
 inetinfo.exe 5.00.0984 14.27 KB (14,608 bytes)  
 9/13/2002 6:10:42 PM Microsoft Corporation  
 c:\winnt\system32\inetrv\inetinfo.exe  
 netui1.dll 5.00.2134.1 210.27 KB (215,312 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\netui1.dll  
 netui0.dll 5.00.2134.1 70.27 KB (71,952 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\netui0.dll  
 ntlanman.dll 5.00.2157.1 35.27 KB (36,112 bytes)  
 12/7/1999 7:00:00 AM

Microsoft Corporation  
 c:\winnt\system32\ntlanman.dll  
 wshnetbs.dll 5.00.2134.1 7.77 KB (7,952 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\wshnetbs.dll  
 perfos.dll 5.00.2155.1 21.27 KB (21,776 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\perfos.dll  
 provthrd.dll 1.50.1085.0000 68.07 KB (69,708 bytes)  
 9/13/2002 5:45:53 PM Microsoft Corporation  
 c:\winnt\system32\wbem\provthrd.dll  
 ntevt.dll 1.50.1085.0000 192.06 KB (196,669 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\wbem\ntevt.dll  
 framedyn.dll 1.50.1085.0000 164.05 KB (167,992 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\wbem\framedyn.dll  
 cimwin32.dll 1.50.1085.0038 1.02 MB (1,073,232 bytes)  
 9/13/2002 6:09:50 PM Microsoft Corporation  
 c:\winnt\system32\wbem\cimwin32.dll  
 wbemsv.dll 1.50.1085.0007 40.07 KB (41,036 bytes)  
 9/13/2002 6:09:52 PM Microsoft Corporation  
 c:\winnt\system32\wbem\wbemsv.dll  
 wbemess.dll 1.50.1085.0039 364.07 KB (372,804 bytes)  
 9/13/2002 6:09:52 PM Microsoft Corporation  
 c:\winnt\system32\wbem\wbemess.dll  
 fastprox.dll 1.50.1085.0037 144.08 KB (147,536 bytes)  
 9/13/2002 6:09:51 PM Microsoft Corporation  
 c:\winnt\system32\wbem\fastprox.dll  
 wbemcore.dll 1.50.1085.0036 628.07 KB (643,140 bytes)  
 9/13/2002 6:09:52 PM Microsoft Corporation  
 c:\winnt\system32\wbem\wbemcore.dll  
 wbemcom.dll 1.50.1085.0021 692.07 KB (708,675 bytes)  
 9/13/2002 6:09:51 PM Microsoft Corporation  
 c:\winnt\system32\wbem\wbemcom.dll  
 winmgmt.exe 1.50.1085.0029 192.08 KB (196,685 bytes)  
 9/13/2002 6:09:52 PM Microsoft Corporation  
 c:\winnt\system32\wbem\winmgmt.exe  
 msidle.dll 5.00.2920.0000 6.27 KB (6,416 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\msidle.dll  
 mstask.exe 4.71.2195.1 115.27 KB (118,032 bytes)  
 9/13/2002 6:09:32 PM Microsoft Corporation  
 c:\winnt\system32\mstask.exe  
 wmi.dll 5.00.2191.1 6.27 KB (6,416 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\wmi.dll  
 netshell.dll 5.00.2195.2779 457.27 KB (468,240 bytes)  
 9/13/2002 6:09:34 PM

Microsoft Corporation  
 c:\winnt\system32\netshell.dll  
 netman.dll 5.00.2195.2779 89.27 KB (91,408 bytes)  
 9/13/2002 6:09:34 PM Microsoft Corporation  
 c:\winnt\system32\netman.dll  
 ntmsdba.dll 5.00.2195.2779 167.27 KB (171,280 bytes)  
 9/13/2002 6:09:35 PM Microsoft Corporation  
 c:\winnt\system32\ntmsdba.dll  
 rasdlg.dll 5.00.2195.2671 514.27 KB (526,608 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\rasdlg.dll  
 netcfgx.dll 5.00.2195.2228 534.77 KB (547,600 bytes)  
 9/13/2002 6:09:34 PM Microsoft Corporation  
 c:\winnt\system32\netcfgx.dll  
 rasmans.dll 5.00.2195.2728 147.27 KB (150,800 bytes)  
 9/13/2002 6:09:39 PM Microsoft Corporation  
 c:\winnt\system32\rasmans.dll  
 sens.dll 5.00.2163.1 36.77 KB (37,648 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\sens.dll  
 ntmsvc.dll 5.00.2195.2779 391.27 KB (400,656 bytes)  
 9/13/2002 6:09:35 PM Microsoft Corporation  
 c:\winnt\system32\ntmsvc.dll  
 txfaux.dll 2000.2.3471.1 374.27 KB (383,248 bytes)  
 9/13/2002 6:09:44 PM Microsoft Corporation  
 c:\winnt\system32\txfaux.dll  
 es.dll 2000.2.3471.1 222.27 KB (227,600 bytes)  
 9/13/2002 6:09:21 PM Microsoft Corporation  
 c:\winnt\system32\es.dll  
 rasadhlp.dll 5.00.2168.1 7.27 KB (7,440 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\rasadhlp.dll  
 winrnr.dll 5.00.2160.1 18.77 KB (19,216 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\winrnr.dll  
 rnr20.dll 5.00.2195.2871 35.77 KB (36,624 bytes)  
 9/13/2002 6:09:40 PM Microsoft Corporation  
 c:\winnt\system32\rnr20.dll  
 rpcss.dll 5.00.2195.2815 231.27 KB (236,816 bytes)  
 9/13/2002 6:09:40 PM Microsoft Corporation  
 c:\winnt\system32\rpcss.dll  
 svchost.exe 5.00.2134.1 7.77 KB (7,952 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\svchost.exe  
 rsys.exe Not Available 32.00 KB (32,768 bytes)  
 9/13/2002 6:30:57 PM Not Available  
 c:\benchcraft\rsys.exe  
 regsvc.exe 5.00.2195.2104 65.27 KB (66,832 bytes)  
 9/13/2002 6:09:39 PM Microsoft Corporation  
 c:\winnt\system32\regsvc.exe  
 ntmarta.dll 5.00.2195.2862 98.77 KB (101,136 bytes)  
 9/13/2002 6:09:35 PM

```

Microsoft Corporation
c:\winnt\system32\ntmarta.dll
psapi.dll 5.00.2134.1 28.27 KB (28,944 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\psapi.dll
riched20.dll 5.30.23.1205 421.27 KB
(431,376 bytes) 9/13/2002 6:09:40 PM
Microsoft Corporation
c:\winnt\system32\riched20.dll
riched32.dll 5.00.2134.1 3.77 KB
(3,856 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\riched32.dll
comdlg32.dll 5.00.3103.1000 236.77 KB
(242,448 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\comdlg32.dll
aclient.exe 5.6.124 3.83 MB (4,018,252
bytes) 6/5/2003 1:55:46 PM Altiris, Inc.
c:\program
files\altiris\aclient\aclient.exe
rdpwsx.dll 5.00.2180.1 94.40 KB
(96,664 bytes) 9/13/2002 5:45:10 PM
Microsoft Corporation
c:\winnt\system32\rdpwsx.dll
ntlsapi.dll 5.00.2134.1 6.77 KB
(6,928 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ntlsapi.dll
mstlsapi.dll 5.00.2181.1 24.77 KB
(25,360 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mstlsapi.dll
icaapi.dll 5.00.2134.1 118.77 KB
(121,616 bytes) 9/13/2002 5:45:09 PM
Microsoft Corporation
c:\winnt\system32\icaapi.dll
regapi.dll 5.00.2155.1 35.27 KB
(36,112 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\regapi.dll
termsrv.exe 5.00.2195.2342 137.27 KB
(140,560 bytes) 9/13/2002 6:09:44 PM
Microsoft Corporation
c:\winnt\system32\termsrv.exe
dssenh.dll 5.00.2195.2228 142.77 KB
(146,192 bytes) 9/13/2002 6:10:37 PM
Microsoft Corporation
c:\winnt\system32\dssenh.dll
wshtcpip.dll 5.00.2195.2104 17.27 KB
(17,680 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wshtcpip.dll
msafd.dll 5.00.2195.2779 106.77 KB (109,328
bytes) 9/13/2002 6:09:27 PM Microsoft
Corporation c:\winnt\system32\msafd.dll
oakley.dll 5.00.2195.2785 378.77 KB
(387,856 bytes) 9/13/2002 6:09:36 PM
Microsoft Corporation
c:\winnt\system32\oakley.dll
mfc42u.dll 6.00.8665.0 972.05 KB
(995,384 bytes) 12/7/1999 7:00:00 AM

```

```

Microsoft Corporation
c:\winnt\system32\mfc42u.dll
polagent.dll 5.00.2183.1 108.27 KB
(110,864 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\polagent.dll
scecli.dll 5.00.2195.2780 105.27 KB
(107,792 bytes) 9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\scecli.dll
atl.dll 3.00.8449 57.56 KB (58,938 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\atl.dll
certcli.dll 5.00.2195.2778 130.77 KB
(133,904 bytes) 9/13/2002 6:09:16 PM
Microsoft Corporation
c:\winnt\system32\certcli.dll
msock.dll 5.00.2195.2871 62.77 KB
(64,272 bytes) 9/13/2002 6:09:33 PM
Microsoft Corporation
c:\winnt\system32\msock.dll
ntdsatq.dll 5.00.2195.2878 31.27 KB
(32,016 bytes) 9/13/2002 6:09:35 PM
Microsoft Corporation
c:\winnt\system32\ntdsatq.dll
ntdsa.dll 5.00.2195.2899 990.77 KB (1,014,544
bytes) 9/13/2002 6:09:34 PM Microsoft
Corporation c:\winnt\system32\ntdsa.dll
kdcsvc.dll 5.00.2195.2878 137.77 KB
(141,072 bytes) 9/13/2002 6:09:26 PM
Microsoft Corporation
c:\winnt\system32\kdcsvc.dll
sfmapi.dll 5.00.2134.1 38.77 KB
(39,696 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\sfmapi.dll
rassfm.dll 5.00.2195.2671 21.27 KB
(21,776 bytes) 9/13/2002 6:09:39 PM
Microsoft Corporation
c:\winnt\system32\rassfm.dll
mpr.dll 5.00.2195.2779 53.27 KB (54,544 bytes)
9/13/2002 6:09:27 PM Microsoft
Corporation c:\winnt\system32\mpr.dll
rsabase.dll 5.00.2195.2228 128.27 KB
(131,344 bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\rsabase.dll
schannel.dll 5.00.2195.2922 138.27 KB
(141,584 bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\schannel.dll
netlogon.dll 5.00.2195.2865 357.77 KB
(366,352 bytes) 9/13/2002 6:09:34 PM
Microsoft Corporation
c:\winnt\system32\netlogon.dll
msvl_0.dll 5.00.2195.2900 111.77 KB
(114,448 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msvl_0.dll
kerberos.dll 5.00.2195.2913 198.77 KB
(203,536 bytes) 9/13/2002 6:09:26 PM
Microsoft Corporation
c:\winnt\system32\kerberos.dll

```

```

msprivs.dll 5.00.2154.1 41.50 KB
(42,496 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msprivs.dll
samsrv.dll 5.00.2195.2918 369.77 KB
(378,640 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\samsrv.dll
lsasrv.dll 5.00.2195.2964 492.77 KB
(504,592 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\lsasrv.dll
lsass.exe 5.00.2195.2964 32.77 KB (33,552 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\lsass.exe
esent.dll 6.0.3940.13 1.08 MB (1,135,376
bytes) 9/13/2002 6:09:21 PM Microsoft
Corporation c:\winnt\system32\esent.dll
xactsrv.dll 5.00.2134.1 90.27 KB
(92,432 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\xactsrv.dll
wmiexec.dll 5.00.2195.2842 72.27 KB
(74,000 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wmiexec.dll
browser.dll 5.00.2195.2778 48.27 KB
(49,424 bytes) 9/13/2002 6:09:14 PM
Microsoft Corporation
c:\winnt\system32\browser.dll
trkwws.dll 5.00.2166.1 88.77 KB
(90,896 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\trkwws.dll
psbase.dll 5.00.2195.2779 111.77 KB
(114,448 bytes) 9/13/2002 6:09:39 PM
Microsoft Corporation
c:\winnt\system32\psbase.dll
cryptsvc.dll 5.00.2181.1 61.77 KB
(63,248 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cryptsvc.dll
seclogon.dll 5.00.2135.1 15.77 KB
(16,144 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\seclogon.dll
cryptdll.dll 5.00.2135.1 41.27 KB
(42,256 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cryptdll.dll
wkssvc.dll 5.00.2195.2780 95.27 KB
(97,552 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wkssvc.dll
srsvsvc.dll 5.00.2195.2904 79.27 KB
(81,168 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\srsvsvc.dll
cfgmgr32.dll 5.00.2134.1 16.77 KB
(17,168 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cfgmgr32.dll

```

dmserver.dll 2195.2778.297.3 11.77 KB  
 (12,048 bytes) 9/13/2002 6:09:19 PM  
 VERITAS Software Corp.  
 c:\winnt\system32\dmserver.dll  
 lmhsvc.dll 5.00.2195.2778 9.77 KB  
 (10,000 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\lmhsvc.dll  
 clbcatq.dll 2000.2.3471.1 496.77 KB  
 (508,688 bytes) 9/13/2002 6:09:16 PM  
 Microsoft Corporation  
 c:\winnt\system32\clbcatq.dll  
 tapi32.dll 5.00.2182.1 123.27 KB  
 (126,224 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\tapi32.dll  
 rasman.dll 5.00.2195.2780 54.77 KB  
 (56,080 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\rasman.dll  
 rasapi32.dll 5.00.2195.2671 189.77 KB  
 (194,320 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\rasapi32.dll  
 rtutils.dll 5.00.2168.1 43.77 KB  
 (44,816 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\rtutils.dll  
 adsldpc.dll 5.00.2195.2842 127.27 KB  
 (130,320 bytes) 9/13/2002 6:09:12 PM  
 Microsoft Corporation  
 c:\winnt\system32\adsldpc.dll  
 activeds.dll 5.00.2195.2778 174.77 KB  
 (178,960 bytes) 9/13/2002 6:09:09 PM  
 Microsoft Corporation  
 c:\winnt\system32\activeds.dll  
 oleaut32.dll 2.40.4517 612.27 KB (626,960  
 bytes) 12/7/1999 7:00:00 AM Microsoft  
 Corporation c:\winnt\system32\oleaut32.dll  
 mprapi.dll 5.00.2181.1 79.27 KB  
 (81,168 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\mprapi.dll  
 iphlapi.dll 5.00.2173.2 67.77 KB  
 (69,392 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\iphlpapi.dll  
 icmp.dll 5.00.2134.1 7.27 KB (7,440 bytes)  
 12/7/1999 7:00:00 AM Microsoft  
 Corporation c:\winnt\system32\icmp.dll  
 dhcpcsvc.dll 5.00.2195.2778 88.77 KB  
 (90,896 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\dhcpcsvc.dll  
 eventlog.dll 5.00.2178.1 43.77 KB  
 (44,816 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\eventlog.dll  
 ntdsapi.dll 5.00.2195.2661 55.77 KB  
 (57,104 bytes) 9/13/2002 6:09:35 PM  
 Microsoft Corporation  
 c:\winnt\system32\ntdsapi.dll

scesrv.dll 5.00.2195.2780 226.27 KB  
 (231,696 bytes) 9/13/2002 6:09:41 PM  
 Microsoft Corporation  
 c:\winnt\system32\scesrv.dll  
 umpnpgmgr.dll 5.00.2182.1 86.27 KB  
 (88,336 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\umpnpgmgr.dll  
 services.exe 5.00.2195.2780 86.77 KB  
 (88,848 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\services.exe  
 winspool.drv 5.00.2195.2780 109.77 KB  
 (112,400 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\winspool.drv  
 winscard.dll 5.00.2134.1 77.27 KB  
 (79,120 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\winscard.dll  
 wlnotify.dll 5.00.2195.2780 53.77 KB  
 (55,056 bytes) 9/13/2002 6:09:46 PM  
 Microsoft Corporation  
 c:\winnt\system32\wlnotify.dll  
 cscdll.dll 5.00.2195.2401 98.27 KB  
 (100,624 bytes) 9/13/2002 6:09:17 PM  
 Microsoft Corporation  
 c:\winnt\system32\cscdll.dll  
 lz32.dll 5.00.2134.1 9.77 KB (10,000 bytes)  
 12/7/1999 7:00:00 AM Microsoft  
 Corporation c:\winnt\system32\lz32.dll  
 version.dll 5.00.2134.1 15.77 KB  
 (16,144 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\version.dll  
 rsaenh.dll 5.00.2195.2228 130.77 KB  
 (133,904 bytes) 9/13/2002 6:10:37 PM  
 Microsoft Corporation  
 c:\winnt\system32\rsaenh.dll  
 mscat32.dll 5.131.2134.1 7.77 KB  
 (7,952 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\mscat32.dll  
 ole32.dll 5.00.2195.2887 969.77 KB (993,040  
 bytes) 9/13/2002 6:09:38 PM Microsoft  
 Corporation c:\winnt\system32\ole32.dll  
 imagehlp.dll 5.00.2195.2778 125.77 KB  
 (128,784 bytes) 5/4/2001 12:05:02 PM  
 Microsoft Corporation  
 c:\winnt\system32\imagehlp.dll  
 msasn1.dll 5.00.2134.1 51.27 KB  
 (52,496 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\msasn1.dll  
 crypt32.dll 5.131.2195.2833 451.27 KB  
 (462,096 bytes) 9/13/2002 6:09:17 PM  
 Microsoft Corporation  
 c:\winnt\system32\crypt32.dll  
 wintrust.dll 5.131.2195.2779 162.27 KB  
 (166,160 bytes) 9/13/2002 6:09:46 PM  
 Microsoft Corporation  
 c:\winnt\system32\wintrust.dll

shlwapi.dll 5.00.3315.1000 282.77 KB  
 (289,552 bytes) 9/13/2002 6:09:42 PM  
 Microsoft Corporation  
 c:\winnt\system32\shlwapi.dll  
 shell32.dll 5.00.3315.2902 2.25 MB  
 (2,359,056 bytes) 9/13/2002 6:09:42 PM  
 Microsoft Corporation  
 c:\winnt\system32\shell32.dll  
 msgina.dll 5.00.2195.2779 324.27 KB  
 (332,048 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\msgina.dll  
 comctl32.dll 5.81 537.77 KB (550,672  
 bytes) 12/7/1999 7:00:00 AM Microsoft  
 Corporation c:\winnt\system32\comctl32.dll  
 setupapi.dll 5.00.2195.2663 555.77 KB  
 (569,104 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\setupapi.dll  
 winmm.dll 5.00.2161.1 184.77 KB (189,200  
 bytes) 12/7/1999 7:00:00 AM Microsoft  
 Corporation c:\winnt\system32\winmm.dll  
 winsta.dll 5.00.2195.2386 36.77 KB  
 (37,648 bytes) 9/13/2002 6:09:46 PM  
 Microsoft Corporation  
 c:\winnt\system32\winsta.dll  
 wsock32.dll 5.00.2195.2871 21.27 KB  
 (21,776 bytes) 9/13/2002 6:09:46 PM  
 Microsoft Corporation  
 c:\winnt\system32\wsock32.dll  
 dnsapi.dll 5.00.2195.2785 130.77 KB  
 (133,904 bytes) 9/13/2002 6:09:19 PM  
 Microsoft Corporation  
 c:\winnt\system32\dnsapi.dll  
 wldap32.dll 5.00.2195.2797 125.27 KB  
 (128,272 bytes) 9/13/2002 6:09:46 PM  
 Microsoft Corporation  
 c:\winnt\system32\wldap32.dll  
 ws2help.dll 5.00.2134.1 17.77 KB  
 (18,192 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\ws2help.dll  
 ws2\_32.dll 5.00.2195.2780 67.77 KB  
 (69,392 bytes) 9/13/2002 6:09:46 PM  
 Microsoft Corporation  
 c:\winnt\system32\ws2\_32.dll  
 samlib.dll 5.00.2195.2780 49.77 KB  
 (50,960 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\samlib.dll  
 netrap.dll 5.00.2134.1 11.27 KB  
 (11,536 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\netrap.dll  
 netapi32.dll 5.00.2195.2808 303.77 KB  
 (311,056 bytes) 9/13/2002 6:09:34 PM  
 Microsoft Corporation  
 c:\winnt\system32\netapi32.dll  
 profmap.dll 5.00.2181.1 29.27 KB  
 (29,968 bytes) 12/7/1999 7:00:00 AM  
 Microsoft Corporation  
 c:\winnt\system32\profmap.dll

```

secur32.dll      5.00.2195.2862    46.77 KB
(47,888 bytes)  9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\secur32.dll
sfc.dll         5.00.2195.2896    92.11 KB (94,320 bytes)
9/13/2002 6:09:41 PM Microsoft
Corporation     c:\winnt\system32\sfc.dll
nddeapi.dll    5.00.2137.1       15.27 KB
(15,632 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\nddeapi.dll
userenv.dll    5.00.2195.2780    361.77 KB
(370,448 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\userenv.dll
user32.dll     5.00.2195.2821    392.77 KB
(402,192 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\user32.dll
gdi32.dll     5.00.2195.2778    228.77 KB (234,256
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation    c:\winnt\system32\gdi32.dll
rpcrt4.dll    5.00.2195.2832    437.27 KB
(447,760 bytes) 9/13/2002 6:09:40 PM
Microsoft Corporation
c:\winnt\system32\rpcrt4.dll
advapi32.dll  5.00.2195.2867    351.77 KB
(360,208 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\advapi32.dll
kernel32.dll  5.00.2195.2778    714.77 KB
(731,920 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\kernel32.dll
msvcrt.dll   6.10.8924.0       284.05 KB
(290,869 bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\msvcrt.dll
winlogon.exe  5.00.2195.2953    173.77 KB
(177,936 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\winlogon.exe
sfccfiles.dll 5.00.2195.2967    948.27 KB
(971,024 bytes) 9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\sfccfiles.dll
ntdll.dll    5.00.2195.2779    478.77 KB (490,256
bytes) 5/4/2001 12:05:02 PM Microsoft
Corporation    c:\winnt\system32\ntdll.dll
smss.exe     5.00.2195.2901    44.27 KB (45,328 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation    c:\winnt\system32\smss.exe

```

[Services]

```

Display Name      Name      State      Start Mode
Service Type      Path      Error Control
Start Name        Tag ID
Altiris Client Service
Auto Own Process c:\program
files\altiris\aclient\aclient.exe -service
Normal LocalSystem 0

```

```

Alerter Alerter Stopped Manual Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Application Management AppMgmt Stopped
Manual Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Computer Browser Browser Running Auto
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Indexing Service cisvc Stopped Manual
Share Process
c:\winnt\system32\cisvc.exe Normal
LocalSystem 0
ClipBook ClipSrv Stopped Manual Own Process
c:\winnt\system32\clipsrv.exe Normal
LocalSystem 0
Distributed File System Dfs Running
Auto Own Process
c:\winnt\system32\dfsrv.exe Normal
LocalSystem 0
DHCP Client Dhcp Running Auto
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Logical Disk Manager Administrative Service
dmadmin Stopped Manual Share Process
c:\winnt\system32\dmadmin.exe /com
Normal LocalSystem 0
Logical Disk Manager dmserver Running
Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
DNS Client Dnscache Stopped Manual
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Event Log Eventlog Running Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
COM+ Event System EventSystem Running
Manual Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Fax Service Fax Stopped Manual Own
Process c:\winnt\system32\faxsvc.exe Normal
LocalSystem 0
IIS Admin Service IISADMIN Running Auto
Share Process
c:\winnt\system32\inetrv\inetinfo.exe
Normal LocalSystem 0
Intersite Messaging IsmServ Stopped Disabled Own
Process c:\winnt\system32\ismserv.exe Normal
LocalSystem 0
Kerberos Key Distribution Center kdc
Stopped Disabled Share Process
c:\winnt\system32\lsass.exe Normal
LocalSystem 0
Server lanmanserver Running Auto
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0

```

```

Workstation lanmanworkstation Running
Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
License Logging Service LicenseService
Stopped Manual Own Process
c:\winnt\system32\llssrv.exe Normal
LocalSystem 0
TCP/IP NetBIOS Helper Service LmHosts Running
Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Messenger Messenger Stopped Manual Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
NetMeeting Remote Desktop Sharing nmmsrvc
Stopped Manual Own Process
c:\winnt\system32\nmmsrvc.exe Normal
LocalSystem 0
Distributed Transaction Coordinator MSDTC
Stopped Manual Own Process
c:\winnt\system32\msdtc.exe Normal
LocalSystem 0
Windows Installer MSIServer Stopped Manual
Share Process
c:\winnt\system32\msiexec.exe /v
Normal LocalSystem 0
Network DDE NetDDE Stopped Manual
Share Process
c:\winnt\system32\netdde.exe Normal
LocalSystem 0
Network DDE DSDM NetDDEdsdm Stopped
Manual Share Process
c:\winnt\system32\netdde.exe Normal
LocalSystem 0
Net Logon Netlogon Stopped Manual Share Process
c:\winnt\system32\lsass.exe Normal
LocalSystem 0
Network Connections Netman Running Manual
Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
File Replication NtFrs Stopped Manual Own
Process c:\winnt\system32\ntfrs.exe Ignore
LocalSystem 0
NT LM Security Support Provider NtLmSsp
Stopped Manual Share Process
c:\winnt\system32\lsass.exe Normal
LocalSystem 0
Removable Storage NtmsSvc Running Auto
Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Plug and Play PlugPlay Running Auto
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
IPSEC Policy Agent PolicyAgent Running
Auto Share Process
c:\winnt\system32\lsass.exe Normal
LocalSystem 0
Protected Storage ProtectedStorage Running
Auto Share Process

```

```

c:\winnt\system32\services.exe
Normal LocalSystem 0
Remote Access Auto Connection Manager RasAuto
Stopped Manual Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Access Connection Manager RasMan
Stopped Manual Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Routing and Remote Access RemoteAccess
Stopped Disabled Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Registry Service RemoteRegistry
Running Auto Own Process
c:\winnt\system32\regsvcs.exe Normal
LocalSystem 0
Remote Command Service RMSYS Running
Auto Own Process
c:\benchmark\rsys.exe Normal
LocalSystem 0
Remote Procedure Call (RPC) Locator RpcLocator
Stopped Manual Own Process
c:\winnt\system32\locator.exe Normal
LocalSystem 0
Remote Procedure Call (RPC) RpcSs Running
Auto Share Process
c:\winnt\system32\svchost -k rpcss
Normal LocalSystem 0
QoS RSVP Running Manual Own Process
c:\winnt\system32\rsvp.exe -s Normal
LocalSystem 0
Security Accounts Manager SamSs Running
Auto Share Process
c:\winnt\system32\lsass.exe Normal
LocalSystem 0
Smart Card Helper SCardDrv Stopped Manual
Share Process
c:\winnt\system32\scardsvr.exe
Ignore LocalSystem 0
Smart Card SCardSvr Stopped Manual
Share Process
c:\winnt\system32\scardsvr.exe
Ignore LocalSystem 0
Task Scheduler Schedule Running Auto
Share Process
c:\winnt\system32\mstask.exe Normal
LocalSystem 0
RunAs Service seclogon Running Auto
Share Process
c:\winnt\system32\services.exe
Ignore LocalSystem 0
System Event Notification SENS Running
Auto Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Internet Connection Sharing SharedAccess
Stopped Manual Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0

```

```

Print Spooler Spooler Stopped Manual Own
Process c:\winnt\system32\spoolsv.exe Normal
LocalSystem 0
Performance Logs and Alerts SysmonLog Stopped
Manual Own Process
c:\winnt\system32\smlogsvc.exe
Normal LocalSystem 0
Telephony Tapisrv Running Manual Share Process
c:\winnt\system32\svchost.exe -k tapisrv
Normal LocalSystem 0
Terminal Services TermService Running
Auto Own Process
c:\winnt\system32\termsrv.exe Normal
LocalSystem 0
Telnet TlntSvr Stopped Manual Own Process
c:\winnt\system32\tlntsvr.exe Normal
LocalSystem 0
Distributed Link Tracking Server TrkSvr
Stopped Manual Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Distributed Link Tracking Client TrkWks
Running Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Uninterruptible Power Supply UPS Stopped
Manual Own Process
c:\winnt\system32\ups.exe Normal
LocalSystem 0
Utility Manager UtilMan Stopped Manual Own
Process c:\winnt\system32\utilman.exe Normal
LocalSystem 0
Windows Time W32Time Stopped Manual
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
World Wide Web Publishing Service W3SVC
Running Auto Share Process
c:\winnt\system32\inetinfo.exe
Normal LocalSystem 0
Windows Management Instrumentation WinMgmt
Running Auto Own Process
c:\winnt\system32\wbem\winmgmt.exe
Ignore LocalSystem 0
Windows Management Instrumentation Driver Extensions
Wmi Running Manual Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0

[Program Groups]

Group Name Name User Name
Accessories Default User:Accessories
Default User
Accessories\Accessibility Default
User:Accessories\Accessibility Default User
Accessories\Entertainment Default
User:Accessories\Entertainment Default User
Accessories\System Tools Default
User:Accessories\System Tools Default User
Startup Default User:Startup Default User
Accessories All Users:Accessories All
Users

```

```

Accessories\Communications All
Users:Accessories\Communications All Users
Accessories\Entertainment All
Users:Accessories\Entertainment All Users
Accessories\Microsoft Script Debugger All
Users:Accessories\Microsoft Script Debugger All
Users
Accessories\System Tools All
Users:Accessories\System Tools All Users
Administrative Tools All
Users:Administrative Tools All Users
Microsoft SQL Server All Users:Microsoft SQL
Server All Users
Startup All Users:Startup All Users
Tardis All Users:Tardis All Users
Accessories CL23\Administrator:Accessories
CL23\Administrator
Accessories\Accessibility
CL23\Administrator:Accessories\Accessibilit
y
CL23\Administrator
Accessories\Entertainment
CL23\Administrator:Accessories\Entertainmen
t
CL23\Administrator
Accessories\System Tools
CL23\Administrator:Accessories\System Tools
CL23\Administrator
Administrative Tools
CL23\Administrator:Administrative Tools
CL23\Administrator
Startup CL23\Administrator:Startup
CL23\Administrator

[Startup Programs]

Program Command User Name Location
Tardis 2000 c:\progra-1\tardis-1.4\tardis.exe
All Users Common Startup
AClntUsr c:\program
files\altiris\aclnt\aclntusr.exe All Users
HKLM\SOFTWARE\Microsoft\Windows\CurrentVers
ion\Run

[OLE Registration]

Object Local Server
Sound (OLE2) sndrec32.exe
Media Clip mplay32.exe
Video Clip mplay32.exe /avi
MIDI Sequence mplay32.exe /mid
Sound Not Available
Media Clip Not Available
Image Document "C:\Program Files\Windows
NT\Accessories\ImageVue\KodakImg.exe"
WordPad Document "%ProgramFiles%\Windows
NT\Accessories\WORDPAD.EXE"
Windows Media Services DRM Storage object Not
Available
Bitmap Image mspaint.exe

[Internet Explorer 5]

[ Following are sub-categories of this main category
]

```

[Summary]

Item Value  
 Version 5.00.3315.1000  
 Build 53315.1000  
 Product ID 51876-270-9567332-05753  
 Application Path C:\Program Files\Internet Explorer  
 Language English (United States)  
 Active Printer Not Available

Cipher Strength 168-bit  
 Content Advisor Disabled  
 IEAK Install No

[File Versions]

File	Version	Size	Date	Path
advapi32.dll	5.0.2195.2867	352 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
advpack.dll	5.0.3103.1000	87 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
browsecl.dll	5.0.3315.2846	35 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
browseui.dll	5.0.3315.2846	789 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
ckcnv.exe	5.0.2189.1	9 KB	12/7/1999 7:00:00 AM	C:\WINNT\system32\Microsoft Corporation
comctl32.dll	5.81.3103.1000	538 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
crypt32.dll	5.131.2195.2833	451 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
ehnsig.dll	<File Missing>	Not Available	Not Available	Not Available
iemigrat.dll	<File Missing>	Not Available	Not Available	Not Available
iesetup.dll	5.0.3103.1000	57 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
iexplore.exe	5.0.2920.0	59 KB	12/7/1999 7:00:00 AM	C:\Program Files\Internet Explorer
imagehlp.dll	5.0.2195.2778	126 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
imghelp.dll	<File Missing>	Not Available	Not Available	Not Available
inseng.dll	5.0.3103.1000	72 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation

jobexec.dll	5.0.0.1	47 KB	12/7/1999 7:00:00 AM	C:\WINNT\system32\Microsoft Corporation
jscrip.dll	5.1.0.5907	476 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
jsproxy.dll	5.0.2920.0	13 KB	12/7/1999 7:00:00 AM	C:\WINNT\system32\Microsoft Corporation
msahtml.dll	<File Missing>	Not Available	Not Available	Not Available
mshtml.dll	5.0.3315.2870	2290 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
msjava.dll	5.0.3802.0	923 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
msoss.dll	<File Missing>	Not Available	Not Available	Not Available
msxml.dll	8.0.5718.1	493 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
occache.dll	5.0.3103.1000	86 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
ole32.dll	5.0.2195.2887	970 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
oleaut32.dll	2.40.4517.0	612 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
olepro32.dll	5.0.4517.0	160 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
rsabase.dll	5.0.2195.2228	128 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
rsaenh.dll	5.0.2195.2228	131 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
rsapi32.dll	<File Missing>	Not Available	Not Available	Not Available
rsasig.dll	<File Missing>	Not Available	Not Available	Not Available
schannel.dll	5.1.2195.0	138 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
shdoc401.dll	<File Missing>	Not Available	Not Available	Not Available
shdocvw.dll	5.0.3315.2879	1078 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
shell32.dll	5.0.3315.2902	2304 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
shlwapi.dll	5.0.3315.1000	283 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation

url.dll	5.0.2920.0	82 KB	12/7/1999 7:00:00 AM	C:\WINNT\system32\Microsoft Corporation
urlmon.dll	5.0.3315.1000	441 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
vbscript.dll	5.1.0.5907	428 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
webcheck.dll	5.0.3315.1000	252 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
win.com	5.0.2134.1	24 KB	12/7/1999 7:00:00 AM	C:\WINNT\system32\Microsoft Corporation
wininet.dll	5.0.3315.1000	457 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
winsock.dll	3.10.0.103	3 KB	12/7/1999 7:00:00 AM	C:\WINNT\system32\Microsoft Corporation
wintrust.dll	5.131.2195.2779	162 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
wsock.vxd	<File Missing>	Not Available	Not Available	Not Available
wsock32.dll	5.0.2195.2871	21 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32\Microsoft Corporation
wsock32n.dll	<File Missing>	Not Available	Not Available	Not Available

[Connectivity]

Item	Value	Preference
Connection Preference		Never dial
EnableHttp1.1	1	
ProxyHttp1.1	0	

LAN Settings

AutoConfigProxy	wininet.dll
AutoProxyDetectMode	Disabled
AutoConfigURL	
Proxy	Disabled
ProxyServer	
ProxyOverride	

[Cache]

[ Following are sub-categories of this main category ]

[Summary]

Item	Value
Page Refresh Type	Automatic
Temporary Internet Files Folder	C:\Documents and Settings\Administrator\Local Settings\Temporary Internet Files
Total Disk Space	17359 MB
Available Disk Space	14493 MB

Maximum Cache Size 542 MB  
Available Cache Size 542 MB

[List of Objects]

Program File Status CodeBase  
No cached object information available

[Content]

[ Following are sub-categories of this main category  
]

[Summary]

Item	Value
Content Advisor	Disabled

[Personal Certificates]

Issued To	Issued By	Validity	Signature Algorithm
Administrator	Administrator	9/13/2002 to 8/20/2102	sha1RSA

[Other People Certificates]

Issued To	Issued By	Validity	Signature Algorithm
No other people certificate information available			

[Publishers]

Name  
No publisher information available

[Security]

Zone	Security Level
Local intranet	Medium-low
Trusted sites	Low
Internet	Medium
Restricted sites	High

---

## Microsoft SQL Server 2000 Installation Procedures

---

Microsoft SQL Server 2000 Installation Procedures  
Type of installation: custom  
During the custom installation, use the default settings for all except the following two areas:  
Services accounts:  
SQL Server - local system account  
SQL Server Agent - local system account  
Set the sort order/collation as SQL Collation binary sort order/Latin\_1\_General

---

## Microsoft COM Component Configuration Parameters

---

The component services tool in Windows 2003 Server was used to change the queue settings for the TPCC COM+ single queue component. The single queue component was set to enable object pooling, object construction, just in time activation, and component supports events and statistics. The min and max pool size for the single queue component on the client was 380. Delivery threads were set under the TPCC key in the registry at 60. The construction string was Dummy String.



# *Appendix D: 60-Day Space*

**TPC-C 60 Day Space Requirements**

Warehouses	1,600					TpmC		19,814.35
Table	Rows	Data KB	Index KB	Extra 5% KB	8hr Space	Total Space KB		
Warehouse	1,600	176	32	10		218		
District	16,000	1,784	32	91		1907		
Customer	48,000,000	34,909,096	2,081,592	1,849,534		38840222		
History	48,000,000	2,666,680	24		535,869			
New_order	14,400,000	227,672	536	11,410		2666704		
Orders	48,000,000	1,471,272	669,048		2,034,827	239618		
Order_line	479,997,078	29,999,824	63,512		6,496,947	4175147		
Item	100,000	9,528	48	479		36560283		
Stock	160,000,000	51,200,000	95,688	2,564,784		10055		
Total		120,486,032	2,910,512	4,426,309	9,067,643	44,189,801		
<b>MB</b>								
Dynamic Space	33,338	Sum of Data for Order, Orderline and History						
Static Space	91,489	Sum of Data+Index+5%-Dynamic Space						
Free Space	na	Total Allocated Spac - ( Dynamic + Static Space)						
Daily Growth	6,606	(Dynamic Space/(W*62.5))*tpmc						
Daily Spread	-	(Free Space - 1.5*Daily Growth) Zero Assumed						
60 Day Space MB	487,828							
60 Day Space GB	476.39	GB						
Log Size	64,899.99	MB						
KB Per New Order	4.84	KB						
8 hr log MB	44,911	MB						
8 hr log GB	43.8586	GB						
Space Usage	GB Needed	Disks Measured	GB Priced	Disk Size	Formatted Size			
60 Day Space DB	476.39	42	709.80	18.2GB	16.900			
			0.00					
			0.00					
Total DB			709.80					
8-hr log + mirror	87.7173	2	135.67	72.8GB	67.836			
OS, Swap	3	0	0.00	18.2GB	16.900			
Total Storage	567.11	GB	845.47	GB				

MSSQL_cs_fg	MSSQL_misc_fg
38840222	218 1907
53860472	3202573 239618 4175147 36560283 10055
92,700,695	44,189,801

files= 3  
size= 4,115,200  
Total= 12,345,600  
8K blocks 98,764,800 OK  
OK 48,282,624

tpmC	19,814.35													
	Data Before KB	Index Before KB	Data After KB	Index After KB	Data Grow KB	Index Grow KB	Total Grow KB	KB/New-Order	8-Hr Growth KB	8-Hr Growth MB				
History	2,666,680	24	2,944,800	72	278,120	48	278,168	0.0563	535,869.28	523.31				
Order	1,471,272	669,048	1,854,248	1,342,344	382,976	673,296	1,056,272	0.2139	2,034,826.86	1,987.14				
Order-Line	29,999,824	63,512	33,308,816	127,064	3,308,992	63,552	3,372,544	0.6831	6,496,946.93	6,344.67				
	sum(*) Before		sum(*) After		Num New-					8,855.12				
d_next_o_id	48,016,000		52,953,071		4,937,071									
	Before MB		After MB		Grow MB									
Log	617.54		23930.83		23313.29						KB/New-Order	8-Hr Growth MB	8-Hr Growth GB	
64899.99219	0.951526		36.87339								4.8354	44,911.26	43.86	
Database tpcc log used (%)											4,951.4688	bytes		

# *Appendix E:* *Third Party Letters*

Microsoft Corporation  
One Microsoft Way  
Redmond, WA 98052-6399

Tel 425 882 8080  
Fax 425 936 7329  
<http://www.microsoft.com/>

**Microsoft**

November 12, 2003

Hewlett Packard Company  
John Ellyson  
MS 150402  
20555 SH 249  
Houston, TX 77070-2698

Mr. Ellyson:

Here is the information you requested regarding pricing for several Microsoft products to be used in conjunction with your TPC-C benchmark testing.

All pricing shown is in US Dollars (\$).

Part Number	Description	Unit Price	Quantity	Price
228-01079	<b>SQL Server 2000 Standard Edition</b> <i>Per processor licensing No discounts applied</i>	\$4,999	1	\$4,999
C11-00821	<b>Windows 2000 Server</b> <i>Server license only - No CALs Discount Schedule: Open Program - No Level Unit Price reflects a 8% discount from the retail unit price of \$799.</i>	\$738	1	\$738
P73-00295	<b>Windows Server 2003, Standard Edition</b> <i>Server license only - No CALs Discount Schedule: Open Program - No Level Unit Price reflects a 26% discount from the retail unit price of \$999.</i>	\$738	1	\$738
254-00170	<b>Visual C++ Standard</b> <i>No discounts applied</i>	\$109	1	\$109
PRO-PRORS-16U-01	<b>Database Server Support Package</b> <i>1 Year Term</i>	\$1,950	3	\$5,850

All products are currently orderable through Microsoft's normal distribution channels.

This quote is valid for the next 90 days.


If we can be of any further assistance, please contact Jamie Reding at (425) 703-0510 or [jamiere@microsoft.com](mailto:jamiere@microsoft.com).

Reference ID: PCjoel0312118717  
Please include this Reference ID in any correspondence regarding this price quote.

- Home
- Network Cards
- Network Cables & MISC Cat5e
- Crossover Cables
- Print Servers
- Barcode Readers
- Extension Cables
- Miscellaneous
- TEST
- WE ARE ANTI SPAM
- Blacklisted Brands
- gaming
- Cables - Misc
- SCSI Cables & devices
- Boneyard Cables
- 6ft 4 wire black molded  
As low as 34 cents each
- network patch cable  
- supports 10 / 100 mbps networks  
\*Order quantities over 5 ONLY\*

- Show Order
- Privacy Policy
- Info &  
Shipping Notes  
& Ways to delay  
Processing of order
- Search
- Index
- Y? SHOPPING**

# LanAdapters.com




## 7ft Cat 5e Network Patch Cables. (compatible with cat 5)

7ft Category 5 and (Cat5e)Enhanced Network patch cables MOLDED. 35C Twist Pair supports fast ethernet. These cat 5 e cables are backwards compatible with cat 5

green purple come with booted snagless ends  
blue light gray white black red yellow orange come with compact molded snagless

**Availability:** Usually ships the same business day.

CBLC57 \$1.00, 125/\$118.75 Color:



| Home | About CDW | Customer Support | View Cart | Log On

Search bar with 'Search' button and 'SmartSearch™ Refine your Search' link. Navigation buttons for Mac, PC, and All.


Brands Hardware Software Networking Accessories Services

800 849 4239

- RESOURCES**
- Order Status
  - My Company
  - My Account
  - Account Team
  - New Accounts
  - Rebates
  - Special Events
  - CDW Outlet
  - Technical Support
  - E-Newsletters
  - Solutions Library
  - Reference Guides

Send to an associate

### Hewlett-Packard HP DVD Writer dvd300xe Disk drive



#### Product Information

Disk drive - DVD+RW - external - FireWire/Hi-Speed USB

**Usually Ships:** Same Day  
**CDW Part:** 460898  
**Mfg. Part:** Q2111A#ABA  
**UNSPSC:**  
**Price:** **\$239.55**

**ADD TO CART**

- ONLINE HELP**
- PRINTABLE VERSION**

Shop by brand:



- › **Product Detail**
- › Accessories
- › Similar Products

#### Related Top Sellers:

##### Alternative Products

[VIEW MORE](#)



MicroSolutions Backpack DVD±RW Drive

**\$299.99**



## PRODUCT DETAIL

The HP DVD writer 300xe is a product of the new "plus" era of DVD technology, in which compatibility obstacles are a thing of the past and data archiving is virtually error-free. Connect the HP 300xe to your PC and start preserving videos, photos, and data.

## SPECIFICATIONS

### Audio Output

Type: None

### Battery

Type: None

### Bay Required

Type: None

### Cabinet

Chassis Type: Storage cabinet

### Header

Compatibility: PC  
Country Kits: United States  
Localization: English  
Manufacturer: Hewlett-Packard Dvd300xe

Model	
Packaged Quantity	1
Product Line	HP DVD Writer
<b>Interface Provided</b>	
Interface (Storage)	IEEE 1394 (FireWire)
Qty	1
Interface (Storage)	Hi-Speed USB
Qty	1
<b>Power Supply</b>	
Device Power Consumption Operational	30 Watt
Device Type	Power adapter
<b>Slot Provided</b>	
Type	None
<b>Slot Required</b>	
Type	None
<b>Storage</b>	
Type	Disk drive
<b>Storage CD/DVD</b>	
Cache Buffer Size	2 MB
Enclosure Type	External
Installed Qty	1
Interface Type	IEEE 1394 (FireWire)/Hi-Speed USB
Media Load Type	Tray
Read Speed	40x (CD) / 8x (DVD)
Rewrite Speed	10x (CD) / 2.4x (DVD)
Supported CD Formats	CD Extra, CD-DA (audio), CD-I, CD-ROM, CD-ROM XA, Photo CD, Video CD
Supported Media Types	CD-R, CD-ROM, CD-RW, DVD+R, DVD+RW, DVD-ROM
Supported Recording Modes	Disk-at-once, Multisession, Packet writing, Session-at-once, Track-at-once
Type	DVD+RW
Write Speed	16x (CD) / 4x (DVD)
<b>Storage CD/DVD (2nd)</b>	
Type	None
<b>Storage Controller</b>	
Type	None
<b>Storage Hard Drive</b>	
Type	None
<b>Storage Removable</b>	
Type	None



**System Requirements**

Min Operating System Microsoft Windows 98/ME/2000, Microsoft Windows XP  
Min Processor Speed 600 MHz  
Min Processor Type Pentium III  
Min RAM Size 128 MB

**Video Output**

Type None

[▲ BACK TO TOP](#)

Copyright 2003 CDW Corporation

[Terms and Conditions of Use](#) | [Terms and Conditions of Sale](#) | [Privacy Pledge](#)