



# Hewlett-Packard Company

---

TPC Benchmark™ C  
Full Disclosure Report  
for  
hp server rx5670  
using  
Microsoft SQL Server 2000 Enterprise Edition 64-bit  
and  
Microsoft Windows Server 2003, Enterprise Edition

---

**Third Edition  
September 2003**

Third Edition – September 2003

Hewlett-Packard Company (HP) believes that the information in this document is accurate as of the publication date. The information in this document is subject to change without notice. HP assumes no responsibility for any errors that may appear in this document. The pricing information in this document is believed to accurately reflect the current prices as of the publication date. However, HP provides no warranty of the pricing information in this document.

Benchmark results are highly dependent upon workload, specific application requirements, and system design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC Benchmark C should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report were obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. HP does not warrant or represent that a user can or will achieve similar performance expressed in transactions per minute (tpmC) or normalized price/performance (\$/tpmC). No warranty of system performance or price/performance is expressed or implied in this report.

Copyright 2003 Hewlett-Packard Company.

All rights reserved. Permission is hereby granted to reproduce this document in whole or in part provided the copyright notice printed above is set forth in full text or on the title page of each item reproduced.

Printed in U.S.A., 2003

HP, NonStop, and ProLiant are registered trademarks of Hewlett-Packard Company.

Microsoft, Windows 2000, Windows Server 2003 and SQL Server 2000 are registered trademarks of Microsoft Corporation.

Itanium 2 6M is a registered trademark of Intel.

TPC Benchmark is a trademark of the Transaction Processing Performance Council.

Other product names mentioned in this document may be trademarks and/or registered trademarks of their respective companies.

## *Table of Contents*

<b>TABLE OF CONTENTS .....</b>	<b>III</b>
<b>PREFACE .....</b>	<b>V</b>
TPC BENCHMARK C OVERVIEW .....	V
<b>ABSTRACT .....</b>	<b>VI</b>
OVERVIEW.....	VI
TPC BENCHMARK C METRICS .....	VI
STANDARD AND EXECUTIVE SUMMARY STATEMENTS .....	VI
AUDITOR .....	VI
<b>GENERAL ITEMS.....</b>	<b>10</b>
TEST SPONSOR.....	10
APPLICATION CODE AND DEFINITION STATEMENTS .....	10
PARAMETER SETTINGS .....	10
CONFIGURATION ITEMS .....	10
<b>CLAUSE 1 RELATED ITEMS.....</b>	<b>12</b>
TABLE DEFINITIONS .....	12
PHYSICAL ORGANIZATION OF DATABASE .....	12
<i>Benchmarked Configuration:</i> .....	12
PRICED CONFIGURATION VS. MEASURED CONFIGURATION: .....	13
INSERT AND DELETE OPERATIONS.....	13
PARTITIONING .....	14
REPLICATION, DUPLICATION OR ADDITIONS .....	14
<b>CLAUSE 2 RELATED ITEMS.....</b>	<b>15</b>
RANDOM NUMBER GENERATION.....	15
INPUT/OUTPUT SCREEN LAYOUT.....	15
PRICED TERMINAL FEATURE VERIFICATION.....	15
PRESENTATION MANAGER OR INTELLIGENT TERMINAL.....	15
TRANSACTION STATISTICS .....	15
QUEUING MECHANISM .....	16
<b>CLAUSE 3 RELATED ITEMS .....</b>	<b>17</b>
TRANSACTION SYSTEM PROPERTIES (ACID) .....	17
ATOMICITY .....	17
<i>Completed Transactions</i> .....	17
<i>Aborted Transactions</i> .....	17
CONSISTENCY .....	17
ISOLATION .....	17
DURABILITY .....	18
<i>Durable Media Failure</i> .....	18
<i>Instantaneous Interruption and Loss of Memory</i> .....	18
<b>CLAUSE 4 RELATED ITEMS .....</b>	<b>20</b>
INITIAL CARDINALITY OF TABLES .....	20
DATABASE LAYOUT .....	20
TYPE OF DATABASE.....	21
DATABASE MAPPING .....	21
60 DAY SPACE.....	21

<b>CLAUSE 5 RELATED ITEMS .....</b>	<b>22</b>
THROUGHPUT .....	22
KEYING AND THINK TIMES.....	22
RESPONSE TIME FREQUENCY DISTRIBUTION CURVES AND OTHER GRAPHS .....	23
STEADY STATE DETERMINATION .....	28
WORK PERFORMED DURING STEADY STATE.....	28
MEASUREMENT PERIOD DURATION.....	28
REGULATION OF TRANSACTION MIX.....	29
TRANSACTION STATISTICS .....	29
CHECKPOINT COUNT AND LOCATION.....	30
CHECKPOINT DURATION.....	30
<b>CLAUSE 6 RELATED ITEMS .....</b>	<b>31</b>
RTE DESCRIPTIONS.....	31
EMULATED COMPONENTS .....	31
FUNCTIONAL DIAGRAMS .....	31
NETWORKS .....	31
OPERATOR INTERVENTION .....	31
<b>CLAUSE 7 RELATED ITEMS .....</b>	<b>32</b>
SYSTEM PRICING .....	32
AVAILABILITY, THROUGHPUT, AND PRICE PERFORMANCE .....	32
COUNTRY SPECIFIC PRICING.....	32
USAGE PRICING .....	32
<b>CLAUSE 9 RELATED ITEMS .....</b>	<b>33</b>
AUDITOR'S REPORT.....	33
AVAILABILITY OF THE FULL DISCLOSURE REPORT.....	33

# Preface

---

The TPC Benchmark C was developed by the Transaction Processing Performance Council (TPC). The TPC was founded to define transaction processing benchmarks and to disseminate objective, verifiable performance data to the industry. This full disclosure report is based on the TPC Benchmark C Standard Specifications Version 5.1, released December 2002.

## TPC Benchmark C Overview

The TPC describes this benchmark in Clause 0.1 of the specifications as follows:

TPC Benchmark™ C (TPC-C) is an OLTP workload. It is a mixture of read-only and update intensive transactions that simulate the activities found in complex OLTP application environments. It does so by exercising a breadth of system components associated with such environments, which are characterized by:

- The simultaneous execution of multiple transaction types that span a breadth of complexity
- On-line and deferred transaction execution modes
- Multiple on-line terminal sessions
- Moderate system and application execution time
- Significant disk input/output
- Transaction integrity (ACID properties)
- Non-uniform distribution of data access through primary and secondary keys
- Databases consisting of many tables with a wide variety of sizes, attributes, and relationships
- Contention on data access and update

The performance metric reported by TPC-C is a "business throughput" measuring the number of orders processed per minute. Multiple transactions are used to simulate the business activity of processing an order, and each transaction is subject to a response time constraint. The performance metric for this benchmark is expressed in transactions-per-minute-C (tpmC). To be compliant with the TPC-C standard, all references to tpmC results must include the tpmC rate, the associated price-per-tpmC, and the availability date of the priced configuration.

Although these specifications express implementation in terms of a relational data model with conventional locking scheme, the database may be implemented using any commercially available database management system (DBMS), database server, file system, or other data repository that provides a functionally equivalent implementation. The terms "table", "row", and "column" are used in this document only as examples of logical data structures.

TPC-C uses terminology and metrics that are similar to other benchmarks, originated by the TPC or others. Such similarity in terminology does not in any way imply that TPC-C results are comparable to other benchmarks. The only benchmark results comparable to TPC-C are other TPC-C results conformant with the same revision.

Despite the fact that this benchmark offers a rich environment that emulates many OLTP applications, this benchmark does not reflect the entire range of OLTP requirements. In addition, the extent to which a customer can achieve the results reported by a vendor is highly dependent on how closely TPC-C approximates the customer application. The relative performance of systems derived from this benchmark does not necessarily hold for other workloads or environments. Extrapolations to any other environment are not recommended.

Benchmark results are highly dependent upon workload, specific application requirements, and systems design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC-C should not be used as a substitute for a specific customer application benchmarking when critical capacity planning and/or product evaluation decisions are contemplated.

# ***Abstract***

---

## **Overview**

This report documents the methodology and results of the TPC Benchmark C test conducted on the hp server rx5670. The operating system used for the benchmark was Microsoft Windows Server 2003, Enterprise Edition. The DBMS used was Microsoft SQL Server 2000 Enterprise Edition 64-bit.

## **TPC Benchmark C Metrics**

The standard TPC Benchmark C metrics, tpmC (transactions per minute), price per tpmC (three year capital cost per measured tpmC), and the availability date are reported as:

121,065.13 tpmC  
\$4.49 per tpmC

The availability date is August 1, 2003.


## **Standard and Executive Summary Statements**

The following pages contain executive summary of results for this benchmark.

## **Auditor**

The benchmark configuration, environment and methodology were audited by Lorna Livingtree of Performance Metrics, Inc. to verify compliance with the relevant TPC specifications.

Hewlett-Packard Company		hp server rx5670 C/S with 8 HP ProLiant DL360-G2	TPC-C Rev. 5.1 Report Date: Apr. 24, 2003	
Total System Cost		TPC-C Throughput	Price/Performance	Availability Date
<b>\$543,023</b>		<b>121,065.13</b>	<b>\$4.49</b>	<b>Aug. 1, 2003</b>



		Server	Each Client
<b>System Components</b>		Quantity	Description
<b>Processor</b>	4	1.5GHz Itanium 2 6M w/ 6MB Cache	2 1.4GHz Pentium III w/ 256K cache
<b>Memory</b>	16	2 GB	512MB
	32	1GB	
<b>Disk Controllers</b>	9	SMART 5304/128 Array Controller	Integrated SMART 5i Controller
	1	Int. SCSI Controller	
<b>Disk Drives</b>	448	18GB 15K SCSI Drives	1 18GB 15K SCSI Drive
	20	36GB 15K SCSI Drives	
<b>Total Storage</b>		8271.80 GB	18 GB
<b>Tape Drives</b>	1	20/40 GB DAT	

Hewlett Packard Company	hp server rx5670 client/server			TPC-C Rev. 5.1		
	Report Date: 24 April, 2003					
	Price Key	Part Numbr	Unit Price	Qty	Extended Price	3 Yr Maint Price
Description						
hp server rx5670						
1.5GHz Itanium 2 w/ 6MB iL3 cache,	1	A6838B	\$26,494	1	\$26,494	
0 MB RAM, 0 disk	1	A9810A	\$8,250	3	\$24,750	
CPU upgrade Itanium 2, 1.5GHz w/ 6MB iL3 cache	1	A6834A	\$7,500	8	\$60,000	
4GB PC2100 DDR-SDRAM (4x1GB DIMMs)	1	A6835A	\$16,000	4	\$64,000	
8GB PC2100 DDR-SDRAM (4x2GB DIMMs)	1	A6747A	\$1,981	2	\$3,962	
Memory Carrier Board	1	A7049A	\$819	2	\$1,638	
HP 36GB, 15krpm Ultra320 hot-swap disk	1	A5580A	\$134	1	\$134	
HP Rackmount Kit Factory	1	A5557B	\$450	1	\$450	
DVD Rom drive	1	A6869A	\$349	1	\$349	
Graphics USB Card	1	A7861A	\$32	1	\$32	
HP USB keyboard and mouse	2	283551-B21	\$2,247	9	\$20,223	
HP Smart Array Controller 5304	3	QLA2352-BK	\$3,595	3	\$10,785	
Qlogic QLA-2352 Fibre-Channel VI Adapter	2	221692-B22	\$82	1	\$82	
5m LC to LC Cable Kit	2	221470-B21	\$369	1	\$369	
2GB SFP Adapter Kit	2	261602-001	\$129	1	\$129	
S5500 15 carbon / silver monitor	2	120663-B21	\$1,321	3	\$3,963	
HP Rack Model 9142 (42U - Opal) - Flat Pallet	1	E7671A	\$145	3	\$435	
HP Power Distribution Unit 120-240V	2	204404-001	\$866	1	\$866	
UPS R1500 XR	1	H4405Y#6BO	\$7,052	1	\$7,052	
HP Hardware Support 3 yr, 24x7, 4 hr rx5670	1	H4405Y#6BP	\$1,153	3	\$3,459	
HP Hardware Support 3 yr, 24x7, 4 hr addtl CPU	1	C5687B	\$1,450	1	\$1,450	
20/40 GB DAT Drive, External	2	190209-001	\$2,955	34	\$100,470	
Storageworks enclosure 4314R	2	286775-B22	\$299	448	\$133,952	
18GB, 15krpm Ultra320 Wide disk	2	286775-B23	\$299	45	\$13,455	
18GB, 15krpm Ultra320 Wide disk (10% spares)	2	286776-B22	\$519	18	\$9,342	
36GB, 15krpm Ultra320 Wide disk	2	286776-B23	\$519	2	\$1,038	
36GB, 15krpm Ultra320 Wide disk (2 spares)	2	171242-002	\$157	34	\$5,338	
Hardware Support 3 yr, 24x7, 4hr empty enclosure						
					<b>\$478,368</b>	<b>\$15,849</b>
<b>Server Subtotal</b>						
Microsoft Windows Server 2003, Enterprise Edition Preload	1	T2373A	\$3,602	1	\$3,602	
Microsoft SQL Server 2000 Enterprise Edition 64 bit	4	810-00560	\$16,541	4	\$66,164	
HP Support for Windows Advanced Server 3 yr 24x7	1	H4405Y#6BR	\$7,302	1	\$7,302	
MS Software Support (3 yrs)	4	PRO-PRORS-16U-01	\$1,950	3	\$5,850	
					<b>\$69,766</b>	<b>\$13,152</b>
<b>Server Software Subtotal</b>						
HP ProLiant DL360R01 P1.4GHz 512KB 128MB, 2 emb NICs	2	233271-001	\$1,759	8	\$14,072	
1.40GHz PIII Processor Option Kit (DL360 G2)	2	233273-B21	\$717	8	\$5,736	
1GB 133MHz SDRAM DIMM Memory (2x512MB)	2	201694-B21	\$600	8	\$4,800	
HP Mouse	2	261602-001	\$5	8	\$40	
HP Enhanced Keyboard	2	265977-001	\$12	8	\$96	
S5500 15 carbon / silver monitor	2	261602-001	\$129	8	\$1,032	
18GB, 15krpm Ultra320 Wide disk	2	286775-B22	\$299	8	\$2,392	
Qlogic QLA-2350 Fibre-Channel VI Adapter	3	QLA2350-BK	\$1,765	10	\$17,650	
5M LC to LC Cable Kit	2	221692-B22	\$82	8	\$656	
2GB Small Form Pluggable Adapter Kit	2	221470-B21	\$369	8	\$2,952	
FM-EL724-36 3YR 24X7 4HR 300 SERIES SVR	2	162657-002	\$949	8	\$7,592	
					<b>\$49,426</b>	<b>\$7,592</b>
<b>Client Subtotal</b>						
Microsoft Windows 2000 Server	4	C11-00821	\$738	8	\$5,904	
Microsoft Visual C++ .NET Standard	4	254-00170	\$109	1	\$109	
					<b>\$6,013</b>	
<b>Client Software Subtotal</b>						
SAN Switch 2/16	2	287055-B21	\$18,500	1	\$18,500	
					<b>\$18,500</b>	
<b>Connectivity Subtotal</b>						
HP's Large Configuration Discount *					<b>* Discounts:</b> -\$109,655	<b>-\$5,988</b>
					<b>Total:</b> \$512,418	<b>\$30,605</b>
Price Key: 1-HP at 30% discount, 2-HP at 16% discount, 3-Qlogic, 4-Microsoft					<b>3 year cost of ownership:</b> \$543,023	
* All discounts are based on US list prices and for similar quantities and configurations					<b>tpmC:</b> 121065.13	
					<b>\$/tpmC:</b> \$4.49	

Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specifications. If you find that the stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org. Thank you.  
Results independently audited by Lorna Livingtree of Performance Metrics Inc

<b>Numerical Quantities Summary</b>			
<b>MQTH, Computed Maximum Qualified Throughput</b>	<b>121065.13 tpmC</b>		
<b>Response Times (in seconds)</b>	<b>Average</b>	<b>90%</b>	<b>Maximum</b>
New-Order	0.24	0.37	17.23
Payment	0.20	0.33	15.20
Order-Status	0.21	0.34	12.21
Delivery (interactive portion)	0.10	0.11	0.59
Delivery (deferred portion)	0.11	0.15	2.73
Stock-Level	0.47	0.72	13.97
Menu	0.10	0.11	0.60
<b>Transaction Mix, in percent of total transaction</b>			
New-Order			44.95%
Payment			43.00%
Order-Status			4.01%
Delivery			4.01%
Stock-Level			4.03%
<b>Emulation Delay (in seconds)</b>	<b>Resp.Time</b>	<b>Menu</b>	
New-Order	0.10	0.10	
Payment	0.10	0.10	
Order-Status	0.10	0.10	
Delivery (interactive)	0.10	0.10	
Stock-Level	0.10	0.10	
<b>Keying/Think Times (in seconds)</b>	<b>Min.</b>	<b>Average</b>	<b>Max.</b>
New-Order	18.00/0.00	18.02/12.06	18.04/120.62
Payment	3.00/0.00	3.02/12.06	3.04/120.62
Order-Status	2.00/0.00	2.02/10.05	2.03/100.61
Delivery (interactive)	2.00/0.00	2.02/5.07	2.04/50.61
Stock-Level	2.00/0.00	2.02/5.05	2.04/50.61
<b>Test Duration</b>			
Ramp-up time			49 minutes
Measurement interval			120 minutes
Transactions (all types) completed during measurement interval			33,473,048
Ramp down time			6 minutes
<b>Checkpointing</b>			
Number of checkpoints			4
Checkpoint interval			30 minutes

# **General Items**

---

## **Test Sponsor**

*A statement identifying the benchmark sponsor(s) and other participating companies must be provided.*

This benchmark was sponsored by Hewlett-Packard Company. The benchmark was developed and engineered by Hewlett-Packard Company. Testing took place at HP benchmarking laboratories in Houston, Texas.

## **Application Code and Definition Statements**

*The application program (as defined in clause 2.1.7) must be disclosed. This includes, but is not limited to, the code implementing the five transactions and the terminal input output functions.*

Appendix A contains all source code implemented in this benchmark.

## **Parameter Settings**

*Settings must be provided for all customer-tunable parameters and options which have been changed from the defaults found in actual products, including by not limited to:*

- *Database options*
- *Recover/commit options*
- *Consistency locking options*
- *Operating system and application configuration parameters*

*This requirement can be satisfied by providing a full list of all parameters.*


Appendix C contains the tunable parameters to for the database, the operating system, and the transaction monitor.

## **Configuration Items**

*Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences.*

The configuration diagram for both the tested and priced systems are the same and included on the following page.

**Figure 1. Benchmarked and Priced Configuration**



# ***Clause 1 Related Items***

---

## **Table Definitions**

*Listing must be provided for all table definition statements and all other statements used to set up the database.*

Appendix B contains the code used to define and load the database tables.

## **Physical Organization of Database**

*The physical organization of tables and indices within the database must be disclosed.*

The tested configuration consisted of: 448 drives at 18.2GB for data, 18 drives at 36.4GB for log and two 36.4GB drives for the operating system.

### **Benchmarked Configuration:**

#### **Integrated SCSI Controller**

LOGICAL DRIVE C:                   Total Capacity = 33.45 GB

Microsoft Windows Server 2003, Enterprise Edition

LOGICAL DRIVE:                   Total Capacity = 33.45 GB

Unused

#### **SMART-5304 Controller, Slot 12, Logical Volume 1**

LOGICAL DRIVE E:                   Total Capacity = 305.25 GB                   RAID 0+1  
Tpcc\_log

#### **SMART-5304 Controller, Slot 4, Logical Volume 1**

LOGICAL DRIVE M:                   Total Capacity = 78.12 GB                   RAID 0  
MSSQL70\_cs1

#### **SMART-5304 Controller, Slot 4, Logical Volume 2**

LOGICAL DRIVE U:                   Total Capacity = 48.82 GB                   RAID 0  
MSSQL70\_misc1

#### **SMART-5304 Controller, Slot 5, Logical Volume 1**

LOGICAL DRIVE L:                   Total Capacity = 78.12 GB                   RAID 0  
MSSQL70\_cs2

#### **SMART-5304 Controller, Slot 5, Logical Volume 2**

LOGICAL DRIVE T:                   Total Capacity = 48.82 GB                   RAID 0  
MSSQL70\_misc2

#### **SMART-5304 Controller, Slot 6, Logical Volume 1**

LOGICAL DRIVE K:                   Total Capacity = 78.12 GB                   RAID 0  
MSSQL70\_cs3

#### **SMART-5304 Controller, Slot 6, Logical Volume 2**

LOGICAL DRIVE S:                   Total Capacity = 48.82 GB                   RAID 0  
MSSQL70\_misc3

#### **SMART-5304 Controller, Slot 7, Logical Volume 1**

LOGICAL DRIVE I:                   Total Capacity = 78.12 GB                   RAID 0  
MSSQL70\_cs4

#### **SMART-5304 Controller, Slot 7, Logical Volume 2**

LOGICAL DRIVE Q: Total Capacity = 48.82 GB RAID 0  
MSSQL70\_misc4

**SMART-5304 Controller, Slot 7, Logical Volume 3**  
LOGICAL DRIVE Z: Total Capacity = 411.32 GB RAID 0+1  
Tpccback4

**SMART-5304 Controller, Slot 5, Logical Volume 1**  
LOGICAL DRIVE F: Total Capacity = 78.12 GB RAID 0  
MSSQL70\_cs5

**SMART-5304 Controller, Slot 5, Logical Volume 2**  
LOGICAL DRIVE N: Total Capacity = 48.82 GB RAID 0  
MSSQL70\_misc5

**SMART-5304 Controller, Slot 5, Logical Volume 3**  
LOGICAL DRIVE W: Total Capacity = 411.32 GB RAID 0+1  
Tpccback1

**SMART-5304 Controller, Slot 6, Logical Volume 1**  
LOGICAL DRIVE H: Total Capacity = 78.12 GB RAID 0  
MSSQL70\_cs6

**SMART-5304 Controller, Slot 6, Logical Volume 2**  
LOGICAL DRIVE P: Total Capacity = 48.82 GB RAID 0  
MSSQL70\_misc6

**SMART-5304 Controller, Slot 6, Logical Volume 3**  
LOGICAL DRIVE Y: Total Capacity = 411.32 GB RAID 0+1  
Tpccback3

**SMART-5304 Controller, Slot 7, Logical Volume 1**  
LOGICAL DRIVE J: Total Capacity = 78.12 GB RAID 0  
MSSQL70\_cs7

**SMART-5304 Controller, Slot 7, Logical Volume 2**  
LOGICAL DRIVE R: Total Capacity = 48.82 GB RAID 0  
MSSQL70\_misc7

**SMART-5304 Controller, Slot 4, Logical Volume 1**  
LOGICAL DRIVE G: Total Capacity = 78.12 GB RAID 0  
MSSQL70\_cs8

**SMART-5304 Controller, Slot 4, Logical Volume 2**  
LOGICAL DRIVE O: Total Capacity = 48.82 GB RAID 0  
MSSQL70\_misc8

**SMART-5304 Controller, Slot 4, Logical Volume 3**  
LOGICAL DRIVE X: Total Capacity = 411.32 GB RAID 0+1  
Tpccback2

### **Priced Configuration vs. Measured Configuration:**

The measured and priced configuration differ in that the measured configuration used disk drives for database backup and the priced configuration used a DAT drive for backup.

### **Insert and Delete Operations**

*It must be ascertained that insert and/or delete operations to any of the tables can occur concurrently with the TPC-C transaction mix. Furthermore, any restrictions in the SUT database implementation that*

*precludes inserts beyond the limits defined in Clause 1.4.11 must be disclosed. This includes the maximum number of rows that can be inserted and the minimum key value for these new rows.*

All insert and delete functions were fully operational during the entire benchmark.

## **Partitioning**

*While there are a few restrictions placed upon horizontal or vertical partitioning of tables and rows in the TPC-C benchmark, any such partitioning must be disclosed.*

No partitioning was used in this benchmark.

## **Replication, Duplication or Additions**

*Replication of tables, if used, must be disclosed. Additional and/or duplicated attributes in any table must be disclosed along with a statement on the impact on performance.*

No replications, duplications or additional attributes were used in this benchmark.

# **Clause 2 Related Items**

---

## **Random Number Generation**

*The method of verification for the random number generation must be described.*

In the Benchcraft RTE from Microsoft, each driver engine uses an independent random number sequence. All of the users within a given driver draw from the same sequence.

The Benchcraft RTE computes random integers as described in "Random Numbers Generators: Good Ones Are Hard to Find." Communications of the ACM - October 1988 Volume 31 Number 10.

The seeds for each user were captured and verified by the auditor to be unique. In addition, the contents of the database were systematically searched, and randomly sampled by the auditor for patterns that would indicate the random number generator had affected any kind of a discernible pattern; none were found.

## **Input/Output Screen Layout**

*The actual layout of the terminal input/output screens must be disclosed.*

All screen layouts followed the specifications exactly.

## **Priced Terminal Feature Verification**

*The method used to verify that the emulated terminals provide all the features described in Clause 2.2.2.4 must be explained. Although not specifically priced, the type and model of the terminals used for the demonstration in 8.1.3.3 must be disclosed and commercially available (including supporting software and maintenance).*

The terminal attributes were verified by the auditor. The auditor manually exercised each specification on a representative HP ProLiant web server.

## **Presentation Manager or Intelligent Terminal**

*Any usage of presentation managers or intelligent terminals must be explained.*

Application code running on the client machines implemented the TPC-C user interface. No presentation manager software or intelligent terminal features were used. The source code for the forms applications is listed in Appendix A.

## **Transaction Statistics**

*Table 2.1 lists the numerical quantities that Clauses 8.1.3.5 to 8.1.3.11 require.*

**Table 2.1 Transaction Statistics**

Statistic		Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse payments	85.01%
	Remote warehouse payments	14.99%
	Accessed by last name	60.01%

Statistic		Value
Order Status	Accessed by last name	60.03%
Transaction Mix	New Order	44.95%
	Payment	43.00%
	Order status	4.01%
	Delivery	4.01%
	Stock level	4.03%

## Queuing Mechanism

*The queuing mechanism used to defer the execution of the Delivery transaction must be disclosed.*

Microsoft COM+ on each client machine served as the queuing mechanism to the database. Each delivery request was submitted to Microsoft COM+ asynchronously with control being returned to the client process immediately and the deferred delivery part completing asynchronously.

The source code is listed in Appendix A.

# ***Clause 3 Related Items***

---

## **Transaction System Properties (ACID)**

*The results of the ACID tests must be disclosed along with a description of how the ACID requirements were met. This includes disclosing which case was followed for the execution of Isolation Test 7.*

All ACID property tests were successful. The executions are described below.

### **Atomicity**

*The system under test must guarantee that the database transactions are atomic; the system will either perform all individual operations on the data or will assure that no partially completed operations leave any effects on the data.*

#### **Completed Transactions**

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was committed and the rows were verified to contain correctly updated balances.

#### **Aborted Transactions**

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was rolled back and the rows were verified to contain the original balances.

### **Consistency**

*Consistency is the property of the application that requires any execution of a database transaction to take the database from one consistent state to another, assuming that the database is initially in a consistent state.*

Consistency conditions one through four were tested using a script to issue queries to the database. The results of the queries verified that the database was consistent for all four tests.

A run was executed under full load lasting over two hours and included at least 4 checkpoints.

The script was executed again. The result of the same queries verified that the database remained consistent after the run.

### **Isolation**

*Sufficient conditions must be enabled at either the system or application level to ensure the required isolation defined above (clause 3.4.1) is obtained.*

Isolation tests one through nine were executed using shell scripts to issue queries to the database. Each script included timestamps to demonstrate the concurrency of operations. The results of the queries were captured to files. The captured files were verified by the auditor to demonstrate the required isolation had been met.

In addition, the phantom tests and the stock level tests were executed and verified.

For Isolation test seven, case A was followed.

## Durability

*The tested system must guarantee durability: the ability to preserve the effects of committed transaction and insure database consistency after recovery from any one of the failures listed in Clause 3.5.3.*

### Durable Media Failure

#### Loss of Data and Log

To demonstrate recovery from a permanent failure of durable medium containing DBMS logs and TPC-C tables, the following steps were executed:

- A full-sized database was restored
- The total number of New Orders was determined by the sum of D\_NEXT\_O\_ID of all rows in the DISTRICT table giving the beginning count.
- The RTEs were started with 12000 (more than 10%) users.
- The test was allowed to run at more than 10% of the published throughput for a minimum of 10 minutes.
- One log disk was removed from the drive cabinet.
- Since the disk was mirrored, processing was not interrupted. This was verified by checking the users status on the RTE.
- One of the data disks was removed from the drive cabinet.
- When Microsoft SQL Server recorded errors about not being able to access the database, the RTE was shut down.
- A dump of the transaction log was taken and the Microsoft SQL Server was shutdown.
- A new log disk was inserted into the log drive cabinet. A new data disk was inserted into the data drive cabinet. After the RAID recovery process finished, the system was rebooted and Microsoft SQL Server was started.
- The database was restored from backup and the transaction log dump was applied.
- Consistency condition #3 was executed and verified.
- Step 2 was repeated and the difference between the first and second counts was noted.
- An RTE report was generated for the entire run time giving the number of NEW-ORDERS successfully returned to the RTE.
- The counts in step 13 and 14 were compared and the results verified that all committed transactions had been successfully recovered.
- Samples were taken from the RTE files and used to query the database to demonstrate successful transactions had corresponding rows in the ORDER table.

### Instantaneous Interruption and Loss of Memory

Because loss of power erases the contents of memory, the instantaneous interruption and the loss of memory tests were combined into a single test. This test was executed on a fully scaled database of 9600 warehouses under a full load of 96000 users. The following steps were executed:

- The total number of New Orders was determined by the sum of D\_NEXT\_O\_ID of all rows in the DISTRICT table giving the beginning count.
- The RTE was started with 96000 users.
- The test was allowed to run for a minimum of 10 minutes.
- A checkpoint was performed.
- System crash and loss of memory were induced by switching the power off. The power cords were then physically removed from the SUT. No battery backup or Uninterruptible Power Supply (UPS) were used to preserve the contents of memory.
- The RTE was shutdown.
- Power was restored and the system restarted.
- Microsoft SQL Server was restarted and performed an automatic recovery.
- Consistency condition #3 was executed and verified.
- Step 1 was repeated and the difference between the first and second counts was noted.

- An RTE report was generated for the entire run time giving the number of NEW-ORDERS successfully returned to the RTE.
- The counts in step 10 and 11 were compared and the results verified that all committed transactions had been successfully recovered.
- Samples were taken from the RTE files and used to query the database to demonstrate successful transactions had corresponding rows in the ORDER table.

# **Clause 4 Related Items**

---

## **Initial Cardinality of Tables**

*The cardinality (e.g. number of rows) of each table, as it existed at the start of the benchmark run, must be disclosed. If the database was over-scaled and inactive rows of the WAREHOUSE table were deleted, the cardinality of the WAREHOUSE table as initially configured and the number of rows deleted must be disclosed.*

**Table 4.1 Number of Rows for Server**

<b>Table</b>	<b>Cardinality as built</b>
Warehouse	9,600
District	96,000
Customer	288,000,000
History	288,000,000
Orders	288,000,000
New Order	86,400,000
Order Line	2,879,994,870
Stock	960,000,000
Item	100,000
Deleted Warehouses	0

## **Database Layout**

*The distribution of tables and logs across all media must be explicitly depicted for tested and priced systems.*

The benchmarked configuration used 9 SMART-5304 Array controllers with 4 SCSI channels each. Each controller is capable of accessing up to 14 disk drives per channel, and supports RAID 0, RAID 0+1, and RAID 5 per each logical volume configured. The data tables were stored on 8 RAID arrays of (56) 18.2GB 15K drives each. Each array was configured as RAID 0 and housed logical drives for database data. Some of these controllers also housed a RAID 0+1 volume used for backup of the database. The other SMART-5304 Array controller had one array consisting of (18) 36.4GB 15K drives, and housed a RAID 0+1 logical volume for the database log. The operating system was housed internally on the integrated SCSI controller as two 36.4 GB 15K drives. The Array Accelerators on the data controllers were configured as 100% write cache and were enabled for the volumes containing the misc filegroup. The controller for the transaction log had the cache disabled. All RAID volumes used hardware RAID.

Section 1.2 of this report details the distribution of database tables across all disks. The code that creates the filegroups and tables is included in Appendix B.

## Type of Database

A statement must be provided that describes:

- The data model implemented by DBMS used (e.g. relational, network, hierarchical).
- The database interface (e.g. embedded, call level) and access language (e.g. SQL, DL/I, COBOL read/write used to implement the TPC-C transaction. If more than one interface/access language is used to implement TPC-C, each interface/access language must be described and a list of which interface/access language is used with which transaction type must be disclosed.

Microsoft SQL Server 2000 Enterprise Edition is a relational DBMS.

The interface used was Microsoft SQL Server stored procedures accessed with Remote Procedure Calls embedded in C code.

## Database Mapping

*The mapping of database partitions/replications must be explicitly described.*

The database was not replicated.

## 60 Day Space

*Details of the 60-day space computations along with proof that the database is configured to sustain 8 hours of growth for the dynamic tables (Order, Order-Line, and History) must be disclosed.*

To calculate the space required to sustain the database log for 8 hours of growth at steady state, the following steps were followed:

- The free space on the log file was queried using `dbcc sqlperf(logspace)`.
- Transactions were run against the database with a full load of users.
- The free space was again queried using `dbcc sqlperf(logspace)`.
- The space used was calculated as the difference between the first and second query.
- The number of NEW-ORDERS was verified from the difference in the sum(d\_next\_o\_id) taken from before and after the run.
- The space used was divided by the number of NEW-ORDERS giving a space used per NEW-ORDER transaction.
- The space used per transaction was multiplied by the measured tpmC rate times 480 minutes.

The same methodology was used to compute growth requirements for dynamic tables Order, Order-Line and History.

The details of both the 8-hour transaction log space requirement and the 60-day space requirement is shown in Appendix D.

# ***Clause 5 Related Items***

---

## **Throughput**

*Measured tpmC must be reported*

Measured tpmC	121065.13 tpmC
Price per tpmC	\$4.49 per tpmC

## **Response Times**

*Ninetieth percentile, maximum and average response times must be reported for all transaction types as well as for the menu response time.*

**Table 5.2: Response Times**

Type	Average	90 <sup>th</sup> %	Maximum
New-Order	0.24	0.37	17.23
Payment	0.20	0.33	15.20
Order-Status	0.21	0.34	12.21
Interactive Delivery	0.10	0.11	0.59
Deferred Delivery	0.11	0.15	2.73
Stock-Level	0.47	0.72	13.97
Menu	0.10	0.11	0.60

## **Keying and Think Times**

*The minimum, the average, and the maximum keying and think times must be reported for each transaction type.*

**Table 5.3: Keying Times**

Type	Minimum	Average	Maximum
New-Order	18.00	18.02	18.04
Payment	3.00	3.02	3.04
Order-Status	2.00	2.02	2.03
Interactive Delivery	2.00	2.02	2.04
Stock-Level	2.00	2.02	2.04

**Table 5.4: Think Times**

Type	Minimum	Average	Maximum
New-Order	0.00	12.06	120.62
Payment	0.00	12.06	120.62
Order-Status	0.00	10.05	100.61
Interactive Delivery	0.00	5.07	50.61
Stock-Level	0.00	5.05	50.61

### **Response Time Frequency Distribution Curves and Other Graphs**

*Response Time frequency distribution curves (see Clause 5.6.1) must be reported for each transaction type.*


*The performance curve for response times versus throughput (see Clause 5.6.2) must be reported for the New-Order transaction.*

*Think Time frequency distribution curves (see Clause 5.6.3) must be reported for each transaction type.*


*Keying Time frequency distribution curves (see Clause 5.6.4) must be reported for each transaction type.*

*A graph of throughput versus elapsed time (see Clause 5.6.5) must be reported for the New-Order transaction.*


**Figure 2. New Order Response Time Distribution**




**Figure 3. Payment Response Time Distribution**




**Figure 4. Order Status Response Time Distribution**




**Figure 5. Delivery Response Time Distribution**




**Figure 6. Stock Level Response Time Distribution**




**Figure 7. Response Time vs. Throughput**



**Figure 8. New Order Think Time Distribution**



**Figure 9. Throughput vs. Time Distribution**



## **Steady State Determination**

*The method used to determine that the SUT had reached a steady state prior to commencing the measurement interval must be disclosed.*

Steady state was determined using real time monitor utilities from the RTE. Steady state was further confirmed by the throughput data collected during the run and graphed in Figure 10.

## **Work Performed During Steady State**

*A description of how the work normally performed during a sustained test (for example checkpointing, writing redo/undo log records, etc.), actually occurred during the measurement interval must be reported.*

The RTE generated the required input data to choose a transaction from the menu. This data was timestamped. The input screen for the requested transaction was returned and timestamped. The difference between these two timestamps was the menu response time. The RTE writes to the log file once per transaction on selective fields such as order id. There is one log file per driver engine.

The RTE generated the required input data for the chosen transaction. It waited to complete the minimum required key time before transmitting the input screen. The transmission was timestamped. The return of the screen with the required response data was timestamped. The difference between these two timestamps was the response time for that transaction.

The RTE then waited the required think time interval before repeating the process starting at selecting a transaction from the menu.

The RTE transmissions were sent to application processes running on the client machines through Ethernet LANs. These client application processes handled all screen I/O as well as all requests to the database on the server. The applications communicated with the database server over a Fibre-Channel VI link using ODBC and RPC calls.

To perform checkpoints at specific intervals, the SQL Server *recovery interval* was set to 105 and a script was written to schedule multiple checkpoints at specific intervals. The script included a wait time between each checkpoint equal to 30 minutes so that the checkpoint interval was an integral multiple of the measurement interval, which was 120 minutes. The checkpoint script was started manually after the RTE had all users logged in and the database had achieved steady state.

At each checkpoint, Microsoft SQL Server wrote to disk all memory pages that had been updated but not yet physically written to disk. The positioning of the measurement interval is depicted on the graph in Figure 10.

## **Measurement Period Duration**

*A statement of the duration of the measurement interval for the reported Maximum Qualified Throughput (tpmC) must be included.*

The reported measured interval was exactly 120 minutes long.

## **Regulation of Transaction Mix**

*The method of regulation of the transaction mix (e.g., card decks or weighted random distribution) must be described. If weighted distribution is used and the RTE adjusts the weights associated with each transaction type, the maximum adjustments to the weight from the initial value must be disclosed.*

The RTE was given a weighted random distribution, which was not adjusted during the run.

## **Transaction Statistics**

*The percentage of the total mix for each transaction type must be disclosed. The percentage of New-Order transactions rolled back as a result of invalid item number must be disclosed. The average number of order-lines entered per New-Order transaction must be disclosed. The percentage of remote order lines per New-Order transaction must be disclosed. The percentage of remote Payment transactions must be disclosed. The percentage of customer selections by customer last name in the Payment and Order-Status transactions must be disclosed. The percentage of Delivery transactions skipped due to there being fewer than necessary orders in the New-Order table must be disclosed.*

**Table 5.5: Transaction Statistics**

Statistic		Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse payments	85.01%
	Remote warehouse payments	14.99%
	Accessed by last name	60.01%
Delivery	Skipped transactions (interactive)	0
	Skipped transactions (deferred)	0
Order Status	Accessed by last name	60.03%
Transaction Mix	New Order	44.95%
	Payment	43.00%
	Order status	4.01%
	Delivery	4.01%
	Stock level	4.03%

## **Checkpoint Count and Location**

*The number of checkpoints in the Measurement Interval, the time in seconds from the start of the Measurement Interval to the first checkpoint, and the Checkpoint Interval must be disclosed.*

The initial checkpoint was started about 23 minutes after the start of the ramp-up. Subsequent checkpoints occurred every 30 minutes. Each checkpoint in the measurement interval lasted approximately 26 minutes. The measurement interval contains four checkpoints.

## **Checkpoint Duration**

*The start time and duration in seconds of at least the four longest checkpoints during the Measurement Interval must be disclosed.*

Checkpoint Start Time	Duration
12:14:16p.m.	26 minutes, 16 seconds
12:44:15p.m.	26 minutes, 15 seconds
01:14:12p.m.	26 minutes, 10 seconds
01:44:10p.m	26 minutes, 16 seconds

# **Clause 6 Related Items**

---

## **RTE Descriptions**

*If the RTE is commercially available, then its inputs must be specified. Otherwise, a description must be supplied of what inputs (e.g., scripts) to the RTE had been used.*

The RTE used was Microsoft Benchcraft RTE. Benchcraft is a proprietary tool provided by Microsoft and is not commercially available. The RTE's input is listed in Appendix A.

## **Emulated Components**

*It must be demonstrated that the functionality and performance of the components being emulated in the Driver System are equivalent to the priced system. The results of the test described in Clause 6.6.3.4 must be disclosed.*

The driver system consisted of 4 HP ProLiant servers. These driver machines emulated the users' web browsers.

## **Functional Diagrams**

*A complete functional diagram of both the benchmark configuration and the configuration of the proposed (target) system must be disclosed. A detailed list of all hardware and software functionality being performed on the Driver System and its interface to the SUT must be disclosed.*

The driver system performed the data generation and input functions of the priced display device. It also captured the input and output data and timestamps for post-processing of the reported metrics. No other functionality was included on the driver system.

Section 1.4 of this report contains detailed diagrams of both the benchmark configuration and the priced configuration.

## **Networks**

*The network configuration of both the tested services and proposed (target) services that are being represented and a thorough explanation of exactly which parts of the proposed configuration are being replaced with the Driver System must be disclosed.*

*The bandwidth of the networks used in the tested/priced configuration must be disclosed.*

In the tested configuration, 4 driver (RTE) machines were connected through a 10/100 switch to the client machines at 100Mbs, thus providing the path from the RTEs to the clients. The server (SUT) was connected to the clients through a Fibre-Channel switch on a separate 2Gbs LAN.

The priced configuration was connected in the same manner as the tested configuration.

## **Operator Intervention**

*If the configuration requires operator intervention (see Clause 6.6.6), the mechanism and the frequency of this intervention must be disclosed.*

This configuration does not require any operator intervention to sustain eight hours of the reported throughput.

# **Clause 7 Related Items**

---

## **System Pricing**

*A detailed list of hardware and software used in the priced system must be reported. Each separately orderable item must have vendor part number, description, and release/revision level, and either general availability status or committed delivery data. If package-pricing is used, vendor part number of the package and a description uniquely identifying each of the components of the package must be disclosed. Pricing source and effective date(s) of price(s) must also be reported.*

*The total 3 year price of the entire configuration must be reported, including: hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed.*

The details of the hardware and software are reported in the front of this report as part of the executive summary. All third party quotations are included at the end of this report as Appendix E.

## **Availability, Throughput, and Price Performance**

*The committed delivery date for general availability (availability date) of products used in the price calculation must be reported. When the priced system included products with different availability dates, the reported availability date for the priced system must be the date at which all components are committed to be available.*

*A statement of the measured tpmC as well as the respective calculations for the 3-year pricing, price/performance (price/tpmC), and the availability date must be included.*

• Maximum Qualified Throughput	121,065.13 tpmC
• Price per tpmC	\$4.49 per tpmC
• Availability	August 1, 2003

## **Country Specific Pricing**

*Additional Clause 7 related items may be included in the Full Disclosure Report for each country specific priced configuration. Country specific pricing is subject to Clause 7.1.7*

This system is being priced for the United States of America.

## **Usage Pricing**

*For any usage pricing, the sponsor must disclose:*

- Usage level at which the component was priced.
- A statement of the company policy allowing such pricing.

The component pricing based on usage is shown below:

- 8 Microsoft Windows 2000 Server
- 1 Microsoft Windows Server 2003, Enterprise Edition
- 1 Microsoft SQL Server 2000 Enterprise Edition 64-bit (per processor)
- 1 Microsoft Visual C++
- HP Servers include 3 years of support.

# ***Clause 9 Related Items***

---

## **Auditor's Report**

*The auditor's name, address, phone number, and a copy of the auditor's attestation letter indicating compliance must be included in the Full Disclosure Report.*

This implementation of the TPC Benchmark C was audited by Lorna Livingtree of Performance Metrics, Inc.

Performance Metrics, Inc.  
137 Yankton St., Suite 101  
Folsom, CA 95630  
(phone) (916) 985-1131  
(fax) (916) 985-1185  
e-mail: lorna@perfmetrics.com

## **Availability of the Full Disclosure Report**


*The Full Disclosure Report must be readily available to the public at a reasonable charge, similar to the charges for similar documents by the test sponsor. The report must be made available when results are made public. In order to use the phrase "TPC Benchmark™ C", the Full Disclosure Report must have been submitted to the TPC Administrator as well as written permission obtained to distribute same.*

Requests for this TPC Benchmark C Full Disclosure Report should be sent to:

Transaction Processing Performance Council  
c/o Shanley Public Relations  
777 North First Street, Suite 600  
San Jose, CA 95112-6311

or

Hewlett-Packard Company  
Database Performance Engineering  
P.O. Box 692000  
Houston, TX 77269-2000



**PERFORMANCE METRICS INC.  
TPC Certified Auditors**

April 24,2003

Mr. Brean Campbell and  
Mr. Paul Cao  
Database Performance Engineers  
Hewlett-Packard Company  
20555 SH 249  
Houston, TX 77070

I have verified the TPC Benchmark™ C for the following configuration:

Platform: HP Server rx5670  
Database Manager: Microsoft SQL Server 2000 Enterprise Edition 64 bit  
Operating System: Microsoft Windows Server 2003 Enterprise Edition  
Transaction Monitor: Microsoft COM+

System Under Test: HP Server rx5670 with:				
CPU's	Memory	Disks (total)	90% Response	TpmC
4 Intel Itanium 2 @ 1.5 Ghz	Main: 64 GB Cache: 6 MB	448 @ 18.2GB 20 @ 36 GB	0.37	121,065.13
8 Clients: DL360RG2 each with:				
2 Pentium III @ 1.4 Ghz	Main: 1 GB Cache: 512 KB	1 @ 18 GB	Na	Na

In my opinion, these performance results were produced in compliance with the TPC requirements for the benchmark. The following attributes of the benchmark were given special attention:

- The transactions were correctly implemented.
- The database files were properly sized and populated.
- The database was properly scaled with 9600 warehouses.
- The ACID properties were successfully demonstrated.
- Log loss and data loss durability were demonstrated on a subset of the SUT configured with a database properly populated for 1,200 warehouses.

**PERFORMANCE METRICS INC.**  
**TPC Certified Auditors**

---

- Input data was generated according to the specified percentages.
- Eight hours of mirrored log space was present on the tested system.
- Eight hours of growth space for the dynamic tables was present on the tested system.
- The data for the 60 day space calculation was verified.
- The controller cache was disabled on the log disk controller.
- The steady state portion of the test was 120 minutes.
- One checkpoint was taken before the measured interval.
- Four checkpoints were taken during the measured interval.
- The system pricing was checked for major components and maintenance.
- Third party quotes were verified for compliance.

**Auditor Notes:**

None.

Sincerely,



**Lorna Livingtree**  
Auditor

# Appendix A: Source Code

The client source code is listed below.

## Methods.h

```
/*      FILE:          METHODS.H
*      *          Microsoft
TPC-C Kit Ver. 4.20.000
*          Copyright
Microsoft, 1999
*          All Rights Reserved
*
*          not yet
audited
*
*      PURPOSE: Header file for COM components.
*
*      Change history:
*          4.20.000 - first version
*/
enum COMPONENT_ERROR
{
    ERR_MISSING_REGISTRY_ENTRIES = 1,
    ERR_LOADDLL_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_UNKNOWN_DB_PROTOCOL
};

class CCOMPONENT_ERR : public CBaseErr
{
public:
    CCOMPONENT_ERR(COMPONENT_ERROR Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    }

    CCOMPONENT_ERR(COMPONENT_ERROR Err, char *szTextDetail, DWORD dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new
char[strlen(szTextDetail)+1];
        strcpy( m_szTextDetail,
szTextDetail );
    }
}
```

```
dwSystemErr;
m_SystemErr =
m_szErrorText = NULL;
};

~CCOMPONENT_ERR()
{
    if (m_szTextDetail != NULL)
        delete [];

m_szTextDetail;
if (m_szErrorText != NULL)
    delete [];

m_szErrorText;
};

COMPONENT_ERROR m_Error;
char *m_szTextDetail;
char *m_szErrorText;
DWORD m_SystemErr;

int ErrorType() {return
ERR_TYPE_COMPONENT;};
int ErrorNum() {return m_Error;};
char *ErrorText();
};

static void WriteMessageToEventLog(LPTSTR lpszMsg);

///////////////////////////////
// CTPCC_Common
class CTPCC_Common :
public ITPCC,
public IOObjectControl,
public IOObjectConstruct,
public CComObjectRootEx<CComSingleThreadModel>
{
public:
BEGIN_COM_MAP(CTPCC_Common)
    COM_INTERFACE_ENTRY(ITPCC)
    COM_INTERFACE_ENTRY(IOObjectControl)
    COM_INTERFACE_ENTRY(IOObjectConstruct)
END_COM_MAP()

    CTPCC_Common();
    ~CTPCC_Common();

// ITPCC
public:
    HRESULT __stdcall NewOrder(
VARIANT txn_in, VARIANT* txn_out);
    HRESULT __stdcall Payment(
VARIANT txn_in, VARIANT* txn_out);
};

HRESULT __stdcall Delivery(
VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out);
HRESULT __stdcall OrderStatus(
VARIANT txn_in, VARIANT* txn_out);

HRESULT __stdcall CallSetComplete();

// IOObjectControl
STDMETHODIMP_(BOOL) CanBePooled() { return
m_bCanBePooled; }
STDMETHODIMP Activate() { return S_OK; }
// we don't support COM Services
transactions (no enlistment)
STDMETHODIMP_(void) Deactivate() { /* nothing to do */ }

// IOObjectConstruct
STDMETHODIMP Construct(IDispatch * pUnk);

// helper methods
private:
BOOL m_bCanBePooled;
CTPCC_BASE *m_pTxn;

struct COM_DATA
{
    int retval;
    int error;
    union
    {
        NEW_ORDER_DATA
NewOrder;
        PAYMENT_DATA
Payment;
        DELIVERY_DATA
Delivery;
        STOCK_LEVEL_DATA
StockLevel;
        ORDER_STATUS_DATA
OrderStatus;
    } u;
};

///////////////////////////////
// CTPCC
class CTPCC :
public CTPCC_Common,
public CComCoClass<CTPCC, &CLSID_TPCC>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_TPCC)

BEGIN_COM_MAP(CTPCC)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx())
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()
```

```

};

///////////////
// CNewOrder
class CNewOrder :
    public CTPCC_Common,
    public CComCoClass<CNewOrder,
&CLSID_NewOrder>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_NEWORDER)

BEGIN_COM_MAP(CNewOrder)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
//     HRESULT __stdcall NewOrder(
//         VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    HRESULT __stdcall Payment(
//         VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
//     HRESULT __stdcall OrderStatus(
//         VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

///////////////
// COrderStatus
class COrderStatus :
    public CTPCC_Common,
    public CComCoClass<COrderStatus,
&CLSID_OrderStatus>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_ORDERSTATUS)

BEGIN_COM_MAP(COrderStatus)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
//     HRESULT __stdcall NewOrder(
//         VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    HRESULT __stdcall Payment(
//         VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}

```

```

        HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
//     HRESULT __stdcall OrderStatus(
//         VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

///////////////
// CPayment
class CPayment :
    public CTPCC_Common,
    public CComCoClass<CPayment,
&CLSID_Payment>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_PAYMENT)

BEGIN_COM_MAP(CPayment)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
//     HRESULT __stdcall NewOrder(
//         VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
//     HRESULT __stdcall Payment(
//         VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
    HRESULT __stdcall OrderStatus(
//         VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

///////////////
// CStockLevel
class CStockLevel :
    public CTPCC_Common,
    public CComCoClass<CStockLevel,
&CLSID_StockLevel>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_STOCKLEVEL)

BEGIN_COM_MAP(CStockLevel)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
//     HRESULT __stdcall NewOrder(
//         VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}

```

```

        HRESULT __stdcall Payment(
//         VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
//     HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
    HRESULT __stdcall OrderStatus(
//         VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};


```

## ReadRegistry.c pp

```

/*      FILE:          READREGISTRY.CPP
*           Microsoft
TPC-C Kit Ver. 4.20.000
Copyright
Microsoft, 1999
*           All Rights Reserved
*
*           not yet
audited
*
*           PURPOSE: Implementation for TPC-C Tuxedo
class.
*           Contact: Charles Levine
(clevine@microsoft.com)
*
*           Change history:
*           4.20.000 - first version
*/

/* FUNCTION: ReadTPCCRegistrySettings
*
* PURPOSE: This function reads the NT
registry for startup parameters. There parameters are
* under the TPCC key.
*
* RETURNS FALSE = no errors
* TRUE = error reading
registry
*/
BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg
)
{
    HKEY hKey;
    DWORD size;
    DWORD type;
    DWORD dwTmp;
    char szTmp[256];

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\\Microsoft\\TPCC", 0, KEY_READ, &hKey) !=
ERROR_SUCCESS )
        return TRUE;

    // determine database protocol to use; may
be either ODBC or DBLIB
    pReg->eDB_Protocol = Unspecified;
}


```

```

        size = sizeof(szTmp);
        if ( RegQueryValueEx(hKey, "DB_Protocol",
0, &type, (BYTE *)&szTmp, &size) == ERROR_SUCCESS )
{
            if ( !strcmp(szTmp,
szDBNames[ODBC]) )
                pReg->eDB_Protocol =
ODBC;
            else if ( !strcmp(szTmp,
szDBNames[DBLIB]) )
                pReg->eDB_Protocol =
DBLIB;
}
        pReg->eTxnMon = None;
        // determine txn monitor to use; may be
either TUXEDO, or blank
        size = sizeof(szTmp);
        if ( RegQueryValueEx(hKey, "TxnMonitor", 0,
&type, (BYTE *)&szTmp, &size) == ERROR_SUCCESS )
{
            if ( !strcmp(szTmp,
szTxnMonNames[TUXEDO]) )
                pReg->eTxnMon = TUXEDO;
            else if ( !strcmp(szTmp,
szTxnMonNames[ENCINA]) )
                pReg->eTxnMon = ENCINA;
            else if ( !strcmp(szTmp,
szTxnMonNames[COM]) )
                pReg->eTxnMon = COM;
}
        pReg->bCOM_SinglePool = FALSE;
        size = sizeof(szTmp);
        if ( RegQueryValueEx(hKey,
"COM_SinglePool", 0, &type, (BYTE *)&szTmp, &size) ==
ERROR_SUCCESS )
{
            if ( !strcmp(szTmp, "YES") )
                pReg->bCOM_SinglePool =
TRUE;
}
        pReg->dwMaxConnections = 0;
        size = sizeof(dwTmp);
        if ( ( RegQueryValueEx(hKey,
"MaxConnections", 0, &type, (LPBYTE)&dwTmp, &size) ==
ERROR_SUCCESS )
            && (type == REG_DWORD) )
            pReg->dwMaxConnections = dwTmp;

        pReg->dwMaxPendingDeliveries = 0;
        size = sizeof(dwTmp);
        if ( ( RegQueryValueEx(hKey,
"MaxPendingDeliveries", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )
            && (type == REG_DWORD) )
            pReg->dwMaxPendingDeliveries =
dwTmp;

        pReg->dwNumberOfDeliveryThreads = 0;
        size = sizeof(dwTmp);

```

```

        if ( ( RegQueryValueEx(hKey,
"NumberOfDeliveryThreads", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )
            && (type == REG_DWORD) )
            pReg->dwNumberOfDeliveryThreads =
dwTmp;

        size = sizeof( pReg->szPath );
        if ( RegQueryValueEx(hKey, "Path", 0,
&type, (BYTE *)&pReg->szPath, &size) != ERROR_SUCCESS
)
            pReg->szPath[0] = 0;

        size = sizeof( pReg->szDbServer );
        if ( RegQueryValueEx(hKey, "DbServer", 0,
&type, (BYTE *)&pReg->szDbServer, &size) !=
ERROR_SUCCESS )
            pReg->szDbServer[0] = 0;

        size = sizeof( pReg->szDbName );
        if ( RegQueryValueEx(hKey, "DbName", 0,
&type, (BYTE *)&pReg->szDbName, &size) !=
ERROR_SUCCESS )
            pReg->szDbName[0] = 0;

        size = sizeof( pReg->szDbUser );
        if ( RegQueryValueEx(hKey, "DbUser", 0,
&type, (BYTE *)&pReg->szDbUser, &size) !=
ERROR_SUCCESS )
            pReg->szDbUser[0] = 0;

        size = sizeof( pReg->szDbPassword );
        if ( RegQueryValueEx(hKey, "DbPassword", 0,
&type, (BYTE *)&pReg->szDbPassword, &size) !=
ERROR_SUCCESS )
            pReg->szDbPassword[0] = 0;

        RegCloseKey(hKey);

        return FALSE;
}

```

## ReadRegistry.h

```

/*
 *          FILE:           ReadRegistry.h
 *                               Microsoft
TPC-C Kit Ver. 4.20.000
 *
 *                               Copyright
Microsoft, 1999
 *                               All Rights Reserved
*
*                               not audited
*
* PURPOSE: Header for registry related code.
*
* Change history:
*                               4.20.000 - first version
*/
enum DBPROTOCOL { Unspecified, ODBC, DBLIB };
const char *szDBNames[] = { "Unspecified", "ODBC",
"DBLIB" };

```

```

enum TXNMON { None, TUXEDO, ENCINA, COM };
const char *szTxnMonNames[] = { "NONE", "TUXEDO",
"ENCINA", "COM" };

//This structure defines the data necessary to keep
distinct for each terminal or client connection.
typedef struct _TPCCREGISTRYDATA
{
    enum DBPROTOCOL eDB_Protocol;
    enum TXNMON eTxnMon;
    BOOL bCOM_SinglePool;
    DWORD dwMaxConnections;
    DWORD dwMaxPendingDeliveries;
    char szPath[128];
    char szDbServer[32];
    char szdbName[32];
    char szdbUser[32];
    char szdbPassword[32];
} TPCCREGISTRYDATA, *PTPCCREGISTRYDATA;

BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg
);

```

## WEBCLNT.DSP

```

# Microsoft Developer Studio Project File -
Name="webclnt" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 5.00
# ** DO NOT EDIT **

# TARGTYPE "Win32 (x86) Application" 0x0101

CFG=webclnt - Win32 Release
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "Webclnt.mk".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "Webclnt.mk" CFG=webclnt - Win32
Release"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "webclnt - Win32 Release" (based on "Win32
(x86) Application")
!MESSAGE "webclnt - Win32 Debug" (based on "Win32
(x86) Application")
!MESSAGE

# Begin Project
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe

```

```

MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "webclnt - Win32 Release"
# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir ".\Release"
# PROP BASE Intermediate_Dir ".\Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\Release"
# PROP Intermediate_Dir ".\Release"
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D
# _DEBUG /D _WINDOWS /YX /c
# ADD CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG"
# /D _WINDOWS /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /machine:I386

!ELSEIF "$(CFG)" == "webclnt - Win32 Debug"
# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir ".\Debug"
# PROP BASE Intermediate_Dir ".\Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\Debug"
# PROP Intermediate_Dir ".\Debug"
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32"
/D _DEBUG /D _WINDOWS /YX /c
# ADD CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32" /D
_DEBUG /D _WINDOWS /YX /FD /c
# ADD BASE MTL /nologo /D _DEBUG /mktyplib203 /win32
# ADD BASE RSC /l 0x409 /d _DEBUG
# ADD RSC /l 0x409 /d _DEBUG
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib

```

```

odbcpp32.lib /nologo /subsystem:windows /debug
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /debug
/machine:I386

!ENDIF

# Begin Target

# Name "webclnt - Win32 Release"
# Name "webclnt - Win32 Debug"
# End Target
# End Project

```

## Webclnt.dsw

Microsoft Developer Studio Workspace File, Format Version 6.00  
# WARNING: DO NOT EDIT OR DELETE THIS WORKSPACE FILE!

```

#####
#####
```

```

Project:
"db_dblib_dll"=.\\db_dblib_dll\\db_dblib_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

Project: "db_odbc_dll"=.\\db_odbc_dll\\db_odbc_dll.dsp
- Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

Project: "install"=.\\install\\install.dsp - Package
Owner=<4>

Package=<5>
{{{
}}}
```

```

Package=<4>
{{{
Begin Project Dependency
Project_Dep_Name isapi_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tuxapp
End Project Dependency
Begin Project Dependency
Project_Dep_Name db_dblib_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name db_odbc_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_com_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_tuxedo_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tpcc_com_all
End Project Dependency
Begin Project Dependency
Project_Dep_Name tpcc_com_ps
End Project Dependency
}}}

#####
#####

Project: "isapi_dll"=.\\isapi_dll\\isapi_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
Begin Project Dependency
Project_Dep_Name db_dblib_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name db_odbc_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_tuxedo_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_com_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_encina_dll
End Project Dependency
}}}

#####
#####

Project: "tm_com_dll"=.\\tm_com_dll\\tm_com_dll.dsp -
Package Owner=<4>
```

```

Package=<5>
{{{
}}}

Package=<4>
{{{
    Begin Project Dependency
    Project_Dep_Name tpcc_com_ps
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name tpcc_com_all
    End Project Dependency
}}}

#####
Project:
"tm_encina_dll"=.\tm_encina_dll\tm_encina_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
Project:
"tm_tuxedo_dll"=.\tm_tuxedo_dll\tm_tuxedo_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
Project:
"tpcc_com_all"=.\tpcc_com_all\tpcc_com_all.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

    Begin Project Dependency
    Project_Dep_Name tpcc_com_ps
    End Project Dependency
}}
```

```

#####
Project: "tpcc_com_ps"=.\tpcc_com_ps\tpcc_com_ps.dsp
- Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
Project: "tuxapp"=.\tuxapp\tuxapp.dsp - Package
Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
    Begin Project Dependency
    Project_Dep_Name db_dbllib_dll
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name db_odbc_dll
    End Project Dependency
}}}

#####
Global:
Package=<5>
{{{
}}}

Package=<3>
{{{
}}}

#####
# Microsoft Developer Studio Project File -
Name="db_dbllib_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **
```

```

# TARGTYPE "Win32 (x86) Dynamic-Link Library" 0x0102
CFG=db_dbllib_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "db_dbllib_dll.mak".
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "db_dbllib_dll.mak"
CFG="db_dbllib_dll - Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "db_dbllib_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_dbllib_dll - Win32 Debug" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_dbllib_dll - Win32 IceCAP" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF   "$(CFG)" == "db_dbllib_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktypplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktypplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
```

## db\_dbllib\_dll.ds

p

```

# Microsoft Developer Studio Project File -
Name="db_dbllib_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **
```

```

# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 ntdplib.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib /nologo
/subsystem:windows /dll /machine:I386
/out:".bin\tpcc_dblib.dll"

!ELSEIF "$(CFG)" == "db_dblib_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /Gm /GX /Zi /O2 /D "WIN32"
/D "NDEBUG" /D "_WINDOWS" /D "ICECAP" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 ntdplib.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_dblib.dll"
/pdbtype:sept
# ADD LINK32 icap.lib ntdplib.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_dblib.dll"
/pdbtype:sept
!ENDIF
# Begin Target
# Name "db_dblib_dll - Win32 Release"
# Name "db_dblib_dll - Win32 Debug"
# Name "db_dblib_dll - Win32 IceCAP"
# Begin Group "Source"
# PROP Default_Filter "*.cpp"
# Begin Source File
SOURCE=.src\tpcc_dblib.cpp
# End Source File
# End Group
# Begin Group "Header"
# PROP Default_Filter "*.h"
# Begin Source File
SOURCE=..\common\src\error.h
# End Source File
# Begin Source File
SOURCE=.src\tpcc_dblib.h
# End Source File
# Begin Source File
SOURCE=..\common\src\trans.h
# End Source File
# Begin Source File
SOURCE=..\common\src\txn_base.h
# End Source File
# End Group
# End Target

!ELSEIF "$(CFG)" == "db_dblib_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "db_dblib"
# PROP BASE Intermediate_Dir "db_dblib"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""

```

```

# ADD BASE CPP /nologo /MDd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /Gm /GX /Zi /O2 /D "WIN32"
/D "NDEBUG" /D "_WINDOWS" /D "ICECAP" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 ntdplib.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_dblib.dll"
/pdbtype:sept
# ADD LINK32 icap.lib ntdplib.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_dblib.dll"
/pdbtype:sept
# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "db_dblib_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""


```

# End Project

## db\_odbc\_dll.ds

p

```

# Microsoft Developer Studio Project File -
Name="db_odbc_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGTYPE "Win32 (x86) Dynamic-Link Library" 0x0102
CFG=db_odbc_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "db_odbc_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "db_odbc_dll.mak" CFG="db_odbc_dll
- Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "db_odbc_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_odbc_dll - Win32 Debug" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE "db_odbc_dll - Win32 IceCAP" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE
# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "db_odbc_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""


```

```

# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
" NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
" NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
/win32 "NUL"
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o /win32
"NUL"
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /dll
/machine:I386 /out:".\\bin\\tpcc_odbcc.dll"
# ADD BASE CPP /nologo /MD /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /Gm /GX /Zi /O2 /D "WIN32"
/D "NDEBUG" /D "_WINDOWS" /D "ICECAP" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
/win32 "NUL"
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o /win32
"NUL"
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".\\bin\\tpcc_odbcc.dll"
/pdbtype:sept
# ADD LINK32 icap.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib
odbc32.lib odbcpp32.lib /nologo /subsystem:windows
/dll /debug /machine:I386 /out:".\\bin\\tpcc_odbcc.dll"
/pdbtype:sept
!ENDIF
# Begin Target
# Name "db_odbcc.dll - Win32 Release"
# Name "db_odbcc.dll - Win32 Debug"
# Name "db_odbcc.dll - Win32 IceCAP"
# Begin Group "Source"
# PROP Default_Filter "*.cpp"
# Begin Source File
SOURCE=.\\src\\tpcc_odbcc.cpp
# End Source File
# End Group
# Begin Group "Header"
# PROP Default_Filter "*.h"
# Begin Source File
SOURCE=..\\common\\src\\error.h

```

```

!ELSEIF "$(CFG)" == "db_odbcc.dll - Win32 IceCAP"
# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "db_odbcc"
# PROP BASE Intermediate_Dir "db_odbcc"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\\bin"
# PROP Intermediate_Dir ".\\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MD /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
/win32 "NUL"
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o /win32
"NUL"
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".\\bin\\tpcc_odbcc.dll"
/pdbtype:sept
# ADD LINK32 icap.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib
odbc32.lib odbcpp32.lib /nologo /subsystem:windows
/dll /debug /machine:I386 /out:".\\bin\\tpcc_odbcc.dll"
/pdbtype:sept
# Begin Target
# Name "db_odbcc.dll - Win32 Release"
# Name "db_odbcc.dll - Win32 Debug"
# Name "db_odbcc.dll - Win32 IceCAP"
# Begin Group "Source"
# PROP Default_Filter "*.cpp"
# Begin Source File
SOURCE=.\\src\\tpcc_odbcc.cpp
# End Source File
# End Group
# Begin Group "Header"
# PROP Default_Filter "*.h"
# Begin Source File
SOURCE=..\\common\\src\\error.h

```

```

# End Source File
# Begin Source File
SOURCE=..\\src\\tpcc_odbcc.h
# End Source File
# Begin Source File
SOURCE=..\\common\\src\\trans.h
# End Source File
# Begin Source File
SOURCE=..\\common\\src\\txm_base.h
# End Source File
# End Group
# End Target
# End Project

```

## dlldata.c

```

***** DllData file -- generated by MIDL compiler *****
DO NOT ALTER THIS FILE

This file is regenerated by MIDL on every IDL file
compile.

To completely reconstruct this file, delete it and
rerun MIDL
on all the IDL files in this DLL, specifying this
file for the
/dlldata command line option
*****
#include <rpcproxy.h>
#ifndef __cplusplus
extern "C" {
#endif
EXTERN_PROXY_FILE( tpcc_com_ps )

PROXYFILE_LIST_START
/* Start of list */
REFERENCE_PROXY_FILE( tpcc_com_ps ),
/* End of list */
PROXYFILE_LIST_END

DLLDATA_ROUTINES( aProxyFileList, GET_DLL_CLSID )

#endif __cplusplus
} /*extern "C" */
/* end of generated dlldata file */

```

## error.h

```
/*      FILE:          ERROR.H      Microsoft
*
*      Microsoft, 1999          Copyright
*      All Rights Reserved
*
*      Version
*      4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*      PURPOSE: Header file for error exception
classes.
*
*      Change history:
*      4.20.000 - updated rev number to
match kit
*      4.21.000 - fixed bug: ~CBaseErr
needed to be declared virtual
*/
#pragma once
#ifndef _INC_STRING
    #include <string.h>
#endif
const int m_szMsg_size = 512;
const int m_szApp_size = 64;
const int m_szLoc_size = 64;
//error message structure used in ErrorText routines
typedef struct _SERRORMSG
{
    int             iError;
    //error id of message
    char szMsg[256];
    //message to sent to browser
} SERRORMSG;
typedef enum _ErrorLevel
{
    ERR_FATAL_LEVEL           =
1,
    ERR_WARNING_LEVEL         = 2,
    ERR_INFORMATION_LEVEL     = 3
} ErrorLevel;
#define ERR_TYPE_LOGIC           -1
    //logic error in program; internal error
#define ERR_SUCCESS              0
    //success (a non-error error)
#define ERR_BAD_ITEM_ID          1
    //expected abort record in txnRecord
```

```
#define ERR_TYPE_DELIVERY_POST          2
    //expected delivery post failed
#define ERR_TYPE_WEBDLL                 3
    //tpcc web generated error
#define ERR_TYPE_SQL                    4
    //sql server generated error
#define ERR_TYPE_DBLIB                  5
    //dblib generated error
#define ERR_TYPE_ODBC                  6
    //odbc generated error
#define ERR_TYPE_SOCKET                7
    //error on communication socket client rte
only
#define ERR_TYPE_DEADLOCK              8
    //dblib and odbc only deadlock condition
#define ERR_TYPE_COM                   9
    //error from COM call
#define ERR_TYPE_TUXEDO                10
    //tuxedo error
#define ERR_TYPE_OS                     11
    //operating system error
#define ERR_TYPE_MEMORY                12
    //memory allocation error
#define ERR_TYPE_TPCC_ODBC             13
    //error from tpcc odbc txn module
#define ERR_TYPE_TPCC_DBLIB            14
    //error from tpcc dblib txn module
#define ERR_TYPE_DELISRV               15
    //delivery server error
#define ERR_TYPE_TXNLOG                16
    //txn log error
#define ERR_TYPE_BCCONN                17
    //Benchcraft connection class
#define ERR_TYPE_TPCC_CONN              18
    //Benchcraft connection class
#define ERR_TYPE_ENCINA                19
    //Encina error
#define ERR_TYPE_COMPONENT              20
    //error from COM component
#define ERR_TYPE_RTE                   21
    //Benchcraft rte
#define ERR_TYPE_AUTOMATION            22
    //Benchcraft automation errors
#define ERR_TYPE_DRIVER                23
    //Driver engine errors
#define ERR_TYPE_RTE_BASE              24
    //Framework errors
#define ERR_INS_MEMORY                "Insufficient Memory to continue."
#define ERR_UNKNOWN                   "Unknown error."
#define ERR_MSG_BUF_SIZE               512
#define INV_ERROR_CODE                -1
class CBaseErr
{
public:
    CBaseErr(LPCTSTR szLoc = NULL)
    {
        m_idMsg      =
INV_ERROR_CODE;

        if (szLoc)
        {
            m_szLoc = new
char[m_szLoc_size];
            strcpy(m_szLoc, szLoc);
        }
        else
            m_szLoc = NULL;
        m_szApp      = new
char[m_szApp_size];
        GetModuleFileName(GetModuleHandle(NULL),
m_szApp, m_szApp_size);
    }

    CBaseErr(int idMsg, LPCTSTR szLoc = NULL)
    {
        m_idMsg      = idMsg;

        if (szLoc)
        {
            m_szLoc = new
char[m_szLoc_size];
            strcpy(m_szLoc, szLoc);
        }
        else
            m_szLoc = NULL;
        m_szApp      = new
char[m_szApp_size];
        GetModuleFileName(GetModuleHandle(NULL),
m_szApp, m_szApp_size);
    }

    virtual ~CBaseErr(void)
{}}
```

```

        if (m_szApp)
            delete [] m_szApp;
        if (m_szLoc)
            delete [] m_szLoc;
    };

    virtual void Draw(HWND hwnd, LPCTSTR szStr
= NULL)
    {
        int j = 0;
        char szTmp[512];

        if (szStr)
            j += wsprintf(szTmp,
"%s\n", szStr);
        if (ErrorNum() != INV_ERROR_CODE)
            j += wsprintf(szTmp+j,
"Error = %d\n", ErrorNum());
        if (m_szLoc)
            j += wsprintf(szTmp+j,
"Location = %s\n", GetLocation());
        j += wsprintf(szTmp+j, "%s\n",
ErrorText());
        ::MessageBox(hwnd, szTmp,
m_szApp, MB_OK);
    }

    char *GetApp(void) { return m_szApp; }
    char *GetLocation(void) { return m_szLoc; }
    virtual int ErrorNum() { return m_idMsg; }
    virtual int ErrorType() = 0; // a value
which distinguishes the kind of error that occurred
    virtual char *ErrorText() = 0; // a string
(i.e., human readable) representation of the error

protected:
    char *m_szApp;
    char *m_szLoc; // code location where
the error occurred
    int m_idMsg;
};

class CSocketErr : public CBaseErr
{
public:
    enum Action
    {
        eNone,
        eSend,
        eSocket,
        eBind,
        eConnect,
        eListen,
        eHost,
        eRecv,
    };
    CSocketErr(Action eAction, LPCTSTR
szLocation = NULL);
    Action m_eAction;
};

```

```

        int ErrorType() { return ERR_TYPE_SOCKET; }
        char *ErrorText(void);
    };

    class CSystemErr : public CBaseErr
    {
public:
    enum Action
    {
        eNone = 0,
        eTransactNamedPipe,
        eWaitNamedPipe,
        eSetNamedPipeHandleState,
        eCreateFile,
        eCreateProcess,
        eCallNamedPipe,
        eCreateEvent,
        eCreateThread,
        eVirtualAlloc,
        eReadFile = 10,
        eWriteFile,
        eMapViewOfFile,
        eCreateFileMapping,
        eInitializeSecurityDescriptor,
        eSetSecurityDescriptorDacl,
        eCreateNamedPipe,
        eConnectNamedPipe,
        eWaitForSingleObject,
        eRegOpenKeyEx,
        eRegQueryValueEx = 20,
        eBeginThread,
        eRegEnumValue,
        eRegSetValueEx,
        eRegCreateKeyEx,
        eWaitForMultipleObjects,
    };
    CSystemErr(Action
eAction, LPCTSTR szLocation);
    int ErrorType() { return
ERR_TYPE_OS; }
    char *ErrorText(void);
    void Draw(HWND hwnd, LPCTSTR szStr =
NULL);
    Action m_eAction;
private:
    char m_szMsg[ERR_MSG_BUF_SIZE];
};

class CMemoryErr : public CBaseErr
{
public:
    CMemoryErr();
    int ErrorType() { return ERR_TYPE_MEMORY; }
    char *ErrorText() { return ERR_INS_MEMORY; }
};

```

## install.c

```

/*
 * FILE:           INSTALL.C
 *                 Microsoft
 * TPC-C Kit Ver. 4.20.000
 *                 Copyright
 * Microsoft, 1999
 *                 All Rights Reserved
 *
 *                 not audited
 *
 * PURPOSE: Automated installation
application for TPC-C Web Kit
 * Contact: Charles Levine
(clevine@microsoft.com)
 *
 * Change history:
 *                 4.20.000 - added COM installation
steps
 */

#include <windows.h>
#include <direct.h>
#include <iostream.h>
#include <stdlib.h>
#include <stdio.h>
#include <commctrl.h>
#include "...\\common\\src\\ReadRegistry.h"

#include "resource.h"

#define WM_INITTEXT WM_USER+100

HICON hIcon;
HINSTANCE hInst;

DWORD versionExeMS;
DWORD versionExeLS;
DWORD versionExeMM;
DWORD versionDllMS;
DWORD versionDllLS;

// TPC-C registry settings
TPCCREGISTRYDATA Reg;

static int iPoolThreadLimit;
static int iThreadTimeout;
static int iListenBackLog;
static int iAcceptExOutstanding;

static int iMaxPhysicalMemory;
//max physical memory in MB
static char szLastFileName[64]; // last file we worked on (for error reporting)

BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT uMsg, WPARAM wParam, LPARAM lParam);
BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT uMsg, WPARAM wParam, LPARAM lParam);
BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg, WPARAM wParam, LPARAM lParam);

```

```

BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam);
static void ProcessOK(HWND hwnd,
char *szDllPath);
static void ReadRegistrySettings(void);
static void WriteRegistrySettings(char *szDllPath);
static BOOL RegisterDLL(char *szFileName);
static int CopyFiles(HWND hDlg, char *szDllPath);
static BOOL GetInstallPath(char *szDllPath);
static void GetVersionInfo(char *szDLLPath, char *szExePath);
static BOOL CheckWWWebService(void);
static BOOL StartWWWebService(void);
static BOOL StopWWWebService(void);
static void UpdateDialog(HWND hDlg);

BOOL install_com(char *szDllPath);

#include "..\..\common\src\ReadRegistry.cpp"

int WINAPI WinMain( HINSTANCE hInstance, HINSTANCE hPrevInstance, LPSTR lpCmdLine, int nCmdShow )
{
    int iRc;

    hInst = hInstance;
    InitCommonControls();

    hIcon = LoadIcon(hInstance,
MAKEINTRESOURCE(IDI_ICON1));

    iRc = DialogBox(hInstance,
MAKEINTRESOURCE(IDD_DIALOG4), GetDesktopWindow(),
LicenseDlgProc);
    if ( iRc )
    {
        iRc = DialogBox(hInstance,
MAKEINTRESOURCE(IDD_DIALOG1), GetDesktopWindow(),
MainDlgProc);
        if ( iRc )
        {

            DialogBoxParam(hInstance,
MAKEINTRESOURCE(IDD_DIALOG2), GetDesktopWindow(),
UpdatedDlgProc, (LPARAM)iRc);
        }
    }

    DestroyIcon(hIcon);
    return 0;
}

BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)

```

```

{
    HGLOBAL hRes;
    HRSRC hResInfo;
    BYTE *pSrc, *pDst;
    DWORD dwSize;
    static HFONT hFont;
    switch(uMsg)
    {
        case WM_INITDIALOG:
            hFont = CreateFont(-12,
0, 0, 0, 400, 0, 0, 0, 0, 0, 0, 0, "Arial");
            SendMessage(
GetDlgItem(hwnd, IDR_LICENSE1), WM_SETFONT,
(WPARAM)hFont, MAKELPARAM(0, 0));
            PostMessage(hwnd,
WM_INITTEXT, (WPARAM)0, (LPARAM)0);
            return TRUE;
        case WM_INITTEXT:
            hResInfo =
FindResource(hInst, MAKEINTRESOURCE(IDR_LICENSE1),
"LICENSE");
            dwSize =
SizeofResource(hInst, hResInfo);
            hRes =
LoadResource(hInst, hResInfo);
            pSrc = (BYTE
*)LockResource(hRes);
            pDst = (unsigned char
*)malloc(dwSize+1);
            if ( pDst )
            {
                memcpy(pDst,
pSrc, dwSize);
                pDst[dwSize]
= 0;
                SetDlgItemText(hwnd, IDC_LICENSE, (const
char *)pDst);
                free(pDst);
            }
            else
                SetDlgItemText(hwnd, IDC_LICENSE, (const
char *)pSrc);
            return TRUE;
        case WM_DESTROY:
            DeleteObject(hFont);
            return TRUE;
        case WM_COMMAND:
            if ( wParam == IDOK )
                EndDialog(hwnd, TRUE);
            if ( wParam == IDCANCEL
)
                EndDialog(hwnd, FALSE);
            default:
                break;
    }
    return FALSE;
}

```

```

BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    switch(uMsg)
    {
        case WM_INITDIALOG:
            switch(lParam)
            {
                case 1:
                    case 2:
                        SetDlgItemText(hwnd, IDC_RESULTS, "TPC-C
Web Client Installed");
                        break;
                }
            return TRUE;
        case WM_COMMAND:
            if ( wParam == IDOK )
                EndDialog(hwnd, TRUE);
            break;
        default:
            break;
    }
    return FALSE;
}

BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    PAINTSTRUCT ps;
    MEMORYSTATUS memoryStatus;
    OSVERSIONINFO VI;
    char szTmp[256];
    static char szDllPath[256];
    static char szExePath[256];

    switch(uMsg)
    {
        case WM_INITDIALOG:
            GlobalMemoryStatus(&memoryStatus);
            iMaxPhysicalMemory =
(memoryStatus.dwTotalPhys/ 1048576);
            if (
GetInstallPath(szDllPath) )
            {
                MessageBox(hwnd, "Error internet service
inetrv is not installed.", NULL, MB_ICONSTOP |
MB_OK);
                EndDialog(hwnd, FALSE);
            }
            return TRUE;
        // set default values
        ZeroMemory( &Reg,
sizeof(Reg) );
    }
}

```

```

Reg.dwNumberOfDeliveryThreads = 4;
Reg.dwMaxConnections =
100;

Reg.dwMaxPendingDeliveries = 100;
Reg.eDB_Protocol =
DBLIB;
Reg.eTxnMon = None;
strcpy(Reg.szDbServer,
"");
strcpy(Reg.szDbName,
"tpcc");
strcpy(Reg.szDbUser,
"sa");
strcpy(Reg.szDbPassword, "");

iMaxPhysicalMemory * 2;
iPoolThreadLimit =
iThreadTimeout = 86400;
iListenBackLog = 15;
iAcceptExOutstanding =
40;

ReadTPCCRegistrySettings( &Reg );
ReadRegistrySettings();

GetModuleFileName(hInst, szExePath,
sizeof(szExePath));

GetVersionInfo(szDllPath, szExePath);

wsprintf(szTmp,
"Version %d.%2.2d.%3.3d", versionExeMS, versionExeMM,
versionExeLS);
SetDlgItemText(hwnd,
IDC_VERSION, szTmp);

SetDlgItemText(hwnd,
IDC_PATH, szDllPath);

SetDlgItemText(hwnd,
ED_DB_SERVER, Reg.szDbServer);
SetDlgItemText(hwnd,
ED_DB_USER_ID, Reg.szDbUser);
SetDlgItemText(hwnd,
ED_DB_PASSWORD, Reg.szDbPassword);
SetDlgItemText(hwnd,
ED_DB_NAME, Reg.szDbName);

SetDlgItemInt(hwnd,
ED_THREADS, Reg.dwNumberOfDeliveryThreads, FALSE);
SetDlgItemInt(hwnd,
ED_MAXCONNECTION, Reg.dwMaxConnections, FALSE);
SetDlgItemInt(hwnd,
ED_MAXDELIVERIES, Reg.dwMaxPendingDeliveries, FALSE);
SetDlgItemInt(hwnd,
ED_IIS_MAX_THREAD_POOL_LIMIT, iPoolThreadLimit,
FALSE);

```

```

SetDlgItemInt(hwnd,
ED_IIS_THREAD_TIMEOUT, iThreadTimeout, FALSE);
SetDlgItemInt(hwnd,
ED_IIS_LISTEN_BACKLOG, iListenBackLog, FALSE);
SetDlgItemInt(hwnd,
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE,
iAcceptExOutstanding, FALSE);

CheckDlgButton(hwnd,
IDC_DBLIB, 0);
CheckDlgButton(hwnd,
IDC_ODBC, 0);
if ( Reg.eDB_Protocol
== DBLIB )
    CheckDlgButton(hwnd, IDC_DBLIB, 1);
else
    CheckDlgButton(hwnd, IDC_ODBC, 1);

// check OS version
level for COM. Must be at least Windows 2000
VI.dwOSVersionInfoSize
= sizeof(VI);
GetVersionEx( &VI );
if (VI.dwMajorVersion <
5)
{
    HWND hDlg =
GetDlgItem( hwnd, IDC_TM_MTS );
    EnableWindow(
hDlg, 0 ); // disable COM option
if
(Reg.eTxnMon == COM)

    Reg.eTxnMon = None;
}
CheckDlgButton(hwnd,
IDC_TM_NONE, 0);
CheckDlgButton(hwnd,
IDC_TM_TUXEDO, 0);
CheckDlgButton(hwnd,
IDC_TM_MTS, 0);
CheckDlgButton(hwnd,
IDC_TM_ENCINA, 0);
switch (Reg.eTxnMon)
{
case None:
    CheckDlgButton(hwnd, IDC_TM_NONE, 1);
    break;
case TUXEDO:
    CheckDlgButton(hwnd, IDC_TM_TUXEDO, 1);
    break;
case ENCINA:
    CheckDlgButton(hwnd, IDC_TM_ENCINA, 1);
    break;
case COM:
    CheckDlgButton(hwnd, IDC_TM_MTS, 1);

```

```

break;
}

return TRUE;
case WM_PAINT:
    if ( IsIconic(hwnd) )
    {
        BeginPaint(hwnd, &ps);
        DrawIcon(ps.hdc, 0, 0, hIcon);
        EndPaint(hwnd, &ps);
    }
    return TRUE;
}

break;
case WM_COMMAND:
    if ( HIWORD(wParam) ==
BN_CLICKED )
    {
        switch(
LOWORD(wParam) )
        {
            case IDC_DBLIB:
                return TRUE;
            case IDC_ODBC:
                return TRUE;
            case IDOK:
                ProcessOK(hwnd, szDllPath);
                return TRUE;
            case IDCANCEL:
                EndDialog(hwnd, FALSE);
                return TRUE;
            default:
                return FALSE;
        }
    }
    break;
}
return FALSE;
}

static void ProcessOK(HWND hwnd, char *szDllPath)
{
    int d;
    HWND hDlg;
    int rc;
    char szFullName[256];

```

```

char      szErrTxt[128];

// read settings from dialog
Reg.dwNumberOfDeliveryThreads =
GetDlgItemInt(hwnd, ED_THREADS, &d, FALSE);
Reg.dwMaxConnections = GetDlgItemInt(hwnd,
ED_MAXCONNECTION, &d, FALSE);
Reg.dwMaxPendingDeliveries =
GetDlgItemInt(hwnd, ED_MAXDELIVERIES, &d, FALSE);

GetDlgItemText(hwnd, ED_DB_SERVER,
Reg.szDbServer, sizeof(Reg.szDbServer));
GetDlgItemText(hwnd, ED_DB_USER_ID,
Reg.szDbUser, sizeof(Reg.szDbUser));
GetDlgItemText(hwnd, ED_DB_PASSWORD,
Reg.szDbPassword, sizeof(Reg.szDbPassword));
GetDlgItemText(hwnd, ED_DB_NAME,
Reg.szDbName, sizeof(Reg.szDbName));

if ( IsDlgButtonChecked(hwnd, IDC_DBLIB) )
{
    Reg.eDB_Protocol = DBLIB;
    rc = 1;
}
else if ( IsDlgButtonChecked(hwnd,
IDC_ODBC) )
{
    Reg.eDB_Protocol = ODBC;
    rc = 2;
}

if ( IsDlgButtonChecked(hwnd, IDC_TM_NONE)
)
    Reg.eTxnMon = None;
else if ( IsDlgButtonChecked(hwnd,
IDC_TM_TUXEDO) )
    Reg.eTxnMon = TUXEDO;
else if ( IsDlgButtonChecked(hwnd,
IDC_TM_MTS) )
    Reg.eTxnMon = COM;
else if ( IsDlgButtonChecked(hwnd,
IDC_TM_ENCINA) )
    Reg.eTxnMon = ENCINA;

iPoolThreadLimit = GetDlgItemInt(hwnd,
ED_IIS_MAX_THREAD_POOL_LIMIT, &d, FALSE);
iThreadTimeout = GetDlgItemInt(hwnd,
ED_IIS_THREAD_TIMEOUT, &d, FALSE);
iListenBackLog = GetDlgItemInt(hwnd,
ED_IIS_LISTEN_BACKLOG, &d, FALSE);
iAcceptExOutstanding = GetDlgItemInt(hwnd,
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE, &d, FALSE);

ShowWindow(hwnd, SW_HIDE);
hDlg = CreateDialog(hInst,
MAKEINTRESOURCE(IDD_DIALOG3), hwnd, CopyDlgProc);
ShowWindow(hDlg, SW_SHOWNA);
UpdateDialog(hDlg);

// write binaries to inetpub\wwwroot
rc = CopyFiles(hDlg, szDllPath);

```

```

if ( !rc )
{
    ShowWindow(hwnd, SW_SHOWNA);
    DestroyWindow(hDlg);
    strcpy( szErrTxt, "Error(s) occurred when creating " );
    strcat( szErrTxt, szLastFileName );
}
else
{
    MessageBox(hwnd, szErrTxt, NULL,
MB_ICONSTOP | MB_OK);
    EndDialog(hwnd, 0);
    return;
}

// update registry
SetDlgItemText(hDlg, IDC_STATUS, "Updating Registry.");
SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
UpdateDialog(hDlg);
WriteRegistrySettings(szDllPath);

// register com proxy stub
strcpy(szFullName, szDllPath);
strcat(szFullName, "tpcc_com_ps.dll");
if (!RegisterDLL(szFullName))
{
    ShowWindow(hwnd, SW_SHOWNA);
    DestroyWindow(hDlg);
    strcpy( szErrTxt, "Error occurred when registering " );
    strcat( szErrTxt, szFullName );
    MessageBox(hwnd, szErrTxt, NULL,
MB_ICONSTOP | MB_OK);
    EndDialog(hwnd, 0);
    return;
}

// if using COM
if (Reg.eTxnMon == COM)
{
    SetDlgItemText(hDlg, IDC_STATUS,
"Configuring COM.");
    SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);
    if (install_com(szDllPath))
    {
        ShowWindow(hwnd,
SW_SHOWNA);
        DestroyWindow(hDlg);
        strcpy( szErrTxt,
"Error occurred when configuring COM settings." );
        MessageBox(hwnd,
szErrTxt, NULL, MB_ICONSTOP | MB_OK);
        EndDialog(hwnd, 0);
        return;
    }
    Sleep(100);
}

```

```

ShowWindow(hwnd, SW_SHOWNA);
DestroyWindow(hDlg);
EndDialog(hwnd, rc);
return;
}

static void ReadRegistrySettings(void)
{
    HKEY      hKey;
    DWORD     size;
    DWORD     type;

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\CurrentControlSet\Services\Inetinfo\Parameters", 0, KEY_READ, &hKey) == ERROR_SUCCESS )
    {
        size = sizeof(iPoolThreadLimit);
        if ( RegQueryValueEx(hKey,
"PoolThreadLimit", 0, &type, (char *)&iPoolThreadLimit, &size) == ERROR_SUCCESS )
            if ( !iPoolThreadLimit )
                iPoolThreadLimit = iMaxPhysicalMemory * 2;
        size = sizeof(iThreadTimeout);
        if ( RegQueryValueEx(hKey,
"ThreadTimeout", 0, &type, (char *)&iThreadTimeout,
&size) == ERROR_SUCCESS )
            if ( !iThreadTimeout )
                iThreadTimeout = 86400;
        size = sizeof(iListenBackLog);
        if ( RegQueryValueEx(hKey,
"ListenBackLog", 0, &type, (char *)&iListenBackLog,
&size) == ERROR_SUCCESS )
            if ( !iListenBackLog )
                iListenBackLog = 15;
        RegCloseKey(hKey);
    }

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\CurrentControlSet\Services\W3SVC\Parameters", 0, KEY_READ, &hKey) == ERROR_SUCCESS )
    {
        size =
sizeof(iAcceptExOutstanding);
        if ( RegQueryValueEx(hKey,
"AcceptExOutstanding", 0, &type, (char *)
&iAcceptExOutstanding, &size) == ERROR_SUCCESS )
            if ( !iAcceptExOutstanding )
                iAcceptExOutstanding = 40;
        RegCloseKey(hKey);
    }
}

```

```

static void WriteRegistrySettings(char *szDllPath)
{
    HKEY hKey;
    DWORD dwDisposition;
    char szTmp[256];
    char *ptr;
    int iRc;

    if ( RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\\Microsoft\\TPCC", 0, NULL,
REG_OPTION_NON_VOLATILE, KEY_ALL_ACCESS, NULL, &hKey,
&dwDisposition) == ERROR_SUCCESS )
    {
        strcpy(szTmp, szDllPath);
        ptr = strstr(szTmp, "tpcc");
        if ( ptr )
            *ptr = 0;

        RegSetValueEx(hKey, "Path", 0,
REG_SZ, szTmp, strlen(szTmp)+1);

        RegSetValueEx(hKey,
"NumberOfDeliveryThreads", 0, REG_DWORD, (char
*)&Reg.dwNumberOfDeliveryThreads,
sizeof(Reg.dwNumberOfDeliveryThreads));
        RegSetValueEx(hKey,
"MaxConnections", 0, REG_DWORD, (char
*)&Reg.dwMaxConnections,
sizeof(Reg.dwMaxConnections));
        RegSetValueEx(hKey,
"MaxPendingDeliveries", 0, REG_DWORD, (char
*)&Reg.dwMaxPendingDeliveries,
sizeof(Reg.dwMaxPendingDeliveries));

        RegSetValueEx(hKey,
"DB_Protocol", 0, REG_SZ,
szDBNames[Reg.eDB_Protocol],
strlen(szDBNames[Reg.eDB_Protocol])+1);
        RegSetValueEx(hKey, "TxnMonitor",
0, REG_SZ, szTxnMonNames[Reg.eTxnMon],
strlen(szTxnMonNames[Reg.eTxnMon])+1);

        RegSetValueEx(hKey, "DbServer",
0, REG_SZ, Reg.szDbServer, strlen(Reg.szDbServer)+1);
        RegSetValueEx(hKey, "DbName", 0,
REG_SZ, Reg.szDbName, strlen(Reg.szDbName)+1);
        RegSetValueEx(hKey, "DbUser", 0,
REG_SZ, Reg.szDbUser, strlen(Reg.szDbUser)+1);
        RegSetValueEx(hKey, "DbPassword",
0, REG_SZ, Reg.szDbPassword,
strlen(Reg.szDbPassword)+1);

        strcpy(szTmp, "YES");
        RegSetValueEx(hKey,
"COM_SinglePool", 0, REG_SZ, szTmp, strlen(szTmp)+1);

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if (
(iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Parameters",
0, NULL, REG_OPTION_NON_VOLATILE,
KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        RegSetValueEx(hKey,
"PoolThreadLimit", 0, REG_DWORD, (char
*)&iPoolThreadLimit, sizeof(iPoolThreadLimit));
        RegSetValueEx(hKey,
"ThreadTimeout", 0, REG_DWORD, (char
*)&iThreadTimeout, sizeof(iThreadTimeout));
        RegSetValueEx(hKey,
"ListenBackLog", 0, REG_DWORD, (char
*)&iListenBackLog, sizeof(iListenBackLog));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if (
(iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Parameters",
0, NULL, REG_OPTION_NON_VOLATILE,
KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        RegSetValueEx(hKey,
"AcceptExOutstanding", 0, REG_DWORD, (char
*)&iAcceptExOutstanding,
sizeof(iAcceptExOutstanding));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    return;
}

BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    if ( uMsg == WM_INITDIALOG )
    {
        SendDlgItemMessage(hwnd,
IDC_PROGRESS1, PBM_SETRANGE, 0, MAKELPARAM(0, 15));
        SendDlgItemMessage(hwnd,
IDC_PROGRESS1, PBM_SETSTEP, (WPARAM)1, 0);
        return TRUE;
    }
    return FALSE;
}

BOOL RegisterDLL(char *szFileName)
{
    HINSTANCE hLib;
    FARPROC lpDllEntryPoint;

    hLib = LoadLibrary(szFileName);
    if ( hLib == NULL )
        return FALSE;
    // Find the entry point.
    lpDllEntryPoint = GetProcAddress(hLib,
"DllRegisterServer");
    if ( lpDllEntryPoint != NULL )

```

```

        eter", 0, NULL, REG_OPTION_NON_VOLATILE,
KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        RegSetValueEx(hKey,
"PoolThreadLimit", 0, REG_DWORD, (char
*)&iPoolThreadLimit, sizeof(iPoolThreadLimit));
        RegSetValueEx(hKey,
"ThreadTimeout", 0, REG_DWORD, (char
*)&iThreadTimeout, sizeof(iThreadTimeout));
        RegSetValueEx(hKey,
"ListenBackLog", 0, REG_DWORD, (char
*)&iListenBackLog, sizeof(iListenBackLog));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if (
(iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Parameters",
0, NULL, REG_OPTION_NON_VOLATILE,
KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        RegSetValueEx(hKey,
"AcceptExOutstanding", 0, REG_DWORD, (char
*)&iAcceptExOutstanding,
sizeof(iAcceptExOutstanding));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    return;
}

BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    if ( uMsg == WM_INITDIALOG )
    {
        SendDlgItemMessage(hwnd,
IDC_PROGRESS1, PBM_SETRANGE, 0, MAKELPARAM(0, 15));
        SendDlgItemMessage(hwnd,
IDC_PROGRESS1, PBM_SETSTEP, (WPARAM)1, 0);
        return TRUE;
    }
    return FALSE;
}

BOOL RegisterDLL(char *szFileName)
{
    HINSTANCE hLib;
    FARPROC lpDllEntryPoint;

    hLib = LoadLibrary(szFileName);
    if ( hLib == NULL )
        return FALSE;
    // Find the entry point.
    lpDllEntryPoint = GetProcAddress(hLib,
"DllRegisterServer");
    if ( lpDllEntryPoint != NULL )

```

```

        {
            return ((*lpDllEntryPoint)() ==
S_OK);
        }
        else
            return FALSE; //unable to
locate entry point
    }

    BOOL FileFromResource( char *szResourceName, int
iResourceId, char *szDllPath, char *szFileName )
{
    HGLOBAL hGlobal;
    HRSRC hResSrc;
    HANDLE hHandle;
    DWORD dwSize;
    BYTE *pSrc;
    DWORD d;
    char szFullName[256];

    hResInfo = FindResource(hInst,
MAKEINTRESOURCE(iResourceId), szResourceName);

    strcpy(szFullName, szDllPath);
    strcat(szFullName, szFileName);

    dwSize = SizeofResource(hInst, hResInfo);
    hDLL = LoadResource(hInst, hResInfo );
    pSrc = (BYTE *)LockResource(hDLL);
    remove(szFullName);

    if ( !(hFile = CreateFile(szFullName,
GENERIC_WRITE, 0, NULL, CREATE_ALWAYS,
FILE_ATTRIBUTE_NORMAL, NULL)) )
        return FALSE;

    if ( !WriteFile(hFile, pSrc, dwSize, &d,
NULL) )
        return FALSE;

    CloseHandle(hFile);

    UnlockResource(hDLL);
    FreeResource(hDLL);
    return TRUE;
}

static int CopyFiles(HWND hDlg, char *szDllPath)
{
    BOOL bSvcRunning;

    bSvcRunning = CheckWWWWebService();
    if ( bSvcRunning )
    {
        SetDlgItemText(hDlg, IDC_STATUS,
"Stopping Web Service.");
        SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
        StopWWWWebService();
    }
}

```

```

        SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
    }

    SetDlgItemText(hDlg, IDC_STATUS, "Copying
Files...");
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install TPCC.DLL
    strcpy( szLastFileName, "tpcc.dll" );
    if (!FileFromResource( "TPCCDLL",
IDR_TPCCDLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_dblib.dll
    strcpy( szLastFileName, "tpcc_dblib.dll" );
    if (!FileFromResource( "DBLIB_DLL",
IDR_DBLIB_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_odbc.dll
    strcpy( szLastFileName, "tpcc_odbc.dll" );
    if (!FileFromResource( "ODBC_DLL",
IDR_ODBC_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tuxapp.exe
    strcpy( szLastFileName, "tuxapp.exe" );
    if (!FileFromResource( "TUXEDO_APP",
IDR_TUXEDO_APP, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_tuxedo.dll
    strcpy( szLastFileName, "tpcc_tuxedo.dll" );
    if (!FileFromResource( "TUXEDO_DLL",
IDR_TUXEDO_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_com.dll
    strcpy( szLastFileName, "tpcc_com.dll" );
    if (!FileFromResource( "COM_DLL",
IDR_COM_DLL, szDllPath, szLastFileName ))
        return 0;

```

```

        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        // install tpcc_com_ps.dll
        strcpy( szLastFileName, "tpcc_com_ps.dll" );
        if (!FileFromResource( "COM_PS_DLL",
IDR_COMPSPS_DLL, szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        // install tpcc_com_all.dll
        strcpy( szLastFileName, "tpcc_com_all.dll" );
        if (!FileFromResource( "COM_ALL_DLL",
IDR_COMALL_DLL, szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        //if we stopped service restart it.
        if ( bSvcRunning )
        {
            SetDlgItemText(hDlg, IDC_STATUS,
"Starting Web Service.");
            SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
            UpdateDialog(hDlg);
            StartWWWebService();
        }

        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        return 1;
}

static BOOL GetInstallPath(char *szDllPath)
{
    HKEY hKey;
    BYTE szData[256];
    DWORD sv;
    BOOL bRc;
    int len;
    char *ptr;
    int iRc;

    szDllPath[0] = 0;
    bRc = TRUE;
    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\CurrentControlSet\\Services\W3SVC\Parameters\
Virtual Roots", 0, KEY_ALL_ACCESS, &hKey) ==
ERROR_SUCCESS )
    {
        sv = sizeof(szData);
        iRc = RegQueryValueEx( hKey,
"/", NULL, NULL, szData, &sv ); // used by IIS 3.0
        if (iRc == ERROR_FILE_NOT_FOUND)

```

```

            iRc = RegQueryValueEx(
hKey, "/", NULL, NULL, szData, &sv ); // used by
IIS 4.0
        if (iRc == ERROR_SUCCESS)
        {
            bRc = FALSE;
            strcpy(szDllPath,
szData);
            if ( (ptr =
strchr(szDllPath, ',')) )
                *ptr = 0;
            len =
strlen(szDllPath);
            if ( szDllPath[len-1]
!= '\\' )
            {
                szDllPath[len] = '\\';
                szDllPath[len+1] = 0;
            }
            RegCloseKey(hKey);
        }
        return bRc;
    }

    static void GetVersionInfo(char *szDLLPath, char
*szExePath)
{
    DWORD d;
    DWORD dwSize;
    DWORD dwBytes;
    char *ptr;
    VS_FIXEDFILEINFO *vs;
    versionDllMS = 0;
    versionDllS = 0;
    if ( _access(szDLLPath, 00) == 0 )
    {
        dwSize =
GetFileVersionInfoSize(szDLLPath, &d);
        if ( dwSize )
        {
            ptr = (char
*)malloc(dwSize);
            GetFileVersionInfo(szDLLPath, 0, dwSize,
ptr);
            VerQueryValue(ptr,
"\\", &vs, &dwBytes);
            versionDllMS = vs->dwProductVersionMS;
            versionDllS = vs->dwProductVersionLS;
            free(ptr);
        }
    }
}

```

```

    }

    versionExeMS = 0x7FFF;
    versionExeLS = 0x7FFF;
    dwSize = GetFileVersionInfoSize(szExePath,
&d);
    if ( dwSize )
    {
        ptr = (char *)malloc(dwSize);
        GetFileVersionInfo(szExePath, 0,
dwSize, ptr);
        VerQueryValue(ptr, "\\",&vs,
&dwBytes);

        versionExeMS = vs-
>dwProductVersionMS;
        versionExeLS = LOWORD(vs-
>dwProductVersionLS);
        versionExeMM = HIWORD(vs-
>dwProductVersionLS);
        free(ptr);
    }
    return;
}

static BOOL CheckWWWService(void)
{
    SC_HANDLE schSCManager;
    SC_HANDLE schService;
    SERVICE_STATUS ssStatus;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (!QueryServiceStatus(schService,
&ssStatus) )
        goto ServiceNotRunning;

    if (!ControlService(schService,
SERVICE_CONTROL_STOP, &ssStatus) )
        goto ServiceNotRunning;
    //start Service pending, Check the status
    until the service is running.
    if (!QueryServiceStatus(schService,
&ssStatus) )
        goto ServiceNotRunning;

    CloseServiceHandle(schService);
    return TRUE;
ServiceNotRunning:
    CloseServiceHandle(schService);
    return FALSE;
}

static BOOL StartWWWService(void)
{
    SC_HANDLE schSCManager;

```

```

    SC_HANDLE schService;
    SERVICE_STATUS ssStatus;
    DWORD dwOldCheckPoint;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (!StartService(schService, 0, NULL) )
        goto StartWWWErr;
    //start Service pending, Check the status
    until the service is running.
    if (!QueryServiceStatus(schService,
&ssStatus) )
        goto StartWWWErr;
    while( ssStatus.dwCurrentState !=
SERVICE_RUNNING)
    {
        dwOldCheckPoint =
ssStatus.dwCheckPoint;
        //Save the current checkpoint.
        Sleep(ssStatus.dwWaitHint);

        //Wait for the specified interval.
        if (
!QueryServiceStatus(schService, &ssStatus) )
            //Check the status again.
            break;
        if (dwOldCheckPoint >=
ssStatus.dwCheckPoint) //Break if
the checkpoint has not been incremented.
            break;
    }

    if (ssStatus.dwCurrentState ==
SERVICE_RUNNING)
        goto StartWWWErr;
    CloseServiceHandle(schService);
    return TRUE;
StartWWWErr:
    CloseServiceHandle(schService);
    return FALSE;
}

static BOOL StopWWWService(void)
{
    SC_HANDLE schSCManager;
    SC_HANDLE schService;
    SERVICE_STATUS ssStatus;
    DWORD dwOldCheckPoint;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
TEXT("W3SVC"), SERVICE_ALL_ACCESS);

```

```

    if (schService == NULL)
        return FALSE;

    if (!QueryServiceStatus(schService,
&ssStatus) )
        goto StopWWWErr;

    if (!ControlService(schService,
SERVICE_CONTROL_STOP, &ssStatus) )
        goto StopWWWErr;
    //start Service pending, Check the status
    until the service is running.
    if (!QueryServiceStatus(schService,
&ssStatus) )
        goto StopWWWErr;
    while( ssStatus.dwCurrentState ==
SERVICE_RUNNING)
    {
        dwOldCheckPoint =
ssStatus.dwCheckPoint;
        //Save the current checkpoint.
        Sleep(ssStatus.dwWaitHint);

        //Wait for the specified interval.
        if (
!QueryServiceStatus(schService, &ssStatus) )
            //Check the status again.
            break;
        if (dwOldCheckPoint >=
ssStatus.dwCheckPoint) //Break if
the checkpoint has not been incremented.
            break;
    }

    if (ssStatus.dwCurrentState ==
SERVICE_RUNNING)
        goto StopWWWErr;
    CloseServiceHandle(schService);
    return TRUE;
StopWWWErr:
    CloseServiceHandle(schService);
    return FALSE;
}

static void UpdateDialog(HWND hDlg)
{
    MSG msg;

    UpdateWindow(hDlg);
    while( PeekMessage(&msg, hDlg, 0, 0,
PM_REMOVE) )
    {
        TranslateMessage(&msg);
        DispatchMessage(&msg);
    }
    Sleep(250);
    return;
}

```

## install.h

```
//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by install.rc
//

#define IDD_DIALOG1 101
#define IDM_ICON1 102
#define IDR_TPCCDLL 103
#define IDD_DIALOG2 105
#define IDM_ICON2 106
#define IDR_DELIVERY 107
#define IDD_DIALOG3 108

#define BN_LOG 1001
#define ED_KEEP 1002
#define ED_THREADS 1003
#define ED_THREADS2 1004
#define IDC_PATH 1007
#define IDC_VERSION 1009
#define IDC_RESULTS 1010
#define IDC_PROGRESS1 1011
#define IDC_STATUS 1012
#define IDC_BUTTON1 1013
#define ED_MAXCONNECTION 1014
#define ED_IIS_MAX_THREAD_POOL_LIMIT 1015
#define ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE 1017
#define ED_IIS_THREAD_TIMEOUT 1018
#define ED_IIS_LISTEN_BACKLOG 1019
#define IDC_DBLIB 1021
#define IDC_ODBC 1022
#define IDC_CONNECT_POOL 1023
#define ED_USER_CONNECT_DELAY_TIME 1024

// Next default values for new objects
//
```

## install.rc

```
//Microsoft Developer Studio generated resource
script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////////////////////////////////////////
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"
////////////////////////////////////////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////////////////////////////////////////
// English (U.S.) resources
#if !defined(AFX_RESOURCE_DLL) || defined(AFX_TARG_ENU)
#ifndef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32
////////////////////////////////////////////////////////////////////////
// Dialog
//
IDD_DIALOG1 DIALOGEX 0, 0, 219, 351
STYLE DS_MODALFRAME | DS_CENTER | WS_MINIMIZEBOX |
WS_POPUP | WS_CAPTION | WS_SYSMENU
CAPTION "TPC-C Web Client Installation Utility"
FONT 8, "MS Sans Serif"
BEGIN
    EDITTEXT    ED_THREADS,164,45,34,12,ES_RIGHT
    | ES_NUMBER,
    WS_EX_RTLREADING
    EDITTEXT    ED_MAXDELIVERIES,164,59,34,12,ES_RIGHT | ES_NUMBER,
    WS_EX_RTLREADING
    EDITTEXT    ED_MAXCONNECTION,164,73,34,12,ES_RIGHT | ES_NUMBER,
    WS_EX_RTLREADING
    CONTROL    "None",IDC_TM_NONE,"Button",BS_AUTORADIOBUTTON |
    WS_GROUP |
    WS_TABSTOP,43,100,33,10
    CONTROL    "COM",IDC_TM_MTS,"Button",BS_AUTORADIOBUTTON |
    WS_TABSTOP,43,113,32,10
    CONTROL    "TUXEDO",IDC_TM_TUXEDO,"Button",BS_AUTORADIOBUTTON |
    WS_TABSTOP,106,100,46,10
    CONTROL    "ENCINA",IDC_TM_ENCINA,"Button",BS_AUTORADIOBUTTON |
    WS_DISABLED |
    WS_TABSTOP,106,113,43,10
    EDITTEXT
    ED_DB_SERVER,131,152,67,12,ES_AUTOHSCROLL
    EDITTEXT
    ED_DB_USER_ID,131,165,67,12,ES_AUTOHSCROLL
    EDITTEXT
    ED_DB_PASSWORD,131,178,67,12,ES_AUTOHSCROLL
    EDITTEXT
    ED_DB_NAME,131,191,67,12,ES_AUTOHSCROLL
    CONTROL
    "DBLIB",IDC_DBLIB,"Button",BS_AUTORADIOBUTTON |
    WS_GROUP |
    WS_TABSTOP,45,219,39,12
    CONTROL
    "ODBC",IDC_ODBC,"Button",BS_AUTORADIOBUTTON |
    WS_TABSTOP,
    91,219,39,12
    EDITTEXT
    ED_IIS_MAX_THREAD_POOL_LIMIT,164,263,34,12,ES_RIGHT |
    ES_NUMBER,WS_EX_RTLREADING
    EDITTEXT
    ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE,164,277,34,12,ES_RI
    GHT |
    ES_NUMBER,WS_EX_RTLREADING
    EDITTEXT
    ED_IIS_THREAD_TIMEOUT,164,291,34,12,ES_RIGHT |
    ES_NUMBER,
    WS_EX_RTLREADING
    EDITTEXT
    ED_IIS_LISTEN_BACKLOG,164,305,34,12,ES_RIGHT |
    ES_NUMBER,
    WS_EX_RTLREADING
    DEFPUSHBUTTON "OK",IDOK,53,331,50,14
    PUSHBUTTON "Cancel",IDCANCEL,119,331,50,14
    EDITTEXT
    IDC_PATH,106,26,91,13,ES_AUTOHSCROLL | ES_READONLY
    LTEXT "Number of Delivery
Threads:",IDC_STATIC,35,45,115,12
    LTEXT "Max Number of
Connections:",IDC_STATIC,35,73,115,12
    RTEXT "Version
4.11",IDC_VERSION,120,4,89,9
    LTEXT "IIS Max Thread Pool
Limit:",IDC_STATIC,36,263,115,12
    LTEXT "Web Service Backlog Queue
Size:",IDC_STATIC,36,277,115,
    12
    LTEXT "IIS Thread Timeout
(seconds):",IDC_STATIC,36,291,115,12
    LTEXT "IIS Listen
Backlog:",IDC_STATIC,36,307,115,10
    GROUPBOX "Database
Interface",IDC_STATIC,35,208,163,27,WS_GROUP
    LTEXT "Installation
directory:",IDC_STATIC,35,29,71,10
    GROUPBOX "Transaction
Monitor",IDC_STATIC,33,90,165,37
    LTEXT "Server
Name:",IDC_STATIC,35,155,56,8
    LTEXT "User ID:",IDC_STATIC,35,168,60,8
    LTEXT "User
Password:",IDC_STATIC,35,181,83,8
```

```

LTEXT          "Database
Name:", IDC_STATIC, 35, 194, 54, 8
GROUPBOX      "SQL Server Connection
Properties", IDC_STATIC, 22, 139, 187,
               102
GROUPBOX      "Web Client
Properties", IDC_STATIC, 22, 15, 187, 118
GROUPBOX      "IIS
Settings", IDC_STATIC, 22, 247, 187, 79
LTEXT          "Max Pending
Deliveries:", IDC_STATIC, 35, 59, 115, 12
END

IDD_DIALOG2 DIALOGEX 0, 0, 117, 62
STYLE DS_SETFOREGROUND | DS_3DLOOK | DS_CENTER |
WS_POPUP | WS_BORDER
EXSTYLE WS_EX_STATICEDGE
FONT 12, "MS Sans Serif", 0, 0, 0x1
BEGIN
    DEFPUSHBUTTON   "OK", IDOK, 33, 45, 50, 9
    CTEXT          "HTML TPC-C Installation
Successfull", IDC_RESULTS, 7, 22,
               102, 18, 0, WS_EX_CLIENTEDGE
    ICON           IDI_ICON2, IDC_STATIC, 50, 7, 18, 20, SS_REALSIZEIMAGE,
               WS_EX_TRANSPARENT
END

IDD_DIALOG3 DIALOG DISCARDABLE 0, 0, 91, 40
STYLE DS_SYSMODAL | DS_MODALFRAME | DS_3DLOOK |
DS_CENTER | WS_CAPTION
CAPTION "Installing TPC-C Web Client"
FONT 12, "Arial Black"
BEGIN
    CONTROL         "Progress1", IDC_PROGRESS1, "msctls_progress32", WS_BORD
ER,
               7, 20, 77, 13
    CTEXT          "Static", IDC_STATUS, 7, 7, 77, 12, SS_SUNKEN
END

IDD_DIALOG4 DIALOG DISCARDABLE 0, 0, 291, 202
STYLE DS_MODALFRAME | DS_CENTER | WS_POPUP |
WS_CAPTION | WS_SYSMENU
CAPTION "Client End User License"
FONT 8, "MS Sans Serif"
BEGIN
    EDITTEXT        IDC_LICENSE, 7, 7, 271, 167, ES_MULTILINE | ES_AUTOVSCROLL
    |             ES_AUTOHSCROLL | ES_READONLY |
    WS_VSCROLL | WS_HSCROLL
    DEFPUSHBUTTON  "I Agree", IDOK, 87, 181, 50, 14
    PUSHBUTTON     "&Cancel", IDCANCEL, 153, 181, 50, 14
END

///////////
// DESIGNINFO
//
```

```

#endif APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
    IDD_DIALOG1, DIALOG
    BEGIN
        LEFTMARGIN, 22
        RIGHTMARGIN, 209
        VERTGUIDE, 35
        VERTGUIDE, 198
        TOPMARGIN, 4
        BOTTOMMARGIN, 345
    END

    IDD_DIALOG2, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 109
        TOPMARGIN, 7
        BOTTOMMARGIN, 54
    END

    IDD_DIALOG3, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 84
        TOPMARGIN, 7
        BOTTOMMARGIN, 33
    END

    IDD_DIALOG4, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 278
        TOPMARGIN, 7
        BOTTOMMARGIN, 195
    END
END
#endif // APSTUDIO_INVOKED

#endif APSTUDIO_INVOKED
///////////
// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include ""afxres.h""\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "\r\n"
    "\0"
END
```

```

END
#endif // APSTUDIO_INVOKED

///////////
// Icon
//
// Icon with lowest ID value placed first to ensure
application icon
// remains consistent on all systems.
IDI_ICON1      ICON      DISCARDABLE
"icon1.ico"
IDI_ICON2      ICON      DISCARDABLE
"icon2.ico"

///////////
// TPCCDLL
//
IDR_TPCCDLL    TPCCDLL DISCARDABLE
"..\..\isapi_dll\bin\tpcc.dll"

#ifndef _MAC
///////////
// Version
//
VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,20,0
PRODUCTVERSION 0,4,20,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x1L
FILESUBTYPE 0x0L
BEGIN
BLOCK "StringFileInfo"
BEGIN
BLOCK "040904b0"
BEGIN
VALUE "Comments", "TPC-C Web Client
Installer\0"
VALUE "CompanyName", "Microsoft\0"
VALUE "FileDescription", "install1\0"
VALUE "FileVersion", "0, 4, 20, 0\0"
VALUE "InternalName", "install\0"
VALUE "LegalCopyright", "Copyright ©
1999\0"
VALUE "Originalfilename", "install.exe\0"
VALUE "ProductName", "Microsoft
install\0"

```

```

        VALUE "ProductVersion", "0, 4, 20, 0\0"
    END
BLOCK "VarFileInfo"
BEGIN
    VALUE "Translation", 0x409, 1200
END

#endif // !_MAC

//LICENSE
// IDR_LICENSE1          LICENSE DISCARDABLE
"license.txt"

// DBLIB_DLL
// IDR_DBLIB_DLL          DBLIB_DLL DISCARDABLE
"..\\..\\db_dblib_dll\\bin\\tpcc_dblib.dll"

// ODBC_DLL
// IDR_ODBC_DLL           ODBC_DLL DISCARDABLE
"..\\..\\db_odbc_dll\\bin\\tpcc_odbc.dll"

// TUXEDO_APP
// IDR_TUXEDO_APP          TUXEDO_APP DISCARDABLE
"..\\..\\tuxapp\\bin\\tuxapp.exe"

// TUXEDO_DLL
// IDR_TUXEDO_DLL          TUXEDO_DLL DISCARDABLE
"..\\..\\tm_tuxedo_dll\\bin\\tpcc_tuxedo.dll"

```

```

IDR_COM_DLL           COM_DLL DISCARDABLE
"..\\..\\tm_com_dll\\bin\\tpcc_com.dll"
//COM_PS_DLL
// IDR_COMPS_DLL          COM_PS_DLL DISCARDABLE
"..\\..\\tpcc_com_ps\\bin\\tpcc_com_ps.dll"
//COM_ALL_DLL
// IDR_COMALL_DLL          COM_ALL_DLL DISCARDABLE
"..\\..\\tpcc_com_all\\bin\\tpcc_com_all.dll"
#endif // English (U.S.) resources
// Generated from the TEXTINCLUDE 3 resource.

#ifndef APSTUDIO_INVOKED
// Generated from the TEXTINCLUDE 3 resource.
#endif // not APSTUDIO_INVOKED

```

## install\_com.cp

**p**

```

/* FILE:           INSTALL_COM.CPP
 *                         Microsoft
TPC-C Kit Ver. 4.20.000
*                                         Copyright
Microsoft, 1999
*                                         All Rights Reserved
*
*                                         not audited
*
* PURPOSE: installation code for COM
application for TPC-C Web Kit
* Contact: Charles Levine
(clevine@microsoft.com)
*
* Change history:
*             4.20.000 - first version
*/

```

```

#define _WIN32_WINNT 0x0500

#include <comdef.h>
#include <comadmin.h>
#include <stdio.h>
#include <tchar.h>

extern "C"
{
    BOOL install_com(char *szDllPath);
}

BOOL install_com(char *szDllPath)
{
    ICOMAdminCatalog* pCOMAdminCat = NULL;
    ICatalogCollection* pCatalogCollectionApp
= NULL;
    ICatalogCollection* pCatalogCollectionCo
= NULL;
    ICatalogCollection* pCatalogCollectionItf
= NULL;
    ICatalogCollection* pCatalogCollectionMethod = NULL;

    ICatalogObject* pCatalogObjectApp
= NULL;
    ICatalogObject* pCatalogObjectCo
= NULL;
    ICatalogObject* pCatalogObjectItf
= NULL;
    ICatalogObject* pCatalogObjectMethod = NULL;

    _bstr_t
bstrTemp, bstrTemp2, bstrTemp3, bstrTemp4;
    _bstr_t
bstrDllPath = szDllPath;
    _variant_t
vTmp, vKey;
    long
lActProp, lCount, lCountCo, lCountItf,
lCountMethod;
    bool
bImp;

    CoInitializeEx(NULL, COINIT_MULTITHREADED);

    HRESULT hr =
CoCreateInstance(CLSID_COMAdminCatalog,
NULL,
CLSCCTX_INPROC_SERVER,
IID_ICOMAdminCatalog,
(void**) &pCOMAdminCat);

    if (!SUCCEEDED(hr)) goto Error;

```

```

bstrTemp = "Applications";

// Attempt to connect to "Applications" in
the Catalog
hr = pCOMAdminCat->GetCollection(bstrTemp,
                                    (IDispatch**)&pCatalogCollectionApp);
if (!SUCCEEDED(hr)) goto Error;

// Attempt to load the "Applications"
collection
hr = pCatalogCollectionApp->Populate();
if (!SUCCEEDED(hr)) goto Error;

hr = pCatalogCollectionApp-
>get_Count(&lCount);
if (!SUCCEEDED(hr)) goto Error;

// iterate through applications to delete
existing "TPC-C" application (if any)
while (lCount > 0)
{
    hr = pCatalogCollectionApp-
>get_Item(lCount - 1, (IDispatch**)&pCatalogObjectApp);
    if (!SUCCEEDED(hr)) goto Error;

    hr = pCatalogObjectApp-
>get_Name(&vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    if (wcscmp(vTmp.bstrVal, L"TPC-
C"))
    {
        lCount--;
        continue;
    }
    else
    {
        hr =
pCatalogCollectionApp->Remove(lCount - 1);
        if (!SUCCEEDED(hr))
goto Error;
        break;
    }
}

hr = pCatalogCollectionApp-
>SaveChanges(&lActProp);
if (!SUCCEEDED(hr)) goto Error;

// add the new application
hr = pCatalogCollectionApp-
>Add((IDispatch**)&pCatalogObjectApp);
if (!SUCCEEDED(hr)) goto Error;

// set properties
bstrTemp = "Name";
vTmp = "TPC-C";
hr = pCatalogObjectApp->put_Value(bstrTemp,
vTmp);

```

```

if (!SUCCEEDED(hr)) goto Error;

// set as a library (in process)
application
bstrTemp = "Activation";
lActProp = COMAdminActivationInproc;
vTmp = lActProp;
hr = pCatalogObjectApp->put_Value(bstrTemp,
vTmp);
if (!SUCCEEDED(hr)) goto Error;

// set security level to process
bstrTemp = "AccessChecksLevel";
lActProp =
COMAdminAccessChecksApplicationLevel;
vTmp = lActProp;
hr = pCatalogObjectApp->put_Value(bstrTemp,
vTmp);
if (!SUCCEEDED(hr)) goto Error;

// save key to get the Components
collection later
hr = pCatalogObjectApp->get_Key(&vKey);
if (!SUCCEEDED(hr)) goto Error;

// save changes (app creation) so component
installation will work
hr = pCatalogCollectionApp-
>SaveChanges(&lActProp);
if (!SUCCEEDED(hr)) goto Error;

pCatalogObjectApp->Release();
pCatalogObjectApp = NULL;

bstrTemp = "TPC-C";
// app name
bstrTemp2 = bstrDllPath +
"tpcc_com_all.dll";
bstrTemp3 = "";
// type
library (TLB)
bstrTemp4 = bstrDllPath +
"tpcc_com_ps.dll";
// proxy/stub dll
hr = pCOMAdminCat-
>InstallComponent(bstrTemp,
bstrTemp2,
bstrTemp3,
bstrTemp4);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp = "Components";
hr = pCatalogCollectionApp-
>GetCollection(bstrTemp, vKey, (IDispatch**)&pCatalogCollectionCo);
if (!SUCCEEDED(hr)) goto Error;

```

```

hr = pCatalogCollectionCo->Populate();
if (!SUCCEEDED(hr)) goto Error;

hr = pCatalogCollectionCo-
>get_Count(&lCountCo);
if (!SUCCEEDED(hr)) goto Error;

// iterate through components in
application and set the properties
while (lCountCo > 0)
{
    hr = pCatalogCollectionCo-
>get_Item(lCountCo - 1, (IDispatch**)&pCatalogObjectCo);
    if (!SUCCEEDED(hr)) goto Error;

    // used for debugging (view the
name)
    hr = pCatalogObjectCo-
>get_Name(&vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    bstrTemp = "ConstructionEnabled";
    bTmp = TRUE;
    vTmp = bTmp;
    hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    bstrTemp = "ConstructorString";
    bstrTemp2 = "dummy string (do not
remove)";
    vTmp = bstrTemp2;
    hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    bstrTemp =
"JustInTimeActivation";
    bTmp = TRUE;
    vTmp = bTmp;
    hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    bstrTemp = "MaxPoolSize";
    vTmp.Clear(); // clear
variant so it isn't stored as a bool (.variant_t
feature)
    vTmp = (long)30;
    hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    bstrTemp =
"ObjectPoolingEnabled";
    bTmp = TRUE;
    vTmp = bTmp;
    hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
    if (!SUCCEEDED(hr)) goto Error;

```

```

        // save key to get the
InterfacesForComponent collection
        hr = pCatalogObjectCo-
>get_Key(&vKey);
        if (!SUCCEEDED(hr)) goto Error;

        bstrTemp =
"InterfacesForComponent";
        hr = pCatalogCollectionCo-
>GetCollection(bstrTemp, vKey, (IDispatch**)&pCatalogCollectionItf);
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogCollectionItf-
>Populate();
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogCollectionItf-
>get_Count(&lCountItf);
        if (!SUCCEEDED(hr)) goto Error;

        // iterate through interfaces in
component
        while (lCountItf > 0)
        {
            hr =
pCatalogCollectionItf->get_Item(lCountItf - 1,
(IDispatch**)&pCatalogObjectItf);
            if (!SUCCEEDED(hr))
goto Error;

            // save key to get the
MethodsForInterface collection
            hr = pCatalogObjectItf-
>get_Key(&vKey);
            if (!SUCCEEDED(hr))
goto Error;

            bstrTemp =
"MethodsForInterface";
            hr =
pCatalogCollectionItf->GetCollection(bstrTemp, vKey,
(IDispatch**)&pCatalogCollectionMethod);
            if (!SUCCEEDED(hr))
goto Error;

            hr =
pCatalogCollectionMethod->Populate();
            if (!SUCCEEDED(hr))
goto Error;

            hr =
pCatalogCollectionMethod->get_Count(&lCountMethod);
            if (!SUCCEEDED(hr))
goto Error;

            // iterate through
methods of interface
            while (lCountMethod >
0)
            {

```

```

                hr =
pCatalogCollectionMethod->get_Item(lCountMethod - 1,
(IDispatch**)&pCatalogObjectMethod);
                if
(!SUCCEEDED(hr)) goto Error;

                bstrTemp =
"AutoComplete";
                bTmp = TRUE;
                vTmp = bTmp;
                hr =
pCatalogObjectMethod->put_Value(bstrTemp, vTmp);
                if
(!SUCCEEDED(hr)) goto Error;

                pCatalogObjectMethod->Release();
                pCatalogObjectMethod = NULL;
                lCountMethod-
-;
            }
            // save changes
            hr = pCatalogCollectionMethod->SaveChanges(&lActProp);
            if (!SUCCEEDED(hr))
goto Error;
            pCatalogObjectItf-
>Release();
            pCatalogObjectItf =
NULL;
            lCountItf--;
        }
        pCatalogObjectCo->Release();
        pCatalogObjectCo = NULL;
        lCountCo--;
    }

    // save changes
    hr = pCatalogCollectionCo-
>SaveChanges(&lActProp);
    if (!SUCCEEDED(hr)) goto Error;

    pCatalogCollectionApp->Release();
    pCatalogCollectionApp = NULL;
    pCatalogCollectionCo->Release();
    pCatalogCollectionCo = NULL;
    pCatalogCollectionItf->Release();
    pCatalogCollectionItf = NULL;
    pCatalogCollectionMethod->Release();
    pCatalogCollectionMethod = NULL;

```

```

Error: CoUninitialize();

if (!SUCCEEDED(hr))
{
    LPTSTR lpBuf;
    DWORD dwRes =
FormatMessage(FORMAT_MESSAGE_ALLOCATE_BUFFER |
FORMAT_MESSAGE_FROM_SYSTEM,
NULL,
hr,
MAKELANGID(LANG_NEUTRAL, SUBLANG_DEFAULT),
(LPTSTR)
&lpBuf,
0,
NULL);
// _tprintf(_T("Error adding
components. HRESULT: 0x%x\n%s"), hr, lpBuf);
    return TRUE;
}
else
    return FALSE;
}

```

## isapi\_dll.dsp

```

# Microsoft Developer Studio Project File -
Name="isapi_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGTYPE "Win32 (x86) Dynamic-Link Library" 0x0102
CFG=isapi_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "isapi_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "isapi_dll.mak" CFG="isapi_dll - 
Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "isapi_dll - Win32 Release" (based on "Win32
(x86) Dynamic-Link Library")

```

```

!MESSAGE "isapi_dll - Win32 Debug" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE "isapi_dll - Win32 IceCAP" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "isapi_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /GX /Zi /Od /D "_DEBUG" /D
"WIN32" /D "_WINDOWS" /FR /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 ..\common\txnlog\lib\release\rtetime.lib
..\common\txnlog\lib\release\spinlock.lib
..\common\txnlog\lib\release\error.lib
kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib
oleaut32.lib uuid.lib odbc32.lib odbcpp32.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/nodefaultlib:"LIBCMTD" /out:".bin\tpcc.dll"
/pdbtype:sept
# SUBTRACT LINK32 /profile /pdb:none /nodefaultlib

!ELSEIF "$(CFG)" == "isapi_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "isapi_dl"
# PROP BASE Intermediate_Dir "isapi_dl"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MDd /W3 /GX /Zi /Od /D
"_DEBUG" /D "WIN32" /D "_WINDOWS" /FR /YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /GX /Zi /Od /D "NDEBUG" /D
"ICECAP" /D "WIN32" /D "_WINDOWS" /FR /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe

```

```

# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /GX /Zi /Od /D "_DEBUG" /D
"WIN32" /D "_WINDOWS" /FR /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ..\common\txnlog\lib\debug\rtetime.lib
..\common\txnlog\lib\debug\spinlock.lib
..\common\txnlog\lib\debug\error.lib
..\common\txnlog\lib\debug\txnlog.lib wsock32.lib
kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib
oleaut32.lib uuid.lib odbc32.lib odbcpp32.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/nodefaultlib:"LIBCMTD" /out:".bin\tpcc.dll"
/pdbtype:sept
# SUBTRACT LINK32 /profile /pdb:none /nodefaultlib

!ELSEIF "$(CFG)" == "isapi_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
BSC32=bscmake.exe

```

```

# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc.dll" /pdbtype:sept
# SUBTRACT BASE LINK32 /profile /pdb:none
# ADD LINK32 icap.lib
..\common\txnlog\lib\release\rtetime.lib
..\common\txnlog\lib\release\spinlock.lib
..\common\txnlog\lib\release\error.lib
..\common\txnlog\lib\release\txnlog.lib wsock32.lib
kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib
oleaut32.lib uuid.lib odbc32.lib odbcpp32.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/out:".bin\tpcc.dll" /pdbtype:sept
# SUBTRACT LINK32 /profile /pdb:none /map
ENDIF

# Begin Target

# Name "isapi_dll - Win32 Release"
# Name "isapi_dll - Win32 Debug"
# Name "isapi_dll - Win32 IceCAP"
# Begin Group "Source"
# PROP Default_Filter "*.*"
# Begin Source File
SOURCE=.\src\tpcc.cpp
# End Source File
# Begin Source File
SOURCE=.\src\tpcc.def
# End Source File
# Begin Source File
SOURCE=.\src\tpcc.rc
# End Source File
# End Group
# Begin Group "Header Files"
# PROP Default_Filter "*.h, *.hpp"
# Begin Source File
SOURCE=..\common\src\error.h
# End Source File
# Begin Source File
SOURCE=..\common\src\ReadRegistry.h
# End Source File
# Begin Source File
SOURCE=.\src\tpcc.h
# End Source File
# Begin Source File
SOURCE=..\db_dblib_dll\src\tpcc_dblib.h
# End Source File

```

```

# Begin Source File
SOURCE=..\db_odbcc_dll\src\tpcc_odbcc.h
# End Source File
# Begin Source File

SOURCE=..\tm_tuxedo_dll\src\tpcc_tux.h
# End Source File
# Begin Source File

SOURCE=..\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=..\common\src\txn_base.h
# End Source File
# End Group
# End Target
# End Project

```

## rftime.h

```

/* FILE: rftime.h : header file
 * Copyright 1997 Microsoft Corp., All rights
reserved.
*
* Source code licensed to Tandem Computers for
Internal
* use only. Redistribution of source or object
files or
* any derivative works is prohibited. By agreement,
this
* notice may not be removed.
*
* Authors: Charles Levine, Philip Durr
* Microsoft Corp.
*/
//FILE: RTETIME.H

#define MAX_JULIAN_TIME
0x7FFFFFFFFFFFFF
#define JULIAN_TIME __int64
#define TC_TIME DWORD
extern "C"
{
BOOL InitJulianTime(LPSYSTEMTIME
lpInitTime);
JULIAN_TIME GetJulianTime(void);
DWORD MyTickCount(void);
void GetJulianAndTC(JULIAN_TIME
*pJulian, DWORD *pTC);
JULIAN_TIME ConvertTo64BitTime(int iYear, int
iMonth, int iDay, int iHour, int iMinute, int
iSecond);
JULIAN_TIME Get64BitTime(LPSYSTEMTIME
lpInitTime);
int JulianDay( int yr, int
mm, int dd );

```

```

void JulianToTime(JULIAN_TIME
julianTS, int* yr, int* mm, int* dd, int *hh, int
*mi, int *ss );
void JulianToCalendar( int day, int*
yr, int* mm, int* dd );

```

## spinlock.h

```

/* FILE: SPINLOCK.H
 *
* Copyright 1997 Microsoft Corp., All rights
reserved.
*
* Source code licensed to Tandem Computers for
Internal
* use only. Redistribution of source or object
files or
* any derivative works is prohibited. By agreement,
this
* notice may not be removed.
*
* Authors: Mike Parkes, Charles Levine, Philip Durr
* Microsoft Corp.
*/
#ifndef _INC_Spinlock

const LONG LockClosed = 1;
const LONG LockOpen = 0;

*****
*
* Spinlock and Semaphore locking.
*
* This class provides a very
conservative locking scheme.
* The assumption behind the code is that
locks will be
* held for a very short time. When a
lock is taken a memory
* location is exchanged. All other
threads that want this
* lock wait by spinning and sometimes
sleeping on a semaphore
* until it becomes free again. The only
other choice is not
* to wait at all and move on to do
something else. This
* module should normally be used in
conjunction with cache
* aligned memory to minimize cache line
misses.
*
*****
class Spinlock
{
    // Private data.

```

```

HANDLE
Semaphore; volatile LONG
m_Spinlock; volatile LONG
Waiting;

#ifdef _DEBUG
// Counters for
debugging builds.
TotalLocks; volatile LONG
TotalSleeps; volatile LONG
TotalSpins; volatile LONG
TotalWaits; volatile LONG
#endif

public:
// Public functions.
Spinlock( void );
inline BOOL ClaimLock(
BOOL Wait = TRUE );
inline void ReleaseLock( void );
~Spinlock( void );
// Disabled operations.
Spinlock( const
Spinlock & Copy );
void operator=( const
Spinlock & Copy );

private:
// Private functions.
inline BOOL
ClaimSpinlock( volatile LONG *sl );
void WaitForLock( void );
void WakeAllSleepers(
void );
};

*****
*
* A guaranteed atomic exchange.
*
* An attempt is made to claim the
Spinlock. This action is
* guaranteed to be atomic.
*

*****
inline BOOL Spinlock::ClaimSpinlock(
volatile LONG *Spinlock )
{
#ifdef _DEBUG

```

```

        InterlockedIncrement(
(LPLONG) & TotalLocks );
        #endif
        return ( ((*Spinlock) ==
LockOpen) && (InterlockedExchange( (LPLONG)Spinlock,
LockClosed ) == LockOpen) );
    }

    ****
    *
    *   Claim the Spinlock.
    *
    *   Claim the lock if available else wait
or exit.
    *

    ****
        inline BOOL Spinlock::ClaimLock( BOOL Wait
)
    {
        if ( ! ClaimSpinlock( (volatile
LONG*) & m_Spinlock ) )
        {
            if ( Wait )

                WaitForLock();
            return Wait;
        }
        return TRUE;
    }

    ****
    *
    *   Release the Spinlock.
    *
    *   Release the lock and if needed wakeup
any sleepers.
    *

    ****
    ***

        inline void Spinlock::ReleaseLock( void )
{
    m_Spinlock = LockOpen;
    if ( Waiting > 0 )
        WakeAllSleepers();
}

#define _INC_Spinlock
#endif

```

## **tm\_com\_dll.ds**

**p**

```

# Microsoft Developer Studio Project File -
Name="tm_com_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=tm_com_dll - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tm_com_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tm_com_dll.mak" CFG="tm_com_dll -
Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tm_com_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tm_com_dll - Win32 Debug" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rsrc.exe

!IF "$(CFG)" == "tm_com_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktypplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktypplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /dll
/machine:I386 /pdbsrc:tpcc_com.dll

!ENDIF

# Begin Target

# Name "tm_com_dll - Win32 Release"
# Name "tm_com_dll - Win32 Debug"
# Begin Source File

SOURCE=.src\tpcc_com.cpp
# End Source File
# Begin Source File
```

```

# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /dll
/machine:I386 /out:".bin\tpcc_com.dll"

!ELSEIF "$(CFG)" == "tm_com_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktypplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktypplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbsrc:tpcc_com.dll /pdbsrc:sept

# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_com.dll" /pdbsrc:sept

# Begin Target

# Name "tm_com_dll - Win32 Release"
# Name "tm_com_dll - Win32 Debug"
# Begin Source File

SOURCE=.src\tpcc_com.cpp
# End Source File
# Begin Source File
```

```
SOURCE=.\\src\\tpcc_com.h
# End Source File
# End Target
# End Project
```

## tpcc.cpp

```
/*
 * FILE: TPCC.C Microsoft
 * TPC-C Kit Ver. 4.20.000 Copyright
 * Microsoft, 1999
 * All Rights Reserved
 *
 * Version 4.10.000 audited by Richard Gimarc, Performance Metrics, 3/17/99
 *
 * PURPOSE: Main module for TPCC.DLL which is an ISAPI service dll.
 * Contact: Charles Levine (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - reworked error handling; added options for COM and Encina txn monitors
 */

#include <windows.h>
#include <process.h>
#include <tchar.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys/timeb.h>
#include <iob.h>
#include <assert.h>

#include <sqatypes.h>

#ifndef ICECAP
#include <icapexp.h>
#endif

#include "../common\\src\\trans.h"
//tpckit transaction header contains definitions of structures specific to TPC-C
#include "../common\\src\\error.h"
#include "../common\\src\\txnbase.h"
#include "../common\\src\\ReadRegistry.h"

#include "../common\\txnlog\\include\\retime.h"
#include "../common\\txnlog\\include\\spinlock.h"
#include "../common\\txnlog\\include\\txnlog.h"

// Database layer includes
```

```
#include "...\\db_dblib_dll\\src\\tpcc_dblib.h"
// DBLIB implementation of TPC-C txns
#include "...\\db_odbc_dll\\src\\tpcc_odbc.h"
// ODBC implementation of TPC-C txns

// Txn monitor layer includes
#include "...\\tm_com_dll\\src\\tpcc_com.h"
// COM Services implementation on TPC-C txns
#include "...\\tm_tuxedo_dll\\src\\tpcc_tux.h"
// interface to Tuxedo libraries
#include "...\\tm_encina_dll\\src\\tpcc_enc.h"
// interface to Encina libraries

#include "httpext.h"
//ISAPI DLL information header
#include "tpcc.h"
//this dlls specific structure, value e.t. header.

#define LEN_ERR_STRING 256
// defines for Make<Txn>Form calls to distinguish input and output flavors
#define OUTPUT_FORM 0
#define INPUT_FORM 1

char szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];
;

//Terminal client id structure
TERM Term = { 0, 0, 0, NULL };

// The WEBCLIENT_VERSION string specifies the version level of this web client interface.
// The RTE must be synchronized with the interface level on login, otherwise the login will fail. This is a sanity check to catch problems resulting from mismatched versions // of the RTE and web client.
#define WEBCLIENT_VERSION "410"

static CRITICAL_SECTION TermCriticalSection;
static HINSTANCE hLibInstanceTm = NULL;
static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;
TYPE_CTPCC_TUXEDO *pCTPCC_TUXEDO_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_post_init;
TYPE_CTPCC_COM *pCTPCC_COM_new;

// For deferred Delivery txns:

CTxnLog *txndelilog = NULL;
//used to log delivery transaction information
```

```
HANDLE hWorkerSemaphore = INVALID_HANDLE_VALUE;
HANDLE hDoneEvent = INVALID_HANDLE_VALUE;
HANDLE pDeliHandles = NULL;

// configuration settings from registry
TPCCREGISTRYDATA Reg;

DWORD dwNumDeliveryThreads = 4;
CRITICAL_SECTION DelBuffCriticalSection;
//critical section for delivery transactions cache
DELIVERY_TRANSACTION *pDelBuff = NULL;
DWORD dwDelBuffSize = 100;
// size of circular buffer for delivery txns
DWORD dwDelBuffFreeCount;
// number of buffers free
DWORD dwDelBuffBusyIndex = 0;
// index position of entry waiting to be delivered
DWORD dwDelBuffFreeIndex = 0;
// index position of unused entry
#include "...\\common\\src\\ReadRegistry.cpp"

/* FUNCTION: DllMain
 *
 * PURPOSE: This function is the entry point for the DLL. This implementation is based on the fact that DLL_PROCESS_ATTACH is only called from the inet service once.
 *
 * ARGUMENTS: HANDLE hModule
 * module handle
 * DWORD ul_reason_for_call reason for call
 * LPVOID lpReserved
 * reserved for future use
 *
 * RETURNS: BOOL FALSE
 * errors occurred in initialization
 *
 * TRUE
 * successfully initialized
 */
BOOL APIENTRY DllMain(HANDLE hModule, DWORD ul_reason_for_call, LPVOID lpReserved)
{
```

```

        DWORD i;
        char szEvent[LEN_ERR_STRING] = "\0";
        char szLogFile[128];
        char szDlName[128];

        try
        {
            switch( ul_reason_for_call )
            {
                case
DLL_PROCESS_ATTACH:
                {
                    DWORD dwSize = MAX_COMPUTERNAME_LENGTH+1;
                    GetComputerName(szMyComputerName, &dwSize);
                    szMyComputerName[dwSize] = 0;
                }

                DisableThreadLibraryCalls((HMODULE)hModule);
;

                InitializeCriticalSection(&TermCriticalSection);

                if (
                    ReadTPCCRegistrySettings( &Reg ) )
                    throw new CWEBCNNT_ERR(
ERR_MISSING_REGISTRY_ENTRIES );

                    dwDelBuffSize
= min( Reg.dwMaxPendingDeliveries, 10000 ); // min
with 10000 as a sanity constraint

                    dwNumDeliveryThreads = min(
Reg.dwNumberOfDeliveryThreads, 100 ); // min with
100 as a sanity constraint

                    TermInit();
;

                    // load DLL
for txn monitor
                    if
(Reg.eTxnMon == TUXEDO)
{
                        strcpy( szDlName, Reg.szPath );
                        strcat( szDlName, "tpcc_tuxedo.dll");
                        hLibInstanceTm = LoadLibrary( szDlName );
                        if
(hLibInstanceTm == NULL)

                        throw new CWEBCNNT_ERR( ERR_LOADDLL_FAILED,
szDlName, GetLastError() );
;

                    // get function pointer to wrapper for class constructor

```

```

pCTPCC_TUXEDO_new = (TYPE_CTPCC_TUXEDO*)
GetProcAddress(hLibInstanceTm, "CTPCC_TUXEDO_new");
if
(pCTPCC_TUXEDO_new == NULL)

throw new CWEBCNNT_ERR(
ERR_GETPROCADDR_FAILED, szDlName, GetLastError() );
}
else if
(Reg.eTxnMon == ENCINA)
{
    strcpy( szDlName, Reg.szPath );
    strcat( szDlName, "tpcc_encina.dll");
    hLibInstanceTm = LoadLibrary( szDlName );
    if
(hLibInstanceTm == NULL)

    throw new CWEBCNNT_ERR( ERR_LOADDLL_FAILED,
szDlName, GetLastError() );
;

// get function pointer to wrapper for class constructor

pCTPCC_ENCINA_new = (TYPE_CTPCC_ENCINA*)
GetProcAddress(hLibInstanceTm, "CTPCC_ENCINA_new");
pCTPCC_ENCINA_post_init =
(TYPE_CTPCC_ENCINA*)
GetProcAddress(hLibInstanceTm, "CTPCC_ENCINA_post_init
");
if
(pCTPCC_ENCINA_new == NULL)

throw new CWEBCNNT_ERR(
ERR_GETPROCADDR_FAILED, szDlName, GetLastError() );
}
else if
(Reg.eTxnMon == COM)
{
    strcpy( szDlName, Reg.szPath );
    strcat( szDlName, "tpcc_com.dll");
    hLibInstanceTm = LoadLibrary( szDlName );
    if
(hLibInstanceTm == NULL)

    throw new CWEBCNNT_ERR( ERR_LOADDLL_FAILED,
szDlName, GetLastError() );
;

// get function pointer to wrapper for class constructor

pCTPCC_COM_new = (TYPE_CTPCC_COM*)
GetProcAddress(hLibInstanceTm, "CTPCC_COM_new");
if
(pCTPCC_COM_new == NULL)

```

```

        throw new CWEBCNNT_ERR(
ERR_GETPROCADDR_FAILED, szDlName, GetLastError() );
}

// load DLL
for database connection
if
((Reg.eTxnMon == None) || (dwNumDeliveryThreads > 0))
{
    if
(Reg.eDB_Protocol == DBLIB)
{
        strcpy( szDlName, Reg.szPath );
        strcat( szDlName, "tpcc_dblib.dll");
        hLibInstanceDb = LoadLibrary( szDlName );
        if
(hLibInstanceDb == NULL)

        throw new CWEBCNNT_ERR(
ERR_LOADDLL_FAILED, szDlName, GetLastError() );
;

// get function pointer to wrapper for
class constructor

pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
GetProcAddress(hLibInstanceDb, "CTPCC_DBLIB_new");
if
(pCTPCC_DBLIB_new == NULL)

throw new CWEBCNNT_ERR(
ERR_GETPROCADDR_FAILED, szDlName, GetLastError() );
}

else if (Reg.eDB_Protocol == ODBC)
{
    strcpy( szDlName, Reg.szPath );
    strcat( szDlName, "tpcc_odbc.dll");
    hLibInstanceDb = LoadLibrary( szDlName );
    if
(hLibInstanceDb == NULL)

        throw new CWEBCNNT_ERR(
ERR_LOADDLL_FAILED, szDlName, GetLastError() );
;

// get function pointer to wrapper for
class constructor

pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");
if
(pCTPCC_ODBC_new == NULL)

        throw new CWEBCNNT_ERR(
ERR_GETPROCADDR_FAILED, szDlName, GetLastError() );
;
```

```

        }

    if
(dwNumDeliveryThreads)
{
}

for deferred delivery txns:
//  

    hDoneEvent = CreateEvent( NULL, TRUE /*  

    manual reset */, FALSE /* initially not signalled */,  

    NULL );
//  

    InitializeCriticalSection(&DelBuffCriticalSection);
//  

    hWorkerSemaphore = CreateSemaphore( NULL,  

0, dwDelBuffSize, NULL );
//  

    dwDelBuffFreeCount = dwDelBuffSize;
//  

    InitJulianTime(NULL);
//  

    create unique log file name based on delilog-yyyymmdd-
hhmm.log
//  

    SYSTEMTIME Time;
//  

    GetLocalTime( &Time );
//  

    wsprintf( szLogFile, "%sdelivery-
%2.2d%2.2d%2.2d-%2.2d%2.2d.log",
//  

    Reg.szPath, Time.wYear % 100,
Time.wMonth, Time.wDay, Time.wHour, Time.wMinute );
//  

    txnDelilog = new CTxnLog(szLogFile,
TXN_LOG_WRITE);
//  

    //write event into txn log for START
//  

    txnDelilog-
>WriteCtrlRecToLog(TXN_EVENT_START, szMyComputerName,
sizeof(szMyComputerName));
//  

// allocate structures for delivery buffers and thread
mgmt
//  

    pDeliHandles = new
HANDLE[dwNumDeliveryThreads];
//  

    pDelBuff = new
DELIVERY_TRANSACTION[dwDelBuffSize];
//  

    launch DeliveryWorkerThread to perform actual
delivery txns
//  

    for(i=0; i<dwNumDeliveryThreads; i++)
{
}

```

```

        pDeliHandles[i] = (HANDLE) _beginthread(
DeliveryWorkerThread, 0, NULL );
//  

        if (pDeliHandles[i] ==
INVALID_HANDLE_VALUE)
//  

            throw new CWEBCLNT_ERR(
ERR_DELIVERY_THREAD_FAILED );
}
break;
case
DLL_PROCESS_DETACH:
if
(dwNumDeliveryThreads)
{
if
(txnDelilog != NULL)
{
//write event into txn log for STOP
//  

    txnDelilog-
>WriteCtrlRecToLog(TXN_EVENT_STOP, szMyComputerName,
sizeof(szMyComputerName));
//  

    // This will do a clean shutdown of the
delivery log file
//  

    CTxnLog *txnDelilogLocal = txnDelilog;
//  

    txnDelilog= NULL;
//  

    delete txnDelilogLocal;
}

delete [] pDeliHandles;
//  

    delete [] pDelBuff;
//  

    CloseHandle( hWorkerSemaphore );
//  

    CloseHandle( hDoneEvent );
//  

    DeleteCriticalSection(&DelBuffCriticalSection);
}
DeleteCriticalSection(&TermCriticalSection);
if
(hLibInstanceTm != NULL)
//  

    FreeLibrary( hLibInstanceTm );
}

```

```

        hLibInstanceTm = NULL;
if
(hLibInstanceDb != NULL)
//  

    FreeLibrary( hLibInstanceDb );
hLibInstanceDb = NULL;
Sleep(500);
break;
default:
/* nothing */
}
}
catch (CBaseErr *e)
{
//  

    WriteMessageToEventLog( e-
>ErrorText() );
//  

    delete e;
//  

    TerminateExtension(0);
return FALSE;
}
catch (...)

{
//  

    WriteMessageToEventLog(TEXT("Unhandled
exception. DLL could not load."));
//  

    TerminateExtension(0);
return FALSE;
}
return TRUE;
}

/* FUNCTION: GetExtensionVersion
*
* PURPOSE: This function is called by the
inet service when the DLL is first loaded.
*
* ARGUMENTS: HSE_VERSION_INFO *pVer
//  

    passed in structure in which to place
expected version number.
*
* RETURNS: TRUE
//  

    inet service
expected return value.
*/
BOOL WINAPI GetExtensionVersion(HSE_VERSION_INFO
*pVer)
{
//  

    pVer->dwExtensionVersion =
MAKELONG(HSE_VERSION_MINOR, HSE_VERSION_MAJOR);
//  

    lstrcpyn(pVer->lpszExtensionDesc, "TPC-C
Server.", HSE_MAX_EXT_DLL_NAME_LEN);
//  

    // TODO: why do we need this here instead
of in the DLL attach?
//  

    if (Reg.eTxnMon == ENCINA)

```

```

        pCTPCC_ENCINA_post_init();

    return TRUE;
}

/* FUNCTION: TerminateExtension
 *
 * PURPOSE: This function is called by the
inet service when the DLL is about to be unloaded.
 *           Release all resources
in anticipation of being unloaded.
 *
 * RETURNS:      TRUE      inet service
expected return value.
 */

BOOL WINAPI TerminateExtension( DWORD dwFlags )
{
    if (pDeliHandles)
    {
        SetEvent( hDoneEvent );
        for(DWORD i=0;
i<dwNumDeliveryThreads; i++)
            WaitForSingleObject(
pDeliHandles[i], INFINITE );
    }

    TermDeleteAll();
    return TRUE;
}

/* FUNCTION: HttpExtensionProc
 *
 * PURPOSE: This function is the main entry
point for the TPCC DLL. The internet service
           calls this function
passing in the http string.
 *
 * ARGUMENTS: EXTENSION_CONTROL_BLOCK
 *             *pECB      structure pointer to passed in
internet
 *
           service information.
 *
 * RETURNS:      DWORD
 *               HSE_STATUS_SUCCESS
connection can be dropped if
error
 *
           HSE_STATUS_SUCCESS_AND_KEEP_CONN
keep connect valid comment sent
 *
 * COMMENTS: None
 *
 */
DWORD WINAPI
HttpExtensionProc(EXTENSION_CONTROL_BLOCK *pECB)
{
    int                     iCmd, FormId,
TermId, iSyncId;

```

```

char          szBuffer[4096];
int           lpbSize;
static char   szHeader[] = "200 Ok";
DWORD         dwSize = 6;
// initial value is strlen(szHeader)
char          szHeader1[4096];

#ifndef ICECAP
StartCAP();
#endif

try
{
    //process http query
    ProcessQueryString(pECB, &iCmd,
&FormId, &TermId, &iSyncId);

    if (TermId != 0)
    {
        if ( TermId < 0 ||
Term.pClientData[TermId].iNextFree != -1 )
        {
            // debugging...
            szTmp[128];
            wsprintf(
szTmp, "Invalid term ID; Termid = %d", TermId );

            WriteMessageToEventLog( szTmp );
            throw new
CWEBCLNT_ERR( ERR_INVALID_TERMID );
        }

        //must have a valid
syncid here since termid is valid
        if (iSyncId !=
Term.pClientData[TermId].iSyncId)
            throw new
CWEBCLNT_ERR( ERR_INVALID_SYNC_CONNECTION );

        //set use time
        Term.pClientData[TermId].iTickCount =
GetTickCount();
    }

    switch(iCmd)
    {
        case 0:
            WelcomeForm(pECB,
szBuffer);
            break;
        case 1:
            switch( FormId )
            {
                case
WELCOME_FORM:
MAIN_MENU_FORM:
                break;
NEW_ORDER_FORM:
                ProcessNewOrderForm(pECB, TermId,
szBuffer);
                break;
PAYMENT_FORM:
                ProcessPaymentForm(pECB, TermId, szBuffer);
                break;
DELIVERY_FORM:
                ProcessDeliveryForm(pECB, TermId,
szBuffer);
                break;
ORDER_STATUS_FORM:
                ProcessOrderStatusForm(pECB, TermId,
szBuffer);
                break;
STOCK_LEVEL_FORM:
                ProcessStockLevelForm(pECB, TermId,
szBuffer);
                break;
            }
            break;
        case 2: // new-order selected
from menu; display new-order input form
            MakeNewOrderForm(TermId, NULL, INPUT_FORM,
szBuffer);
            break;
        case 3: // payment selected
from menu; display payment input form
            MakePaymentForm(TermId,
NULL, INPUT_FORM, szBuffer);
            break;
        case 4: // delivery selected
from menu; display delivery input form
            MakeDeliveryForm(TermId, NULL, INPUT_FORM,
szBuffer);
            break;
        case 5: // order-status
selected from menu; display order-status input form
    }
}

```

```

        MakeOrderStatusForm(TermId, NULL,
INPUT_FORM, szBuffer);
                break;
        case 6: // stock-level selected
from menu; display stock-level input form
        MakeStockLevelForm(TermId, NULL,
INPUT_FORM, szBuffer);
                break;
        case 7: // ExitCmd
TermDelete(TermId);
WelcomeForm(pECB,
szBuffer);
                break;
        case 8: SubmitCmd(pECB,
szBuffer);
                break;
        case 9: // menu
        MakeMainMenuForm(TermId,
Term.pClientData[TermId].iSyncId, szBuffer);
                break;
        case 10: // CMD=Clear
// resets all
connections; should only be used when no other
connections are active
TermDeleteAll();
TermInit();
WelcomeForm(pECB,
szBuffer);
                break;
        case 11: // CMD=Stats
StatsCmd(pECB,
szBuffer);
                break;
}
}
catch (CBaseErr *e)
{
        ErrorForm( pECB, e->ErrorType(),
e->ErrorNum(), TermId, iSyncId, e->ErrorText(),
szBuffer );
        delete e;
}
catch (...)
{
        ErrorForm( pECB, ERR_TYPE_WEBDLL,
0, TermId, iSyncId, "Error: Unhandled exception in
Web Client.", szBuffer );
}

#ifndef ICECAP
StopCAP();
#endif

lpbSize = strlen(szBuffer);

```

```

wsprintf(szHeader1,
"Content-Type:
text/html\r\n"
"Content-Length:
%d\r\n"
"Connection: Keep-
Alive\r\n\r\n", lpbSize);
strcat( szHeader1, szBuffer );

(*pECB->ServerSupportFunction)(pECB-
>ConnID, HSE_REQ_SEND_RESPONSE_HEADER, szHeader,
(LPDWORD) &dWSize, (LPDWORD)szHeader1);

//finish up and keep connection
pECB->dwHttpStatuscode = 200;
return HSE_STATUS_SUCCESS_AND_KEEP_CONN;
}

void WriteMessageToEventLog(LPTSTR lpszMsg)
{
TCHAR szMsg[256];
HANDLE hEventSource;
LPTSTR lpszStrings[2];

// Use event logging to log the error.
//
hEventSource = RegisterEventSource(NULL,
TEXT("TPCC.DLL"));

_sprintf(szMsg, TEXT("Error in TPCC.DLL: "));
lpszStrings[0] = szMsg;
lpszStrings[1] = lpszMsg;

if (hEventSource != NULL)
{
ReportEvent(hEventSource, // handle of event
source EVENTLOG_ERROR_TYPE, // event type
0, // event category
0, // event ID
NULL, // current user's
SID 2, // strings in
lpszStrings 0, // no bytes of raw
data (LPCTSTR *)lpszStrings, // array of
error strings
NULL); // no raw data

(VOID) DeregisterEventSource(hEventSource);
}
}

/* FUNCTION: DeliveryWorkerThread
*
* PURPOSE: This function processes deferred
delivery txns. There are typically several
* threads running this
routine. The number of threads is determined by an
entry

```

```

* read from the registry.
The thread waits for work by waiting on semaphore.
* When a delivery txn is
posted, the semaphore is released. After processing
* the delivery txn,
information is logged to record the txn status and
execution
*
time.

/*static*/ void DeliveryWorkerThread(void *ptr)
{
CTPCC_BASE *pTxn = NULL;

DELIVERY_TRANSACTION delivery;
PDELIVERY_DATA pDeliveryData;
TXN_RECORD_TPCC_DELIV_DEF txnDeliRec;

DWORD index;
HANDLE handles[2];

SYSTEMTIME trans_end;
time //delivery transaction finished

SYSTEMTIME trans_start;
//delivery transaction start time

int iRetryCnt = 0;
static int iMaxRetries = 10;

assert(txnDeliLog != NULL);

Reconnect:
try
{
        if (Reg.eDB_Protocol == ODBC)
                pTxn = pCTPCC_ODBC_new(
Reg.szDbServer, Reg.szDbUser, Reg.szDbName );
        else if (Reg.eDB_Protocol ==
DBLIB)
                pTxn =
pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
                pDeliveryData = pTxn-
>BuffAddr_Delivery();
}
catch (CBaseErr *e)
{
        char szTmp[1024];
        wsprintf( szTmp, "Error in
Delivery Txn thread. Could not connect to database.
"
"%s.
Server=%s, User=%s, Password=%s, Database=%s",
e-
>ErrorText(), Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, Reg.szDbName );
        WriteMessageToEventLog( szTmp );
}

```

```

        delete e;

        // will retry connection up to
ten times
        if (iRetryCnt++ < iMaxRetries)
        {
            Sleep(5000);           // delay for 5 seconds
            goto Reconnect;
        }

        wsprintf( szTmp, "Delivery Txn thread terminating after %d retries.", iMaxRetries );
        WriteMessageToEventLog( szTmp );
        goto ErrorExit;
    }

    WriteMessageToEventLog(TEXT("Unhandled exception caught in DeliveryWorkerThread. Delivery Txn thread terminating."));
    goto ErrorExit;
}

while (TRUE)
{
    try
    {
        //while delivery thread running, i.e. user has not requested termination
        while (TRUE)
        {
            // need to wait for multiple objects: program exit or worker semaphore;
            handles[0] = hDoneEvent;
            handles[1] =
hWorkerSemaphore;
            index =
WaitForMultipleObjects( 2, &handles[0], FALSE,
INFINITE );
            if (index ==
WAIT_OBJECT_0)

            goto ErrorExit;

            ZeroMemory(&txnDeliRec,
sizeof(txnDeliRec));
            txnDeliRec.TxnType =
TXN_REC_TYPE_TPCC_DELIV_DEF;
            // make a local copy of current entry from delivery buffer and increment buffer index
            EnterCriticalSection(&DelBuffCriticalSection
n);

```

```

        *(pDelBuff+dwDelBuffBusyIndex);

        dwDelBuffFreeCount++;

        dwDelBuffBusyIndex++;
        if (dwDelBuffBusyIndex == dwDelBuffSize) // wrap-around if at end of buffer
            dwDelBuffBusyIndex = 0;

        LeaveCriticalSection(&DelBuffCriticalSection
n);

        pDeliveryData->w_id = delivery.w_id;
        pDeliveryData->o_carrier_id =
delivery.o_carrier_id;

        txnDeliRec.w_id = pDeliveryData->w_id;
        txnDeliRec.o_carrier_id = pDeliveryData-
>o_carrier_id;
        txnDeliRec.TxnStartT0 =
Get64BitTime(&delivery.queue);
        GetLocalTime(
&trans_start );
        pTxn- >Delivery();
        GetLocalTime(
&trans_end );
        //log txn

        txnDeliRec.TxnStatus = ERR_SUCCESS;
        for (int i=0;
i<10; i++)
        {
            txnDeliRec.o_id[i] = pDeliveryData-
>o_id[i];
            txnDeliRec.DeltaT4 =
(int)(Get64BitTime(&trans_end) -
txnDeliRec.TxnStartT0);

            txnDeliRec.DeltaTxnExec =
(int)(Get64BitTime(&trans_end) -
Get64BitTime(&trans_start));
            if (txnDeliLog != NULL)
                txnDeliLog->WriteToLog(&txnDeliRec);
            }
            catch (CBaseErr *e)
            {

```

```

                char szTmp[1024];
                wsprintf( szTmp, "Error in Delivery Txn thread. %s", e->ErrorText() );
                WriteMessageToEventLog( szTmp );

                // log the error txn
                txnDeliRec.TxnStatus =
e->ErrorType();
                if (txnDeliLog != NULL)
                    txnDeliLog-
>WriteToLog(&txnDeliRec);

                delete e;
            }
            catch (...)
            {
                // unhandled exception;
                shouldn't happen; not much we can do...
                WriteMessageToEventLog(TEXT("Unhandled exception caught in DeliveryWorkerThread."));
            }
        }

        ErrorExit:
        delete pTxn;
        _endthread();
    }

    /* FUNCTION: PostDeliveryInfo
     * PURPOSE: This function enters the delivery txm into the deferred delivery buffer.
     *
     * RETURNS:      BOOL      FALSE
     *               delivery information posted successfully
     *               TRUE      error cannot post delivery info
     */
    BOOL PostDeliveryInfo(short w_id, short o_carrier_id)
    {
        BOOL bError;
        EnterCriticalSection(&DelBuffCriticalSection
n);
        if (dwDelBuffFreeCount > 0)
        {
            bError = FALSE;
            (pDelBuff+dwDelBuffFreeIndex)->w_id =
w_id;
            (pDelBuff+dwDelBuffFreeIndex)->o_carrier_id =
o_carrier_id;
            GetLocalTime(&(pDelBuff+dwDelBuffFreeIndex
->queue));
            dwDelBuffFreeCount--;
            dwDelBuffFreeIndex++;
            if (dwDelBuffFreeIndex ==
dwDelBuffSize)

```

```

        dwDelBuffFreeIndex = 0;
    }
    else
        // wrap-around if at end of
        // No free buffers. Return an
        error, which indicates that the delivery buffer is
        full.
        // Most likely, the number of
        delivery worker threads needs to be increased to keep
        up
        // with the txn rate.
        bError = TRUE;
        LeaveCriticalSection(&DelBuffCriticalSection);
    }

    if (!bError)
        // increment worker semaphore to
        wake up a worker thread
        ReleaseSemaphore(
hWorkerSemaphore, 1, NULL );
    return bError;
}

/* FUNCTION: ProcessQueryString
*
* PURPOSE: This function extracts the
relevent information out of the http command passed
in from
* the browser.
*
* COMMENTS: If this is the initial connection
i.e. client is at welcome screen then
* there will
not be a terminal id or current form id. If this is
the case
* then the
pTermid and pFormid return values are undefined.
*/
void ProcessQueryString(EXTENSION_CONTROL_BLOCK
*pECB, int *pCmd, int *pFormId, int *pTermId, int
*pSyncid)
{
    char *ptr = pECB->lpszQueryString;
    char szBuffer[25];
    int i;

    //allowable client command strings i.e.
CMD=command
    static char *szCmnds[] =
    {
        "Process", "..NewOrder..",
        "..Payment..", "..Delivery..", "..Order-Status..",
        "..Stock-Level..",
        "...Exit..", "Submit", "Menu",
        "Clear", "Stats", ""
    };
    *pCmd      = 0;           // default is
the login screen
    *pTermId = 0;
}

```

```

        // if no params (i.e., empty query string),
        then return login screen
        if (strlen(pECB->lpszQueryString) == 0)
            return;

        // parse FORMID, TERMID, and SYNCID
        *pFormId = GetIntKeyValue(&ptr, "FORMID",
NO_ERR, NO_ERR);
        *pTermId = GetIntKeyValue(&ptr, "TERMID",
NO_ERR, NO_ERR);
        *pSyncid = GetIntKeyValue(&ptr, "SYNCID",
NO_ERR, NO_ERR);

        // parse CMD
        GetKeyValue(&ptr, "CMD", szBuffer,
sizeof(szBuffer), ERR_COMMAND_UNDEFINED);

        // see which command it matches
        for(i=0; ; i++)
        {
            if (szCmnds[i][0] == 0)
                // no more; no match;
            return error
            throw new CWEBCLNT_ERR(
ERR_COMMAND_UNDEFINED );
            if ( !strcmp(szCmnds[i], szBuffer)
)
            {
                *pCmd = i+1;
                break;
            }
        }

/* FUNCTION: void WelcomeForm
*/
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    char szTmp[1024];

    //welcome to tpc-c html form buffer, this
is first form client sees.
    strcpy( szbuffer,
"<HTML><HEAD><TITLE>TPC-C Web
Client</TITLE></HEAD><BODY>"

        "<B><BIG>Microsoft TPC-C Web Client (ver
4.20)</BIG></B> <BR> <BR>"

        "<font face=\"Courier New\"><PRE>"
        "Compiled: __DATE__ , __TIME__ <BR>
        "Source: __FILE__ ( __TIMESTAMP__ )"
<BR>"

        "</PRE></font>"

        "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"

```

```

        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"0\">"

        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"

        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"1\">"

        "<INPUT TYPE=\"hidden\" NAME=\"TERMID\" VALUE=\"0\">"

        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\" VALUE=\"0\">"

        "<INPUT TYPE=\"hidden\" NAME=\"VERSION\" VALUE=\"\" WEBCLIENT_VERSION \">"

        sprintf( szTmp, "Configuration
Settings: <BR><font face=\"Courier New\" color=\"blue\"><PRE>"

        "Txn Monitor          = <B>%s</B><BR>
        "Database protocol     = <B>%s</B><BR>
        "Max Connections       = <B>%d</B><BR>
of Delivery Threads   = <B>%d</B><BR>
        "Max Pending Deliveries = <B>%d</B><BR>
        ,

szTxnMonNames[Reg.eTxnMon],
szDBNames[Reg.eDB_Protocol],
Reg.dwMaxConnections,
dwNumDeliveryThreads, dwDelBuffSize );
strcat( szBuffer, szTmp );

        if (Reg.eTxnMon == COM)
        {
            sprintf( szTmp, "COM Single
Pool      = <B>%s</B><BR>",
Reg.bCOM_SinglePool ?
"YES" : "NO" );
            strcat( szBuffer, szTmp );
        }
        strcat( szBuffer, "</PRE></font>");

        if (Reg.eTxnMon == None)
// connection options may be
specified when not using a txn monitor
            sprintf( szTmp, "Please enter
your database options for this connection:<BR>
<font face=\"Courier New\" color=\"blue\"><PRE>"

        "DB Server      = <INPUT NAME=\"db_server\" SIZE=20 VALUE=\"%s\"><BR>"


```

```

        "DB User ID    = <INPUT NAME=\"db_user\"  

SIZE=20 VALUE=\"%s\"><BR>"  
  

        "DB Password   = <INPUT NAME=\"db_passwd\"  

SIZE=20 VALUE=\"%s\"><BR>"  
  

        "DB Name       = <INPUT NAME=\"db_name\"  

SIZE=20 VALUE=\"%s\"><BR>"  
  

        "</PRE></font>"  

        ,  
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,  
Reg.szDbName );  
else  
    // if using a txn monitor,  
connection options are determined from registry;  
can't  
    // set per user.  show options  
fyi  
    sprintf( szTmp,      "Database  
options which will be used by the transaction  
monitor:<BR>"  
  

    "<font face=\"Courier New\"  
color=\"blue\"><PRE>"  
  

        "DB Server      = <B>%s</B><BR>"  
  

        "DB User ID     = <B>%s</B><BR>"  
  

        "DB Password    = <B>%s</B><BR>"  
  

        "DB Name        = <B>%s</B><BR>"  
  

        "</PRE></font>"  

        ,  
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,  
Reg.szDbName );  
strcat( szBuffer, szTmp );  
  

        sprintf( szTmp,      "Please enter your  
Warehouse and District for this session:<BR>"  
  

        "<font face=\"Courier New\"  
color=\"blue\"><PRE>" );  
strcat( szBuffer, szTmp );  
strcat( szBuffer,      "Warehouse ID = <INPUT  
NAME=\"w_id\" SIZE=4<BR>"  
  

        "District ID   = <INPUT NAME=\"d_id\"  
SIZE=2><BR>"  
  

        "</PRE></font><HR>"  
  

        "<INPUT TYPE=\"submit\" NAME=\"CMD\"  
VALUE=\"Submit\">"  
  

        "</FORM></BODY></HTML>" );  
}  
  

/* FUNCTION: SubmitCmd
*/

```

```

        * PURPOSE:      This function allocated a new  
terminal id in the Term structure array.  

        *  

        */  
  

void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char  
*szBuffer)  
{  
    int             iNewTerm;  
    char    *ptr = pECB->lpszQueryString;  
  
    char    szVersion[32]      = { 0 };  
    char    szServer[32]       = { 0 };  
    char    szUser[32]         =  
"sa";  
    char    szPassword[32]     = { 0 };  
    char    szDatabase[32]     = "tpcc";  
  
    // validate version field; the version  
field ensures that the RTE is synchronized with the  
web client  
    GetKeyValue(&ptr, "VERSION", szVersion,  
sizeof(szVersion), ERR_VERSION_MISMATCH);  
    if ( strcmp( szVersion, WEBCLIENT_VERSION )  
)  
        throw new CWEBCLNT_ERR(  
ERR_VERSION_MISMATCH );  
  
    if (Reg.eTxnMon == None)  
    {  
        // parse Server name  
        GetKeyValue(&ptr, "db_server",  
szServer, sizeof(szServer), ERR_NO_SERVER_SPECIFIED);  
        // parse User name  
        GetKeyValue(&ptr, "db_user",  
szUser, sizeof(szUser), NO_ERR);  
        // parse Password  
        GetKeyValue(&ptr, "db_passwd",  
szPassword, sizeof(szPassword), NO_ERR);  
        // parse Database name  
        GetKeyValue(&ptr, "db_name",  
szDatabase, sizeof(szDatabase), NO_ERR);  
    }  
  
    // parse warehouse ID  
    int w_id = GetIntKeyValue(&ptr, "w_id",  
ERR_HTML_ILL_FORMED, ERR_W_ID_INVALID);  
    if ( w_id < 1 )  
        throw new CWEBCLNT_ERR(  
ERR_W_ID_INVALID );  
  
    // parse district ID  
    int d_id = GetIntKeyValue(&ptr, "d_id",  
ERR_HTML_ILL_FORMED, ERR_D_ID_INVALID);  
    if ( d_id < 1 || d_id > 10 )  
        throw new CWEBCLNT_ERR(  
ERR_D_ID_INVALID );  
  
    iNewTerm = TermAdd();  
  
    Term.pClientData[iNewTerm].w_id = w_id;  
    Term.pClientData[iNewTerm].d_id = d_id;

```

```

try
{
    if (Reg.eTxnMon == TUXEDO)
        Term.pClientData[iNewTerm].pTxn =
pCTPCC_TUXEDO_new();
    else if (Reg.eTxnMon == ENCINA)
        Term.pClientData[iNewTerm].pTxn =
pCTPCC_ENCINA_new();
    else if (Reg.eTxnMon == COM)
        Term.pClientData[iNewTerm].pTxn =
pCTPCC_COM_new( Reg.bCOM_SinglePool );
    else if (Reg.eDB_Protocol ==
ODBC)

        Term.pClientData[iNewTerm].pTxn =
pCTPCC_ODBC_new( szServer, szUser, szPassword,
szMyComputerName, szDatabase );
    else if (Reg.eDB_Protocol ==
DBLIB)

        Term.pClientData[iNewTerm].pTxn =
pCTPCC_DBLIB_new( szServer, szUser, szPassword,
szMyComputerName, szDatabase );
    }
    catch (...)
    {
        TermDelete(iNewTerm);
        throw; // pass
exception upward
    }

    MakeMainMenuForm(iNewTerm,
Term.pClientData[iNewTerm].iSyncId, szBuffer);
}

/* FUNCTION: StatsCmd
*
* PURPOSE:      This function returns to the
browser the total number of active terminal ids.
*               This routine is for
development/debugging purposes.
*
*/
void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char  
*szBuffer)
{
    int i;
    int    iTotal;  
  

EnterCriticalSection(&TermCriticalSection);  
  

iTTotal = 0;
for(i=0; i<Term.iNumEntries; i++)
{
    if (Term.pClientData[i].iNextFree
== -1)                                iTTotal++;
}

```

```

LeaveCriticalSection(&TermCriticalSection);

wsprintf( szBuffer,
    "<HTML><HEAD><TITLE>TPC-C Web Client
Stats</TITLE></HEAD>" 
        "<BODY><B><BIG> Total
Active Connections: %d </BIG></B><br></BODY></HTML>" 
        , iTotal );
}

char *CWEBCLNT_ERR::ErrorText()
{
    static SERRORMSG errorMsgs[] =
    {
        {           ERR_COMMAND_UNDEFINED,
            "Command undefined."
                    },
        {           ERR_D_ID_INVALID,
            "Invalid District ID Must be 1 to 10."
                    },
        {           ERR_DELIVERY_CARRIER_ID_RANGE,
            "Delivery Carrier ID out of range
must be 1 - 10."
                    },
        {           ERR_DELIVERY_CARRIER_INVALID,
            "Delivery Carrier ID invalid must be
numeric 1 - 10."
                    },
        {           ERR_DELIVERY_MISSING_OCD_KEY,
            "Delivery missing Carrier ID key \\"OCD*\"."
                    },
        {           ERR_DELIVERY_THREAD_FAILED,
            "Could not start delivery worker
thread."
                    },
        {           ERR_GETPROCADDR_FAILED,
            "Could not map proc in DLL.  GetProcAddress
error.  DLL="
                    },
        {           ERR_HTML_ILL_FORMED,
            "Required key field is missing from HTML
string."
                    },
        {           ERR_INVALID_SYNC_CONNECTION,
            "Invalid Terminal Sync ID."
                    },
        {           ERR_INVALID_TERMID,
            "Invalid Terminal ID."
                    },
    };
}

```

```

        {
            ERR_LOADDLL_FAILED,
            "Load of DLL failed.  DLL="
                    },
        {
            ERR_MAX_CONNECTIONS_EXCEEDED,
            "No connections available.  Max Connections
is probably too low."
                    },
        {
            ERR_MISSING_REGISTRY_ENTRIES,
            "Required registry entries are missing.
Rerun INSTALL to correct."
                    },
        {
            ERR_NEWORDER_CUSTOMER_INVALID,
            "New Order customer id invalid
data type, range = 1 to 3000."
                    },
        {
            ERR_NEWORDER_CUSTOMER_KEY,
            "New Order missing Customer key
\\\"CID*\\\"."
                    },
        {
            ERR_NEWORDER_DISTRICT_INVALID,
            "New Order District ID Invalid
range 1 - 10."
                    },
        {
            ERR_NEWORDER_FORM_MISSING_DID,
            "New Order missing District key
\\\"DID*\\\"."
                    },
        {
            ERR_NEWORDER_ITEMID_INVALID,
            "New Order Item Id is wrong data type, must
be numeric."
                    },
        {
            ERR_NEWORDER_ITEMID_RANGE,
            "New Order Item Id is out of
range. Range = 1 to 99999."
                    },
        {
            ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
            "New Order Item_Id field entered without a
corresponding Supp_W."
                    },
        {
            ERR_NEWORDER_MISSING_IID_KEY,
            "New Order missing Item Id key \\\"IID*\\\"."
                    },
        {
            ERR_NEWORDER_MISSING_QTY_KEY,
            "New Order Missing Qty key \\\"Qty##*\\\"."
                    },
        {
            ERR_NEWORDER_MISSING_SUPPW_KEY,
            "New Order missing Supp_W key
\\\"SP##*\\\"."
                    },
        {
            ERR_NEWORDER_NOITEMS_ENTERED,
            "New Order No order lines entered."
        },
        {
            ERR_NEWORDER_QTY_INVALID,
            "New Order Qty invalid must be
numeric range 1 - 99."
        },
        {
            ERR_NEWORDER_QTY_RANGE,
            "New Order Qty is out of range. Range = 1
to 99."
        },
        {
            ERR_NEWORDER_QTY_WITHOUT_SUPPW,
            "New Order Qty field entered
without a corresponding Supp_W."
        },
        {
            ERR_NEWORDER_SUPPW_INVALID,
            "New Order Supp_W invalid data
type must be numeric."
        },
        {
            ERR_NO_SERVER_SPECIFIED,
            "No Server name specified."
        },
        {
            ERR_ORDERSTATUS_CID_AND_CLT,
            "Order Status Only Customer ID or Last Name
may be entered, not both."
        },
        {
            ERR_ORDERSTATUS_CID_INVALID,
            "Order Status Customer ID invalid, range
must be numeric 1 - 3000."
        },
        {
            ERR_ORDERSTATUS_CLT_RANGE,
            "Order Status Customer last name
longer than 16 characters."
        },
        {
            ERR_ORDERSTATUS_DID_INVALID,
            "Order Status District invalid, value must
be numeric 1 - 10."
        },
        {
            ERR_ORDERSTATUS_MISSING_CID_CLT,
            "Order Status Either Customer ID or Last
Name must be entered."
        },
        {
            ERR_ORDERSTATUS_MISSING_CID_KEY,
            "Order Status missing Customer key
\\\"CID*\\\"."
        },
        {
            ERR_ORDERSTATUS_MISSING_CLT_KEY,
            "Order Status missing Customer Last Name
key \\\"CLT*\\\"."
        },
        {
            ERR_ORDERSTATUS_MISSING_DID_KEY,
            "Order Status missing District key
\\\"DID*\\\"."
        },
        {
            ERR_PAYMENT_CDI_INVALID,
            "Payment Customer district
"
        },
    };
}

```

```

invalid must be numeric."
},
{
    ERR_PAYMENT_CID_AND_CLT,
    "Payment Only Customer ID or Last
Name may be entered, not both."
},
{
    ERR_PAYMENT_CUSTOMER_INVALID,
    "Payment Customer data type invalid, must
be numeric."
},
{
    ERR_PAYMENT_CWI_INVALID,
    "Payment Customer Warehouse
invalid, must be numeric."
},
{
    ERR_PAYMENT_DISTRICT_INVALID,
    "Payment District ID is invalid, must be 1
- 10."
},
{
    ERR_PAYMENT_HAM_INVALID,
    "Payment Amount invalid data type
must be numeric."
},
{
    ERR_PAYMENT_HAM_RANGE,
    "Payment Amount out of range, 0 - 9999.99."
},
{
    ERR_PAYMENT_LAST_NAME_TO_LONG,
    "Payment Customer last name
longer than 16 characters."
},
{
    ERR_PAYMENT_MISSING_CDI_KEY,
    "Payment missing Customer district key
\"CDI*\"."
},
{
    ERR_PAYMENT_MISSING_CID_CLT,
    "Payment Either Customer ID or Last Name
must be entered."
},
{
    ERR_PAYMENT_MISSING_CID_KEY,
    "Payment missing Customer Key \"CID*\"."
},
{
    ERR_PAYMENT_MISSING_CLT_KEY,
    "Payment missing Customer Last Name key
\"CLT*\"."
},
{
    ERR_PAYMENT_MISSING_CWI_KEY,
    "Payment missing Customer Warehouse key
\"CWI*\"."
},
{
    ERR_PAYMENT_MISSING_DID_KEY,
    "Payment missing District Key \"DID*\"."
},

```

```

{
    ERR_PAYMENT_MISSING_HAM_KEY,
    "Payment missing Amount key \"HAM*\"."
},
{
    ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
    "Stock Level; missing Threshold key
\"TT*\"."
},
{
    ERR_STOCKLEVEL_THRESHOLD_INVALID,
    "Stock Level; Threshold value must be in
the range = 1 - 99."
},
{
    ERR_STOCKLEVEL_THRESHOLD_RANGE,
    "Stock Level Threshold out of
range, range must be 1 - 99."
},
{
    ERR_VERSION_MISMATCH,
    "Invalid version field. RTE and Web Client
are probably out of sync."
},
{
    ERR_W_ID_INVALID,
    "Invalid Warehouse ID."
},
{
    0,
    ""
};
char szTmp[256];
int i = 0;
while (TRUE)
{
    if (errorMsgs[i].szMsg[0] == 0)
    {
        strcpy( szTmp, "Unknown
error number." );
        break;
    }
    if (m_Error ==
errorMsgs[i].iError)
    {
        strcpy( szTmp,
errorMsgs[i].szMsg );
        break;
    }
    i++;
}
if (m_szTextDetail)
    strcat( szTmp, m_szTextDetail );
if (m_SystemErr)
    wsprintf( szTmp+strlen(szTmp), "
Error=%d", m_SystemErr );
m_szErrorText = new char[strlen(szTmp)+1];
strcpy( m_szErrorText, szTmp );

```

```

return m_szErrorText;
}

/* FUNCTION: GetKeyValue
 *
 * PURPOSE: This function parses a http
formatted string for specific key values.
 *
 * ARGUMENTS: char
 *             *pQueryString      http string from client
browser
 *             *pKey                char
key
value to look for
 *             *pValue               char
character array into which to place key's
value
 *             iMax                  int
maximum length of key value array.
 *             err                   WEBERROR
err
error value to throw
 *
 * RETURNS: nothing.
 *
 * ERROR: if (the pKey value is not found)
then
 *
(err == 0)
*
return (empty string)
*
else
*
throw CWEBCLNT_ERR(err)
*
 * COMMENTS: http keys are formatted either
KEY=value& or KEY=value\0. This DLL formats
 *
TPC-C input
fields in such a manner that the keys can be
extracted in the
 *
above manner.
 */
void GetKeyValue(char **pQueryString, char *pKey,
char *pValue, int iMax, WEBERROR err)
{
    char *ptr;
    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorExit;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorExit;
    ptr++;
    iMax--; // one position is for terminating
null
while( *ptr && *ptr != '=' && iMax )
{

```

```

        *pValue++ = *ptr++;
        iMax--;
    }
    *pValue = 0; // terminating null
    *pQueryString = ptr;
    return;

ErrorExit:
    if (err != NO_ERR)
        throw new CWEBCNT_ERR( err );
    *pValue = 0; // return empty result string
}

/* FUNCTION: GetIntKeyValue
 *
 * PURPOSE: This function parses a http
formatted string for a specific key value.
*
 * ARGUMENTS: char
 *             *pQueryString      http string from client
browser
 *             char
 *             *pKey            key
value to look for
 *             WEBERROR
key not found
 *             NoKeyErr        error value to throw if
 *             WEBERROR
NotIntErr        error value to throw if
value not numeric
 *
 * RETURNS: integer
 *
 * ERROR: if (the pKey value is not found)
then
 *             if
(*NoKeyErr != NO_ERR)
 *
 *             throw CWEBCNT_ERR(err)
 *
 *             else
 *
 *             return 0
 *
 *             else if (non-
numeric char found) then
 *             if
(NotIntErr != NO_ERR) then
 *
 *             throw CWEBCNT_ERR(err)
 *
 *             else
 *
 *             return 0
 *
 * COMMENTS: http keys are formatted either
KEY=value& or KEY=value\0. This DLL formats
 *             TPC-C input
fields in such a manner that the keys can be
extracted in the
 *             above manner.
 */

```

```

int GetIntKeyValue(char **pQueryString, char *pKey,
WEBERROR NoKeyErr, WEBERROR NotIntErr)
{
    char *ptr0;
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorNoKey;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorNoKey;
    ptr++;

    ptr0 = ptr; // remember
starting point
    // scan string until a terminator (null or
&) or a non-digit
    while( *ptr && *ptr != '=' && isdigit(*ptr)
)
        ptr++;

    // make sure we stopped scanning for the
right reason
    if ((ptr0 == ptr) || (*ptr && *ptr != '='))
    {
        if (NotIntErr != NO_ERR)
            throw new CWEBCNT_ERR(
NoKeyErr );
        return 0;
    }

    *pQueryString = ptr;
    return atoi(ptr0);

ErrorNoKey:
    if (NoKeyErr != NO_ERR)
        throw new CWEBCNT_ERR( NoKeyErr );
    return 0;
}

/* FUNCTION: TermInit
 *
 * PURPOSE: This function initializes the
client terminal structure; it is called when the
TPCC.DLL
 *             is first loaded by the
inet service.
 */

void TermInit(void)
{
    EnterCriticalSection(&TermCriticalSection);

    Term.iMasterSyncId = 1;
    Term.iNumEntries =
Reg.dwMaxConnections+1;

    Term.pClientData = NULL;
    Term.pClientData =
(PCLIENTDATA)malloc(Term.iNumEntries *
sizeof(CLIENTDATA));
}

```

```

if (Term.pClientData == NULL)
{
    LeaveCriticalSection(&TermCriticalSection);
    throw new CWEBCNT_ERR(
ERR_MEM_ALLOC_FAILED );
}

ZeroMemory( Term.pClientData,
Term.iNumEntries * sizeof(CLIENTDATA) );

Term.iFreeList =
Term.iNumEntries-1;
// build free list
// note: Term.pClientData[0].iNextFree gets
set to -1, which marks it as "in use".
// This is intentional, as the zero
entry is used as an anchor and never
// allocated as an actual
terminal.
for(int i=0; i<Term.iNumEntries; i++)
    Term.pClientData[i].iNextFree =
i-1;

LeaveCriticalSection(&TermCriticalSection);

/* FUNCTION: TermDeleteAll
 *
 * PURPOSE: This function frees allocated
resources associated with the terminal structure.
 *
 * ARGUMENTS: none
 *
 * RETURNS: None
 *
 * COMMENTS: This function is called only when
the inet service unloads the TPCC.DLL
 */
void TermDeleteAll(void)
{
    EnterCriticalSection(&TermCriticalSection);

    for(int i=1; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree
== -1)
            delete
Term.pClientData[i].pTxn;
    }

    Term.iFreeList = 0;
    Term.iNumEntries = 0;
    if ( Term.pClientData )
        free(Term.pClientData);
    Term.pClientData = NULL;
}

LeaveCriticalSection(&TermCriticalSection);

/* FUNCTION: TermAdd
 */

```

```

/*
 * PURPOSE: This function assigns a terminal
id which is used to identify a client browser.
*
* RETURNS: int
* assigned terminal id
*/
 */

int TermAdd(void)
{
    DWORD i;
    int iNewTerm, iTickCount;

    if (Term.iNumEntries == 0)
        return -1;

    EnterCriticalSection(&TermCriticalSection);
    if (Term.iFreeList != 0)
    {
        // position is available
        iNewTerm = Term.iFreeList;
        Term.iFreeList =
Term.pClientData[iNewTerm].iNextFree;

        Term.pClientData[iNewTerm].iNextFree = -1;
// indicates this position is in use
    }
    else
    {
        // no open slots, so find the
slot that hasn't been used in the longest time and
reuse it
        for(iNewTerm=1, i=1,
iTickCount=0xFFFFFFFF; i<Reg.dwMaxConnections; i++)
        {
            if (iTickCount >
Term.pClientData[i].iTickCount)
                iTickCount =
Term.pClientData[i].iTickCount;
            iNewTerm = i;
        }
        // if oldest term is less than
one minute old, it probably means that more
connections
        // are being attempted than were
specified as "Max Connections" at install. In this
case,
        // do not bump existing
connection; instead, return error to requestor.
        if ((GetTickCount() - iTickCount) < 60000)
    }

    LeaveCriticalSection(&TermCriticalSection);
    throw new CWEBCNLT_ERR(
ERR_MAX_CONNECTIONS_EXCEEDED );
}

Term.pClientData[iNewTerm].iTickCount =
GetTickCount();

```

```

Term.pClientData[iNewTerm].iSyncId =
Term.iMasterSyncId++;
Term.pClientData[iNewTerm].pTxn = NULL;

LeaveCriticalSection(&TermCriticalSection);
return iNewTerm;
}

/* FUNCTION: TermDelete
*
* PURPOSE: This function makes a terminal
entry in the Term array available for reuse.
*
* ARGUMENTS: int
* id
* Terminal id of client exiting
*/
void TermDelete(int id)
{
    if ( id > 0 && id < Term.iNumEntries )
    {
        delete Term.pClientData[id].pTxn;
        // put onto free list

        EnterCriticalSection(&TermCriticalSection);
        Term.pClientData[id].iNextFree =
Term.iFreeList;
        Term.iFreeList = id;

        LeaveCriticalSection(&TermCriticalSection);
    }
}

/* FUNCTION: MakeErrorForm
*/
void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int
iType, int iErrorNum, int iTermId, int iSyncId, char
*szErrorText, char *szBuffer )
{
    wsprintf(szBuffer,
        "<HTML><HEAD><TITLE>TPC-C
Error</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\""
METHOD=\\\"GET\\\">
        "<INPUT TYPE=\"hidden\""
NAME=\\\"STATUSID\\\" VALUE=\\\"0\\\">"
        "<INPUT TYPE=\"hidden\""
NAME=\\\"ERROR\\\" VALUE=\\\"0\\\">"
        "<INPUT TYPE=\"hidden\""
NAME=\\\"FORMID\\\" VALUE=\\\"%d\\\">"
        "<INPUT TYPE=\"hidden\""
NAME=\\\"TERMINAL\\\" VALUE=\\\"%d\\\">"
        "<INPUT TYPE=\"hidden\""
NAME=\\\"SYNCID\\\" VALUE=\\\"%d\\\">"
        "<INPUT TYPE=\"submit\""
NAME=\\\"CMD\\\" VALUE=\\\".NewOrder..\\\">"
        "<INPUT TYPE=\"submit\""
NAME=\\\"CMD\\\" VALUE=\\\".Payment..\\\">"
        "<INPUT TYPE=\"submit\""
NAME=\\\"CMD\\\" VALUE=\\\".Delivery..\\\">"
        "<INPUT TYPE=\"submit\""
NAME=\\\"CMD\\\" VALUE=\\\".Order-Status..\\\">"
        "<INPUT TYPE=\"submit\""
NAME=\\\"CMD\\\" VALUE=\\\".Stock-Level..\\\">"
        "<INPUT TYPE=\"submit\""
NAME=\\\"CMD\\\" VALUE=\\\".Exit..\\\">"
        "</FORM></BODY></HTML>"
        , iTermId, iErrorNum,
MAIN_MENU_FORM, iTermId, iSyncId, szErrorText );
}

/* FUNCTION: MakeMainMenuForm
*/
void MakeMainMenuForm(int iTermId, int iSyncId, char
*szForm)
{
    wsprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Main
Menu</TITLE></HEAD><BODY>"
        "Select Desired
Transaction.<BR><HR>"
        "<FORM ACTION=\"tpcc.dll\""
METHOD=\\\"GET\\\">
        "<INPUT TYPE=\"hidden\""
NAME=\\\"STATUSID\\\" VALUE=\\\"0\\\">"
        "<INPUT TYPE=\"hidden\""
NAME=\\\"ERROR\\\" VALUE=\\\"0\\\">"
        "<INPUT TYPE=\"hidden\""
NAME=\\\"FORMID\\\" VALUE=\\\"%d\\\">"
        "<INPUT TYPE=\"hidden\""
NAME=\\\"TERMINAL\\\" VALUE=\\\"%d\\\">"
        "<INPUT TYPE=\"hidden\""
NAME=\\\"SYNCID\\\" VALUE=\\\"%d\\\">"
        "<INPUT TYPE=\"submit\""
NAME=\\\"CMD\\\" VALUE=\\\".NewOrder..\\\">"
        "<INPUT TYPE=\"submit\""
NAME=\\\"CMD\\\" VALUE=\\\".Payment..\\\">"
        "<INPUT TYPE=\"submit\""
NAME=\\\"CMD\\\" VALUE=\\\".Delivery..\\\">"
        "<INPUT TYPE=\"submit\""
NAME=\\\"CMD\\\" VALUE=\\\".Order-Status..\\\">"
        "<INPUT TYPE=\"submit\""
NAME=\\\"CMD\\\" VALUE=\\\".Stock-Level..\\\">"
        "<INPUT TYPE=\"submit\""
NAME=\\\"CMD\\\" VALUE=\\\".Exit..\\\">"
        "</FORM></BODY></HTML>"
        , MAIN_MENU_FORM, iTermId,
iSyncId);
}

/* FUNCTION: MakeStockLevelForm
*
* PURPOSE: This function constructs the
Stock Level HTML page.

```

```

* COMMENTS: The internal client buffer is
created when the terminal id is assigned and should
not
* be freed
except when the client terminal id is no longer
needed.
*/
}

void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm)
{
    int         c;

    c = wsprintf(szForm,
                 "<HTML><HEAD><TITLE>TPC-C Stock
Level</TITLE></HEAD><FORM ACTION=\\"tpcc.dll\\"
METHOD=\\"GET\\" >
                    "<INPUT TYPE=\\"hidden\\"
NAME=\\"STATUSID\\" VALUE=\\"0\\\">
                    "<INPUT TYPE=\\"hidden\\"
NAME=\\"ERROR\\" VALUE=\\"0\\\">
                    "<INPUT TYPE=\\"hidden\\"
NAME=\\"FORMID\\" VALUE=\\"%d\\\">
                    "<INPUT TYPE=\\"hidden\\"
NAME=\\"TERMD\\" VALUE=\\"%d\\\">
                    "<INPUT TYPE=\\"hidden\\"
NAME=\\"SYNCID\\" VALUE=\\"%d\\\">
                    "<PRE><font face=\\"Courier\\\">
Stock-Level<BR>"           "Warehouse: %4.4d    District:
%2.2d<BR> <BR> ",           STOCK_LEVEL_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id,
Term.pClientData[iTermId].d_id);

    if ( bInput )
    {
        strcpy(szForm+c,
               "Stock Level Threshold:
<INPUT NAME=\\"TT*\\" SIZE=2><BR> <BR>"
                     "low stock:
</font><BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR>">
                     "<BR> <BR> <BR> <BR>
<BR> <BR> <BR></PRE><HR>"           "<INPUT TYPE=\\"submit\\"
NAME=\\"CMD\\" VALUE=\\"Process\\\">
                     "<INPUT TYPE=\\"submit\\"
NAME=\\"CMD\\" VALUE=\\"Menu\\\">"           "</FORM></HTML> ");
    }
    else
    {
        wsprintf(szForm+c,
                 "Stock Level Threshold:
%2.2d<BR> <BR>"           "low stock:
%3.3d</font> <BR> <BR> <BR> <BR> <BR> <BR>
<BR>">
                     "<BR> <BR> <BR></PRE><HR>";
    }
}

```

```

        "<INPUT TYPE=\"submit\""
NAME=\\\"CMD\\\" VALUE=\\\"...NewOrder..\\\">"           "<INPUT TYPE=\"submit\\\""
NAME=\\\"CMD\\\" VALUE=\\\"...Payment..\\\">"           "<INPUT TYPE=\"submit\\\""
NAME=\\\"CMD\\\" VALUE=\\\"...Delivery..\\\">"          "<INPUT TYPE=\"submit\\\""
NAME=\\\"CMD\\\" VALUE=\\\"...Order-Status..\\\">"       "<INPUT TYPE=\"submit\\\""
NAME=\\\"CMD\\\" VALUE=\\\"...Stock-Level..\\\">"         "<INPUT TYPE=\"submit\\\""
NAME=\\\"CMD\\\" VALUE=\\\"...Exit..\\\">"                 "</FORM></HTML>"
                                         , pStockLevelData-
>threshold, pStockLevelData->low_stock);
}
}

/* FUNCTION: MakeNewOrderForm
*
* COMMENTS:      The internal client buffer is
created when the terminal id is assigned and should
not
*                                     be freed
except when the client terminal id is no longer
needed.
*/
void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm)
{
    int             i, c;
    BOOL            bValid;
    static   char szBR[] = " <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR>";

    if (!bInput)
        assert( pNewOrderData-
>exec_status_code == eOK || pNewOrderData-
>exec_status_code == eInvalidItem );

    bValid = (bInput || (pNewOrderData-
>exec_status_code == eOK));

    c = wsprintf(szForm,
                  "<HTML><HEAD><TITLE>TPC-C New
Order</TITLE></HEAD><BODY> "
                  "<FORM ACTION=\\\"tpcc.dll\\\""
METHOD=\\\"GET\\\""
                  "<INPUT TYPE=\"hidden\\\""
NAME=\\\"STATUSID\\\" VALUE=\\\"%d\\\">"           "<INPUT TYPE=\"hidden\\\""
NAME=\\\"ERROR\\\" VALUE=\\\"0\\\">"                 "<INPUT TYPE=\"hidden\\\""
NAME=\\\"FORMID\\\" VALUE=\\\"%d\\\">"               "<INPUT TYPE=\"hidden\\\""
NAME=\\\"TERMINAL\\\" VALUE=\\\"%d\\\">"             "<INPUT TYPE=\"hidden\\\""
NAME=\\\"SYNCID\\\" VALUE=\\\"%d\\\">"               "<PRE><font face=\\\"Courier\\\">
New Order<BR> "

```

```

        , bValid ? 0 : ERR_BAD_ITEM_ID,
NEW_ORDER_FORM, iTermId,
Term.pClientData[iTermId].iSyncId);

    if ( bInput )
    {
        c += wsprintf(szForm+c,
"Warehouse: %4.4d      ", Term.pClientData[iTermId].w_id
);

        strcpy( szForm+c,
                "District: <INPUT
NAME=\\"DID*\\" SIZE=1>
Date:<BR>"                                "Customer: <INPUT
NAME=\\"CID*\\" SIZE=4>          Name:
Credit:           %Disc:<BR>"                  "Order Number:
Number of Lines:          W_tax:            D_tax:<BR>
<BR>"                                         "Supp_W Item_Id Item
Name          Qty   Stock  B/G Price
Amount<BR>"                                     "<INPUT
NAME=\\"SP00*\\" SIZE=4>  <INPUT NAME=\\"IID00*\"
SIZE=6>                                         <INPUT
NAME=\\"Qty00*\\" SIZE=1><BR>"                  "<INPUT
NAME=\\"SP01*\\" SIZE=4>  <INPUT NAME=\\"IID01*\"
SIZE=6>                                         <INPUT
NAME=\\"Qty01*\\" SIZE=1><BR>"                  "<INPUT
NAME=\\"SP02*\\" SIZE=4>  <INPUT NAME=\\"IID02*\"
SIZE=6>                                         <INPUT
NAME=\\"Qty02*\\" SIZE=1><BR>"                  "<INPUT
NAME=\\"SP03*\\" SIZE=4>  <INPUT NAME=\\"IID03*\"
SIZE=6>                                         <INPUT
NAME=\\"Qty03*\\" SIZE=1><BR>"                  "<INPUT
NAME=\\"SP04*\\" SIZE=4>  <INPUT NAME=\\"IID04*\"
SIZE=6>                                         <INPUT
NAME=\\"Qty04*\\" SIZE=1><BR>"                  "<INPUT
NAME=\\"SP05*\\" SIZE=4>  <INPUT NAME=\\"IID05*\"
SIZE=6>                                         <INPUT
NAME=\\"Qty05*\\" SIZE=1><BR>"                  "<INPUT
NAME=\\"SP06*\\" SIZE=4>  <INPUT NAME=\\"IID06*\"
SIZE=6>                                         <INPUT
NAME=\\"Qty06*\\" SIZE=1><BR>"                  "<INPUT
NAME=\\"SP07*\\" SIZE=4>  <INPUT NAME=\\"IID07*\"
SIZE=6>                                         <INPUT
NAME=\\"Qty07*\\" SIZE=1><BR>"                  "<INPUT
NAME=\\"SP08*\\" SIZE=4>  <INPUT NAME=\\"IID08*\"
SIZE=6>                                         <INPUT
NAME=\\"Qty08*\\" SIZE=1><BR>"                  "<INPUT
NAME=\\"SP09*\\" SIZE=4>  <INPUT NAME=\\"IID09*\"
SIZE=6>                                         <INPUT
NAME=\\"Qty09*\\" SIZE=1><BR>"                  "<INPUT

```

```

        " <INPUT
NAME=\\"SP10\\" SIZE=4> <INPUT NAME=\\"IID10\\" 
SIZE=6>           <INPUT
NAME=\\"Qty10\\" SIZE=1><BR>"           " <INPUT
NAME=\\"SP11\\" SIZE=4> <INPUT NAME=\\"IID11\\" 
SIZE=6>           <INPUT
NAME=\\"Qty11\\" SIZE=1><BR>"           " <INPUT
NAME=\\"SP12\\" SIZE=4> <INPUT NAME=\\"IID12\\" 
SIZE=6>           <INPUT
NAME=\\"Qty12\\" SIZE=1><BR>"           " <INPUT
NAME=\\"SP13\\" SIZE=4> <INPUT NAME=\\"IID13\\" 
SIZE=6>           <INPUT
NAME=\\"Qty13\\" SIZE=1><BR>"           " <INPUT
NAME=\\"SP14\\" SIZE=4> <INPUT NAME=\\"IID14\\" 
SIZE=6>           <INPUT
NAME=\\"Qty14\\" SIZE=1><BR>"           " Execution Status:
Total:<BR>"           "</font></PRE><HR>
" <INPUT TYPE=\\"submit\\" 
NAME=\\"CMD\\" VALUE=\\"Process\\">>"           "<INPUT TYPE=\\"submit\\" 
NAME=\\"CMD\\" VALUE=\\"Menu\\">>"           "</FORM></HTML>
);
}
else
{
    c += wsprintf(szForm+c,
"Warehouse: %4.4d District: %2.2d
Date: ", pNewOrderData->w_id,
pNewOrderData->d_id);

    if ( bValid )
    {
        c += wsprintf(szForm+c,
"%2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
pNewOrderData->o_entry_d.day,
pNewOrderData->o_entry_d.month,
pNewOrderData->o_entry_d.year,
pNewOrderData->o_entry_d.hour,
pNewOrderData->o_entry_d.minute,
pNewOrderData->o_entry_d.second);
    }

    c += wsprintf(szForm+c,
"<BR>Customer: %4.4d Name: %-16s Credit: %-2s",
", pNewOrderData->c_id,
pNewOrderData->c_last, pNewOrderData->c_credit);
    if ( bValid )

```

```

    {
        c += sprintf(szForm+c,
"%%Disc: %5.2f           <BR>"
"Order Number: %8.8d Number of Lines:
W_tax: %5.2f D_tax: %5.2f <BR> <BR>"
" Supp_W Item_Id Item Name
Qty Stock B/G Price Amount<BR>",
100.0*pNewOrderData->c_discount,
pNewOrderData->o_id,
pNewOrderData->o.ol_cnt,
100.0 *
pNewOrderData->w_tax,
100.0 *
pNewOrderData->d_tax);

        for(i=0;
i<pNewOrderData->o.ol_cnt; i++)
{
    c +=
sprintf(szForm+c, " %4.4d %6.6d %-24s %2.2d
%3.3d %1.1s %$6.2f $%7.2f <BR>",
pNewOrderData->OL[i].ol_supply_w_id,
pNewOrderData->OL[i].ol_i_id,
pNewOrderData->OL[i].ol_i_name,
pNewOrderData->OL[i].ol_quantity,
pNewOrderData->OL[i].ol_stock,
pNewOrderData->OL[i].ol_brand_generic,
pNewOrderData->OL[i].ol_i_price,
pNewOrderData->OL[i].ol_amount );
}
    else
{
    c += wsprintf(szForm+c,
"%Disc:<BR>"           "Order
Number: %8.8d Number of Lines:           W_tax:
D_tax:<BR> <BR>"           " Supp_W
Item_Id Item Name           Qty Stock B/G
Price Amount<BR>"           ,
pNewOrderData->o_id);

    i = 0;
}
strncpy( szForm+c, szBR, (15-i)*5
);

```

```

    c += (15-i)*5;
    if ( bValid )
        c += sprintf(szForm+c,
"Execution Status: Transaction committed.
Total: $%8.2f ", pNewOrderData->total_amount);
    else
        c += wsprintf(szForm+c,
"Execution Status: Item number is not valid.
Total:");
    strcpy(szForm+c,
" <BR></font></PRE><HR>"           "<INPUT TYPE=\\"submit\\" 
NAME=\\"CMD\\" VALUE=\\"..NewOrder..\\">>"           "<INPUT TYPE=\\"submit\\" 
NAME=\\"CMD\\" VALUE=\\"..Payment..\\">>"           "<INPUT TYPE=\\"submit\\" 
NAME=\\"CMD\\" VALUE=\\"..Delivery..\\">>"           "<INPUT TYPE=\\"submit\\" 
NAME=\\"CMD\\" VALUE=\\"..Order-Status..\\">>"           "<INPUT TYPE=\\"submit\\" 
NAME=\\"CMD\\" VALUE=\\"..Stock-Level..\\">>"           "<INPUT TYPE=\\"submit\\" 
NAME=\\"CMD\\" VALUE=\\"..Exit..\\">>"           "</FORM></HTML>
");
}

/* FUNCTION: MakePaymentForm
*
* COMMENTS: The internal client buffer is
* created when the terminal id is assigned and should
* not
* be freed
* except when the client terminal id is no longer
* needed.
*/
void MakePaymentForm(int iTermId, PAYMENT_DATA
*pPaymentData, BOOL bInput, char *szForm)
{
    int c;

    c = wsprintf(szForm,
" <HTML><HEAD><TITLE>TPC-C
Payment</TITLE></HEAD><BODY>"           "<FORM ACTION=\\"tpcc.dll\\"
METHOD=\\"GET\\">>"           "<INPUT TYPE=\\"hidden\\" 
NAME=\\"STATUSID\\" VALUE=\\"0\\">>"           "<INPUT TYPE=\\"hidden\\" 
NAME=\\"ERROR\\\" VALUE=\\"0\\">>"           "<INPUT TYPE=\\"hidden\\" 
NAME=\\"FORMID\\\" VALUE=\\"%d\\">>"           "<INPUT TYPE=\\"hidden\\" 
NAME=\\"TERMID\\\" VALUE=\\"%d\\">>"           "<INPUT TYPE=\\"hidden\\" 
NAME=\\"SYNCID\\\" VALUE=\\"%d\\">>"           "

```

```

        " <PRE><font face=\\"Courier\\>
Payment<BR>"                               "Date: "
                                                , PAYMENT_FORM, iTermId,
Term.pClientData[iTermId].iSyncid);

        if ( !bInput )
        {
            c += wsprintf(szForm+c, "%2.2d-%
%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
                           pPaymentData-
>h_date.day,
                           pPaymentData-
>h_date.month,
                           pPaymentData-
>h_date.year,
                           pPaymentData-
>h_date.hour,
                           pPaymentData-
>h_date.minute,
                           pPaymentData-
>h_date.second);
        }

        if ( bInput )
        {
            c += wsprintf(szForm+c,
                           "<BR> <BR>Warehouse:
%4.4d"
                           "
District: <INPUT NAME=\\"DID\\\"
SIZE=1><BR> <BR> <BR>
<BR> <BR>"                                     "Customer: <INPUT
NAME=\\"CID\\\"
SIZE=4>"                                "Cust-Warehouse: <INPUT
NAME=\\"CWI\\\"
SIZE=4> "
NAME=\\"CDI\\\"
SIZE=1><BR>"                                "Cust-District: <INPUT
NAME=\\"CLT\\\"
SIZE=16>
Since:<BR>"                                 "Name:
<INPUT NAME=\\"HAM\\\"
SIZE=7>                                         "
Credit:<BR>"                                     "
Disc:<BR>"                                     "
Phone:<BR> <BR>"                               "Amount Paid:
$<INPUT NAME=\\"CMD\\\"
VALUE=\\"Process\\\"><INPUT TYPE=\\"submit\\"
Balance:<BR>"                                "Credit Limit:<BR>
<BR>Cust-Data: <BR> <BR> <BR> <BR>
<BR></font></PRE><HR>"                         "<INPUT TYPE=\\"submit\\"
NAME=\\"CMD\\\"
VALUE=\\"Menu\\\">>"                            "</BODY></FORM></HTML>"

Term.pClientData[iTermId].w_id);
        }
        else
        {
            c += wsprintf(szForm+c,

```

```

% 4.4d
%-20s<BR>"           "<BR>Warehouse:
                         District: %2.2d<BR>
"%-20s
%-20s<BR>"           "%-20s
%-20s %2s %5.5s-%4.4s<BR> <BR>"           "%-20s %-2s %5.5s-%4.4s
%-20s %2s %5.5s-%4.4s<BR> <BR>"           "Customer: %4.4d Cust-
Warehouse: %4.4d Cust-District: %2.2d<BR>"   "Name: %-16s %-2s %-
16s      Since: %2.2d-%2.2d-%4.4d<BR>"       "%-16s %-2s %-
16s      Since: %2.2d-%2.2d-%4.4d<BR>"       "%-20s
Credit: %-2s<BR>"           "%-20s

Term.pClientData[iTermId].w_id,          pPaymentData->d_id
                                     , pPaymentData-
>w_street_1, pPaymentData->d_street_1
                                     , pPaymentData-
>w_street_2, pPaymentData->d_street_2
                                     , pPaymentData->w_city,
pPaymentData->w_state, pPaymentData->w_zip,
pPaymentData->w_zip+5
                                     , pPaymentData->d_city,
pPaymentData->d_state, pPaymentData->d_zip,
pPaymentData->d_zip+5
                                     , pPaymentData->c_id,
pPaymentData->c_w_id,                  pPaymentData->c_d_id
                                     , pPaymentData-
>c_first, pPaymentData->c_middle, pPaymentData-
>c_last
                                     , pPaymentData-
>c_since.day, pPaymentData->c_since.month,
                                     pPaymentData->c_since.year
                                     , pPaymentData-
>c_street_1, pPaymentData->c_credit
                                     );
c += sprintf(szForm+c,
             "                                %-20s
%%Disc: %5.2f<BR>",          pPaymentData-
>c_street_2, 100.0*pPaymentData->c_discount);

c += wsprintf(szForm+c,
               "                                %-20s %-2s
%5.5s-%4.4s      Phone: %6.6s-%3.3s-%3.3s-%4.4s<BR>">
<BR>",                      pPaymentData->c_city,
pPaymentData->c_state, pPaymentData->c_zip,
pPaymentData->c_zip+5,          pPaymentData->c_phone,
pPaymentData->c_phone+6, pPaymentData->c_phone+9,
pPaymentData->c_phone+12 );

c += sprintf(szForm+c,
             "Amount Paid:
$%7.2f      New Cust-Balance: $%14.2f<BR>
                                         "Credit Limit:
$%13.2f<BR> <BR>"           , pPaymentData-
>h_amount, pPaymentData->c_phone

```

```

    >c_credit_lim
    );
    if ( pPaymentData->c_credit[0] ==
'B' && pPaymentData->c_credit[1] == 'C' )
        c += wsprintf(szForm+c,
                    "Cust-Data: %-50.50s<BR>      %-"
                    "50.50s<BR>      %-50.50s<BR>      %-
                    50.50s<BR>",

                    pPaymentData->c_data, pPaymentData-
                    >c_data+50, pPaymentData->c_data+100, pPaymentData-
                    >c_data+150 );
    else
        strcpy(szForm+c, "Cust-
Data: <BR> <BR> <BR> <BR>");

        strcat(szForm, "
<BR></font></PRE><HR>"

        "<INPUT TYPE=\"submit\" NAME=\"CMD\""
        VALUE=".NewOrder..\">""

        "<INPUT TYPE=\"submit\" NAME=\"CMD\""
        VALUE=".Payment..\">""

        "<INPUT TYPE=\"submit\" NAME=\"CMD\""
        VALUE=".Delivery..\">""

        "<INPUT TYPE=\"submit\" NAME=\"CMD\""
        VALUE=".Order-Status..\">""

        "<INPUT TYPE=\"submit\" NAME=\"CMD\""
        VALUE=".Stock-Level..\">""

        "<INPUT TYPE=\"submit\" NAME=\"CMD\""
        VALUE=".Exit..\">"

        "</BODY></FORM></HTML>");

    }
}

/* FUNCTION: MakeOrderStatusForm
 */
/* COMMENTS: The internal client buffer is
created when the terminal id is assigned and should
not
 *                                                 be freed
except when the client terminal id is no longer
needed.
 */

void MakeOrderStatusForm(int iTermId,
ORDER_STATUS_DATA *pOrderStatusData, BOOL bInput,
char *szForm)
{
    int i;
    static char szBR[] = "<BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> ";

```

```

c = wsprintf(szForm,
             "<HTML><HEAD><TITLE>TPC-C Order-
Status</TITLE></HEAD><BODY>" 
             "<FORM ACTION=\\"tpcc.dll\\"
METHOD=\\"GET\\\" >
             "<INPUT TYPE=\\"hidden\\"
NAME=\\"STATUSID\\\" VALUE=\\"0\\\">
             "<INPUT TYPE=\\"hidden\\"
NAME=\\"ERROR\\\" VALUE=\\"0\\\">
             "<INPUT TYPE=\\"hidden\\"
NAME=\\"FORMID\\\" VALUE=\\"%d\\\">
             "<INPUT TYPE=\\"hidden\\"
NAME=\\"TERMINAL\\\" VALUE=\\"%d\\\">
             "<INPUT TYPE=\\"hidden\\"
NAME=\\"SYNCID\\\" VALUE=\\"%d\\\">
             "<PRE><font face=\\"Courier\\"
Order-Status<BR>
             "Warehouse: %4.4d",
             ORDER_STATUS_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id);

if ( bInput )
{
    strcpy(szForm+c,
           "District: <INPUT
NAME=\\"DID\\\" SIZE=1><BR>" 
           "Customer: <INPUT
NAME=\\"CID\\\" SIZE=4> Name:
<INPUT NAME=\\"CLT\\\" SIZE=23><BR>
           "Cust-Balance:<BR>
<BR>" 
           "Order-Number:
Entry-Date:
Carrier-
Number:<BR>
           "Supply-W     Item-Id
Qty      Amount      Delivery-Date<BR> <BR> <BR>
<BR>" 
           "<BR> <BR> <BR> <BR> <BR></font></PRE>
           "<HR><INPUT
TYPE=\\"submit\\\" NAME=\\"CMD\\\" VALUE=\\"Process\\\"><INPUT
TYPE=\\"submit\\\" NAME=\\"CMD\\\" VALUE=\\"Menu\\\">
           "</BODY></FORM></HTML>
);
}
else
{
    c += wsprintf(szForm+c,
                  "District: %2.2d<BR>"
                  "Customer: %4.4d
Name: %-16s %-2s %-16s<BR>",
                  pOrderStatusData->d_id,
pOrderStatusData->c_id,
                  pOrderStatusData-
>c_first, pOrderStatusData->c_middle,
pOrderStatusData->c_last);

    c += sprintf(szForm+c, "Cust-
Balance: %%9.2f<BR>",
                  pOrderStatusData-
>c_balance);
}

```

```

c += wsprintf(szForm+c,
              "Order-Number: %8.8d
Entry-Date: %2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d
Carrier-Number: %2.2d<BR>" 
              "Supply-W     Item-Id
Qty      Amount      Delivery-Date<BR> ", 
              pOrderStatusData->o_id,
pOrderStatusData-
>o_entry_d.day,
pOrderStatusData-
>o_entry_d.month,
pOrderStatusData-
>o_entry_d.year,
pOrderStatusData-
>o_entry_d.hour,
pOrderStatusData-
>o_entry_d.minute,
pOrderStatusData-
>o_entry_d.second,
pOrderStatusData-
>o_carrier_id);

for(i=0; i< pOrderStatusData-
>o_cnt; i++)
{
    c += sprintf(szForm+c,
" %4.4d      %6.6d      %2.2d      %%8.2f      %%2.2d-
%2.2d-%4.4d<BR> ",
pOrderStatusData->OL[i].ol_supply_w_id,
pOrderStatusData->OL[i].ol_i_id,
pOrderStatusData->OL[i].ol_quantity,
pOrderStatusData->OL[i].ol_amount,
pOrderStatusData->OL[i].ol_delivery_d.day,
pOrderStatusData-
>OL[i].ol_delivery_d.month,
pOrderStatusData-
>OL[i].ol_delivery_d.year);
}

strncpy( szForm+c, szBR, (15-i)*5
);
c += (15-i)*5;

strcpy(szForm+c,
      "</font></PRE><HR><INPUT TYPE=\\"submit\\"
NAME=\\"CMD\\\" VALUE=\\"..NewOrder..\\\">
      "<INPUT TYPE=\\"submit\\"
NAME=\\"CMD\\\" VALUE=\\"..Payment..\\\">
      "<INPUT TYPE=\\"submit\\"
NAME=\\"CMD\\\" VALUE=\\"..Delivery..\\\">
      "<INPUT TYPE=\\"submit\\"
NAME=\\"CMD\\\" VALUE=\\"..Order-Status..\\\">
      "<INPUT TYPE=\\"submit\\"
NAME=\\"CMD\\\" VALUE=\\"..Stock-Level..\\\">
      "<INPUT TYPE=\\"submit\\"

```

```

      "<INPUT TYPE=\\"submit\\"
NAME=\\"CMD\\\" VALUE=\\"..Exit..\\\">
      "</BODY></FORM></HTML>
);
}
}

/* FUNCTION: MakeDeliveryForm
*
* COMMENTS: The internal client buffer is
* created when the terminal id is assigned and should
* not
* be freed
* except when the client terminal id is no longer
* needed.
*/
void MakeDeliveryForm(int iTermId, DELIVERY_DATA
*pDeliveryData, BOOL bInput, char *szForm)
{
    int      c;

    c = wsprintf(szForm,
                 "<HTML><HEAD><TITLE>TPC-C
Delivery</TITLE></HEAD><BODY>" 
                 "<FORM ACTION=\\"tpcc.dll\\"
METHOD=\\"GET\\\" >
                 "<INPUT TYPE=\\"hidden\\"
NAME=\\"STATUSID\\\" VALUE=\\"%d\\\">
                 "<INPUT TYPE=\\"hidden\\"
NAME=\\"ERROR\\\" VALUE=\\"0\\\">
                 "<INPUT TYPE=\\"hidden\\"
NAME=\\"FORMID\\\" VALUE=\\"%d\\\">
                 "<INPUT TYPE=\\"hidden\\"
NAME=\\"TERMINAL\\\" VALUE=\\"%d\\\">
                 "<INPUT TYPE=\\"hidden\\"
NAME=\\"SYNCID\\\" VALUE=\\"%d\\\">
                 "<PRE><font face=\\"Courier\\"
Delivery<BR>
                 "Warehouse: %4.4d<BR> <BR> ,
(!bInput && (pDeliveryData-
>exec_status_code != eOK)) ? ERR_TYPE_DELIVERY_POST :
0,
DELIVERY_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id);

if ( bInput )
{
    strcpy( szForm+c,
            "Carrier Number: <INPUT
NAME=\\"OCD\\\" SIZE=1><BR> <BR>
            "Execution Status: <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
            "<BR> <BR> <BR> <BR></font></PRE><HR>
            "<INPUT TYPE=\\"submit\\"
NAME=\\"CMD\\\" VALUE=\\"Process\\\">
            "<INPUT TYPE=\\"submit\\"
NAME=\\"CMD\\\" VALUE=\\"Menu\\\">
            "</BODY></FORM></HTML>
);
}
}
```

```

else
{
    wsprintf( szForm+c,
              "Carrier Number:
%2.2d<BR> <BR>           "Execution Status: %s
<BR> <BR> <BR> <BR> <BR> <BR>"           "
<BR> <BR> <BR> </font></PRE>"           "
                "<HR><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..NewOrder..\">>"           "
                "<INPUT TYPE='submit' NAME=\"CMD\" VALUE=\"..Payment..\">>"           "
NAME=\"CMD\" VALUE=\"..Delivery..\">>"           "
                "<INPUT TYPE='submit' NAME=\"CMD\" VALUE=\"..Order-Status..\">>"           "
                "<INPUT TYPE='submit' NAME=\"CMD\" VALUE=\"..Stock-Level..\">>"           "
                "<INPUT TYPE='submit' NAME=\"CMD\" VALUE=\"..Exit..\">>"           "
            "</BODY></HTML>"           "
                , pDeliveryData-
>o_carrier_id,
                (pDeliveryData-
>exec_status_code == eOK) ? "Delivery has been
queued." : "Delivery Post Failed"
);
}

/* FUNCTION: ProcessNewOrderForm
*
* PURPOSE: This function gets and validates
the input data from the new order form
* filling in the required
input variables. it then calls the SQLNewOrder
* transaction, constructs
the output form and writes it back to client
* browser.
*/
void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK
                        *pECB, int iTermId, char *szBuffer)
{
    PNEW_ORDER_DATA          pNewOrder;
    pNewOrder = Term.pClientData[iTermId].pTxn-
>BuffAddr_NewOrder();

    ZeroMemory(pNewOrder,
    sizeof(NEW_ORDER_DATA));
    pNewOrder->w_id =
    Term.pClientData[iTermId].w_id;
    GetNewOrderData(pECB->lpszQueryString,
    pNewOrder);

    Term.pClientData[iTermId].pTxn->NewOrder();
    pNewOrder = Term.pClientData[iTermId].pTxn-
>BuffAddr_NewOrder();
}

```

```

        MakeNewOrderForm(iTermId, pNewOrder,
OUTPUT_FORM, szBuffer );
}

/* FUNCTION: void ProcessPaymentForm
*
* PURPOSE: This function gets and validates
the input data from the payment form
* filling in the required
input variables. It then calls the SQLPayment
* transaction, constructs
the output form and writes it back to client
* browser.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
            *pECB passed in structure pointer from
inetsrv.
*
*           int
*
*           iTermId client browser terminal id
*/
void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK
                        *pECB, int iTermId, char *szBuffer)
{
    PPAYMENT_DATA          pPayment;
    pPayment = Term.pClientData[iTermId].pTxn-
>BuffAddr_Payment();
    ZeroMemory(pPayment, sizeof(PAYMENT_DATA));
    pPayment->w_id =
    Term.pClientData[iTermId].w_id;
    GetPaymentData(pECB->lpszQueryString,
    pPayment);

    Term.pClientData[iTermId].pTxn->Payment();

    pPayment = Term.pClientData[iTermId].pTxn-
>BuffAddr_Payment();
    MakePaymentForm(iTermId, pPayment,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessOrderStatusForm
*
* PURPOSE: This function gets and validates
the input data from the Order Status
* form filling in the
required input variables. It then calls the
* SQLOrderStatus
transaction, constructs the output form and writes it
* back to client browser.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
            *pECB passed in structure pointer from
inetsrv.
*
*           int
*
*           iTermId client browser terminal id
*/

```

```

void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK
                           *pECB, int iTermId, char *szBuffer)
{
    PORDER_STATUS_DATA pOrderStatus;

    pOrderStatus =
    Term.pClientData[iTermId].pTxn-
>BuffAddr_OrderStatus();
    ZeroMemory(pOrderStatus,
    sizeof(ORDER_STATUS_DATA));
    pOrderStatus->w_id =
    Term.pClientData[iTermId].w_id;
    GetOrderStatusData(pECB->lpszQueryString,
    pOrderStatus);

    Term.pClientData[iTermId].pTxn-
>OrderStatus();

    pOrderStatus =
    Term.pClientData[iTermId].pTxn-
>BuffAddr_OrderStatus();
    MakeOrderStatusForm(iTermId, pOrderStatus,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessDeliveryForm
*
* PURPOSE: This function gets and validates
the input data from the delivery form
* filling in the required
input variables. It then calls the PostDeliveryInfo
* API. The client is then
informed that the transaction has been posted.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
            *pECB passed in structure pointer from
inetsrv.
*
*           int
*
*           iTermId client browser terminal id
*/
void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK
                        *pECB, int iTermId, char *szBuffer)
{
    char      *ptr = pECB->lpszQueryString;

    PDELIVERY_DATA          pDelivery;
    pDelivery = Term.pClientData[iTermId].pTxn-
>BuffAddr_Delivery();
    ZeroMemory(pDelivery,
    sizeof(DELIVERY_DATA));
    pDelivery->w_id =
    Term.pClientData[iTermId].w_id;

    pDelivery->o_carrier_id =
    GetIntKeyValue(&ptr, "OCD**",
    ERR_DELIVERY_MISSING_OCD_KEY,
    ERR_DELIVERY_CARRIER_INVALID);
    if ( pDelivery->o_carrier_id > 10 ||
    pDelivery->o_carrier_id < 1 )

```

```

        throw new CWEBCLNT_ERR(
ERR_DELIVERY_CARRIER_ID_RANGE );

    if (dwNumDeliveryThreads)
    {
        //post delivery info
        if ( PostDeliveryInfo(pDelivery->w_id, pDelivery->o_carrier_id) )
            pDelivery-
>exec_status_code = eDeliveryFailed;
        else
            pDelivery-
>exec_status_code = eOK;
    }
    else // delivery is done synchronously if
no delivery threads configured
        Term.pClientData[iTermId].pTxn-
>Delivery();

    pDelivery = Term.pClientData[iTermId].pTxn-
>BuffAddr_Delivery();
    MakeDeliveryForm(iTermId, pDelivery,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessStockLevelForm
*
* PURPOSE: This function gets and validates
the input data from the Stock Level
form filling in the
required input variables. It then calls the
SQLStockLevel
transaction, constructs the output form and writes it
back to client browser.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
*pECB passed in structure pointer from
inetsrv.
*
* int
*
* iTermId client browser terminal id
*/
void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    char *ptr = pECB-
>lpszQueryString;

    PSTOCK_LEVEL_DATA pStockLevel;

    pStockLevel =
Term.pClientData[iTermId].pTxn-
>BuffAddr_StockLevel();
    ZeroMemory( pStockLevel,
sizeof(STOCK_LEVEL_DATA) );

    pStockLevel->w_id =
Term.pClientData[iTermId].w_id;
    pStockLevel->d_id =
Term.pClientData[iTermId].d_id;
}

```

```

        pStockLevel->threshold =
GetIntKeyValue(&ptr, "TT",
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID);
        if ( pStockLevel->threshold >= 100 ||
pStockLevel->threshold < 0 )
            throw new CWEBCLNT_ERR(
ERR_STOCKLEVEL_THRESHOLD_RANGE );

        Term.pClientData[iTermId].pTxn-
>StockLevel();

        pStockLevel =
Term.pClientData[iTermId].pTxn-
>BuffAddr_StockLevel();
        MakeStockLevelForm(iTermId, pStockLevel,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: GetNewOrderData
*
* PURPOSE: This function extracts and
validates the new order form data from an http
command string.
*
* ARGUMENTS: LPSTR
lpszQueryString client
browser http command string
*
* NEW_ORDER_DATA *pNewOrderData
pointer to new order data structure
*/
void GetNewOrderData(LPSTR lpszQueryString,
NEW_ORDER_DATA *pNewOrderData)
{
    char szTmp[26];
    int i;
    short items;
    int ol_i_id, ol_quantity;
    char *ptr = lpszQueryString;

    static char szSP[MAX_OL_NEW_ORDER_ITEMS][6] =
{ "SP00*", "SP01*", "SP02*",
"SP03*", "SP04*", "SP05*", "SP06*", "SP07*",
"SP08*", "SP09*", "SP10*", "SP11*", "SP12*",
"SP13*", "SP14* " };
    static char
szIID[MAX_OL_NEW_ORDER_ITEMS][7] =
{ "IID00*", "IID01*", "IID02*",
"IID03*", "IID04*", "IID05*", "IID06*", "IID07*",
"IID08*", "IID09*", "IID10*", "IID11*", "IID12*",
"IID13*", "IID14* " };
    static char
szQty[MAX_OL_NEW_ORDER_ITEMS][7] =
{ "Qty00*", "Qty01*", "Qty02*",
"Qty03*", "Qty04*",

```

```

        "Qty05*", "Qty06*", "Qty07*",
"Qty08*", "Qty09*", "Qty10*", "Qty11*", "Qty12*",
"Qty13*", "Qty14* " };

        pNewOrderData->d_id = GetIntKeyValue(&ptr,
"DID",
ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_DISTRICT_INVALID);
        pNewOrderData->c_id = GetIntKeyValue(&ptr,
"CID",
ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_CUSTOMER_INVALID);

        for(i=0, items=0; i<MAX_OL_NEW_ORDER_ITEMS;
i++)
        {
            GetKeyValue(&ptr, szSP[i], szTmp,
sizeof(szTmp),
ERR_NEWORDER_MISSING_SUPPW_KEY);
            if ( szTmp[0] )
            {
                if ( !IsNumeric(szTmp)
)
                    throw new
CWEBCLNT_ERR( ERR_NEWORDER_SUPPW_INVALID );
                pNewOrderData-
>OL[items].ol_supply_w_id = (short)atoi(szTmp);

                ol_i_id =
pNewOrderData->OL[items].ol_i_id =
GetIntKeyValue(&ptr, szIID[i],
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_ITEMID_INVALID);
                if ( ol_i_id > 999999
|| ol_i_id < 1 )
                    throw new
CWEBCLNT_ERR( ERR_NEWORDER_ITEMID_RANGE );
                ol_quantity =
pNewOrderData->OL[items].ol_quantity =
GetIntKeyValue(&ptr, szQty[i],
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_QTY_INVALID);
                if ( ol_quantity > 99
|| ol_quantity < 1 )
                    throw new
CWEBCLNT_ERR( ERR_NEWORDER_QTY_RANGE );
                items++;
            }
            else
            {
                // nothing entered for
supply warehouse, so item id and qty must also be
blank
                GetKeyValue(&ptr,
szIID[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_IID_KEY);
                if ( szTmp[0] )
                    throw new
CWEBCLNT_ERR( ERR_NEWORDER_ITEMID_WITHOUT_SUPPW );

```

```

        GetKeyValue(&ptr,
szQty[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_QTY_KEY);
        if ( szTmp[0] )
            throw new
CWEBCLNT_ERR( ERR_NEWORDER_QTY_WITHOUT_SUPPW );
    }
    if ( items == 0 )
        throw new CWEBCLNT_ERR(
ERR_NEWORDER_NOITEMS_ENTERED );
    pNewOrderData->o.ol_cnt = items;
}

/* FUNCTION: GetPaymentData
*
* PURPOSE: This function extracts and
validates the payment form data from an http command
string.
*
* ARGUMENTS: LPSTR lpszQueryString client
browser http command string
* PAYMENT_DATA *pPaymentData pointer to
payment data structure
*/
void GetPaymentData(LPSTR lpszQueryString,
PAYMENT_DATA *pPaymentData)
{
    char szTmp[26];
    char *ptr = lpszQueryString;
    BOOL bCustIdBlank;

    pPaymentData->d_id = GetIntKeyValue(&ptr,
"DID*", ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_DISTRICT_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        bCustIdBlank = TRUE;
        pPaymentData->c_id = 0;
    }
    else
    {
        // parse customer id and verify
        that last name was NOT entered
        bCustIdBlank = FALSE;
        if ( !IsNumeric(szTmp) )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_CUSTOMER_INVALID );
        pPaymentData->c_id = atoi(szTmp);
    }

    pPaymentData->c_w_id = GetIntKeyValue(&ptr,
"CWI*", ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_CWI_INVALID);
    pPaymentData->c_d_id = GetIntKeyValue(&ptr,
"CDI*", ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_CDI_INVALID);
}

```

```

        if ( bCustIdBlank )
            { // customer id is blank, so last
            name must be entered
                GetKeyValue(&ptr, "CLT*", szTmp,
                sizeof(szTmp), ERR_PAYMENT_MISSING_CLT_KEY);
                if ( szTmp[0] == 0 )
                    throw new CWEBCLNT_ERR(
ERR_PAYMENT_MISSING_CID_CLT );

                _strupr( szTmp );
                if ( strlen(pPaymentData->c_last) >
LAST_NAME_LEN )
                    throw new CWEBCLNT_ERR(
ERR_PAYMENT_LAST_NAME_TO_LONG );
                strcpy(pPaymentData->c_last,
szTmp);
            }
            else
            { // parse customer id and verify
            that last name was NOT entered
                GetKeyValue(&ptr, "CLT*", szTmp,
                sizeof(szTmp), ERR_PAYMENT_MISSING_CLT_KEY);
                if ( szTmp[0] != 0 )
                    throw new CWEBCLNT_ERR(
ERR_PAYMENT_CID_AND_CLT );
            }

            GetKeyValue(&ptr, "HAM*", szTmp,
            sizeof(szTmp), ERR_PAYMENT_MISSING_HAM_KEY);
            if ( !IsDecimal(szTmp) )
                throw new CWEBCLNT_ERR(
ERR_PAYMENT_HAM_INVALID );
            pPaymentData->h_amount = atof(szTmp);
            if ( pPaymentData->h_amount >= 10000.00 ||
pPaymentData->h_amount < 0 )
                throw new CWEBCLNT_ERR(
ERR_PAYMENT_HAM_RANGE );
}

/* FUNCTION: GetOrderStatusData
*
* PURPOSE: This function extracts and
validates the payment form data from an http command
string.
*/
void GetOrderStatusData(LPSTR lpszQueryString,
ORDER_STATUS_DATA *pOrderStatusData)
{
    char szTmp[26];
    char *ptr = lpszQueryString;

    pOrderStatusData->d_id =
GetIntKeyValue(&ptr, "DID*",
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_ORDERSTATUS_DID_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        // customer id is blank, so last
        name must be entered

```

```

        pOrderStatusData->c_id = 0;
        GetKeyValue(&ptr, "CLT*", szTmp,
        sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] == 0 )
            throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_MISSING_CID_CLT );

        _strupr( szTmp );
        if ( strlen(pOrderStatusData->c_last) >
LAST_NAME_LEN )
            throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_CLT_RANGE );
        strcpy(pOrderStatusData->c_last,
szTmp);
    }
    else
    { // parse customer id and verify
    that last name was NOT entered
        if ( !IsNumeric(szTmp) )
            throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_CID_INVALID );
        pOrderStatusData->c_id =
atoi(szTmp);
        GetKeyValue(&ptr, "CLT*", szTmp,
        sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] != 0 )
            throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_CID_AND_CLT );
    }

/* FUNCTION: BOOL IsNumeric(char *ptr)
*
* PURPOSE: This function determines if a
string is numeric. It fails if any characters other
than numeric and null
terminator are present.
*
* ARGUMENTS: char
*             *ptr pointer to string to check.
*
* RETURNS:    BOOL      FALSE      if
string is not all numeric
*
*             TRUE      if string contains only numeric
characters i.e. '0' - '9'
*/
BOOL IsNumeric(char *ptr)
{
    if ( *ptr == 0 )
        return FALSE;

    while( *ptr && isdigit(*ptr) )
        ptr++;
    return ( !*ptr );
}

/* FUNCTION: BOOL IsDecimal(char *ptr)
*
* PURPOSE: This function determines if a
string is a non-negative decimal value.

```

```

/*
 * It fails if any characters other than a
series of numbers followed by
 * a decimal point,
another series of numbers, and a null terminator are
present.
*
* ARGUMENTS:      char
 *                  *ptr      pointer to string to check.
*
* RETURNS:         BOOL      FALSE      if
string is not a valid non-negative decimal value
*
*                  TRUE      if string is OK
*/
BOOL IsDecimal(char *ptr)
{
    char *dotptr;
    BOOL bValid;

    if (*ptr == 0)
        return FALSE;

    // find decimal point
    dotptr = strchr(ptr, '.');
    if (dotptr == NULL)
        // no decimal point, so just
check for numeric
        return IsNumeric(ptr);
    *dotptr = 0; // temporarily replace
decimal with a terminator

    if (*ptr != 0)
        bValid = IsNumeric(ptr);
    // string starts with decimal point
    else if (*(dotptr+1) == 0)
        return FALSE; // nothing but a
decimal point is bad
    else
        bValid = TRUE;

    if (*(dotptr+1) != 0)
        // check text after decimal point
        bValid &= IsNumeric(dotptr+1);

    *dotptr = '.'; // replace decimal point
    return bValid;
}

```

## tpcc.def

LIBRARY TPCC.DLL

EXPORTS

```

GetExtensionVersion @1
HttpExtensionProc @2
TerminateExtension @3

```

## tpcc.h

```

/*      FILE:          TPCC.H
 *
 *      TPC-C Kit Ver. 4.20.000           Microsoft
 *                                         Copyright
Microsoft, 1999
 *                                         All Rights Reserved
 *
 *                                         Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE: Header file for ISAPI TPCC.DLL,
defines structures and functions used in the isapi
tpcc.dll.
 *
 */

//VERSION RESOURCE DEFINES
#define _APS_NEXT_RESOURCE_VALUE          101
#define _APS_NEXT_COMMAND_VALUE          40001
#define _APS_NEXT_CONTROL_VALUE          1000
#define _APS_NEXT_SYMED_VALUE            101
#define TP_MAX_RETRIES                   50

//note that the welcome form must be processed first
as terminal ids assigned here, once the
//terminal id is assigned then the forms can be
processed in any order.
#define WELCOME_FORM                    1
//beginning form no term id assigned, form
id
#define MAIN_MENU_FORM                 2
//term id assigned main menu form id
#define NEW_ORDER_FORM                 3
//new order form id
#define PAYMENT_FORM                   4
//payment form id
#define DELIVERY_FORM                  5
//delivery form id
#define ORDER_STATUS_FORM               6
//order
status id
#define STOCK_LEVEL_FORM                7
//stock level
form id

//This macro is used to prevent the compiler error
unused formal parameter

```

```

#define UNUSEDPARAM(x) (x = x)

//This structure defines the data necessary to keep
distinct for each terminal or client connection.
typedef struct _CLIENTDATA
{
    int iNextFree; //index of
next free element or -1 if this entry is in use.
    int w_id; //warehouse
    id assigned at welcome form
    int d_id; //district id
assigned at welcome form

    int iSyncId; //synchronization id
    int iTickCount; //time of
last access;

    CTPCC_BASE *pTxn;
} CLIENTDATA, *PCLIENTDATA;

//This structure is used to define the operational
interface for terminal id support
typedef struct _TERM
{
    int iNumEntries;

    //total allocated terminal array entries
    int iFreeList;

    //next available terminal array element or
-1 if none
    int iMasterSyncId; //synchronization id
    CLIENTDATA *pClientData; //pointer to
allocated client data
} TERM;

typedef TERM *PTERM; //pointer to
terminal structure type

enum WEBERROR
{
    NO_ERR,
    ERR_COMMAND_UNDEFINED,
    ERR_D_ID_INVALID,
    ERR_DELIVERY_CARRIER_ID_RANGE,
    ERR_DELIVERY_CARRIER_INVALID,
    ERR_DELIVERY_MISSING_OCD_KEY,
    ERR_DELIVERY_THREAD_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_HTML_ILL_FORMED,
}
```

```

ERR_INVALID_SYNC_CONNECTION,
ERR_INVALID_TERMID,
ERR_LOADDLL_FAILED,
ERR_MAX_CONNECTIONS_EXCEEDED,
ERR_MEM_ALLOC_FAILED,
ERR_MISSING_REGISTRY_ENTRIES,
ERR_NEWORDER_CUSTOMER_INVALID,
ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_DISTRICT_INVALID,
ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_ITEMID_INVALID,
ERR_NEWORDER_ITEMID_RANGE,
ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_MISSING_SUPPW_KEY,
ERR_NEWORDER_NOITEMS_ENTERED,
ERR_NEWORDER_QTY_INVALID,
ERR_NEWORDER_QTY_RANGE,
ERR_NEWORDER_QTY_WITHOUT_SUPPW,
ERR_NEWORDER_SUPPW_INVALID,
ERR_NO_SERVER_SPECIFIED,
ERR_ORDERSTATUS_CID_AND_CLT,
ERR_ORDERSTATUS_CID_INVALID,
ERR_ORDERSTATUS_CLT_INVALID,
ERR_ORDERSTATUS_DID_INVALID,
ERR_ORDERSTATUS_MISSING_CID_CLT,
ERR_ORDERSTATUS_MISSING_CID_KEY,
ERR_ORDERSTATUS_MISSING_CLT_KEY,
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_PAYMENT_CDI_INVALID,
ERR_PAYMENT_CID_AND_CLT,
ERR_PAYMENT_CUSTOMER_INVALID,
ERR_PAYMENT_CWI_INVALID,
ERR_PAYMENT_DISTRICT_INVALID,
ERR_PAYMENT_HAM_INVALID,
ERR_PAYMENT_HAM_RANGE,
ERR_PAYMENT_LAST_NAME_TO_LONG,
ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_MISSING_CID_CLT,
ERR_PAYMENT_MISSING_CID_KEY,
ERR_PAYMENT_MISSING_CLT,
ERR_PAYMENT_MISSING_CLT_KEY,
ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_MISSING_HAM_KEY,
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID,
ERR_STOCKLEVEL_THRESHOLD_RANGE,
ERR_VERSION_MISMATCH,
ERR_W_ID_INVALID
};

class CWEBCLNTR_ERR : public CBaseErr
{
public:
    CWEBCLNTR_ERR(WEBERROr Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
    }
};

```

```

        m_SystemErr = 0;
        m_szErrorText = NULL;
    }

    CWEBCLNTR_ERR(WEBERROr Err, char *szTextDetail, DWORD dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new
        char[strlen(szTextDetail)+1];
        strcpy( m_szTextDetail,
        szTextDetail );
        m_SystemErr =
        dwSystemErr;
        m_szErrorText = NULL;
    }

    ~CWEBCLNTR_ERR()
    {
        if (m_szTextDetail != NULL)
            delete []
        m_szTextDetail;
        if (m_szErrorText != NULL)
            delete []
        m_szErrorText;
    }

    WEBEROOr m_Error;
    char
    *m_szTextDetail; //char
    *m_szErrorText;
    DWORD m_SystemErr;

    int ErrorType() {return
ERR_TYPE_WEBDLL;}; int ErrorNum() {return m_Error;};
    char *ErrorText();

}

//These constants have already been defined in
engstut.h, but since we do
//not want to include it in the delisrv executable
#define TXN_EVENT_START 2
#define TXN_EVENT_STOP 4
#define TXN_EVENT_WARNING 6
//used to record a warning into the log

//function prototypes

BOOL APIENTRY DllMain(HANDLE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved);
void WriteMessageToEventLog(LPTSTR lpszMsg);
void ProcessQueryString(EXTENSION_CONTROL_BLOCK
*pECB, int *pCmd, int *pFormId, int *pTermId, int
*pSyncId);
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);

```

```

void BeginCmd(EXTENSION_CONTROL_BLOCK *pECB, int
iFormId, int iTermId);
void ProcessCmd(EXTENSION_CONTROL_BLOCK *pECB, int
iFormId, int iTermId);
void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void ErrorMessage(EXTENSION_CONTROL_BLOCK *pECB, int
iError, int iErrorType, char *szMsg, int iTermId);
void GetKeyValue(char **pQueryString, char *pKey,
char *pValue, int iMax, WEBEROOr err);
int GetIntKeyValue(char **pQueryString, char *pKey,
WEBEROOr NoKeyErr, WEBEROOr NotIntErr);
void TermInit(void);
void TermDeleteAll(void);
int TermAdd(void);
void TermDelete(int id);
void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int
iType, int iErrorNum, int iTermId, int iSyncId, char
*szErrorText, char *szBuffer );
void MakeMainMenuForm(int iTermId, int iSyncId, char
*szForm);
void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm);
void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm);
void MakePaymentForm(int iTermId, PAYMENT_DATA
*pPaymentData, BOOL bInput, char *szForm);
void MakeOrderStatusForm(int iTermId,
ORDER_STATUS_DATA *pOrderStatusData, BOOL bInput,
char *szForm);
void MakeDeliveryForm(int iTermId, DELIVERY_DATA
*pDeliveryData, BOOL bInput, char *szForm);
void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void GetNewOrderData(LPSTR lpszQueryString,
NEW_ORDER_DATA *pNewOrderData);
void GetPaymentData(LPSTR lpszQueryString,
PAYMENT_DATA *pPaymentData);
void GetOrderStatusData(LPSTR lpszQueryString,
ORDER_STATUS_DATA *pOrderStatusData);
BOOL PostDeliveryInfo(short w_id, short
o_carrier_id);
BOOL IsNumeric(char *ptr);
BOOL IsDecimal(char *ptr);
void DeliveryWorkerThread(void *ptr);

```

## tpcc.rc

```

//Microsoft Developer Studio generated resource
script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS

```

```

////////// Generated from the TEXTINCLUDE 2 resource.
//include "afxres.h"
#undef APSTUDIO_READONLY_SYMBOLS
// English (U.S.) resources
#if !defined(AFX_RESOURCE_DLL) || defined(AFX_TARG_ENU)
#define _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif //__WIN32

#ifndef _MAC
////////// Version
// VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,0,0
PRODUCTVERSION 0,4,0,0
FILEFLAGSMASK 0x3fL
#ifndef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
BLOCK "StringFileInfo"
BEGIN
BLOCK "040904b0"
BEGIN
VALUE "Comments", "TPC-C HTML DLL Server
(DBLIB)\0"
VALUE "CompanyName", "Microsoft\0"
VALUE "FileDescription", "TPC-C HTML DLL
Server (DBLIB)\0"
VALUE "FileVersion", "0, 4, 0, 0\0"
VALUE "InternalName", "tpcc\0"
VALUE "LegalCopyright", "Copyright ©
1997\0"
VALUE "OriginalFilename", "tpcc.dll\0"
VALUE "ProductName", "Microsoft tpcc\0"
VALUE "ProductVersion", "0, 4, 0, 0\0"
END
BLOCK "VarFileInfo"
BEGIN
VALUE "Translation", 0x409, 1200

```

```

END
END
#endif // !_MAC

#ifndef APSTUDIO_INVOKED
////////// TEXTINCLUDE
// TEXTINCLUDE DISCARDABLE
BEGIN
"resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
"#include ""afxres.h""\r\n"
"\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
"\r\n"
"\0"
END
#endif // APSTUDIO_INVOKED

////////// Dialog
// IDD_DIALOG1 DIALOG DISCARDABLE 0, 0, 186, 95
STYLE DS_MODALFRAME | WS_POPUP | WS_CAPTION | WS_SYSMENU
CAPTION "Dialog"
FONT 8, "MS Sans Serif"
BEGIN
DEFPUSHBUTTON "OK",IDOK,129,7,50,14
PUSHBUTTON "Cancel",IDCANCEL,129,24,50,14
END

// DESIGNINFO
#ifndef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
IDD_DIALOG1, DIALOG
BEGIN
LEFTMARGIN, 7
RIGHTMARGIN, 179

```

```

TOPMARGIN, 7
BOTTOMMARGIN, 88
END
#endif // APSTUDIO_INVOKED
#endif // English (U.S.) resources
////////// Generated from the TEXTINCLUDE 3 resource.
// not APSTUDIO_INVOKED

#ifndef APSTUDIO_INVOKED
////////// APSTUDIO_INVOKED
// Microsoft, 1999
* All Rights Reserved
* not yet audited
* PURPOSE: Source file for TPC-C COM+ class implementation.
* Contact: Charles Levine
(clevine@microsoft.com)
* Change history:
* 4.20.000 - first version
*/
// needed for CoInitializeEx
#define _WIN32_WINNT 0x0400

#include <windows.h>

// need to declare functions for export
#define DllDecl __declspec(dllexport)

#include "...\\common\\src\\trans.h" //tpckit transaction header contains definations of structures specific to TPC-C
#include "...\\common\\src\\error.h"
#include "...\\common\\src\\txm_base.h"
#include "tpcc_com.h"

#include "...\\tpcc_com_ps\\src\\tpcc_com_ps_i.c"

```

## tpcc\_com.cpp

```

#include "..\..\tpcc_com_all\src\tpcc_com_all_i.c"

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_COM* CTPCC_COM_new(BOOL bSinglePool)
{
    return new CTPCC_COM(bSinglePool);
}

CTPCC_COM::CTPCC_COM(BOOL bSinglePool)
{
    HRESULT hr = NULL;
    long lRet = 0;
    ULONG ulTmpSize = 0;

    m_pTxn = NULL;
    m_pNewOrder = NULL;
    m_pPayment = NULL;
    m_pStockLevel = NULL;
    m_pOrderStatus = NULL;

    m_bSinglePool = bSinglePool;

    ulTmpSize = (ULONG) sizeof(COM_DATA);
    VariantInit(&m_vTxn);
    m_vTxn.vt = VT_SAFEARRAY;

    m_vTxn.parray =
SafeArrayCreateVector(VT_UI1, ulTmpSize, ulTmpSize);
    if (!m_vTxn.parray)
        throw new CCOMERR( E_FAIL );

    memset((void*)m_vTxn.parray-
>pvData,0,ulTmpSize);
    m_pTxn = (COM_DATA*)m_vTxn.parray->pvData;

    hr = CoInitializeEx(NULL,
COINIT_MULTITHREADED);
    if (FAILED(hr))
    {
        throw new CCOMERR( hr );
    }

    // create components
    if (m_bSinglePool)
    {
        hr = CoCreateInstance(CLSID_TPCC,
NULL, CLSCTX_SERVER, IID_ITPCC, (void ***)&m_pNewOrder);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        // all txns will use same
component
        m_pPayment = m_pNewOrder;
        m_pStockLevel = m_pNewOrder;
        m_pOrderStatus = m_pNewOrder;
    }
    else
    {
        // use different components for
each txn
    }
}

```

```

        hr =
CoCreateInstance(CLSID_NewOrder, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pNewOrder);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr =
CoCreateInstance(CLSID_Payment, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pPayment);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr =
CoCreateInstance(CLSID_StockLevel, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **)&m_pStockLevel);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr =
CoCreateInstance(CLSID_OrderStatus, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **)&m_pOrderStatus);
        if (FAILED(hr))
            throw new CCOMERR(hr);

    }

    // call setcomplete to release each
component back into pool
    hr = m_pNewOrder->CallSetComplete();
    if (FAILED(hr))
        throw new CCOMERR(hr);

    if (!m_bSinglePool)
    {
        hr = m_pPayment-
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pStockLevel-
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pOrderStatus-
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);
    }

CTPCC_COM::~CTPCC_COM()
{
    if (m_pTxn)
        SafeArrayDestroy(m_vTxn.parray);

    ReleaseInterface(m_pNewOrder);
    if (!m_bSinglePool)
    {
        ReleaseInterface(m_pPayment);
        ReleaseInterface(m_pStockLevel);
        ReleaseInterface(m_pOrderStatus);
    }
    CoUninitialize();
}

}

void CTPCC_COM::NewOrder()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pNewOrder->NewOrder(m_vTxn,
&vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData,vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

void CTPCC_COM::Payment()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pPayment->Payment(m_vTxn,
&vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData,vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

void CTPCC_COM::StockLevel()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pStockLevel-
>StockLevel(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData,vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

void CTPCC_COM::OrderStatus()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pOrderStatus-
>OrderStatus(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData,vTxn_out.parray->rgsabound[0].cElements);
}

```

```

SafeArrayDestroy(vTxn_out.parray);

if ( m_pTxn->ErrorType != ERR_SUCCESS )
    throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}



---


tpcc_com.h


---


/* FILE: TPCC_COM.H Microsoft
 * TPC-C Kit Ver. 4.20.000 Copyright
 * Microsoft, 1999
 * All Rights Reserved
 *
 * not yet
audited
*
* PURPOSE: Header file for TPC-C COM+ class
implementation.
*
* Change history:
* 4.20.000 - first version
*/


---


#pragma once

#include <stdio.h>
#include "..\..\tpcc_com_ps\src\tpcc_com_ps.h"

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllexport )
#endif

class CCOMERR : public CBaseErr
{
private:
    char m_szErrorText[64];

public:
    // use this interface for genuine
COM errors
    CCOMERR( HRESULT hr )
    {
        m_hr = hr;
        m_iErrorType = 0;
        m_iError = 0;
    }

    // use this interface to
    // impersonate a non-COM error type
    CCOMERR( int iErrorType, int
iError )
    {
        m_iErrorType =
iErrorType;
        m_iError = iError;
        m_hr = S_OK;
    }
}

```

```

}
int          m_hr;
int          m_iErrorType;
int          m_iError;

// A CCOMERR class can
impersonate another class, which happens if the error
// was not actually a COM
Services error, but was simply transmitted back via
COM.

int ErrorType()
{
    if (m_iErrorType == 0)
        return
ERR_TYPE_COM;
    else
        return
m_iErrorType;
}

int ErrorNum() {return m_hr;}

char *ErrorText()
{
    if (m_hr == S_OK)
        sprintf(
m_szErrorText, "Error: Class %d, error # %d",
m_iErrorType, m_iError );
    else
        sprintf(
m_szErrorText, "Error: COM HRESULT %x", m_hr );
    return m_szErrorText;
}

class DllDecl CTPCC_COM : public CTPCC_BASE
{
private:
    BOOL m_bSinglePool;

    // COM Interface pointers
    ITPCC* m_pNewOrder;
    ITPCC* m_pPayment;
    ITPCC* m_pStockLevel;
    ITPCC* m_pOrderStatus;

    struct COM_DATA
    {
        int ErrorType;
        int error;
        union
        {
            NEW_ORDER_DATA NewOrder;
            PAYMENT_DATA Payment;
            DELIVERY_DATA Delivery;
        };
    };
}

```

```

STOCK_LEVEL_DATA StockLevel;
ORDER_STATUS_DATA OrderStatus;
} u;
} *m_pTxn;

public:
VARIANT m_vTxn;
CTPCC_COM(BOOL bSinglePool);
~CTPCC_COM(void);

inline PNEW_ORDER_DATA
BuffAddr_NewOrder() { return
&m_pTxn->u.NewOrder; }
inline PPAYMENT_DATA
BuffAddr_Payment() { return
&m_pTxn->u.Payment; }
inline PDELIVERY_DATA
BuffAddr_Delivery() { return
&m_pTxn->u.Delivery; }
inline PSTOCK_LEVEL_DATA
BuffAddr_StockLevel() { return
&m_pTxn->u.StockLevel; }
inline PORDER_STATUS_DATA
BuffAddr_OrderStatus() { return
&m_pTxn->u.OrderStatus; }

void NewOrder();
void Payment();
void StockLevel();
void OrderStatus();
void Delivery();

{ throw new CCOMERR(E_NOTIMPL); } // not supported
};

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

// wrapper routine for class constructor
extern "C" __declspec(dllexport) CTPCC_COM*
CTPCC_COM_new(BOOL);

typedef CTPCC_COM* (TYPE_CTPCC_COM)(BOOL);

```

## *tpcc\_com\_all.c*

### *pp*

```

/* FILE: TPCC_COM_ALL.CPP Microsoft
TPC-C Kit Ver. 4.20.000

```

```

/*
Copyright
Microsoft, 1999
All Rights Reserved
*
Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
PURPOSE: Implementation for TPC-C Tuxedo
class.
Contact: Charles Levine
(clevine@microsoft.com)
*
Change history:
4.20.000 - updated rev number to
match kit
*/
#define STRICT
#define _WIN32_WINNT 0x0400
#define _ATL_APARTMENT_THREADS

#include <stdio.h>
#include <atlbase.h>
//You may derive a class from CComModule and use it
if you want to override
//something, but do not change the name of _Module
extern CComModule _Module;

#include <atlcom.h>
#include <initguid.h>
#include <transact.h>
#include <atlimpl.cpp>
#include <comsvcs.h>

#include <sqatypes.h>
#include <sql.h>
#include <sqlext.h>

#include "tpcc_com_ps.h"
#include "..\..\common\src\trans.h"
//tpckit transaction
header contains definitions of structures specific to
TPC-C
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\error.h"
#include "..\..\common\src\ReadRegistry.h"
#include "..\..\db_dblib_dll\src\tpcc_dblib.h"
// DBLIB implementation of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h"
// ODBC implementation of TPC-C txns

#include "resource.h"
#include "tpcc_com_all.h"
#include "tpcc_com_all_i.c"
#include "Methods.h"
#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\common\src\ReadRegistry.cpp"

CComModule _Module;
BEGIN_OBJECT_MAP(ObjectMap)

```

```

OBJECT_ENTRY(CLSID_TPCC, CTPCC)
OBJECT_ENTRY(CLSID_NewOrder, CNewOrder)
OBJECT_ENTRY(CLSID_OrderStatus,
COrderStatus)
OBJECT_ENTRY(CLSID_Payment, CPayment)
OBJECT_ENTRY(CLSID_StockLevel, CStockLevel)
END_OBJECT_MAP()

// configuration settings from registry
TPCCREGISTRYDATA Reg;
char szMyComputerName[MAX_COMPUTERNAME_LENGTH+1]
;

static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;

///////////////////////////////
// DLL Entry Point

extern "C"
BOOL WINAPI DllMain(HINSTANCE hInstance, DWORD dwReason, LPVOID *lpReserved*)
{
    char szDllName[128];

    try
    {
        if (dwReason ==
DLL_PROCESS_ATTACH)
        {
            _Module.Init(ObjectMap,
hInstance);

            DisableThreadLibraryCalls(hInstance);

            DWORD dwSize =
MAX_COMPUTERNAME_LENGTH+1;

            GetComputerName(szMyComputerName, &dwSize);
            szMyComputerName[dwSize] = 0;

            if (
ReadTPCCRegistrySettings( &Reg ) )
                throw new
CCOMPONENT_ERR( ERR_MISSING_REGISTRY_ENTRIES );
            if (Reg.eDB_Protocol ==
DBLIB)
            {
                strcpy(
szDllName, Reg.szPath );
                strcat(
szDllName, "tpcc_dblib.dll");
                hLibInstanceDb = LoadLibrary( szDllName );

```

```

if
(hLibInstanceDb == NULL)
    throw new CCOMPONENT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );
// get
function pointer to wrapper for class constructor

pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
GetProcAddress(hLibInstanceDb,"CTPCC_DBLIB_new");
if
(pCTPCC_DBLIB_new == NULL)

    throw new CCOMPONENT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
}
else if
(Reg.eDB_Protocol == ODBC)
{
    strcpy(
szDllName, Reg.szPath );
    strcat(
szDllName, "tpcc_odbc.dll");

    hLibInstanceDb = LoadLibrary( szDllName );
if
(hLibInstanceDb == NULL)

    throw new CCOMPONENT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );
// get
function pointer to wrapper for class constructor

pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb,"CTPCC_ODBC_new");
if
(pCTPCC_ODBC_new == NULL)

    throw new CCOMPONENT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
}
else
    throw new
CCOMPONENT_ERR( ERR_UNKNOWN_DB_PROTOCOL );
else if (dwReason ==
DLL_PROCESS_DETACH)
    _Module.Term();

}
catch (CBaseErr *e)
{
    WriteMessageToEventLog(e->ErrorText());
    delete e;
    return FALSE;
}
catch (...)
{

```

```

        WriteMessageToEventLog(TEXT("Unhandled
exception in object DllMain"));
            return FALSE;
        }

        return TRUE; // OK
    }

// Used to determine whether the DLL can be unloaded
by OLE

STDAPI DllCanUnloadNow(void)
{
    return (_Module.GetLockCount() == 0) ? S_OK :
S_FALSE;
}

// Returns a class factory to create an object of the
requested type

STDAPI DllGetClassObject(REFCLSID rclsid, REFIID
iid, LPVOID* ppv)
{
    return _Module.GetClassObject(rclsid, iid,
ppv);
}

// DllRegisterServer - Adds entries to the system
registry

STDAPI DllRegisterServer(void)
{
    // registers object, typelib and all
interfaces in typelib
    return _Module.RegisterServer(TRUE);
}

// DllUnregisterServer - Removes entries from the
system registry

STDAPI DllUnregisterServer(void)
{
    _Module.UnregisterServer();
    return S_OK;
}

static void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR szMsg[256];
    HANDLE hEventSource;
    LPTSTR lpszStrings[2];

    // Use event logging to log the error.
}

```

```

    //
    hEventSource = RegisterEventSource(NULL,
TEXT("tpcc_com_all.dll"));

    _strprintf(szMsg, TEXT("Error in COM+ TPC-C
Component: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event
source
                     EVENTLOG_ERROR_TYPE, // event type
                     0, // event category
                     0, // event ID
                     NULL, // current user's
SID
                     2, // strings in
lpszStrings
                     0, // no bytes of raw
data
                     (LPCTSTR *)lpszStrings, // array of
error strings
                     NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

/* FUNCTION: CCOMPONENT_ERR::ErrorText
*/
char* CCOMPONENT_ERR::ErrorText(void)
{
    static SERRORMSG errorMsgs[] =
    {
        { ERR_MISSING_REGISTRY_ENTRIES,
          "Required entries missing from registry." },
        { ERR_LOADDLL_FAILED,
          "Load of DLL failed. DLL=" },
        { ERR_GETPROCADDR_FAILED,
          "Could not map proc in DLL. GetProcAddress
error. DLL=" },
        { ERR_UNKNOWN_DB_PROTOCOL,
          "Unknown database protocol specified in
registry." },
        { 0, "" }
    };
}

```

```

    }

    char szTmp[256];
    int i = 0;
    while (TRUE)
    {
        if (errorMsgs[i].szMsg[0] == 0)
        {
            strcpy( szTmp, "Unknown
error number. " );
            break;
        }
        if (m_Error ==
errorMsgs[i].iError)
        {
            strcpy( szTmp,
errorMsgs[i].szMsg );
            break;
        }
        i++;
    }

    if (m_szTextDetail)
        strcat( szTmp, m_szTextDetail );
    if (m_SystemErr)
        wsprintf( szTmp+strlen(szTmp), "
Error=%d", m_SystemErr );

    m_szErrorText = new char[strlen(szTmp)+1];
    strcpy( m_szErrorText, szTmp );
    return m_szErrorText;
}

CTPCC_Common::CTPCC_Common()
{
    m_pTxn = NULL;
    m_bCanBePooled = TRUE;
}

CTPCC_Common::~CTPCC_Common()
{
    if (m_pTxn)
        delete m_pTxn;
}

HRESULT CTPCC_Common::CallSetComplete()
{
    IOObjectContext* pObjectContext = NULL;

    // get our object context
    HRESULT hr = CoGetObjectContext(
IID_IOObjectContext, (void **) &pObjectContext );
    pObjectContext->SetComplete();
    ReleaseInterface(pObjectContext);
    return hr;
}

// // called by the ctor activator

```

```

STDMETHODIMP CTPCC_Common::Construct(IDispatch *  

pUnk)  

{  

    // Code to access construction string, if  

needed later...  

    // if (!pUnk)  

    //     return E_UNEXPECTED;  

    // IObjectConstructString * pString  

= NULL;  

    // HRESULT hr = pUnk->QueryInterface(IID_IObjectConstructString, (void  
**) &pString);  

    // pString->Release();  

    try  

    {  

        if (Reg.eDB_Protocol == ODBC)  

            m_pTxn =  

pCTPCC_ODBC_new( Reg.szDbServer, Reg.szDbUser,  

Reg.szDbPassword, szMyComputerName, Reg.szDbName );  

        else if (Reg.eDB_Protocol ==  

DBLIB)  

            m_pTxn =  

pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,  

Reg.szDbPassword, szMyComputerName, Reg.szDbName );  

        catch (CBaseErr *e)  

        {  

            WriteMessageToEventLog(e->ErrorText());  

            delete e;  

            return E_FAIL;
        }
        catch (...)  

        {  

            WriteMessageToEventLog(TEXT("Unhandled  

exception in object ::Construct"));  

            return E_FAIL;
        }
        return S_OK;
    }  

HRESULT CTPCC_Common::NewOrder(VARIANT txn_in,  

VARIANT* txn_out)  

{  

    PNEW_ORDER_DATA      pNewOrder;  

    COM_DATA              *pData;  

    try  

    {  

        pData = (COM_DATA*) txn_in.parray->pvData;  

        pNewOrder = m_pTxn->BuffAddr_NewOrder();  

        memcpy(pNewOrder, &pData->u.NewOrder, sizeof(NEW_ORDER_DATA));  

        m_pTxn->NewOrder();           //  

do the actual txn  

        VariantInit(txn_out);
    }
}
```

```

        txm_out->vt = VT_SAFEARRAY;  

        txm_out->parray =  

SafeArrayCreateVector(VT_UI1,  

                    txm_in.parray->rgsabound->cElements,  

                    txm_in.parray->rgsabound->cElements);  

        pData = (COM_DATA*) txm_out->pvData;  

        memcpy( &pData->u.NewOrder,  

pNewOrder, sizeof(NEW_ORDER_DATA));  

        pData->retval = ERR_SUCCESS;  

        pData->error = 0;  

        return S_OK;
    }
    catch (CBaseErr *e)  

    {  

        // check for lost database  

connection; if yes, component is toast  

        if ( ((e->ErrorType() ==  

ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005)) ||  

((e->ErrorType() ==  

ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )  

            m_bCanBePooled = FALSE;  

        pData->retval = e->ErrorType();  

        pData->error = e->ErrorNum();  

        delete e;  

        return E_FAIL;
    }
    catch (...)  

    {  

        WriteMessageToEventLog(TEXT("Unhandled  

exception."));  

        pData->retval = ERR_TYPE_LOGIC;  

        pData->error = 0;  

        m_bCanBePooled = FALSE;  

        return E_FAIL;
    }
}  

HRESULT CTPCC_Common::Payment(VARIANT txn_in,  

VARIANT* txn_out)  

{  

    PPAYMENT_DATA      pPayment;  

    COM_DATA              *pData;  

    try  

    {  

        pData = (COM_DATA*) txn_in.parray->pvData;  

        pPayment = m_pTxn->BuffAddr_Payment();  

        memcpy(pPayment, &pData->u.Payment, sizeof(PAYMENT_DATA));
        m_pTxn->Payment();           //  

do the actual txn
    }
}
```

VariantInit(txn\_out);  
txm\_out->vt = VT\_SAFEARRAY;  
txm\_out->parray =  
SafeArrayCreateVector( VT\_UI1,  
 txm\_in.parray->rgsabound->cElements,  
 txm\_in.parray->rgsabound->cElements);  
 pData = (COM\_DATA\*) txm\_out->pvData;  
 memcpy( &pData->u.Payment,  
pPayment, sizeof(PAYMENT\_DATA));  
 pData->retval = ERR\_SUCCESS;  
 pData->error = 0;  
 return S\_OK;
 }
 catch (CBaseErr \*e)  
 {  
 // check for lost database  
connection; if yes, component is toast  
 if ( ((e->ErrorType() ==  
ERR\_TYPE\_DBLIB) && (e->ErrorNum() == 10005)) ||  
((e->ErrorType() ==  
ERR\_TYPE\_ODBC) && (e->ErrorNum() == 10054)) )  
 m\_bCanBePooled = FALSE;  
 pData->retval = e->ErrorType();  
 pData->error = e->ErrorNum();  
 delete e;  
 return E\_FAIL;
 }
 catch (...)  
 {  
 WriteMessageToEventLog(TEXT("Unhandled  
exception."));  
 pData->retval = ERR\_TYPE\_LOGIC;  
 pData->error = 0;  
 m\_bCanBePooled = FALSE;  
 return E\_FAIL;
 }
}  
  
HRESULT CTPCC\_Common::StockLevel(VARIANT txn\_in,  
VARIANT\* txn\_out)  
{  
 PSTOCK\_LEVEL\_DATA pStockLevel;  
 COM\_DATA \*pData;  
 try  
 {  
 pData = (COM\_DATA\*) txn\_in.parray->pvData;  
 pStockLevel = m\_pTxn->BuffAddr\_StockLevel();  
 memcpy(pStockLevel, &pData->u.StockLevel, sizeof(STOCK\_LEVEL\_DATA));
 }
}

```

        m_pTxn->StockLevel();

        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,
                      txin_in.parray->rgsabound-
>cElements,
                      txin_in.parray->rgsabound-
>cElements);
        pData = (COM_DATA*)txin_out-
>parray->pvData;

        memcpy( &pData->u.StockLevel,
pStockLevel, sizeof(STOCK_LEVEL_DATA));

        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
connection: if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005)) ||

((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

HRESULT CTPCC_Common::OrderStatus(VARIANT txin_in,
VARIANT* txin_out)
{
    PORDER_STATUS_DATA pOrderStatus;
    COM_DATA          *pData;
    try
    {
        pData = (COM_DATA*)txin_in.parray-
>pvData;
        pOrderStatus = m_pTxn-
>BuffAddr_OrderStatus();

```

```

        memcpy(pOrderStatus, &pData-
>u.OrderStatus, sizeof(ORDER_STATUS_DATA));

        m_pTxn->OrderStatus();

        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,
                      txin_in.parray->rgsabound-
>cElements,
                      txin_in.parray->rgsabound-
>cElements);
        pData = (COM_DATA*)txin_out-
>parray->pvData;

        memcpy( &pData->u.OrderStatus,
pOrderStatus, sizeof(ORDER_STATUS_DATA));

        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
connection: if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005)) ||

((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

```

---

**tpcc\_com\_all.def**

; tpcc\_com\_all.def : Declares the module parameters.

LIBRARY "tpcc\_com\_all.dll"

EXPORTS

```

DllCanUnloadNow      @1 PRIVATE
DllGetClassObject     @2 PRIVATE
DllRegisterServer     @3 PRIVATE
DllUnregisterServer   @4 PRIVATE

```

## tpcc\_com\_all.d sp

```

# Microsoft Developer Studio Project File -
Name="tpcc_com_all" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=tpcc_com_all - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_all.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_all.mak"
CFG=tpcc_com_all - Win32 Debug
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tpcc_com_all - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tpcc_com_all - Win32 Debug" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF   "$(CFG)" == "tpcc_com_all - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""


```

```

# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
# _DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
# _DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 ..\db_dbllib.dll\bin\tpcc_dbllib.lib
..\db_odbc_dll\bin\tpcc_odbc.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbcpp32.lib /nologo
/subsystem:windows /dll /machine:I386

!ELSEIF "$(CFG)" == "tpcc_com_all - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
# _WIN32" /D _DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D _DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D _DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D _DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d _DEBUG"
# ADD RSC /l 0x409 /d _DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ..\db_dbllib.dll\bin\tpcc_dbllib.lib
..\db_odbc_dll\bin\tpcc_odbc.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbcpp32.lib /nologo

```

```

/subsystem:windows /dll /debug /machine:I386
/pdbtype:sept
!ENDIF

# Begin Target

# Name "tpcc_com_all - Win32 Release"
# Name "tpcc_com_all - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter "*.*"
# Begin Source File

SOURCE=.src\tpcc_com_all.cpp
# SUBTRACT CPP /YX
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_all.def
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_all.idl
# IF "$(CFG)" == "tpcc_com_all - Win32 Release"

# PROP Ignore_Default_Tool 1
# Begin Custom Build - Performing MIDL step
InputPath=.src\tpcc_com_all.idl

BuildCmds= \
midl /Oicf /n "tpcc_com_all.h" /iid
"tpcc_com_all_i.c" ".src\tpcc_com_all.idl"
/out ".src"

".src\tpcc_com_all.tlb" : $(SOURCE) "$(INTDIR)"
$(OUTDIR)
$(BuildCmds)

".src\tpcc_com_all.h" : $(SOURCE) "$(INTDIR)"
$(OUTDIR)
$(BuildCmds)

".src\tpcc_com_all_i.c" : $(SOURCE) "$(INTDIR)"
$(OUTDIR)
$(BuildCmds)
# End Custom Build

!ELSEIF "$(CFG)" == "tpcc_com_all - Win32 Debug"

# PROP Ignore_Default_Tool 1
# Begin Custom Build - Performing MIDL step
InputPath=.src\tpcc_com_all.idl

BuildCmds= \
midl /Oicf /n "tpcc_com_all.h" /iid
"tpcc_com_all_i.c" ".src\tpcc_com_all.idl"
/out ".src"

".src\tpcc_com_all.tlb" : $(SOURCE) "$(INTDIR)"
$(OUTDIR)
$(BuildCmds)

```

```

".src\tpcc_com_all.h" : $(SOURCE) "$(INTDIR)"
$(OUTDIR)
$(BuildCmds)

".src\tpcc_com_all_i.c" : $(SOURCE) "$(INTDIR)"
$(OUTDIR)
$(BuildCmds)
# End Custom Build

!ENDIF

# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.*"
# Begin Source File

SOURCE=.src\Methods.h
# End Source File
# Begin Source File

SOURCE=.src\resource.h
# End Source File
# End Group
# Begin Source File

SOURCE=.src\tpcc_com_all.rc
# End Source File
# End Target
# End Project

```

## tpcc\_com\_all.h

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the
definitions for the interfaces */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:19 2000
*/
/* Compiler settings for .src\tpcc_com_all.idl:
   Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run),
   ms_ext, c_ext
   error checks: allocation ref bounds_check enum
   stub_data
   VC __declspec() decoration level:
      __declspec(uuid()), __declspec(selectany),
      __declspec(novtable)
      DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@@MIDL_FILE_HEADING()

/* verify that the <rpcndr.h> version is high enough
to compile this file*/

```

```

#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __tpcc_com_all_h__
#define __tpcc_com_all_h__

/* Forward Declarations */

#ifndef __TPCC_FWD_DEFINED__
#define __TPCC_FWD_DEFINED__

```

Ifdef \_\_cplusplus

```

typedef class TPCC TPCC;
#else
typedef struct TPCC TPCC;
#endif /* __cplusplus */

#ifndef __TPCC_FWD_DEFINED__ */

```

Ifndef \_\_NewOrder\_FWD\_DEFINED\_\_

```

#define __NewOrder_FWD_DEFINED__

```

Ifdef \_\_cplusplus

```

typedef class NewOrder NewOrder;
#else
typedef struct NewOrder NewOrder;
#endif /* __cplusplus */

#ifndef __NewOrder_FWD_DEFINED__ */

```

Ifndef \_\_OrderStatus\_FWD\_DEFINED\_\_

```

#define __OrderStatus_FWD_DEFINED__

```

Ifdef \_\_cplusplus

```

typedef class OrderStatus OrderStatus;
#else
typedef struct OrderStatus OrderStatus;
#endif /* __cplusplus */

#ifndef __OrderStatus_FWD_DEFINED__ */

```

Ifndef \_\_Payment\_FWD\_DEFINED\_\_

```

#define __Payment_FWD_DEFINED__

```

Ifdef \_\_cplusplus

```

typedef class Payment Payment;
#else
typedef struct Payment Payment;
#endif /* __cplusplus */

#ifndef __Payment_FWD_DEFINED__ */

```

Ifndef \_\_StockLevel\_FWD\_DEFINED\_\_

```

#define __StockLevel_FWD_DEFINED__

```

```

#endif /* __cplusplus
typedef class StockLevel StockLevel;
#else
typedef struct StockLevel StockLevel;
#endif /* __cplusplus */

#ifndef __StockLevel_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"
#include "tpcc_com_ps.h"

#ifndef __cplusplus
extern "C"{
#endif

void __RPC_FAR * __RPC_USER
MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpcc_com_all_0000 */
/* [local] */

extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_all_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_all_0000_v0_0_s_ifspec;

#ifndef __TPCCLib_LIBRARY_DEFINED__
#define __TPCCLib_LIBRARY_DEFINED__

```

/\* library TPCCLib \*/

/\* [helpstring][version][uuid] \*/

```

EXTERN_C const IID LIBID_TPCCLib;
EXTERN_C const CLSID CLSID_TPCC;

#ifndef __cplusplus
class DECLSPEC_UUID("122A3128-2520-11D3-BA71-
00C04FBFE08B")
TPCC;
#endif

EXTERN_C const CLSID CLSID_NewOrder;

#ifndef __cplusplus
class DECLSPEC_UUID("975BAABF-84A7-11D2-BA47-
00C04FBFE08B")
NewOrder;

```

```

#endif

EXTERN_C const CLSID CLSID_OrderStatus;

#ifndef __cplusplus
class DECLSPEC_UUID("266836AD-A50D-11D2-BA4E-
00C04FBFE08B")
OrderStatus;
#endif

EXTERN_C const CLSID CLSID_Payment;

#ifndef __cplusplus
class DECLSPEC_UUID("CD02F7EF-A4FA-11D2-BA4E-
00C04FBFE08B")
Payment;
#endif

EXTERN_C const CLSID CLSID_StockLevel;

#ifndef __cplusplus
class DECLSPEC_UUID("2668369E-A50D-11D2-BA4E-
00C04FBFE08B")
StockLevel;
#endif

#ifndef __TPCCLib_LIBRARY_DEFINED__ */

/* Additional Prototypes for ALL interfaces */

/* end of Additional Prototypes */

#ifndef __cplusplus
}
#endif

```

## ***tpcc\_com\_all.idl***

---

```

/* FILE:           TPCC.IDL
   *               Microsoft
TPC-C Kit Ver. 4.20.000
   *               Copyright
Microsoft, 1999
   *                   All Rights Reserved
   *
   *               not yet
audited
   *
   * PURPOSE: IDL source for TPCC.dll. This
file is processed by the MIDL tool to
   * produce the
type library (TPCC.tlb) and marshalling code.
   *

```

```

* Change history:
*          4.20.000 - first version
*/
interface TPCC;
interface NewOrder;
interface OrderStatus;
interface Payment;
interface StockLevel;

import "oaidl.idl";
import "ocidl.idl";
import "..\tpcc_com_ps\src\tpcc_com_ps.idl";

[
    uuid(122A3117-2520-11D3-BA71-00C04FBFE08B),
    version(1.0),
    helpstring("TPC-C 1.0 Type Library")
]
library TPCCLib
{
    importlib("stdole32.tlb");
    importlib("stdole2.tlb");

    [
        uuid(122A3128-2520-11D3-BA71-
00C04FBFE08B),
        helpstring("All Txns Class")
    ]
    coclass TPCC
    {
        [default] interface ITPCC;
    }

    [
        uuid(975BAABF-84A7-11D2-BA47-
00C04FBFE08B),
        helpstring("NewOrder Class")
    ]
    coclass NewOrder
    {
        [default] interface ITPCC;
    }

    [
        uuid(266836AD-A50D-11D2-BA4E-
00C04FBFE08B),
        helpstring("OrderStatus Class")
    ]
    coclass OrderStatus
    {
        [default] interface ITPCC;
    }

    [
        uuid(CD02F7EF-A4FA-11D2-BA4E-
00C04FBFE08B),
        helpstring("Payment Class")
    ]

```

```

coclass Payment
{
    [default] interface ITPCC;
};

[
    uuid(2668369E-A50D-11D2-BA4E-
00C04FBFE08B),
    helpstring("StockLevel Class")
]
coclass StockLevel
{
    [default] interface ITPCC;
};



---



## tpcc_com_all.r



### C



---



```

//Microsoft Developer Studio generated resource
script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
///
// Generated from the TEXTINCLUDE 2 resource.
//
#include "winres.h"

///
// English (U.S.) resources
//
#if !defined(AFX_RESOURCE_DLL) || defined(AFX_TARG_ENU)
#define _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#endif // APSTUDIO_INVOKED
///
// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

```


```

```

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include \"winres.h\"\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "1 TYPELIB \"tpcc_com_all.tlb\"\r\n"
    "\0"
END
#endif // APSTUDIO_INVOKED

#ifndef _MAC
///////////////////////////////
/////////////////////////////
// Version
//

VS_VERSION_INFO VERSIONINFO
FILEVERSION 1,0,0,1
PRODUCTVERSION 1,0,0,1
FILEFLAGSMASK 0x3FL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x4L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
BLOCK "StringFileInfo"
BEGIN
BLOCK "040904B0"
BEGIN
VALUE "CompanyName", "\0"
VALUE "FileDescription", "tpcc_com_all
Module\0"
VALUE "FileVersion", "1, 0, 0, 1\0"
VALUE "InternalName", "TPCCNEWORDER\0"
VALUE "LegalCopyright", "Copyright
1997\0"
VALUE "OriginalFilename",
"tpcc_com_all.DLL\0"
VALUE "ProductName", "tpcc_com_all
Module\0"
VALUE "ProductVersion", "1, 0, 0, 1\0"
VALUE "OLESelfRegister", "\0"
END
BLOCK "VarFileInfo"
BEGIN
VALUE "Translation", 0x409, 1200
END
#endif // !_MAC

```

```

////////// /////////////////
// 
// REGISTRY
// 

IDR_TPCC      REGISTRY DISCARDABLE
"tpcc_com_all.rgs"
IDR_NEWORDER  REGISTRY DISCARDABLE
"tpcc_com_no.rgs"
IDR_ORDERSTATUS REGISTRY DISCARDABLE
"tpcc_com_os.rgs"
IDR_PAYMENT    REGISTRY DISCARDABLE
"tpcc_com_pay.rgs"
IDR_STOCKLEVEL REGISTRY DISCARDABLE
"tpcc_com_sl.rgs"

////////// /////////////////
// 
// String Table
// 

STRINGTABLE DISCARDABLE
BEGIN
  IDS_PROJNAME      "tpcc_com_all"
END

#endif // English (U.S.) resources
////////// /////////////////
// 

#ifndef APSTUDIO_INVOKED
////////// /////////////////
// 
// Generated from the TEXTINCLUDE 3 resource.
// 
1 TYPELIB "tpcc_com_all.tlb"

////////// /////////////////
// 
#endif // not APSTUDIO_INVOKED

```

## tpcc\_com\_all.r gs

```

HKCR
{
  TPCC.AllTxns.1 = s 'All Txns Class'
  {
    CLSID = s '{122A3128-2520-11D3-
BA71-00C04FBFE08B}'
  }
  TPCC.AllTxns = s 'TPCC Class'
  {

```

```

    CurVer = s 'TPCC.AllTxns.1'
  }
  NoRemove CLSID
  {
    ForceRemove {122A3128-2520-11D3-
BA71-00C04FBFE08B} = s 'TPCC Class'
    {
      ProgID = s
      'TPCC.AllTxns.1'

      VersionIndependentProgID = s 'TPCC.AllTxns'
      InprocServer32 = s
      '%MODULE%'
      {
        val
      ThreadingModel = s 'Both'
      }
    }
  }
}

```

## ***tpcc\_com\_all.i.***

### **C**

---

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:19 2000
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)

#ifndef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

```

```

#endif // _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_
#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
  unsigned long x;
  unsigned short s1;
  unsigned short s2;
  unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
const type name =
{l,w1,{b1,b2,b3,b4,b5,b6,b7,b8}};

#endif // !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib,0x122A3117,0x2520,0x11D3,0xBA,0x71,0x00
,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC,0x122A3128,0x2520,0x11D3,0xBA,0x71,0x00,0x
C0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder,0x975BAABF,0x84A7,0x11D2,0xBA,0x47,0x0
,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus,0x266836AD,0xA50D,0x11D2,0xBA,0x4E,
0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

```

```

MIDL_DEFINE_GUID(CLSID,
CLSID_Payment,0xCD02F7EF,0xA4FA,0x11D2,0xBA,0x4E,0x00
,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel,0x2668369E,0xA50D,0x11D2,0xBA,0x4E,0
x00,0xC0,0x4F,0xBF,0xE0,0x8B);

#define MIDL_DEFINE_GUID
#endif __cplusplus
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AXP64) */

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:19 2000
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
Oifc (OptLev=i2), W1, Zp8, env=Win64 (32b
run, appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_AXP64)

#ifndef __cplusplus
extern "C"
#endif

#include <rpc.h>
#include <rpcreg.h>

#define _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#endif

```

```

#define _MIDL_DEFINE_GUID
#define _MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
#define _MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
#define _MIDL_DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)
#define _MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib,0x122A3117,0x2520,0x11D3,0xBA,0x71,0x00
,0xC0,0x4F,0xBF,0xE0,0x8B);

#define _MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC,0x122A3128,0x2520,0x11D3,0xBA,0x71,0x00,0x
0,0xC0,0x4F,0xBF,0xE0,0x8B);

#define _MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus,0x266836AD,0xA50D,0x11D2,0xBA,0x4E,0x0
0,0xC0,0x4F,0xBF,0xE0,0x8B);

#define _MIDL_DEFINE_GUID(CLSID,
CLSID_Payment,0xCD02F7EF,0xA4FA,0x11D2,0xBA,0x4E,0x00
,0xC0,0x4F,0xBF,0xE0,0x8B);

```

```

MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel,0x2668369E,0xA50D,0x11D2,0xBA,0x4E,0
x00,0xC0,0x4F,0xBF,0xE0,0x8B);

#define MIDL_DEFINE_GUID
#endif __cplusplus
#endif
#endif /* * defined(_M_IA64) || defined(_M_AXP64) */

```

## ***tpcc\_com\_no.rgs***

```

HKCR
{
    TPCC.NewOrder.l = s 'NewOrder Class'
    {
        CLSID = s '{975BAABF-84A7-11D2-
BA47-00C04FBFE08B}'
    }
    TPCC.NewOrder = s 'NewOrder Class'
    {
        CurVer = s 'TPCC.NewOrder.1'
    }
    NoRemove CLSID
    {
        ForceRemove {975BAABF-84A7-11D2-
BA47-00C04FBFE08B} = s 'NewOrder Class'
        {
            ProgID = s
'TPCC.NewOrder.1'

            VersionIndependentProgID = s
'TPCC.NewOrder'
InprocServer32 = s
'%MODULE%'
        {
            val
ThreadingModel = s 'Both'
        }
    }
}

```

## ***tpcc\_com\_os.rgs***

```

HKCR
{
    TPCC.OrderStatus.l = s 'OrderStatus Class'
    {

```

```

        CLSID = s '{266836AD-A50D-11D2-
BA4E-00C04FBFE08B}'
    }
    TPCC.OrderStatus = s 'OrderStatus Class'
    {
        CurVer = s 'TPCC.OrderStatus.1'
    }
    NoRemove CLSID
    {
        ForceRemove {266836AD-A50D-11D2-
BA4E-00C04FBFE08B} = s 'OrderStatus Class'
        {
            ProgID = s
'TPCC.OrderStatus.1'

            VersionIndependentProgID = s
'TPCC.OrderStatus'
                InprocServer32 = s
'%MODULE%'
                {
                    val
ThreadingModel = s 'Both'
                }
            }
        }
    }


```

## ***tpcc\_com\_pay. rgs***

```

HKCR
{
    TPCC.Payment.1 = s 'Payment Class'
    {
        CLSID = s '{CD02F7EF-A4FA-11D2-
BA4E-00C04FBFE08B}'
    }
    TPCC.Payment = s 'Payment Class'
    {
        CurVer = s 'TPCC.Payment.1'
    }
    NoRemove CLSID
    {
        ForceRemove {CD02F7EF-A4FA-11D2-
BA4E-00C04FBFE08B} = s 'Payment Class'
        {
            ProgID = s
'TPCC.Payment.1'

            VersionIndependentProgID = s 'TPCC.Payment'
                InprocServer32 = s
'%MODULE%'
                {
                    val
ThreadingModel = s 'Both'
                }
            }
        }
    }


```

## ***tpcc\_com\_ps.d ef***

```

LIBRARY      "tpcc_com_ps"
DESCRIPTION   'Proxy/Stub DLL'
EXPORTS
    DllGetClassObject     @1  PRIVATE
    DllCanUnloadNow       @2  PRIVATE
    GetProxyDllInfo      @3  PRIVATE
    DllRegisterServer    @4  PRIVATE
    DllUnregisterServer  @5  PRIVATE

```

## ***tpcc\_com\_ps.d sp***

```

# Microsoft Developer Studio Project File -
Name="tpcc_com_ps" - Package Owner:<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGTYPE "Win32 (x86) Application" 0x0101

CFG=tpcc_com_ps - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_ps.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_ps.mak" CFG="tpcc_com_ps
- Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tpcc_com_ps - Win32 Release" (based on
"Win32 (x86) Application")
!MESSAGE "tpcc_com_ps - Win32 Debug" (based on "Win32
(x86) Application")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe

```

```

RSC=rc.exe

!IF  "$(CFG)" == "tpcc_com_ps - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG"
/D _WIN32_WINNT=0x0400 /D "REGISTER_PROXY_DLL" /FD /c
# SUBTRACT CPP /YX
# ADD BASE MTL /nologo /D "NDEBUG" /mktypplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktypplib203 /o "NUL"
/win32
# ADD BASE RSC /I 0x409 /d "NDEBUG"
# ADD RSC /I 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo / subsystem:windows /machine:I386
# ADD LINK32 kernel32.lib rpcndr.lib rpcns4.lib
rpcrt4.lib oleaut32.lib uuid.lib /nologo
/entry:"DllMain" /subsystem:windows /dll /pdb:none
/machine:I386 /def:".\\src\\tpcc_com_ps.def"
# Begin Custom Build - Copying tpcc_com_ps.h
InputPath=.\\bin\\tpcc_com_ps.dll
SOURCE="$(InputPath)"

..\\tpcc_com_all\\src\\tpcc_com_ps.h : $(SOURCE)
"$(INITDIR)" "$(OUTDIR)"
    copy ..\\src\\tpcc_com_ps.h
..\\tpcc_com_all\\src\\

# End Custom Build

!ELSEIF  "$(CFG)" == "tpcc_com_ps - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""

```

```

# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /ZI /Od /D "WIN32" /D "_DEBUG" /D
_WIN32_WINNT=0x0400 /D "REGISTER_PROXY_DLL" /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbcpp32.lib /nologo /subsystem:windows /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 kernel32.lib rpcndr.lib rpcns4.lib
rpcrt4.lib oleaut32.lib uuid.lib /nologo
/entry:"DllMain" /dll /debug /machine:I386
/def:".src\tpcc_com_ps.def" /pdbtype:sept
# SUBTRACT LINK32 /pdb:none
# Begin Custom Build - Copying tpcc_com_ps.h
InputPath=.bin\tpcc_com_ps.dll
SOURCE=$(InputPath)

..\tpcc_com_all\src\tpcc_com_ps.h : $(SOURCE)
$(INTDIR) $(OUTDIR)
copy .src\tpcc_com_ps.h
..\tpcc_com_all\src\

# End Custom Build

!ENDIF

# Begin Target

# Name "tpcc_com_ps - Win32 Release"
# Name "tpcc_com_ps - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter ""
# Begin Source File

SOURCE=.src\dlldata.c
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps.idl
# PROP Exclude_From_Build 1
# End Source File
# Begin Source File

# IF   "$(CFG)" == "tpcc_com_ps - Win32 Release"
# PROP Ignore_Default_Tool 1
# Begin Custom Build
InputPath=.src\tpcc_com_ps.idl

```

```

BuildCmds= \
    midl /Oicf /n "tpcc_com_ps.h" /iid
"tpcc_com_ps_i.c" ".src\tpcc_com_ps.idl" /out
".src"
".src\tpcc_com_ps.h" : $(SOURCE) "$(INTDIR)"
$(OUTDIR)
$(BuildCmds)

".src\tpcc_com_ps_i.c" : $(SOURCE) "$(INTDIR)"
$(OUTDIR)
$(BuildCmds)

".src\dlldata.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

".src\tpcc_com_ps_p.c" : $(SOURCE) "$(INTDIR)"
$(OUTDIR)
$(BuildCmds)
# End Custom Build

!ELSEIF   "$(CFG)" == "tpcc_com_ps - Win32 Debug"
# PROP Ignore_Default_Tool 1
# Begin Custom Build
InputPath=.src\tpcc_com_ps.idl

BuildCmds= \
    midl /Oicf /n "tpcc_com_ps.h" /iid
"tpcc_com_ps_i.c" ".src\tpcc_com_ps.idl" /out
".src"
".src\tpcc_com_ps.h" : $(SOURCE) "$(INTDIR)"
$(OUTDIR)
$(BuildCmds)

".src\tpcc_com_ps_i.c" : $(SOURCE) "$(INTDIR)"
$(OUTDIR)
$(BuildCmds)

".src\dlldata.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

".src\tpcc_com_ps_p.c" : $(SOURCE) "$(INTDIR)"
$(OUTDIR)
$(BuildCmds)
# End Custom Build

!ENDIF

# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps_i.c
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps_p.c
# End Source File
# End Group
# End Target
# End Project

```

## tpcc\_com\_ps.h

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the
definitions for the interfaces */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:12 2000
*/
/* Compiler settings for .src\tpcc_com_ps.idl:
   Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run),
ms_ext, c_ext
   error checks: allocation ref bounds_check enum
stub_data
   VC __declspec() decoration level:
      __declspec(uuid()), __declspec(selectany),
__declspec(novtable)
      DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@@MIDL_FILE_HEADING( )

/* verify that the <rpcndr.h> version is high enough
to compile this file*/
#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __RPCNDR_H_VERSION__
#error this stub requires an updated version of
<rpcndr.h>
#endif // __RPCNDR_H_VERSION__

#ifndef COM_NO_WINDOWS_H
#include "windows.h"
#include "ole2.h"
#endif /*COM_NO_WINDOWS_H*/

#ifndef __tpcc_com_ps_h__
#define __tpcc_com_ps_h__

/* Forward Declarations */

#ifndef __ITPCC_FWD_DEFINED__
#define __ITPCC_FWD_DEFINED__
typedef interface ITPCC ITPCC;
#endif /* __ITPCC_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"

#endif /* __tpcc_com_ps_h__ */

```

```

extern "C" {
#endif

void __RPC_FAR * __RPC_USER
MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpcc_com_ps_0000 */
/* [local] */

extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_ps_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_ps_0000_v0_0_s_ifspec;

#ifndef __ITPCC_INTERFACE_DEFINED__
#define __ITPCC_INTERFACE_DEFINED__

/* interface ITPCC */
/* [unique][helpstring][uuid][oleautomation][object]
*/
EXTERN_C const IID IID_ITPCC;

#if defined(_cplusplus) && !defined(CINTERFACE)

MIDL_INTERFACE("FEEE6AA2-84B1-11d2-BA47-
00C04FBFE08B")
ITPCC : public IUnknown
{
public:
    virtual HRESULT __stdcall NewOrder(
        /* [in] */ VARIANT txin,
        /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

    virtual HRESULT __stdcall Payment(
        /* [in] */ VARIANT txin,
        /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

    virtual HRESULT __stdcall Delivery(
        /* [in] */ VARIANT txin,
        /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

    virtual HRESULT __stdcall StockLevel(
        /* [in] */ VARIANT txin,
        /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

    virtual HRESULT __stdcall OrderStatus(
        /* [in] */ VARIANT txin,
        /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

    virtual HRESULT __stdcall CallSetComplete(
void) = 0;
}

```

```

};

#else      /* C style interface */

typedef struct ITPCCVtbl
{
    BEGIN_INTERFACE

    HRESULT ( STDMETHODCALLTYPE *QueryInterface )( 
        ITPCC __RPC_FAR * This,
        /* [in] */ REFIID riid,
        /* [iid_is][out] */ void __RPC_FAR * __RPC_FAR *ppvObject);

    ULONG ( STDMETHODCALLTYPE *AddRef )( 
        ITPCC __RPC_FAR * This);

    ULONG ( STDMETHODCALLTYPE *Release )( 
        ITPCC __RPC_FAR * This);

    HRESULT ( STDMETHODCALLTYPE *NewOrder )( 
        ITPCC __RPC_FAR * This,
        /* [in] */ VARIANT txin,
        /* [out] */ VARIANT __RPC_FAR *txn_out);

    HRESULT ( STDMETHODCALLTYPE *Payment )( 
        ITPCC __RPC_FAR * This,
        /* [in] */ VARIANT txin,
        /* [out] */ VARIANT __RPC_FAR *txn_out);

    HRESULT ( STDMETHODCALLTYPE *Delivery )( 
        ITPCC __RPC_FAR * This,
        /* [in] */ VARIANT txin,
        /* [out] */ VARIANT __RPC_FAR *txn_out);

    HRESULT ( STDMETHODCALLTYPE *StockLevel )( 
        ITPCC __RPC_FAR * This,
        /* [in] */ VARIANT txin,
        /* [out] */ VARIANT __RPC_FAR *txn_out);

    HRESULT ( STDMETHODCALLTYPE *OrderStatus )( 
        ITPCC __RPC_FAR * This,
        /* [in] */ VARIANT txin,
        /* [out] */ VARIANT __RPC_FAR *txn_out);

    HRESULT ( STDMETHODCALLTYPE *CallSetComplete )( 
        ITPCC __RPC_FAR * This);

    END_INTERFACE
} ITPCCVtbl;

```

```

#endif /* COBJMACROS

#define ITPCC_QueryInterface(This,riid,ppvObject) \
    (This)->lpVtbl ->QueryInterface(This,riid,ppvObject)

#define ITPCC_AddRef(This) \
    (This)->lpVtbl -> AddRef(This)

#define ITPCC_Release(This) \
    (This)->lpVtbl -> Release(This)

#define ITPCC_NewOrder(This,txn_in,txn_out) \
    (This)->lpVtbl -> NewOrder(This,txn_in,txn_out)

#define ITPCC_Payment(This,txn_in,txn_out) \
    (This)->lpVtbl -> Payment(This,txn_in,txn_out)

#define ITPCC_Delivery(This,txn_in,txn_out) \
    (This)->lpVtbl -> Delivery(This,txn_in,txn_out)

#define ITPCC_StockLevel(This,txn_in,txn_out) \
    (This)->lpVtbl -> StockLevel(This,txn_in,txn_out)

#define ITPCC_OrderStatus(This,txn_in,txn_out) \
    (This)->lpVtbl -> OrderStatus(This,txn_in,txn_out)

#define ITPCC_CallSetComplete(This) \
    (This)->lpVtbl -> CallSetComplete(This)

#endif /* COBJMACROS */

#endif /* C style interface */

HRESULT __stdcall ITPCC_NewOrder_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txin,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_NewOrder_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD _pdwStubPhase);

HRESULT __stdcall ITPCC_Payment_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txin,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_Payment_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,

```

```

DWORD * _pdwStubPhase);

HRESULT __stdcall ITPCC_Delivery_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR * txn_out);

void __RPC_STUB ITPCC_Delivery_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD * _pdwStubPhase);

HRESULT __stdcall ITPCC_StockLevel_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR * txn_out);

void __RPC_STUB ITPCC_StockLevel_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD * _pdwStubPhase);

HRESULT __stdcall ITPCC_OrderStatus_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR * txn_out);

void __RPC_STUB ITPCC_OrderStatus_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD * _pdwStubPhase);

HRESULT __stdcall ITPCC_CallSetComplete_Proxy(
    ITPCC __RPC_FAR * This);

void __RPC_STUB ITPCC_CallSetComplete_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD * _pdwStubPhase);

#endif /* __ITPCC_INTERFACE_DEFINED__ */

/* Additional Prototypes for ALL interfaces */

unsigned long VARIANT_UserSize(      unsigned long __RPC_USER
, unsigned long , VARIANT __RPC_FAR * );

```

```

unsigned char __RPC_FAR * __RPC_USER
VARIANT_UserMarshal( unsigned long __RPC_FAR *,
unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );
unsigned char __RPC_FAR * __RPC_USER
VARIANT_UserUnmarshal(unsigned long __RPC_FAR *,
unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );
void __RPC_USER
VARIANT_UserFree(     unsigned long __RPC_FAR *,
VARIANT __RPC_FAR * );

/* end of Additional Prototypes */

#ifndef __cplusplus
}
#endif



---



## tpcc_com_ps.i dl



```

/*      FILE:          ITPCC.IDL
*           Microsoft
TPC-C Kit Ver. 4.20.000
*           Copyright
Microsoft, 1999
*           All Rights Reserved
*
*           not yet
audited
*
*           PURPOSE: Defines the interface used by
TPCC. This interface can be implemented by C++ components.
*
*           Change history:
*           4.20.000 - first version
*/
// Forward declare all types defined
interface ITPCC;
import "oaidl.idl";
import "ocidl.idl";

{
    object,
    oleautomation,
    uuid(FEEE6AA2-84B1-11d2-BA47-
00C04FBFE08B),
    helpstring("ITPCC Interface"),
    pointer_default(unique)
}
interface ITPCC : IUnknown
{
    HRESULT __stdcall NewOrder
    {

```


```

```

        [in] VARIANT txn_in,
        [out] VARIANT *txn_out
    );
}

HRESULT __stdcall Payment
(
    [in] VARIANT txn_in,
    [out] VARIANT *txn_out
);

HRESULT __stdcall Delivery
(
    [in] VARIANT txn_in,
    [out] VARIANT *txn_out
);

HRESULT __stdcall StockLevel
(
    [in] VARIANT txn_in,
    [out] VARIANT *txn_out
);

HRESULT __stdcall OrderStatus
(
    [in] VARIANT txn_in,
    [out] VARIANT *txn_out
);

HRESULT __stdcall CallSetComplete
(
);
};

} // interface ITPCC

```

---

## tpcc\_com\_ps\_i .c

---

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:12 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
   Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run),
ms_ext, c_ext
   error checks: allocation ref bounds_check enum
stub_data
   VC __declspec() decoration level:
      __declspec(uuid()), __declspec(selectany),
__declspec(novtable)
      DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)

#ifndef __cplusplus
extern "C"
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifndef _MIDL_USE_GUIDDEF_
#define _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#endif
#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name = \
{ l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8} }

#endif // !_MIDL_USE_GUIDDEF_

#ifndef MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xC
0,0x4F,0xBF,0xE0,0x8B);
#define MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xC
0,0x4F,0xBF,0xE0,0x8B);

#endif // !_MIDL_USE_GUIDDEF_

#ifndef __cplusplus
#endif

#endif // !_MIDL_USE_GUIDDEF_
#endif // !_MIDL_DEFINED_
#define _MIDL_DEFINED_

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;

```

```

        unsigned char c[8];
    } IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name = \
{ l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8} }

#endif // !_MIDL_USE_GUIDDEF_

#ifndef MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xC
0,0x4F,0xBF,0xE0,0x8B);
#define MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xC
0,0x4F,0xBF,0xE0,0x8B);

#endif // !_MIDL_USE_GUIDDEF_

#ifndef __cplusplus
#endif

#endif // !_MIDL_USE_GUIDDEF_
#endif // !_MIDL_DEFINED_

```

```

#endif // __IID_DEFINED__

#include <rpc.h>
#include <rpcndr.h>

#ifndef _MIDL_USE_GUIDDEF_
#define _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#endif
#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name = \
{ l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8} }

#ifndef MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xC
0,0x4F,0xBF,0xE0,0x8B);
#define MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xC
0,0x4F,0xBF,0xE0,0x8B);

#endif // !_MIDL_USE_GUIDDEF_

#ifndef __cplusplus
#endif

#endif // !_MIDL_USE_GUIDDEF_
#endif // !_MIDL_DEFINED_

```

## tpcc\_com\_ps\_. p.c

```
#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the proxy stub
code */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:12 2000
*/
/* Compiler settings for ./src/tpcc_com_ps.idl:
   Oifc (OptLevel=i2), W1, Zp8, env=Win32 (32b run),
ms_ext, c_ext
   error checks: allocation ref bounds_check enum
stub_data
   VC __declspec() decoration level:
   __declspec(uuid()), __declspec(selectany),
__declspec(novtable)
   DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high
enough to compile this file*/
#ifndef __RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 440
#endif

#include "rpcproxy.h"
#ifndef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of
<rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 997
#define PROC_FORMAT_STRING_SIZE 193
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;
```

```
typedef struct _MIDL_PROC_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000,
ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0
x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0
x00,0x00,0x00,0x46}} */

/* Object interface: ITPCC, ver. 0.0,
GUID={0xFEEE6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0
x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short
ITPCC_FormatStringOffsetTable[] =
{
    0,
    34,
    68,
    102,
    136,
    170
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo =
{
```

```
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0
};

CINTERFACE_PROXYVtbl(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    Unknown_QueryInterface_Proxy,
    Unknown_AddRef_Proxy,
    Unknown_Release_Proxy ,
    (void *)-1 /* ITPCC::NewOrder */ ,
    (void *)-1 /* ITPCC::Payment */ ,
    (void *)-1 /* ITPCC::Delivery */ ,
    (void *)-1 /* ITPCC::StockLevel */ ,
    (void *)-1 /* ITPCC::OrderStatus */ ,
    (void *)-1 /* ITPCC::CallSetComplete */ ,
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

extern const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ];

static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,
    0,
    0,
    0,
    0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x20000, /* Ndr library version */
    0,
    0x5030118, /* MIDL Version 5.3.280 */
    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* Reserved3 */
    0, /* Reserved4 */
    0 /* Reserved5 */
};

#pragma data_seg(".rdata")
```

```

static const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        VARIANT_UserSize,
        VARIANT_UserMarshal,
        VARIANT_UserUnmarshal,
        VARIANT_UserFree
    }
};

#if !defined(__RPC_WIN32__)
#error Invalid build platform for this stub.
#endif

#if !(TARGET_IS_NT40_OR_LATER)
#error You need a Windows NT 4.0 or later to run this
stub because it uses these features:
#error -Oif or -Oicf, [wire_marshal] or
[user_marshal] attribute.
#error However, your C/C++ compilation flags indicate
you intend to run this app on earlier systems.
#error This app will die there with the
RPC_X_WRONG_STUB_VERSION error.
#endif

static const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString =
{
    0,
    {

        /* Procedure NewOrder */

        0x33,           /* FC_AUTO_HANDLE */
        0x6c,           /* Old Flags: object, Oi2 */
        /* 2 */ NdrFcLong( 0x0 ), /* 0 */
        /* 6 */ NdrFcShort( 0x3 ), /* 3 */
        #ifndef _ALPHA_
        #ifndef _PPC_
        #if !defined(_MIPS_)
        /* 8 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
        #else
            NdrFcShort( 0x20 ), /* */
        #endif
        #endif
        #endif
        NdrFcShort( 0x28 ), /* */
        Alpha Stack size/offset = 40 */
        #endif
        /* 10 */ NdrFcShort( 0x0 ), /* 0 */
        /* 12 */ NdrFcShort( 0x8 ), /* 8 */
    }
};

/* 14 */ 0x7,           /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3,                 /* */
3 * /

        /* Parameter txn_in */

/* 16 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#ifndef _MIPS_
/* 18 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* */
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* */
PPC Stack size/offset = 8 */
#endif
#endif
/* 20 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

        /* Parameter txn_out */

/* 22 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#ifndef _MIPS_
/* 24 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /* */
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* */
PPC Stack size/offset = 24 */
#endif
#endif
/* 26 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

        /* Return value */

/* 28 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#ifndef _MIPS_
/* 30 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#endif
#endif
#endif
};

/* 34 */ 0x33,           /* FC_AUTO_HANDLE */
0x6c,                 /* Old Flags: object, Oi2 */
/* 36 */ NdrFcLong( 0x0 ), /* 0 */
/* 40 */ NdrFcShort( 0x4 ), /* 4 */
#ifndef _ALPHA_
#ifndef _PPC_
#ifndef _MIPS_
/* 42 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
NdrFcShort( 0x20 ), /* */
MIPS Stack size/offset = 32 */
#endif
#endif
#ifndef _PPC_
#ifndef _MIPS_
/* 44 */ NdrFcShort( 0x0 ), /* 0 */
/* 46 */ NdrFcShort( 0x8 ), /* 8 */
/* 48 */ 0x7,           /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3,                 /* */
3 * /

        /* Parameter txn_in */

/* 50 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#ifndef _MIPS_
/* 52 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* */
MIPS Stack size/offset = 8 */
#endif
#endif
#endif
/* 54 */ NdrFcShort( 0x8 ), /* */
PPC Stack size/offset = 8 */
};

```

```

#endif
#else
    NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 54 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 56 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 58 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
    NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif
#else
    NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
    NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 60 */ NdrFcShort( 0x3da ), /* Type
Offset=968 */

/* Return value */

/* 62 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 64 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
    NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */
#endif
#else
    NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
    NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 66 */ 0x8, /* FC_LONG */
0x0, /* */
0 */ /* Procedure Delivery */

/* 68 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* */
Old Flags: object, Oi2 */

```

```

/* 70 */ NdrFcLong( 0x0 ), /* 0 */
/* 74 */ NdrFcShort( 0x5 ), /* 5 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 76 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
    NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#else
    NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#else
    NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
/* 78 */ NdrFcShort( 0x0 ), /* 0 */
/* 80 */ NdrFcShort( 0x8 ), /* 8 */
/* 82 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /* */
3 */ /* Parameter txn_in */

/* 84 */ NdrFcShort( 0xb8 ), /* Flags: must size,
must free, in, by val */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 86 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
    NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#else
    NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
    NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 88 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 90 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 92 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
    NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif

```

```

#endif
#else
    NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
    NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 94 */ NdrFcShort( 0x3da ), /* Type
Offset=968 */

/* Return value */

/* 96 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 98 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
    NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */
#endif
#else
    NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
    NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 100 */ 0x8, /* FC_LONG */
0x0, /* */
0 */ /* Procedure StockLevel */

/* 102 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* */
Old Flags: object, Oi2 */
/* 104 */ NdrFcLong( 0x0 ), /* 0 */
/* 108 */ NdrFcShort( 0x6 ), /* 6 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 110 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
    NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#else
    NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#else
    NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
/* 112 */ NdrFcShort( 0x0 ), /* 0 */
/* 114 */ NdrFcShort( 0x8 ), /* 8 */

```

```

/* 116 */ 0x7,           /* Oi2 Flags:  srv must
size, clt must size, has return, */
0x3,                  /* */
3 */                  /* */

/* Parameter txn_in */

/* 118 */ NdrFcShort( 0x8b ), /* Flags:  must size,
must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 120 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* */
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* */
PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* */
Alpha Stack size/offset = 8 */
#endif
/* 122 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 124 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 126 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /* */
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* */
PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* */
Alpha Stack size/offset = 24 */
#endif
/* 128 */ NdrFcShort( 0x3da ), /* Type
Offset=968 */

/* Return value */

/* 130 */ NdrFcShort( 0x70 ), /* Flags:  out, return,
base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 132 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else

```

```

#else
NdrFcShort( 0x1c ), /* */
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /* */
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /* */
Alpha Stack size/offset = 32 */
#endif
/* 134 */ 0x8,           /* FC_LONG */
0x0,                  /* */
0 */                  /* */

/* Procedure OrderStatus */

/* 136 */ 0x33,          /* FC_AUTO_HANDLE */
0x6c,                  /* */
Old Flags: object, Oi2 */
/* 138 */ NdrFcLong( 0x0 ), /* 0 */
/* 142 */ NdrFcShort( 0x7 ), /* 7 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 144 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
NdrFcShort( 0x20 ), /* */
MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /* */
PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /* */
Alpha Stack size/offset = 40 */
#endif
/* 146 */ NdrFcShort( 0x0 ), /* 0 */
/* 148 */ NdrFcShort( 0x8 ), /* 8 */
/* 150 */ 0x7,           /* Oi2 Flags:  srv must
size, clt must size, has return, */
0x3,                  /* */
3 */                  /* */

/* Parameter txn_in */

/* 152 */ NdrFcShort( 0x8b ), /* Flags:  must size,
must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 154 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* */
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* */
PPC Stack size/offset = 8 */
#endif
#else

```

```

#endif
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 156 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 158 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 160 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /* */
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* */
PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* */
Alpha Stack size/offset = 24 */
#endif
/* 162 */ NdrFcShort( 0x3da ), /* Type
Offset=968 */

/* Return value */

/* 164 */ NdrFcShort( 0x70 ), /* Flags:  out, return,
base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 166 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
NdrFcShort( 0x1c ), /* */
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /* */
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /* */
Alpha Stack size/offset = 32 */
#endif
/* 168 */ 0x8,           /* FC_LONG */
0x0,                  /* */
0 */                  /* */

/* Procedure CallSetComplete */

/* 170 */ 0x33,          /* FC_AUTO_HANDLE */
0x6c,                  /* */
Old Flags: object, Oi2 */

```

```

/* 172 */ NdrFcLong( 0x0 ), /* 0 */
/* 176 */ NdrFcShort( 0x8 ), /* 8 */
#ifndef _ALPHA_
/* 178 */ NdrFcShort( 0x8 ), /* x86, MIPS, PPC Stack
size/offset = 8 */
#else
NdrFcShort( 0x10 ), /*
Alpha Stack size/offset = 16 */
#endif
/* 180 */ NdrFcShort( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x8 ), /* 8 */
/* 184 */ 0x4, /* Oi2 Flags: has
return, */
0x1, /* */

/* Return value */

/* 186 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
/* 188 */ NdrFcShort( 0x4 ), /* x86, MIPS, PPC Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 190 */ 0x8, /* FC_LONG */
0x0, /* */

0 */
};

static const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString =
{
0,
{
NdrFcShort( 0x0 ), /* */
0 */
/* 2 */
0x12, 0x0, /* */
FC_UP */
/* 4 */ NdrFcShort( 0x3b0 ), /* Offset=
944 (948) */
/* 6 */
0x2b, /* */
FC_NON_ENCAPSULATED_UNION */
0x9, /* */
FC ULONG */
/* 8 */
0x7, /* Corr desc: FC USHORT
*/
0x0, /* */
*/
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */
/* 12 */ NdrFcShort( 0x2 ), /* Offset= 2 (14) */
/* 14 */ NdrFcShort( 0x10 ), /* 16 */
/* 16 */ NdrFcShort( 0x2b ), /* 43 */
/* 18 */ NdrFcLong( 0x3 ), /* 3 */
/* 22 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */

```

```

/* 24 */ NdrFcLong( 0x11 ), /* 17 */
/* 28 */ NdrFcShort( 0x8001 ), /* Simple arm
type: FC_BYT */
/* 30 */ NdrFcLong( 0x2 ), /* 2 */
/* 34 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 36 */ NdrFcLong( 0x4 ), /* 4 */
/* 40 */ NdrFcShort( 0x800a ), /* Simple arm
type: FC_FLOAT */
/* 42 */ NdrFcLong( 0x5 ), /* 5 */
/* 46 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 48 */ NdrFcLong( 0xb ), /* 11 */
/* 52 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 54 */ NdrFcLong( 0xa ), /* 10 */
/* 58 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 60 */ NdrFcLong( 0x6 ), /* 6 */
/* 64 */ NdrFcShort( 0xd6 ), /* Offset= 214 (278) */
/* 66 */ NdrFcLong( 0x7 ), /* 7 */
/* 70 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 72 */ NdrFcLong( 0x8 ), /* 8 */
/* 76 */ NdrFcShort( 0xd0 ), /* Offset= 208 (284) */
/* 78 */ NdrFcLong( 0xd ), /* 13 */
/* 82 */ NdrFcShort( 0xe2 ), /* Offset= 226 (308) */
/* 84 */ NdrFcLong( 0x9 ), /* 9 */
/* 88 */ NdrFcShort( 0xee ), /* Offset= 238 (326) */
/* 90 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 94 */ NdrFcShort( 0xfa ), /* Offset= 250 (344) */
/* 96 */ NdrFcLong( 0x24 ), /* 36 */
/* 100 */ NdrFcShort( 0x308 ), /* Offset=
776 (876) */
/* 102 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 106 */ NdrFcShort( 0x302 ), /* Offset=
770 (876) */
/* 108 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 112 */ NdrFcShort( 0x300 ), /* Offset=
768 (880) */
/* 114 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 118 */ NdrFcShort( 0x2fe ), /* Offset=
766 (884) */
/* 120 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 124 */ NdrFcShort( 0x2fc ), /* Offset=
764 (888) */
/* 126 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 130 */ NdrFcShort( 0x2fa ), /* Offset=
762 (892) */
/* 132 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 136 */ NdrFcShort( 0x2f8 ), /* Offset=
760 (896) */
/* 138 */ NdrFcLong( 0x400b ), /* 16395 */
/* 142 */ NdrFcShort( 0x2e6 ), /* Offset=
742 (884) */
/* 144 */ NdrFcLong( 0x400a ), /* 16394 */
/* 148 */ NdrFcShort( 0x2e4 ), /* Offset=
740 (888) */
/* 150 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 154 */ NdrFcShort( 0x2ea ), /* Offset=
746 (900) */
/* 156 */ NdrFcLong( 0x4007 ), /* 16391 */

```

```

/* 160 */ NdrFcShort( 0x2e0 ), /* Offset=
736 (896) */
/* 162 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 166 */ NdrFcShort( 0x2e2 ), /* Offset=
738 (904) */
/* 168 */ NdrFcLong( 0x400d ), /* 16397 */
/* 172 */ NdrFcShort( 0x2e0 ), /* Offset=
736 (908) */
/* 174 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 178 */ NdrFcShort( 0x2de ), /* Offset=
734 (912) */
/* 180 */ NdrFcLong( 0x4000 ), /* 24576 */
/* 184 */ NdrFcShort( 0x2dc ), /* Offset=
732 (916) */
/* 186 */ NdrFcLong( 0x400c ), /* 16396 */
/* 190 */ NdrFcShort( 0x2da ), /* Offset=
730 (920) */
/* 192 */ NdrFcLong( 0x10 ), /* 16 */
/* 196 */ NdrFcShort( 0x8002 ), /* Simple arm
type: FC_CHAR */
/* 198 */ NdrFcLong( 0x12 ), /* 18 */
/* 202 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 204 */ NdrFcLong( 0x13 ), /* 19 */
/* 208 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 210 */ NdrFcLong( 0x16 ), /* 22 */
/* 214 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 216 */ NdrFcLong( 0x17 ), /* 23 */
/* 220 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 222 */ NdrFcLong( 0xe ), /* 14 */
/* 226 */ NdrFcShort( 0x2be ), /* Offset=
702 (928) */
/* 228 */ NdrFcLong( 0x400e ), /* 16398 */
/* 232 */ NdrFcShort( 0x2c4 ), /* Offset=
708 (940) */
/* 234 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 238 */ NdrFcShort( 0x2c2 ), /* Offset=
706 (944) */
/* 240 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 244 */ NdrFcShort( 0x280 ), /* Offset=
640 (884) */
/* 246 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 250 */ NdrFcShort( 0x27e ), /* Offset=
638 (888) */
/* 252 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 256 */ NdrFcShort( 0x278 ), /* Offset=
632 (888) */
/* 258 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 262 */ NdrFcShort( 0x272 ), /* Offset=
626 (888) */
/* 264 */ NdrFcLong( 0x0 ), /* 0 */
/* 268 */ NdrFcShort( 0x0 ), /* Offset= 0 (268) */
/* 270 */ NdrFcLong( 0x1 ), /* 1 */
/* 274 */ NdrFcShort( 0x0 ), /* Offset= 0 (274) */
/* 276 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(275) */
/* 278 */ /*

FC_STRUCT */
0x15, /* */

```

<pre> 7 */ /* 280 */ NdrFcShort( 0x8 ), /* 8 */ /* 282 */ 0xb, /* FC_HYPER */ 0x5b, /* */ FC_END */ /* 284 */ 0x12, 0x0, /* */ FC_UP */ /* 286 */ NdrFcShort( 0xc ), /* Offset= 12 (298) */ /* 288 */ 0x1b, /* */ FC_CARRAY */ 0x1, /* */ 1 */ /* 290 */ NdrFcShort( 0x2 ), /* 2 */ /* 292 */ 0x9, /* Corr desc: FC ULONG */ */ 0x0, /* */ /* 294 */ NdrFcShort( 0xffffc ), /* -4 */ /* 296 */ 0x6, /* FC_SHORT */ 0x5b, /* */ FC_END */ /* 298 */ 0x17, /* */ FC_CSTRUCT */ 0x3, /* */ 3 */ /* 300 */ NdrFcShort( 0x8 ), /* 8 */ /* 302 */ NdrFcShort( 0xfffffffff2 ), /* Offset= -14 (288) */ /* 304 */ 0x8, /* FC_LONG */ 0x8, /* */ FC_LONG */ /* 306 */ 0x5c, /* FC_PAD */ 0x5b, /* */ FC_END */ /* 308 */ 0x2f, /* */ FC_IP */ 0x5a, /* */ FC_CONSTANT_IID */ /* 310 */ NdrFcLong( 0x0 ), /* 0 */ /* 314 */ NdrFcShort( 0x0 ), /* 0 */ /* 316 */ NdrFcShort( 0x0 ), /* 0 */ /* 318 */ 0xc0, /* 192 */ 0x0, /* */ 0 */ /* 320 */ 0x0, /* 0 */ 0x0, /* */ 0 */ /* 322 */ 0x0, /* 0 */ 0x0, /* */ 0 */ /* 324 */ 0x0, /* 0 */ 0x46, /* */ 70 */ /* 326 */ 0x2f, /* */ FC_IP */ 0x5a, /* */ FC_CONSTANT_IID */ </pre>	<pre> 0x7, /* */ /* 328 */ NdrFcLong( 0x20400 ), /* 132096 */ /* 332 */ NdrFcShort( 0x0 ), /* 0 */ /* 334 */ NdrFcShort( 0x0 ), /* 0 */ /* 336 */ 0xc0, /* 192 */ 0x0, /* */ 0 */ /* 338 */ 0x0, /* 0 */ 0x0, /* */ 0 */ /* 340 */ 0x0, /* 0 */ 0x0, /* */ 0 */ /* 342 */ 0x0, /* 0 */ 0x46, /* */ 70 */ /* 344 */ 0x12, 0x10, /* */ FC_UP [pointer_deref] /* 346 */ NdrFcShort( 0x2 ), /* Offset= 2 (348) */ /* 348 */ 0x12, 0x0, /* */ FC_UP */ /* 350 */ NdrFcShort( 0x1fc ), /* Offset= 508 (858) */ /* 352 */ 0x2a, /* */ FC_ENCAPSULATED_UNION */ 0x49, /* */ 73 */ /* 354 */ NdrFcShort( 0x18 ), /* 24 */ /* 356 */ NdrFcShort( 0xa ), /* 10 */ /* 358 */ NdrFcLong( 0x8 ), /* 8 */ /* 362 */ NdrFcShort( 0x58 ), /* Offset= 88 (450) */ /* 364 */ NdrFcLong( 0xd ), /* 13 */ /* 368 */ NdrFcShort( 0x78 ), /* Offset= 120 (488) */ /* 370 */ NdrFcLong( 0x9 ), /* 9 */ /* 374 */ NdrFcShort( 0x94 ), /* Offset= 148 (522) */ /* 376 */ NdrFcLong( 0xc ), /* 12 */ /* 380 */ NdrFcShort( 0xbc ), /* Offset= 188 (568) */ /* 382 */ NdrFcLong( 0x24 ), /* 36 */ /* 386 */ NdrFcShort( 0x114 ), /* Offset= 276 (662) */ /* 388 */ NdrFcLong( 0x800d ), /* 32781 */ /* 392 */ NdrFcShort( 0x130 ), /* Offset= 304 (696) */ /* 394 */ NdrFcLong( 0x10 ), /* 16 */ /* 398 */ NdrFcShort( 0x148 ), /* Offset= 328 (726) */ /* 400 */ NdrFcLong( 0x2 ), /* 2 */ /* 404 */ NdrFcShort( 0x160 ), /* Offset= 352 (756) */ /* 406 */ NdrFcLong( 0x3 ), /* 3 */ /* 410 */ NdrFcShort( 0x178 ), /* Offset= 376 (786) */ /* 412 */ NdrFcLong( 0x14 ), /* 20 */ /* 416 */ NdrFcShort( 0x190 ), /* Offset= 400 (816) */ /* 418 */ NdrFcShort( 0xffffffff ), /* Offset= -1 (417) */ /* 420 */ 0x1b, /* */ FC_CARRAY */ </pre>	<pre> 0x3, /* */ 3 */ /* 422 */ NdrFcShort( 0x4 ), /* 4 */ /* 424 */ 0x19, /* Corr desc: field pointer, FC ULONG */ 0x0, /* */ /* 426 */ NdrFcShort( 0x0 ), /* 0 */ /* 428 */ 0x4b, /* */ FC_PP */ 0x5c, /* */ FC_PAD */ /* 430 */ 0x48, /* */ FC_VARIABLE_REPEAT */ 0x49, /* */ FC_FIXED_OFFSET */ /* 432 */ NdrFcShort( 0x4 ), /* 4 */ /* 434 */ NdrFcShort( 0x0 ), /* 0 */ /* 436 */ NdrFcShort( 0x1 ), /* 1 */ /* 438 */ NdrFcShort( 0x0 ), /* 0 */ /* 440 */ NdrFcShort( 0x0 ), /* 0 */ /* 442 */ 0x12, 0x0, /* FC_UP */ /* 444 */ NdrFcShort( 0xfffffffff6e ), /* Offset= -146 (298) */ /* 446 */ 0x5b, /* */ FC_END */ 0x8, /* */ FC_LONG */ /* 448 */ 0x5c, /* FC_PAD */ 0x5b, /* */ FC_END */ /* 450 */ 0x16, /* */ FC_PSTRUCT */ 0x3, /* */ 3 */ /* 452 */ NdrFcShort( 0x8 ), /* 8 */ /* 454 */ 0x4b, /* */ FC_PP */ 0x5c, /* */ FC_PAD */ /* 456 */ 0x46, /* */ FC_NO_REPEAT */ 0x5c, /* */ FC_PAD */ /* 458 */ NdrFcShort( 0x4 ), /* 4 */ /* 460 */ NdrFcShort( 0x4 ), /* 4 */ /* 462 */ 0x11, 0x0, /* FC_RP */ /* 464 */ NdrFcShort( 0xfffffffffd4 ), /* Offset= -44 (420) */ /* 466 */ 0x5b, /* */ FC_END */ 0x8, /* */ FC_LONG */ /* 468 */ 0x8, /* FC_LONG */ </pre>
---	---	--

```

0x5b,          /* FC_END */
/* 470 */
0x21,          /* FC_BOGUS_ARRAY */
0x3,           /* 3 */
/* 472 */ NdrFcShort( 0x0 ), /* 0 */
/* 474 */ 0x19, /* Corr desc: field
pointer, FC ULONG */
0x0,           /* 0 */
/* 476 */ NdrFcShort( 0x0 ), /* 0 */
/* 478 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 482 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
*/
0x0,           /* 0 */
/* 484 */ NdrFcShort( 0xfffffff50 ), /* Offset= -
176 (308) */
/* 486 */ 0x5c, /* FC_PAD */
0x5b,           /* FC_END */
/* 488 */
0x1a,          /* FC_BOGUS_STRUCT */
0x3,           /* 3 */
/* 490 */ NdrFcShort( 0x8 ), /* 8 */
/* 492 */ NdrFcShort( 0x0 ), /* 0 */
/* 494 */ NdrFcShort( 0x6 ), /* Offset= 6 (500) */
/* 496 */ 0x8,
0x36,           /* FC_POINTER */
/* 498 */ 0x5c, /* FC_PAD */
0x5b,           /* FC_END */
/* 500 */
0x11, 0x0,     /* FC_RP */
/* 502 */ NdrFcShort( 0xffffffe0 ), /* Offset= -
32 (470) */
/* 504 */
0x21,          /* FC_BOGUS_ARRAY */
0x3,           /* 3 */
/* 506 */ NdrFcShort( 0x0 ), /* 0 */
/* 508 */ 0x19, /* Corr desc: field
pointer, FC ULONG */
0x0,           /* 0 */
/* 510 */ NdrFcShort( 0x0 ), /* 0 */
/* 512 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 516 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
*/
0x0,           /* 0 */
/* 518 */ NdrFcShort( 0xfffffff40 ), /* Offset= -
192 (326) */
/* 520 */ 0x5c, /* FC_PAD */
0x5b,           /* FC_END */
0x5b,          /* FC_522 */
0x1a,          /* FC_BOGUS_STRUCT */
0x3,           /* 3 */
/* 524 */ NdrFcShort( 0x8 ), /* 8 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */
/* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 530 */ 0x8,
0x36,           /* FC_LONG */
/* 532 */ 0x5c, /* FC_POINTER */
/* 534 */
0x11, 0x0,     /* FC_RP */
/* 536 */ NdrFcShort( 0xfffffff0 ), /* Offset= -
32 (504) */
/* 538 */
0x1b,          /* FC_CARRY */
0x3,           /* 3 */
/* 540 */ NdrFcShort( 0x4 ), /* 4 */
/* 542 */ 0x19, /* Corr desc: field
pointer, FC ULONG */
0x0,           /* 0 */
/* 544 */ NdrFcShort( 0x0 ), /* 0 */
/* 546 */
0x4b,           /* FC_PP */
0x5c,           /* FC_PAD */
/* 548 */
0x48,           /* FC_VARIABLE_REPEAT */
0x49,           /* FC_FIXED_OFFSET */
/* 550 */ NdrFcShort( 0x4 ), /* 4 */
/* 552 */ NdrFcShort( 0x0 ), /* 0 */
/* 554 */ NdrFcShort( 0x1 ), /* 1 */
/* 556 */ NdrFcShort( 0x0 ), /* 0 */
/* 558 */ NdrFcShort( 0x0 ), /* 0 */
/* 560 */ 0x12, 0x0, /* FC_UP */
/* 562 */ NdrFcShort( 0x182 ), /* Offset= 386 (948) */
/* 564 */
0x5b,           /* FC_END */
0x8,            /* FC_LONG */
/* 566 */ 0x5c, /* FC_PAD */
0x5b,           /* FC_END */
/* 568 */
0x1a,          /* FC_BOGUS_STRUCT */
0x3,           /* 3 */
/* 570 */ NdrFcShort( 0x8 ), /* 8 */
/* 572 */ NdrFcShort( 0x0 ), /* 0 */
/* 574 */ NdrFcShort( 0x6 ), /* Offset= 6 (580) */
/* 576 */ 0x8,
0x36,           /* FC_POINTER */
/* 578 */ 0x5c, /* FC_PAD */
/* 580 */
0x11, 0x0,     /* FC_IP */
0x5a,           /* FC_CONSTANT_IID */
/* 586 */ NdrFcLong( 0x2f ), /* 47 */
/* 590 */ NdrFcShort( 0x0 ), /* 0 */
/* 592 */ NdrFcShort( 0x0 ), /* 0 */
/* 594 */ 0xc0,
0x0,           /* 0 */
/* 596 */ 0x0,     /* 0 */
/* 598 */
0x0,           /* 0 */
/* 600 */
0x46,           /* 70 */
/* 602 */
0x1b,           /* FC_CARRY */
0x0,           /* 0 */
/* 604 */ NdrFcShort( 0x1 ), /* 1 */
/* 606 */ 0x19, /* Corr desc: field
pointer, FC ULONG */
0x0,           /* 0 */
/* 608 */ NdrFcShort( 0x4 ), /* 4 */
/* 610 */ 0x1,
0x5b,           /* FC_END */
/* 612 */
0x1a,           /* FC_BOGUS_STRUCT */
0x3,           /* 3 */
/* 614 */ NdrFcShort( 0x10 ), /* 16 */
/* 616 */ NdrFcShort( 0x0 ), /* 0 */
/* 618 */ NdrFcShort( 0xa ), /* Offset= 10 (628) */
/* 620 */ 0x8,
0x8,            /* FC_LONG */
/* 622 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
*/
0x0,           /* 0 */

```

```

/* 624 */ NdrFcShort( 0xfffffff8 ), /* Offset= -40 (584) */
/* 626 */ 0x36, /* FC_POINTER */
          0x5b, /* */
FC_END */
/* 628 */
          0x12, 0x0, /* */
FC_UP */
/* 630 */ NdrFcShort( 0xffffffe4 ), /* Offset= -28 (602) */
/* 632 */
          0x1b, /* */
FC_CARRAY */
          0x3, /* */
3 */
/* 634 */ NdrFcShort( 0x4 ), /* 4 */
/* 636 */ 0x19, /* Corr desc: field
pointer, FC ULONG */
          0x0, /* */
*/
/* 638 */ NdrFcShort( 0x0 ), /* 0 */
/* 640 */
          0x4b, /* */
FC_PP */
          0x5c, /* */
FC_PAD */
/* 642 */
          0x48, /* */
FC_VARIABLE_REPEAT */
          0x49, /* */
FC_FIXED_OFFSET */
/* 644 */ NdrFcShort( 0x4 ), /* 4 */
/* 646 */ NdrFcShort( 0x0 ), /* 0 */
/* 648 */ NdrFcShort( 0x1 ), /* 1 */
/* 650 */ NdrFcShort( 0x0 ), /* 0 */
/* 652 */ NdrFcShort( 0x0 ), /* 0 */
/* 654 */ 0x12, 0x0, /* FC_UP */
/* 656 */ NdrFcShort( 0xfffffff4 ), /* Offset= -44 (612) */
/* 658 */
          0x5b, /* */
FC_END */
          0x8, /* */
FC_LONG */
/* 660 */ 0x5c, /* FC_PAD */
          0x5b, /* */
FC_END */
/* 662 */
          0x1a, /* */
FC_BOOGUS_STRUCT */
          0x3, /* */
3 */
/* 664 */ NdrFcShort( 0x8 ), /* 8 */
/* 666 */ NdrFcShort( 0x0 ), /* 0 */
/* 668 */ NdrFcShort( 0x6 ), /* Offset= 6 (674) */
/* 670 */ 0x8,
          0x36, /* */
FC_POINTER */
/* 672 */ 0x5c, /* FC_PAD */
          0x5b, /* */
FC_END */
/* 674 */

```

<pre>           0x11, 0x0, /* */ FC_RP */ /* 676 */ NdrFcShort( 0xfffffff4 ), /* Offset= -44 (632) */ /* 678 */           0x1d, /* */ FC_SMFARRAY */           0x0, /* */ 0 */ /* 680 */ NdrFcShort( 0x8 ), /* 8 */ /* 682 */ 0x2,           0x5b, /* */ FC_END */ /* 684 */           0x15, /* */ FC_STRUCT */           0x3, /* */ 3 */ /* 686 */ NdrFcShort( 0x10 ), /* 16 */ /* 688 */ 0x8,           0x6, /* */ FC_SHORT */ /* 690 */ 0x6,           0x4c, /* */ FC_EMBEDDED_COMPLEX */ /* 692 */ 0x0,           0x5b, /* */ ), /* Offset= -15 (678) */ FC_END */ /* 696 */           0x1a, /* */ FC_BOOGUS_STRUCT */           0x3, /* */ 3 */ /* 698 */ NdrFcShort( 0x18 ), /* 24 */ /* 700 */ NdrFcShort( 0x0 ), /* 0 */ /* 702 */ NdrFcShort( 0xa ), /* Offset= 10 (712) */ /* 704 */ 0x8,           0x36, /* */ FC_POINTER */ /* 706 */ 0x4c,           0x0, /* */ *           0x0, /* */ /* 708 */ NdrFcShort( 0xffffffe8 ), /* Offset= -24 (684) */ /* 710 */ 0x5c,           0x5b, /* */ FC_END */ /* 712 */           0x11, 0x0, /* */ FC_RP */ /* 714 */ NdrFcShort( 0xfffffff0c ), /* Offset= -244 (470) */ /* 716 */           0x1b, /* */ FC_CARRAY */           0x0, /* */ 0 */ /* 718 */ NdrFcShort( 0x1 ), /* 1 */ /* 720 */ 0x19,           0x5b, /* */ </pre>	<pre>           0x0, /* */ */ /* 722 */ NdrFcShort( 0x0 ), /* 0 */ /* 724 */ 0x1,           0x5b, /* */ FC_END */ /* 726 */           0x16, /* */ FC_PSTRUCT */           0x3, /* */ 3 */ /* 728 */ NdrFcShort( 0x8 ), /* 8 */ /* 730 */           0x4b, /* */ FC_PP */           0x5c, /* */ FC_PAD */ /* 732 */           0x46, /* */ FC_NO_REPEAT */           0x5c, /* */ FC_PAD */ /* 734 */ NdrFcShort( 0x4 ), /* 4 */ /* 736 */ NdrFcShort( 0x4 ), /* 4 */ /* 738 */ 0x12, 0x0, /* FC_UP */ /* 740 */ NdrFcShort( 0xffffffe8 ), /* Offset= -24 (716) */ /* 742 */           0x5b, /* */ FC_END */           0x8, /* */ FC_LONG */ /* 744 */ 0x8,           0x5b, /* */ FC_END */ /* 746 */           0x1b, /* */ FC_CARRAY */           0x1, /* */ 1 */ /* 748 */ NdrFcShort( 0x2 ), /* 2 */ /* 750 */ 0x19,           0x0, /* */ Corr desc: field pointer, FC ULONG */           0x0, /* */ */ /* 752 */ NdrFcShort( 0x0 ), /* 0 */ /* 754 */ 0x6,           0x5b, /* */ FC_END */ /* 756 */           0x16, /* */ FC_PSTRUCT */           0x3, /* */ 3 */ /* 758 */ NdrFcShort( 0x8 ), /* 8 */ /* 760 */           0x4b, /* */ FC_PP */           0x5c, /* */ FC_PAD */ /* 762 */ </pre>
--	---

```

0x46,          /* FC_NO_REPEAT */
0x5c,          /* FC_PAD */
/* 764 */ NdrFcShort( 0x4 ), /* 4 */
/* 766 */ NdrFcShort( 0x4 ), /* 4 */
/* 768 */ 0x12, 0x0, /* FC_UP */
/* 770 */ NdrFcShort( 0xffffffe8 ), /* Offset= -24 (746) */
/* 772 */ 0x5b,          /* FC_END */
FC_LONG */     0x8,          /* FC_LONG */
/* 774 */ 0x8,          /* FC_LONG */
0x5b,          /* FC_END */
/* 776 */ 0x1b,          /* FC_CARRAY */
0x3,          /* FC_NO_REPEAT */
3 */          /* 778 */ NdrFcShort( 0x4 ), /* 4 */
/* 780 */ 0x19,          /* Corr desc: field
pointer, FC ULONG */
0x0,          /* FC_PAD */
/* 782 */ NdrFcShort( 0x0 ), /* 0 */
/* 784 */ 0x8,          /* FC_LONG */
0x5b,          /* FC_END */
/* 786 */ 0x16,          /* FC_PSTRUCT */
0x3,          /* FC_NO_REPEAT */
3 */          /* 788 */ NdrFcShort( 0x8 ), /* 8 */
/* 790 */ 0x4b,          /* FC_PP */
0x5c,          /* FC_PAD */
/* 792 */ 0x46,          /* FC_NO_REPEAT */
0x5c,          /* FC_PAD */
/* 794 */ NdrFcShort( 0x4 ), /* 4 */
/* 796 */ NdrFcShort( 0x4 ), /* 4 */
/* 798 */ 0x12, 0x0, /* FC_UP */
/* 800 */ NdrFcShort( 0xffffffe8 ), /* Offset= -24 (776) */
/* 802 */ 0x5b,          /* FC_END */
FC_LONG */     0x8,          /* FC_LONG */
/* 804 */ 0x8,          /* FC_LONG */
0x5b,          /* FC_END */
/* 806 */          /* */

0x1b,          /* FC_CARRAY */
0x7,          /* FC_NO_REPEAT */
7 */          /* 808 */ NdrFcShort( 0x8 ), /* 8 */
/* 810 */ 0x19,          /* Corr desc: field
pointer, FC ULONG */
0x0,          /* FC_END */
/* 812 */ NdrFcShort( 0x0 ), /* 0 */
/* 814 */ 0xb,          /* FC_HYPER */
0x5b,          /* FC_END */
/* 816 */ 0x16,          /* FC_PSTRUCT */
0x3,          /* FC_NO_REPEAT */
3 */          /* 818 */ NdrFcShort( 0x8 ), /* 8 */
/* 820 */ 0x4b,          /* FC_PP */
0x5c,          /* FC_PAD */
/* 822 */ 0x46,          /* FC_NO_REPEAT */
0x5c,          /* FC_PAD */
/* 824 */ NdrFcShort( 0x4 ), /* 4 */
/* 826 */ NdrFcShort( 0x4 ), /* 4 */
/* 828 */ 0x12, 0x0, /* FC_UP */
/* 830 */ NdrFcShort( 0xffffffe8 ), /* Offset= -24 (806) */
/* 832 */ 0x5b,          /* FC_END */
FC_LONG */     0x8,          /* FC_LONG */
/* 834 */ 0x8,          /* FC_LONG */
0x5b,          /* FC_END */
/* 836 */ 0x15,          /* FC_STRUCT */
0x3,          /* FC_NO_REPEAT */
3 */          /* 838 */ NdrFcShort( 0x8 ), /* 8 */
/* 840 */ 0x8,          /* FC_LONG */
0x8,          /* FC_END */
/* 842 */ 0x5c,          /* FC_PAD */
0x5b,          /* FC_END */
/* 844 */ 0x1b,          /* FC_CARRAY */
0x3,          /* FC_NO_REPEAT */
3 */          /* 846 */ NdrFcShort( 0x8 ), /* 8 */
/* 848 */ 0x7,          /* Corr desc: FC USHORT */
*/
0x0,          /* FC_UP [simple_pointer] */
/* 850 */ NdrFcShort( 0xfffd8 ), /* -40 */
/* 852 */ 0x4c,          /* FC_EMBEDDED_COMPLEX */
0x0,          /* FC_UP [simple_pointer] */
/* 854 */ NdrFcShort( 0xfffffee ), /* Offset= -18 (836) */
/* 856 */ 0x5c,          /* FC_PAD */
0x5b,          /* FC_END */
/* 858 */ 0x1a,          /* FC_BOGUS_STRUCT */
0x3,          /* FC_NO_REPEAT */
3 */          /* 860 */ NdrFcShort( 0x28 ), /* 40 */
/* 862 */ NdrFcShort( 0xfffffee ), /* Offset= -18 (844) */
/* 864 */ NdrFcShort( 0x0 ), /* Offset= 0 (864) */
/* 866 */ 0x6,          /* FC_SHORT */
0x6,          /* FC_SHORT */
/* 868 */ 0x38,          /* FC_ALIGNM4 */
0x8,          /* FC_LONG */
/* 870 */ 0x8,          /* FC_LONG */
0x4c,          /* FC_EMBEDDED_COMPLEX */
/* 872 */ 0x0,          /* 0 */
/* 874 */ NdrFcShort( 0xfffffdf7 ), /* Offset= -521 (352) */
0x5b,          /* FC_END */
/* 876 */ 0x12, 0x0, /* FC_UP */
/* 878 */ NdrFcShort( 0xfffffef6 ), /* Offset= -266 (612) */
/* 880 */ 0x8,          /* FC_UP [simple_pointer] */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* 882 */ 0x1,          /* FC_BYTE */
0x5c,          /* FC_PAD */
/* 884 */ 0x12, 0x8, /* FC_UP [simple_pointer] */
/* 886 */ 0x6,          /* FC_SHORT */
0x5c,          /* FC_PAD */
/* 888 */ 0x12, 0x8, /* FC_UP [simple_pointer] */
/* 890 */ 0x8,          /* FC_LONG */
0x5c,          /* FC_PAD */
/* 892 */ 0x12, 0x8, /* FC_UP [simple_pointer] */
/* 894 */ 0xa,          /* FC_FLOAT */

```

```

FC_PAD */
/* 896 */
0x5c,          /*

FC_UP [simple_pointer] */
/* 898 */ 0xc,
/* 900 */          /* FC_DOUBLE */
0x5c,          /*

FC_PAD */
/* 900 */
0x12, 0x8,      /* FC_CHAR */

FC_UP */
/* 902 */ NdrFcShort( 0xfffffd90 ),    /* Offset= - 624 (278) */
/* 904 */
0x12, 0x0,      /*

FC_UP [pointer_deref] */
/* 906 */ NdrFcShort( 0xfffffd92 ),    /* Offset= - 622 (284) */
/* 908 */
0x12, 0x10,     /*

FC_UP [pointer_deref] */
/* 910 */ NdrFcShort( 0xfffffd46 ),    /* Offset= - 602 (308) */
/* 912 */
0x12, 0x10,     /*

FC_UP [pointer_deref] */
/* 914 */ NdrFcShort( 0xfffffdb4 ),    /* Offset= - 588 (326) */
/* 916 */
0x12, 0x10,     /*

FC_UP [pointer_deref] */
/* 918 */ NdrFcShort( 0xfffffdc2 ),    /* Offset= - 574 (344) */
/* 920 */
0x12, 0x10,     /*

FC_UP [pointer_deref] */
/* 922 */ NdrFcShort( 0x2 ),   /* Offset= 2 (924) */
/* 924 */
0x12, 0x0,      /*

FC_UP */
/* 926 */ NdrFcShort( 0x16 ),   /* Offset= 22 (948) */
/* 928 */
0x15,          /*

FC_STRUCT */
0x7,           /*

/* 930 */ NdrFcShort( 0x10 ),   /* 16 */
/* 932 */ 0x6,          /* FC_SHORT */
0x1,           /*

FC_BYTE */
/* 934 */ 0x1,
0x38,          /* FC_BYT */

FC_ALIGNM4 */
/* 936 */ 0x8,
0x39,          /* FC_LONG */

FC_ALIGNM8 */
/* 938 */ 0xb,
0x5b,          /* FC_HYPER */

FC_END */
/* 940 */
0x12, 0x0,      /*

FC_UP */

```

```

/* 942 */ NdrFcShort( 0xfffffffff2 ),    /* Offset= - 14 (928) */
/* 944 */
0x12, 0x8,      /* FC_UP [simple_pointer] */
/* 946 */ 0x2,          /* FC_CHAR */
0x5c,          /*

FC_PAD */
/* 948 */
0xa,           /* FC_BOGUS_STRUCT */

7 */
/* 950 */ NdrFcShort( 0x20 ),   /* 32 */
/* 952 */ NdrFcShort( 0x0 ),    /* 0 */
/* 954 */ NdrFcShort( 0x0 ),    /* Offset= 0 (954) */
/* 956 */ 0x8,          /* FC_LONG */
0x8,           /*

FC_LONG */
/* 958 */ 0x6,          /* FC_SHORT */
0x6,           /*

FC_SHORT */
/* 960 */ 0x6,          /* FC_SHORT */
0x6,           /*

FC_SHORT */
/* 962 */ 0x4c,         /* FC_EMBEDDED_COMPLEX */
*/
0x0,           /*

0 */
/* 964 */ NdrFcShort( 0xfffffc42 ),    /* Offset= - 958 (6) */
/* 966 */ 0x5c,         /* FC_PAD */
0x5b,           /*

FC_END */
/* 968 */ 0xb4,         /* FC_USER_MARSHAL */
0x83,           /*

131 */
/* 970 */ NdrFcShort( 0x0 ),    /* 0 */
/* 972 */ NdrFcShort( 0x10 ),   /* 16 */
/* 974 */ NdrFcShort( 0x0 ),    /* 0 */
/* 976 */ NdrFcShort( 0xfffffc32 ),    /* Offset= - 974 (2) */
/* 978 */
0x11, 0x4,      /*

FC_RP [allocoed_on_stack] */
/* 980 */ NdrFcShort( 0x6 ),    /* Offset= 6 (986) */
/* 982 */
0x13, 0x0,      /*

FC_OP */
/* 984 */ NdrFcShort( 0xfffffdc ),    /* Offset= - 36 (948) */
/* 986 */ 0xb4,         /* FC_USER_MARSHAL */
0x83,           /*

131 */
/* 988 */ NdrFcShort( 0x0 ),    /* 0 */
/* 990 */ NdrFcShort( 0x10 ),   /* 16 */
/* 992 */ NdrFcShort( 0x0 ),    /* 0 */
/* 994 */ NdrFcShort( 0xfffffffff4 ),    /* Offset= - 12 (982) */
0x0
}
};


```

```

const CInterfaceProxyVtbl *
_tpcc_com_ps_ProxyVtblList[] =
{
    ( CInterfaceProxyVtbl * ) &_ITPCCProxyVtbl,
    0
};

const CInterfaceStubVtbl *
_tpcc_com_ps_StubVtblList[] =
{
    ( CInterfaceStubVtbl * ) &_ITPCCStubVtbl,
    0
};

PCInterfaceName const
_tpcc_com_ps_InterfaceNamesList[] =
{
    "ITPCC",
    0
};

#define _tpcc_com_ps_CHECK_IID(n)
    IID_GENERIC_CHECK_IID( _tpcc_com_ps, piID,
n)

int __stdcall _tpcc_com_ps_IID_Lookup( const IID * piID, int * pIndex )
{
    if( !_tpcc_com_ps_CHECK_IID(0) )
    {
        *pIndex = 0;
        return 1;
    }

    return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo =
{
    (PCInterfaceProxyVtblList * ) &_tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList * ) &_tpcc_com_ps_StubVtblList,
    (const PCInterfaceName * ) &_tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    & _tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
};

#endif /* !defined(_M_IA64) && !defined(_M_AXP64) */

```

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the proxy stub
code */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:12 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLevel2), W1, Zp8, env=Win64 (32b
run, appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_AXP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high
enough to compile this file*/
#ifndef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 475
#endif

#include "rpcproxy.h"
#ifndef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of
<rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 979
#define PROC_FORMAT_STRING_SIZE 253
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString;

```

```

extern const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000,
ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0
x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0
x00,0x00,0x00,0x46}} */

/* Object interface: ITPCC, ver. 0.0,
GUID={0xFEE6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0
x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short
ITPCC_FormatStringOffsetTable[] =
{
    0,
    44,
    88,
    132,
    176,
    220
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo
=
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0
};

```

```

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    Unknown_QueryInterface_Proxy,
    Unknown_AddRef_Proxy,
    Unknown_Release_Proxy ,
    (void *)-1 /* ITPCC::NewOrder */ ,
    (void *)-1 /* ITPCC::Payment */ ,
    (void *)-1 /* ITPCC::Delivery */ ,
    (void *)-1 /* ITPCC::StockLevel */ ,
    (void *)-1 /* ITPCC::OrderStatus */ ,
    (void *)-1 /* ITPCC::CallSetComplete */
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

extern const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ];

static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrAllocate,
    NdrFree,
    0,
    0,
    0,
    0,
    0,
    0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x50002, /* Ndr library version */
    0,
    0x5030118, /* MIDL Version 5.3.280 */
    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* Reserved3 */
    0, /* Reserved4 */
    0 /* Reserved5 */
};

#pragma data_seg(".rdata")

static const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        VARIANT_UserSize
        ,VARIANT_UserMarshal
        ,VARIANT_UserUnmarshal
        ,VARIANT_UserFree
    }
};

```

```

};

#if !defined(__RPC_WIN64__)
#error Invalid build platform for this stub.
#endif

static const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString =
{
    {
        /* Procedure NewOrder */
        0x33,           /* FC_AUTO_HANDLE */
        0x6c,           /* Old Flags: object, Oi2 */
        /* 2 */ NdrFcLong( 0x0 ), /* 0 */
        /* 6 */ NdrFcShort( 0x3 ), /* 3 */
#ifndef _ALPHA_
/* 8 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 10 */ NdrFcShort( 0x0 ), /* 0 */
/* 12 */ NdrFcShort( 0x8 ), /* 8 */
/* 14 */ 0x47,      /* Oi2 Flags: srv must size, clt must size, has return, has ext, */
        0x3,           /* 0 */
/* 16 */ 0xa,       /* 10 */
        0x7,           /* Ext Flags: new corr desc, clt corr check, srv corr check, */
/* 18 */ NdrFcShort( 0x20 ), /* 32 */
/* 20 */ NdrFcShort( 0x20 ), /* 32 */
/* 22 */ NdrFcShort( 0x0 ), /* 0 */
/* 24 */ NdrFcShort( 0x0 ), /* 0 */

        /* Parameter txn_in */
/* 26 */ NdrFcShort( 0xb8 ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
/* 28 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
        NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 30 */ NdrFcShort( 0xb6 ), /* Type Offset=950 */
        /* Parameter txn_out */
/* 32 */ NdrFcShort( 0x6113 ), /* Flags: must size, must free, out, simple ref, srv alloc size=24 */
#endif
};

#ifndef _ALPHA_
/* 34 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
        NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 36 */ NdrFcShort( 0xc8 ), /* Type Offset=968 */
        /* Return value */
/* 38 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
/* 40 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
        NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 42 */ 0x8,          /* FC_LONG */
        0x0,           /* 0 */
        /* Procedure Payment */
/* 44 */ 0x33,          /* FC_AUTO_HANDLE */
        0x6c,           /* Old Flags: object, Oi2 */
/* 46 */ NdrFcLong( 0x0 ), /* 0 */
/* 50 */ NdrFcShort( 0x4 ), /* 4 */
#ifndef _ALPHA_
/* 52 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 54 */ NdrFcShort( 0x0 ), /* 0 */
/* 56 */ NdrFcShort( 0x8 ), /* 8 */
/* 58 */ 0x47,          /* Oi2 Flags: srv must size, clt must size, has return, has ext, */
        0x3,           /* 0 */
/* 60 */ 0xa,           /* 10 */
        0x7,           /* Ext Flags: new corr desc, clt corr check, srv corr check, */
/* 62 */ NdrFcShort( 0x20 ), /* 32 */
/* 64 */ NdrFcShort( 0x20 ), /* 32 */
/* 66 */ NdrFcShort( 0x0 ), /* 0 */
/* 68 */ NdrFcShort( 0x0 ), /* 0 */

        /* Parameter txn_in */
/* 70 */ NdrFcShort( 0xb8 ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
/* 72 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
        NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 74 */ NdrFcShort( 0xb6 ), /* Type Offset=950 */
        /* Parameter txn_out */
/* 76 */ NdrFcShort( 0x113 ), /* Flags: must size, must free, out, simple ref, srv alloc size=24 */
#else
        NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 8 */
#endif
/* 78 */ NdrFcShort( 0x3b6 ), /* Type Offset=950 */
        /* Parameter txn_out */
/* 80 */ NdrFcShort( 0xc8 ), /* Type Offset=968 */
        /* Return value */
/* 82 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
/* 84 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
        NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 86 */ 0x8,           /* FC_LONG */
        0x0,           /* 0 */
        /* Procedure Delivery */
/* 88 */ 0x33,          /* FC_AUTO_HANDLE */
        0x6c,           /* Old Flags: object, Oi2 */
/* 90 */ NdrFcLong( 0x0 ), /* 0 */
/* 94 */ NdrFcShort( 0x5 ), /* 5 */
#ifndef _ALPHA_
/* 96 */ N/rfcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
        N/rfcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 98 */ N/rfcShort( 0x0 ), /* 0 */
/* 100 */ N/rfcShort( 0x8 ), /* 8 */
/* 102 */ 0x47,          /* Oi2 Flags: srv must size, clt must size, has return, has ext, */
        0x3,           /* 0 */
/* 104 */ 0xa,           /* 10 */
        0x7,           /* Ext Flags: new corr desc, clt corr check, srv corr check, */
/* 106 */ N/rfcShort( 0x20 ), /* 32 */
/* 108 */ N/rfcShort( 0x20 ), /* 32 */
/* 110 */ N/rfcShort( 0x0 ), /* 0 */

```

```

/* 112 */ NdrFcShort( 0x0 ), /* 0 */
          /* Parameter txn_in */

/* 114 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_
/* 116 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 118 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

          /* Parameter txn_out */

/* 120 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifndef _ALPHA_
/* 122 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 124 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

          /* Return value */

/* 126 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
/* 128 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 130 */ 0x8, /* FC_LONG */
          0x0,
          /* 0 */

          /* Procedure StockLevel */

/* 132 */ 0x33, /* FC_AUTO_HANDLE */
          0x6c,
          /* Old Flags: object, Oi2 */
/* 134 */ NdrFcLong( 0x0 ), /* 0 */
/* 138 */ NdrFcShort( 0x6 ), /* 6 */
#ifndef _ALPHA_
/* 140 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 142 */ NdrFcShort( 0x0 ), /* 0 */
/* 144 */ NdrFcShort( 0x8 ), /* 8 */

```

```

/* 146 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
          0x3,
          /* 3 */
/* 148 */ 0xa, /* 10 */
          0x7,
          /* Ext Flags: new corr desc, clt corr check, srv corr
check, */
/* 150 */ NdrFcShort( 0x20 ), /* 32 */
/* 152 */ NdrFcShort( 0x20 ), /* 32 */
/* 154 */ NdrFcShort( 0x0 ), /* 0 */
/* 156 */ NdrFcShort( 0x0 ), /* 0 */

          /* Parameter txn_in */

/* 158 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_
/* 160 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 162 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

          /* Parameter txn_out */

/* 164 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifndef _ALPHA_
/* 166 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 168 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

          /* Return value */

/* 170 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
/* 172 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 174 */ 0x8, /* FC_LONG */
          0x0,
          /* 0 */

          /* Procedure OrderStatus */

/* 176 */ 0x33, /* FC_AUTO_HANDLE */
          0x6c,
          /* Old Flags: object, Oi2 */
/* 178 */ NdrFcLong( 0x0 ), /* 0 */

```

```

/* 182 */ NdrFcShort( 0x7 ), /* 7 */
#ifndef _ALPHA_
/* 184 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 186 */ NdrFcShort( 0x0 ), /* 0 */
/* 188 */ NdrFcShort( 0x8 ), /* 8 */
/* 190 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
          0x3,
          /* 3 */
/* 192 */ 0xa, /* 10 */
          0x7,
          /* Ext Flags: new corr desc, clt corr check, srv corr
check, */
/* 194 */ NdrFcShort( 0x20 ), /* 32 */
/* 196 */ NdrFcShort( 0x20 ), /* 32 */
/* 198 */ NdrFcShort( 0x0 ), /* 0 */
/* 200 */ NdrFcShort( 0x0 ), /* 0 */

          /* Parameter txn_in */

/* 202 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_
/* 204 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 206 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

          /* Parameter txn_out */

/* 208 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifndef _ALPHA_
/* 210 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 212 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

          /* Return value */

/* 214 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
/* 216 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif

```

```

/* 218 */ 0x8,           /* FC_LONG */
0x0,             /* */
0 */

/* Procedure CallSetComplete */

/* 220 */ 0x33,          /* FC_AUTO_HANDLE */
0x6c,            /* */
Old Flags: object, Oi2 */
/* 222 */ NdrFcLong( 0x0 ), /* 0 */
/* 226 */ NdrFcShort( 0x8 ), /* 8 */
/* 228 */ NdrFcShort( 0x10 ), /* ia64, axp64 Stack
size/offset = 16 */
/* 230 */ NdrFcShort( 0x0 ), /* 0 */
/* 232 */ NdrFcShort( 0x8 ), /* 8 */
/* 234 */ 0x44,           /* Oi2 Flags: has
return, has ext, */
0x1,              /* */
1 */
/* 236 */ 0xa,            /* 10 */
0x1,              /* */
Ext Flags: new corr desc, */
/* 238 */ NdrFcShort( 0x0 ), /* 0 */
/* 240 */ NdrFcShort( 0x0 ), /* 0 */
/* 242 */ NdrFcShort( 0x0 ), /* 0 */
/* 244 */ NdrFcShort( 0x0 ), /* 0 */

/* Return value */

/* 246 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 248 */ NdrFcShort( 0x8 ), /* ia64, axp64 Stack
size/offset = 8 */
/* 250 */ 0x8,             /* FC_LONG */
0x0,              /* */
0 */
0x0
};

static const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString =
{
    0,
    {
        NdrFcShort( 0x0 ), /* */
0 */
/* 2 */ 
        0x12, 0x0,           /* */
FC_UP */
/* 4 */ NdrFcShort( 0x39e ), /* Offset=
926 (930) */
/* 6 */ 
        0x2b,               /* */
FC_NON_ENCAPSULATED_UNION */
        0x9,                /* */
FC ULONG */
/* 8 */ 0x7,              /* Corr desc: FC USHORT
*/
        0x0,                /* */
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */

```

```

/* 12 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 14 */ NdrFcShort( 0x2 ), /* Offset= 2 (16) */
/* 16 */ NdrFcShort( 0x10 ), /* 16 */
/* 18 */ NdrFcShort( 0x2b ), /* 43 */
/* 20 */ NdrFcLong( 0x3 ), /* 3 */
/* 24 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 26 */ NdrFcLong( 0x11 ), /* 17 */
/* 30 */ NdrFcShort( 0x8001 ), /* Simple arm
type: FC_BYTE */
/* 32 */ NdrFcLong( 0x2 ), /* 2 */
/* 36 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 38 */ NdrFcLong( 0x4 ), /* 4 */
/* 42 */ NdrFcShort( 0x800a ), /* Simple arm
type: FC_FLOAT */
/* 44 */ NdrFcLong( 0x5 ), /* 5 */
/* 48 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 50 */ NdrFcLong( 0xb ), /* 11 */
/* 54 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 56 */ NdrFcLong( 0xa ), /* 10 */
/* 60 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 62 */ NdrFcLong( 0x6 ), /* 6 */
/* 66 */ NdrFcShort( 0xd6 ), /* Offset= 214 (280) */
/* 68 */ NdrFcLong( 0x7 ), /* 7 */
/* 72 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 74 */ NdrFcLong( 0x8 ), /* 8 */
/* 78 */ NdrFcShort( 0xd0 ), /* Offset= 208 (286) */
/* 80 */ NdrFcLong( 0xd ), /* 13 */
/* 84 */ NdrFcShort( 0xe4 ), /* Offset= 228 (312) */
/* 86 */ NdrFcLong( 0x9 ), /* 9 */
/* 90 */ NdrFcShort( 0xf0 ), /* Offset= 240 (330) */
/* 92 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 96 */ NdrFcShort( 0xfc ), /* Offset= 252 (348) */
/* 98 */ NdrFcLong( 0x24 ), /* 36 */
/* 102 */ NdrFcShort( 0x2f4 ), /* Offset=
756 (858) */
/* 104 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 108 */ NdrFcShort( 0x2ee ), /* Offset=
750 (858) */
/* 110 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 114 */ NdrFcShort( 0x2ec ), /* Offset=
748 (862) */
/* 116 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 120 */ NdrFcShort( 0x2ea ), /* Offset=
746 (866) */
/* 122 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 126 */ NdrFcShort( 0x2e8 ), /* Offset=
744 (870) */
/* 128 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 132 */ NdrFcShort( 0x2e6 ), /* Offset=
742 (874) */
/* 134 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 138 */ NdrFcShort( 0x2e4 ), /* Offset=
740 (878) */
/* 140 */ NdrFcLong( 0x400b ), /* 16395 */
/* 144 */ NdrFcShort( 0x2d2 ), /* Offset=
722 (866) */

```

```

/* 146 */ NdrFcLong( 0x400a ), /* 16394 */
/* 150 */ NdrFcShort( 0x2d0 ), /* Offset=
720 (870) */
/* 152 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 156 */ NdrFcShort( 0x2d6 ), /* Offset=
726 (882) */
/* 158 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 162 */ NdrFcShort( 0x2cc ), /* Offset=
716 (878) */
/* 164 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 168 */ NdrFcShort( 0x2ce ), /* Offset=
718 (886) */
/* 170 */ NdrFcLong( 0x400d ), /* 16397 */
/* 174 */ NdrFcShort( 0x2cc ), /* Offset=
716 (890) */
/* 176 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 180 */ NdrFcShort( 0x2ca ), /* Offset=
714 (894) */
/* 182 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 186 */ NdrFcShort( 0x2c8 ), /* Offset=
712 (898) */
/* 188 */ NdrFcLong( 0x400c ), /* 16396 */
/* 192 */ NdrFcShort( 0x2c6 ), /* Offset=
710 (902) */
/* 194 */ NdrFcLong( 0x10 ), /* 16 */
/* 198 */ NdrFcShort( 0x8002 ), /* Simple arm
type: FC_CHAR */
/* 200 */ NdrFcLong( 0x12 ), /* 18 */
/* 204 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 206 */ NdrFcLong( 0x13 ), /* 19 */
/* 210 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 212 */ NdrFcLong( 0x16 ), /* 22 */
/* 216 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 218 */ NdrFcLong( 0x17 ), /* 23 */
/* 222 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 224 */ NdrFcLong( 0xe ), /* 14 */
/* 228 */ NdrFcShort( 0x2aa ), /* Offset=
682 (910) */
/* 230 */ NdrFcLong( 0x400e ), /* 16398 */
/* 234 */ NdrFcShort( 0x2b0 ), /* Offset=
688 (922) */
/* 236 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 240 */ NdrFcShort( 0x2ae ), /* Offset=
686 (926) */
/* 242 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 246 */ NdrFcShort( 0x26c ), /* Offset=
620 (866) */
/* 248 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 252 */ NdrFcShort( 0x26a ), /* Offset=
618 (870) */
/* 254 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 258 */ NdrFcShort( 0x264 ), /* Offset=
612 (870) */
/* 260 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 264 */ NdrFcShort( 0x25e ), /* Offset=
606 (870) */
/* 266 */ NdrFcLong( 0x0 ), /* 0 */
/* 270 */ NdrFcShort( 0x0 ), /* Offset= 0 (270) */
/* 272 */ NdrFcLong( 0x1 ), /* 1 */

```

```

/* 276 */ NdrFcShort( 0x0 ), /* Offset= 0 (276) */
/* 278 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(277) */
/* 280 */
0x15,      /*
FC_STRUCT */
0x7,       /*
7 */
/* 282 */ NdrFcShort( 0x8 ), /* 8 */
/* 284 */ 0xb,      /* FC_HYPER */
0x5b,      /*
FC_END */
/* 286 */
0x12, 0x0, /*
FC_UP */
/* 288 */ NdrFcShort( 0xe ), /* Offset= 14 (302) */
/* 290 */
0x1b,      /*
FC_CARRAY */
0x1,       /*
1 */
/* 292 */ NdrFcShort( 0x2 ), /* 2 */
/* 294 */ 0x9,      /* Corr desc: FC ULONG
*/
0x0,       /*
*/
/* 296 */ NdrFcShort( 0xffffc ), /* -4 */
/* 298 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* */
/* 300 */ 0x6,      /* FC_SHORT */
0x5b,      /*
FC_END */
/* 302 */
0x17,      /*
FC_CSTRUCT */
0x3,       /*
3 */
/* 304 */ NdrFcShort( 0x8 ), /* 8 */
/* 306 */ NdrFcShort( 0xfffffff0 ), /* Offset= -
16 (290) */
/* 308 */ 0x8,      /* FC_LONG */
0x8,       /*
FC_LONG */
/* 310 */ 0x5c,      /* FC_PAD */
0x5b,      /*
FC_END */
/* 312 */
0x2f,      /*
FC_IP */
0x5a,      /*
FC_CONSTANT_IID */
/* 314 */ NdrFcLong( 0x0 ), /* 0 */
/* 318 */ NdrFcShort( 0x0 ), /* 0 */
/* 320 */ NdrFcShort( 0x0 ), /* 0 */
/* 322 */ 0xc0,      /* 192 */
0x0,       /*
0 */
/* 324 */ 0x0,      /* 0 */
0x0,       /*
0 */
/* 326 */ 0x0,      /* 0 */
0x0,       /*
0 */
/* 328 */ 0x0,      /* 0 */
0x46,      /*
70 */
/* 330 */
0x2f,      /*
FC_IP */
0x5a,      /*
FC_CONSTANT_IID */
/* 332 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 336 */ NdrFcShort( 0x0 ), /* 0 */
/* 338 */ NdrFcShort( 0x0 ), /* 0 */
/* 340 */ 0xc0,      /* 192 */
0x0,       /*
0 */
/* 342 */ 0x0,      /* 0 */
0x0,       /*
0 */
/* 344 */ 0x0,      /* 0 */
0x0,       /*
0 */
/* 346 */ 0x0,      /* 0 */
0x46,      /*
70 */
/* 348 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 350 */ NdrFcShort( 0x2 ), /* Offset= 2 (352) */
/* 352 */
0x12, 0x0, /*
FC_UP */
/* 354 */ NdrFcShort( 0x1e6 ), /* Offset=
486 (840) */
/* 356 */
0x2a,      /*
FC_ENCAPSULATED_UNION */
0x89,      /*
137 */
/* 358 */ NdrFcShort( 0x20 ), /* 32 */
/* 360 */ NdrFcShort( 0xa ), /* 10 */
/* 362 */ NdrFcLong( 0x8 ), /* 8 */
/* 366 */ NdrFcShort( 0x50 ), /* Offset= 80 (446) */
/* 368 */ NdrFcLong( 0xd ), /* 13 */
/* 372 */ NdrFcShort( 0x70 ), /* Offset= 112 (484) */
/* 374 */ NdrFcLong( 0x9 ), /* 9 */
/* 378 */ NdrFcShort( 0x90 ), /* Offset= 144 (522) */
/* 380 */ NdrFcLong( 0xc ), /* 12 */
/* 384 */ NdrFcShort( 0xb0 ), /* Offset= 176 (560) */
/* 386 */ NdrFcLong( 0x24 ), /* 36 */
/* 390 */ NdrFcShort( 0x104 ), /* Offset=
260 (650) */
/* 392 */ NdrFcLong( 0x800d ), /* 32781 */
/* 396 */ NdrFcShort( 0x120 ), /* Offset=
288 (684) */
/* 398 */ NdrFcLong( 0x10 ), /* 16 */
/* 402 */ NdrFcShort( 0x13a ), /* Offset=
314 (716) */
/* 404 */ NdrFcLong( 0x2 ), /* 2 */
/* 408 */ NdrFcShort( 0x150 ), /* Offset=
336 (744) */
/* 410 */ NdrFcLong( 0x3 ), /* 3 */
/* 414 */ NdrFcShort( 0x166 ), /* Offset=
358 (772) */
/* 416 */ NdrFcLong( 0x14 ), /* 20 */
/* 420 */ NdrFcShort( 0x17c ), /* Offset=
380 (800) */
/* 422 */ NdrFcShort( 0xfffffff ), /* Offset= -1
(421) */
/* 424 */
0x21,      /*
FC_BOGUS_ARRAY */
0x3,       /*
3 */
/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */ 0x19,      /* Corr desc: field
pointer, FC ULONG */
0x0,       /*
0 */
/* 430 */ NdrFcShort( 0x0 ), /* 0 */
/* 432 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* */
/* 434 */ NdrFcLong( 0xfffffff ), /* -1 */
/* 438 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 440 */
0x12, 0x0, /*
FC_UP */
/* 442 */ NdrFcShort( 0xfffffff74 ), /* Offset= -
140 (302) */
/* 444 */ 0x5c,      /* FC_PAD */
0x5b,      /*
FC_END */
/* 446 */
0x1a,      /*
FC_BOGUS_STRUCT */
0x3,       /*
3 */
/* 448 */ NdrFcShort( 0x10 ), /* 16 */
/* 450 */ NdrFcShort( 0x0 ), /* 0 */
/* 452 */ NdrFcShort( 0x6 ), /* Offset= 6 (458) */
/* 454 */ 0x8,      /* FC_LONG */
0x39,      /*
FC_ALIGNNM8 */
/* 456 */ 0x36,      /* FC_POINTER */
0x5b,      /*
FC_END */
/* 458 */
0x11, 0x0, /*
FC_RP */
/* 460 */ NdrFcShort( 0xfffffffdc ), /* Offset=
36 (424) */
/* 462 */
0x21,      /*
FC_BOGUS_ARRAY */
0x3,       /*
3 */
/* 464 */ NdrFcShort( 0x0 ), /* 0 */
/* 466 */ 0x19,      /* Corr desc: field
pointer, FC ULONG */
0x0,       /*
0 */
/* 468 */ NdrFcShort( 0x0 ), /* 0 */
/* 470 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* */
/* 472 */ NdrFcLong( 0xfffffff ), /* -1 */
/* 476 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 478 */ 0x4c,      /* FC_EMBEDDED_COMPLEX
*/
*/

```

<pre> 0x0,          /* /* 480 */ NdrFcShort( 0xffffffff58 ),      /* Offset= -168 (312) */ /* 482 */ 0x5c,           /* FC_PAD */ FC_END */ /* 484 */ 0x1a,          /* FC_BOGUS_STRUCT */ 0x3,           /* 3 */ /* 486 */ NdrFcShort( 0x10 ), /* 16 */ /* 488 */ NdrFcShort( 0x0 ), /* 0 */ /* 490 */ NdrFcShort( 0x6 ), /* Offset= 6 (496) */ /* 492 */ 0x8,            /* FC_LONG */ 0x39,          /* FC_ALIGNM8 */ /* 494 */ 0x36,           /* FC_POINTER */ 0x5b,          /* FC_END */ /* 496 */ 0x11, 0x0,      /* FC_RP */ /* 498 */ NdrFcShort( 0xfffffffffd ), /* Offset= -36 (462) */ /* 500 */ 0x21,          /* FC_BOGUS_ARRAY */ 0x3,           /* 3 */ /* 502 */ NdrFcShort( 0x0 ), /* 0 */ /* 504 */ 0x19,           /* Corr desc: field pointer, FC ULONG */ 0x0,           /* */ /* 506 */ NdrFcShort( 0x0 ), /* 0 */ /* 508 */ NdrFcShort( 0x1 ), /* Corr flags: early, */ /* 510 */ NdrFcLong( 0xffffffff ), /* -1 */ /* 514 */ NdrFcShort( 0x0 ), /* Corr flags: */ /* 516 */ 0x4c,            /* FC_EMBEDDED_COMPLEX */ */ 0x0,           /* 0 */ /* 518 */ NdrFcShort( 0xffffffff44 ), /* Offset= -188 (330) */ /* 520 */ 0x5c,           /* FC_PAD */ 0x5b,          /* FC_END */ /* 522 */ 0x1a,          /* FC_BOGUS_STRUCT */ 0x3,           /* 3 */ /* 524 */ NdrFcShort( 0x10 ), /* 16 */ /* 526 */ NdrFcShort( 0x0 ), /* 0 */ /* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */ /* 530 */ 0x8,            /* FC_LONG */ 0x39,          /* FC_ALIGNM8 */ /* 532 */ 0x36,           /* FC_POINTER */ </pre>	<pre> 0x5b,          /* FC_END */ /* 534 */ 0x11, 0x0,      /* FC_RP */ /* 536 */ NdrFcShort( 0xfffffffffd ), /* Offset= -36 (500) */ /* 538 */ 0x21,          /* FC_BOGUS_ARRAY */ 0x3,           /* 3 */ /* 540 */ NdrFcShort( 0x0 ), /* 0 */ /* 542 */ 0x19,           /* Corr desc: field pointer, FC ULONG */ 0x0,           /* */ /* 544 */ NdrFcShort( 0x0 ), /* 0 */ /* 546 */ NdrFcShort( 0x1 ), /* Corr flags: early, */ /* 548 */ NdrFcLong( 0xffffffff ), /* -1 */ /* 552 */ NdrFcShort( 0x0 ), /* Corr flags: */ /* 554 */ 0x12, 0x0,      /* FC_UP */ /* 556 */ NdrFcShort( 0x176 ), /* Offset= -374 (930) */ /* 558 */ 0x5c,           /* FC_PAD */ 0x5b,          /* FC_END */ /* 560 */ 0x1a,          /* FC_BOGUS_STRUCT */ 0x3,           /* 3 */ /* 562 */ NdrFcShort( 0x10 ), /* 16 */ /* 564 */ NdrFcShort( 0x0 ), /* 0 */ /* 566 */ NdrFcShort( 0x6 ), /* Offset= 6 (572) */ /* 568 */ 0x8,            /* FC_LONG */ 0x39,          /* FC_ALIGNM8 */ /* 570 */ 0x36,           /* FC_POINTER */ 0x5b,          /* FC_END */ /* 572 */ 0x11, 0x0,      /* FC_RP */ /* 574 */ NdrFcShort( 0xfffffffffd ), /* Offset= -36 (538) */ /* 576 */ 0x2f,           /* FC_IP */ 0x5a,          /* FC_CONSTANT_IID */ /* 578 */ NdrFcLong( 0x2f ), /* 47 */ /* 582 */ NdrFcShort( 0x0 ), /* 0 */ /* 584 */ NdrFcShort( 0x0 ), /* 0 */ /* 586 */ 0xc0,            /* 192 */ 0x0,           /* 0 */ /* 588 */ 0x0,            /* 0 */ 0x0,           /* 0 */ </pre>	<pre> /* 590 */ 0x0,          /* 0 */ 0x0,          /* 0 */ /* 592 */ 0x0,          /* 0 */ 0x46,          /* 70 */ /* 594 */ 0x1b,          /* FC_CARRAY */ 0x0,          /* 0 */ /* 596 */ NdrFcShort( 0x1 ), /* 1 */ /* 598 */ 0x19,           /* Corr desc: field pointer, FC ULONG */ 0x0,          /* */ /* 600 */ NdrFcShort( 0x4 ), /* 4 */ /* 602 */ NdrFcShort( 0x1 ), /* Corr flags: early, */ /* 604 */ 0x1,             /* FC_BYTE */ 0x5b,          /* FC_END */ /* 606 */ 0x1a,          /* FC_BOGUS_STRUCT */ 0x3,           /* 3 */ /* 608 */ NdrFcShort( 0x18 ), /* 24 */ /* 610 */ NdrFcShort( 0x0 ), /* 0 */ /* 612 */ NdrFcShort( 0xc ), /* Offset= 12 (624) */ /* 614 */ 0x8,            /* FC_LONG */ 0x8,           /* 0 */ /* 616 */ 0x4c,           /* FC_EMBEDDED_COMPLEX */ 0x0,          /* 0 */ /* 618 */ NdrFcShort( 0xfffffffffd ), /* Offset= -42 (576) */ /* 620 */ 0x39,           /* FC_ALIGNM8 */ 0x36,          /* FC_POINTER */ /* 622 */ 0x5c,           /* FC_PAD */ 0x5b,          /* FC_END */ /* 624 */ 0x12, 0x0,      /* FC_UP */ /* 626 */ NdrFcShort( 0xfffffffffe ), /* Offset= -32 (594) */ /* 628 */ 0x21,           /* FC_BOGUS_ARRAY */ 0x3,           /* 3 */ /* 630 */ NdrFcShort( 0x0 ), /* 0 */ /* 632 */ 0x19,           /* Corr desc: field pointer, FC ULONG */ 0x0,           /* */ /* 634 */ NdrFcShort( 0x0 ), /* 0 */ /* 636 */ NdrFcShort( 0x1 ), /* Corr flags: early, */ </pre>
---	---	--

```

/* 638 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 642 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 644 */
0x12, 0x0, /* FC_UP */
/* 646 */ NdrFcShort( 0xfffffff8 ), /* Offset= -40 (606) */
/* 648 */ 0x5c, /* FC_PAD */
0x5b, /* FC_END */
/* 650 */
0xla, /* FC_BOGUS_STRUCT */
0x3, /* FC_ALIGNM8 */
/* 652 */ NdrFcShort( 0x10 ), /* 16 */
/* 654 */ NdrFcShort( 0x0 ), /* 0 */
/* 656 */ NdrFcShort( 0x6 ), /* Offset= 6 (662) */
/* 658 */ 0x8,
0x39, /* FC_LONG */
FC_ALIGNM8 */
/* 660 */ 0x36, /* FC_POINTER */
0x5b, /* FC_END */
/* 662 */
0x11, 0x0, /* FC_RP */
/* 664 */ NdrFcShort( 0xfffffff8 ), /* Offset= -36 (628) */
/* 666 */
0x1d, /* FC_SMFARRAY */
0x0, /* FC_STRUCT */
0 /* FC_SHORT */
/* 668 */ NdrFcShort( 0x8 ), /* 8 */
/* 670 */ 0x2,
0x5b, /* FC_END */
/* 672 */
0x15, /* FC_STRUCT */
0x3, /* FC_ALIGNM8 */
/* 674 */ NdrFcShort( 0x10 ), /* 16 */
/* 676 */ 0x8,
0x6, /* FC_LONG */
FC_SHORT */
/* 678 */ 0x6,
0x4c, /* FC_EMBEDDED_COMPLEX */
/* 680 */ 0x0,
/* 681 */ NdrFcShort( 0xffffffff ),
/* 682 */ /* Offset= -15 (666) */
0x5b, /* FC_END */
/* 684 */
0xla, /* FC_BOGUS_STRUCT */
0x3, /* FC_ALIGNM8 */
/* 686 */ NdrFcShort( 0x20 ), /* 32 */
/* 688 */ NdrFcShort( 0x0 ), /* 0 */
/* 690 */ NdrFcShort( 0xa ), /* Offset= 10 (700) */

```

```

/* 692 */ 0x8, /* FC_LONG */
0x39, /* FC_ALIGNM8 */
/* 694 */ 0x36, /* FC_POINTER */
0x4c, /* FC_EMBEDDED_COMPLEX */
/* 696 */ 0x0,
/* 697 */ NdrFcShort( 0xffffffe7 ),
/* 698 */ /* Offset= -25 (672) */
0x5b, /* FC_END */
/* 700 */
0x11, 0x0, /* FC_RP */
/* 702 */ NdrFcShort( 0xfffffff10 ), /* Offset= -240 (462) */
/* 704 */
0x1b, /* FC_CARRAY */
0x0, /* FC_ALIGNM8 */
/* 706 */ NdrFcShort( 0x1 ), /* 1 */
/* 708 */ 0x19,
/* 709 */ /* Corr desc: field pointer, FC ULONG */
0x0, /* FC_ALIGNM8 */
/* 710 */ NdrFcShort( 0x0 ), /* 0 */
/* 712 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 714 */
0x5b, /* FC_END */
/* 716 */
0x1a, /* FC_BOGUS_STRUCT */
0x3, /* FC_ALIGNM8 */
/* 718 */ NdrFcShort( 0x10 ), /* 16 */
/* 720 */ NdrFcShort( 0x0 ), /* 0 */
/* 722 */ NdrFcShort( 0x6 ), /* Offset= 6 (728) */
/* 724 */
0x39, /* FC_ALIGNM8 */
/* 726 */ 0x36, /* FC_POINTER */
0x5b, /* FC_END */
/* 728 */
0x12, 0x0, /* FC_UP */
/* 730 */ NdrFcShort( 0xfffffe6 ), /* Offset= -26 (704) */
/* 732 */
0x1b, /* FC_CARRAY */
0x1, /* FC_ALIGNM8 */
/* 734 */ NdrFcShort( 0x2 ), /* 2 */
/* 736 */ 0x19,
/* 737 */ /* Corr desc: field pointer, FC ULONG */
0x0, /* FC_ALIGNM8 */
/* 738 */ NdrFcShort( 0x0 ), /* 0 */

```

```

/* 740 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 742 */ 0x6, /* FC_SHORT */
0x5b, /* FC_END */
/* 744 */
0xla, /* FC_BOGUS_STRUCT */
0x3, /* FC_ALIGNM8 */
/* 746 */ NdrFcShort( 0x10 ), /* 16 */
/* 748 */ NdrFcShort( 0x0 ), /* 0 */
/* 750 */ NdrFcShort( 0x6 ), /* Offset= 6 (756) */
/* 752 */
0x39, /* FC_ALIGNM8 */
/* 754 */ 0x36, /* FC_POINTER */
0x5b, /* FC_END */
/* 756 */
0x12, 0x0, /* FC_RP */
/* 758 */ NdrFcShort( 0xfffffe6 ), /* Offset= -26 (732) */
/* 760 */
0x1b, /* FC_CARRAY */
0x3, /* FC_ALIGNM8 */
/* 762 */ NdrFcShort( 0x4 ), /* 4 */
/* 764 */ 0x19,
/* 765 */ /* Corr desc: field pointer, FC ULONG */
0x0, /* FC_ALIGNM8 */
/* 766 */ NdrFcShort( 0x0 ), /* 0 */
/* 768 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 770 */
0x5b, /* FC_END */
/* 772 */
0x1a, /* FC_BOGUS_STRUCT */
0x3, /* FC_ALIGNM8 */
/* 774 */ NdrFcShort( 0x10 ), /* 16 */
/* 776 */ NdrFcShort( 0x0 ), /* 0 */
/* 778 */ NdrFcShort( 0x6 ), /* Offset= 6 (784) */
/* 780 */
0x39, /* FC_ALIGNM8 */
/* 782 */ 0x36, /* FC_POINTER */
0x5b, /* FC_END */
/* 784 */
0x12, 0x0, /* FC_UP */
/* 786 */ N/rfcShort( 0xfffffe6 ), /* Offset= -26 (760) */
/* 788 */
0x1b, /* FC_CARRAY */

```

```

7 */
0x7,           /* 8 */
/* 790 */ NdrFcShort( 0x8 ), /* 8 */
/* 792 */ 0x19, /* Corr desc: field
pointer, FC ULONG */
0x0,           /* */
*/
/* 794 */ NdrFcShort( 0x0 ), /* 0 */
/* 796 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 798 */ 0xb,   /* FC_HYPER */
0x5b,          /* */
FC_END /* */
/* 800 */          0x1a,          /* */
FC_BOGUS_STRUCT /* */
0x3,           /* */
3 */
/* 802 */ NdrFcShort( 0x10 ), /* 16 */
/* 804 */ NdrFcShort( 0x0 ), /* 0 */
/* 806 */ NdrFcShort( 0x6 ), /* Offset= 6 (812) */
/* 808 */ 0x8,   /* FC_LONG */
0x39,          /* */
FC_ALIGNM8 /* */
/* 810 */ 0x36, /* FC_POINTER */
0x5b,          /* */
FC_END /* */
/* 812 */          0x12,          /* 0x0, */
FC_UP /* */
/* 814 */ NdrFcShort( 0xffffffe6 ), /* Offset= -
26 (788) */
/* 816 */          0x15,          /* */
FC_STRUCT /* */
0x3,           /* */
3 */
/* 818 */ NdrFcShort( 0x8 ), /* 8 */
/* 820 */ 0x8,   /* FC_LONG */
0x8,           /* */
FC_LONG /* */
/* 822 */ 0x5c, /* FC_PAD */
0x5b,          /* */
FC_END /* */
/* 824 */          0x1b,          /* */
FC_CARRAY /* */
0x3,           /* */
3 */
/* 826 */ NdrFcShort( 0x8 ), /* 8 */
/* 828 */ 0x7,   /* Corr desc: FC USHORT
*/
0x0,           /* */
*/
/* 830 */ NdrFcShort( 0xfffc8 ), /* -56 */
/* 832 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 834 */ 0x4c,   /* FC_EMBEDDED_COMPLEX
*/
0x0,           /* */
0 */
/* 836 */ NdrFcShort( 0xfffffec ), /* Offset= -
20 (816) */
0x7,           /* 8 */
/* 838 */ 0x5c, /* FC_PAD */
0x5b,          /* */
FC_END /* */
/* 840 */          0x1a,          /* */
FC_BOGUS_STRUCT /* */
0x3,           /* */
3 */
/* 842 */ NdrFcShort( 0x38 ), /* 56 */
/* 844 */ NdrFcShort( 0xfffffec ), /* Offset= -
20 (824) */
/* 846 */ NdrFcShort( 0x0 ), /* Offset= 0 (846) */
/* 848 */ 0x6,   /* FC_SHORT */
0x6,           /* */
FC_SHORT /* */
/* 850 */ 0x38, /* FC_ALIGNM4 */
0x8,           /* */
FC_LONG /* */
/* 852 */ 0x8,  /* FC_LONG */
0x4c,          /* */
FC_EMBEDDED_COMPLEX /* */
/* 854 */ 0x4,   /* 4 */
NdrFcShort( 0xfffffe0d
), /* Offset= -499 (356) */
0x5b,          /* */
FC_END /* */
/* 858 */          0x12,          /* 0x0, */
FC_UP /* */
/* 860 */ NdrFcShort( 0xfffffff02 ), /* Offset= -
254 (606) */
/* 862 */          0x12,          /* 0x8, */
FC_UP [simple_pointer] /* */
/* 864 */ 0x1,   /* FC_BYTE */
0x5c,          /* */
FC_PAD /* */
/* 866 */          0x12,          /* 0x8, */
FC_UP [simple_pointer] /* */
/* 868 */ 0x6,   /* FC_SHORT */
0x5c,          /* */
FC_PAD /* */
/* 870 */          0x12,          /* 0x8, */
FC_UP [simple_pointer] /* */
/* 872 */ 0x8,   /* FC_LONG */
0x5c,          /* */
FC_PAD /* */
/* 874 */          0x12,          /* 0x8, */
FC_UP [simple_pointer] /* */
/* 876 */ 0xa,   /* FC_FLOAT */
0x5c,          /* */
FC_PAD /* */
/* 878 */          0x12,          /* 0x8, */
FC_UP [simple_pointer] /* */
/* 880 */ 0xc,   /* FC_DOUBLE */
0x5c,          /* */
FC_PAD /* */
/* 882 */          0x12,          /* 0x0, */
FC_UP /* */
/* 884 */ NdrFcShort( 0xffffda4 ), /* Offset= -
604 (280) */
/* 886 */          0x12,          /* 0x10, */
FC_UP [pointer_deref] /* */
/* 888 */ NdrFcShort( 0xfffffdad ), /* Offset= -
602 (286) */
/* 890 */          0x12,          /* 0x10, */
FC_UP [pointer_deref] /* */
/* 892 */ NdrFcShort( 0xfffffdbe ), /* Offset= -
580 (312) */
/* 894 */          0x12,          /* 0x10, */
FC_UP [pointer_deref] /* */
/* 896 */ NdrFcShort( 0xfffffdca ), /* Offset= -
566 (330) */
/* 898 */          0x12,          /* 0x10, */
FC_UP [pointer_deref] /* */
/* 900 */ NdrFcShort( 0xfffffd8 ), /* Offset= -
552 (348) */
/* 902 */          0x12,          /* 0x10, */
FC_UP /* */
/* 904 */ NdrFcShort( 0x2 ), /* Offset= 2 (906) */
/* 906 */          0x12,          /* 0x0, */
FC_UP /* */
/* 908 */ NdrFcShort( 0x16 ), /* Offset= 22 (930) */
/* 910 */          0x15,          /* */
FC_STRUCT /* */
0x7,           /* */
7 */
/* 912 */ NdrFcShort( 0x10 ), /* 16 */
/* 914 */ 0x6,   /* FC_SHORT */
0x1,           /* */
FC_BYTE /* */
/* 916 */ 0x1,   /* FC_BYTE */
0x38,          /* */
FC_ALIGNM4 /* */
/* 918 */ 0x8,   /* FC_LONG */
0x39,          /* */
FC_ALIGNM8 /* */
/* 920 */ 0xb,   /* FC_HYPER */
0x5b,          /* */
FC_END /* */
/* 922 */          0x12,          /* 0x0, */
FC_UP /* */
/* 924 */ NdrFcShort( 0xfffffff2 ), /* Offset= -
14 (910) */
/* 926 */          0x12,          /* 0x8, */
FC_UP [simple_pointer] /* */
/* 928 */ 0x2,   /* FC_CHAR */
0x5c,          /* */
FC_PAD /* */
/* 930 */          0x12,          /* 0x0, */

```

```

    0x1a,          /* FC_BOGUS_STRUCT */
    0x7,           /* 7 */
    /* 932 */ NdrFcShort( 0x20 ), /* 32 */
    /* 934 */ NdrFcShort( 0x0 ), /* 0 */
    /* 936 */ NdrFcShort( 0x0 ), /* Offset= 0 (936) */
    /* 938 */ 0x8,          /* FC_LONG */
    /* 940 */ 0x6,          /* FC_SHORT */
    /* 942 */ 0x6,          /* FC_SHORT */
    /* 944 */ 0x4c,         /* FC_EMBEDDED_COMPLEX */
    /* 946 */ NdrFcShort( 0xfffffc54 ), /* Offset= -940 (6) */
    /* 948 */ 0x5c,          /* FC_PAD */
    /* 950 */ 0xb4,          /* FC_USER_MARSHAL */
    /* 952 */ NdrFcShort( 0x0 ), /* 0 */
    /* 954 */ NdrFcShort( 0x18 ), /* 24 */
    /* 956 */ NdrFcShort( 0x0 ), /* 0 */
    /* 958 */ NdrFcShort( 0xfffffc44 ), /* Offset= -956 (2) */
    /* 960 */ 0x11,          /* FC_RP [alloced_on_stack] */
    /* 962 */ NdrFcShort( 0x6 ), /* Offset= 6 (968) */
    /* 964 */ 0x13,          /* FC_OP */
    /* 966 */ NdrFcShort( 0xffffffffdc ), /* Offset= -36 (930) */
    /* 968 */ 0xb4,          /* FC_USER_MARSHAL */
    /* 970 */ NdrFcShort( 0x0 ), /* 0 */
    /* 972 */ NdrFcShort( 0x18 ), /* 24 */
    /* 974 */ NdrFcShort( 0x0 ), /* 0 */
    /* 976 */ NdrFcShort( 0xfffffff4 ), /* Offset= -12 (964) */
    /* 978 */ 0x0
};

const CInterfaceProxyVtbl *
_tpcc_com_ps_ProxyVtblList[] =
{
    (CInterfaceProxyVtbl *) &_ITPCCProxyVtbl,
    0
};

```

```

    const CInterfaceStubVtbl * _tpcc_com_ps_StubVtblList[] =
    {
        (CInterfaceStubVtbl *) &_ITPCCStubVtbl,
        0
    };

    PCInterfaceName const _tpcc_com_ps_InterfaceNamesList[] =
    {
        "ITPCC",
        0
    };

#define _tpcc_com_ps_CHECK_IID(n)
    IID_GENERIC_CHECK_IID( _tpcc_com_ps, piID,
n)

int __stdcall _tpcc_com_ps_IID_Lookup( const IID * piID, int * pIndex )
{
    if(! _tpcc_com_ps_CHECK_IID(0))
    {
        *pIndex = 0;
        return 1;
    }

    return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo =
{
    (PCInterfaceProxyVtblList *) &_tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) &_tpcc_com_ps_StubVtblList,
    (const PCInterfaceName *) &_tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    &_tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
};

#endif /* defined(_M_IA64) || defined(_M_AXP64)*/

```

## tpcc\_com\_sl.rg S

---

HKCR

```

TPCC.StockLevel.1 = s 'StockLevel Class'
{
    CLSID = s '{2668369E-A50D-11D2-BA4E-00C04FBFE08B}'
}
TPCC.StockLevel = s 'StockLevel Class'
{
    CurVer = s 'TPCC.StockLevel.1'
}
NoRemove CLSID
{
    ForceRemove {2668369E-A50D-11D2-BA4E-00C04FBFE08B} = s 'StockLevel Class'
    {
        ProgID = s 'TPCC.StockLevel.1'
        VersionIndependentProgID = s 'TPCC.StockLevel'
        InprocServer32 = s '%MODULE%'
        {
            val ThreadingModel = s 'Both'
        }
    }
}

```

## tpcc\_dbllib.cpp

```

/* FILE: TPCC_DBLIB.CPP
 * Microsoft
TPC-C Kit Ver. 4.20.000
* Copyright
Microsoft, 1999
* All Rights Reserved
*
* Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
* PURPOSE: Implements dbllib calls for TPC-C
txns.
* Contact: Charles Levine
(clevine@microsoft.com)
*
* Change history:
* 4.20.000 - updated rev number to
match kit
* 4.10.001 - not deleting error
class in catch handler on deadlock retry;
* not a
functional bug, but a memory leak
* - had to
tweak some declarations to compile with latest SDK;
no functional change
*/
#include <windows.h>
#include <stdio.h>
#include <assert.h>

```

```

#define DBNTWIN32
#include <sqlfront.h>
#include <sqldb.h>

#ifndef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_dblib.h"

#define DEFCLPACKSIZE
4096

// version string; must match return value from
tpcc_version stored proc
const char sVersion[] = "4.10.000";

const
    iMaxRetries = 10;
    // how many retries on deadlock
static long iConnectionCount = 0; // number
of current dblib connections

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

BOOL APIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:
            DisableThreadLibraryCalls(hModule);
            dbinit(); // initialize dblib
            break;

        case DLL_PROCESS_DETACH:
            dbexit(); // close all dblib structures/connections
            break;

        default:
            /* nothing */
    }
    return TRUE;
}

int err_handler(DBPROCESS *dbproc, int severity, int
dberr, int oserr, LPCSTR dberrstr, LPCSTR oserrstr)
{
    CTPCC_DBLIB
    *pConn;
    assert(dbproc != NULL);

    if (pConn != NULL)
    {

```

```

        pConn =
(CTPCC_DBLIB*)dbgetuserdata(dbproc);

        if (pConn != NULL)
        {
            pConn->SetDbLibError( severity,
dberr, oserr, dberrstr, oserrstr );
        }
        return INT_CANCEL;
    }

/* FUNCTION: int msg_handler(DBPROCESS *dbproc, DBINT
msgno, int msgstate, int severity, char *msgtext)
*
* PURPOSE: This function handles DB-Library
SQL Server error messages
*
* ARGUMENTS: DBPROCESS          *dbproc
DBPROCESS id pointer
*
*           DBINT
msgno
message number
*
*           int
msgstate
message state
*
*           int
severity
message severity
*
*           char
*msgtext
printable
message description
*
* RETURNS:      int
INT_CONTINUE   continue if
error is SQLETIME else INT_CANCEL action
*
*           INT_CANCEL
cancel operation
*
* COMMENTS: This function also sets the dead
lock dbproc variable if necessary.
*/

```

// typedef INT (SQLAPI \*DBMSGHANDLE\_PROC)(PDBPROCESS,
DBINT, INT, INT, LPCSTR, LPCSTR, LPCSTR,
DBUSMALLINT);

```

int msg_handler(DBPROCESS *dbproc, DBINT msgno, int
msgstate, int severity,
LPCSTR
msgtext, LPCSTR srvname, LPCSTR procname, DBUSMALLINT
line)
{
    CTPCC_DBLIB
    *pConn;

    assert(dbproc != NULL);
    pConn =
(CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {

```

```

        pConn->SetSqlError( msgno,
msgstate, severity, msgtext );
    }

    return 0;
}

/* FUNCTION: void UtilStrCpy(char * pDest, char *
pSrc, int n)
*
* PURPOSE: This function copies n characters
from string pSrc to pDst and places a
*           null character at the
end of the destination string.
*
* ARGUMENTS: char
*           *pDest destination string pointer
*           char
*           *pSrc source string pointer
*           int
n
number of characters to copy
*
* RETURNS: None
*
* COMMENTS: Unlike strcpy this function
ensures that the result string is
*           always null
terminated.
*/

```

```

inline static void UtilStrCpy(char * pDest, const
BYTE * pSrc, int n)
{
    strncpy(pDest, (char *)pSrc, n);
    pDest[n] = '\0';

    return;
}

/* FUNCTION: CTPCC_DBLIB_ERR::ErrorText
*/

```

```

char* CTPCC_DBLIB_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,
        "Wrong version of stored procs on database
server" },
        { ERR_INVALID_CUST,
        "Invalid Customer id.name." },
        { ERR_NO SUCH_ORDER,
        "No orders found for customer." },
        { ERR_RETRYED_TRANS,
        "Retries before transaction succeeded." },
    };

```

```

        { 0,
          ""
      };

    static char szNotFound[] = "Unknown error
number.";

    for(i=0; errorMsgs[i].szMsg[0]; i++)
    {
        if ( m_errno ==
errorMsgs[i].iError )
            break;
    }
    if ( !errorMsgs[i].szMsg[0] )
        return szNotFound;
    else
        return errorMsgs[i].szMsg;
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_DBLIB* CTPCC_DBLIB_new(
    LPCSTR szServer,                      // name of
SQL server
    LPCSTR szUser,                        // user name for login
    LPCSTR szPassword,                   // password
for login
    LPCSTR szHost,                       // workstation name; shows up in sp_who; max 30 chars,
only first 10 kept by SQL Server
    LPCSTR szDatabase )                  // name of
database to use
{
    return new CTPCC_DBLIB( szServer, szUser,
szPassword, szHost, szDatabase );
}

CTPCC_DBLIB::CTPCC_DBLIB (
    LPCSTR szServer,                      // name of
SQL server
    LPCSTR szUser,                        // user name for login
    LPCSTR szPassword,                   // password
for login
    LPCSTR szHost,                       // workstation name; shows up in sp_who; max 30 chars,
only first 10 kept by SQL Server
    LPCSTR szDatabase )                  // name of
database to use
{
    LOGINREC *login;
    const BYTE     *pData;

    // initialization
    m_dbproc = NULL;
    m_DbLibErr = (CDBLIBERR*)NULL;
    m_SqlErr = (CSQLERR*)NULL;
}

        m_MaxRetries = 10;           // how many
retries on deadlock

        // increase max number of connections if
getting close
        if ( dbgetmaxprocs() < (iConnectionCount+5)
)
        {
            if (
dbsetmaxprocs(iConnectionCount+10) == FAIL )
                ThrowError(CDBLIBERR::eDbSetMaxProcs);
        }

        // allocate a login structure
        login = dblogin();
        if ( login == NULL )
            ThrowError(CDBLIBERR::eLogin);
        InterlockedIncrement( &iConnectionCount );

        // register error and message handler
functions
        if (dbprocerrhandle(login, err_handler) ==
NULL)
            ThrowError(CDBLIBERR::eDbProcHandler);

        if (dbprocmsgshandle(login, msg_handler) ==
NULL)
            ThrowError(CDBLIBERR::eDbProcHandler);

        DBSETLUSER(login, szUser);
        DBSETLPWD(login, szPassword);
        DBSETLHOST(login, szHost);
        DBSETLPACKET(login, (unsigned
short)DEFCLPACKSIZE);
        DBSETLVERSION(login, DBVER60);
        // use dblib ver 6.0 client behavior

        // set time to wait for login
        if (dbsetlogintime(60) == FAIL)
            ThrowError(CDBLIBERR::eDbSet);

        // set time to wait for statement execution
        if (dbsettime(180) == FAIL)
            ThrowError(CDBLIBERR::eDbSet);

        m_dbproc = dbopen(login, szServer);

        // deallocate login structure before
checking for success
        dbfreelogin( login );

        if (m_dbproc == NULL)
            ThrowError(CDBLIBERR::eDbOpen);

        // save address of class instance so that
the message and error handler
        // can get to data.
        dbsetuserdata(m_dbproc, (LPVOID)this);
    }

    // Use the the right database
    if (dbuse(m_dbproc, szDatabase) == FAIL)
        ThrowError(CDBLIBERR::eDbUse);

    // set connection properties to match those
used by ODBC
    dbcmd(m_dbproc, "set ANSI_DEFAULTS ON ");
    dbcmd(m_dbproc, "set CURSOR_CLOSE_ON_COMMIT
OFF ");
    dbcmd(m_dbproc, "set IMPLICIT_TRANSACTIONS
OFF ");
    dbcmd(m_dbproc, "set NOCOUNT ON ");
    // do not return row counts
    dbcmd(m_dbproc, "set XACT_ABORT ON ");
    // rollback transaction on abort

    // for coyote
    dbcmd(m_dbproc, "set ansi_warnings on ");
    //
    dbcmd(m_dbproc, "set ansi_nulls on ");
    //

    if (dbsqlexec(m_dbproc) == FAIL)
        ThrowError(CDBLIBERR::eDbSqlExec);

    // This value must match the number of
commands above.
    // DiscardNextResults(2);
    DiscardNextResults(5);           // coyote

    // verify that version of stored procs on
server is correct
    dbrpcinit(m_dbproc, "tpcc_version", 0);

    if (dbrpcexec(m_dbproc) == FAIL)
        ThrowError(CDBLIBERR::eDbRpcExec);

    if (dbresults(m_dbproc) != SUCCEED)
        ThrowError(CDBLIBERR::eDbResults);

    if (dbnextrow(m_dbproc) != REG_ROW)
        ThrowError(CDBLIBERR::eDbNextRow);

    char szSrvVersion[16];
    pData=dbdata(m_dbproc, 1);
    if (pData)
        UtilStrCpy(szSrvVersion, pData,
dbdatlen(m_dbproc, 1));
    else
        szSrvVersion[0]=0;
    if (strcmp(szSrvVersion,sVersion))
        throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_WRONG_SP_VERSION );

    DiscardNextRows(0);
    DiscardNextResults(0);
}

```

```

CTPCC_DBLIB::~CTPCC_DBLIB( void )
{
    // close db connection and deallocate
resources
    dbclose(m_dbproc);
    InterlockedDecrement( &iConnectionCount );
    if (m_DbLibErr != NULL)
        delete m_DbLibErr;
    if (m_SqlErr != NULL)
        delete m_SqlErr;
}

void CTPCC_DBLIB::SetDbLibError(int severity, int
dberr, int oserr, LPCSTR dberrstr, LPCSTR oserrstr)
{
    delete m_DbLibErr;
    m_DbLibErr = new
CDBLIBERR(CDBLIBERR::eUnknown, severity, dberr,
oserr);

    if (dberrstr != NULL)
    {
        m_DbLibErr->m_dberrstr = new
char[ strlen(dberrstr)+1 ];
        strcpy( m_DbLibErr->m_dberrstr,
dberrstr );
    }

    if (oserrstr != NULL)
    {
        m_DbLibErr->m_oserrstr = new
char[ strlen(oserrstr)+1 ];
        strcpy( m_DbLibErr->m_oserrstr,
oserrstr );
    }
}

void CTPCC_DBLIB::SetSqlError( int /*DBINT*/ msgno,
int msgstate, int severity, LPCSTR msgtext )
{
    if (m_SqlErr == NULL)
        m_SqlErr = new CSQLErr();

    m_SqlErr->m_msgno = msgno;
    m_SqlErr->m_msgstate = msgstate;
    m_SqlErr->m_severity = severity;

    delete [] m_SqlErr->m_msgtext;
    if (msgtext != NULL)
    {
        m_SqlErr->m_msgtext = new char[
strlen(msgtext)+1 ];
        strcpy( m_SqlErr->m_msgtext,
msgtext );
    }
}

void CTPCC_DBLIB::ThrowError( CDBLIBERR::ACTION
eAction )
{
    // discard anything still in return buffer
}

```

```

DiscardNextRows(-1);
DiscardNextResults(-1);

    // check for SQL Server error first;  if
yes, throw it and ignore any DBLib error.
    if (m_SqlErr != NULL)
    {
        CSQLErr          *pSqlErr;
        pSqlErr = m_SqlErr;
        m_SqlErr = NULL; // clear our
pointer to instance; catch handler will delete
        throw pSqlErr;
    }

    CDBLIBERR *pDbLibErr;
    if (m_DbLibErr == NULL)
        // this case isn't expected to
happen, since it means that an error was returned
        // but the error handlers were
not called.
        pDbLibErr = new
CDBLIBERR(eAction);
    else
    {
        pDbLibErr = m_DbLibErr;
        pDbLibErr->m_eAction = eAction;
        m_DbLibErr = NULL; // clear our
pointer to instance; catch handler will
        delete
    }

    throw pDbLibErr;
}

// Read and discard rows until no more. Throw an
exception if number of rows read doesn't
// match number of rows expected. The row count will
be ignored if the expected count value
// passed in is negative. A typical use of this
routine is to verify that there are no more
// rows to be read.
void CTPCC_DBLIB::DiscardNextRows(int iExpectedCount)
{
    int                  iRowsRead = 0;
    RETCODE   rc;

    while (TRUE)
    {
        rc = dbnextrow(m_dbproc);
        if (rc == NO_MORE_ROWS)
            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >=
0)
                ThrowError(CDBLIBERR::eDbNextRow);
            else
                break;
        }
        iRowsRead++;
    }
}

```

```

if ((iExpectedCount >= 0) &&
    (iExpectedCount != iRowsRead))
    ThrowError(CDBLIBERR::eWrongRowCount);
}

// Read and discard results until no more. Throw an
exception if number of result sets read doesn't
// match number expected. The result set count will
be ignored if the expected count value
// passed in is negative. A typical use of this
routine is to verify that there are no more
// result sets to be read.
void CTPCC_DBLIB::DiscardNextResults(int
iExpectedCount)
{
    int                  iResultsRead = 0;
    RETCODE   rc;

    while (TRUE)
    {
        rc = dbresults(m_dbproc);
        if (rc == NO_MORE_RESULTS)
            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >=
0)
                ThrowError(CDBLIBERR::eDbResults);
            else
                break;
        }
        DiscardNextRows(-1);
        iResultsRead++;
    }
    if ((iExpectedCount >= 0) &&
        (iExpectedCount != iResultsRead))
        ThrowError(CDBLIBERR::eWrongRowCount);
}

void CTPCC_DBLIB::StockLevel()
{
    int                  iTryCount =
0;
    const BYTE           *pData;
    ResetError();
    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_stocklevel", 0);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.StockLevel.w_id); // @w_id
            smallint
        }
    }
}

```

```

        dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)           // @d_id
&m_txn.StockLevel.d_id);                      tinyint
                                                dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)           // @threshhold
&m_txn.StockLevel.threshold); // @threshhold
smallint
                                                if (dbrpcexec(m_dbproc)
== FAIL)
    ThrowError(CDBLIBERR::eDbRpcExec);
    if (dbresults(m_dbproc)
!= SUCCEED)
    ThrowError(CDBLIBERR::eDbResults);
    if (dbnextrow(m_dbproc)
!= REG_ROW)
    ThrowError(CDBLIBERR::eDbNextRow);
    if
(pData=dbdata(m_dbproc, 1))
    m_txn.StockLevel.low_stock = *((long *) pData);
    DiscardNextRows(0);
    DiscardNextResults(0);

    m_txn.StockLevel.exec_status_code = eOK;
    return;
} catch (CSQLERR *e)
{
    if ((e->m_msgno == 1205
|| (e->m_msgno
== iErrOleDbProvider &&
strstr(e->m_msgtext, sErrTimeoutExpired) != NULL)) &&
(++iTryCount
<= iMaxRetries))
    {
        // hit
deadlock; backoff for increasingly longer period
        delete e;
        Sleep(10 *
iTryCount);
    }
    else
        throw;
}
// while (TRUE)
//if (iTryCount)
//    throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRYED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::NewOrder()
{
    int
DBINT          commit_flag;
DBDATETIME      datetime;
DBDATEREC       daterec;

    int
i;
iTryCount =
0;
const BYTE
*pData;
ResetError();
while (TRUE)
{
    try
    {
        dbrpcinit(m_dbproc,
"tpcc_neworder", 0);

        dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)           // &m_txn.NewOrder.w_id);
                                                dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)           // &m_txn.NewOrder.d_id);
                                                dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)           // &m_txn.NewOrder.c_id);
                                                dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)           // &m_txn.NewOrder.o_all_local);
                                                // check whether any
order lines are for a remote warehouse
        m_txn.NewOrder.o_all_local = 1;
        for (i = 0; i <
m_txn.NewOrder.o.ol_cnt; i++)
        {
            if
(m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
            {
                m_txn.NewOrder.o_all_local = 0; // at
least one remote warehouse
                break;
            }
        }
        dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)           // &m_txn.NewOrder.o_all_local);
                                                for (i = 0; i <
m_txn.NewOrder.o.ol_cnt; i++)
        {
            if
(m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
            {
                m_txn.NewOrder.o_all_local = 0; // at
least one remote warehouse
                break;
            }
        }
    }
    if (dbresults(m_dbproc) != SUCCEED)
        ThrowError(CDBLIBERR::eDbResults);
    if
(dbnumcols(m_dbproc) != 5)
        ThrowError(CDBLIBERR::eWrongNumCols);
    if
(dbnextrow(m_dbproc) != REG_ROW)
        ThrowError(CDBLIBERR::eDbNextRow);
    if
(pData=dbdata(m_dbproc, 1))
        UtilStrCpy(m_txn.NewOrder.OL[i].ol_i_name,
pData, dbdatlen(m_dbproc, 1));
    if
(pData=dbdata(m_dbproc, 2))
        m_txn.NewOrder.OL[i].ol_stock =
(*DBSMALLINT *) pData;
    if
(pData=dbdata(m_dbproc, 3))
        UtilStrCpy(m_txn.NewOrder.OL[i].ol_brand_ge-
neric, pData, dbdatlen(m_dbproc, 3));
    if
(pData=dbdata(m_dbproc, 4))
        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc, 4),
SQLFLT8, (BYTE *)
&m_txn.NewOrder.OL[i].ol_i_price, 8);
}
}
dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_i_id);
dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_supply_w_id);
dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_quantity);
}
if (dbrpcexec(m_dbproc)
== FAIL)
    ThrowError(CDBLIBERR::eDbRpcExec);
// Get order line
results
m_txn.NewOrder.total_amount = 0;
for (i = 0;
i < m_txn.NewOrder.o.ol_cnt; i++)
{
    if
(dbresults(m_dbproc) != SUCCEED)
        ThrowError(CDBLIBERR::eDbResults);
    if
(dbnumcols(m_dbproc) != 5)
        ThrowError(CDBLIBERR::eWrongNumCols);
    if
(dbnextrow(m_dbproc) != REG_ROW)
        ThrowError(CDBLIBERR::eDbNextRow);
    if
(pData=dbdata(m_dbproc, 1))
        UtilStrCpy(m_txn.NewOrder.OL[i].ol_i_name,
pData, dbdatlen(m_dbproc, 1));
    if
(pData=dbdata(m_dbproc, 2))
        m_txn.NewOrder.OL[i].ol_stock =
(*DBSMALLINT *) pData;
    if
(pData=dbdata(m_dbproc, 3))
        UtilStrCpy(m_txn.NewOrder.OL[i].ol_brand_ge-
neric, pData, dbdatlen(m_dbproc, 3));
    if
(pData=dbdata(m_dbproc, 4))
        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc, 4),
SQLFLT8, (BYTE *)
&m_txn.NewOrder.OL[i].ol_i_price, 8);
}
}

```

```

    if(pData=dbdata(m_dbproc, 5))

        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,5),
SQLFLT8, (BYTE
*)&m_txn.NewOrder.OL[i].ol_amount, 8);

        m_txn.NewOrder.total_amount =
m_txn.NewOrder.total_amount +
m_txn.NewOrder.OL[i].ol_amount;

        DiscardNextRows(0);
    }

    // get remaining values
for w_tax, d_tax, o_id, c_last, c_discount, c_credit,
o_entry_d, commit_flag
                if (dbresults(m_dbproc)
!= SUCCEED)
                    ThrowError(CDBLIBERR::eDbResults);

                    if (dbnextrow(m_dbproc)
!= REG_ROW)
                        ThrowError(CDBLIBERR::eDbNextRow);

                        if (dbnumcols(m_dbproc)
!= 8)
                            ThrowError(CDBLIBERR::eWrongNumCols);

                            if
(pData=dbdata(m_dbproc, 1))

                                dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,1), SQLFLT8, (BYTE
*)&m_txn.NewOrder.w_tax, 8);
                                if
(pData=dbdata(m_dbproc, 2))

                                    dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,2), SQLFLT8, (BYTE
*)&m_txn.NewOrder.d_tax, 8);
                                    if
(pData=dbdata(m_dbproc, 3))

                                        m_txn.NewOrder.o_id = (*DBINT * ) pData;
                                        if
(pData=dbdata(m_dbproc, 4))

```

```

                UtilStrCpy(m_txn.NewOrder.c_last, pData,
dbdatlen(m_dbproc, 4));
                if
(pData=dbdata(m_dbproc, 5))

                    dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,5), SQLFLT8, (BYTE
*)&m_txn.NewOrder.c_discount, 8);
                    if
(pData=dbdata(m_dbproc, 6))

                        UtilStrCpy(m_txn.NewOrder.c_credit, pData,
dbdatlen(m_dbproc, 6));
                        if
(pData=dbdata(m_dbproc, 7))
{
                datetime =
*((DBDATETIME * ) pData);

                dbdatecrack(m_dbproc, &daterec, &datetime);

                m_txn.NewOrder.o_entry_d.year =
daterec.year;
                m_txn.NewOrder.o_entry_d.month =
daterec.month;
                m_txn.NewOrder.o_entry_d.day =
daterec.day;
                m_txn.NewOrder.o_entry_d.hour =
daterec.hour;
                m_txn.NewOrder.o_entry_d.minute =
daterec.minute;
                m_txn.NewOrder.o_entry_d.second =
daterec.second;
}
                if
(pData=dbdata(m_dbproc, 8))
{
                commit_flag =
(*DBTINYINT * ) pData);

                DiscardNextRows(0);
                DiscardNextResults(0);

                if (commit_flag == 1)
{
                    m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
m_txn.NewOrder.c_discount));

                    m_txn.NewOrder.exec_status_code = eOK;
}
                else
                    m_txn.NewOrder.exec_status_code =
eInvalidItem;

```

```

                return;
}
catch (CSQLErr *e)
{
    if ((e->m_msgno == 1205
|| (e->m_msgno
== iErrOleDbProvider &&
strstr(e->m_msgrtext, sErrTimeoutExpired) != NULL)) &&
(<= iMaxRetries))
{
    // hit
deadlock; backoff for increasingly longer period
delete e;
Sleep(10 *
iTryCount);
}
else
    throw;
}
// while (TRUE)
//     if (iTryCount)
//         throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Payment()
{
    DBDATETIME           datetime;
    DBDATEREC daterec;
    int                  iTryCount =
0;
    const BYTE            *pData;
    ResetError();
    while (TRUE)
{
    try
    {
        dbrpcinit(m_dbproc,
"tpcc_payment", 0);

        dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Payment.w_id);
        dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Payment.c_w_id);
        dbrpcparam(m_dbproc,
NULL, 0, SQLFLT8, -1, -1, (BYTE *)
&m_txn.Payment.h_amount);
        dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.d_id);
    }
}

```

```

        dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.c_d_id);
        dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.Payment.c_id);

        // if customer id is
zero, then payment is by name
        if ((m_txn.Payment.c_id
== 0)

        dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.Payment.c_last), (unsigned char
*)m_txn.Payment.c_last);

        if (dbrpcexec(m_dbproc
== FAIL)

        ThrowError(CDBLIBERR::eDbRpcExec);

        if (dbresults(m_dbproc)
!= SUCCEED)

        ThrowError(CDBLIBERR::eDbResults);

        if (dbnextrow(m_dbproc)
!= REG_ROW)

        ThrowError(CDBLIBERR::eDbNextRow);

        if (dbnumcols(m_dbproc)
!= 27)

        ThrowError(CDBLIBERR::eWrongNumCols);

        if
(pData=dbdata(m_dbproc, 1))

        m_txn.Payment.c_id = *((DBINT *) pData);
        if
(pData=dbdata(m_dbproc, 2))

        UtilStrCpy(m_txn.Payment.c_last, pData,
dbdatlen(m_dbproc, 2));
        if
(pData=dbdata(m_dbproc, 3))
        {
            datetime =
*((DBDATETIME *) pData);

            dbdatecrack(m_dbproc, &daterec, &datetime);

            m_txn.Payment.h_date.year = daterec.year;

            m_txn.Payment.h_date.month =
daterec.month;

            m_txn.Payment.h_date.day = daterec.day;

            m_txn.Payment.h_date.hour = daterec.hour;

```

```

            m_txn.Payment.h_date.minute =
daterec.minute;

            m_txn.Payment.h_date.second =
daterec.second;
        }
        if
(pData=dbdata(m_dbproc, 4))

        UtilStrCpy(m_txn.Payment.w_street_1, pData,
dbdatlen(m_dbproc, 4));
        if
(pData=dbdata(m_dbproc, 5))

        UtilStrCpy(m_txn.Payment.w_street_2, pData,
dbdatlen(m_dbproc, 5));
        if
(pData=dbdata(m_dbproc, 6))

        UtilStrCpy(m_txn.Payment.w_city, pData,
dbdatlen(m_dbproc, 6));
        if
(pData=dbdata(m_dbproc, 7))

        UtilStrCpy(m_txn.Payment.w_state, pData,
dbdatlen(m_dbproc, 7));
        if
(pData=dbdata(m_dbproc, 8))

        UtilStrCpy(m_txn.Payment.w_zip, pData,
dbdatlen(m_dbproc, 8));
        if
(pData=dbdata(m_dbproc, 9))

        UtilStrCpy(m_txn.Payment.d_street_1, pData,
dbdatlen(m_dbproc, 9));
        if
(pData=dbdata(m_dbproc, 10))

        UtilStrCpy(m_txn.Payment.d_street_2, pData,
dbdatlen(m_dbproc, 10));
        if
(pData=dbdata(m_dbproc, 11))

        UtilStrCpy(m_txn.Payment.d_city, pData,
dbdatlen(m_dbproc, 11));
        if
(pData=dbdata(m_dbproc, 12))

        UtilStrCpy(m_txn.Payment.d_state, pData,
dbdatlen(m_dbproc, 12));
        if
(pData=dbdata(m_dbproc, 13))

        UtilStrCpy(m_txn.Payment.d_zip, pData,
dbdatlen(m_dbproc, 13));
        if
(pData=dbdata(m_dbproc, 14))

        UtilStrCpy(m_txn.Payment.c_first, pData,
dbdatlen(m_dbproc, 14));

```

```

        if
(pData=dbdata(m_dbproc, 15))

        UtilStrCpy(m_txn.Payment.c_middle, pData,
dbdatlen(m_dbproc, 15));
        if
(pData=dbdata(m_dbproc, 16))

        UtilStrCpy(m_txn.Payment.c_street_1, pData,
dbdatlen(m_dbproc, 16));
        if
(pData=dbdata(m_dbproc, 17))

        UtilStrCpy(m_txn.Payment.c_street_2, pData,
dbdatlen(m_dbproc, 17));
        if
(pData=dbdata(m_dbproc, 18))

        UtilStrCpy(m_txn.Payment.c_city, pData,
dbdatlen(m_dbproc, 18));
        if
(pData=dbdata(m_dbproc, 19))

        UtilStrCpy(m_txn.Payment.c_state, pData,
dbdatlen(m_dbproc, 19));
        if
(pData=dbdata(m_dbproc, 20))

        UtilStrCpy(m_txn.Payment.c_zip, pData,
dbdatlen(m_dbproc, 20));
        if
(pData=dbdata(m_dbproc, 21))

        UtilStrCpy(m_txn.Payment.c_phone, pData,
dbdatlen(m_dbproc, 21));
        if
(pData=dbdata(m_dbproc, 22))
        {
            datetime =
*((DBDATETIME *) pData);

            dbdatecrack(m_dbproc, &daterec, &datetime);

            m_txn.Payment.c_since.year =
daterec.year;

            m_txn.Payment.c_since.month =
daterec.month;

            m_txn.Payment.c_since.day = daterec.day;

            m_txn.Payment.c_since.hour =
daterec.hour;

            m_txn.Payment.c_since.minute =
daterec.minute;

            m_txn.Payment.c_since.second =
daterec.second;
        }
        if(pData=dbdata(m_dbproc, 23))

```

```

        UtilStrCpy(m_txn.Payment.c_credit, pData,
dbdatlen(m_dbproc, 23));

        if(pData=dbdata(m_dbproc, 24))

        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,24), SQLFLT8, (BYTE
*)&m_txn.Payment.c_credit_lim, 8);

        if(pData=dbdata(m_dbproc, 25))

        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,25), SQLFLT8, (BYTE
*)&m_txn.Payment.c_discount, 8);

        if(pData=dbdata(m_dbproc, 26))

        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,26), SQLFLT8, (BYTE
*)&m_txn.Payment.c_balance, 8);

        if(pData=dbdata(m_dbproc, 27))

        UtilStrCpy(m_txn.Payment.c_data, pData,
dbdatlen(m_dbproc, 27));

        DiscardNextRows(0);
        DiscardNextResults(0);

        if (m_txn.Payment.c_id
== 0)
            throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
        else
            m_txn.Payment.exec_status_code = eOK;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205
|| (e->m_msgno
== iErrOleDbProvider &&
strstr(e->m_sgtext, sErrTimeoutExpired) != NULL)) &&
(>= iMaxRetries))
        {
            // hit
deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    }
    // while (TRUE)
}

```

```

//      if (iTryCount)
//          throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRY_TRANS,
iTryCount);
}

void CTPCC_DBLIB::OrderStatus()
{
    int                               i;
    DBDATETIME           datetime;
    DBDATEREC  daterec;
    int                               iTryCount =
0;
    RETCODE                rc;
    const BYTE              *pData;
    ResetError();
    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_orderstatus", 0);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.OrderStatus.w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.OrderStatus.d_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.OrderStatus.c_id);
            // if customer id is
zero, then order status is by name
            if
(m_txn.OrderStatus.c_id == 0)
                dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.OrderStatus.c_last), (unsigned char
*)m_txn.OrderStatus.c_last);
            if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);
            // Get order lines
            if (dbresults(m_dbproc)
!= SUCCEED)
            {
                if
((m_DbLibErr == NULL) && (m_SqlErr == NULL))
                    throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_NO SUCH ORDER );
                else

```

```

ThrowError(CDBLIBERR::eDbResults);
}
if (dbnumcols(m_dbproc)
!= 5)
    ThrowError(CDBLIBERR::eWrongNumCols);
i = 0;
while (TRUE)
{
    rc =
dbnextrow(m_dbproc);
    if (rc ==
NO_MORE_ROWS)
        break;
REG_ROW)
    ThrowError(CDBLIBERR::eDbNextRow);

    if(pData=dbdata(m_dbproc, 1))
        m_txn.OrderStatus.OL[i].ol_supply_w_id =
(*DBSMALLINT *) pData;
    if(pData=dbdata(m_dbproc, 2))
        m_txn.OrderStatus.OL[i].ol_i_id = (*DBINT
*) pData;
    if(pData=dbdata(m_dbproc, 3))
        m_txn.OrderStatus.OL[i].ol_quantity =
(*DBSMALLINT *) pData;
    if(pData=dbdata(m_dbproc, 4))
        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc, 4),
SQLFLT8, (BYTE
*)&m_txn.OrderStatus.OL[i].ol_amount, 8);
    if(pData=dbdata(m_dbproc, 5))
    {
        datetime = *((DBDATETIME *) pData);
        dbdatecrack(m_dbproc, &daterec, &datetime);
        m_txn.OrderStatus.OL[i].ol_delivery_d.year
= daterec.year;
        m_txn.OrderStatus.OL[i].ol_delivery_d.month
= daterec.month;
        m_txn.OrderStatus.OL[i].ol_delivery_d.day
= daterec.day;
    }
}

```

```

        m_txn.OrderStatus.OL[i].ol_delivery_d.hour
= daterec.hour;

        m_txn.OrderStatus.OL[i].ol_delivery_d.minute
= daterec.minute;

        m_txn.OrderStatus.OL[i].ol_delivery_d.second
= daterec.second;
    }
    i++;
}

m_txn.OrderStatus.o.ol_cnt = i;

if (dbresults(m_dbproc)
!= SUCCEED)

    ThrowError(CDBLIBERR::eDbResults);

    if (dbnextrow(m_dbproc)
!= REG_ROW)

        ThrowError(CDBLIBERR::eDbNextRow);

        if (dbnumcols(m_dbproc)
!= 8)

            ThrowError(CDBLIBERR::eWrongNumCols);

        if(pData=dbdata(m_dbproc, 1))

            m_txn.OrderStatus.c_id = (*(DBINT *)
pData);

        if(pData=dbdata(m_dbproc, 2))

            UtilStrCpy(m_txn.OrderStatus.c_last, pData,
dbdatlen(m_dbproc,2));

        if(pData=dbdata(m_dbproc, 3))

            UtilStrCpy(m_txn.OrderStatus.c_first,
pData, dbdatlen(m_dbproc,3));

        if(pData=dbdata(m_dbproc, 4))

            UtilStrCpy(m_txn.OrderStatus.c_middle,
pData, dbdatlen(m_dbproc, 4));

        if(pData=dbdata(m_dbproc, 5))
    {
        datetime =
*((DBDATETIME *) pData);

        dbdatecrack(m_dbproc, &daterec, &datetime);

        m_txn.OrderStatus.o_entry_d.year =
daterec.year;
    }
}

m_txn.OrderStatus.o_entry_d.month =
daterec.month;

m_txn.OrderStatus.o_entry_d.day =
daterec.day;

m_txn.OrderStatus.o_entry_d.hour =
daterec.hour;

m_txn.OrderStatus.o_entry_d.minute =
daterec.minute;

m_txn.OrderStatus.o_entry_d.second =
daterec.second;
}

if(pData=dbdata(m_dbproc, 6))

m_txn.OrderStatus.o_carrier_id =
(*(DBSMALLINT *) pData);

if(pData=dbdata(m_dbproc, 7))

dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,7),
SQLFLT8, (BYTE
*)&m_txn.OrderStatus.c_balance, 8);

if(pData=dbdata(m_dbproc, 8))

m_txn.OrderStatus.o_id = (*(DBINT *)
pData);

DiscardNextRows(0);
DiscardNextResults(0);

if
(m_txn.OrderStatus.o.ol_cnt == 0)
    throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER
);

else if
(m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
    throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
else

m_txn.OrderStatus.exec_status_code = eOK;

return;
}

catch (CSQLERR *e)
{
    if ((e->m_msgno == 1205
||

(e->m_msgno
== iErrOleDbProvider &&
strstr(e-
>m_msgtext, sErrTimeoutExpired) != NULL)) &&

```

```

        (++iTryCount

<= iMaxRetries))
{
    // hit
    deadlock; backoff for increasingly longer period
    delete e;
    Sleep(10 *
iTryCount);
}
else
    throw;
}
// while (TRUE)

//     if (iTryCount)
//         throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRYED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Delivery()
{
    int
    int
    i;
    iTryCount =
0;
    const BYTE
    *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_delivery", 0);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Delivery.w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Delivery.o_carrier_id);
            if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            if (dbresults(m_dbproc)
!= SUCCEED)

                ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc)
!= REG_ROW)

                ThrowError(CDBLIBERR::eDbNextRow);

            if (dbnumcols(m_dbproc)
!= 10)

                ThrowError(CDBLIBERR::eWrongNumCols);

```

```

        for (i=0; i<10; i++)
        {
            if (pData =
dbdata(m_dbproc, i+1))

m_txn.Delivery.o_id[i] = *((DBINT *)pData);
}

DiscardNextRows(0);
DiscardNextResults(0);

m_txn.Delivery.exec_status_code = eOK;
return;
}
catch (CSQLERR *e)
{
    if ((e->m_msgno == 1205
||

(e->m_msgno
== iErrOleDbProvider &&
strstr(e->m_msgtext, sErrTimeoutExpired) != NULL)) &&
(<= iMaxRetries))
    {
        // hit
deadlock; backoff for increasingly longer period
        delete e;
        Sleep(10 *
iTryCount);
    }
    else
        throw;
}
// while (TRUE)

//     if (iTryCount)
//         throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRYED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::ResetError()
{
    if (m_DbLibErr != NULL)
    {
        delete m_DbLibErr;
        m_DbLibErr = (CDBLIBERR*)NULL;
    }

    if (m_SqlErr != NULL)
    {
        delete m_SqlErr;
        m_SqlErr = (CSQLERR*)NULL;
    }
    return;
}

```

## ***tpcc\_dblib.h***

```

/*
 *      FILE:          TPCC_DBLIB.H
 *      Microsoft
TPC-C Kit Ver. 4.20.000
 *      Copyright
Microsoft, 1999
 *          All Rights Reserved
 *
 *          Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 *          PURPOSE: Header file for TPC-C txn class
implementation.
*
 *          Change history:
*          4.20.000 - updated rev number to
match kit
*/
#pragma once

#ifndef PDBPROCESS
#define DBPROCESS void // dbprocess structure type
typedef DBPROCESS * PDBPROCESS;
#endif

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllexport )
#endif

class CSQLERR : public CBaseErr
{
public:
    CSQLERR(void)
    {
        m_msgno = 0;
        m_msgstate = 0;
        m_severity = 0;
        m_msgtext = NULL;
    }

    ~CSQLERR()
    {
        delete [] m_msgtext;
    }

    int           m_msgno;
    int           m_msgstate;
    int           m_severity;
    char *m_msgtext;

    int ErrorType() {return
ERR_TYPE_SQL;};
    int ErrorNum() {return m_msgno;};
    char *ErrorText() {return
m_msgtext;};
}

class CDBLIBERR : public CBaseErr

```

```

{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eLogin,
        // error from dblogin
        eDbOpen,
        // error from dbopen
        eDbUse,
        // error from dbuse
        eDbSqlExec,
        // error from dbsqlexec
        eDbSet,
        // error from one of the dbset*
routines
        eDbNextRow,
        // error from dbnextrow
        eWrongRowCount,
        // more or less rows returned than expected
        eWrongNumCols,
        // more or less columns returned than
expected
        eDbResults,
        // error from dbresults
        eDbRpcExec,
        // error from drpcexec
        eDbSetMaxProcs,
        // error from dbsetmaxprocs
        eDbProcHandler
        // error from either dbprocerrhandle or
dbprocmsghandle
    };

    CDBLIBERR(ACTION eAction, int
severity = 0, int dberror = 0, int oserr = 0)
    {
        m_eAction = eAction;
        m_severity = severity;
        m_dberror = dberror;
        m_oserr = oserr;

        m_dberrstr = NULL;
        m_oserrstr = NULL;
    }

    ~CDBLIBERR()
    {
        delete [] m_dberrstr;
        delete [] m_oserrstr;
    }

    ACTION   m_eAction;
    int      m_severity;
    int      m_dberror;
    int      m_oserr;
    char    *m_dberrstr;
    char    *m_oserrstr;

    int ErrorType() {return
ERR_TYPE_DBLIB;};

```

```

        int ErrorNum() {return
m_dberror;};
        char *ErrorText() {return
m_dberrstr;};
};

class CTPCC_DBLIB_ERR : public CBaseErr
{
    public:
        enum CTPCC_DBLIB_ERRS
        {
            ERR_WRONG_SP_VERSION =
1,           // "Wrong version of stored procs on
database server"
            ERR_INVALID_CUST,
            // "Invalid Customer id,name."
            ERR_NO_SUCH_ORDER,
            // "No orders found for
customer."
            ERR_RETRYED_TRANS,
            // "Retries before transaction
succeeded."
        };
        CTPCC_DBLIB_ERR( int iErr ) {
m_errno = iErr; m_iTryCount = 0; }

        CTPCC_DBLIB_ERR( int iErr, int
iTryCount ) { m_errno = iErr; m_iTryCount =
iTryCount; }

        int             m_errno;
        int             m_iTryCount;

        int ErrorType() {return
ERR_TYPE_TPCC_DBLIB;};
        int ErrorNum() {return m_errno;};

        char *ErrorText();
};

class DllDecl CTPCC_DBLIB : public CTPCC_BASE
{
    private:
        // declare variables and private
functions here...
        PDBPROCESS          m_dbproc;
        CDBLIBERR *m_DbLibErr;
        // not allocated until needed (maybe never)
        CSQLErr             *m_SqlErr;
        // not allocated until
needed (maybe never)
        int
        m_MaxRetries;         // retry
count on deadlock

        void DiscardNextRows(int
iExpectedCount);   void DiscardNextResults(int
iExpectedCount);
        void ThrowError(
CDBLIBERR::ACTION eAction );

```

```

        void ResetError();

union
{
    NEW_ORDER_DATA
    Payment;
    DELIVERY_DATA
    StockLevel;
    ORDER_STATUS_DATA
} m_txn;

public:
    CTPCC_DBLIB(LPCSTR szServer,
LPCSTR szUser, LPCSTR szPassword, LPCSTR szHost,
LPCSTR szDatabase );
    ~CTPCC_DBLIB(void);

    inline PNEW_ORDER_DATA
    BuffAddr_NewOrder()           { return
&m_txn.NewOrder; }
    inline PPAYMENT_DATA
    BuffAddr_Payment()           { return
&m_txn.Payment; }
    inline PDELIVERY_DATA
    BuffAddr_Delivery()          { return
&m_txn.Delivery; }
    inline PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel()         { return
&m_txn.StockLevel; }
    inline PORDER_STATUS_DATA
    BuffAddr_OrderStatus()        { return
&m_txn.OrderStatus; }

    void NewOrder                ();
    void Payment                 ();
    void Delivery                ();
    void StockLevel              ();
    void OrderStatus              ();

    // these are public because they
must be called from the dblib err_handler and
msg_hangler
    // outside of the class
    void SetDbLibError(int severity,
int dberr, int oserr, LPCSTR dberrstr, LPCSTR
oserrstr);
    void SetSqlError( int msgno, int
msgstate, int severity, LPCSTR msgtext );
};

extern "C" DllDecl CTPCC_DBLIB* CTPCC_DBLIB_new
( LPCSTR szServer, LPCSTR szUser, LPCSTR
szPassword, LPCSTR szHost, LPCSTR szDatabase );

```

```

typedef CTPCC_DBLIB* (TYPE_CTPCC_DBLIB)(LPCSTR,
LPCSTR, LPCSTR, LPCSTR, LPCSTR);

```

## tpcc\_odbc.cpp

```

/*
 *      FILE:          TPCC_ODBC.CPP
 *      Microsoft
TPC-C Kit Ver. 4.20.000
 *
Microsoft, 1999
*           All Rights Reserved
*
*           Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*           PURPOSE: Implements ODBC calls for TPC-C
txns.
*           Contact: Charles Levine
(clevine@microsoft.com)
*
*           Change history:
*           4.20.000 - updated rev number to
match kit
*           4.10.001 - not deleting error
class in catch handler on deadlock retry;
*           not a
functional bug, but a memory leak
*/
#include <windows.h>
#include <stdio.h>
#include <assert.h>

#define DBNTWIN32
#define include <sqltypes.h>
#define include <sql.h>
#define include <sqlext.h>
#define include <odbcss.h>

#ifndef ICECAP
#define include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec(dllexport)

#include "...\\common\\src\\error.h"
#include "...\\common\\src\\trans.h"
#include "...\\common\\src\\txn_base.h"
#include "tpcc_odbc.h"

// version string; must match return value from
tpcc_version stored proc
const char sVersion[] = "4.10.000";

const iMaxRetries = 10;           // how many
retries on deadlock

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

```

```

static SQLHENV henv = SQL_NULL_HENV;
    // ODBC environment handle

BOOL APIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:

            DisableThreadLibraryCalls(hModule);
            if (
SQLAllocHandleStd(SQL_HANDLE_ENV, SQL_NULL_HANDLE,
&henv) != SQL_SUCCESS )
                return FALSE;
            break;

        case DLL_PROCESS_DETACH:
            if (henv != NULL)

                SQLFreeEnv(henv);
            break;

        default:
            /* nothing */
    }
    return TRUE;
}

/* FUNCTION: CTPCC_ODBC_ERR::ErrorText
*/
char* CTPCC_ODBC_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,
        "Wrong version of stored procs on database
server" },
        { ERR_INVALID_CUST,
        "Invalid Customer id,name." },
        { ERR_NO SUCH ORDER,
        "No orders found for customer." },
        { ERR_RETRYED_TRANS,
        "Retries before transaction succeeded." },
        { 0,
        "" }

    };

    static char szNotFound[] = "Unknown error
number.";

    for(i=0; errorMsgs[i].szMsg[0]; i++)
    {

```

```

        if ( m_errno ==
errorMsgs[i].iError )
            break;
        if ( !errorMsgs[i].szMsg[0] )
            return szNotFound;
        else
            return errorMsgs[i].szMsg;
    }

    // wrapper routine for class constructor
    __declspec(dllexport) CTPCC_ODBC* CTPCC_ODBC_new(
        LPCSTR szServer,           // name of
        SQL server
        LPCSTR szUser,             // user name for login
        LPCSTR szPassword,         // password
        for login
        LPCSTR szHost,             // not used
        LPCSTR szDatabase )        // name of
        database to use
    {
        return new CTPCC_ODBC( szServer, szUser,
        szPassword, szHost, szDatabase );
    }

    CTPCC_ODBC::CTPCC_ODBC (
        LPCSTR szServer,
        // name of SQL server
        LPCSTR szUser,
        // user name for login
        LPCSTR szPassword,
        // password for login
        LPCSTR szHost,
        // not used
        LPCSTR szDatabase
        // name of database to use
    )

    {
        RETCODE          rc;
        // initialization
        m_hdbc = SQL_NULL_HDBC;
        m_hstmt = SQL_NULL_HSTMT;
        m_hstmtNewOrder = SQL_NULL_HSTMT;
        m_hstmtPayment = SQL_NULL_HSTMT;
        m_hstmtDelivery = SQL_NULL_HSTMT;
        m_hstmtOrderStatus = SQL_NULL_HSTMT;
        m_hstmtStockLevel = SQL_NULL_HSTMT;
        m_descNewOrderCols1 = SQL_NULL_HDESC;
        m_descNewOrderCols2 = SQL_NULL_HDESC;
        m_descOrderStatusCols1 = SQL_NULL_HDESC;
        m_descOrderStatusCols2 = SQL_NULL_HDESC;

        if ( SQLAllocHandle(SQL_HANDLE_DBC, henv,
&m_hdbc) != SQL_SUCCESS )
            ThrowError(CODBCERR::eAllocHandle);

```

```

        if ( SQLSetConnectOption(m_hdbc,
SQL_PACKET_SIZE, 4096) != SQL_SUCCESS )
            ThrowError(CODBCERR::eConnOption);

        {
            char szConnectStr[256];
            char szOutStr[1024];
            SQLSMALLINT iOutStrLen;

            sprintf( szConnectStr,
"DRIVER=SQL
Server;SERVER=%s;UID=%s;PWD=%s;DATABASE=%s",
szServer, szUser,
szPassword, szDatabase );

            rc = SQLDriverConnect(m_hdbc,
NULL, (SQLCHAR*)szConnectStr, sizeof(szConnectStr),
(SQLCHAR*)szOutStr,
sizeof(szOutStr), &iOutStrLen, SQL_DRIVER_NOPROMPT );

            if ( rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO )
                ThrowError(CODBCERR::eConnect);
        }

        if (SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc,
&m_hstmt) != SQL_SUCCESS)
            ThrowError(CODBCERR::eAllocHandle);

        {
            char buffer[128];
            // set some options affecting
            connection behavior
            strcpy(buffer, "set nocount on
");
            strcat(buffer, "set XACT_ABORT ON
");
            // for coyote
            strcat(buffer, "set ansi_warnings
on ");
            strcat(buffer, "set ansi_nulls on
");

            rc = SQLExecDirect(m_hstmt,
(unsigned char *)buffer, SQL_NTS);
            if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
                ThrowError(CODBCERR::eExecDirect);
            // verify that version of stored
            procs on server is correct
            char db_sp_version[10];

```

```

        strcpy(buffer, "{call
tpcc_version}");
        rc = SQLExecDirect(m_hstmt,
(unsigned char *)buffer, SQL_NTS);
        if (rc != SQL_SUCCESS && rc != SQL_SUCCESS_WITH_INFO)

            ThrowError(CODBCERR::eExecDirect);
            if (SQLBindCol(m_hstmt, 1,
SQL_C_CHAR, &db_sp_version, sizeof(db_sp_version),
NULL) != SQL_SUCCESS )

                ThrowError(CODBCERR::eBindCol);
                if (SQLFetch(m_hstmt) == SQL_ERROR )

                    ThrowError(CODBCERR::eFetch);
                    if
(strcmp(db_sp_version,sVersion))
                        throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_WRONG_SP_VERSION );
                }

                SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmt);
            }

            // Bind parameters for each of the
transactions
            InitNewOrderParams();
            InitPaymentParams();
            InitOrderStatusParams();
            InitDeliveryParams();
            InitStockLevelParams();
        }

CTPCC_ODBC::~CTPCC_ODBC( void )
{
    // note: descriptors are automatically
released when the connection is dropped
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtNewOrder);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtPayment);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtDelivery);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtOrderStatus);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtStockLevel);

    SQLDisconnect(m_hdbe);
    SQLFreeHandle(SQL_HANDLE_DBC, m_hdbe);
}

void CTPCC_ODBC::ThrowError( CODBCERR::ACTION eAction
)
{
    RETCODE          rc;
    SDWORD           lNativeError;
    char             szState[6];
    char             szMsg[SQL_MAX_MESSAGE_LENGTH];

```

```

        char
szTmp[6*SQL_MAX_MESSAGE_LENGTH];
CODBCERR *pODBCErr;
// not allocated until needed (maybe never)

pODBCErr = new CODBCERR();

pODBCErr->m_NativeError = 0;
pODBCErr->m_eAction = eAction;
pODBCErr->m_bDeadLock = FALSE;

szTmp[0] = 0;
while (TRUE)
{
    rc = SQLError(henv, m_hdbe,
m_hstmt, (BYTE *)&szState, &lNativeError,
(BYTE *)szMsg, sizeof(szMsg), NULL);
    if (rc == SQL_NO_DATA)
        break;

    // check for deadlock
    if (lNativeError == 1205 ||
(lNativeError == iErrOleDbProvider &&
sErrTimeoutExpired) != NULL)
        pODBCErr->m_bDeadLock =
TRUE;

    // capture the (first) database
error
    if (pODBCErr->m_NativeError == 0
&& lNativeError != 0)
        pODBCErr->m_NativeError
= lNativeError;

    // quit if there isn't enough
room to concatenate error text
    if ((strlen(szMsg) + 2) >
(sizeof(szTmp) - strlen(szTmp)))
        break;

    // include line break after first
error msg
    if (szTmp[0] != 0)
        strcat( szTmp, "\n");
    strcat( szTmp, szMsg );
}

if (pODBCErr->m_odberrstr != NULL)
{
    delete [] pODBCErr->m_odberrstr;
    pODBCErr->m_odberrstr = NULL;
}

if (strlen(szTmp) > 0)
{
    pODBCErr->m_odberrstr = new
char[ strlen(szTmp)+1 ];
    strcpy( pODBCErr->m_odberrstr,
szTmp );
}

```

```

    SQLFreeStmt(m_hstmt, SQL_CLOSE);
    throw pODBCErr;
}

void CTPCC_ODBC::InitStockLevelParams()
{
    if (SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbe, &m_hstmtStockLevel) != SQL_SUCCESS )

        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtStockLevel;

    int i = 0;
    if (SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.StockLevel.w_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.StockLevel.d_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.StockLevel.threshold, 0, NULL) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eBindParam);

    if (SQLBindCol(m_hstmt, 1, SQL_C_SLONG,
&m_txn.StockLevel.low_stock, 0, NULL) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eBindCol);
}

void CTPCC_ODBC::StockLevel()
{
    RETCODE          rc;
    int              iTryCount =
0;

    m_hstmt = m_hstmtStockLevel;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)L"{call
tpcc_stocklevel(?,?)}", SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)

                ThrowError(CODBCERR::eExecDirect);

            if (SQLFetch(m_hstmt)
== SQL_ERROR )

                ThrowError(CODBCERR::eFetch);

                SQLFreeStmt(m_hstmt,
SQL_CLOSE);

                m_txn.StockLevel.exec_status_code = eOK;
                break;
        }
        catch ...
        {
            if (rc != SQL_ERROR )
                continue;
        }
    }
}

```

```

        }
        catch (CDBCERR *e)
        {
            if ((!e->m_BadLock)
|| (++iTryCount > iMaxRetries))
                throw;

            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }

        //      if (iTryCount)
        //          throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRYED_TRANS,
iTryCount);
    }

void CTPCC_ODBC::InitNewOrderParams()
{
    if (SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtNewOrder) != SQL_SUCCESS
        ||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descNewOrderCols1) != SQL_SUCCESS
        ||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descNewOrderCols2) != SQL_SUCCESS
        )

    ThrowError(CDBCERR::eAllocHandle);

    m_hstmt = m_hstmtNewOrder;

    if (SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols1,
SQL_IS_POINTER) != SQL_SUCCESS)

    ThrowError(CDBCERR::eSetStmtAttr);

    int i = 0;
    if (SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHTORT, SQL_SMALLINT, 0, 0,
&m_txtn.NewOrder.w_id, 0, NULL) != SQL_SUCCESS
        ||
SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txtn.NewOrder.d_id, 0, NULL) != SQL_SUCCESS
        ||
SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSLONG, SQL_INTEGER, 0, 0,
&m_txtn.NewOrder.c_id, 0, NULL) != SQL_SUCCESS
        ||
SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txtn.NewOrder.o.ol_cnt, 0, NULL) != SQL_SUCCESS
        ||
SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txtn.NewOrder.o.all_local, 0, NULL) != SQL_SUCCESS
        )
    ThrowError(CDBCERR::eBindParam);

    for (int j=0; j<MAX_OI_NEW_ORDER_ITEMS;
j++)

```

```

        {
            if (SQLBindParameter(m_hstmt,
++i, SQL_PARAM_INPUT, SQL_C_SSLONG, SQL_INTEGER, 0, 0,
&m_txtn.NewOrder.OL[j].ol_i_id, 0, NULL) != SQL_SUCCESS
                ||
SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHTORT, SQL_SMALLINT, 0, 0,
&m_txtn.NewOrder.OL[j].ol_supply_w_id, 0, NULL) != SQL_SUCCESS
                ||
SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHTORT, SQL_SMALLINT, 0, 0,
&m_txtn.NewOrder.OL[j].ol_quantity, 0, NULL) != SQL_SUCCESS
                )

            ThrowError(CDBCERR::eBindParam);
        }

#ifndef new_order strstr
        // set the bind offset pointer
        if (SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROW_BIND_OFFSET_PTR, &m_BindOffset,
SQL_IS_POINTER) != SQL_SUCCESS)

        ThrowError(CDBCERR::eSetStmtAttr);

        i = 0;
        if (SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txtn.NewOrder.OL[0].ol_i_name,
sizeof(m_txtn.NewOrder.OL[0].ol_i_name), NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_SSHTORT, &m_txtn.NewOrder.OL[0].ol_stock, 0,
NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txtn.NewOrder.OL[0].ol_brand_generic,
sizeof(m_txtn.NewOrder.OL[0].ol_brand_generic), NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txtn.NewOrder.OL[0].ol_i_price, 0,
NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txtn.NewOrder.OL[0].ol_amount, 0,
NULL) != SQL_SUCCESS
            )

        ThrowError(CDBCERR::eBindCol);
#else
        // prototype to eliminate patindex in
server; shift work to client
        i = 0;
        if (SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_ol_i_name, sizeof(m_ol_i_name), NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_SSHTORT, &m_ol_stock, 0, NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_i_data, sizeof(m_i_data), NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_s_data, sizeof(m_s_data), NULL) != SQL_SUCCESS
            )

        ThrowError(CDBCERR::eBindCol);
#endif

```

```

        ||
SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_ol_i_price, 0, NULL) != SQL_SUCCESS
        ||
SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_ol_amount, 0, NULL) != SQL_SUCCESS
        )
    ThrowError(CDBCERR::eBindCol);

    // associate the column bindings for the
second result set
    if (SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols2,
SQL_IS_POINTER) != SQL_SUCCESS)

    ThrowError(CDBCERR::eSetStmtAttr);

    i = 0;
    if (SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txtn.NewOrder.w_tax, 0, NULL) != SQL_SUCCESS
        ||
SQLBindCol(m_hstmt, ++i,
SQL_C_SSLONG, &m_txtn.NewOrder.d_tax, 0, NULL) != SQL_SUCCESS
        ||
SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txtn.NewOrder.c_last,
sizeof(m_txtn.NewOrder.c_last), NULL) != SQL_SUCCESS
        ||
SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txtn.NewOrder.c_discount, 0, NULL) != SQL_SUCCESS
        ||
SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txtn.NewOrder.c_credit,
sizeof(m_txtn.NewOrder.c_credit), NULL) != SQL_SUCCESS
        ||
SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txtn.NewOrder.o_entry_d, 0,
NULL) != SQL_SUCCESS
        ||
SQLBindCol(m_hstmt, ++i,
SQL_C_SSLONG, &m_no_commit_flag, 0, NULL) != SQL_SUCCESS
        )
    ThrowError(CDBCERR::eBindCol);

void CTPCC_ODBC::NewOrder()
{
    int i;
    RETCODE rc;
    int iTryCount = 0;
    if ((!m_BadLock)
|| (++iTryCount > iMaxRetries))
        rc = -1;
    else
        i = 0;
        if (SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_ol_i_name, sizeof(m_ol_i_name), NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_SSHTORT, &m_ol_stock, 0, NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_i_data, sizeof(m_i_data), NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_s_data, sizeof(m_s_data), NULL) != SQL_SUCCESS
            )
        rc = -1;
        else
            i++;
        if (i == MAX_OI_NEW_ORDER_ITEMS)
            rc = -1;
        else
            iTryCount = 0;
}

```

rc;

//

012345678901234567890123456789 //

wchar\_t szSqlTemplate[] = L"{'call tpcc\_neworder(?, ?, ?, ?, ?,"

```

L"?,,,?,,?,,?,,?,,?,,?,,?,,?,,?,"
L"?,,?,,?,,?,,?,,?,,?,,?,,?,,?,"
L"?,,?,,?,,?,,?,,?,,?,,?,,?,,?,"};

m_hstmt = m_hstmtNewOrder;

    // associate the parameter and column
bindings for this transaction
    if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    // clip statement buffer based on number of
parameters
    // fixed part is 29 chars and variable part
is 6 chars per line item
    i = 29 + m_txn.NewOrder.o.ol_cnt*6;
    wcscpy( &szSqlTemplate[i], L"}" );

    // check whether any order lines are for a
remote warehouse
    m_txn.NewOrder.o.all_local = 1;
    for (i = 0; i < m_txn.NewOrder.o.ol_cnt;
i++)
    {
        if
(m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
        {

            m_txn.NewOrder.o.all_local = 0; // at
least one remote warehouse
                break;
        }
    }

    while (TRUE)
    {
        try
        {
            m_BindOffset = 0;
            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)szSqlTemplate,
SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)
                ThrowError(CODBCERR::eExecDirect);

            // Get order line
results

            m_txn.NewOrder.total_amount = 0;
                for (i = 0;
i<m_txn.NewOrder.o.ol_cnt; i++)

```

```

{
#ifndef new_order_strstr
                                // set the
bind offset value...
m_BindOffset
= i * sizeof(m_txn.NewOrder.OL[0]);
if (
SQLFetch(m_hstmt) == SQL_ERROR)
    ThrowError(CODBCERR::eFetch);
#else
                                if (
SQLFetch(m_hstmt) == SQL_ERROR)
    ThrowError(CODBCERR::eFetch);
#endif
                                if (
SQLFetch(m_hstmt) == SQL_ERROR)
    ThrowError(CODBCERR::eFetch);
strcpy(
m_txn.NewOrder.OL[i].ol_i_name, m.ol_i_name );
if (
strstr(m_i_data, "ORIGINAL") != NULL &&
strstr(m_s_data, "ORIGINAL") != NULL )
    m_txn.NewOrder.OL[i].ol_brand_generic[0] =
'B';
else
    m_txn.NewOrder.OL[i].ol_brand_generic[0] =
'G';
m_txn.NewOrder.OL[i].ol_brand_generic[1] =
0;

m_txn.NewOrder.OL[i].ol_stock
= m.ol_stock;
m_txn.NewOrder.OL[i].ol_i_price
= m.ol_i_price;
m_txn.NewOrder.OL[i].ol_amount
= m.ol_amount;
#endif
                                // move to
the next resultset
if (
SQLMoreResults(m_hstmt) == SQL_ERROR )
    ThrowError(CODBCERR::eMoreResults);

m_txn.NewOrder.total_amount +=
m_txn.NewOrder.OL[i].ol_amount;
}

// associate the column
bindings for the second result set
if ( SQLSetStmtAttrW(
m_hstmt, SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols2,
SQL_IS_POINTER ) != SQL_SUCCESS )

```

```

ThrowError(CODBCERR::eSetStmtAttr);
if ( SQLFetch(m_hstmt)
== SQL_ERROR)
    ThrowError(CODBCERR::eFetch);
SQLFreeStmt(m_hstmt,
SQL_CLOSE);
if (m_no_commit_flag ==
1)
{
    m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
m_txn.NewOrder.c_discount));
    m_txn.NewOrder.exec_status_code = eOK;
}
else
    m_txn.NewOrder.exec_status_code =
eInvalidItem;
break;
catch (CODBCERR *e)
{
    if (!e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))
        throw;
// hit deadlock;
backoff for increasingly longer period
delete e;
Sleep(10 * iTryCount);
}
// if (iTryCount)
//     throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRY_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitPaymentParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtPayment) != SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtPayment;
    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Payment.w_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Payment.c_w_id, 0, NULL) != SQL_SUCCESS

```

```

        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_DOUBLE, SQL_NUMERIC, 6, 2,
&m_txn.Payment.h_amount, 0, NULL) != SQL_SUCCESS
                || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.Payment.d_id, 0, NULL) != SQL_SUCCESS
                || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.Payment.c_d_id, 0, NULL) != SQL_SUCCESS
                || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.Payment.c_id, 0, NULL) != SQL_SUCCESS
                || SQLBindParameter(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.c_last), 0,
&m_txn.Payment.c_last, sizeof(m_txn.Payment.c_last),
NULL) != SQL_SUCCESS
)
ThrowError(CODBCERR::eBindParam);

i = 0;
if (SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.Payment.c_id, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.c_last),
NULL) != SQL_SUCCESS
)
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.Payment.h_date,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.w_street_1),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.w_street_2),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.w_street_2),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.w_city),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.w_state),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.w_zip),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.d_street_1),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.d_street_2),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.d_city),
NULL) != SQL_SUCCESS
)

```

```

        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.d_state),
sizeof(m_txn.Payment.d_state), NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.d_zip),
sizeof(m_txn.Payment.d_zip), NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.c_first),
sizeof(m_txn.Payment.c_first), NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.c_middle),
sizeof(m_txn.Payment.c_middle), NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.c_street_1),
sizeof(m_txn.Payment.c_street_1), NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.c_street_2),
sizeof(m_txn.Payment.c_street_2), NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.c_city),
sizeof(m_txn.Payment.c_city), NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.c_state),
sizeof(m_txn.Payment.c_state), NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.c_zip),
sizeof(m_txn.Payment.c_zip), NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.c_phone),
sizeof(m_txn.Payment.c_phone), NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.Payment.c_since,
0, NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.c_credit),
sizeof(m_txn.Payment.c_credit), NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_credit_lim, 0, NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_discount, 0,
NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_balance, 0,
NULL) != SQL_SUCCESS
                || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, sizeof(m_txn.Payment.c_data),
sizeof(m_txn.Payment.c_data), NULL) != SQL_SUCCESS
)
ThrowError(CODBCERR::eBindCol);

```

```

void CTPCC_ODBC::Payment()
{
    RETCODE rc;
    int iTryCount = 0;

    m_hstmt = m_hstmtPayment;
    if (m_txn.Payment.c_id != 0)
        m_txn.Payment.c_last[0] = 0;
    while (TRUE)
    {
        try
        {
            rc =
SOLExecDirectW(m_hstmt, (SQLWCHAR*)L"call
tpcc_payment(?,?,?,?,?,?)", SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)
                ThrowError(CODBCERR::eExecDirect);
            if (SQLFetch(m_hstmt) == SQL_ERROR)
                ThrowError(CODBCERR::eFetch);
            SQLFreeStmt(m_hstmt, SQL_CLOSE);
            if (m_txn.Payment.c_id == 0)
                throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_INVALID_CUST );
            else
                m_txn.Payment.exec_status_code = eOK;
            break;
        }
        catch (CODBCERR *e)
        {
            if (!e->m_bDeadLock)
                if (++iTryCount > iMaxRetries)
                    throw;
            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
        // if (iTryCount)
        //     throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
    }
    void CTPCC_ODBC::InitOrderStatusParams()
{

```

```

        if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtOrderStatus) != SQL_SUCCESS
            ||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols1) != SQL_SUCCESS
            ||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols2) != SQL_SUCCESS
        )

        ThrowError(CODBCERR::eAllocHandle);

        m_hstmt = m_hstmtOrderStatus;

        if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )
            ThrowError(CODBCERR::eSetStmtAttr);

        int i = 0;
        if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.OrderStatus.w_id, 0, NULL) != SQL_SUCCESS
            ||
SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.OrderStatus.d_id, 0, NULL) != SQL_SUCCESS
            ||
SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.OrderStatus.c_id, 0, NULL) != SQL_SUCCESS
            ||
SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_CHAR, SQL_CHAR,
sizeof(m_txn.OrderStatus.c_last), 0,
&m_txn.OrderStatus.c_last,
sizeof(m_txn.OrderStatus.c_last), NULL) != SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindParam);

        // configure block cursor
        if ( SQLSetStmtAttrW(m_hstmt,
(SQLPOINTER)sizeof(m_txn.OrderStatus.OL[0]), 0) != SQL_SUCCESS
            ||
SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROWS_FETCHED_PTR, &m_RowsFetched, 0) != SQL_SUCCESS
        )

        ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT,
&m_txn.OrderStatus.OL[0].ol_supply_w_id, 0, NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.OL[0].ol_i_id, 0,
NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.OrderStatus.OL[0].ol_quantity,
0, NULL) != SQL_SUCCESS
        )
    }

```

```

        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.OrderStatus.OL[0].ol_amount, 0,
NULL) != SQL_SUCCESS
            ||
SQL_C_TYPE_TIMESTAMP,
&m_txn.OrderStatus.OL[0].ol_delivery_d, 0, NULL) != SQL_SUCCESS
        )
        ThrowError(CODBCERR::eBindCol);

        if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols2,
SQL_IS_POINTER ) != SQL_SUCCESS )
            ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.c_id, 0, NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_last,
sizeof(m_txn.OrderStatus.c_last), NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_first,
sizeof(m_txn.OrderStatus.c_first), NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_middle,
sizeof(m_txn.OrderStatus.c_middle), NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.OrderStatus.o_entry_d,
0, NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.OrderStatus.o_carrier_id, 0,
NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.OrderStatus.c_balance, 0, NULL) != SQL_SUCCESS
            ||
SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.o_id, 0, NULL) != SQL_SUCCESS
        )
        ThrowError(CODBCERR::eBindCol);

void CTPCC_ODBC::OrderStatus()
{
    int          iTryCount = 0;
    RETCODE      rc;
    m_hstmt = m_hstmtOrderStatus;

    if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

```

```

        if ( m_txn.OrderStatus.c_id != 0)
            m_txn.OrderStatus.c_last[0] = 0;

        while (TRUE)
        {
            try
            {
                // configure block
cursor
                if (
SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)1, 0) != SQL_SUCCESS )
                    ThrowError(CODBCERR::eSetStmtAttr);

                rc =
SOLExecDirectW(m_hstmt, (SQLWCHAR*)L"call
tpcc_orderstatus(?, ?, ?, ?)", SQL_NTS);
                    if ( ((rc == SQL_SUCCESS_WITH_INFO) && (m_RowsFetched != 0)) ||
(rc == SQL_ERROR) )
                        ThrowError(CODBCERR::eExecDirect);

                // configure block
cursor
                if (
SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)MAX_OI_ORDER_STATUS_ITEMS, 0) != SQL_SUCCESS )
                    ThrowError(CODBCERR::eSetStmtAttr);

                rc = SQLFetchScroll(
m_hstmt, SQL_FETCH_NEXT, 0 );
                    if ( ((rc == SQL_SUCCESS_WITH_INFO) && (m_RowsFetched != 0)) ||
(rc == SQL_ERROR) )
                        ThrowError(CODBCERR::eFetchScroll);

                m_txn.OrderStatus.o_ol_cnt =
(short)m_RowsFetched;

                if
(m_txn.OrderStatus.o_ol_cnt != 0)
                {
                    if (
SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descOrderStatusCols2, SQL_IS_POINTER ) != SQL_SUCCESS )
                        ThrowError(CODBCERR::eSetStmtAttr);

                    if (
SQLMoreResults(m_hstmt) == SQL_ERROR )
                        ThrowError(CODBCERR::eMoreResults);
                    if ( (rc = SQLFetch(m_hstmt)) == SQL_ERROR )

```

```

        ThrowError(CODBCERR::eFetch);
    }

    SQLFreeStmt(m_hstmt,
    SQL_CLOSE);

    if
    (m_txn.OrderStatus.o.ol_cnt == 0)
        throw new
    CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_NO_SUCH_ORDER );
    else if
    (m_txn.OrderStatus.c_id == 0 &&
    m_txn.OrderStatus.c_last[0] == 0)
        throw new
    CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_INVALID_CUST );
    else

        m_txn.OrderStatus.exec_status_code = eOK;

        break;
    catch (CODBCERR *e)
    {
        if ((!e->m_bDeadLock)
    || (++iTryCount > iMaxRetries))
            throw;

        // hit deadlock;
        backoff for increasingly longer period
        delete e;
        Sleep(10 * iTryCount);
    }
}

if (iTryCount)
//      throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRYED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitDeliveryParams()
{
    if (SQLAllocHandle(SQL_HANDLE_STMT,
    m_hdbc, &m_hstmtDelivery) != SQL_SUCCESS)

        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtDelivery;

    int i = 0;
    if (SQLBindParameter(m_hstmt, ++i,
    SQL_PARAM_INPUT, SQL_C_SSSHORT, SQL_SMALLINT, 0, 0,
    &m_txn.Delivery.w_id, 0, NULL) != SQL_SUCCESS
    || SQLBindParameter(m_hstmt, ++i,
    SQL_PARAM_INPUT, SQL_C_SSSHORT, SQL_SMALLINT, 0, 0,
    &m_txn.Delivery.o_carrier_id, 0, NULL) != SQL_SUCCESS
    )
        ThrowError(CODBCERR::eBindParam);

    for (i=0;i<10;i++)
    {

```

```

        if (SQLBindCol(m_hstmt,
        (UWORD)(i+1), SQL_C_SLONG, &m_txn.Delivery.o_id[i],
        0, NULL) != SQL_SUCCESS)

            ThrowError(CODBCERR::eBindCol);
    }

void CTPCC_ODBC::Delivery()
{
    RETCODE          rc;
    int              iTryCount = 0;

    m_hstmt = m_hstmtDelivery;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)L"call
tpcc_delivery(?,?)", SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)

                ThrowError(CODBCERR::eExecDirect);

            if (SQLFetch(m_hstmt)
== SQL_ERROR)

                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt,
            SQL_CLOSE);

            m_txn.Delivery.exec_status_code = eOK;
            break;
        }
        catch (CODBCERR *e)
        {
            if ((!e->m_bDeadLock)
    || (++iTryCount > iMaxRetries))
                throw;

            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
    }
}

if (iTryCount)
//      throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRYED_TRANS,
iTryCount);
}

```

***tpcc\_odbc.h***

/\* FILE: TPCC\_ODBC.H

```

*
TPC-C Kit Ver. 4.20.000
*
Microsoft, 1999
All Rights Reserved
Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
PURPOSE: Header file for TPC-C txn class
implementation.
*
Change history:
4.20.000 - updated rev number to
match kit
*/
#pragma once

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllexport )
#endif

class CODBCERR : public CBaseErr
{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eAllocConn,
        // error from SQLAllocConnect
        eAllocHandle,
        // error from SQLAllocHandle
        eConnOption,
        // error from SQLSetConnectOption
        eConnect,
        // error from SQLConnect
        eAllocStmt,
        // error from SQLAllocStmt
        eExecDirect,
        // error from SQLExecDirect
        eBindParam,
        // error from SQLBindParameter
        eBindCol,
        // error from SQLBindCol
        eFetch,
        // error from SQLFetch
        eFetchScroll,
        // error from SQLFetchScroll
        eMoreResults,
        // error from SQLMoreResults
        ePrepare,
        // error from SQLPrepare
        eExecute,
        // error from SQLExecute
        eSetEnvAttr,
        // error from SQLSetEnvAttr
        eSetStmtAttr
        // error from SQLSetStmtAttr
    };
}
```

```

    };

    CODBCERR(void)
    {
        m_eAction = eNone;
        m_NativeError = 0;
        m_bDeadLock = FALSE;
        m_odbcerrstr = NULL;
    };

    ~CODBCERR()
    {
        if (m_odbcerrstr != NULL)
            delete []
        m_odbcerrstr;
    };

    ACTION m_eAction;
    int m_NativeError;
    BOOL m_bDeadLock;
    char *m_odbcerrstr;

    int ErrorType() {return
ERR_TYPE_ODBC;};
    int ErrorNum() {return
m_NativeError;};
    char *ErrorText() {return
m_odbcerrstr;};
};

class CTPCC_ODBC_ERR : public CBaseErr
{
public:
    enum TPCC_ODBC_ERRS
    {
        ERR_WRONG_SP_VERSION =
1,           // "Wrong version of stored procs on
database server"
        ERR_INVALID_CUST,
        // "Invalid Customer id.name."
        ERR_NO SUCH ORDER,
        // "No orders found for
customer."
        ERR_RETRYED_TRANS,
        // "Retries before transaction
succeeded."
    };

    CTPCC_ODBC_ERR( int iErr ) {
m_errno = iErr; m_iTryCount = 0; };

    CTPCC_ODBC_ERR( int iErr, int
iTryCount ) { m_errno = iErr; m_iTryCount =
iTryCount; };

    int m_errno;
    int m_iTryCount;

    int ErrorType() {return
ERR_TYPE_TPCC_ODBC;};

```

```

        int ErrorNum() {return m_errno;};

        char *ErrorText();

    };

    class DllDecl CTPCC_ODBC : public CTPCC_BASE
    {
        private:
            // declare variables and private
functions here...
            BOOL m_bDeadlock;
            // transaction was selected as
deadlock victim
            int m_MaxRetries;
            // retry
            count on deadlock

            SQLHENV m_henv;
            // ODBC environment
handle
            SQLHDBC m_hdbc;
            SQLHSTMT m_hstmt;
            // the current hstmt

            SQLHSTMT m_hstmtNewOrder;
            SQLHSTMT m_hstmtPayment;
            SQLHSTMT m_hstmtDelivery;
            SQLHSTMT m_hstmtOrderStatus;
            SQLHSTMT m_hstmtStockLevel;

            SQLDESC m_descNewOrderCols1;
            SQLDESC m_descNewOrderCols2;
            SQLDESC m_descOrderStatusCols1;
            SQLDESC m_descOrderStatusCols2;

            // new-order specific fields
            SQLINTEGER m_BindOffset;
            SQLINTEGER m_RowsFetched;
            int m_no_commit_flag;

#ifndef new_order_strstr
            // for new-order txn;
            // output params
            char m.ol.i_name[I_NAME_LEN+1];
            double m.ol.i_price;
            double m.ol.amount;
            short m.ol.stock;
            // used locally, but not returned
            to caller
            char m.i_data[I_DATA_LEN];
            char m.s_data[S_DATA_LEN];
#endif

            void ThrowError( CODBCERR::ACTION
eAction );

            void InitNewOrderParams();
            void InitPaymentParams();

```

```

void InitDeliveryParams();
void InitStockLevelParams();
void InitOrderStatusParams();

union
{
    NEW_ORDER_DATA
    NewOrder;
    PAYMENT_DATA
    Payment;
    DELIVERY_DATA
    Delivery;
    STOCK_LEVEL_DATA
    StockLevel;
    ORDER_STATUS_DATA
    OrderStatus;
} m_txn;

public:
    CTPCC_ODBC(LPCSTR szServer,
LPCSTR szUser, LPCSTR szPassword, LPCSTR szHost,
LPCSTR szDatabase);
    ~CTPCC_ODBC(void);

    inline PNEW_ORDER_DATA
    BuffAddr_NewOrder() { return
&m_txn.NewOrder; };
    inline PPAYMENT_DATA
    BuffAddr_Payment() { return
&m_txn.Payment; };
    inline PDELIVERY_DATA
    BuffAddr_Delivery() { return
&m_txn.Delivery; };
    inline PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel() { return
&m_txn.StockLevel; };
    inline PORDER_STATUS_DATA
    BuffAddr_OrderStatus() { return
&m_txn.OrderStatus; };

    void NewOrder();
    void Payment();
    void Delivery();
    void StockLevel();
    void OrderStatus();
};

// wrapper routine for class constructor
extern "C" DllDecl CTPCC_ODBC* CTPCC_ODBC_new
    ( LPCSTR szServer, LPCSTR szUser, LPCSTR
szPassword, LPCSTR szHost, LPCSTR szDatabase );

typedef CTPCC_ODBC* (TYPE_CTPCC_ODBC)(LPCSTR, LPCSTR,
LPCSTR, LPCSTR, LPCSTR);

```

## trans.h

/\* FILE: TRANS.H

```

/*
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 *
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 *
 * PURPOSE: Header file for TPC-C structure
 * templates.
 *
 * Change history:
 * 4.20.000 - updated rev number to
 * match kit
 */
#pragma once

// String length constants
#define SERVER_NAME_LEN 20
#define DATABASE_NAME_LEN 20
#define USER_NAME_LEN 20
#define PASSWORD_LEN 20
#define TABLE_NAME_LEN 20
#define I_DATA_LEN 50
#define I_NAME_LEN 24
#define BRAND_LEN 1
#define LAST_NAME_LEN 16
#define W_NAME_LEN 10
#define ADDRESS_LEN 20
#define STATE_LEN 2
#define ZIP_LEN 9
#define S_DIST_LEN 24
#define S_DATA_LEN 50
#define D_NAME_LEN 10
#define FIRST_NAME_LEN 16
#define MIDDLE_NAME_LEN 2
#define PHONE_LEN 16
#define DATETIME_LEN 30
#define CREDIT_LEN 2
#define C_DATA_LEN 250
#define H_DATA_LEN 24
#define DIST_INFO_LEN 24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN 25
#define OL_DIST_INFO_LEN 24

// TIMESTAMP_STRUCT is provided by the ODBC header
file sqatypes.h, but is not available
// when compiling with dblib, so redefined here.
Note: we are using the symbol "__SQLTYPES"
// (declared in sqatypes.h) as a way to determine if
TIMESTAMP_STRUCT has been declared.
#ifndef __SQLTYPES
typedef struct
{
    short
    /* SQLSMALLINT */ year;
    unsigned short     /*
SQLSMALLINT */ month;

```

```

    unsigned short     /* SQLSMALLINT */ day;
    unsigned short     /* SQLSMALLINT */ hour;
    unsigned short     /* SQLSMALLINT */ minute;
    unsigned short     /* SQLSMALLINT */ second;
    unsigned long      /* SQLINTEGER */ fraction;
} TIMESTAMP_STRUCT;
#endif

// possible values for exec_status_code after
transaction completes
enum EXEC_STATUS
{
    eOK,                                // 0
    "Transaction committed."           // 1   "Item number
is not valid."
    eDeliveryFailed        // 2   "Delivery
Post Failed."
};

// transaction structures
typedef struct
{
    // input params
    short
    ol_supply_w_id;
    long
    ol_i_id;
    short
    ol_quantity;

    // output params
    char
    ol_i_name[I_NAME_LEN+1];
    char
    ol_brand_generic[BRAND_LEN+1];
    double
    ol_i_price;
    double
    ol_amount;
    short
    ol_stock;
} OL_NEW_ORDER_DATA;

typedef struct
{
    // input params
    short     w_id;
    short     d_id;
    long      c_id;
    short     o.ol_cnt;

    // output params
    EXEC_STATUS
    exec_status_code;
    char
    c_last[LAST_NAME_LEN+1];
    char
    c_credit[CREDIT_LEN+1];
    double
    c_discount;
    double
    w_tax;
    double
    d_tax;
    long
    o_id;
    short
    o_commit_flag;
    TIMESTAMP_STRUCT
    o_entry_d;
    short
    o_all_local;
    double
    total_amount;
    OL_NEW_ORDER_DATA
    OL[MAX_OL_NEW_ORDER_ITEMS];
} NEW_ORDER_DATA, *PNEW_ORDER_DATA;

typedef struct
{
    // input params
    short
    w_id;
    short
    d_id;
    long
    c_id;
    short
    c_d_id;
    short
    c_w_id;
    double
    h_amount;
    char
    c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS
    exec_status_code;
    TIMESTAMP_STRUCT
    h_date;
    char
    w_street_1[ADDRESS_LEN+1];
    char
    w_street_2[ADDRESS_LEN+1];
    char
    w_city[ADDRESS_LEN+1];
    char
    w_state[STATE_LEN+1];
    char
    w_zip[ZIP_LEN+1];
    char
    d_street_1[ADDRESS_LEN+1];
    char
    d_street_2[ADDRESS_LEN+1];
    char
    d_city[ADDRESS_LEN+1];
    char
    d_state[STATE_LEN+1];
    char
    d_zip[ZIP_LEN+1];
    char
    c_first[FIRST_NAME_LEN+1];
    char
    c_middle[MIDDLE_NAME_LEN + 1];
    char
    c_street_1[ADDRESS_LEN+1];
    char
    c_street_2[ADDRESS_LEN+1];
} ORDER_DATA, *PORDERTYPE;

```

```

    char
c_city[ADDRESS_LEN+1];
    char
c_state[STATE_LEN+1];
    char
c_zip[ZIP_LEN+1];
    char
c_phone[PHONE_LEN+1];
    TIMESTAMP_STRUCT      c_since;
    char
c_credit[CREDIT_LEN+1];
    double
c_credit_lim;
    double
c_discount;
    double
c_balance;
    char
c_data[200+1];
} PAYMENT_DATA, *PPAYMENT_DATA;

typedef struct
{
    long
ol_i_id;
    short
ol_supply_w_id;
    short
ol_quantity;
    double
ol_amount;
    TIMESTAMP_STRUCT      ol_delivery_d;
} OL_ORDER_STATUS_DATA;

```

```

typedef struct
{
    // input params
    short          w_id;
    short          d_id;
    long           c_id;
    char
c_last[LAST_NAME_LEN+1];

```

```

    // output params
    EXEC_STATUS
exec_status_code;
    char
c_first[FIRST_NAME_LEN+1];
    char
c_middle[MIDDLE_NAME_LEN+1];
    double         c_balance;
    long           o_id;
    TIMESTAMP_STRUCT      o_entry_d;
    short          o_carrier_id;
    OL_ORDER_STATUS_DATA
OL[MAX_OL_ORDER_STATUS_ITEMS];
    short          o.ol_cnt;
} ORDER_STATUS_DATA, *PORDER_STATUS_DATA;

```

```

typedef struct
{
    // input params
    short          w_id;
    short          o_carrier_id;

```

```

    // output params
    EXEC_STATUS
exec_status_code;
    SYSTEMTIME          queue_time;
    long                o_id[10];           // id's of delivered
orders for districts 1 to 10
} DELIVERY_DATA, *PDELIVERY_DATA;

// This structure is used for posting delivery
transactions and for writing them to the delivery
server.
typedef struct _DELIVERY_TRANSACTION
{
    SYSTEMTIME          queue;
    //time delivery transaction queued
    short               w_id;
    //delivery warehouse
    short               o_carrier_id;
    //carrier id
} DELIVERY_TRANSACTION;

typedef struct
{
    // input params
    short               w_id;
    short               d_id;
    short               c_id;
    short               threshold;

    // output params
    EXEC_STATUS
exec_status_code;
    long                low_stock;
} STOCK_LEVEL_DATA, *PSTOCK_LEVEL_DATA;

```

## ***txn\_base.h***

```

/*      FILE:          TXN_BASE.H
*                                         Microsoft
TPC-C Kit Ver. 4.20.000
*                                         Microsoft
*                                         Copyright
Microsoft, 1999
*                                         All Rights Reserved
*
*                                         Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*                                         PURPOSE: Header file for TPC-C txn class
implementation.
*
*                                         Change history:
*                                         4.20.000 - updated rev number to
match kit
*/
#pragmaca once

```

```

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllexport )
#endif

class DllDecl CTPCC_BASE
{
public:
    CTPCC_BASE(void) {};
    virtual ~CTPCC_BASE(void) {};

    virtual PNEW_ORDER_DATA
BuffAddr_NewOrder() = 0;
    virtual PPAYMENT_DATA
BuffAddr_Payment() = 0;
    virtual PDELIVERY_DATA
BuffAddr_Delivery() = 0;
    virtual PSTOCK_LEVEL_DATA
BuffAddr_StockLevel() = 0;
    virtual PORDER_STATUS_DATA
BuffAddr_OrderStatus() = 0;

    virtual void NewOrder
() = 0;
    virtual void Payment
() = 0;
    virtual void Delivery
() = 0;
    virtual void StockLevel
() = 0;
    virtual void OrderStatus
() = 0;
};

```

## ***txnlog.h***

```

/*      FILE:          TXNLOG.H
*                                         Microsoft
TPC-C Kit Ver. 4.10.000
*                                         not yet
audited
*
*                                         PURPOSE: Header file for txn log class
*                                         Copyright
Microsoft, 1999
*                                         All Rights Reserved
*
*                                         Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*                                         PURPOSE: Header file for TPC-C txn class
implementation.
*
*                                         Change history:
*                                         4.20.000 - updated rev number to
match kit
*/
#pragmaca once

typedef struct _TXN_NEWORDER
{
    BYTE          OL_Count;           //range 0 to
31
    BYTE          OL_Remote_Count;   //range 0 to
31
    WORD          c_id;
    int           o_id;
} TXN_NEWORDER;

```

```

typedef struct _TXN_PAYMENT
{
    BYTE CustByName;
    BYTE IsRemote;
} TXN_PAYMENT;

typedef struct _TXN_ORDERSTATUS
{
    BYTE CustByName;
} TXN_ORDERSTATUS;

typedef union _TXN_DETAILS
{
    TXN_NEWORDER NewOrder;
    TXN_PAYMENT Payment;
    TXN_ORDERSTATUS OrderStatus;
} TXN_DETAILS;

// Common header for all records in txn
log. The TxnType field is
// a switch which identifies the particular
variant.
#define TXN_REC_TYPE_CONTROL 1
#define TXN_REC_TYPE_TPCC 2 // replaces TRANSACTION_TYPE_TPCC
#define TXN_REC_TYPE_TPCC_DELIV_DEF 3

typedef struct _TXN_RECORD_HEADER
{
    JULIAN_TIME TxnStartT0;
    // start of txn
    BYTE TxnType;
    // one of TXN_REC_TYPE_*
    BYTE TxnSubType;
    // depends on TxnType
} TXN_RECORD_HEADER, *PTXN_RECORD_HEADER;

typedef struct _TXN_RECORD_CONTROL
{
    // common header; must exactly
match TXN_RECORD_HEADER
    JULIAN_TIME TxnStartT0;
    // start of txn
    BYTE TxnType;
    // = TXN_REC_TYPE_CONTROL
    BYTE TxnSubType;
    // depends on TxnType
    // end of common header

    DWORD Len;
    // number of bytes after this
field
    } TXN_RECORD_CONTROL, *PTXN_RECORD_CONTROL;

// TPC-C Txn Record Layout:
//
```

```

    // 'TxnStartT0' is a Julian timestamp
    // corresponding to the moment the
    // txn is sent to the SUT, i.e., beginning of
    // response time. Deltas
    // are in milliseconds. Note that if RTDelay > 0,
    // then the txn was
    // delayed by this amount. The delay occurs at
    // the beginning of the
    // response time. So if RTDelay > 0, then the txn
    // was actually sent
    // at TxnStartT0 + RTDelay.

    // Graphically:
    //
    // time -->
    //
    // |--- Menu ---|--- Keying ---|--- Response --
    //|--- Think ---|
    //   <- DeltaT1 -> <- DeltaT2 -> <- DeltaT4 ->
    <- DeltaT3 ->
    //
    //                                         ^
    //                                         ^ TxnStartT0
    //
    // RTDelay is the amount of response time delay
    // included in DeltaT4.

    // RTDelay is recorded per txn because this value
    // can be changed on
    // the fly, and so may vary from txn to txn.

    //
    // TxnStatus is the txn completion code. It is
    // used to indicate errors.
    // For example, in the New Order txn, 1% of txns
    // abort. TxnStatus will
    // reflect this.

    typedef struct _TXN_RECORD_TPCC
    {
        // common header; must exactly
match TXN_RECORD_HEADER
        JULIAN_TIME TxnStartT0;
        // start of txn
        BYTE TxnType;
        // = TXN_REC_TYPE_TPCC
        BYTE TxnSubType;
        // depends on TxnType
        // end of common header

        int DeltaT1; // menu time (ms)
        int DeltaT2; // keying time (ms)
        int DeltaT3; // think time (ms)
        int DeltaT4; // response time (ms)
        int RTDelay; // response time delay (ms)
        int TxnError; // error code providing more detail for
TxnStatus
        WORD w_id; // warehouse ID
    
```

```

        BYTE d_id;
        // assigned district ID for this thread
        BYTE d_id_ThisTxn; // district ID chosen for this particular
        BYTE TxnStatus; // completion status for txn to indicate
errors
        BYTE reserved; // for word alignment
        TXN_DETAILS TxnDetails;
    }
    } TXN_RECORD_TPCC, *PTXN_RECORD_TPCC;
    // TPC-C Deferred Delivery Txn Record
Layout:
    //
    // Incorporating delivery transaction information
    // into the above
    // structure would increase the size of
    TXN_DETAILS from 8 to 42 bytes.
    // Hence, we store delivery transaction details in
    a separate structure.
    //

    typedef struct _TXN_RECORD_TPCC_DELIV_DEF
    {
        // common header; must exactly
match TXN_RECORD_HEADER
        JULIAN_TIME TxnStartT0;
        // start of txn
        BYTE TxnType;
        // = TXN_REC_TYPE_TPCC_DELIV_DEF
        BYTE TxnSubType;
        // = 0
        // end of common header

        int DeltaT4; // response time (ms)
        int DeltaTxnExec; // execution time (ms)
        WORD w_id; // warehouse ID
        BYTE TxnStatus; // completion status for txn to indicate
errors
        BYTE reserved; // for word alignment
        short o_carrier_id; // carrier id
        long o_id[10]; // returned delivery transaction ids
    }
    } TXN_RECORD_TPCC_DELIV_DEF,
*PTXN_RECORD_TPCC_DELIV_DEF;

#define TXN_LOG_VERSION 1
#define TXN_DATA_START 4096 // offset in log file where log
records start
#define TXN_LOG_EYE_CATCHER "BC" // signature bytes at the start of log file

```

```

///////////////////////////////
// The transaction log has a header as the
first 4K block.
//
typedef struct _TXN_LOG_HEADER
{
    char
    EyeCatcher[2]; // signature bytes;
should always be "EC"
    int
    LogVersion; // set to
TXN_LOG_VERSION
    JULIAN_TIME
    BeginTxnTS; // timestamp
of first (lowest) txn start
    JULIAN_TIME
    EndTxnTS; // timestamp of last
(highest) txn completion time
    int
    iRecCount; // number of
records in log file
    BOOL
    bLogSorted;
    int
    iFileSize; // file size
in bytes

        // the record map provides a fast
way to get close to a particular timestamp in a
sorted log file.
//
//           struct
//           {
//               TS; // timestamp
of record
//               int
//               iPos; // byte
position in file
//               }
    RecMap[RecMapSize];
//#define RecMapSize
200

} TXN_LOG_HEADER, *PTXN_LOG_HEADER;

#define READ_BUFFER_SIZE 64*1024
#define WRITE_BUFFER_SIZE 8*1024

#define NUM_READ_BUFFERS 1
#define NUM_WRITE_BUFFERS 2
#define MAX_NUM_BUFFERS 2

// flags passed in to the constructor
#define TXN_LOG_WRITE 0x01
#define TXN_LOG_READ 0x02
#define TXN_LOG_SORTED 0x04

#define TXN_LOG_OS_ERROR 1
#define TXN_LOG_NOT_SORTED 2

```

```

#define SKIP_CTRL_RECS 1

class CTxnLog
{
private:
    DWORD iBufferSize; //buffer allocated size
    DWORD iBytesFreeInBuffer; //total bytes
available for use in buffer
    int iNumBuffers; //buffers in use
    int iActiveBuffer; //indicates which buffer is active: 0 or 1
    int iIoBuffer; //buffer for any pending IO operation
    int iFilePointer; //position in file.
    int iNextRec; //when reading, ordinal value of next
record

        // A "save point" is remembered
each time GetNextRecord is called with a start time
specified.
        // The next time it is called, if
start time is after the save point, we start scanning
from the
        // save point. This is
particularly useful in FindBestInterval, where the
log is scanned repeatedly.
    JULIAN_TIME SavePtTime;
    int iSavePtFilePointer;
    int iSavePtNextRec;

    JULIAN_TIME lastTS; //when
writing sorted output, used to verify records are
sorted
    BOOL bWrite; //writing log
file

    BOOL
bLogSorted; // is log file sorted? applies to both input and output
    JULIAN_TIME BeginTxnTS; // timestamp of first (lowest) txn start
    JULIAN_TIME EndTxnTS; // timestamp of last (highest) txn completion time

int iRecCount; // number of records in log file
BYTE *pCurrent; //ptr to current buffer
BYTE *pBuffer[MAX_NUM_BUFFERS];
PTXN_RECORD_HEADER *TxnArray; //transaction record pointer
array for sort

DWORD dwError; HANDLE hTxnFile; //handle to log file
HANDLE hMapFile; //map file used when
sorting the log
HANDLE hIoComplete; //event to signify that
there are no pending IOs
HANDLE hLogFileIo; //event to signal the IO thread to write the inactive buffer
Spinlock Spin; //spin lock to protect
the txn log file buffers

int Write(BYTE *ptr, DWORD Size);
static void LogFileIO(CTxnLog *);

public:
    CTxnLog::CTxnLog(LPCTSTR szFileName, DWORD dwOpts);
    ~CTxnLog(void);

    int WriteToLog(PTXN_RECORD_TPCC pTxnRcrd);
    int WriteToLog(PTXN_RECORD_TPCC_DELIV_DEF pTxnRcrd);
    int WriteToLog(PTXN_RECORD_CONTROL pCtrlRec);
    int WriteToLog(PTXN_RECORD_HEADER pCtrlRec);

    int WriteCtrlRecToLog(BYTE SubType, LPTSTR lpStr, DWORD dwLen);

    void CloseTransactionLogFile(void);

    PTXN_RECORD_HEADER GetNextRecord(BOOL bSkipCtrlRecs = FALSE);
    PTXN_RECORD_HEADER GetNextRecord(JULIAN_TIME SeekTimeT0, BOOL bSkipCtrlRecs = FALSE);

    int Sort(void);
    PTXN_RECORD_HEADER GetSortedRecord(int index);

```

```

        inline BOOL IsSorted(void) {
return bLogSorted; }
        inline JULIAN_TIME BeginTS(void)
{ return BeginTxnTS; }
        inline JULIAN_TIME EndTS(void) {
return EndTxnTS; }
        inline int RecordCount(void) {
return iRecCount; }
};

class CTXNLOG_ERR : public CBaseErr
{
public:
    enum CTXNLOG_ERRS
    {
        ERR_BAD_FILE_FORMAT,
        // "File format is invalid."
        ERR_UNKNOWN_LOG_VERSION,      // "Log file
version is unknown."
        ERR_BROKEN_LOG_FILE,
        // "Log file is broken."
        ERR_LOG_NOT_SORTED,
        // "Log file is not sorted"
        ERR_INVALID_TIME_SEQ,
        // "Internal Error: Record Time
Sequence invalid."
    };
    CTXNLOG_ERR(int iErr) :
CBaseErr(iErr) {}

    int ErrorType() {return
ERR_TYPE_TXNLOG; }

    char *ErrorText()
    {
        static char *szMsgs[] =
{
            "File format
is invalid.",
            "Log file
version is unknown.",
            "Log file is
broken.",
            "Log file is
not sorted",
            "Internal
Error: Record Time Sequence invalid.",
            ""
        };
        for(int i = 0;
szMsgs[i][0]; i++)
        {
            if ( m_idMsg
== i )
                break;
        }
    }
}

```

```

        return(szMsgs[i][0] ?
szMsgs[i] : ERR_UNKNOWN);
    };
}

```

# *Appendix B:* *Database Design*

The TPC-C database was created with the following Transact-SQL scripts:

## *removedb.sql*

```
-- File:      REMOVEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Removes tpcc database and backup files
```

```
use master
go

-- remove any existing database and backup files

exec sp_dbremove tpcc, dropdev
go

exec sp_dropdevice 'tpccback1'
exec sp_dropdevice 'tpccback2'
exec sp_dropdevice 'tpccback3'
exec sp_dropdevice 'tpccback4'
go
```

## *backupdev.sql*

```
-- File:      BACKUPDEVB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates tpcc database Backup Devices
```

```
use master
go

-- create backup devices

exec sp_dropdevice 'tpccback_8900_1'
exec sp_dropdevice 'tpccback_8900_2'
exec sp_dropdevice 'tpccback_8900_3'
exec sp_dropdevice 'tpccback_8900_4'
go

exec sp_dropdevice 'tpccback_1'
exec sp_dropdevice 'tpccback_2'
```

```
exec sp_dropdevice 'tpccback_3'
exec sp_dropdevice 'tpccback_4'
go

exec sp_addumpdevice 'disk','tpccback_1','W:\9600_tpccback1.dmp'
go
exec sp_addumpdevice 'disk','tpccback_2','X:\9600_tpccback2.dmp'
go
exec sp_addumpdevice 'disk','tpccback_3','Y:\9600_tpccback3.dmp'
go
exec sp_addumpdevice 'disk','tpccback_4','Z:\9600_tpccback4.dmp'
go
```

## *version.sql*

```
-- File:      VERSION.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Returns version level of TPC-C stored procs
-- Note:     Always update the return value of this proc for
--           any interface changes or "must have" bug fixes.
--           The value returned by this SP defines the "interface level",
--           which must match between the stored procs and the client code.
--           The interface level may be down rev from the current kit. This
--           indicates that the interface hasn't changed since that version.
```

```
use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_version" )
    drop procedure tpcc_version
go

create proc tpcc_version
as
declare  @version  char(8)

begin
    select @version = "4.10.000"
    select @version as "Version"
end
go
```

## *createdb.sql*

```
-- File:      CREATEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 1999, 2000
-- Purpose:   Creates tpcc database and backup files for 3120 warehouses
```

```
use master
go

-- Create temporary table for timing

if exists ( select name from sysobjects where name = 'tpcc_timer' )
    drop table tpcc_timer
```

```

go

create table tpcc_timer
(
    start_date           char(30),
    end_date             char(30)
)

insert    into tpcc_timer values (0,0)
go

--      Store starting time

update   tpcc_timer
set      start_date      = (select convert(char(30), getdate(),9))
go

--  create main database files

CREATE DATABASE tpcc
ON PRIMARY
(
    NAME          = MSSQL_tpcc_root,
    FILENAME     = "c:\MSSQL_tpcc_root.mdf",
    SIZE          = 8MB,
    FILEGROWTH   = 0),
    FILEGROUP MSSQL_cs_fg
(
    NAME          = MSSQL_CS1,
    FILENAME     = "F:",
    SIZE          = 77000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL_CS2,
    FILENAME     = "G:",
    SIZE          = 77000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL_C3,
    FILENAME     = "H:",
    SIZE          = 77000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL_CS4,
    FILENAME     = "I:",
    SIZE          = 77000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL_CS5,
    FILENAME     = "J:",
    SIZE          = 77000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL_CS6,
    FILENAME     = "K:",
    SIZE          = 77000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL_CS7,
    FILENAME     = "L:",
    SIZE          = 77000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL_CS8,
    FILENAME     = "M:",
    SIZE          = 77000MB,
    FILEGROWTH   = 0),
    FILEGROUP MSSQL_misc_fg
(
    NAME          = MSSQL_Misc1,
    FILENAME     = "N:",
    SIZE          = 40000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL_Misc2,
    FILENAME     = "O:",
    SIZE          = 40000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL_Misc3,
    FILENAME     = "P:",
    SIZE          = 40000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL_Misc4,
    FILENAME     = "Q:",
    SIZE          = 40000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL_Misc5,
    FILENAME     = "R:",
    SIZE          = 40000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL_Misc6,
    FILENAME     = "S:",
    SIZE          = 40000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL_Misc7,
    FILENAME     = "T:",
    SIZE          = 40000MB,
    FILEGROWTH   = 0),
(
    NAME          = MSSQL_Misc8,
    FILENAME     = "U:",
    SIZE          = 40000MB,
    FILEGROWTH   = 0),
    LOG ON
(
    NAME          =MSSQL_tpcc_log,
    FILENAME     =*E:|,
    SIZE          = 277500MB,
    FILEGROWTH   = 0)
-- COLLATE Latin1_General_Bin
COLLATE Latin1_General_Bin
go

-- Store ending time
update   tpcc_timer
set      end_date      = (select convert(char(30), getdate(),9))
go

select "Elapsed time (in seconds): ", datediff(second,(select start_date from tpcc_timer),(select end_date from tpcc_timer))

```

```
-- remove temporary table
if exists ( select name from sysobjects where name = 'tpcc_timer' )
    drop table tpcc_timer
go
```

## ***dbopt1.sql***

```
-- File: DBOPT1.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Sets database options for data load

use master
go

exec sp_dboption tpcc,'select into/bulkcopy',true
exec sp_dboption tpcc,'trunc. log on chkpt.',true
go

use tpcc
go

checkpoint
go
```

## ***dbopt2.sql***

```
-- File: DBOPT2.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Resets database options after data load

sp_dboption tpcc,'select into/bulkcopy',FALSE
GO

sp_dboption tpcc,'trunc. log on chkpt.',FALSE
GO

USE tpcc
GO

CHECKPOINT
GO

sp_configure 'allow updates',1
GO

RECONFIGURE WITH OVERRIDE
GO

DECLARE @msg varchar(50)
-- OPTIONS FOR SQL SERVER 8.0 --
```

```
-- Set option values for user-defined indexes --
--                                     --
SET      @msg      = ''
PRINT   @msg
SET      @msg      = 'Setting SQL Server indexoptions'
PRINT   @msg
SET      @msg      = ''
PRINT   @msg

EXEC sp_indexoption 'customer',           'DisallowPageLocks',          TRUE
EXEC sp_indexoption 'district',          'DisallowPageLocks',          TRUE
EXEC sp_indexoption 'warehouse',         'DisallowPageLocks',          TRUE
EXEC sp_indexoption 'stock',              'DisallowPageLocks',          TRUE
EXEC sp_indexoption 'order_line',        'DisallowRowLocks',           TRUE
EXEC sp_indexoption 'orders',             'DisallowRowLocks',           TRUE
EXEC sp_indexoption 'new_order',          'DisallowRowLocks',           TRUE
EXEC sp_indexoption 'item',               'DisallowRowLocks',           TRUE
EXEC sp_indexoption 'item',               'DisallowPageLocks',          TRUE
GO

Print ''
Print *****
Print 'Pre-specified Locking Hierarchy:'
Print '    Lockflag = 0 ==> No pre-specified hierarchy'
Print '    Lockflag = 1 ==> Lock at Page-level then Table-level'
Print '    Lockflag = 2 ==> Lock at Row-level then Table-level'
Print '    Lockflag = 3 ==> Lock at Table-level'
Print ''

SELECT  name,lockflags
FROM    sysindexes
WHERE   object_id('warehouse')      = id OR
        object_id('district')       = id OR
        object_id('customer')      = id OR
        object_id('stock')         = id OR
        object_id('orders')        = id OR
        object_id('order_line')    = id OR
        object_id('history')       = id OR
        object_id('new_order')     = id OR
        object_id('item')          = id
ORDER    BY lockflags asc
GO

sp_configure 'allow updates',0
GO

RECONFIGURE WITH OVERRIDE
GO

EXEC sp_dboption tpcc,      'auto update statistics',      FALSE
EXEC sp_dboption tpcc,      'auto create statistics',      FALSE
GO

EXEC sp_tableoption 'district',      'pintable',true
EXEC sp_tableoption 'warehouse',     'pintable',true
EXEC sp_tableoption 'new_order',    'pintable',true
EXEC sp_tableoption 'item',         'pintable',true
GO
```

## ***RunSQLCfg.sql***

```

/*
 * TPC-C Benchmark Kit
 */
/*
 * RUNSQLCFG.SQL
 */
/*
 * This script file is used to set runtime server configuration parameters
 */

exec sp_configure "show advanced option", 1
go

reconfigure with override
go

/* change this value to approximately the number of connected users */
exec sp_configure "max worker threads",255

/* increase priority of user threads */
exec sp_configure "priority boost",1

/* disable automatic checkpointing */
exec sp_configure "recovery interval",32767

/* change to a mask appropriate for the number of processors on the server */
exec sp_configure "affinity mask",0xf

/* enable fibers */
exec sp_configure "lightweight pooling",1

go

reconfigure with override
go

```

## VerifyTpccLoad.sql

```

-- File:      VERIFYTPCCLOAD.SQL
--             Microsoft TPC-C Benchmark Kit Ver. 4.22
--             Copyright Microsoft, 2001
-- Purpose:   Performs series of TPCC database checks to verify
--             that database load completed correctly

print      " "
select    convert(char(30), getdate(),9)
print      " "

use tpcc
go

-- *****
-- Check rows per table from SYSINDEXES
-- *****
print      'WAREHOUSE TABLE'

select    rows
from     sysindexes
where    id      = object_id("warehouse")
go

```

```

print      'DISTRICT TABLE = (10 * No of warehouses)'

select    rows
from     sysindexes
where    id      = object_id("district")
go

print      'ITEM TABLE = 100,000'

select    rows
from     sysindexes
where    id      = object_id("item")
go

print      'CUSTOMER TABLE = (30,000 * No of warehouses)'

select    rows
from     sysindexes
where    id      = object_id("customer")
go

print      'ORDERS TABLE = (30,000 * No of warehouses)'

select    rows
from     sysindexes
where    id      = object_id("orders")
go

print      'HISTORY TABLE = (30,000 * No of warehouses)'

select    rows
from     sysindexes
where    id      = object_id("history")
go

print      'STOCK TABLE = (100,000 * No of warehouses)'

select    rows
from     sysindexes
where    id      = object_id("stock")
go

print      'ORDER_LINE TABLE = (300,000 * No of warehouses + some change)'

select    rows
from     sysindexes
where    id      = object_id("order_line")
go

print      'NEW_ORDER TABLE = (9000 * No of warehouses)'

select    rows
from     sysindexes
where    id      = object_id("new_order")
go

-- *****
-- Check indices
-- *****

```

```

print '*****Index Check*****'
use tpcc
go

sp_helpindex      customer
go

sp_helpindex      stock
go

sp_helpindex      district
go

sp_helpindex      item
go

sp_helpindex      new_order
go

sp_helpindex      orders
go

sp_helpindex      order_line
go

sp_helpindex      warehouse
go

```

---

## ***backup.sql***

---

```

-- File:      BACKUP.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates backup of tpcc database

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

dump database tpcc to tpccback_1, tpccback_2, tpccback_3, tpccback_4 with init,
stats = 1

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***restore.sql***

---

```

-- File:      RESTORE.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Loads database backup from backup files

sp_configure 'max degree', 0
go

```

```

reconfigure with override
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

load database tpcc from tpccback_1, tpccback_2, tpccback_3, tpccback_4 with stats =
1, replace

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

sp_dboption 'tpcc', 'torn page detection', 'false'
go

sp_configure 'max degree', 1
go

reconfigure with override
go

```

---

## ***sqlshutdown.sql***

---

```

use tpcc
go
checkpoint
go
shutdown
go

```

---

## ***idxcuscl.sql***

---

```

-- File:      IDXCUSCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on customer table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'customer_c1' )
    drop index customer.customer_c1

create unique clustered index customer_c1 on customer(c_w_id, c_d_id, c_id)
    on MSSQL_cs_fg

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## *idxcusnc.sql*

```

-- File:    IDXCUSNC.SQL
--          Microsoft TPC-C Benchmark Kit Ver. 4.22
--          Copyright Microsoft, 2001
-- Purpose: Creates non-clustered index on customer table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'customer_nc1' )
    drop index customer.customer_nc1

create unique nonclustered index customer_nc1 on customer(c_w_id, c_d_id, c_last,
c_first, c_id)
    on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## *idxdiscl.sql*

```

-- File:    IDXDISCL.SQL
--          Microsoft TPC-C Benchmark Kit Ver. 4.22
--          Copyright Microsoft, 2001
-- Purpose: Creates clustered index on district table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'district_cl1' )
    drop index district.district_cl1

create unique clustered index district_cl1 on district(d_w_id, d_id)
    with fillfactor=100 on MSSQL_misc_fg

select @enddate = getdate()

```

```

select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## *idxitmcl.sql*

```

-- File:    IDXITMCL.SQL
--          Microsoft TPC-C Benchmark Kit Ver. 4.22
--          Copyright Microsoft, 2001
-- Purpose: Creates clustered index on item table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'item_cl1' )
    drop index item.item_cl1

create unique clustered index item_cl1 on item(i_id)
    on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## *idxnodcl.sql*

```

-- File:    IDXNODCL.SQL
--          Microsoft TPC-C Benchmark Kit Ver. 4.22
--          Copyright Microsoft, 2001
-- Purpose: Creates clustered index on new_order table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'new_order_cl1' )
    drop index new_order.new_order_cl1

create unique clustered index new_order_cl1 on new_order(no_w_id, no_d_id, no_o_id)
    on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

```

```
go
```

## ***idxodlcl.sql***

```
-- File:      IDXODLCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on order_line table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'order_line_c1' )
    drop index order_line.order_line_c1

create unique clustered index order_line_c1 on order_line(o_l_w_id, o_l_d_id, o_l_o_id,
o_l_number)
on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go
```

## ***idxordcl.sql***

```
-- File:      IDXORDCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on orders table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'orders_c1' )
    drop index orders.orders_c1

create unique clustered index orders_c1 on orders(o_w_id, o_d_id, o_c_id, o_id)
on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)
```

```
go
```

## ***idxordncl.sql***

```
-- File:      IDXORDNCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates non-clustered index on orders table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'orders_nc1' )
    drop index orders.orders_nc1

create index orders_nc1 on orders(o_w_id, o_d_id, o_c_id, o_id)
on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go
```

## ***idxstkcl.sql***

```
-- File:      IDXSTKCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on stock table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'stock_c1' )
    drop index stock.stock_c1

create unique clustered index stock_c1 on stock(s_i_id, s_w_id)
on MSSQL_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go
```

## **idxwarcl.sql**

```
-- File:      IDXWARCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on warehouse table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'warehouse_c1' )
    drop index warehouse.warehouse_c1

create unique clustered index warehouse_c1 on warehouse(w_id)
    with fillfactor=100 on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go
```

## **tables.sql**

```
-- File:      TABLES.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates TPC-C tables

use tpcc
go

-- Remove all existing TPC-C tables
--

if exists ( select name from sysobjects where name = 'warehouse' )
    drop table warehouse
go
if exists ( select name from sysobjects where name = 'district' )
    drop table district
go
if exists ( select name from sysobjects where name = 'customer' )
    drop table customer
go
if exists ( select name from sysobjects where name = 'history' )
    drop table history
go
if exists ( select name from sysobjects where name = 'new_order' )
    drop table new_order
go
```

```
if exists ( select name from sysobjects where name = 'orders' )
    drop table orders
go
if exists ( select name from sysobjects where name = 'order_line' )
    drop table order_line
go
if exists ( select name from sysobjects where name = 'item' )
    drop table item
go
if exists ( select name from sysobjects where name = 'stock' )
    drop table stock
go

-- Create new tables
--

create table warehouse
(
    w_id                               smallint,
    w_name                             char(10),
    w_street_1                          char(20),
    w_street_2                          char(20),
    w_city                             char(20),
    w_state                            char(2),
    w_zip                             char(9),
    w_tax                             numeric(4,4),
    w_ytd                             numeric(12,2)
) on MSSQL_misc_fg
go

create table district
(
    d_id                               tinyint,
    d_w_id                             smallint,
    d_name                             char(10),
    d_street_1                          char(20),
    d_street_2                          char(20),
    d_city                             char(20),
    d_state                            char(2),
    d_zip                             char(9),
    d_tax                             numeric(4,4),
    d_ytd                             numeric(12,2),
    d_next_o_id                         int
) on MSSQL_misc_fg
go

create table customer
(
    c_id                               int,
    c_d_id                            tinyint,
    c_w_id                            smallint,
    c_first                           char(16),
    c_middle                          char(2),
    c_last                            char(16),
    c_street_1                         char(20),
    c_street_2                         char(20),
    c_city                            char(20),
    c_state                           char(2),
    c_zip                             char(9),
    c_phone                           char(16),
    c_since                           datetime,
    c_credit                          char(2),
)
```

```

c_credit_lim      numeric(12,2),
c_discount        numeric(4,4),
c_balance         numeric(12,2),
c_ytd_payment    numeric(12,2),
c_payment_cnt    smallint,
c_delivery_cnt   smallint,
c_data            char(500)
) on MSSQL_cs_fg
go

create table history
(
    h_c_id           int,
    h_c_d_id         tinyint,
    h_c_w_id         smallint,
    h_d_id           tinyint,
    h_w_id           smallint,
    h_date           datetime,
    h_amount         numeric(6,2),
    h_data            char(24)
) on MSSQL_misc_fg
go

create table new_order
(
    no_o_id          int,
    no_d_id          tinyint,
    no_w_id          smallint
) on MSSQL_misc_fg
go

create table orders
(
    o_id             int,
    o_d_id           tinyint,
    o_w_id           smallint,
    o_c_id           int,
    o_entry_d        datetime,
    o_carrier_id    tinyint,
    o.ol_cnt         tinyint,
    o.all_local      tinyint
) on MSSQL_misc_fg
go

create table order_line
(
    ol_o_id          int,
    ol_d_id          tinyint,
    ol_w_id          smallint,
    ol_number        tinyint,
    ol_i_id          int,
    ol_supply_w_id   smallint,
    ol_delivery_d    datetime,
    ol_quantity      smallint,
    ol_amount        numeric(6,2),
    ol_dist_info     char(24)
) on MSSQL_misc_fg
go

create table item
(
    i_id             int,
    i_im_id          int,

```

```

        i_name           char(24),
        i_price          numeric(5,2),
        i_data            char(50)
) on MSSQL_misc_fg
go

create table stock
(
    s_i_id            int,
    s_w_id           smallint,
    s_quantity       smallint,
    s_dist_01         char(24),
    s_dist_02         char(24),
    s_dist_03         char(24),
    s_dist_04         char(24),
    s_dist_05         char(24),
    s_dist_06         char(24),
    s_dist_07         char(24),
    s_dist_08         char(24),
    s_dist_09         char(24),
    s_dist_10         char(24),
    s_ytd            int,
    s_order_cnt      smallint,
    s_remote_cnt    smallint,
    s_data            char(50)
) on MSSQL_cs_fg
go

```

## neword.sql

```

-- File:      NEWORD.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates new order transaction stored procedure
--           Interface Level: 4.10.000
use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_neworder" )
    drop procedure tpcc_neworder
go

create proc tpcc_neworder
    @w_id           smallint,
    @d_id           tinyint,
    @c_id           int,
    @o.ol_cnt       tinyint,
    @o.all_local    tinyint,
    @i_id1          int = 0, @s_w_id1
    smallint = 0, @ol_qty1  smallint = 0,
    @i_id2          int = 0, @s_w_id2
    smallint = 0, @ol_qty2  smallint = 0,
    @i_id3          int = 0, @s_w_id3
    smallint = 0, @ol_qty3  smallint = 0,
    @i_id4          int = 0, @s_w_id4
    smallint = 0, @ol_qty4  smallint = 0,
    @i_id5          int = 0, @s_w_id5
    smallint = 0, @ol_qty5  smallint = 0,
    @i_id6          int = 0, @s_w_id6
    smallint = 0, @ol_qty6  smallint = 0,

```

```

smallint = 0, @ol_qty7 smallint = 0,
smallint = 0, @ol_qty8 smallint = 0,
smallint = 0, @ol_qty9 smallint = 0,
smallint = 0, @ol_qty10 smallint = 0,
smallint = 0, @ol_qty11 smallint = 0,
smallint = 0, @ol_qty12 smallint = 0,
smallint = 0, @ol_qty13 smallint = 0,
smallint = 0, @ol_qty14 smallint = 0,
smallint = 0, @ol_qty15 smallint = 0

as
declare  @w_tax      numeric(4,4),
         @d_tax      numeric(4,4),
         @c_last     char(16),
         @c_credit   char(2),
         @c_discount numeric(4,4),
         @i_price    numeric(5,2),
         @i_name     char(24),
         @i_data     char(50),
         @o_entry_d  datetime,
         @remote_flag int,
         @s_quantity smallint,
         @s_data     char(50),
         @s_dist     char(24),
         @li_no      int,
         @o_id       int,
         @commit_flag tinyint,
         @li_id      int,
         @li_s_w_id  smallint,
         @li_qty     smallint,
         @ol_number  int,
         @c_id_local int

begin
begin transaction n
-- get district tax and next available order id and update
-- plus initialize local variables

update  district
set    @d_tax      = d_tax,
       @o_id       = d_next_o_id,
       d_next_o_id = d_next_o_id + 1,
       @o_entry_d  = getdate(),
       @li_no      = 0,
       @commit_flag = 1
where   d_w_id      = @w_id and
       d_id       = @d_id

-- process orderlines
while (@li_no < @o.ol_cnt)

```

---

```

@i_id7  int = 0, @s_w_id7
@i_id8  int = 0, @s_w_id8
@i_id9  int = 0, @s_w_id9
@i_id10 int = 0, @s_w_id10
@i_id11 int = 0, @s_w_id11
@i_id12 int = 0, @s_w_id12
@i_id13 int = 0, @s_w_id13
@i_id14 int = 0, @s_w_id14
@i_id15 int = 0, @s_w_id15

begin
select @li_no = @li_no + 1
-- set i_id, s_w_id, and qty for this lineitem
select  @li_id = case @li_no
when 1 then @i_id1
when 2 then @i_id2
when 3 then @i_id3
when 4 then @i_id4
when 5 then @i_id5
when 6 then @i_id6
when 7 then @i_id7
when 8 then @i_id8
when 9 then @i_id9
when 10 then @i_id10
when 11 then @i_id11
when 12 then @i_id12
when 13 then @i_id13
when 14 then @i_id14
when 15 then @i_id15
end,
@li_s_w_id = case @li_no
when 1 then @s_w_id1
when 2 then @s_w_id2
when 3 then @s_w_id3
when 4 then @s_w_id4
when 5 then @s_w_id5
when 6 then @s_w_id6
when 7 then @s_w_id7
when 8 then @s_w_id8
when 9 then @s_w_id9
when 10 then @s_w_id10
when 11 then @s_w_id11
when 12 then @s_w_id12
when 13 then @s_w_id13
when 14 then @s_w_id14
when 15 then @s_w_id15
end,
@li_qty = case @li_no
when 1 then @ol_qty1
when 2 then @ol_qty2
when 3 then @ol_qty3
when 4 then @ol_qty4
when 5 then @ol_qty5
when 6 then @ol_qty6
when 7 then @ol_qty7
when 8 then @ol_qty8
when 9 then @ol_qty9
when 10 then @ol_qty10
when 11 then @ol_qty11
when 12 then @ol_qty12
when 13 then @ol_qty13
when 14 then @ol_qty14
when 15 then @ol_qty15
end
-- get item data (no one updates item)
select  @i_price = i_price,

```

```

        @i_name = i_name,
        @i_data = i_data
    from
    where i_id = @li_id

-- update stock values

    update stock
    set s_ytd      = s_ytd + @li_qty,
        @s_quantity = s_quantity - @li_qty +
                                case when
(s_quantity - @li_qty < 10) then 91 else 0 end,
        s_order_cnt = s_order_cnt + 1,
        s_remote_cnt = s_remote_cnt + case when
(@li_s_w_id = @w_id) then 0 else 1 end,
        @s_data      = s_data,
        @s_dist      = case @d_id
                        when 1 then s_dist_01
                        when 2 then s_dist_02
                        when 3 then s_dist_03
                        when 4 then s_dist_04
                        when 5 then s_dist_05
                        when 6 then s_dist_06
                        when 7 then s_dist_07
                        when 8 then s_dist_08
                        when 9 then s_dist_09
                        when 10 then s_dist_10
                    end
    where s_i_id = @li_id and
          s_w_id = @li_s_w_id

-- if there actually is a stock (and item) with these ids, go to work

    if (@@rowcount > 0)
    begin

-- insert order_line data (using data from item and stock)

        insert into order_line values(@o_id,
                                      @d_id,
                                      @w_id,
                                      @li_no,
                                      @li_id,
                                      @li_s_w_id,
                                      "dec 31, 1899",
                                      @li_qty,
                                      @i_price *
                                      @i_price *
                                      @s_dist)

-- send line-item data to client

        select @i_name,
               @s_quantity,
               b_g = case when (
patindex("%ORIGINAL%",@i_data) > 0) and
(patindex("%ORIGINAL%",@s_data) > 0) then "B" else "G" end,
               @i_price,
               @i_price * @li_qty

```

```

        end
        else
        begin
            -- no item (or stock) found - triggers rollback condition
            select "",0,"",0,0
            select @commit_flag = 0
        end
    end

-- get customer last name, discount, and credit rating

    select @c_last      = c_last,
           @c_discount = c_discount,
           @c_credit    = c_credit,
           @c_id_local  = c_id
    from customer (repeatableread)
    where c_id          = @c_id and
          c_w_id        = @w_id and
          c_d_id        = @d_id

-- insert fresh row into orders table

    insert into orders values (   @o_id,
                                  @d_id,
                                  @w_id,
                                  @c_id_local,
                                  @o_entry_d,
                                  0,
                                  @o.ol_cnt,
                                  @o.all_local)

-- insert corresponding row into new-order table

    insert into new_order values (   @o_id,
                                     @d_id,
                                     @w_id)

-- select warehouse tax

    select @w_tax      = w_tax
    from warehouse (repeatableread)
    where w_id          = @w_id

    if (@commit_flag = 1)
        commit transaction n
    else
        rollback transaction n

-- all that work for nuthin!!!

-- return order data to client

    select @w_tax,
           @d_tax,
           @o_id,
           @c_last,
           @c_discount,
           @c_credit,

```

```

        @o_entry_d,
        @commit_flag

end
go

```

## delivery.sql

```

-- File:      DELIVERY.SQL
--             Microsoft TPC-C Benchmark Kit Ver. 4.22
--             Copyright Microsoft, 2001
-- Purpose:   Creates delivery transaction stored procedure
--             Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_delivery" )
    drop procedure tpcc_delivery
go

create proc tpcc_delivery      @w_id           smallint,
                                @o_carrier_id   smallint
as

declare @d_id      tinyint,
        @o_id       int,
        @c_id       int,
        @total      numeric(12,2),
        @oid1       int,
        @oid2       int,
        @oid3       int,
        @oid4       int,
        @oid5       int,
        @oid6       int,
        @oid7       int,
        @oid8       int,
        @oid9       int,
        @oid10      int

select @d_id = 0

begin tran d

    while (@d_id < 10)
    begin

        select      @d_id = @d_id + 1,
                    @total = 0,
                    @o_id  = 0

        select      top 1
                    @o_id     = no_o_id
        from       new_order (serializable updlock)
        where      no_w_id  = @w_id and
                    no_d_id  = @d_id
        order      by no_o_id asc

        if (@@rowcount <> 0)

```

```

begin

    -- claim the order for this district

        delete  new_order
        where   no_w_id  = @w_id and
                no_d_id  = @d_id and
                no_o_id  = @o_id

    -- set carrier_id on this order (and get customer id)

        update  orders
        set     o_carrier_id = @o_carrier_id,
                @c_id      = o_c_id
        where   o_w_id   = @w_id and
                o_d_id   = @d_id and
                o_id     = @o_id

    -- set date in all lineitems for this order (and sum amounts)

        update  order_line
        set     ol_delivery_d = getdate(),
                @total      = @total + ol_amount
        where   ol_w_id   = @w_id and
                ol_d_id   = @d_id and
                ol_o_id   = @o_id

    -- accummulate lineitem amounts for this order into customer

        update  customer
        set     c_balance = c_balance + @total,
                c_delivery_cnt = c_delivery_cnt + 1
        where   c_w_id      = @w_id and
                c_d_id      = @d_id and
                c_id        = @c_id

    end

    select @oid1 = case @d_id when  1  then @o_id else @oid1 end,
           @oid2 = case @d_id when  2  then @o_id else @oid2 end,
           @oid3 = case @d_id when  3  then @o_id else @oid3 end,
           @oid4 = case @d_id when  4  then @o_id else @oid4 end,
           @oid5 = case @d_id when  5  then @o_id else @oid5 end,
           @oid6 = case @d_id when  6  then @o_id else @oid6 end,
           @oid7 = case @d_id when  7  then @o_id else @oid7 end,
           @oid8 = case @d_id when  8  then @o_id else @oid8 end,
           @oid9 = case @d_id when  9  then @o_id else @oid9 end,
           @oid10 = case @d_id when 10 then @o_id else @oid10 end

    end

    commit tran d

    -- return delivery data to client

    select @oid1,
           @oid2,
           @oid3,
           @oid4,
           @oid5,
           @oid6,
           @oid7,

```

```

@oid8,
@oid9,
@oid10

go


---



## ordstat.sql



```

-- File:      ORDSTAT.SQL
--             Microsoft TPC-C Benchmark Kit Ver. 4.22
--             Copyright Microsoft, 2001
-- Purpose:   Creates order status transaction stored procedure
--             Interface Level: 4.10.000
use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_orderstatus" )
    drop procedure tpcc_orderstatus
go

create proc tpcc_orderstatus @w_id      smallint,
                            @d_id       tinyint,
                            @c_id       int,
                            @c_last     char(16) = ""

as

declare @c_balance      numeric(12,2),
        @c_first       char(16),
        @c_middle      char(2),
        @o_id          int,
        @o_entry_d     datetime,
        @o_carrier_id  smallint,
        @cnt           smallint

begin tran o
if (@c_id = 0)
    begin

-- get customer id and info using last name

        select  @cnt      = (count(*)+1)/2
        from   customer (repeatableread)
        where  c_last    = @c_last and
               c_w_id    = @w_id and
               c_d_id    = @d_id

        set    rowcount @cnt

        select  @c_id      = c_id,
                @c_balance  = c_balance,
                @c_first    = c_first,
                @c_last     = c_last,
                @c_middle   = c_middle
        from   customer (repeatableread)
        where  c_last    = @c_last and
               c_w_id    = @w_id and
               c_d_id    = @d_id
    end

```


```

```

        order by c_w_id, c_d_id, c_last, c_first
        set    rowcount 0
    end
else
begin

-- get customer info if by id

    select  @c_balance      = c_balance,
            @c_first       = c_first,
            @c_middle      = c_middle,
            @c_last        = c_last
    from   customer (repeatableread)
    where  c_id          = @c_id and
           c_d_id        = @d_id and
           c_w_id        = @w_id

    select  @cnt           = @@rowcount
end

-- if no such customer

if (@cnt = 0)
begin
    raiserror("Customer not found",18,1)
    goto custnotfound
end

-- get order info

    select  @o_id          = o_id,
            @o_entry_d    = o_entry_d,
            @o_carrier_id = o_carrier_id
    from   orders (serializable)
    where  o_c_id        = @c_id and
           o_d_id        = @d_id and
           o_w_id        = @w_id
    order by o_id asc

-- select order lines for the current order

    select  ol_supply_w_id,
            ol_i_id,
            ol_quantity,
            ol_amount,
            ol_delivery_d
    from   order_line (repeatableread)
    where  ol_o_id = @o_id and
           ol_d_id = @d_id and
           ol_w_id = @w_id

custnotfound:
commit tran o

-- return data to client

select  @c_id,
        @c_last,
        @c_balance,
        @c_first,
        @c_middle

```

```

@c_first,
@c_middle,
@o_entry_d,
@o_carrier_id,
@c_balance,
@o_id

go

```

## ***payment.sql***

```

-- File:      PAYMENT.SQL
--             Microsoft TPC-C Benchmark Kit Ver. 4.22
--             Copyright Microsoft, 2001
-- Purpose:   Creates payment transaction stored procedure
--             Interface Level: 4.10.000
use tpcc
go

if exists (select name from sysobjects where name = "tpcc_payment" )
    drop procedure tpcc_payment
go

create proc tpcc_payment      @w_id          smallint,
                                @c_w_id        smallint,
                                @h_amount      numeric(6,2),
                                @d_id          tinyint,
                                @c_d_id        tinyint,
                                @c_id          int,
                                @c_last        char(16) = ""

as
declare @w_street_1    char(20),
        @w_street_2    char(20),
        @w_city         char(20),
        @w_state        char(2),
        @w_zip          char(9),
        @w_name         char(10),
        @d_street_1     char(20),
        @d_street_2     char(20),
        @d_city          char(20),
        @d_state         char(2),
        @d_zip          char(9),
        @d_name         char(10),
        @c_first         char(16),
        @c_middle        char(2),
        @c_street_1     char(20),
        @c_street_2     char(20),
        @c_city          char(20),
        @c_state         char(2),
        @c_zip           char(9),
        @c_phone         char(16),
        @c_since         datetime,
        @c_credit        char(2),
        @c_credit_lim    numeric(12,2),
        @c_balance       numeric(12,2),
        @c_discount      numeric(4,4),
        @data            char(500),
        @c_data          char(500),

```

```

@datetime      datetime,
@w_ytd         numeric(12,2),
@d_ytd         numeric(12,2),
@cnt           smallint,
@val           smallint,
@screen_data   char(200),
@d_id_local    tinyint,
@w_id_local    smallint,
@c_id_local    int

select @screen_data = ""

begin tran p
-- get payment date
select      @datetime = getdate()
if (@c_id = 0)
begin
-- get customer id and info using last name
select      @cnt      = count(*)
from       customer (repeatableread)
where      c_last    = @c_last and
          c_w_id    = @c_w_id and
          c_d_id    = @c_d_id
select      @val = (@cnt + 1) / 2
set        rowcount @val
select      @c_id      = c_id
from       customer (repeatableread)
where      c_last    = @c_last and
          c_w_id    = @c_w_id and
          c_d_id    = @c_d_id
order      by c_last, c_first
set        rowcount 0
end
-- get customer info and update balances
update      customer
set        @c_balance      = c_balance      = c_balance - @h_amount,
          c_payment_cnt  = c_payment_cnt + 1,
          c_ytd_payment  = c_ytd_payment + @h_amount,
          @c_first        = c_first,
          @c_middle        = c_middle,
          @c_last         = c_last,
          @c_street_1     = c_street_1,
          @c_street_2     = c_street_2,
          @c_city          = c_city,
          @c_state         = c_state,
          @c_zip           = c_zip,
          @c_phone         = c_phone,
          @c_credit        = c_credit,
          @c_credit_lim    = c_credit_lim,
          @c_discount      = c_discount,
          @c_since         = c_since,
          @data            = c_data,

```

```

        @c_id_local      = c_id
        where   c_id      = @c_id and
                c_w_id    = @c_w_id and
                c_d_id    = @c_d_id

-- if customer has bad credit get some more info

        if (@c_credit = "BC")
        begin

-- compute new info

            select @c_data      = convert(char(5),@c_id) +
                               convert(char(4),@c_d_id) +
                               convert(char(5),@c_w_id) +
                               convert(char(4),@d_id) +
                               convert(char(5),@w_id) +
                               convert(char(19),@h_amount) +
                               substring(@data, 1, 458)

-- update customer info

            update   customer
            set      c_data      = @c_data
            where   c_id      = @c_id and
                    c_w_id    = @c_w_id and
                    c_d_id    = @c_d_id

            select   @screen_data = substring (@c_data,1,200)
        end

-- get district data and update year-to-date

        update   district
        set      d_ytd      = d_ytd + @h_amount,
                @d_street_1     = d_street_1,
                @d_street_2     = d_street_2,
                @d_city       = d_city,
                @d_state      = d_state,
                @d_zip        = d_zip,
                @d_name       = d_name,
                @d_id_local    = d_id
        where   d_w_id      = @w_id and
                d_id        = @d_id

-- get warehouse data and update year-to-date

        update   warehouse
        set      w_ytd      = w_ytd + @h_amount,
                @w_street_1     = w_street_1,
                @w_street_2     = w_street_2,
                @w_city       = w_city,
                @w_state      = w_state,
                @w_zip        = w_zip,
                @w_name       = w_name,
                @w_id_local    = w_id
        where   w_id        = @w_id

-- create history record

        insert into history values (  @c_id_local,
                                      @c_d_id,
                                      @c_w_id,
                                      @d_id_local,
                                      @w_id_local,
                                      @datetime,
                                      @h_amount,
                                      @w_name + " " + @d_name)

commit tran p

-- return data to client

select   @c_id,
         @c_last,
         @datetime,
         @w_street_1,
         @w_street_2,
         @w_city,
         @w_state,
         @w_zip,
         @d_street_1,
         @d_street_2,
         @d_city,
         @d_state,
         @d_zip,
         @c_first,
         @c_middle,
         @c_street_1,
         @c_street_2,
         @c_city,
         @c_state,
         @c_zip,
         @c_phone,
         @c_since,
         @c_credit,
         @c_credit_lim,
         @c_discount,
         @c_balance,
         @screen_data
go

```

---

## stocklev.sql

---

```

-- File: STOCKLEV.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates stock level transaction stored procedure
--
-- Interface Level: 4.10.000
use tpcc
go

if exists (select name from sysobjects where name = "tpcc_stocklevel" )
    drop procedure tpcc_stocklevel
go

create proc tpcc_stocklevel   @w_id           smallint,
                                @d_id           tinyint,
                                @threshold      smallint
as
declare  @o_id_low int,
        @o_id_high int

```

```

select  @o_id_low = (d_next_o_id - 20),
       @o_id_high   = (d_next_o_id - 1)
from    district
where   d_w_id      = @w_id and
        d_id        = @d_id

select  count(distinct(s_i_id))
from    stock, order_line
where   ol_w_id      = @w_id and
        ol_d_id      = @d_id and
        ol_o_id      between @o_id_low and
                         @o_id_high and
        s_w_id       = ol_w_id and
        s_i_id       = ol_i_id and
        s_quantity   < @threshold

go

```

## getargs.c

```

// File:           GETARGS.C
//                 Microsoft TPC-C Kit Ver. 4.22
//                 Copyright Microsoft, 1996, 1997, 1998, 1999,
2000, 2001
// Purpose:        Source file for command line processing

// Includes
#include "tpcc.h"

//=====
// Function name: GetArgsLoader
//=====

void GetArgsLoader(int argc, char **argv, TPCCLDR_ARGS *pargs)
{
    int         i;
    char    *ptr;

#ifndef DEBUG
    printf("[%ld]DBG: Entering GetArgsLoader()\n", (int) GetCurrentThreadId());
#endif

    /* init args struct with some useful values */
    pargs->server      = SERVER;
    pargs->user        = USER;
    pargs->password    = PASSWORD;
    pargs->database    = DATABASE;
    pargs->batch        = BATCH;
    pargs->num_warehouses = UNDEF;
    pargs->tables_all  = TRUE;
    pargs->table_item  = FALSE;
    pargs->table_warehouse = FALSE;
    pargs->table_customer = FALSE;
    pargs->table_orders = FALSE;
    pargs->loader_res_file = LOADER_RES_FILE;
    pargs->pack_size    = DEF_LDPACKSIZE;
    pargs->starting_warehouse = DEF_STARTING_WAREHOUSE;

```

```

    pargs->build_index          = BUILD_INDEX;
    pargs->index_order          = INDEX_ORDER;
    pargs->index_script_path    = INDEX_SCRIPT_PATH;
    pargs->scale_down           = SCALE_DOWN;

    /* check for zero command line args */
    if ( argc == 1 )
        GetArgsLoaderUsage();

    for ( i = 1; i < argc; ++i )
    {
        if ( argv[i][0] != '-' && argv[i][0] != '/' )
        {
            printf("\nUnrecognized command");
            GetArgsLoaderUsage();
            exit(1);
        }

        ptr = argv[i];

        switch (ptr[1])
        {
        case 'h':           /* Fall throught */
        case 'H':           GetArgsLoaderUsage();
                            break;

        case 'D':           pargs->database = ptr+2;
                            break;

        case 'P':           pargs->password = ptr+2;
                            break;

        case 'S':           pargs->server = ptr+2;
                            break;

        case 'U':           pargs->user = ptr+2;
                            break;

        case 'b':           pargs->batch = atol(ptr+2);
                            break;

        case 'W':           pargs->num_warehouses = atol(ptr+2);
                            break;

        case 's':           pargs->starting_warehouse = atol(ptr+2);
                            break;

        case 't':
                    {
                        pargs->tables_all = FALSE;
                        if (strcmp(ptr+2,"item") == 0)
                            pargs->table_item =

```

TRUE;  
== 0)

```

TRUE;
                pargs->table_warehouse =
        else if (strcmp(ptr+2,"customer") == 0)
                pargs->table_customer =
        else if (strcmp(ptr+2,"orders") == 0)
                pargs->table_orders =
        else
        {
                printf("\nUnrecognized command");
                GetArgsLoaderUsage();
                exit(1);
        }

        break;
}

case 'f':
        pargs->loader_res_file = ptr+2;
        break;

case 'p':
        pargs->pack_size = atol(ptr+2);
        break;

case 'i':
        pargs->build_index = atol(ptr+2);
        break;

case 'o':
        pargs->index_order = atol(ptr+2);
        break;

case 'c':
        pargs->scale_down = atol(ptr+2);
        break;

case 'd':
        pargs->index_script_path = ptr+2;
        break;

default:
        GetArgsLoaderUsage();
        exit(-1);
        break;
}

/* check for required args */
if (pargs->num_warehouses == UNDEF )
{
        printf("Number of Warehouses is required\n");
        exit(-2);
}

return;
//=====

```

```

// Function name: GetArgsLoaderUsage
// =====
void GetArgsLoaderUsage()
{
#ifdef DEBUG
        printf("[%ld]DBG: Entering GetArgsLoaderUsage()\n", (int) GetCurrentThreadId());
#endif

        printf("TPCCLDR:\n\n");
        printf("Parameter Default\n");
        printf("-----\n");
        printf("-W Number of Warehouses to Load Required \n");
        printf("-S Server %s\n", SERVER);
        printf("-U Username %s\n", USER);
        printf("-P Password %s\n", PASSWORD);
        printf("-D Database %s\n", DATABASE);
        printf("-b Batch Size %ld\n",
(long) BATCH);
        printf("-p TDS packet size %ld\n",
(long) DEF_LDPACKSIZE);
        printf("-f Loader Results Output Filename %s\n",
LOADER_RES_FILE);
        printf("-s Starting Warehouse %ld\n",
(long) DEF_STARTING_WAREHOUSE);
        printf("-i Build Option (data = 0, data and index = 1) %ld\n",
(long) BUILD_INDEX);
        printf("-o Cluster Index Build Order (before = 1, after = 0) %ld\n",
(long) INDEX_ORDER);
        printf("-c Build Scaled Database (normal = 0, tiny = 1) %ld\n",
(long) SCALE_DOWN);
        printf("-d Index Script Path %s\n",
INDEX_SCRIPT_PATH);
        printf("-t Table to Load all tables\n");
        printf(" [item|warehouse|customer|orders]\n");
        printf(" Notes: \n");
        printf(" - the '-t' parameter may be included multiple times to \n");
        printf(" specify multiple tables to be loaded \n");
        printf(" - 'item' loads ITEM table \n");
        printf(" - 'warehouse' loads WAREHOUSE, DISTRICT, and STOCK tables \n");
        printf(" - 'customer' loads CUSTOMER and HISTORY tables \n");
        printf(" - 'orders' load NEW-ORDER, ORDERS, ORDER-LINE tables \n");

        printf("\nNote: Command line switches are case sensitive.\n");
}

exit(0);
}

```

## random.c

---

```

// File: RANDOM.C
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 1996, 1997, 1998, 1999,
2000, 2001

```

```

//      Purpose: Random number generation routines for database loader

// Includes
#include "tpcc.h"
#include "math.h"

// Defines
#define A      16807
#define M     2147483647
#define Q     127773 /* M div A */
#define R      2836 /* M mod A */
#define Thread __decispec(thread)

// Globals
long Thread Seed = 0; /* thread local seed */

/*********************************************
* random -
*      Implements a GOOD pseudo random number generator. This generator
*      will/should? run the complete period before repeating.
*
* Copied from:
*      Random Numbers Generators: Good Ones Are Hard to Find.
*      Communications of the ACM - October 1988 Volume 31 Number 10
*
* Machine Dependencies:
*      long must be 2 ^ 31 - 1 or greater.
*
*********************************************/

/*********************************************
* seed - load the Seed value used in irand and drand. Should be used before
*      first call to irand or drand.
*********************************************/

void seed(long val)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering seed()...%n", (int) GetCurrentThreadId());
    printf("Old Seed %ld New Seed %ld\n",Seed, val);
#endif

    if ( val < 0 )
        val = abs(val);

    Seed = val;
}

/*********************************************
* irand - returns a 32 bit integer pseudo random number with a period of
*      1 to 2 ^ 32 - 1.
*
* parameters:
*      none.
*
* returns:
*      32 bit integer - defined as long ( see above ). */

```

```

*
* side effects:
*      seed get recomputed.
*****
long irand()
{
    register long s; /* copy of seed */
    register long test; /* test flag */
    register long hi; /* tmp value for speed */
    register long lo; /* tmp value for speed */

#ifndef DEBUG
    printf("[%ld]DBG: Entering irand()...%n", (int) GetCurrentThreadId());
#endif

    s = Seed;
    hi = s / Q;
    lo = s % Q;

    test = A * lo - R * hi;
    if ( test > 0 )
        Seed = test;
    else
        Seed = test + M;

    return( Seed );
}

/*********************************************
* drand - returns a double pseudo random number between 0.0 and 1.0.
*      See irand.
*****
double drand()
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering drand()...%n", (int) GetCurrentThreadId());
#endif

    return( (double)irand() / 2147483647.0 );
}

=====
// Function : RandomNumber
//
// Description:
=====
long RandomNumber(long lower, long upper)
{
    long rand_num;

#ifndef DEBUG
    printf("[%ld]DBG: Entering RandomNumber()...%n", (int) GetCurrentThreadId());
#endif

    if ( upper == lower ) /* pgd 08-13-96 perf enhancement */
        return lower;
    upper++;
}
```

```

if ( upper <= lower )
    rand_num = upper;
else
    rand_num = lower + irand() % (upper - lower); /* pgd 08-13-96
perf enhancement */

#ifndef DEBUG
printf("[%ld]DBG: RandomNumber between %ld & %ld ==> %ld\n",
       (int) GetCurrentThreadId(), lower, upper,
rand_num);
#endif

return rand_num;
}

#if 0
//Orginal code pgd 08/13/96

long RandomNumber(long lower,
                  long upper)
{
    long rand_num;

#ifndef DEBUG
    printf("[%ld]DBG: Entering RandomNumber()\n", (int) GetCurrentThreadId());
#endif

    upper++;

    if ((upper <= lower))
        rand_num = upper;
    else
        rand_num = lower + irand() % ((upper > lower) ? upper - lower :
upper);

#ifndef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld ==> %ld\n",
           (int) GetCurrentThreadId(), lower, upper,
rand_num);
#endif

return rand_num;
#endif

//=====================================================================
// Function : NURand
// Description:
//=====================================================================
long NURand(int iConst,
            long x,
            long y,
            long C)
{
    long rand_num;

```

```

#ifndef DEBUG
printf("[%ld]DBG: Entering NURand()\n", (int) GetCurrentThreadId());
#endif

rand_num = (((RandomNumber(0,iConst) | RandomNumber(x,y)) + C) % (y-x+1))+x;

#ifndef DEBUG
printf("[%ld]DBG: NURand: num = %d\n", (int) GetCurrentThreadId(), rand_num);
#endif

return rand_num;
}

```

---

## strings.c

---

```

// File:          STRINGS.C
//               Microsoft TPC-C Kit Ver. 4.22
//               Copyright Microsoft, 1996, 1997, 1998, 1999,
2000, 2001
// Purpose:      Source file for database loader string functions

// Includes
#include "tpcc.h"
#include <string.h>
#include <ctype.h>

//=====
// Function name: MakeAddress
//=====
void MakeAddress(char *street_1,
                 char *street_2,
                 char *city,
                 char *state,
                 char *zip)
{
#ifndef DEBUG
    printf("[%ld]DBG: Entering MakeAddress()\n", (int) GetCurrentThreadId());
#endif

    MakeAlphaString (10, 20, ADDRESS_LEN, street_1);
    MakeAlphaString (10, 20, ADDRESS_LEN, street_2);
    MakeAlphaString (10, 20, ADDRESS_LEN, city);
    MakeAlphaString (2, 2, STATE_LEN, state);
    MakeZipNumberString(9, 9, ZIP_LEN, zip);

#ifndef DEBUG
    printf("[%ld]DBG: MakeAddress: street_1: %s, street_2: %s, city: %s, state: %s,
zip: %s\n",
           (int) GetCurrentThreadId(), street_1, street_2, city,
state, zip);
#endif

return;
}

```

```

}

//=====
// Function name: LastName
//=====
void LastName(int num,
              char *name)
{
    static char *n[] =
    {
        "BAR" , "OUGHT" , "ABLE" , "PRI" , "PRES",
        "ESE" , "ANTI" , "CALLY" , "ATION" , "EING"
    };

#ifdef DEBUG
    printf("[%ld]DBG: Entering LastName()\n", (int) GetCurrentThreadId());
#endif

    if ((num >= 0) && (num < 1000))
    {
        strcpy(name, n[(num/100)%10]);
        strcat(name, n[(num/10)%10]);
        strcat(name, n[(num/1)%10]);

        if (strlen(name) < LAST_NAME_LEN)
        {
            PaddString(LAST_NAME_LEN, name);
        }
    }
    else
    {
        printf("\nError in LastName()... num <%d> out of range
(0,999)\n", num);
        exit(-1);
    }

#ifdef DEBUG
    printf("[%ld]DBG: LastName: num = [%d] ==> [%d][%d][%d]\n",
           (int) GetCurrentThreadId(), num, num/100, (num/10)%10,
           num%10);
    printf("[%ld]DBG: LastName: String = %s\n", (int) GetCurrentThreadId(),
           name);
#endif

    return;
}

//=====
// Function name: MakeAlphaString
//=====
//philipdu 08/13/96 Changed MakeAlphaString to use A-Z, a-z, and 0-9 in
//accordance with spec see below:

```

```

//The spec says:
//4.3.2.2 The notation random a-string [x .. y]
//(respectively, n-string [x .. y]) represents a string of random alphanumeric
//(respectively, numeric) characters of a random length of minimum x, maximum y,
//and mean (y+x)/2. Alphanumerics are A..Z, a..z, and 0..9. The only other
//requirement is that the character set used "must be able to represent a minimum
//of 128 different characters". We are using 8-bit chars, so this is a non issue.
//It is completely unreasonable to stuff non-printing chars into the text fields.
//~CLevine 08/13/96

int MakeAlphaString( int x, int y, int z, char *str)
{
    int len;
    int i;
    char cc = 'a';
    static char chArray[] =
"0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz";
    static int chArrayMax = 61;

#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeAlphaString()\n", (int) GetCurrentThreadId());
#endif

    len= RandomNumber(x, y);

    for (i=0; i<len; i++)
    {
        cc = chArray[RandomNumber(0, chArrayMax)];
        str[i] = cc;
    }
    if ( len < z )
        memset(str+len, ' ', z - len);
    str[len] = 0;

    return len;
}

//=====
// Function name: MakeOriginalAlphaString
//=====
int MakeOriginalAlphaString(int x,
                           int y,
                           int z,
                           char *str,
                           int percent)
{
    int len;
    int val;
    int start;

#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeOriginalAlphaString()\n", (int)
GetCurrentThreadId());
#endif

    // verify prercentage is valid
    if ((percent < 0) || (percent > 100))
    {

```

```

        printf("MakeOriginalAlphaString: Invalid percentage: %d\n",
percent);
        exit(-1);
    }

    // verify string is at least 8 chars in length
    if ((x + y) <= 8)
    {
        printf("MakeOriginalAlphaString: string length must be >= 8\n");
        exit(-1);
    }

    // Make Alpha String
    len = MakeAlphaString(x,y, z, str);

    val = RandomNumber(1,100);
    if (val <= percent)
    {
        start = RandomNumber(0, len - 8);
        strncpy(str + start, "ORIGINAL", 8);
    }

#ifndef DEBUG
    printf("[%ld]DBG: MakeOriginalAlphaString: : %s\n",
           (int) GetCurrentThreadId(), str);
#endif

    return strlen(str);
}

//=====
// Function name: MakeNumberString
//=====
int MakeNumberString(int x, int y, int z, char *str)
{
    char tmp[16];

    //MakeNumberString is always called MakeZipNumberString(16, 16, 16,
string)

    memset(str, '0', 16);
    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str+8, tmp, strlen(tmp));

    str[16] = 0;

    return 16;
}

//=====
// Function name: MakeZipNumberString
//=====
int MakeZipNumberString(int x, int y, int z, char *str)

```

```

{
    char tmp[16];

    //MakeZipNumberString is always called MakeZipNumberString(9, 9, 9,
string)

    strcpy(str, "000011111");
    itoa(RandomNumber(0, 9999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    return 9;
}

//=====
// Function name: InitString
//=====
void InitString(char *str, int len)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering InitString()\n", (int) GetCurrentThreadId());
#endif

    memset(str, ' ', len);
    str[len] = 0;
}

//=====
// Function name: InitAddress
// Description:
//=====
void InitAddress(char *street_1, char *street_2, char *city, char *state, char *zip)
{
    memset(street_1, ' ', ADDRESS_LEN+1);
    memset(street_2, ' ', ADDRESS_LEN+1);
    memset(city, ' ', ADDRESS_LEN+1);

    street_1[ADDRESS_LEN+1] = 0;
    street_2[ADDRESS_LEN+1] = 0;
    city[ADDRESS_LEN+1] = 0;

    memset(state, ' ', STATE_LEN+1);
    state[STATE_LEN+1] = 0;

    memset(zip, ' ', ZIP_LEN+1);
    zip[ZIP_LEN+1] = 0;
}

//=====
// Function name: PaddString
//=====
void PaddString(int max, char *name)

```

```
{
    int             len;
    len = strlen(name);
    if ( len < max )
        memset(name+len, ' ', max - len);
    name[max] = 0;

    return;
}
```

## time.c

```
//      File:          TIME.C
//                                         Microsoft TPC-C Kit Ver. 4.22
//                                         Copyright Microsoft, 1996, 1997, 1998, 1999,
2000, 2001
//      Purpose:  Source file for time functions

// Includes
#include "tpcc.h"

// Globals
static long start_sec;

//=====================================================================
// Function name: TimeNow
//=====
long TimeNow()
{
    long           time_now;
    struct _timeb el_time;

#ifndef DEBUG
    printf("[%ld]DBG: Entering TimeNow()\n", (int) GetCurrentThreadId());
#endif

    _ftime(&el_time);

    time_now = ((el_time.time - start_sec) * 1000) + el_time.millitm;

    return time_now;
}
```

## tpcc.h

```
//      File:          TPCC.H
//                                         Microsoft TPC-C Kit Ver. 4.22
//                                         Copyright Microsoft, 1996, 1997, 1998, 1999,
2000, 2001
//      Purpose:  Header file for TPC-C database loader

// Build number of TPC Benchmark Kit
```

```
#define TPCKIT_VER  "4.22"

// General headers
#include <windows.h>
#include <winbase.h>
#include <stdlib.h>
#include <stdio.h>
#include <process.h>
#include <stddef.h>
#include <stdarg.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <sys\types.h>

// ODBC headers
#include <sql.h>
#include <sqlext.h>
#include <odbcss.h>

// General constants
#define MILLI          1000
#define FALSE          0
#define TRUE           1
#define UNDEF          -1
#define MINPRINTASCII  32
#define MAXPRINTASCII  126

// Default environment constants
#define SERVER          ""
#define DATABASE         "tpcc"
#define USER             "sa"
#define PASSWORD         ""

// Default loader arguments
#define BATCH           10000
#define DEFLDPACKSIZE   32768
#define LOADER_RES_FILE "logs\\load.out"
#define LOADER_NURAND_C 123
#define DEF_STARTING_WAREHOUSE 1
#define BUILD_INDEX      1 // build both
data and indexes
#define INDEX_ORDER      1 // build
indexes before load
#define SCALE_DOWN       0 // build a normal
scale database
#define INDEX_SCRIPT_PATH "scripts"

typedef struct
{
    char           *server;
    char           *database;
    char           *user;
    char           *password;
    tables_all;
    BOOL           // set if loading all tables
    table_item;
    BOOL           // set if loading ITEM table specifically
    table_warehouse; // set if
loading WAREHOUSE, DISTRICT, and STOCK
    BOOL           table_customer; // set if
set if loading CUSTOMER and HISTORY
```

```

        BOOL
set if loading NEW-ORDER, ORDERS, ORDER-LINE      // table_orders;
long                                              num_warehouses;
long                                              batch;
long                                              verbose;
long                                              pack_size;
char                                              *loader_res_file;
char                                              *synch_servername;
long                                              case_sensitivity;
long                                              starting_warehouse;
long                                              build_index;
long                                              index_order;
long                                              scale_down;
char                                              *index_script_path;

} TPCCLDR_ARGS;

// String length constants
#define SERVER_NAME_LEN          20
#define DATABASE_NAME_LEN         20
#define USER_NAME_LEN             20
#define PASSWORD_LEN              20
#define TABLE_NAME_LEN            20
#define I_DATA_LEN                50
#define I_NAME_LEN                24
#define BRAND_LEN                 1
#define LAST_NAME_LEN              16
#define W_NAME_LEN                10
#define ADDRESS_LEN                20
#define STATE_LEN                  2
#define ZIP_LEN                     9
#define S_DIST_LEN                 24
#define S_DATA_LEN                 50
#define D_NAME_LEN                 10
#define FIRST_NAME_LEN              16
#define MIDDLE_NAME_LEN              2
#define PHONE_LEN                   16
#define CREDIT_LEN                  2
#define C_DATA_LEN                  500
#define H_DATA_LEN                  24
#define DIST_INFO_LEN                24
#define MAX_DL_NEW_ORDER_ITEMS       15
#define MAX_DL_ORDER_STATUS_ITEMS     15
#define STATUS_LEN                   25
#define OL_DIST_INFO_LEN             24
#define C_SINCE_LEN                  23
#define H_DATE_LEN                   23
#define OL_DELIVERY_D_LEN             23
#define O_ENTRY_D_LEN                  23

// Functions in random.c
void seed();
long irand();
double drand();
void WUCreate();
short WURand();
long RandomNumber(long lower, long upper);

// Functions in getargs.c
void GetArgsLoader();
void GetArgsLoaderUsage();

// Functions in time.c

```

```

long      TimeNow();

// Functions in strings.c
void      MakeAddress();
void      LastName();
int      MakeAlphaString();
int      MakeOriginalAlphaString();
int      MakeNumberString();
int      MakeZipNumberString();
void      InitString();
void      InitAddress();
void      PaddString();

```

## tpccldr.c

---

```

// File:           TPCCLDR.C
//                               Microsoft TPC-C Kit Ver. 4.22
//                               Copyright Microsoft, 2000, 2001
// Purpose:        Source file for TPC-C database loader

// Includes
#include "tpcc.h"
#include "search.h"

// Defines
#define MAXITEMS           100000
#define MAXITEMS_SCALE_DOWN    100
#define CUSTOMERS_PER_DISTRICT 3000
#define CUSTOMERS_SCALE_DOWN   30
#define DISTRICT_PER_WAREHOUSE 10
#define ORDERS_PER_DISTRICT   3000
#define ORDERS_SCALE_DOWN      30
#define MAX_CUSTOMER_THREADS   2
#define MAX_ORDER_THREADS       3
#define MAX_MAIN_THREADS        4

// Functions declarations

void HandleErrorDBC (SQLHDBC hdbc1);

void CheckSQL();
void CheckDataBase();

long NURand();
void LoadItem();
void LoadWarehouse();

void Stock();
void District();

void LoadCustomer();
void CustomerBufInit();
void CustomerBufLoad();
void LoadCustomerTable();
void LoadHistoryTable();

void LoadOrders();
void OrdersBufInit();
void OrdersBufLoad();
void LoadOrdersTable();
void LoadNewOrderTable();

```

```

void LoadOrderLineTable();
void GetPermutation();
void CheckForCommit();
void OpenConnections();
void BuildIndex();
void FormatDate();

// Shared memory structures

typedef struct
{
    long          ol;
    long          ol_i_id;
    short         ol_supply_w_id;
    short         ol_quantity;
    double        ol_amount;
    char          ol_dist_info[DIST_INFO_LEN+1];
    char          ol_delivery_d[OL_DELIVERY_D_LEN+1];
} ORDER_LINE_STRUCT;

typedef struct
{
    long          o_id;
    short         o_d_id;
    short         o_w_id;
    long          o_c_id;
    short         o_carrier_id;
    short         o.ol_cnt;
    short         o_all_local;
    ORDER_LINE_STRUCT o.ol[15];
} ORDERS_STRUCT;

typedef struct
{
    long          c_id;
    short         c_d_id;
    short         c_w_id;
    char          c_first[FIRST_NAME_LEN+1];
    char          c_middle[MIDDLE_NAME_LEN+1];
    char          c_last[LAST_NAME_LEN+1];
    char          c_street_1[ADDRESS_LEN+1];
    char          c_street_2[ADDRESS_LEN+1];
    char          c_city[ADDRESS_LEN+1];
    char          c_state[STATE_LEN+1];
    char          c_zip[ZIP_LEN+1];
    char          c_phone[PHONE_LEN+1];
    char          c_credit[CREDIT_LEN+1];
    double        c_credit_lim;
    double        c_discount;
    // fix to avoid ODBC float to numeric conversion problem.
    // double       c_balance;
    char          c_balance[6];

    double        c_ytd_payment;
    c_payment_cnt;
    c_delivery_cnt;
    c_data[C_DATA_LEN+1];
    h_amount;
    h_data[H_DATA_LEN+1];
} CUSTOMER_STRUCT;

typedef struct

```

```

{
    char          c_last[LAST_NAME_LEN+1];
    c_first[FIRST_NAME_LEN+1];
    long          c_id;

} CUSTOMER_SORT_STRUCT;

typedef struct
{
    long          time_start;
} LOADER_TIME_STRUCT;

// Global variables

char      szLastError[300];
HENV     henv;
HDBC     v_hdbc;                                // for SQL
Server version verification
HDBC     i_hdbc1;                                // for ITEM table
HDBC     w_hdbc1;                                // for WAREHOUSE,
DISTRICT, STOCK
HDBC     c_hdbc1;                                // for CUSTOMER
HDBC     c_hdbc2;                                // for HISTORY
HDBC     o_hdbc1;                                // for ORDERS
HDBC     o_hdbc2;                                // for NEW-ORDER
HDBC     o_hdbc3;                                // for ORDER-LINE
HSTMT   v_hstmt;                                // for SQL Server
version verification
HSTMT   i_hstmt1;
HSTMT   w_hstmt1;
HSTMT   c_hstmt1, c_hstmt2;
HSTMT   o_hstmt1, o_hstmt2, o_hstmt3;

ORDERS_STRUCT orders_buf[ORDERS_PER_DISTRICT];
CUSTOMER_STRUCT customer_buf[CUSTOMERS_PER_DISTRICT];
long    orders_rows_loaded;
long    new_order_rows_loaded;
long    order_line_rows_loaded;
long    history_rows_loaded;
long    customer_rows_loaded;
long    stock_rows_loaded;
long    district_rows_loaded;
long    item_rows_loaded;
long    warehouse_rows_loaded;
long    main_time_start;
long    main_time_end;
long    max_items;
long    customers_per_district;
long    orders_per_district;
long    first_new_order;
long    last_new_order;

TPCCLDR_ARGS *aptr, args;

//=====================================================================
// 
// Function name: main

```

```

// =====
// =====

int main(int argc, char **argv)
{
    DWORD          dwThreadID[MAX_MAIN_THREADS];
    HANDLE         hThread[MAX_MAIN_THREADS];
    FILE           *fLoader;
    char           buffer[255];
    int            i;

    for (i=0; i<MAX_MAIN_THREADS; i++)
        hThread[i] = NULL;

    printf("\n*****\n");
    printf("\n* Microsoft SQL Server          *");
    printf("\n* TPC-C BENCHMARK KIT: Database loader *");
    printf("\n* Version %s                      *, TPCKIT_VER");
    printf("\n*                                     *");
    printf("\n*****\n");

    // process command line arguments

    aptr = &args;
    GetArgsLoader(argc, argv, aptr);

    // verify database and tables exist before attempting to load

    CheckSQL();
    CheckDataBase();

    printf("Build interface is ODBC.\n");

    if (aptr->build_index == 0)
        printf("Data load only - no index creation.\n");
    else
        printf("Data load and index creation.\n");

    if (aptr->index_order == 0)
        printf("Clustered indexes will be created after bulk load.\n");
    else
        printf("Clustered indexes will be created before bulk load.\n");

    // set database scale values
    if (aptr->scale_down == 1)
    {
        printf("**** Scaled Down Database ***\n");
        max_items = MAXITEMS_SCALE_DOWN;
        customers_per_district = CUSTOMERS_SCALE_DOWN;
        orders_per_district = ORDERS_SCALE_DOWN;
        first_new_order = 0;
        last_new_order = 30;
    }
    else
    {
        max_items = MAXITEMS;
        customers_per_district = CUSTOMERS_PER_DISTRICT;
        orders_per_district = ORDERS_PER_DISTRICT;
        first_new_order = 2100;
        last_new_order = 3000;
    }
}

// =====
// =====

    }

    // open connections to SQL Server
    OpenConnections();

    // open file for loader results
    fLoader = fopen(aptr->loader_res_file, "w");

    if (fLoader == NULL)
    {
        printf("Error, loader result file open failed.");
        exit(-1);
    }

    // start loading data
    sprintf(buffer,"TPC-C load started for %ld warehouses.\n",aptr->num_warehouses);

    printf("%s",buffer);
    fprintf(fLoader,"%s",buffer);

    main_time_start = (TimeNow() / MILLI);

    // start parallel load threads

    if (aptr->tables_all || aptr->table_item)
    {
        fprintf(fLoader, "\nStarting loader threads for: item\n");

        hThread[0] = CreateThread(NULL,
                                  0,
                                  (LPTHREAD_START_ROUTINE) LoadItem,
                                  NULL,
                                  0,
                                  &dwThreadID[0]);

        if (hThread[0] == NULL)
        {
            printf("Error, failed in creating thread = 0.\n");
            exit(-1);
        }

        if (aptr->tables_all || aptr->table_warehouse)
        {
            fprintf(fLoader, "Starting loader threads for: warehouse\n");

            hThread[1] = CreateThread(NULL,
                                      0,
                                      (LPTHREAD_START_ROUTINE) LoadWarehouse,
                                      NULL,
                                      0,
                                      &dwThreadID[1]);
        }
    }
}

```

```

        if (hThread[1] == NULL)
        {
            printf("Error, failed in creating creating thread = %s.\n");
            exit(-1);
        }

        if (aptr->tables_all || aptr->table_customer)
        {
            fprintf(fLoader, "Starting loader threads for: customer\n");

            hThread[2] = CreateThread(NULL,
                                      0,
                                      (LPTHREAD_START_ROUTINE) LoadCustomer,
                                      NULL,
                                      0,
                                      &dwThreadId[2]);
        }

        if (hThread[2] == NULL)
        {
            printf("Error, failed in creating creating main thread = %s.\n");
            exit(-1);
        }

        if (aptr->tables_all || aptr->table_orders)
        {
            fprintf(fLoader, "Starting loader threads for: orders\n");

            hThread[3] = CreateThread(NULL,
                                      0,
                                      (LPTHREAD_START_ROUTINE) LoadOrders,
                                      NULL,
                                      0,
                                      &dwThreadId[3]);
        }

        if (hThread[3] == NULL)
        {
            printf("Error, failed in creating creating main thread = %s.\n");
            exit(-1);
        }

        // Wait for threads to finish...
        for (i=0; i<MAX_MAIN_THREADS; i++)
        {
            if (hThread[i] != NULL)
            {
                WaitForSingleObject( hThread[i], INFINITE );
                CloseHandle(hThread[i]);
                hThread[i] = NULL;
            }
        }
    }
}

```

```

    main_time_end = (TimeNow() / MILLI);

    sprintf(buffer, "\nTPC-C load completed successfully in %ld minutes.\n",
            (main_time_end - main_time_start)/60);

    printf("%s",buffer);
    fprintf(fLoader, "%s", buffer);

    fclose(fLoader);

    SQLFreeEnv(henv);

    exit(0);

    return 0;
}

//=====
// Function name: LoadItem
//=====
void LoadItem()
{
    long          i_id;
    long          i_im_id;
    char          i_name[I_NAME_LEN+1];
    double        i_price;
    char          i_data[I_DATA_LEN+1];
    char          name[20];
    long          time_start;
    RETCODE       rc;
    DBINT         rcint;
    char          bcphint[128];

    // Seed with unique number
    seed(1);

    printf("Loading item table...\n");

    // if build index before load
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxitmcl");

    InitString(i_name, I_NAME_LEN+1);
    InitString(i_data, I_DATA_LEN+1);

    sprintf(name, "%s..%s", aptr->database, "item");

    rc = bcp_init(i_hdbc1, name, NULL, "logs\\item.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (%i), ROWS_PER_BATCH = 100000");
        rc = bcp_control(i_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(i_hdbc1);
    }
}

```

```

    }

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_im_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) i_name, 0, I_NAME_LEN, NULL, 0, 0, 3);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_price, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 4);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) i_data, 0, I_DATA_LEN, NULL, 0, 0, 5);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    time_start = (TimeNow() / MILLI);

    item_rows_loaded = 0;

    for (i_id = 1; i_id <= max_items; i_id++)
    {
        i_im_id = RandomNumber(1L, 10000L);

        MakeAlphaString(14, 24, I_NAME_LEN, i_name);

        i_price = ((float) RandomNumber(100L, 10000L))/100.0;

        MakeOriginalAlphaString(26, 50, I_DATA_LEN, i_data, 10);

        rc = bcp_sendrow(i_hdbc1);
        if (rc != SUCCEED)
            HandleErrorDBC(i_hdbc1);

        item_rows_loaded++;
        CheckForCommit(i_hdbc1, i_hstmt1, item_rows_loaded, "item",
&time_start);
    }

    rcount = bcp_done(i_hdbc1);
    if (rcount < 0)
        HandleErrorDBC(i_hdbc1);

    printf("Finished loading item table.\n");

    SQLFreeStmt(i_hstmt1, SQL_DROP);
    SQLDisconnect(i_hdbc1);
    SQLFreeConnect(i_hdbc1);

    // if build index after load
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxitmcl");
}

```

```

//=====
// Function   : LoadWarehouse
// Loads WAREHOUSE table and loads Stock and District as Warehouses are created
// =====
void LoadWarehouse()
{
    short w_id;
    char w_name[W_NAME_LEN+1];
    char w_street_1[ADDRESS_LEN+1];
    char w_street_2[ADDRESS_LEN+1];
    char w_city[ADDRESS_LEN+1];
    char w_state[STATE_LEN+1];
    char w_zip[ZIP_LEN+1];
    double w_tax;
    double w_ytd;
    char name[20];
    long time_start;
    RETCODE rc;
    DBINT rcint;
    char bcphint[128];

    // Seed with unique number
    seed(2);

    printf("Loading warehouse table...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxwarcl");

    InitString(w_name, W_NAME_LEN+1);
    InitAddress(w_street_1, w_street_2, w_city, w_state, w_zip);

    sprintf(name, "%s..%s", aptr->database, "warehouse");

    rc = bcp_init(w_hdbc1, name, NULL, "logs\\whouse.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (w_id), ROWS_PER_BATCH = %d",
aptr->num_warehouses);
        rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
    }

    rc = bcp_bind(w_hdbc1, (BYTE *) &w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_name, 0, W_NAME_LEN, NULL, 0, 0, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

```

```

    rc = bcp_bind(w_hdbc1, (BYTE *) w_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
3);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
4);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_city, 0, ADDRESS_LEN, NULL, 0, 0, 5);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_state, 0, STATE_LEN, NULL, 0, 0, 6);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_zip, 0, ZIP_LEN, NULL, 0, 0, 7);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &w_tax, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 8);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &w_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    time_start = (TimeNow() / MILLI);

    warehouse_rows_loaded = 0;

    for (w_id = (short)aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
    {
        MakeAlphaString(6,10, W_NAME_LEN, w_name);

        MakeAddress(w_street_1, w_street_2, w_city, w_state, w_zip);

        w_tax = ((float) RandomNumber(0L,2000L))/10000.00;

        w_ytd = 300000.00;

        rc = bcp_sendrow(w_hdbc1);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        warehouse_rows_loaded++;
        CheckForCommit(w_hdbc1, i_hstml1, warehouse_rows_loaded,
"warehouse", &time_start);
    }

    rcount = bcp_done(w_hdbc1);
    if (rcnt < 0)
        HandleErrorDBC(w_hdbc1);

    printf("Finished loading warehouse table.\n");
}

```

```

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxwarcl");

stock_rows_loaded = 0;
district_rows_loaded = 0;

District();
Stock();

}

//=====================================================================
//
// Function : District
//
//=====================================================================

void District()
{
    short d_id;
    short d_w_id;
    char d_name[D_NAME_LEN+1];
    char d_street_1[ADDRESS_LEN+1];
    char d_street_2[ADDRESS_LEN+1];
    char d_city[ADDRESS_LEN+1];
    char d_state[STATE_LEN+1];
    char d_zip[ZIP_LEN+1];
    double d_tax;
    double d_ytd;
    char name[20];
    long d_next_o_id;
    long time_start;
    int w_id;
    RETCODE rc;
    DBINT rcount;
    char bcphint[128];

    // Seed with unique number
    seed(4);

    printf("Loading district table..\n");

    // build index before load
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxdiscl");

    InitString(d_name, D_NAME_LEN+1);
    InitAddress(d_street_1, d_street_2, d_city, d_state, d_zip);
    sprintf(name, "%s..%s", aptr->database, "district");

    rc = bcp_init(w_hdbc1, name, NULL, "logs\\district.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    if (((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (d_w_id, d_id), ROWS_PER_BATCH
= %u", (aptr->num_warehouses * 10));
        rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
    }
}

```

```

    }

    rc = bcp_bind(w_hdbc1, (BYTE *) &d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &d_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) d_name, 0, D_NAME_LEN, NULL, 0, 0, 3);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) d_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
4);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) d_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
5);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) d_city, 0, ADDRESS_LEN, NULL, 0, 0, 6);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) d_state, 0, STATE_LEN, NULL, 0, 0, 7);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) d_zip, 0, ZIP_LEN, NULL, 0, 0, 8);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &d_tax, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &d_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 10);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &d_next_o_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 11);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    d_ytd = 30000.0;

    d_next_o_id = orders_per_district+1;

    time_start = (TimeNow() / MILLI);

    for (w_id = aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
    {
        d_w_id = w_id;

```

```

for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
{
    MakeAlphaString(6,10,D_NAME_LEN, d_name);

    MakeAddress(d_street_1, d_street_2, d_city, d_state,
d_zip);

    d_tax = ((float) RandomNumber(0L,2000L))/10000.00;

    rc = bcp_sendrow(w_hdbc1);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    district_rows_loaded++;
    CheckForCommit(w_hdbc1, w_hstml1,
district_rows_loaded, "district", &time_start);
}

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

printf("Finished loading district table.\n");

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxdiscl");

return;

//=====================================================================
//
// Function : Stock
//
//=====================================================================

void Stock()
{
    long s_i_id;
    short s_w_id;
    short s_quantity;
    char s_dist_01[S_DIST_LEN+1];
    char s_dist_02[S_DIST_LEN+1];
    char s_dist_03[S_DIST_LEN+1];
    char s_dist_04[S_DIST_LEN+1];
    char s_dist_05[S_DIST_LEN+1];
    char s_dist_06[S_DIST_LEN+1];
    char s_dist_07[S_DIST_LEN+1];
    char s_dist_08[S_DIST_LEN+1];
    char s_dist_09[S_DIST_LEN+1];
    char s_dist_10[S_DIST_LEN+1];
    long s_ytd;
    short s_order_cnt;
    short s_remote_cnt;
    char s_data[S_DATA_LEN+1];
    short len;
    char name[20];
    long time_start;
    RETCODE rc;
}

```

```

DBINT      rcint;
char       bcphint[128];

// Seed with unique number
seed(3);

// if build index before load...
if ((aptr->build_index == 1) && (aptr->index_order == 1))
    BuildIndex("idxstkcl");

sprintf(name, "%s..%s", aptr->database, "stock");

rc = bcp_init(w_hdbc1, name, NULL, "logs\\stock.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcpint, "tablock, order (s_i_id, s_w_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 100000));
    rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcpint);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
}

rc = bcp_bind(w_hdbc1, (BYTE *) &s_i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

bcp_bind(w_hdbc1, (BYTE *) &s_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_quantity, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_01, 0, S_DIST_LEN, NULL, 0, 0, 4);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_02, 0, S_DIST_LEN, NULL, 0, 0, 5);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_03, 0, S_DIST_LEN, NULL, 0, 0, 6);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_04, 0, S_DIST_LEN, NULL, 0, 0, 7);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_05, 0, S_DIST_LEN, NULL, 0, 0, 8);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_06, 0, S_DIST_LEN, NULL, 0, 0, 9);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

```

```

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_07, 0, S_DIST_LEN, NULL, 0, 0, 10);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_08, 0, S_DIST_LEN, NULL, 0, 0, 11);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_09, 0, S_DIST_LEN, NULL, 0, 0, 12);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_10, 0, S_DIST_LEN, NULL, 0, 0, 13);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 14);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_order_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 15);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_remote_cnt, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT2, 16);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_data, 0, S_DATA_LEN, NULL, 0, 0, 17);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

s_ytd = s_order_cnt = s_remote_cnt = 0;
time_start = (TimeNow() / MILLI);

printf("...Loading stock table\n");
for (s_i_id=1; s_i_id <= max_items; s_i_id++)
{
    for (s_w_id = (short)aptr->starting_warehouse; s_w_id <= aptr-
>num_warehouses; s_w_id++)
    {
        s_quantity = (short)RandomNumber(10L,100L);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_01);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_02);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_03);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_04);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_05);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_06);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_07);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_08);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_09);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_10);

        len = MakeOriginalAlphaString(26,50, S_DATA_LEN,
s_data,10);
    }
}

```

```

        rc = bcp_sendrow(w_hdbc1);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        stock_rows_loaded++;
        CheckForCommit(w_hdbc1, w_hstmt1, stock_rows_loaded,
"stock", &time_start);

    }

    rcount = bcp_done(w_hdbc1);
    if (rcnt < 0)
        HandleErrorDBC(w_hdbc1);

    printf("Finished loading stock table.\n");

    SQLFreeStmt(w_hstmt1, SQL_DROP);
    SQLDisconnect(w_hdbc1);
    SQLFreeConnect(w_hdbc1);

    // if build index after load...
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxstck1");

    return;
}

//=====
// Function : LoadCustomer
//=====

void LoadCustomer()
{
    LOADER_TIME_STRUCT      customer_time_start;
    LOADER_TIME_STRUCT      history_time_start;
    short                   w_id;
    short                   d_id;
    DWORD                  dwThreadID[MAX_CUSTOMER_THREADS];
    HANDLE                 hThread[MAX_CUSTOMER_THREADS];
    char                   name[20];
    RETCODE                rc;
    DBINT                  rcount;
    char                   bcphint[128];
    char                   cmd[256];
    // SQLRETURN              rc_1;
    // SQLSMALLINT             recnum, MsgLen;
    // SQLCHAR                 SqlState[6],
    Msg[SQL_MAX_MESSAGE_LENGTH];
    // SQLINTEGER               NativeError;

    // Seed with unique number
    seed(5);

    printf("Loading customer and history tables...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxcuscl");
}

```

```

        // Initialize bulk copy
        sprintf(name, "%s..%s", aptr->database, "customer");

        rc = bcp_init(c_hdbc1, name, NULL, "logs\\customer.err", DB_IN);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);

        if ((aptr->build_index == 1) && (aptr->index_order == 1))
        {
            sprintf(bcphint, "tablock, order (c_w_id, c_d_id, c_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
            rc = bcp_control(c_hdbc1, BCPHINTS, (void*) bcphint);
            if (rc != SUCCEED)
                HandleErrorDBC(c_hdbc1);
        }

        sprintf(name, "%s..%s", aptr->database, "history");

        rc = bcp_init(c_hdbc2, name, NULL, "logs\\history.err", DB_IN);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc2);

        sprintf(bcphint, "tablock");
        rc = bcp_control(c_hdbc2, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc2);

        customer_rows_loaded = 0;
        history_rows_loaded = 0;

        CustomerBufInit();

        customer_time_start.time_start = (TimeNow() / MILLI);
        history_time_start.time_start = (TimeNow() / MILLI);

        for (w_id = (short)aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
        {
            for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
            {
                CustomerBufLoad(d_id, w_id);

                // Start parallel loading threads here...

                // Start customer table thread
                printf "...Loading customer table for: d_id = %d, w_id
= %d\n", d_id, w_id);
                hThread[0] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadCustomerTable,
&customer_time_start,
0,
&dwThreadID[0]);
            }
        }
    }
}

```

```

if (hThread[0] == NULL)
{
    printf("Error, failed in creating creating
thread = 0.\n");
    exit(-1);
}

// Start History table thread

printf("...Loading history table for: d_id = %d, w_id
= %d\n", d_id, w_id);

hThread[1] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadHistoryTable,
&history_time_start,
0,
&dwThreadId[1]);

if (hThread[1] == NULL)
{
    printf("Error, failed in creating creating
thread = 1.\n");
    exit(-1);
}

WaitForSingleObject( hThread[0], INFINITE );
WaitForSingleObject( hThread[1], INFINITE );

if (CloseHandle(hThread[0]) == FALSE)
{
    printf("Error, failed in closing customer
thread handle with errno: %d\n", GetLastError());
}

if (CloseHandle(hThread[1]) == FALSE)
{
    printf("Error, failed in closing history
thread handle with errno: %d\n", GetLastError());
}

}

}

// flush the bulk connection
rcint = bcp_done(c_hdbc1);
if (rcint < 0)
    HandleErrorDBC(c_hdbc1);

rcint = bcp_done(c_hdbc2);
if (rcint < 0)
    HandleErrorDBC(c_hdbc2);

printf("Finished loading customer table.\n");

// if build index after load...

```

```

if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxcuscl");

// build non-clustered index
if (aptr->build_index == 1)
    BuildIndex("idxcusnc");

// Output the NURAND used for the loader into C_FIRST for C_ID = 1,
// C_W_ID = 1, and C_D_ID = 1
sprintf(cmd, "isql -S% -U% -P% -d% -e -Q\"update customer set c_first
= 'C_LOAD = %d' where c_id = 1 and c_w_id = 1 and c_d_id = 1\" >
logs\\nurand_load.log",
aptr->server,
aptr->user,
aptr->password,
aptr->database,
LOADER_NURAND_C);

system(cmd);

SQLFreeStmt(c_hstmt1, SQL_DROP);
SQLDisconnect(c_hdbc1);
SQLFreeConnect(c_hdbc1);

SQLFreeStmt(c_hstmt2, SQL_DROP);
SQLDisconnect(c_hdbc2);
SQLFreeConnect(c_hdbc2);

return;
}

//=====================================================================
//
// Function : CustomerBufInit
//
//=====================================================================

void CustomerBufInit()
{
    int     i;

    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_id = 0;
        customer_buf[i].c_d_id = 0;
        customer_buf[i].c_w_id = 0;

        strcpy(customer_buf[i].c_first,"");
        strcpy(customer_buf[i].c_middle,"");
        strcpy(customer_buf[i].c_last,"");
        strcpy(customer_buf[i].c_street_1,"");
        strcpy(customer_buf[i].c_street_2,"");
        strcpy(customer_buf[i].c_city,"");
        strcpy(customer_buf[i].c_state,"");
        strcpy(customer_buf[i].c_zip,"");
        strcpy(customer_buf[i].c_phone,"");
        strcpy(customer_buf[i].c_credit,"");

        customer_buf[i].c_credit_lim = 0;
        customer_buf[i].c_discount = (float) 0;
    }
}

```

```

// fix to avoid ODBC float to numeric conversion problem.
// customer_buf[i].c_balance = 0;
strcpy(customer_buf[i].c_balance,"");

customer_buf[i].c_ytd_payment = 0;
customer_buf[i].c_payment_cnt = 0;
customer_buf[i].c_delivery_cnt = 0;

strcpy(customer_buf[i].c_data,"");

customer_buf[i].h_amount = 0;

strcpy(customer_buf[i].h_data,"");
}

}

//=====
// Function : CustomerBufLoad
// Fills shared buffer for HISTORY and CUSTOMER
//=====

void CustomerBufLoad(int d_id, int w_id)
{
    long i;
    CUSTOMER_SORT_STRUCT c[CUSTOMERS_PER_DISTRICT];

    for (i=0;i<customers_per_district;i++)
    {
        if (i < 1000)
            LastName(i, c[i].c_last);
        else
            LastName(NURand(255,0,999,LOADER_NURAND_C),
c[i].c_last);

        MakeAlphaString(8,16,FIRST_NAME_LEN, c[i].c_first);

        c[i].c_id = i+1;
    }

    printf("...Loading customer buffer for: d_id = %d, w_id = %d\n",
           d_id, w_id);

    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_d_id = d_id;
        customer_buf[i].c_w_id = w_id;
        customer_buf[i].h_amount = 10.0;

        customer_buf[i].c_ytd_payment = 10.0;
        customer_buf[i].c_payment_cnt = 1;
        customer_buf[i].c_delivery_cnt = 0;
    }
}

// Generate CUSTOMER and HISTORY data
customer_buf[i].c_id = c[i].c_id;

strcpy(customer_buf[i].c_first, c[i].c_first);
strcpy(customer_buf[i].c_last, c[i].c_last);

customer_buf[i].c_middle[0] = 'O';
customer_buf[i].c_middle[1] = 'E';

MakeAddress(customer_buf[i].c_street_1,
            customer_buf[i].c_street_2,
            customer_buf[i].c_city,
            customer_buf[i].c_state,
            customer_buf[i].c_zip);

MakeNumberString(16, 16, PHONE_LEN, customer_buf[i].c_phone);

if (RandomNumber(1L, 100L) > 10)
    customer_buf[i].c_credit[0] = 'G';
else
    customer_buf[i].c_credit[0] = 'B';
customer_buf[i].c_credit[1] = 'C';

customer_buf[i].c_credit_lim = 50000.0;
customer_buf[i].c_discount = ((float) RandomNumber(0L, 5000L)) /
10000.0;

// fix to avoid ODBC float to numeric conversion problem.
// customer_buf[i].c_balance = -10.0;
strcpy(customer_buf[i].c_balance,"-10.0");

MakeAlphaString(300, 500, C_DATA_LEN, customer_buf[i].c_data);

// Generate HISTORY data
MakeAlphaString(12, 24, H_DATA_LEN, customer_buf[i].h_data);
}

}

//=====
// Function : LoadCustomerTable
//=====

void LoadCustomerTable(LOADER_TIME_STRUCT *customer_time_start)
{
    int i;
    long c_id;
    short c_d_id;
    short c_w_id;
    char c_first[FIRST_NAME_LEN+1];
    char c_middle[MIDDLE_NAME_LEN+1];
    char c_last[LAST_NAME_LEN+1];
    char c_street_1[ADDRESS_LEN+1];
    char c_street_2[ADDRESS_LEN+1];
    char c_city[ADDRESS_LEN+1];
    char c_state[STATE_LEN+1];
    char c_zip[ZIP_LEN+1];
    char c_phone[PHONE_LEN+1];
}

```

```

char      c_credit[CREDIT_LEN+1];
double    c_credit_lim;
double    c_discount;

// fix to avoid ODBC float to numeric conversion problem.
// double          c_balance;
char      c_balance[6];

double    c_ytd_payment;
short     c_payment_cnt;
short     c_delivery_cnt;
char     c_data[C_DATA_LEN+1];
char      c_since[C_SINCE_LEN+1];
RETCODE   rc;

rc = bcp_bind(c_hdbc1, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_first, 0, FIRST_NAME_LEN, NULL, 0, 0, 4);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_middle, 0, MIDDLE_NAME_LEN, NULL, 0, 0, 5);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_last, 0, LAST_NAME_LEN, NULL, 0, 0, 6);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_1, 0, ADDRESS_LEN, NULL, 0, 0, 7);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_2, 0, ADDRESS_LEN, NULL, 0, 0, 8);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_city, 0, ADDRESS_LEN, NULL, 0, 0, 9);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_state, 0, STATE_LEN, NULL, 0, 0, 10);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_zip, 0, ZIP_LEN, NULL, 0, 0, 11);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_phone, 0, PHONE_LEN, NULL, 0, 0, 12);
if (rc != SUCCEED)

```

```

        HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) &c_since, 0, C_SINCE_LEN, NULL, 0,
SQLCHARACTER, 13);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) c_credit, 0, CREDIT_LEN, NULL, 0, 0, 14);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) &c_credit_lim, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 15);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) &c_discount, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 16);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);

        // fix to avoid ODBC float to numeric conversion problem.

        // rc = bcp_bind(c_hdbc1, (BYTE *) &c_balance, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 17);
        // if (rc != SUCCEED)
        //     HandleErrorDBC(c_hdbc1);
        rc = bcp_bind(c_hdbc1, (BYTE *) c_balance, 0, 5, NULL, 0, SQLCHARACTER, 17);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) &c_ytd_payment, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 18);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) &c_payment_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 19);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) &c_delivery_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 20);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);

        rc = bcp_bind(c_hdbc1, (BYTE *) c_data, 0, 500, NULL, 0, 0, 21);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);

        for (i = 0; i < customers_per_district; i++)
        {
            c_id = customer_buf[i].c_id;
            c_d_id = customer_buf[i].c_d_id;
            c_w_id = customer_buf[i].c_w_id;

            strcpy(c_first, customer_buf[i].c_first);
            strcpy(c_middle, customer_buf[i].c_middle);
            strcpy(c_last, customer_buf[i].c_last);
            strcpy(c_street_1, customer_buf[i].c_street_1);
            strcpy(c_street_2, customer_buf[i].c_street_2);

```

```

strcpy(c_city, customer_buf[i].c_city);
strcpy(c_state, customer_buf[i].c_state);
strcpy(c_zip, customer_buf[i].c_zip);
strcpy(c_phone, customer_buf[i].c_phone);
strcpy(c_credit, customer_buf[i].c_credit);

FormatDate(&c_since);

c_credit_lim = customer_buf[i].c_credit_lim;
c_discount = customer_buf[i].c_discount;

// fix to avoid ODBC float to numeric conversion problem.

// c_balance = customer_buf[i].c_balance;
strcpy(c_balance, customer_buf[i].c_balance);

c_ytd_payment = customer_buf[i].c_ytd_payment;
c_payment_cnt = customer_buf[i].c_payment_cnt;
c_delivery_cnt = customer_buf[i].c_delivery_cnt;

strcpy(c_data, customer_buf[i].c_data);

// Send data to server
rc = bcp_sendrow(c_hdbc1);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

customer_rows_loaded++;
CheckForCommit(c_hdbc1, c_hstmt1, customer_rows_loaded,
"customer", &customer_time_start->time_start);
}

//=====
// Function : LoadHistoryTable
//=====

void LoadHistoryTable(LOADER_TIME_STRUCT *history_time_start)
{
    int i;
    long c_id;
    short c_d_id;
    short c_w_id;
    double h_amount;
    char h_data[H_DATA_LEN+1];
    char h_date[H_DATE_LEN+1];
    RETCODE rc;

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    strcpy(c_data, customer_buf[i].c_data);
    FormatDate(&h_date);

    // send to server
    rc = bcp_sendrow(c_hdbc2);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    history_rows_loaded++;
    CheckForCommit(c_hdbc2, c_hstmt2, history_rows_loaded,
"history", &history_time_start->time_start);
}

//=====
// Function : LoadOrders
//=====

void LoadOrders()
{
    LOADER_TIME_STRUCT orders_time_start;
    LOADER_TIME_STRUCT new_order_time_start;
    LOADER_TIME_STRUCT order_line_time_start;
}

```

```

short           d_id;
DWORD          dwThreadID[MAX_ORDER_THREADS];
HANDLE         hThread[MAX_ORDER_THREADS];
char           name[20];
RETCODE        rc;
char           bcpinh[128];

// seed with unique number
seed(6);

printf("Loading orders...\n");

// if build index before load...
if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    BuildIndex("idxordcl");
    BuildIndex("idxnodcl");
    BuildIndex("idxodlcl");
}

// initialize bulk copy
sprintf(name, "%s..%s", aptr->database, "orders");

rc = bcp_init(o_hdbc1, name, NULL, "logs\\orders.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcpinh, "tablock, order (o_w_id, o_d_id, o_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
    rc = bcp_control(o_hdbc1, BCPHINTS, (void*) bcpinh);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);
}

sprintf(name, "%s..%s", aptr->database, "new_order");

rc = bcp_init(o_hdbc2, name, NULL, "logs\\neword.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcpinh, "tablock, order (no_w_id, no_d_id, no_o_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 9000));
    rc = bcp_control(o_hdbc2, BCPHINTS, (void*) bcpinh);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);
}

sprintf(name, "%s..%s", aptr->database, "order_line");

rc = bcp_init(o_hdbc3, name, NULL, "logs\\ordline.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcpinh, "tablock, order (ol_w_id, ol_d_id, ol_o_id,
ol_number), ROWS_PER_BATCH = %u", (aptr->num_warehouses * 300000));
    rc = bcp_control(o_hdbc3, BCPHINTS, (void*) bcpinh);
}

if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

orders_rows_loaded      = 0;
new_order_rows_loaded   = 0;
order_line_rows_loaded  = 0;

OrdersBufInit();

orders_time_start.time_start = (TimeNow() / MILLI);
new_order_time_start.time_start = (TimeNow() / MILLI);
order_line_time_start.time_start = (TimeNow() / MILLI);

for (w_id = (short)aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
{
    for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
    {
        OrdersBufLoad(d_id, w_id);

        // start parallel loading threads here...

        // start Orders table thread
        printf("...Loading Order Table for: d_id = %d, w_id =
%d\n", d_id, w_id);

        hThread[0] = CreateThread(NULL,
        0,
        (LPTHREAD_START_ROUTINE) LoadOrdersTable,
        &orders_time_start,
        0,
        &dwThreadID[0]);

        if (hThread[0] == NULL)
        {
            printf("Error, failed in creating creating
thread = 0.\n");
            exit(-1);
        }

        // start NewOrder table thread
        printf("...Loading New-Order Table for: d_id = %d,
w_id = %d\n", d_id, w_id);

        hThread[1] = CreateThread(NULL,
        0,
        (LPTHREAD_START_ROUTINE) LoadNewOrderTable,
        &new_order_time_start,
        0,
        &dwThreadID[1]);
    }
}

```

```

&dwThreadID[1]);

    if (hThread[1] == NULL)
    {
        printf("Error, failed in creating creating
thread = 1.\n");
        exit(-1);
    }

    // start Order-Line table thread

    printf("...Loading Order-Line Table for: d_id = %d,
w_id = %d\n", d_id, w_id);

    hThread[2] = CreateThread(NULL,
        0,
        (LPTHREAD_START_ROUTINE) LoadOrderLineTable,
        &order_line_time_start,
        0,
        &dwThreadID[2]);

    if (hThread[2] == NULL)
    {
        printf("Error, failed in creating creating
thread = 2.\n");
        exit(-1);
    }

    WaitForSingleObject( hThread[0], INFINITE );
    WaitForSingleObject( hThread[1], INFINITE );
    WaitForSingleObject( hThread[2], INFINITE );

    if (CloseHandle(hThread[0]) == FALSE)
    {
        printf("Error, failed in closing Orders
thread handle with errno: %d\n", GetLastError());
    }

    if (CloseHandle(hThread[1]) == FALSE)
    {
        printf("Error, failed in closing NewOrder
thread handle with errno: %d\n", GetLastError());
    }

    if (CloseHandle(hThread[2]) == FALSE)
    {
        printf("Error, failed in closing OrderLine
thread handle with errno: %d\n", GetLastError());
    }
}

printf("Finished loading orders.\n");

return;

```

```

}

//=====
// Function  : OrdersBufInit
// Clears shared buffer for ORDERS, NEWORDER, and ORDERLINE
//=====

void OrdersBufInit()
{
    int      i;
    int      j;

    for (i=0;i<orders_per_district;i++)
    {
        orders_buf[i].o_id = 0;
        orders_buf[i].o_d_id = 0;
        orders_buf[i].o_w_id = 0;
        orders_buf[i].o_c_id = 0;
        orders_buf[i].o_carrier_id = 0;
        orders_buf[i].o.ol_cnt = 0;
        orders_buf[i].o.all_local = 0;

        for (j=0;j<=14;j++)
        {
            orders_buf[i].o.ol[j].ol = 0;
            orders_buf[i].o.ol[j].ol_i_id = 0;
            orders_buf[i].o.ol[j].ol_supply_w_id = 0;
            orders_buf[i].o.ol[j].ol_quantity = 0;
            orders_buf[i].o.ol[j].ol_amount = 0;
            strcpy(orders_buf[i].o.ol[j].ol_dist_info,"");
        }
    }
}

//=====
// Function  : OrdersBufLoad
// Fills shared buffer for ORDERS, NEWORDER, and ORDERLINE
//=====

void OrdersBufLoad(int d_id, int w_id)
{
    int      cust[ORDERS_PER_DISTRICT+1];
    long     o_id;
    short    ol;

    printf("...Loading Order Buffer for: d_id = %d, w_id = %d\n",
          d_id, w_id);

    GetPermutation(cust, orders_per_district);

    for (o_id=0;o_id<orders_per_district;o_id++)
    {

```

```

// Generate ORDER and NEW-ORDER data

orders_buf[o_id].o_d_id = d_id;
orders_buf[o_id].o_w_id = w_id;
orders_buf[o_id].o_id = o_id+1;
orders_buf[o_id].o_c_id = cust[o_id+1];
orders_buf[o_id].o.ol_cnt = (short)RandomNumber(5L, 15L);

if (o_id < first_new_order)
{
    orders_buf[o_id].o_carrier_id =
(short)RandomNumber(1L, 10L);
    orders_buf[o_id].o_all_local = 1;
}
else
{
    orders_buf[o_id].o_carrier_id = 0;
    orders_buf[o_id].o_all_local = 1;
}

for (ol=0; ol<orders_buf[o_id].o.ol_cnt; ol++)
{
    orders_buf[o_id].o.ol[ol].ol = ol+1;
    orders_buf[o_id].o.ol[ol].ol_i_id = RandomNumber(1L,
max_items);

    orders_buf[o_id].o.ol[ol].ol_supply_w_id = w_id;
    orders_buf[o_id].o.ol[ol].ol_quantity = 5;
    MakeAlphaString(24, 24, OL_DIST_INFO_LEN,
&orders_buf[o_id].o.ol[ol].ol_dist_info);

    // Generate ORDER-LINE data
    if (o_id < first_new_order)
    {
        orders_buf[o_id].o.ol[ol].ol_amount = 0;
        // Added to insure ol_delivery_d set
properly during load

        FormatDate(&orders_buf[o_id].o.ol[ol].ol_delivery_d);

    }
    else
    {
        orders_buf[o_id].o.ol[ol].ol_amount =
RandomNumber(1,999999)/100.0;
        // Added to insure ol_delivery_d set
properly during load

        // odbc datetime format
        strcpy(orders_buf[o_id].o.ol[ol].ol_delivery_d,"1899-12-31 00:00:00.000");
    }
}

//=====
// Function : LoadOrdersTable

```

```

//=====
//=====

void LoadOrdersTable(LOADER_TIME_STRUCT *orders_time_start)
{
    int          i;
    long         o_id;
    short        o_d_id;
    short        o_w_id;
    long         o_c_id;
    short        o_carrier_id;
    short        o.ol_cnt;
    short        o.all_local;
    char         o_entry_d[O_ENTRY_D_LEN+1];
    RETCODE      rc;
    DBINT       rcint;

    // bind ORDER data
    rc = bcp_bind(o_hdbc1, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
3);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_c_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
4);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_entry_d, 0, O_ENTRY_D_LEN, NULL, 0,
SQLCHARACTER, 5);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_carrier_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 6);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o.ol_cnt, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
7);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o.all_local, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 8);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    for (i = 0; i < orders_per_district; i++)
    {
        o_id          = orders_buf[i].o_id;
        o_d_id        = orders_buf[i].o_d_id;
        o_w_id        = orders_buf[i].o_w_id;
        o_c_id        = orders_buf[i].o_c_id;
    }
}
```

```

o_carrier_id = orders_buf[i].o_carrier_id;
o.ol_cnt     = orders_buf[i].o.ol_cnt;
o.all_local   = orders_buf[i].o.all_local;

FormatDate(&o_entry_d);

// send data to server
rc = bcp_sendrow(o_hdbc1);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

orders_rows_loaded++;
CheckForCommit(o_hdbc1, o_hstmt1, orders_rows_loaded, "orders",
&orders_time_start->time_start);
}

// rcint = bcp_batch(o_hdbc1);
// if (rcint < 0)
//     HandleErrorDBC(o_hdbc1);

if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
{
    rcint = bcp_done(o_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(o_hdbc1);

SQLFreeStmt(o_hstmt1, SQL_DROP);
SQLDisconnect(o_hdbc1);
SQLFreeConnect(o_hdbc1);

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxordcl");

// build non-clustered index
if (aptr->build_index == 1)
    BuildIndex("idxordnc");
}

}

//=====
// Function : LoadNewOrderTable
//=====

void LoadNewOrderTable(LOADER_TIME_STRUCT *new_order_time_start)
{
    int          i;
    long         o_id;
    short        o_d_id;
    short        o_w_id;
    RETCODE      rc;
    DBINT        rcint;

    // Bind NEW-ORDER data
    rc = bcp_bind(o_hdbc2, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
3);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    for (i = first_new_order; i < last_new_order; i++)
    {
        o_id      = orders_buf[i].o_id;
        o_d_id    = orders_buf[i].o_d_id;
        o_w_id    = orders_buf[i].o_w_id;

        rc = bcp_sendrow(o_hdbc2);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc2);

        new_order_rows_loaded++;
        CheckForCommit(o_hdbc2, o_hstmt2, new_order_rows_loaded,
"new_order", &new_order_time_start->time_start);
    }

    // rcint = bcp_batch(o_hdbc2);
    // if (rcint < 0)
    //     HandleErrorDBC(o_hdbc2);

    if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
    {
        rcint = bcp_done(o_hdbc2);
        if (rcint < 0)
            HandleErrorDBC(o_hdbc2);

        SQLFreeStmt(o_hstmt2, SQL_DROP);
        SQLDisconnect(o_hdbc2);
        SQLFreeConnect(o_hdbc2);

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxnodecl");
    }
}

//=====
// Function : LoadOrderLineTable
//=====

void LoadOrderLineTable(LOADER_TIME_STRUCT *order_line_time_start)
{
    int          i,j;
    long         o_id;
    short        o_d_id;
    short        o_w_id;
    long         ol;
    long         ol_i_id;
    short        ol_supply_w_id;
}

```

```

short      ol_quantity;
double     ol_amount;
char       ol_dist_info[DIST_INFO_LEN+1];
        char          ol_delivery_d[OL_DELIVERY_D_LEN+1];
RETCODE    rc;
DBINT     rrint;

// bind ORDER-LINE data
rc = bcp_bind(o_hdbc3, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
3);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &ol, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 4);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &ol_i_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4,
5);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &ol_supply_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 6);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &ol_delivery_d, 0, OL_DELIVERY_D_LEN,
NULL, 0, SQLCHARACTER, 7);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &ol_quantity, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 8);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &ol_amount, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) ol_dist_info, 0, DIST_INFO_LEN, NULL, 0, 0, 10);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

for (i = 0; i < orders_per_district; i++)
{
    o_id      = orders_buf[i].o_id;
    o_d_id    = orders_buf[i].o_d_id;
    o_w_id    = orders_buf[i].o_w_id;

    for (j=0; j < orders_buf[i].o.ol_cnt; j++)
    {

```

```

        ol      = orders_buf[i].o.ol[j].ol;
        ol_i_id = orders_buf[i].o.ol[j].ol_i_id;
        ol_supply_w_id = orders_buf[i].o.ol[j].ol_supply_w_id;
        ol_quantity = orders_buf[i].o.ol[j].ol_quantity;
        ol_amount = orders_buf[i].o.ol[j].ol_amount;

        strcpy(ol_delivery_d,orders_buf[i].o.ol[j].ol_delivery_d);

        strcpy(ol_dist_info,orders_buf[i].o.ol[j].ol_dist_info);

        rc = bcp_sendrow(o_hdbc3);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);

        order_line_rows_loaded++;
        CheckForCommit(o_hdbc3, o_hstmt3,
order_line_rows_loaded, "order_line", &order_line_time_start->time_start);
    }

    // rrint = bcp_batch(o_hdbc3);
    // if (rrint < 0)
    //     HandleErrorDBC(o_hdbc3);

    if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
    {
        rrint = bcp_done(o_hdbc3);
        if (rrint < 0)
            HandleErrorDBC(o_hdbc3);

        SQLFreeStmt(o_hstmt3, SQL_DROP);
        SQLDisconnect(o_hdbc3);
        SQLFreeConnect(o_hdbc3);

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxodlc1");
    }
}

//=====================================================================
// Function   : GetPermutation
//
//=====================================================================

void GetPermutation(int perm[], int n)
{
    int i, r, t;

    for (i=1;i<n;i++)
        perm[i] = i;

    for (i=1;i<n;i++)
    {
        r = RandomNumber(i,n);
        t = perm[i];
        perm[i] = t;
        perm[t] = r;
    }
}
```

```

        perm[i] = perm[r];
        perm[r] = t;
    }

//=====
// Function : CheckForCommit
// =====

void CheckForCommit(HDBC hdbc,
                    HSTMT hstmt,
                    int rows_loaded,
                    char *table_name,
                    long *time_start)
{
    long time_end, time_diff;
    // DBINT rcint;

    if ( !(rows_loaded % aptr->batch) )
    {
        // rcint = bcp_batch(hdbc);
        // if (rcint < 0)
        //     HandleErrorDBC(hdbc);

        time_end = (TimeNow() / MILLI);
        time_diff = time_end - *time_start;

        printf("-> Loaded %d rows into %s in %ld sec - Total = %d (%.2f
rps)\n",
               aptr->batch,
               table_name,
               time_diff,
               rows_loaded,
               (float) aptr->batch / (time_diff ? time_diff
: 1L));

        *time_start = time_end;
    }
    return;
}

//=====
// Function : OpenConnections
// =====

void OpenConnections()
{
    RETCODE rc;

    char szDriverString[300];
    char szDriverStringOut[1024];
    cbDriverStringOut;

```

```

SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );
SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );

SQLAllocHandle(SQL_HANDLE_DBC, henv , &i_hdbc1);
SQLAllocHandle(SQL_HANDLE_DBC, henv , &w_hdbc1);
SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc1);
SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc2);
SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc1);
SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc2);
SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc3);

SQLSetConnectAttr(i_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
SQLSetConnectAttr(w_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
SQLSetConnectAttr(c_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
SQLSetConnectAttr(c_hdbc2, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
SQLSetConnectAttr(o_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
SQLSetConnectAttr(o_hdbc2, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
SQLSetConnectAttr(o_hdbc3, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

// Open connections to SQL Server

// Connection 1

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

rc = SQLSetConnectOption ( i_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEEDED)
    HandleErrorDBC(i_hdbc1);

rc = SQLDriverConnect ( i_hdbc1,
                       NULL,
                       (SQLCHAR*)&szDriverString[0] ,
                           SQL_NTS,
                           (SQLCHAR*)&szDriverStringOut[0],
                           sizeof(szDriverStringOut),
                           &cbDriverStringOut,
                           SQL_DRIVER_NOPROMPT );
if (rc != SUCCEEDED)
    HandleErrorDBC(i_hdbc1);

// Connection 2

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
```

```

aptr->user,
aptr->password,
aptr->database );

rc = SQLSetConnectOption ( w_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = SQLDriverConnect ( w_hdbc1,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

// Connection 3

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

rc = SQLSetConnectOption ( c_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = SQLDriverConnect ( c_hdbc1,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

// Connection 4

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

rc = SQLSetConnectOption ( c_hdbc2, SQL_PACKET_SIZE, aptr->pack_size);

if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

rc = SQLDriverConnect ( c_hdbc2,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

// Connection 5

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

rc = SQLSetConnectOption ( o_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

rc = SQLDriverConnect ( o_hdbc1,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

// Connection 6

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

rc = SQLSetConnectOption ( o_hdbc2, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

rc = SQLDriverConnect ( o_hdbc2,
                        NULL,

```

```

(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
HandleErrorDBC(o_hdbc2);

// Connection 7

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

rc = SQLSetConnectOption (o_hdbc3, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
HandleErrorDBC(o_hdbc3);

rc = SQLDriverConnect ( o_hdbc3,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
HandleErrorDBC(o_hdbc3);

}

//=====
// Function name: BuildIndex
//=====
void BuildIndex(char *index_script)
{
    char cmd[256];

    printf("Starting index creation: %s\n",index_script);

    sprintf(cmd, "isql -S%s -U%s -P%s -e -i%s\\%s.sql > logs\\%s.log",
            aptr->server,
            aptr->user,
            aptr->password,
            aptr->index_script_path,
            index_script,

```

```

index_script);

system(cmd);

printf("Finished index creation: %s\n",index_script);
}

void HandleErrorDBC (SQLHDBC hdbc1)
{
    SQLCHAR      SqlState[6], Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER   NativeError;
    SQLSMALLINT  i, MsgLen;
    SQLRETURN    rc2;
    char         timebuf[128];
    char         datebuf[128];
    FILE        *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_DBC , hdbc1, i, SqlState ,
&NativeError,
Msg, sizeof(Msg) , &MsgLen ) !=

SQL_NO_DATA )
    {

        sprintf( szLastError , "%s" , Msg );

        _strtime(timebuf);
        _strdate(datebuf);

        printf( "[%s : %s] %s\n" , datebuf, timebuf, szLastError);

        fp1 = fopen("logs\\tpccldr.err","w");
        if (fp1 == NULL)
            printf("ERROR: Unable to open errorlog file.\n");
        else
        {
            fprintf(fp1, "[%s : %s] %s\n" , datebuf, timebuf,
szLastError);
            fclose(fp1);
        }
        i++;
    }
}

void HandleErrorSTMT (HSTMT hstmt1)
{
    SQLCHAR      SqlState[6], Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER   NativeError;
    SQLSMALLINT  i, MsgLen;
    SQLRETURN    rc2;
    char         timebuf[128];
    char         datebuf[128];
    FILE        *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_STMT , hstmt1, i, SqlState ,
&NativeError,

```

```

SQL_NO_DATA )
{
    sprintf( szLastError , "%s" , Msg );
    _strtime(timebuf);
    _strdate(datebuf);

    printf( "[%s : %s] %s\n" , datebuf, timebuf, szLastError);

    fp1 = fopen("logs\\tpccldr.err","w");
    if (fp1 == NULL)
        printf("ERROR: Unable to open errorlog file.\n");
    else
    {
        fprintf(fp1, "[%s : %s] %s\n" , datebuf, timebuf,
szLastError);
        fclose(fp1);
    }
    i++;
}

void FormatDate ( char* szTimeCOutput )
{
    struct tm when;
    time_t now;

    time( &now );
    when = *localtime( &now );

    mktime( &when );

    // odbc datetime format
    strftime( szTimeCOutput , 30 , "%Y-%m-%d %H:%M:%S.000" , &when );
    return;
}

//=====
// Function : CheckSQL
//=====

void CheckSQL()
{
    RETCODE rc;

    char szDriverString[300];
    char szDriverStringOut[1024];
    int SQLBuildFlag;
    char resp;

    SQLSMALLINT cbDriverStringOut;
    SQLCHAR SQLVersion[19];
}

```

```

SQLINTEGER SQLVersionInd;

SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );
SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );
SQLAllocHandle(SQL_HANDLE_DBC, henv , &v_hdbc);
SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

// Open connection to SQL Server

sprintf( szDriverString , "DRIVER={SQL Server};SERVER=%s;UID=%s;PWD=%s" ,
aptr->server,
aptr->user,
aptr->password );

if ( SQLSetConnectAttr( v_hdbc, SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr-
>pack_size, SQL_IS_UINTEGER ) != SQL_SUCCESS )
    HandleErrorDBC(v_hdbc);

rc = SQLDriverConnect ( v_hdbc,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );

if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorDBC(v_hdbc);

if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt) != SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

rc = SQLBindCol(v_hstmt , 4, SQL_C_CHAR, &SQLVersion, sizeof(SQLVersion),
&SQLVersionInd);

// issue SQL Server extended stored procedure (xp_msver) to determine
installed version
rc = SQLExecDirect(v_hstmt, "EXECUTE xp_msver ProductVersion", SQL_NTS);

if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorSTMT(v_hstmt);

rc = SQLFetch(v_hstmt);

if (rc != SQL_SUCCESS)
    HandleErrorDBC(v_hdbc);

// Check build number to ensure 8.00.194 or higher
SQLBuildFlag = 1;
// first check the Major version

```

```

if ( SQLVersion[0] == '8' )
{
    if (( SQLVersion[2] == '0' ) & ( SQLVersion[3] == '0' ) )
    {
        if ( SQLVersion[5] == '1' )
        {
            if ( (SQLVersion[6] == '9') &
(SQLVersion[7] == '4') )
            {
                SQLBuildFlag = 0;
                printf("You are using SQL Server
version = %9s\n\n", SQLVersion);
            }
            else
            {
                SQLBuildFlag = 1;
            }
        }
        else
        {
            if ( SQLVersion[5] == '3' )
            {
                if ( (SQLVersion[6] >= 53) &
(SQLVersion[7] >= 48) )
                {
                    SQLBuildFlag = 0;
                    printf("You are using
SQL Server version = %9s\n\n", SQLVersion);
                }
                else
                {
                    SQLBuildFlag = 1;
                }
            }
        }
    }
}
else
{
    SQLBuildFlag = 1;
}

if ( SQLBuildFlag == 1 )
{
    printf("NOTE: The SQL Server version you are using is not
supported\n");
    printf("for TPC-C benchmarking. You currently have SQL Server
version %9s\n", SQLVersion);
    printf("installed. Please upgrade to Microsoft SQL Server 2000
(8.00.0194) or better.\n");
    printf("and re-run the SETUP program.\n\n");
    printf("Do you wish to continue with setup? (Y/N): ");
    resp = getchar();
    if ( ( resp == 'N' ) || ( resp == 'n' ) )
    {
        printf("\nSetup Aborted!\n");
        exit(1);
    }
}

SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdbe);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdbe);

```

```

return;
}

//=====
// Function : CheckDataBase
// =====
void CheckDataBase()
{
    RETCODE          rc;

    char             szDriverString[300];
    char             szDriverStringOut[1024];
    char             TablesBitMap[9] = {"000000000"};
    int              i, ExitFlag;

    SQLSMALLINT      cbDriverStringOut;
    SQLCHAR          TabName[10];
    SQLINTEGER        TabNameInd, TabCount, TabCountInd;

    ExitFlag = 0;

    SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );
    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &v_hdbe);

    SQLSetConnectAttr(v_hdbe, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

    // Open connection to SQL Server

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

    rc = SQLSetConnectAttr( v_hdbe, SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr-
>pack_size, SQL_IS_UINT32 );
    if ( rc != SQL_SUCCESS)
        HandleErrorDBC(v_hdbe);

    rc = SQLDriverConnect ( v_hdbe,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );

```

```

// if the rc is SQL_ERROR, the the TPCC database probably does not exist
if (rc == SQL_ERROR)
{
    printf("\nThe database TPCC does not appear to exist!\n");
    printf("\nCheck LOGS\\ directory for database creation
errors.\n");

    // cleanup database connections and handles
SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdcb);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdcb);

    // since there is not a database, exit back to SETUP.CMD
exit(1);
}

if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdcb , &v_hstmt) != SQL_SUCCESS )
    HandleErrorDBC(v_hdcb);

if ( SQLBindCol(v_hstmt, 1, SQL_C_ULONG, &TabCount, 0, &TabCountInd) != SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

    // count the number of user tables from sysobjects
rc = SQLExecDirect(v_hstmt, "select count(*) from sysobjects where xtype =
\'U\', SQL_NTS);
if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorSTMT(v_hstmt);

if ( SQLFetch(v_hstmt) != SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

    // if the number of tables is less than 9, select all the user tables in
TPCC
if (TabCount != 9)
{
    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);

    SQLAllocHandle(SQL_HANDLE_STMT, v_hdcb , &v_hstmt);

    if ( SQLBindCol(v_hstmt, 1, SQL_C_CHAR, &TabName,
sizeof(TabName), &TabNameInd) != SQL_SUCCESS )
        HandleErrorSTMT(v_hstmt);

    // select the list of user tables into a result set
rc = SQLExecDirect(v_hstmt, "select * from sysobjects where
xtype = \'U\', SQL_NTS);
if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorSTMT(v_hstmt);

    // go through the result set and set the bitmap for each found
table
    // set the bitmap to '1' if the table name is found

    while ((rc = SQLFetch(v_hstmt)) != SQL_NO_DATA)
    {
        switch( TabName[0] )
        {
            case 'w':
                TablesBitMap[0] = '1';
                break;
            case 'd':

```

```

TablesBitMap[1] = '1';
                break;
            case 'c':
                TablesBitMap[2] = '1';
                break;
            case 'h':
                TablesBitMap[3] = '1';
                break;
            case 'n':
                TablesBitMap[4] = '1';
                break;
            case 'o':
                if (TabName[5] = 's')
                    TablesBitMap[5] = '1';
                if (TabName[5] = '_')
                    TablesBitMap[6] = '1';
                break;
            case 'i':
                TablesBitMap[7] = '1';
                break;
            case 's':
                TablesBitMap[8] = '1';
                break;
        }
    }

    // a '0' ExitFlag means do NOT exit the loader early, a '1'
means exit the loader early
ExitFlag = 0;

    // interate through the bitmap to display which table(s) is
actually missing
for (i = 0; i <= 8; i++)
{
    switch(i)
    {
        case 0:
            if (TablesBitMap[i] == '0')
            {
                printf("The Warehouse table is
missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 1:
            if (TablesBitMap[i] == '0')
            {
                printf("The District table is
missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 2:
            if (TablesBitMap[i] == '0')
            {
                printf("The Customer table is
missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 3:
            if (TablesBitMap[i] == '0')
            {

```

```

missing or damaged.\n");
                    printf("The History table is
                           ExitFlag = 1;
                }
                break;
        case 4:
                if (TablesBitMap[i] == '0')
                {
                        printf("The New_Order table is
                           ExitFlag = 1;
                }
                break;
        case 5:
                if (TablesBitMap[i] == '0')
                {
                        printf("The Orders table is
                           ExitFlag = 1;
                }
                break;
        case 6:
                if (TablesBitMap[i] == '0')
                {
                        printf("The Order_Line table is
                           ExitFlag = 1;
                }
                break;
        case 7:
                if (TablesBitMap[i] == '0')
                {
                        printf("The Item table is missing
                           ExitFlag = 1;
                }
                break;
        case 8:
                if (TablesBitMap[i] == '0')
                {
                        printf("The Stock table is missing
                           ExitFlag = 1;
                }
                break;
}
}

// if one or more tables are missing, display message and exit
the loader
if (ExitFlag = 1)
{
        printf("\nExiting TPC-C Loader!\n");
        printf("\nCheck LOGS\\ directory for database\n");
        printf("or table creation errors.\n");

        // cleanup database connections and handles
        SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
        SQLDisconnect(v_hdbc);
        SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

        exit(1);
}
}

// cleanup database connections and handles
SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

return;
}

```

## Appendix C: Tunable Parameters

### Microsoft SQL Server 2000 Installation Procedures

Microsoft SQL Server 2000 Installation Procedures  
 Type of installation: custom  
 During the custom installation, use the default settings for all except the following two areas:  
 Services accounts:  
 SQL Server - local system account  
 SQL Server Agent - local system account  
 Set the sort order/collation as Latin1\_General\_Bin

### Microsoft SQL Server Configuration Parameters

name	maximum	config_value	run_value	minimum
affinity mask			-2147483648	
2147483647	15	15	15	
affinity64 mask			-2147483648	
2147483647	0	0	0	
allow updates			0	
1	0	0	0	
awe enabled			0	
1	0	0	0	
c2 audit mode			0	
1	0	0	0	
cost threshold for parallelism			0	
32767	5	5	5	
Cross DB Ownership Chaining			0	
1	0	0	0	
cursor threshold			-1	
2147483647	-1	-1	-1	
default full-text language			0	
2147483647	1033	1033	1033	
default language			0	
9999	0	0	0	

fill factor (%)	100	0	0	0
index create memory (KB)	2147483647	0	0	704
lightweight pooling				0
1	1	1	1	
locks				5000
2147483647	0	0	0	
max degree of parallelism	32	1	1	0
max server memory (MB)	2147483647	2147483647	2147483647	4
max text repl size (B)	2147483647	65536	65536	0
max worker threads	32767	370	370	32
media retention				0
365	0	0	0	
min memory per query (KB)	2147483647	512	512	512
min server memory (MB)	2147483647	0	0	0
nested triggers				0
1	1	1	1	
network packet size (B)	65536	4096	4096	512
open objects	2147483647	0	0	0
priority boost				0
1	1	1	1	
query governor cost limit	2147483647	0	0	0
query wait (s)	2147483647	-1	-1	-1
recovery interval (min)				0
32767	105	105	105	
remote access				0
1	1	1	1	
remote login timeout (s)	2147483647	20	20	0
remote proc trans				0
1	0	0	0	
remote query timeout (s)	2147483647	600	600	0
scan for startup procs				0
1	0	0	0	
set working set size				0
1	0	0	0	
show advanced options				0
1	1	1	1	
two digit year cutoff	9999	2049	2049	1753
user connections				0
32767	0	0	0	
user options				0
32767	0	0	0	

## Database Server System Configuration

System Information report written at: 04/21/03  
 14:40:24  
 System Name: EVEREST  
 [System Summary]

Item	Value
OS Name	Microsoft(R) Windows(R) Server 2003, Enterprise Edition
Version	5.2.3790 Build 3790
OS Manufacturer	Microsoft Corporation
System Name	EVEREST
System Manufacturer	hp
System Model	server rx5670
System Type	Itanium (TM) -based System
Processor ia64 Family 31 Model 1 Stepping 5	GenuineIntel ~1500 Mhz
Processor ia64 Family 31 Model 1 Stepping 5	GenuineIntel ~1500 Mhz
Processor ia64 Family 31 Model 1 Stepping 5	GenuineIntel ~1500 Mhz
Processor ia64 Family 31 Model 1 Stepping 5	GenuineIntel ~1500 Mhz
Processor ia64 Family 31 Model 1 Stepping 5	GenuineIntel ~1500 Mhz
BIOS Version/Date	HP 80.12, 2/26/2003
SMBIOS Version	2.3
Windows Directory	C:\WINDOWS
System Directory	C:\WINDOWS\system32
Boot Device	\Device\HarddiskVolume26
Locale	United States
Hardware Abstraction Layer	Version = "5.2.3790.0 (srv03_rtm.030324-2048)"
User Name	EVEREST\Administrator
Time Zone	Central Daylight Time
Total Physical Memory	65,536.00 MB
Available Physical Memory	143.97 MB
Total Virtual Memory	130.82 GB
Available Virtual Memory	4.31 GB
Page File Space	66.82 GB
Page File	C:\pagefile.sys

### [Hardware Resources]

Resource	Device	
I/O Port	0x0000A000-0x0000BFFF	PCI bus
I/O Port	0x0000A000-0x0000BFFF	Smart Array
5300 Controller (Non-Miniport)		
I/O Port	0x000003C0-0x000003DF	Intel 21154
PCI to PCI bridge		
I/O Port	0x000003C0-0x000003DF	Standard VGA
Graphics Adapter		

I/O Port 0x00002000-0x00003FFF	PCI bus
I/O Port 0x00002000-0x00003FFF	QLogic
QLA23xx PCI Fibre Channel Adapter	
Generic Bus	
PCI bus	
Generic Bus	
PCI bus	
I/O Port 0x00006000-0x00007FFF	PCI bus
I/O Port 0x00006000-0x00007FFF	Smart Array
5300 Controller (Non-Miniport)	
I/O Port 0x0000E000-0x0000FFFF	PCI bus
I/O Port 0x0000E000-0x0000FFFF	Smart Array
5300 Controller (Non-Miniport)	
Memory Address 0x80000000-0xFDFFFFFF	Generic Bus
Memory Address 0x80000000-0xFDFFFFFF	PCI bus
Memory Address 0x80000000-0xFDFFFFFF	Intel 21154
PCI to PCI bridge	
Memory Address 0x80000000-0xFDFFFFFF	Standard VGA
Graphics Adapter	
Generic Bus	
PCI bus	
Generic Bus	
PCI bus	
Generic Bus	
PCI bus	
Generic Bus	
PCI bus	
Memory Address 0xA0000-0xFFFFF	Generic Bus
Memory Address 0xA0000-0xFFFFF	PCI bus
Memory Address 0xA0000-0xFFFFF	Intel 21154
PCI to PCI bridge	
Memory Address 0xA0000-0xFFFFF	Standard VGA
Graphics Adapter	
I/O Port 0x00003B0-0x000003BB	Intel 21154
PCI to PCI bridge	
I/O Port 0x00003B0-0x000003BB	Standard VGA
Graphics Adapter	
I/O Port 0x00001000-0x00001FFF	Intel 21154
PCI to PCI bridge	
I/O Port 0x00001000-0x00001FFF	Standard VGA
Graphics Adapter	
Generic Bus	
PCI bus	
I/O Port 0x00004000-0x00005FFF	PCI bus
I/O Port 0x00004000-0x00005FFF	Smart Array
5300 Controller (Non-Miniport)	

Generic Bus	
PCI bus	
I/O Port 0x0000C000-0x0000DFFF	PCI bus
I/O Port 0x0000C000-0x0000DFFF	Smart Array
5300 Controller (Non-Miniport)	
I/O Port 0x00008000-0x00009FFF	PCI bus
I/O Port 0x00008000-0x00009FFF	Smart Array
5300 Controller (Non-Miniport)	
[DMA]	
Resource Device Status	
[Forced Hardware]	
Device PNP Device ID	
[I/O]	
Resource Device Status	
0x00000000-0x00001FFF PCI bus OK	
0x00000E00-0x00000EFF LSI Logic 53C896 Device OK	
0x00000D00-0x00000DFF LSI Logic 53C896 Device OK	
0x00001000-0x00001FFF Intel 21154 PCI to PCI bridge OK	
0x00001000-0x00001FFF Standard VGA Graphics Adapter OK	
0x00003B0-0x000003BB Intel 21154 PCI to PCI bridge OK	
0x00003B0-0x000003BB Standard VGA Graphics Adapter OK	
0x00003C0-0x000003DF Intel 21154 PCI to PCI bridge OK	
0x00003C0-0x000003DF Standard VGA Graphics Adapter OK	
0x00002000-0x00003FFF PCI bus OK	
0x00002000-0x00003FFF QLogic QLA23xx PCI Fibre Channel Adapter OK	
0x00002100-0x000021FF QLogic QLA23xx PCI Fibre Channel Adapter OK	
0x00004000-0x00005FFF PCI bus OK	
0x00004000-0x00005FFF Smart Array 5300 Controller (Non-Miniport) OK	
0x00006000-0x00007FFF PCI bus OK	
0x00006000-0x00007FFF Smart Array 5300 Controller (Non-Miniport) OK	
0x00008000-0x00009FFF PCI bus OK	
0x00008000-0x00009FFF Smart Array 5300 Controller (Non-Miniport) OK	
0x00008100-0x000081FF PCI bus OK	
0x00008100-0x000081FF Smart Array 5300 Controller (Non-Miniport) OK	
0x0000A000-0x0000BFFF PCI bus OK	
0x0000A000-0x0000BFFF Smart Array 5300 Controller (Non-Miniport) OK	
0x0000C000-0x0000DFFF PCI bus OK	
0x0000C000-0x0000DFFF Smart Array 5300 Controller (Non-Miniport) OK	
[IRqs]	
Resource Device Status	
IRQ 20 Microsoft ACPI-Compliant System OK	
IRQ 17 LSI Logic 53C896 Device OK	
IRQ 18 LSI Logic 53C896 Device OK	
IRQ 22 NEC PCI to USB Open Host Controller OK	
IRQ 23 NEC PCI to USB Open Host Controller OK	
IRQ 24 NEC PCI to USB Enhanced Host Controller (B1) OK	
IRQ 27 QLogic QLA23xx PCI Fibre Channel Adapter OK	
IRQ 28 QLogic QLA23xx PCI Fibre Channel Adapter OK	
IRQ 38 Smart Array 5300 Controller (Non-Miniport) OK	
IRQ 49 Smart Array 5300 Controller (Non-Miniport) OK	
IRQ 64 Smart Array 5300 Controller (Non-Miniport) OK	
IRQ 60 Smart Array 5300 Controller (Non-Miniport) OK	
IRQ 71 Smart Array 5300 Controller (Non-Miniport) OK	
IRQ 86 Smart Array 5300 Controller (Non-Miniport) OK	
IRQ 82 Smart Array 5300 Controller (Non-Miniport) OK	
IRQ 97 Smart Array 5300 Controller (Non-Miniport) OK	
IRQ 93 Smart Array 5300 Controller (Non-Miniport) OK	
[Memory]	
Resource Device Status	
0xA0000-0xFFFFF Generic Bus OK	
0xA0000-0xFFFFF PCI bus OK	
0xA0000-0xFFFFF Intel 21154 PCI to PCI bridge OK	
0xA0000-0xFFFFF Standard VGA Graphics Adapter OK	
0x80000000-0xFDFFFFFF Generic Bus OK	
0x80000000-0xFDFFFFFF PCI bus OK	
0x80000000-0xFDFFFFFF Intel 21154 PCI to PCI bridge OK	
0x80000000-0xFDFFFFFF Standard VGA Graphics Adapter OK	
0x88107000-0x8810700F PCI Simple Communications Controller OK	

0x88106000-0x88106FFF	PCI Serial Port	OK	0xF0100000-0xF01FFFFF	Smart Array 5300 Controller (Non-Miniport)	OK	
0x88105000-0x88105FFF	LSI Logic 53C896 Device	OK	[Components]			
0x88102000-0x88103FFF	LSI Logic 53C896 Device	OK	[Multimedia]			
0x88104000-0x88104FFF	LSI Logic 53C896 Device	OK	[Audio Codecs]			
0x88100000-0x88101FFF	LSI Logic 53C896 Device	OK	CODEC	Manufacturer	Description	
0x88032000-0x88032FFF	NEC PCI to USB Open	Host Controller	Status	File	Version	Size
0x88031000-0x88031FFF	NEC PCI to USB Open	Host Controller	Creation Date			
0x88030000-0x88030FFF	NEC PCI to USB Enhanced	OK	c:\windows\system32\msadp32.acm	Microsoft		
0x88020000-0x8802FFFFFF	Standard VGA Graphics	Host Controller (B1)	Corporation	OK		
0x90000000-0x9FFFFFFF	PCI bus OK	Adapter	C:\WINDOWS\system32\MSADP32.ACM			
0x90041000-0x90041FFF	QLogic QLA23xx PCI	Controller (Non-Miniport)	5.2.3790.0 (srv03_rtm.030324-2048)			
0x90040000-0x90040FFF	QLogic QLA23xx PCI	Controller (Non-Miniport)	49.00 KB (50,176 bytes)			
0xA0000000-0xAFFFFFFF	PCI bus OK	Controller (Non-Miniport)	6:00 AM			
0xA0200000-0xA023FFFFFF	Smart Array 5300	Controller (Non-Miniport)	c:\windows\system32\msg711.acm	Microsoft		
0xA0100000-0xA01FFFFFFF	OK	Controller (Non-Miniport)	Corporation	OK		
0xB0000000-0xBFFFFFFF	Smart Array 5300	Controller (Non-Miniport)	C:\WINDOWS\system32\MSG711.ACM			
0xB0200000-0xB023FFFFFF	OK	Controller (Non-Miniport)	5.2.3790.0 (srv03_rtm.030324-2048)			
0xB0100000-0xB01FFFFFFF	Smart Array 5300	Controller (Non-Miniport)	33.00 KB (33,792 bytes)			
0xC0000000-0xCFFFFFFF	OK	Controller (Non-Miniport)	6:00 AM			
0xC0440000-0xC047FFFFFF	PCI bus OK	Controller (Non-Miniport)	c:\windows\system32\tssoft32.acm	DSP GROUP, INC.		
0xC0300000-0xC03FFFFFFF	Smart Array 5300	Controller (Non-Miniport)	Corporation	OK		
0xC0400000-0xC043FFFFFF	OK	Controller (Non-Miniport)	C:\WINDOWS\system32\TSSOFT32.ACML			
0xC0100000-0xC01FFFFFFF	Smart Array 5300	Controller (Non-Miniport)	1.01	29.00 KB (29,696 bytes)		
0xD0000000-0xDFFFFFFF	OK	Controller (Non-Miniport)	3/25/2003 6:00 AM			
0xD0200000-0xD023FFFFFF	PCI bus OK	Controller (Non-Miniport)	c:\windows\system32\imaadp32.acm	Microsoft		
0xD0100000-0xD01FFFFFFF	Smart Array 5300	Controller (Non-Miniport)	Corporation	OK		
0xE0000000-0xEFFFFFFF	OK	Controller (Non-Miniport)	C:\WINDOWS\system32\IMAADP32.ACML			
0xE0440000-0xE047FFFFFF	PCI bus OK	Controller (Non-Miniport)	5.2.3790.0 (srv03_rtm.030324-2048)			
0xE0300000-0xE03FFFFFFF	Smart Array 5300	Controller (Non-Miniport)	55.00 KB (56,320 bytes)			
0xE0400000-0xE043FFFFFF	OK	Controller (Non-Miniport)	6:00 AM			
0xE0100000-0xE01FFFFFFF	Smart Array 5300	Controller (Non-Miniport)	c:\windows\system32\msgsm32.acm	Microsoft		
0xF0000000-0xFFFFFFFF	OK	Controller (Non-Miniport)	Corporation	OK		
0xF0440000-0xF047FFFFFF	PCI bus OK	Controller (Non-Miniport)	C:\WINDOWS\system32\MSGSM32.ACML			
0xF0300000-0xF03FFFFFFF	Smart Array 5300	Controller (Non-Miniport)	5.2.3790.0 (srv03_rtm.030324-2048)			
0xF0400000-0xF043FFFFFF	OK	Controller (Non-Miniport)	66.50 KB (68,096 bytes)			
0xF0010000-0xF01FFFFFFF	Smart Array 5300	Controller (Non-Miniport)	6:00 AM			
0xF0440000-0xF047FFFFFF	OK	Controller (Non-Miniport)	[Video Codecs]			
0xF0300000-0xF03FFFFFFF	Smart Array 5300	Controller (Non-Miniport)	CODEC	Manufacturer	Description	
0xF0400000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Status	File	Version	Size
0xF0100000-0xF01FFFFFFF	Smart Array 5300	Controller (Non-Miniport)	Creation Date			
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	c:\windows\system32\msrle32.dll	Microsoft		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	Corporation	OK		
0xF0440000-0xF047FFFFFF	OK	Controller (Non-Miniport)	C:\WINDOWS\system32\MSRLE32.DLL			
0xF0300000-0xF03FFFFFFF	Smart Array 5300	Controller (Non-Miniport)	5.2.3790.0 (srv03_rtm.030324-2048)			
0xF0400000-0xF043FFFFFF	OK	Controller (Non-Miniport)	24.50 KB (25,088 bytes)			
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	6:00 AM			
0xF0440000-0xF047FFFFFF	OK	Controller (Non-Miniport)	c:\windows\system32\msvidc32.dll	Microsoft		
0xF0300000-0xF03FFFFFFF	Smart Array 5300	Controller (Non-Miniport)	Corporation	OK		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	C:\WINDOWS\system32\MSVIDC32.DLL			
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	5.2.3790.0 (srv03_rtm.030324-2048)			
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	67.00 KB (68,608 bytes)			
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	6:00 AM			
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	[CD-ROM]			
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	Item	Value		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Drive	D:		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	Description	CD-ROM Drive		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Media Loaded	No		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	Media Type	CD-ROM		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Name	HP DVD-ROM 305 SCSI CdRom Device		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	Manufacturer	(Standard CD-ROM drives)		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Status	OK		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	Transfer Rate	Not Available		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	SCSI Target ID	3		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	PNP Device ID	SCSI\CDROM&VEN_HP&PROD_DVD-ROM_305&REV_1.01\5\968E4F&0&030		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Driver	c:\windows\system32\drivers\cdrom.sys (5.2.3790.0 (srv03_rtm.030324-2048), 143.50 KB (146,944 bytes), 3/25/2003 6:00 AM)		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	[Sound Device]			
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Item	Value		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	[Display]			
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Item	Value		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	Name	Standard VGA Graphics Adapter		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	PNP Device ID	PCI\VEN_1002&DEV_5159&SUBSYS_1292103C&REV_00		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	0\5&356B3CB&0&2820			
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Adapter Type	ATI RADEON VE, (Standard display types) compatible		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	Adapter Description	Standard VGA Graphics Adapter		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Adapter RAM	16.00 MB (16,777,216 bytes)		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	Installed Drivers	vga.dll,framebuf.dll,vga256,vga64k		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Driver Version	5.2.3790.0		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	INF File	display.inf (vga section)		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Color Planes	1		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	Color Table Entries	256		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Resolution	800 x 600 x 1 hertz		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	Bits/Pixel	8		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Memory Address	0x80000000-0xFFFFFFFF		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	I/O Port	0x00001000-0x00001FFF		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Memory Address	0x88020000-0x8802FFFF		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	I/O Port	0x000003B0-0x000003BB		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Memory Address	0x000003C0-0x000003DF		
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	Driver	c:\windows\system32\drivers\vgapnp.sys (5.2.3790.0 (srv03_rtm.030324-2048), 68.50 KB (70,144 bytes), 4/7/2003 8:15 PM)		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	[Infrared]			
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	Item	Value		
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	[Input]			
0xF0010000-0xF003FFFFFF	Smart Array 5300	Controller (Non-Miniport)	[Keyboard]			
0xF0440000-0xF043FFFFFF	OK	Controller (Non-Miniport)	Item	Value		

```

Description      USB Human Interface Device
Name           Enhanced (101- or 102-key)
Layout          00000409
PNP Device ID   USB\VID_049F&PID_0051&MI_00\8&2C766E05&0&0
00
Number of Function Keys 12
Driver          c:\windows\system32\drivers\hidusb.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 32.00 KB (32,768
bytes), 3/25/2003 6:00 AM)

[Pointing Device]

Item    Value
Hardware Type Microsoft USB IntelliMouse Web

Number of Buttons 5
Status     OK
PNP Device ID   USB\VID_045E&PID_0029\7&247FB3E0&0&1
Power Management Supported No
Double Click Threshold 6
Handedness      Right Handed Operation
Driver          c:\windows\system32\drivers\hidusb.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 32.00 KB (32,768
bytes), 3/25/2003 6:00 AM)

[Modem]

Item    Value

[Network]

[Adapter]

Item    Value
Name    [00000001] Broadcom NetXtreme Gigabit
Ethernet
Adapter Type Not Available
Product Type Broadcom NetXtreme Gigabit
Ethernet
Installed Yes
PNP Device ID Not Available
Last Reset 4/21/2003 11:10 AM
Index    1
Service Name b57nd
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available

Name    [00000002] RAS Async Adapter
Adapter Type Not Available
Product Type RAS Async Adapter
Installed Yes
PNP Device ID Not Available
Last Reset 4/21/2003 11:10 AM

```

```

Index    2
Service Name AsyncMac
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available

Name    [00000003] WAN Miniport (L2TP)
Adapter Type Not Available
Product Type WAN Miniport (L2TP)
Installed Yes
PNP Device ID ROOT\MS_L2TPMINIPORT\0000
Last Reset 4/21/2003 11:10 AM
Index    3
Service Name Rasl2tp
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Driver          c:\windows\system32\drivers\rasl2tp.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 179.50 KB
(183,808 bytes), 3/25/2003 6:00 AM)

Name    [00000004] WAN Miniport (PPTP)
Adapter Type Wide Area Network (WAN)
Product Type WAN Miniport (PPTP)
Installed Yes
PNP Device ID ROOT\MS_PPTPMINIPORT\0000
Last Reset 4/21/2003 11:10 AM
Index    4
Service Name PptpMiniport
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 50:50:54:50:30:30
Driver          c:\windows\system32\drivers\rasppp.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 177.50 KB
(181,760 bytes), 3/25/2003 6:00 AM)

Name    [00000005] WAN Miniport (PPPOE)
Adapter Type Wide Area Network (WAN)
Product Type WAN Miniport (PPPOE)
Installed Yes
PNP Device ID ROOT\MS_PPPOEMINIPORT\0000
Last Reset 4/21/2003 11:10 AM
Index    5
Service Name RasPppoe
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No

```

```

DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 33:50:6F:45:30:30
Driver          c:\windows\system32\drivers\raspppoe.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 115.50 KB
(118,272 bytes), 3/25/2003 6:00 AM)

Name    [00000006] Direct Parallel
Adapter Type Not Available
Product Type Direct Parallel
Installed Yes
PNP Device ID ROOT\MS_PTIMINIPORT\0000
Last Reset 4/21/2003 11:10 AM
Index    6
Service Name Raspti
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Driver          c:\windows\system32\drivers\raspti.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 49.50 KB (50,688
bytes), 3/25/2003 6:00 AM)

Name    [00000007] WAN Miniport (IP)
Adapter Type Not Available
Product Type WAN Miniport (IP)
Installed Yes
PNP Device ID ROOT\MS_NDISWANIP\0000
Last Reset 4/21/2003 11:10 AM
Index    7
Service Name NdisWan
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Driver          c:\windows\system32\drivers\ndiswan.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 250.00 KB
(256,000 bytes), 3/25/2003 6:00 AM)

[Protocol]

Item    Value
Name    MSAFD Tcpip [TCP/IP]
Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes
Maximum Address Size 16 bytes
Maximum Message Size 0 bytes
Message Oriented No
Minimum Address Size 16 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No

```

Supports Encryption	No
Supports Expedited Data	Yes
Supports Graceful Closing	Yes
Supports Guaranteed Bandwidth	No
Supports Multicasting	No
Name MSAFD Tcpip [UDP/IP]	
Connectionless Service	Yes
Guarantees Delivery	No
Guarantees Sequencing	No
Maximum Address Size	16 bytes
Maximum Message Size	63.93 KB (65,467 bytes)
Message Oriented	Yes
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	Yes
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No
Supports Multicasting	Yes
Name RSVP UDP Service Provider	
Connectionless Service	Yes
Guarantees Delivery	No
Guarantees Sequencing	No
Maximum Address Size	16 bytes
Maximum Message Size	63.93 KB (65,467 bytes)
Message Oriented	Yes
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	Yes
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	Yes
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No
Supports Multicasting	Yes
Name RSVP TCP Service Provider	
Connectionless Service	No
Guarantees Delivery	Yes
Guarantees Sequencing	Yes
Maximum Address Size	16 bytes
Maximum Message Size	0 bytes
Message Oriented	No
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	Yes
Supports Expedited Data	Yes
Supports Graceful Closing	Yes
Supports Guaranteed Bandwidth	No
Supports Multicasting	No
[WinSock]	

Item	Value
File	c:\windows\system32\wsock32.dll
Size	23.00 KB (23,552 bytes)
Version	5.2.3790.0 (srv03_ntm.030324-2048)
[Ports]	
Item	Value
[Serial]	
Item	Value
[Parallel]	
Item	Value
[Storage]	
Item	Value
Drive	C:
Description	Local Fixed Disk
Compressed	No
File System	NTFS
Size	33.45 GB (35,919,794,176 bytes)
Free Space	27.02 GB (29,009,600,512 bytes)
Volume Name	
Volume Serial Number	C4C0167E
Drive	D:
Description	CD-ROM Disc
Drive	E:
Description	Local Fixed Disk
Compressed	Not Available
File System	Not Available
Size	Not Available
Free Space	Not Available
Volume Name	Not Available
Volume Serial Number	Not Available
Drive	F:
Description	Local Fixed Disk
Compressed	Not Available
File System	Not Available
Size	Not Available
Free Space	Not Available
Volume Name	Not Available
Volume Serial Number	Not Available
Drive	G:
Description	Local Fixed Disk
Compressed	Not Available
File System	Not Available
Size	Not Available
Free Space	Not Available
Volume Name	Not Available
Volume Serial Number	Not Available

Volume Serial Number	Not Available
Drive	H:
Description	Local Fixed Disk
Compressed	Not Available
File System	Not Available
Size	Not Available
Free Space	Not Available
Volume Name	Not Available
Volume Serial Number	Not Available
Drive	I:
Description	Local Fixed Disk
Compressed	Not Available
File System	Not Available
Size	Not Available
Free Space	Not Available
Volume Name	Not Available
Volume Serial Number	Not Available
Drive	J:
Description	Local Fixed Disk
Compressed	Not Available
File System	Not Available
Size	Not Available
Free Space	Not Available
Volume Name	Not Available
Volume Serial Number	Not Available
Drive	K:
Description	Local Fixed Disk
Compressed	Not Available
File System	Not Available
Size	Not Available
Free Space	Not Available
Volume Name	Not Available
Volume Serial Number	Not Available
Drive	L:
Description	Local Fixed Disk
Compressed	Not Available
File System	Not Available
Size	Not Available
Free Space	Not Available
Volume Name	Not Available
Volume Serial Number	Not Available
Drive	M:
Description	Local Fixed Disk
Compressed	Not Available
File System	Not Available
Size	Not Available
Free Space	Not Available
Volume Name	Not Available
Volume Serial Number	Not Available
Drive	N:
Description	Local Fixed Disk
Compressed	Not Available
File System	Not Available
Size	Not Available
Free Space	Not Available
Volume Name	Not Available

Volume Serial Number	Not Available	Volume Serial Number	Not Available	Partition Size	78.12 GB (83,881,373,184 bytes)
Drive O:		Drive W:		Partition Starting Offset	32,256 bytes
Description Local Fixed Disk		Description Local Fixed Disk		Description \\.\PHYSICALDRIVE1	
Compressed Not Available		Compressed No		Manufacturer Not Available	
File System Not Available		File System NTFS		Model Not Available	
Size Not Available		Size 411.34 GB (441,672,826,880 bytes)		Bytes/Sector 512	
Free Space Not Available		Free Space 45.99 GB (49,384,120,320 bytes)		Media Loaded Yes	
Volume Name Not Available		Volume Name controller5		Media Type Fixed hard disk	
Volume Serial Number Not Available		Volume Serial Number 74123A78		Partitions 1	
Drive P:		Drive X:		SCSI Bus Not Available	
Description Local Fixed Disk		Description Local Fixed Disk		SCSI Logical Unit Not Available	
Compressed Not Available		Compressed No		SCSI Port Not Available	
File System Not Available		File System NTFS		SCSI Target ID Not Available	
Size Not Available		Size 411.34 GB (441,672,826,880 bytes)		Sectors/Track 63	
Free Space Not Available		Free Space 45.98 GB (49,375,498,240 bytes)		Size 48.83 GB (52,427,934,720 bytes)	
Volume Name Not Available		Volume Name controller8		Total Cylinders 6,374	
Volume Serial Number Not Available		Volume Serial Number 80884193		Total Sectors 102,398,310	
Drive Q:		Drive Y:		Total Tracks 1,625,370	
Description Local Fixed Disk		Description Local Fixed Disk		Tracks/Cylinder 255	
Compressed Not Available		Compressed No		Partition Disk #1, Partition #0	
File System Not Available		File System NTFS		Partition Size 48.82 GB (52,419,677,184 bytes)	
Size Not Available		Size 411.34 GB (441,672,826,880 bytes)		Partition Starting Offset 32,256 bytes	
Free Space Not Available		Free Space 45.99 GB (49,376,022,528 bytes)		Description \\.\PHYSICALDRIVE2	
Volume Name Not Available		Volume Name controller6		Manufacturer Not Available	
Volume Serial Number Not Available		Volume Serial Number 809763E2		Model Not Available	
Drive R:		Drive Z:		Bytes/Sector 512	
Description Local Fixed Disk		Description Local Fixed Disk		Media Loaded Yes	
Compressed Not Available		Compressed No		Media Type Fixed hard disk	
File System Not Available		File System NTFS		Partitions 1	
Size Not Available		Size 411.34 GB (441,672,826,880 bytes)		SCSI Bus Not Available	
Free Space Not Available		Free Space 45.02 GB (48,343,732,224 bytes)		SCSI Logical Unit Not Available	
Volume Name Not Available		Volume Name controller4		SCSI Port Not Available	
Volume Serial Number Not Available		Volume Serial Number 90A73447		SCSI Target ID Not Available	
Drive S:		[Disks]		Sectors/Track 63	
Description Local Fixed Disk		Item Value		Size 411.35 GB (441,681,085,440 bytes)	
Compressed Not Available		Description \\.\PHYSICALDRIVE0		Total Cylinders 53,698	
File System Not Available		Manufacturer Not Available		Total Sectors 862,658,370	
Size Not Available		Model Not Available		Total Tracks 13,692,990	
Free Space Not Available		Bytes/Sector 512		Tracks/Cylinder 255	
Volume Name Not Available		Media Loaded Yes		Partition Disk #2, Partition #0	
Volume Serial Number Not Available		Media Type Fixed hard disk		Partition Size 411.34 GB (441,672,827,904 bytes)	
Drive T:		Partitions 1		Partition Starting Offset 32,256 bytes	
Description Local Fixed Disk		SCSI Bus Not Available		Description \\.\PHYSICALDRIVE4	
Compressed Not Available		SCSI Logical Unit Not Available		Manufacturer Not Available	
File System Not Available		SCSI Port Not Available		Model Not Available	
Size Not Available		SCSI Target ID Not Available		Bytes/Sector 512	
Free Space Not Available		Sectors/Track 63		Media Loaded Yes	
Volume Name Not Available		Size 78.12 GB (83,881,405,440 bytes)		Media Type Fixed hard disk	
Volume Serial Number Not Available		Total Cylinders 10,198		Partitions 1	
Drive U:		Total Sectors 163,830,870		SCSI Bus Not Available	
Description Local Fixed Disk		Total Tracks 2,600,490		SCSI Logical Unit Not Available	
Compressed Not Available		Tracks/Cylinder 255		SCSI Port Not Available	
File System Not Available		Partition Disk #0, Partition #0		SCSI Target ID Not Available	
Size Not Available				Sectors/Track 63	
Free Space Not Available				Size 78.12 GB (83,881,405,440 bytes)	
Volume Name Not Available				Total Cylinders 10,198	

Total Tracks 2,600,490  
 Tracks/Cylinder 255  
 Partition Disk #4, Partition #0  
 Partition Size 78.12 GB (83,880,083,456 bytes)

Partition Starting Offset 16,384 bytes

Description \\.\PHYSICALDRIVE5  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 48.83 GB (52,427,934,720 bytes)  
 Total Cylinders 6,374  
 Total Sectors 102,398,310  
 Total Tracks 1,625,370  
 Tracks/Cylinder 255  
 Partition Disk #5, Partition #0  
 Partition Size 48.82 GB (52,424,523,776 bytes)

Partition Starting Offset 16,384 bytes

Description \\.\PHYSICALDRIVE6  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 411.35 GB (441,681,085,440 bytes)  
 Total Cylinders 53,698  
 Total Sectors 862,658,370  
 Total Tracks 13,692,990  
 Tracks/Cylinder 255  
 Partition Disk #6, Partition #0  
 Partition Size 411.34 GB (441,672,827,904 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE13  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63

Size 78.12 GB (83,881,405,440 bytes)  
 Total Cylinders 10,198  
 Total Sectors 163,830,870  
 Total Tracks 2,600,490  
 Tracks/Cylinder 255  
 Partition Disk #13, Partition #0  
 Partition Size 78.12 GB (83,881,373,184 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE14  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 48.83 GB (52,427,934,720 bytes)  
 Total Cylinders 6,374  
 Total Sectors 102,398,310  
 Total Tracks 1,625,370  
 Tracks/Cylinder 255  
 Partition Disk #14, Partition #0  
 Partition Size 48.82 GB (52,419,677,184 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE15  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 411.35 GB (441,681,085,440 bytes)  
 Total Cylinders 53,698  
 Total Sectors 862,658,370  
 Total Tracks 13,692,990  
 Tracks/Cylinder 255  
 Partition Disk #15, Partition #0  
 Partition Size 411.34 GB (441,672,827,904 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE19  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available

SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 78.12 GB (83,881,405,440 bytes)  
 Total Cylinders 10,198  
 Total Sectors 163,830,870  
 Total Tracks 2,600,490  
 Tracks/Cylinder 255  
 Partition Disk #19, Partition #0  
 Partition Size 78.12 GB (83,881,373,184 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE20  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 48.83 GB (52,427,934,720 bytes)  
 Total Cylinders 6,374  
 Total Sectors 102,398,310  
 Total Tracks 1,625,370  
 Tracks/Cylinder 255  
 Partition Disk #20, Partition #0  
 Partition Size 48.82 GB (52,419,677,184 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE21  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 411.35 GB (441,681,085,440 bytes)  
 Total Cylinders 53,698  
 Total Sectors 862,658,370  
 Total Tracks 13,692,990  
 Tracks/Cylinder 255  
 Partition Disk #21, Partition #0  
 Partition Size 411.34 GB (441,672,827,904 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE16  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk

Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 78.12 GB (83,881,405,440 bytes)  
 Total Cylinders 10,198  
 Total Sectors 163,830,870  
 Total Tracks 2,600,490  
 Tracks/Cylinder 255  
 Partition Disk #16, Partition #0  
 Partition Size 78.12 GB (83,881,373,184 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE17  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 48.83 GB (52,427,934,720 bytes)  
 Total Cylinders 6,374  
 Total Sectors 102,398,310  
 Total Tracks 1,625,370  
 Tracks/Cylinder 255  
 Partition Disk #17, Partition #0  
 Partition Size 48.82 GB (52,419,677,184 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE18  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 411.35 GB (441,681,085,440 bytes)  
 Total Cylinders 53,698  
 Total Sectors 862,658,370  
 Total Tracks 13,692,990  
 Tracks/Cylinder 255  
 Partition Disk #18, Partition #0  
 Partition Size 411.34 GB (441,672,827,904 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE3  
 Manufacturer Not Available  
 Model Not Available

Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 305.26 GB (327,769,182,720 bytes)  
 Total Cylinders 39,849  
 Total Sectors 640,174,185  
 Total Tracks 10,161,495  
 Tracks/Cylinder 255  
 Partition Disk #3, Partition #0  
 Partition Size 305.25 GB (327,760,925,184 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE10  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 78.12 GB (83,881,405,440 bytes)  
 Total Cylinders 10,198  
 Total Sectors 163,830,870  
 Total Tracks 2,600,490  
 Tracks/Cylinder 255  
 Partition Disk #10, Partition #0  
 Partition Size 78.12 GB (83,881,373,184 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE11  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 48.83 GB (52,427,934,720 bytes)  
 Total Cylinders 6,374  
 Total Sectors 102,398,310  
 Total Tracks 1,625,370  
 Tracks/Cylinder 255  
 Partition Disk #11, Partition #0  
 Partition Size 48.82 GB (52,419,677,184 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE12  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 411.35 GB (441,681,085,440 bytes)  
 Total Cylinders 53,698  
 Total Sectors 862,658,370  
 Total Tracks 13,692,990  
 Tracks/Cylinder 255  
 Partition Disk #12, Partition #0  
 Partition Size 411.34 GB (441,672,827,904 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE7  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 78.12 GB (83,881,405,440 bytes)  
 Total Cylinders 10,198  
 Total Sectors 163,830,870  
 Total Tracks 2,600,490  
 Tracks/Cylinder 255  
 Partition Disk #7, Partition #0  
 Partition Size 78.12 GB (83,880,083,456 bytes)

Partition Starting Offset 16,384 bytes

Description \\.\PHYSICALDRIVE8  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 48.83 GB (52,427,934,720 bytes)  
 Total Cylinders 6,374  
 Total Sectors 102,398,310  
 Total Tracks 1,625,370  
 Tracks/Cylinder 255  
 Partition Disk #8, Partition #0

Partition Size 48.82 GB (52,424,523,776 bytes)  
 Partition Starting Offset 16,384 bytes  
 Description \\.\PHYSICALDRIVE9  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 411.35 GB (441,681,085,440 bytes)  
 Total Cylinders 53,698  
 Total Sectors 862,658,370  
 Total Tracks 13,692,990  
 Tracks/Cylinder 255  
 Partition Disk #9, Partition #0  
 Partition Size 411.34 GB (441,672,827,904 bytes)  
 Partition Starting Offset 32,256 bytes  
 Description \\.\PHYSICALDRIVE22  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 78.12 GB (83,881,405,440 bytes)  
 Total Cylinders 10,198  
 Total Sectors 163,830,870  
 Total Tracks 2,600,490  
 Tracks/Cylinder 255  
 Partition Disk #22, Partition #0  
 Partition Size 78.12 GB (83,881,373,184 bytes)  
 Partition Starting Offset 32,256 bytes  
 Description \\.\PHYSICALDRIVE23  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 48.83 GB (52,427,934,720 bytes)  
 Total Cylinders 6,374  
 Total Sectors 102,398,310

Total Tracks 1,625,370  
 Tracks/Cylinder 255  
 Partition Disk #23, Partition #0  
 Partition Size 48.82 GB (52,419,677,184 bytes)  
 Partition Starting Offset 32,256 bytes  
 Description \\.\PHYSICALDRIVE24  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 411.35 GB (441,681,085,440 bytes)  
 Total Cylinders 53,698  
 Total Sectors 862,658,370  
 Total Tracks 13,692,990  
 Tracks/Cylinder 255  
 Partition Disk #24, Partition #0  
 Partition Size 411.34 GB (441,672,827,904 bytes)  
 Partition Starting Offset 32,256 bytes  
 Description Disk drive  
 Manufacturer (Standard disk drives)  
 Model HP 36.4G MAM3367MC SCSI Disk Device  
 Bytes/Sector 512  
 Media Loaded No  
 Media Type Fixed hard disk  
 Partitions Not Available  
 SCSI Bus 0  
 SCSI Logical Unit 0  
 SCSI Port 2  
 SCSI Target ID 0  
 Sectors/Track 63  
 Size 33.91 GB (36,413,314,560 bytes)  
 Total Cylinders 4,427  
 Total Sectors 71,119,755  
 Total Tracks 1,128,885  
 Tracks/Cylinder 255  
 Partition Disk #25, Partition #0  
 Partition Size 345.12 MB (361,880,064 bytes)  
 Partition Starting Offset 32,256 bytes  
 Partition Disk #25, Partition #1  
 Partition Size 33.45 GB (35,919,797,760 bytes)  
 Partition Starting Offset 493,516,800 bytes  
 [SCSI]  
 Item Value  
 Name LSI Logic 53C896 Device  
 Manufacturer LSI Logic Inc.  
 Status OK  
 PNP Device ID  
 PCI\VEN\_1000&DEV\_000B&SUBSYS\_00000000&REV\_0  
 7\4&4F5EBC7&0&10

I/O Port 0x00000E00-0x00000EFF  
 Memory Address 0x88105000-0x881053FF  
 Memory Address 0x88102000-0x88103FFF  
 IRQ Channel IRQ 17  
 Driver c:\windows\system32\drivers\sym\_hi.sys  
 (5.1.3563.0 (lab01\_n(storbuild).011003-2142), 61.75 KB (63,232 bytes), 3/25/2003 6:00 AM)  
 Name LSI Logic 53C896 Device  
 Manufacturer LSI Logic Inc.  
 Status OK  
 PNP Device ID  
 PCI\VEN\_1000&DEV\_000B&SUBSYS\_00000000&REV\_0  
 7\4&4F5EBC7&0&11  
 I/O Port 0x0000D00-0x0000DFF  
 Memory Address 0x88104000-0x881043FF  
 Memory Address 0x88100000-0x88101FFF  
 IRQ Channel IRQ 18  
 Driver c:\windows\system32\drivers\sym\_hi.sys  
 (5.1.3563.0 (lab01\_n(storbuild).011003-2142), 61.75 KB (63,232 bytes), 3/25/2003 6:00 AM)  
 Name QLogic QLA23xx PCI Fibre Channel Adapter  
 Manufacturer QLogic  
 Status OK  
 PNP Device ID  
 PCI\VEN\_1077&DEV\_2312&SUBSYS\_010D1077&REV\_0  
 2\4&2C178B65&0&08  
 I/O Port 0x00021100-0x000211FF  
 Memory Address 0x90041000-0x90041FFF  
 IRQ Channel IRQ 27  
 Driver c:\windows\system32\drivers\ql2300.sys  
 (8.2.1 Beta 2 (W64 VI), 680.75 KB (697,088 bytes),  
 4/7/2003 6:07 PM)  
 Name QLogic QLA23xx PCI Fibre Channel Adapter  
 Manufacturer QLogic  
 Status OK  
 PNP Device ID  
 PCI\VEN\_1077&DEV\_2312&SUBSYS\_010D1077&REV\_0  
 2\4&2C178B65&0&09  
 I/O Port 0x00002000-0x00003FFF  
 Memory Address 0x90040000-0x90040FFF  
 IRQ Channel IRQ 28  
 Driver c:\windows\system32\drivers\ql2300.sys  
 (8.2.1 Beta 2 (W64 VI), 680.75 KB (697,088 bytes),  
 4/7/2003 6:07 PM)  
 Name Smart Array 5300 Controller (Non-Miniport)  
 Manufacturer Hewlett-Packard  
 Status OK  
 PNP Device ID  
 PCI\VEN\_0E11&DEV\_B060&SUBSYS\_40700E11&REV\_0  
 2\4&915E908&0&08  
 Memory Address 0xA0200000-0xA023FFFF  
 Memory Address 0xA0100000-0xA01FFFFFF  
 I/O Port 0x00004000-0x00005FFF  
 IRQ Channel IRQ 38

```

Driver      c:\windows\system32\drivers\hpqcissb.sys
(5.5.59.64 built by: WinDDK, 99.75 KB (102,144
bytes), 4/1/2003 9:30 AM)

Name      Smart Array 5300 Controller (Non-Miniport)

Manufacturer      Hewlett-Packard
Status      OK
PNP Device ID      PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\4&19EBB95&0&08
Memory Address      0xB0200000-0xB023FFFF
Memory Address      0xB0100000-0xB01FFFFFF
I/O Port      0x00006000-0x00007FFF
IRQ Channel      IRQ 49
Driver      c:\windows\system32\drivers\hpqcissb.sys
(5.5.59.64 built by: WinDDK, 99.75 KB (102,144
bytes), 4/1/2003 9:30 AM)

Name      Smart Array 5300 Controller (Non-Miniport)

Manufacturer      Hewlett-Packard
Status      OK
PNP Device ID      PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\4&15291AB&0&08
Memory Address      0xC0440000-0xC047FFFF
Memory Address      0xC0300000-0xC03FFFFFF
I/O Port      0x00008100-0x000081FF
IRQ Channel      IRQ 64
Driver      c:\windows\system32\drivers\hpqcissb.sys
(5.5.59.64 built by: WinDDK, 99.75 KB (102,144
bytes), 4/1/2003 9:30 AM)

Name      Smart Array 5300 Controller (Non-Miniport)

Manufacturer      Hewlett-Packard
Status      OK
PNP Device ID      PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\4&15291AB&0&10
Memory Address      0xC0400000-0xC043FFFF
Memory Address      0xC0100000-0xC01FFFFFF
I/O Port      0x00008000-0x00009FFF
IRQ Channel      IRQ 60
Driver      c:\windows\system32\drivers\hpqcissb.sys
(5.5.59.64 built by: WinDDK, 99.75 KB (102,144
bytes), 4/1/2003 9:30 AM)

Name      Smart Array 5300 Controller (Non-Miniport)

Manufacturer      Hewlett-Packard
Status      OK
PNP Device ID      PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\4&15291AB&0&10
Memory Address      0xC0400000-0xC043FFFF
Memory Address      0xC0100000-0xC01FFFFFF
I/O Port      0x00008000-0x00009FFF
IRQ Channel      IRQ 60
Driver      c:\windows\system32\drivers\hpqcissb.sys
(5.5.59.64 built by: WinDDK, 99.75 KB (102,144
bytes), 4/1/2003 9:30 AM)

Name      Smart Array 5300 Controller (Non-Miniport)

Manufacturer      Hewlett-Packard
Status      OK
PNP Device ID      PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\4&24543408&0&08
Memory Address      0xD0200000-0xD023FFFF
Memory Address      0xD0100000-0xD01FFFFFF
I/O Port      0x0000A000-0x0000BFFF
IRQ Channel      IRQ 71
Driver      c:\windows\system32\drivers\hpqcissb.sys
(5.5.59.64 built by: WinDDK, 99.75 KB (102,144
bytes), 4/1/2003 9:30 AM)

```

Name	Smart Array 5300 Controller (Non-Miniport)
Manufacturer	Hewlett-Packard
Status	OK
PNP Device ID	PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0 2\4&5D9CB86&0&08
Memory Address	0xE0440000-0xE047FFFF
Memory Address	0xE0300000-0xE03FFFFFF
I/O Port	0x0000C100-0x0000C1FF
IRQ Channel	IRQ 86
Driver	c:\windows\system32\drivers\hpqcissb.sys (5.5.59.64 built by: WinDDK, 99.75 KB (102,144 bytes), 4/1/2003 9:30 AM)
Name	Smart Array 5300 Controller (Non-Miniport)
Manufacturer	Hewlett-Packard
Status	OK
PNP Device ID	PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0 2\4&5D9CB86&0&10
Memory Address	0xE0400000-0xE043FFFF
Memory Address	0xE0100000-0xE01FFFFFF
I/O Port	0x0000C000-0x0000DFFF
IRQ Channel	IRQ 82
Driver	c:\windows\system32\drivers\hpqcissb.sys (5.5.59.64 built by: WinDDK, 99.75 KB (102,144 bytes), 4/1/2003 9:30 AM)
Name	Smart Array 5300 Controller (Non-Miniport)
Manufacturer	Hewlett-Packard
Status	OK
PNP Device ID	PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0 2\4&1E72F330&0&08
Memory Address	0xF0440000-0xF047FFFF
Memory Address	0xF0300000-0xF03FFFFFF
I/O Port	0x0000E100-0x0000E1FF
IRQ Channel	IRQ 97
Driver	c:\windows\system32\drivers\hpqcissb.sys (5.5.59.64 built by: WinDDK, 99.75 KB (102,144 bytes), 4/1/2003 9:30 AM)
Name	Smart Array 5300 Controller (Non-Miniport)
Manufacturer	Hewlett-Packard
Status	OK
PNP Device ID	PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0 2\4&1E72F330&0&10
Memory Address	0xF0400000-0xF043FFFF
Memory Address	0xF0100000-0xF01FFFFFF
I/O Port	0x0000E000-0x0000FFFF
IRQ Channel	IRQ 93
Driver	c:\windows\system32\drivers\hpqcissb.sys (5.5.59.64 built by: WinDDK, 99.75 KB (102,144 bytes), 4/1/2003 9:30 AM)
[IDE]	

Item	Value		
[Printing]			
Name	Driver	Port Name	Server Name
[Problem Devices]			
Device	PNP Device ID	Error Code	
Not Available	ACPI\IPI0001\0	The drivers	
for this device are not installed.			
PCI Simple Communications Controller	PCI\VEN_103C&DEV_1290&SUBSYS_1291103C&REV_0		
1\4&4F5EBC7&0&08	The drivers for this device are		
not installed.			
PCI Serial Port	PCI\VEN_103C&DEV_1048&SUBSYS_1282103C&REV_0		
3\4&4F5EBC7&0&09	The drivers for this device are		
not installed.			
[USB]			
Device	PNP Device ID		
NEC PCI to USB Open Host Controller	PCI\VEN_1033&DEV_0035&SUBSYS_1293103C&REV_4		
1\5&356B3CB3&0&2020	USB Root Hub	USB\ROOT_HUB\6&354F7D18&0	
USB Composite Device	USB\VID_049F&PID_0051\7&262C5E10&0&1		
USB Human Interface Device	USB\VID_049F&PID_0051&MI_00\8&2C766E05&0&00		
00	HID Keyboard Device	HID\VID_049F&PID_0051&MI_00\9&1E2C0743&0&00	
00	USB Human Interface Device	USB\VID_049F&PID_0051&MI_01\8&2C766E05&0&00	
01	HID-compliant consumer control device	HID\VID_049F&PID_0051&MI_01&COL01\9&35EF938	
8&0&0000	HID-compliant device	HID\VID_049F&PID_0051&MI_01&COL02\9&35EF938	
8&0&0001	HID-compliant device	HID\VID_049F&PID_0051&MI_01&COL02\9&35EF938	
NEC PCI to USB Open Host Controller	PCI\VEN_1033&DEV_0035&SUBSYS_AA55103C&REV_4		
1\5&356B3CB3&0&2120	USB Root Hub	USB\ROOT_HUB\6&2C2496BB&0	
Microsoft USB IntelliMouse Web	USB\VID_045E&PID_0029\7&247FB3E0&0&1		
Microsoft USB IntelliMouse Web	USB\VID_045E&PID_0029\8&1654DC17&0&0000		
NEC PCI to USB Enhanced Host Controller (B1)	PCI\VEN_1033&DEV_00E0&SUBSYS_AA55103C&REV_0		
2\5&356B3CB3&0&2220	USB Root Hub	USB\ROOT_HUB20\6&27D4FF9E&0	
[Software Environment]			
[System Drivers]			

Name	Description	File	Type	Started	Start Mode	State	Status	Error Control	Accept	Pause
abiosdsk	Abiosdsk	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Ignore	No	No
	Microsoft ACPI Driver	c:\windows\system32\drivers\acpi.sys	Kernel Driver	Yes	Boot	Running	OK	Normal	No	Yes
	Kernel Driver	Running	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
	ACPIEC	c:\windows\system32\drivers\acpiec.sys	Kernel Driver	No	Disabled	Stopped	OK	Normal	Normal	Normal
	Kernel Driver	Stopped	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
	adpu160m	adpu160m	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Normal	Normal
	Normal	Normal	Normal	Normal	No	Normal	Normal	Normal	Normal	Normal
adpu320	adpu320	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Normal	Normal	Normal
	Normal	Normal	Normal	Normal	No	Normal	Normal	Normal	Normal	Normal
	afcnt	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Normal	Normal	Normal
afd	afcnt	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
	AFD Networking Support Environment	c:\windows\system32\drivers\afd.sys	Kernel Driver	Yes	Auto	Running	OK	Normal	No	Yes
	Kernel Driver	Running	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
	aic78u2	aic78u2	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Normal	Normal
aic78xx	aic78xx	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
	Normal	Normal	Normal	Normal	No	Normal	Normal	Normal	Normal	Normal
	aliide	Aliide	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Normal	Normal
asyncmac	Aliide	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
	RAS Asynchronous Media Driver	c:\windows\system32\drivers\asyncmac.sys	Kernel Driver	No	Manual	Stopped	OK	Normal	No	No
	Kernel Driver	Stopped	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
atapi	atapi	c:\windows\system32\drivers\atapi.sys	Kernel Driver	No	Disabled	Stopped	OK	Normal	Normal	Normal
	Kernel Driver	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
	Normal	Normal	Normal	Normal	No	Normal	Normal	Normal	Normal	Normal
atdisk	Atdisk	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Normal	Normal	Normal
	Normal	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
	Normal	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
ati2mtag	ati2mtag	c:\windows\system32\drivers\ati2mtag.sys	Kernel Driver	No	Manual	Stopped	OK	Ignore	No	No
	Kernel Driver	Stopped	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
	Normal	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
atmarpc	ATM ARP Client Protocol	c:\windows\system32\drivers\atmarpc.sys	Kernel Driver	No	Manual	Stopped	OK	Normal	No	No
	Kernel Driver	Stopped	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
	Normal	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
audstub	audstub	Audio Stub Driver	c:\windows\system32\drivers\audstub.sys	Kernel Driver	Yes	Manual	Running	OK	Normal	Yes
	Kernel Driver	Running	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
	b57nd	Broadcom NetXtreme Gigabit Ethernet	c:\windows\system32\drivers\b57xp64.sys	Kernel Driver	No	Manual	Stopped	OK	Normal	No
	Kernel Driver	Stopped	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
	beep	Beep	c:\windows\system32\drivers\beep.sys	Kernel Driver	Yes	System	Running	OK	Normal	Yes
	Kernel Driver	Running	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
	cbidf2k	cbidf2k	c:\windows\system32\drivers\cbidf2k.sys	Kernel Driver	No	Disabled	Stopped	OK	Normal	No
cdfs	cdfs	Cdfs	c:\windows\system32\drivers\cdfs.sys	File System Driver	Yes	Disabled	Running	OK	Normal	Yes
	File System Driver	Running	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
	cdrom	CD-ROM Driver	c:\windows\system32\drivers\cdrom.sys	Kernel Driver	Yes	System	Kernel Driver	Yes	Normal	No
changer	changer	Changer	Not Available	Kernel Driver	No	System	Stopped	OK	Ignore	No
	Kernel Driver	No	No	Normal	No	Normal	Normal	Normal	Normal	Normal
	Normal	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
clusdisk	clusdisk	Cluster Disk Driver	c:\windows\system32\drivers\clusdisk.sys	Kernel Driver	No	Disabled	Stopped	OK	Normal	No
	Kernel Driver	Stopped	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
	Normal	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
cmdide	cmdide	Cmdide	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Normal	No
	Kernel Driver	No	No	Normal	No	Normal	Normal	Normal	Normal	Normal
	Normal	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
cpqarry2	cpqarry2	cpqarry2	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Normal	No
	Kernel Driver	No	No	Normal	No	Normal	Normal	Normal	Normal	Normal
	Normal	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
cpqcissm	cpqcissm	cpqcissm	c:\windows\system32\drivers\cpqcissm.sys	Kernel Driver	Yes	Boot	Running	OK	Normal	Yes
	Kernel Driver	Running	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
	Normal	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
cpqfcalm	cpqfcalm	cpqfcalm	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Normal	No
	Kernel Driver	No	No	Normal	No	Normal	Normal	Normal	Normal	Normal
	Normal	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
crcdisk	crcdisk	CRC Disk Filter Driver	c:\windows\system32\drivers\crcdisk.sys	Kernel Driver	Yes	Boot	Running	OK	Normal	Yes
	Kernel Driver	Running	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
	Normal	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
dfsdriver	dfsdriver	DfsDriver	c:\windows\system32\drivers\dfs.sys	File System Driver	Yes	Boot	Running	OK	Normal	Yes
	File System Driver	Running	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
	Normal	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
hidusb	hidusb	Microsoft HID Class Driver	c:\windows\system32\drivers\hidusb.sys	Kernel Driver	Yes	Manual	Running	OK	Ignore	No
	Kernel Driver	Running	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
	Normal	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal
hpncissb	hpncissb	Smart Array Controllers Non-Miniport Bus Driver	c:\windows\system32\drivers\hpncissb.sys	Kernel Driver	Yes	Boot	Running	OK	Normal	Yes
	Kernel Driver	Running	OK	Normal	No	Normal	Normal	Normal	Normal	Normal
	Normal	Normal	Normal	No	No	Normal	Normal	Normal	Normal	Normal

hpqciessd	Smart Array Controllers Non-Miniport Disk Driver	c:\windows\system32\drivers\hpqciessd.sys	Kernel Driver	Yes	Boot	Running	OK	Normal	No	Yes
http	HTTP	c:\windows\system32\drivers\http.sys	Kernel Driver	No	Manual	Stopped	OK	Normal	No	No
i20mgmt	i20mgmt	Not Available	Kernel Driver	No	System	Stopped	OK	Normal	No	No
imapi	CD-Burning Filter Driver	c:\windows\system32\drivers\imapi.sys	Kernel Driver	No	System	Stopped	OK	Normal	No	No
intelide	IntelIDE	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Normal	No	No
ipfilterdriver	IP Traffic Filter Driver	c:\windows\system32\drivers\ipfltdrv.sys	Kernel Driver	No	Manual	Stopped	OK	Normal	No	No
ipinip	IP in IP Tunnel Driver	c:\windows\system32\drivers\ipinip.sys	Kernel Driver	No	Manual	Stopped	OK	Normal	No	No
ipnat	IP Network Address Translator	c:\windows\system32\drivers\ipnat.sys	Kernel Driver	No	Manual	Stopped	OK	Normal	No	No
ipsec	IPSEC driver	c:\windows\system32\drivers\ipsec.sys	Kernel Driver	Yes	System	Running	OK	Normal	No	Yes
isapnp	isapnp	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Normal	No	No
kbdclass	Keyboard Class Driver	c:\windows\system32\drivers\kbdclass.sys	Kernel Driver	Yes	System	Running	OK	Normal	No	Yes
kbdhid	Keyboard HID Driver	c:\windows\system32\drivers\kbdhid.sys	Kernel Driver	Yes	System	Running	OK	Ignore	No	Yes
ksecdd	KSecDD	c:\windows\system32\drivers\ksecdd.sys	Kernel Driver	Yes	Boot	Running	OK	Normal	No	Yes
lp6nds35	lp6nds35	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Normal	No	No
mnmdd	mnmdd	Not Available	Kernel Driver	No	System	Stopped	OK	Ignore	No	No
modem	Modem	c:\windows\system32\drivers\modem.sys	Kernel Driver	No	Manual	Stopped	OK	Ignore	No	No
mouclass	Mouse Class Driver	c:\windows\system32\drivers\mouclass.sys	Kernel Driver	Yes	System	Running	OK	Normal	No	Yes
mouhid	Mouse HID Driver	c:\windows\system32\drivers\mouhid.sys	Kernel Driver	Yes	Manual	Running	OK	Ignore	No	Yes
mountmgr	Mount Point Manager	c:\windows\system32\drivers\mountmgr.sys	Kernel Driver	Yes	Boot	Running	OK	Normal	No	Yes
mraid35x	mraid35x	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Normal	No	No
mrxdav	WebDav Client Redirector	c:\windows\system32\drivers\mrxdav.sys	File System Driver	No	Manual	Stopped	OK	Normal	No	No
mrxsmb	MRXSMB	c:\windows\system32\drivers\mrxsmb.sys	File System Driver	Yes	System	Running	OK	Normal	No	Yes
msfs	Msfs	c:\windows\system32\drivers\msfs.sys	File System Driver	Yes	System	Running	OK	Normal	No	Yes
mup	Mup	c:\windows\system32\drivers\mup.sys	File System Driver	Yes	Boot	Running	OK	Normal	No	Yes
ndis	NDIS System Driver	c:\windows\system32\drivers\ndis.sys	Kernel Driver	Yes	Boot	Running	OK	Normal	No	No
ndistapi	Remote Access NDIS TAPI Driver	c:\windows\system32\drivers\ndistapi.sys	Kernel Driver	Yes	Manual	Running	OK	Normal	No	Yes
ndisui0	NDIS Usermode I/O Protocol	c:\windows\system32\drivers\ndisui0.sys	Kernel Driver	Yes	Manual	Running	OK	Normal	No	Yes
ndiswan	Remote Access NDIS WAN Driver	c:\windows\system32\drivers\ndiswan.sys								
ndproxy	NDIS Proxy	c:\windows\system32\drivers\ndproxy.sys	Kernel Driver	Yes	Manual	Running	OK	Normal	No	Yes
netbios	NetBIOS Interface	c:\windows\system32\drivers\netbios.sys	File System Driver	Yes	System	Running	OK	Normal	No	Yes
netbt	NetBios over Tcpip	c:\windows\system32\drivers\netbt.sys	Kernel Driver	Yes	System	Running	OK	Normal	No	Yes
nfrd960	nfrd960	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Normal	No	No
npfs	Npfs	c:\windows\system32\drivers\npfs.sys	File System Driver	Yes	System	Running	OK	Normal	No	Yes
ntfs	Ntfs	c:\windows\system32\drivers\ntfs.sys	File System Driver	Yes	Disabled	Running	OK	Normal	No	Yes
null	Null	c:\windows\system32\drivers\null.sys	Kernel Driver	Yes	System	Running	OK	Normal	No	Yes
partmgr	Partition Manager	c:\windows\system32\drivers\partmgr.sys	Kernel Driver	Yes	Boot	Running	OK	Normal	No	Yes
pci	PCI Bus Driver	c:\windows\system32\drivers\pci.sys	Kernel Driver	Yes	Boot	Running	OK	Critical	No	Yes
pcide	PCIId	Not Available	Kernel Driver	No	Disabled	Stopped	OK	Normal	No	No
pcmcia	Pcmcia	c:\windows\system32\drivers\pcmcia.sys	Kernel Driver	No	Disabled	Stopped	OK	Normal	No	No
pdcomp	PDCOMP	Not Available	Kernel Driver	No	Manual	Stopped	OK	Ignore	No	No
pdframe	PDFRAME	Not Available	Kernel Driver	No	Manual	Stopped	OK	Ignore	No	No
pdreli	PDRELI	Not Available	Kernel Driver	No	Manual	Stopped	OK	Ignore	No	No

pdrframe	PDRFRAME	Not Available	Kernel Driver							
	No	Manual	Stopped	OK						
	Ignore	No	No							
pptpminiport	WAN Miniport (PPTP)									
	c:\windows\system32\drivers\raspptp.sys									
	Kernel Driver	Yes	Manual							
	Running	OK	Normal	No	Yes					
processor	Processor Driver									
	c:\windows\system32\drivers\processr.sys									
	Kernel Driver	Yes	Manual							
	Running	OK	Normal	No	Yes					
ptilink	Direct Parallel Link Driver									
	c:\windows\system32\drivers\ptilink.sys									
	Kernel Driver	Yes	Manual							
	Running	OK	Normal	No	Yes					
ql1080	ql1080	Not Available	Kernel Driver							
	No	Disabled	Stopped	OK						
	Normal	No	No							
ql10wnt	Ql10wnt	Not Available	Kernel Driver							
	No	Disabled	Stopped	OK						
	Normal	No	No							
ql12160	ql12160	Not Available	Kernel Driver							
	No	Disabled	Stopped	OK						
	Normal	No	No							
ql1240	ql1240	Not Available	Kernel Driver							
	No	Disabled	Stopped	OK						
	Normal	No	No							
ql1280	ql1280	Not Available	Kernel Driver							
	No	Disabled	Stopped	OK						
	Normal	No	No							
ql2100	ql2100	Not Available	Kernel Driver							
	No	Disabled	Stopped	OK						
	Normal	No	No							
ql2200	ql2200	Not Available	Kernel Driver							
	No	Disabled	Stopped	OK						
	Normal	No	No							
ql2300	c:\windows\system32\drivers\ql2300.sys									
	Kernel Driver	Yes	Boot							
	Running	OK	Normal	No	Yes					
qlvika	qlvika									
	c:\windows\system32\drivers\qlvika.sys									
	Kernel Driver	Yes	Auto							
	Running	OK	Normal	No	Yes					
rasacd	Remote Access Auto Connection Driver									
	c:\windows\system32\drivers\rasacd.sys									
	Kernel Driver	Yes	System							
	Running	OK	Normal	No	Yes					
rasl2tp	WAN Miniport (L2TP)									
	c:\windows\system32\drivers\rasl2tp.sys									
	Kernel Driver	Yes	Manual							
	Running	OK	Normal	No	Yes					
rasppoe	Remote Access PPPOE Driver									
	c:\windows\system32\drivers\rasppoe.sys									
	Kernel Driver	Yes	Manual							

raspti	Running	OK	Normal	No	Yes					
	Direct Parallel									
	c:\windows\system32\drivers\raspti.sys									
	Kernel Driver	Yes	Manual							
	Running	OK	Normal	No	Yes					
rdbss	Rdbss									
	c:\windows\system32\drivers\rdbss.sys									
	File System Driver	Yes	System							
	Running	OK	Normal	No	Yes					
rdpcdd	RDP CDD									
	c:\windows\system32\drivers\rdpcdd.sys									
	Kernel Driver	Yes	System							
	Running	OK	Ignore	No	Yes					
rdpdr	Terminal Server Device Redirector Driver									
	c:\windows\system32\drivers\rdpdr.sys									
	Kernel Driver	Yes	Manual							
	Running	OK	Normal	No	Yes					
rdpwd	RDPWD									
	c:\windows\system32\drivers\rdpwd.sys									
	Kernel Driver	No	Manual							
	Stopped	OK	Ignore	No	No					
redbook	Digital CD Audio Playback Filter Driver									
	c:\windows\system32\drivers\redbook.sys									
	Kernel Driver	Yes	System							
	Running	OK	Normal	No	Yes					
serial	Serial									
	c:\windows\system32\drivers\serial.sys									
	Kernel Driver	No	Auto							
	Stopped	OK	Ignore	No	No					
sfloppy	SFloppy									
	c:\windows\system32\drivers\sfloppy.sys									
	Kernel Driver	No	System							
	Stopped	OK	Ignore	No	No					
simbad	Simbad	Not Available	Kernel Driver							
	No	Disabled	Stopped	OK						
	Normal	No	No							
srv	Srv									
	c:\windows\system32\drivers\srv.sys									
	File System Driver	Yes	Manual							
	Running	OK	Normal	No	Yes					
swenum	Software Bus Driver									
	c:\windows\system32\drivers\swenum.sys									
	Kernel Driver	Yes	Manual							
	Running	OK	Normal	No	Yes					
symc8xx	symc8xx	Not Available	Kernel Driver							
	No	Disabled	Stopped	OK						
	Normal	No	No							
sympmi	sympmi	Not Available	Kernel Driver							
	No	Disabled	Stopped	OK						
	Normal	No	No							
sym_hi	sym_hi									
	c:\windows\system32\drivers\sym_hi.sys									
	Kernel Driver	Yes	Boot							
	Running	OK	Normal	No	Yes					
sym_u3	sym_u3									
	c:\windows\system32\drivers\sym_u3.sys									
	Kernel Driver	Yes	Boot							
	Running	OK	Normal	No	Yes					
tcpip	TCP/IP Protocol Driver									
	c:\windows\system32\drivers\tcpip.sys									
	Kernel Driver	Yes	System							
	Running	OK	Normal	No	Yes					
tdpipe	TDPIPE									
	c:\windows\system32\drivers\tdpipe.sys									
	Kernel Driver	No	Manual							
	Stopped	OK	Ignore	No	No					
tdtcp	TDTCP									
	c:\windows\system32\drivers\tdtcp.sys									
	Kernel Driver	No	Manual							
	Stopped	OK	Ignore	No	No					
termdd	Terminal Device Driver									
	c:\windows\system32\drivers\termdd.sys									
	Kernel Driver	Yes	System							
	Running	OK	Normal	No	Yes					
toside	TosIDE	Not Available	Kernel Driver							
	No	Disabled	Stopped	OK						
	Normal	No	No							
udfs	UDFS									
	c:\windows\system32\drivers\udfs.sys									
	File System Driver	No	Disabled							
	Stopped	OK	Normal	No	No					
usbccgp	Microsoft USB Generic Parent Driver									
	c:\windows\system32\drivers\usbccgp.sys									
	Kernel Driver	Yes	Manual							
	Running	OK	Normal	No	Yes					
usbehci	Microsoft USB 2.0 Enhanced Host Controller Miniport Driver									
	c:\windows\system32\drivers\usbehci.sys									
	Kernel Driver	Yes	Manual							
	Running	OK	Normal	No	Yes					
usbhub	USB2 Enabled Hub									
	c:\windows\system32\drivers\usbhub.sys									
	Kernel Driver	Yes	Manual							
	Running	OK	Normal	No	Yes					
usbohci	Microsoft USB Open Host Controller Miniport Driver									
	c:\windows\system32\drivers\usbohci.sys									
	Kernel Driver	Yes	Manual							
	Running	OK	Normal	No	Yes					
vga	VGA									
	c:\windows\system32\drivers\vgapnp.sys									
	Kernel Driver	Yes	Manual							
	Running	OK	Ignore	No	Yes					

vgasave	VGA Display Controller.		
	c:\windows\system32\drivers\vga.sys		
Kernel Driver	Yes	System	
Running	OK	Ignore	No Yes
viaide	ViaIde	Not Available	Kernel Driver
No	Disabled	Stopped	OK
Normal	No	No	
volsnap	Storage volumes		
	c:\windows\system32\drivers\volsnap.sys		
Kernel Driver	Yes	Boot	
Running	OK	Normal	No Yes
wanarp	Remote Access IP ARP Driver		
	c:\windows\system32\drivers\wanarp.sys		
Kernel Driver	Yes	Manual	
Running	OK	Normal	No Yes
wdica	WDICA	Not Available	Kernel Driver
No	Manual	Stopped	OK
Ignore	No	No	
wlbs	Network Load Balancing		
	c:\windows\system32\drivers\wlbs.sys		
Kernel Driver	No	Manual	
Stopped	OK	Normal	No No
[Signed Drivers]			
Device Name	Signed	Device Class	
Driver Version		Driver Date	
Manufacturer	INF Name	Driver Name	
Device ID			
Not Available	Not Available	Not Available	
Not Available	Not Available	Not Available	
Available	Not Available	Not Available	
HTREE\ROOT\0			
ACPI IA64-based PC	Yes	COMPUTER	5.2.3790.0
10/1/2002 (Standard computers)			
hal.inf	Not Available		
ROOT\ACPI_HAL\0000			
Microsoft ACPI-Compliant System	Yes		
SYSTEM	5.2.3790.0	10/1/2002	
Microsoft acpi.inf	Not Available		
ACPI_HAL\PNPOC08\0			
ACPI Thermal Zone	Yes	SYSTEM	5.2.3790.0
10/1/2002 (Standard system devices)			
machine.inf	Not Available		
ACPI\THERMALZONE\THMO			
Processor	Yes	PROCESSOR	5.2.3790.0
10/1/2002 (Standard processor types)			
cpu.inf	Not Available		
ACPI\GENUINEINTEL\			
_IA64_FAMILY_31_MODEL_1\0			
Processor	Yes	PROCESSOR	5.2.3790.0
10/1/2002 (Standard processor types)			
cpu.inf	Not Available		
ACPI\GENUINEINTEL\			
_IA64_FAMILY_31_MODEL_1\1			
Processor	Yes	PROCESSOR	5.2.3790.0
10/1/2002 (Standard processor types)			
cpu.inf	Not Available		

	ACPI\GENUINEINTEL\		
	_IA64_FAMILY_31_MODEL_1\2		
Processor	Yes	PROCESSOR	5.2.3790.0
10/1/2002 (Standard processor types)			
cpu.inf	Not Available		
ACPI\GENUINEINTEL\			
_IA64_FAMILY_31_MODEL_1\3			
Generic Bus	Yes	SYSTEM	5.2.3790.0
10/1/2002 (Standard system devices)			
machine.inf	Not Available		
ACPI\HWP0001\0			
Not Available	Not Available	Not Available	
Not Available	Not Available	Not Available	
PCI bus	Yes	SYSTEM	5.2.3790.0
10/1/2002 (Standard system devices)			
machine.inf	Not Available		
ACPI\HWP0002\0			
PCI Simple Communications Controller		Not Available	
UNKNOWN	Not Available	Not Available	
Not Available	Not Available	Not Available	
PCI\VEN_103C&DEV_1290&SUBSYS_1291103C&REV_0			
1\4&4F5EBC7&0&08			
PCI Serial Port		UNKNOWN	Not
Available	Not Available	Not Available	Not
Available	Not Available		
	PCI\VEN_103C&DEV_1048&SUBSYS_1282103C&REV_0		
3\4&4F5EBC7&0&09			
LSI Logic 53C896 Device	Yes	SCSIADAPTER	
5.2.3790.0	10/1/2002	LSI Logic	
Inc.	pnpccsi.inf	Not Available	
	PCI\VEN_1000&DEV_000B&SUBSYS_00000000&REV_0		
7\4&4F5EBC7&0&10			
Disk drive	Yes	DISKDRIVE	5.2.3790.0
10/1/2002 (Standard disk drives)			
disk.inf	Not Available		
	SCSI\DISK&VEN_HP_36.4G&PROD_MAM3367MC&REV_H		
P00\5&13503F4&0&000			
LSI Logic 53C896 Device	Yes	SCSIADAPTER	
5.2.3790.0	10/1/2002	LSI Logic	
Inc.	pnpccsi.inf	Not Available	
	PCI\VEN_1000&DEV_000B&SUBSYS_00000000&REV_0		
7\4&4F5EBC7&0&11			
CD-ROM Drive	Yes	CDROM	5.2.3790.0
10/1/2002 (Standard CD-ROM drives)			
cdrom.inf	Not Available		
	SCSI\CDROM&VEN_HP&PROD_DVD-		
ROM_305&REV_1.01\5&968E4F&0&030			
Intel 21154 PCI to PCI bridge	Yes	SYSTEM	
5.2.3790.0	10/1/2002	Intel	
machine.inf	Not Available		
	PCI\VEN_8086&DEV_B154&SUBSYS_00000000&REV_0		
0\4&4F5EBC7&0&20			
NEC PCI to USB Open Host Controller	Yes	USB	
5.2.3790.0	10/1/2002	NEC	
usbport.inf	Not Available		
	PCI\VEN_1033&DEV_0035&SUBSYS_1293103C&REV_4		
1\5&356B3CB3&0&2020			
USB Root Hub	Yes	USB	5.2.3790.0
10/1/2002 (Standard USB Host Controller)			

	usbport.inf	Not Available	
	USB\ROOT_HUB\6&354F7D18&0		
USB Composite Device	Yes	USB	
5.2.3790.0	10/1/2002 (Standard USB		
Host Controller)	usb.inf	Not Available	
	USB\VID_049F&PID_0051\7&262C5E10&0&1		
USB Human Interface Device	Yes	HIDCLASS	
5.2.3790.0	10/1/2002 (Standard		
system devices)	input.inf	Not Available	
	USB\VID_049F&PID_0051&MI_00\8&2C766E05&0&00		
00	HID Keyboard Device	Yes	KEYBOARD
	5.2.3790.0	10/1/2002 (Standard keyboards)	
	keyboard.inf	Not Available	
	HID\VID_049F&PID_0051&MI_00\9&E2C0743&0&00		
00	USB Human Interface Device	Yes	HIDCLASS
	5.2.3790.0	10/1/2002 (Standard	
system devices)	input.inf	Not Available	
	USB\VID_049F&PID_0051&MI_01\8&2C766E05&0&00		
01	HID-compliant consumer control device	Yes	
	HIDCLASS	5.2.3790.0	10/1/2002
	Microsoft hidserv.inf	Not Available	
	HID\VID_049F&PID_0051&MI_01&COL01\9&35EF938		
8&0&0000	HID-compliant device	Yes	HIDCLASS
	5.2.3790.0	10/1/2002 (Standard	
system devices)	input.inf	Not Available	
	HID\VID_049F&PID_0051&MI_01&COL02\9&35EF938		
8&0&0001	NEC PCI to USB Open Host Controller	Yes	USB
	5.2.3790.0	10/1/2002 NEC	
	usbport.inf	Not Available	
	PCI\VEN_1033&DEV_0035&SUBSYS_AA55103C&REV_4		
1\5&356B3CB3&0&2120	USB Root Hub	Yes	USB
	5.2.3790.0	10/1/2002 (Standard USB Host Controller)	
	usbport.inf	Not Available	
	USB\ROOT_HUB\6&2C496BB&0		
Microsoft	USB IntelliMouse Web	Yes	
	HIDCLASS	5.2.3790.0	10/1/2002
	Microsoft input.inf	Not Available	
	USB\VID_045E&PID_0029\7&247FB5E0&0&01		
Microsoft	USB IntelliMouse Web	Yes	
	MOUSE	5.2.3790.0	10/1/2002
	Microsoft msmouse.inf	Not Available	
	HID\VID_045E&PID_0029\8&1654DC17&0&0000		
NEC PCI to USB Enhanced Host Controller (B1)	Yes		
	USB	5.2.3790.0	10/1/2002 NEC
	usbport.inf	Not Available	
	PCI\VEN_1033&DEV_00E0&SUBSYS_AA55103C&REV_0		
2\5&356B3CB3&0&2220	USB Root Hub	Yes	USB
	5.2.3790.0	10/1/2002 (Standard USB Host Controller)	
	usbport.inf	Not Available	
	USB\ROOT_HUB20\6&27D4FF9E&0		
Standard	VGA Graphics Adapter	Yes	DISPLAY
	5.2.3790.0	10/1/2002 (Standard	
display types)	display.inf	Not Available	
	PCI\VEN_1002&DEV_5159&SUBSYS_1292103C&REV_0		
0\5&356B3CB3&0&2820			

Plug and Play Monitor	Yes	MONITOR
	5.1.2001.0	6/6/2001 (Standard
monitor types)	monitor.inf	Not Available
	DISPLAY\CPQ1435\6&B420C72&0&12345678&01&05	
PCI bus	Yes	SYSTEM 5.2.3790.0
	10/1/2002 (Standard system devices)	
	machine.inf	Not Available
	ACPI\HWP0002\100	
QLogic QLA23xx PCI Fibre Channel Adapter	No	
	SCSIADAPTER	8.2.1.0 2/3/2003
	QLogic oem2.inf	Not Available
	PCI\VEN_1077&DEV_2312&SUBSYS_010D1077&REV_0	
2\4&2C178B65&0&08		
Qlogic processor device	Yes	SYSTEM 5.2.3790.0
	10/1/2002 QLOGIC	
	scsiedev.inf	Not Available
	SCSI\PROCESSOR&VEN_QLOGIC&PROD_PSEUDO_DEVIC	
E&REV_\5&24D09C39&0&07F0		
QLogic QLA23xx PCI Fibre Channel Adapter	No	
	SCSIADAPTER	8.2.1.0 2/3/2003
	QLogic oem2.inf	Not Available
	PCI\VEN_1077&DEV_2312&SUBSYS_010D1077&REV_0	
2\4&2C178B65&0&09		
Qlogic processor device	Yes	SYSTEM 5.2.3790.0
	10/1/2002 QLOGIC	
	scsiedev.inf	Not Available
	SCSI\PROCESSOR&VEN_QLOGIC&PROD_PSEUDO_DEVIC	
E&REV_\5&378A4CDE&0&07F0		
PCI bus	Yes	SYSTEM 5.2.3790.0
	10/1/2002 (Standard system devices)	
	machine.inf	Not Available
	ACPI\HWP0002\200	
Smart Array 5300 Controller (Non-Miniport)	No	
	SCSIADAPTER	5.5.59.64 12/16/2002
	Hewlett-Packard	oem0.inf Not Available
	PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0	
2\4&915E908&0&08		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&1779F1AB&0&0000040000000000		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&1779F1AB&0&0100004000000000		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&1779F1AB&0&0200004000000000		
PCI bus	Yes	SYSTEM 5.2.3790.0
	10/1/2002 (Standard system devices)	
	machine.inf	Not Available
	ACPI\HWP0002\300	
Smart Array 5300 Controller (Non-Miniport)	No	
	SCSIADAPTER	5.5.59.64 12/16/2002
	Hewlett-Packard	oem0.inf Not Available
	PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0	
2\4&19EBB955&0&08		

Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&2EFET2C5&0&0000040000000000		
PCI bus	Yes	SYSTEM 5.2.3790.0
	10/1/2002 (Standard system devices)	
	machine.inf	Not Available
	ACPI\HWP0002\400	
Smart Array 5300 Controller (Non-Miniport)	No	
	SCSIADAPTER	5.5.59.64 12/16/2002
	Hewlett-Packard	oem0.inf Not Available
	PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0	
2\4&15291AB&0&08		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&17F7BB1A&0&0000040000000000		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&17F7BB1A&0&0100004000000000		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&17F7BB1A&0&0200004000000000		
Smart Array 5300 Controller (Non-Miniport)	No	
	SCSIADAPTER	5.5.59.64 12/16/2002
	Hewlett-Packard	oem0.inf Not Available
	PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0	
2\4&15291AB&0&10		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&7114797&0&0000040000000000		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&7114797&0&0100004000000000		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&7114797&0&0200004000000000		
PCI bus	Yes	SYSTEM 5.2.3790.0
	10/1/2002 (Standard system devices)	
	machine.inf	Not Available
	ACPI\HWP0002\500	
Smart Array 5300 Controller (Non-Miniport)	No	
	SCSIADAPTER	5.5.59.64 12/16/2002
	Hewlett-Packard	oem0.inf Not Available
	PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0	
2\4&24543408&0&08		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&36AB9B50&0&0000040000000000		

Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&36AB9B50&0&0100004000000000		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&36AB9B50&0&0200004000000000		
Smart Array 5300 Controller (Non-Miniport)	No	
	SCSIADAPTER	5.5.59.64 12/16/2002
	Hewlett-Packard	oem0.inf Not Available
	PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0	
2\4&5D9CB86&0&08		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&1A0C36B&0&0000040000000000		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&1A0C36B&0&0100004000000000		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&1A0C36B&0&0200004000000000		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&1A0C36B&0&0300004000000000		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&1A0C36B&0&0400004000000000		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&1E328AC1&0&0000040000000000		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&1E328AC1&0&0100004000000000		
Smart Array Logical Volume	No	DISKDRIVE
	5.5.56.64 12/16/2002	Hewlett-
Packard	oem1.inf	Not Available
	HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME	
\5&1E328AC1&0&0200004000000000		
PCI bus	Yes	SYSTEM 5.2.3790.0
	10/1/2002 (Standard system devices)	
	machine.inf	Not Available
	ACPI\HWP0002\700	
Smart Array 5300 Controller (Non-Miniport)	No	
	SCSIADAPTER	5.5.59.64 12/16/2002
	Hewlett-Packard	oem0.inf Not Available
	PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0	
2\4&1E72F330&0&08		

Smart Array Logical Volume No DISKDRIVE  
 5.5.56.64 12/16/2002 Hewlett-  
 Packard oem1.inf Not Available  
 HPQCISS\DISK&VEN\_COMPAQ&PROD\_LOGICAL\_VOLUME  
 \5&1D6B2D68&0&0000040000000000  
 Smart Array Logical Volume No DISKDRIVE  
 5.5.56.64 12/16/2002 Hewlett-  
 Packard oem1.inf Not Available  
 HPQCISS\DISK&VEN\_COMPAQ&PROD\_LOGICAL\_VOLUME  
 \5&1D6B2D68&0&0100004000000000  
 Smart Array Logical Volume No DISKDRIVE  
 5.5.56.64 12/16/2002 Hewlett-  
 Packard oem1.inf Not Available  
 HPQCISS\DISK&VEN\_COMPAQ&PROD\_LOGICAL\_VOLUME  
 \5&1D6B2D68&0&0200004000000000  
 Smart Array 5300 Controller (Non-Miniport) No  
 SCSIADAPTER 5.5.59.64 12/16/2002  
 Hewlett-Packard oem0.inf Not Available  
 PCI\VEN\_0E11&DEV\_B060&SUBSYS\_40700E11&REV\_0  
 2&4&1E72F330&0&10  
 Smart Array Logical Volume No DISKDRIVE  
 5.5.56.64 12/16/2002 Hewlett-  
 Packard oem1.inf Not Available  
 HPQCISS\DISK&VEN\_COMPAQ&PROD\_LOGICAL\_VOLUME  
 \5&D96612&0&0000040000000000  
 Smart Array Logical Volume No DISKDRIVE  
 5.5.56.64 12/16/2002 Hewlett-  
 Packard oem1.inf Not Available  
 HPQCISS\DISK&VEN\_COMPAQ&PROD\_LOGICAL\_VOLUME  
 \5&D96612&0&0100004000000000  
 Smart Array Logical Volume No DISKDRIVE  
 5.5.56.64 12/16/2002 Hewlett-  
 Packard oem1.inf Not Available  
 HPQCISS\DISK&VEN\_COMPAQ&PROD\_LOGICAL\_VOLUME  
 \5&D96612&0&0200004000000000  
 ACPI Fixed Feature Button Yes SYSTEM  
 5.2.3790.0 10/1/2002 (Standard  
 system devices) machine.inf Not Available  
 ACPI\FIXEDBUTTON\2&DABA3FF&0  
 Logical Disk Manager Yes SYSTEM  
 5.2.3790.0 10/1/2002 (Standard  
 system devices) machine.inf Not Available  
 ROOT\DMIO\0000  
 Volume Manager Yes SYSTEM 5.2.3790.0  
 10/1/2002 (Standard system devices)  
 machine.inf Not Available  
 ROOT\FTDISK\0000  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 40OFFSET7E00LENGTH1387B82E00  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 46OFFSET7E00LENGTHC3474CC00  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 44OFFSET7E00LENGTH66D5C08400

Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4ADB8B  
 A3OFFSET7E00LENGTH4C5012D200  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 62OFFSET4000LENGTH1387A48000  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 60OFFSET4000LENGTHC34BEC000  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 61OFFSET7E00LENGTH66D5C08400  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 68OFFSET4000LENGTH1387A48000  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 6EOFFSET4000LENGTHC34BEC000  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 6COFFSET7E00LENGTH66D5C08400  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 5DOFFSET7E00LENGTHC3474CC00  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 5BOFFSET7E00LENGTH1387B82E00  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 5COFFSET7E00LENGTH66D5C08400  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 52OFFSET7E00LENGTH66D5C08400  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 4COFFSET7E00LENGTH1387B82E00  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 4DOFFSET7E00LENGTHC3474CC00  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available

STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 42OFFSET7E00LENGTH66D5C08400  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 45OFFSET7E00LENGTH1387B82E00  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 5AOFFSET7E00LENGTHC3474CC00  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 58OFFSET7E00LENGTH66D5C08400  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 50OFFSET7E00LENGTH1387B82E00  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 56OFFSET7E00LENGTHC3474CC00  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 54OFFSET7E00LENGTH66D5C08400  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 59OFFSET7E00LENGTH1387B82E00  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 5FOFFSET7E00LENGTHC3474CC00  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 5COFFSET7E00LENGTH66D5C08400  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&SIGNATURE4D8F80  
 79ED57E0-F641-01C2-507B-9E5F8078F531  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&GPTPARTITION{79  
 1B1EA0-F641-01C2-F1B3-12714F758821}  
 Generic volume Yes VOLUME 5.2.3790.0  
 10/1/2002 Microsoft volume.inf Not  
 Available STORAGE\VOLUME\1&30A96598&0&GPTPARTITION{AB  
 E4C940-F641-01C2-F89F-B474CB61395E}

AFD Networking Support Environment	Not Available
LEGACYDRIVER	Not Available
Available Not Available	Not Available
Available ROOT\LEGACY_AFD\0000	Not
Beep	Not Available
Available Not Available	LEGACYDRIVER
Available Not Available	Not Available
Available Not Available	ROOT\LEGACY_BEEP\0000
cpqisssm	Not Available
Available Not Available	LEGACYDRIVER
Available Not Available	Not Available
Available Not Available	ROOT\LEGACY_CPOQISSM\0000
CRC Disk Filter Driver	Not Available
LEGACYDRIVER	Not Available
Available Not Available	Not Available
Available ROOT\LEGACY_CRCDISK\0000	Not
dmboot	Not Available
Available Not Available	LEGACYDRIVER
Available Not Available	Not Available
Available Not Available	ROOT\LEGACY_DMBOOT\0000
dmload	Not Available
Available Not Available	LEGACYDRIVER
Available Not Available	Not Available
Available Not Available	ROOT\LEGACY_DMLOAD\0000
Fips	Not Available
Available Not Available	LEGACYDRIVER
Available Not Available	Not Available
Available Not Available	ROOT\LEGACY_FIPS\0000
Generic Packet Classifier	Not Available
LEGACYDRIVER	Not Available
Available Not Available	Not Available
Available ROOT\LEGACY_GPC\0000	Not
HTTP	Not Available
Available Not Available	LEGACYDRIVER
Available Not Available	Not Available
Available Not Available	ROOT\LEGACY_HTTP\0000
IPSEC driver	Not Available
LEGACYDRIVER	Not Available
Not Available	Not Available
Available Not Available	Not Available
Available ROOT\LEGACY_IPSEC\0000	Not
ksecdd	Not Available
Available Not Available	LEGACYDRIVER
Available Not Available	Not Available
Available Not Available	ROOT\LEGACY_KSECDD\0000
mountmgr	Not Available
Available Not Available	LEGACYDRIVER
Available Not Available	Not Available
Available Not Available	ROOT\LEGACY_MOUNTMGR\0000
NDIS System Driver	Not Available
LEGACYDRIVER	Not Available
Not Available	Not Available
Available Not Available	Not Available
Available ROOT\LEGACY_NDIS\0000	Not
Remote Access NDIS TAPI Driver	Not Available
LEGACYDRIVER	Not Available
Available Not Available	Not Available
Available ROOT\LEGACY_NDISTAPI\0000	Not
NDIS Usermode I/O Protocol	Not Available
LEGACYDRIVER	Not Available
Available Not Available	Not Available
Available ROOT\LEGACY_NDISUO\0000	Not
NDProxy	Not Available
Available Not Available	LEGACYDRIVER
Available Not Available	Not Available

Available	Not Available
ROOT\LEGACY_NDPROXY\0000	LEGACYDRIVER
NetBios over Tcpip	Not Available
Available Not Available	Not Available
Available	Not Available
ROOT\LEGACY_NETBT\0000	LEGACYDRIVER
Null	Not Available
Available Not Available	Not Available
Available	Not Available
ROOT\LEGACY_NULL\0000	LEGACYDRIVER
Partition Manager	Not Available
Available Not Available	Not Available
Available	Not Available
ROOT\LEGACY_PARTMGR\0000	LEGACYDRIVER
qlvika	Not Available
Available Not Available	Not Available
Available	Not Available
ROOT\LEGACY_QLVIKA\0000	LEGACYDRIVER
Remote Access Auto Connection Driver	Not Available
LEGACYDRIVER	Not Available
Available Not Available	Not Available
Available	Not Available
ROOT\LEGACY_RASACD\0000	LEGACYDRIVER
RDP CDD	Not Available
Available Not Available	Not Available
Available	Not Available
ROOT\LEGACY_RDP CDD\0000	LEGACYDRIVER
sacdrv	Not Available
Available Not Available	Not Available
Available	Not Available
ROOT\LEGACY_SACDRV\0000	LEGACYDRIVER
sym_u3	Not Available
Available Not Available	Not Available
Available	Not Available
ROOT\LEGACY_SYM_U3\0000	LEGACYDRIVER
TCP/IP Protocol Driver	Not Available
LEGACYDRIVER	Not Available
Available Not Available	Not Available
Available	Not Available
ROOT\LEGACY_TCPIP\0000	LEGACYDRIVER
VGA Display Controller	Not Available
LEGACYDRIVER	Not Available
Available Not Available	Not Available
Available	Not Available
ROOT\LEGACY_VGASAVE\0000	LEGACYDRIVER
volsnap	Not Available
Available Not Available	Not Available
Available	Not Available
ROOT\LEGACY_VOLSNAP\0000	LEGACYDRIVER
Remote Access IP ARP Driver	Not Available
LEGACYDRIVER	Not Available
Available Not Available	Not Available
Available	Not Available
ROOT\LEGACY_WANARP\0000	LEGACYDRIVER
Audio Codecs	Yes
MEDIA	5.2.3790.0
10/1/2002	(Standard system devices)
wave.inf	Not Available
ROOT\ MEDIA\MS_MMACM	LEGACYDRIVER
Legacy Audio Drivers	Yes
MEDIA	5.2.3790.0
5.2.3790.0	10/1/2002 (Standard
system devices)	wave.inf Not Available
ROOT\ MEDIA\MS_MMDRV	LEGACYDRIVER
Media Control Devices	Yes
MEDIA	5.2.3790.0
5.2.3790.0	10/1/2002 (Standard
system devices)	wave.inf Not Available
ROOT\ MEDIA\MS_MMCI	LEGACYDRIVER

Legacy Video Capture Devices	Yes	
MEDIA	5.2.3790.0	
10/1/2002	(Standard	
system devices)	wave.inf Not Available	
ROOT\ MEDIA\MS_MMVCD	LEGACYDRIVER	
Video Codecs	Yes	
MEDIA	5.2.3790.0	
10/1/2002	(Standard system devices)	
wave.inf	Not Available	
ROOT\ MEDIA\MS_MMVID	LEGACYDRIVER	
WAN Miniport (L2TP)	Yes	
NET	5.2.3790.0	
10/1/2002	Microsoft netrasa.inf	
Available	Not Available	
ROOT\ MS_L2TPMINIPORT\0000	LEGACYDRIVER	
WAN Miniport (IP)	Yes	
NET	5.2.3790.0	
10/1/2002	Microsoft netrasa.inf	
Available	Not Available	
ROOT\ MS_NDISWANIP\0000	LEGACYDRIVER	
WAN Miniport (PPOE)	Yes	
NET	5.2.3790.0	
10/1/2002	Microsoft netrasa.inf	
Available	Not Available	
ROOT\ MS_PP OEMINI PORT\0000	LEGACYDRIVER	
WAN Miniport (PTP)	Yes	
NET	5.2.3790.0	
10/1/2002	Microsoft netrasa.inf	
Available	Not Available	
ROOT\ MS_PPTPMINI PORT\0000	LEGACYDRIVER	
Direct Parallel	Yes	
NET	5.2.3790.0	
10/1/2002	Microsoft netrasa.inf	
Available	Not Available	
ROOT\ MS_PTIMINI PORT\0000	LEGACYDRIVER	
Terminal Server Device Redirector	Yes	
SYSTEM	5.2.3790.0	
10/1/2002	(Standard system devices)	
machine.inf	Not Available	
ROOT\ RDPDR\0000	LEGACYDRIVER	
Terminal Server Keyboard Driver	Yes	
SYSTEM	5.2.3790.0	
10/1/2002	(Standard system devices)	
machine.inf	Not Available	
ROOT\ RDP_KBD\0000	LEGACYDRIVER	
Terminal Server Mouse Driver	Yes	
SYSTEM	5.2.3790.0	
10/1/2002	(Standard	
system devices)	machine.inf Not Available	
ROOT\ RDE_MOU\0000	LEGACYDRIVER	
Plug and Play Software Device Enumerator	Yes	
SYSTEM	5.2.3790.0	
10/1/2002	(Standard system devices)	
machine.inf	Not Available	
ROOT\ SYSTEM\0000	LEGACYDRIVER	
[Environment Variables]		
Variable	Value	User Name
ClusterLog	C:\WINDOWS\Cluster\cluster.log	
	<SYSTEM>	
ComSpec	%SystemRoot%\system32\cmd.exe	<SYSTEM>
NUMBER_OF_PROCESSORS	4	<SYSTEM>
OS	Windows_NT	<SYSTEM>
Path	%SystemRoot%\system32;%SystemRoot%:;%SystemRoot%\System32\WBem;C:\Program Files\Microsoft SQL Server\80\Tools\Binn\;C:\Program Files\Microsoft SQL Server\MSSQL\Binn\	<SYSTEM>
	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF	
;%WSH	<SYSTEM>	
PROCESSOR_ARCHITECTURE	IA64	<SYSTEM>
PROCESSOR_IDENTIFIER	ia64 Family 31 Model 1	
Stepping	5, GenuineIntel	<SYSTEM>
PROCESSOR_LEVEL	31	<SYSTEM>
PROCESSOR_REVISION	0105	<SYSTEM>
TEMP	%SystemRoot%\TEMP	<SYSTEM>

TMP	%SystemRoot%\TEMP	<SYSTEM>		
windir	%SystemRoot%	<SYSTEM>		
TEMP	%USERPROFILE%\Local Settings\Temp	NT		
AUTHORITY\SYSTEM				
TEMP	%USERPROFILE%\Local Settings\Temp	NT		
AUTHORITY\SYSTEM				
TEMP	%USERPROFILE%\Local Settings\Temp	NT		
AUTHORITY\LOCAL SERVICE				
TEMP	%USERPROFILE%\Local Settings\Temp	NT		
AUTHORITY\LOCAL SERVICE				
TEMP	%USERPROFILE%\Local Settings\Temp	NT		
AUTHORITY\NETWORK SERVICE				
TEMP	%USERPROFILE%\Local Settings\Temp	NT		
AUTHORITY\NETWORK SERVICE				
TEMP	%USERPROFILE%\Local Settings\Temp	NT		
EVEREST\Administrator				
TEMP	%USERPROFILE%\Local Settings\Temp	NT		
EVEREST\Administrator				
[Print Jobs]				
Document	Size	Owner	Notify	Status
	Time Submitted		Start Time	
	Until Time		Elapsed Time	
	Pages Printed		Job ID	Priority
	Parameters		Driver	Print
Processor Host	Print Queue		Data Type	Name
[Network Connections]				
Local Name	Remote Name	Type		
	Status	User Name		
[Running Tasks]				
Name	Path	Process ID	Priority	Min
Working Set	Max Working Set	Start Time		
	Version	Size	File Date	
system idle process	Not Available	0	0	
	Not Available	Not Available	Not	
Available	Not Available	Not Available	Not	
Available				
system	Not Available	4	8	0
	2826240	Not Available	Not Available	
	Not Available	Not Available		
smss.exe	Not Available	388	11	
	409600	2826240	4/21/2003 11:10 AM	Not
Available	Not Available	Not Available	Not	
Available				
csrss.exe	Not Available	444	13	Not
Available	Not Available	4/21/2003	11:12 AM	Not
Available	Not Available	Not Available		
winlogon.exe	c:\windows\system32\winlogon.exe			
	468	13	409600	2826240
	4/21/2003	11:13 AM	5.2.3790.0	
(srv03_rtm.030324-2048)		618.00 KB	(632,832	
bytes)	3/25/2003	6:00 AM		
services.exe	c:\windows\system32\services.exe			
	512	9	409600	2826240
	4/21/2003	11:13 AM	5.2.3790.0	
(srv03_rtm.030324-2048)		286.00 KB	(292,864	
bytes)	3/25/2003	6:00 AM		
lsass.exe	c:\windows\system32\lsass.exe	524	9	
	409600	2826240	4/21/2003	11:13 AM

			5.2.3790.0 (srv03_rtm.030324-2048)	
			15.00 KB (15,360 bytes)	3/25/2003
6:00 AM				
svchost.exe		c:\windows\system32\svchost.exe		
	728	8	409600	2826240
	4/21/2003	11:13 AM	5.2.3790.0	
(srv03_rtm.030324-2048)		32.50 KB	(33,280 bytes)	
3/25/2003	6:00 AM			
svchost.exe		Not Available	784	8
		Not Available	Not Available	
	4/21/2003	11:13 AM	Not Available	Not
Available	Not Available			
svchost.exe		Not Available	800	8
		Not Available	Not Available	
	4/21/2003	11:13 AM	Not Available	Not
Available	Not Available			
svchost.exe		c:\windows\system32\svchost.exe		
	832	8	409600	2826240
	4/21/2003	11:13 AM	5.2.3790.0	
(srv03_rtm.030324-2048)		32.50 KB	(33,280 bytes)	
3/25/2003	6:00 AM			
spoolsv.exe		c:\windows\system32\spoolsv.exe		
	948	8	409600	2826240
	4/21/2003	11:13 AM	5.2.3790.0	
(srv03_rtm.030324-2048)		155.50 KB	(159,232 bytes)	
bytes)	3/25/2003	6:00 AM		
msdtc.exe		Not Available	992	8
Available	Not Available	4/21/2003	11:13 AM	Not
Available	Not Available			
svchost.exe		c:\windows\system32\svchost.exe		
	1132	8	409600	2826240
	4/21/2003	11:13 AM	5.2.3790.0	
(srv03_rtm.030324-2048)		32.50 KB	(33,280 bytes)	
3/25/2003	6:00 AM			
svchost.exe		Not Available	1184	8
		Not Available	Not Available	
	4/21/2003	11:13 AM	Not Available	Not
Available	Not Available			
mssearch.exe		c:\program files\common		
	files\system\mssearch\bin\mssearch.exe	1220	8	
	409600	2826240	4/21/2003	11:13 AM
	9.107.8320.0		460.00 KB	(471,040 bytes)
bytes)	3/29/2003	5:38 PM		
wmiprvse.exe		Not Available	1448	8
		Not Available	Not Available	
	4/21/2003	11:14 AM	Not Available	Not
Available	Not Available			
dfssvc.exe		c:\windows\system32\dfssvc.exe		
	1532	8	409600	2826240
	4/21/2003	11:14 AM	5.2.3790.0	
(srv03_rtm.030324-2048)		442.00 KB	(452,608 bytes)	
bytes)	3/25/2003	6:00 AM		
explorer.exe		c:\windows\explorer.exe		
	1776	8	409600	2826240
	4/21/2003	11:17 AM	6.00.3790.0	
(srv03_rtm.030324-2048)		1.63 MB	(1,704,960 bytes)	
bytes)	3/25/2003	6:00 AM		
sqlmangr.exe		c:\program files\microsoft sql		
	server\80\tools\binn\sqlmangr.exe	1828	8	
	409600	2826240	4/21/2003	11:17 AM
	2000.080.0760.00		225.00 KB	(230,400 bytes)
bytes)	2/6/2003	3:48 PM		

sqlservr.exe		c:\program files\microsoft sql		
	server\mssql\binn\sqlservr.exe	1904	13	
	409600	2826240	4/21/2003	11:17 AM
	2000.080.0760.00		23.23 MB	(24,362,496 bytes)
helpctr.exe		c:\windows\pchealth\helpctr\binaries\helpct		
	r.exe	1444	8	
	4/21/2003	2:38 PM	5.2.3790.0	
	(srv03_rtm.030324-2048)	1.97 MB	(2,066,432 bytes)	
wmiprvse.exe		Not Available	1628	8
		Not Available	Not Available	
	4/21/2003	2:38 PM	Not Available	Not
Available	Not Available			
helpsvc.exe		c:\windows\pchealth\helpctr\binaries\helpsv		
	c.exe	1664	8	
	4/21/2003	2:38 PM	5.2.3790.0	
	(srv03_rtm.030324-2048)	2.18 MB	(2,289,152 bytes)	
[Loaded Modules]				
Name	Version	Size	Date	Manufacturer
winlogon	5.2.3790.0 (srv03_rtm.030324-2048)	618.00 KB	(632,832 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	c:\windows\system32\winlogon.exe		
ntdll	5.2.3790.0 (srv03_rtm.030324-2048)	1.45 MB	(1,524,224 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	c:\windows\system32\ntdll.dll		
kernel32	5.2.3790.0 (srv03_rtm.030324-2048)	1.76 MB	(1,850,368 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	c:\windows\system32\kernel32.dll		
msvcrt	7.0.3790.0 (srv03_rtm.030324-2048)	873.50 KB	(894,464 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	c:\windows\system32\msvcrt.dll		
advapi32	5.2.3790.0 (srv03_rtm.030324-2048)	1.32 MB	(1,383,424 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	c:\windows\system32\advapi32.dll		
rpcrt4	5.2.3790.0 (srv03_rtm.030324-2048)	2.03 MB	(2,127,872 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	c:\windows\system32\rpcrt4.dll		
user32	5.2.3790.0 (srv03_rtm.030324-2048)	1.31 MB	(1,372,672 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	c:\windows\system32\user32.dll		
gdi32	5.2.3790.0 (srv03_rtm.030324-2048)	783.00 KB	(801,792 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	c:\windows\system32\gdi32.dll		
userenv	5.2.3790.0 (srv03_rtm.030324-2048)	1.46 MB	(1,536,000 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	c:\windows\system32\userenv.dll		

nddeapi	5.2.3790.0 (srv03_rtm.030324-2048)	
	39.50 KB (40,448 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\nddeapi.dll	
crypt32	5.131.3790.0 (srv03_rtm.030324-2048)	
	1.50 MB (1,576,448 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\crypt32.dll	
msasn1	5.2.3790.0 (srv03_rtm.030324-2048)	
	153.50 KB (157,184 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\msasn1.dll	
secur32	5.2.3790.0 (srv03_rtm.030324-2048)	
	166.50 KB (170,496 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\secur32.dll	
winsta	5.2.3790.0 (srv03_rtm.030324-2048)	
	138.50 KB (141,824 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\winsta.dll	
netapi32	5.2.3790.0 (srv03_rtm.030324-2048)	
	832.00 KB (851,968 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\netapi32.dll	
profmap	5.2.3790.0 (srv03_rtm.030324-2048)	
	55.50 KB (56,832 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\profmap.dll	
regapi	5.2.3790.0 (srv03_rtm.030324-2048)	
	124.00 KB (126,976 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\regapi.dll	
ws2_32	5.2.3790.0 (srv03_rtm.030324-2048)	
	228.50 KB (233,984 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\ws2_32.dll	
ws2help	5.2.3790.0 (srv03_rtm.030324-2048)	
	49.50 KB (50,688 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\ws2help.dll	
msgina	5.2.3790.0 (srv03_rtm.030324-2048)	
	1.35 MB (1,417,728 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\msgina.dll	
shsvcs	6.00.3790.0 (srv03_rtm.030324-2048)	
	321.50 KB (329,216 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\shsvcs.dll	
shlwapi	6.00.3790.0 (srv03_rtm.030324-2048)	
	722.00 KB (739,328 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\shlwapi.dll	
sfc	5.2.3790.0 (srv03_rtm.030324-2048)	
	7.50 KB (7,680 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\sfc.dll	
sfc_os	5.2.3790.0 (srv03_rtm.030324-2048)	
	257.00 KB (263,168 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\sfc_os.dll	
wintrust	5.131.3790.0 (srv03_rtm.030324-2048)	
	451.50 KB (462,336 bytes)	3/25/2003

6:00 AM	Microsoft Corporation	
	c:\windows\system32\wintrust.dll	
ole32	5.2.3790.0 (srv03_rtm.030324-2048)	
	3.38 MB (3,549,184 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\ole32.dll	
imagehlp	5.2.3790.0 (srv03_rtm.030324-2048)	
	128.50 KB (131,584 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\imagehlp.dll	
comctl32	6.0 (srv03_rtm.030324-2048)	2.18 MB
	(2,285,056 bytes)	4/4/2003 1:50 PM
Corporation		Microsoft Corporation
	c:\windows\winsxs\ia64_microsoft.windows.co	
mmon-controls_6595b64144ccf1df_6.0.100.0_x-		
ww_b9c4a0a5\comctl32.dll		
uxtheme	6.00.3790.0 (srv03_rtm.030324-2048)	
	527.50 KB (540,160 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\uxtheme.dll	
samlib	5.2.3790.0 (srv03_rtm.030324-2048)	
	106.00 KB (108,544 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\samlib.dll	
cscui	5.2.3790.0 (srv03_rtm.030324-2048)	
	574.00 KB (587,776 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\cscui.dll	
oleaut32	5.2.3790.0 (3,739,136 bytes)	3/25/2003 6:00 AM
bytes)		Microsoft Corporation
c:\windows\system32\oleaut32.dll		
clbcatq	2001.12.4720.0 (srv03_rtm.030324-2048)	
	1.23 MB (1,292,800 bytes)	4/4/2003 2:06
PM		Microsoft Corporation
	c:\windows\system32\clbcatq.dll	
comres	2001.12.4720.1 (srv03_rtm.030324-2048)	
	779.50 KB (798,208 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\comres.dll	
ntmarta	5.2.3790.0 (srv03_rtm.030324-2048)	
	343.50 KB (351,744 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\ntmarta.dll	
wbemprox	5.2.3790.0 (srv03_rtm.030324-2048)	
	46.00 KB (47,104 bytes)	4/4/2003 2:06
PM		Microsoft Corporation
	c:\windows\system32\wbem\wbemprox.dll	
wbemcomn	5.2.3790.0 (srv03_rtm.030324-2048)	
	598.50 KB (612,864 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\wbem\wbemcomn.dll	
wbemsvc	5.2.3790.0 (srv03_rtm.030324-2048)	
	62.50 KB (64,000 bytes)	4/4/2003 2:06
PM		Microsoft Corporation
	c:\windows\system32\wbem\wbemsvc.dll	
fastprox	5.2.3790.0 (srv03_rtm.030324-2048)	
	1.51 MB (1,580,544 bytes)	4/4/2003 2:06
PM		Microsoft Corporation
	c:\windows\system32\wbem\fastprox.dll	
msvcp60	6.10.2240.8 941.50 KB (964,096 bytes)	3/25/2003 6:00 AM
bytes)		Microsoft Corporation
c:\windows\system32\msvcp60.dll		
ntdsapi	5.2.3790.0 (srv03_rtm.030324-2048)	
	181.50 KB (185,856 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\ntdsapi.dll	
dnsapi	5.2.3790.0 (srv03_rtm.030324-2048)	
	404.00 KB (413,696 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\dnsapi.dll	

services	5.2.3790.0 (srv03_rtm.030324-2048)	
	286.00 KB (292,864 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\services.exe	
scesrv	5.2.3790.0 (srv03_rtm.030324-2048)	
	765.00 KB (783,360 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\scesrv.dll	
authz	5.2.3790.0 (srv03_rtm.030324-2048)	
	202.50 KB (207,360 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\authz.dll	
umpnppmgr	5.2.3790.0 (srv03_rtm.030324-2048)	
	314.50 KB (322,048 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\umpnppmgr.dll	
ncobjapi	5.2.3790.0 (srv03_rtm.030324-2048)	
	118.50 KB (121,344 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\ncobjapi.dll	
eventlog	5.2.3790.0 (srv03_rtm.030324-2048)	
	157.00 KB (160,768 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\eventlog.dll	
psapi	5.2.3790.0 (srv03_rtm.030324-2048)	
	48.00 KB (49,152 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\psapi.dll	
lsass	5.2.3790.0 (srv03_rtm.030324-2048)	
	15.00 KB (15,360 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\lsass.exe	
lsasrv	5.2.3790.0 (srv03_rtm.030324-2048)	
	1.94 MB (2,033,664 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\lsasrv.dll	
samsrv	5.2.3790.0 (srv03_rtm.030324-2048)	
	1,005.00 KB (1,029,120 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\samsrv.dll	
cryptdll	5.2.3790.0 (srv03_rtm.030324-2048)	
	61.00 KB (62,464 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\cryptdll.dll	
msprivs	5.2.3790.0 (srv03_rtm.030324-2048)	
	46.00 KB (47,104 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\msprivs.dll	
kerberos	5.2.3790.0 (srv03_rtm.030324-2048)	
	876.00 KB (897,024 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\kerberos.dll	
msv1_0	5.2.3790.0 (srv03_rtm.030324-2048)	
	333.50 KB (341,504 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\msv1_0.dll	
netlogon	5.2.3790.0 (srv03_rtm.030324-2048)	
	936.50 KB (958,976 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\netlogon.dll	
w32ttime	5.2.3790.0 (srv03_rtm.030324-2048)	
	540.50 KB (553,472 bytes)	3/25/2003

6:00 AM	Microsoft Corporation	
	c:\windows\system32\w32ttime.dll	
iphlpapi	5.2.3790.0 (srv03_rtm.030324-2048)	
	223.00 KB (228,352 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\iphlpapi.dll	
schannel	5.2.3790.0 (srv03_rtm.030324-2048)	
	468.50 KB (479,744 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\schannel.dll	
wdigest	5.2.3790.0 (srv03_rtm.030324-2048)	
	161.50 KB (165,376 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\wdigest.dll	
rsaenh	5.2.3790.0 (srv03_rtm.030324-2048)	
	371.83 KB (380,752 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\rsaenh.dll	
rassfm	5.2.3790.0 (srv03_rtm.030324-2048)	
	56.00 KB (57,344 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\rassfm.dll	
kdcsvc	5.2.3790.0 (srv03_rtm.030324-2048)	
	571.50 KB (585,216 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\kdcsvc.dll	
ntdsa	5.2.3790.0 (srv03_rtm.030324-2048)	
	3.82 MB (4,008,448 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\ntdsa.dll	
ntdsatq	5.2.3790.0 (srv03_rtm.030324-2048)	
	80.50 KB (82,432 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\ntdsatq.dll	
mswssock	5.2.3790.0 (srv03_rtm.030324-2048)	
	671.00 KB (687,104 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\mswssock.dll	
esent	5.2.3790.0 (srv03_rtm.030324-2048)	
	2.48 MB (2,605,056 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\esent.dll	
scecli	5.2.3790.0 (srv03_rtm.030324-2048)	
	467.50 KB (478,720 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\scecli.dll	
ipsecsvc	5.2.3790.0 (srv03_rtm.030324-2048)	
	410.50 KB (420,352 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\ipsecsvc.dll	
oakley	5.2.3790.0 (srv03_rtm.030324-2048)	
	493.50 KB (505,344 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\oakley.dll	
winipsec	5.2.3790.0 (srv03_rtm.030324-2048)	
	78.50 KB (80,384 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\winipsec.dll	
pstor svc	5.2.3790.0 (srv03_rtm.030324-2048)	
	56.00 KB (57,344 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\pstorsvc.dll	

psbase	5.2.3790.0 (srv03_rtm.030324-2048)	
	162.50 KB (166,400 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\psbase.dll	
wshtcpip	5.2.3790.0 (srv03_rtm.030324-2048)	
	38.00 KB (38,912 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\wshtcpip.dll	
dssenh	5.2.3790.0 (srv03_rtm.030324-2048)	
	319.33 KB (326,992 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\dssenh.dll	
wlbctrl	5.2.3790.0 (srv03_rtm.030324-2048)	
	194.50 KB (199,168 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\wlbcctrl.dll	
svchost	5.2.3790.0 (srv03_rtm.030324-2048)	
	32.50 KB (33,280 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\svchost.exe	
rpcss	5.2.3790.0 (srv03_rtm.030324-2048)	
	645.00 KB (660,480 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\rpcss.dll	
wzcsvc	5.2.3790.0 (srv03_rtm.030324-2048)	
	608.50 KB (623,104 bytes)	3/25/2003
7:19 AM	Microsoft Corporation	
	c:\windows\system32\wzcsvc.dll	
rtutils	5.2.3790.0 (srv03_rtm.030324-2048)	
	81.50 KB (83,456 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\rtutils.dll	
wmi	5.2.3790.0 (srv03_rtm.030324-2048)	
	5.00 KB (5,120 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\wmi.dll	
dhcpcsvc	5.2.3790.0 (srv03_rtm.030324-2048)	
	279.50 KB (286,208 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\dhcpcsvc.dll	
rastls	5.2.3790.0 (srv03_rtm.030324-2048)	
	346.00 KB (354,304 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\rastls.dll	
atl	3.00.2282 348.00 KB (356,352 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\atl.dll	
cryptui	5.131.3790.0 (srv03_rtm.030324-2048)	
	1.04 MB (1,094,656 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\cryptui.dll	
mprapi	5.2.3790.0 (srv03_rtm.030324-2048)	
	238.00 KB (243,712 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\mprapi.dll	
activeds	5.2.3790.0 (srv03_rtm.030324-2048)	
	543.50 KB (556,544 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\activeds.dll	
adsldpc	5.2.3790.0 (srv03_rtm.030324-2048)	
	312.00 KB (319,488 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\adsldpc.dll	

credui	5.2.3790.0 (srv03_rtm.030324-2048)	
	288.00 KB (294,912 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\credui.dll	
rasapi32	5.2.3790.0 (srv03_rtm.030324-2048)	
	589.50 KB (603,648 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\rasapi32.dll	
rasman	5.2.3790.0 (srv03_rtm.030324-2048)	
	154.50 KB (158,208 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\rasman.dll	
tapi32	5.2.3790.0 (srv03_rtm.030324-2048)	
	493.00 KB (504,832 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\tapi32.dll	
raschap	5.2.3790.0 (srv03_rtm.030324-2048)	
	200.00 KB (204,800 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\raschap.dll	
schedsvc	5.2.3790.0 (srv03_rtm.030324-2048)	
	527.50 KB (540,160 bytes)	4/4/2003 2:08
PM	Microsoft Corporation	
	c:\windows\system32\schedsvc.dll	
msidle	6.00.3790.0 (srv03_rtm.030324-2048)	
	8.50 KB (8,704 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\msidle.dll	
wkssvc	5.2.3790.0 (srv03_rtm.030324-2048)	
	304.00 KB (311,296 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\wkssvc.dll	
cryptsvc	5.2.3790.0 (srv03_rtm.030324-2048)	
	126.00 KB (129,024 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\cryptsvc.dll	
certcli	5.2.3790.0 (srv03_rtm.030324-2048)	
	586.00 KB (600,064 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\certcli.dll	
vssapi	5.2.3790.0 (srv03_rtm.030324-2048)	
	1.28 MB (1,339,904 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\vssapi.dll	
dmserver	5.2.3790.0 (srv03_rtm.030324-2048)	
	45.50 KB (46,592 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\dmserver.dll	
es	2001.12.4720.0 (srv03_rtm.030324-2048)	
	637.50 KB (652,800 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\es.dll	
pchsvc	5.2.3790.0 (srv03_rtm.030324-2048)	
	94.50 KB (96,768 bytes)	4/4/2003 2:08
PM	Microsoft Corporation	
	c:\windows\pchealth\helpctr\binaries\pchsvc.dll	
hidserv	5.2.3790.0 (srv03_rtm.030324-2048)	
	64.00 KB (65,536 bytes)	4/4/2003 1:57
PM	Microsoft Corporation	
	c:\windows\system32\hidserv.dll	
hid	5.2.3790.0 (srv03_rtm.030324-2048)	
	44.00 KB (45,056 bytes)	3/25/2003

7:17 AM	Microsoft Corporation	
	c:\windows\system32\hid.dll	
srvsvc	5.2.3790.0 (srv03_rtm.030324-2048)	
	188.00 KB (192,512 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\srvsvc.dll	
sacsrv	5.2.3790.0 (srv03_rtm.030324-2048)	
	27.50 KB (28,160 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\sacsrv.dll	
seclogon	5.2.3790.0 (srv03_rtm.030324-2048)	
	41.50 KB (42,496 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\seclogon.dll	
trkwks	5.2.3790.0 (srv03_rtm.030324-2048)	
	246.00 KB (251,904 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\trkwks.dll	
wmisvc	5.2.3790.0 (srv03_rtm.030324-2048)	
	408.50 KB (418,304 bytes)	4/4/2003 2:06
PM	Microsoft Corporation	
	c:\windows\system32\wbem\wmisvc.dll	
wuauserv	5.4.3790.0 (srv03_rtm.030324-2048)	
	17.50 KB (17,920 bytes)	4/4/2003 2:07
PM	Microsoft Corporation	
	c:\windows\system32\wuauserv.dll	
wuaueung	5.4.3790.0 (srv03_rtm.030324-2048)	
	495.50 KB (507,392 bytes)	4/4/2003 2:07
PM	Microsoft Corporation	
	c:\windows\system32\wuaueung.dll	
advpack	6.00.3790.0 (srv03_rtm.030324-2048)	
	240.00 KB (245,760 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\advpack.dll	
wininet	6.00.3790.0 (srv03_rtm.030324-2048)	
	1.43 MB (1,500,672 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\wininet.dll	
sens	5.2.3790.0 (srv03_rtm.030324-2048)	
	90.50 KB (92,672 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\sens.dll	
comsvcs	2001.12.4720.0 (srv03_rtm.030324-2048)	
	2.96 MB (3,106,816 bytes)	4/4/2003 2:06
PM	Microsoft Corporation	
	c:\windows\system32\comsvcs.dll	
wbemcore	5.2.3790.0 (srv03_rtm.030324-2048)	
	1.64 MB (1,723,904 bytes)	4/4/2003 2:06
PM	Microsoft Corporation	
	c:\windows\system32\wbemcore.dll	
esscli	5.2.3790.0 (srv03_rtm.030324-2048)	
	919.50 KB (941,568 bytes)	4/4/2003 2:06
PM	Microsoft Corporation	
	c:\windows\system32\wbem\esscli.dll	
winhttp	5.2.3790.0 (srv03_rtm.030324-2048)	
	882.50 KB (903,680 bytes)	4/4/2003 1:50
PM	Microsoft Corporation	
	c:\windows\winsxs\ia64_microsoft.windows.wi	
nhttp_6595b64144ccf1df_5.1.0.0_x-		
ww_0fbffffd6\winhttp.dll		
wmiutils	5.2.3790.0 (srv03_rtm.030324-2048)	
	285.00 KB (291,840 bytes)	4/4/2003 2:06

PM	Microsoft Corporation	
	c:\windows\system32\wbem\wmiutils.dll	
repdrvfs	5.2.3790.0 (srv03_rtm.030324-2048)	
	595.50 KB (609,792 bytes)	4/4/2003 2:06
PM	Microsoft Corporation	
	c:\windows\system32\wbem\repdrvfs.dll	
wmiprvsd	5.2.3790.0 (srv03_rtm.030324-2048)	
	1.38 MB (1,443,328 bytes)	4/4/2003 2:06
PM	Microsoft Corporation	
	c:\windows\system32\wbem\wmiprvsd.dll	
wbemess	5.2.3790.0 (srv03_rtm.030324-2048)	
	976.50 KB (999,936 bytes)	4/4/2003 2:06
PM	Microsoft Corporation	
	c:\windows\system32\wbem\wbemess.dll	
ncprov	5.2.3790.0 (srv03_rtm.030324-2048)	
	133.50 KB (136,704 bytes)	4/4/2003 2:06
PM	Microsoft Corporation	
	c:\windows\system32\wbem\ncprov.dll	
sensapi	5.2.3790.0 (srv03_rtm.030324-2048)	
	11.50 KB (11,776 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\sensapi.dll	
wiarpc	5.2.3790.0 (srv03_rtm.030324-2048)	
	67.50 KB (69,120 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\wiarpc.dll	
browser	5.2.3790.0 (srv03_rtm.030324-2048)	
	187.00 KB (191,488 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\browser.dll	
netman	5.2.3790.0 (srv03_rtm.030324-2048)	
	591.00 KB (605,184 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\netman.dll	
wzcsapi	5.2.3790.0 (srv03_rtm.030324-2048)	
	49.50 KB (50,688 bytes)	3/25/2003
7:19 AM	Microsoft Corporation	
	c:\windows\system32\wzcsapi.dll	
netshell	5.2.3790.0 (srv03_rtm.030324-2048)	
	2.65 MB (2,779,648 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\netshell.dll	
clusapi	5.2.3790.0 (srv03_rtm.030324-2048)	
	165.50 KB (169,472 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\clusapi.dll	
rasd1g	5.2.3790.0 (srv03_rtm.030324-2048)	
	1.35 MB (1,420,800 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\rasd1g.dll	
rasadhl	5.2.3790.0 (srv03_rtm.030324-2048)	
	13.00 KB (13,312 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\rasadhl.dll	
spoolsv	5.2.3790.0 (srv03_rtm.030324-2048)	
	155.50 KB (159,232 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\spoolsv.exe	
spoolss	5.2.3790.0 (srv03_rtm.030324-2048)	
	227.50 KB (232,960 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\spoolss.dll	

localspl	5.2.3790.0 (srv03_rtm.030324-2048)	
	839.00 KB (859,136 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\localspl.dll	
cnbjmon	5.2.3680.0 (Lab03_dev(skatar).020509-1043)	
	99.50 KB (101,888 bytes)	3/25/2003
2:50 AM	Microsoft Corporation	
	c:\windows\system32\cnbjmon.dll	
pjlmon	5.2.3790.0 (srv03_rtm.030324-2048)	
	37.50 KB (38,400 bytes)	3/25/2003
2:52 AM	Microsoft Corporation	
	c:\windows\system32\pjlmmon.dll	
tcpmon	5.2.3790.0 (srv03_rtm.030324-2048)	
	132.50 KB (135,680 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\tcpmon.dll	
mgmtapi	5.2.3790.0 (srv03_rtm.030324-2048)	
	40.50 KB (41,472 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\mgmtapi.dll	
snmpapi	5.2.3790.0 (srv03_rtm.030324-2048)	
	52.00 KB (53,248 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\snmpapi.dll	
wsnmp32	5.2.3790.0 (srv03_rtm.030324-2048)	
	111.50 KB (114,176 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\wsnmp32.dll	
usbmon	5.2.3790.0 (srv03_rtm.030324-2048)	
	43.50 KB (44,544 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\usbmon.dll	
winrnr	5.2.3790.0 (srv03_rtm.030324-2048)	
	39.00 KB (39,936 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\winrnr.dll	
win32spl	5.2.3790.0 (srv03_rtm.030324-2048)	
	269.00 KB (275,456 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\win32spl.dll	
netrap	5.2.3790.0 (srv03_rtm.030324-2048)	
	30.00 KB (30,720 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\netrap.dll	
inetpp	5.2.3790.0 (srv03_rtm.030324-2048)	
	211.50 KB (216,576 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\inetpp.dll	
icmp	5.2.3790.0 (srv03_rtm.030324-2048)	
	2.50 KB (2,560 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\icmp.dll	
ersvc	5.2.3790.0 (srv03_rtm.030324-2048)	
	61.00 KB (62,464 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\ersvc.dll	
msssearch	9.107.8320.0 460.00 KB (471,040 bytes)	
	3/29/2003 5:38 PM Microsoft Corporation	
	c:\program files\common	
mssws	9.107.8320.0 27.00 KB (27,648 bytes)	
	3/29/2003 5:38 PM Microsoft Corporation	

	c:\program files\common	
	files\system\msssearch\bin\mssws.dll	
mssrch	9.107.8320.0 6.50 MB (6,819,328 bytes)	
	3/29/2003 5:38 PM Microsoft Corporation	
	c:\program~1\common~1\system\msssearch\bin\ms	
srch.dll	5.2.3790.0 (srv03_rtm.030324-2048)	
	7.00 KB (7,168 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\security.dll	
tquery	9.107.8320.0 5.85 MB (6,133,248 bytes)	
	3/29/2003 5:38 PM Microsoft Corporation	
	c:\program files\common	
files\system\msssearch\bin\tquery.dll		
propdefs	9.107.8320.0 888.50 KB (909,824 bytes)	
	3/29/2003 5:38 PM Microsoft Corporation	
	c:\program~1\common~1\system\msssearch\bin\pr	
opdefs.dll		
srchidx	9.107.8320.0 2.26 MB (2,374,144 bytes)	
	3/29/2003 5:38 PM Microsoft Corporation	
	c:\program~1\common~1\system\msssearch\bin\sr	
chidx.dll		
iprop	5.2.3790.0 (srv03_rtm.030324-2048)	
	3.00 KB (3,072 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\iprop.dll	
dfssvc	5.2.3790.0 (srv03_rtm.030324-2048)	
	442.00 KB (452,608 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\dfssvc.exe	
resutils	5.2.3790.0 (srv03_rtm.030324-2048)	
	147.50 KB (151,040 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\resutils.dll	
mfc42u	6.00.3014.0 3.34 MB (3,506,176 bytes)	
	3/25/2003 6:00 AM Microsoft Corporation	
	c:\windows\system32\mfc42u.dll	
wsock32	5.2.3790.0 (srv03_rtm.030324-2048)	
	23.00 KB (23,552 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\wsock32.dll	
explorer	6.00.3790.0 (srv03_rtm.030324-2048)	
	1.63 MB (1,704,960 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\explorer.exe	
browseui	6.00.3790.0 (srv03_rtm.030324-2048)	
	2.42 MB (2,536,960 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\browseui.dll	
shdocvw	6.00.3790.0 (srv03_rtm.030324-2048)	
	3.20 MB (3,359,744 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\shdocvw.dll	
apphelp	5.2.3790.0 (srv03_rtm.030324-2048)	
	262.50 KB (268,800 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\apphelp.dll	
themeui	6.00.3790.0 (srv03_rtm.030324-2048)	
	823.00 KB (842,752 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\themeui.dll	
msimg32	5.2.3790.0 (srv03_rtm.030324-2048)	
	7.00 KB (7,168 bytes)	3/25/2003

6:00 AM	Microsoft Corporation	
	c:\windows\system32\msimg32.dll	
actxprxy	6.00.3790.0 (srv03_rtm.030324-2048)	
	230.00 KB (235,520 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\actxprxy.dll	
linkinfo	5.2.3790.0 (srv03_rtm.030324-2048)	
	42.00 KB (43,008 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\linkinfo.dll	
ntshruui	6.00.3790.0 (srv03_rtm.030324-2048)	
	233.50 KB (239,104 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\ntshruui.dll	
urlmon	6.00.3790.0 (srv03_rtm.030324-2048)	
	1.21 MB (1,271,296 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\urlmon.dll	
webcheck	6.00.3790.0 (srv03_rtm.030324-2048)	
	664.50 KB (680,448 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\webcheck.dll	
stobject	5.2.3790.0 (srv03_rtm.030324-2048)	
	178.00 KB (182,272 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\stobject.dll	
batmeter	6.00.3790.0 (srv03_rtm.030324-2048)	
	55.50 KB (56,832 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\batmeter.dll	
powrprof	6.00.3790.0 (srv03_rtm.030324-2048)	
	36.00 KB (36,864 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\powrprof.dll	
printui	5.2.3790.0 (srv03_rtm.030324-2048)	
	1.09 MB (1,142,784 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\printui.dll	
cfgmgr32	5.2.3790.0 (srv03_rtm.030324-2048)	
	16.00 KB (16,384 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\cfgmgr32.dll	
drprov	5.2.3790.0 (srv03_rtm.030324-2048)	
	26.50 KB (27,136 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\drprov.dll	
ntlanman	5.2.3790.0 (srv03_rtm.030324-2048)	
	108.00 KB (110,592 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\ntlanman.dll	
netui0	5.2.3790.0 (srv03_rtm.030324-2048)	
	181.50 KB (185,856 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\netui0.dll	
netuil	5.2.3790.0 (srv03_rtm.030324-2048)	
	482.00 KB (493,568 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\netuil.dll	
davclnt	5.2.3790.0 (srv03_rtm.030324-2048)	
	59.00 KB (60,416 bytes)	3/25/2003
6:00 AM	Microsoft Corporation	
	c:\windows\system32\davclnt.dll	

```

browselc 6.00.3790.0 (srv03_rtm.030324-2048)
          61.50 KB (62,976 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\browselc.dll
shdoclc 6.00.3790.0 (srv03_rtm.030324-2048)
          588.00 KB (602,112 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\shdoclc.dll
mydocs  6.00.3790.0 (srv03_rtm.030324-2048)
          129.00 KB (132,096 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\mydocs.dll
dsquery  5.2.3790.0 (srv03_rtm.030324-2048)
          467.50 KB (478,720 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\dsquery.dll
dsuiext  5.2.3790.0 (srv03_rtm.030324-2048)
          222.00 KB (227,328 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\dsuiext.dll
msxml3  8.40.9419.0 3.42 MB (3,590,656
bytes) 3/25/2003 6:00 AM Microsoft Corporation
          c:\windows\system32\msxml3.dll
sqlmangr 2000.080.0760.00 225.00 KB (230,400
bytes) 2/6/2003 3:48 PM Microsoft Corporation
          c:\program files\microsoft sql
server\80\tools\binn\sqlmangr.exe
w95scm  2000.080.0760.00 133.50 KB (136,704
bytes) 2/6/2003 3:49 PM Microsoft Corporation
          c:\program files\microsoft sql
server\80\tools\binn\w95scm.dll
odbc32  3.525.1022.0 (srv03_rtm.030324-2048)
          620.00 KB (634,880 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\odbc32.dll
comdlg32 6.00.3790.0 (srv03_rtm.030324-2048)
          706.00 KB (722,944 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\comdlg32.dll
sqlsvc  2000.080.0760.00 315.50 KB (323,072
bytes) 2/6/2003 3:49 PM Microsoft Corporation
          c:\program files\microsoft sql
server\80\tools\binn\sqlsvc.dll
odbcbsp 2000.085.1022.00 (srv03_rtm.030324-2048)
          48.00 KB (49,152 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\odbcbsp.dll
sqlresld 2000.080.0760.00 28.50 KB (29,184 bytes)
2/6/2003 3:49 PM Microsoft Corporation
          c:\program files\microsoft sql
server\80\tools\binn\sqlresld.dll
odbcint  3.525.1022.0 (srv03_rtm.030324-2048)
          88.00 KB (90,112 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\odbcint.dll
sqlsvc  2000.080.0760.00 2.00 KB (2,048 bytes)
2/6/2003 3:09 PM Microsoft Corporation
          c:\program files\microsoft sql
server\80\tools\binn\resources\1033\sqlsvc.rll
sqlmangr 2000.080.0760.00 75.50 KB (77,312 bytes)
2/6/2003 3:15 PM Microsoft Corporation
          c:\program files\microsoft sql
server\80\tools\binn\resources\1033\sqlmangr.rll

```

```

sqlservr 2000.080.0760.00 23.23 MB (24,362,496
bytes) 4/14/2003 5:06 PM Microsoft Corporation
          c:\program files\microsoft sql
server\mssql\binn\sqlservr.exe
opends60 2000.080.0760.00 26.50 KB (27,136 bytes)
2/6/2003 3:48 PM Microsoft Corporation
          c:\program files\microsoft sql
server\mssql\binn\opends60.dll
sqlsort  2000.080.0760.00 602.00 KB (616,448
bytes) 2/6/2003 3:49 PM Microsoft Corporation
          c:\program files\microsoft sql
server\mssql\binn\sqlsort.dll
msvcirt  7.0.3790.0 (srv03_rtm.030324-2048)
          161.50 KB (165,376 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\msvcirt.dll
sqlevn70 2000.080.0760.00 19.50 KB (19,968 bytes)
2/6/2003 3:05 PM Microsoft Corporation
          c:\program files\microsoft sql
server\mssql\binn\resources\1033\sqlevn70.rll
xolehlp  2001.12.4720.0 (srv03_rtm.030324-2048)
          15.50 KB (15,872 bytes) 4/4/2003 2:06
PM Microsoft Corporation
          c:\windows\system32\xolehlp.dll
msdtcprx 2001.12.4720.0 (srv03_rtm.030324-2048)
          1.23 MB (1,285,120 bytes) 4/4/2003 2:06
PM Microsoft Corporation
          c:\windows\system32\msdtcprx.dll
mtxclu  2001.12.4720.0 (srv03_rtm.030324-2048)
          199.00 KB (203,776 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\mtxclu.dll
ssnetlib 2000.080.0761.00 247.50 KB (253,440
bytes) 3/2/2003 4:08 PM Microsoft Corporation
          c:\program files\microsoft sql
server\mssql\binn\ssnetlib.dll
ssnmpn70 2000.080.0760.00 20.50 KB (20,992 bytes)
2/6/2003 3:49 PM Microsoft Corporation
          c:\program files\microsoft sql
server\mssql\binn\ssnmpn70.dll
ssmslpcn 2000.080.0760.00 44.00 KB (45,056 bytes)
2/6/2003 3:49 PM Microsoft Corporation
          c:\program files\microsoft sql
server\mssql\binn\ssmslpcn.dll
ssmsqlgc 2000.080.0761.00 58.50 KB (59,904 bytes)
2/6/2003 3:49 PM Microsoft Corporation
          c:\program files\microsoft sql
server\mssql\binn\ssmsqlgc.dll
qlvipl  Not Available 436.00 KB (446,464
bytes) 4/7/2003 6:07 PM Not Available
          c:\windows\system32\qlvipl.dll
sqlftqry 2000.080.0760.00 409.00 KB (418,816
bytes) 2/6/2003 3:49 PM Microsoft Corporation
          c:\program files\microsoft sql
server\mssql\binn\sqlftqry.dll
sqloledb 2000.085.1022.00 (srv03_rtm.030324-2048)
          1.36 MB (1,425,408 bytes) 3/29/2003
5:04 PM Microsoft Corporation
          c:\program
files\common files\system\ole db\sqloledb.dll
msdart  2.80.1022.0 (srv03_rtm.030324-2048)
          416.00 KB (425,984 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\msdart.dll

```

```

msdat13 2.80.1022.0 (srv03_rtm.030324-2048)
          224.00 KB (229,376 bytes) 3/29/2003
5:04 PM Microsoft Corporation
          c:\program
files\common files\system\ole db\msdat13.dll
oledb32  2.80.1022.0 (srv03_rtm.030324-2048)
          1.30 MB (1,368,064 bytes) 3/29/2003
5:04 PM Microsoft Corporation
          c:\program
files\common files\system\ole db\oledb32.dll
oledb32r 2.80.1022.0 (srv03_rtm.030324-2048)
          64.00 KB (65,536 bytes) 3/29/2003
5:04 PM Microsoft Corporation
          c:\program
files\common files\system\ole db\oledb32r.dll
helpctr  5.2.3790.0 (srv03_rtm.030324-2048)
          1.97 MB (2,066,432 bytes) 4/4/2003 2:08
PM Microsoft Corporation
          c:\windows\pchealth\helpctr\binaries\helpct
r.exe
hcappres 5.2.3790.0 (srv03_rtm.030324-2048)
          6.00 KB (6,144 bytes) 4/4/2003 2:08
PM Microsoft Corporation
          c:\windows\pchealth\helpctr\binaries\hcapp
res.dll
itss   5.2.3790.0 (srv03_rtm.030324-2048)
          349.00 KB (357,376 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\itss.dll
pchshell 5.2.3790.0 (srv03_rtm.030324-2048)
          277.50 KB (284,160 bytes) 4/4/2003 2:08
PM Microsoft Corporation
          c:\windows\pchealth\helpctr\binaries\pchshe
ll.dll
mlang  6.00.3790.0 (srv03_rtm.030324-2048)
          799.00 KB (818,176 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\mlang.dll
mshtml  6.00.3790.0 (srv03_rtm.030324-2048)
          7.83 MB (8,208,384 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\mshtml.dll
msimtf  5.2.3790.0 (srv03_rtm.030324-2048)
          528.00 KB (540,672 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\msimtf.dll
msctf   5.2.3790.0 (srv03_rtm.030324-2048)
          924.50 KB (946,688 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\msctf.dll
jscript  5.6.0.8515 1.21 MB (1,268,736
bytes) 3/25/2003 6:00 AM Microsoft Corporation
          c:\windows\system32\jscript.dll
msls31  3.10.349.0 448.00 KB (458,752
bytes) 3/25/2003 6:00 AM Microsoft Corporation
          c:\windows\system32\msls31.dll
imm32  5.2.3790.0 (srv03_rtm.030324-2048)
          307.50 KB (314,880 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\imm32.dll
mshtmdl 6.00.3790.0 (srv03_rtm.030324-2048)
          1.34 MB (1,408,512 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\mshtmdl.dll

```

```

vbscript 5.6.0.8515      1.06 MB (1,110,016
bytes) 3/25/2003 6:00 AM Microsoft Corporation
          c:\windows\system32\vbscript.dll
mfc42 6.00.3014.0      3.36 MB (3,526,656
bytes) 3/25/2003 6:00 AM Microsoft Corporation
          c:\windows\system32\mfc42.dll
msinfo 5.2.3790.0 (srv03_rtm.030324-2048)
          1.20 MB (1,257,984 bytes) 4/4/2003 2:08
PM      Microsoft Corporation
          c:\windows\pchealth\helpctr\binaries\msinfo
.dll
riched32 5.2.3790.0 (srv03_rtm.030324-2048)
          5.00 KB (5,120 bytes) 3/25/2003
6:00 AM Microsoft Corporation
          c:\windows\system32\riched32.dll
riched20 5.31.23.1218    1.25 MB (1,313,280
bytes) 3/25/2003 6:00 AM Microsoft Corporation
          c:\windows\system32\riched20.dll
helpsvc 5.2.3790.0 (srv03_rtm.030324-2048)
          2.18 MB (2,289,152 bytes) 4/4/2003 2:08
PM      Microsoft Corporation
          c:\windows\pchealth\helpctr\binaries\helpsv
c.exe

[Services]

Display Name      Name      State      Start Mode
          Service Type      Path      Error Control
          Start Name      Tag ID
Alerter Alerter Stopped Disabled Share Process
          c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Application Layer Gateway Service ALG
          Stopped Manual Own Process
          c:\windows\system32\alg.exe Normal NT
AUTHORITY\LocalService 0
Application Management AppMgmt Stopped
          Manual Share Process
          c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Windows Audio AudioSrv Stopped Disabled
          Share Process
          c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Background Intelligent Transfer Service BITS
          Stopped Manual Share Process
          c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Computer Browser Browser Running Auto
          Share Process
          c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Indexing Service CiSvc Stopped Disabled
          Share Process
          c:\windows\system32\cisvc.exe Normal
LocalSystem 0
ClipBook ClipSrv Stopped Disabled Own Process
          c:\windows\system32\clipsrv.exe
Normal LocalSystem 0
COM+ System Application COMSysApp Stopped
          Manual Own Process
          c:\windows\system32\dllhost.exe

```

```

/processid:{02d4b3f1-fd88-11d1-960d-00805fc79235}
          Normal LocalSystem 0
Cryptographic Services CryptSvc Running
          Auto Share Process
          c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Distributed File System Dfs Running
          Auto Own Process
          c:\windows\system32\dfssvc.exe
Normal LocalSystem 0
DHCP Client Dhcp Running Auto
          Share Process
          c:\windows\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Logical Disk Manager Administrative Service
          dmadmin Stopped Manual Share Process
          c:\windows\system32\dmadmin.exe /com
Normal LocalSystem 0
Logical Disk Manager dmserver Running
          Auto Share Process
          c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
DNS Client Dnscache Running Auto
          Share Process
          c:\windows\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Error Reporting Service ERSvc Running
          Auto Share Process
          c:\windows\system32\svchost.exe -k winerr
Ignore LocalSystem 0
Event Log Eventlog Running Auto Share Process
          c:\windows\system32\services.exe
Normal LocalSystem 0
COM+ Event System EventSystem Running
          Manual Share Process
          c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Help and Support helpsvc Running Auto
          Share Process
          c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
HID Input Service HidServ Running Auto
          Share Process
          c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
HTTP SSL HTTPFilter Stopped Manual
          Share Process
          c:\windows\system32\lsass.exe Normal
LocalSystem 0
IAS Jet Database Access IASJet Stopped
          Manual Share Process
          c:\windows\syswow64\svchost.exe -k iasjet
Normal LocalSystem 0
IIS Admin Service IISADMIN Stopped Disabled
          Share Process
          c:\windows\system32\inetsrv\inetinfo.exe
Normal LocalSystem 0
IMAPI CD-Burning COM Service ImapiService
          Stopped Disabled Own Process
          c:\windows\system32\imapi.exe Normal
LocalSystem 0

```

```

Intersite Messaging IsmServ Stopped Disabled Own
Process c:\windows\system32\ismserv.exe
Normal LocalSystem 0
Kerberos Key Distribution Center kdc
Stopped Disabled Share Process
          c:\windows\system32\lsass.exe Normal
LocalSystem 0
Server lanmanserver Running Auto
          Share Process
          c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Workstation lanmanworkstation Running
          Auto Share Process
          c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
License Logging LicenseService Stopped
Disabled Own Process
          c:\windows\system32\llssrv.exe
Normal NT AUTHORITY\NetworkService 0
TCP/IP NetBIOS Helper LmHosts Running
          Auto Share Process
          c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Messenger Messenger Stopped Disabled Share Process
          c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Distributed Transaction Coordinator MSDTC
Running Auto Own Process
          c:\windows\system32\msdtc.exe Normal NT
AUTHORITY\NetworkService 0
Windows Installer MSI Server Stopped Manual
          Share Process
          c:\windows\system32\msiexec.exe /v
Normal LocalSystem 0
Microsoft Search MSSEARCH Running Auto
          Share Process "c:\program
files\common files\system\mssearch\bin\mssearch.exe"
Normal LocalSystem 0
MSSQLSERVER MSSQLSERVER Stopped
          Manual Own Process c:\program
files\microsoft sql server\mssql\binn\sqlservr.exe -
smssqlserver Normal LocalSystem 0
MSSQLServerADHelper MSSQLServerADHelper Stopped
          Manual Own Process c:\program
files\microsoft sql server\80\tools\binn\sqladhlp.exe
Normal LocalSystem 0
MSSQLServerOLAPService MSSQLServerOLAPService
          Stopped Manual Own Process
          c:\program files\microsoft analysis
services\bin\msmdsrv.exe Normal LocalSystem
0
Network DDE NetDDE Stopped Disabled
          Share Process
          c:\windows\system32\netdde.exe
Normal LocalSystem 0
Network DDE DSDM NetDDEdsm Stopped
          Disabled Share Process
          c:\windows\system32\netdde.exe
Normal LocalSystem 0

```

```

Net Logon Netlogon Stopped Manual Share Process
  c:\windows\system32\lsass.exe Normal
  LocalSystem 0
Network Connections Netman Running Manual
  Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Normal LocalSystem 0
Network Location Awareness (NLA) Nla
  Running Manual Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Normal LocalSystem 0
File Replication NtFrs Stopped Manual Own
Process c:\windows\system32\ntfrs.exe Ignore
  LocalSystem 0
NT LM Security Support Provider NtLmSsp
  Running Manual Share Process
    c:\windows\system32\lsass.exe Normal
  LocalSystem 0
Removable Storage NtmsSvc Stopped Manual
  Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Normal LocalSystem 0
Plug and Play PlugPlay Running Auto
  Share Process
    c:\windows\system32\services.exe
  Normal LocalSystem 0
IPSEC Services PolicyAgent Running
  Auto Share Process
    c:\windows\system32\lsass.exe Normal
  LocalSystem 0
Protected Storage ProtectedStorage Running
  Auto Share Process
    c:\windows\system32\lsass.exe Normal
  LocalSystem 0
Remote Access Auto Connection Manager RasAuto
  Stopped Manual Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Normal LocalSystem 0
Remote Access Connection Manager RasMan
  Stopped Manual Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Normal LocalSystem 0
Remote Desktop Help Session Manager RDSSessMgr
  Stopped Manual Own Process
    c:\windows\system32\sessmgr.exe
  Normal LocalSystem 0
Routing and Remote Access RemoteAccess
  Stopped Disabled Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Normal LocalSystem 0
Remote Registry RemoteRegistry Running
  Auto Share Process
    c:\windows\system32\svchost.exe -k regsvc
  Normal NT AUTHORITY\LocalService 0
Remote Procedure Call (RPC) Locator RpcLocator
  Stopped Manual Own Process
    c:\windows\system32\locator.exe
  Normal NT AUTHORITY\NetworkService 0
Remote Procedure Call (RPC) RpcSs Running
  Auto Share Process

```

```

Resultant Set of Policy Provider RSoPProv
  Normal LocalSystem 0
Special Administration Console Helper saccsvr
  Running Manual Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Normal LocalSystem 0
Security Accounts Manager SamSs Running
  Auto Share Process
    c:\windows\system32\lsass.exe Normal
  LocalSystem 0
Smart Card SCardSrv Stopped Manual
  Share Process
    c:\windows\system32\scardsvr.exe
  Ignore NT AUTHORITY\LocalService 0
Task Scheduler Schedule Running Auto
  Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Normal LocalSystem 0
Secondary Logon seclogon Running Auto
  Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Ignore LocalSystem 0
System Event Notification SENS Running
  Auto Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Normal LocalSystem 0
Shell Hardware Detection ShellHWDetection
  Running Auto Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Ignore LocalSystem 0
Print Spooler Spooler Running Auto Own
Process c:\windows\system32\spoolsrv.exe
  Normal LocalSystem 0
SQLSERVERAGENT SQLSERVERAGENT Stopped
  Manual Own Process c:\program
files\microsoft\sql\server\mssql\bin\sqlagent.exe -i
mssqlserver Normal LocalSystem 0
Windows Image Acquisition (WIA) stisvc
  Stopped Disabled Share Process
    c:\windows\system32\svchost.exe -k imgsvc
  Normal NT AUTHORITY\LocalService 0
Microsoft Software Shadow Copy Provider swprv
  Stopped Manual Own Process
    c:\windows\system32\svchost.exe -k swprv
  Normal LocalSystem 0
Performance Logs and Alerts SysmonLog Stopped
  Manual Own Process
    c:\windows\system32\smlogsvc.exe
  Normal NT AUTHORITY\NetworkService 0
Telephony TapiSrv Stopped Manual Share Process
  c:\windows\system32\svchost.exe -k tapisrv
  Normal LocalSystem 0
Terminal Services TermService Stopped
  Disabled Share Process

```

```

Telnet TlntSvr Stopped Disabled Own Process
  c:\windows\system32\tlntsvr.exe
  Normal NT AUTHORITY\LocalService 0
Distributed Link Tracking Server TrkSvr
  Stopped Disabled Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Normal LocalSystem 0
Distributed Link Tracking Client TrkWks
  Running Auto Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Normal LocalSystem 0
Terminal Services Session Directory Tssdis
  Stopped Disabled Own Process
    c:\windows\system32\tssdis.exe
  Normal LocalSystem 0
Upload Manager uploadmgr Stopped Manual
  Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Normal LocalSystem 0
Uninterruptible Power Supply UPS Stopped
  Manual Own Process
    c:\windows\system32\ups.exe Normal NT
AUTHORITY\LocalService 0
Virtual Disk Service vds Stopped
  Manual Own Process
    c:\windows\system32\vds.exe Normal
  LocalSystem 0
Volume Shadow Copy VSS Stopped Manual Own
Process c:\windows\system32\vssvc.exe Normal
  LocalSystem 0
Windows Time W32Time Running Auto
  Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Normal LocalSystem 0
World Wide Web Publishing Service W3SVC
  Stopped Manual Share Process
    c:\windows\system32\svchost.exe -k iissvcs
  Normal LocalSystem 0
WebClient WebClient Stopped Disabled Share Process
  c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
WinHTTP Web Proxy Auto-Discovery Service
  WinHttpAutoProxySvc Stopped Manual
  Share Process
    c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Windows Management Instrumentation winmgmt
  Running Auto Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Ignore LocalSystem 0
Windows Management Instrumentation Driver Extensions
  Wmi Stopped Manual Share Process
    c:\windows\system32\svchost.exe -k netsvcs
  Normal LocalSystem 0
WMI Performance Adapter WmiApSrv Stopped
  Manual Own Process
    c:\windows\system32\wbem\wmiapsrv.exe
  Normal LocalSystem 0

```

```

Automatic Updates wuauserv Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Wireless Configuration WZCSV C Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0

[Program Groups]

Group Name Name User Name
Accessories Default User:Accessories
    Default User
Accessories\Accessibility Default
User:Accessories\Accessibility Default User
Accessories\Entertainment Default
User:Accessories\Entertainment Default User
Startup Default User:Startup Default User
Accessories All Users:Accessories All
Users
Accessories\Accessibility All
Users:Accessories\Accessibility All Users
Accessories\Communications All
Users:Accessories\Communications All Users
Accessories\Entertainment All
Users:Accessories\Entertainment All Users
Accessories\System Tools All
Users:Accessories\System Tools All Users
Administrative Tools All
Users:Administrative Tools All Users
Compaq System Tools All Users:Compaq System Tools All
Users
Microsoft SQL Server All Users:Microsoft SQL
Server All Users
Startup All Users:Startup All Users
Accessories NT AUTHORITY\SYSTEM:Accessories
    NT AUTHORITY\SYSTEM
Accessories\Accessibility NT
AUTHORITY\SYSTEM:Accessories\Accessibility NT
AUTHORITY\SYSTEM
Accessories\Entertainment NT
AUTHORITY\SYSTEM:Accessories\Entertainment NT
AUTHORITY\SYSTEM
Startup NT AUTHORITY\SYSTEM:Startup NT
AUTHORITY\SYSTEM
Accessories EVEREST\Administrator:Accessories
    EVEREST\Administrator
Accessories\Accessibility EVEREST\Administrator:Accessories\Accessibi
lity EVEREST\Administrator
Accessories\Entertainment EVEREST\Administrator:Accessories\Entertain
ment EVEREST\Administrator
Administrative Tools EVEREST\Administrator:Administrative Tools
    EVEREST\Administrator
Java Web Start EVEREST\Administrator:Java Web
Start EVEREST\Administrator

```

```

QLogic Corporation EVEREST\Administrator:QLogic
Corporation EVEREST\Administrator
QLogic Corporation\SANblade Control VIX
    EVEREST\Administrator:QLogic
Corporation\SANblade Control VIX
    EVEREST\Administrator
Startup EVEREST\Administrator:Startup
    EVEREST\Administrator

[Startup Programs]

Program Command User Name Location
desktop desktop.ini NT AUTHORITY\SYSTEM
    Startup
desktop desktop.ini EVEREST\Administrator
    Startup
desktop desktop.ini .DEFAULT Startup
desktop desktop.ini All Users Common
Startup Service Manager
    c:\progra~1\micros~1\80\tools\binn\sqlmangr
.exe /n All Users Common Startup

[OLE Registration]

Object Local Server
Sound (OLE2) sndrec32.exe
Media Clip mplay32.exe
Video Clip mplay32.exe /avi
MIDI Sequence mplay32.exe /mid
Sound Not Available
Media Clip Not Available
WordPad Document "%programfiles%\windows
nt\accessories\wordpad.exe"
Bitmap Image mspaint.exe

[Windows Error Reporting]

Time Type Details
4/16/2003 11:44 AM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/16/2003 10:42 AM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/15/2003 7:32 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/15/2003 4:35 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/15/2003 12:15 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/14/2003 6:34 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/14/2003 6:18 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/14/2003 5:26 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/14/2003 4:09 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/14/2003 3:51 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/14/2003 3:41 PM Application Error Faulting
application cpqacuxe.exe, version 1.30.7.0, faulting
module cpqacuxe.exe, version 1.30.7.0, fault address
0x0000000000212b0.&#x000d;&#x00a;

```

```

4/14/2003 3:34 PM Application Error Faulting
application cpqacuxe.exe, version 1.30.7.0, faulting
module cpqacuxe.exe, version 1.30.7.0, fault address
0x000000000021b9b0.&#x000d;&#x00a;
4/14/2003 3:29 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/14/2003 12:36 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/14/2003 11:10 AM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/14/2003 10:54 AM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/9/2003 3:07 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/9/2003 9:53 AM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/8/2003 11:10 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/8/2003 10:42 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/8/2003 10:32 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/8/2003 4:20 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/8/2003 3:27 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/8/2003 3:06 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/8/2003 2:36 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/8/2003 1:36 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/8/2003 11:46 AM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/8/2003 10:55 AM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/8/2003 9:39 AM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/7/2003 8:28 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/7/2003 7:18 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/7/2003 6:20 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/7/2003 6:05 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/7/2003 5:56 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/7/2003 4:59 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/7/2003 4:05 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/7/2003 3:52 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/7/2003 3:22 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/7/2003 2:12 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/7/2003 11:11 AM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;
4/4/2003 4:12 PM TlntSvr Telnet Service was
started successfully.&#x000d;&#x00a;

```

4/4/2003 3:57 PM TlntSvr Telnet Service was started successfully.&#x00d;&#x00a;  
 4/4/2003 3:30 PM TlntSvr Telnet Service was started successfully.&#x00d;&#x00a;

[Internet Settings]

[Internet Explorer]

[ Following are sub-categories of this main category ]

[Summary]

Item	Value
Version	6.0.3790.0
Build	63790
Application Path	C:\Program Files\Internet Explorer
Language	English (United States)
Active Printer	Not Available
Cipher Strength	128-bit
Content Advisor	Disabled
IEAK Install	No

[File Versions]

File	Version	Size	Date	Path
actxprxy.dll	6.0.3790.0	230 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
advpack.dll	6.0.3790.0	240 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
asctrls.ocx	6.0.3790.0	219 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
browselc.dll	6.0.3790.0	62 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
browseui.dll	6.0.3790.0	2,478 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
cdfview.dll	6.0.3790.0	292 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
comctl32.dll	5.82.3790.0	1,584 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
dxtrans.dll	6.3.3790.0	562 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation

	Version	Size	Date	Path
dxtmsft.dll	6.3.3790.0	918 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
iecont.dll	<File Missing>	Not Available	Not Available	Not Available
iecontlc.dll	<File Missing>	Not Available	Not Available	Not Available
iedkcs32.dll	16.0.3790.0	676 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
ipeers.dll	6.0.3790.0	652 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
iesetup.dll	6.0.3790.0	89 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
ieuinit.inf	Not Available	20 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Not Available
iexplore.exe	6.0.3790.0	102 KB	3/25/2003 7:00:00 AM	C:\Program Files\Internet Explorer Microsoft Corporation
imgutil.dll	5.2.3790.0	101 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
inetcpl.cpl	6.0.3790.0	589 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
inetcplc.dll	6.0.3790.0	108 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
inseng.dll	6.0.3790.0	213 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
mlang.dll	6.0.3790.0	799 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
msencode.dll	<File Missing>	Not Available	Not Available	Not Available
mshta.exe	6.0.3790.0	59 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
mshtml.dll	6.0.3790.0	8,016 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
mshtml.tlb	6.0.3790.0	1,319 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation

	Version	Size	Date	Path
mshtmled.dll	6.0.3790.0	1,376 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
mshtmler.dll	6.0.3790.0	56 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
msident.dll	6.0.3790.0	128 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
msidntld.dll	6.0.3790.0	14 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
msieftp.dll	6.0.3790.0	536 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
msrating.dll	6.0.3790.0	379 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
mstime.dll	6.0.3790.0	1,621 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
occache.dll	6.0.3790.0	201 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
proctexe.ocx	<File Missing>	Not Available	Not Available	Not Available
sendmail.dll	6.0.3790.0	97 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
shdoclc.dll	6.0.3790.0	588 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
shdocvw.dll	6.0.3790.0	3,281 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
shfolder.dll	6.0.3790.0	37 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
shlwapi.dll	6.0.3790.0	722 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
tdc.ocx	1.3.0.3130	177 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
url.dll	6.0.3790.0	45 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation
urlmon.dll	6.0.3790.0	1,242 KB	3/25/2003 7:00:00 AM	C:\WINDOWS\system32 Microsoft Corporation

```

C:\WINDOWS\system32 Microsoft Corporation
webcheck.dll      6.0.3790.0      665 KB
3/25/2003 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation

wininet.dll       6.0.3790.0      1,466 KB
3/25/2003 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation

[Connectivity]
Item      Value
Connection Preference    Never dial

LAN Settings
AutoConfigProxy    Not Available
AutoProxyDetectMode Disabled
AutoConfigURL
Proxy     Disabled
ProxyServer
ProxyOverride

[Cache]
[ Following are sub-categories of this main category ]
[Summary]

Item      Value
Page Refresh Type   Automatic
Temporary Internet Files Folder      C:\Documents
and Settings\NetworkService.NT AUTHORITY\Local
Settings\Temporary Internet Files
Total Disk Space    Not Available
Available Disk Space  Not Available
Maximum Cache Size  Not Available
Available Cache Size Not Available

[List of Objects]
Program File      Status      CodeBase
No cached object information available

[Content]
[ Following are sub-categories of this main category ]
[Summary]

Item      Value
Content Advisor     Disabled

[Personal Certificates]
Issued To Issued By Validity  Signature Algorithm
No personal certificate information available

[Other People Certificates]

```

Issued To Issued By Validity Signature Algorithm  
No other people certificate information available

#### [Publishers]

Name  
No publisher information available

#### [Security]

Zone	Security Level
My Computer	Custom
Local intranet	Medium-low
Trusted sites	Low
Internet	Medium
Restricted sites	High

## **Server Bus Performance Driver Registry Parameters**

Key Name:  
HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\hpqcissb  
Class Name: <NO CLASS>  
Last Write Time: 4/22/2003 - 4:50 PM

Value 0  
Name: Type  
Type: REG\_DWORD  
Data: 0x1

Value 1  
Name: Start  
Type: REG\_DWORD  
Data: 0

Value 2  
Name: ErrorControl  
Type: REG\_DWORD  
Data: 0x1

Value 3  
Name: Tag  
Type: REG\_DWORD  
Data: 0x102

Value 4  
Name: ImagePath  
Type: REG\_EXPAND\_SZ  
Data: system32\DRIVERS\hpqcissb.sys

Value 5  
Name: DisplayName  
Type: REG\_SZ

Data: Smart Array Controllers Non-Miniport Bus Driver

Value 6  
Name: Group  
Type: REG\_SZ  
Data: port

Key Name:  
HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\hpqcissb\Parameters  
Class Name: <NO CLASS>  
Last Write Time: 4/20/2003 - 10:28 PM

Value 0  
Name: CompletionMode  
Type: REG\_DWORD  
Data: 0x2

Key Name:  
HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\hpqcissb\Parameters\Controller1  
Class Name: <NO CLASS>  
Last Write Time: 4/8/2003 - 11:26 AM

Value 0  
Name: CompletionMode  
Type: REG\_DWORD  
Data: 0x1

Key Name:  
HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\hpqcissb\Security  
Class Name: <NO CLASS>  
Last Write Time: 4/7/2003 - 5:24 PM

Value 0  
Name: Security  
Type: REG\_BINARY  
Data:  
00000000 01 00 14 80 90 00 00 00 - 9c 00 00 00 14  
00 00 00 .....  
00000010 30 00 00 02 00 1c 00 - 01 00 00 00 02  
80 14 00 0.....  
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00  
00 00 00 y.....  
00000030 02 00 60 00 04 00 00 00 - 00 00 14 00 fd  
01 02 00 ..`....y...  
00000040 01 01 00 00 00 00 05 - 12 00 00 00 00  
00 18 00 .....  
00000050 ff 01 0f 00 01 02 00 00 - 00 00 00 05 20  
00 00 00 y.....  
00000060 20 02 00 00 00 14 00 - 8d 01 02 00 01  
01 00 00 .....  
00000070 00 00 00 05 0b 00 00 00 - 00 00 18 00 fd  
01 02 00 ..`....y...  
00000080 01 02 00 00 00 00 05 - 20 00 00 00 23  
02 00 00 .....#...  
00000090 01 01 00 00 00 00 00 05 - 12 00 00 00 01  
01 00 00 .....  
00 00 00 05 12 00 00 00 -  
.....

Key Name:  
 HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\hpqci(ssb)\Enum  
 Class Name: <NO CLASS>  
 Last Write Time: 4/22/2003 - 4:50 PM  
 Value 0  
     Name: 0  
     Type: REG\_SZ  
     Data: Root\LEGACY\_HPQCISSB\0000  
  
 Value 1  
     Name: Count  
     Type: REG\_DWORD  
     Data: 0x1  
  
 Value 2  
     Name: NextInstance  
     Type: REG\_DWORD  
     Data: 0x1

## Server Disk Device Performance Driver Registry Parameters

Key Name:  
 HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\hpqci(ssd)  
 Class Name: <NO CLASS>  
 Last Write Time: 4/22/2003 - 4:50 PM  
 Value 0  
     Name: Type  
     Type: REG\_DWORD  
     Data: 0x1  
  
 Value 1  
     Name: Start  
     Type: REG\_DWORD  
     Data: 0  
  
 Value 2  
     Name: ErrorControl  
     Type: REG\_DWORD  
     Data: 0x1  
  
 Value 3  
     Name: Tag  
     Type: REG\_DWORD  
     Data: 0x102  
  
 Value 4

Name: ImagePath  
 Type: REG\_EXPAND\_SZ  
 Data: system32\DRIVERS\hpqci(ssd).sys  
  
 Value 5  
     Name: DisplayName  
     Type: REG\_SZ  
     Data: Smart Array Controllers Non-Miniport Disk Driver  
  
 Value 6  
     Name: Group  
     Type: REG\_SZ  
     Data: Primary Disk  
  
 Key Name:  
 HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\hpqci(ssd)\Security  
 Class Name: <NO CLASS>  
 Last Write Time: 4/7/2003 - 5:34 PM  
 Value 0  
     Name: Security  
     Type: REG\_BINARY  
     Data:  
 00000000 01 00 14 80 90 00 00 00 - 9c 00 00 00 14  
 00 00 00 .....  
 00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02  
 80 14 00 0.....  
 00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00  
 00 00 00 ¥.....  
 00000030 02 00 60 00 04 00 00 00 - 00 00 14 00 fd  
 01 02 00 ..`.....¥..  
 00000040 01 01 00 00 00 00 00 05 - 12 00 00 00 00  
 00 18 00 .....  
 00000050 ff 01 0f 00 01 02 00 00 - 00 00 00 05 20  
 00 00 00 ¥.....  
 00000060 20 02 00 00 00 00 14 00 - 8d 01 02 00 01  
 01 00 00 .....  
 00000070 00 00 00 05 0b 00 00 00 - 00 00 18 00 fd  
 01 02 00 .....¥..  
 00000080 01 02 00 00 00 00 00 05 - 20 00 00 00 23  
 02 00 00 .....#. .  
 00000090 01 01 00 00 00 00 00 05 - 12 00 00 00 01  
 01 00 00 .....  
 00 00 00 05 12 00 00 00 -  
 .....

Key Name:  
 HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\hpqci(ssd)\Enum  
 Class Name: <NO CLASS>  
 Last Write Time: 4/22/2003 - 4:50 PM  
 Value 0  
     Name: 0  
     Type: REG\_SZ  
     Data: Root\LEGACY\_HPQCISSD\0000  
  
 Value 1  
     Name: Count  
     Type: REG\_DWORD  
     Data: 0x1

Value 2  
     Name: NextInstance  
     Type: REG\_DWORD  
     Data: 0x1

## Web Client Hardware Configuration

System Information report written at: 04/21/2003  
 04:05:45 PM  
 [System Information]

[ Following are sub-categories of this main category ]  
 [System Summary]

Item	Value
OS Name	Microsoft Windows 2000 Server
Version	5.0.2195 Service Pack 3 Build 2195
OS Manufacturer	Microsoft Corporation
System Name	CL2
System Manufacturer	Compaq
System Model	Proliant DL360 G2
System Type	X86-based PC
Processor	x86 Family 6 Model 11 Stepping 1
GenuineIntel	-1396 Mhz
Processor	x86 Family 6 Model 11 Stepping 1
GenuineIntel	-1396 Mhz
BIOS Version	02/07/03
Windows Directory	C:\WINNT
System Directory	C:\WINNT\System32
Boot Device	\Device\Harddisk0\Partition1
Locale	United States
User Name	CL2\Administrator
Time Zone	Central Daylight Time
Total Physical Memory	1,048,088 KB
Available Physical Memory	789,056 KB
Total Virtual Memory	2,783,232 KB
Available Virtual Memory	2,339,088 KB
Page File Space	1,735,144 KB
Page File	C:\pagefile.sys

[Hardware Resources]

[ Following are sub-categories of this main category ]

[Conflicts/Sharing]

Resource	Device
IRQ 7	Standard OpenHCD USB Host Controller
IRQ 7	PCI standard host CPU bridge

[DMA]					
Channel 7	Device Direct memory access controller	Status OK	0x00C00-0x00DF	Direct memory access controller	0xF5FF0000-0x5FFF0FFF
2	Standard floppy disk controller	OK	0x040B-0x040B	Direct memory access controller	RAGE XL PCI OK
			0x04D6-0x04D6	Direct memory access controller	0x5F5E0000-0x5F5E01FF
[Forced Hardware]					
Device	PNP Device ID		0x0061-0x0061	System speaker OK	0x5F5F0000-0x5F5F07FF
No Forced Hardware			0x0060-0x0060	Standard 101/102-Key or Microsoft	0x5F5F1000-0x5F5F1FFFF
[I/O]			0x0064-0x0064	Standard 101/102-Key or Microsoft	0x5F5F2000-0x5F5F7FFF
Address Range	Device	Status	Natural PS/2 Keyboard	OK	0x5F5F0000-0x5F5F0FFF
0x00000-0x0CFF	PCI bus	OK	0x0064-0x0064	Standard 101/102-Key or Microsoft	Host Controller OK
0x00000-0x0CFF	PCI bus	OK	Natural PS/2 Keyboard	OK	0x7D00000-0x7EFFFFF
0x00000-0x0CFF	Direct memory access controller	OK	0x002E-0x002F	Extended IO Bus OK	0x7EC0000-0x7EFFFFF
			0x0220-0x0223	Extended IO Bus OK	OK
0x03B0-0x03DF	PCI bus	OK	0x0240-0x025F	Extended IO Bus OK	0x7DF0000-0x7DF3FFF
0x03B0-0x03DF	ATI Technologies Inc. RAGE XL PCI	OK	0x0070-0x0073	Extended IO Bus OK	OK
			0x3F8-0x03FF	Communications Port (COM1) OK	0x7EB0000-0x7EBFFF
0x2400-0x24FF	ATI Technologies Inc. RAGE XL PCI	OK	0x03F2-0x03F5	Standard floppy disk controller	Server Adapter OK
0x03C0-0x03DF	ATI Technologies Inc. RAGE XL PCI	OK			0x7EA0000-0x7EAFFFF
			0x03F7-0x03F7	Standard floppy disk controller	Server Adapter #2 OK
0x1800-0x18FF	Base System Device	OK	0x2000-0x200F	Standard Dual Channel PCI IDE	0x7F00000-0x7FFFFFF
0x2800-0x28FF	Base System Device	OK	Controller	OK	0x7FF0000-0x7FF0FFF
0xA79-0x0A79	ISAPNP Read Data Port	OK	0x27FC-0x27FF	Standard Dual Channel PCI IDE	Fibre Channel Adapter OK
0x0279-0x0279	ISAPNP Read Data Port	OK	0x01F0-0x01F7	Primary IDE Channel OK	
0x02F4-0x02F7	ISAPNP Read Data Port	OK	0x3F6-0x03F6	Primary IDE Channel OK	
0x0F50-0x0F58	Motherboard resources	OK	0x0170-0x0177	Secondary IDE Channel	
0x0408-0x040F	Motherboard resources	OK	0x0376-0x0376	Secondary IDE Channel	
0x0092-0x0092	Motherboard resources	OK	0x3000-0x30FF	PCI bus OK	
0x0900-0x0903	Motherboard resources	OK	0x4000-0x40FF	Compaq Smart Array 5i OK	
0x0910-0x0911	Motherboard resources	OK	0x4000-0x40FF	PCI bus OK	
0x0920-0x0923	Motherboard resources	OK	Adapter	QLogic QLA23xx PCI Fibre Channel	
0x0930-0x0937	Motherboard resources	OK			
0x0940-0x0947	Motherboard resources	OK	[IRQs]		
0x0950-0x0957	Motherboard resources	OK	IRQ Number	Device	
0xC006-0x0C08	Motherboard resources	OK	9	Microsoft ACPI-Compliant System	c:\winnt\system32\iac25_32.ax Intel Corporation
0xC114-0x0C14	Motherboard resources	OK	24	ATI Technologies Inc. RAGE XL PCI	Indeo® audio software OK
0xC49-0x0C4A	Motherboard resources	OK	3	Base System Device	C:\WINNT\System32\IAC25_32.AX 2.05.53
0xC50-0x0C52	Motherboard resources	OK	5	Base System Device	195.00 KB (199,680 bytes) 12/7/1999
0xC6C-0x0C6F	Motherboard resources	OK	1	Standard 101/102-Key or Microsoft	
0x0110-0x011F	Motherboard resources	OK	PS/2 Keyboard		
0x0230-0x0233	Motherboard resources	OK	12	PS/2 Compatible Mouse	7:00:00 AM c:\winnt\system32\lhacm.acm Microsoft Corporation
0x0260-0x0267	Motherboard resources	OK	4	Communications Port (COM1)	OK C:\WINNT\System32\LHACM.AC 4.4.3385
0x04D0-0x04D1	Motherboard resources	OK	6	Standard floppy disk controller	33.27 KB (34,064 bytes) 9/13/2002
0x0700-0x070F	Motherboard resources	OK	14	Primary IDE Channel	5:46:04 PM c:\winnt\system32\msg711.acm Microsoft Corporation
0x0800-0x081F	Motherboard resources	OK	7	Standard OpenHCD USB Host Controller	OK C:\WINNT\System32\MSG711.AC 5.00.2134.1
0x0C80-0x0C83	Motherboard resources	OK	7	PCI standard host CPU bridge	10.27 KB (10,512 bytes) 12/7/1999
0x0CD4-0x0CD7	Motherboard resources	OK	31	Compaq Smart Array 5i	7:00:00 AM c:\winnt\system32\msgsm32.acm Microsoft Corporation
0x0CF9-0x0CF9	Motherboard resources	OK	30	Compaq NC7780 Gigabit Server Adapter	OK C:\WINNT\System32\MSGSM32.AC 5.00.2134.1
0x0020-0x0021	Programmable interrupt controller	OK	29	Compaq NC7780 Gigabit Server Adapter #2	22.27 KB (22,800 bytes) 12/7/1999
			28	QLogic QLA23xx PCI Fibre Channel Adapter	7:00:00 AM c:\winnt\system32\msg723.acm Microsoft Corporation
0x00A0-0x00A1	Programmable interrupt controller	OK			OK C:\WINNT\System32\MSG723.AC 4.4.3385
0x0C00-0x0C01	Programmable interrupt controller	OK	Range	Device	106.77 KB (109,328 bytes) 9/13/2002
0x0040-0x0043	System timer	OK	0xA0000-0xBFFF	PCI bus	5:46:03 PM c:\winnt\system32\msadp32.acm Microsoft Corporation
0x0080-0x008F	Direct memory access controller	OK	0xA0000-0xBFFF	ATI Technologies Inc. RAGE XL PCI	OK

```

C:\WINNT\System32\MSADP32.ACM 5.00.2134.1
14.77 KB (15,120 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\tssoft32.acm           DSP GROUP,
INC.          OK
C:\WINNT\System32\TSSOFT32.ACM
1.01      9.27 KB (9,488 bytes)
12/7/1999 7:00:00 AM
c:\winnt\system32\imaadp32.acm           Microsoft
Corporation    OK
C:\WINNT\System32\IMAADP32.ACM
5.00.2134.1   16.27 KB (16,656 bytes)
12/7/1999 7:00:00 AM

[Video Codecs]

Codec   Manufacturer     Description
Status   File        Version  Size
Creation Date
c:\winnt\system32\ir50_32.dll Intel Corporation
Indeo® video 5.10  OK
C:\WINNT\System32\IR50_32.DLL
R.5.10.15.2.55  737.50 KB (755,200
bytes) 12/7/1999 7:00:00 AM
c:\winnt\system32\ir32_32.dll Intel(R) Corporation
OK
C:\WINNT\System32\IR32_32.DLL Not Available
194.50 KB (199,168 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\iccvid.dll Radius Inc.
OK          C:\WINNT\System32\ICCVID.DLL
1.10.0.6  108.00 KB (110,592 bytes)
12/7/1999 7:00:00 AM
c:\winnt\system32\msh263.drv Microsoft Corporation
OK
C:\WINNT\System32\MSH263.DRV 4.4.3385
252.27 KB (258,320 bytes) 9/13/2002
5:45:39 PM
c:\winnt\system32\msrle32.dll Microsoft Corporation
OK
C:\WINNT\System32\MSRLE32.DLL 5.00.2134.1
10.77 KB (11,024 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\msvidc32.dll Microsoft
Corporation    OK
C:\WINNT\System32\MSVIDC32.DLL
5.00.2134.1   27.27 KB (27,920 bytes)
12/7/1999 7:00:00 AM
c:\winnt\system32\msh261.drv Microsoft Corporation
OK
C:\WINNT\System32\MSH261.DRV 4.4.3385
163.77 KB (167,696 bytes) 9/13/2002
5:46:04 PM

[CD-ROM]

Item   Value
Drive  D:
Description CD-ROM Drive
Media Loaded False
Media Type  CD-ROM
Name    COMPAQ CD-224E
Manufacturer (Standard CD-ROM drives)

```

```

Status   OK
Transfer Rate Not Available
SCSI Target ID 0
PNP Device ID IDE\CDROMCOMPAQ_CD-
224E          A.8D\5&23A72C42&0&0
.0.0

[Sound Device]

Item   Value
No sound devices

[Display]

Item   Value
Name    ATI Technologies Inc. RAGE XL PCI
PNP Device ID PCI\VEN_1002&DEV_4752&SUBSYS_001E0E11&REV_2
7\3&267A616A&0&18
Adapter Type ATI RAGE XL PCI, ATI Technologies
Inc. compatible
Adapter Description ATI Technologies Inc. RAGE XL PCI
Adapter RAM 8.00 MB (8,388,608 bytes)
Installed Drivers atidrab.dll
Driver Version 5.00.2179.1
INF File display.inf (atirage3 section)
Color Planes 1
Color Table Entries 65536
Resolution 640 x 480 x 60 hertz
Bits/Pixel 16

[Infrared]

Item   Value
No infrared devices

[Input]

[ Following are sub-categories of this main category
]

[Keyboard]

Item   Value
Description Standard 101/102-Key or Microsoft
Natural PS/2 Keyboard
Name    Enhanced (101- or 102-key)
Layout  00000409
PNP Device ID ACPI\PNP0303\4&32BA4B66&0
NumberOfFunctionKeys 12

[Pointing Device]

Item   Value
Hardware Type PS/2 Compatible Mouse
Number of Buttons 2
Status   OK
PNP Device ID ACPI\PNP0F13\4&32BA4B66&0
Power Management Supported False
Double Click Threshold 6

```

Handedness	Right Handed Operation
[Modem]	
Item	Value
No modems	
[Network]	
[ Following are sub-categories of this main category ]	
[Adapter]	
Item	Value
Name	[00000000] RAS Async Adapter
Adapter Type	Not Available
Product Name	RAS Async Adapter
Installed True	
PNP Device ID	Not Available
Last Reset	4/21/2003 5:35:38 AM
Index	0
Service Name	AsyncMac
IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available
DHCP Enabled	False
DHCP Server	Not Available
DHCP Lease Expires	Not Available
DHCP Lease Obtained	Not Available
MAC Address	Not Available
Service Name	Not Available
Name [00000001] WAN Miniport (L2TP)	
Adapter Type	Not Available
Product Name	WAN Miniport (L2TP)
Installed True	
PNP Device ID	ROOT\MS_L2TPMINIPORT\0000
Last Reset	4/21/2003 5:35:38 AM
Index	1
Service Name	Ras12tp
IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available
DHCP Enabled	False
DHCP Server	Not Available
DHCP Lease Expires	Not Available
DHCP Lease Obtained	Not Available
MAC Address	Not Available
Service Name	Ras12tp
Driver	c:\winnt\system32\drivers\ras12tp.sys (52112, 5.00.2195.4052)
Name [00000002] WAN Miniport (PPTP)	
Adapter Type	Wide Area Network (WAN)
Product Name	WAN Miniport (PPTP)
Installed True	
PNP Device ID	ROOT\MS_PPTPMINIPORT\0000
Last Reset	4/21/2003 5:35:38 AM
Index	2
Service Name	PptpMiniport
IP Address	Not Available

IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 50:50:54:50:30:30
Service Name PptpMiniport
Driver c:\winnt\system32\drivers\raspppt.sys (47888, 5.00.2195.4080)
 Name [00000003] Direct Parallel
Adapter Type Not Available
Product Name Direct Parallel
Installed True
PNP Device ID ROOT\MS_PTIMINIPORT\0000
Last Reset 4/21/2003 5:35:38 AM
Index 3
Service Name Raspti
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Service Name Raspti
Driver c:\winnt\system32\drivers\raspti.sys (16880, 5.00.2146.1)
 Name [00000004] WAN Miniport (IP)
Adapter Type Not Available
Product Name WAN Miniport (IP)
Installed True
PNP Device ID ROOT\MS_NDISWANIP\0000
Last Reset 4/21/2003 5:35:38 AM
Index 4
Service Name NdisWan
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Service Name NdisWan
Driver c:\winnt\system32\drivers\ndiswan.sys (93104, 5.00.2195.5241)
 Name [00000005] Compaq NC7780 Gigabit Server
Adapter Type Ethernet 802.3
Product Name Compaq NC7780 Gigabit Server
Adapter
Installed True
PNP Device ID PCI\VEN_14E4&DEV_1645&SUBSYS_00850E11&REV_1 5\3&13C0B0C5&0&28
Last Reset 4/21/2003 5:35:38 AM
Index 5
Service Name q57w2k

IP Address 130.168.40.2
IP Subnet 255.255.0.0
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 00:08:02:45:52:CA
Service Name q57w2k
IRQ Number 30
Driver c:\winnt\system32\drivers\q57w2k.sys (77776, 2.75.0.0)
 Name [00000006] Compaq NC7780 Gigabit Server
Adapter Type Ethernet 802.3
Product Name Compaq NC7780 Gigabit Server
Adapter
Installed True
PNP Device ID PCI\VEN_14E4&DEV_1645&SUBSYS_00850E11&REV_1 5\3&13C0B0C5&0&30
Last Reset 4/21/2003 5:35:38 AM
Index 6
Service Name q57w2k
IP Address 130.172.11.2
IP Subnet 255.255.0.0
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 00:08:02:45:52:CB
Service Name q57w2k
IRQ Number 29
Driver c:\winnt\system32\drivers\q57w2k.sys (77776, 2.75.0.0)
 Name [00000007] Compaq NC3123 Fast Ethernet NIC
Adapter Type Not Available
Product Name Compaq NC3123 Fast Ethernet NIC
Installed True
PNP Device ID Not Available
Last Reset 4/21/2003 5:35:38 AM
Index 7
Service Name N100
IP Address 130.172.11.2
IP Subnet 255.255.0.0
Default IP Gateway Not Available
DHCP Enabled True
DHCP Server 130.168.253.2
DHCP Lease Expires 9/16/2002 3:58:55 PM
DHCP Lease Obtained 9/15/2002 3:58:55 PM
MAC Address 00:08:02:45:52:CB
Service Name Not Available
 [Protocol]
Item Value
Name MSAFD Tcpip [TCP/IP]
ConnectionlessService False
GuaranteesDelivery True

GuaranteesSequencing True
MaximumAddressSize 16 bytes
MaximumMessageSize 0 bytes
MessageOriented False
MinimumAddressSize 16 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData True
SupportsGracefulClosing True
SupportsGuaranteedBandwidth False
SupportsMulticasting False
 Name MSAFD Tcpip [UDP/IP]
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 16 bytes
MaximumMessageSize 65467 bytes
MessageOriented True
MinimumAddressSize 16 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting True
 Name RSVP UDP Service Provider
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 16 bytes
MaximumMessageSize 65467 bytes
MessageOriented True
MinimumAddressSize 16 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption True
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting True
 Name RSVP TCP Service Provider
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 16 bytes
MaximumMessageSize 0 bytes
MessageOriented False
MinimumAddressSize 16 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False

```

SupportsEncryption True
SupportsExpeditedData True
SupportsGracefulClosing True
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{4249431A-469E-4735-A292-01AA526741FC}] SEQPACKET 4
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{4249431A-469E-4735-A292-01AA526741FC}] DATAGRAM 4
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{4249431A-469E-4735-A292-01AA526741FC}] DATAGRAM 3
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

```

```

SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{3B09DDB7-7EB8-4941-8121-52DC6359F5A6}] DATAGRAM 3
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{684FA660-D082-4A8C-AC8C-C9D449B21686}] SEQPACKET 0
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{684FA660-D082-4A8C-AC8C-C9D449B21686}] DATAGRAM 0
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{684FA660-D082-4A8C-AC8C-C9D449B21686}] DATAGRAM 1
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

```

```

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{D90E04F2-3AD9-4F98-9464-751E106D7E6A}] SEQPACKET 1
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{D90E04F2-3AD9-4F98-9464-751E106D7E6A}] DATAGRAM 1
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{3F1BA297-E685-416B-82D7-70E771CC8745}] SEQPACKET 2
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{3F1BA297-E685-416B-82D7-70E771CC8745}] DATAGRAM 2
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{3F1BA297-E685-416B-82D7-70E771CC8745}] DATAGRAM 2
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

```

<p>ConnectionlessService True  GuaranteesDelivery False  GuaranteesSequencing False  MaximumAddressSize 20 bytes  MaximumMessageSize 64000 bytes  MessageOriented True  MinimumAddressSize 20 bytes  PseudoStreamOriented False  SupportsBroadcasting True  SupportsConnectData False  SupportsDisconnectData False  SupportsEncryption False  SupportsExpeditedData False  SupportsGracefulClosing False  SupportsGuaranteedBandwidth False  SupportsMulticasting False</p> <p>[WinSock]</p> <table border="0"> <tbody> <tr><td>Item</td><td>Value</td></tr> <tr><td>File</td><td>c:\winnt\system32\winsock.dll</td></tr> <tr><td>Version</td><td>3.10</td></tr> <tr><td>Size</td><td>2.80 KB (2,864 bytes)</td></tr> </tbody> </table> <p>File c:\winnt\system32\wsock32.dll  Version 5.00.2195.4874  Size 21.27 KB (21,776 bytes)</p> <p>[Ports]</p> <p>[ Following are sub-categories of this main category ]</p> <p>[Serial]</p> <table border="0"> <tbody> <tr><td>Item</td><td>Value</td></tr> <tr><td>Name</td><td>COM1</td></tr> <tr><td>Status</td><td>OK</td></tr> <tr><td>PNP Device ID</td><td>ACPI\PNP0501\0</td></tr> <tr><td>Maximum Input Buffer Size</td><td>0</td></tr> <tr><td>Maximum Output Buffer Size</td><td>False</td></tr> <tr><td>Settable Baud Rate</td><td>True</td></tr> <tr><td>Settable Data Bits</td><td>True</td></tr> <tr><td>Settable Flow Control</td><td>True</td></tr> <tr><td>Settable Parity</td><td>True</td></tr> <tr><td>Settable Parity Check</td><td>True</td></tr> <tr><td>Settable Stop Bits</td><td>True</td></tr> <tr><td>Settable RLSD</td><td>True</td></tr> <tr><td>Supports RLSD</td><td>True</td></tr> <tr><td>Supports 16 Bit Mode</td><td>False</td></tr> <tr><td>Supports Special Characters</td><td>False</td></tr> <tr><td>Baud Rate</td><td>9600</td></tr> <tr><td>Bits/Byte</td><td>8</td></tr> <tr><td>Stop Bits</td><td>1</td></tr> <tr><td>Parity</td><td>None</td></tr> <tr><td>Busy</td><td>0</td></tr> <tr><td>Abort Read/Write on Error</td><td>0</td></tr> <tr><td>Binary Mode Enabled</td><td>-1</td></tr> <tr><td>Continue Xmit on XOff</td><td>0</td></tr> <tr><td>CTS Outflow Control</td><td>0</td></tr> <tr><td>Discard NULL Bytes</td><td>0</td></tr> </tbody> </table>	Item	Value	File	c:\winnt\system32\winsock.dll	Version	3.10	Size	2.80 KB (2,864 bytes)	Item	Value	Name	COM1	Status	OK	PNP Device ID	ACPI\PNP0501\0	Maximum Input Buffer Size	0	Maximum Output Buffer Size	False	Settable Baud Rate	True	Settable Data Bits	True	Settable Flow Control	True	Settable Parity	True	Settable Parity Check	True	Settable Stop Bits	True	Settable RLSD	True	Supports RLSD	True	Supports 16 Bit Mode	False	Supports Special Characters	False	Baud Rate	9600	Bits/Byte	8	Stop Bits	1	Parity	None	Busy	0	Abort Read/Write on Error	0	Binary Mode Enabled	-1	Continue Xmit on XOff	0	CTS Outflow Control	0	Discard NULL Bytes	0	<p>DSR Outflow Control 0  DSR Sensitivity 0  DTR Flow Control Type Enable  EOF Character 0  Error Replace Character 0  Error Replacement Enabled 0  Event Character 0  Parity Check Enabled 0  RTS Flow Control Type Enable  XOff Character 19  XOffXmit Threshold 512  XOn Character 17  XOnXmit Threshold 2048  XOnXoff InFlow Control 0  XOnXoff OutFlow Control 0  IRQ Number 4  I/O Port 0x03F8-0x03FF  Driver c:\winnt\system32\drivers\serial.sys (62512, 5.00.2195.5080)</p> <p>[Parallel]</p> <table border="0"> <tbody> <tr><td>Item</td><td>Value</td></tr> <tr><td colspan="2">No parallel port information</td></tr> </tbody> </table> <p>[Storage]</p> <p>[ Following are sub-categories of this main category ]</p> <p>[Drives]</p> <table border="0"> <tbody> <tr><td>Item</td><td>Value</td></tr> <tr><td>Drive</td><td>A:</td></tr> <tr><td>Description</td><td>3 1/2 Inch Floppy Drive</td></tr> <tr><td>Drive</td><td>C:</td></tr> <tr><td>Description</td><td>Local Fixed Disk</td></tr> <tr><td>Compressed</td><td>False</td></tr> <tr><td>File System</td><td>NTFS</td></tr> <tr><td>Size</td><td>16.95 GB (18,198,999,040 bytes)</td></tr> <tr><td>Free Space</td><td>14.51 GB (15,584,595,968 bytes)</td></tr> <tr><td>Volume Name</td><td></td></tr> <tr><td>Volume Serial Number</td><td>C8B488FA</td></tr> <tr><td>Partition Disk #0, Partition #0</td><td></td></tr> <tr><td>Partition Size</td><td>16.95 GB (18,199,003,136 bytes)</td></tr> <tr><td>Starting Offset</td><td>16384 bytes</td></tr> <tr><td>Drive Description</td><td>Disk drive</td></tr> <tr><td>Drive Manufacturer</td><td>(Standard disk drives)</td></tr> <tr><td>Drive Model</td><td>COMPAQ LOGICAL VOLUME SCSI Disk</td></tr> <tr><td>Device</td><td></td></tr> <tr><td>Drive BytesPerSector</td><td>512</td></tr> <tr><td>Drive MediaLoaded</td><td>True</td></tr> <tr><td>Drive MediaType</td><td>Fixed hard disk media</td></tr> <tr><td>Drive Partitions</td><td>1</td></tr> <tr><td>Drive SCSIBus</td><td>0</td></tr> <tr><td>Drive SCSILogicalUnit</td><td>0</td></tr> <tr><td>Drive SCSIPort</td><td>2</td></tr> <tr><td>Drive SCSITargetId</td><td>4</td></tr> <tr><td>Drive SectorsPerTrack</td><td>32</td></tr> <tr><td>Drive Size</td><td>18203197440 bytes</td></tr> <tr><td>Drive TotalCylinders</td><td>4357</td></tr> </tbody> </table>	Item	Value	No parallel port information		Item	Value	Drive	A:	Description	3 1/2 Inch Floppy Drive	Drive	C:	Description	Local Fixed Disk	Compressed	False	File System	NTFS	Size	16.95 GB (18,198,999,040 bytes)	Free Space	14.51 GB (15,584,595,968 bytes)	Volume Name		Volume Serial Number	C8B488FA	Partition Disk #0, Partition #0		Partition Size	16.95 GB (18,199,003,136 bytes)	Starting Offset	16384 bytes	Drive Description	Disk drive	Drive Manufacturer	(Standard disk drives)	Drive Model	COMPAQ LOGICAL VOLUME SCSI Disk	Device		Drive BytesPerSector	512	Drive MediaLoaded	True	Drive MediaType	Fixed hard disk media	Drive Partitions	1	Drive SCSIBus	0	Drive SCSILogicalUnit	0	Drive SCSIPort	2	Drive SCSITargetId	4	Drive SectorsPerTrack	32	Drive Size	18203197440 bytes	Drive TotalCylinders	4357	<p>Drive TotalSectors 35553120  Drive TotalTracks 1111035  Drive TracksPerCylinder 255</p> <p>[SCSI]</p> <table border="0"> <tbody> <tr><td>Item</td><td>Value</td></tr> <tr><td>Name</td><td>Compaq Smart Array 5i</td></tr> <tr><td>Caption</td><td>Compaq Smart Array 5i</td></tr> <tr><td>Driver</td><td>cpqcissm</td></tr> <tr><td>Status</td><td>OK</td></tr> <tr><td>PNP Device ID</td><td>PCI\VEN_0E11&amp;DEV_B178&amp;SUBSYS_40800E11&amp;REV_0</td></tr> <tr><td colspan="2">1\3&amp;13C0B0C5&amp;0&amp;20</td></tr> <tr><td>Device ID</td><td>PCI\VEN_0E11&amp;DEV_B178&amp;SUBSYS_40800E11&amp;REV_0</td></tr> <tr><td colspan="2">1\3&amp;13C0B0C5&amp;0&amp;20</td></tr> <tr><td>Device Map</td><td>Not Available</td></tr> <tr><td>Index</td><td>Not Available</td></tr> <tr><td>Max Number Controlled</td><td>Not Available</td></tr> <tr><td>IRQ Number</td><td>31</td></tr> <tr><td>I/O Port</td><td>0x3000-0x30FF</td></tr> <tr><td>Driver</td><td>c:\winnt\system32\drivers\cpqcissm.sys (14992, 5.40.2.0)</td></tr> <tr><td>Name</td><td>QLogic QLA23xx PCI Fibre Channel Adapter</td></tr> <tr><td>Caption</td><td>QLogic QLA23xx PCI Fibre Channel Adapter</td></tr> <tr><td>Driver</td><td>ql2300</td></tr> <tr><td>Status</td><td>OK</td></tr> <tr><td>PNP Device ID</td><td>PCI\VEN_1077&amp;DEV_2312&amp;SUBSYS_010C1077&amp;REV_0</td></tr> <tr><td colspan="2">2\3&amp;1070020&amp;0&amp;28</td></tr> <tr><td>Device ID</td><td>PCI\VEN_1077&amp;DEV_2312&amp;SUBSYS_010C1077&amp;REV_0</td></tr> <tr><td colspan="2">2\3&amp;1070020&amp;0&amp;28</td></tr> <tr><td>Device Map</td><td>Not Available</td></tr> <tr><td>Index</td><td>Not Available</td></tr> <tr><td>Max Number Controlled</td><td>Not Available</td></tr> <tr><td>IRQ Number</td><td>28</td></tr> <tr><td>I/O Port</td><td>0x4000-0x40FF</td></tr> <tr><td>Driver</td><td>c:\winnt\system32\drivers\ql2300.sys (441733, 8.2.0 Beta 10 (W2K VI))</td></tr> <tr><td colspan="2">[Printing]</td></tr> <tr><td>Name</td><td>Port Name Server Name</td></tr> <tr><td colspan="2">No printing information</td></tr> <tr><td colspan="2">[Problem Devices]</td></tr> <tr><td>Device</td><td>PNP Device ID Error Code</td></tr> <tr><td>Base System Device</td><td>PCI\VEN_0E11&amp;DEV_B203&amp;SUBSYS_B2060E11&amp;REV_0</td></tr> <tr><td colspan="2">1\3&amp;267A616A&amp;0&amp;28 28</td></tr> <tr><td>Base System Device</td><td>PCI\VEN_0E11&amp;DEV_B204&amp;SUBSYS_B2060E11&amp;REV_0</td></tr> <tr><td colspan="2">1\3&amp;267A616A&amp;0&amp;2A 28</td></tr> <tr><td colspan="2">[USB]</td></tr> <tr><td>Device</td><td>PNP Device ID</td></tr> </tbody> </table>	Item	Value	Name	Compaq Smart Array 5i	Caption	Compaq Smart Array 5i	Driver	cpqcissm	Status	OK	PNP Device ID	PCI\VEN_0E11&DEV_B178&SUBSYS_40800E11&REV_0	1\3&13C0B0C5&0&20		Device ID	PCI\VEN_0E11&DEV_B178&SUBSYS_40800E11&REV_0	1\3&13C0B0C5&0&20		Device Map	Not Available	Index	Not Available	Max Number Controlled	Not Available	IRQ Number	31	I/O Port	0x3000-0x30FF	Driver	c:\winnt\system32\drivers\cpqcissm.sys (14992, 5.40.2.0)	Name	QLogic QLA23xx PCI Fibre Channel Adapter	Caption	QLogic QLA23xx PCI Fibre Channel Adapter	Driver	ql2300	Status	OK	PNP Device ID	PCI\VEN_1077&DEV_2312&SUBSYS_010C1077&REV_0	2\3&1070020&0&28		Device ID	PCI\VEN_1077&DEV_2312&SUBSYS_010C1077&REV_0	2\3&1070020&0&28		Device Map	Not Available	Index	Not Available	Max Number Controlled	Not Available	IRQ Number	28	I/O Port	0x4000-0x40FF	Driver	c:\winnt\system32\drivers\ql2300.sys (441733, 8.2.0 Beta 10 (W2K VI))	[Printing]		Name	Port Name Server Name	No printing information		[Problem Devices]		Device	PNP Device ID Error Code	Base System Device	PCI\VEN_0E11&DEV_B203&SUBSYS_B2060E11&REV_0	1\3&267A616A&0&28 28		Base System Device	PCI\VEN_0E11&DEV_B204&SUBSYS_B2060E11&REV_0	1\3&267A616A&0&2A 28		[USB]		Device	PNP Device ID
Item	Value																																																																																																																																																																																																											
File	c:\winnt\system32\winsock.dll																																																																																																																																																																																																											
Version	3.10																																																																																																																																																																																																											
Size	2.80 KB (2,864 bytes)																																																																																																																																																																																																											
Item	Value																																																																																																																																																																																																											
Name	COM1																																																																																																																																																																																																											
Status	OK																																																																																																																																																																																																											
PNP Device ID	ACPI\PNP0501\0																																																																																																																																																																																																											
Maximum Input Buffer Size	0																																																																																																																																																																																																											
Maximum Output Buffer Size	False																																																																																																																																																																																																											
Settable Baud Rate	True																																																																																																																																																																																																											
Settable Data Bits	True																																																																																																																																																																																																											
Settable Flow Control	True																																																																																																																																																																																																											
Settable Parity	True																																																																																																																																																																																																											
Settable Parity Check	True																																																																																																																																																																																																											
Settable Stop Bits	True																																																																																																																																																																																																											
Settable RLSD	True																																																																																																																																																																																																											
Supports RLSD	True																																																																																																																																																																																																											
Supports 16 Bit Mode	False																																																																																																																																																																																																											
Supports Special Characters	False																																																																																																																																																																																																											
Baud Rate	9600																																																																																																																																																																																																											
Bits/Byte	8																																																																																																																																																																																																											
Stop Bits	1																																																																																																																																																																																																											
Parity	None																																																																																																																																																																																																											
Busy	0																																																																																																																																																																																																											
Abort Read/Write on Error	0																																																																																																																																																																																																											
Binary Mode Enabled	-1																																																																																																																																																																																																											
Continue Xmit on XOff	0																																																																																																																																																																																																											
CTS Outflow Control	0																																																																																																																																																																																																											
Discard NULL Bytes	0																																																																																																																																																																																																											
Item	Value																																																																																																																																																																																																											
No parallel port information																																																																																																																																																																																																												
Item	Value																																																																																																																																																																																																											
Drive	A:																																																																																																																																																																																																											
Description	3 1/2 Inch Floppy Drive																																																																																																																																																																																																											
Drive	C:																																																																																																																																																																																																											
Description	Local Fixed Disk																																																																																																																																																																																																											
Compressed	False																																																																																																																																																																																																											
File System	NTFS																																																																																																																																																																																																											
Size	16.95 GB (18,198,999,040 bytes)																																																																																																																																																																																																											
Free Space	14.51 GB (15,584,595,968 bytes)																																																																																																																																																																																																											
Volume Name																																																																																																																																																																																																												
Volume Serial Number	C8B488FA																																																																																																																																																																																																											
Partition Disk #0, Partition #0																																																																																																																																																																																																												
Partition Size	16.95 GB (18,199,003,136 bytes)																																																																																																																																																																																																											
Starting Offset	16384 bytes																																																																																																																																																																																																											
Drive Description	Disk drive																																																																																																																																																																																																											
Drive Manufacturer	(Standard disk drives)																																																																																																																																																																																																											
Drive Model	COMPAQ LOGICAL VOLUME SCSI Disk																																																																																																																																																																																																											
Device																																																																																																																																																																																																												
Drive BytesPerSector	512																																																																																																																																																																																																											
Drive MediaLoaded	True																																																																																																																																																																																																											
Drive MediaType	Fixed hard disk media																																																																																																																																																																																																											
Drive Partitions	1																																																																																																																																																																																																											
Drive SCSIBus	0																																																																																																																																																																																																											
Drive SCSILogicalUnit	0																																																																																																																																																																																																											
Drive SCSIPort	2																																																																																																																																																																																																											
Drive SCSITargetId	4																																																																																																																																																																																																											
Drive SectorsPerTrack	32																																																																																																																																																																																																											
Drive Size	18203197440 bytes																																																																																																																																																																																																											
Drive TotalCylinders	4357																																																																																																																																																																																																											
Item	Value																																																																																																																																																																																																											
Name	Compaq Smart Array 5i																																																																																																																																																																																																											
Caption	Compaq Smart Array 5i																																																																																																																																																																																																											
Driver	cpqcissm																																																																																																																																																																																																											
Status	OK																																																																																																																																																																																																											
PNP Device ID	PCI\VEN_0E11&DEV_B178&SUBSYS_40800E11&REV_0																																																																																																																																																																																																											
1\3&13C0B0C5&0&20																																																																																																																																																																																																												
Device ID	PCI\VEN_0E11&DEV_B178&SUBSYS_40800E11&REV_0																																																																																																																																																																																																											
1\3&13C0B0C5&0&20																																																																																																																																																																																																												
Device Map	Not Available																																																																																																																																																																																																											
Index	Not Available																																																																																																																																																																																																											
Max Number Controlled	Not Available																																																																																																																																																																																																											
IRQ Number	31																																																																																																																																																																																																											
I/O Port	0x3000-0x30FF																																																																																																																																																																																																											
Driver	c:\winnt\system32\drivers\cpqcissm.sys (14992, 5.40.2.0)																																																																																																																																																																																																											
Name	QLogic QLA23xx PCI Fibre Channel Adapter																																																																																																																																																																																																											
Caption	QLogic QLA23xx PCI Fibre Channel Adapter																																																																																																																																																																																																											
Driver	ql2300																																																																																																																																																																																																											
Status	OK																																																																																																																																																																																																											
PNP Device ID	PCI\VEN_1077&DEV_2312&SUBSYS_010C1077&REV_0																																																																																																																																																																																																											
2\3&1070020&0&28																																																																																																																																																																																																												
Device ID	PCI\VEN_1077&DEV_2312&SUBSYS_010C1077&REV_0																																																																																																																																																																																																											
2\3&1070020&0&28																																																																																																																																																																																																												
Device Map	Not Available																																																																																																																																																																																																											
Index	Not Available																																																																																																																																																																																																											
Max Number Controlled	Not Available																																																																																																																																																																																																											
IRQ Number	28																																																																																																																																																																																																											
I/O Port	0x4000-0x40FF																																																																																																																																																																																																											
Driver	c:\winnt\system32\drivers\ql2300.sys (441733, 8.2.0 Beta 10 (W2K VI))																																																																																																																																																																																																											
[Printing]																																																																																																																																																																																																												
Name	Port Name Server Name																																																																																																																																																																																																											
No printing information																																																																																																																																																																																																												
[Problem Devices]																																																																																																																																																																																																												
Device	PNP Device ID Error Code																																																																																																																																																																																																											
Base System Device	PCI\VEN_0E11&DEV_B203&SUBSYS_B2060E11&REV_0																																																																																																																																																																																																											
1\3&267A616A&0&28 28																																																																																																																																																																																																												
Base System Device	PCI\VEN_0E11&DEV_B204&SUBSYS_B2060E11&REV_0																																																																																																																																																																																																											
1\3&267A616A&0&2A 28																																																																																																																																																																																																												
[USB]																																																																																																																																																																																																												
Device	PNP Device ID																																																																																																																																																																																																											

```

Standard OpenHCD USB Host Controller
PCI\VEN_1166&DEV_0220&SUBSYS_02201166&REV_0
5\3&267A616A&0&7A
USB Root Hub      USB\ROOT_HUB\4&AF5358C&0

[Software Environment]

[ Following are sub-categories of this main category
]

[Drivers]

Name      Description   File           Type
Started   Start Mode  State
Status    Error Control Accept Pause
Accept Stop

abiosdsk  Abiosdsk     Not Available Kernel Driver
          Disabled Stopped OK
          Ignore False
          Normal False

abp480n5  abp480n5    Not Available Kernel Driver
          Disabled Stopped OK
          Normal False

acpi      Microsoft ACPI Driver
          c:\winnt\system32\drivers\acpi.sys
          Kernel Driver True Boot
          Running OK Normal False
          True

acpiec   ACPIEC
          c:\winnt\system32\drivers\acpiec.sys
          Kernel Driver False Disabled
          Stopped OK Normal False
          False

adpu160m adpu160m    Not Available Kernel Driver
          Disabled Stopped OK
          Normal False

afd       AFD Networking Support Environment
          c:\winnt\system32\drivers\afd.sys
          Kernel Driver True Auto
          Running OK Normal False
          True

ahal154x ahal154x    Not Available Kernel Driver
          Disabled Stopped OK
          Normal False
          False

aic116x  aic116x     Not Available Kernel Driver
          Disabled Stopped OK
          Normal False
          False

aic78u2  aic78u2     Not Available Kernel Driver
          Disabled Stopped OK
          Normal False

aic78xx  aic78xx     Not Available Kernel Driver
          Disabled Stopped OK
          Normal False

alkernel alkernels   Altiris Kernel Driver
          c:\winnt\system32\drivers\alkernel.sys
          Kernel Driver True Manual
          Running OK Normal False
          True

ami0nt  ami0nt      Not Available Kernel Driver
          Disabled Stopped OK
          Normal False
          False

amsint  amsint      Not Available Kernel Driver
          Disabled Stopped OK
          Normal False

```

asc	asc	Not Available	Kernel Driver
	False	Disabled Stopped	OK
asc3350p	asc3350p	Not Available	Kernel Driver
	False	Disabled Stopped	OK
asc3550	asc3550	Not Available	Kernel Driver
	False	Disabled Stopped	OK
asyncmac	RAS Asynchronous Media Driver           c:\winnt\system32\drivers\asyncmac.sys		
	Kernel Driver	False	Manual
	Stopped OK	Normal	False
	False		
atapi	Standard IDE/ESDI Hard Disk Controller           c:\winnt\system32\drivers\atapi.sys		
	Kernel Driver	True	Boot
	Running OK	Normal	False
	True		
atdisk	Atdisk	Not Available	Kernel Driver
	False	Disabled Stopped	OK
	Ignore False	False	
atirage3	atirage3           c:\winnt\system32\drivers\atimpab.sys		
	Kernel Driver	True	Manual
	Running OK	Ignore	False
	True		
atmarpc	ATM ARP Client Protocol           c:\winnt\system32\drivers\atmarpc.sys		
	Kernel Driver	False	Manual
	Stopped OK	Normal	False
	False		
audstub	Audio Stub Driver           c:\winnt\system32\drivers\audstub.sys		
	Kernel Driver	True	Manual
	Running OK	Normal	False
	True		
beep	Beep           c:\winnt\system32\drivers\beep.sys		
	Kernel Driver	True	System
	Running OK	Normal	False
	True		
buslogic	BusLogic	Not Available	Kernel Driver
	False	Disabled Stopped	OK
	Normal False	False	
cd20xrnt	cd20xrnt	Not Available	Kernel Driver
	False	Disabled Stopped	OK
	Normal False	False	
cdaudio	Cdaudio           c:\winnt\system32\drivers\cdaudio.sys		
	Kernel Driver	False	System
	Stopped OK	Ignore	False
	False		
cdfs	Cdfs           c:\winnt\system32\drivers\cdfs.sys		
	File System Driver	True	Disabled
	Running OK	Normal	False
	True		
cdrom	CD-ROM Driver           c:\winnt\system32\drivers\cdrom.sys		
	Kernel Driver	True	System
	Running OK	Normal	False
	True		
changer	Changer	Not Available	Kernel Driver
	False	System Stopped	OK
cpqarray	Cpqarray	Not Available	Kernel Driver
	False	Disabled Stopped	OK
cpqarry2	Cpqarry2	Not Available	Kernel Driver
	False	Disabled Stopped	OK
cpqcissm	Cpqcissm           c:\winnt\system32\drivers\cpqcissm.sys		
	Kernel Driver	True	Boot
	Running OK	Normal	False
	True		
cpqfcalm	Cpqfcalm	Not Available	Kernel Driver
	False	Disabled Stopped	OK
	Normal False	False	
cpqfws2e	Cpqfws2e	Not Available	Kernel Driver
	False	Disabled Stopped	OK
dac960nt	dac960nt	Not Available	Kernel Driver
	False	Disabled Stopped	OK
	Normal False	False	
deckzpsx	deckzpsx	Not Available	Kernel Driver
	False	Disabled Stopped	OK
	Normal False	False	
dfsdriver	DfsDriver           c:\winnt\system32\drivers\dfs.sys		
	File System Driver	True	Boot
	Running OK	Normal	False
	True		
disk	Disk Driver           c:\winnt\system32\drivers\disk.sys		
	Kernel Driver	True	Boot
	Running OK	Normal	False
	True		
diskperf	Diskperf           c:\winnt\system32\drivers\diskperf.sys		
	Kernel Driver	True	Boot
	Running OK	Normal	False
	True		
dmboot	dmboot           c:\winnt\system32\drivers\dmboot.sys		
	Kernel Driver	False	Disabled
	Stopped OK	Normal	False
	False		
dmio	Logical Disk Manager Driver           c:\winnt\system32\drivers\dmio.sys		
	Kernel Driver	True	Boot
	Running OK	Normal	False
	True		
dmload	dmload           c:\winnt\system32\drivers\dmload.sys		
	Kernel Driver	True	Boot
	Running OK	Normal	False
	True		
efs	EFS           c:\winnt\system32\drivers\efs.sys		
	File System Driver	True	Disabled
	Running OK	Normal	False
	True		
fastfat	Fastfat           c:\winnt\system32\drivers\fastfat.sys		
	File System Driver	True	Disabled

fd16_700	Running	OK	Normal	False		ipsec	IPSEC driver c:\winnt\system32\drivers\ipsec.sys		msfs	Msfs c:\winnt\system32\drivers\msfs.sys
	True						Kernel Driver True Manual	File System Driver True System		
	Fd16_700	Not Available		Kernel Driver			Running OK Normal False	Running OK Normal False		
	False	Disabled	Stopped	OK			True	True		
fdc	Normal	False	False			ipsraiden	IR ENUMERATOR	IR STREAMING		
	Floppy Disk Controller Driver						Not Available Kernel Driver	Service Proxy		
	c:\winnt\system32\drivers\fdc.sys						False Disabled Stopped OK	c:\winnt\system32\drivers\mskssrv.sys		
	Kernel Driver	True	Manual				Normal False False	Kernel Driver False Manual		
	Running	OK	Normal	False			Stopped OK Normal False	Stopped OK Normal False		
	True						False	False		
fips	Fips					irenum	IR ENUMERATOR SERVICE	IR STREAMING CLOCK		
	c:\winnt\system32\drivers\fips.sys						Not Available Kernel Driver	Service Proxy		
	Kernel Driver	True	Auto				False Disabled Stopped OK	c:\winnt\system32\drivers\mspclock.sys		
	Running	OK	Normal	False			Normal False False	Kernel Driver False Manual		
	True						Stopped OK Normal False	Stopped OK Normal False		
fireport	fireport	Not Available		Kernel Driver		isapnp	PnP ISA/EISA BUS DRIVER	MS STREAMING QUALITY MANAGER PROXY		
	False	Disabled	Stopped	OK			c:\winnt\system32\drivers\isapnp.sys	c:\winnt\system32\drivers\mspqm.sys		
	Normal	False	False				Kernel Driver True Boot	Kernel Driver False Manual		
flashpnt	flashpnt	Not Available		Kernel Driver			Running OK Critical False	Stopped OK Normal False		
	False	Disabled	Stopped	OK			True	False		
	Normal	False	False			kbdclass	KEYBOARD CLASS DRIVER	MS STREAMING QUALITY MANAGER PROXY		
flpydisk	Floppy Disk Driver						c:\winnt\system32\drivers\kbdclass.sys	c:\winnt\system32\drivers\mup.sys		
	c:\winnt\system32\drivers\fldisk.sys						Kernel Driver True System	Kernel Driver False Manual		
	Kernel Driver	True	Manual				Running OK Normal False	Stopped OK Normal False		
	Running	OK	Normal	False			True	False		
ftdisk	Volume Manager Driver					ksecd	KSECDD	MUP		
	c:\winnt\system32\drivers\ftdisk.sys						c:\winnt\system32\drivers\ksecd.sys	c:\winnt\system32\drivers\mup.sys		
	Kernel Driver	True	Boot				Kernel Driver True Boot	File System Driver True Boot		
	Running	OK	Normal	False			Running OK Critical False	Running OK Normal False		
	True						True	True		
gpc	Generic Packet Classifier					lbrtfdc	LBRTFDC	N100		
	c:\winnt\system32\drivers\msgpc.sys						Not Available Kernel Driver	Compaq Ethernet or Fast Ethernet NIC NT		
	Kernel Driver	True	Manual				False Disabled Stopped OK	c:\winnt\system32\drivers\n100nt5.sys		
	Running	OK	Normal	False			Normal False False	Kernel Driver False Manual		
	True						Stopped OK Normal False	Stopped OK Normal False		
i8042prt	i8042 Keyboard and PS/2 Mouse Port Driver					lp6nds35	LP6NDS35	NCRC710		
	c:\winnt\system32\drivers\i8042prt.sys						Not Available Kernel Driver	Not Available Kernel Driver		
	Kernel Driver	True	System				False Disabled Stopped OK	False Disabled Stopped OK		
	Running	OK	Normal	False			Normal False False	Normal False False		
	True						True	True		
ini910u	ini910u	Not Available		Kernel Driver		mnmdd	MNMDD	NDIS		
	False	Disabled	Stopped	OK			c:\winnt\system32\drivers\mnmdd.sys	NDIS System Driver		
	Normal	False	False				Kernel Driver True System	c:\winnt\system32\drivers\ndis.sys		
intelide	Intel IDE	Not Available		Kernel Driver			Running OK Ignore False	Kernel Driver True Boot		
	False	Disabled	Stopped	OK			True	Running OK Normal False		
	Normal	False	False			modem	MODEM	NDISTAPI		
ipfilterdriver	IP Traffic Filter Driver						c:\winnt\system32\drivers\modem.sys	Remote Access NDIS TAPI Driver		
	c:\winnt\system32\drivers\ipfltdrv.sys						Kernel Driver False Manual	c:\winnt\system32\drivers\ndistapi.sys		
	Kernel Driver	False	Manual				Stopped OK Ignore False	Kernel Driver True Manual		
	Stopped	OK	Normal	False			False	Running OK Normal False		
	False					mouclass	MOUSE CLASS DRIVER	NDISWAN		
ipinip	IP in IP Tunnel Driver						c:\winnt\system32\drivers\mouclass.sys	Remote Access NDIS WAN Driver		
	c:\winnt\system32\drivers\ipinip.sys						Kernel Driver True System	c:\winnt\system32\drivers\ndiswan.sys		
	Kernel Driver	False	Manual				Running OK Normal False	Kernel Driver True Manual		
	Stopped	OK	Normal	False			True	Running OK Normal False		
	False					mountmgr	MountMgr	NDPROXY		
ipnat	IP Network Address Translator						c:\winnt\system32\drivers\mountmgr.sys	NDIS PROXY		
	c:\winnt\system32\drivers\ipnat.sys						Kernel Driver True Manual	c:\winnt\system32\drivers\ndproxy.sys		
	Kernel Driver	False	Manual				Running OK Normal False	Kernel Driver True Manual		
	Stopped	OK	Normal	False			True	Running OK Normal False		
	False					mraid35x	MRAID35X	NETBIOS		
	True						Not Available Kernel Driver	NetBIOS Interface		
							False Disabled Stopped OK	c:\winnt\system32\drivers\netbios.sys		
							Normal False False	File System Driver True System		
							True	Running OK Normal False		
						mrxsmb	MRXSMB	NETBT		
							c:\winnt\system32\drivers\mrxsmb.sys	NetBios over Tcpip		
							Kernel Driver True System	c:\winnt\system32\drivers\netbt.sys		
							Running OK Normal False	Kernel Driver True System		
							True	Running OK Normal False		

netdetect	NetDetect	c:\winnt\system32\drivers\netdTECT.sys	Kernel Driver	False	Manual	
		Stopped OK	Normal	False		
		False				
nvfs	Nvfs	c:\winnt\system32\drivers\npfs.sys	File System Driver	True	System	
		Running OK	Normal	False		
		True				
ntfs	Ntfs	c:\winnt\system32\drivers\ntfs.sys	File System Driver	True	Disabled	
		Running OK	Normal	False		
		True				
null	Null	c:\winnt\system32\drivers\null.sys	Kernel Driver	True	System	
		Running OK	Normal	False		
		True				
nwlkflt	IPX Traffic Filter Driver	c:\winnt\system32\drivers\nwlkflt.sys	Kernel Driver	False	Manual	
		Stopped OK	Normal	False		
		False				
nwlkfwd	IPX Traffic Forwarder Driver	c:\winnt\system32\drivers\nwlkfwd.sys	Kernel Driver	False	Manual	
		Stopped OK	Normal	False		
		False				
openhci	Microsoft USB Open Host Controller Driver	c:\winnt\system32\drivers\openhci.sys	Kernel Driver	True	Manual	
		Running OK	Normal	False		
		True				
parallel	Parallel	c:\winnt\system32\drivers\parallel.sys	Kernel Driver	False	Auto	
		Stopped OK	Ignore	False		
		False				
parport	Parport	c:\winnt\system32\drivers\parport.sys	Kernel Driver	False	Auto	
		Stopped OK	Ignore	False		
		False				
partmgr	PartMgr	c:\winnt\system32\drivers\partmgr.sys	Kernel Driver	True	Boot	
		Running OK	Normal	False		
		True				
parvdm	ParVdm	c:\winnt\system32\drivers\parvdm.sys	Kernel Driver	False	Auto	
		Stopped OK	Ignore	False		
		False				
pci	PCI Bus Driver	c:\winnt\system32\drivers\pci.sys	Kernel Driver	True	Boot	
		Running OK	Critical	False		
		True				
pcidump	PCIDump	Not Available	Kernel Driver			
		False	System	Stopped	OK	
		Ignore	False	False		
	pciide	PCIIDE	c:\winnt\system32\drivers\pciide.sys	Kernel Driver	True	Boot
		Running OK	Normal	False		
		True				
	pcmcia	PCMCIA	c:\winnt\system32\drivers\pcmcia.sys	Kernel Driver	False	Disabled
		Stopped OK	Normal	False		
		False				
	pdcomp	PDCOMP	Not Available	Kernel Driver		
		False	Manual	Stopped	OK	
		Ignore	False	False		
	pdframe	PDFRAME	Not Available	Kernel Driver		
		False	Manual	Stopped	OK	
		Ignore	False	False		
	pdreli	PDRREL	Not Available	Kernel Driver		
		False	Manual	Stopped	OK	
		Ignore	False	False		
	pdrframe	PDRFRAME	Not Available	Kernel Driver		
		False	Manual	Stopped	OK	
		Ignore	False	False		
	pptpminiport	WAN Miniport (PPTP)	c:\winnt\system32\drivers\raspppt.sys	Kernel Driver	True	Manual
		Running OK	Normal	False		
		True				
	ptilink	Direct Parallel Link Driver	c:\winnt\system32\drivers\ptilink.sys	Kernel Driver	True	Manual
		Running OK	Normal	False		
		True				
	q57w2k	Compaq NC7780 Gigabit Server Adapter	c:\winnt\system32\drivers\q57w2k.sys	Kernel Driver	True	Manual
		Running OK	Normal	False		
		True				
	ql1080	ql1080	Not Available	Kernel Driver		
		False	Disabled	Stopped	OK	
		Normal	False	False		
	ql10wnt	QL10WNT	Not Available	Kernel Driver		
		False	Disabled	Stopped	OK	
		Normal	False	False		
	ql1240	ql1240	Not Available	Kernel Driver		
		False	Disabled	Stopped	OK	
		Normal	False	False		
	ql2100	ql2100	Not Available	Kernel Driver		
		False	Disabled	Stopped	OK	
		Normal	False	False		
	ql2300	ql2300	c:\winnt\system32\drivers\ql2300.sys	Kernel Driver		
		Running OK	Normal	False		
		True				
	qlvika	qlvika	c:\winnt\system32\drivers\qlvika.sys	Kernel Driver	True	Auto
		Running OK	Normal	False		
		True				
	rasacd	Remote Access Auto Connection Driver	c:\winnt\system32\drivers\rasacd.sys	Kernel Driver	True	System
		Kernel Driver				

	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
srv	Srv	c:\winnt\system32\drivers\srv.sys		
	File System Driver	True	Manual	
	Running	OK	Normal	False
	True			
swenum	Software Bus Driver	c:\winnt\system32\drivers\swenum.sys		
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
symc810	symc810	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
symc8xx	symc8xx	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
sym_hi	sym_hi	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
tcpip	TCP/IP Protocol Driver	c:\winnt\system32\drivers\tcpip.sys		
	Kernel Driver	True	System	
	Running	OK	Normal	False
	True			
tdasync	TDASYNC	c:\winnt\system32\drivers\tdasync.sys		
	Kernel Driver	False	Manual	
	Stopped	OK	Ignore	False
	False			
tdipx	TDIPIX	c:\winnt\system32\drivers\tdipx.sys		
	Kernel Driver	False	Manual	
	Stopped	OK	Ignore	False
	False			
tdnetb	TDNETB	c:\winnt\system32\drivers\tdnetb.sys		
	Kernel Driver	False	Manual	
	Stopped	OK	Ignore	False
	False			
tdpipe	TDPIPE	c:\winnt\system32\drivers\tdpipe.sys		
	Kernel Driver	False	Manual	
	Stopped	OK	Ignore	False
	False			
tdspx	TDSPX	c:\winnt\system32\drivers\tdspx.sys		
	Kernel Driver	False	Manual	
	Stopped	OK	Ignore	False
	False			
tdtcp	TDTCP	c:\winnt\system32\drivers\tdtcp.sys		
	Kernel Driver	True	Manual	
	Running	OK	Ignore	False
	True			
termdd	Terminal Device Driver	c:\winnt\system32\drivers\termdd.sys		
	Kernel Driver	True	Auto	
	Running	OK	Normal	False
	True			

tga	tga	Not Available	Kernel Driver	
	False	System	Stopped	OK
	Ignore	False	False	
udfs	UDFS	c:\winnt\system32\drivers\udfs.sys		
	File System Driver	False	Disabled	
	Stopped	OK	Normal	False
	False			
ultra66	ultra66	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
update	Microcode Update Driver	c:\winnt\system32\drivers\update.sys		
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
usbhub	Microsoft USB Standard Hub Driver	c:\winnt\system32\drivers\usbhub.sys		
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
vgasave	VgaSave	c:\winnt\system32\drivers\vga.sys		
	Kernel Driver	True	System	
	Running	OK	Ignore	False
	True			
wanarp	Remote Access IP ARP Driver	c:\winnt\system32\drivers\wanarp.sys		
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
wdica	WDICA	Not Available	Kernel Driver	
	False	Manual	Stopped	OK
	Ignore	False	False	
[Environment Variables]				
	Variable	Value	User Name	
	ComSpec	%SystemRoot%\system32\cmd.exe	<SYSTEM>	
	Os2LibPath	%SystemRoot%\system32\os2.dll;	<SYSTEM>	
	Path	%SystemRoot%\system32;%SystemRoot%\\SystemRoot%\System32\Wbem;C:\\Program Files\\Microsoft SQL Server\\80\\Tools\\BINN	<SYSTEM>	
	windir	%SystemRoot%	<SYSTEM>	
	OS	Windows_NT	<SYSTEM>	
	PROCESSOR_ARCHITECTURE	x86	<SYSTEM>	
	PROCESSOR_LEVEL	6	<SYSTEM>	
	PROCESSOR_IDENTIFIER	x86 Family 6 Model 11		
	Stepping	1, GenuineIntel	<SYSTEM>	
	PROCESSOR_REVISION	0b01	<SYSTEM>	
	NUMBER_OF_PROCESSORS	2	<SYSTEM>	
	PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF		
	;%WSH%	<SYSTEM>		
	TEMP	%SystemRoot%\TEMP	<SYSTEM>	
	TEMP	%SystemRoot%\TEMP	<SYSTEM>	
	TEMP	%USERPROFILE%\Local Settings\Temp		
	CL2\Administrator			
	TMP	%USERPROFILE%\Local Settings\Temp		
	CL2\Administrator			
[Jobs]				

[ Following are sub-categories of this main category ]

[Print]

Document	Size	Owner	Notify	Status
	Time Submitted		Start Time	
	Until Time		Elapsed Time	
	Pages Printed		Job ID	Priority
	Parameters		Driver Name	
	Print Processor		Data Type Name	
	No print jobs			

[Network Connections]

Local Name	Remote Name	Type
	Status	User Name

No network connections information

[Running Tasks]

Name	Path	Process ID	Priority	Min
Working Set	Max Working Set	Start Time		
Version	Size	File Date		
system	idle process	Not Available	0	0
		Not Available	Not Available	Not
Available	Unknown	Unknown	Unknown	
system	Not Available	8	8	0
	1413120	Not Available	Unknown	
	Unknown	Unknown		
smss.exe	c:\winnt\system32\smss.exe	184	11	
	204800	1413120	4/21/2003 10:35:52 AM	
	5.00.2195.5382	44.77 KB (45,840 bytes)		
	12/7/1999 7:00:00 AM			
csrss.exe	Not Available	208	13	Not
Available	Not Available		4/21/2003 10:35:55 AM	
	Unknown	Unknown	Unknown	
winlogon.exe	c:\winnt\system32\winlogon.exe	232	13	204800
	204800	1413120	4/21/2003 10:35:56 AM	
	5.00.2195.5386	174.77 KB (178,960 bytes)		
	12/7/1999 7:00:00 AM			
bytes)	Not Available	208	13	Not
services.exe	c:\winnt\system32\services.exe	260	9	204800
	204800	1413120	4/21/2003 10:35:57 AM	
	5.00.2195.3940	86.77 KB (88,848 bytes)		
	12/7/1999 7:00:00 AM			
lsass.exe	c:\winnt\system32\lsass.exe	272	9	
	204800	1413120	4/21/2003 10:35:57 AM	
	5.00.2195.5430	32.77 KB (33,552 bytes)		
	12/7/1999 7:00:00 AM			
termsrv.exe	c:\winnt\system32\termsrv.exe	384		
	10	204800	1413120	4/21/2003
	5.00.2195.5276	138.77 KB		
	10:35:57 AM			
(142,096 bytes)	Not Available	11/1/2002 12:57:52 PM		
svchost.exe	c:\winnt\system32\svchost.exe	8	204800	
	204800	1413120	4/21/2003	

10:35:58 AM	5.00.2134.1	7.77 KB
(7,952 bytes)	12/7/1999 7:00:00 AM	
spoolsv.exe	c:\winnt\system32\spoolsv.exe	516
8	204800 1413120 4/21/2003	
10:35:58 AM	5.00.2195.4299	44.27 KB
(45,328 bytes)	9/13/2002 5:38:39 PM	
msdtc.exe	c:\winnt\system32\msdtc.exe	544
8	204800 1413120 4/21/2003	
1999.9.3421.3	6.77 KB (6,928 bytes)	
9/13/2002 5:45:07 PM		
aclient.exe	c:\altiris\aclient\aclient.exe	
672	8 204800 1413120	
4/21/2003 10:35:59 AM	5.5.142	
1.91 MB (2,003,020 bytes)	9/14/2002	
5:16:04 PM		
svchost.exe	c:\winnt\system32\svchost.exe	696
8	204800 1413120 4/21/2003	
10:35:59 AM	5.00.2134.1	7.77 KB
(7,952 bytes)	12/7/1999 7:00:00 AM	
llssrv.exe	c:\winnt\system32\llssrv.exe	716
9	204800 1413120 4/21/2003	
10:35:59 AM	5.00.2195.4907	81.27 KB
(83,216 bytes)	7/22/2002 1:05:04 PM	
regsvc.exe	c:\winnt\system32\regsvc.exe	780
8	204800 1413120 4/21/2003	
10:36:00 AM	5.00.2195.3649	65.27 KB
(66,832 bytes)	11/1/2002 12:57:47 PM	
rsys.exe	c:\benchcraft\rsys.exe	816
8	204800 1413120 4/21/2003	
Not Available	32.00 KB (32,768 bytes)	
9/17/2002 4:43:40 PM		
mstask.exe	c:\winnt\system32\mstask.exe	832
8	204800 1413120 4/21/2003	
10:36:01 AM	4.71.2195.1	115.77 KB
(118,544 bytes)	11/1/2002 12:57:39 PM	
winmgmt.exe	c:\winnt\system32\wbem\winmgmt.exe	900
8	204800 1413120 4/21/2003	
10:36:01 AM	1.50.1085.0070	192.08 KB
(196,685 bytes)	11/1/2002 12:57:59 PM	
svchost.exe	c:\winnt\system32\svchost.exe	932
8	204800 1413120 4/21/2003	
10:36:01 AM	5.00.2134.1	7.77 KB
(7,952 bytes)	12/7/1999 7:00:00 AM	
dfssvc.exe	c:\winnt\system32\dfssvc.exe	952
8	204800 1413120 4/21/2003	
10:36:01 AM	5.00.2195.3649	88.27 KB
(90,384 bytes)	11/1/2002 12:57:23 PM	
inetinfo.exe	c:\winnt\system32\inetsrv\inetinfo.exe	968
8	204800 1413120 4/21/2003	
10:36:01 AM	5.00.0984 14.27 KB (14,608 bytes)	
11/1/2002 12:58:14 PM		
svchost.exe	c:\winnt\system32\svchost.exe	
1272	8 204800 1413120	
4/21/2003 10:36:14 AM	5.00.2134.1	
7.77 KB (7,952 bytes)	12/7/1999	
7:00:00 AM		
logon.scr	c:\winnt\system32\logon.scr	1136
204800 1413120 4/21/2003 10:51:02 AM		
5.00.2195.5305	127.77 KB (130,832 bytes)	
bytes) 11/1/2002 12:57:33 PM		

csrss.exe	Not Available	1348	13	Not Available
				4/21/2003 11:17:37 AM
	Unknown	Unknown	Unknown	
winlogon.exe	c:\winnt\system32\winlogon.exe			
1144	13	204800	1413120	
4/21/2003 11:17:37 AM				
5.00.2195.5386	174.77 KB (178,960 bytes)			
rdpclip.exe	c:\winnt\system32\rdpclip.exe			
1224	8 204800 1413120			
4/21/2003 11:17:41 AM	5.00.2174.1			
39.77 KB (40,720 bytes)	9/13/2002			
5:45:10 PM				
explorer.exe	c:\winnt\explorer.exe			
1312	8 204800 1413120			
4/21/2003 11:17:41 AM				
5.00.3502.5321	237.27 KB (242,960 bytes)			
cmd.exe	c:\winnt\system32\cmd.exe	1448	8	
204800 1413120 4/21/2003	5.00.2195.4803			
5.00.2195.304	230.77 KB (236,304 bytes)			
dllhost.exe	Not Available	1368	8	
	Not Available	Not Available		
				4/21/2003 11:23:26 AM
	Unknown	Unknown		
mmc.exe	c:\winnt\system32\mmc.exe	1512	8	
204800 1413120 4/21/2003	5.00.2195.4933			
5.00.2195.408	589.27 KB (603,408 bytes)			
rsvp.exe	c:\winnt\system32\rsvp.exe	5736	8	
204800 1413120 4/21/2003	5.00.2167.1			
5.00.2167.1	172.77 KB (176,912 bytes)			
[Loaded Modules]				
Name	Version	Size	File Date	Manufacturer
			Path	
traffic.dll	5.00.2139.1	30.77 KB		
(31,504 bytes)	12/7/1999 7:00:00 AM			
	Microsoft Corporation			
c:\winnt\system32\traffic.dll				
rsvp.exe	5.00.2167.1	172.77 KB (176,912 bytes)		
	Microsoft Corporation			
c:\winnt\system32\rsvp.exe				
wbemprox.dll	1.50.1085.0045	40.08 KB		
(41,040 bytes)	11/1/2002 12:57:59 PM			
	Microsoft Corporation			
c:\winnt\system32\wbem\wbemprox.dll				
mlang.dll	5.00.3315.3727	509.77 KB (522,000 bytes)		
	Microsoft Corporation			
c:\winnt\system32\mlang.dll				
cabinet.dll	5.00.2147.1	54.77 KB		
(56,080 bytes)	12/7/1999 7:00:00 AM			
	Microsoft Corporation			
c:\winnt\system32\cabinet.dll				
msinfo32.dll	5.00.2195.4601	312.27 KB		
(319,760 bytes)	11/1/2002 12:58:01 PM			
	Microsoft Corporation			
c:\program files\common files\microsoft shared\msinfo\msinfo32.dll				

mmcndmgr.dll	5.00.2195.5352	816.27 KB
(835,856 bytes)	11/1/2002 12:57:33 PM	
	Microsoft Corporation	
c:\winnt\system32\mmcndmgr.dll		
mmc.exe	5.00.2195.4933	589.27 KB (603,408 bytes)
	11/1/2002 12:57:33 PM	
	Microsoft Corporation	
c:\winnt\system32\mmc.exe		
cmd.exe	5.00.2195.4803	230.77 KB (236,304 bytes)
	12/7/1999 7:00:00 AM	
	Microsoft Corporation	
c:\winnt\system32\cmd.exe		
hhsetup.dll	4.74.8702 66.27 KB (67,856 bytes)	
	12/7/1999 7:00:00 AM	
	Microsoft Corporation	
c:\winnt\system32\hhsetup.dll		
mmcshext.dll	5.00.2153.1	24.27 KB
(24,848 bytes)	12/7/1999 7:00:00 AM	
	Microsoft Corporation	
c:\winnt\system32\mmcshext.dll		
query.dll	5.00.2195.4966	1.36 MB (1,424,144 bytes)
	11/1/2002 12:57:46 PM	
	Microsoft Corporation	
c:\winnt\system32\query.dll		
mstask.dll	4.71.2195.1	214.27 KB
(219,408 bytes)	11/1/2002 12:57:39 PM	
	Microsoft Corporation	
c:\winnt\system32\mstask.dll		
msxml3.dll	8.30.9926.0	1.07 MB
(1,122,304 bytes)	4/1/2003 10:49:37 PM	
	Microsoft Corporation	
c:\winnt\system32\msxml3.dll		
dsuiext.dll	5.00.2195.4574	107.77 KB
(110,352 bytes)	11/1/2002 12:57:25 PM	
	Microsoft Corporation	
c:\winnt\system32\dsuiext.dll		
dsquery.dll	5.00.2195.5201	153.27 KB
(156,944 bytes)	11/1/2002 12:57:25 PM	
	Microsoft Corporation	
c:\winnt\system32\dsquery.dll		
shdoclc.dll	5.00.3502.5039	324.50 KB
(332,288 bytes)	11/1/2002 12:57:49 PM	
	Microsoft Corporation	
c:\winnt\system32\shdoclc.dll		
netplwiz.dll	5.00.2195.3727	169.77 KB
(173,840 bytes)	11/1/2002 12:57:42 PM	
	Microsoft Corporation	
c:\winnt\system32\netplwiz.dll		
netmsg.dll	5.00.2137.1	152.50 KB
(156,160 bytes)	12/7/1999 7:00:00 AM	
	Microsoft Corporation	
c:\winnt\system32\netmsg.dll		
netui2.dll	5.00.2134.1	280.27 KB
(286,992 bytes)	12/7/1999 7:00:00 AM	
	Microsoft Corporation	
c:\winnt\system32\netui2.dll		
mpriui.dll	5.00.2195.4874	54.77 KB (56,080 bytes)
	11/1/2002 12:57:34 PM	
	Microsoft Corporation	
c:\winnt\system32\mpriui.dll		
urlmon.dll	5.00.3502.5400	442.27 KB
(452,880 bytes)	11/1/2002 12:57:53 PM	
	Microsoft Corporation	
c:\winnt\system32\urlmon.dll		
faxshell.dll	5.00.2134.1	8.27 KB
(8,464 bytes)	12/7/1999 7:00:00 AM	
	Microsoft Corporation	
c:\winnt\system32\faxshell.dll		

msacm32.dll	5.00.2134.1	65.27 KB
(66,832 bytes)	12/7/1999 7:00:00 AM	
Microsoft Corporation		
c:\winnt\system32\msacm32.dll		
avifil32.dll	5.00.2134.1	76.27 KB
(78,096 bytes)	12/7/1999 7:00:00 AM	
Microsoft Corporation		
c:\winnt\system32\avifil32.dll		
msvfw32.dll	5.00.2134.1	113.77 KB
(116,496 bytes)	12/7/1999 7:00:00 AM	
Microsoft Corporation		
c:\winnt\system32\msvfw32.dll		
docprop2.dll	5.00.2178.1	297.77 KB
(304,912 bytes)	12/7/1999 7:00:00 AM	
Microsoft Corporation		
c:\winnt\system32\docprop2.dll		
linkinfo.dll	5.00.2134.1	15.77 KB
(16,144 bytes)	12/7/1999 7:00:00 AM	
Microsoft Corporation		
c:\winnt\system32\linkinfo.dll		
browselc.dll	5.00.3502.4373	34.50 KB
(35,328 bytes)	11/1/2002 12:57:19 PM	
Microsoft Corporation		
c:\winnt\system32\browselc.dll		
msi.dll	2.0.2600.1	1.90 MB (1,991,168 bytes)
Corporation	c:\winnt\system32\msi.dll	Microsoft
powerprof.dll	5.00.3502.5305	13.27 KB
(13,584 bytes)	11/1/2002 12:57:46 PM	
Microsoft Corporation		
c:\winnt\system32\powerprof.dll		
batmeter.dll	5.00.3502.5305	20.27 KB
(20,752 bytes)	11/1/2002 12:57:19 PM	
Microsoft Corporation		
c:\winnt\system32\batmeter.dll		
stobject.dll	5.00.2195.4455	79.27 KB
(81,168 bytes)	11/1/2002 12:57:51 PM	
Microsoft Corporation		
c:\winnt\system32\stobject.dll		
webcheck.dll	5.00.3315.3727	250.77 KB
(256,784 bytes)	11/1/2002 12:57:54 PM	
Microsoft Corporation		
c:\winnt\system32\webcheck.dll		
ntshrui.dll	5.00.2134.1	46.77 KB
(47,888 bytes)	12/7/1999 7:00:00 AM	
Microsoft Corporation		
c:\winnt\system32\ntshrui.dll		
mydocs.dll	5.00.3315.4065	55.27 KB
(56,592 bytes)	11/1/2002 12:57:41 PM	
Microsoft Corporation		
c:\winnt\system32\mydocs.dll		
browseui.dll	5.00.3502.4373	791.27 KB
(810,256 bytes)	11/1/2002 12:57:19 PM	
Microsoft Corporation		
c:\winnt\system32\browseui.dll		
shdocvw.dll	5.00.3502.5400	1.05 MB
(1,105,168 bytes)	11/1/2002 12:57:49 PM	
Microsoft Corporation		
c:\winnt\system32\shdocvw.dll		
explorer.exe	5.00.3502.5321	237.27 KB
(242,960 bytes)	11/1/2002 12:57:55 PM	
Microsoft Corporation		
c:\winnt\explorer.exe		

rdpclip.exe	5.00.2174.1	39.77 KB
(40,720 bytes)	9/13/2002 5:45:10 PM	
Microsoft Corporation		
c:\winnt\system32\rdpclip.exe		
mscms.dll	5.00.2180.1	68.27 KB (69,904 bytes)
Corporation	c:\winnt\system32\mscms.dll	Microsoft
printui.dll	5.00.2195.5212	372.27 KB
(381,200 bytes)	12/7/1999 7:00:00 AM	
Microsoft Corporation		
c:\winnt\system32\printui.dll		
cscui.dll	5.00.2195.4104	233.77 KB (239,376 bytes)
Corporation	c:\winnt\system32\cscui.dll	Microsoft
logon.scr	5.00.2195.5305	127.77 KB (130,832 bytes)
Corporation	c:\winnt\system32\logon.scr	Microsoft
tapisrv.dll	5.00.2195.5227	169.27 KB
(173,328 bytes)	11/1/2002 12:57:52 PM	
Microsoft Corporation		
c:\winnt\system32\tapisrv.dll		
tpcc_com_all.dll	1, 0, 0, 1	80.00 KB
(81,920 bytes)	9/13/2002 6:29:46 PM	
c:\winnt\system32\com\replic-1\replic-2\tpc		
-c\{1\}tpcc_c~1.dll		
qlvip1.dll	Not Available	92.05 KB
(94,262 bytes)	1/6/2003 5:07:37 PM	Not Available
c:\winnt\system32\qlvip1.dll		
dbmsqlgc.dll	2000.080.0760.00	32.56 KB
(33,340 bytes)	4/1/2003 10:49:43 PM	
Microsoft Corporation		
c:\winnt\system32\dbmsqlgc.dll		
dbnetlib.dll	2000.081.9031	60.00 KB
(61,440 bytes)	9/27/2002 12:22:44 PM	
Microsoft Corporation		
c:\winnt\system32\dbnetlib.dll		
odbccp32.dll	3.520.9030.0	92.00 KB
(94,208 bytes)	4/1/2003 10:49:33 PM	
Microsoft Corporation		
c:\winnt\system32\odbccp32.dll		
sqlsrv32.rll	2000.081.9001.00	88.00 KB
(90,112 bytes)	4/1/2003 10:49:41 PM	
Microsoft Corporation		
c:\winnt\system32\sqlsrv32.rll		
mtdxm.dll	2000.2.3497.0	23.27 KB (23,824 bytes)
Corporation	c:\winnt\system32\mtdxm.dll	Microsoft
sqlunir1.dll	2000.080.0728.00	176.56 KB
(180,800 bytes)	10/2/2002 4:32:28 PM	
Microsoft Corporation		
c:\winnt\system32\sqlunir1.dll		
sqlsrv32.dll	2000.081.9031.014	376.00 KB
(385,024 bytes)	11/15/2002 3:27:06 PM	
Microsoft Corporation		
c:\winnt\system32\sqlsrv32.dll		
tpcc_odbc.dll	Not Available	28.00 KB
(28,672 bytes)	9/13/2002 6:29:42 PM	Not Available
c:\inetpub\wwwroot\tpcc_odbc.dll		
mfc42.dll	6.00.8665.0	972.05 KB (995,383 bytes)
Corporation	c:\winnt\system32\mfc42.dll	Microsoft

wam.dll	5.00.0984	70.77 KB (72,464 bytes)
	11/1/2002 12:58:16 PM	Microsoft
Corporation	c:\winnt\system32\inetsrv\wam.dll	
odbcint.dll	3.520.9001.0	88.00 KB
(90,112 bytes)	4/1/2003 10:49:33 PM	
Microsoft Corporation		
c:\winnt\system32\odbcint.dll		
odbc32.dll	3.520.9030.0	196.00 KB
(200,704 bytes)	4/1/2003 10:49:33 PM	
Microsoft Corporation		
c:\winnt\system32\odbc32.dll		
iislog.dll	5.00.0984	75.27 KB (77,072 bytes)
	11/1/2002 12:58:14 PM	Microsoft
Corporation	c:\winnt\system32\inetsrv\iislog.dll	
iscomlog.dll	5.00.0984	24.27 KB (24,848 bytes)
	11/1/2002 12:58:15 PM	Microsoft
Corporation	c:\winnt\system32\inetsrv\iscomlog.dll	
lonsint.dll	5.00.0984	11.77 KB (12,048 bytes)
	11/1/2002 12:58:15 PM	Microsoft
Corporation	c:\winnt\system32\inetsrv\lonsint.dll	
inetsloc.dll	5.00.0984	20.27 KB (20,752 bytes)
	11/1/2002 12:57:30 PM	Microsoft
Corporation	c:\winnt\system32\inetsloc.dll	
iisfecnv.dll	5.00.0984	7.27 KB (7,440 bytes)
	9/13/2002 5:45:32 PM	Microsoft
Corporation	c:\winnt\system32\inetsrv\iisfecnv.dll	
infocomm.dll	5.00.0984	240.77 KB (246,544 bytes)
	11/1/2002 12:58:15 PM	Microsoft
Corporation	c:\winnt\system32\inetsrv\infocomm.dll	
isatq.dll	5.00.0984	60.77 KB (62,224 bytes)
	11/1/2002 12:58:15 PM	Microsoft
Corporation	c:\winnt\system32\inetsrv\isatq.dll	
ftpsvc2.dll	5.00.0984	114.27 KB (117,008 bytes)
	11/1/2002 12:59:00 PM	Microsoft
Corporation	c:\winnt\system32\inetsrv\ftpsvc2.dll	
security.dll	5.00.2154.1	5.77 KB
(5,904 bytes)	12/7/1999 7:00:00 AM	
Microsoft Corporation		
c:\winnt\system32\security.dll		
svcext.dll	5.00.0984	39.77 KB (40,720 bytes)
	11/1/2002 12:58:15 PM	Microsoft
Corporation	c:\winnt\system32\inetsrv\svcext.dll	
admexs.dll	5.00.0984	27.77 KB (28,432 bytes)
	11/1/2002 12:58:13 PM	Microsoft
Corporation	c:\winnt\system32\inetsrv\admexs.dll	
wamreg.dll	5.00.0984	45.77 KB (46,864 bytes)
	11/1/2002 12:58:16 PM	Microsoft
Corporation	c:\winnt\system32\inetsrv\wamreg.dll	
metadata.dll	5.00.0984	68.77 KB (70,416 bytes)
	11/1/2002 12:58:15 PM	Microsoft
Corporation	c:\winnt\system32\inetsrv\metadata.dll	

```

iismap.dll      5.00.0984 55.77 KB (57,104 bytes)
  11/1/2002 12:57:29 PM Microsoft
Corporation     c:\winnt\system32\iismap.dll
nsepm.dll      5.00.0984 43.27 KB (44,304 bytes)
  11/1/2002 12:58:15 PM Microsoft
Corporation     c:\winnt\system32\inetsrv\nsepm.dll
admwprox.dll   5.00.0984 31.77 KB (32,528 bytes)
  9/13/2002 5:45:33 PM Microsoft
Corporation     c:\winnt\system32\admwprox.dll
coadmin.dll    5.00.0984 39.77 KB (40,720 bytes)
  11/1/2002 12:58:14 PM Microsoft
Corporation     c:\winnt\system32\inetsrv\coadmin.dll
iisadmin.dll   5.00.0984 15.27 KB (15,632 bytes)
  11/1/2002 12:58:14 PM Microsoft
Corporation     c:\winnt\system32\inetsrv\iisadmin.dll
rpcref.dll    5.00.0984 4.27 KB (4,368 bytes)
  11/1/2002 12:58:15 PM Microsoft
Corporation     c:\winnt\system32\inetsrv\rpcref.dll
iisrtl.dll    5.00.0984 119.77 KB (122,640 bytes)
  11/1/2002 12:57:29 PM Microsoft
Corporation     c:\winnt\system32\iisrtl.dll
inetinfo.exe   5.00.0984 14.27 KB (14,608 bytes)
  11/1/2002 12:58:14 PM Microsoft
Corporation     c:\winnt\system32\inetsrv\inetinfo.exe
dfssvc.exe     5.00.2195.3649  88.27 KB
(90,384 bytes) 11/1/2002 12:57:23 PM Microsoft
Corporation     c:\winnt\system32\dfssvc.exe
sensapi.dll   5.00.2163.1   6.77 KB
(6,928 bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation     c:\winnt\system32\sensapi.dll
winhttp.dll   5.1.2600.1039 (xpsp1.020511-1800)
  303.00 KB (310,272 bytes) 11/1/2002 12:58:13 PM Microsoft
Corporation     c:\winnt\system32\winhttp.dll
wininet.dll   5.00.3502.4619  450.77 KB
(461,584 bytes) 11/1/2002 12:57:54 PM Microsoft
Corporation     c:\winnt\system32\wininet.dll
utilddll.dll  5.00.2153.1   25.77 KB
(26,384 bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation     c:\winnt\system32\utilddll.dll
wtsapi32.dll  5.00.2134.1   14.27 KB
(14,608 bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation     c:\winnt\system32\wtsapi32.dll
advpack.dll   5.00.3502.4373  86.77 KB
(88,848 bytes) 11/1/2002 12:57:18 PM Microsoft
Corporation     c:\winnt\system32\advpack.dll
wuaueng.dll   5.4.3628.1 built by: lab04_n
  182.50 KB (186,880 bytes) 11/1/2002 12:58:13 PM Microsoft
Corporation     c:\winnt\system32\wuaueng.dll
wuauerv.dll   5.4.3628.1 built by: lab04_n
  8.50 KB (8,704 bytes) 11/1/2002

```

```

12:58:13 PM      Microsoft Corporation
                  c:\winnt\system32\wuauerv.dll
netui1.dll     5.00.2134.1   210.27 KB
(215,312 bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation     c:\winnt\system32\netui1.dll
netui0.dll     5.00.2195.4874  70.77 KB
(72,464 bytes) 11/1/2002 12:57:42 PM Microsoft
Corporation     c:\winnt\system32\ntlanman.dll
ntlanman.dll  5.00.2195.5428  35.27 KB
(36,112 bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation     c:\winnt\system32\ntlanman.dll
wshnetbs.dll  5.00.2134.1   7.77 KB
(7,952 bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation     c:\winnt\system32\wshnetbs.dll
ntmarta.dll   5.00.2195.4836  99.77 KB
(102,160 bytes) 11/1/2002 12:57:43 PM Microsoft
Corporation     c:\winnt\system32\ntmarta.dll
perfos.dll    5.00.2155.1   21.27 KB
(21,776 bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation     c:\winnt\system32\perfos.dll
provthrd.dll  1.50.1085.0000  68.07 KB
(69,708 bytes) 9/13/2002 5:45:53 PM Microsoft
Corporation     c:\winnt\system32\provthrd.dll
ntevt.dll    1.50.1085.0072  192.06 KB (196,671 bytes) 11/1/2002 12:57:58 PM Microsoft
Corporation     c:\winnt\system32\wbem\ntevt.dll
framedyn.dll  1.50.1085.0076  164.07 KB
(168,009 bytes) 11/1/2002 12:57:58 PM Microsoft
Corporation     c:\winnt\system32\wbem\framedyn.dll
cimwin32.dll  1.50.1085.0073  1.04 MB
(1,085,520 bytes) 11/1/2002 12:57:58 PM Microsoft
Corporation     c:\winnt\system32\wbem\cimwin32.dll
wbemsvc.dll   1.50.1085.0007  40.07 KB
(41,036 bytes) 11/1/2002 12:57:59 PM Microsoft
Corporation     c:\winnt\system32\wbem\wbemsvc.dll
wbemess.dll   1.50.1085.0074  364.07 KB
(372,804 bytes) 11/1/2002 12:57:59 PM Microsoft
Corporation     c:\winnt\system32\wbem\wbemess.dll
fastprox.dll  1.50.1085.0056  144.08 KB
(147,536 bytes) 11/1/2002 12:57:58 PM Microsoft
Corporation     c:\winnt\system32\wbem\fastprox.dll
wbemcore.dll  1.50.1085.0085  628.07 KB
(643,146 bytes) 11/1/2002 12:57:59 PM Microsoft
Corporation     c:\winnt\system32\wbem\wbemcore.dll
wbemcomm.dll  1.50.1085.0077  692.07 KB
(708,675 bytes) 11/1/2002 12:57:59 PM Microsoft
Corporation     c:\winnt\system32\wbem\wbemcomm.dll
winmgmt.exe   1.50.1085.0070  192.08 KB
(196,685 bytes) 11/1/2002 12:57:59 PM

```

```

Microsoft Corporation
c:\winnt\system32\wbem\winmgmt.exe
msidle.dll   5.00.2920.0000  6.27 KB
(6,416 bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation     c:\winnt\system32\msidle.dll
mstask.exe    4.71.2195.1   115.77 KB
(118,544 bytes) 11/1/2002 12:57:39 PM Microsoft
Corporation     c:\winnt\system32\mstask.exe
rsys.exe     Not Available  32.00 KB (32,768 bytes)
  9/17/2002 4:43:40 PM Not Available
c:\benchcraft\rsys.exe
regsvc.exe   5.00.2195.3649  65.27 KB
(66,832 bytes) 11/1/2002 12:57:47 PM Microsoft
Corporation     c:\winnt\system32\regsvc.exe
llsrpc.dll   5.00.2195.4907  47.77 KB
(48,912 bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation     c:\winnt\system32\llsrpc.dll
llssrv.exe   5.00.2195.4907  81.27 KB
(83,216 bytes) 7/22/2002 1:05:04 PM Microsoft
Corporation     c:\winnt\system32\llssrv.exe
wmi.dll      5.00.2191.1   6.416 KB (6,416 bytes)
  12/7/1999 7:00:00 AM Microsoft
Corporation     c:\winnt\system32\wmi.dll
netshell.dll  5.00.2195.5431  457.77 KB
(468,752 bytes) 11/1/2002 12:57:42 PM Microsoft
Corporation     c:\winnt\system32\netshell.dll
netman.dll   5.00.2195.5282  89.27 KB
(91,408 bytes) 11/1/2002 12:57:42 PM Microsoft
Corporation     c:\winnt\system32\netman.dll
comsvcs.dll  2000.2.3497.0  1.37 MB
(1,439,504 bytes) 11/1/2002 12:57:22 PM Microsoft
Corporation     c:\winnt\system32\comsvcs.dll
ntmsdba.dll  5.00.2195.5279  169.27 KB
(173,328 bytes) 11/1/2002 12:57:43 PM Microsoft
Corporation     c:\winnt\system32\ntmsdba.dll
rasdlg.dll   5.00.2195.5438  515.77 KB
(528,144 bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation     c:\winnt\system32\rasdlg.dll
netcfgx.dll  5.00.2195.4874  534.77 KB
(547,600 bytes) 11/1/2002 12:57:41 PM Microsoft
Corporation     c:\winnt\system32\netcfgx.dll
rasmans.dll  5.00.2195.5436  149.27 KB
(152,848 bytes) 11/1/2002 12:57:46 PM Microsoft
Corporation     c:\winnt\system32\rasmans.dll
sens.dll     5.00.2163.1   36.77 KB (37,648 bytes)
  12/7/1999 7:00:00 AM Microsoft
Corporation     c:\winnt\system32\sens.dll
ntmssvc.dll  5.00.2195.5254  391.77 KB
(401,168 bytes) 11/1/2002 12:57:43 PM Microsoft
Corporation     c:\winnt\system32\ntmssvc.dll

```

es.dll	2000.2.3497.0	225.27 KB (230,672 bytes)	Microsoft Corporation	c:\winnt\system32\es.dll
psapi.dll	5.00.2134.1	28.27 KB (28,944 bytes)	Microsoft Corporation	c:\winnt\system32\psapi.dll
rched20.dll	5.30.23.1209	421.77 KB (431,888 bytes)	Microsoft Corporation	c:\winnt\system32\rched20.dll
rched32.dll	5.00.2134.1	3.77 KB (3,856 bytes)	Microsoft Corporation	c:\winnt\system32\rched32.dll
comdlg32.dll	5.00.3315.3727	221.27 KB (226,576 bytes)	Microsoft Corporation	c:\winnt\system32\comdlg32.dll
aclient.exe	5.5.142	1.91 MB (2,003,020 bytes)	Altiris, Inc.	c:\altiris\aclient\aclient.exe
mtxoci.dll	2000.2.3497.0	103.77 KB (106,256 bytes)	Microsoft Corporation	c:\winnt\system32\mtxoci.dll
resutils.dll	5.00.2195.5339	39.77 KB (40,720 bytes)	Microsoft Corporation	c:\winnt\system32\resutils.dll
clusapi.dll	5.00.2195.4678	54.27 KB (55,568 bytes)	Microsoft Corporation	c:\winnt\system32\clusapi.dll
msvcvp50.dll	5.00.7051	552.50 KB (565,760 bytes)	Microsoft Corporation	c:\winnt\system32\msvcvp50.dll
xolehlp.dll	1999.9.3421.3	17.27 KB (17,680 bytes)	Microsoft Corporation	c:\winnt\system32\xolehlp.dll
msdtclog.dll	2000.2.3497.0	86.77 KB (88,848 bytes)	Microsoft Corporation	c:\winnt\system32\msdtclog.dll
mtxclu.dll	2000.2.3497.0	51.27 KB (52,496 bytes)	Microsoft Corporation	c:\winnt\system32\mtxclu.dll
msdtcprr.dll	2000.2.3497.0	683.77 KB (700,176 bytes)	Microsoft Corporation	c:\winnt\system32\msdtcprr.dll
txfaux.dll	2000.2.3497.0	383.27 KB (392,464 bytes)	Microsoft Corporation	c:\winnt\system32\txfaux.dll
msdtctm.dll	2000.2.3497.0	1.08 MB (1,128,208 bytes)	Microsoft Corporation	c:\winnt\system32\msdtctm.dll
msdtc.exe	1999.9.3421.3	6.77 KB (6,928 bytes)	Microsoft Corporation	c:\winnt\system32\msdtc.exe

inetpp.dll	5.00.2195.4299	64.27 KB (65,808 bytes)	Microsoft Corporation	c:\winnt\system32\inetpp.dll
win32spl.dll	5.00.2195.5201	92.27 KB (94,480 bytes)	Microsoft Corporation	c:\winnt\system32\win32spl.dll
usbmon.dll	5.00.2195.4299	11.27 KB (11,536 bytes)	Microsoft Corporation	c:\winnt\system32\usbmon.dll
pjlmmon.dll	5.00.2165.1	12.77 KB (13,072 bytes)	Microsoft Corporation	c:\winnt\system32\pjlmmon.dll
localspl.dll	5.00.2195.5423	250.27 KB (256,272 bytes)	Microsoft Corporation	c:\winnt\system32\localspl.dll
spoolss.dll	5.00.2195.5400	61.77 KB (63,248 bytes)	Microsoft Corporation	c:\winnt\system32\spoolss.dll
spoolsv.exe	5.00.2195.4299	44.27 KB (45,328 bytes)	Microsoft Corporation	c:\winnt\system32\spoolsv.exe
clbcatq.dll	2000.2.3497.0	497.77 KB (509,712 bytes)	Microsoft Corporation	c:\winnt\system32\clbcatq.dll
rpcss.dll	5.00.2195.5429	231.27 KB (236,816 bytes)	Microsoft Corporation	c:\winnt\system32\rpcss.dll
svchost.exe	5.00.2134.1	7.77 KB (7,952 bytes)	Microsoft Corporation	c:\winnt\system32\svchost.exe
rdpwsx.dll	5.00.2195.5243	97.90 KB (100,248 bytes)	Microsoft Corporation	c:\winnt\system32\rdpwsx.dll
mstlsapi.dll	5.00.2195.3895	25.77 KB (26,384 bytes)	Microsoft Corporation	c:\winnt\system32\mstlsapi.dll
icaapi.dll	5.00.2195.3895	122.77 KB (125,712 bytes)	Microsoft Corporation	c:\winnt\system32\icaapi.dll
regapi.dll	5.00.2195.5201	35.27 KB (36,112 bytes)	Microsoft Corporation	c:\winnt\system32\regapi.dll

termsrv.exe	5.00.2195.5276	138.77 KB (142,096 bytes)	Microsoft Corporation	c:\winnt\system32\termsrv.exe
iissuba.dll	5.00.0984	9.77 KB (10,000 bytes)	Microsoft Corporation	c:\winnt\system32\iissuba.dll
dssenh.dll	5.00.2195.3665	142.77 KB (146,192 bytes)	Microsoft Corporation	c:\winnt\system32\dssenh.dll
oakley.dll	5.00.2195.5326	382.27 KB (391,440 bytes)	Microsoft Corporation	c:\winnt\system32\oakley.dll
mfc42u.dll	6.00.8665.0	972.05 KB (995,384 bytes)	Microsoft Corporation	c:\winnt\system32\mfc42u.dll
polagent.dll	5.00.2195.5428	94.77 KB (97,040 bytes)	Microsoft Corporation	c:\winnt\system32\polagent.dll
scecli.dll	5.00.2195.4874	109.27 KB (111,888 bytes)	Microsoft Corporation	c:\winnt\system32\scecli.dll
atl.dll	3.00.9435	73.06 KB (74,810 bytes)	Microsoft Corporation	c:\winnt\system32\atl.dll
certcli.dll	5.00.2195.3649	130.27 KB (133,392 bytes)	Microsoft Corporation	c:\winnt\system32\certcli.dll
esent.dll	6.0.3940.25	1.09 MB (1,137,936 bytes)	Microsoft Corporation	c:\winnt\system32\esent.dll
ntdsatq.dll	5.00.2195.5246	31.27 KB (32,016 bytes)	Microsoft Corporation	c:\winnt\system32\ntdsatq.dll
ntdsa.dll	5.00.2195.5438	1002.27 KB (1,026,320 bytes)	Microsoft Corporation	c:\winnt\system32\ntdsa.dll
kdcsvc.dll	5.00.2195.5246	141.77 KB (145,168 bytes)	Microsoft Corporation	c:\winnt\system32\kdcsvc.dll
sfmapi.dll	5.00.2134.1	38.77 KB (39,696 bytes)	Microsoft Corporation	c:\winnt\system32\sfmapi.dll
rassfm.dll	5.00.2195.4874	21.27 KB (21,776 bytes)	Microsoft Corporation	c:\winnt\system32\rassfm.dll
rsabase.dll	5.00.2195.3839	128.27 KB (131,344 bytes)	Microsoft Corporation	c:\winnt\system32\rsabase.dll
schannel.dll	5.00.2195.5284	139.27 KB (142,608 bytes)	Microsoft Corporation	c:\winnt\system32\schannel.dll

```

Microsoft Corporation
  c:\winnt\system32\schannel.dll
netlogon.dll      5.00.2195.5400    362.77 KB
(371,472 bytes)   11/1/2002 12:57:41 PM
  Microsoft Corporation
  c:\winnt\system32\netlogon.dll
kerberos.dll      5.00.2195.5246    202.77 KB
(207,632 bytes)   11/1/2002 12:57:32 PM
  Microsoft Corporation
  c:\winnt\system32\kerberos.dll
msprivs.dll       5.00.2154.1      41.50 KB
(42,496 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\msprivs.dll
samsrv.dll        5.00.2195.5201    374.27 KB
(383,248 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\samsrv.dll
lsasrv.dll        5.00.2195.5430    500.27 KB
(512,272 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\lsasrv.dll
lsass.exe         5.00.2195.5430    32.77 KB (33,552 bytes)
12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\lsass.exe
Corporation        c:\winnt\system32\lsass.exe
ntlsapi.dll       5.00.2195.4907    6.77 KB
(6,928 bytes)    12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\ntlsapi.dll
wmicore.dll       5.00.2195.3649    72.27 KB
(74,000 bytes)   11/1/2002 12:57:54 PM
  Microsoft Corporation
  c:\winnt\system32\wmicore.dll
rasadhlp.dll      5.00.2168.1      7.27 KB
(7,440 bytes)    12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\rasadhlp.dll
winrnrr.dll       5.00.2160.1      18.77 KB
(19,216 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\winrnrr.dll
rnr20.dll         5.00.2195.4874    35.77 KB (36,624 bytes)
11/1/2002 12:57:48 PM
  Microsoft Corporation
  c:\winnt\system32\rnr20.dll
wshtcpip.dll     5.00.2195.4874    17.27 KB
(17,680 bytes)   11/1/2002 12:57:55 PM
  Microsoft Corporation
  c:\winnt\system32\wshtcpip.dll
msafd.dll         5.00.2195.4874    103.27 KB (105,744
bytes)   11/1/2002 12:57:34 PM
  Microsoft Corporation
  c:\winnt\system32\msafd.dll
mswsock.dll      5.00.2195.4874    62.77 KB
(64,272 bytes)   11/1/2002 12:57:40 PM
  Microsoft Corporation
  c:\winnt\system32\mswsock.dll
msgsvc.dll       5.00.2195.4874    34.77 KB
(35,600 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\msgsvc.dll
browser.dll       5.00.2195.4874    48.77 KB
(49,936 bytes)   11/1/2002 12:57:19 PM
  Microsoft Corporation
  c:\winnt\system32\browser.dll

```

```

alrsvc.dll        5.00.2134.1      17.77 KB
(18,192 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\alrsvc.dll
trkwks.dll       5.00.2195.4874    88.77 KB
(90,896 bytes)   11/1/2002 12:57:52 PM
  Microsoft Corporation
  c:\winnt\system32\trkwks.dll
seclogon.dll     5.00.2195.5201    17.27 KB
(17,680 bytes)   11/1/2002 12:57:49 PM
  Microsoft Corporation
  c:\winnt\system32\seclogon.dll
psbase.dll       5.00.2195.4822    111.77 KB
(114,448 bytes)  11/1/2002 12:57:46 PM
  Microsoft Corporation
  c:\winnt\system32\psbase.dll
cryptsvc.dll     5.00.2195.4368    73.27 KB
(75,024 bytes)   11/1/2002 12:57:23 PM
  Microsoft Corporation
  c:\winnt\system32\cryptsvc.dll
cryptdll.dll     5.00.2135.1      41.27 KB
(42,256 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\cryptdll.dll
wkssvc.dll       5.00.2195.4874    95.27 KB
(97,552 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\wkssvc.dll
srvsvc.dll       5.00.2195.5400    81.77 KB
(83,728 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\srsvc.dll
cfgmgr32.dll     5.00.2134.1      16.77 KB
(17,168 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\cfgmgr32.dll
dmserver.dll     2195.3649.297.3   12.27 KB
(12,560 bytes)   11/1/2002 12:57:24 PM
  VERITAS Software Corp.
  c:\winnt\system32\dmserver.dll
lmhsvc.dll       5.00.2195.4874    9.77 KB
(10,000 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\lmhsvc.dll
dnsrslvr.dll    5.00.2195.5354    89.77 KB
(91,920 bytes)   11/1/2002 12:57:25 PM
  Microsoft Corporation
  c:\winnt\system32\dnsrslvr.dll
tapi32.dll       5.00.2182.1      123.27 KB
(126,224 bytes)  12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\tapi32.dll
rasman.dll       5.00.2195.5292    54.77 KB
(56,080 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\rasman.dll
rasapi32.dll     5.00.2195.5438    191.77 KB
(196,368 bytes)  12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\rasapi32.dll
rtutils.dll      5.00.2168.1      43.77 KB
(44,816 bytes)   12/7/1999 7:00:00 AM

```

```

  Microsoft Corporation
  c:\winnt\system32\rtutils.dll
adsldpc.dll      5.00.2195.5400    127.77 KB
(130,832 bytes)  11/1/2002 12:57:18 PM
  Microsoft Corporation
  c:\winnt\system32\adsldpc.dll
activeds.dll     5.00.2195.5312    175.27 KB
(179,472 bytes)  11/1/2002 12:57:14 PM
  Microsoft Corporation
  c:\winnt\system32\activeds.dll
oleaut32.dll     2.40.4518 612.27 KB (626,960
bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\oleaut32.dll
mprapi.dll      5.00.2181.1      79.27 KB
(81,168 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\mprapi.dll
iphlpapi.dll     5.00.2195.2      68.27 KB
(69,904 bytes)   11/1/2002 12:57:30 PM
  Microsoft Corporation
  c:\winnt\system32\iphlpapi.dll
icmp.dll        5.00.2134.1      7.27 KB (7,440 bytes)
12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\icmp.dll
dhcpsvc.dll     5.00.2195.4874    87.77 KB
(89,872 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\dhcpsvc.dll
eventlog.dll    5.00.2195.5336    44.27 KB
(45,328 bytes)   11/1/2002 12:57:27 PM
  Microsoft Corporation
  c:\winnt\system32\eventlog.dll
ntdsapi.dll     5.00.2195.4827    56.27 KB
(57,616 bytes)   11/1/2002 12:57:42 PM
  Microsoft Corporation
  c:\winnt\system32\ntdsapi.dll
scesrv.dll       5.00.2195.5316    242.77 KB
(248,592 bytes)  11/1/2002 12:57:48 PM
  Microsoft Corporation
  c:\winnt\system32\scesrv.dll
umpnpmgr.dll    5.00.2182.1      86.27 KB
(88,336 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\umpnpmgr.dll
services.exe     5.00.2195.3940    86.77 KB
(88,848 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\services.exe
msv1_0.dll       5.00.2195.4745    112.27 KB
(114,960 bytes)  12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\msv1_0.dll
lz32.dll         5.00.2134.1      9.77 KB (10,000 bytes)
12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\lz32.dll
version.dll     5.00.2134.1      15.77 KB
(16,144 bytes)   12/7/1999 7:00:00 AM
  Microsoft Corporation
  c:\winnt\system32\version.dll
rsaenh.dll       5.00.2195.3839    130.77 KB
(133,904 bytes)  11/1/2002 12:58:08 PM
  Microsoft Corporation
  c:\winnt\system32\rsaenh.dll

```

mscat32.dll	5.131.2134.1	7.77 KB
(7,952 bytes)	12/7/1999 7:00:00 AM	
Microsoft Corporation		
c:\winnt\system32\mscat32.dll		
ole32.dll	5.00.2195.5400	968.27 KB (991,504 bytes)
Corporation	c:\winnt\system32\ole32.dll	Microsoft
imagehlp.dll	5.00.2195.5242	125.77 KB (128,784 bytes)
(5/4/2001 12:05:02 PM)		
Microsoft Corporation		
c:\winnt\system32\imagehlp.dll		
wintrust.dll	5.131.2195.3775	162.27 KB (166,160 bytes)
Corporation	c:\winnt\system32\wintrust.dll	Microsoft
winspool.drv	5.00.2195.5225	111.27 KB (113,936 bytes)
Corporation	c:\winnt\system32\winspool.drv	Microsoft
msasn1.dll	5.00.2195.4067	51.27 KB (52,496 bytes)
Corporation	c:\winnt\system32\msasn1.dll	Microsoft
crypt32.dll	5.131.2195.4558	464.27 KB (475,408 bytes)
Corporation	c:\winnt\system32\crypt32.dll	Microsoft
winscard.dll	5.00.2134.1	77.27 KB (79,120 bytes)
Corporation	c:\winnt\system32\winscard.dll	Microsoft
wlnotify.dll	5.00.2195.5377	54.27 KB (55,568 bytes)
Corporation	c:\winnt\system32\wlnotify.dll	Microsoft
cscd11.dll	5.00.2195.5434	98.77 KB (101,136 bytes)
Corporation	c:\winnt\system32\cscd11.dll	Microsoft
mpr.dll	5.00.2195.3649	53.77 KB (55,056 bytes)
Corporation	c:\winnt\system32\mpr.dll	Microsoft
shlwapi.dll	5.00.3502.5332	283.27 KB (290,064 bytes)
Corporation	c:\winnt\system32\shlwapi.dll	Microsoft
shell32.dll	5.00.3502.5436	2.26 MB (2,374,416 bytes)
Corporation	c:\winnt\system32\shell32.dll	Microsoft
msgina.dll	5.00.2195.4733	324.77 KB (332,560 bytes)
Corporation	c:\winnt\system32\msgina.dll	Microsoft
comctl32.dll	5.81	539.27 KB (552,208 bytes)
Corporation	c:\winnt\system32\comctl32.dll	Microsoft
setupapi.dll	5.00.2195.5400	553.77 KB (567,056 bytes)
Corporation	c:\winnt\system32\setupapi.dll	Microsoft

winmm.dll	5.00.2161.1	184.77 KB (189,200 bytes)
Corporation	c:\winnt\system32\winmm.dll	Microsoft
winsta.dll	5.00.2195.4655	36.77 KB (37,648 bytes)
(11/1/2002 12:57:54 PM)		
Microsoft Corporation		
c:\winnt\system32\winsta.dll		
wsock32.dll	5.00.2195.4874	21.27 KB (21,776 bytes)
(11/1/2002 12:57:55 PM)		
Microsoft Corporation		
c:\winnt\system32\wsock32.dll		
dnsapi.dll	5.00.2195.5354	131.27 KB (134,416 bytes)
(11/1/2002 12:57:24 PM)		
Microsoft Corporation		
c:\winnt\system32\dnsapi.dll		
wldap32.dll	5.00.2195.5400	158.77 KB (162,576 bytes)
(11/1/2002 12:57:54 PM)		
Microsoft Corporation		
c:\winnt\system32\wldap32.dll		
ws2help.dll	5.00.2134.1	17.77 KB (18,192 bytes)
(12/7/1999 7:00:00 AM)		
Microsoft Corporation		
c:\winnt\system32\ws2help.dll		
ws2_32.dll	5.00.2195.4874	66.77 KB (68,368 bytes)
(11/1/2002 12:57:54 PM)		
Microsoft Corporation		
c:\winnt\system32\ws2_32.dll		
samlib.dll	5.00.2195.4827	49.77 KB (50,960 bytes)
(12/7/1999 7:00:00 AM)		
Microsoft Corporation		
c:\winnt\system32\samlib.dll		
netrap.dll	5.00.2134.1	11.27 KB (11,536 bytes)
(12/7/1999 7:00:00 AM)		
Microsoft Corporation		
c:\winnt\system32\netrap.dll		
netapi32.dll	5.00.2195.5427	305.27 KB (312,592 bytes)
(11/1/2002 12:57:41 PM)		
Microsoft Corporation		
c:\winnt\system32\netapi32.dll		
profmap.dll	5.00.2181.1	29.27 KB (29,968 bytes)
(12/7/1999 7:00:00 AM)		
Microsoft Corporation		
c:\winnt\system32\profmap.dll		
secur32.dll	5.00.2195.4587	47.27 KB (48,400 bytes)
(11/1/2002 12:57:49 PM)		
Microsoft Corporation		
c:\winnt\system32\secur32.dll		
sfc.dll	5.00.2195.3649	92.11 KB (94,320 bytes)
(11/1/2002 12:57:49 PM)		
Microsoft Corporation		
c:\winnt\system32\sfc.dll		
nddeapi.dll	5.00.2195.4509	15.77 KB (16,144 bytes)
(11/1/2002 12:57:41 PM)		
Microsoft Corporation		
c:\winnt\system32\nddeapi.dll		
userenv.dll	5.00.2195.5425	363.77 KB (372,496 bytes)
(12/7/1999 7:00:00 AM)		
Microsoft Corporation		
c:\winnt\system32\userenv.dll		
user32.dll	5.00.2195.4314	395.77 KB (405,264 bytes)
(12/7/1999 7:00:00 AM)		
Microsoft Corporation		
c:\winnt\system32\user32.dll		

gdi32.dll	5.00.2195.5252	228.77 KB (234,256 bytes)	
Corporation	c:\winnt\system32\gdi32.dll	Microsoft	
rpcrt4.dll	5.00.2195.5419	440.27 KB (450,832 bytes)	
(11/1/2002 12:57:48 PM)			
Microsoft Corporation			
c:\winnt\system32\rpcrt4.dll			
advapi32.dll	5.00.2195.5385	358.77 KB (367,376 bytes)	
(12/7/1999 7:00:00 AM)			
Microsoft Corporation			
c:\winnt\system32\advapi32.dll			
kernel32.dll	5.00.2195.5400	716.77 KB (733,968 bytes)	
(12/7/1999 7:00:00 AM)			
Microsoft Corporation			
c:\winnt\system32\kernel32.dll			
msvcrt.dll	6.10.9359.0	284.05 KB (290,869 bytes)	
(7/22/2002 1:05:04 PM)			
Microsoft Corporation			
c:\winnt\system32\msvcrt.dll			
winlogon.exe	5.00.2195.5386	174.77 KB (178,960 bytes)	
(11/1/2002 12:57:54 PM)			
Microsoft Corporation			
c:\winnt\system32\winlogon.exe			
sfcfiles.dll	5.00.2195.5426	951.27 KB (974,096 bytes)	
(11/1/2002 12:57:49 PM)			
Microsoft Corporation			
c:\winnt\system32\sfcfiles.dll			
ntdll.dll	5.00.2195.5400	479.27 KB (490,768 bytes)	
(5/4/2001 12:05:02 PM)			
Microsoft Corporation			
c:\winnt\system32\ntdll.dll			
smss.exe	5.00.2195.5382	44.77 KB (45,840 bytes)	
(12/7/1999 7:00:00 AM)			
Microsoft Corporation			
c:\winnt\system32\smss.exe			
[Services]			
Display Name	Name	State	Start Mode
	Service Type	Path	Error Control
	Start Name	Tag ID	
Altiris Client Service	AClient	Running	
	Auto	Own Process	
	c:\altiris\client\aclient.exe	-service	
Alerter	Alerter	Running	Auto
	Normal	LocalSystem	Share Process
	c:\winnt\system32\services.exe	0	
Application Management	AppMgmt	Stopped	
	Manual	Share Process	
	c:\winnt\system32\services.exe	0	
Background Intelligent Transfer Service BITS	BITS	Normal	LocalSystem
	Stopped	Manual	Share Process
	c:\winnt\system32\svchost.exe	-k bitsgroup	
Computer Browser	Browser	Running	Auto
	Share Process	c:\winnt\system32\services.exe	
	Normal	LocalSystem	0
Indexing Service	cisvc	Stopped	Manual
	Share Process	c:\winnt\system32\cisvc.exe	Normal
	LocalSystem	0	

ClipBook	ClipSrv	Stopped	Manual	Own Process
	c:\winnt\system32\clipsrv.exe	Normal		
	LocalSystem	0		
Distributed File System	Dfs	Running		
	Auto	Own Process		
	c:\winnt\system32\dfssvc.exe	Normal		
	LocalSystem	0		
DHCP Client	Dhcp	Running	Auto	
	Share Process			
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
Logical Disk Manager	Administrative Service			
	dmadmin	Stopped	Manual	Share Process
	c:\winnt\system32\dmadmin.exe	/com		
	Normal	LocalSystem	0	
Logical Disk Manager	dmserver	Running		
	Auto	Share Process		
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
DNS Client	Dnscache	Running	Auto	
	Share Process			
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
Event Log	Eventlog	Running	Auto	Share Process
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
COM+ Event System	EventSystem	Running		
	Manual	Share Process		
	c:\winnt\system32\svchost.exe	-k netsvcs		
	Normal	LocalSystem	0	
Fax Service	Fax	Stopped	Manual	Own
Process	c:\winnt\system32\faxsvc.exe	Normal		
	LocalSystem	0		
IIS Admin Service	IISADMIN	Running	Auto	
	Share Process			
	c:\winnt\system32\inetsrv\inetinfo.exe			
	Normal	LocalSystem	0	
Intersite Messaging	IsmServ	Stopped	Disabled	Own
Process	c:\winnt\system32\ismserv.exe	Normal		
	LocalSystem	0		
Kerberos	Key Distribution Center	kdc		
	Stopped	Disabled	Share Process	
	c:\winnt\system32\lsass.exe	Normal		
	LocalSystem	0		
Server	lanmanserver	Running	Auto	
	Share Process			
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
Workstation	lanmanworkstation	Running		
	Auto	Share Process		
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
License Logging Service	LicenseService			
	Running	Auto	Own Process	
	c:\winnt\system32\llssrv.exe	Normal		
	LocalSystem	0		
TCP/IP NetBIOS Helper Service	LmHosts	Running		
	Auto	Share Process		
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
Messenger	Messenger	Running	Auto	Share Process
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	

NetMeeting	Remote Desktop Sharing	mnmsrvc		
	Stopped	Manual	Own Process	
	c:\winnt\system32\mnmsrvc.exe	Normal		
	LocalSystem	0		
Distributed Transaction Coordinator	MSDTC			
	Running	Auto	Own Process	
	c:\winnt\system32\msdtc.exe	Normal		
	LocalSystem	0		
FTP Publishing Service	MSFTPSVC	Running		
	Auto	Share Process		
	c:\winnt\system32\inetrsrv\inetinfo.exe			
	Normal	LocalSystem	0	
Windows Installer	MSI Server	Stopped	Manual	
	Share Process			
	c:\winnt\system32\msiexec.exe	/v		
	Normal	LocalSystem	0	
Network DDE	NetDDE	Stopped	Manual	
	Share Process			
	c:\winnt\system32\netdde.exe	Normal		
	LocalSystem	0		
Network DDE	DSDM	NetDDEdsdm	Stopped	
	Manual	Share Process		
	c:\winnt\system32\netdde.exe	Normal		
	LocalSystem	0		
Net Logon	Netlogon	Stopped	Manual	Share Process
	c:\winnt\system32\lsass.exe	Normal		
	LocalSystem	0		
Network Connections	Netman	Running	Manual	
	Share Process			
	c:\winnt\system32\svchost.exe	-k netsvcs		
	Normal	LocalSystem	0	
File Replication	NTFRs	Stopped	Manual	Own
Process	c:\winnt\system32\ntfrs.exe	Ignore		
	LocalSystem	0		
NT LM Security Support Provider	NtLmSpn			
	Stopped	Manual	Share Process	
	c:\winnt\system32\lsass.exe	Normal		
	LocalSystem	0		
Removable Storage	NtmsSvc	Running	Auto	
	Share Process			
	c:\winnt\system32\svchost.exe	-k netsvcs		
	Normal	LocalSystem	0	
Plug and Play	PlugPlay	Running	Auto	
	Share Process			
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
IPSEC Policy Agent	PolicyAgent	Running		
	Auto	Share Process		
	c:\winnt\system32\lsass.exe	Normal		
	LocalSystem	0		
Protected Storage	ProtectedStorage	Running		
	Auto	Share Process		
	c:\winnt\system32\services.exe			
	Normal	LocalSystem	0	
Remote Access Auto Connection Manager	RasAuto			
	Stopped	Manual	Share Process	
	c:\winnt\system32\svchost.exe	-k netsvcs		
	Normal	LocalSystem	0	
Remote Access Connection Manager	RasMan			
	Stopped	Manual	Share Process	
	c:\winnt\system32\svchost.exe	-k netsvcs		
	Normal	LocalSystem	0	

Routing and Remote Access	RemoteAccess			
	Stopped	Disabled	Share Process	
	c:\winnt\system32\svchost.exe	-k netsvcs		
	Normal	LocalSystem	0	
Remote Registry Service	RemoteRegistry			
	Running	Auto	Own Process	
	c:\winnt\system32\regsvc.exe	Normal		
	LocalSystem	0		
Remote Command Service	RMSYS	Running		
	Auto	Own Process		
	c:\benchcraft\rsys.exe	Normal		
	LocalSystem	0		
Remote Procedure Call (RPC) Locator	RpcLocator			
	Stopped	Manual	Own Process	
	c:\winnt\system32\locator.exe	Normal		
	LocalSystem	0		
Remote Procedure Call (RPC)	RpcSs	Running		
	Auto	Share Process		
	c:\winnt\system32\svchost -k rpcss			
	Normal	LocalSystem	0	
QoS RSVP	RSVP	Running	Manual	Own Process
	c:\winnt\system32\rsvp.exe	-s Normal		
	LocalSystem	0		
Security Accounts Manager	SamSs	Running		
	Auto	Share Process		
	c:\winnt\system32\lsass.exe	Normal		
	LocalSystem	0		
Smart Card Helper	SCardDrv	Stopped	Manual	
	Share Process			
	c:\winnt\system32\scardsvr.exe			
	Ignore	LocalSystem	0	
Smart Card	SCardSvr	Stopped	Manual	
	Share Process			
	c:\winnt\system32\scardsvr.exe			
	Ignore	LocalSystem	0	
Task Scheduler	Schedule	Running	Auto	
	Share Process			
	c:\winnt\system32\mstask.exe	Normal		
	LocalSystem	0		
RunAs Service	seclogon	Running	Auto	
	Share Process			
	c:\winnt\system32\services.exe			
	Ignore	LocalSystem	0	
System Event Notification	SENS	Running		
	Auto	Share Process		
	c:\winnt\system32\svchost.exe	-k netsvcs		
	Normal	LocalSystem	0	
Internet Connection Sharing	SharedAccess			
	Stopped	Manual	Share Process	
	c:\winnt\system32\svchost.exe	-k netsvcs		
	Normal	LocalSystem	0	
Print Spooler	Spooler	Running	Auto	Own
Process	c:\winnt\system32\spoolsv.exe	Normal		
	LocalSystem	0		
Performance Logs and Alerts	SysmonLog	Stopped		
	Manual	Own Process		
	c:\winnt\system32\smlogsvc.exe			
	Normal	LocalSystem	0	
Telephony	TapisRv	Running	Manual	Share Process
	c:\winnt\system32\svchost.exe	-k tapisrv		
	Normal	LocalSystem	0	
Terminal Services	TermService	Running		
	Auto	Own Process		

```

c:\winnt\system32\termsrv.exe Normal
LocalSystem 0
Telnet TlntSvr Stopped Manual Own Process
c:\winnt\system32\tlntsvr.exe Normal
LocalSystem 0
Distributed Link Tracking Server TrkSvr
Stopped Manual Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Distributed Link Tracking Client TrkWks
Running Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Uninterruptible Power Supply UPS Stopped
Manual Own Process
c:\winnt\system32\ups.exe Normal
LocalSystem 0
Utility Manager UtilMan Stopped Manual Own
Process c:\winnt\system32\utilman.exe Normal
LocalSystem 0
Windows Time W32Time Stopped Manual
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
World Wide Publishing Service W3SVC
Stopped Auto Share Process
c:\winnt\system32\inetsrv\inetinfo.exe
Normal LocalSystem 0
Windows Management Instrumentation WinMgmt
Running Auto Own Process
c:\winnt\system32\wbem\winmgmt.exe
Ignore LocalSystem 0
Windows Management Instrumentation Driver Extensions
Wmi Running Manual Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Automatic Updates wuauserv Running Auto
Share Process
c:\winnt\system32\svchost.exe -k wugroup
Normal LocalSystem 0

```

#### [Program Groups]

Group Name	Name	User Name
Accessories	Default User:Accessories	
	Default User	
Accessories\Accessibility	Default	
User:Accessories\Accessibility		Default User
Accessories\Entertainment	Default	
User:Accessories\Entertainment		Default User
Accessories\System Tools	Default	
User:Accessories\System Tools	Default User	
Startup Default User:Startup		Default User
Accessories All Users:Accessories		All Users
Accessories\Communications	All	
Users:Accessories\Communications		All Users
Accessories\Entertainment	All	
Users:Accessories\Entertainment		All Users
Accessories\Microsoft Script Debugger	All	
Users:Accessories\Microsoft Script Debugger		All Users

Accessories\System Tools	All	
Users:Accessories\System Tools		All Users
Administrative Tools	All	
Users:Administrative Tools		All Users
Microsoft SQL Server	All	Users:Microsoft SQL Server
Server All Users		
Startup All Users:Startup	All Users	
Tardis All Users:Tardis	All Users	
Accessories CL2\Administrator:Accessories		
CL2\Administrator		
Accessories\Accessibility		
CL2\Administrator:Accessories\Accessibility		
CL2\Administrator		
Accessories\Entertainment		
CL2\Administrator:Accessories\Entertainment		
CL2\Administrator		
Accessories\System Tools		
CL2\Administrator:Accessories\System Tools		
CL2\Administrator		
Administrative Tools		
CL2\Administrator:Administrative Tools		
CL2\Administrator		
Benchcraft CL2\Administrator:Benchcraft		
CL2\Administrator		
QLogic Corporation CL2\Administrator:QLogic		
Corporation CL2\Administrator		
QLogic Corporation\SANblade Control VIX		
CL2\Administrator:QLogic		
Corporation\SANblade Control VIX		
CL2\Administrator		
Startup CL2\Administrator:Startup		
CL2\Administrator		
[Startup Programs]		
Program Command User Name Location		
No startup program information		

#### [OLE Registration]

Object Local Server		
Sound (OLE2) sndrec32.exe		
Media Clip mplay32.exe		
Video Clip mplay32.exe /avi		
MIDI Sequence mplay32.exe /mid		
Sound Not Available		
Media Clip Not Available		
Image Document "C:\Program Files\Windows NT\Accessories\ImageVue\KodakImg.exe"		
WordPad Document "%ProgramFiles%\Windows NT\Accessories\WORDPAD.EXE"		
Windows Media Services DRM Storage object		Not Available
Bitmap Image mspaint.exe		

#### [Internet Explorer 5]

[ Following are sub-categories of this main category ]

#### [Summary]

Item Value		
Version 5.00.3502.1000		
Build 53502.1000		
Product ID 51876-270-9567332-05753		
Application Path C:\Program Files\Internet Explorer		
Language English (United States)		
Active Printer Not Available		
Cipher Strength 168-bit		
Content Advisor Disabled		
IEAK Install No		
[File Versions]		
File Version Size Date Path		
advapi32.dll 5.0.2195.5385 359 KB		
7/22/2002 1:05:04 PM		
C:\WINNT\system32 Microsoft Corporation		
advpack.dll 5.0.3502.4373 87 KB		
7/22/2002 1:05:04 PM		
C:\WINNT\system32 Microsoft Corporation		
browselc.dll 5.0.3502.4373 35 KB		
7/22/2002 1:05:04 PM		
C:\WINNT\system32 Microsoft Corporation		
browseui.dll 5.0.3502.4373 791 KB		
7/22/2002 1:05:04 PM		
C:\WINNT\system32 Microsoft Corporation		
ckconv.exe 5.0.2189.1 9 KB 12/7/1999		
8:00:00 AM C:\WINNT\system32 Microsoft Corporation		
Corporation		
comctl32.dll 5.81.3315.3727 539 KB		
7/22/2002 1:05:04 PM		
C:\WINNT\system32 Microsoft Corporation		
crypt32.dll 5.131.2195.4558 464 KB		
7/22/2002 1:05:04 PM		
C:\WINNT\system32 Microsoft Corporation		
enhsig.dll <File Missing> Not Available		
Not Available Not Available Not		
Available iemigrat.dll <File Missing> Not Available		
Not Available Not Available Not		
Available iesetup.dll 5.0.3502.4373 57 KB		
7/22/2002 1:05:04 PM		
C:\WINNT\system32 Microsoft Corporation		
iexplore.exe 5.0.2920.0 59 KB		
12/7/1999 8:00:00 AM C:\Program		
Files\Internet Explorer Microsoft Corporation		
imagehlp.dll 5.0.2195.5242 126 KB		
7/22/2002 1:05:04 PM		
C:\WINNT\system32 Microsoft Corporation		
imghelp.dll <File Missing> Not Available		
Not Available Not Available Not		
Available inseng.dll 5.0.3502.4373 72 KB		
7/22/2002 1:05:04 PM		
C:\WINNT\system32 Microsoft Corporation		
jobexec.dll 5.0.0.1 47 KB 12/7/1999		
8:00:00 AM C:\WINNT\system32 Microsoft Corporation		

jscript.dll	5.1.0.5907	476 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
jsproxy.dll	5.0.2920.0	13 KB
	12/7/1999 8:00:00 AM	
	C:\WINNT\system32	Microsoft Corporation
msahtml.dll	<File Missing>	Not Available
	Not Available	Not Available
Available		Not Available
mshtml.dll	5.0.3502.5390	2284 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
msjava.dll	5.0.3805.0	924 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
msoss.dll	<File Missing>	Not Available
Available	Not Available	Not Available
msxml.dll	8.0.6730.0	494 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
occache.dll	5.0.3315.3727	86 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
ole32.dll	5.0.2195.5400	968 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
oleaut32.dll	2.40.4518.0	612 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
olepro32.dll	5.0.4518.0	160 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
rsabase.dll	5.0.2195.3839	128 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
rsaenh.dll	5.0.2195.3839	131 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
rsapi32.dll	<File Missing>	Not Available
Available	Not Available	Not Available
rsasig.dll	<File Missing>	Not Available
Available	Not Available	Not Available
schannel.dll	5.1.2195.0	139 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
shdoc401.dll	<File Missing>	Not Available
Available	Not Available	Not Available
shdocvw.dll	5.0.3502.5400	1079 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
shell32.dll	5.0.3502.5436	2319 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
shlwapi.dll	5.0.3502.5332	283 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
url.dll	5.0.3502.4510	82 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation

urlmon.dll	5.0.3502.5400	442 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
vbscript.dll	5.1.0.7426	428 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
webcheck.dll	5.0.3315.3727	251 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
win.com	5.0.2134.1	24 KB
	12/7/1999 8:00:00 AM	
	C:\WINNT\system32	Microsoft Corporation
wininet.dll	5.0.3502.4619	451 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
winsock.dll	3.10.0.103	3 KB
	12/7/1999 8:00:00 AM	
	C:\WINNT\system32	Microsoft Corporation
wintrust.dll	5.131.2195.3775	162 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
wsock.vxd	<File Missing>	Not Available
Available	Not Available	Not Available
wsock32.dll	5.0.2195.4874	21 KB
	7/22/2002 1:05:04 PM	
	C:\WINNT\system32	Microsoft Corporation
wsock32n.dll	<File Missing>	Not Available
Available	Not Available	Not Available
[Connectivity]		
Item	Value	
Connection Preference	Never dial	
EnableHttp1.1	1	
ProxyHttp1.1	0	
[LAN Settings]		
AutoConfigProxy	wininet.dll	
AutoProxyDetectMode	Disabled	
AutoConfigURL		
Proxy	Disabled	
ProxyServer		
ProxyOverride		
[Cache]		
[ Following are sub-categories of this main category ]		
[Summary]		
Item	Value	
Page Refresh Type	Automatic	
Temporary Internet Files Folder	C:\Documents and Settings\Administrator\Local Settings\Temporary Internet Files	
Total Disk Space	17355 MB	
Available Disk Space	14862 MB	
Maximum Cache Size	542 MB	
Available Cache Size	542 MB	

#### [List of Objects]

Program File Status CodeBase  
No cached object information available

#### [Content]

[ Following are sub-categories of this main category ]

#### [Summary]

Item Value  
Content Advisor Disabled

#### [Personal Certificates]

Issued To Issued By Validity Signature Algorithm  
Administrator Administrator 9/13/2002 to  
8/20/2102 sha1RSA

#### [Other People Certificates]

Issued To Issued By Validity Signature Algorithm  
No other people certificate information available

#### [Publishers]

Name  
No publisher information available

#### [Security]

Zone	Security Level
Local intranet	Medium-low
Trusted sites	Low
Internet	Medium
Restricted sites	High

## Microsoft COM Component Configuration Parameters

The component services tool in Windows 2000 was used to change the queue settings for the TPCC COM+ queue components. All tpcc queue components were set to enable object pooling, object construction, just in time activation, and component supports events and statistics. The construction string was Server = myserver; UID= sa; pwd=; DATABASE= tpcc; Nine delivery queues were used. The single queue AllTxn object was used, with the Min and Max both being set to 35 queues. Delivery threads were set under the TPCC key in the registry.

# *Internet Information Server Registry Parameters*

REGEDIT4

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\InetInfo]

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\InetInfo\Parameters]
"ListenBackLog"=dword:00000019
"DispatchEntries"=hex(7):4c,44,41,50,53,56,43,00,00
"PoolThreadLimit"=dword:000003fe
"ThreadTimeout"=dword:00015180

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\InetInfo\Performance]
"Library"="infotrc.dll"
"Open"="OpenINFOPerformanceData"
"Close"="CloseINFOPerformanceData"
"Collect"="CollectINFOPerformanceData"
"WBemAdapFileTime"=hex:00,08,d8,4d,aa,31,c2,01
"WBemAdapFileSize"=dword:00002510
"WBemAdapStatus"=dword:00000000
"Last Counter"=dword:000000b7c
"Last Help"=dword:00000b7d
"First Counter"=dword:00000b3c
"First Help"=dword:00000b3d
"Library Validation
Code"=hex:08,b8,53,87,d8,81,c2,01,10,25,00,00,00,00,00,00
```

# **World Wide Web Service Registry Parameters**

---

REGEDIT4

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\[W3SVC]
>Type=dword:00000020
Start=dword:00000002
>ErrorControl=dword:00000001
ImagePath=-hex(2):43,3a,5c,57,49,4e,4e,54,5c,53,79,7
3,74,65,6d,33,32,5c,69,6e,\
```

```
65,74,73,72,76,5c,69,6e,65,74,69,6e,66,6f,2e,65,78,65
,_0
"DisplayName"="World Wide Web Publishing Service"
"DependOnService"=hex(7):49,49,53,41,44,4d,49,4e,00,0
0
"DependOnGroup"=hex(7):00
"ObjectName"="LocalSystem"
"Description"="Provides Web connectivity and
administration through the Internet Information
Services snap-in."
"FailureActions"=hex:ff,ff,ff,ff,80,3a,0e,00,90,3a,0e
,,00,03,00,00,00,98,3a,0e,\

00,00,00,00,00,00,00,00,00,00,00,00,00,00,00,00,00,00,00,00
,,00,00,00,00,00,00,00

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\ASP]
"NOTE"="This is for backward compatibility only."

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Parameters
\W3SVC\ASP\Parameters]

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Parameters
\W3SVC\Parameters]
"MajorVersion"=dword:00000005
"MinorVersion"=dword:00000000
"InstallPath"="C:\\WINNT\\System32\\inetsrv"
"CertMapList"="C:\\WINNT\\System32\\inetsrv\\iiscrmapi
.dll"
"AccessDeniedMessage"="Error: Access is Denied."
"Filter DLLs"=""
"LogFileDirectory"="C:\\WINNT\\System32\\LogFiles"
"AcceptExOutstanding"=dword:00000028

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Parameters\ADCLaunch]

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Parameters\ADCLaunch\AdvancedDataFactory]

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Parameters
\W3SVC\Parameters\ADCLaunch\RDSServer.DataFactory]

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Parameters
\W3SVC\Parameters\Script Map]

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Parameters\Virtual Roots]
"/"="c:\\inetpub\\wwwroot,,1"
"/Scripts"="c:\\inetpub\\scripts,,1"
"/IISHelp"="c:\\winnt\\help\\iishelp,,1"
"/IISAdmin"="C:\\WINNT\\System32\\inetsrv\\iisadmin,,1"
"/IISSamples"="c:\\inetpub\\iissamples,,1"
"/MSADC"="c:\\program files\\common
files\\system\\msadc,,1"
"/_vti_bin"="C:\\Program Files\\Common
Files\\Microsoft Shared\\Web Server
Extensions\\40\\isapi,,1"
"/Printers"="C:\\WINNT\\web\\printers..201"
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Performance]
"Library"="w3ctrs.dll"
"Open"="OpenW3PerformanceData"
"Close"="CloseW3PerformanceData"
"Collect"="CollectW3PerformanceData"
"WBemAdapFileTime"=hex:00,08,d8,4d,aa,31,c2,01
"WBemAdapFileSize"=dword:00001d10
"WBemAdapStatus"=dword:00000000
"Last Counter"=dword:00000af4
"Last Help"=dword:00000af5
"First Counter"=dword:00000a52
"First Help"=dword:00000a53
"Library Validation
Code"=hex:c2,10,7e,95,d8,81,c2,01,10,1d,00,00,00,00,00,0
0,00

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Security]
"Security"=hex:01,00,14,80,a0,00,00,00,ac,00,00,00,14
,00,00,00,30,00,00,00,02,\

00,1c,00,01,00,00,00,02,80,14,00,ff,01,0f,00,01,01,00
,00,00,00,01,00,00,\

00,00,02,00,70,00,04,00,00,00,00,00,18,00,fd,01,02,00
,01,01,00,00,00,00,\

05,12,00,00,00,74,00,6f,00,00,00,1c,00,ff,01,0f,00,01
,02,00,00,00,00,00,05,\

20,00,00,00,20,02,00,00,72,00,73,00,00,00,18,00,8d,01
,02,00,01,01,00,00,00,\

00,00,05,0b,00,00,00,20,02,00,00,00,00,1c,00,fd,01,02
,00,01,02,00,00,00,00,\

00,05,20,00,00,00,23,02,00,00,72,00,73,00,01,01,00,00
,00,00,00,05,12,00,00,00,\

00,01,01,00,00,00,00,00,05,12,00,00,00,00

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Enum]
"0"="Root\\LEGACY_W3SVC\\0000"
"Count"=dword:00000001
"NextInstance"=dword:00000001
```

# **TPCC** *Application Registry Parameters*

---

REGEDIT

[HKEY\_LOCAL\_MACHINE\SOFTWARE\Microsoft\TPCC  
"Path"="C:\\Inetpub\\wwwroot\\\"

```

"NumberOfDeliveryThreads"=dword:00000009
"MaxConnections"=dword:0000399e
"MaxPendingDeliveries"=dword:000005dc
"DB_Protocol"="ODBC"
"TxnMonitor"="COM"
"DbsServer"="everest"
"DbName"="tpcc"
"DbUser"="sa"
"DbPassword"=""
"COM_SinglePool"="YES"

```

## Benchcraft Profile

Profile: everest\_9600wh\_8cl-new  
 File Path: C:\Benchcraft\everest\_9600wh\_8cl-new.pro  
 Version: 3

Number of Engines: 8

Name: cl26  
 Description:  
 Directory: e:\blog\cl26.log  
 Machine: n1  
 Parameter Set: 3.2  
 Index: 100000000  
 Seed: 18546  
 Configured Users: 12000  
 Pipe Name: DRIVER53164609  
 Connect Rate: 11  
 Start Rate: 0  
 Max. Concurrency: 0  
 Concurrency Rate: 0  
 CLIENT\_NURAND: 233  
 CPU: 1

Name: cl2  
 Description:  
 Directory: e:\blog\cl2.log  
 Machine: n4  
 Parameter Set: 3.2  
 Index: 800000000  
 Seed: 18546  
 Configured Users: 12000  
 Pipe Name: DRIVER44265281  
 Connect Rate: 11  
 Start Rate: 0  
 Max. Concurrency: 0  
 Concurrency Rate: 0  
 CLIENT\_NURAND: 233  
 CPU: 0

Name: cl27  
 Description:  
 Directory: e:\blog\cl27.log  
 Machine: n1  
 Parameter Set: 3.2  
 Index: 200000000

Seed: 18546  
 Configured Users: 12000  
 Pipe Name: DRIVER3550121359  
 Connect Rate: 11  
 Start Rate: 0  
 Max. Concurrency: 0  
 Concurrency Rate: 0  
 CLIENT\_NURAND: 233  
 CPU: 0

Name: cl28  
 Description:  
 Directory: e:\blog\cl28.log  
 Machine: n2  
 Parameter Set: 3.2  
 Index: 300000000  
 Seed: 18546  
 Configured Users: 12000  
 Pipe Name: DRIVER4550163046  
 Connect Rate: 11  
 Start Rate: 0  
 Max. Concurrency: 0  
 Concurrency Rate: 0  
 CLIENT\_NURAND: 233  
 CPU: 1

Name: cl29  
 Description:  
 Directory: e:\blog\cl29.log  
 Machine: n2  
 Parameter Set: 3.2  
 Index: 400000000  
 Seed: 18546  
 Configured Users: 12000  
 Pipe Name: DRIVER5550200250  
 Connect Rate: 11  
 Start Rate: 0  
 Max. Concurrency: 0  
 Concurrency Rate: 0  
 CLIENT\_NURAND: 233  
 CPU: 0

Name: cl30  
 Description:  
 Directory: e:\blog\cl30.log  
 Machine: n3  
 Parameter Set: 3.2  
 Index: 500000000  
 Seed: 18546  
 Configured Users: 12000  
 Pipe Name: DRIVER6550238109  
 Connect Rate: 11  
 Start Rate: 0  
 Max. Concurrency: 0  
 Concurrency Rate: 0  
 CLIENT\_NURAND: 233  
 CPU: 1

Name: cl31  
 Description:  
 Directory: e:\blog\cl31.log  
 Machine: n3  
 Parameter Set: 3.2

Index: 600000000  
 Seed: 18546  
 Configured Users: 12000  
 Pipe Name: DRIVER7550304359  
 Connect Rate: 11  
 Start Rate: 0  
 Max. Concurrency: 0  
 Concurrency Rate: 0  
 CLIENT\_NURAND: 233  
 CPU: 0

Name: cl32  
 Description:  
 Directory: e:\blog\cl32.log  
 Machine: n4  
 Parameter Set: 3.2  
 Index: 700000000  
 Seed: 18546  
 Configured Users: 12000  
 Pipe Name: DRIVER8550331953  
 Connect Rate: 11  
 Start Rate: 0  
 Max. Concurrency: 0  
 Concurrency Rate: 0  
 CLIENT\_NURAND: 233  
 CPU: 1

Number of User groups: 8

Driver Engine: cl26  
 IIS Server: cr26  
 SQL Server: everest  
 Database: tpcc  
 User: sa  
 Protocol: HTML  
 w\_id Range: 1 - 1200  
 w\_id Min Warehouse: 1  
 w\_id Max Warehouse: 9600  
 Scale: Normal  
 User Count: 12000  
 District id: 1  
 Scale Down: No

Driver Engine: cl27  
 IIS Server: cr27  
 SQL Server: everest  
 Database: tpcc  
 User: sa  
 Protocol: HTML  
 w\_id Range: 1201 - 2400  
 w\_id Min Warehouse: 1  
 w\_id Max Warehouse: 9600  
 Scale: Normal  
 User Count: 12000  
 District id: 1  
 Scale Down: No

Driver Engine: cl28  
 IIS Server: cr28  
 SQL Server: everest  
 Database: tpcc  
 User: sa  
 Protocol: HTML

w_id Range: 2401 - 3600 w_id Min Warehouse: 1 w_id Max Warehouse: 9600 Scale: Normal User Count: 12000 District id: 1 Scale Down: No	Driver Engine: cl2 IIS Server: cr2 SQL Server: everest Database: tpcc User: sa Protocol: HTML w_id Range: 8401 - 9600 w_id Min Warehouse: 1 w_id Max Warehouse: 9600 Scale: Normal User Count: 12000 District id: 1 Scale Down: No	Delivery 1.00 0.00 0.00 0.00 5.00 0.00 Stock Level 1.00 0.00 0.00 20.00 0.00 Order Status 1.00 0.00 0.00 5.00 0.00
Driver Engine: cl29 IIS Server: cr29 SQL Server: everest Database: tpcc User: sa Protocol: HTML w_id Range: 3601 - 4800 w_id Min Warehouse: 1 w_id Max Warehouse: 9600 Scale: Normal User Count: 12000 District id: 1 Scale Down: No	Driver Engine: cl2 IIS Server: cr2 SQL Server: everest Database: tpcc User: sa Protocol: HTML w_id Range: 8401 - 9600 w_id Min Warehouse: 1 w_id Max Warehouse: 9600 Scale: Normal User Count: 12000 District id: 1 Scale Down: No	95% Key RT RT Menu Txn Think Time Delay Fence Delay Weight Time
Driver Engine: cl30 IIS Server: cr30 SQL Server: everest Database: tpcc User: sa Protocol: HTML w_id Range: 4801 - 6000 w_id Min Warehouse: 1 w_id Max Warehouse: 9600 Scale: Normal User Count: 12000 District id: 1 Scale Down: No	Number of Parameter Sets: 65 ~Default Default Parameter Set Txn Think Key RT RT Menu Txn Think Time Delay Fence Delay Weight Time	44.75 13.00 18.01 0.10 5.00 0.10 Payment 43.10 13.00 3.01 0.10 5.00 0.10 Delivery 4.05 6.00 2.01 0.10 5.00 0.10 Stock Level 4.05 6.00 2.01 0.10 20.00 0.10 Order Status 4.05 6.00 2.01 0.10 5.00 0.10
Driver Engine: cl31 IIS Server: cr31 SQL Server: everest Database: tpcc User: sa Protocol: HTML w_id Range: 6001 - 7200 w_id Min Warehouse: 1 w_id Max Warehouse: 9600 Scale: Normal User Count: 12000 District id: 1 Scale Down: No	Tuned Distribution Txn Think Key RT RT Menu Txn Think Time Delay Fence Delay Weight Time	90% 11.00 2.01 0.10 5.00 0.10 Key RT RT Menu Txn Think Time Delay Fence Delay Weight Time
Driver Engine: cl32 IIS Server: cr32 SQL Server: everest Database: tpcc User: sa Protocol: HTML w_id Range: 7201 - 8400 w_id Min Warehouse: 1 w_id Max Warehouse: 9600 Scale: Normal User Count: 12000 District id: 1 Scale Down: No	No Think Txn Think Key RT RT Menu Txn Think Time Delay Fence Delay Weight Time	44.83 16.00 18.01 0.10 5.00 0.10 Payment 43.05 16.00 3.01 0.10 5.00 0.10 Delivery 4.04 9.00 2.01 0.10 5.00 0.10 Stock Level 4.04 9.00 2.01 0.10 20.00 0.10 Order Status 4.04 9.00 2.01 0.10 5.00 0.10 3.0 Key RT RT Menu Txn Think Time Delay Fence Delay Weight Time
Driver Engine: cl32 IIS Server: cr32 SQL Server: everest Database: tpcc User: sa Protocol: HTML w_id Range: 7201 - 8400 w_id Min Warehouse: 1 w_id Max Warehouse: 9600 Scale: Normal User Count: 12000 District id: 1 Scale Down: No	New Order 44.75 12.05 18.01 0.10 5.00 0.10 Payment 43.10 12.05 3.01 0.10 5.00 0.10 Delivery 4.05 5.05 2.01 0.10 5.00 0.10 Stock Level 4.05 5.05 2.01 0.10 20.00 0.10 Order Status 4.05 10.05 2.01 0.10 5.00 0.10 Key RT RT Menu Txn Think Time Delay Fence Delay Weight Time	44.75 12.05 18.01 0.10 5.00 0.10 Payment 43.10 12.05 3.01 0.10 5.00 0.10 Delivery 4.05 5.05 2.01 0.10 5.00 0.10 Stock Level 4.05 5.05 2.01 0.10 20.00 0.10 Order Status 4.05 10.05 2.01 0.10 5.00 0.10 3.0 Key RT RT Menu Txn Think Time Delay Fence Delay Weight Time
Driver Engine: cl32 IIS Server: cr32 SQL Server: everest Database: tpcc User: sa Protocol: HTML w_id Range: 7201 - 8400 w_id Min Warehouse: 1 w_id Max Warehouse: 9600 Scale: Normal User Count: 12000 District id: 1 Scale Down: No	New Order 44.75 0.00 0.00 0.00 5.00 0.00 Payment 4.0 tt 0.00 0.00 0.00 10.00 0.00 Key RT RT Menu Txn Think Time Delay Fence Delay Weight Time	44.75 36.15 0.00 0.10 5.00 0.10 Payment 43.10 36.15 0.00 0.10 5.00 0.10 Delivery 4.05 15.15 0.00 0.10 5.00 0.10 Stock Level 4.05 15.15 0.00 0.10 20.00 0.10 Order Status 4.05 30.15 0.00 0.10 5.00 0.10 4.0 4.0 tt Key RT RT Menu Txn Think Time Delay Fence Delay Weight Time

		Weight Time								Delivery 4.05						
Time	Delay	Fence	Delay	New Order	44.75					12.10	2.01	0.10	5.00	0.10	Stock Level	4.05
48.20	18.01	0.10	5.00	0.10	44.75					12.10	2.01	0.10	20.00	0.10	Order Status	4.05
				Payment	43.10											
48.20	3.01	0.10	5.00	0.10	4.05					24.10	2.01	0.10	5.00	0.10		
				Delivery	4.05											
20.20	2.01	0.10	5.00	0.10	4.05											
				Stock Level	4.05											
20.20	2.01	0.10	20.00	0.10	4.05											
				Order Status	4.05											
40.20	2.01	0.10	5.00	0.10	4.05											
					3.8											
					3.8 tt											
						Txn	Think									
Key	RT	RT	RT	Menu												
Time	Delay	Fence	Delay	New Order	44.75											
45.70	18.01	0.10	5.00	0.10	44.75											
				Payment	43.10											
45.70	3.01	0.10	5.00	0.10	4.05											
				Delivery	4.05											
19.10	2.01	0.10	5.00	0.10	4.05											
				Stock Level	4.05											
19.10	2.01	0.10	20.00	0.10	4.05											
				Order Status	4.05											
38.10	2.01	0.10	5.00	0.10	4.05											
					3.6											
					3.6 tt											
						Txn	Think									
Key	RT	RT	RT	Menu												
Time	Delay	Fence	Delay	New Order	44.75											
43.30	18.01	0.10	5.00	0.10	44.75											
				Payment	43.10											
43.30	3.01	0.10	5.00	0.10	4.05											
				Delivery	4.05											
18.10	2.01	0.10	5.00	0.10	4.05											
				Stock Level	4.05											
18.10	2.01	0.10	20.00	0.10	4.05											
				Order Status	4.05											
36.18	2.01	0.10	5.00	0.10	4.05											
					3.4											
					3.4 tt											
						Txn	Think									
Key	RT	RT	RT	Menu												
Time	Delay	Fence	Delay	New Order	44.75											
40.90	18.01	0.10	5.00	0.10	44.75											
				Payment	43.10											
40.90	3.01	0.10	5.00	0.10	4.05											
				Delivery	4.05											
17.10	2.01	0.10	5.00	0.10	4.05											
				Stock Level	4.05											
17.10	2.01	0.10	20.00	0.10	4.05											
				Order Status	4.05											
17.10	2.01	0.10	5.00	0.10	4.05											
					2.4											
					2.4 tt											
						Txn	Think									
Key	RT	RT	RT	Menu												
Time	Delay	Fence	Delay	New Order	44.75											
28.90	18.01	0.10	5.00	0.10	44.75											
				Payment	43.10											
28.90	3.01	0.10	5.00	0.10	4.05											
				Delivery	4.05											
28.90	2.01	0.10	20.00	0.10	4.05											
				Order Status	4.05											
					4.5											
					4.5 tt											
						Txn	Think									
Key	RT	RT	RT	Menu												

Weight Time						
Time	Delay	Fence	Delay	New Order	44.75	
54.20	18.01	0.10	5.00	0.10		
		Payment			43.10	
54.20	3.01	0.10	5.00	0.10		
		Delivery			4.05	
22.70	2.01	0.10	5.00	0.10		
		Stock Level			4.05	
22.70	2.01	0.10	20.00	0.10		
		Order Status			4.05	
45.20	2.01	0.10	5.00	0.10		
					3.5	
					3.5 tt	
						Txn Think
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.75	
42.10	18.01	0.10	5.00	0.10		
		Payment			43.10	
42.10	3.01	0.10	5.00	0.10		
		Delivery			4.05	
17.60	2.01	0.10	5.00	0.10		
		Stock Level			4.05	
17.60	2.01	0.10	20.00	0.10		
		Order Status			4.05	
35.10	2.01	0.10	5.00	0.10		
					1.8	
					1.8 tt	
						Txn Think
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.75	
21.60	18.01	0.10	5.00	0.10		
		Payment			43.10	
21.60	3.01	0.10	5.00	0.10		
		Delivery			4.05	
9.09	2.01	0.10	5.00	0.10		
		Stock Level			4.05	
9.09	2.01	0.10	20.00	0.10		
		Order Status			4.05	
18.09	2.01	0.10	5.00	0.10		
					4.2	
					4.2 tt	
						Txn Think
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.75	
54.20	18.01	0.10	5.00	0.10		
		Payment			43.10	
54.20	3.01	0.10	5.00	0.10		
		Delivery			4.05	
22.70	2.01	0.10	5.00	0.10		
		Stock Level			4.05	
22.70	2.01	0.10	20.00	0.10		
		Order Status			4.05	
45.20	2.01	0.10	5.00	0.10		

Weight Time						
1.6 1.6 tt						
Txn Think						
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.75	
19.20	18.01	0.10	5.00	0.10		
		Payment			43.10	
19.20	3.01	0.10	5.00	0.10		
		Delivery			4.05	
8.08	2.01	0.10	5.00	0.10		
		Stock Level			4.05	
8.08	2.01	0.10	20.00	0.10		
		Order Status			4.05	
16.08	2.01	0.10	5.00	0.10		
					1.4	
					1.4 tt	
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.75	

Delivery 4.05						
Stock Level 4.05						
Order Status 4.05						
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.75	
17.60	2.01	0.10	5.00	0.10		
		Stock Level			4.05	
17.60	2.01	0.10	20.00	0.10		
		Order Status			4.05	
35.10	2.01	0.10	5.00	0.10		
					1.9	
					1.9 tt	
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.75	

Weight Time						
Time	Delay	Fence	Delay	New Order	44.83	
13.13	18.01	0.10	5.00	0.10		
		Payment			43.05	
13.13	3.01	0.10	5.00	0.10		
		Delivery			4.04	
5.50	2.01	0.10	5.00	0.10		
		Stock Level			4.04	
5.50	2.01	0.10	20.00	0.10		
		Order Status			4.04	
10.95	2.01	0.10	5.00	0.10		
					1.08	
					1.08 tt	
						Txn Think
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.83	
13.01	18.01	0.10	5.00	0.10		
		Payment			43.05	
13.01	3.01	0.10	5.00	0.10		
		Delivery			4.04	
5.45	2.01	0.10	5.00	0.10		
		Stock Level			4.04	
5.45	2.01	0.10	20.00	0.10		
		Order Status			4.04	
10.85	2.01	0.10	5.00	0.10		
					1.07	
					1.07 tt	
						Txn Think
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.83	
12.89	18.01	0.10	5.00	0.10		
		Payment			43.05	
12.89	3.01	0.10	5.00	0.10		
		Delivery			4.04	
5.40	2.01	0.10	5.00	0.10		
		Stock Level			4.04	
5.40	2.01	0.10	20.00	0.10		
		Order Status			4.04	
10.75	2.01	0.10	5.00	0.10		
					1.06	
					1.06 tt	
						Txn Think
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.83	
12.77	18.01	0.10	5.00	0.10		
		Payment			43.05	
12.77	3.01	0.10	5.00	0.10		
		Delivery			4.04	
5.35	2.01	0.10	5.00	0.10		
		Stock Level			4.04	
5.35	2.01	0.10	20.00	0.10		
		Order Status			4.04	
10.65	2.01	0.10	5.00	0.10		

Weight Time						
				1.15	1.15 tt	
Key	RT	RT	Menu		Txn	Think
Time	Delay	Fence	Delay	New Order	44.75	
13.85	18.01	0.10	5.00	0.10		
		Payment			43.10	
13.85	3.01	0.10	5.00	0.10		
		Delivery			4.05	
5.80	2.01	0.10	5.00	0.10		
		Stock Level			4.05	
5.80	2.01	0.10	20.00	0.10		
		Order Status			4.05	
11.55	2.01	0.10	5.00	0.10		
					1.25	
					1.25 tt	
Key	RT	RT	Menu		Txn	Think
Time	Delay	Fence	Delay	New Order	44.83	
15.06	18.01	0.10	5.00	0.10		
		Payment			43.05	
15.06	3.01	0.10	5.00	0.10		
		Delivery			4.04	
6.31	2.01	0.10	5.00	0.10		
		Stock Level			4.04	
6.31	2.01	0.10	20.00	0.10		
		Order Status			4.04	
12.56	2.01	0.10	5.00	0.10		
					1.3	
					1.3 tt	
Key	RT	RT	Menu		Txn	Think
Time	Delay	Fence	Delay	New Order	44.83	
15.66	18.01	0.10	5.00	0.10		
		Payment			43.05	
15.66	3.01	0.10	5.00	0.10		
		Delivery			4.04	
6.56	2.01	0.10	5.00	0.10		
		Stock Level			4.04	
6.56	2.01	0.10	20.00	0.10		
		Order Status			4.04	
13.06	2.01	0.10	5.00	0.10		
					1.12	
					1.12 tt	
Key	RT	RT	Menu		Txn	Think
Time	Delay	Fence	Delay	New Order	44.75	
13.49	18.01	0.10	5.00	0.10		
		Payment			43.10	
13.49	3.01	0.10	5.00	0.10		

Delivery 4.05						
Key	RT	RT	Menu		Stock Level	4.05
5.65	2.01	0.10	5.00	0.10		
		Payment			20.00	0.10
5.65	2.01	0.10	5.00	0.10		
		Delivery			4.05	0.10
11.25	2.01	0.10	5.00	0.10		
		Stock Level			20.00	0.10
		Order Status			4.05	0.10
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.75	
14.21	18.01	0.10	5.00	0.10		
		Payment			43.10	
14.21	3.01	0.10	5.00	0.10		
		Delivery			4.05	0.10
5.95	2.01	0.10	5.00	0.10		
		Stock Level			4.05	0.10
5.95	2.01	0.10	20.00	0.10		
		Order Status			4.05	0.10
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.75	
14.70	18.01	0.10	5.00	0.10		
		Payment			43.10	
14.70	3.01	0.10	5.00	0.10		
		Delivery			4.05	0.10
6.16	2.01	0.10	5.00	0.10		
		Stock Level			4.05	0.10
6.16	2.01	0.10	20.00	0.10		
		Order Status			4.05	0.10
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.75	
12.26	2.01	0.10	5.00	0.10		
					1.28	
					1.28 tt	
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.75	
15.42	18.01	0.10	5.00	0.10		
		Payment			43.10	
15.42	3.01	0.10	5.00	0.10		
		Delivery			4.05	0.10
6.46	2.01	0.10	5.00	0.10		
		Stock Level			4.05	0.10
6.46	2.01	0.10	20.00	0.10		
		Order Status			4.05	0.10
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.75	
12.86	2.01	0.10	5.00	0.10		
					1.04	
					1.04 tt	
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.75	
13.49	18.01	0.10	5.00	0.10		
		Payment			43.10	
13.49	3.01	0.10	5.00	0.10		

Weight Time								
Time	Delay	Fence	Delay	New Order	44.83			
12.53	18.01	0.10	5.00	0.10				
				Payment	43.05			
12.53	3.01	0.10	5.00	0.10				
				Delivery	4.04			
5.25	2.01	0.10	5.00	0.10				
				Stock Level	4.04			
5.25	2.01	0.10	20.00	0.10				
				Order Status	4.04			
10.45	2.01	0.10	5.00	0.10				
					1.03			
					1.03 tt			
						Txn	Think	
Key	RT	RT	Menu					
Weight Time								
Time	Delay	Fence	Delay	New Order	44.83			
12.41	18.01	0.10	5.00	0.10				
				Payment	43.05			
12.41	3.01	0.10	5.00	0.10				
				Delivery	4.04			
5.20	2.01	0.10	5.00	0.10				
				Stock Level	4.04			
5.20	2.01	0.10	20.00	0.10				
				Order Status	4.04			
10.35	2.01	0.10	5.00	0.10				
					1.02			
					1.02 tt			
						Txn	Think	
Key	RT	RT	Menu					
Weight Time								
Time	Delay	Fence	Delay	New Order	44.83			
12.29	18.01	0.10	5.00	0.10				
				Payment	43.05			
12.29	3.01	0.10	5.00	0.10				
				Delivery	4.04			
5.15	2.01	0.10	5.00	0.10				
				Stock Level	4.04			
5.15	2.01	0.10	20.00	0.10				
				Order Status	4.04			
10.25	2.01	0.10	5.00	0.10				
					1.01			
					1.01 tt			
						Txn	Think	
Key	RT	RT	Menu					
Weight Time								
Time	Delay	Fence	Delay	New Order	44.83			
12.17	18.01	0.10	5.00	0.10				
				Payment	43.05			
12.17	3.01	0.10	5.00	0.10				
				Delivery	4.04			
5.10	2.01	0.10	5.00	0.10				
				Stock Level	4.04			
5.10	2.01	0.10	20.00	0.10				
				Order Status	4.04			
10.15	2.01	0.10	5.00	0.10				

1.005_best 1.005_tt best								
Key	RT	RT	Menu	Txn	Think			
Time	Delay	Fence	Delay	New Order	44.96			
12.11	18.01	0.10	5.00	0.10				
				Payment	43.00			
12.11	3.01	0.10	5.00	0.10				
				Delivery	4.00			
5.07	2.01	0.10	5.00	0.10				
				Stock Level	4.03			
5.07	2.01	0.10	20.00	0.10				
				Order Status	4.01			
10.10	2.01	0.10	5.00	0.10				

Delivery 4.02 Stock Level 4.03 Order Status 4.02 5.00 0.10								
Key	RT	RT	Menu	Txn	Think			
Time	Delay	Fence	Delay	New Order	44.92			
12.29	18.01	0.10	5.00	0.10				
				Payment	43.01			
12.29	3.01	0.10	5.00	0.10				
				Delivery	4.02			
5.15	2.01	0.10	5.00	0.10				
				Stock Level	4.03			
5.15	2.01	0.10	20.00	0.10				
				Order Status	4.02			
10.25	2.01	0.10	5.00	0.10				

Weight Time						
Time	Delay	Fence	Delay	New Order	44.96	
12.41	18.01	0.10	5.00	0.10		
		Payment			43.01	
12.41	3.01	0.10	5.00	0.10		
		Delivery			4.01	
5.20	2.01	0.10	5.00	0.10		
		Stock Level			4.01	
5.20	2.01	0.10	20.00	0.10		
		Order Status			4.01	
10.35	2.01	0.10	5.00	0.10		
					5.5	
					5.5 tt	
					Txn	Think
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.83	
66.28	18.01	0.10	5.00	0.10		
		Payment			43.05	
66.28	3.01	0.10	5.00	0.10		
		Delivery			4.04	
27.77	2.01	0.10	5.00	0.10		
		Stock Level			4.04	
27.77	2.01	0.10	20.00	0.10		
		Order Status			4.04	
55.27	2.01	0.10	5.00	0.10		
					6.0	
					6.0 tt	
					Txn	Think
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.83	

7.0 7.0 tt						
Txn Think						
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.83	
84.35	18.01	0.10	5.00	0.10		
		Payment			43.05	
84.35	3.01	0.10	5.00	0.10		
		Delivery			4.04	
35.35	2.01	0.10	5.00	0.10		
		Stock Level			4.04	
35.35	2.01	0.10	20.00	0.10		
		Order Status			4.04	
70.35	2.01	0.10	5.00	0.10		
					7.5	
					7.5 tt	
					Txn	Think
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.83	

9.0 9.0 tt						
Txn Think						
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.83	
108.45	18.01	0.10	5.00	0.10		
		Payment			43.05	
108.45	3.01	0.10	5.00	0.10		
		Delivery			4.04	
45.45	2.01	0.10	5.00	0.10		
		Stock Level			4.04	
45.45	2.01	0.10	20.00	0.10		
		Order Status			4.04	
90.45	2.01	0.10	5.00	0.10		
					9.5	
					9.5 tt	
					Txn	Think
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.83	

10 10 tt						
Txn Think						
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.83	
95.47	18.01	0.10	5.00	0.10		
		Payment			43.05	
95.47	2.01	0.10	5.00	0.10		
		Delivery			4.04	
47.98	2.01	0.10	5.00	0.10		
		Stock Level			4.04	
47.98	2.01	0.10	20.00	0.10		
		Order Status			4.04	
95.47	2.01	0.10	5.00	0.10		
					10	
					10 tt	
					Txn	Think
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.83	

10.02 better 10.02 more aggressive						
Txn Think						
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.83	
100.50	18.01	0.10	5.00	0.10		
		Payment			43.05	
100.50	3.01	0.10	5.00	0.10		
		Delivery			4.04	
50.50	2.01	0.10	5.00	0.10		
		Stock Level			4.04	
50.50	2.01	0.10	20.00	0.10		
		Order Status			4.04	
100.50	2.01	0.10	5.00	0.10		
					1.02 better	
					1.02 more aggressive	
					Txn	Think
Key	RT	RT	Menu		Weight	Time
Time	Delay	Fence	Delay	New Order	44.83	

Time	Delay	Fence	Delay	Weight Time	
				New Order	44.92
12.05	18.01	0.10	5.00	0.10	
		Payment			43.01
12.05	3.01	0.10	5.00	0.10	
		Delivery			4.02
5.05	2.01	0.10	5.00	0.10	
		Stock Level			4.03
5.05	2.01	0.10	20.00	0.10	
		Order Status			4.02
10.05	2.01	0.10	5.00	0.10	
					1.01 better
					1.01 more aggressive
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time

Time	Delay	Fence	Delay	Weight Time	
				New Order	44.92
12.17	18.01	0.10	5.00	0.10	
		Payment			43.01
12.17	3.01	0.10	5.00	0.10	
		Delivery			4.02
5.10	2.01	0.10	5.00	0.10	
		Stock Level			4.03
5.10	2.01	0.10	20.00	0.10	
		Order Status			4.02
10.15	2.01	0.10	5.00	0.10	
					1.001 better
					1.001 more aggressive
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time

Time	Delay	Fence	Delay	Weight Time	
				New Order	44.92
12.06	18.01	0.10	5.00	0.10	
		Payment			43.01
12.06	3.01	0.10	5.00	0.10	
		Delivery			4.02
5.06	2.01	0.10	5.00	0.10	
		Stock Level			4.03
5.06	2.01	0.10	20.00	0.10	
		Order Status			4.02
10.06	2.01	0.10	5.00	0.10	
					FullSpeed
					1.000 tt
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time

Time	Delay	Fence	Delay	Weight Time	
				New Order	44.92
12.05	18.01	0.10	5.00	0.10	
		Payment			43.01
12.05	3.01	0.10	5.00	0.10	
		Delivery			4.02
5.05	2.01	0.10	5.00	0.10	
		Stock Level			4.03
5.05	2.01	0.10	20.00	0.10	
		Order Status			4.02
10.05	2.01	0.10	5.00	0.10	

## HP Specific Drivers

The following Microsoft Windows Server 2003 device drivers were replaced with HP-specific device drivers:

- The Microsoft SMART-5300 Array Controller default device driver (CPQCISSM.SYS) was replaced with the HP SMART-5300 Array Controller Non-miniport Performance Drivers for Microsoft Windows Server 2003 (hpqcissb.sys and hpqcissd.sys).

## *Appendix D: 60-Day Space*

TPC-C 60 Day Space Requirements						
Warehouses	9,600				TpmC	121,065.13
Table	Rows	Data KB	Index KB	Extra 5% KB	8hr Space	Total Space KB
Warehouse	9600	1024	72	55		1151
District	96,000	10672	88	538		11298
Customer	288,000,000	209454552	12489280	11,097,192		233041024
History	288,000,000	16000008	64		3,256,909	16000072
New_order	86,400,000	1366008	3168	68,459		1437635
Orders	288,000,000	8827592	4014240		16,708,884	12841832
Order_line	2,879,994,870	179999680	381016		41,014,680	180380696
Item	100,000	9528	88	481		10097
Stock	960,000,000	307200000	573856	15,388,693		323162549
Total		722,869,064	17,461,872	26,555,417	60,980,473	766,886,353
MB						
Dynamic Space	200,027	Sum of Data for Order, Orderline and History				
Static Space	548,886	Sum of Data+Index+5%-Dynamic Space				
Free Space	na	Total Allocated Spac - ( Dynamic + Static Space)				
Daily Growth	40,360	(Dynamic Space/(W*62.5))*tpmc				
Daily Spread	-	(Free Space -1.5*Dail Growth) Zero Assumed				
60 Day Space MB	2,970,511					
60 Day Space GB	<b>2,900.89</b>	GB				
Log Size	277,500.00	MB				
KB Per New Order	4.76	KB				
8 hr log MB	270,039	MB				
8 hr log GB	<b>263.7103</b>	GB				
Space Usage	GB Needed	Disks Measured	GB Priced	Disk Size	Formatted Size	
60 Day Space DB	2,900.89	448	7593.60	18.2GB	16.950	
			0.00			
			0.00			
Total DB			7593.60			

8-hr log + mirror	527.4206	18	610.38	36.4GB	33.91
OS, Swap	3	2	67.82	36.4GB	33.91
Total Storage	3,431.31	GB	8,271.80	GB	



## *Appendix E: Third Party Letters*

Microsoft Corporation      Tel 425 882 8080  
One Microsoft Way      Fax 425 936 7329  
Redmond, WA 98052-6399 <http://www.microsoft.com/>



April 21, 2003

Hewlett-Packard Company  
Brean Campbell  
MS150402  
20555 SH 249  
Houston, TX 77070

Mr. Campbell:

Here is the information you requested regarding pricing for several Microsoft products to be used in conjunction with your TPC-C benchmark testing.

All pricing shown is in US Dollars (\$).

Part Number	Description	Unit Price	Quantity	Price
810-00560	<b>SQL Server 2000 Enterprise Edition (64-bit)</b> <i>Per processor licensing Discount Schedule: Open Program Level C Unit Price reflects a 17% discount from the retail unit price of \$19,999.</i>	\$16,541	4	\$66,164
C11-00821	<b>Windows 2000 Server</b> <i>Server license only - No CALs Discount Schedule: Open Program - No Level Unit Price reflects a 8% discount from the retail unit price of \$799.</i>	\$738	8	\$5,904
254-00170	<b>Visual C++ Standard</b> <i>No discounts applied</i>	\$109	1	\$109
PRO-PRORS-16U-01	<b>Database Server Support Package</b> <i>1 Year Term</i>	\$1,950	3	\$5,850

Some products may not be currently orderable but will be available through Microsoft's normal distribution channels by April 2, 2003.

This quote is valid for the next 90 days.

If we can be of any further assistance, please contact Jamie Reding at  
(425) 703-0510 or [jamiere@microsoft.com](mailto:jamiere@microsoft.com).

Reference ID: PCbrca0321043362

Please include this Reference ID in any correspondence regarding this price quote.



April 22, 2003

Brean Campbell  
Hewlett-Packard Company

Subject: Qlogic MSRP

Dear Brean:

Qlogic is pleased to provide you the following MSRP.

Product	Distributor(s)	List Price
QLA2350 1-port FC HBA	Unique	\$1,765
QLA2352 2-port FC HBA	Unique	\$3,595
SANBox 2-16 FC Switch	Unique, Bell, Tech Data, Arrow	\$17,995

Best regards,

Joann Laforge  
OEM Account Executive  
(281) 513-9281  
[joann.laforge@qlogic.com](mailto:joann.laforge@qlogic.com)