
Itautec Philco S.A.

TPC Benchmark™ C
Full Disclosure Report
for
Servidor Itautec 2250 1P
using
Microsoft SQL Server 2000
Enterprise Edition SP3
and
Microsoft Windows Server 2003
Enterprise Edition

Third Edition
Submitted January 5, 2005

Third Edition - January 5, 2005

Itautec Philco S.A. believes that the information included in this document is accurate as of the publication date. The information in this document is subject to change without notice. Furthermore, Itautec Philco S.A. is not responsible for any errors contained within this document. The pricing information given in this FDR is accurate as of the publication date, December 14, 2004, but Itautec Philco S.A. cannot guarantee that all sources will offer the same pricing.

Benchmark results are highly dependent upon workload, specific application requirements, and system design and implementation. Relative system performance will vary as a result for these and other factors. Therefore, TPC Benchmark C should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report were obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. Itautec Philco S.A. does not warrant or represent that a user can or will achieve similar performance expressed in transactions per minute (tpmC) or normalized price/performance (\$/tpmC). No warranty of system performance or price/performance is expressed or implied in this report.

Servidor Itautec is a registered trademark of Itautec Philco S.A.

Microsoft, Windows 2003 and SQL Server 2000 are either trademarks or registered trademarks of Microsoft Corporation.

Intel and Xeon are registered trademarks of Intel Corporation.

TPC Benchmark, TPC-C and tpmC are registered trademarks of the Transaction Processing Performance Council.

Other product names mentioned in this document may be trademarks and/or registered trademarks of their respective companies.




**Servidor Itautec 2250 1P C/S
with Servidor Itautec 3254**

TPC-C Rev. 5.3

Report Date: 12/14/2004

Total System Cost	TPC-C Throughput	Price/Performance	Availability Date
R\$ 525,625 BRL	32,464	R\$ 16.19 BRL	12/14/2004
Processors	Database Manager	Operating System	Other Software
1 Intel Xeon DP 3.2 GHz – Server 2 Intel Xeon 2.66 GHz – Client	Microsoft SQL Server 2000 Enterprise Edition SP3	Windows Server 2003 Enterprise Edition	Microsoft Visual C++ Microsoft COM+
Number of Users			
25,880			



System Components	Server		Each Client	
	Quantity	Description	Quantity	Description
Processor	1	3.2 GHz Intel Xeon DP w/ 2 MB cache / 533 MHz frontside BUS	2	2.66 GHz Xeon w/ 512 KB cache / 533 MHz frontside BUS
Memory	6	2GB Register DDR ECC 266MHz	2	512 MB Register SDRAM ECC DIMM
Disk Controllers	3	Mylex eXtremeRAID 2000	1	Adaptec AIC-7899 Ultra2
Disk Drives	1	36.4 GB SCSI Drive 15 Krpm	1	36.4 GB 10Krpm SCSI Drive
	64	36.4 GB SCSI Drive 15 Krpm		
Total Storage	2366 GB		36.4 GB	
Tape Drives	1	20/40 GB DAT		

Numerical Quantities Summary

MQTh, Computed Maximum Qualified Throughput

32,464 tpmC

Response Times (in seconds)

	Average	90 th	Max
New Order	0.34	0.54	13.81
Payment	0.22	0.35	13.40
Order Status	0.39	0.65	14.14
Delivery (interactive)	0.10	0.11	2.40
Delivery (deferred)	0.41	0.68	5.47
Stock Level	1.31	2.15	8.04
Menu	0.11	0.11	8.85

Response time delay added for emulated components

Menu 0.1

Resp. 0.1

Transaction Mix, in percent of total transactions


New-Order	44.93%
Payment	43.05%
Order-Status	4.00%
Delivery	4.01%
Stock-Level	4.01%

Keying/Think Times (in seconds)

	Min		Average		Max	
New Order	18.00	0.00	18.01	12.07	18.05	120.71
Payment	3.00	0.00	3.01	12.08	3.05	120.71
Delivery	2.00	0.00	2.01	5.08	2.05	50.71
Stock Level	2.00	0.00	2.01	5.08	2.04	50.71
Order Status	2.00	0.00	2.01	10.08	2.04	100.71

Test Duration

Ramp-up time	54 minutes
Measurement interval	120 minutes
Number of checkpoints	4
Checkpoint interval	30 minutes
Number of transactions (all types) completed in measurement interval	9,016,986

	Itautec Philco	Servidor Itautec 2250 1P		TPC-C Rev. 5.3			
				Report Date: October 15, 2004			
Description	Part Number	Third Party		Unit Price	Quantity	Extended Price	3 yr. Maint. Price
		Brand	Pricing	R\$			
Server Hardware							
Servidor Itautec 2250 1P							
Base System with 1 x Xeon DP 3.2Ghz/2M	B7ZJQ	Itautec	1	12.156	1	12.156	-
2 GB DDR266 PC1600 ECC Reg memory	F7880	Itautec	1	10.099	6	60.594	-
36GB Ultra320 15K rpm	F4637	Itautec	1	2.209	1	2.209	-
DAT Drive (12/24 GB)	G4688	Itautec	1	2.738	1	2.738	-
On-Board Intel PRO1000XT LAN	Included	Itautec	1	-	1	-	-
On-Board Intel PRO100+ LAN	Included	Itautec	1	-	1	-	-
CD-ROM, Internal SCSI Adapter	Included	Itautec	1	-	1	-	-
Upgrade to 3-year / 4-hour response / 7days - 24hrs	2803_04	Itautec	1	451	1	-	451
Monitor 15" SYNC MASTER 551S	E9801	Itautec	1	450	1	450	-
UPS SMART APC 1	92759	Itautec	1	3.469	1	3.469	-
Subtotal						81.616	451
Disk Subsystem							
Extreme RAID 2000 4 Channel Controller	A4805	Itautec	1	15.323	3	45.969	-
Itautec Storage Ultrab SC2100CTR-AC	F1390	Itautec	1	20.283	5	101.415	-
36GB Ultra320 15K rpm	F6853	Itautec	1	2.728	64	174.592	-
36GB Ultra320 15K rpm (10% spare)	F6853	Itautec	1	2.728	7	-	19.096
EXT SCSI Cable Eurou VHDCI68P	E8158	Itautec	1	611	5	3.055	-
Kit Rack for Storage	F1781	Itautec	1	813	5	4.065	-
Rack Itautec F2400	F2400	Itautec	1	5.175	1	5.175	-
Subtotal						334.271	19.096
Server Software							
Microsoft Windows 2003 Enterprise Edition	G1178	Microsoft	1	15.067	1	15.067	-
SQL SVR 2000 ENT/1 PROCES LICENSE CD ING	H0138	Microsoft	1	80.355	1	80.355	-
Subtotal						95.422	-
Client Hardware							
Servidor Itautec 3254							
Base System with 1 x Xeon DP 2,66GHz	B7PLV	Itautec	1	10.790	2	21.581	-
1 x Xeon 2,66Ghz BTO Option	F8273	Itautec	1	1.515	2	3.031	-
2 x 512MB Memory	F9283	Itautec	1	1.679	2	3.358	-
1 x 36GB 10K rpm	F3656	Itautec	1	1.063	2	2.126	-
Intel 1000 Base TX Ethernet Controller	Included	Itautec	1	-	2	-	-
CD-ROM, On-Board LAN	Included	Itautec	1	-	2	-	-
Upgrade to 3-year / 4-hour response / 7days - 24hrs	2803_04	Itautec	1	532	2	-	1.063
Monitor 15" SYNC MASTER 551S	E9801	Itautec	1	410	2	820	-
Subtotal						30.916	1.063
Client Software							
Microsoft Windows 2000 Server	C11-00821	Microsoft	1	3.956	2	7.911	-
Visual C++ .NET 2003 CD Ing	254-00170	Microsoft	1	423	1	423	-
Subtotal						8.334	-
Network components							
SWITCH 8P BASELINE 10/100/1000	3C16477-ME	Itautec	1	2.148	1	2.148	-
SWITCH 8P BASELINE 10/100/1000 (2 spares)	3C16477-ME	Itautec	1	2.148	2	-	4.296
Subtotal						2.148	4.296
TOTAL						552.707	24.906
Large volume purchase with cash in advance Discount on Itautec Hardware (11.58%)						51.989	
TOTAL						500.718	24.906
Pricing: 1 - Itautec						3-Yr. Cost of Ownership: R\$ 525.625	BRL
						tpmC Rating: 32464	
						R\$ / tpmC: R\$ 16,19	BRL

Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specifications. If you find that the stated prices are not available according to these items, please inform the TPC at pricing@tpc.org.

Table of Contents

NUMERICAL QUANTITIES SUMMARY	4
TABLE OF CONTENTS	6
ABSTRACT	8
OVERVIEW	8
AUDITOR	8
PREFACE	9
INTRODUCTION	9
GENERAL ITEMS	10
BENCHMARK SPONSOR	10
APPLICATION CODE AND DEFINITION STATEMENTS	10
PARAMETER SETTINGS	10
CONFIGURATION DIAGRAMS	10
MEASURED CONFIGURATION	11
PRICED CONFIGURATION	11
CLAUSE 1 - LOGICAL DATABASE DESIGN RELATED ITEMS	12
TABLE DEFINITIONS	12
PHYSICAL ORGANIZATION OF THE DATABASE	12
INSERT AND DELETE OPERATIONS	12
HORIZONTAL OR VERTICAL PARTITIONING	12
REPLICATION	12
TABLE ATTRIBUTES	12
CLAUSE 2 - TRANSACTION AND TERMINAL PROFILES RELATED ITEMS	13
RANDOM NUMBER GENERATION	13
SCREEN LAYOUT	13
TERMINAL VERIFICATION	13
INTELLIGENT TERMINALS	13
TRANSACTION PROFILES	13
TRANSACTION MIX	14
DEFERRED DELIVERY MECHANISM	14
CLAUSE 3 - TRANSACTION AND SYSTEM PROPERTIES RELATED ITEMS	15
ATOMICITY	15
COMPLETED TRANSACTION	15
ABORTED TRANSACTION	15
CONSISTENCY	15
ISOLATION	15
DURABILITY	15
LOSS OF DATA / LOSS OF LOG	15
INSTANTANEOUS INTERRUPTION AND LOSS OF MEMORY	16

<u>CLAUSE 4: SCALING AND DATABASE POPULATION RELATED ITEMS</u>	17
CARDINALITY OF THE TABLES	17
DISTRIBUTION OF DATABASE TABLES AND LOGS	17
DATABASE MODEL	17
MAPPING PARTITIONS/REPLICATION	18
60-DAY SPACE	18
<u>CLAUSE 5: PERFORMANCE METRICS AND RESPONSE TIME RELATED ITEMS</u>	19
MEASURED TPMC	19
RESPONSE TIMES	19
KEYING AND THINK TIMES	19
RESPONSE TIME DISTRIBUTION CURVES	20
NEW ORDER RESPONSE TIME VS. THROUGHPUT PERFORMANCE	22
NEW ORDER THINK TIME DISTRIBUTION	23
NEW ORDER THROUGHPUT VS. ELAPSED TIME	23
STEADY STATE METHODOLOGY	24
WORK PERFORMED DURING STEADY STATE	24
MEASUREMENT PERIOD DURATION AND CHECKPOINT DURATION	24
REGULATION OF TRANSACTION MIX	24
TRANSACTION STATISTICS	24
CHECKPOINT COUNT AND LOCATION	24
<u>CLAUSE 6: SUT, DRIVER, AND COMMUNICATION DEFINITION RELATED ITEMS</u>	26
RTE PARAMETERS	26
LOST TERMINAL CONNECTIONS	26
EMULATED COMPONENTS	26
BENCHMARKED AND TARGETED SYSTEM CONFIGURATION DIAGRAMS	26
NETWORK CONFIGURATION	26
NETWORK BANDWIDTH	26
OPERATOR INTERVENTION	26
<u>CLAUSE 7 - PRICING RELATED ITEMS</u>	27
HARDWARE AND SOFTWARE LIST	27
AVAILABILITY DATE	27
MEASURED TPMC	27
COUNTRY SPECIFIC PRICING	27
USAGE PRICING	27
SYSTEM PRICING	28
<u>CLAUSE 9 - AUDIT RELATED ITEMS</u>	29
<u>APPENDIX A – SOURCE CODE</u>	32
<u>APPENDIX B: DATABASE DESIGN</u>	90
<u>APPENDIX C: TUNABLE PARAMETERS</u>	122
<u>APPENDIX D – 60-DAY SPACE</u>	161

Abstract

Overview

This report documents the methodology and results of the TPC Benchmark C test conducted on the Servidor Itautec 2250 1P. The tests were conducted by Centro de Informática / UFPE in Brazil. The tests were run in a client/server configuration using two Servidor Itautec 3040HU as clients. The operating system used for the benchmark was Microsoft Windows Server 2003 Enterprise Edition for server and Microsoft Windows 2000 Server Standard Edition for clients. The database was Microsoft SQL Server 2000 SP3.

All tests were done in compliance with Revision 5.3 of the Transaction Processing Council's TPC Benchmark C Standard Specification. Two standard TPC Benchmark™ C metrics, transactions per minute (tpmC) and price per tpmC (R\$/tpmC) are reported and referred to in this document. The results from the tests are summarized below.

Hardware	Software	Total System Cost	tpmC	R\$/tpmC	Total Solution Availability Date
Servidor Itautec 2250 1P	Microsoft SQL Server 2000 Enterprise Edition Microsoft Windows Server 2003 Enterprise Edition	R\$ 525,625 BRL	31,464	R\$ 16.19 BRL	December 14, 2004

Auditor

The benchmark configuration, methodology, and results were audited by Tom Sawyer of Performance Metrics, Inc. to validate compliance with the TPC specifications.

Preface

The Transaction Processing Performance Council (TPC) developed The TPC Benchmark™ C. The TPC was founded to define transaction processing benchmarks and to disseminate objective, verifiable performance data to the industry. This full disclosure report is based on the TPC Benchmark C Standard Specification Version 5.3.

The TPC describes this benchmark in Clause 0.1 of the specification as follows:

Introduction

TPC Benchmark™ C (TPC-C) is an OLTP workload. It is a mixture of read-only and update intensive transactions that simulate the activities found in complex OLTP application environments. It does so by exercising a breadth of system components associated with such environments, which are characterized by:

- The simultaneous execution of multiple transaction types that span a breadth of complexity
- On-line and deferred transaction execution modes
- Multiple on-line terminal sessions
- Moderate system and application execution time
- Significant disk input/output
- Transaction integrity (ACID properties)
- Non-uniform distribution of data access through primary and secondary keys
- Databases consisting of many tables with a wide variety of sizes, attributes, and relationships
- Contention on data access and update

The performance metric reported by TPC-C is a "business throughput" measuring the number of orders processed per minute. Multiple transactions are used to simulate the business activity of processing an order, and each transaction is subject to a response time constraint. The performance metric for this benchmark is expressed in transactions-per-minute-C (tpmC). To be compliant with the TPC-C standard, all references to tpmC results must include the tpmC rate, the associated price-per-tpmC, and the availability date of the priced configuration.

Although these specifications express implementation in terms of a relational data model with conventional locking scheme, the database may be implemented using any commercially available database management system (DBMS), database server, file system, or other data repository that provides a functionally equivalent implementation. The terms "table", "row", and "column" are used in this document only as examples of logical data structures.

TPC-C uses terminology and metrics that are similar to other benchmarks, originated by the TPC or others. Such similarity in terminology does not in any way imply that TPC-C results are comparable to other benchmarks. The only benchmark results comparable to TPC-C are other TPC-C results conformant with the same revision.

Despite the fact that this benchmark offers a rich environment that emulates many OLTP applications, this benchmark does not reflect the entire range of OLTP requirements. In addition, the extent to which a customer can achieve the results reported by a vendor is highly dependent on how closely TPC-C approximates the customer application. The relative performance of systems derived from this benchmark does not necessarily hold for other workloads or environments. Extrapolations to any other environment are not recommended.

Benchmark results are highly dependent upon workload, specific application requirements, and systems design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC-C should not be used as a substitute for a specific customer application benchmarking when critical capacity planning and/or product evaluation decisions are contemplated.

General Items

Benchmark Sponsor

A statement identifying the benchmark sponsor(s) and other participating companies must be provided.

Itautec Philco S.A. was the benchmark sponsor for this TPC Benchmark™ C. The benchmark was developed and engineered by Centro de Informática / UFPE in Brazil.

Application Code and Definition Statements

The application program (as defined in clause 2.1.7) must be disclosed. This includes, but is not limited to, the code implementing the five transactions and the terminal input output functions.

Appendix A contains all source code implemented in this benchmark.

Parameter Settings

Settings must be provided for all customer-tunable parameters and options which have been changed from the defaults found in actual products, including but not limited to:

- *Database tuning options.*
- *Recovery/commit options.*
- *Consistency/locking options.*
- *Operating system and application configuration parameters.*

Appendix C contains the tunable parameters to for the database, the operating system, and the transaction monitor.

Configuration Diagrams

Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences.

The following pages contain the diagrams for both the tested and priced configurations.

Measured Configuration




Figure 0.1 – Measured Configuration

Priced Configuration




Figure 0.2 – Priced Configuration

Clause 1 - Logical Database Design Related Items

Table Definitions

Listings must be provided for all table definition statements and all other statements used to set up the database.

Appendix B contains the code used to define and load the database tables.

Physical Organization of the Database

The physical organization of tables and indices, within the database, must be disclosed.

The tested database configuration used 64 disk drives. The physical organization is documented in Table 4.2: Data Distribution.

Insert and Delete Operations

It must be ascertained that insert and/or delete operations to any of the tables can occur concurrently with the TPC-C transaction mix. Furthermore, any restriction in the SUT database implementation that precludes inserts beyond the limits defined in Clause 1.4.11 must be disclosed. This includes the maximum number of rows that can be inserted and the maximum key value for these new rows.

Insert and delete functions were fully operational during the running of the benchmark.

Horizontal or Vertical Partitioning

While there are few restrictions placed upon horizontal or vertical partitioning of tables and rows in the TPC-C benchmark (see Clause 1.6), any such partitioning must be disclosed.

Partitioning was not used in this benchmark.

Replication

Replication tables, if used, must be disclosed (see Clause 1.4.6).

Replication was not used in this benchmark.

Table Attributes

Additional and/or duplicated attributes in any table must be disclosed, along with a statement on the impact on performance (see Clause 1.4.7).

No additional attributes were used in this benchmark.

Clause 2 - Transaction and Terminal Profiles Related Items

Random Number Generation

The method of verification for the random number generation must be disclosed.

The random number generation was handled internally in the Microsoft BenchCraft RTE program. The independent auditing process verified this.

Screen Layout

The actual layouts of the terminal input/output screens must be disclosed.

All screen layouts followed the Standard Specifications.

Terminal Verification

The method used to verify that the emulated terminals provide all the features described in Clause 2.2.2.4 must be explained. Although not specifically priced, the type and model of the terminals used for the demonstration in 8.1.3.3 must be disclosed and commercially available (including supporting software and maintenance).

The auditor with a thorough execution of the five transaction types, using Microsoft Internet Explorer, verified the terminal features.

Intelligent Terminals

Any usage of presentation managers or intelligent terminals must be explained.

Comment 1: *The intent of this clause is to describe any special manipulations performed by a local terminal or workstation to off-load work from the SUT. This includes, but is not limited to: screen presentations; message bundling, and local storage of TPC-C rows.*

Comment 2: *This disclosure also requires that all data manipulation functions performed by the local terminal to provide navigational aids for transaction(s) must also be described. Within this disclosure, the purpose of such additional function(s) must be explained.*

The application code responsible for processing the data was executed on the clients. HTML Screen manipulation commands were downloaded to the web browser, which controlled the input and output graphics. This code is documented in Appendix A. IIS (Microsoft Internet Information Server) was involved in processing and presenting this data.

Transaction Profiles

The percentage of home and remote order-lines in the New-Order transactions must be disclosed.

The percentage of New-Order transactions that was rolled back as a result of an unused item number must be disclosed.

The number of items per orders entered by New-Order transactions must be disclosed.

The percentage of home and remote Payment transactions must be disclosed.

The percentage of Payment and Order-Status transactions that used non-primary key (C_LAST) access to the database must be disclosed.

The percentage of Delivery transactions that were skipped as a result of an insufficient number of rows in the NEW-ORDER table must be disclosed.

Table 2.1: Transaction Statistics

Transaction	Function	Value
New Order	Home Warehouse Order Lines	99.00%
	Remote Warehouse Order Lines	1.00%
	Rolled Back Transactions	1.00%
	Average Lines Per Order	10.00
Payment	Home Warehouse Transactions	85%
	Remote Warehouse Transactions	15%
	Non-Primary Key Access	60.04%
Order Status	Non-Primary Key Access	60.02%
Delivery	Delivery Transactions Skipped	0

Transaction Mix

The mix (i.e., percentages) of transaction types seen by the SUT must be disclosed. (8.1.3.11)

Table 2.2: Transaction Mix

Transaction	Percentage
New Order	44.93
Payment	43.05
Order Status	4.00
Delivery	4.01
Stock Level	4.01

Deferred Delivery Mechanism

The queuing mechanism used to defer execution of the Delivery transaction must be disclosed.

Microsoft COM+ components installed on each Web Client create a pool of threads connected to the database, responsible for processing delivery transactions. When the application on the Web Client side receives a request for a delivery transaction, one of the threads is assigned for processing it while the control is immediately returned to the user (RTE). Upon completion, the thread writes an entry in the delivery log and returns to the thread pool.

The source code is listed in Appendix A.

Clause 3 - Transaction and System Properties Related Items

The results of the ACID test must be disclosed, along with a description of how the ACID requirements were met. This includes disclosing which case was followed for the execution of Isolation Test 7.

All ACID tests were conducted successfully according to specification.

Atomicity

The system under test must guarantee that database transactions are atomic; the system will either perform all individual operations on the data, or will assure that no partially completed operations leave any effects on the data.

Completed Transaction

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was committed and the rows were verified to contain correctly updated balances.

Aborted Transaction

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was rolled back and the rows were verified to contain the original balances.

Consistency

Consistency is the property of the application that requires any execution of a database transaction to take the database from one consistent state to another, assuming that the database is initially in a consistent state.

Consistency conditions one through four were tested using a script to issue queries to the database. The results of the queries verified that the database was consistent for all four tests. A run was executed under full load lasting over two hours and including several checkpoints. The script was re-executed and the result of the same queries verified that the database remained consistent after the run.

Isolation

Sufficient conditions must be enabled at either the system or application level to ensure the required isolation defined above (clause 3.4.1) is obtained.

Isolation tests one through nine were executed using shell scripts to issue queries to the database. Each script included timestamps to demonstrate the concurrency of operations. The results of the queries were captured to files. The auditor to demonstrate the required isolation had been met reviewed and verified the captured files.

In addition, the phantom tests and the stock level tests were executed and verified.

For Isolation test seven, case A was followed.

Durability

The tested system must guarantee durability: the ability to preserve the effects of committed transaction and insure database consistency after recovery from any one of the failures listed in Clause 3.5.3.

Loss of Data / Loss of Log

To demonstrate recovery from a permanent failure of durable media containing TPC-C tables, the following steps were executed:

- 1) A 2,600 warehouse database was generated.
- 2) The database was backed up using SQL scripts.
- 3) A sum of D_NEXT_O_ID was recorded.
- 4) The RTEs were started with more than 10% of the benchmarked users (25,880).
- 5) The system was run in steady state for 10 minutes.

- 6) One log disk was removed from the drive cabinet. No interruption occurred.
- 7) Keep running more 10 minutes.
- 8) One data disk was removed, causing an SQL Server error.
- 9) The RTE was stopped.
- 10) SQL Server was stopped and restarted.
- 11) The transaction log was dumped to disk.
- 12) SQL Server was stopped, the Windows was shutdown and the machine powered off.
- 13) The failed disk was replaced.
- 14) The machine was powered on.
- 15) SQL Server was started.
- 16) The database and the transaction log were restored from backup.
- 17) The sum of D_NEXT_O_ID was taken.
- 18) This number was compared with the number of new orders reported by the RTE.
- 19) Consistency test #3 was executed and verified.

Instantaneous Interruption and Loss of Memory

To validate system recovery an instantaneous interruption was caused by removing power to the Server, the following steps were executed:

- 1) A sum of D_NEXT_O_ID was taken.
- 2) 25,880 users were started via the RTEs.
- 3) The system was run in steady state for 5 minutes.
- 4) The power supply cord was removed from the server, causing instantaneous interruption.
- 5) The RTE's were stopped.
- 6) Power was reconnected and the system was rebooted.
- 7) SQL Server was started and the recovery process completed successfully.
- 8) A new count of D_NEXT_O_ID was taken.
- 9) This number was validated against the calculated number reported by the RTEs.

Clause 4: Scaling and Database Population Related Items

Cardinality of the Tables

The cardinality (e.g., the number of rows) of each table, as it existed at the start of the benchmark run (see Clause 4.2), must be disclosed. If the database was over-scaled and inactive rows of the WAREHOUSE table were deleted (see Clause 4.2.2), the cardinality of the WAREHOUSE table as initially configured and the number of rows deleted must be disclosed.

The database was generated with 2600 warehouses, and the audited performance run used 2588 warehouses.

Table 4.1: Table Cardinality

Table	Initial Cardinality
Warehouse	2600
District	26000
Customer	78000000
New Order	23400000
Orders	78000000
History	78000000
Order Line	779997753
Item	100000
Stock	260000000
Deleted Warehouses	12

Distribution of Database Tables and Logs

The distribution of tables and logs across all media must be explicitly depicted for the tested and priced systems.

The system was configured with 64 36.4GB 15Krpm SCSI disks for the database. There were 56 disks connected to 2 controllers configured as RAID 0 and 8 disks connected to one controller and configured as RAID 0+1. The operating system was stored in one 36.4GB 15Krpm disk. The OS disk was connected to the same controller as the log disks. Most logical data drives contained 2 partitions for miscellaneous, customer and stock, and backup data. Raw file systems were used except for the NTFS formatted backup partitions. The configuration is further detailed below in Table 4.2.

Database Model

A statement must be provided that describes:

1. The data model implemented by the DBMS used (e.g., relational, network, hierarchical)
2. The database interface (e.g., embedded, call level) and access language (e.g., SQL, DL/I, COBOL read/write) used to implement the TPC-C transactions. If more than one interface/access language is used to implement TPC-C, each interface/access language must be described and a list of which interface/access language is used with which transaction type must be disclosed.

Microsoft SQL Server 2000 Enterprise Edition is a relational DBMS.

The interface used was Microsoft SQL Server stored procedures accessed with Remote Procedure Calls embedded in C code using the Microsoft ODBC interface.

Table 4.2: Data Distribution

Controller	DB Components	Partition	Size	Disks
0	Miscellaneous Customer and Stock Backup	O:\ M:\ W:\	65,00GB 100,00GB 585,00GB	28 – 36 GB 15K
1	Miscellaneous Customer and Stock Backup	P:\ N:\ X:\	65,00GB 100,00GB 585,00GB	28 – 36 GB 15K
2	Transaction Log	L:\	136,66 GB	8 – 36 GB 15K

Mapping Partitions/Replication

The mapping of database partitions/replications must be explicitly described.

No partitioning or replication was used.

60-Day Space

Details of the 60-day space computations along with proof that the database is configured to sustain 8 hours of growth for the dynamic tables (Order, Order-Line, and History) must be disclosed (see Clause 4.2.3).

To calculate the space required to sustain the database log for 8 hours of growth at steady state, the following steps were followed:

1. The current log space was recorded by running *dbcc sqlperf(logspace)*
2. Transactions were run against the database with a full user load.
3. The final log space usage was recorded by running *dbcc sqlperf(logspace)*
4. The space used was calculated as the difference between the first and second queries.
5. The number of NEW-ORDERS was retrieved from the RTE report generated for the entire run.
6. The total space used was divided by the number of NEW-ORDERS producing a size per NEW-ORDER.
7. The NEW-ORDER size was multiplied by the measured tpmC rate and multiplied by 480 minutes.

The same methodology was used to compute growth requirements for dynamic tables Order, Order-Line and History.

The details of the 8-hour transaction log space and the 60-day space requirements are shown in Appendix D.

Clause 5: Performance Metrics and Response Time Related Items

Measured tpmC

Measured tpmC must be reported.

Measured tpmC: **32,464** tpmC

Price per tpmC: **R\$ 16.19 BRL** per tpmC

Response Times

Ninetieth percentile, maximum and average response times must be reported for all transaction types as well as for the menu response time.

Table 5.1: Response Times

Transaction	Average	90%	Maximum
New order	0.34	0.54	13.81
Payment	0.22	0.35	13.40
Order Status	0.39	0.65	14.14
Delivery (interactive)	0.10	0.11	2.40
Delivery (deferred)	0.41	0.68	5.47
Stock Level	1.31	2.15	8.04
Menu	0.11	0.11	8.85

Keying and Think Times

The minimum, the average, and the maximum keying and think times must be reported for each transaction type.

Table 5.2: Keying Times

Transaction	Average	Minimum	Maximum
New Order	18.01	18.00	18.05
Payment	3.01	3.00	3.05
Delivery	2.01	2.00	2.05
Stock Level	2.01	2.00	2.04
Order Status	2.01	2.00	2.04

Table 5.3: Think Times

Transaction	Average	Minimum	Maximum
New Order	12.07	0.00	120.71
Payment	12.08	0.00	120.71
Delivery	5.08	0.00	50.71
Stock Level	5.08	0.00	50.71
Order Status	10.08	0.00	100.71

Response Time Distribution Curves

Response time frequency distribution curves (see Clause 5.6.1) must be reported for each transaction type.

Figure 5.1 - New-Order Transaction Response Time Distribution




Figure 5.2 - Payment Transaction Response Time Distribution




Figure 5.3 – Stock Level Transaction Response Time Distribution




Figure 5.4 – Order Status Transaction Response Time Distribution






Figure 5.5 – Delivery Transaction Response Time Distribution



New Order Response Time vs. Throughput Performance

The performance curve for response time vs. throughput (see Clause 5.6.2) must be reported for the New-Order transaction.


Figure 5.6 – New Order Response Time vs. Throughput



New Order Think Time Distribution

Think Time frequency distribution curves (see Clause 5.6.3) must be reported for the New-Order transaction.


Figure 5.7 – New Order Think Time Distribution



New Order Throughput vs. Elapsed Time

A graph of throughput versus elapsed time (see Clause 5.6.4) must be reported for the New-Order transaction.

Figure 5.8 – Throughput vs. Time Distribution



Steady State Methodology

The method used to determine that the SUT had reached a steady state prior to commencing the measurement interval (see Clause 5.5) must be described.

By using the monitoring tools on the RTE, a steady state was determined. Figure 5.8 further supports the level chosen by the utilities used.

Work Performed During Steady State

A description of how the work normally performed during a sustained test (for example checkpointing, writing redo/undo log records, etc.), actually occurred during the measurement interval must be reported.

A checkpoint in Microsoft SQL Server writes to disk all updated memory pages that have not been yet actually written to disk. SQL Server recovery interval parameter was set to 115 to perform checkpoint at specific intervals. A checkpoint script, which issues specified number of checkpoint at specified (30 minutes) intervals, was started after all users logged in and sending transactions.

Measurement Period Duration and Checkpoint Duration

The start time and duration in seconds of at least the four (4) longest checkpoints during the Measurement Interval must be disclosed (see Clause 5.5.2.2 (2)).[Clause 8.1.6.11]

A statement of the duration of the measurement interval for the reported Maximum Qualified Throughput (tpmC) must be included.[Clause 8.1.6.12]

Table 5.9: Checkpoints

	Start	End	Duration (in seconds)
Measurement Interval	04:31:07	04:31:07	7200
1 st Checkpoint	17:32:45	18:00:31	1666
2 nd Checkpoint	18:02:40	18:30:50	1690
3 rd Checkpoint	18:32:36	18:42:55	619
4 th Checkpoint	19:02:30	19:11:02	512

Regulation of Transaction Mix

The method of regulation of the transaction mix (e.g., card decks or weighted random distribution) must be described. If weighted distribution is used and the RTE adjusts the weights associated with each transaction type, the maximum adjustments to the weight from the initial value must be disclosed

The RTE was given a weighted random distribution that could not be adjusted during the run.

Transaction Statistics

The percentage of the total mix for each transaction type must be disclosed.

The percentage of New-Order transactions rolled back as a result of invalid item number must be disclosed.

The average number of order-lines entered per New-Order transaction must be disclosed.

The percentage of remote order lines per New-Order transaction must be disclosed.

The percentage of remote Payment transactions must be disclosed.

The percentage of customer selections by customer last name in the Payment and Order-Status transactions must be disclosed.

The percentage of Delivery transactions skipped due to there being fewer than necessary orders in the New-Order table must be disclosed.

The above statistics are disclosed in Table 2.1.

Checkpoint Count and Location

The number of checkpoints in the Measurement Interval, the time in seconds from the start of the Measurement Interval to the first checkpoint, and the Checkpoint Interval must be disclosed.

There was one checkpoint before measurement and four checkpoints during measurement. The time of the first checkpoint during the measurement interval is 1563 seconds from the start of the measurement, and the checkpoint interval is 30 minutes.

Clause 6: SUT, Driver, and Communication Definition Related Items

RTE Parameters

The RTE input parameters, code fragments, functions, etc. used to generate each transaction input field must be disclosed. (8.1.7.1)

Comment: *The intent is to demonstrate the RTE was configured to generate transaction input data as specified in Clause 2.*

The RTE input parameters are listed in Appendix C - Tunable Parameters.

Lost Terminal Connections

The number of terminal connections lost during the Measurement Interval must be disclosed.

No terminal connections were lost.

Emulated Components

It must be demonstrated that the functionality and performance of the components being emulated in the Driver System are equivalent to that of the priced system. The results of the test described in Clause 6.6.3.4 must be disclosed. (8.1.7.2)

No components were emulated.

Benchmarked and Targeted System Configuration Diagrams

A complete functional diagram of both the benchmark configuration and the configuration of the proposed (target) system must be disclosed. A detailed list of all software and hardware functionality being performed on the Driver System, and its interface to the SUT must be disclosed (see Clause 6.6.3.6). (8.1.7.3)

The driver system performed transaction data generation and communication to the client through the standard Web browser (HTTP) protocol. It also captured and time stamped the SUT output data for post-processing of the reported metrics. No other functionality was included on the driver system.

Figures 0.1 and 0.2 of this report contain detailed diagrams of both the benchmark configuration and the priced configuration.

Network Configuration

The network configurations of both the tested services and the proposed (target) services which are being represented and a thorough explanation of exactly which parts of the proposed configuration are being replaced on the Driver System must be disclosed (see Clause 6.6.4). (8.1.7.4)

The network configurations of the benchmarked and priced configurations were identical.

Network Bandwidth

The bandwidth of the network(s) used in the tested/priced configuration must be disclosed. (8.1.7.5)

The bandwidth of the tested and priced networks were as follows:

- 100 BaseT (100 Mbit/sec) network segments between the RTE and the clients
- 1000 BaseT (1000 Mbit/sec) between the Clients and Server.

Operator Intervention

If the configuration requires operator intervention (see Clause 6.6.6), the mechanism and the frequency of this intervention must be disclosed. (8.1.7.6)

This configuration does not require any operator intervention to sustain eight hours of the reported throughput.

Clause 7 - Pricing Related Items

Hardware and Software List

A detailed list of hardware and software used in the priced system must be reported. Each separately orderable item must have vendor part number, description, and release/revision level, and either general availability status or committed delivery date. If package-pricing is used, vendor part number of the package and a description uniquely identifying each of the components of the package must be disclosed. Pricing source(s) and effective date(s) of price(s) must also be reported. (8.1.8.1)

The total 5-year price of the entire configuration must be reported, including: hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed. (8.1.8.2)

The details of the hardware and software are reported in the front of this report as part of the executive summary. All third party quotations, if exist, are included at the end of this report as Appendix E.

Availability Date

The committed delivery date for general availability (availability date) of products used in the price calculations must be reported. When the priced system includes products with different availability dates, the reported availability date for the priced system must be the date at which all components are committed to be available. (8.1.8.3)

Hardware Availability Date: 12/14/2004

Software Availability Date: 12/14/2004

Measured TpmC

A statement of the measured tpmC, as well as the respective calculations for 5-year pricing, price/performance (price/tpmC), and the availability date must be included. (8.1.8.4)

Maximum Qualified Throughput: 32,464 tpmC

Price Performance Metric: R\$ 16.19 BRL

Country Specific Pricing

Additional Clause 7 related items may be included in the Full Disclosure Report for each country specific priced configuration. Country specific pricing is subject to Clause 7.1.7. (8.1.8.5)

This system is priced for Brazil.

Usage Pricing

For any usage pricing, the sponsor must disclose (8.1.8.6):

- *Usage level at which the component was priced.*
- *A statement of the company policy allowing such pricing.*

Comment: *Usage pricing may include, but is not limited to, the operating system and database management software.*

The component pricing based on usage is shown below:

- 2 Microsoft Windows 2000 Server Licenses
- 1 Microsoft Windows Server 2003 Enterprise Edition License
- 1 Microsoft SQL Server 2000 Enterprise Edition Licenses (per processor)
- 1 Microsoft Visual C++ 32 bit Edition
- 3 Year Support for Hardware Components.

System Pricing

System pricing should include subtotals for the following components: Server Hardware, Server Software, Client Hardware, Client Software, and Network Components used for terminal connection (see Clause 7.2.2.3). Clause 6.1 describes the Server and Client components. An example of the standard pricing sheet is shown in Appendix B. (8.1.8.7)

System pricing must include line item indication where non-sponsoring companies' brands are used. System pricing must also include line item indication of third party pricing. See example in Appendix B. (8.1.8.8)

The details of the hardware and software are reported in the front of this report as part of the Executive Summary.

Clause 9 - Audit Related Items

Auditor

The auditor's name, address, phone number, and a copy of the auditor's attestation letter indicating compliance must be included in the Full Disclosure Report. (8.1.9.1)

A review of the pricing model is required to ensure that all components required are priced (see Clause 9.2.8). The auditor is not required to review the final Full Disclosure Report or the final pricing prior to issuing the attestations letter. (8.1.9.2)

This TPC-C benchmark has been audited by Tom Sawyer of Performance Metrics.

Availability of the Full Disclosure Report

The Full Disclosure Report must be readily available to the public at a reasonable charge, similar to the charges for similar documents by the test sponsor. The report must be made available when results are made public. In order to use the phrase "TPC Benchmark™ C", the Full Disclosure Report must have been submitted to the TPC Administrator as well as written permission obtained to distribute same.

Requests for this TPC Benchmark C Full Disclosure Report should be sent to:

Transaction Processing Performance Council
c/o Administrator, TPC
Presidio of San Francisco
Bldg 572B Rugar St.
San Francisco, CA 94129-0920
Phone: (415) 561-6272, fax (415) 561-6120
www.tpc.org

or:

Itautec Philco S.A.
Rua Santa Catarina, 1
030860-025 – São Paulo – SP
Phone: +55 (11) 6097-3000, fax +55 (11) 6097-4284

or:

Laboratório de Análise de Performance
Centro de Informática / UFPE
Rua Prof. Luis Freire, S/N – Cidade Universitária
50740-540 – Recife – PE
Phone: +55 (81) 3453-9213



PERFORMANCE METRICS INC.
TPC Certified Auditors

December 10, 2004

Mr. Fábio Ávila Rêgo Pessoa
Itaotec Performance Lab
Centro de Informática – UFPE
Recife, Brazil

I have verified the TPC Benchmark™ C for the following configuration:

Platform: Servidor Itaotec 2250 1P

Database Manager: Microsoft SQL Server 2000 Enterprise Edition 32-bit SP3

Operating System: Microsoft Windows 2003 Server, Enterprise Edition

Transaction Monitor: Microsoft COM+

Server: Servidor Itaotec 2250 1P				
CPU's	Memory	Disks	90% Response	TpmC
1 Intel Xeon DP @ 3.2 GHz	Main: 12 GB	65 @ 36GB	0.54 sec	32,464
Client: Servidor Itaotec 3040HU				
2 Intel Xeon @ 1 GHz	Main: 1 GB	1 @ 18GB	Na	Na

In my opinion, these performance results were produced in compliance with the TPC requirements for the benchmark. The following attributes of the benchmark were given special attention:

- The transactions were correctly implemented.
- The database files were properly sized and populated.
- The database was properly scaled with 2600 warehouses of which only 2588 were active during the measured interval.

PERFORMANCE METRICS INC.
TPC Certified Auditors

- The ACID properties were successfully demonstrated.
- Input data was generated according to the specified percentages.
- Eight hours of mirrored log space was present on the tested system.
- Eight hours of growth space for the dynamic tables was present on the tested system.
- The data for the 60 day space calculation was verified.
- The controller cache was disabled on the log disk controller.
- The steady state portion of the test was 120 minutes.
- At least one checkpoint was taken before the measured interval.
- Four complete checkpoints were taken during the measured interval.
- The system pricing was checked for major components and maintenance.

Auditor Notes:

The client machines used in the tested configuration are no longer orderable from the sponsor. The clients substituted in the priced configuration meet the substitution requirements.

Sincerely,



Lorna Livingtree
Auditor

Appendix A – Source Code

isapi_dll/src/tpcc.def

```
LIBRARY TPCC.DLL

EXPORTS

    GetExtensionVersion @1
    HttpExtensionProc   @2
    TerminateExtension @3
```

Isapi_dll/src/tpcc.h

```
/* FILE: TPCC.H Microsoft TPC-C
 * Kit Ver. 4.20.000 Copyright
 * Microsoft, 1999 All Rights Reserved
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 * PURPOSE: Header file for ISAPI TPCC.DLL,
 * defines structures and functions used in the isapi
 * tpcc.dll.
 */

//VERSION RESOURCE DEFINES
#define _APS_NEXT_RESOURCE_VALUE 101
#define _APS_NEXT_COMMAND_VALUE 40001
#define _APS_NEXT_CONTROL_VALUE 1000
#define _APS_NEXT_SYMED_VALUE 101

#define TP_MAX_RETRIES 50

//note that the welcome form must be processed first as
//terminal ids assigned here, once the
//terminal id is assigned then the forms can be
//processed in any order.
#define WELCOME_FORM 1
//beginning form no term id assigned, form id
#define MAIN_MENU_FORM 2
//term id assigned main menu form id
#define NEW_ORDER_FORM 3 //new
order form id
```

```
#define PAYMENT_FORM 4
//payment form id
#define DELIVERY_FORM 5
//delivery form id
#define ORDER_STATUS_FORM 6 //order status
id
#define STOCK_LEVEL_FORM 7 //stock level
form id

//This macro is used to prevent the compiler error
//unused formal parameter
#define UNUSEDPARAM(x) (x = x)

//This structure defines the data necessary to keep
//distinct for each terminal or client connection.
typedef struct _CLIENTDATA
{
    int iNextFree; //index of next
    int w_id; //warehouse id
    int d_id; //district id
    int iSyncId; //synchronization id
    int iTickCount; //time of last
    access;

    CTPCC_BASE *pTxn;
} CLIENTDATA, *PCLIENTDATA;

//This structure is used to define the operational
//interface for terminal id support
typedef struct _TERM
{
    int iNumEntries;
    int iFreeList;
    int iMastersSyncId;
    CLIENTDATA *pClientData;
    void *pPointerTo
} TERM;

typedef TERM *PTERM;
//pointer to
terminal structure type

enum WEBERROR
{
    NO_ERR,
    ERR_COMMAND_UNDEFINED,
    ERR_D_ID_INVALID,
```

```
ERR_DELIVERY_CARRIER_ID_RANGE,
ERR_DELIVERY_CARRIER_INVALID,
ERR_DELIVERY_MISSING_OCD_KEY,
ERR_DELIVERY_THREAD_FAILED,
ERR_GETPROCADDR_FAILED,
ERR_HTML_ILL_FORMED,
ERR_INVALID_SYNC_CONNECTION,
ERR_INVALID_TERMID,
ERR_LOADDLL_FAILED,
ERR_MAX_CONNECTIONS_EXCEEDED,
ERR_MEM_ALLOC_FAILED,
ERR_MISSING_REGISTRY_ENTRIES,
ERR_NEWORDER_CUSTOMER_INVALID,
ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_DISTRICT_INVALID,
ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_ITEMID_INVALID,
ERR_NEWORDER_ITEMID_RANGE,
ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
ERR_NEWORDER_MISSING_ID_KEY,
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_MISSING_SUPPW_KEY,
ERR_NEWORDER_NOITEMS_ENTERED,
ERR_NEWORDER_QTY_INVALID,
ERR_NEWORDER_QTY_RANGE,
ERR_NEWORDER_QTY_WITHOUT_SUPPW,
ERR_NEWORDER_SUPPW_INVALID,
ERR_NO_SERVER_SPECIFIED,
ERR_ORDERSTATUS_CID_AND_CLT,
ERR_ORDERSTATUS_CID_INVALID,
ERR_ORDERSTATUS_CLT_RANGE,
ERR_ORDERSTATUS_DID_INVALID,
ERR_ORDERSTATUS_MISSING_CID_CLT,
ERR_ORDERSTATUS_MISSING_CID_KEY,
ERR_ORDERSTATUS_MISSING_CLT_KEY,
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_PAYMENT_CDI_INVALID,
ERR_PAYMENT_CID_AND_CLT,
ERR_PAYMENT_CUSTOMER_INVALID,
ERR_PAYMENT_CWI_INVALID,
ERR_PAYMENT_DISTRICT_INVALID,
ERR_PAYMENT_HAM_INVALID,
ERR_PAYMENT_HAM_RANGE,
ERR_PAYMENT_LAST_NAME_TO_LONG,
ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_MISSING_CID_CLT,
ERR_PAYMENT_MISSING_CID_KEY,
ERR_PAYMENT_MISSING_CLT,
ERR_PAYMENT_MISSING_CLT_KEY,
ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_MISSING_HAM_KEY,
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID,
ERR_STOCKLEVEL_THRESHOLD_RANGE,
ERR_VERSION_MISMATCH,
ERR_W_ID_INVALID
};

class CWEBCLNT_ERR : public CBaseErr
{
public:
    CWEBCLNT_ERR(WEBERROR Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    };
};
```



```

        CWEBCLNT_ERR(WEBERROR Err, char
*szTextDetail, DWORD dwSystemErr)
    {
        m_Error = Err;
        m_sszTextDetail = new
char[strlen(szTextDetail)+1];
        strcpy( m_sszTextDetail,
szTextDetail );
        m_SystemErr =
dwSystemErr;
        m_sszErrorText = NULL;
    };
    ~CWEBCLNT_ERR()
    {
        if (m_sszTextDetail !=
NULL)
            delete []
m_sszTextDetail;
        if (m_sszErrorText !=
NULL)
            delete []
m_sszErrorText;
    };
    WEBERROR m_Error;
    char
*m_sszTextDetail; //
    char
*m_sszErrorText;
    DWORD
m_SystemErr;

    int ErrorType() {return
ERR_TYPE_WEBDLL;};
    int ErrorNum() {return m_Error;};
    char *ErrorText();

};

//These constants have already been defined in
engstut.h, but since we do
//not want to include it in the delisrv executable
#define TXN_EVENT_START 2
#define TXN_EVENT_STOP 4
#define TXN_EVENT_WARNING 6
//used to record a warning into the log

//function prototypes

BOOL WINAPI DllMain(HANDLE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved);
void WriteMessageToEventLog(LPTSTR lpszMsg);
void ProcessQueryString(EXTENSION_CONTROL_BLOCK *pECB,
int *pCmd, int *pFormId, int *pTermId, int *pSyncId);
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void BeginCmd(EXTENSION_CONTROL_BLOCK *pECB, int
iFormId, int iTermId);
void ProcessCmd(EXTENSION_CONTROL_BLOCK *pECB, int
iFormId, int iTermId);
void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void ErrorMessage(EXTENSION_CONTROL_BLOCK *pECB, int
iError, int iErrorType, char *szMsg, int iTermId);
void GetKeyValue(char *pQueryString, char *pkey, char
*pvalue, int iMax, WEBERROR err);
int GetIntKeyValue(char *pQueryString, char *pkey,
WEBERROR NoKeyErr, WEBERROR NotIntErr);
void TermInit(void);
void TermDeleteAll(void);
int TermAdd(void);

```

```

void TermDelete(int id);
void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int
iType, int iErrorNum, int iTermId, int iSyncId, char
*szErrorText, char *szBuffer );
void MakeMainMenuForm(int iTermId, int iSyncId, char
*szForm);
void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm);
void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm);
void MakePaymentForm(int iTermId, PAYMENT_DATA
*pPaymentData, BOOL bInput, char *szForm);
void MakeOrderStatusForm(int iTermId, ORDER_STATUS_DATA
*pOrderStatusData, BOOL bInput, char *szForm);
void MakeDeliveryForm(int iTermId, DELIVERY_DATA
*pDeliveryData, BOOL bInput, char *szForm);
void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK *pECB,
int iTermId, char *szBuffer);
void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK *pECB,
int iTermId, char *szBuffer);
void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void GetNewOrderData(LPSTR lpszQueryString,
NEW_ORDER_DATA *pNewOrderData);
void GetPaymentData(LPSTR lpszQueryString, PAYMENT_DATA
*pPaymentData);
void GetOrderStatusData(LPSTR lpszQueryString,
ORDER_STATUS_DATA *pOrderStatusData);
BOOL PostDeliveryInfo(long w_id, short o_carrier_id);
BOOL IsNumeric(char *ptr);
BOOL IsDecimal(char *ptr);
void DeliveryWorkerThread(void *ptr);

```

isapi_dll/src/tpcc.rc

```

//Microsoft Developer Studio generated resource script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"
////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS

////////////////////////////////////
// English (U.S.) resources
////////////////////////////////////

#if !defined(AFX_RESOURCE_DLL) || defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef _MAC

```

```

////////////////////////////////////
//
// Version
//
VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,0,0
PRODUCTVERSION 0,4,0,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILESOS 0x40004L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904b0"
        BEGIN
            VALUE "Comments", "TPC-C HTML DLL Server
(DBLIB)\0"
            VALUE "CompanyName", "Microsoft\0"
            VALUE "FileDescription", "TPC-C HTML DLL
Server (DBLIB)\0"
            VALUE "FileVersion", "0, 4, 0, 0\0"
            VALUE "InternalName", "tpcc\0"
            VALUE "LegalCopyright", "Copyright ©
1997\0"
            VALUE "OriginalFilename", "tpcc.dll\0"
            VALUE "ProductName", "Microsoft tpcc\0"
            VALUE "ProductVersion", "0, 4, 0, 0\0"
        END
    END
    BLOCK "VarFileInfo"
    BEGIN
        VALUE "Translation", 0x409, 1200
    END
END

#endif // !_MAC

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
//
// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include \"afxres.h\"\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "\r\n"
    "\0"
END

#endif // APSTUDIO_INVOKED

```

```

////////////////////////////////////
//
// Dialog
//
IDD_DIALOG1 DIALOG DISCARDABLE 0, 0, 186, 95
STYLE DS_MODALFRAME | WS_POPUP | WS_CAPTION |
WS_SYSMENU
CAPTION "Dialog"
FONT 8, "MS Sans Serif"
BEGIN
    DEFPUSHBUTTON "OK",IDOK,129,7,50,14
    PUSHBUTTON "Cancel",IDCANCEL,129,24,50,14
END

////////////////////////////////////
//
// DESIGNINFO
//
#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
    IDD_DIALOG1, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 179
        TOPMARGIN, 7
        BOTTOMMARGIN, 88
    END
END
#endif // APSTUDIO_INVOKED

#ifdef // English (U.S.) resources
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 3 resource.
//
#endif // not APSTUDIO_INVOKED

```

isapi_dll/src/tpcc.cpp

```

/* FILE: TPCC.C Microsoft TPC-C
Kit Ver. 4.20.000 Copyright
Microsoft, 1999 All Rights Reserved
* Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99

```

```

*
* PURPOSE: Main module for TPCC.DLL which is
an ISAPI service dll.
* Contact: Charles Levine
(clevine@microsoft.com)
*
* Change history:
* 4.20.000 - reworked error handling;
added options for COM and Encina txn monitors
*/

#include <windows.h>
#include <process.h>
#include <tchar.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>
#include <assert.h>

#include <sqltypes.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\ReadRegistry.h"

#include "..\..\common\txnlog\include\rtetime.h"
#include "..\..\common\txnlog\include\spinlock.h"
#include "..\..\common\txnlog\include\txnlog.h"

// Database layer includes
#include "..\..\db_dblib_dll\src\tpcc_dblib.h"
// DBLIB implementation of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h"
// ODBC implementation of TPC-C txns

// Txn monitor layer includes
#include "..\..\tm_com_dll\src\tpcc_com.h"
// COM Services implementation on
TPC-C txns
#include "..\..\tm_tuxedo_dll\src\tpcc_tux.h"
// interface to Tuxedo libraries
#include "..\..\tm_encina_dll\src\tpcc_enc.h"
// interface to Encina libraries

#include "httpext.h"
//ISAPI DLL information header
#include "tpcc.h"
//this dlls specific structure, value e.t.
header.

#define LEN_ERR_STRING 256

// defines for Make<Txn>Form calls to distinguish input
and output flavors
#define OUTPUT_FORM 0
#define INPUT_FORM 1

char
szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

```

```

//Terminal client id structure
TERM Term = { 0, 0, 0, NULL };

// The WEBCLIENT_VERSION string specifies the version
level of this web client interface.
// The RTE must be synchronized with the interface
level on login, otherwise the login
// will fail. This is a sanity check to catch problems
resulting from mismatched versions
// of the RTE and web client.
#define WEBCLIENT_VERSION "410"

static CRITICAL_SECTION
TermCriticalSection;

static HINSTANCE hLibInstanceTm = NULL;
static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;
TYPE_CTPCC_TUXEDO *pCTPCC_TUXEDO_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_post_init;
TYPE_CTPCC_COM *pCTPCC_COM_new;

// For deferred Delivery txns:
CTxnLog
*txnDelilog = NULL;
//used to log delivery transaction
information

HANDLE hWorkerSemaphore = INVALID_HANDLE_VALUE;
HANDLE hDoneEvent =
INVALID_HANDLE_VALUE;
HANDLE *pDelHandles = NULL;

// configuration settings from registry
TPCCREGISTRYDATA Reg;

DWORD dwNumDeliveryThreads = 4;
CRITICAL_SECTION DelBuffCriticalSection;
//critical section for delivery
transactions cache *pDelBuff
DELIVERY_TRANSACTION
= NULL;
DWORD dwDelBuffSize = 100;
// size of circular buffer for delivery txns
DWORD dwDelBuffFreeCount;
// number of buffers free
DWORD dwDelBuffBusyIndex = 0; //
index position of entry waiting to be delivered
DWORD dwDelBuffFreeIndex = 0; //
index position of unused entry

#include "..\..\common\src\ReadRegistry.cpp"

/* FUNCTION: DllMain
* PURPOSE: This function is the entry point
for the DLL. This implementation is based on the

```

```

*
* fact that
DLL_PROCESS_ATTACH is only called from the inet service
once.
*
* ARGUMENTS:      HANDLE hModule
                  module handle
*
*      u_reason_for_call reason for call
*
*      lpReserved reserved for future use
*
* RETURNS:      BOOL FALSE
                errors occurred in
initialization
*
*      TRUE      DLL
successfully initialized
*/
BOOL WINAPI DllMain(HANDLE hModule, DWORD
u_reason_for_call, LPVOID lpReserved)
{
    DWORD i;
    char szEvent[LEN_ERR_STRING] = "\0";
    char szLogFile[128];
    char szDllName[128];

    // debugging...
    // DebugBreak();

    try
    {
        switch( u_reason_for_call )
        {
            case DLL_PROCESS_ATTACH:
                {
                    DWORD
                    dwSize = MAX_COMPUTERNAME_LENGTH+1;
                    GetComputerName(szMyComputerName, &dwSize);
                    szMyComputerName[dwSize] = 0; }

                    DisableThreadLibraryCalls((HMODULE)hModule);
                    InitializeCriticalSection(&TermCriticalSection);

                    if (
                    ReadTPCCRegistrySettings( &Reg ) ) throw
                    new CWEBCLNT_ERR( ERR_MISSING_REGISTRY_ENTRIES );

                    dwDelBuffSize =
                    min( Reg.dwMaxPendingDeliveries, 10000 ); // min with
                    10000 as a sanity constraint

                    dwNumDeliveryThreads = min(
                    Reg.dwNumberOfDeliveryThreads, 100 ); // min with 100
                    as a sanity constraint

                    TermInit();

                    // load DLL for
                    txn monitor
                    == TUXEDO)
                    {

```

```

        strcpy( szDllName, Reg.szPath );
        strcat( szDllName, "tpcc_tuxedo.dll");
        hLibInstanceTm = LoadLibrary( szDllName );
        if
        (hLibInstanceTm == NULL)
            throw new CWEBCLNT_ERR( ERR_LOADDLL_FAILED,
            szDllName, GetLastError() );

            //
            get function pointer to wrapper for class constructor
            pCTPCC_TUXEDO_new = (TYPE_CTPCC_TUXEDO*)
            GetProcAddress(hLibInstanceTm, "CTPCC_TUXEDO_new");
            if
            (pCTPCC_TUXEDO_new == NULL)
                throw new CWEBCLNT_ERR(
                ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
            else if
            (Reg.eTxnMon == ENCINA)
                {
                    strcpy( szDllName, Reg.szPath );
                    strcat( szDllName, "tpcc_encina.dll");
                    hLibInstanceTm = LoadLibrary( szDllName );
                    if
                    (hLibInstanceTm == NULL)
                        throw new CWEBCLNT_ERR( ERR_LOADDLL_FAILED,
                        szDllName, GetLastError() );

                        //
                        get function pointer to wrapper for class constructor
                        pCTPCC_ENCINA_new = (TYPE_CTPCC_ENCINA*)
                        GetProcAddress(hLibInstanceTm, "CTPCC_ENCINA_new");

                        pCTPCC_ENCINA_post_init =
                        (TYPE_CTPCC_ENCINA*)
                        GetProcAddress(hLibInstanceTm, "CTPCC_ENCINA_post_init");
                        if
                        (pCTPCC_ENCINA_new == NULL)
                            throw new CWEBCLNT_ERR(
                            ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                            else if
                            (Reg.eTxnMon == COM)
                                {
                                    strcpy( szDllName, Reg.szPath );
                                    strcat( szDllName, "tpcc_com.dll");
                                    hLibInstanceTm = LoadLibrary( szDllName );
                                    if
                                    (hLibInstanceTm == NULL)
                                        throw new CWEBCLNT_ERR( ERR_LOADDLL_FAILED,
                                        szDllName, GetLastError() );

                                        //
                                        get function pointer to wrapper for class constructor

```

```

        pCTPCC_COM_new = (TYPE_CTPCC_COM*)
        GetProcAddress(hLibInstanceTm, "CTPCC_COM_new");
        if
        (pCTPCC_COM_new == NULL)
            throw new CWEBCLNT_ERR(
            ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );

            // load DLL for
            database connection
            if
            ((Reg.eTxnMon == None) || (dwNumDeliveryThreads > 0))
                {
                    if
                    (Reg.eDB_Protocol == DBLIB)
                        {
                            strcpy( szDllName, Reg.szPath );
                            strcat( szDllName, "tpcc_dblib.dll");
                            hLibInstanceDb = LoadLibrary( szDllName );
                            if (hLibInstanceDb == NULL)
                                throw new CWEBCLNT_ERR(
                                ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                                // get function pointer to wrapper for class
                                constructor
                                pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
                                GetProcAddress(hLibInstanceDb, "CTPCC_DBLIB_new");
                                if (pCTPCC_DBLIB_new == NULL)
                                    throw new CWEBCLNT_ERR(
                                    ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                                    else
                                    {
                                        strcpy( szDllName, Reg.szPath );
                                        strcat( szDllName, "tpcc_odbc.dll");
                                        hLibInstanceDb = LoadLibrary( szDllName );
                                        if (hLibInstanceDb == NULL)
                                            throw new CWEBCLNT_ERR(
                                            ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                                            // get function pointer to wrapper for class
                                            constructor
                                            pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
                                            GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");
                                            if (pCTPCC_ODBC_new == NULL)
                                                throw new CWEBCLNT_ERR(
                                                ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                                                }

```

```

(dwNumDeliveryThreads)
    if
    {
        //
for deferred delivery txns:
    hDoneEvent = CreateEvent( NULL, TRUE /*
manual reset */, FALSE /* initially not signalled */,
NULL );
    InitializeCriticalSection(&DelBuffCriticalSec
tion);
    hWorkerSemaphore = CreateSemaphore( NULL, 0,
dwDelBuffSize, NULL );
    dwDelBuffFreeCount = dwDelBuffSize;

    InitJulianTime(NULL);

create unique log file name based on delilog-yyymmdd-
hhmm.log
    SYSTEMTIME Time;
    GetLocalTime( &Time );
    wsprintf( szLogFile, "%sdelivery-
%2.2d%2.2d-%2.2d-%2.2d.log",
        Reg.szPath, Time.wYear % 100,
Time.wMonth, Time.wDay, Time.wHour, Time.wMinute );
    txnDelilog = new CTxnLog(SzLogFile,
TXN_LOG_WRITE);

    //write event into txn log for START
    txnDelilog-
>writeCtrlRectoLog(TXN_EVENT_START, szMyComputerName,
sizeof(szMyComputerName));

    //
allocate structures for delivery buffers and thread
mgmt
    pDelihandles = new
HANDLE[dwNumDeliveryThreads];
    pDelBuff = new
DELIVERY_TRANSACTION[dwDelBuffSize];
    //
launch DeliveryworkerThread to perform actual delivery
txns
    for(i=0; i<dwNumDeliveryThreads; i++)
    {
        pDelihandles[i] = (HANDLE) _beginthread(
DeliveryworkerThread, 0, NULL );
        if (pDelihandles[i] == INVALID_HANDLE_VALUE)
            throw new CWEBCLNT_ERR(
ERR_DELIVERY_THREAD_FAILED );
    }
    break;

```

```

case DLL_PROCESS_DETACH:
    if
    {
        if
        {
            //write event into txn log for STOP
            txnDelilog->writeCtrlRectoLog(TXN_EVENT_STOP,
szMyComputerName, sizeof(szMyComputerName));
            // This will do a clean shutdown of the
delivery log file
            CTxnLog *txnDelilogLocal = txnDelilog;
            txnDelilog= NULL;
            delete txnDelilogLocal;
        }

        delete [] pDelihandles;
        delete [] pDelBuff;

        CloseHandle( hWorkerSemaphore );
        CloseHandle( hDoneEvent );
        DeleteCriticalSection(&DelBuffCriticalSection
);
    }

    DeleteCriticalSection(&TermCriticalSection);

    if
    {
        if
        {
            FreeLibrary( hLibInstanceTm );
            hLibInstanceTm
= NULL;
        }
        if
        {
            FreeLibrary( hLibInstanceDb );
            hLibInstanceDb
= NULL;
            Sleep(500);
            break;
        }
        default: /* nothing */;
    }
}
catch (CBaseErr *e)
{
    writeMessageToEventLog( e-
>ErrorText() );
    delete e;
    TerminateExtension(0);
    return FALSE;
}
catch (...)

```

```

{
    writeMessageToEventLog(TEXT("Unhandled
exception. DLL could not load."));
    TerminateExtension(0);
    return FALSE;
}
return TRUE;

/* FUNCTION: GetExtensionVersion
* PURPOSE: This function is called by the inet
service when the DLL is first loaded.
* ARGUMENTS: HSE_VERSION_INFO *pver
passed in structure in which to place
expected version number.
* RETURNS: TRUE inet service
expected return value.
*/
BOOL WINAPI GetExtensionVersion(HSE_VERSION_INFO *pver)
{
    pver->dwExtensionVersion =
MAKELONG(HSE_VERSION_MINOR, HSE_VERSION_MAJOR);
    lstrcpy(pver->pszExtensionDesc, "TPC-C
Server.", HSE_MAX_EXT_DLL_NAME_LEN);

    // TODO: why do we need this here instead of
in the DLL attach?
    if (Reg.eTxnMon == ENCINA)
        pCTPCC_ENCINA_post_init();

    return TRUE;
}

/* FUNCTION: TerminateExtension
* PURPOSE: This function is called by the inet
service when the DLL is about to be unloaded.
Release all resources in
anticipation of being unloaded.
* RETURNS: TRUE inet service
expected return value.
*/
BOOL WINAPI TerminateExtension( DWORD dwFlags )
{
    if (pDelihandles)
    {
        SetEvent( hDoneEvent );
        for(DWORD i=0;
i<dwNumDeliveryThreads; i++)
            WaitForSingleObject(
pDelihandles[i], INFINITE );
    }

    TermDeleteAll();
    return TRUE;
}

/* FUNCTION: HttpExtensionProc
* PURPOSE: This function is the main entry
point for the TPCC DLL. The internet service

```

```

*           calls this function
* passing in the http string.
* ARGUMENTS:  EXTENSION_CONTROL_BLOCK *pECB
*             structure pointer to passed in internet
*
*             service information.
* RETURNS:    DWORD
*             HSE_STATUS_SUCCESS
*             connection can be dropped if error
*             HSE_STATUS_SUCCESS_AND_KEEP_CONN keep
* connect valid comment sent
* COMMENTS:   None
*/
DWORD WINAPI HttpExtensionProc(EXTENSION_CONTROL_BLOCK
*pECB)
{
    int iCmd, FormId,
    char szBuffer[4096];

    int lpbSize;
    static char szHeader[] = "200 Ok";
    DWORD dwSize = 6;
    // initial value is strlen(szHeader)
    char szHeader1[4096];

#ifdef ICECAP
    StartCAP();
#endif

    try
    {
        //process http query
        ProcessQueryString(pECB, &iCmd,
        &FormId, &TermId, &iSyncId);

        if (TermId != 0)
        {
            if (TermId < 0 || TermId
            >= Term.iNumEntries ||
            Term.pClientData[TermId].iNextFree != -1)
            {
                // debugging...
                char szTmp[128];
                wsprintf(
                szTmp, "Invalid term ID; TermId = %d", TermId);
                WriteMessageToEventLog( szTmp );
                throw new
                CWEBCLNT_ERR( ERR_INVALID_TERMID );
            }
            //must have a valid
            syncid here since termid is valid
            if (iSyncId !=
            Term.pClientData[TermId].iSyncId)
                throw new
                CWEBCLNT_ERR( ERR_INVALID_SYNC_CONNECTION );
            //set use time

```

```

        Term.pClientData[TermId].iTickCount =
        GetTickCount();
    }

    switch(iCmd)
    {
    case 0:
        WelcomeForm(pECB,
        szBuffer);
        break;
    case 1:
        switch( FormId )
        {
        case
        WELCOME_FORM:
        case
        MAIN_MENU_FORM:
        case
        NEW_ORDER_FORM:
            ProcessNewOrderForm(pECB, TermId, szBuffer);
            break;
        case
        PAYMENT_FORM:
            ProcessPaymentForm(pECB, TermId, szBuffer);
            break;
        case
        DELIVERY_FORM:
            ProcessDeliveryForm(pECB, TermId, szBuffer);
            break;
        case
        ORDER_STATUS_FORM:
            ProcessOrderStatusForm(pECB, TermId,
            szBuffer);
            break;
        case
        STOCK_LEVEL_FORM:
            ProcessStockLevelForm(pECB, TermId,
            szBuffer);
            break;
        }
    case 2:
        // new-order selected
        from menu; display new-order input form
        MakeNewOrderForm(TermId,
        NULL, INPUT_FORM, szBuffer);
        break;
    case 3:
        // payment selected from
        menu; display payment input form
        MakePaymentForm(TermId,
        NULL, INPUT_FORM, szBuffer);
        break;
    case 4:
        // delivery selected from
        menu; display delivery input form
        MakeDeliveryForm(TermId,
        NULL, INPUT_FORM, szBuffer);

```

```

        case 5:
            break;
        // order-status selected
        from menu; display order-status input form
        MakeOrderStatusForm(TermId, NULL, INPUT_FORM,
        szBuffer);
        break;
    case 6:
        // stock-level selected
        from menu; display stock-level input form
        MakeStockLevelForm(TermId, NULL, INPUT_FORM,
        szBuffer);
        break;
    case 7:
        // ExitCmd
        TermDelete(TermId);
        WelcomeForm(pECB,
        szBuffer);
        break;
    case 8:
        SubmitCmd(pECB,
        szBuffer);
        break;
    case 9:
        // menu
        MakeMainMenuForm(TermId,
        Term.pClientData[TermId].iSyncId, szBuffer);
        break;
    case 10:
        // CMD=Clear
        // resets all
        connections; should only be used when no other
        connections are active
        TermDeleteAll();
        TermInit();
        WelcomeForm(pECB,
        szBuffer);
        break;
    case 11:
        // CMD=Stats
        StatsCmd(pECB, szBuffer);
        break;
    }
    catch (CBaseErr *e)
    {
        ErrorForm( pECB, e->ErrorType(), e-
        >ErrorNum(), TermId, iSyncId, e->ErrorText(), szBuffer
        );
        delete e;
    }
    catch (...)
    {
        ErrorForm( pECB, ERR_TYPE_WEBDLL,
        0, TermId, iSyncId, "Error: unhandled exception in web
        Client.", szBuffer );
    }
#ifdef ICECAP
    StopCAP();
#endif

    lpbSize = strlen(szBuffer);
    wsprintf(szHeader1, "Content-Type:
    text/html\r\n"
    "Content-Length: %d\r\n"
    "Connection: Keep-
    Alive\r\n\r\n", lpbSize);
    strcat( szHeader1, szBuffer );

```

```

    (*pECB->ServerSupportFunction)(pECB->ConnID,
HSE_REQ_SEND_RESPONSE_HEADER, szHeader, (LPDWORD)
&dwSize, (LPDWORD)szHeader1);

    //finish up and keep connection
pECB->dwHttpStatusCode = 200;
return HSE_STATUS_SUCCESS_AND_KEEP_CONN;
}

```

```

void writeMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR szMsg[256];
    HANDLE hEventSource;
    LPTSTR lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL,
TEXT("TPCC.DLL"));

    _stprintf(szMsg, TEXT("Error in TPCC.DLL: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event
source
        EVENTLOG_ERROR_TYPE, // event type
        0, // event Category
        0, // event ID
        NULL, // current user's SID
        2, // strings in
lpszStrings
        0, // no bytes of raw
data
        (LPCTSTR *)lpszStrings, // array of
error strings
        NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

```

```

/* FUNCTION: DeliveryworkerThread
*
* PURPOSE: This function processes deferred
delivery txns. There are typically several
* threads running this
routine. The number of threads is determined by an
entry
* read from the registry.
The thread waits for work by waiting on semaphore.
* When a delivery txn is
posted, the semaphore is released. After processing
* the delivery txn,
information is logged to record the txn status and
execution
* time.
*/

```

```

/*static*/ void DeliveryworkerThread(void *ptr)
{
    CTPCC_BASE *pTxn = NULL;

    DELIVERY_TRANSACTION
delivery;
    PDELIVERY_DATA
pDeliveryData;

```

```

    TXN_RECORD_TPCC_DELIV_DEF txnDelirec;

    DWORD
index;
    HANDLE
handles[2];

    SYSTEMTIME trans_end;
//delivery transaction finished
time
    SYSTEMTIME trans_start;
//delivery transaction start time

    assert(txnDelilog != NULL);

    try
    {
        if (Reg.eDB_Protocol == ODBC)
            pTxn = pCTPCC_ODBC_new(
Reg.szDbServer, Reg.szDbuser, Reg.szDbPassword,
szMyComputerName, Reg.szDbName, Reg.szSPPrefix );
        else if (Reg.eDB_Protocol == DBLIB)
            pTxn = pCTPCC_DBLIB_new(
Reg.szDbServer, Reg.szDbuser, Reg.szDbPassword,
szMyComputerName, Reg.szDbName );
        pDeliveryData = pTxn-
>BuffAddr_Delivery();
    }
    catch (CBaseErr *e)
    {
        char szTmp[1024];
        wsprintf( szTmp, "Error in Delivery
Txn thread. Could not connect to database. "
Server=%s, User=%s, Password=%s, Database=%s",
e->ErrorText(),
Reg.szDbServer, Reg.szDbuser, Reg.szDbPassword,
Reg.szDbName );
        writeMessageToEventLog( szTmp );
        delete e;
        goto ErrorExit;
    }
    catch (...)
    {
        writeMessageToEventLog(TEXT("Unhandled
exception caught in DeliveryworkerThread."));
        goto ErrorExit;
    }

    while (TRUE)
    {
        try
        {
            //while delivery thread
running, i.e. user has not requested termination
            while (TRUE)
            {
                // need to wait
for multiple objects: program exit or worker semaphore;
                handles[0] =
hDoneEvent;
                handles[1] =
hWorkerSemaphore;
                index =
waitForMultipleObjects( 2, &handles[0], FALSE, INFINITE
);
                if (index ==
WAIT_OBJECT_0)
                    goto
ErrorExit;

```

```

                ZeroMemory(&txnDelirec, sizeof(txnDelirec));
                txnDelirec.TxnType =
TXN_REC_TYPE_TPCC_DELIV_DEF;

                // make a local
copy of current entry from delivery buffer and
increment buffer index
                EnterCriticalSection(&DelBuffCriticalSection)
;
                delivery =
*(pDelBuff+dwDelBuffBusyIndex);
                dwDelBuffFreeCount++;
                dwDelBuffBusyIndex++;
                if
(dwDelBuffBusyIndex == dwDelBuffSize) // wrap-around
if at end of buffer
                    dwDelBuffBusyIndex = 0;

                LeaveCriticalSection(&DelBuffCriticalSection)
;

                pDeliveryData-
>w_id = delivery.w_id;
                pDeliveryData-
>o_carrier_id = delivery.o_carrier_id;
                txnDelirec.w_id
= pDeliveryData->w_id;
                txnDelirec.o_carrier_id = pDeliveryData-
>o_carrier_id;
                txnDelirec.TxnStartT0 =
Get64BitTime(&delivery.queueue);

                GetLocalTime(
                &trans_start );
                pTxn-
>Delivery();
                GetLocalTime(
                &trans_end );

                //log txn
                txnDelirec.TxnStatus = ERR_SUCCESS;
                for (int i=0;
i<10; i++)
                    txnDelirec.o_id[i] = pDeliveryData->o_id[i];

                txnDelirec.DeltaT4 =
(int)(Get64BitTime(&trans_end) -
txnDelirec.TxnStartT0);
                txnDelirec.DeltaTxnExec =
(int)(Get64BitTime(&trans_end) -
Get64BitTime(&trans_start));

                if (txnDelilog
!= NULL)
                    if (txnDelilog
                    txnDelilog->WriteToLog(&txnDelirec);
                }
            }
        }
    }
    catch (CBaseErr *e)

```

```

        {
            char szTmp[1024];
            wsprintf( szTmp, "Error
in Delivery Txn thread. %s", e->ErrorText() );
            WriteMessageToEventLog(
szTmp );

            // log the error txn
            txnDelRec.TxnStatus = e-
>ErrorType();
            if (txnDelilog != NULL)
                txnDelilog-
>writeToLog(&txnDelRec);

            delete e;
        }
        catch (...)
        {
            // unhandled exception;
            shouldn't happen; not much we can do...
            WriteMessageToEventLog(TEXT("Unhandled
exception caught in DeliveryWorkerThread.));
        }
    }
ErrorExit:
    delete pTxn;
    _endthread();
}

/* FUNCTION: PostDeliveryInfo
* PURPOSE: This function enters the delivery
txn into the deferred delivery buffer.
* RETURNS: BOOL FALSE
            delivery information posted successfully
            TRUE error cannot post delivery info
*/
BOOL PostDeliveryInfo(long w_id, short o_carrier_id)
{
    BOOL bError;
    EnterCriticalSection(&DelBuffCriticalSection)
;
    if (dwDelBuffFreeCount > 0)
    {
        bError = FALSE;
        (pDelBuff+dwDelBuffFreeIndex)->w_id
        = w_id;
        (pDelBuff+dwDelBuffFreeIndex)-
        = o_carrier_id;
        GetLocalTime(&(pDelBuff+dwDelBuffFreeIndex)-
>queue);

        dwDelBuffFreeCount--;
        dwDelBuffFreeIndex++;
        if (dwDelBuffFreeIndex ==
dwDelBuffSize)
            dwDelBuffFreeIndex = 0;
        // wrap-around if at end of buffer
    }
    else
        // No free buffers. Return an
error, which indicates that the delivery buffer is
full.

```

```

// Most likely, the number of
delivery worker threads needs to be increased to keep
up
// with the txn rate.
bError = TRUE;
LeaveCriticalSection(&DelBuffCriticalSection)
;
    if (!bError)
        // increment worker semaphore to
wake up a worker thread
        ReleaseSemaphore( hWorkerSemaphore,
1, NULL );
    return bError;
}

/* FUNCTION: ProcessQueryString
* PURPOSE: This function extracts the relevent
information out of the http command passed in from
the browser.
* COMMENTS: If this is the initial connection
i.e. client is at welcome screen then
there will not
be a terminal id or current form id. If this is the
case
then the
pTermid and pFormid return values are undefined.
*/

void ProcessQueryString(EXTENSION_CONTROL_BLOCK *pECB,
int *pCmd, int *pFormId, int *pTermId, int *pSyncId)
{
    char *ptr = pECB->lpszQueryString;
    char szBuffer[25];
    int i;

    //allowable client command strings i.e.
CMD=command
    static char *szCmds[] =
    {
        "Process", "..NewOrder..",
        "..Payment..", "..Delivery..", "..Order-Status..",
        "..Stock-Level..", "..Exit..", "Submit", "Menu",
        "Clear", "Stats", ""
    };
    *pCmd = 0; // default is
the login screen
    *pTermId = 0;
    // if no params (i.e., empty query string),
then return login screen
    if (strlen(pECB->lpszQueryString) == 0)
        return;

    // parse FORMID, TERMID, and SYNCID
    *pFormId = GetIntKeyValue(&ptr, "FORMID",
NO_ERR, NO_ERR);
    *pTermId = GetIntKeyValue(&ptr, "TERMID",
NO_ERR, NO_ERR);
    *pSyncId = GetIntKeyValue(&ptr, "SYNCID",
NO_ERR, NO_ERR);

    // parse CMD
    GetKeyValue(&ptr, "CMD", szBuffer,
sizeof(szBuffer), ERR_COMMAND_UNDEFINED);

    // see which command it matches

```

```

for(i=0; ; i++)
{
    if (szCmds[i][0] == 0)
        // no more; no match;
return error
        throw new CWEBCLNT_ERR(
ERR_COMMAND_UNDEFINED );
    if ( !strcmp(szCmds[i], szBuffer) )
    {
        *pCmd = i+1;
        break;
    }
}

/* FUNCTION: void welcomeForm
*/

void welcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    char szTmp[1024];

    //welcome to tpc-c html form buffer, this is
first form client sees.
    strcpy( szBuffer, "<HTML><HEAD><TITLE>TPC-C
Web Client</TITLE></HEAD><BODY>"

        "<B><BIG>Microsoft TPC-C Web Client (ver
4.20)</BIG></B> <BR> <BR>"

        "<font face=\\"Courier New\\""><PRE>"
        "Compiled: \"_DATE_\", \"_TIME_\" <BR>"
        "Source: \"_FILE_\" (\"_TIMESTAMP_\") <BR>"
        "</PRE></font>"

        "<FORM ACTION=\\"tpcc.dll\\"" METHOD=\\"GET\\""
VALUE=\\"0\\"">"
        "<INPUT TYPE=\\"hidden\\"" NAME=\\"STATUSID\\""
VALUE=\\"0\\"">"
        "<INPUT TYPE=\\"hidden\\"" NAME=\\"ERROR\\""
VALUE=\\"0\\"">"
        "<INPUT TYPE=\\"hidden\\"" NAME=\\"FORMID\\""
VALUE=\\"1\\"">"
        "<INPUT TYPE=\\"hidden\\"" NAME=\\"TERMID\\""
VALUE=\\"0\\"">"
        "<INPUT TYPE=\\"hidden\\"" NAME=\\"SYNCID\\""
VALUE=\\"0\\"">"
        "<INPUT TYPE=\\"hidden\\"" NAME=\\"VERSION\\""
VALUE=\\"" WEBCLIENT_VERSION "\\"">"
    );
    sprintf( szTmp, "configuration Settings:
<BR><font face=\\"Courier New\\"" color=\\"blue\\""><PRE>"
    "Txn
Monitor = <B>%s</B><BR>"
        "Database protocol = <B>%s</B><BR>"
    "Max
Connections = <B>%d</B><BR>"
    "# of
Delivery Threads = <B>%d</B><BR>"

```

```

Pending Deliveries = <B>%d</B><BR>"
"Max
szTxnMonNames[Reg.eTxnMon],
szDBNames[Reg.eDB_Protocol],
Reg.dwMaxConnections,
dwNumDeliveryThreads, dwDelBuffSize );
strcat( szBuffer, szTmp);
if (Reg.eTxnMon == COM)
{
    sprintf( szTmp, "COM Single
Pool = <B>%s</B><BR>",
Reg.bCOM_SinglePool ?
"YES" : "NO" );
    strcat( szBuffer, szTmp);
}
strcat( szBuffer, "</PRE></font>");
if (Reg.eTxnMon == None)
// connection options may be
specified when not using a txn monitor
sprintf( szTmp, "Please enter
your database options for this connection:<BR>"
color="blue"><PRE>"
"DB Server = <INPUT NAME=\"db_server\"
SIZE=20 VALUE=\"%s\"><BR>"
"DB User ID = <INPUT NAME=\"db_user\"
SIZE=20 VALUE=\"%s\"><BR>"
"DB Password = <INPUT NAME=\"db_passwd\"
SIZE=20 VALUE=\"%s\"><BR>"
"DB Name = <INPUT NAME=\"db_name\"
SIZE=20 VALUE=\"%s\"><BR>"
"</PRE></font>"
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
Reg.szDbName );
else
// if using a txn monitor,
connection options are determined from registry; can't
// set per user. show options fyi
sprintf( szTmp, "Database
options which will be used by the transaction
monitor:<BR>"
color="blue"><PRE>"
"DB Server = <B>%s</B><BR>"
"DB User ID = <B>%s</B><BR>"
"DB Password = <B>%s</B><BR>"
"DB Name = <B>%s</B><BR>"
"</PRE></font>"
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
Reg.szDbName );
strcat( szBuffer, szTmp);
sprintf( szTmp, "Please enter your
warehouse and District for this session:<BR>"

```

```

"<font face=\"Courier New\"
color=\"blue\"><PRE>" );
strcat( szBuffer, szTmp);
strcat( szBuffer, "warehouse ID = <INPUT
NAME=\"w_id\" SIZE=6><BR>"
"District ID = <INPUT NAME=\"d_id\"
SIZE=2><BR>"
"</PRE></font><HR>"
"<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"Submit\">"
"</FORM></BODY></HTML>");
}
/* FUNCTION: SubmitCmd
*
* PURPOSE: This function allocated a new
terminal id in the Term structure array.
*/
void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    int iNewTerm;
    char *ptr = pECB->pszQueryString;
    char szVersion[32] = { 0 };
    char szServer[32] = { 0 };
    char szUser[32] = "sa";
    char szPassword[32] = { 0 };
    char szDatabase[32] = "tpcc";
    // validate version field; the version field
ensures that the RTE is synchronized with the web
client
    GetKeyValue(&ptr, "VERSION", szVersion,
sizeof(szVersion), ERR_VERSION_MISMATCH);
    if ( strcmp( szVersion, WEBCLIENT_VERSION ) )
throw new CWEBCLNT_ERR(
ERR_VERSION_MISMATCH );
    if (Reg.eTxnMon == None)
{
        // parse Server name
        GetKeyValue(&ptr, "db_server",
szServer, sizeof(szServer), ERR_NO_SERVER_SPECIFIED);
        // parse User name
        GetKeyValue(&ptr, "db_user",
szUser, sizeof(szUser), NO_ERR);
        // parse Password
        GetKeyValue(&ptr, "db_passwd",
szPassword, sizeof(szPassword), NO_ERR);
        // parse Database name
        GetKeyValue(&ptr, "db_name",
szDatabase, sizeof(szDatabase), NO_ERR);
    }
    // parse warehouse ID
    int w_id = GetIntKeyValue(&ptr, "w_id",
ERR_HTML_ILL_FORMED, ERR_W_ID_INVALID);
    if ( w_id < 1 )
throw new CWEBCLNT_ERR(
ERR_W_ID_INVALID );
    // parse district ID

```

```

int d_id = GetIntKeyValue(&ptr, "d_id",
ERR_HTML_ILL_FORMED, ERR_D_ID_INVALID);
if ( d_id < 1 || d_id > 10 )
throw new CWEBCLNT_ERR(
ERR_D_ID_INVALID );
iNewTerm = TermAdd();
Term.pClientData[iNewTerm].w_id = w_id;
Term.pClientData[iNewTerm].d_id = d_id;
try
{
    if (Reg.eTxnMon == TUXEDO)
Term.pClientData[iNewTerm].pTxn =
pCTPCC_TUXEDO_new();
    else if (Reg.eTxnMon == ENCINA)
Term.pClientData[iNewTerm].pTxn =
pCTPCC_ENCINA_new();
    else if (Reg.eTxnMon == COM)
Term.pClientData[iNewTerm].pTxn =
pCTPCC_COM_new( Reg.bCOM_SinglePool );
    else if (Reg.eDB_Protocol == ODBC)
Term.pClientData[iNewTerm].pTxn =
pCTPCC_ODBC_new( szServer, szUser, szPassword,
szMyComputerName, szDatabase, Reg.szSPrefix );
    else if (Reg.eDB_Protocol == DBLIB)
Term.pClientData[iNewTerm].pTxn =
pCTPCC_DBLIB_new( szServer, szUser, szPassword,
szMyComputerName, szDatabase );
}
catch (...)
{
    TermDelete(iNewTerm);
    throw; // pass
exception upward
}
MakeMainMenuForm(iNewTerm,
Term.pClientData[iNewTerm].iSyncId, szBuffer);
}
/* FUNCTION: StatsCmd
*
* PURPOSE: This function returns to the
browser the total number of active terminal ids.
* This routine is for
development/debugging purposes.
*/
void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    int i;
    int iTotals;
    EnterCriticalSection(&TermCriticalSection);
    iTotals = 0;
    for(i=0; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree
== -1)
            iTotals++;
    }

```



```

LeaveCriticalSection(&TermCriticalSection);
wsprintf( szBuffer,
"Web Client Stats</TITLE></HEAD>"
Active Connections: %d </BIG></B><BR></BODY></HTML>"
);
char *CWEBCLNT_ERR::ErrorText()
{
static SERRORMSG errorMsgs[] =
{
{ ERR_COMMAND_UNDEFINED,
"Command undefined."
},
{ ERR_D_ID_INVALID,
"Invalid District ID Must be 1 to 10."
},
{ ERR_DELIVERY_CARRIER_ID_RANGE,
"Delivery Carrier ID out of range
must be 1 - 10."
},
{ ERR_DELIVERY_CARRIER_INVALID,
"Delivery Carrier ID invalid must be numeric
1 - 10."
},
{ ERR_DELIVERY_MISSING_OCD_KEY,
"Delivery missing Carrier ID key \"OCD*\"."
},
{ ERR_DELIVERY_THREAD_FAILED,
"Could not start delivery worker
thread."
},
{ ERR_GETPROCADDR_FAILED,
"Could not map proc in DLL. GetProcAddr
error. DLL="
},
{ ERR_HTML_ILL_FORMED,
"Required key field is missing from HTML
string."
},
{ ERR_INVALID_SYNC_CONNECTION,
"Invalid Terminal Sync ID."
},
{ ERR_INVALID_TERMID,
"Invalid Terminal ID."
},
{ ERR_LOADDLL_FAILED,
"Load
of DLL failed. DLL="
},
{ ERR_MAX_CONNECTIONS_EXCEEDED,
"No connections available. Max Connections
is probably too low."
}
}
}

```

```

{
ERR_MISSING_REGISTRY_ENTRIES,
"Required registry entries are missing.
Rerun INSTALL to correct."
},
{ ERR_NEWORDER_CUSTOMER_INVALID,
"New Order customer id invalid data
type, range = 1 to 3000."
},
{ ERR_NEWORDER_CUSTOMER_KEY,
"New Order missing Customer key
\"CID*\"."
},
{ ERR_NEWORDER_DISTRICT_INVALID,
"New Order District ID Invalid
range 1 - 10."
},
{ ERR_NEWORDER_FORM_MISSING_DID,
"New Order missing District key
\"DID*\"."
},
{ ERR_NEWORDER_ITEMID_INVALID,
"New Order Item Id is wrong data type, must
be numeric."
},
{ ERR_NEWORDER_ITEMID_RANGE,
"New Order Item Id is out of range.
Range = 1 to 999999."
},
{ ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
"New Order Item_Id field entered without a
corresponding Supp_w."
},
{ ERR_NEWORDER_MISSING_IID_KEY,
"New Order missing Item Id key \"IID*\"."
},
{ ERR_NEWORDER_MISSING_QTY_KEY,
"New Order Missing Qty key \"Qty##*\"."
},
{ ERR_NEWORDER_MISSING_SUPPW_KEY,
"New Order missing Supp_w key
\"SP##*\"."
},
{ ERR_NEWORDER_NOITEMS_ENTERED,
"New Order No order lines entered."
},
{ ERR_NEWORDER_QTY_INVALID,
"New Order Qty
invalid must be numeric range 1 - 99."
},
{ ERR_NEWORDER_QTY_RANGE,
"New
Order Qty is out of range. Range = 1 to 99."
},
{ ERR_NEWORDER_QTY_WITHOUT_SUPPW,
"New Order Qty field entered
without a corresponding Supp_w."
},
{ ERR_NEWORDER_SUPPW_INVALID,
"New Order Supp_w invalid data type
must be numeric."
}
}
}

```

```

{
ERR_NO_SERVER_SPECIFIED,
"No Server name
specified."
},
{
ERR_ORDERSTATUS_CID_AND_CLT,
"Order Status Only Customer ID or Last Name
may be entered, not both."
},
{ ERR_ORDERSTATUS_CID_INVALID,
"Order Status Customer ID invalid, range must
be numeric 1 - 3000."
},
{ ERR_ORDERSTATUS_CLT_RANGE,
"Order Status Customer last name
longer than 16 characters."
},
{ ERR_ORDERSTATUS_DID_INVALID,
"Order Status District invalid, value must be
numeric 1 - 10."
},
{ ERR_ORDERSTATUS_MISSING_CID_CLT,
"Order Status Either Customer ID or Last Name
must be entered."
},
{ ERR_ORDERSTATUS_MISSING_CID_KEY,
"Order Status missing Customer key \"CID*\"."
},
{ ERR_ORDERSTATUS_MISSING_CLT_KEY,
"Order Status missing Customer Last Name key
\"CLT*\"."
},
{ ERR_ORDERSTATUS_MISSING_DID_KEY,
"Order Status missing District key \"DID*\"."
},
{ ERR_PAYMENT_CDI_INVALID,
"Payment
Customer district invalid must be numeric."
},
{ ERR_PAYMENT_CID_AND_CLT,
"Payment Only
Customer ID or Last Name may be entered, not both."
},
{ ERR_PAYMENT_CUSTOMER_INVALID,
"Payment Customer data type invalid, must be
numeric."
},
{ ERR_PAYMENT_CWI_INVALID,
"Payment
Customer warehouse invalid, must be numeric."
},
{ ERR_PAYMENT_DISTRICT_INVALID,
"Payment District ID is invalid, must be 1 -
10."
},
{ ERR_PAYMENT_HAM_INVALID,
"Payment Amount
invalid data type must be numeric."
},
{ ERR_PAYMENT_HAM_RANGE,
"Payment Amount out of range, 0 - 9999.99."
},
{ ERR_PAYMENT_LAST_NAME_TO_LONG,
"Payment Customer last name longer

```

```

than 16 characters."
    },
    {
        ERR_PAYMENT_MISSING_CDI_KEY,
        "Payment missing Customer district key
        \"CDI*\"."
    },
    {
        ERR_PAYMENT_MISSING_CID_CLT,
        "Payment Either Customer ID or Last Name must
        be entered."
    },
    {
        ERR_PAYMENT_MISSING_CID_KEY,
        "Payment missing Customer key \"CID*\"."
    },
    {
        ERR_PAYMENT_MISSING_CLT_KEY,
        "Payment missing Customer Last Name key
        \"CLT*\"."
    },
    {
        ERR_PAYMENT_MISSING_CWI_KEY,
        "Payment missing Customer warehouse key
        \"CWI*\"."
    },
    {
        ERR_PAYMENT_MISSING_DID_KEY,
        "Payment missing District Key \"DID*\"."
    },
    {
        ERR_PAYMENT_MISSING_HAM_KEY,
        "Payment missing Amount key \"HAM*\"."
    },
    {
        ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
        "Stock Level; missing Threshold key \"TT*\"."
    },
    {
        ERR_STOCKLEVEL_THRESHOLD_INVALID,
        "Stock Level; Threshold value must be in the
        range = 1 - 99."
    },
    {
        ERR_STOCKLEVEL_THRESHOLD_RANGE,
        "Stock Level Threshold out of
        range, range must be 1 - 99."
    },
    {
        ERR_VERSION_MISMATCH,
        "Invalid version field. RTE and Web Client
        are probably out of sync."
    },
    {
        ERR_W_ID_INVALID,
        "Invalid warehouse ID."
    },
    {
        0,
        ""
    },
    }
};

char szTmp[256];
int i = 0;
while (TRUE)
{
    if (errorMsgs[i].szMsg[0] == 0)

```

```

        strcpy( szTmp, "Unknown
        error number." );
        break;
    }
    if (m_Error == errorMsgs[i].iError)
    {
        strcpy( szTmp,
        errorMsgs[i].szMsg );
        break;
    }
    i++;
}

if (m_szTextDetail)
    strcat( szTmp, m_szTextDetail );
if (m_SystemErr)
    sprintf( szTmp+strlen(szTmp), "
Error=%d", m_SystemErr );

m_szErrorText = new char[strlen(szTmp)+1];
strcpy( m_szErrorText, szTmp );
return m_szErrorText;
}

/* FUNCTION: GetKeyValue
* PURPOSE: This function parses a http
formatted string for specific key values.
* ARGUMENTS: char http string from client
browser *pQueryString char key
value to look for *pkey char key
* character array into which to place key's
value *pvalue char
* iMax int
* maximum length of key value array.
err WEBERROR error
value to throw
* RETURNS: nothing.
* ERROR: if (the pkey value is not found)
then if
(err == 0) if
* return (empty string)
* else
* throw CWEBCLNT_ERR(err)
* COMMENTS: http keys are formatted either
KEY=value& or KEY=value\0. This DLL formats
TPC-C input
fields in such a manner that the keys can be extracted
in the above manner.
*/

void GetKeyValue(char **pQueryString, char *pkey, char
*pvalue, int iMax, WEBERROR err)
{
    char *ptr;

```

```

    if ( !(ptr=strstr(*pQueryString, pkey)) )
        goto ErrorExit;
    ptr += strlen(pkey);
    if ( *ptr != '=' )
        goto ErrorExit;
    ptr++;
    iMax--; // one position is for terminating
null
while( *ptr && *ptr != '&' && iMax)
{
    *pvalue++ = *ptr++;
    iMax--;
}
*pvalue = 0; // terminating null
*pQueryString = ptr;
return;

ErrorExit:
if (err != NO_ERR)
    throw new CWEBCLNT_ERR( err );
*pvalue = 0; // return empty result string
}

/* FUNCTION: GetIntKeyValue
* PURPOSE: This function parses a http
formatted string for a specific key value.
* ARGUMENTS: char http string from client
browser *pQueryString char key
value to look for *pkey char key
* NoKeyErr WEBERROR error value to throw if
key not found
* NotIntErr WEBERROR error value to throw if
value not numeric
* RETURNS: integer
* ERROR: if (the pkey value is not found)
then if
(NoKeyErr != NO_ERR) if
* throw CWEBCLNT_ERR(err)
* else
* return 0
else if (non-
numeric char found) then
if
(NotIntErr != NO_ERR) then
* throw CWEBCLNT_ERR(err)
* else
* return 0
* COMMENTS: http keys are formatted either
KEY=value& or KEY=value\0. This DLL formats
TPC-C input
fields in such a manner that the keys can be extracted
in the above manner.
*/

```

```

int GetIntKeyValue(char **pQueryString, char *pKey,
WEBERROR NoKeyErr, WEBERROR NOTIntErr)
{
    char *ptr0;
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorNoKey;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorNoKey;
    ptr++;

    ptr0 = ptr;          // remember
starting point
    // scan string until a terminator (null or &
or a non-digit
    while( *ptr && *ptr != '&'amp; && isdigit(*ptr) )
        ptr++;

    // make sure we stopped scanning for the
right reason
    if ((ptr0 == ptr) || (*ptr && *ptr != '&'))
    {
        if (NotIntErr != NO_ERR)
            throw new CWEBCLNT_ERR(
NoKeyErr );
        return 0;
    }

    *pQueryString = ptr;
    return atoi(ptr0);

ErrorNoKey:
    if (NoKeyErr != NO_ERR)
        throw new CWEBCLNT_ERR( NoKeyErr );
    return 0;
}

/* FUNCTION: TermInit
 * PURPOSE: This function initializes the
client terminal structure; it is called when the
TPCC.DLL
 * is first loaded by the
inet service.
 */
void TermInit(void)
{
    EnterCriticalSection(&TermCriticalSection);

    Term.iMasterSyncId = 1;
    Term.iNumEntries = Reg.dwMaxConnections+1;

    Term.pClientData = NULL;
    Term.pClientData =
(PCLIENTDATA)malloc(Term.iNumEntries *
sizeof(CLIENTDATA));
    if (Term.pClientData == NULL)
    {
        LeaveCriticalSection(&TermCriticalSection);
        throw new CWEBCLNT_ERR(
ERR_MEM_ALLOC_FAILED );
    }

    ZeroMemory( Term.pClientData,
Term.iNumEntries * sizeof(CLIENTDATA) );
}

```

```

Term.iFreeList =
Term.iNumEntries-1;
// build free list
// note: Term.pClientData[0].iNextFree gets
set to -1, which marks it as "in use".
// This is intentional, as the zero
entry is used as an anchor and never
// allocated as an actual
terminal.
for(int i=0; i<Term.iNumEntries; i++)
    Term.pClientData[i].iNextFree = i-1;

LeaveCriticalSection(&TermCriticalSection);

/* FUNCTION: TermDeleteAll
 * PURPOSE: This function frees allocated
resources associated with the terminal structure.
 * ARGUMENTS: none
 * RETURNS: None
 * COMMENTS: This function is called only when
the inet service unloads the TPCC.DLL
 */
void TermDeleteAll(void)
{
    EnterCriticalSection(&TermCriticalSection);
    for(int i=1; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree
== -1)
            delete
Term.pClientData[i].pTxn;
    }

    Term.iFreeList = 0;
    Term.iNumEntries = 0;
    if ( Term.pClientData )
        free(Term.pClientData);
    Term.pClientData = NULL;

    LeaveCriticalSection(&TermCriticalSection);
}

/* FUNCTION: TermAdd
 * PURPOSE: This function assigns a terminal id
which is used to identify a client browser.
 * RETURNS: int
assigned terminal id
 */
int TermAdd(void)
{
    DWORD i;
    int iNewTerm, iTickCount;

    if (Term.iNumEntries == 0)
        return -1;

    EnterCriticalSection(&TermCriticalSection);
    if (Term.iFreeList != 0)
    {
        // position is available

```

```

iNewTerm = Term.iFreeList;
Term.iFreeList =
Term.pClientData[iNewTerm].iNextFree;
Term.pClientData[iNewTerm].iNextFree = -1;
// indicates this position is in use
}
else
{
    // no open slots, so find the slot
that hasn't been used in the longest time and reuse it
    for(iNewTerm=1, i=1,
iTickCount=0x7FFFFFFF; i<Reg.dwMaxConnections; i++)
    {
        if (iTickCount >
Term.pClientData[i].iTickCount)
        {
            iTickCount =
Term.pClientData[i].iTickCount;
            iNewTerm = i;
        }
    }
    // if oldest term is less than one
minute old, it probably means that more connections
// are being attempted than were
specified as "Max Connections" at install. In this
case,
// do not bump existing connection;
instead, return error to requestor.
    if ((GetTickCount() - iTickCount) <
60000)
    {
        LeaveCriticalSection(&TermCriticalSection);
        throw new CWEBCLNT_ERR(
ERR_MAX_CONNECTIONS_EXCEEDED );
    }

    Term.pClientData[iNewTerm].iTickCount =
GetTickCount();
    Term.pClientData[iNewTerm].iSyncId =
Term.iMasterSyncId++;
    Term.pClientData[iNewTerm].pTxn = NULL;

    LeaveCriticalSection(&TermCriticalSection);
    return iNewTerm;
}

/* FUNCTION: TermDelete
 * PURPOSE: This function makes a terminal
entry in the Term array available for reuse.
 * ARGUMENTS: int id
Terminal id of client exiting
 */
void TermDelete(int id)
{
    if ( id > 0 && id < Term.iNumEntries )
    {
        delete Term.pClientData[id].pTxn;
        // put onto free list

        EnterCriticalSection(&TermCriticalSection);

        Term.pClientData[id].iNextFree =
Term.iFreeList;
        Term.iFreeList = id;
    }
}

```

```

    LeaveCriticalSection(&TermCriticalSection);
}
}
}

```

```

/* FUNCTION: MakeErrorForm
*/

```

```

void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int
iType, int iErrorNum, int iTermId, int iSyncId, char
*szErrorText, char *szBuffer)
{

```

```

    wsprintf(szBuffer,
    "<HTML><HEAD><TITLE>TPC-C
Error</TITLE></HEAD><BODY>"
    "<FORM ACTION=\"tpcc.d11\"
METHOD=\"GET\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"TERMID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
    "<BOLD>An Error
Occurred</BOLD><BR><BR>"
    "%s"
    "<BR><BR><HR>"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
    "</FORM></BODY></HTML>"
    iType, iErrorNum, MAIN_MENU_FORM,
iTermId, iSyncId, szErrorText);
}

```

```

/* FUNCTION: MakeMainMenuForm
*/

```

```

void MakeMainMenuForm(int iTermId, int iSyncId, char
*szForm)
{

```

```

    wsprintf(szForm,
    "<HTML><HEAD><TITLE>TPC-C Main
Menu</TITLE></HEAD><BODY>"
    "select Desired
Transaction.<BR><HR>"
    "<FORM ACTION=\"tpcc.d11\"
METHOD=\"GET\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"TERMID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"

```

```

    "<INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
    "</FORM></BODY></HTML>"
    , MAIN_MENU_FORM, iTermId,
iSyncId);
}

```

```

/* FUNCTION: MakeStockLevelForm

```

```

* PURPOSE: This function constructs the Stock
Level HTML page.
* COMMENTS: The internal client buffer is
created when the terminal id is assigned and should not
be freed except
when the client terminal id is no longer needed.
*/

```

```

void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm)
{

```

```

    int c;
    c = wsprintf(szForm,
    "<HTML><HEAD><TITLE>TPC-C Stock
Level</TITLE></HEAD><FORM ACTION=\"tpcc.d11\"
METHOD=\"GET\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"TERMID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
    "Stock-Level<BR>"
    "warehouse: %6.6d District:
%2.2d<BR><BR>"
    , STOCK_LEVEL_DATA, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id,
Term.pClientData[iTermId].d_id);
    if ( bInput )
    {
        strcpy(szForm+c,
        "Stock Level Threshold:
low stock:
</font><BR><BR><BR><BR><BR><BR><BR><BR><BR>
<BR><BR><BR></PRE><HR>"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">"

```

```

    "</FORM></HTML>" );
    }
    else
    {
        wsprintf(szForm+c,
        "Stock Level Threshold:
%2.2d<BR><BR>"
        "low stock: %3.3d</font>
<BR><BR><BR><BR><BR><BR><BR><BR><BR>
<BR><BR><BR><BR></PRE><HR>"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
        "</FORM></HTML>"
        , pStockLevelData->low_stock);
    }
}

```

```

/* FUNCTION: MakeNewOrderForm

```

```

* COMMENTS: The internal client buffer is
created when the terminal id is assigned and should not
be freed except
when the client terminal id is no longer needed.
*/

```

```

void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm)
{

```

```

    int i, c;
    BOOL bValid;
    static char szBR[] = "<BR><BR><BR><BR>
<BR><BR><BR><BR><BR><BR><BR><BR><BR>";
    if (!bInput)
        assert( (pNewOrderData->exec_status_code == eOK || pNewOrderData->exec_status_code == eInvalidItem) );
    bValid = (bInput || (pNewOrderData->exec_status_code == eOK));
    c = wsprintf(szForm,
    "<HTML><HEAD><TITLE>TPC-C New
Order</TITLE></HEAD><BODY>"
    "<FORM ACTION=\"tpcc.d11\"
METHOD=\"GET\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"TERMID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
    "<PRE><font face=\"Courier\">
New Order<BR>"

```

```

, bValid ? 0 : ERR_BAD_ITEM_ID,
NEW_ORDER_FORM, iTermId,
Term.pClientData[iTermId].iSyncId);
    if ( bInput )
    {
        c += sprintf(szForm+c, "warehouse:
%6.6d ", Term.pClientData[iTermId].w_id );
        strcpy( szForm+c,
                "District: <INPUT
                Date:<BR>"
                "Customer: <INPUT
NAME=\"DID*\" SIZE=1"
NAME=\"CID*\" SIZE=4" Name:
Credit: %Disc:<BR>"
                "Order Number:
Number of Lines: W_tax: D_tax:<BR>"
                "Supp_W Item_Id Item
Name Qty Stock B/G Price
Amount<BR>"
                " <INPUT NAME=\"SP00*\"
                <INPUT NAME=\"IID00*\" SIZE=6"
                <INPUT NAME=\"Qty00*\" SIZE=1><BR>"
                " <INPUT NAME=\"SP01*\"
                <INPUT NAME=\"IID01*\" SIZE=6"
                <INPUT NAME=\"Qty01*\" SIZE=1><BR>"
                " <INPUT NAME=\"SP02*\"
                <INPUT NAME=\"IID02*\" SIZE=6"
                <INPUT NAME=\"Qty02*\" SIZE=1><BR>"
                " <INPUT NAME=\"SP03*\"
                <INPUT NAME=\"IID03*\" SIZE=6"
                <INPUT NAME=\"Qty03*\" SIZE=1><BR>"
                " <INPUT NAME=\"SP04*\"
                <INPUT NAME=\"IID04*\" SIZE=6"
                <INPUT NAME=\"Qty04*\" SIZE=1><BR>"
                " <INPUT NAME=\"SP05*\"
                <INPUT NAME=\"IID05*\" SIZE=6"
                <INPUT NAME=\"Qty05*\" SIZE=1><BR>"
                " <INPUT NAME=\"SP06*\"
                <INPUT NAME=\"IID06*\" SIZE=6"
                <INPUT NAME=\"Qty06*\" SIZE=1><BR>"
                " <INPUT NAME=\"SP07*\"
                <INPUT NAME=\"IID07*\" SIZE=6"
                <INPUT NAME=\"Qty07*\" SIZE=1><BR>"
                " <INPUT NAME=\"SP08*\"
                <INPUT NAME=\"IID08*\" SIZE=6"
                <INPUT NAME=\"Qty08*\" SIZE=1><BR>"
                " <INPUT NAME=\"SP09*\"
                <INPUT NAME=\"IID09*\" SIZE=6"
                <INPUT NAME=\"Qty09*\" SIZE=1><BR>"
                " <INPUT NAME=\"SP10*\"
                <INPUT NAME=\"IID10*\" SIZE=6"
                <INPUT NAME=\"Qty10*\" SIZE=1><BR>"
                " <INPUT NAME=\"SP11*\"
                <INPUT NAME=\"IID11*\" SIZE=6"
                <INPUT NAME=\"Qty11*\" SIZE=1><BR>"
                " <INPUT NAME=\"SP12*\"
                <INPUT NAME=\"IID12*\" SIZE=6"
                <INPUT NAME=\"Qty12*\" SIZE=1><BR>"
                " <INPUT NAME=\"SP13*\"
                <INPUT NAME=\"IID13*\" SIZE=6"
                <INPUT NAME=\"Qty13*\" SIZE=1><BR>"
                " <INPUT NAME=\"SP14*\"
                <INPUT NAME=\"IID14*\" SIZE=6"
                <INPUT NAME=\"Qty14*\" SIZE=1><BR>"
                "Execution Status:
Total:<BR>"
                "</font></PRE><HR>"
                "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\">"

```

```

NAME=\"CMD\" VALUE=\"Menu\">" <INPUT TYPE=\"submit\"
"</FORM></HTML>"
);
    }
    else
    {
        c += sprintf(szForm+c, "warehouse:
%6.6d District: %2.2d Date: ",
                pNewOrderData->w_id,
                pNewOrderData->d_id);
        if ( bValid )
        {
            c += sprintf(szForm+c,
"%2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
                pNewOrderData-
>o_entry_d.day,
                pNewOrderData-
>o_entry_d.month,
                pNewOrderData-
>o_entry_d.year,
                pNewOrderData-
>o_entry_d.hour,
                pNewOrderData-
>o_entry_d.minute,
                pNewOrderData-
>o_entry_d.second);
        }
        c += sprintf(szForm+c,
"<BR>Customer: %4.4d Name: %-16s Credit: %-2s ",
                pNewOrderData->c_id,
                pNewOrderData->c_last, pNewOrderData->c_credit);
        if ( bValid )
        {
            c += sprintf(szForm+c,
                "%Disc: %5.2f <BR>"
                "Order Number: %8.8d Number of Lines: %2.2d
W_tax: %5.2f D_tax: %5.2f <BR> <BR>"
                " Supp_W Item_Id Item Name
Qty Stock B/G Price Amount<BR>",
                100.0*pNewOrderData->c_discount,
                pNewOrderData-
>o_id,
                pNewOrderData-
>o_o1_cnt,
                100.0 *
                pNewOrderData->w_tax,
                100.0 *
                pNewOrderData->d_tax);
            for(i=0; i<pNewOrderData-
>o_o1_cnt; i++)
            {
                c +=
                sprintf(szForm+c, "%6.6d %6.6d %-24s %2.2d
%3.3d %1.1s %6.2f %7.2f <BR>",
                pNewOrderData->oL[i].oL_supply_w_id,
                pNewOrderData->oL[i].oL_i_id,
                pNewOrderData->oL[i].oL_i_name,
                pNewOrderData->oL[i].oL_quantity,

```

```

pNewOrderData->oL[i].oL_stock,
pNewOrderData->oL[i].oL_brand_generic,
pNewOrderData->oL[i].oL_i_price,
pNewOrderData->oL[i].oL_amount );
    }
    else
    {
        c += sprintf(szForm+c,
                "%Disc:<BR>"
                "Order Number:
%8.8d Number of Lines: W_tax:
D_tax:<BR> <BR>"
                " Supp_W
Item_Id Item Name Qty Stock B/G
Price Amount<BR>"
                pNewOrderData->o_id);
        i = 0;
    }
    strcpy( szForm+c, szBR, (15-i)*5
);
    c += (15-i)*5;
    if ( bValid )
        c += sprintf(szForm+c,
"Execution Status: Transaction committed.
Total: %8.2f ",
                pNewOrderData-
>total_amount);
    else
        c += sprintf(szForm+c,
"Execution Status: Item number is not valid.
Total:");
    strcpy(szForm+c,
        "<BR></font></PRE><HR>"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
        "</FORM></HTML>"
);
}
/* FUNCTION: MakePaymentForm
*
* COMMENTS: The internal client buffer is
* created when the terminal id is assigned and should not
* be freed except
* when the client terminal id is no longer needed.
*/
void MakePaymentForm(int iTermId, PAYMENT_DATA
*pPaymentData, BOOL bInput, char *szForm)
{
    int c;

```



```

Order-Status<BR>" "<PRE><font face="Courier">
    "Warehouse: %6.6d ",
    ORDER_STATUS_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id;

    if ( bInput )
    {
        strcpy(szForm+c,
            "District: <INPUT
NAME=\"DID*\" SIZE=1><BR>"
            "Customer: <INPUT
NAME=\"CID*\" SIZE=4> Name:
<INPUT NAME=\"CLT*\" SIZE=23><BR>"
            "Cust-Balance:<BR> <BR>"
            "Order-Number:
Entry-Date:                Carrier-Number:<BR>"
            "Supply-W        Item-Id
Qty      Amount      Delivery-Date<BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
" <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
" <HR><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Process\"><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
" </BODY></FORM></HTML>"
);
    }
    else
    {
        c += sprintf(szForm+c,
            "District: %2.2d<BR>"
            "Customer: %4.4d Name:
% -16s % -2s % -16s<BR>",
            pOrderStatusData->d_id,
            pOrderStatusData->c_id,
            pOrderStatusData->c_first, pOrderStatusData->c_middle, pOrderStatusData->c_last);

        c += sprintf(szForm+c, "Cust-
Balance: %9.2f<BR> <BR>",
            pOrderStatusData->c_balance);

        c += sprintf(szForm+c,
            "Order-Number: %8.8d
Carrier-Number: %2.2d<BR>"
            "Supply-W        Item-Id
Qty      Amount      Delivery-Date<BR> ",
            pOrderStatusData->o_id,
            pOrderStatusData->o_entry_d.day,
            pOrderStatusData->o_entry_d.month,
            pOrderStatusData->o_entry_d.year,
            pOrderStatusData->o_entry_d.hour,
            pOrderStatusData->o_entry_d.minute,
            pOrderStatusData->o_entry_d.second,
            pOrderStatusData->o_carrier_id);

        for(i=0; i< pOrderStatusData->o_o_cnt; i++)
    {

```

```

        c += sprintf(szForm+c, "
%6.6d %6.6d %2.2d %9.2f %2.2d-%2.2d-
%4.4d<BR>",
            pOrderStatusData->o_l_supply_w_id,
            pOrderStatusData->o_l_o_id,
            pOrderStatusData->o_l_o_quantity,
            pOrderStatusData->o_l_o_amount,
            pOrderStatusData->o_l_o_delivery_d.day,
            pOrderStatusData->o_l_o_delivery_d.month,
            pOrderStatusData->o_l_o_delivery_d.year);
    }
    strncpy( szForm+c, szBR, (15-i)*5
);
    c += (15-i)*5;
    strcpy(szForm+c,
        "</font></PRE><HR><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\".NewOrder.\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Payment.\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Delivery.\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Order-Status.\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Stock-Level.\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Exit.\">"
);
    }
}

/* FUNCTION: MakeDeliveryForm
* COMMENTS: The internal client buffer is
created when the terminal id is assigned and should not
be freed except
when the client terminal id is no longer needed.
*/

void MakeDeliveryForm(int iTermId, DELIVERY_DATA
*pDeliveryData, BOOL bInput, char *szForm)
{
    int c;

    c = sprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C
Delivery</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"TERMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
        "<PRE><font face="Courier">
Delivery<BR>"
            "Warehouse: %6.6d<BR> <BR>",

```

```

        (!bInput && (pDeliveryData-
>exec_status_code != eOK)) ? ERR_TYPE_DELIVERY_POST :
0,
        DELIVERY_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id);

    if ( bInput )
    {
        strcpy( szForm+c,
            "Carrier Number: <INPUT
NAME=\"OCD*\" SIZE=1><BR> <BR>
"Execution Status: <BR>
" <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
" <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
" <HR><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Process\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">"
" </BODY></FORM></HTML>"
);
    }
    else
    {
        sprintf( szForm+c,
            "Carrier Number:
%2.2d<BR> <BR>"
            "Execution Status: %s
" <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
" <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
" <HR><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\".NewOrder.\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Payment.\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Delivery.\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Order-Status.\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Stock-Level.\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Exit.\">"
" </BODY></FORM></HTML>"
            , pDeliveryData->o_carrier_id,
            (pDeliveryData->exec_status_code == eOK) ? "Delivery has been queued."
: "Delivery Post Failed "
);
    }
}

/* FUNCTION: ProcessNewOrderForm
* PURPOSE: This function gets and validates
the input data from the new order form
* filling in the required
input variables. it then calls the SQLNewOrder
transaction, constructs
the output form and writes it back to client
browser.
*/

void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    PNEW_ORDER_DATA pNewOrder;

```

```

        pNewOrder = Term.pClientData[iTermId].pTxn-
>BuffAddr_NewOrder();

        ZeroMemory(pNewOrder,
sizeof(NEW_ORDER_DATA));
        pNewOrder->w_id =
Term.pClientData[iTermId].w_id;
        GetNewOrderData(pECB->lpszQueryString,
pNewOrder);

        Term.pClientData[iTermId].pTxn->NewOrder();

        pNewOrder = Term.pClientData[iTermId].pTxn-
>BuffAddr_NewOrder();
        MakeNewOrderForm(iTermId, pNewOrder,
OUTPUT_FORM, szBuffer );
}

/* FUNCTION: void ProcessPaymentForm
* PURPOSE:      This function gets and validates
the input data from the payment form
*              filling in the required
input variables. It then calls the SQLPayment
transaction, constructs the output form and writes it
back to client browser.
*
* ARGUMENTS:   EXTENSION_CONTROL_BLOCK *pECB
                passed in structure pointer from inetsrv.
                int
                iTermId client browser terminal id
*/

void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK *pECB,
int iTermId, char *szBuffer)
{
        PPAYMENT_DATA    pPayment;

        pPayment = Term.pClientData[iTermId].pTxn-
>BuffAddr_Payment();
        ZeroMemory(pPayment, sizeof(PAYMENT_DATA));
        pPayment->w_id =
Term.pClientData[iTermId].w_id;
        GetPaymentData(pECB->lpszQueryString,
pPayment);

        Term.pClientData[iTermId].pTxn->Payment();

        pPayment = Term.pClientData[iTermId].pTxn-
>BuffAddr_Payment();
        MakePaymentForm(iTermId, pPayment,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessOrderStatusForm
* PURPOSE:      This function gets and validates
the input data from the Order Status
*              form filling in the
required input variables. It then calls the
SQLOrderStatus
transaction, constructs the output form and writes it
back to client browser.
*
* ARGUMENTS:   EXTENSION_CONTROL_BLOCK *pECB
                passed in structure pointer from inetsrv.
                int
                iTermId client browser terminal id

```

```

*
*/

void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
        PORDER_STATUS_DATA pOrderStatus;

        pOrderStatus =
Term.pClientData[iTermId].pTxn->BuffAddr_OrderStatus();
        ZeroMemory(pOrderStatus,
sizeof(ORDER_STATUS_DATA));
        pOrderStatus->w_id =
Term.pClientData[iTermId].w_id;
        GetOrderStatusData(pECB->lpszQueryString,
pOrderStatus);

        Term.pClientData[iTermId].pTxn-
>OrderStatus();

        pOrderStatus =
Term.pClientData[iTermId].pTxn->BuffAddr_OrderStatus();
        MakeOrderStatusForm(iTermId, pOrderStatus,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessDeliveryForm
* PURPOSE:      This function gets and validates
the input data from the delivery form
*              filling in the required
input variables. It then calls the PostDeliveryInfo
*              Api. The client is then
informed that the transaction has been posted.
*
* ARGUMENTS:   EXTENSION_CONTROL_BLOCK *pECB
                passed in structure pointer from inetsrv.
                int
                iTermId client browser terminal id
*/

void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK *pECB,
int iTermId, char *szBuffer)
{
        char *ptr = pECB->lpszQueryString;

        PDELIVERY_DATA    pDelivery;

        pDelivery = Term.pClientData[iTermId].pTxn-
>BuffAddr_Delivery();
        ZeroMemory(pDelivery, sizeof(DELIVERY_DATA));
        pDelivery->w_id =
Term.pClientData[iTermId].w_id;

        pDelivery->o_carrier_id =
GetIntKeyValue(&ptr, "OCD*",
ERR_DELIVERY_MISSING_OCD_KEY,
ERR_DELIVERY_CARRIER_INVALID);
        if ( pDelivery->o_carrier_id > 10 ||
pDelivery->o_carrier_id < 1 )
                throw new CWEBCLNT_ERR(
ERR_DELIVERY_CARRIER_ID_RANGE );

        if (dwNumDeliveryThreads)
        {
                //post delivery info
                if ( PostDeliveryInfo(pDelivery-
>w_id, pDelivery->o_carrier_id ) )
                        pDelivery-
>exec_status_code = eDeliveryFailed;

```

```

                else
                        pDelivery-
>exec_status_code = eOK;
        }
        else // delivery is done synchronously if no
delivery threads configured
                Term.pClientData[iTermId].pTxn-
>Delivery();

        pDelivery = Term.pClientData[iTermId].pTxn-
>BuffAddr_Delivery();
        MakeDeliveryForm(iTermId, pDelivery,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessStockLevelForm
* PURPOSE:      This function gets and validates
the input data from the Stock Level
*              form filling in the
required input variables. It then calls the
SQLStockLevel
transaction, constructs the output form and writes it
back to client browser.
*
* ARGUMENTS:   EXTENSION_CONTROL_BLOCK *pECB
                passed in structure pointer from inetsrv.
                int
                iTermId client browser terminal id
*/

void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
        char *ptr = pECB-
>lpszQueryString;

        PSTOCK_LEVEL_DATA pStockLevel;

        pStockLevel = Term.pClientData[iTermId].pTxn-
>BuffAddr_StockLevel();
        ZeroMemory( pStockLevel,
sizeof(STOCK_LEVEL_DATA) );

        pStockLevel->w_id =
Term.pClientData[iTermId].w_id;
        pStockLevel->d_id =
Term.pClientData[iTermId].d_id;

        pStockLevel->threshold = GetIntKeyValue(&ptr,
"TT*", ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID);
        if ( pStockLevel->threshold >= 100 ||
pStockLevel->threshold < 0 )
                throw new CWEBCLNT_ERR(
ERR_STOCKLEVEL_THRESHOLD_RANGE );

        Term.pClientData[iTermId].pTxn->StockLevel();

        pStockLevel = Term.pClientData[iTermId].pTxn-
>BuffAddr_StockLevel();
        MakeStockLevelForm(iTermId, pStockLevel,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: GetNewOrderData
* PURPOSE:      This function extracts and
validates the new order form data from an http command
string.

```



```

*
* ARGUMENTS:      LPSTR      client browser
                  lpszQueryString
http command string
*
                  NEW_ORDER_DATA
                  pointer to new
order data structure
*
*/

void GetNewOrderData(LPSTR lpszQueryString,
NEW_ORDER_DATA *pNewOrderData)
{
    char    szTmp[26];
    int     i;
    short   items;
    int     ol_i_id, ol_quantity;
    char    *ptr = lpszQueryString;

    static char szSP[MAX_OL_NEW_ORDER_ITEMS][6] =
"SP03*", "SP04*",
"SP08*", "SP09*",
"SP13*", "SP14*"};
    static char szIID[MAX_OL_NEW_ORDER_ITEMS][7]
=
"IID03*", "IID04*",
"IID08*", "IID09*",
"IID13*", "IID14*"};
    static char szQty[MAX_OL_NEW_ORDER_ITEMS][7]
=
"Qty03*", "Qty04*",
"Qty08*", "Qty09*",
"Qty13*", "Qty14*"};

    pNewOrderData->d_id = GetIntKeyValue(&ptr,
"DID*", ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_DISTRICT_INVALID);
    pNewOrderData->c_id = GetIntKeyValue(&ptr,
"CID*", ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_CUSTOMER_INVALID);
    for(i=0, items=0; i<MAX_OL_NEW_ORDER_ITEMS;
i++)
    {
        GetKeyValue(&ptr, szSP[i], szTmp,
sizeof(szTmp), ERR_NEWORDER_MISSING_SUPPW_KEY);
        if ( szTmp[0] )
            if ( !IsNumeric(szTmp) )
                throw new
CWEBCLNT_ERR( ERR_NEWORDER_SUPPW_INVALID );
        pNewOrderData->
>OL[items].ol_supply_w_id = atoi(szTmp);

        ol_i_id = pNewOrderData->
>OL[items].ol_i_id =
            GetIntKeyValue(&ptr, szIID[i],
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_ITEMID_INVALID);
            if ( ol_i_id > 999999 ||
ol_i_id < 1 )

```

```

                throw new
CWEBCLNT_ERR( ERR_NEWORDER_ITEMID_RANGE );
            }
            ol_quantity =
pNewOrderData->OL[items].ol_quantity =
                GetIntKeyValue(&ptr, szQty[i],
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_QTY_INVALID);
                if ( ol_quantity > 99 ||
ol_quantity < 1 )
                    throw new
CWEBCLNT_ERR( ERR_NEWORDER_QTY_RANGE );
            }
            items++;
        }
        else
            // nothing entered for
            supply warehouse, so item id and qty must also be blank
            GetKeyValue(&ptr,
szIID[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_IID_KEY);
            if ( szTmp[0] )
                throw new
CWEBCLNT_ERR( ERR_NEWORDER_ITEMID_WITHOUT_SUPPW );
            GetKeyValue(&ptr,
szQty[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_QTY_KEY);
            if ( szTmp[0] )
                throw new
CWEBCLNT_ERR( ERR_NEWORDER_QTY_WITHOUT_SUPPW );
        }
        if ( items == 0 )
            throw new CWEBCLNT_ERR(
ERR_NEWORDER_NOITEMS_ENTERED );
    }
    pNewOrderData->o_ol_cnt = items;
}

/* FUNCTION: GetPaymentData
*
* PURPOSE:      This function extracts and
validates the payment form data from an http command
string.
*
* ARGUMENTS:    LPSTR      client browser
                  lpszQueryString
http command string
                  PAYMENT_DATA
                  pointer to
                  *pPaymentData
                  payment data structure
*/

void GetPaymentData(LPSTR lpszQueryString, PAYMENT_DATA
*pPaymentData)
{
    char    szTmp[26];
    char    *ptr = lpszQueryString;
    BOOL    bCustIdBlank;

    pPaymentData->d_id = GetIntKeyValue(&ptr,
"DID*", ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_DISTRICT_INVALID);
    GetKeyValue(&ptr, "CID*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
        {
            bCustIdBlank = TRUE;
            pPaymentData->c_id = 0;

```

```

        }
    }
    else
    {
        // parse customer id and verify
        that last name was NOT entered
        bCustIdBlank = FALSE;
        if ( !IsNumeric(szTmp) )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_CUSTOMER_INVALID );
        pPaymentData->c_id = atoi(szTmp);
    }

    pPaymentData->c_w_id = GetIntKeyValue(&ptr,
"CWI*", ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_CWI_INVALID);
    pPaymentData->c_d_id = GetIntKeyValue(&ptr,
"CDI*", ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_CDI_INVALID);

    if ( bCustIdBlank )
        // customer id is blank, so last
        name must be entered
        GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CLT_KEY);
        if ( szTmp[0] == 0 )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_MISSING_CID_CLT );
        _strupr( szTmp );
        if ( strlen(pPaymentData->c_last) >
LAST_NAME_LEN )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_LAST_NAME_TO_LONG );
        strcpy(pPaymentData->c_last,
szTmp);
    }
    else
    {
        // parse customer id and verify
        that last name was NOT entered
        GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CLT_KEY);
        if ( szTmp[0] != 0 )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_CID_AND_CLT );
    }

    GetKeyValue(&ptr, "HAM*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_HAM_KEY);
    if ( !IsDecimal(szTmp) )
        throw new CWEBCLNT_ERR(
ERR_PAYMENT_HAM_INVALID );
    pPaymentData->h_amount = atof(szTmp);
    if ( pPaymentData->h_amount >= 10000.00 ||
pPaymentData->h_amount < 0 )
        throw new CWEBCLNT_ERR(
ERR_PAYMENT_HAM_RANGE );
}

/* FUNCTION: GetOrderStatusData
*
* PURPOSE:      This function extracts and
validates the payment form data from an http command
string.
*/

void GetOrderStatusData(LPSTR lpszQueryString,
ORDER_STATUS_DATA *pOrderStatusData)
{
    char    szTmp[26];
    char    *ptr = lpszQueryString;

```

```

        pOrderStatusData->d_id = GetIntKeyValue(&ptr,
"DIR*", ERR_ORDERSTATUS_MISSING_DIR_KEY,
ERR_ORDERSTATUS_DIR_INVALID);

        GetKeyValue(&ptr, "CID*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CID_KEY);
        if ( szTmp[0] == 0 )
        {
            // customer id is blank, so last
name must be entered
            pOrderStatusData->c_id = 0;
            GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CLT_KEY);
            if ( szTmp[0] == 0 )
                throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_MISSING_CID_CLT );

            _strupr( szTmp );
            if ( strlen(pOrderStatusData-
>c_last) > LAST_NAME_LEN )
                throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_CLT_RANGE );
            strcpy(pOrderStatusData->c_last,
szTmp);
        }
        else
        {
            // parse customer id and verify
that last name was NOT entered
            if ( !IsNumeric(szTmp) )
                throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_CID_INVALID );
            pOrderStatusData->c_id =
atoi(szTmp);
            GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CLT_KEY);
            if ( szTmp[0] != 0 )
                throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_CID_AND_CLT );
        }
    }

/* FUNCTION: BOOL IsNumeric(char *ptr)
* PURPOSE: This function determines if a
string is numeric. It fails if any characters other
than numeric and null
terminator are present.
* ARGUMENTS: char *ptr
pointer to string to check.
* RETURNS: BOOL FALSE if
string is not all numeric
TRUE if string contains only numeric
characters i.e. '0' - '9'
*/
BOOL IsNumeric(char *ptr)
{
    if ( *ptr == 0 )
        return FALSE;

    while( *ptr && isdigit(*ptr) )
        ptr++;

    return ( !*ptr );
}

/* FUNCTION: BOOL IsDecimal(char *ptr)
* PURPOSE: This function determines if a
string is a non-negative decimal value.

```

```

* It fails if any characters other than a
series of numbers followed by a decimal point, another
series of numbers, and a null terminator are present.
* ARGUMENTS: char *ptr
pointer to string to check.
* RETURNS: BOOL FALSE if
string is not a valid non-negative decimal value
TRUE if string is OK
*/
BOOL IsDecimal(char *ptr)
{
    char *dotptr;
    BOOL bvalid;

    if ( *ptr == 0 )
        return FALSE;

    // find decimal point
    dotptr = strchr( ptr, '.' );
    if (dotptr == NULL)
        // no decimal point, so just check
        return IsNumeric(ptr);
    *dotptr = 0; // temporarily replace decimal
with a terminator

    if ( *ptr != 0 )
        bvalid = IsNumeric(ptr);
    // string starts with decimal point
    else if ( *(dotptr+1) == 0 )
        return FALSE; // nothing but a
decimal point is bad
    else
        bvalid = TRUE;

    if ( *(dotptr+1) != 0 )
        // check text after decimal point
        bvalid &= IsNumeric(dotptr+1);

    *dotptr = '.'; // replace decimal point
    return bvalid;
}

isapi_dll/src/resource.h
//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by tpcc.rc
//
#define IDD_DIALOG1 101
//
// Next default values for new objects
//
#ifdef APSTUDIO_INVOKED
#ifndef APSTUDIO_READONLY_SYMBOLS
#define _APS_NEXT_RESOURCE_VALUE 102
#define _APS_NEXT_COMMAND_VALUE 40001
#define _APS_NEXT_CONTROL_VALUE 1000
#define _APS_NEXT_SYMED_VALUE 101
#endif
#endif

```

common/src/ReadRegistry.cpp

```

/* FILE: READREGISTRY.CPP
Microsoft TPC-C
Kit Ver. 4.20.000
Copyright
Microsoft, 1999 All Rights Reserved
not yet audited
PURPOSE: Implementation for TPC-C Tuxedo
Class.
Contact: Charles Levine
(clevine@microsoft.com)
Change history:
4.20.000 - first version
*/

/* FUNCTION: ReadTPCCRegistrySettings
* PURPOSE: This function reads the NT registry
for startup parameters. There parameters are
under the TPCC key.
* RETURNS: FALSE = no errors
TRUE = error reading
registry
*/
BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg )
{
    HKEY hkey;
    DWORD size;
    DWORD type;
    DWORD dwTmp;
    char szTmp[256];

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\\Microsoft\\TPCC", 0, KEY_READ, &hkey) !=
ERROR_SUCCESS )
        return TRUE;

    // determine database protocol to use; may be
either ODBC or DBLIB
    pReg->eDB_Protocol = Unspecified;
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hkey, "DB_Protocol", 0,
&type, (BYTE *)szTmp, &size) == ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp,
szDBNames[ODBC] ) )
            pReg->eDB_Protocol =
ODBC;
        else if ( !strcmp(szTmp,
szDBNames[DBLIB] ) )
            pReg->eDB_Protocol =
DBLIB;
    }

    pReg->eTxnMon = None;
    // determine txn monitor to use; may be
either TUXEDO, or blank
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hkey, "TxnMonitor", 0,
&type, (BYTE *)szTmp, &size) == ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp,
szTxnMonNames[TUXEDO] ) )

```

```

        else if ( !strcmp(szTmp,
szTxnMonNames[ENCINA]) )
            pReg->eTxnMon = TUXEDO;
        else if ( !strcmp(szTmp,
szTxnMonNames[COM]) )
            pReg->eTxnMon = COM;
    }

    pReg->bCOM_SinglePool = FALSE;
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hkey, "COM_SinglePool",
0, &type, (BYTE *)&szTmp, &size) == ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp, "YES") )
            pReg->bCOM_SinglePool =
TRUE;
    }

    pReg->dwMaxConnections = 0;
    size = sizeof(dwTmp);
    if ( ( RegQueryValueEx(hkey,
"MaxConnections", 0, &type, (LPBYTE)&dwTmp, &size) ==
ERROR_SUCCESS )
        && (type == REG_DWORD) )
        pReg->dwMaxConnections = dwTmp;

    pReg->dwMaxPendingDeliveries = 0;
    size = sizeof(dwTmp);
    if ( ( RegQueryValueEx(hkey,
"MaxPendingDeliveries", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )
        && (type == REG_DWORD) )
        pReg->dwMaxPendingDeliveries =
dwTmp;

    pReg->dwNumberOfDeliveryThreads = 0;
    size = sizeof(dwTmp);
    if ( ( RegQueryValueEx(hkey,
"NumberOfDeliveryThreads", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )
        && (type == REG_DWORD) )
        pReg->dwNumberOfDeliveryThreads =
dwTmp;

    size = sizeof( pReg->szPath );
    if ( RegQueryValueEx(hkey, "Path", 0, &type,
(BYTE *)&pReg->szPath, &size) != ERROR_SUCCESS )
        pReg->szPath[0] = 0;

    size = sizeof( pReg->szDbServer );
    if ( RegQueryValueEx(hkey, "DbServer", 0,
&type, (BYTE *)&pReg->szDbServer, &size) !=
ERROR_SUCCESS )
        pReg->szDbServer[0] = 0;

    size = sizeof( pReg->szDbName );
    if ( RegQueryValueEx(hkey, "DbName", 0,
&type, (BYTE *)&pReg->szDbName, &size) != ERROR_SUCCESS
)
        pReg->szDbName[0] = 0;

    size = sizeof( pReg->szDbUser );
    if ( RegQueryValueEx(hkey, "DbUser", 0,
&type, (BYTE *)&pReg->szDbUser, &size) != ERROR_SUCCESS
)
        pReg->szDbUser[0] = 0;

    size = sizeof( pReg->szDbPassword );
    if ( RegQueryValueEx(hkey, "DbPassword", 0,
&type, (BYTE *)&pReg->szDbPassword, &size) !=
ERROR_SUCCESS )

```

```

        pReg->szDbPassword[0] = 0;

    size = sizeof( pReg->szSPPrefix );
    if ( RegQueryValueEx(hkey, L"SPPrefix", 0,
&type, (BYTE *)&pReg->szSPPrefix, &size) !=
ERROR_SUCCESS )
        pReg->szSPPrefix[0] = L'\0';

    RegCloseKey(hkey);

    return FALSE;
}

```

common/src/ReadRegistry.h

```

/* FILE: ReadRegistry.h
Microsoft TPC-C
Kit Ver. 4.20.000
Copyright
Microsoft, 1999
All Rights Reserved
not audited
PURPOSE: Header for registry related code.
Change history:
4.20.000 - first version
*/

enum DBPROTOCOL { Unspecified, ODBC, DBLIB };
const char *szDBNames[] = { "Unspecified", "ODBC",
"DBLIB" };

enum TXNMON { None, TUXEDO, ENCINA, COM };
const char *szTxnMonNames[] = { "NONE", "TUXEDO",
"ENCINA", "COM" };

//This structure defines the data necessary to keep
distinct for each terminal or client connection.
typedef struct _TPCCREGISTRYDATA
{
    enum DBPROTOCOL eDb_Protocol;
    enum TXNMON eTxnMon;
    BOOL bCOM_SinglePool;
    DWORD dwMaxConnections;
    DWORD dwMaxPendingDeliveries;
    DWORD dwNumberOfDeliveryThreads;
    char szPath[128];
    char szDbServer[32];
    char szDbName[32];
    char szDbUser[32];
    char szDbPassword[32];
    wchar_t szSPPrefix[32]; //tpcc_odbc.d11
} stored procedures prefix
TPCCREGISTRYDATA, *PTPCREGISTRYDATA;

BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg
);

```

common/src/error.h

```

/* FILE: ERROR.H
Microsoft TPC-C
Kit Ver. 4.20.000
Copyright
Microsoft, 1999
All Rights Reserved
Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
PURPOSE: Header file for error exception
classes.
Change history:
4.20.000 - updated rev number to
match kit
4.21.000 - fixed bug: ~CBaseErr
needed to be declared virtual
*/

#pragma once

#ifndef _INC_STRING
#include <string.h>
#endif

const int m_szMsg_size = 512;
const int m_szApp_size = 64;
const int m_szLoc_size = 64;

//error message structure used in ErrorText routines
typedef struct _SERRORMSG
{
    int iError; //error id of message
    char szMsg[256]; //message to sent to browser
} SERRORMSG;

typedef enum _ErrorLevel
{
    ERR_FATAL_LEVEL = 2,
    ERR_WARNING_LEVEL = 1,
    ERR_INFORMATION_LEVEL = 3
} ErrorLevel;

#define ERR_TYPE_LOGIC -1 //logic error in program; internal error
#define ERR_SUCCESS 0 //success (a non-error error)
#define ERR_BAD_ITEM_ID 1 //expected abort record in txnRecord
#define ERR_TYPE_DELIVERY_POST 2 //expected delivery post failed
#define ERR_TYPE_WEBDLL 3 //tpcc web generated error
#define ERR_TYPE_SQL 4 //sql server generated error
#define ERR_TYPE_DBLIB 5 //dblib generated error
#define ERR_TYPE_ODBC 6 //odbc generated error

```

```

7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

```

```

        eWSASend,
        eWSAGetOverlappedResult,
        eWSARecv,
        eWSAWaitForMultipleEvents,
        eWSAStartup,
        eWSAResetEvent,
        eNonRetryable,
    };

    CSocketErr(Action eAction, LPCTSTR szLocation
= NULL);

~CSocketErr()
{
    if (m_szErrorText != NULL)
        delete [] m_szErrorText;
};

Action m_eAction;
char m_szErrorText;

int ErrorType() { return ERR_TYPE_SOCKET;};
char *ErrorText(void);

};

class CSystemErr : public CBaseErr
{
public:
    enum Action
    {
        eNone = 0,
        eTransactNamedPipe,
        eWaitNamedPipe,
        eSetNamedPipeHandleState,
        eCreateFile,
        eCreateProcess,
        eCallNamedPipe,
        eCreateEvent,
        eCreateThread,
        eVirtualAlloc,
        eReadFile = 10,
        eWriteFile,
        eMapViewOfFile,
        eCreateFileMapping,
        eInitializeSecurityDescriptor,
        eSetSecurityDescriptorDacl,
        eCreateNamedPipe,
        eConnectNamedPipe,
        eWaitForSingleObject,
        eRegOpenKeyEx,
        eRegQueryValueEx = 20,
        eBeginThread,
        eRegEnumValue,
        eRegSetValueEx,
        eRegCreateKeyEx,
        eWaitForMultipleObjects,
        eRegisterClassEx,
        eCreateWindow,
        eCreateSemaphore,
        eReleaseSemaphore,
        eFSeek,
        eFRead,
        eFWrite,
        eTmpFile,
        eSetFilePointer,
        eNew,
        eCloseHandle,
    };

    CSystemErr(Action
eAction, LPCTSTR szLocation);

```

```

        CSystemErr(int iError,
Action eAction, LPCTSTR szLocation);
int ErrorType() { return
ERR_TYPE_OS;};
char *ErrorText(void);
void Draw(HWND hwnd, LPCTSTR szStr =
NULL);

Action m_eAction;

private:
char m_szMsg[ERR_MSG_BUF_SIZE];
};

class CMemoryErr : public CBaseErr
{
public:
    CMemoryErr();

    int ErrorType() {return ERR_TYPE_MEMORY;};
    char *ErrorText() {return ERR_INS_MEMORY;};
};

class CBufferOverflowErr : public CBaseErr
{
public:
    CBufferOverflowErr(int,LPCTSTR);

    int ErrorType() {return ERR_BUF_OVERFLOW;};
    char *ErrorText() {return
ERR_INS_BUF_OVERFLOW;};
};

```

common/src/trans.h

```

/* FILE: TRANS.H Microsoft TPC-C
 * Kit Ver. 4.42.000 Copyright
 * Microsoft, 2002 All Rights Reserved
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 *
 * PURPOSE: Header file for TPC-C structure
 * templates.
 *
 * Change history:
 * 4.42.000 - changed w_id fields from
 * short to long to support >32K warehouses
 * 4.20.000 - updated rev number to
 * match kit
 */
#pragma once

// String length constants
#define SERVER_NAME_LEN 20
#define DATABASE_NAME_LEN 20
#define USER_NAME_LEN 20
#define PASSWORD_LEN 20
#define TABLE_NAME_LEN 20
#define I_DATA_LEN 50
#define I_NAME_LEN 24

```

```

#define BRAND_LEN 1
#define LAST_NAME_LEN 16
#define W_NAME_LEN 10
#define ADDRESS_LEN 20
#define STATE_LEN 2
#define ZIP_LEN 9
#define S_DIST_LEN 24
#define S_DATA_LEN 50
#define D_NAME_LEN 10
#define FIRST_NAME_LEN 16
#define MIDDLE_NAME_LEN 2
#define PHONE_LEN 16
#define DATETIME_LEN 30
#define CREDIT_LEN 2
#define C_DATA_LEN 250
#define H_DATA_LEN 24
#define DIST_INFO_LEN 24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN 25
#define OL_DIST_INFO_LEN 24

// TIMESTAMP_STRUCT is provided by the ODBC header file
sqltypes.h, but is not available
// when compiling with dblink, so redefined here. Note:
we are using the symbol "SQLTYPES"
// (declared in sqltypes.h) as a way to determine if
TIMESTAMP_STRUCT has been declared.
#ifndef SQLTYPES
typedef struct
{
    /* SQLSMALLINT */ short
    year; unsigned short /*
SQLSMALLINT */ month; unsigned short /*
SQLSMALLINT */ day; unsigned short /*
SQLSMALLINT */ hour; unsigned short /*
SQLSMALLINT */ minute; unsigned short /*
SQLSMALLINT */ second; unsigned long /*
SQLINTEGER */ fraction;
} TIMESTAMP_STRUCT;
#endif

// possible values for exec_status_code after
transaction completes
enum EXEC_STATUS
{
    eOK, // 0
    "Transaction committed."
    eInvalidItem, // 1 "Item number is
not valid."
    eDeliveryFailed // 2 "Delivery Post
Failed."
};

// transaction structures
typedef struct
{
    // input params
    long
    ol_supply_w_id;
    long
    ol_i_id;
    short
    ol_quantity;

    // output params

```

```

char
ol_i_name[I_NAME_LEN+1];
char
ol_brand_generic[BRAND_LEN+1];
double
ol_i_price;
double
ol_amount;
short
ol_stock;
} OL_NEW_ORDER_DATA;

typedef struct
{
    // input params
    long w_id;
    short d_id;
    long c_id;
    short o_ol_cnt;

    // output params
    EXEC_STATUS exec_status_code;
    char c_last[LAST_NAME_LEN+1];
    char c_credit[CREDIT_LEN+1];
    double w_tax;
    double d_tax;
    long o_id;
    short o_commit_flag;
    TIMESTAMP_STRUCT o_entry_d;
    short o_all_local;
    double total_amount;
    OL_NEW_ORDER_DATA OL_NEW_ORDER_DATA;
    OL[MAX_OL_NEW_ORDER_ITEMS];
} NEW_ORDER_DATA, *PNEW_ORDER_DATA;

typedef struct
{
    // input params
    long w_id;
    short d_id;
    long c_id;
    short c_d_id;
    long c_w_id;
    double h_amount;
    char c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS exec_status_code;
    TIMESTAMP_STRUCT h_date;
    char w_street_1[ADDRESS_LEN+1];
    char w_street_2[ADDRESS_LEN+1];
    char w_city[ADDRESS_LEN+1];
    char w_state[STATE_LEN+1];
    char w_zip[ZIP_LEN+1];
    char d_street_1[ADDRESS_LEN+1];

```

```

char
d_street_2[ADDRESS_LEN+1];
char
d_city[ADDRESS_LEN+1];
char
d_state[STATE_LEN+1];
char
d_zip[ZIP_LEN+1];
char
c_first[FIRST_NAME_LEN+1];
char
c_middle[MIDDLE_NAME_LEN + 1];
char
c_street_1[ADDRESS_LEN+1];
char
c_street_2[ADDRESS_LEN+1];
char
c_city[ADDRESS_LEN+1];
char
c_state[STATE_LEN+1];
char
c_zip[ZIP_LEN+1];
char
c_phone[PHONE_LEN+1];
TIMESTAMP_STRUCT c_since;
char
c_credit[CREDIT_LEN+1];
double
c_credit_lim;
double
c_discount;
double
c_balance;
char
c_data[200+1];
} PAYMENT_DATA, *PPAYMENT_DATA;

typedef struct
{
    long ol_i_id;
    long ol_supply_w_id;
    short ol_quantity;
    double ol_amount;
    TIMESTAMP_STRUCT ol_delivery_d;
} OL_ORDER_STATUS_DATA;

typedef struct
{
    // input params
    long w_id;
    short d_id;
    long c_id;
    char c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS exec_status_code;
    char c_first[FIRST_NAME_LEN+1];
    char c_middle[MIDDLE_NAME_LEN+1];
    double c_balance;
    long o_id;
    long TIMESTAMP_STRUCT o_entry_d;
    short o_carrier_id;
    OL_ORDER_STATUS_DATA OL_ORDER_STATUS_DATA;
    OL[MAX_OL_ORDER_STATUS_ITEMS];
    short o_ol_cnt;
} ORDER_STATUS_DATA, *PORDER_STATUS_DATA;

```

```

typedef struct
{
    // input params
    long w_id;
    short o_carrier_id;

    // output params
    EXEC_STATUS exec_status_code;
    SYSTEMTIME queue_time;
    long o_id[10]; // id's of delivered
    orders for districts 1 to 10
} DELIVERY_DATA, *PDELIVERY_DATA;

//This structure is used for posting delivery
transactions and for writing them to the delivery
server.
typedef struct _DELIVERY_TRANSACTION
{
    SYSTEMTIME queue;
    //time delivery transaction queued
    long w_id;
    //delivery warehouse
    short o_carrier_id;
    //carrier id
} DELIVERY_TRANSACTION;

typedef struct
{
    // input params
    long w_id;
    short d_id;
    short threshold;

    // output params
    EXEC_STATUS exec_status_code;
    long low_stock;
} STOCK_LEVEL_DATA, *PSTOCK_LEVEL_DATA;

```

common/src/txn_base.h

```

/* FILE: TXN_BASE.H
 * Microsoft TPC-C
 * Copyright
 * Microsoft, 1999 All Rights Reserved
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 * PURPOSE: Header file for TPC-C txn class
 * implementation.
 * Change history:
 * 4.20.000 - updated rev number to
 * match kit
 */
#pragma once

// need to declare functions for import, unless define
has already been created

```

```

// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class DllDecl CTPCC_BASE
{
public:
    CTPCC_BASE(void) {};
    virtual ~CTPCC_BASE(void) {};

    virtual PNEW_ORDER_DATA
    BuffAddr_NewOrder() = 0;
    virtual PPAYMENT_DATA
    BuffAddr_Payment() = 0;
    virtual PDELIVERY_DATA
    BuffAddr_Delivery() = 0;
    virtual PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel() = 0;
    virtual PORDER_STATUS_DATA
    BuffAddr_OrderStatus() = 0;

    virtual void NewOrder
    () = 0;
    virtual void Payment
    () = 0;
    virtual void Delivery
    () = 0;
    virtual void StockLevel
    () = 0;
    virtual void OrderStatus
    () = 0;
};

```

db_dblib_dll/src/tpcc_dblib.cpp

```

/* FILE: TPCC_DBLIB.CPP
 * Microsoft TPC-C
 * Copyright
 * All Rights Reserved
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 * PURPOSE: Implements dblib calls for TPC-C
 * txns. Contact: Charles Levine
 * (clevine@microsoft.com)
 * Change history:
 * 4.42.000 - changed w_id fields from
 * short to long to support >32K warehouses
 * 4.20.000 - updated rev number to
 * match kit
 * 4.10.001 - not deleting error class
 * in catch handler on deadlock retry;
 * not a
 * functional bug, but a memory leak
 * - had to tweak
 * some declarations to compile with latest SDK; no
 * functional change
 */
#include <windows.h>

```

```

#include <stdio.h>
#include <assert.h>

#define DBNTWIN32
#include <sqlfront.h>
#include <sqldb.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_dblib.h"

#define DEFCLPACKSIZE 4096

// version string; must match return value from
tpcc_version stored proc
const char sVersion[] = "4.10.000";

const iMaxRetries = 10;
static long iConnectionCount = 0; // number of
current dblib connections

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

BOOL WINAPIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:
            DisableThreadLibraryCalls(hModule);
            dbinit(); //
            initialize dblib break;

        case DLL_PROCESS_DETACH:
            dbexit(); //
            close all dblib structures/connections
            break;

        default: // /* nothing */;
    }
    return TRUE;
}

int err_handler(DBPROCESS *dbproc, int severity, int
dberr, int oserr, LPCSTR dberrstr, LPCSTR oserrstr)
{
    CTPCC_DBLIB
    *pConn;
    assert(dbproc != NULL);
    pConn = (CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {
        pConn->SetDblibError( severity,
        dberr, oserr, dberrstr, oserrstr );
    }
    return INT_CANCEL;
}

```

```

}

/* FUNCTION: int msg_handler(DBPROCESS *dbproc, DBINT
msgno, int msgstate, int severity, char *msgtext)
 *
 * PURPOSE: This function handles DB-Library
SQL Server error messages
 *
 * ARGUMENTS: DBPROCESS *dbproc
DBPROCESS id pointer DBINT
 *
 * message number msgno int
 *
 * message state msgstate int
 *
 * message severity severity int
 *
 * msgtext char
message description printable
 *
 * RETURNS: int
continue if
error is SLETIME else INT_CANCEL action
 *
 * INT_CONTINUE
cancel operation INT_CANCEL
 *
 * COMMENTS: This function also sets the dead
lock dbproc variable if necessary.
 *
 */

// typedef INT (SQLAPI *DBMSGHANDLE_PROC)(PDBPROCESS,
DBINT, INT, INT, LPCSTR, LPCSTR, LPCSTR, DBUSMALLINT);

int msg_handler(DBPROCESS *dbproc, DBINT msgno, int
msgstate, int severity,
LPCSTR srvname, LPCSTR procname, DBUSMALLINT line)
{
    CTPCC_DBLIB
    *pConn;
    assert(dbproc != NULL);
    pConn = (CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {
        pConn->SetSqlError( msgno,
        msgstate, severity, msgtext );
    }

    return 0;
}

/* FUNCTION: void UtilStrCpy(char *pDest, char *pSrc,
int n)
 *
 * PURPOSE: This function copies n characters
from string pSrc to pDest and places a
null character at the end
 *
 * ARGUMENTS: char
destination string pointer
 *
 * *pDest char
* pSrc source string pointer

```

```

*
*          n          int
*          number of characters to copy
* RETURNS:          None
* COMMENTS:        Unlike strncpy this function
*                  ensures that the result string is
*                  always null
*                  terminated.
*/
inline static void UtilStrCpy(char * pDest, const BYTE
* pSrc, int n)
{
    strncpy(pDest, (char *)pSrc, n);
    pDest[n] = '\0';
}
return;
}
/* FUNCTION: CTPCC_DBLIB_ERR::ErrorText
*/
char* CTPCC_DBLIB_ERR::ErrorText(void)
{
    int i;
    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,
server" },
        { ERR_INVALID_CUST,
        "Invalid Customer id,name."
        },
        { ERR_NO_SUCH_ORDER,
        "No orders found for customer."
        },
        { ERR_RETRIED_TRANS,
        "Retries before transaction succeeded."
        },
        { 0,
        ""
        }
    };
    static char szNotFound[] = "Unknown error
number.";
    for(i=0; errorMsgs[i].szMsg[0]; i++)
    {
        if ( m_errno == errorMsgs[i].iError
)
            break;
    }
    if ( !errorMsgs[i].szMsg[0] )
        return szNotFound;
    else
        return errorMsgs[i].szMsg;
}
// wrapper routine for class constructor
_declspec(dllexport) CTPCC_DBLIB* CTPCC_DBLIB_new(
LPCSTR szServer, // name of SQL
server
LPCSTR szUser, //
user name for login

```

```

login
LPCSTR szPassword, // password for
LPCSTR szHost, //
workstation name; shows up in sp_who; max 30 chars,
only first 10 kept by SQL Server
LPCSTR szDatabase ) // name of
database to use
{
    return new CTPCC_DBLIB( szServer, szUser,
szPassword, szHost, szDatabase );
}
CTPCC_DBLIB::CTPCC_DBLIB (
LPCSTR szServer, // name of SQL
server
LPCSTR szUser, //
user name for login
LPCSTR szPassword, // password for
login
LPCSTR szHost, //
workstation name; shows up in sp_who; max 30 chars,
only first 10 kept by SQL Server
LPCSTR szDatabase ) // name of
database to use
{
    LOGINREC *login;
    const BYTE *pData;
    // initialization
    m_dbproc = NULL;
    m_DBLIBErr = (CDBLIBERR*)NULL;
    m_SqlErr = (CSQLERR*)NULL;
    m_MaxRetries = 10; // how many
retries on
deadlock
// increase max number of connections if
getting close
if ( dbgetmaxprocs() < (iConnectionCount+5) )
{
    if (
dbsetmaxprocs(iConnectionCount+10) == FAIL )
        ThrowError(CDBLIBERR::edbSetMaxProcs);
}
// allocate a login structure
login = dblogin();
if (login == NULL)
    ThrowError(CDBLIBERR::eLogin);
InterlockedIncrement( &iConnectionCount );
// register error and message handler
functions
if (dbprocerrhandle(login, err_handler) ==
NULL)
    ThrowError(CDBLIBERR::edbProcHandler);
if (dbprocsghandle(login, msg_handler) ==
NULL)
    ThrowError(CDBLIBERR::edbProcHandler);
DBSETLUSER(login, szUser);
DBSETLPWD(login, szPassword);
DBSETLHOST(login, szHost);
DBSETLPACKET(login, (unsigned
short)DEFCLPACKSIZE);

```

```

DBSETLVERSION(login, DBVER60);
// use dblink ver 6.0 client behavior
// set time to wait for login
if (dbsetlogintime(60) == FAIL)
    ThrowError(CDBLIBERR::edbSet);
// set time to wait for statement execution
if (dbsettime(180) == FAIL)
    ThrowError(CDBLIBERR::edbSet);
m_dbproc = dbopen(login, szServer);
// deallocate login structure before checking
for success
dbfreelogin( login );
if (m_dbproc == NULL)
    ThrowError(CDBLIBERR::edbOpen);
// save address of class instance so that the
message and error handler
// can get to data.
dbsetuserdata(m_dbproc, (LPVOID)this);
// Use the the right database
if (dbuse(m_dbproc, szDatabase) == FAIL)
    ThrowError(CDBLIBERR::edbUse);
dbcmd(m_dbproc, "set nocount on ");
// do not return row counts
dbcmd(m_dbproc, "set XACT_ABORT ON");
// rollback transaction on abort
if (dbsqlxexec(m_dbproc) == FAIL)
    ThrowError(CDBLIBERR::edbSqlExec);
DiscardNextResults(2);
// verify that version of stored procs on
server is correct
dbrpcinit(m_dbproc, "tpcc_version", 0);
if (dbrpcexec(m_dbproc) == FAIL)
    ThrowError(CDBLIBERR::edbRpcExec);
if (dbresults(m_dbproc) != SUCCEEDED)
    ThrowError(CDBLIBERR::edbResults);
if (dbnextrow(m_dbproc) != REG_ROW)
    ThrowError(CDBLIBERR::edbNextRow);
char szSrvVersion[16];
pData=dbdata(m_dbproc, 1);
if (pData)
    UtilStrCpy(szSrvVersion, pData,
dbdatlen(m_dbproc, 1));
else
    szSrvVersion[0]=0;
if (strcmp(szSrvVersion, sVersion))
    throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_WRONG_SP_VERSION );
DiscardNextRows(0);
DiscardNextResults(0);
}
CTPCC_DBLIB::~CTPCC_DBLIB( void )
{

```



```

resources // close db connection and deallocate
dbcClose(m_dbproc);
InterlockedDecrement( &iConnectionCount );
if (m_DbLibErr != NULL)
    delete m_DbLibErr;
if (m_SqlErr != NULL)
    delete m_SqlErr;
}

void CTPCC_DBLIB::SetDbLibError(int severity, int
dberr, int oserr, LPCSTR dberrstr, LPCSTR oserrstr)
{
    delete m_DbLibErr;
    m_DbLibErr = new
CDBLIBERR(CDBLIBERR::eUnknown, severity, dberr, oserr);
    if (dberrstr != NULL)
    {
        m_DbLibErr->m_dberrstr = new char[
strlen(dberrstr)+1 ];
        strcpy( m_DbLibErr->m_dberrstr,
dberrstr );
    }
    if (oserrstr != NULL)
    {
        m_DbLibErr->m_oserrstr = new char[
strlen(oserrstr)+1 ];
        strcpy( m_DbLibErr->m_oserrstr,
oserrstr );
    }
}

void CTPCC_DBLIB::SetSqlError( int /*DBINT*/ msgno, int
msgstate, int severity, LPCSTR msgtext )
{
    if (m_SqlErr == NULL)
        m_SqlErr = new CSQLERR();

    m_SqlErr->m_msgno = msgno;
    m_SqlErr->m_msgstate = msgstate;
    m_SqlErr->m_severity = severity;

    delete [] m_SqlErr->m_msgtext;
    if (msgtext != NULL)
    {
        m_SqlErr->m_msgtext = new char[
strlen(msgtext)+1 ];
        strcpy( m_SqlErr->m_msgtext,
msgtext );
    }
}

void CTPCC_DBLIB::ThrowError( CDBLIBERR::ACTION eAction )
{
    // discard anything still in return buffer
    DiscardNextRows(-1);
    DiscardNextResults(-1);

    // check for SQL server error first; if yes,
throw it and ignore any DBLib error.
    if (m_SqlErr != NULL)
    {
        CSQLERR *pSqlErr;
        pSqlErr = m_SqlErr;
        m_SqlErr = NULL; // clear our
pointer to instance; catch handler will delete
        throw pSqlErr;
    }
}

```

```

CDBLIBERR *pDbLibErr;
if (m_DbLibErr == NULL)
    // this case isn't expected to
happen, since it means that an error was returned
    // but the error handlers were not
called.
    pDbLibErr = new CDBLIBERR(eAction);
else
{
    pDbLibErr = m_DbLibErr;
    pDbLibErr->m_eAction = eAction;
    m_DbLibErr = NULL; //
clear our pointer to instance; catch handler will
delete
}
throw pDbLibErr;

// Read and discard rows until no more. Throw an
exception if number of rows read doesn't
// match number of rows expected. The row count will
be ignored if the expected count value
// passed in is negative. A typical use of this
routine is to verify that there are no more
// rows to be read.
void CTPCC_DBLIB::DiscardNextRows(int iExpectedCount)
{
    int rc;
    RETCODE rc;
    while (TRUE)
    {
        rc = dbnextrow(m_dbproc);
        if (rc == NO_MORE_ROWS)
            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >= 0)
                ThrowError(CDBLIBERR::eDbNextRow);
            else
                break;
        }
        iRowsRead++;
    }
    if ((iExpectedCount >= 0) &&
(iExpectedCount != iRowsRead))
        ThrowError(CDBLIBERR::eWrongRowCount);
}

// Read and discard results until no more. Throw an
exception if number of result sets read doesn't
// match number expected. The result set count will be
ignored if the expected count value
// passed in is negative. A typical use of this
routine is to verify that there are no more
// result sets to be read.
void CTPCC_DBLIB::DiscardNextResults(int
iExpectedCount)
{
    int rc;
    RETCODE rc;
    while (TRUE)
    {
        rc = dbresults(m_dbproc);
        if (rc == NO_MORE_RESULTS)
            break;
    }
}

```

```

if (rc == FAIL)
{
    if (iExpectedCount >= 0)
        ThrowError(CDBLIBERR::eDbResults);
    else
        break;
}
DiscardNextRows(-1);
iResultsRead++;
}
if ((iExpectedCount >= 0) &&
(iExpectedCount != iResultsRead))
    ThrowError(CDBLIBERR::eWrongRowCount);
}

void CTPCC_DBLIB::StockLevel()
{
    int iTryCount = 0;
    const BYTE *pData;
    ResetError();
    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_stocklevel", 0);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.StockLevel.w_id); // @w_id int
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.StockLevel.d_id); // @d_id
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.StockLevel.threshold); // @threshold smallint
            if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);
            if (dbresults(m_dbproc)
!= SUCCEEDED)
                ThrowError(CDBLIBERR::eDbResults);
            if (dbnextrow(m_dbproc)
!= REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);
            if
(pData=dbdata(m_dbproc, 1))
                m_txn.StockLevel.low_stock = *((long *)
pData);
            DiscardNextRows(0);
            DiscardNextResults(0);
            m_txn.StockLevel.exec_status_code = eOK;
            return;
        }
    }
}

```

```

        catch (CSQLERR *e)
        {
            if ((e->m_msgno == 1205
                ||
                iErrOleDbProvider &&
                >m_msgtext, sErrTimeoutExpired) != NULL) &&
                iMaxRetries))
            {
                // hit
                deadlock; backoff for increasingly longer period
                delete e;
                Sleep(10 *
                iTryCount);
            }
            else
            {
                throw;
            }
        }
        // while (TRUE)
        //if (iTryCount)
        //    throw new
        CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
        iTryCount);
    }

void CTPCC_DBLIB::NewOrder()
{
    int i;
    DBINT commit_flag;
    DBDATETIME datetime;
    DBDATETIME daterec;

    int iTryCount = 0;
    const BYTE *pData;

    ResetError();
    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
            "tpcc_neworder", 0);

            dbrpcparam(m_dbproc,
            NULL, 0, SQLINT4, -1, -1, (BYTE *)
            &m_txn.NewOrder.w_id);
            dbrpcparam(m_dbproc,
            NULL, 0, SQLINT1, -1, -1, (BYTE *)
            &m_txn.NewOrder.d_id);
            dbrpcparam(m_dbproc,
            NULL, 0, SQLINT4, -1, -1, (BYTE *)
            &m_txn.NewOrder.c_id);
            dbrpcparam(m_dbproc,
            NULL, 0, SQLINT1, -1, -1, (BYTE *)
            &m_txn.NewOrder.o_ol_cnt);

            // check whether any
            order lines are for a remote warehouse
            m_txn.NewOrder.o_all_local = 1;
            for (i = 0; i <
            m_txn.NewOrder.o_ol_cnt; i++)
            {
                if
                (m_txn.NewOrder.OL[i].o_l_supply_w_id !=
                m_txn.NewOrder.w_id)
            }
        }
    }
}

```

```

        m_txn.NewOrder.o_all_local = 0; // at least
one remote warehouse
        break;
    }
    }
    dbrpcparam(m_dbproc,
    NULL, 0, SQLINT1, -1, -1, (BYTE *)
    &m_txn.NewOrder.o_all_local);

    for (i = 0; i <
    m_txn.NewOrder.o_ol_cnt; i++)
    {
        dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1, -
        1, (BYTE *) &m_txn.NewOrder.OL[i].o_l_i_id);
        dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1, -
        1, (BYTE *) &m_txn.NewOrder.OL[i].o_l_supply_w_id);
        dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -
        1, (BYTE *) &m_txn.NewOrder.OL[i].o_l_quantity);
    }

    if (dbrpcexec(m_dbproc)
    == FAIL)
        ThrowError(CDBLIBERR::eDbRpcExec);

        // Get order line results
        m_txn.NewOrder.total_amount = 0;
        for (i = 0;
        i < m_txn.NewOrder.o_ol_cnt; i++)
        {
            if
            (dbresults(m_dbproc) != SUCCEED)
                ThrowError(CDBLIBERR::eDbResults);

            if
            (dbnumcols(m_dbproc) != 5)
                ThrowError(CDBLIBERR::eWrongNumCols);

            if
            (dbnextrow(m_dbproc) != REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            if(pData=dbdata(m_dbproc, 1))
                UtilStrCpy(m_txn.NewOrder.OL[i].o_l_i_name,
                pData, dbdatlen(m_dbproc, 1));
            if(pData=dbdata(m_dbproc, 2))
                m_txn.NewOrder.OL[i].o_l_stock = (*(DBSMALLINT
                *) pData);
            if(pData=dbdata(m_dbproc, 3))
                UtilStrCpy(m_txn.NewOrder.OL[i].o_l_brand_gene
                ric, pData, dbdatlen(m_dbproc, 3));
            if(pData=dbdata(m_dbproc, 4))
                dbconvert(m_dbproc, SQLNUMERIC,
                (LPCBYTE)pData, dbdatlen(m_dbproc, 4),

```

```

SQLFLT8, (BYTE
*)&m_txn.NewOrder.OL[i].o_l_i_price, 8);
        if(pData=dbdata(m_dbproc, 5))

            dbconvert(m_dbproc, SQLNUMERIC,
            (LPCBYTE)pData, dbdatlen(m_dbproc, 5),
            SQLFLT8, (BYTE
            *)&m_txn.NewOrder.OL[i].o_l_amount, 8);

            m_txn.NewOrder.total_amount =
            m_txn.NewOrder.total_amount +
            m_txn.NewOrder.OL[i].o_l_amount;

            DiscardNextRows(0);
        }

        // get remaining values
        for w_tax, d_tax, o_id, c_last, c_discount, c_credit,
        o_entry_d, commit_flag
        if (dbresults(m_dbproc)
        != SUCCEED)
            ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc)
            != REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            if (dbnumcols(m_dbproc)
            != 8)
                ThrowError(CDBLIBERR::eWrongNumCols);

            if
            (pData=dbdata(m_dbproc, 1))

                dbconvert(m_dbproc, SQLNUMERIC,
                (LPCBYTE)pData, dbdatlen(m_dbproc, 1), SQLFLT8, (BYTE
                *)&m_txn.NewOrder.w_tax, 8);
            if
            (pData=dbdata(m_dbproc, 2))

                dbconvert(m_dbproc, SQLNUMERIC,
                (LPCBYTE)pData, dbdatlen(m_dbproc, 2), SQLFLT8, (BYTE
                *)&m_txn.NewOrder.d_tax, 8);
            if
            (pData=dbdata(m_dbproc, 3))
                m_txn.NewOrder.o_id = (*(DBINT *) pData);
            if
            (pData=dbdata(m_dbproc, 4))
                UtilStrCpy(m_txn.NewOrder.c_last, pData,
                dbdatlen(m_dbproc, 4));
            if
            (pData=dbdata(m_dbproc, 5))
                dbconvert(m_dbproc, SQLNUMERIC,

```

```

(LPCBYTE)pData, dbdatlen(m_dbproc, 5), SQLFLT8, (BYTE
*)&m_txn.NewOrder.c_discount, 8);
    if
(pData=dbdata(m_dbproc, 6))
        UtilStrCpy(m_txn.NewOrder.c_credit, pData,
dbdatlen(m_dbproc, 6));
    if
(pData=dbdata(m_dbproc, 7))
    {
        datetime =
*((DBDATETIME *) pData);
        dbdatecrack(m_dbproc, &daterec, &datetime);
        m_txn.NewOrder.o_entry_d.year =
daterec.year;
        m_txn.NewOrder.o_entry_d.month =
daterec.month;
        m_txn.NewOrder.o_entry_d.day =
daterec.day;
        m_txn.NewOrder.o_entry_d.hour =
daterec.hour;
        m_txn.NewOrder.o_entry_d.minute =
daterec.minute;
        m_txn.NewOrder.o_entry_d.second =
daterec.second;
    }
    if
(pData=dbdata(m_dbproc, 8))
        commit_flag =
*((DBTINYINT *) pData);
        DiscardNextRows(0);
        DiscardNextResults(0);
        if (commit_flag == 1)
        {
            m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
m_txn.NewOrder.c_discount));
            m_txn.NewOrder.exec_status_code = eOK;
        }
        else
            m_txn.NewOrder.exec_status_code =
eInvalidItem;
        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205
||
(e->m_msgno ==
iErrorleDbProvider &&
strchr(e-
>m_msgtext, sErrTimeoutExpired) != NULL) &&
(++iTryCount <=
iMaxRetries))
        {
            // hit
            deadlock; backoff for increasingly longer period
            delete e;

```

```

        Sleep(10 *
iTryCount);
    }
    else
        throw;
    }
    // while (TRUE)
    {
        // if (iTryCount)
        // throw new
        CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
    }

void CTPCC_DBLIB::Payment()
{
    DBDATETIME daterec; datetime;
    int iTryCount = 0;
    const BYTE *pData;
    ResetError();
    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_payment", 0);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.Payment.w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.Payment.c_w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLFLT8, -1, -1, (BYTE *)
&m_txn.Payment.h_amount);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.d_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.c_d_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.Payment.c_id);
            // if customer id is
            zero, then payment is by name if (m_txn.Payment.c_id ==
0)
            dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.Payment.c_last), (unsigned char
*)&m_txn.Payment.c_last);
            if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);
            if (dbresults(m_dbproc)
!= SUCCEED)
                ThrowError(CDBLIBERR::eDbResults);
            if (dbnextrow(m_dbproc)
!= REG_ROW)

```

```

                ThrowError(CDBLIBERR::eDbNextRow);
            if (dbnumcols(m_dbproc)
!= 27)
                ThrowError(CDBLIBERR::eWrongNumCols);
            if
(pData=dbdata(m_dbproc, 1))
                m_txn.Payment.c_id = *((DBINT *) pData);
            if
(pData=dbdata(m_dbproc, 2))
                UtilStrCpy(m_txn.Payment.c_last, pData,
dbdatlen(m_dbproc, 2));
            if
(pData=dbdata(m_dbproc, 3))
            {
                datetime =
*((DBDATETIME *) pData);
                dbdatecrack(m_dbproc, &daterec, &datetime);
                m_txn.Payment.h_date.year = daterec.year;
                m_txn.Payment.h_date.month = daterec.month;
                m_txn.Payment.h_date.day = daterec.day;
                m_txn.Payment.h_date.hour = daterec.hour;
                m_txn.Payment.h_date.minute = daterec.minute;
                m_txn.Payment.h_date.second = daterec.second;
            }
            if
(pData=dbdata(m_dbproc, 4))
                UtilStrCpy(m_txn.Payment.w_street_1, pData,
dbdatlen(m_dbproc, 4));
            if
(pData=dbdata(m_dbproc, 5))
                UtilStrCpy(m_txn.Payment.w_street_2, pData,
dbdatlen(m_dbproc, 5));
            if
(pData=dbdata(m_dbproc, 6))
                UtilStrCpy(m_txn.Payment.w_city, pData,
dbdatlen(m_dbproc, 6));
            if
(pData=dbdata(m_dbproc, 7))
                UtilStrCpy(m_txn.Payment.w_state, pData,
dbdatlen(m_dbproc, 7));
            if
(pData=dbdata(m_dbproc, 8))
                UtilStrCpy(m_txn.Payment.w_zip, pData,
dbdatlen(m_dbproc, 8));
            if
(pData=dbdata(m_dbproc, 9))
                UtilStrCpy(m_txn.Payment.d_street_1, pData,
dbdatlen(m_dbproc, 9));
            if
(pData=dbdata(m_dbproc, 10))
                UtilStrCpy(m_txn.Payment.d_street_2, pData,
dbdatlen(m_dbproc, 10));

```

```

(pData=dbdata(m_dbproc, 11)) if
    UtilStrCpy(m_txn.Payment.d_city, pData,
dbdatlen(m_dbproc, 11));
    if
(pData=dbdata(m_dbproc, 12))
        UtilStrCpy(m_txn.Payment.d_state, pData,
dbdatlen(m_dbproc, 12));
    if
(pData=dbdata(m_dbproc, 13))
        UtilStrCpy(m_txn.Payment.d_zip, pData,
dbdatlen(m_dbproc, 13));
    if
(pData=dbdata(m_dbproc, 14))
        UtilStrCpy(m_txn.Payment.c_first, pData,
dbdatlen(m_dbproc, 14));
    if
(pData=dbdata(m_dbproc, 15))
        UtilStrCpy(m_txn.Payment.c_middle, pData,
dbdatlen(m_dbproc, 15));
    if
(pData=dbdata(m_dbproc, 16))
        UtilStrCpy(m_txn.Payment.c_street_1, pData,
dbdatlen(m_dbproc, 16));
    if
(pData=dbdata(m_dbproc, 17))
        UtilStrCpy(m_txn.Payment.c_street_2, pData,
dbdatlen(m_dbproc, 17));
    if
(pData=dbdata(m_dbproc, 18))
        UtilStrCpy(m_txn.Payment.c_city, pData,
dbdatlen(m_dbproc, 18));
    if
(pData=dbdata(m_dbproc, 19))
        UtilStrCpy(m_txn.Payment.c_state, pData,
dbdatlen(m_dbproc, 19));
    if
(pData=dbdata(m_dbproc, 20))
        UtilStrCpy(m_txn.Payment.c_zip, pData,
dbdatlen(m_dbproc, 20));
    if
(pData=dbdata(m_dbproc, 21))
        UtilStrCpy(m_txn.Payment.c_phone, pData,
dbdatlen(m_dbproc, 21));
    if
(pData=dbdata(m_dbproc, 22))
    {
        datetime =
*((DBDATETIME *) pData);
        dbdatecrack(m_dbproc, &daterec, &datetime);
        m_txn.Payment.c_since.year = daterec.year;
        m_txn.Payment.c_since.month = daterec.month;
        m_txn.Payment.c_since.day = daterec.day;
        m_txn.Payment.c_since.hour = daterec.hour;

```

```

        m_txn.Payment.c_since.minute =
daterec.minute;
        m_txn.Payment.c_since.second =
daterec.second;
    }
    if(pData=dbdata(m_dbproc,
23))
        UtilStrCpy(m_txn.Payment.c_credit, pData,
dbdatlen(m_dbproc, 23));
    if(pData=dbdata(m_dbproc,
24))
        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,24), SQLFLT8, (BYTE
*)&m_txn.Payment.c_credit_lim, 8);
    if(pData=dbdata(m_dbproc,
25))
        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,25), SQLFLT8, (BYTE
*)&m_txn.Payment.c_discount, 8);
    if(pData=dbdata(m_dbproc,
26))
        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,26), SQLFLT8, (BYTE
*)&m_txn.Payment.c_balance, 8);
    if(pData=dbdata(m_dbproc,
27))
        UtilStrCpy(m_txn.Payment.c_data, pData,
dbdatlen(m_dbproc, 27));
        DiscardNextRows(0);
        DiscardNextResults(0);
    if (m_txn.Payment.c_id ==
0)
        throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
        else
            m_txn.Payment.exec_status_code = eOK;
            return;
        }
        catch (CSQLERR *e)
        {
            if ((e->m_msgno == 1205
||
(e->m_msgno ==
iErrorDbProvider &&
strchr(e-
>m_msgtext, sErrTimeoutExpired) != NULL)) &&
(++iTryCount <=
iMaxRetries))
            {
                // hit
                // deadlock; backoff for increasingly longer period
                delete e;
                sleep(10 * *
iTryCount);
            }
            else
                throw;
        }
    } // while (TRUE)

```

```

// if (iTryCount)
// throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::OrderStatus()
{
    int
    DBDATETIME          datetime;
    DBDATEREK          daterec;

    int
    RETCODE             rc;
    const BYTE          *pData;
    ResetError();
    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_orderstatus", 0);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.OrderStatus.w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.OrderStatus.d_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.OrderStatus.c_id);
            // if customer id is
            // name
            // if
            zero, then order status is by
            (m_txn.OrderStatus.c_id == 0)
            dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.OrderStatus.c_last), (unsigned char
*)&m_txn.OrderStatus.c_last);
            if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);
            // Get order lines
            // if (dbresults(m_dbproc)
!= SUCCEED)
            {
                if ((m_DbLibErr
== NULL) && (m_SqlErr == NULL))
                    throw
                    new CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER
);
                else
                    ThrowError(CDBLIBERR::eDbResults);
            }
            if (dbnumcols(m_dbproc)
!= 5)
                ThrowError(CDBLIBERR::eWrongNumCols);
            i = 0;

```

```

while (TRUE)
{
    rc =
    if (rc ==
NO_MORE_ROWS)
        break;
    if (rc !=
REG_ROW)
        ThrowError(CDBLIBERR::edbNextRow);

    if(pData=dbdata(m_dbproc, 1))
    m_txn.OrderStatus.OL[i].ol_supply_w_id =
    (*DBSMALLINT *) pData);
    if(pData=dbdata(m_dbproc, 2))
    m_txn.OrderStatus.OL[i].ol_i_id = (*DBINT *)
pData);
    if(pData=dbdata(m_dbproc, 3))
    m_txn.OrderStatus.OL[i].ol_quantity =
    (*DBSMALLINT *) pData);
    if(pData=dbdata(m_dbproc, 4))
    dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,4),
SQLFLT8, (BYTE
*)&m_txn.OrderStatus.OL[i].ol_amount, 8);
    if(pData=dbdata(m_dbproc, 5)) {
        datetime = *((DBDATETIME *) pData);
        dbdatecrack(m_dbproc, &daterec, &datetime);
        m_txn.OrderStatus.OL[i].ol_delivery_d.year
= daterec.year;
        m_txn.OrderStatus.OL[i].ol_delivery_d.month
= daterec.month;
        m_txn.OrderStatus.OL[i].ol_delivery_d.day
= daterec.day;
        m_txn.OrderStatus.OL[i].ol_delivery_d.hour
= daterec.hour;
        m_txn.OrderStatus.OL[i].ol_delivery_d.minute
= daterec.minute;
        m_txn.OrderStatus.OL[i].ol_delivery_d.second
= daterec.second;
    }
    i++;
    m_txn.OrderStatus.o_ol_cnt = i;
    if (dbresults(m_dbproc)
!= SUCCEED)
        ThrowError(CDBLIBERR::edbResults);
}

```

```

if (dbnextrow(m_dbproc)
!= REG_ROW)
    ThrowError(CDBLIBERR::edbNextRow);
if (dbnumcols(m_dbproc)
!= 8)
    ThrowError(CDBLIBERR::ewrongNumCols);
if(pData=dbdata(m_dbproc,
1))
    m_txn.OrderStatus.c_id = (*DBINT *) pData);
if(pData=dbdata(m_dbproc,
2))
    UtilStrCpy(m_txn.OrderStatus.c_last, pData,
dbdatlen(m_dbproc,2));
if(pData=dbdata(m_dbproc,
3))
    UtilStrCpy(m_txn.OrderStatus.c_first, pData,
dbdatlen(m_dbproc,3));
if(pData=dbdata(m_dbproc,
4))
    UtilStrCpy(m_txn.OrderStatus.c_middle, pData,
dbdatlen(m_dbproc, 4));
if(pData=dbdata(m_dbproc,
5))
    {
        datetime =
        *((DBDATETIME *) pData);
        dbdatecrack(m_dbproc, &daterec, &datetime);
        m_txn.OrderStatus.o_entry_d.year =
daterec.year;
        m_txn.OrderStatus.o_entry_d.month =
daterec.month;
        m_txn.OrderStatus.o_entry_d.day =
daterec.day;
        m_txn.OrderStatus.o_entry_d.hour =
daterec.hour;
        m_txn.OrderStatus.o_entry_d.minute =
daterec.minute;
        m_txn.OrderStatus.o_entry_d.second =
daterec.second;
    }
if(pData=dbdata(m_dbproc,
6))
    m_txn.OrderStatus.o_carrier_id =
    (*DBSMALLINT *) pData);
if(pData=dbdata(m_dbproc,
7))
    dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,7),
SQLFLT8, (BYTE
*)&m_txn.OrderStatus.c_balance, 8);
if(pData=dbdata(m_dbproc,
8))

```

```

m_txn.OrderStatus.o_id = (*DBINT *) pData);
        DiscardNextRows(0);
        DiscardNextResults(0);
    if
(m_txn.OrderStatus.o_ol_cnt == 0)
        throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER );
    else if
(m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
        throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
    else
        m_txn.OrderStatus.exec_status_code = eOK;
        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205
||
(e->m_msgno ==
iErrorDbProvider &&
str(e-
>m_msgtext, serrTimeoutExpired) != NULL)) &&
(++iTryCount <=
iMaxRetries))
        {
            // hit
            deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    }
} // while (TRUE)
// if (iTryCount)
// throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Delivery()
{
    int i;
    int iTryCount = 0;
    const BYTE *pData;
    ResetError();
    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_delivery", 0);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.Delivery.w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Delivery.o_carrier_id);

```

```

        if (dbrpcexec(m_dbproc)
== FAIL)
    ThrowError(CDBLIBERR::edbRpcExec);
        if (dbresults(m_dbproc)
!= SUCCEED)
    ThrowError(CDBLIBERR::edbResults);
        if (dbnextrow(m_dbproc)
!= REG_ROW)
    ThrowError(CDBLIBERR::edbNextRow);
        if (dbnumcols(m_dbproc)
!= 10)
    ThrowError(CDBLIBERR::ewrongNumCols);
        for (i=0; i<10; i++)
        {
            if (pData =
dbdata(m_dbproc, i+1))
                m_txn.Delivery.o_id[i] = *((DBINT *)pData);
            DiscardNextRows(0);
            DiscardNextResults(0);

            m_txn.Delivery.exec_status_code = eOK;
            return;
        }
        catch (CSQLERR *e)
        {
            if ((e->m_msgno == 1205
||
iErr0leDbProvider &&
>m_msgtext, sErrTimeoutExpired) != NULL) &&
iMaxRetries))
                {
                    // hit
                    deadlock; backoff for increasingly longer period
                    delete e;
                    Sleep(10 *
iTryCount);
                }
            else
                throw;
        }
    } // while (TRUE)
    // if (iTryCount)
    // throw new
    CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::ResetError()
{
    if (m_DbLibErr != NULL)
    {
        delete m_DbLibErr;
        m_DbLibErr = (CDBLIBERR*)NULL;
    }
}

```

```

        if (m_SqlErr != NULL)
        {
            delete m_SqlErr;
            m_SqlErr = (CSQLERR*)NULL;
        }
    }
}

db_dblib_dll/src/tpcc_dblib.h

/* FILE: TPCC_DBLIB.H
 * Microsoft TPC-C
 * Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 * PURPOSE: Header file for TPC-C txn class
 * implementation.
 * Change history:
 * 4.20.000 - updated rev number to
 * match kit
 */
#pragma once

#ifdef PDBPROCESS
#define DBPROCESS void // dbprocess structure type
typedef DBPROCESS * PDBPROCESS;
#endif

// need to declare functions for import, unless define
has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CSQLERR : public CBaseErr
{
public:
    CSQLERR(void)
    {
        m_msgno = 0;
        m_msgstate = 0;
        m_severity = 0;
        m_msgtext = NULL;
    };
    ~CSQLERR()
    {
        delete [] m_msgtext;
    };
    int m_msgno;
    int m_msgstate;
    int m_severity;
    char *m_msgtext;
    int ErrorType() {return
ERR_TYPE_SQL;};
    int ErrorNum() {return m_msgno;};
}

```

```

        char *ErrorText() {return
m_msgtext;};
};

class CDBLIBERR : public CBaseErr
{
public:
    enum ACTION
    {
        eNone,
        eunknown,
        eLogin,
        // error from dblogin
        edbOpen,
        // error from dbopen
        edbuse,
        // error from dbuse
        edbSqlExec,
        // error from dbsqlExec
        edbSet,
        // error from dbset
        // error from one of the dbset*
        edbNextRow,
        // error from dbnextrow
        eWrongRowCount,
        // more or less rows returned than expected
        eWrongNumCols,
        // more or less columns returned than
        expected
        edbResults,
        // error from dbresults
        edbRpcExec,
        // error from dbrpcExec
        edbSetMaxProcs,
        // error from dbsetmaxprocs
        edbProcHandler,
        // error from either dbprocerrhandle or
        dbprocsghandle
    };
    CDBLIBERR(ACTION eAction, int
severity = 0, int dberror = 0, int oserr = 0)
    {
        m_eAction = eAction;
        m_severity = severity;
        m_dberror = dberror;
        m_oserr = oserr;

        m_dberrstr = NULL;
        m_oserrstr = NULL;
    };
    ~CDBLIBERR()
    {
        delete [] m_dberrstr;
        delete [] m_oserrstr;
    };
    ACTION m_eAction;
    int m_severity;
    int m_dberror;
    int m_oserr;
    char *m_dberrstr;
    char *m_oserrstr;
    int ErrorType() {return
ERR_TYPE_DBLIB;};
    int ErrorNum() {return m_dberror;};
    char *ErrorText() {return
m_dberrstr;};
}

```

```

};
class CTPCC_DBLIB_ERR : public CBaseErr
{
public:
    enum CTPCC_DBLIB_ERRS
    {
        ERR_WRONG_SP_VERSION = 1,
server" // "Wrong version of stored procs on database
        ERR_INVALID_CUST,
        // "Invalid customer id.name."
        ERR_NO_SUCH_ORDER,
        // "No orders found for customer."
        ERR_RETRIED_TRANS,
        // "Retries before transaction
succeeded."
    };
    CTPCC_DBLIB_ERR( int iErr ) {
m_errno = iErr; m_iTryCount = 0; };
    CTPCC_DBLIB_ERR( int iErr, int
iTryCount ) { m_errno = iErr; m_iTryCount = iTryCount;
};

    int m_errno;
    int m_iTryCount;

    int ErrorType() {return
ERR_TYPE_TPCC_DBLIB;};
    int ErrorNum() {return m_errno;};
    char *ErrorText();
};

class DllDecl CTPCC_DBLIB : public CTPCC_BASE
{
private:
    // declare variables and private
functions here...
    PDBPROCESS m_dbproc;
    CDBLIBERR *m_DbLibErr;
    // not allocated until needed (maybe never)
    CSQLERR *m_SqlErr;
    // not allocated until
needed (maybe never)
    int m_MaxRetries; // retry count
on deadlock

    void DiscardNextRows(int
iExpectedCount);
    void DiscardNextResults(int
iExpectedCount);
    void ThrowError( CDBLIBERR::ACTION
eAction );
    void ResetError();

    union
    {
        NEW_ORDER_DATA
NewOrder;
        PAYMENT_DATA
Payment;
        DELIVERY_DATA
Delivery;
        STOCK_LEVEL_DATA
StockLevel;
        ORDER_STATUS_DATA
OrderStatus;
    };
};

```

```

}
    m_txn;
public:
    CTPCC_DBLIB(LPCSTR szServer, LPCSTR
szUser, LPCSTR szPassword, LPCSTR szHost, LPCSTR
szDatabase );
    ~CTPCC_DBLIB(void);

    inline PNEW_ORDER_DATA
BuffAddr_NewOrder() { return
&m_txn.NewOrder; };
    inline PPAYMENT_DATA
BuffAddr_Payment() { return
&m_txn.Payment; };
    inline PDELIVERY_DATA
BuffAddr_Delivery() { return
&m_txn.Delivery; };
    inline PSTOCK_LEVEL_DATA
BuffAddr_StockLevel() { return
&m_txn.StockLevel; };
    inline PORDER_STATUS_DATA
BuffAddr_OrderStatus() { return
&m_txn.OrderStatus; };

    void NewOrder ( );
    void Payment ( );
    void Delivery ( );
    void StockLevel ( );
    void OrderStatus ( );

    // these are public because they
must be called from the dblib_err_handler and
msg_hangler
    // outside of the class
void SetDbLibError(int severity,
int dberr, int oserr, LPCSTR dberrstr, LPCSTR
oserrstr);
void SetSqlError( int msgno, int
msgstate, int severity, LPCSTR msgtext );
};

extern "C" DllDecl CTPCC_DBLIB* CTPCC_DBLIB_new
( LPCSTR szServer, LPCSTR szUser, LPCSTR
szPassword, LPCSTR szHost, LPCSTR szDatabase );

typedef CTPCC_DBLIB* (TYPE_CTPCC_DBLIB)(LPCSTR, LPCSTR,
LPCSTR, LPCSTR, LPCSTR);

tm_com_dll/src/tpcc_com.cpp
/* FILE: TPCC_COM.CPP Microsoft TPC-C
Kit Ver. 4.20.000 Copyright
Microsoft, 1999
* All Rights Reserved
* not yet audited
*
* PURPOSE: Source file for TPC-C COM+ class
implementation.
* Contact: Charles Levine
(clevine@microsoft.com)
* Change history: 4.20.000 - first version
*/

```

```

// needed for CoInitializeEx
#define _WIN32_WINNT 0x0400
#include <windows.h>

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_com.h"

#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\tpcc_com_all\src\tpcc_com_all_i.c"

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_COM* CTPCC_COM_new(BOOL
bSinglePool)
{
    return new CTPCC_COM(bSinglePool);
}

CTPCC_COM::CTPCC_COM(BOOL bSinglePool)
{
    HRESULT hr = NULL;
    long lRet = 0;
    ULONG ulTmpSize = 0;

    m_pTxn = NULL;
    m_pNewOrder = NULL;
    m_pPayment = NULL;
    m_pStockLevel = NULL;
    m_pOrderStatus = NULL;
    m_bSinglePool = bSinglePool;

    ulTmpSize = (ULONG) sizeof(COM_DATA);
    VariantInit(&m_vTxn);
    m_vTxn.vt = VT_SAFEARRAY;

    m_vTxn.parray = SafeArrayCreateVector(VT_UI1,
ulTmpSize, ulTmpSize);
    if (!m_vTxn.parray)
        throw new CCOMERR( E_FAIL );

    memset((void*)m_vTxn.parray-
>pvData,0,ulTmpSize);
    m_pTxn = (COM_DATA*)m_vTxn.parray->pvData;

    hr = CoInitializeEx(NULL,
COINIT_MULTITHREADED);
    if (FAILED(hr))
    {
        throw new CCOMERR( hr );
    }

    // create components
    if (m_bSinglePool)
    {
        hr = CoCreateInstance(CLSID_TPCC,
NULL, CLSCTX_SERVER, IID_ITPCC, (void *)&m_pNewOrder);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        // all txns will use same component
        m_pPayment = m_pNewOrder;
        m_pStockLevel = m_pNewOrder;
        m_pOrderStatus = m_pNewOrder;
    }
}

```

```

else
{
    // use different components for
each txn
    hr =
CoCreateInstance(CLSID_NewOrder, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pNewOrder);
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr =
CoCreateInstance(CLSID_Payment, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pPayment);
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr =
CoCreateInstance(CLSID_StockLevel, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pStockLevel);
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr =
CoCreateInstance(CLSID_OrderStatus, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **)&m_pOrderStatus);
    if (FAILED(hr))
        throw new CCOMERR(hr);
}
// call setcomplete to release each component
back into pool
hr = m_pNewOrder->CallSetComplete();
if (FAILED(hr))
    throw new CCOMERR(hr);

if (!m_bSinglePool)
{
    hr = m_pPayment->CallSetComplete();
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr = m_pStockLevel->
CallSetComplete();
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr = m_pOrderStatus->
CallSetComplete();
    if (FAILED(hr))
        throw new CCOMERR(hr);
}
}

CTPCC_COM::~CTPCC_COM()
{
    if (m_pTxn)
        SafeArrayDestroy(m_pTxn.parray);

    ReleaseInterface(m_pNewOrder);
    if (!m_bSinglePool)
    {
        ReleaseInterface(m_pPayment);
        ReleaseInterface(m_pStockLevel);
        ReleaseInterface(m_pOrderStatus);
    }
    Counitialize();
}

void CTPCC_COM::NewOrder()
{
    VARIANT vTxn_out;

```

```

        HRESULT hr = m_pNewOrder->NewOrder(m_pTxn,
&vTxn_out);
        if (FAILED(hr))
            throw new CCOMERR( hr );
        memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData, vTxn_out.parray->rgsabound[0].cElements);
        SafeArrayDestroy(vTxn_out.parray);

        if ( m_pTxn->ErrorType != ERR_SUCCESS )
            throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
    }

void CTPCC_COM::Payment()
{
    VARIANT vTxn_out;
    HRESULT hr = m_pPayment->Payment(m_pTxn,
&vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData, vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

void CTPCC_COM::StockLevel()
{
    VARIANT vTxn_out;
    HRESULT hr = m_pStockLevel->
StockLevel(m_pTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData, vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

void CTPCC_COM::OrderStatus()
{
    VARIANT vTxn_out;
    HRESULT hr = m_pOrderStatus->
OrderStatus(m_pTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData, vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

```

tm_com_dll/src/tpcc_com.h

```

/* FILE: TPCC_COM.H
 * Microsoft TPC-C
 * Kit Ver. 4.20.000 Copyright
 * All Rights Reserved
 * not yet audited
 * PURPOSE: Header file for TPC-C COM+ class
 * implementation.
 * Change history:
 * 4.20.000 - first version
 */

#pragma once

#include <stdio.h>
#include "..\..\tpcc_com_ps\src\tpcc_com_ps.h"

// need to declare functions for import, unless define
has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CCOMERR : public CBaseErr
{
private:
    char m_szErrorText[64];

public:
    // use this interface for genuine
COM errors
    CCOMERR( HRESULT hr )
    {
        m_hr = hr;
        m_iErrorType = 0;
        m_iError = 0;
    }

    // use this interface to
impersonate a non-COM error type
    CCOMERR( int iErrorType, int iError
)
    {
        m_iErrorType =
iErrorType;
        m_iError = iError;
        m_hr = S_OK;
    }

    int m_hr;
    int m_iErrorType;
    int m_iError;

    // A CCOMERR class can impersonate
another class, which happens if the error
// was not actually a COM Services
error, but was simply transmitted back via COM.
    int ErrorType()
    {
        if (m_iErrorType == 0)
            return
ERR_TYPE_COM;
        else
            return
m_iErrorType;
    }
}

```



```

        int ErrorNum() {return m_hr;}
        char *ErrorText()
        {
            if (m_hr == S_OK)
                sprintf(
m_szErrorText, "Error: Class %d, error # %d",
m_iErrorType, m_iError );
            else
                sprintf(
m_szErrorText, "Error: COM HRESULT %x", m_hr );
            return m_szErrorText;
        }
};

class DllDecl CTPCC_COM : public CTPCC_BASE
{
private:
    BOOL m_bSinglePool;

    // COM Interface pointers
    ITPCC*
m_pNewOrder;
    ITPCC*
m_pPayment;
    ITPCC*
m_pStockLevel;
    ITPCC*
m_pOrderStatus;

    struct COM_DATA
    {
        int ErrorType;
        int error;
        union
        {
            NEW_ORDER_DATA
NewOrder;
            PAYMENT_DATA
Payment;
            DELIVERY_DATA
Delivery;
        }
    };

    STOCK_LEVEL_DATA StockLevel;
    ORDER_STATUS_DATA orderStatus;
    } *m_pTxn;
public:
    VARIANT m_vTxn;
    CTPCC_COM(BOOL bSinglePool);
    ~CTPCC_COM(void);

    inline PNEW_ORDER_DATA
BuffAddr_NewOrder() { return
&m_pTxn->u.NewOrder; };
    inline PPAYMENT_DATA
BuffAddr_Payment() { return
&m_pTxn->u.Payment; };
    inline PDELIVERY_DATA
BuffAddr_Delivery() { return
&m_pTxn->u.Delivery; };
    inline PSTOCK_LEVEL_DATA
BuffAddr_StockLevel() { return
&m_pTxn->u.StockLevel; };
    inline PORDER_STATUS_DATA
BuffAddr_OrderStatus() { return
&m_pTxn->u.OrderStatus; };

    void NewOrder        ();
    void Payment         ();
};

```

```

        void StockLevel        ();
        void OrderStatus      ();
        void Delivery         ();
throw new CCOMERR(E_NOTIMPL); } // not supported
};

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

// wrapper routine for class constructor
extern "C" __declspec(dllexport) CTPCC_COM*
CTPCC_COM_new(BOOL);

typedef CTPCC_COM* (TYPE_CTPCC_COM)(BOOL);

tpcc_com_all/src/methods.h
/* FILE: METHODS.H Microsoft TPC-C
Kit Ver. 4.20.000 Copyright
Microsoft, 1999
All Rights Reserved
not yet audited
PURPOSE: Header file for COM components.
Change history: 4.20.000 - first version
*/

enum COMPONENT_ERROR
{
    ERR_MISSING_REGISTRY_ENTRIES = 1,
    ERR_LOADDLL_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_UNKNOWN_DB_PROTOCOL
};

class CCOMPONENT_ERR : public CBaseErr
{
public:
    CCOMPONENT_ERR(COMPONENT_ERROR Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    };

    CCOMPONENT_ERR(COMPONENT_ERROR Err,
DWORD dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new
char[strlen(szTextDetail)+1];
        strcpy( m_szTextDetail,
szTextDetail );
        m_SystemErr =
dwSystemErr;
        m_szErrorText = NULL;
    };
};

```

```

};
~CCOMPONENT_ERR()
{
    if (m_szTextDetail !=
NULL)
        delete []
m_szTextDetail;
    if (m_szErrorText !=
NULL)
        delete []
m_szErrorText;
};

COMPONENT_ERROR m_Error;
char
*m_szTextDetail;
char
*m_szErrorText;
DWORD
m_SystemErr;

int ErrorType() {return
ERR_TYPE_COMPONENT;};
int ErrorNum() {return m_Error;};
char *ErrorText();

static void writeMessageToEventLog(LPTSTR lpszMsg);

////////////////////////////////////
////////////////////////////////////
// CTPCC_Common
class CTPCC_Common :
public ITPCC,
public IObjectContext,
public IObjectConstruct,
public
CComObjectRootEx<CComSingleThreadModel>
{
public:
    BEGIN_COM_MAP(CTPCC_Common)
        COM_INTERFACE_ENTRY(ITPCC)
        COM_INTERFACE_ENTRY(IObjectContext)
        COM_INTERFACE_ENTRY(IObjectConstruct)
    END_COM_MAP()

    CTPCC_Common();
    ~CTPCC_Common();

// ITPCC
public:
    HRESULT __stdcall NewOrder(
VARIANT txn_in, VARIANT* txn_out);
    HRESULT __stdcall Payment(
VARIANT txn_in, VARIANT* txn_out);
    HRESULT __stdcall Delivery(
VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
    HRESULT __stdcall StockLevel( VARIANT txn_in,
VARIANT* txn_out);
    HRESULT __stdcall OrderStatus(
VARIANT txn_in, VARIANT* txn_out);

    HRESULT __stdcall CallSetComplete();

// IObjectContext
STDMETHODIMP_(BOOL) CanBePooled() { return
m_bCanBePooled; }
};

```

```

        STDMETHODIMP Activate() { return S_OK; }
        // we don't support COM Services transactions
(no enlistment)
        STDMETHODIMP_(void) Deactivate() { /* nothing
to do */ }
// IObjectConstruct
        STDMETHODIMP Construct(IDispatch * punk);

private:
        // helper methods
        BOOL                m_bCanBePooled;
        CTGCC_BASE         *m_pTxn;

        struct COM_DATA
        {
                int         retval;
                int         error;
                union
                {
                        NEW_ORDER_DATA
                };
        };

        NewOrder;
        Payment;
        Delivery;
        StockLevel;
        OrderStatus;
        };
        };

};

////////////////////////////////////
// CTGCC
class CTGCC :
public CTGCC_Common,
public CComCoClass<CTGCC, &CLSID_TPCC>
{
public:
        DECLARE_REGISTRY_RESOURCEID(IDR_TPCC)

        BEGIN_COM_MAP(CTGCC)
                //COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx<CComSingleThreadModel>)
                COM_INTERFACE_ENTRY2(IUnknown, ITPCC)
                COM_INTERFACE_ENTRY_CHAIN(CTGCC_Common)
        END_COM_MAP()
};

////////////////////////////////////
// CNewOrder
class CNewOrder :
public CTGCC_Common,
public CComCoClass<CNewOrder,
&CLSID_NewOrder>
{
public:
        DECLARE_REGISTRY_RESOURCEID(IDR_NEWORDER)

        BEGIN_COM_MAP(CNewOrder)
                //COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
                COM_INTERFACE_ENTRY2(IUnknown, ITPCC)
                COM_INTERFACE_ENTRY_CHAIN(CTGCC_Common)
        END_COM_MAP()
};

```

```

// ITPCC
public:
        HRESULT __stdcall NewOrder(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
        HRESULT __stdcall Payment(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
        HRESULT __stdcall StockLevel( VARIANT txn_in,
        VARIANT* txn_out) {return E_NOTIMPL;}
        HRESULT __stdcall OrderStatus(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

////////////////////////////////////
// COrderStatus
class COrderStatus :
public CTGCC_Common,
public CComCoClass<COrderStatus,
&CLSID_OrderStatus>
{
public:
        DECLARE_REGISTRY_RESOURCEID(IDR_ORDERSTATUS)

        BEGIN_COM_MAP(COrderStatus)
                //COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
                COM_INTERFACE_ENTRY2(IUnknown, ITPCC)
                COM_INTERFACE_ENTRY_CHAIN(CTGCC_Common)
        END_COM_MAP()
};

// ITPCC
public:
        HRESULT __stdcall NewOrder(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
        HRESULT __stdcall Payment(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
        HRESULT __stdcall StockLevel( VARIANT txn_in,
        VARIANT* txn_out) {return E_NOTIMPL;}
        // HRESULT __stdcall OrderStatus(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

////////////////////////////////////
// CPayment
class CPayment :
public CTGCC_Common,
public CComCoClass<CPayment, &CLSID_Payment>
{
public:
        DECLARE_REGISTRY_RESOURCEID(IDR_PAYMENT)

        BEGIN_COM_MAP(CPayment)
                //COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
                COM_INTERFACE_ENTRY2(IUnknown, ITPCC)
                COM_INTERFACE_ENTRY_CHAIN(CTGCC_Common)
        END_COM_MAP()
};

// ITPCC
public:

```

```

        HRESULT __stdcall NewOrder(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
        HRESULT __stdcall Payment(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
        HRESULT __stdcall StockLevel( VARIANT txn_in,
        VARIANT* txn_out) {return E_NOTIMPL;}
        HRESULT __stdcall OrderStatus(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

////////////////////////////////////
// CStockLevel
class CStockLevel :
public CTGCC_Common,
public CComCoClass<CStockLevel,
&CLSID_StockLevel>
{
public:
        DECLARE_REGISTRY_RESOURCEID(IDR_STOCKLEVEL)

        BEGIN_COM_MAP(CStockLevel)
                //COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
                COM_INTERFACE_ENTRY2(IUnknown, ITPCC)
                COM_INTERFACE_ENTRY_CHAIN(CTGCC_Common)
        END_COM_MAP()
};

// ITPCC
public:
        HRESULT __stdcall NewOrder(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
        HRESULT __stdcall Payment(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
        // HRESULT __stdcall StockLevel( VARIANT txn_in,
        VARIANT* txn_out) {return E_NOTIMPL;}
        HRESULT __stdcall OrderStatus(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

tpcc_com_all/src/resource.h

//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// used by tpcc_com_all.rc
//
#define IDS_PROJNAME                100
#define IDR_TPCC                    101
#define IDR_NEWORDER                102
#define IDR_ORDERSTATUS              103
#define IDR_PAYMENT                  104
#define IDR_STOCKLEVEL               105

// Next default values for new objects
//
#ifdef APSTUDIO_INVOKED
#ifndef APSTUDIO_READONLY_SYMBOLS
#define _APS_NEXT_RESOURCE_VALUE    202
#define _APS_NEXT_COMMAND_VALUE    32768
#define _APS_NEXT_CONTROL_VALUE    201
#define _APS_NEXT_SYMED_VALUE      106
#endif
#endif

```

```

tpcc_com_all/src/tpcc_com_all.cpp
/*      FILE:          TPCC_COM_ALL.CPP
 *      Microsoft TPC-C
Kit Ver. 4.20.000
 *      Copyright
Microsoft, 1999
 *      All Rights Reserved
 *
 *      Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 *      PURPOSE: Implementation for TPC-C Tuxedo
class.
 *      Contact: Charles Levine
(clevine@microsoft.com)
 *
 *      Change history: 4.20.000 - updated rev number to
match kit
 */

#define STRICT
#define _WIN32_WINNT 0x0400
#define _ATL_APARTMENT_THREADED

#include <stdio.h>
#include <atlbase.h>
//You may derive a class from CComModule and use it if
you want to override
//something, but do not change the name of _Module
extern CComModule _Module;

#include <atlcom.h>
#include <initguid.h>
#include <transact.h>
//#include <atimpl.cpp>
#include <comsvcs.h>

#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>

#include "tpcc_com_ps.h"
#include "..\..\common\src\trans.h"
//tpckit transaction
header contains definations of structures specific to
TPC-C
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\error.h"
#include "..\..\common\src\ReadRegistry.h"
#include "..\..\db_dblib_d11\src\tpcc_dblib.h"
// DBLIB implementation of TPC-C txns
#include "..\..\db_odbc_d11\src\tpcc_odbc.h"
// ODBC implementation of TPC-C txns

#include "resource.h"
#include "tpcc_com_all.h"
#include "tpcc_com_all_i.c"
#include "Methods.h"
#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\common\src\ReadRegistry.cpp"

CComModule _Module;

BEGIN_OBJECT_MAP(ObjectMap)
OBJECT_ENTRY(CLSID_TPCC, CTPCC)
OBJECT_ENTRY(CLSID_NewOrder, CNewOrder)
OBJECT_ENTRY(CLSID_OrderStatus, COrderStatus)
OBJECT_ENTRY(CLSID_Payment, CPayment)

```

```

OBJECT_ENTRY(CLSID_StockLevel, CStockLevel)
END_OBJECT_MAP()

// configuration settings from registry
TPCCREGISTRYDATA Reg;
char
    szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;

////////////////////////////////////
// DLL Entry Point
////////////////////////////////////

extern "C"
BOOL WINAPI DllMain(HINSTANCE hInstance, DWORD
dwReason, LPVOID /*lpReserved*/)
{
    char szDllName[128];

    try
    {
        if (dwReason == DLL_PROCESS_ATTACH)
        {
            _Module.Init(ObjectMap,
hInstance);

            DisableThreadLibraryCalls(hInstance);

            DWORD dwSize =
                MAX_COMPUTERNAME_LENGTH+1;

            GetComputerName(szMyComputerName, &dwSize);
            szMyComputerName[dwSize]
= 0;

            if (
ReadTPCCRegistrySettings( &Reg ) )
                throw new
                CCOMPONENT_ERR( ERR_MISSING_REGISTRY_ENTRIES );

            if (Reg.eDB_Protocol ==
DBLIB)
            {
                strcpy(
szDllName, Reg.szPath );
                strcat(
szDllName, "tpcc_dblib.d11");
                hLibInstanceDb
= LoadLibrary( szDllName );
                if
                (hLibInstanceDb == NULL)
                    throw
                    new CCOMPONENT_ERR( ERR_LOADDLL_FAILED, szDllName,
                    GetLastError() );

                // get function
                pointer to wrapper for class constructor
                pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
                GetProcAddress(hLibInstanceDb, "CTPCC_DBLIB_new");
                if
                (pCTPCC_DBLIB_new == NULL)
                    throw
                    new CCOMPONENT_ERR( ERR_GETPROCADDR_FAILED, szDllName,
                    GetLastError() );
            }
        }
    }
}

```

```

else if (Reg.eDB_Protocol
== ODBC)
    {
        strcpy(
szDllName, Reg.szPath );
        strcat(
szDllName, "tpcc_odbc.d11");
        hLibInstanceDb
= LoadLibrary( szDllName );
        if
        (hLibInstanceDb == NULL)
            throw
            new CCOMPONENT_ERR( ERR_LOADDLL_FAILED, szDllName,
            GetLastError() );

        // get function
        pointer to wrapper for class constructor
        pCTPCC_ODBC_new
= (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");
        if
        (pCTPCC_ODBC_new == NULL)
            throw
            new CCOMPONENT_ERR( ERR_GETPROCADDR_FAILED, szDllName,
            GetLastError() );
        }
    }
    else
    {
        throw new
        CCOMPONENT_ERR( ERR_UNKNOWN_DB_PROTOCOL );
    }
    else if (dwReason ==
DLL_PROCESS_DETACH)
        _Module.Term();
    }
    catch (CBaseErr *e)
    {
        WriteMessageToEventLog(e-
>ErrorText());
        delete e;
        return FALSE;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception in object DllMain"));
        return FALSE;
    }
    return TRUE; // OK
}

////////////////////////////////////
// Used to determine whether the DLL can be unloaded by
OLE
STDAPI DllCanUnloadNow(void)
{
    return (_Module.GetLockCount()==0) ? S_OK :
S_FALSE;
}

////////////////////////////////////
// Returns a class factory to create an object of the
requested type
STDAPI DllGetObject(REFCLSID rclsid, REFIID riid,
LPVOID* ppv)
{

```

```

        return _Module.GetClassObject(rcClsid, riid,
    ppv);
}

////////////////////////////////////
// DLLRegisterServer - Adds entries to the system
// registry
STDAPI DLLRegisterServer(void)
{
    // registers object, typelib and all
    // interfaces in typelib
    return _Module.RegisterServer(TRUE);
}

////////////////////////////////////
// DLLUnregisterServer - Removes entries from the
// system registry
STDAPI DLLUnregisterServer(void)
{
    _Module.UnregisterServer();
    return S_OK;
}

static void writeMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR szMsg[256];
    HANDLE hEventSource;
    LPTSTR lpszStrings[2];

    // Use event logging to log the error.
    hEventSource = RegisterEventSource(NULL,
    TEXT("tpcc_com_all.dll"));

    _stprintf(szMsg, TEXT("Error in COM+ TPC-C
    Component: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event
        source
            EVENTLOG_ERROR_TYPE, // event type
            0, // event category
            0, // event ID
            NULL, // current user's SID
            2, // strings in
        lpszStrings
            0, // no bytes of raw
        data
            (LPCTSTR *)lpszStrings, // array of
        error strings
            NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

inline void ReleaseInterface(IUnknown *punk)
{
    if (punk)
    {
        punk->Release();
        punk = NULL;
    }
}

```

```

/* FUNCTION: CCOMPONENT_ERR::ErrorText
*/
char* CCOMPONENT_ERR::ErrorText(void)
{
    static SERRORMSG errorMsgs[] =
    {
        { ERR_MISSING_REGISTRY_ENTRIES,
        "Required entries missing from registry." },
        { ERR_LOADDLL_FAILED,
        "Load of DLL failed. DLL="
        },
        { ERR_GETPROCADDR_FAILED,
        "Could not map proc in DLL. GetProcAddress
        error. DLL="
        },
        { ERR_UNKNOWN_DB_PROTOCOL,
        "Unknown database protocol specified in
        registry."
        },
        { 0, ""
        }
    };

    char szTmp[256];
    int i = 0;
    while (TRUE)
    {
        if (errorMsgs[i].szMsg[0] == 0)
        {
            strcpy( szTmp, "Unknown
            error number." );
            break;
        }
        if (m_Error == errorMsgs[i].iError)
        {
            strcpy( szTmp,
            errorMsgs[i].szMsg );
            break;
        }
        i++;
    }

    if (m_szTextDetail)
        strcat( szTmp, m_szTextDetail );
    if (m_SystemErr)
        wsprintf( szTmp+strlen(szTmp), "
        Error=%d", m_SystemErr );

    m_szErrorText = new char[strlen(szTmp)+1];
    strcpy( m_szErrorText, szTmp );
    return m_szErrorText;
}

CTPCC_Common::CTPCC_Common()
{
    m_pTxn = NULL;
    m_bCanBePooled = TRUE;
}

CTPCC_Common::~~CTPCC_Common()
{
    if (m_pTxn)
        delete m_pTxn;
}

```

```

HRESULT CTPCC_Common::CallSetComplete()
{
    IObjectContext* pObjContext = NULL;

    // get our object context
    HRESULT hr = CoGetObjectContext(
    IID_IObjectContext, (void **)&pObjContext );
    pObjContext->SetComplete();
    ReleaseInterface(pObjContext);
    return hr;
}

// called by the ctor activator
STDMETHODIMP CTPCC_Common::Construct(IDispatch * punk)
{
    // Code to access construction string, if
    // needed later...
    if (!punk)
        return E_UNEXPECTED;
    IObjectConstructString * pString =
    NULL;
    HRESULT hr = punk-
    >QueryInterface(IID_IObjectConstructString, (void
    **)&pString);
    pString->Release();

    try
    {
        if (Reg.eDB_Protocol == ODBC)
            m_pTxn = pCTPCC_ODBC_new(
            Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
            Reg.szMyComputerName, Reg.szSPPrefix );
        else if (Reg.eDB_Protocol == DBLIB)
            m_pTxn =
            pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,
            Reg.szDbPassword, szMyComputerName, Reg.szDbName );
    }
    catch (CBaseErr *e)
    {
        writeMessageToEventLog(e-
        >ErrorText());
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        writeMessageToEventLog(TEXT("Unhandled
        exception in object ::Construct"));
        return E_FAIL;
    }

    return S_OK;
}

HRESULT CTPCC_Common::NewOrder(VARIANT txn_in, VARIANT*
    txn_out)
{
    PNEW_ORDER_DATA pNewOrder;
    COM_DATA *pData;
    try
    {
        pData = (COM_DATA*)txn_in.parray-
        >pvData;
        pNewOrder = m_pTxn-
        >BuffAddr_NewOrder();
        memcpy(pNewOrder, &pData-
        >u.NewOrder, sizeof(NEW_ORDER_DATA));
    }
}

```

```

the actual txn      m_pTxn->NewOrder();          // do
                  VariantInit(txn_out);
                  txn_out->vt = VT_SAFEARRAY;
                  txn_out->parray =
SafeArrayCreateVector(VT_UI1,
>cElements,
                  txn_in.parray->rgsabound-
>cElements);
                  txn_in.parray->rgsabound-
>cElements);
                  pData = (COM_DATA*) txn_out-
>parray->pvData;
                  memcpy( &pData->u.NewOrder,
pNewOrder, sizeof(NEW_ORDER_DATA));
                  pData->retval = ERR_SUCCESS;
                  pData->error = 0;
                  return S_OK;
            }
            catch (CBaseErr *e)
            {
                // check for lost database
                connection; if yes, component is toast
                if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005)) ||
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054))
                {
                    m_bCanBePooled = FALSE;
                    pData->retval = e->ErrorType();
                    pData->error = e->ErrorNum();
                    delete e;
                    return E_FAIL;
                }
            }
            catch (...)
            {
                WriteMessageToEventLog(TEXT("Unhandled
exception."));
                pData->retval = ERR_TYPE_LOGIC;
                pData->error = 0;
                m_bCanBePooled = FALSE;
                return E_FAIL;
            }
        }
    }
HRESULT CTPCC_Common::Payment(VARIANT txn_in, VARIANT*
txn_out)
{
    PPAYMENT_DATA      pPayment;
    COM_DATA            *pData;
    try
    {
        >pvData;
        >BuffAddr_Payment();
        pData = (COM_DATA*)txn_in.parray-
>u.OrderStatus, sizeof(ORDER_STATUS_DATA));
        m_pTxn->Payment();
        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,
>cElements,
        txn_in.parray->rgsabound-
>cElements);
        pData = (COM_DATA*)txn_out->parray-
>pvData;
        memcpy(pPayment, &pData->u.Payment,
sizeof(PAYMENT_DATA));
        m_pTxn->Payment();          // do
        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,

```

```

>cElements,
        txn_in.parray->rgsabound-
>cElements);
        pData = (COM_DATA*) txn_out-
>parray->pvData;
        memcpy( &pData->u.Payment,
pPayment, sizeof(PAYMENT_DATA));
        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
        connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005)) ||
((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )
        {
            m_bCanBePooled = FALSE;
            pData->retval = e->ErrorType();
            pData->error = e->ErrorNum();
            delete e;
            return E_FAIL;
        }
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}
HRESULT CTPCC_Common::StockLevel(VARIANT txn_in,
VARIANT* txn_out)
{
    PSTOCK_LEVEL_DATA  pStockLevel;
    COM_DATA            *pData;
    try
    {
        >pvData;
        >BuffAddr_StockLevel();
        pData = (COM_DATA*)txn_in.parray-
>u.StockLevel, sizeof(STOCK_LEVEL_DATA));
        m_pTxn->StockLevel();
        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,
>cElements,
        txn_in.parray->rgsabound-
>cElements);
        txn_in.parray->rgsabound-

```

```

        >pvData;
        pData = (COM_DATA*)txn_out->parray-
        memcpy( &pData->u.StockLevel,
pStockLevel, sizeof(STOCK_LEVEL_DATA));
        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
        connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005)) ||
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054))
        {
            m_bCanBePooled = FALSE;
            pData->retval = e->ErrorType();
            pData->error = e->ErrorNum();
            delete e;
            return E_FAIL;
        }
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}
HRESULT CTPCC_Common::OrderStatus(VARIANT txn_in,
VARIANT* txn_out)
{
    PORDER_STATUS_DATA pOrderStatus;
    COM_DATA            *pData;
    try
    {
        >pvData;
        >BuffAddr_OrderStatus();
        pData = (COM_DATA*)txn_in.parray-
>u.OrderStatus, sizeof(ORDER_STATUS_DATA));
        m_pTxn->OrderStatus();
        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,
>cElements,
        txn_in.parray->rgsabound-
>cElements);
        pData = (COM_DATA*)txn_out->parray-
>pvData;
        memcpy( &pData->u.OrderStatus,
pOrderStatus, sizeof(ORDER_STATUS_DATA));
        pData->retval = ERR_SUCCESS;
        pData->error = 0;

```

```

        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
        // connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005)) ||
            ((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}
}
}

```

tpcc_com_all/src/tpcc_com_all.def

; tpcc_com_all.def : Declares the module parameters.

```

LIBRARY      "tpcc_com_all.dll"

EXPORTS
    DllCanUnloadNow      @1 PRIVATE
    DllGetClassObject    @2 PRIVATE
    DllRegisterServer    @3 PRIVATE
    DllUnregisterServer  @4 PRIVATE

```

tpcc_com_all/src/tpcc_com_all.h

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the definitions
for the interfaces */

/* File created by MIDL compiler version 6.00.0347 */
/* at Fri Aug 01 10:56:27 2003
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
    Oicf, w1, Zp8, env=win32 (32b run)
    protocol : dce , ms_ext, c_ext
    error checks: allocation ref bounds_check enum
stub_data
    VC __declspec( decoration level:
        __declspec(uuid()), __declspec(selectany),
        __declspec(novtable)
        DECLSPEC_UUID(), MIDL_INTERFACE())
*/
//@@MIDL_FILE_HEADING( )

```

```

/* verify that the <rpcndr.h> version is high enough to
compile this file*/
#ifdef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifdef __tpcc_com_all_h__
#define __tpcc_com_all_h__

#if defined(_MSC_VER) && (_MSC_VER >= 1020)
#pragma once
#endif

/* Forward Declarations */

#ifdef __TPCC_FWD_DEFINED__
#define __TPCC_FWD_DEFINED__

#ifdef __cplusplus
typedef class TPCC TPCC;
#else
typedef struct TPCC TPCC;
#endif /* __cplusplus */
#endif /* __TPCC_FWD_DEFINED__ */

#ifdef __NewOrder_FWD_DEFINED__
#define __NewOrder_FWD_DEFINED__

#ifdef __cplusplus
typedef class NewOrder NewOrder;
#else
typedef struct NewOrder NewOrder;
#endif /* __cplusplus */
#endif /* __NewOrder_FWD_DEFINED__ */

#ifdef __OrderStatus_FWD_DEFINED__
#define __OrderStatus_FWD_DEFINED__

#ifdef __cplusplus
typedef class OrderStatus OrderStatus;
#else
typedef struct OrderStatus OrderStatus;
#endif /* __cplusplus */
#endif /* __OrderStatus_FWD_DEFINED__ */

#ifdef __Payment_FWD_DEFINED__
#define __Payment_FWD_DEFINED__

#ifdef __cplusplus
typedef class Payment Payment;
#else
typedef struct Payment Payment;
#endif /* __cplusplus */
#endif /* __Payment_FWD_DEFINED__ */

#ifdef __StockLevel_FWD_DEFINED__
#define __StockLevel_FWD_DEFINED__

#ifdef __cplusplus
typedef class StockLevel StockLevel;

```

```

#else
typedef struct StockLevel StockLevel;
#endif /* __cplusplus */
#endif /* __StockLevel_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"
#include "tpcc_com_ps.h"

#ifdef __cplusplus
extern "C"{
#endif

void * __RPC_USER MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void * );

/* interface __MIDL_itf_tpcc_com_all_0000 */
/* [local] */

extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_all_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_all_0000_v0_0_s_ifspec;

#ifdef __TPCClib_LIBRARY_DEFINED__
#define __TPCClib_LIBRARY_DEFINED__

/* library TPCClib */
/* [helpstring][version][uuid] */

EXTERN_C const IID LIBID_TPCClib;

EXTERN_C const CLSID CLSID_TPCC;

#ifdef __cplusplus
class DECLSPEC_UUID("122A3128-2520-11D3-BA71-00C04FBFE08B")
TPCC;
#endif

EXTERN_C const CLSID CLSID_NewOrder;

#ifdef __cplusplus
class DECLSPEC_UUID("975BAABF-84A7-11D2-BA47-00C04FBFE08B")
NewOrder;
#endif

EXTERN_C const CLSID CLSID_OrderStatus;

#ifdef __cplusplus
class DECLSPEC_UUID("266836AD-A50D-11D2-BA4E-00C04FBFE08B")
OrderStatus;
#endif

EXTERN_C const CLSID CLSID_Payment;

```

```

#ifdef __cplusplus
class DECLSPEC_UUID("CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B")
Payment;
#endif

EXTERN_C const CLSID CLSID_StockLevel;

#ifdef __cplusplus
class DECLSPEC_UUID("2668369E-A50D-11D2-BA4E-00C04FBFE08B")
StockLevel;
#endif /* __TPCCLib_LIBRARY_DEFINED__ */
/* Additional Prototypes for ALL interfaces */
/* end of Additional Prototypes */

#ifdef __cplusplus
}
#endif
#endif

```

tpcc_com_all/src/tpcc_com_all.idl

```

/* FILE: TPCC.IDL Microsoft TPC-C
Kit Ver. 4.20.000 Copyright
Microsoft, 1999 All Rights Reserved
* not yet audited
* PURPOSE: IDL source for TPCC.dll. This file
is processed by the MIDL tool to
produce the
type library (TPCC.tlb) and marshalling code.
* Change history:
* 4.20.000 - first version
*/

interface TPCC;
interface NewOrder;
interface OrderStatus;
interface Payment;
interface StockLevel;

```

```

import "oidl.idl";
import "ocidl.idl";
import "..\tpcc_com_ps\src\tpcc_com_ps.idl";

[
    uuid(122A3117-2520-11D3-BA71-00C04FBFE08B),
    version(1.0),
    helpstring("TPC-C 1.0 Type Library")
]
library TPCCLib
{
    importlib("stdole32.tlb");

```

```

importlib("stdole2.tlb");

[
    uuid(122A3128-2520-11D3-BA71-00C04FBFE08B),
    helpstring("All Txns Class")
]
coclass TPCC
{
    [default] interface ITPCC;
};

[
    uuid(975BAABF-84A7-11D2-BA47-00C04FBFE08B),
    helpstring("NewOrder Class")
]
coclass NewOrder
{
    [default] interface ITPCC;
};

[
    uuid(266836AD-A50D-11D2-BA4E-00C04FBFE08B),
    helpstring("OrderStatus Class")
]
coclass OrderStatus
{
    [default] interface ITPCC;
};

[
    uuid(CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B),
    helpstring("Payment Class")
]
coclass Payment
{
    [default] interface ITPCC;
};

[
    uuid(2668369E-A50D-11D2-BA4E-00C04FBFE08B),
    helpstring("StockLevel Class")
]
coclass StockLevel
{
    [default] interface ITPCC;
};
};

```

tpcc_com_all/src/tpcc_com_all.rc

```

//Microsoft Developer Studio generated resource script.

```

```

#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
// Generated from the TEXTINCLUDE 2 resource.
//
#include "winres.h"
////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS
// English (U.S.) resources

#if !defined(AFX_RESOURCE_DLL) || defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include ""winres.h""\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "1 TYPELIB ""tpcc_com_all.tlb""\r\n"
    "\0"
END

#endif // APSTUDIO_INVOKED

#ifdef _MAC
////////////////////////////////////
// Version
//
VS_VERSION_INFO VERSIONINFO
FILEVERSION 1,0,0,1
PRODUCTVERSION 1,0,0,1
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x4L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"

```

```

BEGIN
  BLOCK "040904B0"
  BEGIN
    VALUE "CompanyName", "\0"
    VALUE "FileDescription", "tpcc_com_all
Module\0"
    VALUE "FileVersion", "1, 0, 0, 1\0"
    VALUE "InternalName", "TPCCNEWORDER\0"
    VALUE "LegalCopyright", "Copyright 1997\0"
    VALUE "OriginalFilename",
"tpcc_com_all.DLL\0"
    VALUE "ProductName", "tpcc_com_all
Module\0"
    VALUE "ProductVersion", "1, 0, 0, 1\0"
    VALUE "OLESelfRegister", "\0"
  END
  END
  BLOCK "VarFileInfo"
  BEGIN
    VALUE "Translation", 0x409, 1200
  END
  END
#endif // !_MAC

////////////////////////////////////
//
// REGISTRY
//
IDR_TPCC          REGISTRY DISCARDABLE
"tpcc_com_all.rgs"
IDR_NEWORDER     REGISTRY DISCARDABLE
"tpcc_com_no.rgs"
IDR_ORDERSTATUS REGISTRY DISCARDABLE
"tpcc_com_os.rgs"
IDR_PAYMENT      REGISTRY DISCARDABLE
"tpcc_com_pay.rgs"
IDR_STOCKLEVEL   REGISTRY DISCARDABLE
"tpcc_com_sl.rgs"

////////////////////////////////////
//
// String Table
//
STRINGTABLE DISCARDABLE
BEGIN
  IDS_PROJNAME          "tpcc_com_all"
END

#endif // English (U.S.) resources
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 3 resource.
//
1 TYPELIB "tpcc_com_all.tlb"

////////////////////////////////////
//
// not APSTUDIO_INVOKED
#endif

```

tpcc_com_all/src/tpcc_com_all.rgs

```

HKCR
{
  TPCC.AllTxns.1 = s 'All Txns Class'
  {
    CLSID = s '{122A3128-2520-11D3-
BA71-00C04FBFE08B}'
    TPCC.AllTxns = s 'TPCC Class'
    {
      CurVer = s 'TPCC.AllTxns.1'
    }
    NoRemove CLSID
    {
      ForceRemove {122A3128-2520-11D3-
BA71-00C04FBFE08B} = s 'TPCC Class'
    }
    ProgID = s
    VersionIndependentProgID
    InprocServer32 = s
    '%MODULE%'
    {
      val
    }
  }
  ThreadingModel = s 'Both'
}

```

tpcc_com_all/src/tpcc_com_all.i.c

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients */

/* File created by MIDL compiler version 6.00.0347 */
/* at Fri Aug 01 10:56:27 2003 */
/* Compiler settings for .\src\tpcc_com_all.idl:
  oicf, w1, Zp8, env=win32 (32b run)
  protocol : dce , ms_ext, c_ext
  error checks: allocation ref bounds_check enum
  stub_data
  VC __declspec( decoration level:
  __declspec(uuid()), __declspec(selectany),
  __declspec(novtable)
  DECLSPEC_UUID(), MIDL_INTERFACE()
  */
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AMD64)

#ifdef __cplusplus
extern "C" {
#endif

```

```

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type, name, l, w1, w2, b1, b2, b3, b4, b5, b6, b7, b8) \
DEFINE_GUID(name, l, w1, w2, b1, b2, b3, b4, b5, b6, b7, b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
  unsigned long x;
  unsigned short s1;
  unsigned short s2;
  unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type, name, l, w1, w2, b1, b2, b3, b4, b5, b6, b7, b8) \
const type name = \
{l, w1, w2, {b1, b2, b3, b4, b5, b6, b7, b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib, 0x122A3128, 0x2520, 0x11D3, 0xBA, 0x71, 0x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC, 0x122A3128, 0x2520, 0x11D3, 0xBA, 0x71, 0x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder, 0x975BAABF, 0x84A7, 0x11D2, 0xBA, 0x47, 0x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus, 0x266836AD, 0xA50D, 0x11D2, 0xBA, 0x4E, 0x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_Payment, 0xCDD02F7E, 0xA4FA, 0x11D2, 0xBA, 0x4E, 0x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

```



```

MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel,0x2668369E,0xA50D,0x11D2,0xBA,0x4E,0x0,
0,0xc0,0x4f,0xbf,0xe0,0x8b);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AMD64)*/

```

tpcc_com_all/src/tpcc_com_no.rgs

```

HKCR
{
    TPCC.NewOrder.1 = s 'NewOrder Class'
    {
        CLSID = s '{975BAABF-84A7-11D2-
BA47-00C04FBFE08B}'
    }
    TPCC.NewOrder = s 'NewOrder Class'
    {
        CurVer = s 'TPCC.NewOrder.1'
    }
    NoRemove CLSID
    {
        ForceRemove {975BAABF-84A7-11D2-
BA47-00C04FBFE08B} = s 'NewOrder Class'
    }
    ProgID = s
    VersionIndependentProgID
= s 'TPCC.NewOrder'
    InprocServer32 = s
    '%MODULE%'
    {
        val
    }
    ThreadingModel = s 'Both'
    }
}

```

tpcc_com_all/src/tpcc_com_os.rgs

```

HKCR
{
    TPCC.OrderStatus.1 = s 'OrderStatus Class'
    {
        CLSID = s '{266836AD-A50D-11D2-
BA4E-00C04FBFE08B}'
    }
    TPCC.OrderStatus = s 'OrderStatus Class'
    {
        CurVer = s 'TPCC.OrderStatus.1'
    }
    NoRemove CLSID
    {

```

```

        ForceRemove {266836AD-A50D-11D2-
BA4E-00C04FBFE08B} = s 'OrderStatus Class'
    }
    ProgID = s
    VersionIndependentProgID
= s 'TPCC.OrderStatus'
    InprocServer32 = s
    '%MODULE%'
    {
        val
    }
    ThreadingModel = s 'Both'
    }
}

```

tpcc_com_all/src/tpcc_com_pay.rgs

```

HKCR
{
    TPCC.Payment.1 = s 'Payment Class'
    {
        CLSID = s '{CD02F7EF-A4FA-11D2-
BA4E-00C04FBFE08B}'
    }
    TPCC.Payment = s 'Payment Class'
    {
        CurVer = s 'TPCC.Payment.1'
    }
    NoRemove CLSID
    {
        ForceRemove {CD02F7EF-A4FA-11D2-
BA4E-00C04FBFE08B} = s 'Payment Class'
    }
    ProgID = s
    VersionIndependentProgID
= s 'TPCC.Payment'
    InprocServer32 = s
    '%MODULE%'
    {
        val
    }
    ThreadingModel = s 'Both'
    }
}

```

tpcc_com_all/src/tpcc_com_ps.h

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the definitions
for the interfaces */

/* File created by MIDL compiler version 6.00.0347 */
/* at Fri Aug 01 10:56:14 2003
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:

```

```

Oicf, w1, zp8, env=win32 (32b run)
protocol : dce , ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

```

```

/* verify that the <rpcndr.h> version is high enough to
compile this file*/
#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

```

```

#include "rpc.h"
#include "rpcndr.h"

```

```

#ifndef __RPCNDR_H_VERSION__
#error this stub requires an updated version of
<rpcndr.h>
#endif // __RPCNDR_H_VERSION__

```

```

#ifndef COM_NO_WINDOWS_H
#include "windows.h"
#include "ole2.h"
#endif /*COM_NO_WINDOWS_H*/

```

```

#ifndef __tpcc_com_ps_h
#define __tpcc_com_ps_h

```

```

#ifdef _MSC_VER && (_MSC_VER >= 1020)
#pragma once
#endif

```

```

/* Forward Declarations */

```

```

#ifndef __ITPCC_FWD_DEFINED__
#define __ITPCC_FWD_DEFINED__
typedef interface ITPCC ITPCC;
#endif /* __ITPCC_FWD_DEFINED__ */

```

```

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"

```

```

#ifdef __cplusplus
extern "C"{
#endif

```

```

void * __RPC_USER MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void * );

```

```

/* interface __MIDL_itf_tpcc_com_ps_0000 */
/* [local] */

```

```

extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_ps_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_ps_0000_v0_0_s_ifspec;

```

```

#ifndef __ITPCC_INTERFACE_DEFINED__
#define __ITPCC_INTERFACE_DEFINED__

```

```

/* interface ITPCC */

```

```

/* [unique][helpstring][uuid][oleautomation][object] */
EXTERN_C const IID IID_ITPCC;
#if defined(__cplusplus) && !defined(CINTERFACE)
    MIDL_INTERFACE("FEEE6AA2-84B1-11d2-BA47-00C04FBFE088")
    ITPCC : public IUnknown
    {
    public:
        virtual HRESULT STDMETHODCALLTYPE NewOrder(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out) = 0;

        virtual HRESULT STDMETHODCALLTYPE Payment(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out) = 0;

        virtual HRESULT STDMETHODCALLTYPE Delivery(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out) = 0;

        virtual HRESULT STDMETHODCALLTYPE StockLevel(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out) = 0;

        virtual HRESULT STDMETHODCALLTYPE OrderStatus(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out) = 0;

        virtual HRESULT STDMETHODCALLTYPE CallSetComplete(
            void) = 0;
    };
#else /* C style interface */
    typedef struct ITPCCVtbl
    {
        BEGIN_INTERFACE

        HRESULT ( STDMETHODCALLTYPE *QueryInterface )(
            ITPCC * This,
            /* [in] */ REFIID riid,
            /* [iid_is][out] */ void **ppvObject);

        ULONG ( STDMETHODCALLTYPE *AddRef )(
            ITPCC * This);

        ULONG ( STDMETHODCALLTYPE *Release )(
            ITPCC * This);

        HRESULT ( STDMETHODCALLTYPE *NewOrder )(
            ITPCC * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out);

        HRESULT ( STDMETHODCALLTYPE *Payment )(
            ITPCC * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out);

        HRESULT ( STDMETHODCALLTYPE *Delivery )(
            ITPCC * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out);

        HRESULT ( STDMETHODCALLTYPE *StockLevel )(
            ITPCC * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out);
    };
#endif

```

```

/* [out] */ VARIANT *txn_out);
HRESULT ( STDMETHODCALLTYPE *OrderStatus )(
    ITPCC * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT *txn_out);

HRESULT ( STDMETHODCALLTYPE *CallSetComplete )(
    ITPCC * This);

    END_INTERFACE
} ITPCCVtbl;

interface ITPCC
{
    CONST_VTBL struct ITPCCVtbl *lpVtbl;
};

#ifdef COBJMACROS

#define ITPCC_QueryInterface(This,riid,ppvObject) \
    (This->lpVtbl->QueryInterface(This,riid,ppvObject))
#define ITPCC_AddRef(This) \
    (This->lpVtbl->AddRef(This))
#define ITPCC_Release(This) \
    (This->lpVtbl->Release(This))

#define ITPCC_NewOrder(This,txn_in,txn_out) \
    (This->lpVtbl->NewOrder(This,txn_in,txn_out))
#define ITPCC_Payment(This,txn_in,txn_out) \
    (This->lpVtbl->Payment(This,txn_in,txn_out))
#define ITPCC_Delivery(This,txn_in,txn_out) \
    (This->lpVtbl->Delivery(This,txn_in,txn_out))
#define ITPCC_StockLevel(This,txn_in,txn_out) \
    (This->lpVtbl->StockLevel(This,txn_in,txn_out))
#define ITPCC_OrderStatus(This,txn_in,txn_out) \
    (This->lpVtbl->OrderStatus(This,txn_in,txn_out))
#define ITPCC_CallSetComplete(This) \
    (This->lpVtbl->CallSetComplete(This))
#endif /* COBJMACROS */

#ifdef /* C style interface */

HRESULT STDMETHODCALLTYPE ITPCC_NewOrder_Proxy(
    ITPCC * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT *txn_out);

void __RPC_STUB ITPCC_NewOrder_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

```

```

HRESULT STDMETHODCALLTYPE ITPCC_Payment_Proxy(
    ITPCC * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT *txn_out);

void __RPC_STUB ITPCC_Payment_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT STDMETHODCALLTYPE ITPCC_Delivery_Proxy(
    ITPCC * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT *txn_out);

void __RPC_STUB ITPCC_Delivery_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT STDMETHODCALLTYPE ITPCC_StockLevel_Proxy(
    ITPCC * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT *txn_out);

void __RPC_STUB ITPCC_StockLevel_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT STDMETHODCALLTYPE ITPCC_OrderStatus_Proxy(
    ITPCC * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT *txn_out);

void __RPC_STUB ITPCC_OrderStatus_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT STDMETHODCALLTYPE ITPCC_CallSetComplete_Proxy(
    ITPCC * This);

void __RPC_STUB ITPCC_CallSetComplete_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

#endif /* __ITPCC_INTERFACE_DEFINED__ */

/* Additional Prototypes for ALL interfaces */
unsigned long __RPC_USER VARIANT_UserSize(
    unsigned long *, unsigned long, VARIANT *
);

```

```

unsigned char * __RPC_USER VARIANT_UserMarshal(
    unsigned long *, unsigned char *, VARIANT * );
unsigned char * __RPC_USER
    VARIANT_UserUnmarshal(unsigned long *, unsigned char *,
        VARIANT * );
void
    __RPC_USER VARIANT_UserFree(
        unsigned long *, VARIANT * );
/* end of Additional prototypes */
#endif
extern __declspec(dllexport)
void
    __RPC_USER VARIANT_UserFree(
        unsigned long *, VARIANT * );
#endif

```

tpcc_com_all/src/tpcc_com_sl.rgs

```

HKCR
{
    TPCC_StockLevel.1 = s 'StockLevel Class'
    {
        CLSID = s '{2668369E-A50D-11D2-
        BA4E-00C04FBFE08B}'
    }
    TPCC_StockLevel = s 'StockLevel Class'
    {
        CurVer = s 'TPCC_StockLevel.1'
    }
    NoRemove CLSID
    {
        ForceRemove {2668369E-A50D-11D2-
        BA4E-00C04FBFE08B} = s 'StockLevel Class'
    }
    ProgID = s
    VersionIndependentProgID
    = s 'TPCC_StockLevel'
    InprocServer32 = s
    {
        {
            val
        }
    }
    ThreadingModel = s 'Both'
    {
    }
}

```

tpcc_com_ps/src/dlldata.c

```

/*****
***
*** dlldata file -- generated by MIDL compiler
DO NOT ALTER THIS FILE
This file is regenerated by MIDL on every IDL file
compile.
*****/

```

```

To completely reconstruct this file, delete it and
re-run MIDL on all the IDL files in this DLL, specifying this
file for the
/dlldata command line option
*****/
**/
#include <rpcproxy.h>
extern __declspec(dllexport)
void
    __RPC_USER VARIANT_UserFree(
        unsigned long *, VARIANT * );
extern __declspec(dllexport)
void
    __RPC_USER VARIANT_UserFree(
        unsigned long *, VARIANT * );
/* end of generated dlldata file */
tpcc_com_ps/src/tpcc_com_ps.def
LIBRARY "tpcc_com_ps"
DESCRIPTION 'Proxy/Stub DLL'
EXPORTS
    DllGetClassObject @01 PRIVATE
    DllCanUnloadNow @02 PRIVATE
    GetProxyDllInfo @03 PRIVATE
    DllRegisterServer @04 PRIVATE
    DllUnregisterServer @05 PRIVATE
    DllRegisterServer @05 PRIVATE
tpcc_com_ps/src/tpcc_com_ps.h
#pragma warning( disable: 4049 ) /* more than 64k
source lines */
/* this ALWAYS GENERATED file contains the definitions
for the interfaces */
/* File created by MIDL compiler version 6.00.0347 */
/* at Fri Aug 01 10:56:14 2003
/* Compiler settings for \src\tpcc_com_ps.idl:
    oicf ml Z68 env=win32 (32b run)
    protocol: dce ms_ext c_ext
    error checks: allocation ref bounds_check enum
    stub_data
    VC_declspec() decoration level:

```

```

__declspec(uuid()), __declspec(selectany),
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
/**/@MIDL_FILE_HEADER( )
/* verify that the <rpcndr.h> version is high enough to
compile this file*/
#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif
#include "rpc.h"
#include "rpcndr.h"
#ifndef __RPCNDR_H_VERSION__
#error this stub requires an updated version of
<rpcndr.h>
#endif // __RPCNDR_H_VERSION__
#ifndef COM_NO_WINDOWS_H
#include "windows.h"
#include "ole2.h"
#endif /*COM_NO_WINDOWS_H*/
#ifndef tpcc_com_ps_h_
#define tpcc_com_ps_h_
#if defined(_MSC_VER) && (_MSC_VER >= 1020)
#pragma once
#endif
/* Forward Declarations */
#ifndef __ITPCC_FWD_DEFINED__
#define __ITPCC_FWD_DEFINED__
typedef interface ITPCC ITPCC;
#endif /* __ITPCC_FWD_DEFINED__ */
/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"
#ifndef __cplusplus
extern "C" {
void * __RPC_USER MIDL_User_allocate(size_t);
void * __RPC_USER MIDL_User_free( void * );
/* [local] */
extern RPC_IF_HANDLE
    __MIDL_tfpcc_com_ps_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE
    __MIDL_tfpcc_com_ps_0000_v0_0_s_ifspec;
#define __ITPCC_INTERFACE_DEFINED__
#define __ITPCC_INTERFACE_DEFINED__
/* [unique][helpstring][oleautomation][object] */
EXTERN_C const IID IID_ITPCC;

```

```

#if defined(_cplusplus) && !defined(CINTERFACE)
MIDL_INTERFACE("FEEEGAA2-84B1-11d2-8A47-00C04FBF0E8B")
ITPCC : public IUnknown
{
public:
virtual HRESULT STDMETHODCALLTYPE NewOrder(
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT *txn_out) = 0;
virtual HRESULT STDMETHODCALLTYPE Payment(
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT *txn_out) = 0;
virtual HRESULT STDMETHODCALLTYPE Delivery(
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT *txn_out) = 0;
virtual HRESULT STDMETHODCALLTYPE StockLevel(
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT *txn_out) = 0;
virtual HRESULT STDMETHODCALLTYPE OrderStatus(
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT *txn_out) = 0;
virtual HRESULT STDMETHODCALLTYPE CallSetComplete(
    void) = 0;
};

/* C style interface */
typedef struct ITPCCVtbl
{
BEGIN_INTERFACE
HRESULT ( STDMETHODCALLTYPE *QueryInterface )(
ITPCC * This,
/* [in] */ REFIID riid,
/* [iid_is] out */ void **ppvObject);
ULONG ( STDMETHODCALLTYPE *AddRef )(
ITPCC * This);
ULONG ( STDMETHODCALLTYPE *Release )(
ITPCC * This);
HRESULT ( STDMETHODCALLTYPE *NewOrder )(
ITPCC * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT *txn_out);
HRESULT ( STDMETHODCALLTYPE *Payment )(
ITPCC * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT *txn_out);
HRESULT ( STDMETHODCALLTYPE *Delivery )(
ITPCC * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT *txn_out);
HRESULT ( STDMETHODCALLTYPE *StockLevel )(
ITPCC * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT *txn_out);
HRESULT ( STDMETHODCALLTYPE *OrderStatus )(
ITPCC * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT *txn_out);
};
#endif

```

```

/* [out] */ VARIANT *txn_out);
HRESULT ( STDMETHODCALLTYPE *CallSetComplete )(
ITPCC * This);
END_INTERFACE
} ITPCCVtbl;
interface ITPCC
{
CONST_VTBL struct ITPCCVtbl *lpVtbl;
};

#ifdef COBJMACROS
#define ITPCC_QueryInterface(This,riid,ppvObject) \
QueryInterface(This,riid,ppvObject)
#define ITPCC_AddRef(This) \
(This)->lpVtbl->AddRef(This)
#define ITPCC_Release(This) \
(This)->lpVtbl->Release(This)
#define ITPCC_NewOrder(This,txn_in,txn_out) \
(This)->lpVtbl->NewOrder(This,txn_in,txn_out)
#define ITPCC_Payment(This,txn_in,txn_out) \
(This)->lpVtbl->Payment(This,txn_in,txn_out)
#define ITPCC_Delivery(This,txn_in,txn_out) \
(This)->lpVtbl->Delivery(This,txn_in,txn_out)
#define ITPCC_StockLevel(This,txn_in,txn_out) \
(This)->lpVtbl->StockLevel(This,txn_in,txn_out)
#define ITPCC_OrderStatus(This,txn_in,txn_out) \
(This)->lpVtbl->OrderStatus(This,txn_in,txn_out)
#define ITPCC_CallSetComplete(This) \
(This)->lpVtbl->CallSetComplete(This)
#endif /* COBJMACROS */

#ifdef __cplusplus
extern "C" {
#endif
/* C style interface */
HRESULT STDMETHODCALLTYPE CallSetComplete_Proxy(
ITPCC * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT *txn_out);
void __RPC_STUB ITPCC_NewOrder_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_prpcChannelBuffer,
PRPC_MESSAGE _prpcMessage,
DWORD *_pdwStubPhase);
HRESULT STDMETHODCALLTYPE ITPCC_Payment_Proxy(
ITPCC * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT *txn_out);
void __RPC_STUB ITPCC_Payment_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_prpcChannelBuffer,
PRPC_MESSAGE _prpcMessage,
DWORD *_pdwStubPhase);
HRESULT STDMETHODCALLTYPE ITPCC_Delivery_Proxy(
ITPCC * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT *txn_out);
void __RPC_STUB ITPCC_Delivery_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_prpcChannelBuffer,
PRPC_MESSAGE _prpcMessage,
DWORD *_pdwStubPhase);
HRESULT STDMETHODCALLTYPE ITPCC_StockLevel_Proxy(
ITPCC * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT *txn_out);
void __RPC_STUB ITPCC_StockLevel_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_prpcChannelBuffer,
PRPC_MESSAGE _prpcMessage,
DWORD *_pdwStubPhase);
HRESULT STDMETHODCALLTYPE ITPCC_OrderStatus_Proxy(
ITPCC * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT *txn_out);
void __RPC_STUB ITPCC_OrderStatus_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_prpcChannelBuffer,
PRPC_MESSAGE _prpcMessage,
DWORD *_pdwStubPhase);
HRESULT STDMETHODCALLTYPE ITPCC_CallSetComplete_Proxy(
ITPCC * This);
}

```

```

void __RPC_STUB ITPCC_Payment_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_prpcChannelBuffer,
PRPC_MESSAGE _prpcMessage,
DWORD *_pdwStubPhase);
HRESULT STDMETHODCALLTYPE ITPCC_Delivery_Proxy(
ITPCC * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT *txn_out);
void __RPC_STUB ITPCC_Delivery_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_prpcChannelBuffer,
PRPC_MESSAGE _prpcMessage,
DWORD *_pdwStubPhase);
HRESULT STDMETHODCALLTYPE ITPCC_StockLevel_Proxy(
ITPCC * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT *txn_out);
void __RPC_STUB ITPCC_StockLevel_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_prpcChannelBuffer,
PRPC_MESSAGE _prpcMessage,
DWORD *_pdwStubPhase);
HRESULT STDMETHODCALLTYPE ITPCC_OrderStatus_Proxy(
ITPCC * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT *txn_out);
void __RPC_STUB ITPCC_OrderStatus_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_prpcChannelBuffer,
PRPC_MESSAGE _prpcMessage,
DWORD *_pdwStubPhase);
HRESULT STDMETHODCALLTYPE ITPCC_CallSetComplete_Proxy(
ITPCC * This);
}

```

```

void
unsigned long *, VARIANT *);
/* end of Additional Prototypes */
#ifdef __cplusplus
}
#endif
#endif

tpcc_com_ps/src/tpcc_com_ps.idl
/* FILE: ITPCC.IDL Microsoft TPC-C
Kit Ver. 4.20.000 Copyright
Microsoft, 1999 All Rights Reserved
* * * * *
* not yet audited
* * * * *
* PURPOSE: Defines the interface used by TPCC.
This interface can be implemented by C++ components.
* Change history: 4.20.000 - first version
*/

// Forward declare all types defined
interface ITPCC;
import "oidl.idl";
import "ocidl.idl";

[
    object,
    oleautomation,
    uuid(FEEE6AA2-84B1-11d2-BA47-
00C04FBFE08B),
    helpstring("ITPCC Interface"),
    pointer_default(unique)
]
interface ITPCC : IUnknown
{
    HRESULT STDMETHODCALLTYPE NewOrder
    (
        [in] VARIANT txn_in,
        [out] VARIANT *txn_out
    );
    HRESULT STDMETHODCALLTYPE Payment
    (
        [in] VARIANT txn_in,
        [out] VARIANT *txn_out
    );
    HRESULT STDMETHODCALLTYPE Delivery
    (
        [in] VARIANT txn_in,

```

```

[out] VARIANT *txn_out
);
HRESULT STDMETHODCALLTYPE StockLevel
(
    [in] VARIANT txn_in,
    [out] VARIANT *txn_out
);
HRESULT STDMETHODCALLTYPE OrderStatus
(
    [in] VARIANT txn_in,
    [out] VARIANT *txn_out
);
HRESULT STDMETHODCALLTYPE CallSetComplete
(
);
}; // interface ITPCC

tpcc_com_ps/src/tpcc_com_ps.i.c

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients */

/* File created by MIDL compiler version 6.00.0347 */
/* at Fri Aug 01 10:56:14 2003
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf, w1, Zp8, env=win32 (32b run)
protocol : dce , ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AMD64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

```

```

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
const type name = \
{ l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8} }

#endif // !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xC0,
0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AMD64)*/

tpcc_com_ps/src/tpcc_com_ps.p.c

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the proxy stub
code */

/* File created by MIDL compiler version 6.00.0347 */
/* at Fri Aug 01 10:56:14 2003
*/

```

```

/* Compiler settings for .\src\tpcc_com_ps.idl:
   oicf, w1, zp8, env=win32 (32b run)
   protocol : dce ,ms_ext, c_ext
   error checks: allocation ref bounds_check enum
stub_data
   VC __declspec() decoration level:
       __declspec(uuid()), __declspec(selectany),
       __declspec(novtable)
       DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AMD64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high enough
to compile this file*/
#ifndef _REDO_RPCPROXY_H_VERSION__
#define _REQUIRED_RPCPROXY_H_VERSION__ 440
#endif

#include "rpcproxy.h"
#ifdef _RPCPROXY_H_VERSION__
#error this stub requires an updated version of
<rpcproxy.h>
#endif // _RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 1023
#define PROC_FORMAT_STRING_SIZE 193
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short          Pad;
    unsigned char  Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short          Pad;
    unsigned char  Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

static RPC_SYNTAX_IDENTIFIER _RpcTransferSyntax =
{{0x8a885d04,0x1ceb,0x11c9,{0x9f,0xe8,0x08,0x00,0x2b,0x
10,0x48,0x60}},{2,0}};

extern const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString;

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;
extern const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo;

extern const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ];

#if !defined(_RPC_WIN32_)

```

```

#error Invalid build platform for this stub.
#endif

#if !(TARGET_IS_NT40_OR_LATER)
#error You need a windows NT 4.0 or later to run this
stub because it uses these features:
#error -oif or -oicf, [wire_marshall] or
[user_marshall] attribute.
#error However, your C/C++ compilation flags indicate
you intend to run this app on earlier systems.
#error This app will die there with the
RPC_X_WRONG_STUB_VERSION error.
#endif

static const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString =
{
    0,
    {
        /* Procedure NewOrder */

FC_AUTO_HANDLE */          0x33,          /*
Old Flags: object, Oi2 */
/* 2 */ NdrFcLong( 0x0 ), /* 0 */
/* 6 */ NdrFcShort( 0x3 ), /* 3 */
/* 8 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset
= 28 */
/* 10 */ NdrFcShort( 0x0 ), /* 0 */
/* 12 */ NdrFcShort( 0x8 ), /* 8 */
/* 14 */ 0x7, /* Oi2 Flags: srv must
size, c1t must size, has return, */
/* 20 */ 0x3, /* 3
*/
/* Parameter txn_in */

/* 16 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
/* 18 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset
= 4 */
/* 20 */ NdrFcShort( 0x3e2 ), /* Type
Offset=994 */
/* Parameter txn_out */

/* 22 */ NdrFcShort( 0x4113 ), /* Flags: must
size, must free, out, simple ref, srv alloc size=16 */
/* 24 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset
= 20 */
/* 26 */ NdrFcShort( 0x3f4 ), /* Type
Offset=1012 */
/* Return value */

/* 28 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 30 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset
= 24 */
/* 32 */ 0x8, /* FC_LONG */
/* 0
*/
/* Procedure Payment */

/* 34 */ 0x33, /* FC_AUTO_HANDLE */
/* 0x6c, /*
Old Flags: object, Oi2 */
/* 36 */ NdrFcLong( 0x0 ), /* 0 */

```

```

/* 40 */ NdrFcShort( 0x4 ), /* 4 */
/* 42 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset
= 28 */
/* 44 */ NdrFcShort( 0x0 ), /* 0 */
/* 46 */ NdrFcShort( 0x8 ), /* 8 */
/* 48 */ 0x7, /* Oi2 Flags: srv must
size, c1t must size, has return, */
/* 0x3, /* 3
*/
/* Parameter txn_in */

/* 50 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
/* 52 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset
= 4 */
/* 54 */ NdrFcShort( 0x3e2 ), /* Type
Offset=994 */
/* Parameter txn_out */

/* 56 */ NdrFcShort( 0x4113 ), /* Flags: must
size, must free, out, simple ref, srv alloc size=16 */
/* 58 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset
= 20 */
/* 60 */ NdrFcShort( 0x3f4 ), /* Type
Offset=1012 */
/* Return value */

/* 62 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 64 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset
= 24 */
/* 66 */ 0x8, /* FC_LONG */
/* 0x0, /* 0
*/
/* Procedure Delivery */

/* 68 */ 0x33, /* FC_AUTO_HANDLE */
/* 0x6c, /*
Old Flags: object, Oi2 */
/* 70 */ NdrFcLong( 0x0 ), /* 0 */
/* 74 */ NdrFcShort( 0x5 ), /* 5 */
/* 76 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset
= 28 */
/* 78 */ NdrFcShort( 0x0 ), /* 0 */
/* 80 */ NdrFcShort( 0x8 ), /* 8 */
/* 82 */ 0x7, /* Oi2 Flags: srv must
size, c1t must size, has return, */
/* 0x3, /* 3
*/
/* Parameter txn_in */

/* 84 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
/* 86 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset
= 4 */
/* 88 */ NdrFcShort( 0x3e2 ), /* Type
Offset=994 */
/* Parameter txn_out */

/* 90 */ NdrFcShort( 0x4113 ), /* Flags: must
size, must free, out, simple ref, srv alloc size=16 */
/* 92 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset
= 20 */
/* 94 */ NdrFcShort( 0x3f4 ), /* Type
Offset=1012 */

```

```

/* Return value */
/* 96 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 98 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset
= 24 */
/* 100 */ 0x8, /* FC_LONG */
/* 0 */
/* Procedure StockLevel */
/* 102 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 104 */ NdrFCLong( 0x0 ), /* 0 */
/* 108 */ NdrFcShort( 0x6 ), /* 6 */
/* 110 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset
= 28 */
/* 112 */ NdrFcShort( 0x0 ), /* 0 */
/* 114 */ NdrFcShort( 0x8 ), /* 8 */
/* 116 */ 0x7, /* Oi2 Flags: srv must
size, c1t must size, has return, */
/* 0x3, /* 3 */
/* Parameter txn_in */
/* 118 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
/* 120 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset
= 4 */
/* 122 */ NdrFcShort( 0x3e2 ), /* Type
Offset=994 */
/* Parameter txn_out */
/* 124 */ NdrFcShort( 0x4113 ), /* Flags: must
size, must free, out, simple ref, srv alloc size=16 */
/* 126 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset
= 20 */
/* 128 */ NdrFcShort( 0x3f4 ), /* Type
Offset=1012 */
/* Return value */
/* 130 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 132 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset
= 24 */
/* 134 */ 0x8, /* FC_LONG */
/* 0 */
/* Procedure OrderStatus */
/* 136 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 138 */ NdrFCLong( 0x0 ), /* 0 */
/* 142 */ NdrFcShort( 0x7 ), /* 7 */
/* 144 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset
= 28 */
/* 146 */ NdrFcShort( 0x0 ), /* 0 */
/* 148 */ NdrFcShort( 0x8 ), /* 8 */
/* 150 */ 0x7, /* Oi2 Flags: srv must
size, c1t must size, has return, */
/* 0x3, /* 3 */
/* Parameter txn_in */

```

```

/* 152 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
/* 154 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset
= 4 */
/* 156 */ NdrFcShort( 0x3e2 ), /* Type
Offset=994 */
/* Parameter txn_out */
/* 158 */ NdrFcShort( 0x4113 ), /* Flags: must
size, must free, out, simple ref, srv alloc size=16 */
/* 160 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset
= 20 */
/* 162 */ NdrFcShort( 0x3f4 ), /* Type
Offset=1012 */
/* Return value */
/* 164 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 166 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset
= 24 */
/* 168 */ 0x8, /* FC_LONG */
/* 0x0, /* 0 */
/* Procedure CallSetComplete */
/* 170 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 172 */ NdrFCLong( 0x0 ), /* 0 */
/* 176 */ NdrFcShort( 0x8 ), /* 8 */
/* 178 */ NdrFcShort( 0x8 ), /* x86 Stack size/offset
= 8 */
/* 180 */ NdrFcShort( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x8 ), /* 8 */
/* 184 */ 0x4, /* Oi2 Flags: has
return, */
/* 0x1, /* 1 */
/* Return value */
/* 186 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 188 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset
= 4 */
/* 190 */ 0x8, /* FC_LONG */
/* 0x0, /* 0 */
/* 0x0
};
static const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString =
{
0,
{
/* 2 */
0x12, 0x0, /*
FC_UP */
/* 4 */ NdrFcShort( 0x3ca ), /* offset= 970
(974) */
/* 6 */
0x2b, /*
FC_NON_ENCAPSULATED_UNION */

```

```

FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT
*/
0x0, /*
*/
/* 10 */ NdrFcShort( 0xffff ), /* -8 */
/* 12 */ NdrFcShort( 0x2 ), /* Offset= 2 (14) */
/* 14 */ NdrFcShort( 0x10 ), /* 16 */
/* 16 */ NdrFcShort( 0x2f ), /* 47 */
/* 18 */ NdrFCLong( 0x14 ), /* 20 */
/* 22 */ NdrFcShort( 0x800b ), /* simple arm
type: FC_HYPER */
/* 24 */ NdrFCLong( 0x3 ), /* 3 */
/* 28 */ NdrFcShort( 0x8008 ), /* simple arm
type: FC_LONG */
/* 30 */ NdrFCLong( 0x11 ), /* 17 */
/* 34 */ NdrFcShort( 0x8001 ), /* simple arm
type: FC_BYTE */
/* 36 */ NdrFCLong( 0x2 ), /* 2 */
/* 40 */ NdrFcShort( 0x8006 ), /* simple arm
type: FC_SHORT */
/* 42 */ NdrFCLong( 0x4 ), /* 4 */
/* 46 */ NdrFcShort( 0x800a ), /* simple arm
type: FC_FLOAT */
/* 48 */ NdrFCLong( 0x5 ), /* 5 */
/* 52 */ NdrFcShort( 0x800c ), /* simple arm
type: FC_DOUBLE */
/* 54 */ NdrFCLong( 0xb ), /* 11 */
/* 58 */ NdrFcShort( 0x8006 ), /* simple arm
type: FC_SHORT */
/* 60 */ NdrFCLong( 0xa ), /* 10 */
/* 64 */ NdrFcShort( 0x8008 ), /* simple arm
type: FC_LONG */
/* 66 */ NdrFCLong( 0x6 ), /* 6 */
/* 70 */ NdrFcShort( 0xe8 ), /* Offset= 232 (302) */
/* 72 */ NdrFCLong( 0x7 ), /* 7 */
/* 76 */ NdrFcShort( 0x800c ), /* simple arm
type: FC_DOUBLE */
/* 78 */ NdrFCLong( 0x8 ), /* 8 */
/* 82 */ NdrFcShort( 0xe2 ), /* Offset= 226 (308) */
/* 84 */ NdrFCLong( 0xd ), /* 13 */
/* 88 */ NdrFcShort( 0xf4 ), /* Offset= 244 (332) */
/* 90 */ NdrFCLong( 0x9 ), /* 9 */
/* 94 */ NdrFcShort( 0x100 ), /* Offset= 256
(350) */
/* 96 */ NdrFCLong( 0x2000 ), /* 8192 */
/* 100 */ NdrFcShort( 0x10c ), /* Offset= 268
(368) */
/* 102 */ NdrFCLong( 0x24 ), /* 36 */
/* 106 */ NdrFcShort( 0x31a ), /* Offset= 794
(900) */
/* 108 */ NdrFCLong( 0x4024 ), /* 16420 */
/* 112 */ NdrFcShort( 0x314 ), /* Offset= 788
(900) */
/* 114 */ NdrFCLong( 0x4011 ), /* 16401 */
/* 118 */ NdrFcShort( 0x312 ), /* Offset= 786
(904) */
/* 120 */ NdrFCLong( 0x4002 ), /* 16386 */
/* 124 */ NdrFcShort( 0x310 ), /* Offset= 784
(908) */
/* 126 */ NdrFCLong( 0x4003 ), /* 16387 */
/* 130 */ NdrFcShort( 0x30e ), /* Offset= 782
(912) */
/* 132 */ NdrFCLong( 0x4014 ), /* 16404 */
/* 136 */ NdrFcShort( 0x30c ), /* Offset= 780
(916) */
/* 138 */ NdrFCLong( 0x4004 ), /* 16388 */
/* 142 */ NdrFcShort( 0x30a ), /* Offset= 778
(920) */
/* 144 */ NdrFCLong( 0x4005 ), /* 16389 */

```

```

/* 148 */ NdrFcShort( 0x308 ), /* Offset= 776
(924) */
/* 150 */ NdrFcLong( 0x400b ), /* 16395 */
/* 154 */ NdrFcShort( 0x2f2 ), /* Offset= 754
(908) */
/* 156 */ NdrFcLong( 0x400a ), /* 16394 */
/* 160 */ NdrFcShort( 0x2f0 ), /* Offset= 752
(912) */
/* 162 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 166 */ NdrFcShort( 0x2fa ), /* Offset= 762
(928) */
/* 168 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 172 */ NdrFcShort( 0x2f0 ), /* Offset= 752
(924) */
/* 174 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 178 */ NdrFcShort( 0x2f2 ), /* Offset= 754
(932) */
/* 180 */ NdrFcLong( 0x400d ), /* 16397 */
/* 184 */ NdrFcShort( 0x2f0 ), /* Offset= 752
(936) */
/* 186 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 190 */ NdrFcShort( 0x2ee ), /* Offset= 750
(940) */
/* 192 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 196 */ NdrFcShort( 0x2ec ), /* Offset= 748
(944) */
/* 198 */ NdrFcLong( 0x400c ), /* 16396 */
/* 202 */ NdrFcShort( 0x2ea ), /* Offset= 746
(948) */
/* 204 */ NdrFcLong( 0x10 ), /* 16 */
/* 208 */ NdrFcShort( 0x8002 ), /* Simple arm
type: FC_CHAR */
/* 210 */ NdrFcLong( 0x12 ), /* 18 */
/* 214 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 216 */ NdrFcLong( 0x13 ), /* 19 */
/* 220 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 222 */ NdrFcLong( 0x15 ), /* 21 */
/* 226 */ NdrFcShort( 0x800b ), /* Simple arm
type: FC_HYPER */
/* 228 */ NdrFcLong( 0x16 ), /* 22 */
/* 232 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 234 */ NdrFcLong( 0x17 ), /* 23 */
/* 238 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 240 */ NdrFcLong( 0xe ), /* 14 */
/* 244 */ NdrFcShort( 0x2c8 ), /* Offset= 712
(956) */
/* 246 */ NdrFcLong( 0x400e ), /* 16398 */
/* 250 */ NdrFcShort( 0x2cc ), /* Offset= 716
(966) */
/* 252 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 256 */ NdrFcShort( 0x2ca ), /* Offset= 714
(970) */
/* 258 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 262 */ NdrFcShort( 0x286 ), /* Offset= 646
(908) */
/* 264 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 268 */ NdrFcShort( 0x284 ), /* Offset= 644
(912) */
/* 270 */ NdrFcLong( 0x4015 ), /* 16405 */
/* 274 */ NdrFcShort( 0x282 ), /* Offset= 642
(916) */
/* 276 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 280 */ NdrFcShort( 0x278 ), /* Offset= 632
(912) */
/* 282 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 286 */ NdrFcShort( 0x272 ), /* Offset= 626
(912) */
/* 288 */ NdrFcLong( 0x0 ), /* 0 */

```

```

/* 292 */ NdrFcShort( 0x0 ), /* Offset= 0 (292) */
/* 294 */ NdrFcLong( 0x1 ), /* 1 */
/* 298 */ NdrFcShort( 0x0 ), /* Offset= 0 (298) */
/* 300 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(299) */
/* 302 */
FC_STRUCT */
0x15, /*
0x7, /* 7
*/
/* 304 */ NdrFcShort( 0x8 ), /* 8 */
/* 306 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */
/* 308 */
0x12, 0x0, /*
FC_UP */
/* 310 */ NdrFcShort( 0xc ), /* Offset= 12 (322) */
/* 312 */
0x1b, /*
FC_CARRAY */
0x1, /* 1
*/
/* 314 */ NdrFcShort( 0x2 ), /* 2 */
/* 316 */ 0x9, /* Corr desc: FC_ULONG */
0x0, /*
*/
/* 318 */ NdrFcShort( 0xffffc ), /* -4 */
/* 320 */ 0x6, /* FC_SHORT */
FC_END */
/* 322 */
0x17, /*
FC_CSTRUCT */
0x3, /* 3
*/
/* 324 */ NdrFcShort( 0x8 ), /* 8 */
/* 326 */ NdrFcShort( 0xffffffff2 ), /* Offset= -14
(312) */
/* 328 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 330 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 332 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 334 */ NdrFcLong( 0x0 ), /* 0 */
/* 338 */ NdrFcShort( 0x0 ), /* 0 */
/* 340 */ NdrFcShort( 0x0 ), /* 0 */
/* 342 */ 0xc0, /* 192 */
0x0, /* 0
*/
/* 344 */ 0x0, /* 0 */
0x0, /* 0
*/
/* 346 */ 0x0, /* 0 */
0x0, /* 0
*/
/* 348 */ 0x0, /* 0 */
0x46, /* 70
*/
/* 350 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 352 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 356 */ NdrFcShort( 0x0 ), /* 0 */

```

```

/* 358 */ NdrFcShort( 0x0 ), /* 0 */
/* 360 */ 0xc0, /* 192 */
0x0, /* 0
*/
/* 362 */ 0x0, /* 0 */
0x0, /* 0
*/
/* 364 */ 0x0, /* 0 */
0x0, /* 0
*/
/* 366 */ 0x0, /* 0 */
0x46, /* 70
*/
/* 368 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 370 */ NdrFcShort( 0x2 ), /* offset= 2 (372) */
/* 372 */
0x12, 0x0, /*
FC_UP */
/* 374 */ NdrFcShort( 0x1fc ), /* offset= 508
(882) */
/* 376 */
0x2a, /*
FC_ENCAPSULATED_UNION */
0x49, /* 73
*/
/* 378 */ NdrFcShort( 0x18 ), /* 24 */
/* 380 */ NdrFcShort( 0xa ), /* 10 */
/* 382 */ NdrFcLong( 0x8 ), /* 8 */
/* 386 */ NdrFcShort( 0x58 ), /* Offset= 88 (474) */
/* 388 */ NdrFcLong( 0xd ), /* 13 */
/* 392 */ NdrFcShort( 0x78 ), /* Offset= 120 (512) */
/* 394 */ NdrFcLong( 0x9 ), /* 9 */
/* 398 */ NdrFcShort( 0x94 ), /* Offset= 148 (546) */
/* 400 */ NdrFcLong( 0xc ), /* 12 */
/* 404 */ NdrFcShort( 0xbc ), /* Offset= 188 (592) */
/* 406 */ NdrFcLong( 0x24 ), /* 36 */
/* 410 */ NdrFcShort( 0x114 ), /* Offset= 276
(686) */
/* 412 */ NdrFcLong( 0x800d ), /* 32781 */
/* 416 */ NdrFcShort( 0x130 ), /* Offset= 304
(720) */
/* 418 */ NdrFcLong( 0x10 ), /* 16 */
/* 422 */ NdrFcShort( 0x148 ), /* offset= 328
(750) */
/* 424 */ NdrFcLong( 0x2 ), /* 2 */
/* 428 */ NdrFcShort( 0x160 ), /* offset= 352
(780) */
/* 430 */ NdrFcLong( 0x3 ), /* 3 */
/* 434 */ NdrFcShort( 0x178 ), /* offset= 376
(810) */
/* 436 */ NdrFcLong( 0x14 ), /* 20 */
/* 440 */ NdrFcShort( 0x190 ), /* offset= 400
(840) */
/* 442 */ NdrFcShort( 0xffffffff ), /* offset= -1
(441) */
/* 444 */
0x1b, /*
FC_CARRAY */
0x3, /* 3
*/
/* 446 */ NdrFcShort( 0x4 ), /* 4 */
/* 448 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 450 */ NdrFcShort( 0x0 ), /* 0 */
/* 452 */
0x4b, /*
FC_PP */

```



```

FC_PAD */
/* 454 */
FC_VARIABLE_REPEAT */
0x48,
0x49,
FC_FIXED_OFFSET */
/* 456 */ NdrFcShort( 0x4 ), /* 4 */
/* 458 */ NdrFcShort( 0x0 ), /* 0 */
/* 460 */ NdrFcShort( 0x1 ), /* 1 */
/* 462 */ NdrFcShort( 0x0 ), /* 0 */
/* 464 */ NdrFcShort( 0x0 ), /* 0 */
/* 466 */ 0x12, 0x0, /* FC_UP */
/* 468 */ NdrFcShort( 0xfffff6e ), /* offset= -146
(322) */
/* 470 */
FC_END */
0x5b,
FC_LONG */
/* 472 */ 0x5c, /* FC_PAD */
0x5b,
FC_END */
/* 474 */
FC_PSTRUCT */
0x16,
/* 476 */ NdrFcShort( 0x8 ), /* 8 */
/* 478 */
FC_PP */
0x4b,
FC_PAD */
/* 480 */
FC_NO_REPEAT */
0x46,
FC_PAD */
/* 482 */ NdrFcShort( 0x4 ), /* 4 */
/* 484 */ NdrFcShort( 0x4 ), /* 4 */
/* 486 */ 0x11, 0x0, /* FC_RP */
/* 488 */ NdrFcShort( 0xfffffd4 ), /* offset= -44
(444) */
/* 490 */
FC_END */
0x5b,
FC_LONG */
/* 492 */ 0x8, /* FC_LONG */
0x5b,
FC_END */
/* 494 */
FC_BOGUS_ARRAY */
0x21,
/* 496 */ NdrFcShort( 0x0 ), /* 0 */
/* 498 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0,
/* 500 */ NdrFcShort( 0x0 ), /* 0 */
/* 502 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 506 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0,
/* 508 */ NdrFcShort( 0xfffff50 ), /* offset= -176
(332) */
/* 510 */ 0x5c, /* FC_PAD */

```

```

FC_END */
/* 512 */
FC_BOGUS_STRUCT */
0x3,
/* 514 */ NdrFcShort( 0x8 ), /* 8 */
/* 516 */ NdrFcShort( 0x0 ), /* 0 */
/* 518 */ NdrFcShort( 0x6 ), /* offset= 6 (524) */
/* 520 */ 0x8, /* FC_LONG */
0x36,
FC_POINTER */
/* 522 */ 0x5c, /* FC_PAD */
0x5b,
FC_END */
/* 524 */
FC_RP */
/* 526 */ NdrFcShort( 0xfffffe0 ), /* offset= -32
(494) */
/* 528 */
FC_BOGUS_ARRAY */
0x3,
/* 530 */ NdrFcShort( 0x0 ), /* 0 */
/* 532 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0,
/* 534 */ NdrFcShort( 0x0 ), /* 0 */
/* 536 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 540 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0,
/* 542 */ NdrFcShort( 0xfffff40 ), /* offset= -192
(350) */
/* 544 */ 0x5c, /* FC_PAD */
0x5b,
FC_END */
/* 546 */
FC_BOGUS_STRUCT */
0x1a,
/* 548 */ NdrFcShort( 0x8 ), /* 8 */
/* 550 */ NdrFcShort( 0x0 ), /* 0 */
/* 552 */ NdrFcShort( 0x6 ), /* offset= 6 (558) */
/* 554 */ 0x8, /* FC_LONG */
0x36,
FC_POINTER */
/* 556 */ 0x5c, /* FC_PAD */
0x5b,
FC_END */
/* 558 */
FC_RP */
/* 560 */ NdrFcShort( 0xfffffe0 ), /* offset= -32
(528) */
/* 562 */
FC_CARRAY */
0x1b,
/* 564 */ NdrFcShort( 0x4 ), /* 4 */
/* 566 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0,
/* 568 */ NdrFcShort( 0x0 ), /* 0 */
/* 570 */

```

```

FC_PP */
0x4b,
FC_PAD */
/* 572 */
FC_VARIABLE_REPEAT */
0x48,
0x49,
FC_FIXED_OFFSET */
/* 574 */ NdrFcShort( 0x4 ), /* 4 */
/* 576 */ NdrFcShort( 0x0 ), /* 0 */
/* 578 */ NdrFcShort( 0x1 ), /* 1 */
/* 580 */ NdrFcShort( 0x0 ), /* 0 */
/* 582 */ NdrFcShort( 0x0 ), /* 0 */
/* 584 */ 0x12, 0x0, /* FC_UP */
/* 586 */ NdrFcShort( 0x184 ), /* offset= 388
(974) */
/* 588 */
FC_END */
0x5b,
FC_LONG */
/* 590 */ 0x5c, /* FC_PAD */
0x5b,
FC_END */
/* 592 */
FC_BOGUS_STRUCT */
0x3,
/* 594 */ NdrFcShort( 0x8 ), /* 8 */
/* 596 */ NdrFcShort( 0x0 ), /* 0 */
/* 598 */ NdrFcShort( 0x6 ), /* offset= 6 (604) */
/* 600 */ 0x8, /* FC_LONG */
0x36,
FC_POINTER */
/* 602 */ 0x5c, /* FC_PAD */
0x5b,
FC_END */
/* 604 */
FC_RP */
/* 606 */ NdrFcShort( 0xfffffd4 ), /* offset= -44
(562) */
/* 608 */
FC_IP */
0x5a,
FC_CONSTANT_IID */
/* 610 */ NdrFcLong( 0x2f ), /* 47 */
/* 614 */ NdrFcShort( 0x0 ), /* 0 */
/* 616 */ NdrFcShort( 0x0 ), /* 0 */
/* 618 */ 0xc0, /* 192 */
0x0,
/* 620 */ 0x0, /* 0 */
0x0,
/* 622 */ 0x0, /* 0 */
0x0,
/* 624 */ 0x0, /* 0 */
0x46, /* 70 */
/* 626 */
FC_CARRAY */
0x1b,
/* 628 */ NdrFcShort( 0x1 ), /* 1 */

```

```

/* 630 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 632 */ NdrFcShort( 0x4 ), /* 4 */
/* 634 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 636 */
FC_BOGUS_STRUCT */
0x1a, /*
*/
0x3, /* 3
*/
/* 638 */ NdrFcShort( 0x10 ), /* 16 */
/* 640 */ NdrFcShort( 0x0 ), /* 0 */
/* 642 */ NdrFcShort( 0xa ), /* Offset= 10 (652) */
/* 644 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 646 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /* 0
*/
/* 648 */ NdrFcShort( 0xffffffff8 ), /* Offset= -40
(608) */
/* 650 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 652 */
0x12, 0x0, /*
FC_UP */
/* 654 */ NdrFcShort( 0xffffffffe4 ), /* offset= -28
(626) */
/* 656 */
0x1b, /*
FC_CARRAY */
0x3, /* 3
*/
/* 658 */ NdrFcShort( 0x4 ), /* 4 */
/* 660 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 662 */ NdrFcShort( 0x0 ), /* 0 */
/* 664 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 666 */
0x48, /*
FC_VARIABLE_REPEAT */
0x49, /*
FC_FIXED_OFFSET */
/* 668 */ NdrFcShort( 0x4 ), /* 4 */
/* 670 */ NdrFcShort( 0x0 ), /* 0 */
/* 672 */ NdrFcShort( 0x1 ), /* 1 */
/* 674 */ NdrFcShort( 0x0 ), /* 0 */
/* 676 */ NdrFcShort( 0x0 ), /* 0 */
/* 678 */ 0x12, 0x0, /* FC_UP */
/* 680 */ NdrFcShort( 0xffffffffd4 ), /* Offset= -44
(636) */
/* 682 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 684 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 686 */

```

```

FC_BOGUS_STRUCT */
0x1a, /*
*/
0x3, /* 3
*/
/* 688 */ NdrFcShort( 0x8 ), /* 8 */
/* 690 */ NdrFcShort( 0x0 ), /* 0 */
/* 692 */ NdrFcShort( 0x6 ), /* Offset= 6 (698) */
/* 694 */ 0x8, /* FC_LONG */
0x36, /*
FC_POINTER */
/* 696 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 698 */
0x11, 0x0, /*
FC_RP */
/* 700 */ NdrFcShort( 0xffffffffd4 ), /* offset= -44
(656) */
/* 702 */
0x1d, /*
FC_SMFARRAY */
0x0, /* 0
*/
/* 704 */ NdrFcShort( 0x8 ), /* 8 */
/* 706 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 708 */
0x15, /*
FC_STRUCT */
0x3, /* 3
*/
/* 710 */ NdrFcShort( 0x10 ), /* 16 */
/* 712 */ 0x8, /* FC_LONG */
0x6, /*
FC_SHORT */
/* 714 */ 0x6, /* FC_SHORT */
0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 716 */ 0x0, /* 0 */
NdrFcShort( 0xfffffffff1 ),
/* offset= -15 (702) */
0x5b, /*
FC_END */
/* 720 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /* 3
*/
/* 722 */ NdrFcShort( 0x18 ), /* 24 */
/* 724 */ NdrFcShort( 0x0 ), /* 0 */
/* 726 */ NdrFcShort( 0xa ), /* Offset= 10 (736) */
/* 728 */ 0x8, /* FC_LONG */
0x36, /*
FC_POINTER */
/* 730 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /* 0
*/
/* 732 */ NdrFcShort( 0xffffffffe8 ), /* offset= -24
(708) */
/* 734 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 736 */
0x11, 0x0, /*
FC_RP */
/* 738 */ NdrFcShort( 0xfffffffff0c ), /* offset= -244
(494) */
/* 740 */
0x1b, /*
FC_CARRAY */

```

```

0x0, /* 0
*/
/* 742 */ NdrFcShort( 0x1 ), /* 1 */
/* 744 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 746 */ NdrFcShort( 0x0 ), /* 0 */
/* 748 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 750 */
0x16, /*
FC_PSTRUCT */
0x3, /* 3
*/
/* 752 */ NdrFcShort( 0x8 ), /* 8 */
/* 754 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 756 */
0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 758 */ NdrFcShort( 0x4 ), /* 4 */
/* 760 */ NdrFcShort( 0x4 ), /* 4 */
/* 762 */ 0x12, 0x0, /* FC_UP */
/* 764 */ NdrFcShort( 0xffffffffe8 ), /* offset= -24
(740) */
/* 766 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 768 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 770 */
0x1b, /*
FC_CARRAY */
0x1, /* 1
*/
/* 772 */ NdrFcShort( 0x2 ), /* 2 */
/* 774 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 776 */ NdrFcShort( 0x0 ), /* 0 */
/* 778 */ 0x6, /* FC_SHORT */
0x5b, /*
FC_END */
/* 780 */
0x16, /*
FC_PSTRUCT */
0x3, /* 3
*/
/* 782 */ NdrFcShort( 0x8 ), /* 8 */
/* 784 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 786 */
0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 788 */ NdrFcShort( 0x4 ), /* 4 */

```

```

/* 790 */ NdrFcShort( 0x4 ), /* 4 */
/* 792 */ 0x12, 0x0, /* FC_UP */
/* 794 */ NdrFcShort( 0xffffffff8 ), /* offset= -24
(770) */
/* 796 */
FC_END */
0x5b, /*
FC_LONG */
/* 798 */ 0x8, /* FC_LONG */
/* FC_UP */
/* 800 */
FC_END */
/* 800 */
FC_CARRAY */
0x1b, /*
0x3, /* 3
*/
/* 802 */ NdrFcShort( 0x4 ), /* 4 */
/* 804 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 806 */ NdrFcShort( 0x0 ), /* 0 */
/* 808 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 810 */
0x16, /*
FC_PSTRUCT */
0x3, /* 3
*/
/* 812 */ NdrFcShort( 0x8 ), /* 8 */
/* 814 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 816 */
0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 818 */ NdrFcShort( 0x4 ), /* 4 */
/* 820 */ NdrFcShort( 0x4 ), /* 4 */
/* 822 */ 0x12, 0x0, /* FC_UP */
/* 824 */ NdrFcShort( 0xffffffff8 ), /* offset= -24
(800) */
/* 826 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 828 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 830 */
0x1b, /*
FC_CARRAY */
0x7, /* 7
*/
/* 832 */ NdrFcShort( 0x8 ), /* 8 */
/* 834 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 836 */ NdrFcShort( 0x0 ), /* 0 */
/* 838 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */
/* 840 */

```

```

FC_PSTRUCT */
0x16, /*
0x3, /* 3
*/
/* 842 */ NdrFcShort( 0x8 ), /* 8 */
/* 844 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 846 */
0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 848 */ NdrFcShort( 0x4 ), /* 4 */
/* 850 */ NdrFcShort( 0x4 ), /* 4 */
/* 852 */ 0x12, 0x0, /* FC_UP */
/* 854 */ NdrFcShort( 0xffffffff8 ), /* offset= -24
(830) */
/* 856 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 858 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 860 */
0x15, /*
FC_STRUCT */
0x3, /* 3
*/
/* 862 */ NdrFcShort( 0x8 ), /* 8 */
/* 864 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 866 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 868 */
0x1b, /*
FC_CARRAY */
0x3, /* 3
*/
/* 870 */ NdrFcShort( 0x8 ), /* 8 */
/* 872 */ 0x7, /* Corr desc: FC_USHORT
*/
0x0, /*
*/
/* 874 */ NdrFcShort( 0xffd8 ), /* -40 */
/* 876 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /* 0
*/
/* 878 */ NdrFcShort( 0xffffffffee ), /* offset= -18
(860) */
/* 880 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 882 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /* 3
*/
/* 884 */ NdrFcShort( 0x28 ), /* 40 */
/* 886 */ NdrFcShort( 0xffffffffee ), /* offset= -18
(868) */
/* 888 */ NdrFcShort( 0x0 ), /* offset= 0 (888) */
/* 890 */ 0x6, /* FC_SHORT */
0x6, /*
FC_SHORT */

```

```

/* 892 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 894 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /* 0
*/
/* 896 */ NdrFcShort( 0xfffffffff8 ), /* offset= -520
(376) */
/* 898 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 900 */
0x12, 0x0, /*
FC_UP */
/* 902 */ NdrFcShort( 0xfffffffff6 ), /* offset= -266
(636) */
/* 904 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 906 */ 0x1, /* FC_BYTE */
0x5c, /*
FC_PAD */
/* 908 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 910 */ 0x6, /* FC_SHORT */
0x5c, /*
FC_PAD */
/* 912 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 914 */ 0x8, /* FC_LONG */
0x5c, /*
FC_PAD */
/* 916 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 918 */ 0xb, /* FC_HYPER */
0x5c, /*
FC_PAD */
/* 920 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 922 */ 0xa, /* FC_FLOAT */
0x5c, /*
FC_PAD */
/* 924 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 926 */ 0xc, /* FC_DOUBLE */
0x5c, /*
FC_PAD */
/* 928 */
0x12, 0x0, /*
FC_UP */
/* 930 */ NdrFcShort( 0xffffffffd8c ), /* offset= -628
(302) */
/* 932 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 934 */ NdrFcShort( 0xffffffffd8e ), /* offset= -626
(308) */
/* 936 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 938 */ NdrFcShort( 0xffffffffda2 ), /* offset= -606
(332) */
/* 940 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 942 */ NdrFcShort( 0xffffffffdb0 ), /* offset= -592
(350) */

```

```

/* 944 */
FC_UP [pointer_deref] /*
/* 946 */ NdrFcShort( 0xffffdb ), /* Offset= -578
(368) */
/* 948 */
0x12, 0x10, /*
FC_UP [pointer_deref] /*
/* 950 */ NdrFcShort( 0x2 ), /* Offset= 2 (952) */
/* 952 */
0x12, 0x0, /*
FC_UP /*
/* 954 */ NdrFcShort( 0x14 ), /* offset= 20 (974) */
/* 956 */
0x15, /*
FC_STRUCTURE /*
0x7, /* 7
*/
/* 958 */ NdrFcShort( 0x10 ), /* 16 */
/* 960 */ 0x6, /* FC_SHORT */
0x1, /*
FC_BYTE /*
/* 962 */ 0x1, /* FC_BYTE */
0x8, /*
FC_LONG /*
/* 964 */ 0xb, /* FC_HYPER */
0x1b, /*
FC_END /*
/* 966 */
0x12, 0x0, /*
FC_UP /*
/* 968 */ NdrFcShort( 0xffffff4 ), /* Offset= -12
(956) */
/* 970 */
0x12, 0x8, /*
FC_UP [simple_pointer] /*
/* 972 */ 0x2, /* FC_CHAR */
0x5c, /*
FC_PAD /*
/* 974 */
0x1a, /*
FC_BOGUS_STRUCTURE /*
0x7, /* 7
*/
/* 976 */ NdrFcShort( 0x20 ), /* 32 */
/* 978 */ NdrFcShort( 0x0 ), /* 0 */
/* 980 */ NdrFcShort( 0x0 ), /* Offset= 0 (980) */
/* 982 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG /*
/* 984 */ 0x6, /* FC_SHORT */
0x6, /*
FC_SHORT /*
/* 986 */ 0x6, /* FC_SHORT */
0x6, /*
FC_SHORT /*
/* 988 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /* 0
*/
/* 990 */ NdrFcShort( 0xfffffc28 ), /* Offset= -984
(6) */
/* 992 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END /*
/* 994 */ 0xb4, /* FC_USER_MARSHAL */
0x83, /*
131 */
/* 996 */ NdrFcShort( 0x0 ), /* 0 */
/* 998 */ NdrFcShort( 0x10 ), /* 16 */
/* 1000 */ NdrFcShort( 0x0 ), /* 0 */
/* 1002 */ NdrFcShort( 0xfffffc18 ), /*
Offset= -1000 (2) */

```

```

/* 1004 */
FC_RP [allocated_on_stack] /*
/* 1006 */ NdrFcShort( 0x6 ), /* Offset= 6
(1012) */
/* 1008 */
0x13, 0x0, /*
FC_OP /*
/* 1010 */ NdrFcShort( 0xffffffdc ), /*
Offset= -36 (974) */
/* 1012 */ 0xb4, /*
FC_USER_MARSHAL /*
0x83, /*
131 */
/* 1014 */ NdrFcShort( 0x0 ), /* 0 */
/* 1016 */ NdrFcShort( 0x10 ), /* 16 */
/* 1018 */ NdrFcShort( 0x0 ), /* 0 */
/* 1020 */ NdrFcShort( 0xfffffff4 ), /*
Offset= -12 (1008) */
0x0
};
};
static const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        VARIANT_UserSize
        ,VARIANT_UserMarshal
        ,VARIANT_UserUnmarshal
        ,VARIANT_UserFree
    }
};
/* Standard interface: __MIDL_itf_tppcc_com_ps_0000,
ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0x00,0x00,0x00,0x00}} */
/* Object interface: IUnknown, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0xc0,0x00,0x00,0x00,0x00,0x00,0x46}} */
/* Object interface: ITPCC, ver. 0.0,
GUID={0xFEEE6AA2,0x84B1,0x11d2,{0xba,0x47,0x00,0xc0,0x4f,0xbf,0xe0,0x8b}} */
#pragma code_seg("orpc")
static const unsigned short
ITPCC_FormatStringOffsetTable[] =
{
    0,
    34,
    68,
    102,
    136,
    170
};
static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo =
{
    &Object_StubDesc,

```

```

__MIDL_ProcFormatString.Format,
&ITPCC_FormatStringOffsetTable[-3],
0,
0,
0,
0,
};
static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0,
    0,
};
CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy,
    (void *) (INT_PTR) -1 /* ITPCC::NewOrder */ ,
    (void *) (INT_PTR) -1 /* ITPCC::Payment */ ,
    (void *) (INT_PTR) -1 /* ITPCC::Delivery */ ,
    (void *) (INT_PTR) -1 /* ITPCC::StockLevel */ ,
    (void *) (INT_PTR) -1 /* ITPCC::OrderStatus */ ,
    (void *) (INT_PTR) -1 /* ITPCC::CallSetComplete */ ,
};
const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};
static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,
    0,
    0,
    0,
    0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x20000, /* Ndr library version */
    0,
    0x600015b, /* MIDL Version 6.0.347 */
    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* cs routines */
    0, /* proxy/server info */
    0, /* Reserved5 */
};
const CInterfaceProxyVtbl *
_tppcc_com_ps_ProxyVtblList[] =
{
    ( CInterfaceProxyVtbl * ) &ITPCCProxyVtbl,
    0
};

```

```

const CInterfaceStubVtbl * _tpcc_com_ps_StubVtblList[]
=
{
    ( CInterfaceStubVtbl * ) &ITPCStubVtbl,
    0
};

PCInterfaceName const _tpcc_com_ps_InterfaceNamesList[]
=
{
    "ITPC",
    0
};

#define _tpcc_com_ps_CHECK_IID(n)
IID_GENERIC_CHECK_IID( _tpcc_com_ps, pIID, n)

int __stdcall _tpcc_com_ps_IID_Lookup( const IID *
pIID, int * pIndex )
{
    if(!_tpcc_com_ps_CHECK_IID(0))
    {
        *pIndex = 0;
        return 1;
    }
    return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo =
{
    (PCInterfaceProxyVtblList *) &
    _tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) &
    _tpcc_com_ps_StubVtblList,
    (Const PCInterfaceName * ) &
    _tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    & _tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
};

#endif /* !defined(_M_IA64) && !defined(_M_AMD64)*/

```

common/txnlog/include/rvertime.h

```

/* FILE: rvertime.h : header file
* Copyright 1997 Microsoft Corp., All rights reserved.
* Source code licensed to Tandem Computers for
Internal
* use only. Redistribution of source or object files
or
* any derivative works is prohibited. By agreement,
this
* notice may not be removed.
* Authors: Charles Levine, Philip Durr

```

```

*
* Microsoft Corp.
*
*/

//FILE: RTETIME.H

#define MAX_JULIAN_TIME
0x7FFFFFFFFFFFFFFF
#define JULIAN_TIME __int64
#define TC_TIME DWORD
extern "C"
{
    BOOL InitJulianTime(LPSYSTEMTIME
lpInitTime);
    JULIAN_TIME GetJulianTime(void);
    DWORD MyTickCount(void);
    void GetJulianAndTC(JULIAN_TIME
*pJulian, DWORD *pTC);
    JULIAN_TIME ConvertTo64BitTime(int iYear, int
iMonth, int iday, int iHour, int iMinute, int iSecond);
    JULIAN_TIME Get64BitTime(LPSYSTEMTIME
lpInitTime);
    int JulianDay( int yr, int
mm, int dd );
    void JulianToTime(JULIAN_TIME juliants,
int* yr, int* mm, int* dd, int *hh, int *mi, int *ss );
    void JulianToCalendar( int day, int* yr,
int* mm, int* dd );
}

```

common/txnlog/include/spinlock.h

```

/* FILE: SPINLOCK.H
* Copyright 1997 Microsoft Corp., All rights reserved.
* Source code licensed to Tandem Computers for
Internal
* use only. Redistribution of source or object files
or
* any derivative works is prohibited. By agreement,
this
* notice may not be removed.
* Authors: Mike Parkes, Charles Levine, Philip Durr
Microsoft Corp.
*/

#ifdef _INC_Spinlock
    const LONG LockClosed = 1;
    const LONG LockOpen = 0;
    /*****
    * Spinlock and Semaphore locking.
    * This class provides a very conservative
locking scheme.
    * The assumption behind the code is that
locks will be
    * held for a very short time. When a lock
is taken a memory
    * location is exchanged. All other
threads that want this
    *****/

```

```

* lock wait by spinning and sometimes
sleeping on a semaphore
* until it becomes free again. The only
other choice is not
* to wait at all and move on to do
something else. This
* module should normally be used in
conjunction with cache
* aligned memory in minimize cache line
misses.
*

```

```

*****/

```

```

class Spinlock
{
    // Private data.
    HANDLE
Semaphore;
    volatile LONG
m_Spinlock;
    volatile LONG
Waiting;

#ifdef _DEBUG
    // Counters for debugging
    volatile LONG
builds. TotalLocks;
    volatile LONG
TotalSleeps;
    volatile LONG
TotalSpins;
    volatile LONG
TotalWaits;
#endif

```

```

public:
    // Public functions.
    Spinlock( void );
    inline BOOL claimLock(
void );
    inline void ReleaseLock(
void );
    ~Spinlock( void );
    // Disabled operations.
    Spinlock( const Spinlock
& Copy );
    void operator=( const
Spinlock & Copy );

private:
    // Private functions.
    inline BOOL
ClaimSpinlock( volatile LONG *sl );
    void waitForLock( void );
    void wakeAllSleepers(
void );
};

```

```

/*****
*
* A guaranteed atomic exchange.
*
* An attempt is made to claim the
Spinlock. This action is
* guaranteed to be atomic.
*

```

```

*****
*****/
inline BOOL Spinlock::ClaimSpinlock( volatile
LONG *Spinlock )
{
    #ifdef _DEBUG
        InterlockedIncrement(
(LPLONG) & TotalLocks );
    #endif
    return ( ((*Spinlock) == LockOpen)
&& (InterlockedExchange( (LPLONG)Spinlock, LockClosed)
== LockOpen) );
}
/*****
*
* Claim the Spinlock.
* Claim the lock if available else wait or
exit.
*
*****/
inline BOOL Spinlock::ClaimLock( BOOL wait )
{
    if ( ! ClaimSpinlock( (volatile
LONG*) & m_Spinlock ) )
    {
        if ( wait )
            WaitForLock();
        return Wait;
    }
    return TRUE;
}
/*****
*
* Release the Spinlock.
* Release the lock and if needed wakeup
any sleepers.
*
*****/
inline void Spinlock::ReleaseLock( void )
{
    m_Spinlock = LockOpen;
    if ( waiting > 0 )
        wakeAllSleepers();
}
#define _INC_Spinlock
#endif
common/txnlog/include/txnlog.h
/* FILE: TXNLOG.H Microsoft TPC-C
Kit Ver. 4.10.000
* not yet audited
* PURPOSE: Header file for txn log class
* Copyright
Microsoft, 1999

```

```

* All Rights Reserved
*
*/
#include <stdio.h> //needed for FILE
#define DRIVER_NAME_LEN 32 //max length of the
driver engine name - must be the same as in engstut.h!
#define TXN_LOG_INCORRECTLY_SHUT_DOWN 100
//ctrl rec subtype generated by the txn log
when reading an abruptly shut down log
#pragma once
typedef struct _TXN_NEWORDER
{
    BYTE OL_Count; //range 0 to 31
    BYTE OL_Remote_Count; //range 0 to 31
    WORD C_id;
    int o_id;
} TXN_NEWORDER;
typedef struct _TXN_PAYMENT
{
    BYTE CustByName;
    BYTE ISRemote;
} TXN_PAYMENT;
typedef struct _TXN_ORDERSTATUS
{
    BYTE CustByName;
} TXN_ORDERSTATUS;
typedef union _TXN_DETAILS
{
    TXN_NEWORDER NewOrder;
    TXN_PAYMENT Payment;
    TXN_ORDERSTATUS OrderStatus;
} TXN_DETAILS;
// Common header for all records in txn log.
The TxnType field is
// a switch which identifies the particular
variant.
#define TXN_REC_TYPE_CONTROL 1
//
#define TXN_REC_TYPE_TPCC 2 // replaces TRANSACTION_TYPE_TPCC
#define TXN_REC_TYPE_TPCC_DELIV_DEF 3
//
#define TXN_REC_TYPE_TPCW 4 // replaces TRANSACTION_TYPE_TPCW
typedef struct _TXN_RECORD_HEADER
{
    JULIAN_TIME TxnStartT0;
    // start of txn
    BYTE TxnType;
    // one of TXN_REC_TYPE_*
    BYTE TxnSubType;
    // depends on TxnType
} TXN_RECORD_HEADER, *PTXN_RECORD_HEADER;
typedef struct _TXN_RECORD_CONTROL
{
    // common header; must exactly
match TXN_RECORD_HEADER
    JULIAN_TIME TxnStartT0;
    // start of txn

```

```

    BYTE TxnType;
    // = TXN_REC_TYPE_CONTROL
    BYTE TxnSubType;
    // depends on TxnType
    // end of common header
    DWORD Len;
    // number of bytes after this field
} TXN_RECORD_CONTROL, *PTXN_RECORD_CONTROL;
// TPC-C Txn Record Layout:
//
// 'TxnStartT0' is a Julian timestamp corresponding
to the moment the
// txn is sent to the SUT, i.e., beginning of
response time. Deltas
// are in milliseconds. Note that if RTDelay > 0,
then the txn was
// delayed by this amount. The delay occurs at the
beginning of the
// response time. So if RTDelay > 0, then the txn
was actually sent
// at TxnStartT0 + RTDelay.
// Graphically:
//
// time -->
//
// |--- Menu ---|--- Keying ---|--- Response ---|
-- Think --|
// <- DeltaT1 -> <- DeltaT2 -> <- DeltaT4 ->
<- DeltaT3 ->
//
// ^
// ^ TxnStartT0
// RTDelay is the amount of response time delay
included in DeltaT4.
// RTDelay is recorded per txn because this value
can be changed on
// the fly, and so may vary from txn to txn.
// TxnStatus is the txn completion code. It is used
to indicate errors.
// For example, in the New Order txn, 1% of txns
abort. TxnStatus will
// reflect this.
typedef struct _TXN_RECORD_TPCC
{
    // common header; must exactly
match TXN_RECORD_HEADER
    JULIAN_TIME TxnStartT0;
    // start of txn
    BYTE TxnType;
    // = TXN_REC_TYPE_TPCC
    BYTE TxnSubType;
    // depends on TxnType
    // end of common header
    int DeltaT1; //
    int DeltaT2; //
    int DeltaT3; //
    int DeltaT4; //
    int RTDelay; //
    int response time delay (ms) //
}

```

```

    int TxnError;
    // error code providing more detail for
TxnStatus
    int w_id;
    // warehouse ID
    BYTE d_id;
    // assigned district ID for this thread
    BYTE d_id_ThisTxn; //
district ID chosen for this particular
    BYTE TxnStatus;
errors // completion status for txn to indicate
    BYTE reserved; //
for word alignment
    TXN_DETAILS TxnDetails;
//
bool IsSuccessRecord() { return
(TxnStatus == ERR_SUCCESS || TxnStatus ==
ERR_BAD_ITEM_ID || TxnStatus ==
ERR_TYPE_DELIVERY_POST); }
} TXN_RECORD_TPCC, *PTXN_RECORD_TPCC;

// TPC-C Deferred Delivery Txn Record Layout:
//
//Incorporating delivery transaction information
into the above
//structure would increase the size of
TXN_DETAILS from 8 to 42 bytes.
//Hence, we store delivery transaction details in a
separate structure.
//
typedef struct _TXN_RECORD_TPCC_DELIV_DEF
{
match TXN_RECORD_HEADER // common header; must exactly
    JULIAN_TIME TxnStartT0;
    // start of txn
    BYTE TxnType;
// = TXN_REC_TYPE_TPCC_DELIV_DEF
    BYTE TxnSubType;
// = 0
// end of common header
    int DeltaT4; //
response time (ms)
    int DeltaTxnExec; //
// execution time (ms)
    int w_id;
    // warehouse ID
    BYTE TxnStatus;
errors // completion status for txn to indicate
    BYTE reserved; //
for word alignment
    short o_carrier_id; //
carrier id
    long o_id[10]; //
returned delivery transaction ids
    bool IsSuccessRecord() { return
(TxnStatus == ERR_SUCCESS || TxnStatus ==
ERR_BAD_ITEM_ID || TxnStatus ==
ERR_TYPE_DELIVERY_POST); }
} TXN_RECORD_TPCC_DELIV_DEF,
*PTXN_RECORD_TPCC_DELIV_DEF;

// TPC-W records.
//
typedef struct _TXN_RECORD_TPCW
{

```

```

// common header; must exactly
match TXN_RECORD_HEADER
    JULIAN_TIME TxnStartT0;
    // start of txn
    BYTE TxnType;
// = TXN_REC_TYPE_TPCW
    BYTE TxnSubType;
// depends on TxnType
// end of common header
    int ThinkTime; //
think time (ms)
    int WIRT;
// response time (ms)
    int TxnError;
TxnStatus // error code providing more detail for
    BYTE TxnStatus;
errors // completion status for txn to indicate
    //this field below depends on the
txn sub type:
    // - for Home interaction: it
indicates whether the user was a new customer (or
returning)
    // - for Buy Confirm:
it indicates whether the shipping address was
updated
    // - for Search Request:
it indicates the search type (Author, Title,
or Subject)
    //this statistics needs to be
reported according to 5.5.5.1 clause in the specs.
//because this field occupies 1
byte, the record structure is already aligned on word
boundary.
    union {
        BYTE newCustomer;
        BYTE addrUpdated;
        BYTE searchType;
    } intrDetails;
//this field is mostly for
informational/debugging purposes.
//it indicates what user performed
this web interaction and what instance (session) of
that use it was.
//The first 22 bits indicate the
user #, and the top 10 bits indicate instance (session)
#.
    unsigned __int32 uiUser;
    bool IsSuccessRecord() { return
(TxnStatus == ERR_SUCCESS); }
} TXN_RECORD_TPCW, *PTXN_RECORD_TPCW;

//
// Data part of a control record
written when a user is created (or it's new session) -
to record
USMD
typedef struct _TXN_RECORD_TPCW_USER_DATA
{
    unsigned __int32 uiUser;
    JULIAN_TIME //
    USMD;
USMD for this user
    BYTE
    bRetCust; // returning
customer?
} TXN_RECORD_TPCW_USER_DATA,
*PTXN_RECORD_TPCW_USER_DATA;

```

```

//The entire TPCW user control record
structure
typedef struct _TXN_RECORD_TPCW_USER
{
match TXN_RECORD_HEADER // common header; must exactly
    JULIAN_TIME TxnStartT0;
    // start of txn
    BYTE TxnType;
// = TXN_REC_TYPE_CONTROL
    BYTE TxnSubType;
// depends on TxnType
// end of common header
    DWORD Len;
// number of bytes after this field
//The fields above must exactly
match TXN_RECORD_CONTROL
    //The fields below must exactly
match TXN_RECORD_TPCW_USER_DATA
    unsigned __int32 uiUser;
    // user number
    JULIAN_TIME
    USMD;
USMD for this user
    BYTE
    bRetCust; // returning
customer?
} TXN_RECORD_TPCW_USER,
*PTXN_RECORD_TPCW_USER;

#define USER_INDEX_NBITS 22
#define USER_INDEX_MASK //lower 22 bits
0x003fffff
mask for user field in TPCW record
#define USER_SESSION_MASK 0xffc00000
//upper 10 bits mask for user field
in TPCW record
#define USER_CREATE_REC 254
//subtype for the control record
written when a user is created
#define TXN_LOG_VERSION 2
#define TXN_DATA_START 4096
// offset
in log file where log records start
#define TXN_LOG_EYE_CATCHER "bc" //
signature bytes at the start of log file

////////////////////////////////////
// The transaction log has a header as the
first 4k block.
//
typedef struct _TXN_LOG_HEADER
{
    char
    EyeCatcher[2]; // signature bytes;
should always be "bc"
    int
    LogVersion; // set to
TXN_LOG_VERSION
    JULIAN_TIME
    BeginTxnTs; // timestamp of
first (lowest) txn start
    JULIAN_TIME
    EndTxnTs; // timestamp of last
(highest) txn completion time

```

```

int
records in log file iRecCount; // number of
BOOL
bLogSorted;
bytes iFileSize; // file size in
log file // driver engine that created this
char
szDriverEngineName[DRIVER_NAME_LEN];
way to get close to a particular timestamp in a sorted
log file.
// the record map provides a fast
log file.
//
// struct
// {
//     int JULIAN_TIME // timestamp of
record TS;
//     int iPos; // byte
position in file
// }
RecMap[RecMapSize];
RecMapSize;
// #define
200
} TXN_LOG_HEADER, *PTXN_LOG_HEADER;
/* Header of the sorted pointers blocks in
(in merging). */
typedef struct BLOCK_HEADER {
    long BlockPos;
    __int64 CurPos;
    DWORD BytesRead;
    int nRecords;
    BYTE *offset; /* offset of
pointers to records in the log file */
} BLOCK_HEADER, *PBLOCK_HEADER;

#define READ_BUFFER_SIZE 64*1024
#define WRITE_BUFFER_SIZE 8*1024
#define WRITE_BUFFER_SIZE 128*1024

#define NUM_READ_BUFFERS 1
#define NUM_WRITE_BUFFERS 2
#define MAX_NUM_BUFFERS 2

// flags passed in to the constructor
#define TXN_LOG_WRITE 0x01
#define TXN_LOG_READ 0x02
#define TXN_LOG_SORTED 0x04
#define TXN_LOG_CRASHOPEN 0x08 // if
set, invalid headers will be tolerated; used for
recovery

#define TXN_LOG_OS_ERROR 1
#define TXN_LOG_NOT_SORTED 2

#define SKIP_CTRL_RECS 1

class CTxnLog
{
private:
    DWORD iBufferSize;
    //buffer allocated size

```

```

DWORD
iBytesFreeInBuffer; //total bytes
available for use in buffer
int
iNumBuffers;
//buffers in use
int
iActiveBuffer;
//indicates which buffer is active: 0 or 1
int
iIoBuffer;
//buffer for any pending IO operation
//
// int
// iFilePointer;
//position in file.
//
// LARGE_INTEGER lFilePointer;
//position in file.
int
iNextRec;
//when reading, ordinal value of next record
// A "save point" is remembered
each time GetNextRecord is called with a start time
specified.
// The next time it is called, if
start time is after the save point, we start scanning
from the
// save point. This is
particularly useful in FindBestInterval, where the log
is scanned repeatedly.
JULIAN_TIME
SavePtTime;
int
iSavePtFilePointer;
LARGE_INTEGER
lSavePtFilePointer;
int
iSavePtNextRec;
JULIAN_TIME lastTS;
//when writing
sorted output, used to verify records are sorted
//
// BOOL
// bWrite;
//writing log
file
//
// BOOL
// bCrashOpen;
// tolerate bad
headers and consistency checks
BOOL
bLogSorted; // is
log file sorted? applies to both input and output
JULIAN_TIME
BeginTxnTS; //
timestamp of first (lowest) txn start
JULIAN_TIME
EndTxnTS; // timestamp of
last (highest) txn completion time
int
iRecCount; //
number of records in log file
// To write a checkpoint
information into the header, need to know the EndTxnTS
for the
// last record written to the disk.
It is not necessarily the last record in the
// last written buffer, as the last
record may be only partially in the buffer.
// So remember the timestamps for 2
last records that begin in the buffer - one of
// them will be the last complete
record written to disk.

```

```

JULIAN_TIME
PrevEndTxnTS; // timestamp of
the previous to last record
union {
    TXN_LOG_HEADER
HeaderForCheckpoint; // header written on
every checkpoint
char
szHeaderBuffer[512]; //
512 bytes is the minimum we can write to the disk
} HeaderBuffer; //need the
union because can't write sizeof(TXN_LOG_HEADER) - too
few bytes
// Control record returned from
getNextRecord if the file
// currently opened for read was
not properly shut down
struct
{
    TXN_RECORD_CONTROL
RecHeader;
    char
szDriverName[DRIVER_NAME_LEN];
} IncorrectShutdownRec;
BYTE *pCurrent;
//ptr to
current buffer
BYTE
*pBuffer[MAX_NUM_BUFFERS];
PTXN_RECORD_HEADER *TxnArray;
//transaction record pointer array
for sort
DWORD dwError;
DWORD
dwCheckpointError; //error in
checkpoint thread
HANDLE hTxnFile;
HANDLE hMapFile;
//map file used when
sorting the log
HANDLE hIoComplete;
//event to signify that
there are no pending IOs
HANDLE hLogFileIo;
//event to
signal the IO thread to write the inactive buffer
HANDLE
hStopCheckpointThread; //event to
signal the checkpoint thread to exit
Spinlock Spin;
//spin lock to protect
the txn log file buffers
Spinlock writeSpin;
//spin lock to protect
the writeFile operation between IO and Checkpoint
threads
FILE *tmpFile; //temp file for merging
sorted pieces
PBLOCK_HEADER
tmpHeaders; //sorted
pointers block header

```



```

        BYTE
**recPointers; //record pointer buffers
for each sorted block
    PTXN_RECORD_HEADER *recBuffers;
//record buffers for each sorted block
    int *PointersRead;
//# of pointers
processed in each block
    BOOL *BlockAvailable;
//whether to check a particular
block for jmin
    int nBlocks;
    int jmin;

record //index (block-wise) of the lowest timestamp
    int iAvgRecordLen;
//average
record length
    int iSortedReturnedCount;
//keeps track of the # of sorted records
returned through GetSortedRecord()
    BOOL bIncorrectShutDown;
// indicates whether the log opened
for read was not correctly shut down
    int write(BYTE *ptr, DWORD Size);
static void LogFileIO(CTxnLog *);

void LoadBuffers(int j);
//used in sort/merge to load record
buffers
    static void
CheckpointThread(CTxnLog *); // checkpointing thread
    public:
        CTxnLog(LPCTSTR szFileName, DWORD
dwOpts, char *szDriver = NULL);
        ~CTxnLog(void);

        int writeToLog(PTXN_RECORD_TPCC
pTxnRcrd);
        int
writeToLog(PTXN_RECORD_TPCC_DELIV_DEF pTxnRcrd);
        int writeToLog(PTXN_RECORD_CONTROL
pCtrlRec);
        int writeToLog(PTXN_RECORD_HEADER
pCtrlRec);
        int writeToLog(PTXN_RECORD_TPCW
pTxnRcrd);
//support for TPC-W
        int writeToLog(PTXN_RECORD_TPCW
LPTSTR lpStr, DWORD
dwLen);
        void closeTransactionLogFile(void);

        PTXN_RECORD_HEADER
getNextRecord(BOOL bSkipCtrlRecs = FALSE);
        PTXN_RECORD_HEADER
getNextRecord(JULIAN_TIME SeekTimeT0, BOOL
bSkipCtrlRecs = FALSE);

        int Sort(void);
        PTXN_RECORD_HEADER
GetSortedRecord();

```

```

blogSorted; }; inline BOOL IsSorted(void) { return
return BeginTxnTS; }; inline JULIAN_TIME BeginTS(void) {
return EndTxnTS; }; inline JULIAN_TIME EndTS(void) {
return iRecCount; }; inline int RecordCount(void) {
};
class CTXNLOG_ERR : public CBaseErr
{
    public:
        enum CTXNLOG_ERRS
        {
            ERR_BAD_FILE_FORMAT,
// "File format is invalid."
            ERR_UNKNOWN_LOG_VERSION,
// "Log file version is unknown."
            ERR_BROKEN_LOG_FILE,
// "Log file is broken."
            ERR_LOG_NOT_SORTED,
// "Log file is not sorted"
            ERR_INVALID_TIME_SEQ,
// "Internal Error: Record Time
Sequence invalid."
        };
        CTXNLOG_ERR(int iErr) :
CBaseErr(iErr) {};
        int ErrorType() {return
ERR_TYPE_TXNLOG;};
        char *ErrorTypeStr() { return "TXN
LOG"; }

        char *ErrorText()
        {
            static char *szMsgs[] = {
                "File format is
invalid.",
                "Log file
version is unknown.",
                "Log file is
broken.",
                "Log file is
not sorted",
                "Internal
Error: Record Time Sequence invalid.",
                ""
            };
            for(int i = 0;
szMsgs[i][0]; i++)
            {
                if ( m_idMsg ==
i )
                    break;
            }
            return(szMsgs[i][0] ?
szMsgs[i] : ERR_UNKNOWN);
        };
};

```

Appendix B: Database Design

Build Scripts

setup.cmd

```
-----
:-----
:---- FILE:      RUNSQLCFG.CMD
:----          Microsoft TPC-C Kit Ver. 4.41
:----          Copyright Microsoft, 2001
:----          All Rights Reserved
:----
:---- PURPOSE:   Calls RunSQLCfg.sql to configure SQL
:---- Server
:----
:---- ARGUMENTS: Optionally, the user can pass the
:---- following positional arguments:
:----             Server Name
:----             sa SQL Server account password
:----             Number of Warehouses
:----             Build Option
:----
:---- {full,builddb,objects,objectsfull,bulkload,bulkloadfull
:---- ,backup}
:----             Database Type
:----             {normal or scale_down}
:----
:---- If they are not passed, then the
:---- user will be prompted by the VBS file.
:----
:-----
@cscript SetupScripts\setup.vbs //H:CScript //I %1 %2
%3 %4 %5
```

createdb.sql

```
-- File:      CREATEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.41
--           Copyright Microsoft, 2001
-- Purpose:   Creates tpcc database and backup files

use master
go

-- Create temporary table for timing

if exists (select name from sysobjects where name =
'tpcc_timer')
drop table tpcc_timer

go
```

```
create table tpcc_timer
(
    start_date
    char(30),
    end_date
    char(30)
)

insert into tpcc_timer values (0,0)
go

-- Store starting time

update tpcc_timer
set start_date = (select
convert(char(30), getdate(),9))
go

-- create main database files

CREATE DATABASE tpcc
ON PRIMARY
(
    NAME = MSSQL_tpcc_root,
    FILENAME = "C:\MSSQL_tpcc_root.mdf",
    SIZE = 8MB,
    FILEGROWTH = 0),
FILEGROUP MSSQL_misc_fg
(
    NAME = MSSQL_misc1,
    FILENAME = "O:",
    SIZE = 50000MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_misc2,
    FILENAME = "P:",
    SIZE = 50000MB,
    FILEGROWTH = 0),
FILEGROUP MSSQL_cs_fg
(
    NAME = MSSQL_cs1,
    FILENAME = "M:",
    SIZE = 88000MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_cs2,
    FILENAME = "N:",
    SIZE = 88000MB,
    FILEGROWTH = 0)
LOG ON
(
    NAME = MSSQL_tpcc_log,
    FILENAME = "L:",
    SIZE = 130000MB,
    FILEGROWTH = 0)
COLLATE Latin1_General_BIN
go

-- Store ending time
update tpcc_timer
set end_date = (select convert(char(30),
getdate(),9))
go

select "Elapsed time (in seconds): ",
datediff(second,(select start_date from
tpcc_timer),(select end_date from tpcc_timer))

-- remove temporary table

if exists (select name from sysobjects where name =
'tpcc_timer')
drop table tpcc_timer

go
```

tables.sql

```
-- File:      TABLES.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates TPC-C tables

use tpcc
go

-- Remove all existing TPC-C tables
--

if exists (select name from sysobjects where name =
'warehouse')
drop table warehouse

go

if exists (select name from sysobjects where name =
'district')
drop table district

go

if exists (select name from sysobjects where name =
'customer')
drop table customer

go

if exists (select name from sysobjects where name =
'history')
drop table history

go

if exists (select name from sysobjects where name =
'new_order')
drop table new_order

go

if exists (select name from sysobjects where name =
'orders')
drop table orders

go

if exists (select name from sysobjects where name =
'order_line')
drop table order_line

go

if exists (select name from sysobjects where name =
'item')
drop table item

go

if exists (select name from sysobjects where name =
'stock')
drop table stock

go

-- Create new tables
--

create table warehouse
(
    w_id
    smallint,
    w_name
    char(10),
    w_street_1
    char(20),
    w_street_2
    char(20),
    w_city
    char(20),
    w_state
    char(2),
```

```

        w_zip
        char(9),
        w_tax
        numeric(4,4),
        w_ytd
        numeric(12,2)
    ) on MSSQL_misc_fg
    go

create table district
(
    d_id
    tinyint,
    d_w_id
    smallint,
    d_name
    char(10),
    d_street_1
    char(20),
    d_street_2
    char(20),
    d_city
    char(20),
    d_state
    char(2),
    d_zip
    char(9),
    d_tax
    numeric(4,4),
    d_ytd
    numeric(12,2),
    d_next_o_id
    int
) on MSSQL_misc_fg
go

create table customer
(
    c_id
    int,
    c_d_id
    tinyint,
    c_w_id
    smallint,
    c_first
    char(16),
    c_middle
    char(2),
    c_last
    char(16),
    c_street_1
    char(20),
    c_street_2
    char(20),
    c_city
    char(20),
    c_state
    char(2),
    c_zip
    char(9),
    c_phone
    char(16),
    c_since
    datetime,
    c_credit
    char(2),
    c_credit_lim
    numeric(12,2),
    c_discount
    numeric(4,4),
    c_balance
    numeric(12,2),
    c_ytd_payment
    numeric(12,2),
    c_payment_cnt
    smallint,
    c_delivery_cnt
    smallint,
    c_data
    char(500)
) on MSSQL_cs_fg

```

```

go

create table history
(
    h_c_id
    tinyint,
    h_c_d_id
    smallint,
    h_c_w_id
    tinyint,
    h_d_id
    smallint,
    h_w_id
    tinyint,
    h_date
    datetime,
    h_amount
    numeric(6,2),
    h_data
    char(24)
) on MSSQL_misc_fg
go

create table new_order
(
    no_o_id
    int,
    no_d_id
    tinyint,
    no_w_id
    smallint
) on MSSQL_misc_fg
go

create table orders
(
    o_id
    int,
    o_d_id
    tinyint,
    o_w_id
    smallint,
    o_c_id
    int,
    o_entry_d
    datetime,
    o_carrier_id
    tinyint,
    o_ol_cnt
    tinyint,
    o_all_local
    tinyint
) on MSSQL_misc_fg
go

create table order_line
(
    ol_o_id
    int,
    ol_d_id
    tinyint,
    ol_w_id
    smallint,
    ol_number
    tinyint,
    ol_i_id
    int,
    ol_supply_w_id
    smallint,
    ol_delivery_d
    datetime,
    ol_quantity
    numeric(6,2),
    ol_amount
    char(24),
    ol_dist_info
    char(24)
) on MSSQL_misc_fg
go

create table item
(
    i_id
    int,
    i_m_id
    int,
    i_name
    char(24),
    i_price
    numeric(5,2),

```

```

        i_data
        char(50)
    ) on MSSQL_misc_fg
    go

create table stock
(
    s_i_id
    int,
    s_w_id
    smallint,
    s_quantity
    smallint,
    s_dist_01
    char(24),
    s_dist_02
    char(24),
    s_dist_03
    char(24),
    s_dist_04
    char(24),
    s_dist_05
    char(24),
    s_dist_06
    char(24),
    s_dist_07
    char(24),
    s_dist_08
    char(24),
    s_dist_09
    char(24),
    s_dist_10
    char(24),
    s_ytd
    int,
    s_order_cnt
    smallint,
    s_remove_cnt
    smallint,
    s_data
    char(50)
) on MSSQL_cs_fg
go

```

idxcuscl.sql

```

-- File: IDXCUSCL.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.41
-- Copyright Microsoft, 2001
-- Purpose: Creates clustered index on customer table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name =
'customer_c1' )
drop index customer.customer_c1

create unique clustered index customer_c1 on
customer(c_w_id, c_d_id, c_id)
on MSSQL_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second,
@startdate, @enddate)

go

```

idxcusnc.sql

```
-- File:      IDXCUSNC.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.41
--           Copyright Microsoft, 2001
-- Purpose:   Creates non-clustered index on customer
table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name =
'customer_nc1' )
    drop index customer.customer_nc1

create unique nonclustered index customer_nc1 on
customer(c_w_id, c_d_id, c_last, c_first, c_id)
on MSSQL_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second,
@startdate, @enddate)

go
```

idxdiscl.sql

```
-- File:      IDXDISCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.41
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on district table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name =
'district_c1' )
    drop index district.district_c1

create unique clustered index district_c1 on
district(d_w_id, d_id)
with fillfactor=100 on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second,
@startdate, @enddate)

go
```

idxitmcl.sql

```
-- File:      IDXITMCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.41
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on item table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name =
'item_c1' )
    drop index item.item_c1

create unique clustered index item_c1 on item(i_id)
on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second,
@startdate, @enddate)

go
```

idxnodcl.sql

```
-- File:      IDXNODCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.41
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on new_order
table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name =
'new_order_c1' )
    drop index new_order.new_order_c1

create unique clustered index new_order_c1 on
new_order(no_w_id, no_d_id, no_o_id)
on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second,
@startdate, @enddate)

go
```

idxodlcl.sql

```
-- File:      IDXODLCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.41
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on order_line
table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name =
'order_line_c1' )
    drop index order_line.order_line_c1

create unique clustered index order_line_c1 on
order_line(ol_w_id, ol_d_id, ol_o_id, ol_number)
on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second,
@startdate, @enddate)

go
```

idxordcl.sql

```
-- File:      IDXORDCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.41
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on orders table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name =
'orders_c1' )
    drop index orders.orders_c1

create unique clustered index orders_c1 on
orders(o_w_id, o_d_id, o_id)
on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second,
@startdate, @enddate)

go
```

idxstkcl.sql

```
-- File:      IDXSTKCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.41
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on stock table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name =
'stock_c1' )
    drop index stock.stock_c1

create unique clustered index stock_c1 on stock(s_i_id,
s_w_id)
    on MSSQL_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second,
@startdate, @enddate)

go
```

idxwarcl.sql

```
-- File:      IDXWARCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.41
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on warehouse
table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name =
'warehouse_c1' )
    drop index warehouse.warehouse_c1

create unique clustered index warehouse_c1 on
warehouse(w_id)
    with fillfactor=100 on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second,
@startdate, @enddate)

go
```

idxordnc.sql

```
-- File:      IDXORDNC.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.41
--           Copyright Microsoft, 2001
-- Purpose:   Creates non-clustered index on orders
table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name =
'orders_nc1' )
    drop index orders.orders_nc1

create index orders_nc1 on orders(o_w_id, o_d_id,
o_c_id, o_id)
    on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second,
@startdate, @enddate)

go
```

dbopt1.sql

```
-- File:      DBOPT1.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.41
--           Copyright Microsoft, 2001
-- Purpose:   Sets database options for data load

use master
go

exec sp_dboption tpcc,'select into/bulkcopy',true
exec sp_dboption tpcc,'trunc. log on chkpt.',true
exec sp_dboption tpcc,'torn page detection',false
go

use tpcc
go

checkpoint
go
```

dbopt2.sql

```
-- File:      DBOPT2.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.41
--           Copyright Microsoft, 2001
```

```
-- Purpose: Resets database options after data load
```

```
exec sp_dboption tpcc,'select into/bulkcopy',false
exec sp_dboption tpcc,'trunc. log on chkpt.',false
exec sp_dboption tpcc,'torn page detection',false
GO

USE tpcc
GO

CHECKPOINT
GO

sp_configure 'allow updates',1
GO

RECONFIGURE WITH OVERRIDE
GO

DECLARE @msg          varchar(50)

--           OPTIONS FOR SQL SERVER 2000           --
-- Set option values for user-defined indexes --
--

SET @msg = ' '
PRINT @msg
SET @msg = 'Setting SQL Server indexoptions'
PRINT @msg
SET @msg = ' '
PRINT @msg

EXEC sp_indexoption 'customer',
'DisallowPageLocks', TRUE
EXEC sp_indexoption 'district',
'DisallowPageLocks', TRUE
EXEC sp_indexoption 'warehouse',
'DisallowPageLocks', TRUE
EXEC sp_indexoption 'stock', 'DisallowPageLocks',
TRUE
EXEC sp_indexoption 'order_line',
'DisallowRowLocks', TRUE
EXEC sp_indexoption 'orders', 'DisallowRowLocks', TRUE
EXEC sp_indexoption 'new_order',
'DisallowRowLocks', TRUE
EXEC sp_indexoption 'item',
'DisallowRowLocks', TRUE
EXEC sp_indexoption 'item',
'DisallowPageLocks', TRUE
GO

Print ' '
Print '*****'
Print 'Pre-specified Locking Hierarchy:'
Print ' Lockflag = 0 ==> No pre-specified
hierarchy'
Print ' Lockflag = 1 ==> Lock at Page-level then
Table-level'
Print ' Lockflag = 2 ==> Lock at Row-level then
Table-level'
Print ' Lockflag = 3 ==> Lock at Table-level'
Print ' '

SELECT name,lockflags
FROM sysindexes
WHERE object_id('warehouse') = id OR
object_id('district') = id OR
object_id('customer') = id OR
object_id('stock') = id OR
object_id('orders') = id OR
object_id('order_line') = id OR
```

```

        object_id('history') = id OR
        object_id('new_order') = id OR
        object_id('item') = id
ORDER BY lockflags asc
GO

sp_configure 'allow updates',0
GO

RECONFIGURE WITH OVERRIDE
GO

EXEC sp_dboption tpcc, 'auto update statistics',
                FALSE
EXEC sp_dboption tpcc, 'auto create statistics',
                FALSE
GO

EXEC sp_tableoption 'district', 'pintable',true
EXEC sp_tableoption 'warehouse', 'pintable',true
EXEC sp_tableoption 'new_order', 'pintable',true
EXEC sp_tableoption 'item', 'pintable',true
GO

```

backup.sql

```

-- File: BACKUP.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.41
-- Copyright Microsoft, 2001
-- Purpose: Creates backup of tpcc database

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

dump database tpcc to tpccback1, tpccback2 with init,
stats = 1

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second,
@startdate, @enddate)

go

```

restore.sql

```

-- File: RESTORE.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.41
-- Copyright Microsoft, 2001
-- Purpose: Loads database backup from backup files

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

load database tpcc from tpccback1, tpccback2 with stats
= 1

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second,
@startdate, @enddate)

go

```

Stored Procedures

neword.sql

```

-- File: NEWORD.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.41
-- Copyright Microsoft, 2001
-- Purpose: Creates new order transaction stored
procedure
--
-- Interface Level: 4.10.000

use tpcc
go

if exists ( select name from sysobjects where name =
'tpcc_neworder' )
drop procedure tpcc_neworder

go

create proc tpcc_neworder
smallint, @w_id
tinyint, @d_id
int, @c_id

@o_ol_cnt tinyint,
@o_all_local tinyint,

@i_id1 int = 0, @s_w_id1 smallint = 0,
@o1_qty1 smallint = 0,

@i_id2 int = 0, @s_w_id2 smallint = 0,
@o1_qty2 smallint = 0,

@i_id3 int = 0, @s_w_id3 smallint = 0,
@o1_qty3 smallint = 0,

@i_id4 int = 0, @s_w_id4 smallint = 0,
@o1_qty4 smallint = 0,

@i_id5 int = 0, @s_w_id5 smallint = 0,
@o1_qty5 smallint = 0,

@i_id6 int = 0, @s_w_id6 smallint = 0,
@o1_qty6 smallint = 0,

@i_id7 int = 0, @s_w_id7 smallint = 0,
@o1_qty7 smallint = 0,

@i_id8 int = 0, @s_w_id8 smallint = 0,
@o1_qty8 smallint = 0,

```

```

        @i_id9 int = 0, @s_w_id9 smallint = 0,
@o1_qty9 smallint = 0,

        @i_id10 int = 0, @s_w_id10 smallint = 0,
@o1_qty10 smallint = 0,

        @i_id11 int = 0, @s_w_id11 smallint = 0,
@o1_qty11 smallint = 0,

        @i_id12 int = 0, @s_w_id12 smallint = 0,
@o1_qty12 smallint = 0,

        @i_id13 int = 0, @s_w_id13 smallint = 0,
@o1_qty13 smallint = 0,

        @i_id14 int = 0, @s_w_id14 smallint = 0,
@o1_qty14 smallint = 0,

        @i_id15 int = 0, @s_w_id15 smallint = 0,
@o1_qty15 smallint = 0

```

```

as
declare @w_tax numeric(4,4),
        @d_tax numeric(4,4),
        @c_last char(16),
        @c_credit char(2),
        @c_discount numeric(4,4),
        @i_price numeric(5,2),
        @i_name char(24),
        @i_data char(50),
        @o_entry_d datetime,
        @remote_flag int,
        @s_quantity smallint,
        @s_data char(50),
        @s_dist char(24),
        @li_no int,
        @o_id int,
        @commit_flag tinyint,
        @li_id int,
        @li_s_w_id smallint,
        @li_qty smallint,
        @ol_number int,
        @c_id_local int

begin

begin transaction n

-- get district tax and next available order id and
update
-- plus initialize local variables

        update district
        set @d_tax = d_tax,
            @o_id = d_next_o_id,
            d_next_o_id = d_next_o_id + 1,
            @o_entry_d = getdate(),
            @li_no = 0,
            @commit_flag = 1
        where d_w_id = @w_id and
            d_id = @d_id

-- process orderlines

        while (@li_no < @o_ol_cnt)
        begin

                select @li_no = @li_no + 1

```

```

-- set i_id, s_w_id, and qty for this lineitem
select @li_id = case @li_no
when 1 then
@i_id1
when 2 then
@i_id2
when 3 then
@i_id3
when 4 then
@i_id4
when 5 then
@i_id5
when 6 then
@i_id6
when 7 then
@i_id7
when 8 then
@i_id8
when 9 then
@i_id9
when 10 then
@i_id10
when 11 then
@i_id11
when 12 then
@i_id12
when 13 then
@i_id13
when 14 then
@i_id14
when 15 then
@i_id15
end,
@li_s_w_id = case @li_no
when 1
then @s_w_id1
when 2
then @s_w_id2
when 3
then @s_w_id3
when 4
then @s_w_id4
when 5
then @s_w_id5
when 6
then @s_w_id6
when 7
then @s_w_id7
when 8
then @s_w_id8
when 9
then @s_w_id9
when 10
then @s_w_id10
when 11
then @s_w_id11
when 12
then @s_w_id12
when 13
then @s_w_id13
when 14
then @s_w_id14
when 15
then @s_w_id15
end,
@li_qty = case @li_no
when 1 then
@o1_qty1

```

```

@o1_qty2
@o1_qty3
@o1_qty4
@o1_qty5
@o1_qty6
@o1_qty7
@o1_qty8
@o1_qty9
@o1_qty10
@o1_qty11
@o1_qty12
@o1_qty13
@o1_qty14
@o1_qty15

when 2 then
when 3 then
when 4 then
when 5 then
when 6 then
when 7 then
when 8 then
when 9 then
when 10 then
when 11 then
when 12 then
when 13 then
when 14 then
when 15 then
end

-- get item data (no one updates item)
select @i_price = i_price,
@i_name = i_name,
@i_data = i_data
from item (tablock)
where i_id = @li_id

-- update stock values
update stock
set s_ytd =
s_ytd + @li_qty,
s_quantity = s_quantity - @li_qty +
case when (s_quantity - @li_qty < 10)
then 91 else 0 end,
s_order_cnt =
s_order_cnt + 1,
s_remote_cnt =
s_remote_cnt + case when (@li_s_w_id = @w_id) then 0
else 1 end,
@s_data =
s_data,
@s_dist =
case @d_id
when 1 then s_dist_01
when 2 then s_dist_02
when 3 then s_dist_03
when 4 then s_dist_04
when 5 then s_dist_05
when 6 then s_dist_06
when 7 then s_dist_07

```

```

when 8 then s_dist_08
when 9 then s_dist_09
when 10 then s_dist_10
end
where s_i_id =
@li_id and s_w_id =
@li_s_w_id
-- if there actually is a stock (and item) with these
ids, go to work
if (@@rowcount > 0)
begin
-- insert order_line data (using data from item and
stock)
insert into order_line
values(@o_id,
@d_id,
@w_id,
@li_no,
@li_id,
@li_s_w_id,
'dec 31, 1899',
@li_qty,
@i_price * @li_qty,
@s_dist)
-- send line-item data to client
select @i_name,
@s_quantity,
b_g = case when
(patindex('%ORIGINAL%',@i_data) > 0) and
(patindex('%ORIGINAL%',@s_data) > 0) )
then 'B'
else 'G' end,
@i_price,
@i_price *
@li_qty
end
else
begin
-- no item (or stock) found - triggers rollback
condition
select '',0,'',0,0
select @commit_flag = 0
end
end
-- get customer last name, discount, and credit rating
select @c_last = c_last,

```

```

        @c_discount = c_discount,
        @c_credit = c_credit,
        @c_id_local = c_id
    from customer (repeatableread)
    where c_id = @c_id and
        c_w_id = @w_id and
        c_d_id = @d_id

-- insert fresh row into orders table
insert into orders values ( @o_id,
    @d_id,
    @w_id,
    @c_id_local,
    @o_entry_d,
    0,
    @o_o1_cnt,
    @o_all_local)

-- insert corresponding row into new-order table
insert into new_order values (
    @o_id,
    @d_id,
    @w_id)

-- select warehouse tax
select @w_tax = w_tax
from warehouse (repeatableread)
where w_id = @w_id

if (@commit_flag = 1)
    commit transaction n
else
    rollback transaction n

-- all that work for nuthin!!!
-- return order data to client
select @w_tax,
    @d_tax,
    @o_id,
    @c_last,
    @c_discount,
    @c_credit,
    @o_entry_d,
    @commit_flag
end
go

```

payment.sql

```

-- File: PAYMENT.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.41
-- Copyright Microsoft, 2001
-- Purpose: Creates payment transaction stored
-- procedure
-- Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name =
    'tpcc_payment' )
    drop procedure tpcc_payment
go

create proc tpcc_payment @w_id smallint,
    @c_w_id smallint,
    @h_amount numeric(6,2),
    @d_id tinyint,
    @c_d_id tinyint,
    @c_id int,
    @c_last char(16) = ''

as
declare @w_street_1 char(20),
    @w_street_2 char(20),
    @w_city char(20),
    @w_state char(2),
    @w_zip char(9),
    @w_name char(10),
    @d_street_1 char(20),
    @d_street_2 char(20),
    @d_city char(20),
    @d_state char(2),
    @d_zip char(9),
    @d_name char(10),
    @c_first char(16),
    @c_middle char(2),
    @c_street_1 char(20),
    @c_street_2 char(20),
    @c_city char(20),
    @c_state char(2),
    @c_zip char(9),
    @c_phone char(16),
    @c_since datetime,
    @c_credit char(2),
    @c_credit_lim numeric(12,2),
    @c_balance numeric(12,2),
    @c_discount numeric(4,4),
    @data char(500),
    @c_data char(500),
    @datetime datetime,
    @w_ytd numeric(12,2),
    @d_ytd numeric(12,2),
    @cnt smallint,
    @val smallint,
    @screen_data char(200),
    @d_id_local tinyint,
    @w_id_local smallint,
    @c_id_local int

```

```

select @screen_data = ''
begin tran p
-- get payment date
select @datetime = getdate()
if (@c_id = 0)
    begin
-- get customer id and info using last name
select @cnt = count(*)
from customer (repeatableread)
where c_last = @c_last and
    c_w_id = @c_w_id and
    c_d_id = @c_d_id

select @val = (@cnt + 1) / 2
set rowcount @val

select @c_id = c_id
from customer (repeatableread)
where c_last = @c_last and
    c_w_id = @c_w_id and
    c_d_id = @c_d_id
order by c_last, c_first

set rowcount 0

end

-- get customer info and update balances
update customer
set @c_balance = c_balance
+ 1,
+ @h_amount,
@c_payment_cnt = c_payment_cnt
+ @h_amount,
@c_ytd_payment = c_ytd_payment
+ @h_amount,
@c_first = c_first,
@c_middle = c_middle,
@c_last = c_last,
@c_street_1 = c_street_1,
@c_street_2 = c_street_2,
@c_city = c_city,
@c_state = c_state,
@c_zip = c_zip,
@c_phone = c_phone,
@c_credit = c_credit,
@c_credit_lim = c_credit_lim,
@c_discount = c_discount,
@c_since = c_since,
@data = c_data,
@c_id_local = c_id
where c_id = @c_id and
    c_w_id = @c_w_id and
    c_d_id = @c_d_id

-- if customer has bad credit get some more info
if (@c_credit = 'BC')
    begin
-- compute new info

```



```

select @c_data =
convert(char(5),@c_id) +
convert(char(4),@c_d_id) +
convert(char(5),@c_w_id) +
convert(char(4),@d_id) +
convert(char(5),@w_id) +
convert(char(19),@h_amount) +
substring(@data, 1, 458)
-- update customer info
update customer
set c_data = @c_data
where c_id = @c_id and
c_w_id = @c_w_id and
c_d_id = @c_d_id
select @screen_data = substring
(@c_data,1,200)
end
-- get district data and update year-to-date
update district
set d_ytd = d_ytd +
@h_amount,
@d_street_1 = d_street_1,
@d_street_2 = d_street_2,
@d_city = d_city,
@d_state = d_state,
@d_zip = d_zip,
@d_name = d_name,
@d_id_local = d_id
where d_w_id = @w_id and
d_id = @d_id
-- get warehouse data and update year-to-date
update warehouse
set w_ytd = w_ytd +
@h_amount,
@w_street_1 = w_street_1,
@w_street_2 = w_street_2,
@w_city = w_city,
@w_state = w_state,
@w_zip = w_zip,
@w_name = w_name,
@w_id_local = w_id
where w_id = @w_id
-- create history record
insert into history values ( @c_id_local,
@c_d_id,
@c_w_id,
@d_id_local,
@w_id_local,
@datetime,
@h_amount,

```

```

@w_name + ' ' + @d_name)
commit tran p
-- return data to client
select @c_id,
@c_last,
@datetime,
@w_street_1,
@w_street_2,
@w_city,
@w_state,
@w_zip,
@d_street_1,
@d_street_2,
@d_city,
@d_state,
@d_zip,
@c_first,
@c_middle,
@c_street_1,
@c_street_2,
@c_city,
@c_state,
@c_zip,
@c_phone,
@c_since,
@c_credit_lim,
@c_discount,
@c_balance,
@screen_data
go
ordstat.sql
-- File: ORDSTAT.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.41
-- Copyright Microsoft, 2001
-- Purpose: Creates order status transaction stored
-- procedure
-- Interface Level: 4.10.000
use tpcc
go
if exists ( select name from sysobjects where name =
'tpcc_orderstatus' )
drop procedure tpcc_orderstatus
go
create proc tpcc_orderstatus @w_id smallint,
@d_id tinyint,
@c_id int,
@c_last char(16) = ''
as
declare @c_balance numeric(12,2),
@c_first char(16),

```

```

@c_middle char(2),
@o_id int,
@o_entry_d datetime,
@o_carrier_id smallint,
@cnt smallint
begin tran o
if (@c_id = 0)
begin
-- get customer id and info using last name
(count(*)+1)/2 select @cnt =
from customer (repeatableread)
where c_last = @c_last and
c_w_id = @w_id and
c_d_id = @d_id
set rowcount @cnt
select @c_id =
c_id,
@c_balance =
c_balance,
@c_first =
c_first,
@c_last =
c_last,
@c_middle =
from customer (repeatableread)
where c_last =
@c_last and
c_w_id =
@w_id and
c_d_id =
@d_id
order by c_w_id, c_d_id,
c_last, c_first
set rowcount 0
end
else
begin
-- get customer info if by id
select @c_balance =
@c_first = c_first,
@c_middle = c_middle,
@c_last =
from customer (repeatableread)
where c_id =
@c_id and
c_d_id =
@d_id and
c_w_id =
@w_id
select @cnt = @@rowcount
end
-- if no such customer
if (@cnt = 0)

```

```

begin
raiserror('Customer not
found',18,1)
end
goto custnotfound
-- get order info
select @o_id = o_id,
@o_entry_d = o_entry_d,
@o_carrier_id = o_carrier_id
from orders (serializable)
where o_c_id = @c_id and
o_d_id = @d_id and
o_w_id = @w_id
order by o_id asc
-- select order lines for the current order
select ol_supply_w_id,
ol_i_id,
ol_quantity,
ol_amount,
ol_delivery_d
from order_line (repeatable)
where ol_o_id = @o_id and
ol_d_id = @d_id and
ol_w_id = @w_id
custnotfound:
commit tran o
-- return data to client
select @c_id,
@c_last,
@c_first,
@c_middle,
@o_entry_d,
@o_carrier_id,
@c_balance,
@o_id
go

```

delivery.sql

```

-- File: DELIVERY.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.41
-- Copyright Microsoft, 2001
-- Purpose: Creates delivery transaction stored
procedure
--
-- Interface Level: 4.10.000
use tpcc
go
if exists (select name from sysobjects where name =
'tpcc_delivery' )
drop procedure tpcc_delivery
go

```

```

create proc tpcc_delivery @w_id smallint,
@o_carrier_id
smallint
as
declare @d_id tinyint,
@o_id int,
@c_id int,
@total numeric(12,2),
@oid1 int,
@oid2 int,
@oid3 int,
@oid4 int,
@oid5 int,
@oid6 int,
@oid7 int,
@oid8 int,
@oid9 int,
@oid10 int
select @d_id = 0
begin tran d
while (@@rowcount < 10)
begin
select @d_id = @d_id + 1,
@total = 0,
@o_id = 0
select top 1
@o_id = no_o_id
from new_order (serializable)
where no_w_id = @w_id and
no_d_id = @d_id
order by no_o_id asc
if (@@rowcount <> 0)
begin
-- claim the order for this district
delete new_order
where no_w_id =
@w_id and
no_d_id =
@d_id and
no_o_id =
@o_id
-- set carrier_id on this order (and get customer id)
update orders
set o_carrier_id
= @o_carrier_id,
@c_id
= o_c_id
where o_w_id
= @w_id and
o_d_id
= @d_id and
o_id
= @o_id
-- set date in all lineitems for this order (and sum
amounts)

```

```

update order_line
set ol_delivery_d
= getdate(),
@total
= @total + ol_amount
where ol_w_id
= @w_id and
ol_d_id
= @d_id and
ol_o_id
= @o_id
-- accumulate lineitem amounts for this order into
customer
update customer
set c_balance =
c_balance + @total,
c_delivery_cnt =
c_delivery_cnt + 1
where c_w_id
= @w_id and
c_d_id
= @d_id and
c_id
= @c_id
end
select @oid1 = case @d_id when 1 then @o_id
else @oid1 end,
@oid2 = case @d_id when 2 then @o_id
else @oid2 end,
@oid3 = case @d_id when 3 then @o_id
else @oid3 end,
@oid4 = case @d_id when 4 then @o_id
else @oid4 end,
@oid5 = case @d_id when 5 then @o_id
else @oid5 end,
@oid6 = case @d_id when 6 then @o_id
else @oid6 end,
@oid7 = case @d_id when 7 then @o_id
else @oid7 end,
@oid8 = case @d_id when 8 then @o_id
else @oid8 end,
@oid9 = case @d_id when 9 then @o_id
else @oid9 end,
@oid10 = case @d_id when 10 then @o_id
else @oid10 end
end
commit tran d
-- return delivery data to client
select @oid1,
@oid2,
@oid3,
@oid4,
@oid5,
@oid6,
@oid7,
@oid8,
@oid9,
@oid10
go

```

stocklev.sql

```
-- File: STOCKLEV.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.41
-- Copyright Microsoft, 2001
-- Purpose: Creates stock level transaction stored
procedure
--
-- Interface Level: 4.10.000
use tpcc
go
if exists (select name from sysobjects where name =
'tpcc_stocklevel' )
drop procedure tpcc_stocklevel
go
create proc tpcc_stocklevel @w_id
smallint,
tinyint, @d_id
smallint @threshold
as
declare @o_id_low int,
@o_id_high int
select @o_id_low = (d_next_o_id - 20),
@o_id_high = (d_next_o_id - 1)
from district
where d_w_id = @w_id and
d_id = @d_id
select count(distinct(s_i_id))
from stock, order_line
where o1_w_id = @w_id and
o1_d_id = @d_id and
o1_o_id between @o_id_low and
@o_id_high and
s_w_id = @w_id and
s_i_id = o1_i_id and
s_quantity < @threshold
go
```

Loader Source Code

tpcc.h

```
// File: TPCC.H Microsoft TPC-C
// Kit Ver. 4.41
// Copyright
// Microsoft, 1996, 1997, 1998, 1999, 2000, 2001
// Purpose: Header file for TPC-C database
loader
```

```
// Build number of TPC Benchmark Kit
#define TPCKIT_VER "4.41"
// General headers
#include <windows.h>
#include <winbase.h>
#include <stdlib.h>
#include <stdio.h>
#include <process.h>
#include <stddef.h>
#include <stdarg.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <sys\types.h>
// ODBC headers
#include <sql.h>
#include <sqlext.h>
#include <odbcss.h>
// General constants
#define MILLI 1000
#define FALSE 0
#define TRUE 1
#define UNDEF -1
#define MINPRINTASCII 32
#define MAXPRINTASCII 126
// Default environment constants
#define SERVER ""
#define DATABASE "tpcc"
#define USER ""
#define PASSWORD "sa"
// Default loader arguments
#define BATCH 10000
#define DEFLDPACKSIZE 32768
#define LOADER_RES_FILE "c:\\MSTPCC.440\\SETUP\\logs\\load.out"
#define LOG_PATH "c:\\MSTPCC.440\\SETUP\\LOGS\\";
#define LOADER_NURAND_C 123
#define DEF_STARTING_WAREHOUSE 1
#define BUILD_INDEX 1
#define INDEX_ORDER // build both data and indexes
1 // build indexes before load
#define SCALE_DOWN // build a normal scale database
0
#define INDEX_SCRIPT_PATH "scripts"
typedef struct
{
char
*server;
char
*database;
char
*user;
char
*password;
BOOL
tables_all; //
set if loading all tables
BOOL
table_item; //
set if loading ITEM table specifically
```

```
BOOL
table_warehouse; // set if loading
WAREHOUSE, DISTRICT, and STOCK
BOOL
table_customer; // set if
loading CUSTOMER and HISTORY
BOOL
table_orders; // set if
loading NEW-ORDER, ORDERS, ORDER-LINE
long
num_warehouses;
long
batch;
long
verbose;
long
pack_size;
char
*loader_res_file;
char
*log_path;
char
*synch_servername;
long
case_sensitivity;
long
starting_warehouse;
long
build_index;
long
index_order;
long
scale_down;
char
*index_script_path;
} TPCCCLR_ARGS;
// String length constants
#define SERVER_NAME_LEN 20
#define DATABASE_NAME_LEN 20
#define USER_NAME_LEN 20
#define PASSWORD_LEN 20
#define TABLE_NAME_LEN 20
#define I_DATA_LEN 50
#define I_NAME_LEN 24
#define BRAND_LEN 1
#define LAST_NAME_LEN 16
#define W_NAME_LEN 10
#define ADDRESS_LEN 20
#define STATE_LEN 2
#define ZIP_LEN 9
#define S_DIST_LEN 24
#define S_DATA_LEN 50
#define D_NAME_LEN 10
#define FIRST_NAME_LEN 16
#define MIDDLE_NAME_LEN 2
#define PHONE_LEN 16
#define CREDIT_LEN 2
#define C_DATA_LEN 500
#define H_DATA_LEN 24
#define DIST_INFO_LEN 24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN 25
#define OL_DIST_INFO_LEN 24
#define C_SINCE_LEN 23
#define H_DATE_LEN 23
#define OL_DELIVERY_D_LEN 23
#define O_ENTRY_D_LEN 23
```

```

// Functions in random.c
void seed();
long irand();
double drand();
void wucreate();
short wUrand();
long RandomNumber(long lower, long upper);

// Functions in getargs.c;
void GetArgsLoader();
void GetArgsLoaderUsage();

// Functions in time.c
long TimeNow();

// Functions in strings.c
void MakeAddress();
void LastName();
int MakeAlphaString();
int MakeOriginalAlphaString();
int MakeNumberString();
int MakeZipNumberString();
void InitString();
void InitAddress();
void PaddString();

```

tpccldr.c

```

// File: TPCCLDR.C Microsoft TPC-C
// Kit Ver. 4.41 Copyright
// Microsoft, 1996, 1997, 1998, 1999, 2000, 2001
// Purpose: Source file for TPC-C database
loader

// Includes
#include "tpcc.h"
#include "search.h"

// Defines
#define MAXITEMS 100000
#define MAXITEMS_SCALE_DOWN 100
#define CUSTOMERS_PER_DISTRICT 3000
#define CUSTOMERS_SCALE_DOWN 30
#define DISTRICT_PER_WAREHOUSE 10
#define ORDERS_PER_DISTRICT 3000
#define ORDERS_SCALE_DOWN 30
#define MAX_CUSTOMER_THREADS 2
#define MAX_ORDER_THREADS 3
#define MAX_MAIN_THREADS 4

// Functions declarations
void HandleErrorDBC (SQLHDBC hdbc1);
void CheckDataBase();

long NURand();
void LoadItem();
void LoadWarehouse();

void Stock();

```

```

void District();

void LoadCustomer();
void CustomerBufInit();
void CustomerBufLoad();
void LoadCustomerTable();
void LoadHistoryTable();

void LoadOrders();
void OrdersBufInit();
void OrdersBufLoad();
void LoadOrderTable();
void LoadNewOrderTable();
void LoadOrderLineTable();
void GetPermutation();
void CheckForCommit();
void OpenConnections();
void BuildIndex();
void FormatDate ();

// Shared memory structures

typedef struct
{
    long ol;
    long ol_i_id;
    short ol_supply_w_id;
    short ol_quantity;
    double ol_amount;
    char ol_dist_info[DIST_INFO_LEN+1];
    char ol_delivery_d[OL_DELIVERY_D_LEN+1];
} ORDER_LINE_STRUCT;

typedef struct
{
    long o_id;
    short o_d_id;
    short o_w_id;
    long o_c_id;
    short o_carrier_id;
    short o_ol_cnt;
    short o_all_local;
    ORDER_LINE_STRUCT o_ol[15];
} ORDERS_STRUCT;

typedef struct
{
    long c_id;
    short c_d_id;
    short c_w_id;
    char c_first[FIRST_NAME_LEN+1];
    char c_middle[MIDDLE_NAME_LEN+1];
    char c_last[LAST_NAME_LEN+1];
    char c_street_1[ADDRESS_LEN+1];
    char c_street_2[ADDRESS_LEN+1];
    char c_city[ADDRESS_LEN+1];
    char c_state[STATE_LEN+1];
    char c_zip[ZIP_LEN+1];
    char c_phone[PHONE_LEN+1];
    char c_credit[CREREDIT_LEN+1];
}

```

```

double c_credit_lim;
double c_discount;
// fix to avoid ODBC float to numeric conversion
// problem.
// double
    c_balance;
    char c_balance[6];

double
    c_ytd_payment;
    short c_payment_cnt;
    short c_delivery_cnt;
    char c_data[C_DATA_LEN+1];
    double h_amount;
    char h_data[H_DATA_LEN+1];
} CUSTOMER_STRUCT;

typedef struct
{
    char c_last[LAST_NAME_LEN+1];
    char c_first[FIRST_NAME_LEN+1];
    long c_id;
} CUSTOMER_SORT_STRUCT;

typedef struct
{
    long time_start;
} LOADER_TIME_STRUCT;

// Global variables
char szLastError[300];
HENV henv;
HDBC hdbc; // for SQL Server version
verification
HDBC i_hdbc1; // for ITEM table
HDBC w_hdbc1; // for WAREHOUSE, DISTRICT, STOCK
HDBC c_hdbc1; // for CUSTOMER
HDBC c_hdbc2; // for HISTORY
HDBC o_hdbc1; // for ORDERS
HDBC o_hdbc2; // for NEW-ORDER
HDBC o_hdbc3; // for ORDER-LINE
HSTMT v_hstmt; // for SQL Server version verification
HSTMT i_hstmt1;
HSTMT w_hstmt1;
HSTMT c_hstmt1, c_hstmt2;
HSTMT o_hstmt1, o_hstmt2, o_hstmt3;

```

```

ORDERS_STRUCT orders_buf[ORDERS_PER_DISTRICT];
CUSTOMER_STRUCT customer_buf[CUSTOMERS_PER_DISTRICT];
long orders_rows_loaded;
long new_order_rows_loaded;
long order_line_rows_loaded;
long history_rows_loaded;
long customer_rows_loaded;
long stock_rows_loaded;
long district_rows_loaded;
long item_rows_loaded;
long warehouse_rows_loaded;
long main_time_start;
long main_time_end;
long max_items;
long customers_per_district;
long orders_per_district;
long first_new_order;
long last_new_order;

TPCC_LDR_ARGS *aptr, args;

//=====
// Function name: main
//=====

int main(int argc, char **argv)
{
    DWORD dwThreadID[MAX_MAIN_THREADS];
    HANDLE hThread[MAX_MAIN_THREADS];
    FILE *fLoader;
    char buffer[255];
    int i;

    for (i=0; i<MAX_MAIN_THREADS; i++)
        hThread[i] = NULL;

    printf("\n*****\n");
    printf("\n*");
    printf("\n* Microsoft SQL Server");
    printf("\n*");
    printf("\n*");
    printf("\n* TPC-C BENCHMARK KIT: Database");
    loader printf("\n*");
    printf("\n* Version %s", TPCKIT_VER);
    printf("\n*");
    printf("\n*****\n");
    printf("\n*****\n");

    // process command line arguments
    aptr = &args;
    GetArgsLoader(argc, argv, aptr);

    // verify database and tables exist before
    attempting to load
    //CheckDataBase();

    printf("Build interface is ODBC.\n");

```

```

        if (aptr->build_index == 0)
            printf("Data load only - no index
creation.\n");
        else
            printf("Data load and index
creation.\n");

        if (aptr->index_order == 0)
            printf("Clustered indexes will be
created after bulk load.\n");
        else
            printf("Clustered indexes will be
created before bulk load.\n");

        // set database scale values
        if (aptr->scale_down == 1)
        {
            printf("*** Scaled Down Database
***\n");
            max_items = MAXITEMS_SCALE_DOWN;
            customers_per_district =
CUSTOMERS_SCALE_DOWN;
            orders_per_district =
ORDERS_SCALE_DOWN;
            first_new_order = 0;
            last_new_order = 30;
        }
        else
        {
            max_items = MAXITEMS;
            customers_per_district =
CUSTOMERS_PER_DISTRICT;
            orders_per_district =
ORDERS_PER_DISTRICT;
            first_new_order = 2100;
            last_new_order = 3000;
        }

        // open connections to SQL Server
        OpenConnections();

        // open file for loader results
        fLoader = fopen(aptr->loader_res_file, "w");

        if (fLoader == NULL)
        {
            printf("Error, loader result file
open failed.");
            exit(-1);
        }

        // start loading data
        sprintf(buffer, "TPC-C load started for %ld
warehouses.\n", aptr->num_warehouses);
        printf("%s", buffer);
        fprintf(fLoader, "%s", buffer);
        main_time_start = (TimeNow() / MILLI);

        // start parallel load threads

        if (aptr->tables_all || aptr->table_item)
        {
            fprintf(fLoader, "\nStarting loader
threads for: item\n");

```

```

            hThread[0] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadItem,
NULL,
0,
&dwThreadID[0]);
            if (hThread[0] == NULL)
            {
                printf("Error, failed in
creating creating thread = 0.\n");
                exit(-1);
            }
            if (aptr->tables_all || aptr->table_warehouse)
            {
                fprintf(fLoader, "Starting loader
threads for: warehouse\n");
                hThread[1] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) Loadwarehouse,
NULL,
0,
&dwThreadID[1]);
                if (hThread[1] == NULL)
                {
                    printf("Error, failed in
creating creating thread = 1.\n");
                    exit(-1);
                }
                if (aptr->tables_all || aptr->table_customer)
                {
                    fprintf(fLoader, "Starting loader
threads for: customer\n");
                    hThread[2] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadCustomer,
NULL,
0,
&dwThreadID[2]);
                    if (hThread[2] == NULL)
                    {
                        printf("Error, failed in
creating creating main thread = 2.\n");

```

```

        }
        }
        exit(-1);
    }
    if (aptr->tables_all || aptr->table_orders)
    {
        fprintf(fLoader, "Starting loader
threads for: orders\n");
        hThread[3] = CreateThread(NULL,
            0,
(LPTHREAD_START_ROUTINE) LoadOrders,
            NULL,
            0,
            &dwThreadID[3]);
        if (hThread[3] == NULL)
        {
            printf("Error, failed in
creating creating main thread = 3.\n");
            exit(-1);
        }
    }
    // wait for threads to finish...
    for (i=0; i<MAX_MAIN_THREADS; i++)
    {
        if (hThread[i] != NULL)
        {
            waitForSingleObject(
hThread[i], INFINITE );
            CloseHandle(hThread[i]);
            hThread[i] = NULL;
        }
    }
    main_time_end = (TimeNow() / MILLI);
    sprintf(buffer, "\nTPC-C load completed successfully
in %ld minutes.\n",
            (main_time_end -
main_time_start)/60);
    printf("%s", buffer);
    fprintf(fLoader, "%s", buffer);
    fclose(fLoader);
    SQLFreeEnv(henv);
    exit(0);
    return 0;
}
//=====
// Function name: LoadItem
//=====
void LoadItem()
{

```

```

    long    i_id;
    long    i_im_id;
    char    i_name[I_NAME_LEN+1];
    double  i_price;
    char    i_data[I_DATA_LEN+1];
    char    name[20];
    long    time_start;
    RETCODE rc;
    DBINT   rcint;
    char    bcpHint[128];
    char    err_log_path[256];

    // Seed with unique number
    seed(1);
    printf("Loading item table...\n");

    // if build index before load
    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
        BuildIndex("idxitm1");

    InitString(i_name, I_NAME_LEN+1);
    InitString(i_data, I_DATA_LEN+1);
    sprintf(name, "%s.%s", aptr->database,
"item");

    //rc = bcp_init(i_hdbc1, name, NULL,
"logs\\item.err", DB_IN);
    strcpy(err_log_path, aptr->log_path);
    strcat(err_log_path, "item.err");
    rc = bcp_init(i_hdbc1, name, NULL,
err_log_path, DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
    {
        sprintf(bcpHint, "tablock, order
(i_id), ROWS_PER_BATCH = 100000");
        rc = bcp_control(i_hdbc1, BCPHINTS,
(void*) bcpHint);
        if (rc != SUCCEED)
            HandleErrorDBC(i_hdbc1);
    }

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_im_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) i_name, 0,
I_NAME_LEN, NULL, 0, 0, 3);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_price, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 4);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) i_data, 0,
I_DATA_LEN, NULL, 0, 0, 5);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

```

```

        time_start = (TimeNow() / MILLI);
        item_rows_loaded = 0;
        for (i_id = 1; i_id <= max_items; i_id++)
        {
            i_im_id = RandomNumber(1L, 10000L);
            MakeAlphaString(14, 24, I_NAME_LEN,
i_name);
            i_price = ((float)
RandomNumber(100L, 10000L))/100.0;
            MakeOriginalAlphaString(26, 50,
I_DATA_LEN, i_data, 10);
            rc = bcp_sendrow(i_hdbc1);
            if (rc != SUCCEED)
                HandleErrorDBC(i_hdbc1);
            item_rows_loaded++;
            CheckForCommit(i_hdbc1, i_hstmt1,
item_rows_loaded, "item", &time_start);
        }
        rcint = bcp_done(i_hdbc1);
        if (rcint < 0)
            HandleErrorDBC(i_hdbc1);

        printf("Finished loading item table.\n");

        SQLFreeStmt(i_hstmt1, SQL_DROP);
        SQLDisconnect(i_hdbc1);
        SQLFreeConnect(i_hdbc1);

        // if build index after load
        if ((aptr->build_index == 1) && (aptr-
>index_order == 0))
            BuildIndex("idxitm1");
    }

//=====
// Function : Loadwarehouse
// Loads WAREHOUSE table and loads Stock and District
// as warehouses are created
//=====
void Loadwarehouse()
{
    short w_id;
    char w_name[W_NAME_LEN+1];
    char w_street_1[ADDRESS_LEN+1];
    char w_street_2[ADDRESS_LEN+1];
    char w_city[ADDRESS_LEN+1];
    char w_state[STATE_LEN+1];
    char w_zip[ZIP_LEN+1];
    double w_tax;
    double w_ytd;
    char name[20];
    long time_start;

```

```

RETCODE rc;
DBINT rcint;
char bcphint[128];
char err_log_path[256];

// Seed with unique number
seed(2);

printf("Loading warehouse table...\n");

// if build index before load...
if ((aptr->build_index == 1) && (aptr->index_order == 1))
    BuildIndex("idxwarc1");

InitString(w_name, W_NAME_LEN+1);
InitAddress(w_street_1, w_street_2, w_city, w_state, w_zip);

printf(name, "%s..%", aptr->database, "warehouse");

//rc = bcp_init(w_hdbc1, name, NULL, "logs\\whouse.err", DB_IN);
strcpy(err_log_path, aptr->log_path);
strcat(err_log_path, "whouse.err");
rc = bcp_init(w_hdbc1, name, NULL, err_log_path, DB_IN);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (w_id), ROWS_PER_BATCH = %d", aptr->num_warehouses);
    rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);
}

rc = bcp_bind(w_hdbc1, (BYTE *) &w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2, 1);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_name, 0, W_NAME_LEN, NULL, 0, 0, 2);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_street_1, 0, ADDRESS_LEN, NULL, 0, 0, 3);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_street_2, 0, ADDRESS_LEN, NULL, 0, 0, 4);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_city, 0, ADDRESS_LEN, NULL, 0, 0, 5);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_state, 0, STATE_LEN, NULL, 0, 0, 6);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

```

```

rc = bcp_bind(w_hdbc1, (BYTE *) w_zip, 0, ZIP_LEN, NULL, 0, 0, 7);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &w_tax, 0, SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 8);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &w_ytd, 0, SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 9);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

time_start = (TimeNow() / MILLI);
warehouse_rows_loaded = 0;

for (w_id = (short)aptr->starting_warehouse; w_id <= aptr->num_warehouses; w_id++)
{
    MakeAlphaString(6,10, W_NAME_LEN, w_name);
    MakeAddress(w_street_1, w_street_2, w_city, w_state, w_zip);
    w_tax = ((float) RandomNumber(0L,2000L))/10000.00;
    w_ytd = 300000.00;
    rc = bcp_sendrow(w_hdbc1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    warehouse_rows_loaded++;
    CheckForCommit(w_hdbc1, i_hstmt1, warehouse_rows_loaded, "warehouse", &time_start);
}

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

printf("Finished loading warehouse table.\n");

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxwarc1");

stock_rows_loaded = 0;
district_rows_loaded = 0;

District();
Stock();

}

//=====
//
// Function : District
//=====

```

```

void District()
{
    short d_id;
    short d_w_id;
    char d_name[D_NAME_LEN+1];
    char d_street_1[ADDRESS_LEN+1];
    char d_street_2[ADDRESS_LEN+1];
    char d_city[ADDRESS_LEN+1];
    char d_state[STATE_LEN+1];
    char d_zip[ZIP_LEN+1];
    double d_tax;
    double d_ytd;
    long char name[20];
    long d_next_o_id;
    long time_start;
    int w_id;
    RETCODE rc;
    DBINT rcint;
    char bcphint[128];
    char err_log_path[256];

    // Seed with unique number
    seed(4);

    printf("Loading district table...\n");

    // build index before load
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxdsc1");

    InitString(d_name, D_NAME_LEN+1);
    InitAddress(d_street_1, d_street_2, d_city, d_state, d_zip);
    sprintf(name, "%s..%", aptr->database, "district");

    //rc = bcp_init(w_hdbc1, name, NULL, "logs\\district.err", DB_IN);
    strcpy(err_log_path, aptr->log_path);
    strcat(err_log_path, "district.err");
    rc = bcp_init(w_hdbc1, name, NULL, err_log_path, DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (d_w_id, d_id), ROWS_PER_BATCH = %u", (aptr->num_warehouses * 10));
        rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
    }

    rc = bcp_bind(w_hdbc1, (BYTE *) &d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &d_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) d_name, 0, D_NAME_LEN, NULL, 0, 0, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);
}

```

```

        rc = bcp_bind(w_hdbc1, (BYTE *) d_street_1,
0, ADDRESS_LEN, NULL, 0, 0, 4);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_street_2,
0, ADDRESS_LEN, NULL, 0, 0, 5);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_city, 0,
ADDRESS_LEN, NULL, 0, 0, 6);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_state, 0,
STATE_LEN, NULL, 0, 0, 7);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_zip, 0,
ZIP_LEN, NULL, 0, 0, 8);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_tax, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 9);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_ytd, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 10);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_next_o_id,
0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 11);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        d_ytd = 30000.0;
        d_next_o_id = orders_per_district+1;
        time_start = (TimeNow() / MILLI);

        for (w_id = aprtr->starting_warehouse; w_id <=
aprtr->num_warehouses; w_id++)
        {
            d_w_id = w_id;
            for (d_id = 1; d_id <=
DISTRICT_PER_WAREHOUSE; d_id++)
            {
                MakeAlphaString(6,10,D_NAME_LEN, d_name);
                MakeAddress(d_street_1,
d_street_2, d_city, d_state, d_zip);
                d_tax = ((float)
RandomNumber(0L,2000L))/10000.00;
                rc =
bcp_sendrow(w_hdbc1);
                if (rc != SUCCEEDED)
                    HandleErrorDBC(w_hdbc1);

                district_rows_loaded++;
            }
        }

```

```

                                CheckForCommit(w_hdbc1,
w_hstmt1, district_rows_loaded, "district",
&time_start);
        }
    }

    rcint = bcp_done(w_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(w_hdbc1);

    printf("Finished loading district table.\n");

    // if build index after load...
    if ((aprtr->build_index == 1) && (aprtr-
>index_order == 0))
        BuildIndex("idxdisc1");

    return;
}

//=====
//
// Function : Stock
//=====

void Stock()
{
    long s_i_id;
    short s_w_id;
    short s_quantity;
    char s_dist_01[S_DIST_LEN+1];
    char s_dist_02[S_DIST_LEN+1];
    char s_dist_03[S_DIST_LEN+1];
    char s_dist_04[S_DIST_LEN+1];
    char s_dist_05[S_DIST_LEN+1];
    char s_dist_06[S_DIST_LEN+1];
    char s_dist_07[S_DIST_LEN+1];
    char s_dist_08[S_DIST_LEN+1];
    char s_dist_09[S_DIST_LEN+1];
    char s_dist_10[S_DIST_LEN+1];
    long s_ytd;
    short s_order_cnt;
    short s_remote_cnt;
    char s_data[S_DATA_LEN+1];
    short len;
    char name[20];
    long time_start;
    RETCODE rc;
    DBINT rcint;
    char bcphint[128];
    char err_log_path[256];

    // Seed with unique number
    seed(3);

    // if build index before load...
    if ((aprtr->build_index == 1) && (aprtr-
>index_order == 1))
        BuildIndex("idxstkc1");

    sprintf(name, "%s.%s", aprtr->database,
"stock");

    //rc = bcp_init(w_hdbc1, name, NULL,
"logs\\stock.err", DB_IN);
    strcpy(err_log_path, aprtr->log_path);
    strcat(err_log_path, "stock.err");
}

```

```

        rc = bcp_init(w_hdbc1, name, NULL,
err_log_path, DB_IN);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        if ((aprtr->build_index == 1) && (aprtr-
>index_order == 1))
        {
            sprintf(bcphint, "tablock, order
(s_i_id, s_w_id), ROWS_PER_BATCH = %u", (aprtr-
>num_warehouses * 10000));
            rc = bcp_control(w_hdbc1, BCPHINTS,
(void*) bcphint);
            if (rc != SUCCEEDED)
                HandleErrorDBC(w_hdbc1);
        }

        rc = bcp_bind(w_hdbc1, (BYTE *) &s_i_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        bcp_bind(w_hdbc1, (BYTE *) &s_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) &s_quantity,
0, SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_01, 0,
S_DIST_LEN, NULL, 0, 0, 4);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_02, 0,
S_DIST_LEN, NULL, 0, 0, 5);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_03, 0,
S_DIST_LEN, NULL, 0, 0, 6);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_04, 0,
S_DIST_LEN, NULL, 0, 0, 7);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_05, 0,
S_DIST_LEN, NULL, 0, 0, 8);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_06, 0,
S_DIST_LEN, NULL, 0, 0, 9);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_07, 0,
S_DIST_LEN, NULL, 0, 0, 10);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_08, 0,
S_DIST_LEN, NULL, 0, 0, 11);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
}

```



```

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_09, 0,
S_DIST_LEN, NULL, 0, 0, 12);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_10, 0,
S_DIST_LEN, NULL, 0, 0, 13);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_ytd, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 14);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_order_cnt,
0, SQL_VARLEN_DATA, NULL, 0, SQLINT2, 15);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *)
&s_remote_cnt, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
16);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_data, 0,
S_DATA_LEN, NULL, 0, 0, 17);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

s_ytd = s_order_cnt = s_remote_cnt = 0;

time_start = (TimeNow() / MILLI);
printf("...Loading stock table\n");

for (s_i_id=1; s_i_id <= max_items; s_i_id++)
{
    for (s_w_id = (short)aptr-
>starting_warehouse; s_w_id <= aptr->num_warehouses;
s_w_id++)
    {
        s_quantity =
(short)RandomNumber(10L,100L);
        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_01);
        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_02);
        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_03);
        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_04);
        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_05);
        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_06);
        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_07);
        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_08);
        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_09);
        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_10);

        len =
MakeOriginalAlphaString(26,50, S_DATA_LEN, s_data,10);

```

```

rc =
bcp_sendrow(w_hdbc1);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

stock_rows_loaded++;
CheckForCommit(w_hdbc1);
w_hstmt1, stock_rows_loaded, "stock", &time_start);
}
}

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

printf("Finished loading stock table.\n");

SQLFreeStmt(w_hstmt1, SQL_DROP);
SQLDisconnect(w_hdbc1);
SQLFreeConnect(w_hdbc1);

// if build index after load...
if ((aptr->build_index == 1) && (aptr-
>index_order == 0))
    BuildIndex("idxstk1");

return;
}

//=====
//
// Function : LoadCustomer
//
//=====

void LoadCustomer()
{
    LOADER_TIME_STRUCT    customer_time_start;
    LOADER_TIME_STRUCT    history_time_start;
    short                 w_id;

    short                 d_id;

    DWORD                 dwThreadId[MAX_CUSTOMER_THREADS];
    HANDLE                 hThread[MAX_CUSTOMER_THREADS];
    char                   name[20];
    RETCODE                rc;
    DBINT                  rcint;
    char                   bcphint[128];
    char                   cmd[256];
    int                    num_procs;

    char                   err_log_path_cust[256];
    char                   err_log_path_hist[256];
    // SQLRETURN
    rc_1;
    // SQLSMALLINT
    recnum, MsgLen;

```

```

// SQLCHAR
SqlState[6],
Msg[SQL_MAX_MESSAGE_LENGTH];
// SQLINTEGER
NativeError;

// Seed with unique number
seed(5);

printf("Loading customer and history
tables...\n");

// if build index before load...
if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
{
    BuildIndex("idxcus1");
    // check the number of processors
    // if 8 or more processors, then
    build index on History.
    // if less than 8 processors, do
    not build the index
    num_procs = atoi(getenv(
"NUMBER_OF_PROCESSORS" ));
    if ( num_procs >= 8 )
        BuildIndex("idxhisc1");
}

// Initialize bulk copy
sprintf(name, "%s.%s", aptr->database,
"customer");

//rc = bcp_init(c_hdbc1, name, NULL,
"logs\\customer.err", DB_IN);
strcpy(err_log_path_cust,aptr->log_path);
strcat(err_log_path_cust,"customer.err");
rc = bcp_init(c_hdbc1, name, NULL,
err_log_path_cust, DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
{
    sprintf(bcphint, "tablock, order
(c_w_id, c_d_id, c_id), ROWS_PER_BATCH = %u", (aptr-
>num_warehouses * 30000));
    rc = bcp_control(c_hdbc1, BCPHINTS,
(void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
}

sprintf(name, "%s.%s", aptr->database,
"history");

rc = bcp_init(c_hdbc2, name, NULL,
"logs\\history.err", DB_IN);
strcpy(err_log_path_hist,aptr->log_path);
strcat(err_log_path_hist,"history.err");
rc = bcp_init(c_hdbc2, name, NULL,
err_log_path_hist, DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

sprintf(bcphint, "tablock");
rc = bcp_control(c_hdbc2, BCPHINTS, (void*)
bcphint);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

```

```

customer_rows_loaded = 0;
history_rows_loaded = 0;
CustomerBufInit();
customer_time_start.time_start = (TimeNow() /
MILLI);
history_time_start.time_start = (TimeNow() /
MILLI);
for (w_id = (short)aptr->starting_warehouse;
w_id <= aptr->num_warehouses; w_id++)
{
    for (d_id = 1; d_id <=
DISTRICT_PER_WAREHOUSE; d_id++)
    {
        CustomerBufLoad(d_id,
w_id);
        // Start parallel loading
        // Start customer table
        // Start history table
        thread
        printf("...Loading
customer table for: d_id = %d, w_id = %d\n", d_id,
w_id);
        hThread[0] =
        CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadCustomerTable,
&customer_time_start,
0,
&dwThreadID[0]);
        if (hThread[0] == NULL)
        {
            printf("Error,
failed in creating creating thread = 0.\n");
            exit(-1);
        }
        // Start History table
        thread
        printf("...Loading
history table for: d_id = %d, w_id = %d\n", d_id,
w_id);
        hThread[1] =
        CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadHistoryTable,
&history_time_start,
0,

```

```

&dwThreadID[1]);
        if (hThread[1] == NULL)
        {
            printf("Error,
failed in creating creating thread = 1.\n");
            exit(-1);
        }
        WaitForSingleObject(
hThread[0], INFINITE );
        WaitForSingleObject(
hThread[1], INFINITE );
        if
(CloseHandle(hThread[0]) == FALSE)
        {
            printf("Error,
failed in closing customer thread handle with errno:
%d\n", GetLastError());
        }
        if
(CloseHandle(hThread[1]) == FALSE)
        {
            printf("Error,
failed in closing history thread handle with errno:
%d\n", GetLastError());
        }
    }
}
// flush the bulk connection
rcint = bcp_done(c_hdbc1);
if (rcint < 0)
    HandleErrorDBC(c_hdbc1);
rcint = bcp_done(c_hdbc2);
if (rcint < 0)
    HandleErrorDBC(c_hdbc2);
printf("Finished loading customer table.\n");
// if build index after load...
if ((aptr->build_index == 1) && (aptr-
>index_order == 0))
{
    BuildIndex("idxcuscl");
    // check the number of processors
    on this system // if 8 or more processors, then
    build index on History. // if less than 8 processors, do
    not build the index
    num_procs = atoi(getenv(
"NUMBER_OF_PROCESSORS" ));
    if (num_procs >= 8)
        BuildIndex("idxhiscl");
}
// build non-clustered index
if (aptr->build_index == 1)
    BuildIndex("idxcusnc");

```

```

// Output the NURAND used for the loader into
C_FIRST for C_ID = 1,
// C_W_ID = 1, and C_D_ID = 1
//sprintf(cmd, "osql -S%s -U%s -P%s -d%s -e -
Q\"update customer set c_first = 'C_LOAD = %d' where
c_id = 1 and c_w_id = 1 and c_d_id = 1\" >
logs\\nurand_load.log",
        sprintf(cmd, "osql -S%s -U%s -P%s -d%s -e -
Q\"update customer set c_first = 'C_LOAD = %d' where
c_id = 1 and c_w_id = 1 and c_d_id = 1\" >
%snurand_load.log",
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database,
        LOADER_NURAND_C,
        aptr-
>log_path);
system(cmd);
SQLFreeStmt(c_hstmt1, SQL_DROP);
SQLDisconnect(c_hdbc1);
SQLFreeConnect(c_hdbc1);
SQLFreeStmt(c_hstmt2, SQL_DROP);
SQLDisconnect(c_hdbc2);
SQLFreeConnect(c_hdbc2);
return;
}
}
//=====
//
// Function : CustomerBufInit
//=====
void CustomerBufInit()
{
    int i;
    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_id = 0;
        customer_buf[i].c_d_id = 0;
        customer_buf[i].c_w_id = 0;
        strcpy(customer_buf[i].c_first,"");
        strcpy(customer_buf[i].c_middle,"");
        strcpy(customer_buf[i].c_last,"");
        strcpy(customer_buf[i].c_street_1,"");
        strcpy(customer_buf[i].c_street_2,"");
        strcpy(customer_buf[i].c_city,"");
        strcpy(customer_buf[i].c_state,"");
        strcpy(customer_buf[i].c_zip,"");
        strcpy(customer_buf[i].c_phone,"");
        strcpy(customer_buf[i].c_credit,"");
        customer_buf[i].c_credit_lim = 0;
        customer_buf[i].c_discount =
(float) 0;
    }
}

```

```

numeric conversion // fix to avoid ODBC float to
problem.          customer_buf[i].c_balance
= 0;

strcpy(customer_buf[i].c_balance,"");

customer_buf[i].c_ytd_payment = 0;
customer_buf[i].c_payment_cnt = 0;
customer_buf[i].c_delivery_cnt = 0;
strcpy(customer_buf[i].c_data,"");

customer_buf[i].h_amount = 0;
strcpy(customer_buf[i].h_data,"");
}

}

//=====
// Function : CustomerBufLoad
// Fills shared buffer for HISTORY and CUSTOMER
//=====

void CustomerBufLoad(int d_id, int w_id)
{
    long i;
    CUSTOMER_SORT_STRUCT c[CUSTOMERS_PER_DISTRICT];

    for (i=0;i<customers_per_district;i++)
    {
        if (i < 1000)
            LastName(i, c[i].c_last);
        else
            LastName(NURand(255,0,999,LOADER_NURAND_C),
c[i].c_last);

        MakeAlphaString(8,16,FIRST_NAME_LEN,
c[i].c_first);

        c[i].c_id = i+1;
    }

    printf("...Loading customer buffer for: d_id
= %d, w_id = %d\n",
d_id, w_id);

    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_d_id = d_id;
        customer_buf[i].c_w_id = w_id;
        customer_buf[i].h_amount = 10.0;

        customer_buf[i].c_ytd_payment =
10.0;

```

```

customer_buf[i].c_payment_cnt = 1;
customer_buf[i].c_delivery_cnt = 0;

data // Generate CUSTOMER and HISTORY

customer_buf[i].c_id = c[i].c_id;

strcpy(customer_buf[i].c_first,
c[i].c_first);
strcpy(customer_buf[i].c_last,
c[i].c_last);

customer_buf[i].c_middle[0] = '0';
customer_buf[i].c_middle[1] = 'E';

MakeAddress(customer_buf[i].c_street_1,
customer_buf[i].c_street_2,
customer_buf[i].c_city,
customer_buf[i].c_state,
customer_buf[i].c_zip);

MakeNumberString(16, 16, PHONE_LEN,
customer_buf[i].c_phone);

if (RandomNumber(1L, 100L) > 10)
customer_buf[i].c_credit[0] = 'G';
else
customer_buf[i].c_credit[0] = 'B';
customer_buf[i].c_credit[1] = 'C';

customer_buf[i].c_credit_lim =
50000.0;
customer_buf[i].c_discount =
((float) RandomNumber(0L, 5000L)) / 10000.0;

// fix to avoid ODBC float to
numeric conversion problem.
// customer_buf[i].c_balance = -
10.0;
strcpy(customer_buf[i].c_balance,"-
10.0");

MakeAlphaString(300, 500,
C_DATA_LEN, customer_buf[i].c_data);

// Generate HISTORY data
MakeAlphaString(12, 24, H_DATA_LEN,
customer_buf[i].h_data);
}

//=====
// Function : LoadCustomerTable
//=====

void LoadCustomerTable(LOADER_TIME_STRUCT
*customer_time_start)

```

```

{
    int i;

    long c_id;
    short c_d_id;
    short c_w_id;
    char c_first[FIRST_NAME_LEN+1];
    char c_middle[MIDDLE_NAME_LEN+1];
    char c_last[LAST_NAME_LEN+1];
    char c_street_1[ADDRESS_LEN+1];
    char c_street_2[ADDRESS_LEN+1];
    char c_city[ADDRESS_LEN+1];
    char c_state[STATE_LEN+1];
    char c_zip[ZIP_LEN+1];
    char c_phone[PHONE_LEN+1];
    char c_credit[CREDIT_LEN+1];
    double c_credit_lim;
    double c_discount;

    // fix to avoid ODBC float to numeric
conversion problem.
// double c_balance;
char c_balance[6];

double c_ytd_payment;
short c_payment_cnt;
short c_delivery_cnt;
char c_data[C_DATA_LEN+1];
char c_since[C_SINCE_LEN+1];

RETCODE rc;

rc = bcp_bind(c_hdbc1, (BYTE *) &c_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
if (rc != SUCCEEDED)
HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
if (rc != SUCCEEDED)
HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
if (rc != SUCCEEDED)
HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_first, 0,
FIRST_NAME_LEN, NULL, 0, 4);
if (rc != SUCCEEDED)
HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_middle, 0,
MIDDLE_NAME_LEN, NULL, 0, 5);
if (rc != SUCCEEDED)
HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_last, 0,
LAST_NAME_LEN, NULL, 0, 6);
if (rc != SUCCEEDED)
HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_1, 0,
ADDRESS_LEN, NULL, 0, 7);
if (rc != SUCCEEDED)
HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_2, 0,
ADDRESS_LEN, NULL, 0, 8);
if (rc != SUCCEEDED)
HandleErrorDBC(c_hdbc1);
}

```

```

rc = bcp_bind(c_hdbc1, (BYTE *) c_city, 0,
ADDRESS_LEN, NULL, 0, 0, 9);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_state, 0,
STATE_LEN, NULL, 0, 0, 10);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_zip, 0, ZIP_LEN,
NULL, 0, 0, 11);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_phone, 0,
PHONE_LEN, NULL, 0, 0, 12);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_since, 0,
C_SINCE_LEN, NULL, 0, SQLCHARACTER, 13);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_credit, 0,
CREDIT_LEN, NULL, 0, 0, 14);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_credit_lim, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 15);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_discount, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 16);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

// fix to avoid ODBC float to numeric
conversion problem:
// rc = bcp_bind(c_hdbc1, (BYTE *) &c_balance, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 17);
// if (rc != SUCCEEDED)
//     HandleErrorDBC(c_hdbc1);
rc = bcp_bind(c_hdbc1, (BYTE *) c_balance, 0, 5,
NULL, 0, SQLCHARACTER, 17);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_ytd_payment, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 18);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_payment_cnt, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 19);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_delivery_cnt, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 20);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_data, 0, 500,
NULL, 0, 0, 21);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

```

```

for (i = 0; i < customers_per_district; i++)
{
    c_id = customer_buf[i].c_id;
    c_d_id = customer_buf[i].c_d_id;
    c_w_id = customer_buf[i].c_w_id;

    strcpy(c_first,
customer_buf[i].c_first);
    strcpy(c_middle,
customer_buf[i].c_middle);
    strcpy(c_last,
customer_buf[i].c_last);
    strcpy(c_street_1,
customer_buf[i].c_street_1);
    strcpy(c_street_2,
customer_buf[i].c_street_2);
    strcpy(c_city,
customer_buf[i].c_city);
    strcpy(c_state,
customer_buf[i].c_state);
    strcpy(c_zip,
customer_buf[i].c_zip);
    strcpy(c_phone,
customer_buf[i].c_phone);
    strcpy(c_credit,
customer_buf[i].c_credit);

    FormatDate(&c_since);

    c_credit_lim =
customer_buf[i].c_credit_lim;
    c_discount =
customer_buf[i].c_discount;

    // fix to avoid ODBC float to
numeric conversion problem.
    // c_balance =
customer_buf[i].c_balance;
    strcpy(c_balance,
customer_buf[i].c_balance);

    c_ytd_payment =
customer_buf[i].c_ytd_payment;
    c_payment_cnt =
customer_buf[i].c_payment_cnt;
    c_delivery_cnt =
customer_buf[i].c_delivery_cnt;

    strcpy(c_data,
customer_buf[i].c_data);

    // Send data to server
rc = bcp_sendrow(c_hdbc1);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

    customer_rows_loaded++;
    CheckForCommit(c_hdbc1, c_hstmt1,
customer_rows_loaded, "customer", &customer_time_start-
>time_start);
}

//=====
//
// Function : LoadHistoryTable

```

```

//=====
void LoadHistoryTable(LOADER_TIME_STRUCT
*history_time_start)
{
    int i;
    long c_id;
    short c_d_id;
    short c_w_id;
    double h_amount;
    char h_data[H_DATA_LEN+1];
    char h_date[H_DATE_LEN+1];
    RETCODE rc;

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 4);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 5);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_date, 0,
H_DATE_LEN, NULL, 0, SQLCHARACTER, 6);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_amount, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 7);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) h_data, 0,
H_DATA_LEN, NULL, 0, 0, 8);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc2);

    for (i = 0; i < customers_per_district; i++)
    {
        c_id = customer_buf[i].c_id;
        c_d_id = customer_buf[i].c_d_id;
        c_w_id = customer_buf[i].c_w_id;
        h_amount =
customer_buf[i].h_amount;
        strcpy(h_data,
customer_buf[i].h_data);

        FormatDate(&h_date);

        // send to server

```

```

rc = bcp_sendrow(c_hdbc2);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc2);

    history_rows_loaded++;
    CheckForCommit(c_hdbc2, c_hstmt2,
history_rows_loaded, "history", &history_time_start-
>time_start);
}
}

//=====
//
// Function : LoadOrders
//=====
void LoadOrders()
{
    LOADER_TIME_STRUCT orders_time_start;
    LOADER_TIME_STRUCT new_order_time_start;
    LOADER_TIME_STRUCT order_line_time_start;
    short d_id; w_id;
    short
    DWORD dwThreadID[MAX_ORDER_THREADS];
    HANDLE hThread[MAX_ORDER_THREADS];
    char name[20];
    RETCODE rc;
    char bcphint[128];
    char err_log_path_ord[256];
    char err_log_path_nord[256];
    char err_log_path_ord1[256];
    // seed with unique number
    seed(6);
    printf("Loading orders...\n");
    // if build index before load...
    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
    {
        BuildIndex("idxordc1");
        BuildIndex("idxnordc1");
        BuildIndex("idxod1c1");
    }
    // initialize bulk copy
    sprintf(name, "%s.%s", aptr->database,
"orders");
    rc = bcp_init(o_hdbc1, name, NULL,
"logs\\orders.err", DB_IN);
    strcpy(err_log_path_ord, aptr->log_path);
    strcat(err_log_path_ord, "orders.err");
    rc = bcp_init(o_hdbc1, name, NULL,
err_log_path_ord, DB_IN);
    if (rc != SUCCEEDED)

```

```

    HandleErrorDBC(o_hdbc1);
    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
    {
        sprintf(bcphint, "tablock, order
(o_w_id, o_d_id, o_id), ROWS_PER_BATCH = %u", (aptr-
>num_warehouses * 30000));
        rc = bcp_control(o_hdbc1, BCPINTS,
(void*) bcphint);
        if (rc != SUCCEEDED)
            HandleErrorDBC(o_hdbc1);
    }
    sprintf(name, "%s.%s", aptr->database,
"new_order");
    rc = bcp_init(o_hdbc2, name, NULL,
"logs\\neword.err", DB_IN);
    strcpy(err_log_path_nord, aptr->log_path);
    strcat(err_log_path_nord, "neword.err");
    rc = bcp_init(o_hdbc2, name, NULL,
err_log_path_nord, DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);
    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
    {
        sprintf(bcphint, "tablock, order
(no_w_id, no_d_id, no_o_id), ROWS_PER_BATCH = %u",
(aptr->num_warehouses * 9000));
        rc = bcp_control(o_hdbc2, BCPINTS,
(void*) bcphint);
        if (rc != SUCCEEDED)
            HandleErrorDBC(o_hdbc2);
    }
    sprintf(name, "%s.%s", aptr->database,
"order_line");
    rc = bcp_init(o_hdbc3, name, NULL,
"logs\\ordline.err", DB_IN);
    strcpy(err_log_path_ord1, aptr->log_path);
    strcat(err_log_path_ord1, "ordline.err");
    rc = bcp_init(o_hdbc3, name, NULL,
err_log_path_ord1, DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);
    if ((aptr->build_index == 1) && (aptr->index_order
== 1))
    {
        sprintf(bcphint, "tablock, order
(o1_w_id, o1_d_id, o1_o_id, o1_number), ROWS_PER_BATCH
= %u", (aptr->num_warehouses * 30000));
        rc = bcp_control(o_hdbc3, BCPINTS,
(void*) bcphint);
        if (rc != SUCCEEDED)
            HandleErrorDBC(o_hdbc3);
    }
    orders_rows_loaded = 0;
    new_order_rows_loaded = 0;
    order_line_rows_loaded = 0;
    OrdersBufInit();
    orders_time_start.time_start = (TimeNow() /
MILLI);
    new_order_time_start.time_start = (TimeNow()
/ MILLI);

```

```

    order_line_time_start.time_start = (TimeNow()
/ MILLI);
    for (w_id = (short)aptr->starting_warehouse;
w_id <= aptr->num_warehouses; w_id++)
    {
        for (d_id = 1; d_id <=
DISTRICT_PER_WAREHOUSE; d_id++)
        {
            OrdersBufLoad(d_id,
w_id);
            // start parallel loading
            threads here...
            // start Orders table
            thread
            printf("...Loading order
Table for: d_id = %d, w_id = %d\n", d_id, w_id);
            hThread[0] =
CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadOrdersTable,
&orders_time_start,
0,
&dwThreadID[0]);
            if (hThread[0] == NULL)
            {
                printf("Error,
failed in creating creating thread = 0.\n");
                exit(-1);
            }
            // start NewOrder table
            thread
            printf("...Loading New-
Order Table for: d_id = %d, w_id = %d\n", d_id, w_id);
            hThread[1] =
CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadNewOrderTable,
&new_order_time_start,
0,
&dwThreadID[1]);
            if (hThread[1] == NULL)
            {
                printf("Error,
failed in creating creating thread = 1.\n");
                exit(-1);
            }

```

```

    }
    // start Order-Line table
thread
    printf("...Loading Order-
Line Table for: d_id = %d, w_id = %d\n", d_id, w_id);
CreateThread(NULL,
    hThread[2] =
        0,
(LPTHREAD_START_ROUTINE) LoadOrderLineTable,
&order_line_time_start,
    0,
&dwThreadID[2]);
    if (hThread[2] == NULL)
    {
        printf("Error,
failed in creating creating thread = 2.\n");
        exit(-1);
    }
    WaitForSingleObject(
hThread[0], INFINITE );
    WaitForSingleObject(
hThread[1], INFINITE );
    WaitForSingleObject(
hThread[2], INFINITE );
    if
(CloseHandle(hThread[0]) == FALSE)
    {
        printf("Error,
failed in closing Orders thread handle with errno:
%d\n", GetLastError());
    }
    if
(CloseHandle(hThread[1]) == FALSE)
    {
        printf("Error,
failed in closing NewOrder thread handle with errno:
%d\n", GetLastError());
    }
    if
(CloseHandle(hThread[2]) == FALSE)
    {
        printf("Error,
failed in closing OrderLine thread handle with errno:
%d\n", GetLastError());
    }
}
    printf("Finished loading orders.\n");
}
return;
}

```

```

//=====
//
// Function : OrdersBufInit
// Clears shared buffer for ORDERS, NEWORDER, and
ORDERLINE
//=====
void OrdersBufInit()
{
    int i;
    int j;
    for (i=0;i<orders_per_district;i++)
    {
        orders_buf[i].o_id = 0;
        orders_buf[i].o_d_id = 0;
        orders_buf[i].o_w_id = 0;
        orders_buf[i].o_c_id = 0;
        orders_buf[i].o_carrier_id = 0;
        orders_buf[i].o_ol_cnt = 0;
        orders_buf[i].o_all_local = 0;
        for (j=0;j<=14;j++)
        {
            orders_buf[i].o_ol[j].ol
= 0;
            orders_buf[i].o_ol[j].ol_i_id = 0;
            orders_buf[i].o_ol[j].ol_supply_w_id = 0;
            orders_buf[i].o_ol[j].ol_quantity = 0;
            orders_buf[i].o_ol[j].ol_amount = 0;
            strcpy(orders_buf[i].o_ol[j].ol_dist_info,"")
;
        }
    }
}
//=====
//
// Function : OrdersBufLoad
// Fills shared buffer for ORDERS, NEWORDER, and
ORDERLINE
//=====
void OrdersBufLoad(int d_id, int w_id)
{
    int cust[ORDERS_PER_DISTRICT+1];
    long o_id;
    short ol;
    printf("...Loading Order Buffer for: d_id =
%d, w_id = %d\n",
        d_id, w_id);
    GetPermutation(cust, orders_per_district);
}

```

```

for (o_id=0;o_id<orders_per_district;o_id++)
{
    // Generate ORDER and NEW-ORDER
data
    orders_buf[o_id].o_d_id = d_id;
    orders_buf[o_id].o_w_id = w_id;
    orders_buf[o_id].o_id = o_id+1;
    orders_buf[o_id].o_c_id =
cust[o_id+1];
    orders_buf[o_id].o_ol_cnt =
(short)RandomNumber(5L, 15L);
    if (o_id < first_new_order)
    {
        orders_buf[o_id].o_carrier_id =
(short)RandomNumber(1L, 10L);
        orders_buf[o_id].o_all_local = 1;
    }
    else
    {
        orders_buf[o_id].o_carrier_id = 0;
        orders_buf[o_id].o_all_local = 1;
    }
    for (ol=0;
ol<orders_buf[o_id].o_ol_cnt; ol++)
    {
        orders_buf[o_id].o_ol[ol].ol = ol+1;
        orders_buf[o_id].o_ol[ol].ol_i_id =
RandomNumber(1L, max_items);
        orders_buf[o_id].o_ol[ol].ol_supply_w_id =
w_id;
        orders_buf[o_id].o_ol[ol].ol_quantity = 5;
        MakeAlphaString(24, 24,
OL_DIST_INFO_LEN,
&orders_buf[o_id].o_ol[ol].ol_dist_info);
    }
    // Generate ORDER-LINE
data
    if (o_id <
first_new_order)
    {
        orders_buf[o_id].o_ol[ol].ol_amount = 0;
        // Added to
insure ol_delivery_d set properly during load
        FormatDate(&orders_buf[o_id].o_ol[ol].ol_deli
very_d);
    }
    else
    {
        orders_buf[o_id].o_ol[ol].ol_amount =
RandomNumber(1,999999)/100.0;
        // Added to
insure ol_delivery_d set properly during load
    }
}
}

```

```

datetime format // odbc
    strcpy(orders_buf[o_id].o_o1[o1].o1_delivery_
d,"1899-12-31 00:00:00.000");
    }
}
}

//=====
// Function : LoadOrdersTable
//=====
void LoadOrdersTable(LOADER_TIME_STRUCT
*orders_time_start)
{
    long int o_id; i;
    short o_d_id;
    short o_w_id;
    long o_c_id;
    short o_carrier_id;
    short o_ol_cnt;
    short o_all_local;
    char o_entry_d[o_ENTRY_D_LEN+1];
    RETCODE rc;
    DBINT rcint;

    // bind ORDER data
    rc = bcp_bind(o_hdbc1, (BYTE *) &o_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_c_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_entry_d,
0, o_ENTRY_D_LEN, NULL, 0, SQLCHARACTER, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_carrier_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_ol_cnt, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 7);
    if (rc != SUCCEEDED)

```

```

        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_all_local, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    for (i = 0; i < orders_per_district; i++)
    {
        o_id = orders_buf[i].o_id;
        orders_buf[i].o_d_id =
        o_d_id;
        orders_buf[i].o_w_id =
        o_w_id;
        orders_buf[i].o_c_id =
        o_c_id;
        orders_buf[i].o_carrier_id =
        o_carrier_id;
        orders_buf[i].o_ol_cnt =
        o_ol_cnt;
        orders_buf[i].o_all_local =
        o_all_local;

        FormatDate(&o_entry_d);
        // send data to server
        rc = bcp_sendrow(o_hdbc1);
        if (rc != SUCCEEDED)
            HandleErrorDBC(o_hdbc1);

        orders_rows_loaded++;

        CheckForCommit(o_hdbc1, o_hstmt1,
orders_rows_loaded, "orders", &orders_time_start-
>time_start);
    }

    // rcint = bcp_batch(o_hdbc1);
    // if (rcint < 0)
    //     HandleErrorDBC(o_hdbc1);

    if ((o_w_id == aptr->num_warehouses) &&
(o_d_id == 10))
    {
        rcint = bcp_done(o_hdbc1);
        if (rcint < 0)
            HandleErrorDBC(o_hdbc1);

        SQLFreeStmt(o_hstmt1, SQL_DROP);
        SQLDisconnect(o_hdbc1);
        SQLFreeConnect(o_hdbc1);

        // if build index after load...
        if ((aptr->build_index == 1) &&
(aptr->index_order == 0))
            BuildIndex("idxordc1");

        // build non-clustered index
        if (aptr->build_index == 1)
            BuildIndex("idxordnc");
    }

}

//=====

```

```

// Function : LoadNewOrderTable
//=====
void LoadNewOrderTable(LOADER_TIME_STRUCT
*new_order_time_start)
{
    int i;
    long o_id;
    short o_d_id;
    short o_w_id;
    RETCODE rc;
    DBINT rcint;

    // Bind NEW-ORDER data

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);

    for (i = first_new_order; i < last_new_order;
i++)
    {
        o_id = orders_buf[i].o_id;
        o_d_id = orders_buf[i].o_d_id;
        o_w_id = orders_buf[i].o_w_id;

        rc = bcp_sendrow(o_hdbc2);
        if (rc != SUCCEEDED)
            HandleErrorDBC(o_hdbc2);

        new_order_rows_loaded++;

        CheckForCommit(o_hdbc2, o_hstmt2,
new_order_rows_loaded, "new_order",
&new_order_time_start->time_start);

        // rcint = bcp_batch(o_hdbc2);
        // if (rcint < 0)
        //     HandleErrorDBC(o_hdbc2);

        if ((o_w_id == aptr->num_warehouses) &&
(o_d_id == 10))
        {
            rcint = bcp_done(o_hdbc2);
            if (rcint < 0)
                HandleErrorDBC(o_hdbc2);

            SQLFreeStmt(o_hstmt2, SQL_DROP);
            SQLDisconnect(o_hdbc2);
            SQLFreeConnect(o_hdbc2);

            // if build index after load...

```

```

        if ((aptr->build_index == 1) &&
            (aptr->index_order == 0))
            BuildIndex("idxnodc1");
    }
}

//=====
//
// Function : LoadOrderLineTable
//=====

void LoadOrderLineTable(LOADER_TIME_STRUCT
*order_line_time_start)
{
    int i,j;
    long o_id;
    short o_d_id;
    short o_w_id;
    long ol;
    long ol_i_id;
    short ol_supply_w_id;
    short ol_quantity;
    double ol_amount;
    char ol_dist_info[DIST_INFO_LEN+1];
    char ol_delivery_d[OL_DELIVERY_D_LEN+1];
    RETCODE rc;
    DBINT rcint;

    // bind ORDER-LINE data
    rc = bcp_bind(o_hdbc3, (BYTE *) &o_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &o_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &o_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_i_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_supply_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *)
&ol_delivery_d, 0, OL_DELIVERY_D_LEN, NULL, 0,
SQLCHARACTER, 7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);
}

```

```

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_quantity, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_amount, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 9);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) ol_dist_info, 0,
DIST_INFO_LEN, NULL, 0, 0, 10);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    for (i = 0; i < orders_per_district; i++)
    {
        o_id = orders_buf[i].o_id;
        o_d_id = orders_buf[i].o_d_id;
        o_w_id = orders_buf[i].o_w_id;

        for (j=0; j <
orders_buf[i].o_ol_cnt; j++)
        {
            ol =
orders_buf[i].o_ol[j].ol;
            ol_i_id =
orders_buf[i].o_ol[j].ol_i_id;
            ol_supply_w_id =
orders_buf[i].o_ol[j].ol_supply_w_id;
            ol_quantity =
orders_buf[i].o_ol[j].ol_quantity;
            ol_amount =
orders_buf[i].o_ol[j].ol_amount;

            strcpy(ol_delivery_d,orders_buf[i].o_ol[j].ol
_delivery_d);

            strcpy(ol_dist_info,orders_buf[i].o_ol[j].ol
_dist_info);

            rc =
bcp_sendrow(o_hdbc3);
            if (rc != SUCCEEDED)

                HandleErrorDBC(o_hdbc3);

            order_line_rows_loaded++;
            CheckForCommit(o_hdbc3,
o_hstmt3, order_line_rows_loaded, "order_line",
&order_line_time_start->time_start);
        }

        // rcint = bcp_batch(o_hdbc3);
        // if (rcint < 0)
        //     HandleErrorDBC(o_hdbc3);

        if ((o_w_id == aptr->num_warehouses) &&
(o_d_id == 10))
        {
            rcint = bcp_done(o_hdbc3);
            if (rcint < 0)
                HandleErrorDBC(o_hdbc3);
}
}

```

```

SQLFreeStmt(o_hstmt3, SQL_DROP);
SQLDisconnect(o_hdbc3);
SQLFreeConnect(o_hdbc3);

// if build index after load...
if ((aptr->build_index == 1) &&
(aptr->index_order == 0))
    BuildIndex("idxod1c1");
}
}

//=====
//
// Function : GetPermutation
//=====

void GetPermutation(int perm[], int n)
{
    int i, r, t;
    for (i=1;i<=n;i++)
        perm[i] = i;
    for (i=1;i<=n;i++)
    {
        r = RandomNumber(i,n);
        t = perm[i];
        perm[i] = perm[r];
        perm[r] = t;
    }
}

//=====
//
// Function : CheckForCommit
//=====

void CheckForCommit(HDBC hdbc,
                    HSTMT
hstmt,
                    int
rows_loaded,
                    char
*table_name,
                    long
*time_start)
{
    long time_end, time_diff;
    // DBINT rcint;

    if ( !(rows_loaded % aptr->batch) )
    {
        // rcint = bcp_batch(hdbc);
        // if (rcint < 0)
        //     HandleErrorDBC(hdbc);

        time_end = (TimeNow() / MILLI);
        time_diff = time_end - *time_start;
}
}

```



```

        printf("> Loaded %ld rows into %s
in %ld sec - Total = %d (%.2f rps)\n",
        aptr->batch,
        table_name,
        time_diff,
        rows_loaded,
        (float) aptr->batch / (time_diff ? time_diff : 1L));
    }
    *time_start = time_end;
}
return;
}

```

```

//=====
//
// Function : OpenConnections
//
//=====

```

```

void OpenConnections()
{
    RETCODE rc;
    char szDriverString[300];
    char szDriverStringOut[1024];
    SQLSMALLINT cbDriverStringOut;

    SQLAllocHandle(SQL_HANDLE_ENV,
SQL_NULL_HANDLE, &henv );

    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION,
(void*)SQL_OV_ODBC3, 0 );

    SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&i_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&w_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&c_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&c_hdbc2);
    SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&o_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&o_hdbc2);
    SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&o_hdbc3);

    SQLSetConnectAttr(i_hdbc1, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
    SQLSetConnectAttr(w_hdbc1, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
    SQLSetConnectAttr(c_hdbc1, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
    SQLSetConnectAttr(c_hdbc2, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc1, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc2, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );

```

```

    SQLSetConnectAttr(o_hdbc3, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
    // Open connections to SQL Server
    // Connection 1
    sprintf( szDriverString, "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s",
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );
    rc = SQLSetConnectOption (i_hdbc1,
SQL_PACKET_SIZE, aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);
    rc = SQLDriverConnect ( i_hdbc1,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);
    // Connection 2
    sprintf( szDriverString, "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s",
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );
    rc = SQLSetConnectOption (w_hdbc1,
SQL_PACKET_SIZE, aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
    rc = SQLDriverConnect ( w_hdbc1,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,

```

```

SQL_DRIVER_NOPROMPT );
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
    // Connection 3
    sprintf( szDriverString, "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s",
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );
    rc = SQLSetConnectOption (c_hdbc1,
SQL_PACKET_SIZE, aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = SQLDriverConnect ( c_hdbc1,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    // Connection 4
    sprintf( szDriverString, "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s",
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );
    rc = SQLSetConnectOption (c_hdbc2,
SQL_PACKET_SIZE, aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);
    rc = SQLDriverConnect ( c_hdbc2,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,

```

```

        SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

// Connection 5
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
    aptr->server,
    aptr->user,
    aptr->password,
    aptr->database );

rc = SQLSetConnectOption (o_hdbc1,
SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

rc = SQLDriverConnect ( o_hdbc1,
    NULL,
    (SQLCHAR*)&szDriverString[0] ,
    SQL_NTS,
    (SQLCHAR*)&szDriverStringOut[0],
    sizeof(szDriverStringOut),
    &cbDriverStringOut,
    &cbDriverStringOut,
    SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

// Connection 6
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
    aptr->server,
    aptr->user,
    aptr->password,
    aptr->database );

rc = SQLSetConnectOption (o_hdbc2,
SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

rc = SQLDriverConnect ( o_hdbc2,
    NULL,
    (SQLCHAR*)&szDriverString[0] ,
    SQL_NTS,
    (SQLCHAR*)&szDriverStringOut[0],
    sizeof(szDriverStringOut),
    &cbDriverStringOut,
    &cbDriverStringOut,
    SQL_DRIVER_NOPROMPT );

```

```

        SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

// Connection 7
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
    aptr->server,
    aptr->user,
    aptr->password,
    aptr->database );

rc = SQLSetConnectOption (o_hdbc3,
SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = SQLDriverConnect ( o_hdbc3,
    NULL,
    (SQLCHAR*)&szDriverString[0] ,
    SQL_NTS,
    (SQLCHAR*)&szDriverStringOut[0],
    sizeof(szDriverStringOut),
    &cbDriverStringOut,
    &cbDriverStringOut,
    SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);
}

//=====
// Function name: BuildIndex
//=====

void BuildIndex(char *index_script)
{
    char cmd[256];

    printf("Starting index creation:
%s\n",index_script);

    sprintf(cmd, "osql -S%s -U%s -P%s -e -
i%s\\%s.sql > %s.log",
    aptr->server,
    aptr->user,
    aptr->password,
    aptr->log_path,
    index_script,
    aptr->log_path,
    index_script);

    system(cmd);
}

```

```

        printf("Finished index creation:
%s\n",index_script);
}

void HandleErrorDBC (SQLHDBC hdbc1)
{
    SQLCHAR SqlState[6],
    Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER NativeError;
    SQLSMALLINT i, MsgLen;
    SQLRETURN rc2;
    char timebuf[128];
    char datebuf[128];
    char err_log_path[256];
    FILE *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_DBC ,
hdbc1, i, SqlState , &NativeError,
sizeof(Msg) , &MsgLen )) != SQL_NO_DATA )
    {
        printf( szLastError , "%s" , Msg
);
        _strtime(timebuf);
        _strdate(datebuf);
        printf( "[%s : %s] %s\n" , datebuf,
timebuf, szLastError);
        strcpy(err_log_path,aptr-
>log_path);
        strcat(err_log_path,"tpccldr.err");
        fp1 = fopen(err_log_path,"w");
        //fp1 =
fopen("logs\\tpccldr.err","w");
        if (fp1 == NULL)
            printf("ERROR: unable to
open errorlog file.\n");
        else
        {
            fprintf(fp1, "[%s : %s]
%s\n" , datebuf, timebuf, szLastError);
            fclose(fp1);
        }
        i++;
    }
}

void HandleErrorSTMT (HSTMT hstmt1)
{
    SQLCHAR SqlState[6],
    Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER NativeError;
    SQLSMALLINT i, MsgLen;
    SQLRETURN rc2;
    char timebuf[128];
    char datebuf[128];
    char err_log_path[256];
    FILE *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_STMT
, hstmt1, i, SqlState , &NativeError,

```

```

sizeof(Msg) , &MsgLen ) != SQL_NO_DATA ) Msg,
{
    sprintf( szLastError , "%s" , Msg
);
    _strtime(timebuf);
    _strdate(datebuf);
    printf( "[%s : %s] %s\n" , datebuf,
timebuf, szLastError);
    strcpy(err_log_path,aptr-
>log_path);
    strcat(err_log_path,"tpccldr.err");
    fopen("logs\\tpccldr.err","w");
    if (fp1 == NULL)
    open errorlog file.\n");
    else
    {
        fprintf(fp1, "[%s : %s]
%s\n" , datebuf, timebuf, szLastError);
        fclose(fp1);
    }
    i++;
}

void FormatDate ( char* szTimeCOutput )
{
    struct tm when;
    time_t now;
    time( &now );
    when = *localtime( &now );
    mktime( &when );
    // odbc datetime format
    strftime( szTimeCOutput , 30 , "%Y-%m-%d
%H:%M:%S.000" , &when );
    return;
}

//=====
//
// Function : CheckDataBase
//
//=====

void CheckDataBase()
{
    RETCODE rc;
    char
    szDriverString[300];
    char
    szDriverStringOut[1024];

```

```

char TablesBitMap[9]
= {"000000000"};
int i,
ExitFlag;
SQLSMALLINT
cbDriverStringOut;
SQLCHAR TabName[10];
SQLINTEGER TabNameInd,
TabCount, TabCountInd;
ExitFlag = 0;
SQLAllocHandle(SQL_HANDLE_ENV,
SQL_NULL_HANDLE, &henv );
SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION,
(void*)SQL_OV_ODBC3, 0 );
SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&v_hdbc);
SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
// Open connection to SQL Server
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );
rc = SQLSetConnectAttr( v_hdbc,
SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr->pack_size,
SQL_IS_INTEGER );
if (rc != SQL_SUCCESS)
HandleErrorDBC(v_hdbc);
rc = SQLDriverConnect ( v_hdbc,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
// if the rc is SQL_ERROR, the the TPCC
database probably does not exist
if (rc == SQL_ERROR)
{
    printf("The database TPCC does not
appear to exist!\n");
    printf("\ncheck LOGS\\ directory
for database creation errors.\n");
}
// cleanup database connections and
handles

```

```

SQLFreeHandle(SQL_HANDLE_STMT,
v_hstmt);
SQLDisconnect(v_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC,
v_hdbc);
// since there is not a database,
exit back to SETUP.CMD
exit(1);
if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc ,
&v_hstmt) != SQL_SUCCESS )
HandleErrorDBC(v_hdbc);
if ( SQLBindCol(v_hstmt, 1, SQL_C_ULONG,
&TabCount, 0, &TabCountInd) != SQL_SUCCESS )
HandleErrorSTMT(v_hstmt);
// count the number of user tables from
sysobjects
rc = SQLExecDirect(v_hstmt, "select count(*)
from sysobjects where xtype = '\U'", SQL_NTS);
if ((rc != SQL_SUCCESS) && (rc !=
SQL_SUCCESS_WITH_INFO))
HandleErrorSTMT(v_hstmt);
if ( SQLFetch(v_hstmt) != SQL_SUCCESS )
HandleErrorSTMT(v_hstmt);
// if the number of tables is less than 9,
select all the user tables in TPCC
if (TabCount != 9)
{
    SQLFreeHandle(SQL_HANDLE_STMT,
v_hstmt);
    SQLAllocHandle(SQL_HANDLE_STMT,
v_hdbc , &v_hstmt);
    if ( SQLBindCol(v_hstmt, 1,
SQL_C_CHAR, &TabName, sizeof(TabName) !=
SQL_SUCCESS )
HandleErrorSTMT(v_hstmt);
// select the list of user tables
into a result set
rc = SQLExecDirect(v_hstmt, "select
* from sysobjects where xtype = '\U'", SQL_NTS);
if ((rc != SQL_SUCCESS) && (rc !=
SQL_SUCCESS_WITH_INFO))
HandleErrorSTMT(v_hstmt);
// go through the result set and
set the bitmap for each found table
// set the bitmap to '1' if the
table name is found
while ((rc = SQLFetch(v_hstmt)) !=
SQL_NO_DATA)
{
    switch( TabName[0] )
    {
        case 'w': TablesBitMap[0]
= '1';
        case 'd': TablesBitMap[1]
= '1';
    }
}
break;
break;

```

```

    case 'c': TablesBitMap[2]
= '1';      break;
    case 'h': TablesBitMap[3]
= '1';      break;
    case 'n': TablesBitMap[4]
= '1';      break;
    case 'o': if (TabName[5]
= 's')      if (TabName[5]
TablesBitMap[5] = '1';
= '_')      TablesBitMap[6] = '1';
    case 'i': TablesBitMap[7]
= '1';      break;
    case 's': TablesBitMap[8]
= '1';      break;
    }
}
// a '0' ExitFlag means do NOT exit
the loader early, a '1' means exit the loader early
ExitFlag = 0;
// iterate through the bitmap to
display which table(s) is actually missing
for (i = 0; i <= 8; i++)
{
    switch(i)
    {
        case 0: if
(TablesBitMap[i] == '0')
        {
            printf("The Warehouse table is missing or
            damaged.\n");
            ExitFlag = 1;
        }
        case 1: if
(TablesBitMap[i] == '0')
        {
            printf("The District table is missing or
            damaged.\n");
            ExitFlag = 1;
        }
        case 2: if
(TablesBitMap[i] == '0')
        {
            printf("The Customer table is missing or
            damaged.\n");

```

```

        ExitFlag = 1;
        }
        case 3: if
(TablesBitMap[i] == '0')
        {
            printf("The History table is missing or
            damaged.\n");
            ExitFlag = 1;
        }
        case 4: if
(TablesBitMap[i] == '0')
        {
            printf("The New_Order table is missing or
            damaged.\n");
            ExitFlag = 1;
        }
        case 5: if
(TablesBitMap[i] == '0')
        {
            printf("The Orders table is missing or
            damaged.\n");
            ExitFlag = 1;
        }
        case 6: if
(TablesBitMap[i] == '0')
        {
            printf("The Order_Line table is missing or
            damaged.\n");
            ExitFlag = 1;
        }
        case 7: if
(TablesBitMap[i] == '0')
        {
            printf("The Item table is missing or
            damaged.\n");
            ExitFlag = 1;
        }
        case 8: if
(TablesBitMap[i] == '0')
        {
            printf("The Stock table is missing or
            damaged.\n");
            ExitFlag = 1;
        }
    }
}

```

```

// if one or more tables are
missing, display message and exit the loader
if (ExitFlag = 1)
{
    printf("\nExiting TPC-C
    Loader!\n");
    printf("\nCheck LOGS\
    directory for database\n");
    printf("or table creation
    errors.\n");
    // cleanup database
    connections and handles
    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
    SQLDisconnect(v_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);
    exit(1);
}
// cleanup database connections and handles
SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);
return;
}

getargs.c
// File: GETARGS.C
// Microsoft TPC-C
// Kit Ver. 4.41
// Copyright
// Microsoft, 1996, 1997, 1998, 1999, 2000, 2001
// Purpose: source file for command line
// processing

// Includes
#include "tpcc.h"

//=====
// Function name: GetArgsLoader
//=====

void GetArgsLoader(int argc, char **argv, TPCCLDR_ARGS
*pargs)
{
    int i;
    char *ptr;

#ifdef DEBUG
    printf("[%ld]DBG: Entering GetArgsLoader()\n",
    (int) GetCurrentThreadId());
#endif

    /* init args struct with some useful values */
    pargs->server = SERVER;
    pargs->user = USER;
    pargs->password = PASSWORD;
    pargs->database = DATABASE;
    pargs->batch = BATCH;
    pargs->num_warehouses = UNDEF;
}

```

```

TRUE;   pargs->tables_all      =
FALSE;  pargs->table_item     =
FALSE;  pargs->table_warehouse =
FALSE;  pargs->table_customer =
FALSE;  pargs->table_orders   =
FALSE;  pargs->loader_res_file =
LOADER_RES_FILE;
pargs->log_path = LOG_PATH;
pargs->pack_size =
DEFLDPACKSIZE;
pargs->starting_warehouse =
DEF_STARTING_WAREHOUSE;
pargs->build_index =
BUILD_INDEX;
pargs->index_order =
INDEX_ORDER;
pargs->index_script_path =
INDEX_SCRIPT_PATH;
pargs->scale_down =
SCALE_DOWN;

/* check for zero command line args */
if ( argc == 1 )
    GetArgsLoaderUsage();

for ( i = 1; i < argc; ++i )
{
    if ( argv[i][0] != '-' && argv[i][0]
    != '/' )
    {
        printf("\nUnrecognized command");
        GetArgsLoaderUsage();
        exit(1);
    }

    ptr = argv[i];
    switch ( ptr[1] )
    {
        case '?': /* Fall through */
            GetArgsLoaderUsage();
            break;

        case 'd':
            pargs->database = ptr+2;
            break;

        case 'p':
            pargs->password = ptr+2;
            break;

        case 's':
            pargs->server = ptr+2;
            break;

        case 'u':
            pargs->user = ptr+2;
            break;

        case 'b':
            break;
    }
}

```

```

atol(ptr+2);
pargs->batch = break;

case 'w':
    pargs->num_warehouses = atol(ptr+2);
    break;

case 's':
    pargs->starting_warehouse = atol(ptr+2);
    break;

case 't':
    {
        pargs->tables_all = FALSE;
        if ( strcmp(ptr+2,"item") == 0 )
            pargs->table_item = TRUE;
        else if ( strcmp(ptr+2,"warehouse") == 0 )
            pargs->table_warehouse = TRUE;
        else if ( strcmp(ptr+2,"customer") == 0 )
            pargs->table_customer = TRUE;
        else if ( strcmp(ptr+2,"orders") == 0 )
            pargs->table_orders = TRUE;
        else
        {
            printf("\nUnrecognized command");
            GetArgsLoaderUsage();
            exit(1);
            break;
        }
    }

case 'f':
    pargs->loader_res_file = ptr+2;
    break;

case 'l':
    pargs->log_path = ptr+2;
    break;

case 'p':
    pargs->pack_size = atol(ptr+2);
    break;

case 'i':
    pargs->build_index = atol(ptr+2);
    break;

case 'o':
    pargs->index_order = atol(ptr+2);
    break;

```

```

case 'c':
    pargs->scale_down = atol(ptr+2);
    break;

case 'd':
    pargs->index_script_path = ptr+2;
    break;

default:
    GetArgsLoaderUsage();
    exit(-1);
    break;
}

}

/* check for required args */
if ( pargs->num_warehouses == UNDEF )
{
    printf("Number of Warehouses is required\n");
    exit(-2);
}

return;
}

//=====
//
// Function name: GetArgsLoaderUsage
//=====

void GetArgsLoaderUsage()
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering GetArgsLoaderUsage()\n",
    (int) GetCurrentThreadId());
#endif

    printf("TPCCLDR:\n\n");
    printf("Parameter Default\n");
    printf("-----\n");
    printf("-w Number of Warehouses to Load Required \n");
    printf("-s Server %s\n", SERVER);
    printf("-u Username %s\n", USER);
    printf("-p Password %s\n", PASSWORD);
    printf("-d Database %s\n", DATABASE);
    printf("-b Batch Size %ld\n", (long) BATCH);
    printf("-p TDS packet size %ld\n", (long) DEFLDPACKSIZE);
    printf("-f Loader Results Output Filename %s\n", LOADER_RES_FILE);
    printf("-s Starting Warehouse %ld\n", (long) DEF_STARTING_WAREHOUSE);
    printf("-i Build Option (data = 0, data and index = 1) %ld\n", (long) BUILD_INDEX);
}

```

```

printf("-o Cluster Index Build Order (before
= 1, after = 0) %ld\n", (long) INDEX_ORDER);
printf("-c Build Scaled Database (normal = 0,
tiny = 1) %ld\n", (long) SCALE_DOWN);
printf("-d Index Script Path
%s\n", INDEX_SCRIPT_PATH);
printf("-t Table to Load
all tables \n");
printf(" [item|warehouse|customer|orders]\n");
printf(" Notes: \n");
printf(" - the '-t' parameter may be included
multiple times to \n");
printf(" specify multiple tables to be loaded
\n");
printf(" - 'item' loads ITEM table \n");
printf(" - 'warehouse' loads WAREHOUSE,
DISTRICT, and STOCK tables \n");
printf(" - 'customer' loads CUSTOMER and
HISTORY tables \n");
printf(" - 'orders' load NEW-ORDER, ORDERS,
ORDER-LINE tables \n");

printf("\nNote: Command line switches are
case sensitive.\n");

exit(0);
}

```

random.c

```

// File: RANDOM.C Microsoft TPC-C
// Kit Ver. 4.41 Copyright
// Microsoft, 1996, 1997, 1998, 1999, 2000, 2001
// Purpose: Random number generation routines
// for database loader

// Includes
#include "tpcc.h"
#include "math.h"

// Defines
#define A 16807
#define M 2147483647
#define Q 127773 /* M div A */
#define R 2836 /* M mod A */
#define Thread __declspec(thread)

// Globals
long Thread Seed = 0; /* thread local seed
*/

/*****
*****/
* random -
* Implements a GOOD pseudo random number
generator. This generator
* will/should? run the complete period before
repeating.

```

```

*
* Copied from:
* Random Numbers Generators: Good Ones Are Hard
to Find.
* Communications of the ACM - October 1988 Volume
31 Number 10
*
* Machine Dependencies:
* long must be 2 ^ 31 - 1 or greater.
*
*
*
*****
/*****
* seed - load the Seed value used in irand and drand.
Should be used before *
first call to irand or drand.
*
*****
/*****

void seed(long val)
{
#ifdef DEBUG
printf("[%ld]DBG: Entering seed()...\n", (int)
GetCurrentThreadId());
printf("Old Seed %ld New Seed %ld\n", Seed,
val);
#endif
if ( val < 0 )
val = abs(val);

Seed = val;
}

/*****
*****/
* irand - returns a 32 bit integer pseudo random number
with a period of *
1 to 2 ^ 32 - 1.
*
*
* parameters:
* none.
*
*
* returns:
* 32 bit integer - defined as long ( see above ).
*
* side effects:
* seed get recomputed.
*

```

```

*****
*****/

long irand()
{
register long s; /* copy of seed */
register long test; /* test flag */
register long hi; /* tmp value for speed */
register long lo; /* tmp value for speed */

#ifdef DEBUG
printf("[%ld]DBG: Entering irand()...\n", (int)
GetCurrentThreadId());
#endif

s = Seed;
hi = s / Q;
lo = s % Q;

test = A * lo - R * hi;
if ( test > 0 )
Seed = test;
else
Seed = test + M;

return( Seed );
}

/*****
*****/
* drand - returns a double pseudo random number between
0.0 and 1.0.
* See irand.
*
*****
*****/
double drand()
{
#ifdef DEBUG
printf("[%ld]DBG: Entering drand()...\n", (int)
GetCurrentThreadId());
#endif

return( (double)irand() / 2147483647.0);
}

//=====
// Function : randomNumber
//
// Description:
//=====

long randomNumber(long lower, long upper)
{
long rand_num;

#ifdef DEBUG
printf("[%ld]DBG: Entering randomNumber()...\n",
(int) GetCurrentThreadId());
#endif
if ( upper == lower ) /* pgd 08-13-96
perf enhancement */
return lower;

upper++;

```

```

    if ( upper <= lower )
        rand_num = upper;
    else
        rand_num = lower + irand() % (upper
- lower); /* pgd 08-13-96 perf enhancement */

#ifdef DEBUG
    printf("[%d]DBG: RandomNumber between %ld & %ld
=> %ld\n",
        (int)
GetCurrentThreadId(), lower, upper, rand_num);
#endif

    return rand_num;
}

#if 0
//Original code pgd 08/13/96
long RandomNumber(long lower,
                  long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%d]DBG: Entering RandomNumber()...\n",
(int) GetCurrentThreadId());
#endif

    upper++;
    if ((upper <= lower))
        rand_num = upper;
    else
        rand_num = lower + irand() %
((upper > lower) ? upper - lower : upper);

#ifdef DEBUG
    printf("[%d]DBG: RandomNumber between %ld & %ld
=> %ld\n",
        (int)
GetCurrentThreadId(), lower, upper, rand_num);
#endif

    return rand_num;
}
#endif

//=====
// Function : NURand
// Description:
//=====
long NURand(int iConst,
           long x,
           long y,
           long C)
{
    long rand_num;

#ifdef DEBUG
    printf("[%d]DBG: Entering NURand()...\n", (int)
GetCurrentThreadId());

```

```

#endif
    rand_num = (((RandomNumber(0,iConst) |
RandomNumber(x,y)) + C) % (y-x+1))+x;

#ifdef DEBUG
    printf("[%d]DBG: NURand: num = %d\n", (int)
GetCurrentThreadId(), rand_num);
#endif
}
return rand_num;
}

```

strings.c

```

// File: STRINGS.C Microsoft TPC-C
// Kit Ver. 4.41 Copyright
// Microsoft, 1996, 1997, 1998, 1999, 2000, 2001
// Purpose: Source file for database loader
// string functions

// Includes
#include "tpcc.h"
#include <string.h>
#include <ctype.h>

//=====
// Function name: MakeAddress
//=====

void MakeAddress(char *street_1,
                char
                char *city,
                char *state,
                char *zip)
{
#ifdef DEBUG
    printf("[%d]DBG: Entering MakeAddress()\n", (int)
GetCurrentThreadId());
#endif

    MakeAlphaString (10, 20, ADDRESS_LEN, street_1);
    MakeAlphaString (10, 20, ADDRESS_LEN, street_2);
    MakeAlphaString (10, 20, ADDRESS_LEN, city);
    MakeAlphaString (2, 2, STATE_LEN, state);
    MakeZipNumberString( 9, 9, ZIP_LEN, zip);

#ifdef DEBUG
    printf("[%d]DBG: MakeAddress: street_1: %s,
street_2: %s, city: %s, state: %s, zip: %s\n",
        (int)
GetCurrentThreadId(), street_1, street_2, city, state,
zip);
#endif
}

```

```

return;
}

//=====
// Function name: LastName
//=====

void LastName(int num,
             char *name)
{
    static char *n[] =
{
    "BAR", "OUGHT", "ABLE", "PRI",
"PRES",
    "ESE", "ANTI", "CALLY", "ATION",
"EING"
};

#ifdef DEBUG
    printf("[%d]DBG: Entering LastName()\n", (int)
GetCurrentThreadId());
#endif

    if ((num >= 0) && (num < 1000))
    {
        strcpy(name, n[(num/100)%10]);
        strcat(name, n[(num/10)%10]);
        strcat(name, n[(num/1)%10]);

        if (strlen(name) < LAST_NAME_LEN)
        {
            PaddString(LAST_NAME_LEN,
name);
        }
    }
    else
    {
        printf("\nError in LastName()...
num <%ld> out of range (0,999)\n", num);
        exit(-1);
    }

#ifdef DEBUG
    printf("[%d]DBG: LastName: num = [%d] ==>
[%d][%d][%d]\n",
        (int)
GetCurrentThreadId(), num, num/100, (num/10)%10,
num%10);
    printf("[%d]DBG: LastName: String = %s\n",
(int) GetCurrentThreadId(), name);
#endif

    return;
}

//=====
// Function name: MakeAlphaString
//=====

```

```

//philipdu 08/13/96 Changed MakeAlphaString to use A-Z,
a-z, and 0-9 in
//accordance with spec see below:
//The spec says:
//4.3.2.2 The notation random a-string [x .. y]
//(respectively, n-string [x .. y]) represents a string
of random alphanumeric
//(respectively, numeric) characters of a random length
of minimum x, maximum y,
//and mean (y+x)/2. Alphanumerics are A..Z, a..z, and
0..9. The only other
//requirement is that the character set used "must be
able to represent a minimum
//of 128 different characters". We are using 8-bit
chars, so this is a non-issue.
//it is completely unreasonable to stuff non-printing
chars into the text fields.
//-clevine 08/13/96

int MakeAlphaString( int x, int y, int z, char *str)
{
    int len;
    int i;
    char cc = 'a';
    static char chArray[] =
"0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopq
stuvwxyz";
    static int chArrayMax = 61;

#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeAlphaString()\n",
(int) GetCurrentThreadId());
#endif

    len= RandomNumber(x, y);
    for (i=0; i<len; i++)
    {
        cc = chArray[RandomNumber(0,
chArrayMax)];
        str[i] = cc;
    }
    //if ( len < z )
    //    memset(str+len, ' ', z - len);
    str[len] = 0;

    return len;
}

//=====
//
// Function name: MakeOriginalAlphaString
//=====
int MakeOriginalAlphaString(int x,
int y,
int z,
char *str,
int percent)
{
    int len;
    int val;
    int start;

```

```

#ifdef DEBUG
    printf("[%ld]DBG: Entering
MakeOriginalAlphaString()\n", (int)
GetCurrentThreadId());
#endif

    // verify percentage is valid
    if ((percent < 0) || (percent > 100))
    {
        printf("MakeOriginalAlphaString:
Invalid percentage: %d\n", percent);
        exit(-1);
    }

    // verify string is at least 8 chars in length
    if ((x + y) <= 8)
    {
        printf("MakeOriginalAlphaString:
string length must be >= 8\n");
        exit(-1);
    }

    // Make Alpha String
    len = MakeAlphaString(x,y, z, str);

    val = RandomNumber(1,100);
    if (val <= percent)
    {
        start = RandomNumber(0, len - 8);
        strncpy(str + start, "ORIGINAL",
8);
    }

#ifdef DEBUG
    printf("[%ld]DBG: MakeOriginalAlphaString: : %s\n",
(int)
GetCurrentThreadId(), str);
#endif

    return strlen(str);
}

//=====
//
// Function name: MakeNumberString
//=====
int MakeNumberString(int x, int y, int z, char *str)
{
    char tmp[16];

    //MakeNumberString is always called
    MakeZipNumberString(16, 16, 16, string)

    memset(str, '0', 16);
    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str+8, tmp, strlen(tmp));

    str[16] = 0;

    return 16;
}

```

```

//=====
//
// Function name: MakeZipNumberString
//=====
int MakeZipNumberString(int x, int y, int z, char
*str)
{
    char tmp[16];

    //MakeZipNumberString is always called
    MakeZipNumberString(9, 9, 9, string)

    strcpy(str, "000011111");

    itoa(RandomNumber(0, 9999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    return 9;
}

//=====
//
// Function name: InitString
//=====
void InitString(char *str, int len)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering InitString()\n", (int)
GetCurrentThreadId());
#endif

    memset(str, ' ', len);
    str[len] = 0;
}

//=====
//
// Function name: InitAddress
//
// Description:
//=====
void InitAddress(char *street_1, char *street_2, char
*city, char *state, char *zip)
{
    memset(street_1, ' ', ADDRESS_LEN+1);
    memset(street_2, ' ', ADDRESS_LEN+1);
    memset(city, ' ', ADDRESS_LEN+1);

    street_1[ADDRESS_LEN+1] = 0;
    street_2[ADDRESS_LEN+1] = 0;
    city[ADDRESS_LEN+1] = 0;

    memset(state, ' ', STATE_LEN+1);
    state[STATE_LEN+1] = 0;

    memset(zip, ' ', ZIP_LEN+1);
    zip[ZIP_LEN+1] = 0;
}

```



```

=====
//
// Function name: PaddString
//
=====
void PaddString(int max, char *name)
{
    int len;
    len = strlen(name);
    if ( len < max )
        memset(name+len, ' ', max - len);
    name[max] = 0;
    return;
}

```

time.c

```

// File: TIME.C Microsoft TPC-C
// Kit Ver. 4.41 Copyright
// Microsoft, 1996, 1997, 1998, 1999, 2000, 2001.
// Purpose: Source file for time functions

// Includes
#include "tpcc.h"

// Globals
static long start_sec;

//
//
// Function name: TimeNow
//
=====
long TimeNow()
{
    long time_now;
    struct _timeb e1_time;

#ifdef DEBUG
    printf("[%d]DBG: Entering TimeNow()\n", (int)
        GetCurrentThreadId());
#endif
    _ftime(&e1_time);
    time_now = ((e1_time.time - start_sec) * 1000) +
        e1_time.millitm;
    return time_now;
}

```

Appendix C: Tunable Parameters

Microsoft SQL Server 2000 Startup Parameters

Microsoft SQL Server was started with the following command-line options:

```
"C:\Program Files\Microsoft SQL Server\MSSQL\Binn\sqlservr.exe" -e"C:\Program Files\Microsoft SQL Server\MSSQL\LOG\ERRORLOG" -c -x -t3502 -g100
```

Boot.ini

```
[boot loader]
timeout=30
default=multi(0)disk(0)rdisk(0)partition(1)\WINDOWS
[operating systems]
multi(0)disk(0)rdisk(0)partition(1)\WINDOWS="Windows Server 2003, Enterprise" /fastdetect /PAE
```

Microsoft Windows Server 2003 EE Configuration (Enabled Services)

These Windows services are started:

- COM+ Event System
- Event Log
- Logical Disk Manager
- Network Connections
- Network Location Awareness (NLA)
- Plug and Play
- Remote Procedure Call (RPC)
- Security Accounts Manager
- System Event Notification
- Terminal Services
- Windows Management Instrumentation

Microsoft SQL Server 2000 Configuration Parameters

name	minimum	maximum
config_value	run_value	

```
-----
affinity mask                -2147483648
2147483647 3                 3
allow updates                 0 1
0 0
awe enabled                   0 1
1 1
c2 audit mode                 0 1
0 0
cost threshold for parallelism 0 32767
5 5
Cross DB Ownership Chaining  0 1
0 0
cursor threshold             -1 -1
2147483647 -1
default full-text language  0 0
2147483647 1033 1033
default language             0 9999
0 0
fill factor (%)              0 100
0 0
index create memory (KB)     704
2147483647 0 0
lightweight pooling          0 1
1 1
locks                        5000
2147483647 0 0
max degree of parallelism    0 32
0
max server memory (MB)      4
2147483647 2147483647
max text repl size (B)      0
2147483647 65536 65536
max worker threads          32 32767
255 255
media retention              0 365
0
min memory per query (KB)   512
2147483647 1024 1024
min server memory (MB)      0
2147483647 0
nested triggers             0 1
1 1
network packet size (B)     512 65536
4096 4096
open objects                 0 0
2147483647 0
priority boost               0 1
1 1
query governor cost limit   0
2147483647 0 0
query wait (s)              -1
2147483647 -1
recovery interval (min)     0 32767
115 115
remote access                0 1
1 1
remote login timeout (s)    0
2147483647 20 20
remote proc trans           0 1
0 0
remote query timeout (s)    0
2147483647 600 600
scan for startup procs      0 1
0 0
set working set size        0 1
0 0
show advanced options       0 1
1 1
two digit year cutoff       1753 9999
2049 2049
```

```
user connections            0 32767
0 0
user options                 0 32767
0 0
```

Disk Controller Driver Registry Parameters

Windows Registry Editor Version 5.00

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\ac2w2k]
"Group"="SCSI miniport"
"Start"=dword:00000000
"Tag"=dword:00000020
"Type"=dword:00000001
"ErrorControl"=dword:00000001
"ImagePath"=hex(2):73,00,79,00,73,00,74,00,65,00,6d,00,33,00,32,00,5c,00,44,00,\
52,00,49,00,56,00,45,00,52,00,53,00,5c,00,64,00,61,00,63,00,32,00,77,00,32,\
00,6b,00,2e,00,73,00,79,00,73,00,00,00
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\ac2w2k\Parameters]
"BusType"=dword:00000008
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\ac2w2k\Parameters\Device]
"DriverParameter"="ConfigureSIR=16"
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\ac2w2k\Parameters\PnpInterface]
"2"=dword:00000001
"5"=dword:00000001
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\ac2w2k\Enum]
"0"="PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&254dad54&0&4040"
"Count"=dword:00000003
"NextInstance"=dword:00000003
"1"="PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&94a037d&0&4048"
"2"="PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\4&c59aba9&0&4040"
```

System Summary

System Information report written at: 10/11/04 10:53:28
System Name: SQL2250
[System Summary]

Item	Value
OS Name	Microsoft(R) windows(R) Server 2003, Enterprise Edition
Version	5.2.3790 Build 3790

OS Manufacturer Microsoft Corporation
 Activation Status Activation Pending (33 days remaining)
 System Name SQL2250
 System Manufacturer Itautec Philco S.A.
 System Model Servidor Itautec
 System Type x86-based PC
 Processor x86 Family 15 Model 2 Stepping 5 GenuineIntel ~3200 Mhz
 Processor x86 Family 15 Model 2 Stepping 5 GenuineIntel ~3200 Mhz
 BIOS Version/Date Phoenix Technologies LTD 6.00, 18/9/2003
 SMBIOS Version 2.31
 Windows Directory C:\WINDOWS
 System Directory C:\WINDOWS\system32
 Boot Device \Device\HarddiskVolume6
 Locale Brazil
 Hardware Abstraction Layer Version = "5.2.3790.0 (srv03_rtm.030324-2048)"
 User Name SQL2250\Administrator
 Time Zone E. South America Standard Time
 Total Physical Memory 12,288,00 MB
 Available Physical Memory 91,16 MB
 Total Virtual Memory 25,78 GB
 Available Virtual Memory 2,18 GB
 Page File Space 13,78 GB
 Page File C:\pagefile.sys

[Hardware Resources]

[Conflicts/Sharing]

Resource Device Status
 Memory Address 0xF0000000-0xFBFFFFFF Intel(R) E7000 Series Hub Interface B PCI-to-PCI Bridge - 2543
 Memory Address 0xF0000000-0xFBFFFFFF Intel(r) 82870 Hub Interface to PCI Bridges
 Memory Address 0xF0000000-0xFBFFFFFF DEC 21154 PCI to PCI bridge
 Memory Address 0xF0000000-0xFBFFFFFF Mylex extremeRAID 2000 Disk Array Controller (Accelerated)
 I/O Port 0x00000000-0x00000CF7 PCI bus
 I/O Port 0x00000000-0x00000CF7 Direct memory access controller
 Memory Address 0xF4000000-0xFBFFFFFF Intel(r) 82870 Hub Interface to PCI Bridges
 Memory Address 0xF4000000-0xFBFFFFFF DEC 21154 PCI to PCI bridge
 Memory Address 0xF4000000-0xFBFFFFFF Mylex extremeRAID 2000 Disk Array Controller (Accelerated)
 Memory Address 0xE8000000-0xE9FFFFFF DEC 21154 PCI to PCI bridge
 Memory Address 0xE8000000-0xE9FFFFFF Mylex extremeRAID 2000 Disk Array Controller (Accelerated)
 I/O Port 0x00006000-0x00006FFF DEC 21154 PCI to PCI bridge
 I/O Port 0x00006000-0x00006FFF Mylex extremeRAID 2000 Disk Array Controller (Accelerated)
 I/O Port 0x00003000-0x00007FFF Intel(r) E7000 Series Hub Interface B PCI-to-PCI Bridge - 2543

I/O Port 0x00003000-0x00007FFF Intel(r) 82870 Hub Interface to PCI Bridges
 I/O Port 0x00003000-0x00007FFF Intel(R) PRO/1000 MT Network Connection
 Memory Address 0xE4000000-0xE9FFFFFF Intel(r) 82870 Hub Interface to PCI Bridges
 Memory Address 0xE4000000-0xE9FFFFFF Adaptec AIC-7902B - Ultra320 SCSI
 I/O Port 0x00005000-0x00007FFF Intel(r) 82870 Hub Interface to PCI Bridges
 I/O Port 0x00005000-0x00007FFF Adaptec AIC-7902B - Ultra320 SCSI
 Memory Address 0xE2000000-0xE3FFFFFF DEC 21154 PCI to PCI bridge
 Memory Address 0xE2000000-0xE3FFFFFF Mylex extremeRAID 2000 Disk Array Controller (Accelerated)
 Memory Address 0xE6000000-0xE7FFFFFF DEC 21154 PCI to PCI bridge
 Memory Address 0xE6000000-0xE7FFFFFF Mylex extremeRAID 2000 Disk Array Controller (Accelerated)
 Memory Address 0xA0000-0xBFFFF PCI bus RAGE XL PCI Family (Microsoft Corporation)
 Memory Address 0xF8000000-0xFBFFFFFF DEC 21154 PCI to PCI bridge
 Memory Address 0xF8000000-0xFBFFFFFF Mylex extremeRAID 2000 Disk Array Controller (Accelerated)
 I/O Port 0x00007000-0x00007FFF DEC 21154 PCI to PCI bridge
 I/O Port 0x00007000-0x00007FFF Mylex extremeRAID 2000 Disk Array Controller (Accelerated)
 I/O Port 0x00004000-0x00004FFF DEC 21154 PCI to PCI bridge
 I/O Port 0x00004000-0x00004FFF Mylex extremeRAID 2000 Disk Array Controller (Accelerated)
 Memory Address 0xE0200000-0xE3FFFFFF Intel(r) 82870 Hub Interface to PCI Bridges
 Memory Address 0xE0200000-0xE3FFFFFF Intel(R) PRO/1000 MT Network Connection
 Memory Address 0xE0100000-0xE9FFFFFF Intel(r) E7000 Series Hub Interface B PCI-to-PCI Bridge - 2543
 Memory Address 0xE0100000-0xE9FFFFFF Intel(r) 82870 I/OxAPIC Interrupt Controller
 [DMA]
 Resource Device Status
 Channel 4 Direct memory access controller OK
 Channel 2 Standard floppy disk controller OK
 [Forced Hardware]
 Device PNP Device ID

[I/O]
 Resource Device Status
 0x00000000-0x00000CF7 PCI bus OK
 0x00000000-0x00000CF7 Direct memory access controller OK
 0x00000000-0x0000FFFF PCI bus OK
 0x00003000-0x00007FFF Intel(R) E7000 Series Hub Interface B PCI-to-PCI Bridge - 2543 OK
 0x00003000-0x00007FFF Intel(r) 82870 Hub Interface to PCI Bridges OK
 0x00003000-0x00007FFF Intel(R) PRO/1000 MT Network Connection OK
 0x00004000-0x00004FFF DEC 21154 PCI to PCI bridge OK
 0x00004000-0x00004FFF Mylex extremeRAID 2000 Disk Array Controller (Accelerated) OK
 0x00005000-0x00007FFF Intel(r) 82870 Hub Interface to PCI Bridges OK
 0x00005000-0x00007FFF Adaptec AIC-7902B - Ultra320 SCSI OK
 0x00006000-0x00006FFF DEC 21154 PCI to PCI bridge OK
 0x00006000-0x00006FFF Mylex extremeRAID 2000 Disk Array Controller (Accelerated) OK
 0x00005400-0x000054FF Adaptec AIC-7902B - Ultra320 SCSI OK
 0x00005C00-0x00005CFF Adaptec AIC-7902B - Ultra320 SCSI OK
 0x00005800-0x000058FF Adaptec AIC-7902B - Ultra320 SCSI OK
 0x00007000-0x00007FFF DEC 21154 PCI to PCI bridge OK
 0x00007000-0x00007FFF Mylex extremeRAID 2000 Disk Array Controller (Accelerated) OK
 0x00002000-0x0000201F Standard Universal PCI to USB Host Controller OK
 0x00002020-0x0000203F Standard Universal PCI to USB Host Controller OK
 0x00002040-0x0000205F Standard Universal PCI to USB Host Controller OK
 0x00008000-0x000080FF RAGE XL PCI Family (Microsoft Corporation) OK
 0x00003B0-0x00003BB RAGE XL PCI Family (Microsoft Corporation) OK
 0x00003C0-0x00003DF RAGE XL PCI Family (Microsoft Corporation) OK
 0x00008400-0x0000843F Intel(R) PRO/100 S Server Adapter OK
 0x00000A79-0x00000A79 ISAPNP Read Data Port OK
 0x00000279-0x00000279 ISAPNP Read Data Port OK
 0x00000274-0x00000277 ISAPNP Read Data Port OK
 0x00000010-0x0000001F Motherboard resources OK
 0x00000024-0x00000025 Motherboard resources OK
 0x00000028-0x00000029 Motherboard resources OK
 0x0000002C-0x0000002D Motherboard resources OK
 0x00000030-0x00000031 Motherboard resources OK
 0x00000034-0x00000035 Motherboard resources OK
 0x00000038-0x00000039 Motherboard resources OK
 0x0000003C-0x0000003D Motherboard resources OK

0x00000050-0x00000053 Motherboard resources
 OK
 0x00000072-0x00000077 Motherboard resources
 OK
 0x00000080-0x00000080 Motherboard resources
 OK
 0x00000090-0x0000009F Motherboard resources
 OK
 0x000000A4-0x000000A5 Motherboard resources
 OK
 0x000000A8-0x000000A9 Motherboard resources
 OK
 0x000000AC-0x000000AD Motherboard resources
 OK
 0x000000B0-0x000000B5 Motherboard resources
 OK
 0x000000B8-0x000000B9 Motherboard resources
 OK
 0x000000BC-0x000000BD Motherboard resources
 OK
 0x00001000-0x0000107F Motherboard resources
 OK
 0x00001180-0x000011BF Motherboard resources
 OK
 0x0000002E-0x0000002F Motherboard resources
 OK
 0x00000295-0x00000296 Motherboard resources
 OK
 0x000004D0-0x000004D1 Motherboard resources
 OK
 0x00000081-0x0000008F Direct memory access
 controller OK
 0x000000C0-0x000000DF Direct memory access
 controller OK
 0x000000F0-0x000000FE Numeric data processor
 OK
 0x00000020-0x00000021 Programmable interrupt
 controller OK
 0x000000A0-0x000000A1 Programmable interrupt
 controller OK
 0x00000070-0x00000071 System CMOS/real time
 clock OK
 0x00000061-0x00000061 System speaker OK
 0x00000040-0x00000043 System timer OK
 0x00000060-0x00000060 Standard 101/102-Key or
 Microsoft Natural PS/2 keyboard OK
 0x00000064-0x00000064 Standard 101/102-Key or
 Microsoft Natural PS/2 keyboard OK
 0x000003F8-0x000003FF Communications Port
 (COM1) OK
 0x000002F8-0x000002FF Communications Port
 (COM2) OK
 0x000003F0-0x000003F5 Standard floppy disk
 controller OK
 0x000003F7-0x000003F7 Standard floppy disk
 controller OK
 0x00000378-0x0000037F Printer Port (LPT1) OK
 0x00002060-0x0000206F Intel(r) 82801CA Ultra
 ATA Storage Controller-248B OK
 0x000001F0-0x000001F7 Primary IDE Channel OK
 0x000003F6-0x000003F6 Primary IDE Channel OK
 0x00000170-0x00000177 Secondary IDE Channel
 OK
 0x00000376-0x00000376 Secondary IDE Channel
 OK
 0x00001100-0x0000111F Intel(R) 82801CA/CAM
 SMBus Controller - 2483 OK

[IRQs]

Resource	Device	Status
IRQ 9	Microsoft ACPI-Compliant System	OK
IRQ 48	Mylex extremeRAID 2000 Disk Array Controller (Accelerated)	OK
IRQ 54	Intel(R) PRO/1000 MT Network Connection	OK
IRQ 24	Mylex extremeRAID 2000 Disk Array Controller (Accelerated)	OK
IRQ 32	Adaptec AIC-7902B - Ultra320 SCSI	OK
IRQ 33	Adaptec AIC-7902B - Ultra320 SCSI	OK
IRQ 28	Mylex extremeRAID 2000 Disk Array Controller (Accelerated)	OK
IRQ 16	Standard Universal PCI to USB Host Controller	OK
IRQ 19	Standard Universal PCI to USB Host Controller	OK
IRQ 18	Standard Universal PCI to USB Host Controller	OK
IRQ 21	RAGE XL PCI Family (Microsoft Corporation)	OK
IRQ 22	Intel(R) PRO/100 S Server Adapter	OK
IRQ 13	Numeric data processor	OK
IRQ 8	System CMOS/real time clock	OK
IRQ 0	System timer	OK
IRQ 1	Standard 101/102-key or Microsoft Natural PS/2 Keyboard	OK
IRQ 12	PS/2 Compatible Mouse	OK
IRQ 4	Communications Port (COM1)	OK
IRQ 3	Communications Port (COM2)	OK
IRQ 6	Standard floppy disk controller	OK
IRQ 14	Primary IDE Channel	OK
IRQ 15	Secondary IDE Channel	OK

[Memory]

Resource	Device	Status
0xA0000-0xBFFFF	PCI bus	OK
0xA0000-0xBFFFF	RAGE XL PCI Family (Microsoft Corporation)	OK
0xD8000-0xDBFFF	PCI bus	OK
0xDC000-0xDFFFF	PCI bus	OK
0xE0000000-0xFBFFFFFF	PCI bus	OK
0xE0100000-0xE9FFFFFF	Intel(R) E7000 Series Hub Interface B PCI-to-PCI Bridge	OK
0xE0100000-0xE9FFFFFF	Intel(R) 82870 I/OxAPIC Interrupt Controller	OK
0xF0000000-0xFBFFFFFF	Intel(R) E7000 Series Hub Interface B PCI-to-PCI Bridge	OK
0xF0000000-0xFBFFFFFF	Intel(R) 82870 Hub Interface to PCI Bridges	OK
0xF0000000-0xFBFFFFFF	DEC 21154 PCI to PCI bridge	OK
0xF0000000-0xFBFFFFFF	Mylex extremeRAID 2000 Disk Array Controller (Accelerated)	OK
0xE0200000-0xE3FFFFFF	Intel(R) 82870 Hub Interface to PCI Bridges	OK
0xE0200000-0xE3FFFFFF	Intel(R) PRO/1000 MT Network Connection	OK
0xE2000000-0xE3FFFFFF	DEC 21154 PCI to PCI bridge	OK
0xE2000000-0xE3FFFFFF	Mylex extremeRAID 2000 Disk Array Controller (Accelerated)	OK
0xE0101000-0xE0101FFF	Intel(R) 82870 I/OxAPIC Interrupt Controller	OK

Resource	Device	Status
0xE4000000-0xE9FFFFFF	Intel(r) 82870 Hub Interface to PCI Bridges	OK
0xE4000000-0xE9FFFFFF	Adaptec AIC-7902B - Ultra320 SCSI	OK
0xF4000000-0xFBFFFFFF	Intel(r) 82870 Hub Interface to PCI Bridges	OK
0xF4000000-0xFBFFFFFF	DEC 21154 PCI to PCI bridge	OK
0xF4000000-0xFBFFFFFF	Mylex extremeRAID 2000 Disk Array Controller (Accelerated)	OK
0xE6000000-0xE7FFFFFF	DEC 21154 PCI to PCI bridge	OK
0xE6000000-0xE7FFFFFF	Mylex extremeRAID 2000 Disk Array Controller (Accelerated)	OK
0xE4002000-0xE4003FFF	Adaptec AIC-7902B - Ultra320 SCSI	OK
0xE8000000-0xE9FFFFFF	DEC 21154 PCI to PCI bridge	OK
0xE8000000-0xE9FFFFFF	Mylex extremeRAID 2000 Disk Array Controller (Accelerated)	OK
0xF8000000-0xFBFFFFFF	DEC 21154 PCI to PCI bridge	OK
0xF8000000-0xFBFFFFFF	Mylex extremeRAID 2000 Disk Array Controller (Accelerated)	OK
0xE8000000-0xEBFFFFFF	RAGE XL PCI Family (Microsoft Corporation)	OK
0xEA020000-0xEA020FFF	RAGE XL PCI Family (Microsoft Corporation)	OK
0xEA021000-0xEA021FFF	Intel(R) PRO/100 S Server Adapter	OK
0xEA000000-0xEA01FFFF	Intel(R) PRO/100 S Server Adapter	OK
0xFF800000-0xFFFFFFFF	Intel(r) 82802 Firmware Hub Device	OK
0xFEBFFC00-0xFEBFFFFFF	Intel(r) 82801CA Ultra ATA Storage Controller-248B	OK

[Components]

[Multimedia]

[Audio Codecs]

CODEC	Manufacturer	Description	Status	File	Version	Size
				Creation Date		
	Microsoft Corporation	Microsoft	OK	c:\windows\system32\msg723.acm		
			OK	C:\WINDOWS\system32\MSG723.ACM		
			OK	4.4.4000 116,00 KB (118.784 bytes)		
			OK	13/9/2004 17:53		
	Microsoft Corporation	Microsoft	OK	c:\windows\system32\imaadp32.acm		
			OK	C:\WINDOWS\system32\IMAADP32.ACM		
			OK	5.2.3790.0 (srv03_rtm.030324-2048)		15,50 KB (15.872 bytes)
	Microsoft Corporation	Microsoft	OK	c:\windows\system32\msgsm32.acm		
			OK	C:\WINDOWS\system32\MSGSM32.ACM		
			OK	5.2.3790.0 (srv03_rtm.030324-2048)		20,50 KB (20.992 bytes)
			OK	c:\windows\system32\l3codeca.acm		
			OK	25/3/2003 09:00		
	Fraunhofer Institut Integrierte Schaltungen IIS	Fraunhofer IIS	OK	MPEG Layer-3 Codec		
			OK	C:\WINDOWS\system32\L3CODECA.ACM		1,9, 0, 0305 284,00 KB (290.816 bytes)
			OK	25/3/2003 09:00		

```

c:\windows\system32\tssoft32.acm      DSP GROUP, INC.
      OK
      C:\WINDOWS\system32\TSOFT32.ACM      1.01
      9,50 KB (9.728 bytes)      25/3/2003 09:00
c:\windows\system32\msaud32.acm      Microsoft
Corporation      Windows Media Audio Codec      OK
      C:\WINDOWS\system32\MSAUD32.ACM      8.00.00.4487
      288,00 KB (294.912 bytes)
      25/3/2003 09:00
c:\windows\system32\msg711.acm      Microsoft
Corporation      OK
      C:\WINDOWS\system32\MSG711.ACM      5.2.3790.0 (srv03_rtm.030324-2048)
      10,00
      KB (10.240 bytes)      25/3/2003 09:00
c:\windows\system32\msadp32.acm      Microsoft
Corporation      OK
      C:\WINDOWS\system32\MSADP32.ACM      5.2.3790.0 (srv03_rtm.030324-2048)
      14,50
      KB (14.848 bytes)      25/3/2003 09:00
c:\windows\system32\sl_anet.acm      Sipro Lab
Telecom Inc.      Sipro Lab Telecom Audio Codec      OK
      C:\WINDOWS\system32\SL_ANET.ACM      3.02
      84,00 KB (86.016 bytes)      25/3/2003 09:00

```

[Video Codecs]

CODEC	Manufacturer	Description	Size
c:\windows\system32\msh263.drv	Microsoft Corporation	MSH263.DRV	284,00 KB (290.816 bytes)
c:\windows\system32\iyuv_32.dll	Microsoft Corporation	IYUV_32.DLL	45,00 KB (46.080 bytes)
c:\windows\system32\msvidc32.dll	Microsoft Corporation	MSVIDC32.DLL	26,50 KB (27.136 bytes)
c:\windows\system32\msyuv.dll	Microsoft Corporation	MSYUV.DLL	16,50 KB (16.896 bytes)
c:\windows\system32\msh261.drv	Microsoft Corporation	MSH261.DRV	180,00 KB (184.320 bytes)
c:\windows\system32\msrle32.dll	Microsoft Corporation	MSRLE32.DLL	10,50 KB (10.752 bytes)
c:\windows\system32\tsbyuv.dll	Microsoft Corporation	TSBYUV.DLL	8,00 KB (8.192 bytes)

[CD-ROM]

Item	Value
Drive K:	CD-ROM Drive

```

Media Loaded      Yes
Media Type      CD-ROM
Name      SONY CD-ROM CDU5211
Manufacturer      (Standard CD-ROM drives)
Status      OK
Transfer Rate      1268.43 kbytes/sec
SCSI Target ID      0
PNP Device ID      IDE\CDROMSONY_CD-
ROM_CDU5211_..._YYS7..._5&1EA43480&0&0
.0.0
Driver      c:\windows\system32\drivers\cdrom.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 49,50 KB (50.688
bytes), 25/3/2003 09:00)

```

[Sound Device]

Item	Value
Name	RAGE XL PCI Family (Microsoft Corporation)

[Display]

Item	Value
Name	RAGE XL PCI Family (Microsoft Corporation)

```

PNP Device ID      PCI\VEN_1002&DEV_4752&SUBSYS_00081002&REV_27\
4&2540624D&0&2F0F0
Adapter Type      ATI RAGE XL PCI (B41), ATI
Technologies Inc. compatible
Adapter Description      RAGE XL PCI Family (Microsoft
Corporation)
Adapter RAM      8,00 MB (8.388.608 bytes)
Installed Drivers      ati2drad.dll
Driver Version      5.10.3663.6013
INF File      atiixpad.inf (ati2mpad section)
Color Planes      1
Color Table Entries      4294967296
Resolution      1024 x 768 x 70 hertz
Bits/Pixel      32
Memory Address      0xE0B00000-0xEBFFFFFF
I/O Port      0x00008000-0x000080FF
Memory Address      0xEA020000-0xEA020FFF
IRQ Channel      IRQ 21
I/O Port      0x000003B0-0x000003BB
I/O Port      0x000003C0-0x000003BF
Memory Address      0xA0000-0xBFFFF
Driver      c:\windows\system32\drivers\ati2mpad.sys
(5.10.3663.6013, 335,38 KB (343.424 bytes), 13/9/2004
14:48)

```

[Infrared]

Item	Value
Name	

[Input]

Item	Value
Name	

[Keyboard]

Item	Value
Description	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
Name	Enhanced (101- or 102-key)
Layout	00000416
PNP Device ID	ACPI\PNP0303\4&1F612954&0
Number of Function Keys	12
I/O Port	0x00000060-0x00000060
I/O Port	0x00000064-0x00000064
IRQ Channel	IRQ 1
Driver	c:\windows\system32\drivers\i8042prt.sys (5.2.3790.0 (srv03_rtm.030324-2048), 68,50 KB (70.144 bytes), 25/3/2003 09:00)

[Pointing Device]

Item	Value
Hardware Type	PS/2 Compatible Mouse
Number of Buttons	5
Status	OK
PNP Device ID	ACPI\PNP0F13\4&1F612954&0
Power Management Supported	No
Double Click Threshold	6
Handedness	Right Handed Operation
IRQ Channel	IRQ 12
Driver	c:\windows\system32\drivers\i8042prt.sys (5.2.3790.0 (srv03_rtm.030324-2048), 68,50 KB (70.144 bytes), 25/3/2003 09:00)

[Modem]

Item	Value
Name	

[Network]

```

[Adapter]
Item      Value
Name      [00000001] Intel(R) PRO/100 S Server Adapter
Adapter Type      Ethernet 802.3
Product Type      Intel(R) PRO/100 S Server Adapter
Installed Yes
PNP Device ID      PCI\VEN_8086&DEV_1229&SUBSYS_10508086&REV_10\
4&2540624D&0&28F0
Last Reset      11/10/2004 09:53
Index      1
Service Name      E100B
IP Address      0.0.0.0
IP Subnet      0.0.0.0
Default IP Gateway      Not Available
DHCP Enabled      Yes
DHCP Server
DHCP Lease Expires      Not Available
DHCP Lease Obtained      Not Available
MAC Address      00:30:48:2A:77:13
Memory Address      0xEA021000-0xEA021FFF
I/O Port      0x00008400-0x0000843F
Memory Address      0xEA000000-0xEA01FFFF
IRQ channel      IRQ 22
Driver      c:\windows\system32\drivers\e100b325.sys
(6.6.8.1 built by: winDDK, 138,50 KB (141.824 bytes),
13/9/2004 14:48)
Name      [00000002] Intel(R) PRO/1000 MT Network
Connection
Adapter Type      Ethernet 802.3
Product Type      Intel(R) PRO/1000 MT Network
Connection
Installed Yes
PNP Device ID      PCI\VEN_8086&DEV_100F&SUBSYS_10118086&REV_01\
5&39B2B4D9&0&18E810
Last Reset      11/10/2004 09:53
Index      2
Service Name      E1000
IP Address      192.168.101.1
IP Subnet      255.255.255.0
Default IP Gateway      Not Available
DHCP Enabled      No
DHCP Server      Not Available

```

DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 00:30:48:2A:77:12
 Memory Address 0xE0200000-0xE3FFFFFF
 I/O Port 0x00003000-0x00007FFF
 IRQ Channel IRQ 54
 Driver c:\windows\system32\drivers\ei1000325.sys
 (6.3.6.31 built by: winddk, 99,00 KB (101.376 bytes),
 13/9/2004 14:48)

Name [00000003] RAS Async Adapter
 Adapter Type Not Available
 Product Type RAS Async Adapter
 Installed Yes
 PNP Device ID Not Available
 Last Reset 11/10/2004 09:53
 Index 3
 Service Name AsyncMac
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available

Name [00000004] WAN Miniport (L2TP)
 Adapter Type Not Available
 Product Type WAN Miniport (L2TP)
 Installed Yes
 PNP Device ID ROOT\MS_L2TPMINIPORT\0000
 Last Reset 11/10/2004 09:53
 Index 4
 Service Name Rasl2tp
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Driver c:\windows\system32\drivers\rasl2tp.sys
 (5.2.3790.0 (srv03_rtm.030324-2048), 77,00 KB (78.848
 bytes), 25/3/2003 09:00)

Name [00000005] WAN Miniport (PPTP)
 Adapter Type Wide Area Network (WAN)
 Product Type WAN Miniport (PPTP)
 Installed Yes
 PNP Device ID ROOT\MS_PPTPMINIPORT\0000
 Last Reset 11/10/2004 09:53
 Index 5
 Service Name PptpMiniport
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 50:50:54:50:30:30
 Driver c:\windows\system32\drivers\raspptp.sys
 (5.2.3790.0 (srv03_rtm.030324-2048), 70,50 KB (72.192
 bytes), 25/3/2003 09:00)

Name [00000006] WAN Miniport (PPPOE)
 Adapter Type Wide Area Network (WAN)
 Product Type WAN Miniport (PPPOE)
 Installed Yes
 PNP Device ID ROOT\MS_PPPOEMINIPORT\0000

Last Reset 11/10/2004 09:53
 Index 6
 Service Name Raspppoe
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 33:50:6F:45:30:30
 Driver c:\windows\system32\drivers\raspppoe.sys
 (5.2.3790.0 (srv03_rtm.030324-2048), 38,00 KB (38.912
 bytes), 25/3/2003 09:00)

Name [00000007] Direct Parallel
 Adapter Type Not Available
 Product Type Direct Parallel
 Installed Yes
 PNP Device ID ROOT\MS_PTMINIPORT\0000
 Last Reset 11/10/2004 09:53
 Index 7
 Service Name Raspti
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Driver c:\windows\system32\drivers\raspti.sys
 (5.2.3790.0 (srv03_rtm.030324-2048), 18,50 KB (18.944
 bytes), 25/3/2003 09:00)

Name [00000008] WAN Miniport (IP)
 Adapter Type Not Available
 Product Type WAN Miniport (IP)
 Installed Yes
 PNP Device ID ROOT\MS_NDISWANIP\0000
 Last Reset 11/10/2004 09:53
 Index 8
 Service Name Ndiswan
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Driver c:\windows\system32\drivers\ndiswan.sys
 (5.2.3790.0 (srv03_rtm.030324-2048), 96,50 KB (98.816
 bytes), 25/3/2003 09:00)

[Protocol]

Item	Value
Name	MSAFD Tcpip [TCP/IP]
Connectionless Service	No
Guarantees Delivery	Yes
Guarantees Sequencing	Yes
Maximum Address Size	16 bytes
Maximum Message Size	0 bytes
Message Oriented	No
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	Yes

Supports Graceful Closing	Yes
Supports Guaranteed Bandwidth	No
Supports Multicasting	No

Name	MSAFD Tcpip [UDP/IP]
Connectionless Service	Yes
Guarantees Delivery	No
Guarantees Sequencing	No
Maximum Address Size	16 bytes
Maximum Message Size	63,93 KB (65.467 bytes)

Message Oriented	Yes
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	Yes
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No
Supports Multicasting	Yes

Name	RSVP UDP Service Provider
Connectionless Service	Yes
Guarantees Delivery	No
Guarantees Sequencing	No
Maximum Address Size	16 bytes
Maximum Message Size	63,93 KB (65.467 bytes)

Message Oriented	Yes
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	Yes
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	Yes
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No
Supports Multicasting	Yes

Name	RSVP TCP Service Provider
Connectionless Service	No
Guarantees Delivery	Yes
Guarantees Sequencing	Yes
Maximum Address Size	16 bytes
Maximum Message Size	0 bytes
Message Oriented	No
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	Yes
Supports Expedited Data	Yes
Supports Graceful Closing	Yes
Supports Guaranteed Bandwidth	No
Supports Multicasting	No

Name	MSAFD NetBIOS [\Device\NetBT_Tcpip_{46E9CA6F-D15A-422C-BB8B-97CEC796D4E5}]
Connectionless Service	SEQPACKET 0
Guarantees Delivery	Yes
Guarantees Sequencing	Yes
Maximum Address Size	20 bytes
Maximum Message Size	62,50 KB (64.000 bytes)

Message Oriented	Yes
Minimum Address Size	20 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No

Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{46E9CA6F-D15A-422C-BB8B-97CEC796D4E5}] DATAGRAM 0
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 20 bytes
 Maximum Message Size 62,50 KB (64.000 bytes)

Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{3956E79A-B4A4-4884-8AA7-7F52AE844F19}] SEQPACKET 1
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 20 bytes
 Maximum Message Size 62,50 KB (64.000 bytes)

Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{3956E79A-B4A4-4884-8AA7-7F52AE844F19}] DATAGRAM 1
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 20 bytes
 Maximum Message Size 62,50 KB (64.000 bytes)

Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{B7DFFAF3-7D0F-4823-92D7-F3F79D117C48}] SEQPACKET 2
 Connectionless Service No
 Guarantees Delivery Yes

Guarantees Sequencing Yes
 Maximum Address Size 20 bytes
 Maximum Message Size 62,50 KB (64.000 bytes)

Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{B7DFFAF3-7D0F-4823-92D7-F3F79D117C48}] DATAGRAM 2
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 20 bytes
 Maximum Message Size 62,50 KB (64.000 bytes)

Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{A6AD2A05-40A5-42A8-B005-9C887094AFF9}] SEQPACKET 3
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 20 bytes
 Maximum Message Size 62,50 KB (64.000 bytes)

Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{A6AD2A05-40A5-42A8-B005-9C887094AFF9}] DATAGRAM 3
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 20 bytes
 Maximum Message Size 62,50 KB (64.000 bytes)

Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No

Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

[Winsock]

Item Value
 File c:\windows\system32\winsock.dll
 Size 2,80 KB (2.864 bytes)
 Version 3.10

File c:\windows\system32\wsock32.dll
 Size 22,00 KB (22.528 bytes)
 Version 5.2.3790.0 (srv03_rtm.030324-2048)

[Ports]

[Serial]

Item Value
 Name Communications Port (COM1)
 Status OK
 PNP Device ID ACPI\PNP0501\1
 Maximum Input Buffer Size 0
 Maximum Output Buffer Size No
 Settable Baud Rate Yes
 Settable Data Bits Yes
 Settable Flow Control Yes
 Settable Parity Yes
 Settable Parity Check Yes
 Settable Stop Bits Yes
 Settable RLSO Yes
 Supports RLSO Yes
 Supports 16 Bit Mode No
 Supports Special Characters No
 Baud Rate 9600
 Bits/Byte 8
 Stop Bits 1
 Parity None
 Busy No
 Abort Read/write on Error No
 Binary Mode Enabled Yes
 Continue Xmit on XOFF No
 CTS Outflow Control No
 Discard NULL bytes No
 DSR Outflow Control 0
 DSR Sensitivity 0
 DTR Flow Control Type Enable
 EOF Character 0
 Error Replace Character 0
 Error Replacement Enabled No
 Event Character 0
 Parity Check Enabled No
 RTS Flow Control Type Enable
 XOFF Character 19
 XOFFxmit Threshold 512
 XON Character 17
 XONxmit Threshold 2048
 XONxoff InFlow Control 0
 XONxoff OutFlow Control 0
 I/O Port 0x000003F8-0x000003FF
 IRQ channel IRQ 4
 Driver c:\windows\system32\drivers\serial.sys
 (5.2.3790.0 (srv03_rtm.030324-2048), 76,00 KB (77.824 bytes), 25/3/2003 09:00)

Name Communications Port (COM2)
 Status OK
 PNP Device ID ACPI\PNP0501\2
 Maximum Input Buffer Size 0

```

Maximum Output Buffer Size No
Settable Baud Rate Yes
Settable Data Bits Yes
Settable Flow Control Yes
Settable Parity Yes
Settable Parity Check Yes
Settable Stop Bits Yes
Settable RLSD Yes
Supports RLSD Yes
Supports 16 Bit Mode No
Supports Special Characters No
Baud Rate 9600
Bits/Byte 8
Stop Bits 1
Parity None
Busy No
Abort Read/write on Error No
Binary Mode Enabled Yes
Continue Xmit on Xoff No
CTS Outflow Control No
Discard NULL Bytes No
DSR Outflow Control 0
DSR Sensitivity 0
DTR Flow Control Type Enable
EOF Character 0
Error Replace Character 0
Error Replacement Enabled No
Event Character 0
Parity Check Enabled No
RTS Flow Control Type Enable
Xoff Character 19
XoffXmit Threshold 512
XON Character 17
XONXmit Threshold 2048
XONXoff InFlow Control 0
XONXoff OutFlow Control 0
I/O Port 0x00002F8-0x00002FF
IRQ Channel IRQ 3
Driver c:\windows\system32\drivers\serial.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 76,00 KB (77.824
bytes), 25/3/2003 09:00)

```

[Parallel]

```

Item Value
Name LPT1
PNP Device ID ACPI\PNP0400\2
I/O Port 0x00000378-0x0000037F
Driver c:\windows\system32\drivers\parport.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 76,50 KB (78.336
bytes), 24/3/2003 20:04)

```

[Storage]

[Drives]

```

Item Value
Drive A:
Description 3 1/2 Inch Floppy Drive

Drive C:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 34,17 GB (36.692.938.752 bytes)
Free Space 30,57 GB (32.820.654.080 bytes)

Volume Name
Volume Serial Number 0C351ABA

```

```

Drive K:
Description CD-ROM Disc

Drive L:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive M:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive N:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive O:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive P:
Description Local Fixed Disk
Compressed Not Available
File System Not Available
Size Not Available
Free Space Not Available
Volume Name Not Available
Volume Serial Number Not Available

Drive T:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 478,32 GB (513.594.675.200 bytes)
Free Space 101,67 GB (109.164.843.008 bytes)

Volume Name backup_backup
Volume Serial Number 8CEC3B5F

Drive W:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 585,94 GB (629.151.666.176 bytes)
Free Space 258,01 GB (277.033.578.496 bytes)

Volume Name backup1
Volume Serial Number A4CA31C1

Drive X:
Description Local Fixed Disk
Compressed No
File System NTFS

```

```

Size 585,94 GB (629.151.666.176 bytes)
Free Space 258,01 GB (277.033.644.032 bytes)

```

```

Volume Name backup2
Volume Serial Number 10D410E3

```

[Disks]

```

Item Value
Description \\.\PHYSICALDRIVE5
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 3
SCSI Bus 4
SCSI Logical Unit 0
SCSI Port 6
SCSI Target ID 0
Sectors/Track 63
Size 956,64 GB (1.027.189.416.960 bytes)
Total Cylinders 124.882
Total Sectors 2.006.229.330
Total Tracks 31.844.910
Tracks/Cylinder 255
Partition Disk #5, Partition #0
Partition Size 100,01 GB (107.380.998.144 bytes)

Partition Starting Offset 32.256 bytes
Partition Disk #5, Partition #1
Partition Size 585,94 GB (629.151.667.200 bytes)

Partition Starting Offset 146.813.022.720 bytes
Partition Disk #5, Partition #2
Partition Size 65,01 GB (69.799.726.080 bytes)

Partition Starting Offset 775.964.689.920 bytes

```

```

Description \\.\PHYSICALDRIVE4
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 3
SCSI Bus 4
SCSI Logical Unit 0
SCSI Port 5
SCSI Target ID 0
Sectors/Track 63
Size 956,64 GB (1.027.189.416.960 bytes)
Total Cylinders 124.882
Total Sectors 2.006.229.330
Total Tracks 31.844.910
Tracks/Cylinder 255
Partition Disk #4, Partition #0
Partition Size 100,01 GB (107.380.998.144 bytes)

Partition Starting Offset 32.256 bytes
Partition Disk #4, Partition #1
Partition Size 585,94 GB (629.151.667.200 bytes)

Partition Starting Offset 146.813.022.720 bytes
Partition Disk #4, Partition #2
Partition Size 65,01 GB (69.799.726.080 bytes)

Partition Starting Offset 775.964.689.920 bytes

```



```

Description          \\.\PHYSICALDRIVE1
Manufacturer         Not Available
Model               Not Available
Bytes/Sector        512
Media Loaded        Yes
Media Type          Fixed hard disk
Partitions          1
SCSI Bus            4
SCSI Logical Unit   0
SCSI Port           4
SCSI Target ID      0
Sectors/Track       63
Size                136,66 GB (146.738.995.200 bytes)
Total Cylinders      17.840
Total Sectors        286.599.600
Total Tracks         4.549.200
Tracks/Cylinder     255
Partition Disk #1, Partition #0
Partition Size       136,66 GB (146.738.962.944 bytes)

Partition Starting Offset 32.256 bytes

```

```

Description          \\.\PHYSICALDRIVE2
Manufacturer         Not Available
Model               Not Available
Bytes/Sector        512
Media Loaded        Yes
Media Type          Fixed hard disk
Partitions          0
SCSI Bus            4
SCSI Logical Unit   0
SCSI Port           4
SCSI Target ID      1
Sectors/Track       63
Size                68,33 GB (73.369.497.600 bytes)
Total Cylinders      8.920
Total Sectors        143.299.800
Total Tracks         2.274.600
Tracks/Cylinder     255

```

```

Description          \\.\PHYSICALDRIVE3
Manufacturer         Not Available
Model               Not Available
Bytes/Sector        512
Media Loaded        Yes
Media Type          Fixed hard disk
Partitions          1
SCSI Bus            4
SCSI Logical Unit   0
SCSI Port           4
SCSI Target ID      2
Sectors/Track       63
Size                478,32 GB (513.594.708.480 bytes)
Total Cylinders      62.441
Total Sectors        1.003.114.665
Total Tracks         15.922.455
Tracks/Cylinder     255
Partition Disk #3, Partition #0
Partition Size       478,32 GB (513.594.676.224 bytes)

Partition Starting Offset 32.256 bytes

```

```

Description          Disk drive
Manufacturer         (Standard disk drives)
Model               SEAGATE ST336753LW SCSI Disk Drive
Bytes/Sector        512
Media Loaded        Yes
Media Type          Fixed hard disk
Partitions          1
SCSI Bus            0
SCSI Logical Unit   0

```

```

SCSI Port 2
SCSI Target ID      0
Sectors/Track       63
Size                34,18 GB (36.701.199.360 bytes)
Total Cylinders      4.462
Total Sectors        71.682.030
Total Tracks         1.137.810
Tracks/Cylinder     255
Partition Disk #0, Partition #0
Partition Size       34,17 GB (36.692.941.824 bytes)

```

Partition Starting Offset 32.256 bytes

[SCSI]

```

Item      Value
Name      Mylex ExtremeRAID 2000 Disk Array Controller
           (Accelerated)
Manufacturer Mylex
Status    OK
PNP Device ID
           PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\
           6&C4F40D9&0&4008E810
Memory Address 0xE2000000-0xE3FFFFFF
I/O Port 0x00004000-0x00004FFF
Memory Address 0xF0000000-0xFBFFFFFF
IRQ Channel  IRQ 48
Driver      c:\windows\system32\drivers\dac2w2k.sys
           (7.00-14, 172,75 KB (176.896 bytes), 23/9/2003 10:46)

```

```

Name      Mylex ExtremeRAID 2000 Disk Array Controller
           (Accelerated)
Manufacturer Mylex
Status    OK
PNP Device ID
           PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\
           6&1016ED08&0&4008F810
Memory Address 0xE6000000-0xE7FFFFFF
I/O Port 0x00006000-0x00006FFF
Memory Address 0xF4000000-0xFBFFFFFF
IRQ Channel  IRQ 24
Driver      c:\windows\system32\drivers\dac2w2k.sys
           (7.00-14, 172,75 KB (176.896 bytes), 23/9/2003 10:46)

```

```

Name      Adaptec AIC-7902B - Ultra320 SCSI
Manufacturer Adaptec
Status    OK
PNP Device ID
           PCI\VEN_9005&DEV_801D&SUBSYS_005E9005&REV_10\
           5&2A763D68&0&10F810
I/O Port 0x00005400-0x000054FF
Memory Address 0xE4000000-0xE9FFFFFF
I/O Port 0x00005000-0x00007FFF
IRQ Channel  IRQ 32
Driver      c:\windows\system32\drivers\adpu320.sys
           (2.0.000.000 built by: winddk, 128,50 KB (131.584
           bytes), 1/9/2004 07:05)

```

```

Name      Adaptec AIC-7902B - Ultra320 SCSI
Manufacturer Adaptec
Status    OK
PNP Device ID
           PCI\VEN_9005&DEV_801D&SUBSYS_005E9005&REV_10\
           5&2A763D68&0&11F810
I/O Port 0x00005C00-0x00005CFF
Memory Address 0xE4002000-0xE4003FFF
I/O Port 0x00005800-0x000058FF
IRQ Channel  IRQ 33

```

```

Driver      c:\windows\system32\drivers\adpu320.sys
           (2.0.000.000 built by: winddk, 128,50 KB (131.584
           bytes), 1/9/2004 07:05)

```

```

Name      Mylex ExtremeRAID 2000 Disk Array Controller
           (Accelerated)
Manufacturer Mylex
Status    OK
PNP Device ID
           PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\
           6&39F38DA8&0&4018F810
Memory Address 0xE8000000-0xE9FFFFFF
I/O Port 0x00007000-0x00007FFF
Memory Address 0xF8000000-0xFBFFFFFF
IRQ Channel  IRQ 28
Driver      c:\windows\system32\drivers\dac2w2k.sys
           (7.00-14, 172,75 KB (176.896 bytes), 23/9/2003 10:46)

```

[IDE]

```

Item      Value
Name      Intel(r) 82801CA Ultra ATA Storage
           Controller-248B
Manufacturer Intel
Status    OK
PNP Device ID
           PCI\VEN_8086&DEV_248B&SUBSYS_398015D9&REV_02\
           3&61AAA01&0&F9
I/O Port 0x00002060-0x0000206F
Memory Address 0xFEBFFC00-0xFEBFFFFF
Driver      c:\windows\system32\drivers\intelide.sys
           (5.2.3790.0 (srv03_rtm.030324-2048), 7,00 KB (7.168
           bytes), 25/3/2003 09:00)

```

```

Name      Primary IDE Channel
Manufacturer (Standard IDE ATA/ATAPI
           controllers)
Status    OK
PNP Device ID
           PCI\IDE\IDECHANNEL\4&31FD85D7&0&0
I/O Port 0x000001F0-0x000001F7
I/O Port 0x000003F6-0x000003F6
IRQ Channel  IRQ 14
Driver      c:\windows\system32\drivers\atapi.sys
           (5.2.3790.0 (srv03_rtm.030324-2048), 89,00 KB (91.136
           bytes), 25/3/2003 09:00)

```

```

Name      Secondary IDE Channel
Manufacturer (Standard IDE ATA/ATAPI
           controllers)
Status    OK
PNP Device ID
           PCI\IDE\IDECHANNEL\4&31FD85D7&0&1
I/O Port 0x00000170-0x00000177
I/O Port 0x00000376-0x00000376
IRQ Channel  IRQ 15
Driver      c:\windows\system32\drivers\atapi.sys
           (5.2.3790.0 (srv03_rtm.030324-2048), 89,00 KB (91.136
           bytes), 25/3/2003 09:00)

```

[Printing]

Name	Driver	Port Name	Server Name
------	--------	-----------	-------------

[Problem Devices]

Device	PNP Device ID	Error Code
--------	---------------	------------

[USB]

Device	PNP Device ID
--------	---------------

Standard Universal PCI to USB Host Controller
 PCI\VEN_8086&DEV_2482&SUBSYS_398015D9&REV_02\
 3&61AAA01&0&E8
 USB Root Hub USB\ROOT_HUB\4&49282&0
 Standard Universal PCI to USB Host Controller
 PCI\VEN_8086&DEV_2484&SUBSYS_398015D9&REV_02\
 3&61AAA01&0&E9
 USB Root Hub USB\ROOT_HUB\4&3432CB48&0
 Standard Universal PCI to USB Host Controller
 PCI\VEN_8086&DEV_2487&SUBSYS_398015D9&REV_02\
 3&61AAA01&0&EA
 USB Root Hub USB\ROOT_HUB\4&22C6ED97&0

[Software Environment]

[System Drivers]

Name	Description	File	Type	Started	Status	Start Mode	File State	Type State
abiosdsk	Abiosdsk	Not Available	Kernel Driver	Stopped	OK	Accept Pause		
acpi	Microsoft ACPI Driver	c:\windows\system32\drivers\acpi.sys	Kernel Driver	Running	OK	Normal	No	Yes
acpiec	ACPIEC	c:\windows\system32\drivers\acpiec.sys	Kernel Driver	Stopped	OK	Normal	Disabled	No
adpu160m	adpu160m	Not Available	Kernel Driver	Stopped	OK			
adpu320	adpu320	c:\windows\system32\drivers\adpu320.sys	Kernel Driver	Running	OK	Normal	No	Yes
afcnt	afcnt	Not Available	Kernel Driver	Stopped	OK			
afd	AFD Networking Support Environment	c:\windows\system32\drivers\afd.sys	Kernel Driver	Running	OK	Normal	Auto	Yes
aha154x	Aha154x	Not Available	Kernel Driver	Stopped	OK			
aic78u2	aic78u2	Not Available	Kernel Driver	Stopped	OK			
aic78xx	aic78xx	Not Available	Kernel Driver	Stopped	OK			
aliide	AliIde	Not Available	Kernel Driver	Stopped	OK			
asyncmac	RAS Asynchronous Media Driver	c:\windows\system32\drivers\asyncmac.sys	Kernel Driver	Stopped	OK	Normal	Manual	No
atapi	Standard IDE/ESDI Hard Disk Controller	c:\windows\system32\drivers\atapi.sys	Kernel Driver	Running	OK	Normal	Yes	Boot

atdisk	Atdisk	Not Available	Kernel Driver	Stopped	OK			
ati2mpad	ati2mpad	c:\windows\system32\drivers\ati2mpad.sys	Kernel Driver	Running	OK	Ignore	No	Yes
atmarpc	ATM ARP Client Protocol	c:\windows\system32\drivers\atmarpc.sys	Kernel Driver	Stopped	OK	Normal	Manual	No
audstub	Audio Stub Driver	c:\windows\system32\drivers\audstub.sys	Kernel Driver	Running	OK	Normal	Manual	Yes
beep	Beep	c:\windows\system32\drivers\beep.sys	Kernel Driver	Running	OK	Normal	No	Yes
cbidf2k	cbidf2k	c:\windows\system32\drivers\cbidf2k.sys	Kernel Driver	Stopped	OK	Normal	Disabled	No
cd20xrnt	cd20xrnt	Not Available	Kernel Driver	Stopped	OK			
cdfs	Cdfs	c:\windows\system32\drivers\cdfs.sys	System Driver	Running	OK	Normal	Disabled	Running
cdrom	CD-ROM Driver	c:\windows\system32\drivers\cdrom.sys	Kernel Driver	Running	OK	Normal	System	Yes
changer	Changer	Not Available	Kernel Driver	Stopped	OK			
clusdisk	Cluster Disk Driver	c:\windows\system32\drivers\clusdisk.sys	Kernel Driver	Stopped	OK	Normal	Disabled	No
cmdide	CmdIde	Not Available	Kernel Driver	Stopped	OK			
cpqarray	Cpqarray	Not Available	Kernel Driver	Stopped	OK			
cpqarry2	Cpqarry2	Not Available	Kernel Driver	Stopped	OK			
cpqcissm	Cpqcissm	Not Available	Kernel Driver	Stopped	OK			
cpqfcalm	Cpqfcalm	Not Available	Kernel Driver	Stopped	OK			
crdisk	CRC Disk Filter Driver	c:\windows\system32\drivers\crdisk.sys	Kernel Driver	Running	OK	Normal	Yes	Boot
dac2w2k	dac2w2k	c:\windows\system32\drivers\dac2w2k.sys						

dac960nt	dac960nt	Not Available	Kernel Driver	Stopped	OK			
dellcerc	dellcerc	Not Available	Kernel Driver	Stopped	OK			
dfsdriver	DfsDriver	c:\windows\system32\drivers\dfs.sys	File System Driver	Running	OK	Normal	Yes	Boot
disk	Disk Driver	c:\windows\system32\drivers\disk.sys	Kernel Driver	Running	OK	Normal	Yes	Boot
dmboot	dmboot	c:\windows\system32\drivers\dmboot.sys	Kernel Driver	Stopped	OK	Normal	Disabled	No
dmio	Logical Disk Manager Driver	c:\windows\system32\drivers\dmio.sys	Kernel Driver	Running	OK	Normal	Yes	Boot
dmload	dmload	c:\windows\system32\drivers\dmload.sys	Kernel Driver	Running	OK	Normal	Yes	Boot
dpti2o	dpti2o	Not Available	Kernel Driver	Stopped	OK			
e1000	Intel(R) PRO/1000 Device Driver	c:\windows\system32\drivers\e1000325.sys	Kernel Driver	Running	OK	Normal	Manual	Yes
e100b	Intel(R) PRO Adapter Driver	c:\windows\system32\drivers\e100b325.sys	Kernel Driver	Running	OK	Normal	Yes	Manual
fastfat	Fastfat	c:\windows\system32\drivers\fastfat.sys	File System Driver	Running	OK	Normal	Disabled	Running
fdc	Floppy Disk Controller Driver	c:\windows\system32\drivers\fdc.sys	Kernel Driver	Running	OK	Normal	Yes	Manual
fips	Fips	c:\windows\system32\drivers\fips.sys	Kernel Driver	Running	OK	Normal	Yes	System
flpydisk	Floppy Disk Driver	c:\windows\system32\drivers\flpydisk.sys	Kernel Driver	Running	OK	Normal	Yes	Manual
ftdisk	Volume Manager Driver	c:\windows\system32\drivers\ftdisk.sys	Kernel Driver	Running	OK	Normal	Yes	Boot
gpc	Generic Packet Classifier	c:\windows\system32\drivers\msgpc.sys						

	Kernel Driver	Yes	Manual		
	Running OK	Normal	No	Yes	
hpn	hpn Not Available	Stopped	Kernel Driver		
	No Disabled	No	OK		
hpt3xx	hpt3xx Not Available	Stopped	Kernel Driver		
	No Disabled	No	OK		
http	HTTP				
	c:\windows\system32\drivers\http.sys				
	Kernel Driver	Yes	Manual		
	Stopped OK	Normal	No	No	
i2omgmt	i2omgmt Not Available	Stopped	Kernel Driver		
	No System	No	OK		
i2omp	i2omp Not Available	Stopped	Kernel Driver		
	No Disabled	No	OK		
i8042prt	i8042 Keyboard and PS/2 Mouse Port Driver				
	c:\windows\system32\drivers\i8042prt.sys				
	Kernel Driver	Yes	System		
	Running OK	Normal	No	Yes	
iirsp	iirsp Not Available	Stopped	Kernel Driver		
	No Disabled	No	OK		
imapi	CD-Burning Filter Driver				
	c:\windows\system32\drivers\imapi.sys				
	Kernel Driver	No	System		
	Stopped OK	Normal	No	No	
intelide	IntelIde				
	c:\windows\system32\drivers\intelide.sys				
	Kernel Driver	Yes	Boot		
	Running OK	Normal	No	Yes	
ipfilterdriver	IP Traffic Filter Driver				
	c:\windows\system32\drivers\ipfltdrv.sys				
	Kernel Driver	No	Manual		
	Stopped OK	Normal	No	No	
ipinip	IP in IP Tunnel Driver				
	c:\windows\system32\drivers\ipinip.sys				
	Kernel Driver	No	Manual		
	Stopped OK	Normal	No	No	
ipnat	IP Network Address Translator				
	c:\windows\system32\drivers\ipnat.sys				
	Kernel Driver	No	Manual		
	Stopped OK	Normal	No	No	
ipsec	IPSEC driver				
	c:\windows\system32\drivers\ipsec.sys				
	Kernel Driver	Yes	System		
	Running OK	Normal	No	Yes	
ipsraidn	ipsraidn Not Available	Stopped	Kernel Driver		
	No Disabled	No	OK		
isapnp	PnP ISA/EISA Bus Driver				
	c:\windows\system32\drivers\isapnp.sys				
	Kernel Driver	Yes	Boot		
	Running OK	Critical	No	Yes	
kbdclass	Keyboard Class Driver				
	c:\windows\system32\drivers\kbdclass.sys				
	Kernel Driver	Yes	System		
	Running OK	Normal	No	Yes	

ksecdd	KSecDD				
	c:\windows\system32\drivers\ksecdd.sys				
	Kernel Driver	Yes	Boot		
	Running OK	Normal	No	Yes	
lp6nds35	lp6nds35 Not Available	Stopped	Kernel Driver		
	No Disabled	No	OK		
mac2w2k	mac2w2k				
	c:\windows\system32\drivers\mac2w2k.sys				
	Kernel Driver	Yes	Boot		
	Running OK	Normal	No	Yes	
mnmdd	mnmdd				
	c:\windows\system32\drivers\mnmdd.sys				
	Kernel Driver	Yes	System		
	Running OK	Ignore	No	Yes	
modem	Modem				
	c:\windows\system32\drivers\modem.sys				
	Kernel Driver	No	Manual		
	Stopped OK	Ignore	No	No	
mouclass	Mouse Class Driver				
	c:\windows\system32\drivers\mouclass.sys				
	Kernel Driver	Yes	System		
	Running OK	Normal	No	Yes	
mountmgr	Mount Point Manager				
	c:\windows\system32\drivers\mountmgr.sys				
	Kernel Driver	Yes	Boot		
	Running OK	Normal	No	Yes	
mraid35x	mraid35x				
	c:\windows\system32\drivers\mraid35x.sys				
	Kernel Driver	Yes	Boot		
	Running OK	Normal	No	Yes	
mrxdav	Webdav Client Redirector				
	c:\windows\system32\drivers\mrxdav.sys				
	System Driver	No	Manual	Stopped	File
	Normal	No	No	OK	
mrxsmb	MRXSMB				
	c:\windows\system32\drivers\mrxsmb.sys				
	System Driver	No	System	Stopped	File
	Normal	No	No	OK	
msfs	Msfs				
	c:\windows\system32\drivers\msfs.sys				
	System Driver	Yes	System	Running	File
	Normal	No	Yes	OK	
mup	Mup				
	c:\windows\system32\drivers\mup.sys				
	File System Driver	Yes	Boot		
	Running OK	Normal	No	Yes	
ndis	NDIS System Driver				
	c:\windows\system32\drivers\ndis.sys				
	Kernel Driver	Yes	Boot		
	Running OK	Normal	No	Yes	
ndistapi	Remote Access NDIS TAPI Driver				
	c:\windows\system32\drivers\ndistapi.sys				
	Kernel Driver	Yes	Manual		
	Running OK	Normal	No	Yes	
ndisuio	NDIS Usermode I/O Protocol				
	c:\windows\system32\drivers\ndisuio.sys				
	Kernel Driver	No	Manual		
	Stopped OK	Normal	No	No	
ndiswan	Remote Access NDIS WAN Driver				
	c:\windows\system32\drivers\ndiswan.sys				
	Kernel Driver	Yes	Manual		

	Running OK	Normal	No	Yes	
ndproxy	NDIS Proxy				
	c:\windows\system32\drivers\ndproxy.sys				
	Kernel Driver	Yes	Manual		
	Running OK	Normal	No	Yes	
netbios	NetBIOS Interface				
	c:\windows\system32\drivers\netbios.sys				
	System Driver	Yes	System	Running	File
	Normal	No	Yes	OK	
netbt	NetBios over Tcpip				
	c:\windows\system32\drivers\netbt.sys				
	Kernel Driver	Yes	System		
	Running OK	Normal	No	Yes	
nfrd960	nfrd960 Not Available	Stopped	Kernel Driver		
	No Disabled	No	OK		
npfs	Npfs				
	c:\windows\system32\drivers\npfs.sys				
	System Driver	Yes	System	Running	File
	Normal	No	Yes	OK	
ntfs	Ntfs				
	c:\windows\system32\drivers\ntfs.sys				
	System Driver	Yes	Disabled	Running	File
	Normal	No	Yes	OK	
null	Null				
	c:\windows\system32\drivers\null.sys				
	Kernel Driver	Yes	System		
	Running OK	Normal	No	Yes	
parport	Parallel port driver				
	c:\windows\system32\drivers\parport.sys				
	Kernel Driver	Yes	Manual		
	Running OK	Normal	No	Yes	
partmgr	Partition Manager				
	c:\windows\system32\drivers\partmgr.sys				
	Kernel Driver	Yes	Boot		
	Running OK	Normal	No	Yes	
parvdm	Parvdm				
	c:\windows\system32\drivers\parvdm.sys				
	Kernel Driver	Yes	Auto		
	Running OK	Ignore	No	Yes	
pci	PCI Bus Driver				
	c:\windows\system32\drivers\pci.sys				
	Kernel Driver	Yes	Boot		
	Running OK	Critical	No	Yes	
pciide	PCIIde				
	Not Available	Stopped	Kernel Driver		
	No Disabled	No	OK		
pcmcia	Pcmcia				
	c:\windows\system32\drivers\pcmcia.sys				
	Kernel Driver	No	Disabled		
	Stopped OK	Normal	No	No	
pdcomp	PDCOMP				
	Not Available	Stopped	Kernel Driver		
	No Manual	No	OK		
pdframe	PDFRAME				
	Not Available	Stopped	Kernel Driver		
	No Manual	No	OK		
pdreli	PDRELI				
	Not Available	Stopped	Kernel Driver		
	No Manual	No	OK		
pdrframe	PDRFRAME				
	Not Available	Stopped	Kernel Driver		
	No Manual	No	OK		
	Ignore	No	OK		

perc2	perc2	Not Available	Kernel Driver
	No	Disabled	Stopped
	Normal	No	OK
perc2hib	perc2hib	Not Available	Kernel Driver
	No	Disabled	Stopped
	Normal	No	OK
pptpminiport	WAN Miniport (PPTP)		
	c:\windows\system32\drivers\rasppptp.sys		
	Kernel Driver	Yes	Manual
	Running	OK	Normal
processor	Processor Driver		
	c:\windows\system32\drivers\processr.sys		
	Kernel Driver	Yes	Manual
	Running	OK	Normal
ptilink	Direct Parallel Link Driver		
	c:\windows\system32\drivers\ptilink.sys		
	Kernel Driver	Yes	Manual
	Running	OK	Normal
q11080	q11080	Not Available	Kernel Driver
	No	Disabled	Stopped
	Normal	No	OK
q110wnt	q110wnt	Not Available	Kernel Driver
	No	Disabled	Stopped
	Normal	No	OK
q112160	q112160	Not Available	Kernel Driver
	No	Disabled	Stopped
	Normal	No	OK
q11240	q11240	Not Available	Kernel Driver
	No	Disabled	Stopped
	Normal	No	OK
q11280	q11280	Not Available	Kernel Driver
	No	Disabled	Stopped
	Normal	No	OK
q12100	q12100	Not Available	Kernel Driver
	No	Disabled	Stopped
	Normal	No	OK
q12200	q12200	Not Available	Kernel Driver
	No	Disabled	Stopped
	Normal	No	OK
q12300	q12300	Not Available	Kernel Driver
	No	Disabled	Stopped
	Normal	No	OK
rasacd	Remote Access Auto Connection Driver		
	c:\windows\system32\drivers\rasacd.sys		
	Kernel Driver	Yes	System
	Running	OK	Normal
rasl2tp	WAN Miniport (L2TP)		
	c:\windows\system32\drivers\rasl2tp.sys		
	Kernel Driver	Yes	Manual
	Running	OK	Normal
rasppoe	Remote Access PPPOE Driver		
	c:\windows\system32\drivers\rasppoe.sys		
	Kernel Driver	Yes	Manual
	Running	OK	Normal
raspti	Direct Parallel		
	c:\windows\system32\drivers\raspti.sys		
	Kernel Driver	Yes	Manual
	Running	OK	Normal
rdcss	Rdbss		
	c:\windows\system32\drivers\rdcss.sys		File
	System Driver	No	System
	Normal	No	Stopped
rdpcdd	RDPCCDD		
	c:\windows\system32\drivers\rdpcdd.sys		
	Kernel Driver	Yes	System

rdpdr	Terminal Server Device Redirector Driver			
	c:\windows\system32\drivers\rdpdr.sys			
	Kernel Driver	Yes	Manual	
	Running	OK	Normal	Yes
rdpwd	RDPWD			
	c:\windows\system32\drivers\rdpwd.sys			
	Kernel Driver	No	Manual	
	Stopped	OK	Ignore	No
redbook	Digital CD Audio Playback Filter Driver			
	c:\windows\system32\drivers\redbook.sys			
	Kernel Driver	Yes	System	
	Running	OK	Normal	Yes
secdrv	Secdrv			
	c:\windows\system32\drivers\secdrv.sys			
	Kernel Driver	No	Manual	
	Stopped	OK	Normal	No
serenum	Serenum Filter Driver			
	c:\windows\system32\drivers\serenum.sys			
	Kernel Driver	Yes	Manual	
	Running	OK	Normal	Yes
serial	Serial port driver			
	c:\windows\system32\drivers\serial.sys			
	Kernel Driver	Yes	System	
	Running	OK	Ignore	Yes
sfloppy	sfloppy			
	c:\windows\system32\drivers\sfloppy.sys			
	Kernel Driver	No	System	
	Stopped	OK	Ignore	No
simbad	Simbad	Not Available	Kernel Driver	
	No	Disabled	Stopped	
	Normal	No	OK	
sparrow	Sparrow	Not Available	Kernel Driver	
	No	Disabled	Stopped	
	Normal	No	OK	
srv	c:\windows\system32\drivers\srv.sys			
	File System Driver	Yes	Manual	
	Running	OK	Normal	Yes
swenum	Software Bus Driver			
	c:\windows\system32\drivers\swenum.sys			
	Kernel Driver	Yes	Manual	
	Running	OK	Normal	Yes
symc810	symc810	Not Available	Kernel Driver	
	No	Disabled	Stopped	
	Normal	No	OK	
symc8xx	symc8xx	Not Available	Kernel Driver	
	No	Disabled	Stopped	
	Normal	No	OK	
symmpi	symmpi	Not Available	Kernel Driver	
	No	Disabled	Stopped	
	Normal	No	OK	
sym_hi	sym_hi	Not Available	Kernel Driver	
	No	Disabled	Stopped	
	Normal	No	OK	
sym_u3	sym_u3	Not Available	Kernel Driver	
	No	Disabled	Stopped	
	Normal	No	OK	
tcpip	TCP/IP Protocol Driver			
	c:\windows\system32\drivers\tcpip.sys			
	Kernel Driver	Yes	System	
	Running	OK	Normal	Yes

tdpipe	TDPIPE			
	c:\windows\system32\drivers\tdpipe.sys			
	Kernel Driver	No	Manual	
	Stopped	OK	Ignore	No
tdtcp	TDTCP			
	c:\windows\system32\drivers\tdtcp.sys			
	Kernel Driver	No	Manual	
	Stopped	OK	Ignore	No
termdd	Terminal Device Driver			
	c:\windows\system32\drivers\termdd.sys			
	Kernel Driver	Yes	System	
	Running	OK	Normal	Yes
toside	TosIde	Not Available	Kernel Driver	
	No	Disabled	Stopped	
	Normal	No	OK	
udfs	udfs			
	c:\windows\system32\drivers\udfs.sys			File
	System Driver	No	Disabled	Stopped
	Normal	No	No	
ultra	ultra	Not Available	Kernel Driver	
	No	Disabled	Stopped	
	Normal	No	OK	
update	Microcode Update Driver			
	c:\windows\system32\drivers\update.sys			
	Kernel Driver	Yes	Manual	
	Running	OK	Normal	Yes
usbhub	USB2 Enabled Hub			
	c:\windows\system32\drivers\usbhub.sys			
	Kernel Driver	Yes	Manual	
	Running	OK	Normal	Yes
usbuhci	Microsoft USB Universal Host Controller			
	Miniport Driver			
	c:\windows\system32\drivers\usbuhci.sys			
	Kernel Driver	Yes	Manual	
	Running	OK	Normal	Yes
vgasave	VGA Display Controller			
	c:\windows\system32\drivers\vga.sys			
	Kernel Driver	Yes	System	
	Running	OK	Ignore	Yes
viaide	ViaIde	Not Available	Kernel Driver	
	No	Disabled	Stopped	
	Normal	No	OK	
volsnap	Storage volumes			
	c:\windows\system32\drivers\volsnap.sys			
	Kernel Driver	Yes	Boot	
	Running	OK	Normal	Yes
wanarp	Remote Access IP ARP Driver			
	c:\windows\system32\drivers\wanarp.sys			
	Kernel Driver	Yes	Manual	
	Running	OK	Normal	Yes
wdica	WDICA	Not Available	Kernel Driver	
	No	Manual	Stopped	
	Ignore	No	OK	
wlbs	Network Load Balancing			
	c:\windows\system32\drivers\wlbs.sys			
	Kernel Driver	No	Manual	
	Stopped	OK	Normal	No
[Signed Drivers]				
Device Name	Driver Version	Signed	Device Class	Driver Date

```

Manufacturer INF Name Driver Name
Device ID
Not Available Not Available Not Available
Not Available Not Available Not Available Not
Available Not Available Not Available
HTREE\ROOT\0
ACPI Multiprocessor PC No COMPUTER
5.2.3790.0 10/1/2002 (Standard
computers) hal.inf Not Available
ROOT\ACPI_HAL\0000
Microsoft ACPI-Compliant System No
SYSTEM 5.2.3790.0 10/1/2002
Microsoft acpi.inf Not Available
ACPI_HAL\PNP0C08\0
PCI bus SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\2&DABA3FF60
Intel(R) E7501 Chipset Host Controller - 254C No
SYSTEM 5.2.3790.0 10/1/2002 Intel
machine.inf Not Available
PCI\VEN_8086&DEV_254C&SUBSYS_00000000&REV_01\
3&61AAA01&0&00
Intel(R) E7000 Series Host RASUM Controller - 2541
No SYSTEM 5.2.3790.0
10/1/2002 Intel machine.inf Not
Available PCI\VEN_8086&DEV_2541&SUBSYS_398015D9&REV_01\
3&61AAA01&0&01
Intel(R) E7000 Series Hub Interface B PCI-to-PCI Bridge
- 2543 No SYSTEM 5.2.3790.0
10/1/2002 Intel machine.inf Not
Available PCI\VEN_8086&DEV_2543&SUBSYS_00000000&REV_01\
3&61AAA01&0&10
Intel(r) 82870 I/OxAPIC Interrupt Controller No
SYSTEM 5.2.3790.0 10/1/2002 Intel
machine.inf Not Available
PCI\VEN_8086&DEV_1461&SUBSYS_398015D9&REV_04\
4&33269ABA&0&E010
Intel(r) 82870 Hub Interface to PCI Bridges No
SYSTEM 5.2.3790.0 10/1/2002 Intel
machine.inf Not Available
PCI\VEN_8086&DEV_1460&SUBSYS_00000000&REV_04\
4&33269ABA&0&E810
DEC 21154 PCI to PCI bridge No SYSTEM
5.2.3790.0 10/1/2002 DEC
machine.inf Not Available
PCI\VEN_1011&DEV_0026&SUBSYS_00000000&REV_05\
5&39B2B4D9&0&08E810
Mylex ExtremeRAID 2000 Disk Array Controller
(Accelerated) No SCSIADAPTER
7.0.14.0 9/9/2002 Mylex oem3.inf Not
Available PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\
6&C4F40D9&0&4008E810
SCSI Enclosure Services Processor No
SYSTEM 1.0.0.0 11/8/2001 Eurologic
oem1.inf Not Available
SCSI\PROCESSOR&VEN_EUROLOGC&PROD_ULTRABLOC&RE
V_0017\7&30F34CD7&0&F0
SCSI Enclosure Services Processor No
SYSTEM 1.0.0.0 11/8/2001 Eurologic
oem1.inf Not Available
SCSI\PROCESSOR&VEN_EUROLOGC&PROD_ULTRABLOC&RE
V_0017\7&30F34CD7&0&3F0
Mylex RAID Disk Device No DISKDRIVE
5.2.3790.0 10/1/2002 Mylex
disk.inf Not Available
SCSI\DISK&VEN_MYLEX&PROD_EXTREMERAIID_2000&REV
_0702\7&30F34CD7&0&400

```

```

Mylex RAID Disk Device No DISKDRIVE
5.2.3790.0 10/1/2002 Mylex
disk.inf Not Available
SCSI\DISK&VEN_MYLEX&PROD_EXTREMERAIID_2000&REV
_0702\7&30F34CD7&0&410
Mylex RAID Disk Device No DISKDRIVE
5.2.3790.0 10/1/2002 Mylex
disk.inf Not Available
SCSI\DISK&VEN_MYLEX&PROD_EXTREMERAIID_2000&REV
_0702\7&30F34CD7&0&420
Mylex GAM Device No SYSTEM 5.2.3790.0
10/1/2002 Mylex scsudev.inf Not
Available SCSI\PROCESSOR&VEN_MYLEX&PROD_GAM_DEVICE&REV_
\7&30F34CD7&0&660
Intel(R) PRO/1000 MT Network Connection No NET
6.3.6.31 10/1/2002 Intel nete1000.inf
Not Available
PCI\VEN_8086&DEV_100F&SUBSYS_10118086&REV_01\
5&39B2B4D9&0&18E810
Intel(r) 82870 I/OxAPIC Interrupt Controller No
SYSTEM 5.2.3790.0 10/1/2002 Intel
machine.inf Not Available
PCI\VEN_8086&DEV_1461&SUBSYS_398015D9&REV_04\
4&33269ABA&0&F010
Intel(r) 82870 Hub Interface to PCI Bridges No
SYSTEM 5.2.3790.0 10/1/2002 Intel
machine.inf Not Available
PCI\VEN_8086&DEV_1460&SUBSYS_00000000&REV_04\
4&33269ABA&0&F810
DEC 21154 PCI to PCI bridge No SYSTEM
5.2.3790.0 10/1/2002 DEC
machine.inf Not Available
PCI\VEN_1011&DEV_0026&SUBSYS_00000000&REV_05\
5&2A763D68&0&08F810
Mylex ExtremeRAID 2000 Disk Array Controller
(Accelerated) No SCSIADAPTER
7.0.14.0 9/9/2002 Mylex oem3.inf Not
Available PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\
6&1016ED08&0&4008F810
SCSI Enclosure Services Processor No
SYSTEM 1.0.0.0 11/8/2001 Eurologic
oem1.inf Not Available
SCSI\PROCESSOR&VEN_EUROLOGC&PROD_ULTRABLOC&RE
V_0017\7&28A13453&0&F0
SCSI Enclosure Services Processor No
SYSTEM 1.0.0.0 11/8/2001 Eurologic
oem1.inf Not Available
SCSI\PROCESSOR&VEN_EUROLOGC&PROD_ULTRABLOC&RE
V_0017\7&28A13453&0&3F0
Mylex RAID Disk Device No DISKDRIVE
5.2.3790.0 10/1/2002 Mylex
disk.inf Not Available
SCSI\DISK&VEN_MYLEX&PROD_EXTREMERAIID_2000&REV
_0702\7&28A13453&0&400
Mylex GAM Device No SYSTEM 5.2.3790.0
10/1/2002 Mylex scsudev.inf Not
Available SCSI\PROCESSOR&VEN_MYLEX&PROD_GAM_DEVICE&REV_
\7&28A13453&0&660
Adaptec AIC-7902B - Ultra320 SCSI No
SCSIADAPTER 2.0.0.0 31/3/2003
Adaptec oem0.inf Not Available
PCI\VEN_9005&DEV_801D&SUBSYS_005E9005&REV_10\
5&2A763D68&0&10F810
Disk drive No DISKDRIVE 5.2.3790.0
10/1/2002 (Standard disk drives)
disk.inf Not Available
SCSI\DISK&VEN_SEAGATE&PROD_ST336753LW&REV_000
6\6&94304FC&0&000

```

```

Adaptec AIC-7902B - Ultra320 SCSI No
SCSIADAPTER 2.0.0.0 31/3/2003
Adaptec oem0.inf Not Available
PCI\VEN_9005&DEV_801D&SUBSYS_005E9005&REV_10\
5&2A763D68&0&11F810
DEC 21154 PCI to PCI bridge No SYSTEM
5.2.3790.0 10/1/2002 DEC
machine.inf Not Available
PCI\VEN_1011&DEV_0026&SUBSYS_00000000&REV_05\
5&2A763D68&0&18F810
Mylex ExtremeRAID 2000 Disk Array Controller
(Accelerated) No SCSIADAPTER
7.0.14.0 9/9/2002 Mylex oem3.inf Not
Available PCI\VEN_1069&DEV_BA56&SUBSYS_00401069&REV_00\
6&39F38DA8&0&4018F810
SCSI Enclosure Services Processor No
SYSTEM 1.0.0.0 11/8/2001 Eurologic
oem1.inf Not Available
SCSI\PROCESSOR&VEN_EUROLOGC&PROD_ULTRABLOC&RE
V_0017\7&2FDD38ED&0&F0
SCSI Enclosure Services Processor No
SYSTEM 1.0.0.0 11/8/2001 Eurologic
oem1.inf Not Available
SCSI\PROCESSOR&VEN_EUROLOGC&PROD_ULTRABLOC&RE
V_0014\7&2FDD38ED&0&3F0
Mylex RAID Disk Device No DISKDRIVE
5.2.3790.0 10/1/2002 Mylex
disk.inf Not Available
SCSI\DISK&VEN_MYLEX&PROD_EXTREMERAIID_2000&REV
_0702\7&2FDD38ED&0&400
Mylex GAM Device No SYSTEM 5.2.3790.0
10/1/2002 Mylex scsudev.inf Not
Available SCSI\PROCESSOR&VEN_MYLEX&PROD_GAM_DEVICE&REV_
\7&2FDD38ED&0&660
Standard Universal PCI to USB Host Controller No
USB 5.2.3790.0 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_8086&DEV_2482&SUBSYS_398015D9&REV_02\
3&61AAA01&0&E8
USB Root Hub No USB 5.2.3790.0
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\4&49282&0
Standard Universal PCI to USB Host Controller No
USB 5.2.3790.0 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_8086&DEV_2484&SUBSYS_398015D9&REV_02\
3&61AAA01&0&E9
USB Root Hub No USB 5.2.3790.0
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\4&3432CB48&0
Standard Universal PCI to USB Host Controller No
USB 5.2.3790.0 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_8086&DEV_2487&SUBSYS_398015D9&REV_02\
3&61AAA01&0&EA
USB Root Hub No USB 5.2.3790.0
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\4&22C6D97&0
Intel(R) 82801DB PCI Bridge - 244E No
SYSTEM 5.2.3790.0 10/1/2002 Intel
machine.inf Not Available
PCI\VEN_8086&DEV_244E&SUBSYS_00000000&REV_42\
3&61AAA01&0&F0

```

```

RAGE XL PCI Family (Microsoft Corporation) No
DISPLAY 5.10.2600.6014 8/8/2001 ATI
Technologies Inc. atixpad.inf Not Available
PCI\VEN_1002&DEV_4752&SUBSYS_00081002&REV_27\
4&2540624D&0&20F0
Default Monitor No MONITOR 5.1.2001.0
6/6/2001 (Standard monitor types)
monitor.inf Not Available
DISPLAY\DEFAULT_MONITOR\5&1198C44E&0&80000000
&07&04
Intel(R) PRO/100 S Server Adapter No NET
6.6.8.1 10/1/2002 Intel net557.inf
Not Available
PCI\VEN_8086&DEV_1229&SUBSYS_10508086&REV_10\
4&2540624D&0&28F0
PCI standard ISA bridge No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_2480&SUBSYS_00000000&REV_02\
3&61AAA01&0&F8
ISAPNP Read Data Port No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ISAPNP_READDATA\PORT\0
Motherboard resources No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ACPI\PNP0C02\1F
Direct memory access controller No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available ACPI\PNP0200\4&1F612954&0
Numeric data processor No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ACPI\PNP0C04\4&1F612954&0
Programmable interrupt controller No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available ACPI\PNP0000\4&1F612954&0
System CMOS/real time clock No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ACPI\PNP0B00\4&1F612954&0
System speaker No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0800\4&1F612954&0
System timer No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0100\4&1F612954&0
Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
No KEYBOARD 5.2.3790.0
10/1/2002 (Standard keyboards)
keyboard.inf Not Available
ACPI\PNP0303\4&1F612954&0
PS/2 Compatible Mouse No MOUSE
5.2.3790.0 10/1/2002 Microsoft
msmouse.inf Not Available
ACPI\PNP0F13\4&1F612954&0
Intel(r) 82802 Firmware Hub Device No
SYSTEM 5.2.3790.0 10/1/2002 Intel
machine.inf Not Available
ACPI\INT0800\4&1F612954&0
Generic Bus No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A05\4&1F612954&0

```

```

Communications Port No PORTS 5.2.3790.0
10/1/2002 (Standard port types)
msports.inf Not Available
ACPI\PNP0501\1
Communications Port No PORTS 5.2.3790.0
10/1/2002 (Standard port types)
msports.inf Not Available
ACPI\PNP0501\2
Standard floppy disk controller No FDC
5.2.3790.0 10/1/2002 (Standard
floppy disk controllers) fdc.inf Not Available
ACPI\PNP0700\1
Floppy disk drive No FLOPPYDISK
5.2.3790.0 10/1/2002 (Standard
floppy disk drives) floppydisk.inf Not Available
FDC\GENERIC_FLOPPY_DRIVE\6&6A032C4&0&0
Printer Port No PORTS 5.2.3790.0
10/1/2002 (Standard port types)
msports.inf Not Available
ACPI\PNP0400\2
Printer Port Logical Interface No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
LPTENUM\MICROSOFTRAWPORT\6&AA8528&0&LPT1
Intel(r) 82801CA Ultra ATA Storage Controller-248B
No HDC 5.2.3790.0
10/1/2002 Intel mshdc.inf Not Available
PCI\VEN_8086&DEV_248B&SUBSYS_398015D9&REV_02\
3&61AAA01&0&F9
Primary IDE Channel No HDC 5.2.3790.0
10/1/2002 (Standard IDE ATA/ATAPI
controllers) mshdc.inf Not Available
PCIIDE\IDECHANNEL\4&31FD85D7&0&0
CD-ROM Drive No CDROM 5.2.3790.0
10/1/2002 (Standard CD-ROM drives)
cdrom.inf Not Available
IDE\CDROMSONY_CD-
ROM_CDU5211_____YYS7_____5&1EA43480&0&0
.0.0
Secondary IDE Channel No HDC
5.2.3790.0 10/1/2002 (Standard IDE
ATA/ATAPI controllers) mshdc.inf Not Available
PCIIDE\IDECHANNEL\4&31FD85D7&0&1
Intel(r) 82801CA/CAM SMBus Controller - 2483 No
SYSTEM 5.2.3790.0 10/1/2002 Intel
machine.inf Not Available
PCI\VEN_8086&DEV_2483&SUBSYS_398015D9&REV_02\
3&61AAA01&0&FB
ACPI Power Button No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0C0C\3&61AAA01&0
Processor No PROCESSOR 5.2.3790.0
10/1/2002 (Standard processor types)
cpu.inf Not Available
ACPI\GENUINEINTEL_-_X86_FAMILY_15_MODEL_2\_0
Processor No PROCESSOR 5.2.3790.0
10/1/2002 (Standard processor types)
cpu.inf Not Available
ACPI\GENUINEINTEL_-_X86_FAMILY_15_MODEL_2\_1
ACPI Fixed Feature Button No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ACPI\FIXEDBUTTON\2&DABA3FF&0
Logical Disk Manager No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\DMIO\0000

```

```

Volume Manager No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ROOT\FTDISK\0000
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE1B467F09
OFFSET7E00LENGTH222A52E200
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE7A2D0AC0
OFFSET7E00LENGTH7794A0D400
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATUREB14FDB8C
OFFSET7E00LENGTH1900680000
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATUREB14FDB8C
OFFSET222EBCF200LENGTH927C5C9400
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATUREB14FDB8C
OFFSETB4AB198600LENGTH1040634C00
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE6C6C6C6C
OFFSET7E00LENGTH88B11DC00
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURECF94CF94
OFFSET7E00LENGTH1900680000
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURECF94CF94
OFFSET222EBCF200LENGTH927C5C9400
Generic volume No VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURECF94CF94
OFFSETB4AB198600LENGTH1040634C00
AFD Networking Support Environment Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available
ROOT\LEGACY_AFD\0000
Beep Not Available LEGACYDRIVER Not
Available Not Available Not Available
ROOT\LEGACY_BEEP\0000
CRC Disk Filter Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available
ROOT\LEGACY_CRCDISK\0000
dmbot Not Available LEGACYDRIVER Not
Available Not Available Not Available
ROOT\LEGACY_DMBOOT\0000
dmlod Not Available LEGACYDRIVER Not
Available Not Available Not Available
ROOT\LEGACY_DMLOD\0000
Fips Not Available LEGACYDRIVER Not
Available Not Available Not Available

```

Available	Not Available	ROOT\LEGACY_FIPS\0000		
Generic Packet Classifier	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_GPC\0000		
IPSEC driver	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_IPSEC\0000		
ksecdd	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_KSECCD\0000		
mac2w2k	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_MAC2W2K\0000		
mmdd	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_MMDD\0000		
mountmgr	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_MOUNTMGR\0000		
mraid35x	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_MRAID35X\0000		
NDIS System Driver	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_NDIS\0000		
Remote Access NDIS TAPI Driver	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_NDIS_TAPI\0000		
NDIS Usermode I/O Protocol	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_NDISUIO\0000		
NDProxy	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_NDPROXY\0000		
NetBios over Tcpip	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_NETBT\0000		
Null	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_NULL\0000		
Partition Manager	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_PARTMGR\0000		
Parvdm	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_PARVDM\0000		
Remote Access Auto Connection Driver	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_RASACD\0000		
RDPcdd	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_RDPcdd\0000		
TCP/IP Protocol Driver	Not Available	LEGACYDRIVER	Not Available	Not

Available	Not Available	Not Available	Not	
Available	ROOT\LEGACY_TCPIP\0000			
VGA Display Controller	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_VGASAVE\0000		
volsnap	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_VOLSNAP\0000		
Remote Access IP ARP Driver	Not Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	ROOT\LEGACY_WANARP\0000		
Audio Codecs	No MEDIA	5.2.3790.0		
10/1/2002 (Standard system devices)	wave.inf	Not Available		
ROOT\MEDIA\MS_MMCM				
Legacy Audio Drivers	No MEDIA	5.2.3790.0		
10/1/2002 (Standard system devices)	wave.inf	Not Available		
ROOT\MEDIA\MS_MMDRV				
Media Control Devices	No MEDIA	5.2.3790.0		
10/1/2002 (Standard system devices)	wave.inf	Not Available		
ROOT\MEDIA\MS_MMCCI				
Legacy Video Capture Devices	No MEDIA	5.2.3790.0		
10/1/2002 (Standard system devices)	wave.inf	Not Available		
ROOT\MEDIA\MS_MMVCD				
Video Codecs	No MEDIA	5.2.3790.0		
10/1/2002 (Standard system devices)	wave.inf	Not Available		
ROOT\MEDIA\MS_MMVID				
WAN Miniport (L2TP)	No NET	5.2.3790.0		
10/1/2002 Microsoft netrasa.inf				
Available	ROOT\MS_L2TPMINIPORT\0000			
WAN Miniport (IP)	No NET	5.2.3790.0		
10/1/2002 Microsoft netrasa.inf				
Available	ROOT\MS_NDISWANIP\0000			
WAN Miniport (PPPOE)	No NET	5.2.3790.0		
10/1/2002 Microsoft netrasa.inf				
Not Available	ROOT\MS_PPPoEMINIPORT\0000			
WAN Miniport (PPTP)	No NET	5.2.3790.0		
10/1/2002 Microsoft netrasa.inf				
Available	ROOT\MS_PPTPMINIPORT\0000			
Direct Parallel	No NET	5.2.3790.0		
10/1/2002 Microsoft netrasa.inf				
Available	ROOT\MS_PTMINIPORT\0000			
Terminal Server Device Redirector	No SYSTEM	5.2.3790.0		
(Standard system devices)	machine.inf	Not Available		
Not Available	ROOT\RDPDR\0000			
Terminal Server Keyboard Driver	No SYSTEM	5.2.3790.0		
(Standard system devices)	machine.inf	Not Available		
Not Available	ROOT\RDP_KBD\0000			
Terminal Server Mouse Driver	No SYSTEM	5.2.3790.0		
(Standard system devices)	machine.inf	Not Available		
Not Available	ROOT\RDP_MOUSE\0000			
Plug and Play Software Device Enumerator	No SYSTEM	5.2.3790.0		
(Standard system devices)	machine.inf	Not Available		
Not Available	ROOT\SYSTEM\0000			
Microcode Update Device	No SYSTEM	5.2.3790.0		
(Standard system devices)	machine.inf	Not Available		
Not Available	ROOT\SYSTEM\0001			

[Environment Variables]

Variable	Value	User Name		
ComSpec	%SystemRoot%\system32\cmd.exe	<SYSTEM>		
Path	%SystemRoot%\system32;%SystemRoot%;%SystemRoot%\system32\wbem;C:\Program Files\Microsoft SQL Server\80\Tools\BINN	<SYSTEM>		
windir	%SystemRoot%	<SYSTEM>		
OS	Windows_NT	<SYSTEM>		
PROCESSOR_ARCHITECTURE	x86	<SYSTEM>		
PROCESSOR_LEVEL	15	<SYSTEM>		
PROCESSOR_IDENTIFIER	x86 Family 15 Model 2 Stepping 5, GenuineIntel	<SYSTEM>		
PROCESSOR_REVISION	0205	<SYSTEM>		
NUMBER_OF_PROCESSORS	2	<SYSTEM>		
ClusterLog	C:\WINDOWS\Cluster\cluster.log	<SYSTEM>		
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH	<SYSTEM>		
TEMP	%SystemRoot%\TEMP	<SYSTEM>		
TMP	%SystemRoot%\TEMP	<SYSTEM>		
TEMP	%USERPROFILE%\Local Settings\Temp	NT		
AUTHORITY\SYSTEM				
TMP	%USERPROFILE%\Local Settings\Temp	NT		
AUTHORITY\SYSTEM				
TEMP	%USERPROFILE%\Local Settings\Temp			
SQL2250\Administrator				
TEMP	%USERPROFILE%\Local Settings\Temp			
SQL2250\Administrator				

[Print Jobs]

Document	Size	Owner	Notify	Status	Time
Submitted	Start Time	Elapsed Time	Pages Printed	Job	Print
ID	Priority	Parameters	Driver		
Processor	Host	Print Queue	Data Type	Name	

[Network Connections]

Local Name	Remote Name	Type
Status	User Name	

[Running Tasks]

Name	Path	Process ID	Priority	Min
Working Set	Max Working Set	Size	File Date	Start Time
system	idle process	Not Available	0	0
Available	Not Available	Not Available	Not Available	Not Available
system	Not Available	4	8	0
smss.exe	Not Available	508	11	
204800	1413120	11/10/2004 09:54	Not	
Available	Not Available	568	13	Not
Available	Not Available	11/10/2004 09:54	Not	
Available	Not Available	Not Available	Not Available	Not Available
winlogon.exe	c:\windows\system32\winlogon.exe	592	13	204800 1413120
(srv03_rtm.030324-2048)	11/10/2004 09:54	5.2.3790.0	536,50 KB (549.376 bytes)	
25/3/2003 09:00				
services.exe	c:\windows\system32\services.exe	636	9	204800 1413120
(srv03_rtm.030324-2048)	11/10/2004 09:54	5.2.3790.0	102,00 KB (104.448 bytes)	
25/3/2003 09:00				

```

lsass.exe c:\windows\system32\lsass.exe 648 9
204800 1413120 11/10/2004 09:54
5.2.3790.0 (srv03_rtm.030324-2048) 13,00
KB (13.312 bytes) 25/3/2003 09:00
svchost.exe c:\windows\system32\svchost.exe
796 8 204800 1413120
11/10/2004 09:54 5.2.3790.0
(srv03_rtm.030324-2048) 13,00 KB (13.312 bytes)
25/3/2003 09:00
svchost.exe c:\windows\system32\svchost.exe
848 8 204800 1413120
11/10/2004 09:54 5.2.3790.0
(srv03_rtm.030324-2048) 13,00 KB (13.312 bytes)
25/3/2003 09:00
svchost.exe c:\windows\system32\svchost.exe
988 8 204800 1413120
11/10/2004 09:54 5.2.3790.0
(srv03_rtm.030324-2048) 13,00 KB (13.312 bytes)
25/3/2003 09:00
explorer.exe c:\windows\explorer.exe 1212
204800 1413120 11/10/2004
09:55 6.00.3790.0 (srv03_rtm.030324-2048)
1.008,50 KB (1.032.704 bytes) 25/3/2003 09:00

ctfmon.exe c:\windows\system32\ctfmon.exe
1288 8 204800 1413120
11/10/2004 09:55 5.2.3790.0
(srv03_rtm.030324-2048) 13,50 KB (13.824 bytes)
25/3/2003 09:00
wmiprvse.exe Not Available 1528 8
Not Available Not Available Not
Available Not Available
wpabaln.exe c:\windows\system32\wpabaln.exe
1620 8 204800 1413120
11/10/2004 09:57 5.2.3790.0
(srv03_rtm.030324-2048) 31,00 KB (31.744 bytes)
25/3/2003 09:00
cmd.exe c:\windows\system32\cmd.exe 1636 8
204800 1413120 11/10/2004 09:57
5.2.3790.0 (srv03_rtm.030324-2048)
374,00 KB (382.976 bytes) 25/3/2003 09:00

sqlservr.exe c:\program files\microsoft sql
server\mssql\binn\sqlservr.exe 1648 13
204800 1413120 11/10/2004 09:57
2000.080.0760.00 7,17 MB (7.520.337 bytes)
16/9/2004 16:33

cmd.exe c:\windows\system32\cmd.exe 1160 8
204800 1413120 11/10/2004 10:13
5.2.3790.0 (srv03_rtm.030324-2048)
374,00 KB (382.976 bytes) 25/3/2003 09:00

helpctr.exe c:\windows\pchealth\helpctr\binaries\helpctr.
exe 884 8 204800 1413120
11/10/2004 10:51 5.2.3790.0
(srv03_rtm.030324-2048) 764,00 KB (782.336 bytes)
13/9/2004 17:53
wmiprvse.exe Not Available 400 8
Not Available Not Available Not
Available Not Available
helpsvc.exe c:\windows\pchealth\helpctr\binaries\helpsvc.
exe 468 8 204800 1413120
11/10/2004 10:51 5.2.3790.0
(srv03_rtm.030324-2048) 720,00 KB (737.280 bytes)
13/9/2004 17:53

[Loaded Modules]

```

```

Name Version Size File Date Manufacturer
Path
winlogon 5.2.3790.0 (srv03_rtm.030324-2048)
536,50 KB (549.376 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\winlogon.exe
ntdll 5.2.3790.0 (srv03_rtm.030324-2048)
722,50 KB (739.840 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\ntdll.dll
kernel32 5.2.3790.0 (srv03_rtm.030324-2048)
965,00 KB (988.160 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\kernel32.dll
msvcrt 7.0.3790.0 (srv03_rtm.030324-2048)
319,50 KB (327.168 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\msvcrt.dll
advapi32 5.2.3790.0 (srv03_rtm.030324-2048)
559,50 KB (572.928 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\advapi32.dll
rpcrt4 5.2.3790.0 (srv03_rtm.030324-2048)
643,50 KB (658.944 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\rpcrt4.dll
user32 5.2.3790.0 (srv03_rtm.030324-2048)
562,00 KB (575.488 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\user32.dll
gdi32 5.2.3790.0 (srv03_rtm.030324-2048)
263,00 KB (269.312 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\gdi32.dll
userenv 5.2.3790.0 (srv03_rtm.030324-2048)
732,50 KB (750.080 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\userenv.dll
nddeapi 5.2.3790.0 (srv03_rtm.030324-2048) 16,00
KB (16.384 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\nddeapi.dll

crypt32 5.131.3790.0 (srv03_rtm.030324-2048)
598,00 KB (612.352 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\crypt32.dll
msasn1 5.2.3790.0 (srv03_rtm.030324-2048) 58,00
KB (59.392 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\msasn1.dll

secur32 5.2.3790.0 (srv03_rtm.030324-2048) 63,00
KB (64.512 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\secur32.dll

winsta 5.2.3790.0 (srv03_rtm.030324-2048) 51,00
KB (52.224 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\winsta.dll

netapi32 5.2.3790.0 (srv03_rtm.030324-2048)
317,00 KB (324.608 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\netapi32.dll
profmap 5.2.3790.0 (srv03_rtm.030324-2048) 22,00
KB (22.528 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\profmap.dll

regapi 5.2.3790.0 (srv03_rtm.030324-2048) 48,50
KB (49.664 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\regapi.dll

ws2_32 5.2.3790.0 (srv03_rtm.030324-2048) 87,50
KB (89.600 bytes) 25/3/2003 09:00 Microsoft

```

```

Corporation c:\windows\system32\ws2_32.dll

ws2help 5.2.3790.0 (srv03_rtm.030324-2048) 19,50
KB (19.968 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\ws2help.dll

psapi 5.2.3790.0 (srv03_rtm.030324-2048) 21,50
KB (22.016 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\psapi.dll
version 5.2.3790.0 (srv03_rtm.030324-2048) 17,00
KB (17.408 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\version.dll

setupapi 5.2.3790.0 (srv03_rtm.030324-2048)
1.014,50 KB (1.038.848 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\setupapi.dll
msgina 5.2.3790.0 (srv03_rtm.030324-2048) 1,14
MB (1.191.936 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\msgina.dll
shsvcs 6.00.3790.0 (srv03_rtm.030324-2048)
121,50 KB (124.416 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\shsvcs.dll
shlwapi 6.00.3790.0 (srv03_rtm.030324-2048)
281,00 KB (287.744 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\shlwapi.dll
sfc 5.2.3790.0 (srv03_rtm.030324-2048) 4,50
KB (4.608 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\sfc.dll
sfc_os 5.2.3790.0 (srv03_rtm.030324-2048)
133,00 KB (136.192 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\sfc_os.dll
wintrust 5.131.3790.0 (srv03_rtm.030324-2048)
161,50 KB (165.376 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\wintrust.dll
ole32 5.2.3790.0 (srv03_rtm.030324-2048) 1,13
MB (1.187.328 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\ole32.dll
imagehlp 5.2.3790.0 (srv03_rtm.030324-2048)
142,50 KB (145.920 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\imagehlp.dll
comctl32 6.0 (srv03_rtm.030324-2048) 907,00 KB
(928.768 bytes) 13/9/2004 14:39 Microsoft
Corporation c:\windows\winsxs\x86_microsoft.windows.commo
n-controls_6595b64144ccfd6_6.0.100.0_x-
ww_8417450b\comctl32.dll
winscard 5.2.3790.0 (srv03_rtm.030324-2048) 98,50
KB (100.864 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\winscard.dll

wtsapi32 5.2.3790.0 (srv03_rtm.030324-2048) 17,50
KB (17.920 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\wtsapi32.dll

winmm 5.2.3790.0 (srv03_rtm.030324-2048)
166,00 KB (169.984 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\winmm.dll
sxs 5.2.3790.0 (srv03_rtm.030324-2048)
733,00 KB (750.592 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\sxs.dll
wldap32 5.2.3790.0 (srv03_rtm.030324-2048)
158,00 KB (161.792 bytes) 25/3/2003 09:00

```


Microsoft Corporation
 c:\windows\system32\wldap32.dll
 rsaenh 5.2.3790.0 (srv03_rtm.030324-2048)
 176,83 KB (181.072 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\rsaenh.dll
 cscd11 5.2.3790.0 (srv03_rtm.030324-2048) 99,00
 KB (101.376 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\cscd11.dll
 wlnotify 5.2.3790.0 (srv03_rtm.030324-2048) 87,50
 KB (89.600 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\wlnotify.dll
 winspool 5.2.3790.0 (srv03_rtm.030324-2048)
 140,00 KB (143.360 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\winspool.drv
 mpr 5.2.3790.0 (srv03_rtm.030324-2048) 56,00
 KB (57.344 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\mpr.dll
 shell32 6.00.3790.0 (srv03_rtm.030324-2048) 7,79
 MB (8.166.400 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\shell32.dll
 comctl32 5.82 (srv03_rtm.030324-2048) 561,00 KB
 (574.464 bytes) 13/9/2004 14:39 Microsoft
 Corporation
 c:\windows\winsxs\x86_microsoft.windows.commo
 n-controls_6595b64144ccf1df_5.82.0.0_x-
 ww_8a69ba05_comctl32.dll
 uxtheme 6.00.3790.0 (srv03_rtm.030324-2048)
 196,00 KB (200.704 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\uxtheme.dll
 samlib 5.2.3790.0 (srv03_rtm.030324-2048) 49,00
 KB (50.176 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\samlib.dll
 cscui 5.2.3790.0 (srv03_rtm.030324-2048)
 305,00 KB (312.320 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\cscui.dll
 mprapi 5.2.3790.0 (srv03_rtm.030324-2048) 81,00
 KB (82.944 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\mprapi.dll
 activeds 5.2.3790.0 (srv03_rtm.030324-2048)
 189,00 KB (193.536 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\activeds.dll
 adslrpc 5.2.3790.0 (srv03_rtm.030324-2048)
 142,50 KB (145.920 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\adslrpc.dll
 credui 5.2.3790.0 (srv03_rtm.030324-2048)
 159,00 KB (162.816 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\credui.dll
 atl 3.05.2283 83,00 KB (84.992 bytes)
 25/3/2003 09:00 Microsoft Corporation
 c:\windows\system32\atl.dll
 oleaut32 5.2.3790.0 486,00 KB (497.664 bytes)
 25/3/2003 09:00 Microsoft Corporation
 c:\windows\system32\oleaut32.dll
 rtutils 5.2.3790.0 (srv03_rtm.030324-2048) 32,00
 KB (32.768 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\rtutils.dll
 clbcatq 2001.12.4720.0 (srv03_rtm.030324-2048)
 481,00 KB (492.544 bytes) 13/9/2004 17:51

Microsoft Corporation
 c:\windows\system32\clbcatq.dll
 comres 2001.12.4720.0 (srv03_rtm.030324-2048)
 778,00 KB (796.672 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\comres.dll
 ntmarta 5.2.3790.0 (srv03_rtm.030324-2048)
 114,00 KB (116.736 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\ntmarta.dll
 services 5.2.3790.0 (srv03_rtm.030324-2048)
 102,00 KB (104.448 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\services.exe
 scesrv 5.2.3790.0 (srv03_rtm.030324-2048)
 316,50 KB (324.096 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\scesrv.dll
 authz 5.2.3790.0 (srv03_rtm.030324-2048) 67,00
 KB (68.608 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\authz.dll
 umpnpmgr 5.2.3790.0 (srv03_rtm.030324-2048)
 121,50 KB (124.416 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\umpnpmgr.dll
 ncobjapi 5.2.3790.0 (srv03_rtm.030324-2048) 34,50
 KB (35.328 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\ncobjapi.dll
 msvcp60 6.05.2144.0 388,00 KB (397.312 bytes)
 25/3/2003 09:00 Microsoft Corporation
 c:\windows\system32\msvcp60.dll
 eventlog 5.2.3790.0 (srv03_rtm.030324-2048) 60,50
 KB (61.952 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\eventlog.dll
 lsass 5.2.3790.0 (srv03_rtm.030324-2048) 13,00
 KB (13.312 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\lsass.exe
 lsasrv 5.2.3790.0 (srv03_rtm.030324-2048)
 780,50 KB (799.232 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\lsasrv.dll
 samsrv 5.2.3790.0 (srv03_rtm.030324-2048)
 452,00 KB (462.848 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\samsrv.dll
 cryptdll 5.2.3790.0 (srv03_rtm.030324-2048)
 34,00 KB (34.816 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\cryptdll.dll
 dnsapi 5.2.3790.0 (srv03_rtm.030324-2048)
 147,50 KB (151.040 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\dnsapi.dll
 ntdsapi 5.2.3790.0 (srv03_rtm.030324-2048)
 76,00 KB (77.824 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\ntdsapi.dll
 msprvs 5.2.3790.0 (srv03_rtm.030324-2048) 46,50
 KB (47.616 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\msprvs.dll
 kerberos 5.2.3790.0 (srv03_rtm.030324-2048)
 332,50 KB (340.480 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\kerberos.dll
 msv1_0 5.2.3790.0 (srv03_rtm.030324-2048)
 127,00 KB (130.048 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\msv1_0.dll

netlogon 5.2.3790.0 (srv03_rtm.030324-2048)
 409,00 KB (418.816 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\netlogon.dll
 w32time 5.2.3790.0 (srv03_rtm.030324-2048)
 216,00 KB (221.184 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\w32time.dll
 iphlapi 5.2.3790.0 (srv03_rtm.030324-2048) 82,50
 KB (84.480 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\iphlpapi.dll
 schannel 5.2.3790.0 (srv03_rtm.030324-2048)
 149,50 KB (153.088 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\schannel.dll
 wdigest 5.2.3790.0 (srv03_rtm.030324-2048) 61,00
 KB (62.464 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\wdigest.dll
 rassfm 5.2.3790.0 (srv03_rtm.030324-2048) 20,50
 KB (20.992 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\rassfm.dll
 kdcsvc 5.2.3790.0 (srv03_rtm.030324-2048)
 221,00 KB (226.304 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\kdcsvc.dll
 ntdsa 5.2.3790.0 (srv03_rtm.030324-2048) 1,45
 MB (1.520.640 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\ntdsa.dll
 ntdsatq 5.2.3790.0 (srv03_rtm.030324-2048) 32,00
 KB (32.768 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\ntdsatq.dll
 mswsock 5.2.3790.0 (srv03_rtm.030324-2048)
 254,00 KB (260.096 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\mswsock.dll
 esent 5.2.3790.0 (srv03_rtm.030324-2048) 1,01
 MB (1.056.256 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\esent.dll
 scecli 5.2.3790.0 (srv03_rtm.030324-2048)
 179,50 KB (183.808 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\scecli.dll
 wshtcpip 5.2.3790.0 (srv03_rtm.030324-2048) 18,00
 KB (18.432 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\wshtcpip.dll
 pstorsvc 5.2.3790.0 (srv03_rtm.030324-2048) 24,00
 KB (24.576 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\pstorsvc.dll
 psbase 5.2.3790.0 (srv03_rtm.030324-2048) 81,00
 KB (82.944 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\psbase.dll
 dssenh 5.2.3790.0 (srv03_rtm.030324-2048)
 131,33 KB (134.480 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\dssenh.dll
 svchost 5.2.3790.0 (srv03_rtm.030324-2048) 13,00
 KB (13.312 bytes) 25/3/2003 09:00 Microsoft
 Corporation c:\windows\system32\svchost.exe
 rpcss 5.2.3790.0 (srv03_rtm.030324-2048)
 276,50 KB (283.136 bytes) 25/3/2003 09:00
 Microsoft Corporation
 c:\windows\system32\rpcss.dll

termsrv 5.2.3790.0 (srv03_rtm.030324-2048)
216,50 KB (221.696 bytes) 13/9/2004 17:51
Microsoft Corporation
c:\windows\system32\termsrv.dll

icaapi 5.2.3790.0 (srv03_rtm.030324-2048) 10,50
KB (10.752 bytes) 13/9/2004 17:51 Microsoft
Corporation c:\windows\system32\icaapi.dll

mstlsapi 5.2.3790.0 (srv03_rtm.030324-2048)
104,50 KB (107.008 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\mstlsapi.dll

dmserver 5.2.3790.0 (srv03_rtm.030324-2048) 24,00
KB (24.576 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\dmserver.dll

es 2001.12.4720.0 (srv03_rtm.030324-2048)
221,50 KB (226.816 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\es.dll

sens 5.2.3790.0 (srv03_rtm.030324-2048) 35,50
KB (36.352 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\sens.dll

netman 5.2.3790.0 (srv03_rtm.030324-2048)
209,00 KB (214.016 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\netman.dll

rasapi32 5.2.3790.0 (srv03_rtm.030324-2048)
227,50 KB (232.960 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\rasapi32.dll

rasman 5.2.3790.0 (srv03_rtm.030324-2048) 56,50
KB (57.856 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\rasman.dll

tapi32 5.2.3790.0 (srv03_rtm.030324-2048)
175,00 KB (179.200 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\tapi32.dll

wzcsvc 5.2.3790.0 (srv03_rtm.030324-2048)
272,50 KB (279.040 bytes) 25/3/2003 09:15
Microsoft Corporation
c:\windows\system32\wzcsvc.dll

wmi 5.2.3790.0 (srv03_rtm.030324-2048) 6,50
KB (6.656 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\wmi.dll

dhcpcsvc 5.2.3790.0 (srv03_rtm.030324-2048)
101,50 KB (103.936 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\dhcpcsvc.dll

wzcsapi 5.2.3790.0 (srv03_rtm.030324-2048) 24,50
KB (25.088 bytes) 25/3/2003 09:15 Microsoft
Corporation c:\windows\system32\wzcsapi.dll

netshell 5.2.3790.0 (srv03_rtm.030324-2048) 1,67
MB (1.747.456 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\netshell.dll

clუსapi 5.2.3790.0 (srv03_rtm.030324-2048) 56,00
KB (57.344 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\clusapi.dll

hnetcfg 5.2.3790.0 (srv03_rtm.030324-2048)
243,50 KB (249.344 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\hnetcfg.dll

wininet 6.00.3790.0 (srv03_rtm.030324-2048)
609,00 KB (623.616 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\wininet.dll

wbemcom 5.2.3790.0 (srv03_rtm.030324-2048)
211,50 KB (216.576 bytes) 25/3/2003 09:00

Microsoft Corporation
c:\windows\system32\wbem\wbemcomn.dll

wmisvc 5.2.3790.0 (srv03_rtm.030324-2048)
131,00 KB (134.144 bytes) 13/9/2004 17:50
Microsoft Corporation
c:\windows\system32\wbem\wmisvc.dll

vssapi 5.2.3790.0 (srv03_rtm.030324-2048)
528,00 KB (540.672 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\vssapi.dll

wbemcore 5.2.3790.0 (srv03_rtm.030324-2048)
457,00 KB (467.968 bytes) 13/9/2004 17:50
Microsoft Corporation
c:\windows\system32\wbem\wbemcore.dll

esscli 5.2.3790.0 (srv03_rtm.030324-2048)
235,50 KB (241.152 bytes) 13/9/2004 17:50
Microsoft Corporation
c:\windows\system32\wbem\esscli.dll

fastprox 5.2.3790.0 (srv03_rtm.030324-2048)
443,00 KB (453.632 bytes) 13/9/2004 17:50
Microsoft Corporation
c:\windows\system32\wbem\fastprox.dll

wbemsv 5.2.3790.0 (srv03_rtm.030324-2048) 42,50
KB (43.520 bytes) 13/9/2004 17:50 Microsoft
Corporation c:\windows\system32\wbem\wbemsv.dll

comsvcs 2001.12.4720.0 (srv03_rtm.030324-2048) 1,14
MB (1.199.616 bytes) 13/9/2004 17:51
Microsoft Corporation
c:\windows\system32\comsvcs.dll

wmiutils 5.2.3790.0 (srv03_rtm.030324-2048) 90,50
KB (92.672 bytes) 13/9/2004 17:50 Microsoft
Corporation c:\windows\system32\wbem\wmiutils.dll

repdrvfs 5.2.3790.0 (srv03_rtm.030324-2048)
165,00 KB (168.960 bytes) 13/9/2004 17:50
Microsoft Corporation
c:\windows\system32\wbem\repdrvfs.dll

wmiprvsd 5.2.3790.0 (srv03_rtm.030324-2048)
405,50 KB (415.232 bytes) 13/9/2004 17:50
Microsoft Corporation
c:\windows\system32\wbem\wmiprvsd.dll

wbemess 5.2.3790.0 (srv03_rtm.030324-2048)
256,50 KB (262.656 bytes) 13/9/2004 17:50
Microsoft Corporation
c:\windows\system32\wbem\wbemess.dll

rasdlg 5.2.3790.0 (srv03_rtm.030324-2048)
642,00 KB (657.408 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\rasdlg.dll

rasadhlp 5.2.3790.0 (srv03_rtm.030324-2048) 6,50
KB (6.656 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\rasadhlp.dll

ncprov 5.2.3790.0 (srv03_rtm.030324-2048) 43,00
KB (44.032 bytes) 13/9/2004 17:50 Microsoft
Corporation c:\windows\system32\wbem\ncprov.dll

winnr 5.2.3790.0 (srv03_rtm.030324-2048) 15,00
KB (15.360 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\winnr.dll

srsv 5.2.3790.0 (srv03_rtm.030324-2048) 89,00
KB (91.136 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\srsv.dll

wbemcons 5.2.3790.0 (srv03_rtm.030324-2048) 69,00
KB (70.656 bytes) 13/9/2004 17:50 Microsoft
Corporation c:\windows\system32\wbem\wbemcons.dll

wkssvc 5.2.3790.0 (srv03_rtm.030324-2048)
125,00 KB (128.000 bytes) 25/3/2003 09:00

Microsoft Corporation
c:\windows\system32\wkssvc.dll

pchsvc 5.2.3790.0 (srv03_rtm.030324-2048) 31,50
KB (32.256 bytes) 13/9/2004 17:53 Microsoft
Corporation c:\windows\pchealth\helpctr\binaries\pchsvc.dll

explorer 6.00.3790.0 (srv03_rtm.030324-2048)
1.008,50 KB (1.032.704 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\explorer.exe

browseui 6.00.3790.0 (srv03_rtm.030324-2048) 1,01
MB (1.057.280 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\browseui.dll

shdocvw 6.00.3790.0 (srv03_rtm.030324-2048) 1,33
MB (1.393.664 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\shdocvw.dll

apphelp 5.2.3790.0 (srv03_rtm.030324-2048)
122,00 KB (124.928 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\apphelp.dll

themeui 6.00.3790.0 (srv03_rtm.030324-2048)
360,50 KB (369.152 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\themeui.dll

msimg32 5.2.3790.0 (srv03_rtm.030324-2048) 4,50
KB (4.608 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\msimg32.dll

msutb 5.2.3790.0 (srv03_rtm.030324-2048)
180,00 KB (184.320 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\msutb.dll

msctf 5.2.3790.0 (srv03_rtm.030324-2048)
287,00 KB (293.888 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\msctf.dll

linkinfo 5.2.3790.0 (srv03_rtm.030324-2048) 16,50
KB (16.896 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\linkinfo.dll

ntshrui 6.00.3790.0 (srv03_rtm.030324-2048)
136,00 KB (139.264 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\ntshrui.dll

urlmon 6.00.3790.0 (srv03_rtm.030324-2048)
501,50 KB (513.536 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\urlmon.dll

webcheck 6.00.3790.0 (srv03_rtm.030324-2048)
261,50 KB (267.776 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\webcheck.dll

wsock32 5.2.3790.0 (srv03_rtm.030324-2048) 22,00
KB (22.528 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\wsock32.dll

stobject 5.2.3790.0 (srv03_rtm.030324-2048)
117,50 KB (120.320 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\stobject.dll

batmeter 6.00.3790.0 (srv03_rtm.030324-2048) 28,50
KB (29.184 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\batmeter.dll

powrprof 6.00.3790.0 (srv03_rtm.030324-2048) 14,50
KB (14.848 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\powrprof.dll

```

printui 5.2.3790.0 (srv03_rtm.030324-2048) 536,50 KB (549.376 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\printui.dll
cfgmgr32 5.2.3790.0 (srv03_rtm.030324-2048) 17,50
KB (17.920 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\cfgmgr32.dll
drprov 5.2.3790.0 (srv03_rtm.030324-2048) 12,50
KB (12.800 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\drprov.dll
ntlman 5.2.3790.0 (srv03_rtm.030324-2048) 41,00
KB (41.984 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\ntlman.dll
netui0 5.2.3790.0 (srv03_rtm.030324-2048) 75,50
KB (77.312 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\netui0.dll
netui1 5.2.3790.0 (srv03_rtm.030324-2048) 184,00
KB (188.416 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\netui1.dll
davclnt 5.2.3790.0 (srv03_rtm.030324-2048) 23,50
KB (24.064 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\davclnt.dll
shdoclc 6.00.3790.0 (srv03_rtm.030324-2048) 588,50
KB (602.624 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\shdoclc.dll
browselc 6.00.3790.0 (srv03_rtm.030324-2048) 62,00
KB (63.488 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\browselc.dll
mydocs 6.00.3790.0 (srv03_rtm.030324-2048) 88,00
KB (90.112 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\mydocs.dll
zipfldr 6.00.3790.0 (srv03_rtm.030324-2048) 316,00
KB (323.584 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\zipfldr.dll
actxprxy 6.00.3790.0 (srv03_rtm.030324-2048) 95,00
KB (97.280 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\actxprxy.dll
netrap 5.2.3790.0 (srv03_rtm.030324-2048) 11,50
KB (11.776 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\netrap.dll
mstask 5.2.3790.0 (srv03_rtm.030324-2048) 285,00
KB (291.840 bytes) 13/9/2004 17:53
Microsoft Corporation
c:\windows\system32\mstask.dll
cmdlg32 6.00.3790.0 (srv03_rtm.030324-2048) 261,00
KB (267.264 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\cmdlg32.dll
ctfmon 5.2.3790.0 (srv03_rtm.030324-2048) 13,50
KB (13.824 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\ctfmon.exe
wpabaln 5.2.3790.0 (srv03_rtm.030324-2048) 31,00
KB (31.744 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\wpabaln.exe
cmd 5.2.3790.0 (srv03_rtm.030324-2048) 374,00
KB (382.976 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\cmd.exe

```

```

sqlservr 2000.080.0760.00 7,17 MB (7.520.337 bytes)
16/9/2004 16:33 Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\sqlservr.exe
opends60 2000.080.0194.00 24,06 KB (24.639 bytes)
16/9/2004 16:33 Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\opends60.dll
ums 2000.080.0760.00 52,55 KB (53.808 bytes)
16/9/2004 16:33 Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\ums.dll
sqlsort 2000.080.0760.00 576,56 KB (590.396 bytes)
16/9/2004 16:33 Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\sqlsort.dll
msvcirt 7.0.3790.0 (srv03_rtm.030324-2048) 50,00
KB (51.200 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\msvcirt.dll
sqllevn70 2000.080.0760.00 28,00 KB (28.672 bytes)
16/9/2004 16:33 Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\resources\1033\sqllevn70.rll
xolehlp 2001.12.4720.0 (srv03_rtm.030324-2048) 8,50
KB (8.704 bytes) 13/9/2004 17:51 Microsoft
Corporation c:\windows\system32\xolehlp.dll
msdtcprx 2001.12.4720.0 (srv03_rtm.030324-2048) 427,50
KB (437.760 bytes) 13/9/2004 17:51
Microsoft Corporation
c:\windows\system32\msdtcprx.dll
mtxclu 2001.12.4720.0 (srv03_rtm.030324-2048) 74,50
KB (76.288 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\mtxclu.dll
resutils 5.2.3790.0 (srv03_rtm.030324-2048) 59,00
KB (60.416 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\resutils.dll
mfc42u 6.05.3014.0 960,00 KB (983.040 bytes)
25/3/2003 09:00 Microsoft Corporation
c:\windows\system32\mfc42u.dll
ssnetlib 2000.080.0760.00 80,56 KB (82.492 bytes)
16/9/2004 16:33 Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\ssnetlib.dll
ssnmpn70 2000.080.0534.00 24,56 KB (25.148 bytes)
16/9/2004 16:33 Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\ssnmpn70.dll
security 5.2.3790.0 (srv03_rtm.030324-2048) 5,50
KB (5.632 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\security.dll
ssmslpcn 2000.080.0760.00 28,56 KB (29.244 bytes)
16/9/2004 16:33 Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\ssmslpcn.dll
qlftqry 2000.080.0760.00 192,57 KB (197.196 bytes)
16/9/2004 16:34 Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\qlftqry.dll
sqloledb 2000.085.1022.00 (srv03_rtm.030324-2048) 536,00
KB (548.864 bytes) 13/9/2004 17:53
Microsoft Corporation c:\program
files\common files\system\ole db\sqloledb.dll
msdart 2.80.1022.0 (srv03_rtm.030324-2048) 164,00
KB (167.936 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\msdart.dll

```

```

msdatl3 2.80.1022.0 (srv03_rtm.030324-2048) 96,00
KB (98.304 bytes) 13/9/2004 17:53 Microsoft
Corporation c:\program files\common
files\system\ole db\msdatl3.dll
oledb32 2.80.1022.0 (srv03_rtm.030324-2048) 500,00
KB (512.000 bytes) 13/9/2004 17:53
Microsoft Corporation c:\program
files\common files\system\ole db\oledb32.dll
oledb32r 2.80.1022.0 (srv03_rtm.030324-2048) 68,00
KB (69.632 bytes) 13/9/2004 17:53 Microsoft
Corporation c:\program files\common
files\system\ole db\oledb32r.dll
xpstar 2000.080.0760.00 280,56 KB (287.296 bytes)
16/9/2004 16:33 Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\xpstar.dll
sqlresld 2000.080.0382.00 28,56 KB (29.248 bytes)
16/9/2004 16:35 Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\sqlresld.dll
sqlsvc 2000.080.0760.00 92,56 KB (94.784 bytes)
16/9/2004 16:35 Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\sqlsvc.dll
odbc32 3.525.1022.0 (srv03_rtm.030324-2048) 232,00
KB (237.568 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\odbc32.dll
odbcbc 2000.085.1022.0 (srv03_rtm.030324-2048) 24,00
KB (24.576 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\odbcbc.dll
w95scm 2000.080.0760.00 48,56 KB (49.728 bytes)
16/9/2004 16:35 Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\w95scm.dll
sqlunirl 2000.080.0728.00 176,56 KB (180.800 bytes)
25/3/2003 09:00 Microsoft Corporation
c:\windows\system32\sqlunirl.dll
shfolder 6.00.3790.0 (srv03_rtm.030324-2048) 23,00
KB (23.552 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\shfolder.dll
odbcint 3.525.1022.0 (srv03_rtm.030324-2048) 92,00
KB (94.208 bytes) 25/3/2003 09:00 Microsoft
Corporation c:\windows\system32\odbcint.dll
sqlsvc 2000.080.0194.00 24,00 KB (24.576 bytes)
16/9/2004 16:35 Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\resources\1033\sqlsvc.rll
xpstar 2000.080.0760.00 36,00 KB (36.864 bytes)
16/9/2004 16:33 Microsoft Corporation
c:\program files\microsoft sql
server\mssql\bin\resources\1033\xpstar.rll
helpctr 5.2.3790.0 (srv03_rtm.030324-2048) 764,00
KB (782.336 bytes) 13/9/2004 17:53
Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\helpctr.
exe
hcappres 5.2.3790.0 (srv03_rtm.030324-2048) 6,50
KB (6.656 bytes) 13/9/2004 17:53 Microsoft
Corporation c:\windows\pchealth\helpctr\binaries\hcappres
.dll
itss 5.2.3790.0 (srv03_rtm.030324-2048) 119,50
KB (122.368 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\itss.dll
msxm13 8.40.9419.0 1,28 MB (1.337.344 bytes)
25/3/2003 09:00 Microsoft Corporation
c:\windows\system32\msxm13.dll

```

```

pchshell 5.2.3790.0 (srv03_rtm.030324-2048)
100,50 KB (102.912 bytes) 13/9/2004 17:53
Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\pchshell
.dll
mlang 6.00.3790.0 (srv03_rtm.030324-2048)
570,00 KB (583.680 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\mlang.dll
mshtml 6.00.3790.0 (srv03_rtm.030324-2048) 2,78
MB (2.916.352 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\mshtml.dll
msimtf 5.2.3790.0 (srv03_rtm.030324-2048)
149,00 KB (152.576 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\msimtf.dll
jscript 5.6.0.8515 436,00 KB (446.464 bytes)
25/3/2003 09:00 Microsoft Corporation
c:\windows\system32\jscript.dll
msls31 3.10.349.0 147,00 KB (150.528 bytes)
25/3/2003 09:00 Microsoft Corporation
c:\windows\system32\msls31.dll
imm32 5.2.3790.0 (srv03_rtm.030324-2048)
105,50 KB (108.032 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\imm32.dll
mshtml 6.00.3790.0 (srv03_rtm.030324-2048)
443,50 KB (454.144 bytes) 25/3/2003 09:00
Microsoft Corporation
c:\windows\system32\mshtml.dll
vbscript 5.6.0.8515 404,00 KB (413.696 bytes)
25/3/2003 09:00 Microsoft Corporation
c:\windows\system32\vbscript.dll
mfc42 6.05.3014.0 960,00 KB (983.040 bytes)
25/3/2003 09:00 Microsoft Corporation
c:\windows\system32\mfc42.dll
msinfo 5.2.3790.0 (srv03_rtm.030324-2048)
358,50 KB (367.104 bytes) 13/9/2004 17:53
Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\msinfo.d
ll
riched32 5.2.3790.0 (srv03_rtm.030324-2048) 3,50
KB (3.584 bytes) 25/3/2003 09:00 Microsoft
Corporation
c:\windows\system32\riched32.dll
riched20 5.31.23.1218 406,00 KB (415.744 bytes)
25/3/2003 09:00 Microsoft Corporation
c:\windows\system32\riched20.dll
wbemprox 5.2.3790.0 (srv03_rtm.030324-2048) 17,50
KB (17.920 bytes) 13/9/2004 17:50 Microsoft
Corporation
c:\windows\system32\wbem\wbemprox.dll
helpsvc 5.2.3790.0 (srv03_rtm.030324-2048)
720,00 KB (737.280 bytes) 13/9/2004 17:53
Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\helpsvc.
exe
[Services]
Display Name Name State Start Mode
Service Type Path Error Control
Alerter Alerter Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT AUTHORITY\LocalService
0
Application Layer Gateway Service ALG
Stopped Manual Own Process
c:\windows\system32\alg.exe Normal NT
AUTHORITY\LocalService 0

```

```

Application Management AppMgmt Stopped
Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Windows Audio AudioSrv Stopped Disabled Share
Process c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Background Intelligent Transfer Service BITS
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Computer Browser Browser Stopped Manual Share
Process c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Indexing Service cisvc Stopped Disabled Share
Process c:\windows\system32\cisvc.exe Normal
LocalSystem 0
ClipBook Clipsrv Stopped Disabled Own Process
c:\windows\system32\clipsrv.exe
Normal LocalSystem 0
COM+ System Application COMSysApp Stopped
Manual Own Process
c:\windows\system32\dlh\host.exe
/processid:{02d4b3f1-fd88-11d1-960d-00805fc79235}
Normal LocalSystem 0
Cryptographic Services CryptSvc Stopped
Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Distributed File System Dfs Stopped
Manual Own Process
c:\windows\system32\dfssvc.exe
Normal LocalSystem 0
DHCP Client Dhcp Stopped Manual Share
Process c:\windows\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Logical Disk Manager Administrative Service
dmadmin Stopped Manual Share Process
c:\windows\system32\dmadmin.exe /com
Normal LocalSystem 0
Logical Disk Manager dmserver Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
DNS Client Dnscache Stopped Manual Share
Process c:\windows\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Error Reporting Service ERSvc Stopped
Manual Share Process
c:\windows\system32\svchost.exe -k winerr
Ignore LocalSystem 0
Event Log Eventlog Running Auto Share Process
c:\windows\system32\services.exe
Normal LocalSystem 0
COM+ Event System EventSystem Running
Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Help and Support helpsvc Running Manual Share
Process c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Human Interface Device Access HidServ Stopped
Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
HTTP SSL HTTPFilter Stopped Manual Share
Process c:\windows\system32\lsass.exe Normal
LocalSystem 0
IMAPI CD-Burning COM Service ImapiService
Stopped Disabled Own Process

```

```

c:\windows\system32\imapi.exe Normal
LocalSystem 0
InterSite Messaging Imserv Stopped Disabled Own
Process c:\windows\system32\ismserv.exe
Normal LocalSystem 0
Kerberos Key Distribution Center kdc
Stopped Disabled Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Server Lanmanserver Running Manual Share
Process c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
workstation lanmanworkstation Stopped
Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
License Logging LicenseService Stopped
Disabled Own Process
c:\windows\system32\llssrv.exe
Normal NT AUTHORITY\NetworkService 0
TCP/IP NetBIOS Helper Lmhosts Stopped
Manual Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT AUTHORITY\LocalService
0
Messenger Messenger Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
NetMeeting Remote Desktop Sharing mmsrvc
Stopped Disabled Own Process
c:\windows\system32\mmsrvc.exe
Normal LocalSystem 0
Distributed Transaction Coordinator MSDTC
Stopped Manual Own Process
c:\windows\system32\msdtc.exe Normal NT
AUTHORITY\NetworkService 0
Windows Installer MSIServer Stopped Manual Share
Process c:\windows\system32\msiexec.exe /v
Normal LocalSystem 0
Microsoft Search MSSEARCH Stopped Manual Share
Process "c:\program files\common
files\system\mssearch\bin\mssearch.exe" Normal
LocalSystem 0
MSSQLSERVER MSSQLSERVER Stopped
Manual Own Process
c:\progra~1\microso~1\mssql\bin\sqlservr.exe
Normal LocalSystem 0
MSSQLServerADHelper MSSQLServerADHelper Stopped
Manual Own Process c:\program
files\microsoft_sql_server\80\tools\bin\sqladhlp.exe
Normal LocalSystem 0
Network DDE NetDDE Stopped Disabled Share
Process c:\windows\system32\netdde.exe
Normal LocalSystem 0
Network DDE DSDM NetDDEdsdm Stopped
Disabled Share Process
c:\windows\system32\netdde.exe
Normal LocalSystem 0
Net Logon Netlogon Stopped Manual Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Network Connections Netman Running Manual Share
Process c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Network Location Awareness (NLA) Nla
Running Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
File Replication NtFrs Stopped Manual Own
Process c:\windows\system32\ntfrs.exe Ignore
LocalSystem 0

```

```

NT LM Security Support Provider NtLmSsp
Stopped Manual Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Removable Storage NtmsSvc Stopped Manual Share
Process c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Plug and Play PlugPlay Running Auto Share
Process c:\windows\system32\services.exe
Normal LocalSystem 0
IPSEC Services PolicyAgent Stopped
Manual Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Protected Storage ProtectedStorage Running Auto
Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Remote Access Auto Connection Manager RasAuto
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Access Connection Manager RasMan
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Desktop Help Session Manager RDSessMgr
Stopped Manual Own Process
c:\windows\system32\sessmgr.exe
Normal LocalSystem 0
Routing and Remote Access RemoteAccess
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Registry RemoteRegistry Stopped
Manual Share Process
c:\windows\system32\svchost.exe -k regsvc
Normal NT AUTHORITY\LocalService 0
Remote Procedure Call (RPC) Locator RpcLocator
Stopped Manual Own Process
c:\windows\system32\locator.exe
Normal NT AUTHORITY\NetworkService 0
Remote Procedure Call (RPC) RpcSs Running Auto
Share Process
c:\windows\system32\svchost -k rpcss
Normal LocalSystem 0
Resultant Set of Policy Provider RSOPProv
Stopped Manual Share Process
c:\windows\system32\rsopprov.exe
Normal LocalSystem 0
Special Administration Console Helper sacsvr
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Security Accounts Manager SamSs Running Auto
Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Smart Card SCardSvr Stopped Manual Share
Process c:\windows\system32\scardsvr.exe
Ignore NT AUTHORITY\LocalService 0
Task Scheduler Schedule Stopped Manual Share
Process c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Secondary Logon seclogon Stopped Manual Share
Process c:\windows\system32\svchost.exe -k netsvcs
Ignore LocalSystem 0
System Event Notification SENS Running Auto
Share Process

```

```

c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Internet Connection Firewall (ICF) / Internet
Connection Sharing (ICS) SharedAccess
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Shell Hardware Detection ShellHWDetection
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Ignore LocalSystem 0
Print Spooler Spooler Stopped Manual Own
Process c:\windows\system32\spoolsv.exe
Normal LocalSystem 0
SQLSERVERAGENT SQLSERVERAGENT Stopped
Manual Own Process
c:\program-1\microso-1\mssql\binn\sqlagent.exe
Normal LocalSystem 0
Windows Image Acquisition (WIA) stisvc
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k imgsvc
Normal NT AUTHORITY\LocalService 0
Microsoft Software Shadow Copy Provider swprv
Stopped Manual Own Process
c:\windows\system32\svchost.exe -k swprv
Normal LocalSystem 0
Performance Logs and Alerts SysmonLog Stopped
Manual Own Process
c:\windows\system32\smlogsvc.exe
Normal NT Authority\NetworkService 0
Telephony Tapisrv Stopped Manual Share Process
c:\windows\system32\svchost.exe -k tapisrv
Normal LocalSystem 0
Terminal Services TermService Running
Manual Share Process
c:\windows\system32\svchost.exe -k termsvc
Normal LocalSystem 0
Themes Themes Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Telnet TlntSvr Stopped Disabled Own Process
c:\windows\system32\tlntsvr.exe
Normal NT AUTHORITY\LocalService 0
Distributed Link Tracking Server TrkSvr
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Distributed Link Tracking Client TrkWrks
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Terminal Services Session Directory Tssdis
Stopped Disabled Own Process
c:\windows\system32\tssdis.exe
Normal LocalSystem 0
Upload Manager uploadmgr Stopped Manual Share
Process c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Uninterruptible Power Supply UPS Stopped
Manual Own Process
c:\windows\system32\ups.exe Normal NT
AUTHORITY\LocalService 0
Virtual Disk Service vds Stopped
Manual Own Process
c:\windows\system32\vds.exe Normal
LocalSystem 0
Volume Shadow Copy VSS Stopped Manual Own
Process c:\windows\system32\vssvc.exe Normal
LocalSystem 0

```

```

Windows Time W32Time Stopped Manual Share
Process c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
WebClient WebClient Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k
LocalService Normal NT AUTHORITY\LocalService
0
WinHTTP Web Proxy Auto-Discovery Service
winHttpAutoProxySvc Stopped Manual Share
Process c:\windows\system32\svchost.exe -k
LocalService Normal NT AUTHORITY\LocalService
0
Windows Management Instrumentation winmgmt
Running Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Ignore LocalSystem 0
TridiaVNC Server winvnc Stopped Manual Own
Process c:\program files\tridiavnc\win32\winvnc.exe
Ignore LocalSystem 0
Portable Media Serial Number Service WmdmPmsN
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Windows Management Instrumentation Driver Extensions
wmi Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
WMI Performance Adapter WmiApSrv Stopped
Manual Own Process
c:\windows\system32\wbem\wmiapsrv.exe
Normal LocalSystem 0
Automatic Updates wuauerv Stopped Manual Share
Process c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Wireless Configuration WZCVC Stopped
Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
[Program Groups]
Group Name Name User Name
Accessories Default User:Accessories
Default User
Accessories\Accessibility Default
User:Accessories\Accessibility Default User
Accessories\Entertainment Default
User:Accessories\Entertainment Default User
Startup Default User:Startup Default User
Accessories All Users:Accessories All
Users
Accessories\Accessibility All
Users:Accessories\Accessibility All Users
Accessories\Communications All
Users:Accessories\Communications All Users
Accessories\Entertainment All
Users:Accessories\Entertainment All Users
Accessories\System Tools All
Users:Accessories\System Tools All Users:Administrative
Tools All Users
Microsoft SQL Server All Users:Microsoft SQL
Server All Users
Startup All Users:Startup All Users
TridiaVNC All Users:TridiaVNC All Users
TridiaVNC\Administrative Tools All
Users:TridiaVNC\Administrative Tools All users
Accessories NT AUTHORITY\SYSTEM:Accessories
NT AUTHORITY\SYSTEM

```

```

Accessories\Accessibility NT
AUTHORITY\SYSTEM:Accessories\Accessibility NT
AUTHORITY\SYSTEM
Accessories\Entertainment NT
AUTHORITY\SYSTEM:Accessories\Entertainment NT
AUTHORITY\SYSTEM
Startup NT AUTHORITY\SYSTEM:Startup NT
AUTHORITY\SYSTEM
Accessories SQL2250\Administrator:Accessories
SQL2250\Administrator
Accessories\Accessibility
SQL2250\Administrator:Accessories\Accessibili
ty
SQL2250\Administrator
Accessories\Entertainment
SQL2250\Administrator:Accessories\Entertainme
nt
SQL2250\Administrator
Administrative Tools
SQL2250\Administrator:Administrative Tools
SQL2250\Administrator
Startup SQL2250\Administrator:Startup
SQL2250\Administrator

[Startup Programs]
Program Command User Name Location
desktop desktop.ini NT AUTHORITY\SYSTEM
Startup
CTFMON.EXE c:\windows\system32\ctfmon.exe
NT AUTHORITY\SYSTEM HKU\S-1-5-
18\SOFTWARE\Microsoft\Windows\CurrentVersion\Run
desktop desktop.ini SQL2250\Administrator
Startup
TridiaVNC Server tridiavnc server.lnk
SQL2250\Administrator Startup
CTFMON.EXE c:\windows\system32\ctfmon.exe
HKU\S-1-5-21-
3849808518-2657602629-3572470551-
500\SOFTWARE\Microsoft\Windows\CurrentVersion\Run
desktop desktop.ini .DEFAULT Startup
CTFMON.EXE c:\windows\system32\ctfmon.exe
.DEFAULT
HKU\DEFAULT\SOFTWARE\Microsoft\Windows\Curre
ntVersion\Run
desktop desktop.ini All Users Common Startup

Service Manager
c:\program~1\microso~1\80\tools\bin\sqlmangr.e
xe /n All Users Common Startup

[OLE Registration]
Object Local Server
Sound (OLE2) sndrec32.exe
Media Clip mplay32.exe
Video Clip mplay32.exe /avi
MIDI Sequence mplay32.exe /mid
Sound Not Available
Media Clip Not Available
WordPad Document "%programfiles%\windows
nt\accessories\wordpad.exe"
Windows Media Services DRM Storage object Not
Available
Bitmap Image mspaint.exe

[Windows Error Reporting]
Time Type Details

[Internet Settings]

```

```

[Internet Explorer]
[ Following are sub-categories of this main category ]
[Summary]
Item Value
Version 6.0.3790.0
Build 63790
Application Path C:\Program Files\Internet Explorer

Language English (United States)
Active Printer Not Available

Cipher Strength 128-bit
Content Advisor Disabled
IEAK Install No

[File Versions]
File Version Size Date Path
actxprxy.dll 6.0.3790.0 95 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
advpack.dll 6.0.3790.0 94 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
asctrls.ocx 6.0.3790.0 90 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
browsecl.dll 6.0.3790.0 62 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
browseui.dll 6.0.3790.0 1,033 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
cdfview.dll 6.0.3790.0 144 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
comctl32.dll 5.82.3790.0 561 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
dxtrans.dll 6.3.3790.0 198 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
dxtmsft.dll 6.3.3790.0 344 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
iecont.dll <File Missing> Not Available
Not Available Not Available Not
Available
iecontlc.dll <File Missing> Not Available
Not Available Not Available Not
Available
iedkcs32.dll 16.0.3790.0 300 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
iepeers.dll 6.0.3790.0 230 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
iesetup.dll 6.0.3790.0 59 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
ieuinit.inf Not Available 20 KB
25/3/2003 09:00:00 C:\WINDOWS\system32 Not
Available
iexplore.exe 6.0.3790.0 90 KB
25/3/2003 09:00:00 C:\Program Files\Internet
Explorer Microsoft Corporation
imgutil.dll 5.2.3790.0 35 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation

```

```

inetcp1.cpl 6.0.3790.0 303 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
inetcp1c.dll 6.0.3790.0 109 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
inseng.dll 6.0.3790.0 72 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
mlang.dll 6.0.3790.0 570 KB 25/3/2003
09:00:00 C:\WINDOWS\system32 Microsoft Corporation
msencode.dll 2002.10.4.0 112 KB
25/3/2003 09:00:00 C:\WINDOWS\system32 Not
Available
mshta.exe 6.0.3790.0 26 KB 25/3/2003
09:00:00 C:\WINDOWS\system32 Microsoft Corporation
mshtml.dll 6.0.3790.0 2,848 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
mshtml.tlb 6.0.3790.0 1,319 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
mshtml.ed.dll 6.0.3790.0 444 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
mshtmlr.dll 6.0.3790.0 55 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
msident.dll 6.0.3790.0 47 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
msidntld.dll 6.0.3790.0 15 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
msieftp.dll 6.0.3790.0 230 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
msrating.dll 6.0.3790.0 132 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
mstime.dll 6.0.3790.0 491 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
occache.dll 6.0.3790.0 89 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
proctexe.ocx 6.3.3790.0 78 KB
25/3/2003 09:00:00 C:\WINDOWS\system32 Intel
Corporation
sendmail.dll 6.0.3790.0 52 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
shdoc1c.dll 6.0.3790.0 589 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
shdocvw.dll 6.0.3790.0 1,361 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
shfolder.dll 6.0.3790.0 23 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
shlwapi.dll 6.0.3790.0 281 KB
25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
tdc.ocx 1.3.0.3130 58 KB 25/3/2003
09:00:00 C:\WINDOWS\system32 Microsoft Corporation
ur1.dll 6.0.3790.0 36 KB 25/3/2003
09:00:00 C:\WINDOWS\system32 Microsoft Corporation

```

```

urlmon.dll      6.0.3790.0      502 KB
                25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
webcheck.dll   6.0.3790.0      262 KB
                25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation
wininet.dll    6.0.3790.0      609 KB
                25/3/2003 09:00:00 C:\WINDOWS\system32
Microsoft Corporation

```

[Connectivity]

```

Item      Value
Connection Preference      Never dial

```

LAN Settings

```

AutoConfigProxy      Not Available
AutoProxyDetectMode  Enabled
AutoConfigURL
Proxy      Disabled
ProxyServer
ProxyOverride

```

[Cache]

[Following are sub-categories of this main category]
[Summary]

```

Item      Value
Page Refresh Type      Automatic
Temporary Internet Files Folder      C:\Documents
and Settings\LocalService\Local Settings\Temporary
Internet Files
Total Disk Space      Not Available
Available Disk Space      Not Available
Maximum Cache Size      Not Available
Available Cache Size      Not Available

```

[List of Objects]

```

Program File      Status      CodeBase
No cached object information available

```

[Content]

[Following are sub-categories of this main category]
[Summary]

```

Item      Value
Content Advisor      Disabled

```

[Personal Certificates]

```

Issued To Issued By Validity Signature Algorithm
No personal certificate information available

```

[Other People Certificates]

```

Issued To Issued By Validity Signature Algorithm
No other people certificate information available

```

[Publishers]

```

Name
No publisher information available

```

[Security]

```

Zone      Security Level
My Computer      Custom
Local intranet      Medium-low
Trusted sites      Medium
Internet High
Restricted sites      High

```

IIS Registry Parameters

Windows Registry Editor Version 5.00

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\I
netInfo]
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\I
netInfo\Parameters]
"ListenBackLog"=dword:00000019
"DispatchEntries"=hex(7):4c,00,44,00,41,00,50,00,53,00,
56,00,43,00,00,00,53,00,\
4d,00,54,00,50,00,53,00,56,00,43,00,00,00,00,00
"PoolThreadLimit"=dword:000007fe
"ThreadTimeout"=dword:00015180

```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\I
netInfo\Performance]
"Library"="infoctrs.dll"
"Open"="OpenINFOPerformanceData"
"Close"="CloseINFOPerformanceData"
"Collect"="CollectINFOPerformanceData"
"Last Counter"=dword:00000842
"Last Help"=dword:00000843
"First Counter"=dword:00000802
"First Help"=dword:00000803
"Library Validation
Code"=hex:50,25,f4,dd,ab,af,c4,01,10,25,00,00,00,00,
00

```

WWW Service Registry Parameters

Windows Registry Editor Version 5.00

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\W
3Svc]
```

```
"Type"=dword:00000020
"Start"=dword:00000002
"ErrorControl"=dword:00000001
"ImagePath"=hex(2):43,00,3a,00,5c,00,57,00,49,00,4e,00,
4e,00,54,00,5c,00,53,00,\

```

```
79,00,73,00,74,00,65,00,6d,00,33,00,32,00,5c,00,69,00,6
e,00,65,00,74,00,73,\

```

```
00,72,00,76,00,5c,00,69,00,6e,00,65,00,74,00,69,00,6e,0
0,66,00,6f,00,2e,00,\

```

```
65,00,78,00,65,00,00,00
"DisplayName"="world wide web Publishing Service"
"DependOnService"=hex(7):49,00,49,00,53,00,41,00,44,00,
4d,00,49,00,4e,00,00,00,\
00,00

```

```
"DependOnGroup"=hex(7):00,00
```

```
"ObjectName"="LocalSystem"
"Description"="Provides web connectivity and
administration through the Internet Information
Services snap-in."

```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\W
3Svc\ASP]
"NOTE"="This is for backward compatibility only."

```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\W
3Svc\ASP\Parameters]
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\W
3Svc\Parameters]
"MajorVersion"=dword:00000005
"MinorVersion"=dword:00000000
"InstallPath"="C:\WINNT\System32\inet_srv"
"CertMapList"="C:\WINNT\System32\inet_srv\iiscmap.d
ll"
"AccessDeniedMessage"="Error: Access is Denied."
"Filter DLLs"=""
"LogFileDirectory"="C:\WINNT\System32\LogFiles"
"AcceptExOutstanding"=dword:00000028

```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\W
3Svc\Parameters\ADCLaunch]
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\W
3Svc\Parameters\ADCLaunch\AdvancedDataFactory]
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\W
3Svc\Parameters\ADCLaunch\RDS\Server.DataFactory]
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\W
3Svc\Parameters\Script Map]
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\W
3Svc\Parameters\Virtual Roots]
"/"="C:\\inetpub\\wwwroot,,205"
"/Scripts"="C:\\inetpub\\scripts,,1"
"/IISHelp"="C:\\winnt\\help\\iishelp,,1"
"/IISAdmin"="C:\\WINNT\\System32\\inet_srv\\iisadmin,,1"
"/IISamples"="C:\\inetpub\\iissamples,,1"
"/MSADC"="C:\\program files\\common
files\\system\\msadc,,1"
"/_vti_bin"="C:\\Program Files\\Common Files\\Microsoft
Shared\\Web Server Extensions\\40\\isapi,,1"
"/Printers"="C:\\WINNT\\web\\printers,,201"

```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\W
3Svc\Performance]
```

```
"Library"="w3ctrs.dll"
"Open"="OpenW3PerformanceData"
"Close"="CloseW3PerformanceData"
"Collect"="CollectW3PerformanceData"
"Last Counter"=dword:000008e6
"Last Help"=dword:000008e7
"First Counter"=dword:00000844
"First Help"=dword:00000845
"Library Validation
Code"=hex:aa,e1,58,e0,ab,af,c4,01,10,3d,00,00,00,00,00,
00

```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\W
3Svc\Security]
"Security"=hex:01,00,14,80,a0,00,00,ac,00,00,00,14,0
0,00,00,30,00,00,00,02,\

```

```
00,1c,00,01,00,00,02,80,14,00,ff,01,0f,00,01,01,00,0
0,00,00,01,00,00,\

```

```

00,00,02,00,70,00,04,00,00,00,00,00,18,00,fd,01,02,00,0
1,01,00,00,00,00,00,\
05,12,00,00,00,74,00,0f,00,00,00,1c,00,ff,01,0f,00,01,0
2,00,00,00,00,00,05,\
20,00,00,00,20,02,00,00,72,00,73,00,00,00,18,00,8d,01,0
2,00,01,01,00,00,00,\
00,00,05,0b,00,00,00,20,02,00,00,00,00,1c,00,fd,01,02,0
0,01,02,00,00,00,\
00,05,20,00,00,00,23,02,00,00,72,00,73,00,01,01,00,00,0
0,00,00,05,12,00,00,\
00,01,01,00,00,00,00,00,05,12,00,00,00
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\W
3SVC\Enum]
"0"="Root\LEGACY_W3SVC\0000"
"Count"=dword:00000001
"NextInstance"=dword:00000001

```

COM+ Settings

```

TPCC.AllTxns:
  Activation:
    Enable Object Pooling selected
    Minimum Pool Size: 260
    Maximum Pool Size: 260
    Creation timeout: 60.000
    Enable Object Construction
    Enable Just in Time Activation
  Concurrency:
    Concurrency required

```

TPCC Application Registry Parameters

```

Windows Registry Editor Version 5.00
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\TPCC]
"Path"="C:\inetpub\wwwroot\"
"NumberOfDeliveryThreads"=dword:00000040
"MaxConnections"=dword:000080e8
"MaxPendingDeliveries"=dword:00000a8c
"DB_Protocol"="ODBC"
"TxnMonitor"="COM"
"dbServer"="sql2250"
"dbName"="tpcc"
"dbUser"="sa"
"dbPassword"=""
"COM_SinglePool"="YES"

```

Client System Configuration

```

System Information report written at: 10/11/2004
10:59:27 AM
[System Information]

[ Following are sub-categories of this main category ]

[System Summary]

Item      Value
OS Name   Microsoft windows 2000 Server
Version   5.0.2195 Service Pack 2 Build 2195
OS Manufacturer  Microsoft Corporation
System Name  CLI02
System Manufacturer  Intel
System Model  SBT2
System Type  x86-based PC
Processor   x86 Family 6 Model 8 Stepping 6 GenuineIntel
~1000 Mhz
Processor   x86 Family 6 Model 8 Stepping 6 GenuineIntel
~1000 Mhz
BIOS Version  PhoenixBIOS 4.0 Release 6.0
Windows Directory  C:\WINNT
System Directory  C:\WINNT\System32
Boot Device  \Device\Harddisk0\Partition1
Locale      United States
User Name    CLI02\Administrator
Time Zone    E. South America Standard Time
Total Physical Memory  1,048,044 KB
Available Physical Memory  882,748 KB
Total Virtual Memory  3,570,128 KB
Available Virtual Memory  3,331,816 KB
Page File Space  2,522,084 KB
Page File C:\pagefile.sys

[Hardware Resources]

[ Following are sub-categories of this main category ]

[Conflicts/Sharing]

Resource Device
No conflicted/shared resources

[DMA]

Channe] Device Status
2 Standard floppy disk controller OK
4 Direct memory access controller OK

[Forced Hardware]

Device PNP Device ID
No Forced Hardware

[I/O]

Address Range Device Status
0x0000-0x0CF7 PCI bus OK
0x0000-0x0CF7 Direct memory access controller
OK
0x0D00-0x4FFF PCI bus OK
0x1000-0x144F PCI bus OK
0x1000-0x144F ATI Technologies Inc. 3D RAGE IIC
PCI OK
0xF000-0xFFFF PCI bus OK
0x03B0-0x03BB ATI Technologies Inc. 3D RAGE IIC
PCI OK

```

```

0x03C0-0x03DF ATI Technologies Inc. 3D RAGE IIC
PCI OK
0x1400-0x143F Intel 8255x-based PCI Ethernet
Adapter (10/100) OK
0x0A79-0x0A79 ISAPNP Read Data Port OK
0x0279-0x0279 ISAPNP Read Data Port OK
0x02F4-0x02F7 ISAPNP Read Data Port OK
0x0070-0x0071 System CMOS/real time clock OK
0x03F8-0x03FF Communications Port (COM1) OK
0x02F8-0x02FF Communications Port (COM2) OK
0x0378-0x037F Printer Port (LPT1) OK
0x03F0-0x03F5 Standard floppy disk controller
OK
0x03F7-0x03F7 Standard floppy disk controller
OK
0x0060-0x0060 Standard 101/102-Key or Microsoft
Natural PS/2 Keyboard OK
0x0064-0x0064 Standard 101/102-Key or Microsoft
Natural PS/2 Keyboard OK
0x0010-0x001F Direct memory access controller
OK
0x0080-0x008F Direct memory access controller
OK
0x00C0-0x00DF Direct memory access controller
OK
0x0020-0x0021 Programmable interrupt controller
OK
0x00A0-0x00A1 Programmable interrupt controller
OK
0x0040-0x0043 System timer OK
0x00F0-0x00FF Numeric data processor OK
0x0061-0x0061 System speaker OK
0x002E-0x002F Motherboard resources OK
0x00E0-0x00E7 Motherboard resources OK
0x00E8-0x00E9 Motherboard resources OK
0x0400-0x040A Motherboard resources OK
0x040C-0x0417 Motherboard resources OK
0x0418-0x0418 Motherboard resources OK
0x0580-0x058D Motherboard resources OK
0x0092-0x0092 Motherboard resources OK
0x040B-0x040B Motherboard resources OK
0x0419-0x041B Motherboard resources OK
0x041D-0x041F Motherboard resources OK
0x04D0-0x04D1 Motherboard resources OK
0x04D6-0x04D6 Motherboard resources OK
0x0C00-0x0C01 Motherboard resources OK
0x0C06-0x0C08 Motherboard resources OK
0x0C14-0x0C14 Motherboard resources OK
0x0C49-0x0C4A Motherboard resources OK
0x0C50-0x0C51 Motherboard resources OK
0x0C52-0x0C52 Motherboard resources OK
0x0C6C-0x0C6C Motherboard resources OK
0x0C6F-0x0C6F Motherboard resources OK
0x0CD6-0x0CD7 Motherboard resources OK
0x0F50-0x0F58 Motherboard resources OK
0x0374-0x0375 Motherboard resources OK
0xFE00-0xFE20 Motherboard resources OK
0x0220-0x0220 Motherboard resources OK
0x0225-0x0225 Motherboard resources OK
0x0228-0x0228 Motherboard resources OK
0x022A-0x022E Motherboard resources OK
0x0102-0x0105 Motherboard resources OK
0x0107-0x0107 Motherboard resources OK
0x0CA6-0x0CA6 Microsoft ACPI-Compliant Embedded
Controller OK
0x0CA7-0x0CA7 Microsoft ACPI-Compliant Embedded
Controller OK
0x1440-0x144F Standard Dual Channel PCI IDE
Controller OK
0x01F0-0x01F7 Primary IDE Channel OK
0x03F6-0x03F6 Primary IDE Channel OK
0x0170-0x0177 Secondary IDE Channel OK

```


0x0376-0x0376 Secondary IDE Channel OK
 0x1800-0x20FF PCI bus OK
 0x1800-0x20FF Adaptec AIC-7899 Ultra160/m PCI
 SCSI Card OK
 0x2000-0x20FF Adaptec AIC-7899 Ultra160/m PCI
 SCSI Card OK

[IRQs]

IRQ Number	Device
31	Microsoft ACPI-Compliant System
19	ATI Technologies Inc. 3D RAGE IIC PCI
18	Intel 8255x-based PCI Ethernet Adapter
(10/100)	
8	System CMOS/real time clock
4	Communications Port (COM1)
3	Communications Port (COM2)
6	Standard floppy disk controller
1	Standard 101/102-key or Microsoft Natural
PS/2 Keyboard	
12	PS/2 Compatible Mouse
13	Numeric data processor
14	Primary IDE Channel
10	Standard OpenHCD USB Host Controller
16	Adaptec AIC-7899 Ultra160/m PCI SCSI Card
17	Adaptec AIC-7899 Ultra160/m PCI SCSI Card
21	Intel(R) PRO/1000 T Server Adapter

[Memory]

Range	Device	Status
0xA0000-0xBFFFF	PCI bus	OK
0xA0000-0xBFFFF	ATI Technologies Inc. 3D RAGE IIC PCI	OK
0xC0000-0xC3FFF	PCI bus	OK
0xC4000-0xC7FFF	PCI bus	OK
0xC8000-0xCBFFF	PCI bus	OK
0xCC000-0xCFFFF	PCI bus	OK
0xD0000-0xD3FFF	PCI bus	OK
0xD4000-0xD7FFF	PCI bus	OK
0xD8000-0xDBFFF	PCI bus	OK
0xDC000-0xDFFFF	PCI bus	OK
0xE0000-0xFFFFF	PCI bus	OK
0xE0000-0xFFFFF	Motherboard resources	OK
0xF9000000-0xF93FFFF	PCI bus	OK
0xF9000000-0xF93FFFF	ATI Technologies Inc. 3D RAGE IIC PCI	OK
0xF9400000-0xFAFFFFFF	PCI bus	OK
0xFA000000-0xFAFFFFFF	ATI Technologies Inc. 3D RAGE IIC PCI	OK
0xF9001000-0xF9001FFF	Intel 8255x-based PCI Ethernet Adapter (10/100)	OK
0xF9100000-0xF91FFFF	Intel 8255x-based PCI Ethernet Adapter (10/100)	OK
0xFC800-0xFDFFF	Motherboard resources	OK
0xF9002000-0xF9002FFF	Standard OpenHCD USB Host Controller	OK
0xFB000000-0xFB3DFFFF	PCI bus	OK
0xFB000000-0xFB3DFFFF	Adaptec AIC-7899 Ultra160/m PCI SCSI Card	OK
0xFB3E0000-0xFBDFFFF	PCI bus	OK
0xFB001000-0xFB001FFF	Adaptec AIC-7899 Ultra160/m PCI SCSI Card	OK
0xFB020000-0xFB03FFF	Intel(R) PRO/1000 T Server Adapter	OK
0xFB010000-0xFB01FFF	Intel(R) PRO/1000 T Server Adapter	OK

[Components]

[Following are sub-categories of this main category]

[Multimedia]

[Following are sub-categories of this main category]

[Audio Codecs]

Codec	Manufacturer	Description	Status	File	Version	Size
			Creation Date			
c:\winnt\system32\iac25_32.ax	Intel Corporation	Indeo® audio software	OK			
			Creation Date			
c:\winnt\system32\IAC25_32.AX			2.05.53			
			Creation Date			
6:00:00 PM			195.00 KB (199,680 bytes)		12/7/1999	
6:00:00 PM						
c:\winnt\system32\msg723.acm	Microsoft Corporation		OK			
			Creation Date			
c:\winnt\system32\MSG723.ACM			4.4.3385		8/23/2004	
			106.77 KB (109,328 bytes)			
11:33:09 AM						
c:\winnt\system32\lhacm.acm	Microsoft Corporation		OK			
			Creation Date			
c:\winnt\system32\LHACM.ACM			4.4.3385		8/23/2004 11:33:10 AM	33.27 KB (34,064 bytes)
			Creation Date			
c:\winnt\system32\tssoft32.acm	DSP GROUP, INC.		OK			
			Creation Date			
c:\winnt\system32\tSSOFT32.ACM			1.01			
			9.27 KB (9,488 bytes)		12/7/1999	
6:00:00 PM						
c:\winnt\system32\msg711.acm	Microsoft Corporation		OK			
			Creation Date			
c:\winnt\system32\MSG711.ACM			5.00.2134.1			
			10.27 KB (10,512 bytes)		12/7/1999	
6:00:00 PM						
c:\winnt\system32\msgsm32.acm	Microsoft Corporation		OK			
			Creation Date			
c:\winnt\system32\MSGSM32.ACM			5.00.2134.1			
			22.27 KB (22,800 bytes)		12/7/1999	
6:00:00 PM						
c:\winnt\system32\imaadp32.acm	Microsoft Corporation		OK			
			Creation Date			
c:\winnt\system32\IMAADP32.ACM			5.00.2134.1			
			16.27 KB (16,656 bytes)		12/7/1999 6:00:00 PM	
			Creation Date			
c:\winnt\system32\msadp32.acm	Microsoft Corporation		OK			
			Creation Date			
c:\winnt\system32\MSADP32.ACM			5.00.2134.1			
			14.77 KB (15,120 bytes)		12/7/1999	
6:00:00 PM						

[Video Codecs]

Codec	Manufacturer	Description	Status	File	Version	Size
			Creation Date			
c:\winnt\system32\ir50_32.dll	Intel Corporation	Indeo® video 5.10	OK			
			Creation Date			
c:\winnt\system32\IR50_32.DLL			R.5.10.15.2.55			
			737.50 KB (755,200 bytes)		12/7/1999	
6:00:00 PM						
c:\winnt\system32\msh261.dr	Microsoft Corporation		OK			
			Creation Date			
c:\winnt\system32\MSH261.DRV			4.4.3385		8/23/2004	
			163.77 KB (167,696 bytes)			
11:33:09 AM						
c:\winnt\system32\msvidc32.dll	Microsoft Corporation		OK			
			Creation Date			
c:\winnt\system32\MSVIDC32.DLL			5.00.2134.1			
			27.27 KB (27,920 bytes)		12/7/1999 6:00:00 PM	
			Creation Date			
c:\winnt\system32\msh263.dr	Microsoft Corporation		OK			
			Creation Date			
c:\winnt\system32\MSH263.DRV			4.4.3385			

			252.27 KB (258,320 bytes)		8/23/2004	
11:32:47 AM						
c:\winnt\system32\iccvid.dll	Radius Inc.		OK			
			Creation Date			
c:\winnt\system32\ICCVID.DLL			1.10.0.6			
			108.00 KB (110,592 bytes)		12/7/1999 6:00:00 PM	
			Creation Date			
c:\winnt\system32\ir32_32.dll	Intel(R) Corporation		OK			
			Creation Date			
c:\winnt\system32\IR32_32.DLL			Not Available			
			194.50 KB (199,168 bytes)		12/7/1999	
6:00:00 PM						
c:\winnt\system32\msrle32.dll	Microsoft Corporation		OK			
			Creation Date			
c:\winnt\system32\MSRLE32.DLL			5.00.2134.1			
			10.77 KB (11,024 bytes)		12/7/1999	

[CD-ROM]

Item	Value
Drive E:	
Description	CD-ROM Drive
Media Loaded	False
Media Type	CD-ROM
Name	LITEON CD-ROM LTN526S
Manufacturer	(Standard CD-ROM drives)
Status	OK
Transfer Rate	Not Available
SCSI Target ID	0
PNP Device ID	IDE\CDROMLITEON_CD-
ROM_LTN526S	Y50G\5&326853DD&0&0.0
.0	

[Sound Device]

Item	Value
No sound devices	

[Display]

Item	Value
Name	ATI Technologies Inc. 3D RAGE IIC PCI
PNP Device ID	PCI\VEN_1002&DEV_4756&SUBSYS_00000000&REV_7A\3&267A616A&0&10
Adapter Type	ATI 3D RAGE IIC PCI (A21), ATI Technologies Inc. Compatible
Adapter Description	ATI Technologies Inc. 3D RAGE IIC PCI
Adapter RAM	4.00 MB (4,194,304 bytes)
Installed Drivers	atiraged.dll
Driver Version	5.00.2174.1
INF File	display.inf (atirage section)
Color Planes	1
Color Table Entries	65536
Resolution	1024 x 768 x 60 hertz
Bits/Pixel	16

[Infrared]

Item	Value
No infrared devices	

[Input]

[Following are sub-categories of this main category]

[Keyboard]

Item	Value
------	-------

Description Standard 101/102-Key or Microsoft
 Natural PS/2 Keyboard
 Name Enhanced (101- or 102-key)
 Layout 00000416
 PNP Device ID ACPI\PNP0303\423FD4C84&0
 NumberOfFunctionKeys 12

[Pointing Device]

Item Value
 Hardware Type PS/2 Compatible Mouse
 Number of Buttons 5
 Status OK
 PNP Device ID ACPI\PNP0F13\4&23FD4C84&0
 Power Management Supported False
 Double Click Threshold 6
 Handedness Right Handed Operation

[Modem]

Item Value
 No modems

[Network]

[Following are sub-categories of this main category]

[Adapter]

Item Value
 Name [00000000] Intel 8255x-based PCI Ethernet
 Adapter (10/100)
 Adapter Type Ethernet 802.3
 Product Name Intel 8255x-based PCI Ethernet
 Adapter (10/100)
 Installed True
 PNP Device ID PCI\VEN_8086&DEV_1229&SUBSYS_12298086&REV_08\3&267A616A&0&18
 Last Reset 10/11/2004 5:22:23 AM
 Index 0
 Service Name E100B
 IP Address 192.168.102.12
 IP Subnet 255.255.255.0
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 00:D0:B7:CB:78:A3
 Service Name E100B
 IRQ Number 18
 I/O Port 0x1400-0x143F
 Driver c:\winnt\system32\drivers\e100bnt5.sys (85776, 4.02.38.0000)

Name [00000001] RAS Async Adapter
 Adapter Type Not Available
 Product Name RAS Async Adapter
 Installed True
 PNP Device ID Not Available
 Last Reset 10/11/2004 5:22:23 AM
 Index 1
 Service Name AsyncMac
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available

DHCP Lease Obtained Not Available
 MAC Address Not Available
 Service Name Not Available

Name [00000002] WAN Miniport (L2TP)
 Adapter Type Not Available
 Product Name WAN Miniport (L2TP)
 Installed True
 PNP Device ID ROOT\MS_L2TPMINIPORT\0000
 Last Reset 10/11/2004 5:22:23 AM
 Index 2
 Service Name Rasl2tp
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Service Name Rasl2tp
 Driver c:\winnt\system32\drivers\rasl2tp.sys (50800, 5.00.2179.1)

Name [00000003] WAN Miniport (PPTP)
 Adapter Type Wide Area Network (WAN)
 Product Name WAN Miniport (PPTP)
 Installed True
 PNP Device ID ROOT\MS_PPTPMINIPORT\0000
 Last Reset 10/11/2004 5:22:23 AM
 Index 3
 Service Name PptpMiniport
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 50:50:54:50:30:30
 Service Name PptpMiniport
 Driver c:\winnt\system32\drivers\raspptp.sys (47856, 5.00.2160.1)

Name [00000004] Direct Parallel
 Adapter Type Not Available
 Product Name Direct Parallel
 Installed True
 PNP Device ID ROOT\MS_PTIMINIPORT\0000
 Last Reset 10/11/2004 5:22:23 AM
 Index 4
 Service Name Raspti
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Service Name Raspti
 Driver c:\winnt\system32\drivers\raspti.sys (16880, 5.00.2146.1)

Name [00000005] WAN Miniport (IP)
 Adapter Type Not Available
 Product Name WAN Miniport (IP)
 Installed True
 PNP Device ID ROOT\MS_NDISWANIP\0000
 Last Reset 10/11/2004 5:22:23 AM
 Index 5
 Service Name Ndiswan

IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Service Name Ndiswan
 Driver c:\winnt\system32\drivers\ndiswan.sys (90096, 5.00.2195.2779)

Name [00000006] Intel(R) PRO/1000 T Server Adapter
 Adapter Type Ethernet 802.3
 Product Name Intel(R) PRO/1000 T Server Adapter
 Installed True
 PNP Device ID PCI\VEN_8086&DEV_1004&SUBSYS_10048086&REV_02\3&13C0B0C5&0&58
 Last Reset 10/11/2004 5:22:23 AM
 Index 6
 Service Name E1000
 IP Address 192.168.101.12
 IP Subnet 255.255.255.0
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 00:07:E9:0E:A6:68
 Service Name E1000
 IRQ Number 21
 Driver c:\winnt\system32\drivers\e1000nt5.sys (126016, 7.0.37.0)

[Protocol]

Item Value
 Name MSAFD Tcpip [TCP/IP]
 ConnectionlessService False
 GuaranteesDelivery True
 GuaranteesSequencing True
 MaximumAddressSize 16 bytes
 MaximumMessageSize 0 bytes
 MessageOriented False
 MinimumAddressSize 16 bytes
 PseudoStreamOriented False
 SupportsBroadcasting False
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData True
 SupportsGracefulClosing True
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD Tcpip [UDP/IP]
 ConnectionlessService True
 GuaranteesDelivery False
 GuaranteesSequencing False
 MaximumAddressSize 16 bytes
 MaximumMessageSize 65467 bytes
 MessageOriented True
 MinimumAddressSize 16 bytes
 PseudoStreamOriented False
 SupportsBroadcasting True
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False

SupportsGuaranteedBandwidth False
SupportsMulticasting True

Name RSVP UDP Service Provider
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 16 bytes
MaximumMessageSize 65467 bytes
MessageOriented True
MinimumAddressSize 16 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption True
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting True

Name RSVP TCP Service Provider
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 16 bytes
MaximumMessageSize 0 bytes
MessageOriented False
MinimumAddressSize 16 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption True
SupportsExpeditedData True
SupportsGracefulClosing True
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{E820FD30-F295-415C-A4FC-E1B34CE04030}] SECPACKET 3
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{E820FD30-F295-415C-A4FC-E1B34CE04030}] DATAGRAM 3
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False

SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{A869C441-2859-4466-8D0C-2C4B8D5E1BDF}] SECPACKET 0
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{A869C441-2859-4466-8D0C-2C4B8D5E1BDF}] DATAGRAM 0
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{84D00BCC-3C7E-45F1-BFF8-5CC7ECAEB75F}] SECPACKET 1
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{84D00BCC-3C7E-45F1-BFF8-5CC7ECAEB75F}] DATAGRAM 1
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False

SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{AF5300AB-C928-440A-8DA8-52DCE767B55C}] SECPACKET 2
ConnectionlessService False
GuaranteesDelivery True
GuaranteesSequencing True
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting False
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT_Tcpip_{AF5300AB-C928-440A-8DA8-52DCE767B55C}] DATAGRAM 2
ConnectionlessService True
GuaranteesDelivery False
GuaranteesSequencing False
MaximumAddressSize 20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize 20 bytes
PseudoStreamOriented False
SupportsBroadcasting True
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

[winsock]

Item Value
File c:\winnt\system32\winsock.dll
Version 3.10
Size 2.80 KB (2,864 bytes)

File c:\winnt\system32\wsock32.dll
Version 5.00.2195.2871
Size 21.27 KB (21,776 bytes)

[Ports]

[Following are sub-categories of this main category]

[Serial]

Item Value
Name COM1
Status OK
PNP Device ID ACPI\PNP0501\1
Maximum Input Buffer Size 0
Maximum Output Buffer Size False

```

Settable Baud Rate True
Settable Data Bits True
Settable Flow Control True
Settable Parity True
Settable Parity Check True
Settable Stop Bits True
Settable RLS D True
Supports RLS D True
Supports 16 Bit Mode False
Supports Special Characters False
Baud Rate 9600
Bits/Byte 8
Stop Bits 1
Parity None
Busy 0
Abort Read/write on Error 0
Binary Mode Enabled -1
Continue Xmit on Xoff 0
CTS Outflow Control 0
Discard NULL Bytes 0
DSR Outflow Control 0
DSR Sensitivity 0
DTR Flow Control Type Enable
EOF Character 0
Error Replace Character 0
Error Replacement Enabled 0
Event Character 0
Parity Check Enabled 0
RTS Flow Control Type Enable
Xoff Character 19
XoffXmit Threshold 512
Xon Character 17
XonXmit Threshold 2048
XonXoff InFlow Control 0
XonXoff OutFlow Control 0
IRQ Number 4
I/O Port 0x03F8-0x03FF
Driver c:\winnt\system32\drivers\serial.sys (62416,
5.00.2195.2780)

```

```

Name COM2
Status OK
PNP Device ID ACPI\PNP0501\2
Maximum Input Buffer Size 0
Maximum Output Buffer Size False
Settable Baud Rate True
Settable Data Bits True
Settable Flow Control True
Settable Parity True
Settable Parity Check True
Settable Stop Bits True
Settable RLS D True
Supports RLS D True
Supports 16 Bit Mode False
Supports Special Characters False
Baud Rate 9600
Bits/Byte 8
Stop Bits 1
Parity None
Busy 0
Abort Read/write on Error 0
Binary Mode Enabled -1
Continue Xmit on Xoff 0
CTS Outflow Control 0
Discard NULL Bytes 0
DSR Outflow Control 0
DSR Sensitivity 0
DTR Flow Control Type Enable
EOF Character 0
Error Replace Character 0
Error Replacement Enabled 0
Event Character 0

```

```

Parity Check Enabled 0
RTS Flow Control Type Enable
Xoff Character 19
XoffXmit Threshold 512
Xon Character 17
XonXmit Threshold 2048
XonXoff InFlow Control 0
XonXoff OutFlow Control 0
IRQ Number 3
I/O Port 0x02F8-0x02FF
Driver c:\winnt\system32\drivers\serial.sys (62416,
5.00.2195.2780)

```

[Parallel]

```

Item Value
Name LPT1
PNP Device ID ACPI\PNP0400\4&23FD4C84&0

```

[Storage]

[Following are sub-categories of this main category]

[Drives]

```

Item Value
Drive A:
Description 3 1/2 Inch Floppy Drive

Drive C:
Description Local Fixed Disk
Compressed False
File System NTFS
Size 17.08 GB (18,342,338,560 bytes)
Free Space 14.39 GB (15,446,319,104 bytes)
Volume Name
Volume Serial Number E8F2F5DC
Partition Disk #0, Partition #0
Partition Size 17.08 GB (18,342,342,144 bytes)
Starting Offset 32256 bytes
Drive Description Disk drive
Drive Manufacturer (Standard disk drives)
Drive Model SEAGATE ST318406LC SCSI Disk Device
Drive BytesPerSector 512
Drive MediaLoaded True
Drive MediaType Fixed hard disk media
Drive Partitions 1
Drive SCSIbus 0
Drive SCSILogicalUnit 0
Drive SCSIPort 3
Drive SCSTargetId 0
Drive SectorsPerTrack 63
Drive Size 18350599680 bytes
Drive TotalCylinders 2231
Drive TotalSectors 35841015
Drive TotalTracks 568905
Drive TracksPerCylinder 255

```

```

Drive D:
Description Local Fixed Disk
Compressed False
File System NTFS
Size 17.08 GB (18,342,338,560 bytes)
Free Space 16.57 GB (17,787,109,376 bytes)
Volume Name
Volume Serial Number 3CE4774F
Partition Disk #1, Partition #0
Partition Size 17.08 GB (18,342,342,144 bytes)
Starting Offset 32256 bytes
Drive Description Disk drive

```

```

Drive Manufacturer (Standard disk drives)
Drive Model SEAGATE ST318406LC SCSI Disk Device
Drive BytesPerSector 512
Drive MediaLoaded True
Drive MediaType Fixed hard disk media
Drive Partitions 1
Drive SCSIbus 0
Drive SCSILogicalUnit 0
Drive SCSIPort 3
Drive SCSTargetId 1
Drive SectorsPerTrack 63
Drive Size 18350599680 bytes
Drive TotalCylinders 2231
Drive TotalSectors 35841015
Drive TotalTracks 568905
Drive TracksPerCylinder 255

```

[SCSI]

```

Item Value
Name Adaptec AIC-7899 Ultra160/m PCI SCSI Card
Caption Adaptec AIC-7899 Ultra160/m PCI SCSI Card
Driver adpu160m
Status OK
PNP Device ID PCI\VEN_9005&DEV_00CF&SUBSYS_00CF8086&REV_01\
3&13C0B0C5&0&20
Device ID PCI\VEN_9005&DEV_00CF&SUBSYS_00CF8086&REV_01\
3&13C0B0C5&0&20
Device Map Not Available
Index Not Available
Max Number Controlled Not Available
IRQ Number 16
I/O Port 0x1800-0x20FF
Driver c:\winnt\system32\drivers\adpu160m.sys
(64432, v3.10a)

```

```

Name Adaptec AIC-7899 Ultra160/m PCI SCSI Card
Caption Adaptec AIC-7899 Ultra160/m PCI SCSI Card
Driver adpu160m
Status OK
PNP Device ID PCI\VEN_9005&DEV_00CF&SUBSYS_00CF8086&REV_01\
3&13C0B0C5&0&21
Device ID PCI\VEN_9005&DEV_00CF&SUBSYS_00CF8086&REV_01\
3&13C0B0C5&0&21
Device Map Not Available
Index Not Available
Max Number Controlled Not Available
IRQ Number 17
I/O Port 0x2000-0x20FF
Driver c:\winnt\system32\drivers\adpu160m.sys
(64432, v3.10a)

```

[Printing]

```

Name Port Name Server Name
No printing information

```

[Problem Devices]

```

Device PNP Device ID Error Code
No Problem Devices

```

[USB]

```

Device PNP Device ID

```

Standard OpenHCD USB Host Controller
 PCI\VEN_1166&DEV_0220&SUBSYS_02201166&REV_04\
 3&267A616A&0&7A
 USB Root Hub USB\ROOT_HUB\4&372644EA&0

[Software Environment]

[Following are sub-categories of this main category]

[Drivers]

Name	Description	File	Type	Started	Start Mode	File	Type	Status	Error Control	Accept Pause
abiosdsk	Abiosdsk	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
abp480n5	abp480n5	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
acpi	Microsoft ACPI Driver	c:\winnt\system32\drivers\acpi.sys	Kernel Driver	Running	OK	Normal	False	True		
acpiec	Microsoft Embedded Controller Driver	c:\winnt\system32\drivers\acpiec.sys	Kernel Driver	Running	OK	Normal	False	True		
adpu160m	adpu160m	c:\winnt\system32\drivers\adpu160m.sys	Kernel Driver	Running	OK	Normal	False	True		
afd	AFD Networking Support Environment	c:\winnt\system32\drivers\afd.sys	Kernel Driver	Running	OK	Normal	False	True		
aha154x	Aha154x	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
aic116x	aic116x	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
aic78u2	aic78u2	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
aic78xx	aic78xx	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
ami0nt	ami0nt	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
amsint	amsint	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
asc	asc	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
asc3350p	asc3350p	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
asc3550	asc3550	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
asyncmac	RAS Asynchronous Media Driver	c:\winnt\system32\drivers\asyncmac.sys	Kernel Driver	Stopped	OK	Normal	False	False		
atapi	Standard IDE/ESDI Hard Disk Controller	c:\winnt\system32\drivers\atapi.sys	Kernel Driver	Running	OK	Normal	False	True		

atdisk	Atdisk	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
atirage	atirage	c:\winnt\system32\drivers\atiragem.sys	Kernel Driver	Running	OK	Ignore	False	True		
atmarpc	ATM ARP Client Protocol	c:\winnt\system32\drivers\atmarpc.sys	Kernel Driver	Stopped	OK	Normal	False	False		
audstub	Audio Stub Driver	c:\winnt\system32\drivers\audstub.sys	Kernel Driver	Running	OK	Normal	False	True		
beep	Beep	c:\winnt\system32\drivers\beep.sys	Kernel Driver	Running	OK	Normal	False	True		
buslogic	BusLogic	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
cd20xrnt	cd20xrnt	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
cdaudio	Cdaudio	c:\winnt\system32\drivers\cdaudio.sys	Kernel Driver	Stopped	OK	Ignore	False	False		
cdfs	cdfs	c:\winnt\system32\drivers\cdfs.sys	File System Driver	Running	OK	Normal	False	True		
cdrom	CD-ROM Driver	c:\winnt\system32\drivers\cdrom.sys	Kernel Driver	Running	OK	Normal	False	True		
changer	Changer	Not Available	Kernel Driver	False	System	Stopped	OK			
cpqarray	Cpqarray	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
cpqarray2	cpqarray2	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
cpqfcalm	cpqfcalm	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
cpqfws2e	cpqfws2e	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
dac960nt	dac960nt	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
deckzpsx	deckzpsx	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
dfsdriver	DfsDriver	c:\winnt\system32\drivers\dfs.sys	File System Driver	Running	OK	Normal	False	True		
disk	Disk Driver	c:\winnt\system32\drivers\disk.sys	Kernel Driver	Running	OK	Normal	False	True		
diskperf	Diskperf	c:\winnt\system32\drivers\diskperf.sys	Kernel Driver	Running	OK	Normal	False	True		
dmbboot	dmbboot	c:\winnt\system32\drivers\dmbboot.sys	Kernel Driver	Stopped	OK	Normal	False	False		

dmio	Logical Disk Manager Driver	c:\winnt\system32\drivers\dmio.sys	Kernel Driver	Running	OK	Normal	False	True		
dmload	dmload	c:\winnt\system32\drivers\dmload.sys	Kernel Driver	Running	OK	Normal	False	True		
e1000	Intel(R) PRO/1000 Adapter Driver	c:\winnt\system32\drivers\ei1000nt5.sys	Kernel Driver	Running	OK	Normal	False	True		
e100b	Intel PRO Adapter Driver	c:\winnt\system32\drivers\ei100bnt5.sys	Kernel Driver	Running	OK	Normal	False	True		
efs	EFS	c:\winnt\system32\drivers\efs.sys	File System Driver	Running	OK	Normal	False	True		
fastfat	Fastfat	c:\winnt\system32\drivers\fastfat.sys	File System Driver	Running	OK	Normal	False	True		
fd16_700	Fd16_700	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
fdc	Floppy Disk Controller Driver	c:\winnt\system32\drivers\fdc.sys	Kernel Driver	Running	OK	Normal	False	True		
fips	Fips	c:\winnt\system32\drivers\fips.sys	Kernel Driver	Running	OK	Normal	False	True		
fireport	fireport	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
flashpnt	flashpnt	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
flpydisk	Floppy Disk Driver	c:\winnt\system32\drivers\flpydisk.sys	Kernel Driver	Running	OK	Normal	False	True		
ftdisk	Volume Manager Driver	c:\winnt\system32\drivers\ftdisk.sys	Kernel Driver	Running	OK	Normal	False	True		
gpc	Generic Packet Classifier	c:\winnt\system32\drivers\msgpc.sys	Kernel Driver	Running	OK	Normal	False	True		
i8042prt	i8042 Keyboard and PS/2 Mouse Port Driver	c:\winnt\system32\drivers\i8042prt.sys	Kernel Driver	Running	OK	Normal	False	True		
ini910u	ini910u	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
intelide	IntelIde	Not Available	Kernel Driver	False	Disabled	Stopped	OK			
ipfilterdriver	IP Traffic Filter Driver	c:\winnt\system32\drivers\ipfltdrv.sys	Kernel Driver	Stopped	OK	Normal	False	False		
ipinip	IP in IP Tunnel Driver	c:\winnt\system32\drivers\ipinip.sys	Kernel Driver	Stopped	OK	Normal	False	False		
ipnat	IP Network Address Translator	c:\winnt\system32\drivers\ipnat.sys								

ipsec	Kernel Driver	False	Manual		
	Stopped OK	Normal	False	False	
	IPSEC driver				
	c:\winnt\system32\drivers\ipsec.sys				
	Kernel Driver	True	Manual		
	Running OK	Normal	False	True	
ipsraidn	ipsraidn	Not Available	Kernel Driver		
	False	Disabled	Stopped OK		
	Normal	False	False		
isapnp	PnP ISA/EISA Bus Driver				
	c:\winnt\system32\drivers\isapnp.sys				
	Kernel Driver	True	Manual		
	Running OK	Critical	False	True	
kbdclass	Keyboard Class Driver				
	c:\winnt\system32\drivers\kbdclass.sys				
	Kernel Driver	True	System		
	Running OK	Normal	False	True	
ksecdd	KSecDD				
	c:\winnt\system32\drivers\ksecdd.sys				
	Kernel Driver	True	Boot		
	Running OK	Normal	False	True	
lbrtfdc	lbrtfdc	Not Available	Kernel Driver		
	False	System	Stopped OK		
	Ignore	False	False		
lp6nds35	lp6nds35	Not Available	Kernel Driver		
	False	Disabled	Stopped OK		
	Normal	False	False		
mmdd	mmdd	c:\winnt\system32\drivers\mmdd.sys			
	Kernel Driver	True	System		
	Running OK	Ignore	False	True	
modem	Modem	c:\winnt\system32\drivers\modem.sys			
	Kernel Driver	False	Manual		
	Stopped OK	Ignore	False	False	
mouclass	Mouse Class Driver				
	c:\winnt\system32\drivers\mouclass.sys				
	Kernel Driver	True	System		
	Running OK	Normal	False	True	
mountmgr	MountMgr				
	c:\winnt\system32\drivers\mountmgr.sys				
	Kernel Driver	True	Boot		
	Running OK	Normal	False	True	
mqac	MSMQ access control				
	\\?\c:\winnt\system32\drivers\mqac.sys				
	Kernel Driver	True	Manual		
	Running OK	Normal	False	True	
mraid35x	mraid35x	Not Available	Kernel Driver		
	False	Disabled	Stopped OK		
	Normal	False	False		
mrx smb	MRXSMB				
	c:\winnt\system32\drivers\mrx smb.sys				
	System Driver	True	System	Running OK	
	Normal	False	True		
msfs	Msfs	c:\winnt\system32\drivers\msfs.sys			
	File System Driver	True	System		
	Running OK	Normal	False	True	
mskssrv	Microsoft Streaming Service Proxy				
	c:\winnt\system32\drivers\mskssrv.sys				
	Kernel Driver	False	Manual		
	Stopped OK	Normal	False	False	
mspclock	Microsoft Streaming Clock Proxy				
	c:\winnt\system32\drivers\mspclock.sys				
	Kernel Driver	False	Manual		
	Stopped OK	Normal	False	False	
mspqm	Microsoft Streaming Quality Manager Proxy				
	c:\winnt\system32\drivers\mspqm.sys				
	Kernel Driver	False	Manual		
	Stopped OK	Normal	False	False	
mup	Mup	c:\winnt\system32\drivers\mup.sys			
	File System Driver	True	Boot		
	Running OK	Normal	False	True	

ncrc710	Ncrc710	Not Available	Kernel Driver		
	False	Disabled	Stopped OK		
	Normal	False	False		
ndis	NDIS System Driver				
	c:\winnt\system32\drivers\ndis.sys				
	Kernel Driver	True	Boot		
	Running OK	Normal	False	True	
ndistapi	Remote Access NDIS TAPI Driver				
	c:\winnt\system32\drivers\ndistapi.sys				
	Kernel Driver	True	Manual		
	Running OK	Normal	False	True	
ndiswan	Remote Access NDIS WAN Driver				
	c:\winnt\system32\drivers\ndiswan.sys				
	Kernel Driver	True	Manual		
	Running OK	Normal	False	True	
ndproxy	NDIS Proxy				
	c:\winnt\system32\drivers\ndproxy.sys				
	Kernel Driver	True	Manual		
	Running OK	Normal	False	True	
netbios	NetBIOS Interface				
	c:\winnt\system32\drivers\netbios.sys				
	System Driver	True	System	Running OK	
	Normal	False	True		
netbt	NetBios over Tcpip				
	c:\winnt\system32\drivers\netbt.sys				
	Kernel Driver	True	System		
	Running OK	Normal	False	True	
netdetect	NetDetect				
	c:\winnt\system32\drivers\netdetect.sys				
	Kernel Driver	False	Manual		
	Stopped OK	Normal	False	False	
npfs	Npfs	c:\winnt\system32\drivers\npfs.sys			
	File System Driver	True	System		
	Running OK	Normal	False	True	
ntfs	Ntfs	c:\winnt\system32\drivers\ntfs.sys			
	File System Driver	True	Disabled		
	Running OK	Normal	False	True	
null	Null	c:\winnt\system32\drivers\null.sys			
	Kernel Driver	True	System		
	Running OK	Normal	False	True	
nwlnkflt	IPX Traffic Filter Driver				
	c:\winnt\system32\drivers\nwlnkflt.sys				
	Kernel Driver	False	Manual		
	Stopped OK	Normal	False	False	
nwlnkfld	IPX Traffic Forwarder Driver				
	c:\winnt\system32\drivers\nwlnkfld.sys				
	Kernel Driver	False	Manual		
	Stopped OK	Normal	False	False	
openhci	Microsoft USB Open Host Controller Driver				
	c:\winnt\system32\drivers\openhci.sys				
	Kernel Driver	True	Manual		
	Running OK	Normal	False	True	
parallel	Parallel class driver				
	c:\winnt\system32\drivers\parallel.sys				
	Kernel Driver	True	Manual		
	Running OK	Normal	False	True	
parport	Parallel port driver				
	c:\winnt\system32\drivers\parport.sys				
	Kernel Driver	True	System		
	Running OK	Ignore	False	True	
partmgr	PartMgr				
	c:\winnt\system32\drivers\partmgr.sys				
	Kernel Driver	True	Boot		
	Running OK	Normal	False	True	
parvdm	Parvdm	c:\winnt\system32\drivers\parvdm.sys			
	Kernel Driver	True	Auto		
	Running OK	Ignore	False	True	
pci	PCI Bus Driver				
	c:\winnt\system32\drivers\pci.sys				
	Kernel Driver	True	Boot		
	Running OK	Critical	False	True	

pcidump	PCIDump	Not Available	Kernel Driver		
	False	System	Stopped OK		
	Ignore	False	False		
pciide	PCIIDE				
	c:\winnt\system32\drivers\pciide.sys				
	Kernel Driver	True	Boot		
	Running OK	Normal	False	True	
pcmcia	Pcmcia				
	c:\winnt\system32\drivers\pcmcia.sys				
	Kernel Driver	False	Disabled		
	Stopped OK	Normal	False	False	
pdcomp	PDCOMP	Not Available	Kernel Driver		
	False	Manual	Stopped OK		
	Ignore	False	False		
pdframe	PDRFRAME	Not Available	Kernel Driver		
	False	Manual	Stopped OK		
	Ignore	False	False		
pdreli	PDRELI	Not Available	Kernel Driver		
	False	Manual	Stopped OK		
	Ignore	False	False		
pdrframe	PDRFRAME	Not Available	Kernel Driver		
	False	Manual	Stopped OK		
	Ignore	False	False		
pptpminiport	WAN Miniport (PPTP)				
	c:\winnt\system32\drivers\rasppptp.sys				
	Kernel Driver	True	Manual		
	Running OK	Normal	False	True	
ptilink	Direct Parallel Link Driver				
	c:\winnt\system32\drivers\ptilink.sys				
	Kernel Driver	True	Manual		
	Running OK	Normal	False	True	
ql1080	ql1080	Not Available	Kernel Driver		
	False	Disabled	Stopped OK		
	Normal	False	False		
ql10wnt	ql10wnt	Not Available	Kernel Driver		
	False	Disabled	Stopped OK		
	Normal	False	False		
ql1240	ql1240	Not Available	Kernel Driver		
	False	Disabled	Stopped OK		
	Normal	False	False		
ql2100	ql2100	Not Available	Kernel Driver		
	False	Disabled	Stopped OK		
	Normal	False	False		
rasacd	Remote Access Auto Connection Driver				
	c:\winnt\system32\drivers\rasacd.sys				
	Kernel Driver	True	System		
	Running OK	Normal	False	True	
rasl2tp	WAN Miniport (L2TP)				
	c:\winnt\system32\drivers\rasl2tp.sys				
	Kernel Driver	True	Manual		
	Running OK	Normal	False	True	
raspti	Direct Parallel				
	c:\winnt\system32\drivers\raspti.sys				
	Kernel Driver	True	Manual		
	Running OK	Normal	False	True	
rca	Microsoft Streaming Network Raw Channel				
	Access	c:\winnt\system32\drivers\rca.sys			
	Kernel Driver	False	Manual		
	Stopped OK	Normal	False	False	
rdbs	Rdbss	c:\winnt\system32\drivers\rdbs.sys			
	File System Driver	True	System		
	Running OK	Normal	False	True	
rdpwd	RDPWD	c:\winnt\system32\drivers\rdpwd.sys			
	Kernel Driver	False	Manual		
	Stopped OK	Ignore	False	False	
redbook	Digital CD Audio Playback Filter Driver				
	c:\winnt\system32\drivers\redbook.sys				
	Kernel Driver	False	System		
	Stopped OK	Normal	False	False	
serenum	Serenum Filter Driver				
	c:\winnt\system32\drivers\serenum.sys				

```

serial Kernel Driver True Manual
Running OK Normal False True
Serial port driver
c:\winnt\system32\drivers\serial.sys
Kernel Driver True System
Running OK Ignore False True

sfloppy SFloppy
c:\winnt\system32\drivers\sfloppy.sys
Kernel Driver False System
Stopped OK Ignore False False

sglfb sglfb Not Available Kernel Driver
False System Stopped OK

simbad Simbad Not Available Kernel Driver
False Disabled Stopped OK
Normal False False

sparrow Sparrow Not Available Kernel Driver
False Disabled Stopped OK
Normal False False

spud Special Purpose Utility Driver
c:\winnt\system32\drivers\spud.sys
Kernel Driver True Manual
Running OK Normal False True

srv Srv c:\winnt\system32\drivers\srv.sys
File System Driver True Manual
Running OK Normal False True

swenum Software Bus Driver
c:\winnt\system32\drivers\swenum.sys
Kernel Driver True Manual
Running OK Normal False True

symc810 symc810 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False

symc8xx symc8xx Not Available Kernel Driver
False Disabled Stopped OK
Normal False False

sym_hi sym_hi Not Available Kernel Driver
False Disabled Stopped OK
Normal False False

tcppip TCP/IP Protocol Driver
c:\winnt\system32\drivers\tdcpi.sys
Kernel Driver True System
Running OK Normal False True

tdasync TDASync
c:\winnt\system32\drivers\tdasync.sys
Kernel Driver False Manual
Stopped OK Ignore False False

tdipx TDIPX c:\winnt\system32\drivers\tdipx.sys
Kernel Driver False Manual
Stopped OK Ignore False False

tdnetb TDNETB
c:\winnt\system32\drivers\tdnetb.sys
Kernel Driver False Manual
Stopped OK Ignore False False

tdpipe TDPIPE
c:\winnt\system32\drivers\tdpipe.sys
Kernel Driver False Manual
Stopped OK Ignore False False

tdspix TDSPX c:\winnt\system32\drivers\tdspix.sys
Kernel Driver False Manual
Stopped OK Ignore False False

tdtcp TDTCP c:\winnt\system32\drivers\tdtcp.sys
Kernel Driver False Manual
Stopped OK Ignore False False

termdd Terminal Device Driver
c:\winnt\system32\drivers\termdd.sys
Kernel Driver False Disabled
Stopped OK Normal False False

tga tga Not Available Kernel Driver
False System Stopped OK
Ignore False False

```

```

udfs udfs c:\winnt\system32\drivers\udfs.sys
File System Driver False Disabled
Stopped OK Normal False False

ultra66 ultra66 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False

update Microcode Update Driver
c:\winnt\system32\drivers\update.sys
Kernel Driver True Manual
Running OK Normal False True

usbhub Microsoft USB Standard Hub Driver
c:\winnt\system32\drivers\usbhub.sys
Kernel Driver True Manual
Running OK Normal False True

vgasave vgasave c:\winnt\system32\drivers\vgasave.sys
Kernel Driver True System
Running OK Ignore False True

wanarp Remote Access IP ARP Driver
c:\winnt\system32\drivers\wanarp.sys
Kernel Driver True Manual
Running OK Normal False True

wdica WDICA Not Available Kernel Driver
False Manual Stopped OK
Ignore False False

```

[Environment Variables]

```

Variable Value User Name
ComSpec %SystemRoot%\system32\cmd.exe <SYSTEM>
Os2LibPath %SystemRoot%\system32\os2dll;
Path %SystemRoot%\system32;%SystemRoot%;%SystemRo
t%\System32\wbem <SYSTEM>
windir %SystemRoot% <SYSTEM>
OS Windows_NT <SYSTEM>
PROCESSOR_ARCHITECTURE x86 <SYSTEM>
PROCESSOR_LEVEL 6 <SYSTEM>
PROCESSOR_IDENTIFIER x86 Family 6 Model 8
Stepping 6, GenuineIntel <SYSTEM>
PROCESSOR_REVISION 0806 <SYSTEM>
NUMBER_OF_PROCESSORS 2 <SYSTEM>
PATHEXT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.
WSH <SYSTEM>
TEMP %SystemRoot%\TEMP <SYSTEM>
TMP %SystemRoot%\TEMP <SYSTEM>
TEMP %USERPROFILE%\Local Settings\Temp
TMP %USERPROFILE%\Local Settings\Temp
CLI02\Administrator

```

[Jobs]

[Following are sub-categories of this main category]

[Print]

```

Document Size Owner Notify Status Time
Submitted Start Time Until Time
Elapsed Time Pages Printed Job
ID Priority Parameters Driver Name
Print Processor Host Print Queue Data
Type Name
No print jobs

```

[Network Connections]

```

Local Name Remote Name Type
Status User Name
Not Available \\sq12250\IPC$ Any OK
CLI02\Administrator
Not Available \\sq12250\c$ Disk OK
CLI02\Administrator

```

[Running Tasks]

```

Name Path Process ID Priority Min
Working Set Max Working Set Start Time
Version Size File Date
system idle process Not Available 0 0
Not Available Not Available Not
Available Unknown Unknown
system Not Available 8 8 0
1413120 Not Available Unknown
Unknown Unknown
smss.exe c:\winnt\system32\smss.exe 164 11
204800 1413120 10/11/2004 8:29:11 AM
5.00.2195.2901 44.27 KB (45,328 bytes)
12/7/1999 6:00:00 PM
csrss.exe Not Available 188 13 Not
Available Not Available 10/11/2004 8:29:15 AM
Unknown Unknown
winlogon.exe c:\winnt\system32\winlogon.exe
208 13 204800 1413120
10/11/2004 8:29:16 AM 5.00.2195.2953
173.77 KB (177,936 bytes) 12/7/1999
6:00:00 PM
services.exe c:\winnt\system32\services.exe
236 9 204800 1413120
10/11/2004 8:29:17 AM 5.00.2195.2780
86.77 KB (88,848 bytes) 12/7/1999
6:00:00 PM
lsass.exe c:\winnt\system32\lsass.exe 248 9
204800 1413120 10/11/2004 8:29:17 AM
5.00.2195.2964 32.77 KB (33,552 bytes)
12/7/1999 6:00:00 PM
svchost.exe c:\winnt\system32\svchost.exe 420
8 204800 1413120 10/11/2004
8:29:20 AM 5.00.2134.1 7.77 KB (7,952
bytes) 12/7/1999 6:00:00 PM
spoolsv.exe c:\winnt\system32\spoolsv.exe 452
8 204800 1413120 10/11/2004
8:29:21 AM 5.00.2161.1 43.77 KB
(44,816 bytes) 8/23/2004 8:23:01 AM
msdtc.exe c:\winnt\system32\msdtc.exe 480 8
204800 1413120 10/11/2004 8:29:21 AM
1999.9.3421.3 6.77 KB (6,928 bytes)
8/23/2004 8:28:57 AM
svchost.exe c:\winnt\system32\svchost.exe 612
8 204800 1413120 10/11/2004
8:29:23 AM 5.00.2134.1 7.77 KB (7,952
bytes) 12/7/1999 6:00:00 PM
llssrv.exe c:\winnt\system32\llssrv.exe 636
204800 1413120 10/11/2004
8:29:23 AM 5.00.2195.2649 114.27 KB
(117,008 bytes) 5/4/2001 12:05:02 PM
regsvcs.exe c:\winnt\system32\regsvcs.exe 688
204800 1413120 10/11/2004
8:29:24 AM 5.00.2195.2104 65.27 KB
(66,832 bytes) 8/23/2004 1:43:39 PM
mstask.exe c:\winnt\system32\mstask.exe 712
204800 1413120 10/11/2004
8:29:25 AM 4.71.2195.1 115.27 KB
(118,032 bytes) 8/23/2004 1:43:33 PM
inetinfo.exe
c:\winnt\system32\inetrv\inetinfo.exe 808
8 204800 1413120 10/11/2004
8:29:28 AM 5.00.0984 14.27 KB (14,608 bytes)
8/23/2004 1:44:33 PM

```

```

mqsvc.exe c:\winnt\system32\mqsvc.exe 840 8
204800 1413120 10/11/2004 8:29:28 AM
5.00.0720 13.77 KB (14,096 bytes)
8/23/2004 1:43:28 PM
dfssvc.exe c:\winnt\system32\dfssvc.exe 1020
8 204800 1413120 10/11/2004
8:29:33 AM 5.00.2195.2841 88.27 KB
(90,384 bytes) 8/23/2004 1:43:20 PM
explorer.exe c:\winnt\explorer.exe 1108
8 204800 1413120 10/11/2004
8:29:33 AM 5.00.3315.2846 237.27 KB
(242,960 bytes) 8/23/2004 1:43:45 PM
internet.exe c:\winnt\system32\internet.exe
1148 8 204800 1413120
10/11/2004 8:29:34 AM 5.00.2920.0000
20.27 KB (20,752 bytes) 12/7/1999
6:00:00 PM
winvnc.exe c:\program
files\tridiavnc\win32\winvnc.exe 1172 8
204800 1413120 10/11/2004 8:29:34 AM
1, 5, 4, 0 244.00 KB (249,856 bytes)
9/20/2004 10:07:33 AM
svchost.exe c:\winnt\system32\svchost.exe 676
8 204800 1413120 10/11/2004
8:30:20 AM 5.00.2134.1 7.77 KB (7,952
bytes) 12/7/1999 6:00:00 PM
winmgmt.exe c:\winnt\system32\wbem\winmgmt.exe
628 8 204800 1413120
10/11/2004 10:54:14 AM 1.50.1085.0029
192.08 KB (196,685 bytes) 8/23/2004
1:43:50 PM
mmc.exe c:\winnt\system32\mmc.exe 1408 8
204800 1413120 10/11/2004 10:57:53 AM
5.00.2195.2301 589.27 KB (603,408 bytes)
8/23/2004 1:43:26 PM
rsvp.exe c:\winnt\system32\rsvp.exe 1512 8
204800 1413120 10/11/2004 10:59:10 AM
5.00.2167.1 172.77 KB (176,912 bytes)
12/7/1999 6:00:00 PM

```

[Loaded Modules]

Name	Version	Size	File Date	Manufacturer
traffic.dll	5.00.2139.1	30.77 KB	12/7/1999 6:00:00 PM	Microsoft Corporation
rsvp.exe	5.00.2167.1	172.77 KB (176,912 bytes)	12/7/1999 6:00:00 PM	Microsoft Corporation
wbemprox.dll	1.50.1085.0045	40.08 KB (41,040 bytes)	8/23/2004 1:43:50 PM	Microsoft Corporation
cabinet.dll	5.00.2147.1	54.77 KB (56,080 bytes)	12/7/1999 6:00:00 PM	Microsoft Corporation
msinfo32.dll	5.00.2177.1	312.27 KB (319,760 bytes)	8/23/2004 11:33:06 AM	Microsoft Corporation
files\common files\microsoft shared\msinfo32\msinfo32.dll	5.00.2178.1	815.27 KB (834,832 bytes)	12/7/1999 6:00:00 PM	Microsoft Corporation
mmc.exe	5.00.2195.2301	589.27 KB (603,408 bytes)	8/23/2004 1:43:26 PM	Microsoft Corporation
perfos.dll	5.00.2155.1	21.27 KB (21,776 bytes)	12/7/1999 6:00:00 PM	Microsoft Corporation

```

Microsoft Corporation
c:\winnt\system32\perfos.dll
ntevt.dll 1.50.1085.0000 192.06 KB (196,669 bytes)
12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\wbem\ntevt.dll
psapi.dll 5.00.2134.1 28.27 KB (28,944 bytes)
12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\psapi.dll
framedyn.dll 1.50.1085.0000 164.05 KB (167,992 bytes)
12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\wbem\framedyn.dll
cimwin32.dll 1.50.1085.0038 1.02 MB (1,073,232 bytes)
8/23/2004 1:43:49 PM
Microsoft Corporation
c:\winnt\system32\wbem\cimwin32.dll
wbemsvc.dll 1.50.1085.0007 40.07 KB (41,036 bytes)
8/23/2004 1:43:50 PM
Microsoft Corporation
c:\winnt\system32\wbem\wbemsvc.dll
adslpd.dll 5.00.2195.2778 119.77 KB (122,640 bytes)
8/23/2004 1:43:15 PM
Microsoft Corporation
c:\winnt\system32\adslpd.dll
provthrd.dll 1.50.1085.0000 68.07 KB (69,708 bytes)
8/23/2004 11:32:59 AM
Microsoft Corporation
c:\winnt\system32\wbem\provthrd.dll
dsprov.dll 1.50.1085.0000 196.06 KB (200,761 bytes)
8/23/2004 11:32:59 AM
Microsoft Corporation
c:\winnt\system32\wbem\dsprov.dll
mofd.dll 1.50.1085.0007 136.07 KB (139,332 bytes)
8/23/2004 1:43:49 PM
Microsoft Corporation
c:\winnt\system32\wbem\mofd.dll
wmiprov.dll 1.50.1085.0032 108.07 KB (110,660 bytes)
8/23/2004 1:43:50 PM
Microsoft Corporation
c:\winnt\system32\wbem\wmiprov.dll
wbemess.dll 1.50.1085.0039 364.07 KB (372,804 bytes)
8/23/2004 1:43:50 PM
Microsoft Corporation
c:\winnt\system32\wbem\wbemess.dll
fastprox.dll 1.50.1085.0037 144.08 KB (147,536 bytes)
8/23/2004 1:43:49 PM
Microsoft Corporation
c:\winnt\system32\wbem\fastprox.dll
wbemcore.dll 1.50.1085.0036 628.07 KB (643,140 bytes)
8/23/2004 1:43:50 PM
Microsoft Corporation
c:\winnt\system32\wbem\wbemcore.dll
wbemcomm.dll 1.50.1085.0021 692.07 KB (708,675 bytes)
8/23/2004 1:43:49 PM
Microsoft Corporation
c:\winnt\system32\wbem\wbemcomm.dll
winmgmt.exe 1.50.1085.0029 192.08 KB (196,685 bytes)
8/23/2004 1:43:50 PM
Microsoft Corporation
c:\winnt\system32\wbem\winmgmt.exe
h323.tsp 5.00.2195.2283 248.77 KB (254,736 bytes)
8/23/2004 1:43:23 PM
Microsoft Corporation
c:\winnt\system32\h323.tsp
ipconf.tsp 5.00.2143.1 10.77 KB (11,024 bytes)
12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\ipconf.tsp
ndptsp.tsp 5.00.2143.1 38.27 KB (39,184 bytes)
12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\ndptsp.tsp
kmddsp.tsp 5.00.2150.1 17.77 KB (18,192 bytes)
12/7/1999 6:00:00 PM

```

```

Microsoft Corporation
c:\winnt\system32\kmddsp.tsp
ntmarta.dll 5.00.2195.2862 98.77 KB (101,136 bytes)
8/23/2004 1:43:36 PM
Microsoft Corporation
c:\winnt\system32\ntmarta.dll
uniplat.dll 5.00.2151.1 13.77 KB (14,096 bytes)
12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\uniplat.dll
unimdm.tsp 5.00.2175.1 196.77 KB (201,488 bytes)
12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\unimdm.tsp
tapisrv.dll 5.00.2195.2935 169.27 KB (173,328 bytes)
8/23/2004 1:43:43 PM
Microsoft Corporation
c:\winnt\system32\tapisrv.dll
zlib.dll 1.1.3 72.00 KB (73,728 bytes)
9/20/2004 10:07:33 AM
Not Available
c:\program files\tridiavnc\win32\zlib.dll
omnithread_rt.dll Not Available 44.00 KB (45,056 bytes)
9/20/2004 10:07:33 AM
Not Available
c:\winnt\system32\omnithread_rt.dll
vnchooks.dll 3, 3, 3, 6 32.00 KB (32,768 bytes)
9/20/2004 10:07:33 AM
Tridia Corporation
c:\program files\tridiavnc\win32\vnchooks.dll
winvnc.exe 1, 5, 4, 0 244.00 KB (249,856 bytes)
9/20/2004 10:07:33 AM
Tridia Corporation
c:\program files\tridiavnc\win32\winvnc.exe
internet.exe 5.00.2920.0000 20.27 KB (20,752 bytes)
12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\internet.exe
thumbvw.dll 5.00.2920.0000 183.27 KB (187,664 bytes)
12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\thumbvw.dll
usp10.dll 1.0325.2195.2104 308.27 KB (315,664 bytes)
8/23/2004 1:43:44 PM
Microsoft Corporation
c:\winnt\system32\usp10.dll
mshtml.dll 5.00.3315.2870 227.27 KB (232,720 bytes)
8/23/2004 1:43:30 PM
Microsoft Corporation
c:\winnt\system32\mshtml.dll
dsuiext.dll 5.00.2195.2779 107.77 KB (110,352 bytes)
8/23/2004 1:43:21 PM
Microsoft Corporation
c:\winnt\system32\dsuiext.dll
dsfolder.dll 5.00.2195.2779 40.77 KB (41,744 bytes)
8/23/2004 1:43:21 PM
Microsoft Corporation
c:\winnt\system32\dsfolder.dll
imgutil.dll 5.00.3315.2870 30.77 KB (31,504 bytes)
8/23/2004 1:43:24 PM
Microsoft Corporation
c:\winnt\system32\imgutil.dll
webvw.dll 5.00.2920.0000 1.06 MB (1,115,408 bytes)
12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\webvw.dll
msls31.dll 3.10.337.0 145.27 KB (148,752 bytes)
12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\msls31.dll
mshtml.dll 5.00.3315.2870 2.24 MB (2,345,232 bytes)
8/23/2004 1:43:29 PM
Microsoft Corporation
c:\winnt\system32\mshtml.dll
actxprxy.dll 5.00.3103.1000 70.27 KB (71,952 bytes)
8/23/2004 1:43:12 PM

```


Microsoft Corporation
 c:\winnt\system32\actxprxy.dll
 jscript.dll 5.1.0.5907 476.06 KB
 (487,481 bytes) 8/23/2004 1:43:25 PM
 Microsoft Corporation
 c:\winnt\system32\jscript.dll
 faxshell.dll 5.00.2134.1 8.27 KB (8,464
 bytes) 12/7/1999 6:00:00 PM
 Corporation c:\winnt\system32\faxshell.dll
 msacm32.dll 5.00.2134.1 65.27 KB
 (66,832 bytes) 12/7/1999 6:00:00 PM
 Microsoft Corporation
 c:\winnt\system32\msacm32.dll
 avifil32.dll 5.00.2134.1 76.27 KB
 (78,096 bytes) 12/7/1999 6:00:00 PM
 Microsoft Corporation
 c:\winnt\system32\avifil32.dll
 msvfw32.dll 5.00.2134.1 113.77 KB
 (116,496 bytes) 12/7/1999 6:00:00 PM
 Microsoft Corporation
 c:\winnt\system32\msvfw32.dll
 docprop2.dll 5.00.2178.1 297.77 KB
 (304,912 bytes) 12/7/1999 6:00:00 PM
 Microsoft Corporation
 c:\winnt\system32\docprop2.dll
 cmdlg32.dll 5.00.3103.1000 236.77 KB
 (242,448 bytes) 12/7/1999 6:00:00 PM
 Microsoft Corporation
 c:\winnt\system32\cmdlg32.dll
 mstask.dll 4.71.2137.1 213.27 KB
 (218,384 bytes) 8/23/2004 11:32:59 AM
 Microsoft Corporation
 c:\winnt\system32\mstask.dll
 shdoclc.dll 5.00.3315.2879 324.50 KB
 (332,288 bytes) 8/23/2004 1:43:41 PM
 Microsoft Corporation
 c:\winnt\system32\shdoclc.dll
 mlang.dll 5.00.3103.1000 510.77 KB (523,024 bytes)
 8/23/2004 1:43:26 PM
 Corporation c:\winnt\system32\mlang.dll
 urlmon.dll 5.00.3315.1000 441.27 KB
 (451,856 bytes) 8/23/2004 1:43:43 PM
 Microsoft Corporation
 c:\winnt\system32\urlmon.dll
 browselc.dll 5.00.3315.2846 34.50 KB
 (35,328 bytes) 8/23/2004 1:43:16 PM
 Microsoft Corporation
 c:\winnt\system32\browselc.dll
 linkinfo.dll 5.00.2134.1 15.77 KB
 (16,144 bytes) 12/7/1999 6:00:00 PM
 Microsoft Corporation
 c:\winnt\system32\linkinfo.dll
 wininet.dll 5.00.3315.1000 456.77 KB
 (467,728 bytes) 8/23/2004 1:43:45 PM
 Microsoft Corporation
 c:\winnt\system32\wininet.dll
 imm32.dll 5.00.2195.2821 94.27 KB (96,528 bytes)
 8/23/2004 1:43:24 PM
 Corporation c:\winnt\system32\imm32.dll
 indic11.dll 5.00.2920.0000 11.27 KB
 (11,536 bytes) 12/7/1999 6:00:00 PM
 Microsoft Corporation
 c:\winnt\system32\indic11.dll
 powrprof.dll 5.00.3103.1000 13.27 KB
 (13,584 bytes) 8/23/2004 1:43:38 PM
 Microsoft Corporation
 c:\winnt\system32\powrprof.dll
 batmeter.dll 5.00.3103.1000 20.27 KB
 (20,752 bytes) 8/23/2004 1:43:16 PM
 Microsoft Corporation
 c:\winnt\system32\batmeter.dll

stobject.dll 5.00.2195.2780 79.27 KB
 (81,168 bytes) 8/23/2004 1:43:43 PM
 Microsoft Corporation
 c:\winnt\system32\stobject.dll
 msi.dll 1.11.2405.0 1.69 MB (1,767,184 bytes)
 8/23/2004 1:43:30 PM
 Corporation c:\winnt\system32\msi.dll
 webcheck.dll 5.00.3315.1000 251.77 KB
 (257,808 bytes) 8/23/2004 1:43:44 PM
 Microsoft Corporation
 c:\winnt\system32\webcheck.dll
 netui1.dll 5.00.2134.1 210.27 KB
 (215,312 bytes) 12/7/1999 6:00:00 PM
 Microsoft Corporation
 c:\winnt\system32\netui1.dll
 netui0.dll 5.00.2134.1 70.27 KB
 (71,952 bytes) 12/7/1999 6:00:00 PM
 Microsoft Corporation
 c:\winnt\system32\netui0.dll
 ntlanman.dll 5.00.2157.1 35.27 KB
 (36,112 bytes) 12/7/1999 6:00:00 PM
 Microsoft Corporation
 c:\winnt\system32\ntlanman.dll
 mydocs.dll 5.00.2920.0000 55.77 KB
 (57,104 bytes) 12/7/1999 6:00:00 PM
 Microsoft Corporation
 c:\winnt\system32\mydocs.dll
 ntshrui.dll 5.00.2134.1 46.77 KB
 (47,888 bytes) 12/7/1999 6:00:00 PM
 Microsoft Corporation
 c:\winnt\system32\ntshrui.dll
 browseui.dll 5.00.3315.2846 788.77 KB
 (807,696 bytes) 8/23/2004 1:43:16 PM
 Microsoft Corporation
 c:\winnt\system32\browseui.dll
 shdocvw.dll 5.00.3315.2879 1.05 MB
 (1,104,144 bytes) 8/23/2004 1:43:41 PM
 Microsoft Corporation
 c:\winnt\system32\shdocvw.dll
 explorer.exe 5.00.3315.2846 237.27 KB
 (242,960 bytes) 8/23/2004 1:43:45 PM
 Microsoft Corporation
 c:\winnt\explorer.exe
 dfssvc.exe 5.00.2195.2841 88.27 KB
 (90,384 bytes) 8/23/2004 1:43:20 PM
 Microsoft Corporation
 c:\winnt\system32\dfssvc.exe
 mqdscli.dll 5.00.0720.73.77 KB (75,536 bytes)
 8/23/2004 1:43:27 PM
 Corporation c:\winnt\system32\mqdscli.dll
 mqlogmgr.dll 1999.8.3413.7 85.27 KB
 (87,312 bytes) 8/23/2004 8:29:08 AM
 Microsoft Corporation
 c:\winnt\system32\mqlogmgr.dll
 mqutil.dll 5.00.0720.105.27 KB (107,792 bytes)
 8/23/2004 1:43:28 PM
 Corporation c:\winnt\system32\mqutil.dll
 mqsec.dll 5.00.0720.68.77 KB (70,416 bytes)
 8/23/2004 1:43:28 PM
 Corporation c:\winnt\system32\mqsec.dll
 mqqm.dll 5.00.0721.404.27 KB (413,968 bytes)
 8/23/2004 1:43:27 PM
 Corporation c:\winnt\system32\mqqm.dll
 mqsvc.exe 5.00.0720.13.77 KB (14,096 bytes)
 8/23/2004 1:43:28 PM
 Corporation c:\winnt\system32\mqsvc.exe
 iislog.dll 5.00.0984.75.27 KB (77,072 bytes)
 8/23/2004 1:44:33 PM
 Corporation c:\winnt\system32\iislog.dll
 httpext.dll 0.9.3940.21 435.27 KB
 (445,712 bytes) 8/23/2004 1:44:32 PM

Microsoft Corporation
 c:\winnt\system32\inetrv\httpext.dll
 fpexed11.dll 4.0.2.4324 20.06 KB
 (20,541 bytes) 8/23/2004 1:44:24 PM
 Microsoft Corporation
 c:\program
 files\common files\microsoft shared\web server
 extensions\40\bin\fpexed11.dll
 md5filt.dll 5.00.0984.32.77 KB (33,552 bytes)
 8/23/2004 1:44:33 PM
 Corporation
 c:\winnt\system32\inetrv\md5filt.dll
 gzip.dll 5.00.0984.30.27 KB (30,992 bytes)
 8/23/2004 1:44:32 PM
 Corporation c:\winnt\system32\inetrv\gzip.dll
 wshnetbs.dll 5.00.2134.1 7.77 KB (7,952
 bytes) 12/7/1999 6:00:00 PM
 Corporation c:\winnt\system32\wshnetbs.dll
 compfilt.dll 5.00.0984.22.77 KB (23,312 bytes)
 8/23/2004 1:44:32 PM
 Corporation
 c:\winnt\system32\inetrv\comfilt.dll
 sspifilt.dll 5.00.0984.43.27 KB (44,304 bytes)
 8/23/2004 1:44:34 PM
 Corporation
 c:\winnt\system32\inetrv\sspifilt.dll
 iscomlog.dll 5.00.0984.24.77 KB (25,360 bytes)
 8/23/2004 1:44:33 PM
 Corporation
 c:\winnt\system32\inetrv\iscomlog.dll
 lonsint.dll 5.00.0984.11.77 KB (12,048 bytes)
 8/23/2004 1:44:33 PM
 Corporation
 c:\winnt\system32\inetrv\lonsint.dll
 inetloc.dll 5.00.0984.20.27 KB (20,752 bytes)
 8/23/2004 1:43:24 PM
 Corporation c:\winnt\system32\inetloc.dll
 ftpsvc2.dll 5.00.0984.114.27 KB (117,008 bytes)
 8/23/2004 1:44:32 PM
 Corporation
 c:\winnt\system32\inetrv\ftpsvc2.dll
 iisfecnv.dll 5.00.0984.7.27 KB (7,440 bytes)
 8/23/2004 8:29:24 AM
 Corporation
 c:\winnt\system32\inetrv\iisfecnv.dll
 isatq.dll 5.00.0984.60.27 KB (61,712 bytes)
 8/23/2004 1:44:33 PM
 Corporation c:\winnt\system32\inetrv\isatq.dll
 infocomm.dll 5.00.0984.238.27 KB (243,984 bytes)
 8/23/2004 1:44:33 PM
 Corporation
 c:\winnt\system32\inetrv\infocomm.dll
 w3svc.dll 5.00.0984.343.27 KB (351,504 bytes)
 8/23/2004 1:44:34 PM
 Corporation c:\winnt\system32\inetrv\w3svc.dll
 security.dll 5.00.2154.1 5.77 KB (5,904
 bytes) 12/7/1999 6:00:00 PM
 Corporation c:\winnt\system32\security.dll
 svcxext.dll 5.00.0984.39.77 KB (40,720 bytes)
 8/23/2004 1:44:34 PM
 Corporation
 c:\winnt\system32\inetrv\svcxext.dll
 admexs.dll 5.00.0984.27.77 KB (28,432 bytes)
 8/23/2004 1:44:31 PM
 Corporation
 c:\winnt\system32\inetrv\admexs.dll
 wamreg.dll 5.00.0984.45.77 KB (46,864 bytes)
 8/23/2004 1:44:34 PM
 Corporation
 c:\winnt\system32\inetrv\wamreg.dll
 metadata.dll 5.00.0984.68.77 KB (70,416 bytes)
 8/23/2004 1:44:33 PM
 Microsoft

Corporation
 c:\winnt\system32\inetsrv\metadata.dll
 iismap.dll 5.00.0984 55.77 KB (57,104 bytes)
 8/23/2004 1:43:23 PM Microsoft
 Corporation c:\winnt\system32\iismap.dll
 nsepm.dll 5.00.0984 43.27 KB (44,304 bytes)
 8/23/2004 1:44:33 PM Microsoft
 Corporation c:\winnt\system32\inetsrv\nsepm.dll
 admwprox.dll 5.00.0984 31.77 KB (32,528 bytes)
 8/23/2004 8:29:25 AM Microsoft
 Corporation c:\winnt\system32\admwprox.dll
 coadmin.dll 5.00.0984 39.27 KB (40,208 bytes)
 8/23/2004 1:44:32 PM Microsoft
 Corporation c:\winnt\system32\inetsrv\coadmin.dll
 iisadmin.dll 5.00.0984 15.27 KB (15,632 bytes)
 8/23/2004 1:44:32 PM Microsoft
 Corporation c:\winnt\system32\inetsrv\iisadmin.dll
 rpreff.dll 5.00.0984 4.27 KB (4,368 bytes)
 8/23/2004 1:44:33 PM Microsoft
 Corporation c:\winnt\system32\inetsrv\preff.dll
 iisrtr.dll 5.00.0984 119.77 KB (122,640 bytes)
 8/23/2004 1:43:24 PM Microsoft
 Corporation c:\winnt\system32\iisrtr.dll
 inetinfo.exe 5.00.0984 14.27 KB (14,608 bytes)
 8/23/2004 1:44:33 PM Microsoft
 Corporation c:\winnt\system32\inetsrv\inetinfo.exe
 msidle.dll 5.00.2920.0000 6.27 KB (6,416 bytes)
 12/7/1999 6:00:00 PM Microsoft
 Corporation c:\winnt\system32\msidle.dll
 mstask.exe 4.71.2195.1 115.27 KB (118,032 bytes)
 8/23/2004 1:43:33 PM Microsoft
 Corporation c:\winnt\system32\mstask.exe
 regsvc.exe 5.00.2195.2104 65.27 KB (66,832 bytes)
 8/23/2004 1:43:39 PM Microsoft
 Corporation c:\winnt\system32\regsvc.exe
 llsrcp.dll 5.00.2149.1 45.77 KB (46,864 bytes)
 12/7/1999 6:00:00 PM Microsoft
 Corporation c:\winnt\system32\llsrcp.dll
 llssrv.exe 5.00.2195.2649 114.27 KB (117,008 bytes)
 5/4/2001 12:05:02 PM Microsoft
 Corporation c:\winnt\system32\llssrv.exe
 ipbootp.dll 5.00.2168.1 33.77 KB (34,576 bytes)
 12/7/1999 6:00:00 PM Microsoft
 Corporation c:\winnt\system32\ipbootp.dll
 rastls.dll 5.00.2195.2671 47.77 KB (48,912 bytes)
 8/23/2004 1:43:39 PM Microsoft
 Corporation c:\winnt\system32\rastls.dll
 raschap.dll 5.00.2195.2671 34.77 KB (35,600 bytes)
 8/23/2004 1:43:39 PM Microsoft
 Corporation c:\winnt\system32\raschap.dll
 rasppp.dll 5.00.2195.2671 192.77 KB (197,392 bytes)
 8/23/2004 1:43:39 PM Microsoft
 Corporation c:\winnt\system32\rasppp.dll
 rastapi.dll 5.00.2195.2671 52.77 KB (54,032 bytes)
 12/7/1999 6:00:00 PM Microsoft
 Corporation c:\winnt\system32\rastapi.dll
 wmi.dll 5.00.2191.1 6.27 KB (6,416 bytes)
 12/7/1999 6:00:00 PM Microsoft
 Corporation c:\winnt\system32\wmi.dll

netshell.dll 5.00.2195.2779 457.27 KB (468,240 bytes)
 8/23/2004 1:43:35 PM Microsoft
 Corporation c:\winnt\system32\netshell.dll
 netman.dll 5.00.2195.2779 89.27 KB (91,408 bytes)
 8/23/2004 1:43:35 PM Microsoft
 Corporation c:\winnt\system32\netman.dll
 rasdlg.dll 5.00.2195.2671 514.27 KB (526,608 bytes)
 12/7/1999 6:00:00 PM Microsoft
 Corporation c:\winnt\system32\rasdlg.dll
 netcfgx.dll 5.00.2195.2228 534.77 KB (547,600 bytes)
 8/23/2004 1:43:34 PM Microsoft
 Corporation c:\winnt\system32\netcfgx.dll
 rasmans.dll 5.00.2195.2728 147.27 KB (150,800 bytes)
 8/23/2004 1:43:39 PM Microsoft
 Corporation c:\winnt\system32\rasmans.dll
 ntmsdba.dll 5.00.2195.2779 167.27 KB (171,280 bytes)
 8/23/2004 1:43:36 PM Microsoft
 Corporation c:\winnt\system32\ntmsdba.dll
 sens.dll 5.00.2163.1 36.77 KB (37,648 bytes)
 12/7/1999 6:00:00 PM Microsoft
 Corporation c:\winnt\system32\sens.dll
 ntmsvsc.dll 5.00.2195.2779 391.27 KB (400,656 bytes)
 8/23/2004 1:43:36 PM Microsoft
 Corporation c:\winnt\system32\ntmsvsc.dll
 es.dll 2000.2.3471.1 222.27 KB (227,600 bytes)
 8/23/2004 1:43:22 PM Microsoft
 Corporation c:\winnt\system32\es.dll
 mtxoci.dll 2000.2.3471.1 101.77 KB (104,208 bytes)
 8/23/2004 1:43:34 PM Microsoft
 Corporation c:\winnt\system32\mtxoci.dll
 resutils.dll 5.00.2195.2787 39.77 KB (40,720 bytes)
 8/23/2004 1:43:39 PM Microsoft
 Corporation c:\winnt\system32\resutils.dll
 clusapi.dll 5.00.2195.2104 54.27 KB (55,568 bytes)
 8/23/2004 1:43:18 PM Microsoft
 Corporation c:\winnt\system32\clusapi.dll
 msvcp50.dll 5.00.7051.552.50 KB (565,760 bytes)
 12/7/1999 6:00:00 PM Microsoft
 Corporation c:\winnt\system32\msvcp50.dll
 xolehlp.dll 1999.9.3421.3 17.27 KB (17,680 bytes)
 8/23/2004 8:28:57 AM Microsoft
 Corporation c:\winnt\system32\xolehlp.dll
 msdtclog.dll 1999.9.3421.3 89.77 KB (91,920 bytes)
 8/23/2004 8:28:57 AM Microsoft
 Corporation c:\winnt\system32\msdtclog.dll
 mtxclu.dll 2000.2.3471.1 51.27 KB (52,496 bytes)
 8/23/2004 1:43:34 PM Microsoft
 Corporation c:\winnt\system32\mtxclu.dll
 msdtcprx.dll 2000.2.3471.1 665.77 KB (681,744 bytes)
 8/23/2004 1:43:28 PM Microsoft
 Corporation c:\winnt\system32\msdtcprx.dll
 txfaux.dll 2000.2.3471.1 374.27 KB (383,248 bytes)
 8/23/2004 1:43:43 PM Microsoft
 Corporation c:\winnt\system32\txfaux.dll
 msdtctm.dll 2000.2.3471.1 1.07 MB (1,120,528 bytes)
 8/23/2004 1:43:29 PM Microsoft
 Corporation c:\winnt\system32\msdtctm.dll

Microsoft Corporation
 c:\winnt\system32\msdtctm.dll
 msdtc.exe 1999.9.3421.3 6.77 KB (6,928 bytes)
 8/23/2004 8:28:57 AM Microsoft
 Corporation c:\winnt\system32\msdtc.exe
 inetpp.dll 5.00.2195.2842 65.27 KB (66,832 bytes)
 8/23/2004 1:43:24 PM Microsoft
 Corporation c:\winnt\system32\inetpp.dll
 win32spl.dll 5.00.2195.2780 92.27 KB (94,480 bytes)
 12/7/1999 6:00:00 PM Microsoft
 Corporation c:\winnt\system32\win32spl.dll
 usbmon.dll 5.00.2195.2780 11.27 KB (11,536 bytes)
 8/23/2004 1:43:44 PM Microsoft
 Corporation c:\winnt\system32\usbmon.dll
 tcpmon.dll 5.00.2195.2780 40.77 KB (41,744 bytes)
 8/23/2004 1:43:43 PM Microsoft
 Corporation c:\winnt\system32\tcpmon.dll
 pjlmn.dll 5.00.2165.1 12.77 KB (13,072 bytes)
 11/30/1999 9:39:36 PM Microsoft
 Corporation c:\winnt\system32\pjlmn.dll
 cnbjmon.dll 5.00.2134.1 43.77 KB (44,816 bytes)
 11/30/1999 9:38:48 PM Microsoft
 Corporation c:\winnt\system32\cnbjmon.dll
 localspl.dll 5.00.2195.2793 246.77 KB (252,688 bytes)
 12/7/1999 6:00:00 PM Microsoft
 Corporation c:\winnt\system32\localspl.dll
 spoolss.dll 5.00.2161.1 61.77 KB (63,248 bytes)
 8/23/2004 8:23:01 AM Microsoft
 Corporation c:\winnt\system32\spoolss.dll
 spoolsv.exe 5.00.2161.1 43.77 KB (44,816 bytes)
 8/23/2004 8:23:01 AM Microsoft
 Corporation c:\winnt\system32\spoolsv.exe
 rpcss.dll 5.00.2195.2815 231.27 KB (236,816 bytes)
 8/23/2004 1:43:40 PM Microsoft
 Corporation c:\winnt\system32\rpcss.dll
 svchost.exe 5.00.2134.1 7.77 KB (7,952 bytes)
 12/7/1999 6:00:00 PM Microsoft
 Corporation c:\winnt\system32\svchost.exe
 dsenh.dll 5.00.2195.2228 142.77 KB (146,192 bytes)
 8/23/2004 1:44:27 PM Microsoft
 Corporation c:\winnt\system32\dsenh.dll
 oakley.dll 5.00.2195.2785 378.77 KB (387,856 bytes)
 8/23/2004 1:43:36 PM Microsoft
 Corporation c:\winnt\system32\oakley.dll
 mfc42u.dll 6.00.8665.0 972.05 KB (995,384 bytes)
 12/7/1999 6:00:00 PM Microsoft
 Corporation c:\winnt\system32\mfc42u.dll
 polagent.dll 5.00.2183.1 108.27 KB (110,864 bytes)
 12/7/1999 6:00:00 PM Microsoft
 Corporation c:\winnt\system32\polagent.dll
 scecli.dll 5.00.2195.2780 105.27 KB (107,792 bytes)
 8/23/2004 1:43:40 PM Microsoft
 Corporation c:\winnt\system32\scecli.dll
 atl.dll 3.00.8449.57.56 KB (58,938 bytes)
 12/7/1999 6:00:00 PM Microsoft
 Corporation c:\winnt\system32\atl.dll
 certcli.dll 5.00.2195.2778 130.77 KB (133,904 bytes)
 8/23/2004 1:43:18 PM Microsoft
 Corporation c:\winnt\system32\certcli.dll

```

Microsoft Corporation
c:\winnt\system32\certcli.dll
esent.dll 6.0.3940.13 1.08 MB (1,135,376 bytes)
8/23/2004 1:43:22 PM Microsoft
Corporation c:\winnt\system32\esent.dll
ntdsatq.dll 5.00.2195.2878 31.27 KB
(32,016 bytes) 8/23/2004 1:43:35 PM
Microsoft Corporation
c:\winnt\system32\ntdsatq.dll
ntdsa.dll 5.00.2195.2899 990.77 KB (1,014,544
bytes) 8/23/2004 1:43:35 PM Microsoft
Corporation c:\winnt\system32\ntdsa.dll
kdcsvcs.dll 5.00.2195.2878 137.77 KB
(141,072 bytes) 8/23/2004 1:43:26 PM
Microsoft Corporation
c:\winnt\system32\kdcsvcs.dll
sfmapi.dll 5.00.2134.1 38.77 KB
(39,696 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\sfmapi.dll
rassfm.dll 5.00.2195.2671 21.27 KB
(21,776 bytes) 8/23/2004 1:43:39 PM
Microsoft Corporation
c:\winnt\system32\rassfm.dll
mpr.dll 5.00.2195.2779 53.27 KB (54,544 bytes)
8/23/2004 1:43:26 PM Microsoft
Corporation c:\winnt\system32\mpr.dll
rsabase.dll 5.00.2195.2228 128.27 KB
(131,344 bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\rsabase.dll
schannel.dll 5.00.2195.2922 138.27 KB
(141,584 bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\schannel.dll
netlogon.dll 5.00.2195.2865 357.77 KB
(366,352 bytes) 8/23/2004 1:43:34 PM
Microsoft Corporation
c:\winnt\system32\netlogon.dll
msv1_0.dll 5.00.2195.2900 111.77 KB
(114,448 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\msv1_0.dll
kerberos.dll 5.00.2195.2913 198.77 KB
(203,536 bytes) 8/23/2004 1:43:26 PM
Microsoft Corporation
c:\winnt\system32\kerberos.dll
msprivs.dll 5.00.2134.1 41.50 KB
(42,496 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\msprivs.dll
samsrv.dll 5.00.2195.2918 369.77 KB
(378,640 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\samsrv.dll
lsasrv.dll 5.00.2195.2964 492.77 KB
(504,592 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\lsasrv.dll
lsass.exe 5.00.2195.2964 32.77 KB (33,552 bytes)
12/7/1999 6:00:00 PM Microsoft
Corporation c:\winnt\system32\lsass.exe
ntlsapi.dll 5.00.2134.1 6.77 KB (6,928
bytes) 12/7/1999 6:00:00 PM Microsoft
Corporation c:\winnt\system32\ntlsapi.dll
xactsrv.dll 5.00.2134.1 90.27 KB
(92,432 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\xactsrv.dll
wmi.dll 5.00.2195.2842 72.27 KB
(74,000 bytes) 8/23/2004 1:43:45 PM

```

```

Microsoft Corporation
c:\winnt\system32\wmi.dll
rasadhlp.dll 5.00.2168.1 7.27 KB (7,440
bytes) 12/7/1999 6:00:00 PM Microsoft
Corporation c:\winnt\system32\rasadhlp.dll
winrnr.dll 5.00.2160.1 18.77 KB
(19,216 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\winrnr.dll
rnr20.dll 5.00.2195.2871 35.77 KB (36,624 bytes)
8/23/2004 1:43:40 PM Microsoft
Corporation c:\winnt\system32\rnr20.dll
wshtcpip.dll 5.00.2195.2104 17.27 KB
(17,680 bytes) 8/23/2004 1:43:45 PM
Microsoft Corporation
c:\winnt\system32\wshtcpip.dll
msafd.dll 5.00.2195.2779 106.77 KB (109,328 bytes)
8/23/2004 1:43:28 PM Microsoft
Corporation c:\winnt\system32\msafd.dll
mswsock.dll 5.00.2195.2871 62.77 KB
(64,272 bytes) 8/23/2004 1:43:33 PM
Microsoft Corporation
c:\winnt\system32\mswsock.dll
msgsvc.dll 5.00.2195.2939 34.27 KB
(35,088 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\msgsvc.dll
browser.dll 5.00.2195.2778 48.27 KB
(49,424 bytes) 8/23/2004 1:43:16 PM
Microsoft Corporation
c:\winnt\system32\browser.dll
alrsvcs.dll 5.00.2134.1 17.77 KB
(18,192 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\alrsvcs.dll
trkwks.dll 5.00.2166.1 88.77 KB
(90,896 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\trkwks.dll
seclogon.dll 5.00.2135.1 15.77 KB
(16,144 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\seclogon.dll
psbase.dll 5.00.2195.2779 111.77 KB
(114,448 bytes) 8/23/2004 1:43:38 PM
Microsoft Corporation
c:\winnt\system32\psbase.dll
cryptsvc.dll 5.00.2181.1 61.77 KB
(63,248 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\cryptsvc.dll
cryptdll.dll 5.00.2135.1 41.27 KB
(42,256 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\cryptdll.dll
wkssvc.dll 5.00.2195.2780 95.27 KB
(97,552 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\wkssvc.dll
srvsvc.dll 5.00.2195.2904 79.27 KB
(81,168 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\srvsvc.dll
cfgmgr32.dll 5.00.2134.1 16.77 KB
(17,168 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\cfgmgr32.dll
dmserver.dll 2195.2778.297.3 11.77 KB
(12,048 bytes) 8/23/2004 1:43:20 PM
VERITAS Software Corp.
c:\winnt\system32\dmserver.dll

```

```

winsta.dll 5.00.2195.2386 36.77 KB
(37,648 bytes) 8/23/2004 1:43:45 PM
Microsoft Corporation
c:\winnt\system32\winsta.dll
lmhsvc.dll 5.00.2195.2778 9.77 KB (10,000
bytes) 12/7/1999 6:00:00 PM Microsoft
Corporation c:\winnt\system32\lmhsvc.dll
dnrsrivr.dll 5.00.2195.2778 88.77 KB
(90,896 bytes) 8/23/2004 1:43:21 PM
Microsoft Corporation
c:\winnt\system32\dnrsrivr.dll
tapi32.dll 5.00.2182.1 123.27 KB
(126,224 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\tapi32.dll
rasman.dll 5.00.2195.2780 54.77 KB
(56,080 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\rasman.dll
rasapi32.dll 5.00.2195.2671 189.77 KB
(194,320 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\rasapi32.dll
rtutils.dll 5.00.2168.1 43.77 KB
(44,816 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\rtutils.dll
adslrpc.dll 5.00.2195.2842 127.27 KB
(130,320 bytes) 8/23/2004 1:43:15 PM
Microsoft Corporation
c:\winnt\system32\adslrpc.dll
activeds.dll 5.00.2195.2778 174.77 KB
(178,960 bytes) 8/23/2004 1:43:12 PM
Microsoft Corporation
c:\winnt\system32\activeds.dll
mprapi.dll 5.00.2181.1 79.27 KB
(81,168 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\mprapi.dll
iphlpapi.dll 5.00.2173.2 67.77 KB
(69,392 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\iphlpapi.dll
icmp.dll 5.00.2134.1 7.27 KB (7,440 bytes)
12/7/1999 6:00:00 PM Microsoft
Corporation c:\winnt\system32\icmp.dll
dhcpcsvc.dll 5.00.2195.2778 88.77 KB
(90,896 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\dhcpcsvc.dll
eventlog.dll 5.00.2178.1 43.77 KB
(44,816 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\eventlog.dll
ntdsapi.dll 5.00.2195.2661 55.77 KB
(57,104 bytes) 8/23/2004 1:43:35 PM
Microsoft Corporation
c:\winnt\system32\ntdsapi.dll
scserv.dll 5.00.2195.2780 226.27 KB
(231,696 bytes) 8/23/2004 1:43:40 PM
Microsoft Corporation
c:\winnt\system32\scserv.dll
umpnpgm.dll 5.00.2182.1 86.27 KB
(88,336 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\umpnpgm.dll
services.exe 5.00.2195.2780 86.77 KB
(88,848 bytes) 12/7/1999 6:00:00 PM
Microsoft Corporation
c:\winnt\system32\services.exe
clbcatq.dll 2000.2.3471.1 496.77 KB
(508,688 bytes) 8/23/2004 1:43:18 PM

```

```

Microsoft Corporation
oleaut32.dll c:\winnt\system32\oleaut32.dll (626,960 bytes)
12/7/1999 6:00:00 PM Microsoft Corporation
cscui.dll c:\winnt\system32\cscui.dll (233,744 bytes)
5.00.2195.2959 8/23/2004 1:43:19 PM Microsoft Corporation
winspool.drv c:\winnt\system32\winspool.drv (112,400 bytes)
5.00.2195.2780 12/7/1999 6:00:00 PM Microsoft Corporation
wincard.dll c:\winnt\system32\wincard.dll (79,120 bytes)
5.00.2134.1 12/7/1999 6:00:00 PM Microsoft Corporation
wlnotify.dll c:\winnt\system32\wlnotify.dll (55,056 bytes)
5.00.2195.2780 8/23/2004 1:43:45 PM Microsoft Corporation
cscdll.dll c:\winnt\system32\cscdll.dll (100,624 bytes)
5.00.2195.2401 8/23/2004 1:43:19 PM Microsoft Corporation
lz32.dll c:\winnt\system32\lz32.dll (10,000 bytes)
5.00.2134.1 12/7/1999 6:00:00 PM Microsoft Corporation
version.dll c:\winnt\system32\version.dll (16,144 bytes)
5.00.2134.1 12/7/1999 6:00:00 PM Microsoft Corporation
rsaenh.dll c:\winnt\system32\rsaenh.dll (133,904 bytes)
5.00.2195.2228 8/23/2004 1:44:27 PM Microsoft Corporation
mcat32.dll c:\winnt\system32\mcat32.dll (7,952 bytes)
5.131.2134.1 12/7/1999 6:00:00 PM Microsoft Corporation
ole32.dll c:\winnt\system32\ole32.dll (993,040 bytes)
5.00.2195.2887 8/23/2004 1:43:37 PM Microsoft Corporation
imagehlp.dll c:\winnt\system32\imagehlp.dll (128,784 bytes)
5.00.2195.2778 5/4/2001 12:05:02 PM Microsoft Corporation
msasn1.dll c:\winnt\system32\msasn1.dll (52,496 bytes)
5.00.2134.1 12/7/1999 6:00:00 PM Microsoft Corporation
crypt32.dll c:\winnt\system32\crypt32.dll (462,096 bytes)
5.131.2195.2833 8/23/2004 1:43:19 PM Microsoft Corporation
wintrust.dll c:\winnt\system32\wintrust.dll (166,160 bytes)
5.131.2195.2779 8/23/2004 1:43:45 PM Microsoft Corporation
setupapi.dll c:\winnt\system32\setupapi.dll (569,104 bytes)
5.00.2195.2663 12/7/1999 6:00:00 PM Microsoft Corporation
winmm.dll c:\winnt\system32\winmm.dll (189,200 bytes)
5.00.2161.1 12/7/1999 6:00:00 PM Microsoft Corporation
comctl32.dll c:\winnt\system32\comctl32.dll (550,672 bytes)
5.81 12/7/1999 6:00:00 PM Microsoft Corporation
shlwapi.dll c:\winnt\system32\shlwapi.dll (289,552 bytes)
5.00.3315.1000 8/23/2004 1:43:42 PM Microsoft Corporation

```

```

shell32.dll 5.00.3315.2902 2.25 MB (2,359,056 bytes)
8/23/2004 1:43:41 PM Microsoft Corporation
msgina.dll c:\winnt\system32\msgina.dll (332,048 bytes)
5.00.2195.2779 12/7/1999 6:00:00 PM Microsoft Corporation
wsock32.dll c:\winnt\system32\wsock32.dll (21,776 bytes)
5.00.2195.2871 8/23/2004 1:43:45 PM Microsoft Corporation
dnsapi.dll c:\winnt\system32\dnsapi.dll (133,904 bytes)
5.00.2195.2785 8/23/2004 1:43:21 PM Microsoft Corporation
wldap32.dll c:\winnt\system32\wldap32.dll (128,272 bytes)
5.00.2195.2797 8/23/2004 1:43:45 PM Microsoft Corporation
ws2he1p.dll c:\winnt\system32\ws2he1p.dll (18,192 bytes)
5.00.2134.1 12/7/1999 6:00:00 PM Microsoft Corporation
ws2_32.dll c:\winnt\system32\ws2_32.dll (69,392 bytes)
5.00.2195.2780 8/23/2004 1:43:45 PM Microsoft Corporation
samlib.dll c:\winnt\system32\samlib.dll (50,960 bytes)
5.00.2195.2780 12/7/1999 6:00:00 PM Microsoft Corporation
netrap.dll c:\winnt\system32\netrap.dll (11,536 bytes)
5.00.2134.1 12/7/1999 6:00:00 PM Microsoft Corporation
netapi32.dll c:\winnt\system32\netapi32.dll (311,056 bytes)
5.00.2195.2808 8/23/2004 1:43:34 PM Microsoft Corporation
profmap.dll c:\winnt\system32\profmap.dll (29,968 bytes)
5.00.2181.1 12/7/1999 6:00:00 PM Microsoft Corporation
secur32.dll c:\winnt\system32\secur32.dll (47,888 bytes)
5.00.2195.2862 8/23/2004 1:43:40 PM Microsoft Corporation
sfc.dll c:\winnt\system32\sfc.dll (94,320 bytes)
5.00.2195.2896 8/23/2004 1:43:40 PM Microsoft Corporation
nddeapi.dll c:\winnt\system32\nddeapi.dll (15,632 bytes)
5.00.2137.1 12/7/1999 6:00:00 PM Microsoft Corporation
userenv.dll c:\winnt\system32\userenv.dll (370,448 bytes)
5.00.2195.2780 12/7/1999 6:00:00 PM Microsoft Corporation
user32.dll c:\winnt\system32\user32.dll (402,192 bytes)
5.00.2195.2821 12/7/1999 6:00:00 PM Microsoft Corporation
gdi32.dll c:\winnt\system32\gdi32.dll (234,256 bytes)
5.00.2195.2778 12/7/1999 6:00:00 PM Microsoft Corporation
rpcrt4.dll c:\winnt\system32\rpcrt4.dll (447,760 bytes)
5.00.2195.2832 8/23/2004 1:43:40 PM Microsoft Corporation
advapi32.dll c:\winnt\system32\advapi32.dll (360,208 bytes)
5.00.2195.2867 12/7/1999 6:00:00 PM Microsoft Corporation

```

```

Microsoft Corporation
kernel32.dll c:\winnt\system32\kernel32.dll (731,920 bytes)
5.00.2195.2778 12/7/1999 6:00:00 PM Microsoft Corporation
msvcrt.dll c:\winnt\system32\msvcrt.dll (290,869 bytes)
6.10.8924.0 5/4/2001 12:05:02 PM Microsoft Corporation
winlogon.exe c:\winnt\system32\winlogon.exe (177,936 bytes)
5.00.2195.2953 12/7/1999 6:00:00 PM Microsoft Corporation
sfcfiles.dll c:\winnt\system32\sfcfiles.dll (971,024 bytes)
5.00.2195.2967 8/23/2004 1:43:41 PM Microsoft Corporation
ntdll.dll c:\winnt\system32\ntdll.dll (490,256 bytes)
5.00.2195.2779 5/4/2001 12:05:02 PM Microsoft Corporation
smss.exe c:\winnt\system32\smss.exe (45,328 bytes)
5.00.2195.2901 12/7/1999 6:00:00 PM Microsoft Corporation

```

[Services]

Display Name	Name	State	Start Mode	Path	Tag ID	Share	Process	Error Control
Alerter	Alerter	Running	Auto	c:\winnt\system32\services.exe	0		Microsoft	
Application Management	AppMgmt	Stopped	Stopped	c:\winnt\system32\services.exe	0		Microsoft	
Computer Browser	Browser	Running	Auto	c:\winnt\system32\services.exe	0	Share	Microsoft	
Indexing Service	cisvc	Stopped	Manual	c:\winnt\system32\cisvc.exe	0	Share	Microsoft	
ClipBook	Clipsrv	Stopped	Manual	c:\winnt\system32\clipsrv.exe	0		Microsoft	
Distributed File System	dfs	Running	Auto	c:\winnt\system32\dfsvc.exe	0		Microsoft	
DHCP Client	Dhcp	Running	Auto	c:\winnt\system32\services.exe	0	Share	Microsoft	
Logical Disk Manager	dmadmin	Stopped	Manual	c:\winnt\system32\dmadmin.exe	0	Share	Microsoft	
Logical Disk Manager	dmserver	Running	Auto	c:\winnt\system32\services.exe	0		Microsoft	
DNS Client	Dnscache	Running	Auto	c:\winnt\system32\services.exe	0	Share	Microsoft	
Event Log	Eventlog	Running	Auto	c:\winnt\system32\services.exe	0	Share	Microsoft	
COM+ Event System	svchost	Running	Manual	c:\winnt\system32\svchost.exe	0		Microsoft	

Fax Service Process	Fax c:\winnt\system32\faxsvc.exe	Stopped	Manual	Own
IIS Admin Service Process	IISADMIN c:\winnt\system32\inetrv\inetinfo.exe	Running	Auto	Share
Intersite Messaging Process	IsmServ c:\winnt\system32\ismerv.exe	Stopped	Disabled	Own
Kerberos Key Distribution Center	kdc c:\winnt\system32\lsass.exe	Stopped	Disabled	Share Process
Server lanmanserver Process	lanmanserver c:\winnt\system32\services.exe	Running	Auto	Share
Workstation lanmanworkstation	lanmanworkstation c:\winnt\system32\services.exe	Running	Auto	Share Process
License Logging Service	LicenseService c:\winnt\system32\lssrv.exe	Running	Auto	Share Process
TCP/IP NetBIOS Helper Service	LmHosts c:\winnt\system32\services.exe	Running	Auto	Share Process
Messenger Messenger	Messenger c:\winnt\system32\services.exe	Running	Auto	Share Process
NetMeeting Remote Desktop Sharing	mmshrvc c:\winnt\system32\mmshrvc.exe	Stopped	Manual	Own Process
Distributed Transaction Coordinator	MSDTC c:\winnt\system32\msdtc.exe	Running	Auto	Own Process
FTP Publishing Service	MSFTPSVC c:\winnt\system32\inetrv\inetinfo.exe	Running	Auto	Share Process
Windows Installer	MSIExec c:\winnt\system32\msiexec.exe	Stopped	Manual	Share
Message Queuing	MSMQ c:\winnt\system32\mqsvc.exe	Running	Auto	Own
Network DDE	NetDDE c:\winnt\system32\netdde.exe	Stopped	Manual	Share
Network DDE DSDM	NetDDEdsdm c:\winnt\system32\netdde.exe	Stopped	Manual	Share Process
Net Logon	NetLogon c:\winnt\system32\lsass.exe	Stopped	Manual	Share Process
Network Connections	Netman c:\winnt\system32\svchost.exe	Running	Manual	Share
File Replication Service	NtFrs c:\winnt\system32\ntfrs.exe	Stopped	Manual	Own
NT LM Security Support Provider	NtLmSsp c:\winnt\system32\lsass.exe	Running	Manual	Share Process
Removable Storage	NtmsSvc c:\winnt\system32\svchost.exe	Running	Auto	Share

Plug and Play	PlugPlay c:\winnt\system32\services.exe	Running	Auto	Share
IPSEC Policy Agent	PolicyAgent c:\winnt\system32\lsass.exe	Running	Auto	Share
Protected Storage	ProtectedStorage c:\winnt\system32\services.exe	Running	Auto	Share
Remote Access Auto Connection Manager	RasAuto c:\winnt\system32\svchost.exe	Stopped	Manual	Share Process
Remote Access Connection Manager	RasMan c:\winnt\system32\svchost.exe	Running	Manual	Share Process
Routing and Remote Access	RemoteAccess c:\winnt\system32\svchost.exe	Stopped	Disabled	Share Process
Remote Registry Service	RemoteRegistry c:\winnt\system32\regsvc.exe	Running	Auto	Own Process
Remote Procedure Call (RPC) Locator	RpcLocator c:\winnt\system32\locator.exe	Stopped	Manual	Own Process
Remote Procedure Call (RPC)	RpcSS c:\winnt\system32\svchost.exe	Running	Auto	Share Process
QoS RSVP	RSVP c:\winnt\system32\rsvp.exe	Running	Manual	Own Process
Security Accounts Manager	SamsS c:\winnt\system32\lsass.exe	Running	Auto	Share Process
Smart Card Helper	SCardDrv c:\winnt\system32\scardsvr.exe	Stopped	Manual	Share
Smart Card	SCardsSrv c:\winnt\system32\scardsvr.exe	Stopped	Manual	Share
Task Scheduler	Schedule c:\winnt\system32\mstask.exe	Running	Auto	Share
RunAs Service	secllog c:\winnt\system32\services.exe	Running	Auto	Share
System Event Notification	SENS c:\winnt\system32\svchost.exe	Running	Auto	Share Process
Internet Connection Sharing	SharedAccess c:\winnt\system32\svchost.exe	Stopped	Manual	Share Process
Print Spooler	Spooler c:\winnt\system32\spoolsv.exe	Running	Auto	Own
Performance Logs and Alerts	SysmonLog c:\winnt\system32\smlogsvc.exe	Stopped	Manual	Own Process
Telephony	TapiSrv c:\winnt\system32\svchost.exe	Running	Manual	Share Process

Terminal Services	TermService c:\winnt\system32\termsrv.exe	Disabled	Own Process	Stopped
Telnet	TlntSvr c:\winnt\system32\tlntsvr.exe	Stopped	Manual	Own Process
Distributed Link Tracking Server	TrkSvr c:\winnt\system32\services.exe	Stopped	Manual	Share Process
Distributed Link Tracking Client	TrkKws c:\winnt\system32\services.exe	Running	Auto	Share Process
Uninterruptible Power Supply	UPS c:\winnt\system32\ups.exe	Manual	Own Process	Stopped
Utility Manager	UtilMan c:\winnt\system32\utilman.exe	Stopped	Manual	Own
Windows Time	w32Time c:\winnt\system32\services.exe	Stopped	Manual	Share
World Wide Web Publishing Service	W3SVC c:\winnt\system32\inetrv\inetinfo.exe	Running	Auto	Share Process
Windows Management Instrumentation	winMgmt c:\winnt\system32\wbem\winmgmt.exe	Running	Auto	Own Process
TridiaVNC Server	winvnc c:\program files\tridiavnc\win32\winvnc.exe	Stopped	Manual	Own
Windows Management Instrumentation Driver Extensions	Wmi c:\winnt\system32\services.exe	Running	Manual	Share Process

[Program Groups]

Group Name	Name	User Name
Accessories	Default User	User:Accessories
Accessories\Accessibility	Default	Default User
Accessories\Entertainment	Default	Default User
Accessories\System Tools	Default	Default User
User:Accessories\System Tools	Default User	Default User
Startup	Default User	Default User
Accessories	All Users:Accessories	All Users
Accessories\Accessibility	All Users:Accessibility	All Users
Accessories\Communications	All Users:Accessories\Communications	All Users
Accessories\Entertainment	All Users:Accessories\Entertainment	All Users
Accessories\System Tools	All Users:Accessories\System Tools	All Users
User:Accessories\System Tools	All Users:Administrative Tools	All Users:Administrative Tools
Startup	All Users:Startup	All Users
TridiaVNC	All Users:TridiaVNC	All Users
TridiaVNC\Administrative Tools	All Users:TridiaVNC\Administrative Tools	All Users
Accessories	CLI02\Administrator:Accessories	CLI02\Administrator

Accessories\Accessibility
 CLI02\Administrator:Accessories\Accessibility
 CLI02\Administrator
 Accessories\Entertainment
 CLI02\Administrator:Accessories\Entertainment
 CLI02\Administrator
 Accessories\System Tools
 CLI02\Administrator:Accessories\System Tools
 CLI02\Administrator
 Administrative Tools
 CLI02\Administrator:Administrative Tools
 CLI02\Administrator
 Startup
 CLI02\Administrator:Startup
 CLI02\Administrator

[Startup Programs]

Program	Command	User Name	Location
TridiaVNC Server	c:\progra~1\tridia~1\win32\winvnc.exe		
internet.exe	internet.exe		
internet.exe	HKU\.\DEFAULT\SOFTWARE\Microsoft\Windows\CurrentVersion\Run		
internet.exe	HKU\.\DEFAULT\SOFTWARE\Microsoft\Windows\CurrentVersion\Run		

[OLE Registration]

Object	Local Server
Sound (OLE2)	sndrec32.exe
Media Clip	mplay32.exe
Video Clip	mplay32.exe /avi
MIDI Sequence	mplay32.exe /mid
Sound	Not Available
Media Clip	Not Available
Image Document	"C:\Program Files\Windows NT\Accessories\ImageVue\KodakImg.exe"
WordPad Document	"%ProgramFiles%\Windows NT\Accessories\WORDPAD.EXE"
Windows Media Services DRM Storage object	Not Available
Bitmap Image	mspaint.exe

[Internet Explorer 5]

[Following are sub-categories of this main category]

[Summary]

Item	Value
Version	5.00.3315.1000
Build	53315.1000
Product ID	51876-335-2604612-05846
Application Path	C:\Program Files\Internet Explorer
Language	English (United States)
Active Printer	Not Available
Cipher Strength	168-bit
Content Advisor	Disabled
IEAK Install	No

[File Versions]

File	Version	Size	Date	Path
advapi32.dll	5.0.2195.2867	352 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation

advpack.dll	5.0.3103.1000	87 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
browserlc.dll	5.0.3315.2846	35 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
browseui.dll	5.0.3315.2846	789 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
ckcnv.exe	5.0.2189.1	9 KB	12/7/1999	
	5:00:00 PM			C:\WINNT\system32
				Microsoft Corporation
comctl32.dll	5.81.3103.1000	538 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
crypt32.dll	5.131.2195.2833	451 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
ehnsig.dll	<File Missing>	Not Available	Not Available	Not Available
Available				
iemigrat.dll	<File Missing>	Not Available	Not Available	Not Available
Available				
iesetup.dll	5.0.3103.1000	57 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
ieexplore.exe	5.0.2920.0	59 KB	12/7/1999	5:00:00 PM
	5:00:00 PM			C:\Program Files\Internet Explorer
				Microsoft Corporation
imagehlp.dll	5.0.2195.2778	126 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
imghelp.dll	<File Missing>	Not Available	Not Available	Not Available
Available				
inseng.dll	5.0.3103.1000	72 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
jobexec.dll	5.0.0.1	47 KB	12/7/1999	
	5:00:00 PM			C:\WINNT\system32
				Microsoft Corporation
jscript.dll	5.1.0.5907	476 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
jsproxy.dll	5.0.2920.0	13 KB	12/7/1999	5:00:00 PM
	5:00:00 PM			C:\WINNT\system32
				Microsoft Corporation
msaahtml.dll	<File Missing>	Not Available	Not Available	Not Available
Available				
mshtml.dll	5.0.3315.2870	2290 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
msjava.dll	5.0.3802.0	923 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
msoss.dll	<File Missing>	Not Available	Not Available	Not Available
Available				
msxml.dll	8.0.5718.1	493 KB	5/4/2001	12:05:02 PM
	12:05:02 PM			C:\WINNT\system32
				Microsoft Corporation
occache.dll	5.0.3103.1000	86 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
ole32.dll	5.0.2195.2887	970 KB	5/4/2001	12:05:02 PM
	12:05:02 PM			C:\WINNT\system32
				Microsoft Corporation
oleaut32.dll	2.40.4517.0	612 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation

olepro32.dll	5.0.4517.0	160 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
rsabase.dll	5.0.2195.2228	128 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
rsaenh.dll	5.0.2195.2228	131 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
rsapi32.dll	<File Missing>	Not Available	Not Available	Not Available
Available				
rsasig.dll	<File Missing>	Not Available	Not Available	Not Available
Available				
schannel.dll	5.1.2195.0	138 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
shdoc401.dll	<File Missing>	Not Available	Not Available	Not Available
Available				
shdocvw.dll	5.0.3315.2879	1078 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
shell32.dll	5.0.3315.2902	2304 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
shlwapi.dll	5.0.3315.1000	283 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
url.dll	5.0.2920.0	82 KB	12/7/1999	5:00:00 PM
	5:00:00 PM			C:\WINNT\system32
				Microsoft Corporation
urlmon.dll	5.0.3315.1000	441 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
vbscript.dll	5.1.0.5907	428 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
webcheck.dll	5.0.3315.1000	252 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
win.com	5.0.2134.1	24 KB	12/7/1999	5:00:00 PM
	5:00:00 PM			C:\WINNT\system32
				Microsoft Corporation
wintnet.dll	5.0.3315.1000	457 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
winsock.dll	3.10.0.103	3 KB	12/7/1999	5:00:00 PM
	5:00:00 PM			C:\WINNT\system32
				Microsoft Corporation
wintrust.dll	5.131.2195.2779	162 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
wsock.vxd	<File Missing>	Not Available	Not Available	Not Available
Available				
wsock32.dll	5.0.2195.2871	21 KB		
	5/4/2001 12:05:02 PM			
	C:\WINNT\system32			Microsoft Corporation
wsock32n.dll	<File Missing>	Not Available	Not Available	Not Available
Available				
[Connectivity]				
Item	Value			
Connection Preference	Never dial			
EnableHttp1.1	1			
ProxyHttp1.1	0			
LAN Settings				

```

AutoConfigProxy wininet.dll
AutoProxyDetectMode Enabled
AutoConfigURL
Proxy Disabled
ProxyServer
ProxyOverride

```

[Cache]

[Following are sub-categories of this main category]

[Summary]

```

Item Value
Page Refresh Type Automatic
Temporary Internet Files Folder C:\Documents
and Settings\Administrator\Local Settings\Temporary
Internet Files
Total Disk Space 17492 MB
Available Disk Space 14730 MB
Maximum Cache Size 546 MB
Available Cache Size 547 MB

```

[List of Objects]

```

Program File Status CodeBase
No cached object information available

```

[Content]

[Following are sub-categories of this main category]

[Summary]

```

Item Value Disabled
Content Advisor Disabled

```

[Personal Certificates]

```

Issued To Issued By Validity Signature Algorithm
Administrator Administrator 8/23/2004 to
7/30/2104 sha1RSA

```

[Other People Certificates]

```

Issued To Issued By Validity Signature Algorithm
No other people certificate information available

```

[Publishers]

```

Name
No publisher information available

```

[Security]

```

Zone Security Level
Local intranet Medium-low
Trusted sites Low
Internet Medium
Restricted sites High

```

Benchcraft Profile

Profile: 2588

```

File Path: C:\Documents and
Settings\Administrator\Desktop\Profiles\2588.xml
Version: 5

```

Number of Engines: 4

```

Name: DRIVER1
Description:
Directory: c:\logs2250\rte01-1.log
Machine: rte01
Parameter Set: OTIMIZADO
Index: 0
Seed: 69890
Configured Users: 6470
Pipe Name: DRIVER116701375
Connect Rate: 120
Start Rate: 120
Max. Concurrency: -1
Concurrency Rate: 10
CLIENT_NURAND: 233
CPU: 0
Additional Options:

```

```

Name: DRIVER2
Description:
Directory: c:\logs2250\rte01-2.log
Machine: rte01
Parameter Set: OTIMIZADO
Index: 100000000
Seed: 69890
Configured Users: 6470
Pipe Name: DRIVER216734875
Connect Rate: 120
Start Rate: 120
Max. Concurrency: -1
Concurrency Rate: 10
CLIENT_NURAND: 233
CPU: 1
Additional Options:

```

```

Name: DRIVER3
Description:
Directory: c:\logs2250\rte02-1.log
Machine: rte02
Parameter Set: OTIMIZADO
Index: 200000000
Seed: 69890
Configured Users: 6470
Pipe Name: DRIVER316762171
Connect Rate: 120
Start Rate: 120
Max. Concurrency: -1
Concurrency Rate: 10
CLIENT_NURAND: 233
CPU: 0
Additional Options:

```

```

Name: DRIVER4
Description:
Directory: c:\logs2250\rte02-2.log
Machine: rte02
Parameter Set: OTIMIZADO
Index: 300000000
Seed: 69890
Configured Users: 6470
Pipe Name: DRIVER416786265
Connect Rate: 120
Start Rate: 120
Max. Concurrency: -1
Concurrency Rate: 10
CLIENT_NURAND: 233
CPU: 1

```

Additional Options:

Number of User groups: 4

```

Driver Engine: DRIVER1
IIS Server: cli03
SQL Server: sql2250
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 1 - 647
w_id Min Warehouse: 1
w_id Max Warehouse: 2588
Scale: Normal
User Count: 6470
District id: 1
Scale Down: No

```

```

Driver Engine: DRIVER2
IIS Server: cli03
SQL Server: sql2250
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 648 - 1294
w_id Min Warehouse: 1
w_id Max Warehouse: 2588
Scale: Normal
User Count: 6470
District id: 1
Scale Down: No

```

```

Driver Engine: DRIVER3
IIS Server: cli05
SQL Server: sql2250
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 1295 - 1941
w_id Min Warehouse: 1
w_id Max Warehouse: 2588
Scale: Normal
User Count: 6470
District id: 1
Scale Down: No

```

```

Driver Engine: DRIVER4
IIS Server: cli05
SQL Server: sql2250
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 1942 - 2588
w_id Min Warehouse: 1
w_id Max Warehouse: 2588
Scale: Normal
User Count: 6470
District id: 1
Scale Down: No

```

Number of Parameter Sets: 2

```

~Default
Default Parameter Set
Txn Think Key
RT RT Menu weight Time
Time Delay Fence Delay
New Order 12.05
18.01 0.10 5.00 0.10 0.10

```

3.01	0.10	Payment		12.05	
		5.00	0.10	5.05	0.10
2.01	0.10	Delivery		5.05	0.10
		5.00	0.10	5.05	0.10
2.01	0.10	Stock Level		5.05	0.10
		20.00	0.10	10.05	0.10
2.01	0.10	Order Status		10.05	0.10
		5.00	0.10	0.10	

OTIMIZADO
OTIMIZADO

RT	RT	Menu	Txn	Think	Key
Time	Delay	Fence	Delay	Weight	Time
		New Order		44.92	
12.07	18.01	0.10	5.00	43.02	0.10
12.07	3.01	Payment		4.02	0.10
		0.10	5.00	4.02	0.10
5.07	2.01	Delivery		4.02	0.10
		0.10	5.00	4.02	0.10
5.07	2.01	Stock Level		20.00	0.10
		0.10	20.00	4.02	0.10
10.07	2.01	Order Status		4.02	0.10
		0.10	5.00	0.10	

Appendix D – 60-Day Space

TPC-C 60 Day Space Requirements						
Warehouses	2600				TpmC	32,464,00
Table	Rows	Data KB	Index KB	Extra 5% KB	8hr Space	Total Space KB
Warehouse	2,600	280	24	15		319
District	26,000	2,896	24	146		3066
Customer	78,000,000	56,727,280	3,642,656	3,018,497		63388433
History	78,000,000	4,333,344	16		874,278	4333360
NewOrder	23,400,000	369,968	1,000	18,548		389516
Orders	78,000,000	2,390,808	1,320,496		4,819,556	3711304
OrderLine	779,997,753	48,749,864	121,392		10,955,159	48871256
Item	100,000	9,528	40	478		10046
Stock	260,000,000	83,200,000	186,336	4,169,317		87555653
Total		195,783,968	5,271,984	7,207,002	16,648,992	208,262,954
MB						
Dynamic Space	54,174	Sum of Data for Order, Orderline and History				
Static Space	149,208	Sum of Data+Index+5%-Dynamic Space				
Free Space	na	Total Allocated Spac - (Dynamic + Static Space)				
Daily Growth	10,823	(Dynamic Space/(W*62.5))*tpmc				
Daily Spread	-	(Free Space -1.5*Daily Growth) Zero Assumed				
60 Day Space MB	798,574					
60 Day Space GB	779,86	GB				
Log Size	130,000.00	MB				
KB Per New Order	4,60	KB				
8 hr log MB	70,053	MB				
8 hr log GB	68,4114	GB				
Disks						
Space Usage	GB Needed	Measured	GB Priced	Disk Size	Formatted Size	
60 Day Space DB	779,86	56	1,959	36GB	34,986	33,92
Total DB	779,86	56,00	1,959,22	OK		
8-hr log + mirror	136,8229	8	279,89	36GB	34,986	
OS_Swap	3	1	34,986	9GB	34,986	
Total Storage	1,699,54	GB	2,274,09	GB		

Misc fg	CS fg
319	
3066	
0	63388433
5207638	
389516	
8530860	
48871256	
10046	
0	87555653
63,012,701	150,944,086
files=	2
size=	6,400,000
Total=	12,800,000
8K blocks	102,400,000
OK	180,224,000
	2
	11,264,000
	22,528,000

tpmC											
32,464,00											
	Data Before KB	Index Before KB	Data After KB	Index After KB	Data Grow KB	Index Grow KB	Total Grow KB	KB/New-Order	8-Hr Growth KB	8-Hr Growth MB	8-Hr Growth GB
History	4,333,344	16	4,677,640	72	344,296	56	344,352	0,0561	874,277,59	853,79	
Order	2,390,808	1,320,496	2,968,592	2,640,992	577,784	1,320,496	1,898,280	0,3093	4,819,555,77	4,706,60	
Order-Line	48,749,864	121,392	52,943,752	242,416	4,193,888	121,024	4,314,912	0,7030	10,955,158,89	10,698,40	16,258,78
	sum(*) Before		sum(*) After		Num New-						
id next o_id	78,026,000		84,163,571		6,137,571						
	Before MB		After MB		Grow MB				8-Hr Growth MB	8-Hr Growth GB	
Log	1007,44		28599,36		27591,92			4,6035	70,053,32	68,41	
	130,000,00	0,77495044	21,999508					4,713,9545	bytes		
Database tpcc log used (%)											