

TPC Benchmark™ C

Full Disclosure Report for



**PRIMERGY H250**

**Using Microsoft SQL Server 2000  
Enterprise Edition SP2**

**and Microsoft Windows 2000  
Advanced Server SP2**

July 26, 2002

**First Edition**

First Edition July 26, 2002

FUJITSU LIMITED believes that the information in this document is accurate as of the publication date. The information in this document is subject to change without notice. We assume no responsibility for any errors that may appear in this document. The pricing information in this document is believed to accurately reflect the current prices as of the publication date. However, we provide no warranty of the pricing information in this document.

Benchmark results are highly dependent upon workload, specific application requirements, system design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC Benchmark™ C should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report were obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. We do not warrant or represent that a user can or will achieve similar performance expressed in transactions per minute (tpmC) or normalized price/performance (Yen/tpmC). No warranty of system performance or price/performance is expressed or implied in this report.

**Copyright © 2002 FUJITSU LIMITED. All rights reserved.**

Permission is hereby granted to reproduce this document in whole or in part provided the copyright notice printed above is set forth in full text on the title page of each item reproduced.

PRIMERGY H250, PRIMERGY 870 and PRIMERGY B225 are trademarks of FUJITSU LIMITED.

Microsoft, Windows 2000, SQL Server and Benchcraft are registered trademarks of Microsoft Corporation.

Pentium®III, Pentium®III XEON and XEON™ are registered trademarks of Intel.

TPC Benchmark™ is a trademark of the Transaction Processing Performance Council (TPC).

Other product names mentioned in this document may be trademarks and/or registered trademarks of their respective companies.

# Preface

The Transaction Processing Performance Council (TPC), of which FUJITSU LIMITED is a member, is an organization of computer companies, dedicated to the development of objective, industry-wide performance metrics in the area of transaction processing. FUJITSU LIMITED is involved in this effort, participating on the council and utilizing TPC benchmarks in performance evaluation.

The TPC Benchmark™ C Standard Specification was developed by the Transaction Processing Performance Council. This benchmark exercises the system components necessary to perform tasks associated with that class of on-line transaction processing (OLTP) environments emphasizing a mixture of read-only and update intensive transactions. This is a complex OLTP application environment exercising a breadth of system components associated by such environments characterized by:

- The simultaneous execution of multiple transaction types that span a breadth of complexity
- On-line and deferred transaction execution modes
- Multiple on-line terminal sessions
- Moderate system and application execution time
- Significant disk input/output
- Transaction integrity (ACID properties)
- Non-uniform distribution of data access through primary and secondary keys
- Databases consisting of many tables with a wide variety of sizes, attributes, and relationships
- Contention on data access and update

This benchmark defines four on-line transactions and one deferred transaction, intended to emulate functions that are common to many OLTP applications. However, this benchmark does not reflect the entire range of OLTP requirements. The extent to which a customer can achieve the results reported by a vendor is highly dependent on how closely TPC-C approximates the customer application. The relative performance of systems derived from this benchmark does not necessarily hold for other workloads or environments. Extrapolations to any other environment are not recommended.

Benchmark results are highly dependent upon workload, specific application requirements, system design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC-C should not be used as a substitute for a specific customer application benchmarking when critical capacity planning and/or product evaluation decisions are contemplated.

The performance metric reported by TPC-C is a "business throughput" measuring the number of orders processed per minute. Multiple transactions are used to simulate the business activity of processing an order, and each transaction is subjected to a response time constraint. The performance metric for this benchmark is expressed in transactions-per-minute-C (tpmC). To be compliant with the TPC-C standard, all references to tpmC results must include the tpmC rate, the associated price-per-tpmC, and the availability date of the priced configuration.

# Summary

This report documents the TPC Benchmark™ C results achieved by the FUJITSU LIMITED using Microsoft SQL Server 2000 Enterprise Edition SP2 .

The TPC Benchmark™ C tests were run on a PRIMERGY H250 system using the Windows 2000 Advanced Server SP2 operating system.

The results, summarized below, show the number of TPC Benchmark™ C transactions per minute (tpmC) and the price per tpmC (Yen/tpmC).

<b>Software</b>	<b>Hardware</b>	<b>tpmC</b>	<b>Yen/tpmC</b>
Microsoft SQL Server 2000 Enterprise Edition SP2 , Windows 2000 Advanced Server SP2	FUJITSU LIMITED PRIMERGY H250	33,768.41	1,134.16 Yen



**PRIMERGY H250**  
**C/S with 3 PRIMERGY B225**

TPC-C REV 5.0  
 EXECUTIVE SUMMARY


Report Date: July 26, 2002

Total System Cost	TPC-C Throughput	Price/Performance	Availability Date	
<b>Yen 38,298,800</b>	<b>33,768.41 tpmC</b>	<b>Yen 1,134.16/tpmC</b>	<b>August 1, 2002</b>	
Processors	Database Manager	Operating System	Other Software	Number of Users
Server 2 Intel Xeon™ 2.20 GHz with 512 KB SLC Client 3 x 1 Intel Pentium® III 933 MHz with 256 KB SLC	Microsoft SQL Server 2000 Enterprise Edition SP2	Microsoft Windows 2000 Advanced Server SP2	Windows 2000 Server, IIS 5.0 and COM+	27000

Terminals:  
27000 users

Client:  
3 x PRIMERGY B225  
9000 users per client

Server:  
PRIMERGY H250  
4 SCSI Controller



System Components	Qty/Srv.	1 PRIMERGY H250	Qty/Client	3 PRIMERGY B225
Processors	2	Intel Xeon™ 2.20 GHz with 512 KB SLC	1	Intel Pentium® III 933 MHz with 256 KB SLC
Memory	8	GB	512	MB
Disk Controller	4	Mylex eXtremeRAID 2000	1	SCSI Controller
Disk Drives	143	18 GB	1	18 GB
Total GB of Storage	1	2,253 GB		
Tape Drive	1	20 GB DAT		



# PRIMERGY H250

TPC-C REV 5.0  
EXECUTIVE SUMMARY

C/S with 3 PRIMERGY B225

Report Date: July 26, 2002

Description	Part Number	Third Party Brand Pricing	Unit Price	Qty.	Extended Price	3yr Maint. Price
PRIMERGY H250, Xeon 2.2GHz/512KB	PGH2BW1A	1	630,000 Yen	1	630,000 Yen	
Rackmount Conversion Kit	PGBR1CK9	1	35,000 Yen	1	35,000 Yen	
Processor Xeon 2.2 GHz / 512KB	PG-FG106	1	140,000 Yen	1	140,000 Yen	
Memory 2 GB(1GBx2) PC1600 DDR RAM	PG-RM2N	1	532,000 Yen	3	1,596,000 Yen	
Memory 512MB->2GB PC1600 DDR RAM						
Conversion Kit	PGBRU2N	1	420,000 Yen	1	420,000 Yen	
Tape DAT DDS4 20GB	PG-DT401	1	126,000 Yen	1	126,000 Yen	
Disk 18GB, 10K, U160, hot plug, 1"	PG-HDH81B2	1	56,000 Yen	1	56,000 Yen	
PCI Gigabit Ethernet Controller	PG-1891	1	35,000 Yen	1	35,000 Yen	
Mylex eXtremeRAID 2000 4x U160 SCSI, BBU	PG-144B	1	294,000 Yen	4	1,176,000 Yen	
Keyboard	GP5-R1KB1	1	14,000 Yen	1	14,000 Yen	
Monitor 15"	FMV-DP849	1	18,900 Yen	1	18,900 Yen	
PRIMERGY S30 GE RH 2-Channel U160 SCSI	PG-R1DC6	1	238,000 Yen	1	238,000 Yen	
SCSI Cable UHD68(S)	PG-CBLS004	1	21,000 Yen	2	42,000 Yen	
3 Year Maintenance Server, 7x24, 4hr Resp.						928,910 Yen
<b>Server Hardware Subtotal</b>					<b>4,526,900 Yen</b>	
DataCenter Rack 38 HU	PG-R3RC1	1	238,000 Yen	2	476,000 Yen	
APC-USV 3000VA Rack	GP5-R1UP3	1	271,600 Yen	2	543,200 Yen	
18GB, 15k, U160, Hot plug, 1"	PG-HDH85B2	1	105,000 Yen	142	14,910,000 Yen	
PRIMERGY S30 GE RH 1-Channel U160 SCSI	PG-R1DC6	1	238,000 Yen	12	2,856,000 Yen	
SCSI Cable UHD68( S) incl. spare	PG-CBLS004	1	21,000 Yen	12	252,000 Yen	
3 Year Maintenance Rack, 7x24, 4hr Resp.						3,906,430 Yen
<b>Storage Subtotal</b>					<b>19,037,200 Yen</b>	
<b>Maint. Server + Storage</b>						<b>4,835,340 Yen</b>
PRIMERGY B225, PIII933MHz/256KB	PGC2AE1A	1	189,000 Yen	3	567,000 Yen	
Memory 256MB(128MBx2) SDRAM PC133 ECC	PG-RM25D	1	49,000 Yen	3	147,000 Yen	
Disk 18GB, U160, hot plug, 1"	PG-HDH81C	1	56,000 Yen	3	168,000 Yen	
Fast Ether-Express-Pro/100+ Server (PCI)	PG-185	1	10,400 Yen	3	31,200 Yen	
Monitor 15"	FMV-DP849	1	18,900 Yen	3	56,700 Yen	
3 Year Maintenance, 7x24, 4hr Resp.						199,020 Yen
<b>Client Hardware Subtotal</b>					<b>969,900 Yen</b>	<b>199,020 Yen</b>
Windows Advanced Svr 2000 (open program no level)	B511C02F	1	567,200 Yen	1	567,200 Yen	
MS SQL-Server 2000 Ent.Edit. Per Proc Lic. (open program level B)	B293C80Y0	1	2,791,700 Yen	2	5,583,400 Yen	
<b>Server Software Subtotal</b>					<b>6,150,600 Yen</b>	
Windows Svr 2000 (open program no level)	B511C02A1	1	142,000 Yen	3	426,000 Yen	
VC++ Pro 6.0 Win32	B298C2033	1	84,600 Yen	1	84,600 Yen	
<b>Client Software Subtotal</b>					<b>510,600 Yen</b>	
Software Support (all above)						1,708,590 Yen
24x10/0100Mbit Switch	SH4124	1	193,700 Yen	1	193,700 Yen	
Gigabit Uplink	SH41GT1	1	87,100 Yen	1	87,100 Yen	
3 Year Maintenance, 7x24, 4hr Resp.						79,850 Yen
<b>User Connectivity Subtotal</b>					<b>280,800 Yen</b>	
<b>Total</b>					<b>31,476,000 Yen</b>	<b>6,822,800 Yen</b>

1=Fujitsu

Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing section of the TPC benchmark pricing specifications. If you find that the stated prices are not available according to these terms, please inform the TPC at [pricing@tpc.org](mailto:pricing@tpc.org). Thank you.

Five-Year Cost of Ownership: Yen 38,298,800  
tpmC Rating: 33,768.41  
Yen / tpmC: 1,134.16

Note: The benchmark results and test methodology were audited by Bradley Askins of InfoSizing

# Numerical Quantities Summary

MQTh, computed Maximum Qualified Throughput		33,768.41 tpmC	
<b>Response Times (in seconds)</b>	<b>90th percentile</b>	<b>Average</b>	<b>Maximum</b>
- New-Order	0.75	0.42	6.01
- Payment	0.67	0.35	5.72
- Order-Status	0.70	0.38	5.36
- Delivery (interactive portion)	0.12	0.11	1.03
- Delivery (deferred portion)	0.35	0.21	1.63
- Stock-Level	1.66	1.08	6.05
- Menu	0.12	0.11	1.04
<b>Transaction Mix, in percent of total transactions</b>			
- New-Order			44.91 %
- Payment			43.03 %
- Order-Status			4.01 %
- Delivery			4.03 %
- Stock-Level			4.02 %
<b>Emulation Delay (in seconds)</b>		<b>Response Time</b>	<b>Menu</b>
- New-Order		0.1	0.1
- Payment		0.1	0.1
- Order-Status		0.1	0.1
- Delivery (interactive)		0.1	0.1
- Stock-Level		0.1	0.1
<b>Keying/Think Times (in seconds)</b>	<b>Minimum</b>	<b>Average</b>	<b>Maximum</b>
- New-Order	18.00/0.000	18.01/12.05	18.05/120.51
- Payment	3.00/0.000	3.01/12.04	3.05/120.51
- Order-Status	2.00/0.000	2.01/10.01	2.04/100.50
- Delivery (interactive)	2.00/0.000	2.01/ 5.06	2.04/ 50.50
- Stock-Level	2.00/0.000	2.01/ 5.05	2.04/ 50.51
<b>Test Duration and Checkpointing</b>			
- Ramp-up time		37 minutes	
- Measurement interval		120 minutes	
- Number of checkpoints		4	
- Checkpoint interval		30 minutes	
- Transactions during measurement interval (all types)		9,386,961	



# Contents

<b>PREFACE</b> .....	<b>3</b>
<b>SUMMARY</b> .....	<b>4</b>
<b>NUMERICAL QUANTITIES SUMMARY</b> .....	<b>7</b>
<b>CONTENTS</b> .....	<b>9</b>
<b>INTRODUCTION</b> .....	<b>12</b>
<i>System Overview</i> .....	12
<i>Full Disclosure</i> .....	12
<i>Report Format</i> .....	12
<i>Additional Copies</i> .....	13
<b>1. GENERAL ITEMS</b> .....	<b>15</b>
1.1 <i>Application Code</i> .....	15
1.2 <i>Benchmark Sponsor</i> .....	15
1.3 <i>Parameter Settings</i> .....	15
1.4 <i>Configuration Diagrams</i> .....	15
<b>2. CLAUSE 1 RELATED ITEMS - LOGICAL DATABASE DESIGN</b> .....	<b>18</b>
2.1 <i>Table Definitions</i> .....	18
2.2 <i>Physical Organization of Database</i> .....	18
2.3 <i>Insert and Delete Operations</i> .....	19
2.4 <i>Database Partitioning</i> .....	19
2.5 <i>Replication of Tables</i> .....	19
2.6 <i>Additional and/or Duplicated Attributes</i> .....	19
<b>3. CLAUSE 2 RELATED ITEMS - TRANSACTION AND TERMINAL PROFILES</b> .....	<b>20</b>
3.1 <i>Random Number Generator</i> .....	20
3.2 <i>Input/Output Screen Layout</i> .....	20
3.3 <i>Configured Terminal Features</i> .....	20
3.4 <i>Presentation Managers or Intelligent Terminals</i> .....	20
3.5 <i>Transaction Statistics</i> .....	20
3.6 <i>Queueing Mechanism</i> .....	21
<b>4. CLAUSE 3 RELATED ITEMS - TRANSACTION AND SYSTEM PROPERTIES</b> .....	<b>22</b>
4.1 <i>Atomicity</i> .....	22
4.2 <i>Consistency</i> .....	23
4.3 <i>Isolation</i> .....	23
4.4 <i>Durability</i> .....	23
<b>5. CLAUSE 4 RELATED ITEMS - SCALING AND DATABASE POPULATION</b> .....	<b>25</b>
5.1 <i>Initial Cardinality of Tables</i> .....	25
5.2 <i>Distribution of Tables and Log</i> .....	26
5.3 <i>Database Model, Interface, and Access Language</i> .....	26
5.4 <i>Database Partitions/Replications Mapping</i> .....	26
5.5 <i>60 day space Calculation</i> .....	27
<b>6. CLAUSE 5 RELATED ITEMS - PERFORMANCE METRICS AND RESPONSE TIME</b> .....	<b>28</b>

6.1	Measured tpmC .....	28
6.2	Response Times .....	28
6.3	Keying and Think Times .....	28
6.4	Graphs .....	29
6.5	Steady State Determination .....	33
6.6	Work Performed .....	33
6.7	Duration of Checkpoints.....	34
6.8	Duration of Measurement.....	34
6.9	Regulation of Transaction Mix.....	35
6.10	Transaction Mix .....	35
6.11	Transaction Statistics .....	35
6.12	Checkpoint Statistics .....	35
<b>7.</b>	<b>CLAUSE 6 RELATED ITEMS - SUT, DRIVER, AND COMMUNICATION DEFINITION.....</b>	<b>36</b>
7.1	RTE Inputs.....	36
7.2	Lost Connections .....	36
7.3	Functionality and Performance of Emulated Components.....	36
7.4	Functional Diagrams of the Benchmarked and Proposed Configuration .....	36
7.5	Network Configurations of the Tested and Proposed Services.....	36
7.6	Network Bandwidth .....	37
7.7	Operator Intervention.....	37
<b>8.</b>	<b>CLAUSE 7 RELATED ITEMS - PRICING .....</b>	<b>38</b>
8.1	System Pricing.....	38
8.2	Availability Dates .....	38
8.3	Throughput and Price/Performance.....	38
8.4	Country Specific Pricing .....	38
8.5	Usage Pricing.....	39
<b>9.</b>	<b>CLAUSE 8 RELATED ITEMS - AUDIT.....</b>	<b>40</b>
<b>APPENDIX A - APPLICATION SOURCE CODE.....</b>		<b>41</b>
<b>APPENDIX B - DATABASE DETAILS.....</b>		<b>139</b>
	<i>BACKUP.SQL</i> .....	139
	<i>BACKUPDEV.SQL</i> .....	139
	<i>CREATEDB.SQL</i> .....	139
	<i>DBOPT1.SQL</i> .....	140
	<i>DBOPT2.SQL</i> .....	140
	<i>REMOVEDB.SQL</i> .....	141
	<i>RESTORE.SQL</i> .....	141
	<i>VERIFYTPCCLOAD.SQL</i> .....	142
	<i>IDXCUSCL.SQL</i> .....	143
	<i>IDXCUSNC.SQL</i> .....	143
	<i>IDXDISCL.SQL</i> .....	143
	<i>IDXITMCL.SQL</i> .....	144
	<i>IDXNODCL.SQL</i> .....	144
	<i>IDXODLCL.SQL</i> .....	144
	<i>IDXORDCL.SQL</i> .....	144
	<i>IDXORDNC.SQL</i> .....	145
	<i>IDXSTKCL.SQL</i> .....	145
	<i>IDXWARCL.SQL</i> .....	145
	<i>TABLES.SQL</i> .....	146
	<i>DELIVERY.SQL</i> .....	147
	<i>NEWORD.SQL</i> .....	148
	<i>ORDSTAT.SQL</i> .....	151

<i>PAYMENT.SQL</i> .....	152
<i>STOCKLEV.SQL</i> .....	154
<i>VERSION.SQL</i> .....	155
<i>GETARGS.C</i> .....	155
<i>RANDOM.C</i> .....	157
<i>STRINGS.C</i> .....	160
<i>TIME.C</i> .....	163
<i>TPCC.H</i> .....	163
<i>TPCCLDR.C</i> .....	164
<b>APPENDIX C - TUNABLE PARAMETERS AND OPTIONS</b> .....	<b>195</b>
<b>APPENDIX D – SPACE CALCULATION</b> .....	<b>286</b>
<b>APPENDIX E - PRICE QUOTATIONS</b> .....	<b>287</b>
<b>APPENDIX F - ATTESTATION LETTER</b> .....	<b>288</b>

# Introduction

This is the Full Disclosure Report for the TPC Benchmark™ C running on the Fujitsu Siemens Computers system PRIMERGY H250. It meets the requirements of the TPC Benchmark™ C Standard Revision 5.0.

<b>System Overview</b>	<i>This report documents the compliance of the FUJITSU LIMITED TPC Benchmark™ C tests using Microsoft SQL Server 2000 Enterprise Edition SP2 Relational Database Management System.</i>
------------------------	---

The TPC Benchmark™ C tests were carried out on a PRIMERGY H250. The PRIMERGY H250 is a powerful Server with a motherboard based on the ServerWorks chipset that holds up to 2 Intel Xeon™ 2.20 GHz processors with 512 KB L2 cache. The Intel® Xeon™ Processor family with the Intel® NetBurst™ micro-architecture uses Hyper-Threading Technology to provide additional performance and application scalability to dual-processor and multi-processor servers. Hyper-Threading Technology enables multi-threaded software to execute tasks in parallel within each processor. The system was equipped with 8 GB of ECC DDR RAM memory. 4 of the 6 PCI-Slots were used for SCSI RAID controllers. The client machines were 3 PRIMERGY B225 with 1 Intel Pentium® III 933 MHz. They all included 512 MB ECC SDRAM memory and 1 Intel Pro/100+ ethernet adapter.

The server operating system was Windows 2000 Advanced Server SP2. The client operating system was Windows 2000 Server SP2.

<b>Full Disclosure</b>	<i>From Clause 8.1 of the TPC Benchmark™ C Standard Specification:</i>  The intent of this disclosure is for a customer to be able to replicate the results of this benchmark given the appropriate documentation and products.
------------------------	---

Fujitsu Siemens Computers believes that this full disclosure report meets the stated intention. Fujitsu Siemens Computers has strived to maintain the integrity of the Specification by adhering not only to the letter of the Specification, but also to its spirit.

<b>Report Format</b>	<i>The format of this document follows Clause 8 of the TPC Benchmark™ C specification (TPC Benchmark™ C Standard Specification, Revision 5.0, Transaction Processing Performance Council) which describes the full disclosure report requirements for the test.</i>
----------------------	---

Each section of this report begins with the specification requirement printed in *italic type*. It is followed by plain type text that explains how the test complies with the requirement. Sections which require extensive listings reference appropriate appendices.

Report organization:

- General Items
- Clause 1 Related Items - Logical Database Design
- Clause 2 Related Items - Transaction and Terminal Profiles
- Clause 3 Related Items - Transaction and System Properties
- Clause 4 Related Items - Scaling and Database Population
- Clause 5 Related Items - Performance Metrics and Response Time
- Clause 6 Related Items - SUT, Driver, and Communication Definition
- Clause 7 Related Items - Pricing
- Clause 8 Related Items - Audit
- Appendix A - Application Source Code
- Appendix B - Database Details
- Appendix C - Tunable Parameters and Options
- Appendix D - Space Calculation
- Appendix E - Price Quotations
- Appendix F - Attestation Letter

<b>Additional Copies</b>	<i>Additional copies of this report are available upon request from FUJITSU LIMITED: Masayoshi TAKEI IA Server Division Personal Systems Business Group Fujitsu Limited 1-1, Kamikodanaka 4-Chome, Nakahara-ku, Kawasaki 211-8588 Japan</i>
--------------------------	---



# 1. General Items

<b>1.1 Application Code</b>	<i>The application program (as defined in Clause 2.1.7) must be disclosed. This includes, but is not limited to, the code implementing the five transactions and the terminal input and output functions. [Clause 8.1.1.4]</i>
---------------------------------	--

The source code of the application program is provided in Appendix A - Application Source Code.

<b>1.2 Benchmark Sponsor</b>	<i>A statement identifying the benchmark sponsor(s) and other participating companies must be provided. [Clause 8.1.1.5]</i>
----------------------------------	--

This benchmark was sponsored and executed by FUJITSU LIMITED and Fujitsu Siemens Computers GmbH. The benchmark was developed and engineered by Fujitsu Siemens Computers GmbH and Microsoft Corporation. Testing took place at Fujitsu Siemens Computers PRIMERGY benchmark laboratories in Paderborn, Germany.

<b>1.3 Parameter Settings</b>	<i>Settings must be provided for all customer-tunable parameters and options which have been changed from the defaults found in actual products, including but not limited to:</i> <ul style="list-style-type: none"><li>• <i>Database tuning options.</i></li><li>• <i>Recovery/commit options.</i></li><li>• <i>Consistency/locking options.</i></li><li>• <i>Operating system and application configuration parameters.</i></li></ul> <i>[Clause 8.1.1.6]</i>
-----------------------------------	--

The significant parameters and system configuration files are provided in Appendix C - Tunable Parameters and Options.

<b>1.4 Configuration Diagrams</b>	<i>Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences. This includes, but is not limited to:</i> <ul style="list-style-type: none"><li>• <i>Number and type of processors.</i></li><li>• <i>Size of allocated memory, and any specific mapping/partitioning of memory unique to the test.</i></li><li>• <i>Number and type of disk units (and controllers, if applicable).</i></li><li>• <i>Number of channels or bus connections to disk units, including their protocol type.</i></li><li>• <i>Number of LAN (e.g., Ethernet) connections, including routers, workstations, terminals, etc., that were physically used in the test or are incorporated into the pricing structure (see Clause 8.1.8).</i></li><li>• <i>Type and the run-time execution location of software components (e.g., DBMS, client processes, transaction monitors, software drivers, etc.).</i></li></ul> <i>[Clause 8.1.1.7]</i>
---------------------------------------	---

**Table 1: SUT Configuration PRIMERGY H250**


2	Intel Xeon™ 2.20 GHz with 512 KB Second Level Cache
8	GB memory
4	Mylex eXtremRAID 2000 SCSI controllers
0	disks 9 GB measured
143	disks 18 GB measured
0	disks 36 GB measured
0	disks 9 GB priced
143	disks 18 GB priced
0	disks 36 GB priced
1	LAN

**Table 2: Client Configuration PRIMERGY B225**


1	Intel Pentium® III 933 MHz with 256 KB Second Level Cache
512	MB memory
1	SCSI controller
1	disk 18 GB
1	Intel Pro/100+

The benchmarked and priced system configurations are shown in Figure 1 and Figure 2 in accordance with Clause 8.1.1.7.

**Figure 1: Benchmark System Configuration PRIMERGY H250**



**Figure 2: Priced System Configuration PRIMERGY H250**



## 2. Clause 1 Related Items - Logical Database Design

<b>2.1 Table Definitions</b>	<i>Listings must be provided for all table definition statements and all other statements used to set-up the database. [Clause 8.1.2.1]</i>
----------------------------------	---

The programs that defined, created, and populated the Microsoft SQL Server 2000 Enterprise Edition SP2 database for this TPC benchmark™ C are listed in Appendix B - Database Details.

<b>2.2 Physical Organization of Database</b>	<i>The physical organization of tables and indices, within the database, must be disclosed. [Clause 8.1.2.2]</i>
--	--

**Table 3: Physical Organization of the Database**

Controller	Channel 0	Channel 1	Channel 2	Channel 3	RAID	Drive
eXtremeRAID 2000 #0	0-0 1-0 2-0 3-0 4-0	0-1 1-1 2-1 3-1 4-1			SPAN 0 to 1 RAID1	L:
eXtremeRAID 2000 #1	0-0 0-1 0-2 0-3 0-4 0-5 0-6 0-8 0-9 0-10 0-11	1-0 1-1 1-2 1-3 1-4 1-5 1-6 1-8 1-9 1-10 1-11	2-0 2-1 2-2 2-3 2-4 2-5 2-6 2-8 2-9 2-10 2-11	3-0 3-1 3-2 3-3 3-4 3-5 3-6 3-8 3-9 3-10 3-11	SPAN 0 to 3 RAID0	E: N: X:
eXtremeRAID 2000 #2	0-0 0-1 0-2 0-3 0-4 0-5 0-6 0-8 0-9 0-10 0-11	1-0 1-1 1-2 1-3 1-4 1-5 1-6 1-8 1-9 1-10 1-11	2-0 2-1 2-2 2-3 2-4 2-5 2-6 2-8 2-9 2-10 2-11	3-0 3-1 3-2 3-3 3-4 3-5 3-6 3-8 3-9 3-10 3-11	SPAN 0 to 3 RAID0	F: O: Y:
eXtremeRAID 2000 #2	0-0 0-1 0-2 0-3 0-4	1-0 1-1 1-2 1-3 1-4	2-0 2-1 2-2 2-3 2-4	3-0 3-1 3-2 3-3 3-4	SPAN 0 to 3 RAID0	G: P: Z:

	0-5	1-5	2-5	3-5		
	0-6	1-6	2-6	3-6		
	0-8	1-8	2-8	3-8		
	0-9	1-9	2-9	3-9		
	0-10	1-10	2-10	3-10		
	0-11	1-11	2-11	3-11		

All controllers were configured with write cache disabled. Write cache was enabled on the log drives and disabled on the data drives. Disk types are Seagate ST318452 LC 18 GB with 15000 rpm.

Space was allocated to Microsoft SQL Server 2000 Enterprise Edition SP2 on SUT disks according to the data in section 5.2. The size of the datafile on each disk drive was calculated to provide even distribution on load across the disk drives. The Windows Disk Manager was used to create raw devices for data/log and NTFS partitions for dump devices. For further information see Appendix B (Disk Usage) and Figure 4 in 5.2 (Distribution of Tables and Log). No attempt was made to alter the default physical organization of the database tables and indices chosen by Microsoft SQL Server 2000 Enterprise Edition SP2 .

<b>2.3 Insert and Delete Operations</b>	<i>It must be ascertained that insert and/or delete operations to any of the tables can occur concurrently with the TPC-C transaction mix. Furthermore, any restriction in the SUT database implementation that precludes inserts beyond the limits defined in Clause 1.4.11 must be disclosed. This includes the maximum number of rows that can be inserted and the maximum key value for these new rows. [Clause 8.1.2.3]</i>
---	--

There were no restrictions on insert and delete operations to any tables.

<b>2.4 Database Partitioning</b>	<i>While there are a few restrictions placed upon horizontal or vertical partitioning of tables and rows in the TPC benchmark™ C (see Clause 1.6), any such partitioning must be disclosed. [Clause 8.1.2.4]</i>
--------------------------------------	--

There was no partitioning used in this implementation.

<b>2.5 Replication of Tables</b>	<i>Replication of tables, if used, must be disclosed (see Clause 1.4.6). [Clause 8.1.2.5]</i>
--------------------------------------	---

Replication of tables was not used in this implementation.

<b>2.6 Additional and/or Duplicated Attributes</b>	<i>Additional and/or duplicated attributes in any table must be disclosed along with a statement on the impact on performance (see Clause 1.4.7). [Clause 8.1.2.6]</i>
--	--

No additional and/or duplicated attributes were used.

### 3. Clause 2 Related Items - Transaction and Terminal Profiles

<b>3.1 Random Number Generator</b>	<i>The method of verification for the random number generation must be described. [Clause 8.1.3.1]</i>
--	--

The random number generation was done in Microsoft BenchCraft, which was audited independently.

<b>3.2 Input/Output Screen Layout</b>	<i>The actual layouts of the terminal input/output screens must be disclosed. [Clause 8.1.3.2]</i>
---	--

The screen layout corresponded exactly to those of the TPC-C Standard Specification (specified in Clause 2.4.3, 2.5.3, 2.6.3, 2.7.3, and 2.8.3).

<b>3.3 Configured Terminal Features</b>	<i>The method used to verify that the emulated terminals provide all the features described in Clause 2.2.2.4 must be explained. Although not specifically priced, the type and model of the terminals used for the demonstration in 8.1.3.3 must be disclosed and commercially available (including supporting software and maintenance). [Clause 8.1.3.3]</i>
---	---

All of the requirements in clause 2.2.2.4. are supported. This was verified by manually exercising each specification on a PRIMERGY 870.

<b>3.4 Presentation Managers or Intelligent Terminals</b>	<i>Any usage of presentation managers or intelligent terminals must be explained. [Clause 8.1.3.4]</i>
---	--

Application code running on the client machines implemented the TPC-C user interface. No presentation manager software or intelligent terminal features were used. The source code for the forms application is listed in Appendix A - Application Source Code.

<b>3.5 Transaction Statistics</b>	<i>The numerical quantities which are required are listed in the following table. [Clause 8.1.3.5 to 8.1.3.11]</i>
---------------------------------------	--

**Table 4: Transaction Statistics**

	<b>Statistics</b>	<b>Percentage</b>
New-Order	Home order-lines	99.00%
	Remote order-lines	1.00%
	Rolled back transactions	0.99%
	Average items per order	10.00
Payment	Home transactions	85.00%
	Remote transactions	15.00%
	Non-primary key access	60.01%
Order-Status	Non-primary key access	59.99
Delivery	Skipped transactions	0
Transaction Mix	New-Order	44.91 %
	Payment	43.03 %
	Order-Status	4.01 %
	Delivery	4.03 %
	Stock-Level	4.02 %

### **3.6 Queueing Mechanism**

*The queuing mechanism used to defer the execution of the Delivery transaction must be disclosed. [Clause 8.1.12]*

Deferred deliveries are queued by making an entry in an array within the client application process (tpcc.dll). The queued delivery transactions are processed and logged asynchronously by background threads within the application.

The source code is listed in Appendix A - Application Source Code.

## 4. Clause 3 Related Items - Transaction and System Properties

<b>ACID Tests</b>	<i>The results of the ACID tests must disclosed along with a description of how the ACID requirements were met. This includes disclosing which case was followed for the execution of Isolation Test 7. [Clause 8.1.4.1]</i>
-------------------	--

All ACID tests were performed successfully. The following sections describe the requirements of each of the tests as described in Clause 3 and the approach used to satisfy them.

All ACID tests were performed on the PRIMERGY H250 system using the fully scaled database, except for the test of durable media failure.

The durability test was performed on a database scaled to 15 warehouses. This test would also pass on a fully scaled database.

<b>4.1 Atomicity</b>	<i>The system under test must guarantee that database transactions are atomic; the system will either perform all individual operations on the data, or will assure that no partially-completed operations leave any effects on the data. [Clause 3.2.1]</i>
----------------------	--

<b>Commit Transaction</b>	Perform the Payment transaction for a randomly selected warehouse, district, and customer (by customer number as specified in Clause 2.5.1.2) and verify that the records in the CUSTOMER, DISTRICT, and WAREHOUSE tables have been changed appropriately. [Clause 3.2.2.1]
---------------------------	---

The following steps demonstrated atomicity for completed (COMMIT) transactions:

- A row was randomly selected from the warehouse, district and customer table.
- the current balance was noted.
- A payment transaction was executed with the above identifiers and a known amount.
- The transaction was committed.
- It was verified, that the rows contain the correct updated balances.

<b>Rollback Transaction</b>	Perform the Payment transaction for a randomly selected warehouse, district, and customer (by customer number as specified in Clause 2.5.1.2) and substitute a ROLLBACK of the transaction for the COMMIT of the transaction. Verify that the records in the CUSTOMER, DISTRICT, and WAREHOUSE tables have NOT been changed. [Clause 3.2.2.2]
-----------------------------	---

The following steps demonstrated atomicity for aborted (ROLLBACK) transactions:

- A row was randomly selected from the warehouse, district and customer table.
- the current balance was noted.
- A payment transaction was executed with the above identifiers and a known amount.
- The transaction was rolled back.
- It was verified, that the rows contain the original balances.

**4.2  
Consistency**

*Consistency is the property of the application that requires any execution of a database transaction to take the database from one consistent state to another, assuming that the database is initially in a consistent state. [Clause 3.3.1]*

Consistency conditions 1 - 4 were tested by issuing queries to the database. The results of the queries verified that the database was consistent for all these tests. The tests were performed before and after the performance run on the same database that was used for the benchmark.

**4.3  
Isolation**

*Operations of concurrent transactions must yield results which are indistinguishable from the results which would be obtained by forcing each transaction to be serially executed to completion in some order.*

We ran all of the seven isolation tests as described in clause 3.4.2.1 to 3.4.2.7 and additionally the two phantom protection tests. The tests were executed using shell scripts to issue queries to the database. The results of the queries verified that the required isolation had been met.

**4.4  
Durability**

*The tested system must guarantee durability: the ability to preserve the effects of committed transactions and insure database consistency after recovery from any one of the failures listed in Clause 3.5.3. [Clause 3.5]*

*List of single failures*

*1 Permanent irrecoverable failure of any single durable medium containing TPC-C database tables or recovery log data*

*2 Instantaneous interruption (system crash / system hang) in processing which requires system reboot to recover*

*3 Failure of all or part of memory (loss of contents).*

*[Clause 3.5.3]*

*The intent of these tests is to demonstrate that all transactions whose output messages have been received at the terminal or RTE have in fact been committed in spite of any single failure from the list in Clause 3.5.3 and that all consistency conditions are still met after the database is recovered.*

*It is required that the system crash test(s) and the loss of memory test(s) described in Clause 3.5.3.2 and 3.5.3.3 be performed under full terminal load and a fully scaled database. The durable media failure test(s) described in Clause 3.5.3.1 may be performed on a subset of the SUT configuration and database. For the SUT subset, all multiple hardware components, such as processors and disk / controllers in the full SUT configuration, must be represented by the greater of 10% of the configuration or two of each of the multiple hardware components. The database must be scaled to at least 10% of the fully scaled database, with a minimum of two warehouses. ... Furthermore, the standard driving mechanism must be used in this test. The test sponsor must state that to the best of their knowledge, a fully scaled test would also pass all durability tests. [Clause 3.5.4]*

The failure of all or part of memory test and the system crash test were combined with the loss of log disk and performed under full load and by using a fully scaled database.

The full hardware configuration of the SUT (in accordance with Clause 3.5.4) and the same test procedure was used during all durability tests, except the test for loss of data.

- The current count of the total number of orders was determined by summing up the D\_NEXT\_O\_ID fields of all rows in the DISTRICT table before the test.

- After 6 min in steady state we pulled off one of the log disks. As we use hardware-mirrored diskpairs with the SCSI-controller, execution continued.
- After additional 6 min we powered of the server to emulate the loss of memory. After server system reboot, SQL-Server starts with recovering the database tpcc. After completion, we computed the sum of D\_NEXT\_O\_ID from district. Client and RTE systems were interrupted and evaluation started on the RTE. The difference of all D\_NEXT\_O\_ID between RTE an server was in the permitted scope.

The durable media failure test for loss of data disk was performed with 44 of the 132 data disks and a database scaled to 15 warehouses under the load of 150 users. We used one RTE and one client system. To the best of the test sponsor's knowledge, a fully loaded and fully scaled database would also pass this durability test.

- The database was backed up.
- The current count of the total number of orders was determined by summing up the D\_NEXT\_O\_ID fields of all rows in the DISTRICT table before the test.
- After 5 min in steady state we pulled of one of the data disks.
- SQL-Server recognized the loss of a device. We dumped the transaction log and removed the database with dropdevice. Then we shut down SQL-Server and the system.
- We replaced the disk and made it online.
- We restarted SQL-Server, no tpcc database and none of its devices were present. We recreated the database, loaded dump and load transaction log
- After completion, we computed the sum of D\_NEXT\_O\_ID from district.
- Client and RTE systems were interrupted and evaluation started on the RTE. The difference of all D\_NEXT\_O\_ID between RTE an server was in the permitted scope.

## 5. Clause 4 Related Items - Scaling and Database Population

<b>5.1 Initial Cardinality of Tables</b>	<i>The cardinality (e.g., the number of rows) of each table, as it existed at the start of the benchmark run (see Clause 4.2), must be disclosed. If the database was over-scaled and inactive rows of the WAREHOUSE table were deleted (see Clause 4.2.2), the cardinality of the WAREHOUSE table as initially configured and the number of rows deleted must be disclosed. [Clause 8.1.5.1]</i>
--	---

The database for the PRIMERGY H250 system was scaled for 2700 warehouses. The performance run used 2700 warehouses. In accordance with Clause 4.2, the following number of records were loaded in the specified tables:

**Table 5: Number of Rows**

Table	Number of Records
Warehouse	2700
District	27,000
Customer	81,000,000
History	81,000,000
Order	81,000,000
New-Order	24,300,000
Order-Line	810,006,666
Stock	270,000,000
Item	100,000
Deleted Warehouses	00

The following constant values were used during the database build and benchmark test for the NURand function:

**Table 6: C\_LAST value**

Constant C	Value
C_LAST (build)	123
C_LAST (run)	233

**5.2  
Distribution of Tables and Log**

*The distribution of tables and logs across all media must be explicitly depicted for the tested and priced systems. [Clause 8.1.5.2]*

**Table 7: Logical Organization of the Database**

Disk	Controller	Disktype	RAID Configuration	Drive Letter	Size MB	Filegroup or Filesystem
0	Symbios (onboard)	18 GB	-	System C:	9000	NTFS
1	eXtremeRAID 2000 #0	10 x 18 GB	RAID 1	L:	80000	log
2	eXtremeRAID 2000 #1	44 x 18 GB	RAID 0	E: N: X:	52000 28000 300000	cs1 misc1 backup1
3	eXtremeRAID 2000 #2	44 x 18 GB	RAID 0	F: O: Y:	52000 28000 300000	cs2 misc2 backup2
4	eXtremeRAID 2000 #3	44 x 18 GB	RAID 0	G: P: Z:	52000 28000 300000	cs3 misc3 backup3

**5.3  
Database Model, Interface, and Access Language**

*A statement must be provided that describes:*

1. *The data model implemented by the DBMS used (e.g., relational, network, hierarchical)*
2. *The database interface (e.g., embedded, call level) and access language (e.g., SQL, DL/1, COBOL read/write) used to implement the TPC-C transactions. If more than one interface/access language is used to implement TPC-C, each interface / access language must be described and a list of which interface/access language is used with which transaction type must be disclosed.*

*[Clause 8.1.5.3]*

Microsoft SQL Server 2000 Enterprise Edition SP2 is a Relational DataBase Management System. The interface used was Microsoft SQL Server 2000 Enterprise Edition SP2 stored procedures accessed with Remote Procedure Calls embedded in C code.

**5.4  
Database Partitions/Replications Mapping**

*The mapping of database partitions/replications must be explicitly described. [Clause 8.1.5.4]*

There was no partitioning and/or replication used in this implementation.

**5.5**  
**60 day space Calculation**

*Details of the 60-day space computations along with proof that the database is configured to sustain 8 hours of growth for the dynamic tables (Order, Order-Line, and History) must be disclosed (see Clause 4.2.3). [Clause 8.1.5.5]*

Calculations of space requirements in the priced configurations for the 60-day period are provided in Appendix D – Space Calculation.

## 6. Clause 5 Related Items - Performance Metrics and Response Time

<b>6.1 Measured tpmC</b>	<i>Measured tpmC must be reported. [Clause 8.1.6.1]</i>
------------------------------	---

During the 120 minutes measurement period on the PRIMERGY H250 the throughput measured was 33,768.41 tpmC.

<b>6.2 Response Times</b>	<i>Ninetieth percentile, maximum and average response times must be reported for all transaction types as well as for the Menu response time. [Clause 8.1.6.2]</i>
-------------------------------	--

**Table 8: Response Times**

Type	Average	Maximum	90 Percentile
New-Order	0.42	6.01	0.75
Payment	0.35	5.72	0.67
Order-Status	0.38	5.36	0.70
Interactive Delivery	0.11	1.03	0.12
Deferred Delivery	0.21	1.63	0.35
Stock-Level	1.08	6.05	1.66
Menu	0.11	1.04	0.12

<b>6.3 Keying and Think Times</b>	<i>The minimum, the average, and the maximum keying and think times must be reported for each transaction type. [Clause 8.1.6.3]</i>
---------------------------------------	--

**Table 9: Keying Times**

Keying Times			
Type	Average	Maximum	Minimum
New-Order	18.01	18.05	18.00
Payment	3.01	3.05	3.00
Order-Status	2.01	2.04	2.00
Delivery	2.01	2.04	2.00
Stock-Level	2.01	2.04	2.00

**Table 10: Think Times**

Think Times			
Type	Average	Maximum	Minimum
New-Order	12.05	120.51	0.000
Payment	12.04	120.51	0.000
Order-Status	10.01	100.50	0.000
Delivery	5.06	50.50	0.000
Stock-Level	5.05	50.51	0.000

**6.4  
Graphs**


Response Time frequency distribution curves (see Clause 5.6.1) must be reported for each transaction type. [Clause 8.1.6.4]

The performance curve for response times versus throughput (see Clause 5.6.2) must be reported for the New-Order transaction. [Clause 8.1.6.5]


Think Time frequency distribution curves (see Clause 5.6.3) must be reported for each transaction type. [Clause 8.1.6.6]

A graph of throughput versus elapsed time (see Clause 5.6.5) must be reported for the New-Order transaction. [Clause 8.1.6.8]


**Figure 3: New-Order Response Time Distribution**




**FIGURE 4: PAYMENT RESPONSE TIME DISTRIBUTION**




**Figure 5: Order-Status Response Time Distribution**




**Figure 6: Delivery Response Time Distribution**




**Figure 7: Stock-Level Response Time Distribution**




**Figure 8: Response Time Versus Throughput**



**Figure 9: New-Order Think Time Distribution**



**Figure 10: Throughput Versus elapsed Time**



**6.5  
Steady State  
Determination**

*The method used to determine that the SUT had reached a steady state prior to commencing the measurement interval (see Clause 5.5) must be described. [Clause 8.1.6.9]*

In all test runs, steady state was achieved before the measurement period began. Steady state was determined to occur based on a visual inspection of tpmC versus time (see graph in section 6.4).

The graph in section 6.4 illustrates that the measurement period was within the steady state period for the run. One checkpoint occurred before and four during the measurement period.

**6.6  
Work Performed**

*A description of how the work normally performed during a sustained test (for example checkpointing, writing redo/undo log records, etc.), actually occurred during the measurement interval must be reported. [Clause 8.1.6.10]*

The RTE generated the required input data to choose a transaction from the menu. This data was timestamped and captured in RTE log files before being transmitted. There was one log file for each user. The input screen for the requested transaction was returned and it was also captured and timestamped in the RTE log files. The difference between these two timestamps was the menu response time.

The RTE generated the required input data for the chosen transaction. It waited to complete the minimum required key time before transmitting the input screen. The transmission was timestamped and captured in RTE log files. The return of the screen with the required response data was timestamped and captured in the RTE log files. The difference between these two timestamps was the response time for that transaction.

The RTE then waited the required think time interval before repeating the process starting at selecting a transaction from the menu.

The RTE transmissions were sent to Internet Information Server running on the client machines through Ethernet LANs. Internet Information Server handled all screen I/O as well as all requests to the database on the server.

Internet Information Server communicated with the database server over COM+ which was used as transaction monitor.

All database operations like update, select, delete and insert are performed by one of the TPC-C back end programs. The TPC-C backend program commits the transaction after all the corresponding operations are done.

Modified database buffers are migrated to disk a least-recently-used basis independent of transaction commits. In addition, every block modification is protected by log records. Asynchronously the log buffers are flushed to a log file on disk either when the transaction is committed or when the log buffer's fill state reaches it's limit. The log buffer's always flushed by a commit before it become full.

To perform checkpoints at specific intervals, we wrote a script to schedule multiple checkpoints at specific intervals. By setting the trace flag #3502, SQL Server logged the checkpoint beginning and ending time in the ERRORLOG file. The script included a wait time between each checkpoint equal to the measurement interval which was 120 minutes. The checkpoint script was started manually after the RTE had all users logged in and sending transactions.

At each checkpoint, Microsoft SQL Server wrote to disk all memory pages that had been updated but not yet physically written to disk. Upon completion of the checkpoint, Microsoft SQL Server wrote a special record to the recovery log to indicate that all disk operations had been satisfied to this point.

<b>6.7 Duration of Checkpoints</b>	<i>The start time and duration in seconds of at least the four (4) longest checkpoints during the MeasurementInterval must be disclosed (see Clause 5.5.2.2 (2)). [Clause 8.1.6.11]</i>
--	---

There was one checkpoint before measurement and four checkpoints during measurement. Starttime and duration of these four checkpoints is listed in the following table:

**Table 11: Duration of Checkpoints**

Measurement		duration	
Start =	End =	minutes	seconds
8:54:20	10:54:20	120	7200
4 Checkpoints		duration	
Start =	End =	minutes	seconds
09:00:18	09:14:18	14:00	840
09:30:17	09:44:17	14:00	840
10:00:16	10:14:16	14:00	840
10:30:15	10:44:16	14:01	841

<b>6.8 Duration of Measurement</b>	<i>A statement of the duration of the measurement interval for the reported Maximum Qualified Throughput (tpmC) must be included. [Clause 8.1.6.12]</i>
--	---

The measurement interval of the PRIMERGY H250 system test was 120 minutes.

**6.9  
Regulation of Transaction Mix**

*The method of regulation of the transaction mix (e.g., card decks or weighted random distribution) must be described. If weighted distribution is used and the RTE adjusts the weights associated with each transaction type, the maximum adjustments to the weight from the initial value must be disclosed. [Clause 8.1.6.13]*

The transaction mix was regulated by weighted distribution. The chosen weights meet the required minimum percentages of the mix which are described in Clause 5.2.3 of the Standard Specifications. No adjustments were made by the RTE.

**6.10  
Transaction Mix**

*The percentage of the total mix for each transaction type must be disclosed. [Clause 8.1.6.14]*

**Table 12: Transaction Mix**

	<b>Percentage</b>
New-Order	44.91 %
Payment	43.03 %
Order-Status	4.01 %
Delivery	4.03 %
Stock-Level	4.02 %

**6.11  
Transaction Statistics**

*The percentage of New-Order transactions rolled back as a result of invalid item number must be disclosed. [Clause 8.1.6.15]*

*The average number of order-lines entered per New-Order transaction must be disclosed. [Clause 8.1.6.16]*

*The percentage of remote order-lines entered per New-Order transaction must be disclosed. [Clause 8.1.6.17]*

*The percentage of remote Payment transactions must be disclosed. [Clause 8.1.6.18]*

*The percentage of customer selections by customer last name in the Payment and Order-Status transactions must be disclosed. [Clause 8.1.6.19]*

*The percentage of Delivery transactions skipped due to there being fewer than necessary orders in the New-Order table must be disclosed. [Clause 8.1.6.20]*

The numerical quantities which are required in Clause 8.1.6.15 to 8.1.6.20 are already listed in a table above (see section 3.5).

**6.12  
Checkpoint Statistics**

*The number of checkpoints in the Measurement Interval, the time in seconds from the start of the Measurement Interval to the first checkpoint and the Checkpoint Interval must be disclosed. [Clause 8.1.6.21]*

The numerical quantities which are required in Clause 8.1.6.21 are already listed above (see section 6.7).

## 7. Clause 6 Related Items - SUT, Driver, and Communication Definition

<b>7.1 RTE Inputs</b>	<i>If the RTE is commercially available, then its inputs must be specified. Otherwise, a description must be supplied of what inputs (e.g., scripts) to the RTE had been used. [Clause 8.1.7.1]</i>
---------------------------	---

Microsoft Benchcraft was used as the RTE to emulate the terminals. Its input parameters are shown in Appendix C - Tunable Parameters and Options.

We used COM+ to simulate terminal users, generate random data, record response times and statistical data. Its input parameters are shown in Appendix C - Tunable Parameters and Options.

<b>7.2 Lost Connections</b>	<i>The number of terminal connections lost during the Measurement Interval must be disclosed (see Clause 6.6.2). [Clause 8.1.7.3]</i>
---------------------------------	---

There were no lost connections during measurement interval.

<b>7.3 Functionality and Performance of Emulated Components</b>	<i>It must be demonstrated that the functionality and performance of the components being emulated in the Driver System are equivalent to that of the priced system. The results of the test described in Clause 6.6.3.4 must be disclosed. [Clause 8.1.7.3]</i>
---	--

The Driver System consisted of a PRIMERGY 870. This driver was attached to the client machine through a 100 Mbps ethernet LAN and switch. Since this is exactly the same connectivity as configured in the priced system, no component was emulated. Therefore, the test described in Clause 6.6.3.4 was not required.

<b>7.4 Functional Diagrams of the Benchmarked and Proposed Configuration</b>	<i>A complete functional diagram of both the benchmark configuration and the configuration of the proposed (target) system must be disclosed. A detailed list of all software and hardware functionality being performed on the Driver System, and its interface to the SUT must be disclosed (see Clause 6.6.3.6). [Clause 8.1.7.4]</i>
--	--

Figure 1 and Figure 2 in section 1.4 show the functional diagrams of the benchmark configuration and the priced configuration.

<b>7.5 Network Configurations of the Tested and Proposed Services</b>	<i>The network configurations of both the tested services and the proposed (target) services which are being represented and a thorough explanation of exactly which parts of the proposed configuration are being replaced with the Driver System must be disclosed (see Clause 6.6.4). [Clause 8.1.7.5]</i>
---	---

Figure 1 and Figure 2 in section 1.4 show the network setup of both configurations. The driver replaces the workstations.

In both configurations one 100Mbps ethernet LAN segment was used to connect the server with the 3 clients and 100Mbps LAN with switch to connect the RTE systems or 2700 workstations to the clients.

<b>7.6 Network Bandwidth</b>	<i>The bandwidth of the network(s) used in the tested / priced configuration must be disclosed. [Clause 8.1.7.6]</i>
----------------------------------	--

The ethernet used in the local area network (LAN) between the emulated user system and the front-end system complies with the IEEE 802.3 standard. Its bandwidth is 100 Mbps. Between front-end and SUT the bandwidth is 100 Mbps.

<b>7.7 Operator Intervention</b>	<i>If the configuration requires operator intervention (see Clause 6.6.6), the mechanism and the frequency of this intervention must be disclosed. [Clause 8.1.7.7]</i>
--------------------------------------	---

The PRIMERGY H250 requires no operator intervention to sustain the reported throughput.

## 8. Clause 7 Related Items - Pricing

<p><b>8.1 System Pricing</b></p>	<p><i>A detailed list of hardware and software used in the priced system must be reported. Each separately orderable item must have vendor part number, description, and release/revision level, and either general availability status or committed delivery date. If package-pricing is used, vendor part number of the package and a description uniquely identifying each of the components of the package must be disclosed. Pricing source(s) and effective date(s) of price(s) must also be reported. [Clause 8.1.8.1]</i></p> <p><i>The total 3-year price of the entire configuration must be reported, including: hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed. [Clause 8.1.8.2]</i></p>
--------------------------------------	---

The details of the hardware and software are reported in the summary in front of this report. The spreadsheet used to determine the 3-year price and the spreadsheet used to describe the priced configuration can be found in Appendix E - Price Quotations.

<p><b>8.2 Availability Dates</b></p>	<p><i>The committed delivery date for general availability (availability date) of products used in the price calculations must be reported. When the priced system includes products with different availability dates, the reported availability date for the priced system must be the date at which all components are committed to be available. This single date must be reported on the first page of the Executive Summary. All availability dates, whether for individual components or for the SUT as a whole, must be disclosed to a precision of one day. [Clause 8.1.8.3]</i></p>
--	---

All hardware and software components used in the price calculations of the PRIMERGY H250 system will be generally available from FUJITSU LIMITED as of August 1, 2002.

<p><b>8.3 Throughput and Price/Performance</b></p>	<p><i>A statement of the measured tpmC, as well as the respective calculations for 3-year pricing, price/performance (price/tpmC), and the availability date must be included. [Clause 8.1.8.4]</i></p>
--	---

PRIMERGY H250 system was measured at 33,768.41 tpmC with Microsoft SQL Server 2000 Enterprise Edition SP2 with a 3-year system price of Yen 38,298,800. The respective price/performance for the PRIMERGY H250 is Yen 1,134.16/tpmC. The priced PRIMERGY H250 will be available as of August 1, 2002.

<p><b>8.4 Country Specific Pricing</b></p>	<p><i>Additional Clause 7 related items may be included in the Full Disclosure Report for each country specific priced configuration. Country specific pricing is subject to Clause 7.1.7 [Clause 8.1.8.5]</i></p>
--	--

The system is being priced for Japan.

**8.5  
Usage Pricing**

*For any usage pricing, the sponsor must disclose:*

- *Usage level at which the component was priced.*
- *A statement of the company policy allowing such pricing.*

*[Clause 8.1.8.6]*

The component pricing based on usage is shown below:

- One Microsoft SQL Server 2000 Enterprise Edition SP2
- One Windows 2000 Advanced Server SP2
- 3 Microsoft Windows 2000 Server SP2 license (includes 5 client access licenses)
- One Microsoft Visual C++ Professional 6.0

## 9. Clause 8 Related Items - Audit

<b>9.1 Auditor</b>	<p><i>The auditor's name, address, phone number, and a copy of the auditor's attestation letter indicating compliance must be included in the Full Disclosure Report.</i></p> <p><i>A review of the pricing model is required to ensure that all components required are priced (see Clause 9.2.8). The auditor is not required to review the final Full Disclosure Report or the final pricing prior to issuing the attestation letter. [Clause 8.1.9]</i></p>
------------------------	---

The benchmark test of the PRIMERGY H250 system with Microsoft SQL Server 2000 Enterprise Edition SP2 was independently audited by:

Bradley Askins, TPC certified auditors of Infosizing.  
The attestation letter is included in Appendix F.

Requests for this TPC-C Full Disclosure Report should be sent to:

Transaction Processing Performance Council  
c/o Shanley Public Relations  
777 North First Street, Suite 6000  
San Jose, CA 95112-6311

or

Masayoshi TAKEI  
IA Server Division  
Personal Systems Business Group  
Fujitsu Limited  
1-1, Kamikodanaka 4-Chome, Nakahara-ku, Kawasaki  
211-8588  
Japan

# Appendix A - Application Source Code

LIBRARY TPCC.DLL

EXPORTS

```

GetExtensionVersion @1
HttpExtensionProc @2
TerminateExtension @3

```

```

/* FILE: TPCC.H
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 * All Rights Reserved
 *
 * Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE: Header file for ISAPI TPCC.DLL, defines structures and
functions used in the isapi tpcc.dll.
 *
 */

```

//VERSION RESOURCE DEFINES

```

#define _APS_NEXT_RESOURCE_VALUE 101
#define _APS_NEXT_COMMAND_VALUE 40001
#define _APS_NEXT_CONTROL_VALUE 1000
#define _APS_NEXT_SYMED_VALUE 101

```

```

#define TP_MAX_RETRIES 50

```

```

//note that the welcome form must be processed first as terminal ids
assigned here, once the
//terminal id is assigned then the forms can be processed in any order.
#define WELCOME_FORM 1 //beginning form no
term id assigned, form id
#define MAIN_MENU_FORM 2 //term id
assigned main menu form id
#define NEW_ORDER_FORM 3 //new order
form id
#define PAYMENT_FORM 4 //payment form id
#define DELIVERY_FORM 5 //delivery
form id
#define ORDER_STATUS_FORM 6 //order status id
#define STOCK_LEVEL_FORM 7 //stock level form
id

```

```

//This macro is used to prevent the compiler error unused formal parameter
#define UNUSEDPARAM(x) (x = x)

```

```

//This structure defines the data necessary to keep distinct for each
terminal or client connection.
typedef struct _CLIENTDATA
{
    int iNextFree; //index of next free element
    or -1 if this entry in use.
    int w_id; //warehouse id assigned at
welcome form
    int d_id; //district id assigned at
welcome form

    int iSyncId; //synchronization id
    int iTickCount; //time of last access;

    CTPCC_BASE *pTxn;
} CLIENTDATA, *PCLIENTDATA;

```

```

//This structure is used to define the operational interface for terminal id
support
typedef struct _TERM
{
    int iNumEntries; //total allocated
terminal array entries
    int iFreeList; //next available
terminal array element or -1 if none
    int iMasterSyncId; //synchronization id
CLIENTDATA *pClientData; //pointer to allocated
client data
} TERM;

typedef TERM *PTERM; //pointer to terminal
structure type

```

```

enum WEBERROR
{
    NO_ERR,
    ERR_COMMAND_UNDEFINED,
    ERR_D_ID_INVALID,

```

```

ERR_DELIVERY_CARRIER_ID_RANGE,
ERR_DELIVERY_CARRIER_INVALID,
ERR_DELIVERY_MISSING_OCD_KEY,
ERR_DELIVERY_THREAD_FAILED,
ERR_GETPROCADDR_FAILED,
ERR_HTML_ILL_FORMED,
ERR_INVALID_SYNC_CONNECTION,
ERR_INVALID_TERMID,
ERR_LOADDLL_FAILED,
ERR_MAX_CONNECTIONS_EXCEEDED,
ERR_MEM_ALLOC_FAILED,
ERR_MISSING_REGISTRY_ENTRIES,
ERR_NEWORDER_CUSTOMER_INVALID,
ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_DISTRICT_INVALID,
ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_ITEMID_INVALID,
ERR_NEWORDER_ITEMID_RANGE,
ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_MISSING_SUPPW_KEY,
ERR_NEWORDER_NOITEMS_ENTERED,
ERR_NEWORDER_QTY_INVALID,
ERR_NEWORDER_QTY_RANGE,
ERR_NEWORDER_QTY_WITHOUT_SUPPW,
ERR_NEWORDER_SUPPW_INVALID,
ERR_NO_SERVER_SPECIFIED,
ERR_ORDERSTATUS_CID_AND_CLT,
ERR_ORDERSTATUS_CID_INVALID,
ERR_ORDERSTATUS_CLT_RANGE,
ERR_ORDERSTATUS_DID_INVALID,
ERR_ORDERSTATUS_MISSING_CID_CLT,
ERR_ORDERSTATUS_MISSING_CID_KEY,
ERR_ORDERSTATUS_MISSING_CLT_KEY,
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_PAYMENT_CDI_INVALID,
ERR_PAYMENT_CID_AND_CLT,
ERR_PAYMENT_CUSTOMER_INVALID,
ERR_PAYMENT_CWI_INVALID,
ERR_PAYMENT_DISTRICT_INVALID,
ERR_PAYMENT_HAM_INVALID,
ERR_PAYMENT_HAM_RANGE,
ERR_PAYMENT_LAST_NAME_TO_LONG,
ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_MISSING_CID_CLT,
ERR_PAYMENT_MISSING_CID_KEY,
ERR_PAYMENT_MISSING_CLT,
ERR_PAYMENT_MISSING_CLT_KEY,
ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_MISSING_HAM_KEY,
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,

```

```

ERR_STOCKLEVEL_THRESHOLD_INVALID,
ERR_STOCKLEVEL_THRESHOLD_RANGE,
ERR_VERSION_MISMATCH,
ERR_W_ID_INVALID
};

class CWEBCLNT_ERR : public CBaseErr
{
public:
    CWEBCLNT_ERR(WEBCONTEXT Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    };

    CWEBCLNT_ERR(WEBCONTEXT Err, char *szTextDetail, DWORD dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new char[strlen(szTextDetail)+1];
        strcpy( m_szTextDetail, szTextDetail );
        m_SystemErr = dwSystemErr;
        m_szErrorText = NULL;
    };

    ~CWEBCLNT_ERR()
    {
        if ( m_szTextDetail != NULL)
            delete [] m_szTextDetail;
        if ( m_szErrorText != NULL)
            delete [] m_szErrorText;
    };

    WEBCONTEXT m_Error;
    char *m_szTextDetail; //
    char *m_szErrorText;
    DWORD m_SystemErr;

    int ErrorType() {return ERR_TYPE_WEBDLL;};
    int ErrorNum() {return m_Error;};
    char *ErrorText();
};

//These constants have already been defined in engstut.h, but since we do
//not want to include it in the delisrv executable
#define TXN_EVENT_START 2
#define TXN_EVENT_STOP 4
#define TXN_EVENT_WARNING 6 //used to record a warning into the log

//function prototypes

```

```

BOOL APIENTRY DllMain(HANDLE hModule, DWORD ul_reason_for_call, LPVOID
lpReserved);
void WriteMessageToEventLog(LPTSTR lpszMsg);
void ProcessQueryString(EXTENSION_CONTROL_BLOCK *pECB, int *pCmd, int
*pFormId, int *pTermId, int *pSyncId);
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer);
void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer);
void BeginCmd(EXTENSION_CONTROL_BLOCK *pECB, int iFormId, int iTermId);
void ProcessCmd(EXTENSION_CONTROL_BLOCK *pECB, int iFormId, int iTermId);
void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer);
void ErrorMessage(EXTENSION_CONTROL_BLOCK *pECB, int iError, int iErrorType,
char *szMsg, int iTermId);
void GetKeyValue(char **pQueryString, char *pKey, char *pValue, int iMax,
WEBERROR err);
int GetIntKeyValue(char **pQueryString, char *pKey, WEBERROR NoKeyErr,
WEBERROR NotIntErr);
void TermInit(void);
void TermDeleteAll(void);
int TermAdd(void);
void TermDelete(int id);
void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int iType, int iErrorNum, int
iTermId, int iSyncId, char *szErrorText, char *szBuffer );
void MakeMainMenuForm(int iTermId, int iSyncId, char *szForm);
void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA *pStockLevelData, BOOL
bInput, char *szForm);
void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA *pNewOrderData, BOOL
bInput, char *szForm);
void MakePaymentForm(int iTermId, PAYMENT_DATA *pPaymentData, BOOL bInput,
char *szForm);
void MakeOrderStatusForm(int iTermId, ORDER_STATUS_DATA *pOrderStatusData,
BOOL bInput, char *szForm);
void MakeDeliveryForm(int iTermId, DELIVERY_DATA *pDeliveryData, BOOL
bInput, char *szForm);
void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer);
void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer);
void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer);
void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer);
void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer);
void GetNewOrderData(LPSTR lpszQueryString, NEW_ORDER_DATA *pNewOrderData);
void GetPaymentData(LPSTR lpszQueryString, PAYMENT_DATA *pPaymentData);
void GetOrderStatusData(LPSTR lpszQueryString, ORDER_STATUS_DATA
*pOrderStatusData);
BOOL PostDeliveryInfo(short w_id, short o_carrier_id);
BOOL IsNumeric(char *ptr);
BOOL IsDecimal(char *ptr);
void DeliveryWorkerThread(void *ptr);

```

```

//Microsoft Developer Studio generated resource script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
//
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"

//
//
//undef APSTUDIO_READONLY_SYMBOLS

//
// English (U.S.) resources

#if !defined(AFX_RESOURCE_DLL) || defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef _MAC
//
// Version
//
VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,0,0
PRODUCTVERSION 0,4,0,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
#endif
FILEOS 0x40004L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904b0"
        BEGIN
            VALUE "Comments", "TPC-C HTML DLL Server (DBLIB)\0"
            VALUE "CompanyName", "Microsoft\0"
            VALUE "FileDescription", "TPC-C HTML DLL Server (DBLIB)\0"

```

```

        VALUE "FileVersion", "0, 4, 0, 0\0"
        VALUE "InternalName", "tpcc\0"
        VALUE "LegalCopyright", "Copyright © 1997\0"
        VALUE "OriginalFilename", "tpcc.dll\0"
        VALUE "ProductName", "Microsoft tpcc\0"
        VALUE "ProductVersion", "0, 4, 0, 0\0"
    END
END
BLOCK "VarFileInfo"
BEGIN
    VALUE "Translation", 0x409, 1200
END
END
#endif // !_MAC

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
/
//
// TEXTINCLUDE
//

1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include "afxres.h"\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "\r\n"
    "\0"
END

#endif // APSTUDIO_INVOKED

////////////////////////////////////
/
//
// Dialog
//

IDD_DIALOG1 DIALOG DISCARDABLE 0, 0, 186, 95
STYLE DS_MODALFRAME | WS_POPUP | WS_CAPTION | WS_SYSMENU
CAPTION "Dialog"

```

```

FONT 8, "MS Sans Serif"
BEGIN
    DEFPUSHBUTTON "OK",IDOK,129,7,50,14
    PUSHBUTTON "Cancel",IDCANCEL,129,24,50,14
END

////////////////////////////////////
/
//
// DESIGNINFO
//

#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
    IDD_DIALOG1, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 179
        TOPMARGIN, 7
        BOTTOMMARGIN, 88
    END
END
#endif // APSTUDIO_INVOKED

#endif // English (U.S.) resources
////////////////////////////////////
/

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
/
//
// Generated from the TEXTINCLUDE 3 resource.
//

////////////////////////////////////
/
#endif // not APSTUDIO_INVOKED

/* FILE: TPCC.C
* Microsoft TPC-C Kit Ver. 4.20.000
* Copyright Microsoft, 1999
* All Rights Reserved
*
* Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*

```

```

* PURPOSE: Main module for TPCC.DLL which is an ISAPI service dll.
* Contact: Charles Levine (clevine@microsoft.com)
*
* Change history:
* 4.20.000 - reworked error handling; added options for COM and
Encina txn monitors
*/

#include <windows.h>
#include <process.h>
#include <tchar.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>
#include <assert.h>

#include <sqltypes.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

#include "..\..\common\src\trans.h" //tpckit transaction header
contains definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\ReadRegistry.h"

#include "..\..\common\txnlog\include\rtetime.h"
#include "..\..\common\txnlog\include\spinlock.h"
#include "..\..\common\txnlog\include\txnlog.h"

// Database layer includes
#include "..\..\db_dblib_dll\src\tpcc_dblib.h" // DBLIB implementation
of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h" // ODBC implementation
of TPC-C txns

// Txn monitor layer includes
#include "..\..\tm_com_dll\src\tpcc_com.h" // COM Services
implementation on TPC-C txns
#include "..\..\tm_tuxedo_dll\src\tpcc_tux.h" // interface to Tuxedo
libraries
#include "..\..\tm_encina_dll\src\tpcc_enc.h" // interface to Encina
libraries

#include "httpext.h" //ISAPI DLL information header

```

```

#include "tpcc.h" //this dlls specific structure,
value e.t. header.

#define LEN_ERR_STRING 256

// defines for Make<Txn>Form calls to distinguish input and output flavors
#define OUTPUT_FORM 0
#define INPUT_FORM 1

char szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

//Terminal client id structure
TERM Term = { 0, 0, 0, NULL };

// The WEBCLIENT_VERSION string specifies the version level of this web
client interface.
// The RTE must be synchronized with the interface level on login, otherwise
the login
// will fail. This is a sanity check to catch problems resulting from
mismatched versions
// of the RTE and web client.
#define WEBCLIENT_VERSION "410"

static CRITICAL_SECTION TermCriticalSection;

static HINSTANCE hLibInstanceTm = NULL;
static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;
TYPE_CTPCC_TUXEDO *pCTPCC_TUXEDO_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_post_init;
TYPE_CTPCC_COM *pCTPCC_COM_new;

// For deferred Delivery txns:
CTxnLog *txnDelilog = NULL; //used to log
delivery transaction information

HANDLE hWorkerSemaphore = INVALID_HANDLE_VALUE;
HANDLE hDoneEvent = INVALID_HANDLE_VALUE;
HANDLE *pDeliHandles = NULL;

// configuration settings from registry
TPCCREGISTRYDATA Reg;

DWORD dwNumDeliveryThreads = 4;
CRITICAL_SECTION DelBuffCriticalSection; //critical section
for delivery transactions cache
DELIVERY_TRANSACTION *pDelBuff = NULL;

```

```

DWORD          dwDelBuffSize      = 100;          // size of
circular buffer for delivery txns
DWORD          dwDelBuffFreeCount;                // number of
buffers free
DWORD          dwDelBuffBusyIndex  = 0;          // index position
of entry waiting to be delivered
DWORD          dwDelBuffFreeIndex  = 0;          // index position
of unused entry

#include "..\..\common\src\ReadRegistry.cpp"

/* FUNCTION: DllMain
 *
 * PURPOSE:   This function is the entry point for the DLL. This
implementation is based on the
 *           fact that DLL_PROCESS_ATTACH is only called from the inet
service once.
 *
 * ARGUMENTS: HANDLE    hModule          module handle
 *             DWORDul_reason_for_call  reason for call
 *             LPVOID    lpReserved      reserved for future use
 *
 * RETURNS:   BOOL FALSE                errors ocured in
initialization
 *           TRUE                       DLL successfully
initialized
 */

BOOL APIENTRY DllMain(HANDLE hModule, DWORD ul_reason_for_call, LPVOID
lpReserved)
{
    DWORD i;
    char szEvent[LEN_ERR_STRING] = "\0";
    char szLogFile[128];
    char szDllName[128];

// debugging...
// DebugBreak();

    try
    {
        switch( ul_reason_for_call )
        {
            case DLL_PROCESS_ATTACH:
                {
                    DWORD dwSize = MAX_COMPUTERNAME_LENGTH+1;
                    GetComputerName(szMyComputerName, &dwSize);
                    szMyComputerName[dwSize] = 0;
                }

                DisableThreadLibraryCalls((HMODULE)hModule);
                InitializeCriticalSection(&TermCriticalSection);
            }
        }
    }
}

```

```

        if ( ReadTPCCRegistrySettings( &Reg ) )
            throw new CWEBCLNT_ERR(
ERR_MISSING_REGISTRY_ENTRIES );

        dwDelBuffSize = min( Reg.dwMaxPendingDeliveries, 10000
); // min with 10000 as a sanity constraint
        dwNumDeliveryThreads = min(
Reg.dwNumberOfDeliveryThreads, 100 ); // min with 100 as a sanity
constraint

        TermInit();

        // load DLL for txn monitor
        if (Reg.eTxnMon == TUXEDO)
        {
            strcpy( szDllName, Reg.szPath );
            strcat( szDllName, "tpcc_tuxedo.dll");
            hLibInstanceTm = LoadLibrary( szDllName );
            if (hLibInstanceTm == NULL)
                throw new CWEBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );

            // get function pointer to wrapper for class
            constructor
                pCTPCC_TUXEDO_new = (TYPE_CTPCC_TUXEDO*)
GetProcAddress(hLibInstanceTm, "CTPCC_TUXEDO_new");
            if (pCTPCC_TUXEDO_new == NULL)
                throw new CWEBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
        }
        else if (Reg.eTxnMon == ENCINA)
        {
            strcpy( szDllName, Reg.szPath );
            strcat( szDllName, "tpcc_encina.dll");
            hLibInstanceTm = LoadLibrary( szDllName );
            if (hLibInstanceTm == NULL)
                throw new CWEBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );

            // get function pointer to wrapper for class
            constructor
                pCTPCC_ENCINA_new = (TYPE_CTPCC_ENCINA*)
GetProcAddress(hLibInstanceTm, "CTPCC_ENCINA_new");
                pCTPCC_ENCINA_post_init = (TYPE_CTPCC_ENCINA*)
GetProcAddress(hLibInstanceTm, "CTPCC_ENCINA_post_init");
            if (pCTPCC_ENCINA_new == NULL)
                throw new CWEBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
        }
        else if (Reg.eTxnMon == COM)
        {
            strcpy( szDllName, Reg.szPath );
            strcat( szDllName, "tpcc_com.dll");
            hLibInstanceTm = LoadLibrary( szDllName );
        }
    }
}

```

```

        if (hLibInstanceTm == NULL)
            throw new CWEBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );

        // get function pointer to wrapper for class
constructor
        pCTPCC_COM_new = (TYPE_CTPCC_COM*)
GetProcAddress(hLibInstanceTm, "CTPCC_COM_new");
        if (pCTPCC_COM_new == NULL)
            throw new CWEBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
    }

    // load DLL for database connection
    if ((Reg.eTxnMon == None) || (dwNumDeliveryThreads >
0))
    {
        if (Reg.eDB_Protocol == DBLIB)
        {
            strcpy( szDllName, Reg.szPath );
            strcat( szDllName, "tpcc_dblib.dll");
            hLibInstanceDb = LoadLibrary( szDllName );
            if (hLibInstanceDb == NULL)
                throw new CWEBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

            // get function pointer to wrapper for class
constructor
            pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
GetProcAddress(hLibInstanceDb, "CTPCC_DBLIB_new");
            if (pCTPCC_DBLIB_new == NULL)
                throw new CWEBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
        }
        else if (Reg.eDB_Protocol == ODBC)
        {
            strcpy( szDllName, Reg.szPath );
            strcat( szDllName, "tpcc_odbc.dll");
            hLibInstanceDb = LoadLibrary( szDllName );
            if (hLibInstanceDb == NULL)
                throw new CWEBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

            // get function pointer to wrapper for class
constructor
            pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");
            if (pCTPCC_ODBC_new == NULL)
                throw new CWEBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
        }
    }
}

```

```

        if (dwNumDeliveryThreads)
        {
            // for deferred delivery txns:
            hDoneEvent = CreateEvent( NULL, TRUE /* manual
reset */, FALSE /* initially not signalled */, NULL );

            InitializeCriticalSection(&DelBuffCriticalSection);
            hWorkerSemaphore = CreateSemaphore( NULL, 0,
dwDelBuffSize, NULL );
            dwDelBuffFreeCount = dwDelBuffSize;

            InitJulianTime(NULL);

            // create unique log file name based on delilog-
yymmdd-hhmm.log
            SYSTEMTIME Time;
            GetLocalTime( &Time );
            wsprintf( szLogFile, "%sdelivery-%2.2d%2.2d%2.2d-
%2.2d%2.2d.log",
                    Reg.szPath, Time.wYear % 100,
Time.wMonth, Time.wDay, Time.wHour, Time.wMinute );
            txnDelilog = new CTxnLog(szLogFile,
TXN_LOG_WRITE);

            //write event into txn log for START
            txnDelilog->WriteCtrlRecToLog(TXN_EVENT_START,
szMyComputerName, sizeof(szMyComputerName));

            // allocate structures for delivery buffers and
thread mgmt
            pDeliHandles = new HANDLE[dwNumDeliveryThreads];
            pDelBuff = new
DELIVERY_TRANSACTION[dwDelBuffSize];
            // launch DeliveryWorkerThread to perform actual
delivery txns
            for(i=0; i<dwNumDeliveryThreads; i++)
            {
                pDeliHandles[i] = (HANDLE) _beginthread(
DeliveryWorkerThread, 0, NULL );
                if (pDeliHandles[i] == INVALID_HANDLE_VALUE)
                    throw new CWEBCLNT_ERR(
ERR_DELIVERY_THREAD_FAILED );
            }
        }

        break;

    case DLL_PROCESS_DETACH:
        if (dwNumDeliveryThreads)
        {
            if (txnDelilog != NULL)
            {
                //write event into txn log for STOP

```

```

        txnDelilog->WriteCtrlRecToLog(TXN_EVENT_STOP,
szMyComputerName, sizeof(szMyComputerName));

        // This will do a clean shutdown of the
delivery log file

        CTxnLog *txnDelilogLocal = txnDelilog;
        txnDelilog= NULL;
        delete txnDelilogLocal;
    }

    delete [] pDeliHandles;
    delete [] pDelBuff;

    CloseHandle( hWorkerSemaphore );
    CloseHandle( hDoneEvent );
    DeleteCriticalSection(&DelBuffCriticalSection);
}

DeleteCriticalSection(&TermCriticalSection);

if (hLibInstanceTm != NULL)
    FreeLibrary( hLibInstanceTm );
hLibInstanceTm = NULL;

if (hLibInstanceDb != NULL)
    FreeLibrary( hLibInstanceDb );
hLibInstanceDb = NULL;

Sleep(500);
break;

default:
    /* nothing */;
}
}
catch (CBaseErr *e)
{
    WriteMessageToEventLog( e->ErrorText() );
    delete e;
    TerminateExtension(0);
    return FALSE;
}
catch (...)
{
    WriteMessageToEventLog(TEXT("Unhandled exception. DLL could not
load."));
    TerminateExtension(0);
    return FALSE;
}

return TRUE;
}

```

```

/* FUNCTION: GetExtensionVersion
*
* PURPOSE:      This function is called by the inet service when the DLL is
first loaded.
*
* ARGUMENTS:    HSE_VERSION_INFO      *pVerpassed in structure in which to
place expected version number.
*
* RETURNS:      TRUE inet service expected return value.
*/

BOOL WINAPI GetExtensionVersion(HSE_VERSION_INFO *pVer)
{
    pVer->dwExtensionVersion = MAKELONG(HSE_VERSION_MINOR,
HSE_VERSION_MAJOR);
    lstrcpy(pVer->lpszExtensionDesc, "TPC-C Server.",
HSE_MAX_EXT_DLL_NAME_LEN);

    // TODO: why do we need this here instead of in the DLL attach?
    if (Reg.eTxnMon == ENCINA)
        pCTPCC_ENCINA_post_init();

    return TRUE;
}

/* FUNCTION: TerminateExtension
*
* PURPOSE:      This function is called by the inet service when the DLL is
about to be unloaded.
*
*               Release all resources in anticipation of being unloaded.
*
* RETURNS:      TRUE inet service expected return value.
*/

BOOL WINAPI TerminateExtension( DWORD dwFlags )
{
    if (pDeliHandles)
    {
        SetEvent( hDoneEvent );
        for(DWORD i=0; i<dwNumDeliveryThreads; i++)
            WaitForSingleObject( pDeliHandles[i], INFINITE );
    }

    TermDeleteAll();
    return TRUE;
}

/* FUNCTION: HttpExtensionProc
*
* PURPOSE:      This function is the main entry point for the TPCC DLL. The
internet service

```

```

*           calls this function passing in the http string.
*
* ARGUMENTS:  EXTENSION_CONTROL_BLOCK   *pECBstructure pointer to passed
in internet
*
*                                     service
information.
*
* RETURNS:    DWORDHSE_STATUS_SUCCESS
             connection can be dropped if error
*
             HSE_STATUS_SUCCESS_AND_KEEP_CONN   keep
connect valid comment sent
*
* COMMENTS:   None
*
*/

DWORD WINAPI HttpExtensionProc(EXTENSION_CONTROL_BLOCK *pECB)
{
    int          iCmd, FormId, TermId, iSyncId;
    char         szBuffer[4096];

    int          lpbSize;
    static char  szHeader[] = "200 Ok";
    DWORD        dwSize = 6;          // initial value is strlen(szHeader)
    char         szHeader1[4096];

#ifdef ICECAP
    StartCAP();
#endif

    try
    {
        //process http query
        ProcessQueryString(pECB, &iCmd, &FormId, &TermId, &iSyncId);

        if (TermId != 0)
        {
            if ( TermId < 0 || TermId >= Term.iNumEntries ||
Term.pClientData[TermId].iNextFree != -1 )
            {
                // debugging...
                char szTmp[128];
                wsprintf( szTmp, "Invalid term ID; TermId = %d", TermId
);

                WriteMessageToEventLog( szTmp );

                throw new CWEBCLNT_ERR( ERR_INVALID_TERMID );
            }

            //must have a valid syncid here since termid is valid
            if (iSyncId != Term.pClientData[TermId].iSyncId)
                throw new CWEBCLNT_ERR( ERR_INVALID_SYNC_CONNECTION );

```

```

        //set use time
        Term.pClientData[TermId].iTickCount = GetTickCount();
    }

    switch(iCmd)
    {
    case 0:
        WelcomeForm(pECB, szBuffer);
        break;
    case 1:
        switch( FormId )
        {
            case WELCOME_FORM:
            case MAIN_MENU_FORM:
                break;
            case NEW_ORDER_FORM:
                ProcessNewOrderForm(pECB, TermId, szBuffer);
                break;
            case PAYMENT_FORM:
                ProcessPaymentForm(pECB, TermId, szBuffer);
                break;
            case DELIVERY_FORM:
                ProcessDeliveryForm(pECB, TermId, szBuffer);
                break;
            case ORDER_STATUS_FORM:
                ProcessOrderStatusForm(pECB, TermId, szBuffer);
                break;
            case STOCK_LEVEL_FORM:
                ProcessStockLevelForm(pECB, TermId, szBuffer);
                break;
        }
        break;
    case 2:
        // new-order selected from menu; display new-order input form
        MakeNewOrderForm(TermId, NULL, INPUT_FORM, szBuffer);
        break;
    case 3:
        // payment selected from menu; display payment input form
        MakePaymentForm(TermId, NULL, INPUT_FORM, szBuffer);
        break;
    case 4:
        // delivery selected from menu; display delivery input form
        MakeDeliveryForm(TermId, NULL, INPUT_FORM, szBuffer);
        break;
    case 5:
        // order-status selected from menu; display order-status
input form
        MakeOrderStatusForm(TermId, NULL, INPUT_FORM, szBuffer);
        break;
    case 6:

```

```

form          // stock-level selected from menu; display stock-level input
              MakeStockLevelForm(TermId, NULL, INPUT_FORM, szBuffer);
              break;
case 7:
  // ExitCmd
  TermDelete(TermId);
  WelcomeForm(pECB, szBuffer);
  break;
case 8:
  SubmitCmd(pECB, szBuffer);
  break;
case 9:
  // menu
  MakeMainMenuForm(TermId, Term.pClientData[TermId].iSyncId,
szBuffer);
  break;
case 10:
  // CMD=Clear
  // resets all connections; should only be used when no other
connections are active
  TermDeleteAll();
  TermInit();
  WelcomeForm(pECB, szBuffer);
  break;
case 11: // CMD=Stats
  StatsCmd(pECB, szBuffer);
  break;
}
}
catch (CBaseErr *e)
{
  ErrorForm( pECB, e->ErrorType(), e->ErrorNum(), TermId, iSyncId,
e->ErrorText(), szBuffer );
  delete e;
}
catch (...)
{
  ErrorForm( pECB, ERR_TYPE_WEBDLL, 0, TermId, iSyncId, "Error:
Unhandled exception in Web Client.", szBuffer );
}

#ifdef ICECAP
  StopCAP();
#endif

lpbSize = strlen(szBuffer);
wsprintf(szHeader1,
  "Content-Type: text/html\r\n"
  "Content-Length: %d\r\n"
  "Connection: Keep-Alive\r\n\r\n" , lpbSize);
strcat( szHeader1, szBuffer );

```

```

(*pECB->ServerSupportFunction)(pECB->ConnID,
HSE_REQ_SEND_RESPONSE_HEADER, szHeader, (LPDWORD) &dwSize,
(LPDWORD)szHeader1);

```

```

//finish up and keep connection
pECB->dwHttpStatusCode = 200;
return HSE_STATUS_SUCCESS_AND_KEEP_CONN;
}

```

```

void WriteMessageToEventLog(LPTSTR lpszMsg)
{

```

```

  TCHAR   szMsg[256];
  HANDLE  hEventSource;
  LPTSTR  lpszStrings[2];

```

```

  // Use event logging to log the error.
  //
  hEventSource = RegisterEventSource(NULL, TEXT("TPCC.DLL"));

```

```

  _stprintf(szMsg, TEXT("Error in TPCC.DLL: "));
  lpszStrings[0] = szMsg;
  lpszStrings[1] = lpszMsg;

```

```

  if (hEventSource != NULL)
  {

```

```

    ReportEvent(hEventSource, // handle of event source
      EVENTLOG_ERROR_TYPE, // event type
      0, // event category
      0, // event ID
      NULL, // current user's SID
      2, // strings in lpszStrings
      0, // no bytes of raw data
      (LPCTSTR *)lpszStrings, // array of error strings
      NULL); // no raw data

```

```

    (VOID) DeregisterEventSource(hEventSource);
  }
}

```

```

/* FUNCTION: DeliveryWorkerThread
*

```

```

* PURPOSE: This function processes deferred delivery txns. There are
typically several
* threads running this routine. The number of threads is
determined by an entry
* read from the registry. The thread waits for work by waiting
on semaphore.
* When a delivery txn is posted, the semaphore is released.
After processing

```

```

*           the delivery txn, information is logged to record the txn
status and execution
*           time.
*/

/*static*/ void DeliveryWorkerThread(void *ptr)
{
    CTPCC_BASE      *pTxn = NULL;

    DELIVERY_TRANSACTION      delivery;
    PDELIVERY_DATA            pDeliveryData;
    TXN_RECORD_TPCC_DELIV_DEF txnDeliRec;

    DWORD              index;
    HANDLE              handles[2];

    SYSTEMTIME         trans_end;      //delivery transaction finished time
    SYSTEMTIME         trans_start;    //delivery transaction start time

    assert(txnDelilog != NULL);

    try
    {
        if (Reg.eDB_Protocol == ODBC)
            pTxn = pCTPCC_ODBC_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
        else if (Reg.eDB_Protocol == DBLIB)
            pTxn = pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
        pDeliveryData = pTxn->BuffAddr_Delivery();
    }
    catch (CBaseErr *e)
    {
        char szTmp[1024];
        wsprintf( szTmp, "Error in Delivery Txn thread.  Could not connect
to database.  "
                "%s.  Server=%s, User=%s, Password=%s, Database=%s",
                e->ErrorText(), Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, Reg.szDbName );
        WriteMessageToEventLog( szTmp );
        delete e;
        goto ErrorExit;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled exception caught in
DeliveryWorkerThread."));
        goto ErrorExit;
    }

    while (TRUE)
    {
        try

```

```

        {
            //while delivery thread running, i.e. user has not requested
termination
            while (TRUE)
            {
                // need to wait for multiple objects: program exit or
worker semaphore;
                handles[0] = hDoneEvent;
                handles[1] = hWorkerSemaphore;
                index = WaitForMultipleObjects( 2, &handles[0], FALSE,
INFINITE );

                if (index == WAIT_OBJECT_0)
                    goto ErrorExit;

                ZeroMemory(&txnDeliRec, sizeof(txnDeliRec));
                txnDeliRec.TxnType = TXN_REC_TYPE_TPCC_DELIV_DEF;

                // make a local copy of current entry from delivery
buffer and increment buffer index
                EnterCriticalSection(&DelBuffCriticalSection);
                delivery = *(pDelBuff+dwDelBuffBusyIndex);
                dwDelBuffFreeCount++;
                dwDelBuffBusyIndex++;
                if (dwDelBuffBusyIndex == dwDelBuffSize) // wrap-
around if at end of buffer
                    dwDelBuffBusyIndex = 0;

                LeaveCriticalSection(&DelBuffCriticalSection);

                pDeliveryData->w_id = delivery.w_id;
                pDeliveryData->o_carrier_id = delivery.o_carrier_id;

                txnDeliRec.w_id = pDeliveryData->w_id;
                txnDeliRec.o_carrier_id = pDeliveryData->o_carrier_id;
                txnDeliRec.TxnStartT0 = Get64BitTime(&delivery.queue);

                GetLocalTime( &trans_start );
                pTxn->Delivery();
                GetLocalTime( &trans_end );

                //log txn
                txnDeliRec.TxnStatus = ERR_SUCCESS;
                for (int i=0; i<10; i++)
                    txnDeliRec.o_id[i] = pDeliveryData->o_id[i];
                txnDeliRec.DeltaT4 = (int)(Get64BitTime(&trans_end) -
txnDeliRec.TxnStartT0);
                txnDeliRec.DeltaTxnExec =
(int)(Get64BitTime(&trans_end) - Get64BitTime(&trans_start));

                if (txnDelilog != NULL)
                    txnDelilog->WriteToLog(&txnDeliRec);
            }
        }
    }
}

```

```

catch (CBaseErr *e)
{
    char szTmp[1024];
    wsprintf( szTmp, "Error in Delivery Txn thread.  %s", e-
>ErrorText() );
    WriteMessageToEventLog( szTmp );

    // log the error txn
    txnDeliRec.TxnStatus = e->ErrorType();
    if (txnDelilog != NULL)
        txnDelilog->WriteToLog(&txnDeliRec);

    delete e;
}
catch (...)
{
    // unhandled exception; shouldn't happen; not much we can
do...
    WriteMessageToEventLog(TEXT("Unhandled exception caught in
DeliveryWorkerThread."));
}
}

ErrorExit:
    delete pTxn;
    _endthread();
}

/* FUNCTION: PostDeliveryInfo
*
* PURPOSE:      This function enters the delivery txn into the deferred
delivery buffer.
*
* RETURNS:      BOOL FALSE delivery information posted successfully
                TRUE error cannot post delivery info
*/

BOOL PostDeliveryInfo(short w_id, short o_carrier_id)
{
    BOOL bError;

    EnterCriticalSection(&DelBuffCriticalSection);
    if (dwDelBuffFreeCount > 0)
    {
        bError = FALSE;
        (pDelBuff+dwDelBuffFreeIndex)->w_id          = w_id;
        (pDelBuff+dwDelBuffFreeIndex)->o_carrier_id   = o_carrier_id;
        GetLocalTime(&(pDelBuff+dwDelBuffFreeIndex)->queue);

        dwDelBuffFreeCount--;
        dwDelBuffFreeIndex++;
        if (dwDelBuffFreeIndex == dwDelBuffSize)

```

```

        dwDelBuffFreeIndex = 0;          // wrap-around if at end of
buffer
    }
    else
        // No free buffers.  Return an error, which indicates that the
delivery buffer is full.
        // Most likely, the number of delivery worker threads needs to be
increased to keep up
        // with the txn rate.
        bError = TRUE;
        LeaveCriticalSection(&DelBuffCriticalSection);

    if (!bError)
        // increment worker semaphore to wake up a worker thread
        ReleaseSemaphore( hWorkerSemaphore, 1, NULL );

    return bError;
}

/* FUNCTION: ProcessQueryString
*
* PURPOSE:      This function extracts the relevent information out of the
http command passed in from
*               the browser.
*
* COMMENTS:     If this is the initial connection i.e. client is at welcome
screen then
*               there will not be a terminal id or current form id.  If
this is the case
*               then the pTermid and pFormid return values are
undefined.
*/

void ProcessQueryString(EXTENSION_CONTROL_BLOCK *pECB, int *pCmd, int
*pFormId, int *pTermId, int *pSyncId)
{
    char *ptr = pECB->lpszQueryString;
    char szBuffer[25];
    int i;

    //allowable client command strings i.e. CMD=command
    static char *szCmds[] =
    {
        "Process", "..NewOrder..", "..Payment..", "..Delivery..",
"..Order-Status..", "..Stock-Level..",
        "..Exit..", "Submit", "Menu", "Clear", "Stats", ""
    };

    *pCmd = 0;          // default is the login screen
    *pTermId = 0;

    // if no params (i.e., empty query string), then return login screen
    if (strlen(pECB->lpszQueryString) == 0)

```

```

return;

// parse FORMID, TERMID, and SYNCID
*pFormId = GetIntKeyValue(&ptr, "FORMID", NO_ERR, NO_ERR);
*pTermId = GetIntKeyValue(&ptr, "TERMID", NO_ERR, NO_ERR);
*pSyncId = GetIntKeyValue(&ptr, "SYNCID", NO_ERR, NO_ERR);

// parse CMD
GetKeyValue(&ptr, "CMD", szBuffer, sizeof(szBuffer),
ERR_COMMAND_UNDEFINED);

// see which command it matches
for(i=0; ; i++)
{
    if (szCmds[i][0] == 0)
        // no more; no match; return error
        throw new CWEBCLNT_ERR( ERR_COMMAND_UNDEFINED );
    if ( !strcmp(szCmds[i], szBuffer) )
    {
        *pCmd = i+1;
        break;
    }
}

/* FUNCTION: void WelcomeForm
 *
 */

void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer)
{
    char szTmp[1024];

    //welcome to tpc-c html form buffer, this is first form client sees.
    strcpy( szBuffer, "<HTML><HEAD><TITLE>TPC-C Web
Client</TITLE></HEAD><BODY>"
" <B><BIG>Microsoft TPC-C Web Client (ver
4.20)</BIG></B> <BR> <BR>"
" <font face=\"Courier New\"><PRE>"
"Compiled: \"__DATE__\", \"__TIME__\" <BR>"
"Source: \"__FILE__\" (\"__TIMESTAMP__\") <BR>"
"</PRE></font>"
"<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
"<INPUT TYPE=\"hidden\" NAME=\"STATUSID\""
VALUE=\"0\">"
"<INPUT TYPE=\"hidden\" NAME=\"ERROR\""
VALUE=\"0\">"
"<INPUT TYPE=\"hidden\" NAME=\"FORMID\""
VALUE=\"1\">"
"<INPUT TYPE=\"hidden\" NAME=\"TERMID\""
VALUE=\"0\">"
"<INPUT TYPE=\"hidden\" NAME=\"SYNCID\""
VALUE=\"0\">"

```

```

" <INPUT TYPE=\"hidden\" NAME=\"VERSION\""
VALUE=\"\" WEBCLIENT_VERSION \"\>"
);

sprintf( szTmp, "Configuration Settings: <BR><font face=\"Courier New\""
color=\"blue\"><PRE>"
"Txn Monitor = <B>%s</B><BR>"
"Database protocol = <B>%s</B><BR>"
"Max Connections = <B>%d</B><BR>"
"# of Delivery Threads = <B>%d</B><BR>"
"Max Pending Deliveries = <B>%d</B><BR>"
, szTxnMonNames[Reg.eTxnMon], szDBNames[Reg.eDB_Protocol],
Reg.dwMaxConnections, dwNumDeliveryThreads, dwDelBuffSize );
strcat( szBuffer, szTmp);

if (Reg.eTxnMon == COM)
{
    sprintf( szTmp, "COM Single Pool = <B>%s</B><BR>",
Reg.bCOM_SinglePool ? "YES" : "NO" );
    strcat( szBuffer, szTmp);
}
strcat( szBuffer, "</PRE></font>");

if (Reg.eTxnMon == None)
// connection options may be specified when not using a txn
monitor
sprintf( szTmp, "Please enter your database options for this
connection:<BR>"
" <font face=\"Courier New\""
color=\"blue\"><PRE>"
"DB Server = <INPUT NAME=\"db_server\""
SIZE=20 VALUE=\"%s\"><BR>"
"DB User ID = <INPUT NAME=\"db_user\""
SIZE=20 VALUE=\"%s\"><BR>"
"DB Password = <INPUT NAME=\"db_passwd\""
SIZE=20 VALUE=\"%s\"><BR>"
"DB Name = <INPUT NAME=\"db_name\""
SIZE=20 VALUE=\"%s\"><BR>"
"</PRE></font>"
, Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
Reg.szDbName );
else
// if using a txn monitor, connection options are determined from
registry; can't
// set per user. show options fyi
sprintf( szTmp, "Database options which will be used by the
transaction monitor:<BR>"
" <font face=\"Courier New\""
color=\"blue\"><PRE>"
"DB Server = <B>%s</B><BR>"
"DB User ID = <B>%s</B><BR>"
"DB Password = <B>%s</B><BR>"
"DB Name = <B>%s</B><BR>"

```

```

        "</PRE></font>"
        , Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
Reg.szDbName );
    strcat( szBuffer, szTmp);

    sprintf( szTmp, "Please enter your Warehouse and District for this
session:<BR>"
        "<font face=\"Courier New\" color=\"blue\"><PRE>"
);
    strcat( szBuffer, szTmp);
    strcat( szBuffer,
        "Warehouse ID = <INPUT NAME=\"w_id\" SIZE=4><BR>"
        "District ID = <INPUT NAME=\"d_id\"
SIZE=2><BR>"
        "</PRE></font><HR>"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"Submit\">"
);
}

/* FUNCTION: SubmitCmd
 *
 * PURPOSE: This function allocated a new terminal id in the Term
structure array.
 *
 */

void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer)
{
    int iNewTerm;
    char *ptr = pECB->lpszQueryString;

    char szVersion[32] = { 0 };
    char szServer[32] = { 0 };
    char szUser[32] = "sa";
    char szPassword[32] = { 0 };
    char szDatabase[32] = "tpcc";

    // validate version field; the version field ensures that the RTE is
synchronized with the web client
    GetKeyValue(&ptr, "VERSION", szVersion, sizeof(szVersion),
ERR_VERSION_MISMATCH);
    if ( strcmp( szVersion, WEBCLIENT_VERSION ) )
        throw new CWEBCLNT_ERR( ERR_VERSION_MISMATCH );

    if (Reg.eTxnMon == None)
    {
        // parse Server name
        GetKeyValue(&ptr, "db_server", szServer, sizeof(szServer),
ERR_NO_SERVER_SPECIFIED);
        // parse User name
        GetKeyValue(&ptr, "db_user", szUser, sizeof(szUser), NO_ERR);
        // parse Password

```

```

        GetKeyValue(&ptr, "db_passwd", szPassword, sizeof(szPassword),
NO_ERR);
        // parse Database name
        GetKeyValue(&ptr, "db_name", szDatabase, sizeof(szDatabase),
NO_ERR);
    }

    // parse warehouse ID
    int w_id = GetIntKeyValue(&ptr, "w_id", ERR_HTML_ILL_FORMED,
ERR_W_ID_INVALID);
    if ( w_id < 1 )
        throw new CWEBCLNT_ERR( ERR_W_ID_INVALID );

    // parse district ID
    int d_id = GetIntKeyValue(&ptr, "d_id", ERR_HTML_ILL_FORMED,
ERR_D_ID_INVALID);
    if ( d_id < 1 || d_id > 10 )
        throw new CWEBCLNT_ERR( ERR_D_ID_INVALID );

    iNewTerm = TermAdd();

    Term.pClientData[iNewTerm].w_id = w_id;
    Term.pClientData[iNewTerm].d_id = d_id;

    try
    {
        if (Reg.eTxnMon == TUXEDO)
            Term.pClientData[iNewTerm].pTxn = pCTPCC_TUXEDO_new();
        else if (Reg.eTxnMon == ENCINA)
            Term.pClientData[iNewTerm].pTxn = pCTPCC_ENCINA_new();
        else if (Reg.eTxnMon == COM)
            Term.pClientData[iNewTerm].pTxn = pCTPCC_COM_new(
Reg.bCOM_SinglePool );
        else if (Reg.eDB_Protocol == ODBC)
            Term.pClientData[iNewTerm].pTxn = pCTPCC_ODBC_new( szServer,
szUser, szPassword, szMyComputerName, szDatabase );
        else if (Reg.eDB_Protocol == DBLIB)
            Term.pClientData[iNewTerm].pTxn = pCTPCC_DBLIB_new( szServer,
szUser, szPassword, szMyComputerName, szDatabase );
    }
    catch (...)
    {
        TermDelete(iNewTerm);
        throw; // pass exception upward
    }

    MakeMainMenuForm(iNewTerm, Term.pClientData[iNewTerm].iSyncId,
szBuffer);
}

/* FUNCTION: StatsCmd
 *

```

```

* PURPOSE:      This function returns to the browser the total number of
active terminal ids.
*              This routine is for development/debugging purposes.
*
*/

```

```

void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer)
{
    int i;
    int iTotals;

    EnterCriticalSection(&TermCriticalSection);

    iTotals = 0;
    for(i=0; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree == -1)
            iTotals++;
    }

    LeaveCriticalSection(&TermCriticalSection);

    wsprintf( szBuffer,
              "<HTML><HEAD><TITLE>TPC-C Web Client Stats</TITLE></HEAD>"
              "<BODY><B><BIG> Total Active Connections: %d"
              "</BIG></B><BR></BODY></HTML>"
              , iTotals );
}

```

```

char *CWEBCLNT_ERR::ErrorText()
{
    static SERRORMSG errorMsgs[] =
    {
        { ERR_COMMAND_UNDEFINED, "Command undefined." },
        { ERR_D_ID_INVALID, "District ID Must be 1 to 10." },
        { ERR_DELIVERY_CARRIER_ID_RANGE, "ID out of range must be 1 - 10." },
        { ERR_DELIVERY_CARRIER_INVALID, "ID invalid must be numeric 1 - 10." },
        { ERR_DELIVERY_MISSING_OCD_KEY, "Carrier ID key \"OCD*\"." },
        { ERR_DELIVERY_THREAD_FAILED, "start delivery worker thread." },
        { ERR_GETPROCADDR_FAILED, "map proc in DLL. GetProcAddr error. DLL=" },
        { ERR_HTML_ILL_FORMED, "is missing from HTML string." },
        { ERR_INVALID_SYNC_CONNECTION, "Sync ID." },
        { ERR_INVALID_TERMID, "Terminal ID." }
    },
}

```

```

failed. DLL="
{ ERR_LOADDLL_FAILED, "Load of DLL" },
{ ERR_MAX_CONNECTIONS_EXCEEDED, "No connections" },
available. Max Connections is probably too low." },
{ ERR_MISSING_REGISTRY_ENTRIES, "Required registry" },
entries are missing. Rerun INSTALL to correct." },
{ ERR_NEWORDER_CUSTOMER_INVALID, "New Order customer" },
id invalid data type, range = 1 to 3000." },
{ ERR_NEWORDER_CUSTOMER_KEY, "New Order missing" },
Customer key \"CID*\"." },
{ ERR_NEWORDER_DISTRICT_INVALID, "New Order District" },
ID Invalid range 1 - 10." },
{ ERR_NEWORDER_FORM_MISSING_DID, "New Order missing" },
District key \"DID*\"." },
{ ERR_NEWORDER_ITEMID_INVALID, "New Order Item Id" },
is wrong data type, must be numeric." },
{ ERR_NEWORDER_ITEMID_RANGE, "New Order Item Id" },
is out of range. Range = 1 to 999999." },
{ ERR_NEWORDER_ITEMID_WITHOUT_SUPPW, "New Order Item_Id" },
field entered without a corresponding Supp_W." },
{ ERR_NEWORDER_MISSING_IID_KEY, "New Order missing" },
Item Id key \"IID*\"." },
{ ERR_NEWORDER_MISSING_QTY_KEY, "New Order Missing" },
Qty key \"Qty##*\"." },
{ ERR_NEWORDER_MISSING_SUPPW_KEY, "New Order missing" },
Supp_W key \"SP##*\"." },
{ ERR_NEWORDER_NOITEMS_ENTERED, "New Order No order" },
lines entered." },
{ ERR_NEWORDER_QTY_INVALID, "New Order Qty" },
invalid must be numeric range 1 - 99." },
{ ERR_NEWORDER_QTY_RANGE, "New Order" },
Qty is out of range. Range = 1 to 99." },
{ ERR_NEWORDER_QTY_WITHOUT_SUPPW, "New Order Qty" },
field entered without a corresponding Supp_W." },
{ ERR_NEWORDER_SUPPW_INVALID, "New Order" },
Supp_W invalid data type must be numeric." },
{ ERR_NO_SERVER_SPECIFIED, "No Server name" },
specified." },
{ ERR_ORDERSTATUS_CID_AND_CLT, "Order Status Only" },
Customer ID or Last Name may be entered, not both." },
{ ERR_ORDERSTATUS_CID_INVALID, "Order Status" },
Customer ID invalid, range must be numeric 1 - 3000." },
{ ERR_ORDERSTATUS_CLT_RANGE, "Order Status" },
Customer last name longer than 16 characters." },
{ ERR_ORDERSTATUS_DID_INVALID, "Order Status" },
District invalid, value must be numeric 1 - 10." },
{ ERR_ORDERSTATUS_MISSING_CID_CLT, "Order Status" },
Either Customer ID or Last Name must be entered." },
{ ERR_ORDERSTATUS_MISSING_CID_KEY, "Order Status" },
missing Customer key \"CID*\"." },
{ ERR_ORDERSTATUS_MISSING_CLT_KEY, "Order Status" },
missing Customer Last Name key \"CLT*\"." },
}

```

```

        { ERR_ORDERSTATUS_MISSING_DID_KEY, "Order Status
missing District key \"DID*\".", },
        { ERR_PAYMENT_CDI_INVALID, "Payment Customer
district invalid must be numeric." },
        { ERR_PAYMENT_CID_AND_CLT, "Payment Only
Customer ID or Last Name may be entered, not both." },
        { ERR_PAYMENT_CUSTOMER_INVALID, "Payment Customer
data type invalid, must be numeric." },
        { ERR_PAYMENT_CWI_INVALID, "Payment Customer
Warehouse invalid, must be numeric." },
        { ERR_PAYMENT_DISTRICT_INVALID, "Payment District
ID is invalid, must be 1 - 10." },
        { ERR_PAYMENT_HAM_INVALID, "Payment Amount
invalid data type must be numeric." },
        { ERR_PAYMENT_HAM_RANGE, "Payment
Amount out of range, 0 - 9999.99." },
        { ERR_PAYMENT_LAST_NAME_TO_LONG, "Payment Customer
last name longer than 16 characters." },
        { ERR_PAYMENT_MISSING_CDI_KEY, "Payment missing
Customer district key \"CDI*\".", },
        { ERR_PAYMENT_MISSING_CID_CLT, "Payment Either
Customer ID or Last Name must be entered." },
        { ERR_PAYMENT_MISSING_CID_KEY, "Payment missing
Customer Key \"CID*\".", },
        { ERR_PAYMENT_MISSING_CLT_KEY, "Payment missing
Customer Last Name key \"CLT*\".", },
        { ERR_PAYMENT_MISSING_CWI_KEY, "Payment missing
Customer Warehouse key \"CWI*\".", },
        { ERR_PAYMENT_MISSING_DID_KEY, "Payment missing
District Key \"DID*\".", },
        { ERR_PAYMENT_MISSING_HAM_KEY, "Payment missing
Amount key \"HAM*\".", },
        { ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY, "Stock Level;
missing Threshold key \"TT*\".", },
        { ERR_STOCKLEVEL_THRESHOLD_INVALID, "Stock Level;
Threshold value must be in the range = 1 - 99." },
        { ERR_STOCKLEVEL_THRESHOLD_RANGE, "Stock Level
Threshold out of range, range must be 1 - 99." },
        { ERR_VERSION_MISMATCH, "Invalid
version field. RTE and Web Client are probably out of sync." },
        { ERR_W_ID_INVALID, "Invalid
Warehouse ID." },
        { 0, "" },
    },
};

char szTmp[256];
int i = 0;
while (TRUE)
{
    if (errorMsgs[i].szMsg[0] == 0)
    {

```

```

        strcpy( szTmp, "Unknown error number." );
        break;
    }
    if (m_Error == errorMsgs[i].iError)
    {
        strcpy( szTmp, errorMsgs[i].szMsg );
        break;
    }
    i++;
}

if (m_szTextDetail)
    strcat( szTmp, m_szTextDetail );
if (m_SystemErr)
    sprintf( szTmp+strlen(szTmp), " Error=%d", m_SystemErr );

m_szErrorText = new char[strlen(szTmp)+1];
strcpy( m_szErrorText, szTmp );
return m_szErrorText;
}

/* FUNCTION: GetKeyValue
*
* PURPOSE: This function parses a http formatted string for specific key
values.
*
* ARGUMENTS: char *pQueryString http string from client
browser char *pKey key value to look for
char *pValue character array
into which to place key's value
int iMax maximum length of
key value array.
* WEBERROR err error value to
throw
*
* RETURNS: nothing.
*
* ERROR: if (the pKey value is not found) then
* if (err == 0)
* return (empty string)
* else
* throw CWEBCLNT_ERR(err)
*
* COMMENTS: http keys are formatted either KEY=value& or KEY=value\0.
This DLL formats
* TPC-C input fields in such a manner that the keys can
be extracted in the
* above manner.
*/

```

```

void GetKeyValue(char **pQueryString, char *pKey, char *pValue, int iMax,
WEBERROR err)
{
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorExit;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorExit;
    ptr++;

    iMax--; // one position is for terminating null
    while( *ptr && *ptr != '&' && iMax)
    {
        *pValue++ = *ptr++;
        iMax--;
    }
    *pValue = 0; // terminating null

    *pQueryString = ptr;
    return;

ErrorExit:
    if (err != NO_ERR)
        throw new CWEBCLNT_ERR( err );
    *pValue = 0; // return empty result string
}

/* FUNCTION: GetIntKeyValue
 *
 * PURPOSE:      This function parses a http formatted string for a specific
key value.
 *
 * ARGUMENTS:   char          *pQueryString  http string from client
browser
 *              char          *pKey          key value to look for
 *              WEBERROR      NoKeyErr      error value to throw if
key not found
 *              WEBERROR      NotIntErr     error value to throw if
value not numeric
 *
 * RETURNS:     integer
 *
 * ERROR:       if (the pKey value is not found) then
 *               if (NoKeyErr != NO_ERR)
 *                   throw CWEBCLNT_ERR(err)
 *               else
 *                   return 0
 *               else if (non-numeric char found) then
 *                   if (NotIntErr != NO_ERR) then
 *                       throw CWEBCLNT_ERR(err)
 *                   else

```

```

return 0
 *
 * COMMENTS:    http keys are formatted either KEY=value& or KEY=value\0.
This DLL formats
 *              TPC-C input fields in such a manner that the keys can
be extracted in the
 *              above manner.
 */

int GetIntKeyValue(char **pQueryString, char *pKey, WEBERROR NoKeyErr,
WEBERROR NotIntErr)
{
    char *ptr0;
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorNoKey;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorNoKey;
    ptr++;

    ptr0 = ptr; // remember starting point
    // scan string until a terminator (null or &) or a non-digit
    while( *ptr && *ptr != '&' && isdigit(*ptr) )
        ptr++;

    // make sure we stopped scanning for the right reason
    if ((ptr0 == ptr) || (*ptr && *ptr != '&'))
    {
        if (NotIntErr != NO_ERR)
            throw new CWEBCLNT_ERR( NoKeyErr );
        return 0;
    }

    *pQueryString = ptr;
    return atoi(ptr0);

ErrorNoKey:
    if (NoKeyErr != NO_ERR)
        throw new CWEBCLNT_ERR( NoKeyErr );
    return 0;
}

/* FUNCTION: TermInit
 *
 * PURPOSE:     This function initializes the client terminal structure; it
is called when the TPCC.DLL
 *              is first loaded by the inet service.
 *
 */

void TermInit(void)

```

```

{
    EnterCriticalSection(&TermCriticalSection);

    Term.iMasterSyncId    = 1;
    Term.iNumEntries      = Reg.dwMaxConnections+1;

    Term.pClientData      = NULL;
    Term.pClientData      = (PCLIENTDATA)malloc(Term.iNumEntries *
sizeof(CLIENTDATA));
    if (Term.pClientData == NULL)
    {
        LeaveCriticalSection(&TermCriticalSection);
        throw new CWEBCLNT_ERR( ERR_MEM_ALLOC_FAILED );
    }

    ZeroMemory( Term.pClientData, Term.iNumEntries * sizeof(CLIENTDATA) );

    Term.iFreeList        = Term.iNumEntries-1;
    // build free list
    // note: Term.pClientData[0].iNextFree gets set to -1, which marks it
as "in use".
    // This is intentional, as the zero entry is used as an anchor
and never
    // allocated as an actual terminal.
    for(int i=0; i<Term.iNumEntries; i++)
        Term.pClientData[i].iNextFree = i-1;

    LeaveCriticalSection(&TermCriticalSection);
}

/* FUNCTION: TermDeleteAll
 *
 * PURPOSE:      This function frees allocated resources associated with the
terminal structure.
 *
 * ARGUMENTS:    none
 *
 * RETURNS:      None
 *
 * COMMENTS:     This function is called only when the inet service unloads
the TPCC.DLL
 *
 */

void TermDeleteAll(void)
{
    EnterCriticalSection(&TermCriticalSection);

    for(int i=1; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree == -1)
            delete Term.pClientData[i].pTxn;
    }
}

```

```

    Term.iFreeList        = 0;
    Term.iNumEntries      = 0;
    if ( Term.pClientData )
        free(Term.pClientData);
    Term.pClientData      = NULL;

    LeaveCriticalSection(&TermCriticalSection);
}

/* FUNCTION: TermAdd
 *
 * PURPOSE:      This function assigns a terminal id which is used to identify
a client browser.
 *
 * RETURNS:      int          assigned terminal id
 *
 */

int TermAdd(void)
{
    DWORD i;
    int    iNewTerm, iTickCount;

    if (Term.iNumEntries == 0)
        return -1;

    EnterCriticalSection(&TermCriticalSection);
    if (Term.iFreeList != 0)
    {
        // position is available
        iNewTerm = Term.iFreeList;
        Term.iFreeList = Term.pClientData[iNewTerm].iNextFree;
        Term.pClientData[iNewTerm].iNextFree = -1; // indicates this
position is in use
    }
    else
    {
        // no open slots, so find the slot that hasn't been used in the
longest time and reuse it
        for(iNewTerm=1, i=1, iTickCount=0x7FFFFFFF;
i<Reg.dwMaxConnections; i++)
        {
            if (iTickCount > Term.pClientData[i].iTickCount)
            {
                iTickCount = Term.pClientData[i].iTickCount;
                iNewTerm = i;
            }
        }
        // if oldest term is less than one minute old, it probably means
that more connections
        // are being attempted than were specified as "Max Connections" at
install. In this case,
        // do not bump existing connection; instead, return error to
requestor.
    }
}

```

```

    if ((GetTickCount() - iTickCount) < 60000)
    {
        LeaveCriticalSection(&TermCriticalSection);
        throw new CWEBCLNT_ERR( ERR_MAX_CONNECTIONS_EXCEEDED );
    }
}

Term.pClientData[iNewTerm].iTickCount = GetTickCount();
Term.pClientData[iNewTerm].iSyncId = Term.iMasterSyncId++;
Term.pClientData[iNewTerm].pTxn = NULL;

LeaveCriticalSection(&TermCriticalSection);
return iNewTerm;
}

/* FUNCTION: TermDelete
 *
 * PURPOSE:      This function makes a terminal entry in the Term array
available for reuse.
 *
 * ARGUMENTS:   int          id          Terminal id of
client exiting
 *
 */

void TermDelete(int id)
{
    if ( id > 0 && id < Term.iNumEntries )
    {
        delete Term.pClientData[id].pTxn;

        // put onto free list
        EnterCriticalSection(&TermCriticalSection);

        Term.pClientData[id].iNextFree = Term.iFreeList;
        Term.iFreeList = id;

        LeaveCriticalSection(&TermCriticalSection);
    }
}

/* FUNCTION: MakeErrorForm
 */

void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int iType, int iErrorNum, int
iTermId, int iSyncId, char *szErrorText, char *szBuffer )
{
    wsprintf(szBuffer,
        "<HTML><HEAD><TITLE>TPC-C Error</TITLE></HEAD><BODY>"
        "<FORM ACTION=\\\"tpcc.dll\\\" METHOD=\\\"GET\\\">"
        "<INPUT TYPE=\\\"hidden\\\" NAME=\\\"STATUSID\\\" VALUE=\\\"%d\\\">"
        "<INPUT TYPE=\\\"hidden\\\" NAME=\\\"ERROR\\\" VALUE=\\\"%d\\\">"

```

```

        "<INPUT TYPE=\\\"hidden\\\" NAME=\\\"FORMID\\\" VALUE=\\\"%d\\\">"
        "<INPUT TYPE=\\\"hidden\\\" NAME=\\\"TERMINID\\\" VALUE=\\\"%d\\\">"
        "<INPUT TYPE=\\\"hidden\\\" NAME=\\\"SYNCID\\\" VALUE=\\\"%d\\\">"
        "<BOLD>An Error Occurred</BOLD><BR><BR>"
        "%s"
        "<BR><BR><HR>"
        "<INPUT TYPE=\\\"submit\\\" NAME=\\\"CMD\\\" VALUE=\\\"..NewOrder..\\\">"
        "<INPUT TYPE=\\\"submit\\\" NAME=\\\"CMD\\\" VALUE=\\\"..Payment..\\\">"
        "<INPUT TYPE=\\\"submit\\\" NAME=\\\"CMD\\\" VALUE=\\\"..Delivery..\\\">"
        "<INPUT TYPE=\\\"submit\\\" NAME=\\\"CMD\\\" VALUE=\\\"..Order-Status..\\\">"
        "<INPUT TYPE=\\\"submit\\\" NAME=\\\"CMD\\\" VALUE=\\\"..Stock-Level..\\\">"
        "<INPUT TYPE=\\\"submit\\\" NAME=\\\"CMD\\\" VALUE=\\\"..Exit..\\\">"
        "</FORM></BODY></HTML>"
        , iType, iErrorNum, MAIN_MENU_FORM, iTermId, iSyncId, szErrorText
    );
}

/* FUNCTION: MakeMainMenuForm
 */

void MakeMainMenuForm(int iTermId, int iSyncId, char *szForm)
{
    wsprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Main Menu</TITLE></HEAD><BODY>"
        "Select Desired Transaction.<BR><HR>"
        "<FORM ACTION=\\\"tpcc.dll\\\" METHOD=\\\"GET\\\">"
        "<INPUT TYPE=\\\"hidden\\\" NAME=\\\"STATUSID\\\" VALUE=\\\"0\\\">"
        "<INPUT TYPE=\\\"hidden\\\" NAME=\\\"ERROR\\\" VALUE=\\\"0\\\">"
        "<INPUT TYPE=\\\"hidden\\\" NAME=\\\"FORMID\\\" VALUE=\\\"%d\\\">"
        "<INPUT TYPE=\\\"hidden\\\" NAME=\\\"TERMINID\\\" VALUE=\\\"%d\\\">"
        "<INPUT TYPE=\\\"hidden\\\" NAME=\\\"SYNCID\\\" VALUE=\\\"%d\\\">"
        "<INPUT TYPE=\\\"submit\\\" NAME=\\\"CMD\\\" VALUE=\\\"..NewOrder..\\\">"
        "<INPUT TYPE=\\\"submit\\\" NAME=\\\"CMD\\\" VALUE=\\\"..Payment..\\\">"
        "<INPUT TYPE=\\\"submit\\\" NAME=\\\"CMD\\\" VALUE=\\\"..Delivery..\\\">"
        "<INPUT TYPE=\\\"submit\\\" NAME=\\\"CMD\\\" VALUE=\\\"..Order-Status..\\\">"
        "<INPUT TYPE=\\\"submit\\\" NAME=\\\"CMD\\\" VALUE=\\\"..Stock-Level..\\\">"
        "<INPUT TYPE=\\\"submit\\\" NAME=\\\"CMD\\\" VALUE=\\\"..Exit..\\\">"
        "</FORM></BODY></HTML>"
        , MAIN_MENU_FORM, iTermId, iSyncId);
}

/* FUNCTION: MakeStockLevelForm
 *
 * PURPOSE:      This function constructs the Stock Level HTML page.
 *
 * COMMENTS:     The internal client buffer is created when the terminal id is
assigned and should not
                be freed except when the client terminal id is no
longer needed.
 */

void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA *pStockLevelData, BOOL
bInput, char *szForm)

```

```

{
    int c;

    c = wsprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Stock Level</TITLE></HEAD><FORM
ACTION=\\"tpcc.dll\\" METHOD=\\"GET\\">"
        "<INPUT TYPE=\\"hidden\\" NAME=\\"STATUSID\\" VALUE=\\"0\\">"
        "<INPUT TYPE=\\"hidden\\" NAME=\\"ERROR\\" VALUE=\\"0\\">"
        "<INPUT TYPE=\\"hidden\\" NAME=\\"FORMID\\" VALUE=\\"%d\\">"
        "<INPUT TYPE=\\"hidden\\" NAME=\\"TERMINID\\" VALUE=\\"%d\\">"
        "<INPUT TYPE=\\"hidden\\" NAME=\\"SYNCID\\" VALUE=\\"%d\\">"
        "<PRE><font face=\\"Courier\\">"
Stock-Level<BR>"
        "Warehouse: %4.4d District: %2.2d<BR> <BR>",
        STOCK_LEVEL_FORM, iTermId, Term.pClientData[iTermId].iSyncId,
        Term.pClientData[iTermId].w_id, Term.pClientData[iTermId].d_id);

    if ( bInput )
    {
        strcpy(szForm+c,
            "Stock Level Threshold: <INPUT NAME=\\"TT*\\" SIZE=2><BR> <BR>"
            "low stock: </font><BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>"
<BR> <BR>"
            " <BR> <BR> <BR> <BR> <BR> <BR> <BR></PRE><HR>"
            "<INPUT TYPE=\\"submit\\" NAME=\\"CMD\\" VALUE=\\"Process\\">"
            "<INPUT TYPE=\\"submit\\" NAME=\\"CMD\\" VALUE=\\"Menu\\">"
            "</FORM></HTML> " );
    }
    else
    {
        wsprintf(szForm+c,
            "Stock Level Threshold: %2.2d<BR> <BR>"
            "low stock: %3.3d</font> <BR> <BR> <BR> <BR> <BR> <BR> <BR>"
<BR> <BR>"
            " <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR></PRE><HR>"
            "<INPUT TYPE=\\"submit\\" NAME=\\"CMD\\" VALUE=\\"..NewOrder..\\">"
            "<INPUT TYPE=\\"submit\\" NAME=\\"CMD\\" VALUE=\\"..Payment..\\">"
            "<INPUT TYPE=\\"submit\\" NAME=\\"CMD\\" VALUE=\\"..Delivery..\\">"
            "<INPUT TYPE=\\"submit\\" NAME=\\"CMD\\" VALUE=\\"..Order-
Status..\\">"
            "<INPUT TYPE=\\"submit\\" NAME=\\"CMD\\" VALUE=\\"..Stock-
Level..\\">"
            "<INPUT TYPE=\\"submit\\" NAME=\\"CMD\\" VALUE=\\"..Exit..\\">"
            "</FORM></HTML>"
            , pStockLevelData->threshold, pStockLevelData->low_stock);
    }
}

/* FUNCTION: MakeNewOrderForm
*
* COMMENTS: The internal client buffer is created when the terminal id is
assigned and should not

```

```

*
* be freed except when the client terminal id is no
longer needed.
*/

void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA *pNewOrderData, BOOL
bInput, char *szForm)
{
    int i, c;
    BOOL bValid;
    static char szBR[] = " <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR>";

    if (!bInput)
        assert( pNewOrderData->exec_status_code == eOK || pNewOrderData-
>exec_status_code == eInvalidItem );

    bValid = (bInput || (pNewOrderData->exec_status_code == eOK));

    c = wsprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C New Order</TITLE></HEAD><BODY>"
        "<FORM ACTION=\\"tpcc.dll\\" METHOD=\\"GET\\">"
        "<INPUT TYPE=\\"hidden\\" NAME=\\"STATUSID\\" VALUE=\\"%d\\">"
        "<INPUT TYPE=\\"hidden\\" NAME=\\"ERROR\\" VALUE=\\"0\\">"
        "<INPUT TYPE=\\"hidden\\" NAME=\\"FORMID\\" VALUE=\\"%d\\">"
        "<INPUT TYPE=\\"hidden\\" NAME=\\"TERMINID\\" VALUE=\\"%d\\">"
        "<INPUT TYPE=\\"hidden\\" NAME=\\"SYNCID\\" VALUE=\\"%d\\">"
        "<PRE><font face=\\"Courier\\">"
New Order<BR>"
        , bValid ? 0 : ERR_BAD_ITEM_ID, NEW_ORDER_FORM, iTermId,
        Term.pClientData[iTermId].iSyncId);

    if ( bInput )
    {
        c += wsprintf(szForm+c, "Warehouse: %4.4d ",
        Term.pClientData[iTermId].w_id );

        strcpy( szForm+c,
            "District: <INPUT NAME=\\"DID*\\" SIZE=1>"
Date:<BR>"
            "Customer: <INPUT NAME=\\"CID*\\" SIZE=4> Name:"
Credit: %Disc:<BR>"
            "Order Number: Number of Lines: W_tax:"
D_tax:<BR> <BR>"
            " Supp_W Item_Id Item Name Qty Stock B/G
Price Amount<BR>"
            " <INPUT NAME=\\"SP00*\\" SIZE=4> <INPUT NAME=\\"IID00*\\"
SIZE=6> <INPUT NAME=\\"Qty00*\\" SIZE=1><BR>"
            " <INPUT NAME=\\"SP01*\\" SIZE=4> <INPUT NAME=\\"IID01*\\"
SIZE=6> <INPUT NAME=\\"Qty01*\\" SIZE=1><BR>"
            " <INPUT NAME=\\"SP02*\\" SIZE=4> <INPUT NAME=\\"IID02*\\"
SIZE=6> <INPUT NAME=\\"Qty02*\\" SIZE=1><BR>"
            " <INPUT NAME=\\"SP03*\\" SIZE=4> <INPUT NAME=\\"IID03*\\"
SIZE=6> <INPUT NAME=\\"Qty03*\\" SIZE=1><BR>"

```

```

" <INPUT NAME="\SP04*" SIZE=4> <INPUT NAME="\IID04*"
SIZE=6> <INPUT NAME="\Qty04*" SIZE=1><BR>"
" <INPUT NAME="\SP05*" SIZE=4> <INPUT NAME="\IID05*"
SIZE=6> <INPUT NAME="\Qty05*" SIZE=1><BR>"
" <INPUT NAME="\SP06*" SIZE=4> <INPUT NAME="\IID06*"
SIZE=6> <INPUT NAME="\Qty06*" SIZE=1><BR>"
" <INPUT NAME="\SP07*" SIZE=4> <INPUT NAME="\IID07*"
SIZE=6> <INPUT NAME="\Qty07*" SIZE=1><BR>"
" <INPUT NAME="\SP08*" SIZE=4> <INPUT NAME="\IID08*"
SIZE=6> <INPUT NAME="\Qty08*" SIZE=1><BR>"
" <INPUT NAME="\SP09*" SIZE=4> <INPUT NAME="\IID09*"
SIZE=6> <INPUT NAME="\Qty09*" SIZE=1><BR>"
" <INPUT NAME="\SP10*" SIZE=4> <INPUT NAME="\IID10*"
SIZE=6> <INPUT NAME="\Qty10*" SIZE=1><BR>"
" <INPUT NAME="\SP11*" SIZE=4> <INPUT NAME="\IID11*"
SIZE=6> <INPUT NAME="\Qty11*" SIZE=1><BR>"
" <INPUT NAME="\SP12*" SIZE=4> <INPUT NAME="\IID12*"
SIZE=6> <INPUT NAME="\Qty12*" SIZE=1><BR>"
" <INPUT NAME="\SP13*" SIZE=4> <INPUT NAME="\IID13*"
SIZE=6> <INPUT NAME="\Qty13*" SIZE=1><BR>"
" <INPUT NAME="\SP14*" SIZE=4> <INPUT NAME="\IID14*"
SIZE=6> <INPUT NAME="\Qty14*" SIZE=1><BR>"
"Execution Status:
Total:<BR>"
</font></PRE><HR>
" <INPUT TYPE="submit" NAME="\CMD" VALUE="\Process">
" <INPUT TYPE="submit" NAME="\CMD" VALUE="\Menu">
"</FORM></HTML>"
);
}
else
{
c += wsprintf(szForm+c, "Warehouse: %4.4d District: %2.2d
Date: ",
pNewOrderData->w_id,
pNewOrderData->d_id);
if ( bValid )
{
c += wsprintf(szForm+c, "%2.2d-%2.2d-%4.4d
%2.2d:%2.2d:%2.2d",
pNewOrderData->o_entry_d.day,
pNewOrderData->o_entry_d.month,
pNewOrderData->o_entry_d.year,
pNewOrderData->o_entry_d.hour,
pNewOrderData->o_entry_d.minute,
pNewOrderData->o_entry_d.second);
}
c += wsprintf(szForm+c, "<BR>Customer: %4.4d Name: %-16s
Credit: %-2s ",
pNewOrderData->c_id, pNewOrderData->c_last, pNewOrderData-
>c_credit);

```

```

if ( bValid )
{
c += sprintf(szForm+c,
"%Disc: %5.2f <BR>"
"Order Number: %8.8d Number of Lines: %2.2d
W_tax: %5.2f D_tax: %5.2f <BR> <BR>"
" Supp_W Item_Id Item Name
Qty Stock B/G Price Amount<BR>",
100.0*pNewOrderData->c_discount,
pNewOrderData->o_id,
pNewOrderData->o_ol_cnt,
100.0 * pNewOrderData->w_tax,
100.0 * pNewOrderData->d_tax);
for(i=0; i<pNewOrderData->o_ol_cnt; i++)
{
c += sprintf(szForm+c, " %4.4d %6.6d %24s %2.2d
%3.3d %1.1s %6.2f %7.2f <BR>",
pNewOrderData->OL[i].ol_supply_w_id,
pNewOrderData->OL[i].ol_i_id,
pNewOrderData->OL[i].ol_i_name,
pNewOrderData->OL[i].ol_quantity,
pNewOrderData->OL[i].ol_stock,
pNewOrderData->OL[i].ol_brand_generic,
pNewOrderData->OL[i].ol_i_price,
pNewOrderData->OL[i].ol_amount );
}
}
else
{
c += wsprintf(szForm+c,
"%Disc:<BR>"
"Order Number: %8.8d Number of Lines:
W_tax: D_tax:<BR> <BR>"
" Supp_W Item_Id Item Name Qty Stock
B/G Price Amount<BR>"
, pNewOrderData->o_id);
i = 0;
}
strncpy( szForm+c, szBR, (15-i)*5 );
c += (15-i)*5;
if ( bValid )
c += sprintf(szForm+c, "Execution Status: Transaction
committed. Total: %8.2f ",
pNewOrderData->total_amount);
else
c += wsprintf(szForm+c, "Execution Status: Item number is not
valid. Total:");

```

```

strcpy(szForm+c,
" <BR></font></PRE><HR>"
"<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..NewOrder..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Payment..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Delivery..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Order-
Status..\">"
Level..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Stock-
"<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Exit..\">"
"</FORM></HTML>"
);
}
}
/* FUNCTION: MakePaymentForm
*
* COMMENTS: The internal client buffer is created when the terminal id is
assigned and should not
* be freed except when the client terminal id is no
longer needed.
*/

void MakePaymentForm(int iTermId, PAYMENT_DATA *pPaymentData, BOOL bInput,
char *szForm)
{
int c;

c = sprintf(szForm,
"<HTML><HEAD><TITLE>TPC-C Payment</TITLE></HEAD><BODY>"
"<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
"<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"0\">"
"<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"
"<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"%d\">"
"<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"%d\">"
"<INPUT TYPE=\"hidden\" NAME=\"SYNCID\" VALUE=\"%d\">"
"<PRE><font face=\"Courier\">"
Payment<BR>"
"Date: "
, PAYMENT_FORM, iTermId, Term.pClientData[iTermId].iSyncId);

if ( !bInput )
{
c += sprintf(szForm+c, "%2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
pPaymentData->h_date.day,
pPaymentData->h_date.month,
pPaymentData->h_date.year,
pPaymentData->h_date.hour,
pPaymentData->h_date.minute,
pPaymentData->h_date.second);
}

if ( bInput )

```

```

{
c += sprintf(szForm+c,
"<BR> <BR>Warehouse: %4.4d"
" District: <INPUT NAME=\"DID*\"
SIZE=1><BR> <BR> <BR> <BR> <BR>"
"Customer: <INPUT NAME=\"CID*\" SIZE=4>"
"Cust-Warehouse: <INPUT NAME=\"CWI*\" SIZE=4> "
"Cust-District: <INPUT NAME=\"CDI*\" SIZE=1><BR>"
"Name: <INPUT NAME=\"CLT*\" SIZE=16>"
Since:<BR>"
"
Credit:<BR>"
"
Disc:<BR>"
Phone:<BR>"
<BR>"
"Amount Paid: $<INPUT NAME=\"HAM*\" SIZE=7> New
Cust-Balance:<BR>"
"Credit Limit:<BR> <BR>Cust-Data: <BR> <BR> <BR> <BR>
<BR></font></PRE><HR>"
"<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Process\"><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
"</BODY></FORM></HTML>"
, Term.pClientData[iTermId].w_id);
}
else
{
c += sprintf(szForm+c,
"<BR> <BR>Warehouse: %4.4d"
" District:
%2.2d<BR>"
"%-20s %-20s<BR>"
"%-20s %-20s<BR>"
"%-20s %-2s %5.5s-%4.4s %-20s %-2s %5.5s-%4.4s<BR>"
<BR>"
"Customer: %4.4d Cust-Warehouse: %4.4d Cust-District:
%2.2d<BR>"
"Name: %-16s %-2s %-16s Since: %2.2d-%2.2d-%4.4d<BR>"
" %-20s Credit: %-2s<BR>"
, Term.pClientData[iTermId].w_id, pPaymentData->d_id
, pPaymentData->w_street_1, pPaymentData->d_street_1
, pPaymentData->w_street_2, pPaymentData->d_street_2
, pPaymentData->w_city, pPaymentData->w_state, pPaymentData-
>w_zip, pPaymentData->w_zip+5
, pPaymentData->d_city, pPaymentData->d_state, pPaymentData-
>d_zip, pPaymentData->d_zip+5
, pPaymentData->c_id, pPaymentData->c_w_id, pPaymentData-
>c_d_id
, pPaymentData->c_first, pPaymentData->c_middle,
pPaymentData->c_last
, pPaymentData->c_since.day, pPaymentData->c_since.month,
pPaymentData->c_since.year
, pPaymentData->c_street_1, pPaymentData->c_credit
);
}
}

```

```

c += sprintf(szForm+c,
             "          %-20s                %%Disc:  %5.2f<BR>",
             pPaymentData->c_street_2, 100.0*pPaymentData->c_discount);

c += wsprintf(szForm+c,
             "          %-20s %-2s %5.5s-%4.4s          Phone:  %6.6s-%3.3s-
%3.3s-%4.4s<BR> <BR>",
             pPaymentData->c_city, pPaymentData->c_state, pPaymentData-
>c_zip, pPaymentData->c_zip+5,
             pPaymentData->c_phone, pPaymentData->c_phone+6, pPaymentData-
>c_phone+9, pPaymentData->c_phone+12 );

c += sprintf(szForm+c,
             "Amount Paid:          $%7.2f          New Cust-Balance:
$%14.2f<BR>"
             "Credit Limit:  $%13.2f<BR> <BR>"
             , pPaymentData->h_amount, pPaymentData->c_balance
             , pPaymentData->c_credit_lim
             );

if ( pPaymentData->c_credit[0] == 'B' && pPaymentData->c_credit[1]
== 'C' )
    c += wsprintf(szForm+c,
                 "Cust-Data:  %-50.50s<BR>          %-50.50s<BR>
%-50.50s<BR>          %-50.50s<BR>",
                 pPaymentData->c_data, pPaymentData->c_data+50,
pPaymentData->c_data+100, pPaymentData->c_data+150 );
    else
        strcpy(szForm+c, "Cust-Data: <BR> <BR> <BR> <BR>");

        strcat(szForm, " <BR></font></PRE><HR>"
        " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
        " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Payment..\">"
        " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Delivery..\">"
        " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Order-Status..\">"
        " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Stock-Level..\">"
        " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Exit..\">"
        " </BODY></FORM></HTML>");
}

/* FUNCTION: MakeOrderStatusForm
*
* COMMENTS:  The internal client buffer is created when the terminal id is
assigned and should not

```

```

*
* be freed except when the client terminal id is no
longer needed.
*/

void MakeOrderStatusForm(int iTermId, ORDER_STATUS_DATA *pOrderStatusData,
BOOL bInput, char *szForm)
{
    int i, c;
    static char szBR[] = " <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR>";

    c = wsprintf(szForm,
                 "<HTML><HEAD><TITLE>TPC-C Order-Status</TITLE></HEAD><BODY>"
                 "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
                 "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"0\">"
                 "<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"
                 "<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"%d\">"
                 "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"%d\">"
                 "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\" VALUE=\"%d\">"
                 "<PRE><font face=\"Courier\">"
Order-Status<BR>"
                 "Warehouse: %4.4d ",
                 ORDER_STATUS_FORM, iTermId, Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id);

    if ( bInput )
    {
        strcpy(szForm+c,
              "District: <INPUT NAME=\"DID*\" SIZE=1><BR>"
              "Customer: <INPUT NAME=\"CID*\" SIZE=4> Name:
<INPUT NAME=\"CLT*\" SIZE=23><BR>"
              "Cust-Balance:<BR> <BR>"
              "Order-Number:          Entry-Date:
Carrier-Number:<BR>"
              "Supply-W      Item-Id      Qty      Amount      Delivery-
Date<BR> <BR> <BR> <BR> <BR>"
              " <BR> <BR>
<BR></font></PRE>"
              "<HR><INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"Process\"><INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
              "</BODY></FORM></HTML> " );
    }
    else
    {
        c += wsprintf(szForm+c,
                     "District: %2.2d<BR>"
                     "Customer: %4.4d Name: %-16s %-2s %-16s<BR>",
                     pOrderStatusData->d_id, pOrderStatusData->c_id,
pOrderStatusData->c_first, pOrderStatusData->c_middle,
pOrderStatusData->c_last);

        c += sprintf(szForm+c, "Cust-Balance: $%9.2f<BR> <BR>",
                     pOrderStatusData->c_balance);
    }
}

```

```

    c += sprintf(szForm+c,
        "Order-Number: %8.8d  Entry-Date: %2.2d-%2.2d-%4.4d
%2.2d:%2.2d:%2.2d  Carrier-Number: %2.2d<BR>"
        "Supply-W      Item-Id      Qty      Amount      Delivery-
Date<BR>",
        pOrderStatusData->o_id,
        pOrderStatusData->o_entry_d.day,
        pOrderStatusData->o_entry_d.month,
        pOrderStatusData->o_entry_d.year,
        pOrderStatusData->o_entry_d.hour,
        pOrderStatusData->o_entry_d.minute,
        pOrderStatusData->o_entry_d.second,
        pOrderStatusData->o_carrier_id);

for(i=0; i< pOrderStatusData->o_ol_cnt; i++)
{
    c += sprintf(szForm+c, " %4.4d      %6.6d      %2.2d
%8.2f      %2.2d-%2.2d-%4.4d<BR>",
        pOrderStatusData->OL[i].ol_supply_w_id,
        pOrderStatusData->OL[i].ol_i_id,
        pOrderStatusData->OL[i].ol_quantity,
        pOrderStatusData->OL[i].ol_amount,
        pOrderStatusData->OL[i].ol_delivery_d.day,
        pOrderStatusData->OL[i].ol_delivery_d.month,
        pOrderStatusData->OL[i].ol_delivery_d.year);
}

strncpy( szForm+c, szBR, (15-i)*5 );
c += (15-i)*5;

strcpy(szForm+c,
    "</font></PRE><HR><INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
    "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Payment..\">"
    "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Delivery..\">"
    "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Order-
Status..\">"
    "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Stock-
Level..\">"
    "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Exit..\">"
    "</BODY></FORM></HTML>" );
}

/* FUNCTION: MakeDeliveryForm
*
* COMMENTS: The internal client buffer is created when the terminal id is
assigned and should not
*           be freed except when the client terminal id is no
longer needed.
*/

```

```

void MakeDeliveryForm(int iTermId, DELIVERY_DATA *pDeliveryData, BOOL
bInput, char *szForm)
{
    int c;

    c = sprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Delivery</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\" VALUE=\"%d\">"
        "<PRE><font face=\"Courier\">"
Delivery<BR>"
        "Warehouse: %4.4d<BR> <BR>",
        (!bInput && (pDeliveryData->exec_status_code != eOK)) ?
ERR_TYPE_DELIVERY_POST : 0,
        DELIVERY_FORM, iTermId, Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id);

    if ( bInput )
    {
        strcpy( szForm+c,
            "Carrier Number: <INPUT NAME=\"OCD\" SIZE=1><BR> <BR>"
            "Execution Status: <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>"
            " <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> </font></PRE><HR>"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Process\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
            "</BODY></FORM></HTML>" );
    }
    else
    {
        sprintf( szForm+c,
            "Carrier Number: %2.2d<BR> <BR>"
            "Execution Status: %s <BR> <BR> <BR> <BR> <BR> <BR> <BR>"
<BR>"
            " <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> </font></PRE>"
            "<HR><INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Payment..\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Delivery..\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Order-
Status..\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Stock-
Level..\">"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Exit..\">"
            "</BODY></FORM></HTML>" );

        , pDeliveryData->o_carrier_id,
        (pDeliveryData->exec_status_code == eOK) ? "Delivery has been
queued." : "Delivery Post Failed "
    );
}

```

```

    }
}

/* FUNCTION: ProcessNewOrderForm
 *
 * PURPOSE:      This function gets and validates the input data from the new
order form
 *              filling in the required input variables. it then calls the
SQLNewOrder
 *              transaction, constructs the output form and writes it back to
client
 *              browser.
 */

void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer)
{
    PNEW_ORDER_DATA    pNewOrder;

    pNewOrder = Term.pClientData[iTermId].pTxn->BuffAddr_NewOrder();

    ZeroMemory(pNewOrder, sizeof(NEW_ORDER_DATA));
    pNewOrder->w_id = Term.pClientData[iTermId].w_id;
    GetNewOrderData(pECB->lpszQueryString, pNewOrder);

    Term.pClientData[iTermId].pTxn->NewOrder();

    pNewOrder = Term.pClientData[iTermId].pTxn->BuffAddr_NewOrder();
    MakeNewOrderForm(iTermId, pNewOrder, OUTPUT_FORM, szBuffer );
}

/* FUNCTION: void ProcessPaymentForm
 *
 * PURPOSE:      This function gets and validates the input data from the
payment form
 *              filling in the required input variables. It then calls the
SQLPayment
 *              transaction, constructs the output form and writes it back to
client
 *              browser.
 *
 * ARGUMENTS:    EXTENSION_CONTROL_BLOCK *pECBpassed in structure pointer
from inetsrv.
 *              int iTermId client
browser terminal id
 */

void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer)
{
    PPAYMENT_DATA    pPayment;

```

```

    pPayment = Term.pClientData[iTermId].pTxn->BuffAddr_Payment();
    ZeroMemory(pPayment, sizeof(PAYMENT_DATA));
    pPayment->w_id = Term.pClientData[iTermId].w_id;
    GetPaymentData(pECB->lpszQueryString, pPayment);

    Term.pClientData[iTermId].pTxn->Payment();

    pPayment = Term.pClientData[iTermId].pTxn->BuffAddr_Payment();
    MakePaymentForm(iTermId, pPayment, OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessOrderStatusForm
 *
 * PURPOSE:      This function gets and validates the input data from the
Order Status
 *              form filling in the required input variables. It then calls
the
 *              SQLOrderStatus transaction, constructs the output form and
writes it
 *              back to client browser.
 *
 * ARGUMENTS:    EXTENSION_CONTROL_BLOCK *pECBpassed in structure pointer
from inetsrv.
 *              int iTermId client
browser terminal id
 */

void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer)
{
    PORDER_STATUS_DATA    pOrderStatus;

    pOrderStatus = Term.pClientData[iTermId].pTxn->BuffAddr_OrderStatus();
    ZeroMemory(pOrderStatus, sizeof(ORDER_STATUS_DATA));
    pOrderStatus->w_id = Term.pClientData[iTermId].w_id;
    GetOrderStatusData(pECB->lpszQueryString, pOrderStatus);

    Term.pClientData[iTermId].pTxn->OrderStatus();

    pOrderStatus = Term.pClientData[iTermId].pTxn->BuffAddr_OrderStatus();
    MakeOrderStatusForm(iTermId, pOrderStatus, OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessDeliveryForm
 *
 * PURPOSE:      This function gets and validates the input data from the
delivery form
 *              filling in the required input variables. It then calls the
PostDeliveryInfo
 *              Api, The client is then informed that the transaction has
been posted.
 */

```

```

* ARGUMENTS:  EXTENSION_CONTROL_BLOCK  *pECBpassed in structure pointer
from inetsrv.
*
*          int          iTermId  client
browser terminal id
*/

void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer)
{
    char *ptr = pECB->lpszQueryString;

    PDELIVERY_DATA pDelivery;

    pDelivery = Term.pClientData[iTermId].pTxn->BuffAddr_Delivery();
    ZeroMemory(pDelivery, sizeof(DELIVERY_DATA));
    pDelivery->w_id = Term.pClientData[iTermId].w_id;

    pDelivery->o_carrier_id = GetIntKeyValue(&ptr, "OCD*",
ERR_DELIVERY_MISSING_OCD_KEY, ERR_DELIVERY_CARRIER_INVALID);
    if ( pDelivery->o_carrier_id > 10 || pDelivery->o_carrier_id < 1 )
        throw new CWEBCLNT_ERR( ERR_DELIVERY_CARRIER_ID_RANGE );

    if (dwNumDeliveryThreads)
    {
        //post delivery info
        if ( PostDeliveryInfo(pDelivery->w_id, pDelivery->o_carrier_id) )
            pDelivery->exec_status_code = eDeliveryFailed;
        else
            pDelivery->exec_status_code = eOK;
    }
    else // delivery is done synchronously if no delivery threads
    configured
        Term.pClientData[iTermId].pTxn->Delivery();

    pDelivery = Term.pClientData[iTermId].pTxn->BuffAddr_Delivery();
    MakeDeliveryForm(iTermId, pDelivery, OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessStockLevelForm
*
* PURPOSE:    This function gets and validates the input data from the
Stock Level
*
*            form filling in the required input variables. It then calls
the
*            SQLStockLevel transaction, constructs the output form and
writes it
*            back to client browser.
*
* ARGUMENTS:  EXTENSION_CONTROL_BLOCK  *pECBpassed in structure pointer
from inetsrv.
*
*          int          iTermId  client
browser terminal id

```

```

*
*/

void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer)
{
    char *ptr = pECB->lpszQueryString;

    PSTOCK_LEVEL_DATA pStockLevel;

    pStockLevel = Term.pClientData[iTermId].pTxn->BuffAddr_StockLevel();
    ZeroMemory( pStockLevel, sizeof(STOCK_LEVEL_DATA) );

    pStockLevel->w_id = Term.pClientData[iTermId].w_id;
    pStockLevel->d_id = Term.pClientData[iTermId].d_id;

    pStockLevel->threshold = GetIntKeyValue(&ptr, "TT*",
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY, ERR_STOCKLEVEL_THRESHOLD_INVALID);
    if ( pStockLevel->threshold >= 100 || pStockLevel->threshold < 0 )
        throw new CWEBCLNT_ERR( ERR_STOCKLEVEL_THRESHOLD_RANGE );

    Term.pClientData[iTermId].pTxn->StockLevel();

    pStockLevel = Term.pClientData[iTermId].pTxn->BuffAddr_StockLevel();
    MakeStockLevelForm(iTermId, pStockLevel, OUTPUT_FORM, szBuffer);
}

/* FUNCTION: GetNewOrderData
*
* PURPOSE:    This function extracts and validates the new order form data
from an http command string.
*
* ARGUMENTS:  LPSTR          lpszQueryString      client browser http
command string
*
*            NEW_ORDER_DATA  *pNewOrderData      pointer to new
order data structure
*
*/

void GetNewOrderData(LPSTR lpszQueryString, NEW_ORDER_DATA *pNewOrderData)
{
    char szTmp[26];
    int i;
    short items;
    int ol_i_id, ol_quantity;
    char *ptr = lpszQueryString;

    static char szSP[MAX_OL_NEW_ORDER_ITEMS][6] =
    { "SP00*", "SP01*", "SP02*", "SP03*", "SP04*",
      "SP05*", "SP06*", "SP07*", "SP08*", "SP09*",
      "SP10*", "SP11*", "SP12*", "SP13*", "SP14*" };
    static char szIID[MAX_OL_NEW_ORDER_ITEMS][7] =
    { "IID00*", "IID01*", "IID02*", "IID03*", "IID04*",

```

```

        "IID05*", "IID06*", "IID07*", "IID08*", "IID09*",
        "IID10*", "IID11*", "IID12*", "IID13*", "IID14*" };
static char szQty[MAX_OL_NEW_ORDER_ITEMS][7] =
{ "Qty00*", "Qty01*", "Qty02*", "Qty03*", "Qty04*",
  "Qty05*", "Qty06*", "Qty07*", "Qty08*", "Qty09*",
  "Qty10*", "Qty11*", "Qty12*", "Qty13*", "Qty14*" };

pNewOrderData->d_id = GetIntKeyValue(&ptr, "DID",
ERR_NEWORDER_FORM_MISSING_DID, ERR_NEWORDER_DISTRICT_INVALID);
pNewOrderData->c_id = GetIntKeyValue(&ptr, "CID",
ERR_NEWORDER_CUSTOMER_KEY, ERR_NEWORDER_CUSTOMER_INVALID);

for(i=0, items=0; i<MAX_OL_NEW_ORDER_ITEMS; i++)
{
    GetKeyValue(&ptr, szSP[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_SUPPW_KEY);
    if ( szTmp[0] )
    {
        if ( !IsNumeric(szTmp) )
            throw new CWEBCLNT_ERR( ERR_NEWORDER_SUPPW_INVALID );
        pNewOrderData->OL[items].ol_supply_w_id = (short)atoi(szTmp);

        ol_i_id = pNewOrderData->OL[items].ol_i_id =
            GetIntKeyValue(&ptr, szIID[i],
ERR_NEWORDER_MISSING_IID_KEY, ERR_NEWORDER_ITEMID_INVALID);
        if ( ol_i_id > 999999 || ol_i_id < 1 )
            throw new CWEBCLNT_ERR( ERR_NEWORDER_ITEMID_RANGE );

        ol_quantity = pNewOrderData->OL[items].ol_quantity =
            GetIntKeyValue(&ptr, szQty[i],
ERR_NEWORDER_MISSING_QTY_KEY, ERR_NEWORDER_QTY_INVALID);
        if ( ol_quantity > 99 || ol_quantity < 1 )
            throw new CWEBCLNT_ERR( ERR_NEWORDER_QTY_RANGE );

        items++;
    }
    else
    {
        // nothing entered for supply warehouse, so item id and qty
        must also be blank
        GetKeyValue(&ptr, szIID[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_IID_KEY);
        if ( szTmp[0] )
            throw new CWEBCLNT_ERR(
ERR_NEWORDER_ITEMID_WITHOUT_SUPPW );

        GetKeyValue(&ptr, szQty[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_QTY_KEY);
        if ( szTmp[0] )
            throw new CWEBCLNT_ERR( ERR_NEWORDER_QTY_WITHOUT_SUPPW
);
    }
}
if ( items == 0 )

```

```

        throw new CWEBCLNT_ERR( ERR_NEWORDER_NOITEMS_ENTERED );

    pNewOrderData->o_ol_cnt = items;
}

/* FUNCTION: GetPaymentData
 *
 * PURPOSE:      This function extracts and validates the payment form data
from an http command string.
 *
 * ARGUMENTS:   LPSTR          lpszQueryString      client browser http
command string
 *              PAYMENT_DATA  *pPaymentData       pointer to payment
data structure
 */

void GetPaymentData(LPSTR lpszQueryString, PAYMENT_DATA *pPaymentData)
{
    char szTmp[26];
    char *ptr = lpszQueryString;
    BOOL bCustIdBlank;

    pPaymentData->d_id = GetIntKeyValue(&ptr, "DID",
ERR_PAYMENT_MISSING_DID_KEY, ERR_PAYMENT_DISTRICT_INVALID);

    GetKeyValue(&ptr, "CID", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        bCustIdBlank = TRUE;
        pPaymentData->c_id = 0;
    }
    else
    {
        // parse customer id and verify that last name was NOT entered
        bCustIdBlank = FALSE;
        if ( !IsNumeric(szTmp) )
            throw new CWEBCLNT_ERR( ERR_PAYMENT_CUSTOMER_INVALID );
        pPaymentData->c_id = atoi(szTmp);
    }

    pPaymentData->c_w_id = GetIntKeyValue(&ptr, "CWI",
ERR_PAYMENT_MISSING_CWI_KEY, ERR_PAYMENT_CWI_INVALID);
    pPaymentData->c_d_id = GetIntKeyValue(&ptr, "CDI",
ERR_PAYMENT_MISSING_CDI_KEY, ERR_PAYMENT_CDI_INVALID);

    if ( bCustIdBlank )
    {
        // customer id is blank, so last name must be entered
        GetKeyValue(&ptr, "CLT", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_CLT_KEY);
        if ( szTmp[0] == 0 )
            throw new CWEBCLNT_ERR( ERR_PAYMENT_MISSING_CID_CLT );

        _strupr( szTmp );
    }
}

```

```

    if ( strlen(pPaymentData->c_last) > LAST_NAME_LEN )
        throw new CWEBCLNT_ERR( ERR_PAYMENT_LAST_NAME_TO_LONG );
    strcpy(pPaymentData->c_last, szTmp);
}
else
{
    // parse customer id and verify that last name was NOT entered
    GetKeyValue(&ptr, "CLT*", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_CLT_KEY);
    if ( szTmp[0] != 0 )
        throw new CWEBCLNT_ERR( ERR_PAYMENT_CID_AND_CLT );
}

    GetKeyValue(&ptr, "HAM*", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_HAM_KEY);
    if (!IsDecimal(szTmp))
        throw new CWEBCLNT_ERR( ERR_PAYMENT_HAM_INVALID );
    pPaymentData->h_amount = atof(szTmp);
    if ( pPaymentData->h_amount >= 10000.00 || pPaymentData->h_amount < 0 )
        throw new CWEBCLNT_ERR( ERR_PAYMENT_HAM_RANGE );
}

/* FUNCTION: GetOrderStatusData
 *
 * PURPOSE:      This function extracts and validates the payment form data
from an http command string.
 *
 */
void GetOrderStatusData(LPSTR lpszQueryString, ORDER_STATUS_DATA
*pOrderStatusData)
{
    char szTmp[26];
    char *ptr = lpszQueryString;

    pOrderStatusData->d_id = GetIntKeyValue(&ptr, "DID*",
ERR_ORDERSTATUS_MISSING_DID_KEY, ERR_ORDERSTATUS_DID_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp, sizeof(szTmp),
ERR_ORDERSTATUS_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        // customer id is blank, so last name must be entered
        pOrderStatusData->c_id = 0;
        GetKeyValue(&ptr, "CLT*", szTmp, sizeof(szTmp),
ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] == 0 )
            throw new CWEBCLNT_ERR( ERR_ORDERSTATUS_MISSING_CID_CLT );

        _strupr( szTmp );
        if ( strlen(pOrderStatusData->c_last) > LAST_NAME_LEN )
            throw new CWEBCLNT_ERR( ERR_ORDERSTATUS_CLT_RANGE );
        strcpy(pOrderStatusData->c_last, szTmp);
    }
    else
    {
        // parse customer id and verify that last name was NOT entered

```

```

        if ( !IsNumeric(szTmp) )
            throw new CWEBCLNT_ERR( ERR_ORDERSTATUS_CID_INVALID );
        pOrderStatusData->c_id = atoi(szTmp);
        GetKeyValue(&ptr, "CLT*", szTmp, sizeof(szTmp),
ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] != 0 )
            throw new CWEBCLNT_ERR( ERR_ORDERSTATUS_CID_AND_CLT );
    }
}

/* FUNCTION: BOOL IsNumeric(char *ptr)
 *
 * PURPOSE:      This function determines if a string is numeric. It fails if
any characters other
 *
 *               than numeric and null terminator are present.
 *
 * ARGUMENTS:   char          *ptr pointer to string to check.
 *
 * RETURNS:     BOOL FALSE if string is not all numeric
 *              TRUE  if string contains only numeric
characters i.e. '0' - '9'
 */
BOOL IsNumeric(char *ptr)
{
    if ( *ptr == 0 )
        return FALSE;

    while( *ptr && isdigit(*ptr) )
        ptr++;
    return ( !*ptr );
}

/* FUNCTION: BOOL IsDecimal(char *ptr)
 *
 * PURPOSE:      This function determines if a string is a non-negative
decimal value.
 *
 *               It fails if any characters other than a series of numbers
followed by
 *
 *               a decimal point, another series of numbers, and a null
terminator are present.
 *
 * ARGUMENTS:   char          *ptr pointer to string to check.
 *
 * RETURNS:     BOOL FALSE if string is not a valid non-negative decimal
value
 *              TRUE  if string is OK
 */
BOOL IsDecimal(char *ptr)
{
    char *dotptr;

```

```

BOOL bValid;

if ( *ptr == 0 )
    return FALSE;

// find decimal point
dotptr = strchr( ptr, '.' );
if (dotptr == NULL)
    // no decimal point, so just check for numeric
    return IsNumeric(ptr);
*dotptr = 0; // temporarily replace decimal with a terminator

if ( *ptr != 0 )
    bValid = IsNumeric(ptr);
// string starts with decimal point
else if (*(dotptr+1) == 0)
    return FALSE; // nothing but a decimal point is bad
else
    bValid = TRUE;

if (*(dotptr+1) != 0)
    // check text after decimal point
    bValid &= IsNumeric(dotptr+1);

*dotptr = '.'; // replace decimal point
return bValid;
}

//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by tpcc.rc
//
#define IDD_DIALOG1                101

// Next default values for new objects
//
#ifdef APSTUDIO_INVOKED
#ifndef APSTUDIO_READONLY_SYMBOLS
#define _APS_NEXT_RESOURCE_VALUE    102
#define _APS_NEXT_COMMAND_VALUE    40001
#define _APS_NEXT_CONTROL_VALUE    1000
#define _APS_NEXT_SYMED_VALUE      101
#endif
#endif

/* FILE:      READREGISTRY.CPP
 *           Microsoft TPC-C Kit Ver. 4.20.000
 *           Copyright Microsoft, 1999
 *           All Rights Reserved
 *
 *           not yet audited
 *
 * PURPOSE:   Implementation for TPC-C Tuxedo class.

```

```

 * Contact: Charles Levine (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - first version
 */

/* FUNCTION: ReadTPCCRegistrySettings
 *
 * PURPOSE: This function reads the NT registry for startup parameters.
There parameters are
 *           under the TPCC key.
 *
 * RETURNS FALSE = no errors
 *           TRUE = error reading registry
 */
BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg )
{
    HKEY hKey;
    DWORD size;
    DWORD type;
    DWORD dwTmp;
    char szTmp[256];

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE, "SOFTWARE\\Microsoft\\TPCC", 0,
KEY_READ, &hKey) != ERROR_SUCCESS )
        return TRUE;

    // determine database protocol to use; may be either ODBC or DBLIB
    pReg->eDB_Protocol = Unspecified;
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "DB_Protocol", 0, &type, (BYTE *)&szTmp,
&size) == ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp, szDBNames[ODBC]) )
            pReg->eDB_Protocol = ODBC;
        else if ( !strcmp(szTmp, szDBNames[DBLIB]) )
            pReg->eDB_Protocol = DBLIB;
    }

    pReg->eTxnMon = None;
    // determine txn monitor to use; may be either TUXEDO, or blank
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "TxnMonitor", 0, &type, (BYTE *)&szTmp,
&size) == ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp, szTxnMonNames[TUXEDO]) )
            pReg->eTxnMon = TUXEDO;
        else if ( !strcmp(szTmp, szTxnMonNames[ENCINA]) )
            pReg->eTxnMon = ENCINA;
        else if ( !strcmp(szTmp, szTxnMonNames[COM]) )
            pReg->eTxnMon = COM;
    }
}

```

```

pReg->bCOM_SinglePool = FALSE;
size = sizeof(szTmp);
if ( RegQueryValueEx(hKey, "COM_SinglePool", 0, &type, (BYTE *)&szTmp,
&size) == ERROR_SUCCESS )
{
    if ( !strcmp(szTmp, "YES") )
        pReg->bCOM_SinglePool = TRUE;
}

pReg->dwMaxConnections = 0;
size = sizeof(dwTmp);
if ( ( RegQueryValueEx(hKey, "MaxConnections", 0, &type,
(LPBYTE)&dwTmp, &size) == ERROR_SUCCESS )
    && (type == REG_DWORD) )
    pReg->dwMaxConnections = dwTmp;

pReg->dwMaxPendingDeliveries = 0;
size = sizeof(dwTmp);
if ( ( RegQueryValueEx(hKey, "MaxPendingDeliveries", 0, &type,
(LPBYTE)&dwTmp, &size) == ERROR_SUCCESS )
    && (type == REG_DWORD) )
    pReg->dwMaxPendingDeliveries = dwTmp;

pReg->dwNumberOfDeliveryThreads = 0;
size = sizeof(dwTmp);
if ( ( RegQueryValueEx(hKey, "NumberOfDeliveryThreads", 0, &type,
(LPBYTE)&dwTmp, &size) == ERROR_SUCCESS )
    && (type == REG_DWORD) )
    pReg->dwNumberOfDeliveryThreads = dwTmp;

size = sizeof( pReg->szPath );
if ( RegQueryValueEx(hKey, "Path", 0, &type, (BYTE *)&pReg->szPath,
&size) != ERROR_SUCCESS )
    pReg->szPath[0] = 0;

size = sizeof( pReg->szDbServer );
if ( RegQueryValueEx(hKey, "DbServer", 0, &type, (BYTE *)&pReg-
>szDbServer, &size) != ERROR_SUCCESS )
    pReg->szDbServer[0] = 0;

size = sizeof( pReg->szDbName );
if ( RegQueryValueEx(hKey, "DbName", 0, &type, (BYTE *)&pReg->szDbName,
&size) != ERROR_SUCCESS )
    pReg->szDbName[0] = 0;

size = sizeof( pReg->szDbUser );
if ( RegQueryValueEx(hKey, "DbUser", 0, &type, (BYTE *)&pReg->szDbUser,
&size) != ERROR_SUCCESS )
    pReg->szDbUser[0] = 0;

size = sizeof( pReg->szDbPassword );

```

```

    if ( RegQueryValueEx(hKey, "DbPassword", 0, &type, (BYTE *)&pReg-
>szDbPassword, &size) != ERROR_SUCCESS )
        pReg->szDbPassword[0] = 0;

    RegCloseKey(hKey);

    return FALSE;
}

/* FILE:      ReadRegistry.h
 *           Microsoft TPC-C Kit Ver. 4.20.000
 *           Copyright Microsoft, 1999
 *           All Rights Reserved
 *
 *           not audited
 *
 * PURPOSE:   Header for registry related code.
 *
 * Change history:
 *           4.20.000 - first version
 */

enum DBPROTOCOL { Unspecified, ODBC, DBLIB };
const char *szDBNames[] = { "Unspecified", "ODBC", "DBLIB" };

enum TXNMON { None, TUXEDO, ENCINA, COM };
const char *szTxnMonNames[] = { "NONE", "TUXEDO", "ENCINA", "COM" };

//This structure defines the data necessary to keep distinct for each
terminal or client connection.
typedef struct _TPCCREGISTRYDATA
{
    enum DBPROTOCOL eDB_Protocol;
    enum TXNMON eTxnMon;
    BOOL bCOM_SinglePool;
    DWORD dwMaxConnections;
    DWORD dwMaxPendingDeliveries;
    DWORD dwNumberOfDeliveryThreads;
    char szPath[128];
    char szDbServer[32];
    char szDbName[32];
    char szDbUser[32];
    char szDbPassword[32];
} TPCCREGISTRYDATA, *PTPCCREGISTRYDATA;

BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg );

/* FILE:      ERROR.H
 *           Microsoft TPC-C Kit Ver. 4.20.000
 *           Copyright Microsoft, 1999
 *           All Rights Reserved
 *

```

```

*           Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*   PURPOSE:  Header file for error exception classes.
*
*   Change history:
*       4.20.000 - updated rev number to match kit
*       4.21.000 - fixed bug: ~CBaseErr needed to be declared virtual
*/

#pragma once

#ifndef _INC_STRING
#include <string.h>
#endif

const int m_szMsg_size = 512;
const int m_szApp_size = 64;
const int m_szLoc_size = 64;

//error message structure used in ErrorText routines
typedef struct _SERRORMSG
{
    int          iError;                //error id of message
    char szMsg[256];                  //message to sent to browser
} SERRORMSG;

#define ERR_FATAL_LEVEL          1
#define ERR_WARNING_LEVEL       2
#define ERR_INFORMATION_LEVEL   3

#define ERR_TYPE_LOGIC          -1      //logic
error in program; internal error
#define ERR_SUCCESS              0
//success (a non-error error)
#define ERR_BAD_ITEM_ID         1
//expected abort record in txnRecord
#define ERR_TYPE_DELIVERY_POST  2      //expected
delivery post failed
#define ERR_TYPE_WEBDLL         3      //tpcc
web generated error
#define ERR_TYPE_SQL            4      //sql
server generated error
#define ERR_TYPE_DBLIB         5      //dblib
generated error
#define ERR_TYPE_ODBC          6      //odbc
generated error
#define ERR_TYPE_SOCKET        7      //error
on communication socket client rte only
#define ERR_TYPE_DEADLOCK      8      //dblib and
odbc only deadlock condition

```

```

#define ERR_TYPE_COM           9      //error from
COM call
#define ERR_TYPE_TUXEDO       10      //tuxedo
error
#define ERR_TYPE_OS           11
//operating system error
#define ERR_TYPE_MEMORY       12      //memory
allocation error
#define ERR_TYPE_TPCC_ODBC    13      //error from
tpcc odbc txn module
#define ERR_TYPE_TPCC_DBLIB   14      //error
from tpcc dblib txn module
#define ERR_TYPE_DELISRV     15      //delivery
server error
#define ERR_TYPE_TXNLOG       16      //txn
log error
#define ERR_TYPE_BCONN        17
//Benchcraft connection class
#define ERR_TYPE_TPCC_CONN    18      //Benchcraft
connection class
#define ERR_TYPE_ENCINA       19      //Encina
error
#define ERR_TYPE_COMPONENT    20      //error from
COM component
#define ERR_TYPE_RTE          21      //Benchcraft
rte
#define ERR_TYPE_AUTOMATION   22
//Benchcraft automation errors

class CBaseErr
{
public:
    char *m_szApp;
    char *m_szMsg;
    char *m_szLoc; // code location where the error occurred
    int m_idMsg;

    CBaseErr(void)
    {
        m_idMsg = 0;
        m_szMsg = new char[m_szMsg_size];
        m_szApp = new char[m_szApp_size];
        m_szLoc = NULL;

        m_szMsg[0] = 0;
        m_szApp[0] = 0;

        GetModuleFileName(GetModuleHandle(NULL), m_szApp, m_szApp_size);
    }

    virtual ~CBaseErr(void)
    {

```

```

    if (m_szMsg)
        delete [] m_szMsg;
    if (m_szApp)
        delete [] m_szApp;
    if (m_szLoc)
        delete [] m_szLoc;
};

CBaseErr(int idMsg)
{
    m_idMsg         = idMsg;
    m_szApp         = new char[m_szApp_size];
    m_szMsg         = new char[m_szMsg_size];
    m_szLoc         = NULL;

    GetModuleFileName(GetModuleHandle(NULL), m_szApp, m_szApp_size);
    LoadString(GetModuleHandle(NULL), idMsg, m_szMsg, m_szMsg_size);
}

CBaseErr(LPCTSTR szMsg)
{
    m_idMsg         = 0;
    m_szApp         = new char[m_szApp_size];
    m_szMsg         = new char[m_szMsg_size];
    m_szLoc         = NULL;

    GetModuleFileName(GetModuleHandle(NULL), m_szApp, m_szApp_size);
    strcpy(m_szMsg, szMsg);
}

void SetError(char *szMsg, LPCTSTR szLocation)
{
    if (szMsg != NULL)
        strcpy(m_szMsg, szMsg);
    else
        m_szMsg[0] = 0;

    if (szLocation != NULL)
    {
        delete [] m_szLoc;
        m_szLoc = new char[strlen(szLocation)+1];
        strcpy(m_szLoc, szLocation);
    }
    else
    {
        delete [] m_szLoc;
        m_szLoc = NULL;
    }
}

virtual void Draw(HWND hwnd, LPCTSTR szStr = NULL)
{
    int            j;

```

```

    char szTmp[512];

    if (szStr)
        j = wsprintf(szTmp, "%s\n", szStr);
    if (m_szLoc)
        j += wsprintf(szTmp+j, "Location=%s\n", m_szLoc);
    if (m_szMsg)
        j += wsprintf(szTmp+j, "%s\n", m_szMsg);

    ::MessageBox(hwnd, szTmp, m_szApp, MB_OK);
}

char *GetApp(void) { return m_szApp; }
char *GetMsg(void) { return m_szMsg; }
char *GetLocation(void) { return m_szLoc; }

virtual int ErrorType() = 0; // a value which distinguishes the kind
of error that occurred
virtual int ErrorNum() = 0; // an error value specific to the
error type
virtual char *ErrorText() = 0; // a string (i.e., human readable)
representation of the error
};

class CSocketErr : public CBaseErr
{
public:
    enum Action
    {
        eNone,
        eSend,
        eSocket,
        eConnect
    };

    CSocketErr(Action eAction, LPCTSTR szLocation);
    CSocketErr(int iError) { m_errId = iError; };
    int m_errId;
    Action m_eAction;

    int ErrorType() { return ERR_TYPE_SOCKET; };
    int ErrorNum() { return m_errId; };
    char *ErrorText(void);
};

class CSystemErr : public CBaseErr
{
public:
    enum Action
    {
        eNone,
        eTransactNamedPipe,

```

```

eWaitNamedPipe,
eSetNamedPipeHandleState,
eCreateFile,
eCreateProcess,
eCallNamedPipe,
eCreateEvent,
eCreateThread,
eVirtualAlloc,
eReadFile,
eWriteFile,
eMapViewOfFile,
eCreateFileMapping,
eInitializeSecurityDescriptor,
eSetSecurityDescriptorDacl,
eCreateNamedPipe,
eConnectNamedPipe,
eWaitForSingleObject,
eRegOpenKeyEx,
eRegQueryValueEx,
};

CSystemErr(Action eAction, LPCTSTR szLocation);

void Draw(HWND hwnd, LPCTSTR szStr = NULL);

int      m_errId;
Action   m_eAction;

int ErrorType() { return ERR_TYPE_OS;}
int ErrorNum() { return m_errId;}
char *ErrorText() { return m_szMsg; }
};

class CMemoryErr : public CBaseErr
{
public:
    CMemoryErr(void);

    int ErrorType() { return ERR_TYPE_MEMORY;}
    int ErrorNum() { return 0;}
    char *ErrorText() { return "Insufficient Memory to continue.";}
};

/* FILE:      TRANS.H
 *             Microsoft TPC-C Kit Ver. 4.20.000
 *             Copyright Microsoft, 1999
 *             All Rights Reserved
 *
 *             Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE:   Header file for TPC-C structure templates.
 *
 */

```

```

 * Change history:
 *       4.20.000 - updated rev number to match kit
 */
#pragma once

// String length constants
#define SERVER_NAME_LEN      20
#define DATABASE_NAME_LEN   20
#define USER_NAME_LEN       20
#define PASSWORD_LEN        20
#define TABLE_NAME_LEN    20
#define I_DATA_LEN          50
#define I_NAME_LEN          24
#define BRAND_LEN           1
#define LAST_NAME_LEN       16
#define W_NAME_LEN          10
#define ADDRESS_LEN         20
#define STATE_LEN           2
#define ZIP_LEN             9
#define S_DIST_LEN          24
#define S_DATA_LEN          50
#define D_NAME_LEN          10
#define FIRST_NAME_LEN     16
#define MIDDLE_NAME_LEN    2
#define PHONE_LEN           16
#define DATETIME_LEN        30
#define CREDIT_LEN          2
#define C_DATA_LEN          250
#define H_DATA_LEN          24
#define DIST_INFO_LEN       24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN          25
#define OL_DIST_INFO_LEN    24

// TIMESTAMP_STRUCT is provided by the ODBC header file sqltypes.h, but is
not available
// when compiling with dblink, so redefined here. Note: we are using the
symbol "__SQLTYPES"
// (declared in sqltypes.h) as a way to determine if TIMESTAMP_STRUCT has
been declared.
#ifndef __SQLTYPES
    typedef struct
    {
        short          /* SQLSMALLINT */    year;
        unsigned short /* SQLUSMALLINT */   month;
        unsigned short /* SQLUSMALLINT */   day;
        unsigned short /* SQLUSMALLINT */   hour;
        unsigned short /* SQLUSMALLINT */   minute;
        unsigned short /* SQLUSMALLINT */   second;
        unsigned long  /* SQLINTEGER */     fraction;
    } TIMESTAMP_STRUCT;
#endif

```

```

// possible values for exec_status_code after transaction completes
enum EXEC_STATUS
{
    eOK,           // 0 "Transaction committed."
    eInvalidItem, // 1 "Item number is not valid."
    eDeliveryFailed // 2 "Delivery Post Failed."
};

// transaction structures
typedef struct
{
    // input params
    short          ol_supply_w_id;
    long           ol_i_id;
    short          ol_quantity;

    // output params
    char           ol_i_name[I_NAME_LEN+1];
    char           ol_brand_generic[BRAND_LEN+1];
    double         ol_i_price;
    double         ol_amount;
    short          ol_stock;
} OL_NEW_ORDER_DATA;

typedef struct
{
    // input params
    short          w_id;
    short          d_id;
    long           c_id;
    short          o_ol_cnt;

    // output params
    EXEC_STATUS    exec_status_code;
    char           c_last[LAST_NAME_LEN+1];
    char           c_credit[CREDIT_LEN+1];
    double         c_discount;
    double         w_tax;
    double         d_tax;
    long           o_id;
    short          o_commit_flag;
    TIMESTAMP_STRUCT o_entry_d;
    short          o_all_local;
    double         total_amount;
    OL_NEW_ORDER_DATA OL[MAX_OL_NEW_ORDER_ITEMS];
} NEW_ORDER_DATA, *PNEW_ORDER_DATA;

typedef struct
{
    // input params
    short          w_id;
    short          d_id;
    long           c_id;

```

```

    short          c_d_id;
    short          c_w_id;
    double         h_amount;
    char           c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS    exec_status_code;
    TIMESTAMP_STRUCT h_date;
    char           w_street_1[ADDRESS_LEN+1];
    char           w_street_2[ADDRESS_LEN+1];
    char           w_city[ADDRESS_LEN+1];
    char           w_state[STATE_LEN+1];
    char           w_zip[ZIP_LEN+1];
    char           d_street_1[ADDRESS_LEN+1];
    char           d_street_2[ADDRESS_LEN+1];
    char           d_city[ADDRESS_LEN+1];
    char           d_state[STATE_LEN+1];
    char           d_zip[ZIP_LEN+1];
    char           c_first[FIRST_NAME_LEN+1];
    char           c_middle[MIDDLE_NAME_LEN + 1];
    char           c_street_1[ADDRESS_LEN+1];
    char           c_street_2[ADDRESS_LEN+1];
    char           c_city[ADDRESS_LEN+1];
    char           c_state[STATE_LEN+1];
    char           c_zip[ZIP_LEN+1];
    char           c_phone[PHONE_LEN+1];
    TIMESTAMP_STRUCT c_since;
    char           c_credit[CREDIT_LEN+1];
    double         c_credit_lim;
    double         c_discount;
    double         c_balance;
    char           c_data[200+1];
} PAYMENT_DATA, *PPAYMENT_DATA;

typedef struct
{
    long           ol_i_id;
    short          ol_supply_w_id;
    short          ol_quantity;
    double         ol_amount;
    TIMESTAMP_STRUCT ol_delivery_d;
} OL_ORDER_STATUS_DATA;

typedef struct
{
    // input params
    short          w_id;
    short          d_id;
    long           c_id;
    char           c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS    exec_status_code;
    char           c_first[FIRST_NAME_LEN+1];

```

```

    char            c_middle[MIDDLE_NAME_LEN+1];
    double          c_balance;
    long           o_id;
    TIMESTAMP_STRUCT o_entry_d;
    short          o_carrier_id;
    OL_ORDER_STATUS_DATA OL[MAX_OL_ORDER_STATUS_ITEMS];
    short         o_ol_cnt;
} ORDER_STATUS_DATA, *PORDER_STATUS_DATA;

typedef struct
{
    // input params
    short      w_id;
    short      o_carrier_id;

    // output params
    EXEC_STATUS      exec_status_code;
    SYSTEMTIME       queue_time;
    long             o_id[10];      // id's of delivered orders for
    districts 1 to 10
} DELIVERY_DATA, *PDELIVERY_DATA;

//This structure is used for posting delivery transactions and for writing
them to the delivery server.
typedef struct _DELIVERY_TRANSACTION
{
    SYSTEMTIME queue;           //time delivery transaction queued
    short      w_id;           //delivery warehouse
    short      o_carrier_id;   //carrier id
} DELIVERY_TRANSACTION;

typedef struct
{
    // input params
    short      w_id;
    short      d_id;
    short      threshold;

    // output params
    EXEC_STATUS      exec_status_code;
    long             low_stock;
} STOCK_LEVEL_DATA, *PSTOCK_LEVEL_DATA;

/* FILE:      TXN_BASE.H
 *
 *      Microsoft TPC-C Kit Ver. 4.20.000
 *      Copyright Microsoft, 1999
 *      All Rights Reserved
 *
 *      Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 *      PURPOSE:  Header file for TPC-C txn class implementation.
 *
 *      Change history:

```

```

 *      4.20.000 - updated rev number to match kit
 */

#pragma once

// need to declare functions for import, unless define has already been
created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class DllDecl CTPCC_BASE
{
public:
    CTPCC_BASE(void) {};
    virtual ~CTPCC_BASE(void) {};

    virtual PNEW_ORDER_DATA      BuffAddr_NewOrder()      = 0;
    virtual PPAYMENT_DATA        BuffAddr_Payment()      = 0;
    virtual PDELIVERY_DATA       BuffAddr_Delivery()      = 0;
    virtual PSTOCK_LEVEL_DATA     BuffAddr_StockLevel()    = 0;
    virtual PORDER_STATUS_DATA    BuffAddr_OrderStatus()  = 0;

    virtual void NewOrder        () = 0;
    virtual void Payment          () = 0;
    virtual void Delivery         () = 0;
    virtual void StockLevel       () = 0;
    virtual void OrderStatus      () = 0;
};

/* FILE:      TPCC_DBLIB.CPP
 *
 *      Microsoft TPC-C Kit Ver. 4.20.000
 *      Copyright Microsoft, 1999
 *      All Rights Reserved
 *
 *      Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 *      PURPOSE:  Implements dblib calls for TPC-C txns.
 *      Contact:  Charles Levine (clevine@microsoft.com)
 *
 *      Change history:
 *      4.20.000 - updated rev number to match kit
 *      4.10.001 - not deleting error class in catch handler on deadlock
retry;
 *
 *      not a functional bug, but a memory leak
 *      - had to tweak some declarations to compile with
latest SDK; no functional change
 */

#include <windows.h>
#include <stdio.h>

```

```

#include <assert.h>

#define DBNTWIN32
#include <sqlfront.h>
#include <sqlldb.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_dblib.h"

#define DEFCLPACKSIZE 4096

// version string; must match return value from tpcc_version stored proc
const char sVersion[] = "4.10.000";

const iMaxRetries = 10; // how many retries on deadlock
static long iConnectionCount = 0; // number of current dblib connections

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

BOOL APIENTRY DllMain(HMODULE hModule, DWORD ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:
            DisableThreadLibraryCalls(hModule);
            dbinit(); // initialize dblib
            break;

        case DLL_PROCESS_DETACH:
            dbexit(); // close all dblib structures/connections
            break;

        default:
            /* nothing */;
    }
    return TRUE;
}

int err_handler(DBPROCESS *dbproc, int severity, int dberr, int oserr,
LPCSTR dberrstr, LPCSTR oserrstr)
{

```

```

CTPCC_DBLIB *pConn;

assert(dbproc != NULL);
pConn = (CTPCC_DBLIB*)dbgetuserdata(dbproc);

if (pConn != NULL)
{
    pConn->SetDbLibError( severity, dberr, oserr, dberrstr, oserrstr
);
}
return INT_CANCEL;
}

/* FUNCTION: int msg_handler(DBPROCESS *dbproc, DBINT msgno, int msgstate,
int severity, char *msgtext)
*
* PURPOSE: This function handles DB-Library SQL Server error messages
*
* ARGUMENTS: DBPROCESS *dbproc DBPROCESS id pointer
* int msgno message number
* int msgstate message state
* int severity message severity
* char *msgtext printable message
description
*
* RETURNS: int INT_CONTINUE continue if error
is SQLETIME else INT_CANCEL action
* INT_CANCEL cancel operation
*
* COMMENTS: This function also sets the dead lock dbproc variable if
necessary.
*
*/

// typedef INT (SQLAPI *DBMSGHANDLE_PROC)(PDBPROCESS, DBINT, INT, INT,
LPCSTR, LPCSTR, LPCSTR, DBUSMALLINT);

int msg_handler(DBPROCESS *dbproc, DBINT msgno, int msgstate, int severity,
LPCSTR msgtext, LPCSTR srvname, LPCSTR procname,
DBUSMALLINT line)
{
    CTPCC_DBLIB *pConn;

    assert(dbproc != NULL);
    pConn = (CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {
        pConn->SetSqlError( msgno, msgstate, severity, msgtext );
    }

    return 0;
}

```

```

/* FUNCTION: void UtilStrCpy(char * pDest, char * pSrc, int n)
 *
 * PURPOSE:      This function copies n characters from string pSrc to pDst
and places a
 *
 *              null character at the end of the destination string.
 *
 * ARGUMENTS:   char          *pDest    destination string pointer
 *              char          *pSrc     source string pointer
 *              int           n         number of characters to
copy
 *
 * RETURNS:      None
 *
 * COMMENTS:    Unlike strncpy this function ensures that the result string
is
 *              always null terminated.
 */

```

```

inline static void UtilStrCpy(char * pDest, const BYTE * pSrc, int n)
{
    strncpy(pDest, (char *)pSrc, n);
    pDest[n] = '\0';

    return;
}

```

```

/* FUNCTION: CTPCC_DBLIB_ERR::ErrorText
 *
 */

```

```

char* CTPCC_DBLIB_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,      "Wrong version of stored procs on
database server" },
        { ERR_INVALID_CUST,          "Invalid Customer id,name." },
        { ERR_NO_SUCH_ORDER,         "No orders found for customer." },
        { ERR_RETRIED_TRANS,         "Retries before transaction succeeded." },
        { 0,                          "" }
    };

    static char szNotFound[] = "Unknown error number.";

    for(i=0; errorMsgs[i].szMsg[0]; i++)

```

```

    {
        if ( m_errno == errorMsgs[i].iError )
            break;
    }
    if ( !errorMsgs[i].szMsg[0] )
        return szNotFound;
    else
        return errorMsgs[i].szMsg;
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_DBLIB* CTPCC_DBLIB_new(
    LPCSTR szServer,          // name of SQL server
    LPCSTR szUser,           // user name for login
    LPCSTR szPassword,       // password for login
    LPCSTR szHost,           // workstation name; shows up in sp_who; max
30 chars, only first 10 kept by SQL Server
    LPCSTR szDatabase )     // name of database to use
{
    return new CTPCC_DBLIB( szServer, szUser, szPassword, szHost,
szDatabase );
}

CTPCC_DBLIB::CTPCC_DBLIB (
    LPCSTR szServer,          // name of SQL server
    LPCSTR szUser,           // user name for login
    LPCSTR szPassword,       // password for login
    LPCSTR szHost,           // workstation name; shows up in sp_who; max
30 chars, only first 10 kept by SQL Server
    LPCSTR szDatabase )     // name of database to use
{
    LOGINREC *login;
    const BYTE *pData;

    // initialization
    m_dbproc = NULL;
    m_DbLibErr = (CDBLIBERR*)NULL;
    m_SqlErr = (CSQLERR*)NULL;

    m_MaxRetries = 10;       // how many retries on deadlock

    // increase max number of connections if getting close
    if ( dbgetmaxprocs() < (iConnectionCount+5) )
    {
        if ( dbsetmaxprocs(iConnectionCount+10) == FAIL )
            ThrowError(CDBLIBERR::eDbSetMaxProcs);
    }

    // allocate a login structure
    login = dblogin();
    if (login == NULL)
        ThrowError(CDBLIBERR::eLogin);
}

```

```

InterlockedIncrement( &iConnectionCount );

// register error and message handler functions
if (dbprocerrhandle(login, err_handler) == NULL)
    ThrowError(CDBLIBERR::eDbProcHandler);

if (dbprocmsghandle(login, msg_handler) == NULL)
    ThrowError(CDBLIBERR::eDbProcHandler);

DBSETLUSER(login, szUser);
DBSETLPWD(login, szPassword);
DBSETLHOST(login, szHost);
DBSETLPACKET(login, (unsigned short)DEFCLPACKSIZE);
DBSETLVERSION(login, DBVER60); // use dblink ver 6.0 client
behavior

// set time to wait for login
if (dbsetlogintime(60) == FAIL)
    ThrowError(CDBLIBERR::eDbSet);

// set time to wait for statement execution
if (dbsettime(180) == FAIL)
    ThrowError(CDBLIBERR::eDbSet);

m_dbproc = dbopen(login, szServer);

// deallocate login structure before checking for success
dbfreelogin( login );

if (m_dbproc == NULL)
    ThrowError(CDBLIBERR::eDbOpen);

// save address of class instance so that the message and error handler
// can get to data.
dbsetuserdata(m_dbproc, (LPVOID)this);

// Use the the right database
if (dbuse(m_dbproc, szDatabase) == FAIL)
    ThrowError(CDBLIBERR::eDbUse);

dbcmd(m_dbproc, "set nocount on "); // do not return row
counts
dbcmd(m_dbproc, "set XACT_ABORT ON"); // rollback transaction
on abort

if (dbsqlxexec(m_dbproc) == FAIL)
    ThrowError(CDBLIBERR::eDbSqlExec);

DiscardNextResults(2);

// verify that version of stored procs on server is correct
dbrpcinit(m_dbproc, "tpcc_version", 0);

```

```

if (dbrpcexec(m_dbproc) == FAIL)
    ThrowError(CDBLIBERR::eDbRpcExec);

if (dbresults(m_dbproc) != SUCCEED)
    ThrowError(CDBLIBERR::eDbResults);

if (dbnextrow(m_dbproc) != REG_ROW)
    ThrowError(CDBLIBERR::eDbNextRow);

char szSrvVersion[16];
pData=dbdata(m_dbproc, 1);
if (pData)
    UtilStrCpy(szSrvVersion, pData, dbdatlen(m_dbproc, 1));
else
    szSrvVersion[0]=0;
if (strcmp(szSrvVersion,sVersion))
    throw new CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_WRONG_SP_VERSION
);

DiscardNextRows(0);
DiscardNextResults(0);
}

CTPCC_DBLIB::~~CTPCC_DBLIB( void )
{
    // close db connection and deallocate resources
    dbclose(m_dbproc);
    InterlockedDecrement( &iConnectionCount );
    if (m_DbLibErr != NULL)
        delete m_DbLibErr;
    if (m_SqlErr != NULL)
        delete m_SqlErr;
}

void CTPCC_DBLIB::SetDbLibError(int severity, int dberr, int oserr, LPCSTR
dberrstr, LPCSTR oserrstr)
{
    delete m_DbLibErr;
    m_DbLibErr = new CDBLIBERR(CDBLIBERR::eUnknown, severity, dberr,
oserr);

    if (dberrstr != NULL)
    {
        m_DbLibErr->m_dberrstr = new char[ strlen(dberrstr)+1 ];
        strcpy( m_DbLibErr->m_dberrstr, dberrstr );
    }

    if (oserrstr != NULL)
    {
        m_DbLibErr->m_oserrstr = new char[ strlen(oserrstr)+1 ];

```

```

        strcpy( m_DbLibErr->m_oserrstr, oserrstr );
    }
}

void CTPCC_DBLIB::SetSqlError( int /*DBINT*/ msgno, int msgstate, int
severity, LPCSTR msgtext )
{
    if (m_SqlErr == NULL)
        m_SqlErr = new CSQLERR();

    m_SqlErr->m_msgno = msgno;
    m_SqlErr->m_msgstate = msgstate;
    m_SqlErr->m_severity = severity;

    delete [] m_SqlErr->m_msgtext;
    if (msgtext != NULL)
    {
        m_SqlErr->m_msgtext = new char[ strlen(msgtext)+1 ];
        strcpy( m_SqlErr->m_msgtext, msgtext );
    }
}

void CTPCC_DBLIB::ThrowError( CDBLIBERR::ACTION eAction )
{
    // discard anything still in return buffer
    DiscardNextRows(-1);
    DiscardNextResults(-1);

    // check for SQL Server error first; if yes, throw it and ignore any
    DBLib error.
    if (m_SqlErr != NULL)
    {
        CSQLERR      *pSqlErr;
        pSqlErr = m_SqlErr;
        m_SqlErr = NULL;    // clear our pointer to instance; catch
handler will delete
        throw pSqlErr;
    }

    CDBLIBERR *pDbLibErr;
    if (m_DbLibErr == NULL)
        // this case isn't expected to happen, since it means that an
error was returned
        // but the error handlers were not called.
        pDbLibErr = new CDBLIBERR(eAction);
    else
    {
        pDbLibErr = m_DbLibErr;
        pDbLibErr->m_eAction = eAction;
        m_DbLibErr = NULL;    // clear our pointer to instance; catch
handler will delete
    }
}

```

```

        throw pDbLibErr;
    }

// Read and discard rows until no more. Throw an exception if number of
rows read doesn't
// match number of rows expected. The row count will be ignored if the
expected count value
// passed in is negative. A typical use of this routine is to verify that
there are no more
// rows to be read.
void CTPCC_DBLIB::DiscardNextRows(int iExpectedCount)
{
    int      iRowsRead = 0;
    RETCODE   rc;

    while (TRUE)
    {
        rc = dbnextrow(m_dbproc);
        if (rc == NO_MORE_ROWS)
            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >= 0)
                ThrowError(CDBLIBERR::eDbNextRow);
            else
                break;
        }
        iRowsRead++;
    }

    if ((iExpectedCount >= 0) &&
        (iExpectedCount != iRowsRead))
        ThrowError(CDBLIBERR::eWrongRowCount);
}

// Read and discard results until no more. Throw an exception if number of
result sets read doesn't
// match number expected. The result set count will be ignored if the
expected count value
// passed in is negative. A typical use of this routine is to verify that
there are no more
// result sets to be read.
void CTPCC_DBLIB::DiscardNextResults(int iExpectedCount)
{
    int      iResultsRead = 0;
    RETCODE   rc;

    while (TRUE)
    {
        rc = dbresults(m_dbproc);
        if (rc == NO_MORE_RESULTS)
            break;
    }
}

```

```

    if (rc == FAIL)
    {
        if (iExpectedCount >= 0)
            ThrowError(CDBLIBERR::eDbResults);
        else
            break;
    }

    DiscardNextRows(-1);
    iResultsRead++;
}

if ((iExpectedCount >= 0) &&
    (iExpectedCount != iResultsRead))
    ThrowError(CDBLIBERR::eWrongRowCount);
}

void CTPCC_DBLIB::StockLevel()
{
    int          iTryCount = 0;
    const BYTE *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_stocklevel", 0);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&_txn.StockLevel.w_id); // @w_id smallint
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&_txn.StockLevel.d_id); // @d_id tinyint
            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&_txn.StockLevel.threshold); // @threshold smallint

            if (dbrpcexec(m_dbproc) == FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            if (dbresults(m_dbproc) != SUCCEED)
                ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc) != REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            if (pData=dbdata(m_dbproc, 1))
                m_txn.StockLevel.low_stock = *((long *) pData);

            DiscardNextRows(0);
            DiscardNextResults(0);

            m_txn.StockLevel.exec_status_code = eOK;
        }
    }
}

```

```

        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205 ||
            (e->m_msgno == iErrOleDbProvider &&
            strstr(e->m_msgtext, sErrTimeoutExpired) != NULL) &&
            (++iTryCount <= iMaxRetries))
        {
            // hit deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
        else
            throw;
    }
} // while (TRUE)

//if (iTryCount)
// throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::NewOrder()
{
    int          i;
    DBINT        commit_flag;
    DBDATETIME  datetime;
    DBDATEREC   daterec;

    int          iTryCount = 0;
    const BYTE *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_neworder", 0);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&_txn.NewOrder.w_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&_txn.NewOrder.d_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1, -1, (BYTE *)
&_txn.NewOrder.c_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&_txn.NewOrder.o_ol_cnt);

            // check whether any order lines are for a remote warehouse
            m_txn.NewOrder.o_all_local = 1;
        }
    }
}

```

```

        for (i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
        {
            if (m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
            {
                m_txn.NewOrder.o_all_local = 0; // at least one
remote warehouse
                break;
            }
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.o_all_local);

            for (i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
            {
                dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.NewOrder.OL[i].ol_i_id);
                dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.NewOrder.OL[i].ol_supply_w_id);
                dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.NewOrder.OL[i].ol_quantity);
            }

            if (dbrpcexec(m_dbproc) == FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            // Get order line results
            m_txn.NewOrder.total_amount = 0;
            for (i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
            {
                if (dbresults(m_dbproc) != SUCCEED)
                    ThrowError(CDBLIBERR::eDbResults);

                if (dbnumcols(m_dbproc) != 5)
                    ThrowError(CDBLIBERR::eWrongNumCols);

                if (dbnextrow(m_dbproc) != REG_ROW)
                    ThrowError(CDBLIBERR::eDbNextRow);

                if (pData=dbdata(m_dbproc, 1))
                    UtilStrCpy(m_txn.NewOrder.OL[i].ol_i_name, pData,
dbdatlen(m_dbproc, 1));
                if (pData=dbdata(m_dbproc, 2))
                    m_txn.NewOrder.OL[i].ol_stock = (*(DBSMALLINT *)
pData);
                if (pData=dbdata(m_dbproc, 3))
                    UtilStrCpy(m_txn.NewOrder.OL[i].ol_brand_generic,
pData, dbdatlen(m_dbproc, 3));
                if (pData=dbdata(m_dbproc, 4))
                    dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc, 4),

```

```

SQLFLT8, (BYTE *)&m_txn.NewOrder.OL[i].ol_i_price,
8);
                if (pData=dbdata(m_dbproc, 5))
                    dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc, 5),
SQLFLT8, (BYTE *)&m_txn.NewOrder.OL[i].ol_amount,
8);

                m_txn.NewOrder.total_amount =
m_txn.NewOrder.total_amount + m_txn.NewOrder.OL[i].ol_amount;

                DiscardNextRows(0);
            }

            // get remaining values for w_tax, d_tax, o_id, c_last,
c_discount, c_credit, o_entry_d, commit_flag
            if (dbresults(m_dbproc) != SUCCEED)
                ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc) != REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            if (dbnumcols(m_dbproc) != 8)
                ThrowError(CDBLIBERR::eWrongNumCols);

            if (pData=dbdata(m_dbproc, 1))

                dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc, 1), SQLFLT8, (BYTE *)&m_txn.NewOrder.w_tax, 8);
                if (pData=dbdata(m_dbproc, 2))

                    dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc, 2), SQLFLT8, (BYTE *)&m_txn.NewOrder.d_tax, 8);
                if (pData=dbdata(m_dbproc, 3))
                    m_txn.NewOrder.o_id = (*(DBINT *) pData);
                if (pData=dbdata(m_dbproc, 4))
                    UtilStrCpy(m_txn.NewOrder.c_last, pData,
dbdatlen(m_dbproc, 4));
                if (pData=dbdata(m_dbproc, 5))
                    dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc, 5), SQLFLT8, (BYTE *)&m_txn.NewOrder.c_discount, 8);
                if (pData=dbdata(m_dbproc, 6))
                    UtilStrCpy(m_txn.NewOrder.c_credit, pData,
dbdatlen(m_dbproc, 6));
                if (pData=dbdata(m_dbproc, 7))
                {
                    datetime = (*(DBDATETIME *) pData);
                    dbdatecrack(m_dbproc, &daterec, &datetime);
                    m_txn.NewOrder.o_entry_d.year = daterec.year;
                    m_txn.NewOrder.o_entry_d.month = daterec.month;
                    m_txn.NewOrder.o_entry_d.day = daterec.day;

```

```

        m_txn.NewOrder.o_entry_d.hour   = daterec.hour;
        m_txn.NewOrder.o_entry_d.minute = daterec.minute;
        m_txn.NewOrder.o_entry_d.second = daterec.second;
    }
    if (pData=dbdata(m_dbproc, 8))
        commit_flag = (*(DBTINYINT *) pData);

    DiscardNextRows(0);
    DiscardNextResults(0);

    if (commit_flag == 1)
    {
        m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
m_txn.NewOrder.c_discount));
        m_txn.NewOrder.exec_status_code = eOK;
    }
    else
        m_txn.NewOrder.exec_status_code = eInvalidItem;

    return;
}
catch (CSQLERR *e)
{
    if ((e->m_msgno == 1205 ||
        (e->m_msgno == iErrOleDbProvider &&
         strstr(e->m_msgtext, sErrTimeoutExpired) != NULL)) &&
        (++iTryCount <= iMaxRetries))
    {
        // hit deadlock; backoff for increasingly longer period
        delete e;
        Sleep(10 * iTryCount);
    }
    else
        throw;
}
} // while (TRUE)

// if (iTryCount)
//     throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Payment()
{
    DBDATETIME datetime;
    DBDATEREC daterec;

    int          iTryCount = 0;
    const BYTE *pData;

```

```

ResetError();

while (TRUE)
{
    try
    {
        dbrpcinit(m_dbproc, "tpcc_payment", 0);

        dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Payment.w_id);
        dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Payment.c_w_id);
        dbrpcparam(m_dbproc, NULL, 0, SQLFLT8, -1, -1, (BYTE *)
&m_txn.Payment.h_amount);
        dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.d_id);
        dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.c_d_id);
        dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.Payment.c_id);

        // if customer id is zero, then payment is by name
        if (m_txn.Payment.c_id == 0)
            dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.Payment.c_last), (unsigned char *)m_txn.Payment.c_last);

        if (dbrpcexec(m_dbproc) == FAIL)
            ThrowError(CDBLIBERR::eDbRpcExec);

        if (dbresults(m_dbproc) != SUCCEED)
            ThrowError(CDBLIBERR::eDbResults);

        if (dbnextrow(m_dbproc) != REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        if (dbnumcols(m_dbproc) != 27)
            ThrowError(CDBLIBERR::eWrongNumCols);

        if (pData=dbdata(m_dbproc, 1))
            m_txn.Payment.c_id = (*(DBINT *) pData);
        if (pData=dbdata(m_dbproc, 2))
            UtilStrCpy(m_txn.Payment.c_last, pData,
dbdatlen(m_dbproc, 2));
        if (pData=dbdata(m_dbproc, 3))
        {
            datetime = (*(DBDATETIME *) pData);
            dbdatecrack(m_dbproc, &daterec, &datetime);
            m_txn.Payment.h_date.year   = daterec.year;
            m_txn.Payment.h_date.month = daterec.month;
            m_txn.Payment.h_date.day   = daterec.day;
            m_txn.Payment.h_date.hour  = daterec.hour;
            m_txn.Payment.h_date.minute = daterec.minute;
            m_txn.Payment.h_date.second = daterec.second;

```

```

    }
    if (pData=dbdata(m_dbproc, 4))
        UtilStrCpy(m_txn.Payment.w_street_1, pData,
dbdatlen(m_dbproc, 4));
    if (pData=dbdata(m_dbproc, 5))
        UtilStrCpy(m_txn.Payment.w_street_2, pData,
dbdatlen(m_dbproc, 5));
    if (pData=dbdata(m_dbproc, 6))
        UtilStrCpy(m_txn.Payment.w_city, pData,
dbdatlen(m_dbproc, 6));
    if (pData=dbdata(m_dbproc, 7))
        UtilStrCpy(m_txn.Payment.w_state, pData,
dbdatlen(m_dbproc, 7));
    if (pData=dbdata(m_dbproc, 8))
        UtilStrCpy(m_txn.Payment.w_zip, pData,
dbdatlen(m_dbproc, 8));
    if (pData=dbdata(m_dbproc, 9))
        UtilStrCpy(m_txn.Payment.d_street_1, pData,
dbdatlen(m_dbproc, 9));
    if (pData=dbdata(m_dbproc, 10))
        UtilStrCpy(m_txn.Payment.d_street_2, pData,
dbdatlen(m_dbproc, 10));
    if (pData=dbdata(m_dbproc, 11))
        UtilStrCpy(m_txn.Payment.d_city, pData,
dbdatlen(m_dbproc, 11));
    if (pData=dbdata(m_dbproc, 12))
        UtilStrCpy(m_txn.Payment.d_state, pData,
dbdatlen(m_dbproc, 12));
    if (pData=dbdata(m_dbproc, 13))
        UtilStrCpy(m_txn.Payment.d_zip, pData,
dbdatlen(m_dbproc, 13));
    if (pData=dbdata(m_dbproc, 14))
        UtilStrCpy(m_txn.Payment.c_first, pData,
dbdatlen(m_dbproc, 14));
    if (pData=dbdata(m_dbproc, 15))
        UtilStrCpy(m_txn.Payment.c_middle, pData,
dbdatlen(m_dbproc, 15));
    if (pData=dbdata(m_dbproc, 16))
        UtilStrCpy(m_txn.Payment.c_street_1, pData,
dbdatlen(m_dbproc, 16));
    if (pData=dbdata(m_dbproc, 17))
        UtilStrCpy(m_txn.Payment.c_street_2, pData,
dbdatlen(m_dbproc, 17));
    if (pData=dbdata(m_dbproc, 18))
        UtilStrCpy(m_txn.Payment.c_city, pData,
dbdatlen(m_dbproc, 18));
    if (pData=dbdata(m_dbproc, 19))
        UtilStrCpy(m_txn.Payment.c_state, pData,
dbdatlen(m_dbproc, 19));
    if (pData=dbdata(m_dbproc, 20))
        UtilStrCpy(m_txn.Payment.c_zip, pData,
dbdatlen(m_dbproc, 20));
    if (pData=dbdata(m_dbproc, 21))

```

```

        UtilStrCpy(m_txn.Payment.c_phone, pData,
dbdatlen(m_dbproc, 21));
    if (pData=dbdata(m_dbproc, 22))
    {
        datetime = *((DBDATETIME *) pData);
        dbdatecrack(m_dbproc, &daterec, &datetime);
        m_txn.Payment.c_since.year = daterec.year;
        m_txn.Payment.c_since.month = daterec.month;
        m_txn.Payment.c_since.day = daterec.day;
        m_txn.Payment.c_since.hour = daterec.hour;
        m_txn.Payment.c_since.minute = daterec.minute;
        m_txn.Payment.c_since.second = daterec.second;
    }
    if (pData=dbdata(m_dbproc, 23))
        UtilStrCpy(m_txn.Payment.c_credit, pData,
dbdatlen(m_dbproc, 23));
    if (pData=dbdata(m_dbproc, 24))
        dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc, 24), SQLFLT8, (BYTE *)&m_txn.Payment.c_credit_lim, 8);
    if (pData=dbdata(m_dbproc, 25))
        dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc, 25), SQLFLT8, (BYTE *)&m_txn.Payment.c_discount, 8);
    if (pData=dbdata(m_dbproc, 26))
        dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc, 26), SQLFLT8, (BYTE *)&m_txn.Payment.c_balance, 8);
    if (pData=dbdata(m_dbproc, 27))
        UtilStrCpy(m_txn.Payment.c_data, pData,
dbdatlen(m_dbproc, 27));

        DiscardNextRows(0);
        DiscardNextResults(0);

        if (m_txn.Payment.c_id == 0)
            throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
        else
            m_txn.Payment.exec_status_code = eOK;

        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205 ||
            (e->m_msgno == iErrOleDbProvider &&
            strstr(e->m_msgtext, sErrTimeoutExpired) != NULL)) &&
            (++iTryCount <= iMaxRetries))
        {
            // hit deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
        else

```

```

        throw;
    }
} // while (TRUE)

// if (iTryCount)
//     throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::OrderStatus()
{
    int          i;
    DBDATETIME  datetime;
    DBDATEREC   daterec;

    int          iTryCount = 0;
    RETCODE     rc;
    const BYTE *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_orderstatus", 0);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.OrderStatus.w_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.OrderStatus.d_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.OrderStatus.c_id);

            // if customer id is zero, then order status is by name
            if (m_txn.OrderStatus.c_id == 0)
                dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.OrderStatus.c_last), (unsigned char
*)m_txn.OrderStatus.c_last);

            if (dbrpcexec(m_dbproc) == FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            // Get order lines
            if (dbresults(m_dbproc) != SUCCEED)
            {
                if ((m_DbLibErr == NULL) && (m_SqlErr == NULL))
                    throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER );
                else

```

```

                ThrowError(CDBLIBERR::eDbResults);
            }

            if (dbnumcols(m_dbproc) != 5)
                ThrowError(CDBLIBERR::eWrongNumCols);

            i = 0;
            while (TRUE)
            {
                rc = dbnextrow(m_dbproc);
                if (rc == NO_MORE_ROWS)
                    break;
                if (rc != REG_ROW)
                    ThrowError(CDBLIBERR::eDbNextRow);

                if(pData=dbdata(m_dbproc, 1))
                    m_txn.OrderStatus.OL[i].ol_supply_w_id =
(*DBSMALLINT *) pData);
                if(pData=dbdata(m_dbproc, 2))
                    m_txn.OrderStatus.OL[i].ol_i_id = (*(DBINT *)
pData);
                if(pData=dbdata(m_dbproc, 3))
                    m_txn.OrderStatus.OL[i].ol_quantity =
(*DBSMALLINT *) pData);
                if(pData=dbdata(m_dbproc, 4))
                    dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc,4),
                                SQLFLT8, (BYTE
*)&m_txn.OrderStatus.OL[i].ol_amount, 8);
                if(pData=dbdata(m_dbproc, 5))
                {
                    datetime = (*(DBDATETIME *) pData);
                    dbdatecrack(m_dbproc, &daterec, &datetime);
                    m_txn.OrderStatus.OL[i].ol_delivery_d.year =
daterec.year;
                    m_txn.OrderStatus.OL[i].ol_delivery_d.month =
daterec.month;
                    m_txn.OrderStatus.OL[i].ol_delivery_d.day =
daterec.day;
                    m_txn.OrderStatus.OL[i].ol_delivery_d.hour =
daterec.hour;
                    m_txn.OrderStatus.OL[i].ol_delivery_d.minute =
daterec.minute;
                    m_txn.OrderStatus.OL[i].ol_delivery_d.second =
daterec.second;
                }
                i++;
            }
            m_txn.OrderStatus.o_ol_cnt = i;

            if (dbresults(m_dbproc) != SUCCEED)
                ThrowError(CDBLIBERR::eDbResults);

```

```

    if (dbnextrow(m_dbproc) != REG_ROW)
        ThrowError(CDBLIBERR::eDbNextRow);

    if (dbnumcols(m_dbproc) != 8)
        ThrowError(CDBLIBERR::eWrongNumCols);

    if (pData=dbdata(m_dbproc, 1))
        m_txn.OrderStatus.c_id = (*(DBINT *) pData);
    if (pData=dbdata(m_dbproc, 2))
        UtilStrCpy(m_txn.OrderStatus.c_last, pData,
dbdatlen(m_dbproc,2));
    if (pData=dbdata(m_dbproc, 3))
        UtilStrCpy(m_txn.OrderStatus.c_first, pData,
dbdatlen(m_dbproc,3));
    if (pData=dbdata(m_dbproc, 4))
        UtilStrCpy(m_txn.OrderStatus.c_middle, pData,
dbdatlen(m_dbproc, 4));
    if (pData=dbdata(m_dbproc, 5))
    {
        datetime = *((DBDATETIME *) pData);
        dbdatecrack(m_dbproc, &daterec, &datetime);
        m_txn.OrderStatus.o_entry_d.year   = daterec.year;
        m_txn.OrderStatus.o_entry_d.month = daterec.month;
        m_txn.OrderStatus.o_entry_d.day    = daterec.day;
        m_txn.OrderStatus.o_entry_d.hour   = daterec.hour;
        m_txn.OrderStatus.o_entry_d.minute = daterec.minute;
        m_txn.OrderStatus.o_entry_d.second = daterec.second;
    }
    if (pData=dbdata(m_dbproc, 6))
        m_txn.OrderStatus.o_carrier_id = (*(DBSMALLINT *)
pData);
    if (pData=dbdata(m_dbproc, 7))
        dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData,
dbdatlen(m_dbproc,7),
                SQLFLT8, (BYTE
*)&m_txn.OrderStatus.c_balance, 8);
    if (pData=dbdata(m_dbproc, 8))
        m_txn.OrderStatus.o_id = (*(DBINT *) pData);

    DiscardNextRows(0);
    DiscardNextResults(0);

    if (m_txn.OrderStatus.o_ol_cnt == 0)
        throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER );
    else if (m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
        throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
    else
        m_txn.OrderStatus.exec_status_code = eOK;

```

```

        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205 ||
            (e->m_msgno == iErrOleDbProvider &&
            strstr(e->m_msgtext, sErrTimeoutExpired) != NULL)) &&
            (++iTryCount <= iMaxRetries))
        {
            // hit deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
        else
            throw;
    }
    // while (TRUE)
}

// if (iTryCount)
// throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Delivery()
{
    int i;
    int iTryCount = 0;
    const BYTE *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_delivery", 0);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Delivery.w_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Delivery.o_carrier_id);

            if (dbrpcexec(m_dbproc) == FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            if (dbresults(m_dbproc) != SUCCEED)
                ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc) != REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

```

```

        if (dbnumcols(m_dbproc) != 10)
            ThrowError(CDBLIBERR::eWrongNumCols);

    for (i=0; i<10; i++)
    {
        if (pData = dbdata(m_dbproc, i+1))
            m_txn.Delivery.o_id[i] = *((DBINT *)pData);
    }

    DiscardNextRows(0);
    DiscardNextResults(0);

    m_txn.Delivery.exec_status_code = eOK;
    return;
}
catch (CSQLERR *e)
{
    if ((e->m_msgno == 1205 ||
        (e->m_msgno == iErrOleDbProvider &&
         strstr(e->m_msgtext, sErrTimeoutExpired) != NULL)) &&
        (++iTryCount <= iMaxRetries))
    {
        // hit deadlock; backoff for increasingly longer period
        delete e;
        Sleep(10 * iTryCount);
    }
    else
        throw;
}
} // while (TRUE)

// if (iTryCount)
// throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
// iTryCount);
}

void CTPCC_DBLIB::ResetError()
{
    if (m_DbLibErr != NULL)
    {
        delete m_DbLibErr;
        m_DbLibErr = (CDBLIBERR*)NULL;
    }

    if (m_SqlErr != NULL)
    {
        delete m_SqlErr;
        m_SqlErr = (CSQLERR*)NULL;
    }
    return;
}

/* FILE: TPCC_DBLIB.H

```

```

*           Microsoft TPC-C Kit Ver. 4.20.000
*           Copyright Microsoft, 1999
*           All Rights Reserved
*
*           Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
* PURPOSE:  Header file for TPC-C txn class implementation.
*
* Change history:
*           4.20.000 - updated rev number to match kit
*/
#pragma once

#ifndef PDBPROCESS
#define DBPROCESS void // dbprocess structure type
typedef DBPROCESS * PDBPROCESS;
#endif

// need to declare functions for import, unless define has already been
// created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CSQLERR : public CBaseErr
{
public:
    CSQLERR(void)
    {
        m_msgno = 0;
        m_msgstate = 0;
        m_severity = 0;
        m_msgtext = NULL;
    };

    ~CSQLERR()
    {
        delete [] m_msgtext;
    };

    int m_msgno;
    int m_msgstate;
    int m_severity;
    char *m_msgtext;

    int ErrorType() {return ERR_TYPE_SQL;};
    int ErrorNum() {return m_msgno;};
    char *ErrorText() {return m_msgtext;};
};

```

```

class CDBLIBERR : public CBaseErr
{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eLogin,           // error from dblogin
        eDbOpen,         // error from dbopen
        eDbUse,           // error from dbuse
        eDbSqlExec,      // error from dbsqlexec
        eDbSet,          // error from one of the dbset*
        eDbNextRow,      // error from dbnextrow
        eWrongRowCount, // more or less rows returned than
        eWrongNumCols,  // more or less columns returned than
        eDbResults,     // error from dbresults
        eDbRpcExec,     // error from dbrpcexec
        eDbSetMaxProcs, // error from dbsetmaxprocs
        eDbProcHandler // error from either dbprocerrhandle or
    };
    routines
    expected
    expected
    dbprocmsghandle
};

CDBLIBERR(ACTION eAction, int severity = 0, int dberror = 0, int
oserr = 0)
{
    m_eAction = eAction;
    m_severity = severity;
    m_dberror = dberror;
    m_oserr = oserr;

    m_dberrstr = NULL;
    m_oserrstr = NULL;
};

~CDBLIBERR()
{
    delete [] m_dberrstr;
    delete [] m_oserrstr;
};

ACTION    m_eAction;
int        m_severity;
int        m_dberror;
int        m_oserr;
char      *m_dberrstr;
char      *m_oserrstr;

int ErrorType() {return ERR_TYPE_DBLIB;};
int ErrorNum() {return m_dberror;};

```

```

char *ErrorText() {return m_dberrstr;};
};

class CTPCC_DBLIB_ERR : public CBaseErr
{
public:
    enum CTPCC_DBLIB_ERRS
    {
        ERR_WRONG_SP_VERSION = 1, // "Wrong version of stored procs
on database server"
        ERR_INVALID_CUST,         // "Invalid Customer
id,name."
        ERR_NO_SUCH_ORDER,       // "No orders found for
customer."
        ERR_RETRIED_TRANS,      // "Retries before
transaction succeeded."
    };

    CTPCC_DBLIB_ERR( int iErr ) { m_errno = iErr; m_iTryCount = 0; };

    CTPCC_DBLIB_ERR( int iErr, int iTryCount ) { m_errno = iErr;
m_iTryCount = iTryCount; };

    int        m_errno;
    int        m_iTryCount;

    int ErrorType() {return ERR_TYPE_TPCC_DBLIB;};
    int ErrorNum() {return m_errno;};

    char *ErrorText();
};

class DllDecl CTPCC_DBLIB : public CTPCC_BASE
{
private:
    // declare variables and private functions here...
    PDBPROCESS m_dbproc;
    CDBLIBERR *m_DbLibErr; // not allocated until needed
(maybe never)
    CSQLERR *m_SqlErr; // not allocated until needed
(maybe never)
    int        m_MaxRetries; // retry count on deadlock

    void DiscardNextRows(int iExpectedCount);
    void DiscardNextResults(int iExpectedCount);
    void ThrowError( CDBLIBERR::ACTION eAction );
    void ResetError();

    union
    {
        NEW_ORDER_DATA    NewOrder;
        PAYMENT_DATA      Payment;
    };
};

```

```

        DELIVERY_DATA      Delivery;
        STOCK_LEVEL_DATA   StockLevel;
        ORDER_STATUS_DATA  OrderStatus;
    }
        m_txn;

public:
    CTPCC_DBLIB(LPCSTR szServer, LPCSTR szUser, LPCSTR szPassword,
LPCSTR szHost, LPCSTR szDatabase );
    ~CTPCC_DBLIB(void);

    inline PNEW_ORDER_DATA      BuffAddr_NewOrder()      { return
&m_txn.NewOrder;      };
    inline PPAYMENT_DATA        BuffAddr_Payment()        { return
&m_txn.Payment;      };
    inline PDELIVERY_DATA       BuffAddr_Delivery()       { return
&m_txn.Delivery;     };
    inline PSTOCK_LEVEL_DATA    BuffAddr_StockLevel()     { return
&m_txn.StockLevel;   };
    inline PORDER_STATUS_DATA   BuffAddr_OrderStatus()    { return
&m_txn.OrderStatus; };

    void NewOrder      ();
    void Payment       ();
    void Delivery      ();
    void StockLevel    ();
    void OrderStatus   ();

    // these are public because they must be called from the dblink
err_handler and msg_hangler
    // outside of the class
    void SetDbLibError(int severity, int dberr, int oserr, LPCSTR
dberrstr, LPCSTR oserrstr);
    void SetSqlError( int msgno, int msgstate, int severity, LPCSTR
msgtext );
};

extern "C" DllDecl CTPCC_DBLIB* CTPCC_DBLIB_new
( LPCSTR szServer, LPCSTR szUser, LPCSTR szPassword, LPCSTR szHost,
LPCSTR szDatabase );

typedef CTPCC_DBLIB* (TYPE_CTPCC_DBLIB)(LPCSTR, LPCSTR, LPCSTR, LPCSTR,
LPCSTR);

/* FILE:      TPCCOM.CPP
 *           Microsoft TPC-C Kit Ver. 4.20.000
 *           Copyright Microsoft, 1999
 *           All Rights Reserved
 *
 *           not yet audited
 *
 * PURPOSE:   Source file for TPC-C COM+ class implementation.

```

```

 * Contact: Charles Levine (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - first version
 */

// needed for CoinitializeEx
#define _WIN32_WINNT 0x0400

#include <windows.h>

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\trans.h" //tpckit transaction header
contains definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_com.h"

#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\tpcc_com_all\src\tpcc_com_all_i.c"

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_COM* CTPCC_COM_new(BOOL bSinglePool)
{
    return new CTPCC_COM(bSinglePool);
}

CTPCC_COM::CTPCC_COM(BOOL bSinglePool)
{
    HRESULT hr = NULL;
    long lRet = 0;
    ULONG ulTmpSize = 0;

    m_pTxn = NULL;
    m_pNewOrder = NULL;
    m_pPayment = NULL;
    m_pStockLevel = NULL;
    m_pOrderStatus = NULL;

    m_bSinglePool = bSinglePool;

    ulTmpSize = (ULONG) sizeof(COM_DATA);
    VariantInit(&m_vTxn);
    m_vTxn.vt = VT_SAFEARRAY;

    m_vTxn.parray = SafeArrayCreateVector(VT_UI1, ulTmpSize, ulTmpSize);
    if (!m_vTxn.parray)
        throw new CCOMERR( E_FAIL );

    memset((void*)m_vTxn.parray->pvData, 0, ulTmpSize);
    m_pTxn = (COM_DATA*)m_vTxn.parray->pvData;

```

```

hr = CoInitializeEx(NULL, COINIT_MULTITHREADED);
if (FAILED(hr))
{
    throw new CCOMERR( hr );
}

// create components
if (m_bSinglePool)
{
    hr = CoCreateInstance(CLSID_TPCC, NULL, CLSCTX_SERVER, IID_ITPCC,
(void **) &m_pNewOrder);
    if (FAILED(hr))
        throw new CCOMERR(hr);

    // all txns will use same component
    m_pPayment = m_pNewOrder;
    m_pStockLevel = m_pNewOrder;
    m_pOrderStatus = m_pNewOrder;
}
else
{
    // use different components for each txn

    hr = CoCreateInstance(CLSID_NewOrder, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **) &m_pNewOrder);
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr = CoCreateInstance(CLSID_Payment, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **) &m_pPayment);
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr = CoCreateInstance(CLSID_StockLevel, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **) &m_pStockLevel);
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr = CoCreateInstance(CLSID_OrderStatus, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **) &m_pOrderStatus);
    if (FAILED(hr))
        throw new CCOMERR(hr);
}

// call setcomplete to release each component back into pool
hr = m_pNewOrder->CallSetComplete();
if (FAILED(hr))
    throw new CCOMERR(hr);

if (!m_bSinglePool)
{
    hr = m_pPayment->CallSetComplete();
}

```

```

    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr = m_pStockLevel->CallSetComplete();
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr = m_pOrderStatus->CallSetComplete();
    if (FAILED(hr))
        throw new CCOMERR(hr);
}

CTPCC_COM::~CTPCC_COM()
{
    if (m_pTxn)
        SafeArrayDestroy(m_vTxn.parray);

    ReleaseInterface(m_pNewOrder);
    if (!m_bSinglePool)
    {
        ReleaseInterface(m_pPayment);
        ReleaseInterface(m_pStockLevel);
        ReleaseInterface(m_pOrderStatus);
    }
    CoUninitialize();
}

void CTPCC_COM::NewOrder()
{
    VARIANT    vTxn_out;

    HRESULT hr = m_pNewOrder->NewOrder(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray->pvData, vTxn_out.parray-
>rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn->ErrorType, m_pTxn->error );
}

void CTPCC_COM::Payment()
{
    VARIANT    vTxn_out;

    HRESULT hr = m_pPayment->Payment(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray->pvData, vTxn_out.parray-
>rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);
}

```

```

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn->ErrorType, m_pTxn->error );
}

void CTPCC_COM::StockLevel()
{
    VARIANT    vTxn_out;

    HRESULT hr = m_pStockLevel->StockLevel(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray->pvData, vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn->ErrorType, m_pTxn->error );
}

void CTPCC_COM::OrderStatus()
{
    VARIANT    vTxn_out;

    HRESULT hr = m_pOrderStatus->OrderStatus(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray->pvData, vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn->ErrorType, m_pTxn->error );
}

/* FILE:      TPCC_COM.H
 *           Microsoft TPC-C Kit Ver. 4.20.000
 *           Copyright Microsoft, 1999
 *           All Rights Reserved
 *
 *           not yet audited
 *
 * PURPOSE:   Header file for TPC-C COM+ class implementation.
 *
 * Change history:
 * 4.20.000 - first version
 */

#pragma once

#include <stdio.h>
#include "..\..\tpcc_com_ps\src\tpcc_com_ps.h"

```

```

// need to declare functions for import, unless define has already been
// created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CCOMERR : public CBaseErr
{
private:
    char m_szErrorText[64];

public:
    // use this interface for genuine COM errors
    CCOMERR( HRESULT hr )
    {
        m_hr = hr;
        m_iErrorType = 0;
        m_iError = 0;
    }

    // use this interface to impersonate a non-COM error type
    CCOMERR( int iErrorType, int iError )
    {
        m_iErrorType = iErrorType;
        m_iError = iError;
        m_hr = S_OK;
    }

    int    m_hr;
    int    m_iErrorType;
    int    m_iError;

    // A CCOMERR class can impersonate another class, which happens if
    // the error
    // was not actually a COM Services error, but was simply
    // transmitted back via COM.
    int ErrorType()
    {
        if (m_iErrorType == 0)
            return ERR_TYPE_COM;
        else
            return m_iErrorType;
    }

    int ErrorNum() {return m_hr;}

    char *ErrorText()
    {
        if (m_hr == S_OK)
            sprintf( m_szErrorText, "Error: Class %d, error # %d",
                m_iErrorType, m_iError );
        else

```

```

        sprintf( m_szErrorText, "Error: COM HRESULT %x", m_hr
);
        return m_szErrorText;
    }
};

class DllDecl CTPCC_COM : public CTPCC_BASE
{
private:
    BOOL m_bSinglePool;

    // COM Interface pointers
    ITPCC*      m_pNewOrder;
    ITPCC*      m_pPayment;
    ITPCC*      m_pStockLevel;
    ITPCC*      m_pOrderStatus;

    struct COM_DATA
    {
        int ErrorType;
        int error;
        union
        {
            NEW_ORDER_DATA      NewOrder;
            PAYMENT_DATA         Payment;
            DELIVERY_DATA        Delivery;
            STOCK_LEVEL_DATA     StockLevel;
            ORDER_STATUS_DATA    OrderStatus;
        } u;
    } *m_pTxn;

    VARIANT m_vTxn;
public:
    CTPCC_COM(BOOL bSinglePool);
    ~CTPCC_COM(void);

    inline PNEW_ORDER_DATA      BuffAddr_NewOrder()      { return
&m_pTxn->u.NewOrder; };
    inline PPAYMENT_DATA        BuffAddr_Payment()      { return
&m_pTxn->u.Payment; };
    inline PDELIVERY_DATA        BuffAddr_Delivery()     { return
&m_pTxn->u.Delivery; };
    inline PSTOCK_LEVEL_DATA     BuffAddr_StockLevel()   { return
&m_pTxn->u.StockLevel; };
    inline PORDER_STATUS_DATA    BuffAddr_OrderStatus()  { return
&m_pTxn->u.OrderStatus; };

    void NewOrder      ();
    void Payment       ();
    void StockLevel    ();
    void OrderStatus   ();
    void Delivery      () { throw new CCOMERR(E_NOTIMPL); } // not
supported

```

```

};

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

// wrapper routine for class constructor
extern "C" __declspec(dllexport) CTPCC_COM* CTPCC_COM_new(BOOL);

typedef CTPCC_COM* (TYPE_CTPCC_COM)(BOOL);

/*   FILE:      METHODS.H
 *           Microsoft TPC-C Kit Ver. 4.20.000
 *           Copyright Microsoft, 1999
 *           All Rights Reserved
 *
 *           not yet audited
 *
 *   PURPOSE:   Header file for COM components.
 *
 *   Change history:
 *           4.20.000 - first version
 */

enum COMPONENT_ERROR
{
    ERR_MISSING_REGISTRY_ENTRIES = 1,
    ERR_LOADDLL_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_UNKNOWN_DB_PROTOCOL
};

class CCOMPONENT_ERR : public CBaseErr
{
public:
    CCOMPONENT_ERR(COMPONENT_ERROR Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    };

    CCOMPONENT_ERR(COMPONENT_ERROR Err, char *szTextDetail, DWORD
dwSystemErr)

```

```

{
    m_Error = Err;
    m_szTextDetail = new char[strlen(szTextDetail)+1];
    strcpy( m_szTextDetail, szTextDetail );
    m_SystemErr = dwSystemErr;
    m_szErrorText = NULL;
};

~CCOMPONENT_ERR()
{
    if (m_szTextDetail != NULL)
        delete [] m_szTextDetail;
    if (m_szErrorText != NULL)
        delete [] m_szErrorText;
};

COMPONENT_ERROR m_Error;
char             *m_szTextDetail;
char             *m_szErrorText;
DWORD           m_SystemErr;

int ErrorType() {return ERR_TYPE_COMPONENT;};
int ErrorNum() {return m_Error;};
char *ErrorText();
};

static void WriteMessageToEventLog(LPTSTR lpszMsg);

////////////////////////////////////
/
// CTPCC_Common
class CTPCC_Common :
    public ITPCC,
    public IObjectControl,
    public IObjectConstruct,
    public CComObjectRootEx<CComSingleThreadModel>
{
public:
BEGIN_COM_MAP(CTPCC_Common)
    COM_INTERFACE_ENTRY(ITPCC)
    COM_INTERFACE_ENTRY(IObjectControl)
    COM_INTERFACE_ENTRY(IObjectConstruct)
END_COM_MAP()

    CTPCC_Common();
    ~CTPCC_Common();

// ITPCC
public:
    HRESULT __stdcall NewOrder(          int* iSize, UCHAR** txn);
    HRESULT __stdcall Payment(          int* iSize, UCHAR** txn);

```

```

    HRESULT __stdcall Delivery(          int* iSize, UCHAR** txn) {return
E_NOTIMPL;};
    HRESULT __stdcall StockLevel(      int* iSize, UCHAR** txn);
    HRESULT __stdcall OrderStatus(     int* iSize, UCHAR** txn);

    HRESULT __stdcall CallSetComplete();

// IObjectControl
    STDMETHODCALLTYPE CanBePooled() { return m_bCanBePooled; }
    STDMETHODCALLTYPE Activate() { return S_OK; } // we don't support COM
Services transactions (no enlistment)
    STDMETHODCALLTYPE Deactivate() { /* nothing to do */ }

// IObjectConstruct
    STDMETHODCALLTYPE Construct(IDispatch * pUnk);

// helper methods
private:
    BOOL m_bCanBePooled;
    CTPCC_BASE *m_pTxn;

    struct COM_DATA
    {
        int retval;
        int error;
        union
        {
            NEW_ORDER_DATA      NewOrder;
            PAYMENT_DATA         Payment;
            DELIVERY_DATA        Delivery;
            STOCK_LEVEL_DATA     StockLevel;
            ORDER_STATUS_DATA    OrderStatus;
        } u;
    };
};

////////////////////////////////////
/
// CTPCC
class CTPCC :
    public CTPCC_Common,
    public CComCoClass<CTPCC, &CLSID_TPCC>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_TPCC)

BEGIN_COM_MAP(CTPCC)
    COM_INTERFACE_ENTRY2(IUnknown, CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()
};

```

```

////////////////////////////////////
/
// CNewOrder
class CNewOrder :
    public CTPCC_Common,
    public CComCoClass<CNewOrder, &CLSID_NewOrder>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_NEWORDER)

BEGIN_COM_MAP(CNewOrder)
    COM_INTERFACE_ENTRY2(IUnknown, CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
// HRESULT __stdcall NewOrder(          int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
    HRESULT __stdcall Payment(          int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
    HRESULT __stdcall StockLevel(      int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
    HRESULT __stdcall OrderStatus(     int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
};

////////////////////////////////////
/////
// COrderStatus
class COrderStatus :
    public CTPCC_Common,
    public CComCoClass<COrderStatus, &CLSID_OrderStatus>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_ORDERSTATUS)

BEGIN_COM_MAP(COrderStatus)
    COM_INTERFACE_ENTRY2(IUnknown, CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
    HRESULT __stdcall NewOrder(          int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
    HRESULT __stdcall Payment(          int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
    HRESULT __stdcall StockLevel(      int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
};

```

```

// HRESULT __stdcall OrderStatus( int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
};

////////////////////////////////////
/
// CPayment
class CPayment :
    public CTPCC_Common,
    public CComCoClass<CPayment, &CLSID_Payment>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_PAYMENT)

BEGIN_COM_MAP(CPayment)
    COM_INTERFACE_ENTRY2(IUnknown, CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
    HRESULT __stdcall NewOrder(          int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
    // HRESULT __stdcall Payment(          int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
    HRESULT __stdcall StockLevel(      int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
    HRESULT __stdcall OrderStatus(     int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
};

////////////////////////////////////
/
// CStockLevel
class CStockLevel :
    public CTPCC_Common,
    public CComCoClass<CStockLevel, &CLSID_StockLevel>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_STOCKLEVEL)

BEGIN_COM_MAP(CStockLevel)
    COM_INTERFACE_ENTRY2(IUnknown, CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
    HRESULT __stdcall NewOrder(          int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
};

```

```

    HRESULT __stdcall Payment(    int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
//    HRESULT __stdcall StockLevel( int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
    HRESULT __stdcall OrderStatus( int* iSize, UCHAR** txn) {return
E_NOTIMPL;}
};

//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by tpcc_com_all.rc
//
#define IDS_PROJNAME            100
#define IDR_TPCC                101
#define IDR_NEWORDER            102
#define IDR_ORDERSTATUS        103
#define IDR_PAYMENT             104
#define IDR_STOCKLEVEL         105

// Next default values for new objects
//
#ifdef APSTUDIO_INVOKED
#ifndef APSTUDIO_READONLY_SYMBOLS
#define _APS_NEXT_RESOURCE_VALUE        202
#define _APS_NEXT_COMMAND_VALUE        32768
#define _APS_NEXT_CONTROL_VALUE        201
#define _APS_NEXT_SYMED_VALUE         106
#endif
#endif

/*    FILE:      TPCC_COM_ALL.CPP
 *              Microsoft TPC-C Kit Ver. 4.20.000
 *              Copyright Microsoft, 1999
 *              All Rights Reserved
 *
 *              Version 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 *    PURPOSE:   Implementation for TPC-C Tuxedo class.
 *    Contact:   Charles Levine (clevine@microsoft.com)
 *
 *    Change history:
 *              4.20.000 - updated rev number to match kit
 */

#define STRICT
#define _WIN32_WINNT 0x0400
#define _ATL_APARTMENT_THREADED

#include <stdio.h>
#include <atlbase.h>
//You may derive a class from CComModule and use it if you want to override

```

```

//something, but do not change the name of _Module
extern CComModule _Module;

#include <atlcom.h>
#include <initguid.h>
#include <transact.h>
#include <atlimpl.cpp>
#include <comsvcs.h>

#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>

#include "tpcc_com_ps.h"
#include "..\..\common\src\trans.h" //tpckit
transaction header contains definitions of structures specific to TPC-C
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\error.h"
#include "..\..\common\src\ReadRegistry.h"
#include "..\..\db_dblib_dll\src\tpcc_dblib.h" // DBLIB implementation
of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h" // ODBC implementation
of TPC-C txns

#include "resource.h"
#include "tpcc_com_all.h"
#include "tpcc_com_all_i.c"
#include "Methods.h"
#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\common\src\ReadRegistry.cpp"

CComModule _Module;

BEGIN_OBJECT_MAP(ObjectMap)
    OBJECT_ENTRY(CLSID_TPCC, CTPCC)
    OBJECT_ENTRY(CLSID_NewOrder, CNewOrder)
    OBJECT_ENTRY(CLSID_OrderStatus, COrderStatus)
    OBJECT_ENTRY(CLSID_Payment, CPayment)
    OBJECT_ENTRY(CLSID_StockLevel, CStockLevel)
END_OBJECT_MAP()

// configuration settings from registry
TPCCREGISTRYDATA    Reg;
char                szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB    *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC    *pCTPCC_ODBC_new;

```

```

////////////////////////////////////
/
// DLL Entry Point

extern "C"
BOOL WINAPI DllMain(HINSTANCE hInstance, DWORD dwReason, LPVOID
/*lpReserved*/)
{
    char szDllName[128];

    try
    {
        if (dwReason == DLL_PROCESS_ATTACH)
        {
            _Module.Init(ObjectMap, hInstance);
            DisableThreadLibraryCalls(hInstance);

            DWORD dwSize = MAX_COMPUTERNAME_LENGTH+1;
            GetComputerName(szMyComputerName, &dwSize);
            szMyComputerName[dwSize] = 0;

            if ( ReadTPCCRegistrySettings( &Reg ) )
                throw new CCOMPONENT_ERR( ERR_MISSING_REGISTRY_ENTRIES
);

            if (Reg.eDB_Protocol == DBLIB)
            {
                strcpy( szDllName, Reg.szPath );
                strcat( szDllName, "tpcc_dblib.dll");
                hLibInstanceDb = LoadLibrary( szDllName );
                if (hLibInstanceDb == NULL)
                    throw new CCOMPONENT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );

                // get function pointer to wrapper for class
            constructor
                pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
GetProcAddress(hLibInstanceDb, "CTPCC_DBLIB_new");
                if (pCTPCC_DBLIB_new == NULL)
                    throw new CCOMPONENT_ERR( ERR_GETPROCADDR_FAILED,
szDllName, GetLastError() );
            }
            else if (Reg.eDB_Protocol == ODBC)
            {
                strcpy( szDllName, Reg.szPath );
                strcat( szDllName, "tpcc_odbc.dll");
                hLibInstanceDb = LoadLibrary( szDllName );
                if (hLibInstanceDb == NULL)
                    throw new CCOMPONENT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );
            }
        }
    }
}

```

```

// get function pointer to wrapper for class
constructor
    pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");
    if (pCTPCC_ODBC_new == NULL)
        throw new CCOMPONENT_ERR( ERR_GETPROCADDR_FAILED,
szDllName, GetLastError() );
    }
    else
        throw new CCOMPONENT_ERR( ERR_UNKNOWN_DB_PROTOCOL );
}
else if (dwReason == DLL_PROCESS_DETACH)
    _Module.Term();
}
catch (CBaseErr *e)
{
    WriteMessageToEventLog(e->ErrorText());
    delete e;
    return FALSE;
}
catch (...)
{
    WriteMessageToEventLog(TEXT("Unhandled exception in object
DllMain"));
    return FALSE;
}

return TRUE; // OK
}

////////////////////////////////////
/
// Used to determine whether the DLL can be unloaded by OLE
STDAPI DllCanUnloadNow(void)
{
    return (_Module.GetLockCount()==0) ? S_OK : S_FALSE;
}

////////////////////////////////////
/
// Returns a class factory to create an object of the requested type
STDAPI DllGetClassObject(REFCLSID rclsid, REFIID riid, LPVOID* ppv)
{
    return _Module.GetClassObject(rclsid, riid, ppv);
}

////////////////////////////////////
/
// DllRegisterServer - Adds entries to the system registry

```

```

STDAPI DllRegisterServer(void)
{
    // registers object, typelib and all interfaces in typelib
    return _Module.RegisterServer(TRUE);
}

////////////////////////////////////
// DllUnregisterServer - Removes entries from the system registry

STDAPI DllUnregisterServer(void)
{
    _Module.UnregisterServer();
    return S_OK;
}

static void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR    szMsg[256];
    HANDLE   hEventSource;
    LPTSTR   lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL, TEXT("tpcc_com_all.dll"));

    _stprintf(szMsg, TEXT("Error in COM+ TPC-C Component: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event source
            EVENTLOG_ERROR_TYPE, // event type
            0, // event category
            0, // event ID
            NULL, // current user's SID
            2, // strings in lpszStrings
            0, // no bytes of raw data
            (LPCWSTR *)lpszStrings, // array of error strings
            NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

```

```

}

/* FUNCTION: CCOMPONENT_ERR::ErrorText
 *
 */

char* CCOMPONENT_ERR::ErrorText(void)
{
    static SERRORMSG errorMsgs[] =
    {
        { ERR_MISSING_REGISTRY_ENTRIES, "Required entries missing from
registry." },
        { ERR_LOADDLL_FAILED, "Load of DLL failed. DLL="
},
        { ERR_GETPROCADDR_FAILED, "Could not map proc in DLL.
GetProcAddress error. DLL=" },
        { ERR_UNKNOWN_DB_PROTOCOL, "Unknown database protocol
specified in registry." },
        { 0, "" }
    };

    char szTmp[256];
    int i = 0;
    while (TRUE)
    {
        if (errorMsgs[i].szMsg[0] == 0)
        {
            strcpy( szTmp, "Unknown error number." );
            break;
        }
        if (m_Error == errorMsgs[i].iError)
        {
            strcpy( szTmp, errorMsgs[i].szMsg );
            break;
        }
        i++;
    }

    if (m_szTextDetail)
        strcat( szTmp, m_szTextDetail );
    if (m_SystemErr)
        wsprintf( szTmp+strlen(szTmp), " Error=%d", m_SystemErr );

    m_szErrorText = new char[strlen(szTmp)+1];
    strcpy( m_szErrorText, szTmp );
    return m_szErrorText;
}

CTPCC_Common::CTPCC_Common()
{

```

```

        m_pTxn = NULL;
        m_bCanBePooled = TRUE;
    }

CTPCC_Common::~CTPCC_Common()
{
    if (m_pTxn)
        delete m_pTxn;
}

HRESULT CTPCC_Common::CallSetComplete()
{
    IObjectContext* pObjectContext = NULL;

    // get our object context
    HRESULT hr = CoGetObjectContext( IID_IObjectContext, (void
**) &pObjectContext );
    pObjectContext->SetComplete();
    ReleaseInterface(pObjectContext);
    return hr;
}

//
// called by the ctor activator
//
STDMETHODIMP CTPCC_Common::Construct(IDispatch * pUnk)
{
    // Code to access construction string, if needed later...
    // if (!pUnk)
    //     return E_UNEXPECTED;
    // IObjectConstructString * pString = NULL;
    // HRESULT hr = pUnk->QueryInterface(IID_IObjectConstructString,
(void **) &pString);
    // pString->Release();

    try
    {
        if (Reg.eDB_Protocol == ODBC)
            m_pTxn = pCTPCC_ODBC_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
        else if (Reg.eDB_Protocol == DBLIB)
            m_pTxn = pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
    }
    catch (CBaseErr *e)
    {
        WriteMessageToEventLog(e->ErrorText());
        delete e;
        return E_FAIL;
    }
    catch (...)
    {

```

```

        WriteMessageToEventLog(TEXT("Unhandled exception in object
::Construct"));
        return E_FAIL;
    }

    return S_OK;
}

HRESULT CTPCC_Common::NewOrder(int* iSize, UCHAR **txn)
{
    PNEW_ORDER_DATA pNewOrder;
    COM_DATA *pData;

    try
    {
        pData = (COM_DATA*) *txn;
        pNewOrder = m_pTxn->BuffAddr_NewOrder();

        memcpy(pNewOrder, &pData->u.NewOrder, sizeof(NEW_ORDER_DATA));
        m_pTxn->NewOrder();
        memcpy( &pData->u.NewOrder, pNewOrder, sizeof(NEW_ORDER_DATA));

        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database connection; if yes, component is toast
        if ( ((e->ErrorType() == ERR_TYPE_DBLIB) && (e->ErrorNum() ==
10005)) ||
            ((e->ErrorType() == ERR_TYPE_ODBC) && (e->ErrorNum() ==
10054)) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled exception. "));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

HRESULT CTPCC_Common::Payment(int* iSize, UCHAR** txn)
{
    PPAYMENT_DATA pPayment;

```

```

COM_DATA      *pData;

try
{
    pData = (COM_DATA*)*txn;
    pPayment = m_pTxn->BuffAddr_Payment();

    memcpy(pPayment, &pData->u.Payment, sizeof(PAYMENT_DATA) );
    m_pTxn->Payment();
    memcpy( &pData->u.Payment, pPayment, sizeof(PAYMENT_DATA) );

    pData->retval = ERR_SUCCESS;
    pData->error = 0;
    return S_OK;
}
catch (CBaseErr *e)
{
    // check for lost database connection; if yes, component is toast
    if ( ((e->ErrorType() == ERR_TYPE_DBLIB) && (e->ErrorNum() ==
10005)) ||
        ((e->ErrorType() == ERR_TYPE_ODBC) && (e->ErrorNum() ==
10054)) )
        m_bCanBePooled = FALSE;

    pData->retval = e->ErrorType();
    pData->error = e->ErrorNum();
    delete e;
    return E_FAIL;
}
catch (...)
{
    WriteMessageToEventLog(TEXT("Unhandled exception."));
    pData->retval = ERR_TYPE_LOGIC;
    pData->error = 0;
    m_bCanBePooled = FALSE;
    return E_FAIL;
}
}

HRESULT CTPCC_Common::StockLevel(int* iSize, UCHAR** txn)
{
    PSTOCK_LEVEL_DATA    pStockLevel;
    COM_DATA              *pData;

    try
    {
        pData = (COM_DATA*)*txn;
        pStockLevel = m_pTxn->BuffAddr_StockLevel();

        memcpy(pStockLevel, &pData->u.StockLevel, sizeof(STOCK_LEVEL_DATA)
);
        m_pTxn->StockLevel();
    }
}

```

```

        memcpy( &pData->u.StockLevel, pStockLevel,
sizeof(STOCK_LEVEL_DATA) );

        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database connection; if yes, component is toast
        if ( ((e->ErrorType() == ERR_TYPE_DBLIB) && (e->ErrorNum() ==
10005)) ||
            ((e->ErrorType() == ERR_TYPE_ODBC) && (e->ErrorNum() ==
10054)) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

HRESULT CTPCC_Common::OrderStatus(int* iSize, UCHAR** txn)
{
    PORDER_STATUS_DATA    pOrderStatus;
    COM_DATA              *pData;

    try
    {
        pData = (COM_DATA*)*txn;
        pOrderStatus = m_pTxn->BuffAddr_OrderStatus();

        memcpy(pOrderStatus, &pData->u.OrderStatus,
sizeof(ORDER_STATUS_DATA) );
        m_pTxn->OrderStatus();
        memcpy( &pData->u.OrderStatus, pOrderStatus,
sizeof(ORDER_STATUS_DATA) );

        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {

```

```

        // check for lost database connection; if yes, component is toast
        if ( (e->ErrorType() == ERR_TYPE_DBLIB) && (e->ErrorNum() ==
10005)) ||
            ((e->ErrorType() == ERR_TYPE_ODBC) && (e->ErrorNum() ==
10054)) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled exception.));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

; tpcc_com_all.def : Declares the module parameters.

LIBRARY      "tpcc_com_all.dll"

EXPORTS
    DllCanUnloadNow      @1 PRIVATE
    DllGetClassObject    @2 PRIVATE
    DllRegisterServer    @3 PRIVATE
    DllUnregisterServer  @4 PRIVATE

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the definitions for the interfaces */

/* File created by MIDL compiler version 5.03.0280 */
/* at Mon Jan 24 20:00:20 2000
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
    Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run), ms_ext, c_ext
    error checks: allocation ref bounds_check enum stub_data
    VC __declspec() decoration level:
        __declspec(uuid()), __declspec(selectany), __declspec(novtable)
        DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING(  )

/* verify that the <rpcndr.h> version is high enough to compile this file*/
#endifdef __REQUIRED_RPCNDR_H_VERSION__

```

```

#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __tpcc_com_all_h__
#define __tpcc_com_all_h__

/* Forward Declarations */

#ifndef __TPCC_FWD_DEFINED__
#define __TPCC_FWD_DEFINED__

#ifdef __cplusplus
typedef class TPCC TPCC;
#else
typedef struct TPCC TPCC;
#endif /* __cplusplus */

#endif /* __TPCC_FWD_DEFINED__ */

#ifndef __NewOrder_FWD_DEFINED__
#define __NewOrder_FWD_DEFINED__

#ifdef __cplusplus
typedef class NewOrder NewOrder;
#else
typedef struct NewOrder NewOrder;
#endif /* __cplusplus */

#endif /* __NewOrder_FWD_DEFINED__ */

#ifndef __OrderStatus_FWD_DEFINED__
#define __OrderStatus_FWD_DEFINED__

#ifdef __cplusplus
typedef class OrderStatus OrderStatus;
#else
typedef struct OrderStatus OrderStatus;
#endif /* __cplusplus */

#endif /* __OrderStatus_FWD_DEFINED__ */

#ifndef __Payment_FWD_DEFINED__
#define __Payment_FWD_DEFINED__

#ifdef __cplusplus
typedef class Payment Payment;
#else

```

```

typedef struct Payment Payment;
#endif /* __cplusplus */

#endif /* __Payment_FWD_DEFINED__ */

#ifdef __StockLevel_FWD_DEFINED__
#define __StockLevel_FWD_DEFINED__

#ifdef __cplusplus
typedef class StockLevel StockLevel;
#else
typedef struct StockLevel StockLevel;
#endif /* __cplusplus */

#endif /* __StockLevel_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"
#include "tpcc_com_ps.h"

#ifdef __cplusplus
extern "C"{
#endif

void __RPC_FAR * __RPC_USER MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpcc_com_all_0000 */
/* [local] */

extern RPC_IF_HANDLE __MIDL_itf_tpcc_com_all_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE __MIDL_itf_tpcc_com_all_0000_v0_0_s_ifspec;

#ifdef __TPCCLib_LIBRARY_DEFINED__
#define __TPCCLib_LIBRARY_DEFINED__

/* library TPCCLib */
/* [helpstring][version][uuid] */

EXTERN_C const IID LIBID_TPCCLib;

```

```

EXTERN_C const CLSID CLSID_TPCC;

#ifdef __cplusplus
class DECLSPEC_UUID("122A3128-2520-11D3-BA71-00C04FBFE08B")
TPCC;
#endif

EXTERN_C const CLSID CLSID_NewOrder;

#ifdef __cplusplus
class DECLSPEC_UUID("975BAABF-84A7-11D2-BA47-00C04FBFE08B")
NewOrder;
#endif

EXTERN_C const CLSID CLSID_OrderStatus;

#ifdef __cplusplus
class DECLSPEC_UUID("266836AD-A50D-11D2-BA4E-00C04FBFE08B")
OrderStatus;
#endif

EXTERN_C const CLSID CLSID_Payment;

#ifdef __cplusplus
class DECLSPEC_UUID("CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B")
Payment;
#endif

EXTERN_C const CLSID CLSID_StockLevel;

#ifdef __cplusplus
class DECLSPEC_UUID("2668369E-A50D-11D2-BA4E-00C04FBFE08B")
StockLevel;
#endif
#endif /* __TPCCLib_LIBRARY_DEFINED__ */

/* Additional Prototypes for ALL interfaces */

/* end of Additional Prototypes */

#ifdef __cplusplus
}
#endif

#endif

```

```

/* FILE:      TPCC.IDL
 *           Microsoft TPC-C Kit Ver. 4.20.000
 *           Copyright Microsoft, 1999
 *           All Rights Reserved
 *
 *           not yet audited
 *
 * PURPOSE:   IDL source for TPCC.dll. This file is processed by the MIDL
tool to
 *           produce the type library (TPCC.tlb) and marshalling
code.
 *
 * Change history:
 *   4.20.000 - first version
 */

```

```

interface TPCC;
interface NewOrder;
interface OrderStatus;
interface Payment;
interface StockLevel;

```

```

import "oidl.idl";
import "ocidl.idl";
import "..\tpcc_com_ps\src\tpcc_com_ps.idl";

```

```

[
    uuid(122A3117-2520-11D3-BA71-00C04FBFE08B),
    version(1.0),
    helpstring("TPC-C 1.0 Type Library")
]
library TPCCLib
{
    importlib("stdole32.tlb");
    importlib("stdole2.tlb");

    [
        uuid(122A3128-2520-11D3-BA71-00C04FBFE08B),
        helpstring("All Txns Class")
    ]
    coclass TPCC
    {
        [default] interface ITPCC;
    };

    [
        uuid(975BAABF-84A7-11D2-BA47-00C04FBFE08B),
        helpstring("NewOrder Class")
    ]
    coclass NewOrder
    {

```

```

        [default] interface ITPCC;
    };

    [
        uuid(266836AD-A50D-11D2-BA4E-00C04FBFE08B),
        helpstring("OrderStatus Class")
    ]
    coclass OrderStatus
    {
        [default] interface ITPCC;
    };

    [
        uuid(CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B),
        helpstring("Payment Class")
    ]
    coclass Payment
    {
        [default] interface ITPCC;
    };

    [
        uuid(2668369E-A50D-11D2-BA4E-00C04FBFE08B),
        helpstring("StockLevel Class")
    ]
    coclass StockLevel
    {
        [default] interface ITPCC;
    };
};

```

```

};

//Microsoft Developer Studio generated resource script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
/
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "winres.h"

////////////////////////////////////
/
#undef APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
/

```

```

// English (U.S.) resources

#if !defined(AFX_RESOURCE_DLL) || defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
/
//
// TEXTINCLUDE
//

1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include "winres.h"\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "1 TYPELIB "tpcc_com_all.tlb"\r\n"
    "\0"
END

#endif // APSTUDIO_INVOKED

#ifdef _MAC
////////////////////////////////////
/
//
// Version
//

VS_VERSION_INFO VERSIONINFO
FILEVERSION 1,0,0,1
PRODUCTVERSION 1,0,0,1
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x4L
FILETYPE 0x2L

```

```

FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904B0"
        BEGIN
            VALUE "CompanyName", "\0"
            VALUE "FileDescription", "tpcc_com_all Module\0"
            VALUE "FileVersion", "1, 0, 0, 1\0"
            VALUE "InternalName", "TPCCNEWORDER\0"
            VALUE "LegalCopyright", "Copyright 1997\0"
            VALUE "OriginalFilename", "tpcc_com_all.DLL\0"
            VALUE "ProductName", "tpcc_com_all Module\0"
            VALUE "ProductVersion", "1, 0, 0, 1\0"
            VALUE "OLESelfRegister", "\0"
        END
    END
    BLOCK "VarFileInfo"
    BEGIN
        VALUE "Translation", 0x409, 1200
    END
END

#endif // !_MAC

////////////////////////////////////
/
//
// REGISTRY
//

IDR_TPCC                REGISTRY DISCARDABLE    "tpcc_com_all.rgs"
IDR_NEWORDER            REGISTRY DISCARDABLE    "tpcc_com_no.rgs"
IDR_ORDERSTATUS         REGISTRY DISCARDABLE    "tpcc_com_os.rgs"
IDR_PAYMENT              REGISTRY DISCARDABLE    "tpcc_com_pay.rgs"
IDR_STOCKLEVEL          REGISTRY DISCARDABLE    "tpcc_com_sl.rgs"

////////////////////////////////////
/
//
// String Table
//

STRINGTABLE DISCARDABLE
BEGIN
    IDS_PROJNAME          "tpcc_com_all"
END

#endif // English (U.S.) resources
////////////////////////////////////
/

```

```

#ifdef APSTUDIO_INVOKED
//
//
// Generated from the TEXTINCLUDE 3 resource.
//
1 TYPELIB "tpcc_com_all.tlb"

//
//
#endif // not APSTUDIO_INVOKED

HKCR
{
    TPCC.AllTxns.1 = s 'All Txns Class'
    {
        CLSID = s '{122A3128-2520-11D3-BA71-00C04FBFE08B}'
    }
    TPCC.AllTxns = s 'TPCC Class'
    {
        CurVer = s 'TPCC.AllTxns.1'
    }
    NoRemove CLSID
    {
        ForceRemove {122A3128-2520-11D3-BA71-00C04FBFE08B} = s 'TPCC
Class'
        {
            ProgID = s 'TPCC.AllTxns.1'
            VersionIndependentProgID = s 'TPCC.AllTxns'
            InprocServer32 = s '%MODULE%'
            {
                val ThreadingModel = s 'Both'
            }
        }
    }
}

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the IIDs and CLSIDs */

/* link this file in with the server and any clients */

/* File created by MIDL compiler version 5.03.0280 */
/* at Mon Jan 24 20:00:20 2000
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run), ms_ext, c_ext

```

```

error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany), __declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#ifdef _M_IA64 && !defined(_M_AXP64)

#ifdef __cplusplus
extern "C" {
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    const type name = {l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

```

```

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib,0x122A3117,0x2520,0x11D3,0xBA,0x71,0x00,0xC0,0x4F,0xBF,0xE0,0x
8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC,0x122A3128,0x2520,0x11D3,0xBA,0x71,0x00,0xC0,0x4F,0xBF,0xE0,0x8B)
;

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder,0x975BAABF,0x84A7,0x11D2,0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0
x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus,0x266836AD,0xA50D,0x11D2,0xBA,0x4E,0x00,0xC0,0x4F,0xBF,0xE
0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_Payment,0xCD02F7EF,0xA4FA,0x11D2,0xBA,0x4E,0x00,0xC0,0x4F,0xBF,0xE0,0x
8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel,0x2668369E,0xA50D,0x11D2,0xBA,0x4E,0x00,0xC0,0x4F,0xBF,0xE0
,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the IIDs and CLSIDs */

/* link this file in with the server and any clients */

/* File created by MIDL compiler version 5.03.0280 */
/* at Mon Jan 24 20:00:20 2000
*/
/* Compiler settings for .\src\tpcc_com_all.idl:

```

```

Oicf (OptLev=i2), W1, Zp8, env=Win64 (32b run,appending), ms_ext, c_ext,
robust
error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany), __declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \

```

```

        const type name = {l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}
#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib,0x122A3117,0x2520,0x11D3,0xBA,0x71,0x00,0xC0,0x4F,0xBF,0xE0,0x
8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC,0x122A3128,0x2520,0x11D3,0xBA,0x71,0x00,0xC0,0x4F,0xBF,0xE0,0x8B)
;

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder,0x975BAABF,0x84A7,0x11D2,0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0
x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus,0x266836AD,0xA50D,0x11D2,0xBA,0x4E,0x00,0xC0,0x4F,0xBF,0xE
0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_Payment,0xCD02F7EF,0xA4FA,0x11D2,0xBA,0x4E,0x00,0xC0,0x4F,0xBF,0xE0,0x
8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel,0x2668369E,0xA50D,0x11D2,0xBA,0x4E,0x00,0xC0,0x4F,0xBF,0xE0
,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* defined(_M_IA64) || defined(_M_AXP64)*/

HKCR
{
    TPCC.NewOrder.1 = s 'NewOrder Class'
    {
        CLSID = s '{975BAABF-84A7-11D2-BA47-00C04FBFE08B}'
    }
    TPCC.NewOrder = s 'NewOrder Class'
    {
        CurVer = s 'TPCC.NewOrder.1'
    }
}

```

```

    }
    NoRemove CLSID
    {
        ForceRemove {975BAABF-84A7-11D2-BA47-00C04FBFE08B} = s 'NewOrder
Class'
    {
        ProgID = s 'TPCC.NewOrder.1'
        VersionIndependentProgID = s 'TPCC.NewOrder'
        InprocServer32 = s '%MODULE%'
        {
            val ThreadingModel = s 'Both'
        }
    }
    }
}

HKCR
{
    TPCC.OrderStatus.1 = s 'OrderStatus Class'
    {
        CLSID = s '{266836AD-A50D-11D2-BA4E-00C04FBFE08B}'
    }
    TPCC.OrderStatus = s 'OrderStatus Class'
    {
        CurVer = s 'TPCC.OrderStatus.1'
    }
    NoRemove CLSID
    {
        ForceRemove {266836AD-A50D-11D2-BA4E-00C04FBFE08B} = s
'OrderStatus Class'
    {
        ProgID = s 'TPCC.OrderStatus.1'
        VersionIndependentProgID = s 'TPCC.OrderStatus'
        InprocServer32 = s '%MODULE%'
        {
            val ThreadingModel = s 'Both'
        }
    }
    }
}

HKCR
{
    TPCC.Payment.1 = s 'Payment Class'
    {
        CLSID = s '{CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B}'
    }
    TPCC.Payment = s 'Payment Class'
    {
        CurVer = s 'TPCC.Payment.1'
    }
    NoRemove CLSID
    {

```

```

Class' ForceRemove {CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B} = s 'Payment
{
    ProgID = s 'TPCC.Payment.1'
    VersionIndependentProgID = s 'TPCC.Payment'
    InprocServer32 = s '%MODULE%'
    {
        val ThreadingModel = s 'Both'
    }
}
}

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the definitions for the interfaces */

/* File created by MIDL compiler version 5.03.0280 */
/* at Mon Jan 24 20:00:07 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
    Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run), ms_ext, c_ext
    error checks: allocation ref bounds_check enum stub_data
    VC __declspec() decoration level:
        __declspec(uuid()), __declspec(selectany), __declspec(novtable)
        DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING(  )

/* verify that the <rpcndr.h> version is high enough to compile this file*/
#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __RPCNDR_H_VERSION__
#error this stub requires an updated version of <rpcndr.h>
#endif // __RPCNDR_H_VERSION__

#ifndef COM_NO_WINDOWS_H
#include "windows.h"
#include "ole2.h"
#endif /*COM_NO_WINDOWS_H*/

#ifndef __tpcc_com_ps_h__
#define __tpcc_com_ps_h__

/* Forward Declarations */

```

```

#ifndef __ITPCC_FWD_DEFINED__
#define __ITPCC_FWD_DEFINED__
typedef interface ITPCC ITPCC;
#endif /* __ITPCC_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"

#ifdef __cplusplus
extern "C"{
#endif

void __RPC_FAR * __RPC_USER MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

#ifndef __ITPCC_INTERFACE_DEFINED__
#define __ITPCC_INTERFACE_DEFINED__

/* interface ITPCC */
/* [unique][helpstring][uuid][object] */

EXTERN_C const IID IID_ITPCC;

#if defined(__cplusplus) && !defined(CINTERFACE)

    MIDL_INTERFACE("FEEE6AA2-84B1-11d2-BA47-00C04FBFE08B")
    ITPCC : public IUnknown
    {
    public:
        virtual HRESULT __stdcall NewOrder(
            /* [out][in] */ int __RPC_FAR *iSize,
            /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
            *__RPC_FAR *txn) = 0;

        virtual HRESULT __stdcall Payment(
            /* [out][in] */ int __RPC_FAR *iSize,
            /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
            *__RPC_FAR *txn) = 0;

        virtual HRESULT __stdcall Delivery(
            /* [in] */ int __RPC_FAR *iSize,
            /* [size_is][size_is][in] */ unsigned char __RPC_FAR *__RPC_FAR
            *txn) = 0;

        virtual HRESULT __stdcall StockLevel(
            /* [out][in] */ int __RPC_FAR *iSize,
            /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
            *__RPC_FAR *txn) = 0;

```

```

    virtual HRESULT __stdcall OrderStatus(
        /* [out][in] */ int __RPC_FAR *iSize,
        /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
*_RPC_FAR *txn) = 0;

    virtual HRESULT __stdcall CallSetComplete( void) = 0;
};

#else /* C style interface */

typedef struct ITPCCVtbl
{
    BEGIN_INTERFACE

    HRESULT ( STDMETHODCALLTYPE __RPC_FAR *QueryInterface )(
        ITPCC __RPC_FAR * This,
        /* [in] */ REFIID riid,
        /* [iid_is][out] */ void __RPC_FAR *__RPC_FAR *ppvObject);

    ULONG ( STDMETHODCALLTYPE __RPC_FAR *AddRef )(
        ITPCC __RPC_FAR * This);

    ULONG ( STDMETHODCALLTYPE __RPC_FAR *Release )(
        ITPCC __RPC_FAR * This);

    HRESULT ( STDMETHODCALLTYPE __RPC_FAR *NewOrder )(
        ITPCC __RPC_FAR * This,
        /* [out][in] */ int __RPC_FAR *iSize,
        /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
*_RPC_FAR *txn);

    HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Payment )(
        ITPCC __RPC_FAR * This,
        /* [out][in] */ int __RPC_FAR *iSize,
        /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
*_RPC_FAR *txn);

    HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Delivery )(
        ITPCC __RPC_FAR * This,
        /* [in] */ int __RPC_FAR *iSize,
        /* [size_is][size_is][in] */ unsigned char __RPC_FAR *__RPC_FAR
*txn);

    HRESULT ( STDMETHODCALLTYPE __RPC_FAR *StockLevel )(
        ITPCC __RPC_FAR * This,
        /* [out][in] */ int __RPC_FAR *iSize,
        /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
*_RPC_FAR *txn);

    HRESULT ( STDMETHODCALLTYPE __RPC_FAR *OrderStatus )(
        ITPCC __RPC_FAR * This,
        /* [out][in] */ int __RPC_FAR *iSize,

```

```

        /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR
*_RPC_FAR *txn);

    HRESULT ( STDMETHODCALLTYPE __RPC_FAR *CallSetComplete )(
        ITPCC __RPC_FAR * This);

    END_INTERFACE
} ITPCCVtbl;

interface ITPCC
{
    CONST_VTBL struct ITPCCVtbl __RPC_FAR *lpVtbl;
};

#ifdef COBJMACROS

#define ITPCC_QueryInterface(This,riid,ppvObject) \
    (This->lpVtbl -> QueryInterface(This,riid,ppvObject))

#define ITPCC_AddRef(This) \
    (This->lpVtbl -> AddRef(This))

#define ITPCC_Release(This) \
    (This->lpVtbl -> Release(This))

#define ITPCC_NewOrder(This,iSize,txn) \
    (This->lpVtbl -> NewOrder(This,iSize,txn))

#define ITPCC_Payment(This,iSize,txn) \
    (This->lpVtbl -> Payment(This,iSize,txn))

#define ITPCC_Delivery(This,iSize,txn) \
    (This->lpVtbl -> Delivery(This,iSize,txn))

#define ITPCC_StockLevel(This,iSize,txn) \
    (This->lpVtbl -> StockLevel(This,iSize,txn))

#define ITPCC_OrderStatus(This,iSize,txn) \
    (This->lpVtbl -> OrderStatus(This,iSize,txn))

#define ITPCC_CallSetComplete(This) \
    (This->lpVtbl -> CallSetComplete(This))

#endif /* COBJMACROS */

#endif /* C style interface */

```

```

HRESULT __stdcall ITPCC_NewOrder_Proxy(
    ITPCC __RPC_FAR * This,
    /* [out][in] */ int __RPC_FAR *iSize,
    /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR *__RPC_FAR
    *txn);

void __RPC_STUB ITPCC_NewOrder_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_Payment_Proxy(
    ITPCC __RPC_FAR * This,
    /* [out][in] */ int __RPC_FAR *iSize,
    /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR *__RPC_FAR
    *txn);

void __RPC_STUB ITPCC_Payment_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_Delivery_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ int __RPC_FAR *iSize,
    /* [size_is][size_is][in] */ unsigned char __RPC_FAR *__RPC_FAR *txn);

void __RPC_STUB ITPCC_Delivery_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_StockLevel_Proxy(
    ITPCC __RPC_FAR * This,
    /* [out][in] */ int __RPC_FAR *iSize,
    /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR *__RPC_FAR
    *txn);

void __RPC_STUB ITPCC_StockLevel_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,

```

```

    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_OrderStatus_Proxy(
    ITPCC __RPC_FAR * This,
    /* [out][in] */ int __RPC_FAR *iSize,
    /* [size_is][size_is][out][in] */ unsigned char __RPC_FAR *__RPC_FAR
    *txn);

void __RPC_STUB ITPCC_OrderStatus_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_CallSetComplete_Proxy(
    ITPCC __RPC_FAR * This);

void __RPC_STUB ITPCC_CallSetComplete_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

#endif /* __ITPCC_INTERFACE_DEFINED__ */

/* Additional Prototypes for ALL interfaces */
/* end of Additional Prototypes */

#ifdef __cplusplus
}
#endif

#endif

HKCR
{
    TPCC.StockLevel.1 = s 'StockLevel Class'
    {
        CLSID = s '{2668369E-A50D-11D2-BA4E-00C04FBFE08B}'
    }
    TPCC.StockLevel = s 'StockLevel Class'
    {
        CurVer = s 'TPCC.StockLevel.1'
    }
}

```

```

    }
    NoRemove CLSID
    {
        ForceRemove {2668369E-A50D-11D2-BA4E-00C04FBFE08B} = s 'StockLevel
Class'
    {
        ProgID = s 'TPCC.StockLevel.1'
        VersionIndependentProgID = s 'TPCC.StockLevel'
        InprocServer32 = s '%MODULE%'
        {
            val ThreadingModel = s 'Both'
        }
    }
}

```

```

/*****
DllData file -- generated by MIDL compiler

DO NOT ALTER THIS FILE

This file is regenerated by MIDL on every IDL file compile.

To completely reconstruct this file, delete it and rerun MIDL
on all the IDL files in this DLL, specifying this file for the
/dlldata command line option

```

```

*****/

```

```

#include <rpcproxy.h>

```

```

#ifdef __cplusplus
extern "C" {
#endif

```

```

EXTERN_PROXY_FILE( tpcc_com_ps )

```

```

PROXYFILE_LIST_START
/* Start of list */
REFERENCE_PROXY_FILE( tpcc_com_ps ),
/* End of list */
PROXYFILE_LIST_END

```

```

DLLDATA_ROUTINES( aProxyFileList, GET_DLL_CLSID )

```

```

#ifdef __cplusplus
} /*extern "C" */
#endif

```

```

/* end of generated dlldata file */

```

```

LIBRARY      "tpcc_com_ps"

DESCRIPTION  'Proxy/Stub DLL'

EXPORTS
    DllGetClassObject      @1 PRIVATE
    DllCanUnloadNow        @2 PRIVATE
    GetProxyDllInfo        @3 PRIVATE
    DllRegisterServer       @4 PRIVATE
    DllUnregisterServer     @5 PRIVATE

```

```

#pragma warning( disable: 4049 ) /* more than 64k source lines */

```

```

/* this ALWAYS GENERATED file contains the definitions for the interfaces */

```

```

/* File created by MIDL compiler version 5.03.0280 */
/* at Sat Apr 08 16:40:10 2000
*/

```

```

/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run), ms_ext, c_ext
error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:
    __declspec(uuid()), __declspec(selectany), __declspec(novtable)
    DECLSPEC_UUID(), MIDL_INTERFACE()
*/

```

```

//@@MIDL_FILE_HEADING(  )

```

```

/* verify that the <rpcndr.h> version is high enough to compile this file*/
#ifdef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

```

```

#include "rpc.h"
#include "rpcndr.h"

```

```

#ifdef __RPCNDR_H_VERSION__
#error this stub requires an updated version of <rpcndr.h>
#endif // __RPCNDR_H_VERSION__

```

```

#ifdef COM_NO_WINDOWS_H
#include "windows.h"
#include "ole2.h"
#endif /*COM_NO_WINDOWS_H*/

```

```

#ifdef __tpcc_com_ps_h__
#define __tpcc_com_ps_h__

```

```

/* Forward Declarations */

```

```

#ifndef __ITPCC_FWD_DEFINED__
#define __ITPCC_FWD_DEFINED__
typedef interface ITPCC ITPCC;
#endif /* __ITPCC_FWD_DEFINED__ */

/* header files for imported files */
#include "oidl.h"
#include "ocidl.h"

#ifdef __cplusplus
extern "C"{
#endif

void __RPC_FAR * __RPC_USER MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpcc_com_ps_0000 */
/* [local] */

extern RPC_IF_HANDLE __MIDL_itf_tpcc_com_ps_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE __MIDL_itf_tpcc_com_ps_0000_v0_0_s_ifspec;

#ifndef __ITPCC_INTERFACE_DEFINED__
#define __ITPCC_INTERFACE_DEFINED__

/* interface ITPCC */
/* [unique][helpstring][uuid][oleautomation][object] */

EXTERN_C const IID IID_ITPCC;

#if defined(__cplusplus) && !defined(CINTERFACE)

MIDL_INTERFACE("FEEE6AA2-84B1-11d2-BA47-00C04FBFE08B")
ITPCC : public IUnknown
{
public:
    virtual HRESULT __stdcall NewOrder(
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

    virtual HRESULT __stdcall Payment(
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

    virtual HRESULT __stdcall Delivery(
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

```

```

    virtual HRESULT __stdcall StockLevel(
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

    virtual HRESULT __stdcall OrderStatus(
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

    virtual HRESULT __stdcall CallSetComplete( void) = 0;

};

#else /* C style interface */

typedef struct ITPCCVtbl
{
    BEGIN_INTERFACE

    HRESULT ( STDMETHODCALLTYPE __RPC_FAR *QueryInterface )(
        ITPCC __RPC_FAR * This,
        /* [in] */ REFIID riid,
        /* [iid_is][out] */ void __RPC_FAR *__RPC_FAR *ppvObject);

    ULONG ( STDMETHODCALLTYPE __RPC_FAR *AddRef )(
        ITPCC __RPC_FAR * This);

    ULONG ( STDMETHODCALLTYPE __RPC_FAR *Release )(
        ITPCC __RPC_FAR * This);

    HRESULT ( STDMETHODCALLTYPE __RPC_FAR *NewOrder )(
        ITPCC __RPC_FAR * This,
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out);

    HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Payment )(
        ITPCC __RPC_FAR * This,
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out);

    HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Delivery )(
        ITPCC __RPC_FAR * This,
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out);

    HRESULT ( STDMETHODCALLTYPE __RPC_FAR *StockLevel )(
        ITPCC __RPC_FAR * This,
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out);

    HRESULT ( STDMETHODCALLTYPE __RPC_FAR *OrderStatus )(
        ITPCC __RPC_FAR * This,
        /* [in] */ VARIANT txn_in,

```

```

    /* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( __stdcall __RPC_FAR *CallSetComplete )(
    ITPCC __RPC_FAR * This);

    END_INTERFACE
} ITPCCVtbl;

interface ITPCC
{
    CONST_VTBL struct ITPCCVtbl __RPC_FAR *lpVtbl;
};

#ifdef COBJMACROS

#define ITPCC_QueryInterface(This,riid,ppvObject) \
    (This)->lpVtbl -> QueryInterface(This,riid,ppvObject)

#define ITPCC_AddRef(This) \
    (This)->lpVtbl -> AddRef(This)

#define ITPCC_Release(This) \
    (This)->lpVtbl -> Release(This)

#define ITPCC_NewOrder(This,txn_in,txn_out) \
    (This)->lpVtbl -> NewOrder(This,txn_in,txn_out)

#define ITPCC_Payment(This,txn_in,txn_out) \
    (This)->lpVtbl -> Payment(This,txn_in,txn_out)

#define ITPCC_Delivery(This,txn_in,txn_out) \
    (This)->lpVtbl -> Delivery(This,txn_in,txn_out)

#define ITPCC_StockLevel(This,txn_in,txn_out) \
    (This)->lpVtbl -> StockLevel(This,txn_in,txn_out)

#define ITPCC_OrderStatus(This,txn_in,txn_out) \
    (This)->lpVtbl -> OrderStatus(This,txn_in,txn_out)

#define ITPCC_CallSetComplete(This) \
    (This)->lpVtbl -> CallSetComplete(This)

#endif /* COBJMACROS */

#endif /* C style interface */

```

```

HRESULT __stdcall ITPCC_NewOrder_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_NewOrder_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_Payment_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_Payment_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_Delivery_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_Delivery_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_StockLevel_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_StockLevel_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_OrderStatus_Proxy(

```

```

ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_OrderStatus_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_CallSetComplete_Proxy(
ITPCC __RPC_FAR * This);

void __RPC_STUB ITPCC_CallSetComplete_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

#endif /* __ITPCC_INTERFACE_DEFINED__ */

/* Additional Prototypes for ALL interfaces */

unsigned long __RPC_USER VARIANT_UserSize( unsigned long
__RPC_FAR *, unsigned long , VARIANT __RPC_FAR * );
unsigned char __RPC_FAR * __RPC_USER VARIANT_UserMarshal( unsigned long
__RPC_FAR *, unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );
unsigned char __RPC_FAR * __RPC_USER VARIANT_UserUnmarshal( unsigned long
__RPC_FAR *, unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );
void __RPC_USER VARIANT_UserFree( unsigned long
__RPC_FAR *, VARIANT __RPC_FAR * );

/* end of Additional Prototypes */

#ifdef __cplusplus
}
#endif

#endif

/* FILE: ITPCC.IDL
* Microsoft TPC-C Kit Ver. 4.20.000
* Copyright Microsoft, 1999
* All Rights Reserved
*

```

```

* not yet audited
*
* PURPOSE: Defines the interface used by TPCC. This interface can be
implemented by C++ components.
*
* Change history:
* 4.20.000 - first version
*/

// Forward declare all types defined
interface ITPCC;
import "oidl.idl";
import "ocidl.idl";

[
object,
oleautomation,
uuid(FEEE6AA2-84B1-11d2-BA47-00C04FBFE08B),
helpstring("ITPCC Interface"),
pointer_default(unique)
]
interface ITPCC : IUnknown
{
    HRESULT __stdcall NewOrder
        (
            [in] VARIANT txn_in,
            [out] VARIANT *txn_out
        );

    HRESULT __stdcall Payment
        (
            [in] VARIANT txn_in,
            [out] VARIANT *txn_out
        );

    HRESULT __stdcall Delivery
        (
            [in] VARIANT txn_in,
            [out] VARIANT *txn_out
        );

    HRESULT __stdcall StockLevel
        (
            [in] VARIANT txn_in,
            [out] VARIANT *txn_out
        );

    HRESULT __stdcall OrderStatus
        (
            [in] VARIANT txn_in,
            [out] VARIANT *txn_out
        );
}

```

```

        HRESULT STDMETHODCALLTYPE CallSetComplete
        (
        );

}; // interface ITPCC

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the IIDs and CLSIDs */

/* link this file in with the server and any clients */

/* File created by MIDL compiler version 5.03.0280 */
/* at Sat Apr 08 16:40:10 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run), ms_ext, c_ext
error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany), __declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
        DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

```

```

#endif
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
        const type name = {l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the IIDs and CLSIDs */

/* link this file in with the server and any clients */

/* File created by MIDL compiler version 5.03.0280 */
/* at Sat Apr 08 16:40:10 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), W1, Zp8, env=Win64 (32b run,appending), ms_ext, c_ext,
robust
error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:

```

```

        __declspec(uuid()), __declspec(selectany), __declspec(novtable)
        DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
        DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
        const type name = {l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

```

```

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* defined(_M_IA64) || defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the proxy stub code */

/* File created by MIDL compiler version 5.03.0280 */
/* at Sat Apr 08 16:40:10 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run), ms_ext, c_ext
error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:
        __declspec(uuid()), __declspec(selectany), __declspec(novtable)
        DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high enough to compile this
file*/
#ifdef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 440
#endif

#include "rpcproxy.h"
#ifdef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of <rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 997
#define PROC_FORMAT_STRING_SIZE 193

```

```

#define TRANSMIT_AS_TABLE_SIZE    0
#define WIRE_MARSHAL_TABLE_SIZE  1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short          Pad;
    unsigned char  Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short          Pad;
    unsigned char  Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000, ver. 0.0,
   GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0x00,0x00,0x00,0x00}}
*/

/* Object interface: IUnknown, ver. 0.0,
   GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0x00,0x00,0x00,0x46}}
*/

/* Object interface: ITPCC, ver. 0.0,
   GUID={0xFE6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B}}
*/

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short ITPCC_FormatStringOffsetTable[] =
{
    0,
    34,
    68,
    102,
    136,
    170
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{

```

```

    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0,
    0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo =
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0
};

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy ,
    (void *)-1 /* ITPCC::NewOrder */ ,
    (void *)-1 /* ITPCC::Payment */ ,
    (void *)-1 /* ITPCC::Delivery */ ,
    (void *)-1 /* ITPCC::StockLevel */ ,
    (void *)-1 /* ITPCC::OrderStatus */ ,
    (void *)-1 /* ITPCC::CallSetComplete */
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

extern const USER_MARSHAL_ROUTINE_QUADRUPLE UserMarshalRoutines[
WIRE_MARSHAL_TABLE_SIZE ];

static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,

```

```

0,
0,
0,
0,
__MIDL_TypeFormatString.Format,
1, /* -error bounds_check flag */
0x20000, /* Ndr library version */
0,
0x5030118, /* MIDL Version 5.3.280 */
0,
UserMarshalRoutines,
0, /* notify & notify_flag routine table */
0x1, /* MIDL flag */
0, /* Reserved3 */
0, /* Reserved4 */
0 /* Reserved5 */
};

#pragma data_seg(".rdata")

static const USER_MARSHAL_ROUTINE_QUADRUPLE UserMarshalRoutines[
WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        VARIANT_UserSize
        ,VARIANT_UserMarshal
        ,VARIANT_UserUnmarshal
        ,VARIANT_UserFree
    }
};

#if !defined(__RPC_WIN32__)
#error Invalid build platform for this stub.
#endif

#if !(TARGET_IS_NT40_OR_LATER)
#error You need a Windows NT 4.0 or later to run this stub because it uses
these features:
#error -Oif or -Oicf, [wire_marshall] or [user_marshall] attribute.
#error However, your C/C++ compilation flags indicate you intend to run this
app on earlier systems.
#error This app will die there with the RPC_X_WRONG_STUB_VERSION error.
#endif

static const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString =
{
    0,
    {

```

```

/* Procedure NewOrder */

0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object, Oi2 */
/* 2 */ NdrFcLong( 0x0 ), /* 0 */
/* 6 */ NdrFcShort( 0x3 ), /* 3 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 8 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#endif
#else
NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
/* 10 */ NdrFcShort( 0x0 ), /* 0 */
/* 12 */ NdrFcShort( 0x8 ), /* 8 */
/* 14 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has
return, */
0x3, /* 3 */

/* Parameter txn_in */

/* 16 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val,
*/
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 18 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#endif
#else
NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 20 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Parameter txn_out */

/* 22 */ NdrFcShort( 0x4113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 24 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else

```

```

        NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif
#else
        NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
        NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 26 */ NdrFcShort( 0x3da ), /* Type Offset=986 */

        /* Return value */

/* 28 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 30 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
        NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */
#endif
#endif
#else
        NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
        NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 32 */ 0x8, /* FC_LONG */
        0x0, /* 0 */

        /* Procedure Payment */

/* 34 */ 0x33, /* FC_AUTO_HANDLE */
        0x6c, /* Old Flags: object, Oi2 */
/* 36 */ NdrFcLong( 0x0 ), /* 0 */
/* 40 */ NdrFcShort( 0x4 ), /* 4 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 42 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
        NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#endif
#else
        NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#else
        NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
/* 44 */ NdrFcShort( 0x0 ), /* 0 */
/* 46 */ NdrFcShort( 0x8 ), /* 8 */
/* 48 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has
return, */
        0x3, /* 3 */

```

```

        /* Parameter txn_in */

/* 50 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val,
*/
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 52 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
        NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#endif
#else
        NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
        NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 54 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

        /* Parameter txn_out */

/* 56 */ NdrFcShort( 0x4113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 58 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
        NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif
#endif
#else
        NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
        NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 60 */ NdrFcShort( 0x3da ), /* Type Offset=986 */

        /* Return value */

/* 62 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 64 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
        NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */
#endif
#endif
#else
        NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
        NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#endif

```

```

        NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 66 */ 0x8, /* FC_LONG */
        0x0, /* 0 */

/* Procedure Delivery */

/* 68 */ 0x33, /* FC_AUTO_HANDLE */
        0x6c, /* Old Flags: object, Oi2 */
/* 70 */ NdrFcLong( 0x0 ), /* 0 */
/* 74 */ NdrFcShort( 0x5 ), /* 5 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 76 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
        NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#endif
#else
        NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#else
        NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
/* 78 */ NdrFcShort( 0x0 ), /* 0 */
/* 80 */ NdrFcShort( 0x8 ), /* 8 */
/* 82 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has
return, */
        0x3, /* 3 */

/* Parameter txn_in */

/* 84 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val,
*/
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 86 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
        NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#endif
#else
        NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
        NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 88 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Parameter txn_out */

/* 90 */ NdrFcShort( 0x4113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=16 */

```

```

#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 92 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
        NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif
#endif
#else
        NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
        NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 94 */ NdrFcShort( 0x3da ), /* Type Offset=986 */

/* Return value */

/* 96 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 98 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
        NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */
#endif
#endif
#else
        NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
        NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 100 */ 0x8, /* FC_LONG */
        0x0, /* 0 */

/* Procedure StockLevel */

/* 102 */ 0x33, /* FC_AUTO_HANDLE */
        0x6c, /* Old Flags: object, Oi2 */
/* 104 */ NdrFcLong( 0x0 ), /* 0 */
/* 108 */ NdrFcShort( 0x6 ), /* 6 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 110 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
        NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#endif
#else
        NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#else
        NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
#endif

```

```

/* 112 */ NdrFcShort( 0x0 ), /* 0 */
/* 114 */ NdrFcShort( 0x8 ), /* 8 */
/* 116 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has
return, */
        0x3, /* 3 */

        /* Parameter txn_in */

/* 118 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val,
*/
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 120 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
        NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#endif
#else
        NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
        NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 122 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

        /* Parameter txn_out */

/* 124 */ NdrFcShort( 0x4113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 126 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
        NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif
#endif
#else
        NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
        NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 128 */ NdrFcShort( 0x3da ), /* Type Offset=986 */

        /* Return value */

/* 130 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 132 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
        NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */

```

```

#endif
#else
        NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
        NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 134 */ 0x8, /* FC_LONG */
        0x0, /* 0 */

        /* Procedure OrderStatus */

/* 136 */ 0x33, /* FC_AUTO_HANDLE */
        0x6c, /* Old Flags: object, Oi2 */
/* 138 */ NdrFcLong( 0x0 ), /* 0 */
/* 142 */ NdrFcShort( 0x7 ), /* 7 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 144 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
        NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#endif
#else
        NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#endif
        NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
/* 146 */ NdrFcShort( 0x0 ), /* 0 */
/* 148 */ NdrFcShort( 0x8 ), /* 8 */
/* 150 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has
return, */
        0x3, /* 3 */

        /* Parameter txn_in */

/* 152 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val,
*/
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 154 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
        NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#endif
#else
        NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
        NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 156 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

```

```

/* Parameter txn_out */

/* 158 */ NdrFcShort( 0x4113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 160 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif
#endif
#else
NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 162 */ NdrFcShort( 0x3da ), /* Type Offset=986 */

/* Return value */

/* 164 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 166 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */
#endif
#endif
#else
NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 168 */ 0x8, /* FC_LONG */
0x0, /* 0 */

/* Procedure CallSetComplete */

/* 170 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object, Oi2 */
/* 172 */ NdrFcLong( 0x0 ), /* 0 */
/* 176 */ NdrFcShort( 0x8 ), /* 8 */
#ifdef _ALPHA_
/* 178 */ NdrFcShort( 0x8 ), /* x86, MIPS, PPC Stack size/offset = 8 */
#else
NdrFcShort( 0x10 ), /* Alpha Stack size/offset = 16 */
#endif
/* 180 */ NdrFcShort( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x8 ), /* 8 */
/* 184 */ 0x4, /* Oi2 Flags: has return, */

```

```

0x1, /* 1 */

/* Return value */

/* 186 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
/* 188 */ NdrFcShort( 0x4 ), /* x86, MIPS, PPC Stack size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 190 */ 0x8, /* FC_LONG */
0x0, /* 0 */

0x0
};

static const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString =
{
0,
{
NdrFcShort( 0x0 ), /* 0 */
/* 2 */
0x12, 0x0, /* FC_UP */
/* 4 */ NdrFcShort( 0x3b0 ), /* Offset= 944 (948) */
/* 6 */
0x2b, /* FC_NON_ENCAPSULATED_UNION */
0x9, /* FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT */
0x0, /* */
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */
/* 12 */ NdrFcShort( 0x2 ), /* Offset= 2 (14) */
/* 14 */ NdrFcShort( 0x10 ), /* 16 */
/* 16 */ NdrFcShort( 0x2b ), /* 43 */
/* 18 */ NdrFcLong( 0x3 ), /* 3 */
/* 22 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 24 */ NdrFcLong( 0x11 ), /* 17 */
/* 28 */ NdrFcShort( 0x8001 ), /* Simple arm type: FC_BYTE */
/* 30 */ NdrFcLong( 0x2 ), /* 2 */
/* 34 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 36 */ NdrFcLong( 0x4 ), /* 4 */
/* 40 */ NdrFcShort( 0x800a ), /* Simple arm type: FC_FLOAT */
/* 42 */ NdrFcLong( 0x5 ), /* 5 */
/* 46 */ NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */
/* 48 */ NdrFcLong( 0xb ), /* 11 */
/* 52 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 54 */ NdrFcLong( 0xa ), /* 10 */
/* 58 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 60 */ NdrFcLong( 0x6 ), /* 6 */
/* 64 */ NdrFcShort( 0xd6 ), /* Offset= 214 (278) */
/* 66 */ NdrFcLong( 0x7 ), /* 7 */
/* 70 */ NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */
/* 72 */ NdrFcLong( 0x8 ), /* 8 */

```

```

/* 76 */ NdrFcShort( 0xd0 ), /* Offset= 208 (284) */
/* 78 */ NdrFcLong( 0xd ), /* 13 */
/* 82 */ NdrFcShort( 0xe2 ), /* Offset= 226 (308) */
/* 84 */ NdrFcLong( 0x9 ), /* 9 */
/* 88 */ NdrFcShort( 0xee ), /* Offset= 238 (326) */
/* 90 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 94 */ NdrFcShort( 0xfa ), /* Offset= 250 (344) */
/* 96 */ NdrFcLong( 0x24 ), /* 36 */
/* 100 */ NdrFcShort( 0x308 ), /* Offset= 776 (876) */
/* 102 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 106 */ NdrFcShort( 0x302 ), /* Offset= 770 (876) */
/* 108 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 112 */ NdrFcShort( 0x300 ), /* Offset= 768 (880) */
/* 114 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 118 */ NdrFcShort( 0x2fe ), /* Offset= 766 (884) */
/* 120 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 124 */ NdrFcShort( 0x2fc ), /* Offset= 764 (888) */
/* 126 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 130 */ NdrFcShort( 0x2fa ), /* Offset= 762 (892) */
/* 132 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 136 */ NdrFcShort( 0x2f8 ), /* Offset= 760 (896) */
/* 138 */ NdrFcLong( 0x400b ), /* 16395 */
/* 142 */ NdrFcShort( 0x2e6 ), /* Offset= 742 (884) */
/* 144 */ NdrFcLong( 0x400a ), /* 16394 */
/* 148 */ NdrFcShort( 0x2e4 ), /* Offset= 740 (888) */
/* 150 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 154 */ NdrFcShort( 0x2ea ), /* Offset= 746 (900) */
/* 156 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 160 */ NdrFcShort( 0x2e0 ), /* Offset= 736 (896) */
/* 162 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 166 */ NdrFcShort( 0x2e2 ), /* Offset= 738 (904) */
/* 168 */ NdrFcLong( 0x400d ), /* 16397 */
/* 172 */ NdrFcShort( 0x2e0 ), /* Offset= 736 (908) */
/* 174 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 178 */ NdrFcShort( 0x2de ), /* Offset= 734 (912) */
/* 180 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 184 */ NdrFcShort( 0x2dc ), /* Offset= 732 (916) */
/* 186 */ NdrFcLong( 0x400c ), /* 16396 */
/* 190 */ NdrFcShort( 0x2da ), /* Offset= 730 (920) */
/* 192 */ NdrFcLong( 0x10 ), /* 16 */
/* 196 */ NdrFcShort( 0x8002 ), /* Simple arm type: FC_CHAR */
/* 198 */ NdrFcLong( 0x12 ), /* 18 */
/* 202 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 204 */ NdrFcLong( 0x13 ), /* 19 */
/* 208 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 210 */ NdrFcLong( 0x16 ), /* 22 */
/* 214 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 216 */ NdrFcLong( 0x17 ), /* 23 */
/* 220 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 222 */ NdrFcLong( 0xe ), /* 14 */
/* 226 */ NdrFcShort( 0x2be ), /* Offset= 702 (928) */
/* 228 */ NdrFcLong( 0x400e ), /* 16398 */
/* 232 */ NdrFcShort( 0x2c4 ), /* Offset= 708 (940) */

```

```

/* 234 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 238 */ NdrFcShort( 0x2c2 ), /* Offset= 706 (944) */
/* 240 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 244 */ NdrFcShort( 0x280 ), /* Offset= 640 (884) */
/* 246 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 250 */ NdrFcShort( 0x27e ), /* Offset= 638 (888) */
/* 252 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 256 */ NdrFcShort( 0x278 ), /* Offset= 632 (888) */
/* 258 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 262 */ NdrFcShort( 0x272 ), /* Offset= 626 (888) */
/* 264 */ NdrFcLong( 0x0 ), /* 0 */
/* 268 */ NdrFcShort( 0x0 ), /* Offset= 0 (268) */
/* 270 */ NdrFcLong( 0x1 ), /* 1 */
/* 274 */ NdrFcShort( 0x0 ), /* Offset= 0 (274) */
/* 276 */ NdrFcShort( 0xffffffff ), /* Offset= -1 (275) */
/* 278 */
        0x15, /* FC_STRUCT */
        0x7, /* 7 */
/* 280 */ NdrFcShort( 0x8 ), /* 8 */
/* 282 */ 0xb, /* FC_HYPER */
        0x5b, /* FC_END */
/* 284 */
        0x12, 0x0, /* FC_UP */
/* 286 */ NdrFcShort( 0xc ), /* Offset= 12 (298) */
/* 288 */
        0x1b, /* FC_CARRAY */
        0x1, /* 1 */
/* 290 */ NdrFcShort( 0x2 ), /* 2 */
/* 292 */ 0x9, /* Corr desc: FC_ULONG */
        0x0, /* */
/* 294 */ NdrFcShort( 0xfffc ), /* -4 */
/* 296 */ 0x6, /* FC_SHORT */
        0x5b, /* FC_END */
/* 298 */
        0x17, /* FC_CSTRUCT */
        0x3, /* 3 */
/* 300 */ NdrFcShort( 0x8 ), /* 8 */
/* 302 */ NdrFcShort( 0xffffffff2 ), /* Offset= -14 (288) */
/* 304 */ 0x8, /* FC_LONG */
        0x8, /* FC_LONG */
/* 306 */ 0x5c, /* FC_PAD */
        0x5b, /* FC_END */
/* 308 */
        0x2f, /* FC_IP */
        0x5a, /* FC_CONSTANT_IID */
/* 310 */ NdrFcLong( 0x0 ), /* 0 */
/* 314 */ NdrFcShort( 0x0 ), /* 0 */
/* 316 */ NdrFcShort( 0x0 ), /* 0 */
/* 318 */ 0xc0, /* 192 */
        0x0, /* 0 */
/* 320 */ 0x0, /* 0 */
        0x0, /* 0 */
/* 322 */ 0x0, /* 0 */

```

```

/* 324 */ 0x0, /* 0 */
/* 326 */ 0x46, /* 70 */
/* 328 */ 0x2f, /* FC_IP */
/* 328 */ 0x5a, /* FC_CONSTANT_IID */
/* 328 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 332 */ NdrFcShort( 0x0 ), /* 0 */
/* 334 */ NdrFcShort( 0x0 ), /* 0 */
/* 336 */ 0xc0, /* 192 */
/* 338 */ 0x0, /* 0 */
/* 340 */ 0x0, /* 0 */
/* 342 */ 0x0, /* 0 */
/* 344 */ 0x46, /* 70 */
/* 346 */ 0x12, 0x10, /* FC_UP [pointer_deref] */
/* 348 */ NdrFcShort( 0x2 ), /* Offset= 2 (348) */
/* 350 */ 0x12, 0x0, /* FC_UP */
/* 352 */ NdrFcShort( 0x1fc ), /* Offset= 508 (858) */
/* 354 */ 0x2a, /* FC_ENCAPSULATED_UNION */
/* 354 */ 0x49, /* 73 */
/* 356 */ NdrFcShort( 0x18 ), /* 24 */
/* 358 */ NdrFcShort( 0xa ), /* 10 */
/* 362 */ NdrFcLong( 0x8 ), /* 8 */
/* 364 */ NdrFcShort( 0x58 ), /* Offset= 88 (450) */
/* 366 */ NdrFcLong( 0xd ), /* 13 */
/* 368 */ NdrFcShort( 0x78 ), /* Offset= 120 (488) */
/* 370 */ NdrFcLong( 0x9 ), /* 9 */
/* 374 */ NdrFcShort( 0x94 ), /* Offset= 148 (522) */
/* 376 */ NdrFcLong( 0xc ), /* 12 */
/* 380 */ NdrFcShort( 0xbc ), /* Offset= 188 (568) */
/* 382 */ NdrFcLong( 0x24 ), /* 36 */
/* 386 */ NdrFcShort( 0x114 ), /* Offset= 276 (662) */
/* 388 */ NdrFcLong( 0x800d ), /* 32781 */
/* 392 */ NdrFcShort( 0x130 ), /* Offset= 304 (696) */
/* 394 */ NdrFcLong( 0x10 ), /* 16 */
/* 398 */ NdrFcShort( 0x148 ), /* Offset= 328 (726) */
/* 400 */ NdrFcLong( 0x2 ), /* 2 */
/* 404 */ NdrFcShort( 0x160 ), /* Offset= 352 (756) */
/* 406 */ NdrFcLong( 0x3 ), /* 3 */
/* 410 */ NdrFcShort( 0x178 ), /* Offset= 376 (786) */
/* 412 */ NdrFcLong( 0x14 ), /* 20 */
/* 416 */ NdrFcShort( 0x190 ), /* Offset= 400 (816) */
/* 418 */ NdrFcShort( 0xffffffff ), /* Offset= -1 (417) */
/* 420 */ 0x1b, /* FC_CARRAY */
/* 422 */ 0x3, /* 3 */
/* 422 */ NdrFcShort( 0x4 ), /* 4 */

```

```

/* 424 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 426 */ 0x0, /* */
/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */ 0x4b, /* FC_PP */
/* 428 */ 0x5c, /* FC_PAD */
/* 430 */ 0x48, /* FC_VARIABLE_REPEAT */
/* 430 */ 0x49, /* FC_FIXED_OFFSET */
/* 432 */ NdrFcShort( 0x4 ), /* 4 */
/* 434 */ NdrFcShort( 0x0 ), /* 0 */
/* 436 */ NdrFcShort( 0x1 ), /* 1 */
/* 438 */ NdrFcShort( 0x0 ), /* 0 */
/* 440 */ NdrFcShort( 0x0 ), /* 0 */
/* 442 */ 0x12, 0x0, /* FC_UP */
/* 444 */ NdrFcShort( 0xfffff6e ), /* Offset= -146 (298) */
/* 446 */ 0x5b, /* FC_END */
/* 448 */ 0x8, /* FC_LONG */
/* 448 */ 0x5c, /* FC_PAD */
/* 448 */ 0x5b, /* FC_END */
/* 450 */ 0x16, /* FC_PSTRUCT */
/* 450 */ 0x3, /* 3 */
/* 452 */ NdrFcShort( 0x8 ), /* 8 */
/* 454 */ 0x4b, /* FC_PP */
/* 454 */ 0x5c, /* FC_PAD */
/* 456 */ 0x46, /* FC_NO_REPEAT */
/* 456 */ 0x5c, /* FC_PAD */
/* 458 */ NdrFcShort( 0x4 ), /* 4 */
/* 460 */ NdrFcShort( 0x4 ), /* 4 */
/* 462 */ 0x11, 0x0, /* FC_RP */
/* 464 */ NdrFcShort( 0xfffffd4 ), /* Offset= -44 (420) */
/* 466 */ 0x5b, /* FC_END */
/* 468 */ 0x8, /* FC_LONG */
/* 468 */ 0x5b, /* FC_END */
/* 470 */ 0x21, /* FC_BOGUS_ARRAY */
/* 470 */ 0x3, /* 3 */
/* 472 */ NdrFcShort( 0x0 ), /* 0 */
/* 474 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 474 */ 0x0, /* */
/* 476 */ NdrFcShort( 0x0 ), /* 0 */
/* 478 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 482 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 482 */ 0x0, /* 0 */
/* 484 */ NdrFcShort( 0xfffff50 ), /* Offset= -176 (308) */

```

```

/* 486 */ 0x5c,      /* FC_PAD */
          0x5b,      /* FC_END */
/* 488 */
          0x1a,      /* FC_BOGUS_STRUCT */
          0x3,        /* 3 */
/* 490 */ NdrFcShort( 0x8 ), /* 8 */
/* 492 */ NdrFcShort( 0x0 ), /* 0 */
/* 494 */ NdrFcShort( 0x6 ), /* Offset= 6 (500) */
/* 496 */ 0x8,        /* FC_LONG */
          0x36,      /* FC_POINTER */
/* 498 */ 0x5c,      /* FC_PAD */
          0x5b,      /* FC_END */
/* 500 */
          0x11, 0x0, /* FC_RP */
/* 502 */ NdrFcShort( 0xfffffe0 ), /* Offset= -32 (470) */
/* 504 */
          0x21,      /* FC_BOGUS_ARRAY */
          0x3,        /* 3 */
/* 506 */ NdrFcShort( 0x0 ), /* 0 */
/* 508 */ 0x19,      /* Corr desc: field pointer, FC_ULONG */
          0x0,        /* */
/* 510 */ NdrFcShort( 0x0 ), /* 0 */
/* 512 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 516 */ 0x4c,      /* FC_EMBEDDED_COMPLEX */
          0x0,        /* 0 */
/* 518 */ NdrFcShort( 0xfffff40 ), /* Offset= -192 (326) */
/* 520 */ 0x5c,      /* FC_PAD */
          0x5b,      /* FC_END */
/* 522 */
          0x1a,      /* FC_BOGUS_STRUCT */
          0x3,        /* 3 */
/* 524 */ NdrFcShort( 0x8 ), /* 8 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */
/* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 530 */ 0x8,        /* FC_LONG */
          0x36,      /* FC_POINTER */
/* 532 */ 0x5c,      /* FC_PAD */
          0x5b,      /* FC_END */
/* 534 */
          0x11, 0x0, /* FC_RP */
/* 536 */ NdrFcShort( 0xfffffe0 ), /* Offset= -32 (504) */
/* 538 */
          0x1b,      /* FC_CARRAY */
          0x3,        /* 3 */
/* 540 */ NdrFcShort( 0x4 ), /* 4 */
/* 542 */ 0x19,      /* Corr desc: field pointer, FC_ULONG */
          0x0,        /* */
/* 544 */ NdrFcShort( 0x0 ), /* 0 */
/* 546 */
          0x4b,      /* FC_PP */
          0x5c,      /* FC_PAD */
/* 548 */
          0x48,      /* FC_VARIABLE_REPEAT */

```

```

          0x49,      /* FC_FIXED_OFFSET */
/* 550 */ NdrFcShort( 0x4 ), /* 4 */
/* 552 */ NdrFcShort( 0x0 ), /* 0 */
/* 554 */ NdrFcShort( 0x1 ), /* 1 */
/* 556 */ NdrFcShort( 0x0 ), /* 0 */
/* 558 */ NdrFcShort( 0x0 ), /* 0 */
/* 560 */ 0x12, 0x0, /* FC_UP */
/* 562 */ NdrFcShort( 0x182 ), /* Offset= 386 (948) */
/* 564 */
          0x5b,      /* FC_END */
          0x8,        /* FC_LONG */
/* 566 */ 0x5c,      /* FC_PAD */
          0x5b,      /* FC_END */
/* 568 */
          0x1a,      /* FC_BOGUS_STRUCT */
          0x3,        /* 3 */
/* 570 */ NdrFcShort( 0x8 ), /* 8 */
/* 572 */ NdrFcShort( 0x0 ), /* 0 */
/* 574 */ NdrFcShort( 0x6 ), /* Offset= 6 (580) */
/* 576 */ 0x8,        /* FC_LONG */
          0x36,      /* FC_POINTER */
/* 578 */ 0x5c,      /* FC_PAD */
          0x5b,      /* FC_END */
/* 580 */
          0x11, 0x0, /* FC_RP */
/* 582 */ NdrFcShort( 0xfffffd4 ), /* Offset= -44 (538) */
/* 584 */
          0x2f,      /* FC_IP */
          0x5a,      /* FC_CONSTANT_IID */
/* 586 */ NdrFcLong( 0x2f ), /* 47 */
/* 590 */ NdrFcShort( 0x0 ), /* 0 */
/* 592 */ NdrFcShort( 0x0 ), /* 0 */
/* 594 */ 0xc0,      /* 192 */
          0x0,        /* 0 */
/* 596 */ 0x0,      /* 0 */
          0x0,        /* 0 */
/* 598 */ 0x0,      /* 0 */
          0x0,        /* 0 */
/* 600 */ 0x0,      /* 0 */
          0x46,      /* 70 */
/* 602 */
          0x1b,      /* FC_CARRAY */
          0x0,        /* 0 */
/* 604 */ NdrFcShort( 0x1 ), /* 1 */
/* 606 */ 0x19,      /* Corr desc: field pointer, FC_ULONG */
          0x0,        /* */
/* 608 */ NdrFcShort( 0x4 ), /* 4 */
/* 610 */ 0x1,      /* FC_BYTE */
          0x5b,      /* FC_END */
/* 612 */
          0x1a,      /* FC_BOGUS_STRUCT */
          0x3,        /* 3 */

```

```

/* 614 */ NdrFcShort( 0x10 ), /* 16 */
/* 616 */ NdrFcShort( 0x0 ), /* 0 */
/* 618 */ NdrFcShort( 0xa ), /* Offset= 10 (628) */
/* 620 */ 0x8, /* FC_LONG */
        0x8, /* FC_LONG */
/* 622 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
        0x0, /* 0 */
/* 624 */ NdrFcShort( 0xffffffff8 ), /* Offset= -40 (584) */
/* 626 */ 0x36, /* FC_POINTER */
        0x5b, /* FC_END */
/* 628 */
        0x12, 0x0, /* FC_UP */
/* 630 */ NdrFcShort( 0xffffffffe4 ), /* Offset= -28 (602) */
/* 632 */
        0x1b, /* FC_CARRAY */
        0x3, /* 3 */
/* 634 */ NdrFcShort( 0x4 ), /* 4 */
/* 636 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
        0x0, /* */
/* 638 */ NdrFcShort( 0x0 ), /* 0 */
/* 640 */
        0x4b, /* FC_PP */
        0x5c, /* FC_PAD */
/* 642 */
        0x48, /* FC_VARIABLE_REPEAT */
        0x49, /* FC_FIXED_OFFSET */
/* 644 */ NdrFcShort( 0x4 ), /* 4 */
/* 646 */ NdrFcShort( 0x0 ), /* 0 */
/* 648 */ NdrFcShort( 0x1 ), /* 1 */
/* 650 */ NdrFcShort( 0x0 ), /* 0 */
/* 652 */ NdrFcShort( 0x0 ), /* 0 */
/* 654 */ 0x12, 0x0, /* FC_UP */
/* 656 */ NdrFcShort( 0xffffffffd4 ), /* Offset= -44 (612) */
/* 658 */
        0x5b, /* FC_END */
/* 660 */
        0x8, /* FC_LONG */
/* 660 */ 0x5c, /* FC_PAD */
        0x5b, /* FC_END */
/* 662 */
        0x1a, /* FC_BOGUS_STRUCT */
        0x3, /* 3 */
/* 664 */ NdrFcShort( 0x8 ), /* 8 */
/* 666 */ NdrFcShort( 0x0 ), /* 0 */
/* 668 */ NdrFcShort( 0x6 ), /* Offset= 6 (674) */
/* 670 */ 0x8, /* FC_LONG */
        0x36, /* FC_POINTER */
/* 672 */ 0x5c, /* FC_PAD */
        0x5b, /* FC_END */
/* 674 */
        0x11, 0x0, /* FC_RP */
/* 676 */ NdrFcShort( 0xffffffffd4 ), /* Offset= -44 (632) */
/* 678 */

```

```

        0x1d, /* FC_SMFARRAY */
        0x0, /* 0 */
/* 680 */ NdrFcShort( 0x8 ), /* 8 */
/* 682 */ 0x2, /* FC_CHAR */
        0x5b, /* FC_END */
/* 684 */
        0x15, /* FC_STRUCT */
        0x3, /* 3 */
/* 686 */ NdrFcShort( 0x10 ), /* 16 */
/* 688 */ 0x8, /* FC_LONG */
        0x6, /* FC_SHORT */
/* 690 */ 0x6, /* FC_SHORT */
        0x4c, /* FC_EMBEDDED_COMPLEX */
/* 692 */ 0x0, /* 0 */
        NdrFcShort( 0xffffffff1 ), /* Offset= -15 (678) */
        0x5b, /* FC_END */
/* 696 */
        0x1a, /* FC_BOGUS_STRUCT */
        0x3, /* 3 */
/* 698 */ NdrFcShort( 0x18 ), /* 24 */
/* 700 */ NdrFcShort( 0x0 ), /* 0 */
/* 702 */ NdrFcShort( 0xa ), /* Offset= 10 (712) */
/* 704 */ 0x8, /* FC_LONG */
        0x36, /* FC_POINTER */
/* 706 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
        0x0, /* 0 */
/* 708 */ NdrFcShort( 0xffffffffe8 ), /* Offset= -24 (684) */
/* 710 */ 0x5c, /* FC_PAD */
        0x5b, /* FC_END */
/* 712 */
        0x11, 0x0, /* FC_RP */
/* 714 */ NdrFcShort( 0xffffffff0c ), /* Offset= -244 (470) */
/* 716 */
        0x1b, /* FC_CARRAY */
        0x0, /* 0 */
/* 718 */ NdrFcShort( 0x1 ), /* 1 */
/* 720 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
        0x0, /* */
/* 722 */ NdrFcShort( 0x0 ), /* 0 */
/* 724 */ 0x1, /* FC_BYTE */
        0x5b, /* FC_END */
/* 726 */
        0x16, /* FC_PSTRUCT */
        0x3, /* 3 */
/* 728 */ NdrFcShort( 0x8 ), /* 8 */
/* 730 */
        0x4b, /* FC_PP */
        0x5c, /* FC_PAD */
/* 732 */
        0x46, /* FC_NO_REPEAT */
        0x5c, /* FC_PAD */
/* 734 */ NdrFcShort( 0x4 ), /* 4 */
/* 736 */ NdrFcShort( 0x4 ), /* 4 */

```

```

/* 738 */ 0x12, 0x0, /* FC_UP */
/* 740 */ NdrFcShort( 0xffffffffe8 ), /* Offset= -24 (716) */
/* 742 */
    0x5b, /* FC_END */

    0x8, /* FC_LONG */
/* 744 */ 0x8, /* FC_LONG */
    0x5b, /* FC_END */
/* 746 */
    0x1b, /* FC_CARRAY */
    0x1, /* 1 */
/* 748 */ NdrFcShort( 0x2 ), /* 2 */
/* 750 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
    0x0, /* */
/* 752 */ NdrFcShort( 0x0 ), /* 0 */
/* 754 */ 0x6, /* FC_SHORT */
    0x5b, /* FC_END */
/* 756 */
    0x16, /* FC_PSTRUCT */
    0x3, /* 3 */
/* 758 */ NdrFcShort( 0x8 ), /* 8 */
/* 760 */
    0x4b, /* FC_PP */
    0x5c, /* FC_PAD */
/* 762 */
    0x46, /* FC_NO_REPEAT */
    0x5c, /* FC_PAD */
/* 764 */ NdrFcShort( 0x4 ), /* 4 */
/* 766 */ NdrFcShort( 0x4 ), /* 4 */
/* 768 */ 0x12, 0x0, /* FC_UP */
/* 770 */ NdrFcShort( 0xffffffffe8 ), /* Offset= -24 (746) */
/* 772 */
    0x5b, /* FC_END */

    0x8, /* FC_LONG */
/* 774 */ 0x8, /* FC_LONG */
    0x5b, /* FC_END */
/* 776 */
    0x1b, /* FC_CARRAY */
    0x3, /* 3 */
/* 778 */ NdrFcShort( 0x4 ), /* 4 */
/* 780 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
    0x0, /* */
/* 782 */ NdrFcShort( 0x0 ), /* 0 */
/* 784 */ 0x8, /* FC_LONG */
    0x5b, /* FC_END */
/* 786 */
    0x16, /* FC_PSTRUCT */
    0x3, /* 3 */
/* 788 */ NdrFcShort( 0x8 ), /* 8 */
/* 790 */
    0x4b, /* FC_PP */
    0x5c, /* FC_PAD */

```

```

/* 792 */
    0x46, /* FC_NO_REPEAT */
    0x5c, /* FC_PAD */
/* 794 */ NdrFcShort( 0x4 ), /* 4 */
/* 796 */ NdrFcShort( 0x4 ), /* 4 */
/* 798 */ 0x12, 0x0, /* FC_UP */
/* 800 */ NdrFcShort( 0xffffffffe8 ), /* Offset= -24 (776) */
/* 802 */
    0x5b, /* FC_END */

    0x8, /* FC_LONG */
/* 804 */ 0x8, /* FC_LONG */
    0x5b, /* FC_END */
/* 806 */
    0x1b, /* FC_CARRAY */
    0x7, /* 7 */
/* 808 */ NdrFcShort( 0x8 ), /* 8 */
/* 810 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
    0x0, /* */
/* 812 */ NdrFcShort( 0x0 ), /* 0 */
/* 814 */ 0xb, /* FC_HYPER */
    0x5b, /* FC_END */
/* 816 */
    0x16, /* FC_PSTRUCT */
    0x3, /* 3 */
/* 818 */ NdrFcShort( 0x8 ), /* 8 */
/* 820 */
    0x4b, /* FC_PP */
    0x5c, /* FC_PAD */
/* 822 */
    0x46, /* FC_NO_REPEAT */
    0x5c, /* FC_PAD */
/* 824 */ NdrFcShort( 0x4 ), /* 4 */
/* 826 */ NdrFcShort( 0x4 ), /* 4 */
/* 828 */ 0x12, 0x0, /* FC_UP */
/* 830 */ NdrFcShort( 0xffffffffe8 ), /* Offset= -24 (806) */
/* 832 */
    0x5b, /* FC_END */

    0x8, /* FC_LONG */
/* 834 */ 0x8, /* FC_LONG */
    0x5b, /* FC_END */
/* 836 */
    0x15, /* FC_STRUCT */
    0x3, /* 3 */
/* 838 */ NdrFcShort( 0x8 ), /* 8 */
/* 840 */ 0x8, /* FC_LONG */
    0x8, /* FC_LONG */
/* 842 */ 0x5c, /* FC_PAD */
    0x5b, /* FC_END */
/* 844 */
    0x1b, /* FC_CARRAY */
    0x3, /* 3 */

```

```

/* 846 */ NdrFcShort( 0x8 ), /* 8 */
/* 848 */ 0x7, /* Corr desc: FC_USHORT */
          0x0, /* */
/* 850 */ NdrFcShort( 0xffd8 ), /* -40 */
/* 852 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
          0x0, /* 0 */
/* 854 */ NdrFcShort( 0xfffffee ), /* Offset= -18 (836) */
/* 856 */ 0x5c, /* FC_PAD */
          0x5b, /* FC_END */
/* 858 */
          0x1a, /* FC_BOGUS_STRUCT */
          0x3, /* 3 */
/* 860 */ NdrFcShort( 0x28 ), /* 40 */
/* 862 */ NdrFcShort( 0xfffffee ), /* Offset= -18 (844) */
/* 864 */ NdrFcShort( 0x0 ), /* Offset= 0 (864) */
/* 866 */ 0x6, /* FC_SHORT */
          0x6, /* FC_SHORT */
/* 868 */ 0x38, /* FC_ALIGNM4 */
          0x8, /* FC_LONG */
/* 870 */ 0x8, /* FC_LONG */
          0x4c, /* FC_EMBEDDED_COMPLEX */
/* 872 */ 0x0, /* 0 */
          NdrFcShort( 0xffffdf7 ), /* Offset= -521 (352) */
          0x5b, /* FC_END */
/* 876 */
          0x12, 0x0, /* FC_UP */
/* 878 */ NdrFcShort( 0xffffef6 ), /* Offset= -266 (612) */
/* 880 */
          0x12, 0x8, /* FC_UP [simple_pointer] */
/* 882 */ 0x1, /* FC_BYTE */
          0x5c, /* FC_PAD */
/* 884 */
          0x12, 0x8, /* FC_UP [simple_pointer] */
/* 886 */ 0x6, /* FC_SHORT */
          0x5c, /* FC_PAD */
/* 888 */
          0x12, 0x8, /* FC_UP [simple_pointer] */
/* 890 */ 0x8, /* FC_LONG */
          0x5c, /* FC_PAD */
/* 892 */
          0x12, 0x8, /* FC_UP [simple_pointer] */
/* 894 */ 0xa, /* FC_FLOAT */
          0x5c, /* FC_PAD */
/* 896 */
          0x12, 0x8, /* FC_UP [simple_pointer] */
/* 898 */ 0xc, /* FC_DOUBLE */
          0x5c, /* FC_PAD */
/* 900 */
          0x12, 0x0, /* FC_UP */
/* 902 */ NdrFcShort( 0xffffd90 ), /* Offset= -624 (278) */
/* 904 */
          0x12, 0x10, /* FC_UP [pointer_deref] */
/* 906 */ NdrFcShort( 0xffffd92 ), /* Offset= -622 (284) */

```

```

/* 908 */
          0x12, 0x10, /* FC_UP [pointer_deref] */
/* 910 */ NdrFcShort( 0xffffda6 ), /* Offset= -602 (308) */
/* 912 */
          0x12, 0x10, /* FC_UP [pointer_deref] */
/* 914 */ NdrFcShort( 0xffffdb4 ), /* Offset= -588 (326) */
/* 916 */
          0x12, 0x10, /* FC_UP [pointer_deref] */
/* 918 */ NdrFcShort( 0xffffdc2 ), /* Offset= -574 (344) */
/* 920 */
          0x12, 0x10, /* FC_UP [pointer_deref] */
/* 922 */ NdrFcShort( 0x2 ), /* Offset= 2 (924) */
/* 924 */
          0x12, 0x0, /* FC_UP */
/* 926 */ NdrFcShort( 0x16 ), /* Offset= 22 (948) */
/* 928 */
          0x15, /* FC_STRUCT */
          0x7, /* 7 */
/* 930 */ NdrFcShort( 0x10 ), /* 16 */
/* 932 */ 0x6, /* FC_SHORT */
          0x1, /* FC_BYTE */
/* 934 */ 0x1, /* FC_BYTE */
          0x38, /* FC_ALIGNM4 */
/* 936 */ 0x8, /* FC_LONG */
          0x39, /* FC_ALIGNM8 */
/* 938 */ 0xb, /* FC_HYPER */
          0x5b, /* FC_END */
/* 940 */
          0x12, 0x0, /* FC_UP */
/* 942 */ NdrFcShort( 0xffffff2 ), /* Offset= -14 (928) */
/* 944 */
          0x12, 0x8, /* FC_UP [simple_pointer] */
/* 946 */ 0x2, /* FC_CHAR */
          0x5c, /* FC_PAD */
/* 948 */
          0x1a, /* FC_BOGUS_STRUCT */
          0x7, /* 7 */
/* 950 */ NdrFcShort( 0x20 ), /* 32 */
/* 952 */ NdrFcShort( 0x0 ), /* 0 */
/* 954 */ NdrFcShort( 0x0 ), /* Offset= 0 (954) */
/* 956 */ 0x8, /* FC_LONG */
          0x8, /* FC_LONG */
/* 958 */ 0x6, /* FC_SHORT */
          0x6, /* FC_SHORT */
/* 960 */ 0x6, /* FC_SHORT */
          0x6, /* FC_SHORT */
/* 962 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
          0x0, /* 0 */
/* 964 */ NdrFcShort( 0xffffc42 ), /* Offset= -958 (6) */
/* 966 */ 0x5c, /* FC_PAD */
          0x5b, /* FC_END */
/* 968 */ 0xb4, /* FC_USER_MARSHAL */
          0x83, /* 131 */

```

```

/* 970 */ NdrFcShort( 0x0 ), /* 0 */
/* 972 */ NdrFcShort( 0x10 ), /* 16 */
/* 974 */ NdrFcShort( 0x0 ), /* 0 */
/* 976 */ NdrFcShort( 0xfffffc32 ), /* Offset= -974 (2) */
/* 978 */
        0x11, 0x4, /* FC_RP [allocated_on_stack] */
/* 980 */ NdrFcShort( 0x6 ), /* Offset= 6 (986) */
/* 982 */
        0x13, 0x0, /* FC_OP */
/* 984 */ NdrFcShort( 0xfffffcdc ), /* Offset= -36 (948) */
/* 986 */ 0xb4, /* FC_USER_MARSHAL */
        0x83, /* 131 */
/* 988 */ NdrFcShort( 0x0 ), /* 0 */
/* 990 */ NdrFcShort( 0x10 ), /* 16 */
/* 992 */ NdrFcShort( 0x0 ), /* 0 */
/* 994 */ NdrFcShort( 0xfffffff4 ), /* Offset= -12 (982) */

        0x0
    }
};

const CInterfaceProxyVtbl * _tpcc_com_ps_ProxyVtblList[] =
{
    ( CInterfaceProxyVtbl *) &_ITPCCProxyVtbl,
    0
};

const CInterfaceStubVtbl * _tpcc_com_ps_StubVtblList[] =
{
    ( CInterfaceStubVtbl *) &_ITPCCStubVtbl,
    0
};

PCInterfaceName const _tpcc_com_ps_InterfaceNamesList[] =
{
    "ITPCC",
    0
};

#define _tpcc_com_ps_CHECK_IID(n)    IID_GENERIC_CHECK_IID( _tpcc_com_ps,
pIID, n)

int __stdcall _tpcc_com_ps_IID_Lookup( const IID * pIID, int * pIndex )
{
    if(!_tpcc_com_ps_CHECK_IID(0))
    {
        *pIndex = 0;
        return 1;
    }

    return 0;
}

```

```

}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo =
{
    (PCInterfaceProxyVtblList *) &_tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) &_tpcc_com_ps_StubVtblList,
    (const PCInterfaceName *) &_tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    &_tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
};

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the proxy stub code */

/* File created by MIDL compiler version 5.03.0280 */
/* at Sat Apr 08 16:40:10 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
    Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b run,appending), ms_ext, c_ext,
robust
    error checks: allocation ref bounds_check enum stub_data
    VC __declspec() decoration level:
        __declspec(uuid()), __declspec(selectany), __declspec(novtable)
    DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING(  )

#ifdef _M_IA64 || defined(_M_AXP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high enough to compile this
file*/
#ifndef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 475
#endif

#include "rpcproxy.h"
#ifndef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of <rpcproxy.h>

```

```

#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 979
#define PROC_FORMAT_STRING_SIZE 253
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short          Pad;
    unsigned char  Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short          Pad;
    unsigned char  Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000, ver. 0.0,
   GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0x00,0x00,0x00,0x00}}
*/

/* Object interface: IUnknown, ver. 0.0,
   GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0x00,0x00,0x00,0x46}}
*/

/* Object interface: ITPCC, ver. 0.0,
   GUID={0xFEEE6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B}}
*/

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short ITPCC_FormatStringOffsetTable[] =
{
    0,
    44,
    88,
    132,
    176,
    220
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0,
    0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo =
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0
};

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy ,
    (void *)-1 /* ITPCC::NewOrder */ ,
    (void *)-1 /* ITPCC::Payment */ ,
    (void *)-1 /* ITPCC::Delivery */ ,
    (void *)-1 /* ITPCC::StockLevel */ ,
    (void *)-1 /* ITPCC::OrderStatus */ ,
    (void *)-1 /* ITPCC::CallSetComplete */
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

extern const USER_MARSHAL_ROUTINE_QUADRUPLE UserMarshalRoutines[
WIRE_MARSHAL_TABLE_SIZE ];

```

```

static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,
    0,
    0,
    0,
    0,
    0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x50002, /* Ndr library version */
    0,
    0x5030118, /* MIDL Version 5.3.280 */
    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* Reserved3 */
    0, /* Reserved4 */
    0 /* Reserved5 */
};

#pragma data_seg(".rdata")

static const USER_MARSHAL_ROUTINE_QUADRUPLE UserMarshalRoutines[
WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        VARIANT_UserSize
        ,VARIANT_UserMarshal
        ,VARIANT_UserUnmarshal
        ,VARIANT_UserFree
    }
};

#if !defined(__RPC_WIN64__)
#error Invalid build platform for this stub.
#endif

static const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString =
{
    0,
    {
        /* Procedure NewOrder */

        0x33, /* FC_AUTO_HANDLE */

```

```

0x6c, /* Old Flags: object, Oi2 */
/* 2 */ NdrFcLong( 0x0 ), /* 0 */
/* 6 */ NdrFcShort( 0x3 ), /* 3 */
#ifdef _ALPHA_
/* 8 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 10 */ NdrFcShort( 0x0 ), /* 0 */
/* 12 */ NdrFcShort( 0x8 ), /* 8 */
/* 14 */ 0x47, /* Oi2 Flags: srv must size, clt must size, has
return, has ext, */
0x3, /* 3 */
/* 16 */ 0xa, /* 10 */
0x7, /* Ext Flags: new corr desc, clt corr check, srv
corr check, */
/* 18 */ NdrFcShort( 0x20 ), /* 32 */
/* 20 */ NdrFcShort( 0x20 ), /* 32 */
/* 22 */ NdrFcShort( 0x0 ), /* 0 */
/* 24 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 26 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val,
*/
#ifdef _ALPHA_
/* 28 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 30 */ NdrFcShort( 0x3b6 ), /* Type Offset=950 */

/* Parameter txn_out */

/* 32 */ NdrFcShort( 0x6113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=24 */
#ifdef _ALPHA_
/* 34 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 36 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Return value */

/* 38 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
/* 40 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 42 */ 0x8, /* FC_LONG */
0x0, /* 0 */

```

```

/* Procedure Payment */

/* 44 */ 0x33, /* FC_AUTO_HANDLE */
        0x6c, /* Old Flags: object, Oi2 */
/* 46 */ NdrFcLong( 0x0 ), /* 0 */
/* 50 */ NdrFcShort( 0x4 ), /* 4 */
#ifdef _ALPHA_
/* 52 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 54 */ NdrFcShort( 0x0 ), /* 0 */
/* 56 */ NdrFcShort( 0x8 ), /* 8 */
/* 58 */ 0x47, /* Oi2 Flags: srv must size, clt must size, has
return, has ext, */
        0x3, /* 3 */
/* 60 */ 0xa, /* 10 */
        0x7, /* Ext Flags: new corr desc, clt corr check, srv
corr check, */
/* 62 */ NdrFcShort( 0x20 ), /* 32 */
/* 64 */ NdrFcShort( 0x20 ), /* 32 */
/* 66 */ NdrFcShort( 0x0 ), /* 0 */
/* 68 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 70 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val,
*/
#ifdef _ALPHA_
/* 72 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
        NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 74 */ NdrFcShort( 0x3b6 ), /* Type Offset=950 */

/* Parameter txn_out */

/* 76 */ NdrFcShort( 0x6113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=24 */
#ifdef _ALPHA_
/* 78 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
        NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 80 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Return value */

/* 82 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
/* 84 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else

```

```

        NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 86 */ 0x8, /* FC_LONG */
        0x0, /* 0 */

/* Procedure Delivery */

/* 88 */ 0x33, /* FC_AUTO_HANDLE */
        0x6c, /* Old Flags: object, Oi2 */
/* 90 */ NdrFcLong( 0x0 ), /* 0 */
/* 94 */ NdrFcShort( 0x5 ), /* 5 */
#ifdef _ALPHA_
/* 96 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 98 */ NdrFcShort( 0x0 ), /* 0 */
/* 100 */ NdrFcShort( 0x8 ), /* 8 */
/* 102 */ 0x47, /* Oi2 Flags: srv must size, clt must size, has
return, has ext, */
        0x3, /* 3 */
/* 104 */ 0xa, /* 10 */
        0x7, /* Ext Flags: new corr desc, clt corr check, srv
corr check, */
/* 106 */ NdrFcShort( 0x20 ), /* 32 */
/* 108 */ NdrFcShort( 0x20 ), /* 32 */
/* 110 */ NdrFcShort( 0x0 ), /* 0 */
/* 112 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 114 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val,
*/
#ifdef _ALPHA_
/* 116 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
        NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 118 */ NdrFcShort( 0x3b6 ), /* Type Offset=950 */

/* Parameter txn_out */

/* 120 */ NdrFcShort( 0x6113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=24 */
#ifdef _ALPHA_
/* 122 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
        NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 124 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Return value */

```

```

/* 126 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
/* 128 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 130 */ 0x8, /* FC_LONG */
0x0, /* 0 */

/* Procedure StockLevel */

/* 132 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object, Oi2 */
/* 134 */ NdrFcLong( 0x0 ), /* 0 */
/* 138 */ NdrFcShort( 0x6 ), /* 6 */
#ifdef _ALPHA_
/* 140 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 142 */ NdrFcShort( 0x0 ), /* 0 */
/* 144 */ NdrFcShort( 0x8 ), /* 8 */
/* 146 */ 0x47, /* Oi2 Flags: srv must size, clt must size, has
return, has ext, */
0x3, /* 3 */
/* 148 */ 0xa, /* 10 */
0x7, /* Ext Flags: new corr desc, clt corr check, srv
corr check, */
/* 150 */ NdrFcShort( 0x20 ), /* 32 */
/* 152 */ NdrFcShort( 0x20 ), /* 32 */
/* 154 */ NdrFcShort( 0x0 ), /* 0 */
/* 156 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 158 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val,
*/
#ifdef _ALPHA_
/* 160 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 162 */ NdrFcShort( 0x3b6 ), /* Type Offset=950 */

/* Parameter txn_out */

/* 164 */ NdrFcShort( 0x6113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=24 */
#ifdef _ALPHA_
/* 166 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif

```

```

/* 168 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Return value */

/* 170 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
/* 172 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 174 */ 0x8, /* FC_LONG */
0x0, /* 0 */

/* Procedure OrderStatus */

/* 176 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object, Oi2 */
/* 178 */ NdrFcLong( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x7 ), /* 7 */
#ifdef _ALPHA_
/* 184 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 186 */ NdrFcShort( 0x0 ), /* 0 */
/* 188 */ NdrFcShort( 0x8 ), /* 8 */
/* 190 */ 0x47, /* Oi2 Flags: srv must size, clt must size, has
return, has ext, */
0x3, /* 3 */
/* 192 */ 0xa, /* 10 */
0x7, /* Ext Flags: new corr desc, clt corr check, srv
corr check, */
/* 194 */ NdrFcShort( 0x20 ), /* 32 */
/* 196 */ NdrFcShort( 0x20 ), /* 32 */
/* 198 */ NdrFcShort( 0x0 ), /* 0 */
/* 200 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 202 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val,
*/
#ifdef _ALPHA_
/* 204 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 206 */ NdrFcShort( 0x3b6 ), /* Type Offset=950 */

/* Parameter txn_out */

/* 208 */ NdrFcShort( 0x6113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=24 */
#ifdef _ALPHA_

```

```

/* 210 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
        NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 212 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

    /* Return value */

/* 214 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
/* 216 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
        NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 218 */ 0x8, /* FC_LONG */
        0x0, /* 0 */

    /* Procedure CallSetComplete */

/* 220 */ 0x33, /* FC_AUTO_HANDLE */
        0x6c, /* Old Flags: object, Oi2 */
/* 222 */ NdrFcLong( 0x0 ), /* 0 */
/* 226 */ NdrFcShort( 0x8 ), /* 8 */
/* 228 */ NdrFcShort( 0x10 ), /* ia64, axp64 Stack size/offset = 16 */
/* 230 */ NdrFcShort( 0x0 ), /* 0 */
/* 232 */ NdrFcShort( 0x8 ), /* 8 */
/* 234 */ 0x44, /* Oi2 Flags: has return, has ext, */
        0x1, /* 1 */
/* 236 */ 0xa, /* 10 */
        0x1, /* Ext Flags: new corr desc, */
/* 238 */ NdrFcShort( 0x0 ), /* 0 */
/* 240 */ NdrFcShort( 0x0 ), /* 0 */
/* 242 */ NdrFcShort( 0x0 ), /* 0 */
/* 244 */ NdrFcShort( 0x0 ), /* 0 */

    /* Return value */

/* 246 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
/* 248 */ NdrFcShort( 0x8 ), /* ia64, axp64 Stack size/offset = 8 */
/* 250 */ 0x8, /* FC_LONG */
        0x0, /* 0 */

        0x0
    }
};

static const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString =
{
    0,
    {
        NdrFcShort( 0x0 ), /* 0 */
/* 2 */
        0x12, 0x0, /* FC_UP */

```

```

/* 4 */ NdrFcShort( 0x39e ), /* Offset= 926 (930) */
/* 6 */
        0x2b, /* FC_NON_ENCAPSULATED_UNION */
        0x9, /* FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT */
        0x0, /* */
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */
/* 12 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 14 */ NdrFcShort( 0x2 ), /* Offset= 2 (16) */
/* 16 */ NdrFcShort( 0x10 ), /* 16 */
/* 18 */ NdrFcShort( 0x2b ), /* 43 */
/* 20 */ NdrFcLong( 0x3 ), /* 3 */
/* 24 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 26 */ NdrFcLong( 0x11 ), /* 17 */
/* 30 */ NdrFcShort( 0x8001 ), /* Simple arm type: FC_BYTE */
/* 32 */ NdrFcLong( 0x2 ), /* 2 */
/* 36 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 38 */ NdrFcLong( 0x4 ), /* 4 */
/* 42 */ NdrFcShort( 0x800a ), /* Simple arm type: FC_FLOAT */
/* 44 */ NdrFcLong( 0x5 ), /* 5 */
/* 48 */ NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */
/* 50 */ NdrFcLong( 0xb ), /* 11 */
/* 54 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 56 */ NdrFcLong( 0xa ), /* 10 */
/* 60 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 62 */ NdrFcLong( 0x6 ), /* 6 */
/* 66 */ NdrFcShort( 0xd6 ), /* Offset= 214 (280) */
/* 68 */ NdrFcLong( 0x7 ), /* 7 */
/* 72 */ NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */
/* 74 */ NdrFcLong( 0x8 ), /* 8 */
/* 78 */ NdrFcShort( 0xd0 ), /* Offset= 208 (286) */
/* 80 */ NdrFcLong( 0xd ), /* 13 */
/* 84 */ NdrFcShort( 0xe4 ), /* Offset= 228 (312) */
/* 86 */ NdrFcLong( 0x9 ), /* 9 */
/* 90 */ NdrFcShort( 0xf0 ), /* Offset= 240 (330) */
/* 92 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 96 */ NdrFcShort( 0xfc ), /* Offset= 252 (348) */
/* 98 */ NdrFcLong( 0x24 ), /* 36 */
/* 102 */ NdrFcShort( 0x2f4 ), /* Offset= 756 (858) */
/* 104 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 108 */ NdrFcShort( 0x2ee ), /* Offset= 750 (858) */
/* 110 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 114 */ NdrFcShort( 0x2ec ), /* Offset= 748 (862) */
/* 116 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 120 */ NdrFcShort( 0x2ea ), /* Offset= 746 (866) */
/* 122 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 126 */ NdrFcShort( 0x2e8 ), /* Offset= 744 (870) */
/* 128 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 132 */ NdrFcShort( 0x2e6 ), /* Offset= 742 (874) */
/* 134 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 138 */ NdrFcShort( 0x2e4 ), /* Offset= 740 (878) */
/* 140 */ NdrFcLong( 0x400b ), /* 16395 */
/* 144 */ NdrFcShort( 0x2d2 ), /* Offset= 722 (866) */

```

```

/* 146 */ NdrFcLong( 0x400a ), /* 16394 */
/* 150 */ NdrFcShort( 0x2d0 ), /* Offset= 720 (870) */
/* 152 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 156 */ NdrFcShort( 0x2d6 ), /* Offset= 726 (882) */
/* 158 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 162 */ NdrFcShort( 0x2cc ), /* Offset= 716 (878) */
/* 164 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 168 */ NdrFcShort( 0x2ce ), /* Offset= 718 (886) */
/* 170 */ NdrFcLong( 0x400d ), /* 16397 */
/* 174 */ NdrFcShort( 0x2cc ), /* Offset= 716 (890) */
/* 176 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 180 */ NdrFcShort( 0x2ca ), /* Offset= 714 (894) */
/* 182 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 186 */ NdrFcShort( 0x2c8 ), /* Offset= 712 (898) */
/* 188 */ NdrFcLong( 0x400c ), /* 16396 */
/* 192 */ NdrFcShort( 0x2c6 ), /* Offset= 710 (902) */
/* 194 */ NdrFcLong( 0x10 ), /* 16 */
/* 198 */ NdrFcShort( 0x8002 ), /* Simple arm type: FC_CHAR */
/* 200 */ NdrFcLong( 0x12 ), /* 18 */
/* 204 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 206 */ NdrFcLong( 0x13 ), /* 19 */
/* 210 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 212 */ NdrFcLong( 0x16 ), /* 22 */
/* 216 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 218 */ NdrFcLong( 0x17 ), /* 23 */
/* 222 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 224 */ NdrFcLong( 0xe ), /* 14 */
/* 228 */ NdrFcShort( 0x2aa ), /* Offset= 682 (910) */
/* 230 */ NdrFcLong( 0x400e ), /* 16398 */
/* 234 */ NdrFcShort( 0x2b0 ), /* Offset= 688 (922) */
/* 236 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 240 */ NdrFcShort( 0x2ae ), /* Offset= 686 (926) */
/* 242 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 246 */ NdrFcShort( 0x26c ), /* Offset= 620 (866) */
/* 248 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 252 */ NdrFcShort( 0x26a ), /* Offset= 618 (870) */
/* 254 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 258 */ NdrFcShort( 0x264 ), /* Offset= 612 (870) */
/* 260 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 264 */ NdrFcShort( 0x25e ), /* Offset= 606 (870) */
/* 266 */ NdrFcLong( 0x0 ), /* 0 */
/* 270 */ NdrFcShort( 0x0 ), /* Offset= 0 (270) */
/* 272 */ NdrFcLong( 0x1 ), /* 1 */
/* 276 */ NdrFcShort( 0x0 ), /* Offset= 0 (276) */
/* 278 */ NdrFcShort( 0xffffffff ), /* Offset= -1 (277) */
/* 280 */
    0x15, /* FC_STRUCT */
    0x7, /* 7 */
/* 282 */ NdrFcShort( 0x8 ), /* 8 */
/* 284 */ 0xb, /* FC_HYPER */
    0x5b, /* FC_END */
/* 286 */
    0x12, 0x0, /* FC_UP */

```

```

/* 288 */ NdrFcShort( 0xe ), /* Offset= 14 (302) */
/* 290 */
    0x1b, /* FC_CARRAY */
    0x1, /* 1 */
/* 292 */ NdrFcShort( 0x2 ), /* 2 */
/* 294 */ 0x9, /* Corr desc: FC_ULONG */
    0x0, /* */
/* 296 */ NdrFcShort( 0xfffc ), /* -4 */
/* 298 */ NdrFcShort( 0x1 ), /* Corr flags: early */
/* 300 */ 0x6, /* FC_SHORT */
    0x5b, /* FC_END */
/* 302 */
    0x17, /* FC_CSTRUCT */
    0x3, /* 3 */
/* 304 */ NdrFcShort( 0x8 ), /* 8 */
/* 306 */ NdrFcShort( 0xffffffff0 ), /* Offset= -16 (290) */
/* 308 */ 0x8, /* FC_LONG */
    0x8, /* FC_LONG */
/* 310 */ 0x5c, /* FC_PAD */
    0x5b, /* FC_END */
/* 312 */
    0x2f, /* FC_IP */
    0x5a, /* FC_CONSTANT_IID */
/* 314 */ NdrFcLong( 0x0 ), /* 0 */
/* 318 */ NdrFcShort( 0x0 ), /* 0 */
/* 320 */ NdrFcShort( 0x0 ), /* 0 */
/* 322 */ 0xc0, /* 192 */
    0x0, /* 0 */
/* 324 */ 0x0, /* 0 */
    0x0, /* 0 */
/* 326 */ 0x0, /* 0 */
    0x0, /* 0 */
/* 328 */ 0x0, /* 0 */
    0x46, /* 70 */
/* 330 */
    0x2f, /* FC_IP */
    0x5a, /* FC_CONSTANT_IID */
/* 332 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 336 */ NdrFcShort( 0x0 ), /* 0 */
/* 338 */ NdrFcShort( 0x0 ), /* 0 */
/* 340 */ 0xc0, /* 192 */
    0x0, /* 0 */
/* 342 */ 0x0, /* 0 */
    0x0, /* 0 */
/* 344 */ 0x0, /* 0 */
    0x0, /* 0 */
/* 346 */ 0x0, /* 0 */
    0x46, /* 70 */
/* 348 */
    0x12, 0x10, /* FC_UP [pointer_deref] */
/* 350 */ NdrFcShort( 0x2 ), /* Offset= 2 (352) */
/* 352 */
    0x12, 0x0, /* FC_UP */

```

```

/* 354 */ NdrFcShort( 0x1e6 ), /* Offset= 486 (840) */
/* 356 */
        0x2a,      /* FC_ENCAPSULATED_UNION */
        0x89,      /* 137 */
/* 358 */ NdrFcShort( 0x20 ), /* 32 */
/* 360 */ NdrFcShort( 0xa ), /* 10 */
/* 362 */ NdrFcLong( 0x8 ), /* 8 */
/* 366 */ NdrFcShort( 0x50 ), /* Offset= 80 (446) */
/* 368 */ NdrFcLong( 0xd ), /* 13 */
/* 372 */ NdrFcShort( 0x70 ), /* Offset= 112 (484) */
/* 374 */ NdrFcLong( 0x9 ), /* 9 */
/* 378 */ NdrFcShort( 0x90 ), /* Offset= 144 (522) */
/* 380 */ NdrFcLong( 0xc ), /* 12 */
/* 384 */ NdrFcShort( 0xb0 ), /* Offset= 176 (560) */
/* 386 */ NdrFcLong( 0x24 ), /* 36 */
/* 390 */ NdrFcShort( 0x104 ), /* Offset= 260 (650) */
/* 392 */ NdrFcLong( 0x800d ), /* 32781 */
/* 396 */ NdrFcShort( 0x120 ), /* Offset= 288 (684) */
/* 398 */ NdrFcLong( 0x10 ), /* 16 */
/* 402 */ NdrFcShort( 0x13a ), /* Offset= 314 (716) */
/* 404 */ NdrFcLong( 0x2 ), /* 2 */
/* 408 */ NdrFcShort( 0x150 ), /* Offset= 336 (744) */
/* 410 */ NdrFcLong( 0x3 ), /* 3 */
/* 414 */ NdrFcShort( 0x166 ), /* Offset= 358 (772) */
/* 416 */ NdrFcLong( 0x14 ), /* 20 */
/* 420 */ NdrFcShort( 0x17c ), /* Offset= 380 (800) */
/* 422 */ NdrFcShort( 0xffffffff ), /* Offset= -1 (421) */
/* 424 */
        0x21,      /* FC_BOGUS_ARRAY */
        0x3,       /* 3 */
/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
        0x0,      /* */
/* 430 */ NdrFcShort( 0x0 ), /* 0 */
/* 432 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 434 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 438 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 440 */
        0x12, 0x0, /* FC_UP */
/* 442 */ NdrFcShort( 0xfffff74 ), /* Offset= -140 (302) */
/* 444 */ 0x5c, /* FC_PAD */
        0x5b, /* FC_END */
/* 446 */
        0x1a,      /* FC_BOGUS_STRUCT */
        0x3,       /* 3 */
/* 448 */ NdrFcShort( 0x10 ), /* 16 */
/* 450 */ NdrFcShort( 0x0 ), /* 0 */
/* 452 */ NdrFcShort( 0x6 ), /* Offset= 6 (458) */
/* 454 */ 0x8, /* FC_LONG */
        0x39, /* FC_ALIGNM8 */
/* 456 */ 0x36, /* FC_POINTER */
        0x5b, /* FC_END */
/* 458 */

```

```

        0x11, 0x0, /* FC_RP */
/* 460 */ NdrFcShort( 0xffffffffdc ), /* Offset= -36 (424) */
/* 462 */
        0x21,      /* FC_BOGUS_ARRAY */
        0x3,       /* 3 */
/* 464 */ NdrFcShort( 0x0 ), /* 0 */
/* 466 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
        0x0,      /* */
/* 468 */ NdrFcShort( 0x0 ), /* 0 */
/* 470 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 472 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 476 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 478 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
        0x0,      /* 0 */
/* 480 */ NdrFcShort( 0xfffff58 ), /* Offset= -168 (312) */
/* 482 */ 0x5c, /* FC_PAD */
        0x5b, /* FC_END */
/* 484 */
        0x1a,      /* FC_BOGUS_STRUCT */
        0x3,       /* 3 */
/* 486 */ NdrFcShort( 0x10 ), /* 16 */
/* 488 */ NdrFcShort( 0x0 ), /* 0 */
/* 490 */ NdrFcShort( 0x6 ), /* Offset= 6 (496) */
/* 492 */ 0x8, /* FC_LONG */
        0x39, /* FC_ALIGNM8 */
/* 494 */ 0x36, /* FC_POINTER */
        0x5b, /* FC_END */
/* 496 */
        0x11, 0x0, /* FC_RP */
/* 498 */ NdrFcShort( 0xffffffffdc ), /* Offset= -36 (462) */
/* 500 */
        0x21,      /* FC_BOGUS_ARRAY */
        0x3,       /* 3 */
/* 502 */ NdrFcShort( 0x0 ), /* 0 */
/* 504 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
        0x0,      /* */
/* 506 */ NdrFcShort( 0x0 ), /* 0 */
/* 508 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 510 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 514 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 516 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
        0x0,      /* 0 */
/* 518 */ NdrFcShort( 0xfffff44 ), /* Offset= -188 (330) */
/* 520 */ 0x5c, /* FC_PAD */
        0x5b, /* FC_END */
/* 522 */
        0x1a,      /* FC_BOGUS_STRUCT */
        0x3,       /* 3 */
/* 524 */ NdrFcShort( 0x10 ), /* 16 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */
/* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 530 */ 0x8, /* FC_LONG */
        0x39, /* FC_ALIGNM8 */

```

```

/* 532 */ 0x36,      /* FC_POINTER */
          0x5b,      /* FC_END */
/* 534 */
          0x11, 0x0, /* FC_RP */
/* 536 */ NdrFcShort( 0xffffffffc ), /* Offset= -36 (500) */
/* 538 */
          0x21,      /* FC_BOGUS_ARRAY */
          0x3,       /* 3 */
/* 540 */ NdrFcShort( 0x0 ), /* 0 */
/* 542 */ 0x19,      /* Corr desc: field pointer, FC_ULONG */
          0x0,       /* */
/* 544 */ NdrFcShort( 0x0 ), /* 0 */
/* 546 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 548 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 552 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 554 */
          0x12, 0x0, /* FC_UP */
/* 556 */ NdrFcShort( 0x176 ), /* Offset= 374 (930) */
/* 558 */ 0x5c,      /* FC_PAD */
          0x5b,      /* FC_END */
/* 560 */
          0x1a,      /* FC_BOGUS_STRUCT */
          0x3,       /* 3 */
/* 562 */ NdrFcShort( 0x10 ), /* 16 */
/* 564 */ NdrFcShort( 0x0 ), /* 0 */
/* 566 */ NdrFcShort( 0x6 ), /* Offset= 6 (572) */
/* 568 */ 0x8,       /* FC_LONG */
          0x39,      /* FC_ALIGNM8 */
/* 570 */ 0x36,      /* FC_POINTER */
          0x5b,      /* FC_END */
/* 572 */
          0x11, 0x0, /* FC_RP */
/* 574 */ NdrFcShort( 0xffffffffc ), /* Offset= -36 (538) */
/* 576 */
          0x2f,      /* FC_IP */
          0x5a,      /* FC_CONSTANT_IID */
/* 578 */ NdrFcLong( 0x2f ), /* 47 */
/* 582 */ NdrFcShort( 0x0 ), /* 0 */
/* 584 */ NdrFcShort( 0x0 ), /* 0 */
/* 586 */ 0xc0,      /* 192 */
          0x0,       /* 0 */
/* 588 */ 0x0,       /* 0 */
          0x0,       /* 0 */
/* 590 */ 0x0,       /* 0 */
          0x0,       /* 0 */
/* 592 */ 0x0,       /* 0 */
          0x46,      /* 70 */
/* 594 */
          0x1b,      /* FC_CARRAY */
          0x0,       /* 0 */
/* 596 */ NdrFcShort( 0x1 ), /* 1 */
/* 598 */ 0x19,      /* Corr desc: field pointer, FC_ULONG */
          0x0,       /* */

```

```

/* 600 */ NdrFcShort( 0x4 ), /* 4 */
/* 602 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 604 */ 0x1,       /* FC_BYTE */
          0x5b,      /* FC_END */
/* 606 */
          0x1a,      /* FC_BOGUS_STRUCT */
          0x3,       /* 3 */
/* 608 */ NdrFcShort( 0x18 ), /* 24 */
/* 610 */ NdrFcShort( 0x0 ), /* 0 */
/* 612 */ NdrFcShort( 0xc ), /* Offset= 12 (624) */
/* 614 */ 0x8,       /* FC_LONG */
          0x8,       /* FC_LONG */
/* 616 */ 0x4c,      /* FC_EMBEDDED_COMPLEX */
          0x0,       /* 0 */
/* 618 */ NdrFcShort( 0xffffffffd6 ), /* Offset= -42 (576) */
/* 620 */ 0x39,      /* FC_ALIGNM8 */
          0x36,      /* FC_POINTER */
/* 622 */ 0x5c,      /* FC_PAD */
          0x5b,      /* FC_END */
/* 624 */
          0x12, 0x0, /* FC_UP */
/* 626 */ NdrFcShort( 0xffffffffe0 ), /* Offset= -32 (594) */
/* 628 */
          0x21,      /* FC_BOGUS_ARRAY */
          0x3,       /* 3 */
/* 630 */ NdrFcShort( 0x0 ), /* 0 */
/* 632 */ 0x19,      /* Corr desc: field pointer, FC_ULONG */
          0x0,       /* */
/* 634 */ NdrFcShort( 0x0 ), /* 0 */
/* 636 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 638 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 642 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 644 */
          0x12, 0x0, /* FC_UP */
/* 646 */ NdrFcShort( 0xffffffffd8 ), /* Offset= -40 (606) */
/* 648 */ 0x5c,      /* FC_PAD */
          0x5b,      /* FC_END */
/* 650 */
          0x1a,      /* FC_BOGUS_STRUCT */
          0x3,       /* 3 */
/* 652 */ NdrFcShort( 0x10 ), /* 16 */
/* 654 */ NdrFcShort( 0x0 ), /* 0 */
/* 656 */ NdrFcShort( 0x6 ), /* Offset= 6 (662) */
/* 658 */ 0x8,       /* FC_LONG */
          0x39,      /* FC_ALIGNM8 */
/* 660 */ 0x36,      /* FC_POINTER */
          0x5b,      /* FC_END */
/* 662 */
          0x11, 0x0, /* FC_RP */
/* 664 */ NdrFcShort( 0xffffffffc ), /* Offset= -36 (628) */
/* 666 */
          0x1d,      /* FC_SMFARRAY */
          0x0,       /* 0 */

```

```

/* 668 */ NdrFcShort( 0x8 ), /* 8 */
/* 670 */ 0x2, /* FC_CHAR */
/* 672 */ 0x5b, /* FC_END */
/* 674 */ 0x15, /* FC_STRUCT */
/* 676 */ 0x3, /* 3 */
/* 678 */ NdrFcShort( 0x10 ), /* 16 */
/* 680 */ 0x8, /* FC_LONG */
/* 682 */ 0x6, /* FC_SHORT */
/* 684 */ 0x6, /* FC_SHORT */
/* 686 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 688 */ 0x0, /* 0 */
/* 690 */ NdrFcShort( 0xffffffffl ), /* Offset= -15 (666) */
/* 692 */ 0x5b, /* FC_END */
/* 694 */ 0x1a, /* FC_BOGUS_STRUCT */
/* 696 */ 0x3, /* 3 */
/* 698 */ NdrFcShort( 0x20 ), /* 32 */
/* 700 */ NdrFcShort( 0x0 ), /* 0 */
/* 702 */ NdrFcShort( 0xa ), /* Offset= 10 (700) */
/* 704 */ 0x8, /* FC_LONG */
/* 706 */ 0x39, /* FC_ALIGNM8 */
/* 708 */ 0x36, /* FC_POINTER */
/* 710 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 712 */ 0x0, /* 0 */
/* 714 */ NdrFcShort( 0xffffffff7 ), /* Offset= -25 (672) */
/* 716 */ 0x5b, /* FC_END */
/* 718 */ 0x11, 0x0, /* FC_RP */
/* 720 */ NdrFcShort( 0xffffffff10 ), /* Offset= -240 (462) */
/* 722 */ 0x1b, /* FC_CARRAY */
/* 724 */ 0x0, /* 0 */
/* 726 */ NdrFcShort( 0x1 ), /* 1 */
/* 728 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 730 */ 0x0, /* */
/* 732 */ NdrFcShort( 0x0 ), /* 0 */
/* 734 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 736 */ 0x1, /* FC_BYTE */
/* 738 */ 0x5b, /* FC_END */
/* 740 */ 0x1a, /* FC_BOGUS_STRUCT */
/* 742 */ 0x3, /* 3 */
/* 744 */ NdrFcShort( 0x10 ), /* 16 */
/* 746 */ NdrFcShort( 0x0 ), /* 0 */
/* 748 */ NdrFcShort( 0x6 ), /* Offset= 6 (728) */
/* 750 */ 0x8, /* FC_LONG */
/* 752 */ 0x39, /* FC_ALIGNM8 */
/* 754 */ 0x36, /* FC_POINTER */
/* 756 */ 0x5b, /* FC_END */
/* 758 */ 0x1a, /* FC_BOGUS_STRUCT */
/* 760 */ 0x3, /* 3 */
/* 762 */ NdrFcShort( 0x10 ), /* 16 */
/* 764 */ NdrFcShort( 0x0 ), /* 0 */
/* 766 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 768 */ 0x8, /* FC_LONG */
/* 770 */ 0x5b, /* FC_END */
/* 772 */ 0x1a, /* FC_BOGUS_STRUCT */
/* 774 */ 0x3, /* 3 */
/* 776 */ NdrFcShort( 0x10 ), /* 16 */
/* 778 */ NdrFcShort( 0x0 ), /* 0 */
/* 780 */ NdrFcShort( 0x6 ), /* Offset= 6 (784) */
/* 782 */ 0x8, /* FC_LONG */
/* 784 */ 0x39, /* FC_ALIGNM8 */
/* 786 */ 0x36, /* FC_POINTER */
/* 788 */ 0x5b, /* FC_END */
/* 790 */ 0x12, 0x0, /* FC_UP */
/* 792 */ NdrFcShort( 0xffffffff6 ), /* Offset= -26 (704) */

```

```

/* 732 */ 0x1b, /* FC_CARRAY */
/* 734 */ 0x1, /* 1 */
/* 736 */ NdrFcShort( 0x2 ), /* 2 */
/* 738 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 740 */ 0x0, /* */
/* 742 */ NdrFcShort( 0x0 ), /* 0 */
/* 744 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 746 */ 0x6, /* FC_SHORT */
/* 748 */ 0x5b, /* FC_END */
/* 750 */ 0x1a, /* FC_BOGUS_STRUCT */
/* 752 */ 0x3, /* 3 */
/* 754 */ NdrFcShort( 0x10 ), /* 16 */
/* 756 */ NdrFcShort( 0x0 ), /* 0 */
/* 758 */ NdrFcShort( 0x6 ), /* Offset= 6 (756) */
/* 760 */ 0x8, /* FC_LONG */
/* 762 */ 0x39, /* FC_ALIGNM8 */
/* 764 */ 0x36, /* FC_POINTER */
/* 766 */ 0x5b, /* FC_END */
/* 768 */ 0x12, 0x0, /* FC_UP */
/* 770 */ NdrFcShort( 0xffffffff6 ), /* Offset= -26 (732) */
/* 772 */ 0x1b, /* FC_CARRAY */
/* 774 */ 0x3, /* 3 */
/* 776 */ NdrFcShort( 0x4 ), /* 4 */
/* 778 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 780 */ 0x0, /* */
/* 782 */ NdrFcShort( 0x0 ), /* 0 */
/* 784 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 786 */ 0x8, /* FC_LONG */
/* 788 */ 0x5b, /* FC_END */
/* 790 */ 0x1a, /* FC_BOGUS_STRUCT */
/* 792 */ 0x3, /* 3 */
/* 794 */ NdrFcShort( 0x10 ), /* 16 */
/* 796 */ NdrFcShort( 0x0 ), /* 0 */
/* 798 */ NdrFcShort( 0x6 ), /* Offset= 6 (784) */
/* 800 */ 0x8, /* FC_LONG */
/* 802 */ 0x39, /* FC_ALIGNM8 */
/* 804 */ 0x36, /* FC_POINTER */
/* 806 */ 0x5b, /* FC_END */
/* 808 */ 0x12, 0x0, /* FC_UP */
/* 810 */ NdrFcShort( 0xffffffff6 ), /* Offset= -26 (760) */
/* 812 */ 0x1b, /* FC_CARRAY */
/* 814 */ 0x7, /* 7 */
/* 816 */ NdrFcShort( 0x8 ), /* 8 */
/* 818 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 820 */ 0x0, /* */
/* 822 */ NdrFcShort( 0x0 ), /* 0 */

```

```

/* 796 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 798 */ 0xb, /* FC_HYPER */
/* 800 */ 0x5b, /* FC_END */
/* 802 */ 0x1a, /* FC_BOGUS_STRUCT */
/* 804 */ 0x3, /* 3 */
/* 806 */ NdrFcShort( 0x10 ), /* 16 */
/* 808 */ NdrFcShort( 0x0 ), /* 0 */
/* 810 */ NdrFcShort( 0x6 ), /* Offset= 6 (812) */
/* 812 */ 0x8, /* FC_LONG */
/* 814 */ 0x39, /* FC_ALIGNM8 */
/* 816 */ 0x36, /* FC_POINTER */
/* 818 */ 0x5b, /* FC_END */
/* 820 */ 0x12, 0x0, /* FC_UP */
/* 822 */ NdrFcShort( 0xfffffe6 ), /* Offset= -26 (788) */
/* 824 */ 0x15, /* FC_STRUCT */
/* 826 */ 0x3, /* 3 */
/* 828 */ NdrFcShort( 0x8 ), /* 8 */
/* 830 */ 0x8, /* FC_LONG */
/* 832 */ 0x5c, /* FC_PAD */
/* 834 */ 0x5b, /* FC_END */
/* 836 */ 0x1b, /* FC_CARRAY */
/* 838 */ 0x3, /* 3 */
/* 840 */ NdrFcShort( 0x8 ), /* 8 */
/* 842 */ 0x7, /* Corr desc: FC_USHORT */
/* 844 */ 0x0, /* */
/* 846 */ NdrFcShort( 0xffc8 ), /* -56 */
/* 848 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 850 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 852 */ 0x0, /* 0 */
/* 854 */ NdrFcShort( 0xfffffec ), /* Offset= -20 (816) */
/* 856 */ 0x5c, /* FC_PAD */
/* 858 */ 0x5b, /* FC_END */
/* 860 */ 0x1a, /* FC_BOGUS_STRUCT */
/* 862 */ 0x3, /* 3 */
/* 864 */ NdrFcShort( 0x38 ), /* 56 */
/* 866 */ NdrFcShort( 0xfffffec ), /* Offset= -20 (824) */
/* 868 */ NdrFcShort( 0x0 ), /* Offset= 0 (846) */
/* 870 */ 0x6, /* FC_SHORT */
/* 872 */ 0x6, /* FC_SHORT */
/* 874 */ 0x38, /* FC_ALIGNM4 */
/* 876 */ 0x8, /* FC_LONG */
/* 878 */ 0x8, /* FC_LONG */
/* 880 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 882 */ 0x4, /* 4 */
/* 884 */ NdrFcShort( 0xffffe0d ), /* Offset= -499 (356) */
/* 886 */ 0x5b, /* FC_END */

```

```

0x12, 0x0, /* FC_UP */
/* 860 */ NdrFcShort( 0xfffff02 ), /* Offset= -254 (606) */
/* 862 */ 0x12, 0x8, /* FC_UP [simple_pointer] */
/* 864 */ 0x1, /* FC_BYTE */
/* 866 */ 0x5c, /* FC_PAD */
/* 868 */ 0x12, 0x8, /* FC_UP [simple_pointer] */
/* 870 */ 0x6, /* FC_SHORT */
/* 872 */ 0x5c, /* FC_PAD */
/* 874 */ 0x12, 0x8, /* FC_UP [simple_pointer] */
/* 876 */ 0x8, /* FC_LONG */
/* 878 */ 0x5c, /* FC_PAD */
/* 880 */ 0x12, 0x8, /* FC_UP [simple_pointer] */
/* 882 */ 0xa, /* FC_FLOAT */
/* 884 */ 0x5c, /* FC_PAD */
/* 886 */ 0x12, 0x8, /* FC_UP [simple_pointer] */
/* 888 */ 0xc, /* FC_DOUBLE */
/* 890 */ 0x5c, /* FC_PAD */
/* 892 */ 0x12, 0x0, /* FC_UP */
/* 894 */ NdrFcShort( 0xfffffda4 ), /* Offset= -604 (280) */
/* 896 */ 0x12, 0x10, /* FC_UP [pointer_deref] */
/* 898 */ NdrFcShort( 0xfffffda6 ), /* Offset= -602 (286) */
/* 900 */ 0x12, 0x10, /* FC_UP [pointer_deref] */
/* 902 */ NdrFcShort( 0xfffffdb8 ), /* Offset= -580 (312) */
/* 904 */ 0x12, 0x10, /* FC_UP [pointer_deref] */
/* 906 */ NdrFcShort( 0xfffffdb6 ), /* Offset= -582 (310) */
/* 908 */ 0x12, 0x10, /* FC_UP [pointer_deref] */
/* 910 */ NdrFcShort( 0xfffffdb4 ), /* Offset= -584 (308) */
/* 912 */ 0x12, 0x10, /* FC_UP [pointer_deref] */
/* 914 */ NdrFcShort( 0x2 ), /* Offset= 2 (906) */
/* 916 */ 0x12, 0x0, /* FC_UP */
/* 918 */ NdrFcShort( 0x16 ), /* Offset= 22 (930) */
/* 920 */ 0x15, /* FC_STRUCT */
/* 922 */ 0x7, /* 7 */
/* 924 */ NdrFcShort( 0x10 ), /* 16 */
/* 926 */ 0x6, /* FC_SHORT */
/* 928 */ 0x1, /* FC_BYTE */
/* 930 */ 0x1, /* FC_BYTE */
/* 932 */ 0x38, /* FC_ALIGNM4 */
/* 934 */ 0x8, /* FC_LONG */
/* 936 */ 0x39, /* FC_ALIGNM8 */

```

```

/* 920 */ 0xb,      /* FC_HYPER */
          0x5b,      /* FC_END */
/* 922 */
          0x12, 0x0, /* FC_UP */
/* 924 */ NdrFcShort( 0xffffffff2 ), /* Offset= -14 (910) */
/* 926 */
          0x12, 0x8, /* FC_UP [simple_pointer] */
/* 928 */ 0x2,      /* FC_CHAR */
          0x5c,      /* FC_PAD */
/* 930 */
          0x1a,      /* FC_BOGUS_STRUCT */
          0x7,       /* 7 */
/* 932 */ NdrFcShort( 0x20 ), /* 32 */
/* 934 */ NdrFcShort( 0x0 ), /* 0 */
/* 936 */ NdrFcShort( 0x0 ), /* Offset= 0 (936) */
/* 938 */ 0x8,      /* FC_LONG */
          0x8,       /* FC_LONG */
/* 940 */ 0x6,      /* FC_SHORT */
          0x6,       /* FC_SHORT */
/* 942 */ 0x6,      /* FC_SHORT */
          0x6,       /* FC_SHORT */
/* 944 */ 0x4c,     /* FC_EMBEDDED_COMPLEX */
          0x0,       /* 0 */
/* 946 */ NdrFcShort( 0xfffffc54 ), /* Offset= -940 (6) */
/* 948 */ 0x5c,     /* FC_PAD */
          0x5b,     /* FC_END */
/* 950 */ 0xb4,     /* FC_USER_MARSHAL */
          0x83,     /* 131 */
/* 952 */ NdrFcShort( 0x0 ), /* 0 */
/* 954 */ NdrFcShort( 0x18 ), /* 24 */
/* 956 */ NdrFcShort( 0x0 ), /* 0 */
/* 958 */ NdrFcShort( 0xfffffc44 ), /* Offset= -956 (2) */
/* 960 */
          0x11, 0x4, /* FC_RP [allocated_on_stack] */
/* 962 */ NdrFcShort( 0x6 ), /* Offset= 6 (968) */
/* 964 */
          0x13, 0x0, /* FC_OP */
/* 966 */ NdrFcShort( 0xfffffcdc ), /* Offset= -36 (930) */
/* 968 */ 0xb4,     /* FC_USER_MARSHAL */
          0x83,     /* 131 */
/* 970 */ NdrFcShort( 0x0 ), /* 0 */
/* 972 */ NdrFcShort( 0x18 ), /* 24 */
/* 974 */ NdrFcShort( 0x0 ), /* 0 */
/* 976 */ NdrFcShort( 0xfffffff4 ), /* Offset= -12 (964) */

          0x0
      }
};

const CInterfaceProxyVtbl * _tpcc_com_ps_ProxyVtblList[] =
{
    ( CInterfaceProxyVtbl *) &_ITPCCProxyVtbl,
    0
}

```

```

};

const CInterfaceStubVtbl * _tpcc_com_ps_StubVtblList[] =
{
    ( CInterfaceStubVtbl *) &_ITPCCStubVtbl,
    0
};

PCInterfaceName const _tpcc_com_ps_InterfaceNamesList[] =
{
    "ITPCC",
    0
};

#define _tpcc_com_ps_CHECK_IID(n) IID_GENERIC_CHECK_IID( _tpcc_com_ps,
pIID, n)

int __stdcall _tpcc_com_ps_IID_Lookup( const IID * pIID, int * pIndex )
{
    if(!_tpcc_com_ps_CHECK_IID(0))
    {
        *pIndex = 0;
        return 1;
    }

    return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo =
{
    (PCInterfaceProxyVtblList *) &_tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) &_tpcc_com_ps_StubVtblList,
    (const PCInterfaceName *) &_tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    &_tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
};

#endif /* defined(_M_IA64) || defined(_M_AXP64)*/

```

## Appendix B - Database Details

### BACKUP.SQL

```
-- File:      BACKUP.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates backup of tpcc database

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

dump database tpcc to tpccback1, tpccback2, tpccback3 with init, stats = 1

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go
```

### BACKUPDEV.SQL

```
-- File:      BACKUPDEVB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates tpcc database Backup Devices

use master
go

-- create backup devices

exec sp_addumpdevice 'disk','tpccback1','X:\tpccback1.dmp'
exec sp_addumpdevice 'disk','tpccback2','Y:\tpccback2.dmp'
exec sp_addumpdevice 'disk','tpccback3','Z:\tpccback3.dmp'

go
```

### CREATEDB.SQL

```
-- File:      CREATEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates tpcc database and backup files
```

```
use master
go

-- Create temporary table for timing

if exists ( select name from sysobjects where name = 'tpcc_timer' )
drop table tpcc_timer
go

create table tpcc_timer
(
    start_date          char(30),
    end_date            char(30)
)

insert    into tpcc_timer values (0,0)
go

-- Store starting time

update    tpcc_timer
set start_date = (select convert(char(30), getdate(),9))
go

-- create main database files

CREATE DATABASE tpcc
ON PRIMARY
(
    NAME          = MSSQL_tpcc_root,
    FILENAME      = "C:\tpcc_root.mdf",
    SIZE          = 50MB,
    FILEGROWTH    = 0),
FILEGROUP MSSQL70_cs_fg
(
    NAME          = MSSQL_cs1,
    FILENAME      = "E:",
    SIZE          = 51500MB,
    FILEGROWTH    = 0),
(
    NAME          = MSSQL_cs2,
    FILENAME      = "F:",
    SIZE          = 51500MB,
    FILEGROWTH    = 0),
(
    NAME          = MSSQL_cs3,
    FILENAME      = "G:",
    SIZE          = 51500MB,
```

```

FILEGROWTH = 0),
FILEGROUP MSSQL70_misc_fg
(
    NAME          = MSSQL_misc1,
    FILENAME      = "N:",
    SIZE          = 27500MB,
    FILEGROWTH    = 0),
(
    NAME          = MSSQL_misc2,
    FILENAME      = "O:",
    SIZE          = 27500MB,
    FILEGROWTH    = 0),
(
    NAME          = MSSQL_misc3,
    FILENAME      = "P:",
    SIZE          = 27500MB,
    FILEGROWTH    = 0)
LOG ON
(
    NAME          =MSSQL_tpcc_log,
    FILENAME      = "L:",
    SIZE          =70000MB,
    FILEGROWTH    =0)
go

-- Store ending time
update    tpcc_timer
set end_date = (select convert(char(30), getdate(),9))
go

select "Elapsed time (in seconds): ", datediff(second,(select start_date
from tpcc_timer),(select end_date from tpcc_timer))

-- remove temporary table

if exists ( select name from sysobjects where name = 'tpcc_timer' )
drop table tpcc_timer
go

```

## DBOPT1.SQL

```

-- File:      DBOPT1.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.21
--           Copyright Microsoft, 1999, 2000
-- Purpose:   Sets database options for data load

use master
go

exec sp_dboption tpcc,'select into/bulkcopy',true
exec sp_dboption tpcc,'trunc. log on chkpt.',true
go

use tpcc
go

```

```

checkpoint
go

```

## DBOPT2.SQL

```

-- File:      DBOPT2.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.21
--           Copyright Microsoft, 1999, 2000
-- Purpose:   Resets database options after data load

sp_dboption tpcc,'select into/bulkcopy',FALSE
GO

sp_dboption tpcc,'trunc. log on chkpt.',FALSE
GO

USE tpcc
GO

CHECKPOINT
GO

sp_configure 'allow updates',1
GO

RECONFIGURE WITH OVERRIDE
GO

DECLARE      @msg          varchar(50)

IF (SELECT (SUBSTRING((SELECT @@version),1,26))) = 'Microsoft SQL Server
2000'
BEGIN
    --
    --           OPTIONS FOR SQL SERVER 8.0
    -- Set option values for user-defined indexes
    --
    SET @msg = ' '
    PRINT @msg
    SET @msg = 'Setting SQL Server 8.0 indexoptions'
    PRINT @msg
    SET @msg = ' '
    PRINT @msg

EXEC sp_indexoption 'customer', 'DisallowPageLocks', TRUE
EXEC sp_indexoption 'district', 'DisallowPageLocks', TRUE
EXEC sp_indexoption 'warehouse', 'DisallowPageLocks', TRUE

```

```

EXEC sp_indexoption 'stock', 'DisallowPageLocks', TRUE
EXEC sp_indexoption 'order_line', 'DisallowRowLocks', TRUE
EXEC sp_indexoption 'orders', 'DisallowRowLocks', TRUE
EXEC sp_indexoption 'new_order', 'DisallowRowLocks', TRUE
EXEC sp_indexoption 'item', 'DisallowRowLocks', TRUE
EXEC sp_indexoption 'item', 'DisallowPageLocks', TRUE
END
ELSE
BEGIN
--
-- OPTIONS FOR SQL SERVER 7.0 --
-- Set option values for user-defined indexes --
--
SET @msg = ' '
PRINT @msg
SET @msg = 'Setting SQL Server 7.0 indexoptions'
PRINT @msg
SET @msg = ' '
PRINT @msg

EXEC sp_indexoption 'customer', 'AllowPageLocks', FALSE
EXEC sp_indexoption 'district', 'AllowPageLocks', FALSE
EXEC sp_indexoption 'warehouse', 'AllowPageLocks', FALSE
EXEC sp_indexoption 'stock', 'AllowPageLocks', FALSE
EXEC sp_indexoption 'order_line', 'AllowRowLocks', FALSE
EXEC sp_indexoption 'orders', 'AllowRowLocks', FALSE
EXEC sp_indexoption 'new_order', 'AllowRowLocks', FALSE
EXEC sp_indexoption 'item', 'AllowRowLocks', FALSE
EXEC sp_indexoption 'item', 'AllowPageLocks', FALSE

END
GO

Print ' '
Print '*****'
Print 'Pre-specified Locking Hierarchy:'
Print '    Lockflag = 0 ==> No pre-specified hierarchy'
Print '    Lockflag = 1 ==> Lock at Page-level then Table-level'
Print '    Lockflag = 2 ==> Lock at Row-level then Table-level'
Print '    Lockflag = 3 ==> Lock at Table-level'
Print ' '

SELECT name,lockflags
FROM sysindexes
WHERE object_id('warehouse') = id OR
      object_id('district') = id OR
      object_id('customer') = id OR
      object_id('stock') = id OR
      object_id('orders') = id OR
      object_id('order_line') = id OR
      object_id('history') = id OR
      object_id('new_order') = id OR

```

```

      object_id('item') = id
ORDERBY lockflags asc
GO

sp_configure 'allow updates',0
GO

RECONFIGURE WITH OVERRIDE
GO

EXEC sp_dboption tpcc, 'auto update statistics', FALSE
EXEC sp_dboption tpcc, 'auto create statistics', FALSE
EXEC sp_dboption tpcc, 'torn page detection', FALSE
GO

EXEC sp_tableoption 'district', 'pintable',true
EXEC sp_tableoption 'warehouse', 'pintable',true
EXEC sp_tableoption 'new_order', 'pintable',true
EXEC sp_tableoption 'item', 'pintable',true
GO

```

## REMOVEDB.SQL

```

-- File:      REMOVEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Removes tpcc database and backup files

use master
go

-- remove any existing database and backup files

exec sp_dbremove tpcc, dropdev
go

exec sp_dropdevice 'tpccback1'
exec sp_dropdevice 'tpccback2'
exec sp_dropdevice 'tpccback3'
go

```

## RESTORE.SQL

```

-- File:      RESTORE.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Loads database backup from backup files

declare @startdate datetime
declare @enddate datetime

```

```

select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

load database tpcc from tpccback1, tpccback2, tpccback3, with stats = 1

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

```

```
go
```

## VERIFYTPCCLOAD.SQL

```

-- File:      VERIFYTPCCLOAD.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.21
--           Copyright Microsoft, 1999, 2000
-- Purpose:   Performs series of TPC database checks to verify
--           that database load completed correctly

```

```

print " "
select  convert(char(30), getdate(),9)
print " "

```

```

use tpcc
go

```

```

-- *****
--
-- Check rows per table from SYSINDEXES
--
-- *****

```

```
print 'WAREHOUSE TABLE'
```

```

select  rows
from sysindexes
whereid = object_id("warehouse")
go

```

```
print 'DISTRICT TABLE = (10 * No of warehouses)'
```

```

select  rows
from sysindexes
whereid =object_id("district")
go

```

```
print 'ITEM TABLE = 100,000'
```

```

select  rows
from sysindexes
whereid =object_id("item")
go

```

```
print 'CUSTOMER TABLE = (30,000 * No of warehouses)'
```

```

select  rows
from sysindexes
whereid =object_id("customer")
go

```

```
print 'ORDERS TABLE = (30,000 * No of warehouses)'
```

```

select  rows
from sysindexes
whereid =object_id("orders")
go

```

```
print 'HISTORY TABLE = (30,000 * No of warehouses)'
```

```

select  rows
from sysindexes
whereid =object_id("history")
go

```

```
print 'STOCK TABLE = (100,000 * No of warehouses)'
```

```

select  rows
from sysindexes
whereid =object_id("stock")
go

```

```
print 'ORDER_LINE TABLE = (300,000 * No of warehouses + some change)'
```

```

select  rows
from sysindexes
whereid =object_id("order_line")
go

```

```
print 'NEW_ORDER TABLE = (9000 * No of warehouses)'
```

```

select  rows
from sysindexes
whereid =object_id("new_order")
go

```

```

-- *****
--
-- Check indices
--
-- *****

```

```
print '*****Index Check*****'
```

```

use tpcc
go

```

```

sp_helpindex customer
go

sp_helpindex stock
go

sp_helpindex district
go

sp_helpindex item
go

sp_helpindex new_order
go

sp_helpindex orders
go

sp_helpindex order_line
go

sp_helpindex warehouse
go

```

## IDXCUSCL.SQL

```

-- File: IDXCUSCL.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.20
-- Copyright Microsoft, 1999
-- Purpose: Creates clustered index on customer table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'customer_cl' )
    drop index customer.customer_cl

create unique clustered index customer_cl on customer(c_w_id, c_d_id, c_id)
on MSSQL70_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## IDXCUSNC.SQL

```

-- File: IDXCUSNC.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.20
-- Copyright Microsoft, 1999
-- Purpose: Creates non-clustered index on customer table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'customer_nc1' )
    drop index customer.customer_nc1

create unique nonclustered index customer_nc1 on customer(c_w_id, c_d_id,
c_last, c_first, c_id)
on MSSQL70_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## IDXDISCL.SQL

```

-- File: IDXDISCL.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.20
-- Copyright Microsoft, 1999
-- Purpose: Creates clustered index on district table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'district_cl' )
    drop index district.district_cl

create unique clustered index district_cl on district(d_w_id, d_id)
with fillfactor=100 on MSSQL70_misc_fg

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## IDXITMCL.SQL

```

-- File:      IDXITMCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates clustered index on item table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'item_c1' )
    drop index item.item_c1

create unique clustered index item_c1 on item(i_id)
    on MSSQL70_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## IDXNODCL.SQL

```

-- File:      IDXNODCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates clustered index on new_order table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

```

```

if exists ( select name from sysindexes where name = 'new_order_c1' )
    drop index new_order.new_order_c1

create unique clustered index new_order_c1 on new_order(no_w_id, no_d_id,
no_o_id)
    on MSSQL70_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## IDXODLCL.SQL

```

-- File:      IDXODLCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates clustered index on order_line table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'order_line_c1' )
    drop index order_line.order_line_c1

create unique clustered index order_line_c1 on order_line(ol_w_id, ol_d_id,
ol_o_id, ol_number)
    on MSSQL70_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## IDXORDCL.SQL

```

-- File:      IDXORDCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates clustered index on orders table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'orders_cl' )
    drop index orders.orders_cl

create unique clustered index orders_cl on orders(o_w_id, o_d_id, o_id)
    on MSSQL70_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## IDXORDNC.SQL

```

-- File:      IDXORDNC.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates non-clustered index on orders table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'orders_ncl' )
    drop index orders.orders_ncl

create index orders_ncl on orders(o_w_id, o_d_id, o_c_id, o_id)
    on MSSQL70_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## IDXSTKCL.SQL

```

-- File:      IDXSTKCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates clustered index on stock table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'stock_cl' )
    drop index stock.stock_cl

create unique clustered index stock_cl on stock(s_i_id, s_w_id)
    on MSSQL70_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## IDXWARCL.SQL

```

-- File:      IDXWARCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates clustered index on warehouse table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'warehouse_cl' )
    drop index warehouse.warehouse_cl

create unique clustered index warehouse_cl on warehouse(w_id)
    with fillfactor=100 on MSSQL70_misc_fg

select @enddate = getdate()

```

```

select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## TABLES.SQL

```

-- File:      TABLES.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.20
--           Copyright Microsoft, 1999
-- Purpose:   Creates TPC-C tables

use tpcc
go

--
-- Remove all existing TPC-C tables
--

if exists ( select name from sysobjects where name = 'warehouse' )
    drop table warehouse
go
if exists ( select name from sysobjects where name = 'district' )
    drop table district
go
if exists ( select name from sysobjects where name = 'customer' )
    drop table customer
go
if exists ( select name from sysobjects where name = 'history' )
    drop table history
go
if exists ( select name from sysobjects where name = 'new_order' )
    drop table new_order
go
if exists ( select name from sysobjects where name = 'orders' )
    drop table orders
go
if exists ( select name from sysobjects where name = 'order_line' )
    drop table order_line
go
if exists ( select name from sysobjects where name = 'item' )
    drop table item
go
if exists ( select name from sysobjects where name = 'stock' )
    drop table stock
go

--
-- Create new tables
--

```

```

create table warehouse
(
    w_id                smallint,
    w_name              char(10),
    w_street_1         char(20),
    w_street_2         char(20),
    w_city             char(20),
    w_state            char(2),
    w_zip              char(9),
    w_tax              numeric(4,4),
    w_ytd              numeric(12,2)
) on MSSQL70_misc_fg
go

create table district
(
    d_id                tinyint,
    d_w_id              smallint,
    d_name              char(10),
    d_street_1         char(20),
    d_street_2         char(20),
    d_city             char(20),
    d_state            char(2),
    d_zip              char(9),
    d_tax              numeric(4,4),
    d_ytd              numeric(12,2),
    d_next_o_id        int
) on MSSQL70_misc_fg
go

create table customer
(
    c_id                int,
    c_d_id              tinyint,
    c_w_id              smallint,
    c_first             char(16),
    c_middle            char(2),
    c_last              char(16),
    c_street_1         char(20),
    c_street_2         char(20),
    c_city             char(20),
    c_state            char(2),
    c_zip              char(9),
    c_phone             char(16),
    c_since             datetime,
    c_credit            char(2),
    c_credit_lim        numeric(12,2),
    c_discount          numeric(4,4),
    c_balance           numeric(12,2),
    c_ytd_payment       numeric(12,2),
    c_payment_cnt       smallint,
    c_delivery_cnt     smallint,

```

```

        c_data                char(500)
    ) on MSSQL70_cs_fg
go

create table history
(
    h_c_id                    int,
    h_c_d_id                  tinyint,
    h_c_w_id                  smallint,
    h_d_id                    tinyint,
    h_w_id                    smallint,
    h_date                    datetime,
    h_amount                  numeric(6,2),
    h_data                    char(24)
) on MSSQL70_misc_fg
go

create table new_order
(
    no_o_id                   int,
    no_d_id                   tinyint,
    no_w_id                   smallint
) on MSSQL70_misc_fg
go

create table orders
(
    o_id                       int,
    o_d_id                     tinyint,
    o_w_id                     smallint,
    o_c_id                     int,
    o_entry_d                  datetime,
    o_carrier_id               tinyint,
    o_ol_cnt                   tinyint,
    o_all_local                tinyint
) on MSSQL70_misc_fg
go

create table order_line
(
    ol_o_id                    int,
    ol_d_id                    tinyint,
    ol_w_id                    smallint,
    ol_number                  tinyint,
    ol_i_id                    int,
    ol_supply_w_id             smallint,
    ol_delivery_d              datetime,
    ol_quantity                smallint,
    ol_amount                  numeric(6,2),
    ol_dist_info               char(24)
) on MSSQL70_misc_fg
go

```

```

create table item
(
    i_id                       int,
    i_im_id                    int,
    i_name                      char(24),
    i_price                     numeric(5,2),
    i_data                      char(50)
) on MSSQL70_misc_fg
go

create table stock
(
    s_i_id                      int,
    s_w_id                      smallint,
    s_quantity                  smallint,
    s_dist_01                   char(24),
    s_dist_02                   char(24),
    s_dist_03                   char(24),
    s_dist_04                   char(24),
    s_dist_05                   char(24),
    s_dist_06                   char(24),
    s_dist_07                   char(24),
    s_dist_08                   char(24),
    s_dist_09                   char(24),
    s_dist_10                   char(24),
    s_ytd                        int,
    s_order_cnt                 smallint,
    s_remote_cnt                smallint,
    s_data                      char(50)
) on MSSQL70_cs_fg
go

```

## DELIVERY.SQL

```

-- File:          DELIVERY.SQL
--               Microsoft TPC-C Benchmark Kit Ver. 4.21.000
--               Copyright Microsoft, 1999, 2000
-- Purpose:       Creates delivery transaction stored procedure
--
-- Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_delivery" )
    drop procedure tpcc_delivery
go

create proc tpcc_delivery @w_id            smallint,

                        @o_carrier_id    smallint

as

```

```

declare @d_id tinyint,
        @o_id int,
        @c_id int,
        @total numeric(12,2),
        @oid1 int,
        @oid2 int,
        @oid3 int,
        @oid4 int,
        @oid5 int,
        @oid6 int,
        @oid7 int,
        @oid8 int,
        @oid9 int,
        @oid10 int

select @d_id = 0

begin tran d

    while (@d_id < 10)
    begin

        select @d_id = @d_id + 1,
               @total = 0,
               @o_id = 0

        select top 1
               @o_id= no_o_id
        from new_order (serializable uplock)
        where no_w_id = @w_id and
              no_d_id = @d_id
        order by no_o_id asc

        if (@@rowcount <> 0)
        begin

-- claim the order for this district

            delete new_order
            where no_w_id = @w_id and
                  no_d_id = @d_id and
                  no_o_id = @o_id

-- set carrier_id on this order (and get customer id)

            update orders
            set o_carrier_id = @o_carrier_id,
                @c_id = o_c_id
            where o_w_id = @w_id and
                  o_d_id = @d_id and
                  o_id = @o_id

-- set date in all lineitems for this order (and sum amounts)

```

```

        update order_line
        set ol_delivery_d = getdate(),
            @total = @total + ol_amount
        where ol_w_id = @w_id and
              ol_d_id = @d_id and
              ol_o_id = @o_id

-- accummulate lineitem amounts for this order into customer

        update customer
        set c_balance = c_balance + @total,
            c_delivery_cnt = c_delivery_cnt + 1
        where c_w_id = @w_id and
              c_d_id = @d_id and
              c_id = @c_id

    end

    select @oid1 = case @d_id when 1 then @o_id else @oid1 end,
           @oid2 = case @d_id when 2 then @o_id else @oid2 end,
           @oid3 = case @d_id when 3 then @o_id else @oid3 end,
           @oid4 = case @d_id when 4 then @o_id else @oid4 end,
           @oid5 = case @d_id when 5 then @o_id else @oid5 end,
           @oid6 = case @d_id when 6 then @o_id else @oid6 end,
           @oid7 = case @d_id when 7 then @o_id else @oid7 end,
           @oid8 = case @d_id when 8 then @o_id else @oid8 end,
           @oid9 = case @d_id when 9 then @o_id else @oid9 end,
           @oid10 = case @d_id when 10 then @o_id else @oid10 end

    end

commit tran d

-- return delivery data to client

select @oid1,
       @oid2,
       @oid3,
       @oid4,
       @oid5,
       @oid6,
       @oid7,
       @oid8,
       @oid9,
       @oid10

go

NEWORD.SQL

-- File: NEWORD.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.21.000

```

```

--          Copyright Microsoft, 1999, 2000
-- Purpose:  Creates new order transaction stored procedure
--
--   Interface Level: 4.10.000

use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_neworder" )
    drop procedure tpcc_neworder
go

create proc tpcc_neworder
    @w_id          smallint,
    @d_id          tinyint,
    @c_id          int,
    @o_ol_cnt      tinyint,
    @o_all_local   tinyint,
    @i_id1 int = 0, @s_w_id1 smallint = 0, @ol_qty1
smallint = 0,
    @i_id2 int = 0, @s_w_id2 smallint = 0, @ol_qty2
smallint = 0,
    @i_id3 int = 0, @s_w_id3 smallint = 0, @ol_qty3
smallint = 0,
    @i_id4 int = 0, @s_w_id4 smallint = 0, @ol_qty4
smallint = 0,
    @i_id5 int = 0, @s_w_id5 smallint = 0, @ol_qty5
smallint = 0,
    @i_id6 int = 0, @s_w_id6 smallint = 0, @ol_qty6
smallint = 0,
    @i_id7 int = 0, @s_w_id7 smallint = 0, @ol_qty7
smallint = 0,
    @i_id8 int = 0, @s_w_id8 smallint = 0, @ol_qty8
smallint = 0,
    @i_id9 int = 0, @s_w_id9 smallint = 0, @ol_qty9
smallint = 0,
    @i_id10 int = 0, @s_w_id10 smallint = 0, @ol_qty10
smallint = 0,
    @i_id11 int = 0, @s_w_id11 smallint = 0, @ol_qty11
smallint = 0,
    @i_id12 int = 0, @s_w_id12 smallint = 0, @ol_qty12
smallint = 0,
    @i_id13 int = 0, @s_w_id13 smallint = 0, @ol_qty13
smallint = 0,
    @i_id14 int = 0, @s_w_id14 smallint = 0, @ol_qty14
smallint = 0,
    @i_id15 int = 0, @s_w_id15 smallint = 0, @ol_qty15
smallint = 0

as
declare    @w_tax          numeric(4,4),
           @d_tax          numeric(4,4),
           @c_last         char(16),

```

```

    @c_credit          char(2),
    @c_discount        numeric(4,4),
    @i_price           numeric(5,2),
    @i_name            char(24),
    @i_data            char(50),
    @o_entry_d         datetime,
    @remote_flag       int,
    @s_quantity        smallint,
    @s_data            char(50),
    @s_dist            char(24),
    @li_no             int,
    @o_id              int,
    @commit_flag       tinyint,
    @li_id             int,
    @li_s_w_id         smallint,
    @li_qty            smallint,
    @ol_number         int,
    @c_id_local        int

begin
begin transaction n
-- get district tax and next available order id and update
-- plus initialize local variables

update    district
set    @d_tax          = d_tax,
       @o_id           = d_next_o_id,
       d_next_o_id     = d_next_o_id + 1,
       @o_entry_d      = getdate(),
       @li_no          = 0,
       @commit_flag    = 1
where d_w_id          = @w_id and
      d_id            = @d_id

-- process orderlines

while (@li_no < @o_ol_cnt)
begin
    select @li_no = @li_no + 1

-- set i_id, s_w_id, and qty for this lineitem

select    @li_id = case @li_no
           when 1 then @i_id1
           when 2 then @i_id2
           when 3 then @i_id3
           when 4 then @i_id4
           when 5 then @i_id5
           when 6 then @i_id6
           when 7 then @i_id7

```

```

        when 8 then @i_id8
        when 9 then @i_id9
        when 10 then @i_id10
        when 11 then @i_id11
        when 12 then @i_id12
        when 13 then @i_id13
        when 14 then @i_id14
        when 15 then @i_id15
    end,

    @li_s_w_id = case @li_no
        when 1 then @s_w_id1
        when 2 then @s_w_id2
        when 3 then @s_w_id3
        when 4 then @s_w_id4
        when 5 then @s_w_id5
        when 6 then @s_w_id6
        when 7 then @s_w_id7
        when 8 then @s_w_id8
        when 9 then @s_w_id9
        when 10 then @s_w_id10
        when 11 then @s_w_id11
        when 12 then @s_w_id12
        when 13 then @s_w_id13
        when 14 then @s_w_id14
        when 15 then @s_w_id15
    end,

    @li_qty = case @li_no
        when 1 then @ol_qty1
        when 2 then @ol_qty2
        when 3 then @ol_qty3
        when 4 then @ol_qty4
        when 5 then @ol_qty5
        when 6 then @ol_qty6
        when 7 then @ol_qty7
        when 8 then @ol_qty8
        when 9 then @ol_qty9
        when 10 then @ol_qty10
        when 11 then @ol_qty11
        when 12 then @ol_qty12
        when 13 then @ol_qty13
        when 14 then @ol_qty14
        when 15 then @ol_qty15
    end

-- get item data (no one updates item)

    select      @i_price = i_price,
               @i_name  = i_name,
               @i_data  = i_data
    from item (tablock repeatableread)
    where i_id = @li_id

```

```

-- update stock values

        update      stock
        set   s_ytd  = s_ytd + @li_qty,
              @s_quantity  = s_quantity - @li_qty +
                           case when (s_quantity - @li_qty < 10)
                                then 91 else 0 end,
              s_order_cnt  = s_order_cnt + 1,
              s_remote_cnt = s_remote_cnt + case when (@li_s_w_id =
@w_id) then 0 else 1 end,
              @s_data      = s_data,
              @s_dist      = case @d_id
                                when 1 then s_dist_01
                                when 2 then s_dist_02
                                when 3 then s_dist_03
                                when 4 then s_dist_04
                                when 5 then s_dist_05
                                when 6 then s_dist_06
                                when 7 then s_dist_07
                                when 8 then s_dist_08
                                when 9 then s_dist_09
                                when 10 then s_dist_10
                                end
              wheres_i_id  = @li_id and
              s_w_id       = @li_s_w_id

-- if there actually is a stock (and item) with these ids, go to work

        if (@@rowcount > 0)
        begin

-- insert order_line data (using data from item and stock)

                insert into order_line values(@o_id,
                                                @d_id,
                                                @w_id,
                                                @li_no,
                                                @li_id,
                                                @li_s_w_id,
                                                "dec 31, 1899",
                                                @li_qty,
                                                @i_price * @li_qty,
                                                @s_dist)

-- send line-item data to client

                select      @i_name,
                           @s_quantity,
                           b_g = case when ( (patindex("%ORIGINAL%",@i_data) > 0)
and
                                                (patindex("%ORIGINAL%",@s_data) > 0) )
                                then "B" else "G" end,

```

```

        @i_price,
        @i_price * @li_qty

    end
    else
    begin

-- no item (or stock) found - triggers rollback condition

        select "",0,"",0,0
        select @commit_flag = 0

    end
end

-- get customer last name, discount, and credit rating

select    @c_last      = c_last,
        @c_discount = c_discount,
        @c_credit    = c_credit,
        @c_id_local  = c_id
from customer (repeatableread)
where c_id      = @c_id and
       c_w_id   = @w_id and
       c_d_id   = @d_id

-- insert fresh row into orders table

insert into orders values (    @o_id,
                            @d_id,
                            @w_id,
                            @c_id_local,
                            @o_entry_d,
                            0,
                            @o_ol_cnt,
                            @o_all_local)

-- insert corresponding row into new-order table

insert into new_order values ( @o_id,
                              @d_id,
                              @w_id)

-- select warehouse tax

select    @w_tax      = w_tax
from warehouse (repeatableread)
where w_id = @w_id

if (@commit_flag = 1)
    commit transaction n
else

```

```

-- all that work for nuthin!!!

        rollback transaction n

-- return order data to client

select    @w_tax,
        @d_tax,
        @o_id,
        @c_last,
        @c_discount,
        @c_credit,
        @o_entry_d,
        @commit_flag

end

go

ORDSTAT.SQL

-- File:      ORDSTAT.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.21.000
--           Copyright Microsoft, 1999, 2000
-- Purpose:   Creates order status transaction stored procedure
--
--           Interface Level: 4.10.000

use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_orderstatus" )
    drop procedure    tpcc_orderstatus
go

create proc tpcc_orderstatus    @w_idsmallint,
                               @d_idtinyint,
                               @c_idint,
                               @c_last    char(16) = ""

as

declare @c_balance    numeric(12,2),
        @c_first      char(16),
        @c_middle     char(2),
        @o_id         int,
        @o_entry_d    datetime,
        @o_carrier_id smallint,
        @cnt          smallint

begin tran o

if (@c_id = 0)

```

```

begin
-- get customer id and info using last name
select      @cnt = (count(*)+1)/2
from customer (repeatableread)
wherec_last = @c_last and
      c_w_id = @w_id and
      c_d_id = @d_id

set rowcount @cnt

select      @c_id      = c_id,
           @c_balance = c_balance,
           @c_first   = c_first,
           @c_last    = c_last,
           @c_middle  = c_middle
from customer (repeatableread)
wherec_last = @c_last and
      c_w_id = @w_id and
      c_d_id = @d_id
orderby c_w_id, c_d_id, c_last, c_first

set rowcount 0
end

else
begin
-- get customer info if by id

select      @c_balance = c_balance,
           @c_first   = c_first,
           @c_middle  = c_middle,
           @c_last    = c_last
from customer (repeatableread)
wherec_id    = @c_id and
      c_d_id = @d_id and
      c_w_id = @w_id

select      @cnt = @@rowcount

end

-- if no such customer

if (@cnt = 0)
begin
raiserror("Customer not found",18,1)
goto custnotfound
end

```

```

-- get order info

select      @o_id      = o_id,
           @o_entry_d = o_entry_d,
           @o_carrier_id = o_carrier_id
from orders (serializable)
whereo_c_id = @c_id and
      o_d_id = @d_id and
      o_w_id = @w_id
orderby o_id asc

-- select order lines for the current order

select      ol_supply_w_id,
           ol_i_id,
           ol_quantity,
           ol_amount,
           ol_delivery_d
from order_line (repeatableread)
whereol_o_id = @o_id and
      ol_d_id = @d_id and
      ol_w_id = @w_id

```

custnotfound:

commit tran o

-- return data to client

```

select      @c_id,
           @c_last,
           @c_first,
           @c_middle,
           @o_entry_d,
           @o_carrier_id,
           @c_balance,
           @o_id

```

go

## PAYMENT.SQL

```

-- File:      PAYMENT.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.21.000
--           Copyright Microsoft, 1999, 2000
-- Purpose:   Creates payment transaction stored procedure
--
-- Interface Level: 4.10.000

```

```

use tpcc
go

```

```

if exists (select name from sysobjects where name = "tpcc_payment" )

```

```

drop procedure tpcc_payment
go

create proc tpcc_payment @w_id          smallint,
                        @c_w_id        smallint,
                        @h_amount       numeric(6,2),
                        @d_id           tinyint,
                        @c_d_id         tinyint,
                        @c_id           int,
                        @c_last         char(16) = ""

as
declare @w_street_1    char(20),
        @w_street_2    char(20),
        @w_city        char(20),
        @w_state       char(2),
        @w_zip         char(9),
        @w_name        char(10),
        @d_street_1    char(20),
        @d_street_2    char(20),
        @d_city        char(20),
        @d_state       char(2),
        @d_zip         char(9),
        @d_name        char(10),
        @c_first       char(16),
        @c_middle      char(2),
        @c_street_1    char(20),
        @c_street_2    char(20),
        @c_city        char(20),
        @c_state       char(2),
        @c_zip         char(9),
        @c_phone       char(16),
        @c_since       datetime,
        @c_credit      char(2),
        @c_credit_lim  numeric(12,2),
        @c_balance     numeric(12,2),
        @c_discount    numeric(4,4),
        @data          char(500),
        @c_data        char(500),
        @datetime     datetime,
        @w_ytd         numeric(12,2),
        @d_ytd         numeric(12,2),
        @cnt           smallint,
        @val           smallint,
        @screen_data   char(200),
        @d_id_local    tinyint,
        @w_id_local    smallint,
        @c_id_local    int

select @screen_data = ""

begin tran p

```

```

-- get payment date

select @datetime = getdate()

if (@c_id = 0)
begin

-- get customer id and info using last name

select @cnt = count(*)
from customer (repeatableread)
where c_last = @c_last and
       c_w_id = @c_w_id and
       c_d_id = @c_d_id

select @val = (@cnt + 1) / 2
set rowcount @val

select @c_id = c_id
from customer (repeatableread)
where c_last = @c_last and
       c_w_id = @c_w_id and
       c_d_id = @c_d_id
order by c_last, c_first

set rowcount 0

end

-- get customer info and update balances

update customer
set @c_balance = c_balance - @h_amount,
    c_payment_cnt = c_payment_cnt + 1,
    c_ytd_payment = c_ytd_payment + @h_amount,
    @c_first = c_first,
    @c_middle = c_middle,
    @c_last = c_last,
    @c_street_1 = c_street_1,
    @c_street_2 = c_street_2,
    @c_city = c_city,
    @c_state = c_state,
    @c_zip = c_zip,
    @c_phone = c_phone,
    @c_credit = c_credit,
    @c_credit_lim = c_credit_lim,
    @c_discount = c_discount,
    @c_since = c_since,
    @data = c_data,
    @c_id_local = c_id
where c_id = @c_id and
       c_w_id = @c_w_id and
       c_d_id = @c_d_id

```

```

-- if customer has bad credit get some more info
    if (@c_credit = "BC")
    begin
-- compute new info
        select @c_data = convert(char(5),@c_id) +
            convert(char(4),@c_d_id) +
            convert(char(5),@c_w_id) +
            convert(char(4),@d_id) +
            convert(char(5),@w_id) +
            convert(char(19),@h_amount) +
            substring(@data, 1, 458)
-- update customer info
        update customer
        set c_data = @c_data
        where c_id = @c_id and
            c_w_id = @c_w_id and
            c_d_id = @c_d_id
        select @screen_data = substring (@c_data,1,200)
    end
-- get district data and update year-to-date
    update district
    set d_ytd = d_ytd + @h_amount,
        @d_street_1 = d_street_1,
        @d_street_2 = d_street_2,
        @d_city = d_city,
        @d_state = d_state,
        @d_zip = d_zip,
        @d_name = d_name,
        @d_id_local = d_id
    whered_w_id = @w_id and
        d_id = @d_id
-- get warehouse data and update year-to-date
    update warehouse
    set w_ytd = w_ytd + @h_amount,
        @w_street_1 = w_street_1,
        @w_street_2 = w_street_2,
        @w_city = w_city,
        @w_state = w_state,
        @w_zip = w_zip,
        @w_name = w_name,
        @w_id_local = w_id
    wherew_id = @w_id

```

```

-- create history record
        insert into history values ( @c_id_local,
            @c_d_id,
            @c_w_id,
            @d_id_local,
            @w_id_local,
            @datetime,
            @h_amount,
            @w_name + " " + @d_name)
commit tran p
-- return data to client
select @c_id,
    @c_last,
    @datetime,
    @w_street_1,
    @w_street_2,
    @w_city,
    @w_state,
    @w_zip,
    @d_street_1,
    @d_street_2,
    @d_city,
    @d_state,
    @d_zip,
    @c_first,
    @c_middle,
    @c_street_1,
    @c_street_2,
    @c_city,
    @c_state,
    @c_zip,
    @c_phone,
    @c_since,
    @c_credit,
    @c_credit_lim,
    @c_discount,
    @c_balance,
    @screen_data
go

```

## STOCKLEV.SQL

```

-- File: STOCKLEV.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.21.000
-- Copyright Microsoft, 1999, 2000
-- Purpose: Creates stock level transaction stored procedure
--
-- Interface Level: 4.10.000

```

```

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_stocklevel" )
    drop procedure tpcc_stocklevel
go

create proc tpcc_stocklevel    @w_id          smallint,
                              @d_id          tinyint,
                              @threshold    smallint
as

declare    @o_id_low int,
           @o_id_high int

select    @o_id_low = (d_next_o_id - 20),
           @o_id_high = (d_next_o_id - 1)
from district
whered_w_id      = @w_id and
d_id             = @d_id

select    count(distinct(s_i_id))
from stock, order_line
where ol_w_id    = @w_id and
      ol_d_id    = @d_id and
      ol_o_id    between @o_id_low and
                        @o_id_high and
      s_w_id     = ol_w_id and
      s_i_id     = ol_i_id and
      s_quantity < @threshold

go

```

## VERSION.SQL

```

-- File:      VERSION.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.21.000
--           Copyright Microsoft, 1999, 2000
-- Purpose:   Returns version level of TPC-C stored procs
-- Note:     Always update the return value of this proc for
--           any interface changes or "must have" bug fixes.
--
-- The value returned by this SP defines the "interface level",
-- which must match between the stored procs and the client code.
-- The interface level may be down rev from the current kit. This
-- indicates that the interface hasn't changed since that version.

use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_version" )

```

```

drop procedure tpcc_version
go

create proc tpcc_version
as
declare    @version char(8)

begin
select @version = "4.10.000"
select @version as "Version"
end

go

```

## GETARGS.C

```

// File:      GETARGS.C
//           Microsoft TPC-C Kit Ver. 4.20
//           Copyright Microsoft, 1996, 1997, 1998, 1999
// Purpose:   Source file for command line processing

// Includes
#include "tpcc.h"

//=====
//
// Function name: GetArgsLoader
//
//=====

void GetArgsLoader(int argc, char **argv, TPCC_LDR_ARGS *pargs)
{
    int    i;
    char  *ptr;

#ifdef DEBUG
    printf("[%ld]DBG: Entering GetArgsLoader()\n", (int)
GetCurrentThreadId());
#endif

    /* init args struct with some useful values */
    pargs->server      = SERVER;
    pargs->user        = USER;
    pargs->password    = PASSWORD;
    pargs->database    = DATABASE;
    pargs->batch       = BATCH;
    pargs->num_warehouses = UNDEF;
    pargs->tables_all  = TRUE;
    pargs->table_item  = FALSE;
    pargs->table_warehouse = FALSE;
    pargs->table_customer = FALSE;
    pargs->table_orders  = FALSE;

```

```

pargs->loader_res_file      = LOADER_RES_FILE;
pargs->pack_size            = DEF_LDPACKSIZE;
pargs->starting_warehouse  = DEF_STARTING_WAREHOUSE;
pargs->build_index         = BUILD_INDEX;
pargs->index_order         = INDEX_ORDER;
pargs->index_script_path   = INDEX_SCRIPT_PATH;
pargs->scale_down          = SCALE_DOWN;

```

```

/* check for zero command line args */

```

```

if ( argc == 1 )

```

```

    GetArgsLoaderUsage();

```

```

for ( i = 1; i < argc; ++i)

```

```

{
    if (argv[i][0] != '-' && argv[i][0] != '/')
    {
        printf("\nUnrecognized command");
        GetArgsLoaderUsage();
        exit(1);
    }

```

```

    ptr = argv[i];

```

```

    switch (ptr[1])

```

```

    {
    case 'h':      /* Fall through */
    case 'H':

```

```

        GetArgsLoaderUsage();
        break;

```

```

    case 'D':

```

```

        pargs->database = ptr+2;
        break;

```

```

    case 'P':

```

```

        pargs->password = ptr+2;
        break;

```

```

    case 'S':

```

```

        pargs->server = ptr+2;
        break;

```

```

    case 'U':

```

```

        pargs->user = ptr+2;
        break;

```

```

    case 'b':

```

```

        pargs->batch = atol(ptr+2);
        break;

```

```

    case 'W':

```

```

        pargs->num_warehouses = atol(ptr+2);
        break;

```

```

case 's':

```

```

    pargs->starting_warehouse = atol(ptr+2);
    break;

```

```

case 't':

```

```

{
    pargs->tables_all = FALSE;
    if (strcmp(ptr+2,"item") == 0)
        pargs->table_item = TRUE;
    else if (strcmp(ptr+2,"warehouse") == 0)
        pargs->table_warehouse = TRUE;
    else if (strcmp(ptr+2,"customer") == 0)
        pargs->table_customer = TRUE;
    else if (strcmp(ptr+2,"orders") == 0)
        pargs->table_orders = TRUE;
    else
    {
        printf("\nUnrecognized command");
        GetArgsLoaderUsage();
        exit(1);
    }

    break;
}

```

```

case 'f':

```

```

    pargs->loader_res_file = ptr+2;
    break;

```

```

case 'p':

```

```

    pargs->pack_size = atol(ptr+2);
    break;

```

```

case 'i':

```

```

    pargs->build_index = atol(ptr+2);
    break;

```

```

case 'o':

```

```

    pargs->index_order = atol(ptr+2);
    break;

```

```

case 'c':

```

```

    pargs->scale_down = atol(ptr+2);
    break;

```

```

case 'd':

```

```

    pargs->index_script_path = ptr+2;
    break;

```

```

default:

```

```

    GetArgsLoaderUsage();
    exit(-1);

```

```

        break;
    }
}
/* check for required args */
if (pargs->num_warehouses == UNDEF )
{
    printf("Number of Warehouses is required\n");
    exit(-2);
}
return;
}

//=====
//
// Function name: GetArgsLoaderUsage
//
//=====

void GetArgsLoaderUsage()
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering GetArgsLoaderUsage()\n", (int)
GetCurrentThreadId());
#endif

    printf("TPCCLDR:\n\n");
    printf("Parameter
Default\n");
    printf("-----
\n");
    printf("-W Number of Warehouses to Load           Required
\n");
    printf("-S Server                               %s\n",
SERVER);
    printf("-U Username                               %s\n",
USER);
    printf("-P Password                               %s\n",
PASSWORD);
    printf("-D Database                               %s\n",
DATABASE);
    printf("-b Batch Size                               %ld\n",
(long) BATCH);
    printf("-p TDS packet size                           %ld\n",
(long) DEF_LDPACKSIZE);
    printf("-f Loader Results Output Filename
LOADER_RES_FILE);
    printf("-s Starting Warehouse                       %ld\n",
(long) DEF_STARTING_WAREHOUSE);

```

```

    printf("-i Build Option (data = 0, data and index = 1)           %ld\n",
(long) BUILD_INDEX);
    printf("-o Cluster Index Build Order (before = 1, after = 0) %ld\n",
(long) INDEX_ORDER);
    printf("-c Build Scaled Database (normal = 0, tiny = 1)           %ld\n",
(long) SCALE_DOWN);
    printf("-d Index Script Path                                     %s\n",
INDEX_SCRIPT_PATH);
    printf("-t Table to Load                                           all
tables \n");
    printf("    [item|warehouse|customer|orders]\n");
    printf("    Notes: \n");
    printf("    - the '-t' parameter may be included multiple times to
\n");
    printf("    specify multiple tables to be loaded \n");
    printf("    - 'item' loads ITEM table \n");
    printf("    - 'warehouse' loads WAREHOUSE, DISTRICT, and STOCK tables
\n");
    printf("    - 'customer' loads CUSTOMER and HISTORY tables \n");
    printf("    - 'orders' load NEW-ORDER, ORDERS, ORDER-LINE tables \n");

    printf("\nNote: Command line switches are case sensitive.\n");

    exit(0);
}

```

## RANDOM.C

```

// File:          RANDOM.C
//                Microsoft TPC-C Kit Ver. 4.20
//                Copyright Microsoft, 1996, 1997, 1998, 1999
// Purpose:       Random number generation routines for database loader

// Includes
#include "tpcc.h"
#include "math.h"

// Defines
#define A          16807
#define M          2147483647
#define Q          127773      /* M div A */
#define R          2836       /* M mod A */
#define Thread    __declspec(thread)

// Globals
long Thread Seed = 0;      /* thread local seed */

/*****
***

```

```

*
*
* random -
*
* Implements a GOOD pseudo random number generator. This generator
*
* will/should? run the complete period before repeating.
*
*
* Copied from:
*
* Random Numbers Generators: Good Ones Are Hard to Find.
*
* Communications of the ACM - October 1988 Volume 31 Number 10
*
*
* Machine Dependencies:
*
* long must be 2 ^ 31 - 1 or greater.
*
*
*****
**/

/*****
***
* seed - load the Seed value used in irand and drand. Should be used before
*
* first call to irand or drand.
*
*****
**/

void seed(long val)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering seed()...\n", (int) GetCurrentThreadId());
    printf("Old Seed %ld New Seed %ld\n",Seed, val);
#endif

    if ( val < 0 )
        val = abs(val);

    Seed = val;
}

```

```

/*****
**
*
* irand - returns a 32 bit integer pseudo random number with a period of
*
* 1 to 2 ^ 32 - 1.
*
*
* parameters:
*
* none.
*
*
* returns:
*
* 32 bit integer - defined as long ( see above ).
*
*
* side effects:
*
* seed get recomputed.
*****
*/

long irand()
{
    register long    s;        /* copy of seed */
    register long    test;    /* test flag */
    register long    hi;      /* tmp value for speed */
    register long    lo;      /* tmp value for speed */

#ifdef DEBUG
    printf("[%ld]DBG: Entering irand()...\n", (int) GetCurrentThreadId());
#endif

    s = Seed;
    hi = s / Q;
    lo = s % Q;

    test = A * lo - R * hi;
    if ( test > 0 )
        Seed = test;
    else
        Seed = test + M;

    return( Seed );
}

```

```

/*****
**
*
*
* drand - returns a double pseudo random number between 0.0 and 1.0.
*
* See irand.
*
*****/
double drand()
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering drand()...\n", (int) GetCurrentThreadId());
#endif

    return( (double)irand() / 2147483647.0);
}

//=====
// Function : RandomNumber
//
// Description:
//=====
long RandomNumber(long lower, long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering RandomNumber()...\n", (int)
GetCurrentThreadId());
#endif

    if ( upper == lower ) /* pgd 08-13-96 perf enhancement */
        return lower;

    upper++;

    if ( upper <= lower )
        rand_num = upper;
    else
        rand_num = lower + irand() % (upper - lower); /* pgd 08-13-96 perf
enhancement */

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld ==> %ld\n",
(int) GetCurrentThreadId(), lower, upper, rand_num);
#endif
}

```

```

    return rand_num;
}

#if 0
//Original code pgd 08/13/96
long RandomNumber(long lower,
                  long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering RandomNumber()...\n", (int)
GetCurrentThreadId());
#endif

    upper++;

    if ((upper <= lower))
        rand_num = upper;
    else
        rand_num = lower + irand() % ((upper > lower) ? upper - lower :
upper);

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld ==> %ld\n",
(int) GetCurrentThreadId(), lower, upper, rand_num);
#endif

    return rand_num;
}
#endif

//=====
// Function : NURand
//
// Description:
//=====
long NURand(int iConst,
           long x,
           long y,
           long C)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering NURand()...\n", (int) GetCurrentThreadId());
#endif
}

```

```

    rand_num = (((RandomNumber(0,iConst) | RandomNumber(x,y)) + C) % (y-
x+1))+x;

#ifdef DEBUG
    printf("[%ld]DBG: NURand: num = %d\n", (int) GetCurrentThreadId(),
rand_num);
#endif

    return rand_num;
}

```

## STRINGS.C

```

// File: STRINGS.C
// Microsoft TPC-C Kit Ver. 4.20
// Copyright Microsoft, 1996, 1997, 1998, 1999
// Purpose: Source file for database loader string functions

// Includes
#include "tpcc.h"
#include <string.h>
#include <ctype.h>

//=====
//
// Function name: MakeAddress
//
//=====

void MakeAddress(char *street_1,
                char *street_2,
                char *city,
                char *state,
                char *zip)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeAddress()\n", (int)
GetCurrentThreadId());
#endif

    MakeAlphaString (10, 20, ADDRESS_LEN, street_1);
    MakeAlphaString (10, 20, ADDRESS_LEN, street_2);
    MakeAlphaString (10, 20, ADDRESS_LEN, city);
    MakeAlphaString ( 2,  2, STATE_LEN, state);
    MakeZipNumberString( 9,  9, ZIP_LEN, zip);

#ifdef DEBUG

```

```

    printf("[%ld]DBG: MakeAddress: street_1: %s, street_2: %s, city: %s,
state: %s, zip: %s\n",
           (int) GetCurrentThreadId(), street_1, street_2, city, state,
zip);
#endif

    return;
}

//=====
//
// Function name: LastName
//
//=====

void LastName(int num,
             char *name)
{
    static char *n[] =
    {
        "BAR" , "OUGHT", "ABLE" , "PRI" , "PRES",
        "ESE" , "ANTI" , "CALLY", "ATION", "EING"
    };

#ifdef DEBUG
    printf("[%ld]DBG: Entering LastName()\n", (int) GetCurrentThreadId());
#endif

    if ((num >= 0) && (num < 1000))
    {
        strcpy(name, n[(num/100)%10]);
        strcat(name, n[(num/10)%10]);
        strcat(name, n[(num/1)%10]);

        if (strlen(name) < LAST_NAME_LEN)
        {
            PaddString(LAST_NAME_LEN, name);
        }
    }
    else
    {
        printf("\nError in LastName()... num <%ld> out of range
(0,999)\n", num);
        exit(-1);
    }

#ifdef DEBUG
    printf("[%ld]DBG: LastName: num = [%d] ==> [%d][%d][%d]\n",

```

```

        (int) GetCurrentThreadId(), num, num/100, (num/10)%10,
num%10);
    printf("[%ld]DBG: LastName: String = %s\n", (int) GetCurrentThreadId(),
name);
#endif

    return;
}

//=====
//
// Function name: MakeAlphaString
//
//=====

//philipdu 08/13/96 Changed MakeAlphaString to use A-Z, a-z, and 0-9 in
//accordance with spec see below:
//The spec says:
//4.3.2.2 The notation random a-string [x .. y]
//(respectively, n-string [x .. y]) represents a string of random
alphanumeric
//(respectively, numeric) characters of a random length of minimum x,
maximum y,
//and mean (y+x)/2. Alphanumerics are A..Z, a..z, and 0..9. The only other
//requirement is that the character set used "must be able to represent a
minimum
//of 128 different characters". We are using 8-bit chars, so this is a non
issue.
//It is completely unreasonable to stuff non-printing chars into the text
fields.
//--CLevine 08/13/96

int MakeAlphaString( int x, int y, int z, char *str)
{
    int len;
    int i;
    char cc = 'a';
    static char chArray[] =
"0123456789ABCDEFGHIJKLMNPOQRSTUVWXYZabcdefghijklmnopqrstuvwxyz";
    static int chArrayMax = 61;

#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeAlphaString()\n", (int)
GetCurrentThreadId());
#endif

    len= RandomNumber(x, y);

    for (i=0; i<len; i++)
    {
        cc = chArray[RandomNumber(0, chArrayMax)];

```

```

        str[i] = cc;
    }
    if ( len < z )
        memset(str+len, ' ', z - len);
    str[len] = 0;

    return len;
}

//=====
//
// Function name: MakeOriginalAlphaString
//
//=====

int MakeOriginalAlphaString(int x,
                            int y,
                            int z,
                            char *str,
                            int percent)
{
    int len;
    int val;
    int start;

#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeOriginalAlphaString()\n", (int)
GetCurrentThreadId());
#endif

    // verify percentage is valid
    if ((percent < 0) || (percent > 100))
    {
        printf("MakeOriginalAlphaString: Invalid percentage: %d\n",
percent);
        exit(-1);
    }

    // verify string is at least 8 chars in length
    if ((x + y) <= 8)
    {
        printf("MakeOriginalAlphaString: string length must be >= 8\n");
        exit(-1);
    }

    // Make Alpha String
    len = MakeAlphaString(x,y, z, str);

    val = RandomNumber(1,100);
    if (val <= percent)
    {
        start = RandomNumber(0, len - 8);

```

```

        strncpy(str + start, "ORIGINAL", 8);
    }

#ifdef DEBUG
    printf("[%ld]DBG: MakeOriginalAlphaString: : %s\n",
           (int) GetCurrentThreadId(), str);
#endif

    return strlen(str);
}

//=====
//
// Function name: MakeNumberString
//
//=====
int MakeNumberString(int x, int y, int z, char *str)
{
    char tmp[16];

    //MakeNumberString is always called MakeZipNumberString(16, 16, 16,
string)

    memset(str, '0', 16);
    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str+8, tmp, strlen(tmp));

    str[16] = 0;

    return 16;
}

//=====
//
// Function name: MakeZipNumberString
//
//=====
int MakeZipNumberString(int x, int y, int z, char *str)
{
    char tmp[16];

    //MakeZipNumberString is always called MakeZipNumberString(9, 9, 9,
string)

    strcpy(str, "000011111");

    itoa(RandomNumber(0, 9999), tmp, 10);

```

```

    memcpy(str, tmp, strlen(tmp));

    return 9;
}

//=====
//
// Function name: InitString
//
//=====
void InitString(char *str, int len)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering InitString()\n", (int) GetCurrentThreadId());
#endif

    memset(str, ' ', len);
    str[len] = 0;
}

//=====
//
// Function name: InitAddress
//
// Description:
//
//=====
void InitAddress(char *street_1, char *street_2, char *city, char *state,
char *zip)
{
    memset(street_1, ' ', ADDRESS_LEN+1);
    memset(street_2, ' ', ADDRESS_LEN+1);
    memset(city, ' ', ADDRESS_LEN+1);

    street_1[ADDRESS_LEN+1] = 0;
    street_2[ADDRESS_LEN+1] = 0;
    city[ADDRESS_LEN+1] = 0;

    memset(state, ' ', STATE_LEN+1);
    state[STATE_LEN+1] = 0;

    memset(zip, ' ', ZIP_LEN+1);
    zip[ZIP_LEN+1] = 0;
}

//=====
//
// Function name: PaddString
//
//=====

```

```

void PaddString(int max, char *name)
{
    int    len;

    len = strlen(name);
    if ( len < max )
        memset(name+len, ' ', max - len);
    name[max] = 0;

    return;
}

```

## TIME.C

```

// File:      TIME.C
//           Microsoft TPC-C Kit Ver. 4.20
//           Copyright Microsoft, 1996, 1997, 1998, 1999
// Purpose:   Source file for time functions

// Includes
#include "tpcc.h"

// Globals
static long start_sec;

//=====
//
// Function name: TimeNow
//
//=====

long TimeNow()
{
    long    time_now;
    struct _timeb el_time;

#ifdef DEBUG
    printf("[%ld]DBG: Entering TimeNow()\n", (int) GetCurrentThreadId());
#endif

    _ftime(&el_time);

    time_now = ((el_time.time - start_sec) * 1000) + el_time.millitm;

    return time_now;
}

```

## TPCC.H

```

// File:      TPCC.H
//           Microsoft TPC-C Kit Ver. 4.20
//           Copyright Microsoft, 1996, 1997, 1998, 1999
// Purpose:   Header file for TPC-C database loader

// Build number of TPC Benchmark Kit
#define TPCKIT_VER    "4.20"

// General headers
#include <windows.h>
#include <winbase.h>
#include <stdlib.h>
#include <stdio.h>
#include <process.h>
#include <stddef.h>
#include <stdarg.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <sys\types.h>

// ODBC headers
#include <sql.h>
#include <sqlext.h>
#include <odbcss.h>

// General constants
#define MILLI                1000
#define FALSE                0
#define TRUE                 1
#define UNDEF                -1
#define MINPRINTASCII       32
#define MAXPRINTASCII       126

// Default environment constants
#define SERVER                ""
#define DATABASE              "tpcc"
#define USER                  "sa"
#define PASSWORD              ""

// Default loader arguments
#define BATCH                 10000
#define DEFLDAPACKSIZE       32768
#define LOADER_RES_FILE      "logs\\load.out"
#define LOADER_NURAND_C      123
#define DEF_STARTING_WAREHOUSE 1
#define BUILD_INDEX           1    // build both data and
indexes
#define INDEX_ORDER           1    // build indexes before load

```

```

#define SCALE_DOWN          0    // build a normal scale
database
#define INDEX_SCRIPT_PATH  "scripts"

typedef struct
{
    char          *server;
    char          *database;
    char          *user;
    char          *password;
    BOOL          tables_all;           // set if loading all
tables
    BOOL          table_item;          // set if loading ITEM
table specifically
    BOOL          table_warehouse;     // set if loading WAREHOUSE,
DISTRICT, and STOCK
    BOOL          table_customer;      // set if loading CUSTOMER
and HISTORY
    BOOL          table_orders;        // set if loading NEW-ORDER,
ORDERS, ORDER-LINE
    long          num_warehouses;
    long          batch;
    long          verbose;
    long          pack_size;
    char          *loader_res_file;
    char          *synch_servername;
    long          case_sensitivity;
    long          starting_warehouse;
    long          build_index;
    long          index_order;
    long          scale_down;
    char          *index_script_path;
} TPCCLDR_ARGS;

// String length constants
#define SERVER_NAME_LEN      20
#define DATABASE_NAME_LEN   20
#define USER_NAME_LEN       20
#define PASSWORD_LEN        20
#define TABLE_NAME_LEN     20
#define I_DATA_LEN          50
#define I_NAME_LEN          24
#define BRAND_LEN           1
#define LAST_NAME_LEN       16
#define W_NAME_LEN          10
#define ADDRESS_LEN         20
#define STATE_LEN           2
#define ZIP_LEN             9
#define S_DIST_LEN         24
#define S_DATA_LEN         50
#define D_NAME_LEN          10
#define FIRST_NAME_LEN     16
#define MIDDLE_NAME_LEN     2

```

```

#define PHONE_LEN           16
#define CREDIT_LEN         2
#define C_DATA_LEN         500
#define H_DATA_LEN        24
#define DIST_INFO_LEN      24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN         25
#define OL_DIST_INFO_LEN   24
#define C_SINCE_LEN        23
#define H_DATE_LEN         23
#define OL_DELIVERY_D_LEN  23
#define O_ENTRY_D_LEN      23

```

```

// Functions in random.c
void seed();
long irand();
double drand();
void WUCreate();
short WURand();
long RandomNumber(long lower, long upper);

```

```

// Functions in getargs.c;
void GetArgsLoader();
void GetArgsLoaderUsage();

```

```

// Functions in time.c
long TimeNow();

```

```

// Functions in strings.c
void MakeAddress();
void LastName();
int MakeAlphaString();
int MakeOriginalAlphaString();
int MakeNumberString();
int MakeZipNumberString();
void InitString();
void InitAddress();
void PaddString();

```

## TPCCLDR.C

```

// File:          TPCCLDR.C
//                Microsoft TPC-C Kit Ver. 4.20
//                Copyright Microsoft, 1996, 1997, 1998, 1999
// Purpose:       Source file for TPC-C database loader

```

```

// Includes
#include "tpcc.h"
#include "search.h"

```

```

// Defines
#define MAXITEMS          100000
#define MAXITEMS_SCALE_DOWN 100
#define CUSTOMERS_PER_DISTRICT 3000
#define CUSTOMERS_SCALE_DOWN 30
#define DISTRICT_PER_WAREHOUSE 10
#define ORDERS_PER_DISTRICT 3000
#define ORDERS_SCALE_DOWN 30
#define MAX_CUSTOMER_THREADS 2
#define MAX_ORDER_THREADS 3
#define MAX_MAIN_THREADS 4

```

```

// Functions declarations

```

```

void HandleErrorDBC (SQLHDBC hdbc1);

```

```

void CheckSQL();
void CheckDataBase();

```

```

long NURand();
void LoadItem();
void LoadWarehouse();

```

```

void Stock();
void District();

```

```

void LoadCustomer();
void CustomerBufInit();
void CustomerBufLoad();
void LoadCustomerTable();
void LoadHistoryTable();

```

```

void LoadOrders();
void OrdersBufInit();
void OrdersBufLoad();
void LoadOrdersTable();
void LoadNewOrderTable();
void LoadOrderLineTable();
void GetPermutation();
void CheckForCommit();
void OpenConnections();
void BuildIndex();
void FormatDate ();

```

```

// Shared memory structures

```

```

typedef struct
{
    long          ol;
    long          ol_i_id;
    short         ol_supply_w_id;
    short         ol_quantity;
    double        ol_amount;

```

```

    char          ol_dist_info[DIST_INFO_LEN+1];
    char          ol_delivery_d[OL_DELIVERY_D_LEN+1];
} ORDER_LINE_STRUCT;

```

```

typedef struct
{
    long          o_id;
    short         o_d_id;
    short         o_w_id;
    long          o_c_id;
    short         o_carrier_id;
    short         o_ol_cnt;
    short         o_all_local;
    ORDER_LINE_STRUCT o_ol[15];
} ORDERS_STRUCT;

```

```

typedef struct
{
    long          c_id;
    short         c_d_id;
    short         c_w_id;
    char          c_first[FIRST_NAME_LEN+1];
    char          c_middle[MIDDLE_NAME_LEN+1];
    char          c_last[LAST_NAME_LEN+1];
    char          c_street_1[ADDRESS_LEN+1];
    char          c_street_2[ADDRESS_LEN+1];
    char          c_city[ADDRESS_LEN+1];
    char          c_state[STATE_LEN+1];
    char          c_zip[ZIP_LEN+1];
    char          c_phone[PHONE_LEN+1];
    char          c_credit[CREDIT_LEN+1];
    double        c_credit_lim;
    double        c_discount;
    // fix to avoid ODBC float to numeric conversion problem.
    // double        c_balance;
    char          c_balance[6];

```

```

    double        c_ytd_payment;
    short         c_payment_cnt;
    short         c_delivery_cnt;
    char          c_data[C_DATA_LEN+1];
    double        h_amount;
    char          h_data[H_DATA_LEN+1];
} CUSTOMER_STRUCT;

```

```

typedef struct
{
    char          c_last[LAST_NAME_LEN+1];
    char          c_first[FIRST_NAME_LEN+1];
    long          c_id;
} CUSTOMER_SORT_STRUCT;

```

```

typedef struct

```

```

{
    long            time_start;
} LOADER_TIME_STRUCT;

// Global variables

char szLastError[300];

HENV henv;

HDBC v_hdbc;                // for SQL Server version
verification
HDBC i_hdbc1;              // for ITEM table
HDBC w_hdbc1;              // for WAREHOUSE, DISTRICT, STOCK
HDBC c_hdbc1;              // for CUSTOMER
HDBC c_hdbc2;              // for HISTORY
HDBC o_hdbc1;              // for ORDERS
HDBC o_hdbc2;              // for NEW-ORDER
HDBC o_hdbc3;              // for ORDER-LINE

HSTMTv_hstmt;              // for SQL Server version verification
HSTMTi_hstmt1;
HSTMTw_hstmt1;
HSTMTc_hstmt1, c_hstmt2;
HSTMTo_hstmt1, o_hstmt2, o_hstmt3;

ORDERS_STRUCT  orders_buf[ORDERS_PER_DISTRICT];
CUSTOMER_STRUCT customer_buf[CUSTOMERS_PER_DISTRICT];
long           orders_rows_loaded;
long           new_order_rows_loaded;
long           order_line_rows_loaded;
long           history_rows_loaded;
long           customer_rows_loaded;
long           stock_rows_loaded;
long           district_rows_loaded;
long           item_rows_loaded;
long           warehouse_rows_loaded;
long           main_time_start;
long           main_time_end;
long           max_items;
long           customers_per_district;
long           orders_per_district;
long           first_new_order;
long           last_new_order;

TPCCLDR_ARGS  *aptr, args;

//=====
//
// Function name: main

```

```

//
//=====

int main(int argc, char **argv)
{
    DWORD          dwThreadId[MAX_MAIN_THREADS];
    HANDLE         hThread[MAX_MAIN_THREADS];
    FILE           *fLoader;
    char           buffer[255];
    int            i;

    for (i=0; i<MAX_MAIN_THREADS; i++)
        hThread[i] = NULL;

    printf("\n*****");
    printf("\n*                               *");
    printf("\n* Microsoft SQL Server           *");
    printf("\n*                               *");
    printf("\n* TPC-C BENCHMARK KIT: Database loader *");
    printf("\n* Version %s                      *",
TPCKIT_VER);
    printf("\n*                               *");
    printf("\n*****\n\n");

    // process command line arguments

    aptr = &args;
    GetArgsLoader(argc, argv, aptr);

    // verify correct SQL Server version in use
    // you must be using SQL Server 7.00.623 or better to load

    CheckSQL();

    // verify database and tables exist before attempting to load

    CheckDataBase();

    printf("Build interface is ODBC.\n");

    if (aptr->build_index == 0)
        printf("Data load only - no index creation.\n");
    else
        printf("Data load and index creation.\n");

    if (aptr->index_order == 0)
        printf("Clustered indexes will be created after bulk load.\n");
    else
        printf("Clustered indexes will be created before bulk load.\n");

    // set database scale values
    if (aptr->scale_down == 1)

```

```

{
    printf("*** Scaled Down Database ***\n");
    max_items = MAXITEMS_SCALE_DOWN;
    customers_per_district = CUSTOMERS_SCALE_DOWN;
    orders_per_district = ORDERS_SCALE_DOWN;
    first_new_order = 0;
    last_new_order = 30;
}
else
{
    max_items = MAXITEMS;
    customers_per_district = CUSTOMERS_PER_DISTRICT;
    orders_per_district = ORDERS_PER_DISTRICT;
    first_new_order = 2100;
    last_new_order = 3000;
}

// open connections to SQL Server
OpenConnections();

// open file for loader results
fLoader = fopen(aptr->loader_res_file, "w");

if (fLoader == NULL)
{
    printf("Error, loader result file open failed.");
    exit(-1);
}

// start loading data
sprintf(buffer, "TPC-C load started for %ld warehouses.\n", aptr->num_warehouses);

printf("%s", buffer);
fprintf(fLoader, "%s", buffer);

main_time_start = (TimeNow() / MILLI);

// start parallel load threads

if (aptr->tables_all || aptr->table_item)
{
    fprintf(fLoader, "\nStarting loader threads for: item\n");

    hThread[0] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE)
LoadItem,
                                NULL,

```

```

                                0,
                                &dwThreadID[0]);

    if (hThread[0] == NULL)
    {
        printf("Error, failed in creating creating thread = 0.\n");
        exit(-1);
    }

    if (aptr->tables_all || aptr->table_warehouse)
    {
        fprintf(fLoader, "Starting loader threads for: warehouse\n");

        hThread[1] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE)
LoadWarehouse,
                                NULL,
                                0,
                                &dwThreadID[1]);

        if (hThread[1] == NULL)
        {
            printf("Error, failed in creating creating thread = 1.\n");
            exit(-1);
        }

        if (aptr->tables_all || aptr->table_customer)
        {
            fprintf(fLoader, "Starting loader threads for: customer\n");

            hThread[2] = CreateThread(NULL,
                                    0,
                                    (LPTHREAD_START_ROUTINE)
LoadCustomer,
                                    NULL,
                                    0,
                                    &dwThreadID[2]);

            if (hThread[2] == NULL)
            {
                printf("Error, failed in creating creating main thread =
2.\n");
                exit(-1);
            }

            if (aptr->tables_all || aptr->table_orders)
            {
                fprintf(fLoader, "Starting loader threads for: orders\n");

```

```

        hThread[3] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE)
LoadOrders,
                                NULL,
                                0,
                                &dwThreadID[3]);

    if (hThread[3] == NULL)
    {
        printf("Error, failed in creating creating main thread =
3.\n");
        exit(-1);
    }

    // Wait for threads to finish...
    for (i=0; i<MAX_MAIN_THREADS; i++)
    {
        if (hThread[i] != NULL)
        {
            WaitForSingleObject( hThread[i], INFINITE );
            CloseHandle(hThread[i]);
            hThread[i] = NULL;
        }
    }

    main_time_end = (TimeNow() / MILLI);

    sprintf(buffer, "\nTPC-C load completed successfully in %ld minutes.\n",
            (main_time_end - main_time_start)/60);

    printf("%s",buffer);
    fprintf(fLoader, "%s", buffer);

    fclose(fLoader);

    SQLFreeEnv(henv);

    exit(0);

    return 0;
}

//=====
//
// Function name: LoadItem
//
//=====

void LoadItem()
{

```

```

    long    i_id;
    long    i_im_id;
    char    i_name[I_NAME_LEN+1];
    double  i_price;
    char    i_data[I_DATA_LEN+1];
    char    name[20];
    long    time_start;
    RETCODE rc;
    DBINT   rcint;
    char    bcphint[128];

    // Seed with unique number
    seed(1);

    printf("Loading item table...\n");

    // if build index before load
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxitmc1");

    InitString(i_name, I_NAME_LEN+1);
    InitString(i_data, I_DATA_LEN+1);

    sprintf(name, "%s..%s", aptr->database, "item");

    rc = bcp_init(i_hdbc1, name, NULL, "logs\\item.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (i_id), ROWS_PER_BATCH =
100000");
        rc = bcp_control(i_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(i_hdbc1);
    }

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_im_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) i_name, 0, I_NAME_LEN, NULL, 0, 0, 3);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

```

```

rc = bcp_bind(i_hdbc1, (BYTE *) &i_price, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 4);
if (rc != SUCCEED)
    HandleErrorDBC(i_hdbc1);

rc = bcp_bind(i_hdbc1, (BYTE *) i_data, 0, I_DATA_LEN, NULL, 0, 0, 5);
if (rc != SUCCEED)
    HandleErrorDBC(i_hdbc1);

time_start = (TimeNow() / MILLI);

item_rows_loaded = 0;

for (i_id = 1; i_id <= max_items; i_id++)
{
    i_im_id = RandomNumber(1L, 10000L);

    MakeAlphaString(14, 24, I_NAME_LEN, i_name);

    i_price = ((float) RandomNumber(100L, 10000L))/100.0;

    MakeOriginalAlphaString(26, 50, I_DATA_LEN, i_data, 10);

    rc = bcp_sendrow(i_hdbc1);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    item_rows_loaded++;
    CheckForCommit(i_hdbc1, i_hstmt1, item_rows_loaded, "item",
&time_start);
}

rcint = bcp_done(i_hdbc1);
if (rcint < 0)
    HandleErrorDBC(i_hdbc1);

printf("Finished loading item table.\n");

SQLFreeStmt(i_hstmt1, SQL_DROP);
SQLDisconnect(i_hdbc1);
SQLFreeConnect(i_hdbc1);

// if build index after load
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxitm1");
}

//=====
//
// Function : LoadWarehouse

```

```

//
// Loads WAREHOUSE table and loads Stock and District as Warehouses are
// created
//
//=====
void LoadWarehouse()
{
    short w_id;
    char w_name[W_NAME_LEN+1];
    char w_street_1[ADDRESS_LEN+1];
    char w_street_2[ADDRESS_LEN+1];
    char w_city[ADDRESS_LEN+1];
    char w_state[STATE_LEN+1];
    char w_zip[ZIP_LEN+1];
    double w_tax;
    double w_ytd;
    char name[20];
    long time_start;
    RETCODE rc;
    DBINT rcint;
    char bcphint[128];

    // Seed with unique number
    seed(2);

    printf("Loading warehouse table...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxwar1");

    InitString(w_name, W_NAME_LEN+1);
    InitAddress(w_street_1, w_street_2, w_city, w_state, w_zip);

    sprintf(name, "%s..%s", aptr->database, "warehouse");

    rc = bcp_init(w_hdbc1, name, NULL, "logs\\whouse.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (w_id), ROWS_PER_BATCH = %d",
aptr->num_warehouses);
        rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
    }
}

```

```

    rc = bcp_bind(w_hdbc1, (BYTE *) &w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_name, 0, W_NAME_LEN, NULL, 0, 0, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_city, 0, ADDRESS_LEN, NULL, 0, 0, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_state, 0, STATE_LEN, NULL, 0, 0, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_zip, 0, ZIP_LEN, NULL, 0, 0, 7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &w_tax, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &w_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    time_start = (TimeNow() / MILLI);

    warehouse_rows_loaded = 0;

    for (w_id = (short)aptr->starting_warehouse; w_id <= aptr-
>num_warehouses; w_id++)
    {
        MakeAlphaString(6,10, W_NAME_LEN, w_name);

        MakeAddress(w_street_1, w_street_2, w_city, w_state, w_zip);

        w_tax = ((float) RandomNumber(0L,2000L))/10000.00;

```

```

        w_ytd = 300000.00;

        rc = bcp_sendrow(w_hdbc1);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        warehouse_rows_loaded++;
        CheckForCommit(w_hdbc1, i_hstmt1, warehouse_rows_loaded,
"warehouse", &time_start);
    }

    rcint = bcp_done(w_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(w_hdbc1);

    printf("Finished loading warehouse table.\n");

    // if build index after load...
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxwarcl");

    stock_rows_loaded = 0;
    district_rows_loaded = 0;

    District();
    Stock();
}

//=====
//
// Function : District
//
//=====

void District()
{
    short d_id;
    short d_w_id;
    char d_name[D_NAME_LEN+1];
    char d_street_1[ADDRESS_LEN+1];
    char d_street_2[ADDRESS_LEN+1];
    char d_city[ADDRESS_LEN+1];
    char d_state[STATE_LEN+1];
    char d_zip[ZIP_LEN+1];
    double d_tax;
    double d_ytd;
    char name[20];
    long d_next_o_id;
    long time_start;
    int w_id;

```

```

RETCODE rc;
DBINT rcint;
char bcphint[128];

// Seed with unique number
seed(4);

printf("Loading district table...\n");

// build index before load
if ((aptr->build_index == 1) && (aptr->index_order == 1))
    BuildIndex("idxdiscl");

InitString(d_name, D_NAME_LEN+1);
InitAddress(d_street_1, d_street_2, d_city, d_state, d_zip);
sprintf(name, "%s..%s", aptr->database, "district");

rc = bcp_init(w_hdbc1, name, NULL, "logs\\district.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (d_w_id, d_id), ROWS_PER_BATCH =
%u", (aptr->num_warehouses * 10));
    rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
}

rc = bcp_bind(w_hdbc1, (BYTE *) &d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 1);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &d_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_name, 0, D_NAME_LEN, NULL, 0, 0, 3);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
4);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
5);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

```

```

rc = bcp_bind(w_hdbc1, (BYTE *) d_city, 0, ADDRESS_LEN, NULL, 0, 0, 6);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_state, 0, STATE_LEN, NULL, 0, 0, 7);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_zip, 0, ZIP_LEN, NULL, 0, 0, 8);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &d_tax, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &d_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 10);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &d_next_o_id, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT4, 11);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

d_ytd = 30000.0;

d_next_o_id = orders_per_district+1;

time_start = (TimeNow() / MILLI);

for (w_id = aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
{
    d_w_id = w_id;

    for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
    {
        MakeAlphaString(6,10,D_NAME_LEN, d_name);

        MakeAddress(d_street_1, d_street_2, d_city, d_state, d_zip);

        d_tax = ((float) RandomNumber(0L,2000L))/10000.00;

        rc = bcp_sendrow(w_hdbc1);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        district_rows_loaded++;
    }
}

```

```

        CheckForCommit(w_hdbc1, w_hstmt1, district_rows_loaded,
"district", &time_start);
    }
}

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

printf("Finished loading district table.\n");

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxdiscl");

return;
}

```

```

//=====
//
// Function   : Stock
//
//=====

```

```

void Stock()
{
    long   s_i_id;
    short  s_w_id;
    short  s_quantity;
    char   s_dist_01[S_DIST_LEN+1];
    char   s_dist_02[S_DIST_LEN+1];
    char   s_dist_03[S_DIST_LEN+1];
    char   s_dist_04[S_DIST_LEN+1];
    char   s_dist_05[S_DIST_LEN+1];
    char   s_dist_06[S_DIST_LEN+1];
    char   s_dist_07[S_DIST_LEN+1];
    char   s_dist_08[S_DIST_LEN+1];
    char   s_dist_09[S_DIST_LEN+1];
    char   s_dist_10[S_DIST_LEN+1];
    long   s_ytd;
    short  s_order_cnt;
    short  s_remote_cnt;
    char   s_data[S_DATA_LEN+1];
    short  len;
    char   name[20];
    long   time_start;
    RETCODE rc;
    DBINT rcint;
    char   bcphint[128];

    // Seed with unique number
    seed(3);
}

```

```

// if build index before load...
if ((aptr->build_index == 1) && (aptr->index_order == 1))
    BuildIndex("idxstkcl");

sprintf(name, "%s..%s", aptr->database, "stock");

rc = bcp_init(w_hdbc1, name, NULL, "logs\\stock.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (s_i_id, s_w_id), ROWS_PER_BATCH
= %u", (aptr->num_warehouses * 100000));
    rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
}

rc = bcp_bind(w_hdbc1, (BYTE *) &s_i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

bcp_bind(w_hdbc1, (BYTE *) &s_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_quantity, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT2, 3);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_01, 0, S_DIST_LEN, NULL, 0, 0,
4);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_02, 0, S_DIST_LEN, NULL, 0, 0,
5);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_03, 0, S_DIST_LEN, NULL, 0, 0,
6);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_04, 0, S_DIST_LEN, NULL, 0, 0,
7);
if (rc != SUCCEED)

```

```

        HandleErrorDBC(w_hdbc1);
8); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_05, 0, S_DIST_LEN, NULL, 0, 0,
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
9); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_06, 0, S_DIST_LEN, NULL, 0, 0,
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
10); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_07, 0, S_DIST_LEN, NULL, 0, 0,
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
11); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_08, 0, S_DIST_LEN, NULL, 0, 0,
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
12); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_09, 0, S_DIST_LEN, NULL, 0, 0,
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
13); rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_10, 0, S_DIST_LEN, NULL, 0, 0,
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
    rc = bcp_bind(w_hdbc1, (BYTE *) &s_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 14);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
    rc = bcp_bind(w_hdbc1, (BYTE *) &s_order_cnt, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT2, 15);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
    rc = bcp_bind(w_hdbc1, (BYTE *) &s_remote_cnt, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 16);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
    rc = bcp_bind(w_hdbc1, (BYTE *) s_data, 0, S_DATA_LEN, NULL, 0, 0, 17);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
    s_ytd = s_order_cnt = s_remote_cnt = 0;

```

```

    time_start = (TimeNow() / MILLI);
    printf("...Loading stock table\n");
    for (s_i_id=1; s_i_id <= max_items; s_i_id++)
    {
        for (s_w_id = (short)aptr->starting_warehouse; s_w_id <= aptr-
>num_warehouses; s_w_id++)
        {
            s_quantity = (short)RandomNumber(10L,100L);
            len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_01);
            len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_02);
            len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_03);
            len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_04);
            len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_05);
            len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_06);
            len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_07);
            len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_08);
            len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_09);
            len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_10);
            len = MakeOriginalAlphaString(26,50, S_DATA_LEN, s_data,10);
            rc = bcp_sendrow(w_hdbc1);
            if (rc != SUCCEED)
                HandleErrorDBC(w_hdbc1);
            stock_rows_loaded++;
            CheckForCommit(w_hdbc1, w_hstmt1, stock_rows_loaded, "stock",
&time_start);
        }
    }
    rcint = bcp_done(w_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(w_hdbc1);
    printf("Finished loading stock table.\n");
    SQLFreeStmt(w_hstmt1, SQL_DROP);
    SQLDisconnect(w_hdbc1);
    SQLFreeConnect(w_hdbc1);
    // if build index after load...
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxstkcl");
    return;
}

```

```

//=====
//
// Function   : LoadCustomer
//
//=====

void LoadCustomer()
{
    LOADER_TIME_STRUCT    customer_time_start;
    LOADER_TIME_STRUCT    history_time_start;
    short                 w_id;
    short                 d_id;
    DWORD                 dwThreadID[MAX_CUSTOMER_THREADS];
    HANDLE                 hThread[MAX_CUSTOMER_THREADS];
    char                   name[20];
    RETCODE                rc;
    DBINT                 rcint;
    char                   bcphint[128];
    char                   cmd[256];
    // SQLRETURN            rc_l;
    // SQLSMALLINT          recnum, MsgLen;
    // SQLCHAR              SqlState[6],
Msg[SQL_MAX_MESSAGE_LENGTH];
    // SQLINTEGER           NativeError;

    // Seed with unique number
    seed(5);

    printf("Loading customer and history tables...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxcuscl");

    // Initialize bulk copy
    sprintf(name, "%s..%s", aptr->database, "customer");

    rc = bcp_init(c_hdbc1, name, NULL, "logs\\customer.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (c_w_id, c_d_id, c_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
        rc = bcp_control(c_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);
    }

    sprintf(name, "%s..%s", aptr->database, "history");

```

```

rc = bcp_init(c_hdbc2, name, NULL, "logs\\history.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

sprintf(bcphint, "tablock");
rc = bcp_control(c_hdbc2, BCPHINTS, (void*) bcphint);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

customer_rows_loaded    = 0;
history_rows_loaded     = 0;

CustomerBufInit();

customer_time_start.time_start = (TimeNow() / MILLI);
history_time_start.time_start = (TimeNow() / MILLI);

for (w_id = (short)aptr->starting_warehouse; w_id <= aptr-
>num_warehouses; w_id++)
{
    for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
    {
        CustomerBufLoad(d_id, w_id);

        // Start parallel loading threads here...

        // Start customer table thread

        printf("...Loading customer table for: d_id = %d, w_id =
%d\n", d_id, w_id);

        hThread[0] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE)
LoadCustomerTable,
                                &customer_time_start,
                                0,
                                &dwThreadID[0]);

        if (hThread[0] == NULL)
        {
            printf("Error, failed in creating creating thread =
0.\n");
            exit(-1);
        }

        // Start History table thread

        printf("...Loading history table for: d_id = %d, w_id =
%d\n", d_id, w_id);

        hThread[1] = CreateThread(NULL,

```

```

                                0,
                                (LPTHREAD_START_ROUTINE)
LoadHistoryTable,
                                &history_time_start,
                                0,
                                &dwThreadID[1]);

    if (hThread[1] == NULL)
    {
        printf("Error, failed in creating creating thread =
1.\n");
        exit(-1);
    }

    WaitForSingleObject( hThread[0], INFINITE );
    WaitForSingleObject( hThread[1], INFINITE );

    if (CloseHandle(hThread[0]) == FALSE)
    {
        printf("Error, failed in closing customer thread handle
with errno: %d\n", GetLastError());
    }

    if (CloseHandle(hThread[1]) == FALSE)
    {
        printf("Error, failed in closing history thread handle
with errno: %d\n", GetLastError());
    }

}

// flush the bulk connection
rcint = bcp_done(c_hdbc1);
if (rcint < 0)
    HandleErrorDBC(c_hdbc1);

rcint = bcp_done(c_hdbc2);
if (rcint < 0)
    HandleErrorDBC(c_hdbc2);

printf("Finished loading customer table.\n");

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxcuscl");

// build non-clustered index
if (aptr->build_index == 1)
    BuildIndex("idxcusnc");

```

```

// Output the NURAND used for the loader into C_FIRST for C_ID = 1,
// C_W_ID = 1, and C_D_ID = 1
sprintf(cmd, "isql -S%s -U%s -P%s -d%s -e -Q\"update customer set
c_first = 'C_LOAD = %d' where c_id = 1 and c_w_id = 1 and c_d_id = 1\" >
logs\\nurand_load.log",
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database,
        LOADER_NURAND_C);

system(cmd);

SQLFreeStmt(c_hstmt1, SQL_DROP);
SQLDisconnect(c_hdbc1);
SQLFreeConnect(c_hdbc1);

SQLFreeStmt(c_hstmt2, SQL_DROP);
SQLDisconnect(c_hdbc2);
SQLFreeConnect(c_hdbc2);

return;
}

//=====
//
// Function : CustomerBufInit
//
//=====

void CustomerBufInit()
{
    int i;

    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_id = 0;
        customer_buf[i].c_d_id = 0;
        customer_buf[i].c_w_id = 0;

        strcpy(customer_buf[i].c_first,"");
        strcpy(customer_buf[i].c_middle,"");
        strcpy(customer_buf[i].c_last,"");
        strcpy(customer_buf[i].c_street_1,"");
        strcpy(customer_buf[i].c_street_2,"");
        strcpy(customer_buf[i].c_city,"");
        strcpy(customer_buf[i].c_state,"");
        strcpy(customer_buf[i].c_zip,"");
        strcpy(customer_buf[i].c_phone,"");
        strcpy(customer_buf[i].c_credit,"");
    }
}

```

```

customer_buf[i].c_credit_lim = 0;
customer_buf[i].c_discount = (float) 0;

// fix to avoid ODBC float to numeric conversion problem.
// customer_buf[i].c_balance = 0;
strcpy(customer_buf[i].c_balance, "");

customer_buf[i].c_ytd_payment = 0;
customer_buf[i].c_payment_cnt = 0;
customer_buf[i].c_delivery_cnt = 0;

strcpy(customer_buf[i].c_data, "");

customer_buf[i].h_amount = 0;

strcpy(customer_buf[i].h_data, "");
}
}

//=====
//
// Function : CustomerBufLoad
//
// Fills shared buffer for HISTORY and CUSTOMER
//=====

void CustomerBufLoad(int d_id, int w_id)
{
    long                i;
    CUSTOMER_SORT_STRUCT c[CUSTOMERS_PER_DISTRICT];

    for (i=0;i<customers_per_district;i++)
    {
        if (i < 1000)
            LastName(i, c[i].c_last);
        else
            LastName(NURand(255,0,999,LOADER_NURAND_C), c[i].c_last);

        MakeAlphaString(8,16,FIRST_NAME_LEN, c[i].c_first);

        c[i].c_id = i+1;
    }

    printf("...Loading customer buffer for: d_id = %d, w_id = %d\n",
           d_id, w_id);

    for (i=0;i<customers_per_district;i++)

```

```

{
    customer_buf[i].c_d_id = d_id;
    customer_buf[i].c_w_id = w_id;
    customer_buf[i].h_amount = 10.0;

    customer_buf[i].c_ytd_payment = 10.0;

    customer_buf[i].c_payment_cnt = 1;
    customer_buf[i].c_delivery_cnt = 0;

    // Generate CUSTOMER and HISTORY data

    customer_buf[i].c_id = c[i].c_id;

    strcpy(customer_buf[i].c_first, c[i].c_first);
    strcpy(customer_buf[i].c_last, c[i].c_last);

    customer_buf[i].c_middle[0] = 'O';
    customer_buf[i].c_middle[1] = 'E';

    MakeAddress(customer_buf[i].c_street_1,
               customer_buf[i].c_street_2,
               customer_buf[i].c_city,
               customer_buf[i].c_state,
               customer_buf[i].c_zip);

    MakeNumberString(16, 16, PHONE_LEN, customer_buf[i].c_phone);

    if (RandomNumber(1L, 100L) > 10)
        customer_buf[i].c_credit[0] = 'G';
    else
        customer_buf[i].c_credit[0] = 'B';
    customer_buf[i].c_credit[1] = 'C';

    customer_buf[i].c_credit_lim = 50000.0;
    customer_buf[i].c_discount = ((float) RandomNumber(0L, 5000L)) /
10000.0;

    // fix to avoid ODBC float to numeric conversion problem.

    // customer_buf[i].c_balance = -10.0;
    strcpy(customer_buf[i].c_balance, "-10.0");

    MakeAlphaString(300, 500, C_DATA_LEN, customer_buf[i].c_data);

    // Generate HISTORY data
    MakeAlphaString(12, 24, H_DATA_LEN, customer_buf[i].h_data);
}
}

```

```

//=====
//
// Function   : LoadCustomerTable
//
//=====

void LoadCustomerTable(LOADER_TIME_STRUCT *customer_time_start)
{
    int         i;
    long        c_id;
    short       c_d_id;
    short       c_w_id;
    char        c_first[FIRST_NAME_LEN+1];
    char        c_middle[MIDDLE_NAME_LEN+1];
    char        c_last[LAST_NAME_LEN+1];
    char        c_street_1[ADDRESS_LEN+1];
    char        c_street_2[ADDRESS_LEN+1];
    char        c_city[ADDRESS_LEN+1];
    char        c_state[STATE_LEN+1];
    char        c_zip[ZIP_LEN+1];
    char        c_phone[PHONE_LEN+1];
    char        c_credit[CREDIT_LEN+1];
    double      c_credit_lim;
    double      c_discount;

    // fix to avoid ODBC float to numeric conversion problem.
    // double      c_balance;
    char        c_balance[6];

    double      c_ytd_payment;
    short       c_payment_cnt;
    short       c_delivery_cnt;
    char        c_data[C_DATA_LEN+1];
    char        c_since[C_SINCE_LEN+1];
    RETCODE     rc;

    rc = bcp_bind(c_hdbc1, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_first, 0, FIRST_NAME_LEN, NULL, 0, 0,
4);

```

```

    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_middle, 0, MIDDLE_NAME_LEN, NULL, 0, 0,
5);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_last, 0, LAST_NAME_LEN, NULL, 0, 0,
6);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
7);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
8);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_city, 0, ADDRESS_LEN, NULL, 0, 0, 9);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_state, 0, STATE_LEN, NULL, 0, 0, 10);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_zip, 0, ZIP_LEN, NULL, 0, 0, 11);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_phone, 0, PHONE_LEN, NULL, 0, 0, 12);

    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) &c_since, 0, C_SINCE_LEN, NULL, 0,
SQLCHARACTER, 13);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_credit, 0, CREDIT_LEN, NULL, 0, 0,
14);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) &c_credit_lim, 0, SQL_VARLEN_DATA, NULL,
0, SQLFLT8, 15);
    if (rc != SUCCEED)

```

```

        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) &c_discount, 0, SQL_VARLEN_DATA, NULL,
0, SQLFLT8, 16);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    // fix to avoid ODBC float to numeric conversion problem.

    // rc = bcp_bind(c_hdbc1, (BYTE *) &c_balance, 0, SQL_VARLEN_DATA,
NULL, 0, SQLFLT8, 17);
    // if (rc != SUCCEED)
    //     HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) c_balance, 0, 5, NULL, 0, SQLCHARACTER,
17);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) &c_ytd_payment, 0, SQL_VARLEN_DATA,
NULL, 0, SQLFLT8, 18);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) &c_payment_cnt, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 19);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) &c_delivery_cnt, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 20);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_data, 0, 500, NULL, 0, 0, 21);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    for (i = 0; i < customers_per_district; i++)
    {
        c_id = customer_buf[i].c_id;
        c_d_id = customer_buf[i].c_d_id;
        c_w_id = customer_buf[i].c_w_id;

        strcpy(c_first, customer_buf[i].c_first);
        strcpy(c_middle, customer_buf[i].c_middle);
        strcpy(c_last, customer_buf[i].c_last);
        strcpy(c_street_1, customer_buf[i].c_street_1);
        strcpy(c_street_2, customer_buf[i].c_street_2);
        strcpy(c_city, customer_buf[i].c_city);
        strcpy(c_state, customer_buf[i].c_state);
        strcpy(c_zip, customer_buf[i].c_zip);

```

```

        strcpy(c_phone, customer_buf[i].c_phone);
        strcpy(c_credit, customer_buf[i].c_credit);

        FormatDate(&c_since);

        c_credit_lim = customer_buf[i].c_credit_lim;
        c_discount = customer_buf[i].c_discount;

        // fix to avoid ODBC float to numeric conversion problem.

        // c_balance = customer_buf[i].c_balance;
        strcpy(c_balance, customer_buf[i].c_balance);

        c_ytd_payment = customer_buf[i].c_ytd_payment;
        c_payment_cnt = customer_buf[i].c_payment_cnt;
        c_delivery_cnt = customer_buf[i].c_delivery_cnt;

        strcpy(c_data, customer_buf[i].c_data);

        // Send data to server
        rc = bcp_sendrow(c_hdbc1);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);

        customer_rows_loaded++;
        CheckForCommit(c_hdbc1, c_hstmt1, customer_rows_loaded,
"customer", &customer_time_start->time_start);
    }
}

//=====
//
// Function : LoadHistoryTable
//
//=====

void LoadHistoryTable(LOADER_TIME_STRUCT *history_time_start)
{
    int         i;
    long        c_id;
    short       c_d_id;
    short       c_w_id;
    double      h_amount;
    char        h_data[H_DATA_LEN+1];
    char        h_date[H_DATE_LEN+1];
    RETCODE     rc;

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

```

```

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 4);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 5);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_date, 0, H_DATE_LEN, NULL, 0,
SQLCHARACTER, 6);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_amount, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 7);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) h_data, 0, H_DATA_LEN, NULL, 0, 0, 8);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    for (i = 0; i < customers_per_district; i++)
    {
        c_id = customer_buf[i].c_id;
        c_d_id = customer_buf[i].c_d_id;
        c_w_id = customer_buf[i].c_w_id;
        h_amount = customer_buf[i].h_amount;
        strcpy(h_data, customer_buf[i].h_data);

        FormatDate(&h_date);

        // send to server
        rc = bcp_sendrow(c_hdbc2);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc2);

        history_rows_loaded++;
        CheckForCommit(c_hdbc2, c_hstmt2, history_rows_loaded, "history",
&history_time_start->time_start);

```

```

    }
}

//=====
//
// Function : LoadOrders
//
//=====
==

void LoadOrders()
{
    LOADER_TIME_STRUCT orders_time_start;
    LOADER_TIME_STRUCT new_order_time_start;
    LOADER_TIME_STRUCT order_line_time_start;
    short w_id;
    short d_id;
    DWORD dwThreadID[MAX_ORDER_THREADS];
    HANDLE hThread[MAX_ORDER_THREADS];
    char name[20];
    RETCODE rc;
    char bcphint[128];

    // seed with unique number
    seed(6);

    printf("Loading orders...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        BuildIndex("idxordcl");
        BuildIndex("idxnodcl");
        BuildIndex("idxodlcl");
    }

    // initialize bulk copy
    sprintf(name, "%s..%s", aptr->database, "orders");

    rc = bcp_init(o_hdbc1, name, NULL, "logs\\orders.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (o_w_id, o_d_id, o_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
        rc = bcp_control(o_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)

```

```

        HandleErrorDBC(o_hdbc1);
    }

    sprintf(name, "%s..%s", aptr->database, "new_order");

    rc = bcp_init(o_hdbc2, name, NULL, "logs\\neword.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (no_w_id, no_d_id, no_o_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 9000));
        rc = bcp_control(o_hdbc2, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc2);
    }

    sprintf(name, "%s..%s", aptr->database, "order_line");

    rc = bcp_init(o_hdbc3, name, NULL, "logs\\ordline.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (ol_w_id, ol_d_id, ol_o_id,
ol_number), ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
        rc = bcp_control(o_hdbc3, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);
    }

    orders_rows_loaded      = 0;
    new_order_rows_loaded  = 0;
    order_line_rows_loaded = 0;

    OrdersBufInit();

    orders_time_start.time_start = (TimeNow() / MILLI);
    new_order_time_start.time_start = (TimeNow() / MILLI);
    order_line_time_start.time_start = (TimeNow() / MILLI);

    for (w_id = (short)aptr->starting_warehouse; w_id <= aptr-
>num_warehouses; w_id++)
    {
        for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
        {
            OrdersBufLoad(d_id, w_id);

            // start parallel loading threads here...

```

```

        // start Orders table thread

        printf("...Loading Order Table for: d_id = %d, w_id = %d\n",
d_id, w_id);

        hThread[0] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE)
LoadOrdersTable,
                                &orders_time_start,
                                0,
                                &dwThreadID[0]);

        if (hThread[0] == NULL)
        {
            printf("Error, failed in creating creating thread =
0.\n");
            exit(-1);
        }

        // start NewOrder table thread

        printf("...Loading New-Order Table for: d_id = %d, w_id =
%d\n", d_id, w_id);

        hThread[1] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE)
LoadNewOrderTable,
                                &new_order_time_start,
                                0,
                                &dwThreadID[1]);

        if (hThread[1] == NULL)
        {
            printf("Error, failed in creating creating thread =
1.\n");
            exit(-1);
        }

        // start Order-Line table thread

        printf("...Loading Order-Line Table for: d_id = %d, w_id =
%d\n", d_id, w_id);

        hThread[2] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE)
LoadOrderLineTable,
                                &order_line_time_start,
                                0,
                                &dwThreadID[2]);

```

```

        if (hThread[2] == NULL)
        {
            printf("Error, failed in creating creating thread =
2.\n");
            exit(-1);
        }

        WaitForSingleObject( hThread[0], INFINITE );
        WaitForSingleObject( hThread[1], INFINITE );
        WaitForSingleObject( hThread[2], INFINITE );

        if (CloseHandle(hThread[0]) == FALSE)
        {
            printf("Error, failed in closing Orders thread handle
with errno: %d\n", GetLastError());
        }

        if (CloseHandle(hThread[1]) == FALSE)
        {
            printf("Error, failed in closing NewOrder thread handle
with errno: %d\n", GetLastError());
        }

        if (CloseHandle(hThread[2]) == FALSE)
        {
            printf("Error, failed in closing OrderLine thread
handle with errno: %d\n", GetLastError());
        }
    }

    printf("Finished loading orders.\n");

    return;
}

```

```

//=====
//
// Function   : OrdersBufInit
//
// Clears shared buffer for ORDERS, NEWORDER, and ORDERLINE
//
//=====

void OrdersBufInit()
{
    int    i;
    int    j;

```

```

for (i=0;i<orders_per_district;i++)
{
    orders_buf[i].o_id = 0;
    orders_buf[i].o_d_id = 0;
    orders_buf[i].o_w_id = 0;
    orders_buf[i].o_c_id = 0;
    orders_buf[i].o_carrier_id = 0;
    orders_buf[i].o_ol_cnt = 0;
    orders_buf[i].o_all_local = 0;

    for (j=0;j<=14;j++)
    {
        orders_buf[i].o_ol[j].ol = 0;
        orders_buf[i].o_ol[j].ol_i_id = 0;
        orders_buf[i].o_ol[j].ol_supply_w_id = 0;
        orders_buf[i].o_ol[j].ol_quantity = 0;
        orders_buf[i].o_ol[j].ol_amount = 0;
        strcpy(orders_buf[i].o_ol[j].ol_dist_info,"");
    }
}

```

```

//=====
//
// Function   : OrdersBufLoad
//
// Fills shared buffer for ORDERS, NEWORDER, and ORDERLINE
//
//=====

```

```

void OrdersBufLoad(int d_id, int w_id)
{
    int    cust[ORDERS_PER_DISTRICT+1];
    long   o_id;
    short  ol;

    printf("...Loading Order Buffer for: d_id = %d, w_id = %d\n",
        d_id, w_id);

    GetPermutation(cust, orders_per_district);

    for (o_id=0;o_id<orders_per_district;o_id++)
    {
        // Generate ORDER and NEW-ORDER data

        orders_buf[o_id].o_d_id = d_id;
        orders_buf[o_id].o_w_id = w_id;
        orders_buf[o_id].o_id = o_id+1;
        orders_buf[o_id].o_c_id = cust[o_id+1];
    }
}

```

```

orders_buf[o_id].o_ol_cnt = (short)RandomNumber(5L, 15L);

if (o_id < first_new_order)
{
    orders_buf[o_id].o_carrier_id = (short)RandomNumber(1L, 10L);
    orders_buf[o_id].o_all_local = 1;
}
else
{
    orders_buf[o_id].o_carrier_id = 0;
    orders_buf[o_id].o_all_local = 1;
}

for (ol=0; ol<orders_buf[o_id].o_ol_cnt; ol++)
{
    orders_buf[o_id].o_ol[ol].ol = ol+1;
    orders_buf[o_id].o_ol[ol].ol_i_id = RandomNumber(1L,
max_items);
    orders_buf[o_id].o_ol[ol].ol_supply_w_id = w_id;
    orders_buf[o_id].o_ol[ol].ol_quantity = 5;
    MakeAlphaString(24, 24, OL_DIST_INFO_LEN,
&orders_buf[o_id].o_ol[ol].ol_dist_info);

    // Generate ORDER-LINE data
    if (o_id < first_new_order)
    {
        orders_buf[o_id].o_ol[ol].ol_amount = 0;
        // Added to insure ol_delivery_d set properly during
load
        FormatDate(&orders_buf[o_id].o_ol[ol].ol_delivery_d);
    }
    else
    {
        orders_buf[o_id].o_ol[ol].ol_amount =
RandomNumber(1,999999)/100.0;
        // Added to insure ol_delivery_d set properly during
load
        // odbc datetime format
        strcpy(orders_buf[o_id].o_ol[ol].ol_delivery_d,"1899-
12-31 00:00:00.000");
    }
}
}

//=====
//

```

```

// Function : LoadOrdersTable
//
//=====
void LoadOrdersTable(LOADER_TIME_STRUCT *orders_time_start)
{
    int i;
    long o_id;
    short o_d_id;
    short o_w_id;
    long o_c_id;
    short o_carrier_id;
    short o_ol_cnt;
    short o_all_local;
    char o_entry_d[O_ENTRY_D_LEN+1];
    RETCODE rc;
    DBINT rcint;

    // bind ORDER data
    rc = bcp_bind(o_hdbc1, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_c_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 4);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_entry_d, 0, O_ENTRY_D_LEN, NULL, 0,
SQLCHARACTER, 5);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_carrier_id, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT2, 6);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_ol_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 7);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);
}

```

```

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_all_local, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT2, 8);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

for (i = 0; i < orders_per_district; i++)
{
    o_id          = orders_buf[i].o_id;
    o_d_id        = orders_buf[i].o_d_id;
    o_w_id        = orders_buf[i].o_w_id;
    o_c_id        = orders_buf[i].o_c_id;
    o_carrier_id  = orders_buf[i].o_carrier_id;
    o_ol_cnt      = orders_buf[i].o_ol_cnt;
    o_all_local   = orders_buf[i].o_all_local;

    FormatDate(&o_entry_d);

    // send data to server
    rc = bcp_sendrow(o_hdbc1);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    orders_rows_loaded++;
    CheckForCommit(o_hdbc1, o_hstmt1, orders_rows_loaded, "orders",
&orders_time_start->time_start);
}

// rcint = bcp_batch(o_hdbc1);
// if (rcint < 0)
//     HandleErrorDBC(o_hdbc1);

if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
{
    rcint = bcp_done(o_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(o_hdbc1);

    SQLFreeStmt(o_hstmt1, SQL_DROP);
    SQLDisconnect(o_hdbc1);
    SQLFreeConnect(o_hdbc1);

    // if build index after load...
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxordc1");

    // build non-clustered index
    if (aptr->build_index == 1)
        BuildIndex("idxordnc");
}
}

```

```

//=====
//
// Function    : LoadNewOrderTable
//
//=====

void LoadNewOrderTable(LOADER_TIME_STRUCT *new_order_time_start)
{
    int          i;
    long         o_id;
    short        o_d_id;
    short        o_w_id;
    RETCODE      rc;
    DBINT        rcint;

    // Bind NEW-ORDER data

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    for (i = first_new_order; i < last_new_order; i++)
    {
        o_id      = orders_buf[i].o_id;
        o_d_id    = orders_buf[i].o_d_id;
        o_w_id    = orders_buf[i].o_w_id;

        rc = bcp_sendrow(o_hdbc2);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc2);

        new_order_rows_loaded++;
        CheckForCommit(o_hdbc2, o_hstmt2, new_order_rows_loaded,
"new_order", &new_order_time_start->time_start);
    }

    // rcint = bcp_batch(o_hdbc2);
    // if (rcint < 0)
    //     HandleErrorDBC(o_hdbc2);

    if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))

```

```

{
    rcint = bcp_done(o_hdbc2);
    if (rcint < 0)
        HandleErrorDBC(o_hdbc2);

    SQLFreeStmt(o_hstmt2, SQL_DROP);
    SQLDisconnect(o_hdbc2);
    SQLFreeConnect(o_hdbc2);

    // if build index after load...
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxnodc1");
}
}

//=====
//
// Function   : LoadOrderLineTable
//
//=====

void LoadOrderLineTable(LOADER_TIME_STRUCT *order_line_time_start)
{
    int         i,j;
    long        o_id;
    short       o_d_id;
    short       o_w_id;
    long        ol;
    long        ol_i_id;
    short       ol_supply_w_id;
    short       ol_quantity;
    double      ol_amount;
    char        ol_dist_info[DIST_INFO_LEN+1];
    char        ol_delivery_d[OL_DELIVERY_D_LEN+1];
    RETCODE     rc;
    DBINT       rcint;

    // bind ORDER-LINE data
    rc = bcp_bind(o_hdbc3, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);

```

```

    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_supply_w_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_delivery_d, 0, OL_DELIVERY_D_LEN,
NULL, 0, SQLCHARACTER, 7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_quantity, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT2, 8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_amount, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) ol_dist_info, 0, DIST_INFO_LEN, NULL, 0,
0, 10);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    for (i = 0; i < orders_per_district; i++)
    {
        o_id      = orders_buf[i].o_id;
        o_d_id    = orders_buf[i].o_d_id;
        o_w_id    = orders_buf[i].o_w_id;

        for (j=0; j < orders_buf[i].o_ol_cnt; j++)
        {
            ol          = orders_buf[i].o_ol[j].ol;
            ol_i_id     = orders_buf[i].o_ol[j].ol_i_id;
            ol_supply_w_id = orders_buf[i].o_ol[j].ol_supply_w_id;
            ol_quantity = orders_buf[i].o_ol[j].ol_quantity;
            ol_amount   = orders_buf[i].o_ol[j].ol_amount;

            strcpy(ol_delivery_d,orders_buf[i].o_ol[j].ol_delivery_d);

```

```

        strcpy(ol_dist_info,orders_buf[i].o_ol[j].ol_dist_info);

        rc = bcp_sendrow(o_hdbc3);
        if (rc != SUCCEEDED)
            HandleErrorDBC(o_hdbc3);

        order_line_rows_loaded++;
        CheckForCommit(o_hdbc3, o_hstmt3, order_line_rows_loaded,
"order_line", &order_line_time_start->time_start);
    }

}

// rcint = bcp_batch(o_hdbc3);
// if (rcint < 0)
//     HandleErrorDBC(o_hdbc3);

if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
{
    rcint = bcp_done(o_hdbc3);
    if (rcint < 0)
        HandleErrorDBC(o_hdbc3);

    SQLFreeStmt(o_hstmt3, SQL_DROP);
    SQLDisconnect(o_hdbc3);
    SQLFreeConnect(o_hdbc3);

    // if build index after load...
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxodlcl");
}

}

}

//=====
//
// Function   : GetPermutation
//
//=====

void GetPermutation(int perm[], int n)
{
    int i, r, t;

    for (i=1;i<=n;i++)
        perm[i] = i;

    for (i=1;i<=n;i++)
    {
        r = RandomNumber(i,n);

```

```

        t = perm[i];
        perm[i] = perm[r];
        perm[r] = t;
    }
}

//=====
//
// Function   : CheckForCommit
//
//=====

void CheckForCommit(HDBC hdbc,
                    HSTMT hstmt,
                    int rows_loaded,
                    char *table_name,
                    long *time_start)
{
    long time_end, time_diff;
    // DBINT rcint;

    if ( !(rows_loaded % aptr->batch) )
    {

        // rcint = bcp_batch(hdbc);
        // if (rcint < 0)
        //     HandleErrorDBC(hdbc);

        time_end = (TimeNow() / MILLI);
        time_diff = time_end - *time_start;

        printf("-> Loaded %ld rows into %s in %ld sec - Total = %d (%.2f
rps)\n",
                aptr->batch,
                table_name,
                time_diff,
                rows_loaded,
                (float) aptr->batch / (time_diff ? time_diff : 1L));

        *time_start = time_end;
    }

    return;
}

//=====
//
// Function   : OpenConnections
//

```

```
//=====
void OpenConnections()
{
    RETCODE        rc;

    char            szDriverString[300];
    char            szDriverStringOut[1024];
    SQLSMALLINT     cbDriverStringOut;

    SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );

    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );

    SQLAllocHandle(SQL_HANDLE_DBC, henv , &i_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &w_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc2);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc2);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc3);

    SQLSetConnectAttr(i_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(w_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(c_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(c_hdbc2, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc2, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc3, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

    // Open connections to SQL Server

    // Connection 1

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
            aptr->server,
            aptr->user,
            aptr->password,
            aptr->database );

    rc = SQLSetConnectOption (i_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);

    if (rc != SUCCEED)

```

```
        HandleErrorDBC(i_hdbc1);

    rc = SQLDriverConnect ( i_hdbc1,
                            NULL,
                            (SQLCHAR*)&szDriverString[0] ,
                            SQL_NTS,
                            (SQLCHAR*)&szDriverStringOut[0],
                            sizeof(szDriverStringOut),
                            &cbDriverStringOut,
                            SQL_DRIVER_NOPROMPT );

    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    // Connection 2

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
            aptr->server,
            aptr->user,
            aptr->password,
            aptr->database );

    rc = SQLSetConnectOption (w_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);

    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = SQLDriverConnect ( w_hdbc1,
                            NULL,
                            (SQLCHAR*)&szDriverString[0] ,
                            SQL_NTS,
                            (SQLCHAR*)&szDriverStringOut[0],
                            sizeof(szDriverStringOut),
                            &cbDriverStringOut,
                            SQL_DRIVER_NOPROMPT );

    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    // Connection 3

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
            aptr->server,
            aptr->user,
            aptr->password,
            aptr->database );

    rc = SQLSetConnectOption (c_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);

    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = SQLDriverConnect ( c_hdbc1,

```

```

        NULL,
        (SQLCHAR*)&szDriverString[0] ,
        SQL_NTS,
        (SQLCHAR*)&szDriverStringOut[0],
        sizeof(szDriverStringOut),
        &cbDriverStringOut,
        SQL_DRIVER_NOPROMPT );

if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

// Connection 4

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

rc = SQLSetConnectOption (c_hdbc2, SQL_PACKET_SIZE, aptr->pack_size);

if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

rc = SQLDriverConnect ( c_hdbc2,
        NULL,
        (SQLCHAR*)&szDriverString[0] ,
        SQL_NTS,
        (SQLCHAR*)&szDriverStringOut[0],
        sizeof(szDriverStringOut),
        &cbDriverStringOut,
        SQL_DRIVER_NOPROMPT );

if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

// Connection 5

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

rc = SQLSetConnectOption (o_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);

if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

rc = SQLDriverConnect ( o_hdbc1,
        NULL,
        (SQLCHAR*)&szDriverString[0] ,
        SQL_NTS,

```

```

        (SQLCHAR*)&szDriverStringOut[0],
        sizeof(szDriverStringOut),
        &cbDriverStringOut,
        SQL_DRIVER_NOPROMPT );

if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

// Connection 6

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

rc = SQLSetConnectOption (o_hdbc2, SQL_PACKET_SIZE, aptr->pack_size);

if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

rc = SQLDriverConnect ( o_hdbc2,
        NULL,
        (SQLCHAR*)&szDriverString[0] ,
        SQL_NTS,
        (SQLCHAR*)&szDriverStringOut[0],
        sizeof(szDriverStringOut),
        &cbDriverStringOut,
        SQL_DRIVER_NOPROMPT );

if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

// Connection 7

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

rc = SQLSetConnectOption (o_hdbc3, SQL_PACKET_SIZE, aptr->pack_size);

if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = SQLDriverConnect ( o_hdbc3,
        NULL,
        (SQLCHAR*)&szDriverString[0] ,
        SQL_NTS,
        (SQLCHAR*)&szDriverStringOut[0],
        sizeof(szDriverStringOut),
        &cbDriverStringOut,

```

```

                SQL_DRIVER_NOPROMPT );

    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
}

//=====
//
// Function name: BuildIndex
//
//=====

void BuildIndex(char *index_script)
{
    char cmd[256];

    printf("Starting index creation:  %s\n",index_script);

    sprintf(cmd, "isql -S%s -U%s -P%s -e -i%s\\%s.sql > logs\\%s.log",
            aptr->server,
            aptr->user,
            aptr->password,
            aptr->index_script_path,
            index_script,
            index_script);

    system(cmd);

    printf("Finished index creation:  %s\n",index_script);
}

void HandleErrorDBC (SQLHDBC  hdbc1)
{
    SQLCHAR          SqlState[6], Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER       NativeError;
    SQLSMALLINT     i, MsgLen;
    SQLRETURN        rc2;
    char             timebuf[128];
    char             datebuf[128];
    FILE             *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_DBC , hdbc1, i, SqlState ,
    &NativeError,
            Msg, sizeof(Msg) , &MsgLen )) != SQL_NO_DATA )
    {
        sprintf( szLastError , "%s" , Msg );

        _strtime(timebuf);
        _strdate(datebuf);

        printf( "[%s : %s] %s\n" , datebuf, timebuf, szLastError);

        fp1 = fopen("logs\\tpccldr.err","w");
        if (fp1 == NULL)
            printf("ERROR:  Unable to open errorlog file.\n");
        else
        {
            fprintf(fp1, "[%s : %s] %s\n" , datebuf, timebuf,
            szLastError);
            fclose(fp1);
        }

        i++;
    }
}

```

```

        printf( "[%s : %s] %s\n" , datebuf, timebuf, szLastError);

        fp1 = fopen("logs\\tpccldr.err","w");
        if (fp1 == NULL)
            printf("ERROR:  Unable to open errorlog file.\n");
        else
        {
            fprintf(fp1, "[%s : %s] %s\n" , datebuf, timebuf,
            szLastError);
            fclose(fp1);
        }

        i++;
    }
}

void HandleErrorSTMT (HSTMT  hstmt1)
{
    SQLCHAR          SqlState[6], Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER       NativeError;
    SQLSMALLINT     i, MsgLen;
    SQLRETURN        rc2;
    char             timebuf[128];
    char             datebuf[128];
    FILE             *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_STMT , hstmt1, i, SqlState ,
    &NativeError,
            Msg, sizeof(Msg) , &MsgLen )) != SQL_NO_DATA )
    {
        sprintf( szLastError , "%s" , Msg );

        _strtime(timebuf);
        _strdate(datebuf);

        printf( "[%s : %s] %s\n" , datebuf, timebuf, szLastError);

        fp1 = fopen("logs\\tpccldr.err","w");
        if (fp1 == NULL)
            printf("ERROR:  Unable to open errorlog file.\n");
        else
        {
            fprintf(fp1, "[%s : %s] %s\n" , datebuf, timebuf,
            szLastError);
            fclose(fp1);
        }

        i++;
    }
}

```

```

    }
}

void FormatDate ( char* szTimeCOutput )
{
    struct tm when;
    time_t now;

    time( &now );
    when = *localtime( &now );

    mktime( &when );

    // odbc datetime format
    strftime( szTimeCOutput , 30 , "%Y-%m-%d %H:%M:%S.000", &when );

    return;
}

//=====
//
// Function   : CheckSQL
//
//=====

void CheckSQL()
{
    RETCODE      rc;

    char          szDriverString[300];
    char          szDriverStringOut[1024];
    int           SQLBuildFlag;

    SQLSMALLINT   cbDriverStringOut;
    SQLCHAR       SQLVersion[19];
    SQLINTEGER    SQLVersionInd;

    SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );

    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );

    SQLAllocHandle(SQL_HANDLE_DBC, henv , &v_hdbc);

    SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

```

```

// Open connection to SQL Server

sprintf( szDriverString , "DRIVER={SQL Server};SERVER=%s;UID=%s;PWD=%s"

        ,

        aptr->server,
        aptr->user,
        aptr->password );

    if ( SQLSetConnectAttr( v_hdbc, SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr-
>pack_size, SQL_IS_UINTEGER ) != SQL_SUCCESS )
        HandleErrorDBC(v_hdbc);

    rc = SQLDriverConnect ( v_hdbc,
        NULL,
        (SQLCHAR*)&szDriverString[0] ,
        SQL_NTS,
        (SQLCHAR*)&szDriverStringOut[0],
        sizeof(szDriverStringOut),
        &cbDriverStringOut,
        SQL_DRIVER_NOPROMPT );

    if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
        HandleErrorDBC(v_hdbc);

    if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt) != SQL_SUCCESS
)
        HandleErrorSTMT(v_hstmt);

    rc = SQLBindCol(v_hstmt, 4, SQL_C_CHAR, &SQLVersion,
sizeof(SQLVersion), &SQLVersionInd);

    // issue SQL Server extended stored procedure (xp_msver) to determine
installed version
    rc = SQLExecDirect(v_hstmt, "EXECUTE xp_msver ProductVersion",
SQL_NTS);

    if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
        HandleErrorSTMT(v_hstmt);

    rc = SQLFetch(v_hstmt);

    if (rc != SQL_SUCCESS)
        HandleErrorDBC(v_hdbc);

    // Check build number to ensure 7.00.623 or higher

    SQLBuildFlag = 1;

    if ( SQLVersion[0] == 55 )
    {
        if ( SQLVersion[2] == 48 )
        {

```

```

        if ( SQLVersion[5] == 56 )
        {
            if ( (SQLVersion[6] >= 48) & (SQLVersion[7] >= 53) )
            {
                SQLBuildFlag = 0;
                printf("You are using SQL Server version =
%9s\n\n", SQLVersion);
            }
            else
            {
                SQLBuildFlag = 1;
            }
        }
        else
        {
            if ( SQLVersion[5] >= 54 )
            {
                if ( (SQLVersion[6] >= 50) & (SQLVersion[7] >= 51) )
                {
                    SQLBuildFlag = 0;
                    printf("You are using SQL Server version =
%9s\n\n", SQLVersion);
                }
                else
                {
                    SQLBuildFlag = 1;
                }
            }
            else
            {
                if ( SQLVersion[5] >= 55 )
                {
                    if ( (SQLVersion[6] >= 48) & (SQLVersion[7]
>= 48) )
                    {
                        SQLBuildFlag = 0;
                        printf("You are using SQL Server version
= %9s\n\n", SQLVersion);
                    }
                    else
                    {
                        SQLBuildFlag = 1;
                    }
                }
            }
        }
    }
    else
    {
        if ( SQLVersion[5] >= 49 )

```

```

        {
            if ( (SQLVersion[6] >= 52) & (SQLVersion[7] >= 48) )
            {
                SQLBuildFlag = 0;
                printf("You are using SQL Server version =
%9s\n\n", SQLVersion);
            }
            else
            {
                SQLBuildFlag = 1;
            }
        }
        else
        {
            SQLBuildFlag = 1;
        }
    }
    else
    {
        SQLBuildFlag = 1;
    }

    if ( SQLBuildFlag == 1 )
    {
        printf("ERROR. The SQL Server version you are using is not
supported\n");
        printf("for TPC-C benchmarking. You currently have SQL Server
version %9s\n",SQLVersion);
        printf("installed. Please upgrade to Microsoft SQL Server
7.00.623 or better.\n");
        printf("and re-run the SETUP program.\n\n");
        exit(1);
    }

    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
    SQLDisconnect(v_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

    return;
}

//=====
//
// Function : CheckDataBase
//
//=====

void CheckDataBase()
{

```

```

RETCODE          rc;

char              szDriverString[300];
char              szDriverStringOut[1024];
char              TablesBitMap[9] = {"0000000000"};
int               i, ExitFlag;

SQLSMALLINT       cbDriverStringOut;
SQLCHAR           TabName[10];
SQLINTEGER        TabNameInd, TabCount, TabCountInd;

ExitFlag = 0;

SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );
SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );
SQLAllocHandle(SQL_HANDLE_DBC, henv , &v_hdbc);

SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

// Open connection to SQL Server
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

rc = SQLSetConnectAttr( v_hdbc, SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr-
>pack_size, SQL_IS_UIINTEGER );
if (rc != SQL_SUCCESS)
    HandleErrorDBC(v_hdbc);

rc = SQLDriverConnect ( v_hdbc,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );

// if the rc is SQL_ERROR, the the TPCC database probably does not
exist
if (rc == SQL_ERROR)
{
    printf("The database TPCC does not appear to exist!\n");
    printf("\nCheck LOGS\ directory for database creation
errors.\n");
}

```

```

// cleanup database connections and handles
SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

// since there is not a database, exit back to SETUP.CMD
exit(1);
}

if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt) != SQL_SUCCESS
)
    HandleErrorDBC(v_hdbc);

if ( SQLBindCol(v_hstmt, 1, SQL_C_ULONG, &TabCount, 0, &TabCountInd) !=
SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

// count the number of user tables from sysobjects
rc = SQLExecDirect(v_hstmt, "select count(*) from sysobjects where
xtype = 'U'", SQL_NTS);
if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorSTMT(v_hstmt);

if ( SQLFetch(v_hstmt) != SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

// if the number of tables is less than 9, select all the user tables
in TPCC
if (TabCount != 9)
{
    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);

    SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt);

    if ( SQLBindCol(v_hstmt, 1, SQL_C_CHAR, &TabName, sizeof(TabName),
&TabNameInd) != SQL_SUCCESS )
        HandleErrorSTMT(v_hstmt);

    // select the list of user tables into a result set
rc = SQLExecDirect(v_hstmt, "select * from sysobjects where xtype
= 'U'", SQL_NTS);
if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorSTMT(v_hstmt);

// go through the result set and set the bitmap for each found
table
// set the bitmap to '1' if the table name is found

while ((rc = SQLFetch(v_hstmt)) != SQL_NO_DATA)
{
    switch( TabName[0] )
    {

```

```

    case 'w':
        TablesBitMap[0] = '1';
        break;
    case 'd':
        TablesBitMap[1] = '1';
        break;
    case 'c':
        TablesBitMap[2] = '1';
        break;
    case 'h':
        TablesBitMap[3] = '1';
        break;
    case 'n':
        TablesBitMap[4] = '1';
        break;
    case 'o':
        if (TabName[5] = 's')
            TablesBitMap[5] = '1';
        if (TabName[5] = '_')
            TablesBitMap[6] = '1';
        break;
    case 'i':
        TablesBitMap[7] = '1';
        break;
    case 's':
        TablesBitMap[8] = '1';
        break;
}

// a '0' ExitFlag means do NOT exit the loader early, a '1' means
exit the loader early
ExitFlag = 0;

// iterate through the bitmap to display which table(s) is
actually missing
for (i = 0; i <= 8; i++)
{
    switch(i)
    {
    case 0:
        if (TablesBitMap[i] == '0')
        {
            printf("The Warehouse table is missing or
damaged.\n");

            ExitFlag = 1;
        }
        break;
    case 1:
        if (TablesBitMap[i] == '0')
        {
            printf("The District table is missing or
damaged.\n");

```

```

            ExitFlag = 1;
        }
        break;
    case 2:
        if (TablesBitMap[i] == '0')
        {
            printf("The Customer table is missing or
damaged.\n");

            ExitFlag = 1;
        }
        break;
    case 3:
        if (TablesBitMap[i] == '0')
        {
            printf("The History table is missing or
damaged.\n");

            ExitFlag = 1;
        }
        break;
    case 4:
        if (TablesBitMap[i] == '0')
        {
            printf("The New_Order table is missing or
damaged.\n");

            ExitFlag = 1;
        }
        break;
    case 5:
        if (TablesBitMap[i] == '0')
        {
            printf("The Orders table is missing or
damaged.\n");

            ExitFlag = 1;
        }
        break;
    case 6:
        if (TablesBitMap[i] == '0')
        {
            printf("The Order_Line table is missing or
damaged.\n");

            ExitFlag = 1;
        }
        break;
    case 7:
        if (TablesBitMap[i] == '0')
        {
            printf("The Item table is missing or damaged.\n");
            ExitFlag = 1;
        }
        break;
    case 8:
        if (TablesBitMap[i] == '0')
        {

```

```

                printf("The Stock table is missing or
damaged.\n");
                ExitFlag = 1;
            }
            break;
        }
    }

// if one or more tables are missing, display message and exit the
loader
if (ExitFlag = 1)
{
    printf("\nExiting TPC-C Loader!\n");
    printf("\nCheck LOGS\ directory for database\n");
    printf("or table creation errors.\n");

    // cleanup database connections and handles
    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
    SQLDisconnect(v_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

    exit(1);
}

// cleanup database connections and handles
SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

return;
}

```



## Appendix C - Tunable Parameters and Options

**This section discloses hardware information and the Windows 2000 Advanced Server SP2 registry parameters used on the PRIMERGY H250 server system.**

System Information report written at: 02/04/2002 02:01:23 PM  
[System Summary]

Item Value  
OS Name Microsoft Windows 2000 Advanced Server  
Version 5.0.2195 Service Pack 2 Build 2195  
OS Manufacturer Microsoft Corporation  
System Name H250  
System Manufacturer FUJITSU SIEMENS  
System Model H250R  
System Type X86-based PC  
Processor x86 Family 15 Model 2 Stepping 4 GenuineIntel ~37226 Mhz  
Processor x86 Family 15 Model 2 Stepping 4 GenuineIntel ~37226 Mhz  
Processor x86 Family 15 Model 2 Stepping 4 GenuineIntel ~37226 Mhz  
Processor x86 Family 15 Model 2 Stepping 4 GenuineIntel ~37226 Mhz  
BIOS Version "PhoenixBIOS Version 4.06 Rev. 0.99S.1242  
Windows Directory C:\WINNT  
System Directory C:\WINNT\System32  
Boot Device \Device\Harddisk0\Partition1  
Locale United States  
User Name H250\Administrator  
Time Zone W. Europe Standard Time  
Total Physical Memory 8,109,352 KB  
Available Physical Memory 7,859,712 KB  
Total Virtual Memory 18,111,512 KB  
Available Virtual Memory 17,806,948 KB  
Page File Space 10,002,160 KB  
Page File C:\pagefile.sys

Intel(R) Processor Frequency ID Utility  
Version: 4.0.20020109  
TimeStamp: 2002/2/4 14:32:1  
Number of processors in system: 4  
Current processor: #1  
Processor Name: Intel(R) Xeon(TM) Processor  
CPU Type: 0  
CPU Family: F  
CPU Model: 2  
CPU Stepping: 4  
CPU Revision: 8

L1 Trace Cache: 12 Kbytes  
L1 Data Cache: 8 KB  
L2 Cache: 512 KB  
L3 Cache: None  
Packaging: OOI  
MMX: Yes  
SIMD: Yes  
SIMD2: Yes  
NetBurst(TM) microarchitecture: Yes  
Reported processor Frequency: 2.20 GHz  
Reported System Bus Frequency: 400 MHz  
\*\*\*\*\*  
Intel(R) Processor Frequency ID Utility  
Version: 4.0.20020109  
TimeStamp: 2002/2/4 14:32:17  
Number of processors in system: 4  
Current processor: #2  
Processor Name: Intel(R) Xeon(TM) Processor  
CPU Type: 0  
CPU Family: F  
CPU Model: 2  
CPU Stepping: 4  
CPU Revision: 8  
L1 Trace Cache: 12 Kbytes  
L1 Data Cache: 8 KB  
L2 Cache: 512 KB  
L3 Cache: None  
Packaging: OOI  
MMX: Yes  
SIMD: Yes  
SIMD2: Yes  
NetBurst(TM) microarchitecture: Yes  
Reported processor Frequency: 2.20 GHz  
Reported System Bus Frequency: 400 MHz  
\*\*\*\*\*  
Intel(R) Processor Frequency ID Utility  
Version: 4.0.20020109  
TimeStamp: 2002/2/4 14:32:25  
Number of processors in system: 4  
Current processor: #3  
Processor Name: Intel(R) Xeon(TM) Processor  
CPU Type: 0  
CPU Family: F  
CPU Model: 2  
CPU Stepping: 4  
CPU Revision: 8

L1 Trace Cache: 12 Kops  
 L1 Data Cache: 8 KB  
 L2 Cache: 512 KB  
 L3 Cache: None  
 Packaging: OOI  
 MMX: Yes  
 SIMD: Yes  
 SIMD2: Yes  
 NetBurst(TM) microarchitecture: Yes  
 Reported processor Frequency: 2.20 GHz  
 Reported System Bus Frequency: 400 MHz  
 \*\*\*\*\*

Intel(R) Processor Frequency ID Utility  
 Version: 4.0.20020109  
 TimeStamp: 2002/2/4 14:32:33  
 Number of processors in system: 4  
 Current processor: #4  
 Processor Name: Intel(R) Xeon(TM) Processor  
 CPU Type: 0  
 CPU Family: F  
 CPU Model: 2  
 CPU Stepping: 4  
 CPU Revision: 8

L1 Trace Cache: 12 Kops  
 L1 Data Cache: 8 KB  
 L2 Cache: 512 KB  
 L3 Cache: None  
 Packaging: OOI  
 MMX: Yes  
 SIMD: Yes  
 SIMD2: Yes  
 NetBurst(TM) microarchitecture: Yes  
 Reported processor Frequency: 2.20 GHz  
 Reported System Bus Frequency: 400 MHz  
 \*\*\*\*\*

System Information report written at: 02/04/2002 02:02:40 PM  
 [Hardware Resources]

[ Following are sub-categories of this main category ]

[Conflicts/Sharing]

Resource Device  
 IRQ 9Microsoft ACPI-Compliant System  
 IRQ 9Standard OpenHCD USB Host Controller

[DMA]

Channel	Device	Status
4	Direct memory access controller	OK
3	ECP Printer Port (LPT1)	OK
2	Standard floppy disk controller	OK

[Forced Hardware]

Device PNP Device ID  
 No Forced Hardware

[I/O]

Address Range	Device	Status
0x0000-0x03AF	PCI bus	OK
0x0000-0x03AF	Direct memory access controller	OK
0x03B0-0x03DF	PCI bus	OK
0x03B0-0x03DF	ATI Technologies Inc. RAGE XL PCI	OK
0x03E0-0x0CF7	PCI bus	OK
0x0D00-0x0FFF	PCI bus	OK
0x1000-0x148F	PCI bus	OK
0x1000-0x148F	ATI Technologies Inc. RAGE XL PCI	OK
0x03C0-0x03DF	ATI Technologies Inc. RAGE XL PCI	OK
0x1440-0x147F	FSC Remote Service Board, shared memory device	OK
0x0060-0x0060	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard	OK
0x0064-0x0064	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard	OK
0x0081-0x008F	Direct memory access controller	OK
0x00C0-0x00DF	Direct memory access controller	OK
0x0070-0x0071	System CMOS/real time clock	OK
0x0020-0x0021	Programmable interrupt controller	OK
0x00A0-0x00A1	Programmable interrupt controller	OK
0x00F0-0x00FF	Numeric data processor	OK
0x0040-0x0043	System timer	OK
0x0061-0x0061	System speaker	OK
0x0080-0x0080	Motherboard resources	OK
0x040B-0x040B	Motherboard resources	OK
0x04D0-0x04D1	Motherboard resources	OK
0x04D6-0x04D6	Motherboard resources	OK
0x0500-0x051F	Motherboard resources	OK
0x0C00-0x0C01	Motherboard resources	OK
0x0C06-0x0C08	Motherboard resources	OK
0x0C14-0x0C14	Motherboard resources	OK
0x0C20-0x0C3F	Motherboard resources	OK
0x0C50-0x0C52	Motherboard resources	OK
0x0C6F-0x0C6F	Motherboard resources	OK
0x0CD6-0x0CD7	Motherboard resources	OK
0x0CE0-0x0CEF	Motherboard resources	OK
0x0F50-0x0F58	Motherboard resources	OK
0x03F8-0x03FF	Communications Port (COM1)	OK
0x02F8-0x02FF	Communications Port (COM2)	OK
0x0378-0x037F	ECP Printer Port (LPT1)	OK
0x0778-0x077F	ECP Printer Port (LPT1)	OK
0x03F0-0x03F5	Standard floppy disk controller	OK
0x03F7-0x03F7	Standard floppy disk controller	OK
0x1480-0x148F	Standard Dual Channel PCI IDE Controller	OK
0x01F0-0x01F7	Primary IDE Channel	OK

```

0x03F6-0x03F6 Primary IDE Channel OK
0x0170-0x0177 Secondary IDE Channel OK
0x0376-0x0376 Secondary IDE Channel OK
0x0A79-0x0A79 ISAPNP Read Data Port OK
0x0279-0x0279 ISAPNP Read Data Port OK
0x02F4-0x02F7 ISAPNP Read Data Port OK
0x2000-0x3FFF PCI bus OK
0x2000-0x3FFF DEC 21154 PCI to PCI bridge OK
0x2000-0x3FFF Mylex EXR2000 Disk Array Controller OK
0x3000-0x3FFF DEC 21154 PCI to PCI bridge OK
0x3000-0x3FFF Mylex EXR2000 Disk Array Controller OK
0x4000-0x6FFF PCI bus OK
0x4000-0x6FFF Adaptec AIC-7899 Ultra160/m PCI SCSI Card OK
0x5000-0x5FFF DEC 21154 PCI to PCI bridge OK
0x5000-0x5FFF Mylex EXR2000 Disk Array Controller OK
0x6000-0x6FFF DEC 21154 PCI to PCI bridge OK
0x6000-0x6FFF Mylex EXR2000 Disk Array Controller OK
0x4400-0x44FF Adaptec AIC-7899 Ultra160/m PCI SCSI Card OK

```

[IRQs]

IRQ Number Device

```

9 Microsoft ACPI-Compliant System
9 Standard OpenHCD USB Host Controller
18 Alteon WebSystems PCI Gigabit Ethernet Adapter
31 ATI Technologies Inc. RAGE XL PCI
10 FSC Remote Service Board, shared memory device
1 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
8 System CMOS/real time clock
13 Numeric data processor
12 PS/2 Compatible Mouse
4 Communications Port (COM1)
3 Communications Port (COM2)
6 Standard floppy disk controller
15 Secondary IDE Channel
20 Mylex EXR2000 Disk Array Controller
22 Mylex EXR2000 Disk Array Controller
24 Mylex EXR2000 Disk Array Controller
26 Mylex EXR2000 Disk Array Controller
28 Adaptec AIC-7899 Ultra160/m PCI SCSI Card
29 Adaptec AIC-7899 Ultra160/m PCI SCSI Card

```

[Memory]

```

RangeDevice Status
0xA0000-0xBFFFF PCI bus OK
0xA0000-0xBFFFF ATI Technologies Inc. RAGE XL PCI OK
0xD0000-0xE7FFF PCI bus OK
0xF7000000-0xF82FFFF PCI bus OK
0xF7000000-0xF82FFFF ATI Technologies Inc. RAGE XL PCI OK
0xF8300000-0xF83FFFF PCI bus OK
0xF8300000-0xF83FFFF FSC Remote Service Board, shared memory device
OK

```

```

0xF8000000-0xF8003FFF Alteon WebSystems PCI Gigabit Ethernet Adapter
OK
0xF8005000-0xF8005FFF ATI Technologies Inc. RAGE XL PCI OK
0xF8006000-0xF8006FFF FSC Remote Service Board, shared memory device
OK
0xF8007000-0xF8007FFF Standard OpenHCD USB Host Controller OK
0xF8500000-0xF97FFFFF PCI bus OK
0xF9800000-0xFA7FFFFF PCI bus OK
0xF9800000-0xFA7FFFFF DEC 21154 PCI to PCI bridge OK
0xF9800000-0xFA7FFFFF Mylex EXR2000 Disk Array Controller OK
0xF8800000-0xF8FFFFF DEC 21154 PCI to PCI bridge OK
0xF8800000-0xF8FFFFF Mylex EXR2000 Disk Array Controller OK
0xF9000000-0xF97FFFFF DEC 21154 PCI to PCI bridge OK
0xF9000000-0xF97FFFFF Mylex EXR2000 Disk Array Controller OK
0xFA000000-0xFA7FFFFF DEC 21154 PCI to PCI bridge OK
0xFA000000-0xFA7FFFFF Mylex EXR2000 Disk Array Controller OK
0xFA800000-0xFBFFFFF PCI bus OK
0xFA800000-0xFBFFFFF Adaptec AIC-7899 Ultra160/m PCI SCSI Card OK
0xFC000000-0xFCFFFFF PCI bus OK
0xFC000000-0xFCFFFFF DEC 21154 PCI to PCI bridge OK
0xFC000000-0xFCFFFFF Mylex EXR2000 Disk Array Controller OK
0xFB000000-0xFB7FFFF DEC 21154 PCI to PCI bridge OK
0xFB000000-0xFB7FFFF Mylex EXR2000 Disk Array Controller OK
0xFB800000-0xFBFFFFF DEC 21154 PCI to PCI bridge OK
0xFB800000-0xFBFFFFF Mylex EXR2000 Disk Array Controller OK
0xFC800000-0xFCFFFFF DEC 21154 PCI to PCI bridge OK
0xFC800000-0xFCFFFFF Mylex EXR2000 Disk Array Controller OK
0xFA801000-0xFA801FFF Adaptec AIC-7899 Ultra160/m PCI SCSI Card OK

```

System Information report written at: 02/04/2002 02:03:21 PM  
[Components]

[ Following are sub-categories of this main category ]

[Multimedia]

[ Following are sub-categories of this main category ]

[Audio Codecs]

CodecManufacturer	Description	Status	File Version	Size
Intel Corporation	Indeo® audio software	OK	2.05.53	195.00 KB (199,680 bytes)
Microsoft Corporation	MSG723.ACM	OK	4.4.3385	106.77 KB (109,328 bytes)
Microsoft Corporation	lhacm.acm	OK	4.4.3385	33.27 KB (34,064 bytes)

```

c:\winnt\system32\msgsm32.acm Microsoft Corporation OK
C:\WINNT\System32\MSGSM32.ACM 5.00.2134.1 22.27 KB (22,800
bytes) 12/7/1999 1:00:00 PM
c:\winnt\system32\msg711.acm Microsoft Corporation OK
C:\WINNT\System32\MSG711.ACM 5.00.2134.1 10.27 KB (10,512
bytes) 12/7/1999 1:00:00 PM
c:\winnt\system32\tsoft32.acm DSP GROUP, INC. OK
C:\WINNT\System32\TSSOFT32.ACM 1.01 9.27 KB (9,488 bytes)
12/7/1999 1:00:00 PM
c:\winnt\system32\imaadp32.acm Microsoft Corporation OK
C:\WINNT\System32\IMAADP32.ACM 5.00.2134.1 16.27 KB (16,656
bytes) 12/7/1999 1:00:00 PM
c:\winnt\system32\msadp32.acm Microsoft Corporation OK
C:\WINNT\System32\MSADP32.ACM 5.00.2134.1 14.77 KB (15,120
bytes) 12/7/1999 1:00:00 PM

```

[Video Codecs]

Codec	Manufacturer	Description	Status	File	Version	Size	Creation Date
c:\winnt\system32\ir50_32.dll	Intel Corporation	Indeo® video 5.10	OK	C:\WINNT\System32\IR50_32.DLL	R.5.10.15.2.55	737.50 KB	(755,200 bytes) 12/7/1999 1:00:00 PM
c:\winnt\system32\msh261.drv	Microsoft Corporation		OK	C:\WINNT\System32\MSH261.DRV	4.4.3385	163.77 KB (167,696 bytes)	12/17/2001 1:56:13 PM
c:\winnt\system32\msh263.drv	Microsoft Corporation		OK	C:\WINNT\System32\MSH263.DRV	4.4.3385	252.27 KB (258,320 bytes)	12/17/2001 1:55:51 PM
c:\winnt\system32\ir32_32.dll	Intel(R) Corporation		OK	C:\WINNT\System32\IR32_32.DLL	Not Available	194.50 KB (199,168 bytes)	12/7/1999 1:00:00 PM
c:\winnt\system32\iccvid.dll	Radius Inc.		OK	C:\WINNT\System32\ICCVID.DLL	1.10.0.6	108.00 KB (110,592 bytes)	12/7/1999 1:00:00 PM
c:\winnt\system32\msvidc32.dll	Microsoft Corporation		OK	C:\WINNT\System32\MSVIDC32.DLL	5.00.2134.1	27.27 KB (27,920 bytes)	12/7/1999 1:00:00 PM
c:\winnt\system32\msrle32.dll	Microsoft Corporation		OK	C:\WINNT\System32\MSRLE32.DLL	5.00.2134.1	10.77 KB (11,024 bytes)	12/7/1999 1:00:00 PM

[CD-ROM]

```

Item Value
Drived:
Description CD-ROM Drive
Media Loaded False
Media Type CD-ROM
Name MITSUMI CD-ROM FX4830T!B
Manufacturer (Standard CD-ROM drives)
Status OK
Transfer Rate Not Available

```

```

SCSI Target ID 0
PNP Device ID IDE\CDROMMITSUMI_CD-
ROM_FX4830T!B_____R02E____\5&1159A16&0&0.0.0

```

[Sound Device]

```

Item Value
No sound devices

```

[Display]

```

Item Value
Name ATI Technologies Inc. RAGE XL PCI
PNP Device ID
PCI\VEN_1002&DEV_4752&SUBSYS_0080110A&REV_27\3&291BF6FF&0&28
Adapter Type ATI RAGE XL PCI, ATI Technologies Inc. compatible
Adapter Description ATI Technologies Inc. RAGE XL PCI
Adapter RAM 8.00 MB (8,388,608 bytes)
Installed Drivers atidrab.dll
Driver Version 5.00.2179.1
INF File display.inf (atirage3 section)
Color Planes 1
Color Table Entries 65536
Resolution 800 x 600 x 72 hertz
Bits/Pixel 16

```

[Infrared]

```

Item Value
No infrared devices

```

[Input]

[ Following are sub-categories of this main category ]

[Keyboard]

```

Item Value
Description Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
Name Enhanced (101- or 102-key)
Layout 00000409
PNP Device ID ACPI\PNP0303\4&2647A8AF&0
NumberOfFunctionKeys 12

```

[Pointing Device]

```

Item Value
Hardware Type PS/2 Compatible Mouse
Number of Buttons 3
Status OK

```

PNP Device ID ACPI\PNP0F13\4&2647A8AF&0  
Power Management SupportedFalse  
Double Click Threshold 6  
Handedness Right Handed Operation

[Modem]

Item Value  
No modems

[Network]

[ Following are sub-categories of this main category ]

[Adapter]

Item Value  
Name [00000000] RAS Async Adapter  
Adapter Type Not Available  
Product Name RAS Async Adapter  
Installed True  
PNP Device ID Not Available  
Last Reset 2/4/2002 2:50:49 PM  
Index0  
Service Name AsyncMac  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address Not Available  
Service Name Not Available

Name [00000001] WAN Miniport (L2TP)  
Adapter Type Not Available  
Product Name WAN Miniport (L2TP)  
Installed True  
PNP Device ID ROOT\MS\_L2TPMINIPORT\0000  
Last Reset 2/4/2002 2:50:49 PM  
Index1  
Service Name Rasl2tp  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address Not Available  
Service Name Rasl2tp

Driver c:\winnt\system32\drivers\rasl2tp.sys (50800, 5.00.2179.1)

Name [00000002] WAN Miniport (PPTP)  
Adapter Type Wide Area Network (WAN)  
Product Name WAN Miniport (PPTP)  
Installed True  
PNP Device ID ROOT\MS\_PPTPMINIPORT\0000  
Last Reset 2/4/2002 2:50:49 PM  
Index2  
Service Name PptpMiniport  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address 50:50:54:50:30:30  
Service Name PptpMiniport  
Driver c:\winnt\system32\drivers\raspptp.sys (47856, 5.00.2160.1)

Name [00000003] Direct Parallel  
Adapter Type Not Available  
Product Name Direct Parallel  
Installed True  
PNP Device ID ROOT\MS\_PTMINIPORT\0000  
Last Reset 2/4/2002 2:50:49 PM  
Index3  
Service Name Raspti  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address Not Available  
Service Name Raspti  
Driver c:\winnt\system32\drivers\raspti.sys (16880, 5.00.2146.1)

Name [00000004] WAN Miniport (IP)  
Adapter Type Not Available  
Product Name WAN Miniport (IP)  
Installed True  
PNP Device ID ROOT\MS\_NDISWANIP\0000  
Last Reset 2/4/2002 2:50:49 PM  
Index4  
Service Name NdisWan  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available

DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address Not Available  
Service Name Ndiswan  
Driver c:\winnt\system32\drivers\ndiswan.sys (90096, 5.00.2195.2779)

Name [00000005] Intel 8255x-based PCI Ethernet Adapter (10/100)  
Adapter Type Not Available  
Product Name Intel 8255x-based PCI Ethernet Adapter (10/100)  
Installed True  
PNP Device ID  
PCI\VEN\_8086&DEV\_1229&SUBSYS\_0080110A&REV\_09\3&291BF6FF&0&20  
Last Reset 2/4/2002 2:50:49 PM

Index5  
Service Name E100B  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address Not Available  
Service Name E100B  
Driver c:\winnt\system32\drivers\e100bnt5.sys (119056, 5.40.11.0000)

Name [00000006] Intel 8255x-based PCI Ethernet Adapter (10/100)  
Adapter Type Not Available  
Product Name Intel 8255x-based PCI Ethernet Adapter (10/100)  
Installed True  
PNP Device ID Not Available  
Last Reset 2/4/2002 2:50:49 PM  
Index6

Service Name E100B  
IP Address 129.103.181.252  
IP Subnet 255.255.255.0  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address 00:60:CF:20:03:6E  
Service Name Not Available

Name [00000007] Alteon WebSystems PCI Gigabit Ethernet Adapter  
Adapter Type Ethernet 802.3  
Product Name Alteon WebSystems PCI Gigabit Ethernet Adapter  
Installed True  
PNP Device ID  
PCI\VEN\_12AE&DEV\_0001&SUBSYS\_00000000&REV\_01\3&291BF6FF&0&10  
Last Reset 2/4/2002 2:50:49 PM  
Index7

Service Name altnd5

IP Address 129.103.181.252  
IP Subnet 255.255.255.0  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address 00:60:CF:20:03:6E  
Service Name altnd5  
IRQ Number 18  
Driver c:\winnt\system32\drivers\altnd5.sys (597776, 1.17.13)

[Protocol]

Item Value  
Name MSAFD Tcpip [TCP/IP]  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 16 bytes  
MaximumMessageSize 0 bytes  
MessageOriented False  
MinimumAddressSize 16 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData True  
SupportsGracefulClosing True  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD Tcpip [UDP/IP]  
ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 16 bytes  
MaximumMessageSize 65467 bytes  
MessageOriented True  
MinimumAddressSize 16 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting True

Name RSVP UDP Service Provider

ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 16 bytes  
MaximumMessageSize 65467 bytes  
MessageOriented True  
MinimumAddressSize 16 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption True  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting True

Name RSVP TCP Service Provider  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 16 bytes  
MaximumMessageSize 0 bytes  
MessageOriented False  
MinimumAddressSize 16 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption True  
SupportsExpeditedData True  
SupportsGracefulClosing True  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{7120448E-BC0E-4184-94F6-69BC78851FBD}] SEQPACKET 4  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{7120448E-BC0E-4184-94F6-69BC78851FBD}] DATAGRAM 4  
ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{0FB83349-A37E-4EF0-8BAE-16EA2DF755BA}] SEQPACKET 3  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{0FB83349-A37E-4EF0-8BAE-16EA2DF755BA}] DATAGRAM 3  
ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False

SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{4BCAF550-58F2-4980-8BB6-BA327F2239C6}] SEQPACKET 0  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{4BCAF550-58F2-4980-8BB6-BA327F2239C6}] DATAGRAM 0  
ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{615586FA-2158-413F-B657-99FE2790A24F}] SEQPACKET 1  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False

SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{615586FA-2158-413F-B657-99FE2790A24F}] DATAGRAM 1  
ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{2E8A660D-603D-4D5A-9F8B-CEADE80A363E}] SEQPACKET 2  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{2E8A660D-603D-4D5A-9F8B-CEADE80A363E}] DATAGRAM 2  
ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 20 bytes

MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

[WinSock]

Item Value  
File c:\winnt\system32\winsock.dll  
Version 3.10  
Size 2.80 KB (2,864 bytes)  
  
File c:\winnt\system32\wsock32.dll  
Version 5.00.2195.2871  
Size 21.27 KB (21,776 bytes)

[Ports]

[ Following are sub-categories of this main category ]

[Serial]

Item Value  
Name COM1  
Status OK  
PNP Device ID ACPI\PNP0501\1  
Maximum Input Buffer Size 0  
Maximum Output Buffer Size False  
Settable Baud Rate True  
Settable Data Bits True  
Settable Flow Control True  
Settable Parity True  
Settable Parity Check True  
Settable Stop Bits True  
Settable RLSD True  
Supports RLSD True  
Supports 16 Bit Mode False  
Supports Special Characters False  
Baud Rate 9600  
Bits/Byte 8  
Stop Bits 1  
Parity None  
Busy 0

Abort Read/Write on Error 0  
Binary Mode Enabled -1  
Continue Xmit on XOff 0  
CTS Outflow Control 0  
Discard NULL Bytes 0  
DSR Outflow Control 0  
DSR Sensitivity 0  
DTR Flow Control Type Enable  
EOF Character 0  
Error Replace Character 0  
Error Replacement Enabled 0  
Event Character 0  
Parity Check Enabled 0  
RTS Flow Control Type Enable  
XOff Character 19  
XOffXmit Threshold 512  
XOn Character 17  
XOnXmit Threshold 2048  
XOnXOff InFlow Control 0  
XOnXOff OutFlow Control 0  
IRQ Number 4  
I/O Port 0x03F8-0x03FF  
Driver c:\winnt\system32\drivers\serial.sys (62416, 5.00.2195.2780)

Name COM2  
Status OK  
PNP Device ID ACPI\PNP0501\2  
Maximum Input Buffer Size 0  
Maximum Output Buffer Size False  
Settable Baud Rate True  
Settable Data Bits True  
Settable Flow Control True  
Settable Parity True  
Settable Parity Check True  
Settable Stop Bits True  
Settable RLSD True  
Supports RLSD True  
Supports 16 Bit Mode False  
Supports Special Characters False  
Baud Rate 9600  
Bits/Byte 8  
Stop Bits 1  
Parity None  
Busy 0  
Abort Read/Write on Error 0  
Binary Mode Enabled -1  
Continue Xmit on XOff 0  
CTS Outflow Control 0  
Discard NULL Bytes 0  
DSR Outflow Control 0  
DSR Sensitivity 0  
DTR Flow Control Type Enable  
EOF Character 0

Error Replace Character 0  
Error Replacement Enabled 0  
Event Character 0  
Parity Check Enabled 0  
RTS Flow Control Type Enable  
XOff Character 19  
XOffXmit Threshold 512  
XOn Character 17  
XOnXmit Threshold 2048  
XOnXOff InFlow Control 0  
XOnXOff OutFlow Control 0  
IRQ Number 3  
I/O Port 0x02F8-0x02FF  
Driver c:\winnt\system32\drivers\serial.sys (62416, 5.00.2195.2780)

[Parallel]

Item Value  
Name LPT1  
PNP Device ID ACPI\PNP0401\4&2647A8AF&0

[Storage]

[ Following are sub-categories of this main category ]

[Drives]

Item Value  
DriveA:  
Description 3 1/2 Inch Floppy Drive

DriveC:  
Description Local Fixed Disk  
Compressed False  
File System NTFS  
Size 17.08 GB (18,342,338,560 bytes)  
Free Space 12.76 GB (13,701,316,608 bytes)  
Volume Name  
Volume Serial Number DC603830  
Partition Disk #0, Partition #0  
Partition Size 17.08 GB (18,342,342,144 bytes)  
Starting Offset 32256 bytes  
Drive Description Disk drive  
Drive Manufacturer (Standard disk drives)  
Drive Model SEAGATE ST318404LC SCSI Disk Device  
Drive BytesPerSector 512  
Drive MediaLoaded True  
Drive MediaType Fixed hard disk media  
Drive Partitions 1  
Drive SCSIBus 0  
Drive SCSILogicalUnit 0

Drive SCSIPort 2  
Drive SCSTargetId 0  
Drive SectorsPerTrack 63  
Drive Size 18350599680 bytes  
Drive TotalCylinders 2231  
Drive TotalSectors 35841015  
Drive TotalTracks 568905  
Drive TracksPerCylinder 255

DriveE:  
Description Local Fixed Disk  
Compressed Not Available  
File System Not Available  
Size Not Available  
Free Space Not Available  
Volume Name Not Available  
Volume Serial Number Not Available  
Partition Disk #2, Partition #0  
Partition Size 751.08 GB (806,464,028,160 bytes)  
Starting Offset 8225280 bytes  
Drive Description \\.\PHYSICALDRIVE2  
Drive Manufacturer Not Available  
Drive Model Not Available  
Drive BytesPerSector 512  
Drive MediaLoaded True  
Drive MediaType Fixed hard disk media  
Drive Partitions 3  
Drive SCSIBus 4  
Drive SCSILogicalUnit 0  
Drive SCSIPort 5  
Drive SCSTargetId 0  
Drive SectorsPerTrack 63  
Drive Size 806480478720 bytes  
Drive TotalCylinders 98049  
Drive TotalSectors 1575157185  
Drive TotalTracks 25002495  
Drive TracksPerCylinder 255

DriveF:  
Description Local Fixed Disk  
Compressed Not Available  
File System Not Available  
Size Not Available  
Free Space Not Available  
Volume Name Not Available  
Volume Serial Number Not Available  
Partition Disk #3, Partition #0  
Partition Size 751.08 GB (806,464,028,160 bytes)  
Starting Offset 8225280 bytes  
Drive Description \\.\PHYSICALDRIVE3  
Drive Manufacturer Not Available  
Drive Model Not Available  
Drive BytesPerSector 512

Drive MediaLoaded True  
Drive MediaType Fixed hard disk media  
Drive Partitions 3  
Drive SCSIBus 4  
Drive SCSILogicalUnit 0  
Drive SCSIPort 6  
Drive SCSTargetId 0  
Drive SectorsPerTrack 63  
Drive Size 806480478720 bytes  
Drive TotalCylinders 98049  
Drive TotalSectors 1575157185  
Drive TotalTracks 25002495  
Drive TracksPerCylinder 255

DriveG:  
Description Local Fixed Disk  
Compressed Not Available  
File System Not Available  
Size Not Available  
Free Space Not Available  
Volume Name Not Available  
Volume Serial Number Not Available  
Partition Disk #4, Partition #0  
Partition Size 751.08 GB (806,464,028,160 bytes)  
Starting Offset 8225280 bytes  
Drive Description \\.\PHYSICALDRIVE4  
Drive Manufacturer Not Available  
Drive Model Not Available  
Drive BytesPerSector 512  
Drive MediaLoaded True  
Drive MediaType Fixed hard disk media  
Drive Partitions 3  
Drive SCSIBus 4  
Drive SCSILogicalUnit 0  
Drive SCSIPort 7  
Drive SCSTargetId 0  
Drive SectorsPerTrack 63  
Drive Size 806480478720 bytes  
Drive TotalCylinders 98049  
Drive TotalSectors 1575157185  
Drive TotalTracks 25002495  
Drive TracksPerCylinder 255

DriveL:  
Description Local Fixed Disk  
Compressed Not Available  
File System Not Available  
Size Not Available  
Free Space Not Available  
Volume Name Not Available  
Volume Serial Number Not Available  
Partition Disk #1, Partition #0  
Partition Size 85.34 GB (91,629,619,200 bytes)

Starting Offset 8225280 bytes  
Drive Description \\.\PHYSICALDRIVE1  
Drive Manufacturer Not Available  
Drive Model Not Available  
Drive BytesPerSector 512  
Drive MediaLoaded True  
Drive MediaType Fixed hard disk media  
Drive Partitions 1  
Drive SCSIBus 4  
Drive SCSILogicalUnit 0  
Drive SCSIPort 4  
Drive SCSTargetId 0  
Drive SectorsPerTrack 63  
Drive Size 91637844480 bytes  
Drive TotalCylinders 11141  
Drive TotalSectors 178980165  
Drive TotalTracks 2840955  
Drive TracksPerCylinder 255

DriveN:  
Description Local Fixed Disk  
Compressed Not Available  
File System Not Available  
Size Not Available  
Free Space Not Available  
Volume Name Not Available  
Volume Serial Number Not Available  
Partition Disk #2, Partition #0  
Partition Size 751.08 GB (806,464,028,160 bytes)  
Starting Offset 8225280 bytes  
Drive Description \\.\PHYSICALDRIVE2  
Drive Manufacturer Not Available  
Drive Model Not Available  
Drive BytesPerSector 512  
Drive MediaLoaded True  
Drive MediaType Fixed hard disk media  
Drive Partitions 3  
Drive SCSIBus 4  
Drive SCSILogicalUnit 0  
Drive SCSIPort 5  
Drive SCSTargetId 0  
Drive SectorsPerTrack 63  
Drive Size 806480478720 bytes  
Drive TotalCylinders 98049  
Drive TotalSectors 1575157185  
Drive TotalTracks 25002495  
Drive TracksPerCylinder 255

DriveO:  
Description Local Fixed Disk  
Compressed Not Available  
File System Not Available  
Size Not Available

Free Space Not Available  
Volume Name Not Available  
Volume Serial Number Not Available  
Partition Disk #3, Partition #0  
Partition Size 751.08 GB (806,464,028,160 bytes)  
Starting Offset 8225280 bytes  
Drive Description \\.\PHYSICALDRIVE3  
Drive Manufacturer Not Available  
Drive Model Not Available  
Drive BytesPerSector 512  
Drive MediaLoaded True  
Drive MediaType Fixed hard disk media  
Drive Partitions 3  
Drive SCSIbus 4  
Drive SCSILogicalUnit 0  
Drive SCSIPort 6  
Drive SCSTargetId 0  
Drive SectorsPerTrack 63  
Drive Size 806480478720 bytes  
Drive TotalCylinders 98049  
Drive TotalSectors 1575157185  
Drive TotalTracks 25002495  
Drive TracksPerCylinder 255

DriveP:  
Description Local Fixed Disk  
Compressed Not Available  
File System Not Available  
Size Not Available  
Free Space Not Available  
Volume Name Not Available  
Volume Serial Number Not Available  
Partition Disk #4, Partition #0  
Partition Size 751.08 GB (806,464,028,160 bytes)  
Starting Offset 8225280 bytes  
Drive Description \\.\PHYSICALDRIVE4  
Drive Manufacturer Not Available  
Drive Model Not Available  
Drive BytesPerSector 512  
Drive MediaLoaded True  
Drive MediaType Fixed hard disk media  
Drive Partitions 3  
Drive SCSIbus 4  
Drive SCSILogicalUnit 0  
Drive SCSIPort 7  
Drive SCSTargetId 0  
Drive SectorsPerTrack 63  
Drive Size 806480478720 bytes  
Drive TotalCylinders 98049  
Drive TotalSectors 1575157185  
Drive TotalTracks 25002495  
Drive TracksPerCylinder 255

DriveX:  
Description Local Fixed Disk  
Compressed False  
File System NTFS  
Size 292.97 GB (314,575,798,272 bytes)  
Free Space 226.63 GB (243,340,328,960 bytes)  
Volume Name backup1  
Volume Serial Number 24B8DE74  
Partition Disk #2, Partition #0  
Partition Size 751.08 GB (806,464,028,160 bytes)  
Starting Offset 8225280 bytes  
Drive Description \\.\PHYSICALDRIVE2  
Drive Manufacturer Not Available  
Drive Model Not Available  
Drive BytesPerSector 512  
Drive MediaLoaded True  
Drive MediaType Fixed hard disk media  
Drive Partitions 3  
Drive SCSIbus 4  
Drive SCSILogicalUnit 0  
Drive SCSIPort 5  
Drive SCSTargetId 0  
Drive SectorsPerTrack 63  
Drive Size 806480478720 bytes  
Drive TotalCylinders 98049  
Drive TotalSectors 1575157185  
Drive TotalTracks 25002495  
Drive TracksPerCylinder 255

DriveY:  
Description Local Fixed Disk  
Compressed False  
File System NTFS  
Size 292.97 GB (314,575,798,272 bytes)  
Free Space 226.63 GB (243,340,394,496 bytes)  
Volume Name backup2  
Volume Serial Number A8CBC8C1  
Partition Disk #3, Partition #0  
Partition Size 751.08 GB (806,464,028,160 bytes)  
Starting Offset 8225280 bytes  
Drive Description \\.\PHYSICALDRIVE3  
Drive Manufacturer Not Available  
Drive Model Not Available  
Drive BytesPerSector 512  
Drive MediaLoaded True  
Drive MediaType Fixed hard disk media  
Drive Partitions 3  
Drive SCSIbus 4  
Drive SCSILogicalUnit 0  
Drive SCSIPort 6  
Drive SCSTargetId 0  
Drive SectorsPerTrack 63  
Drive Size 806480478720 bytes

Drive TotalCylinders 98049  
Drive TotalSectors 1575157185  
Drive TotalTracks 25002495  
Drive TracksPerCylinder 255

Drive Z:  
Description Local Fixed Disk  
Compressed False  
File System NTFS  
Size 292.97 GB (314,575,798,272 bytes)  
Free Space 226.63 GB (243,340,394,496 bytes)  
Volume Name backup3  
Volume Serial Number 70DED93A  
Partition Disk #4, Partition #0  
Partition Size 751.08 GB (806,464,028,160 bytes)  
Starting Offset 8225280 bytes  
Drive Description \\.\PHYSICALDRIVE4  
Drive Manufacturer Not Available  
Drive Model Not Available  
Drive BytesPerSector 512  
Drive MediaLoaded True  
Drive MediaType Fixed hard disk media  
Drive Partitions 3  
Drive SCSIbus 4  
Drive SCSILogicalUnit 0  
Drive SCSIPort 7  
Drive SCsITargetId 0  
Drive SectorsPerTrack 63  
Drive Size 806480478720 bytes  
Drive TotalCylinders 98049  
Drive TotalSectors 1575157185  
Drive TotalTracks 25002495  
Drive TracksPerCylinder 255

[SCSI]

Item Value  
Name Mylex EXR2000 Disk Array Controller  
Caption Mylex EXR2000 Disk Array Controller  
Driver dac2w2k  
Status OK  
PNP Device ID  
PCI\VEN\_1069&DEV\_BA56&SUBSYS\_00401069&REV\_00\4&210F17E&0&4008  
Device ID PCI\VEN\_1069&DEV\_BA56&SUBSYS\_00401069&REV\_00\4&210F17E&0&4008  
Device Map Not Available  
Index Not Available  
Max Number Controlled Not Available  
IRQ Number 20  
I/O Port 0x2000-0x3FFF  
Driver c:\winnt\system32\drivers\dac2w2k.sys (185488, 6.00-03)

Name FSC Storage Subsystem

Caption FSC Storage Subsystem  
Driver Not Available  
Status OK  
PNP Device ID  
SCSI\PROCESSOR&VEN\_QLOGIC&PROD\_GEM359&REV\_1.06\5&9AF7516&0&080  
Device ID SCSI\PROCESSOR&VEN\_QLOGIC&PROD\_GEM359&REV\_1.06\5&9AF7516&0&080  
Device Map Not Available  
Index Not Available  
Max Number Controlled Not Available

Name FSC Storage Subsystem  
Caption FSC Storage Subsystem  
Driver Not Available  
Status OK  
PNP Device ID  
SCSI\PROCESSOR&VEN\_QLOGIC&PROD\_GEM359&REV\_1.06\5&9AF7516&0&180  
Device ID SCSI\PROCESSOR&VEN\_QLOGIC&PROD\_GEM359&REV\_1.06\5&9AF7516&0&180  
Device Map Not Available  
Index Not Available  
Max Number Controlled Not Available

Name Mylex EXR2000 Disk Array Controller  
Caption Mylex EXR2000 Disk Array Controller  
Driver dac2w2k  
Status OK  
PNP Device ID  
PCI\VEN\_1069&DEV\_BA56&SUBSYS\_00401069&REV\_00\4&1CF81133&0&4010  
Device ID PCI\VEN\_1069&DEV\_BA56&SUBSYS\_00401069&REV\_00\4&1CF81133&0&4010  
Device Map Not Available  
Index Not Available  
Max Number Controlled Not Available  
IRQ Number 22  
I/O Port 0x3000-0x3FFF  
Driver c:\winnt\system32\drivers\dac2w2k.sys (185488, 6.00-03)

Name Mylex EXR2000 Disk Array Controller  
Caption Mylex EXR2000 Disk Array Controller  
Driver dac2w2k  
Status OK  
PNP Device ID  
PCI\VEN\_1069&DEV\_BA56&SUBSYS\_00401069&REV\_00\4&F43FC24&0&4008  
Device ID PCI\VEN\_1069&DEV\_BA56&SUBSYS\_00401069&REV\_00\4&F43FC24&0&4008  
Device Map Not Available  
Index Not Available  
Max Number Controlled Not Available  
IRQ Number 24  
I/O Port 0x5000-0x5FFF  
Driver c:\winnt\system32\drivers\dac2w2k.sys (185488, 6.00-03)

Name Mylex EXR2000 Disk Array Controller  
Caption Mylex EXR2000 Disk Array Controller  
Driver dac2w2k  
Status OK

PNP Device ID  
PCI\VEN\_1069&DEV\_BA56&SUBSYS\_00401069&REV\_00\4&2BD5C37A&0&4010  
Device ID PCI\VEN\_1069&DEV\_BA56&SUBSYS\_00401069&REV\_00\4&2BD5C37A&0&4010  
Device Map Not Available  
Index Not Available  
Max Number Controlled Not Available  
IRQ Number 26  
I/O Port 0x6000-0x6FFF  
Driver c:\winnt\system32\drivers\dac2w2k.sys (185488, 6.00-03)

Name FSC Storage Subsystem  
Caption FSC Storage Subsystem  
Driver Not Available  
Status OK  
PNP Device ID

SCSI\PROCESSOR&VEN\_QLOGIC&PROD\_GEM359&REV\_1.07\5&41CC46E&0&080  
Device ID SCSI\PROCESSOR&VEN\_QLOGIC&PROD\_GEM359&REV\_1.07\5&41CC46E&0&080  
Device Map Not Available  
Index Not Available  
Max Number Controlled Not Available

Name FSC Storage Subsystem  
Caption FSC Storage Subsystem  
Driver Not Available  
Status OK  
PNP Device ID

SCSI\PROCESSOR&VEN\_QLOGIC&PROD\_GEM359&REV\_1.07\5&41CC46E&0&180  
Device ID SCSI\PROCESSOR&VEN\_QLOGIC&PROD\_GEM359&REV\_1.07\5&41CC46E&0&180  
Device Map Not Available  
Index Not Available  
Max Number Controlled Not Available

Name FSC Storage Subsystem  
Caption FSC Storage Subsystem  
Driver Not Available  
Status OK  
PNP Device ID

SCSI\PROCESSOR&VEN\_QLOGIC&PROD\_GEM359&REV\_1.07\5&41CC46E&0&280  
Device ID SCSI\PROCESSOR&VEN\_QLOGIC&PROD\_GEM359&REV\_1.07\5&41CC46E&0&280  
Device Map Not Available  
Index Not Available  
Max Number Controlled Not Available

Name FSC Storage Subsystem  
Caption FSC Storage Subsystem  
Driver Not Available  
Status OK  
PNP Device ID

SCSI\PROCESSOR&VEN\_QLOGIC&PROD\_GEM359&REV\_1.07\5&41CC46E&0&380  
Device ID SCSI\PROCESSOR&VEN\_QLOGIC&PROD\_GEM359&REV\_1.07\5&41CC46E&0&380  
Device Map Not Available  
Index Not Available  
Max Number Controlled Not Available

Name Adaptec AIC-7899 Ultra160/m PCI SCSI Card  
Caption Adaptec AIC-7899 Ultra160/m PCI SCSI Card  
Driver adpul60m  
Status OK  
PNP Device ID  
PCI\VEN\_9005&DEV\_00CF&SUBSYS\_0080110A&REV\_01\3&12F48E42&0&18  
Device ID PCI\VEN\_9005&DEV\_00CF&SUBSYS\_0080110A&REV\_01\3&12F48E42&0&18  
Device Map Not Available  
Index Not Available  
Max Number Controlled Not Available  
IRQ Number 28  
I/O Port 0x4000-0x6FFF  
Driver c:\winnt\system32\drivers\adpul60m.sys (64432, v3.10a)

Name Adaptec AIC-7899 Ultra160/m PCI SCSI Card  
Caption Adaptec AIC-7899 Ultra160/m PCI SCSI Card  
Driver adpul60m  
Status OK  
PNP Device ID  
PCI\VEN\_9005&DEV\_00CF&SUBSYS\_0080110A&REV\_01\3&12F48E42&0&19  
Device ID PCI\VEN\_9005&DEV\_00CF&SUBSYS\_0080110A&REV\_01\3&12F48E42&0&19  
Device Map Not Available  
Index Not Available  
Max Number Controlled Not Available  
IRQ Number 29  
I/O Port 0x4400-0x44FF  
Driver c:\winnt\system32\drivers\adpul60m.sys (64432, v3.10a)

[Printing]

Name Port Name Server Name  
No printing information

[Problem Devices]

Device	PNP Device ID	Error Code
Intel 825x-based PCI Ethernet Adapter (10/100)	PCI\VEN_8086&DEV_1229&SUBSYS_0080110A&REV_09\3&291BF6FF&0&20	22

[USB]

Device	PNP Device ID
Standard OpenHCD USB Host Controller	PCI\VEN_1166&DEV_0220&SUBSYS_02201166&REV_05\3&291BF6FF&0&7A
USB Root Hub	USB\ROOT_HUB\4&19BF1ADC&0

=====  
Begin  
BeginGroup  
PhysicalDevice0 = Channel=0, Target=0, Size=17480mb, State=Online,  
TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;  
=====

```

PhysicalDevice1 = Channel=1, Target=0, Size=17480mb, State=Online,
  TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice2 = Channel=0, Target=1, Size=17480mb, State=Online,
  TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice3 = Channel=1, Target=1, Size=17480mb, State=Online,
  TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice4 = Channel=0, Target=2, Size=17480mb, State=Online,
  TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice5 = Channel=1, Target=2, Size=17480mb, State=Online,
  TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice6 = Channel=0, Target=3, Size=17480mb, State=Online,
  TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice7 = Channel=1, Target=3, Size=17480mb, State=Online,
  TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice8 = Channel=0, Target=4, Size=17480mb, State=Online,
  TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice9 = Channel=1, Target=4, Size=17480mb, State=Online,
  TransferSpeed=80MHz, TransferWidth=16Bit, MaxTag=16;
IntermediateDevice0 = StripeSize=128kb, Raid=1, WriteThrough=1,
Size=17480mb,
  (PhysicalDevice0, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice1, StartAddress=0mb, Size=17480mb);
IntermediateDevice1 = StripeSize=128kb, Raid=1, WriteThrough=1,
Size=17480mb,
  (PhysicalDevice2, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice3, StartAddress=0mb, Size=17480mb);
IntermediateDevice2 = StripeSize=128kb, Raid=1, WriteThrough=1,
Size=17480mb,
  (PhysicalDevice4, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice5, StartAddress=0mb, Size=17480mb);
IntermediateDevice3 = StripeSize=128kb, Raid=1, WriteThrough=1,
Size=17480mb,
  (PhysicalDevice6, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice7, StartAddress=0mb, Size=17480mb);
IntermediateDevice4 = StripeSize=128kb, Raid=1, WriteThrough=1,
Size=17480mb,
  (PhysicalDevice8, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice9, StartAddress=0mb, Size=17480mb);
LogicalDevice0 = StripeSize=128kb, Raid=12, WriteThrough=1,
Size=87400mb, BIOSGeometry=8GB,
  (IntermediateDevice0, StartAddress=0mb, Size=34960mb),
  (IntermediateDevice1, StartAddress=0mb, Size=34960mb),
  (IntermediateDevice2, StartAddress=0mb, Size=34960mb),
  (IntermediateDevice3, StartAddress=0mb, Size=34960mb),
  (IntermediateDevice4, StartAddress=0mb, Size=34960mb);
EndGroup
BeginControllerParameter
  ControllerName = eXtremeRAID 2000;
  ControllerType = 28;
  FirmwareVersion = 5.60;
  CacheLineSize = 8KB;
  BackgroundTaskRate = 50;
  InitiatorID = 7;

```

```

DiskStartupMode = AutoSpin;
DevicesPerSpin = 2;
InitialDelay = 6S;
SequentialDelay = 0S;
EnableDriveSizing = 0;
EnableClustering = 0;
EnableBGInit = 1;
EnableReadAhead = 0;
EnableBiosLoadDelay = 0;
EnableForcedUnitAccess = 1;
DisableBios = 1;
EnableCDROMBoot = 0;
EnableStorageWorks = 0;
EnableSAFTE = 0;
EnableSES = 0;
EnableARM = 0;
EnableOFM = 0;
OEMCode = 0;
StartupOption = 0;
EndControllerParameter
End
Begin
BeginGroup
  PhysicalDevice0 = Channel=0, Target=14, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
  PhysicalDevice1 = Channel=0, Target=13, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
  PhysicalDevice2 = Channel=0, Target=12, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
  PhysicalDevice3 = Channel=0, Target=11, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
  PhysicalDevice4 = Channel=0, Target=10, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
  PhysicalDevice5 = Channel=0, Target=5, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
  PhysicalDevice6 = Channel=0, Target=4, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
  PhysicalDevice7 = Channel=0, Target=3, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
  PhysicalDevice8 = Channel=0, Target=2, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
  PhysicalDevice9 = Channel=0, Target=1, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
  PhysicalDevice10 = Channel=0, Target=0, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
  PhysicalDevice11 = Channel=1, Target=14, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
  PhysicalDevice12 = Channel=1, Target=13, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
  PhysicalDevice13 = Channel=1, Target=12, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
  PhysicalDevice14 = Channel=1, Target=11, Size=17480mb, State=Online,

```



```

(PhysicalDevice39, StartAddress=0mb, Size=17480mb),
(PhysicalDevice40, StartAddress=0mb, Size=17480mb),
(PhysicalDevice41, StartAddress=0mb, Size=17480mb),
(PhysicalDevice42, StartAddress=0mb, Size=17480mb),
(PhysicalDevice43, StartAddress=0mb, Size=17480mb);
LogicalDevice0 = StripeSize=128kb, Raid=12, WriteThrough=1,
Size=769120mb, BIOSGeometry=8GB,
(IntermediateDevice0, StartAddress=0mb, Size=192280mb),
(IntermediateDevice1, StartAddress=0mb, Size=192280mb),
(IntermediateDevice2, StartAddress=0mb, Size=192280mb),
(IntermediateDevice3, StartAddress=0mb, Size=192280mb);
EndGroup
BeginControllerParameter
ControllerName = eXtremeRAID 2000;
ControllerType = 28;
FirmwareVersion = 5.60;
CacheLineSize = 8KB;
BackgroundTaskRate = 50;
InitiatorID = 7;
DiskStartupMode = AutoSpin;
DevicesPerSpin = 2;
InitialDelay = 6S;
SequentialDelay = 0S;
EnableDriveSizing = 0;
EnableClustering = 0;
EnableBGInit = 0;
EnableReadAhead = 0;
EnableBiosLoadDelay = 0;
EnableForcedUnitAccess = 1;
DisableBios = 1;
EnableCDROMBoot = 0;
EnableStorageWorks = 0;
EnableSAFTE = 0;
EnableSES = 0;
EnableARM = 0;
EnableOFM = 0;
OEMCode = 0;
StartupOption = 0;
EndControllerParameter
End
Begin
BeginGroup
PhysicalDevice0 = Channel=0, Target=14, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice1 = Channel=0, Target=13, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice2 = Channel=0, Target=12, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice3 = Channel=0, Target=11, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice4 = Channel=0, Target=10, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice5 = Channel=0, Target=5, Size=17480mb, State=Online,

```

```

TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice6 = Channel=0, Target=4, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice7 = Channel=0, Target=3, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice8 = Channel=0, Target=2, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice9 = Channel=0, Target=1, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice10 = Channel=0, Target=0, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice11 = Channel=1, Target=14, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice12 = Channel=1, Target=13, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice13 = Channel=1, Target=12, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice14 = Channel=1, Target=11, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice15 = Channel=1, Target=10, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice16 = Channel=1, Target=5, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice17 = Channel=1, Target=4, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice18 = Channel=1, Target=3, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice19 = Channel=1, Target=2, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice20 = Channel=1, Target=1, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice21 = Channel=1, Target=0, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice22 = Channel=2, Target=14, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice23 = Channel=2, Target=13, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice24 = Channel=2, Target=12, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice25 = Channel=2, Target=11, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice26 = Channel=2, Target=10, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice27 = Channel=2, Target=5, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice28 = Channel=2, Target=4, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice29 = Channel=2, Target=3, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice30 = Channel=2, Target=2, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice31 = Channel=2, Target=1, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;

```

```

PhysicalDevice32 = Channel=2, Target=0, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice33 = Channel=3, Target=14, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice34 = Channel=3, Target=13, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice35 = Channel=3, Target=12, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice36 = Channel=3, Target=11, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice37 = Channel=3, Target=10, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice38 = Channel=3, Target=5, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice39 = Channel=3, Target=4, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice40 = Channel=3, Target=3, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice41 = Channel=3, Target=2, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice42 = Channel=3, Target=1, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice43 = Channel=3, Target=0, Size=17480mb, State=Online,
  TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
IntermediateDevice0 = StripeSize=128kb, Raid=0, WriteThrough=1,
Size=192280mb,
  (PhysicalDevice0, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice1, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice2, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice3, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice4, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice5, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice6, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice7, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice8, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice9, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice10, StartAddress=0mb, Size=17480mb);
IntermediateDevice1 = StripeSize=128kb, Raid=0, WriteThrough=1,
Size=192280mb,
  (PhysicalDevice11, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice12, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice13, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice14, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice15, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice16, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice17, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice18, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice19, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice20, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice21, StartAddress=0mb, Size=17480mb);
IntermediateDevice2 = StripeSize=128kb, Raid=0, WriteThrough=1,
Size=192280mb,
  (PhysicalDevice22, StartAddress=0mb, Size=17480mb),

```

```

  (PhysicalDevice23, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice24, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice25, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice26, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice27, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice28, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice29, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice30, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice31, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice32, StartAddress=0mb, Size=17480mb);
IntermediateDevice3 = StripeSize=128kb, Raid=0, WriteThrough=1,
Size=192280mb,
  (PhysicalDevice33, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice34, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice35, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice36, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice37, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice38, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice39, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice40, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice41, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice42, StartAddress=0mb, Size=17480mb),
  (PhysicalDevice43, StartAddress=0mb, Size=17480mb);
LogicalDevice0 = StripeSize=128kb, Raid=12, WriteThrough=1,
Size=769120mb, BIOSGeometry=8GB,
  (IntermediateDevice0, StartAddress=0mb, Size=192280mb),
  (IntermediateDevice1, StartAddress=0mb, Size=192280mb),
  (IntermediateDevice2, StartAddress=0mb, Size=192280mb),
  (IntermediateDevice3, StartAddress=0mb, Size=192280mb);
EndGroup
BeginControllerParameter
  ControllerName = eXtremeRAID 2000;
  ControllerType = 28;
  FirmwareVersion = 5.60;
  CacheLineSize = 8KB;
  BackgroundTaskRate = 50;
  InitiatorID = 7;
  DiskStartupMode = AutoSpin;
  DevicesPerSpin = 2;
  InitialDelay = 6S;
  SequentialDelay = 0S;
  EnableDriveSizing = 0;
  EnableClustering = 0;
  EnableBGInit = 0;
  EnableReadAhead = 0;
  EnableBiosLoadDelay = 0;
  EnableForcedUnitAccess = 1;
  DisableBios = 1;
  EnableCDROMBoot = 0;
  EnableStorageWorks = 0;
  EnableSAFTE = 0;
  EnableSES = 0;
  EnableARM = 0;

```

```

EnableOFM = 0;
OEMCode = 0;
StartupOption = 0;
EndControllerParameter
End
Begin
BeginGroup
PhysicalDevice0 = Channel=0, Target=12, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice1 = Channel=0, Target=11, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice2 = Channel=0, Target=10, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice3 = Channel=0, Target=9, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice4 = Channel=0, Target=6, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice5 = Channel=0, Target=5, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice6 = Channel=0, Target=4, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice7 = Channel=0, Target=3, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice8 = Channel=0, Target=2, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice9 = Channel=0, Target=1, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice10 = Channel=0, Target=0, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice11 = Channel=1, Target=12, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice12 = Channel=1, Target=11, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice13 = Channel=1, Target=10, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice14 = Channel=1, Target=9, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice15 = Channel=1, Target=6, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice16 = Channel=1, Target=5, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice17 = Channel=1, Target=4, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice18 = Channel=1, Target=3, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice19 = Channel=1, Target=2, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice20 = Channel=1, Target=1, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice21 = Channel=1, Target=0, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice22 = Channel=2, Target=12, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;

```

```

PhysicalDevice23 = Channel=2, Target=11, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice24 = Channel=2, Target=10, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice25 = Channel=2, Target=9, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice26 = Channel=2, Target=6, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice27 = Channel=2, Target=5, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice28 = Channel=2, Target=4, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice29 = Channel=2, Target=3, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice30 = Channel=2, Target=2, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice31 = Channel=2, Target=1, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice32 = Channel=2, Target=0, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice33 = Channel=3, Target=12, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice34 = Channel=3, Target=11, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice35 = Channel=3, Target=10, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice36 = Channel=3, Target=9, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice37 = Channel=3, Target=6, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice38 = Channel=3, Target=5, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice39 = Channel=3, Target=4, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice40 = Channel=3, Target=3, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice41 = Channel=3, Target=2, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice42 = Channel=3, Target=1, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
PhysicalDevice43 = Channel=3, Target=0, Size=17480mb, State=Online,
TransferSpeed=40MHz, TransferWidth=16Bit, MaxTag=16;
IntermediateDevice0 = StripeSize=128kb, Raid=0, WriteThrough=1,
Size=192280mb,
(PhysicalDevice0, StartAddress=0mb, Size=17480mb),
(PhysicalDevice1, StartAddress=0mb, Size=17480mb),
(PhysicalDevice2, StartAddress=0mb, Size=17480mb),
(PhysicalDevice3, StartAddress=0mb, Size=17480mb),
(PhysicalDevice4, StartAddress=0mb, Size=17480mb),
(PhysicalDevice5, StartAddress=0mb, Size=17480mb),
(PhysicalDevice6, StartAddress=0mb, Size=17480mb),
(PhysicalDevice7, StartAddress=0mb, Size=17480mb),
(PhysicalDevice8, StartAddress=0mb, Size=17480mb),

```

```

(PhysicalDevice9, StartAddress=0mb, Size=17480mb),
(PhysicalDevice10, StartAddress=0mb, Size=17480mb);
IntermediateDevice1 = StripeSize=128kb, Raid=0, WriteThrough=1,
Size=192280mb,
(PhysicalDevice11, StartAddress=0mb, Size=17480mb),
(PhysicalDevice12, StartAddress=0mb, Size=17480mb),
(PhysicalDevice13, StartAddress=0mb, Size=17480mb),
(PhysicalDevice14, StartAddress=0mb, Size=17480mb),
(PhysicalDevice15, StartAddress=0mb, Size=17480mb),
(PhysicalDevice16, StartAddress=0mb, Size=17480mb),
(PhysicalDevice17, StartAddress=0mb, Size=17480mb),
(PhysicalDevice18, StartAddress=0mb, Size=17480mb),
(PhysicalDevice19, StartAddress=0mb, Size=17480mb),
(PhysicalDevice20, StartAddress=0mb, Size=17480mb),
(PhysicalDevice21, StartAddress=0mb, Size=17480mb);
IntermediateDevice2 = StripeSize=128kb, Raid=0, WriteThrough=1,
Size=192280mb,
(PhysicalDevice22, StartAddress=0mb, Size=17480mb),
(PhysicalDevice23, StartAddress=0mb, Size=17480mb),
(PhysicalDevice24, StartAddress=0mb, Size=17480mb),
(PhysicalDevice25, StartAddress=0mb, Size=17480mb),
(PhysicalDevice26, StartAddress=0mb, Size=17480mb),
(PhysicalDevice27, StartAddress=0mb, Size=17480mb),
(PhysicalDevice28, StartAddress=0mb, Size=17480mb),
(PhysicalDevice29, StartAddress=0mb, Size=17480mb),
(PhysicalDevice30, StartAddress=0mb, Size=17480mb),
(PhysicalDevice31, StartAddress=0mb, Size=17480mb),
(PhysicalDevice32, StartAddress=0mb, Size=17480mb);
IntermediateDevice3 = StripeSize=128kb, Raid=0, WriteThrough=1,
Size=192280mb,
(PhysicalDevice33, StartAddress=0mb, Size=17480mb),
(PhysicalDevice34, StartAddress=0mb, Size=17480mb),
(PhysicalDevice35, StartAddress=0mb, Size=17480mb),
(PhysicalDevice36, StartAddress=0mb, Size=17480mb),
(PhysicalDevice37, StartAddress=0mb, Size=17480mb),
(PhysicalDevice38, StartAddress=0mb, Size=17480mb),
(PhysicalDevice39, StartAddress=0mb, Size=17480mb),
(PhysicalDevice40, StartAddress=0mb, Size=17480mb),
(PhysicalDevice41, StartAddress=0mb, Size=17480mb),
(PhysicalDevice42, StartAddress=0mb, Size=17480mb),
(PhysicalDevice43, StartAddress=0mb, Size=17480mb);
LogicalDevice0 = StripeSize=128kb, Raid=12, WriteThrough=1,
Size=769120mb, BIOSGeometry=8GB,
(IntermediateDevice0, StartAddress=0mb, Size=192280mb),
(IntermediateDevice1, StartAddress=0mb, Size=192280mb),
(IntermediateDevice2, StartAddress=0mb, Size=192280mb),
(IntermediateDevice3, StartAddress=0mb, Size=192280mb);
EndGroup
BeginControllerParameter
ControllerName = eXtremeRAID 2000;
ControllerType = 28;
FirmwareVersion = 5.60;
CacheLineSize = 8KB;

```

```

BackgroundTaskRate = 50;
InitiatorID = 7;
DiskStartupMode = AutoSpin;
DevicesPerSpin = 2;
InitialDelay = 6S;
SequentialDelay = 0S;
EnableDriveSizing = 0;
EnableClustering = 0;
EnableBGInit = 0;
EnableReadAhead = 0;
EnableBiosLoadDelay = 0;
EnableForcedUnitAccess = 0;
DisableBios = 1;
EnableCDROMBoot = 0;
EnableStorageWorks = 0;
EnableSAFTE = 0;
EnableSES = 0;
EnableARM = 0;
EnableOFM = 0;
OEMCode = 0;
StartupOption = 0;
EndControllerParameter
End

```

System Information report written at: 02/04/2002 02:02:59 PM  
[Software Environment]

[ Following are sub-categories of this main category ]

[Drivers]

Name	Description	File	Type	Started	Start	Mode	State	Status	Error
Control	Accept Pause	Accept Stop							
abiosdsk	Abiosdsk	Not Available	Kernel Driver	False	Disabled				
	Stopped	OK	Ignore	False	False				
abp480n5	abp480n5	Not Available	Kernel Driver	False	Disabled				
	Stopped	OK	Normal	False	False				
acpi	Microsoft ACPI Driver	c:\winnt\system32\drivers\acpi.sys	Kernel Driver	True	Boot	Running	OK	Normal	False
	Kernel Driver	True	Boot	Running	OK	Normal	False	True	
acpiec	ACPIEC	c:\winnt\system32\drivers\acpiec.sys	Kernel Driver	False	Disabled	Stopped	OK	Normal	False
adpul60m	adpul60m	c:\winnt\system32\drivers\adpul60m.sys	Kernel Driver	True	Boot	Running	OK	Normal	False
	True	Boot	Running	OK	Normal	False	True		
afd	AFD Networking Support Environment	c:\winnt\system32\drivers\afd.sys	Kernel Driver	True	Auto	Running	OK	Normal	False
	Running	OK	Normal	False	True				
ahal54x	Ahal54x	Not Available	Kernel Driver	False	Disabled				
	Stopped	OK	Normal	False	False				
aic116x	aic116x	Not Available	Kernel Driver	False	Disabled				
	Stopped	OK	Normal	False	False				
aic78u2	aic78u2	Not Available	Kernel Driver	False	Disabled				
	Stopped	OK	Normal	False	False				

```

aic78xx aic78xx Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
altnd5 Alteon WebSystems PCI Gigabit Ethernet Adapter
c:\winnt\system32\drivers\altnd5.sys Kernel Driver True Manual
Running OK Normal FalseTrue
ami0nt ami0nt Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
amsint amsint Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
asc asc Not Available Kernel Driver FalseDisabled Stopped OK
Normal FalseFalse
asc3350p asc3350p Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
asc3550 asc3550 Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
asynmac RAS Asynchronous Media Driver
c:\winnt\system32\drivers\asynmac.sys Kernel Driver False
Manual Stopped OK Normal FalseFalse
atapiStandard IDE/ESDI Hard Disk Controller
c:\winnt\system32\drivers\atapi.sys Kernel Driver True Boot
Running OK Normal FalseTrue
atdisk Atdisk Not Available Kernel Driver FalseDisabled
Stopped OK Ignore FalseFalse
atirage3 atirage3 c:\winnt\system32\drivers\atimpab.sys Kernel
Driver True Manual Running OK Ignore FalseTrue
atmarpc ATM ARP Client Protocol
c:\winnt\system32\drivers\atmarpc.sys Kernel Driver False
Manual Stopped OK Normal FalseFalse
audstub Audio Stub Driver c:\winnt\system32\drivers\audstub.sys
Kernel Driver True Manual Running OK Normal FalseTrue
beep Beep c:\winnt\system32\drivers\beep.sys Kernel Driver True
System Running OK Normal FalseTrue
buslogic BusLogic Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
cd20xrnt cd20xrnt Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
cdaudio Cdaudio c:\winnt\system32\drivers\cdaudio.sys Kernel
Driver FalseSystem Stopped OK Ignore FalseFalse
cdfs Cdfs c:\winnt\system32\drivers\cdfs.sys File System Driver True
Disabled Running OK Normal FalseTrue
cdromCD-ROM Driver c:\winnt\system32\drivers\cdrom.sys Kernel Driver
True System Running OK Normal FalseTrue
changer Changer Not Available Kernel Driver FalseSystem
Stopped OK Ignore FalseFalse
cpqarray Cpqarray Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
cpqarray2 cpqarray2 Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
cpqfcalm cpqfcalm Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
cpqfws2e cpqfws2e Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse

```

```

dac2w2k dac2w2k c:\winnt\system32\drivers\dac2w2k.sys Kernel
Driver True Boot Running OK Normal FalseTrue
dac960nt dac960nt Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
deckzpsx deckzpsx Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
dfsdriver DfsDriver c:\winnt\system32\drivers\dfs.sys File System
Driver True Boot Running OK Normal FalseTrue
disk Disk Driver c:\winnt\system32\drivers\disk.sys Kernel Driver
True Boot Running OK Normal FalseTrue
diskperf Diskperf c:\winnt\system32\drivers\diskperf.sys Kernel
Driver FalseDisabled Stopped OK Normal FalseFalse
dmboot dmboot c:\winnt\system32\drivers\dmboot.sys Kernel Driver
FalseDisabled Stopped OK Normal FalseFalse
dmio Logical Disk Manager Driver c:\winnt\system32\drivers\dmio.sys
Kernel Driver True Boot Running OK Normal FalseTrue
dmload dmload c:\winnt\system32\drivers\dmload.sys Kernel Driver
True Boot Running OK Normal FalseTrue
dspicfg DsPciCfg \??c:\winnt\system32\drivers\dspicfg.sys
Kernel Driver True Auto Running OK Normal FalseTrue
el00bIntel(R) PRO Adapter Driver
c:\winnt\system32\drivers\el00bnt5.sys Kernel Driver False
Manual Stopped OK Normal FalseFalse
efs EFS c:\winnt\system32\drivers\efs.sys File System Driver True
Disabled Running OK Normal FalseTrue
fastfat Fastfat c:\winnt\system32\drivers\fastfat.sys File
System Driver FalseDisabled Stopped OK Normal FalseFalse
fdl6_700 Fdl6_700 Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
fdc Floppy Disk Controller Driver c:\winnt\system32\drivers\fdc.sys
Kernel Driver True Manual Running OK Normal FalseTrue
fips Fips c:\winnt\system32\drivers\fips.sys Kernel Driver True Auto
Running OK Normal FalseTrue
fireport fireport Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
flashpnt flashpnt Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
flpydisk Floppy Disk Driver c:\winnt\system32\drivers\flpydisk.sys
Kernel Driver True Manual Running OK Normal FalseTrue
ftdisk Volume Manager Driver c:\winnt\system32\drivers\ftdisk.sys
Kernel Driver True Boot Running OK Normal FalseTrue
gamdrv gamdrv c:\winnt\system32\drivers\gamdrv.sys Kernel Driver
True Boot Running OK Normal FalseTrue
gpc Generic Packet Classifier c:\winnt\system32\drivers\msgpc.sys
Kernel Driver True Manual Running OK Normal FalseTrue
i8042prt i8042 Keyboard and PS/2 Mouse Port Driver
c:\winnt\system32\drivers\i8042prt.sys Kernel Driver True
System Running OK Normal FalseTrue
ini910u ini910u Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
intelide IntelIde Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse

```

```

interruptaffinityfilter Interrupt Affinity Filter
  c:\winnt\system32\drivers\intfiltr.sys Kernel Driver True Boot
  Running OK Normal FalseTrue
ipfilterdriver IP Traffic Filter Driver
  c:\winnt\system32\drivers\ipfltdrv.sys Kernel Driver False
  Manual Stopped OK Normal FalseFalse
ipinip IP in IP Tunnel Driver c:\winnt\system32\drivers\ipinip.sys
  Kernel Driver FalseManual Stopped OK Normal FalseFalse
ipnat IP Network Address Translator c:\winnt\system32\drivers\ipnat.sys
  Kernel Driver FalseManual Stopped OK Normal FalseFalse
ipsec IPSEC driver c:\winnt\system32\drivers\ipsec.sys Kernel Driver
  FalseManual Stopped OK Normal FalseFalse
ipsraidn ipsraidn Not Available Kernel Driver FalseDisabled
  Stopped OK Normal FalseFalse
isapnp PnP ISA/EISA Bus Driver c:\winnt\system32\drivers\isapnp.sys
  Kernel Driver True Boot Running OK Critical FalseTrue
kbdclass Keyboard Class Driver
  c:\winnt\system32\drivers\kbdclass.sys Kernel Driver True
  System Running OK Normal FalseTrue
ksecdd KSecDD c:\winnt\system32\drivers\ksecdd.sys Kernel Driver
  True Boot Running OK Normal FalseTrue
lbrtfdc lbrtfdc Not Available Kernel Driver FalseSystem
  Stopped OK Ignore FalseFalse
lp6nds35 lp6nds35 Not Available Kernel Driver FalseDisabled
  Stopped OK Normal FalseFalse
macdisk macdisk c:\winnt\system32\drivers\mac2w2k.sys Kernel
  Driver True Boot Running OK Normal FalseTrue
mnmdd mnmdd c:\winnt\system32\drivers\mnmdd.sys Kernel Driver True
  System Running OK Ignore FalseTrue
modem Modem c:\winnt\system32\drivers\modem.sys Kernel Driver False
  Manual Stopped OK Ignore FalseFalse
mouclass Mouse Class Driver c:\winnt\system32\drivers\mouclass.sys
  Kernel Driver True System Running OK Normal FalseTrue
mountmgr MountMgr c:\winnt\system32\drivers\mountmgr.sys Kernel
  Driver True Boot Running OK Normal FalseTrue
mraid35x mraid35x Not Available Kernel Driver FalseDisabled
  Stopped OK Normal FalseFalse
mrxsmb MRXSMB c:\winnt\system32\drivers\mrxsmb.sys File System
  Driver True System Running OK Normal FalseTrue
msfs Msfs c:\winnt\system32\drivers\msfs.sys File System Driver True
  System Running OK Normal FalseTrue
mskssrv Microsoft Streaming Service Proxy
  c:\winnt\system32\drivers\mskssrv.sys Kernel Driver False
  Manual Stopped OK Normal FalseFalse
mspclock Microsoft Streaming Clock Proxy
  c:\winnt\system32\drivers\mspclock.sys Kernel Driver False
  Manual Stopped OK Normal FalseFalse
mspqm Microsoft Streaming Quality Manager Proxy
  c:\winnt\system32\drivers\mspqm.sys Kernel Driver FalseManual
  Stopped OK Normal FalseFalse
mup Mup c:\winnt\system32\drivers\mup.sys File System Driver True
  Boot Running OK Normal FalseTrue

```

```

ncrc710 Ncrc710 Not Available Kernel Driver FalseDisabled
  Stopped OK Normal FalseFalse
ndis NDIS System Driver c:\winnt\system32\drivers\ndis.sys Kernel
  Driver True Boot Running OK Normal FalseTrue
ndistapi Remote Access NDIS TAPI Driver
  c:\winnt\system32\drivers\ndistapi.sys Kernel Driver True
  Manual Running OK Normal FalseTrue
ndiswan Remote Access NDIS WAN Driver
  c:\winnt\system32\drivers\ndiswan.sys Kernel Driver True
  Manual Running OK Normal FalseTrue
ndproxy NDIS Proxy c:\winnt\system32\drivers\ndproxy.sys Kernel
  Driver True Manual Running OK Normal FalseTrue
netbios NetBIOS Interface c:\winnt\system32\drivers\netbios.sys
  File System Driver True System Running OK Normal False
  True
netbt NetBios over Tcpip c:\winnt\system32\drivers\netbt.sys Kernel
  Driver True System Running OK Normal FalseTrue
netdetect NetDetect c:\winnt\system32\drivers\netdetect.sys Kernel
  Driver FalseManual Stopped OK Normal FalseFalse
nmescfg NIC Management Service Configuration Driver
  ???c:\winnt\system32\drivers\nmescfg.sys Kernel Driver False
  Manual Stopped OK Normal FalseFalse
npfs Npfs c:\winnt\system32\drivers\npfs.sys File System Driver True
  System Running OK Normal FalseTrue
ntfs Ntfs c:\winnt\system32\drivers\ntfs.sys File System Driver True
  Disabled Running OK Normal FalseTrue
null Null c:\winnt\system32\drivers\null.sys Kernel Driver True
  System Running OK Normal FalseTrue
nwnkflt IPX Traffic Filter Driver
  c:\winnt\system32\drivers\nwnkflt.sys Kernel Driver False
  Manual Stopped OK Normal FalseFalse
nwnkfwd IPX Traffic Forwarder Driver
  c:\winnt\system32\drivers\nwnkfwd.sys Kernel Driver False
  Manual Stopped OK Normal FalseFalse
openhci Microsoft USB Open Host Controller Driver
  c:\winnt\system32\drivers\openhci.sys Kernel Driver True
  Manual Running OK Normal FalseTrue
parallel Parallel class driver
  c:\winnt\system32\drivers\parallel.sys Kernel Driver True
  Manual Running OK Normal FalseTrue
parport Parallel port driver c:\winnt\system32\drivers\parport.sys
  Kernel Driver True System Running OK Ignore FalseTrue
partmgr PartMgr c:\winnt\system32\drivers\partmgr.sys Kernel
  Driver True Boot Running OK Normal FalseTrue
parvdm ParVdm c:\winnt\system32\drivers\parvdm.sys Kernel Driver
  True Auto Running OK Ignore FalseTrue
pci PCI Bus Driver c:\winnt\system32\drivers\pci.sys Kernel Driver
  True Boot Running OK Critical FalseTrue
pcidump PCIDump Not Available Kernel Driver FalseSystem
  Stopped OK Ignore FalseFalse
pciide PCIIDE c:\winnt\system32\drivers\pciide.sys Kernel Driver
  True Boot Running OK Normal FalseTrue

```

```

pcmcia Pcmcia c:\winnt\system32\drivers\pcmcia.sys Kernel Driver
FalseDisabled Stopped OK Normal FalseFalse
pdcomp PDCOMP Not Available Kernel Driver FalseManual
Stopped OK Ignore FalseFalse
pdframe PDFFRAME Not Available Kernel Driver FalseManual
Stopped OK Ignore FalseFalse
pdreli PDRELI Not Available Kernel Driver FalseManual
Stopped OK Ignore FalseFalse
pdrframe PDRFRAME Not Available Kernel Driver FalseManual
Stopped OK Ignore FalseFalse
pptpminiport WAN Miniport (PPTP)
c:\winnt\system32\drivers\rasppptp.sys Kernel Driver True
Manual Running OK Normal FalseTrue
ptilink Direct Parallel Link Driver
c:\winnt\system32\drivers\ptilink.sys Kernel Driver True
Manual Running OK Normal FalseTrue
ql1080 ql1080 Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
ql10wnt Ql10wnt Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
ql1240 ql1240 Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
ql2100 ql2100 Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
rasacd Remote Access Auto Connection Driver
c:\winnt\system32\drivers\rasacd.sys Kernel Driver True System
Running OK Normal FalseTrue
rasl2tp WAN Miniport (L2TP) c:\winnt\system32\drivers\rasl2tp.sys
Kernel Driver True Manual Running OK Normal FalseTrue
raspti Direct Parallel c:\winnt\system32\drivers\raspti.sys Kernel
Driver True Manual Running OK Normal FalseTrue
rca Microsoft Streaming Network Raw Channel Access
c:\winnt\system32\drivers\rca.sys Kernel Driver FalseManual
Stopped OK Normal FalseFalse
rdbssRdbssc:\winnt\system32\drivers\rdbss.sys File System Driver True
System Running OK Normal FalseTrue
rdpwdRDPWDC:\winnt\system32\drivers\rdpwd.sys Kernel Driver False
Manual Stopped OK Ignore FalseFalse
redbook Digital CD Audio Playback Filter Driver
c:\winnt\system32\drivers\redbook.sys Kernel Driver False
System Stopped OK Normal FalseFalse
serenum Serenum Filter Driver
c:\winnt\system32\drivers\serenum.sys Kernel Driver True
Manual Running OK Normal FalseTrue
serial Serial port driver c:\winnt\system32\drivers\serial.sys
Kernel Driver True System Running OK Ignore FalseTrue
sfloppy Sfloppy c:\winnt\system32\drivers\sfloppy.sys Kernel
Driver FalseSystem Stopped OK Ignore FalseFalse
sglfbsglfbNot Available Kernel Driver FalseSystem Stopped OK
Normal FalseFalse
simbad Simbad Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse

```

```

sparrow Sparrow Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
srv Srv c:\winnt\system32\drivers\srv.sys File System Driver True
Manual Running OK Normal FalseTrue
swenum Software Bus Driver c:\winnt\system32\drivers\swenum.sys
Kernel Driver True Manual Running OK Normal FalseTrue
sync810 sync810 Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
sync8xx sync8xx Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
sym_hi sym_hi Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
sym_u3 Sym_u3 c:\winnt\system32\drivers\sym_u3.sys Kernel Driver
True Boot Running OK Normal FalseTrue
tcpipTCP/IP Protocol Driver c:\winnt\system32\drivers\tcpip.sys
Kernel Driver True System Running OK Normal FalseTrue
tdasync TDASYNC c:\winnt\system32\drivers\tdasync.sys Kernel
Driver FalseManual Stopped OK Ignore FalseFalse
tdipxTDIPXC:\winnt\system32\drivers\tdipx.sys Kernel Driver False
Manual Stopped OK Ignore FalseFalse
tdnetb TDNETB c:\winnt\system32\drivers\tdnetb.sys Kernel Driver
FalseManual Stopped OK Ignore FalseFalse
tdpipe TDPIPE c:\winnt\system32\drivers\tdpipe.sys Kernel Driver
FalseManual Stopped OK Ignore FalseFalse
tdspxTDSPIXc:\winnt\system32\drivers\tdspx.sys Kernel Driver False
Manual Stopped OK Ignore FalseFalse
tdtcpTDTCPc:\winnt\system32\drivers\tdtcp.sys Kernel Driver False
Manual Stopped OK Ignore FalseFalse
termdd Terminal Device Driver c:\winnt\system32\drivers\termdd.sys
Kernel Driver FalseDisabled Stopped OK Normal FalseFalse
tga tga Not Available Kernel Driver FalseSystem Stopped OK
Ignore FalseFalse
udfs Udfs c:\winnt\system32\drivers\udfs.sys File System Driver False
Disabled Stopped OK Normal FalseFalse
ultra66 ultra66 Not Available Kernel Driver FalseDisabled
Stopped OK Normal FalseFalse
update Microcode Update Driver c:\winnt\system32\drivers\update.sys
Kernel Driver True Manual Running OK Normal FalseTrue
usbhub Microsoft USB Standard Hub Driver
c:\winnt\system32\drivers\usbhub.sys Kernel Driver True Manual
Running OK Normal FalseTrue
vgasave VgaSave c:\winnt\system32\drivers\vga.sys Kernel Driver
True System Running OK Ignore FalseTrue
wanarp Remote Access IP ARP Driver
c:\winnt\system32\drivers\wanarp.sys Kernel Driver True Manual
Running OK Normal FalseTrue
wdicaWDICANot Available Kernel Driver FalseManual Stopped OK
Ignore FalseFalse

```

[Environment Variables]

```

Variable ValueUser Name
ComSpec %SystemRoot%\system32\cmd.exe <SYSTEM>

```

```

NUMBER_OF_PROCESSORS 4 <SYSTEM>
OS Windows_NT <SYSTEM>
Os2LibPath %SystemRoot%\system32\os2\dll; <SYSTEM>
Path
%SystemRoot%\system32;%SystemRoot%;%SystemRoot%\System32\Wbem;C:\Program Files\Microsoft SQL Server\MSSQL\Tools\BINN;C:\Program Files\Microsoft SQL Server\MSSQL\BINN;C:\Program Files\Microsoft SQL Server\80\Tools\BINN <SYSTEM>
PATHEXT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH <SYSTEM>
PROCESSOR_ARCHITECTURE x86 <SYSTEM>
PROCESSOR_IDENTIFIER x86 Family 15 Model 2 Stepping 4, GenuineIntel <SYSTEM>
PROCESSOR_LEVEL 15 <SYSTEM>
PROCESSOR_REVISION 0204 <SYSTEM>
TEMP %SystemRoot%\TEMP <SYSTEM>
TMP %SystemRoot%\TEMP <SYSTEM>
windir %SystemRoot% <SYSTEM>
TEMP %USERPROFILE%\Local Settings\Temp H250\Administrator
TMP %USERPROFILE%\Local Settings\Temp H250\Administrator

```

[Jobs]

[ Following are sub-categories of this main category ]

[Print]

Document	Size	Owner	Notify	Status	Time Submitted	Start Time	Until
Time Elapsed	Time	Pages Printed	Job ID	Priority	Parameters		
Driver Name	Print Processor	Host	Print Queue	Data Type	Name		
Unknown	Unknown	Unknown	Unknown	Unknown	Unknown	Unknown	Unknown
Unknown	Unknown	Unknown	Unknown	Unknown	Unknown	Unknown	Unknown
Unknown	Unknown	Unknown	Unknown	Unknown	Unknown	Unknown	Unknown

[Network Connections]

Local Name	Remote Name	Type	Status	User Name
No network connections information				

[Running Tasks]

Name	Path	Process ID	Priority	Min Working Set	Max Working Set	Start Time
system	idle process	Not Available	0	0	Not Available	Not Available
system	Available	Not Available	Unknown	Unknown	Unknown	Unknown
system	Unknown	Not Available	8	8	1413120	Not Available
smss.exe	c:\winnt\system32\smss.exe	136	11	204800	1413120	
	2/4/2002 1:51:28 PM	5.00.2195.2901	44.27 KB	(45,328 bytes)		
csrss.exe	Not Available	196	13	Not Available	Not Available	
	2/4/2002 1:51:35 PM	Unknown	Unknown	Unknown	Unknown	

winlogon.exe	c:\winnt\system32\winlogon.exe	216	13	204800	1413120	
	2/4/2002 1:51:36 PM	5.00.2195.2953	173.77 KB	(177,936 bytes)		
services.exe	c:\winnt\system32\services.exe	244	9	204800	1413120	
	2/4/2002 1:51:37 PM	5.00.2195.2780	86.77 KB	(88,848 bytes)		
lsass.exe	c:\winnt\system32\lsass.exe	256	9	204800	1413120	
	2/4/2002 1:51:37 PM	5.00.2195.2964	32.77 KB	(33,552 bytes)		
svchost.exe	c:\winnt\system32\svchost.exe	420	8	204800	1413120	
	2/4/2002 1:51:41 PM	5.00.2134.1	7.77 KB	(7,952 bytes)		
svchost.exe	c:\winnt\system32\svchost.exe	508	8	204800	1413120	
	2/4/2002 1:51:45 PM	5.00.2134.1	7.77 KB	(7,952 bytes)		
winmgmt.exe	c:\winnt\system32\wbem\winmgmt.exe	528	8	204800	1413120	
	2/4/2002 1:51:45 PM	1.50.1085.0029	192.08 KB	(196,685 bytes)		
svchost.exe	c:\winnt\system32\svchost.exe	700	8	204800	1413120	
	2/4/2002 1:52:00 PM	5.00.2134.1	7.77 KB	(7,952 bytes)		
explorer.exe	c:\winnt\explorer.exe	292	8	204800	1413120	
	2/4/2002 1:53:47 PM	5.00.3315.2846	237.27 KB	(242,960 bytes)		
promon.exe	c:\winnt\system32\promon.exe	800	8	204800	1413120	
	2/4/2002 1:53:49 PM	4.08 30.50 KB	(31,232 bytes)		1/17/2002 8:16:38 AM	
mmc.exe	c:\winnt\system32\mmc.exe	652	8	204800	1413120	
	2/4/2002 2:00:27 PM	5.00.2195.2301	589.27 KB	(603,408 bytes)		

[Loaded Modules]

Name	Version	Size	File Date	Manufacturer	Path
wbemprox.dll	1.50.1085.0045	40.08 KB	(41,040 bytes)	Microsoft Corporation	c:\winnt\system32\wbem\wbemprox.dll
mlang.dll	5.00.3103.1000	510.77 KB	(523,024 bytes)	Microsoft Corporation	c:\winnt\system32\mlang.dll
rassapi.dll	5.00.2188.1	14.27 KB	(14,608 bytes)	Microsoft Corporation	c:\winnt\system32\rassapi.dll
adsnt.dll	5.00.2195.2778	195.27 KB	(199,952 bytes)	Microsoft Corporation	c:\winnt\system32\adsnt.dll
dbghelp.dll	5.00.2195.2104	159.27 KB	(163,088 bytes)	Microsoft Corporation	c:\winnt\system32\dbghelp.dll
localsec.dll	5.00.2195.2130	230.27 KB	(235,792 bytes)	Microsoft Corporation	c:\winnt\system32\localsec.dll
devmgr.dll	5.00.2166.1	215.77 KB	(220,944 bytes)	Microsoft Corporation	c:\winnt\system32\devmgr.dll
filemgmt.dll	5.00.2195.2165	287.27 KB	(294,160 bytes)	Microsoft Corporation	c:\winnt\system32\filemgmt.dll
pdh.dll	5.00.2195.2739	147.77 KB	(151,312 bytes)	Microsoft Corporation	c:\winnt\system32\pdh.dll

smlogcfg.dll 5.00.2195.2485 273.27 KB (279,824 bytes) 12/17/2001  
 2:36:31 PM Microsoft Corporation c:\winnt\system32\smlogcfg.dll  
 cabinet.dll 5.00.2147.1 54.77 KB (56,080 bytes) 12/7/1999  
 1:00:00 PM Microsoft Corporation c:\winnt\system32\cabinet.dll  
 msinfo32.dll 5.00.2177.1 312.27 KB (319,760 bytes) 12/17/2001  
 1:56:09 PM Microsoft Corporation c:\program files\common  
 files\microsoft shared\msinfo\msinfo32.dll  
 riched20.dll 5.30.23.1205 421.27 KB (431,376 bytes) 12/17/2001  
 2:36:28 PM Microsoft Corporation c:\winnt\system32\riched20.dll  
 riched32.dll 5.00.2134.1 3.77 KB (3,856 bytes) 12/7/1999  
 1:00:00 PM Microsoft Corporation c:\winnt\system32\riched32.dll  
 els.dll 5.00.2175.1 151.27 KB (154,896 bytes) 12/7/1999 1:00:00 PM  
 Microsoft Corporation c:\winnt\system32\els.dll  
 ntmsmgr.dll 1,0,0,1 427.77 KB (438,032 bytes) 12/7/1999 1:00:00 PM  
 Microsoft Corporation and HighGround Systems, Inc.  
 c:\winnt\system32\ntmsmgr.dll  
 mmfutil.dll 1.50.1085.0000 32.06 KB (32,829 bytes) 12/7/1999  
 1:00:00 PM Microsoft Corporation c:\winnt\system32\mmfutil.dll  
 logdrive.dll 1.50.1085.0000 200.06 KB (204,863 bytes) 12/7/1999  
 1:00:00 PM Microsoft Corporation c:\winnt\system32\logdrive.dll  
 dfrgres.dll 5.00.2150.1 27.50 KB (28,160 bytes) 12/7/1999  
 1:00:00 PM Executive Software International, Inc.  
 c:\winnt\system32\dfrgres.dll  
 dfrgsnap.dll 5.00.2195.2104 41.77 KB (42,768 bytes) 12/17/2001  
 2:36:05 PM Executive Software International, Inc.  
 c:\winnt\system32\dfrgsnap.dll  
 dmkskres.dll 2195.2104.297.3 119.50 KB (122,368 bytes) 12/17/2001  
 2:36:06 PM Microsoft Corp., VERITAS Software  
 c:\winnt\system32\dmkskres.dll  
 dmutil.dll 2195.2104.297.3 42.27 KB (43,280 bytes) 12/17/2001 2:36:06 PM  
 VERITAS Software Corp. c:\winnt\system32\dmutil.dll  
 ntmsapi.dll 5.00.1948.1 51.77 KB (53,008 bytes) 12/17/2001  
 2:36:24 PM Microsoft Corporation c:\winnt\system32\ntmsapi.dll  
 dmkskgr.dll 2215.2215.297.3 160.27 KB (164,112 bytes) 12/17/2001  
 2:36:06 PM Microsoft Corp., VERITAS Software  
 c:\winnt\system32\dmkskgr.dll  
 mycomput.dll 5.00.2134.1 107.77 KB (110,352 bytes) 12/7/1999  
 1:00:00 PM Microsoft Corporation c:\winnt\system32\mycomput.dll  
 comdlg32.dll 5.00.3103.1000 236.77 KB (242,448 bytes) 12/7/1999  
 1:00:00 PM Microsoft Corporation c:\winnt\system32\comdlg32.dll  
 mmcndmgr.dll 5.00.2178.1 815.27 KB (834,832 bytes) 12/7/1999  
 1:00:00 PM Microsoft Corporation c:\winnt\system32\mmcndmgr.dll  
 msvcp50.dll 5.00.7051 552.50 KB (565,760 bytes) 12/7/1999 1:00:00 PM  
 Microsoft Corporation c:\winnt\system32\msvcp50.dll  
 mfc42u.dll 6.00.8665.0 972.05 KB (995,384 bytes) 12/7/1999 1:00:00 PM  
 Microsoft Corporation c:\winnt\system32\mfc42u.dll  
 mmc.exe 5.00.2195.2301 589.27 KB (603,408 bytes) 12/17/2001 2:36:14 PM  
 Microsoft Corporation c:\winnt\system32\mmc.exe  
 promon.exe 4.08 30.50 KB (31,232 bytes) 1/17/2002 8:16:38 AM Intel  
 Corporation c:\winnt\system32\promon.exe  
 urlmon.dll 5.00.3315.1000 441.27 KB (451,856 bytes) 12/17/2001 2:36:34 PM  
 Microsoft Corporation c:\winnt\system32?urlmon.dll

faxshell.dll 5.00.2134.1 8.27 KB (8,464 bytes) 12/7/1999  
 1:00:00 PM Microsoft Corporation c:\winnt\system32\faxshell.dll  
 msacm32.dll 5.00.2134.1 65.27 KB (66,832 bytes) 12/7/1999  
 1:00:00 PM Microsoft Corporation c:\winnt\system32\msacm32.dll  
 avifil32.dll 5.00.2134.1 76.27 KB (78,096 bytes) 12/7/1999  
 1:00:00 PM Microsoft Corporation c:\winnt\system32\avifil32.dll  
 msvfw32.dll 5.00.2134.1 113.77 KB (116,496 bytes) 12/7/1999  
 1:00:00 PM Microsoft Corporation c:\winnt\system32\msvfw32.dll  
 docprop2.dll 5.00.2178.1 297.77 KB (304,912 bytes) 12/7/1999  
 1:00:00 PM Microsoft Corporation c:\winnt\system32\docprop2.dll  
 browselc.dll 5.00.3315.2846 34.50 KB (35,328 bytes) 12/17/2001  
 2:36:02 PM Microsoft Corporation c:\winnt\system32\browselc.dll  
 wininet.dll 5.00.3315.1000 456.77 KB (467,728 bytes) 12/17/2001  
 2:36:35 PM Microsoft Corporation c:\winnt\system32\wininet.dll  
 msonsext.dll 9.0.3503 548.06 KB (561,210 bytes) 11/3/1999 4:38:34 PM  
 Microsoft Corporation  
 c:\progra~1\common~1\microso~1\webfol~1\msonsext.dll  
 wzshlstb.dll 3.0 (32-bit) 24.07 KB (24,644 bytes) 11/22/2000  
 8:00:00 AM WinZip Computing, Inc. c:\tools\winzip80\wzshlstb.dll  
 ntshrui.dll 5.00.2134.1 46.77 KB (47,888 bytes) 12/7/1999  
 1:00:00 PM Microsoft Corporation c:\winnt\system32\ntshrui.dll  
 linkinfo.dll 5.00.2134.1 15.77 KB (16,144 bytes) 12/7/1999  
 1:00:00 PM Microsoft Corporation c:\winnt\system32\linkinfo.dll  
 powrprof.dll 5.00.3103.1000 13.27 KB (13,584 bytes) 12/17/2001  
 2:36:26 PM Microsoft Corporation c:\winnt\system32\powrprof.dll  
 batmeter.dll 5.00.3103.1000 20.27 KB (20,752 bytes) 12/17/2001  
 2:36:02 PM Microsoft Corporation c:\winnt\system32\batmeter.dll  
 stobject.dll 5.00.2195.2780 79.27 KB (81,168 bytes) 12/17/2001  
 2:36:32 PM Microsoft Corporation c:\winnt\system32\stobject.dll  
 msi.dll 1.11.2405.0 1.69 MB (1,767,184 bytes) 12/17/2001 2:36:16 PM  
 Microsoft Corporation c:\winnt\system32\msi.dll  
 webcheck.dll 5.00.3315.1000 251.77 KB (257,808 bytes) 12/17/2001  
 2:36:35 PM Microsoft Corporation c:\winnt\system32\webcheck.dll  
 browseui.dll 5.00.3315.2846 788.77 KB (807,696 bytes) 12/17/2001  
 2:36:03 PM Microsoft Corporation c:\winnt\system32\browseui.dll  
 shdocvw.dll 5.00.3315.2879 1.05 MB (1,104,144 bytes) 12/17/2001  
 2:36:30 PM Microsoft Corporation c:\winnt\system32\shdocvw.dll  
 explorer.exe 5.00.3315.2846 237.27 KB (242,960 bytes) 12/17/2001  
 2:36:36 PM Microsoft Corporation c:\winnt\explorer.exe  
 ntmarta.dll 5.00.2195.2862 98.77 KB (101,136 bytes) 12/17/2001  
 2:36:24 PM Microsoft Corporation c:\winnt\system32\ntmarta.dll  
 tapisrv.dll 5.00.2195.2955 169.27 KB (173,328 bytes) 12/17/2001  
 2:36:32 PM Microsoft Corporation c:\winnt\system32\tapisrv.dll  
 netui1.dll 5.00.2134.1 210.27 KB (215,312 bytes) 12/7/1999 1:00:00 PM  
 Microsoft Corporation c:\winnt\system32\netui1.dll  
 netui0.dll 5.00.2134.1 70.27 KB (71,952 bytes) 12/7/1999 1:00:00 PM  
 Microsoft Corporation c:\winnt\system32\netui0.dll  
 ntlanman.dll 5.00.2157.1 35.27 KB (36,112 bytes) 12/7/1999  
 1:00:00 PM Microsoft Corporation c:\winnt\system32\ntlanman.dll  
 perfos.dll 5.00.2155.1 21.27 KB (21,776 bytes) 12/7/1999 1:00:00 PM  
 Microsoft Corporation c:\winnt\system32\perfos.dll  
 provthrd.dll 1.50.1085.0000 68.07 KB (69,708 bytes) 12/17/2001  
 1:56:02 PM Microsoft Corporation c:\winnt\system32\wbem\provthrd.dll

```

ntevt.dll 1.50.1085.0000 192.06 KB (196,669 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\wbem\ntevt.dll
cfgmgr32.dll 5.00.2134.1 16.77 KB (17,168 bytes) 12/7/1999
1:00:00 PM Microsoft Corporation c:\winnt\system32\cfgmgr32.dll
psapi.dll 5.00.2134.1 28.27 KB (28,944 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\psapi.dll
framedyn.dll 1.50.1085.0000 164.05 KB (167,992 bytes) 12/7/1999
1:00:00 PM Microsoft Corporation c:\winnt\system32\wbem\framedyn.dll
cimwin32.dll 1.50.1085.0038 1.02 MB (1,073,232 bytes) 12/17/2001
2:36:40 PM Microsoft Corporation c:\winnt\system32\wbem\cimwin32.dll
wbemsvc.dll 1.50.1085.0007 40.07 KB (41,036 bytes) 12/17/2001
2:36:42 PM Microsoft Corporation c:\winnt\system32\wbem\wbemsvc.dll
wbemess.dll 1.50.1085.0039 364.07 KB (372,804 bytes) 12/17/2001
2:36:42 PM Microsoft Corporation c:\winnt\system32\wbem\wbemess.dll
fastprox.dll 1.50.1085.0037 144.08 KB (147,536 bytes) 12/17/2001
2:36:40 PM Microsoft Corporation c:\winnt\system32\wbem\fastprox.dll
wbemcore.dll 1.50.1085.0036 628.07 KB (643,140 bytes) 12/17/2001
2:36:41 PM Microsoft Corporation c:\winnt\system32\wbem\wbemcore.dll
wbemcomn.dll 1.50.1085.0021 692.07 KB (708,675 bytes) 12/17/2001
2:36:41 PM Microsoft Corporation c:\winnt\system32\wbem\wbemcomn.dll
winmgmt.exe 1.50.1085.0029 192.08 KB (196,685 bytes) 12/17/2001
2:36:42 PM Microsoft Corporation c:\winnt\system32\wbem\winmgmt.exe
wmi.dll 5.00.2191.1 6.27 KB (6,416 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\wmi.dll
netshell.dll 5.00.2195.2779 457.27 KB (468,240 bytes) 12/17/2001
2:36:23 PM Microsoft Corporation c:\winnt\system32\netshell.dll
netman.dll 5.00.2195.2779 89.27 KB (91,408 bytes) 12/17/2001 2:36:23 PM
Microsoft Corporation c:\winnt\system32\netman.dll
rasdlg.dll 5.00.2195.2671 514.27 KB (526,608 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\rasdlg.dll
netcfgx.dll 5.00.2195.2228 534.77 KB (547,600 bytes) 12/17/2001
2:36:22 PM Microsoft Corporation c:\winnt\system32\netcfgx.dll
rasmans.dll 5.00.2195.2728 147.27 KB (150,800 bytes) 12/17/2001
2:36:27 PM Microsoft Corporation c:\winnt\system32\rasmans.dll
sens.dll 5.00.2163.1 36.77 KB (37,648 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\sens.dll
txfaux.dll 2000.2.3471.1 374.27 KB (383,248 bytes) 12/17/2001 2:36:33 PM
Microsoft Corporation c:\winnt\system32\txfaux.dll
es.dll 2000.2.3471.1 222.27 KB (227,600 bytes) 12/17/2001 2:36:08 PM
Microsoft Corporation c:\winnt\system32\es.dll
rpcss.dll 5.00.2195.2815 231.27 KB (236,816 bytes) 12/17/2001 2:36:29 PM
Microsoft Corporation c:\winnt\system32\rpcss.dll
svchost.exe 5.00.2134.1 7.77 KB (7,952 bytes) 12/7/1999
1:00:00 PM Microsoft Corporation c:\winnt\system32\svchost.exe
scecli.dll 5.00.2195.2780 105.27 KB (107,792 bytes) 12/17/2001 2:36:29 PM
Microsoft Corporation c:\winnt\system32\scecli.dll
atl.dll 3.00.8449 57.56 KB (58,938 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\atl.dll
certcli.dll 5.00.2195.2778 130.77 KB (133,904 bytes) 12/17/2001
2:36:04 PM Microsoft Corporation c:\winnt\system32\certcli.dll
esent.dll 6.0.3940.13 1.08 MB (1,135,376 bytes) 12/17/2001 2:36:09 PM
Microsoft Corporation c:\winnt\system32\esent.dll

```

```

ntdsatq.dll 5.00.2195.2878 31.27 KB (32,016 bytes) 12/17/2001
2:36:23 PM Microsoft Corporation c:\winnt\system32\ntdsatq.dll
ntdsa.dll 5.00.2195.2899 990.77 KB (1,014,544 bytes) 12/17/2001
2:36:23 PM Microsoft Corporation c:\winnt\system32\ntdsa.dll
kdcsvc.dll 5.00.2195.2878 137.77 KB (141,072 bytes) 12/17/2001 2:36:13 PM
Microsoft Corporation c:\winnt\system32\kdcsvc.dll
sfmapi.dll 5.00.2134.1 38.77 KB (39,696 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\sfmapi.dll
rassfm.dll 5.00.2195.2671 21.27 KB (21,776 bytes) 12/17/2001 2:36:28 PM
Microsoft Corporation c:\winnt\system32\rassfm.dll
mpr.dll 5.00.2195.2779 53.27 KB (54,544 bytes) 12/17/2001 2:36:14 PM
Microsoft Corporation c:\winnt\system32\mpr.dll
rsabase.dll 5.00.2195.2228 128.27 KB (131,344 bytes) 5/4/2001
1:05:02 PM Microsoft Corporation c:\winnt\system32\rsabase.dll
schannel.dll 5.00.2195.2922 138.27 KB (141,584 bytes) 5/4/2001
1:05:02 PM Microsoft Corporation c:\winnt\system32\schannel.dll
netlogon.dll 5.00.2195.2865 357.77 KB (366,352 bytes) 12/17/2001
2:36:22 PM Microsoft Corporation c:\winnt\system32\netlogon.dll
msv1_0.dll 5.00.2195.2900 111.77 KB (114,448 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\msv1_0.dll
kerberos.dll 5.00.2195.2913 198.77 KB (203,536 bytes) 12/17/2001
2:36:13 PM Microsoft Corporation c:\winnt\system32\kerberos.dll
msprivs.dll 5.00.2154.1 41.50 KB (42,496 bytes) 12/7/1999
1:00:00 PM Microsoft Corporation c:\winnt\system32\msprivs.dll
samsrv.dll 5.00.2195.2918 369.77 KB (378,640 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\samsrv.dll
lsasrv.dll 5.00.2195.2964 492.77 KB (504,592 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\lsasrv.dll
lsass.exe 5.00.2195.2964 32.77 KB (33,552 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\lsass.exe
wmicore.dll 5.00.2195.2842 72.27 KB (74,000 bytes) 12/17/2001
2:36:35 PM Microsoft Corporation c:\winnt\system32\wmicore.dll
rasadhlp.dll 5.00.2168.1 7.27 KB (7,440 bytes) 12/7/1999
1:00:00 PM Microsoft Corporation c:\winnt\system32\rasadhlp.dll
winrnr.dll 5.00.2160.1 18.77 KB (19,216 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\winrnr.dll
dhcpcsvc.dll 5.00.2195.2778 88.77 KB (90,896 bytes) 12/7/1999
1:00:00 PM Microsoft Corporation c:\winnt\system32\dhcpcsvc.dll
tapi32.dll 5.00.2182.1 123.27 KB (126,224 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\tapi32.dll
rasman.dll 5.00.2195.2780 54.77 KB (56,080 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\rasman.dll
rasapi32.dll 5.00.2195.2671 189.77 KB (194,320 bytes) 12/7/1999
1:00:00 PM Microsoft Corporation c:\winnt\system32\rasapi32.dll
rtutils.dll 5.00.2168.1 43.77 KB (44,816 bytes) 12/7/1999
1:00:00 PM Microsoft Corporation c:\winnt\system32\rtutils.dll
adslrpc.dll 5.00.2195.2842 127.27 KB (130,320 bytes) 12/17/2001
2:36:01 PM Microsoft Corporation c:\winnt\system32\adslrpc.dll
activeds.dll 5.00.2195.2778 174.77 KB (178,960 bytes) 12/17/2001
2:35:54 PM Microsoft Corporation c:\winnt\system32\activeds.dll
mprapi.dll 5.00.2181.1 79.27 KB (81,168 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\mprapi.dll

```

iphlpapi.dll 5.00.2173.2 67.77 KB (69,392 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\iphlpapi.dll  
 rnr20.dll 5.00.2195.2871 35.77 KB (36,624 bytes) 12/17/2001 2:36:28 PM Microsoft Corporation c:\winnt\system32\rnr20.dll  
 wshtcpip.dll 5.00.2195.2104 17.27 KB (17,680 bytes) 12/17/2001 2:36:36 PM Microsoft Corporation c:\winnt\system32\wshtcpip.dll  
 msafd.dll 5.00.2195.2779 106.77 KB (109,328 bytes) 12/17/2001 2:36:15 PM Microsoft Corporation c:\winnt\system32\msafd.dll  
 mswsock.dll 5.00.2195.2871 62.77 KB (64,272 bytes) 12/17/2001 2:36:21 PM Microsoft Corporation c:\winnt\system32\mswsock.dll  
 msgsvc.dll 5.00.2195.2939 34.27 KB (35,088 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\msgsvc.dll  
 alrsvc.dll 5.00.2134.1 17.77 KB (18,192 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\alrsvc.dll  
 psbase.dll 5.00.2195.2779 111.77 KB (114,448 bytes) 12/17/2001 2:36:27 PM Microsoft Corporation c:\winnt\system32\psbase.dll  
 cryptsvc.dll 5.00.2181.1 61.77 KB (63,248 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\cryptsvc.dll  
 cryptdll.dll 5.00.2135.1 41.27 KB (42,256 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\cryptdll.dll  
 wkssvc.dll 5.00.2195.2780 95.27 KB (97,552 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\wkssvc.dll  
 srvsvc.dll 5.00.2195.2904 79.27 KB (81,168 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\srvsvc.dll  
 winsta.dll 5.00.2195.2386 36.77 KB (37,648 bytes) 12/17/2001 2:36:35 PM Microsoft Corporation c:\winnt\system32\winsta.dll  
 icmp.dll 5.00.2134.1 7.27 KB (7,440 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\icmp.dll  
 lmhsvc.dll 5.00.2195.2778 9.77 KB (10,000 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\lmhsvc.dll  
 eventlog.dll 5.00.2178.1 43.77 KB (44,816 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\eventlog.dll  
 ntdsapi.dll 5.00.2195.2661 55.77 KB (57,104 bytes) 12/17/2001 2:36:23 PM Microsoft Corporation c:\winnt\system32\ntdsapi.dll  
 scesrv.dll 5.00.2195.2780 226.27 KB (231,696 bytes) 12/17/2001 2:36:29 PM Microsoft Corporation c:\winnt\system32\scesrv.dll  
 umpnpgmgr.dll 5.00.2182.1 86.27 KB (88,336 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\umpnpgmgr.dll  
 services.exe 5.00.2195.2780 86.77 KB (88,848 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\services.exe  
 clbcatq.dll 2000.2.3471.1 496.77 KB (508,688 bytes) 12/17/2001 2:36:04 PM Microsoft Corporation c:\winnt\system32\clbcatq.dll  
 oleaut32.dll 2.40.4517 612.27 KB (626,960 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\oleaut32.dll  
 csui.dll 5.00.2195.2959 228.27 KB (233,744 bytes) 12/17/2001 2:36:05 PM Microsoft Corporation c:\winnt\system32\csui.dll  
 winspool.drv 5.00.2195.2780 109.77 KB (112,400 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\winspool.drv  
 winscard.dll 5.00.2134.1 77.27 KB (79,120 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\winscard.dll  
 wlnotify.dll 5.00.2195.2780 53.77 KB (55,056 bytes) 12/17/2001 2:36:35 PM Microsoft Corporation c:\winnt\system32\wlnotify.dll

cscdll.dll 5.00.2195.2401 98.27 KB (100,624 bytes) 12/17/2001 2:36:05 PM Microsoft Corporation c:\winnt\system32\cscdll.dll  
 lz32.dll 5.00.2134.1 9.77 KB (10,000 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\lz32.dll  
 version.dll 5.00.2134.1 15.77 KB (16,144 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\version.dll  
 rsaenh.dll 5.00.2195.2228 130.77 KB (133,904 bytes) 12/17/2001 2:37:35 PM Microsoft Corporation c:\winnt\system32\rsaenh.dll  
 mscat32.dll 5.131.2134.1 7.77 KB (7,952 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\mscat32.dll  
 ole32.dll 5.00.2195.2887 969.77 KB (993,040 bytes) 12/17/2001 2:36:25 PM Microsoft Corporation c:\winnt\system32\ole32.dll  
 imagehlp.dll 5.00.2195.2778 125.77 KB (128,784 bytes) 5/4/2001 1:05:02 PM Microsoft Corporation c:\winnt\system32\imagehlp.dll  
 msasn1.dll 5.00.2134.1 51.27 KB (52,496 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\msasn1.dll  
 crypt32.dll 5.131.2195.2833 451.27 KB (462,096 bytes) 12/17/2001 2:36:05 PM Microsoft Corporation c:\winnt\system32\crypt32.dll  
 wintrust.dll 5.131.2195.2779 162.27 KB (166,160 bytes) 12/17/2001 2:36:35 PM Microsoft Corporation c:\winnt\system32\wintrust.dll  
 setupapi.dll 5.00.2195.2663 555.77 KB (569,184 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\setupapi.dll  
 winmm.dll 5.00.2161.1 184.77 KB (189,200 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\winmm.dll  
 comctl32.dll 5.81 537.77 KB (550,672 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\comctl32.dll  
 shlwapi.dll 5.00.3315.1000 282.77 KB (289,552 bytes) 12/17/2001 2:36:31 PM Microsoft Corporation c:\winnt\system32\shlwapi.dll  
 shell32.dll 5.00.3315.2902 2.25 MB (2,359,056 bytes) 12/17/2001 2:36:31 PM Microsoft Corporation c:\winnt\system32\shell32.dll  
 msgina.dll 5.00.2195.2779 324.27 KB (332,048 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\msgina.dll  
 wsock32.dll 5.00.2195.2871 21.27 KB (21,776 bytes) 12/17/2001 2:36:36 PM Microsoft Corporation c:\winnt\system32\wsock32.dll  
 dnsapi.dll 5.00.2195.2785 130.77 KB (133,904 bytes) 12/17/2001 2:36:06 PM Microsoft Corporation c:\winnt\system32\dnsapi.dll  
 wldap32.dll 5.00.2195.2797 125.27 KB (128,272 bytes) 12/17/2001 2:36:35 PM Microsoft Corporation c:\winnt\system32\wldap32.dll  
 ws2help.dll 5.00.2134.1 17.77 KB (18,192 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\ws2help.dll  
 ws2\_32.dll 5.00.2195.2780 67.77 KB (69,392 bytes) 12/17/2001 2:36:36 PM Microsoft Corporation c:\winnt\system32\ws2\_32.dll  
 samlib.dll 5.00.2195.2780 49.77 KB (50,960 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\samlib.dll  
 netrap.dll 5.00.2134.1 11.27 KB (11,536 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\netrap.dll  
 netapi32.dll 5.00.2195.2808 303.77 KB (311,056 bytes) 12/17/2001 2:36:22 PM Microsoft Corporation c:\winnt\system32\netapi32.dll  
 profmap.dll 5.00.2181.1 29.27 KB (29,968 bytes) 12/7/1999 1:00:00 PM Microsoft Corporation c:\winnt\system32\profmap.dll  
 secur32.dll 5.00.2195.2862 46.77 KB (47,888 bytes) 12/17/2001 2:36:30 PM Microsoft Corporation c:\winnt\system32\secur32.dll

```

sfc.dll 5.00.2195.2896 92.11 KB (94,320 bytes) 12/17/2001 2:36:30 PM
Microsoft Corporation c:\winnt\system32\sfc.dll
nddeapi.dll 5.00.2137.1 15.27 KB (15,632 bytes) 12/7/1999
1:00:00 PM Microsoft Corporation c:\winnt\system32\nddeapi.dll
userenv.dll 5.00.2195.2780 361.77 KB (370,448 bytes) 12/7/1999
1:00:00 PM Microsoft Corporation c:\winnt\system32\userenv.dll
user32.dll 5.00.2195.2821 392.77 KB (402,192 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\user32.dll
gdi32.dll 5.00.2195.2778 228.77 KB (234,256 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\gdi32.dll
rpcrt4.dll 5.00.2195.2832 437.27 KB (447,760 bytes) 12/17/2001 2:36:28 PM
Microsoft Corporation c:\winnt\system32\rpcrt4.dll
advapi32.dll 5.00.2195.2867 351.77 KB (360,208 bytes) 12/7/1999
1:00:00 PM Microsoft Corporation c:\winnt\system32\advapi32.dll
kernel32.dll 5.00.2195.2778 714.77 KB (731,920 bytes) 12/7/1999
1:00:00 PM Microsoft Corporation c:\winnt\system32\kernel32.dll
msvcrt.dll 6.10.8924.0 284.05 KB (290,869 bytes) 5/4/2001 1:05:02 PM
Microsoft Corporation c:\winnt\system32\msvcrt.dll
winlogon.exe 5.00.2195.2953 173.77 KB (177,936 bytes) 12/7/1999
1:00:00 PM Microsoft Corporation c:\winnt\system32\winlogon.exe
sfcfiles.dll 5.00.2195.2967 948.27 KB (971,024 bytes) 12/17/2001
2:36:30 PM Microsoft Corporation c:\winnt\system32\sfcfiles.dll
ntdll.dll 5.00.2195.2779 478.77 KB (490,256 bytes) 5/4/2001 1:05:02 PM
Microsoft Corporation c:\winnt\system32\ntdll.dll
smss.exe 5.00.2195.2901 44.27 KB (45,328 bytes) 12/7/1999 1:00:00 PM
Microsoft Corporation c:\winnt\system32\smss.exe

```

[Services]

Display Name	Name	State	Start	Mode	Service	Type	Path	Error	Control
Start	Name	Tag	ID						
Alerter	Alerter	Running	Auto	Share	Process				
	c:\winnt\system32\services.exe	Normal	LocalSystem	0					
Application Management	AppMgmt	Stopped	Manual	Share	Process				
	c:\winnt\system32\services.exe	Normal	LocalSystem	0					
Computer Browser	Browser	Stopped	Disabled	Share	Process				
	c:\winnt\system32\services.exe	Normal	LocalSystem	0					
Indexing Service	cisvc	Stopped	Manual	Share	Process				
	c:\winnt\system32\cisvc.exe	Normal	LocalSystem	0					
ClipBook	ClipSrv	Stopped	Manual	Own	Process				
	c:\winnt\system32\clipsrv.exe	Normal	LocalSystem	0					
Distributed File System	Dfs	Stopped	Manual	Own	Process				
	c:\winnt\system32\dfssvc.exe	Normal	LocalSystem	0					
DHCP Client	Dhcp	Stopped	Disabled	Share	Process				
	c:\winnt\system32\services.exe	Normal	LocalSystem	0					
Logical Disk Manager	Administrative Service	dmadmin	Stopped						
	Manual	Share Process	c:\winnt\system32\dmadmin.exe	/com					
	Normal	LocalSystem	0						
Logical Disk Manager	dmserver	Stopped	Manual	Share	Process				
	c:\winnt\system32\services.exe	Normal	LocalSystem	0					
DNS Client	Dnscache	Stopped	Manual	Share	Process				
	c:\winnt\system32\services.exe	Normal	LocalSystem	0					

Event Log	Eventlog	Running	Auto	Share	Process				
	c:\winnt\system32\services.exe	Normal	LocalSystem	0					
COM+	Event System	EventSystem	Running	Manual	Share Process				
	c:\winnt\system32\svchost.exe	-k netsvcs	Normal	LocalSystem	0				
Fax Service	Fax	Stopped	Manual	Own	Process				
	c:\winnt\system32\faxsvc.exe	Normal	LocalSystem	0					
InterSite Messaging	IsmServ	Stopped	Disabled	Own	Process				
	c:\winnt\system32\ismserv.exe	Normal	LocalSystem	0					
Kerberos Key Distribution Center	kdc	Stopped	Disabled	Share					
Process	c:\winnt\system32\lsass.exe	Normal	LocalSystem	0					
Server	lanmanserver	Running	Auto	Share	Process				
	c:\winnt\system32\services.exe	Normal	LocalSystem	0					
Workstation	lanmanworkstation	Running	Auto	Share	Process				
	c:\winnt\system32\services.exe	Normal	LocalSystem	0					
License Logging Service	LicenseService	Stopped	Manual	Own					
Process	c:\winnt\system32\llssrv.exe	Normal	LocalSystem	0					
TCP/IP NetBIOS Helper Service	LmHosts	Running	Auto	Share	Process				
	c:\winnt\system32\services.exe	Normal	LocalSystem	0					
Messenger	Messenger	Running	Auto	Share	Process				
	c:\winnt\system32\services.exe	Normal	LocalSystem	0					
NetMeeting Remote Desktop Sharing	mmmsrvc	Stopped	Manual	Own					
Process	c:\winnt\system32\mmmsrvc.exe	Normal	LocalSystem	0					
Distributed Transaction Coordinator	MSDTC	Stopped	Manual	Own					
Process	c:\winnt\system32\msdtc.exe	Normal	LocalSystem	0					
Windows Installer	MSIServer	Stopped	Manual	Share	Process				
	c:\winnt\system32\msiexec.exe	/v	Normal	LocalSystem	0				
MSSQLSERVER	MSSQLSERVER	Stopped	Manual	Own	Process				
	c:\progra~1\microso~2\mssql\bin\sqlservr.exe	Normal	LocalSystem	0					
MSSQLServerADHelper	MSSQLServerADHelper	Stopped	Manual	Own	Process				
	c:\program files\microsoft sql server\80\tools\bin\sqladhlp.exe	Normal	LocalSystem	0					
Network DDE	NetDDE	Stopped	Manual	Share	Process				
	c:\winnt\system32\netdde.exe	Normal	LocalSystem	0					
Network DDE DSDM	NetDDEdsdm	Stopped	Manual	Share	Process				
	c:\winnt\system32\netdde.exe	Normal	LocalSystem	0					
Net Logon	Netlogon	Stopped	Manual	Share	Process				
	c:\winnt\system32\lsass.exe	Normal	LocalSystem	0					
Network Connections	Netman	Running	Manual	Share	Process				
	c:\winnt\system32\svchost.exe	-k netsvcs	Normal	LocalSystem	0				
NMS Service	NMSSvc	Stopped	Manual	Own	Process				
	c:\winnt\system32\nmssvc.exe	Normal	LocalSystem	0					
File Replication	NtFrs	Stopped	Manual	Own	Process				
	c:\winnt\system32\ntfrs.exe	Ignore	LocalSystem	0					
NT LM Security Support Provider	NtLmSsp	Stopped	Manual	Share	Process				
	c:\winnt\system32\lsass.exe	Normal	LocalSystem	0					
Removable Storage	NtmsSvc	Stopped	Manual	Share	Process				
	c:\winnt\system32\svchost.exe	-k netsvcs	Normal	LocalSystem	0				
Plug and Play	PlugPlay	Running	Auto	Share	Process				
	c:\winnt\system32\services.exe	Normal	LocalSystem	0					

```

IPSEC Policy Agent    PolicyAgent    Stopped    Manual    Share Process
c:\winnt\system32\lsass.exe    Normal    LocalSystem    0
Protected Storage    ProtectedStorage    Running    Auto    Share Process
c:\winnt\system32\services.exe    Normal    LocalSystem    0
Remote Access Auto Connection Manager    RasAuto    Stopped    Manual
Share Process    c:\winnt\system32\svchost.exe -k netsvcs    Normal
LocalSystem    0
Remote Access Connection Manager    RasMan    Stopped    Manual    Share
Process    c:\winnt\system32\svchost.exe -k netsvcs    Normal
LocalSystem    0
Routing and Remote Access RemoteAccess    Stopped    Disabled    Share
Process    c:\winnt\system32\svchost.exe -k netsvcs    Normal
LocalSystem    0
Remote Registry Service    RemoteRegistry    Stopped    Disabled    Own
Process    c:\winnt\system32\regsvcs.exe    Normal    LocalSystem    0
Remote Procedure Call (RPC) Locator    RpcLocator    Stopped    Manual    Own
Process    c:\winnt\system32\locator.exe    Normal    LocalSystem    0
Remote Procedure Call (RPC)    RpcSsRunning    Auto    Share Process
c:\winnt\system32\svchost -k rpcss    Normal    LocalSystem    0
QoS RSVP    RSVP    Stopped    Manual    Own Process
c:\winnt\system32\rsvpsvc.exe -s    Normal    LocalSystem    0
Security Accounts Manager    SamSs    Stopped    Manual    Share Process
c:\winnt\system32\lsass.exe    Normal    LocalSystem    0
Smart Card Helper    SCardDrv    Stopped    Manual    Share Process
c:\winnt\system32\scardsvr.exe    Ignore    LocalSystem    0
Smart Card SCardSvr    Stopped    Manual    Share Process
c:\winnt\system32\scardsvr.exe    Ignore    LocalSystem    0
Task Scheduler Schedule    Stopped    Manual    Share Process
c:\winnt\system32\mstask.exe    Normal    LocalSystem    0
RunAs Service    seclogon    Stopped    Manual    Share Process
c:\winnt\system32\services.exe    Ignore    LocalSystem    0
System Event Notification SENS    Running    Auto    Share Process
c:\winnt\system32\svchost.exe -k netsvcs    Normal    LocalSystem
0
Internet Connection Sharing    SharedAccess    Stopped    Manual    Share
Process    c:\winnt\system32\svchost.exe -k netsvcs    Normal
LocalSystem    0
Print Spooler    Spooler    Stopped    Disabled    Own Process
c:\winnt\system32\spoolsv.exe    Normal    LocalSystem    0
SQLSERVERAGENT    SQLSERVERAGENT    Stopped    Manual    Own Process
c:\progra~1\microso~2\mssql\binn\sqlagent.exe    Normal
LocalSystem    0
Performance Logs and Alerts    SysmonLog    Stopped    Manual    Own
Process    c:\winnt\system32\smlogsvc.exe    Normal    LocalSystem    0
Telephony Tapisrv    Running    Manual    Share Process
c:\winnt\system32\svchost.exe -k tapisrv    Normal    LocalSystem
0
Terminal Services    TermService    Stopped    Disabled    Own Process
c:\winnt\system32\termsrv.exe    Normal    LocalSystem    0
Telnet    TlntSvr    Stopped    Manual    Own Process
c:\winnt\system32\tlntsvr.exe    Normal    LocalSystem    0
Distributed Link Tracking Server    TrkSvr    Stopped    Manual    Share
Process    c:\winnt\system32\services.exe    Normal    LocalSystem    0

```

```

Distributed Link Tracking Client    TrkWks    Stopped    Manual    Share
Process    c:\winnt\system32\services.exe    Normal    LocalSystem    0
Uninterruptible Power Supply    UPS    Stopped    Manual    Own Process
c:\winnt\system32\ups.exe    Normal    LocalSystem    0
Utility Manager UtilMan    Stopped    Manual    Own Process
c:\winnt\system32\utilman.exe    Normal    LocalSystem    0
Windows Time    W32Time    Stopped    Manual    Share Process
c:\winnt\system32\services.exe    Normal    LocalSystem    0
Windows Management Instrumentation    WinMgmt    Running    Auto    Own
Process    c:\winnt\system32\wbem\winmgmt.exe    Ignore    LocalSystem
0
Windows Management Instrumentation Driver Extensions Wmi    Running
Manual    Share Process    c:\winnt\system32\services.exe    Normal
LocalSystem    0

```

[Program Groups]

```

Group Name Name User Name
Accessories    Default User:Accessories    Default User
Accessories\Accessibility    Default User:Accessories\Accessibility
Default User
Accessories\Entertainment    Default User:Accessories\Entertainment
Default User
Accessories\System Tools    Default User:Accessories\System Tools
Default User
Startup    Default User:Startup    Default User
Accessories    All Users:Accessories    All Users
Accessories\Communications    All Users:Accessories\Communications    All Users
Accessories\Entertainment    All Users:Accessories\Entertainment    All Users
Accessories\System Tools    All Users:Accessories\System Tools    All Users
Administrative Tools    All Users:Administrative Tools    All Users
Microsoft SQL Server    All Users:Microsoft SQL Server    All Users
Startup    All Users:Startup    All Users
WinZip    All Users:WinZip    All Users
Accessories    H250\Administrator:Accessories    H250\Administrator
Accessories\Accessibility    H250\Administrator:Accessories\Accessibility
H250\Administrator
Accessories\Entertainment    H250\Administrator:Accessories\Entertainment
H250\Administrator
Accessories\System Tools    H250\Administrator:Accessories\System Tools
H250\Administrator
Administrative Tools    H250\Administrator:Administrative Tools
H250\Administrator
Startup    H250\Administrator:Startup    H250\Administrator

```

[Startup Programs]

```

Program    Command    User Name    Location
Promon.exe    promon.exe    All Users
HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Run

```

[OLE Registration]

Object Local Server  
 Sound (OLE2) sndrec32.exe  
 Media Clip mplay32.exe  
 Video Clip mplay32.exe /avi  
 MIDI Sequence mplay32.exe /mid  
 SoundNot Available  
 Media ClipNot Available  
 Image Document "C:\Program Files\Windows  
 NT\Accessories\ImageVue\KodakImg.exe"  
 Windows Media Services DRM Storage object Not Available  
 Bitmap Image mspaint.exe

Key Name: SYSTEM\CurrentControlSet\Services\NDIS  
 Class Name: <NO CLASS>  
 Last Write Time: 12/17/2001 - 2:31 PM

Value 0  
 Name: DisplayName  
 Type: REG\_SZ  
 Data: NDIS System Driver

Value 1  
 Name: ErrorControl  
 Type: REG\_DWORD  
 Data: 0x1

Value 2  
 Name: Group  
 Type: REG\_SZ  
 Data: NDIS Wrapper

Value 3  
 Name: Start  
 Type: REG\_DWORD  
 Data: 0

Value 4  
 Name: Type  
 Type: REG\_DWORD  
 Data: 0x1

Key Name: SYSTEM\CurrentControlSet\Services\NDIS\Parameters  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 2:12 PM

Value 0  
 Name: ProcessorAffinityMask  
 Type: REG\_DWORD  
 Data: 0

Key Name: SYSTEM\CurrentControlSet\Control\Session  
 Manager\Memory Management

Class Name: <NO CLASS>  
 Last Write Time: 1/29/2002 - 7:35 AM  
 Value 0  
 Name: ClearPageFileAtShutdown  
 Type: REG\_DWORD  
 Data: 0

Value 1  
 Name: DisablePagingExecutive  
 Type: REG\_DWORD  
 Data: 0

Value 2  
 Name: DontVerifyRandomDrivers  
 Type: REG\_DWORD  
 Data: 0x1

Value 3  
 Name: IoPageLockLimit  
 Type: REG\_DWORD  
 Data: 0

Value 4  
 Name: LargeSystemCache  
 Type: REG\_DWORD  
 Data: 0

Value 5  
 Name: NonPagedPoolQuota  
 Type: REG\_DWORD  
 Data: 0

Value 6  
 Name: NonPagedPoolSize  
 Type: REG\_DWORD  
 Data: 0

Value 7  
 Name: PagedPoolQuota  
 Type: REG\_DWORD  
 Data: 0

Value 8  
 Name: PagedPoolSize  
 Type: REG\_DWORD  
 Data: 0

Value 9  
 Name: PagingFiles  
 Type: REG\_MULTI\_SZ  
 Data: C:\pagefile.sys 2046 4092

Value 10  
 Name: PhysicalAddressExtension  
 Type: REG\_DWORD  
 Data: 0x1

Value 11  
 Name: SecondLevelDataCache  
 Type: REG\_DWORD  
 Data: 0

Value 12  
 Name: SystemPages  
 Type: REG\_DWORD  
 Data: 0

Key Name: SYSTEM\CurrentControlSet\Control\Session Manager\I/O  
 System  
 Class Name: <NO CLASS>  
 Last Write Time: 1/30/2002 - 12:33 PM  
 Value 0  
 Name: CountOperations  
 Type: REG\_DWORD  
 Data: 0

Value 1  
 Name: LargeIrpStackLocations  
 Type: REG\_DWORD  
 Data: 0x7

Key Name: SOFTWARE\Microsoft\MSSQLServer  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 1:08 PM

Key Name: SOFTWARE\Microsoft\MSSQLServer\Client  
 Class Name: <NO CLASS>  
 Last Write Time: 1/25/2002 - 3:11 PM  
 Value 0  
 Name: SharedMemoryOn  
 Type: REG\_DWORD  
 Data: 0

Key Name: SOFTWARE\Microsoft\MSSQLServer\Client\ConnectTo  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 1:11 PM  
 Value 0  
 Name: DSQUERY  
 Type: REG\_SZ  
 Data: DBNETLIB

Key Name: SOFTWARE\Microsoft\MSSQLServer\Client\DB-Lib  
 Class Name: <NO CLASS>  
 Last Write Time: 1/25/2002 - 3:11 PM  
 Value 0  
 Name: AutoAnsiToOem  
 Type: REG\_SZ  
 Data: OFF

Value 1  
 Name: UseIntlSettings  
 Type: REG\_SZ  
 Data: ON

Key Name: SOFTWARE\Microsoft\MSSQLServer\Client\SuperSocketNetLib  
 Class Name: <NO CLASS>  
 Last Write Time: 1/25/2002 - 3:11 PM  
 Value 0  
 Name: Encrypt  
 Type: REG\_DWORD  
 Data: 0

Value 1  
 Name: ProtocolOrder  
 Type: REG\_MULTI\_SZ  
 Data: tcp  
 np

Key Name: SOFTWARE\Microsoft\MSSQLServer\Client\SuperSocketNetLib\LastConnect  
 Class Name: <NO CLASS>  
 Last Write Time: 1/25/2002 - 2:03 PM  
 Value 0  
 Name: H250  
 Type: REG\_SZ  
 Data: 369229832:lpc:H250

Key Name: SOFTWARE\Microsoft\MSSQLServer\Client\SuperSocketNetLib\Np  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 1:11 PM  
 Value 0  
 Name: DefaultPipe  
 Type: REG\_SZ  
 Data: sql\query

Key Name: SOFTWARE\Microsoft\MSSQLServer\Client\SuperSocketNetLib\Tcp

Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 1:11 PM  
 Value 0  
   Name: DefaultPort  
   Type: REG\_DWORD  
   Data: 0x599

Key Name:  
 SOFTWARE\Microsoft\MSSQLServer\Client\SuperSocketNetLib\VIA  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 1:08 PM  
 Value 0  
   Name: DefaultClientNIC  
   Type: REG\_SZ  
   Data: 0

Value 1  
   Name: DefaultServerPort  
   Type: REG\_SZ  
   Data: 0:1433

Value 2  
   Name: RecognizedVendors  
   Type: REG\_SZ  
   Data: Giganet, ServerNet II

Value 3  
   Name: Vendor  
   Type: REG\_SZ  
   Data:

Key Name: SOFTWARE\Microsoft\MSSQLServer\Client\TDS  
 Class Name: <NO CLASS>  
 Last Write Time: 1/25/2002 - 2:03 PM  
 Value 0  
   Name: <NO NAME>  
   Type: REG\_SZ  
   Data: 7.0

Value 1  
   Name: (local)  
   Type: REG\_SZ  
   Data: 7.0

Value 2  
   Name: H250  
   Type: REG\_SZ  
   Data: 7.0

Value 3  
   Name: lpc:H250

Type: REG\_SZ  
 Data: 7.0

Key Name: SOFTWARE\Microsoft\MSSQLServer\MSSQLServer  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 1:34 PM  
 Value 0  
   Name: AuditLevel  
   Type: REG\_DWORD  
   Data: 0

Value 1  
   Name: BackupDirectory  
   Type: REG\_SZ  
   Data: C:\Program Files\Microsoft SQL Server\MSSQL\BACKUP

Value 2  
   Name: DefaultCollationName  
   Type: REG\_SZ  
   Data: Latin1\_General\_BIN

Value 3  
   Name: DefaultDomain  
   Type: REG\_SZ  
   Data: H250

Value 4  
   Name: DefaultLogin  
   Type: REG\_SZ  
   Data: guest

Value 5  
   Name: ListenOn  
   Type: REG\_MULTI\_SZ  
   Data: SSMSSH70  
   SSNETLIB

Value 6  
   Name: LoginMode  
   Type: REG\_DWORD  
   Data: 0x2

Value 7  
   Name: Map#  
   Type: REG\_SZ  
   Data: -

Value 8  
   Name: Map\$  
   Type: REG\_SZ  
   Data:

```

Value 9
  Name:      Map_
  Type:      REG_SZ
  Data:      \

Value 10
  Name:      ResourceMgrID
  Type:      REG_SZ
  Data:      {39ADBDF4-438A-4DCE-8BC6-08F9ECA9AAAD}

Value 11
  Name:      SetHostName
  Type:      REG_DWORD
  Data:      0

Value 12
  Name:      Tapeloadwaittime
  Type:      REG_DWORD
  Data:      0xffffffff

Key Name:
SOFTWARE\Microsoft\MSSQLServer\MSSQLServer\CurrentVersion
Class Name:  <NO CLASS>
Last Write Time:  1/25/2002 - 2:04 PM
Value 0
  Name:      checksum
  Type:      REG_BINARY
  Data:
00000000  37 33 32 32 63 31 35 38 - 61 65 37 64 34 63 64 37
7322c158ae7d4cd7
00000010  35 30 64 61 30 33 34 62 - 36 30 31 35 62 33 61 31
50da034b6015b3a1
00000020  65 37 31 35 38 30 30 30 - 33 33 37 39 65 34 61 38
e71580003379e4a8
00000030  32 39 30 34 61 35 37 65 - 33 62 39 31 35 64 39 63
2904a57e3b915d9c
00000040  32 39 34 32 30 61 61 34 - 38 33 37 31 34 34 64 34
29420aa4837144d4
00000050  65 35 37 66 65 34 61 34 - 64 30 35 65 34 36 61 32
e57fe4a4d05e46a2
00000060  63 66 35 36 34 34 34 39 - 35 33 66 35 37 32 37 34
cf56444953f57274
00000070  30 36 32 32 64 31 65 61 - 66 30 31 62 62 36 35 38
0622d1eaf01bb658
00000080  64 37 33 33 36 36 65 37 - 32 65 33 66 35 37 31 64
d73366e72e3f571d
00000090  34 33 30 34 00
4304.

Value 1
  Name:      CSDVersion
  Type:      REG_SZ

```

```

  Data:      8.00.534

Value 2
  Name:      CSDVersionNumber
  Type:      REG_DWORD
  Data:      0x200

Value 3
  Name:      CurrentVersion
  Type:      REG_SZ
  Data:      8.00.194

Value 4
  Name:      Language
  Type:      REG_DWORD
  Data:      0x409

Value 5
  Name:      RegisteredOwner
  Type:      REG_SZ
  Data:      TRACKS

Value 6
  Name:      SerialNumber
  Type:      REG_DWORD
  Data:      0x85dd0040

Key Name:      SOFTWARE\Microsoft\MSSQLServer\MSSQLServer\Parameters
Class Name:    <NO CLASS>
Last Write Time:  1/8/2002 - 1:34 PM
Value 0
  Name:      SQLArg0
  Type:      REG_SZ
  Data:      -dC:\Program Files\Microsoft SQL
Server\MSSQL\data\master.mdf

Value 1
  Name:      SQLArg1
  Type:      REG_SZ
  Data:      -eC:\Program Files\Microsoft SQL
Server\MSSQL\log\ERRORLOG

Value 2
  Name:      SQLArg2
  Type:      REG_SZ
  Data:      -lC:\Program Files\Microsoft SQL
Server\MSSQL\data\mastlog.ldf

Key Name:      SOFTWARE\Microsoft\MSSQLServer\MSSQLServer\RPCNetLib
Class Name:    <NO CLASS>
Last Write Time:  1/8/2002 - 1:34 PM

```

Value 0  
 Name: Security  
 Type: REG\_SZ  
 Data:

Key Name:  
 SOFTWARE\Microsoft\MSSQLServer\MSSQLServer\SuperSocketNetLib  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 1:34 PM

Value 0  
 Name: ProtocolList  
 Type: REG\_MULTI\_SZ  
 Data: tcp  
 np

Key Name:  
 SOFTWARE\Microsoft\MSSQLServer\MSSQLServer\SuperSocketNetLib\Np  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 1:34 PM

Value 0  
 Name: PipeName  
 Type: REG\_SZ  
 Data: \\.\pipe\sql\query

Key Name:  
 SOFTWARE\Microsoft\MSSQLServer\MSSQLServer\SuperSocketNetLib\Tcp  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 1:34 PM

Value 0  
 Name: TcpDynamicPorts  
 Type: REG\_SZ  
 Data:

Value 1  
 Name: TcpHideFlag  
 Type: REG\_DWORD  
 Data: 0

Value 2  
 Name: TcpPort  
 Type: REG\_SZ  
 Data: 1433

Key Name:  
 SOFTWARE\Microsoft\MSSQLServer\MSSQLServer\SuperSocketNetLib\Via  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 1:34 PM

Value 0

Name: ListenInfo  
 Type: REG\_SZ  
 Data: 0:1433,1:1434

Value 1  
 Name: RecognizedVendors  
 Type: REG\_MULTI\_SZ  
 Data: Giganet  
 ServerNet II

Value 2  
 Name: Vendor  
 Type: REG\_SZ  
 Data:

Key Name: SOFTWARE\Microsoft\MSSQLServer\Providers  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 1:37 PM

Value 0  
 Name: AllowInProcess  
 Type: REG\_DWORD  
 Data: 0x1

Key Name: SOFTWARE\Microsoft\MSSQLServer\Providers\ADSDSOObject  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 1:37 PM

Value 0  
 Name: AllowInProcess  
 Type: REG\_DWORD  
 Data: 0x1

Key Name: SOFTWARE\Microsoft\MSSQLServer\Providers\DB2OLEDB  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 1:37 PM

Value 0  
 Name: AllowInProcess  
 Type: REG\_DWORD  
 Data: 0x1

Key Name:  
 SOFTWARE\Microsoft\MSSQLServer\Providers\Microsoft.Jet.OLEDB.4.0  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 1:37 PM

Value 0  
 Name: AllowInProcess  
 Type: REG\_DWORD  
 Data: 0x1

Key Name: SOFTWARE\Microsoft\MSSQLServer\Providers\MSDAORA  
Class Name: <NO CLASS>  
Last Write Time: 1/8/2002 - 1:37 PM  
Value 0  
Name: AllowInProgress  
Type: REG\_DWORD  
Data: 0x1

Key Name: SOFTWARE\Microsoft\MSSQLServer\Providers\MSDASQL  
Class Name: <NO CLASS>  
Last Write Time: 1/8/2002 - 1:37 PM  
Value 0  
Name: AllowInProgress  
Type: REG\_DWORD  
Data: 0x1

Key Name: SOFTWARE\Microsoft\MSSQLServer\Providers\MSIDXS  
Class Name: <NO CLASS>  
Last Write Time: 1/8/2002 - 1:37 PM  
Value 0  
Name: AllowInProgress  
Type: REG\_DWORD  
Data: 0x1

Key Name: SOFTWARE\Microsoft\MSSQLServer\Providers\MSQLImpProv  
Class Name: <NO CLASS>  
Last Write Time: 1/8/2002 - 1:37 PM  
Value 0  
Name: AllowInProgress  
Type: REG\_DWORD  
Data: 0x1

Key Name: SOFTWARE\Microsoft\MSSQLServer\Providers\MSSEARCHSQL  
Class Name: <NO CLASS>  
Last Write Time: 1/8/2002 - 1:37 PM  
Value 0  
Name: AllowInProgress  
Type: REG\_DWORD  
Data: 0x1

Key Name: SOFTWARE\Microsoft\MSSQLServer\Providers\SQLOLEDB  
Class Name: <NO CLASS>  
Last Write Time: 1/8/2002 - 1:37 PM  
Value 0  
Name: AllowInProgress  
Type: REG\_DWORD  
Data: 0x1

Value 1  
Name: DisallowAdhocAccess  
Type: REG\_DWORD  
Data: 0

Key Name: SOFTWARE\Microsoft\MSSQLServer\Setup  
Class Name: <NO CLASS>  
Last Write Time: 1/25/2002 - 2:04 PM  
Value 0  
Name: firststart  
Type: REG\_DWORD  
Data: 0

Value 1  
Name: Scripts  
Type: REG\_MULTI\_SZ  
Data: sp2\_serv\_uni.sql  
80sp2-tools.sql  
sp2\_repl.sql

sp\_vupgrade\_replication:@login=N'sa',@password=N'',@ver\_old=194

Value 2  
Name: SourcePath  
Type: REG\_SZ  
Data: C:\SQL2KSP2

Value 3  
Name: SQLDataRoot  
Type: REG\_SZ  
Data: C:\Program Files\Microsoft SQL Server\MSSQL

Value 4  
Name: SQLPath  
Type: REG\_SZ  
Data: C:\Program Files\Microsoft SQL Server\MSSQL

Key Name: SOFTWARE\Microsoft\MSSQLServer\SQLServerAgent  
Class Name: <NO CLASS>  
Last Write Time: 1/8/2002 - 1:37 PM  
Value 0  
Name: DownloadedMaxRows  
Type: REG\_DWORD  
Data: 0x64

Value 1  
Name: ErrorLogFile  
Type: REG\_SZ

Data: C:\Program Files\Microsoft SQL  
Server\MSSQL\LOG\SQLAGENT.OUT

Value 2  
Name: ErrorLoggingLevel  
Type: REG\_DWORD  
Data: 0x3

Value 3  
Name: JobHistoryMaxRows  
Type: REG\_DWORD  
Data: 0x3e8

Value 4  
Name: JobHistoryMaxRowsPerJob  
Type: REG\_DWORD  
Data: 0x64

Value 5  
Name: MSXServerName  
Type: REG\_SZ  
Data:

Value 6  
Name: NonAlertableErrors  
Type: REG\_SZ  
Data: 1204,4002

Value 7  
Name: RestartServer  
Type: REG\_DWORD  
Data: 0x1

Value 8  
Name: ServerHost  
Type: REG\_SZ  
Data:

Value 9  
Name: SysAdminOnly  
Type: REG\_DWORD  
Data: 0x1

Value 10  
Name: WorkingDirectory  
Type: REG\_SZ  
Data: C:\Program Files\Microsoft SQL Server\MSSQL\JOBS

Key Name:  
SOFTWARE\Microsoft\MSSQLServer\SQLServerAgent\Subsystems  
Class Name: <NO CLASS>  
Last Write Time: 1/8/2002 - 1:37 PM

Value 0  
Name: ActiveScripting  
Type: REG\_SZ  
Data: C:\Program Files\Microsoft SQL  
Server\MSSQL\BINN\SQLATXSS.DLL,NULL,ActiveScriptStart,ActiveScriptEvent,ActiveScriptStop,10

Value 1  
Name: CmdExec  
Type: REG\_SZ  
Data: C:\Program Files\Microsoft SQL  
Server\MSSQL\BINN\SQLCMDSS.DLL,NULL,CmdExecStart,CmdEvent,CmdExecStop,10

Value 2  
Name: Distribution  
Type: REG\_SZ  
Data: C:\Program Files\Microsoft SQL  
Server\MSSQL\BINN\SQLREPSS.DLL,C:\Program Files\Microsoft SQL  
Server\80\COM\DISTRIB.EXE,ReplStart,ReplEvent,ReplStop,100

Value 3  
Name: LogReader  
Type: REG\_SZ  
Data: C:\Program Files\Microsoft SQL  
Server\MSSQL\BINN\SQLREPSS.DLL,C:\Program Files\Microsoft SQL  
Server\80\COM\LOGREAD.EXE,ReplStart,ReplEvent,ReplStop,25

Value 4  
Name: Merge  
Type: REG\_SZ  
Data: C:\Program Files\Microsoft SQL  
Server\MSSQL\BINN\SQLREPSS.DLL,C:\Program Files\Microsoft SQL  
Server\80\COM\REPLMERG.EXE,ReplStart,ReplEvent,ReplStop,100

Value 5  
Name: QueueReader  
Type: REG\_SZ  
Data: C:\Program Files\Microsoft SQL  
Server\MSSQL\BINN\SQLREPSS.DLL,C:\Program Files\Microsoft SQL  
Server\80\COM\QRDRSVC.EXE,ReplStart,ReplEvent,ReplStop,100

Value 6  
Name: Snapshot  
Type: REG\_SZ  
Data: C:\Program Files\Microsoft SQL  
Server\MSSQL\BINN\SQLREPSS.DLL,C:\Program Files\Microsoft SQL  
Server\80\COM\SNAPSHOT.EXE,ReplStart,ReplEvent,ReplStop,100

Key Name: SOFTWARE\Microsoft\MSSQLServer\Tracking  
Class Name: <NO CLASS>  
Last Write Time: 1/8/2002 - 1:37 PM  
Value 0

Name: {6DC86044-0C71-11d3-9E18-00C04F79D434}  
 Type: REG\_SZ  
 Data:

Value 1  
 Name: {E07FDDA4-5A21-11d2-9DAD-00C04F79D434}  
 Type: REG\_SZ  
 Data:

Value 2  
 Name: {E07FDDA8-5A21-11d2-9DAD-00C04F79D434}  
 Type: REG\_SZ  
 Data:

Value 3  
 Name: {E07FDDA9-5A21-11d2-9DAD-00C04F79D434}  
 Type: REG\_SZ  
 Data:

Value 4  
 Name: {E07FDDAA-5A21-11d2-9DAD-00C04F79D434}  
 Type: REG\_SZ  
 Data:

Value 5  
 Name: {E07FDDAC-5A21-11d2-9DAD-00C04F79D434}  
 Type: REG\_SZ  
 Data:

Value 6  
 Name: {E07FDDAD-5A21-11d2-9DAD-00C04F79D434}  
 Type: REG\_SZ  
 Data:

Value 7  
 Name: {E07FDDAF-5A21-11d2-9DAD-00C04F79D434}  
 Type: REG\_SZ  
 Data:

Value 8  
 Name: {E07FDDBE-5A21-11d2-9DAD-00C04F79D434}  
 Type: REG\_SZ  
 Data:

Value 9  
 Name: {E07FDDBF-5A21-11d2-9DAD-00C04F79D434}  
 Type: REG\_SZ  
 Data:

Value 10  
 Name: {E07FDDC0-5A21-11d2-9DAD-00C04F79D434}  
 Type: REG\_SZ  
 Data:

Key Name: SOFTWARE\Microsoft\MSSQLServer\Tracking\Shortcuts  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 1:37 PM

Value 0  
 Name: Books Online  
 Type: REG\_SZ  
 Data:

Value 1  
 Name: Client Network Utility  
 Type: REG\_SZ  
 Data:

Value 2  
 Name: Configure SQL XML Support in IIS  
 Type: REG\_SZ  
 Data:

Value 3  
 Name: Enterprise Manager  
 Type: REG\_SZ  
 Data:

Value 4  
 Name: Import and Export Data  
 Type: REG\_SZ  
 Data:

Value 5  
 Name: Profiler  
 Type: REG\_SZ  
 Data:

Value 6  
 Name: Query Analyzer  
 Type: REG\_SZ  
 Data:

Value 7  
 Name: Server Network Utility  
 Type: REG\_SZ  
 Data:

Value 8  
 Name: Service Manager  
 Type: REG\_SZ  
 Data:

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0007

Class Name: <NO CLASS>  
Last Write Time: 1/29/2002 - 11:40 AM

Value 0  
Name: BusType  
Type: REG\_SZ  
Data: 5

Value 1  
Name: Characteristics  
Type: REG\_DWORD  
Data: 0x84

Value 2  
Name: CksumOffload  
Type: REG\_SZ  
Data: 1

Value 3  
Name: ComponentId  
Type: REG\_SZ  
Data: pci\ven\_12ae&dev\_0001&subsys\_00000000

Value 4  
Name: DebugPci  
Type: REG\_SZ  
Data: 0

Value 5  
Name: DriverDate  
Type: REG\_SZ  
Data: 10-19-1999

Value 6  
Name: DriverDateData  
Type: REG\_BINARY  
Data: 00000000 00 c0 db e2 c4 19 bf 01 - .ÂÛ.¿.

Value 7  
Name: DriverDesc  
Type: REG\_SZ  
Data: Alteon WebSystems PCI Gigabit Ethernet Adapter

Value 8  
Name: DriverVersion  
Type: REG\_SZ  
Data: 1.16.2.0

Value 9  
Name: FdrFilter  
Type: REG\_SZ  
Data: 0

Value 10  
Name: Fix450GX  
Type: REG\_SZ  
Data: 0

Value 11  
Name: HostTracing  
Type: REG\_SZ  
Data: 1

Value 12  
Name: InfPath  
Type: REG\_SZ  
Data: netalt.inf

Value 13  
Name: InfSection  
Type: REG\_SZ  
Data: acenic.ndi

Value 14  
Name: InfSectionExt  
Type: REG\_SZ  
Data: .NT

Value 15  
Name: IntCount  
Type: REG\_SZ  
Data: 2000

Value 16  
Name: JumboFrames  
Type: REG\_SZ  
Data: 0

Value 17  
Name: JumboMtu  
Type: REG\_SZ  
Data: 1500

Value 18  
Name: LinkNegotiation  
Type: REG\_SZ  
Data: 1

Value 19  
Name: MatchingDeviceId  
Type: REG\_SZ  
Data: pci\ven\_12ae&dev\_0001&subsys\_00000000

Value 20  
Name: NetCfgInstanceId  
Type: REG\_SZ

Data: {7120448E-BC0E-4184-94F6-69BC78851FBD}

Value 21  
 Name: NicTracing  
 Type: REG\_SZ  
 Data: 0

Value 22  
 Name: PciLatencyTimer  
 Type: REG\_SZ  
 Data: 40

Value 23  
 Name: PciMemInvalidate  
 Type: REG\_SZ  
 Data: 1

Value 24  
 Name: PciReadMax  
 Type: REG\_SZ  
 Data: ffffffff

Value 25  
 Name: PciWriteMax  
 Type: REG\_SZ  
 Data: ffffffff

Value 26  
 Name: ProviderName  
 Type: REG\_SZ  
 Data: Microsoft

Value 27  
 Name: RecvCoalMax  
 Type: REG\_SZ  
 Data: 80

Value 28  
 Name: RecvCoalTicks  
 Type: REG\_SZ  
 Data: 12000

Value 29  
 Name: RxFlowControl  
 Type: REG\_SZ  
 Data: 0

Value 30  
 Name: SendCoalMax  
 Type: REG\_SZ  
 Data: 80

Value 31

Name: SendCoalTicks  
 Type: REG\_SZ  
 Data: 12000

Value 32  
 Name: StatTicks  
 Type: REG\_SZ  
 Data: 100000

Value 33  
 Name: TxFlowControl  
 Type: REG\_SZ  
 Data: 0

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0007\Linkage  
 Class Name: <NO CLASS>  
 Last Write Time: 1/29/2002 - 11:35 AM

Value 0  
 Name: Export  
 Type: REG\_MULTI\_SZ  
 Data: \Device\{7120448E-BC0E-4184-94F6-69BC78851FBD}

Value 1  
 Name: RootDevice  
 Type: REG\_MULTI\_SZ  
 Data: {7120448E-BC0E-4184-94F6-69BC78851FBD}

Value 2  
 Name: UpperBind  
 Type: REG\_MULTI\_SZ  
 Data: Tcpi

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0007\Ndi  
 Class Name: <NO CLASS>  
 Last Write Time: 1/29/2002 - 11:35 AM

Value 0  
 Name: Service  
 Type: REG\_SZ  
 Data: altn5

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0007\Ndi\Interfaces  
 Class Name: <NO CLASS>  
 Last Write Time: 1/29/2002 - 11:35 AM

Value 0

Name: LowerRange  
Type: REG\_SZ  
Data: ethernet

Value 1  
Name: UpperRange  
Type: REG\_SZ  
Data: ndis5

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0007\Ndi\params  
Class Name: <NO CLASS>  
Last Write Time: 1/29/2002 - 11:35 AM

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0007\Ndi\params\JumboFrames  
Class Name: <NO CLASS>  
Last Write Time: 1/29/2002 - 11:35 AM

Value 0  
Name: default  
Type: REG\_SZ  
Data: 0

Value 1  
Name: ParamDesc  
Type: REG\_SZ  
Data: JumboFrames

Value 2  
Name: type  
Type: REG\_SZ  
Data: enum

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0007\Ndi\params\JumboFrames\enum  
Class Name: <NO CLASS>  
Last Write Time: 1/29/2002 - 11:35 AM

Value 0  
Name: 0  
Type: REG\_SZ  
Data: Off

Value 1  
Name: 1  
Type: REG\_SZ  
Data: On

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0007\Ndi\params\JumboMtu  
Class Name: <NO CLASS>

Last Write Time: 1/29/2002 - 11:35 AM

Value 0  
Name: base  
Type: REG\_SZ  
Data: 10

Value 1  
Name: default  
Type: REG\_SZ  
Data: 1500

Value 2  
Name: max  
Type: REG\_SZ  
Data: 9000

Value 3  
Name: min  
Type: REG\_SZ  
Data: 1500

Value 4  
Name: ParamDesc  
Type: REG\_SZ  
Data: JumboMtu

Value 5  
Name: step  
Type: REG\_SZ  
Data: 100

Value 6  
Name: type  
Type: REG\_SZ  
Data: dword

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0007\Ndi\params\LinkNegotiation  
Class Name: <NO CLASS>  
Last Write Time: 1/29/2002 - 11:35 AM

Value 0  
Name: default  
Type: REG\_SZ  
Data: 1

Value 1  
Name: ParamDesc  
Type: REG\_SZ  
Data: LinkNegotiation

Value 2  
Name: type

```

Type:          REG_SZ
Data:          enum

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0007\Ndi\params\LinkNegotiation\enum
Class Name:    <NO CLASS>
Last Write Time: 1/29/2002 - 11:35 AM
Value 0
  Name:        0
  Type:        REG_SZ
  Data:        Off

Value 1
  Name:        1
  Type:        REG_SZ
  Data:        On

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0007\Ndi\params\NetworkAddress
Class Name:    <NO CLASS>
Last Write Time: 1/29/2002 - 11:35 AM
Value 0
  Name:        default
  Type:        REG_SZ
  Data:        0060CF000000

Value 1
  Name:        optional
  Type:        REG_SZ
  Data:        1

Value 2
  Name:        ParamDesc
  Type:        REG_SZ
  Data:        NetworkAddress

Value 3
  Name:        type
  Type:        REG_SZ
  Data:        edit

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0007\Ndi\params\RxFowControl
Class Name:    <NO CLASS>
Last Write Time: 1/29/2002 - 11:35 AM
Value 0
  Name:        default
  Type:        REG_SZ
  Data:        1

```

```

Value 1
  Name:        ParamDesc
  Type:        REG_SZ
  Data:        RxFlowControl

Value 2
  Name:        type
  Type:        REG_SZ
  Data:        enum

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0007\Ndi\params\RxFowControl\enum
Class Name:    <NO CLASS>
Last Write Time: 1/29/2002 - 11:35 AM
Value 0
  Name:        0
  Type:        REG_SZ
  Data:        Off

Value 1
  Name:        1
  Type:        REG_SZ
  Data:        On

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0007\Ndi\params\TxFlowControl
Class Name:    <NO CLASS>
Last Write Time: 1/29/2002 - 11:35 AM
Value 0
  Name:        default
  Type:        REG_SZ
  Data:        0

Value 1
  Name:        ParamDesc
  Type:        REG_SZ
  Data:        TxFlowControl

Value 2
  Name:        type
  Type:        REG_SZ
  Data:        enum

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0007\Ndi\params\TxFlowControl\enum
Class Name:    <NO CLASS>
Last Write Time: 1/29/2002 - 11:35 AM
Value 0
  Name:        0
  Type:        REG_SZ

```

Data: Off

Value 1  
 Name: 1  
 Type: REG\_SZ  
 Data: On

Key Name: SYSTEM\CurrentControlSet\Services\dac2w2k  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 2:04 PM

Value 0  
 Name: ErrorControl  
 Type: REG\_DWORD  
 Data: 0x1

Value 1  
 Name: Group  
 Type: REG\_SZ  
 Data: SCSI Miniport

Value 2  
 Name: ImagePath  
 Type: REG\_EXPAND\_SZ  
 Data: System32\DRIVERS\dac2w2k.sys

Value 3  
 Name: Start  
 Type: REG\_DWORD  
 Data: 0

Value 4  
 Name: Tag  
 Type: REG\_DWORD  
 Data: 0x21

Value 5  
 Name: Type  
 Type: REG\_DWORD  
 Data: 0x1

Key Name: SYSTEM\CurrentControlSet\Services\dac2w2k\Enum  
 Class Name: <NO CLASS>  
 Last Write Time: 2/4/2002 - 1:50 PM

Value 0  
 Name: 0  
 Type: REG\_SZ  
 Data: PCI\VEN\_1069&DEV\_BA56&SUBSYS\_00401069&REV\_00\4&210f17e&0&4008

Value 1  
 Name: 1

Type: REG\_SZ  
 Data: PCI\VEN\_1069&DEV\_BA56&SUBSYS\_00401069&REV\_00\4&1cf81133&0&4010

Value 2  
 Name: 2  
 Type: REG\_SZ  
 Data: PCI\VEN\_1069&DEV\_BA56&SUBSYS\_00401069&REV\_00\4&f43fc24&0&4008

Value 3  
 Name: 3  
 Type: REG\_SZ  
 Data: PCI\VEN\_1069&DEV\_BA56&SUBSYS\_00401069&REV\_00\4&2bd5c37a&0&4010

Value 4  
 Name: Count  
 Type: REG\_DWORD  
 Data: 0x4

Value 5  
 Name: NextInstance  
 Type: REG\_DWORD  
 Data: 0x4

Key Name: SYSTEM\CurrentControlSet\Services\dac2w2k\Parameters  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 2:04 PM

Key Name: SYSTEM\CurrentControlSet\Services\dac2w2k\Parameters\Device  
 Class Name: <NO CLASS>  
 Last Write Time: 1/30/2002 - 3:02 PM

Value 0  
 Name: DriverParameter  
 Type: REG\_SZ  
 Data: ConfigureSIR=24

Key Name: SYSTEM\CurrentControlSet\Services\dac2w2k\Parameters\PnpInterface  
 Class Name: <NO CLASS>  
 Last Write Time: 1/8/2002 - 2:04 PM

Value 0  
 Name: 5  
 Type: REG\_DWORD  
 Data: 0x1

Key Name: SYSTEM\CurrentControlSet\Services\dac2w2k\Security  
 Class Name: <NO CLASS>

```

Last Write Time: 1/8/2002 - 2:04 PM
Value 0
Name: Security
Type: REG_BINARY
Data:
00000000 01 00 14 80 a0 00 00 00 - ac 00 00 00 14 00 00 00
.....
00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02 80 14 00
0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00 00 00 00
ÿ.....
00000030 02 00 70 00 04 00 00 00 - 00 00 18 00 fd 01 02 00
..p.....ÿ...
00000040 01 01 00 00 00 00 00 05 - 12 00 00 00 74 00 69 00
.....t.i.
00000050 00 00 1c 00 ff 01 0f 00 - 01 02 00 00 00 00 00 05
...ÿ.....
00000060 20 00 00 00 20 02 00 00 - 76 00 65 00 00 00 18 00 ...
...v.e.....
00000070 8d 01 02 00 01 01 00 00 - 00 00 00 05 0b 00 00 00
.....
00000080 20 02 00 00 00 00 1c 00 - fd 01 02 00 01 02 00 00
.....ÿ.....
00000090 00 00 00 05 20 00 00 00 - 23 02 00 00 76 00 65 00 ....
...#...v.e.
000000a0 01 01 00 00 00 00 00 05 - 12 00 00 00 01 01 00 00
.....
000000b0 00 00 00 05 12 00 00 00 - .....

```

**This section discloses hardware information and the Windows 2000 registry parameters used on the PRIMERGY B225 client systems.**

System Information report written at: 02/04/2002 03:48:35 PM  
[System Summary]

```

Item Value
OS Name Microsoft Windows 2000 Server
Version 5.0.2195 Service Pack 2 Build 2195
OS Manufacturer Microsoft Corporation
System Name B210CL1
System Manufacturer FUJITSU SIEMENS COMPUTERS
System Model System Name
System Type X86-based PC
Processor x86 Family 6 Model 8 Stepping 6 GenuineIntel ~933 Mhz
BIOS Version Award Medallion BIOS v6.0
Windows Directory C:\WINNT
System Directory C:\WINNT\System32
Boot Device \Device\Harddisk0\Partition1

```

```

Locale United States
User Name B210CL1\Administrator
Time Zone W. Europe Standard Time
Total Physical Memory 523,800 KB
Available Physical Memory 439,904 KB
Total Virtual Memory 1,802,568 KB
Available Virtual Memory 1,658,316 KB
Page File Space 1,278,768 KB
Page File C:\pagefile.sys

```

System Information report written at: 02/04/2002 03:48:23 PM  
[Hardware Resources]

[ Following are sub-categories of this main category ]

[Conflicts/Sharing]

Resource Device  
No conflicted/shared resources

[DMA]

```

Channel Device Status
4 Direct memory access controller OK
2 Standard floppy disk controller OK

```

[Forced Hardware]

Device PNP Device ID  
No Forced Hardware

[I/O]

```

Address Range Device Status
0x0000-0x0CF7 PCI bus OK
0x0000-0x0CF7 Direct memory access controller OK
0x0D00-0xAFFF PCI bus OK
0xC000-0xFFFF PCI bus OK
0xD800-0xD83F Intel(R) PRO/100+ Server Adapter (PILA8470B) OK
0xF000-0xF0FF ATI Technologies Inc. RAGE XL PCI OK
0x03B0-0x03BB ATI Technologies Inc. RAGE XL PCI OK
0x03C0-0x03DF ATI Technologies Inc. RAGE XL PCI OK
0x0A79-0x0A79 ISAPNP Read Data Port OK
0x0279-0x0279 ISAPNP Read Data Port OK
0x02F4-0x02F7 ISAPNP Read Data Port OK
0x0081-0x008F Direct memory access controller OK
0x00C0-0x00DF Direct memory access controller OK
0x0020-0x0021 Programmable interrupt controller OK
0x00A0-0x00A1 Programmable interrupt controller OK
0x00F0-0x00FE Numeric data processor OK
0x0040-0x0043 System timer OK
0x0061-0x0061 System speaker OK
0x0C00-0x0CEF Motherboard resources OK

```

```

0x0F50-0x0F58 Motherboard resources OK
0xE400-0xE47F Motherboard resources OK
0xEB00-0xEB3F Motherboard resources OK
0x0060-0x0060 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
OK
0x0064-0x0064 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
OK
0x0070-0x0071 System CMOS/real time clock OK
0x03F0-0x03F5 Standard floppy disk controller OK
0x03F7-0x03F7 Standard floppy disk controller OK
0xD000-0xD00F Standard Dual Channel PCI IDE Controller OK
0x01F0-0x01F7 Primary IDE Channel OK
0x03F6-0x03F6 Primary IDE Channel OK
0x0170-0x0177 Secondary IDE Channel OK
0x0376-0x0376 Secondary IDE Channel OK
0xB000-0xBFFF PCI bus OK
0xB000-0xBFFF LSI Logic Ultra3 PCI SCSI Adapter OK
0xB800-0xB83F Intel(R) PRO/100+ Management Adapter OK
0xB400-0xB4FF LSI Logic Ultra3 PCI SCSI Adapter OK

```

[IRQs]

```

IRQ Number Device
9 Microsoft ACPI-Compliant System
20 Intel(R) PRO/100+ Server Adapter (PILA8470B)
13 Numeric data processor
1 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
12 PS/2 Compatible Mouse
8 System CMOS/real time clock
6 Standard floppy disk controller
14 Primary IDE Channel
22 Intel(R) PRO/100+ Management Adapter
24 LSI Logic Ultra3 PCI SCSI Adapter
25 LSI Logic Ultra3 PCI SCSI Adapter

```

[Memory]

```

RangeDevice Status
0x0000-0x9FFFF System board OK
0xF0000-0xFFFFF System board OK
0x100000-0x1FFFFFFF System board OK
0xFFFF80000-0xFFFFFFFF System board OK
0xA0000-0xBFFFF PCI bus OK
0xA0000-0xBFFFF ATI Technologies Inc. RAGE XL PCI OK
0xFB000000-0xFE9FFFFF PCI bus OK
0xFEBE0000-0xFEBFFFFF PCI bus OK
0xFE000000-0xFE000FFF Intel(R) PRO/100+ Server Adapter (PILA8470B)
OK
0xFD800000-0xFD8FFFFF Intel(R) PRO/100+ Server Adapter (PILA8470B)
OK
0xFC000000-0xFCFFFFFFF ATI Technologies Inc. RAGE XL PCI OK
0xFB800000-0xFB800FFF ATI Technologies Inc. RAGE XL PCI OK
0xF8000000-0xFAFFFFFFF PCI bus OK

```

```

0xF8000000-0xFAFFFFFFF LSI Logic Ultra3 PCI SCSI Adapter OK
0xFEAA0000-0xFEBDFFFF PCI bus OK
0xFEE10000-0xFFFF7FFF PCI bus OK
0xFA800000-0xFA800FFF Intel(R) PRO/100+ Management Adapter OK
0xFA000000-0xFA0FFFFF Intel(R) PRO/100+ Management Adapter OK
0xF9800000-0xF98003FF LSI Logic Ultra3 PCI SCSI Adapter OK
0xF9000000-0xF9001FFF LSI Logic Ultra3 PCI SCSI Adapter OK
0xF8800000-0xF88003FF LSI Logic Ultra3 PCI SCSI Adapter OK

```

System Information report written at: 02/04/2002 03:46:05 PM  
[Components]

[ Following are sub-categories of this main category ]

[Multimedia]

[ Following are sub-categories of this main category ]

[Audio Codecs]

CodecManufacturer	Description	Status	File	Version	Size
	Creation Date				
c:\winnt\system32\iac25_32.ax	Intel Corporation	OK	Indeo® audio software	2.05.53	195.00 KB (199,680 bytes)
	C:\WINNT\System32\IAC25_32.AX				12/7/1999 1:00:00 PM
c:\winnt\system32\msg723.acm	Microsoft Corporation	OK			
	C:\WINNT\System32\MSG723.ACM			4.4.3385	106.77 KB (109,328 bytes)
					2/12/2001 3:47:52 PM
c:\winnt\system32\lhacm.acm	Microsoft Corporation	OK			
	C:\WINNT\System32\LHACM.ACM			4.4.3385	33.27 KB (34,064 bytes)
					2/12/2001 3:47:53 PM
c:\winnt\system32\tssoft32.acm	DSP GROUP, INC.	OK			
	C:\WINNT\System32\TSSOFT32.ACM			1.01	9.27 KB (9,488 bytes)
					12/7/1999 1:00:00 PM
c:\winnt\system32\msgsm32.acm	Microsoft Corporation	OK			
	C:\WINNT\System32\MSGSM32.ACM			5.00.2134.1	22.27 KB (22,800 bytes)
					12/7/1999 1:00:00 PM
c:\winnt\system32\msg711.acm	Microsoft Corporation	OK			
	C:\WINNT\System32\MSG711.ACM			5.00.2134.1	10.27 KB (10,512 bytes)
					12/7/1999 1:00:00 PM
c:\winnt\system32\msadp32.acm	Microsoft Corporation	OK			
	C:\WINNT\System32\MSADP32.ACM			5.00.2134.1	14.77 KB (15,120 bytes)
					12/7/1999 1:00:00 PM
c:\winnt\system32\imaadp32.acm	Microsoft Corporation	OK			
	C:\WINNT\System32\IMAADP32.ACM			5.00.2134.1	16.27 KB (16,656 bytes)
					12/7/1999 1:00:00 PM

[Video Codecs]

CodecManufacturer	Description	Status	File	Version	Size
	Creation Date				

```

c:\winnt\system32\msvidc32.dll Microsoft Corporation      OK
C:\WINNT\System32\MSVIDC32.DLL 5.00.2134.1    27.27 KB (27,920
bytes) 12/7/1999 1:00:00 PM
c:\winnt\system32\msrle32.dll Microsoft Corporation      OK
C:\WINNT\System32\MSRLE32.DLL 5.00.2134.1    10.77 KB (11,024
bytes) 12/7/1999 1:00:00 PM
c:\winnt\system32\ir32_32.dll Intel(R) Corporation      OK
C:\WINNT\System32\IR32_32.DLL Not Available 194.50 KB (199,168
bytes) 12/7/1999 1:00:00 PM
c:\winnt\system32\iccvid.dll Radius Inc.              OK
C:\WINNT\System32\ICCVID.DLL 1.10.0.6    108.00 KB (110,592 bytes)
12/7/1999 1:00:00 PM
c:\winnt\system32\ir50_32.dll Intel Corporation      Indeo® video 5.10
OK C:\WINNT\System32\IR50_32.DLL R.5.10.15.2.55 737.50 KB
(755,200 bytes) 12/7/1999 1:00:00 PM
c:\winnt\system32\msh261.drv Microsoft Corporation      OK
C:\WINNT\System32\MSH261.DRV 4.4.3385    163.77 KB (167,696 bytes)
2/12/2001 3:47:52 PM
c:\winnt\system32\msh263.drv Microsoft Corporation      OK
C:\WINNT\System32\MSH263.DRV 4.4.3385    252.27 KB (258,320 bytes)
2/12/2001 3:47:24 PM

```

[CD-ROM]

```

Item Value
Drived:
Description      CD-ROM Drive
Media Loaded     False
Media Type       CD-ROM
Name             MITSUMI CD-ROM FX4830T!B
Manufacturer     (Standard CD-ROM drives)
Status           OK
Transfer Rate    Not Available
SCSI Target ID  0
PNP Device ID   IDE\CDROMMITSUMI_CD-
ROM_FX4830T!B_____R02C____\5&F3420B7&0&0.0.0

```

[Sound Device]

```

Item Value
No sound devices

```

[Display]

```

Item Value
Name ATI Technologies Inc. RAGE XL PCI
PNP Device ID
PCI\VEN_1002&DEV_4752&SUBSYS_802B1043&REV_65\3&13C0B0C5&0&38
Adapter Type  ATI RAGE XL PCI (B22), ATI Technologies Inc. compatible
Adapter Description  ATI Technologies Inc. RAGE XL PCI
Adapter RAM    4.00 MB (4,194,304 bytes)
Installed Drivers  atidrab.dll

```

```

Driver Version 5.00.2179.1
INF File display.inf (atirage3 section)
Color Planes 1
Color Table Entries 16777216
Resolution 800 x 600 x 85 hertz
Bits/Pixel 24

```

[Infrared]

```

Item Value
No infrared devices

```

[Input]

[ Following are sub-categories of this main category ]

[Keyboard]

```

Item Value
Description      Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
Name Enhanced (101- or 102-key)
Layout           00000409
PNP Device ID   ACPI\PNP0303\5&2C631CF0&0
NumberOfFunctionKeys 12

```

[Pointing Device]

```

Item Value
Hardware Type    PS/2 Compatible Mouse
Number of Buttons 2
Status          OK
PNP Device ID   ACPI\PNP0F13\5&2C631CF0&0
Power Management Supported False
Double Click Threshold 6
Handedness Right Handed Operation

```

[Modem]

```

Item Value
No modems

```

[Network]

[ Following are sub-categories of this main category ]

[Adapter]

```

Item Value
Name [00000000] Intel(R) PRO/100+ Server Adapter (PILA8470B)
Adapter Type    Ethernet 802.3

```

Product Name Intel(R) PRO/100+ Server Adapter (PILA8470B)  
Installed True  
PNP Device ID  
PCI\VEN\_8086&DEV\_1229&SUBSYS\_100C8086&REV\_08\3&13C0B0C5&0&10  
Last Reset 2/4/2002 10:57:48 AM  
Index0  
Service Name E100B  
IP Address 129.103.181.211  
IP Subnet 255.255.255.0  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address 00:E0:18:04:82:7C  
Service Name E100B  
IRQ Number 20  
I/O Port 0xD800-0xD83F  
Driver c:\winnt\system32\drivers\e100bnt5.sys (119056, 5.40.11.0000)

Name [00000001] RAS Async Adapter  
Adapter Type Not Available  
Product Name RAS Async Adapter  
Installed True  
PNP Device ID Not Available  
Last Reset 2/4/2002 10:57:48 AM  
Index1  
Service Name AsyncMac  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address Not Available  
Service Name Not Available

Name [00000002] WAN Miniport (L2TP)  
Adapter Type Not Available  
Product Name WAN Miniport (L2TP)  
Installed True  
PNP Device ID ROOT\MS\_L2TPMINIPORT\0000  
Last Reset 2/4/2002 10:57:48 AM  
Index2  
Service Name Rasl2tp  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available

MAC Address Not Available  
Service Name Rasl2tp  
Driver c:\winnt\system32\drivers\rasl2tp.sys (50800, 5.00.2179.1)

Name [00000003] WAN Miniport (PPTP)  
Adapter Type Wide Area Network (WAN)  
Product Name WAN Miniport (PPTP)  
Installed True  
PNP Device ID ROOT\MS\_PPTPMINIPORT\0000  
Last Reset 2/4/2002 10:57:48 AM  
Index3  
Service Name PptpMiniport  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address 50:50:54:50:30:30  
Service Name PptpMiniport  
Driver c:\winnt\system32\drivers\raspptp.sys (47856, 5.00.2160.1)

Name [00000004] Direct Parallel  
Adapter Type Not Available  
Product Name Direct Parallel  
Installed True  
PNP Device ID ROOT\MS\_PTMINIPORT\0000  
Last Reset 2/4/2002 10:57:48 AM  
Index4  
Service Name Raspti  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address Not Available  
Service Name Raspti  
Driver c:\winnt\system32\drivers\raspti.sys (16880, 5.00.2146.1)

Name [00000005] WAN Miniport (IP)  
Adapter Type Not Available  
Product Name WAN Miniport (IP)  
Installed True  
PNP Device ID ROOT\MS\_NDISWANIP\0000  
Last Reset 2/4/2002 10:57:48 AM  
Index5  
Service Name NdisWan  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available

DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address Not Available  
Service Name NdisWan  
Driver c:\winnt\system32\drivers\ndiswan.sys (90096, 5.00.2195.2779)

Name [00000006] Intel(R) PRO/100+ Management Adapter  
Adapter Type Ethernet 802.3  
Product Name Intel(R) PRO/100+ Management Adapter  
Installed True  
PNP Device ID  
PCI\VEN\_8086&DEV\_1229&SUBSYS\_000C8086&REV\_08\3&1070020&0&18  
Last Reset 2/4/2002 10:57:48 AM  
Index 6

Service Name E100B  
IP Address 129.103.211.1  
IP Subnet 255.255.255.0  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address 00:03:47:24:1B:34  
Service Name E100B  
IRQ Number 22  
I/O Port 0xB800-0xB83F  
Driver c:\winnt\system32\drivers\e100bnt5.sys (119056, 5.40.11.0000)

[Protocol]

Item Value  
Name MSAFD Tcpip [TCP/IP]  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 16 bytes  
MaximumMessageSize 0 bytes  
MessageOriented False  
MinimumAddressSize 16 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData True  
SupportsGracefulClosing True  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD Tcpip [UDP/IP]

ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 16 bytes  
MaximumMessageSize 65467 bytes  
MessageOriented True  
MinimumAddressSize 16 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting True

Name RSVP UDP Service Provider  
ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 16 bytes  
MaximumMessageSize 65467 bytes  
MessageOriented True  
MinimumAddressSize 16 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption True  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting True

Name RSVP TCP Service Provider  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 16 bytes  
MaximumMessageSize 0 bytes  
MessageOriented False  
MinimumAddressSize 16 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption True  
SupportsExpeditedData True  
SupportsGracefulClosing True  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{0A5893CC-C2D4-4D6C-84C1-9B00201C43F5}] SEQPACKET 3  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{0A5893CC-C2D4-4D6C-84C1-9B00201C43F5}] DATAGRAM 3  
ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{9B070E23-A33F-47B8-852E-BE365B1D8C9C}] SEQPACKET 0  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False

SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{9B070E23-A33F-47B8-852E-BE365B1D8C9C}] DATAGRAM 0  
ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{CA92CE14-2FC2-4FF3-B680-1F7DF9594EAF}] SEQPACKET 1  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{CA92CE14-2FC2-4FF3-B680-1F7DF9594EAF}] DATAGRAM 1  
ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True

SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{FD73BFE5-0643-4705-9572-5E3D92E4F8AD}] SEQPACKET 2  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS [\Device\NetBT\_Tcpip\_{FD73BFE5-0643-4705-9572-5E3D92E4F8AD}] DATAGRAM 2  
ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

[WinSock]

Item Value  
File c:\winnt\system32\winsock.dll  
Version 3.10  
Size 2.80 KB (2,864 bytes)

File c:\winnt\system32\wsock32.dll  
Version 5.00.2195.2871  
Size 21.27 KB (21,776 bytes)

[Ports]

[ Following are sub-categories of this main category ]

[Serial]

Item Value  
No serial port information

[Parallel]

Item Value  
No parallel port information

[Storage]

[ Following are sub-categories of this main category ]

[Drives]

Item Value  
DriveA:  
Description 3 1/2 Inch Floppy Drive

DriveC:  
Description Local Fixed Disk  
Compressed False  
File System NTFS  
Size 8.50 GB (9,121,800,192 bytes)  
Free Space 4.72 GB (5,071,716,352 bytes)  
Volume Name  
Volume Serial Number 080A3D50  
Partition Disk #0, Partition #0  
Partition Size 8.50 GB (9,121,803,264 bytes)  
Starting Offset 32256 bytes  
Drive Description Disk drive  
Drive Manufacturer (Standard disk drives)  
Drive Model FUJITSU MAG3091LC SCSI Disk Device  
Drive BytesPerSector 512  
Drive MediaLoaded True  
Drive MediaType Fixed hard disk media  
Drive Partitions 1  
Drive SCSIbus 0  
Drive SCSILogicalUnit 0  
Drive SCSIPort 2  
Drive SCISITargetId 0  
Drive SectorsPerTrack 63

Drive Size 9121835520 bytes  
Drive TotalCylinders 1109  
Drive TotalSectors 17816085  
Drive TotalTracks 282795  
Drive TracksPerCylinder 255

[SCSI]

Item Value  
Name LSI Logic Ultra3 PCI SCSI Adapter  
Caption LSI Logic Ultra3 PCI SCSI Adapter  
Driver Lsi\_u3  
Status OK  
PNP Device ID  
PCI\VEN\_1000&DEV\_0020&SUBSYS\_00000000&REV\_01\3&1070020&0&28  
Device ID PCI\VEN\_1000&DEV\_0020&SUBSYS\_00000000&REV\_01\3&1070020&0&28  
Device Map Not Available  
Index Not Available  
Max Number Controlled Not Available  
IRQ Number 24  
I/O Port 0xB400-0xB4FF  
Driver c:\winnt\system32\drivers\lsi\_u3.sys (30192, LSI\_U3NT-5.01.00)

Name LSI Logic Ultra3 PCI SCSI Adapter  
Caption LSI Logic Ultra3 PCI SCSI Adapter  
Driver Lsi\_u3  
Status OK  
PNP Device ID  
PCI\VEN\_1000&DEV\_0020&SUBSYS\_00000000&REV\_01\3&1070020&0&29  
Device ID PCI\VEN\_1000&DEV\_0020&SUBSYS\_00000000&REV\_01\3&1070020&0&29  
Device Map Not Available  
Index Not Available  
Max Number Controlled Not Available  
IRQ Number 25  
I/O Port 0xB000-0xBFFF  
Driver c:\winnt\system32\drivers\lsi\_u3.sys (30192, LSI\_U3NT-5.01.00)

[Printing]

Name Port Name Server Name  
No printing information

[Problem Devices]

Device PNP Device ID Error Code  
No Problem Devices

[USB]

Device PNP Device ID  
No USB Devices

System Information report written at: 02/04/2002 03:48:35 PM  
[System Summary]

Item Value  
OS Name Microsoft Windows 2000 Server  
Version 5.0.2195 Service Pack 2 Build 2195  
OS Manufacturer Microsoft Corporation  
System Name B210CL1  
System Manufacturer FUJITSU SIEMENS COMPUTERS  
System Model System Name  
System Type X86-based PC  
Processor x86 Family 6 Model 8 Stepping 6 GenuineIntel ~933 Mhz  
BIOS Version Award Medallion BIOS v6.0  
Windows Directory C:\WINNT  
System Directory C:\WINNT\System32  
Boot Device \Device\Harddisk0\Partition1  
Locale United States  
User Name B210CL1\Administrator  
Time Zone W. Europe Standard Time  
Total Physical Memory 523,800 KB  
Available Physical Memory 439,904 KB  
Total Virtual Memory 1,802,568 KB  
Available Virtual Memory 1,658,316 KB  
Page File Space 1,278,768 KB  
Page File C:\pagefile.sys

System Information report written at: 02/04/2002 03:49:25 PM  
[Environment Variables]

Variable Value User Name  
ComSpec %SystemRoot%\system32\cmd.exe <SYSTEM>  
Os2LibPath %SystemRoot%\system32\os2\dll; <SYSTEM>  
Path  
%SystemRoot%\system32;%SystemRoot%;%SystemRoot%\System32\Wbem;C:\Program Files\Microsoft SQL Server\80\Tools\BINN <SYSTEM>  
windir %SystemRoot% <SYSTEM>  
OS Windows\_NT <SYSTEM>  
PROCESSOR\_ARCHITECTURE x86 <SYSTEM>  
PROCESSOR\_LEVEL 6 <SYSTEM>  
PROCESSOR\_IDENTIFIER x86 Family 6 Model 8 Stepping 6, GenuineIntel <SYSTEM>  
PROCESSOR\_REVISION 0806 <SYSTEM>  
NUMBER\_OF\_PROCESSORS 1 <SYSTEM>  
PATHEXT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH <SYSTEM>  
TEMP %SystemRoot%\TEMP <SYSTEM>  
TMP %SystemRoot%\TEMP <SYSTEM>  
TEMP %USERPROFILE%\Local Settings\Temp B210CL1\Administrator  
TMP %USERPROFILE%\Local Settings\Temp B210CL1\Administrator

System Information report written at: 02/04/2002 03:50:55 PM  
[Services]

Display Name	Name	State	Start Mode	Service Type	Path	Error Control
Start Name	Tag	ID				
Alerter	Alerter	Running	Auto	Share Process		
	c:\winnt\system32\services.exe		Normal	LocalSystem		0
Application Management	AppMgmt	Stopped	Manual	Share Process		
	c:\winnt\system32\services.exe		Normal	LocalSystem		0
Computer Browser	Browser	Stopped	Disabled	Share Process		
	c:\winnt\system32\services.exe		Normal	LocalSystem		0
Indexing Service	cisvc	Stopped	Disabled	Share Process		
	c:\winnt\system32\cisvc.exe		Normal	LocalSystem		0
ClipBook	ClipSrv	Stopped	Manual	Own Process		
	c:\winnt\system32\clipsrv.exe		Normal	LocalSystem		0
Distributed File System	Dfs	Stopped	Manual	Own Process		
	c:\winnt\system32\dfssvc.exe		Normal	LocalSystem		0
DHCP Client	Dhcp	Stopped	Disabled	Share Process		
	c:\winnt\system32\services.exe		Normal	LocalSystem		0
Logical Disk Manager	Administrative Service			dmadmin	Stopped	
	Manual	Share Process		c:\winnt\system32\dmadmin.exe	/com	
	Normal	LocalSystem				0
Logical Disk Manager	dmsrvr	Stopped	Manual	Share Process		
	c:\winnt\system32\services.exe		Normal	LocalSystem		0
DNS Client	Dnscache	Stopped	Disabled	Share Process		
	c:\winnt\system32\services.exe		Normal	LocalSystem		0
Event Log	Eventlog	Running	Auto	Share Process		
	c:\winnt\system32\services.exe		Normal	LocalSystem		0
COM+ Event System	EventSystem	Running	Auto	Share Process		
	c:\winnt\system32\svchost.exe	-k netsvcs	Normal	LocalSystem		0
Fax Service	Fax	Stopped	Disabled	Own Process		
	c:\winnt\system32\faxsvc.exe		Normal	LocalSystem		0
IIS Admin Service	IISADMIN	Running	Auto	Share Process		
	c:\winnt\system32\inetssrv\inetinfo.exe		Normal	LocalSystem		0
Intersite Messaging	IsmServ	Stopped	Disabled	Own Process		
	c:\winnt\system32\ismssrv.exe		Normal	LocalSystem		0
Kerberos Key Distribution Center	kdc	Stopped	Disabled	Share Process		
	c:\winnt\system32\lsass.exe		Normal	LocalSystem		0
Server	lanmanserver	Running	Auto	Share Process		
	c:\winnt\system32\services.exe		Normal	LocalSystem		0
Workstation	lanmanworkstation	Running	Auto	Share Process		
	c:\winnt\system32\services.exe		Normal	LocalSystem		0
License Logging Service	LicenseService	Stopped	Disabled	Own Process		
	c:\winnt\system32\llssrv.exe		Normal	LocalSystem		0
TCP/IP NetBIOS Helper Service	LmHosts	Stopped	Manual	Share Process		
	c:\winnt\system32\services.exe		Normal	LocalSystem		0
Messenger	Messenger	Running	Auto	Share Process		
	c:\winnt\system32\services.exe		Normal	LocalSystem		0
NetMeeting Remote Desktop Sharing	mnmsrvc	Stopped	Disabled	Own Process		
	c:\winnt\system32\mnmsrvc.exe		Normal	LocalSystem		0
Distributed Transaction Coordinator	MSDTC	Stopped	Manual	Own Process		
	c:\winnt\system32\msdtc.exe		Normal	LocalSystem		0

Windows Installer	MSIServer	Stopped	Manual	Share Process		
	c:\winnt\system32\msiexec.exe	/v	Normal	LocalSystem		0
Network DDE	NetDDE	Stopped	Manual	Share Process		
	c:\winnt\system32\netdde.exe		Normal	LocalSystem		0
Network DDE DSDM	NetDDEdsdm	Stopped	Manual	Share Process		
	c:\winnt\system32\netdde.exe		Normal	LocalSystem		0
Net Logon	Netlogon	Stopped	Manual	Share Process		
	c:\winnt\system32\lsass.exe		Normal	LocalSystem		0
Network Connections	Netman	Running	Manual	Share Process		
	c:\winnt\system32\svchost.exe	-k netsvcs	Normal	LocalSystem		0
NMS Service	NMSSvc	Stopped	Manual	Own Process		
	c:\winnt\system32\nmssvc.exe		Normal	LocalSystem		0
File Replication	NtFrs	Stopped	Manual	Own Process		
	c:\winnt\system32\ntfrs.exe		Ignore	LocalSystem		0
NT LM Security Support Provider	NtLmSsp	Stopped	Manual	Share Process		
	c:\winnt\system32\lsass.exe		Normal	LocalSystem		0
Removable Storage	NtmsSvc	Stopped	Disabled	Share Process		
	c:\winnt\system32\svchost.exe	-k netsvcs	Normal	LocalSystem		0
Plug and Play	PlugPlay	Running	Auto	Share Process		
	c:\winnt\system32\services.exe		Normal	LocalSystem		0
IPSEC Policy Agent	PolicyAgent	Stopped	Disabled	Share Process		
	c:\winnt\system32\lsass.exe		Normal	LocalSystem		0
Protected Storage	ProtectedStorage	Running	Manual	Share Process		
	c:\winnt\system32\services.exe		Normal	LocalSystem		0
Remote Access Auto Connection Manager	RasAuto	Stopped	Manual	Share Process		
	c:\winnt\system32\svchost.exe	-k netsvcs	Normal	LocalSystem		0
Remote Access Connection Manager	RasMan	Stopped	Manual	Share Process		
	c:\winnt\system32\svchost.exe	-k netsvcs	Normal	LocalSystem		0
Routing and Remote Access	RemoteAccess	Stopped	Disabled	Share Process		
	c:\winnt\system32\svchost.exe	-k netsvcs	Normal	LocalSystem		0
Remote Registry Service	RemoteRegistry	Stopped	Manual	Own Process		
	c:\winnt\system32\regsvc.exe		Normal	LocalSystem		0
Remote Command Service	RMSYS	Stopped	Disabled	Own Process		
	c:\benchcrf_422\rsys.exe		Normal	LocalSystem		0
Remote Procedure Call (RPC) Locator	RpcLocator	Stopped	Manual	Own Process		
	c:\winnt\system32\locator.exe		Normal	LocalSystem		0
Remote Procedure Call (RPC)	RpcSs	Running	Auto	Share Process		
	c:\winnt\system32\svchost.exe	-k rpcss	Normal	LocalSystem		0
QoS RSVP	RSVP	Running	Manual	Own Process		
	c:\winnt\system32\rsvp.exe	-s	Normal	LocalSystem		0
Security Accounts Manager	SamSs	Stopped	Manual	Share Process		
	c:\winnt\system32\lsass.exe		Normal	LocalSystem		0
Smart Card Helper	SCardDrv	Stopped	Disabled	Share Process		
	c:\winnt\system32\scardsvr.exe		Ignore	LocalSystem		0
Smart Card SCardSvr	Stopped	Disabled	Share Process			
	c:\winnt\system32\scardsvr.exe		Ignore	LocalSystem		0
Task Scheduler	Schedule	Stopped	Manual	Share Process		
	c:\winnt\system32\mstask.exe		Normal	LocalSystem		0

```

RunAs Service seclogon Stopped Manual Share Process
c:\winnt\system32\services.exe Ignore LocalSystem 0
System Event Notification SENS Running Auto Share Process
c:\winnt\system32\svchost.exe -k netsvcs Normal LocalSystem
0
Internet Connection Sharing SharedAccess Stopped Manual Share
Process c:\winnt\system32\svchost.exe -k netsvcs Normal
LocalSystem 0
Simple Mail Transport Protocol (SMTP) SMTPSVC Stopped Disabled
Share Process c:\winnt\system32\inetrv\inetinfo.exe Normal
LocalSystem 0
Print Spooler Spooler Stopped Manual Own Process
c:\winnt\system32\spoolsv.exe Normal LocalSystem 0
Performance Logs and Alerts SysmonLog Stopped Manual Own
Process c:\winnt\system32\smlogsvc.exe Normal LocalSystem 0
Telephony TapiSrv Running Auto Share Process
c:\winnt\system32\svchost.exe -k tapisrv Normal LocalSystem
0
Terminal Services TermService Stopped Disabled Own Process
c:\winnt\system32\termsrv.exe Normal LocalSystem 0
Telnet TlntSvr Stopped Disabled Own Process
c:\winnt\system32\tlntsvr.exe Normal LocalSystem 0
Distributed Link Tracking Server TrkSvr Stopped Manual Share
Process c:\winnt\system32\services.exe Normal LocalSystem 0
Distributed Link Tracking Client TrkWks Stopped Manual Share
Process c:\winnt\system32\services.exe Normal LocalSystem 0
Uninterruptible Power Supply UPS Stopped Manual Own Process
c:\winnt\system32\ups.exe Normal LocalSystem 0
Utility Manager UtilMan Stopped Manual Own Process
c:\winnt\system32\utilman.exe Normal LocalSystem 0
Windows Time W32Time Stopped Manual Share Process
c:\winnt\system32\services.exe Normal LocalSystem 0
World Wide Web Publishing Service W3SVCRunning Auto Share Process
c:\winnt\system32\inetrv\inetinfo.exe Normal LocalSystem
0
Windows Management Instrumentation WinMgmt Running Auto Own
Process c:\winnt\system32\wbem\winmgmt.exe Ignore LocalSystem
0
Windows Management Instrumentation Driver Extensions Wmi Running
Manual Share Process c:\winnt\system32\services.exe Normal
LocalSystem 0

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0000
Class Name: <NO CLASS>
Last Write Time: 1/29/2002 - 2:14 PM
Value 0
Name: Adaptive_IFS
Type: REG_SZ
Data: 1

Value 1
Name: AdaptiveCarrierLoss

```

```

Type: REG_SZ
Data: 1

Value 2
Name: AdaptiveStalledInterrupts
Type: REG_SZ
Data: 1

Value 3
Name: AdaptiveTransmitMethod
Type: REG_SZ
Data: 1

Value 4
Name: ANSAPI
Type: REG_DWORD
Data: 0x2

Value 5
Name: BusType
Type: REG_SZ
Data: 5

Value 6
Name: Characteristics
Type: REG_DWORD
Data: 0x84

Value 7
Name: Coalesce
Type: REG_SZ
Data: 1

Value 8
Name: CoInstallFlag
Type: REG_DWORD
Data: 0x80000004

Value 9
Name: ComponentId
Type: REG_SZ
Data: pci\ven_8086&dev_1229&subsys_100c8086

Value 10
Name: CPUSaver
Type: REG_SZ
Data: 2816

Value 11
Name: CryptoOnly
Type: REG_SZ
Data: 1

```

Value 12  
 Name: DeviceVxDsPrefix  
 Type: REG\_SZ  
 Data: e100b

Value 13  
 Name: DriverDate  
 Type: REG\_SZ  
 Data: 1-10-2001

Value 14  
 Name: DriverDateData  
 Type: REG\_BINARY  
 Data: 00000000 00 80 55 46 98 7a c0 01 - ..UF.zÀ.

Value 15  
 Name: DriverDesc  
 Type: REG\_SZ  
 Data: Intel(R) PRO/100+ Server Adapter (PILA8470B)

Value 16  
 Name: DriverVersion  
 Type: REG\_SZ  
 Data: 5.40.11.0

Value 17  
 Name: EnablePME  
 Type: REG\_SZ  
 Data: 2

Value 18  
 Name: FlowControlReceive  
 Type: REG\_SZ  
 Data: 0

Value 19  
 Name: HardwareAddress  
 Type: REG\_SZ  
 Data: 00E01804827C

Value 20  
 Name: InfPath  
 Type: REG\_SZ  
 Data: oem5.inf

Value 21  
 Name: InfSection  
 Type: REG\_SZ  
 Data: D101M.ndi

Value 22  
 Name: InfSectionExt

Type: REG\_SZ  
 Data: .NT

Value 23  
 Name: LogErrorMessage  
 Type: REG\_SZ  
 Data: 1

Value 24  
 Name: MatchingDeviceId  
 Type: REG\_SZ  
 Data: pci\ven\_8086&dev\_1229&subsys\_100c8086

Value 25  
 Name: MWIEnable  
 Type: REG\_SZ  
 Data: 0

Value 26  
 Name: NetCfgInstanceId  
 Type: REG\_SZ  
 Data: {9B070E23-A33F-47B8-852E-BE365B1D8C9C}

Value 27  
 Name: NumCoalesce  
 Type: REG\_SZ  
 Data: 32

Value 28  
 Name: NumRfd  
 Type: REG\_SZ  
 Data: 80

Value 29  
 Name: NumTcb  
 Type: REG\_SZ  
 Data: 64

Value 30  
 Name: Pcnic  
 Type: REG\_SZ  
 Data: 1

Value 31  
 Name: PnPCapabilities  
 Type: REG\_DWORD  
 Data: 0x38

Value 32  
 Name: ProviderName  
 Type: REG\_SZ  
 Data: Intel

Value 33  
 Name: SpeedDuplex  
 Type: REG\_SZ  
 Data: 4

Value 34  
 Name: TaggingMode  
 Type: REG\_SZ  
 Data: 0

Value 35  
 Name: Threshold  
 Type: REG\_SZ  
 Data: 80

Value 36  
 Name: UcodeSW  
 Type: REG\_SZ  
 Data: 1

Value 37  
 Name: WakeOn  
 Type: REG\_SZ  
 Data: 2147483890

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Linkage  
 Class Name: <NO CLASS>  
 Last Write Time: 2/12/2001 - 4:40 PM

Value 0  
 Name: Export  
 Type: REG\_MULTI\_SZ  
 Data: \Device\{9B070E23-A33F-47B8-852E-BE365B1D8C9C}

Value 1  
 Name: RootDevice  
 Type: REG\_MULTI\_SZ  
 Data: {9B070E23-A33F-47B8-852E-BE365B1D8C9C}

Value 2  
 Name: UpperBind  
 Type: REG\_MULTI\_SZ  
 Data: Tcpip

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi  
 Class Name: <NO CLASS>  
 Last Write Time: 2/12/2001 - 4:30 PM

Value 0  
 Name: Service  
 Type: REG\_SZ  
 Data: E100B

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\Interfaces  
 Class Name: <NO CLASS>  
 Last Write Time: 2/12/2001 - 4:30 PM

Value 0  
 Name: LowerRange  
 Type: REG\_SZ  
 Data: ethernet

Value 1  
 Name: UpperRange  
 Type: REG\_SZ  
 Data: ndis5

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params  
 Class Name: <NO CLASS>  
 Last Write Time: 2/12/2001 - 4:30 PM

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\Adaptive\_IFS  
 Class Name: <NO CLASS>  
 Last Write Time: 10/5/2001 - 12:06 PM

Value 0  
 Name: Base  
 Type: REG\_SZ  
 Data: 10

Value 1  
 Name: Default  
 Type: REG\_SZ  
 Data: 0

Value 2  
 Name: Max  
 Type: REG\_SZ  
 Data: 255

Value 3  
 Name: Min  
 Type: REG\_SZ  
 Data: 0

Value 4  
 Name: ParamDesc  
 Type: REG\_SZ

Data: Adaptive Inter-Frame Spacing

Value 5  
 Name: Step  
 Type: REG\_SZ  
 Data: 1

Value 6  
 Name: Type  
 Type: REG\_SZ  
 Data: int

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\Coalesce  
 Class Name: <NO CLASS>  
 Last Write Time: 2/13/2001 - 8:26 AM

Value 0  
 Name: Default  
 Type: REG\_SZ  
 Data: 0

Value 1  
 Name: ParamDesc  
 Type: REG\_SZ  
 Data: PCI Bus Efficiency

Value 2  
 Name: Type  
 Type: REG\_SZ  
 Data: enum

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\Coalesce\Enum  
 Class Name: <NO CLASS>  
 Last Write Time: 2/13/2001 - 8:26 AM

Value 0  
 Name: 0  
 Type: REG\_SZ  
 Data: Disabled

Value 1  
 Name: 1  
 Type: REG\_SZ  
 Data: Enabled

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\EnablePME  
 Class Name: <NO CLASS>  
 Last Write Time: 2/13/2001 - 8:26 AM

Value 0

Name: Default  
 Type: REG\_SZ  
 Data: 2

Value 1  
 Name: ParamDesc  
 Type: REG\_SZ  
 Data: Enable PME

Value 2  
 Name: Type  
 Type: REG\_SZ  
 Data: enum

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\EnablePME\Enum  
 Class Name: <NO CLASS>  
 Last Write Time: 2/13/2001 - 8:26 AM

Value 0  
 Name: 0  
 Type: REG\_SZ  
 Data: Disabled

Value 1  
 Name: 1  
 Type: REG\_SZ  
 Data: Enabled

Value 2  
 Name: 2  
 Type: REG\_SZ  
 Data: No Action

Value 3  
 Name: 255  
 Type: REG\_SZ  
 Data: Hardware Default

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\FlowControlReceive  
 Class Name: <NO CLASS>  
 Last Write Time: 10/5/2001 - 12:06 PM

Value 0  
 Name: Default  
 Type: REG\_SZ  
 Data: 0

Value 1  
 Name: ParamDesc  
 Type: REG\_SZ  
 Data: Respond to Flow Control

Value 2  
 Name: Type  
 Type: REG\_SZ  
 Data: enum

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\FlowControlReceive\Enum  
 Class Name: <NO CLASS>  
 Last Write Time: 10/5/2001 - 12:06 PM

Value 0  
 Name: 0  
 Type: REG\_SZ  
 Data: Off

Value 1  
 Name: 1  
 Type: REG\_SZ  
 Data: On

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\NetworkAddress  
 Class Name: <NO CLASS>  
 Last Write Time: 2/12/2001 - 4:30 PM

Value 0  
 Name: Default  
 Type: REG\_SZ  
 Data:

Value 1  
 Name: LimitText  
 Type: REG\_SZ  
 Data: 12

Value 2  
 Name: optional  
 Type: REG\_SZ  
 Data: 1

Value 3  
 Name: ParamDesc  
 Type: REG\_SZ  
 Data: Locally Administered Address

Value 4  
 Name: type  
 Type: REG\_SZ  
 Data: edit

Value 5  
 Name: UpperCase

Type: REG\_SZ  
 Data: 1

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\NumCoalesce  
 Class Name: <NO CLASS>  
 Last Write Time: 2/12/2001 - 4:30 PM

Value 0  
 Name: Base  
 Type: REG\_SZ  
 Data: 10

Value 1  
 Name: default  
 Type: REG\_SZ  
 Data: 8

Value 2  
 Name: max  
 Type: REG\_SZ  
 Data: 32

Value 3  
 Name: min  
 Type: REG\_SZ  
 Data: 1

Value 4  
 Name: ParamDesc  
 Type: REG\_SZ  
 Data: Coalesce Buffers

Value 5  
 Name: step  
 Type: REG\_SZ  
 Data: 1

Value 6  
 Name: type  
 Type: REG\_SZ  
 Data: int

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\NumRfd  
 Class Name: <NO CLASS>  
 Last Write Time: 10/5/2001 - 12:06 PM

Value 0  
 Name: Base  
 Type: REG\_SZ  
 Data: 10

Value 1  
 Name: default  
 Type: REG\_SZ  
 Data: 32

Value 2  
 Name: max  
 Type: REG\_SZ  
 Data: 1024

Value 3  
 Name: min  
 Type: REG\_SZ  
 Data: 8

Value 4  
 Name: ParamDesc  
 Type: REG\_SZ  
 Data: Receive Buffers

Value 5  
 Name: step  
 Type: REG\_SZ  
 Data: 1

Value 6  
 Name: type  
 Type: REG\_SZ  
 Data: int

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\NumTcb  
 Class Name: <NO CLASS>  
 Last Write Time: 10/5/2001 - 12:06 PM

Value 0  
 Name: Base  
 Type: REG\_SZ  
 Data: 10

Value 1  
 Name: default  
 Type: REG\_SZ  
 Data: 16

Value 2  
 Name: max  
 Type: REG\_SZ  
 Data: 64

Value 3  
 Name: min

Type: REG\_SZ  
 Data: 8

Value 4  
 Name: ParamDesc  
 Type: REG\_SZ  
 Data: Transmit Control Blocks

Value 5  
 Name: step  
 Type: REG\_SZ  
 Data: 1

Value 6  
 Name: type  
 Type: REG\_SZ  
 Data: int

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\SpeedDuplex  
 Class Name: <NO CLASS>  
 Last Write Time: 2/12/2001 - 4:30 PM

Value 0  
 Name: default  
 Type: REG\_SZ  
 Data: 0

Value 1  
 Name: ParamDesc  
 Type: REG\_SZ  
 Data: Link Speed & Duplex

Value 2  
 Name: type  
 Type: REG\_SZ  
 Data: enum

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\SpeedDuplex\enum  
 Class Name: <NO CLASS>  
 Last Write Time: 2/12/2001 - 4:30 PM

Value 0  
 Name: 0  
 Type: REG\_SZ  
 Data: Auto Detect

Value 1  
 Name: 1  
 Type: REG\_SZ  
 Data: 10Mbps/Half Duplex

Value 2  
Name: 2  
Type: REG\_SZ  
Data: 10Mbps/Full Duplex

Value 3  
Name: 3  
Type: REG\_SZ  
Data: 100Mbps/Half Duplex

Value 4  
Name: 4  
Type: REG\_SZ  
Data: 100Mbps/Full Duplex

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\TaggingMode

Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:06 PM

Value 0  
Name: Default  
Type: REG\_SZ  
Data: 0

Value 1  
Name: ParamDesc  
Type: REG\_SZ  
Data: QoS Packet Tagging

Value 2  
Name: Type  
Type: REG\_SZ  
Data: enum

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\TaggingMode\Enum

Class Name: <NO CLASS>  
Last Write Time: 2/13/2001 - 8:26 AM

Value 0  
Name: 0  
Type: REG\_SZ  
Data: Disabled

Value 1  
Name: 1  
Type: REG\_SZ  
Data: Enabled

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\Threshold

Class Name: <NO CLASS>  
Last Write Time: 2/13/2001 - 8:26 AM

Value 0  
Name: Base  
Type: REG\_SZ  
Data: 10

Value 1  
Name: Default  
Type: REG\_SZ  
Data: 12

Value 2  
Name: Max  
Type: REG\_SZ  
Data: 200

Value 3  
Name: Min  
Type: REG\_SZ  
Data: 0

Value 4  
Name: ParamDesc  
Type: REG\_SZ  
Data: Adaptive Transmit Threshold

Value 5  
Name: Step  
Type: REG\_SZ  
Data: 1

Value 6  
Name: Type  
Type: REG\_SZ  
Data: int

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\Ndi\params\UcodesW

Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:06 PM

Value 0  
Name: Default  
Type: REG\_SZ  
Data: 0

Value 1  
Name: ParamDesc  
Type: REG\_SZ  
Data: Adaptive Technology

Value 2

```

Name:          Type
Type:          REG_SZ
Data:          enum

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0000\Ndi\params\UcodeSW\Enum
Class Name:    <NO CLASS>
Last Write Time:  2/13/2001 - 8:26 AM
Value 0
  Name:        0
  Type:        REG_SZ
  Data:        Off

Value 1
  Name:        1
  Type:        REG_SZ
  Data:        On

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0000\PROSetNdi
Class Name:    <NO CLASS>
Last Write Time:  2/13/2001 - 8:26 AM

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0000\PROSetNdi\NdiExt
Class Name:    <NO CLASS>
Last Write Time:  10/5/2001 - 12:06 PM

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0000\PROSetNdi\NdiExt\params
Class Name:    <NO CLASS>
Last Write Time:  10/5/2001 - 12:06 PM

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0000\PROSetNdi\NdiExt\params\Adaptive_IFS
Class Name:    <NO CLASS>
Last Write Time:  10/5/2001 - 12:06 PM
Value 0
  Name:        MiniHelp
  Type:        REG_SZ
  Data:        Compensates for excessive Ethernet packet collisions.
Default = 1.

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0000\PROSetNdi\NdiExt\params\Coalesce
Class Name:    <NO CLASS>
Last Write Time:  10/5/2001 - 12:06 PM
Value 0
  Name:        MiniHelp
  Type:        REG_SZ

```

```

Data:          Coalesces transmit packets into single buffer before
sending them to network.

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0000\PROSetNdi\NdiExt\params\EnablePME
Class Name:    <NO CLASS>
Last Write Time:  10/5/2001 - 12:06 PM
Value 0
  Name:        MiniHelp
  Type:        REG_SZ
  Data:        Allows wake-up from APM power management when enabled.
Disable shuts down LAN controller under ACPI

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0000\PROSetNdi\NdiExt\params\FlowControlReceive
Class Name:    <NO CLASS>
Last Write Time:  10/5/2001 - 12:06 PM
Value 0
  Name:        MiniHelp
  Type:        REG_SZ
  Data:        Pauses packet transmission on receipt of full flow
control frame.

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0000\PROSetNdi\NdiExt\params\NumCoalesce
Class Name:    <NO CLASS>
Last Write Time:  10/5/2001 - 12:06 PM
Value 0
  Name:        MiniHelp
  Type:        REG_SZ
  Data:        Number of buffers available for transmits
acceleration.

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0000\PROSetNdi\NdiExt\params\NumRfd
Class Name:    <NO CLASS>
Last Write Time:  10/5/2001 - 12:06 PM
Value 0
  Name:        MiniHelp
  Type:        REG_SZ
  Data:        Number of buffers used by the driver when copying data
to the protocol memory. Recommended = 48

Key Name:      SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-
11CE-BFC1-08002BE10318}\0000\PROSetNdi\NdiExt\params\NumTcb
Class Name:    <NO CLASS>
Last Write Time:  10/5/2001 - 12:06 PM
Value 0

```

Name: MiniHelp  
Type: REG\_SZ  
Data: Sets the number of control blocks available for adapter use. Recommended = 32.

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\PROSetNdi\NdiExt\params\SpeedDuplex  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:06 PM  
Value 0

Name: MiniHelp  
Type: REG\_SZ  
Data: Sets link speed to 10/100 Mbps and duplex to half or full. Must coincide with switch port or no link will occur. Default = Auto Detect

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\PROSetNdi\NdiExt\params\TaggingMode  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:06 PM  
Value 0

Name: MiniHelp  
Type: REG\_SZ  
Data: Send and receive IEEE Tagged frames (802.3ac/802.1p/802.1Q).

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\PROSetNdi\NdiExt\params\Threshold  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:06 PM  
Value 0

Name: MiniHelp  
Type: REG\_SZ  
Data: Sets number of bytes before adapter empties its FIFO buffer. Actual value is 8 times setting.

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\PROSetNdi\NdiExt\params\UcodeSW  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:06 PM  
Value 0

Name: MiniHelp  
Type: REG\_SZ  
Data: Enables/Disables the Adaptive Technology performance feature. Recommended value = ON.

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\PROSetNdi\Params

Class Name: <NO CLASS>  
Last Write Time: 2/13/2001 - 8:26 AM

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\PROSetNdi\Params\CPUSaver  
Class Name: <NO CLASS>

Last Write Time: 2/13/2001 - 9:13 AM  
Value 0  
Name: Default  
Type: REG\_SZ  
Data: 1536

Value 1  
Name: ExposeLevel  
Type: REG\_SZ  
Data: 2

Value 2  
Name: LeftLabel  
Type: REG\_SZ  
Data: Adapter Bandwidth

Value 3  
Name: MiniHelp  
Type: REG\_SZ  
Data: Sets optimal point of CPU/Adapter performance for this system. See help.

Value 4  
Name: ParamDesc  
Type: REG\_SZ  
Data: Adaptive Performance Tuning

Value 5  
Name: RightLabel  
Type: REG\_SZ  
Data: CPU Utilization

Value 6  
Name: Type  
Type: REG\_SZ  
Data: slider

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\PROSetNdi\Params\CPUSaver\Values  
Class Name: <NO CLASS>  
Last Write Time: 2/13/2001 - 8:26 AM  
Value 0

Name: 0  
Type: REG\_SZ  
Data: 0

Value 1  
 Name: 1  
 Type: REG\_SZ  
 Data: 1

Value 2  
 Name: 10  
 Type: REG\_SZ  
 Data: 2560

Value 3  
 Name: 11  
 Type: REG\_SZ  
 Data: 2816

Value 4  
 Name: 12  
 Type: REG\_SZ  
 Data: 3072

Value 5  
 Name: 13  
 Type: REG\_SZ  
 Data: 3328

Value 6  
 Name: 14  
 Type: REG\_SZ  
 Data: 3584

Value 7  
 Name: 15  
 Type: REG\_SZ  
 Data: 3840

Value 8  
 Name: 16  
 Type: REG\_SZ  
 Data: 4096

Value 9  
 Name: 2  
 Type: REG\_SZ  
 Data: 512

Value 10  
 Name: 3  
 Type: REG\_SZ  
 Data: 768

Value 11  
 Name: 4  
 Type: REG\_SZ

Data: 1024

Value 12  
 Name: 5  
 Type: REG\_SZ  
 Data: 1280

Value 13  
 Name: 6  
 Type: REG\_SZ  
 Data: 1536

Value 14  
 Name: 7  
 Type: REG\_SZ  
 Data: 1792

Value 15  
 Name: 8  
 Type: REG\_SZ  
 Data: 2048

Value 16  
 Name: 9  
 Type: REG\_SZ  
 Data: 2304

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\PROSetNdi\Params\NetworkAddress  
 Class Name: <NO CLASS>  
 Last Write Time: 10/5/2001 - 12:06 PM

Value 0  
 Name: Base  
 Type: REG\_SZ  
 Data: 16

Value 1  
 Name: Default  
 Type: REG\_SZ  
 Data:

Value 2  
 Name: ExposeLevel  
 Type: REG\_SZ  
 Data: 2

Value 3  
 Name: MiniHelp  
 Type: REG\_SZ  
 Data: Allows you to change the network address.

Value 4

Name: ParamDesc  
 Type: REG\_SZ  
 Data: Locally Administered Address

Value 5  
 Name: Type  
 Type: REG\_SZ  
 Data: edit

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\PROSetNdi\Params\WakeOn  
 Class Name: <NO CLASS>  
 Last Write Time: 10/5/2001 - 12:06 PM

Value 0  
 Name: default  
 Type: REG\_SZ  
 Data: 2147483890

Value 1  
 Name: ExposeLevel  
 Type: REG\_SZ  
 Data: 2

Value 2  
 Name: MiniHelp  
 Type: REG\_SZ  
 Data: Determines how to Wake up the system (Link Change, Magic Packet, Pattern Matching, etc.).

Value 3  
 Name: ParamDesc  
 Type: REG\_SZ  
 Data: Wake on Settings

Value 4  
 Name: type  
 Type: REG\_SZ  
 Data: bitfield

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0000\PROSetNdi\Params\WakeOn\Enum  
 Class Name: <NO CLASS>  
 Last Write Time: 10/5/2001 - 12:06 PM

Value 0  
 Name: 1  
 Type: REG\_SZ  
 Data: Wake on Link Change

Value 1  
 Name: 144  
 Type: REG\_SZ

Data: Wake on NBT Query

Value 2  
 Name: 2  
 Type: REG\_SZ  
 Data: Wake on Magic Packet

Value 3  
 Name: 2147483664  
 Type: REG\_SZ  
 Data: Wake On Other Pattern

Value 4  
 Name: 4  
 Type: REG\_SZ  
 Data: Wake on LAA

Value 5  
 Name: 48  
 Type: REG\_SZ  
 Data: Wake on ARP

Value 6  
 Name: 80  
 Type: REG\_SZ  
 Data: Wake on directed packet

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006  
 Class Name: <NO CLASS>  
 Last Write Time: 10/5/2001 - 12:08 PM

Value 0  
 Name: Adaptive\_IFS  
 Type: REG\_SZ  
 Data: 1

Value 1  
 Name: AdaptiveCarrierLoss  
 Type: REG\_SZ  
 Data: 1

Value 2  
 Name: AdaptiveStalledInterrupts  
 Type: REG\_SZ  
 Data: 1

Value 3  
 Name: AdaptiveTransmitMethod  
 Type: REG\_SZ  
 Data: 1

Value 4



Name: NetCfgInstanceId  
Type: REG\_SZ  
Data: {0A5893CC-C2D4-4D6C-84C1-9B00201C43F5}

Value 26  
Name: NumCoalesce  
Type: REG\_SZ  
Data: 32

Value 27  
Name: NumRfd  
Type: REG\_SZ  
Data: 1024

Value 28  
Name: NumTcb  
Type: REG\_SZ  
Data: 64

Value 29  
Name: Pcnic  
Type: REG\_SZ  
Data: 1

Value 30  
Name: PnPCapabilities  
Type: REG\_DWORD  
Data: 0x38

Value 31  
Name: ProviderName  
Type: REG\_SZ  
Data: Intel

Value 32  
Name: SpeedDuplex  
Type: REG\_SZ  
Data: 4

Value 33  
Name: TaggingMode  
Type: REG\_SZ  
Data: 0

Value 34  
Name: Threshold  
Type: REG\_SZ  
Data: 128

Value 35  
Name: UcodeSW  
Type: REG\_SZ  
Data: 1

Value 36  
Name: WakeOn  
Type: REG\_SZ  
Data: 2147483890

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Linkage  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:33 PM

Value 0  
Name: Export  
Type: REG\_MULTI\_SZ  
Data: \Device\{0A5893CC-C2D4-4D6C-84C1-9B00201C43F5}

Value 1  
Name: RootDevice  
Type: REG\_MULTI\_SZ  
Data: {0A5893CC-C2D4-4D6C-84C1-9B00201C43F5}

Value 2  
Name: UpperBind  
Type: REG\_MULTI\_SZ  
Data: Tcpip

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:33 PM

Value 0  
Name: Service  
Type: REG\_SZ  
Data: E100B

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\Interfaces  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:33 PM

Value 0  
Name: LowerRange  
Type: REG\_SZ  
Data: ethernet

Value 1  
Name: UpperRange  
Type: REG\_SZ  
Data: ndis5

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:33 PM

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\Adaptive\_IFS  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: Base  
Type: REG\_SZ  
Data: 10

Value 1  
Name: Default  
Type: REG\_SZ  
Data: 0

Value 2  
Name: Max  
Type: REG\_SZ  
Data: 255

Value 3  
Name: Min  
Type: REG\_SZ  
Data: 0

Value 4  
Name: ParamDesc  
Type: REG\_SZ  
Data: Adaptive Inter-Frame Spacing

Value 5  
Name: Step  
Type: REG\_SZ  
Data: 1

Value 6  
Name: Type  
Type: REG\_SZ  
Data: int

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\Coalesce  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:33 PM

Value 0  
Name: Default

Type: REG\_SZ  
Data: 0  
Value 1  
Name: ParamDesc  
Type: REG\_SZ  
Data: PCI Bus Efficiency

Value 2  
Name: Type  
Type: REG\_SZ  
Data: enum

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\Coalesce\Enum  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:33 PM

Value 0  
Name: 0  
Type: REG\_SZ  
Data: Disabled

Value 1  
Name: 1  
Type: REG\_SZ  
Data: Enabled

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\EnablePME  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:33 PM

Value 0  
Name: Default  
Type: REG\_SZ  
Data: 2

Value 1  
Name: ParamDesc  
Type: REG\_SZ  
Data: Enable PME

Value 2  
Name: Type  
Type: REG\_SZ  
Data: enum

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\EnablePME\Enum  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:33 PM

Value 0  
Name: 0  
Type: REG\_SZ  
Data: Disabled

Value 1  
Name: 1  
Type: REG\_SZ  
Data: Enabled

Value 2  
Name: 2  
Type: REG\_SZ  
Data: No Action

Value 3  
Name: 255  
Type: REG\_SZ  
Data: Hardware Default

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\FlowControlReceive  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: Default  
Type: REG\_SZ  
Data: 0

Value 1  
Name: ParamDesc  
Type: REG\_SZ  
Data: Respond to Flow Control

Value 2  
Name: Type  
Type: REG\_SZ  
Data: enum

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\FlowControlReceive\Enum  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: 0  
Type: REG\_SZ  
Data: Off

Value 1  
Name: 1  
Type: REG\_SZ

Data: On

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\NumCoalesce  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:33 PM

Value 0  
Name: Base  
Type: REG\_SZ  
Data: 10

Value 1  
Name: Default  
Type: REG\_SZ  
Data: 8

Value 2  
Name: Max  
Type: REG\_SZ  
Data: 32

Value 3  
Name: Min  
Type: REG\_SZ

Data: 1

Value 4  
Name: ParamDesc  
Type: REG\_SZ  
Data: Coalesce Buffers

Value 5  
Name: Step  
Type: REG\_SZ  
Data: 1

Value 6  
Name: Type  
Type: REG\_SZ  
Data: int

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\NumRfd  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: Base  
Type: REG\_SZ  
Data: 10

Value 1  
 Name: Default  
 Type: REG\_SZ  
 Data: 32

Value 2  
 Name: Max  
 Type: REG\_SZ  
 Data: 1024

Value 3  
 Name: Min  
 Type: REG\_SZ  
 Data: 8

Value 4  
 Name: ParamDesc  
 Type: REG\_SZ  
 Data: Receive Buffers

Value 5  
 Name: Step  
 Type: REG\_SZ  
 Data: 1

Value 6  
 Name: Type  
 Type: REG\_SZ  
 Data: int

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\NumTcb  
 Class Name: <NO CLASS>  
 Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
 Name: Base  
 Type: REG\_SZ  
 Data: 10

Value 1  
 Name: Default  
 Type: REG\_SZ  
 Data: 16

Value 2  
 Name: Max  
 Type: REG\_SZ  
 Data: 64

Value 3  
 Name: Min  
 Type: REG\_SZ

Data: 8

Value 4  
 Name: ParamDesc  
 Type: REG\_SZ  
 Data: Transmit Control Blocks

Value 5  
 Name: Step  
 Type: REG\_SZ  
 Data: 1

Value 6  
 Name: Type  
 Type: REG\_SZ  
 Data: int

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\SpeedDuplex  
 Class Name: <NO CLASS>  
 Last Write Time: 3/12/2001 - 2:33 PM

Value 0  
 Name: default  
 Type: REG\_SZ  
 Data: 0

Value 1  
 Name: ParamDesc  
 Type: REG\_SZ  
 Data: Link Speed & Duplex

Value 2  
 Name: type  
 Type: REG\_SZ  
 Data: enum

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\SpeedDuplex\enum  
 Class Name: <NO CLASS>  
 Last Write Time: 3/12/2001 - 2:33 PM

Value 0  
 Name: 0  
 Type: REG\_SZ  
 Data: Auto Detect

Value 1  
 Name: 1  
 Type: REG\_SZ  
 Data: 10Mbps/Half Duplex

Value 2

Name: 2  
Type: REG\_SZ  
Data: 10Mbps/Full Duplex

Value 3  
Name: 3  
Type: REG\_SZ  
Data: 100Mbps/Half Duplex

Value 4  
Name: 4  
Type: REG\_SZ  
Data: 100Mbps/Full Duplex

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\TaggingMode  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: Default  
Type: REG\_SZ  
Data: 0

Value 1  
Name: ParamDesc  
Type: REG\_SZ  
Data: QoS Packet Tagging

Value 2  
Name: Type  
Type: REG\_SZ  
Data: enum

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\TaggingMode\Enum  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:33 PM

Value 0  
Name: 0  
Type: REG\_SZ  
Data: Disabled

Value 1  
Name: 1  
Type: REG\_SZ  
Data: Enabled

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\Threshold  
Class Name: <NO CLASS>

Last Write Time: 3/12/2001 - 2:33 PM

Value 0  
Name: Base  
Type: REG\_SZ  
Data: 10

Value 1  
Name: Default  
Type: REG\_SZ  
Data: 12

Value 2  
Name: Max  
Type: REG\_SZ  
Data: 200

Value 3  
Name: Min  
Type: REG\_SZ  
Data: 0

Value 4  
Name: ParamDesc  
Type: REG\_SZ  
Data: Adaptive Transmit Threshold

Value 5  
Name: Step  
Type: REG\_SZ  
Data: 1

Value 6  
Name: Type  
Type: REG\_SZ  
Data: int

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\UcodeSW  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: Default  
Type: REG\_SZ  
Data: 0

Value 1  
Name: ParamDesc  
Type: REG\_SZ  
Data: Adaptive Technology

Value 2  
Name: Type

Type: REG\_SZ  
Data: enum

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\Ndi\params\UcodeSW\Enum  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:33 PM

Value 0  
Name: 0  
Type: REG\_SZ  
Data: Off

Value 1  
Name: 1  
Type: REG\_SZ  
Data: On

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:33 PM

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\NdiExt  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\NdiExt\params  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\NdiExt\params\Adaptive\_IFS  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: MiniHelp  
Type: REG\_SZ  
Data: Compensates for excessive Ethernet packet collisions.  
Default = 1.

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\NdiExt\params\Coalesce  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: MiniHelp  
Type: REG\_SZ

Data: Coalesces transmit packets into single buffer before sending them to network.

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\NdiExt\params\FlowControlReceive  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: MiniHelp  
Type: REG\_SZ  
Data: Pauses packet transmission on receipt of full flow control frame.

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\NdiExt\params\NumCoalesce  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: MiniHelp  
Type: REG\_SZ  
Data: Number of buffers available for transmits acceleration.

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\NdiExt\params\NumRfd  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: MiniHelp  
Type: REG\_SZ  
Data: Number of buffers used by the driver when copying data to the protocol memory. Recommended = 48

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\NdiExt\params\NumTcb  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: MiniHelp  
Type: REG\_SZ  
Data: Sets the number of control blocks available for adapter use. Recommended = 32.

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\NdiExt\params\SpeedDuplex  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0

Name: MiniHelp  
Type: REG\_SZ  
Data: Sets link speed to 10/100 Mbps and duplex to half or full. Must coincide with switch port or no link will occur. Default = Auto Detect

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\NdiExt\params\TaggingMode  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: MiniHelp  
Type: REG\_SZ  
Data: Send and receive IEEE Tagged frames (802.3ac/802.1p/802.1Q).

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\NdiExt\params\Threshold  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: MiniHelp  
Type: REG\_SZ  
Data: Sets number of bytes before adapter empties its FIFO buffer. Actual value is 8 times setting.

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\NdiExt\params\UcodeSW  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: MiniHelp  
Type: REG\_SZ  
Data: Enables/Disables the Adaptive Technology performance feature. Recommended value = ON.

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\Params  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:33 PM

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\Params\CPUSaver  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:38 PM

Value 0  
Name: Default  
Type: REG\_SZ  
Data: 1536

Value 1  
Name: ExposeLevel  
Type: REG\_SZ  
Data: 2

Value 2  
Name: LeftLabel  
Type: REG\_SZ  
Data: Adapter Bandwidth

Value 3  
Name: MiniHelp  
Type: REG\_SZ  
Data: Sets optimal point of CPU/Adapter performance for this system. See help.

Value 4  
Name: ParamDesc  
Type: REG\_SZ  
Data: Adaptive Performance Tuning

Value 5  
Name: RightLabel  
Type: REG\_SZ  
Data: CPU Utilization

Value 6  
Name: Type  
Type: REG\_SZ  
Data: slider

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\Params\CPUSaver\Values  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:33 PM

Value 0  
Name: 0  
Type: REG\_SZ  
Data: 0

Value 1  
Name: 1  
Type: REG\_SZ  
Data: 1

Value 2  
Name: 10  
Type: REG\_SZ  
Data: 2560

Value 3

Name: 11  
 Type: REG\_SZ  
 Data: 2816

Value 4  
 Name: 12  
 Type: REG\_SZ  
 Data: 3072

Value 5  
 Name: 13  
 Type: REG\_SZ  
 Data: 3328

Value 6  
 Name: 14  
 Type: REG\_SZ  
 Data: 3584

Value 7  
 Name: 15  
 Type: REG\_SZ  
 Data: 3840

Value 8  
 Name: 16  
 Type: REG\_SZ  
 Data: 4096

Value 9  
 Name: 2  
 Type: REG\_SZ  
 Data: 512

Value 10  
 Name: 3  
 Type: REG\_SZ  
 Data: 768

Value 11  
 Name: 4  
 Type: REG\_SZ  
 Data: 1024

Value 12  
 Name: 5  
 Type: REG\_SZ  
 Data: 1280

Value 13  
 Name: 6  
 Type: REG\_SZ  
 Data: 1536

Value 14  
 Name: 7  
 Type: REG\_SZ  
 Data: 1792

Value 15  
 Name: 8  
 Type: REG\_SZ  
 Data: 2048

Value 16  
 Name: 9  
 Type: REG\_SZ  
 Data: 2304

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\Params\NetworkAddress  
 Class Name: <NO CLASS>  
 Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
 Name: Base  
 Type: REG\_SZ  
 Data: 16

Value 1  
 Name: Default  
 Type: REG\_SZ  
 Data:

Value 2  
 Name: ExposeLevel  
 Type: REG\_SZ  
 Data: 2

Value 3  
 Name: MiniHelp  
 Type: REG\_SZ  
 Data: Allows you to change the network address.

Value 4  
 Name: ParamDesc  
 Type: REG\_SZ  
 Data: Locally Administered Address

Value 5  
 Name: Type  
 Type: REG\_SZ  
 Data: edit

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\Params\WakeOn  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: default  
Type: REG\_SZ  
Data: 2147483890

Value 1  
Name: ExposeLevel  
Type: REG\_SZ  
Data: 2

Value 2  
Name: MiniHelp  
Type: REG\_SZ  
Data: Determines how to Wake up the system (Link Change, Magic Packet, Pattern Matching, etc.).

Value 3  
Name: ParamDesc  
Type: REG\_SZ  
Data: Wake on Settings

Value 4  
Name: type  
Type: REG\_SZ  
Data: bitfield

Key Name: SYSTEM\CurrentControlSet\Control\Class\{4D36E972-E325-11CE-BFC1-08002BE10318}\0006\PROSetNdi\Params\WakeOn\Enum  
Class Name: <NO CLASS>  
Last Write Time: 10/5/2001 - 12:05 PM

Value 0  
Name: 1  
Type: REG\_SZ  
Data: Wake on Link Change

Value 1  
Name: 144  
Type: REG\_SZ  
Data: Wake on NBT Query

Value 2  
Name: 2  
Type: REG\_SZ  
Data: Wake on Magic Packet

Value 3  
Name: 2147483664  
Type: REG\_SZ

Data: Wake On Other Pattern

Value 4  
Name: 4  
Type: REG\_SZ  
Data: Wake on LAA

Value 5  
Name: 48  
Type: REG\_SZ  
Data: Wake on ARP

Value 6  
Name: 80  
Type: REG\_SZ  
Data: Wake on directed packet

Key Name: SYSTEM\CurrentControlSet\Services\E100B  
Class Name: <NO CLASS>  
Last Write Time: 2/13/2001 - 8:26 AM

Value 0  
Name: DisplayName  
Type: REG\_SZ  
Data: Intel(R) PRO Adapter Driver

Value 1  
Name: ErrorControl  
Type: REG\_DWORD  
Data: 0x1

Value 2  
Name: Group  
Type: REG\_SZ  
Data: NDIS

Value 3  
Name: ImagePath  
Type: REG\_EXPAND\_SZ  
Data: System32\DRIVERS\e100bnt5.sys

Value 4  
Name: Start  
Type: REG\_DWORD  
Data: 0x3

Value 5  
Name: Tag  
Type: REG\_DWORD  
Data: 0xa

Value 6  
Name: TextModeFlags

```

Type:          REG_DWORD
Data:          0x1

Value 7
Name:          Type
Type:          REG_DWORD
Data:          0x1

Key Name:      SYSTEM\CurrentControlSet\Services\E100B\Enum
Class Name:    <NO CLASS>
Last Write Time: 2/4/2002 - 9:57 AM
Value 0
Name:          0
Type:          REG_SZ
Data:          PCI\VEN_8086&DEV_1229&SUBSYS_100C8086&REV_08\3&13c0b0c5&0&10

Value 1
Name:          1
Type:          REG_SZ
Data:          PCI\VEN_8086&DEV_1229&SUBSYS_000C8086&REV_08\3&1070020&0&18

Value 2
Name:          Count
Type:          REG_DWORD
Data:          0x2

Value 3
Name:          NextInstance
Type:          REG_DWORD
Data:          0x2

Key Name:      SYSTEM\CurrentControlSet\Services\E100B\Security
Class Name:    <NO CLASS>
Last Write Time: 2/12/2001 - 4:30 PM
Value 0
Name:          Security
Type:          REG_BINARY
Data:          00000000 01 00 14 80 a0 00 00 00 - ac 00 00 00 14 00 00 00
.....
00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02 80 14 00
0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00 00 00 00
ÿ.....
00000030 02 00 70 00 04 00 00 00 - 00 00 18 00 fd 01 02 00
..p.....ÿ...
00000040 01 01 00 00 00 00 00 05 - 12 00 00 00 20 02 00 00
.....

```

```

00000050 00 00 1c 00 ff 01 0f 00 - 01 02 00 00 00 00 00 05
....ÿ.....
00000060 20 00 00 00 20 02 00 00 - 74 00 00 00 00 00 18 00 ...
...t.....
00000070 8d 01 02 00 01 01 00 00 - 00 00 00 05 0b 00 00 00
.....
00000080 20 02 00 00 00 00 1c 00 - fd 01 02 00 01 02 00 00
.....ÿ.....
00000090 00 00 00 05 20 00 00 00 - 23 02 00 00 74 00 00 00 ....
...#...t...
000000a0 01 01 00 00 00 00 00 05 - 12 00 00 00 01 01 00 00
.....
000000b0 00 00 00 05 12 00 00 00 - .....

Key Name:      SOFTWARE\Microsoft\MSSQLServer
Class Name:    <NO CLASS>
Last Write Time: 2/13/2001 - 9:00 AM

Key Name:      SOFTWARE\Microsoft\MSSQLServer\Client
Class Name:    <NO CLASS>
Last Write Time: 3/12/2001 - 2:14 PM
Value 0
Name:          SharedMemoryOn
Type:          REG_DWORD
Data:          0

Key Name:      SOFTWARE\Microsoft\MSSQLServer\Client\ConnectTo
Class Name:    <NO CLASS>
Last Write Time: 2/14/2001 - 4:08 PM

Key Name:      SOFTWARE\Microsoft\MSSQLServer\Client\DB-Lib
Class Name:    <NO CLASS>
Last Write Time: 5/17/2001 - 8:32 AM
Value 0
Name:          AutoAnsiToOem
Type:          REG_SZ
Data:          OFF

Value 1
Name:          UseIntlSettings
Type:          REG_SZ
Data:          ON

Key Name:      SOFTWARE\Microsoft\MSSQLServer\Client\SuperSocketNetLib
Class Name:    <NO CLASS>
Last Write Time: 3/12/2001 - 2:14 PM
Value 0
Name:          Encrypt
Type:          REG_DWORD

```

```

Data:          0

Value 1
Name:         ProtocolOrder
Type:         REG_MULTI_SZ
Data:         tcp
              np

Key Name:
SOFTWARE\Microsoft\MSSQLServer\Client\SuperSocketNetLib\LastConnect
Class Name:   <NO CLASS>
Last Write Time: 1/31/2002 - 3:04 PM
Value 0
Name:         b120
Type:         REG_SZ
Data:         -1040187384:tcp:b120,1433

Value 1
Name:         B225
Type:         REG_SZ
Data:         -1040187384:tcp:B225,1433

Value 2
Name:         h200
Type:         REG_SZ
Data:         -1040187384:tcp:h200,1433

Value 3
Name:         h250
Type:         REG_SZ
Data:         369229832:tcp:h250,1433

Value 4
Name:         lola200
Type:         REG_SZ
Data:         2113994760:tcp:lola200,1433

Value 5
Name:         p4mono
Type:         REG_SZ
Data:         2113994760:tcp:p4mono,1433

Value 6
Name:         presto
Type:         REG_SZ
Data:         2113994760:tcp:presto,1433

Value 7
Name:         tarantulla
Type:         REG_SZ
Data:         2113994760:tcp:tarantulla,1433

```

```

Value 8
Name:         turmoil
Type:         REG_SZ
Data:         2113994760:tcp:turmoil,1433

Value 9
Name:         tyan
Type:         REG_SZ
Data:         -1040187384:tcp:tyan,1433

Key Name:
SOFTWARE\Microsoft\MSSQLServer\Client\SuperSocketNetLib\Np
Class Name:   <NO CLASS>
Last Write Time: 2/13/2001 - 9:02 AM
Value 0
Name:         DefaultPipe
Type:         REG_SZ
Data:         sql\query

Key Name:
SOFTWARE\Microsoft\MSSQLServer\Client\SuperSocketNetLib\Tcp
Class Name:   <NO CLASS>
Last Write Time: 2/13/2001 - 9:02 AM
Value 0
Name:         DefaultPort
Type:         REG_DWORD
Data:         0x599

Key Name:
SOFTWARE\Microsoft\MSSQLServer\Client\SuperSocketNetLib\VIA
Class Name:   <NO CLASS>
Last Write Time: 2/13/2001 - 9:00 AM
Value 0
Name:         DefaultClientNIC
Type:         REG_SZ
Data:         0

Value 1
Name:         DefaultServerPort
Type:         REG_SZ
Data:         0:1433

Value 2
Name:         RecognizedVendors
Type:         REG_SZ
Data:         Giganet, ServerNet II

Value 3
Name:         Vendor

```

```

Type:          REG_SZ
Data:

Key Name:      SOFTWARE\Microsoft\MSSQLServer\Client\TDS
Class Name:    <NO CLASS>
Last Write Time: 1/25/2002 - 2:36 PM
Value 0
  Name:        B225
  Type:        REG_SZ
  Data:        7.0
Value 1
  Name:        h200
  Type:        REG_SZ
  Data:        7.0
Value 2
  Name:        h250
  Type:        REG_SZ
  Data:        7.0
Value 3
  Name:        H400
  Type:        REG_SZ
  Data:        7.0
Value 4
  Name:        tuborg
  Type:        REG_SZ
  Data:        7.0
Value 5
  Name:        turmoil
  Type:        REG_SZ
  Data:        7.0

Key Name:      SYSTEM\CurrentControlSet\Services\InetInfo
Class Name:    <NO CLASS>
Last Write Time: 2/12/2001 - 3:45 PM

Key Name:      SYSTEM\CurrentControlSet\Services\InetInfo\Parameters
Class Name:    <NO CLASS>
Last Write Time: 10/23/2001 - 10:45 AM
Value 0
  Name:        DispatchEntries
  Type:        REG_MULTI_SZ
  Data:        LDAPSVC
              SMTPSVC

Value 1

```

```

Name:          ListenBackLog
Type:          REG_DWORD
Data:          0x2710

Value 2
  Name:        PoolThreadLimit
  Type:        REG_DWORD
  Data:        0x17c
Value 3
  Name:        ThreadTimeout
  Type:        REG_DWORD
  Data:        0x15180

Key Name:      SYSTEM\CurrentControlSet\Services\InetInfo\Performance
Class Name:    <NO CLASS>
Last Write Time: 2/4/2002 - 9:58 AM
Value 0
  Name:        Close
  Type:        REG_SZ
  Data:        CloseINFOPerformanceData
Value 1
  Name:        Collect
  Type:        REG_SZ
  Data:        CollectINFOPerformanceData
Value 2
  Name:        First Counter
  Type:        REG_DWORD
  Data:        0x802
Value 3
  Name:        First Help
  Type:        REG_DWORD
  Data:        0x803
Value 4
  Name:        Last Counter
  Type:        REG_DWORD
  Data:        0x842
Value 5
  Name:        Last Help
  Type:        REG_DWORD
  Data:        0x843
Value 6
  Name:        Library
  Type:        REG_SZ
  Data:        infoctrs.dll

```

Value 7  
 Name: Library Validation Code  
 Type: REG\_BINARY  
 Data:  
 00000000 7e 16 f0 b4 0a 95 c0 01 - 10 25 00 00 00 00 00 00  
 ~.ð´..Ä..%.....

Value 8  
 Name: Open  
 Type: REG\_SZ  
 Data: OpenINFOPerformanceData

Value 9  
 Name: WbemAdapFileSize  
 Type: REG\_DWORD  
 Data: 0x2510

Value 10  
 Name: WbemAdapFileTime  
 Type: REG\_BINARY  
 Data: 00 9b 1a af 81 d4 c0 01 - ...´.ÔÄ.

Value 11  
 Name: WbemAdapStatus  
 Type: REG\_DWORD  
 Data: 0

Key Name: SYSTEM\CurrentControlSet\Services\Tcpip  
 Class Name: Class  
 Last Write Time: 2/12/2001 - 4:40 PM

Value 0  
 Name: Description  
 Type: REG\_SZ  
 Data: TCP/IP Protocol Driver

Value 1  
 Name: DisplayName  
 Type: REG\_SZ  
 Data: TCP/IP Protocol Driver

Value 2  
 Name: ErrorControl  
 Type: REG\_DWORD  
 Data: 0x1

Value 3  
 Name: Group  
 Type: REG\_SZ  
 Data: PNP\_TDI

Value 4

Name: ImagePath  
 Type: REG\_EXPAND\_SZ  
 Data: System32\DRIVERS\tcpip.sys

Value 5  
 Name: Start  
 Type: REG\_DWORD  
 Data: 0x1

Value 6  
 Name: Tag  
 Type: REG\_DWORD  
 Data: 0x4

Value 7  
 Name: Type  
 Type: REG\_DWORD  
 Data: 0x1

Key Name: SYSTEM\CurrentControlSet\Services\Tcpip\Enum  
 Class Name: <NO CLASS>  
 Last Write Time: 2/4/2002 - 9:57 AM

Value 0  
 Name: 0  
 Type: REG\_SZ  
 Data: Root\LEGACY\_TCPIP\0000

Value 1  
 Name: Count  
 Type: REG\_DWORD  
 Data: 0x1

Value 2  
 Name: NextInstance  
 Type: REG\_DWORD  
 Data: 0x1

Key Name: SYSTEM\CurrentControlSet\Services\Tcpip\Linkage  
 Class Name: <NO CLASS>  
 Last Write Time: 3/12/2001 - 2:33 PM

Value 0  
 Name: Bind  
 Type: REG\_MULTI\_SZ  
 Data: \Device\{0A5893CC-C2D4-4D6C-84C1-9B00201C43F5}  
 \Device\{9B070E23-A33F-47B8-852E-BE365B1D8C9C}  
 \Device\NdisWanIp

Value 1  
 Name: Export  
 Type: REG\_MULTI\_SZ

Data:            \Device\Tcpip\_{0A5893CC-C2D4-4D6C-84C1-9B00201C43F5}  
                  \Device\Tcpip\_{9B070E23-A33F-47B8-852E-BE365B1D8C9C}  
                  \Device\Tcpip\_{CA92CE14-2FC2-4FF3-B680-1F7DF9594EAF}  
                  \Device\Tcpip\_{FD73BFE5-0643-4705-9572-5E3D92E4F8AD}

Value 2  
Name:            Route  
Type:            REG\_MULTI\_SZ  
Data:            "{0A5893CC-C2D4-4D6C-84C1-9B00201C43F5}"  
                  "{9B070E23-A33F-47B8-852E-BE365B1D8C9C}"  
                  "NdisWanIp"

Key Name:        SYSTEM\CurrentControlSet\Services\Tcpip\Parameters  
Class Name:      Class  
Last Write Time: 2/14/2001 - 3:06 PM

Value 0  
Name:            AllowUnqualifiedQuery  
Type:            REG\_DWORD  
Data:            0

Value 1  
Name:            DataBasePath  
Type:            REG\_EXPAND\_SZ  
Data:            %SystemRoot%\System32\drivers\etc

Value 2  
Name:            DeadGWDetectDefault  
Type:            REG\_DWORD  
Data:            0x1

Value 3  
Name:            Domain  
Type:            REG\_SZ  
Data:

Value 4  
Name:            DontAddDefaultGatewayDefault  
Type:            REG\_DWORD  
Data:            0

Value 5  
Name:            EnableICMPRedirect  
Type:            REG\_DWORD  
Data:            0x1

Value 6  
Name:            EnableSecurityFilters  
Type:            REG\_DWORD  
Data:            0

Value 7  
Name:            ForwardBroadcasts  
Type:            REG\_DWORD  
Data:            0

Value 8  
Name:            Hostname  
Type:            REG\_SZ  
Data:            b210c11

Value 9  
Name:            IPEnableRouter  
Type:            REG\_DWORD  
Data:            0

Value 10  
Name:            MaxUserPort  
Type:            REG\_DWORD  
Data:            0xffff

Value 11  
Name:            NameServer  
Type:            REG\_SZ  
Data:

Value 12  
Name:            NV Hostname  
Type:            REG\_SZ  
Data:            b210c11

Value 13  
Name:            PrioritizeRecordData  
Type:            REG\_DWORD  
Data:            0x1

Value 14  
Name:            SearchList  
Type:            REG\_SZ  
Data:

Value 15  
Name:            UseDomainNameDevolution  
Type:            REG\_DWORD  
Data:            0

Key Name:  
SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Adapters  
Class Name:      <NO CLASS>  
Last Write Time: 2/12/2001 - 4:40 PM

Key Name:  
SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Adapters\NdisWanIp

Class Name: <NO CLASS>  
Last Write Time: 2/12/2001 - 4:41 PM  
Value 0  
Name: IpConfig  
Type: REG\_MULTI\_SZ  
Data: Tcpip\Parameters\Interfaces\{CA92CE14-2FC2-4FF3-B680-1F7DF9594EAF}  
Tcpip\Parameters\Interfaces\{FD73BFE5-0643-4705-9572-5E3D92E4F8AD}

Value 1  
Name: IpInterfaces  
Type: REG\_BINARY  
Data:  
00000000 14 ce 92 ca c2 2f f3 4f - b6 80 1f 7d f9 59 4e af  
.f.ËÄ/ó0¶..}ùYN<sup>-</sup>  
00000010 e5 bf 73 fd 43 06 05 47 - 95 72 5e 3d 92 e4 f8 ad  
â¿sýC..G.r^=.ãø-

Value 2  
Name: LLInterface  
Type: REG\_SZ  
Data: WANARP

Value 3  
Name: NumInterfaces  
Type: REG\_DWORD  
Data: 0x2

Key Name:  
SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Adapters\{0A5893CC-C2D4-4D6C-84C1-9B00201C43F5}  
Class Name: <NO CLASS>  
Last Write Time: 3/12/2001 - 2:33 PM  
Value 0  
Name: IpConfig  
Type: REG\_MULTI\_SZ  
Data: Tcpip\Parameters\Interfaces\{0A5893CC-C2D4-4D6C-84C1-9B00201C43F5}

Value 1  
Name: LLInterface  
Type: REG\_SZ  
Data:

Key Name:  
SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Adapters\{9B070E23-A33F-47B8-852E-BE365B1D8C9C}  
Class Name: <NO CLASS>

Last Write Time: 2/12/2001 - 4:40 PM  
Value 0  
Name: IpConfig  
Type: REG\_MULTI\_SZ  
Data: Tcpip\Parameters\Interfaces\{9B070E23-A33F-47B8-852E-BE365B1D8C9C}

Value 1  
Name: LLInterface  
Type: REG\_SZ  
Data:

Key Name:  
SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\DNSRegisteredAdapters  
Class Name: DynDnsRootClass  
Last Write Time: 2/12/2001 - 4:40 PM

Key Name:  
SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Interfaces  
Class Name: <NO CLASS>  
Last Write Time: 2/12/2001 - 4:40 PM

Key Name:  
SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Interfaces\{0A5893CC-C2D4-4D6C-84C1-9B00201C43F5}  
Class Name: <NO CLASS>  
Last Write Time: 1/23/2002 - 10:59 AM

Value 0  
Name: DefaultGateway  
Type: REG\_MULTI\_SZ  
Data:

Value 1  
Name: DefaultGatewayMetric  
Type: REG\_MULTI\_SZ  
Data:

Value 2  
Name: DisableDynamicUpdate  
Type: REG\_DWORD  
Data: 0x1

Value 3  
Name: Domain  
Type: REG\_SZ  
Data:

Value 4  
Name: EnableAdapterDomainNameRegistration  
Type: REG\_DWORD  
Data: 0

Value 5  
Name: EnabledDeadGWDetect  
Type: REG\_DWORD  
Data: 0x1

Value 6  
Name: EnabledDHCP  
Type: REG\_DWORD  
Data: 0

Value 7  
Name: InterfaceMetric  
Type: REG\_DWORD  
Data: 0x1

Value 8  
Name: IPAddress  
Type: REG\_MULTI\_SZ  
Data: 129.103.211.1

Value 9  
Name: NameServer  
Type: REG\_SZ  
Data:

Value 10  
Name: NTEContextList  
Type: REG\_MULTI\_SZ  
Data: 0x00000002

Value 11  
Name: RawIPAllowedProtocols  
Type: REG\_MULTI\_SZ  
Data: 0

Value 12  
Name: SubnetMask  
Type: REG\_MULTI\_SZ  
Data: 255.255.255.0

Value 13  
Name: TCPAllowedPorts  
Type: REG\_MULTI\_SZ  
Data: 0

Value 14  
Name: UDPAllowedPorts

Type: REG\_MULTI\_SZ  
Data: 0

Value 15  
Name: UseZeroBroadcast  
Type: REG\_DWORD  
Data: 0

Key Name:  
SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Interfaces\{9B070E23-  
A33F-47B8-852E-BE365B1D8C9C}  
Class Name: <NO CLASS>  
Last Write Time: 1/29/2002 - 2:16 PM

Value 0  
Name: AddressType  
Type: REG\_DWORD  
Data: 0

Value 1  
Name: DefaultGateway  
Type: REG\_MULTI\_SZ  
Data:

Value 2  
Name: DefaultGatewayMetric  
Type: REG\_MULTI\_SZ  
Data:

Value 3  
Name: DhcpServer  
Type: REG\_SZ  
Data: 255.255.255.255

Value 4  
Name: DisableDynamicUpdate  
Type: REG\_DWORD  
Data: 0x1

Value 5  
Name: Domain  
Type: REG\_SZ  
Data:

Value 6  
Name: EnableAdapterDomainNameRegistration  
Type: REG\_DWORD  
Data: 0

Value 7  
Name: EnableDeadGWDetect  
Type: REG\_DWORD

Data: 0x1

Value 8  
 Name: EnableDHCP  
 Type: REG\_DWORD  
 Data: 0

Value 9  
 Name: InterfaceMetric  
 Type: REG\_DWORD  
 Data: 0x1

Value 10  
 Name: IPAddress  
 Type: REG\_MULTI\_SZ  
 Data: 129.103.181.211

Value 11  
 Name: IPAutoconfigurationAddress  
 Type: REG\_SZ  
 Data: 0.0.0.0

Value 12  
 Name: IPAutoconfigurationMask  
 Type: REG\_SZ  
 Data: 255.255.0.0

Value 13  
 Name: IPAutoconfigurationSeed  
 Type: REG\_DWORD  
 Data: 0

Value 14  
 Name: Lease  
 Type: REG\_DWORD  
 Data: 0xe10

Value 15  
 Name: LeaseObtainedTime  
 Type: REG\_DWORD  
 Data: 0x3a880481

Value 16  
 Name: LeaseTerminatesTime  
 Type: REG\_DWORD  
 Data: 0x3a881291

Value 17  
 Name: NameServer  
 Type: REG\_SZ  
 Data:

Value 18  
 Name: NTEContextList  
 Type: REG\_MULTI\_SZ  
 Data: 0x00000003

Value 19  
 Name: RawIPAllowedProtocols  
 Type: REG\_MULTI\_SZ  
 Data: 0

Value 20  
 Name: SubnetMask  
 Type: REG\_MULTI\_SZ  
 Data: 255.255.255.0

Value 21  
 Name: T1  
 Type: REG\_DWORD  
 Data: 0x3a880b89

Value 22  
 Name: T2  
 Type: REG\_DWORD  
 Data: 0x3a8810cf

Value 23  
 Name: TCPAllowedPorts  
 Type: REG\_MULTI\_SZ  
 Data: 0

Value 24  
 Name: UDPAllowedPorts  
 Type: REG\_MULTI\_SZ  
 Data: 0

Value 25  
 Name: UseZeroBroadcast  
 Type: REG\_DWORD  
 Data: 0

Key Name:  
 SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Interfaces\{CA92CE14-2FC2-4FF3-B680-1F7DF9594EAF}  
 Class Name: <NO CLASS>  
 Last Write Time: 2/12/2001 - 4:41 PM  
 Value 0  
 Name: DefaultGateway

```

Type:          REG_MULTI_SZ
Data:

Value 1
Name:          DontAddDefaultGateway
Type:          REG_DWORD
Data:          0

Value 2
Name:          EnableDeadGWDetect
Type:          REG_DWORD
Data:          0x1

Value 3
Name:          EnabledDHCP
Type:          REG_DWORD
Data:          0

Value 4
Name:          IPAddress
Type:          REG_MULTI_SZ
Data:          0.0.0.0

Value 5
Name:          SubnetMask
Type:          REG_MULTI_SZ
Data:          0.0.0.0

Value 6
Name:          UseZeroBroadcast
Type:          REG_DWORD
Data:          0

Key Name:
SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Interfaces\{FD73BFE5-
0643-4705-9572-5E3D92E4F8AD}
Class Name:    <NO CLASS>
Last Write Time: 2/12/2001 - 4:41 PM
Value 0
Name:          DefaultGateway
Type:          REG_MULTI_SZ
Data:

Value 1
Name:          DontAddDefaultGateway
Type:          REG_DWORD
Data:          0

Value 2
Name:          EnableDeadGWDetect

```

```

Type:          REG_DWORD
Data:          0x1

Value 3
Name:          EnabledDHCP
Type:          REG_DWORD
Data:          0

Value 4
Name:          IPAddress
Type:          REG_MULTI_SZ
Data:          0.0.0.0

Value 5
Name:          SubnetMask
Type:          REG_MULTI_SZ
Data:          0.0.0.0

Value 6
Name:          UseZeroBroadcast
Type:          REG_DWORD
Data:          0

Key Name:
SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\PersistentRoutes
Class Name:    <NO CLASS>
Last Write Time: 2/12/2001 - 4:40 PM

Key Name:
SYSTEM\CurrentControlSet\Services\Tcpip\Parameters\Winsock
Class Name:    <NO CLASS>
Last Write Time: 2/12/2001 - 4:40 PM
Value 0
Name:          HelperDllName
Type:          REG_EXPAND_SZ
Data:          %SystemRoot%\System32\wshtcpip.dll

Value 1
Name:          Mapping
Type:          REG_BINARY
Data:          00000000 0b 00 00 00 03 00 00 00 - 02 00 00 00 01 00 00 00
.....
00000010 06 00 00 00 02 00 00 00 - 01 00 00 00 00 00 00 00
.....
00000020 02 00 00 00 00 00 00 00 - 06 00 00 00 00 00 00 00
.....
00000030 00 00 00 00 06 00 00 00 - 00 00 00 00 01 00 00 00
.....

```

```

00000040 06 00 00 00 02 00 00 00 - 02 00 00 00 11 00 00 00
.....
00000050 02 00 00 00 02 00 00 00 - 00 00 00 00 02 00 00 00
.....
00000060 00 00 00 00 11 00 00 00 - 00 00 00 00 00 00 00 00
.....
00000070 11 00 00 00 00 00 00 00 - 02 00 00 00 11 00 00 00
.....
00000080 02 00 00 00 03 00 00 00 - 00 00 00 00
.....

```

```

Value 2
Name:      MaxSockAddrLength
Type:      REG_DWORD
Data:      0x10

```

```

Value 3
Name:      MinSockAddrLength
Type:      REG_DWORD
Data:      0x10

```

```

Value 4
Name:      UseDelayedAcceptance
Type:      REG_DWORD
Data:      0

```

```

Key Name:  SYSTEM\CurrentControlSet\Services\Tcpip\Performance
Class Name: <NO CLASS>
Last Write Time: 2/4/2002 - 9:58 AM

```

```

Value 0
Name:      Close
Type:      REG_SZ
Data:      CloseTcpIpPerformanceData

```

```

Value 1
Name:      Collect
Type:      REG_SZ
Data:      CollectTcpIpPerformanceData

```

```

Value 2
Name:      Library
Type:      REG_SZ
Data:      Perfctrs.dll

```

```

Value 3
Name:      Open
Type:      REG_SZ
Data:      OpenTcpIpPerformanceData

```

```

Value 4
Name:      WbemAdapFileSize
Type:      REG_DWORD

```

```

Data:      0xa310
Value 5
Name:      WbemAdapFileTime
Type:      REG_BINARY
Data:
00000000 00 9b 1a af 81 d4 c0 01 - ...-ÔÀ.

```

```

Value 6
Name:      WbemAdapStatus
Type:      REG_DWORD
Data:      0

```

```

Key Name:  SYSTEM\CurrentControlSet\Services\Tcpip\Security
Class Name: <NO CLASS>
Last Write Time: 2/12/2001 - 4:40 PM

```

```

Value 0
Name:      Security
Type:      REG_BINARY
Data:
00000000 01 00 14 80 a0 00 00 00 - ac 00 00 00 14 00 00 00
.....
00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02 80 14 00
0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00 00 00 00
ÿ.....
00000030 02 00 70 00 04 00 00 00 - 00 00 18 00 fd 01 02 00
..p.....ÿ...
00000040 01 01 00 00 00 00 00 05 - 12 00 00 00 02 00 00 00
.....
00000050 00 00 1c 00 ff 01 0f 00 - 01 02 00 00 00 00 00 05
...ÿ.....
00000060 20 00 00 00 20 02 00 00 - 03 00 00 00 00 00 18 00 ...
.....
00000070 8d 01 02 00 01 01 00 00 - 00 00 00 05 0b 00 00 00
.....
00000080 20 02 00 00 00 00 1c 00 - fd 01 02 00 01 02 00 00
.....ÿ.....
00000090 00 00 00 05 20 00 00 00 - 23 02 00 00 03 00 00 00 ....
...#.....
000000a0 01 01 00 00 00 00 00 05 - 12 00 00 00 01 01 00 00
.....
000000b0 00 00 00 05 12 00 00 00 - .....

```

```

Key Name:  SYSTEM\CurrentControlSet\Services\Tcpip\ServiceProvider
Class Name: <NO CLASS>
Last Write Time: 2/12/2001 - 4:40 PM
Value 0
Name:      Class
Type:      REG_DWORD

```

```

Data:          0x8
Value 1
Name:         DnsPriority
Type:        REG_DWORD
Data:        0x7d0
Value 2
Name:         HostsPriority
Type:        REG_DWORD
Data:        0x1f4
Value 3
Name:         LocalPriority
Type:        REG_DWORD
Data:        0x1f3
Value 4
Name:         Name
Type:        REG_SZ
Data:        TCP/IP
Value 5
Name:         NetbtPriority
Type:        REG_DWORD
Data:        0x7d1
Value 6
Name:         ProviderPath
Type:        REG_EXPAND_SZ
Data:        %SystemRoot%\System32\wsock32.dll
Key Name:     SYSTEM\CurrentControlSet\Services\W3SVC
Class Name:   <NO CLASS>
Last Write Time: 1/30/2002 - 10:09 AM
Value 0
Name:         DependOnGroup
Type:        REG_MULTI_SZ
Data:
Value 1
Name:         DependOnService
Type:        REG_MULTI_SZ
Data:        IISADMIN
Value 2
Name:         Description
Type:        REG_SZ
Data:        Provides Web connectivity and administration through
the Internet Information Services snap-in.

```

```

Value 3
Name:         DisplayName
Type:        REG_SZ
Data:        World Wide Web Publishing Service
Value 4
Name:         ErrorControl
Type:        REG_DWORD
Data:        0x1
Value 5
Name:         ImagePath
Type:        REG_EXPAND_SZ
Data:        C:\WINNT\System32\inetsrv\inetinfo.exe
Value 6
Name:         ObjectName
Type:        REG_SZ
Data:        LocalSystem
Value 7
Name:         Start
Type:        REG_DWORD
Data:        0x2
Value 8
Name:         Type
Type:        REG_DWORD
Data:        0x20
Key Name:     SYSTEM\CurrentControlSet\Services\W3SVC\ASP
Class Name:   <NO CLASS>
Last Write Time: 2/12/2001 - 3:46 PM
Value 0
Name:         NOTE
Type:        REG_SZ
Data:        This is for backward compatibility only.
Key Name:     SYSTEM\CurrentControlSet\Services\W3SVC\ASP\Parameters
Class Name:   <NO CLASS>
Last Write Time: 2/12/2001 - 3:46 PM
Key Name:     SYSTEM\CurrentControlSet\Services\W3SVC\Enum
Class Name:   <NO CLASS>
Last Write Time: 2/4/2002 - 9:57 AM
Value 0
Name:         0
Type:        REG_SZ
Data:        Root\LEGACY_W3SVC\0000
Value 1

```

Name: Count  
Type: REG\_DWORD  
Data: 0x1

Value 2  
Name: NextInstance  
Type: REG\_DWORD  
Data: 0x1

Key Name: SYSTEM\CurrentControlSet\Services\W3SVC\Parameters  
Class Name: <NO CLASS>  
Last Write Time: 3/2/2001 - 1:40 PM

Value 0  
Name: AcceptExOutstanding  
Type: REG\_DWORD  
Data: 0x28

Value 1  
Name: AccessDeniedMessage  
Type: REG\_SZ  
Data: Error: Access is Denied.

Value 2  
Name: CertMapList  
Type: REG\_SZ  
Data: C:\WINNT\System32\inet\_srv\iisrmap.dll

Value 3  
Name: Filter DLLs  
Type: REG\_SZ  
Data:

Value 4  
Name: InstallPath  
Type: REG\_SZ  
Data: C:\WINNT\System32\inet\_srv

Value 5  
Name: LogFileDirectory  
Type: REG\_SZ  
Data: C:\WINNT\System32\LogFiles

Value 6  
Name: MajorVersion  
Type: REG\_DWORD  
Data: 0x5

Value 7  
Name: MinorVersion  
Type: REG\_DWORD  
Data: 0

Key Name: SYSTEM\CurrentControlSet\Services\W3SVC\Parameters\ADCLaunch  
Class Name: <NO CLASS>  
Last Write Time: 2/12/2001 - 3:47 PM

Key Name: SYSTEM\CurrentControlSet\Services\W3SVC\Parameters\ADCLaunch\AdvancedData  
Factory  
Class Name: <NO CLASS>  
Last Write Time: 2/12/2001 - 3:47 PM

Key Name: SYSTEM\CurrentControlSet\Services\W3SVC\Parameters\ADCLaunch\RDSServer.Da  
taFactory  
Class Name: <NO CLASS>  
Last Write Time: 2/12/2001 - 3:47 PM

Key Name: SYSTEM\CurrentControlSet\Services\W3SVC\Parameters\Script Map  
Class Name: <NO CLASS>  
Last Write Time: 2/12/2001 - 3:57 PM

Key Name: SYSTEM\CurrentControlSet\Services\W3SVC\Parameters\Virtual Roots

Class Name: <NO CLASS>  
Last Write Time: 5/17/2001 - 11:07 AM

Value 0  
Name: /  
Type: REG\_SZ  
Data: c:\inetpub\wwwroot,,1

Value 1  
Name: /IISAdmin  
Type: REG\_SZ  
Data: C:\WINNT\System32\inet\_srv\iisadmin,,1

Value 2  
Name: /IISHelp  
Type: REG\_SZ  
Data: c:\winnt\help\iishelp,,1

Value 3  
Name: /IISamples  
Type: REG\_SZ  
Data: c:\inetpub\iissamples,,1

Value 4  
Name: /MSADC  
Type: REG\_SZ  
Data: c:\program files\common files\system\msadc,,1

Value 5

```

Name: /Printers
Type: REG_SZ
Data: C:\WINNT\web\printers,,201

Value 6
Name: /Scripts
Type: REG_SZ
Data: c:\inetpub\scripts,,1

Key Name: SYSTEM\CurrentControlSet\Services\W3SVC\Performance
Class Name: <NO CLASS>
Last Write Time: 2/4/2002 - 9:58 AM
Value 0
Name: Close
Type: REG_SZ
Data: CloseW3PerformanceData

Value 1
Name: Collect
Type: REG_SZ
Data: CollectW3PerformanceData

Value 2
Name: First Counter
Type: REG_DWORD
Data: 0x844

Value 3
Name: First Help
Type: REG_DWORD
Data: 0x845

Value 4
Name: Last Counter
Type: REG_DWORD
Data: 0x8e6

Value 5
Name: Last Help
Type: REG_DWORD
Data: 0x8e7

Value 6
Name: Library
Type: REG_SZ
Data: w3ctrs.dll

Value 7
Name: Library Validation Code
Type: REG_BINARY
Data:

```

```

00000000 e0 81 84 b7 0a 95 c0 01 - 10 3d 00 00 00 00 00 00
à...À.==.....

Value 8
Name: Open
Type: REG_SZ
Data: OpenW3PerformanceData

Value 9
Name: WbemAdapFileSize
Type: REG_DWORD
Data: 0x1d10

Value 10
Name: WbemAdapFileTime
Type: REG_BINARY
Data: 00000000 00 9b 1a af 81 d4 c0 01 - ...-ÔÀ.

Value 11
Name: WbemAdapStatus
Type: REG_DWORD
Data: 0

Key Name: SYSTEM\CurrentControlSet\Services\W3SVC\Security
Class Name: <NO CLASS>
Last Write Time: 2/12/2001 - 3:46 PM
Value 0
Name: Security
Type: REG_BINARY
Data:
00000000 01 00 14 80 a0 00 00 00 - ac 00 00 00 14 00 00 00
...^.....
00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02 80 14 00
0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00 00 00 00
ÿ.....
00000030 02 00 70 00 04 00 00 00 - 00 00 18 00 fd 01 02 00
..p.....ÿ...
00000040 01 01 00 00 00 00 00 05 - 12 00 00 00 74 00 6f 00
.....t.o.
00000050 00 00 1c 00 ff 01 0f 00 - 01 02 00 00 00 00 00 05
...ÿ.....
00000060 20 00 00 00 20 02 00 00 - 72 00 73 00 00 00 18 00 ...
...r.s....
00000070 8d 01 02 00 01 01 00 00 - 00 00 00 05 0b 00 00 00
.....
00000080 20 02 00 00 00 00 1c 00 - fd 01 02 00 01 02 00 00
.....ÿ.....
00000090 00 00 00 05 20 00 00 00 - 23 02 00 00 72 00 73 00 ....
...#...r.s.

```

000000a0 01 01 00 00 00 00 05 - 12 00 00 00 01 01 00 00  
.....  
000000b0 00 00 00 05 12 00 00 00 - .....

Key Name: SOFTWARE\Microsoft\TPCC  
Class Name: <NO CLASS>  
Last Write Time: 1/30/2002 - 10:12 AM

Value 0  
Name: COM\_SinglePool  
Type: REG\_SZ  
Data: YES

Value 1  
Name: DB\_Protocol  
Type: REG\_SZ  
Data: ODBC

Value 2  
Name: DbName  
Type: REG\_SZ  
Data: tpcc

Value 3  
Name: DbPassword  
Type: REG\_SZ  
Data:

Value 4  
Name: DbServer  
Type: REG\_SZ  
Data: h250

Value 5  
Name: DbUser  
Type: REG\_SZ  
Data: sa

Value 6  
Name: MaxConnections  
Type: REG\_DWORD  
Data: 0x2328

Value 7  
Name: MaxPendingDeliveries  
Type: REG\_DWORD  
Data: 0x5dc

Value 8  
Name: NumberOfDeliveryThreads  
Type: REG\_DWORD  
Data: 0x4

Value 9  
Name: Path  
Type: REG\_SZ  
Data: c:\inetpub\wwwroot\

Value 10  
Name: TxnMonitor  
Type: REG\_SZ  
Data: COM

Component Services Configuration:  
COM+ Component TPCC.AllTXns Settings:

Enable object pooling  
Minimum pool size 42  
Maximum pool size 42  
Creation timeout 60,000  
Enable object construction  
Enable just in time activation  
Concurrency required

**This section discloses the RTE parameters used on the PRIMERGY 870 system.**

Profile: HTML\_27000  
File Path: J:\TPCC\_H250\HTML\_27000.pro  
Version: 1.0.1

Number of Engines: 9

Name: DRIVER01  
Description: tuerkis1  
Directory: c:\log\_b210\_t1.log  
Machine: tuerkis  
Parameter Set: All\_Times3  
Index: 0  
Seed: 11063  
Configured Users: 3000  
Pipe Name: DRIVER15224187  
Connect Rate: 300  
Start Rate: 280  
CLIENT\_NURAND: 233  
CPU: 0

Name: DRIVER02

Description: tuerkis2  
Directory: c:\log\_b210\_t2.log  
Machine: tuerkis  
Parameter Set: All\_Times3  
Index: 100000000  
Seed: 11063  
Configured Users: 3000  
Pipe Name: DRIVER25270250  
Connect Rate: 300  
Start Rate: 280  
CLIENT\_NURAND: 233  
CPU: 1

Name: DRIVER03  
Description: tuerkis3  
Directory: c:\log\_b210\_t3.log  
Machine: tuerkis  
Parameter Set: All\_Times3  
Index: 200000000  
Seed: 11063  
Configured Users: 3000  
Pipe Name: DRIVER35312546  
Connect Rate: 300  
Start Rate: 280  
CLIENT\_NURAND: 233  
CPU: 2

Name: DRIVER04  
Description: ros1  
Directory: c:\log\_b210\_r1.log  
Machine: rosa  
Parameter Set: All\_Times3  
Index: 300000000  
Seed: 11063  
Configured Users: 3000  
Pipe Name: DRIVER45344812  
Connect Rate: 300  
Start Rate: 280  
CLIENT\_NURAND: 233  
CPU: 0

Name: DRIVER05  
Description: rosa2  
Directory: c:\log\_b210\_r2.log  
Machine: rosa  
Parameter Set: All\_Times3  
Index: 400000000  
Seed: 11063  
Configured Users: 3000  
Pipe Name: DRIVER55370562  
Connect Rate: 300  
Start Rate: 280  
CLIENT\_NURAND: 233

CPU: 1  
Name: DRIVER06  
Description: rosa3  
Directory: c:\log\_b210\_r3.log  
Machine: rosa  
Parameter Set: All\_Times3  
Index: 500000000  
Seed: 11063  
Configured Users: 3000  
Pipe Name: DRIVER65399328  
Connect Rate: 300  
Start Rate: 280  
CLIENT\_NURAND: 233  
CPU: 2

Name: DRIVER07  
Description: schwarz1  
Directory: c:\log\_b210\_s1.log  
Machine: schwarz  
Parameter Set: All\_Times3  
Index: 600000000  
Seed: 11063  
Configured Users: 3000  
Pipe Name: DRIVER75423031  
Connect Rate: 300  
Start Rate: 280  
CLIENT\_NURAND: 233  
CPU: 0

Name: DRIVER08  
Description: schwarz2  
Directory: c:\log\_b210\_s2.log  
Machine: schwarz  
Parameter Set: All\_Times3  
Index: 700000000  
Seed: 11063  
Configured Users: 3000  
Pipe Name: DRIVER85450390  
Connect Rate: 300  
Start Rate: 280  
CLIENT\_NURAND: 233  
CPU: 1

Name: DRIVER09  
Description: schwarz3  
Directory: c:\log\_b210\_s3.log  
Machine: schwarz  
Parameter Set: All\_Times3  
Index: 800000000  
Seed: 11063  
Configured Users: 3000  
Pipe Name: DRIVER95473703

Connect Rate: 300  
Start Rate: 280  
CLIENT\_NURAND: 233  
CPU: 2

Number of User groups: 9

Driver Engine: DRIVER01  
IIS Server: b210cl1  
SQL Server: h250  
User: sa  
Protocol: Html  
w\_id Range: 1 - 300  
w\_id Max Warehouse: 2700  
Scale: Normal  
User Count: 3000  
District id: 1  
Scale Down: No

Driver Engine: DRIVER02  
IIS Server: b210cl2  
SQL Server: h250  
User: sa  
Protocol: Html  
w\_id Range: 301 - 600  
w\_id Max Warehouse: 2700  
Scale: Normal  
User Count: 3000  
District id: 1  
Scale Down: No

Driver Engine: DRIVER03  
IIS Server: b210cl3  
SQL Server: h250  
User: sa  
Protocol: Html  
w\_id Range: 601 - 900  
w\_id Max Warehouse: 2700  
Scale: Normal  
User Count: 3000  
District id: 1  
Scale Down: No

Driver Engine: DRIVER04  
IIS Server: b210cl1  
SQL Server: h250  
User: sa  
Protocol: Html  
w\_id Range: 901 - 1200  
w\_id Max Warehouse: 2700  
Scale: Normal  
User Count: 3000  
District id: 1

Scale Down: No

Driver Engine: DRIVER05  
IIS Server: b210cl2  
SQL Server: h250  
User: sa  
Protocol: Html  
w\_id Range: 1201 - 1500  
w\_id Max Warehouse: 2700  
Scale: Normal  
User Count: 3000  
District id: 1  
Scale Down: No

Driver Engine: DRIVER06  
IIS Server: b210cl3  
SQL Server: h250  
User: sa  
Protocol: Html  
w\_id Range: 1501 - 1800  
w\_id Max Warehouse: 2700  
Scale: Normal  
User Count: 3000  
District id: 1  
Scale Down: No

Driver Engine: DRIVER07  
IIS Server: b210cl1  
SQL Server: h250  
User: sa  
Protocol: Html  
w\_id Range: 1801 - 2100  
w\_id Max Warehouse: 2700  
Scale: Normal  
User Count: 3000  
District id: 1  
Scale Down: No

Driver Engine: DRIVER08  
IIS Server: b210cl2  
SQL Server: h250  
User: sa  
Protocol: Html  
w\_id Range: 2101 - 2400  
w\_id Max Warehouse: 2700  
Scale: Normal  
User Count: 3000  
District id: 1  
Scale Down: No

Driver Engine: DRIVER09  
IIS Server: b210cl3  
SQL Server: h250



**This section discloses the Microsoft SQL Server 2000 Enterprise Edition SP2 parameters used on the PRIMERGY H250 server system.**

Microsoft SQL Server Startup Parameters:

```
sqlservr -c -x -T3502 -g180
```

where:

- c Start SQL Server independently of the Windows NT Service Control Manager
- x Disables the keeping of CPU time and cache-hit ratio statistics
- T3502 Prints a message to the SQL Server log at start and end of each checkpoint
- g80 memory in MB reserved for memory requests outside the buffer pool

Microsoft SQL Server Stack Size:

The default stack size for Microsoft SQL Server 2000 was changed using the EDITBIN utility:  
editbin /STACK:131072

Microsoft SQL Server Configuration Parameters:

```
1> 2> 3> 4> 5> 6> 7> 8> 9> 10> 11>
-- File:      VERSION.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Returns SQL Server version string
```

```
print " "
select convert(char(30), getdate(),9)
print " "
```

```
-----
Feb  1 2002 11:21:58:960AM
```

(1 row affected)

```
1> 2> 3>
select @@version
```

```
-----
-----
-----
-----
Microsoft SQL Server 2000 - 8.00.534 (Intel X86)
Nov 19 2001 13:23:50
Cop
yright (c) 1988-2000 Microsoft Corporation
Enterprise Edition on Windo
ws NT 5.0 (Build 2195: Service Pack 2)
```

(1 row affected)

```
1> 2>
1> 2> 3> 4> 5> 6> 7> 8> 9> 10>
-- File:      CONFIG.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Collects SQL Server configuration parameters
```

```
print " "
select convert(char(30), getdate(),9)
print " "
```

```
-----
Feb  1 2002 11:21:59:743AM
```

(1 row affected)

1> 2> 3> DBCC execution completed. If DBCC printed error messages, contact your system administrator. Configuration option 'show advanced options' changed from 1 to 1. Run the RECONFIGURE statement to install.

```
sp_configure "show advanced",1
1> 2> reconfigure with override
1> 2> sp_configure
```

name	minimum	maximum	config_value	run_value
affinity mask	-2147483648	2147483647	0	0
allow updates	0	1	0	0
awe enabled	0	1	1	1
c2 audit mode	0	1	0	0
cost threshold for parallelism	0	32767	5	5
cursor threshold	-1	2147483647	-1	-1
default full-text language	0	2147483647	1033	1033
default language	0	9999	0	0
fill factor (%)	0	100	0	0
index create memory (KB)	704	2147483647	0	0
lightweight pooling	0	1	1	1
locks	5000	2147483647	0	0
max degree of parallelism	0	32	1	1
max server memory (MB)	4	2147483647	2147483647	2147483647
max text repl size (B)	0	2147483647	65536	65536
max worker threads	32	32767	150	150
media retention	0	365	0	0
min memory per query (KB)	512	2147483647	512	512
min server memory (MB)	0	2147483647	0	0
nested triggers	0	1	1	1
network packet size (B)	512	65536	4096	4096
open objects	0	2147483647	0	0
priority boost	0	1	1	1
query governor cost limit	0	2147483647	0	0
query wait (s)	-1	2147483647	-1	-1
recovery interval (min)	0	32767	56	56
remote access	0	1	0	0
remote login timeout (s)	0	2147483647	20	20
remote proc trans	0	1	0	0
remote query timeout (s)	0	2147483647	0	0
scan for startup procs	0	1	0	0
set working set size	0	1	0	0
show advanced options	0	1	1	1
two digit year cutoff	1753	9999	2049	2049
user connections	0	32767	200	200
user options	0	32767	0	0

1>

## Appendix D – Space Calculation

				Microsoft SQL Server		
Note : Numbers are in KBytes unless otherwise specified				Updated for Version 7 (FR)		
<b>Warehouses</b>	<b>2700</b>	<b>tpmC</b>	33768	<b>tpmC/W</b>	12.51	
<b>Table</b>	<b>Rows</b>	<b>Data</b>	<b>Index</b>	<b>5% Space</b>	<b>8H Space</b>	<b>Total Space</b>
Warehouse	2,700	288	32	16		336
District	27,000	3,000	32	152		3,184
Item	100,000	9,528	48	479		10,055
New-order	24,300,000	384,192	896		216,000	601,088
History	81,000,000	4,500,008	72		900,496	5,400,576
Orders	81,000,000	2,482,760	1,129,000		722,737	4,334,497
Customer	81,000,000	58,909,096	3,512,776	3,121,094		65,542,966
Order-line	810,001,666	50,625,112	107,168		10,151,867	60,884,147
Stock	270,000,000	86,400,000	161,520	4,328,076		90,889,596
<b>Totals</b>		203,313,984	4,911,544	7,449,816	11,991,101	227,666,445
<b>Segment</b>	<b>LogDev Cnt.</b>	<b>Seg. Size</b>	<b>Needed</b>	<b>Overhead</b>		<b>Not Needed</b>
misc	3	84,480,000	71,946,222	719,462		11,814,316
customer/stock	3	158,208,000	157,996,887	1,579,969		(1,368,856)
<b>Totals</b>		242,688,000	229,943,109	2,299,431		10,445,460
<b>Dynamic space</b>	57,607,880	Sum of Data for Order, Order-Line and History				
<b>Static space</b>	160,366,895	Data + Index + 5% Space + Overhead - Dynamic space				
<b>Free space</b>	14,267,765	Total Seg. Size - Dynamic Space - Static Space - Not Needed				
<b>Daily growth</b>	11,527,721	(Dynamic space/W * 62.5)* tpmC				
<b>Daily spread</b>	(3,023,816)	Free space - 1.5 * Daily growth (zero if negative)				
<b>60 day (KB)</b>	852,030,146	Static space + 60 (daily growth + daily spread)				
<b>60 day (GB)</b>	812.56	60-day space in GB (excludes OS, Paging and RDBMS Logs)				
<b>Log size (MB)</b>	70,000	Total size of log file				
<b>% Log used</b>	40.2612	% of log file used during entire run				
<b>Total N-O Txn</b>	5944120	Total count of N-O transactions during entire run				
<b>Log per N-O txn</b>	4.8551	KB of log per New-Order transaction				
<b>8 Hour Log (GB)</b>	75.05	8 hours of log in GB (excluding space for redundancy)				
<b>Disk Capacity</b>	<b>MB</b>	<b>GB</b>	<b>disks needed</b>	<b>disks priced</b>	<b>GB priced</b>	
18 GB 15000 rpm	17480	17.07		132	2,253.28	
60 day (GB)		812.56	47.60	132	2,253.28	
<b>Disk Capacity</b>	<b>MB</b>	<b>GB</b>	<b>disks needed</b>	<b>disks priced</b>		
18 GB 15000 rpm	17480	17.07				
8 Hour Log (RAID 1)		75.05	4.40	5+5		

# Appendix E - Price Quotations

# Appendix F - Attestation Letter

Benchmark Sponsor: Masayoshi TAKEI  
 IA Server Division  
 Personal Systems Business Group  
 Fujitsu Limited  
 1-1, Kamikodanaka 4-Chome, Nakahara-ku, Kawasaki  
 211-8588, Japan

July 22, 2002

I remotely verified the TPC Benchmark™ C performance of the following Client Server configuration:

Platform: **PRIMERGY H250**  
 Operating system: **Microsoft Windows 2000 Advanced Server SP2**  
 Database Manager: **Microsoft SQL Server 2000 Enterprise Edition SP2**  
 Transaction Manager: **Microsoft COM+ (Included in Windows 2000)**

The results were:

CPU's Speed	Memory	Disks	NewOrder 90% Response Time	tpmC
<b>Server: PRIMERGY H250</b>				
2 x Intel Xeon (2.20 GHz)	8 GB Main (512 L2 Cache per processor)	143 x 18 GB	0.75 Seconds	<b>33768.41</b>
<b>Three (3) Clients: PRIMERGY B225 (Specification for each)</b>				
1 x Pentium III (933 MHz)	512 MB Main Cache: 256 KB	1 x 18 GB	n/a	n/a

In my opinion, these performance results were produced in compliance with the TPC's requirements for the benchmark. The following verification items were given special attention:

- The database records were the proper size
- The database was properly scaled and populated

- The required ACID properties were met
- The transactions were correctly implemented
- Input data was generated according to the specified percentages
- The transaction cycle times included the required keying and think times
- The reported response times were correctly measured.
- All 90% response times were under the specified maximums
- At least 90% of all delivery transactions met the 80 Second completion time limit
- The reported measurement interval was 120 minutes (7200 seconds)
- The reported measurement interval was representative of steady state conditions
- One checkpoint was taken during the reported measurement interval
- The repeatability of the measured performance was verified
- The 60 day storage requirement was correctly computed
- The system pricing was verified for major components and maintenance

Respectfully Yours,



François Raab, President



Bradley J. Askins, Auditor