



Cisco Systems, Inc.

TPC Benchmark™ C Full Disclosure Report

Cisco UCS C240 M3 Rack Server
using
Oracle Database 11g Standard Edition One
and
Oracle Linux with Unbreakable Enterprise Kernel Release 2

**First Edition
September 2012**

First Edition – July, 2012

Cisco and the Cisco Logo are trademarks of Cisco Systems, Inc. and/or its affiliates in the U.S. and other countries. A listing of Cisco's trademarks can be found at www.cisco.com/go/trademarks.

The Cisco products, services or features identified in this document may not yet be available or may not be available in all areas and may be subject to change without notice. Consult your local Cisco business contact for information on the products or services available in your area. You can find additional information via Cisco's World Wide Web server at <http://www.cisco.com>. Actual performance and environmental costs of Cisco products will vary depending on individual customer configurations and conditions. The use of the word partner does not imply a partnership relationship between Cisco and any other company.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. Microsoft and Windows are trademarks of Microsoft Corporation. TPC Benchmark, TPC-C, tpmC, and \$/tpmC are trademarks of Transaction Processing Performance Council. All other trademarks and copyrights are property of their respective owners.

© 2012 Cisco Systems, Inc. All rights Reserved.

Table of Contents

TABLE OF CONTENTS	3
ABSTRACT	5
PREFACE	9
TPC BENCHMARK© C OVERVIEW	9
0 GENERAL ITEMS.....	11
0.1 APPLICATION CODE AND DEFINITION STATEMENTS	11
0.2 BENCHMARK SPONSOR	11
0.3 PARAMETER SETTINGS	11
0.4 CONFIGURATION DIAGRAMS	12
1 CLAUSE 1: LOGICAL DATABASE DESIGN	13
1.1 TABLE DEFINITIONS.....	13
1.2 PHYSICAL ORGANIZATION OF DATABASE.....	13
1.3 INSERT AND DELETE OPERATIONS	13
1.4 HORIZONTAL OR VERTICAL PARTITIONING	13
1.5 REPLICATION OR DUPLICATION	13
2 CLAUSE 2: TRANSACTION AND TERMINAL PROFILES	14
2.1 RANDOM NUMBER GENERATION	14
2.2 INPUT/OUTPUT SCREENS	14
2.3 PRICED TERMINAL FEATURE	14
2.4 PRESENTATION MANAGERS	14
2.5 TRANSACTION STATISTICS.....	15
2.6 QUEUING MECHANISM	15
3 CLAUSE 3: TRANSACTION AND SYSTEM PROPERTIES	16
3.1 ATOMICITY	16
3.2 CONSISTENCY	16
3.3 ISOLATION	17
3.4 DURABILITY	18
3.4.1 <i>Durable Media Failure</i>	18
3.4.2 <i>Instantaneous Interruption, Loss of Memory</i>	19
4 CLAUSE 4: SCALING AND DATABASE POPULATION	20
4. 1 CARDINALITY OF TABLES	20
4.2 DATABASE IMPLEMENTATION	20
4.3 DISTRIBUTION OF DATABASE FILES.....	20
4.4 60 DAY SPACE	21
5 CLAUSE 5: PERFORMANCE METRICS.....	24
5.2 RESPONSE TIMES	24
5.3 KEYING AND THINK TIMES	25
5.4 RESPONSE TIME FREQUENCY DISTRIBUTION AND PERFORMANCE CURVES.....	25
5.5 STEADY STATE DETERMINATION.....	31
5.6 WORK PERFORMED DURING STEADY STATE	31
5.7 MEASUREMENT PERIOD DURATION.....	31
5.8 TRANSACTION STATISTICS.....	31
5.9 CHECKPOINTS	32

6 CLAUSE 6: SUT, DRIVER AND COMMUNICATION	33
6.1 REMOTE TERMINAL EMULATOR (RTE)	33
6.2 EMULATED COMPONENTS.....	33
6.3 FUNCTIONAL DIAGRAMS	33
6.4 NETWORKS	33
6.5 OPERATOR INTERVENTION	33
7 CLAUSE 7: PRICING.....	34
7. 1 HARDWARE AND SOFTWARE PRICING.....	34
7.2 THREE YEAR PRICE	34
7.3 AVAILABILITY DATES.....	34
8 AUDITOR' INFORMATION AND ATTESTATION LETTER	35
8.1 AUDITOR'S REPORT	35
9 APPENDIX A: SOURCE CODE	38
10 APPENDIX B: DATABASE DESIGN.....	105
11 APPENDIX C: TUNABLE PARAMETERS.....	161
12 APPENDIX D: PRICE QUOTATIONS	163

Abstract


This report documents the methodology and results of the TPC Benchmark © C test conducted on the Cisco UCS C240 M3 Rack Server using Oracle Database 11g Standard Edition One and Oracle Linux with Unbreakable Enterprise Kernel Release 2.

Cisco UCS C240 M3 Rack Server C/S configuration with two Cisco UCS C200 M2 Servers

Company Name	System Name	Database Software	Opeating System
Cisco Systems, Inc	Cisco UCS C240 M3 Rack Server	Oracle Database 11g Standard Edition One	Oracle Linux with Unbreakable Enterprise Kernel Release 2

TPC Benchmark© C Metrics

Total System Cost	TPC-C Throughput	Price/Performance	Availability Date
\$747,036	1,609,186.39 tpmC	\$0.47 USD/ tpmC	September 26, 2012

		Cisco UCS C240 M3 Rack Server			TPC-C Rev. 5.11 TPC-Pricing Rev. 1.70 Report Date: September 26, 2012
Total System Cost		TPC-C Throughput		Price/Performance	
\$747,036 USD		1,609,186.39 tpmC		\$0.47 USD/ tpmC	
Processors	Database Manager	Operating System	Other Software	Number of Users	
Intel E5-2690 2.90GHz 20M L3 cache	Oracle Database 11g Standard Edition One	Oracle Linux with Unbreakable Enterprise Kernel Release 2	Microsoft COM+	1,295,000	
 <p style="text-align: center;">Catalyst 2960-24TS-S</p>					
UCS C240 M3 rack Server 2 x Intel Xeon E5-2690 2.9 GHz 20M L3 Cache 135W 2 x 300GB 6Gb SAS 10K RPM SFF HDD 8 x 1TB 6Gb SATA 7.2K RPM SFF HDD 24 x 32 GB DDR3-1333 MHz RDIMM 2 x V-6000 Memory Array (16.3TB) 2 x VTrak J630sS JBOD		2 x UCS C200 M2 Server 2 x Intel Xeon E5650 2.66 GHz 12M L3 Cache 95W 6 x 4GB DDR3-1333MHz RDIMM 1 x 500GB SATA 7.2K RPM HDD		8 x UCS C250 M2 Extended-Memory Server emulating 1,295,000 users. Not part of the priced configuration.	
System Components	Server			2 Clients (each with)	
	Quantity	Description		Quantity	Description
Processor/Cores/Threads	2/16/32	Intel Xeon E5-2690 2.90GHz, 20M L3 Cache, 135W		2/12/24	Intel Xeon E5650 2.66GHz, 12M L3 Cache, 95W
Memory	768 GB	24 x 32GB DDR3-1333MHz RDIMM		24 GB	6 x 4GB DDR3
Storage Controllers	2	LSI MegaRAID SAS 9280-4i4e		1	LSI 1064E
Disk Drives (Internal)	2	300GB 6Gb SAS 10K RPM SFF HDD (Internal, OS)		1	500GB SATA 7.2K RPM HDD (OS)
Storage Arrays	8	1TB 6Gb SATA 7.2K RPM SFF HDD (Internal)			
	3	QUE2464 QP 4Gb FC PCI E HBA			
	2	V-6000 Memory Array (16.3 TB)			
	2	VTrak J630sS JBOD with: 10 x 600GB 15K SAS HDD, 6 x 3TB 7.2K NL-SAS HDD			
Total Storage	60.04 TB				

Cisco		Cisco UCS C240 M3 Rack Server					TPC-C Rev. 5.11						
							TPC-Pricing Rev. 1.7.0						
							Report Date:		10/26/2012				
Description	Part Number	Brand	Source	Unit Price	Qty	Extended Price	3 Year Maint. Price						
Server Hardware													
UCS C240 M3 SFF w/o CPU, mem, HD, PCIe, w/ rail kit, expdr	UCSC-C240-M3S	Cisco		1	3,600	1	3,600						
Intel Xeon E5-2690 2.90 GHz/135W 8C/20MB Cache/DDR3 1600MHz	UCS-CPU-E5-2690	Cisco		1	4,686	2	9,372						
2 x 32GB DDR3-1333-MHz RDIMM	UCS-MR-2X324RX-C	Cisco		1	13,200	12	158,400						
1200W 2u Power Supply For UCS	UCSC-PSU2-1200	Cisco		1	652	1	652						
LSI MegaRAID SAS 9280-4i4e, 4 Internal and 4 external ports	UCSC-RAID-C-4I4E	Cisco		1	1,592	2	3,184						
300GB 6Gb SAS 10K RPM SFF HDD	A03-D300GA2	Cisco		1	561	2	1,122						
1TB 6Gb SATA 7.2K RPM SFF HDD/hot plug	A03-D1TBSATA	Cisco		1	989	8	7,912						
MS Comfort Curve DT 3000 USB-EN NA Keyboard & Mouse	7ZJ-00001	Provantage		6	19	1	19						
V173DjB LCD Monitor	ET-BV3RP-D03	Provantage		6	93	1	93						
Cisco R42610 expansion rack	RACK-UCS	Cisco		1	2,857	1	2,857						
C240 24x7x4Hr Onsite Support Service	CON-UCSD7-C240M3SF	Cisco		1	541	3		1,623					
						Subtotal	187,211		1,623				
Storage													
V-6000 Memory Array	V-6616-HA64-8xFc	Violin		4	540,000	2	1,080,000						
Violin Bronze Maintenance - 3 year	VS-BRONZE-3Y	Violin		4	54,000	2		108,000					
QLE2564 Quad Port 8Gb FC PCI Express HBA (in. 10% spare)	QLE2564-CK	Provantage		5	2,696	5	13,479						
VTrak JBOD JBx30 Series 6G SAS 3U/16-bay Single-controller Expansion Cha	J630SNX	Datalink		5	3,895	2	7,790						
600GB 15K SAS Drive (inc. 10% spare)	ST3600057SS	Datalink		5	485	22	10,670						
3TB 7.2K NL-SAS Drive (inc. 10% spare)	ST33000650SS	Datalink		5	420	14	5,880						
Promise ServicePlus Plan	SP3YEAR	Datalink		5	995	2		1,990					
						Subtotal	1,117,819		109,990				
Client Hardware													
UCS C200 M2 Srvr w/1PSU, DVD w/o CPU, mem, HDD or PCIe card	R200-1120402W	Cisco		1	2,343	2	4,686						
Intel Xeon X5650 2.66GHz 95W CPU/12MB cache/DDR3 1333MHz	A01-X0105	Cisco		1	2,754	4	11,016						
4GB DDR3-1333-MHz RDIMM/PC3-10600	UCS-MR-1X041RX-A	Cisco		1	319	12	3,828						
LSI 1064E (4-port SAS 3.0G RAID 0, 1, 1E) Mezz Card	R2X0-ML002	Cisco		1	281	2	562						
Gen 2 500GB SATA 7.2K RPM 3.5in HDD	R200-D500GCSATA03	Cisco		1	448	2	896						
C200 24x7x4Hr Onsite Support Service	CON-UCS7-R200W	Cisco		1	405	6		2,430					
						Subtotal	20,988		2,430				
Connectivity													
Catalyst 2960S 24 GigE	WS-C3560CG-8TC-S	Cisco		1	1,995	1	1,995						
Onsite 24x7x4 Cat 2960S 24GigE	CON-OSP-2960S2SS	Cisco		1	280	3		840					
						Subtotal	1,995		840				
Large Purchase Discount ¹	57.00%	Cisco ¹		1			-118,674						
Large Purchase Discount	50.00%	Violin		1			-540,000						
						Hardware Subtotal	669,340		60,883				
Server Software													
Oracle Linux		Oracle		2	0								
Oracle Linux Basic Limited (3 year support)		Oracle		2	1,497	1		1,497					
Oracle Database 11g Release 2 Standard Edition One, Per Processor for 3 Years		Oracle		2	2,900	2	5,800						
Incident Server Support		Oracle		2	2,300	3		6,900					
						Subtotal	5,800		8,397				
Client Software													
Microsoft Windows Server 2008 Standard Edition	p73-04755	Microsoft		3	1,029	2	2,058						
Microsoft Problem Resolution Services	NA	Microsoft		3	259	1		259					
Microsoft Visual Studio Standard 2008	127-00166	Microsoft		3	299	1	299						
						Subtotal	2,357		259				
						Total	677,497		69,539				
Pricing: 1=Cisco 2=Oracle 3=Microsoft 4=Violin 5=Datalink 6=Provantage; i- Applicable to Source (1) excludes Support Services and Connectivity													
Audited by Francois Raab of InfoSizing, Inc. www.sizing.com						Three-Year Cost of Ownership: 747,036 tpmC: 1,609,186.39 \$ / tpmC: 0.47							
All discounts are based on US list prices and for similar quantities and configurations. The discounts are based on the overall specific components pricing from respective vendors in this single quotation. Discounts for similarly sized configurations will be similar to those quoted here, but may vary based on the components in the configuration.													
Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specifications. If you find that the stated prices are not available according to these terms, please inform at pricing@tpc.org . Thank you.													

Numerical Quantities Summary

MQTH, Computed Maximum Qualified Throughput: **1,609,186.39 tpmC**

Response Times (in seconds)	Average	90%	Maximum
New-Order	0.353	0.479	3.698
Payment	0.351	0.477	3.758
Order-Status	0.352	0.478	3.325
Delivery (interactive portion)	0.288	0.410	3.206
Delivery (deferred portion)	0.092	0.506	3.825
Stock-Level	0.354	0.480	3.090
Menu	0.290	0.411	3.970
Transaction Mix, in percent of total transaction			
New-Order			44.95%
Payment			43.02%
Order-Status			4.01%
Delivery			4.01%
Stock-Level			4.02%
Emulation Delay (in seconds)		Resp.Time	Menu
New-Order	0.100	0.100	0.100
Payment	0.100	0.100	0.100
Order-Status	0.100	0.100	0.100
Delivery (interactive)	0.100	0.100	0.100
Stock-Level	0.100	0.100	0.100
Keying/Think Times (in seconds)		Min.	Average
New-Order	18.000/0.000	18.000/12.082	18.024/120.30
Payment	3.000/0.000	3.000/12.087	3.049/120.30
Order-Status	2.000/0.000	2.000/10.081	2.020/100.30
Delivery (interactive)	2.000/0.000	2.000/5.058	2.019/50.30
Stock-Level	2.000/0.000	2.000/5.054	2.049/50.30
Test Duration			
Ramp-up time			00:60:00
Measurement interval			2:00:00
Transactions (all types) completed during measurement interval			429621953
Ramp down time			0:01:00
Checkpointing			
Number of checkpoints			4
Checkpoint interval (average)			29:27

Preface

The Processing Performance Council (TPC) is a non-profit corporation founded to define transaction processing and database benchmarks and to disseminate objective, verifiable TPC performance data to the industry. The TPC Benchmark© C is an on-line transaction processing benchmark (OLTP) developed by the TPC.

TPC Benchmark© C Overview

TPC Benchmark© C (TPC-C) simulates a complete computing environment where a population of users executes transactions against a database. The benchmark is centered around the principal activities (transactions) of an order-entry environment. These transactions include entering and delivering orders, recording payments, checking the status of orders, and monitoring the level of stock at the warehouses. While the benchmark portrays the activity of a wholesale supplier, TPC-C is not limited to the activity of any particular business segment, but, rather represents any industry that must manage, sell, or distribute a product or service.

TPC-C consists of a mixture of read-only and update intensive transactions that simulate the activities found in complex OLTP application environments. It does so by exercising a breadth of system components associated with such environments, which are characterized by:

- The simultaneous execution of multiple transaction types that span a breadth of complexity
- On-line and deferred transaction execution modes
- Multiple on-line terminal sessions
- Moderate system and application execution time
- Significant disk input/output
- Transaction integrity (ACID properties)
- Non-uniform distribution of data access through primary and secondary keys
- Databases consisting of many tables with a wide variety of sizes, attributes, and relationships
- Contention of data access and update

The performance metric reported by TPC-C is a “business throughput” measuring the number of orders processed per minute. Multiple transactions are used to simulate the business activity of processing an order, and each transaction is subject to a response time constraint. The performance metric for this benchmark is expressed in transactions-per-minute-C (tpmC). To be compliant with the TPC-C standard, all references to tpmC results must include the tpmC rate, the associated price-per-tpmC, and the availability date of the priced configuration.

TPC-C uses terminology and metrics that are similar to other benchmarks, originated by the TPC or others. Such similarity in terminology does not in any way imply that TPC-C results are comparable to other benchmarks. The only benchmark results comparable to TPC-C are other TPC-C results conformant with the same revision.

Despite the fact that this benchmark offers a rich environment that emulates many OLTP applications, this benchmark does not reflect the entire range of OLTP requirements. In addition, the extent to which a customer can achieve the results reported by a vendor is highly dependent on how closely TPC-C approximates the customer application. The relative performance of systems derived from this benchmark does not necessarily hold for other workloads or environments. Extrapolations to other environments are not recommended.

Benchmark results are highly dependent upon workload, specific application requirements, and systems design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC-C should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

Further information is available at [www\(tpc.org](http://www(tpc.org)

0 General Items

0.1 Application Code and Definition Statements

The application program (as defined in clause 2.1.7) must be disclosed. This includes, but is not limited to, the code implementing the five transactions and the terminal input output functions.

Appendix A contains the application source code for the transactions.

0.2 Benchmark Sponsor

A statement identifying the benchmark sponsor(s) and other participating companies must be provided.

This benchmark was sponsored by Cisco Systems, Inc. and developed and engineered in partnership with Oracle Corporation.

0.3 Parameter Settings

Settings must be provided for all customer-tunable parameters and options which have been changed from the defaults found in actual products, including by not limited to:

- *Database options*
- *Recover/commit options*
- *Consistency locking options*
- *Operating system and application configuration parameters*

This requirement can be satisfied by providing a full list of all parameters.


Appendix C contains the tunable parameters for the database, the operating system, and the transaction monitor.

0.4 Configuration Diagrams

Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences.

The configuration diagram for both the tested and priced system is depicted in Figure.

Figure 0.4 Benchmarked and Priced Configuration



Clause 1: Logical Database Design

1.1 Table Definitions

Listing must be provided for all table definition statements and all other statements used to set up the database. Appendix B contains the code used to define and load the database tables.

1.2 Physical Organization of Database

The physical organization of tables and indices within the database must be disclosed.

The physical organization of the database is shown in the table below.

Table 1.2: Physical Organization of the Database

Controller	Array	Drives	RAID	Details
LSI MegaRAID SAS 9280-4i4e	Internal	2 x 300GB 10K SAS 8 x 1TB 7.2K SATA	RAID 1+0 RAID 0	OS 60 Day Space
	VTrak J630sS	10 x 600GB 15K SAS	RAID 0	Redo Log
		6 x 3TB 7.2K NL SAS	RAID 0	60 Day Space
LSI MegaRAID SAS 9280-4i4e	VTrak J630sS	10 x 600GB 15K SAS	RAID 0	Redo Log
		6 x 3TB 7.2K NL SAS	RAID 0	60 Day Space
3 x QLE2464 Fibre Channel Host Bus Adapter	V-6000 Memory Array	16.3 TB Flash	vRAID	Database Files
	V-6000 Memory Array	16.3 TB Flash	vRAID	Database Files

1.3 Insert and Delete Operations

It must be ascertained that insert and/or delete operations to any of the tables can occur concurrently with the TPC-C transaction mix. Furthermore, any restrictions in the SUT database implementation that precludes inserts beyond the limits defined in Clause 1.4.11 must be disclosed. This includes the maximum number of rows that can be inserted and the minimum key value for these new rows.

All insert and delete functions were verified to be fully operational during the entire benchmark.

1.4 Horizontal or Vertical Partitioning

While there are a few restrictions placed upon horizontal or vertical partitioning of tables and rows in the TPC-C benchmark, any such partitioning must be disclosed.

No horizontal or vertical partitioning was used.

1.5 Replication or Duplication

Replication of tables, if used, must be disclosed. Additional and/or duplicated attributes in any table must be disclosed along with a statement on the impact on performance.

No replications, duplications or additional attributes were used in this benchmark.

Clause 2: Transaction and Terminal Profiles

2.1 Random Number Generation

The method of verification for the random number generation must be described.

Random numbers were generated using the drand48() and lrand48() UNIX calls. These functions generate pseudo random numbers using the linear congruential algorithm and 48-bit integer arithmetic. The random number generators are initially seeded using the srand48() call.

2.2 Input/Output Screens

The actual layout of the terminal input/output screens must be disclosed.

All screen layouts followed the specifications exactly.

2.3 Priced Terminal Feature

The method used to verify that the emulated terminals provide all the features described in Clause 2.2.2.4 must be explained. Although not specifically priced, the type and model of the terminals used for the demonstration in 8.1.3.3 must be disclosed and commercially available (including supporting software and maintenance).

The terminal attributes were verified by the auditor manually exercising each specification on a representative system.

2.4 Presentation Managers

Any usage of presentation managers or intelligent terminals must be explained.

No presentation manager software or intelligent terminal features were used. All screen processing was handled by the client system. All data manipulation was handled by the database server. The source code for the forms applications are included in Appendix A.

2.5 Transaction Statistics

Table 2.1 lists the numerical quantities that Clauses 8.1.3.5 to 8.1.3.11 require.

Table 2.1 Transaction Statistics

	Statistic	Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse	85.00%
	Remote warehouse	15.00%
	Accessed by last name	60.00%
Order Status	Accessed by last name	60.00%
Delivery	Skipped transactions	0
Transaction Mix	New Order	44.95%
	Payment	43.02%
	Order status	4.01%
	Delivery	4.01%
	Stock level	4.02%

2.6 Queuing Mechanism

The queuing mechanism used to defer the execution of the Delivery transaction must be disclosed.

The queuing mechanism was implemented using Microsoft COM+. Delivery transactions were submitted asynchronously to Microsoft COM+ with control being returned immediately.

Clause 3: Transaction and System Properties

The results of the ACID tests must be disclosed along with a description of how the ACID requirements were met. This includes disclosing which case was followed for the execution of Isolation Test 7.

All ACID property tests conducted according to the specification.

3.1 Atomicity

The system under test must guarantee that the database transactions are atomic; the system will either perform all individual operations on the data or will assure that no partially completed operations leave any effects on the data.

3.1.1 Atomicity of Completed Transactions

Perform the Payment transaction for a randomly selected warehouse, district, and customer (by customer number) and verify that the records in the CUSTOMER, DISTRICT, and WAREHOUSE tables have been changed appropriately.

A row was randomly selected from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was committed and the rows were verified to contain correctly updated balances.

3.1.2 Atomicity of Aborted Transactions

Perform the Payment transaction for a randomly selected warehouse, district, and customer (by customer number) and substitute a ROLLBACK of the transaction for the COMMIT of the transaction. Verify that the records in the CUSTOMER, DISTRICT, and WAREHOUSE tables have NOT been changed.

A row was randomly selected from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was rolled back and the rows were verified to contain the original balances.

3.2 Consistency

Consistency is the property of the application that requires any execution of a data base transaction to take the data base from one consistent state to another, assuming that the data base is initially in a consistent state.

Verify that the data base is initially consistent by verifying that it meets the consistency conditions defined in Clauses 3.3.2.1 to 3.3.2.4. Describe the steps used to do this in sufficient detail so that the steps are independently repeatable.

The specification defines 12 consistency conditions of which Consistency conditions 1 through 4 demonstrated as follows:

1. The sum of balances (d_ytd) for all Districts within a specific Warehouse is equal to the Balance (w_ytd) of that Warehouse.
2. For each District within a Warehouse, the next available Order ID (d_next_o_id) minus one is equal to the most recent Order ID [max(o_id)] for the Order table associated with the preceding District and Warehouse. Additionally, that same relationship exists for the most recent Order ID [max(o_id)] for the New Order table associated with the same District and Warehouse. Those relationships can be illustrated as: $d_{next_o_id} - 1 = max(o_id) = max(no_o_id)$ where $(d_w_id = o_w_id = no_w_id)$ and $(d_id = o_d_id = no_d_id)$

3. For each District within a Warehouse, the value of the most recent Order ID [max(no_o_id)] minus the first Order ID [min(no_o_id)] plus one, for the New Order table associated with the District and Warehouse equals the number of rows in that New Order table. That relationship can be illustrated as: $\text{max}(\text{no_o_id}) - \text{min}(\text{no_o_id}) + 1 = \text{number of rows in New Order for the Warehouse/District}$
4. For each District within a Warehouse, the sum of Order Line counts [sum(o.ol_cnt)] for the Order table associated with the District equals the number of rows in the Order Line table associated with the same District. That relationship can be illustrated as: $\text{sum}(\text{o.ol_cnt}) = \text{number of rows in the Order Line table for the Warehouse/District}$

An RTE run was executed against a freshly loaded database. After the run the consistency conditions 1 through 4 were tested using a script to issue queries to the database. All queries showed that the database was still in a consistent state. Consistency conditions were executed and verified

3.3 Isolation

Sufficient conditions must be enabled at either the system or application level to ensure the required isolation defined above (clause 3.4.1) is obtained.

The benchmark specification defines nine tests to demonstrate the property of transaction isolation. The tests, described in Clauses 3.4.2.1 – 3.4.2.9, were all successfully executed using a series of scripts. Each included timestamps to demonstrate the concurrency of operations. The results of the queries were captured to files. The captured files were verified to demonstrate the required isolation had been met.

Isolation test 7 followed Case D, where T3 does not stall and no transaction is rolled back. T4 query of item price verifies to the changed prices of T3.

3.4 Durability

The tested system must guarantee durability: the ability to preserve the effects of committed transactions and insure data base consistency after recovery from any one of the failures listed in Clause 3.5.3

- Permanent irrecoverable failure of any single durable medium containing TPC-C database tables or recovery log data (this test includes failure of all or part of memory)
- Instantaneous interruption (system crash/system hang) in processing that requires system reboot to recover
- Failure of all or part of memory (loss of contents)

3.4.1 Durable Media Failure

3.4.1.1 Loss of Log Media and Data Media

These tests were conducted on a 12% scaled database. To demonstrate recovery from a permanent failure of durable medium containing TPC-C Log Media and Data Media, the following steps were executed:

1. The total number of New Orders was determined by the sum of d_next_o_id of all rows in the District table giving the beginning count. Consistency check 3 was verified.
2. The RTE was started with 12% load and allowed to run for 5 minutes at steady state.
3. The cable connecting one of the disk arrays containing the transaction log was disconnected.
4. The system continued running due to the fact that the transactions log files are mirrored across two different disk array using Oracle.
5. The run was allowed to continue for 5 minutes.
6. One flash module from each Violin Arrays containing the database files was disabled.
7. The system continued running due to the fact that the flash modules are protected by vRAID and active hot swap modules (4 per Violin Array)
8. The RTE run was stopped.
9. The total number of New Orders was determined by the sum of d_next_o_id of all rows in the District table giving the end count. Consistency conditions were executed and verified.
10. A RTE report was generated for the entire run time giving the number of New Orders successfully returned to the RTE.
11. It was verified that the number of New Orders from step 10 was equal to the difference between the counts from step 1 and step 9.
12. Samples were taken from the RTE files and used to query the database to demonstrate successful transactions had corresponding rows in the Orders table.

3.4.2 Instantaneous Interruption, Loss of Memory

As the loss of power erases the contents of memory, the instantaneous interruption and the loss of memory tests were combined into a single test. This test was executed on a fully scaled database. The following steps were executed:

1. The total number of New Orders was determined by the sum of d_next_o_id of all rows in the District table giving the beginning count. Consistency check 3 was verified.
2. The RTE was started at a full load with 1,295,000 users.
3. The test was allowed to run for a minimum of 5 minutes at steady state.
4. A system crash and loss of memory were induced by pulling the power plugs out of the database server.
5. The RTE was shutdown. Power was restored and the system restarted.
6. Oracle Database was restarted and performed an automatic recovery.
7. The total number of New Orders was determined by the sum of d_next_o_id of all rows in the District table giving the end count. Consistency conditions were executed and verified.
8. A RTE report was generated for the entire run time giving the number of New Orders successfully returned to the RTE.
9. It was verified that the number of New Orders from step 7 was equal to the difference between the counts from step 1 and step 9.
10. Samples were taken from the RTE files and used to query the database to demonstrate successful transactions had corresponding rows in the Orders table.

Clause 4: Scaling and Database Population

4.1 Cardinality of Tables

The cardinality (e.g. number of rows) of each table, as it existed at the start of the benchmark run, must be disclosed. If the database was over-scaled and inactive rows of the WAREHOUSE table were deleted, the cardinality of the WAREHOUSE table as initially configured and the number of rows deleted must be disclosed.

Table 4.1 shows that number of rows for each table as they were built initially as per the TPC-C Specification.

Table 4.1 Number of Rows for Server

Table	Occurrences
Warehouse	140,000
District	1,400,000
Customer	4,200,000,000
History	4,200,000,000
Order	4,200,000,000
New Order	1,260,000,000
Order Line	42,002,626,480
Stock	14,000,000,000
Item	100,000
Unused Warehouse	10,500

4.2 Database Implementation

A statement must be provided that describes: The data model implemented by DBMS used (e.g. relational, network, hierarchical). The database interfaces (e.g. embedded, call level) and access language (e.g. SQL, DL/I, COBOL) read/write used to implement the TPC-C transaction. If more than one interface/access language is used to implement TPC-C, each interface/access language must be described and a list of which interface/access language is used with which transaction type must be disclosed.

Oracle Database 11g Edition One is a relational DBMS.

Anonymous block PL/SQL and stored procedures were accessed through the Oracle Call Interface (OCI). Application code and stored procedures are included in Appendix A.

4.3 Distribution of Database Files

The distribution of tables and logs across all media must be explicitly depicted for tested and priced systems.

The physical organization of the database files and redo log files are shown in the table 5.2. Two V-6000 Memory Array are used to host the database files. All the components in the Violin Memory Array are redundant and contain four hot-swappable flash modules. Data is protected by Violin vRAID technology. Each Violin Memory Array presented one physical volume to the operating system.

The VTrak J630sS arrays connected to the server using two separate LSI MegaRAID SAS 9280-4i4e controllers. Each VTrak J630sS array consisted of one RAID0 volume of ten disk drives. Battery Back Write Cache (BBWC) was enabled on the MegaRAID controller. Redo Log files were mirrored across the disk arrays at the database level to ensure no single point of disk drive, enclosure, and controller and write cache failures.

The database build scripts are included in Appendix B.

4.4 60 Day Space

Details of the 60 day space computations along with proof that the database is configured to sustain 8 hours of growth for the dynamic tables (Order, Order-Line, and History) must be disclosed.

Table 4.4.1 60 Day Space

TPM	NWARE					
1609186	140000					
SEGMENT	TYPE	BLOCKS	BLOCK_SIZE	FIVE_PCT	DAILY_GROW	TOTAL
CUSTCLUSTER	CLUSTER	9.83E+08	4096	49142695	0	1.03E+09
DB_STAT	SYS	524288	4096	0	0	524288
DISTCLUSTER	CLUSTER	1500048	4096	75002	0	1575050
HIST	TABLE	62216680	4096	0	11442084	73658764
ICUST1	INDEX	5830225	16384	291511	0	6121736
ICUST2	INDEX	12753598	16384	637680	0	13391278
IDIST	INDEX	175256	4096	8763	0	184019
IITEM	INDEX	2816	4096	141	0	2957
IORDR2	INDEX	38904130	4096	1945207	0	40849337
ISTOK	INDEX	17450819	16384	872541	0	18323360
ITEMCLUSTER	CLUSTER	4223	4096	211	0	4434
IWARE	INDEX	44006	4096	2200	0	46206
NORDCLUSTER_QUEUE	CLUSTER	8509644	4096	425482	0	8935126
ORDRCLUSTER_QUEUE	CLUSTER	2.16E+08	16384	0	39735163	2.56E+08
STOKCLUSTER	CLUSTER	1E+09	4096	50055621	0	1.05E+09
SYSAUX	SYS	30720	4096	0	0	30720
SYSTEM	SYS	102400	4096	0	0	102400
SYS_IQ0000013285\$\$	INDEX	949620	16384	47481	0	997101

SYS_IQ0000013289\$\$	INDEX	149292	4096	7465	0	156757
WARECLUSTER	CLUSTER	150056	4096	7503	0	157559
SEGMENT	BLOCKS	BLOCK_SIZE	REQUIRED	STATIC	DYNAMIC	OVERRSIZE
CUSTCLUSTER	1.09E+09	4096	1.03E+09	1.03E+09	0	61225813
DB_STAT	524288	4096	524288	524288	0	0
DISTCLUSTER	3174400	4096	1575050	1575050	0	1599350
HIST	93265920	4096	73658764	0	62216680	19607156
ICUST1	6466560	16384	6121736	6121736	0	344824
ICUST2	13916160	16384	13391278	13391278	0	524882
IDIST	368640	4096	184019	184019	0	184621
IITEM	7680	4096	2957	2957	0	4723
IORDR2	56442880	4096	40849337	40849337	0	15593543
ISTOK	19138560	16384	18323360	18323360	0	815200
ITEMCLUSTER	10240	4096	4434	4434	0	5806
IWARE	94720	4096	46206	46206	0	48514
NORDCLUSTER_QUEUE	11960320	4096	8935126	8935126	0	3025194
ORDRCLUSTER_QUEUE	3.18E+08	16384	2.56E+08	0	2.16E+08	62565277
STOKCLUSTER	1.07E+09	4096	1.05E+09	1.05E+09	0	20714194
SYSAUX	30720	4096	30720	30720	0	0
SYSTEM	102400	4096	102400	102400	0	0
SYS_IQ0000013285\$\$	3.18E+08	16384	997101	997101	0	3.17E+08
SYS_IQ0000013289\$\$	11960320	4096	156757	156757	0	11803563
WARECLUSTER	204800	4096	157559	157559	0	47241
STATIC	DYNAMIC	OVERRSIZE	DAILY_GROW	DAILY_SPRE	SPACE60	
9.16E+09	3.71E+09	6.64E+09	6.82E+08	0	5.01E+10	

Table 4.4.2 Available Space

	Total Capacity (TB)*	RAID	Formatted Capacity (TB)
C240 M3 (Internal)	0.60	RAID10	0.54 (OS)
C240 M3 (Internal)	8.00	RAID0	7.20
V-6000 Memory Array 1	16.30	vRAID	10.60
V-6000 Memory Array 2	16.30	vRAID	10.60
VTrak J630sS 1 Array 1	5.86	RAID0	5.27
VTrak J630sS 2 Array 2	17.58	RAID0	15.82
VTrak J630sS 2 Array 1	5.86	RAID0	5.27
VTrak J630sS 2 Array 2	17.58	RAID0	15.82
*1 TB=1024 GB		Total available for Data: 60.04 TB Total Available for Log: 10.54 TB	

Clause 5: Performance Metrics

5.1 TPC Benchmark C Metrics

TPC Benchmark C Metrics are reported in the executive summary section of this document.

5.2 Response Times

Ninetieth percentile, maximum and average response times must be reported for all transaction types as well as for the menu response time.

See Table 5.2

Table 5.1: Response Times

Type	Average	Maximum	90th %
New-Order	0.353	3.698	0.479
Payment	0.351	3.758	0.477
Order-Status	0.352	3.325	0.478
Interactive Delivery	0.288	3.206	0.410
Deferred Delivery	0.092	3.825	0.506
Stock-Level	0.354	3.090	0.480
Menu	0.290	3.970	0.411

5.3 Keying and Think Times

The minimum, the average, and the maximum keying and think times must be reported for each transaction type.

See Table 5.3

Table 5.3: Keying Times/Think Times

Type	Minimum	Average	Maximum
New-Order	18.000/0.000	18.000/12.082	18.024/120.30
Payment	3.000/0.000	3.000/12.087	3.049/120.30
Order-Status	2.000/0.000	2.000/10.081	2.020/100.30
Interactive Delivery	2.000/0.000	2.000/5.058	2.019/50.30
Stock-Level	2.000/0.000	2.000/5.054	2.049/50.30

5.4 Response Time Frequency Distribution and Performance Curves

Response Time frequency distribution curves (see Clause 5.6.1) must be reported for each transaction type.

See Figure 5.4.1, 5.4.2, 5.4.3, 5.4.4 and 5.4.5

The performance curve for response times versus throughput (see Clause 5.6.2) must be reported for the New-Order transaction.

See Figure 5.4.6

Think Time frequency distribution curves (see Clause 5.6.3) must be reported for each transaction type.

See Figure 5.4.7

A graph of throughput versus elapsed time (see Clause 5.6.5) must be reported for the New-Order transaction.

See Figure 5.4.8




Figure 5.4.1: Response Times Frequency Distribution for New Order Transactions




Figure 5.4.2: Response Times Frequency Distribution for Payment Transactions




Figure 5.4.3: Response Times Frequency Distribution for Order Status Transactions




Figure 5.4.4: Response Times Frequency Distribution for Delivery Transactions




Figure 5.4.5: Response Times Frequency Distribution for Stock Level Transactions




Figure 5.4.6: Response Time versus Throughput




Figure 5.4.7: Think Times distribution for New Order Transactions




Figure 5.4.8: Throughput versus Time

5.5 Steady State Determination

The method used to determine that the SUT had reached a steady state prior to commencing the measurement interval must be disclosed.

Steady state was determined using real time monitor utilities from the RTE. Steady state was further confirmed by the throughput data collected during the run and graphed in section 5.4.

5.6 Work Performed During Steady State

A description of how the work normally performed during a sustained test (for example checkpointing, writing redo/undo log records, etc.) actually occurred during the measurement interval must be reported.

A two hour measurement interval was used to demonstrate the work normally performed during a sustained test.

TPC-C transactions are implemented in accordance to the TPC-C Benchmark Specification. During the performance run, transactions are submitted by the RTE in accordance to the described mix, keying times and think times of the TPC-C benchmark Specification. Transactions are submitted by emulated user via HTTP. After each transaction the emulated user waits for a randomly generated think time before selecting the next transaction. All timings are recorded by the RTE. The response time is measured from the start of the transaction until the last byte is received by the RTE.

Oracle Database records transactions in the database tables and the redo log files. Writes to the database may be cached in the main memory of the server before being written to durable media. Checkpoints are initiated once the log file filled and rolled over to the next log file.

5.7 Measurement Period Duration

A statement of the duration of the measurement interval for the reported Maximum Qualified Throughput ($tpmC$) must be included.

The reported measured interval was 7200 seconds.

5.8 Transaction Statistics

The percentage of the total mix for each transaction type must be disclosed. The percentage of New-Order transactions rolled back as a result of invalid item number must be disclosed. The average number of order-lines entered per New-Order transaction must be disclosed. The percentage of remote order lines per New-Order transaction must be disclosed. The percentage of remote Payment transactions must be disclosed. The percentage of customer selections by customer last name in the Payment and Order-Status transactions must be disclosed. The percentage of Delivery transactions skipped due to there being fewer than necessary orders in the New-Order table must be disclosed.

Table 5.8: Transaction Statistics

	Statistic	Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse	85.00%
	Remote warehouse	15.00%
	Accessed by last name	60.00%
Order Status	Accessed by last name	60.00%
Delivery	Skipped transactions	0
Transaction Mix	New Order	44.95%
	Payment	43.02%
	Order status	4.01%
	Delivery	4.01%
	Stock level	4.02%

5.9 Checkpoints

The number of checkpoints in the Measurement Interval, the time in seconds from the start of the Measurement Interval to the first checkpoint, and the Checkpoint Interval must be disclosed.

Four complete checkpoints occurred during the measurement period.

Clause 6: SUT, Driver and Communication

6.1 Remote Terminal Emulator (RTE)

If the RTE is commercially available, then its inputs must be specified. Otherwise, a description must be supplied of what inputs (e.g., scripts) to the RTE had been used.

The RTE software used was developed internally. The RTE simulates terminal users , generated transactions accordance to the described mix , keying times and think times, and records response times.

Eight UCS C250 M2 Extended-Memory Servers are used to emulating 1,295,000 users.

6.2 Emulated Components

It must be demonstrated that the functionality and performance of the components being emulated in the Driver System are equivalent to the priced system. The results of the test described in Clause 6.6.3.4 must be disclosed.

No components were emulated.

6.3 Functional Diagrams

A complete functional diagram of both the benchmark configuration and the configuration of the proposed (target) system must be disclosed. A detailed list of all hardware and software functionality being performed on the Driver System and its interface to the SUT must be disclosed.

The diagram in Section 0.4 shows the tested and priced benchmark configurations.

6.4 Networks

The network configuration of both the tested services and proposed (target) services which are being represented and a thorough explanation of exactly which parts of the proposed configuration are being replaced with the Driver System must be disclosed.

The bandwidth of the networks used in the tested/priced configuration must be disclosed.

Section 1 of this report contains detailed diagrams of both the benchmark configuration and the priced configuration. The network between the clients and the database server was 1GigE.

6.5 Operator Intervention

If the configuration requires operator intervention (see Clause 6.6.6), the mechanism and the frequency of this intervention must be disclosed.

No operator intervention is required to sustain eight hours of the reported throughput.

Clause 7: Pricing

7.1 Hardware and Software Pricing

A detailed list of hardware and software used in the priced system must be reported. Each separately orderable item must have vendor part number, description, and release/revision level, and either general availability status or committed delivery date. If package-pricing is used, vendor part number of the package and a description uniquely identifying each of the components of the package must be disclosed. Pricing source and effective date(s) of price(s) must also be reported.

The details of the hardware and software are reported in the executive summary section of this document.

7.2 Three Year Price

The total 3-year price of the entire configuration must be reported, including: hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed.

The pricing details are reported in the executive summary section of this document. .

7.3 Availability Dates

The committed delivery date for general availability (availability date) of products used in the price calculations must be reported. When the priced system includes products with different availability dates, the reported availability date for the priced system must be the date at which all components are committed to be available.

The general availability of the the products used in this benchmark is September 26, 2012.

Auditor' Information and Attestation Letter

8.1 Auditor's Report

The auditor's agency name, address, phone number, and Attestation letter with a brief audit summary report indicating compliance must be included in the full disclosure report. A statement should be included specifying who to contact in order to obtain further information regarding the audit process.

The auditor's letter is included in the following section.

This benchmark was audited by:

Francois Raab
InfoSizing, Inc.
531 Crystal Hills Blvd
Manitou Springs, CO 80829
Phone: 719-473-7555.

Benchmark Sponsor: Raghunath Nambiar
 Cisco Systems Inc.
 3800 Zanker Road
 San Jose, CA 95134

July 5, 2011

I verified the TPC Benchmark™ C performance of the following Client Server configuration:

Platform:	Cisco UCS C240 M3 Rack Server
Database Manager:	Oracle Database 11g Standard Edition One
Operating System:	Oracle Linux with Unbreakable Enterprise Kernel R2
TP Manager:	Microsoft COM+

The results were:

CPU's Speed	Memory	Disks	NewOrder 90% RT	tpmC
Server: Cisco UCS C240 M3				
2 x Intel Xeon E5-2690 (2.90GHz)	768 GB	2 300 GB 10Krpm SAS (int.) 8 x 1 TB 7.2Krpm SATA 2 x 16.3 TB Violin Memory Array 20 x 600 GB 15Krpm SAS 12 x 3 TB 7.2Krpm NL-SAS	0.479 Sec.	1,609,186.39
Two (2) Clients: Cisco UCS C200 M2 (each with)				
2 x Intel Xeon E5650 (2.66GHz)	24 GB	1 x 500 GB 7.2Krpm SATA	n/a	n/a

In my opinion, these performance results were produced in compliance with the TPC requirements for the benchmark.

The following verification items were given special attention:

- The transactions were correctly implemented
- The database records were the proper size
- The database was properly scaled and populated
- The ACID properties were met
- Input data was generated according to the specified percentages
- The transaction cycle times included the required keying and think times
- The reported response times were correctly measured
- At least 90% of all delivery transactions met the 80 Second completion time limit
- All 90% response times were under the specified maximums
- The measurement interval was representative of steady state conditions
- The reported measurement interval was 120 minutes
- Four Checkpoints were executed during the measurement interval
- The 60 day storage requirement was correctly computed
- The system pricing was verified for major components and maintenance

Additional Audit Notes:

None.

Respectfully Yours,



François Raab, President

531 CRYSTAL HILLS BLVD • MANITOU SPRINGS, CO 80829 • 719-473-7555 • WWW.SIZING.COM

Appendix A: Source Code

```

-----  

DBConnection.cpp  

-----  

// DBConnection.cpp : Defines the entry point for the DLL application.  

//  

#include "stdafx.h"  

#include "DBConnection.h"  

#define USE_CRITICAL_SECTION  

#define OPS_LOGIN  

#define CONNECTION_MUTEX  

#define DEBUG  

#define DEBUG_DETAIL  

#define LOOPBACK  

BOOL APIENTRY DllMain( HANDLE hModule,  

    DWORD ul_reason_for_call,  

    LPVOID lpReserved  

){  

    char string[MAXLEN], string2[80];  

    if (ul_reason_for_call == DLL_PROCESS_ATTACH) {  

        int i;  

        DisableThreadLibraryCalls((HMODULE)hModule);  

        GetModuleFileName((HMODULE)hModule, DllPath,  

            MAXLEN-1);  

        if (DllPath[0]=='\\' && DllPath[1]=='\\' && DllPath[2]==':' &&  

            DllPath[3]=='\')  

            strcpy(DllPath, DllPath+4);  

        for (i=strlen(DllPath); DllPath[i]!='\' && i--);  

            DllPath[i]='\0';  

        sprintf(LogFile, "%s\\%s", DllPath, LogName);  

        sprintf(InitFile, "%s\\%s", DllPath, InitName);  

        sprintf(DelLogFile, "%s\\%s", DllPath, DelLogName);  

        if (!SetCurrentDirectory(DllPath)) {  

            userlog("Cannot change current directory to %s, Error: %n", DllPath,  

                GetLastError());  

            return FALSE;  

        }  

        if ((TlsPtr = TlsAlloc()) == 0xFFFFFFFF) {  

            userlog("Error during TlsAlloc\n");  

            return FALSE;  

        }  

        readInit(string, "DBConnections", Default_DBConnections);  

        DBConnections = atoi(string);  

        userlog("number of DBConnections is %d\n", DBConnections);  

        readInit(ListenerName, "Listener", "tpcc");  

        userlog("Listener Name is %s\n", ListenerName);  

        readInit(string, "siteID", "1");  

        userlog("siteID is %s\n", string);  

        if ((siteID = atoi(string)) <= 0) {  

            userlog("siteID is %d\n", siteID);  

            return FALSE;  

        }
    }
}

```

```

TotalLoop=DBConnections*2;  

DBExecution_lock=(HANDLE*)malloc(sizeof(HANDLE)*DB  

    Connections);  

#ifndef USE_CRITICAL_SECTION  

    DBExecution_CS=(CRITICAL_SECTION*)malloc(sizeof(CRITICAL_SECTION)*DBConnections);  

#endif  

    for (i=0; i<DBConnections; i++) {  

#ifndef USE_CRITICAL_SECTION  

    InitializeCriticalSection(&DBExecution_CS[i]);  

#endif  

        if ((DBExecution_lock[i]=CreateMutex(NULL,  

            FALSE, NULL))==NULL) {  

            userlog("Cannot create mutex :  

                DBExecution_lock[%d]\n", i);  

            return FALSE;  

        }
    }
  

    if (initializeDBExecutionPool() != TRUE) {  

        userlog("initializeDBExecutionPool failed\n");  

        return FALSE;  

    }
  

    sprintf(string2, "Wait Idle Event %d", siteID);  

    if ((waitIdle = CreateEvent(NULL, FALSE, FALSE, string2))  

== NULL) {  

        userlog("Cannot create event : waitIdle\n");  

        return FALSE;  

    }
  

    ready=1;  

    srand((unsigned) time(NULL));  

}
else if (ul_reason_for_call == DLL_PROCESS_DETACH) {  

    int i;  

    if ((TlsFree(TlsPtr)) == NULL) {  

        userlog("Error during TlsFree\n");  

        return FALSE;  

    }
    for (i=0; i<DBConnections; i++) {  

        ((DBExecution *)DBExecution_pool[i].pointer))->TPCexit();  

        free(DBExecution_pool[i].pointer);
    }
    free (DBExecution_pool);
    CloseHandle(waitIdle);
  

    for (i=0; i<DBConnections; i++) {  

        CloseHandle(DBExecution_lock[i]);
    }
#ifndef USE_CRITICAL_SECTION  

    DeleteCriticalSection(&DBExecution_CS[i]);  

#endif
}
}
  

return TRUE;
}  

void initDelLog(int DelThreads)
{
    char filename[MAXLEN];
}

```



```

#endif CONNECTION_MUTEX
    ptr=findIdleDBExecution(mutexptr);
#else
    ptr=findIdleDBExecution();
#endif
    dbexec=(DBExecution *) (ptr->pointer);
//    ptr->payment_count++;

    if (dbexec->TPCpay(&input) == -1) {
        convert_status(output->txn_status, dbexec-
>execstatus);
#endif CONNECTION_MUTEX
        freeDBExecution(ptr, mutexptr);
#else
        freeDBExecution(ptr);
#endif
        userlog("TPCpay returns -1\n");
        return SUCCESS;
    } else {
        output->txn_status =
DB_RETURN_OCI_SUCCESS;
    }

#endif CONNECTION_MUTEX
    freeDBExecution(ptr, mutexptr);
#else
    freeDBExecution(ptr);
#endif

    strncpy(output->w_street_1, input.payout.w_street_1, 21);
    strncpy(output->w_street_2, input.payout.w_street_2, 21);
    strncpy(output->w_city, input.payout.w_city, 21);
    strncpy(output->w_state, input.payout.w_state, 3);
    strncpy(output->w_zip, input.payout.w_zip, 10);
    strncpy(output->d_street_1, input.payout.d_street_1, 21);
    strncpy(output->d_street_2, input.payout.d_street_2, 21);
    strncpy(output->d_city, input.payout.d_city, 21);
    strncpy(output->d_state, input.payout.d_state, 3);
    strncpy(output->d_zip, input.payout.d_zip, 10);
    output->c_id = input.payout.c_id;
    strncpy(output->c_first, input.payout.c_first, 17);
    strncpy(output->c_middle, input.payout.c_middle, 3);
    strncpy(output->c_last, input.payout.c_last, 17);
    strncpy(output->c_street_1, input.payout.c_street_1, 21);
    strncpy(output->c_street_2, input.payout.c_street_2, 21);
    strncpy(output->c_city, input.payout.c_city, 21);
    strncpy(output->c_state, input.payout.c_state, 3);
    strncpy(output->c_zip, input.payout.c_zip, 10);
    strncpy(output->c_phone, input.payout.c_phone, 17);
    strncpy(output->c_credit, input.payout.c_credit, 3);
    strncpy(output->c_since.DateString, input.payout.c_since, 11);
    strncpy(output->h_date.DateString, input.payout.h_date, 20);
    strncpy(output->c_data, input.payout.c_data, 200);
    output->c_credit_lim = input.payout.c_credit_lim;
    output->c_discount = input.payout.c_discount;
    output->c_balance = input.payout.c_balance;

    return SUCCESS;
}

int mod_tpcc_orderstatus(T_orderstatus_data *output, int id)
{
#endif CONNECTION_MUTEX
    HANDLE *mutexptr=NULL;
#endif
    DBExecution_pool_info *ptr;
    DBExecution *dbexec;;
    struct ordstruct input;
}

```

```

SYSTEMTIME systemTime;
FILETIME fileTime;
ULARGE_INTEGER uli;

input.delin.w_id = output->w_id;
input.delin.plsqlflag = 1;
input.delin.o_carrier_id = output->o_carrier_id;

#endif CONNECTION_MUTEX
    ptr=findIdleDBExecution(mutexptr);
#else
    ptr=findIdleDBExecution();
#endif
    dbexec=(DBExecution *) (ptr->pointer);
//    ptr->delivery_count++;

    if (dbexec->TPCdel(&input) == -1) {
        convert_status(output->txn_status, dbexec-
>execstatus);
#endif CONNECTION_MUTEX
        freeDBExecution(ptr, mutexptr);
#else
        freeDBExecution(ptr);
#endif
        userlog("TPCdel returns -1\n");
        return SUCCESS;
    } else {
        output->txn_status =
DB_RETURN_OCI_SUCCESS;
    }

GetLocalTime( &systemTime );
SystemTimeToFileTime( &systemTime, &fileTime );
uli.LowPart = fileTime.dwLowDateTime;
uli.HighPart = fileTime.dwHighDateTime;
output->complete_time = uli.QuadPart/10000;

for (int i=0; i<10; i++)
    output->o_id[i]=dbexec->del_o_id[i];

#endif CONNECTION_MUTEX
    freeDBExecution(ptr, mutexptr);
#else
    freeDBExecution(ptr);
#endif

    write_delivery_log(output, id);

    return SUCCESS;
}

int mod_tpcc_orderstatus(T_orderstatus_data *output)
{
#endif CONNECTION_MUTEX
    HANDLE *mutexptr=NULL;
#endif
    DBExecution_pool_info* ptr;
    DBExecution *dbexec;
    struct ordstruct input;

    input.ordin.w_id = output->w_id;
    input.ordin.d_id = output->d_id;
    input.ordin.bylastname = output->by_last_name;
    if (input.ordin.bylastname) {
        input.ordin.c_id = 0;
        strncpy(input.ordin.c_last, output->c_last, 17);
        input.ordin.c_last[16]='\0';
    }
    else {

```

```

        input.ordin.c_id = output->c_id;
        input.ordin.c_last[0]='\0';
    }

#endif CONNECTION_MUTEX
    ptr=findIdleDBExecution(mutexptr);
#else
    ptr=findIdleDBExecution();
#endif
//    dbexec=(DBExecution *) (ptr->pointer);
//    ptr->orderstatus_count++;

    if (dbexec->TPCord(&input) == -1) {
        convert_status(output->txn_status, dbexec-
>execstatus);
#endif CONNECTION_MUTEX
        freeDBExecution(ptr, mutexptr);
#else
        freeDBExecution(ptr);
#endif
        userlog("TPCord returns -1\n");
        return SUCCESS;
    } else {
        output->txn_status =
DB_RETURN_OCI_SUCCESS;
    }

#endif CONNECTION_MUTEX
    freeDBExecution(ptr, mutexptr);
#else
    freeDBExecution(ptr);
#endif

    output->c_id = input.ordout.c_id;
    strncpy(output->c_last, input.ordout.c_last, 17);
    strncpy(output->c_first, input.ordout.c_first, 17);
    strncpy(output->c_middle, input.ordout.c_middle, 3);
    strncpy(output->o_entry_d.DateString, input.ordout.o_entry_d,
20);
    output->c_balance = input.ordout.c_balance;
    output->o_id = input.ordout.o_id;
    output->o_carrier_id = input.ordout.o_carrier_id;
    output->o.ol_cnt = input.ordout.o.ol_cnt;
    for (int i=0; i<output->o.ol_cnt; i++) {
        output->o_orderline[i].ol_supply_w_id =
input.ordout.ol_supply_w_id[i];
        output->o_orderline[i].ol_i_id =
input.ordout.ol_i_id[i];
        output->o_orderline[i].ol_quantity =
input.ordout.ol_quantity[i];
        output->o_orderline[i].ol_amount =
input.ordout.ol_amount[i];
        strncpy(output-
>o_orderline[i].ol_delivery_d.DateString, input.ordout.ol_delivery_d[i],
11);
    }
    return SUCCESS;
}

int mod_tpcc_stocklevel(T_stocklevel_data *output)
{
#endif CONNECTION_MUTEX
    HANDLE *mutexptr=NULL;
#endif
    DBExecution_pool_info* ptr;
    DBExecution *dbexec;
    struct stostruct input;
}

```

```

        input.stoout.low_stock=-123;
        input.stoin.w_id = output->w_id;
        input.stoin.d_id = output->ld_id;
        input.stoin.threshold = output->threshold;

#endif CONNECTION_MUTEX
    ptr=findIdleDBExecution(mutexptr);
#else
    ptr=findIdleDBExecution();
#endif
//    dbexec=(DBExecution *) (ptr->pointer);
//    ptr->stocklevel_count++;

    if (dbexec->TPCsto(&input) == -1) {
        convert_status(output->txn_status, dbexec-
>execstatus);
#endif CONNECTION_MUTEX
        freeDBExecution(ptr, mutexptr);
#else
        freeDBExecution(ptr);
#endif
        userlog("TPCsto returns -1\n");
        return SUCCESS;
    } else {
        output->txn_status =
DB_RETURN_OCI_SUCCESS;
    }

#endif CONNECTION_MUTEX
    freeDBExecution(ptr, mutexptr);
#else
    freeDBExecution(ptr);
#endif

    output->low_stock = input.stoout.low_stock;
    return SUCCESS;
}

void write_delivery_log(T_delivery_data *pdata, int threadId)
{
    fprintf(DelFiles[threadId],
        "%d/%d/%d %d:%d.%d %ld %ld %ld %d %d
%d %d %d %d %d %d %d %d %d %d\n",
        pdata->enqueue_date_time.wMonth, pdata-
>enqueue_date_time.wDay,
        pdata->enqueue_date_time.wYear,
        pdata->enqueue_date_time.wHour,
        pdata->enqueue_date_time.wMinute, pdata-
>enqueue_date_time.wSecond,
        pdata->enqueue_date_time.wMilliseconds, (long
long)pdata->enqueue_time,
        (long long)pdata->complete_time, (int)(pdata-
>complete_time-pdata->enqueue_time),
        pdata->w_id,
        pdata->ld_id, pdata->o_carrier_id, pdata->o_id[0],
        pdata->o_id[1],
        pdata->o_id[2], pdata->o_id[3], pdata->o_id[4],
        pdata->o_id[5],
        pdata->o_id[6], pdata->o_id[7], pdata->o_id[8],
        pdata->o_id[9]);
}

#endif CONNECTION_MUTEX

```

```

int freeDBExecution(DBExecution_pool_info *ptr, HANDLE *mutexptr)
#else
int freeDBExecution(DBExecution_pool_info *ptr)
#endif
{
    ptr->current_status = IDLE;

#endif DEBUG_DETAIL
    userlog("Thread %d release connection\n",
GetCurrentThreadId());
#endif

#endif CONNECTION_MUTEX
    if (mutexptr==NULL)
        userlog("Thread %d has mutexptr=NULL\n",
GetCurrentThreadId());
    ReleaseMutex((*mutexptr));
#endif
    if (!SetEvent(waitIdle)) {
        userlog("Error on SetEvent, in function: free
DBExecution\n");
        return FALSE;
    }

    return TRUE;
}

#endif CONNECTION_MUTEX
DBExecution_pool_info* findIdleDBExecution(HANDLE *mutexptr)
#else
DBExecution_pool_info* findIdleDBExecution()
#endif
{
    //int current=GetCurrentThreadId() % DBConnections;
    int current=rand() % DBConnections;

#endif DEBUG
    findDBExecutionCall++;
#endif

    while (1) {

        for (int count=0; count<TotalLoop; count++) {

            if
(DBExecution_pool[current].current_status == IDLE) {
#ifndef USE_CRITICAL_SECTION
                EnterCriticalSection(
&DBExecution_CS[current] );
#else
switch(WaitForSingleObject(DBExecution_lock[current], 0)) {

```

case
WAIT_ABANDONED:
#ifdef DEBUG
 userlog("connection mutex returns WAIT_ABANDONED\n");
#endif
case
WAIT_OBJECT_0:
#ifdef DEBUG_DETAIL
 userlog("Thread %d get connection: %d\n",
GetCurrentThreadId(), current);
#endif

```

#endif USE_CRITICAL_SECTION
                if
(DBExecution_pool[current].current_status == IDLE) {
                    DBExecution_pool[current].current_status = IN_USE;
#ifndef USE_CRITICAL_SECTION
                        LeaveCriticalSection( &DBExecution_CS[current] );
#else
                        ReleaseMutex(DBExecution_lock[current]);
#endif
                    mutexptr=&(DBExecution_lock[current]);
#endif
                    TlsSetValue(TlsPtr, (void *)
DBExecution_pool[current].pointer);

```

return &(DBExecution_pool[current]);
} else {
 #ifdef USE_CRITICAL_SECTION
 LeaveCriticalSection(&DBExecution_CS[current]);
 else
 ReleaseMutex(DBExecution_lock[current]);
 #endif
 #ifndef DEBUG
 userlog("get connection mutex, but current_status is not
IDLE\n");
 endif
 #ifndef USE_CRITICAL_SECTION
 break;
 case
WAIT_TIMEOUT:
 break;
 default:
 userlog("Error on WaitForSingleObject, DBExecution\n");
 return
NULL;
 #endif
}

current++;
if (current==DBConnections) current=0;
}

#endif DEBUG
 findDBExecutionWait++;
 if (findDBExecutionWait !=0 &&
findDBExecutionWait % 100000 == 0)
 userlog("wait: %d, total call: %d\n",
findDBExecutionWait, findDBExecutionCall);
#endif

if ((WaitForSingleObject(waitIdle, INFINITE)) !=
WAIT_OBJECT_0) {

```

        userlog("Error on WaitForSingleObject,
in function findIdleDBExecution\n");
        return NULL;
    }
}

return NULL;
}

```

```

void readInit(char *output, char *parameter, char *default_value)
{
    if (_access(InitFile, 0x00) != NULL) {
        userlog("Cannot access init file: %s\n", InitFile);
        strcpy(output, default_value);
    }
    else
        GetPrivateProfileString("TPCC", parameter, default_value,
output, MAXLEN, InitFile);
}

```

```

int initializeDBExecutionPool()
{
    DBExecution *ptr;

    userlog("execute initializeDBExecutionPool()\n");

    DBExecution_pool = (DBExecution_pool_info *) malloc
(sizeof(DBExecution_pool_info)*DBConnections);
    if (DBExecution_pool == 0) {
        userlog("malloc failed in
initializeDBExecutionPool\n");
        return FALSE;
    }
    memset((void*)DBExecution_pool, 0,
sizeof(DBExecution_pool_info)*DBConnections);

    for (int i=0; i<DBConnections; i++) {
        if ((ptr=new DBExecution) == NULL) {
            userlog("Cannot create DBExecution
object\n");
            return FALSE;
        }

        if ((TlsSetValue(TlsPtr, (void *) ptr)) == NULL) {
            userlog("TlsSetValue failed\n");
            return FALSE;
        }

        if (ptr->TPCInit(i, "tpcc", "tpcc")) {
            userlog("TPCInit failed\n");
            return FALSE;
        }

        DBExecution_pool[i].current_status = IDLE;
        DBExecution_pool[i].pointer = (void *) ptr;

        userlog ("DBExecution %d is initialized\n", i);
    }

    return TRUE;
}

```

```

void userlog (char * str, ...)
{

```

```

    HANDLE logMutex;
    FILE *file;
    time_t t;
    struct tm *currtime;
    va_list va;
    int threadId;

    logMutex = CreateMutex(NULL, FALSE, "TPCC_LOG");
    // Wait for initialization ended
    WaitForSingleObject(logMutex, INFINITE);

    threadId = GetCurrentThreadId();
    time (&t);
    currtime = localtime(&t);

    if ((file=fopen(LogFile, "a"))==(FILE *) NULL) {

        fprintf(stderr, "Can't open file : %s\n", LogFile);
        exit(-1);
    }

    va_start(va, str);
    fprintf(file, "[Time %d:%d:%d Thread: %d] ", currtime-
>tm_hour, currtime->tm_min, currtime->tm_sec, threadId);
    vfprintf(file, str, va);
    fprintf(file, "\n");
    va_end(va);

    fclose(file);

    ReleaseMutex(logMutex);
    CloseHandle(logMutex);
}

sb4 no_data(dvoid *ctxp, OCIBind *bp, ub4 iter, ub4 index,
            dvoid **bufpp, ub4 *alenp, ub1 *piecep,
            dvoid **indpp)
{
    *bufpp = (dvoid*)0;
    *alenp =0;
    *indpp = (dvoid*)0;
    *piecep =OCI_ONE_PIECE;
    return (OCI_CONTINUE);
}

sb4 TPC_oid_data(dvoid *ctxp, OCIBind *bp, ub4 iter, ub4 index,
                  dvoid **bufpp, ub4 **alenp, ub1 *piecep,
                  dvoid **indpp, ub2 **rcodepp)
{
    DBExecution *dbc;

    dbc = (DBExecution*) TlsGetValue(TlsPtr);
    if (dbc == 0) {
        userlog("TlsGetValue failed in TPC_oid_data\n");
        exit(-1);
    }

    *bufpp = &dbc->dctx->del_o_id[iter];
    *indpp= &dbc->dctx->del_o_id_ind[iter];
    dbc->dctx->del_o_id_len[iter]=sizeof(dbc->dctx->del_o_id[0]);
    *alenp= &dbc->dctx->del_o_id_len[iter];
    *rcodepp = &dbc->dctx->del_o_id_rcode[iter];
    *piecep =OCI_ONE_PIECE;
    return (OCI_CONTINUE);
}

```

```

sb4 cid_data(dvoid *ctxp, OCIBind *bp, ub4 iter, ub4 index,
             dvoid **bufpp, ub4 **alenp, ub1 *piecep,
             dvoid **indpp, ub2 **rcodepp)
{
    DBExecution *dbc;
    dbc = (DBExecution*) TlsGetValue(TlsPtr);
    if (dbc == 0) {
        userlog("TlsGetValue failed in cid_data\n");
        exit(-1);
    }

    *bufpp = &dbc->dctx->c_id[iter];
    *indpp = &dbc->dctx->c_id_ind[iter];
    dbc->dctx->c_id_len[iter]=sizeof(dbc->dctx->c_id[0]);
    *alenp = &dbc->dctx->c_id_len[iter];
    *rcodepp = &dbc->dctx->c_id_rcode[iter];
    *piecep = OCI_ONE_PIECE;
    return (OCI_CONTINUE);
}

sb4 amt_data(dvoid *ctxp, OCIBind *bp, ub4 iter, ub4 index,
             dvoid **bufpp, ub4 **alenp, ub1 *piecep,
             dvoid **indpp, ub2 **rcodepp)
{
    amtctx *actx;
    actx =(amtctx*)ctxp;

    *bufpp = &actx->ol_amt[index];
    *indpp = &actx->ol_amt_ind[index];
    actx->ol_amt_len[index]=sizeof(actx->ol_amt[0]);
    *alenp = &actx->ol_amt_len[index];
    *rcodepp = &actx->ol_amt_rcode[index];
    *piecep = OCI_ONE_PIECE;
    return (OCI_CONTINUE);
}

/*****************
* DBExecution member functions
*****************/
DBExecution::DBExecution()
{
    tracelevel = 0;
    logon = 0;
    new_init = 0;
    pay_init = 0;
    ord_init = 0;
    del_init_oci = 0;
    del_init_plsql = 0;
    sto_init = 0;
}

DBExecution::~DBExecution()
{
}

#define SQLTXTNEW2 "BEGIN initpcc.init_no(:idx1arr); END;"
#define SQLTXTDEL "BEGIN initpcc.init_del ; END;"
#define SQLTXTDELI "DELETE FROM nord WHERE no_d_id = :d_id \\\
                AND no_w_id = :w_id and rownum <= 1 \
                RETURNING no_o_id into :o_id "
#define SQLTXTDEL3 "UPDATE ordr SET o_carrier_id = :carrier_id \
                WHERE o_id = :o_id and o_d_id = :d_id and o_w_id = :w_id \
                returning o_c_id into :o_c_id"
#define SQLTXTDEL4 "UPDATE ordl \
                SET ol_delivery_d = :cr_date \
                WHERE ol_w_id = :w_id AND ol_d_id = :d_id AND ol_o_id = :o_id \
                RETURNING sum(ol_amount) into :ol_amount "
#define SQLTXTDEL6 "UPDATE cust SET c_balance = c_balance + \
                :amt, \
                c_delivery_cnt = c_delivery_cnt + 1 WHERE c_w_id = :w_id AND \
                c_d_id = :d_id AND c_id = :c_id"
#define SQLCUR0 "SELECT rowid FROM cust \
                WHERE c_d_id = :d_id AND c_w_id = :w_id AND c_last = \
                :c_last \
                ORDER BY c_last, c_d_id, c_w_id, c_first"
#define SQLCUR1 "SELECT /*+ USE_NL(cust) INDEX_DESC(ordr \
                iordr2) */ \
                c_id, c_balance, c_first, c_middle, c_last, \
                o_id, o_entry_d, o_carrier_id, o.ol_cnt \
                FROM cust, ordr \
                WHERE cust.rowid = :cust_rowid \
                AND o_d_id = c_d_id AND o_w_id = c_w_id AND o_c_id = \
                c_id \
                ORDER BY o_c_id DESC, o_d_id DESC, o_w_id DESC, o_id \
                DESC"
#define SQLCUR2 "SELECT /*+ USE_NL(cust) INDEX_DESC (ordr \
                iordr2) */ \
                c_balance, c_first, c_middle, c_last, \
                o_id, o_entry_d, o_carrier_id, o.ol_cnt \
                FROM cust, ordr \
                WHERE c_id = :c_id AND c_d_id = :d_id AND c_w_id = :w_id \
                AND o_d_id = c_d_id AND o_w_id = c_w_id AND o_c_id = \
                c_id \
                ORDER BY o_c_id DESC, o_d_id DESC, o_w_id DESC , o_id \
                DESC"
#define SQLCUR3 "SELECT /*+ INDEX(ordl) */ \
                ol_i_id, ol_supply_w_id, ol_quantity, ol_amount, ol_delivery_d \
                FROM ordl \
                WHERE ol_o_id = :o_id AND ol_d_id = :d_id AND ol_w_id = \
                :w_id"
#define SQLCUR4 "SELECT count(c_last) FROM cust \
                WHERE c_d_id = :d_id AND c_w_id = :w_id AND c_last = \
                :c_last "
#ifdef PLSQLSTO
#define SQLTXTSTO "BEGIN stocklevel.getstocklevel (:w_id, :d_id, \
                :threshold, \
                :low_stock); END;" \
#else
#define SQLTXTSTO "SELECT /*+ nocache (stok) */ count (DISTINCT \
                s_i_id) \
                FROM ordl, stok, dist \
                WHERE d_id = :d_id AND d_w_id = :w_id AND \
                d_id = ol_d_id AND d_w_id = ol_w_id AND \
                ol_i_id = s_i_id AND ol_w_id = s_w_id AND \
                s_quantity < :threshold AND \
                ol_o_id BETWEEN (d_next_o_id - 20) AND (d_next_o_id - 1) \
                \\\
                "
#endif

```

```

        order by ol_o_id desc"
#endif

#define SQLTXT_INIT "BEGIN initpcc.init_pay; END;"


int DBExecution::sqlfile(char *fnam, text *linebuf)
{
    FILE *fd;
    int nulpt = 0;
    char realfile[512];

    sprintf(realfile,"%s",fnam);
    fd = fopen(realfile,"r");
    if (!fd){
        fprintf(stderr, " fopen on %s failed %d\n",fnam,fd);
        exit(-1);
    }
    while (fgets((char *)linebuf+nulpt, SQL_BUF_SIZE,fd))
        nulpt = strlen((char *)linebuf);

    fclose(fd);

    return(nulpt);
}

int DBExecution::ocierror(char *fname, int lineno, OCIError *errhp, sword
status)
{
    text errbuf[512];
    sb4 errcode;
    sb4 lstat;
    ub4 recno=2;

    switch (status) {
    case OCI_SUCCESS:
        break;
    case OCI_SUCCESS_WITH_INFO:
        userlog("ocierror: Module %s Line %d\n", fname, lineno);
        userlog("ocierror: Error - OCI_SUCCESS_WITH_INFO\n");
        lstat = OCIErrorGet (errhp, recno++, (text *) NULL, &errcode, errbuf,
                           (ub4) sizeof(errbuf), OCI_HTYPE_ERROR);
        userlog("ocierror: Error - %s\n", errbuf);
        break;
    case OCI_NEED_DATA:
        userlog("ocierror: Module %s Line %d\n", fname, lineno);
        userlog("ocierror: Error - OCI_NEED_DATA\n");
        return (IRRECERR);
    case OCI_NO_DATA:
        userlog("ocierror: Module %s Line %d\n", fname, lineno);
        userlog("ocierror: Error - OCI_NO_DATA\n");
        return (IRRECERR);
    case OCI_ERROR:
        lstat = OCIErrorGet (errhp, (ub4) 1,
                           (text *) NULL, &errcode, errbuf,
                           (ub4) sizeof(errbuf),
                           OCI_HTYPE_ERROR);
        if (errcode == NOT_SERIALIZABLE) return (errcode);
        if (errcode == SNAPSHOT_TOO_OLD) return (errcode);
        while (lstat != OCI_NO_DATA)
        {
            userlog("ocierror: Module %s Line %d\n", fname, lineno);
            userlog("ocierror: Error - %s\n", errbuf);
            lstat = OCIErrorGet (errhp, recno++, (text *) NULL, &errcode, errbuf,
                               (ub4) sizeof(errbuf), OCI_HTYPE_ERROR);
        }
    }
}

```

```

        return (errcode);
/* vmm313  TPCexit(1); */
/* vmm313  exit(1); */
case OCI_INVALID_HANDLE:
    userlog("ocierror: Module %s Line %d\n", fname, lineno);
    userlog("ocierror: Error - OCI_INVALID_HANDLE\n");
    TPCexit();
    exit(-1);
case OCI_STILL_EXECUTING:
    userlog("ocierror: Module %s Line %d\n", fname, lineno);
    userlog("ocierror: Error - OCI_STILL_EXECUTE\n");
    return (IRRECERR);
case OCI_CONTINUE:
    userlog("ocierror: Module %s Line %d\n", fname, lineno);
    userlog("ocierror: Error - OCI_CONTINUE\n");
    return (IRRECERR);
default:
    userlog("ocierror: Module %s Line %d\n", fname, lineno);
    userlog("ocierror: Status - %s\n", status);
    return (IRRECERR);
}
return (RECOVERR);
}

/********************* *
* TPCinit  TPCexit *
***** */

int DBExecution::TPCinit (int id, char *uid, char *pwd)
{
// OCIInitialize(OCI_DEFAULT|OCI_OBJECT,(dvoid *)0,0,0,0);
// OCIEnvCreate(&tpcenv, OCI_DEFAULT|OCI_OBJECT,(dvoid *)
// *)0,0,0,0, (dvoid ***)0);

#ifndef LOOPBACK
    text stmbuf[100];
    int i;

#define SQLTXT "alter session set isolation_level = serializable"
#define SQLTXTTRC "alter session set sql_trace = true"
#define SQLXTTIM "alter session set timed_statistics = true"
#define SQLXTOPS "alter session set current_schema = tpcc"

    proc_no = id;

    _putenv_s("LOCAL", ListenerName );
/* 
char *temp;
if ((temp = getenv("LOCAL"))==NULL)
    _putenv_s("LOCAL", "tpcc" );

OCIInitialize(OCI_DEFAULT|OCI_OBJECT,(dvoid *)0,0,0,0); */
// OCIERROR(errhp,
OCIInitialize(OCI_THREADED|OCI_OBJECT,(dvoid *)0,0,0,0);
// OCIERROR(errhp, OCIEnvInit(&tpcenv, OCI_DEFAULT, 0, (dvoid
***)0));

    OCIEnvCreate(&tpcenv, OCI_DEFAULT|OCI_OBJECT,(dvoid
*)0,0,0,0, (dvoid ***)0);

    OCIERROR(errhp, OCIHandleAlloc((dvoid *)tpcenv, (dvoid
**) &tpcsrv, OCI_HTYPE_SERVER, 0 , (dvoid ***)0));
    OCIERROR(errhp, OCIHandleAlloc((dvoid *)tpcenv, (dvoid ***)&errhp,
OCI_HTYPE_ERROR, 0 , (dvoid ***)0));

```

```

OCIERROR(errhp, OCIHandleAlloc((dvoid *)tpcenv, (dvoid
**)&tpcsvc, OCI_HTYPE_SVCCTX, 0 , (dvoid **)0));

for (i=0; i<100; i++) {

    execstatus = OCIServerAttach(tpcsvr, errhp, (text
*)0,0,OCI_DEFAULT);
    if (execstatus == OCI_SUCCESS || execstatus ==
OCI_SUCCESS_WITH_INFO)
        break;
    OCIERROR(errhp, execstatus);
    Sleep(10);
}

if (i==100) {
    userlog("Can't attach to Server after 100 tries\n");
    return -1;
}

OCIERROR(errhp, OCIAttrSet((dvoid *)tpcsvc,
OCI_HTYPE_SVCCTX, (dvoid *)tpcsvr, (ub4)0,OCI_ATTR_SERVER,
errhp));
OCIERROR(errhp, OCIHandleAlloc((dvoid *)tpcenv, (dvoid
**)&tpcusr, OCI_HTYPE_SESSION, 0 , (dvoid **)0));
#endif OPS_LOGIN
    OCIERROR(errhp, OCISessionBegin(tpcsvc, errhp, tpcusr,
OCI_CRED_EXT, OCI_DEFAULT));
#else
    OCIERROR(errhp, OCIAttrSet((dvoid *)tpcusr,
OCI_HTYPE_SESSION, (dvoid *)uid,
(ub4)strlen(uid),OCI_ATTR_USERNAME, errhp));
    OCIERROR(errhp, OCIAttrSet((dvoid *)tpcusr,
OCI_HTYPE_SESSION, (dvoid *)pwd, (ub4)strlen(pwd),
OCI_ATTR_PASSWORD, errhp));
    OCIERROR(errhp, OCISessionBegin(tpcsvc, errhp, tpcusr,
OCI_CRED_RDBMS, OCI_DEFAULT));
#endif
OCIERROR(errhp, OCIAttrSet(tpcsvc, OCI_HTYPE_SVCCTX, tpcusr,
0, OCI_ATTR_SESSION, errhp));

/* run all transaction in serializable mode */

OCIHandleAlloc(tpcenv, (dvoid **)&curi, OCI_HTYPE_STMT, 0,
(dvoid**)0);
sprintf ((char *) stmbuf, SQLTXT);
OCIStmtPrepare(curi, errhp, stmbuf, strlen((char *)stmbuf),
OCI_NTV_SYNTAX, OCI_DEFAULT);
OCIERROR(errhp, OCIStmtExecute(tpcsvc, curi,
errhp,1,0,0,0,OCI_DEFAULT));

OCIHandleFree(curi, OCI_HTYPE_STMT);

#endif OPS_LOGIN
    OCIHandleAlloc(tpcenv, (dvoid **)&curi, OCI_HTYPE_STMT, 0,
(dvoid**)0);
    memset(stmbuf,0,100);
    sprintf ((char *) stmbuf, SQLTXTOPS);
    OCIStmtPrepare(curi, errhp, stmbuf, strlen((char *)stmbuf),
OCI_NTV_SYNTAX, OCI_DEFAULT);
    OCIERROR(errhp, OCIStmtExecute(tpcsvc, curi,
errhp,1,0,0,0,OCI_DEFAULT));
    OCIHandleFree((dvoid *)curi, OCI_HTYPE_STMT);
#endif

if (tracelevel == 3) {
    OCIHandleAlloc(tpcenv, (dvoid **)&curi, OCI_HTYPE_STMT, 0,
(dvoid**)0);
    memset(stmbuf,0,100);
}

```

```

sprintf ((char *) stmbuf, SQLXTTIM);
OCIStmtPrepare(curi, errhp, stmbuf, strlen((char *)stmbuf),
OCI_NTV_SYNTAX, OCI_DEFAULT);
OCIERROR(errhp, OCIStmtExecute(tpcsvc, curi,
errhp,1,0,0,0,OCI_DEFAULT));
OCIHandleFree((dvoid *)curi, OCI_HTYPE_STMT);
}

logon = 1;

OCIERROR(errhp,OCIDateSysDate(errhp,&cr_date));

if (tkvcninit ()) { /* new order */
    TPCexit ();
    return (-1);
}
else
    new_init = 1;

if (tkvcpinit ()) { /* payment */
    TPCexit ();
    return (-1);
}
else
    pay_init = 1;

if (tkvcoinit ()) { /* order status */
    TPCexit ();
    return (-1);
}
else
    ord_init = 1;

if (tkvcdinit (0)) { /* delivery */
    TPCexit ();
    return (-1);
}
else
    del_init_oci = 1;

if (tkvcdinit (1)) { /* delivery */
    TPCexit ();
    return (-1);
}
else
    del_init_plsql = 1;

if (tkvcsinit ()) { /* stock level */
    TPCexit ();
    return (-1);
}
else
    sto_init = 1;

#endif

return (0);
}

void DBExecution::TPCexit()
{
#ifndef LOOPBACK
    if (new_init) {
        tkvcndone();
        new_init = 0;
    }

```

```

        }
        if (pay_init) {
            tkvcpdone();
            pay_init = 0;
        }
        if (ord_init) {
            tkvcodone();
            ord_init = 0;
        }
        if (del_init_oci) {
            tkvcddone(0);
            del_init_oci = 0;
        }
        if (del_init_plsql) {
            tkvcddone(1);
            del_init_plsql = 0;
        }
        if (sto_init) {
            tkvcsdone();
            sto_init = 0;
        }
    }

    OCIHandleFree((dvoid *)tpcusr, OCI_HTYPE_SESSION);
    OCIHandleFree((dvoid *)tpcsvc, OCI_HTYPE_SVCCTX);
    OCIHandleFree((dvoid *)errhp, OCI_HTYPE_ERROR);
    OCIHandleFree((dvoid *)tpcsrv, OCI_HTYPE_SERVER);
    OCIHandleFree((dvoid *)tpcenv, OCI_HTYPE_ENV);

#endif
}

/*********************************************
*****
* tkvcninit tkvndone tkvpinit tkvpdone tkvedinit tkveddone
tkvcoinit tkvcodone      *
* tkvcsinit tkvcsdone      *
*****
****/



int DBExecution::tkvcninit ()
{
    text stmbuf[32*1024];

    nctx = (newctx *) malloc (sizeof(newctx));
    DISCARD memset(nctx,(char)0,sizeof(newctx));
    nctx->w_id_len = sizeof(w_id);
    nctx->d_id_len = sizeof(d_id);
    nctx->c_id_len = sizeof(c_id);
    nctx->o_all_local_len = sizeof(o_all_local);
    nctx->o.ol_cnt_len = sizeof(o.ol_cnt);
    nctx->w_tax_len = 0;
    nctx->d_tax_len = 0;
    nctx->o_id_len = sizeof(o_id);
    nctx->c_discount_len = 0;
    nctx->c.credit_len = 0;
    nctx->c.last_len = 0;
    nctx->retries_len = sizeof(retries);
    nctx->cr_date_len = sizeof(cr_date);

/* open first cursor */
DISCARD OCIERROR(errhp,OCIHandleAlloc(tpcenv,(dvoid **)(&nctx->cum1),
                                         OCI_HTYPE_STMT, 0, (dvoid**)0));

#if defined(ISO)
        sqlfile("./blocks\\tkvcpnew_iso.sql",stmbuf);
#else
#ifndef ISO7
        sqlfile("./blocks\\tkvcpnew_iso7.sql",stmbuf);
#else
        sqlfile("./blocks\\tkvcpnew.sql",stmbuf);
#endif
#endif

        DISCARD OCIERROR(errhp,OCISqlPrepare(nctx->cum1, errhp,
                                              stmbuf,
                                              strlen((char *)stmbuf), OCI_NTV_SYNTAX, OCI_DEFAULT));

        /* bind variables */

        OCIBNDPL(nctx->cum1, nctx->w_id_bp, errhp,
                  ":w_id",ADR(w_id),SIZ(w_id),
                  SQLT_INT, &nctx->w_id_len);
        OCIBNDPL(nctx->cum1, nctx->d_id_bp, errhp,
                  ":d_id",ADR(d_id),SIZ(d_id),
                  SQLT_INT, &nctx->d_id_len);
        OCIBNDPL(nctx->cum1, nctx->c_id_bp, errhp,
                  ":c_id",ADR(c_id),SIZ(c_id),
                  SQLT_INT, &nctx->c_id_len);
        OCIBNDPL(nctx->cum1, nctx->o.all_local_bp, errhp,
                  ":o_all_local",
                  ADR(o.all_local), SIZ(o.all_local),SQLT_INT, &nctx->o.all_local_len);
        OCIBNDPL(nctx->cum1, nctx->o.ol_cnt_bp, errhp,
                  ":o.ol_cnt",ADR(o.ol_cnt),
                  SIZ(o.ol_cnt),SQLT_INT, &nctx->o.ol_cnt_len);
        OCIBNDPL(nctx->cum1, nctx->w_tax_bp, errhp,
                  ":w_tax",ADR(w_tax),SIZ(w_tax),
                  SQLT_FLT, &nctx->w_tax_len);
        OCIBNDPL(nctx->cum1, nctx->d_tax_bp, errhp,
                  ":d_tax",ADR(d_tax),SIZ(d_tax),
                  SQLT_FLT, &nctx->d_tax_len);
        OCIBNDPL(nctx->cum1, nctx->o_id_bp, errhp,
                  ":o_id",ADR(o_id),SIZ(o_id),
                  SQLT_INT, &nctx->o_id_len);
        OCIBNDPL(nctx->cum1, nctx->c.discount_bp, errhp,
                  ":c.discount",
                  ADR(c.discount), SIZ(c.discount),SQLT_FLT, &nctx->c.discount_len);
        OCIBNDPL(nctx->cum1, nctx->c.credit_bp, errhp,
                  ":c.credit",
                  SIZ(c.credit),SQLT_CHR, &nctx->c.credit_len);
        OCIBNDPL(nctx->cum1, nctx->c.last_bp, errhp,
                  ":c.last",c.last,SIZ(c.last),
                  SQLT_STR, &nctx->c.last_len);
        OCIBNDPL(nctx->cum1, nctx->retries_bp, errhp,
                  ":retry",ADR(retries),
                  SIZ(retries),SQLT_INT, &nctx->retries_len);
        OCIBNDPL(nctx->cum1, nctx->cr.date_bp, errhp,
                  ":cr.date",
                  SIZ(OCIDate),SQLT_ODT, &nctx->cr.date_len);

        OCIBNDPLA(nctx->cum1, nctx->ol.i.id_bp,errhp,":ol.i.id",nol.i.id,
                  SIZ(int), SQLT_INT, nctx->nol.i.id_len,NITEMS,&nctx->nol.i.count);
        OCIBNDPLA(nctx->cum1, nctx->ol.supply.w.id_bp, errhp,
                  ":ol.supply.w.id",
                  nol.supply.w.id,SIZ(int),SQLT_INT, nctx->nol.supply.w.id_len,
                  NITEMS, &nctx->nol.s.count);

#ifndef USE_IEEE_NUMBER
        OCIBNDPLA(nctx->cum1, nctx->ol.quantity_bp,errhp,":ol.quantity",
                  nol.quantity, SIZ(double),SQLT_Bdouble,nctx->nol.quantity_len,
                  NITEMS,&nctx->nol.q.count);
#endif

        OCIBNDPLA(nctx->cum1, nctx->i.price_bp,errhp,":i.price",i.price,SIZ(double),
                  SQLT_Bdouble, nctx->i.price_len, NITEMS, &nctx->nol.item_count);
    }
}

```

```

OCIBNDPLA(nctx->curn1, nctx->ol_quantity_bp,errhp,:ol_quantity",
    nol_quantity, SIZ(int),SQLT_INT,nctx->nol_quantity_len,
    NITEMS,&nctx->nol_q_count);

OCIBNDPLA(nctx->curn1, nctx-
>i_price_bp,errhp,:i_price",i_price,SIZ(int),
    SQLT_INT, nctx->i_price_len, NITEMS, &nctx->nol_item_count);
#endif /* USE_IEEE_NUMBER */
OCIBNDPLA(nctx->curn1, nctx->i_name_bp,errhp,:i_name",i_name,
    SIZ(i_name[0]),SQLT_STR, nctx->i_name_len,NITEMS,
    &nctx->nol_name_count);

#ifndef USE_IEEE_NUMBER
    OCIBNDPLA(nctx->curn1, nctx-
    >s_quantity_bp,errhp,:s_quantity",s_quantity,
        SIZ(double), SQLT_Bdouble,nctx->s_quant_len,NITEMS,&nctx-
    >nol_qty_count);
#else
    OCIBNDPLA(nctx->curn1, nctx-
    >s_quantity_bp,errhp,:s_quantity",s_quantity,
        SIZ(int), SQLT_INT,nctx->s_quant_len,NITEMS,&nctx-
    >nol_qty_count);
#endif /* USE_IEEE_NUMBER */

    OCIBNDPLA(nctx->curn1, nctx-
    >s_bg_bp,errhp,:brand_generic",brand_generic,
        SIZ(char), SQLT_CHR,nctx->s_bg_len,NITEMS,&nctx-
    >nol_bg_count);

#ifndef USE_IEEE_NUMBER
    OCIBNDPLA(nctx->curn1, nctx-
    >ol_amount_bp,errhp,:ol_amount",nol_amount,
        SIZ(double),SQLT_Bdouble, nctx-
    >nol_amount_len,NITEMS,&nctx->nol_am_count);
#endif /* USE_IEEE_NUMBER */

    OCIBNDPLA(nctx->curn1, nctx-
    >s_remote_bp,errhp,:s_remote",nctx-
    >s_remote,
        SIZ(double),SQLT_Bdouble, nctx->s_remote_len,NITEMS,&nctx-
    >s_remote_count);
#else
    OCIBNDPLA(nctx->curn1, nctx-
    >ol_amount_bp,errhp,:ol_amount",nol_amount,
        SIZ(int),SQLT_INT, nctx->nol_amount_len,NITEMS,&nctx-
    >nol_am_count);

    OCIBNDPLA(nctx->curn1, nctx-
    >s_remote_bp,errhp,:s_remote",nctx-
    >s_remote,
        SIZ(int),SQLT_INT, nctx->s_remote_len,NITEMS,&nctx-
    >s_remote_count);
#endif /* USE_IEEE_NUMBER */

/* open second cursor */
DISCARD OCIERROR(errhp,OCIHandleAlloc(tpcenv, (dvoid
**)(&nctx->curn2),
    OCI_HTYPE_STMT, 0, (dvoid**)0));
DISCARD sprintf ((char *) stmbuf, SQLTXTNEW2);
DISCARD OCIERROR(errhp,OCIStmtPrepare(nctx->curn2, errhp,
stmbuf,
    strlen((char *)stmbuf), OCI_NTV_SYNTAX,
    OCI_DEFAULT));

/* execute second cursor to init newinit package */
{
    int idx1arr[NITEMS];
    OCIBind *idx1arr_bp;
    ub2 idx1arr_len[NITEMS];
    sb2 idx1arr_ndl[NITEMS];
    ub4 idx1arr_count;
    ub2 idx;

    for (idx = 0; idx < NITEMS; idx++) {

```

```

        idx1arr[idx] = idx + 1;
        idx1arr_ndl[idx] = TRUE;
        idx1arr_len[idx] = sizeof(int);
    }
    idx1arr_count = NITEMS;
    o.ol_cnt = NITEMS;

    /* Bind array */
    OCIBNDPLA(nctx->curn2, idx1arr_bp,errhp,:idx1arr",idx1arr,
        SIZ(int), SQLT_INT, idx1arr_len, NITEMS,&idx1arr_count);

    execstatus = OCIStmtExecute(tpcsvc,nctx->curn2,errhp,1,
        NULLP(CONST
        OCISnapshot),NULLLP(OCISnapshot),OCI_DEFAULT);

    if(execstatus != OCI_SUCCESS) {
        OCITransRollback(tpcsvc,errhp,OCI_DEFAULT);
        errcode = OCIERROR(errhp,execstatus);
        return -1;
    }
}

return (0);
}

void DBExecution::tkvcndone ()
{
    if (nctx)
    {
        DISCARD OCIHandleFree((dvoid *)nctx-
    >curn1,OCI_HTYPE_STMT);
        DISCARD OCIHandleFree((dvoid *)nctx-
    >curn2,OCI_HTYPE_STMT);
        free (nctx);
    }
}

int DBExecution::tkvcdinit (int plsqlflag)
{
    text stmbuf[SQL_BUF_SIZE];

    if (plsqlflag)
    {
        pldctx = (pldelctx *) malloc (sizeof(pldelctx));
        DISCARD memset(pldctx,(char)0,(ub4)sizeof(pldctx));
        /* Initialize */
        DISCARD OCIHandleAlloc(tpcenv, (dvoid**)&pldctx->curp1,
    OCI_HTYPE_STMT, 0,
        (dvoid**)0);
        DISCARD sprintf ((char *) stmbuf, SQLTXTDEL);
        DISCARD OCIStmtPrepare(pldctx->curp1, errhp, stmbuf,
        (ub4) strlen((char *)stmbuf),
            OCI_NTV_SYNTAX, OCI_DEFAULT);
        DISCARD OCIERROR(errhp,
            OCIStmtExecute(tpcsvc,pldctx-
    >curp1,errhp,1,0,NULLP(OCISnapshot),
        NULLLP(OCISnapshot), OCI_DEFAULT));

        DISCARD OCIHandleAlloc(tpcenv,(dvoid**) &pldctx->curp2,
    OCI_HTYPE_STMT,
        0, (dvoid**)0);
        #if defined(ISO5) || defined(ISO6) || defined(ISO8)

```

```

#if defined(ISO5)
    sqlfile("./\\blocks\\tkvcpdel_iso5.sql",stmbuf);
#endif
#if defined(ISO6)
    sqlfile("./\\blocks\\tkvcpdel_iso6.sql",stmbuf);
#endif
#if defined(ISO8)
    sqlfile("./\\blocks\\tkvcpdel_iso8.sql",stmbuf);
#endif
#else
    sqlfile("./\\blocks\\tkvcpdel.sql",stmbuf);
#endif

    DISCARD OCIStmtPrepare(pldctx->curp2, errhp, stmbuf,
                           (ub4)strlen((char *)stmbuf), OCI_NTV_SYNTAX,
                           OCI_DEFAULT);

    OCIBNDPL(pldctx->curp2, pldctx->w_id_bp , errhp,":w_id",
              ADR(w_id), SIZ(int), SQLT_INT,&pldctx->w_id_len);
    OCIBNDPL(pldctx->curp2, pldctx->ordcnt_bp , errhp,":ordcnt",
              ADR(pldctx->ordcnt), SIZ(int), SQLT_INT,&pldctx-
              >ordcnt_len);
    OCIBNDPL(pldctx->curp2, pldctx->del_date_bp,errhp,:now",
              ADR(pldctx->del_date), SIZ(OCIDate), SQLT_ODT,&pldctx-
              >del_date_len);
    OCIBNDPL(pldctx->curp2, pldctx->carrier_id_bp , errhp,
              ":carrier_id", ADR(o_carrier_id), SIZ(int),
              SQLT_INT, &pldctx->carrier_id_len);

    OCIBNDPLA(pldctx->curp2, pldctx->d_id_bp, errhp,:d_id",
              pldctx->del_d_id, SIZ(int),SQLT_INT, pldctx->del_d_id_len,
              NDISTS, &pldctx->del_d_id_rent);
    OCIBNDPLA(pldctx->curp2, pldctx->o_id_bp, errhp,:order_id",
              pldctx->del_o_id,SIZ(int),SQLT_INT, pldctx-
              >del_o_id_len,NDISTS,
              &pldctx->del_o_id_rent);
#endif USE_IEEE_NUMBER
    OCIBNDPLA(pldctx->curp2, pldctx->sums_bp, errhp,:sums",
              pldctx->sums,SIZ(double),SQLT_Bdouble, pldctx-
              >sums_len,NDISTS,
              &pldctx->sums_rcnt);
#else
    OCIBNDPLA(pldctx->curp2, pldctx->sums_bp, errhp,:sums",
              pldctx->sums,SIZ(int),SQLT_INT, pldctx->sums_len,NDISTS,
              &pldctx->sums_rcnt);
#endif

    OCIBNDPLA(pldctx->curp2, pldctx->o_c_id_bp, errhp,:o_c_id",
              pldctx->o_c_id,SIZ(int),SQLT_INT, pldctx-
              >o_c_id_len,NDISTS,
              &pldctx->o_c_id_rcnt);
    OCIBND(pldctx->curp2, pldctx->retry_bp , errhp,:retry",
              ADR(pldctx->retry), SIZ(int),SQLT_INT);

}

else
{
    dctx = (delctx *) malloc (sizeof(delctx));
    memset(dctx,(char)0,sizeof(delctx));
    dctx->norow = 0;
    actx = (amtctx *) malloc (sizeof(amtctx));
    memset(actx,(char)0,sizeof(amtctx));

    OCIHandleAlloc(tpcenv, (dvoid **)(&dctx->curd1),
    OCI_HTYPE_STMT, 0,
    (dvoid**)0);
    DISCARD sprintf ((char *) stmbuf, "%s", SQLTXTDEL1);
    DISCARD OCIStmtPrepare(dctx->curd1, errhp, stmbuf,
                           strlen((char *)stmbuf),OCI_NTV_SYNTAX,
                           OCI_DEFAULT);
}

```

```

        OCIBND(dctx->curd1, dctx->w_id_bp,errhp,:w_id",dctx-
        >w_id,SIZ(int),
                  SQLT_INT);
        OCIBNDRA(dctx->curd1, dctx->d_id_bp,errhp,:d_id",dctx-
        >d_id,SIZ(int),
                  SQLT_INT,NULL,NULL,NULL);

        OCIBNDRAD(dctx->curd1, dctx->del_o_id_bp, errhp, ":o_id",
                  SIZ(int),SQLT_INT,NULL,
                  &dctx->oid_ctx,no_data,TPC_oid_data);

/* open third cursor */

        DISCARD OCIHandleAlloc(tpcenv, (dvoid **)(&dctx->curd3),
    OCI_HTYPE_STMT,
    0, (dvoid**)0);
    DISCARD sprintf ((char *) stmbuf, SQLTXTDEL3);
    DISCARD OCIStmtPrepare(dctx->curd3, errhp, stmbuf, strlen((char
*)stmbuf),
                           OCI_NTV_SYNTAX, OCI_DEFAULT);

/* bind variables */

        OCIBNDRA(dctx->curd3, dctx->carrier_id_bp,errhp,:carrier_id",
                  dctx->carrier_id, SIZ(dctx->carrier_id[0]),SQLT_INT,
                  dctx->carrier_id_ind, dctx->carrier_id_len,dctx->carrier_id_rcode);

        OCIBNDRA(dctx->curd3, dctx->w_id_bp3, errhp, ":w_id", dctx-
        >w_id,SIZ(int),
                  SQLT_INT, NULL, NULL, NULL);
        OCIBNDRA(dctx->curd3, dctx->d_id_bp3, errhp, ":d_id", dctx-
        >d_id,SIZ(int),
                  SQLT_INT,NULL, NULL, NULL);
        OCIBNDRA(dctx->curd3, dctx->del_o_id_bp3, errhp, ":o_id", dctx-
        >del_o_id,
                  SIZ(int), SQLT_INT,NULL,NULL,NULL);
        OCIBNDRAD(dctx->curd3, dctx->c_id_bp3, errhp, ":o_c_id", SIZ(int),
                  SQLT_INT,NULL,&dctx->cid_ctx,no_data, cid_data);

/* open fourth cursor */

        DISCARD OCIHandleAlloc(tpcenv, (dvoid **)(&dctx->curd4),
    OCI_HTYPE_STMT, 0,
    (dvoid**)0);
    DISCARD sprintf ((char *) stmbuf, SQLTXTDEL4);
    DISCARD OCIStmtPrepare(dctx->curd4, errhp, stmbuf, strlen((char
*)stmbuf),
                           OCI_NTV_SYNTAX, OCI_DEFAULT);

/* bind variables */

        OCIBND(dctx->curd4, dctx->w_id_bp4,errhp,:w_id",dctx->w_id,
                  SIZ(int), SQLT_INT);
        OCIBND(dctx->curd4, dctx->d_id_bp4,errhp,:d_id",dctx->d_id,
                  SIZ(int), SQLT_INT);
        OCIBND(dctx->curd4, dctx->o_id_bp,errhp,:o_id",dctx->del_o_id,
                  SIZ(int),SQLT_INT);
        OCIBND(dctx->curd4, dctx->cr_date_bp,errhp,:cr_date", dctx-
        >del_date,
                  SIZ(OCIDate), SQLT_ODT);
        OCIBNDRAD(dctx->curd4, dctx->olamt_bp, errhp, "ol_amount",
                  SIZ(int), SQLT_INT,NULL, actx,no_data,amt_data);

/* open sixth cursor */

        DISCARD OCIHandleAlloc(tpcenv, (dvoid **)(&dctx->curd6),
    OCI_HTYPE_STMT,

```

```

        0, (dvoid**)0);
DISCARD sprintf ((char *) stmbuf, SQLTXTDEL6);
DISCARD OCIStmtPrepare(dctx->curd6, errhp, stmbuf, strlen((char *)stmbuf),
/* bind variables */

OCIBND(dctx->curd6,dctx->amt_bp,errhp,:amt",dctx->amt,SIZ(int),
SQLT_INT);
OCIBND(dctx->curd6,dctx->w_id_bp6,errhp,:w_id",dctx-
>w_id,SIZ(int),
SQLT_INT);
OCIBND(dctx->curd6,dctx->d_id_bp6,errhp,:d_id",dctx-
>d_id,SIZ(int),
SQLT_INT);
OCIBND(dctx->curd6,dctx->c_id_bp,errhp,:c_id",dctx->c_id,SIZ(int),
SQLT_INT);
}
return (0);
}

void DBExecution::shiftdata(int from)
{
int i;
for (i=from;i<NDISTS-1; i++)
{
dctx->del_o_id_ind[i] = dctx->del_o_id_ind[i+1];
dctx->del_o_id[i] = dctx->del_o_id[i+1];
dctx->w_id[i] = dctx->w_id[i+1];
dctx->d_id[i] = dctx->d_id[i+1];
dctx->carrier_id[i] = dctx->carrier_id[i+1];
}
}

void DBExecution::tkvcdone(int plsqlflag)
{
if (plsqlflag)
{
if (pldctx)
{
DISCARD OCIHandleFree((dvoid *)dctx-
>curd0,OCI_HTYPE_STMT);
DISCARD free(pldctx);
}
}
else
{
if (dctx)
{
OCIHandleFree((dvoid *)dctx->curd1,OCI_HTYPE_STMT);
OCIHandleFree((dvoid *)dctx->curd2,OCI_HTYPE_STMT);
OCIHandleFree((dvoid *)dctx->curd3,OCI_HTYPE_STMT);
OCIHandleFree((dvoid *)dctx->curd4,OCI_HTYPE_STMT);
OCIHandleFree((dvoid *)dctx->curd5,OCI_HTYPE_STMT);
OCIHandleFree((dvoid *)dctx->curd6,OCI_HTYPE_STMT);
DISCARD free (dctx);
}
}
}

int DBExecution::tkvcoinit ()
{
{
int i;
text stmbuf[SQL_BUF_SIZE];

octx = (ordctx *) malloc (sizeof(ordctx));
DISCARD memset(octx,(char)0,sizeof(ordctx));
octx->cs = 1;
octx->norow = 0;
octx->somerows = 10;
for(i=0;i<100;i++) {
DISCARD OCIERROR(errhp, OCIDescriptorAlloc(tpcenv,
(dvoid**)&octx->c_rowid_ptr[i],
OCI_DTYPE_ROWID,0,(dvoid**)0));
}
}

DISCARD OCIERROR(errhp,
OCIHandleAlloc(tpcenv,(dvoid**)*)&octx-
>curo0,OCI_HTYPE_STMT,0,(dvoid**)0));
DISCARD OCIERROR(errhp,
OCIHandleAlloc(tpcenv,(dvoid**)*)&octx-
>curo0,OCI_HTYPE_STMT,0,(dvoid**)0));
DISCARD OCIERROR(errhp,
OCIHandleAlloc(tpcenv,(dvoid**)*)&octx-
>curo1,OCI_HTYPE_STMT,0,(dvoid**)0));
DISCARD OCIERROR(errhp,
OCIHandleAlloc(tpcenv,(dvoid**)*)&octx-
>curo2,OCI_HTYPE_STMT,0,(dvoid**)0));
DISCARD OCIERROR(errhp,
OCIHandleAlloc(tpcenv,(dvoid**)*)&octx-
>curo3,OCI_HTYPE_STMT,0,(dvoid**)0));
DISCARD OCIERROR(errhp,
OCIHandleAlloc(tpcenv,(dvoid**)*)&octx-
>curo4,OCI_HTYPE_STMT,0,(dvoid**)0));

/* c_id = 0, use find customer by lastname. Get an array or rowid's back*/
DISCARD sprintf((char *) stmbuf, SQLCUR0);
DISCARD OCIERROR(errhp,
OCIStmtPrepare(octx->curo0,errhp,stmbuf,(ub4)strlen((char *)stmbuf),
OCI_NTV_SYNTAX,OCI_DEFAULT));
DISCARD OCIERROR(errhp,
OCIAttrSet(octx->curo0,OCI_HTYPE_STMT,&octx->norow,0,
OCI_ATTR_PREFETCH_ROWS,errhp));
/* get order/customer info back based on rowid */
DISCARD sprintf((char *) stmbuf, SQLCUR1);
DISCARD OCIERROR(errhp,
OCIStmtPrepare(octx->curo1,errhp,stmbuf,(ub4)strlen((char *)stmbuf),
OCI_NTV_SYNTAX,OCI_DEFAULT));
DISCARD OCIERROR(errhp,
OCIAttrSet(octx->curo1,OCI_HTYPE_STMT,&octx->norow,0,
OCI_ATTR_PREFETCH_ROWS,errhp));

/* c_id == 0, use lastname to find customer */
DISCARD sprintf((char *) stmbuf, SQLCUR2);
DISCARD OCIERROR(errhp,
OCIStmtPrepare(octx->curo2,errhp,stmbuf,(ub4)strlen((char *)stmbuf),
OCI_NTV_SYNTAX,OCI_DEFAULT));
DISCARD OCIERROR(errhp,
OCIAttrSet(octx->curo2,OCI_HTYPE_STMT,&octx->norow,0,
OCI_ATTR_PREFETCH_ROWS,errhp));

DISCARD sprintf((char *) stmbuf, SQLCUR3);
DISCARD OCIERROR(errhp,
OCIStmtPrepare(octx->curo3,errhp,stmbuf,(ub4)strlen((char *)stmbuf),
OCI_NTV_SYNTAX,OCI_DEFAULT));
DISCARD OCIERROR(errhp,
OCIAttrSet(octx->curo3,OCI_HTYPE_STMT,&octx->norow,0,
OCI_ATTR_PREFETCH_ROWS,errhp));

DISCARD sprintf((char *) stmbuf, SQLCUR4);
}

```

```

DISCARD OCIERROR(errhp,
  OCISStmtPrepare(octx->cur04,errhp,stmbuf,(ub4)strlen((char *)stmbuf),
    OCI_NTV_SYNTAX,OCI_DEFAULT));
DISCARD OCIERROR(errhp,
  OCIAttrSet(octx->cur04,OCI_HTYPE_STMT,&octx->norow,0,
    OCI_ATTR_PREFETCH_ROWS,errhp));
for (i = 0; i < NITEMS; i++) {
  octx->ol_supply_w_id_len[i] = sizeof(int);
  octx->ol_i_id_len[i] = sizeof(int);
  octx->ol_quantity_len[i] = sizeof(int);
  octx->ol_amount_len[i] = sizeof(int);
  octx->ol_delivery_d_len[i] = sizeof(ol_d_base[0]);
}
octx->ol_supply_w_id_csize = NITEMS;
octx->ol_i_id_csize = NITEMS;
octx->ol_quantity_csize = NITEMS;
octx->ol_amount_csize = NITEMS;
octx->ol_delivery_d_csize = NITEMS;
octx->ol_w_id_csize = NITEMS;
octx->ol_o_id_csize = NITEMS;
octx->ol_d_id_csize = NITEMS;
octx->ol_w_id_len = sizeof(int);
octx->ol_d_id_len = sizeof(int);
octx->ol_o_id_len = sizeof(int);

/* bind variables */

/* c_id (customer id) is not known */
OCIBND(octx->cur00,octx->w_id_bp[0],errhp,:w_id",ADR(w_id),
  SIZ(int),SQLT_INT);
OCIBND(octx->cur00,octx->d_id_bp[0],errhp,:d_id",ADR(d_id),
  SIZ(int),SQLT_INT);
OCIBND(octx->cur00,octx->c_last_bp[0],errhp,:c_last",c_last,
  SIZ(c_last),SQLT_STR);
OCIDFNRA(octx->cur00,octx->c_rowid_dp,errhp,1,octx->c_rowid_ptr,
  SIZ(OCIRowid*), SQLT_RDD, NULL, octx->c_rowid_len,
NULL);

OCIBND(octx->cur01,octx->c_rowid_bp,errhp,:cust_rowid", &octx-
>c_rowid_cust,
  sizeof(octx->c_rowid_ptr[0]),SQLT_RDD);
OCIDEF(octx->cur01,octx-
>c_id_dp,errhp,1,ADR(c_id),SIZ(int),SQLT_INT);
#endif /* USE_IEEE_NUMBER */
  OCIDEF(octx->cur01,octx->c_balance_dp[0],errhp,2,ADR(c_balance),
  SIZ(double),SQLT_BDOUBLE);
#else
  OCIDEF(octx->cur01,octx->c_balance_dp[0],errhp,2,ADR(c_balance),
  SIZ(double),SQLT_FLT);
#endif /* USE_IEEE_NUMBER */
  OCIDEF(octx->cur01,octx->c_first_dp[0],errhp,3,c_first,SIZ(c_first)-1,
  SQLT_CHR);
  OCIDEF(octx->cur01,octx->c_middle_dp[0],errhp,4,c_middle,
  SIZ(c_middle)-1,SQLT_AFC);
  OCIDEF(octx->cur01,octx->c_last_dp[0],errhp,5,c_last,SIZ(c_last)-1,
  SQLT_CHR);
  OCIDEF(octx->cur01,octx-
>o_id_dp[0],errhp,6,ADR(o_id),SIZ(int),SQLT_INT);
  OCIDEF(octx->cur01,octx->o_entry_d_dp[0],errhp,7,
  &o_entry_d_base,SIZ(OCIDate),SQLT_ODT);
  OCIDEF(octx->cur01,octx->o_cr_id_dp[0],errhp,8,ADR(o_carrier_id),
  SIZ(int),SQLT_INT);
  OCIDEF(octx->cur01,octx->o.ol_cnt_dp[0],errhp,9,ADR(o.ol_cnt),
  SIZ(int),SQLT_INT);

/* Bind for third cursor , no-zero customer id */
OCIBND(octx->cur02,octx->w_id_bp[1],errhp,:w_id",ADR(w_id),
  SIZ(int),SQLT_INT);
OCIBND(octx->cur02,octx->d_id_bp[1],errhp,:d_id",ADR(d_id),
  SIZ(int),SQLT_INT);
OCIBND(octx->cur02,octx->c_last_bp[1],errhp,:c_last",c_last,
  SIZ(int),SQLT_INT);

OCIBND(octx->cur02,octx->d_id_bp[1],errhp,:d_id",ADR(d_id),
  SIZ(int),SQLT_INT);
OCIBND(octx->cur02,octx->c_id_bp,errhp,:c_id",ADR(c_id),
  SIZ(int),SQLT_INT);
#endif /* USE_IEEE_NUMBER */
  OCIDEF(octx->cur02,octx->c_balance_dp[1],errhp,1,ADR(c_balance),
  SIZ(double),SQLT_BDOUBLE);
#else
  OCIDEF(octx->cur02,octx->c_balance_dp[1],errhp,1,ADR(c_balance),
  SIZ(double),SQLT_FLT);
#endif /* USE_IEEE_NUMBER */
  OCIDEF(octx->cur02,octx->c_first_dp[1],errhp,2,c_first,SIZ(c_first)-1,
  SQLT_CHR);
  OCIDEF(octx->cur02,octx->c_middle_dp[1],errhp,3,c_middle,
  SIZ(c_middle)-1,SQLT_AFC);
  OCIDEF(octx->cur02,octx->c_last_dp[1],errhp,4,c_last,SIZ(c_last)-1,
  SQLT_CHR);
  OCIDEF(octx->cur02,octx->o_id_bp,errhp,5,ADR(o_id),SIZ(int),SQLT_INT);
  OCIDEF(octx->cur02,octx->o_entry_d_dp[1],errhp,6,&o_entry_d_base,
  SIZ(OCIDate),SQLT_ODT);
  OCIDEF(octx->cur02,octx->o_cr_id_dp[1],errhp,7,ADR(o_carrier_id),
  SIZ(int),SQLT_INT);
  OCIDEF(octx->cur02,octx->o.ol_cnt_dp[1],errhp,8,ADR(o.ol_cnt),
  SIZ(int),SQLT_INT);

/* Bind for last cursor */

OCIBND(octx->cur03,octx->w_id_bp[2],errhp,:w_id",ADR(w_id),
  SIZ(int),SQLT_INT);
OCIBND(octx->cur03,octx->d_id_bp[2],errhp,:d_id",ADR(d_id),
  SIZ(int),SQLT_INT);
OCIBND(octx->cur03,octx->o_id_bp,errhp,:o_id",ADR(o_id),
  SIZ(int),SQLT_INT);
/*
  OCIBND(octx->cur03,octx->c_id_bp,errhp,:c_id",ADR(c_id),
  SIZ(int),SQLT_INT);
*/
OCIDFNRA(octx->cur03,octx->ol_i_id_dp,errhp,1,
  octx->ol_i_id_dp, errhp, 1,
  octx->ol_i_id_len, NULL);
OCIDFNRA(octx->cur03,octx->ol_supply_w_id_dp,errhp,2,
  ol_supply_w_id,
  SIZ(int),SQLT_INT, NULL,
  octx->ol_supply_w_id_len, NULL);
#endif /* USE_IEEE_NUMBER */
  OCIDFNRA(octx->cur03, octx->ol_quantity_dp,errhp,3,
  ol_quantity,SIZ(double),
  SQLT_Bdouble, NULL, octx->ol_quantity_len, NULL);
  OCIDFNRA(octx->cur03,octx->ol_amount_dp,errhp,4,ol_amount,
  SIZ(double),
  SQLT_Bdouble,NULL, octx->ol_amount_len, NULL);
#else
  OCIDFNRA(octx->cur03, octx->ol_quantity_dp,errhp,3,
  ol_quantity,SIZ(int),
  SQLT_INT, NULL, octx->ol_quantity_len, NULL);
  OCIDFNRA(octx->cur03,octx->ol_amount_dp,errhp,4,ol_amount,
  SIZ(int),
  SQLT_INT,NULL, octx->ol_amount_len, NULL);
#endif /* USE_IEEE_NUMBER */
  OCIDFNRA(octx->cur03,octx-
>ol_d_base_dp,errhp,5,ol_d_base,SIZ(OCIDate),
  SQLT_ODT, NULL,octx->ol_delivery_d_len,NULL);

OCIBND(octx->cur04,octx->w_id_bp[3],errhp,:w_id",ADR(w_id),
  SIZ(int),SQLT_INT);
OCIBND(octx->cur04,octx->d_id_bp[3],errhp,:d_id",ADR(d_id),
  SIZ(int),SQLT_INT);
OCIBND(octx->cur04,octx->c_last_bp[1],errhp,:c_last",c_last,
  SIZ(int),SQLT_INT);

```

```

        SIZ(c_last), SQLT_STR);
OCIDEF(octx->curo4,octx->c_count_dp,errhp,1,ADR(octx-
>rcount),SIZ(int),
        SQLT_INT);

return (0);
}

void DBExecution::tkvcodone ()
{
    if (octx)
        free (octx);
}

int DBExecution::tkvcpinit (void)
{
    text stmbuf[SQL_BUF_SIZE];
    pctx = (payctx *)malloc(sizeof(payctx));
    memset(pctx,(char)0,sizeof(payctx));

/* cursor for init */
    DISCARD OCIERROR(errhp,OCIHandleAlloc(tpcenv, (dvoid
**)(&(pctx->curpi),
        OCI_HTYPE_STMT,0,(dvoid**)0)));

    DISCARD OCIERROR(errhp,OCIHandleAlloc(tpcenv, (dvoid
**)(&(pctx->curp0)),
        OCI_HTYPE_STMT,0,(dvoid**)0));
    DISCARD OCIERROR(errhp,OCIHandleAlloc(tpcenv, (dvoid
**)(&(pctx->curp1)),
        OCI_HTYPE_STMT,0,(dvoid**)0));

/* build the init statement and execute it */

    sprintf ((char*)stmbuf, SQLTXT_INIT);
    DISCARD OCIERROR(errhp,OCISmtPrepare(pctx->curpi, errhp,
stmbuf,
        strlen((char *)stmbuf), OCI_NTV_SYNTAX, OCI_DEFAULT));
    DISCARD OCIERROR(errhp, OCISmtExecute(tpcsvc,pctx-
>curpi,errhp,1,0,
        NULLP(CONST
OCISnapshot),NULLP(OCISnapshot),OCI_DEFAULT));

/* customer id != 0, go by last name */

    sqlfile("./blocks\\paynz.sql",stmbuf);
    DISCARD OCIERROR(errhp,OCISmtPrepare(pctx->curp0, errhp,
stmbuf,
        strlen((char *)stmbuf), OCI_NTV_SYNTAX, OCI_DEFAULT));

/* customer id == 0, go by last name */

    sqlfile("./blocks\\payz.sql",stmbuf); /* sqlfile opens
$O/bench/.../blocks/... */
    DISCARD OCIERROR(errhp,OCISmtPrepare(pctx->curp1, errhp,
stmbuf,
        strlen((char *)stmbuf), OCI_NTV_SYNTAX, OCI_DEFAULT));

    pctx->w_id_len = SIZ(w_id);
    pctx->d_id_len = SIZ(d_id);
    pctx->c_w_id_len = SIZ(c_w_id);
    pctx->c_d_id_len = SIZ(c_d_id);
    pctx->c_id_len = 0;
    pctx->h_amount_len = SIZ(h_amount);
}

```

```

    pctx->c_last_len = 0;
    pctx->w_street_1_len = 0;
    pctx->w_street_2_len = 0;
    pctx->w_city_len = 0;
    pctx->w_state_len = 0;
    pctx->w_zip_len = 0;
    pctx->d_street_1_len = 0;
    pctx->d_street_2_len = 0;
    pctx->d_city_len = 0;
    pctx->d_state_len = 0;
    pctx->d_zip_len = 0;
    pctx->c_first_len = 0;
    pctx->c_middle_len = 0;
    pctx->c_street_1_len = 0;
    pctx->c_street_2_len = 0;
    pctx->c_city_len = 0;
    pctx->c_state_len = 0;
    pctx->c_zip_len = 0;
    pctx->c_phone_len = 0;
    pctx->c_since_len = 0;
    pctx->c_credit_len = 0;
    pctx->c_credit_lim_len = 0;
    pctx->c_discount_len = 0;
    pctx->c_balance_len = sizeof(double);
    pctx->c_data_len = 0;
    pctx->h_date_len = 0;
    pctx->retries_len = SIZ(retries) ;
    pctx->cr_date_len = 7;

/* bind variables */

OCIBNDPL(pctx->curp0, pctx->w_id_bp[0],
errhp,:w_id",ADR(w_id),SIZ(int),
        SQLT_INT, NULL);
OCIBNDPL(pctx->curp0, pctx->d_id_bp[0],
errhp,:d_id",ADR(d_id),SIZ(int),
        SQLT_INT, NULL);
OCIBND(pctx->curp0, pctx->c_w_id_bp[0],
errhp,:c_w_id",ADR(c_w_id),SIZ(int),
        SQLT_INT);
OCIBND(pctx->curp0, pctx->c_d_id_bp[0],
errhp,:c_d_id",ADR(c_d_id),SIZ(int),
        SQLT_INT);
OCIBND(pctx->curp0, pctx->c_id_bp[0],
errhp,:c_id",ADR(c_id),SIZ(int),
        SQLT_INT);
#endif /* USE_IEEE_NUMBER
OCIBNDPL(pctx->curp0, pctx->h_amount_bp[0],
errhp,:h_amount",ADR(h_amount),
        SIZ(double),SQLT_Bdouble, &pctx->h_amount_len);
#else
OCIBNDPL(pctx->curp0, pctx->h_amount_bp[0],
errhp,:h_amount",ADR(h_amount),
        SIZ(int),SQLT_INT, &pctx->h_amount_len);
#endif /* USE_IEEE_NUMBER */
OCIBNDPL(pctx->curp0, pctx->c_last_bp[0],
errhp,:c_last",c_last,SIZ(c_last),
        SQLT_STR, &pctx->c_last_len);
OCIBNDPL(pctx->curp0, pctx->w_street_1_bp[0],
errhp,:w_street_1",w_street_1,
        SIZ(w_street_1),SQLT_STR, &pctx->w_street_1_len);
OCIBNDPL(pctx->curp0, pctx->w_street_2_bp[0],
errhp,:w_street_2",w_street_2,
        SIZ(w_street_2),SQLT_STR, &pctx->w_street_2_len);
OCIBNDPL(pctx->curp0, pctx->w_city_bp[0],
errhp,:w_city",w_city,SIZ(w_city),
        SQLT_STR, &pctx->w_city_len);

```

```

OCIBNDPL(pctx->curp0, pctx->w_state_bp[0],
errhp,"w_state",SIZ(w_state),SQLT_STR,&pctx->w_state_len);
OCIBNDPL(pctx->curp0, pctx->w_zip_bp[0],
errhp,"w_zip",w_zip,SIZ(w_zip),
SQLT_STR,&pctx->w_zip_len);
OCIBNDPL(pctx->curp0, pctx->d_street_1_bp[0],
errhp,"d_street_1",d_street_1,
SIZ(d_street_1),SQLT_STR,&pctx->d_street_1_len);
OCIBNDPL(pctx->curp0, pctx->d_street_2_bp[0],
errhp,"d_street_2",d_street_2,
SIZ(d_street_2),SQLT_STR,&pctx->d_street_2_len);
OCIBNDPL(pctx->curp0, pctx->d_city_bp[0],
errhp,"d_city",d_city,SIZ(d_city),
SQLT_STR,&pctx->d_city_len);
OCIBNDPL(pctx->curp0, pctx->d_state_bp[0], errhp,:d_state",d_state,
SIZ(d_state),SQLT_STR,&pctx->d_state_len);
OCIBNDPL(pctx->curp0, pctx->d_zip_bp[0],
errhp,"d_zip",d_zip,SIZ(d_zip),
SQLT_STR,&pctx->d_zip_len);
OCIBNDPL(pctx->curp0, pctx->c_first_bp[0], errhp,:c_first",c_first,
SIZ(c_first),SQLT_STR,&pctx->c_first_len);
OCIBNDPL(pctx->curp0, pctx->c_middle_bp[0],
errhp,:c_middle",c_middle,2,
SQLT_AFC,&pctx->c_middle_len);
OCIBNDPL(pctx->curp0, pctx->c_street_1_bp[0],
errhp,"c_street_1",c_street_1,
SIZ(c_street_1),SQLT_STR,&pctx->c_street_1_len);
OCIBNDPL(pctx->curp0, pctx->c_street_2_bp[0],
errhp,"c_street_2",c_street_2,
SIZ(c_street_2),SQLT_STR,&pctx->c_street_2_len);
OCIBNDPL(pctx->curp0, pctx->c_city_bp[0],
errhp,:c_city",c_city,SIZ(c_city),
SQLT_STR,&pctx->c_city_len);
OCIBNDPL(pctx->curp0, pctx->c_state_bp[0], errhp,:c_state",c_state,
SIZ(c_state),SQLT_STR,&pctx->c_state_len);
OCIBNDPL(pctx->curp0, pctx->c_zip_bp[0],
errhp,:c_zip",c_zip,SIZ(c_zip),
SQLT_STR,&pctx->c_zip_len);
OCIBNDPL(pctx->curp0, pctx->c_phone_bp[0],
errhp,:c_phone",c_phone,
SIZ(c_phone),SQLT_STR,&pctx->c_phone_len);
OCIBNDPL(pctx->curp0, pctx->c_since_bp[0],
errhp,:c_since",&c_since,
SIZ(OCIDate),SQLT_ODT,&pctx->c_since_len);
OCIBNDPL(pctx->curp0, pctx->c_credit_bp[0],
errhp,:c_credit",c_credit,
SIZ(c_credit),SQLT_CHR,&pctx->c_credit_len);
OCIBNDPL(pctx->curp0, pctx->c_credit_lim_bp[0],
errhp,:c_credit_lim",
ADR(c_credit_lim),SIZ(int),SQLT_INT,&pctx-
>c_credit_lim_len);
OCIBNDPL(pctx->curp0, pctx->c_discount_bp[0], errhp,:c_discount",
ADR(c_discount),SIZ(c_discount),SQLT_FLT,&pctx-
>c_discount_len);
#endif /* USE_IEEE_NUMBER */
OCIBNDPL(pctx->curp0, pctx->c_balance_bp[0], errhp,:c_balance",
ADR(c_balance),SIZ(double),SQLT_BDOUBLE,&pctx-
>c_balance_len);
#else
OCIBNDPL(pctx->curp0, pctx->c_balance_bp[0], errhp,:c_balance",
ADR(c_balance),SIZ(double),SQLT_FLT,&pctx->c_balance_len);
#endif /* USE_IEEE_NUMBER */
OCIBNDPL(pctx->curp0, pctx->c_data_bp[0],
errhp,:c_data",c_data,SIZ(c_data),
SQLT_STR,&pctx->c_data_len);
/*
OCIBNDR(pctx->curp0, pctx->h_date_bp,
errhp,:h_date",h_date,SIZ(h_date),

```

```

SQLT_STR,&pctx->h_date_ind,&pctx->h_date_len,&pctx-
>h_date_rc);
*/
OCIBNDPL(pctx->curp0, pctx->retries_bp[0],
errhp,:retry",ADR(retries),
SIZ(int),SQLT_INT,&pctx->retries_len);
OCIBNDPL(pctx->curp0, pctx->cr_date_bp[0],
errhp,:cr_date",ADR(cr_date),
SIZ(OCIDate),SQLT_ODT,&pctx->cr_date_len);

/* ---- Binds for the second cursor */

OCIBNDPL(pctx->curp1, pctx->w_id_bp[1],
errhp,:w_id",ADR(w_id),SIZ(int),
SQLT_INT,&pctx->w_id_len);
OCIBNDPL(pctx->curp1, pctx->d_id_bp[1],
errhp,:d_id",ADR(d_id),SIZ(int),
SQLT_INT,&pctx->d_id_len);
OCIBND(pctx->curp1, pctx->c_w_id_bp[1],
errhp,:c_w_id",ADR(c_w_id),SIZ(int),
SQLT_INT);
OCIBND(pctx->curp1, pctx->c_d_id_bp[1],
errhp,:c_d_id",ADR(c_d_id),SIZ(int),
SQLT_INT);
OCIBNDPL(pctx->curp1, pctx->c_id_bp[1],
errhp,:c_id",ADR(c_id),SIZ(int),
SQLT_INT,&pctx->c_id_len);
#endif /* USE_IEEE_NUMBER */
OCIBNDPL(pctx->curp1, pctx->h_amount_bp[1],
errhp,:h_amount",ADR(h_amount),
SIZ(double),SQLT_Bdouble,&pctx->h_amount_len);
#else
OCIBNDPL(pctx->curp1, pctx->h_amount_bp[1],
errhp,:h_amount",ADR(h_amount),
SIZ(int),SQLT_INT,&pctx->h_amount_len);
#endif /* USE_IEEE_NUMBER */
OCIBND(pctx->curp1, pctx->c_last_bp[1],
errhp,:c_last",c_last,SIZ(c_last),
SQLT_STR);
OCIBNDPL(pctx->curp1, pctx->w_street_1_bp[1],
errhp,:w_street_1",w_street_1,
SIZ(w_street_1),SQLT_STR,&pctx->w_street_1_len);
OCIBNDPL(pctx->curp1, pctx->w_street_2_bp[1],
errhp,:w_street_2",w_street_2,
SIZ(w_street_2),SQLT_STR,&pctx->w_street_2_len);
OCIBNDPL(pctx->curp1, pctx->w_city_bp[1],
errhp,:w_city",w_city,SIZ(w_city),
SQLT_STR,&pctx->w_city_len);
OCIBNDPL(pctx->curp1, pctx->w_state_bp[1],
errhp,:w_state",w_state,
SIZ(w_state),SQLT_STR,&pctx->w_state_len);
OCIBNDPL(pctx->curp1, pctx->w_zip_bp[1],
errhp,:w_zip",w_zip,SIZ(w_zip),
SQLT_STR,&pctx->w_zip_len);
OCIBNDPL(pctx->curp1, pctx->d_street_1_bp[1],
errhp,:d_street_1",d_street_1,
SIZ(d_street_1),SQLT_STR,&pctx->d_street_1_len);
OCIBNDPL(pctx->curp1, pctx->d_street_2_bp[1],
errhp,:d_street_2",d_street_2,
SIZ(d_street_2),SQLT_STR,&pctx->d_street_2_len);
OCIBNDPL(pctx->curp1, pctx->d_city_bp[1],
errhp,:d_city",d_city,SIZ(d_city),
SQLT_STR,&pctx->d_city_len);
OCIBNDPL(pctx->curp1, pctx->d_state_bp[1], errhp,:d_state",d_state,
SIZ(d_state),SQLT_STR,&pctx->d_state_len);
OCIBNDPL(pctx->curp1, pctx->d_zip_bp[1],
errhp,:d_zip",d_zip,SIZ(d_zip),
SQLT_STR,&pctx->d_zip_len);
OCIBNDPL(pctx->curp1, pctx->c_first_bp[1], errhp,:c_first",c_first,

```

```

SIZ(c_first), SQLT_STR, &pctx->c_first_len);
OCIBNDPL(pctx->curl1, pctx->c_middle_bp[1],
errhp,:c_middle",c_middle,2,
SQLT_AFC, &pctx->c_middle_len);

OCIBNDPL(pctx->curl1, pctx->c_street_1_bp[1],
errhp,:c_street_1",c_street_1,
SIZ(c_street_1),SQLT_STR, &pctx->c_street_1_len);
OCIBNDPL(pctx->curl1, pctx->c_street_2_bp[1],
errhp,:c_street_2",c_street_2,
SIZ(c_street_2),SQLT_STR, &pctx->c_street_2_len);
OCIBNDPL(pctx->curl1, pctx->c_city_bp[1], errhp,:c_city",c_city,
SIZ(c_city),SQLT_STR, &pctx->c_city_len);
OCIBNDPL(pctx->curl1, pctx->c_state_bp[1], errhp,:c_state",c_state,
SIZ(c_state), SQLT_STR, &pctx->c_state_len);
OCIBNDPL(pctx->curl1, pctx->c_zip_bp[1],
errhp,:c_zip",c_zip,SIZ(c_zip),
SQLT_STR, &pctx->c_zip_len);
OCIBNDPL(pctx->curl1, pctx->c_phone_bp[1],
errhp,:c_phone",c_phone,
SIZ(c_phone), SQLT_STR, &pctx->c_phone_len);
OCIBNDPL(pctx->curl1, pctx->c_since_bp[1],
errhp,:c_since",&c_since,
SIZ(OCIDate), SQLT_ODT, &pctx->c_since_len);
OCIBNDPL(pctx->curl1, pctx->c_credit_bp[1],
errhp,:c_credit",
SIZ(c_credit),SQLT_CHR, &pctx->c_credit_len);
OCIBNDPL(pctx->curl1, pctx->c_credit_lim_bp[1],
errhp,:c_credit_lim",
ADR(c_credit_lim),SIZ(int), SQLT_INT, &pctx-
>c_credit_lim_len);
OCIBNDPL(pctx->curl1, pctx->c_discount_bp[1], errhp,:c_discount",
ADR(c_discount),SIZ(c_discount), SQLT_FLT, &pctx-
>c_discount_len);
#endif USE_IEEE_NUMBER
OCIBNDPL(pctx->curl1, pctx->c_balance_bp[1], errhp,:c_balance",
ADR(c_balance), SIZ(double),SQLT_BDOUBLE, &pctx-
>c_balance_len);
#endif /* USE_IEEE_NUMBER */
OCIBNDPL(pctx->curl1, pctx->c_data_bp[1],
errhp,:c_data",c_data,SIZ(c_data),
SQLT_STR, &pctx->c_data_len);
*/
OCIBNDR(pctx->curl1, pctx->h_date_bp1,
errhp,:h_date",h_date,SIZ(h_date),
SQLT_STR, &pctx->h_date_ind, &pctx->h_date_len, &pctx-
>h_date_rc);
*/
OCIBNDPL(pctx->curl1, pctx->retries_bp[1],
errhp,:retry",ADR(retries),
SIZ(int), SQLT_INT, &pctx->retries_len);
OCIBNDPL(pctx->curl1, pctx->cr_date_bp[1],
errhp,:cr_date",ADR(cr_date),
SIZ(OCIDate),SQLT_ODT, &pctx->cr_date_len);

return (0);
}

```

void DBExecution::tkvpdone()

```
{
if(pctx) {
    free(pctx);
}
}
```

```

int DBExecution::tkvcsinit ()
{
    text stmbuf[SQL_BUF_SIZE];
    sctx = (stctx *)malloc(sizeof(stctx));
    memset(sctx,(char)0,sizeof(stctx));

    sctx->norow=0;

    OCIERROR(errhp,
        OCIHandleAlloc(tpcenv,(dvoid**)&sctx-
> curs,OCI_HTYPE_STMT,0,(dvoid**)0));
    sprintf ((char *) stmbuf, SQLTXTSTO);
    OCIERROR(errhp,OCIStmtPrepare(sctx->curs,errhp,stmbuf,strlen((char
*)stmbuf),
                                OCI_NTV_SYNTAX,OCI_DEFAULT));
#ifndef PLSQLSTO
    OCIERROR(errhp,
        OCIAttrSet(sctx->curs,OCI_HTYPE_STMT,(dvoid*)&sctx->norow,0,
        OCI_ATTR_PREFETCH_ROWS,errhp));
#endif

/* bind variables */

OCIBND(sctx->curs,sctx->w_id_bp,errhp, ":w_id",
ADR(w_id),sizeof(int),
SQLT_INT);
OCIBND(sctx->curs,sctx->d_id_bp,errhp, ":d_id",
ADR(d_id),sizeof(int),
SQLT_INT);
#ifdef USE_IEEE_NUMBER
    OCIBND(sctx->curs,sctx->threshold_bp,errhp, ":threshold",
ADR(threshold),
sizeof(double),SQLT_Bdouble);
#else
    OCIBND(sctx->curs,sctx->threshold_bp,errhp, ":threshold",
ADR(threshold),
sizeof(int),SQLT_INT);
#endif /* USE_IEEE_NUMBER */
#ifndef PLSQLSTO
    OCIBND(sctx->curs,sctx->low_stock_bp,errhp, ":low_stock",
ADR(low_stock),
sizeof(int), SQLT_INT);
#else
    OCIDEFINE(sctx->curs,sctx->low_stock_bp,errhp, 1, ADR(low_stock),
sizeof(int), SQLT_INT);
#endif

    return (0);
}

void DBExecution::tkvcsdone ()
{
    if(sctx) free(sctx);
}

***** *****
* tkven tkved tkvcp tkvco tkvcs *
***** *****
*****/

int DBExecution::tkvcn ()
{

```

```

int i;
int rcount;

retry:
status = 0; /* number of invalid items */

/* get number of order lines, and check if all are local */

o.ol_cnt = NITEMS;
o.all_local = 1;
for (i = 0; i < NITEMS; i++) {
    if (nol.i_id[i] == 0) {
        o.ol_cnt = i;
        break;
    }
    if (nol.supply_w_id[i] != w_id) {
#endif USE_IEEE_NUMBER
        nctx->s_remote[i] = 1.0;
#else
        nctx->s_remote[i] = 1;
#endif /* USE_IEEE_NUMBER */
        o.all_local = 0;
    }
    else
        nctx->s_remote[i] = 0;
}

nctx->w_id_len = sizeof(w_id);
nctx->d_id_len = sizeof(d_id);
nctx->c_id_len = sizeof(c_id);
nctx->o_all_local_len = sizeof(o.all_local);
nctx->o.ol_cnt_len = sizeof(o.ol_cnt);
nctx->w_tax_len = 0;
nctx->d_tax_len = 0;
nctx->o_id_len = sizeof(o_id);
nctx->c_discount_len = 0;
nctx->c_credit_len = 0;
nctx->c_last_len = 0;
nctx->retries_len = sizeof(retries);
nctx->cr_date_len = sizeof(cr_date);
/* this is the row count */
rcount = o.ol_cnt;
nctx->nol.i_count = o.ol_cnt;
nctx->nol.q_count = o.ol_cnt;
nctx->nol.s_count = o.ol_cnt;
nctx->s_remote_count = o.ol_cnt;

nctx->nol_qty_count = 0;
nctx->nol_bg_count = 0;
nctx->nol_item_count = 0;
nctx->nol_name_count = 0;
nctx->nol_am_count = 0;

/* initialization for array operations */
for (i = 0; i < o.ol_cnt; i++) {
    nctx->ol_number[i] = i + 1;
    nctx->nol.i_id[i] = sizeof(int);
    nctx->nol.supply_w_id[i] = sizeof(int);
    nctx->nol.quantity_len[i] = sizeof(int);
    nctx->nol.amount_len[i] = sizeof(int);
    nctx->ol.o_id_len[i] = sizeof(int);
    nctx->ol.number_len[i] = sizeof(int);
    nctx->ol.dist_info_len[i] = nctx->s.dist_info_len[i];
    nctx->s_remote_len[i] = sizeof(int);
    nctx->s.quant_len[i] = sizeof(int);
    nctx->i.name_len[i] = 0;
    nctx->s.bg_len[i] = 0;
}

for (i = o.ol_cnt; i < NITEMS; i++) {

    nctx->nol.i_id_len[i] = 0;
    nctx->nol.supply_w_id_len[i] = 0;
    nctx->nol.quantity_len[i] = 0;
    nctx->nol.amount_len[i] = 0;
    nctx->ol.o_id_len[i] = 0;
    nctx->ol.number_len[i] = 0;
    nctx->ol.dist_info_len[i] = 0;
    nctx->s.remote_len[i] = 0;
    nctx->s.quant_len[i] = 0;
    nctx->i.name_len[i] = 0;
    nctx->s.bg_len[i] = 0;
}

execstatus = OCIStmtExecute(tpcsvc,nctx->curr1,errhp,1,0,0,0,
                           OCI_DEFAULT |
                           OCI_COMMIT_ON_SUCCESS);

if(execstatus != OCI_SUCCESS) {
    OCITransRollback(tpcsvc,errhp,OCI_DEFAULT);
    errcode = OCIERROR(errhp,execstatus);
    if(errcode == NOT_SERIALIZABLE) {
        retries++;
        goto retry;
    } else if (errcode == RECOVERR) {
        retries++;
        goto retry;
    } else if (errcode == SNAPSHOT_TOO_OLD) {
        retries++;
        goto retry;
    } else {
        return -1;
    }
}

/* did the txn succeed ? */
if (rcount != o.ol_cnt)
{
    status = rcount - o.ol_cnt;
    o.ol_cnt = rcount;
}

total_amount = 0;
for (i = 0; i < o.ol_cnt; i++) total_amount += nol.amount[i];
total_amount *= ((double)(1.0 - c.discount)) *
                (double)(1.0 + (double)(d_tax) + (double)(w_tax));
total_amount = total_amount/100;

return (0);
}

int DBExecution::tkvcd (int plsqlflag)
{
    int i;
    int rpc, rcount;
    int invalid;
    if (plsqlflag)
    {
        pldctx->w_id_len = sizeof (int);
        pldctx->carrier_id_len = sizeof (int);
        for (i = 0; i < NDISTS; i++)
        {
            pldctx->del_o_id_len[i] = sizeof(int);
        }
    }
}

```

```

    del_o_id[i] = 0;
}
pldctx->del_date_len = DEL_DATE_LEN;
DISCARD memcpy(&pldctx->del_date,&cr_date,sizeof(OCIDate));

pldctx->retry=0;

DISCARD OCIERROR(errhp,
    OCIStmtExecute(tpcsvc,pldctx->curp2,errhp,1,0,NULLP(CONST
OCISnapshot),
        NULLP(OCISnapshot),OCI_DEFAULT));
for (i = 0; i < NDISTS; i++)
{
    del_o_id[i] = 0;
}
for (i = 0; i < (int)pldctx->del_o_id_rcnt; i++)
    del_o_id[pldctx->del_d_id[i] - 1] = pldctx->del_o_id[i];
}
else
{
}

retry:
invalid = 0;

/* initialization for array operations */

for (i = 0; i < NDISTS; i++)
{
    dctx->del_o_id_ind[i] = TRUE;
    dctx->d_id_ind[i] = TRUE;
    dctx->c_id_ind[i] = TRUE;
    dctx->del_date_ind[i] = TRUE;
    dctx->carrier_id_ind[i] = TRUE;
    dctx->amt_ind[i] = TRUE;

    dctx->del_o_id_len[i] = SIZ(dctx->del_o_id[0]);
    dctx->w_id_len[i] = SIZ(dctx->w_id[0]);
    dctx->d_id_len[i] = SIZ(dctx->d_id[0]);
    dctx->c_id_len[i] = SIZ(dctx->c_id[0]);
    dctx->del_date_len[i] = DEL_DATE_LEN;
    dctx->carrier_id_len[i] = SIZ(dctx->carrier_id[0]);
    dctx->amt_len[i] = SIZ(dctx->amt[0]);

    dctx->w_id[i] = w_id;
    dctx->d_id[i] = i+1;
    dctx->carrier_id[i] = o_carrier_id;
    memcpy(&dctx->del_date[i],&cr_date,sizeof(OCIDate));
}

memset(actx,(char)0,sizeof(amtctx));

/* array select from new_order and orders tables */

execstatus=OCIStmtExecute(tpcsvc,dctx->curd1,errhp,NDISTS,0,
    NULLP(CONST
OCISnapshot),NULLP(OCISnapshot),OCI_DEFAULT);
if((execstatus != OCI_SUCCESS) && (execstatus !=
OCI_NO_DATA))
{
    DISCARD OCITransRollback(tpcsvc,errhp,OCI_DEFAULT);
    errcode = OCIERROR(errhp,execstatus);
    if(errcode == NOT_SERIALIZABLE)
    {
        retries++;
        goto retry;
    }
    else if (errcode == RECOVERR)
    {
}

```

```

        retries++;
        goto retry;
    }
    else if (errcode == SNAPSHOT_TOO_OLD)
    {
        retries++;
        goto retry;
    }
    else
    {
        return -1;
    }
}
/* mark districts with no new order */
DISCARD OCIAttrGet(dctx-
>curd1,OCI_HTYPE_STMT,&rcount,NULLP(ub4),
    OCI_ATTR_ROW_COUNT,errhp);
rpc = rcount;
if (rcount != NDISTS )
{
    int j = 0;
    for (i=0;i < NDISTS; i++)
    {
        if (dctx->del_o_id_ind[j] == 0) /* there is data here */
            j++;
        else
            shiftdata(j);
    }
}

execstatus=OCIStmtExecute(tpcsvc,dctx->curd3,errhp, rpc,0,
    NULLP(CONST
OCISnapshot),NULLP(OCISnapshot),OCI_DEFAULT);
if(execstatus != OCI_SUCCESS)
{
    DISCARD OCITransRollback(tpcsvc,errhp,OCI_DEFAULT);
    errcode = OCIERROR(errhp,execstatus);
    if(errcode == NOT_SERIALIZABLE)
    {
        retries++;
        goto retry;
    }
    else if (errcode == RECOVERR)
    {
        retries++;
        goto retry;
    }
    else if (errcode == SNAPSHOT_TOO_OLD)
    {
        retries++;
        goto retry;
    }
    else
    {
        return -1;
    }
}

DISCARD OCIAttrGet(dctx-
>curd3,OCI_HTYPE_STMT,&rcount,NULLP(ub4),
    OCI_ATTR_ROW_COUNT,errhp);

if (rcount != rpc)
{
    userlog ("Error in TPC-C server %d: %d rows selected, %d ords
updated\n",
        proc_no, rpc, rcount);
    DISCARD OCITransRollback(tpcsvc,errhp,OCI_DEFAULT);
    return (-1);
}

```

```

/* array update of order_line table */
execstatus=OCISStmtExecute(tpcsvc,dctx->curd4,errhp,rpc,0,
    NULLLP(CONST
    OCISnapshot),NULLLP(OCISnapshot),OCI_DEFAULT);
if(execstatus != OCI_SUCCESS)
{
    DISCARD OCITransRollback(tpcsvc,errhp,OCI_DEFAULT);
    errcode = OCIERROR(errhp,execstatus);
    if(errcode == NOT_SERIALIZABLE)
    {
        retries++;
        goto retry;
    }
    else if (errcode == RECOVERR)
    {
        retries++;
        goto retry;
    }
    else if (errcode == SNAPSHOT_TOO_OLD)
    {
        retries++;
        goto retry;
    }
    else
    {
        return -1;
    }
}
DISCARD OCIAttrGet(dctx-
>curd4,OCI_HTYPE_STMT,&rcount,NULLP(ub4),
    OCI_ATTR_ROW_COUNT,errhp);

/* transfer amounts */
for (i=0;i<rpc;i++)
{
    dctx->amt[i]=0;
    if ( actx->ol_amt_rcode[i] == 0)
    {
        dctx->amt[i] = actx->ol_amt[i];
    }
}

#endif OLD
if (rcount > rpc) {
    userlog
    ("Error in TPC-C server %d: %d ordnrs updated, %d ordl
updated\n",
     proc_no, rpc, rcount);
}

/* array update of customer table */
execstatus=OCISStmtExecute(tpcsvc,dctx->curd6,errhp,rpc,0,
    NULLLP(CONST OCISnapshot),NULLLP(OCISnapshot),
    OCI_COMMIT_ON_SUCCESS | OCI_DEFAULT);

if(execstatus != OCI_SUCCESS)
{
    OCITransRollback(tpcsvc,errhp,OCI_DEFAULT);
    errcode = OCIERROR(errhp,execstatus);
    if(errcode == NOT_SERIALIZABLE)
    {
        retries++;
        goto retry;
    }
    else if (errcode == RECOVERR)
    {
        retries++;
        goto retry;
    }
    else if (errcode == SNAPSHOT_TOO_OLD)
    {
        {
            retries++;
            goto retry;
        }
        else
        {
            return -1;
        }
    }
}

DISCARD OCIAttrGet(dctx-
>curd6,OCI_HTYPE_STMT,&rcount,NULLP(ub4),
    OCI_ATTR_ROW_COUNT,errhp);

if (rcount != rpc) {
    userlog ("Error in TPC-C server %d: %d rows selected, %d cust
updated\n",
             proc_no, rpc, rcount);
    DISCARD OCITransRollback(tpcsvc, errhp, OCI_DEFAULT);
    return (-1);
}

/* return o_id's in district id order */

for (i = 0; i < NDISTS; i++)
    del_o_id[i] = 0;
for (i = 0; i < rpc; i++)
    del_o_id[dctx->d_id[i] - 1] = dctx->del_o_id[i];
}
return (0);
}

int DBExecution::tkvco ()
{
    int i;
    int rcount;

#ifndef ISO9
    int secondread = 0;
    char sdate[30];
    ub4 datelen;
    sysdate(sdate);
    printf("Order Status started at: %s\n", sdate);
#endif

    for (i = 0; i < NITEMS; i++) {
        octx->ol_supply_w_id_len[i] = sizeof(int);
        octx->ol_i_id_len[i] = sizeof(int);
        octx->ol_quantity_len[i] = sizeof(int);
        octx->ol_amount_len[i] = sizeof(int);
        octx->ol_delivery_d_len[i] = sizeof(OCIDate);
    }

    octx->ol_supply_w_id_csize = NITEMS;
    octx->ol_i_id_csize = NITEMS;
    octx->ol_quantity_csize = NITEMS;
    octx->ol_amount_csize = NITEMS;
    octx->ol_delivery_d_csize = NITEMS;

retry:
    if(bylastname)
    {
        cbctx.reexec = FALSE;
        execstatus=OCISStmtExecute(tpcsvc,octx->curo0,errhp,100,0,
            NULLLP(CONST
            OCISnapshot),NULLLP(OCISnapshot),OCI_DEFAULT);
        /* will get OCI_NO_DATA if <100 found */
        if ((execstatus != OCI_NO_DATA) && (execstatus !=
            OCI_SUCCESS))
    }
}

```

```

{
errcode=OCIERROR(errhp, execstatus);
if((errcode == NOT_SERIALIZABLE) || (errcode == RECOVERR))
{
    DISCARD OCITransCommit(tpcsvc,errhp,OCI_DEFAULT);
    retries++;
    goto retry;
} else {
    return -1;
}
}

if (execstatus == OCI_NO_DATA) /* there are no more rows */
{
/* get rowcount, find middle one */
    DISCARD OCIAttrGet(octx->curo0,OCI_HTYPE_STMT,&rcount,NULL,
                        OCI_ATTR_ROW_COUNT,errhp);
    if (rcount <1)
    {
/*
                userlog("ORDERSTATUS rcount=%d\n",rcount);
*/
        return (-1);
    }
    octx->cust_idx=(rcount)/2 ;
}
else
{
/* count the number of rows */
    execstatus=OCIStmtExecute(tpcsvc,octx->curo4,errhp,1,0,
                            NULLP(CONST
OCISnapshot),NULLP(OCISnapshot),OCI_DEFAULT);
    if ((execstatus != OCI_NO_DATA) && (execstatus != OCI_SUCCESS))
    {
        errcode=OCIERROR(errhp, execstatus);
        if ((errcode == NOT_SERIALIZABLE) || (errcode == RECOVERR))
        {
            DISCARD OCITransCommit(tpcsvc,errhp,OCI_DEFAULT);
            retries++;
            goto retry;
        } else {
            return -1;
        }
    }
    cbctx.reexec = TRUE;
    cbctx.count = (octx->rcount+1)/2 ;
    execstatus=OCIStmtExecute(tpcsvc,octx->curo0,errhp,cbctx.count,
                            0,NULLP(CONST OCISnapshot),
                            NULLP(OCISnapshot),OCI_DEFAULT);

    DISCARD OCIAttrGet(octx->curo0,OCI_HTYPE_STMT,&rcount,NULL,
                        OCI_ATTR_ROW_COUNT,errhp);

/* will get OCI_NO_DATA if <100 found */
    if ((int)cbctx.count != rcount)
    {
/*
                userlog ("did not get all rows ");
*/
        return (-1);
    }
}

if ((execstatus != OCI_NO_DATA) && (execstatus != OCI_SUCCESS))
{
    errcode=OCIERROR(errhp, execstatus);
    if((errcode == NOT_SERIALIZABLE) || (errcode == RECOVERR))

```

```

{
    DISCARD OCITransCommit(tpcsvc,errhp,OCI_DEFAULT);
    retries++;
    goto retry;
} else {
    return -1;
}
octx->cust_idx=cbctx.count - 1 ;

}

octx->c_rowid_cust = octx->c_rowid_ptr[octx->cust_idx];
execstatus=OCIStmtExecute(tpcsvc,octx->curo1,errhp,1,0,
                            NULLP(CONST
OCISnapshot),NULLP(OCISnapshot),OCI_DEFAULT);
if (execstatus != OCI_SUCCESS)
{
    errcode=OCIERROR(errhp,execstatus);
    DISCARD OCITransCommit(tpcsvc,errhp,OCI_DEFAULT);
    if((errcode == NOT_SERIALIZABLE) || (errcode == RECOVERR)
        || (errcode == SNAPSHOT_TOO_OLD))
    {
        retries++;
        goto retry;
    } else {
        return -1;
    }
}
else
{
    execstatus=OCIStmtExecute(tpcsvc,octx->curo2,errhp,1,0,
                            NULLP(CONST OCISnapshot),NULLP(OCISnapshot),
                            OCI_DEFAULT);
    if (execstatus != OCI_SUCCESS)
    {
        errcode=OCIERROR(errhp,execstatus);
        DISCARD OCITransCommit(tpcsvc,errhp,OCI_DEFAULT);
        if((errcode == NOT_SERIALIZABLE) || (errcode == RECOVERR)
            || (errcode == SNAPSHOT_TOO_OLD))
        {
            retries++;
            goto retry;
        } else
        {
            return -1;
        }
    }
#endif ISO9
    sysdate (sdate);
    if (!secondread)
        printf ("----- FIRST READ RESULT (out) %s ----- \n", sdate);
    else
        printf ("----- SECOND READ RESULT (out) %s ----- \n",
sdate);

    printf ("c_id = %d\n", c_id);
    printf ("c_last = %s\n", c_last);
    printf ("c_first = %s\n", c_first);
    printf ("c_middle = %s\n", c_middle);
    printf ("c_balance = %7.2f\n", (double)c_balance/100);
    printf ("o_id = %d\n", o_id);
    datelen = sizeof(o_entry_d);

OCIERROR(errhp,OCIDateToText(errhp,&o_entry_d_base,(text*)FULLDATE,SIZ(FULLDATE),(text*)0,0,&datelen,o_entry_d));
printf ("o_entry_d = %s\n", o_entry_d);
printf ("o_carrier_id = %d\n", o_carrier_id);
printf ("o.ol_cnt = %d\n", o.ol_cnt);

```

```

printf ("-----\n\n", sdate);

if (!secondread) {
    printf ("Sleep before re-read order at: %s\n", sdate);
    sleep (30);
    sysdate (sdate);
    printf ("Wake up and reread at: %s\n", sdate);
    secondread = 1;
    goto retry;
}
#endif /* ISO9 */
{
    octx->ol_w_id_len = sizeof(int);
    octx->ol_d_id_len = sizeof(int);
    octx->ol_o_id_len = sizeof(int);

    execstatus = OCIStmtExecute(tpcsvc,octx->curo3,errhp,o.ol_cnt,0,
        NULLP(CONST OCISnapshot),NULLP(OCISnapshot),
        OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
    if (execstatus != OCI_SUCCESS)
    {
        errcode=OCIERROR(errhp,execstatus);
        DISCARD OCITransCommit(tpcsvc,errhp,OCI_DEFAULT);
        if((errcode == NOT_SERIALIZABLE) || (errcode == RECOVERR)
            || (errcode == SNAPSHOT_TOO_OLD))
        {
            retries++;
            goto retry;
        }
        else
        {
            return -1;
        }
    }
    /* clean up and convert the delivery dates */
    for (i = 0; i < o.ol_cnt; i++)
    {
        ol_del_len[i]=sizeof(ol_delivery_d[i]);
        DISCARD OCIERROr(errhp,OCIDateToText(errhp,&ol_d_base[i],
            (const text*)SHORTDATE,(ub1)strlen(SHORTDATE),(text*)0,0,
            &ol_del_len[i], ol_delivery_d[i]));
    /*
        cvtdmy(ol_d_base[i],ol_delivery_d[i]);
    */
    }
}

return (0);
}

```

```
int DBExecution::tkvcp ()
```

```

{
retry:
    pctx->w_id_len = SIZ(w_id);
    pctx->d_id_len = SIZ(d_id);
    pctx->c_w_id_len = 0;
    pctx->c_d_id_len = 0;
    pctx->c_id_len = 0;
    pctx->h_amount_len = SIZ(h_amount);
    pctx->c_last_len = SIZ(c_last);
    pctx->w_street_1_len = 0;
    pctx->w_street_2_len = 0;
    pctx->w_city_len = 0;
    pctx->w_state_len = 0;
    pctx->w_zip_len = 0;

```

```

pctx->d_street_1_len = 0;
pctx->d_street_2_len = 0;
pctx->d_city_len = 0;
pctx->d_state_len = 0;
pctx->d_zip_len = 0;
pctx->c_first_len = 0;
pctx->c_middle_len = 0;
pctx->c_street_1_len = 0;
pctx->c_street_2_len = 0;
pctx->c_city_len = 0;
pctx->c_state_len = 0;
pctx->c_zip_len = 0;
pctx->c_phone_len = 0;
pctx->c_since_len = 0;
pctx->c_credit_len = 0;
pctx->c_credit_lim_len = 0;
pctx->c_discount_len = 0;
pctx->c_balance_len = sizeof(double);
pctx->c_data_len = 0;
pctx->h_date_len = 0;
pctx->retries_len = SIZ(retries);
pctx->cr_date_len = 7;

w_street_1[0]='\0';
w_street_2[0]='\0';
w_city[0]='\0';
w_state[0]='\0';
w_zip[0]='\0';
c_first[0]='\0';
c_middle[0]='\0';
c_street_1[0]='\0';
c_street_2[0]='\0';
c_city[0]='\0';
c_state[0]='\0';
c_zip[0]='\0';
c_phone[0]='\0';
c_credit[0]='\0';
c_credit_lim=0;
c_discount=0.0;
c_balance=0.0;
c_data[0]='\0';
d_street_1[0]='\0';
d_street_2[0]='\0';
d_city[0]='\0';
d_state[0]='\0';
d_zip[0]='\0';

if (bylastname)
    c_id=0;
else
    c_last[0]='\0';

if(bylastname) {
    execstatus=OCIStmtExecute(tpcsvc,pctx->curp1,errhp,1,0,
        NULLP(CONST OCISnapshot),NULLP(OCISnapshot),
        OCI_DEFAULT|OCI_COMMIT_ON_SUCCESS);
} else {
    execstatus=OCIStmtExecute(tpcsvc,pctx->curp0,errhp,1,0,
        NULLP(CONST OCISnapshot),NULLP(OCISnapshot),
        OCI_DEFAULT|OCI_COMMIT_ON_SUCCESS);
}

if(execstatus != OCI_SUCCESS) {
    OCITransRollback(tpcsvc,errhp,OCI_DEFAULT);
    errcode = OCIERROR(errhp,execstatus);
    if(errcode == NOT_SERIALIZABLE) {
        retries++;
        goto retry;
    } else if (errcode == RECOVERR) {

```

```

        retries++;
        goto retry;
    } else if (errcode == SNAPSHOT_TOO_OLD) {
        retries++;
        goto retry;
    } else {
        return -1;
    }
}
return 0;
}

int DBExecution::tkvcs ()
{
retry:
    execstatus= OCIStmtExecute(tpcsvc,sctx->curs,errhp,1,0,0,0,
                               OCI_COMMIT_ON_SUCCESS | OCI_DEFAULT);

    if (execstatus != OCI_SUCCESS)
    {

        errcode=OCIERROR(errhp,execstatus);
        OCITransCommit(tpcsvc,errhp,OCI_DEFAULT);
        if((errcode == NOT_SERIALIZABLE) || (errcode == RECOVERR)
           || (errcode == SNAPSHOT_TOO_OLD))
        {
            retries++;
            goto retry;
        } else {
            return -1;
        }
    }

    return (0);
}

/****************************************
*****
* TPCnew TPCpay TPCdel TPCord TPCsto
*****
*****************************************/
int DBExecution::TPCnew (struct newstruct *str)
{
    int i;

    w_id = str->newin.w_id;
    d_id = str->newin.d_id;
    c_id = str->newin.c_id;
    for (i = 0; i < 15; i++) {
        nol_i_id[i] = str->newin.ol_i_id[i];
        nol_supply_w_id[i] = str->newin.ol_supply_w_id[i];
        nol_quantity[i] = str->newin.ol_quantity[i];
    }
    retries = 0;

#ifndef AVOID_DEADLOCK
    for (i = NITEMS; i > 0; i--) {
        if (nol_i_id[i-1] > 0) {
            ordl_cnt = i;

```

```

                break;
            }
        }
        for (i = 0; i < NITEMS; i++) indx[i] = i;
        q_sort(nol_i_id, str, 0, ordl_cnt-1);
    #endif
    /*

    vgetdate(cr_date); */

    OCIERROR(errhp,OCIDateSysDate(errhp,&cr_date));

    if (str->newout.terror = tkvcn ()) {
        if (str->newout.terror != RECOVERR)
            str->newout.terror = IRRECERR;
        return (-1);
    }

    /* fill in date for o_entry_d from time in beginning of txn*/
    /*
    cvtdmyhms(cr_date,o_entry_d);
    */
    datelen = sizeof(o_entry_d);
    OCIERROR(errhp,
    OCIDateToText(errhp,&cr_date,(text*)FULLDATE,SIZ(FULLDATE),(text*)0,0,
                  &datelen,o_entry_d));

    str->newout.terror = NOERR;
    str->newout.o_id = o_id;
    str->newout.o.ol_cnt = o.ol_cnt;
    strncpy (str->newout.c.last, c.last, 17);
    strncpy (str->newout.c.credit, c.credit, 3);
    str->newout.c.discount = c.discount;
    str->newout.w_tax = (double)(w_tax);
    str->newout.d_tax = (double)(d_tax);
    strncpy (str->newout.o_entry_d, (char*)o_entry_d, 20);
    str->newout.total_amount = total_amount;
    for (i = 0; i < o.ol_cnt; i++) {
        strncpy (str->newout.i_name[i], i_name[i], 25);
        str->newout.brand_generic[i] = brand_generic[i][0];
    #ifdef USE_IEEE_NUMBER
        str->newout.s.quantity[i] = (int)s.quantity[i];
        str->newout.i.price[i] = i.price[i]/100;
        str->newout.ol.amount[i] = nol_amount[i]/100;
    #else
        str->newout.s.quantity[i] = s.quantity[i];
        str->newout.i.price[i] = (double)(i.price[i])/100;
        str->newout.ol.amount[i] = (double)(nol_amount[i])/100;
    #endif /* USE_IEEE_NUMBER */
    }

    #ifndef AVOID_DEADLOCK
        q_sort(indx, str, 0, ordl_cnt-1);
    #endif

    if (status)
        strcpy (str->newout.status, "Item number is not valid");
    else
        str->newout.status[0] = '\0';
    str->newout.retry = retries;
    return(1);
    }

```

```

int DBExecution::TPCpay (struct paystruct *str)
{
    w_id = str->payin.w_id;
    d_id = str->payin.d_id;
    c_w_id = str->payin.c_w_id;
    c_d_id = str->payin.c_d_id;
#ifndef USE_IEEE_NUMBER
    h_amount = (double) str->payin.h_amount;
#else
    h_amount = str->payin.h_amount;
#endif /* USE_IEEE_NUMBER */
    bylastname = str->payin.bylastname;

/*
vegetdate(cr_date); */
OCIERROR(errhp,OCIDateSysDate(errhp,&cr_date));

if (bylastname) {
    c_id = 0;
    strncpy (c_last, str->payin.c_last, 17);
}
else {
    c_id = str->payin.c_id;
    strcpy (c_last, " ");
}
retries = 0;

if (str->payout.terror = tkvp ()) {
    if (str->payout.terror != RECOVERR)
        str->payout.terror = IRRECERR;
    return (-1);
}

/*
cvtdmyhms(cr_date,h_date);
*/
hlen=SIZ(h_date);
OCIERROR(errhp,OCIDateToText(errhp,&cr_date,
(text*)FULLDATE,strlen(FULLDATE),(text*)0,0,&hlen,h_date));

/*
cvtdmy(c_since,c_since_d);
*/
sinceLEN=SIZ(c_since_d);
OCIERROR(errhp,OCIDateToText(errhp,&c_since,
(text*)SHORTDATE,strlen(SHORTDATE),(text*)0,0,&sinceLEN,c_since_d));

str->payout.terror = NOERR;
strncpy (str->payout.w_street_1, w_street_1, 21);
strncpy (str->payout.w_street_2, w_street_2, 21);
strncpy (str->payout.w_city, w_city, 21);
strncpy (str->payout.w_state, w_state, 3);
strncpy (str->payout.w_zip, w_zip, 10);
strncpy (str->payout.d_street_1, d_street_1, 21);
strncpy (str->payout.d_street_2, d_street_2, 21);
strncpy (str->payout.d_city, d_city, 21);
strncpy (str->payout.d_state, d_state, 3);
strncpy (str->payout.d_zip, d_zip, 10);
str->payout.c_id = c_id;
strncpy (str->payout.c_first, c_first, 17);
strncpy (str->payout.c_middle, c_middle, 3);
strncpy (str->payout.c_last, c_last, 17);
strncpy (str->payout.c_street_1, c_street_1, 21);
strncpy (str->payout.c_street_2, c_street_2, 21);

```

```

strncpy (str->payout.c_city, c_city, 21);
strncpy (str->payout.c_state, c_state, 3);
strncpy (str->payout.c_zip, c_zip, 10);
strncpy (str->payout.c_phone, c_phone, 17);
strncpy (str->payout.c_since, (char*)c_since_d, 11);
strncpy (str->payout.c_credit, c_credit, 3);
str->payout.c_credit_lim = (double)(c_credit_lim)/100;
str->payout.c_discount = c_discount;
str->payout.c_balance = (double)(c_balance)/100;
strncpy (str->payout.c_data, c_data, 201);
strncpy (str->payout.h_date, (char*)h_date, 20);
str->payout.retry = retries;
return(1);
}

int DBExecution::TPCord (struct ordstruct *str)
{
    int i;
    w_id = str->ordin.w_id;
    d_id = str->ordin.d_id;
    bylastname = str->ordin.bylastname;
    if (bylastname) {
        c_id = 0;
        strncpy (c_last, str->ordin.c_last, 17);
    }
    else {
        c_id = str->ordin.c_id;
        strcpy (c_last, " ");
    }
    retries = 0;

    if (str->ordout.terror = tkvo ()) {
        if (str->ordout.terror != RECOVERR)
            str->ordout.terror = IRRECERR;
        return (-1);
    }

    datelen = sizeof(o_entry_d);
    OCIERROR(errhp,
OCIDateToText(errhp,&o_entry_d_base,(text*)FULLDATE,SIZ(FULLDATE),(text*)0,0,
&datelen,o_entry_d));

    str->ordout.terror = NOERR;
    str->ordout.c_id = c_id;
    strncpy (str->ordout.c_last, c_last, 17);
    strncpy (str->ordout.c_first, c_first, 17);
    strncpy (str->ordout.c_middle, c_middle, 3);
    str->ordout.c_balance = c_balance/100;
    str->ordout.o_id = o_id;
    strncpy (str->ordout.o_entry_d, (char*)o_entry_d, 20);
    if ( o_carrier_id == 11 )
        str->ordout.o_carrier_id = 0;
    else
        str->ordout.o_carrier_id = o_carrier_id;
    str->ordout.o.ol_cnt = o.ol_cnt;
    for (i = 0; i < o.ol_cnt; i++) {
        ol_delivery_d[i][10] = '0';
        if ( !strcmp((char*)ol_delivery_d[i],"15-09-1911") )
            strncpy((char*)ol_delivery_d[i],"NOT DELIVR",10);
        str->ordout.ol_supply_w_id[i] = ol_supply_w_id[i];
        str->ordout.ol_i_id[i] = ol_i_id[i];
    }
#endif /* USE_IEEE_NUMBER */
    str->ordout.ol_quantity[i] = (int) ol_quantity[i];
    str->ordout.ol_amount[i] = ol_amount[i]/100;
}
else

```

```

str->ordout.ol_quantity[i] = ol_quantity[i];
str->ordout.ol_amount[i] = (double)(ol_amount[i])/100;
#endif /* USE_IEEE_NUMBER */
strncpy (str->ordout.ol_delivery_d[i], (char*)ol_delivery_d[i], 11);
}
str->ordout.retry = retries;
return(1);
}

int DBExecution::TPCdel (struct delstruct *str)
{
    int i;

    w_id = str->delin.w_id;
    o_carrier_id = str->delin.o_carrier_id;
    retries = 0;
/*
vegdate(cr_date); */
OCIERROR(errhp,OCIDateSysDate(errhp,&cr_date));

if (str->delout.error = tkvcd (str->delin.plsqlflag)) {
    if(str->delout.error == DEL_ERROR)
        return DEL_ERROR;
    if (str->delout.error != RECOVERR)
        str->delout.error = IRRECERR;
    return (-1);
}

for (i = 0; i < 10; i++) {
    if (del_o_id[i] <= 0) {
        userlog ("DELIVERY: no new order for w_id: %d, d_id %d\n",
                 w_id, i + 1);
    }
}
str->delout.error = NOERR;
str->delout.retry = retries;
return(1);
}

int DBExecution::TPCsto (struct stostruct *str)
{
    w_id = str->stoin.w_id;
    d_id = str->stoin.d_id;
#ifndef USE_IEEE_NUMBER
    threshold = (double) str->stoin.threshold;
#else
    threshold = str->stoin.threshold;
#endif /* USE_IEEE_NUMBER */
    retries = 0;

    if (str->stoout.error = tkvcs ()) {
        if (str->stoout.error != RECOVERR)
            str->stoout.error = IRRECERR;
        return (-1);
    }

    str->stoout.error = NOERR;
    str->stoout.low_stock = low_stock;
    str->stoout.retry = retries;
    return(1);
}

#endif AVOID_DEADLOCK

```

```

void DBExecution::q_sort(int *arr, struct newstruct *str, int left, int right)
{
    int i, last;

    if(left >= right)
        return;
    swap(str, left, (left+right)/2);
    last = left;
    for(i=left+1;i<=right;i++)
        if(arr[i] < arr[left])
            swap(str, last, i);
    swap(str, left, last);
    q_sort(arr, str, left, last-1);
    q_sort(arr, str, last+1, right);
}

void DBExecution::swap(struct newstruct *str, int i, int j)
{
    int temp;
    double tempf;
    char tmpstr[25];
    char tmpch;
#ifndef USE_IEEE_NUMBER
    double temp_double;
#endif
    temp = indx[i];
    indx[i] = indx[j];
    indx[j] = temp;

    temp = nol_i_id[i];
    nol_i_id[i] = nol_i_id[j];
    nol_i_id[j] = temp;

    temp = nol_supply_w_id[i];
    nol_supply_w_id[i] = nol_supply_w_id[j];
    nol_supply_w_id[j] = temp;

#ifndef USE_IEEE_NUMBER
    temp_double = nol_quantity[i];
    nol_quantity[i] = nol_quantity[j];
    nol_quantity[j] = temp_double;

    temp_double = str->newout.i_price[i];
    str->newout.i_price[i] = str->newout.i_price[j];
    str->newout.i_price[j] = temp_double;

    temp_double = str->newout.ol_amount[i];
    str->newout.ol_amount[i] = str->newout.ol_amount[j];
    str->newout.ol_amount[j] = temp_double;

    temp_double = (double)str->newout.s_quantity[i];
    str->newout.s_quantity[i] = str->newout.s_quantity[j];
    str->newout.s_quantity[j] = (int)temp_double;
#else
    temp = nol_quantity[i];
    nol_quantity[i] = nol_quantity[j];
    nol_quantity[j] = temp;

    tempf = str->newout.i_price[i];
    str->newout.i_price[i] = str->newout.i_price[j];
    str->newout.i_price[j] = tempf;

    tempf = str->newout.ol_amount[i];
    str->newout.ol_amount[i] = str->newout.ol_amount[j];
    str->newout.ol_amount[j] = tempf;

```

```

temp = str->newout.s_quantity[i];
str->newout.s_quantity[i] = str->newout.s_quantity[j];
str->newout.s_quantity[j] = temp;
#endif /* USE_IEEE_NUMBER */

strcpy(tmpstr,str->newout.i_name[i], 25);
strcpy(str->newout.i_name[i],str->newout.i_name[j], 25);
strcpy(str->newout.i_name[j],tmpstr, 25);

tmpch = str->newout.brand_generic[i];
str->newout.brand_generic[i] = str->newout.brand_generic[j];
str->newout.brand_generic[j] = tmpch;
}

#endif

#endif LOOPBACK

int mod_tpcc_neworder(T_neworder_data *output)
{
    Sleep(18);
    output->txn_status= DB_RETURN_OCI_SUCCESS;
    output->d_id=1;
    output->c_id=1;
    output->o.ol_cnt=7;
    output->o.all_local=0;
    strcpy(output->o_entry_d.DateString, "20-01-2004 11:59:10");
    strcpy(output->c_last, "TESTLASTNAME<>(&)");
    strcpy(output->c_credit, "GC");
    output->c_discount=-1791;
    output->w_tax=.093099996;
    output->d_tax=.159700006;
    output->o_id=2101;

    output->o.orderline[0].ol_i_id=98752;
    output->o.orderline[0].ol_supply_w_id=2;
    output->o.orderline[0].ol_quantity=5;
    output->o.orderline[0].ol_amount=2576.48;
    output->o.orderline[0].i.price=3.71;
    output->o.orderline[0].s.quantity=45;
    strcpy(output->o.orderline[0].i.name, "item98752");
    output->o.orderline[0].b.g[0]='G';

    output->o.orderline[1].ol_i_id=80479;
    output->o.orderline[1].ol_supply_w_id=1;
    output->o.orderline[1].ol_quantity=6;
    output->o.orderline[1].ol_amount=3490.03;
    output->o.orderline[1].i.price=6.81;
    output->o.orderline[1].s.quantity=58;
    strcpy(output->o.orderline[1].i.name, "item80479");
    output->o.orderline[1].b.g[0]='G';

    output->o.orderline[2].ol_i_id=58617;
    output->o.orderline[2].ol_supply_w_id=1;
    output->o.orderline[2].ol_quantity=6;
    output->o.orderline[2].ol_amount=1234.56;
    output->o.orderline[2].i.price=4.01;
    output->o.orderline[2].s.quantity=22;
    strcpy(output->o.orderline[2].i.name, "item58617");
    output->o.orderline[2].b.g[0]='G';

    output->o.orderline[3].ol_i_id=3394;
    output->o.orderline[3].ol_supply_w_id=1;
    output->o.orderline[3].ol_quantity=5;
    output->o.orderline[3].ol_amount=2345.67;
    output->o.orderline[3].i.price=1.73;
}

```

```

output->o.orderline[3].s.quantity=18;
strcpy(output->o.orderline[3].i.name, "item3394");
output->o.orderline[3].b.g[0]='G';

output->o.orderline[4].ol_i_id=2242;
output->o.orderline[4].ol_supply_w_id=1;
output->o.orderline[4].ol_quantity=4;
output->o.orderline[4].ol_amount=3456.78;
output->o.orderline[4].i.price=4.48;
output->o.orderline[4].s.quantity=29;
strcpy(output->o.orderline[4].i.name, "item2242");
output->o.orderline[4].b.g[0]='G';

output->o.orderline[6].ol_i_id=37310;
output->o.orderline[6].ol_supply_w_id=1;
output->o.orderline[6].ol_quantity=5;
output->o.orderline[6].ol_amount=4567.89;
output->o.orderline[6].i.price=5.50;
output->o.orderline[6].s.quantity=21;
strcpy(output->o.orderline[6].i.name, "item37310");
output->o.orderline[6].b.g[0]='G';

output->o.orderline[5].ol_i_id=19395;
output->o.orderline[5].ol_supply_w_id=3;
output->o.orderline[5].ol_quantity=6;
output->o.orderline[5].ol_amount=5678.90;
output->o.orderline[5].i.price=10.19;
output->o.orderline[5].s.quantity=80;
strcpy(output->o.orderline[5].i.name, "item19395");
output->o.orderline[5].b.g[0]='G';

return SUCCESS;
}

int mod_tpcc_payment(T_payment_data *output)
{
    int i;
    char c;

    Sleep(10);
    output->txn_status= DB_RETURN_OCI_SUCCESS;
    output->d_id=2;
    output->c_id=99;
    strcpy(output->c_last, "paymentCLast");
    output->c_w_id=2;
    output->c_d_id=5;
    output->h.amount=54321.09;
    strcpy(output->h.date.DateString, "20-01-2004 11:59:10");
    strcpy(output->w_street_1, "WareStreet1");
    strcpy(output->w_street_2, "WareStreet2");
    strcpy(output->w_city, "WareCity");
    strcpy(output->w_state, "WareState");
    strcpy(output->w_zip, "WareZip");
    strcpy(output->d_street_1, "DistStreet1");
    strcpy(output->d_street_2, "DistStreet2");
    strcpy(output->d_city, "DistCity");
    strcpy(output->d_state, "DistState");
    strcpy(output->d_zip, "DistZip");
    strcpy(output->c_first, "CFirst");
    strcpy(output->c_middle, "PA");
    strcpy(output->c_street_1, "CustStreet1");
    strcpy(output->c_street_2, "CustStreet2");
    strcpy(output->c_city, "CustCity");
    strcpy(output->c_state, "CustState");
    strcpy(output->c_zip, "CustZip");
    strcpy(output->c_phone, "9876543");
    strcpy(output->c_since.DateString, "20-01-2004 11:59:05");
    strcpy(output->c_credit, "BC");
}

```

```

output->c_credit_lim=34567.89;
output->c_discount=.234;
output->c_balance=876543.21;

for (i=0, c='a'; i<143; i++, c++) {
    if (c=='z') c='a';
    output->c_data[i]=(char) c;
}
return SUCCESS;
}

int mod_tpcc_delivery(T_delivery_data *output, int id)
{
    SYSTEMTIME systemTime;
    FILETIME fileTime;
    ULARGE_INTEGER uli;

    Sleep(1);
    output->txn_status= DB_RETURN_OCI_SUCCESS;
    output->o_carrier_id=4;
    GetLocalTime( &systemTime );
    SystemTimeToFileTime( &systemTime, &fileTime );
    uli.LowPart = fileTime.dwLowDateTime;
    uli.HighPart = fileTime.dwHighDateTime;
    output->complete_time = uli.QuadPart/10000;

    write_delivery_log(output, id);
    return SUCCESS;
}

```

```

int mod_tpcc_orderstatus(T_orderstatus_data *output)
{
    Sleep(7);
    output->txn_status= DB_RETURN_OCI_SUCCESS;
    output->d_id=8;
    output->c_id=4321;
    strcpy(output->c_last, "orderstatusCLast");
    strcpy(output->c_first, "CFirst");
    strcpy(output->c_middle, "OS");
    output->c_balance=7543.21;
    output->o_id=9832;
    output->o.ol_cnt=5;
    output->o_carrier_id=2;
    strcpy(output->o_entry_d.DateString, "20-01-2004 11:59:08");

    output->o.orderline[0].ol_i_id=98752;
    output->o.orderline[0].ol_supply_w_id=2;
    output->o.orderline[0].ol_quantity=5;
    output->o.orderline[0].ol_amount=2576.48;
    strcpy(output->o.orderline[0].ol_delivery_d.DateString, "20-01-2004
11:58:00");

    output->o.orderline[1].ol_i_id=80479;
    output->o.orderline[1].ol_supply_w_id=1;
    output->o.orderline[1].ol_quantity=6;
    output->o.orderline[1].ol_amount=3490.03;
    strcpy(output->o.orderline[1].ol_delivery_d.DateString, "20-01-2004
11:58:01");

    output->o.orderline[2].ol_i_id=58617;
    output->o.orderline[2].ol_supply_w_id=1;
    output->o.orderline[2].ol_quantity=6;
    output->o.orderline[2].ol_amount=1234.56;
    strcpy(output->o.orderline[2].ol_delivery_d.DateString, "20-01-2004
11:58:02");

```

```

output->o.orderline[3].ol_i_id=3394;
output->o.orderline[3].ol_supply_w_id=1;
output->o.orderline[3].ol_quantity=5;
output->o.orderline[3].ol_amount=2345.67;
strcpy(output->o.orderline[3].ol_delivery_d.DateString, "20-01-2004
11:58:03");

output->o.orderline[4].ol_i_id=2242;
output->o.orderline[4].ol_supply_w_id=1;
output->o.orderline[4].ol_quantity=4;
output->o.orderline[4].ol_amount=3456.78;
strcpy(output->o.orderline[4].ol_delivery_d.DateString, "20-01-2004
11:58:04");

```

```

return SUCCESS;
}

```

```

int mod_tpcc_stocklevel(T_stocklevel_data *output)
{
    Sleep(4);
    output->threshold=10;
    output->low_stock=1;
    output->txn_status= DB_RETURN_OCI_SUCCESS;
    return SUCCESS;
}

```

```
#endif
```

```

-----  

DBConnection.h  

-----  

#include "tpccpl.h"  

#include "tpccstruct.h"  

#include "tpcc_struct.h"  

#include "mod_tpcc_error.h"  

#include "mod_tpcc.h"

#define MAXLEN 100
#define LogName "log\\DBConnection.log"
#define InitName "DBInit.ini"

// Execution Pool Status
#define IDLE 1
#define IN_USE 2

#define Default_DBConnections "20"
#define DelLogName "log\\DeliveryLog"

#define convert_status(A,B) \
{\
    switch (B) { \
        case OCI_SUCCESS: (A)=DB_RETURN_OCI_SUCCESS; break; \
        case OCI_SUCCESS_WITH_INFO: \
            (A)=DB_RETURN_OCI_SUCCESS_WITH_INFO; break; \
        case OCI_NEED_DATA: (A)=DB_RETURN_OCI_NEED_DATA; \
            break; \
        case OCI_NO_DATA: (A)=DB_RETURN_OCI_NO_DATA; break; \
        case OCI_ERROR: (A)=DB_RETURN_OCI_ERROR; break; \
        case OCI_INVALID_HANDLE: \
            (A)=DB_RETURN_OCI_INVALID_HANDLE; break; \
        case OCI_STILL_EXECUTING: \
            (A)=DB_RETURN_OCI_STILL_EXECUTING; break; \
        case OCI_CONTINUE: (A)=DB_RETURN_OCI_CONTINUE; break; \
    }; \
}

```

```

/********************* ****
* DBExecution_pool_info          *
***** ****
***** ****
typedef struct _DBExecution_pool_info {

    int current_status;
    int neworder_count;
    int payment_count;
    int orderstatus_count;
    int delivery_count;
    int stocklevel_count;
    void *pointer;

} DBExecution_pool_info;

/********************* ****
* global functions          *
***** ****
***** ****
sb4 no_data(dvoid *,OCIBind *,ub4,ub4,dvoid **,ub4 *,ub1 *,dvoid **);
sb4 TPC_oid_data(dvoid *,OCIBind *,ub4,ub4,dvoid **,ub4 **,ub1
*,dvoid **,ub2 **);
sb4 cid_data(dvoid *,OCIBind *,ub4,ub4,dvoid **,ub4 **,ub1 *,dvoid
**,ub2 **);
sb4 amt_data(dvoid *,OCIBind *,ub4,ub4,dvoid **,ub4 **,ub1 *,dvoid
**,ub2 **);
void userlog (char *, ...);
void readInit(char *, char *, char *);
int initializeDBExecutionPool();

DBExecution_pool_info* findIdleDBExecution();
int freeDBExecution(DBExecution_pool_info *);

//DBExecution_pool_info* findIdleDBExecution(HANDLE *);
//int freeDBExecution(DBExecution_pool_info *, HANDLE *);

void write_delivery_log(T_delivery_data *pdata, int id);
void initDelLog(int);
void endDelLog(int);

/********************* ****
* global variables          *
***** ****
***** ****
HANDLE waitIdle;
HANDLE *DBExecution_lock;
CRITICAL_SECTION *DBExecution_CS;
DWORD TlsPtr;
DBExecution_pool_info *DBExecution_pool;
char DllPath[MAXLEN];
charLogFile[MAXLEN];
char InitFile[MAXLEN];
char DelLogFile[MAXLEN];
char ListenerName[MAXLEN];
int TotalLoop=0;
int findDBExecutionCall=0;
int findDBExecutionWait=0;
int DBConnections;
int ready=0;
int siteID=1;

```

```

FILE **DelFiles;

/********************* ****
* DBExecution          *
***** ****
***** ****
class DBExecution
{
public:
    DBExecution();
    ~DBExecution();

    int TPCinit(int, char *, char *);
    int TPCnew(struct newstruct *);
    int TPCpay(struct paystruct *);
    int TPCdel(struct delstruct *);
    int TPCord(struct ordstruct *);
    int TPCsto(struct stostruct *);
    void TPCexit();

#ifndef AVOID_DEADLOCK
    void swap(struct newstruct *, int, int);
    void q_sort(int *, struct newstruct *, int, int);
#endif

    int ocierror(char *, int, OCIError *, sword);
    void shiftdata(int);
    int sqlfile(char *, text *);

    int tkveninit();
    int tkven();
    void tkvcndone();

    int tkvpinit();
    int tkvp();
    void tkvcpdone();

    int tkcoinit();
    int tkco();
    void tkvcdone();

    int tkvedinit(int);
    int tkved(int);
    void tkvcddone(int);

    int tkvesinit();
    int tkves();
    void tkvcsdone();

    delctx *dctx;
    int execstatus;
    int status;
    int del_o_id[10];

private:
    int proc_no;
    int logon;
    int new_init;
    int pay_init;
    int ord_init;
    int del_init_oci;
    int del_init_plsql;
    int sto_init;
    int ercode;
    int indx[NITEMS];
    int ordl_cnt;

```

```

/* for stock-level transaction */

    int w_id;
    int d_id;
    int c_id;
#endif USE_IEEE_NUMBER
    double threshold;
#else
    int threshold;
#endif /* USE_IEEE_NUMBER */
    int low_stock;

/* for delivery transaction */

    int retries;

/* for order-status transaction */

    int bylastname;
    char c_last[17];
    char c_first[17];
    char c_middle[3];
    double c_balance;
    int o_id;
    text o_entry_d[20];
    ub4 datelen;
    int o_carrier_id;
    int o.ol_cnt;
    int ol_supply_w_id[15];
    int ol_i_id[15];
#endif USE_IEEE_NUMBER
    double ol_quantity[15];
    double ol_amount[15];
#else
    int ol_quantity[15];
    int ol_amount[15];
#endif /* USE_IEEE_NUMBER */
    ub4 ol_del_len[15];
    text ol_delivery_d[15][11];
    OCIRowid *o_rowid;

/* for payment transaction */

    int c_w_id;
    int c_d_id;
#endif USE_IEEE_NUMBER
    double h_amount;
#else
    int h_amount;
#endif /* USE_IEEE_NUMBER */
    char w_street_1[21];
    char w_street_2[21];
    char w_city[21];
    char w_state[3];
    char w_zip[10];
    char d_street_1[21];
    char d_street_2[21];
    char d_city[21];
    char d_state[3];
    char d_zip[10];
    char c_street_1[21];
    char c_street_2[21];
    char c_city[21];
    char c_state[3];
    char c_zip[10];
    char c_phone[17];
    ub4 sincelen;
    text c_since_d[11];
    double c_discount;

    char c_credit[3];
    int c_credit_lim;
    char c_data[201];
    ub4 hlen;
    text h_date[20];

/* for new order transaction */

    int nol_i_id[15];
    int nol_supply_w_id[15];
#endif USE_IEEE_NUMBER
    double nol_quantity[15];
    double nol_amount[15];
    double s_quantity[15];
    double i_price[15];
#else
    int nol_quantity[15];
    int nol_amount[15];
    int s_quantity[15];
    int i_price[15];
#endif /* USE_IEEE_NUMBER */
    int nol_quanti10[15];
    int nol_quanti91[15];
    int nol_ytdqty[15];
    int o_all_local;
    double w_tax;
    double d_tax;
    double total_amount;
    char i_name[15][25];
    char brand_gen[15];
    char brand_generic[15][1];
    int tracelevel;

    OCIDate cr_date;
    OCIDate c_since;
    OCIDate o_entry_d_base;
    OCIDate ol_d_base[15];
    dvoid *xmem;

    OCIEnv *tpcenv;
    OCIServer *tpcsrv;
    OCIError *errhp;
    OCISvcCtx *tpcsvc;
    OCISession *tpcusr;
    OCISStmt *curi;

    newctx *nctx;
    ordctx *octx;
    defctx cbctx;
    pldectx *pldctx;
    amtctx *actx;
    payctx *pctx;
    stoctx *sctx;
};

-----
loopback.cpp
-----
#include "stdafx.h"
#include "DBConnection.h"

-----
modtpcc.cpp
-----
// modtpcc.cpp : Defines the entry point for the DLL application.
//

#include "stdafx.h"

```

```

#include "modtpcc.h"
#include <httpext.h>

#ifndef DEBUG
#define DELIVERY_MUTEX
#define NEW_ALLOCATE_FORM

BOOL APIENTRY DllMain( HANDLE hModule,
    DWORD ul_reason_for_call,
    LPVOID lpReserved
)
{
    char string[MAXLEN];

    if (ul_reason_for_call == DLL_PROCESS_ATTACH) {
        int i;

        GetModuleFileName((HMODULE)hModule,
            DllPath, MAXLEN-1);

        strcpy(origin, DllPath);
        if (DllPath[0]=='\\' && DllPath[1]=='\\' &&
            DllPath[2]==':' && DllPath[3]=='\\' )
            strcpy(DllPath, DllPath+4);
        for (i=strlen(DllPath); DllPath[i]!='\\' && i--;)
            DllPath[i]='\0';
        sprintf(InitFile, "%s\\%s", DllPath, InitName);
        sprintf(DllFile, "%s\\%s", DllPath, DllName);
        sprintf(LogFile, "%s\\%s", DllPath, LogName);

        OCIInitialize(OCI_THREADED|OCI_OBJECT,(dvoid *)0,0,0,0);

        // sprintf(LogFile, "d:\\%s",
        LogName);

        /* load DBConnection.dll */

        if ((dllinstance = LoadLibrary(DllFile)) == NULL)
            return FALSE;

        if ((mod_tpcc_neworder=(int
(FAR*)(T_neworder_data *)) GetProcAddress((HMODULE)dllinstance,
"mod_tpcc_neworder"))==NULL)
            return FALSE;

        if ((mod_tpcc_payment=(int
(FAR*)(T_payment_data *)) GetProcAddress((HMODULE)dllinstance,
"mod_tpcc_payment"))==NULL)
            return FALSE;

        if ((mod_tpcc_delivery=(int
(FAR*)(T_delivery_data *, int)) GetProcAddress((HMODULE)dllinstance,
"mod_tpcc_delivery"))==NULL)
            return FALSE;

        if ((mod_tpcc_orderstatus=(int
(FAR*)(T_orderstatus_data *)) GetProcAddress((HMODULE)dllinstance,
"mod_tpcc_orderstatus"))==NULL)
            FALSE;

        if ((mod_tpcc_stocklevel=(int
(FAR*)(T_stocklevel_data *)) GetProcAddress((HMODULE)dllinstance,
"mod_tpcc_stocklevel"))==NULL)
            return FALSE;

        if ((userlog=(void (FAR*)(char * str, ...))
GetProcAddress((HMODULE)dllinstance, "userlog"))==NULL)
            return FALSE;
    }
}

```

```

        if ((initDelLog=(void (FAR*)(int))
GetProcAddress((HMODULE)dllinstance, "initDelLog"))==NULL)
            return FALSE;

        if ((endDelLog=(void (FAR*)(int))
GetProcAddress((HMODULE)dllinstance, "endDelLog"))==NULL)
            return FALSE;

        userlog("load modtpcc.dll, DllPath: %s\n", DllPath);

        if ((TlsPointer = TlsAlloc()) == 0xFFFFFFFF) {
            userlog("Error during TlsAlloc\n");
            return FALSE;
        }
        InitializeCriticalSection(&critical_initDelQueue);
        InitializeCriticalSection(&critical_memory);
        InitializeCriticalSection(&critical_DelQueue_free);
        InitializeCriticalSection(&critical_DelQueue_work);

        /* read ini parameters */
        readInit(string, "DBCConnections",
Default_DBConnections);
        DBCConnections = atoi(string);
        userlog("number of DBCConnections is %d\n",
DBConnections);

#endif NEW_ALLOCATE_FORM
        readInit(string, "StartTerm", Default_StartTerm);
        userlog("number of Start Term is %s\n", string);
        /* StartTerm starts from 1 */
        if ((StartTerm = atoi(string)) < 0) {
            userlog("error: Start Term is %d\n",
StartTerm);
            return FALSE;
        }

        /* w_id starts from 1, d_id starts from 1 */
        StartTerm+=10;
#endif

        readInit(string, "KMaxterms", Default_Maxterms);
        userlog("number of Max Terms is %s000\n", string);
        /* add one more form for special characters */
        if ((Maxterms = atoi(string) * 1000 + 1) <= 1) {
            userlog("number of Max Terms is %d\n",
Maxterms - 1);
            return FALSE;
        }
        readInit(string, "DeliveryQueues",
Default_DeliveryQueues);
        userlog("number of Delivery Queues is %s\n",
string);
        if ((DeliveryQueues = atoi(string)) <= 0) {
            userlog("number of Delivery Queues is
%d\n", DeliveryQueues);
            return FALSE;
        }

        readInit(string, "DeliveryThreads",
Default_DeliveryThreads);
        userlog("number of Delivery Threads is %s\n",
string);
        if ((DeliveryThreads = atoi(string)) <= 0) {
            userlog("number of Delivery Threads is
%d\n", DeliveryThreads);
            return FALSE;
        }
    }
}

```

```

initDelLog(DeliveryThreads);

readInit(string, "siteID", "1");
userlog("siteID is %s\n", string);
if ((siteID = atoi(string)) <= 0) {
    userlog("siteID is %d\n", siteID);
    return FALSE;
}

modtpcc_ready=1;
}
else if (ul_reason_for_call == DLL_PROCESS_DETACH) {

    endDelLog(DeliveryThreads);

    if ((TlsFree(TlsPointer)) == NULL) {
        userlog("Error during TlsFree\n");
        return FALSE;
    }
    if (!deleteDelQueue())
    {
        userlog("Error during
deleteDelQueue\n");
        return FALSE;
    }
DeleteCriticalSection(&critical_initDelQueue);
DeleteCriticalSection(&critical_memory);
DeleteCriticalSection(&critical_DelQueue_free);
DeleteCriticalSection(&critical_DelQueue_work);

DeleteCriticalSection(&(resp_global_pool.form_template_spinlock));

DeleteCriticalSection(&(txn_data_pool.form_template_spinlock));

    int i_type, i_pool;
#define GPOOL txn_global_pool[i_type][i_pool]
        for (i_type = 0; i_type < POOL_TYPE_TXN_MAX;
i_type++)
            for (i_pool = 0; i_pool <
TXN_TYPE_MAX; i_pool++)

DeleteCriticalSection(&(GPOOL.form_template_spinlock));
#undef GPOOL
}

return TRUE;
}

BOOL WINAPI GetExtensionVersion(HSE_VERSION_INFO *pVer)
{
    pVer->dwExtensionVersion = HSE_VERSION;
    strncpy(pVer->lpszExtensionDesc,
    "IIS ISAPI Extension", HSE_MAX_EXT_DLL_NAME_LEN);
    return TRUE;
}

DWORD WINAPI
HttpExtensionProc(EXTENSION_CONTROL_BLOCK *pECB)
{
    if (!modtpcc_ready)
        return FALSE;

    if (!memory_ready) {
        EnterCriticalSection(&critical_memory);

```

```

        if (!memory_ready) {
            allocateMemoryPool();
            memory_ready=1;
        }
        LeaveCriticalSection(&critical_memory);
    }

    if (!queue_ready) {
        EnterCriticalSection(&critical_initDelQueue);
        if (!queue_ready) {
            if (!initDelQueue()) {
                userlog("init Delivery Queue
failed\n");
            }
        }
        LeaveCriticalSection(&critical_initDelQueue);
        return FALSE;
    }
    queue_ready=1;
}
LeaveCriticalSection(&critical_initDelQueue);
}

return process_query(pECB)==TRUE ?
HSE_STATUS_SUCCESS_AND_KEEP_CONN :
HSE_STATUS_ERROR;
/*
HSE_SEND_HEADER_EX_INFO info = { 0 };

char szOut[256];
DWORD nOut;

nOut = sprintf(szOut, "%s is the input, LogFile:%s, DllPath:%s,
DllFile:%s, origin:%s, ORACLE_HOME: %s", pECB-
>lpszQueryString,LogFile, DllPath, DllFile, origin,
getenv("ORACLE_HOME"));

char szHeader[256];
DWORD nHeader = sprintf(szHeader, "Content-Type: text/html\r\n"
"Content-Length: %d\r\n\r\n", nOut);

info.pszStatus = "200 OK";
info.cchStatus = strlen(info.pszStatus);
info.pszHeader = szHeader;
info.cchHeader = nHeader;
info.fKeepConn = false;

if (!pECB->ServerSupportFunction(pECB->ConnID,
HSE_REQ_SEND_RESPONSE_HEADER_EX, &info, 0, 0))
    return HSE_STATUS_ERROR;

if (!pECB->WriteClient(pECB->ConnID, szOut, &nOut,
HSE_IO_SYNC))
    return HSE_STATUS_ERROR;

return HSE_STATUS_SUCCESS;
*/
}

/*****************
* initialize / delete Delivery Queue
*****************/
int deleteDelQueue()

```

```

{
    DelQueue_info *ptr = DelQueue_begin, *next;
    DeliveryThreadstop = 1;
    for (int i=0; i<DeliveryThreads; i++) {
        if (!SetEvent(waitDelWork)) {
            userlog("Error on
SetEvent(waitDelWork) on deleteDelQueue\n");
        }

        if (WaitForSingleObject(DelThreadRunning,
100000) != WAIT_OBJECT_0) {
            userlog("Delivery Thread is not loaded
after 100 seconds\n");
        }
    }

    if (waitAvailableDelQueue != 0) {
        if (!CloseHandle(waitAvailableDelQueue))
            userlog("error on
CloseHandle(waitAvailableDelQueue)\n");
        waitAvailableDelQueue = 0;
    }

    if (waitDelWork != 0) {
        if (!CloseHandle(waitDelWork))
            userlog("error on
CloseHandle(waitDelWork)\n");
        waitDelWork = 0;
    }

    if (DelThreadRunning != 0) {
        if (!CloseHandle(DelThreadRunning))
            userlog("error on
CloseHandle(DelThreadRunning)\n");
        DelThreadRunning = 0;
    }

    while (ptr != NULL) {
        next=ptr->Next;

#ifdef DELIVERY_MUTEX
        CloseHandle(ptr->queue_lock);
#endif

        free(ptr->pdata);
        free(ptr);
        ptr=next;
    }

    ptr = DelQueue_free;
    while (ptr != NULL) {
        next=ptr->Next;

#ifdef DELIVERY_MUTEX
        CloseHandle(ptr->queue_lock);
#endif

        free(ptr->pdata);
        free(ptr);
        ptr=next;
    }

    return TRUE;
}

```

```

int initDelQueue()
{
    int i;
    DelQueue_info *ptr, *curr;
    char string[80];

    userlog("execute initDelQueue\n");

    for (i=0; i<DeliveryQueues; i++) {
        if ((ptr = (DelQueue_info *) malloc(sizeof(DelQueue_info))) == NULL) {
            userlog("malloc error in
initDelQueue\n");
            return FALSE;
        }

        ptr->pdata=(T_delivery_data
*)malloc(sizeof(T_delivery_data));

#ifdef DELIVERY_MUTEX
        if ((ptr->queue_lock=CreateMutex(NULL, FALSE,
NULL))==NULL) {
            userlog("Cannot create mutex on queue
lock\n");
            return FALSE;
        }
#endif

        if (!i)
            DelQueue_free=curr=ptr;
        else {
            curr->Next = ptr;
            curr = ptr;
        }
    }

    DelQueue_begin = DelQueue_end = curr->Next = NULL;

    sprintf(string, "Wait Empty Delivery Queue %d", siteID);
    if ((waitAvailableDelQueue = CreateEvent(NULL, FALSE,
FALSE, string)) == NULL) {
        userlog("Cannot create event :
waitAvailableDelQueue\n");
        return FALSE;
    }

    sprintf(string, "Wait Delivery Work %d", siteID);
    if ((waitDelWork = CreateEvent(NULL, FALSE, FALSE,
string)) == NULL) {
        userlog("Cannot create event : waitDelWork\n");
        return FALSE;
    }

    sprintf(string, "Delivery Thread Running %d", siteID);
    if ((DelThreadRunning = CreateEvent(NULL, FALSE, FALSE,
string)) == NULL) {
        userlog("Cannot create event :
DelThreadRunning\n");
        return FALSE;
    }

    for (i=0; i < DeliveryThreads; i++) {
        if (_beginthread(initDeliveryThread, 0, (void *) &i)
== -1) {
            userlog("Error on initDeliveryThread
%d\n", i);
            return FALSE;
        }
    }
}

```

```

        /* wait for 100 seconds */
        if (WaitForSingleObject(DelThreadRunning,
100000) != WAIT_OBJECT_0) {
            userlog("Delivery Thread (%d) hasn't
initialized after 100 seconds\n", i);
            return FALSE;
        }

        userlog("receive Delivery Thread %d
confirmation\n", i);
    }

    return TRUE;
}

void initDeliveryThread(void *thread_no)
{
    int thread_number=*((int *)thread_no);
    DelQueue_info *queue_info;

    if (!SetEvent(DelThreadRunning))
        userlog("SetEvent Error on
initDeliveryThread(%d)\n", thread_number);
    else {

        userlog("Delivery Thread %d is created\n",
thread_number);

        while (!DeliveryThreadstop) {
            queue_info = NULL;
            while (!DeliveryThreadstop &&
queue_info == NULL) {
                queue_info=DequeueDel();
                if (queue_info == NULL) {
                    if
( WaitForSingleObject(waitDelWork, INFINITE ) != WAIT_OBJECT_0) {

                        userlog("Error on WaitForSingleObject(waitDelQueueWork) in
initDeliveryThread\n");

                        endDeliveryThread(thread_number);
                        return;
                    }
                }
            }
            if (!DeliveryThreadstop) {

                (void)mod_tpcc_delivery(queue_info->pdata, thread_number);

                addFreeDelQueue(queue_info);
            }
        }
        endDeliveryThread(thread_number);
    }
}

void endDeliveryThread(int thread_number)
{
    if (!SetEvent(DelThreadRunning)) {
        userlog("SetEvent Error on
endDeliveryThread(%d)\n", thread_number);
    }
    _endthread();
}

```

```

    }

    ****
    ****
    * Delivery Queue dequeue/enqueue
    ****
    ****

DelQueue_info *DequeueDel()
{
    DelQueue_info *ptr;

    if (DelQueue_begin == NULL) return NULL;

    EnterCriticalSection(&critical_DelQueue_work);

    if (DelQueue_begin == NULL) {
        LeaveCriticalSection(&critical_DelQueue_work);
        return NULL;
    }

    if (DelQueue_begin == DelQueue_end) {
        ptr = DelQueue_begin;
        DelQueue_begin = DelQueue_end = NULL;
    }
    else {
        ptr = DelQueue_begin;
        DelQueue_begin = DelQueue_begin->Next;
    }

    LeaveCriticalSection(&critical_DelQueue_work);

    return ptr;
}

void EnqueueDel(DelQueue_info *queue_info)
{
    EnterCriticalSection(&critical_DelQueue_work);
    if (DelQueue_begin == NULL)
        DelQueue_begin=DelQueue_end=queue_info;
    else {
        DelQueue_end->Next = queue_info;
        queue_info->Next = NULL;
        DelQueue_end = queue_info;
    }

    LeaveCriticalSection(&critical_DelQueue_work);
}

void addFreeDelQueue(DelQueue_info *ptr)
{
    EnterCriticalSection(&critical_DelQueue_free);

    if (DelQueue_free==NULL) {
        DelQueue_free = ptr;
        ptr->Next = NULL;
    }
    else {
        ptr->Next = DelQueue_free;
        DelQueue_free = ptr;
    }

#ifdef DEBUG
    useddel--;
    if (useddel != 0 && useddel % 300 == 0)

```

```

        userlog("free a del queue: current: %d\n", useddel);
#endif
LeaveCriticalSection(&critical_DelQueue_free);
if (!SetEvent(waitAvailableDelQueue))
    userlog("SetEvent Error on addFreeDelQueue\n");
}

DelQueue_info *findFreeDelQueue()
{
    DelQueue_info *ptr=NULL;

    EnterCriticalSection(&critical_DelQueue_free);

    while (ptr==NULL) {
        if (DelQueue_free==NULL) {

            LeaveCriticalSection(&critical_DelQueue_free);
            if

(WaitForSingleObject(waitAvailableDelQueue, INFINITE) != WAIT_OBJECT_0) {

                userlog("WaitForSingleObject(waitAvailableDelQueue) in
findFreeDelQueue\n");
            }
            userlog("Delivery queue is full, sleep for
10 seconds\n");
#ifndef DEBUG
                userlog("used del queue: %d\n", useddel);
#endif
/* sleep for 10 seconds */
Sleep(10000);

            EnterCriticalSection(&critical_DelQueue_free);
        }
        else {
            ptr = DelQueue_free;
            DelQueue_free = DelQueue_free->Next;
#endif DEBUG
            useddel++;
            if (useddel % 300 == 0)
                userlog("allocate a del queue
current used: %d\n", useddel);
#endif
        }
    }

    LeaveCriticalSection(&critical_DelQueue_free);

    return ptr;
}

/*****************
* process query
*****/



int process_query(EXTENSION_CONTROL_BLOCK *pECB)
{
    int w_id, ld_id, form;
    char *ptr, *cmd;

    form = w_id = ld_id = 0;
/*

```

```

    This process the request_rec http:server/tpcc
 */

if (strlen(pECB->lpszQueryString) == 0)
    return sendform_welcome(pECB, "Welcome!");

if (getcharvalue(pECB->lpszQueryString, '3', &ptr)) {
    form = *ptr++;
    if (get_wid_did(ptr, &w_id, &ld_id, &ptr) == FALSE) {
        return send_error_message(pECB, 0,
INVALID_TERMID, "", w_id, ld_id, 0);
    }
} else {
    form = '0';
}

if (getcharvalue(ptr, '0', &cmd) == FALSE)
    return send_error_message(pECB, 0, COMMAND_UNDEFINED, "",
w_id, ld_id, 0);

if ((form == '0') && !(CMD_BEGIN(cmd)))
    return send_error_message(pECB, 0,
INVALID_FORM_AND_CMD_NOT_BEGIN, "", w_id, ld_id, 0);

if (CMD_PROCESS(cmd)) { /* cmd = Process */

    if (form == 'N') {
        /* New Order transaction */
        return mod_neworder_query(pECB, w_id, ld_id, ptr);
    } else if (form == 'P') {
        /* Payment order transaction */
        return mod_payment_query(pECB, w_id, ld_id, ptr);
    } else if (form == 'D') {
        /* Delivery order transaction */
        return mod_delivery_query(pECB, w_id, ld_id, ptr);
    } else if (form == 'O') {
        /* Order Status order transaction */
        return mod_orderstatus_query(pECB, w_id, ld_id, ptr);
    } else if (form == 'S') {
        /* Stock Level order transaction */
        return mod_stocklevel_query(pECB, w_id, ld_id, ptr);
    } else
        return send_error_message(pECB, 0,
INVALID_FORM, "", w_id, ld_id, 0);
    }
    else if (CMD_BEGIN(cmd))      return
mod_begin_cmd(pECB);
    else if (CMD_NEWORDER(cmd))   return
mod_neworder_cmd(pECB, w_id, ld_id);
    else if (CMD_PAYMENT(cmd))   return
mod_payment_cmd(pECB, w_id, ld_id);
    else if (CMD_DELIVERY(cmd))  return mod_delivery_cmd(pECB,
w_id, ld_id);
    else if (CMD_ORDERSTATUS(cmd)) return
mod_orderstatus_cmd(pECB, w_id, ld_id);
    else if (CMD_STOCKLEVEL(cmd)) return
mod_stocklevel_cmd(pECB, w_id, ld_id);
    else if (CMD_EXIT(cmd))     return mod_exit_cmd(pECB);
    else if (CMD_MENU(cmd))     return mod_menu_cmd(pECB, w_id,
ld_id);
    else
        return send_error_message(pECB, 0, COMMAND_UNDEFINED, "",
w_id, ld_id, 0);
}

return TRUE;
}

```

```
int getcharvalue(char *iptr, char key, char **optr)
```

```

{
    *optr = iptr;

    while (iptr) {
        if ((key == *iptr) && ('=' == *++iptr)) {
            *optr = ++iptr;
            return TRUE;
        }
        while (iptr) {
            if ('&' == *iptr) {
                iptr++; break;
            }
            iptr++;
        }
    }
    return FALSE;
}

void readInit(char *output, char *parameter, char *default_value)
{
    if (_access(InitFile, 0x00) != NULL) {
        userlog("Cannot access init file: %s\n", InitFile);
        strcpy(output, default_value);
    }
    else
        GetPrivateProfileString("TPCC", parameter, default_value,
                               output, MAXLEN, InitFile);
}

void allocateMemoryPool()
{
    userlog("Allocate Memory Pool\n");
    allocate_template_pool();
    allocate_response_pool();
    allocate_transaction_pool();
}

void allocate_response_pool()
{
    int i;

    InitializeCriticalSection(&(resp_global_pool.form_template_spinlock));
    resp_global_pool.form_template_length = BUF_SIZE;
    resp_global_pool.form_template_size =
    resp_global_pool.form_template_length * Maxterms;
    resp_global_pool.form_template_storage = (char
*)malloc(resp_global_pool.form_template_size);
    resp_global_pool.free_slot = 0;
    resp_global_pool.free_list = (int *)malloc((Maxterms - 1) * sizeof(int));
    for (i = 0; i < (Maxterms - 2); i++) {
        resp_global_pool.free_list[i] = i + 1;
    }
    resp_global_pool.free_list[Maxterms - 2] = -1;
}
}

void make_txn_form_template(char *input_form, char
*input_form_template,
    char *response_form, char *response_form_template, int txn_type)
{
    int length;
/*
    For input form.
*/
    length = sprintf(input_form, FormHeader, mod_name);
}

```

```

length = build_form_index(input_form, input_form_template,
                           form_index[POOL_TYPE_TXN_INPUT][txn_type], length);
length = (length + 16) & (~((int)7));

txn_global_pool[POOL_TYPE_TXN_INPUT][txn_type].form_template_length =
length + 150;

/*
    For output form.
*/
length = sprintf(response_form, FormHeader, mod_name);
length = build_form_index(response_form, response_form_template,
                           form_index[POOL_TYPE_TXN_OUTPUT][txn_type],
                           length);
length = (length + 128) & (~((int)7));

txn_global_pool[POOL_TYPE_TXN_OUTPUT][txn_type].form_template_length =
length + 250;
return;
}

int build_form_index(char *form, char *form_template,
                     form_index_entry *f_index, int length)
{
    int current_index = 0;
    int i = 0;
    int j = 0;
    int current_length = length;

    while (form_template[i]) {
        if (form_template[i] != '#') {
            form[current_length] = form_template[i];
            i++; current_length++;
        }
        else {
            j = 0;
            f_index->index = current_length;
            while (form_template[i] == '#') {
                j++;
                form[current_length] = form_template[i];
                i++; current_length++;
            }
            f_index->length = j;
            f_index++; current_index++;
        }
    }
    form[current_length] = '\0'; current_length++;
    return current_length;
}

void allocate_template_pool()
{
#define FORM_PAD 64
#define GPOOL txn_global_pool[i_type][i_pool]

    char DeliveryInput[sizeof(DeliveryFormInput_Template)+FORM_PAD];
    char
    OrderStatusInput[sizeof(OrderStatusInput_Template)+FORM_PAD];
    char PaymentInput[sizeof(PaymentInput_Template)+FORM_PAD];
    char NewOrderInput[sizeof(NewOrderInput_Template)+FORM_PAD];
    char StockLevelInput[sizeof(StockLevelInput_Template)+FORM_PAD];

    char
    DeliveryOutput[sizeof(DeliveryFormOutput_Template)+FORM_PAD];
    char
    OrderStatusOutput[sizeof(OrderStatusOutput_Template)+FORM_PAD];
}

```

```

char PaymentOutput[sizeof(PaymentOutput_Template)+FORM_PAD];
char
NewOrderOutput[sizeof(NewOrderOutput_Template)+FORM_PAD];
char
StockLevelOutput[sizeof(StockLevelOutput_Template)+FORM_PAD];
int i_type, i_pool, i;
make_txn_form_template(DeliveryInput, DeliveryFormInput_Template,
    DeliveryOutput, DeliveryFormOutput_Template,
    TXN_TYPE_DELIVERY);
make_txn_form_template(OrderStatusInput, OrderStatusInput_Template,
    OrderStatusOutput, OrderStatusOutput_Template,
    TXN_TYPE_ORDERSTATUS);
make_txn_form_template(PaymentInput, PaymentInput_Template,
    PaymentOutput, PaymentOutput_Template,
    TXN_TYPE_PAYMENT);
make_txn_form_template(NewOrderInput, NewOrderInput_Template,
    NewOrderOutput, NewOrderOutput_Template,
    TXN_TYPE_NEWORDER);
make_txn_form_template(StockLevelInput, StockLevelInput_Template,
    StockLevelOutput, StockLevelOutput_Template,
    TXN_TYPE_STOCKLEVEL);
for (i_type = 0; i_type < POOL_TYPE_TXN_MAX; i_type++) {
    for (i_pool = 0; i_pool < TXN_TYPE_MAX; i_pool++) {
        int i, form_length;
InitializeCriticalSection(&(GPOOL.form_template_spinlock));
GPOOL.form_template_size = Maxterms;
GPOOL.form_template_storage = (char *)malloc(Maxterms *
GPOOL.form_template_length);
GPOOL.free_list = (int *)malloc((Maxterms - 1)* sizeof(int));
GPOOL.free_slot = 0;
form_length = GPOOL.form_template_length;
for (i = 0; i < (Maxterms - 2); i++) {
    GPOOL.free_list[i] = i+1;
}
GPOOL.free_list[Maxterms-2] = -1;
}
}
i_type = POOL_TYPE_TXN_INPUT; i_pool =
TXN_TYPE_DELIVERY;
strcpy((char *)(GPOOL.form_template_storage),
    DeliveryInput);

i_type = POOL_TYPE_TXN_OUTPUT; i_pool =
TXN_TYPE_DELIVERY;
strcpy((char *)(GPOOL.form_template_storage),
    DeliveryOutput);

i_type = POOL_TYPE_TXN_INPUT; i_pool =
TXN_TYPE_STOCKLEVEL;
strcpy((char *)(GPOOL.form_template_storage),
    StockLevelInput);

i_type = POOL_TYPE_TXN_OUTPUT; i_pool =
TXN_TYPE_STOCKLEVEL;
strcpy((char *)(GPOOL.form_template_storage),
    StockLevelOutput);

i_type = POOL_TYPE_TXN_INPUT; i_pool =
TXN_TYPE_NEWORDER;

```

```

strcpy((char *)(GPOOL.form_template_storage),
    NewOrderInput);

i_type = POOL_TYPE_TXN_OUTPUT; i_pool =
TXN_TYPE_NEWORDER;
strcpy((char *)(GPOOL.form_template_storage),
    NewOrderOutput);

i_type = POOL_TYPE_TXN_INPUT; i_pool =
TXN_TYPE_ORDERSTATUS;
strcpy((char *)(GPOOL.form_template_storage),
    OrderStatusInput);

i_type = POOL_TYPE_TXN_OUTPUT; i_pool =
TXN_TYPE_ORDERSTATUS;
strcpy((char *)(GPOOL.form_template_storage),
    OrderStatusOutput);

i_type = POOL_TYPE_TXN_INPUT; i_pool =
TXN_TYPE_PAYMENT;
strcpy((char *)(GPOOL.form_template_storage),
    PaymentInput);

i_type = POOL_TYPE_TXN_OUTPUT; i_pool =
TXN_TYPE_PAYMENT;
strcpy((char *)(GPOOL.form_template_storage),
    PaymentOutput);

for (i_type = 0; i_type < POOL_TYPE_TXN_MAX; i_type++) {
    for (i_pool = 0; i_pool < TXN_TYPE_MAX; i_pool++) {
        for (i = 1; i < GPOOL.form_template_size; i++) {
            memcpy((char *)(GPOOL.form_template_storage + i *
GPOOL.form_template_length),
                (char *)(GPOOL.form_template_storage),
                GPOOL.form_template_length);
        }
    }
}

#undef FORM_PAD
#undef GPOOL
}

void allocate_transaction_pool()
{
    int i, pool_size;

    pool_size = 0;
    pool_size = MAX(pool_size, sizeof(T_connect_data));
    pool_size = MAX(pool_size, sizeof(T_delivery_data));
    pool_size = MAX(pool_size, sizeof(T_neworder_data));
    pool_size = MAX(pool_size, sizeof(T_stocklevel_data));
    pool_size = MAX(pool_size, sizeof(T_orderstatus_data));
    pool_size = MAX(pool_size, sizeof(T_payment_data));
    pool_size = MAX(pool_size, sizeof(T_login_data));

InitializeCriticalSection(&(tx_data_pool.form_template_spinlock));
tx_data_pool.form_template_length = pool_size;
tx_data_pool.form_template_size =
    tx_data_pool.form_template_length * Maxterms;
    tx_data_pool.form_template_storage = (char
*)malloc(tx_data_pool.form_template_size);
tx_data_pool.free_slot = 0;
tx_data_pool.free_list = (int *)malloc((Maxterms - 1) * sizeof(int));
for (i = 0; i < (Maxterms - 2); i++) {
    tx_data_pool.free_list[i] = i + 1;
}
}
```

```

    txn_data_pool.free_list[Maxterms - 2] = -1;
}

/*
 This processes the form that provides the w_id and d_id of a terminal.
*/
int mod_begin_cmd(EXTENSION_CONTROL_BLOCK *pECB)
{
    char *ptr;
    int w_id, ld_id;

    if ((getcharvalue(pECB->lpszQueryString, '4', &ptr) == FALSE) || ((w_id = atoi(ptr)) <= 0))
        return sendform_welcome(pECB, "Error: Invalid Warehouse ID");

    if ((getcharvalue(ptr, '5', &ptr) == FALSE) || ((ld_id = atoi(ptr)) <= 0) || (ld_id > 10))
        return sendform_welcome(pECB, "Error: Invalid District DID");

    /*
     Perform activities related to database logon etc.
    */

    return sendform_mainmenu(pECB, w_id, ld_id);
}

int mod_exit_cmd(EXTENSION_CONTROL_BLOCK *pECB)
{
    return sendform_welcome(pECB, "Goodbye!");
}

int mod_menu_cmd(EXTENSION_CONTROL_BLOCK *pECB, int w_id,
int ld_id)
{
    return sendform_mainmenu(pECB, w_id, ld_id);
}

int get_wid_did(char *ptr, int *wid, int *did, char **optr)
{
    int total = 0;
    int c, pc;
    int provided = FALSE;

    *wid = *did = 0;
    *optr = ptr;
    pc = (int)(unsigned char) *ptr++;
    if ((pc < '0') || (pc > '9'))
        return FALSE;
    c = (int)(unsigned char) *ptr++;
    while ((c >= '0') && (c <= '9')) {
        total = 10 * total + (pc - '0');
        pc = c;
        c = (int)(unsigned char) *ptr++;
        provided = TRUE;
    }
    if (provided) {
        *wid = total;
        *did = (int) (pc - '0') + 1;
        *optr = ptr;
        return TRUE;
    }
    return FALSE;
}

```

```

int sendform_welcome(EXTENSION_CONTROL_BLOCK *pECB, char
*msg)
{
    char *response;
    int index = -1, ret;

    response = allocate_form(&resp_global_pool, &index);
    sprintf(response, WelcomeForm, mod_name, msg);
    ret=send_response(pECB, response, strlen(response));
    free_form(&resp_global_pool, response, index);
    return ret;
}

int send_response(EXTENSION_CONTROL_BLOCK *pECB, char
*form, int size)
{
    HSE_RESPONSE_VECTOR vec;
    HSE_VECTOR_ELEMENT elem;
    char szHeader[256];
    DWORD nHeader = sprintf(szHeader, "Content-Type: text/html\r\n"
"Content-Length: %d\r\n" "Connection: Keep-Alive\r\n\r\n", size);

    elem.ElementType =
HSE_VECTOR_ELEMENT_TYPE_MEMORY_BUFFER;
    elem.cbOffset = 0;
    elem.cbSize = size;
    elem.pvContext = form;

    vec.pszHeaders = szHeader;
    vec.lpElementArray = &elem;
    vec.nElementCount = 1;
    vec.pszStatus = "200 OK";
    vec.dwFlags = HSE_IO_SEND_HEADERS;

    if (!pECB->ServerSupportFunction(pECB->ConnID,
HSE_REQ_VECTOR_SEND, &vec, 0, 0))
    {
        userlog("ServerSupportFunction() returns false");
        return FALSE;
    }

    pECB->dwHttpStatusCode = 200;

    return TRUE;
}

char *allocate_form_new(form_template_pool *pool, int index)
{
    int pool_index=index-StartTerm;
    if (pool_index <= Maxterms)
        return (char*)(pool->form_template_storage +
pool_index * pool->form_template_length);
    else
        userlog("allocate_form_new failed max_threads =
%d", Maxterms);
        return (char*)0;
}

char *allocate_form(form_template_pool *pool, int *pool_index)
{
    int current;

```

```

EnterCriticalSection(&(pool->form_template_spinlock));
current = pool->free_slot;
if (current >= 0) {
    pool->free_slot = pool->free_list[current];
    LeaveCriticalSection(&(pool->form_template_spinlock));
    *pool_index = current;
    return (char*)(pool->form_template_storage + current * pool-
    >form_template_length);
}
LeaveCriticalSection(&(pool->form_template_spinlock));
userlog("allocate_form failed max_threads = %d", Maxterms);
*pool_index = -1;
return (char *)0;
}

void free_form(form_template_pool *pool, char *form_template, int
pool_index)
{
    if (!form_template || pool_index < 0) return;

    EnterCriticalSection(&(pool->form_template_spinlock));
    pool->free_list[pool_index] = pool->free_slot;
    pool->free_slot = pool_index;
    LeaveCriticalSection(&(pool->form_template_spinlock));
}

int send_error_message(EXTENSION_CONTROL_BLOCK *pECB, int
error_type, int error,
                      char *error_msg, int w_id, int ld_id, void *context)
{
    char *response;
    char *mesg = "";
    int index = -1, ret;
    T_error_message *err = error_message;

    while (err->error_code) {
        if (err->error_code == error) {
            mesg = err->error_mesg; break;
        }
        err++;
    }
    response = allocate_form(&resp_global_pool, &index);
    sprintf(response, ErrorForm, mod_name, WDID(w_id, ld_id), error_type,
error, mesg, error_msg);
    ret=send_response(pECB, response, strlen(response));
    free_form(&resp_global_pool, response, index);
    return ret;
}

int sendform_mainmenu(EXTENSION_CONTROL_BLOCK *pECB, int
w_id, int ld_id)
{
    char *response;
    int index = -1, ret;

    response = allocate_form(&resp_global_pool, &index);
    sprintf(response, MainForm, mod_name, WDID(w_id, ld_id), "");
    ret=send_response(pECB, response, strlen(response));
    free_form(&resp_global_pool, response, index);

    return ret;
}

```

```

int sendform_neworderinput(EXTENSION_CONTROL_BLOCK *pECB,
int w_id, int ld_id)
{
    char *form;
    int index = w_id*10+ld_id, ret;
    form_template_pool *pool;
#define SUBI_POOL_TYPE_TXN_INPUT][TXN_TYPE_NEWORDER
    pool = &txn_global_pool[SUBI];

#ifndef NEW_ALLOCATE_FORM
    form = allocate_form_new(pool, index);
#else
    form = allocate_form(pool, &index);
#endif

    fill_number(form, WDID(w_id, ld_id),
    form_index[SUBI][NO_TERMID].index,
    form_index[SUBI][NO_TERMID].length);
    fill_number(form, w_id, form_index[SUBI][NO_WID].index,
    form_index[SUBI][NO_WID].length);
    ret=send_response(pECB, form, strlen(form));

#ifndef NEW_ALLOCATE_FORM
    free_form(pool, form, index);
#endif

    return ret;
#undef SUBI
}

int sendform_deliveryinput(EXTENSION_CONTROL_BLOCK *pECB,
int w_id, int ld_id)
{
    char *form;
    int index = w_id*10+ld_id, ret;
    form_template_pool *pool;
#define SUBI_POOL_TYPE_TXN_INPUT][TXN_TYPE_DELIVERY
    pool = &txn_global_pool[SUBI];

#ifndef NEW_ALLOCATE_FORM
    form = allocate_form_new(pool, index);
#else
    form = allocate_form(pool, &index);
#endif

    fill_number(form, WDID(w_id, ld_id),
    form_index[SUBI][DE_TERMID].index,
    form_index[SUBI][DE_TERMID].length);
    fill_number(form, w_id, form_index[SUBI][DE_WID].index,
    form_index[SUBI][DE_WID].length);
    ret=send_response(pECB, form, strlen(form));

#ifndef NEW_ALLOCATE_FORM
    free_form(pool, form, index);
#endif

    return ret;
#undef SUBI
}

int sendform_stocklevelinput(EXTENSION_CONTROL_BLOCK *pECB,
int w_id, int ld_id)
{
    char *form;

```

```

int index = w_id*10+ld_id, ret;
form_template_pool *pool;
#define SUBI_POOL_TYPE_TXN_INPUT][TXN_TYPE_STOCKLEVEL

pool = &txn_global_pool[SUBI];

#ifndef NEW_ALLOCATE_FORM
form = allocate_form_new(pool, index);
#else
form = allocate_form(pool, &index);
#endif

fill_number(form, WDID(w_id, ld_id),
form_index[SUBI][SL_TERMD].index,
form_index[SUBI][SL_TERMD].length);
fill_number(form, w_id, form_index[SUBI][SL_WID].index,
form_index[SUBI][SL_WID].length);
fill_number(form, ld_id, form_index[SUBI][SL_DID].index,
form_index[SUBI][SL_DID].length);
ret=send_response(pECB, form, strlen(form));

#ifndef NEW_ALLOCATE_FORM
free_form(pool, form, index);
#endif

return ret;
#undef SUBI
}

int sendform_paymentinput(EXTENSION_CONTROL_BLOCK *pECB,
int w_id, int ld_id)
{
char *form;
int index = w_id*10+ld_id, ret;
form_template_pool *pool;
#define SUBI_POOL_TYPE_TXN_INPUT][TXN_TYPE_PAYMENT

pool = &txn_global_pool[SUBI];

#ifndef NEW_ALLOCATE_FORM
form = allocate_form_new(pool, index);
#else
form = allocate_form(pool, &index);
#endif

fill_number(form, WDID(w_id, ld_id),
form_index[SUBI][PA_INPUT_TERMD].index,
form_index[SUBI][PA_INPUT_TERMD].length);

fill_number(form, w_id, form_index[SUBI][PA_INPUT_WID].index,
form_index[SUBI][PA_INPUT_WID].length);

ret=send_response(pECB, form, strlen(form));

#ifndef NEW_ALLOCATE_FORM
free_form(pool, form, index);
#endif

return ret;
#undef SUBI
}

int sendform_orderstatusinput(EXTENSION_CONTROL_BLOCK
*pECB, int w_id, int ld_id)
{
char *form;
int index = w_id*10+ld_id, ret;
form_template_pool *pool;

```

```

#define SUBI
POOL_TYPE_TXN_INPUT][TXN_TYPE_ORDERSTATUS

pool = &txn_global_pool[SUBI];

#ifndef NEW_ALLOCATE_FORM
form = allocate_form_new(pool, index);
#else
form = allocate_form(pool, &index);
#endif

fill_number(form, WDID(w_id, ld_id),
form_index[SUBI][OS_TERMD].index,
form_index[SUBI][OS_TERMD].length);
fill_number(form, w_id, form_index[SUBI][OS_WID].index,
form_index[SUBI][OS_WID].length);
ret=send_response(pECB, form, strlen(form));

#ifndef NEW_ALLOCATE_FORM
free_form(pool, form, index);
#endif

return ret;
#undef SUBI
}

void fill_string(char *form, char *string, int index, int length, int *shift)
{
char *ptr;
int i;

for (i=0, ptr=string; i<length && (*ptr)!='0'; i++, ptr++) {
form[index+i]=(char)(*ptr);
switch (*ptr) {
case '\"' : (*shift)+=5;
break;
case '&' : (*shift)+=4;
break;
case '>' : (*shift)+=3;
break;
case '<' : (*shift)+=3;
break;
}
}

for (; i<length; i++)
form[index+i]='';

void adjust_form(char *form, int *indexes, int *length, int size, int formlen,
int totalshift)
{
int ptr, ptr2, ind;

for (ptr=formlen, ptr2=formlen+totalshift, ind=size-1; ptr>=0; ptr--) {
if (ind>=0 && ptr<indexes[ind])
ind--;
if (ind<0 || ptr>=indexes[ind]+length[ind])
form[ptr2--]=form[ptr];
else if (ptr>=indexes[ind] && ptr<indexes[ind]+length[ind])
switch (form[ptr]) {
case '\"' : form[ptr2--]='; form[ptr2--]='t'; form[ptr2--]='o';
form[ptr2--]='u'; form[ptr2--]='q'; form[ptr2--]='&';
break;
case '&' : form[ptr2--]='; form[ptr2--]='p'; form[ptr2--]='m';
form[ptr2--]='a'; form[ptr2--]='&';
break;
case '>' : form[ptr2--]='; form[ptr2--]='t';

```

```

        form[ptr2--]='t'; form[ptr2--]='&';
        break;
    case '<': form[ptr2--]='('; form[ptr2--]='t';
        form[ptr2--]='g'; form[ptr2--]='&';
        break;
    default: form[ptr2--]=form[ptr];
        break;
    }
}
}

void fill_double(char *form, double value, int index, int length)
{
    int ptr = index + length - 1, DecPtr = ptr - 2;
    int avalue=abs((int)(value*100.0));
    int is_neg=(value<0.0);
    char asterick[] = "*****";
    if (avalue==0)
        form[ptr--]='0';
    while ((avalue!=0 && ptr>=index) || ptr > DecPtr) {
        form[ptr--]='0' + avalue % 10;
        avalue/=10;
        if (ptr == DecPtr)
            form[ptr--]='.';
    }
    if (ptr < index && (is_neg || avalue!=0 ))
        memcpy(form+index, asterick, length);
    else {
        if (is_neg)
            form[ptr--]='-';
        while (ptr>=index)
            form[ptr--]=' ';
    }
}

void fill_number(char *form, int value, int index, int length)
{
    char *pstart = (char *)form + index;
    char *pend = pstart + length - 1;
    char asterick[] = "*****";
    int flen = length;
    int is_neg, avalue;
    is_neg = (value < 0);
    avalue = abs(value);
    do {
        *pend = (avalue % 10) + '0';
        avalue = avalue / 10;
        if (--length) pend--;
    } while (length);
    /*
    if (avalue==0 && length >0) {
        do {
            *pend=' ';
            if (--length) pend--;
        } while (length);
    }
    */
    if (avalue) {
        memcpy(pstart, asterick, flen);
        return;
    }
    if (is_neg) {
        if (*pend == '0') {
            *pend = '_';
        }
    }
}
```

```

    } else {
        memcpy(pstart, asterick, slen);
        return;
    }
}

int parse_query_string(char *iptr, int max_cnt,
                      char *txn_chars, value_index_entry *txn_vals)
{
    char *ptr = iptr;
    int key, i;

    for (i = 0; i < max_cnt; i++) {
        key = txn_chars[i];
        txn_vals[i].value = NULL;
        txn_vals[i].length = 0;
        if ((key == *ptr) && ('=' == *++ptr)) {
            txn_vals[i].value = ++ptr;
        }
        while (ptr && ptr[0]!='\0') {
            if ('&' == *ptr) {
                ptr++; break;
            }
            ptr++; txn_vals[i].length++;
        }
    }
    return TRUE;
}

int get_number(char *ptr, int *value)
{
    int c, total;
    int has_value = FALSE;
    int is_neg = FALSE;

    if (*ptr == '-') {
        is_neg = TRUE; ptr++;
    }
    c = (int) (unsigned char) *ptr++;
    total = 0;
    while ((c >= '0') && (c <= '9')) {
        total = 10 * total + (c - '0');
        c = (int) (unsigned char) *ptr++;
        has_value = TRUE;
    }
    if ((c == '\0') || ((‘&’ == c) && has_value)) {
        *value = is_neg?(0-total):total;
        return TRUE;
    }
    *value = 0;
    return FALSE;
}

/***********************
***** mod transaction output *****
***********************/

int mod_neworder_query(EXTENSION_CONTROL_BLOCK *pECB, int
w_id, int ld_id, char *ptr)
{
    T_neworder_data *pdata;
    int index = w_id*10+ld_id, ret;
    int status = SUCCESS;
}

```

```

#ifndef NEW_ALLOCATE_FORM
    pdata = (T_neworder_data *)allocate_form_new(&txn_data_pool, index);
#else
    pdata = (T_neworder_data *)allocate_form(&txn_data_pool, &index);
#endif

    pdata->w_id = w_id; pdata->ld_id = ld_id; pdata->context = (void
*)pECB;

    status = parse_neworder_query(ptr, pdata);
    if (status != SUCCESS) {
        ret=send_error_message(pECB, 0, status, "", w_id, ld_id, 0);

#ifndef NEW_ALLOCATE_FORM
    free_form(&txn_data_pool, (char *) pdata, index);
#endif

    return ret;
}

status = mod_tpcc_neworder(pdata);
ret=sendform_neworderoutput(status, pdata);

#ifndef NEW_ALLOCATE_FORM
    free_form(&txn_data_pool, (char *) pdata, index);
#endif

return ret;
}

int mod_delivery_query(EXTENSION_CONTROL_BLOCK *pECB, int
w_id, int ld_id, char *ptr)
{
    DelQueue_info *queue_info;
    int index=-1, ret;
    int status = SUCCESS;

    queue_info = findFreeDelQueue();
    queue_info->pdata->w_id = w_id;
    queue_info->pdata->ld_id = ld_id;
    queue_info->pdata->context = (void *)pECB;

    status = parse_delivery_query(ptr, queue_info->pdata);
    if (status != SUCCESS) {
        ret=send_error_message(pECB, 0, status, "", w_id, ld_id, 0);
        return ret;
    }

    EnqueueDel(queue_info);
    if (!SetEvent(waitDelWork)) {
        userlog("Error on SetEvent(waitDelWork)\n");
        ret=sendform_deliveryoutput(status, queue_info->pdata);
        ret=FALSE;
    }
    else ret=sendform_deliveryoutput(status, queue_info->pdata);

    return ret;
}

int mod_payment_query(EXTENSION_CONTROL_BLOCK *pECB, int
w_id, int ld_id, char *ptr)
{
    T_payment_data *pdata;
    int index = w_id*10+ld_id, ret;
    int status = SUCCESS;

```

```

#ifndef NEW_ALLOCATE_FORM
    pdata = (T_payment_data *)allocate_form_new(&txn_data_pool, index);
#else
    pdata = (T_payment_data *)allocate_form(&txn_data_pool, &index);
#endif

    pdata->w_id = w_id; pdata->ld_id = ld_id; pdata->context = (void
*)pECB;

    status = parse_payment_query(ptr, pdata);
    if (status != SUCCESS) {
        ret=send_error_message(pECB, 0, status, "", w_id, ld_id, 0);

#ifndef NEW_ALLOCATE_FORM
    free_form(&txn_data_pool, (char *) pdata, index);
#endif

    return ret;
}

status = mod_tpcc_payment(pdata);
ret=sendform_paymentoutput(status, pdata);

#ifndef NEW_ALLOCATE_FORM
    free_form(&txn_data_pool, (char *) pdata, index);
#endif

return ret;
}

int mod_orderstatus_query(EXTENSION_CONTROL_BLOCK *pECB,
int w_id, int ld_id, char *ptr)
{
    T_orderstatus_data *pdata;
    int index = w_id*10+ld_id, ret;
    int status = SUCCESS;

#ifndef NEW_ALLOCATE_FORM
    pdata = (T_orderstatus_data *)allocate_form_new(&txn_data_pool,
index);
#else
    pdata = (T_orderstatus_data *)allocate_form(&txn_data_pool, &index);
#endif

    pdata->w_id = w_id; pdata->ld_id = ld_id; pdata->context = (void
*)pECB;

    status = parse_orderstatus_query(ptr, pdata);
    if (status != SUCCESS) {
        ret=send_error_message(pECB, 0, status, "", w_id, ld_id, 0);

#ifndef NEW_ALLOCATE_FORM
    free_form(&txn_data_pool, (char *) pdata, index);
#endif

    return ret;
}

status = mod_tpcc_orderstatus(pdata);
ret=sendform_orderstatusoutput(status, pdata);

#ifndef NEW_ALLOCATE_FORM
    free_form(&txn_data_pool, (char *) pdata, index);
#endif

return ret;
}

```

```

int mod_stocklevel_query(EXTENSION_CONTROL_BLOCK *pECB, int
w_id, int ld_id, char *ptr)
{
    T_stocklevel_data *pdata;
    int index = w_id*10+ld_id, ret;
    int status = SUCCESS;

#ifndef NEW_ALLOCATE_FORM
    pdata = (T_stocklevel_data *)allocate_form_new(&txn_data_pool,
index);
#else
    pdata = (T_stocklevel_data *)allocate_form(&txn_data_pool, &index);
#endif

    pdata->w_id = w_id; pdata->ld_id = ld_id; pdata->context = (void
*)pECB;

    status = parse_stocklevel_query(ptr, pdata);
    if (status != SUCCESS) {
        ret=send_error_message(pECB, 0, status, "", w_id, ld_id, 0);

#ifndef NEW_ALLOCATE_FORM
        free_form(&txn_data_pool, (char *) pdata, index);
#endif

        return ret;
    }

    status = mod_tpcc_stocklevel(pdata);
    ret=sendform_stockleveloutput(status, pdata);

#ifndef NEW_ALLOCATE_FORM
    free_form(&txn_data_pool, (char *) pdata, index);
#endif

    return ret;
}

/*****************
* parse transaction query
*****************/
int parse_neworder_query(char *iptr, T_neworder_data *pdata)
{
    int status, i, items;
    value_index_entry value_ptr[NO_INPUT_MAX];
    char *ptr;

    status = parse_query_string(iptr, NO_INPUT_MAX, neworder_chars,
value_ptr);

    if ((ptr = value_ptr[NO_INPUT_DID].value) == NULL) {
        return NEWORDER_MISSING_DID;
    }
    if ((status = get_number(ptr, &pdata->d_id)) == FALSE) {
        return NEWORDER_DISTRICT_INVALID;
    }
    if ((pdata->d_id > 10) || (pdata->d_id < 1)) {
    }
    if ((pdata->d_id < 1)) {
        return NEWORDER_DISTRICT_RANGE;
    }

    if ((ptr = value_ptr[NO_INPUT_CID].value) == NULL) {
        return NEWORDER_CUSTOMER_KEY;
    }
}

```

```

    if ((status = get_number(ptr, &pdata->c_id)) == FALSE) {
        return NEWORDER_CUSTOMER_INVALID;
    }
    /*
     * if ((pdata->c_id > 3000) || (pdata->c_id <= 0)) {
     */
    if ((pdata->c_id <= 0)) {
        return NEWORDER_CUSTOMER_RANGE;
    }

    pdata->o_all_local = 1;

    for (i = 0, items = 0; i < 15; i++) {
        if ((ptr = value_ptr[i*3 + NO_INPUT_IID00].value) == NULL) {
            return NEWORDER_MISSING_IID_KEY;
        }
        if (value_ptr[i*3 + NO_INPUT_IID00].length > 0) {
            if ((status = get_number(ptr, &pdata->o_orderline[items].ol_i_id))
== FALSE) {
                return NEWORDER_ITEMID_INVALID;
            }
            if ((ptr = value_ptr[i*3 + NO_INPUT_SPW00].value) == NULL) {
                return NEWORDER_MISSING_SUPPW_KEY;
            }
            if ((status = get_number(ptr, &pdata-
>o_orderline[items].ol_supply_w_id)) == FALSE) {
                return NEWORDER_SUPPW_INVALID;
            }
            if ((ptr = value_ptr[i*3 + NO_INPUT_QTY00].value) == NULL) {
                return NEWORDER_MISSING_QTY_KEY;
            }
            if ((status = get_number(ptr, &pdata-
>o_orderline[items].ol_quantity)) == FALSE) {
                return NEWORDER_QTY_INVALID;
            }
        }
        /*
         * We use item number 111111 as the bad one.
         */
        /*
         * if ((pdata->o_orderline[items].ol_i_id > 999999) ||
         * (pdata->o_orderline[items].ol_i_id < 1)) {
         */
            if ((pdata->o_orderline[items].ol_i_id < 1)) {
                return NEWORDER_ITEMID_RANGE;
            }
        /*
         * if ((pdata->o_orderline[items].ol_quantity >= 100) ||
         * (pdata->o_orderline[items].ol_quantity < 1)) {
         */
            if ((pdata->o_orderline[items].ol_quantity < 1)) {
                return NEWORDER_QTY_RANGE;
            }
            if (pdata->o_all_local && pdata-
>o_orderline[items].ol_supply_w_id != pdata->w_id) {
                pdata->o_all_local = 0;
            }
            items++;
        } else {
            if (value_ptr[i*3 + NO_INPUT_SPW00].value == NULL) {
                return NEWORDER_MISSING_SUPPW_KEY;
            }
            if (value_ptr[i*3 + NO_INPUT_SPW00].length > 0) {
                return NEWORDER_SUPPW_WITHOUT_ITEMID;
            }
            if (value_ptr[i*3 + NO_INPUT_QTY00].value == NULL) {
                return NEWORDER_MISSING_QTY_KEY;
            }
            if (value_ptr[i*3 + NO_INPUT_QTY00].length > 0) {
                return NEWORDER_QTY_WITHOUT_ITEMID;
            }
        }
    }
}

```

```

        }
    }
    if (items == 0) {
        return NEWORDER_NOITEMS_ENTERED;
    }
    pdata->o.ol_cnt = items;
    return SUCCESS;
}

int parse_payment_query(char *iptr, T_payment_data *pdata)
{
    int status, see_dot, i;
    value_index_entry value_ptr[PA_INPUT_MAX];
    char *ptr;

    status = parse_query_string(iptr, PA_INPUT_MAX, payment_chars,
    value_ptr);

    if ((ptr = value_ptr[PA_INPUT_DID].value) == NULL) {
        return PAYMENT_MISSING_DID_KEY;
    }
    if ((status = get_number(ptr, &pdata->d_id)) == FALSE) {
        return PAYMENT_DISTRICT_INVALID;
    }
/*
    if ((pdata->d_id > 10) || (pdata->d_id < 1)) {
*/
    if ((pdata->d_id < 1)) {
        return PAYMENT_DISTRICT_RANGE;
    }

    if ((ptr = value_ptr[PA_INPUT_CID].value) == NULL) {
        return PAYMENT_MISSING_CID_KEY;
    }

    if (value_ptr[PA_INPUT_CID].length == 0) { /* c_id == 0 */
        pdata->c_id = 0;
        pdata->by_last_name = 1;
        if ((ptr = value_ptr[PA_INPUT_NAME].value) == NULL) {
            return PAYMENT_MISSING_CLASTNAME_KEY;
        }
        if (value_ptr[PA_INPUT_NAME].length == 0) {
            return PAYMENT_MISSING_CLASTNAME;
        }
        memcpy(pdata->c_last, ptr, value_ptr[PA_INPUT_NAME].length);
        pdata->c_last[value_ptr[PA_INPUT_NAME].length] = '\0';
        STRING_UPPERCASE(pdata->c_last);
        if (value_ptr[PA_INPUT_NAME].length > 16) {
            return PAYMENT_LAST_NAME_TO_LONG;
        }
    } else { /* c_id != 0 */
        pdata->by_last_name = 0;
        if ((status = get_number(ptr, &pdata->c_id)) == FALSE) {
            return PAYMENT_CUSTOMER_INVALID;
        }
/*
        if ((pdata->c_id > 3000) || (pdata->c_id <= 0)) {
*/
        if ((pdata->c_id <= 0)) {
            return PAYMENT_CID_RANGE;
        }
        if ((ptr = value_ptr[PA_INPUT_NAME].value) == NULL) {
            return PAYMENT_MISSING_CLASTNAME_KEY;
        }
        if (value_ptr[PA_INPUT_NAME].length > 0) {
            return PAYMENT_CID_AND_CLASTNAME;
        }
    }

    if ((ptr = value_ptr[PA_INPUT_CDID].value) == NULL) {
        return PAYMENT_MISSING_CDI_KEY;
    }
    if ((status = get_number(ptr, &pdata->c_d_id)) == FALSE) {
        return PAYMENT_CDI_INVALID;
    }
/*
    if ((pdata->c_d_id > 10) || (pdata->c_d_id < 1)) {
*/
    if ((pdata->c_d_id < 1)) {
        return PAYMENT_CDI_RANGE;
    }
    if ((ptr = value_ptr[PA_INPUT_CWID].value) == NULL) {
        return PAYMENT_MISSING_CWI_KEY;
    }
    if ((status = get_number(ptr, &pdata->c_w_id)) == FALSE) {
        return PAYMENT_CWI_INVALID;
    }
    if ((ptr = value_ptr[PA_INPUT_AMT].value) == NULL) {
        return PAYMENT_MISSING_HAM_KEY;
    }

    see_dot = FALSE;
    for (i = 0; i < value_ptr[PA_INPUT_AMT].length; i++) {
        if (ptr[i] == '\0') {
            return PAYMENT_HAM_INVALID;
        }
        if (ptr[i] == '.') {
            if (see_dot) {
                return PAYMENT_HAM_INVALID;
            } else {
                see_dot = TRUE;
            }
        } else {
            if (((ptr[i] > '9') || (ptr[i] < '0')) {
                return PAYMENT_HAM_INVALID;
            }
        }
    }
    pdata->h_amount = atof(ptr);

    if ((pdata->h_amount < 0) || (pdata->h_amount >= 10000.0)) {
        return PAYMENT_HAM_RANGE;
    }
    return SUCCESS;
}

int parse_delivery_query(char *iptr, T_delivery_data *pdata)
{
    int status = SUCCESS;
    value_index_entry value_ptr[DE_INPUT_MAX];
    int i, see_dot;
    char *ptr;
    FILETIME fileTime;
    ULARGE_INTEGER uli;

    status = parse_query_string(iptr, DE_INPUT_MAX, delivery_chars,
    value_ptr);

    if ((ptr = value_ptr[DE_INPUT_DID].value) == NULL) {
        return DELIVERY_MISSING_OCD_KEY;
    }
    if ((status = get_number(ptr, &pdata->o_carrier_id)) == FALSE) {
        return DELIVERY_CARRIER_INVALID;
    }
/*
    if ((pdata->o_carrier_id > 10) || (pdata->o_carrier_id < 1)) {
*/
    if ((pdata->o_carrier_id < 1)) {

```

```

        return DELIVERY_CARRIER_ID_RANGE;
    }

    if ((ptr = value_ptr[DE_INPUT_QTIME].value) == NULL) {
        GetLocalTime(&(pdata->enqueue_date_time));
        SystemTimeToFileTime( &(pdata->enqueue_date_time), &fileTime );
        uli.LowPart = fileTime.dwLowDateTime;
        uli.HighPart = fileTime.dwHighDateTime;
        pdata->enqueue_time = uli.QuadPart/10000;
        return SUCCESS;
    }

    if (value_ptr[DE_INPUT_QTIME].length == 0) {
        return DELIVERY_MISSING_QUEUEUTIME_KEY;
    }

    see_dot = FALSE;

    for (i = 0; i < value_ptr[DE_INPUT_QTIME].length; i++) {
        if (ptr[i] == '\0') {
            return DELIVERY_MISSING_QUEUEUTIME_KEY;
        }
        if (ptr[i] == '.') {
            if (see_dot) {
                return DELIVERY_MISSING_QUEUEUTIME_KEY;
            } else {
                see_dot = TRUE;
            }
        } else {
            if ((ptr[i] > '9') || (ptr[i] < '0')) {
                return DELIVERY_MISSING_QUEUEUTIME_KEY;
            }
        }
    }

    pdata->enqueue_time = atof(ptr);

    return SUCCESS;
}

int parse_orderstatus_query(char *iptr, T_orderstatus_data *pdata)
{
    int status = SUCCESS;
    value_index_entry value_ptr[OS_INPUT_MAX];
    char *ptr;

    status = parse_query_string(iptr, OS_INPUT_MAX, orderstatus_chars,
    value_ptr);

    if ((ptr = value_ptr[OS_INPUT_DID].value) == NULL) {
        return ORDERSTATUS_MISSING_DID_KEY;
    }
    if ((status = get_number(ptr, &pdata->d_id)) == FALSE) {
        return ORDERSTATUS_DID_INVALID;
    }
/*
    if ((pdata->d_id > 10) || (pdata->d_id < 1)) {
*/
    if ((pdata->d_id < 1)) {
        return ORDERSTATUS_DID_RANGE;
    }

    if ((ptr = value_ptr[OS_INPUT_CID].value) == NULL) {
        return ORDERSTATUS_MISSING_CID_KEY;
    }

    if (value_ptr[OS_INPUT_CID].length == 0) {
        pdata->c_id = 0;
        pdata->by_last_name = 1;
        if ((ptr = value_ptr[OS_INPUT_NAME].value) == NULL) {

```

```

            return ORDERSTATUS_MISSING_CLASTNAME_KEY;
        }
        memcpy(pdata->c_last, ptr, value_ptr[OS_INPUT_NAME].length);
        pdata->c_last[value_ptr[OS_INPUT_NAME].length] = '\0';
        STRING_UPPERCASE(pdata->c_last);
        if (value_ptr[OS_INPUT_NAME].length > 16) {
            return ORDERSTATUS_CLASTNAME_RANGE;
        }
    } else { /* c_id != 0 */
        pdata->by_last_name = 0;
        if ((status = get_number(ptr, &pdata->c_id)) == FALSE) {
            return ORDERSTATUS_CID_INVALID;
        }
/*
        if ((pdata->c_id > 3000) || (pdata->c_id <= 0)) {
*/
        if ((pdata->c_id <= 0)) {
            return ORDERSTATUS_CID_RANGE;
        }
        if ((ptr = value_ptr[OS_INPUT_NAME].value) == NULL) {
            return ORDERSTATUS_MISSING_CLASTNAME_KEY;
        }
        if (value_ptr[OS_INPUT_NAME].length > 0) {
            return ORDERSTATUS_CID_AND_CLASTNAME;
        }
    }
    return SUCCESS;
}

int parse_stocklevel_query(char *iptr, T_stocklevel_data *pdata)
{
    value_index_entry value_ptr[SL_INPUT_MAX];
    char *ptr;
    int status = SUCCESS;

    status = parse_query_string(iptr, SL_INPUT_MAX, stocklevel_chars,
    value_ptr);

    if ((ptr = value_ptr[SL_INPUT_THRESHOLD].value) == NULL) {
        return STOCKLEVEL_MISSING_THRESHOLD_KEY;
    }
    if ((status = get_number(ptr, &pdata->threshold)) == FALSE) {
        return STOCKLEVEL_THRESHOLD_INVALID;
    }
/*
    if ((pdata->threshold >= 100) || (pdata->threshold < 0)) {
*/
    if ((pdata->threshold < 0)) {
        return STOCKLEVEL_THRESHOLD_RANGE;
    }
    return SUCCESS;
}

*****
***** sendform output *****
***** */

int sendform_neworderoutput(int status, T_neworder_data *pdata)
{
    EXTENSION_CONTROL_BLOCK *pECB;
    int w_id, ld_id, ret;
    char *form, *form2;
    char blank[] = " ";
    int index = -1, formlen, strcount=0, shift=0, i, j, lineStart=15;
```

```

int indexes[NO_FORMINDEX_SIZE],
indLen[NO_FORMINDEX_SIZE], index2=-1;
form_template_pool *pool;

#define SUBI_POOL_TYPE_TXN_OUTPUT)[TXN_TYPE_NEWORDER

w_id = pdata->w_id; ld_id = pdata->ld_id;
pECB = (EXTENSION_CONTROL_BLOCK *) pdata->context;

if (status != SUCCESS && status != DB_SUCCESS) {
    return send_error_message(pECB, 0, status, "", w_id, ld_id, 0);
}

if (pdata->txn_status != DB_RETURN_OCI_SUCCESS) {
    return send_error_message(pECB, 0, pdata->txn_status, " --- DATABASE ERROR ", w_id, ld_id, 0);
}

pool = &txn_global_pool[SUBI];
index=w_id*10+ld_id;

#endif NEW_ALLOCATE_FORM
form = allocate_form_new(pool, index);
#else
form = allocate_form(pool, &index);
#endif

formlen=strlen(form);

fill_number(form, WDID(w_id, ld_id),
form_index[SUBI][NO_TERMDID].index,
form_index[SUBI][NO_TERMDID].length);
fill_number(form, w_id, form_index[SUBI][NO_WID].index,
form_index[SUBI][NO_WID].length);

fill_number(form, pdata->d_id, form_index[SUBI][NO_DID].index,
form_index[SUBI][NO_DID].length);

if (!pdata->status) {
    fill_string(form, pdata->o_entry_d.DateString,
form_index[SUBI][NO_DATE].index,
form_index[SUBI][NO_DATE].length, &shift);
    indexes[strcount]=form_index[SUBI][NO_DATE].index;
    indLen[strcount++]=form_index[SUBI][NO_DATE].length;
} else {
    memcpy(form+form_index[SUBI][NO_DATE].index, blank,
form_index[SUBI][NO_DATE].length);
}

fill_number(form, pdata->c_id, form_index[SUBI][NO_CID].index,
form_index[SUBI][NO_CID].length);

fill_string(form, pdata->c_last, form_index[SUBI][NO_NAME].index,
form_index[SUBI][NO_NAME].length, &shift);
indexes[strcount]=form_index[SUBI][NO_NAME].index;
indLen[strcount++]=form_index[SUBI][NO_NAME].length;

fill_string(form, pdata->c_credit,
form_index[SUBI][NO_CREDIT].index,
form_index[SUBI][NO_CREDIT].length, &shift);
indexes[strcount]=form_index[SUBI][NO_CREDIT].index;
indLen[strcount++]=form_index[SUBI][NO_CREDIT].length;

fill_double(form, pdata->c_discount,
form_index[SUBI][NO_DISC].index,
form_index[SUBI][NO_DISC].length);

fill_number(form, pdata->o_id, form_index[SUBI][NO_OID].index,

```

```

form_index[SUBI][NO_OID].length);

fill_number(form, pdata->o.ol_cnt,
form_index[SUBI][NO_LINES].index,
form_index[SUBI][NO_LINES].length);

fill_double(form, pdata->w_tax, form_index[SUBI][NO_WTAX].index,
form_index[SUBI][NO_WTAX].length);

fill_double(form, pdata->d_tax, form_index[SUBI][NO_DTAX].index,
form_index[SUBI][NO_DTAX].length);

if (!pdata->status) {

for (i=0; i<pdata->o.ol_cnt; i++) {
    fill_number(form, pdata->o.orderline[i].ol_supply_w_id,
form_index[SUBI][NO_SUPPW+i*8].index,
form_index[SUBI][NO_SUPPW+i*8].length);

    fill_number(form, pdata->o.orderline[i].ol_i_id,
form_index[SUBI][NO_ITEMID+i*8].index,
form_index[SUBI][NO_ITEMID+i*8].length);

    fill_string(form, pdata->o.orderline[i].i_name,
form_index[SUBI][NO_INAME+i*8].index,
form_index[SUBI][NO_INAME+i*8].length, &shift);
indexes[strcount]=form_index[SUBI][NO_INAME+i*8].index;
indLen[strcount++]=form_index[SUBI][NO_INAME+i*8].length;

    fill_number(form, pdata->o.orderline[i].ol_quantity,
form_index[SUBI][NO_QTY+i*8].index,
form_index[SUBI][NO_QTY+i*8].length);

    fill_number(form, pdata->o.orderline[i].s.quantity,
form_index[SUBI][NO_STOCK+i*8].index,
form_index[SUBI][NO_STOCK+i*8].length);

    fill_string(form, pdata->o.orderline[i].b.g,
form_index[SUBI][NO_BRAND+i*8].index,
form_index[SUBI][NO_BRAND+i*8].length, &shift);
indexes[strcount]=form_index[SUBI][NO_BRAND+i*8].index;
indLen[strcount++]=form_index[SUBI][NO_BRAND+i*8].length;

    fill_double(form, pdata->o.orderline[i].i.price,
form_index[SUBI][NO_PRICE+i*8].index,
form_index[SUBI][NO_PRICE+i*8].length);

    fill_double(form, pdata->o.orderline[i].ol.amount,
form_index[SUBI][NO_AMOUNT+i*8].index,
form_index[SUBI][NO_AMOUNT+i*8].length);
}

for (j=NO_SUPPW+i*8; j<NO_SUPPW+15*8; j++)

memcpy(form+form_index[SUBI][j].index, blank, form_index[SUBI][j].length);

for (lineStart=j=i; j<15; j++) {
    form[form_index[SUBI][NO_PRICE+j*8].index-1]='#';
    form[form_index[SUBI][NO_AMOUNT+j*8].index-1]='#';
}

} else {
/*
    for (j=NO_DISC; j<=NO_DTAX; j++)

    memcpy(form+form_index[SUBI][j].index, blank, form_index[SUBI][j].length);
*/
}

```

```

for (j=NO_SUPPW; j<NO_SUPPW+15*8; j++)
    memcpy(form+form_index[SUBI][j].index, blank, form_index[SUBI][j].len
gth);

    for (lineStart=j=0; j<15; j++) {
        form[form_index[SUBI][NO_PRICE+j*8].index-1]='';
        form[form_index[SUBI][NO_AMOUNT+j*8].index-1]='';
    }
}

if (!pdata->status) {
    fill_string(form, "Transaction committed",
        form_index[SUBI][NO_STATUS].index,
        form_index[SUBI][NO_STATUS].length, &shift);
    indexes[strcount]=form_index[SUBI][NO_STATUS].index;
    indLen[strcount++]=form_index[SUBI][NO_STATUS].length;

    fill_double(form, pdata->total_amount,
        form_index[SUBI][NO_TOTAL].index,
        form_index[SUBI][NO_TOTAL].length);
} else {
    fill_string(form, "Item number is not valid",
        form_index[SUBI][NO_STATUS].index,
        form_index[SUBI][NO_STATUS].length, &shift);
    indexes[strcount]=form_index[SUBI][NO_STATUS].index;
    indLen[strcount++]=form_index[SUBI][NO_STATUS].length;

    memcpy(form+form_index[SUBI][NO_TOTAL].index-1, blank,
        form_index[SUBI][NO_TOTAL].length+1);
}

if (shift)
    adjust_form(form, indexes, indLen, strcount, formlen, shift);

ret=send_response(pECB, form, strlen(form));

if (shift) {
    allocate_last_form(form2,pool);
    memcpy(form, form2, formlen+1);
}
for (j=lineStart; j<15; j++) {
    form[form_index[SUBI][NO_PRICE+j*8].index-1]='\$';
    form[form_index[SUBI][NO_AMOUNT+j*8].index-1]='\$';
}

#ifndef NEW_ALLOCATE_FORM
    free_form(pool, form, index);
#endif

return ret;
#endif SUBI
}

int sendform_paymentoutput(int status, T_payment_data *pdata)
{
    EXTENSION_CONTROL_BLOCK *pECB;
    int w_id, ld_id, ret;
    char *form, *form2;
    char blank[] = "";
    int index = -1, formlen, strcount=0, shift=0, i=0, j,dataLEN;
    int indexes[PA_FORMINDEX_SIZE],
    indLen[PA_FORMINDEX_SIZE], index2=-1;
    form_template_pool *pool;

    w_id = pdata->w_id; ld_id = pdata->ld_id;
    pECB = (EXTENSION_CONTROL_BLOCK *) pdata->context;

    if (status != SUCCESS && status != DB_SUCCESS) {
        return send_error_message(pECB, 0, status, "", w_id, ld_id, 0);
    }

    if (pdata->txn_status != DB_RETURN_OCI_SUCCESS) {
        return send_error_message(pECB, 0, pdata->txn_status, " --- "
DATABASE ERROR ", w_id, ld_id, 0);
    }

#define SUBI_POOL_TYPE_TXN_OUTPUT|TXN_TYPE_PAYMENT

    pool = &txn_global_pool[SUBI];
    index=w_id*10+ld_id;

#ifndef NEW_ALLOCATE_FORM
    form = allocate_form_new(pool, index);
#else
    form = allocate_form(pool, &index);
#endif

    formlen=strlen(form);

    fill_number(form, WDID(w_id, ld_id),
        form_index[SUBI][PA_TERMID].index,
        form_index[SUBI][PA_TERMID].length);

    fill_string(form, pdata->h_date.DateString,
        form_index[SUBI][PA_DATE].index,
        form_index[SUBI][PA_DATE].length, &shift);
    indexes[strcount]=form_index[SUBI][PA_DATE].index;
    indLen[strcount++]=form_index[SUBI][PA_DATE].length;

    fill_number(form, w_id, form_index[SUBI][PA_WID].index,
        form_index[SUBI][PA_WID].length);

    fill_number(form, pdata->d_id, form_index[SUBI][PA_DID].index,
        form_index[SUBI][PA_DID].length);

    fill_string(form, pdata->w_street_1,
        form_index[SUBI][PA_WST1].index,
        form_index[SUBI][PA_WST1].length, &shift);
    indexes[strcount]=form_index[SUBI][PA_WST1].index;
    indLen[strcount++]=form_index[SUBI][PA_WST1].length;

    fill_string(form, pdata->d_street_1,
        form_index[SUBI][PA_DST1].index,
        form_index[SUBI][PA_DST1].length, &shift);
    indexes[strcount]=form_index[SUBI][PA_DST1].index;
    indLen[strcount++]=form_index[SUBI][PA_DST1].length;

    fill_string(form, pdata->w_street_2,
        form_index[SUBI][PA_WST2].index,
        form_index[SUBI][PA_WST2].length, &shift);
    indexes[strcount]=form_index[SUBI][PA_WST2].index;
    indLen[strcount++]=form_index[SUBI][PA_WST2].length;

    fill_string(form, pdata->d_street_2,
        form_index[SUBI][PA_DST2].index,
        form_index[SUBI][PA_DST2].length, &shift);
    indexes[strcount]=form_index[SUBI][PA_DST2].index;
    indLen[strcount++]=form_index[SUBI][PA_WST2].length;

    fill_string(form, pdata->w_city, form_index[SUBI][PA_WCITY].index,
        form_index[SUBI][PA_WCITY].length, &shift);
    indexes[strcount]=form_index[SUBI][PA_WCITY].index;
    indLen[strcount++]=form_index[SUBI][PA_WCITY].length;

    fill_string(form, pdata->w_state,
        form_index[SUBI][PA_WSTATE].index,
        form_index[SUBI][PA_WSTATE].length, &shift);
    indexes[strcount]=form_index[SUBI][PA_WSTATE].index;
}

```

```

indLen[strcount++]=form_index[SUBI][PA_WSTATE].length;
fill_string(form, pdata->w_zip, form_index[SUBI][PA_WZIP].index,
           form_index[SUBI][PA_WZIP].length, &shift);
indexes[strcount]=form_index[SUBI][PA_WZIP].index;
indLen[strcount++]=form_index[SUBI][PA_WZIP].length;

fill_string(form, pdata->d_city, form_index[SUBI][PA_DCITY].index,
           form_index[SUBI][PA_DCITY].length, &shift);
indexes[strcount]=form_index[SUBI][PA_DCITY].index;
indLen[strcount++]=form_index[SUBI][PA_DCITY].length;

fill_string(form, pdata->d_state,
form_index[SUBI][PA_DSTATE].index,
           form_index[SUBI][PA_DSTATE].length, &shift);
indexes[strcount]=form_index[SUBI][PA_DSTATE].index;
indLen[strcount++]=form_index[SUBI][PA_DSTATE].length;

fill_string(form, pdata->d_zip, form_index[SUBI][PA_DZIP].index,
           form_index[SUBI][PA_DZIP].length, &shift);
indexes[strcount]=form_index[SUBI][PA_DZIP].index;
indLen[strcount++]=form_index[SUBI][PA_DZIP].length;

fill_number(form, pdata->c_id, form_index[SUBI][PA_CID].index,
           form_index[SUBI][PA_CID].length);

fill_number(form, pdata->c_w_id,
form_index[SUBI][PA_CWARE].index,
           form_index[SUBI][PA_CWARE].length);

fill_number(form, pdata->c_d_id,
form_index[SUBI][PA_CDIST].index,
           form_index[SUBI][PA_CDIST].length);

fill_string(form, pdata->c_first, form_index[SUBI][PA_CFIRST].index,
           form_index[SUBI][PA_CFIRST].length, &shift);
indexes[strcount]=form_index[SUBI][PA_CFIRST].index;
indLen[strcount++]=form_index[SUBI][PA_CFIRST].length;

fill_string(form, pdata->c_middle,
form_index[SUBI][PA_CMIDDLE].index,
           form_index[SUBI][PA_CMIDDLE].length, &shift);
indexes[strcount]=form_index[SUBI][PA_CMIDDLE].index;
indLen[strcount++]=form_index[SUBI][PA_CMIDDLE].length;

fill_string(form, pdata->c_last, form_index[SUBI][PA_CLAST].index,
           form_index[SUBI][PA_CLAST].length, &shift);
indexes[strcount]=form_index[SUBI][PA_CLAST].index;
indLen[strcount++]=form_index[SUBI][PA_CLAST].length;

fill_string(form, pdata->c_since.DateString,
form_index[SUBI][PA_SINCE].index,
           form_index[SUBI][PA_SINCE].length, &shift);
indexes[strcount]=form_index[SUBI][PA_SINCE].index;
indLen[strcount++]=form_index[SUBI][PA_SINCE].length;

fill_string(form, pdata->c_street_1,
form_index[SUBI][PA_CST1].index,
           form_index[SUBI][PA_CST1].length, &shift);
indexes[strcount]=form_index[SUBI][PA_CST1].index;
indLen[strcount++]=form_index[SUBI][PA_CST1].length;

fill_string(form, pdata->c_credit,
form_index[SUBI][PA_CREDIT].index,
           form_index[SUBI][PA_CREDIT].length, &shift);
indexes[strcount]=form_index[SUBI][PA_CREDIT].index;
indLen[strcount++]=form_index[SUBI][PA_CREDIT].length;

fill_string(form, pdata->c_street_2,
form_index[SUBI][PA_CST2].index,
           form_index[SUBI][PA_CST2].length, &shift);
indexes[strcount]=form_index[SUBI][PA_CST2].index;
indLen[strcount++]=form_index[SUBI][PA_CST2].length;

```

```

           form_index[SUBI][PA_CST2].length, &shift);
indexes[strcount]=form_index[SUBI][PA_CST2].index;
indLen[strcount++]=form_index[SUBI][PA_CST2].length;

fill_double(form, pdata->c_discount,
form_index[SUBI][PA_DISC].index,
           form_index[SUBI][PA_DISC].length);

fill_string(form, pdata->c_city, form_index[SUBI][PA_CCITY].index,
           form_index[SUBI][PA_CCITY].length, &shift);
indexes[strcount]=form_index[SUBI][PA_CCITY].index;
indLen[strcount++]=form_index[SUBI][PA_CCITY].length;

fill_string(form, pdata->c_state,
form_index[SUBI][PA_CSTATE].index,
           form_index[SUBI][PA_CSTATE].length, &shift);
indexes[strcount]=form_index[SUBI][PA_CSTATE].index;
indLen[strcount++]=form_index[SUBI][PA_CSTATE].length;

fill_string(form, pdata->c_zip, form_index[SUBI][PA_CZIP].index,
           form_index[SUBI][PA_CZIP].length, &shift);
indexes[strcount]=form_index[SUBI][PA_CZIP].index;
indLen[strcount++]=form_index[SUBI][PA_CZIP].length;

fill_string(form, pdata->c_phone,
form_index[SUBI][PA_CPHONE].index,
           form_index[SUBI][PA_CPHONE].length, &shift);
indexes[strcount]=form_index[SUBI][PA_CPHONE].index;
indLen[strcount++]=form_index[SUBI][PA_CPHONE].length;

fill_double(form, pdata->h_amount,
form_index[SUBI][PA_AMOUNT].index,
           form_index[SUBI][PA_AMOUNT].length);

fill_double(form, pdata->c_balance,
form_index[SUBI][PA_CBAL].index,
           form_index[SUBI][PA_CBAL].length);

fill_double(form, pdata->c_credit_lim,
form_index[SUBI][PA_LIMIT].index,
           form_index[SUBI][PA_LIMIT].length);

if (pdata->c_credit[0]=='B' && pdata->c_credit[1]=='C') {
    dataLen=strlen(pdata->c_data);
    for (i=0; i<4; i++) {
        if (i * form_index[SUBI][PA_CUSTDATA+i].length >= dataLen)
            break;
        fill_string(form, pdata-
>c_data+(i*form_index[SUBI][PA_CUSTDATA+i].length),
                   form_index[SUBI][PA_CUSTDATA+i].index,
                   form_index[SUBI][PA_CUSTDATA+i].length, &shift);
    }
}

for (j=i; j<4; j++)
    memcpy(form+form_index[SUBI][PA_CUSTDATA+j].index, blank,
           form_index[SUBI][PA_CUSTDATA+j].length);

if (shift)
    adjust_form(form, indexes, indLen, strCount, formLen, shift);

ret=send_response(pECB, form, strlen(form));

if (shift) {
    allocate_last_form(form2, pool);
    memcpy(form, form2, formLen+1);
}

```

```

#ifndef NEW_ALLOCATE_FORM
    free_form(pool, form, index);
#endif

    return ret;
#endif SUBI
}

int sendform_orderstatusoutput(int status, T_orderstatus_data *pdata)
{
    EXTENSION_CONTROL_BLOCK *pECB;
    int w_id, ld_id, indexes[OS_FORMINDEX_SIZE],
indLen[OS_FORMINDEX_SIZE];
    char *form, *form2;
    int index = -1, strcount=0, formlen, shift=0, i, j, index2=-1, lineStart=15,
ret;
    form_template_pool *pool;
    char blank[] = "          ";

    w_id = pdata->w_id; ld_id = pdata->ld_id;
    pECB = (EXTENSION_CONTROL_BLOCK *) pdata->context;

    if (status != SUCCESS && status != DB_SUCCESS) {
        return send_error_message(pECB, 0, status, "", w_id, ld_id, 0);
    }

    if (pdata->txn_status != DB_RETURN_OCI_SUCCESS) {
        return send_error_message(pECB, 0, pdata->txn_status, " --- "
DATABASE ERROR ", w_id, ld_id, 0);
    }

#define SUBI
POOL_TYPE_TXN_OUTPUT)[TXN_TYPE_ORDERSTATUS

    pool = &txn_global_pool[SUBI];
    index=w_id*10+ld_id;

#endif NEW_ALLOCATE_FORM
    form = allocate_form_new(pool, index);
#else
    form = allocate_form(pool, &index);
#endif

    formlen = strlen(form);

    fill_number(form, WDID(w_id, ld_id),
form_index[SUBI][OS_TERMDID].index,
    form_index[SUBI][OS_TERMDID].length);
    fill_number(form, w_id, form_index[SUBI][OS_WID].index,
    form_index[SUBI][OS_WID].length);
    fill_number(form, pdata->d_id, form_index[SUBI][OS_DID].index,
    form_index[SUBI][OS_DID].length);
    fill_number(form, pdata->c_id, form_index[SUBI][OS_CID].index,
    form_index[SUBI][OS_CID].length);
    fill_string(form, pdata->c_first, form_index[SUBI][OS_FIRST].index,
    form_index[SUBI][OS_FIRST].length, &shift);
    indexes[strcount]=form_index[SUBI][OS_FIRST].index;
    indLen[strcount++]=form_index[SUBI][OS_FIRST].length;

    fill_string(form, pdata->c_middle,
form_index[SUBI][OS_MIDDLE].index,
    form_index[SUBI][OS_MIDDLE].length, &shift);
    indexes[strcount]=form_index[SUBI][OS_MIDDLE].index;
    indLen[strcount++]=form_index[SUBI][OS_MIDDLE].length;

    fill_string(form, pdata->c_last, form_index[SUBI][OS_LAST].index,
    form_index[SUBI][OS_LAST].length, &shift);

```

```

indexes[strcount]=form_index[SUBI][OS_LAST].index;
indLen[strcount++]=form_index[SUBI][OS_LAST].length;

    fill_double(form, pdata->c_balance,
form_index[SUBI][OS_CBALANCE].index,
    form_index[SUBI][OS_CBALANCE].length);

    fill_number(form, pdata->o_id, form_index[SUBI][OS_OID].index,
    form_index[SUBI][OS_OID].length);

    fill_string(form, pdata->o_entry_d.DateString,
form_index[SUBI][OS_ENTRY_DATE].index,
    form_index[SUBI][OS_ENTRY_DATE].length, &shift);
    indexes[strcount]=form_index[SUBI][OS_ENTRY_DATE].index;
    indLen[strcount++]=form_index[SUBI][OS_ENTRY_DATE].length;

    fill_number(form, pdata->o_carrier_id,
form_index[SUBI][OS_CARID].index,
    form_index[SUBI][OS_CARID].length);

    for (i=0; i < pdata->o.ol_cnt; i++) {
        fill_number(form, pdata->o.orderline[i].ol_supply_w_id,
            form_index[SUBI][OS_SUPW+i*5].index,
            form_index[SUBI][OS_SUPW+i*5].length);

        fill_number(form, pdata->o.orderline[i].ol_i_id,
            form_index[SUBI][OS_ITEMID+i*5].index,
            form_index[SUBI][OS_ITEMID+i*5].length);

        fill_number(form, pdata->o.orderline[i].ol_quantity,
            form_index[SUBI][OS_QTY+i*5].index,
            form_index[SUBI][OS_QTY+i*5].length);

        fill_double(form, pdata->o.orderline[i].ol_amount,
            form_index[SUBI][OS_AMOUNT+i*5].index,
            form_index[SUBI][OS_AMOUNT+i*5].length);

        fill_string(form, pdata->o.orderline[i].ol_delivery_d.DateString,
            form_index[SUBI][OS_DELDATE+i*5].index,
            form_index[SUBI][OS_DELDATE+i*5].length, &shift);
        indexes[strcount]=form_index[SUBI][OS_DELDATE+i*5].index;
        indLen[strcount++]=form_index[SUBI][OS_DELDATE+i*5].length;
    }

    for (lineStart=j=i; j<15; j++) {
        memcpy(form+form_index[SUBI][OS_SUPW+j*5].index, blank,
            form_index[SUBI][OS_SUPW+j*5].length);
        memcpy(form+form_index[SUBI][OS_ITEMID+j*5].index, blank,
            form_index[SUBI][OS_ITEMID+j*5].length);
        memcpy(form+form_index[SUBI][OS_QTY+j*5].index, blank,
            form_index[SUBI][OS_QTY+j*5].length);
        memcpy(form+form_index[SUBI][OS_AMOUNT+j*5].index-1, blank,
            form_index[SUBI][OS_AMOUNT+j*5].length+1);
        memcpy(form+form_index[SUBI][OS_DELDATE+j*5].index, blank,
            form_index[SUBI][OS_DELDATE+j*5].length);
    }

    if (shift)
        adjust_form(form, indexes, indLen, strcount, formlen, shift);

    ret=send_response(pECB, form, strlen(form));

    if (shift) {
        allocate_last_form(form2, pool);
        memcpy(form, form2, formlen+1);
    }

    for (j=lineStart; j<15; j++)
        form[form_index[SUBI][OS_AMOUNT+j*5].index-1]='$';

```

```

#ifndef NEW_ALLOCATE_FORM
    free_form(pool, form, index);
#endif

    return ret;
#undef SUBI
}

int sendform_deliveryoutput(int status, T_delivery_data *pdata)
{
    EXTENSION_CONTROL_BLOCK *pECB;
    int w_id, ld_id;
    char *form;
    int index = -1, ret;
    form_template_pool *pool;

    w_id = pdata->w_id; ld_id = pdata->ld_id;
    pECB = (EXTENSION_CONTROL_BLOCK *) pdata->context;
    if (status != SUCCESS && status != DB_SUCCESS) {
        return send_error_message(pECB, 0, status, "", w_id, ld_id, 0);
    }

#define SUBI POOL_TYPE_TXN_OUTPUT|TXN_TYPE_STOCKLEVEL
    pool = &txn_global_pool[SUBI];
    index=w_id*10+ld_id;

#ifndef NEW_ALLOCATE_FORM
    form = allocate_form_new(pool, index);
#else
    form = allocate_form(pool, &index);
#endif

    fill_number(form, WDID(w_id, ld_id),
    form_index[SUBI][DE_TERMID].index,
        form_index[SUBI][DE_TERMID].length);
    fill_number(form, w_id, form_index[SUBI][DE_WID].index,
        form_index[SUBI][DE_WID].length);
    fill_number(form, pdata->o_carrier_id,
    form_index[SUBI][DE_CARID].index,
        form_index[SUBI][DE_CARID].length);

    ret=send_response(pECB, form, strlen(form));

#ifndef NEW_ALLOCATE_FORM
    free_form(pool, form, index);
#endif

    return ret;
#undef SUBI
}

int sendform_stockleveloutput(int status, T_stocklevel_data *pdata)
{
    EXTENSION_CONTROL_BLOCK *pECB;
    int w_id, ld_id;
    char *form;
    int index = -1, ret;
    form_template_pool *pool;

    w_id = pdata->w_id; ld_id = pdata->ld_id;
    pECB = (EXTENSION_CONTROL_BLOCK *) pdata->context;

    if (status != SUCCESS && status != DB_SUCCESS) {

```

```

        return send_error_message(pECB, 0, status, "", w_id, ld_id, 0);
    }

    if (pdata->txn_status != DB_RETURN_OCI_SUCCESS) {
        return send_error_message(pECB, 0, pdata->txn_status, " --- "
        DATABASE ERROR ", w_id, ld_id, 0);
    }

#define SUBI
POOL_TYPE_TXN_OUTPUT|TXN_TYPE_STOCKLEVEL
    pool = &txn_global_pool[SUBI];
    index=w_id*10+ld_id;

#ifndef NEW_ALLOCATE_FORM
    form = allocate_form_new(pool, index);
#else
    form = allocate_form(pool, &index);
#endif

    fill_number(form, WDID(w_id, ld_id),
    form_index[SUBI][SL_TERMID].index,
        form_index[SUBI][SL_TERMID].length);
    fill_number(form, w_id, form_index[SUBI][SL_WID].index,
        form_index[SUBI][SL_WID].length);
    fill_number(form, ld_id, form_index[SUBI][SL_DID].index,
        form_index[SUBI][SL_DID].length);
    fill_number(form, pdata->threshold,
    form_index[SUBI][SL_THRESHOLD].index,
        form_index[SUBI][SL_THRESHOLD].length);
    fill_number(form, pdata->low_stock,
    form_index[SUBI][SL_LOWSTOCK].index,
        form_index[SUBI][SL_LOWSTOCK].length);

    ret=send_response(pECB, form, strlen(form));

#ifndef NEW_ALLOCATE_FORM
    free_form(pool, form, index);
#endif

    return ret;
#undef SUBI
}

int (FAR * mod_tpcc_neworder)(T_neworder_data *);
int (FAR * mod_tpcc_payment)(T_payment_data *);
int (FAR * mod_tpcc_delivery)(T_delivery_data *, int);
int (FAR * mod_tpcc_orderstatus)(T_orderstatus_data *);
int (FAR * mod_tpcc_stocklevel)(T_stocklevel_data *);
void (FAR * userlog)(char * str, ...);
void (FAR * initDelLog)(int);
void (FAR * endDelLog)(int);

-----+
mod_tpcc_error.h
-----+
/* Copyright (c) 2004, Oracle Corporation. All rights reserved. */

/*
NAME
mod_tpcc_error.h - <one-line expansion of the name>

DESCRIPTION
<short description of facility this file declares/defines>

RELATED DOCUMENTS
<note any documents related to this facility>
```

EXPORT FUNCTION(S)

<external functions declared for use outside package - one-line descriptions>

INTERNAL FUNCTION(S)

<other external functions declared - one-line descriptions>

EXAMPLES

NOTES

<other useful comments, qualifications, etc.>

MODIFIED (MM/DD/YY)

xnie 02/09/04 - to make it work with tuxedo
shuang 01/22/04 - shuang_rte
shuang 01/21/04 - Creation

*/

```
#define DB_SUCCESS      0
#define DB_ERROR        1
#define TRANSPORT_ERROR  2
#define DB_INTERFACE     3
#define DB_DEADLOCK_LIMIT 4
#define DB_NOT_COMMITTED 5
#define DB_DEAD          6
#define DB_PENDING        7
#define DB_NOT_LOGGED_IN 8
#define DB_LOGIN_FAILED   9
#define DB_USE_FAILED    10
#define DB_LOGOUT_FAILED 11
#define DB_TUXEDO_TPALLOC_ERROR 12
#define DB_TUXEDO_TPCALL_ERROR 13
#define DB_MAX_ERR       13
#define VALID_DB_ERR(err) (((err) >= DB_SUCCESS)&&((err) <=
DB_MAX_ERR))

#define SUCCESS           1000
#define COMMAND_UNDEFINED 1001
#define NOT_IMPLEMENTED_YET 1002
#define CANNOT_INIT_TERMINAL 1003
#define OUT_OF_MEMORY     1004
#define NEW_ORDER_NOT_PROCESSED 1005
#define PAYMENT_NOT_PROCESSED 1006
#define NO_SERVER_SPECIFIED 1007
#define ORDER_STATUS_NOT_PROCESSED 1008
#define W_ID_INVALID     1009
#define CAN_NOT_SET_MAX_CONNECTIONS 1010
#define UNKNOW_TRANSACTION_TYPE 1011
#define D_ID_INVALID     1012
#define MAX_CONNECT_PARAM 1013
#define INVALID_SYNC_CONNECTION 1014
#define INVALID_TERMID    1015
#define PAYMENT_INVALID_CUSTOMER 1016
#define SQL_OPEN_CONNECTION 1017

#define STOCKLEVEL_MISSING_THRESHOLD_KEY 1018
#define STOCKLEVEL_THRESHOLD_INVALID 1019
#define STOCKLEVEL_THRESHOLD_RANGE 1020
#define STOCKLEVEL_NOT_PROCESSED 1021
#define NEWORDER_MISSING_DID 1022
#define NEWORDER_DISTRICT_INVALID 1023
#define NEWORDER_DISTRICT_RANGE 1024
#define NEWORDER_CUSTOMER_KEY 1025
#define NEWORDER_CUSTOMER_INVALID 1026
#define NEWORDER_CUSTOMER_RANGE 1027
#define NEWORDER_MISSING_IID_KEY 1028
#define NEWORDER_ITEM_BLANK_LINES 1029
#define NEWORDER_ITEMID_INVALID 1030
```

```
#define NEWORDER_MISSING_SUPPW_KEY 1031
#define NEWORDER_SUPPW_INVALID 1032
#define NEWORDER_MISSING_QTY_KEY 1033
#define NEWORDER_QTY_INVALID 1034
#define NEWORDER_SUPPW_RANGE 1035
#define NEWORDER_ITEMID_RANGE 1036
#define NEWORDER_QTY_RANGE 1037
#define NEWORDER_SUPPW_WITHOUT_ITEMID 1039
#define NEWORDER_QTY_WITHOUT_ITEMID 1040
#define NEWORDER_NOITEMS_ENTERED 1041
#define PAYMENT_MISSING_DID_KEY 1042
#define PAYMENT_DISTRICT_INVALID 1038
#define PAYMENT_DISTRICT_RANGE 1043
#define PAYMENT_MISSING_CID_KEY 1044
#define PAYMENT_CUSTOMER_INVALID 1045
#define PAYMENT_MISSING_CLASTNAME 1046
#define PAYMENT_LAST_NAME_TO_LONG 1047
#define PAYMENT_CID_RANGE 1048
#define PAYMENT_CID_AND_CLASTNAME 1049
#define PAYMENT_MISSING_CDI_KEY 1050
#define PAYMENT_CDI_INVALID 1051
#define PAYMENT_CDI_RANGE 1052
#define PAYMENT_MISSING_CWL_KEY 1053
#define PAYMENT_CWL_INVALID 1054
#define PAYMENT_CWL_RANGE 1055
#define PAYMENT_MISSING_HAM_KEY 1056
#define PAYMENT_HAM_INVALID 1057
#define PAYMENT_HAM_RANGE 1058
#define ORDERSTATUS_MISSING_DID_KEY 1059
#define ORDERSTATUS_DID_INVALID 1060
#define ORDERSTATUS_DID_RANGE 1061
#define ORDERSTATUS_MISSING_CID_KEY 1062
#define ORDERSTATUS_MISSING_CLASTNAME_KEY 1063
#define ORDERSTATUS_CLASTNAME_RANGE 1064
#define ORDERSTATUS_CID_INVALID 1065
#define ORDERSTATUS_CID_RANGE 1066
#define ORDERSTATUS_CID_AND_CLASTNAME 1067
#define DELIVERY_MISSING_OCD_KEY 1068
#define DELIVERY_CARRIER_INVALID 1069
#define DELIVERY_CARRIER_ID_RANGE 1070

#define PAYMENT_MISSING_CLASTNAME_KEY 1071
#define CANT_FIND_TPCC_KEY 1072
#define CANT_FIND_INETINFO_KEY 1073
#define CANT_FIND_POOLTHREADLIMIT 1074
#define DB_DELIVERY_NOT_QUEUED 1075
#define DELIVERY_NOT_PROCESSED 1076
#define TERM_ALLOCATE FAILED 1077
#define PENDING 1078
#define CANT_START_FRCDINIT_THREAD 1079
#define CANT_START_DELIVERY_THREAD 1080
#define GOVERNOR_VALUE_NOT_FOUND 1081
#define SERVER_MISMATCH 1082
#define DATABASE_MISMATCH 1083
#define USER_MISMATCH 1084
#define PASSWORD_MISMATCH 1085
#define CANT_CREATE_ALL_THREADS_EVENT 1086
#define CANT_CREATE_FORCE_THRED_STRT_EVENT 1087
#define CANT_ALLOCATE_THREAD_LOCAL_STORAGE 1088
#define CANT_SET_THREAD_LOCAL_STORAGE 1089
#define FORCE_CONNECT_THREAD_FAILED 1090
#define CANT_FIND_SERVER_VALUE 1091
#define NO_MESSAGE 1092
#define CANT_FIND_PATH_VALUE 1093
#define CANNOT_CREATE_RESULTS_FILE 1094
#define DELIVERY_PIPE_SECURITY 1095
#define DELIVERY_PIPE_CREATE 1096
#define DELIVERY_PIPE_OPEN 1097
#define DELIVERY_PIPE_READ 1098
#define DELIVERY_PIPE_DISCONNECT 1099
```

```

#define CANT_FIND_DATABASE_VALUE 1100
#define CANT_FIND_USER_VALUE 1101
#define CANT_FIND_PASSWORD_VALUE 1102
#define DELIVERY_OUTPUT_PIPE_WRITE 1103
#define DELIVERY_OUTPUT_PIPE_READ 1104
#define DELIVERY_MISSING_QUEUETIME_KEY 1105
#define DELIVERY_QUEUETIME_INVALID 1106
#define ALREADY_LOGGED_IN 1107
#define INVALID_FORM 1109
#define DELIVERY_MUST_CONNECTDB 1110
#define INVALID_FORM_AND_CMD_NOT_BEGIN 1111
#define MAX_CONNECTIONS_EXCEEDED 1112
#define CANNOT_FIND_CONNECTION 1113
#define CKPT_NOT_INITIALIZED 1114
#define PAYMENT_MISSING_CID_CLASTNAME 1115
#define CANT_FIND_MAXDBCONNECTIONS_VALUE 1116
#define PAYMENT_CUSTOMER_RANGE 1117

/* OCI return status */

#define DB_RETURN_OCI_SUCCESS 1118
#define DB_RETURN_OCI_SUCCESS_WITH_INFO 1119
#define DB_RETURN_OCI_NEED_DATA 1120
#define DB_RETURN_OCI_NO_DATA 1121
#define DB_RETURN_OCI_ERROR 1122
#define DB_RETURN_OCI_INVALID_HANDLE 1123
#define DB_RETURN_OCI_STILL_EXECUTING 1124
#define DB_RETURN_OCI_CONTINUE 1125

struct T_error_message
{
    int error_code;
    char error_mesg[80];
};

typedef struct T_error_message T_error_message;

T_error_message error_message [] =
{
    { SUCCESS, "Success, no error." },
    { NO_MESSAGE, "No message string available for the specified error code." },
    { COMMAND_UNDEFINED, "Command undefined." },
    { NOT_IMPLEMENTED_YET, "Not Implemented Yet." },
    { CANNOT_INIT_TERMINAL, "Cannot initialize client connection." },
    { OUT_OF_MEMORY, "Insufficient memory." },
    { NEW_ORDER_NOT_PROCESSED, "Cannot process new Order form." },
    { PAYMENT_NOT_PROCESSED, "Cannot process payment form." },
    { NO_SERVER_SPECIFIED, "No Server name specified." },
    { ORDER_STATUS_NOT_PROCESSED, "Cannot process order status form." },
    { W_ID_INVALID, "Invalid Warehouse ID." },
    { CAN_NOT_SET_MAX_CONNECTIONS, "Insufficient memory to allocate # connections." },
    { D_ID_INVALID, "Invalid District ID Must be 1 to 10." },
    { MAX_CONNECT_PARAM, "Max client connections exceeded, run install to increase." },
    { INVALID_SYNC_CONNECTION, "Invalid Terminal Sync ID." },
    { INVALID_TERMID, "Invalid Terminal ID." },
    { PAYMENT_INVALID_CUSTOMER, "Payment Form, No such Customer." },
    { SQL_OPEN_CONNECTION, "SQLOpenConnection API Failed." },
    { STOCKLEVEL_MISSING_THRESHOLD_KEY, "Stock Level missing Threshold key \\"TT*\\." },
    { STOCKLEVEL_THRESHOLD_INVALID, "Stock Level Threshold invalid data type range = 1 - 99." },
    { STOCKLEVEL_THRESHOLD_RANGE, "Stock Level Threshold out of range, range must be 1 - 99." },
    { STOCKLEVEL_NOT_PROCESSED, "Stock Level not processed." },
}

```

```

{ NEWORDER_MISSING_DID, "New Order missing District key \\"DID*\\." },
{ NEWORDER_DISTRICT_INVALID, "New Order District ID Invalid range 1 - 10." },
{ NEWORDER_DISTRICT_RANGE, "New Order District ID out of Range. Range = 1 - 10." },
{ NEWORDER_CUSTOMER_KEY, "New Order missing Customer key \\"CID*\\." },
{ NEWORDER_CUSTOMER_INVALID, "New Order customer id invalid data type, range = 1 to 3000." },
{ NEWORDER_CUSTOMER_RANGE, "New Order customer id out of range, range = 1 to 3000." },
{ NEWORDER_MISSING_IID_KEY, "New Order missing Item Id key \\"IID*\\." },
{ NEWORDER_ITEM_BLANK_LINES, "New Order blank order lines all orders must be continuous." },
{ NEWORDER_ITEMID_INVALID, "New Order Item Id is wrong data type, must be numeric." },
{ NEWORDER_MISSING_SUPPW_KEY, "New Order missing Supp_W key \\"SP##*\\." },
{ NEWORDER_SUPPW_INVALID, "New Order Supp_W invalid data type must be numeric." },
{ NEWORDER_MISSING_QTY_KEY, "New Order Missing Qty key \\"Qty##*\\." },
{ NEWORDER_QTY_INVALID, "New Order Qty invalid must be numeric range 1 - 99." },
{ NEWORDER_SUPPW_RANGE, "New Order Supp_W value out of range range = 1 - Max Warehouses." },
{ NEWORDER_ITEMID_RANGE, "New Order Item Id is out of range. Range = 1 to 999999." },
{ NEWORDER_QTY_RANGE, "New Order Qty is out of range. Range = 1 to 99." },
{ PAYMENT_DISTRICT_INVALID, "Payment District ID is invalid must be 1 - 10." },
{ NEWORDER_SUPPW_WITHOUT_ITEMID, "New Order Supp_W field entered without a corrisponding Item_Id." },
{ NEWORDER_QTY_WITHOUT_ITEMID, "New Order Qty entered without a corrisponding Item_Id." },
{ NEWORDER_NOITEMS_ENTERED, "New Order Blank Items between items, items must be continuous." },
{ PAYMENT_MISSING_DID_KEY, "Payment missing District Key \\"DID*\\." },
{ PAYMENT_DISTRICT_RANGE, "Payment District Out of range, range = 1 - 10." },
{ PAYMENT_MISSING_CID_KEY, "Payment missing Customer Key \\"CID*\\." },
{ PAYMENT_CUSTOMER_INVALID, "Payment Customer data type invalid, must be numeric." },
{ PAYMENT_MISSING_CLASTNAME, "Payment missing Customer Last Name Key \\"CLASTNAME*\\." },
{ PAYMENT_MISSING_CID_CLASTNAME, "Payment entered without Customer ID or last Name." },
{ PAYMENT_LAST_NAME_TO_LONG, "Payment Customer last name longer than 16 characters." },
{ PAYMENT_CUSTOMER_RANGE, "Payment Customer ID out of range, must be 1 to 3000." },
{ PAYMENT_CID_AND_CLASTNAME, "Payment Customer ID and Last Name entered must be one or other." },
{ PAYMENT_MISSING_CDI_KEY, "Payment missing Customer district key \\"CDI*\\." },
{ PAYMENT_CDI_INVALID, "Payment Customer district invalid must be numeric." },
{ PAYMENT_CDI_RANGE, "Payment Customer district out of range must be 1 - 10." },
{ PAYMENT_MISSING_CWL_KEY, "Payment missing Customer Warehouse key \\"CWI*\\." },
{ PAYMENT_CWL_INVALID, "Payment Customer Warehouse invalid must be numeric." },
{ PAYMENT_CWL_RANGE, "Payment Customer Warehouse out of range, 1 to Max Warehouses." },
}

```

```

{ PAYMENT_MISSING_HAM_KEY, "Payment missing Amount key \"HAM*\"." },
{ PAYMENT_HAM_INVALID, "Payment Amount invalid data type must be numeric." },
{ PAYMENT_HAM_RANGE, "Payment Amount out of range, 0 - 9999.99." },
{ ORDERSTATUS_MISSING_DID_KEY, "Order Status missing District key \"DID*\"." },
{ ORDERSTATUS_DID_INVALID, "Order Status District invalid, value must be numeric 1 - 10." },
{ ORDERSTATUS_DID_RANGE, "Order Status District out of range must be 1 - 10." },
{ ORDERSTATUS_MISSING_CID_KEY, "Order Status missing Customer key \"CID*\"." },
{ ORDERSTATUS_MISSING_CLASTNAME_KEY, "Order Status missing Customer Last Name key \"CLASTNAME*\"." },
{ ORDERSTATUS_CLASTNAME_RANGE, "Order Status Customer last name longer than 16 characters." },
{ ORDERSTATUS_CID_INVALID, "Order Status Customer ID invalid, range must be numeric 1 - 3000." },
{ ORDERSTATUS_CID_RANGE, "Order Status Customer ID out of range must be 1 - 3000." },
{ ORDERSTATUS_CID_AND_CLASTNAME, "Order Status Customer ID and LastName entered must be only one." },
{ DELIVERY_MISSING_OCD_KEY, "Delivery missing Carrier ID key \"OCD*\"." },
{ DELIVERY_CARRIER_INVALID, "Delivery Carrier ID invalid must be numeric 1 - 10." },
{ DELIVERY_CARRIER_ID_RANGE, "Delivery Carrier ID out of range must be 1 - 10." },
{ PAYMENT_MISSING_CLASTNAME_KEY, "Payment missing Customer Last Name key \"CLASTNAME*\"." },
{ DB_ERROR, "A Database error has occurred." },
{ DB_TUXEDO_TPALLOC_ERROR, "Tuxedo call tpalloc has failed." },
{ DB_TUXEDO_TPCALL_ERROR, "Tuxedo call tpcall has failed." },
{ DELIVERY_NOT_PROCESSED, "Delivery not processed." },
{ DB_DELIVERY_NOT_QUEUED, "Delivery not queued." },
{ CANT_FIND_TPCC_KEY, "TPCC key not found in registry." },
{ CANT_FIND_INETINFO_KEY, "inetinfo key not found in registry." },
{ CANT_FIND_POOLTHREADLIMIT, "PoolThreadLimit value not set in inetinfo\Parameters key." },
{ TERM_ALLOCATE_FAILED, "Failed to allocate terminal data structure." },
{ DELIVERY_PIPE_SECURITY, "Failed to initialize delivery pipe security." },
{ DELIVERY_PIPE_CREATE, "Failed to create delivery pipe." },
{ DELIVERY_PIPE_OPEN, "Failed to open delivery pipe." },
{ DELIVERY_PIPE_READ, "Failed to read delivery pipe." },
{ DELIVERY_PIPE_DISCONNECT, "Failed to start delivery pipe disconnect thread." },
{ PENDING, "Transaction pending." },
{ CANT_START_FRCDINIT_THREAD, "Can't start Forced Initialization thread." },
{ CANT_START_DELIVERY_THREAD, "Can't start delivery thread." },
{ GOVERNOR_VALUE_NOT_FOUND, "Governor value not found in Registry." },
{ SERVER_MISMATCH, "Server does not match registry value." },
{ DATABASE_MISMATCH, "Database name does not match registry value." },
{ USER_MISMATCH, "User name does not match registry value." },
{ PASSWORD_MISMATCH, "Password does not match registry value." },
{ CANT_CREATE_ALL_THREADS_EVENT, "Can't create All Threads Event." },
{ CANT_CREATE_FORCE_THRED_STRT_EVENT, "Can't create Force Thread Start Event." },
{ CANT_ALLOCATE_THREAD_LOCAL_STORAGE, "Can't allocate thread local storage" },

```

```

{ CANT_SET_THREAD_LOCAL_STORAGE, "Can't set thread local storage." },
{ FORCE_CONNECT_THREAD_FAILED, "At least one database connect call failed, check log files for specific error." },
{ CANT_FIND_SERVER_VALUE, "Server value not set in TPCC key." },
{ CANT_FIND_PATH_VALUE, "PATH value not set in TPCC key." },
{ CANNOT_CREATE_RESULTS_FILE, "Cannot create results file." },
{ CANT_FIND_DATABASE_VALUE, "Database value not set in TPCC key." },
{ CANT_FIND_USER_VALUE, "User value not set in TPCC key." },
{ CANT_FIND_PASSWORD_VALUE, "Password value not set in TPCC key." },
{ DELIVERY_OUTPUT_PIPE_WRITE, "Failed to write output delivery pipe." },
{ DELIVERY_OUTPUT_PIPE_READ, "Failed to read output delivery pipe." },
{ DELIVERY_MISSING_QUEUEETIME_KEY, "Delivery queue time missing from query." },
{ DELIVERY_QUEUEETIME_INVALID, "Delivery queue time is invalid." },
{ ALREADY_LOGGED_IN, "TPCCConnectDB has already been called." },
{ DB_NOT_LOGGED_IN, "TPCCConnectDB has not yet been called." },
{ INVALID_FORM, "The FORM field is missing or invalid." },
{ DELIVERY_MUST_CONNECTDB, "Synchronous transport requires delivery server connect to database." },
{ INVALID_FORM_AND_CMD_NOT_BEGIN, "The FORM field is missing and CMD is not Begin." },
{ MAX_CONNECTIONS_EXCEEDED, "The maximum number of connections has been exceeded." },
{ CANT_FIND_MAXDBCONNECTIONS_VALUE, "MaxDBConnections value not set in TPCC key." },
{ CANNOT_FIND_CONNECTION, "Transport layer unable to find a DbContext corresponding to the CallersContext." },
{ CKPT_NOT_INITIALIZED, "The checkpoint subsystem has not been started." },
{ DB_RETURN OCI_SUCCESS, "OCI SUCCESS" },
{ DB_RETURN OCI_SUCCESS_WITH_INFO, "OCI SUCCESS WITH INFO" },
{ DB_RETURN OCI_NEED_DATA, "OCI NEED DATA" },
{ DB_RETURN OCI_NO_DATA, "OCI NO DATA" },
{ DB_RETURN OCI_ERROR, "OCI ERROR" },
{ DB_RETURN OCI_INVALID_HANDLE, "OCI INVALID HANDLE" },
{ DB_RETURN OCI_STILL_EXECUTING, "OCI STILL EXECUTING" },
{ DB_RETURN OCI_CONTINUE, "OCI CONTINUE" },
{ 0, "" }
};

-----  

mod_tpcc.h  

-----  

/* Copyright (c) 2004, Oracle Corporation. All rights reserved. */  

*  

NAME  

mod_tpcc.h - <one-line expansion of the name>  

DESCRIPTION  

<short description of facility this file declares/defines>  

RELATED DOCUMENTS  

<note any documents related to this facility>  

EXPORT FUNCTION(S)

```

<external functions declared for use outside package - one-line descriptions>

INTERNAL FUNCTION(S)

<other external functions declared - one-line descriptions>

EXAMPLES

NOTES

<other useful comments, qualifications, etc.>

MODIFIED (MM/DD/YY)

xnie 01/30/04 - the real mod_tpcc.h
shuang 01/22/04 - shuang_rte
shuang 01/21/04 - Creation

*/

#include <httpext.h>

```
#define CMD_PROCESS(p)    (p[0] == 'P') && (p[1] == 'r')
#define CMD_NEWORDER(p)   (p[0] == 'N')
#define CMD_PAYMENT(p)    (p[0] == 'P') && (p[1] == 'a')
#define CMD_DELIVERY(p)   (p[0] == 'D')
#define CMD_ORDERSTATUS(p) (p[0] == 'O')
#define CMD_STOCKLEVEL(p) (p[0] == 'S')
#define CMD_EXIT(p)        (p[0] == 'E')
#define CMD_MENU(p)        (p[0] == 'M')
#define CMD_BEGIN(p)       (p[0] == 'B')

#define TXN_TYPE_DELIVERY 0
#define TXN_TYPE_STOCKLEVEL 1
#define TXN_TYPE_NEWORDER 2
#define TXN_TYPE_ORDERSTATUS 3
#define TXN_TYPE_PAYMENT 4
#define TXN_TYPE_MAX 5

#define POOL_TYPE_TXN_INPUT 0
#define POOL_TYPE_TXN_OUTPUT 1
#define POOL_TYPE_TXN_MAX 2

#define MAX_FORM_INDEX 164
#define BUF_SIZE 4096
#define FILENAMESIZE 128
#define MYLOGFILE "/tmp/mod_tpcc.log"
#define WDID(w_id,d_id) (10 * w_id + (d_id - 1))

#define MAX(a, b) ((a > b) ? a : b)
#define MIN(a, b) ((a > b) ? b : a)
#define STRING_UPPERCASE(x) \
{ \
    int str_pos; \
    int len = strlen(x); \
    for (str_pos=0; str_pos < len; str_pos++) \
        x[str_pos] = toupper(x[str_pos]); \
}

struct value_index_entry
{
    char *value;
    int length;
};

typedef struct value_index_entry value_index_entry;

struct form_index_entry
{
    int index;
    int length;
};

typedef struct form_index_entry form_index_entry;
```

```
struct form_template_pool
{
    CRITICAL_SECTION form_template_spinlock;
    /* mutex for serialization */
    int form_template_length;           /* Length of each form */
    int form_template_size;            /* Number of form in the pool */
    char *form_template_storage;       /* The space allocated for the whole pool */
    int free_slot;
    int *free_list;
};

typedef struct form_template_pool form_template_pool;

//static int tpcc_handler(request_rec *r);
//static int tpcc_post_config(apr_pool_t *p, apr_pool_t *pl,
//                           apr_pool_t *pt, server_rec *s);
//static void tpcc_child_init(apr_pool_t *p, server_rec *s);
//static void tpcc_register_hooks(apr_pool_t *p);

void allocate_response_pool();
void allocate_transaction_pool();
void allocate_template_pool();

int sendform_mainmenu(EXTENSION_CONTROL_BLOCK *pECB, int
w_id, int ld_id);
int sendform_welcome(EXTENSION_CONTROL_BLOCK *, char *);
int sendform_neworderinput(EXTENSION_CONTROL_BLOCK *pECB,
int w_id, int ld_id);
int sendform_paymentinput(EXTENSION_CONTROL_BLOCK *pECB,
int w_id, int ld_id);
int sendform_orderstatusinput(EXTENSION_CONTROL_BLOCK
*pECB, int w_id, int ld_id);
int sendform_deliveryinput(EXTENSION_CONTROL_BLOCK *pECB,
int w_id, int ld_id);
int sendform_stocklevelinput(EXTENSION_CONTROL_BLOCK *pECB,
int w_id, int ld_id);

int mod_neworder_query(EXTENSION_CONTROL_BLOCK *pECB, int
w_id, int ld_id, char *ptr);
int mod_delivery_query(EXTENSION_CONTROL_BLOCK *pECB, int
w_id, int ld_id, char *ptr);
int mod_payment_query(EXTENSION_CONTROL_BLOCK *pECB, int
w_id, int ld_id, char *ptr);
int mod_orderstatus_query(EXTENSION_CONTROL_BLOCK *pECB,
int w_id, int ld_id, char *ptr);
int mod_stocklevel_query(EXTENSION_CONTROL_BLOCK *pECB, int
w_id, int ld_id, char *ptr);
int process_query(EXTENSION_CONTROL_BLOCK *);
int mod_begin_cmd(EXTENSION_CONTROL_BLOCK *);
int mod_menu_cmd(EXTENSION_CONTROL_BLOCK *, int, int);
int mod_exit_cmd(EXTENSION_CONTROL_BLOCK *);
int send_error_message(EXTENSION_CONTROL_BLOCK *, int, int,char
*,int,int,void *);

int get_wid_did(char *iptr, int *wid, int *did, char **optr);
int getcharvalue(char *iptr, char key, char **optr);
char *allocate_form(form_template_pool *pool, int *index);
char *allocate_form_new(form_template_pool *pool, int index);
void free_form(form_template_pool *pool, char *form_template, int
index);
void make_txn_form_template(char *, char *, char *, char *, int);
int build_form_index(char *form, char *form_template, form_index_entry
*f_index, int length);
int send_response(EXTENSION_CONTROL_BLOCK *, char *, int);
void fill_number(char *form, int value, int index, int length);
void fill_double(char *form, double value, int index, int length);
void fill_string(char *form, char *string, int index, int length, int *shift);
void adjust_form(char *form, int *indexes, int *length, int size, int formlen,
int totalshift);
```

```

int get_number(char *ptr, int *value);
int parse_query_string(char *iptr, int max_cnt, char *txn_chars,
value_index_entry *txn_vals);

#define mod_neworder_cmd(rec, w_id, ld_id)
sendform_neworderinput(rec, w_id, ld_id)
#define mod_delivery_cmd(rec, w_id, ld_id)
sendform_deliveryinput(rec, w_id, ld_id)
#define mod_payment_cmd(rec, w_id, ld_id)
sendform_paymentinput(rec, w_id, ld_id)
#define mod_orderstatus_cmd(rec, w_id, ld_id)
sendform_orderstatusinput(rec, w_id, ld_id)
#define mod_stocklevel_cmd(rec, w_id, ld_id)
sendform_stocklevelinput(rec, w_id, ld_id)

/*
-----*
The following defines the form layout of the different screens (forms).

NAME=1 - Command.

VALUE = NewOrder - neworder bring out new order input form
Delivery - delivery bring out delivery input form
OrderStatus - order status bring out order status input form
Payment - payment bring out payment input form
StockLevel - stock level bring out stock level input form
Menu - display main menu
Process - perform the specified transaction after providing input
Begin - send wid and did

NAME=2 - Form Type.

VALUE = d,n,p,s,o [D,N,P,S,O] output/input. Plus terminal ID.
= W logon
= M main menu

Delivery
3 - district number.

Order Status
3 - district number.
4 - customer id.
5 - customer last name.

Payment
3 - district number.
4 - customer id.
5 - customer warehouse.
6 - customer district.
7 - name
8 - amount paid

Stock Level
3 - stock level threshold

New Order
3 - district number.
4 - customer number.

*/

```

```

#define TRANSACTION_MENU \
"<HR>" \
"<INPUT TYPE=submit NAME=0 VALUE=NewOrder>" \
"<INPUT TYPE=submit NAME=0 VALUE=Payment>" \
"<INPUT TYPE=submit NAME=0 VALUE=Delivery>" \
"<INPUT TYPE=submit NAME=0 VALUE=StockLevel>" \
"<INPUT TYPE=submit NAME=0 VALUE=OrderStatus>" \
"<INPUT TYPE=submit NAME=0 VALUE=Exit>"

```

```

/* static char WelcomeForm [] =
"<BODY><FORM ACTION=%s METHOD=GET>" \
"<INPUT TYPE=hidden NAME=2 VALUE=B000>" \
"%s. Please provide your warehouse ID and district ID.<BR>" \
"Warehouse ID <INPUT NAME=3 SIZE=7><BR>" \
"District ID <INPUT NAME=4 SIZE=2><BR>" \
"<HR>" \
"<INPUT TYPE=submit NAME=1 VALUE=Begin>" \
"</FORM></BODY>"; */
static char WelcomeForm [] =
"<BODY><FORM ACTION=%s METHOD=GET>" \
"<INPUT TYPE=hidden NAME=3 VALUE=W000>" \
"%s. Please provide your warehouse ID and district ID.<BR>" \
"Warehouse ID <INPUT NAME=4 SIZE=7><BR>" \
"District ID <INPUT NAME=5 SIZE=2><BR>" \
"<HR>" \
"<INPUT TYPE=submit NAME=0 VALUE=Begin>" \
"</FORM></BODY>";

static char FormHeader [] =
"<BODY><FORM ACTION=%s METHOD=GET>";

#define FORM_BEGIN "<BODY><FORM ACTION=%s
METHOD=GET>" \
#define FORM_END " </FORM></BODY>" \
#define FORM_SUBMIT "<INPUT TYPE=submit NAME=0
VALUE=Process>" \
#define FORM_MENU "<INPUT TYPE=submit NAME=0
VALUE=Menu>"

static char MainForm [] =
FORM_BEGIN
"<INPUT TYPE=hidden NAME=3 VALUE=M%07d>" \
"%60s<BR>" \
"Please Select the Next Transaction.<BR>" \
TRANSACTION_MENU
FORM_END;

static char ErrorForm [] =
FORM_BEGIN
"<INPUT TYPE=hidden NAME=3 VALUE=e%06d>" \
"Error: %d %d %40s %s<BR>" \
TRANSACTION_MENU
FORM_END;

/*
static char ErrorForm [] =
FORM_BEGIN
"<INPUT TYPE=hidden NAME=3 VALUE=e%06d>" \
"Error: %d (%s): %s<BR>" \
TRANSACTION_MENU
FORM_END;
*/
#define DE_EXTRA_ID 0
#define DE_INPUT_DID DE_EXTRA_ID + 1
#define DE_INPUT_QTIME DE_INPUT_DID + 1
#define DE_INPUT_MAX DE_INPUT_QTIME + 1

#define OS_INPUT_DID 0
#define OS_INPUT_CID OS_INPUT_DID + 1
#define OS_INPUT_NAME OS_INPUT_CID + 1
#define OS_INPUT_MAX OS_INPUT_NAME + 1

#define PA_INPUT_DID 0
#define PA_INPUT_CID PA_INPUT_DID + 1
#define PA_INPUT_CWID PA_INPUT_CID + 1
#define PA_INPUT_CDID PA_INPUT_CWID + 1
#define PA_INPUT_NAME PA_INPUT_CDID + 1
#define PA_INPUT_AMT PA_INPUT_NAME + 1

```

```

#define PA_INPUT_MAX          PA_INPUT_AMT + 1

#define SL_INPUT_THRESHOLD   0
#define SL_INPUT_MAX         SL_INPUT_THRESHOLD + 1

#define NO_INPUT_DID          0
#define NO_INPUT_CID        NO_INPUT_DID + 1
#define NO_INPUT_SPW00      NO_INPUT_CID + 1
#define NO_INPUT_IID00      NO_INPUT_SPW00 + 1
#define NO_INPUT_QTY00      NO_INPUT_IID00 + 1
#define NO_INPUT_SPW01      NO_INPUT_QTY00 + 1
#define NO_INPUT_IID01      NO_INPUT_SPW01 + 1
#define NO_INPUT_QTY01      NO_INPUT_IID01 + 1
#define NO_INPUT_SPW02      NO_INPUT_QTY01 + 1
#define NO_INPUT_IID02      NO_INPUT_SPW02 + 1
#define NO_INPUT_QTY02      NO_INPUT_IID02 + 1
#define NO_INPUT_SPW03      NO_INPUT_QTY02 + 1
#define NO_INPUT_IID03      NO_INPUT_SPW03 + 1
#define NO_INPUT_QTY03      NO_INPUT_IID03 + 1
#define NO_INPUT_SPW04      NO_INPUT_QTY03 + 1
#define NO_INPUT_IID04      NO_INPUT_SPW04 + 1
#define NO_INPUT_QTY04      NO_INPUT_IID04 + 1
#define NO_INPUT_SPW05      NO_INPUT_QTY04 + 1
#define NO_INPUT_IID05      NO_INPUT_SPW05 + 1
#define NO_INPUT_QTY05      NO_INPUT_IID05 + 1
#define NO_INPUT_SPW06      NO_INPUT_QTY05 + 1
#define NO_INPUT_IID06      NO_INPUT_SPW06 + 1
#define NO_INPUT_QTY06      NO_INPUT_IID06 + 1
#define NO_INPUT_SPW07      NO_INPUT_QTY06 + 1
#define NO_INPUT_IID07      NO_INPUT_SPW07 + 1
#define NO_INPUT_QTY07      NO_INPUT_IID07 + 1
#define NO_INPUT_SPW08      NO_INPUT_QTY07 + 1
#define NO_INPUT_IID08      NO_INPUT_SPW08 + 1
#define NO_INPUT_QTY08      NO_INPUT_IID08 + 1
#define NO_INPUT_SPW09      NO_INPUT_QTY08 + 1
#define NO_INPUT_IID09      NO_INPUT_SPW09 + 1
#define NO_INPUT_QTY09      NO_INPUT_IID09 + 1
#define NO_INPUT_SPW10      NO_INPUT_QTY09 + 1
#define NO_INPUT_IID10      NO_INPUT_SPW10 + 1
#define NO_INPUT_QTY10      NO_INPUT_IID10 + 1
#define NO_INPUT_SPW11      NO_INPUT_QTY10 + 1
#define NO_INPUT_IID11      NO_INPUT_SPW11 + 1
#define NO_INPUT_QTY11      NO_INPUT_IID11 + 1
#define NO_INPUT_SPW12      NO_INPUT_QTY11 + 1
#define NO_INPUT_IID12      NO_INPUT_SPW12 + 1
#define NO_INPUT_QTY12      NO_INPUT_IID12 + 1
#define NO_INPUT_SPW13      NO_INPUT_QTY12 + 1
#define NO_INPUT_IID13      NO_INPUT_SPW13 + 1
#define NO_INPUT_QTY13      NO_INPUT_IID13 + 1
#define NO_INPUT_SPW14      NO_INPUT_QTY13 + 1
#define NO_INPUT_IID14      NO_INPUT_SPW14 + 1
#define NO_INPUT_QTY14      NO_INPUT_IID14 + 1
#define NO_INPUT_MAX         NO_INPUT_QTY14 + 1

#define DE_TERMID            0
#define DE_WID              DE_TERMID+1
#define DE_CARID            DE_WID+1
#define DE_FORMINDEX_SIZE    DE_CARID+1

```

```

static char DeliveryFormInput_Template [] =
"<INPUT TYPE=hidden NAME=3 VALUE=D#####>" 
"<INPUT TYPE=hidden NAME=6 VALUE=0>" 
"<PRE>                               Delivery <BR>" 
"Warehouse: ##### <BR><BR>" 
"Carrier Number: <INPUT NAME=7 SIZE=2><BR><BR>" 
"Execution Status: <BR></PRE>" 
FORM_MENU
FORM_SUBMIT
FORM_END;

```

```

#define PA_INPUT_TERMID          0
#define PA_INPUT_WID             PA_TERMID+1
#define PA_INPUT_FORMINDEX_SIZE  PA_INPUT_WID+1

#define PA_TERMID                0
#define PA_DATE                  PA_TERMID+1
#define PA_WID                   PA_DATE+1
#define PA_DID                   PA_WID+1
#define PA_WST1                  PA_DID+1
#define PA_DST1                  PA_WST1+1
#define PA_WST2                  PA_DST1+1
#define PA_DST2                  PA_WST2+1
#define PA_WCITY                 PA_DST2+1
#define PA_WSTATE                PA_WCITY+1
#define PA_WZIP                  PA_WSTATE+1
#define PA_DCITY                 PA_WZIP+1
#define PA_DSTATE                PA_DCITY+1
#define PA_DZIP                  PA_DSTATE+1
#define PA_CID                   PA_DZIP+1
#define PA_CWARE                 PA_CID+1
#define PA_CDIST                 PA_CWARE+1
#define PA_CFIRST                PA_CDIST+1
#define PA_CMIDDLE               PA_CFIRST+1
#define PA_CLAST                 PA_CMIDDLE+1
#define PA_SINCE                 PA_CLAST+1
#define PA_CST1                  PA_SINCE+1
#define PA_CREDIT                PA_CST1+1
#define PA_CST2                  PA_CREDIT+1
#define PA_DISC                  PA_CST2+1
#define PA_CCITY                 PA_DISC+1
#define PA_CSTATE                PA_CCITY+1
#define PA_CZIP                  PA_CSTATE+1
#define PA_CPHONE                PA_CZIP+1
#define PA_AMOUNT                PA_CPHONE+1
#define PA_CBAL                  PA_AMOUNT+1
#define PA_LIMIT                 PA_CBAL+1
#define PA_CUSTDATA              PA_LIMIT+1
#define PA_FORMINDEX_SIZE        PA_CUSTDATA+3+1

```

```

static char PaymentInput_Template [] =
"<INPUT TYPE=hidden NAME=3 VALUE=P#####>" 
"<PRE>                               Payment<BR>" 
"Date: <BR><BR>" 
"Warehouse: ##### District: <INPUT NAME=8
SIZE=2><BR>" 
"<BR><BR><BR><BR>" 
"Customer: <INPUT NAME=9 SIZE=4>" 
"Cust-Warehouse: <INPUT NAME=Z SIZE=7>" 
"Cust-District: <INPUT NAME=v SIZE=2><BR>" 
"Name: <INPUT NAME=Y SIZE=16> Since: <BR>" 
"                                Credit: <BR>" 
"                                Disc: <BR>" 
"                                Phone: <BR><BR>" 
"Amount Paid:      $<INPUT NAME=w SIZE=7> New Cust
Balance: <BR>" 
"Credit limit:<BR><BR>Cust-Data:
<BR><BR><BR><BR></PRE><HR>" 
FORM_MENU
FORM_SUBMIT
FORM_END;

```

```

#####
## #####<BR>" #####
## #####<BR>" #####
"Customer: ##### Cust-Warehouse: ##### Cust-District: ##<BR>" #####
"Name: ##### ###### ##### Since: #####
#####<BR>" #####
" ##### Credit: ##<BR>" #####
" ##### %Disc: #####<BR>" #####
" ##### Phone: #####
#####<BR>" #####
"<BR><BR>" #####
"Amount Paid: ##### New Cust Balance: #####
$#####<BR>" #####
"Credit Limit: #####<BR><BR>" #####
"Cust-Data: #####
#####<BR>" #####
" #####
#####<BR>" #####
" #####
#####<BR>" #####
" #####
#####<BR>" #####
" #####
#####<BR>" #####
"####</PRE>" #####
TRANSACTION_MENU #####
FORM_END; #####
#define SL_TERMID 0 #####
#define SL_WID SL_TERMID+1 #####
#define SL_DID SL_WID+1 #####
#define SL_THRESHOLD SL_DID+1 #####
#define SL_LOWSTOCK SL_THRESHOLD+1 #####
#define SL_FORMINDEXE_SIZE SL_LOWSTOCK #####
static char StockLevelInput_Template [] = #####
"<INPUT TYPE=hidden NAME=3 VALUE=S#####>" #####
"<PRE> Stock-Level<BR>" #####
"Warehouse: ##### District ##<BR><BR>" #####
"Stock Level Threshold: <INPUT NAME=x SIZE=2><BR><BR>" #####
"low stock: <BR><PRE><HR>" #####
FORM_MENU #####
FORM_SUBMIT #####
FORM_END; #####
static char StockLevelOutput_Template [] = #####
"<INPUT TYPE=hidden NAME=3 VALUE=s#####>" #####
"<PRE> Stock Level<BR>" #####
"Warehouse: ##### District ##<BR><BR>" #####
"Stock Level Threshold: ##<BR><BR>" #####
"low stock: ##<BR><PRE><HR>" #####
TRANSACTION_MENU #####
FORM_END; #####
#define NO_TERMID 0 #####
#define NO_WID NO_TERMID+1 #####
#define NO_DID NO_WID+1 #####
#define NO_DATE NO_DID+1 #####
#define NO_CID NO_DATE+1 #####
#define NO_NAME NO_CID+1 #####
#define NO_CREDIT NO_NAME+1 #####
#define NO_DISC NO_CREDIT+1 #####
#define NO_OID NO_DISC+1 #####
#define NO_LINES NO_OID+1 #####
#define NO_WTAX NO_LINES+1 #####
#define NO_DTAX NO_WTAX+1 #####
#define NO_SUPPW NO_DTAX+1 #####
#define NO_ITEMID NO_SUPPW+1 #####
#define NO_INAME NO_ITEMID+1 #####
#define NO_QTY NO_INAME+1 #####
#define NO_STOCK NO_QTY+1 #####
#define NC_BRAND NO_STOCK+1 #####

```

```

#define NO_PRICE          NO_BRAND+1
#define NO_AMOUNT         NO_PRICE+1
#define NO_STATUS         NO_AMOUNT + 14*8 + 1
#define NO_TOTAL          NO_STATUS+1
#define NO_FORMINDEX_SIZE NO_TOTAL+1

static char NewOrderInput_Template [] =
"<INPUT TYPE=hidden NAME=3 VALUE=N#####>" 
"<PRE>                               New Order<BR>" 
"Warehouse: ##### District: <INPUT NAME=8 SIZE=2>" 
"Date:<BR>" 
"Customer: <INPUT NAME=9 size=4> Name:           Credit:" 
"%Disc:<BR>" 
"Order Number:      Number of Lines:      W_tax:" 
D_tax:<BR><BR>" 
" Supp_W Item-Id Item Name        Qty Stock B/G Price" 
Amount<BR>" 
"<INPUT NAME=A SIZE=6> <INPUT NAME=B SIZE=7><INPUT" 
NAME=C SIZE=2><BR>" 
"<INPUT NAME=D SIZE=6> <INPUT NAME=E SIZE=7><INPUT" 
NAME=F SIZE=2><BR>" 
"<INPUT NAME=G SIZE=6> <INPUT NAME=H SIZE=7><INPUT" 
NAME=I SIZE=2><BR>" 
"<INPUT NAME=J SIZE=6> <INPUT NAME=K SIZE=7><INPUT" 
NAME=L SIZE=2><BR>" 
"<INPUT NAME=M SIZE=6> <INPUT NAME=N SIZE=7><INPUT" 
NAME=O SIZE=2><BR>" 
"<INPUT NAME=P SIZE=6> <INPUT NAME=Q SIZE=7><INPUT" 
NAME=R SIZE=2><BR>" 
"<INPUT NAME=S SIZE=6> <INPUT NAME=T SIZE=7><INPUT" 
NAME=U SIZE=2><BR>" 
"<INPUT NAME=V SIZE=6> <INPUT NAME=W SIZE=7><INPUT" 
NAME=X SIZE=2><BR>" 
"<INPUT NAME=a SIZE=6> <INPUT NAME=b SIZE=7><INPUT" 
NAME=c SIZE=2><BR>" 
"<INPUT NAME=d SIZE=6> <INPUT NAME=e SIZE=7><INPUT" 
NAME=f SIZE=2><BR>" 
"<INPUT NAME=g SIZE=6> <INPUT NAME=h SIZE=7><INPUT" 
NAME=i SIZE=2><BR>" 
"<INPUT NAME=j SIZE=6> <INPUT NAME=k SIZE=7><INPUT" 
NAME=l SIZE=2><BR>" 
"<INPUT NAME=m SIZE=6> <INPUT NAME=n SIZE=7><INPUT" 
NAME=o SIZE=2><BR>" 
"<INPUT NAME=p SIZE=6> <INPUT NAME=q SIZE=7><INPUT" 
NAME=r SIZE=2><BR>" 
"<INPUT NAME=s SIZE=6> <INPUT NAME=t SIZE=7><INPUT" 
NAME=u SIZE=2><BR>" 
"Execution Status:                                     Total:<BR></PRE><HR>" 
FORM_MENU
FORM_SUBMIT
FORM_END;

static char NewOrderOutput_Template [] =
"<INPUT TYPE=hidden NAME=3 VALUE=n#####>" 
"<PRE>                               New Order<BR>" 
"Warehouse: ##### District: ##          Date:" 
#####<BR>" 
"Customer: ###### Name: ##### Credit: ## %Disc:" 
#####<BR>" 
"Order Number: ##### Number of Lines: ##      W_tax: #####" 
D_tax: #####<BR>" 
"<BR>" 
" Supp_W Item-Id Item Name        Qty Stock B/G Price" 
Amount<BR>" 
" ##### ##### ##### ##### ##### ##  ##  # " 
##### #####<BR>" 
" ##### ##### ##### ##### ##### ##  ##  # " 
##### #####<BR>" 
" ##### ##### ##### ##### ##### ##  ##  # " 
##### #####<BR>" 
" ##### ##### ##### ##### ##### ##  ##  # " 
##### #####<BR>" 

```

modtree.h

```
#include "..\DBConnection\mod_tpcc.h"
#include "..\DBConnection\tpcc_struct.h"
#include "..\DBConnection\mod_tpcc_error.h"
#include <oratypes.h>
#include <oci.h>
#include <ocidfn.h>
```

```
#define allocate_last_form(form, pool) \
(form)=(char *)((pool)->form_template_storage + \
(Maxterms - 1) * (pool)->form_template_length)
```

```
#define MAXLEN 100
#define Default_DBConnections "20"
#define Default_Maxterms "100"
#define Default_DeliveryQueues "500"
#define Default_DeliveryThreads "50"
#define Default_StartTerm "1"
#define LogName "log\modtpcc.log"
#define InitName "DBInit.ini"
#define DLLName "DBCConnection.dll"
#define mod_name "/tpcc/modtpcc.dll"
```

```

typedef struct _DelQueue_info {
    _DelQueue_info *Next;
    T_delivery_data *pdata;
    HANDLE queue_lock;
} DelQueue_info;
```

```
*****  
*****  
* global functions *  
*****
```

```
*****
**/void userlog (char *, ...);
void readInit(char *, char *, char *);
void allocateMemoryPool();
int initDelQueue();
int deleteDelQueue();
void endDeliveryThread(int);
void initDeliveryThread(void *);
DelQueue_info *DequeueDel();
void EnqueueDel(DelQueue_info *);
void addFreeDelQueue(DelQueue_info *);
DelQueue_info *findFreeDelQueue();

int parse_neworder_query(char *ptr, T_neworder_data *pdata);
int parse_payment_query(char *ptr, T_payment_data *pdata);
int parse_delivery_query(char *ptr, T_delivery_data *pdata);
int parse_orderstatus_query(char *ptr, T_orderstatus_data *pdata);
int parse_stocklevel_query(char *ptr, T_stocklevel_data *pdata);

int sendform_neworderoutput(int status, T_neworder_data *pdata);
int sendform_paymentoutput(int status, T_payment_data *pdata);
int sendform_orderstatusoutput(int status, T_orderstatus_data *pdata);
int sendform_deliveryoutput(int status, T_delivery_data *pdata);
int sendform_stockleveloutput(int status, T_stocklevel_data *pdata);

extern int (FAR * mod_tpcc_neworder)(T_neworder_data *);
extern int (FAR * mod_tpcc_payment)(T_payment_data *);
extern int (FAR * mod_tpcc_delivery)(T_delivery_data *, int);
extern int (FAR * mod_tpcc_orderstatus)(T_orderstatus_data *);
extern int (FAR * mod_tpcc_stocklevel)(T_stocklevel_data *);
extern void (FAR *userlog)(char * str, ...);
extern void (FAR *initDelLog)(int);
extern void (FAR *endDelLog)(int);

/*****
* global variables
*****
*****/
```

DWORD TlsPointer;
 char DllPath[MAXLEN];
 charLogFile[MAXLEN];
 char InitFile[MAXLEN];
 char DllFile[MAXLEN];
 char origin[MAXLEN];
 CRITICAL_SECTION critical_initDelQueue;
 CRITICAL_SECTION critical_memory;
 CRITICAL_SECTION critical_DelQueue_free;
 CRITICAL_SECTION critical_DelQueue_work;
 HANDLE waitAvailableDelQueue;
 HANDLE waitDelWork;
 HANDLE DelThreadRunning;
 HINSTANCE dlinstance;
 int useddel=0;
 int DBConnections;
 int Maxterms;
 int DeliveryQueues;
 int DeliveryThreads;
 int modtpcc_ready=0;
 int memory_ready=0;
 int queue_ready=0;
 int DeliveryThreadstop=0;
 int StartTerm=1;
 DelQueue_info *DelQueue_begin = NULL;
 DelQueue_info *DelQueue_end = NULL;
 DelQueue_info *DelQueue_free = NULL;

```
static form_index_entry
form_index[POOL_TYPE_TXN_MAX][TXN_TYPE_MAX][MAX_FOR
M_INDEX];
static form_template_pool
txnglobal_pool[POOL_TYPE_TXN_MAX][TXN_TYPE_MAX];
static form_template_pool txndata_pool;
static form_template_pool resp_global_pool;

char delivery_chars [] = {'6', '7'};
char orderstatus_chars [] = {'8', '9', 'Y'};
char payment_chars [] = {'8', '9', 'Z', 'V', 'Y', 'W'};
char stocklevel_chars [] = {'x'};
char neworder_chars [] = {'8', '9',
'A', 'B', 'C', 'D', 'E', 'F', 'G', 'H', 'T',
'J', 'K', 'L', 'M', 'N', 'O', 'P', 'Q', 'R',
'S', 'T', 'U', 'V', 'W', 'X', 'a', 'b', 'c',
'd', 'e', 'f', 'g', 'h', 'i', 'j', 'k', 't',
'm', 'n', 'o', 'p', 'q', 'r', 's', 't', 'u'};
```

```
-----  

StdAfx.cpp  

-----  

// stdafx.cpp : source file that includes just the standard includes
//           DBConnection.pch will be the pre-compiled header
//           stdafx.obj will contain the pre-compiled type information
#include "stdafx.h"

// TODO: reference any additional headers you need in STDAFX.H
// and not in this file
```

```
-----  

StdAfx.h  

-----  

// stdafx.h : include file for standard system include files,
// or project specific include files that are used frequently, but
// are changed infrequently
//

#ifndef AFX_STDAFX_H__FBB80AB0_1068_4095_8E53_EEA38B5C
#define AFX_STDAFX_H__FBB80AB0_1068_4095_8E53_EEA38B5CF47B__I
NCLUDED_

#if _MSC_VER > 1000
#pragma once
#endif // _MSC_VER > 1000

// Insert your headers here
#define WIN32_LEAN_AND_MEAN // Exclude rarely-
used stuff from Windows headers

#include <windows.h>
#include <stdio.h>
#include <stdlib.h>
#include <atbase.h>
#include <iob.h>
#include <time.h>
#include <process.h>
#include <sys/stat.h>
```

```

// TODO: reference additional headers your program requires here

//{{AFX_INSERT_LOCATION}}
// Microsoft Visual C++ will insert additional declarations immediately
// before the previous line.

#endif //
!defined(AFX_STDAFX_H__FBB80AB0_1068_4095_8E53_EEA38B5C
F47B__INCLUDED_)
```

```

-----  
tpccflags.h  
-----  
/#define USE_IEEE_NUMBER
```

```

-----  
tpccpl.h  
-----  
#ifndef TPCCPL_H  
#define TPCCPL_H
```

```

//#include "tpcc.h"

#include <oratypes.h>
#include <oci.h>
#include <ocidfn.h>
#include <time.h>
#include <iomanip>
#include "tpccflags.h"

#ifndef TUX
#define DELRT 5.0
#else
#define DELRT 80.0
#endif

#ifndef DISCARD
#define DISCARD (void)
#endif

#ifndef sword
#define sword int
#endif

#define VER7      2

#define NA       -1 /* ANSI SQL NULL */
#define NLT      1 /* length for string null terminator */
#define DEADLOCK 60 /* ORA-00060: deadlock */
#define NO_DATA_FOUND 1403 /* ORA-01403: no data found */
#define NOT_SERIALIZABLE 8177 /* ORA-08177: transaction not
serializable */
#define SNAPSHOT_TOO_OLD 1555 /* ORA-01555: snapshot too old */

/* Error codes */

#define RECOVERR -10
#define IRRECERR -20
#define NOERR   111
#define DEL_ERROR -666
#define DEL_DATE_LEN 7
#define NDISTS 10
#define NITEMS 15
#define SQL_BUF_SIZE 8192
```

```

#define FULLDATE "dd-mm-yyyy.hh24:mi:ss"
#define SHORDATE "dd-mm-yyyy"

#ifndef NULLP
#define NULLP(x) ((x *)NULL)
#endif /* NULLP */

#define ADR(object) ((ub1 *)&(object))
#define SIZ(object) ((sword)sizeof(object))

typedef char date[24+NLT];
typedef char varchar2;

#define OCIERROR(errp,function)\n
    ocierror(__FILE__,__LINE__,(errp),(function));\n\n

#define OCIBND(stmp,bndp,errp,sqlvar,progv,progvl,ftype)\\
    ocierror(__FILE__,__LINE__,(errp),\\
    OCIBHandleAlloc((stmp),(dvoid**)(&(bndp)),OCI_HTYPE_BIND,0,(dvoid*\\
*)0));\\
    ocierror(__FILE__,__LINE__,(errp),\\
    OCIBindByName((stmp),&(bndp),(errp),\\
        (text *)(&sqlvar),strlen(&sqlvar)),\\
        (progv),(progvl),\\
        (ftype),0,0,0,0,OCI_DEFAULT));\\

#define OCIBNDRA(stmp,bndp,errp,sqlvar,progv,progvl,ftype,indp,alen,arcde)\\
    ocierror(__FILE__,__LINE__,(errp),\\
    OCIBHandleAlloc((stmp),(dvoid**)(&(bndp)),OCI_HTYPE_BIND,0,(dvoid*\\
*)0));\\
    ocierror(__FILE__,__LINE__,(errp),\\
    OCIBindByName((stmp),&(bndp),(errp),(text\\
*)(&sqlvar),strlen(&sqlvar)),\\
        (progv),(progvl),(ftype),(indp),(alen),(arcde),0,0,OCI_DEFAULT));\\
#define OCIBNDRAD(stmp,bndp,errp,sqlvar,progv,progvl,ftype,indp,ctxp,cbf_nodata,cb\\
f_data)\\
    ocierror(__FILE__,__LINE__,(errp),\\
    OCIBHandleAlloc((stmp),(dvoid**)(&(bndp)),OCI_HTYPE_BIND,0,(dvoid*\\
*)0));\\
    ocierror(__FILE__,__LINE__,(errp),\\
    OCIBindByName((stmp),&(bndp),(errp),(text *)(&sqlvar),\\
        strlen(&sqlvar),0,(progv),(ftype),\\
        indp,0,0,0,0,OCI_DATA_AT_EXEC));\\
    ocierror(__FILE__,__LINE__,(errp),\\
    OCIBindDynamic((bndp),(errp),(ctxp),(cbf_nodata),(ctxp),(cbf_data)));\\

#define OCIBNDR(stmp,bndp,errp,sqlvar,progv,progvl,ftype,indp,alen,arcde)\\
    ocierror(__FILE__,__LINE__,(errp),\\
    OCIBHandleAlloc((stmp),(dvoid**)(&(bndp)),OCI_HTYPE_BIND,0,(dvoid*\\
*)0));\\
    ocierror(__FILE__,__LINE__,(errp),\\
    OCIBindByName((stmp),&(bndp),(errp),(text\\
*)(&sqlvar),strlen(&sqlvar)),\\
        (progv),(progvl),(ftype),(indp),(alen),(arcde),0,0,OCI_DEFAULT));\\
```

```

#define OCIBNDRAA(stmp,bndp,errp,sqlvar,progv,progvl,ftype,in dp,alen,arcode,ms, cu) \
    ocierror(__FILE__, __LINE__, (errp), \
    OCIHandleAlloc((stmp),&(bndp),OCI_HTYPE_BIND,0,(dvoid**)0)); \
    ocierror(__FILE__, __LINE__, (errp), \
    OCIBindByName((stmp),&(bndp),(errp),(text \
    *) (sqlvar),strlen((sqlvar)), \
    (progv),(progvl),(ftype),(in dp),(alen),(arcode),(ms),(cu),OCI_DEFAULT)); \
    DISCARD 0

#define OCIDEFIN E(stmp,dfnp,errp,pos,progv,progvl,ftype) \
    OCIDefineByPos((stmp),&(dfnp),(errp),(pos),(progv),(progvl),(ftype), \
    0,0,0,OCI_DEFAULT); \
    DISCARD 0

#define OCIDEF(stmp,dfnp,errp,pos,progv,progvl,ftype) \
    OCIHandleAlloc((stmp),(dvoid**)&(dfnp),OCI_HTYPE_DEFINE,0, \
    (dvoid**)0); \
    OCIDefineByPos((stmp),&(dfnp),(errp),(pos),(progv),(progvl), \
    (ftype),NULL,NULL,NULL,OCI_DEFAULT); \
    DISCARD 0

#define OCIDFNRA(stmp,dfnp,errp,pos,progv,progvl,ftype,in dp,alen,arcode) \
    OCIHandleAlloc((stmp),(dvoid**)&(dfnp),OCI_HTYPE_DEFINE,0, \
    (dvoid**)0); \
    OCIDefineByPos((stmp),&(dfnp),(errp),(pos),(progv), \
    (progvl),(ftype),(in dp),(alen), \
    (arcode),OCI_DEFAULT); \
    DISCARD 0

#define OBNDRV( lda,cursor,sqlvar,progv,progvl,ftype) \
    if \
    (obndrv((cursor),(text*)(sqlvar),NA,(ub1*)(progv),(progvl),(ftype),NA, \
    (sb2 *)0,(text *)0,NA,NA)) \
    {errpt( lda,cursor);return(-1);} \
    else \
    DISCARD 0

#define OBNDRA( lda,cursor,sqlvar,progv,progvl,ftype,in dp,alen,arcode) \
    if \
    (obndra((cursor),(text*)(sqlvar),NA,(ub1*)(progv),(progvl),(ftype),NA, \
    (in dp),(alen),(arcode),(ub4)0,(ub4*)0,(text*)0,NA,NA)) \
    {errpt( lda,cursor);return(-1);} \
    else \
    DISCARD 0

#define OBNDR A( lda,cursor,sqlvar,progv,progvl,ftype,in dp,alen,arcode,ms,cs) \
    if \
    (obndra((cursor),(text*)(sqlvar),NA,(ub1*)(progv),(progvl),(ftype),NA, \
    (in dp),(alen),(arcode),(ub4)(ms),(ub4*)(cs),(text*)0,NA,NA)) \
    {errpt( lda,cursor);return(-1);} \
    else \
    DISCARD 0

#define ODEFIN( lda,cursor, pos,buf,bufl,ftype,scale,in dp,fmt,fmtt,rlen,rcode) \
    if \
    (odef in((cursor),(pos),(ub1*)(buf),(bufl),(ftype),(scale),(in dp), \
    (text*)(fmt),(fmtl),(fmtt),(rlen),(rcode))) \
    {errpt( lda,cursor);return(-1);} \
    else \
    DISCARD 0

#define OEXFET( lda,cursor,nrows,cancel,exact) \
    DISCARD 0

#define OOPEN( lda,cursor) \
    if (open((cursor),(lda),(text*)0,NA,NA,(text*)0,NA)) \
    {errpt( lda,cursor);return(-1);} \
    else \
    DISCARD 0

#define OPARSE( lda,cursor,sqlstm,sqll,defflg,lngflg) \
    if (opare((cursor),(sqlstm),(sb4)(sqll),(defflg),(ub4)(lngflg))) \
    {errpt( lda,cursor);return(-1);} \
    else \
    DISCARD 0

#define OFEN( lda,cursor,nrows) \
    if (ofen((cursor),(nrows))) \
    {if (errpt( lda,cursor)==RECOVERR) \
    {orol( lda);return(RECOVERR);} \
    else {orol( lda);return(-1);} } \
    else \
    DISCARD 0

#define OEXEC( lda,cursor) \
    if (oexec((cursor))) \
    {if (errpt( lda,cursor)==RECOVERR) \
    {orol( lda);return(RECOVERR);} \
    else {orol( lda);return(-1);} } \
    else \
    DISCARD 0

#define OCOM( lda,cursor) \
    if (ocom((lda))) \
    {errpt( lda,cursor);orol( lda);return(-1);} \
    else \
    DISCARD 0

#define OEXN( lda,cursor,iters,rowoff) \
    if (oexn((cursor),(iters),(rowoff))) \
    {if (errpt( lda,cursor)==RECOVERR) \
    {orol( lda);return(RECOVERR);} \
    else {orol( lda);return(-1);} } \
    else \
    DISCARD 0

/* bind in/out for plsql without indicator and rcode */
#define OCIBNDPL(stmp,bndp,errp,sqlvar,progv,progvl,ftype,alen) \
    DISCARD ocierror(__FILE__, __LINE__,(errp), \
    OCIHandleAlloc((stmp),(dvoid**)&(bndp),OCI_HTYPE_BIND,0,(dvoid* \
    *)0)); \
    DISCARD ocierror(__FILE__, __LINE__,(errp), \
    OCIBindByName((stmp),&(bndp),(errp),(const text*)(sqlvar), \
    (sb4)strlen((const char*)(sqlvar)),(dvoid*)(progv),(progvl),(ftype), \
    NULLP(dvoid),(alen),NULLP(ub2), \
    0,NULLP(ub4),OCI_DEFAULT)); \
    DISCARD 0

/* bind in/out for plsql arrays witout indicator and rcode */
#define OCIBNDPLA(stmp,bndp,errp,sqlvar,progv,progvl,ftype,alen,ms, cu) \
    DISCARD ocierror(__FILE__, __LINE__,(errp), \
    OCIBNDPLA(stmp,bndp,errp,sqlvar,progv,progvl,ftype,alen,ms, cu));

```

```

OCIHandleAlloc((stmp),(dvoid**)&(bndp),OCI_HTYPE_BIND,0,(dvoid**)
*)0));\
    DISCARD ocierror(_FILE_,_LINE_,(errp),\
    OCIHandleByName((stmp),&(bndp),(errp),(CONST text *) (sqlvar), \
    (sb4)strlen((CONST char *) (sqlvar)),(void *) (progv), \
    (progvl),(ftype),NULL,(alen),NULL,(ms),(cu),OCI_DEFAULT));

#define OCIDEFINITE(stmp,dfnp,errp,pos,progv,progvl,ftype) \
OCIDefineByPos((stmp),&(dfnp),(errp),(pos),(progv),(progvl),(ftype),\
0,0,0,OCI_DEFAULT);

#define OCIDEF(stmp,dfnp,errp,pos,progv,progvl,ftype) \
OCIHandleAlloc((stmp),(dvoid**)&(dfnp),OCI_HTYPE_DEFINE,0, \
(dvoid**)0); \
OCIDefineByPos((stmp),&(dfnp),(errp),(pos),(progv),(progvl), \
(ftype),NULL,NULL,NULL,OCI_DEFAULT); \


#define OCIDFNRA(stmp,dfnp,errp,pos,progv,progvl,ftype,indp,alen,arcode) \
    OCIHandleAlloc((stmp),(dvoid**)&(dfnp),OCI_HTYPE_DEFINE,0, \
    (dvoid**)0); \
    OCIDefineByPos((stmp),&(dfnp),(errp),(pos),(progv), \
    (progvl),(ftype),(indp),(alen), \
    (arcode),OCI_DEFAULT);

#define \
OCIDFNDYN(stmp,dfnp,errp,pos,progv,progvl,ftype,indp,ctxp,cbf_data) \
    ocierror(_FILE_,_LINE_,(errp), \
    OCIHandleAlloc((stmp),(dvoid**)&(dfnp),OCI_HTYPE_DEFINE,0, \
    (dvoid**)0)); \
    ocierror(_FILE_,_LINE_,(errp), \
    OCIDefineByPos((stmp),&(dfnp),(errp),(pos),(progv), \
    (progvl),(ftype), \
    (indp),NULL,NULL, OCI_DYNAMIC_FETCH)); \
    ocierror(_FILE_,_LINE_,(errp), \
    OCIDefineDynamic((dfnp),(errp),(ctxp),(cbf_data)));

#endif

```

tpcc_struct.h

/* Copyright (c) 2004, Oracle Corporation. All rights reserved. */

/*

NAME
tpcc_struct.h - <one-line expansion of the name>

DESCRIPTION
<short description of facility this file declares/defines>

RELATED DOCUMENTS
<note any documents related to this facility>

EXPORT FUNCTION(S)
<external functions declared for use outside package - one-line descriptions>

INTERNAL FUNCTION(S)
<other external functions declared - one-line descriptions>

EXAMPLES

NOTES
<other useful comments, qualifications, etc.>

MODIFIED (MM/DD/YY)
xnie 02/09/04 - add status field to carry error status
shuang 01/22/04 - shuang_rte
shuang 01/21/04 - Creation

*/

```

#define MAX_ORDERLINE 15
#define SMALL_BUF_SIZE 32

#define TXN_COMMON_DATA \
int w_id; \
int ld_id; \
int txn_status; \
int db_status; \
void *context

struct T_connect_data
{
    TXN_COMMON_DATA;
};

typedef struct T_connect_data T_connect_data;

struct T_date
{
    char DateString[20];
};

typedef struct T_date T_date;

struct T_delivery_data
{
    TXN_COMMON_DATA;
    SYSTEMTIME enqueue_date_time;
    DWORD enqueue_time;
    DWORD complete_time;
    int o_carrier_id;
    int o_id[10];
};

typedef struct T_delivery_data T_delivery_data;

struct T_orderline
{
    int ol_i_id;
    int ol_supply_w_id;
    int ol_quantity;
    char i_name[25];
    int s_quantity;
    char b_g[2];
    double i_price;
    double ol_amount;
};

typedef struct T_orderline T_orderline;

struct T_neworder_data
{
    TXN_COMMON_DATA;
    int d_id;
    int c_id;
    int o.ol_cnt;
    int o.all_local;
    T_orderline o.orderline[MAX_ORDERLINE];
    T_date o_entry_d;
    char c_last[17];
    char c_credit[3];
    double c_discount;
}
```

```

double w_tax;
double d_tax;
int o_id;
double total_amount;
int status;
};

typedef struct T_neworder_data T_neworder_data;

struct T_stocklevel_data
{
    TXN_COMMON_DATA;
    int threshold;
    int low_stock;
};

typedef struct T_stocklevel_data T_stocklevel_data;

struct T_orderline_status
{
    int ol_supply_w_id;
    int ol_i_id;
    int ol_quantity;
    double ol_amount;
    T_date ol_delivery_d;
};

typedef struct T_orderline_status T_orderline_status;

struct T_orderstatus_data
{
    TXN_COMMON_DATA;
    int by_last_name;
    int d_id;
    int c_id;
    char c_last[17];
    char c_first[17];
    char c_middle[3];
    double c_balance;
    int o_id;
    T_date o_entry_d;
    int o_carrier_id;
    int o.ol_cnt;
    T_orderline_status o_orderline[MAX_ORDERLINE];
};

typedef struct T_orderstatus_data T_orderstatus_data;

struct T_payment_data
{
    TXN_COMMON_DATA;
    int by_last_name;
    int d_id;
    int c_id;
    char c_last[17];
    int c_w_id;
    int c_d_id;
    double h_amount;
    T_date h_date;
    char w_street_1[21];
    char w_street_2[21];
    char w_city[21];
    char w_state[3];
    char w_zip[10];
    char d_street_1[21];
    char d_street_2[21];
    char d_city[21];
    char d_state[3];
    char d_zip[10];
    char c_first[17];
    char c_middle[3];
    char c_street_1[21];
    char c_street_2[21];
    char c_city[21];
    char c_state[3];
    char c_zip[10];
    char c_phone[17];
    T_date c_since;
    char c_credit[3];
    double c_credit_lim;
    double c_discount;
    double c_balance;
    char c_data[201];
};

typedef struct T_payment_data T_payment_data;

struct T_transaction_data
{
    int txn_type;
    union {
        T_delivery_data delivery_data;
        T_payment_data payment_data;
        T_neworder_data neworder_data;
        T_stocklevel_data stocklevel_data;
        T_orderstatus_data orderstatus_data;
    } txn_data;
};

typedef struct T_transaction_data T_transaction_data;

struct T_login_data
{
    TXN_COMMON_DATA;
    char server[SMALL_BUF_SIZE];
    char database[SMALL_BUF_SIZE];
    char user[SMALL_BUF_SIZE];
    char password[SMALL_BUF_SIZE];
    char application[SMALL_BUF_SIZE];
};

typedef struct T_login_data T_login_data;
-----tpccstruct.h-----
-----
```

```

#define NITEMS 15
#define ROWIDLEN 20
#define OCIROWLEN 20

struct newctx {

    ub2 nol_i_id_len[NITEMS];
    ub2 nol_supply_w_id_len[NITEMS];
    ub2 nol_quantity_len[NITEMS];
    ub2 nol_amount_len[NITEMS];
    ub2 s_quantity_len[NITEMS];
    ub2 i_name_len[NITEMS];
    ub2 i_price_len[NITEMS];
    ub2 s_dist_info_len[NITEMS];
    ub2 ol_o_id_len[NITEMS];
    ub2 ol_number_len[NITEMS];
    ub2 s_remote_len[NITEMS];
    ub2 s_quant_len[NITEMS];
    ub2 ol_dist_info_len[NITEMS];
    ub2 s_bg_len[NITEMS];

    int ol_o_id[NITEMS];
    int ol_number[NITEMS];
}
```

```

#ifndef USE_IEEE_NUMBER
double s_remote[NITEMS];
#else
int s_remote[NITEMS];
#endif
char s_dist_info[NITEMS][25];
OCISStmt *curn1;
OCIBind *ol_i_id_bp;
OCIBind *ol_supply_w_id_bp;
OCIBind *i_price_bp;
OCIBind *i_name_bp;
OCIBind *s_bg_bp;
ub4 nol_i_count;
ub4 nol_s_count;
ub4 nol_q_count;
ub4 nol_item_count;
ub4 nol_name_count;
ub4 nol_qty_count;
ub4 nol_bg_count;
ub4 nol_am_count;
ub4 s_remote_count;
OCISStmt *curn2;
OCIBind *ol_quantity_bp;
OCIBind *s_remote_bp;
OCIBind *s_quantity_bp;
OCIBind *w_id_bp;
OCIBind *d_id_bp;
OCIBind *c_id_bp;
OCIBind *o_all_local_bp;
OCIBind *o_all_cnt_bp;
OCIBind *w_tax_bp;
OCIBind *d_tax_bp;
OCIBind *o_id_bp;
OCIBind *c_discount_bp;
OCIBind *c_credit_bp;
OCIBind *c_last_bp;
OCIBind *retries_bp;
OCIBind *cr_date_bp;
OCIBind *ol_o_id_bp;
OCIBind *ol_amount_bp;

ub2 w_id_len;
ub2 d_id_len;
ub2 c_id_len;
ub2 o_all_local_len;
ub2 o_all_cnt_len;
ub2 w_tax_len;
ub2 d_tax_len;
ub2 o_id_len;
ub2 c_discount_len;
ub2 c_credit_len;
ub2 c_last_len;
ub2 retries_len;
ub2 cr_date_len;
};

typedef struct newctx newctx;

#define NDISTS 10
#define ROWIDLEN 20

struct delctx {
    sb2 del_o_id_ind[NDISTS];
    sb2 d_id_ind[NDISTS];
    sb2 c_id_ind[NDISTS];
    sb2 del_date_ind[NDISTS];
    sb2 carrier_id_ind[NDISTS];
    sb2 amt_ind[NDISTS];
    ub4 del_o_id_len[NDISTS];
    ub4 c_id_len[NDISTS];
    int oid_ctx;
    int cid_ctx;
    OCIBind *olamt_bp;
    ub2 w_id_len[NDISTS];
    ub2 d_id_len[NDISTS];
    ub2 del_date_len[NDISTS];
    ub2 carrier_id_len[NDISTS];
    ub2 amt_len[NDISTS];
    ub2 del_o_id_rcode[NDISTS];
    ub2 cons_rcode[NDISTS];
    ub2 w_id_rcode[NDISTS];
    ub2 d_id_rcode[NDISTS];
    ub2 c_id_rcode[NDISTS];
    ub2 del_date_rcode[NDISTS];
    ub2 carrier_id_rcode[NDISTS];
    ub2 amt_rcode[NDISTS];
    int del_o_id[NDISTS];
    int del_d_id[NDISTS];
    int cons[NDISTS];
    int w_id[NDISTS];
    int d_id[NDISTS];
    int c_id[NDISTS];
    int carrier_id[NDISTS];
    int amt[NDISTS];
    ub4 del_o_id_rcnt;
    int retry;
    OCIRowid *no_rowid_ptr[NDISTS];
    OCIRowid *o_rowid_ptr[NDISTS];
    OCIDate del_date[NDISTS];
    OCISStmt *curd0;
    OCISStmt *curd1;
    OCISStmt *curd2;
    OCISStmt *curd3;
    OCISStmt *curd4;
    OCISStmt *curd5;
    OCISStmt *curd6;
    OCISStmt *curdtest;
    OCIBind *w_id_bp;
    OCIBind *w_id_bp3;
    OCIBind *w_id_bp4;
    OCIBind *w_id_bp5;
    OCIBind *w_id_bp6;
    OCIBind *d_id_bp;
    OCIBind *d_id_bp3;
    OCIBind *d_id_bp4;
    OCIBind *d_id_bp6;
    OCIBind *o_id_bp;
    OCIBind *cr_date_bp;
    OCIBind *c_id_bp;
    OCIBind *c_id_bp3;
    OCIBind *no_rowid_bp;
    OCIBind *carrier_id_bp;
    OCIBind *o_rowid_bp;
    OCIBind *del_o_id_bp;
    OCIBind *del_o_id_bp3;
    OCIBind *amt_bp;
    OCIBind *bstr1_bp[10];
    OCIBind *bstr2_bp[10];
    OCIBind *retry_bp;
    OCIDefine *inum_dp;
    OCIDefine *d_id_dp;
}

```

```

OCIDefine *del_o_id_dp;
OCIDefine *no_rowid_dp;
OCIDefine *c_id_dp;
OCIDefine *o_rowid_dp;
OCIDefine *cons_dp;
OCIDefine *amt_dp;

int norow;
};

typedef struct delctx delctx;
struct pldelctx {

    ub2 del_d_id_len[NDISTS];
    ub2 del_o_id_len[NDISTS];

    ub2 w_id_len;
    ub2 d_id_len[NDISTS];
    ub2 o_c_id_len[NDISTS];
    ub2 sums_len[NDISTS];
    ub2 carrier_id_len;
    ub2 ordcnt_len;
    ub2 del_date_len;

    int del_o_id[NDISTS];
    int del_d_id[NDISTS];
    int o_c_id[NDISTS];
#ifndef USE_IEEE_NUMBER
    double sums[NDISTS];
#else
    int sums[NDISTS];
#endif
    OCIDate del_date;
    int carrier_id;
    int ordcnt;

    ub4 del_o_id_rcnt;
    ub4 del_d_id_rcnt;
    ub4 o_c_id_rcnt;
    ub4 sums_rcnt;

    int retry;
    OCISql *curp1;
    OCISql *curp2;
    OCIBind *w_id_bp;
    OCIBind *d_id_bp;
    OCIBind *o_id_bp;
    OCIBind *o_c_id_bp;
    OCIBind *ordcnt_bp;
    OCIBind *sums_bp;
    OCIBind *del_date_bp;
    OCIBind *carrier_id_bp;
    OCIBind *retry_bp;

    int norow;
};

typedef struct pldelctx pldelctx;

struct amtctx {
    int ol_amt[NITEMS];
    sb2 ol_amt_ind[NITEMS];
    ub4 ol_amt_len[NITEMS];
    ub2 ol_amt_rcode[NITEMS];
    int ol_cnt;
};
typedef struct amtctx amtctx;
}

struct ordctx {
    ub2 c_rowid_len[100];
    ub2 ol_supply_w_id_len[NITEMS];
    ub2 ol_i_id_len[NITEMS];
    ub2 ol_quantity_len[NITEMS];
    ub2 ol_amount_len[NITEMS];
    ub2 ol_delivery_d_len[NITEMS];
    ub2 ol_w_id_len;
    ub2 ol_d_id_len;
    ub2 ol_o_id_len;

    ub4 ol_supply_w_id_csize;
    ub4 ol_i_id_csize;
    ub4 ol_quantity_csize;
    ub4 ol_amount_csize;
    ub4 ol_delivery_d_csize;
    ub4 ol_w_id_csize;
    ub4 ol_d_id_csize;
    ub4 ol_o_id_csize;

    OCISql *curo0;
    OCISql *curo1;
    OCISql *curo2;
    OCISql *curo3;
    OCISql *curo4;
    OCIBind *c_id_bp;
    OCIBind *w_id_bp[4];
    OCIBind *d_id_bp[4];
    OCIBind *c_last_bp[2];
    OCIBind *o_id_bp;
    OCIBind *c_rowid_bp;
    OCIDefine *c_rowid_dp;
    OCIDefine *c_last_dp[2];
    OCIDefine *c_id_dp;
    OCIDefine *c_first_dp[2];
    OCIDefine *c_middle_dp[2];
    OCIDefine *c_balance_dp[2];
    OCIDefine *o_id_dp[2];
    OCIDefine *o_entry_d_dp[2];
    OCIDefine *o_cr_id_dp[2];
    OCIDefine *o.ol_cnt_dp[2];
    OCIDefine *ol_d_d_dp;
    OCIDefine *ol_i_id_dp;
    OCIDefine *ol_supply_w_id_dp;
    OCIDefine *ol_quantity_dp;
    OCIDefine *ol_amount_dp;
    OCIDefine *ol_d_base_dp;
    OCIDefine *c_count_dp;
    OCIRowid *c_rowid_ptr[100];
    OCIRowid *c_rowid_cust;
    int cs;
    int cust_idx;
    int norow;
    int rcount;
    int somerows;
};

typedef struct ordctx ordctx;

struct defctx
{
    boolean reexec;
    ub4 count;
};

typedef struct defctx defctx;

struct payctx {
}

```

```

OCISmt *curpi;
OCISmt *curp0;
OCISmt *curp1;
OCIBind *w_id_bp[2];
ub2 w_id_len;

OCIBind *d_id_bp[2];
ub2 d_id_len;

OCIBind *c_w_id_bp[2];
ub2 c_w_id_len;

OCIBind *c_d_id_bp[2];
ub2 c_d_id_len;

OCIBind *c_id_bp[2];
ub2 c_id_len;

OCIBind *h_amount_bp[2];
ub2 h_amount_len;

OCIBind *c_last_bp[2];
ub2 c_last_len;

OCIBind *w_street_1_bp[2];
ub2 w_street_1_len;

OCIBind *w_street_2_bp[2];
ub2 w_street_2_len;

OCIBind *w_city_bp[2];
ub2 w_city_len;

OCIBind *w_state_bp[2];
ub2 w_state_len;

OCIBind *w_zip_bp[2];
ub2 w_zip_len;

OCIBind *d_street_1_bp[2];
ub2 d_street_1_len;

OCIBind *d_street_2_bp[2];
ub2 d_street_2_len;

OCIBind *d_city_bp[2];
ub2 d_city_len;

OCIBind *d_state_bp[2];
ub2 d_state_len;

OCIBind *d_zip_bp[2];
ub2 d_zip_len;

OCIBind *c_first_bp[2];
ub2 c_first_len;

OCIBind *c_middle_bp[2];
ub2 c_middle_len;

OCIBind *c_street_1_bp[2];
ub2 c_street_1_len;

OCIBind *c_street_2_bp[2];
ub2 c_street_2_len;

OCIBind *c_city_bp[2];
ub2 c_city_len;

OCIBind *c_state_bp[2];

ub2 c_state_len;

OCIBind *c_zip_bp[2];
ub2 c_zip_len;

OCIBind *c_phone_bp[2];
ub2 c_phone_len;

OCIBind *c_since_bp[2];
ub2 c_since_len;

OCIBind *c_credit_bp[2];
ub2 c_credit_len;

OCIBind *c_credit_lim_bp[2];
ub2 c_credit_lim_len;

OCIBind *c_discount_bp[2];
ub2 c_discount_len;

OCIBind *c_balance_bp[2];
ub2 c_balance_len;

OCIBind *c_data_bp[2];
ub2 c_data_len;

OCIBind *h_date_bp[2];
ub2 h_date_len;

OCIBind *retries_bp[2];
ub2 retries_len;

OCIBind *cr_date_bp[2];
ub2 cr_date_len;

OCIBind *byln_bp[2];
ub2 byln_len;
};

typedef struct payctx payctx;

struct stuctx {
    OCISmt *curs;
    OCIBind *w_id_bp;
    OCIBind *d_id_bp;
    OCIBind *threshold_bp;
#define PLSQLSTO
    OCIBind *low_stock_bp;
#else
    OCIDefine *low_stock_bp;
#endif
    int norow;
};

typedef struct stuctx stuctx;

/* New order */

struct newinstruct {
    int w_id;
    int d_id;
    int c_id;
    int ol_i_id[15];
    int ol_supply_w_id[15];
    int ol_quantity[15];
};

```

```

struct newoutstruct {
    int terror;
    int o_id;
    int o.ol_cnt;
    char c_last[17];
    char c_credit[3];
    double c_discount;
    double w_tax;
    double d_tax;
    char o_entry_d[20];
    double total_amount;
    char i_name[15][25];
    int s_quantity[15];
    char brand_generic[15];
    double i_price[15];
    double ol_amount[15];
    char status[26];
    int retry;
};

struct newstruct {
    struct newinstruct newin;
    struct newoutstruct newout;
};

/* Payment */

struct payinstruct {
    int w_id;
    int d_id;
    int c_w_id;
    int c_d_id;
    int c_id;
    int bylastname;
    int h_amount;
    char c_last[17];
};

struct payoutstruct {
    int terror;
    char w_street_1[21];
    char w_street_2[21];
    char w_city[21];
    char w_state[3];
    char w_zip[10];
    char d_street_1[21];
    char d_street_2[21];
    char d_city[21];
    char d_state[3];
    char d_zip[10];
    int c_id;
    char c_first[17];
    char c_middle[3];
    char c_last[17];
    char c_street_1[21];
    char c_street_2[21];
    char c_city[21];
    char c_state[3];
    char c_zip[10];
    char c_phone[17];
    char c_since[11];
    char c_credit[3];
    double c_credit_lim;
    double c_discount;
    double c_balance;
    char c_data[201];
    char h_date[20];
    int retry;
};
};

struct paystruct {
    struct payinstruct payin;
    struct payoutstruct payout;
};

/* Order status */

struct ordinstruct {
    int w_id;
    int d_id;
    int c_id;
    int bylastname;
    char c_last[17];
};

struct ordoutstruct {
    int terror;
    int c_id;
    char c_last[17];
    char c_first[17];
    char c_middle[3];
    double c_balance;
    int o_id;
    char o_entry_d[20];
    int o_carrier_id;
    int o.ol_cnt;
    int ol_supply_w_id[15];
    int ol_i_id[15];
    int ol_quantity[15];
    double ol_amount[15];
    char ol_delivery_d[15][11];
    int retry;
};

struct ordstruct {
    struct ordinstruct ordin;
    struct ordoutstruct ordout;
};

/* Delivery */

struct delinstruct {
    int w_id;
    int o_carrier_id;
    double qtime;
    int in_timing_int;
    int plsqlflag;
};

struct deloutstruct {
    int terror;
    int retry;
};

struct delstruct {
    struct delinstruct delin;
    struct deloutstruct delout;
};

/* Stock level */

struct stoinstruct {
    int w_id;
    int d_id;
    int threshold;
};

```


Appendix B: Database Design

```
-----
addfile.sh
-----
#!/bin/sh
# $1 = tablespace name
# $2 = filename
# $3 = size
# $4 = temporary ts (1) or not (0)
# global variable $tpcc_listfiles, does not execute sql

if expr x$tpcc_listfiles = xt > /dev/null; then
    echo $2 $3 >> $tpcc_bench/files.dat
    exit 0
fi

if expr $4 = 1 > /dev/null; then
    altersql="alter tablespace $1 add tempfile '$2' size $3 reuse;"
else
    altersql="alter tablespace $1 add datafile '$2' size $3 reuse autoextend
on;"
```

$$\begin{aligned} \text{if } \text{expr } \$4 = 1 > /dev/null; \text{ then} \\ \quad \text{altersql} = " \text{alter tablespace } \$1 \text{ add tempfile } '\$2' \text{ size } \$3 \text{ reuse;}" \\ \text{else} \\ \quad \text{altersql} = " \text{alter tablespace } \$1 \text{ add datafile } '\$2' \text{ size } \$3 \text{ reuse autoextend} \\ \quad \text{on;}" \end{aligned}$$

```
fi

$tpcc_sqlplus $tpcc_user_pass <<!
spool addfile_$.log
set echo on
$altersql
set echo off
spool off
exit ;
!

-----
addts.sh
-----
#!/bin/sh
# $1 = tablespace name
# $2 = filename
# $3 = size
# $4 = uniform size
# $5 = block size
# $6 = temporary ts (1) or not (0)
# $7 = bitmapped manage (t) or not (f) or (d) for dictionary
# global variable $tpcc_listfiles, does not execute sql

if expr x$tpcc_listfiles = xt > /dev/null; then
    echo $2 $3 >> $tpcc_bench/files.dat
    exit 0
fi

if expr $5 = auto > /dev/null; then
    bssql=
else
    bssql="blocksize $5"
fi

# AVLIET added AUTOEXTEND ON clause to tablespaces
if expr $6 = 1 > /dev/null; then
## createsql="create temporary tablespace $1 tempfile '$2' size $3 reuse
extent management local uniform size $4;"
```

$$\begin{aligned} \text{if } \text{expr } \$6 = 1 > /dev/null; \text{ then} \\ \quad \text{bssql} = "" \\ \text{else} \\ \quad \text{bssql} = " \text{blocksize } \$5" \\ \text{fi} \\ \\ \# \text{AVLIET added AUTOEXTEND ON clause to tablespaces} \\ \text{if } \text{expr } \$6 = 1 > /dev/null; \text{ then} \end{aligned}$$

```
createsql="create temporary tablespace $1 tempfile '$2' size $3 reuse
AUTOEXTEND ON extent management local uniform size $4;"
```

$$\text{createsql} = " \text{create temporary tablespace } \$1 \text{ tempfile } '\$2' \text{ size } \$3 \text{ reuse} \\ \quad \text{AUTOEXTEND ON extent management local uniform size } \$4;"$$

```
else
    if expr x$7 = xt > /dev/null; then
```

$$\text{else} \\ \quad \text{if } \text{expr } x\$7 = xt > /dev/null; \text{ then}$$

```
##  createsql="create tablespace $1 datafile '$2' size $3 reuse
management local uniform size $4 segment space management auto $bssql
nologging ;"
```

$$\text{createsql} = " \text{create tablespace } \$1 \text{ datafile } '\$2' \text{ size } \$3 \text{ reuse} \\ \quad \text{management local uniform size } \$4 \text{ segment space management auto } \$bssql \text{ nologging ;}"$$

```
else
    if expr x$7 = xd > /dev/null; then
##  createsql="create tablespace $1 datafile '$2' size $3 reuse
AUTOEXTEND ON extent management local uniform size $4 segment
space management auto $bssql nologging ;"
else
    createsql="create tablespace $1 datafile '$2' size $3 reuse
AUTOEXTEND ON extent management dictionary nologging $bssql;"
```

$$\text{createsql} = " \text{create tablespace } \$1 \text{ datafile } '\$2' \text{ size } \$3 \text{ reuse} \\ \quad \text{AUTOEXTEND ON extent management dictionary nologging } \$bssql;"$$

```
else
##  createsql="create tablespace $1 datafile '$2' size $3 reuse
management local uniform size $4 segment space management manual
$bssql nologging ;"
createsql="create tablespace $1 datafile '$2' size $3 reuse
AUTOEXTEND ON extent management local uniform size $4 segment
space management manual $bssql nologging ;"
```

$$\text{createsql} = " \text{create tablespace } \$1 \text{ datafile } '\$2' \text{ size } \$3 \text{ reuse} \\ \quad \text{AUTOEXTEND ON extent management local uniform size } \$4 \text{ segment} \\ \quad \text{space management manual } \$bssql \text{ nologging ;}"$$

```
fi
fi
fi

$tpcc_sqlplus $tpcc_user_pass <<!
spool createts_$.log
set echo on
drop tablespace $1 including contents;
$createsql
set echo off
spool off
exit ;
!
```

$$\begin{aligned} \text{!} \\ \text{-----} \\ \text{analyze.sql} \\ \text{-----} \\ \text{spool analyze.log;} \\ \text{set echo on;} \end{aligned}$$

```
connect tpcc/tpcc

execute dbms_stats.GATHER_TABLE_STATS (OWNNAME=>'TPCC', -
TABNAME=>'STOK', -
PARTNAME=>NULL, -
ESTIMATE_PERCENT=>1, -
BLOCK_SAMPLE=>TRUE, -
METHOD_OPT=>'FOR ALL COLUMNS SIZE
1', -
DEGREE=>10, -
GRANULARITY=>'DEFAULT', -
CASCADE=>TRUE);
```

$$\begin{aligned} \text{execute dbms_stats.GATHER_TABLE_STATS (OWNNAME=>'TPCC', -} \\ \quad \text{TABNAME=>'STOK', -} \\ \quad \text{PARTNAME=>NULL, -} \\ \quad \text{ESTIMATE_PERCENT=>1, -} \\ \quad \text{BLOCK_SAMPLE=>TRUE, -} \\ \quad \text{METHOD_OPT=>'FOR ALL COLUMNS SIZE} \\ \quad \text{1', -} \\ \quad \text{DEGREE=>10, -} \\ \quad \text{GRANULARITY=>'DEFAULT', -} \\ \quad \text{CASCADE=>TRUE);} \end{aligned}$$

```
execute dbms_stats.GATHER_TABLE_STATS (OWNNAME=>'TPCC', -
TABNAME=>'CUST', -
PARTNAME=>NULL, -
ESTIMATE_PERCENT=>1, -
BLOCK_SAMPLE=>TRUE, -
METHOD_OPT=>'FOR ALL COLUMNS SIZE
1', -
DEGREE=>10, -
GRANULARITY=>'DEFAULT', -
CASCADE=>TRUE);
```

$$\begin{aligned} \text{execute dbms_stats.GATHER_TABLE_STATS (OWNNAME=>'TPCC', -} \\ \quad \text{TABNAME=>'CUST', -} \\ \quad \text{PARTNAME=>NULL, -} \\ \quad \text{ESTIMATE_PERCENT=>1, -} \\ \quad \text{BLOCK_SAMPLE=>TRUE, -} \\ \quad \text{METHOD_OPT=>'FOR ALL COLUMNS SIZE} \\ \quad \text{1', -} \\ \quad \text{DEGREE=>10, -} \\ \quad \text{GRANULARITY=>'DEFAULT', -} \\ \quad \text{CASCADE=>TRUE);} \end{aligned}$$

```
execute dbms_stats.GATHER_TABLE_STATS (OWNNAME=>'TPCC', -
TABNAME=>'ORDR', -
PARTNAME=>NULL, -
ESTIMATE_PERCENT=>1, -
BLOCK_SAMPLE=>TRUE, -
METHOD_OPT=>'FOR ALL COLUMNS SIZE
1', -
DEGREE=>10, -
```

$$\begin{aligned} \text{execute dbms_stats.GATHER_TABLE_STATS (OWNNAME=>'TPCC', -} \\ \quad \text{TABNAME=>'ORDR', -} \\ \quad \text{PARTNAME=>NULL, -} \\ \quad \text{ESTIMATE_PERCENT=>1, -} \\ \quad \text{BLOCK_SAMPLE=>TRUE, -} \\ \quad \text{METHOD_OPT=>'FOR ALL COLUMNS SIZE} \\ \quad \text{1', -} \\ \quad \text{DEGREE=>10, -} \end{aligned}$$

```

GRANULARITY=>'DEFAULT', -
CASCADE=>TRUE);

execute dbms_stats.GATHER_TABLE_STATS (OWNNAME=>'TPCC', -
TABNAME=>'ORDL', -
PARTNAME=>NULL, -
ESTIMATE_PERCENT=>1, -
BLOCK_SAMPLE=>TRUE, -
METHOD_OPT=>'FOR ALL COLUMNS SIZE
1', -
DEGREE=>10, -
GRANULARITY=>'DEFAULT', -
CASCADE=>TRUE);

execute dbms_stats.GATHER_TABLE_STATS (OWNNAME=>'TPCC', -
TABNAME=>'NORD', -
PARTNAME=>NULL, -
ESTIMATE_PERCENT=>1, -
BLOCK_SAMPLE=>TRUE, -
METHOD_OPT=>'FOR ALL COLUMNS SIZE
1', -
DEGREE=>10, -
GRANULARITY=>'DEFAULT', -
CASCADE=>TRUE);

execute dbms_stats.GATHER_TABLE_STATS(OWNNAME=>'TPCC', -
TABNAME=>'HIST', -
PARTNAME=>NULL, -
ESTIMATE_PERCENT=>1, -
BLOCK_SAMPLE=>TRUE, -
METHOD_OPT=>'FOR ALL COLUMNS SIZE
1', -
DEGREE=>10, -
GRANULARITY=>'DEFAULT', -
CASCADE=>TRUE);

execute dbms_stats.GATHER_TABLE_STATS(OWNNAME=>'TPCC', -
TABNAME=>'DIST', -
PARTNAME=>NULL, -
ESTIMATE_PERCENT=>1, -
BLOCK_SAMPLE=>TRUE, -
METHOD_OPT=>'FOR ALL COLUMNS SIZE
1', -
DEGREE=>10, -
GRANULARITY=>'DEFAULT', -
CASCADE=>TRUE);

execute dbms_stats.GATHER_TABLE_STATS(OWNNAME=>'TPCC', -
TABNAME=>'ITEM', -
PARTNAME=>NULL, -
ESTIMATE_PERCENT=>10, -
BLOCK_SAMPLE=>TRUE, -
METHOD_OPT=>'FOR ALL COLUMNS SIZE
1', -
DEGREE=>1, -
GRANULARITY=>'DEFAULT', -
CASCADE=>TRUE);

execute dbms_stats.GATHER_TABLE_STATS(OWNNAME=>'TPCC', -
TABNAME=>'WARE', -
PARTNAME=>NULL, -
ESTIMATE_PERCENT=>10, -
BLOCK_SAMPLE=>TRUE, -
METHOD_OPT=>'FOR ALL COLUMNS SIZE
1', -
DEGREE=>10, -
GRANULARITY=>'DEFAULT', -
CASCADE=>TRUE);

```

```

set echo off;
spool off;

exit sql.sqlcode;
-----
assigntemp.sql
-----
spool assigntemp.log;

set echo on;

alter user tpcc temporary tablespace temp_0;

set echo off;
spool off;

exit ;
-----
createdb.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreatedb.sh Fri
Feb 24 14:48:48 PST 2012 */
spool createdb.log

set echo on

shutdown abort

startup pfile=p_create.ora nomount
create database tpcc
  controlfile reuse
  maxinstances 1
  datafile
    '/home/oracle/disks//system_1' size 400M reuse
  logfile '/home/oracle/disks//log_1_1' size 256347M reuse,
    '/home/oracle/disks//log_1_2' size 256347M reuse
  sysaux datafile '/home/oracle/disks//tpccaux' size 120M reuse ;

-----

create undo tablespace undo_1 datafile
  '/home/oracle/disks//roll1' size 8096M reuse blocksize 8K;

set echo off
exit sql.sqlcode
-----
createindex_icust1.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreateindex.sh
Fri Feb 24 14:49:02 PST 2012 */
set timing on
  set sqlblanklines on
  spool createindex_icust1.log ;
  set echo on ;
  drop index icust1 ;
    create unique index icust1 on cust ( c_w_id
  , c_d_id
  , c_id )
  pctfree 1 initrans 3
  storage ( buffer_pool default )
  parallel 80
  compute statistics
  tablespace icust1_0 ;
  set echo off
  spool off
  exit sql.sqlcode;
-----
```

```

createindex_icust2.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreateindex.sh
Fri Feb 24 14:49:02 PST 2012 */
set timing on
  set sqlblanklines on
  spool createindex_icust2.log ;
  set echo on ;
  drop index icust2 ;
    create unique index icust2 on cust ( c_last
,c_w_id
,c_d_id
,c_first
,c_id )
  pctfree 1 initrans 3
  storage ( buffer_pool default )
  parallel 80
  compute statistics
  tablespace icust2_0 ;
  set echo off
  spool off
  exit sql.sqlcode;
-----
createindex_idist.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreateindex.sh
Fri Feb 24 14:49:03 PST 2012 */
set timing on
  set sqlblanklines on
  spool createindex_idist.log ;
  set echo on ;
  drop index idist ;
    create unique index idist on dist ( d_w_id
,d_id )
  pctfree 5 initrans 3
  storage ( buffer_pool default )
  parallel 1
  compute statistics
  tablespace idist_0 ;
  set echo off
  spool off
  exit sql.sqlcode;
-----
createindex_iitem.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreateindex.sh
Fri Feb 24 14:49:04 PST 2012 */
set timing on
  set sqlblanklines on
  spool createindex_iitem.log ;
  set echo on ;
  drop index iitem ;
    create unique index iitem on item ( i_id )
  pctfree 5 initrans 4
  storage ( buffer_pool default )

  compute statistics
  tablespace iitem_0 ;
  set echo off
  spool off
  exit sql.sqlcode;
-----
createindex_inord.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreateindex.sh
Fri Feb 24 14:49:05 PST 2012 */
set timing on
  exit 0;
-----
createindex_iordl.sql

```

```

-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreateindex.sh
Fri Feb 24 14:49:05 PST 2012 */
set timing on
  exit 0;
-----
createindex_iordr1.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreateindex.sh
Fri Feb 24 14:49:04 PST 2012 */
set timing on
  exit 0;
-----
createindex_iordr2.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreateindex.sh
Fri Feb 24 14:49:04 PST 2012 */
set timing on
  set sqlblanklines on
  spool createindex_iordr2.log ;
  set echo on ;
  drop index iordr2 ;
    create unique index iordr2 on ordr ( o_c_id
,o_d_id
,o_w_id
,o_id )
  pctfree 25 initrans 4
  storage ( buffer_pool default )
  parallel 80
  compute statistics
  tablespace iordr2_0 ;
  set echo off
  spool off
  exit sql.sqlcode;
-----
createindex_istok.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreateindex.sh
Fri Feb 24 14:49:03 PST 2012 */
set timing on
  set sqlblanklines on
  spool createindex_istok.log ;
  set echo on ;
  drop index istok ;
    create unique index istok on stok ( s_i_id
,s_w_id )
  pctfree 1 initrans 3
  storage ( buffer_pool default )
  parallel 80
  compute statistics
  tablespace istok_0 ;
  set echo off
  spool off
  exit sql.sqlcode;
-----
createindex_iware.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreateindex.sh
Fri Feb 24 14:49:01 PST 2012 */
set timing on
  set sqlblanklines on
  spool createindex_iware.log ;
  set echo on ;
  drop index iware ;
    create unique index iware on ware ( w_id )
  pctfree 1 initrans 3
  storage ( buffer_pool default )
  parallel 1
  compute statistics
  tablespace iware_0 ;

```

```

set echo off
spool off
exit sql.sqlcode;
-----
createspacestats.sql
-----
@space_init
@space_get 1764000.0 140000
@space_rpt
spool off
exit sql.sqlcode;
-----
createstoredprocs.sql
-----
spool createstoreprocs.log
@tkvcinin.sql
spool off
exit sql.sqlcode;
-----
createtable_cust.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreatetable.sh Fri
Feb 24 14:48:49 PST 2012 */
set timing on
set sqlblanklines on
spool createtable_cust.log
set echo on
drop cluster custcluster including tables ;

create cluster custcluster (
  c_id number
, c_d_id number
, c_w_id number
)
single table
hashkeys 4200000000
hash is ( (c_id * ( 140000 * 10 ) + c_w_id * 10 + c_d_id ) )
size 360
pctfree 0 initrans 3
storage ( buffer_pool recycle ) parallel ( degree 40 )
tablespace cust_0;

create table cust (
  c_id number
, c_d_id number
, c_w_id number
, c_discount number
, c_credit char(2)
, c_last varchar2(16)
, c_first varchar2(16)
, c_credit_lim number
, c_balance number
, c_ytd_payment number
, c_payment_cnt number
, c_delivery_cnt number
, c_street_1 varchar2(20)
, c_street_2 varchar2(20)
, c_city varchar2(20)
, c_state char(2)
, c_zip char(9)
, c_phone char(16)
, c_since date
, c_middle char(2)
, c_data char(500)
)
cluster custcluster (
  c_id
, c_d_id
, c_w_id
);
-----
set echo off
spool off
exit sql.sqlcode;
-----
createtable_dist.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreatetable.sh Fri
Feb 24 14:48:51 PST 2012 */
set timing on
set sqlblanklines on
spool createtable_dist.log
set echo on
drop cluster distcluster including tables ;

create cluster distcluster (
  d_id number
, d_w_id number
)
single table
hashkeys 1400000
hash is ( ((d_w_id * 10) + d_id ) )
size 3496
initrans 4
storage ( buffer_pool default )
tablespace dist_0;

create table dist (
  d_id number
, d_w_id number
, d_ytd number
, d_next_o_id number
, d_tax number
, d_name varchar2(10)
, d_street_1 varchar2(20)
, d_street_2 varchar2(20)
, d_city varchar2(20)
, d_state char(2)
, d_zip char(9)
)
cluster distcluster (
  d_id
, d_w_id
);
set echo off
spool off
exit sql.sqlcode;
-----
createtable_hist.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreatetable.sh Fri
Feb 24 14:48:52 PST 2012 */
set timing on
set sqlblanklines on
spool createtable_hist.log
set echo on
drop table hist ;

create table hist (
  h_c_id number
, h_c_d_id number
, h_c_w_id number
, h_d_id number
, h_w_id number
, h_date date
, h_amount number
, h_data varchar2(24)
)
pctfree 5 initrans 4
storage ( buffer_pool recycle )
tablespace hist_0 ;

```

```

set echo off
spool off
exit sqlcode;
-----
createtable_item.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreatetable.sh Fri
Feb 24 14:48:54 PST 2012 */
set timing on
  set sqlblanklines on
  spool createtable_item.log
  set echo on
    drop cluster itemcluster including tables ;

create cluster itemcluster (
  i_id number(6,0)
)
single table
hashkeys 100000
hash is ( i_id )
size 120
pctfree 0 initrans 3
storage ( buffer_pool keep )
tablespace item_0;

create table item (
  i_id number(6,0)
, i_name varchar2(24)
, i_price number
, i_data varchar2(50)
, i_im_id number
)
cluster itemcluster (
  i_id
);
  set echo off
  spool off
  exit sqlcode;
-----
createtable_nord.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreatetable.sh Fri
Feb 24 14:48:56 PST 2012 */
set timing on
  set sqlblanklines on
  spool createtable_nord.log
  set echo on
    drop cluster nordcluster_queue including tables ;

create cluster nordcluster_queue (
  no_w_id number
, no_d_id number
, no_o_id number SORT
)
hashkeys 1400000
hash is ( no_w_id - 1 ) * 10 + no_d_id - 1
size 190
tablespace nord_0;

create table nord (
  no_w_id number
, no_d_id number
, no_o_id number sort
, constraint nord_uk primary key ( no_w_id
, no_d_id
, no_o_id )
)
cluster nordcluster_queue (
  no_w_id
)
, no_d_id
, no_o_id
);

createtable_ordl.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreatetable.sh Fri
Feb 24 14:48:55 PST 2012 */
set timing on
  set sqlblanklines on
  spool createtable_ordl.log
  set echo on
    create table ordl (
      ol_w_id number
, ol_d_id number
, ol_o_id number sort
, ol_number number sort
, ol_i_id number
, ol_delivery_d date
, ol_amount number
, ol_supply_w_id number
, ol_quantity number
, ol_dist_info char(24)
, constraint ordl_uk primary key ( ol_w_id, ol_d_id, ol_o_id, ol_number )
) CLUSTER ordrcluster_queue(ol_w_id, ol_d_id, ol_o_id, ol_number) ;
  set echo off
  spool off
  exit sqlcode;
-----
createtable_ordr.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreatetable.sh Fri
Feb 24 14:48:54 PST 2012 */
set timing on
  set sqlblanklines on
  spool createtable_ordr.log
  set echo on
    drop cluster ordrcluster_queue including tables ;

create cluster ordrcluster_queue (
  o_w_id number
, o_d_id number
, o_id number SORT
, o_number number SORT
)
hashkeys 1400000
hash is ( o_w_id - 1 ) * 10 + o_d_id - 1
size 1490
tablespace ordr_0;

create table ordr (
  o_id number sort
, o_w_id number
, o_d_id number
, o_c_id number
, o_carrier_id number
, o.ol_cnt number
, o_all_local number
, o_entry_d date
, constraint ordr_uk primary key ( o_w_id
, o_d_id
, o_id )
)
cluster ordrcluster_queue (
  o_w_id
, o_d_id
);

```

```

, o_id
);
set echo off
spool off
exit sql.sqlcode;
-----
createtable_stok.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreatetable.sh Fri
Feb 24 14:48:52 PST 2012 */
set timing on
  set sqlblanklines on
  spool createtable_stok.log
  set echo on
  drop cluster stokcluster including tables ;

create cluster stokcluster (
  s_i_id number
, s_w_id number
)
single table
hashkeys 14000000000
hash is ( (s_i_id * 140000 + s_w_id) )
size 270
pctfree 0 initrans 2 maxtrans 2
storage ( buffer_pool keep ) parallel ( degree 40 )
tablespace stok_0;

create table stok (
  s_i_id number
, s_w_id number
, s_quantity number
, s_ytd number
, s_order_cnt number
, s_remote_cnt number
, s_data varchar2(50)
, s_dist_01 char(24)
, s_dist_02 char(24)
, s_dist_03 char(24)
, s_dist_04 char(24)
, s_dist_05 char(24)
, s_dist_06 char(24)
, s_dist_07 char(24)
, s_dist_08 char(24)
, s_dist_09 char(24)
, s_dist_10 char(24)
)
cluster stokcluster (
  s_i_id
, s_w_id
);
  set echo off
  spool off
  exit sql.sqlcode;
-----
createtable_ware.sql
-----
/* created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreatetable.sh Fri
Feb 24 14:48:48 PST 2012 */
set timing on
  set sqlblanklines on
  spool createtable_ware.log
  set echo on
  drop cluster warecluster including tables ;

create cluster warecluster (
  w_id number
)
single table
hashkeys 140000

```

```

hash is ( (w_id - 1) )
size 3496
initrans 2
storage ( buffer_pool default )
tablespace ware_0;

create table ware (
  w_id number
, w_ytd number
, w_tax number
, w_name varchar2(10)
, w_street_1 varchar2(20)
, w_street_2 varchar2(20)
, w_city varchar2(20)
, w_state char(2)
, w_zip char(9)
)
cluster warecluster (
  w_id
);
  set echo off
  spool off
  exit sql.sqlcode;
-----
createts_1.sh
-----
#!/bin/sh
#NOTE - ANY CHANGES MUST BE MADE TO CREATETS.KSH AS WELL.
# createts.sh [name] [no. of file] [no. of partition] [filesize] [ext_size]
#           [unix/nt] [1: temporary ts / 0: others] [filecount] [no of cpu]
#           [blocksize] [t: bitmapped / f: manual manage / d: dictionary
]

name=$1
fileno=$2
noofts=$3
filesize=$4
extsize=$5
ver=$6
isTemp=$7
filecount=$8
para=`expr $9 \* 2`
#blocksize=${10} sh bug workaround
blocksize=`echo $@ | cut -d ' -f10` 
#autospace=${11} sh bug workaround
autospace=`echo $@ | cut -d ' -f11` 

addts=$tpcc_scripts/addts.sh
addfile=$tpcc_scripts/addfile.sh

if expr "x$tpcc_createts_print" = "xt" > /dev/null ; then
  createtsout=${tpcc_genscripts_dir}/createts_node${tpcc_rac_node}.sh
  fileavg=`expr $fileno / $tpcc_np` 

  if test $noofts -gt 1 ; then
    avg_ts_node=`expr $noofts / $tpcc_np` 
    if test "x$tpcc_rac_createts_phase" = "x1" ; then
      fileavg=$avg_ts_node
    else
      if test "x$tpcc_rac_createts_phase" = "x2" ; then
        fileavg=`expr $fileavg - $avg_ts_node` 
      fi
    fi
    fileend=`expr $fileavg \* $tpcc_rac_node` 
    filestart=`expr $fileend - $fileavg` 
    if expr $tpcc_rac_node = $tpcc_np > /dev/null; then
      fileend=$fileno
    fi
  fi
fi

```

```

    fi
fi

#if test $ver = unix;
#then
  fileaddr="$tpcc_disks_location/";
#elif test $ver = nt;
#then
#  fileaddr=\\.\|
#fi

filecounter=0
i=0
while test $i -lt $noofts; do

  filecount=`expr $filecount + 1`;
  if expr "x$tpcc_createts_print" = "xt" > /dev/null ; then
    if test "x$tpcc_rac_createts_phase" = "x1" ; then
      if test "x$name" = "xitem" -o "x$name" = "xiitem" -o "x$name" =
"xtemp" -o "x$name" = "xrestbl" ; then
        if test $tpcc_rac_node = 1 ; then
          echo $addts $name\_$i $fileaddr$name\_$i\_0 $filesize $extsize
$blocksize $isTemp $autospace \&> $createtsout
          rac_count=`expr $rac_count + 1`
          if test "$rac_count" = "$para" ; then
            rac_count=0
            echo wait >> $createtsout
          fi
        fi
      else
        if test $filecounter -ge $filestart -a $filecounter -lt $fileend ; then
          echo $addts $name\_$i $fileaddr$name\_$i\_0 $filesize $extsize
$blocksize $isTemp $autospace \&> $createtsout
          rac_count=`expr $rac_count + 1`
          if test "$rac_count" = "$para" ; then
            rac_count=0
            echo wait >> $createtsout
          fi
        fi
      fi
    else
      $addts $name\_$i $fileaddr$name\_$i\_0 $filesize $extsize $blocksize
$isTemp $autospace > junk$filecount 2>\&1 \&;
    fi
    eval "proc$filecount=$!"
    filecounter=`expr $filecounter + 1`

    p=`expr $filecount % $para`;
    if test $p = 0;
    then
      k=`expr $filecount - $para + 1`;
      if test $k -le $8;
      then
        k=`expr $k + 1`;
      fi
      while test $k -le $filecount ; do
#        wait `eval echo '$proc$k'
        wait
        eval "proc$k=$?"
        k=`expr $k + 1`;
      done
    fi
    i=`expr $i + 1`;
  done

  p=`expr $filecount % $para`;
  if test $p != 0;

```

```

    then
      k=`expr $filecount - $p + 1`;
      if test $k -le $8;
      then
        k=`expr $k + 1`;
      fi
      while test $k -le $filecount; do
#        wait `eval echo '$proc$k'
        wait
        eval "proc$k=$?"
        k=`expr $k + 1`
      done
    fi

    if test "x$tpcc_createts_print" = "xt" -a "x$tpcc_rac_createts_phase" = "x1"
    ; then
      echo $rac_count
      exit 0
    fi

    if test "x$tpcc_createts_print" = "xt" -a $noofts -gt 1 -a
    "x$tpcc_rac_createts_phase" = "x2" ; then
      filecounter=0
    fi

    filecount=0
    fileparts=`expr $fileno / $noofts - 1`
    if test $fileparts -gt 0 ;
    then
      i=0
      while test $i -lt $noofts ; do
        j=0;
        while test $j -lt $fileparts ;do

          filecount=`expr $filecount + 1`;
          if expr "x$tpcc_createts_print" = "xt" > /dev/null ; then
            if test "x$tpcc_rac_createts_phase" = "x2" ; then
              if test "x$name" = "xitem" -o "x$name" = "xtemp" -o "x$name" =
"xrestbl" ; then
                if test $tpcc_rac_node = 1 ; then
                  echo $addfile $name\_$i $fileaddr$name\_$i\_`expr $j + 1` \
$filesize $isTemp \&> $createtsout
                  rac_count=`expr $rac_count + 1`
                  if test "$rac_count" = "$para" ; then
                    rac_count=0
                    echo wait >> $createtsout
                  fi
                fi
              else
                if test $filecounter -ge $filestart -a $filecounter -lt $fileend ; then
                  echo $addfile $name\_$i $fileaddr$name\_$i\_`expr $j + 1` \
$filesize $isTemp \&> $createtsout
                  rac_count=`expr $rac_count + 1`
                  if test "$rac_count" = "$para" ; then
                    rac_count=0
                    echo wait >> $createtsout
                  fi
                fi
              fi
            else
              $addfile $name\_$i $fileaddr$name\_$i\_`expr $j + 1` $filesize
$isTemp > junk$filecount 2>\&1 \&
            fi
            eval "proc$filecount=$!"

            filecounter=`expr $filecounter + 1`

            p=`expr $filecount % $para`;
            if test $p = 0;

```

```

then
wait
#   k=`expr $filecount - $para + 1`;
#   if test $k -le $8;
#   then
#     k=`expr $8 + 1`;
#   fi
#   while test $k -le $filecount ; do
#     wait
#     eval "proc$k=$?";
#     k=`expr $k + 1`;
#   done
# fi

j=`expr $j + 1`
done

i=`expr $i + 1`
done

p=`expr $filecount % $para`
if test $p != 0;
then
  k=`expr $filecount - $p + 1`;
  if test $k -le $8;
  then
    k=`expr $8 + 1`;
  fi
  while test $k -le $filecount; do
#   wait `eval echo '$proc$k'
#   wait
#   eval "proc$k=$?"
#   k=`expr $k + 1`
# done
# fi
fi

if test "x$tpcc_createts_print" = "xt" ; then
  echo $rac_count
fi

exit 0

i=`expr $8 + 1`
proc=0
while test $i -le $filecount ;do
  eval 'process=$proc"\$i"'
  proc=`expr $proc + $process`
  i=`expr $i + 1`
done

out=`expr $proc % 127`
# Added wait here for all tablespaces to be created
wait
if expr x$tpcc_listfiles = xt > /dev/null; then
  exit 0
fi

if test $out -ne 0
then
  exit 1;
else
  exit 0;
fi
-----
createts.sh
-----
#created automatically by /tmp/tmp/tpcc-kit/scripts/buildcreatets.sh Fri Feb
24 14:48:39 PST 2012

# Tablespace ware, ts size 590M (604160K)
# each file 590M (604160K)
# extents 600224K (600224K)
# 1 files

$tpcc_createts ware 1 1      800M 600224K unix 0      0 40 auto t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for ware failed. Exiting.
  exit 0
fi

# Tablespace cust, ts size 4270400M (4372889600K)
# each file 15700M (16076800K)
# extents 892692K (892692K)
# 272 files

$tpcc_createts cust 272 1      15700M 892692K unix 0      1 40 auto t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for cust failed. Exiting.
  exit 0
fi

# Tablespace dist, ts size 12400M (12697600K)
# each file 1550M (1587200K)
# extents 750024K (750024K)
# 8 files

$tpcc_createts dist 8 1      1550M 750024K unix 0      273 40 auto t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for dist failed. Exiting.
  exit 0
fi

# Tablespace hist, ts size 364320M (373063680K)
# each file 15180M (15544320K)
# extents 102880K (102880K)
# 24 files

$tpcc_createts hist 24 1      15180M 102880K unix 0      281 40 auto t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for hist failed. Exiting.
  exit 0
fi

# Tablespace stok, ts size 4187040M (4287528960K)
# each file 15860M (16240640K)
# extents 901700K (901700K)
# 264 files

$tpcc_createts stok 264 1      15860M 901700K unix 0      305 40 auto t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for stok failed. Exiting.
  exit 0
fi

# Tablespace item, ts size 40M (40960K)
# each file 40M (40960K)
# extents 16892K (16892K)
# 1 files

$tpcc_createts item 1 1      40M 16892K unix 0      569 40 auto t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for item failed. Exiting.
  exit 0
fi

# Tablespace ordr, ts size 4974400M (5093785600K)
# each file 62180M (63672320K)
# extents 103360K (103360K)
# 80 files

```

```

$tpcc_createts ordr 80 1      62180M 103360K unix 0    570 40 16K t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for ordr failed. Exiting.
  exit 0
fi

# Tablespace nord, ts size 46720M (47841280K)
# each file 5840M (5980160K)
# extents 597168K (597168K)
# 8 files

$tpcc_createts nord 8 1      5840M 597168K unix 0    650 40 auto t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for nord failed. Exiting.
  exit 0
fi

# Tablespace iware, ts size 370M (378880K)
# each file 370M (378880K)
# extents 176024K (176024K)
# 1 files

$tpcc_createts iware 1 1      370M 176024K unix 0    658 40 auto t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for iware failed. Exiting.
  exit 0
fi

# Tablespace icust1, ts size 101040M (103464960K)
# each file 12630M (12933120K)
# extents 40400K (40400K)
# 8 files

$tpcc_createts icust1 8 1     12630M 40400K unix 0    659 40 16K t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for icust1 failed. Exiting.
  exit 0
fi

# Tablespace icust2, ts size 217440M (222658560K)
# each file 27180M (27832320K)
# extents 86944K (86944K)
# 8 files

$tpcc_createts icust2 8 1     27180M 86944K unix 0    667 40 16K t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for icust2 failed. Exiting.
  exit 0
fi

# Tablespace idist, ts size 1440M (1474560K)
# each file 1440M (1474560K)
# extents 701024K (701024K)
# 1 files

$tpcc_createts idist 1 1     1440M 701024K unix 0    675 40 auto t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for idist failed. Exiting.
  exit 0
fi

# Tablespace istok, ts size 299040M (306216960K)
# each file 37380M (38277120K)
# extents 41968K (41968K)
# 8 files

$tpcc_createts istok 8 1     37380M 41968K unix 0    676 40 16K t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for istok failed. Exiting.

```

```

exit 0
fi

# Tablespace item, ts size 30M (30720K)
# each file 30M (30720K)
# extents 11264K (11264K)
# 1 files

$tpcc_createts item 1 1      30M 11264K unix 0    684 40 auto t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for item failed. Exiting.
  exit 0
fi

# Tablespace iordr2, ts size 220480M (225771520K)
# each file 13780M (14110720K)
# extents 44084K (44084K)
# 16 files

$tpcc_createts iordr2 16 1   13780M 44084K unix 0    685 40 auto t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for iordr2 failed. Exiting.
  exit 0
fi

# Tablespace temp, ts size 732960M (750551040K)
# each file 15270M (15636480K)
# extents 205704K (205704K)
# 48 files

$tpcc_createts temp 48 1     15270M 205704K unix 1    701 40 auto t
if expr $? != 0 > /dev/null; then
  echo Creating tablespace for temp failed. Exiting.
  exit 0
fi
-----
createuser.sql
-----
spool createusertpcc.log;

set echo on;
create user tpcc identified by tpcc;
grant dba to tpcc;
set echo off;
spool off;
exit ;
-----
droplog.sh
-----
#!/bin/sh

rm -f /tmp/tkvswitchlog$1.out
sqlplus -s "/as sysdba" << !
set echo off
set term off
set head off
spool /tmp/tkvswitchlog$1.out
select 'STATUS',status from v$log where group#=$1;
spool off
exit
!
$2=`grep '^STATUS' /tmp/tkvswitchlog$1.out | awk '{print $2}'``````
```

```

if [ "$s2" = "CURRENT" -o "$s2" = "ACTIVE" -o "$s2" = "UNUSED" ]
then
  c="true";
fi

while test ! -z "$c"
do

  rm -f /tmp/tkvswitchlog$1.out
  sqlplus "/as sysdba" << !
  alter system switch logfile;
  set echo off
  set term off
  set head off
  spool /tmp/tkvswitchlog$1.out
  select 'STATUS',status from v$log where group#=$1;
  spool off
  exit
!
s2=`grep '^STATUS' /tmp/tkvswitchlog$1.out | awk '{print $2}'`
c=""
if [ "$s2" = "CURRENT" -o "$s2" = "ACTIVE" -o "$s2" = "UNUSED" ]
then
  c="true"
fi

done

sqlplus "/as sysdba" << !
set time on;
alter database drop logfile group $1;
exit
!

-----
listener_down.sh
-----
#!/bin/sh

lsnrctl stop LISTENER1
lsnrctl stop LISTENER2
-----
listener_up.sh
-----
#!/bin/sh

lsnrctl start LISTENER1
lsnrctl start LISTENER2
-----
loadcust.sh
-----
#created automatically by /tmp/tmp/tpcc-kit/scripts/evenload.sh Fri Feb 24
14:48:59 PST 2012
rm -f loadcust*.log
cd $tpcc_bench
allprocs=
$tpcc_load -M 140000 -C -l 1 -m 37 >> loadcust0.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 38 -m 74 >> loadcust1.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 75 -m 111 >> loadcust2.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 112 -m 148 >> loadcust3.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 149 -m 185 >> loadcust4.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 186 -m 222 >> loadcust5.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 223 -m 259 >> loadcust6.log 2>&1 &

```

```

allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 260 -m 296 >> loadcust7.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 297 -m 333 >> loadcust8.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 334 -m 370 >> loadcust9.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 371 -m 407 >> loadcust10.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 408 -m 444 >> loadcust11.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 445 -m 481 >> loadcust12.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 482 -m 518 >> loadcust13.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 519 -m 555 >> loadcust14.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 556 -m 592 >> loadcust15.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 593 -m 629 >> loadcust16.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 630 -m 666 >> loadcust17.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 667 -m 703 >> loadcust18.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 704 -m 740 >> loadcust19.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 741 -m 777 >> loadcust20.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 778 -m 814 >> loadcust21.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 815 -m 851 >> loadcust22.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 852 -m 888 >> loadcust23.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 889 -m 925 >> loadcust24.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 926 -m 962 >> loadcust25.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 963 -m 999 >> loadcust26.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1000 -m 1036 >> loadcust27.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1037 -m 1073 >> loadcust28.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1074 -m 1110 >> loadcust29.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1111 -m 1147 >> loadcust30.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1148 -m 1184 >> loadcust31.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1185 -m 1221 >> loadcust32.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1222 -m 1258 >> loadcust33.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1259 -m 1295 >> loadcust34.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1296 -m 1332 >> loadcust35.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1333 -m 1369 >> loadcust36.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1370 -m 1406 >> loadcust37.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1407 -m 1443 >> loadcust38.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1444 -m 1480 >> loadcust39.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1481 -m 1518 >> loadcust40.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1519 -m 1556 >> loadcust41.log 2>&1 &

```

```

allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1557 -m 1594 >> loadcust42.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1595 -m 1632 >> loadcust43.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1633 -m 1670 >> loadcust44.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1671 -m 1708 >> loadcust45.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1709 -m 1746 >> loadcust46.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1747 -m 1784 >> loadcust47.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1785 -m 1822 >> loadcust48.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1823 -m 1860 >> loadcust49.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1861 -m 1898 >> loadcust50.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1899 -m 1936 >> loadcust51.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1937 -m 1974 >> loadcust52.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 1975 -m 2012 >> loadcust53.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2013 -m 2050 >> loadcust54.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2051 -m 2088 >> loadcust55.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2089 -m 2126 >> loadcust56.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2127 -m 2164 >> loadcust57.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2165 -m 2202 >> loadcust58.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2203 -m 2240 >> loadcust59.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2241 -m 2278 >> loadcust60.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2279 -m 2316 >> loadcust61.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2317 -m 2354 >> loadcust62.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2355 -m 2392 >> loadcust63.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2393 -m 2430 >> loadcust64.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2431 -m 2468 >> loadcust65.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2469 -m 2506 >> loadcust66.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2507 -m 2544 >> loadcust67.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2545 -m 2582 >> loadcust68.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2583 -m 2620 >> loadcust69.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2621 -m 2658 >> loadcust70.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2659 -m 2696 >> loadcust71.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2697 -m 2734 >> loadcust72.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2735 -m 2772 >> loadcust73.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2773 -m 2810 >> loadcust74.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2811 -m 2848 >> loadcust75.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2849 -m 2886 >> loadcust76.log 2>&1 &

```

```

allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2887 -m 2924 >> loadcust77.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2925 -m 2962 >> loadcust78.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -C -l 2963 -m 3000 >> loadcust79.log 2>&1 &
allprocs="$allprocs ${!}"
wait
-----
loaddist.sh
-----
cd $tpcc_bench
$tpcc_load -M $tpcc_scale -d > loaddist.log 2>&1
-----
loadhist.sh
-----
#created automatically by /tmp/tmp/tpcc-kit/scripts/evenload.sh Fri Feb 24
14:48:57 PST 2012
rm -f loadhist*.log
cd $tpcc_bench
allprocs=
$tpcc_load -M 140000 -h -b 1 -e 1750 >> loadhist0.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 1751 -e 3500 >> loadhist1.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 3501 -e 5250 >> loadhist2.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 5251 -e 7000 >> loadhist3.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 7001 -e 8750 >> loadhist4.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 8751 -e 10500 >> loadhist5.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 10501 -e 12250 >> loadhist6.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 12251 -e 14000 >> loadhist7.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 14001 -e 15750 >> loadhist8.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 15751 -e 17500 >> loadhist9.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 17501 -e 19250 >> loadhist10.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 19251 -e 21000 >> loadhist11.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 21001 -e 22750 >> loadhist12.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 22751 -e 24500 >> loadhist13.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 24501 -e 26250 >> loadhist14.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 26251 -e 28000 >> loadhist15.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 28001 -e 29750 >> loadhist16.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 29751 -e 31500 >> loadhist17.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 31501 -e 33250 >> loadhist18.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 33251 -e 35000 >> loadhist19.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 35001 -e 36750 >> loadhist20.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 36751 -e 38500 >> loadhist21.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 38501 -e 40250 >> loadhist22.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 40251 -e 42000 >> loadhist23.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 42001 -e 43750 >> loadhist24.log 2>&1 &

```

```

allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 43751 -e 45500 >> loadhist25.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 45501 -e 47250 >> loadhist26.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 47251 -e 49000 >> loadhist27.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 49001 -e 50750 >> loadhist28.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 50751 -e 52500 >> loadhist29.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 52501 -e 54250 >> loadhist30.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 54251 -e 56000 >> loadhist31.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 56001 -e 57750 >> loadhist32.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 57751 -e 59500 >> loadhist33.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 59501 -e 61250 >> loadhist34.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 61251 -e 63000 >> loadhist35.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 63001 -e 64750 >> loadhist36.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 64751 -e 66500 >> loadhist37.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 66501 -e 68250 >> loadhist38.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 68251 -e 70000 >> loadhist39.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 70001 -e 71750 >> loadhist40.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 71751 -e 73500 >> loadhist41.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 73501 -e 75250 >> loadhist42.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 75251 -e 77000 >> loadhist43.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 77001 -e 78750 >> loadhist44.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 78751 -e 80500 >> loadhist45.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 80501 -e 82250 >> loadhist46.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 82251 -e 84000 >> loadhist47.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 84001 -e 85750 >> loadhist48.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 85751 -e 87500 >> loadhist49.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 87501 -e 89250 >> loadhist50.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 89251 -e 91000 >> loadhist51.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 91001 -e 92750 >> loadhist52.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 92751 -e 94500 >> loadhist53.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 94501 -e 96250 >> loadhist54.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 96251 -e 98000 >> loadhist55.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 98001 -e 99750 >> loadhist56.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 99751 -e 101500 >> loadhist57.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 101501 -e 103250 >> loadhist58.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 103251 -e 105000 >> loadhist59.log 2>&1 &

```

```

allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 105001 -e 106750 >> loadhist60.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 106751 -e 108500 >> loadhist61.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 108501 -e 110250 >> loadhist62.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 110251 -e 112000 >> loadhist63.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 112001 -e 113750 >> loadhist64.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 113751 -e 115500 >> loadhist65.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 115501 -e 117250 >> loadhist66.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 117251 -e 119000 >> loadhist67.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 119001 -e 120750 >> loadhist68.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 120751 -e 122500 >> loadhist69.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 122501 -e 124250 >> loadhist70.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 124251 -e 126000 >> loadhist71.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 126001 -e 127750 >> loadhist72.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 127751 -e 129500 >> loadhist73.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 129501 -e 131250 >> loadhist74.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 131251 -e 133000 >> loadhist75.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 133001 -e 134750 >> loadhist76.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 134751 -e 136500 >> loadhist77.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 136501 -e 138250 >> loadhist78.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -h -b 138251 -e 140000 >> loadhist79.log 2>&1 &
allprocs="$allprocs ${!}"
wait
-----
```

loaditem.sh

```

-----
```

- cd \$tpcc_bench
- \$tpcc_load -M \$tpcc_scale -i > loaditem.log 2>&1

```

-----
```

loadnord.sh

```

-----
```

#created automatically by /tmp/tmp/tpcc-kit/scripts/evenload.sh Fri Feb 24
14:48:58 PST 2012

- rm -f loadnord*.log
- cd \$tpcc_bench
- allprocs=
- \$tpcc_load -M 140000 -n -b 1 -e 1750 >> loadnord0.log 2>&1 &
- allprocs="\$allprocs \${!}"
- \$tpcc_load -M 140000 -n -b 1751 -e 3500 >> loadnord1.log 2>&1 &
- allprocs="\$allprocs \${!}"
- \$tpcc_load -M 140000 -n -b 3501 -e 5250 >> loadnord2.log 2>&1 &
- allprocs="\$allprocs \${!}"
- \$tpcc_load -M 140000 -n -b 5251 -e 7000 >> loadnord3.log 2>&1 &
- allprocs="\$allprocs \${!}"
- \$tpcc_load -M 140000 -n -b 7001 -e 8750 >> loadnord4.log 2>&1 &
- allprocs="\$allprocs \${!}"
- \$tpcc_load -M 140000 -n -b 8751 -e 10500 >> loadnord5.log 2>&1 &
- allprocs="\$allprocs \${!}"
- \$tpcc_load -M 140000 -n -b 10501 -e 12250 >> loadnord6.log 2>&1 &
- allprocs="\$allprocs \${!}"
- \$tpcc_load -M 140000 -n -b 12251 -e 14000 >> loadnord7.log 2>&1 &

```
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 75251 -e 77000 >> loadnord43.log 2>&1 &  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 77001 -e 78750 >> loadnord44.log 2>&1 &  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 78751 -e 80500 >> loadnord45.log 2>&1 &  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 80501 -e 82250 >> loadnord46.log 2>&1 &  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 82251 -e 84000 >> loadnord47.log 2>&1 &  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 84001 -e 85750 >> loadnord48.log 2>&1 &  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 85751 -e 87500 >> loadnord49.log 2>&1 &  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 87501 -e 89250 >> loadnord50.log 2>&1 &  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 89251 -e 91000 >> loadnord51.log 2>&1 &  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 91001 -e 92750 >> loadnord52.log 2>&1 &  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 92751 -e 94500 >> loadnord53.log 2>&1 &  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 94501 -e 96250 >> loadnord54.log 2>&1 &  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 96251 -e 98000 >> loadnord55.log 2>&1 &  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 98001 -e 99750 >> loadnord56.log 2>&1 &  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 99751 -e 101500 >> loadnord57.log 2>&1 &  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 101501 -e 103250 >> loadnord58.log 2>&1  
&  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 103251 -e 105000 >> loadnord59.log 2>&1  
&  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 105001 -e 106750 >> loadnord60.log 2>&1  
&  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 106751 -e 108500 >> loadnord61.log 2>&1  
&  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 108501 -e 110250 >> loadnord62.log 2>&1  
&  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 110251 -e 112000 >> loadnord63.log 2>&1  
&  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 112001 -e 113750 >> loadnord64.log 2>&1  
&  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 113751 -e 115500 >> loadnord65.log 2>&1  
&  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 115501 -e 117250 >> loadnord66.log 2>&1  
&  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 117251 -e 119000 >> loadnord67.log 2>&1  
&  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 119001 -e 120750 >> loadnord68.log 2>&1  
&  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 120751 -e 122500 >> loadnord69.log 2>&1  
&  
allprocs="$allprocs ${!}"  
$tpcc_load -M 140000 -n -b 122501 -e 124250 >> loadnord70.log 2>&1  
&  
allprocs="$allprocs ${!}"
```

```

$tpcc_load -M 140000 -n -b 124251 -e 126000 >> loadnord71.log 2>&1
&
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -n -b 126001 -e 127750 >> loadnord72.log 2>&1
&
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -n -b 127751 -e 129500 >> loadnord73.log 2>&1
&
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -n -b 129501 -e 131250 >> loadnord74.log 2>&1
&
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -n -b 131251 -e 133000 >> loadnord75.log 2>&1
&
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -n -b 133001 -e 134750 >> loadnord76.log 2>&1
&
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -n -b 134751 -e 136500 >> loadnord77.log 2>&1
&
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -n -b 136501 -e 138250 >> loadnord78.log 2>&1
&
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -n -b 138251 -e 140000 >> loadnord79.log 2>&1
&
allprocs="$allprocs ${!}"
wait
-----
loadordrordl.sh
-----
#created automatically by /tmp/tmp/tpcc-kit/scripts/evenload.sh Fri Feb 24
14:48:59 PST 2012
rm -f loadordrordl*.log
cd $tpcc_bench
allprocs=
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy0.dat -b 1 -e 1750
>> loadordrordl0.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy1.dat -b 1751 -e
3500 >> loadordrordl1.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy2.dat -b 3501 -e
5250 >> loadordrordl2.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy3.dat -b 5251 -e
7000 >> loadordrordl3.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy4.dat -b 7001 -e
8750 >> loadordrordl4.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy5.dat -b 8751 -e
10500 >> loadordrordl5.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy6.dat -b 10501 -e
12250 >> loadordrordl6.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy7.dat -b 12251 -e
14000 >> loadordrordl7.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy8.dat -b 14001 -e
15750 >> loadordrordl8.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy9.dat -b 15751 -e
17500 >> loadordrordl9.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy10.dat -b 17501 -e
19250 >> loadordrordl10.log 2>&1 &
allprocs="$allprocs ${!}"

```

```

$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy11.dat -b 19251 -e
21000 >> loadordrordl11.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy12.dat -b 21001 -e
22750 >> loadordrordl12.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy13.dat -b 22751 -e
24500 >> loadordrordl13.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy14.dat -b 24501 -e
26250 >> loadordrordl14.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy15.dat -b 26251 -e
28000 >> loadordrordl15.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy16.dat -b 28001 -e
29750 >> loadordrordl16.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy17.dat -b 29751 -e
31500 >> loadordrordl17.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy18.dat -b 31501 -e
33250 >> loadordrordl18.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy19.dat -b 33251 -e
35000 >> loadordrordl19.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy20.dat -b 35001 -e
36750 >> loadordrordl20.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy21.dat -b 36751 -e
38500 >> loadordrordl21.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy22.dat -b 38501 -e
40250 >> loadordrordl22.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy23.dat -b 40251 -e
42000 >> loadordrordl23.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy24.dat -b 42001 -e
43750 >> loadordrordl24.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy25.dat -b 43751 -e
45500 >> loadordrordl25.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy26.dat -b 45501 -e
47250 >> loadordrordl26.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy27.dat -b 47251 -e
49000 >> loadordrordl27.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy28.dat -b 49001 -e
50750 >> loadordrordl28.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy29.dat -b 50751 -e
52500 >> loadordrordl29.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy30.dat -b 52501 -e
54250 >> loadordrordl30.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy31.dat -b 54251 -e
56000 >> loadordrordl31.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy32.dat -b 56001 -e
57750 >> loadordrordl32.log 2>&1 &
allprocs="$allprocs ${!}"
$tpcc_load -M 140000 -o ${tpcc_disks_location}dummy33.dat -b 57751 -e
59500 >> loadordrordl33.log 2>&1 &
allprocs="$allprocs ${!}"

```



```
loadstok.sh
-----
#created automatically by /tmp/tmp/tpcc-kit/scripts/evenload.sh Fri Feb 24
14:49:00 PST 2012
rm -f loadstok*.log
cd $tpcc_bench
allprocs=
$tpcc_load -M 140000 -S -j 1 -k 1250 >> loadstok0.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 1251 -k 2500 >> loadstok1.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 2501 -k 3750 >> loadstok2.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 3751 -k 5000 >> loadstok3.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 5001 -k 6250 >> loadstok4.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 6251 -k 7500 >> loadstok5.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 7501 -k 8750 >> loadstok6.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 8751 -k 10000 >> loadstok7.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 10001 -k 11250 >> loadstok8.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 11251 -k 12500 >> loadstok9.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 12501 -k 13750 >> loadstok10.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 13751 -k 15000 >> loadstok11.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 15001 -k 16250 >> loadstok12.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 16251 -k 17500 >> loadstok13.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 17501 -k 18750 >> loadstok14.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 18751 -k 20000 >> loadstok15.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 20001 -k 21250 >> loadstok16.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 21251 -k 22500 >> loadstok17.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 22501 -k 23750 >> loadstok18.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 23751 -k 25000 >> loadstok19.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 25001 -k 26250 >> loadstok20.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 26251 -k 27500 >> loadstok21.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 27501 -k 28750 >> loadstok22.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 28751 -k 30000 >> loadstok23.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 30001 -k 31250 >> loadstok24.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 31251 -k 32500 >> loadstok25.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 32501 -k 33750 >> loadstok26.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 33751 -k 35000 >> loadstok27.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 35001 -k 36250 >> loadstok28.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 36251 -k 37500 >> loadstok29.log 2>&1 &
allprocs="$allprocs ${!}!"
$tpcc_load -M 140000 -S -j 37501 -k 38750 >> loadstok30.log 2>&1 &
allprocs="$allprocs ${!}!"
```

```

$tpcc_load -M 140000 -S -j 82501 -k 83750 >> loadstok66.log 2>&1 &
allprocs="$allprocs ${!}""
$tpcc_load -M 140000 -S -j 83751 -k 85000 >> loadstok67.log 2>&1 &
allprocs="$allprocs ${!}""
$tpcc_load -M 140000 -S -j 85001 -k 86250 >> loadstok68.log 2>&1 &
allprocs="$allprocs ${!}""
$tpcc_load -M 140000 -S -j 86251 -k 87500 >> loadstok69.log 2>&1 &
allprocs="$allprocs ${!}""
$tpcc_load -M 140000 -S -j 87501 -k 88750 >> loadstok70.log 2>&1 &
allprocs="$allprocs ${!}""
$tpcc_load -M 140000 -S -j 88751 -k 90000 >> loadstok71.log 2>&1 &
allprocs="$allprocs ${!}""
$tpcc_load -M 140000 -S -j 90001 -k 91250 >> loadstok72.log 2>&1 &
allprocs="$allprocs ${!}""
$tpcc_load -M 140000 -S -j 91251 -k 92500 >> loadstok73.log 2>&1 &
allprocs="$allprocs ${!}""
$tpcc_load -M 140000 -S -j 92501 -k 93750 >> loadstok74.log 2>&1 &
allprocs="$allprocs ${!}""
$tpcc_load -M 140000 -S -j 93751 -k 95000 >> loadstok75.log 2>&1 &
allprocs="$allprocs ${!}""
$tpcc_load -M 140000 -S -j 95001 -k 96250 >> loadstok76.log 2>&1 &
allprocs="$allprocs ${!}""
$tpcc_load -M 140000 -S -j 96251 -k 97500 >> loadstok77.log 2>&1 &
allprocs="$allprocs ${!}""
$tpcc_load -M 140000 -S -j 97501 -k 98750 >> loadstok78.log 2>&1 &
allprocs="$allprocs ${!}""
$tpcc_load -M 140000 -S -j 98751 -k 100000 >> loadstok79.log 2>&1 &
allprocs="$allprocs ${!}""
wait
-----
loadware.sh
-----
cd $tpcc_bench
$tpcc_load -M $tpcc_scale -w > loadware.log 2>&1
-----
switchlog.sh
-----
#!/bin/sh

sqlplus / as sysdba <<!
startup pfile=p_build.ora
quit;
!

(
sqlplus / as sysdba << !
ALTER DATABASE ADD LOGFILE group 3
('/home/oracle/disks/log_1_3') SIZE 2G reuse;
quit;
!
) &

(
sqlplus / as sysdba << !
ALTER DATABASE ADD LOGFILE group 4
('/home/oracle/disks/log_2_3') SIZE 2G reuse;
quit;
!
) &

wait

./droplog.sh 1
./droplog.sh 2

(
sqlplus / as sysdba << !

```

```

ALTER DATABASE ADD LOGFILE group 1
('/home/oracle/disks/log_1_1', '/home/oracle/disks/log_2_1') SIZE 252G
reuse;
quit;
!
) &

(
sqlplus / as sysdba << !
ALTER DATABASE ADD LOGFILE group 2
('/home/oracle/disks/log_1_2', '/home/oracle/disks/log_2_2') SIZE 252G
reuse;
quit;
!
) &

wait

./droplog.sh 3
./droplog.sh 4

sqlplus / as sysdba <<!
shutdown immediate;
quit;
!
-----
paynz.sql
-----
DECLARE /* paynz */
not_serializable      EXCEPTION;
PRAGMA EXCEPTION_INIT(not_serializable,-8177);
deadlock      EXCEPTION;
PRAGMA EXCEPTION_INIT(deadlock,-60);
snapshot_too_old      EXCEPTION;
PRAGMA EXCEPTION_INIT(snapshot_too_old,-1555);
BEGIN
LOOP BEGIN
UPDATE ware
SET w_ytd = w_ytd + :h_amount
WHERE w_id = :w_id
RETURNING w_name, w_street_1, w_street_2, w_city, w_state,
w_zip
INTO initpcc.ware_name, :w_street_1, :w_street_2, :w_city,
:w_state, :w_zip;

UPDATE cust
SET c_balance = c_balance - :h_amount,
c_ytd_payment = c_ytd_payment + :h_amount,
c_payment_cnt = c_payment_cnt+1
WHERE c_id = :c_id AND c_d_id = :c_d_id AND
c_w_id = :c_w_id
RETURNING rowid, c_first, c_middle, c_last, c_street_1,
c_street_2, c_city, c_state, c_zip, c_phone,
c_since, c_credit, c_credit_lim,
c_discount, c_balance
INTO initpcc.cust_rowid,:c_first,:c_middle,:c_last,:c_street_1,
:c_street_2,:c_city,:c_state,:c_zip,:c_phone,
:c_since,:c_credit,:c_credit_lim,
:c_discount,:c_balance;
IF SQL%NOTFOUND THEN
raise NO_DATA_FOUND;
END IF;

IF :c_credit = 'BC' THEN
UPDATE cust
SET c_data = substr ((to_char (:c_id) || '' ||
to_char (:c_d_id) || '' ||
to_char (:c_w_id) || '' ||
to_char (:d_id) || '' ||

```

```

        to_char (:w_id) || '' ||
        to_char (:h_amount/100, '9999.99') || ''
        || c_data, 1, 500)
    WHERE rowid = initppc.cust_rowid
    RETURNING substr(c_data,1, 200)
    INTO :c_data;
END IF;

UPDATE dist
    SET d_ytd = d_ytd + :h_amount
    WHERE d_id = :d_id
    AND d_w_id = :w_id
RETURNING d_name, d_street_1, d_street_2, d_city,d_state, d_zip
    INTO initppc.dist_name,:d_street_1,:d_street_2,:d_city,:d_state,
        :d_zip;
IF SQL%NOTFOUND THEN
    raise NO_DATA_FOUND;
END IF;

INSERT INTO hist (h_c_id, h_c_d_id, h_c_w_id, h_d_id, h_w_id,
    h_amount, h_date, h_data)
VALUES
    (:c_id, :c_d_id, :c_w_id, :d_id, :w_id, :h_amount,
    :cr_date, initppc.ware_name || ' ' || initppc.dist_name);
EXIT;

EXCEPTION
    WHEN not_serializable OR deadlock OR snapshot_too_old THEN
        ROLLBACK;
        :retry := :retry + 1;
    END;

    END LOOP;
END;

-----
payz.sql
-----
DECLARE /* payz */
not_serializable      EXCEPTION;
PRAGMA EXCEPTION_INIT(not_serializable,-8177);
deadlock              EXCEPTION;
PRAGMA EXCEPTION_INIT(deadlock,-60);
snapshot_too_old      EXCEPTION;
PRAGMA EXCEPTION_INIT(snapshot_too_old,-1555);
BEGIN
LOOP BEGIN
    UPDATE ware
        SET w_ytd = w_ytd+:h_amount
        WHERE w_id = :w_id
        RETURNING w_name,
            w_street_1, w_street_2, w_city, w_state, w_zip
        INTO initppc.ware_name,
            :w_street_1, :w_street_2, :w_city, :w_state, :w_zip;

    SELECT rowid
    BULK COLLECT INTO initppc.row_id
    FROM cust
    WHERE c_d_id = :c_d_id AND c_w_id = :c_w_id AND c_last =
:c_last
    ORDER BY c_last, c_d_id, c_w_id, c_first;

    initppc.c_num := sql%rowcount;
    initppc.cust_rowid := initppc.row_id((initppc.c_num) + 1 / 2);

    UPDATE cust

```

```

        SET c_balance = c_balance - :h_amount,
            c_ytd_payment = c_ytd_payment+ :h_amount,
            c_payment_cnt = c_payment_cnt+1
    WHERE rowid = initppc.cust_rowid
    RETURNING
        c_id, c_first, c_middle, c_last, c_street_1, c_street_2,
        c_city, c_state, c_zip, c_phone,
        c_since, c_credit, c_credit_lim,
        c_discount, c_balance
    INTO :c_id, :c_first, :c_middle, :c_last,
        :c_street_1, :c_street_2, :c_city, :c_state,
        :c_zip, :c_phone, :c_since, :c_credit,
        :c_credit_lim, :c_discount, :c_balance;

    :c_data := '';
    IF :c_credit = 'BC' THEN
        UPDATE cust
            SET c_data = substr ((to_char (:c_id) || '' ||
                to_char (:c_d_id) || '' ||
                to_char (:c_w_id) || '' ||
                to_char (:d_id) || '' ||
                to_char (:w_id) || '' ||
                to_char (:h_amount/100, '9999.99') || ''
                || c_data, 1, 500)
    WHERE rowid = initppc.cust_rowid
    RETURNING substr(c_data,1, 200)
    INTO :c_data;
END IF;

UPDATE dist
    SET d_ytd = d_ytd+:h_amount
    WHERE d_id = :d_id
    AND d_w_id = :w_id
RETURNING d_name, d_street_1, d_street_2, d_city,
    d_state, d_zip
    INTO initppc.dist_name, :d_street_1, :d_street_2, :d_city,
        :d_state, :d_zip;

IF SQL%NOTFOUND
    THEN
        raise NO_DATA_FOUND;
END IF;

INSERT INTO hist (h_c_id, h_c_d_id, h_c_w_id, h_d_id, h_w_id,
    h_amount, h_date, h_data)
VALUES
    (:c_id, :c_d_id, :c_w_id, :d_id, :w_id, :h_amount,
    :cr_date, initppc.ware_name || ' ' || initppc.dist_name);

EXIT;

EXCEPTION
    WHEN not_serializable OR deadlock OR snapshot_too_old THEN
        ROLLBACK;
        :retry := :retry + 1;
    END;

    END LOOP;
END;

-----
space_get.sql
-----
REM=====
=====+
REM Copyright (c) 1995, 2008, Oracle and/or its affiliates.
REM All rights reserved.

```

```

REM          OPEN SYSTEMS PERFORMANCE GROUP      |
REM          All Rights Reserved      |
REM=====+
REM FILENAME
REM   space_get.sql
REM DESCRIPTION
REM   Get sizes of tables, indexes and tablespaces.
REM Usage: sqlplus 'sys/change_on_install as sysdba' @space_get
[<tpm> <# of warehouses>]
REM=====
=====*/
set echo on;
delete from tpcc_data;
delete from tpcc_space;
delete from tpcc_totspace;

insert into tpcc_data
select substr(segment_name,1,18), substr(segment_type,1,15),
       sum(blocks), t.block_size,
       round(sum(blocks) * 0.05), 0,
       sum(blocks) + round(sum(blocks) * 0.05)
  from dba_extents e, dba_tablespaces t
 where owner = 'TPCC' AND ( segment_type = 'INDEX' OR
    segment_type = 'INDEX PARTITION' OR segment_type =
'CLUSTER'
    OR segment_type = 'TABLE' OR segment_type = 'TABLE
PARTITION')
    AND e.tablespace_name <> 'SYSTEM' AND e.tablespace_name <>
'SP_0'
    AND e.tablespace_name = t.tablespace_name
 group by segment_name, segment_type, t.block_size;

insert into tpcc_data
 select 'SYSTEM', 'SYS', sum(blocks), t.block_size, 0, 0, sum(blocks)
  from dba_data_files f, dba_tablespaces t
 where f.tablespace_name = 'SYSTEM' and t.tablespace_name =
f.tablespace_name
 group by t.block_size;

insert into tpcc_data
 select 'SYSAUX', 'SYS', sum(blocks), t.block_size, 0, 0, sum(blocks)
  from dba_data_files f, dba_tablespaces t
 where f.tablespace_name = 'SYSAUX' and t.tablespace_name =
f.tablespace_name
 group by t.block_size;

insert into tpcc_data
 select 'ROLL_SEG', 'SYS', sum(blocks), t.block_size, 0, 0, sum(blocks)
  from dba_data_files f, dba_tablespaces t
 where f.tablespace_name like '%UNDO_TS%' and f.tablespace_name =
t.tablespace_name
 group by f.tablespace_name, t.block_size;

insert into tpcc_data
 select 'DB_STAT', 'SYS', sum(blocks), t.block_size, 0, 0, sum(blocks)
  from dba_data_files f, dba_tablespaces t
 where f.tablespace_name like '%SP_0%' and f.tablespace_name =
t.tablespace_name
 group by f.tablespace_name, t.block_size;

update tpcc_data
set five_pct = 0,
  daily_grow = round(blocks * &&1 / 62.5 / &&2),
  total = blocks + round(blocks * &&1 / 62.5 / &&2)
 where segment = 'HIST' OR segment = 'ORDRCLUSTER_QUEUE'
OR
  segment = 'IORDL';

```

```

insert into tpcc_space
select substr(ex$.name,1,18), sum(sp$.sz_blocks), sp$.block_size, 0, 0, 0,
0
from
  (select f.tablespace_name , sum(blocks) sz_blocks, t.block_size
  block_size
   from dba_data_files f, dba_tablespaces t
  where f.tablespace_name <> 'SYSTEM' and f.tablespace_name =
t.tablespace_name
   group by f.tablespace_name, t.block_size
  ) sp$,
(select distinct tablespace_name, segment_name name
  from dba_extents
 where owner = 'TPCC'
   and (segment_type = 'CLUSTER' or segment_type = 'TABLE'
        or segment_type = 'TABLE PARTITION' or segment_type =
'INDEX'
        or segment_type = 'INDEX PARTITION')
        and tablespace_name <> 'SYSTEM'
  ) ex$
where sp$.tablespace_name = ex$.tablespace_name
group by ex$.name, sp$.block_size;

insert into tpcc_space
select substr(f.tablespace_name,1,18), sum(blocks), t.block_size, 0, 0, 0,
0
from dba_data_files f, dba_tablespaces t
where (f.tablespace_name = 'SYSTEM' or f.tablespace_name =
'SYSAUX')
      and f.tablespace_name = t.tablespace_name
group by f.tablespace_name, t.block_size;

insert into tpcc_space
select 'ROLL_SEG', sum(blocks), t.block_size, 0, 0, 0
from dba_data_files f, dba_tablespaces t
where f.tablespace_name = 'UNDO_TS' and f.tablespace_name =
t.tablespace_name
group by f.tablespace_name, t.block_size;

insert into tpcc_space
select 'DB_STAT', sum(blocks), t.block_size, 0, 0, 0
from dba_data_files f, dba_tablespaces t
where f.tablespace_name = 'SP_0' and f.tablespace_name =
t.tablespace_name
group by f.tablespace_name, t.block_size;

update tpcc_space
set required =
(
  select sum(total)
  from tpcc_data
  where tpcc_data.segment = tpcc_space.segment
)
where segment in
(
  select segment from tpcc_data
);

update tpcc_space
set static =
(
  select sum(total)
  from tpcc_data
  where tpcc_data.segment = tpcc_space.segment
)
where segment in
(
  select segment from tpcc_data
);

```

```

update tpcc_space
set static = 0,
    dynamic =
(
  select sum(blocks)
  from tpcc_data
  where tpcc_data.segment = tpcc_space.segment
)
where segment in ('HIST', 'ORDRCLUSTER_QUEUE', 'IORDL');

update tpcc_space
  set oversize = blocks - required;

```

```

insert into tpcc_totspace
  select &&1, &&2, sum(static * block_size)/1024, sum(dynamic *
block_size)/1024, sum(oversize * block_size)/1024, 0, 0, 0
  from tpcc_space;

```

```

update tpcc_totspace
  set daily_grow =
(
  select sum(daily_grow * block_size)/1024
  from tpcc_data
);
update tpcc_totspace
  set space60 = static + 60 * daily_grow;
set echo off;

```

```
-----+
space_init.sql
-----+
```

```

REM=====
=====+
REM FILENAME
REM   space_init.sql
REM DESCRIPTION
REM   Create tables for space calculations.
REM Usage: sqlplus 'sys/change_on_install as sysdba' @space_init.sql
REM=====
=====*/
set echo on;
drop table tpcc_data;
drop table tpcc_space;
drop table tpcc_totspace;
create table tpcc_data (
  segment  varchar2(18),
  type     varchar2(15),
  blocks   number,
  block_size number,
  five_pct  number,
  daily_grow number,
  total     number
);
create table tpcc_space (
  segment  varchar2(18),
  blocks   number,
  block_size number,
  required  number,
  static    number,
  dynamic   number,
  oversize  number
);
create table tpcc_totspace (
  tpm      number,
  nware    number,
  static   number,
  dynamic  number,

```

```

  oversize  number,
  daily_grow number,
  daily_spre number,
  space60   number
);
create unique index itpcc_data on tpcc_data (segment);
create unique index itpcc_space on tpcc_space (segment);
set echo off;

```

```
-----+
space_rpt.sql
-----+
```

```

REM=====
=====+
REM Copyright (c) 1995, 2008, Oracle and/or its affiliates.
REM All rights reserved.
REM          OPEN SYSTEMS PERFORMANCE GROUP
REM          All Rights Reserved
REM=====
=====+
REM FILENAME
REM   space_rpt.sql
REM DESCRIPTION
REM   Generate space report and save it in space.rpt
REM Usage: sqlplus 'sys/change_on_install as sysdba' @space_rpt.sql
REM=====
=====*/
set space 2
set pagesize 2000
set echo off
set termout off
set verify off
set feedback off
set pagesize 60 linesize 120
spool space.rpt
select tpm, nware from tpcc_totspace;
select * from tpcc_data order by segment;
select * from tpcc_space order by segment;
select static, dynamic, oversize, daily_grow, daily_spre, space60
  from tpcc_totspace;
spool off;
```

```
-----+
tkvcinin.sql
-----+
```

```

Rem
Rem $Header: tk_perf/benchmark_kits/tpcc-new/scripts/sql/tkvcinin.sql
/main/2 2008/12/15 05:58:45 avliet Exp $
Rem
Rem tkvcinin.sql
Rem
Rem Copyright (c) 2001, 2008, Oracle and/or its affiliates.
Rem All rights reserved.
Rem
Rem NAME
Rem   tkvcinin.sql - <one-line expansion of the name>
Rem
Rem DESCRIPTION
Rem   <short description of component this file declares/defines>
Rem
Rem NOTES
Rem   <other useful comments, qualifications, etc.>
Rem
Rem MODIFIED (MM/DD/YY)
Rem   heri 05/03/02 - Short table names.
Rem   lwang 07/24/01 - remove SET
Rem   lwang 05/22/01 - Merged lwang_createdb
```

Rem lwang 05/21/01 - Created
Rem

-- The initnew package for storing variables used in the
-- New Order anonymous block

```
CREATE OR REPLACE PACKAGE initpcc
AS
TYPE intarray IS TABLE OF INTEGER index by binary_integer;
TYPE distarray IS TABLE OF VARCHAR(24) index by binary_integer;
TYPE rowidarray IS TABLE OF ROWID INDEX BY
BINARY_INTEGER;
nulldate DATE;
s_dist          distarray;
idxlarr        intarray;
s_remote        intarray;
dist           intarray;
row_id          rowidarray;
cust_rowid     rowid;
dist_name       varchar2(11);
ware_name       varchar2(11);
c_num          pls_integer;
PROCEDURE init_no(idxarr intarray);
PROCEDURE init_del;
PROCEDURE init_pay;
END initpcc;
/
show errors;
```

```
CREATE OR REPLACE PACKAGE BODY initpcc AS
```

```
PROCEDURE init_no (idxarr intarray)
IS
BEGIN
    -- initialize null date
    nulldate := TO_DATE('09-15-1811', 'MM-DD-YYYY');

    -- we found a savings of ~500 instructions when
    -- initializing the cr_date array on both the client
    -- and the server, instead of initializing on
    -- the client and passing it to the server. this cannot be done
    -- as we require the current system date
    -- cr_date := SYSDATE;

    -- initialize idxlarr on the client and store it here
    -- as a package variable
    idxlarr := idxarr;
END init_no;
```

```
PROCEDURE init_del
IS
BEGIN
    FOR i IN 1 .. 10 LOOP
        dist(i) := i;
    END LOOP;
END init_del;
```

```
PROCEDURE init_pay IS
BEGIN
    NULL;
END init_pay;
```

```
END initpcc;
/
show errors
```

```
CREATE OR REPLACE PACKAGE tpcc
AS
TYPE intarray IS TABLE OF INTEGER index by binary_integer;
TYPE distarray IS TABLE OF VARCHAR(24) index by binary_integer;
```

```
TYPE rowidarray IS TABLE OF ROWID INDEX BY
BINARY_INTEGER;
TYPE chararray IS TABLE OF VARCHAR(1) index by binary_integer;
TYPE numarray IS TABLE OF NUMBER index by binary_integer;
TYPE datarray IS TABLE OF DATE INDEX BY BINARY_INTEGER;
nulldate DATE;
s_dist          distarray;
idxlarr        intarray;
s_remote        intarray;
dist           intarray;
row_id          rowidarray;
cust_rowid     rowid;
dist_name       varchar2(11);
ware_name       varchar2(11);
c_num          pls_integer;

PROCEDURE neworder (
    par_w_id BINARY_INTEGER,
    par_d_id BINARY_INTEGER,
    par_c_id BINARY_INTEGER,
    par_o_all_local BINARY_INTEGER,
    par_o.ol_cnt IN OUT BINARY_INTEGER,
    par_w_tax IN OUT BINARY_INTEGER,
    par_d_tax IN OUT BINARY_INTEGER,
    par_o_id IN OUT BINARY_INTEGER,
    par_c_discount IN OUT BINARY_INTEGER,
    par_c_credit IN OUT varchar2,
    par_c_last IN OUT varchar2,
    par_retry IN OUT BINARY_INTEGER,
    par_cr_date DATE,
    par_o.i_id intarray,
    par_o.l_supply_w_id intarray,
    par_i_price IN OUT numarray,
    par_i_name IN OUT distarray,
    par_s_quantity IN OUT intarray,
    par_brand_generic IN OUT chararray,
    par_o.l_amount IN OUT intarray,
    par_s_remote intarray,
    par_o.l_quantity intarray
);
```

```
PROCEDURE orderstatus (
    ware_id      INTEGER,
    dist_id       INTEGER,
    cust_id       IN OUT INTEGER,
    bylastname    INTEGER,
    cust_last     IN OUT VARCHAR2,
    cust_first    OUT VARCHAR2,
    cust_middle   OUT VARCHAR2,
    cust_balance  OUT NUMBER,
    ord_id        IN OUT INTEGER,
    ord_entry_d   OUT VARCHAR2,
    ord_carrier_id OUT INTEGER,
    ord_o.l_cnt   OUT INTEGER,
    oline_supply_w_id IN OUT intarray,
    oline_i_id    IN OUT intarray,
    oline_quantity IN OUT intarray,
    oline_amount   IN OUT numarray,
    oline_delivery_d OUT datarray
);
```

```
PROCEDURE delivery (
    ware_id      IN      INTEGER,
    dist_id       IN OUT intarray,
    order_id      OUT    intarray,
    ordent       OUT    INTEGER,
    sums         OUT    intarray,
    del_date     IN      DATE,
    carrier_id   IN      INTEGER,
    order_c_id   OUT    intarray,
```

```

retry      IN OUT  INTEGER
);

```

```

PROCEDURE payment (
ware_id      INTEGER,
dist_id       INTEGER,
cust_w_id    INTEGER,
cust_d_id    INTEGER,
cust_id      IN OUT INTEGER,
bylastname   INTEGER,
hist_amount  NUMBER,
cust_last    IN OUT VARCHAR2,
ware_street_1 OUT VARCHAR2,
ware_street_2 OUT VARCHAR2,
ware_city     OUT VARCHAR2,
ware_state    OUT VARCHAR2,
ware_zip      OUT VARCHAR2,
dist_street_1 OUT VARCHAR2,
dist_street_2 OUT VARCHAR2,
dist_city     OUT VARCHAR2,
dist_state    OUT VARCHAR2,
dist_zip      OUT VARCHAR2,
cust_first   OUT VARCHAR2,
cust_middle  OUT VARCHAR2,
cust_street_1 OUT VARCHAR2,
cust_street_2 OUT VARCHAR2,
cust_city    OUT VARCHAR2,
cust_state   OUT VARCHAR2,
cust_zip     OUT VARCHAR2,
cust_phone   OUT VARCHAR2,
cust_since   OUT DATE,
cust_credit  IN OUT VARCHAR2,
cust_credit_lim OUT NUMBER,
cust_discount OUT NUMBER,
cust_balance  IN OUT NUMBER,
cust_data    OUT VARCHAR2,
cr_date      IN  DATE,
retry        IN OUT INTEGER
);

```

```

PROCEDURE stocklevel (
ware_id      INTEGER,
dist_id       INTEGER,
threshold   INTEGER,
low_stock   OUT INTEGER
);
END tpcc;
/
show errors;

```

```

CREATE OR REPLACE PACKAGE BODY tpcc AS
rows_lost      BINARY_INTEGER;
max_index      BINARY_INTEGER;
temp_index     BINARY_INTEGER;

idx           BINARY_INTEGER;
dummy_local   BINARY_INTEGER;
not_serializable EXCEPTION;
PRAGMA EXCEPTION_INIT(not_serializable,-8177);
deadlock      EXCEPTION;
PRAGMA EXCEPTION_INIT(deadlock,-60);
snapshot_too_old EXCEPTION;
PRAGMA EXCEPTION_INIT(snapshot_too_old,-1555);

```

```

PROCEDURE neworder (
par_w_id BINARY_INTEGER,
par_d_id BINARY_INTEGER,
par_c_id BINARY_INTEGER,
par_o_all_local BINARY_INTEGER,
par_o.ol_cnt IN OUT BINARY_INTEGER,

```

```

par_w_tax IN OUT BINARY_INTEGER,
par_d_tax IN OUT BINARY_INTEGER,
par_o_id IN OUT BINARY_INTEGER,
par_c_discount IN OUT BINARY_INTEGER,
par_c_credit IN OUT varchar2,
par_c_last IN OUT varchar2,
par_retry IN OUT BINARY_INTEGER,
par_cr_date DATE,
par_o.i_id intarray,
par_o.supply_w_id intarray,
par_i_price IN OUT numarray,
par_i_name IN OUT distarray,
par_s_quantity IN OUT intarray,
par_brand_generic IN OUT chararray,
par_o.amount IN OUT intarray,
par_s_remote intarray,
par_o.quantity intarray
)
IS
BEGIN
LOOP BEGIN
UPDATE dist SET d_next_o_id = d_next_o_id + 1
WHERE d_id = par_d_id AND d_w_id = par_w_id
RETURNING d_tax, d_next_o_id-1
INTO par_d_tax, par_o_id;

SELECT c_discount, c_credit, c_last
INTO par_c_discount, par_c_credit, par_c_last
FROM cust
WHERE c_id = par_c_id AND c_d_id = par_d_id AND c_w_id =
par_w_id;

SELECT w_tax
INTO par_w_tax
FROM ware
WHERE w_id = par_w_id;

INSERT INTO nord
VALUES (par_w_id, par_d_id, par_o_id);
INSERT INTO ordr
VALUES (par_o_id, par_w_id, par_d_id, par_c_id, 11,
par_o.ol_cnt, par_o.all_local, par_cr_date);

-- copying par_d_id in local variable is important - lots of instr.
dummy_local := par_d_id;

CASE dummy_local
----- u1 thru u10 --- BEGIN ---
WHEN 1 THEN
-- ++++++ u1
BEGIN
-- we found savings of ~900 SPARC instructions when using
-- o.ol_cnt as a host bind instead of storing it in a variable.
FORALL idx IN 1 .. par_o.ol_cnt
UPDATE /*+ VECTOR_READ */ stock_item
SET s_order_cnt = s_order_cnt + 1,
s_ytd = s_ytd + par_o.quantity(idx),
s_remote_cnt = s_remote_cnt + par_s_remote(idx),
s_quantity = (CASE WHEN s_quantity < par_o.quantity (idx) + 10
THEN s_quantity +91
ELSE s_quantity
END) - par_o.quantity(idx)
WHERE i_id = par_o.i_id(idx)
AND s_w_id = par_o.supply_w_id(idx)
RETURNING i_price, i_name, s_quantity, s_dist_01,
i_price*par_o.quantity(idx),
CASE WHEN i_data NOT LIKE '%ORIGINAL%'
THEN 'G'

```

```

        ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
                  THEN 'G'
                  ELSE 'B'
                 END)
            END
            BULK COLLECT INTO par_i_price, par_i_name,
par_s_quantity, inittpcc.s_dist,
                  par.ol_amount,par.brand_generic;
         END;
-- +++++++ u1
WHEN 2 THEN
-- +++++++ u2
BEGIN
    -- we found savings of ~900 SPARC instructions when using
    -- o.ol_cnt as a host bind instead of storing it in a variable.
FORALL idx IN 1 .. par_o.ol_cnt
    UPDATE /*+ VECTOR_READ */ stock_item
    SET s_order_cnt = s_order_cnt + 1,
    s_ytd = s_ytd + par.ol.quantity(idx),
    s_remote_cnt = s_remote_cnt + par.s.remote(idx),
    s_quantity = (CASE WHEN s_quantity < par.ol.quantity(idx) + 10
                      THEN s_quantity +91
                      ELSE s_quantity
                     END) - par.ol.quantity(idx)
    WHERE i_id = par.ol.i_id(idx)
    AND s_w_id = par.ol.supply_w_id(idx)
RETURNING i_price, i_name, s_quantity, s_dist_02,
          i_price*par.ol.quantity(idx),
CASE WHEN i_data NOT LIKE '%ORIGINAL%'
      THEN 'G'
      ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
                  THEN 'G'
                  ELSE 'B'
                 END)
            END
            BULK COLLECT INTO par_i_price, par_i_name,
par_s_quantity, inittpcc.s_dist,
                  par.ol.amount,par.brand.generic;
         END;
-- +++++++ u2
WHEN 3 THEN
-- +++++++ u3
BEGIN
    -- we found savings of ~900 SPARC instructions when using
    -- o.ol_cnt as a host bind instead of storing it in a variable.
FORALL idx IN 1 .. par_o.ol_cnt
    UPDATE /*+ VECTOR_READ */ stock_item
    SET s_order_cnt = s_order_cnt + 1,
    s_ytd = s_ytd + par.ol.quantity(idx),
    s_remote_cnt = s_remote_cnt + par.s.remote(idx),
    s_quantity = (CASE WHEN s_quantity < par.ol.quantity(idx) + 10
                      THEN s_quantity +91
                      ELSE s_quantity
                     END) - par.ol.quantity(idx)
    WHERE i_id = par.ol.i_id(idx)
    AND s_w_id = par.ol.supply_w_id(idx)
RETURNING i_price, i_name, s_quantity, s_dist_03,
          i_price*par.ol.quantity(idx),
CASE WHEN i_data NOT LIKE '%ORIGINAL%'
      THEN 'G'
      ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
                  THEN 'G'
                  ELSE 'B'
                 END)
            END
            BULK COLLECT INTO par_i_price, par_i_name,
par_s_quantity, inittpcc.s_dist,
                  par.ol.amount,par.brand.generic;
         END;
-- +++++++ u3

```

```

WHEN 4 THEN
-- +++++++ u4
BEGIN
    -- we found savings of ~900 SPARC instructions when using
    -- o.ol_cnt as a host bind instead of storing it in a variable.
FORALL idx IN 1 .. par_o.ol_cnt
    UPDATE /*+ VECTOR_READ */ stock_item
    SET s_order_cnt = s_order_cnt + 1,
    s_ytd = s_ytd + par.ol.quantity(idx),
    s_remote_cnt = s_remote_cnt + par.s.remote(idx),
    s_quantity = (CASE WHEN s_quantity < par.ol.quantity(idx) + 10
                      THEN s_quantity +91
                      ELSE s_quantity
                     END) - par.ol.quantity(idx)
    WHERE i_id = par.ol.i_id(idx)
    AND s_w_id = par.ol.supply_w_id(idx)
RETURNING i_price, i_name, s_quantity, s_dist_04,
          i_price*par.ol.quantity(idx),
CASE WHEN i_data NOT LIKE '%ORIGINAL%'
      THEN 'G'
      ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
                  THEN 'G'
                  ELSE 'B'
                 END)
            END
            BULK COLLECT INTO par_i_price, par_i_name,
par_s_quantity, inittpcc.s_dist,
                  par.ol.amount,par.brand.generic;
         END;
-- +++++++ u4
WHEN 5 THEN
-- +++++++ u5
BEGIN
    -- we found savings of ~900 SPARC instructions when using
    -- o.ol_cnt as a host bind instead of storing it in a variable.
FORALL idx IN 1 .. par_o.ol_cnt
    UPDATE /*+ VECTOR_READ */ stock_item
    SET s_order_cnt = s_order_cnt + 1,
    s_ytd = s_ytd + par.ol.quantity(idx),
    s_remote_cnt = s_remote_cnt + par.s.remote(idx),
    s_quantity = (CASE WHEN s_quantity < par.ol.quantity(idx) + 10
                      THEN s_quantity +91
                      ELSE s_quantity
                     END) - par.ol.quantity(idx)
    WHERE i_id = par.ol.i_id(idx)
    AND s_w_id = par.ol.supply_w_id(idx)
RETURNING i_price, i_name, s_quantity, s_dist_05,
          i_price*par.ol.quantity(idx),
CASE WHEN i_data NOT LIKE '%ORIGINAL%'
      THEN 'G'
      ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
                  THEN 'G'
                  ELSE 'B'
                 END)
            END
            BULK COLLECT INTO par_i_price, par_i_name,
par_s_quantity, inittpcc.s_dist,
                  par.ol.amount,par.brand.generic;
         END;
-- +++++++ u5
WHEN 6 THEN
-- +++++++ u6
BEGIN
    -- we found savings of ~900 SPARC instructions when using
    -- o.ol_cnt as a host bind instead of storing it in a variable.
FORALL idx IN 1 .. par_o.ol_cnt
    UPDATE /*+ VECTOR_READ */ stock_item
    SET s_order_cnt = s_order_cnt + 1,
    s_ytd = s_ytd + par.ol.quantity(idx),
    s_remote_cnt = s_remote_cnt + par.s.remote(idx),

```

```

s_quantity = (CASE WHEN s_quantity < par.ol.quantity (idx) + 10
                  THEN s_quantity +91
                  ELSE s_quantity
              END) - par.ol.quantity(idx)
WHERE i_id = par.ol.i_id(idx)
AND s_w_id = par.ol.supply_w_id(idx)
RETURNING i_price, i_name, s_quantity, s_dist_06,
          i_price*par.ol.quantity(idx),
CASE WHEN i_data NOT LIKE '%ORIGINAL%'
      THEN 'G'
      ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
                  THEN 'G'
                  ELSE 'B'
              END)
END
BULK COLLECT INTO par.i_price, par.i_name,
par.s_quantity, initppc.s_dist,
          par.ol.amount,par.brand.generic;
END;
-- +++++++ u6
WHEN 7 THEN
-- +++++++ u7
BEGIN
-- we found savings of ~900 SPARC instructions when using
-- o.ol_cnt as a host bind instead of storing it in a variable.
FORALL idx IN 1 .. par.o.ol_cnt
  UPDATE /*+ VECTOR_READ */ stock_item
  SET s_order_cnt = s_order_cnt + 1,
  s_ytd = s_ytd + par.ol.quantity(idx),
  s_remote_cnt = s_remote_cnt + par.s.remote(idx),
  s_quantity = (CASE WHEN s_quantity < par.ol.quantity (idx) + 10
                      THEN s_quantity +91
                      ELSE s_quantity
                  END) - par.ol.quantity(idx)
WHERE i_id = par.ol.i_id(idx)
AND s_w_id = par.ol.supply_w_id(idx)
RETURNING i_price, i_name, s_quantity, s_dist_07,
          i_price*par.ol.quantity(idx),
CASE WHEN i_data NOT LIKE '%ORIGINAL%'
      THEN 'G'
      ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
                  THEN 'G'
                  ELSE 'B'
              END)
END
BULK COLLECT INTO par.i_price, par.i_name,
par.s_quantity, initppc.s_dist,
          par.ol.amount,par.brand.generic;
END;
-- +++++++ u7
WHEN 8 THEN
-- +++++++ u8
BEGIN
-- we found savings of ~900 SPARC instructions when using
-- o.ol_cnt as a host bind instead of storing it in a variable.
FORALL idx IN 1 .. par.o.ol_cnt
  UPDATE /*+ VECTOR_READ */ stock_item
  SET s_order_cnt = s_order_cnt + 1,
  s_ytd = s_ytd + par.ol.quantity(idx),
  s_remote_cnt = s_remote_cnt + par.s.remote(idx),
  s_quantity = (CASE WHEN s_quantity < par.ol.quantity (idx) + 10
                      THEN s_quantity +91
                      ELSE s_quantity
                  END) - par.ol.quantity(idx)
WHERE i_id = par.ol.i_id(idx)
AND s_w_id = par.ol.supply_w_id(idx)
RETURNING i_price, i_name, s_quantity, s_dist_08,
          i_price*par.ol.quantity(idx),
CASE WHEN i_data NOT LIKE '%ORIGINAL%'
      THEN 'G'

```

```

      ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
                  THEN 'G'
                  ELSE 'B'
              END)
END
BULK COLLECT INTO par.i_price, par.i_name,
par.s_quantity, initppc.s_dist,
          par.ol.amount,par.brand.generic;
END;
-- +++++++ u8
WHEN 9 THEN
-- +++++++ u9
BEGIN
-- we found savings of ~900 SPARC instructions when using
-- o.ol_cnt as a host bind instead of storing it in a variable.
FORALL idx IN 1 .. par.o.ol_cnt
  UPDATE /*+ VECTOR_READ */ stock_item
  SET s_order_cnt = s_order_cnt + 1,
  s_ytd = s_ytd + par.ol.quantity(idx),
  s_remote_cnt = s_remote_cnt + par.s.remote(idx),
  s_quantity = (CASE WHEN s_quantity < par.ol.quantity (idx) + 10
                      THEN s_quantity +91
                      ELSE s_quantity
                  END) - par.ol.quantity(idx)
WHERE i_id = par.ol.i_id(idx)
AND s_w_id = par.ol.supply_w_id(idx)
RETURNING i_price, i_name, s_quantity, s_dist_09,
          i_price*par.ol.quantity(idx),
CASE WHEN i_data NOT LIKE '%ORIGINAL%'
      THEN 'G'
      ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
                  THEN 'G'
                  ELSE 'B'
              END)
END
BULK COLLECT INTO par.i_price, par.i_name,
par.s_quantity, initppc.s_dist,
          par.ol.amount,par.brand.generic;
END;
-- +++++++ u9
WHEN 10 THEN
-- +++++++ u10
BEGIN
-- we found savings of ~900 SPARC instructions when using
-- o.ol_cnt as a host bind instead of storing it in a variable.
FORALL idx IN 1 .. par.o.ol_cnt
  UPDATE /*+ VECTOR_READ */ stock_item
  SET s_order_cnt = s_order_cnt + 1,
  s_ytd = s_ytd + par.ol.quantity(idx),
  s_remote_cnt = s_remote_cnt + par.s.remote(idx),
  s_quantity = (CASE WHEN s_quantity < par.ol.quantity (idx) + 10
                      THEN s_quantity +91
                      ELSE s_quantity
                  END) - par.ol.quantity(idx)
WHERE i_id = par.ol.i_id(idx)
AND s_w_id = par.ol.supply_w_id(idx)
RETURNING i_price, i_name, s_quantity, s_dist_10,
          i_price*par.ol.quantity(idx),
CASE WHEN i_data NOT LIKE '%ORIGINAL%'
      THEN 'G'
      ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
                  THEN 'G'
                  ELSE 'B'
              END)
END
BULK COLLECT INTO par.i_price, par.i_name,
par.s_quantity, initppc.s_dist,
          par.ol.amount,par.brand.generic;
END;
-- +++++++ u10

```

```

----- u1 thru u10 --- END ---
    ELSE
        EXIT;
    END CASE;

-- cache the no of rows processed
    dummy_local := sql%rowcount;

-- fix the rows if necessary
    IF (dummy_local != par_o.ol_cnt) THEN
-- used to be PROCEDURE fix_items IS
BEGIN
-- gotta shift price, name, s_quantity, brand_generic, s_dist, ol_amount
    idx := 1;
-- found 0 bad rows
    rows_lost := 0;
-- so many rows in out array to begin with
    max_index := sql%rowcount;

    WHILE (max_index != par_o.ol_cnt) LOOP

-- find item where item ids dont match
        WHILE (idx <= sql%rowcount AND
               sql%bulk_rowcount(idx + rows_lost) = 1)
        LOOP
            idx := idx + 1;
        END LOOP;

-- shift the items please
        temp_index := max_index;
        WHILE (temp_index >= idx + rows_lost) LOOP
            par_i_price(temp_index + 1) := par_i_price(temp_index);
            par_i_name(temp_index + 1) := par_i_name(temp_index);
            par_s_quantity(temp_index + 1) := par_s_quantity(temp_index);
            par_o_amount(temp_index + 1) := par_o_amount(temp_index);
            initpcc.s_dist(temp_index + 1) := initpcc.s_dist(temp_index);
            par_brand_generic(temp_index + 1) := par_brand_generic(temp_index);
            par_brand_generic(temp_index);
            temp_index := temp_index - 1;
        END LOOP;

-- values for the non-existent items if not at end
        IF (idx + rows_lost <= par_o.ol_cnt) THEN
            par_i_price(idx + rows_lost) := 0;
            par_i_name(idx + rows_lost) := 'NO ITEM';
            par_o_amount(idx + rows_lost) := 0;
            par_s_quantity(idx + rows_lost) := 0;
            initpcc.s_dist(idx + rows_lost) := NULL;
            par_brand_generic(idx + rows_lost) := '';
        END IF;

-- one more bad row
        rows_lost := rows_lost + 1;
        max_index := max_index + 1;
    END IF;

    END LOOP;
END ;
-- end of procedure fix_items;

END IF;

FORALL idx IN 1..par_o.ol_cnt
-- doesnt hurt if we insert entries for invalid item too
    INSERT INTO ordl
        VALUES (par_w_id, par_d_id, par_o_id, initpcc.idx1arr(idx),
                par_o.i_id(idx));

```

```

        initpcc.nulldate, par_o.amount(idx),
        par_o.supply_w_id(idx),
        par_o.quantity(idx), initpcc.s_dist(idx));

--If there are no errors, then just return without COMMITting
--The COMMIT is done on the driver side by OCI
-- If there are errors, then rollback and set o.ol_cnt to the processed value
-- note that this is an extra bind ### till we manage to get errors handled
-- properly
    IF (dummy_local != par_o.ol_cnt) THEN
        par_o.ol_cnt := dummy_local;
        ROLLBACK;
    END IF;

    EXIT;

EXCEPTION
    WHEN not_serializable OR deadlock OR snapshot_too_old THEN
        ROLLBACK;
        par_retry := par_retry + 1;
    END;
END LOOP;
END neworder ;

PROCEDURE orderstatus (
    ware_id          INTEGER,
    dist_id          INTEGER,
    cust_id          IN OUT INTEGER,
    bylastname       INTEGER,
    cust_last        IN OUT VARCHAR2,
    cust_first       OUT VARCHAR2,
    cust_middle      OUT VARCHAR2,
    cust_balance     OUT NUMBER,
    ord_id           IN OUT INTEGER,
    ord_entry_d      OUT VARCHAR2,
    ord_carrier_id   OUT INTEGER,
    ord_o1_cnt       OUT INTEGER,
    oline_supply_w_id IN OUT intarray,
    oline_i_id        IN OUT intarray,
    oline_quantity    IN OUT intarray,
    oline_amount      IN OUT numarray,
    oline_delivery_d  OUT datarray
)
IS
    cust_rowid      ROWID;
    ol              BINARY_INTEGER;
    c_num           BINARY_INTEGER;
    row_id          rowidarray;
    not_serializable EXCEPTION;
PRAGMA EXCEPTION_INIT(not_serializable,-8177);
deadlock          EXCEPTION;
PRAGMA EXCEPTION_INIT(deadlock,-60);
snapshot_too_old  EXCEPTION;
PRAGMA EXCEPTION_INIT(snapshot_too_old,-1555);
CURSOR o.cur IS
    SELECT ol_i_id, ol_supply_w_id, ol_quantity, ol_amount,
           nvl(ol_delivery_d,to_date('15-09-1911','DD-MM-YYYY'))
del_date
    FROM ordl
    WHERE ol_d_id = dist_id AND ol_w_id = ware_id AND ol_o_id =
ord_id;
CURSOR c.cur IS
    SELECT rowid
    FROM cust
    WHERE c_d_id = dist_id AND c_w_id = ware_id AND c_last =
cust_last
        ORDER BY c_w_id, c_d_id, c_last, c_first;
BEGIN

LOOP BEGIN

```

```

IF bylastname != 0 THEN
    c_num := 0;
    FOR c_id_rec IN c_cur LOOP
        c_num := c_num + 1;
        row_id(c_num) := c_id_rec.rowid;
    END LOOP;
    cust_rowid := row_id ((c_num + 1) / 2);

    SELECT c_id, c_balance, c_first, c_middle, c_last
    INTO cust_id, cust_balance, cust_first, cust_middle, cust_last
    FROM cust
    WHERE rowid = cust_rowid;

ELSE
    SELECT c_balance, c_first, c_middle, c_last
    INTO cust_balance, cust_first, cust_middle, cust_last
    FROM cust
    WHERE c_id = cust_id AND c_d_id = dist_id AND c_w_id =
ware_id;

    END IF;

-- AVLIET added the rownum=1 clause to select only one ORDER
-- according to TPCC-spec (2.6.2.2) largest order_id must be selected
    SELECT o_id,
           to_char(o_entry_d, 'DD-MM-YYYY.HH24:MI:SS'),
           nvl(o_carrier_id,0), o.ol_cnt
    INTO ord_id,
         ord_entry_d,
         ord_carrier_id, ord.ol_cnt
    FROM ord
    WHERE o_d_id = dist_id AND o_w_id = ware_id AND o_c_id =
cust_id
        AND rownum = 1
    ORDER BY o_w_id, o_d_id, o_c_id, o_id DESC;

    ol := 0;
    FOR o_cur_rec IN o_cur LOOP
        ol := ol + 1;
        oline_i_id(ol) := o_cur_rec.ol_i_id;
        oline_supply_w_id(ol) := o_cur_rec.ol_supply_w_id;
        oline_quantity(ol) := o_cur_rec.ol_quantity;
        oline_amount(ol) := o_cur_rec.ol_amount;
        oline_delivery_d(ol) := o_cur_rec.del_date;
    END LOOP;

    COMMIT;
    EXIT;

EXCEPTION
    WHEN not_serializable OR deadlock OR snapshot_too_old THEN
        ROLLBACK;
    END;
END LOOP;

END orderstatus;

PROCEDURE delivery (
    ware_id      IN      INTEGER,
    dist_id      IN OUT intarray,
    order_id     OUT     intarray,
    ordent       OUT      INTEGER,
    sums         OUT     intarray,
    del_date     IN      DATE,
    carrier_id   IN      INTEGER,
    order_c_id   OUT     intarray,
)

```

```

    ) IS
    BEGIN
        LOOP BEGIN
            FORALL d IN 1..10
                DELETE /* index_asc (nord inord) */ FROM nord N
                WHERE no_d_id = initpcc.dist(d)
                    AND no_w_id = ware_id
                    AND no_o_id = (select min (no_o_id)
                                    from nord
                                    where no_d_id = N.no_d_id
                                        and no_w_id = N.no_w_id)
            RETURNING no_d_id, no_o_id BULK COLLECT INTO dist_id,
order_id;

            ordent := SQL%ROWCOUNT;

            FORALL o in 1.. ordent
                UPDATE ordr SET o_carrier_id = carrier_id
                WHERE o_id = order_id (o)
                    AND o_d_id = dist_id(o)
                    AND o_w_id = ware_id
            RETURNING o_c_id BULK COLLECT INTO order_c_id;

            FORALL o in 1.. ordent
                UPDATE ordl SET ol_delivery_d = del_date
                WHERE ol_w_id = ware_id
                    AND ol_d_id = dist_id(o)
                    AND ol_o_id = order_id(o)
            RETURNING sum(ol_amount) BULK COLLECT INTO sums;

            FORALL c IN 1.. ordent
                UPDATE cust
                SET c_balance = c_balance + sums(c),
                    c_delivery_cnt = c_delivery_cnt + 1
                WHERE c_w_id = ware_id
                    AND c_d_id = dist_id(c)
                    AND c_id = order_c_id(c);

            COMMIT;
            EXIT;
            EXCEPTION
                WHEN not_serializable OR deadlock OR snapshot_too_old
                THEN
                    ROLLBACK;
                    retry := retry + 1;
            END;

            END LOOP; -- for retry
        END delivery;

        PROCEDURE payment (
            ware_id      INTEGER,
            dist_id      INTEGER,
            cust_w_id    INTEGER,
            cust_d_id    INTEGER,
            cust_id      IN OUT INTEGER,
            bylastname   INTEGER,
            hist_amount  NUMBER,
            cust_last    IN OUT VARCHAR2,
            ware_street_1 OUT VARCHAR2,
            ware_street_2 OUT VARCHAR2,
            ware_city    OUT VARCHAR2,
            ware_state   OUT VARCHAR2,
            ware_zip     OUT VARCHAR2,
            dist_street_1 OUT VARCHAR2,
            dist_street_2 OUT VARCHAR2,
            dist_city    OUT VARCHAR2,
            dist_state   OUT VARCHAR2,
            dist_zip     OUT VARCHAR2,
)

```

```

cust_first      OUT VARCHAR2,
cust_middle     OUT VARCHAR2,
cust_street_1   OUT VARCHAR2,
cust_street_2   OUT VARCHAR2,
cust_city       OUT VARCHAR2,
cust_state      OUT VARCHAR2,
cust_zip        OUT VARCHAR2,
cust_phone      OUT VARCHAR2,
cust_since      OUT DATE,
cust_credit     IN OUT VARCHAR2,
cust_credit_lim OUT NUMBER,
cust_discount   OUT NUMBER,
cust_balance    IN OUT NUMBER,
cust_data       OUT VARCHAR2,
cr_date        IN  DATE,
retry          IN OUT INTEGER
)
IS
  TYPE rowidarray IS TABLE OF ROWID INDEX BY
BINARY_INTEGER;
  cust_rowid      ROWID;
  dist_name       VARCHAR2(11);
  ware_name       VARCHAR2(11);
  c_num           BINARY_INTEGER;
  row_id          rowidarray;
  not_serializable EXCEPTION;
  PRAGMA EXCEPTION_INIT(not_serializable,-8177);
  deadlock        EXCEPTION;
  PRAGMA EXCEPTION_INIT(deadlock,-60);
  snapshot_too_old EXCEPTION;
  PRAGMA EXCEPTION_INIT(snapshot_too_old,-1555);
  CURSOR c_cur IS
    SELECT rowid
    FROM cust
    WHERE c_d_id = cust_d_id AND c_w_id = cust_w_id AND c_last =
  cust_last
    ORDER BY c_w_id, c_d_id, c_last, c_first;
BEGIN
  LOOP BEGIN
    IF bylastname != 0 THEN
      c_num := 0;
      FOR c_id_rec IN c_cur LOOP
        c_num := c_num + 1;
        row_id(c_num) := c_id_rec.rowid;
      END LOOP;
      cust_rowid := row_id ((c_num + 1) / 2);

      UPDATE cust
        SET c_balance = c_balance - hist_amount,
            c_ytd_payment = c_ytd_payment + hist_amount,
            c_payment_cnt = c_payment_cnt + 1
        WHERE rowid = cust_rowid
      RETURNING c_id, c_first, c_middle, c_last, c_street_1, c_street_2,
              c_city, c_state, c_zip, c_phone,
              c_since, c_credit, c_credit_lim,
              c_discount, c_balance
      INTO cust_id, cust_first, cust_middle, cust_last, cust_street_1,
           cust_street_2, cust_city, cust_state, cust_zip, cust_phone,
           cust_since, cust_credit, cust_credit_lim, cust_discount,
           cust_balance;

    ELSE
      UPDATE cust
        SET c_balance = c_balance - hist_amount,
            c_ytd_payment = c_ytd_payment + hist_amount,
            c_payment_cnt = c_payment_cnt + 1
        WHERE c_id = cust_id AND c_d_id = cust_d_id AND

```

```

  c_w_id = cust_w_id
  RETURNING rowid, c_first, c_middle, c_last, c_street_1, c_street_2,
           c_city, c_state, c_zip, c_phone,
           c_since, c_credit, c_credit_lim,
           c_discount, c_balance
  INTO cust_rowid, cust_first, cust_middle, cust_last,
       cust_street_1, cust_street_2, cust_city, cust_state,
       cust_zip, cust_phone, cust_since, cust_credit,
       cust_credit_lim, cust_discount, cust_balance;
END IF;

IF cust_credit = 'BC' THEN

  UPDATE cust
    SET c_data = substr ((to_char (cust_id) || '' ||
                          to_char (cust_d_id) || '' ||
                          to_char (cust_w_id) || '' ||
                          to_char (dist_id) || '' ||
                          to_char (ware_id) || '' ||
                          to_char (hist_amount, '9999.99') || '') ||
                         c_data, 1, 500)
    WHERE rowid = cust_rowid
  RETURNING substr (c_data, 1, 200)
    INTO cust_data;
ELSE
  cust_data := '';
END IF;

UPDATE dist
  SET d_ytd = d_ytd + hist_amount
  WHERE d_id = dist_id
    AND d_w_id = ware_id
RETURNING d_name, d_street_1, d_street_2, d_city, d_state, d_zip
  INTO dist_name, dist_street_1, dist_street_2, dist_city,
       dist_state, dist_zip;

UPDATE ware
  SET w_ytd = w_ytd + hist_amount
  WHERE w_id = ware_id
RETURNING w_name, w_street_1, w_street_2, w_city, w_state,
w_zip
  INTO ware_name, ware_street_1, ware_street_2, ware_city,
       ware_state, ware_zip;

INSERT INTO hist
  (h_c_id, h_c_d_id, h_c_w_id, h_d_id, h_w_id, h_date,
   h_amount, h_data)
VALUES
  (cust_id, cust_d_id, cust_w_id, dist_id, ware_id, cr_date,
   hist_amount, ware_name || ' ' || dist_name);

COMMIT;
EXIT;

EXCEPTION
  WHEN not_serializable OR deadlock OR snapshot_too_old THEN
    ROLLBACK;
    retry := retry + 1;
  END;

END LOOP;
END payment;

PROCEDURE stocklevel (
  ware_id    INTEGER,
  dist_id    INTEGER,
  threshold  INTEGER,
  low_stock OUT INTEGER

```

```

)
IS
not_serializable      EXCEPTION;
PRAGMA EXCEPTION_INIT(not_serializable,-8177);
deadlock              EXCEPTION;
PRAGMA EXCEPTION_INIT(deadlock,-60);
snapshot_too_old       EXCEPTION;
PRAGMA EXCEPTION_INIT(snapshot_too_old,-1555);
BEGIN
LOOP BEGIN
SELECT count (DISTINCT s_i_id)
INTO low_stock
FROM ordl, stok, dist
WHERE d_id = dist_id AND d_w_id = ware_id AND
      d_id = ol_d_id AND d_w_id = ol_w_id AND
      ol_i_id = s_i_id AND ol_w_id = s_w_id AND
      s_quantity < threshold AND
      ol_o_id BETWEEN (d_next_o_id - 20) AND (d_next_o_id - 1);
COMMIT;
EXIT;

EXCEPTION
  WHEN not_serializable OR deadlock OR snapshot_too_old THEN
    ROLLBACK;
  END;
END LOOP;
END stocklevel;

END tpcc;
/
show errors

```

```

-----
tkvpdel.sql
-----
declare
  TYPE numarray IS TABLE OF NUMBER INDEX BY
  BINARY_INTEGER;
  TYPE numlist is varray (10) of number;
  dist numarray;
  amt numarray ;
  cnt pls_integer;

  not_serializable EXCEPTION;
  PRAGMA EXCEPTION_INIT(not_serializable, -8177);
  deadlock      EXCEPTION;
  PRAGMA EXCEPTION_INIT(deadlock, -60);
  snapshot_too_old EXCEPTION;
  PRAGMA EXCEPTION_INIT(snapshot_too_old, -1555);

BEGIN
LOOP BEGIN
FORALL d IN 1..10
  DELETE FROM nord N
  WHERE no_d_id = initpcc.dist(d)
    AND no_w_id = :w_id
    AND no_o_id = (select min (no_o_id)
                   from nord
                   where no_d_id = N.no_d_id
                     and no_w_id = N.no_w_id)
  RETURNING no_d_id, no_o_id BULK COLLECT INTO :d_id,
:order_id;

:ordcnt := SQL%ROWCOUNT;

FORALL o in 1.. :ordcnt
  UPDATE ordr SET o_carrier_id = :carrier_id

```

```

WHERE o_id = :order_id (o)
  AND o_d_id = :d_id(o)
  AND o_w_id = :w_id
RETURNING o_c_id BULK COLLECT INTO :o_c_id;

FORALL o in 1.. :ordcnt
  UPDATE ordl SET ol_delivery_d = :now
  WHERE ol_w_id = :w_id
    AND ol_d_id = :d_id(o)
    AND ol_o_id = :order_id(o)
RETURNING sum(ol_amount) BULK COLLECT INTO :sums;

FORALL c IN 1.. :ordcnt
  UPDATE cust
    SET c_balance = c_balance + :sums(c),
        c_delivery_cnt = c_delivery_cnt + 1
  WHERE c_w_id = :w_id
    AND c_d_id = :d_id(c)
    AND c_id = :o_c_id(c);
COMMIT;
EXIT;
EXCEPTION
  WHEN not_serializable OR deadlock OR snapshot_too_old THEN
    ROLLBACK;
    :retry := :retry + 1;
  END;

END LOOP; -- for retry
END;

-----
tkvcnew.sql
-----

-- New Order Anonymous block

DECLARE
  idx          PLS_INTEGER;
  dummy_local  PLS_INTEGER;
  cache_ol_cnt PLS_INTEGER;
  not_serializable      EXCEPTION;
  PRAGMA EXCEPTION_INIT(not_serializable,-8177);
  deadlock      EXCEPTION;
  PRAGMA EXCEPTION_INIT(deadlock,-60);
  snapshot_too_old       EXCEPTION;
  PRAGMA EXCEPTION_INIT(snapshot_too_old,-1555);

PROCEDURE u1 IS
BEGIN
  FORALL idx IN 1 .. cache_ol_cnt
    UPDATE stock_item
      SET s_order_cnt = s_order_cnt + 1,
          s_ytd = s_ytd + :ol_quantity(idx),
          s_remote_cnt = s_remote_cnt + :s_remote(idx),
          s_quantity = (CASE WHEN s_quantity < :ol_quantity (idx) + 10
                           THEN s_quantity +91
                           ELSE s_quantity
                           END) - :ol_quantity(idx)
    WHERE i_id = :ol_i_id(idx)
      AND s_w_id = :ol_supply_w_id(idx)
RETURNING i_price, i_name, s_quantity, s_dist_01,
          i_price*:ol_quantity(idx),
CASE WHEN i_data NOT LIKE '%ORIGINAL%'
      THEN 'G'
      ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
                  THEN 'G'
                  ELSE 'B'
                  END)

```

```

        END
        BULK COLLECT INTO :i_price, :i_name, :s_quantity,
inittpcc.s_dist,
            :ol_amount,:brand_generic;
    END u1;

PROCEDURE u2 IS
BEGIN
    FORALL idx IN 1 .. cache_ol_cnt
        UPDATE stock_item
        SET s_order_cnt = s_order_cnt + 1,
        s_ytd = s_ytd + :ol_quantity(idx),
        s_remote_cnt = s_remote_cnt + :s_remote(idx),
        s_quantity = (CASE WHEN s_quantity < :ol_quantity (idx) + 10
            THEN s_quantity +91
            ELSE s_quantity
        END) - :ol_quantity(idx)
    WHERE i_id = :ol_i_id(idx)
    AND s_w_id = :ol_supply_w_id(idx)
    RETURNING i_price, i_name, s_quantity, s_dist_02,
        i_price*:ol_quantity(idx),
    CASE WHEN i_data NOT LIKE '%ORIGINAL%'
        THEN 'G'
        ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
            THEN 'G'
            ELSE 'B'
        END)
    END
    BULK COLLECT INTO :i_price, :i_name, :s_quantity,
inittpcc.s_dist,
            :ol_amount,:brand_generic;
END u2;

PROCEDURE u3 IS
BEGIN
    FORALL idx IN 1 .. cache_ol_cnt
        UPDATE stock_item
        SET s_order_cnt = s_order_cnt + 1,
        s_ytd = s_ytd + :ol_quantity(idx),
        s_remote_cnt = s_remote_cnt + :s_remote(idx),
        s_quantity = (CASE WHEN s_quantity < :ol_quantity (idx) + 10
            THEN s_quantity +91
            ELSE s_quantity
        END) - :ol_quantity(idx)
    WHERE i_id = :ol_i_id(idx)
    AND s_w_id = :ol_supply_w_id(idx)
    RETURNING i_price, i_name, s_quantity, s_dist_03,
        i_price*:ol_quantity(idx),
    CASE WHEN i_data NOT LIKE '%ORIGINAL%'
        THEN 'G'
        ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
            THEN 'G'
            ELSE 'B'
        END)
    END
    BULK COLLECT INTO :i_price, :i_name, :s_quantity,
inittpcc.s_dist,
            :ol_amount,:brand_generic;
END u3;

PROCEDURE u4 IS
BEGIN
    FORALL idx IN 1 .. cache_ol_cnt
        UPDATE stock_item
        SET s_order_cnt = s_order_cnt + 1,
        s_ytd = s_ytd + :ol_quantity(idx),
        s_remote_cnt = s_remote_cnt + :s_remote(idx),
        s_quantity = (CASE WHEN s_quantity < :ol_quantity (idx) + 10
            THEN s_quantity +91
            ELSE s_quantity
        END) - :ol_quantity(idx)

```

```

        END - :ol_quantity(idx)
    WHERE i_id = :ol_i_id(idx)
    AND s_w_id = :ol_supply_w_id(idx)
    RETURNING i_price, i_name, s_quantity, s_dist_04,
        i_price*:ol_quantity(idx),
    CASE WHEN i_data NOT LIKE '%ORIGINAL%'
        THEN 'G'
        ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
            THEN 'G'
            ELSE 'B'
        END)
    END
    BULK COLLECT INTO :i_price, :i_name, :s_quantity,
inittpcc.s_dist,
            :ol_amount,:brand_generic;
END u4;

PROCEDURE u5 IS
BEGIN
    FORALL idx IN 1 .. cache_ol_cnt
        UPDATE stock_item
        SET s_order_cnt = s_order_cnt + 1,
        s_ytd = s_ytd + :ol_quantity(idx),
        s_remote_cnt = s_remote_cnt + :s_remote(idx),
        s_quantity = (CASE WHEN s_quantity < :ol_quantity (idx) + 10
            THEN s_quantity +91
            ELSE s_quantity
        END) - :ol_quantity(idx)
    WHERE i_id = :ol_i_id(idx)
    AND s_w_id = :ol_supply_w_id(idx)
    RETURNING i_price, i_name, s_quantity, s_dist_05,
        i_price*:ol_quantity(idx),
    CASE WHEN i_data NOT LIKE '%ORIGINAL%'
        THEN 'G'
        ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
            THEN 'G'
            ELSE 'B'
        END)
    END
    BULK COLLECT INTO :i_price, :i_name, :s_quantity,
inittpcc.s_dist,
            :ol_amount,:brand_generic;
END u5;

PROCEDURE u6 IS
BEGIN
    FORALL idx IN 1 .. cache_ol_cnt
        UPDATE stock_item
        SET s_order_cnt = s_order_cnt + 1,
        s_ytd = s_ytd + :ol_quantity(idx),
        s_remote_cnt = s_remote_cnt + :s_remote(idx),
        s_quantity = (CASE WHEN s_quantity < :ol_quantity (idx) + 10
            THEN s_quantity +91
            ELSE s_quantity
        END) - :ol_quantity(idx)
    WHERE i_id = :ol_i_id(idx)
    AND s_w_id = :ol_supply_w_id(idx)
    RETURNING i_price, i_name, s_quantity, s_dist_06,
        i_price*:ol_quantity(idx),
    CASE WHEN i_data NOT LIKE '%ORIGINAL%'
        THEN 'G'
        ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
            THEN 'G'
            ELSE 'B'
        END)
    END
    BULK COLLECT INTO :i_price, :i_name, :s_quantity,
inittpcc.s_dist,
            :ol_amount,:brand_generic;
END u6;
```

```

PROCEDURE u7 IS
BEGIN
  FORALL idx IN 1 .. cache.ol_cnt
    UPDATE stock_item
    SET s_order_cnt = s_order_cnt + 1,
    s_ytd = s_ytd + :ol_quantity(idx),
    s_remote_cnt = s_remote_cnt + :s_remote(idx),
    s_quantity = (CASE WHEN s_quantity < :ol_quantity (idx) + 10
      THEN s_quantity +91
      ELSE s_quantity
    END) - :ol_quantity(idx)
  WHERE i_id = :ol_i_id(idx)
  AND s_w_id = :ol_supply_w_id(idx)
  RETURNING i_price, i_name, s_quantity, s_dist_07,
    i_price*:ol_quantity(idx),
  CASE WHEN i_data NOT LIKE '%ORIGINAL%'
    THEN 'G'
    ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
      THEN 'G'
      ELSE 'B'
    END)
  END
  BULK COLLECT INTO :i_price, :i_name, :s_quantity,
initpcc.s_dist,
    :ol_amount,:brand_generic;
END u7;

PROCEDURE u8 IS
BEGIN
  FORALL idx IN 1 .. cache.ol_cnt
    UPDATE stock_item
    SET s_order_cnt = s_order_cnt + 1,
    s_ytd = s_ytd + :ol_quantity(idx),
    s_remote_cnt = s_remote_cnt + :s_remote(idx),
    s_quantity = (CASE WHEN s_quantity < :ol_quantity (idx) + 10
      THEN s_quantity +91
      ELSE s_quantity
    END) - :ol_quantity(idx)
  WHERE i_id = :ol_i_id(idx)
  AND s_w_id = :ol_supply_w_id(idx)
  RETURNING i_price, i_name, s_quantity, s_dist_08,
    i_price*:ol_quantity(idx),
  CASE WHEN i_data NOT LIKE '%ORIGINAL%'
    THEN 'G'
    ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
      THEN 'G'
      ELSE 'B'
    END)
  END
  BULK COLLECT INTO :i_price, :i_name, :s_quantity,
initpcc.s_dist,
    :ol_amount,:brand_generic;
END u8;

PROCEDURE u9 IS
BEGIN
  FORALL idx IN 1 .. cache.ol_cnt
    UPDATE stock_item
    SET s_order_cnt = s_order_cnt + 1,
    s_ytd = s_ytd + :ol_quantity(idx),
    s_remote_cnt = s_remote_cnt + :s_remote(idx),
    s_quantity = (CASE WHEN s_quantity < :ol_quantity (idx) + 10
      THEN s_quantity +91
      ELSE s_quantity
    END) - :ol_quantity(idx)
  WHERE i_id = :ol_i_id(idx)
  AND s_w_id = :ol_supply_w_id(idx)
  RETURNING i_price, i_name, s_quantity, s_dist_09,
    i_price*:ol_quantity(idx),

```

```

CASE WHEN i_data NOT LIKE '%ORIGINAL%'
  THEN 'G'
  ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
    THEN 'G'
    ELSE 'B'
  END)
END
BULK COLLECT INTO :i_price, :i_name, :s_quantity,
initpcc.s_dist,
    :ol_amount,:brand_generic;
END u9;

PROCEDURE u10 IS
BEGIN
  FORALL idx IN 1 .. cache.ol_cnt
    UPDATE stock_item
    SET s_order_cnt = s_order_cnt + 1,
    s_ytd = s_ytd + :ol_quantity(idx),
    s_remote_cnt = s_remote_cnt + :s_remote(idx),
    s_quantity = (CASE WHEN s_quantity < :ol_quantity (idx) + 10
      THEN s_quantity +91
      ELSE s_quantity
    END) - :ol_quantity(idx)
  WHERE i_id = :ol_i_id(idx)
  AND s_w_id = :ol_supply_w_id(idx)
  RETURNING i_price, i_name, s_quantity, s_dist_10,
    i_price*:ol_quantity(idx),
  CASE WHEN i_data NOT LIKE '%ORIGINAL%'
    THEN 'G'
    ELSE (CASE WHEN s_data NOT LIKE '%ORIGINAL%'
      THEN 'G'
      ELSE 'B'
    END)
  END
  BULK COLLECT INTO :i_price, :i_name, :s_quantity,
initpcc.s_dist,
    :ol_amount,:brand_generic;
END u10;

PROCEDURE fix_items IS
rows_lost          PLS_INTEGER;
max_index          PLS_INTEGER;
temp_index         PLS_INTEGER;
BEGIN
  idx := 1;
  rows_lost := 0;
  max_index := dummy_local;
  WHILE (max_index != cache.ol_cnt) LOOP
    WHILE (idx <= sql%rowcount AND
          sql%bulk_rowcount(idx + rows_lost) = 1)
    LOOP
      idx := idx + 1;
    END LOOP;
    temp_index := max_index;
    WHILE (temp_index >= idx + rows_lost) LOOP
      :ol_amount(temp_index + 1) := :ol_amount(temp_index);
      :i_price(temp_index + 1)   := :i_price(temp_index);
      :i_name(temp_index + 1)   := :i_name(temp_index);
      :s_quantity(temp_index + 1) := :s_quantity(temp_index);
      initpcc.s_dist(temp_index + 1) := initpcc.s_dist(temp_index);
      :brand_generic(temp_index + 1) := :brand_generic(temp_index);
      temp_index := temp_index - 1;
    END LOOP;
    IF (idx + rows_lost <= cache.ol_cnt) THEN
      :i_price(idx + rows_lost)   := 0;
      :i_name(idx + rows_lost)   := 'NO ITEM';
    END IF;
  END WHILE;
END;

```

```

:s_quantity(idx + rows_lost) := 0;
inittpcc.s_dist(idx + rows_lost) := NULL;
:brand_generic(idx + rows_lost) := '';
:ol_amount(idx + rows_lost) := 0;
rows_lost := rows_lost + 1;
max_index := max_index + 1;
END IF;

END LOOP;
END fix_items;

BEGIN
LOOP BEGIN
cache.ol_cnt := :o.ol_cnt;

UPDATE dist SET d.next_o_id = d.next_o_id + 1
WHERE d.id = :d.id AND d.w_id = :w_id
RETURNING d.tax, d.next_o_id - 1
INTO :d_tax, :o_id;

SELECT c_discount, c_last, c_credit
INTO :c_discount, :c_last, :c_credit
FROM cust
WHERE c_id = :c_id AND c_d_id = :d_id AND c_w_id = :w_id;

SELECT w_tax
INTO :w_tax
FROM ware
WHERE w_id = :w_id;

INSERT INTO nord (no_o_id, no_d_id, no_w_id)
VALUES (:o_id, :d_id, :w_id);

INSERT INTO ordr (o_id, o_d_id, o_w_id, o_c_id, o_entry_d,
                 o_carrier_id, o.ol_cnt, o.all_local)
VALUES (:o_id, :d_id, :w_id, :c_id,
        :cr_date, 11, :o.ol_cnt, :o.all_local);

dummy_local := :d_id;

IF (dummy_local < 6) THEN
  IF (dummy_local < 3) THEN
    IF (dummy_local = 1) THEN
      u1;
    ELSE
      u2;
    END IF;
  ELSE
    IF (dummy_local = 3) THEN
      u3;
    ELSIF (dummy_local = 4) then
      u4;
    ELSE
      u5;
    END IF;
  END IF;
ELSE
  IF (dummy_local < 8) THEN
    IF (dummy_local = 6) THEN
      u6;
    ELSE
      u7;
    END IF;
  ELSE
    IF (dummy_local = 8) THEN
      u8;
    ELSIF (dummy_local = 9) then
      u9;
    END IF;
  END IF;
END IF;

ELSE
  u10;
END IF;
END IF;
END IF;

dummy_local := sql%rowcount;

IF (dummy_local != cache.ol_cnt ) THEN fix_items; END IF;

FORALL idx IN 1..dummy_local
INSERT INTO ordl
  (ol_o_id, ol_d_id, ol_w_id, ol_number, ol_delivery_d, ol_i_id,
   ol_supply_w_id, ol_quantity, ol_amount, ol_dist_info)
VALUES (:o_id, :d_id, :w_id, inittpcc.idx1arr(idx), inittpcc.nulldata,
       :ol_i_id(idx), :ol_supply_w_id(idx),
       :ol_quantity(idx), :ol_amount(idx), inittpcc.s_dist(idx));

IF (dummy_local != :o.ol_cnt) THEN
  :o.ol_cnt := dummy_local;
  ROLLBACK;
END IF;

EXIT;

EXCEPTION
  WHEN not_serializable OR deadlock OR snapshot_too_old THEN
    ROLLBACK;
    :retry := :retry + 1;
  END;
END LOOP;
END;
-----tpcc.h-----
/*
 * $Header: tk_perf/benchmark_kits/tpcc-new/benchrun/source/server/tpcc.h /main/1 2008/12/15 05:58:52 avliet Exp
$ Copyr (c) 1993 Oracle
*/
=====
| Copyright (c) 1995 Oracle Corp, Redwood Shores, CA | |
| OPEN SYSTEMS PERFORMANCE GROUP | |
| All Rights Reserved | |
=====
| FILENAME
| tpcc.h
| DESCRIPTION
| Include file for TPC-C benchmark programs.
=====
#ifndef TPCC_H
#define TPCC_H

#ifndef FALSE
#define FALSE 0
#endif

#ifndef TRUE
#define TRUE 1
#endif

#include <stdio.h>

```

```

#include <stdlib.h>
#include <ctype.h>
#include <string.h>

#ifndef boolean
#define boolean int
#endif

#include "tpccflags.h"

#include <oratypes.h>
#include <oci.h>
#include <ocidfn.h>
/*
#endif __STDC__
#include "ociapr.h"
#else
#include "ocikpr.h"
#endif
*/
typedef struct cda_def csrdef;
typedef struct cda_def ldadef;

/* TPC-C transaction functions */

extern int TPCInit ();
extern int TPCNew ();
extern int TPCpay ();
extern int TPCord ();
extern int TPCdel ();
extern int TPCsto ();
extern void TPCexit ();
extern int TPCdumpinit ();
extern void TPCdumpnew ();
extern void TPCdumpipay ();
extern void TPCdumpord ();
extern void TPCdumpdel ();
extern void TPCdumpsto ();
extern void TPCdumpexit ();
extern void userlog(char* ftmp, ...);

/* Error codes */

#define RECOVERR -10
#define IRRECERR -20
#define NOERR 111
#define DEL_ERROR -666
#define DEL_DATE_LEN 7
#define NDISTS 10
#define NITEMS 15
#define SQL_BUF_SIZE 8192

#define FULLDATE "dd-mon-yy.hh24:mi:ss"
#define SHORTDATE "dd-mm-yyyy"

#define DELRT 80.0

extern int tkvcninit ();
extern int tkvcpinit ();
extern int tkvcoinit ();
extern int tkvedinit ();
extern int tkvcsinit ();

extern int tkvcn ();
extern int tkvp ();

extern int tkvco ();
extern int tkvcd ();
extern int tkvcs ();

extern void tkvcndone ();
extern void tkvcpdone ();
extern void tkvcodone ();
extern void tkveddone ();
extern void tkvcsdone ();

extern int tkvcss (); /* for alter session to get memory size and trace */
extern boolean multitransx;
extern int ord_init;

extern void errprt ();
extern int ocierror(char *fname, int lineno, OCIError *errhp, sword status);
extern int sqfile(char *fname, text *linebuf);

extern FILE *fp;
extern FILE *fopen ();
extern int proc_no;
extern int doid[];

extern int execstatus;
extern int errcode;

extern OCIEnv *tpcenv;
extern OCIServer *tpcsrv;
extern OCIError *errhp;
extern OCISvcCtx *tpcsvc;
extern OCISession *tpcusr;
extern OCIStmt *curntest;
/* The bind and define handles for each transaction are
   included in their respective header files. */

/* for stock-level transaction */

extern int w_id;
extern int d_id;
extern int c_id;
#ifdef USE_IEEE_NUMBER
extern float threshold;
#else
extern int threshold;
#endif /* USE_IEEE_NUMBER */
extern int low_stock;

/* for delivery transaction */

extern int del_o_id[10];
extern int carrier_id;
extern int retries;

/* for order-status transaction */

extern int bylastname;
extern char c_last[17];
extern char c_first[17];
extern char c_middle[3];
extern double c_balance;
extern int o_id;
extern text o_entry_d[20];
extern int o_carrier_id;
extern int o.ol_cnt;
extern int ol_supply_w_id[15];
extern int ol_i_id[15];
#ifdef USE_IEEE_NUMBER

```

```

extern float ol_quantity[15];
extern float ol_amount[15];
#else
extern int ol_quantity[15];
extern int ol_amount[15];
#endif /* USE_IEEE_NUMBER */
ub4 ol_del_len[15];
extern text ol_delivery_d[15][11];
/* xnie - begin */
extern OCIRowid *o_rowid;
/* xnie - end */

/* for payment transaction */

extern int c_w_id;
extern int c_d_id;
#ifdef USE_IEEE_NUMBER
extern float h_amount;
#else
extern int h_amount;
#endif /* USE_IEEE_NUMBER */
extern char w_street_1[21];
extern char w_street_2[21];
extern char w_city[21];
extern char w_state[3];
extern char w_zip[10];
extern char d_street_1[21];
extern char d_street_2[21];
extern char d_city[21];
extern char d_state[3];
extern char d_zip[10];
extern char c_street_1[21];
extern char c_street_2[21];
extern char c_city[21];
extern char c_state[3];
extern char c_zip[10];
extern char c_phone[17];
extern text c_since_d[11];
extern char c_credit[3];
extern int c_credit_lim;
extern float c_discount;
extern char c_data[201];
extern text h_date[20];

```

```
/* for new order transaction */
```

```

extern int nol_i_id[15];
extern int nol_supply_w_id[15];
#ifdef USE_IEEE_NUMBER
extern float nol_quantity[15];
extern float nol_amount[15];
extern float s_quantity[15];
extern float i_price[15];
#else
extern int nol_quantity[15];
extern int nol_amount[15];
extern int s_quantity[15];
extern int i_price[15];
#endif /* USE_IEEE_NUMBER */
extern int nol_quanti10[15];
extern int nol_quanti91[15];
extern int nol_ytdqty[15];
extern int o_all_local;
extern float w_tax;
extern float d_tax;
extern float total_amount;
extern char i_name[15][25];
extern int i_name_strlen[15];
extern ub2 i_name_strlen_len[15];
extern ub2 i_name_strlen_rcode[15];

```

```

extern ub4 i_name_strlen_csize;
extern char brand_gen[15];
extern ub2 brand_gen_len[15];
extern ub2 brand_gen_rcode[15];
extern ub4 brand_gen_csize;
extern char brand_generic[15][1];
extern int status;
extern int tracelevel;

/* Miscellaneous */
extern OCIDate cr_date;
extern OCIDate c_since;
extern OCIDate o_entry_d_base;
extern OCIDate ol_d_base[15];

#ifndef DISCARD
#define DISCARD (void)
#endif

#ifndef sword
#define sword int
#endif

#define VER7      2

#define NA      -1 /* ANSI SQL NULL */
#define NLT     1  /* length for string null terminator */
#define DEADLOCK 60 /* ORA-00060: deadlock */
#define NO_DATA_FOUND 1403 /* ORA-01403: no data found */
#define NOT_SERIALIZABLE 8177 /* ORA-08177: transaction not serializable */
#define SNAPSHOT_TOO_OLD 1555 /* ORA-01555: snapshot too old */

#ifndef NULLP
#define NULLP(x) (x *)NULL
#endif /* NULLP */

#define ADR(object) ((ub1 *)&(object))
#define SIZ(object) ((sword)sizeof(object))

typedef char date[24+NLT];
typedef char varchar2;

#define min(x,y) (((x) < (y)) ? (x) : (y))

#define OCIERROR(errp,function)\n\
    ocierror(_FILE_,__LINE_,(errp),(function));

#define OCIBND(stmp, bndp, errp, sqlvar, progv, progvl, ftype)\\
    ocierror(_FILE_,__LINE_,(errp),\\
    OCIHandleAlloc((stmp),(dvoid**)&(bndp),OCI_HTYPE_BIND,0,(dvoid*\\
    *)));\\\
    ocierror(_FILE_,__LINE_,(errp),\\
    OCIBindByName((stmp), &(bndp), (errp),\\
        (text *)sqlvar, strlen((sqlvar)),\\
        (progv), (progvl),\\
        (ftype),0,0,0,0,OCI_DEFAULT));\\

/* bind arrays for sql */
#define OCIBNDRA(stmp,bndp,errp,sqlvar,progv,progvl,ftype,indp,alen,arcode) \
    DISCARD ocierror(_FILE_,__LINE_,(errp),\\
    OCIHandleAlloc((stmp),(dvoid**)&(bndp),OCI_HTYPE_BIND,0,(dvoid*\\
    *)));\\\
    DISCARD ocierror(_FILE_,__LINE_,(errp),\\


```

```

    OCIBindByName((stmp),&(bndp),(errp),(text
*)(sqlvar),strlen((sqlvar)),\
(progv),(progvl),(ftype),(indp),(alen),(arcode),0,0,OCI_DEFAULT));

/* use with callback data */
#define OCIBNDRAD(stmp,bndp,errp,sqlvar,progvl,ftype,indp,ctxp,\ 
    cbf_nodata,cbf_data) \
    DISCARD ocierror(__FILE__,__LINE__,(errp), \
OCIHandleAlloc((stmp),(dvoid**)&(bndp),OCI_HTYPE_BIND,0,(dvoid* \
*)0)); \
    DISCARD ocierror(__FILE__,__LINE__,(errp), \
        OCIBindByName((stmp),&(bndp),(errp),(text *) (sqlvar), \
            strlen((sqlvar)),0,(progvl),(ftype), \
                indp,0,0,0,0,OCI_DATA_AT_EXEC)); \
    DISCARD ocierror(__FILE__,__LINE__,(errp), \
OCIBindDynamic((bndp),(errp),(ctxp),(cbf_nodata),(ctxp),(cbf_data)));

/* bind in/out for plsql without indicator and rcode */
#define OCIBNDPL(stmp,bndp,errp,sqlvar,progv,progvl,ftype,alen) \
    DISCARD ocierror(__FILE__,__LINE__,(errp), \
OCIHandleAlloc((stmp),(dvoid**)&(bndp),OCI_HTYPE_BIND,0,(dvoid* \
*)0)); \
    DISCARD ocierror(__FILE__,__LINE__,(errp), \
        OCIBindByName((stmp),&(bndp),(errp),(CONST text *) (sqlvar), \
            (sb4)strlen((CONST char *) (sqlvar)), \
                (dvoid*)(progv),(progvl),(ftype), \
                    NULLP(dvoid),(alen),NULLLP(ub2), \
0,NULLP(ub4),OCI_DEFAULT));

/* bind in values for plsql with indicator and rcode */
#define OCIBNDR(stmp,bndp,errp,sqlvar,progv,progvl,ftype,indp,alen,arcde) \
    DISCARD ocierror(__FILE__,__LINE__,(errp), \
OCIHandleAlloc((stmp),(dvoid**)&(bndp),OCI_HTYPE_BIND,0,(dvoid* \
*)0)); \
    DISCARD ocierror(__FILE__,__LINE__,(errp), \
        OCIBindByName((stmp),&(bndp),(errp),(text \
*)(sqlvar),strlen((sqlvar)), \
            (progv),(progvl),(ftype),(indp),(alen),(arcde),0,0, \
                OCI_DEFAULT));

/* bind in/out for plsql arrays witout indicator and rcode */
#define OCIBNDPLA(stmp,bndp,errp,sqlvar,progv,progvl,ftype,alen,ms,cu) \
    DISCARD ocierror(__FILE__,__LINE__,(errp), \
OCIHandleAlloc((stmp),(dvoid**)&(bndp),OCI_HTYPE_BIND,0,(dvoid* \
*)0)); \
    DISCARD ocierror(__FILE__,__LINE__,(errp), \
        OCIBindByName((stmp),&(bndp),(errp),(CONST text *) (sqlvar), \
            (sb4)strlen((CONST char *) (sqlvar)),(void *) (progv), \
                (progvl),(ftype),NULL,(alen),NULL,(ms),(cu),OCI_DEFAULT));

/* bind in/out values for plsql with indicator and rcode */
#define OCIBNDRAA(stmp,bndp,errp,sqlvar,progv,progvl,ftype,indp,alen,arcde, \
    ms,cu) \
    ocierror(__FILE__,__LINE__,(errp), \
OCIHandleAlloc((stmp),(dvoid**)&(bndp),OCI_HTYPE_BIND,0,(dvoid* \
*)0)); \

```

```

ocierror(__FILE__,__LINE__,(errp), \
    OCIBindByName((stmp),&(bndp),(errp),(text \
*)(sqlvar),strlen((sqlvar)), \
(progv),(progvl),(ftype),(indp),(alen),(arcde),(ms),(cu),OCI_DEFAULT));

#define OCIDEFIN(stmp,dfnp,errp,pos,progv,progvl,ftype) \
    OCIHandleAlloc((stmp),(dvoid**)&(dfnp),OCI_HTYPE_DEFINE,0, \
        (dvoid**)(0));
    OCIDefineByPos((stmp),&(dfnp),(errp),(pos),(progv),(progvl),(ftype), \
        0,0,0,OCI_DEFAULT);

#define OCIDEF(stmp,dfnp,errp,pos,progv,progvl,ftype) \
    OCIHandleAlloc((stmp),(dvoid**)&(dfnp),OCI_HTYPE_DEFINE,0, \
        (dvoid**)(0));
    OCIDefineByPos((stmp),&(dfnp),(errp),(pos),(progv),(progvl), \
        (ftype),NULL,NULL,NULL,OCI_DEFAULT); \


#define OCIDFNRA(stmp,dfnp,errp,pos,progv,progvl,ftype,indp,alen,arcde) \
    OCIHandleAlloc((stmp),(dvoid**)&(dfnp),OCI_HTYPE_DEFINE,0, \
        (dvoid**)(0));
    OCIDefineByPos((stmp),&(dfnp),(errp),(pos),(progv), \
        (progvl),(ftype),(indp),(alen), \
    (arcde),OCI_DEFAULT);

#define OCIDFNDYN(stmp,dfnp,errp,pos,progv,progvl,ftype,indp,ctxp,cbf_data) \
    ocierror(__FILE__,__LINE__,(errp), \
        OCIHandleAlloc((stmp),(dvoid**)&(dfnp),OCI_HTYPE_DEFINE,0, \
            (dvoid**)(0));
    ocierror(__FILE__,__LINE__,(errp), \
        OCIDefineByPos((stmp),&(dfnp),(errp),(pos),(progv), \
            (progvl),(ftype), \
                (indp),NULL,NULL,OCI_DYNAMIC_FETCH)); \
    ocierror(__FILE__,__LINE__,(errp), \
        OCIDefineDynamic((dfnp),(errp),(ctxp),(cbf_data))); \


/* New order */

struct newinstruct {
    int w_id;
    int d_id;
    int c_id;
    int ol_i_id[15];
    int ol_supply_w_id[15];
    int ol_quantity[15];
};

struct newoutstruct {
    int terror;
    int o_id;
    int o.ol_cnt;
    char c_last[17];
    char c_credit[3];
    float c_discount;
    float w_tax;
    float d_tax;
    char o_entry_d[20];
    float total_amount;
    char i_name[15][25];
    int s_quantity[15];
    char brand_generic[15];
    float i_price[15];
};
```

```

float ol_amount[15];
char status[26];
int retry;
};

struct newstruct {
    struct newinstruct newin;
    struct newoutstruct newout;
};

/* Payment */

struct payinstruct {
    int w_id;
    int d_id;
    int c_w_id;
    int c_d_id;
    int c_id;
    int bylastname;
    int h_amount;
    char c_last[17];
};

struct payoutstruct {
    int terror;
    char w_street_1[21];
    char w_street_2[21];
    char w_city[21];
    char w_state[3];
    char w_zip[10];
    char d_street_1[21];
    char d_street_2[21];
    char d_city[21];
    char d_state[3];
    char d_zip[10];
    int c_id;
    char c_first[17];
    char c_middle[3];
    char c_last[17];
    char c_street_1[21];
    char c_street_2[21];
    char c_city[21];
    char c_state[3];
    char c_zip[10];
    char c_phone[17];
    char c_since[11];
    char c_credit[3];
    double c_credit_lim;
    float c_discount;
    double c_balance;
    char c_data[201];
    char h_date[20];
    int retry;
};

struct paystruct {
    struct payinstruct payin;
    struct payoutstruct payout;
};

/* Order status */

struct ordinstruct {
    int w_id;
    int d_id;
    int c_id;
    int bylastname;
    char c_last[17];
};

};

struct ordoutstruct {
    int terror;
    int c_id;
    char c_last[17];
    char c_first[17];
    char c_middle[3];
    double c_balance;
    int o_id;
    char o_entry_d[20];
    int o_carrier_id;
    int o.ol_cnt;
    int ol_supply_w_id[15];
    int ol_i_id[15];
    int ol_quantity[15];
    float ol_amount[15];
    char ol_delivery_d[15][11];
    int retry;
};

struct ordstruct {
    struct ordinstruct ordin;
    struct ordoutstruct ordout;
};

/* Delivery */

struct delinstruct {
    int w_id;
    int o_carrier_id;
    double qtime;
    int in_timing_int;
    int plsqlflag;
};

struct deloutstruct {
    int terror;
    int retry;
};

struct delstruct {
    struct delinstruct delin;
    struct deloutstruct delout;
};

/* Stock level */

struct stostruct {
    struct stostruct sto;
    struct stostruct stoout;
};

#endif

```

```

-----
tpcload.c
-----
#ifndef RCSID
static char *RCSid =
    "$Header: tk_perf/benchmark_kits/tpcc-
new/benchrun/source/server/tpcload.c /main/1 2008/12/15 05:58:52 avliet
Exp $ Copyr (c) 1993 Oracle";
#endif /* RCSID */

/*=====
=====
Copyright (c) 1994 Oracle Corp, Redwood Shores, CA | |
OPEN SYSTEMS PERFORMANCE GROUP | |
All Rights Reserved | |

=====
=====+
| FILENAME
| tpcload.c
| DESCRIPTION
| Load or generate TPC-C database tables.
| Usage: tpcload -M <# of wares> [options]
|     options: -A load all tables
|             -w load ware table
|             -d load dist table
|             -c load cust table (cluster around c_w_id)
|             -C load cust table (cluster around c_id)
|             -i load item table
|             -s load stok table (cluster around s_w_id)
|             -S load stok table (cluster around s_i_id)
|             -h load hist table
|             -n load new-order table
|             -o <online file> load order and order-line table
|             -b <ware#> beginning ware number
|             -e <ware#> ending ware number
|             -j <item#> beginning item number (with -S)
|             -k <item#> ending item number (with -S)
|             -l <cid#> beginning cid number (with -C)
|             -m <cid#> ending cid number (with -C)
|             -g generate rows to standard output
| =====
=====*/
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys/types.h>
#include "tpcc.h"

#ifndef ORA_NT
#undef boolean
#include <process.h>
#include "dpbcose.h"
#define gettimeofday dpbtimerf
#define getcpu dpbcpu
#define lrand48() ((long)rand() <<15 | rand())
#endif /* _STDC_ */
#define PROTO(args) args
#else
#define PROTO(args) ()
#endif
#endif

#define DISTARR 10      /* dist insert array size */
#define CUSTARR 100     /* cust insert array size */

```

```

#define STOCARR 100      /* stok insert array size */
#define ITEMARR 100      /* item insert array size */
#define HISTARR 100      /* hist insert array size */
#define ORDEARR 100      /* order insert array size */
#define NEWOARR 100      /* new order insert array size */

#define DISTFAC 10        /* max. dist id */
#define CUSTFAC 3000     /* max. cust id */
#define STOCFAC 100000   /* max. stok id */
#define ITEMFAC 100000   /* max. item id */

#define HISTFAC 30000    /* history / warehouse */
#define ORDEFAC 3000     /* order / district */
#define NEWOFAC 900       /* new order / district */

#define C 0               /* constant in non-uniform dist. eqt. */
#define CNUM1 1           /* first constant in non-uniform dist. eqt. */
#define CNUM2 2           /* second constant in non-uniform dist. eqt. */
#define CNUM3 3           /* third constant in non-uniform dist. eqt. */

#define SEED 2            /* seed for random functions */

#define NOT_SERIALIZABLE 8177 /* ORA-08177: transaction not
serializable */
#define SNAPSHOT_TOO_OLD 1555 /* ORA-01555: snapshot too old */
#define RECOVERR -10
#define IRRECERR -20

#define SQLTXTW "INSERT INTO ware (w_id, w_ytd, w_tax, w_name,
w_street_1, w_street_2, w_city, w_state, w_zip) VALUES (:w_id,
30000000, :w_tax, :w_name, :w_street_1, \
:w_street_2, :w_city, :w_state, :w_zip)"

#define SQLXTXD "INSERT INTO dist (d_id, d_w_id, d_ytd, d_tax,
d_next_o_id, d_name, d_street_1, d_street_2, d_city, d_state, d_zip)
VALUES (:d_id, :d_w_id, 3000000, :d_tax, \
3001, :d_name, :d_street_1, :d_street_2, :d_city, :d_state, :d_zip)"

#define SQLXTXCQUERY "select /*+ HASH ( cust ) */ count(*) from
cust where c_w_id = :s_c_w_id and c_d_id = :s_c_d_id and c_id = :s_c_id"

#define SQLXTXC "INSERT INTO cust (C_ID, C_D_ID, C_W_ID,
C_FIRST, C_MIDDLE, C_LAST, C_STREET_1, C_STREET_2,
C_CITY, C_STATE, C_ZIP, C_PHONE, C_SINCE, C_CREDIT,
C_CREDIT_LIM, C_DISCOUNT, C_BALANCE, C_YTD_PAYMENT,
C_PAYMENT_CNT, C_DELIVERY_CNT, C_DATA) VALUES (:c_id,
:c_d_id, :c_w_id, \
:c_first, 'OE', :c_last, :c_street_1, :c_street_2, :c_city, :c_state, \
:c_zip, :c_phone, SYSDATE, :c_credit, 5000000, :c_discount, -1000,
1000, 1, \
0, :c_data)"

#define SQLTXTH "INSERT INTO hist (h_c_id, h_c_d_id, h_c_w_id,
h_d_id, h_w_id, h_date, h_amount, h_data) VALUES (:h_c_id, :h_c_d_id,
:h_c_w_id, \
:h_d_id, :h_w_id, SYSDATE, 1000, :h_data)"

#define SQLXTXSQUERY "select /*+ HASH ( stok ) */ count(*) from
stok where s_w_id = :s_s_w_id and s_i_id = :s_s_i_id"

#define SQLXTXS "INSERT INTO stok (s_i_id, s_w_id,
s_quantity,s_dist_01, s_dist_02, s_dist_03, s_dist_04, s_dist_05 ,
s_dist_06, s_dist_07, s_dist_08, s_dist_09, s_dist_10, s_ytd, s_order_cnt,
s_remote_cnt, s_data) \
VALUES (:s_i_id, :s_w_id, :s_quantity, \
:s_dist_01, :s_dist_02, :s_dist_03, :s_dist_04, :s_dist_05, :s_dist_06, \
:s_dist_07, :s_dist_08, :s_dist_09, :s_dist_10, 0, 0, 0, :s_data)" \

```

```

#define SQLXTXI "INSERT INTO item
(I_ID,I_IM_ID,I_NAME,I_PRICE,I_DATA) VALUES (:i_id, :i_im_id,
:i_name, :i_price, \
:i_data)"

#define SQLXTXTO1 "INSERT INTO ordr (O_ID,
O_D_ID,O_W_ID,O_C_ID,O_ENTRY_D,O_CARRIER_ID,O_OL_CNT,
O_ALL_LOCAL)\ \
VALUES (:o_id, :o_d_id, :o_w_id, :o_c_id, \
SYSDATE, :o_carrier_id, :o.ol_cnt, 1)"

#define SQLXTXTO2 "INSERT INTO ordr (O_ID,
O_D_ID,O_W_ID,O_C_ID,O_ENTRY_D,O_CARRIER_ID,O_OL_CNT,
O_ALL_LOCAL)\ \
VALUES (:o_id, :o_d_id, :o_w_id, :o_c_id, \
SYSDATE, 11, :o.ol_cnt, 1)"

#define SQLXTXTOL1 "INSERT INTO ordl (OL_O_ID, OL_D_ID,
OL_W_ID, OL_NUMBER, OL_DELIVERY_D, OL_I_ID,
OL_SUPPLY_W_ID, OL_QUANTITY, OL_AMOUNT,
OL_DIST_INFO) \
VALUES (:ol_o_id, :ol_d_id, \
:ol_w_id, :ol_number, SYSDATE, :ol_i_id, :ol_supply_w_id, 5, 0, \
:ol_dist_info)"

#define SQLXTXTOL2 "INSERT INTO ordl (OL_O_ID, OL_D_ID,
OL_W_ID, OL_NUMBER, OL_DELIVERY_D, OL_I_ID,
OL_SUPPLY_W_ID, OL_QUANTITY, OL_AMOUNT,
OL_DIST_INFO) \
VALUES (:ol_o_id, :ol_d_id, \
:ol_w_id, :ol_number, to_date('01-Jan-1811'), :ol_i_id, :ol_supply_w_id,
5, :ol_amount, \
:ol_dist_info)"

#define SQLXTXNO "INSERT INTO nord (no_o_id, no_d_id, no_w_id)
VALUES (:no_o_id, :no_d_id, :no_w_id)"

#define SQLXTXTENHA "alter session set
\"_enable_hash_overflow\"=true"
#define SQLXTXTDIHA "alter session set
\"_enable_hash_overflow\"=false"

static char *lastname[] = {
    "BAR",
    "OUGHT",
    "ABLE",
    "PRI",
    "PRES",
    "ESE",
    "ANTI",
    "CALLY",
    "ATION",
    "EING"
};

char num9[10];
char num16[17];
char str2[3];
char str24[15][25];
int randperm3000[3000];

void initperm();
void randstr();
void randdatastr();
void randomnum();
void randlastname (char*, int);
int NURand();
void sysdate();

OCIEEnv *tpcenv;
OCIServer *tpcsrv;
OCIEError *errhp;
OCISvcCtx *tpcsvc;
OCISession *tpcusr;

OCISStmt *curw;
OCISStmt *curd;
OCISStmt *curc;
OCISStmt *cures;
OCISStmt *curh;
OCISStmt *curs;
OCISStmt *curs;
OCISStmt *curs;
OCISStmt *curi;
OCISStmt *euro1;
OCISStmt *euro2;
OCISStmt *euro1;
OCISStmt *euro2;
OCISStmt *euro1;
OCISStmt *curno;

OCIBind *w_id_bp = (OCIBind *) 0;
OCIBind *w_name_bp = (OCIBind *) 0;
OCIBind *w_street1_bp = (OCIBind *) 0;
OCIBind *w_street2_bp = (OCIBind *) 0;
OCIBind *w_city_bp = (OCIBind *) 0;
OCIBind *w_state_bp = (OCIBind *) 0;
OCIBind *w_zip_bp = (OCIBind *) 0;
OCIBind *w_tax_bp = (OCIBind *) 0;

OCIBind *d_id_bp = (OCIBind *) 0;
OCIBind *d_w_id_bp = (OCIBind *) 0;
OCIBind *d_name_bp = (OCIBind *) 0;
OCIBind *d_street1_bp = (OCIBind *) 0;
OCIBind *d_street2_bp = (OCIBind *) 0;
OCIBind *d_city_bp = (OCIBind *) 0;
OCIBind *d_state_bp = (OCIBind *) 0;
OCIBind *d_zip_bp = (OCIBind *) 0;
OCIBind *d_tax_bp = (OCIBind *) 0;

OCIDefine *s_c_ret_bp = (OCIDefine *) 0;
OCIBind *s_c_id_bp = (OCIBind *) 0;
OCIBind *s_c_d_id_bp = (OCIBind *) 0;
OCIBind *s_c_w_id_bp = (OCIBind *) 0;

OCIBind *c_id_bp = (OCIBind *) 0;
OCIBind *c_d_id_bp = (OCIBind *) 0;
OCIBind *c_w_id_bp = (OCIBind *) 0;
OCIBind *c_first_bp = (OCIBind *) 0;
OCIBind *c_last_bp = (OCIBind *) 0;
OCIBind *c_street1_bp = (OCIBind *) 0;
OCIBind *c_street2_bp = (OCIBind *) 0;
OCIBind *c_city_bp = (OCIBind *) 0;
OCIBind *c_state_bp = (OCIBind *) 0;
OCIBind *c_zip_bp = (OCIBind *) 0;
OCIBind *c_phone_bp = (OCIBind *) 0;
OCIBind *c_discount_bp = (OCIBind *) 0;
OCIBind *c_credit_bp = (OCIBind *) 0;
OCIBind *c_data_bp = (OCIBind *) 0;

OCIBind *i_id_bp = (OCIBind *) 0;
OCIBind *i_im_id_bp = (OCIBind *) 0;
OCIBind *i_name_bp = (OCIBind *) 0;
OCIBind *i_price_bp = (OCIBind *) 0;
OCIBind *i_data_bp = (OCIBind *) 0;

OCIDefine *s_s_ret_bp = (OCIDefine *) 0;
OCIBind *s_s_i_id_bp = (OCIBind *) 0;
OCIBind *s_s_w_id_bp = (OCIBind *) 0;

OCIBind *s_i_id_bp = (OCIBind *) 0;

```

```

OCIBind *s_w_id_bp = (OCIBind *) 0;
OCIBind *s_quantity_bp = (OCIBind *) 0;
OCIBind *s_dist_01_bp = (OCIBind *) 0;
OCIBind *s_dist_02_bp = (OCIBind *) 0;
OCIBind *s_dist_03_bp = (OCIBind *) 0;
OCIBind *s_dist_04_bp = (OCIBind *) 0;
OCIBind *s_dist_05_bp = (OCIBind *) 0;
OCIBind *s_dist_06_bp = (OCIBind *) 0;
OCIBind *s_dist_07_bp = (OCIBind *) 0;
OCIBind *s_dist_08_bp = (OCIBind *) 0;
OCIBind *s_dist_09_bp = (OCIBind *) 0;
OCIBind *s_dist_10_bp = (OCIBind *) 0;
OCIBind *s_data_bp = (OCIBind *) 0;

OCIBind *h_c_id_bp = (OCIBind *) 0;
OCIBind *h_c_d_id_bp = (OCIBind *) 0;
OCIBind *h_c_w_id_bp = (OCIBind *) 0;
OCIBind *h_d_id_bp = (OCIBind *) 0;
OCIBind *h_w_id_bp = (OCIBind *) 0;
OCIBind *h_data_bp = (OCIBind *) 0;

OCIBind *ol_o_id_bp = (OCIBind *) 0;
OCIBind *ol_d_id_bp = (OCIBind *) 0;
OCIBind *ol_w_id_bp = (OCIBind *) 0;
OCIBind *ol_i_id_bp = (OCIBind *) 0;
OCIBind *ol_number_bp = (OCIBind *) 0;
OCIBind *ol_supply_w_id_bp = (OCIBind *) 0;
OCIBind *ol_dist_info_bp = (OCIBind *) 0;
OCIBind *ol_amount_bp = (OCIBind *) 0;

OCIBind *o_id_bp = (OCIBind *) 0;
OCIBind *o_d_id_bp = (OCIBind *) 0;
OCIBind *o_w_id_bp = (OCIBind *) 0;
OCIBind *o_c_id_bp = (OCIBind *) 0;
OCIBind *o_carrier_id_bp = (OCIBind *) 0;
OCIBind *o.ol_cnt_bp = (OCIBind *) 0;
OCIBind *o_ocnt_bp = (OCIBind *) 0;
OCIBind *o.olcnt_bp = (OCIBind *) 0;

OCIBind *no_o_id_bp = (OCIBind *) 0;
OCIBind *no_d_id_bp = (OCIBind *) 0;
OCIBind *no_w_id_bp = (OCIBind *) 0;

void myusage()
{
    fprintf (stderr, "\n");
    fprintf (stderr, "Usage:\tptccload -M <multiplier> [options]\n");
    fprintf (stderr, "options:\n");
    fprintf (stderr, "\t-A :\tload all tables\n");
    fprintf (stderr, "\t-w :\tload ware table\n");
    fprintf (stderr, "\t-d :\tload dist table\n");
    fprintf (stderr, "\t-c :\tload cust table (cluster around c_w_id)\n");
    fprintf (stderr, "\t-C :\tload cust table (cluster around c_id)\n");
    fprintf (stderr, "\t-i :\tload item table\n");
    fprintf (stderr, "\t-s :\tload stok table (cluster around s_w_id)\n");
    fprintf (stderr, "\t-S :\tload stok table (cluster around s_i_id)\n");
    fprintf (stderr, "\t-h :\tload hist table\n");
    fprintf (stderr, "\t-n :\tload new-order table\n");
    fprintf (stderr, "\t-o <oline file> :\tload order and order-line table\n");
    fprintf (stderr, "\t-b <ware#> :\tbeginning ware number\n");
    fprintf (stderr, "\t-e <ware#> :\tending ware number\n");
    fprintf (stderr, "\t-j <item#> :\tbeginning item number (with -S)\n");
    fprintf (stderr, "\t-k <item#> :\tending item number (with -S)\n");
    fprintf (stderr, "\t-l <cid#> :\tbeginning cid number (with -C)\n");
    fprintf (stderr, "\t-m <cid#> :\tending cid number (with -C)\n");
    fprintf (stderr, "\t-g :\tgenerate rows to standard output\n");
    fprintf (stderr, "\t $tpcc_bench must be set to the location of the kit\n");
    fprintf (stderr, "\n");
    exit(1);
}

```

```

}

int sqlfile(fnam,linebuf)
char *fnam;
text *linebuf;
{
    FILE *fd;
    int nulpt = 0;
    char realfile[512];

    sprintf(realfile,"%s",fnam);
    fd = fopen(realfile,"r");
    if (!fd)
    {
        return (0);
    }
    while (fgets((char *)linebuf+nulpt, SQL_BUF_SIZE, fd))
    {
        nulpt = strlen((char *)linebuf);
    }
    return(nulpt);
}

void quit()
{
    OCIERROR(errhp,OCISessionEnd ( tpcsvc,errhp, tpcusr,
OCI_DEFAULT));
    OCIERROR(errhp,OCIServerDetach ( tpcsvr, errhp, OCI_DEFAULT));
    OCIHandleFree((dvoid *)tpcusr, OCI_HTYPE_SESSION);
    OCIHandleFree((dvoid *)tpcvc, OCI_HTYPE_SVCCTX);
    OCIHandleFree((dvoid *)errhp, OCI_HTYPE_ERROR);
    OCIHandleFree((dvoid *)tpcsvr, OCI_HTYPE_SERVER);
    OCIHandleFree((dvoid *)tpcenv, OCI_HTYPE_ENV);
}

void main (argc, argv)
int argc;
char *argv[];
{
    char *uid="tpcc";
    char *pwd="tpcc";
    int scale=0;
    int i, j;
    int loop;
    long loopcount;
    int cid;
    int dwid;
    int cdid;
    int cwid;
    int sid;
    int swid;
    int olcnt;
    long nrows;
    long row;

    int w_id;
    char w_name[11];
    char w_street_1[21];
    char w_street_2[21];
    char w_city[21];
    char w_state[2];
    char w_zip[9];
    float w_tax;

    int d_id[10];
    int d_w_id[10];
    char d_name[10][11];
    char d_street_1[10][21];
    char d_street_2[10][21];
    char d_city[10][21];
}

```

```

char d_state[10][2];
char d_zip[10][9];
float d_tax[10];

int s_c_id;
int s_c_d_id;
int s_c_w_id;
int s_c_count;

int c_id[100];
int c_d_id[100];
int c_w_id[100];
char c_first[100][17];
char c_last[100][17];
char c_street_1[100][21];
char c_street_2[100][21];
char c_city[100][21];
char c_state[100][2];
char c_zip[100][9];
char c_phone[100][16];
char c_credit[100][2];
float c_discount[100];
char c_data[100][501];

int i_id[100];
int i_im_id[100];
int i_price[100];
char i_name[100][25];
char i_data[100][51];

int s_s_count;
int s_s_i_id;
int s_s_w_id;

int s_i_id[100];
int s_w_id[100];
int s_quantity[100];
char s_dist_01[100][25];
char s_dist_02[100][25];
char s_dist_03[100][25];
char s_dist_04[100][25];
char s_dist_05[100][25];
char s_dist_06[100][25];
char s_dist_07[100][25];
char s_dist_08[100][25];
char s_dist_09[100][25];
char s_dist_10[100][25];
char s_data[100][51];

int h_w_id[100];
int h_d_id[100];
int h_c_id[100];
char h_data[100][25];

int o_id[100];
int o_d_id[100];
int o_w_id[100];
int o_c_id[100];
int o_carrier_id[100];
int o.ol_cnt[100];

int ol_o_id[1500];
int ol_d_id[1500];
int ol_w_id[1500];
int ol_number[1500];
int ol_i_id[1500];
int ol_supply_w_id[1500];
int ol_amount[1500];
char ol_dist_info[1500][24];
int o_cnt;

int ol_cnt;

ub2 ol_o_id_len[1500];
ub2 ol_d_id_len[1500];
ub2 ol_w_id_len[1500];
ub2 ol_number_len[1500];
ub2 ol_i_id_len[1500];
ub2 ol_supply_w_id_len[1500];
ub2 ol_dist_info_len[1500];
ub2 ol_amount_len[1500];

ub4 ol_o_id_clen;
ub4 ol_d_id_clen;
ub4 ol_w_id_clen;
ub4 ol_number_clen;
ub4 ol_i_id_clen;
ub4 ol_supply_w_id_clen;
ub4 ol_dist_info_clen;
ub4 ol_amount_clen;

ub2 o_id_len[100];
ub2 o_d_id_len[100];
ub2 o_w_id_len[100];
ub2 o_c_id_len[100];
ub2 o_carrier_id_len[100];
ub2 o.ol_cnt_len[100];

ub4 o_id_clen;
ub4 o_d_id_clen;
ub4 o_w_id_clen;
ub4 o_c_id_clen;
ub4 o_carrier_id_clen;
ub4 o.ol_cnt_clen;

text stmbuf[16*1024];

int no_o_id[100];
int no_d_id[100];
int no_w_id[100];

char sdate[30];

#ifdef ORA_NT
clock_t begin_time, end_time;
clock_t begin_cpu, end_cpu;

char *arg_ptr, **end_args;
#else
double begin_time, end_time;
double begin_cpu, end_cpu;
double gettime(), getcpu();

extern int getopt();
extern char *optarg;
extern int optind, opterr;
int opt;
#endif

char *argstr="M:AwdcCisShno:b:e:j:k:l:m:g";
int do_A=0;
int do_w=0;
int do_d=0;
int do_i=0;
int do_c=0;
int do_C=0;
int do_s=0;
int do_S=0;
int do_h=0;
int do_o=0;
int do_n=0;

```

```

int gen=0;
int bware=1;
int eware=0;
int bitem=1;
int eitem=0;
int bcid=1;
int ecid=0;

FILE *olfp=NULL;
char olfname[100];
char* basename;
int status;
#ifndef ORA_NT
char fname[100];
FILE *logfile;
#endif /* ORA_NT */

/*-----+
| Parse command line -- look for scale factor.
+-----*/
if (argc == 1) {
    myusage ();
}

#ifndef ORA_NT
end_args = argv + argc;
for (++argv; argv < end_args; )
{
    arg_ptr = *argv++;

    if (*arg_ptr != '-')
    {
        myusage ();
    } else
    {
        switch (arg_ptr[1]) {
        case '?': myusage ();
            break;
        case 'M': scale = atoi (*argv++);
            break;
        case 'A': do_A = 1;
            break;
        case 'w': do_w = 1;
            break;
        case 'd': do_d = 1;
            break;
        case 'c': do_c = 1;
            break;
        case 'C': do_C = 1;
            break;
        case 'i': do_i = 1;
            break;
        case 's': do_s = 1;
            break;
        case 'S': do_S = 1;
            break;
        case 'h': do_h = 1;
            break;
        case 'n': do_n = 1;
            break;
        case 'o': do_o = 1;
            strcpy (olfname, *argv++);
            break;
        case 'b': bware = atoi (*argv++);
            break;
        case 'e': eware = atoi (*argv++);
            break;
        case 'j': bitem = atoi (*argv++);
            break;
        }
    }
}
#endif /* ORA_NT */

        break;
case 'k': eitem = atoi (*argv++);
        break;
case 'l': bcid = atoi (*argv++);
        break;
case 'm': ecid = atoi (*argv++);
        break;
case 'g': gen = 1;
    strcpy (fname, *argv++);
    break;
case 'T': logfile=fopen(*argv++,"w");
        break;
default: fprintf (stderr, "THIS SHOULD NEVER HAPPEN!!!\n");
    fprintf (stderr, "(reached default case in getopt ())\n");
    myusage ();
}
}
}

#else

while ((opt = getopt (argc, argv, argstr)) != -1) {
    switch (opt) {
    case '?': myusage ();
        break;
    case 'M': scale = atoi (optarg);
        break;
    case 'A': do_A = 1;
        break;
    case 'w': do_w = 1;
        break;
    case 'd': do_d = 1;
        break;
    case 'c': do_c = 1;
        break;
    case 'C': do_C = 1;
        break;
    case 'i': do_i = 1;
        break;
    case 's': do_s = 1;
        break;
    case 'S': do_S = 1;
        break;
    case 'h': do_h = 1;
        break;
    case 'n': do_n = 1;
        break;
    case 'o': do_o = 1;
        strcpy (olfname, optarg);
        break;
    case 'b': bware = atoi (optarg);
        break;
    case 'e': eware = atoi (optarg);
        break;
    case 'j': bitem = atoi (optarg);
        break;
    case 'k': eitem = atoi (optarg);
        break;
    case 'l': bcid = atoi (optarg);
        break;
    case 'm': ecid = atoi (optarg);
        break;
    case 'g': gen = 1;
        break;
    default: fprintf (stderr, "THIS SHOULD NEVER HAPPEN!!!\n");
        fprintf (stderr, "(reached default case in getopt ())\n");
        myusage ();
    }
}
}

```

```

#endif /* ORA_NT */

/*-----+
|   Rudimentary error checking
|-----*/
/*-----+
|-----*/

if (scale < 1) {
    fprintf(stderr, "Invalid scale factor: '%d'\n", scale);
    myusage ();
}

if (!(do_A || do_w || do_d || do_c || do_C || do_i || do_s || do_S || do_h ||
do_o ||
do_n)) {
    fprintf(stderr, "What should I load???\n");
    myusage ();
}

if (gen && (do_A || (do_w + do_d + do_c + do_C + do_i + do_s + do_S +
+ do_h + do_o +
do_n > 1))) {
    fprintf(stderr, "Can only generate table one at a time\n");
    myusage ();
}

if (do_S && (do_A || do_s)) {
    fprintf(stderr, "Cluster stock table around s_w_id or s_i_id?\n");
    myusage ();
}

if (do_C && (do_A || do_c)) {
    fprintf(stderr, "Cluster cust table around c_w_id or c_id?\n");
    myusage ();
}

if (eware <= 0)
    eware = scale;
if (ecid <= 0)
    ecid = CUSTFAC;
if (eitem <= 0)
    eitem = STOFCFAC;

if (do_C) {
    if ((bcid < 1) || (bcid > CUSTFAC)) {
        fprintf(stderr, "Invalid beginning cid number: '%d'\n", bcid);
        myusage ();
    }
    if ((ecid < bcid) || (ecid > CUSTFAC)) {
        fprintf(stderr, "Invalid ending cid number: '%d'\n", ecid);
        myusage ();
    }
}
if (do_S) {
    if ((bitem < 1) || (bitem > STOFCFAC)) {
        fprintf(stderr, "Invalid beginning item number: '%d'\n", bitem);
        myusage ();
    }
    if ((eitem < bitem) || (eitem > STOFCFAC)) {
        fprintf(stderr, "Invalid ending item number: '%d'\n", eitem);
        myusage ();
    }
}
if (do_o) {
    if ((basename = getenv ("tpcc_bench")) == NULL)
    {
        fprintf(stderr, "$tpcc_bench is not set");
    }
}

myusage ();
}

if ((bware < 1) || (bware > scale)) {
    fprintf(stderr, "Invalid beginning warehouse number: '%d'\n", bware);
    myusage ();
}

if ((eware < bware) || (eware > scale)) {
    fprintf(stderr, "Invalid ending warehouse number: '%d'\n", eware);
    myusage ();
}

if (gen && do_o) {
    if ((olfp = fopen (olfname, "w")) == NULL) {
        fprintf(stderr, "Can't open '%s' for writing order lines\n", olfname);
        myusage ();
    }
}

/*-----+
| Prepare to insert into database.
|-----*/
/*-----+
|-----*/

sysdate (sdate);
if (!gen) {

    /* log on to Oracle */

    OCIInitialize(OCI_DEFAULT|OCI_OBJECT,(dvoid *)0,0,0,0);
    OCIEnvInit(&tpcenv, OCI_DEFAULT, 0, (dvoid **)0);
    OCIHandleAlloc((dvoid *)tpcenv, (dvoid **)&tpcsrv,
    OCI_HTYPE_SERVER, 0 , (dvoid **)0);
    OCIHandleAlloc((dvoid *)tpcenv, (dvoid **)&errhp,
    OCI_HTYPE_ERROR, 0 , (dvoid **)0);
    OCIHandleAlloc((dvoid *)tpcenv, (dvoid **)&tpcsvc,
    OCI_HTYPE_SVCCTX, 0 , (dvoid **)0);
    OCIServerAttach(tpcsrv, errhp, (text *)0,0,OCI_DEFAULT);
    OCIAttrSet((dvoid *)tpcsvc, OCI_HTYPE_SVCCTX, (dvoid *)tpcsrv,
    (ub4)0,OCI_ATTR_SERVER, errhp);
    OCIHandleAlloc((dvoid *)tpcenv, (dvoid **)&tpcusr,
    OCI_HTYPE_SESSION, 0 , (dvoid **)0);
    OCIAttrSet((dvoid *)tpcusr, OCI_HTYPE_SESSION, (dvoid *)uid,
    (ub4)strlen(uid),OCI_ATTR_USERNAME, errhp);
    OCIAttrSet((dvoid *)tpcusr, OCI_HTYPE_SESSION, (dvoid *)pwd,
    (ub4)strlen(pwd),
    OCI_ATTR_PASSWORD, errhp);
    OCIERROR(errhp, OCISessionBegin(tpcsvc, errhp, tpcusr,
    OCI_CRED_RDBMS, OCI_DEFAULT));
    OCIAttrSet(tpcsvc, OCI_HTYPE_SVCCTX, tpcusr, 0,
    OCI_ATTR_SESSION, errhp);

    fprintf(stderr, "\nConnected to Oracle userid '%s/%s'.\n", uid, pwd);

    /* open cursors and parse statement */
    if (do_A || do_w) {
        OCIERROR(errhp, OCIHandleAlloc(tpcenv,(dvoid **)(&curw),
        OCI_HTYPE_STMT, 0 , (dvoid **)0));
        OCIERROR(errhp,OCISstmtPrepare(curw, errhp, (text *)SQLXTW,
        strlen((char *)SQLXTW), (ub4) OCI_NTV_SYNTAX,
        (ub4) OCI_DEFAULT));
    }

    if (do_A || do_d) {
        OCIERROR(errhp, OCIHandleAlloc(tpcenv,(dvoid **)(&curd),
        OCI_HTYPE_STMT, 0 , (dvoid **)0));
    }
}

```

```

    OCIERROR(errhp,OCIStmtPrepare(curd, errhp, (text *)SQLTXTD,
        strlen((char *)SQLTXTD), (ub4) OCI_NTV_SYNTAX, (ub4)
OCI_DEFAULT));
    }

    if (do_A || do_c || do_C) {
        OCIERROR(errhp,OCIHandleAlloc(tpcenv,(dvoid **)(&curno),
OCI_HTYPE_STMT, 0, (dvoid**)0));
        OCIERROR(errhp,OCIStmtPrepare(curno, errhp, (text
        *))SQLTXTNO,
            strlen((char *)SQLTXTNO), (ub4) OCI_NTV_SYNTAX,
(ub4) OCI_DEFAULT);
        }

        /* bind variables */

        /* warehouse */

        if (do_A || do_w) {
            OCIERROR(errhp, OCIBindByName(curw, &w_id_bp, errhp, (text
*:w_id"), strlen(":w_id")),
                (ub1 *)&(w_id), sizeof(w_id), SQLT_INT, (dvoid *) 0, (ub2
*)0, (ub2 *)0,
                (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

            OCIERROR(errhp, OCIBindByName(curw, &w_name_bp,
errhp,(text *):w_name", strlen(":w_name"),
                (ub1 *)w_name, 11, SQLT_STR, (dvoid *) 0, (ub2 *)0, (ub2
*)0,
                (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

            OCIERROR(errhp, OCIBindByName(curw, &w_street1_bp, errhp,
(text *):w_street_1",
                strlen(":w_street_1"), (ub1 *)w_street_1, 21,
SQLT_STR,
                (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

            OCIERROR(errhp, OCIBindByName(curw, &w_street2_bp, errhp,
(text *):w_street_2",
                strlen(":w_street_2"), (ub1 *)w_street_2, 21,
SQLT_STR,
                (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

            OCIERROR(errhp, OCIBindByName(curw, &w_city_bp, errhp, (text
*:w_city",
                strlen(":w_city"), (ub1 *)w_city, 21,
SQLT_STR,
                (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

            OCIERROR(errhp, OCIBindByName(curw, &w_state_bp, errhp,
(text *):w_state",
                strlen(":w_state"), (ub1 *)w_state, 2,
SQLT_CHR,
                (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

            OCIERROR(errhp, OCIBindByName(curw, &w_zip_bp, errhp, (text
*:w_zip",
                strlen(":w_zip"), (ub1 *)w_zip, 9, SQLT_CHR,
                (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

            OCIERROR(errhp, OCIBindByName(curw, &w_tax_bp, errhp, (text
*:w_tax",
                strlen(":w_tax"), (ub1 *) & w_tax, sizeof(w_tax),
SQLT_FLT,
                (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));
            }

            /* district */

            if (do_A || do_d) {

```

```

                OCIERROR(errhp,OCIHandleAlloc(tpcenv,(dvoid **)(&curno),
OCI_HTYPE_STMT, 0, (dvoid**)0));
                OCIERROR(errhp,OCIStmtPrepare(curno, errhp, (text
                *))SQLTXTNO,
                    strlen((char *)SQLTXTNO), (ub4) OCI_NTV_SYNTAX,
(ub4) OCI_DEFAULT);
                }

                /* bind variables */

                /* warehouse */

                if (do_A || do_w) {
                    OCIERROR(errhp, OCIBindByName(curw, &w_id_bp, errhp, (text
*:w_id"), strlen(":w_id")),
                        (ub1 *)&(w_id), sizeof(w_id), SQLT_INT, (dvoid *) 0, (ub2
*)0,
                        (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

                    OCIERROR(errhp, OCIBindByName(curw, &w_name_bp,
errhp,(text *):w_name", strlen(":w_name"),
                        (ub1 *)w_name, 11, SQLT_STR, (dvoid *) 0, (ub2 *)0, (ub2
*)0,
                        (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

                    OCIERROR(errhp, OCIBindByName(curw, &w_street1_bp, errhp,
(text *):w_street_1",
                        strlen(":w_street_1"), (ub1 *)w_street_1, 21,
SQLT_STR,
                        (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                        (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

                    OCIERROR(errhp, OCIBindByName(curw, &w_street2_bp, errhp,
(text *):w_street_2",
                        strlen(":w_street_2"), (ub1 *)w_street_2, 21,
SQLT_STR,
                        (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                        (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

                    OCIERROR(errhp, OCIBindByName(curw, &w_city_bp, errhp, (text
*:w_city",
                        strlen(":w_city"), (ub1 *)w_city, 21,
SQLT_STR,
                        (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                        (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

                    OCIERROR(errhp, OCIBindByName(curw, &w_state_bp, errhp,
(text *):w_state",
                        strlen(":w_state"), (ub1 *)w_state, 2,
SQLT_CHR,
                        (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                        (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

                    OCIERROR(errhp, OCIBindByName(curw, &w_zip_bp, errhp, (text
*:w_zip",
                        strlen(":w_zip"), (ub1 *)w_zip, 9, SQLT_CHR,
                        (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                        (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

                    OCIERROR(errhp, OCIBindByName(curw, &w_tax_bp, errhp, (text
*:w_tax",
                        strlen(":w_tax"), (ub1 *) & w_tax, sizeof(w_tax),
SQLT_FLT,
                        (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                        (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));
                    }

                    /* district */

                    if (do_A || do_d) {

```

```

OCIERROR(errhp, OCIBindByName(curd, &d_id_bp, errhp, (text
*)"":d_id",
                     strlen(":d_id"), (ub1 *)d_id, sizeof(int),
SQLT_INT,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curd, &d_w_id_bp, errhp, (text
*)"":d_w_id",
                     strlen(":d_w_id"), (ub1 *)d_w_id, sizeof(int),
SQLT_INT,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curd, &d_name_bp, errhp,
(text *):d_name",
                     strlen(":d_name"), (ub1 *)d_name, 11,
SQLT_STR,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curd, &d_street1_bp, errhp,
(text *):d_street_1",
                     strlen(":d_street_1"), (ub1 *)d_street_1, 21,
SQLT_STR,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curd, &d_street2_bp, errhp,
(text *):d_street_2",
                     strlen(":d_street_2"), (ub1 *)d_street_2, 21,
SQLT_STR,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curd, &d_city_bp, errhp, (text
*)"":d_city",
                     strlen(":d_city"), (ub1 *)d_city, 21, SQLT_STR,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curd, &d_state_bp, errhp, (text
*)"":d_state",
                     strlen(":d_state"), (ub1 *)d_state, 2, SQLT_CHR,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curd, &d_zip_bp, errhp, (text
*)"":d_zip",
                     strlen(":d_zip"), (ub1 *)d_zip, 9, SQLT_CHR,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curd, &d_tax_bp, errhp, (text
*)"":d_tax",
                     strlen(":d_tax"), (ub1 *)d_tax, sizeof(float), SQLT_FLT,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);
}

/* customer */

if (do_A || do_c || do_C) {
    OCIERROR(errhp, OCIBindByName(curcs, &s_c_id_bp, errhp, (text
*)"":s_c_id",
                     strlen(":s_c_id"), (ub1 *)&s_c_id, sizeof(int), SQLT_INT,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);
}

```

```

OCIERROR(errhp, OCIBindByName(curcs, &s_c_w_id_bp, errhp,
(text *):s_c_w_id",
                     strlen(":s_c_w_id"), (ub1 *)&s_c_w_id, sizeof(int),
SQLT_INT,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curcs, &s_c_d_id_bp, errhp,
(text *):s_c_d_id",
                     strlen(":s_c_d_id"), (ub1 *)&s_c_d_id, sizeof(int),
SQLT_INT,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

OCIDefineByPos(curcs,&s_c_ret_bp,errhp,1,&s_c_count,sizeof(int),SQLT
_INN,\n
0,0,0,OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curc, &c_id_bp, errhp, (text
*)"":c_id",
                     strlen(":c_id"), (ub1 *)c_id, sizeof(int), SQLT_INT,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curc, &c_d_id_bp, errhp, (text
*)"":c_d_id",
                     strlen(":c_d_id"), (ub1 *)c_d_id, sizeof(int), SQLT_INT,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curc, &c_w_id_bp, errhp, (text
*)"":c_w_id",
                     strlen(":c_w_id"), (ub1 *)c_w_id, sizeof(int), SQLT_INT,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curc, &c_first_bp, errhp, (text
*)"":c_first",
                     strlen(":c_first"), (ub1 *)c_first, 17, SQLT_STR,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curc, &c_last_bp, errhp, (text
*)"":c_last",
                     strlen(":c_last"), (ub1 *)c_last, 17, SQLT_STR,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curc, &c_street1_bp, errhp,
(text *):c_street_1",
                     strlen(":c_street_1"), (ub1 *)c_street_1, 21, SQLT_STR,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curc, &c_street2_bp, errhp,
(text *):c_street_2",
                     strlen(":c_street_2"), (ub1 *)c_street_2, 21, SQLT_STR,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curc, &c_city_bp, errhp, (text
*)"":c_city",
                     strlen(":c_city"), (ub1 *)c_city, 21, SQLT_STR,
                     (dvoid *) 0, (ub2 *)0, (ub2 *)0,
                     (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curc, &c_state_bp, errhp, (text
*)"":c_state",
                     strlen(":c_state"), (ub1 *)c_state, 2, SQLT_CHR,

```

```

(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERROR(errhp, OCIBindByName(curc, &c_zip_bp, errhp, (text
*)":c_zip",
strlen(":c_zip"), (ub1 *)c_zip, 9, SQLT_CHR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curc, &c_phone_bp, errhp,
(text *):c_phone",
strlen(":c_phone"), (ub1 *)c_phone, 16, SQLT_CHR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curc, &c_credit_bp, errhp,
(text *):c_credit",
strlen(":c_credit"), (ub1 *)c_credit, 2, SQLT_CHR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curc, &c_discount_bp, errhp,
(text *):c_discount",
strlen(":c_discount"), (ub1 *)c_discount, sizeof(float),
SQLT_FLT,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curc, &c_data_bp, errhp, (text
*):c_data",
strlen(":c_data"), (ub1 *)c_data, 501, SQLT_STR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));
}

/* item */

if (do_A || do_i) {
    OCIERROR(errhp, OCIBindByName(curi, &i_id_bp, errhp, (text
*):i_id",
strlen(":i_id"), (ub1 *)i_id, sizeof(int), SQLT_INT,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERROR(errhp, OCIBindByName(curi, &i_im_id_bp, errhp, (text
*):i_im_id",
strlen(":i_im_id"), (ub1 *)i_im_id, sizeof(int), SQLT_INT,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERROR(errhp, OCIBindByName(curi, &i_name_bp, errhp, (text
*):i_name",
strlen(":i_name"), (ub1 *)i_name, 25, SQLT_STR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERROR(errhp, OCIBindByName(curi, &i_price_bp, errhp, (text
*):i_price",
strlen(":i_price"), (ub1 *)i_price, sizeof(int), SQLT_INT,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERROR(errhp, OCIBindByName(curi, &i_data_bp, errhp, (text
*):i_data",
strlen(":i_data"), (ub1 *)i_data, 51, SQLT_STR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));
}

/* stock */

```

```

if (do_A || do_s || do_S) {
    OCIERROR(errhp, OCIBindByName(curss, &s_s_i_id_bp, errhp,
(text *):s_s_i_id",
strlen(":s_s_i_id"), (ub1 *)s_s_i_id, sizeof(int), SQLT_INT,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERROR(errhp, OCIBindByName(curss, &s_s_w_id_bp, errhp,
(text *):s_s_w_id",
strlen(":s_s_w_id"), (ub1 *)s_s_w_id, sizeof(int),
SQLT_INT,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIDefineByPos(curss, &s_s_ret_bp, errhp, 1, &s_s_count, sizeof(int), SQLT
_INT,\n
0,0,0,OCI_DEFAULT);

    OCIERROR(errhp, OCIBindByName(curs, &s_i_id_bp, errhp, (text
*):s_i_id",
strlen(":s_i_id"), (ub1 *)s_i_id, sizeof(int), SQLT_INT,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERROR(errhp, OCIBindByName(curs, &s_w_id_bp, errhp, (text
*):s_w_id",
strlen(":s_w_id"), (ub1 *)s_w_id, sizeof(int), SQLT_INT,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERROR(errhp, OCIBindByName(curs, &s_quantity_bp, errhp, (text
*):s_quantity",
strlen(":s_quantity"), (ub1 *)s_quantity, sizeof(int),
SQLT_INT,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERROR(errhp, OCIBindByName(curs, &s_dist_01_bp, errhp,
(text *):s_dist_01",
strlen(":s_dist_01"), (ub1 *)s_dist_01, 25, SQLT_STR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERROR(errhp, OCIBindByName(curs, &s_dist_02_bp, errhp,
(text *):s_dist_02",
strlen(":s_dist_02"), (ub1 *)s_dist_02, 25, SQLT_STR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERROR(errhp, OCIBindByName(curs, &s_dist_03_bp, errhp,
(text *):s_dist_03",
strlen(":s_dist_03"), (ub1 *)s_dist_03, 25, SQLT_STR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERROR(errhp, OCIBindByName(curs, &s_dist_04_bp, errhp,
(text *):s_dist_04",
strlen(":s_dist_04"), (ub1 *)s_dist_04, 25, SQLT_STR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERROR(errhp, OCIBindByName(curs, &s_dist_05_bp, errhp,
(text *):s_dist_05",
strlen(":s_dist_05"), (ub1 *)s_dist_05, 25, SQLT_STR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

```

```

(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curs, &s_dist_06_bp, errhp,
(text *)"s_dist_06",
strlen(":s_dist_06"), (ub1 *)s_dist_06, 25, SQLT_STR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curs, &s_dist_07_bp, errhp,
(text *)"s_dist_07",
strlen(":s_dist_07"), (ub1 *)s_dist_07, 25, SQLT_STR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curs, &s_dist_08_bp, errhp,
(text *)"s_dist_08",
strlen(":s_dist_08"), (ub1 *)s_dist_08, 25, SQLT_STR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curs, &s_dist_09_bp, errhp,
(text *)"s_dist_09",
strlen(":s_dist_09"), (ub1 *)s_dist_09, 25, SQLT_STR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curs, &s_dist_10_bp, errhp,
(text *)"s_dist_10",
strlen(":s_dist_10"), (ub1 *)s_dist_10, 25, SQLT_STR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curs, &s_data_bp, errhp, (text *)
*s_data",
strlen(":s_data"), (ub1 *)s_data, 51, SQLT_STR,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));
}

/* history */

if (do_A || do_h) {
    OCIERROR(errhp, OCIBindByName(curh, &h_c_id_bp, errhp, (text *)
*h_c_id",
    strlen(":h_c_id"), (ub1 *)h_c_id, sizeof(int), SQLT_INT,
    (dvoid *) 0, (ub2 *)0, (ub2 *)0,
    (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERROR(errhp, OCIBindByName(curh, &h_c_d_id_bp, errhp,
(text *)"h_c_d_id",
    strlen(":h_c_d_id"), (ub1 *)h_c_d_id, sizeof(int), SQLT_INT,
    (dvoid *) 0, (ub2 *)0, (ub2 *)0,
    (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERROR(errhp, OCIBindByName(curh, &h_c_w_id_bp, errhp,
(text *)"h_c_w_id",
    strlen(":h_c_w_id"), (ub1 *)h_c_w_id, sizeof(int), SQLT_INT,
    (dvoid *) 0, (ub2 *)0, (ub2 *)0,
    (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERROR(errhp, OCIBindByName(curh, &h_d_id_bp, errhp, (text *)
*h_d_id",
    strlen(":h_d_id"), (ub1 *)h_d_id, sizeof(int), SQLT_INT,
    (dvoid *) 0, (ub2 *)0, (ub2 *)0,
    (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));
}

```

```

OCIERROR(errhp, OCIBindByName(curh, &h_w_id_bp, errhp, (text *)
*h_w_id",
    strlen(":h_w_id"), (ub1 *)h_w_id, sizeof(int), SQLT_INT,
    (dvoid *) 0, (ub2 *)0, (ub2 *)0,
    (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curh, &h_data_bp, errhp, (text *)
*h_data",
    strlen(":h_data"), (ub1 *)h_data, 25, SQLT_STR,
    (dvoid *) 0, (ub2 *)0, (ub2 *)0,
    (ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

}

/* order and order_line (delivered) */

if (do_A || do_o) {

for (i = 0; i < ORDEARR; i++ ) {
    o_id_len[i] = sizeof(int);
    o_d_id_len[i] = sizeof(int);
    o_w_id_len[i] = sizeof(int);
    o_c_id_len[i] = sizeof(int);
    o_carrier_id_len[i] = sizeof(int);
    o.ol_cnt_len[i] = sizeof(int);
}

OCIERROR(errhp, OCIBindByName(curo1, &ol_o_id_bp, errhp,
(text *)"ol_o_id",
    strlen(":ol_o_id"), (ub1 *)ol_o_id, sizeof(int), SQLT_INT,
    (dvoid *) 0, (ub2 *)ol_o_id_len, (ub2 *)0,
    (ub4) 15*ORDEARR, (ub4 *)&ol_o_id_clen, (ub4)
    OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curo1, &ol_d_id_bp, errhp,
(text *)"ol_d_id",
    strlen(":ol_d_id"), (ub1 *)ol_d_id, sizeof(int), SQLT_INT,
    (dvoid *) 0, (ub2 *)ol_d_id_len, (ub2 *)0,
    (ub4) 15*ORDEARR, (ub4 *)&ol_d_id_clen, (ub4)
    OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curo1, &ol_w_id_bp, errhp,
(text *)"ol_w_id",
    strlen(":ol_w_id"), (ub1 *)ol_w_id, sizeof(int), SQLT_INT,
    (dvoid *) 0, (ub2 *)ol_w_id_len, (ub2 *)0,
    (ub4) 15*ORDEARR, (ub4 *)&ol_w_id_clen, (ub4)
    OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curo1, &ol_number_bp, errhp,
(text *)"ol_number",
    strlen(":ol_number"), (ub1 *)ol_number, sizeof(int),
    SQLT_INT,
    (dvoid *) 0, (ub2 *)ol_number_len, (ub2 *)0,
    (ub4) 15*ORDEARR, (ub4 *)&ol_number_clen, (ub4)
    OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curo1, &ol_i_id_bp, errhp,
(text *)"ol_i_id",
    strlen(":ol_i_id"), (ub1 *)ol_i_id, sizeof(int), SQLT_INT,
    (dvoid *) 0, (ub2 *)ol_i_id_len, (ub2 *)0,
    (ub4) 15*ORDEARR, (ub4 *)&ol_i_id_clen, (ub4)
    OCI_DEFAULT));

OCIERROR(errhp, OCIBindByName(curo1, &ol_supply_w_id_bp,
errhp, (text *)"ol_supply_w_id",
    strlen(":ol_supply_w_id"), (ub1 *)ol_supply_w_id,
    sizeof(int), SQLT_INT,
    (dvoid *) 0, (ub2 *)ol_supply_w_id_len, (ub2 *)0,
    (ub4) 15*ORDEARR, (ub4 *)&ol_supply_w_id_clen, (ub4)
    OCI_DEFAULT));

```

```

(ub4) 15*ORDEARR, (ub4 *) &ol_supply_w_id_clen, (ub4)
OCI_DEFAULT);

OCIERRO(errhp, OCIBindByName(curo1, &ol_dist_info_bp,
errhp, (text *)"::ol_dist_info",
strlen(":ol_dist_info"), (ub1 *)ol_dist_info, 24, SQLT_CHR,
(dvoid *) 0, (ub2 *)ol_dist_info_len, (ub2 *)0,
(ub4) 15*ORDEARR, (ub4 *) &ol_dist_info_clen, (ub4)
OCI_DEFAULT);

OCIERRO(errhp, OCIBindByName(curo1, &ol_amount_bp, errhp,
(text *)"::ol_amount",
strlen(":ol_amount"), (ub1 *)ol_amount, sizeof(int),
SQLT_INT,
(dvoid *) 0, (ub2 *)ol_amount_len, (ub2 *)0,
(ub4) 15*ORDEARR, (ub4 *) &ol_amount_clen, (ub4)
OCI_DEFAULT);

OCIERRO(errhp, OCIBindByName(curo1, &o_id_bp, errhp, (text
*)"::o_id",
strlen(":o_id"), (ub1 *)o_id, sizeof(int), SQLT_INT,
(dvoid *) 0, (ub2 *)o_id_len, (ub2 *)0,
(ub4) ORDEARR, (ub4 *) &o_id_clen, (ub4)
OCI_DEFAULT);

OCIERRO(errhp, OCIBindByName(curo1, &o_d_id_bp, errhp,
(text *)"::o_d_id",
strlen(":o_d_id"), (ub1 *)o_d_id, sizeof(int), SQLT_INT,
(dvoid *) 0, (ub2 *)o_d_id_len, (ub2 *)0,
(ub4) ORDEARR, (ub4 *) &o_d_id_clen, (ub4)
OCI_DEFAULT);

OCIERRO(errhp, OCIBindByName(curo1, &o_w_id_bp, errhp,
(text *)"::o_w_id",
strlen(":o_w_id"), (ub1 *)o_w_id, sizeof(int), SQLT_INT,
(dvoid *) 0, (ub2 *)o_w_id_len, (ub2 *)0,
(ub4) ORDEARR, (ub4 *) &o_w_id_clen, (ub4)
OCI_DEFAULT);

OCIERRO(errhp, OCIBindByName(curo1, &o_c_id_bp, errhp,
(text *)"::o_c_id",
strlen(":o_c_id"), (ub1 *)o_c_id, sizeof(int), SQLT_INT,
(dvoid *) 0, (ub2 *)o_c_id_len, (ub2 *)0,
(ub4) ORDEARR, (ub4 *) &o_c_id_clen, (ub4)
OCI_DEFAULT);

OCIERRO(errhp, OCIBindByName(curo1, &o_carrier_id_bp,
errhp, (text *)"::o_carrier_id",
strlen(":o_carrier_id"), (ub1 *)o_carrier_id, sizeof(int),
SQLT_INT,
(dvoid *) 0, (ub2 *)o_carrier_id_len, (ub2 *)0,
(ub4) ORDEARR, (ub4 *) &o_carrier_id_clen, (ub4)
OCI_DEFAULT);

OCIERRO(errhp, OCIBindByName(curo1, &o.ol_cnt_bp, errhp,
(text *)"::o.ol_cnt",
strlen(":o.ol_cnt"), (ub1 *)o.ol_cnt, sizeof(int), SQLT_INT,
(dvoid *) 0, (ub2 *)o.ol_cnt_len, (ub2 *)0,
(ub4) ORDEARR, (ub4 *) &o.ol_cnt_clen, (ub4)
OCI_DEFAULT);

OCIERRO(errhp, OCIBindByName(curo1, &o.ocnt_bp, errhp,
(text *)"::order_rows",
strlen(":order_rows"), (ub1 *)&o.cnt, sizeof(int),
SQLT_INT,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT);

OCIERRO(errhp, OCIBindByName(curo1, &o.olcnt_bp, errhp,
(text *)"::ordl_rows",

```

```

strlen(":ordl_rows"), (ub1 *)&ol_cnt, sizeof(int), SQLT_INT,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));
}

/* new order */

if (do_A || do_n) {
    OCIERRO(errhp, OCIBindByName(curno, &no_o_id_bp, errhp,
(text *)"::no_o_id",
strlen(":no_o_id"), (ub1 *)no_o_id, sizeof(int), SQLT_INT,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERRO(errhp, OCIBindByName(curno, &no_d_id_bp, errhp,
(text *)"::no_d_id",
strlen(":no_d_id"), (ub1 *)no_d_id, sizeof(int), SQLT_INT,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));

    OCIERRO(errhp, OCIBindByName(curno, &no_w_id_bp, errhp,
(text *)"::no_w_id",
strlen(":no_w_id"), (ub1 *)no_w_id, sizeof(int), SQLT_INT,
(dvoid *) 0, (ub2 *)0, (ub2 *)0,
(ub4) 0, (ub4 *) 0, (ub4) OCI_DEFAULT));
}

/*-----+
| Initialize random number generator
|
+-----*/
srand (SEED);
#ifndef ORA_NT
    srand48 (SEED);
#endif
initperm ();

/*-----+
| Load the WAREHOUSE table.
|
+-----*/
if (do_A || do_w) {
    nrows = (long)eware - (long)bware + 1;
    fprintf (stderr, "Loading/generating warehouse: w%d - w%d (%ld
rows)\n",
            bware, eware, nrows);
    begin_time = gettime ();
    begin_cpu = getcpu ();
    for (loop = bware; loop <= eware; loop++) {
        w_tax = (float) ((rand48 () % 2001) * 0.0001);
        randstr (w_name, 6, 10);
        randstr (w_street_1, 10, 20);
        randstr (w_street_2, 10, 20);
        randstr (w_city, 10, 20);
        randstr (str2, 2, 2);
        randnum (num9, 9);
        num9[4] = num9[5] = num9[6] = num9[7] = num9[8] = '1';
        if (gen) {
            printf ("%d 30000000 %6.4f %s %s %s %s %s %s\n", loop, w_tax,
                    w_name, w_street_1, w_street_2, w_city, str2, num9);
            fflush (stdout);
        }
    }
}

```

```

        }
    else {
        w_id = loop;
        strncpy (w_state, str2, 2);
        strncpy (w_zip, num9, 9);

        status = OCIStmtExecute(tpcsvc, curw, errhp, (ub4) 1, (ub4)
0,
            (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
            (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
        if (status != OCI_SUCCESS) {
            fprintf (stderr, "Error at ware %d\n", loop);
            OCIERROR(errhp, status);
            quit ();
        }
        exit (1);
    }
}

end_time = gettime ();
end_cpu = getcpu ();
fprintf (stderr, "Done. %ld rows loaded/generated in %10.2f sec.
(%10.2f cpu)\n\n", nrows, end_time - begin_time, end_cpu - begin_cpu);
}

/*-----+
| Load the DISTRICT table.
|
+-----*/
if (do_A || do_d) {
    nrows = ((long)eware - (long)bware + 1) * DISTFAC;

    fprintf (stderr, "Loading/generating district: w%d - w%d (%ld rows)\n",
            bware, eware, nrows);

    begin_time = gettime ();
    begin_cpu = getcpu ();

    dwid = bware - 1;

    for (row = 0; row < nrows; ) {
        dwid++;

        for (i = 0; i < DISTARR; i++, row++) {
            d_tax[i] = (float) ((lrand48 () % 2001) * 0.0001);
            randstr (d_name[i], 6, 10);
            randstr (d_street_1[i], 10, 20);
            randstr (d_street_2[i], 10, 20);
            randstr (d_city[i], 10, 20);
            randstr (str2, 2, 2);
            randnum (num9, 9);
            num9[4] = num9[5] = num9[6] = num9[7] = num9[8] = '1';

            if (gen) {
                printf ("%d %d 3000000 %6.4f 3001 %s %s %s %s %s %s %s\n",
                    i + 1, dwid, d_tax[i], d_name[i], d_street_1[i],
                    d_street_2[i], d_city[i], str2, num9 );
            }
            else {
                d_id[i] = i + 1;
                d_w_id[i] = dwid;
                strncpy (d_state[i], str2, 2);
                strncpy (d_zip[i], num9, 9);
            }
        }

        if (gen) {
            fflush (stdout);
        }
    }
}
else {
    status = OCIStmtExecute(tpcsvc, curd, errhp, (ub4) DISTARR,
(ub4) 0,
            (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
            (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
    if (status != OCI_SUCCESS) {
        OCIERROR(errhp, status);
        quit ();
        exit (1);
    }
}

end_time = gettime ();
end_cpu = getcpu ();
fprintf (stderr, "Done. %ld rows loaded/generated in %10.2f sec.
(%10.2f cpu)\n\n", nrows, end_time - begin_time, end_cpu - begin_cpu);
}

/*-----+
| Load the CUSTOMER table.
|
+-----*/
if (do_A || do_c) {
    nrows = ((long)eware - (long)bware + 1) * CUSTFAC * DISTFAC;

    fprintf (stderr, "Loading/generating customer: w%d - w%d (%ld
rows)\n ",
            bware, eware, nrows);

    if (getenv("tpcc_hash_overflow")) {
        fprintf(stderr,"Hash overflow is enabled\n");
        OCIHandleAlloc(tpcenv, (dvoid **) &curi, OCI_HTYPE_STMT, 0,
(dvoid**)0);
        sprintf ((char *) stmbuf, SQLXTENHA);
        OCIStmtPrepare(curi, errhp, stmbuf, strlen((char *)stmbuf),
            OCI_NTV_SYNTAX, OCI_DEFAULT);
        OCIERROR(errhp,OCIStmtExecute(tpcsvc, curi,
errhp,1,0,0,0,OCI_DEFAULT));
        OCIHandleFree(curi, OCI_HTYPE_STMT);
        fprintf (stderr,"Customer loaded for horizontal partitioning\n");
    }
    else {
        fprintf (stderr,"Customer not loaded for horizontal partitioning\n");
    }
    begin_time = gettime ();
    begin_cpu = getcpu ();

    s_c_id = 1;
    s_c_d_id = 1;
    s_c_w_id = bware;

    while (s_c_w_id <= eware) {
        status = OCIStmtExecute(tpcsvc, curcs, errhp, (ub4) 1, (ub4) 0,
            (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
            (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
        if (status != OCI_SUCCESS) {
            OCIERROR(errhp, status);
            quit ();
            exit (1);
        }

        if (s_c_count == 0) {
            s_c_w_id--;
            break;
        }
    }
}

```

```

        }
        else s_c_w_id++;
    }

if (s_c_w_id < bware ) s_c_w_id = bware;
else {
    if (s_c_w_id > eware ) s_c_w_id = eware;
    while (s_c_d_id <= DISTFAC) {
        status = OCIStmtExecute(tpcsvc, curcs, errhp, (ub4) 1, (ub4) 0,
                               (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
                               (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
        if (status != OCI_SUCCESS) {
            fprintf (stderr, "Select failed\n");
            OCIERROR(errhp, status);
            quit ();
            exit (1);
        }
        if (s_c_count == 0) {
            s_c_d_id--;
            break;
        }
        else s_c_d_id++;
    }
    if (s_c_d_id > DISTFAC) s_c_d_id = DISTFAC;

while (s_c_id <= CUSTFAC) {
    status = OCIStmtExecute(tpcsvc, curcs, errhp, (ub4) 1, (ub4) 0,
                           (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
                           (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
    if (status != OCI_SUCCESS) {
        OCIERROR(errhp, status);
        quit ();
        exit (1);
    }
    if (s_c_count == 0) break;
    else s_c_id++;
}
}

if (s_c_id > CUSTFAC) {
    if (s_c_d_id == DISTFAC) {
        s_c_d_id=1;
        s_c_w_id++;
    } else {
        s_c_d_id++;
    }
    s_c_id=1;
}

printf (stderr, "start at wid: %d, did: %d, cid: %d\n ",s_c_w_id,
s_c_d_id, s_c_id);
cid = s_c_id - 1;
cdid = s_c_d_id;
cwid = s_c_w_id;
nrows = ((long)eware - (long)s_c_w_id + 1) * DISTFAC * CUSTFAC
- ((long)s_c_d_id - 1) * CUSTFAC - (long)s_c_id + 1;
fprintf (stderr, "remaining rows: %ld\n ", nrows);
loopcount = 0;

for (row = 0; row < nrows; ) {
    for (i = 0; i < CUSTARR && row < nrows; i++, row++) {
        cid++;
        if (cid > CUSTFAC) { /* cycle cust id */
            cid = 1; /* cheap mod */
            cdid++; /* shift dist cycle */
            if (cdid > DISTFAC) {
                cdid = 1;
                cwid++; /* shift ware cycle */
            }
        }
        c_id[i] = cid;
    }
}

```

```

        c_d_id[i] = cdid;
        c_w_id[i] = cwid;
        if (cid <= 1000)
            randlastname (c_last[i], cid - 1);
        else
            randlastname (c_last[i], NURand (255, 0, 999, CNUM1));
        c_credit[i][1] = 'C';
        if (lrand48 () % 10)
            c_credit[i][0] = 'G';
        else
            c_credit[i][0] = 'B';
        c_discount[i] = (float)((lrand48 () % 5001) * 0.0001);
        randstr (c_first[i], 8, 16);
        randstr (c_street_1[i], 10, 20);
        randstr (c_street_2[i], 10, 20);
        randstr (c_city[i], 10, 20);
        randstr (str2, 2, 2);
        randnum (num9, 9);
        num9[4] = num9[5] = num9[6] = num9[7] = num9[8] = '1';
        randnum (num16, 16);
        randstr (c_data[i], 300, 500);

        if (gen) {
            printf ("%d %d %d %s OE %s %s %s %s %s %s %s %s %s %cC
5000000 %6.4f-1000 1000 1 0 %s\n",
                    cid, cdid, cwid, c_first[i], c_last[i],
                    c_street_1[i], c_street_2[i], c_city[i], str2, num9,
                    num16, sdate, c_credit[i][0], c_discount[i], c_data[i]);
        }
        else {
            strncpy (c_state[i], str2, 2);
            strncpy (c_zip[i], num9, 9);
            strncpy (c_phone[i], num16, 16);
        }
    }

    if (gen) {
        fflush (stdout);
    }
    else {
        status = OCIStmtExecute(tpcsvc, curc, errhp, (ub4) i, (ub4) 0,
                               (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
                               (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);

        if (status != OCI_SUCCESS) {
            fprintf (stderr, "Aborted at w_id %d, d_id %d, c_id
%d\n",
                    c_w_id[0], c_d_id[0], c_id[0]);
            OCIERROR(errhp, status);
            quit ();
            exit (1);
        }
    }

    if (((++loopcount) % 50)
        fprintf (stderr, ".");
    else
        fprintf (stderr, " %ld rows committed\n ", row);

    end_time = gettime ();
    end_cpu = getcpu ();
    fprintf (stderr, "Done. %ld rows loaded/generated in %10.2f sec.
(%10.2f cpu)\n", nrows < 0 ? 0 : nrows, end_time - begin_time, end_cpu
- begin_cpu);
    if (getenv("tpcc_hash_overflow")) {
        fprintf(stderr,"Hash overflow is disabled\n");
        OCIHandleAlloc(tpcenv, (dvoid **) &curi, OCI_HTYPE_STMT, 0,
(dvoid **) 0);
        sprintf ((char *) stmbuf, SQLXTDIHA);
    }
}

```

```

OCIStmtPrepare(curi, errhp, stmbuf, strlen((char *)stmbuf),
               OCI_NTV_SYNTAX, OCI_DEFAULT);
OCIERROR(errhp, OCIStmtExecute(tpcsvc, curi,
errhp,1,0,0,0,OCI_DEFAULT));
    OCIHandleFree(curi, OCI_HTYPE_STMT);
}

/*
+-----+
| Load the CUSTOMER table (cluster around c_id)
+-----+*/
if (do_C) {
    srand (bcid);
#ifndef ORA_NT
    srand48 (bcid);
#endif
    nrows = ((long)ecid - (long)bcid + 1) * ((long)eware - (long)bware +1)
*DISTFAC;
    fprintf (stderr, "Loading/generating customer: c%d - c%d, w%d - w%d
(%ld rows)\n ", bcid, ecid, bware, eware, nrows);

    if (getenv("tpcc_hash_overflow")) {
        fprintf(stderr,"Hash overflow is enabled\n");
        OCIHandleAlloc(tpcenv, (dvoid **) &curi, OCI_HTYPE_STMT, 0,
(dvoid**)0);
        sprintf ((char *) stmbuf, SQLXTENHA);
        OCIStmtPrepare(curi, errhp, stmbuf, strlen((char *)stmbuf),
                      OCI_NTV_SYNTAX, OCI_DEFAULT);
        OCIERROR(errhp, OCIStmtExecute(tpcsvc, curi,
errhp,1,0,0,0,OCI_DEFAULT));
        OCIHandleFree(curi, OCI_HTYPE_STMT);
        fprintf (stderr,"Customer loaded for horizontal partitioning\n");
    }
    else
    {
        fprintf (stderr,"Customer not loaded for horizontal partitioning\n");
    }
begin_time = gettime ();
begin_cpu = getcpu ();

s_c_id = bcid;
s_c_d_id = 1;
s_c_w_id = bware;

while (s_c_id <= ecid) {
    status = OCIStmtExecute(tpcsvc, curcs, errhp, (ub4) 1, (ub4) 0,
                           (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
                           (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
    if (status != OCI_SUCCESS) {
        OCIERROR(errhp, status);
        quit ();
        exit (1);
    }

    if (s_c_count == 0) {
        s_c_id--;
        break;
    }
    else s_c_id++;
}

if (s_c_id < bcid ) s_c_id = bcid;
else {
    if (s_c_id > ecid ) s_c_id = ecid;
    while (s_c_w_id <= eware) {

```

```

        status = OCIStmtExecute(tpcsvc, curcs, errhp, (ub4) 1, (ub4) 0,
                               (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
                               (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
        if (status != OCI_SUCCESS) {
            printf (stderr, "Select failed\n");
            OCIERROR(errhp, status);
            quit ();
            exit (1);
        }

        if (s_c_count == 0) {
            s_c_w_id--;
            break;
        }
        else s_c_w_id++;

    }
    if (s_c_w_id > eware) s_c_w_id = eware;
    else if (s_c_w_id < bware) s_c_w_id = bware;

    while (s_c_d_id <= DISTFAC) {
        status = OCIStmtExecute(tpcsvc, curcs, errhp, (ub4) 1, (ub4) 0,
                               (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
                               (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
        if (status != OCI_SUCCESS) {
            OCIERROR(errhp, status);
            quit ();
            exit (1);
        }

        if (s_c_count == 0) break;
        else s_c_d_id++;

    }

    if (s_c_d_id > DISTFAC) {
        s_c_d_id=1;
        if(s_c_w_id==eware) {
            s_c_w_id=bware;
            s_c_id++;
        }
        else s_c_w_id++;
    }

    fprintf (stderr, "start at cid: %d, wid: %d, did: %d\n ",s_c_id,
s_c_w_id, s_c_d_id);
    cid = s_c_id;
    cdid = s_c_d_id-1;
    cwid = s_c_w_id;
    nrows = ((long)ecid - (long)s_c_id + 1) * ((long)eware - (long)bware +
1) * DISTFAC - ((long)s_c_w_id - 1) * DISTFAC - (long)s_c_d_id + 1;
    fprintf (stderr, "remaining rows: %ld\n ",nrows);
    loopcount = 0;

    for (row = 0; row < nrows; ) {
        for (i = 0; i < CUSTARR && row < nrows; i++, row++) {
            cdid++;
            if (cdid > DISTFAC) { /* cycle dist id */
                cdid = 1;           /* cheap mod */
                cwid++;           /* shift dist cycle */
                if (cwid > eware) {
                    cwid = bware; /* shift ware cycle */
                    cid++;
                }
                c_id[i] = cid;
                c_d_id[i] = cdid;
                c_w_id[i] = cwid;
                if (cid <= 1000)
                    randlastname (c_last[i], cid - 1);
                else
                    randlastname (c_last[i], NURand (255, 0, 999, CNUM1));
                c_credit[i][1] = 'C';
            }
        }
    }
}

```

```

if ((lrand48 () % 10)
    c_credit[i][0] = 'G';
else
    c_credit[i][0] = 'B';
c_discount[i] = (float)((lrand48 () % 5001) * 0.0001);
randstr (c_first[i], 8, 16);
randstr (c_street_1[i], 10, 20);
randstr (c_street_2[i], 10, 20);
randstr (c_city[i], 10, 20);
randstr (str2, 2, 2);
randnum (num9, 9);
num9[4] = num9[5] = num9[6] = num9[7] = num9[8] = 'I';
randnum (num16, 16);
randstr (c_data[i], 300, 500);

if (gen) {
    printf ("%d %d %d %s OE %s %s %s %s %s %s %s %s %s %cC
5000000 %6.4f -1000 1000 1 0 %s\n",
            cid, cdid, cwid, c_first[i], c_last[i],
            c_street_1[i], c_street_2[i], c_city[i], str2, num9,
            num16, sdate, c_credit[i][0], c_discount[i], c_data[i]);
}
else {
    strncpy (c_state[i], str2, 2);
    strncpy (c_zip[i], num9, 9);
    strncpy (c_phone[i], num16, 16);
}
}

if (gen) {
    fflush (stdout);
}
else {
    status = OCIStmtExecute(tpcsvc, curc, errhp, (ub4) i, (ub4) 0,
                           (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
                           (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);

    if (status != OCI_SUCCESS) {
        fprintf (stderr, "Aborted at w_id %d, d_id %d, c_id
%d\n",
                c_w_id[0], c_d_id[0], c_id[0]);
        OCIERROR(errhp, status);
        quit ();
        exit (1);
    }
}

if ((++loopcount) % 50)
    fprintf (stderr, ".");
else
    fprintf (stderr, " %ld rows committed\n ", row);
}

end_time = gettime ();
end_cpu = getcpu ();
fprintf (stderr, "Done. %ld rows loaded/generated in %10.2f sec.
(%10.2f cpu)\n", nrows < 0 ? 0 : nrows, end_time - begin_time, end_cpu
- begin_cpu);
if (getenv("tpcc_hash_overflow")) {
    fprintf(stderr, "Hash overflow is disabled\n");
    OCIHandleAlloc(tpcenv, (dvoid **) &curi, OCI_HTYPE_STMT, 0,
(dvoid**)0);
    sprintf ((char *) stmbuf, SQLXTDIHA);
    OCIStmtPrepare(curi, errhp, stmbuf, strlen((char *)stmbuf),
                    OCI_NTV_SYNTAX, OCI_DEFAULT);
    OCIERROR(errhp,OCIStmtExecute(tpcsvc, curi,
errhp,1,0,0,0,OCI_DEFAULT));
    OCIHandleFree(curi, OCI_HTYPE_STMT);
}
}

```

```

/*-----+
| Load the ITEM table.
|
+-----*/
if (do_A || do_i) {
    nrows = ITEMFAC;

    fprintf (stderr, "Loading/generating item: (%ld rows)\n ", nrows);

    begin_time = gettime ();
    begin_cpu = getcpu ();

    loopcount = 0;

    for (row = 0; row < nrows; ) {
        for (i = 0; i < ITEMARR; i++, row++) {
            i_im_id[i] = (lrand48 () % 10000) + 1;
            i_price[i] = ((lrand48 () % 9901) + 100);
            randstr (i_name[i], 14, 24);
            randdatastr (i_data[i], 26, 50);

            if (gen) {
                printf ("%d %d %s %d %s\n", row + 1, i_im_id[i], i_name[i],
                        i_price[i], i_data[i]);
            }
            else {
                i_id[i] = row + 1;
            }
        }

        if (gen) {
            fflush (stdout);
        }
        else {
            status = OCIStmtExecute(tpcsvc, curi, errhp, (ub4) ITEMARR,
(ub4) 0,
                           (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
                           (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
            if (status != OCI_SUCCESS) {
                fprintf (stderr, "Aborted at i_id %d\n", i_id[0]);
                OCIERROR(errhp, status);
                quit ();
                exit (1);
            }
        }

        if ((++loopcount) % 50)
            fprintf (stderr, ".");
        else
            fprintf (stderr, " %ld rows committed\n ", row);
    }

    end_time = gettime ();
    end_cpu = getcpu ();
    fprintf (stderr, " %ld rows loaded/generated in %10.2f sec.
(%10.2f cpu)\n", nrows, end_time - begin_time, end_cpu - begin_cpu);
}

/*-----+
| Load the STOCK table.
|
+-----*/
if (do_A || do_s) {
    nrows = ((long)eware - (long)bware + 1) * STOCFAC;
}

```

```

fprintf (stderr, "Loading/generating stock: w%d - w%d (%ld rows)\n",
", bware, eware, nrows);

begin_time = gettime ();
begin_cpu = getcpu ();

s_s_i_id = 1;
s_s_w_id = bware;

while (s_s_w_id <= eware) {
    status = OCIStmtExecute(tpcsvc, curs, errhp, (ub4) 1, (ub4) 0,
                           (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
                           (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
    if (status != OCI_SUCCESS) {
        OCIERROR(errhp, status);
        quit ();
        exit (1);
    }
    if (s_s_count == 0) {
        s_s_w_id--;
        break;
    }
    else s_s_w_id++;
}

if (s_s_w_id < bware ) s_s_w_id = bware;
else {
    if (s_s_w_id > eware) s_s_w_id = eware;
    while (s_s_i_id<=STOCFAC) {
        status = OCIStmtExecute(tpcsvc, curs, errhp, (ub4) 1, (ub4) 0,
                               (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
                               (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
        if (status != OCI_SUCCESS) {
            OCIERROR(errhp, status);
            quit ();
            exit (1);
        }
        if (s_s_count == 0) {
            break;
        }
        else s_s_i_id++;
    }
    if (s_s_i_id > STOCFAC) {
        s_s_i_id=1;
        s_s_w_id++;
    }
}
printf(stderr,"start at s_i_id: %d, s_w_id: %d\n ", s_s_i_id,
s_s_w_id);

sid = s_s_i_id - 1;
swid = s_s_w_id;
nrows = ((long)eware - (long)s_s_w_id + 1) * STOCFAC - (
(long)s_s_i_id - 1);
fprintf (stderr, "remaining rows: %ld\n ", nrows);
loopcount = 0;

for (row = 0; row < nrows; ) {
/* added row < nrows condition on next line - alex.ni */
    for (i = 0; (i < STOCARR) && (row < nrows); i++, row++) {
        if (++sid > STOCFAC) { /* cheap mod */
            sid = 1;
            swid++;
        }
        s_quantity[i] = (lrand48 () % 91) + 10;
        randstr (s_dist_01[i], 24, 24);
        randstr (s_dist_02[i], 24, 24);
        randstr (s_dist_03[i], 24, 24);
        randstr (s_dist_04[i], 24, 24);
        randstr (s_dist_05[i], 24, 24);
        randstr (s_dist_06[i], 24, 24);
        randstr (s_dist_07[i], 24, 24);
        randstr (s_dist_08[i], 24, 24);
        randstr (s_dist_09[i], 24, 24);
        randstr (s_dist_10[i], 24, 24);
        randdatastr (s_data[i], 26, 50);

        if (gen) {
            printf ("%d %d %d %s 0 0
%s\n",
                   sid, swid, s_quantity[i], s_dist_01[i], s_dist_02[i],
                   s_dist_03[i], s_dist_04[i], s_dist_05[i], s_dist_06[i],
                   s_dist_07[i], s_dist_08[i], s_dist_09[i], s_dist_10[i],
                   s_data[i]);
        }
        else {
            s_i_id[i] = sid;
            s_w_id[i] = swid;
        }
    }

    if (gen) {
        fflush (stdout);
    }
    else {
        /* Changed to STOCKARR to i - alex.ni */
        status = OCIStmtExecute(tpcsvc, curs, errhp, (ub4) i, (ub4) 0,
                               (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
                               (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
        if (status != OCI_SUCCESS) {
            fprintf (stderr, "Aborted at w_id %d, s_i_id %d\n",
s_w_id[0], s_i_id[0]);
            OCIERROR(errhp, status);
            quit ();
            exit (1);
        }
        if ((++loopcount) % 50)
            fprintf (stderr, ".");
        else
            fprintf (stderr, " %ld rows committed\n ", row);
    }

    end_time = gettime ();
    end_cpu = getcpu ();
    fprintf (stderr, "%ld rows loaded/generated in %10.2f sec.
(%10.2f cpu)\n", nrows < 0 ? 0 : nrows, end_time - begin_time, end_cpu -
begin_cpu);
}

/*-----+
| Load the STOCK table (cluster around s_i_id). |
+-----*/
if (do_S) {

    nrows = ((long)eitem - (long)bitem + 1) * ((long)eware - (long)bware +
1);

    fprintf (stderr, "Loading/generating stock: i%d - i%d, w%d - w%d (%ld
rows)\n ", bitem, eitem, bware, eware, nrows);

    begin_time = gettime ();
    begin_cpu = getcpu ();

    s_s_i_id = bitem;
}

```

```

s_s_w_id = bware;

while (s_s_i_id <= eitem) {
    status = OCISStmtExecute(tpcsvc, curss, errhp, (ub4) 1, (ub4) 0,
                           (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
                           (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
    if (status != OCI_SUCCESS) {
        OCIERROR(errhp, status);
        quit ();
        exit (1);
    }
    if (s_s_count == 0) {
        s_s_i_id--;
        break;
    }
    else s_s_i_id++;
}

if (s_s_i_id < bitem) s_s_i_id = bitem;
else {
    if (s_s_i_id > eitem) s_s_i_id = eitem;
    while (s_s_w_id <= eware) {
        status = OCISStmtExecute(tpcsvc, curss, errhp, (ub4) 1, (ub4) 0,
                               (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
                               (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
        if (status != OCI_SUCCESS) {
            OCIERROR(errhp, status);
            quit ();
            exit (1);
        }
        if (s_s_count == 0) {
            break;
        }
        else s_s_w_id++;
    }
}
if (s_s_w_id > eware) {
    s_s_w_id=bware;
    s_s_i_id++;
}

printf(stderr,"start at s_i_id: %d, s_w_id: %d\n ", s_s_i_id,
s_s_w_id);

sid = s_s_i_id;
swid = s_s_w_id - 1;
nrows = ((long)eitem - (long)s_s_i_id + 1) * ((long)eware -
(long)bware
+ 1) - ((long)s_s_w_id - (long)bware);
printf (stderr, "remaining rows: %ld\n ", nrows);
loopcount = 0;

for (row = 0; row < nrows; ) {
    for (i = 0; i < STOCARR && row < nrows; i++, row++) {
        if (++swid > eware) { /* cheap mod */
            swid = bware;
            sid++;
        }
        s_quantity[i] = (lrand48 () % 91) + 10;
        randstr (s_dist_01[i], 24, 24);
        randstr (s_dist_02[i], 24, 24);
        randstr (s_dist_03[i], 24, 24);
        randstr (s_dist_04[i], 24, 24);
        randstr (s_dist_05[i], 24, 24);
        randstr (s_dist_06[i], 24, 24);
        randstr (s_dist_07[i], 24, 24);
        randstr (s_dist_08[i], 24, 24);
        randstr (s_dist_09[i], 24, 24);
        randstr (s_dist_10[i], 24, 24);
        randdatastr (s_data[i], 26, 50);
    }
}

if (gen) {
    printf ("%d %d %d %s 0 0 0
%s\n",
           sid, swid, s_quantity[i], s_dist_01[i], s_dist_02[i],
           s_dist_03[i], s_dist_04[i], s_dist_05[i], s_dist_06[i],
           s_dist_07[i], s_dist_08[i], s_dist_09[i], s_dist_10[i],
           s_data[i]);
}
else {
    s_i_id[i] = sid;
    s_w_id[i] = swid;
}
}

if (gen) {
    fflush (stdout);
}
else {
    status = OCISStmtExecute(tpcsvc, curs, errhp, (ub4) i, (ub4) 0,
                           (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
                           (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
    if (status != OCI_SUCCESS) {
        fprintf (stderr, "Aborted at w_id %d, s_i_id %d\n", s_w_id[0],
s_i_id[0]);
        OCIERROR(errhp, status);
        quit ();
        exit (1);
    }
}

if ((++loopcount) % 50)
    sprintf (stderr, ".");
else
    fprintf (stderr, " %ld rows committed\n ", row);

end_time = gettime ();
end_cpu = getcpu ();
fprintf (stderr, "Done. %ld rows loaded/generated in %10.2f sec.
(%10.2f cpu)\n\n", nrows < 0 ? 0 : nrows, end_time - begin_time, end_cpu -
begin_cpu);
}

/*-----+
| Load the HISTORY table.
+-----*/
if (do_A || do_h) {
    nrows = ((long)eware - (long)bware + 1) * HISTFAC;

    fprintf (stderr, "Loading/generating history: w%d - w%d (%ld rows)\n",
            bware, eware, nrows);

    begin_time = gettime ();
    begin_cpu = getcpu ();

    cid = 0;
    cdid = 1;
    cwid = bware;
    loopcount = 0;

    for (row = 0; row < nrows; ) {
        for (i = 0; i < HISTARR; i++, row++) {
            cid++;
            if (cid > CUSTFAC) { /* cycle cust id */
                cid = 1; /* cheap mod */
                cdid++; /* shift district cycle */
            }
            s_dist_01[i] = (lrand48 () % 91) + 10;
            randstr (s_dist_02[i], 24, 24);
            randstr (s_dist_03[i], 24, 24);
            randstr (s_dist_04[i], 24, 24);
            randstr (s_dist_05[i], 24, 24);
            randstr (s_dist_06[i], 24, 24);
            randstr (s_dist_07[i], 24, 24);
            randstr (s_dist_08[i], 24, 24);
            randstr (s_dist_09[i], 24, 24);
            randstr (s_dist_10[i], 24, 24);
            randdatastr (s_data[i], 26, 50);
        }
    }
}

```

```

if (cdid > DISTFAC) {
    cdid = 1;
    cwid++; /* shift warehouse cycle */
}
h_c_id[i] = cid;
h_d_id[i] = cdid;
h_w_id[i] = cwid;
randstr (h_data[i], 12, 24);
if (gen) {
    printf ("%d %d %d %d %d %s 1000 %s\n", cid, cdid, cwid, cdid,
           cwid, sdate, h_data[i]);
}
}

if (gen) {
    fflush (stdout);
}
else {
    status = OCIStmtExecute(tpcsvc, curh, errhp, (ub4) HISTARR,
(ub4) 0,
    (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
    (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS);
    if (status != OCI_SUCCESS) {
        fprintf (stderr, "Aborted at w_id %d, d_id %d, c_id
%d\n",
               h_w_id[0], h_d_id[0], h_c_id[0]);
        OCIERROR(errhp, status);
        quit ();
        exit (1);
    }
}

if ((++loopcount) % 50)
    fprintf (stderr, ".");
else
    fprintf (stderr, "%ld rows committed\n ", row);

end_time = gettime ();
end_cpu = getcpu ();
fprintf (stderr, "Done. %ld rows loaded/generated in %10.2f sec.
(%10.2f cpu)\n\n", nrows, end_time - begin_time, end_cpu - begin_cpu);
}

/*
-----+
| Load the ORDERS and ORDER-LINE table.
|-----*/
+-----*/



if (do_A || do_o) {

    int batch_olcnt;

    nrows = ((long)eware - (long)bware + 1) * ORDEFAC * DISTFAC;

    printf (stderr, "Loading/generating orders and order-line: w%d - w%
(%ld ord, ~%ld ordl)\n ", bware, eware, nrows, nrows * 10);

    begin_time = gettime ();
    begin_cpu = getcpu ();

    cid = 0;
    cdid = 1;
    cwid = bware;
    loopcount = 0;

    for (row = 0; row < nrows; ) {

        batch_olcnt = 0;

```

```

for (i = 0; i < ORDEARR; i++, row++) {
    cid++;
    if (cid > ORDEFAC) { /* cycle cust id */
        cid = 1; /* cheap mod */
        cdid++; /* shift district cycle */
        if (cdid > DISTFAC) {
            cdid = 1;
            cwid++; /* shift warehouse cycle */
        }
    }
    o_carrier_id[i] = lrand48 () % 10 + 1;
    o.ol_cnt[i] = olcnt = lrand48 () % 11 + 5;

    if (gen) {
        if (cid < 2101) {
            printf ("%d %d %d %d %s %d %d 1\n", cid, cdid, cwid,
                   randperm3000[cid - 1], sdate, o_carrier_id[i],
                   o.ol_cnt[i]);
        }
        else {
            /* set carrierid to 11 instead of null */
            printf ("%d %d %d %d %s 11 %d 1\n", cid, cdid, cwid,
                   randperm3000[cid - 1], sdate, o.ol_cnt[i]);
        }
    }
    else {
        o_id[i] = cid;
        o_d_id[i] = cdid;
        o_w_id[i] = cwid;
        o_c_id[i] = randperm3000[cid - 1];
        if (cid >= 2101 ) {
            o_carrier_id[i] = 11;
        }
    }
}

for (j = 0; j < o.ol_cnt[i]; j++, batch_olcnt++) {
    ol_i_id[batch_olcnt] = sid = lrand48 () % 100000 + 1;
    if (cid < 2101)
        ol_amount[batch_olcnt] = 0;
    else
        ol_amount[batch_olcnt] = (lrand48 () % 999999 + 1);
    randstr (str24[j], 24, 24);

    if (gen) {
        if (cid < 2101) {
            printf (olfp, "%d %d %d %d %s %d %d 5 %ld %s\n", cid,
                   cdid, cwid, j + 1, sdate, ol_i_id[batch_olcnt], cwid,
                   ol_amount[batch_olcnt], str24[j]);
        }
        else {
            /* Insert a default date instead of null date */
            printf (olfp, "%d %d %d %d 01-Jan-1811 %d %d 5 %ld
%s\n", cid,
                   cdid, cwid, j + 1, ol_i_id[batch_olcnt], cwid,
                   ol_amount[batch_olcnt], str24[j]);
        }
    }
    else {
        ol_o_id[batch_olcnt] = cid;
        ol_d_id[batch_olcnt] = cdid;
        ol_w_id[batch_olcnt] = cwid;
        ol_number[batch_olcnt] = j + 1;
        ol_supply_w_id[batch_olcnt] = cwid;
        strncpy (ol_dist_info[batch_olcnt], str24[j], 24);
    }
}

if (gen) {
    fflush (olfp);
}

```

```

}

o_cnt = ORDEARR;
ol_cnt = batch_olcnt;

for (j = 0; j < batch_olcnt; j++) {
    ol_o_id_len[j] = sizeof(int);
    ol_d_id_len[j] = sizeof(int);
    ol_w_id_len[j] = sizeof(int);
    ol_number_len[j] = sizeof(int);
    ol_i_id_len[j] = sizeof(int);
    ol_supply_w_id_len[j] = sizeof(int);
    ol_dist_info_len[j] = 24;
    ol_amount_len[j] = sizeof(int);
}
for (j = batch_olcnt; j < 15*ORDEARR; j++) {
    ol_o_id_len[j] = 0;
    ol_d_id_len[j] = 0;
    ol_w_id_len[j] = 0;
    ol_number_len[j] = 0;
    ol_i_id_len[j] = 0;
    ol_supply_w_id_len[j] = 0;
    ol_dist_info_len[j] = 0;
    ol_amount_len[j] = 0;
}
o_id_clen = ORDEARR;
o_d_id_clen = ORDEARR;
o_w_id_clen = ORDEARR;
o_c_id_clen = ORDEARR;
o_carrier_id_clen = ORDEARR;
o.ol_cnt_clen = ORDEARR;

ol_o_id_clen = batch_olcnt;
ol_d_id_clen = batch_olcnt;
ol_w_id_clen = batch_olcnt;
ol_number_clen = batch_olcnt;
ol_i_id_clen = batch_olcnt;
ol_supply_w_id_clen = batch_olcnt;
ol_dist_info_clen = batch_olcnt;
ol_amount_clen = batch_olcnt;

OCIERROR(errhp, OCIStmtExecute(tpcsvc, curo1, errhp, (ub4) 1,
(ub4) 0,
        (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
        (ub4) OCI_DEFAULT | OCI_COMMIT_ON_SUCCESS
));
if ((++loopcount) % 50) {
    fprintf (stderr, ".");
} else {
    fprintf (stderr, " %ld orders committed\n ", row);
}
end_time = gettime ();
end_cpu = getcpu ();
fprintf (stderr, "Done. %ld orders loaded/generated in %10.2f sec.
(%10.2f cpu)\n\n", nrows, end_time - begin_time, end_cpu - begin_cpu);
}

/*-----+
| Load the NEW-ORDER table.
|-----*/
if (do_A || do_n) {
    nrows = ((long)bware - (long)cwid + 1) * NEWOFAC * DISTFAC;
}

fprintf (stderr, "Loading/generating new-order: w%d - w%d (%ld
rows)\n ", bware, cwid, nrows);

begin_time = gettime ();
begin_cpu = getcpu ();

cid = 0;
cdid = 1;
cwid = bware;
loopcount = 0;

for (row = 0; row < nrows; ) {
    for (i = 0; i < NEWOARR; i++, row++) {
        cid++;
        if (cid > NEWOFAC) {
            cid = 1;
            cdid++;
            if (cdid > DISTFAC) {
                cdid = 1;
                cwid++;
            }
        }
        if (gen) {
            printf ("%d %d %d\n", cid + 2100, cdid, cwid);
        } else {
            no_o_id[i] = cid + 2100;
            no_d_id[i] = cdid;
            no_w_id[i] = cwid;
        }
    }
    if (gen) {
        fflush (stdout);
    } else {
        status = OCIStmtExecute(tpcsvc, curno, errhp, (ub4) NEWOARR,
(ub4) 0,
        (CONST OCISnapshot*) 0, (OCISnapshot*) 0,
        (ub4) OCI_DEFAULT |
        OCI_COMMIT_ON_SUCCESS);
        if (status != OCI_SUCCESS) {
            fprintf (stderr, "Aborted at w_id %d, d_id %d, o_id
%d\n", cwid, cdid, cid + 2100);
            OCIERROR(errhp, status);
            quit ();
            exit (1);
        }
        if (((++loopcount) % 45)
            fprintf (stderr, ".");
        else
            fprintf (stderr, " %ld rows committed\n ", row);
    }
    end_time = gettime ();
    end_cpu = getcpu ();
    fprintf (stderr, "Done. %ld rows loaded/generated in %10.2f sec.
(%10.2f cpu)\n\n", nrows, end_time - begin_time, end_cpu - begin_cpu);
}

/*-----+
| clean up and exit.
|-----*/
if (olfp)
    fclose (olfp);

```

```

if (!gen)
    quit ();
exit (0);

}

void initperm ()
{
int i;
int pos;
int temp;

/* init randperm3000 */

for (i = 0; i < 3000; i++)
    randperm3000[i] = i + 1;
for (i = 3000; i > 0; i--) {
    pos = lrand48 () % i;
    temp = randperm3000[i - 1];
    randperm3000[i - 1] = randperm3000[pos];
    randperm3000[pos] = temp;
}
}

void randstr (str, x, y)
char *str;
int x;
int y;
{
int i, j;
int len;

len = (lrand48 () % (y - x + 1)) + x;
for (i = 0; i < len; i++) {
    j = lrand48 () % 62;
    if (j < 26)
        str[i] = (char) (j + 'a');
    else if (j < 52)
        str[i] = (char) (j - 26 + 'A');
    else
        str[i] = (char) (j - 52 + '0');
}
str[len] = '\0';
}

void randdatastr (str, x, y)
char *str;
int x;
int y;
{
int i, j;
int len;
int pos;

len = (lrand48 () % (y - x + 1)) + x;
for (i = 0; i < len; i++) {
    j = lrand48 () % 62;
    if (j < 26)
        str[i] = (char) (j + 'a');
    else if (j < 52)
        str[i] = (char) (j - 26 + 'A');
    else
        str[i] = (char) (j - 52 + '0');
}
str[len] = '\0';
if ((lrand48 () % 10) == 0) {
    pos = (lrand48 () % (len - 8));
    str[pos] = 'O';
    str[pos + 1] = 'R';
}

str[pos + 2] = 'T';
str[pos + 3] = 'G';
str[pos + 4] = 'T';
str[pos + 5] = 'N';
str[pos + 6] = 'A';
str[pos + 7] = 'L';
}

void randnum (str, len)
char *str;
int len;
{
int i;

for (i = 0; i < len; i++)
    str[i] = (char) (lrand48 () % 10 + '0');
str[len] = '\0';

}

void randlastname (str, id)
char *str;
int id;
{
id = id % 1000;
strcpy (str, lastname[id / 100]);
strcat (str, lastname[(id / 10) % 10]);
strcat (str, lastname[id % 10]);
}

int NURand (A, x, y, cnum)
int A, x, y, cnum;
{
int a, b;

a = lrand48 () % (A + 1);
b = (lrand48 () % (y - x + 1)) + x;
return (((a | b) + cnum) % (y - x + 1)) + x;
}

void sysdate (sdate)
char *sdate;
{
time_t tp;
struct tm *tmptr;

time (&tp);
tmptr = localtime (&tp);
strftime (sdate, 29, "%d-%b-%Y", tmptr);
}

int ocierror(fname, lineno, errhp, status)
char *fname;
int lineno;
OCIError *errhp;
sword status;
{
text errbuf[512];
sb4 errcode;
sb4 lstat;
ub4 recno=2;

switch (status) {
case OCI_SUCCESS:
break;
case OCI_SUCCESS_WITH_INFO:
fprintf(stderr,"Module %s Line %d\n", fname, lineno);
fprintf(stderr,"Error - OCI_SUCCESS_WITH_INFO\n");
}
}

```

```

lstat = OCIErrorGet (errhp, recno++, (text *) NULL, &errcode, errbuf,
    (ub4) sizeof(errbuf), OCI_HTYPE_ERROR);
fprintf(stderr,"Error - %s\n", errbuf);
break;
case OCI_NEED_DATA:
    fprintf(stderr,"Module %s Line %d\n", fname, lineno);
    fprintf(stderr,"Error - OCI_NEED_DATA\n");
    return (IRRECERR);
case OCI_NO_DATA:
    fprintf(stderr,"Module %s Line %d\n", fname, lineno);
    fprintf(stderr,"Error - OCI_NO_DATA\n");
    return (IRRECERR);
case OCI_ERROR:
    lstat = OCIErrorGet (errhp, (ub4) 1,
        (text *) NULL, &errcode, errbuf,
        (ub4) sizeof(errbuf),
        OCI_HTYPE_ERROR);
    if (errcode == NOT_SERIALIZABLE) return (errcode);
    if (errcode == SNAPSHOT_TOO_OLD) return (errcode);
    while (lstat != OCI_NO_DATA)
    {
        fprintf(stderr,"Module %s Line %d\n", fname, lineno);
        fprintf(stderr,"Error - %s\n", errbuf);
        lstat = OCIErrorGet (errhp, recno++, (text *) NULL, &errcode, errbuf,
            (ub4) sizeof(errbuf), OCI_HTYPE_ERROR);
    }
    return (errcode);
case OCI_INVALID_HANDLE:
    fprintf(stderr,"Module %s Line %d\n", fname, lineno);
    fprintf(stderr,"Error - OCI_INVALID_HANDLE\n");
    exit(-1);
case OCI_STILL_EXECUTING:
    fprintf(stderr,"Module %s Line %d\n", fname, lineno);
    fprintf(stderr,"Error - OCI_STILL_EXECUTE\n");
    return (IRRECERR);
case OCI_CONTINUE:
    fprintf(stderr,"Module %s Line %d\n", fname, lineno);
    fprintf(stderr,"Error - OCI_CONTINUE\n");
    return (IRRECERR);
default:
    fprintf(stderr,"Module %s Line %d\n", fname, lineno);
    fprintf(stderr,"Status - %s\n", status);
    return (IRRECERR);
}
return (RECOVERERR);
}

```

```

-----
views.sql
-----
connect tpcc/tpcc;
set echo on;

create or replace view wh_cust
(w_id, w_tax, c_id, c_d_id, c_w_id, c_discount, c_last, c_credit)
as select w.w_id, w.w_tax,
c.c_id, c.c_d_id, c.c_w_id, c.c_discount, c.c_last, c.c_credit
from cust c, ware w
where w.w_id = c.c_w_id;

create or replace view wh_dist
(w_id, d_id, d_tax, d_next_o_id, w_tax )
as select w.w_id, d.d_id, d.d_tax, d.d_next_o_id, w.w_tax
from dist d, ware w
where w.w_id = d.d_w_id;

create or replace view stock_item
(i_id, s_w_id, i_price, i_name, i_data, s_data, s_quantity,
s_order_cnt, s_ytd, s_remote_cnt,
s_dist_01, s_dist_02, s_dist_03, s_dist_04, s_dist_05,
s_dist_06, s_dist_07, s_dist_08, s_dist_09, s_dist_10)
as
select /*+ leading(s) use_nl(i) */
i.i_id, s.w_id, i.i_price, i.i_name, i.i_data, s_data, s_quantity,
s_order_cnt, s_ytd, s_remote_cnt,
s_dist_01, s_dist_02, s_dist_03, s_dist_04, s_dist_05,
s_dist_06, s_dist_07, s_dist_08, s_dist_09, s_dist_10
from stok s, item i
where i.i_id = s.s_i_id;

set echo off;

-----
seed 50
-----

```

Appendix C: Tunable Parameters

```
-----
p_build.ora
-----
compatible = 11.2.0.0.1
control_files = (/home/oracle/disks//control_001,
/home/oracle/disks//control_002)
db_16k_cache_size = 170666M
db_8k_cache_size = 64000M
db_block_size = 4096
db_cache_size = 170666M
db_files = 849
db_name = tpcc
log_buffer = 1048576
plsql_optimize_level=2
shared_pool_size = 32000M
statistics_level = basic
dml_locks = 500
transactions = 1000
undo_management = auto
undo_retention = 2
processes = 1000
recovery_parallelism = 40
sessions = 1000
parallel_max_servers = 100
UNDO_TABLESPACE = undo_1
db_2k_cache_size = 20M
-----
p_create.ora
-----
compatible = 11.2.0.0.1
control_files = (/home/oracle/disks//control_001,
/home/oracle/disks//control_002)
db_16k_cache_size = 170666M
db_8k_cache_size = 64000M
db_block_size = 4096
db_cache_size = 170666M
db_files = 849
db_name = tpcc
log_buffer = 1048576
plsql_optimize_level=2
shared_pool_size = 32000M
statistics_level = basic
undo_management = manual
db_2k_cache_size = 20M
-----
p_run.ora
-----
compatible = 11.2.0.0.1
control_files = (/home/oracle/disks/control_001,
/home/oracle/disks/control_002)
db_cache_size = 50000m
db_16k_cache_size = 130400m
db_keep_cache_size = 557000m
db_recycle_cache_size = 12048m
db_8k_cache_size = 2048m
log_checkpoint_timeout = 0
log_checkpoints_to_alert = TRUE
log_checkpoint_interval = 0
log_buffer = 1048576
shared_pool_size = 12500m
db_block_size = 4096
db_files = 1016
db_name = tpcc
plsql_optimize_level=2
statistics_level = basic
dml_locks = 500
transactions = 600
undo_management = auto
undo_retention = 1
processes = 600
sessions = 600
recovery_parallelism = 0
parallel_max_servers = 0
undo_tablespace = undo_1
aq_tm_processes = 0
disk_asynch_io = true
job_queue_processes = 0
query_rewrite_enabled = false
replication_dependency_tracking = false
pga_aggregate_target = 0
java_pool_size = 0
transactions_per_rollback_segment = 1
fast_start_mttr_target = 0
db_block_checking = false
db_block_checksum = false
audit_trail = false
resource_manager_plan = ""
trace_enabled = false
result_cache_max_size = 0
timed_statistics=false
-----
rc.local
-----
touch /var/lock/subsys/local

echo 384560 >/proc/sys/vm/nr_hugepages
echo "512 32000 512 128" >/proc/sys/kernel/sem
echo 412316860416 >/proc/sys/kernel/shmmmax
echo 1048576 >/proc/sys/fs/aio-max-nr

service irqbalance stop

/etc/init.d/rsyslog restart
-----
sysctl.conf
-----
# Kernel sysctl configuration file for Red Hat Linux
#
# For binary values, 0 is disabled, 1 is enabled. See sysctl(8) and
# sysctl.conf(5) for more details.

# Controls IP packet forwarding
net.ipv4.ip_forward = 0

# Controls source route verification
net.ipv4.conf.default.rp_filter = 1

# Do not accept source routing
net.ipv4.conf.default.accept_source_route = 0

# Controls the System Request debugging functionality of the kernel
kernel.sysrq = 0

# Controls whether core dumps will append the PID to the core filename

```

```
# Useful for debugging multi-threaded applications
kernel.core_uses_pid = 1

# Controls the use of TCP syncookies
net.ipv4.tcp_syncookies = 1

# Controls the maximum size of a message, in bytes
kernel.msgmnb = 65536

# Controls the default maximum size of a message queue
kernel.msgmax = 65536
```

Controls the maximum shared segment size, in bytes
kernel.shmmmax = 68719476736

Controls the maximum number of shared memory segments, in pages
kernel.shmall = 4294967296

Appendix D: Price Quotations

From: MaryBeth Pierantoni [mailto:mary.beth.pierantoni@oracle.com]

To: Raghunath Nambiar

Pricing:

Oracle Linux Basic Limited (3 year Support)	\$1497	1	\$1497
Oracle Database Standard Edition One, Per Processor for 3 years	\$2900	2	\$5800
Incident Server Support for 3 years	\$2300	3	\$6900
Total			\$14197

Contact: MaryBeth Pierantoni, mary.beth.pierantoni@oracle.com

Microsoft Corporation
One Microsoft Way
Redmond, WA 98052-6399

Tel 425 882 8080
Fax 425 936 7329
<http://www.microsoft.com/>

Microsoft

September 13, 2012

Cisco Systems, Inc.
Raghunath Nambiar
3800 Zanker Road
San Jose, CA 95134

Here is the information you requested regarding pricing for several Microsoft products to be used in conjunction with your TPC-C benchmark testing.

All pricing shown is in US Dollars (\$).

Part Number	Description	Unit Price	Quantity	Price
P73-04755	Windows Server 2008 R2 Standard Edition <i>Server License with 10 CALs</i> <i>No Discounts Applied</i>	\$1,029	2	\$2,058
127-00166	Microsoft Visual Studio 2008 Standard Edition <i>No Discounts Applied</i>	\$299	1	\$299
N/A	Microsoft Problem Resolution Services <i>Professional Support</i> <i>(1 Incident).</i>	\$259	1	\$259

Windows Server 2008 R2 Standard Edition and Visual Studio 2008 Standard Edition are currently orderable and available through Microsoft's normal distribution channels. A list of Microsoft's resellers can be found in the Microsoft Product Information Center at <http://www.microsoft.com/products/info/render.aspx?view=22&type=how>

Defect support is included in the purchase price. Additional support is available from Microsoft PSS on an incident by incident basis at \$259 call.

This quote is valid for the next 90 days.

Reference ID: TPCC_1dtplylGYLKTVUKfhohMjhiJhqfKkjf85757.

shopping cart

Your Shopping Selections

[Recalculate](#) [Check Out](#)

Quantity US Dollars

Comfort Curve 3000 Keyboard & Mouse

Mfg Part# 7ZJ-00001 Provantage# MIC90C0.

 19.38
[Remove](#)

Please choose a shipping destination to see this item's estimated stock availability and actual shipping charges. See [Availability](#). [Manufacturer's Warranty](#).

Acer V173 DJb 17" LCD Monitor 1280x1024/20000:1/5MS EPEAT

Mfg Part# ET.BV3RP.D03 Provantage# ACEP078.

 93.10
[Remove](#)

Please choose a shipping destination to see this item's estimated stock availability and actual shipping charges. See [Availability](#). [Standard 30 Days Return](#).

8GB Quad Port 8 PCI E

Mfg Part# QLE2564-CK Provantage# QLOG0C8.

 2695.82
[Remove](#)

Please choose a shipping destination to see this item's estimated stock availability and actual shipping charges. See [Availability](#). [Manufacturer's Warranty](#).



Corporate Office: 10050 Crosstown Circle, Eden Prairie MN 55344
Branch Office: 4001 Burton Drive, Santa Clara, CA 95054

Quote Number: 930750246v1
Quote Created: September 13, 2012
Quote Expiration: October 12, 2012

Company Name: Cisco Systems Inc
Contact Name: Raghu Nambiar

Allen Chu
Account Executive
Work: (408) 496-7266
achu@datalink.com

Quotation: PROMISE Vtrak J630s JBOD Disk Array

Ln #	Part #	Qty	Description	Price	Ext Price
1	J630SSNX	2	New VTrak JBOD JBx30 Series 6G SAS 3U/16-bay Single-controller Expansion Chassis	\$3,895.00	\$7,790.00
2	ST3600057SS	22	600GB 15K SAS DRIVE MODULE for new JBx30.	\$485.00	\$10,670.00
3	ST33000650SS	14	3TB Seagate Constellation ES.2 SAS	\$420.00	\$5,880.00
4	SP3YEAR	2	ServicePlus Onsite 4-hr Parts Replacement for Vtrak Series Subsystems	\$995.00	\$1,990.00
					Total: \$26,330.00

Please FAX POs to 408.904.6973

Comments:

- * Datalink's standard payment terms are Net 30 (subject to approval)
- * FOB: Origin
- * Pricing does not include freight and applicable sales tax.