



# Hewlett-Packard Company

---

TPC Benchmark™ C  
Full Disclosure Report  
for  
ProLiant ML370-G3-1M-2P  
using  
Microsoft SQL Server 2000 Enterprise Edition  
and  
Microsoft Windows Server 2003, Enterprise Edition

---

**First Edition**  
**July 2003**

First Edition – July 2003

Hewlett-Packard Company (HP) believes that the information in this document is accurate as of the publication date. The information in this document is subject to change without notice. HP assumes no responsibility for any errors that may appear in this document. The pricing information in this document is believed to accurately reflect the current prices as of the publication date. However, HP provides no warranty of the pricing information in this document.

Benchmark results are highly dependent upon workload, specific application requirements, and system design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC Benchmark C should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report were obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. HP does not warrant or represent that a user can or will achieve similar performance expressed in transactions per minute (tpmC) or normalized price/performance (\$/tpmC). No warranty of system performance or price/performance is expressed or implied in this report.

Copyright 2003 Hewlett-Packard Company.

All rights reserved. Permission is hereby granted to reproduce this document in whole or in part provided the copyright notice printed above is set forth in full text or on the title page of each item reproduced.

Printed in U.S.A., 2002

HP, NonStop, ProLiant ML370G3R, ProLiant DL360 and ProLiant are registered trademarks of Hewlett-Packard Company.

Microsoft, Windows 2003 Server and SQL Server 2000 are registered trademarks of Microsoft Corporation.

Pentium III is a registered trademark of Intel.

TPC Benchmark is a trademark of the Transaction Processing Performance Council.

Other product names mentioned in this document may be trademarks and/or registered trademarks of their respective companies.

# Table of Contents

---

<b>TABLE OF CONTENTS</b> .....	<b>III</b>
<b>PREFACE</b> .....	<b>V</b>
TPC BENCHMARK C OVERVIEW .....	v
<b>ABSTRACT</b> .....	<b>VI</b>
OVERVIEW .....	VI
TPC BENCHMARK C METRICS .....	VI
STANDARD AND EXECUTIVE SUMMARY STATEMENTS .....	VI
AUDITOR .....	VI
<b>GENERAL ITEMS</b> .....	<b>10</b>
TEST SPONSOR.....	10
APPLICATION CODE AND DEFINITION STATEMENTS .....	10
PARAMETER SETTINGS .....	10
CONFIGURATION ITEMS .....	10
<b>CLAUSE 1 RELATED ITEMS</b> .....	<b>13</b>
TABLE DEFINITIONS .....	13
PHYSICAL ORGANIZATION OF DATABASE .....	13
<i>Benchmarked Configuration:</i> .....	13
PRICED CONFIGURATION VS. MEASURED CONFIGURATION: .....	14
INSERT AND DELETE OPERATIONS.....	14
PARTITIONING .....	14
REPLICATION, DUPLICATION OR ADDITIONS .....	14
<b>CLAUSE 2 RELATED ITEMS</b> .....	<b>15</b>
RANDOM NUMBER GENERATION .....	15
INPUT/OUTPUT SCREEN LAYOUT.....	15
PRICED TERMINAL FEATURE VERIFICATION.....	15
PRESENTATION MANAGER OR INTELLIGENT TERMINAL.....	15
TRANSACTION STATISTICS .....	15
QUEUEING MECHANISM .....	16
<b>CLAUSE 3 RELATED ITEMS</b> .....	<b>17</b>
TRANSACTION SYSTEM PROPERTIES (ACID) .....	17
ATOMICITY .....	17
<i>Completed Transactions</i> .....	17
<i>Aborted Transactions</i> .....	17
CONSISTENCY .....	17
ISOLATION .....	17
DURABILITY .....	18
<i>Durable Media Failure</i> .....	18
<i>Instantaneous Interruption and Loss of Memory</i> .....	18
<b>CLAUSE 4 RELATED ITEMS</b> .....	<b>19</b>
INITIAL CARDINALITY OF TABLES .....	19
DATABASE LAYOUT .....	19
TYPE OF DATABASE.....	20
DATABASE MAPPING.....	20
60 DAY SPACE.....	20
<b>CLAUSE 5 RELATED ITEMS</b> .....	<b>21</b>

THROUGHPUT .....	21
KEYING AND THINK TIMES.....	21
RESPONSE TIME FREQUENCY DISTRIBUTION CURVES AND OTHER GRAPHS .....	22
STEADY STATE DETERMINATION .....	27
WORK PERFORMED DURING STEADY STATE.....	27
MEASUREMENT PERIOD DURATION.....	27
REGULATION OF TRANSACTION MIX.....	28
TRANSACTION STATISTICS .....	28
CHECKPOINT COUNT AND LOCATION .....	29
CHECKPOINT DURATION.....	29
<b>CLAUSE 6 RELATED ITEMS .....</b>	<b>30</b>
RTE DESCRIPTIONS.....	30
EMULATED COMPONENTS .....	30
FUNCTIONAL DIAGRAMS .....	30
NETWORKS .....	30
OPERATOR INTERVENTION .....	30
<b>CLAUSE 7 RELATED ITEMS.....</b>	<b>31</b>
SYSTEM PRICING .....	31
AVAILABILITY, THROUGHPUT, AND PRICE PERFORMANCE .....	31
COUNTRY SPECIFIC PRICING.....	31
USAGE PRICING .....	31
<b>CLAUSE 9 RELATED ITEMS .....</b>	<b>32</b>
AUDITOR'S REPORT.....	32
AVAILABILITY OF THE FULL DISCLOSURE REPORT.....	32

# Preface

---

The TPC Benchmark C was developed by the Transaction Processing Performance Council (TPC). The TPC was founded to define transaction processing benchmarks and to disseminate objective, verifiable performance data to the industry. This full disclosure report is based on the TPC Benchmark C Standard Specifications Version 5.1, released December 2002.

## TPC Benchmark C Overview

The TPC describes this benchmark in Clause 0.1 of the specifications as follows:

TPC Benchmark™ C (TPC-C) is an OLTP workload. It is a mixture of read-only and update intensive transactions that simulate the activities found in complex OLTP application environments. It does so by exercising a breadth of system components associated with such environments, which are characterized by:

- The simultaneous execution of multiple transaction types that span a breadth of complexity
- On-line and deferred transaction execution modes
- Multiple on-line terminal sessions
- Moderate system and application execution time
- Significant disk input/output
- Transaction integrity (ACID properties)
- Non-uniform distribution of data access through primary and secondary keys
- Databases consisting of many tables with a wide variety of sizes, attributes, and relationships
- Contention on data access and update

The performance metric reported by TPC-C is a "business throughput" measuring the number of orders processed per minute. Multiple transactions are used to simulate the business activity of processing an order, and each transaction is subject to a response time constraint. The performance metric for this benchmark is expressed in transactions-per-minute-C (tpmC). To be compliant with the TPC-C standard, all references to tpmC results must include the tpmC rate, the associated price-per-tpmC, and the availability date of the priced configuration.

Although these specifications express implementation in terms of a relational data model with conventional locking scheme, the database may be implemented using any commercially available database management system (DBMS), database server, file system, or other data repository that provides a functionally equivalent implementation. The terms "table", "row", and "column" are used in this document only as examples of logical data structures.

TPC-C uses terminology and metrics that are similar to other benchmarks, originated by the TPC or others. Such similarity in terminology does not in any way imply that TPC-C results are comparable to other benchmarks. The only benchmark results comparable to TPC-C are other TPC-C results conformant with the same revision.

Despite the fact that this benchmark offers a rich environment that emulates many OLTP applications, this benchmark does not reflect the entire range of OLTP requirements. In addition, the extent to which a customer can achieve the results reported by a vendor is highly dependent on how closely TPC-C approximates the customer application. The relative performance of systems derived from this benchmark does not necessarily hold for other workloads or environments. Extrapolations to any other environment are not recommended.

Benchmark results are highly dependent upon workload, specific application requirements, and systems design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC-C should not be used as a substitute for a specific customer application benchmarking when critical capacity planning and/or product evaluation decisions are contemplated.

# *Abstract*

---

## **Overview**

This report documents the methodology and results of the TPC Benchmark C test conducted on the HP ProLiant ML370G3R. The operating system used for the benchmark was Microsoft Windows Server 2003, Enterprise Edition. The DBMS used was Microsoft SQL Server 2000 Enterprise Edition.

## **TPC Benchmark C Metrics**

The standard TPC Benchmark C metrics, tpmC (transactions per minute), price per tpmC (three year capital cost per measured tpmC), and the availability date are reported as:

52,468.48 tpmC  
\$3.82 per tpmC

The availability date is July 15, 2003.

## **Standard and Executive Summary Statements**

The following pages contain executive summary of results for this benchmark.


## **Auditor**

The benchmark configuration, environment and methodology were audited by Lorna Livingtree of Performance Metrics, Inc. to verify compliance with the relevant TPC specifications.

Hewlett Packard Company	ProLiant ML370-G3-1M 2P	TPC-C Rev. 5.1
	C/S with ProLiant DL360R02	Report Date: July 15, 2003

Total System Cost	TPC-C Throughput	Price/Performance	Availability Date
<b>\$200,301</b>	<b>52,468.48</b>	<b>\$3.82</b>	<b>July 15, 2003</b>

Processors	Database Manager	Operating System	Other Software	Number of Users
2 Intel Xeon 3.06 GHz – 1M L3 cache – Server  4 Pentium III 1.4 GHz – Clients	Microsoft SQL Server 2000 Enterprise Edition SP3	Microsoft Windows Server 2003, Enterprise Edition	Microsoft Visual C++ Microsoft COM+	<b>41600</b>



	Server		Each Client	
System Components	Quantity	Description	Quantity	Description
Processor	2	3.06 GHz Intel Xeon w/ 1MB Cache	1	1.4 GHz Pentium III Xeon w/ 256K cache
Memory	6	2 GB DDR	1	1 GB (2x 512 MB)
Disk Controllers	1	Integrated Ultra-3 SCSI Controller	1	Integrated SMART Array Controller
	5	SMART 5304 Array Controller		
	1	SMART 641 Array Controller		
Disk Drives	1	36.4 GB SCSI Drive	1	36.4 GB SCSI Drive
	4	72 GB SCSI Drive		
	210	18.2 GB SCSI Drive		
Total Storage		2045.38 GB		16.9 GB
Tape Drives	1	12/24 GB DAT		

Hewlett-Packard		ProLiant ML370G3T-1M- 2P		TPC-C Rev. 5.1			
Company		Client/Server		Report Date:		15-Jul-03	
Description	Part Number	Third Party	Unit Price	Qty	Extended Price	3 yr. Maint. Price	
<b>Server Hardware</b>							
<b>Brand Pricing</b>							
ProLiant ML370G3T 1M 1P 3.0GHz, Integrated Gigabit NIC	333701-001		3,099	1	3,099		
X3.06GHz /533MHz Processor Option Kit - ML370G3	333713-B21		1,499	1	1,499		
2GB x 1 PC2100 DDR	301044-B21		3,190	6	19,140		
2-Bay Hot Plug Wide Ultra2/Ultra3 SCSI Drive Cage	244059-B21		370	1	370		
S5500 15 carbon / silver monitor	261602-001		129	1	129		
Scroll Mouse-Carbon	231947-B21		5	1	5		
PS/2 Easy Access Internet Keyboard	265977-001		12	1	12		
StorageWorks Enclosure Model 4314R - Rack-mountable	190209-001		2,955	15	44,325		
Rack Model 9142 (42U - Opal) - Flat Pallet	120663-B21		1,321	2	2,642		
Side Panel Kit - 9142 Rack	120670-B21		207	1	207		
Smart Array 641 Controller	291966-B21		549	1	549		
Smart Array 5304/256 Controller	283551-B21		2,247	5	11,235		
12/24-Gigabyte DAT Drive (Internal)	295513-B22		682	1	682		
UPS T700	204015-001		325	1	325		
18.2GB 15Krpm U320 UNI HDD	286775-B22		359	210	75,390		
18.2GB 15Krpm U320 UNI HDD (10% spares)	286775-B22		359	21		7,539	
36GB 10K U320 Pluggable Hard Drive WW (OS)	286713-B22		339	1	339		
72GB 15K U320 UNI HDD ALL (internal log drives)	286778-B22		999	4	3,996		
CarePak Service - 300 Series Servers 3Yr,7x24,4hr	162657-002		949	1		949	
FM-4E724-36 3YR 24X7/4HR EMPTY DISK ENCL	171242-002		157	15		2,355	
<b>Subtotal</b>					<b>163,944</b>	<b>10,843</b>	
<b>Server Software</b>							
Microsoft SQL Server 2000 Enterprise Edition(per processor)	810-00845	Microsoft	2	17,279	2	34,558	5,850
Visual C++ .Net Standard	254-00170	Microsoft	2	109	1	109	Incl Above
Microsoft Windows 2003, Enterprise Edition	N/A	Microsoft	2	2,399	1	2,399	Incl Above
<b>Subtotal</b>					<b>37,066</b>	<b>5,850</b>	
<b>Client Hardware</b>							
ProLiant DL360 Model DL360R02 P1400-512K 256MB	233271-001		1,759	2	3,518		
Two integrated Gigabit NIC, Integrated Smart Array Controller							
1GB 133MHz SDRAM DIMM Memory (2x512MB)	201694-B21		600	2	1,200		
P1400/133-512 DL360G2 Processor Option Kit (DL360 G2)	233273-B21		717	2	1,434		
S5500 15 carbon / silver monitor	261602-001		129	2	258		
Scroll Mouse-Carbon	231947-B21		5	2	10		
PS/2 Easy Access Internet Keyboard	265977-001		12	2	24		
36GB 10K U320 Pluggable Hard Drive WW (OS)	286713-B22		339	2	678		
HP CP 3Y 4H 24x7 HW 300 Srs 4-Hour 24 x7 Coverage 3 Years	162657-002		949	2		1,898	
<b>Subtotal</b>					<b>7,122</b>	<b>1,898</b>	
<b>Client Software</b>							
Microsoft Windows 2000 Server	C11-00821	Microsoft	2	738	2	1,476	Incl. Above
<b>Subtotal</b>					<b>1,476</b>	<b>0</b>	
<b>User Connectivity</b>							
Netgear GS508T 8 port Copper Gigabit Switch	1058966	Netgear	3	502	3	1,506	
7ft CAT 5e Network Patch Cables	CBLC57	LanAdapters	4	1	5	5	
<b>Subtotal</b>					<b>1,511</b>	<b>0</b>	
Large Purchase and Net 30 discount (See Note 1)	16.0%		1				
<b>Total</b>					<b>\$183,748</b>	<b>\$16,552</b>	
Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark pricing specifications. If you find that the stated prices are not available according to these terms, please inform the TPC at <a href="mailto:pricing@tpc.org">pricing@tpc.org</a> . Thank you.				<b>Three-Year Cost of Ownership: \$200,301</b>			
Pricing: 1=HP 2=Microsoft 3=Compuplus.com 4=LanAdapters.com				<b>tpmC Rating: 52,468.48</b>			
Note 1 = Discount based on HP Direct guidance with large purchase and Net 30 discount.				<b>\$/ tpmC: \$3.82</b>			
Note: The benchmark results and test methodology were audited by Loma Livingtree of Performance Metrics, Inc.							



## Numerical Quantities Summary

**MQTH, Computed Maximum Qualified Throughput**

**52,468.48 tpmC**

<b>Response Times (in seconds)</b>	<b>Average</b>	<b>90%</b>	<b>Maximum</b>
New-Order	0.28	0.43	5.58
Payment	0.22	0.36	4.59
Order-Status	0.24	0.38	4.90
Delivery (interactive portion)	0.10	0.11	0.17
Delivery (deferred portion)	0.15	0.27	0.70
Stock-Level	0.94	1.27	4.38
Menu	0.10	0.11	0.34

### **Transaction Mix, in percent of total transaction**

New-Order	44.96%
Payment	43.01%
Order-Status	4.01%
Delivery	4.01%
Stock-Level	4.01%

### **Emulation Delay (in seconds)**

**Resp.Time      Menu**

New-Order	0.10	0.10
Payment	0.10	0.10
Order-Status	0.10	0.10
Delivery (interactive)	0.10	0.10
Stock-Level	0.10	0.10

### **Keying/Think Times (in seconds)**

**Min.      Average      Max.**

New-Order	18.00/0.00	18.02/12.02	18.15/120.21
Payment	3.00/0.00	3.02/12.01	3.15/120.21
Order-Status	2.00/0.00	2.01/10.01	2.10/100.20
Delivery (interactive)	2.00/0.00	2.01/5.02	2.15/50.20
Stock-Level	2.00/0.00	2.01/5.03	2.09/50.20

### **Test Duration**

Ramp-up time	30 minutes
Measurement interval	120 minutes
Transactions (all types) completed during measurement interval	13,940,407
Ramp down time	5 minutes

### **Checkpointing**

Number of checkpoints	4
Checkpoint interval	30 minutes

# General Items

---

## Test Sponsor

*A statement identifying the benchmark sponsor(s) and other participating companies must be provided.*

This benchmark was sponsored by Hewlett-Packard Company. The benchmark was developed and engineered by Hewlett-Packard Company. Testing took place at HP benchmarking laboratories in Houston, Texas.

## Application Code and Definition Statements

*The application program (as defined in clause 2.1.7) must be disclosed. This includes, but is not limited to, the code implementing the five transactions and the terminal input output functions.*

Appendix A contains all source code implemented in this benchmark.

## Parameter Settings

*Settings must be provided for all customer-tunable parameters and options which have been changed from the defaults found in actual products, including by not limited to:*

- *Database options*
- *Recover/commit options*
- *Consistency locking options*
- *Operating system and application configuration parameters*

*This requirement can be satisfied by providing a full list of all parameters.*

Appendix C contains the tunable parameters to for the database, the operating system, and the transaction monitor.

## Configuration Items

*Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences.*

The configuration diagrams for both the tested and priced systems are included on the following pages.

**Figure 1. Benchmarked Configuration**



**Figure 2. Priced Configuration**



# Clause 1 Related Items

---

## Table Definitions

Listing must be provided for all table definition statements and all other statements used to set up the database.

Appendix B contains the code used to define and load the database tables.

## Physical Organization of Database

The physical organization of tables and indices within the database must be disclosed.

The tested configuration consisted of: 210 18.2GB 15K drives for the database data connected to 5 SMART 5304 Raid controllers, 1 18.2GB 10K drives for the operating system, and 4 72 GB 15K drives for the transaction log connected to SMART 641 RAID controllers..

### Benchmarked Configuration:

#### Integrated Ultra3 SCSI Controller

LOGICAL DRIVE C: Total Capacity = 16.94 GB  
Microsoft 2003 Enterprise Server, MSSQL\_tpcc\_root.mdf

#### SMART-5304 Controller, Slot 6, Array A

LOGICAL DRIVE E: Total Capacity = 135.6 GB RAID 0+1  
MSSQL\_tpcc\_log

#### SMART-5304 Controller, Slot 1, Array A

LOGICAL DRIVE F: Total Capacity = 49 GB RAID 0  
MSSQL\_big1

#### SMART-5304 Controller, Slot 1, Array A

LOGICAL DRIVE K: Total Capacity =24 GB RAID 0  
MSSQL\_misc1

#### SMART-5304 Controller, Slot 1, Array A

LOGICAL DRIVE Z: Total Capacity =320 GB RAID 0+1  
Backup1

#### SMART-5304 Controller, Slot 2, Array A

LOGICAL DRIVE G: Total Capacity = 49 GB RAID 0  
MSSQL\_big2

#### SMART-5304 Controller, Slot 2, Array A

LOGICAL DRIVE L: Total Capacity =24 GB RAID 0  
MSSQL\_misc2

#### SMART-5304 Controller, Slot 2, Array A

LOGICAL DRIVE Y: Total Capacity =320 GB RAID 0+1  
Backup2

#### SMART-5304 Controller, Slot 3, Array A

LOGICAL DRIVE H: Total Capacity = 49 GB RAID 0  
MSSQL\_big3

#### SMART-5304 Controller, Slot 3, Array A

LOGICAL DRIVE M: Total Capacity =24 GB RAID 0  
MSSQL\_misc3

<b>SMART-5304 Controller, Slot 3, Array A</b>		
<u>LOGICAL DRIVE X:</u>	<u>Total Capacity =320 GB</u>	<u>RAID 0+1</u>
Backup3		
<b>SMART-5304 Controller, Slot 4, Array A</b>		
<u>LOGICAL DRIVE I:</u>	<u>Total Capacity = 49 GB</u>	<u>RAID 0</u>
MSSQL_big4		
<b>SMART-5304 Controller, Slot 4, Array A</b>		
<u>LOGICAL DRIVE N:</u>	<u>Total Capacity =24 GB</u>	<u>RAID 0</u>
MSSQL_misc4		
<b>SMART-5304 Controller, Slot 4, Array A</b>		
<u>LOGICAL DRIVE W:</u>	<u>Total Capacity =320 GB</u>	<u>RAID 0+1</u>
Backup1		
<b>SMART-5304 Controller, Slot 5, Array A</b>		
<u>LOGICAL DRIVE J:</u>	<u>Total Capacity = 49 GB</u>	<u>RAID 0</u>
MSSQL_big5		
<b>SMART-5304 Controller, Slot 5, Array A</b>		
<u>LOGICAL DRIVE O:</u>	<u>Total Capacity =24 GB</u>	<u>RAID 0</u>
MSSQL_misc5		
<b>SMART-5304 Controller, Slot 5, Array A</b>		
<u>LOGICAL DRIVE V:</u>	<u>Total Capacity =320 GB</u>	<u>RAID 0+1</u>
Backup5		

### **Priced Configuration vs. Measured Configuration:**

The measured and priced configuration differ in that the measured configuration used disk drives for database backup and the priced configuration used a DAT drive for backup.

### **Insert and Delete Operations**

*It must be ascertained that insert and/or delete operations to any of the tables can occur concurrently with the TPC-C transaction mix. Furthermore, any restrictions in the SUT database implementation that precludes inserts beyond the limits defined in Clause 1.4.11 must be disclosed. This includes the maximum number of rows that can be inserted and the minimum key value for these new rows.*

All insert and delete functions were fully operational during the entire benchmark.

### **Partitioning**

*While there are a few restrictions placed upon horizontal or vertical partitioning of tables and rows in the TPC-C benchmark, any such partitioning must be disclosed.*

No partitioning was used in this benchmark.

### **Replication, Duplication or Additions**

*Replication of tables, if used, must be disclosed. Additional and/or duplicated attributes in any table must be disclosed along with a statement on the impact on performance.*

No replications, duplications or additional attributes were used in this benchmark.

# Clause 2 Related Items

---

## Random Number Generation

*The method of verification for the random number generation must be described.*

In the Benchcraft RTE from Microsoft, each driver engine uses an independent random number sequence. All of the users within a given driver draw from the same sequence.

The Benchcraft RTE computes random integers as described in "Random Numbers Generators: Good Ones Are Hard to Find." Communications of the ACM - October 1988 Volume 31 Number 10.

The seeds for each user were captured and verified by the auditor to be unique. In addition, the contents of the database were systematically searched, and randomly sampled by the auditor for patterns that would indicate the random number generator had affected any kind of a discernible pattern; none were found.

## Input/Output Screen Layout

*The actual layout of the terminal input/output screens must be disclosed.*

All screen layouts followed the specifications exactly.

## Priced Terminal Feature Verification

*The method used to verify that the emulated terminals provide all the features described in Clause 2.2.2.4 must be explained. Although not specifically priced, the type and model of the terminals used for the demonstration in 8.1.3.3 must be disclosed and commercially available (including supporting software and maintenance).*

The terminal attributes were verified by the auditor. The auditor manually exercised each specification on a representative HP ProLiant web server.

## Presentation Manager or Intelligent Terminal

*Any usage of presentation managers or intelligent terminals must be explained.*

Application code running on the client machines implemented the TPC-C user interface. No presentation manager software or intelligent terminal features were used. The source code for the forms applications is listed in Appendix A.

## Transaction Statistics

*Table 2.1 lists the numerical quantities that Clauses 8.1.3.5 to 8.1.3.11 require.*

**Table 2.1 Transaction Statistics**

Statistic		Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse payments	85.02%
	Remote warehouse payments	14.98%

Statistic		Value
	Accessed by last name	60.01%
Order Status	Accessed by last name	60.13%
Transaction Mix	New Order	44.96%
	Payment	43.01%
	Order status	4.01%
	Delivery	4.01%
	Stock level	4.01%

### Queuing Mechanism

*The queuing mechanism used to defer the execution of the Delivery transaction must be disclosed.*

Microsoft COM+ on each client machine served as the queuing mechanism to the database. Each delivery request was submitted to Microsoft COM+ asynchronously with control being returned to the client process immediately and the deferred delivery part completing asynchronously.

The source code is listed in Appendix A.



# Clause 3 Related Items

---

## Transaction System Properties (ACID)

*The results of the ACID tests must be disclosed along with a description of how the ACID requirements were met. This includes disclosing which case was followed for the execution of Isolation Test 7.*

All ACID property tests were successful. The executions are described below.

### Atomicity

*The system under test must guarantee that the database transactions are atomic; the system will either perform all individual operations on the data or will assure that no partially completed operations leave any effects on the data.*

#### Completed Transactions

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was committed and the rows were verified to contain correctly updated balances.

#### Aborted Transactions

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was rolled back and the rows were verified to contain the original balances.

### Consistency

*Consistency is the property of the application that requires any execution of a database transaction to take the database from one consistent state to another, assuming that the database is initially in a consistent state.*

Consistency conditions one through four were tested using a script to issue queries to the database. The results of the queries verified that the database was consistent for all four tests.

A run was executed under full load lasting over two hours and included a checkpoint.

The script was executed again. The result of the same queries verified that the database remained consistent after the run.

### Isolation

*Sufficient conditions must be enabled at either the system or application level to ensure the required isolation defined above (clause 3.4.1) is obtained.*

Isolation tests one through nine were executed using shell scripts to issue queries to the database. Each script included timestamps to demonstrate the concurrency of operations. The results of the queries were captured to files. The captured files were verified by the auditor to demonstrate that the required isolation had been met.

In addition, the phantom tests and the stock level tests were executed and verified.

For Isolation test seven, case A was followed.

## **Durability**

*The tested system must guarantee durability: the ability to preserve the effects of committed transaction and insure database consistency after recovery from any one of the failures listed in Clause 3.5.3.*

### **Durable Media Failure**

Loss of Data and Log (see auditor's attestation letter):

#### **Instantaneous Interruption and Loss of Memory :**

Because loss of power erases the contents of memory, the instantaneous interruption and the loss of memory tests were combined into a single test. This test was executed on a fully scaled database of 4160 warehouses under a full load of 41600 users. The following steps were executed:

- The total number of New Orders was determined by the sum of D\_NEXT\_O\_ID of all rows in the DISTRICT table giving the beginning count.
- The RTE was started with 41600 users.
- The test was allowed to run for a minimum of 10 minutes.
- A checkpoint was performed.
- The system crash and loss of memory were induced by switching the power off. The power cords were then physically removed from the SUT. No battery backup or Uninterruptible Power Supply (UPS) were used to preserve the contents of memory.
- The RTE was shutdown.
- Power was restored and the system restarted.
- Microsoft SQL Server was restarted and performed an automatic recovery.
- Consistency condition #3 was executed and verified.
- Step 1 was repeated and the difference between the first and second counts was noted.
- An RTE report was generated for the entire run time giving the number of NEW-ORDERS successfully returned to the RTE.
- The counts in step 10 and 11 were compared and the results verified that all committed transactions had been successfully recovered.
- Samples were taken from the RTE files and used to query the database to demonstrate successful transactions had corresponding rows in the ORDER table.

# Clause 4 Related Items

---

## Initial Cardinality of Tables

The cardinality (e.g. number of rows) of each table, as it existed at the start of the benchmark run, must be disclosed. If the database was over-scaled and inactive rows of the WAREHOUSE table were deleted, the cardinality of the WAREHOUSE table as initially configured and the number of rows deleted must be disclosed.

**Table 4.1 Number of Rows for Server**

Table	Cardinality as built
Warehouse	4,160
District	41,600
Customer	124,800,000
History	124,800,000
Orders	124,800,000
New Order	37,440,000
Order Line	1,247,997,146
Stock	416,000,000
Item	100,000
Deleted Warehouses	0

## Database Layout

The distribution of tables and logs across all media must be explicitly depicted for tested and priced systems.

The benchmarked configuration used 5 SMART-5304 Array controllers with 4 SCSI channels and 1 SMART-641 Array controller with 1 internal SCSI channels. Each controller is capable of accessing up to 14 disk drives per channel, and supports RAID 0, RAID 0+1, and RAID 5 per each logical volume configured. The data tables were stored on 5 RAID arrays of (42) 18.2GB 15K drives each with 2 arrays RAID 0 logical drives on each controller. Each of these controllers also housed a RAID 0+1 volume used for backup of the database. The other SMART-641 Array controller had one array consisting of (4) 72 GB 15K drives with a RAID 0+1 logical volume for the database log. The Array Accelerators on the data controllers were configured as 100% write cache and were enabled for misc logical drives on these controllers. The controller for the transaction log had the cache disabled. All RAID volumes used hardware RAID.

Section 1.2 of this report details the distribution of database tables across all disks. The code that creates the filegroups and tables is included in Appendix B.

## Type of Database

A statement must be provided that describes:

- The data model implemented by DBMS used (e.g. relational, network, hierarchical).
- The database interface (e.g. embedded, call level) and access language (e.g. SQL, DL/I, COBOL read/write used to implement the TPC-C transaction. If more than one interface/access language is used to implement TPC-C, each interface/access language must be described and a list of which interface/access language is used with which transaction type must be disclosed.

Microsoft SQL Server 2000 Enterprise Edition is a relational DBMS.

The interface used was Microsoft SQL Server stored procedures accessed with Remote Procedure Calls embedded in C code.

## Database Mapping

The mapping of database partitions/replications must be explicitly described.

The database was not replicated.

## 60 Day Space

Details of the 60 day space computations along with proof that the database is configured to sustain 8 hours of growth for the dynamic tables (Order, Order-Line, and History) must be disclosed.

To calculate the space required to sustain the database log for 8 hours of growth at steady state, the following steps were followed:

- The free space on the log file was queried using *dbcc sqlperf(logspace)*.
- Transactions were run against the database with a full load of users.
- The free space was again queried using *dbcc sqlperf(logspace)*.
- The space used was calculated as the difference between the first and second query.
- The number of NEW-ORDERS was verified from the difference in the sum(d\_next\_o\_id) taken from before and after the run.
- The space used was divided by the number of NEW-ORDERS giving a space used per NEW-ORDER transaction.
- The space used per transaction was multiplied by the measured tpmC rate times 480 minutes.

The same methodology was used to compute growth requirements for dynamic tables Order, Order-Line and History.

The details of both the 8-hour transaction log space requirement and the 60-day space requirement is shown in Appendix D.

# Clause 5 Related Items

---

## Throughput

*Measured tpmC must be reported*

Measured tpmC            52,468.48 tpmC  
Price per tpmC            \$3.82 per tpmC

## Response Times

*Ninetieth percentile, maximum and average response times must be reported for all transaction types as well as for the menu response time.*

**Table 5.2: Response Times**

Type	Average	90 <sup>th</sup> %	Maximum
New-Order	0.28	0.43	5.58
Payment	0.22	0.36	4.59
Order-Status	0.24	0.38	4.90
Interactive Delivery	0.10	0.11	0.17
Deferred Delivery	0.15	0.27	0.70
Stock-Level	0.94	1.27	4.38
Menu	0.10	0.11	0.34

## Keying and Think Times

*The minimum, the average, and the maximum keying and think times must be reported for each transaction type.*

**Table 5.3: Keying Times**

Type	Minimum	Average	Maximum
New-Order	18.00	18.02	18.15
Payment	3.00	3.02	3.12
Order-Status	2.00	2.01	2.10
Interactive Delivery	2.00	2.01	2.15
Stock-Level	2.00	2.01	2.09

**Table 5.4: Think Times**

Type	Minimum	Average	Maximum
New-Order	0.00	12.02	120.21
Payment	0.00	12.01	120.21
Order-Status	0.00	10.01	100.20
Interactive Delivery	0.00	5.02	50.20
Stock-Level	0.00	5.03	50.20

**Response Time Frequency Distribution Curves and Other Graphs**

*Response Time frequency distribution curves (see Clause 5.6.1) must be reported for each transaction type.*


*The performance curve for response times versus throughput (see Clause 5.6.2) must be reported for the New-Order transaction.*

*Think Time frequency distribution curves (see Clause 5.6.3) must be reported for each transaction type.*


*Keying Time frequency distribution curves (see Clause 5.6.4) must be reported for each transaction type.*

*A graph of throughput versus elapsed time (see Clause 5.6.5) must be reported for the New-Order transaction.*


**Figure 3. New Order Response Time Distribution**




**Figure 4. Payment Response Time Distribution**



**Figure 5. Order Status Response Time Distribution**




**Figure 6. Delivery Response Time Distribution**







**Figure 7. Stock Level Response Time Distribution**




**Figure 8. Response Time vs. Throughput**



**Figure 9. New Order Think Time Distribution**



**Figure 10. Throughput vs. Time Distribution**



## Steady State Determination

*The method used to determine that the SUT had reached a steady state prior to commencing the measurement interval must be disclosed.*

Steady state was determined using real time monitor utilities from the RTE. Steady state was further confirmed by the throughput data collected during the run and graphed in Figure 10.

## Work Performed During Steady State

*A description of how the work normally performed during a sustained test (for example checkpointing, writing redo/undo log records, etc.), actually occurred during the measurement interval must be reported.*

The RTE generated the required input data to choose a transaction from the menu. This data was timestamped. The input screen for the requested transaction was returned and timestamped. The difference between these two timestamps was the menu response time. The RTE writes to the log file once per transaction on selective fields such as order id. There is one log file per driver engine.

The RTE generated the required input data for the chosen transaction. It waited to complete the minimum required key time before transmitting the input screen. The transmission was timestamped. The return of the screen with the required response data was timestamped. The difference between these two timestamps was the response time for that transaction.

The RTE then waited the required think time interval before repeating the process starting at selecting a transaction from the menu.

The RTE transmissions were sent to application processes running on the client machines through Ethernet LANs. These client application processes handled all screen I/O as well as all requests to the database on the server. The applications communicated with the database server over Ethernet LANs using DBLIB and RPC calls.

To perform checkpoints at specific intervals, the SQL Server *recovery interval* was set to 110 and a script was written to schedule multiple checkpoints at specific intervals. The script included a wait time between each checkpoint equal to 30 minutes so that the checkpoint interval was an integral multiple of the measurement interval, which was 120 minutes. The checkpoint script was started manually after the RTE had all users logged in and the database had achieved steady state.

At each checkpoint, Microsoft SQL Server wrote to disk all memory pages that had been updated but not yet physically written to disk. The positioning of the measurement interval is depicted on the graph in Figure 10.

## Measurement Period Duration

*A statement of the duration of the measurement interval for the reported Maximum Qualified Throughput (tpmC) must be included.*

The reported measured interval was exactly 120 minutes long.

## Regulation of Transaction Mix

*The method of regulation of the transaction mix (e.g., card decks or weighted random distribution) must be described. If weighted distribution is used and the RTE adjusts the weights associated with each transaction type, the maximum adjustments to the weight from the initial value must be disclosed.*

The RTE was given a weighted random distribution, which was not adjusted during the run.

## Transaction Statistics

*The percentage of the total mix for each transaction type must be disclosed. The percentage of New-Order transactions rolled back as a result of invalid item number must be disclosed. The average number of order-lines entered per New-Order transaction must be disclosed. The percentage of remote order lines per New-Order transaction must be disclosed. The percentage of remote Payment transactions must be disclosed. The percentage of customer selections by customer last name in the Payment and Order-Status transactions must be disclosed. The percentage of Delivery transactions skipped due to there being fewer than necessary orders in the New-Order table must be disclosed.*

**Table 5.5: Transaction Statistics**

Statistic		Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse payments	85.02%
	Remote warehouse payments	14.98%
	Accessed by last name	60.01%
Delivery	Skipped transactions (interactive)	0
	Skipped transactions (deferred)	0
Order Status	Accessed by last name	60.13%
Transaction Mix	New Order	44.96%
	Payment	43.01%
	Order status	4.01%
	Delivery	4.01%
	Stock level	4.01%

## Checkpoint Count and Location

*The number of checkpoints in the Measurement Interval, the time in seconds from the start of the Measurement Interval to the first checkpoint, and the Checkpoint Interval must be disclosed.*

The initial checkpoint was started 20 minutes after the start of the ramp-up. Subsequent checkpoints occurred every 30 minutes. The measurement interval contains four checkpoints.

## Checkpoint Duration

*The start time and duration in seconds of at least the four longest checkpoints during the Measurement Interval must be disclosed.*

Checkpoint Start Time	Duration
15:48:00 p.m.	7 minutes, 12 seconds
16:17:58 p.m.	7 minutes, 45 seconds
16:47:56 p.m.	7 minutes, 23 seconds
17:17:54 p.m.	7 minutes, 14 seconds

# Clause 6 Related Items

---

## RTE Descriptions

*If the RTE is commercially available, then its inputs must be specified. Otherwise, a description must be supplied of what inputs (e.g., scripts) to the RTE had been used.*

The RTE used was Microsoft Benchcraft RTE. Benchcraft is a proprietary tool provided by Microsoft and is not commercially available. The RTE's input are listed in Appendix A.

## Emulated Components

*It must be demonstrated that the functionality and performance of the components being emulated in the Driver System are equivalent to the priced system. The results of the test described in Clause 6.6.3.4 must be disclosed.*

The driver system consisted of 1 HP ProLiant server. This driver machine emulated the users web browsers.

## Functional Diagrams

*A complete functional diagram of both the benchmark configuration and the configuration of the proposed (target) system must be disclosed. A detailed list of all hardware and software functionality being performed on the Driver System and its interface to the SUT must be disclosed.*

The driver system performed the data generation and input functions of the priced display device. It also captured the input and output data and timestamps for post-processing of the reported metrics. No other functionality was included on the driver system.

Section 1.4 of this report contains detailed diagrams of both the benchmark configuration and the priced configuration.

## Networks

*The network configuration of both the tested services and proposed (target) services which are being represented and a thorough explanation of exactly which parts of the proposed configuration are being replaced with the Driver System must be disclosed.*

*The bandwidth of the networks used in the tested/priced configuration must be disclosed.*

In the tested configuration, 1 driver (RTE) machine was connected through a 10/100 switch to the client machines at 100Mbps, thus providing the path from the RTE to the clients. The server (SUT) was connected to the client through an Ethernet cross-over cable through the integrated Gigabit network cards in the server and client.

The priced configuration was connected in the same manner as the tested configuration.

## Operator Intervention

*If the configuration requires operator intervention (see Clause 6.6.6), the mechanism and the frequency of this intervention must be disclosed.*

This configuration does not require any operator intervention to sustain eight hours of the reported throughput.

# Clause 7 Related Items

---

## System Pricing

A detailed list of hardware and software used in the priced system must be reported. Each separately orderable item must have vendor part number, description, and release/revision level, and either general availability status or committed delivery data. If package-pricing is used, vendor part number of the package and a description uniquely identifying each of the components of the package must be disclosed. Pricing source and effective date(s) of price(s) must also be reported.

The total 3 year price of the entire configuration must be reported, including: hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed.

The details of the hardware and software are reported in the front of this report as part of the executive summary. All third party quotations are included at the end of this report as Appendix E.

## Availability, Throughput, and Price Performance

The committed delivery date for general availability (availability date) of products used in the price calculation must be reported. When the priced system included products with different availability dates, the reported availability date for the priced system must be the date at which all components are committed to be available.

A statement of the measured tpmC as well as the respective calculations for the 5-year pricing, price/performance (price/tpmC), and the availability date must be included.

- **Maximum Qualified Throughput** **52,468.48 tpmC**
- **Price per tpmC** **\$3.82 per tpmC**
- **Availability** **July 15, 2003**

## Country Specific Pricing

Additional Clause 7 related items may be included in the Full Disclosure Report for each country specific priced configuration. Country specific pricing is subject to Clause 7.1.7

This system is being priced for the United States of America.

## Usage Pricing

For any usage pricing, the sponsor must disclose:

- Usage level at which the component was priced.
- A statement of the company policy allowing such pricing.

The component pricing based on usage is shown below:

- 2 Microsoft Windows 2000 Server
- 1 Microsoft 2003 Enterprise Server
- 1 Microsoft SQL Server 2000 Enterprise Edition (per processor)
- 1 Microsoft Visual C++
- HP Servers include 3 years of support.

# Clause 9 Related Items

---

## **Auditor's Report**

*The auditor's name, address, phone number, and a copy of the auditor's attestation letter indicating compliance must be included in the Full Disclosure Report.*

This implementation of the TPC Benchmark C was audited by Lorna Livingtree of Performance Metrics, Inc.

Performance Metrics, Inc.  
137 Yankton St., Suite 101  
Folsom, CA 95630  
(phone) (916) 985-1131  
(fax) (916) 985-1185  
e-mail: lorna@perfmetrics.com

## **Availability of the Full Disclosure Report**

*The Full Disclosure Report must be readily available to the public at a reasonable charge, similar to the charges for similar documents by the test sponsor. The report must be made available when results are made public. In order to use the phrase "TPC Benchmark™ C", the Full Disclosure Report must have been submitted to the TPC Administrator as well as written permission obtained to distribute same.*


Requests for this TPC Benchmark C Full Disclosure Report should be sent to:

Transaction Processing Performance Council  
c/o Shanley Public Relations  
777 North First Street, Suite 600  
San Jose, CA 95112-6311

or

Hewlett-Packard Company  
Database Performance Engineering  
P.O. Box 692000  
Houston, TX 77269-2000





**PERFORMANCE METRICS INC.**  
TPC Certified Auditors

July 11, 2003

Mr. Paul Cao  
Hewlett-Packard Company  
Database Performance Lab  
20555 SH 249  
Houston, TX 77070

I have verified the TPC Benchmark™ C client/server for the following configuration:

Platform: ProLiant ML370-2P-G3-1M  
Database Manager: Microsoft SQL Server 2000 Enterprise Edition  
Operating System: Microsoft Windows 2003 Server, Enterprise Edition  
Transaction Manager: Microsoft COM+

Server: ProLiant ML370-2P-G3-1M				
CPU's	Memory	Disks	90% Response	tpmC
2 Xeon™ Processors @ 3.06 GHz 1M L3 cache	Main: 12 GB cache: 1MB	211 18GB 4 72GB	<b>0.43</b>	<b>52,468.48</b>

2 ProLiant DL360		
CPU's	Memory	Disks
2 Intel Xeon™ Processor @ 1.4 GHz	Main: 1 GB Cache: 512KB	1 @ 18GB

137 Yankton St. Suite 101, Folsom 95630  
(916) 985-1131 fax: (916) 985-1185 email: Lorna@PerfMetrics.com

Page 1

**PERFORMANCE METRICS INC.**  
**TPC Certified Auditors**

---

In my opinion, these performance results were produced in compliance with the TPC requirements for the benchmark. The following attributes of the benchmark were given special attention:

- The transactions were correctly implemented.
- The database was properly sized and populated.
- The database was properly scaled with 4,160 warehouses.
- The ACID properties were met – see Auditor Notes.
- Input data was generated according to the specified percentages.
- Eight hours of mirrored log space was configured on the measured system.
- Eight hours of dynamic table growth space was configured on the measured system.
- The 60-day space calculation was verified; the measured system had sufficient storage.
- Measurement cycle times included a delay of 0.1 seconds.
- There were 41,600 user contexts present on the system.
- Each group of emulated users started with a different random number seed.
- The NURand constants used for database load and at run time were 123 and 233.
- The steady state portion of the test was 2 hours.
- One checkpoint was taken before the measured interval.
- Four checkpoints were taken during the measured interval.
- The system pricing was checked for major components and maintenance.

Auditor Notes:

The durability test for loss of system and memory was performed on this configuration. All other ACID tests were performed for the result submitted May 29, 2003. The earlier configuration had a 512KB processor cache.

Sincerely,



Lorna Livingtree  
Auditor

# Appendix A: Source Code

The client source code is listed below.

## Methods.h

```
/* FILE: METHODS.H
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 * All Rights Reserved
 * not yet audited
 * PURPOSE: Header file for COM components.
 * Change history:
 * 4.20.000 - first version
 */

enum COMPONENT_ERROR
{
    ERR_MISSING_REGISTRY_ENTRIES = 1,
    ERR_LOADDLL_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_UNKNOWN_DB_PROTOCOL
};

class CCOMPONENT_ERR : public CBaseErr
{
public:
    CCOMPONENT_ERR(COMPONENT_ERROR Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    };

    CCOMPONENT_ERR(COMPONENT_ERROR Err, char *szTextDetail, DWORD
dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new char[strlen(szTextDetail)+1];
        strcpy( m_szTextDetail, szTextDetail );
        m_SystemErr = dwSystemErr;
        m_szErrorText = NULL;
    };

    ~CCOMPONENT_ERR()
    {
        if (m_szTextDetail != NULL)
```

```
        delete [] m_szTextDetail;
        if (m_szErrorText != NULL)
            delete [] m_szErrorText;
    };

    COMPONENT_ERROR m_Error;
    char *m_szTextDetail;
    char *m_szErrorText;
    DWORD m_SystemErr;

    int ErrorType() {return ERR_TYPE_COMPONENT;};
    int ErrorNum() {return m_Error;};
    char *ErrorText();
};

static void WriteMessageToEventLog(LPTSTR lpszMsg);

////////////////////////////////////
// CTPCC_Common
class CTPCC_Common :
public ITPCC,
public IObjectControl,
public IObjectConstruct,
public CComObjectRootEx<CComSingleThreadModel>
{
public:
    BEGIN_COM_MAP(CTPCC_Common)
        COM_INTERFACE_ENTRY(ITPCC)
        COM_INTERFACE_ENTRY(IObjectControl)
        COM_INTERFACE_ENTRY(IObjectConstruct)
    END_COM_MAP()

    CTPCC_Common();
    ~CTPCC_Common();

// ITPCC
public:
    HRESULT __stdcall NewOrder( VARIANT txn_in, VARIANT* txn_out);
    HRESULT __stdcall Payment( VARIANT txn_in, VARIANT* txn_out);
    HRESULT __stdcall Delivery( VARIANT txn_in, VARIANT* txn_out)
{return E_NOTIMPL;};
    HRESULT __stdcall StockLevel( VARIANT txn_in, VARIANT* txn_out);
    HRESULT __stdcall OrderStatus( VARIANT txn_in, VARIANT* txn_out);

    HRESULT __stdcall CallSetComplete();

// IObjectControl
    STDMETHODIMP_(BOOL) CanBePooled() { return m_bCanBePooled; }
    STDMETHODIMP Activate() { return S_OK; } // we don't support COM
Services transactions (no enlistment)
    STDMETHODIMP_(void) Deactivate() { /* nothing to do */ }

// IObjectConstruct
    STDMETHODIMP Construct(IDispatch * pUnk);

private:
    // helper methods
    BOOL m_bCanBePooled;
    CTPCC_BASE *m_pTxn;

    struct COM_DATA
```

```

        {
            int retval;
            int error;
            union
            {
                NEW_ORDER_DATA      NewOrder;
                PAYMENT_DATA          Payment;
                DELIVERY_DATA         Delivery;
                STOCK_LEVEL_DATA      StockLevel;
                ORDER_STATUS_DATA     OrderStatus;
            } u;
        };
};

////////////////////////////////////
// CTPCC
class CTPCC :
    public CTPCC_Common,
    public CComCoClass<CTPCC, &CLSID_TPCC>
{
public:
    DECLARE_REGISTRY_RESOURCEID(IDR_TPCC)

    BEGIN_COM_MAP(CTPCC)
        COM_INTERFACE_ENTRY2(IUnknown, CComObjectRootEx)
        COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
    END_COM_MAP()
};

////////////////////////////////////
// CNewOrder
class CNewOrder :
    public CTPCC_Common,
    public CComCoClass<CNewOrder, &CLSID_NewOrder>
{
public:
    DECLARE_REGISTRY_RESOURCEID(IDR_NEWORDER)

    BEGIN_COM_MAP(CNewOrder)
        COM_INTERFACE_ENTRY2(IUnknown, CComObjectRootEx)
        COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
    END_COM_MAP()

    // ITPCC
public:
    // HRESULT __stdcall NewOrder(          VARIANT txn_in, VARIANT* txn_out)
    {return E_NOTIMPL;}
    // HRESULT __stdcall Payment(         VARIANT txn_in, VARIANT* txn_out)
    {return E_NOTIMPL;}
    // HRESULT __stdcall StockLevel(      VARIANT txn_in, VARIANT* txn_out) {return
    E_NOTIMPL;}
    // HRESULT __stdcall OrderStatus(     VARIANT txn_in, VARIANT* txn_out)
    {return E_NOTIMPL;}
};

////////////////////////////////////
// COrderStatus
class COrderStatus :

```

```

    public CTPCC_Common,
    public CComCoClass<COrderStatus, &CLSID_OrderStatus>
{
public:
    DECLARE_REGISTRY_RESOURCEID(IDR_ORDERSTATUS)

    BEGIN_COM_MAP(COrderStatus)
        COM_INTERFACE_ENTRY2(IUnknown, CComObjectRootEx)
        COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
    END_COM_MAP()

    // ITPCC
public:
    // HRESULT __stdcall NewOrder(          VARIANT txn_in, VARIANT* txn_out)
    {return E_NOTIMPL;}
    // HRESULT __stdcall Payment(         VARIANT txn_in, VARIANT* txn_out)
    {return E_NOTIMPL;}
    // HRESULT __stdcall StockLevel(      VARIANT txn_in, VARIANT* txn_out) {return
    E_NOTIMPL;}
    // HRESULT __stdcall OrderStatus(     VARIANT txn_in, VARIANT* txn_out)
    {return E_NOTIMPL;}
};

////////////////////////////////////
// CPayment
class CPayment :
    public CTPCC_Common,
    public CComCoClass<CPayment, &CLSID_Payment>
{
public:
    DECLARE_REGISTRY_RESOURCEID(IDR_PAYMENT)

    BEGIN_COM_MAP(CPayment)
        COM_INTERFACE_ENTRY2(IUnknown, CComObjectRootEx)
        COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
    END_COM_MAP()

    // ITPCC
public:
    // HRESULT __stdcall NewOrder(          VARIANT txn_in, VARIANT* txn_out)
    {return E_NOTIMPL;}
    // HRESULT __stdcall Payment(         VARIANT txn_in, VARIANT* txn_out)
    {return E_NOTIMPL;}
    // HRESULT __stdcall StockLevel(      VARIANT txn_in, VARIANT* txn_out) {return
    E_NOTIMPL;}
    // HRESULT __stdcall OrderStatus(     VARIANT txn_in, VARIANT* txn_out)
    {return E_NOTIMPL;}
};

////////////////////////////////////
// CStockLevel
class CStockLevel :
    public CTPCC_Common,
    public CComCoClass<CStockLevel, &CLSID_StockLevel>
{
public:
    DECLARE_REGISTRY_RESOURCEID(IDR_STOCKLEVEL)

    BEGIN_COM_MAP(CStockLevel)
        COM_INTERFACE_ENTRY2(IUnknown, CComObjectRootEx)
        COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)

```

```

END_COM_MAP()

// ITPCC
public:
    HRESULT __stdcall NewOrder(          VARIANT txn_in, VARIANT* txn_out)
    {return E_NOTIMPL;}
    HRESULT __stdcall Payment(          VARIANT txn_in, VARIANT* txn_out)
    {return E_NOTIMPL;}
    // HRESULT __stdcall StockLevel(    VARIANT txn_in, VARIANT* txn_out) {return
    E_NOTIMPL;}
    HRESULT __stdcall OrderStatus(      VARIANT txn_in, VARIANT* txn_out)
    {return E_NOTIMPL;}
};

```

## ReadRegistry.cpp

```

/*      FILE:          READREGISTRY.CPP
 *      Microsoft TPC-C Kit Ver. 4.20.000
 *      Copyright Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *      not yet audited
 *
 *      PURPOSE:      Implementation for TPC-C Tuxedo class.
 *      Contact:      Charles Levine (clevine@microsoft.com)
 *
 *      Change history:
 *      4.20.000 - first version
 */

/* FUNCTION: ReadTPCCRegistrySettings
 *
 * PURPOSE:      This function reads the NT registry for startup parameters.
 * There parameters are
 *
 *               under the TPCC key.
 *
 * RETURNS      FALSE = no errors
 *              TRUE  = error reading registry
 */
BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg )
{
    HKEY    hKey;
    DWORD   size;
    DWORD   type;
    DWORD   dwTmp;
    char    szTmp[256];

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE, "SOFTWARE\\Microsoft\\TPCC", 0,
KEY_READ, &hKey) != ERROR_SUCCESS )
        return TRUE;

    // determine database protocol to use; may be either ODBC or DBLIB
    pReg->eDB_Protocol = Unspecified;
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "DB_Protocol", 0, &type, (BYTE *)&szTmp, &size)
== ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp, szDBNames[ODBC]) )
            pReg->eDB_Protocol = ODBC;
        else if ( !strcmp(szTmp, szDBNames[DBLIB]) )
            pReg->eDB_Protocol = DBLIB;
    }
}

```

```

}

pReg->eTxnMon = None;
// determine txn monitor to use; may be either TUXEDO, or blank
size = sizeof(szTmp);
if ( RegQueryValueEx(hKey, "TxnMonitor", 0, &type, (BYTE *)&szTmp, &size)
== ERROR_SUCCESS )
{
    if ( !strcmp(szTmp, szTxnMonNames[TUXEDO]) )
        pReg->eTxnMon = TUXEDO;
    else if ( !strcmp(szTmp, szTxnMonNames[ENCINA]) )
        pReg->eTxnMon = ENCINA;
    else if ( !strcmp(szTmp, szTxnMonNames[COM]) )
        pReg->eTxnMon = COM;
}

pReg->bCOM_SinglePool = FALSE;
size = sizeof(szTmp);
if ( RegQueryValueEx(hKey, "COM_SinglePool", 0, &type, (BYTE *)&szTmp,
&size) == ERROR_SUCCESS )
{
    if ( !strcmp(szTmp, "YES") )
        pReg->bCOM_SinglePool = TRUE;
}

pReg->dwMaxConnections = 0;
size = sizeof(dwTmp);
if ( ( RegQueryValueEx(hKey, "MaxConnections", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )
    && (type == REG_DWORD) )
    pReg->dwMaxConnections = dwTmp;

pReg->dwMaxPendingDeliveries = 0;
size = sizeof(dwTmp);
if ( ( RegQueryValueEx(hKey, "MaxPendingDeliveries", 0, &type,
(LPBYTE)&dwTmp, &size) == ERROR_SUCCESS )
    && (type == REG_DWORD) )
    pReg->dwMaxPendingDeliveries = dwTmp;

pReg->dwNumberOfDeliveryThreads = 0;
size = sizeof(dwTmp);
if ( ( RegQueryValueEx(hKey, "NumberOfDeliveryThreads", 0, &type,
(LPBYTE)&dwTmp, &size) == ERROR_SUCCESS )
    && (type == REG_DWORD) )
    pReg->dwNumberOfDeliveryThreads = dwTmp;

size = sizeof( pReg->szPath );
if ( RegQueryValueEx(hKey, "Path", 0, &type, (BYTE *)&pReg->szPath, &size)
!= ERROR_SUCCESS )
    pReg->szPath[0] = 0;

size = sizeof( pReg->szDbServer );
if ( RegQueryValueEx(hKey, "DbServer", 0, &type, (BYTE *)&pReg-
>szDbServer, &size) != ERROR_SUCCESS )
    pReg->szDbServer[0] = 0;

size = sizeof( pReg->szDbName );
if ( RegQueryValueEx(hKey, "DbName", 0, &type, (BYTE *)&pReg->szDbName,
&size) != ERROR_SUCCESS )
    pReg->szDbName[0] = 0;

size = sizeof( pReg->szDbUser );

```

```

    if ( RegQueryValueEx(hKey, "DbUser", 0, &type, (BYTE *)&pReg->szDbUser,
&size) != ERROR_SUCCESS )
        pReg->szDbUser[0] = 0;

    size = sizeof( pReg->szDbPassword );
    if ( RegQueryValueEx(hKey, "DbPassword", 0, &type, (BYTE *)&pReg-
>szDbPassword, &size) != ERROR_SUCCESS )
        pReg->szDbPassword[0] = 0;

    RegCloseKey(hKey);

    return FALSE;
}

```

## ReadRegistry.h

```

/*      FILE:                ReadRegistry.h
*
*      Microsoft TPC-C Kit Ver. 4.20.000
*      Copyright Microsoft, 1999
*
*      All Rights Reserved
*
*      not audited
*
*      PURPOSE:  Header for registry related code.
*
*      Change history:
*      4.20.000 - first version
*/

enum DBPROTOCOL { Unspecified, ODBC, DBLIB };
const char *szDBNames[] = { "Unspecified", "ODBC", "DBLIB" };

enum TXNMON { None, TUXEDO, ENCINA, COM };
const char *szTxnMonNames[] = { "NONE", "TUXEDO", "ENCINA", "COM" };

//This structure defines the data necessary to keep distinct for each terminal or
client connection.
typedef struct _TPCCREGISTRYDATA
{
    enum DBPROTOCOL eDB_Protocol;
    enum TXNMON eTxnMon;
    BOOL bCOM_SinglePool;
    DWORD dwMaxConnections;
    DWORD dwMaxPendingDeliveries;
    DWORD dwNumberOfDeliveryThreads;
    char szPath[128];
    char szDbServer[32];
    char szDbName[32];
    char szDbUser[32];
    char szDbPassword[32];
} TPCCREGISTRYDATA, *PTPCCREGISTRYDATA;

BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg );

```

## WEBCLNT.DSP

```

# Microsoft Developer Studio Project File - Name="webclnt" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File, Format Version 5.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Application" 0x0101

```

```

CFG=webclnt - Win32 Release
!MESSAGE This is not a valid makefile. To build this project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "Webclnt.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running NMAKE
!MESSAGE by defining the macro CFG on the command line. For example:
!MESSAGE
!MESSAGE NMAKE /f "Webclnt.mak" CFG="webclnt - Win32 Release"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "webclnt - Win32 Release" (based on "Win32 (x86) Application")
!MESSAGE "webclnt - Win32 Debug" (based on "Win32 (x86) Application")
!MESSAGE

```

```

# Begin Project
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "webclnt - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir ".\Release"
# PROP BASE Intermediate_Dir ".\Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\Release"
# PROP Intermediate_Dir ".\Release"
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D "_WINDOWS" /YX /c
# ADD CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /machine:I386

!ELSEIF "$(CFG)" == "webclnt - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir ".\Debug"
# PROP BASE Intermediate_Dir ".\Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1

```

```

# PROP Output_Dir ".\Debug"
# PROP Intermediate_Dir ".\Debug"
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32" /D "_DEBUG" /D "_WINDOWS" /YX
/c
# ADD CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD
/c
# ADD BASE MTL /nologo /D "_DEBUG" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /debug /machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /debug /machine:I386

!ENDIF

# Begin Target

# Name "webclnt - Win32 Release"
# Name "webclnt - Win32 Debug"
# End Target
# End Project

```

## Webclnt.dsw

Microsoft Developer Studio Workspace File, Format Version 6.00  
# WARNING: DO NOT EDIT OR DELETE THIS WORKSPACE FILE!

```

#####

Project: "db_dblib_dll"=.\db_dblib_dll\db_dblib_dll.dsp - Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####

Project: "db_odbc_dll"=.\db_odbc_dll\db_odbc_dll.dsp - Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####

```

```

Project: "install"=.\install\install.dsp - Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
Begin Project Dependency
Project_Dep_Name isapi_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tuxapp
End Project Dependency
Begin Project Dependency
Project_Dep_Name db_dblib_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name db_odbc_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_com_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_tuxedo_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tpcc_com_all
End Project Dependency
Begin Project Dependency
Project_Dep_Name tpcc_com_ps
End Project Dependency
}}}

#####

Project: "isapi_dll"=.\isapi_dll\isapi_dll.dsp - Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
Begin Project Dependency
Project_Dep_Name db_dblib_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name db_odbc_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_tuxedo_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_com_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_encina_dll
End Project Dependency
}}}

#####

```

```

Project: "tm_com_dll"=". \tm_com_dll\tm_com_dll.dsp - Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name tpcc_com_ps
  End Project Dependency
  Begin Project Dependency
  Project_Dep_Name tpcc_com_all
  End Project Dependency
}}}}

#####

Project: "tm_encina_dll"=". \tm_encina_dll\tm_encina_dll.dsp - Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####

Project: "tm_tuxedo_dll"=". \tm_tuxedo_dll\tm_tuxedo_dll.dsp - Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####

Project: "tpcc_com_all"=". \tpcc_com_all\tpcc_com_all.dsp - Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name tpcc_com_ps
  End Project Dependency
}}}}

#####

Project: "tpcc_com_ps"=". \tpcc_com_ps\tpcc_com_ps.dsp - Package Owner=<4>

Package=<5>
{{{
}}}

```

```

Package=<4>
{{{
}}}

#####

Project: "tuxapp"=". \tuxapp\tuxapp.dsp - Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name db_dblib_dll
  End Project Dependency
  Begin Project Dependency
  Project_Dep_Name db_odbc_dll
  End Project Dependency
}}}}

#####

Global:

Package=<5>
{{{
}}}

Package=<3>
{{{
}}}

#####

db_dblib_dll.dsp
# Microsoft Developer Studio Project File - Name="db_dblib_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File, Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=db_dblib_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "db_dblib_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running NMAKE
!MESSAGE by defining the macro CFG on the command line. For example:
!MESSAGE
!MESSAGE NMAKE /f "db_dblib_dll.mak" CFG="db_dblib_dll - Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "db_dblib_dll - Win32 Release" (based on "Win32 (x86) Dynamic-Link
Library")
!MESSAGE "db_dblib_dll - Win32 Debug" (based on "Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_dblib_dll - Win32 IceCAP" (based on "Win32 (x86) Dynamic-Link Library")

```



```

!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "db_dblib_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL" /win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /dll /machine:I386
# ADD LINK32 ntdll.lib kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib /nologo
/subsystem:windows /dll /machine:I386 /out:".bin\tpcc_dblib.dll"

!ELSEIF "$(CFG)" == "db_dblib_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D "WIN32" /D "_DEBUG" /D "_WINDOWS"
/YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32" /D "_DEBUG" /D "_WINDOWS" /YX
/FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe

```

```

# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /dll /debug /machine:I386 /pdctype:sept
# ADD LINK32 ntdll.lib kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib /nologo
/subsystem:windows /dll /debug /machine:I386 /out:".bin\tpcc_dblib.dll"
/pdctype:sept

!ELSEIF "$(CFG)" == "db_dblib_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "db_dblib"
# PROP BASE Intermediate_Dir "db_dblib"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32" /D "_DEBUG" /D "_WINDOWS"
/YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /Gm /GX /ZI /O2 /D "WIN32" /D "NDEBUG" /D "_WINDOWS" /D
"ICECAP" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 ntdll.lib kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib /nologo
/subsystem:windows /dll /debug /machine:I386 /out:".bin\tpcc_dblib.dll"
/pdctype:sept
# ADD LINK32 icap.lib ntdll.lib kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib /nologo
/subsystem:windows /dll /debug /machine:I386 /out:".bin\tpcc_dblib.dll"
/pdctype:sept

!ENDIF

# Begin Target

# Name "db_dblib_dll - Win32 Release"
# Name "db_dblib_dll - Win32 Debug"
# Name "db_dblib_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp"
# Begin Source File

SOURCE=. \src\tpcc_dblib.cpp
# End Source File
# End Group
# Begin Group "Header"

```

```

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=..\common\src\error.h
# End Source File
# Begin Source File

SOURCE=..\src\tpcc_dblib.h
# End Source File
# Begin Source File

SOURCE=..\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=..\common\src\txn_base.h
# End Source File
# End Group
# End Target
# End Project

```

## **db\_odbc\_dll.dsp**

```

# Microsoft Developer Studio Project File - Name="db_odbc_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File, Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=db_odbc_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "db_odbc_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running NMAKE
!MESSAGE by defining the macro CFG on the command line. For example:
!MESSAGE
!MESSAGE NMAKE /f "db_odbc_dll.mak" CFG="db_odbc_dll - Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "db_odbc_dll - Win32 Release" (based on "Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_odbc_dll - Win32 Debug" (based on "Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_odbc_dll - Win32 IceCAP" (based on "Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "db_odbc_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""

```

```

# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D "_WINDOWS" /YX /FD
/c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o /win32 "NUL"
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o /win32 "NUL"
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /dll /machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /dll /machine:I386 /out:".bin\tpcc_odbc.dll"

!ELSEIF "$(CFG)" == "db_odbc_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D "WIN32" /D "_DEBUG" /D "_WINDOWS"
/YX /FD /c
# ADD CPP /nologo /MDd /W3 /GX /ZI /Od /D "WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD
/c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o /win32 "NUL"
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o /win32 "NUL"
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /dll /debug /machine:I386 /pdbtype:sept
# ADD LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /dll /debug /machine:I386 /out:".bin\tpcc_odbc.dll"
/pdbtype:sept

!ELSEIF "$(CFG)" == "db_odbc_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "db_odbc_"
# PROP BASE Intermediate_Dir "db_odbc_"

```

```

# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MDd /W3 /Gm /GX /Zi /Od /D "WIN32" /D "_DEBUG" /D "_WINDOWS"
/YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /Gm /GX /Zi /O2 /D "WIN32" /D "NDEBUG" /D "_WINDOWS" /D
"ICECAP" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o /win32 "NUL"
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o /win32 "NUL"
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbccp32.lib odbccp32.lib
/nologo /subsystem:windows /dll /debug /machine:I386 /out:".bin\tpcc_odbc.dll"
/pdbtype:sept
# ADD LINK32 icap.lib kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbccp32.lib odbccp32.lib
/nologo /subsystem:windows /dll /debug /machine:I386 /out:".bin\tpcc_odbc.dll"
/pdbtype:sept

!ENDIF

# Begin Target

# Name "db_odbc_dll - Win32 Release"
# Name "db_odbc_dll - Win32 Debug"
# Name "db_odbc_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp"
# Begin Source File

SOURCE=.\src\tpcc_odbc.cpp
# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=..\common\src\error.h
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_odbc.h
# End Source File
# Begin Source File

SOURCE=..\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=..\common\src\txn_base.h
# End Source File

```

```

# End Group
# End Target
# End Project

```

## dlldata.c

```

/*****
DllData file -- generated by MIDL compiler

DO NOT ALTER THIS FILE

This file is regenerated by MIDL on every IDL file compile.

To completely reconstruct this file, delete it and rerun MIDL
on all the IDL files in this DLL, specifying this file for the
/dlldata command line option

*****/

#include <rpcproxy.h>

#ifdef __cplusplus
extern "C" {
#endif

EXTERN_PROXY_FILE( tpcc_com_ps )

PROXYFILE_LIST_START
/* Start of list */
REFERENCE_PROXY_FILE( tpcc_com_ps ),
/* End of list */
PROXYFILE_LIST_END

DLLDATA_ROUTINES( aProxyFileList, GET_DLL_CLSID )

#ifdef __cplusplus
} /*extern "C" */
#endif

/* end of generated dlldata file */

```

## error.h

```

/* FILE: ERROR.H
* Microsoft TPC-C Kit Ver. 4.20.000
* Copyright Microsoft, 1999
* All Rights Reserved
* Version 4.10.000 audited by Richard Gimarc,
Performance Metrics, 3/17/99
* PURPOSE: Header file for error exception classes.
* Change history:
* 4.20.000 - updated rev number to match kit
* 4.21.000 - fixed bug: ~CBaseErr needed to be declared virtual
*/

```

```

#pragma once

#ifndef _INC_STRING
#include <string.h>
#endif

const int m_szMsg_size = 512;
const int m_szApp_size = 64;
const int m_szLoc_size = 64;

//error message structure used in ErrorText routines
typedef struct _SERRORMSG
{
    int iError; //error id of
    message char szMsg[256]; //message to sent to
} SERRORMSG;

typedef enum _ErrorLevel
{
    ERR_FATAL_LEVEL = 1,
    ERR_WARNING_LEVEL = 2,
    ERR_INFORMATION_LEVEL = 3
} ErrorLevel;

#define ERR_TYPE_LOGIC -1 //logic error in program; internal error
#define ERR_SUCCESS 0 //success (a non-error error)
#define ERR_BAD_ITEM_ID 1 //expected abort record in txnRecord
#define ERR_TYPE_DELIVERY_POST 2 //expected delivery post failed
#define ERR_TYPE_WEBDLL 3 //tpcc web generated error
#define ERR_TYPE_SQL 4 //sql server generated error
#define ERR_TYPE_DBLIB 5 //dblib generated error
#define ERR_TYPE_ODBC 6 //odbc generated error
#define ERR_TYPE_SOCKET 7 //error on communication socket client rte only
#define ERR_TYPE_DEADLOCK 8 //dblib and odbc only deadlock condition
#define ERR_TYPE_COM 9 //error from COM call
#define ERR_TYPE_TUXEDO 10 //tuxedo error
#define ERR_TYPE_OS 11 //operating system error
#define ERR_TYPE_MEMORY 12 //memory allocation error
#define ERR_TYPE_TPCC_ODBC 13 //error from tpcc odbc txn module
#define ERR_TYPE_TPCC_DBLIB 14 //error from tpcc dblib txn module
#define ERR_TYPE_DELISR 15 //delivery server error
#define ERR_TYPE_TXNLOG 16 //txn log error

```

```

#define ERR_TYPE_BCCONN 17 //Benchcraft connection class
#define ERR_TYPE_TPCC_CONN 18 //Benchcraft connection class
#define ERR_TYPE_ENCINA 19 //Encina error
#define ERR_TYPE_COMPONENT 20 //error from COM component
#define ERR_TYPE_RTE 21 //Benchcraft rte
#define ERR_TYPE_AUTOMATION 22 //Benchcraft automation errors
#define ERR_TYPE_DRIVER 23 //Driver engine errors
#define ERR_TYPE_RTE_BASE 24 //Framework errors
#define ERR_BUF_OVERFLOW 25 //Buffer overflow during receive

// TPC-W error types
#define ERR_TYPE_TPCW_CONN 50 //Benchcraft connection class
#define ERR_TYPE_TPCW_HTML 51 //error from TpcwHtml dll
#define ERR_TYPE_TPCW_USER 52 //error from TPC-W user class
#define ERR_TYPE_TPCW_ENG_BASE 53
#define ERR_TYPE_TPCW_ENG_OS 54
#define ERR_TYPE_HTML_RESP 55
#define ERR_TYPE_TPCW_ODBC 56
#define ERR_TYPE_SCHANNEL 57

#define ERR_INS_MEMORY "Insufficient Memory to continue."
#define ERR_UNKNOWN "Unknown error."
#define ERR_MSG_BUF_SIZE 512
#define INV_ERROR_CODE -1
#define ERR_INS_BUF_OVERFLOW "Insufficient Buffer size to receive HTML pages."

class CBaseErr
{
public:
    CBaseErr(LPCTSTR szLoc = NULL)
    {
        m_idMsg = INV_ERROR_CODE;

        if (szLoc)
        {
            m_szLoc = new char[m_szLoc_size];
            strcpy(m_szLoc, szLoc);
        }
        else
            m_szLoc = NULL;

        m_szApp = new char[m_szApp_size];
        GetModuleFileName(GetModuleHandle(NULL), m_szApp, m_szApp_size);
    }
}

```

```

CBaseErr(int idMsg, LPCTSTR szLoc = NULL)
{
    m_idMsg          = idMsg;

    if (szLoc)
    {
        m_szLoc = new char[m_szLoc_size];
        strcpy(m_szLoc, szLoc);
    }
    else
        m_szLoc = NULL;

    m_szApp          = new char[m_szApp_size];
    GetModuleFileName(GetModuleHandle(NULL), m_szApp, m_szApp_size);
}

virtual ~CBaseErr(void)
{
    if (m_szApp)
        delete [] m_szApp;
    if (m_szLoc)
        delete [] m_szLoc;
};

virtual void Draw(HWND hwnd, LPCTSTR szStr = NULL)
{
    int          j = 0;
    char         szTmp[512];

    if (szStr)
        j = wsprintf(szTmp, "%s\n", szStr);
    if (ErrorNum() != INV_ERROR_CODE)
        j += wsprintf(szTmp+j, "Error = %d\n", ErrorNum());
    if (m_szLoc)
        j += wsprintf(szTmp+j, "Location = %s\n",
        GetLocation());

    j += wsprintf(szTmp+j, "%s\n", ErrorText());

    ::MessageBox(hwnd, szTmp, m_szApp, MB_OK);
}

char *GetApp(void) { return m_szApp; }
char *GetLocation(void) { return m_szLoc; }
virtual int ErrorNum() { return m_idMsg; }

    virtual int ErrorType() = 0; // a value which distinguishes the kind of
error that occurred
    virtual char *ErrorText() = 0; // a string (i.e., human readable)
representation of the error

protected:
char         *m_szApp;
char         *m_szLoc; // code location where the error occurred
int          m_idMsg;

    //short   m_errType;
};

```

```

class CSocketErr : public CBaseErr
{
public:
    enum Action
    {
        eNone = 0,
        eSend,
        eSocket,
        eBind,
        eConnect,
        eListen,
        eHost,
        eRecv,
        eGetHostByName,
        eWSACreateEvent,
        eWSASend,
        eWSASendImage,
        eWSAGetOverlappedResult,
        eWSARecv,
        eWSARecvImage,
        eWSAWaitForMultipleEvents,
        eWSAStartup,
        eWSAResetEvent,
        eNonRetryable,
    };

    CSocketErr(Action eAction, LPCTSTR szLocation = NULL);

    ~CSocketErr()
    {
        if (m_szErrorText != NULL)
            delete [] m_szErrorText;
    };

    Action     m_eAction;
    char      *m_szErrorText;

    int ErrorType() { return ERR_TYPE_SOCKET;};
    char *ErrorText(void);
};

class CSystemErr : public CBaseErr
{
public:
    enum Action
    {
        eNone = 0,
        eTransactNamedPipe,
        eWaitNamedPipe,
        eSetNamedPipeHandleState,
        eCreateFile,
        eCreateProcess,
        eCallNamedPipe,
        eCreateEvent,
        eCreateThread,
        eVirtualAlloc,
        eReadFile = 10,
        eWriteFile,
        eMapViewOfFile,
        eCreateFileMapping,
        eInitializeSecurityDescriptor,
        eSetSecurityDescriptorDacl,
    };
};

```

```

        eCreateNamedPipe,
        eConnectNamedPipe,
        eWaitForSingleObject,
        eRegOpenKeyEx,
        eRegQueryValueEx = 20,
        eBeginThread,
        eRegEnumValue,
        eRegSetValueEx,
        eRegCreateKeyEx,
        eWaitForMultipleObjects,
        eRegisterClassEx,
        eCreateWindow,
        eCreateSemaphore,
        eFSeek,
        eFRead,
        eFWrite,
        eTmpFile,
        eSetFilePointer,
        eNew,
    };

    CSystemErr(Action eAction, LPCTSTR szLocation);
    CSystemErr(int iError, Action eAction, LPCTSTR
szLocation);
    int ErrorType() { return ERR_TYPE_OS;};
    char *ErrorText(void);
    void Draw(HWND hwnd, LPCTSTR szStr = NULL);

    Action m_eAction;

private:
    char m_szMsg[ERR_MSG_BUF_SIZE];
};

class CMemoryErr : public CBaseErr
{
public:
    CMemoryErr();

    int ErrorType() {return ERR_TYPE_MEMORY;}
    char *ErrorText() {return ERR_INS_MEMORY;}
};

class CBufferOverflowErr : public CBaseErr
{
public:
    CBufferOverflowErr(int, LPCTSTR);

    int ErrorType() {return ERR_BUF_OVERFLOW;}

    char *ErrorText() {return ERR_INS_BUF_OVERFLOW;}
};

```

## install.c

```

/* FILE:          INSTALL.C
 *
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 *
 * All Rights Reserved
 *
 * not audited

```

```

 *
 * PURPOSE: Automated installation application for TPC-C Web Kit
 * Contact: Charles Levine (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - added COM installation steps
 */

#include <windows.h>
#include <direct.h>
#include <io.h>
#include <stdlib.h>
#include <stdio.h>
#include <commctrl.h>
#include "..\..\common\src\ReadRegistry.h"

#include "resource.h"

#define WM_INITTEXT WM_USER+100

HICON hIcon;
HINSTANCE hInst;

DWORD versionExeMS;
DWORD versionExeLS;
DWORD versionExeMM;
DWORD versionDllMS;
DWORD versionDllLS;

// TPC-C registry settings
TPCCREGISTRYDATA Reg;

static int iPoolThreadLimit;
static int iThreadTimeout;
static int iListenBackLog;
static int iAcceptExOutstanding;

static int iMaxPhysicalMemory; //max physical memory in
MB
static char szLastFileName[64]; // last file we worked on (for
error reporting)

BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT uMsg, WPARAM wParam, LPARAM
lParam);
BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT uMsg, WPARAM wParam, LPARAM
lParam);
BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg, WPARAM wParam, LPARAM lParam);
BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg, WPARAM wParam, LPARAM lParam);
static void ProcessOK(HWND hwnd, char *szDllPath);
static void ReadRegistrySettings(void);
static void WriteRegistrySettings(char *szDllPath);
static BOOL RegisterDLL(char *szFileName);
static int CopyFiles(HWND hDlg, char *szDllPath);
static BOOL GetInstallPath(char *szDllPath);
static void GetVersionInfo(char *szDLLPath, char *szExePath);
static void CheckWWWebService(void);
static void StartWWWebService(void);
static void StopWWWebService(void);
static void UpdateDialog(HWND hDlg);

BOOL install_com(char *szDllPath);

```

```

#include "..\..\common\src\ReadRegistry.cpp"

int WINAPI WinMain( HINSTANCE hInstance, HINSTANCE hPrevInstance, LPSTR lpCmdLine,
int nCmdShow )
{
    int iRc;

    hInst = hInstance;

    InitCommonControls();

    hIcon = LoadIcon(hInstance, MAKEINTRESOURCE(IDI_ICON1));

    iRc = DialogBox(hInstance, MAKEINTRESOURCE(IDD_DIALOG4),
GetDesktopWindow(), LicenseDlgProc);
    if ( iRc )
    {
        iRc = DialogBox(hInstance, MAKEINTRESOURCE(IDD_DIALOG1),
GetDesktopWindow(), MainDlgProc);
        if ( iRc )
        {
            DialogBoxParam(hInstance,
MAKEINTRESOURCE(IDD_DIALOG2), GetDesktopWindow(), UpdatedDlgProc, (LPARAM)iRc);
        }
    }

    DestroyIcon(hIcon);
    return 0;
}

BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT uMsg, WPARAM wParam, LPARAM lParam)
{
    HGLOBAL          hRes;
    HRSRC            hResInfo;
    BYTE             *pSrc, *pDst;
    DWORD            dwSize;
    static HFONT     hFont;

    switch(uMsg)
    {
        case WM_INITDIALOG:
            hFont = CreateFont(-12, 0, 0, 0, 400, 0, 0, 0, 0, 0,
0, 0, 0, "Arial");
            SendMessage( GetDlgItem(hwnd, IDR_LICENSE1),
WM_SETFONT, (WPARAM)hFont, MAKELPARAM(0, 0) );
            PostMessage(hwnd, WM_INITTEXT, (WPARAM)0, (LPARAM)0);
            return TRUE;
        case WM_INITTEXT:
            hResInfo = FindResource(hInst,
MAKEINTRESOURCE(IDR_LICENSE1), "LICENSE");
            dwSize = SizeofResource(hInst, hResInfo);
            hRes = LoadResource(hInst, hResInfo );
            pSrc = (BYTE *)LockResource(hRes);
            pDst = (unsigned char *)malloc(dwSize+1);
            if ( pDst )
            {
                memcpy(pDst, pSrc, dwSize);
                pDst[dwSize] = 0;
                SetDlgItemText(hwnd, IDC_LICENSE, (const
char *)pDst);
            }
            free(pDst);
        }
    }
}

```

```

SetDlgItemText(hwnd, IDC_LICENSE, (const
char *)pSrc);
    return TRUE;
case WM_DESTROY:
    DeleteObject(hFont);
    return TRUE;
case WM_COMMAND:
    if ( wParam == IDOK )
        EndDialog(hwnd, TRUE);
    if ( wParam == IDCANCEL )
        EndDialog(hwnd, FALSE);
    default:
        break;
}
return FALSE;
}

BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT uMsg, WPARAM wParam, LPARAM lParam)
{
    switch(uMsg)
    {
        case WM_INITDIALOG:
            switch(lParam)
            {
                case 1:
                case 2:
                    SetDlgItemText(hwnd, IDC_RESULTS,
"TPC-C Web Client Installed");
                    break;
            }
            return TRUE;
        case WM_COMMAND:
            if ( wParam == IDOK )
                EndDialog(hwnd, TRUE);
            break;
        default:
            break;
    }
    return FALSE;
}

BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg, WPARAM wParam, LPARAM lParam)
{
    PAINTSTRUCT      ps;
    MEMORYSTATUS     memoryStatus;
    OSVERSIONINFO    VI;
    char             szTmp[256];
    static char      szDllPath[256];
    static char      szExePath[256];

    switch(uMsg)
    {
        case WM_INITDIALOG:
            GlobalMemoryStatus(&memoryStatus);
            iMaxPhysicalMemory = (memoryStatus.dwTotalPhys/
1048576);

            if ( GetInstallPath(szDllPath) )
            {
                MessageBox(hwnd, "Error internet service
inetsrv is not installed.", NULL, MB_ICONSTOP | MB_OK);
                EndDialog(hwnd, FALSE);
                return TRUE;
            }
        }
    }
}

```

```

}

// set default values
ZeroMemory( &Reg, sizeof(Reg) );
Reg.dwNumberOfDeliveryThreads = 4;
Reg.dwMaxConnections = 100;
Reg.dwMaxPendingDeliveries = 100;
Reg.eDB_Protocol = DBLIB;
Reg.eTxnMon = None;
strcpy(Reg.szDbServer, "");
strcpy(Reg.szDbName, "tpcc");
strcpy(Reg.szDbUser, "sa");
strcpy(Reg.szDbPassword, "");

iPoolThreadLimit = iMaxPhysicalMemory * 2;
iThreadTimeout = 86400;
iListenBackLog = 15;
iAcceptExOutstanding = 40;

ReadTPCCRegistrySettings( &Reg );
ReadRegistrySettings();

GetModuleFileName(hInst, szExePath,
sizeof(szExePath));

GetVersionInfo(szDllPath, szExePath);

wsprintf(szTmp, "Version %d.%2.2d.%3.3d",
versionExeMS, versionExeMM, versionExeLS);
SetDlgItemText(hwnd, IDC_VERSION, szTmp);

SetDlgItemText(hwnd, IDC_PATH, szDllPath);

SetDlgItemText(hwnd, ED_DB_SERVER, Reg.szDbServer);
SetDlgItemText(hwnd, ED_DB_USER_ID, Reg.szDbUser);
SetDlgItemText(hwnd, ED_DB_PASSWORD,
Reg.szDbPassword);

SetDlgItemText(hwnd, ED_DB_NAME, Reg.szDbName);

SetDlgItemInt(hwnd, ED_THREADS,
Reg.dwNumberOfDeliveryThreads, FALSE);
SetDlgItemInt(hwnd, ED_MAXCONNECTION,
Reg.dwMaxConnections, FALSE);
SetDlgItemInt(hwnd, ED_MAXDELIVERIES,
Reg.dwMaxPendingDeliveries, FALSE);
SetDlgItemInt(hwnd, ED_IIS_MAX_THREAD_POOL_LIMIT,
iPoolThreadLimit, FALSE);
SetDlgItemInt(hwnd, ED_IIS_THREAD_TIMEOUT,
iThreadTimeout, FALSE);
SetDlgItemInt(hwnd, ED_IIS_LISTEN_BACKLOG,
iListenBackLog, FALSE);
SetDlgItemInt(hwnd, ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE,
iAcceptExOutstanding, FALSE);

CheckDlgButton(hwnd, IDC_DBLIB, 0);
CheckDlgButton(hwnd, IDC_ODBC, 0);
if ( Reg.eDB_Protocol == DBLIB )
    CheckDlgButton(hwnd, IDC_DBLIB, 1);
else
    CheckDlgButton(hwnd, IDC_ODBC, 1);

// check OS version level for COM. Must be at least
Windows 2000
VI.dwOSVersionInfoSize = sizeof(VI);

```

```

option
GetVersionEx( &VI );
if (VI.dwMajorVersion < 5)
{
    HWND hDlg = GetDlgItem( hwnd, IDC_TM_MTS );
    EnableWindow( hDlg, 0 ); // disable COM

    if (Reg.eTxnMon == COM)
        Reg.eTxnMon = None;
}

CheckDlgButton(hwnd, IDC_TM_NONE, 0);
CheckDlgButton(hwnd, IDC_TM_TUXEDO, 0);
CheckDlgButton(hwnd, IDC_TM_MTS, 0);
CheckDlgButton(hwnd, IDC_TM_ENCINA, 0);
switch (Reg.eTxnMon)
{
case None:
    CheckDlgButton(hwnd, IDC_TM_NONE, 1);
    break;
case TUXEDO:
    CheckDlgButton(hwnd, IDC_TM_TUXEDO, 1);
    break;
case ENCINA:
    CheckDlgButton(hwnd, IDC_TM_ENCINA, 1);
    break;
case COM:
    CheckDlgButton(hwnd, IDC_TM_MTS, 1);
    break;
}

return TRUE;
case WM_PAINT:
    if ( !IsIconic(hwnd) )
    {
        BeginPaint(hwnd, &ps);
        DrawIcon(ps.hdc, 0, 0, hIcon);
        EndPaint(hwnd, &ps);
        return TRUE;
    }
    break;
case WM_COMMAND:
    if ( HIWORD(wParam) == BN_CLICKED )
    {
        switch( LOWORD(wParam) )
        {
            case IDC_DBLIB:
                return TRUE;
            case IDC_ODBC:
                return TRUE;
            case IDOK:
                ProcessOK(hwnd,
                return TRUE;
            case IDCANCEL:
                EndDialog(hwnd, FALSE);
                return TRUE;
            default:
                return FALSE;
        }
    }
    break;
default:
    break;

```



```

    }
    return FALSE;
}

static void ProcessOK(HWND hwnd, char *szDllPath)
{
    int          d;
    HWND        hDlg;
    int         rc;

    char        szFullName[256];
    char        szErrTxt[128];

    // read settings from dialog
    Reg.dwNumberOfDeliveryThreads = GetDlgItemInt(hwnd, ED_THREADS, &d,
FALSE);
    Reg.dwMaxConnections = GetDlgItemInt(hwnd, ED_MAXCONNECTION, &d, FALSE);
    Reg.dwMaxPendingDeliveries = GetDlgItemInt(hwnd, ED_MAXDELIVERIES, &d,
FALSE);

    GetDlgItemText(hwnd, ED_DB_SERVER, Reg.szDbServer,
sizeof(Reg.szDbServer));
    GetDlgItemText(hwnd, ED_DB_USER_ID, Reg.szDbUser, sizeof(Reg.szDbUser));
    GetDlgItemText(hwnd, ED_DB_PASSWORD, Reg.szDbPassword,
sizeof(Reg.szDbPassword));
    GetDlgItemText(hwnd, ED_DB_NAME, Reg.szDbName, sizeof(Reg.szDbName));

    if ( IsDlgButtonChecked(hwnd, IDC_DBLIB) )
    {
        Reg.eDB_Protocol = DBLIB;
        rc = 1;
    }
    else if ( IsDlgButtonChecked(hwnd, IDC_ODBC) )
    {
        Reg.eDB_Protocol = ODBC;
        rc = 2;
    }

    if ( IsDlgButtonChecked(hwnd, IDC_TM_NONE) )
        Reg.eTxnMon = None;
    else if ( IsDlgButtonChecked(hwnd, IDC_TM_TUXEDO) )
        Reg.eTxnMon = TUXEDO;
    else if ( IsDlgButtonChecked(hwnd, IDC_TM_MTS) )
        Reg.eTxnMon = COM;
    else if ( IsDlgButtonChecked(hwnd, IDC_TM_ENCINA) )
        Reg.eTxnMon = ENCINA;

    iPoolThreadLimit = GetDlgItemInt(hwnd, ED_IIS_MAX_THREAD_POOL_LIMIT, &d,
FALSE);
    iThreadTimeout = GetDlgItemInt(hwnd, ED_IIS_THREAD_TIMEOUT, &d, FALSE);
    iListenBackLog = GetDlgItemInt(hwnd, ED_IIS_LISTEN_BACKLOG, &d, FALSE);
    iAcceptExOutstanding = GetDlgItemInt(hwnd,
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE, &d, FALSE);

    ShowWindow(hwnd, SW_HIDE);
    hDlg = CreateDialog(hInst, MAKEINTRESOURCE(IDD_DIALOG3), hwnd,
CopyDlgProc);
    ShowWindow(hDlg, SW_SHOWNA);
    UpdateDialog(hDlg);

    // write binaries to inetpub\wwwroot

```

```

rc = CopyFiles(hDlg, szDllPath);
if ( !rc )
{
    ShowWindow(hwnd, SW_SHOWNA);
    DestroyWindow(hDlg);
    strcpy( szErrTxt, "Error(s) occured when creating " );
    strcat( szErrTxt, szLastFileName );
    MessageBox(hwnd, szErrTxt, NULL, MB_ICONSTOP | MB_OK);
    EndDialog(hwnd, 0);
    return;
}

// update registry
SetDlgItemText(hDlg, IDC_STATUS, "Updating Registry.");
SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
UpdateDialog(hDlg);
WriteRegistrySettings(szDllPath);

// register com proxy stub
strcpy(szFullName, szDllPath);
strcat(szFullName, "tpcc_com_ps.dll");
if (!RegisterDLL(szFullName))
{
    ShowWindow(hwnd, SW_SHOWNA);
    DestroyWindow(hDlg);
    strcpy( szErrTxt, "Error occured when registering " );
    strcat( szErrTxt, szFullName );
    MessageBox(hwnd, szErrTxt, NULL, MB_ICONSTOP | MB_OK);
    EndDialog(hwnd, 0);
    return;
}

// if using COM
if (Reg.eTxnMon == COM)
{
    SetDlgItemText(hDlg, IDC_STATUS, "Configuring COM.");
    SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    if (install_com(szDllPath))
    {
        ShowWindow(hwnd, SW_SHOWNA);
        DestroyWindow(hDlg);
        strcpy( szErrTxt, "Error occured when configuring COM
settings." );

        MessageBox(hwnd, szErrTxt, NULL, MB_ICONSTOP | MB_OK);
        EndDialog(hwnd, 0);
        return;
    }
}

Sleep(100);

ShowWindow(hwnd, SW_SHOWNA);
DestroyWindow(hDlg);

EndDialog(hwnd, rc);
return;
}

static void ReadRegistrySettings(void)
{
    HKEY        hKey;

```

```

        DWORD    size;
        DWORD    type;

        if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\Inetinfo\\Parameters", 0, KEY_READ, &hKey) ==
ERROR_SUCCESS )
        {
            size = sizeof(iPoolThreadLimit);
            if ( RegQueryValueEx(hKey, "PoolThreadLimit", 0, &type, (char
*)&iPoolThreadLimit, &size) == ERROR_SUCCESS )
                if ( !iPoolThreadLimit )
                    iPoolThreadLimit = iMaxPhysicalMemory * 2;

            size = sizeof(iThreadTimeout);
            if ( RegQueryValueEx(hKey, "ThreadTimeout", 0, &type, (char
*)&iThreadTimeout, &size) == ERROR_SUCCESS )
                if ( !iThreadTimeout )
                    iThreadTimeout = 86400;

            size = sizeof(iListenBackLog);
            if ( RegQueryValueEx(hKey, "ListenBackLog", 0, &type, (char
*)&iListenBackLog, &size) == ERROR_SUCCESS )
                if ( !iListenBackLog )
                    iListenBackLog = 15;

            RegCloseKey(hKey);
        }

        if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Parameters", 0, KEY_READ, &hKey) ==
ERROR_SUCCESS )
        {
            size = sizeof(iAcceptExOutstanding);
            if ( RegQueryValueEx(hKey, "AcceptExOutstanding", 0, &type,
(char *)&iAcceptExOutstanding, &size) == ERROR_SUCCESS )
                if ( !iAcceptExOutstanding )
                    iAcceptExOutstanding = 40;

            RegCloseKey(hKey);
        }
    }

static void WriteRegistrySettings(char *szDllPath)
{
    HKEY    hKey;
    DWORD   dwDisposition;
    char    szTmp[256];
    char    *ptr;
    int     iRc;

    if ( RegCreateKeyEx(HKEY_LOCAL_MACHINE, "SOFTWARE\\Microsoft\\TPCC", 0,
NULL, REG_OPTION_NON_VOLATILE, KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition) ==
ERROR_SUCCESS )
    {
        strcpy(szTmp, szDllPath);
        ptr = strstr(szTmp, "tpcc");
        if ( ptr )
            *ptr = 0;

        RegSetValueEx(hKey, "Path", 0, REG_SZ, szTmp, strlen(szTmp)+1);

        RegSetValueEx(hKey, "NumberOfDeliveryThreads", 0, REG_DWORD,
(char *)&Reg.dwNumberOfDeliveryThreads, sizeof(Reg.dwNumberOfDeliveryThreads));
    }
}

```

```

        RegSetValueEx(hKey, "MaxConnections", 0, REG_DWORD, (char
*)&Reg.dwMaxConnections, sizeof(Reg.dwMaxConnections));
        RegSetValueEx(hKey, "MaxPendingDeliveries", 0, REG_DWORD, (char
*)&Reg.dwMaxPendingDeliveries, sizeof(Reg.dwMaxPendingDeliveries));

        RegSetValueEx(hKey, "DB_Protocol", 0, REG_SZ,
szDBNames[Reg.eDB_Protocol], strlen(szDBNames[Reg.eDB_Protocol])+1);
        RegSetValueEx(hKey, "TxnMonitor", 0, REG_SZ,
szTxnMonNames[Reg.eTxnMon], strlen(szTxnMonNames[Reg.eTxnMon])+1);

        RegSetValueEx(hKey, "DbServer", 0, REG_SZ, Reg.szDbServer,
strlen(Reg.szDbServer)+1);
        RegSetValueEx(hKey, "DbName", 0, REG_SZ, Reg.szDbName,
strlen(Reg.szDbName)+1);
        RegSetValueEx(hKey, "DbUser", 0, REG_SZ, Reg.szDbUser,
strlen(Reg.szDbUser)+1);
        RegSetValueEx(hKey, "DbPassword", 0, REG_SZ, Reg.szDbPassword,
strlen(Reg.szDbPassword)+1);

        strcpy(szTmp, "YES");
        RegSetValueEx(hKey, "COM_SinglePool", 0, REG_SZ, szTmp,
strlen(szTmp)+1);

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if ( (iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\Inetinfo\\Parameters", 0, NULL,
REG_OPTION_NON_VOLATILE, KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        RegSetValueEx(hKey, "PoolThreadLimit", 0, REG_DWORD, (char
*)&iPoolThreadLimit, sizeof(iPoolThreadLimit));
        RegSetValueEx(hKey, "ThreadTimeout", 0, REG_DWORD, (char
*)&iThreadTimeout, sizeof(iThreadTimeout));
        RegSetValueEx(hKey, "ListenBackLog", 0, REG_DWORD, (char
*)&iListenBackLog, sizeof(iListenBackLog));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if ( (iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Parameters", 0, NULL,
REG_OPTION_NON_VOLATILE, KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        RegSetValueEx(hKey, "AcceptExOutstanding", 0, REG_DWORD, (char
*)&iAcceptExOutstanding, sizeof(iAcceptExOutstanding));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    return;
}

BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg, WPARAM wParam, LPARAM lParam)
{
    if ( uMsg == WM_INITDIALOG )
    {

```

```

        SendDlgItemMessage(hwnd, IDC_PROGRESS1, PBM_SETRANGE, 0,
MAKELPARAM(0, 16));
        SendDlgItemMessage(hwnd, IDC_PROGRESS1, PBM_SETSTEP, (WPARAM)1,
0);
        return TRUE;
    }
    return FALSE;
}

BOOL RegisterDLL(char *szFileName)
{
    HINSTANCE hLib;
    FARPROC    lpDllEntryPoint;

    hLib = LoadLibrary(szFileName);
    if ( hLib == NULL )
        return FALSE;
    // Find the entry point.
    lpDllEntryPoint = GetProcAddress(hLib, "DllRegisterServer");
    if (lpDllEntryPoint != NULL)
    {
        return ((*lpDllEntryPoint)() == S_OK);
    }
    else
        return FALSE;    //unable to locate entry point
}

BOOL FileFromResource( char *szResourceName, int iResourceId, char *szDllPath, char
*szFileName )
{
    HGLOBAL          hDLL;
    HRSRC            hResInfo;
    HANDLE           hFile;
    DWORD            dwSize;
    BYTE             *pSrc;
    DWORD            d;
    char             szFullName[256];

    hResInfo = FindResource(hInst, MAKEINTRESOURCE(iResourceId),
szResourceName);

    strcpy(szFullName, szDllPath);
    strcat(szFullName, szFileName);

    dwSize = SizeofResource(hInst, hResInfo);
    hDLL = LoadResource(hInst, hResInfo);
    pSrc = (BYTE *)LockResource(hDLL);
    remove(szFullName);

    if ( !(hFile = CreateFile(szFullName, GENERIC_WRITE, 0, NULL,
CREATE_ALWAYS, FILE_ATTRIBUTE_NORMAL, NULL)) )
        return FALSE;

    if ( !WriteFile(hFile, pSrc, dwSize, &d, NULL) )
        return FALSE;

    CloseHandle(hFile);

    UnlockResource(hDLL);
    FreeResource(hDLL);
    return TRUE;
}

```

```

static int CopyFiles(HWND hDlg, char *szDllPath)
{
    BOOL            bSvcRunning;

    bSvcRunning = CheckWWWService();
    if ( bSvcRunning )
    {
        SendDlgItemText(hDlg, IDC_STATUS, "Stopping Web Service.");
        SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        StopWWWService();
        SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
    }

    SendDlgItemText(hDlg, IDC_STATUS, "Copying Files...");
    SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install TPCC.DLL
    strcpy( szLastFileName, "tpcc.dll" );
    if (!FileFromResource( "TPCCDLL", IDR_TPCCDLL, szDllPath, szLastFileName
))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_dblib.dll
    strcpy( szLastFileName, "tpcc_dblib.dll" );
    if (!FileFromResource( "DBLIB_DLL", IDR_DBLIB_DLL, szDllPath,
szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_odbc.dll
    strcpy( szLastFileName, "tpcc_odbc.dll" );
    if (!FileFromResource( "ODBC_DLL", IDR_ODBC_DLL, szDllPath, szLastFileName
))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tuxapp.exe
    strcpy( szLastFileName, "tuxapp.exe" );
    if (!FileFromResource( "TUXEDO_APP", IDR_TUXEDO_APP, szDllPath,
szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_tuxedo.dll
    strcpy( szLastFileName, "tpcc_tuxedo.dll" );
    if (!FileFromResource( "TUXEDO_DLL", IDR_TUXEDO_DLL, szDllPath,
szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_com.dll
    strcpy( szLastFileName, "tpcc_com.dll" );
}

```

```

    if (!FileFromResource( "COM_DLL", IDR_COM_DLL, szDllPath, szLastFileName
))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_com_all.tlb
    strcpy( szLastFileName, "tpcc_com_all.tlb" );
    if (!FileFromResource( "COM_TYPLIB", IDR_COMTYPLIB_DLL, szDllPath,
szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_com_ps.dll
    strcpy( szLastFileName, "tpcc_com_ps.dll" );
    if (!FileFromResource( "COM_PS_DLL", IDR_COMPS_DLL, szDllPath,
szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_com_all.dll
    strcpy( szLastFileName, "tpcc_com_all.dll" );
    if (!FileFromResource( "COM_ALL_DLL", IDR_COMALL_DLL, szDllPath,
szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    //if we stopped service restart it.
    if ( bSvcRunning )
    {
        SetDlgItemText(hDlg, IDC_STATUS, "Starting Web Service.");
        SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
        StartWWWebService();
    }

    SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    return 1;
}

static BOOL GetInstallPath(char *szDllPath)
{
    HKEY  hKey;
    BYTE   szData[256];
    DWORD  sv;
    BOOL   bRc;
    int    len;
    int    iRc;

    // Registry key HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\InetStp\PathWWWRoot
    // is used to find the
    // IIS default web site directory and determine that IIS is installed.

    szDllPath[0] = 0;
    bRc = TRUE;
    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE, "SOFTWARE\\Microsoft\\InetStp", 0,
KEY_ALL_ACCESS, &hKey) == ERROR_SUCCESS )

```

```

    {
        sv = sizeof(szData);
        iRc = RegQueryValueEx( hKey, "PathWWWRoot", NULL, NULL, szData,
&sv ); // used by IIS 5.0 & 6.0
        if (iRc == ERROR_SUCCESS)
        {
            bRc = FALSE;
            strcpy(szDllPath, szData);
            len = strlen(szDllPath);
            if ( szDllPath[len-1] != '\\ ' )
            {
                szDllPath[len] = '\\';
                szDllPath[len+1] = 0;
            }
        }
        RegCloseKey(hKey);
    }

    return bRc;
}

static void GetVersionInfo(char *szDLLPath, char *szExePath)
{
    DWORD  d;
    DWORD  dwSize;
    DWORD  dwBytes;
    char   *ptr;
    VS_FIXEDFILEINFO  *vs;

    versionDllMS = 0;
    versionDllLS = 0;
    if ( _access(szDLLPath, 00) == 0 )
    {
        dwSize = GetFileVersionInfoSize(szDLLPath, &d);
        if ( dwSize )
        {
            ptr = (char *)malloc(dwSize);
            GetFileVersionInfo(szDLLPath, 0, dwSize, ptr);
            VerQueryValue(ptr, "\\",&vs, &dwBytes);
            versionDllMS = vs->dwProductVersionMS;
            versionDllLS = vs->dwProductVersionLS;
            free(ptr);
        }
    }

    versionExeMS = 0x7FFF;
    versionExeLS = 0x7FFF;
    dwSize = GetFileVersionInfoSize(szExePath, &d);
    if ( dwSize )
    {
        ptr = (char *)malloc(dwSize);
        GetFileVersionInfo(szExePath, 0, dwSize, ptr);
        VerQueryValue(ptr, "\\",&vs, &dwBytes);

        versionExeMS = vs->dwProductVersionMS;
        versionExeLS = LOWORD(vs->dwProductVersionLS);
        versionExeMM = HIWORD(vs->dwProductVersionLS);
        free(ptr);
    }
    return;
}

```

```

static BOOL CheckWWWebService(void)
{
    SC_HANDLE      schSCManager;
    SC_HANDLE      schService;
    SERVICE_STATUS ssStatus;

    schSCManager = OpenSCManager(NULL, NULL, SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager, TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! QueryServiceStatus(schService, &ssStatus) )
        goto ServiceNotRunning;

    if ( !ControlService(schService, SERVICE_CONTROL_STOP, &ssStatus) )
        goto ServiceNotRunning;
    //start Service pending, Check the status until the service is running.
    if (! QueryServiceStatus(schService, &ssStatus) )
        goto ServiceNotRunning;

    CloseServiceHandle(schService);
    return TRUE;

ServiceNotRunning:

    CloseServiceHandle(schService);
    return FALSE;
}

static BOOL StartWWWebService(void)
{
    SC_HANDLE      schSCManager;
    SC_HANDLE      schService;
    SERVICE_STATUS ssStatus;
    DWORD          dwOldCheckPoint;

    schSCManager = OpenSCManager(NULL, NULL, SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager, TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! StartService(schService, 0, NULL) )
        goto StartWWWebErr;
    //start Service pending, Check the status until the service is running.
    if (! QueryServiceStatus(schService, &ssStatus) )
        goto StartWWWebErr;
    while( ssStatus.dwCurrentState != SERVICE_RUNNING)
    {
        dwOldCheckPoint = ssStatus.dwCheckPoint;
        //Save the current checkpoint.
        Sleep(ssStatus.dwWaitHint);
        //Wait for the specified interval.
        if ( !QueryServiceStatus(schService, &ssStatus) ) //Check the
status again.
            break;
        if (dwOldCheckPoint >= ssStatus.dwCheckPoint)
            //Break if the checkpoint has not been incremented.
            break;
    }

    if (ssStatus.dwCurrentState == SERVICE_RUNNING)
        goto StartWWWebErr;
}

```

```

    CloseServiceHandle(schService);
    return TRUE;

StartWWWebErr:
    CloseServiceHandle(schService);
    return FALSE;
}

static BOOL StopWWWebService(void)
{
    SC_HANDLE      schSCManager;
    SC_HANDLE      schService;
    SERVICE_STATUS ssStatus;
    DWORD          dwOldCheckPoint;

    schSCManager = OpenSCManager(NULL, NULL, SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager, TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! QueryServiceStatus(schService, &ssStatus) )
        goto StopWWWebErr;

    if ( !ControlService(schService, SERVICE_CONTROL_STOP, &ssStatus) )
        goto StopWWWebErr;
    //start Service pending, Check the status until the service is running.
    if (! QueryServiceStatus(schService, &ssStatus) )
        goto StopWWWebErr;
    while( ssStatus.dwCurrentState == SERVICE_RUNNING)
    {
        dwOldCheckPoint = ssStatus.dwCheckPoint;
        //Save the current checkpoint.
        Sleep(ssStatus.dwWaitHint);
        //Wait for the specified interval.
        if ( !QueryServiceStatus(schService, &ssStatus) ) //Check the
status again.
            break;
        if (dwOldCheckPoint >= ssStatus.dwCheckPoint)
            //Break if the checkpoint has not been incremented.
            break;
    }

    if (ssStatus.dwCurrentState == SERVICE_RUNNING)
        goto StopWWWebErr;

    CloseServiceHandle(schService);
    return TRUE;

StopWWWebErr:
    CloseServiceHandle(schService);
    return FALSE;
}

static void UpdateDialog(HWND hDlg)
{
    MSG msg;

    UpdateWindow(hDlg);
    while( PeekMessage(&msg, hDlg, 0, 0, PM_REMOVE) )
    {
        TranslateMessage(&msg);
    }
}

```

```

        DispatchMessage(&msg);
    }
    Sleep(250);
    return;
}

```

## install.h

```

//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by install.rc
//

#define IDD_DIALOG1          101
#define IDI_ICON1           102
#define IDR_TPCDLL          103
#define IDD_DIALOG2        105
#define IDI_ICON2           106
#define IDR_DELIVERY        107
#define IDD_DIALOG3        108

#define BN_LOG              1001
#define ED_KEEP             1002
#define ED_THREADS          1003
#define ED_THREADS2        1004
#define IDC_PATH            1007
#define IDC_VERSION         1009
#define IDC_RESULTS         1010
#define IDC_PROGRESS1       1011
#define IDC_STATUS          1012
#define IDC_BUTTON1         1013
#define ED_MAXCONNECTION    1014
#define ED_IIS_MAX_THREAD_POOL_LIMIT 1015
#define ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE 1017
#define ED_IIS_THREAD_TIMEOUT 1018
#define ED_IIS_LISTEN_BACKLOG 1019
#define IDC_DBLIB           1021
#define IDC_ODBC            1022
#define IDC_CONNECT_POOL    1023
#define ED_USER_CONNECT_DELAY_TIME 1024

// Next default values for new objects
//

```

## install.rc

```

//Microsoft Developer Studio generated resource script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"

//
//
#endif APSTUDIO_READONLY_SYMBOLS

```

```

// English (U.S.) resources

#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

//
// Dialog
//

IDD_DIALOG1 DIALOGEX 0, 0, 219, 351
STYLE DS_MODALFRAME | DS_CENTER | WS_MINIMIZEBOX | WS_POPUP | WS_CAPTION |
WS_SYSTEMMENU
CAPTION "TPC-C Web Client Installation Utility"
FONT 8, "MS Sans Serif"
BEGIN
    EDITTEXT        ED_THREADS,164,45,34,12,ES_RIGHT | ES_NUMBER,
        WS_EX_RTLREADING
    EDITTEXT        ED_MAXDELIVERIES,164,59,34,12,ES_RIGHT | ES_NUMBER,
        WS_EX_RTLREADING
    EDITTEXT        ED_MAXCONNECTION,164,73,34,12,ES_RIGHT | ES_NUMBER,
        WS_EX_RTLREADING
    CONTROL         "None", IDC_TM_NONE, "Button", BS_AUTORADIOBUTTON |
        WS_GROUP | WS_TABSTOP,43,100,33,10
    CONTROL         "COM", IDC_TM_MTS, "Button", BS_AUTORADIOBUTTON |
        WS_TABSTOP,43,113,32,10
    CONTROL         "TUXEDO", IDC_TM_TUXEDO, "Button", BS_AUTORADIOBUTTON |
        WS_TABSTOP,106,100,46,10
    CONTROL         "ENCINA", IDC_TM_ENCINA, "Button", BS_AUTORADIOBUTTON |
        WS_DISABLED | WS_TABSTOP,106,113,43,10
    EDITTEXT        ED_DB_SERVER,131,152,67,12,ES_AUTOHSCROLL
    EDITTEXT        ED_DB_USER_ID,131,165,67,12,ES_AUTOHSCROLL
    EDITTEXT        ED_DB_PASSWORD,131,178,67,12,ES_AUTOHSCROLL
    EDITTEXT        ED_DB_NAME,131,191,67,12,ES_AUTOHSCROLL
    CONTROL         "DBLIB", IDC_DBLIB, "Button", BS_AUTORADIOBUTTON | WS_GROUP |
        WS_TABSTOP,45,219,39,12
    CONTROL         "ODBC", IDC_ODBC, "Button", BS_AUTORADIOBUTTON | WS_TABSTOP,
        91,219,39,12
    EDITTEXT        ED_IIS_MAX_THREAD_POOL_LIMIT,164,263,34,12,ES_RIGHT |
        ES_NUMBER,WS_EX_RTLREADING
    EDITTEXT        ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE,164,277,34,12,ES_RIGHT |
        ES_NUMBER,WS_EX_RTLREADING
    EDITTEXT        ED_IIS_THREAD_TIMEOUT,164,291,34,12,ES_RIGHT | ES_NUMBER,
        WS_EX_RTLREADING
    EDITTEXT        ED_IIS_LISTEN_BACKLOG,164,305,34,12,ES_RIGHT | ES_NUMBER,
        WS_EX_RTLREADING
    DEFPUSHBUTTON   "OK", IDOK,53,331,50,14
    PUSHBUTTON      "Cancel", IDCANCEL,119,331,50,14
    EDITTEXT        IDC_PATH,106,26,91,13,ES_AUTOHSCROLL | ES_READONLY
    LTEXT           "Number of Delivery Threads:", IDC_STATIC,35,45,115,12
    LTEXT           "Max Number of Connections:", IDC_STATIC,35,73,115,12
    RTEXT          "Version 4.11", IDC_VERSION,120,4,89,9
    LTEXT           "IIS Max Thread Pool Limit:", IDC_STATIC,36,263,115,12
    LTEXT           "Web Service Backlog Queue Size:", IDC_STATIC,36,277,115,
        12
    LTEXT           "IIS Thread Timeout (seconds):", IDC_STATIC,36,291,115,12
    LTEXT           "IIS Listen Backlog:", IDC_STATIC,36,307,115,10
    GROUPBOX        "Database Interface", IDC_STATIC,35,208,163,27,WS_GROUP
    LTEXT           "Installation directory:", IDC_STATIC,35,29,71,10
    GROUPBOX        "Transaction Monitor", IDC_STATIC,33,90,165,37

```

```

LTEXT      "Server Name:",IDC_STATIC,35,155,56,8
LTEXT      "User ID:",IDC_STATIC,35,168,60,8
LTEXT      "User Password:",IDC_STATIC,35,181,83,8
LTEXT      "Database Name:",IDC_STATIC,35,194,54,8
GROUPBOX   "SQL Server Connection Properties",IDC_STATIC,22,139,187,
102
GROUPBOX   "Web Client Properties",IDC_STATIC,22,15,187,118
GROUPBOX   "IIS Settings",IDC_STATIC,22,247,187,79
LTEXT      "Max Pending Deliveries:",IDC_STATIC,35,59,115,12
END

IDD_DIALOG2 DIALOGEX 0, 0, 117, 62
STYLE DS_SETFOREGROUND | DS_3DLOOK | DS_CENTER | WS_POPUP | WS_BORDER
EXSTYLE WS_EX_STATICEDGE
FONT 12, "MS Sans Serif", 0, 0, 0x1
BEGIN
  DEFPUSHBUTTON  "OK",IDOK,33,45,50,9
  CTEXT          "HTML TPC-C Installation Successful",IDC_RESULTS,7,22,
102,18,0,WS_EX_CLIENTEDGE
  ICON           IDI_ICON2,IDC_STATIC,50,7,18,20,SS_REALSIZEIMAGE,
WS_EX_TRANSPARENT
END

IDD_DIALOG3 DIALOG DISCARDABLE 0, 0, 91, 40
STYLE DS_SYSMODAL | DS_MODALFRAME | DS_3DLOOK | DS_CENTER | WS_CAPTION
CAPTION "Installing TPC-C Web Client"
FONT 12, "Arial Black"
BEGIN
  CONTROL        "Progress1",IDC_PROGRESS1,"msctls_progress32",WS_BORDER,
7,20,77,13
  CTEXT          "Static",IDC_STATUS,7,7,77,12,SS_SUNKEN
END

IDD_DIALOG4 DIALOG DISCARDABLE 0, 0, 291, 202
STYLE DS_MODALFRAME | DS_CENTER | WS_POPUP | WS_CAPTION | WS_SYSMENU
CAPTION "Client End User License"
FONT 8, "MS Sans Serif"
BEGIN
  EDITTEXT       IDC_LICENSE,7,7,271,167,ES_MULTILINE | ES_AUTOVSCROLL |
ES_AUTOHSCROLL | ES_READONLY | WS_VSCROLL | WS_HSCROLL
  DEFPUSHBUTTON  "I &Agree",IDOK,87,181,50,14
  PUSHBUTTON     "&Cancel",IDCANCEL,153,181,50,14
END

////////////////////////////////////
//
// DESIGNINFO
//
#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
  IDD_DIALOG1, DIALOG
  BEGIN
    LEFTMARGIN, 22
    RIGHTMARGIN, 209
    VERTGUIDE, 35
    VERTGUIDE, 198
    TOPMARGIN, 4
    BOTTOMMARGIN, 345
  END
END

```

```

IDD_DIALOG2, DIALOG
BEGIN
  LEFTMARGIN, 7
  RIGHTMARGIN, 109
  TOPMARGIN, 7
  BOTTOMMARGIN, 54
END

IDD_DIALOG3, DIALOG
BEGIN
  LEFTMARGIN, 7
  RIGHTMARGIN, 84
  TOPMARGIN, 7
  BOTTOMMARGIN, 33
END

IDD_DIALOG4, DIALOG
BEGIN
  LEFTMARGIN, 7
  RIGHTMARGIN, 278
  TOPMARGIN, 7
  BOTTOMMARGIN, 195
END

END
#endif // APSTUDIO_INVOKED

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
//
// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
  "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
  "#include \"afxres.h\"\r\n"
  "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
  "\r\n"
  "\0"
END

#endif // APSTUDIO_INVOKED

////////////////////////////////////
//
// Icon
//

// Icon with lowest ID value placed first to ensure application icon
// remains consistent on all systems.
IDI_ICON1          ICON    DISCARDABLE    "icon1.ico"
IDI_ICON2          ICON    DISCARDABLE    "icon2.ico"

```

```

////////////////////////////////////
//
// TPCCDLL
//
IDR_TPCCDLL          TPCCDLL DISCARDABLE    "..\..\isapi_dll\bin\tpcc.dll"

#ifdef _MAC
////////////////////////////////////
//
// Version
//
VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,20,0
PRODUCTVERSION 0,4,20,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x1L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904b0"
        BEGIN
            VALUE "Comments", "TPC-C Web Client Installer\0"
            VALUE "CompanyName", "Microsoft\0"
            VALUE "FileDescription", "install\0"
            VALUE "FileVersion", "0, 4, 20, 0\0"
            VALUE "InternalName", "install\0"
            VALUE "LegalCopyright", "Copyright © 1999\0"
            VALUE "OriginalFilename", "install.exe\0"
            VALUE "ProductName", "Microsoft install\0"
            VALUE "ProductVersion", "0, 4, 20, 0\0"
        END
    END
    BLOCK "VarFileInfo"
    BEGIN
        VALUE "Translation", 0x409, 1200
    END
END
#endif // !_MAC

////////////////////////////////////
//
// LICENSE
//
IDR_LICENSE1        LICENSE DISCARDABLE    "license.txt"

////////////////////////////////////
//
// DBLIB_DLL
//

```

```

IDR_DBLIB_DLL        DBLIB_DLL DISCARDABLE
"..\..\db_dblib_dll\bin\tpcc_dblib.dll"

////////////////////////////////////
//
// ODBC_DLL
//
IDR_ODBC_DLL         ODBC_DLL DISCARDABLE
"..\..\db_odbc_dll\bin\tpcc_odbc.dll"

////////////////////////////////////
//
// TUXEDO_APP
//
IDR_TUXEDO_APP       TUXEDO_APP DISCARDABLE  "..\..\tuxapp\bin\tuxapp.exe"

////////////////////////////////////
//
// TUXEDO_DLL
//
IDR_TUXEDO_DLL       TUXEDO_DLL DISCARDABLE
"..\..\tm_tuxedo_dll\bin\tpcc_tuxedo.dll"

////////////////////////////////////
//
// COM_DLL
//
IDR_COM_DLL          COM_DLL DISCARDABLE
"..\..\tm_com_dll\bin\tpcc_com.dll"

////////////////////////////////////
//
// COM_PS_DLL
//
IDR_COMPS_DLL        COM_PS_DLL DISCARDABLE
"..\..\tpcc_com_ps\bin\tpcc_com_ps.dll"

////////////////////////////////////
//
// COM_ALL_DLL
//
IDR_COMALL_DLL       COM_ALL_DLL DISCARDABLE
"..\..\tpcc_com_all\bin\tpcc_com_all.dll"

////////////////////////////////////
//
// COM_TYPLIB
//
IDR_COMTYPLIB_DLL    COM_TYPLIB DISCARDABLE
"..\..\tpcc_com_all\src\tpcc_com_all.tlb"

#endif // English (U.S.) resources
////////////////////////////////////

```



```

#ifndef APSTUDIO_INVOKED
//
// Generated from the TEXTINCLUDE 3 resource.
//

//
#endif // not APSTUDIO_INVOKED

```

## ***install\_com.cpp***

```

/* FILE: INSTALL_COM.CPP
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 *
 * All Rights Reserved
 *
 * not audited
 *
 * PURPOSE: installation code for COM application for TPC-C Web Kit
 * Contact: Charles Levine (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - first version
 */

#define _WIN32_WINNT 0x0500

#include <comdef.h>
#include <comadmin.h>
#include <stdio.h>
#include <tchar.h>

extern "C"
{
    BOOL install_com(char *szDllPath);
}

BOOL install_com(char *szDllPath)
{
    ICOMAdminCatalog* pCOMAdminCat = NULL;
    ICatalogCollection* pCatalogCollectionApp = NULL;
    ICatalogCollection* pCatalogCollectionCo = NULL;
    ICatalogCollection* pCatalogCollectionItf = NULL;
    ICatalogCollection* pCatalogCollectionMethod = NULL;

    ICatalogObject* pCatalogObjectApp = NULL;
    ICatalogObject* pCatalogObjectCo = NULL;
    ICatalogObject* pCatalogObjectItf = NULL;
    ICatalogObject* pCatalogObjectMethod = NULL;

    _bstr_t bstrTemp, bstrTemp2, bstrTemp3,
bstrTemp4;
    _bstr_t bstrDllPath = szDllPath;
    _variant_t vTmp, vKey;
    long lActProp, lCount, lCountCo,
lCountItf, lCountMethod;
    bool bTmp;

    CoInitializeEx(NULL, COINIT_MULTITHREADED);

```

```

HRESULT hr = CoCreateInstance(CLSID_COMAdminCatalog,
NULL,
CLSCTX_INPROC_SERVER,
IID_ICOMAdminCatalog,
(void**) &pCOMAdminCat);

if (!SUCCEEDED(hr)) goto Error;

bstrTemp = "Applications";

// Attempt to connect to "Applications" in the Catalog
hr = pCOMAdminCat->GetCollection(bstrTemp,

(IDispatch**) &pCatalogCollectionApp);
if (!SUCCEEDED(hr)) goto Error;

// Attempt to load the "Applications" collection
hr = pCatalogCollectionApp->Populate();
if (!SUCCEEDED(hr)) goto Error;

hr = pCatalogCollectionApp->get_Count(&lCount);
if (!SUCCEEDED(hr)) goto Error;

// iterate through applications to delete existing "TPC-C" application (if
any)
while (lCount > 0)
{
    hr = pCatalogCollectionApp->get_Item(lCount - 1, (IDispatch**)
&pCatalogObjectApp);
    if (!SUCCEEDED(hr)) goto Error;

    hr = pCatalogObjectApp->get_Name(&vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    if (wcsncmp(vTmp.bstrVal, L"TPC-C"))
    {
        lCount--;
        continue;
    }
    else
    {
        hr = pCatalogCollectionApp->Remove(lCount - 1);
        if (!SUCCEEDED(hr)) goto Error;
        break;
    }
}

hr = pCatalogCollectionApp->SaveChanges(&lActProp);
if (!SUCCEEDED(hr)) goto Error;

// add the new application
hr = pCatalogCollectionApp->Add((IDispatch**) &pCatalogObjectApp);
if (!SUCCEEDED(hr)) goto Error;

// set properties
bstrTemp = "Name";
vTmp = "TPC-C";
hr = pCatalogObjectApp->put_Value(bstrTemp, vTmp);

```

```

if (!SUCCEEDED(hr)) goto Error;

// set as a library (in process) application
bstrTemp = "Activation";
lActProp = COMAdminActivationInproc;
vTmp = lActProp;
hr = pCatalogObjectApp->put_Value(bstrTemp, vTmp);
if (!SUCCEEDED(hr)) goto Error;

// set security level to process
bstrTemp = "AccessChecksLevel";
lActProp = COMAdminAccessChecksApplicationLevel;
vTmp = lActProp;
hr = pCatalogObjectApp->put_Value(bstrTemp, vTmp);
if (!SUCCEEDED(hr)) goto Error;

// save key to get the Components collection later
hr = pCatalogObjectApp->get_Key(&vKey);
if (!SUCCEEDED(hr)) goto Error;

// save changes (app creation) so component installation will work
hr = pCatalogCollectionApp->SaveChanges(&lActProp);
if (!SUCCEEDED(hr)) goto Error;

pCatalogObjectApp->Release();
pCatalogObjectApp = NULL;

bstrTemp = "TPC-C"; // app name
bstrTemp2 = bstrDllPath + "tpcc_com_all.dll"; //
DLL
bstrTemp3 = bstrDllPath + "tpcc_com_all.tlb"; //
type library (TLB)
bstrTemp4 = bstrDllPath + "tpcc_com_ps.dll"; //
proxy/stub dll

hr = pCOMAdminCat->InstallComponent(bstrTemp,
    bstrTemp2,
    bstrTemp3,
    bstrTemp4);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp = "Components";
hr = pCatalogCollectionApp->GetCollection(bstrTemp, vKey, (IDispatch**)
&pCatalogCollectionCo);
if (!SUCCEEDED(hr)) goto Error;

hr = pCatalogCollectionCo->Populate();
if (!SUCCEEDED(hr)) goto Error;

hr = pCatalogCollectionCo->get_Count(&lCountCo);
if (!SUCCEEDED(hr)) goto Error;

// iterate through components in application and set the properties
while (lCountCo > 0)
{
    hr = pCatalogCollectionCo->get_Item(lCountCo - 1, (IDispatch**)
&pCatalogObjectCo);
    if (!SUCCEEDED(hr)) goto Error;

```

```

// used for debugging (view the name)
hr = pCatalogObjectCo->get_Name(&vTmp);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp = "ConstructionEnabled";
bTmp = TRUE;
vTmp = bTmp;
hr = pCatalogObjectCo->put_Value(bstrTemp, vTmp);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp = "ConstructorString";
bstrTemp2 = "dummy string (do not remove)";
vTmp = bstrTemp2;
hr = pCatalogObjectCo->put_Value(bstrTemp, vTmp);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp = "JustInTimeActivation";
bTmp = TRUE;
vTmp = bTmp;
hr = pCatalogObjectCo->put_Value(bstrTemp, vTmp);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp = "MaxPoolSize";
vTmp.Clear(); // clear variant so it isn't stored as a
bool (_variant_t feature)
vTmp = (long)30;
hr = pCatalogObjectCo->put_Value(bstrTemp, vTmp);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp = "ObjectPoolingEnabled";
bTmp = TRUE;
vTmp = bTmp;
hr = pCatalogObjectCo->put_Value(bstrTemp, vTmp);
if (!SUCCEEDED(hr)) goto Error;

// save key to get the InterfacesForComponent collection
hr = pCatalogObjectCo->get_Key(&vKey);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp = "InterfacesForComponent";
hr = pCatalogCollectionCo->GetCollection(bstrTemp, vKey,
(IDispatch**) &pCatalogCollectionItf);
if (!SUCCEEDED(hr)) goto Error;

hr = pCatalogCollectionItf->Populate();
if (!SUCCEEDED(hr)) goto Error;

hr = pCatalogCollectionItf->get_Count(&lCountItf);
if (!SUCCEEDED(hr)) goto Error;

// iterate through interfaces in component
while (lCountItf > 0)
{
    hr = pCatalogCollectionItf->get_Item(lCountItf - 1,
(IDispatch**) &pCatalogObjectItf);
    if (!SUCCEEDED(hr)) goto Error;

    // save key to get the MethodsForInterface collection
    hr = pCatalogObjectItf->get_Key(&vKey);
    if (!SUCCEEDED(hr)) goto Error;

```

```

        bstrTemp = "MethodsForInterface";
        hr = pCatalogCollectionItf->GetCollection(bstrTemp,
vKey, (IDispatch**) &pCatalogCollectionMethod);
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogCollectionMethod->Populate();
        if (!SUCCEEDED(hr)) goto Error;

>get_Count(&lCountMethod);
        hr = pCatalogCollectionMethod-
        if (!SUCCEEDED(hr)) goto Error;

        // iterate through methods of interface
        while (lCountMethod > 0)
        {
>get_Item(lCountMethod - 1, (IDispatch**) &pCatalogObjectMethod);
            hr = pCatalogCollectionMethod-
            if (!SUCCEEDED(hr)) goto Error;

            bstrTemp = "AutoComplete";
            bTmp = TRUE;
            vTmp = bTmp;
            hr = pCatalogObjectMethod-

>put_Value(bstrTemp, vTmp);
            if (!SUCCEEDED(hr)) goto Error;

            pCatalogObjectMethod->Release();
            pCatalogObjectMethod = NULL;

            lCountMethod--;
        }

        // save changes
        hr = pCatalogCollectionMethod->SaveChanges(&lActProp);
        if (!SUCCEEDED(hr)) goto Error;

        pCatalogObjectItf->Release();
        pCatalogObjectItf = NULL;

        lCountItf--;
    }

    pCatalogObjectCo->Release();
    pCatalogObjectCo = NULL;

    lCountCo--;
}

// save changes
hr = pCatalogCollectionCo->SaveChanges(&lActProp);
if (!SUCCEEDED(hr)) goto Error;

pCatalogCollectionApp->Release();
pCatalogCollectionApp = NULL;

pCatalogCollectionCo->Release();
pCatalogCollectionCo = NULL;

pCatalogCollectionItf->Release();
pCatalogCollectionItf = NULL;

```

```

        pCatalogCollectionMethod->Release();
        pCatalogCollectionMethod = NULL;

Error:
    CoUninitialize();

    if (!SUCCEEDED(hr))
    {
        LPTSTR lpBuf;
        DWORD dwRes = FormatMessage(FORMAT_MESSAGE_ALLOCATE_BUFFER |
FORMAT_MESSAGE_FROM_SYSTEM,

        NULL,

        hr,

        MAKELANGID(LANG_NEUTRAL, SUBLANG_DEFAULT),

        (LPTSTR) &lpBuf,

        0,

        NULL);

        //      _tprintf(__T("Error adding components. HRESULT: 0x%x\n%s"), hr,
lpBuf);
        return TRUE;
    }
    else
        return FALSE;
}

```

## isapi\_dll.dsp

```

# Microsoft Developer Studio Project File - Name="isapi_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File, Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=isapi_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "isapi_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running NMAKE
!MESSAGE by defining the macro CFG on the command line. For example:
!MESSAGE
!MESSAGE NMAKE /f "isapi_dll.mak" CFG="isapi_dll - Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "isapi_dll - Win32 Release" (based on "Win32 (x86) Dynamic-Link Library")
!MESSAGE "isapi_dll - Win32 Debug" (based on "Win32 (x86) Dynamic-Link Library")
!MESSAGE "isapi_dll - Win32 IceCAP" (based on "Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""

```

```

# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "isapi_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "NDEBUG" /D "WIN32" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL" /win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /dll /machine:I386
# ADD LINK32 ..\common\txnlog\lib\release\rtetime.lib
..\common\txnlog\lib\release\spinlock.lib ..\common\txnlog\lib\release\error.lib
..\common\txnlog\lib\release\txnlog.lib wsock32.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbccp32.lib /nologo /subsystem:windows /dll /machine:I386
/nodefaultlib:"LIBCMT" /out:".bin\tpcc.dll"
# SUBTRACT LINK32 /nodefaultlib

!ELSEIF "$(CFG)" == "isapi_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D "WIN32" /D "_DEBUG" /D "_WINDOWS"
/YX /FD /c
# ADD CPP /nologo /MDd /W3 /GX /ZI /Od /D "_DEBUG" /D "WIN32" /D "_WINDOWS" /FR /YX
/ FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo

```

```

# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /dll /debug /machine:I386 /pdbtype:sept
# ADD LINK32 ..\common\txnlog\lib\debug\rtetime.lib
..\common\txnlog\lib\debug\spinlock.lib ..\common\txnlog\lib\debug\error.lib
..\common\txnlog\lib\debug\txnlog.lib wsock32.lib kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib
odbc32.lib odbccp32.lib /nologo /subsystem:windows /dll /debug /machine:I386
/nodefaultlib:"LIBCMT" /out:".bin\tpcc.dll" /pdbtype:sept
# SUBTRACT LINK32 /profile /pdb:none /nodefaultlib

!ELSEIF "$(CFG)" == "isapi_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "isapi_dll"
# PROP BASE Intermediate_Dir "isapi_dll"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MDd /W3 /GX /ZI /Od /D "_DEBUG" /D "WIN32" /D "_WINDOWS" /FR
/YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /GX /ZI /O2 /D "NDEBUG" /D "ICECAP" /D "WIN32" /D
"_WINDOWS" /FR /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /dll /debug /machine:I386 /out:".bin\tpcc.dll"
/pdbtype:sept
# SUBTRACT BASE LINK32 /profile /pdb:none
# ADD LINK32 icap.lib ..\common\txnlog\lib\release\rtetime.lib
..\common\txnlog\lib\release\spinlock.lib ..\common\txnlog\lib\release\error.lib
..\common\txnlog\lib\release\txnlog.lib wsock32.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc.dll" /pdbtype:sept
# SUBTRACT LINK32 /profile /pdb:none /map

!ENDIF

# Begin Target

# Name "isapi_dll - Win32 Release"
# Name "isapi_dll - Win32 Debug"
# Name "isapi_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp, *.def, *.rc"
# Begin Source File

```

```

SOURCE=.\src\tpcc.cpp
# End Source File
# Begin Source File

SOURCE=.\src\tpcc.def
# End Source File
# Begin Source File

SOURCE=.\src\tpcc.rc
# End Source File
# End Group
# Begin Group "Header Files"

# PROP Default_Filter "*.h, *.hpp"
# Begin Source File

SOURCE=..\common\src\error.h
# End Source File
# Begin Source File

SOURCE=..\common\src\ReadRegistry.h
# End Source File
# Begin Source File

SOURCE=.\src\tpcc.h
# End Source File
# Begin Source File

SOURCE=..\db_dblib_dll\src\tpcc_dblib.h
# End Source File
# Begin Source File

SOURCE=..\db_odbc_dll\src\tpcc_odbc.h
# End Source File
# Begin Source File

SOURCE=..\tm_tuxedo_dll\src\tpcc_tux.h
# End Source File
# Begin Source File

SOURCE=..\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=..\common\src\txn_base.h
# End Source File
# End Group
# End Target
# End Project

```

## rtetime.h

```

/* FILE: rtetime.h : header file
 * Copyright 1997 Microsoft Corp., All rights reserved.
 *
 * Source code licensed to Tandem Computers for Internal
 * use only. Redistribution of source or object files or
 * any derivative works is prohibited. By agreement, this
 * notice may not be removed.
 *
 * Authors: Charles Levine, Philip Durr

```

```

*
* Microsoft Corp.
*
*/

//FILE: RTETIME.H

#define MAX_JULIAN_TIME 0x7FFFFFFFFFFFFFFF
#define JULIAN_TIME __int64
#define TC_TIME DWORD

extern "C"
{
    BOOL InitJulianTime(LPSYSTEMTIME lpInitTime);
    JULIAN_TIME GetJulianTime(void);
    DWORD MyTickCount(void);
    void GetJulianAndTC(JULIAN_TIME *pJulian, DWORD *pTC);
    JULIAN_TIME ConvertTo64BitTime(int iYear, int iMonth, int iDay, int iHour,
int iMinute, int iSecond);
    JULIAN_TIME Get64BitTime(LPSYSTEMTIME lpInitTime);
    int JulianDay( int yr, int mm, int dd );
    void JulianToTime(JULIAN_TIME julianTS, int* yr, int* mm, int* dd,
int *hh, int *mi, int *ss );
    void JulianToCalendar( int day, int* yr, int* mm, int* dd );
}

```

## spinlock.h

```

/* FILE: SPINLOCK.H
 *
 * Copyright 1997 Microsoft Corp., All rights reserved.
 *
 * Source code licensed to Tandem Computers for Internal
 * use only. Redistribution of source or object files or
 * any derivative works is prohibited. By agreement, this
 * notice may not be removed.
 *
 * Authors: Mike Parkes, Charles Levine, Philip Durr
 *
 * Microsoft Corp.
 */

#ifdef _INC_Spinlock

const LONG LockClosed = 1;
const LONG LockOpen = 0;

/*****
 *
 * Spinlock and Semaphore locking.
 *
 * This class provides a very conservative locking scheme.
 * The assumption behind the code is that locks will be
 * held for a very short time. When a lock is taken a memory
 * location is exchanged. All other threads that want this
 * lock wait by spinning and sometimes sleeping on a semaphore
 * until it becomes free again. The only other choice is not
 * to wait at all and move on to do something else. This
 * module should normally be used in conjunction with cache
 * aligned memory in minimize cache line misses.
 *****/

class Spinlock
{

```

```

// Private data.
HANDLE Semaphore;
volatile LONG m_Spinlock;
volatile LONG Waiting;

#ifdef _DEBUG
// Counters for debugging builds.
volatile LONG TotalLocks;
volatile LONG TotalSleeps;
volatile LONG TotalSpins;
volatile LONG TotalWaits;
#endif

public:
// Public functions.

Spinlock( void );

inline BOOL ClaimLock( BOOL Wait = TRUE );
inline void ReleaseLock( void );
~Spinlock( void );
// Disabled operations.
Spinlock( const Spinlock & Copy );
void operator=( const Spinlock & Copy );

private:
// Private functions.
inline BOOL ClaimSpinlock( volatile LONG *sl );
void WaitForLock( void );
void WakeAllSleepers( void );
};

/*****
*
* A guaranteed atomic exchange.
*
* An attempt is made to claim the Spinlock. This action is
* guaranteed to be atomic.
*****/

inline BOOL Spinlock::ClaimSpinlock( volatile LONG *Spinlock )
{
#ifdef _DEBUG
InterlockedIncrement( (LPLONG) & TotalLocks );
#endif
return ( (*Spinlock) == LockOpen) && (InterlockedExchange(
(LPLONG)Spinlock, LockClosed) == LockOpen) );
}

/*****
*
* Claim the Spinlock.
*
* Claim the lock if available else wait or exit.
*****/

inline BOOL Spinlock::ClaimLock( BOOL Wait )
{
if ( ! ClaimSpinlock( (volatile LONG*) & m_Spinlock ) )
{
if ( Wait )

```

```

WaitForLock();
return Wait;
}
return TRUE;
}

/*****
*
* Release the Spinlock.
*
* Release the lock and if needed wakeup any sleepers.
*****/

inline void Spinlock::ReleaseLock( void )
{
m_Spinlock = LockOpen;
if ( Waiting > 0 )
WakeAllSleepers();
}

#define _INC_Spinlock

#endif

```

## tm\_com\_dll.dsp

```

# Microsoft Developer Studio Project File - Name="tm_com_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File, Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=tm_com_dll - Win32 Debug
!MESSAGE This is not a valid makefile. To build this project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tm_com_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running NMAKE
!MESSAGE by defining the macro CFG on the command line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tm_com_dll.mak" CFG="tm_com_dll - Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tm_com_dll - Win32 Release" (based on "Win32 (x86) Dynamic-Link Library")
!MESSAGE "tm_com_dll - Win32 Debug" (based on "Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "tm_com_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0

```

```

# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D "_WINDOWS" /YX /FD
/c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL" /win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbcc32.lib odbccp32.lib
/nologo /subsystem:windows /dll /machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbcc32.lib odbccp32.lib
/nologo /subsystem:windows /dll /machine:I386 /out:".bin\tpcc_com.dll"

!ELSEIF "$(CFG)" == "tm_com_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D "WIN32" /D "_DEBUG" /D "_WINDOWS"
/YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32" /D "_DEBUG" /D "_WINDOWS" /YX
/FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbcc32.lib odbccp32.lib
/nologo /subsystem:windows /dll /debug /machine:I386 /pdftype:sept
# ADD LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbcc32.lib odbccp32.lib
/nologo /subsystem:windows /dll /debug /machine:I386 /out:".bin\tpcc_com.dll"
/pdftype:sept

!ENDIF

# Begin Target

```

```

# Name "tm_com_dll - Win32 Release"
# Name "tm_com_dll - Win32 Debug"
# Begin Source File

```

```

SOURCE=.\src\tpcc_com.cpp
# End Source File
# Begin Source File

```

```

SOURCE=.\src\tpcc_com.h
# End Source File
# End Target
# End Project

```

## tpcc.cpp

```

/* FILE: TPCC.C
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 * All Rights Reserved
 * Version 4.10.000 audited by Richard Gimarc,
 * Performance Metrics, 3/17/99
 * PURPOSE: Main module for TPCC.DLL which is an ISAPI service dll.
 * Contact: Charles Levine (clevine@microsoft.com)
 * Change history:
 * 4.20.000 - reworked error handling; added options for COM and
 * Encina txn monitors
 */

#include <windows.h>
#include <process.h>
#include <tchar.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>
#include <assert.h>

#include <sqltypes.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

#include "..\..\common\src\trans.h" //tpckit transaction header
contains definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\ReadRegistry.h"

#include "..\..\common\txnlog\include\rtetime.h"
#include "..\..\common\txnlog\include\spinlock.h"
#include "..\..\common\txnlog\include\txnlog.h"

// Database layer includes

```

```

#include "..\..\db_dblib_dll\src\tpcc_dblib.h" // DBLIB implementation
of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h" // ODBC implementation
of TPC-C txns

// Txn monitor layer includes
#include "..\..\tm_com_dll\src\tpcc_com.h" // COM
Services implementation on TPC-C txns
#include "..\..\tm_tuxedo_dll\src\tpcc_tux.h" // interface to Tuxedo
libraries
#include "..\..\tm_encina_dll\src\tpcc_enc.h" // interface to Encina
libraries

#include "httpext.h" //ISAPI DLL information
header
#include "tpcc.h" //this dlls specific
structure, value e.t. header.

#define LEN_ERR_STRING 256

// defines for Make<Txn>Form calls to distinguish input and output flavors
#define OUTPUT_FORM 0
#define INPUT_FORM 1

char szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

//Terminal client id structure
TERM Term = { 0, 0, 0, NULL };

// The WEBCLIENT_VERSION string specifies the version level of this web client
interface.
// The RTE must be synchronized with the interface level on login, otherwise the
login
// will fail. This is a sanity check to catch problems resulting from mismatched
versions
// of the RTE and web client.
#define WEBCLIENT_VERSION "410"

static CRITICAL_SECTION TermCriticalSection;

static HINSTANCE hLibInstanceTm = NULL;
static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;
TYPE_CTPCC_TUXEDO *pCTPCC_TUXEDO_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_post_init;
TYPE_CTPCC_COM *pCTPCC_COM_new;

// For deferred Delivery txns:
CTxnLog *txnDelilog = NULL;
//used to log delivery transaction information

HANDLE hWorkerSemaphore =
INVALID_HANDLE_VALUE;
HANDLE hDoneEvent
= INVALID_HANDLE_VALUE;
HANDLE *pDeliHandles =
NULL;

```

```

// configuration settings from registry
TPCCREGISTRYDATA Reg;

DWORD dwNumDeliveryThreads = 4;
CRITICAL_SECTION DelBuffCriticalSection; //critical
section for delivery transactions cache
DELIVERY_TRANSACTION *pDelBuff = NULL;
DWORD dwDelBuffSize =
100; // size of circular buffer for delivery txns
DWORD dwDelBuffFreeCount;
// number of buffers free
DWORD dwDelBuffBusyIndex = 0;
// index position of entry waiting to be delivered
DWORD dwDelBuffFreeIndex = 0;
// index position of unused entry

#include "..\..\common\src\ReadRegistry.cpp"

/* FUNCTION: DllMain
*
* PURPOSE: This function is the entry point for the DLL. This
implementation is based on the
* fact that DLL_PROCESS_ATTACH is only called from the
inet service once.
*
* ARGUMENTS: HANDLE hModule module handle
* DWORD ul_reason_for_call reason for
call
* LPVOID lpReserved
* reserved for future use
*
* RETURNS: BOOL FALSE
errors ocured in initialization
* TRUE
DLL successfully initialized
*/

BOOL APIENTRY DllMain(HANDLE hModule, DWORD ul_reason_for_call, LPVOID lpReserved)
{
    DWORD i;
    char szEvent[LEN_ERR_STRING] = "\0";
    char szLogFile[128];
    char szDllName[128];

    // debugging...
    // DebugBreak();

    try
    {
        switch( ul_reason_for_call )
        {
            case DLL_PROCESS_ATTACH:
            {
                DWORD dwSize =
                MAX_COMPUTERNAME_LENGTH+1;
                GetComputerName(szMyComputerName,
                &dwSize);
                szMyComputerName[dwSize] = 0;
            }
        }
        DisableThreadLibraryCalls((HMODULE)hModule);
    }
}

```



```

InitializeCriticalSection(&TermCriticalSection);

                if ( ReadTPCCRegistrySettings( &Reg ) )
                    throw new CWBCLNT_ERR(
ERR_MISSING_REGISTRY_ENTRIES );

                dwDelBuffSize = min(
Reg.dwMaxPendingDeliveries, 10000 ); // min with 10000 as a sanity constraint
                dwNumDeliveryThreads = min(
Reg.dwNumberOfDeliveryThreads, 100 ); // min with 100 as a sanity constraint

                TermInit();

                // load DLL for txn monitor
                if (Reg.eTxnMon == TUXEDO)
                {
                    strcpy( szDllName, Reg.szPath );
                    strcat( szDllName,
"tpcc_tuxedo.dll");
                    szDllName );
                    hLibInstanceTm = LoadLibrary(
                    if (hLibInstanceTm == NULL)
                        throw new CWBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                    // get function pointer to wrapper
                    for class constructor
                    pCTPCC_TUXEDO_new =
                    (TYPE_CTPCC_TUXEDO*) GetProcAddress(hLibInstanceTm, "CTPCC_TUXEDO_new");
                    if (pCTPCC_TUXEDO_new == NULL)
                        throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                }
                else if (Reg.eTxnMon == ENCINA)
                {
                    strcpy( szDllName, Reg.szPath );
                    strcat( szDllName,
"tpcc_encina.dll");
                    szDllName );
                    hLibInstanceTm = LoadLibrary(
                    if (hLibInstanceTm == NULL)
                        throw new CWBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                    // get function pointer to wrapper
                    for class constructor
                    pCTPCC_ENCINA_new =
                    (TYPE_CTPCC_ENCINA*) GetProcAddress(hLibInstanceTm, "CTPCC_ENCINA_new");
                    pCTPCC_ENCINA_post_init =
                    (TYPE_CTPCC_ENCINA*) GetProcAddress(hLibInstanceTm, "CTPCC_ENCINA_post_init");
                    if (pCTPCC_ENCINA_new == NULL)
                        throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                }
                else if (Reg.eTxnMon == COM)
                {
                    strcpy( szDllName, Reg.szPath );
                    strcat( szDllName,
"tpcc_com.dll");
                    szDllName );
                    hLibInstanceTm = LoadLibrary(
                    if (hLibInstanceTm == NULL)

```

```

                throw new CWBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                // get function pointer to wrapper
                for class constructor
                pCTPCC_COM_new = (TYPE_CTPCC_COM*)
                GetProcAddress(hLibInstanceTm, "CTPCC_COM_new");
                if (pCTPCC_COM_new == NULL)
                    throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
            }

            // load DLL for database connection
            if ((Reg.eTxnMon == None) ||
(dwNumDeliveryThreads > 0))
            {
                if (Reg.eDB_Protocol == DBLIB)
                {
                    strcpy( szDllName,
                    Reg.szPath );
                    strcat( szDllName,
"tpcc_dblib.dll");
                    LoadLibrary( szDllName );
                    hLibInstanceDb =
                    if (hLibInstanceDb ==
                    NULL)
                        throw new
                    CWBCLNT_ERR( ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                    // get function pointer
                    for class constructor
                    pCTPCC_DBLIB_new =
                    (TYPE_CTPCC_DBLIB*) GetProcAddress(hLibInstanceDb, "CTPCC_DBLIB_new");
                    if (pCTPCC_DBLIB_new ==
                    NULL)
                        throw new
                    CWBCLNT_ERR( ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                }
                else if (Reg.eDB_Protocol == ODBC)
                {
                    strcpy( szDllName,
                    Reg.szPath );
                    strcat( szDllName,
"tpcc_odbc.dll");
                    LoadLibrary( szDllName );
                    hLibInstanceDb =
                    if (hLibInstanceDb ==
                    NULL)
                        throw new
                    CWBCLNT_ERR( ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                    // get function pointer
                    for class constructor
                    pCTPCC_ODBC_new =
                    (TYPE_CTPCC_ODBC*) GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");
                    if (pCTPCC_ODBC_new ==
                    NULL)
                        throw new
                    CWBCLNT_ERR( ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                }
            }

            if (dwNumDeliveryThreads)

```

```

        {
            // for deferred delivery txns:
            hDoneEvent = CreateEvent( NULL,
TRUE /* manual reset */, FALSE /* initially not signalled */, NULL );

            InitializeCriticalSection(&DelBuffCriticalSection);
            hWorkerSemaphore =
CreateSemaphore( NULL, 0, dwDelBuffSize, NULL );
            dwDelBuffFreeCount =
dwDelBuffSize;

            InitJulianTime(NULL);

            // create unique log file name
            SYSTEMTIME Time;
            GetLocalTime( &Time );
            wsprintf( szLogFile, "%sdelivery-
%2.2d%2.2d%2.2d-%2.2d%2.2d.log",
                Reg.szPath,
Time.wYear % 100, Time.wMonth, Time.wDay, Time.wHour, Time.wMinute );
            CTxnLog(szLogFile, TXN_LOG_WRITE);

            //write event into txn log for
START
            txnDelilog-
>WriteCtrlRecToLog(TXN_EVENT_START, szMyComputerName, sizeof(szMyComputerName));

            // allocate structures for
            pDeliHandles = new
HANDLE[dwNumDeliveryThreads];
            pDelBuff = new
DELIVERY_TRANSACTION[dwDelBuffSize];
            // launch DeliveryWorkerThread to
perform actual delivery txns
            for(i=0; i<dwNumDeliveryThreads;
i++)
            {
                pDeliHandles[i] =
(HANDLE) _beginthread( DeliveryWorkerThread, 0, NULL );
                if (pDeliHandles[i] ==
INVALID_HANDLE_VALUE)
                    throw new
CWEBCLNT_ERR( ERR_DELIVERY_THREAD_FAILED );
            }
            break;

            case DLL_PROCESS_DETACH:
                if (dwNumDeliveryThreads)
                {
                    if (txnDelilog != NULL)
                    {
                        //write event into txn
log for STOP
                        txnDelilog-
>WriteCtrlRecToLog(TXN_EVENT_STOP, szMyComputerName, sizeof(szMyComputerName));

                        // This will do a clean
shutdown of the delivery log file
                    }
                }
            }
        }

```

```

            *txnDelilogLocal = txnDelilog;
            CTxnLog
            txnDelilog= NULL;
            delete txnDelilogLocal;
        }
        delete [] pDeliHandles;
        delete [] pDelBuff;

        CloseHandle( hWorkerSemaphore );
        CloseHandle( hDoneEvent );

        DeleteCriticalSection(&DelBuffCriticalSection);
    }
    DeleteCriticalSection(&TermCriticalSection);
    if (hLibInstanceTm != NULL)
        FreeLibrary( hLibInstanceTm );
    hLibInstanceTm = NULL;
    if (hLibInstanceDb != NULL)
        FreeLibrary( hLibInstanceDb );
    hLibInstanceDb = NULL;

    Sleep(500);
    break;

    default:
        /* nothing */;
    }
}
catch (CBaseErr *e)
{
    WriteMessageToEventLog( e->ErrorText() );
    delete e;
    TerminateExtension(0);
    return FALSE;
}
catch (...)
{
    WriteMessageToEventLog(TEXT("Unhandled exception. DLL could not
load."));
    TerminateExtension(0);
    return FALSE;
}

return TRUE;
}

/* FUNCTION: GetExtensionVersion
*
* PURPOSE: This function is called by the inet service when the DLL is
first loaded.
*
* ARGUMENTS: HSE_VERSION_INFO *pVer passed in structure in which to
place expected version number.
*
* RETURNS: TRUE inet service expected return value.
*/
BOOL WINAPI GetExtensionVersion(HSE_VERSION_INFO *pVer)

```

```

{
    pVer->dwExtensionVersion = MAKELONG(HSE_VERSION_MINOR, HSE_VERSION_MAJOR);
    lstrcpy(pVer->lpszExtensionDesc, "TPC-C Server.",
HSE_MAX_EXT_DLL_NAME_LEN);

    // TODO: why do we need this here instead of in the DLL attach?
    if (Reg.eTxnMon == ENCINA)
        pCTPCC_ENCINA_post_init();

    return TRUE;
}

/* FUNCTION: TerminateExtension
 *
 * PURPOSE:      This function is called by the inet service when the DLL is
about to be unloaded.
 *              Release all resources in anticipation of being
unloaded.
 *
 * RETURNS:     TRUE      inet service expected return value.
 */

BOOL WINAPI TerminateExtension( DWORD dwFlags )
{
    if (pDeliHandles)
    {
        SetEvent( hDoneEvent );
        for(DWORD i=0; i<dwNumDeliveryThreads; i++)
            WaitForSingleObject( pDeliHandles[i], INFINITE );
    }

    TermDeleteAll();
    return TRUE;
}

/* FUNCTION: HttpExtensionProc
 *
 * PURPOSE:      This function is the main entry point for the TPC DLL. The
internet service
 *              calls this function passing in the http string.
 *
 * ARGUMENTS:   EXTENSION_CONTROL_BLOCK *pECB      structure pointer to
passed in internet
 *
 *              service information.
 *
 * RETURNS:     DWORD      HSE_STATUS_SUCCESS
connection can be dropped if error
 *
 *              HSE_STATUS_SUCCESS_AND_KEEP_CONN    keep connect valid comment sent
 *
 * COMMENTS:    None
 */

DWORD WINAPI HttpExtensionProc(EXTENSION_CONTROL_BLOCK *pECB)
{
    int                iCmd, FormId, TermId, iSyncId;
    char                szBuffer[4096];

    int                lpbSize;
    static char        szHeader[] = "200 Ok";

```

```

        DWORD          dwSize = 6;                // initial value is
        strlen(szHeader)
        char            szHeader1[4096];

#ifdef ICECAP
    StartCAP();
#endif

    try
    {
        //process http query
        ProcessQueryString(pECB, &iCmd, &FormId, &TermId, &iSyncId);

        if (TermId != 0)
        {
            if ( TermId < 0 || TermId >= Term.iNumEntries ||
Term.pClientData[TermId].iNextFree != -1 )
            {
                // debugging...
                char szTmp[128];
                wsprintf( szTmp, "Invalid term ID; TermId =
%d", TermId );
                WriteMessageToEventLog( szTmp );

                throw new CWEBCLNT_ERR( ERR_INVALID_TERMID
);
            }

            //must have a valid syncid here since termid is valid
            if (iSyncId != Term.pClientData[TermId].iSyncId)
                throw new CWEBCLNT_ERR(
ERR_INVALID_SYNC_CONNECTION );

            //set use time
            Term.pClientData[TermId].iTickCount = GetTickCount();
        }

        switch(iCmd)
        {
        case 0:
            WelcomeForm(pECB, szBuffer);
            break;

        case 1:
            switch( FormId )
            {
                case WELCOME_FORM:
                case MAIN_MENU_FORM:
                    break;
                case NEW_ORDER_FORM:
                    ProcessNewOrderForm(pECB, TermId,
szBuffer);
                    break;
                case PAYMENT_FORM:
                    ProcessPaymentForm(pECB, TermId,
szBuffer);
                    break;
                case DELIVERY_FORM:
                    ProcessDeliveryForm(pECB, TermId,
szBuffer);
                    break;
                case ORDER_STATUS_FORM:

```

```

                ProcessOrderStatusForm(pECB,
TermId, szBuffer);
                break;
            case STOCK_LEVEL_FORM:
                ProcessStockLevelForm(pECB,
TermId, szBuffer);
                break;
        }
        break;
    case 2:
        // new-order selected from menu; display new-order
        input form
        MakeNewOrderForm(TermId, NULL, INPUT_FORM, szBuffer);
        break;
    case 3:
        // payment selected from menu; display payment input
        form
        MakePaymentForm(TermId, NULL, INPUT_FORM, szBuffer);
        break;
    case 4:
        // delivery selected from menu; display delivery input
        form
        MakeDeliveryForm(TermId, NULL, INPUT_FORM, szBuffer);
        break;
    case 5:
        // order-status selected from menu; display order-
        status input form
        MakeOrderStatusForm(TermId, NULL, INPUT_FORM,
szBuffer);
        break;
    case 6:
        // stock-level selected from menu; display stock-level
        input form
        MakeStockLevelForm(TermId, NULL, INPUT_FORM,
szBuffer);
        break;
    case 7:
        // ExitCmd
        TermDelete(TermId);
        WelcomeForm(pECB, szBuffer);
        break;
    case 8:
        SubmitCmd(pECB, szBuffer);
        break;
    case 9:
        // menu
        MakeMainMenuForm(TermId,
Term.pClientData[TermId].iSyncId, szBuffer);
        break;
    case 10:
        // CMD=Clear
        // resets all connections; should only be used when no
        other connections are active
        TermDeleteAll();
        TermInit();
        WelcomeForm(pECB, szBuffer);
        break;
    case 11:
        // CMD=Stats
        StatsCmd(pECB, szBuffer);
        break;
    }
}
catch (CBaseErr *e)

```

```

        {
            ErrorForm( pECB, e->ErrorType(), e->ErrorNum(), TermId, iSyncId,
e->ErrorText(), szBuffer );
            delete e;
        }
        catch (...)
        {
            ErrorForm( pECB, ERR_TYPE_WEBDLL, 0, TermId, iSyncId, "Error:
Unhandled exception in Web Client.", szBuffer );
        }
    }

#ifdef ICECAP
    StopCAP();
#endif

    lpbSize = strlen(szBuffer);
    wsprintf(szHeader1,
        "Content-Type: text/html\r\n"
        "Content-Length: %d\r\n"
        "Connection: Keep-Alive\r\n\r\n", lpbSize);
    strcat( szHeader1, szBuffer );

    (*pECB->ServerSupportFunction)(pECB->ConnID, HSE_REQ_SEND_RESPONSE_HEADER,
szHeader, (LPDWORD) &dwSize, (LPDWORD)szHeader1);

    //finish up and keep connection
    pECB->dwHttpStatusCode = 200;
    return HSE_STATUS_SUCCESS_AND_KEEP_CONN;
}

void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR    szMsg[256];
    HANDLE   hEventSource;
    LPTSTR   lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL, TEXT("TPCC.DLL"));

    _stprintf(szMsg, TEXT("Error in TPCC.DLL: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event source
            EVENTLOG_ERROR_TYPE, // event type
            0, // event category
            0, // event ID
            NULL, // current user's SID
            2, // strings in lpszStrings
            0, // no bytes of raw data
            (LPCTSTR *)lpszStrings, // array of error strings
            NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

```

```

/* FUNCTION: DeliveryWorkerThread
 *
 * PURPOSE:      This function processes deferred delivery txns. There are
typically several threads running this routine. The number of threads
 *              read from the registry. The thread waits for work by
is determined by an entry waiting on semaphore.
 *              When a delivery txn is posted, the semaphore is
 *              released. After processing
 *              the delivery txn, information is logged to record the
txn status and execution time.
 */

/*static*/ void DeliveryWorkerThread(void *ptr)
{
    CTPCC_BASE          *pTxn = NULL;

    DELIVERY_TRANSACTION delivery;
    PDELIVERY_DATA      pDeliveryData;
    TXN_RECORD_TPCC_DELIV_DEF txnDeliRec;

    DWORD              index;
    HANDLE              handles[2];

    SYSTEMTIME          trans_end;          //delivery
transaction finished time
    SYSTEMTIME          trans_start;       //delivery transaction
start time

    assert(txnDeliLog != NULL);

    try
    {
        if (Reg.eDB_Protocol == ODBC)
            pTxn = pCTPCC_ODBC_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
        else if (Reg.eDB_Protocol == DBLIB)
            pTxn = pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
        pDeliveryData = pTxn->BuffAddr_Delivery();
    }
    catch (CBaseErr *e)
    {
        char szTmp[1024];
        wsprintf( szTmp, "Error in Delivery Txn thread. Could not
connect to database. "
Database=%s",
                "%s. Server=%s, User=%s, Password=%s,
                e->ErrorText(), Reg.szDbServer,
Reg.szDbUser, Reg.szDbPassword, Reg.szDbName );
        WriteMessageToEventLog( szTmp );
        delete e;
        goto ErrorExit;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled exception caught in
DeliveryWorkerThread."));
        goto ErrorExit;
    }
}

```

```

while (TRUE)
{
    try
    {
        //while delivery thread running, i.e. user has not
        requested termination
        while (TRUE)
        {
            // need to wait for multiple objects:
            handles[0] = hDoneEvent;
            handles[1] = hWorkerSemaphore;
            index = WaitForMultipleObjects( 2,
&handles[0], FALSE, INFINITE );
            if (index == WAIT_OBJECT_0)
                goto ErrorExit;

            ZeroMemory(&txnDeliRec, sizeof(txnDeliRec));
            txnDeliRec.TxnType =

            TXN_REC_TYPE_TPCC_DELIV_DEF;

            // make a local copy of current entry from
            delivery buffer and increment buffer index
            EnterCriticalSection(&DelBuffCriticalSection);
            delivery = *(pDelBuff+dwDelBuffBusyIndex);
            dwDelBuffFreeCount++;
            dwDelBuffBusyIndex++;
            if (dwDelBuffBusyIndex == dwDelBuffSize)
                // wrap-around if at end of buffer
                dwDelBuffBusyIndex = 0;

            LeaveCriticalSection(&DelBuffCriticalSection);

            pDeliveryData->w_id = delivery.w_id;
            pDeliveryData->o_carrier_id =

            delivery.o_carrier_id;

            txnDeliRec.w_id = pDeliveryData->w_id;
            txnDeliRec.o_carrier_id = pDeliveryData-

            >o_carrier_id;

            txnDeliRec.TxnStartT0 =

            Get64BitTime(&delivery.queue);

            GetLocalTime( &trans_start );
            pTxn->Delivery();
            GetLocalTime( &trans_end );

            //log txn
            txnDeliRec.TxnStatus = ERR_SUCCESS;
            for (int i=0; i<10; i++)
                txnDeliRec.o_id[i] =

                txnDeliRec.DeltaT4 =

            (int)(Get64BitTime(&trans_end) - txnDeliRec.TxnStartT0);
            txnDeliRec.DeltaTxnExec =

            (int)(Get64BitTime(&trans_end) - Get64BitTime(&trans_start));

            if (txnDeliLog != NULL)
                txnDeliLog-

            >WriteToLog(&txnDeliRec);
        }
    }
}

```

```

    }
    catch (CBaseErr *e)
    {
        char szTmp[1024];
        wprintf( szTmp, "Error in Delivery Txn thread. %s",
e->ErrorText() );
        WriteMessageToEventLog( szTmp );

        // log the error txn
        txnDeliRec.TxnStatus = e->ErrorType();
        if (txnDelilog != NULL)
            txnDelilog->WriteToLog(&txnDeliRec);

        delete e;
    }
    catch (...)
    {
        // unhandled exception; shouldn't happen; not much we
        WriteMessageToEventLog(TEXT("Unhandled exception
caught in DeliveryWorkerThread."));
    }
}

ErrorExit:
    delete pTxn;
    _endthread();
}

/* FUNCTION: PostDeliveryInfo
 *
 * PURPOSE:          This function enters the delivery txn into the deferred delivery
buffer.
 *
 * RETURNS:          BOOL          FALSE          delivery information posted
successfully
 *
 *                   TRUE          error cannot
post delivery info
 */

BOOL PostDeliveryInfo(short w_id, short o_carrier_id)
{
    BOOL bError;

    EnterCriticalSection(&DelBuffCriticalSection);
    if (dwDelBuffFreeCount > 0)
    {
        bError = FALSE;
        (pDelBuff+dwDelBuffFreeIndex)->w_id          =
w_id;
        (pDelBuff+dwDelBuffFreeIndex)->o_carrier_id    =
o_carrier_id;
        GetLocalTime(&(pDelBuff+dwDelBuffFreeIndex)->queue);

        dwDelBuffFreeCount--;
        dwDelBuffFreeIndex++;
        if (dwDelBuffFreeIndex == dwDelBuffSize)
            dwDelBuffFreeIndex = 0;          // wrap-around
    }
    if at end of buffer
    }
    else
        // No free buffers. Return an error, which indicates that the
delivery buffer is full.

```

```

        // Most likely, the number of delivery worker threads needs to
be increased to keep up
        // with the txn rate.
        bError = TRUE;
        LeaveCriticalSection(&DelBuffCriticalSection);

        if (!bError)
            // increment worker semaphore to wake up a worker thread
            ReleaseSemaphore( hWorkerSemaphore, 1, NULL );

        return bError;
    }

/* FUNCTION: ProcessQueryString
 *
 * PURPOSE:          This function extracts the relevent information out of the http
command passed in from
 *
 *                   the browser.
 *
 * COMMENTS:          If this is the initial connection i.e. client is at welcome
screen then
 *
 *                   there will not be a terminal id or current
form id. If this is the case
 *
 *                   then the pTermid and pFormid return values
are undefined.
 */

void ProcessQueryString(EXTENSION_CONTROL_BLOCK *pECB, int *pCmd, int *pFormId, int
*pTermId, int *pSyncId)
{
    char *ptr = pECB->lpszQueryString;
    char szBuffer[25];
    int i;

    //allowable client command strings i.e. CMD=command
    static char *szCmds[] =
    {
        "Process", "..NewOrder..", "..Payment..", "..Delivery..",
"..Order-Status..", "..Stock-Level..",
        "..Exit..", "Submit", "Menu", "Clear", "Stats", ""
    };

    *pCmd          = 0;          // default is the login screen
    *pTermId       = 0;

    // if no params (i.e., empty query string), then return login screen
    if (strlen(pECB->lpszQueryString) == 0)
        return;

    // parse FORMID, TERMID, and SYNCID
    *pFormId = GetIntKeyValue(&ptr, "FORMID", NO_ERR, NO_ERR);
    *pTermId = GetIntKeyValue(&ptr, "TERMID", NO_ERR, NO_ERR);
    *pSyncId = GetIntKeyValue(&ptr, "SYNCID", NO_ERR, NO_ERR);

    // parse CMD
    GetKeyValue(&ptr, "CMD", szBuffer, sizeof(szBuffer),
ERR_COMMAND_UNDEFINED);

    // see which command it matches
    for(i=0; i++)
    {
        if (szCmds[i][0] == 0)
            // no more; no match; return error

```

```

        throw new CWEBCLNT_ERR( ERR_COMMAND_UNDEFINED );
    if ( !strcmp(szCmds[i], szBuffer) )
    {
        *pCmd = i+1;
        break;
    }
}

/* FUNCTION: void WelcomeForm
 *
 */

void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer)
{
    char szTmp[1024];

    //welcome to tpc-c html form buffer, this is first form client sees.
    strcpy( szBuffer, "<HTML><HEAD><TITLE>TPC-C Web
Client</TITLE></HEAD><BODY>"

    "<B><BIG>Microsoft TPC-C
Web Client (ver 4.20)</BIG></B> <BR> <BR>"

    "New\ "><PRE>"

    "__TIME__" <BR>"

    (" __TIMESTAMP__ ") <BR>"

    ACTION="\tpcc.dll\ " METHOD="\GET\ ">"

    NAME="\STATUSID\ " VALUE="\0\ ">"

    NAME="\ERROR\ " VALUE="\0\ ">"

    NAME="\FORMID\ " VALUE="\1\ ">"

    NAME="\TERMINID\ " VALUE="\0\ ">"

    NAME="\SYCID\ " VALUE="\0\ ">"

    NAME="\VERSION\ " VALUE="\ " WEBCLIENT_VERSION "\ ">"

    );

    sprintf( szTmp, "Configuration Settings: <BR><font face=\"Courier
New\ " color=\"blue\ "><PRE>"

    "Txn Monitor          =

    "Database protocol    =

    "Max Connections      =

    "# of Delivery Threads =

    "Max Pending Deliveries =

    , szTxnMonNames[Reg.eTxnMon],
    szDBNames[Reg.eDB_Protocol],
    Reg.dwMaxConnections, dwNumDeliveryThreads,
    dwDelBuffSize );
    strcat( szBuffer, szTmp);

```

```

    if (Reg.eTxnMon == COM)
    {
        sprintf( szTmp, "COM Single Pool          = <B>%s</B><BR>",
            Reg.bCOM_SinglePool ? "YES" : "NO" );
        strcat( szBuffer, szTmp);
    }
    strcat( szBuffer, "</PRE></font>");

    if (Reg.eTxnMon == None)
    // connection options may be specified when not using a txn
    monitor
    connection:<BR>"
    sprintf( szTmp, "Please enter your database options for this
New\ " color=\"blue\ "><PRE>"
    "<font face=\"Courier
    "DB Server          = <INPUT
    NAME=\"db_server\ " SIZE=20 VALUE=\"%s\ "><BR>"
    "DB User ID          = <INPUT
    NAME=\"db_user\ " SIZE=20 VALUE=\"%s\ "><BR>"
    "DB Password         = <INPUT
    NAME=\"db_passwd\ " SIZE=20 VALUE=\"%s\ "><BR>"
    "DB Name              = <INPUT
    NAME=\"db_name\ " SIZE=20 VALUE=\"%s\ "><BR>"
    "</PRE></font>"
    , Reg.szDbServer, Reg.szDbUser,
    Reg.szDbPassword, Reg.szDbName );
    else
    // if using a txn monitor, connection options are determined
    from registry; can't
    // set per user. show options fyi
    sprintf( szTmp, "Database options which will be used by the
transaction monitor:<BR>"
    "<font face=\"Courier
    "DB Server
    = <B>%s</B><BR>"
    "DB User ID
    = <B>%s</B><BR>"
    "DB Password
    = <B>%s</B><BR>"
    "DB Name
    = <B>%s</B><BR>"
    "</PRE></font>"
    , Reg.szDbServer, Reg.szDbUser,
    Reg.szDbPassword, Reg.szDbName );
    strcat( szBuffer, szTmp);

    sprintf( szTmp, "Please enter your Warehouse and District for this
session:<BR>"
    "<font face=\"Courier New\ "
    color=\"blue\ "><PRE>" );
    strcat( szBuffer, szTmp);
    strcat( szBuffer, "Warehouse ID = <INPUT NAME=\"w_id\ " SIZE=4><BR>"
    "District ID = <INPUT
    NAME=\"d_id\ " SIZE=2><BR>"
    "</PRE></font><HR>"
    "<INPUT TYPE=\"submit\ "
    NAME=\"CMD\ " VALUE="\Submit\ ">"
    "</FORM></BODY></HTML>");
}

/* FUNCTION: SubmitCmd

```

```

*
* PURPOSE:      This function allocated a new terminal id in the Term structure
array.
*
*/
void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer)
{
    int          iNewTerm;
    char         *ptr = pECB->lpszQueryString;

    char         szVersion[32]   = { 0 };
    char         szServer[32]    = { 0 };
    char         szUser[32]      = "sa";
    char         szPassword[32]  = { 0 };
    char         szDatabase[32]  = "tpcc";

    // validate version field; the version field ensures that the RTE is
synchronized with the web client
    GetKeyValue(&ptr, "VERSION", szVersion, sizeof(szVersion),
ERR_VERSION_MISMATCH);
    if ( strcmp( szVersion, WEBCLIENT_VERSION ) )
        throw new CWEBCLNT_ERR( ERR_VERSION_MISMATCH );

    if (Reg.eTxnMon == None)
    {
        // parse Server name
        GetKeyValue(&ptr, "db_server", szServer, sizeof(szServer),
ERR_NO_SERVER_SPECIFIED);
        // parse User name
        GetKeyValue(&ptr, "db_user", szUser, sizeof(szUser), NO_ERR);
        // parse Password
        GetKeyValue(&ptr, "db_passwd", szPassword, sizeof(szPassword),
NO_ERR);
        // parse Database name
        GetKeyValue(&ptr, "db_name", szDatabase, sizeof(szDatabase),
NO_ERR);
    }

    // parse warehouse ID
    int w_id = GetIntKeyValue(&ptr, "w_id", ERR_HTML_ILL_FORMED,
ERR_W_ID_INVALID);
    if ( w_id < 1 )
        throw new CWEBCLNT_ERR( ERR_W_ID_INVALID );

    // parse district ID
    int d_id = GetIntKeyValue(&ptr, "d_id", ERR_HTML_ILL_FORMED,
ERR_D_ID_INVALID);
    if ( d_id < 1 || d_id > 10 )
        throw new CWEBCLNT_ERR( ERR_D_ID_INVALID );

    iNewTerm = TermAdd();

    Term.pClientData[iNewTerm].w_id = w_id;
    Term.pClientData[iNewTerm].d_id = d_id;

    try
    {
        if (Reg.eTxnMon == TUXEDO)
            Term.pClientData[iNewTerm].pTxn = pCTPCC_TUXEDO_new();
        else if (Reg.eTxnMon == ENCINA)
            Term.pClientData[iNewTerm].pTxn = pCTPCC_ENCINA_new();

```

```

        else if (Reg.eTxnMon == COM)
            Term.pClientData[iNewTerm].pTxn = pCTPCC_COM_new(
Reg.bCOM_SinglePool );
        else if (Reg.eDB_Protocol == ODBC)
            Term.pClientData[iNewTerm].pTxn = pCTPCC_ODBC_new(
szServer, szUser, szPassword, szMyComputerName, szDatabase );
        else if (Reg.eDB_Protocol == DBLIB)
            Term.pClientData[iNewTerm].pTxn = pCTPCC_DBLIB_new(
szServer, szUser, szPassword, szMyComputerName, szDatabase );
    }
    catch (...)
    {
        TermDelete(iNewTerm);
        throw; // pass exception upward
    }

    MakeMainMenuForm(iNewTerm, Term.pClientData[iNewTerm].iSyncId, szBuffer);
}

/* FUNCTION: StatsCmd
*
* PURPOSE:      This function returns to the browser the total number of active
terminal ids.
*
*               This routine is for development/debugging purposes.
*
*/
void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer)
{
    int i;
    int iTotals;

    EnterCriticalSection(&TermCriticalSection);

    iTotals = 0;
    for(i=0; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree == -1)
            iTotals++;
    }

    LeaveCriticalSection(&TermCriticalSection);

    wsprintf( szBuffer,
"<HTML><HEAD><TITLE>TPC-C Web Client
Stats</TITLE></HEAD>"
"<BODY><B><BIG> Total Active Connections: %d
</BIG></B><BR></BODY></HTML>"
, iTotals );

}

char *CWEBCLNT_ERR::ErrorText()
{
    static SERRORMSG errorMsgs[] =
    {
        {
            ERR_COMMAND_UNDEFINED,
            "Command undefined."
        },
        {
            ERR_D_ID_INVALID,
            "Invalid District ID Must be 1 to 10."
        },
    },

```



```

    {
        ERR_DELIVERY_CARRIER_ID_RANGE,
"Delivery Carrier ID out of range must be 1 - 10."
    },
    {
        ERR_DELIVERY_CARRIER_INVALID,
"Delivery Carrier ID invalid must be numeric 1 - 10."
    },
    {
        ERR_DELIVERY_MISSING_OCD_KEY,
"Delivery missing Carrier ID key \"OCD*\"."
    },
    {
        ERR_DELIVERY_THREAD_FAILED,
"Could not start delivery worker thread."
    },
    {
        ERR_GETPROCADDR_FAILED,
"Could not map proc in DLL. GetProcAddr error. DLL="
    },
    {
        ERR_HTML_ILL_FORMED,
"Required key field is missing from HTML string."
    },
    {
        ERR_INVALID_SYNC_CONNECTION,
"Invalid Terminal Sync ID."
    },
    {
        ERR_INVALID_TERMID,
"Invalid Terminal ID."
    },
    {
        ERR_LOADDLL_FAILED,
"Load of DLL failed. DLL="
    },
    {
        ERR_MAX_CONNECTIONS_EXCEEDED,
connections available. Max Connections is probably too low."
    },
    {
        ERR_MISSING_REGISTRY_ENTRIES,
"Required registry entries are missing. Rerun INSTALL to correct."
    },
    {
        ERR_NEWORDER_CUSTOMER_INVALID,
"New Order customer id invalid data type, range = 1 to 3000."
    },
    {
        ERR_NEWORDER_CUSTOMER_KEY,
"New Order missing Customer key \"CID*\"."
    },
    {
        ERR_NEWORDER_DISTRICT_INVALID,
"New Order District ID Invalid range 1 - 10."
    },
    {
        ERR_NEWORDER_FORM_MISSING_DID,
"New Order missing District key \"DID*\"."
    },
    {
        ERR_NEWORDER_ITEMID_INVALID,
Order Item Id is wrong data type, must be numeric."
    },
    {
        ERR_NEWORDER_ITEMID_RANGE,
"New Order Item Id is out of range. Range = 1 to 999999."
    },
    {
        ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
Order Item_Id field entered without a corresponding Supp_W."
    },
    {
        ERR_NEWORDER_MISSING_IID_KEY,
Order missing Item Id key \"IID*\"."
    },
    {
        ERR_NEWORDER_MISSING_QTY_KEY,
Order Missing Qty key \"Qty##*\"."
    },
    {
        ERR_NEWORDER_MISSING_SUPPW_KEY,
"New Order missing Supp_W key \"SP##*\"."
    },
    {
        ERR_NEWORDER_NOITEMS_ENTERED,
Order No order lines entered."
    },
},

```

```

    {
        ERR_NEWORDER_QTY_INVALID,
"New Order Qty invalid must be numeric range 1 - 99."
    },
    {
        ERR_NEWORDER_QTY_RANGE,
"New Order Qty is out of range. Range = 1 to 99."
    },
    {
        ERR_NEWORDER_QTY_WITHOUT_SUPPW,
"New Order Qty field entered without a corresponding Supp_W."
    },
    {
        ERR_NEWORDER_SUPPW_INVALID,
"New Order Supp_W invalid data type must be numeric."
    },
    {
        ERR_NO_SERVER_SPECIFIED,
"No Server name specified."
    },
    {
        ERR_ORDERSTATUS_CID_AND_CLT,
"Order Status Only Customer ID or Last Name may be entered, not both."
    },
    {
        ERR_ORDERSTATUS_CID_INVALID,
"Order Status Customer ID invalid, range must be numeric 1 - 3000."
    },
    {
        ERR_ORDERSTATUS_CLT_RANGE,
"Order Status Customer last name longer than 16 characters."
    },
    {
        ERR_ORDERSTATUS_DID_INVALID,
"Order Status District invalid, value must be numeric 1 - 10."
    },
    {
        ERR_ORDERSTATUS_MISSING_CID_CLT,
"Order Status Either Customer ID or Last Name must be entered."
    },
    {
        ERR_ORDERSTATUS_MISSING_CID_KEY,
"Order Status missing Customer key \"CID*\"."
    },
    {
        ERR_ORDERSTATUS_MISSING_CLT_KEY,
"Order Status missing Customer Last Name key \"CLT*\"."
    },
    {
        ERR_ORDERSTATUS_MISSING_DID_KEY,
"Order Status missing District key \"DID*\"."
    },
    {
        ERR_PAYMENT_CDI_INVALID,
"Payment Customer district invalid must be numeric."
    },
    {
        ERR_PAYMENT_CID_AND_CLT,
"Payment Only Customer ID or Last Name may be entered, not both."
    },
    {
        ERR_PAYMENT_CUSTOMER_INVALID,
"Payment Customer data type invalid, must be numeric."
    },
    {
        ERR_PAYMENT_CWI_INVALID,
"Payment Customer Warehouse invalid, must be numeric."
    },
    {
        ERR_PAYMENT_DISTRICT_INVALID,
"Payment District ID is invalid, must be 1 - 10."
    },
    {
        ERR_PAYMENT_HAM_INVALID,
"Payment Amount invalid data type must be numeric."
    },
    {
        ERR_PAYMENT_HAM_RANGE,
"Payment Amount out of range, 0 - 9999.99."
    },
    {
        ERR_PAYMENT_LAST_NAME_TO_LONG,
"Payment Customer last name longer than 16 characters."
    },
},

```

```

        {
            ERR_PAYMENT_MISSING_CDI_KEY,
            "Payment missing Customer district key \"CDI*\"."
        },
        {
            ERR_PAYMENT_MISSING_CID_CLT,
            "Payment Either Customer ID or Last Name must be entered."
        },
        {
            ERR_PAYMENT_MISSING_CID_KEY,
            "Payment missing Customer Key \"CID*\"."
        },
        {
            ERR_PAYMENT_MISSING_CLT_KEY,
            "Payment missing Customer Last Name key \"CLT*\"."
        },
        {
            ERR_PAYMENT_MISSING_CWI_KEY,
            "Payment missing Customer Warehouse Key \"CWI*\"."
        },
        {
            ERR_PAYMENT_MISSING_DID_KEY,
            "Payment missing District Key \"DID*\"."
        },
        {
            ERR_PAYMENT_MISSING_HAM_KEY,
            "Payment missing Amount key \"HAM*\"."
        },
        {
            ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
            "Stock Level; missing Threshold key \"TT*\"."
        },
        {
            ERR_STOCKLEVEL_THRESHOLD_INVALID,
            "Stock Level; Threshold value must be in the range = 1 - 99."
        },
        {
            ERR_STOCKLEVEL_THRESHOLD_RANGE,
            "Stock Level Threshold out of range, range must be 1 - 99."
        },
        {
            ERR_VERSION_MISMATCH,
            "Invalid version field. RTE and Web Client are probably out of sync."
        },
        {
            ERR_W_ID_INVALID,
            "Invalid Warehouse ID."
        },
        {
            0,
            ""
        }
    };

char szTmp[256];
int i = 0;
while (TRUE)
{
    if (errorMsgs[i].szMsg[0] == 0)
    {
        strcpy( szTmp, "Unknown error number. " );
        break;
    }
    if (m_Error == errorMsgs[i].iError)
    {
        strcpy( szTmp, errorMsgs[i].szMsg );
        break;
    }
    i++;
}

if (m_szTextDetail)
    strcat( szTmp, m_szTextDetail );
if (m_SystemErr)
    sprintf( szTmp+strlen(szTmp), " Error=%d", m_SystemErr );

```

```

m_szErrorText = new char[strlen(szTmp)+1];
strcpy( m_szErrorText, szTmp );
return m_szErrorText;
}

/* FUNCTION: GetKeyValue
 *
 * PURPOSE:      This function parses a http formatted string for specific key
 * values.
 *
 * ARGUMENTS:   char          *pQueryString      http string
 *              from client browser
 *              char          *pKey
 *              key value to look for
 *              char          *pValue
 *              character array into which to place key's value
 *              int          iMax
 *              maximum length of key value array.
 *              WEBERROR    err
 *              error value to throw
 *
 * RETURNS:     nothing.
 *
 * ERROR:       if (the pKey value is not found) then
 *              if (err == 0)
 *                  return (empty string)
 *              else
 *                  throw CWEBCLNT_ERR(err)
 *
 * COMMENTS:    http keys are formatted either KEY=value& or KEY=value\0. This
 *              DLL formats
 *              TPC-C input fields in such a manner that the
 *              keys can be extracted in the
 *              above manner.
 */

void GetKeyValue(char **pQueryString, char *pKey, char *pValue, int iMax, WEBERROR
err)
{
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorExit;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorExit;
    ptr++;

    iMax--; // one position is for terminating null
    while( *ptr && *ptr != '&' && iMax)
    {
        *pValue++ = *ptr++;
        iMax--;
    }
    *pValue = 0; // terminating null

    *pQueryString = ptr;
    return;

ErrorExit:
    if (err != NO_ERR)

```

```

        throw new CWEBCLNT_ERR( err );
    *pValue = 0; // return empty result string
}

/* FUNCTION: GetIntKeyValue
 *
 * PURPOSE:      This function parses a http formatted string for a specific key
value.
 *
 * ARGUMENTS:   char          *pQueryString    http string
from client browser
 *
 *              char          *pKey
key value to look for
 *
 *              WEBERROR      NoKeyErr
error value to throw if key not found
 *
 *              WEBERROR      NotIntErr
error value to throw if value not numeric
 *
 * RETURNS:     integer
 *
 * ERROR:       if (the pKey value is not found) then
 *              if (NoKeyErr != NO_ERR)
 *                  throw CWEBCLNT_ERR(err)
 *              else
 *                  return 0
 *              else if (non-numeric char found) then
 *                  if (NotIntErr != NO_ERR) then
 *                      throw CWEBCLNT_ERR(err)
 *                  else
 *                      return 0
 *
 * COMMENTS:    http keys are formatted either KEY=value& or KEY=value\0. This
DLL formats
 *
 *              TPC-C input fields in such a manner that the
keys can be extracted in the
 *
 *              above manner.
 */

int GetIntKeyValue(char **pQueryString, char *pKey, WEBERROR NoKeyErr, WEBERROR
NotIntErr)
{
    char *ptr0;
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorNoKey;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorNoKey;
    ptr++;

    ptr0 = ptr; // remember starting point
    // scan string until a terminator (null or &) or a non-digit
    while( *ptr && *ptr != '&' && isdigit(*ptr) )
        ptr++;

    // make sure we stopped scanning for the right reason
    if ( (ptr0 == ptr) || (*ptr && *ptr != '&') )
    {
        if (NotIntErr != NO_ERR)
            throw new CWEBCLNT_ERR( NoKeyErr );
        return 0;
    }
}

```

```

    *pQueryString = ptr;
    return atoi(ptr0);
}

ErrorNoKey:
    if (NoKeyErr != NO_ERR)
        throw new CWEBCLNT_ERR( NoKeyErr );
    return 0;
}

/* FUNCTION: TermInit
 *
 * PURPOSE:      This function initializes the client terminal structure; it is
called when the TPCC.DLL
 *
 *              is first loaded by the inet service.
 *
 * */

void TermInit(void)
{
    EnterCriticalSection(&TermCriticalSection);

    Term.iMasterSyncId = 1;
    Term.iNumEntries = Reg.dwMaxConnections+1;

    Term.pClientData = NULL;
    Term.pClientData = (PCLIENTDATA)malloc(Term.iNumEntries *
sizeof(CLIENTDATA));
    if (Term.pClientData == NULL)
    {
        LeaveCriticalSection(&TermCriticalSection);
        throw new CWEBCLNT_ERR( ERR_MEM_ALLOC_FAILED );
    }

    ZeroMemory( Term.pClientData, Term.iNumEntries * sizeof(CLIENTDATA) );

    Term.iFreeList = Term.iNumEntries-1;
    // build free list
    // note: Term.pClientData[0].iNextFree gets set to -1, which marks it as
"in use".
    // This is intentional, as the zero entry is used as an anchor and
never
    // allocated as an actual terminal.
    for(int i=0; i<Term.iNumEntries; i++)
        Term.pClientData[i].iNextFree = i-1;

    LeaveCriticalSection(&TermCriticalSection);
}

/* FUNCTION: TermDeleteAll
 *
 * PURPOSE:      This function frees allocated resources associated with the
terminal structure.
 *
 * ARGUMENTS:    none
 *
 * RETURNS:      None
 *
 * COMMENTS:     This function is called only when the inet service unloads the
TPCC.DLL
 *
 * */

```

```

void TermDeleteAll(void)
{
    EnterCriticalSection(&TermCriticalSection);

    for(int i=1; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree == -1)
            delete Term.pClientData[i].pTxn;
    }

    Term.iFreeList          = 0;
    Term.iNumEntries       = 0;
    if ( Term.pClientData )
        free(Term.pClientData);
    Term.pClientData       = NULL;

    LeaveCriticalSection(&TermCriticalSection);
}

/* FUNCTION: TermAdd
 *
 * PURPOSE:      This function assigns a terminal id which is used to identify a
client browser.
 *
 * RETURNS:      int          assigned terminal id
 */

int TermAdd(void)
{
    DWORD   i;
    int     iNewTerm, iTickCount;

    if (Term.iNumEntries == 0)
        return -1;

    EnterCriticalSection(&TermCriticalSection);
    if (Term.iFreeList != 0)
    {
        // position is available
        iNewTerm = Term.iFreeList;
        Term.iFreeList = Term.pClientData[iNewTerm].iNextFree;
        Term.pClientData[iNewTerm].iNextFree = -1; // indicates this
position is in use
    }
    else
    {
        // no open slots, so find the slot that hasn't been used in the
longest time and reuse it
        for(iNewTerm=1, i=1, iTickCount=0x7FFFFFFF;
i<Reg.dwMaxConnections; i++)
        {
            if (iTickCount > Term.pClientData[i].iTickCount)
            {
                iTickCount = Term.pClientData[i].iTickCount;
                iNewTerm = i;
            }
        }
        // if oldest term is less than one minute old, it probably means
that more connections
        // are being attempted than were specified as "Max Connections"
at install. In this case,
        // do not bump existing connection; instead, return error to
requestor.
        if ((GetTickCount() - iTickCount) < 60000)

```

```

        {
            LeaveCriticalSection(&TermCriticalSection);
            throw new CWEBCLNT_ERR( ERR_MAX_CONNECTIONS_EXCEEDED
);
        }
    }

    Term.pClientData[iNewTerm].iTickCount = GetTickCount();
    Term.pClientData[iNewTerm].iSyncId = Term.iMasterSyncId++;
    Term.pClientData[iNewTerm].pTxn = NULL;

    LeaveCriticalSection(&TermCriticalSection);
    return iNewTerm;
}

/* FUNCTION: TermDelete
 *
 * PURPOSE:      This function makes a terminal entry in the Term array available
for reuse.
 *
 * ARGUMENTS:    int          id
                  Terminal id of client exiting
 *
 */

void TermDelete(int id)
{
    if ( id > 0 && id < Term.iNumEntries )
    {
        delete Term.pClientData[id].pTxn;

        // put onto free list
        EnterCriticalSection(&TermCriticalSection);
        Term.pClientData[id].iNextFree = Term.iFreeList;
        Term.iFreeList = id;

        LeaveCriticalSection(&TermCriticalSection);
    }
}

/* FUNCTION: MakeErrorForm
 */

void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int iType, int iErrorNum, int iTermId,
int iSyncId, char *szErrorText, char *szBuffer )
{
    wsprintf(szBuffer,
"<HTML><HEAD><TITLE>TPC-C Error</TITLE></HEAD><BODY>"
"<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
"<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"%d\">"
"<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"%d\">"
"<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"%d\">"
"<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"%d\">"
"<INPUT TYPE=\"hidden\" NAME=\"SYNCID\" VALUE=\"%d\">"
"<BOLD>An Error Occurred</BOLD><BR><BR>"
"%s"
"<BR><BR><HR>"
"<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..NewOrder..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Payment..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Delivery..\">"

```

```
        "Status..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Order-
Status..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Exit..\">"
        "</FORM></BODY></HTML>"
        , iType, iErrorNum, MAIN_MENU_FORM, iTermId, iSyncId,
szErrorText );
}

/* FUNCTION: MakeMainMenuForm
*/
void MakeMainMenuForm(int iTermId, int iSyncId, char *szForm)
{
    wsprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Main Menu</TITLE></HEAD><BODY>"
        "Select Desired Transaction.<BR><HR>"
        "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..NewOrder..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Payment..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Delivery..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Order-
Status..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Exit..\">"
        "</FORM></BODY></HTML>"
        , MAIN_MENU_FORM, iTermId, iSyncId);
}

/* FUNCTION: MakeStockLevelForm
*
* PURPOSE:        This function constructs the Stock Level HTML page.
*
* COMMENTS:      The internal client buffer is created when the terminal id is
assigned and should not
*                          be freed except when the client terminal id
is no longer needed.
*/
void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA *pStockLevelData, BOOL bInput,
char *szForm)
{
    int    c;

    c = wsprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Stock Level</TITLE></HEAD><FORM
ACTION=\"tpcc.dll\" METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\" VALUE=\"%d\">"
        "<PRE><font face=\"Courier\">"
Stock-Level<BR>"
        "Warehouse: %4.4d District: %2.2d<BR> <BR> ",
        STOCK_LEVEL_FORM, iTermId, Term.pClientData[iTermId].iSyncId,
        Term.pClientData[iTermId].w_id, Term.pClientData[iTermId].d_id);
}
```

```
        if ( bInput )
        {
            strcpy(szForm+c,
                "Stock Level Threshold: <INPUT NAME=\"TT*\"
SIZE=2><BR> <BR>"
                "low stock:         </font><BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR>"
                " <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR></PRE><HR>"
                "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"Process\">"
                "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
                "</FORM></HTML>" );
        }
        else
        {
            wsprintf(szForm+c,
                "Stock Level Threshold: %2.2d<BR> <BR>"
                "low stock: %3.3d</font> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR>"
                " <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR></PRE><HR>"
                "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
                "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Payment..\">"
                "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Delivery..\">"
                "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Order-
Status..\">"
                "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Stock-
Level..\">"
                "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Exit..\">"
                "</FORM></HTML>"
                , pStockLevelData->threshold, pStockLevelData->
low_stock);
        }
    }

/* FUNCTION: MakeNewOrderForm
*
* COMMENTS:      The internal client buffer is created when the terminal id is
assigned and should not
*                          be freed except when the client terminal id
is no longer needed.
*/
void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA *pNewOrderData, BOOL bInput, char
*szForm)
{
    int    i, c;
    BOOL   bValid;
    static char szBR[] = " <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR>";

    if (!bInput)
        assert( pNewOrderData->exec_status_code == eOK || pNewOrderData->
exec_status_code == eInvalidItem );

    bValid = (bInput || (pNewOrderData->exec_status_code == eOK));

    c = wsprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C New Order</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
```

```

        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"\%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"\%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"\%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\" VALUE=\"\%d\">"
        "<PRE><font face=\"Courier\">

New Order<BR>"
        , bValid ? 0 : ERR_BAD_ITEM_ID, NEW_ORDER_FORM, iTermId,
Term.pClientData[iTermId].iSyncId);

        if ( bInput )
        {
            c += sprintf(szForm+c, "Warehouse: %4.4d ",
Term.pClientData[iTermId].w_id );

                strcpy( szForm+c,
                    "District: <INPUT NAME=\"DID\" SIZE=1>

Date:<BR>"
                    "Customer: <INPUT NAME=\"CID\" SIZE=4> Name:

Credit: %Disc:<BR>"
                    "Order Number: Number of Lines:

W_tax: D_tax:<BR><BR>"
                    " Supp_W Item_Id Item Name Qty

Stock B/G Price Amount<BR>"
                    " <INPUT NAME=\"SP00\" SIZE=4> <INPUT
NAME=\"IID00\" SIZE=6> <INPUT NAME=\"Qty00\"
SIZE=1><BR>"
                    " <INPUT NAME=\"SP01\" SIZE=4> <INPUT
NAME=\"IID01\" SIZE=6> <INPUT NAME=\"Qty01\"
SIZE=1><BR>"
                    " <INPUT NAME=\"SP02\" SIZE=4> <INPUT
NAME=\"IID02\" SIZE=6> <INPUT NAME=\"Qty02\"
SIZE=1><BR>"
                    " <INPUT NAME=\"SP03\" SIZE=4> <INPUT
NAME=\"IID03\" SIZE=6> <INPUT NAME=\"Qty03\"
SIZE=1><BR>"
                    " <INPUT NAME=\"SP04\" SIZE=4> <INPUT
NAME=\"IID04\" SIZE=6> <INPUT NAME=\"Qty04\"
SIZE=1><BR>"
                    " <INPUT NAME=\"SP05\" SIZE=4> <INPUT
NAME=\"IID05\" SIZE=6> <INPUT NAME=\"Qty05\"
SIZE=1><BR>"
                    " <INPUT NAME=\"SP06\" SIZE=4> <INPUT
NAME=\"IID06\" SIZE=6> <INPUT NAME=\"Qty06\"
SIZE=1><BR>"
                    " <INPUT NAME=\"SP07\" SIZE=4> <INPUT
NAME=\"IID07\" SIZE=6> <INPUT NAME=\"Qty07\"
SIZE=1><BR>"
                    " <INPUT NAME=\"SP08\" SIZE=4> <INPUT
NAME=\"IID08\" SIZE=6> <INPUT NAME=\"Qty08\"
SIZE=1><BR>"
                    " <INPUT NAME=\"SP09\" SIZE=4> <INPUT
NAME=\"IID09\" SIZE=6> <INPUT NAME=\"Qty09\"
SIZE=1><BR>"
                    " <INPUT NAME=\"SP10\" SIZE=4> <INPUT
NAME=\"IID10\" SIZE=6> <INPUT NAME=\"Qty10\"
SIZE=1><BR>"
                    " <INPUT NAME=\"SP11\" SIZE=4> <INPUT
NAME=\"IID11\" SIZE=6> <INPUT NAME=\"Qty11\"
SIZE=1><BR>"
                    " <INPUT NAME=\"SP12\" SIZE=4> <INPUT
NAME=\"IID12\" SIZE=6> <INPUT NAME=\"Qty12\"
SIZE=1><BR>"

```

```

        " <INPUT NAME=\"SP13\" SIZE=4> <INPUT
NAME=\"IID13\" SIZE=6> <INPUT NAME=\"Qty13\"
SIZE=1><BR>"
        " <INPUT NAME=\"SP14\" SIZE=4> <INPUT
NAME=\"IID14\" SIZE=6> <INPUT NAME=\"Qty14\"
SIZE=1><BR>"

        "Execution Status:

Total:<BR>"
        "</font></PRE><HR>"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"Process\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
        "</FORM></HTML>"
    );
}
else
{
    c += sprintf(szForm+c, "Warehouse: %4.4d District: %2.2d

Date: ",
                pNewOrderData->w_id,
                pNewOrderData->d_id);

    if ( bValid )
    {
        c += sprintf(szForm+c, "%2.2d-%2.2d-%4.4d
%2.2d:%2.2d:%2.2d",
                    pNewOrderData->o_entry_d.day,
                    pNewOrderData->o_entry_d.month,
                    pNewOrderData->o_entry_d.year,
                    pNewOrderData->o_entry_d.hour,
                    pNewOrderData->o_entry_d.minute,
                    pNewOrderData->o_entry_d.second);
    }

    c += sprintf(szForm+c, "<BR>Customer: %4.4d Name: %-16s
pNewOrderData->c_credit);
                pNewOrderData->c_id, pNewOrderData->c_last,

    if ( bValid )
    {
        c += sprintf(szForm+c,
                    "%Disc: %5.2f

<BR>"
                    "Order Number: %8.8d
Number of Lines: %2.2d W_tax: %5.2f D_tax: %5.2f <BR><BR>"
                    " Supp_W Item_Id Item
Name Qty Stock B/G Price Amount<BR>",
                    100.0*pNewOrderData->c_discount,
                    pNewOrderData->o_id,
                    pNewOrderData->o_ol_cnt,
                    100.0 * pNewOrderData->w_tax,
                    100.0 * pNewOrderData->d_tax);

        for(i=0; i<pNewOrderData->o_ol_cnt; i++)
        {
            c += sprintf(szForm+c, " %4.4d %6.6d %-
24s %2.2d %3.3d %1.1s %6.2f %7.2f <BR>",
                pNewOrderData->OL[i].ol_supply_w_id,
                pNewOrderData->OL[i].ol_i_id,
                pNewOrderData->OL[i].ol_i_name,
                pNewOrderData->OL[i].ol_quantity,

```

```

        pNewOrderData->OL[i].ol_stock,
        pNewOrderData-
    }
    pNewOrderData->OL[i].ol_i_price,
    pNewOrderData->OL[i].ol_amount );
}
else
{
    c += sprintf(szForm+c,
        "%Disc:<BR>"
        "Order Number: %8.8d Number of Lines:"
        " Supp_W Item_Id Item Name"
        , pNewOrderData->o_id);
    i = 0;
    strncpy( szForm+c, szBR, (15-i)*5 );
    c += (15-i)*5;
    if ( bValid )
        c += sprintf(szForm+c, "Execution Status: Transaction
        Total: $%8.2f ",
        pNewOrderData->total_amount);
    else
        c += sprintf(szForm+c, "Execution Status: Item number
        Total:");
    strcpy(szForm+c,
        "<BR></Font></PRE><HR>"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\""
        VALUE=\"..NewOrder..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\""
        VALUE=\"..Payment..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\""
        VALUE=\"..Delivery..\">"
        Status..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Order-
        Level..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\""
        VALUE=\"..Exit..\">"
        "</FORM></HTML>"
    );
}
}
/* FUNCTION: MakePaymentForm
 *
 * COMMENTS: The internal client buffer is created when the terminal id is
 * assigned and should not
 * be freed except when the client terminal id
 * is no longer needed.
 */
void MakePaymentForm(int iTermId, PAYMENT_DATA *pPaymentData, BOOL bInput, char
*szForm)
{
    int c;

```

```

    c = sprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Payment</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"&d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"&d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"SYCNID\" VALUE=\"&d\">"
        "<PRE><font face=\"Courier\">"
        Payment<BR>"
        "Date: "
        , PAYMENT_FORM, iTermId, Term.pClientData[iTermId].iSyncId);
    if ( !bInput )
    {
        c += sprintf(szForm+c, "%2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
            pPaymentData->h_date.day,
            pPaymentData->h_date.month,
            pPaymentData->h_date.year,
            pPaymentData->h_date.hour,
            pPaymentData->h_date.minute,
            pPaymentData->h_date.second);
    }
    if ( bInput )
    {
        c += sprintf(szForm+c,
            "<BR> <BR>Warehouse: %4.4d"
            " District: <INPUT
            NAME=\"DID*\" SIZE=1><BR> <BR> <BR> <BR> <BR>"
            "Customer: <INPUT NAME=\"CID*\" SIZE=4>"
            "Cust-Warehouse: <INPUT NAME=\"CWI*\" SIZE=4> "
            "Cust-District: <INPUT NAME=\"CDI*\" SIZE=1><BR>"
            "Name: <INPUT NAME=\"CLT*\"
            SIZE=16> Since:<BR>"
            " Credit:<BR>"
            " Disc:<BR>"
            " Phone:<BR> <BR>"
            "Amount Paid: $<INPUT NAME=\"HAM*\" SIZE=7>"
            New Cust-Balance:<BR>"
            "Credit Limit:<BR> <BR>Cust-Data: <BR> <BR> <BR> <BR>"
            "<BR></font></PRE><HR>"
            "<INPUT TYPE=\"submit\" NAME=\"CMD\""
            VALUE=\"Process\"><INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
            "</BODY></FORM></HTML>"
            , Term.pClientData[iTermId].w_id);
    }
    else
    {
        c += sprintf(szForm+c,
            "<BR> <BR>Warehouse: %4.4d"
            District: %2.2d<BR>"
            "%-20s %-20s<BR>"
            "%-20s %-20s<BR>"
            "%-20s %-2s %5.5s-%4.4s %-20s %-2s %5.5s-
            %4.4s<BR> <BR>"
            "Customer: %4.4d Cust-Warehouse: %4.4d Cust-
            District: %2.2d<BR>"
            "Name: %-16s %-2s %-16s Since: %2.2d-%2.2d-
            %4.4d<BR>"

```

```

"          %-20s          Credit:  %-2s<BR>"
, Term.pClientData[iTermId].w_id, pPaymentData->d_id
, pPaymentData->w_street_1, pPaymentData->d_street_1
, pPaymentData->w_street_2, pPaymentData->d_street_2
, pPaymentData->w_city, pPaymentData->w_state,
pPaymentData->w_zip, pPaymentData->w_zip+5
, pPaymentData->d_city, pPaymentData->d_state,
pPaymentData->d_zip, pPaymentData->d_zip+5
, pPaymentData->c_id, pPaymentData->c_w_id,
pPaymentData->c_d_id, pPaymentData->c_first, pPaymentData->c_middle,
pPaymentData->c_last, pPaymentData->c_since.day, pPaymentData-
>c_since.month, pPaymentData->c_since.year
, pPaymentData->c_street_1, pPaymentData->c_credit
);

c += sprintf(szForm+c,
"          %-20s          %%Disc:
%5.2f<BR>",
pPaymentData->c_street_2, 100.0*pPaymentData-
>c_discount);

c += sprintf(szForm+c,
"          %-20s %5.5s-%4.4s      Phone:  %6.6s-
%3.3s-%3.3s-%4.4s<BR> <BR>",
pPaymentData->c_city, pPaymentData->c_state,
pPaymentData->c_zip, pPaymentData->c_zip+5,
pPaymentData->c_phone, pPaymentData->c_phone+6,
pPaymentData->c_phone+9, pPaymentData->c_phone+12 );

c += sprintf(szForm+c,
"Amount Paid:          $%7.2f      New Cust-Balance:
%$14.2f<BR>"
"Credit Limit:  $%13.2f<BR> <BR>"
, pPaymentData->h_amount, pPaymentData->c_balance
, pPaymentData->c_credit_lim
);

if ( pPaymentData->c_credit[0] == 'B' && pPaymentData-
>c_credit[1] == 'C' )
c += sprintf(szForm+c,
"Cust-Data:  %-50.50s<BR>
%-50.50s<BR>          %-50.50s<BR>",
pPaymentData->c_data+50, pPaymentData->c_data+100,
pPaymentData->c_data+150 );
else
strcpy(szForm+c, "Cust-Data: <BR> <BR> <BR> <BR>");

strcat(szForm, " <BR></font></PRE><HR>"
"<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">"
"<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
"<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
"<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
"<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
"<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"

```

```

"</BODY></FORM></HTML>");
}
}

/* FUNCTION: MakeOrderStatusForm
*
* COMMENTS:      The internal client buffer is created when the terminal id is
*                assigned and should not
*                be freed except when the client terminal id
*                is no longer needed.
*/

void MakeOrderStatusForm(int iTermId, ORDER_STATUS_DATA *pOrderStatusData, BOOL
bInput, char *szForm)
{
int i, c;
static char szBR[] = " <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR>";

c = sprintf(szForm,
"<HTML><HEAD><TITLE>TPC-C Order-Status</TITLE></HEAD><BODY>"
"<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
"<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"0\">"
"<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"
"<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"%d\">"
"<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"%d\">"
"<INPUT TYPE=\"hidden\" NAME=\"SYCID\" VALUE=\"%d\">"
"<PRE><font face=\"Courier\">"
Order-Status<BR>"
"Warehouse:  %4.4d  ",
ORDER_STATUS_FORM, iTermId, Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id);

if ( bInput )
{
strcpy(szForm+c,
"District: <INPUT NAME=\"DID\" SIZE=1<BR>"
"Customer: <INPUT NAME=\"CID\" SIZE=4> Name:
<INPUT NAME=\"CLT\" SIZE=23><BR>"
"Cust-Balance:<BR> <BR>"
"Order-Number:          Entry-Date:
Carrier-Number:<BR>"
"Supply-W      Item-Id      Qty      Amount      Delivery-
Date<BR> <BR> <BR> <BR> <BR>"
" <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR></font></PRE>"
"<HR><INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"Process\"><INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
"</BODY></FORM></HTML> " );
}
else
{
c += sprintf(szForm+c,
"District:  %2.2d<BR>"
"Customer:  %4.4d Name:  %-16s %-2s %-16s<BR>",
pOrderStatusData->d_id, pOrderStatusData->c_id,
pOrderStatusData->c_first, pOrderStatusData->c_middle,
pOrderStatusData->c_last);

c += sprintf(szForm+c, "Cust-Balance:  $%9.2f<BR> <BR>",
pOrderStatusData->c_balance);

```



```

c += sprintf(szForm+c,
"Order-Number: %8.8d  Entry-Date: %2.2d-%2.2d-%4.4d
%2.2d:%2.2d:%2.2d  Carrier-Number: %2.2d<BR>"
"Supply-W      Item-Id  Qty      Amount      Delivery-
Date<BR>",
pOrderStatusData->o_id,
pOrderStatusData->o_entry_d.day,
pOrderStatusData->o_entry_d.month,
pOrderStatusData->o_entry_d.year,
pOrderStatusData->o_entry_d.hour,
pOrderStatusData->o_entry_d.minute,
pOrderStatusData->o_entry_d.second,
pOrderStatusData->o_carrier_id);

for(i=0; i< pOrderStatusData->o_ol_cnt; i++)
{
c += sprintf(szForm+c, " %4.4d      %6.6d      %2.2d
%8.2f      %2.2d-%2.2d-%4.4d<BR>",
pOrderStatusData->OL[i].ol_supply_w_id,
pOrderStatusData->OL[i].ol_i_id,
pOrderStatusData->OL[i].ol_quantity,
pOrderStatusData->OL[i].ol_amount,
pOrderStatusData->OL[i].ol_delivery_d.day,
pOrderStatusData->OL[i].ol_delivery_d.month,
pOrderStatusData->OL[i].ol_delivery_d.year);
}

strcpy( szForm+c, szBR, (15-i)*5 );
c += (15-i)*5;

strcpy(szForm+c,
"</font></PRE><HR><INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Payment..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Delivery..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Order-
Status..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Stock-
Level..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Exit..\">"
"</BODY></FORM></HTML>" );
}

/* FUNCTION: MakeDeliveryForm
*
* COMMENTS: The internal client buffer is created when the terminal id is
assigned and should not
* be freed except when the client terminal id
is no longer needed.
*/

void MakeDeliveryForm(int iTermId, DELIVERY_DATA *pDeliveryData, BOOL bInput, char
*szForm)
{
int c;

c = sprintf(szForm,
"<HTML><HEAD><TITLE>TPC-C Delivery</TITLE></HEAD><BODY>"

```

```

"<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
"<INPUT TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"%d\">"
"<INPUT TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"
"<INPUT TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"%d\">"
"<INPUT TYPE=\"hidden\" NAME=\"TERMINID\" VALUE=\"%d\">"
"<INPUT TYPE=\"hidden\" NAME=\"SYCID\" VALUE=\"%d\">"
"<PRE><font face=\"Courier\">"
Delivery<BR>"
"Warehouse: %4.4d<BR> <BR>",
(!bInput && (pDeliveryData->exec_status_code != eOK)) ?
ERR_TYPE_DELIVERY_POST : 0,
DELIVERY_FORM, iTermId, Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id);

if ( bInput )
{
strcpy( szForm+c,
"Carrier Number: <INPUT NAME=\"OCD*\" SIZE=1><BR>"
"Execution Status: <BR> <BR> <BR> <BR> <BR> <BR> <BR>"
" <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>"
"</font></PRE><HR>"
"<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"Process\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
"</BODY></FORM></HTML>" );
}
else
{
sprintf( szForm+c,
"Carrier Number: %2.2d<BR> <BR>"
"Execution Status: %s <BR> <BR> <BR> <BR> <BR> <BR> <BR>"
" <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>"
"<HR><INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Payment..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Delivery..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Order-
Status..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..Stock-
Level..\">"
"<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Exit..\">"
"</BODY></FORM></HTML>"
, pDeliveryData->o_carrier_id,
(pDeliveryData->exec_status_code == eOK) ? "Delivery
has been queued." : "Delivery Post Failed "
);
}

/* FUNCTION: ProcessNewOrderForm
*
* PURPOSE: This function gets and validates the input data from the new
order form
* filling in the required input variables. it then calls
the SQLNewOrder

```

```

*
* transaction, constructs the output form and writes it
back to client
*
* browser.
*/

void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer)
{
    PNEW_ORDER_DATA          pNewOrder;

    pNewOrder = Term.pClientData[iTermId].pTxn->BuffAddr_NewOrder();

    ZeroMemory(pNewOrder, sizeof(NEW_ORDER_DATA));
    pNewOrder->w_id = Term.pClientData[iTermId].w_id;
    GetNewOrderData(pECB->lpszQueryString, pNewOrder);

    Term.pClientData[iTermId].pTxn->NewOrder();

    pNewOrder = Term.pClientData[iTermId].pTxn->BuffAddr_NewOrder();
    MakeNewOrderForm(iTermId, pNewOrder, OUTPUT_FORM, szBuffer );
}

/* FUNCTION: void ProcessPaymentForm
*
* PURPOSE:      This function gets and validates the input data from the payment
form
*
* filling in the required input variables. It then calls
the SQLPayment
*
* transaction, constructs the output form and writes it
back to client
*
* browser.
*
* ARGUMENTS:   EXTENSION_CONTROL_BLOCK      *pECB      passed in structure
pointer from inetsrv.
*
*              int
*              iTermId  client browser terminal id
*/

void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char *szBuffer)
{
    PPAYMENT_DATA          pPayment;

    pPayment = Term.pClientData[iTermId].pTxn->BuffAddr_Payment();
    ZeroMemory(pPayment, sizeof(PAYMENT_DATA));
    pPayment->w_id = Term.pClientData[iTermId].w_id;
    GetPaymentData(pECB->lpszQueryString, pPayment);

    Term.pClientData[iTermId].pTxn->Payment();

    pPayment = Term.pClientData[iTermId].pTxn->BuffAddr_Payment();
    MakePaymentForm(iTermId, pPayment, OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessOrderStatusForm
*
* PURPOSE:      This function gets and validates the input data from the Order
Status
*
* form filling in the required input variables. It then
calls the
*
* SQLOrderStatus transaction, constructs the output form
and writes it
*
* back to client browser.

```

```

*
* ARGUMENTS:   EXTENSION_CONTROL_BLOCK      *pECB      passed in structure
pointer from inetsrv.
*
*              int
*              iTermId  client browser terminal id
*/

void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer)
{
    PORDER_STATUS_DATA      pOrderStatus;

    pOrderStatus = Term.pClientData[iTermId].pTxn->BuffAddr_OrderStatus();
    ZeroMemory(pOrderStatus, sizeof(ORDER_STATUS_DATA));
    pOrderStatus->w_id = Term.pClientData[iTermId].w_id;
    GetOrderStatusData(pECB->lpszQueryString, pOrderStatus);

    Term.pClientData[iTermId].pTxn->OrderStatus();

    pOrderStatus = Term.pClientData[iTermId].pTxn->BuffAddr_OrderStatus();
    MakeOrderStatusForm(iTermId, pOrderStatus, OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessDeliveryForm
*
* PURPOSE:      This function gets and validates the input data from the
delivery form
*
* filling in the required input variables. It then calls
the PostDeliveryInfo
*
* Api, The client is then informed that the transaction
has been posted.
*
* ARGUMENTS:   EXTENSION_CONTROL_BLOCK      *pECB      passed in structure
pointer from inetsrv.
*
*              int
*              iTermId  client browser terminal id
*/

void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char *szBuffer)
{
    char      *ptr = pECB->lpszQueryString;

    PDELIVERY_DATA      pDelivery;

    pDelivery = Term.pClientData[iTermId].pTxn->BuffAddr_Delivery();
    ZeroMemory(pDelivery, sizeof(DELIVERY_DATA));
    pDelivery->w_id = Term.pClientData[iTermId].w_id;

    pDelivery->o_carrier_id = GetIntKeyValue(&ptr, "OCD*",
ERR_DELIVERY_MISSING_OCD_KEY, ERR_DELIVERY_CARRIER_INVALID);
    if ( pDelivery->o_carrier_id > 10 || pDelivery->o_carrier_id < 1 )
        throw new CWEBCLNT_ERR( ERR_DELIVERY_CARRIER_ID_RANGE );

    if (dwNumDeliveryThreads)
    {
        //post delivery info
        if ( PostDeliveryInfo(pDelivery->w_id, pDelivery->o_carrier_id)

    )
        pDelivery->exec_status_code = eDeliveryFailed;
    else
        pDelivery->exec_status_code = eOK;
}

```

```

    }
    else // delivery is done synchronously if no delivery threads configured
        Term.pClientData[iTermId].pTxn->Delivery();

    pDelivery = Term.pClientData[iTermId].pTxn->BuffAddr_Delivery();
    MakeDeliveryForm(iTermId, pDelivery, OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessStockLevelForm
 *
 * PURPOSE:      This function gets and validates the input data from the Stock
 *               Level form filling in the required input variables. It then
 *               calls the SQLStockLevel transaction, constructs the output form
 *               and writes it back to client browser.
 *
 * ARGUMENTS:   EXTENSION_CONTROL_BLOCK *pECB passed in structure
 *               pointer from inetsrv.
 *               int iTermId client browser terminal id
 */

void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer)
{
    char *ptr = pECB->lpszQueryString;

    PSTOCK_LEVEL_DATA pStockLevel;

    pStockLevel = Term.pClientData[iTermId].pTxn->BuffAddr_StockLevel();
    ZeroMemory( pStockLevel, sizeof(STOCK_LEVEL_DATA) );

    pStockLevel->w_id = Term.pClientData[iTermId].w_id;
    pStockLevel->d_id = Term.pClientData[iTermId].d_id;

    pStockLevel->threshold = GetIntKeyValue(&ptr, "TT*",
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY, ERR_STOCKLEVEL_THRESHOLD_INVALID);
    if ( pStockLevel->threshold >= 100 || pStockLevel->threshold < 0 )
        throw new CWBCLNT_ERR( ERR_STOCKLEVEL_THRESHOLD_RANGE );

    Term.pClientData[iTermId].pTxn->StockLevel();

    pStockLevel = Term.pClientData[iTermId].pTxn->BuffAddr_StockLevel();
    MakeStockLevelForm(iTermId, pStockLevel, OUTPUT_FORM, szBuffer);
}

/* FUNCTION: GetNewOrderData
 *
 * PURPOSE:      This function extracts and validates the new order form data
 *               from an http command string.
 *
 * ARGUMENTS:   LPSTR lpszQueryString
 *               client browser http command string
 *               NEW_ORDER_DATA *pNewOrderData
 *               pointer to new order data structure
 */

void GetNewOrderData(LPSTR lpszQueryString, NEW_ORDER_DATA *pNewOrderData)
{

```

```

    char szTmp[26];
    int i;
    short items;
    int ol_i_id, ol_quantity;
    char *ptr = lpszQueryString;

    static char szSP[MAX_OL_NEW_ORDER_ITEMS][6] =
    { "SP00*", "SP01*", "SP02*", "SP03*", "SP04*",
      "SP05*", "SP06*", "SP07*", "SP08*", "SP09*",
      "SP10*", "SP11*", "SP12*", "SP13*", "SP14*" };
    static char szIID[MAX_OL_NEW_ORDER_ITEMS][7] =
    { "IID00*", "IID01*", "IID02*", "IID03*", "IID04*",
      "IID05*", "IID06*", "IID07*", "IID08*", "IID09*",
      "IID10*", "IID11*", "IID12*", "IID13*", "IID14*" };
    static char szQty[MAX_OL_NEW_ORDER_ITEMS][7] =
    { "Qty00*", "Qty01*", "Qty02*", "Qty03*", "Qty04*",
      "Qty05*", "Qty06*", "Qty07*", "Qty08*", "Qty09*",
      "Qty10*", "Qty11*", "Qty12*", "Qty13*", "Qty14*" };

    pNewOrderData->d_id = GetIntKeyValue(&ptr, "DID*",
ERR_NEWORDER_FORM_MISSING_DID, ERR_NEWORDER_DISTRICT_INVALID);
    pNewOrderData->c_id = GetIntKeyValue(&ptr, "CID*",
ERR_NEWORDER_CUSTOMER_KEY, ERR_NEWORDER_CUSTOMER_INVALID);

    for(i=0, items=0; i<MAX_OL_NEW_ORDER_ITEMS; i++)
    {
        GetKeyValue(&ptr, szSP[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_SUPPW_KEY);
        if ( szTmp[0] )
        {
            if ( !IsNumeric(szTmp) )
                throw new CWBCLNT_ERR(
ERR_NEWORDER_SUPPW_INVALID );
            pNewOrderData->OL[items].ol_supply_w_id =
(short)atoi(szTmp);

            ol_i_id = pNewOrderData->OL[items].ol_i_id =
GetIntKeyValue(&ptr, szIID[i],
ERR_NEWORDER_MISSING_IID_KEY, ERR_NEWORDER_ITEMID_INVALID);
            if ( ol_i_id > 999999 || ol_i_id < 1 )
                throw new CWBCLNT_ERR(
ERR_NEWORDER_ITEMID_RANGE );

            ol_quantity = pNewOrderData->OL[items].ol_quantity =
GetIntKeyValue(&ptr, szQty[i],
ERR_NEWORDER_MISSING_QTY_KEY, ERR_NEWORDER_QTY_INVALID);
            if ( ol_quantity > 99 || ol_quantity < 1 )
                throw new CWBCLNT_ERR(
ERR_NEWORDER_QTY_RANGE );

            items++;
        }
        else
        {
            // nothing entered for supply warehouse, so item id
            and qty must also be blank
            GetKeyValue(&ptr, szIID[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_IID_KEY);
            if ( szTmp[0] )
                throw new CWBCLNT_ERR(
ERR_NEWORDER_ITEMID_WITHOUT_SUPPW );

            GetKeyValue(&ptr, szQty[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_QTY_KEY);

```

```

        if ( szTmp[0] )
            throw new CWBCLNT_ERR(
ERR_NEWORDER_QTY_WITHOUT_SUPPW );
    }
    if ( items == 0 )
        throw new CWBCLNT_ERR( ERR_NEWORDER_NOITEMS_ENTERED );
    pNewOrderData->o_ol_cnt = items;
}

/* FUNCTION: GetPaymentData
 *
 * PURPOSE:      This function extracts and validates the payment form data from
an http command string.
 *
 * ARGUMENTS:   LPSTR          lpszQueryString
                client browser http command string
                PAYMENT_DATA   *pPaymentData
                pointer to payment data structure
 */

void GetPaymentData(LPSTR lpszQueryString, PAYMENT_DATA *pPaymentData)
{
    char    szTmp[26];
    char    *ptr = lpszQueryString;
    BOOL    bCustIdBlank;

    pPaymentData->d_id = GetIntKeyValue(&ptr, "DID*",
ERR_PAYMENT_MISSING_DID_KEY, ERR_PAYMENT_DISTRICT_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        bCustIdBlank = TRUE;
        pPaymentData->c_id = 0;
    }
    else
    {
        // parse customer id and verify that last name was NOT entered
        bCustIdBlank = FALSE;
        if ( !IsNumeric(szTmp) )
            throw new CWBCLNT_ERR( ERR_PAYMENT_CUSTOMER_INVALID
);
        pPaymentData->c_id = atoi(szTmp);
    }

    pPaymentData->c_w_id = GetIntKeyValue(&ptr, "CWI*",
ERR_PAYMENT_MISSING_CWI_KEY, ERR_PAYMENT_CWI_INVALID);
    pPaymentData->c_d_id = GetIntKeyValue(&ptr, "CDI*",
ERR_PAYMENT_MISSING_CDI_KEY, ERR_PAYMENT_CDI_INVALID);

    if ( bCustIdBlank )
    {
        // customer id is blank, so last name must be entered
        GetKeyValue(&ptr, "CLT*", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_CLT_KEY);
        if ( szTmp[0] == 0 )
            throw new CWBCLNT_ERR( ERR_PAYMENT_MISSING_CID_CLT );

        _strupr( szTmp );
        if ( strlen(pPaymentData->c_last) > LAST_NAME_LEN )
            throw new CWBCLNT_ERR( ERR_PAYMENT_LAST_NAME_TO_LONG
);
    }
}

```

```

        strcpy(pPaymentData->c_last, szTmp);
    }
    else
    {
        // parse customer id and verify that last name was NOT entered
        GetKeyValue(&ptr, "CLT*", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_CLT_KEY);
        if ( szTmp[0] != 0 )
            throw new CWBCLNT_ERR( ERR_PAYMENT_CID_AND_CLT );
    }

    GetKeyValue(&ptr, "HAM*", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_HAM_KEY);
    if ( !IsDecimal(szTmp) )
        throw new CWBCLNT_ERR( ERR_PAYMENT_HAM_INVALID );
    pPaymentData->h_amount = atof(szTmp);
    if ( pPaymentData->h_amount >= 10000.00 || pPaymentData->h_amount < 0 )
        throw new CWBCLNT_ERR( ERR_PAYMENT_HAM_RANGE );
}

/* FUNCTION: GetOrderStatusData
 *
 * PURPOSE:      This function extracts and validates the payment form data from
an http command string.
 *
 * ARGUMENTS:   LPSTR          lpszQueryString, ORDER_STATUS_DATA *pOrderStatusData)
                pointer to order status data structure
 */

void GetOrderStatusData(LPSTR lpszQueryString, ORDER_STATUS_DATA *pOrderStatusData)
{
    char    szTmp[26];
    char    *ptr = lpszQueryString;

    pOrderStatusData->d_id = GetIntKeyValue(&ptr, "DID*",
ERR_ORDERSTATUS_MISSING_DID_KEY, ERR_ORDERSTATUS_DID_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp, sizeof(szTmp),
ERR_ORDERSTATUS_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        // customer id is blank, so last name must be entered
        pOrderStatusData->c_id = 0;
        GetKeyValue(&ptr, "CLT*", szTmp, sizeof(szTmp),
ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] == 0 )
            throw new CWBCLNT_ERR(
ERR_ORDERSTATUS_MISSING_CID_CLT );

        _strupr( szTmp );
        if ( strlen(pOrderStatusData->c_last) > LAST_NAME_LEN )
            throw new CWBCLNT_ERR( ERR_ORDERSTATUS_CLT_RANGE );
        strcpy(pOrderStatusData->c_last, szTmp);
    }
    else
    {
        // parse customer id and verify that last name was NOT entered
        if ( !IsNumeric(szTmp) )
            throw new CWBCLNT_ERR( ERR_ORDERSTATUS_CID_INVALID );
        pOrderStatusData->c_id = atoi(szTmp);
        GetKeyValue(&ptr, "CLT*", szTmp, sizeof(szTmp),
ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] != 0 )
            throw new CWBCLNT_ERR( ERR_ORDERSTATUS_CID_AND_CLT );
    }
}

/* FUNCTION: BOOL IsNumeric(char *ptr)

```

```

*
* PURPOSE:      This function determines if a string is numeric. It fails if any
characters other
*
*               than numeric and null terminator are present.
*
* ARGUMENTS:   char          *ptr      pointer to string to
check.
*
* RETURNS:     BOOL          FALSE    if string is not all numeric
*               TRUE         if string
contains only numeric characters i.e. '0' - '9'
*/

```

```

BOOL IsNumeric(char *ptr)
{
    if ( *ptr == 0 )
        return FALSE;

    while( *ptr && isdigit(*ptr) )
        ptr++;
    return ( !*ptr );
}

```

```

/* FUNCTION: BOOL IsDecimal(char *ptr)
*
* PURPOSE:      This function determines if a string is a non-negative decimal
value.
*               It fails if any characters other than a series of numbers followed by
a decimal point, another series of numbers, and a null
terminator are present.
*
* ARGUMENTS:   char          *ptr      pointer to string to
check.
*
* RETURNS:     BOOL          FALSE    if string is not a valid non-
negative decimal value
*               TRUE         if string is
OK
*/

```

```

BOOL IsDecimal(char *ptr)
{
    char *dotpstr;
    BOOL bValid;

    if ( *ptr == 0 )
        return FALSE;

    // find decimal point
    dotpstr = strchr( ptr, '.' );
    if (dotpstr == NULL)
        // no decimal point, so just check for numeric
        return IsNumeric(ptr);
    *dotpstr = 0; // temporarily replace decimal with a terminator

    if ( *ptr != 0 )
        bValid = IsNumeric(ptr);
    // string starts with decimal point
    else if (*(dotpstr+1) == 0)
        return FALSE; // nothing but a decimal point is bad
    else
        bValid = TRUE;
}

```

```

    if (*(dotpstr+1) != 0)
        // check text after decimal point
        bValid &= IsNumeric(dotpstr+1);

    *dotpstr = '.'; // replace decimal point
    return bValid;
}

```

---

## ***tpcc.def***

---

LIBRARY TPCC.DLL

EXPORTS

```

    GetExtensionVersion @1
    HttpExtensionProc  @2
    TerminateExtension @3

```

---

## ***tpcc.h***

---

```

/* FILE:          TPCC.H
*
*               Microsoft TPC-C Kit Ver. 4.20.000
*               Copyright Microsoft, 1999
*
*               All Rights Reserved
*
*               Version 4.10.000 audited by Richard Gimarc,
Performance Metrics, 3/17/99
*
* PURPOSE:   Header file for ISAPI TPCC.DLL, defines structures and functions
used in the isapi tpcc.dll.
*/

```

```

//VERSION RESOURCE DEFINES
#define _APS_NEXT_RESOURCE_VALUE          101
#define _APS_NEXT_COMMAND_VALUE         40001
#define _APS_NEXT_CONTROL_VALUE         1000
#define _APS_NEXT_SYMED_VALUE           101

#define TP_MAX_RETRIES
50

```

```

//note that the welcome form must be processed first as terminal ids assigned here,
once the
//terminal id is assigned then the forms can be processed in any order.
#define WELCOME_FORM                      1
//beginning form no term id assigned, form id
#define MAIN_MENU_FORM                    2
//term id assigned main menu form id
#define NEW_ORDER_FORM                    3
//new order form id
#define PAYMENT_FORM                       4
//payment form id
#define DELIVERY_FORM                      5
//delivery form id
#define ORDER_STATUS_FORM                  6
//order status id

```

```

#define STOCK_LEVEL_FORM 7
    //stock level form id

//This macro is used to prevent the compiler error unused formal parameter
#define UNUSEDPARAM(x) (x = x)

//This structure defines the data necessary to keep distinct for each terminal or
client connection.
typedef struct _CLIENTDATA
{
    int iNextFree;
    //index of next free element or -1 if this entry in use.
    int w_id;
    //warehouse id assigned at welcome form
    int d_id;
    //district id assigned at welcome form

    int iSyncId;
    //synchronization id
    int iTickCount;
    //time of last access;

    CTPCC_BASE *pTxn;
} CLIENTDATA, *PCLIENTDATA;

//This structure is used to define the operational interface for terminal id support
typedef struct _TERM
{
    int iNumEntries;
    //total allocated terminal array entries
    int iFreeList;
    //next available terminal array element or -1 if none
    int iMasterSyncId;
    //synchronization id
    CLIENTDATA *pClientData;
    //pointer to allocated client data
} TERM;

typedef TERM *PTERM;
//pointer to terminal structure type

enum WEBERROR
{
    NO_ERR,
    ERR_COMMAND_UNDEFINED,
    ERR_D_ID_INVALID,
    ERR_DELIVERY_CARRIER_ID_RANGE,
    ERR_DELIVERY_CARRIER_INVALID,
    ERR_DELIVERY_MISSING_OCD_KEY,
    ERR_DELIVERY_THREAD_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_HTML_ILL_FORMED,
    ERR_INVALID_SYNC_CONNECTION,
    ERR_INVALID_TERMID,
    ERR_LOADDDL_FAILED,
    ERR_MAX_CONNECTIONS_EXCEEDED,
    ERR_MEM_ALLOC_FAILED,
    ERR_MISSING_REGISTRY_ENTRIES,
    ERR_NEWORDER_CUSTOMER_INVALID,

```

```

ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_DISTRICT_INVALID,
ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_ITEMID_INVALID,
ERR_NEWORDER_ITEMID_RANGE,
ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_MISSING_SUPPW_KEY,
ERR_NEWORDER_NOITEMS_ENTERED,
ERR_NEWORDER_QTY_INVALID,
ERR_NEWORDER_QTY_RANGE,
ERR_NEWORDER_QTY_WITHOUT_SUPPW,
ERR_NEWORDER_SUPPW_INVALID,
ERR_NO_SERVER_SPECIFIED,
ERR_ORDERSTATUS_CID_AND_CLT,
ERR_ORDERSTATUS_CID_INVALID,
ERR_ORDERSTATUS_CLT_RANGE,
ERR_ORDERSTATUS_DID_INVALID,
ERR_ORDERSTATUS_MISSING_CID_CLT,
ERR_ORDERSTATUS_MISSING_CID_KEY,
ERR_ORDERSTATUS_MISSING_CLT_KEY,
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_PAYMENT_CDI_INVALID,
ERR_PAYMENT_CID_AND_CLT,
ERR_PAYMENT_CUSTOMER_INVALID,
ERR_PAYMENT_CWI_INVALID,
ERR_PAYMENT_DISTRICT_INVALID,
ERR_PAYMENT_HAM_INVALID,
ERR_PAYMENT_HAM_RANGE,
ERR_PAYMENT_LAST_NAME_TO_LONG,
ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_MISSING_CID_CLT,
ERR_PAYMENT_MISSING_CID_KEY,
ERR_PAYMENT_MISSING_CLT,
ERR_PAYMENT_MISSING_CLT_KEY,
ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_MISSING_HAM_KEY,
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID,
ERR_STOCKLEVEL_THRESHOLD_RANGE,
ERR_VERSION_MISMATCH,
ERR_W_ID_INVALID
};

class CWEBCLNT_ERR : public CBaseErr
{
public:
    CWEBCLNT_ERR(WEBERROR Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    };

    CWEBCLNT_ERR(WEBERROR Err, char *szTextDetail, DWORD
dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new char[strlen(szTextDetail)+1];
    };
};

```

```

        strcpy( m_szTextDetail, szTextDetail );
        m_SystemErr = dwSystemErr;
        m_szErrorText = NULL;
    };

~CWEBCLNT_ERR()
{
    if (m_szTextDetail != NULL)
        delete [] m_szTextDetail;
    if (m_szErrorText != NULL)
        delete [] m_szErrorText;
};

WEBERROR m_Error;
char      *m_szTextDetail;    //
char      *m_szErrorText;
DWORD     m_SystemErr;

int ErrorType() {return ERR_TYPE_WEBDLL;};
int ErrorNum() {return m_Error;};
char *ErrorText();
};

//These constants have already been defined in engstut.h, but since we do
//not want to include it in the delisrv executable
#define TXN_EVENT_START      2
#define TXN_EVENT_STOP      4
#define TXN_EVENT_WARNING   6        //used to record a warning into
the log

//function prototypes

BOOL APIENTRY DllMain(HANDLE hModule, DWORD ul_reason_for_call, LPVOID lpReserved);
void WriteMessageToEventLog(LPTSTR lpszMsg);
void ProcessQueryString(EXTENSION_CONTROL_BLOCK *pECB, int *pCmd, int *pFormId, int
*pTermId, int *pSyncId);
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer);
void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer);
void BeginCmd(EXTENSION_CONTROL_BLOCK *pECB, int iFormId, int iTermId);
void ProcessCmd(EXTENSION_CONTROL_BLOCK *pECB, int iFormId, int iTermId);
void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer);
void ErrorMessage(EXTENSION_CONTROL_BLOCK *pECB, int iError, int iErrorType, char
*szMsg, int iTermId);
void GetKeyValue(char **pQueryString, char *pKey, char *pValue, int iMax, WEBERROR
err);
int GetIntKeyValue(char **pQueryString, char *pKey, WEBERROR NoKeyErr, WEBERROR
NotIntErr);
void TermInit(void);
void TermDeleteAll(void);
int TermAdd(void);
void TermDelete(int id);
void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int iType, int iErrorNum, int iTermId,
int iSyncId, char *szErrorText, char *szBuffer );
void MakeMainMenuForm(int iTermId, int iSyncId, char *szForm);
void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA *pStockLevelData, BOOL bInput,
char *szForm);
void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA *pNewOrderData, BOOL bInput, char
*szForm);
void MakePaymentForm(int iTermId, PAYMENT_DATA *pPaymentData, BOOL bInput, char
*szForm);
void MakeOrderStatusForm(int iTermId, ORDER_STATUS_DATA *pOrderStatusData, BOOL
bInput, char *szForm);

```

```

void MakeDeliveryForm(int iTermId, DELIVERY_DATA *pDeliveryData, BOOL bInput, char
*szForm);
void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer);
void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char *szBuffer);
void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer);
void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer);
void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK *pECB, int iTermId, char
*szBuffer);
void GetNewOrderData(LPSTR lpszQueryString, NEW_ORDER_DATA *pNewOrderData);
void GetPaymentData(LPSTR lpszQueryString, PAYMENT_DATA *pPaymentData);
void GetOrderStatusData(LPSTR lpszQueryString, ORDER_STATUS_DATA *pOrderStatusData);
BOOL PostDeliveryInfo(short w_id, short o_carrier_id);
BOOL IsNumeric(char *ptr);
BOOL IsDecimal(char *ptr);
void DeliveryWorkerThread(void *ptr);

```

## tpcc.rc

```

//Microsoft Developer Studio generated resource script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"

////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS

// English (U.S.) resources

#ifdef _WIN32
#ifdef AFX_RESOURCE_DLL
#ifdef AFX_TARG_ENU
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // AFX_TARG_ENU
#endif // AFX_RESOURCE_DLL
#endif // _WIN32

#ifdef _MAC
////////////////////////////////////
//
// Version
//

VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,0,0
PRODUCTVERSION 0,4,0,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x2L
FILESUBTYPE 0x0L

```

```

BEGIN
  BLOCK "StringFileInfo"
  BEGIN
    BLOCK "040904b0"
    BEGIN
      VALUE "Comments", "TPC-C HTML DLL Server (DBLIB)\0"
      VALUE "CompanyName", "Microsoft\0"
      VALUE "FileDescription", "TPC-C HTML DLL Server (DBLIB)\0"
      VALUE "FileVersion", "0, 4, 0, 0\0"
      VALUE "InternalName", "tpcc\0"
      VALUE "LegalCopyright", "Copyright © 1997\0"
      VALUE "OriginalFilename", "tpcc.dll\0"
      VALUE "ProductName", "Microsoft tpcc\0"
      VALUE "ProductVersion", "0, 4, 0, 0\0"
    END
  END
  BLOCK "VarFileInfo"
  BEGIN
    VALUE "Translation", 0x409, 1200
  END
END
#endif // !_MAC

#ifdef APSTUDIO_INVOKED
//
// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
  "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
  "#include \"afxres.h\"\r\n"
  "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
  "\r\n"
  "\0"
END

#endif // APSTUDIO_INVOKED

//
// Dialog
//

IDD_DIALOG1 DIALOG DISCARDABLE 0, 0, 186, 95
STYLE DS_MODALFRAME | WS_POPUP | WS_CAPTION | WS_SYSMENU
CAPTION "Dialog"
FONT 8, "MS Sans Serif"
BEGIN
  DEFPUSHBUTTON "OK", IDOK, 129, 7, 50, 14
  PUSHBUTTON "Cancel", IDCANCEL, 129, 24, 50, 14

```

```

END

//
// DESIGNINFO
//

#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
  IDD_DIALOG1, DIALOG
  BEGIN
    LEFTMARGIN, 7
    RIGHTMARGIN, 179
    TOPMARGIN, 7
    BOTTOMMARGIN, 88
  END
END
#endif // APSTUDIO_INVOKED

#endif // English (U.S.) resources
//

#ifdef APSTUDIO_INVOKED
//
// Generated from the TEXTINCLUDE 3 resource.
//

//
#endif // not APSTUDIO_INVOKED



---


tpcc_com.cpp


---


/* FILE: TPCC_COM.CPP
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 *
 * All Rights Reserved
 *
 * not yet audited
 *
 * PURPOSE: Source file for TPC-C COM+ class implementation.
 * Contact: Charles Levine (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - first version
 */

// needed for CoInitializeEx
#define _WIN32_WINNT 0x0400

#include <windows.h>

// need to declare functions for export
#define DllDecl __declspec( dllexport )

```



```

#include "..\..\common\src\trans.h" //tpckit transaction header
contains definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_com.h"

#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\tpcc_com_all\src\tpcc_com_all_i.c"

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_COM* CTPCC_COM_new(BOOL bSinglePool)
{
    return new CTPCC_COM(bSinglePool);
}

CTPCC_COM::CTPCC_COM(BOOL bSinglePool)
{
    HRESULT hr = NULL;
    long lRet = 0;
    ULONG ulTmpSize = 0;

    m_pTxn = NULL;
    m_pNewOrder = NULL;
    m_pPayment = NULL;
    m_pStockLevel = NULL;
    m_pOrderStatus = NULL;

    m_bSinglePool = bSinglePool;

    ulTmpSize = (ULONG) sizeof(COM_DATA);
    VariantInit(&m_vTxn);
    m_vTxn.vt = VT_SAFEARRAY;

    m_vTxn.parray = SafeArrayCreateVector(VT_UI1, ulTmpSize, ulTmpSize);
    if (!m_vTxn.parray)
        throw new CCOMERR( E_FAIL );

    memset((void*)m_vTxn.parray->pvData,0,ulTmpSize);
    m_pTxn = (COM_DATA*)m_vTxn.parray->pvData;

    hr = CoInitializeEx(NULL, COINIT_MULTITHREADED);
    if (FAILED(hr))
    {
        throw new CCOMERR( hr );
    }

    // create components
    if (m_bSinglePool)
    {
        hr = CoCreateInstance(CLSID_TPCC, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pNewOrder);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        // all txns will use same component
        m_pPayment = m_pNewOrder;
        m_pStockLevel = m_pNewOrder;
        m_pOrderStatus = m_pNewOrder;
    }
    else
    {
        // use different components for each txn

```

```

        hr = CoCreateInstance(CLSID_NewOrder, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pNewOrder);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = CoCreateInstance(CLSID_Payment, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pPayment);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = CoCreateInstance(CLSID_StockLevel, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pStockLevel);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = CoCreateInstance(CLSID_OrderStatus, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pOrderStatus);
        if (FAILED(hr))
            throw new CCOMERR(hr);
    }

    // call setcomplete to release each component back into pool
    hr = m_pNewOrder->CallSetComplete();
    if (FAILED(hr))
        throw new CCOMERR(hr);

    if (!m_bSinglePool)
    {
        hr = m_pPayment->CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pStockLevel->CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pOrderStatus->CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);
    }
}

CTPCC_COM::~CTPCC_COM()
{
    if (m_pTxn)
        SafeArrayDestroy(m_vTxn.parray);

    ReleaseInterface(m_pNewOrder);
    if (!m_bSinglePool)
    {
        ReleaseInterface(m_pPayment);
        ReleaseInterface(m_pStockLevel);
        ReleaseInterface(m_pOrderStatus);
    }
    CoUninitialize();
}

void CTPCC_COM::NewOrder()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pNewOrder->NewOrder(m_vTxn, &vTxn_out);
    if (FAILED(hr))

```

```

        throw new CCOMERR( hr );
        memcpy(m_pTxn, (void *)vTxn_out.parray->pvData, vTxn_out.parray->rgsabound[0].cElements);
        SafeArrayDestroy(vTxn_out.parray);

        if ( m_pTxn->ErrorType != ERR_SUCCESS )
            throw new CCOMERR( m_pTxn->ErrorType, m_pTxn->error );
    }

void CTPCC_COM::Payment()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pPayment->Payment(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray->pvData, vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn->ErrorType, m_pTxn->error );
}

void CTPCC_COM::StockLevel()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pStockLevel->StockLevel(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray->pvData, vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn->ErrorType, m_pTxn->error );
}

void CTPCC_COM::OrderStatus()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pOrderStatus->OrderStatus(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray->pvData, vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn->ErrorType, m_pTxn->error );
}

```

## tpcc\_com.h

```

/* FILE: TPCC_COM.H
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 * All Rights Reserved
 * not yet audited
 */

```

```

*
* PURPOSE: Header file for TPC-C COM+ class implementation.
*
* Change history:
* 4.20.000 - first version
*/

#pragma once

#include <stdio.h>
#include "..\..\tpcc_com_ps\src\tpcc_com_ps.h"

// need to declare functions for import, unless define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CCOMERR : public CBaseErr
{
private:
    char m_szErrorText[64];

public:
    // use this interface for genuine COM errors
    CCOMERR( HRESULT hr )
    {
        m_hr = hr;
        m_iErrorType = 0;
        m_iError = 0;
    }

    // use this interface to impersonate a non-COM error type
    CCOMERR( int iErrorType, int iError )
    {
        m_iErrorType = iErrorType;
        m_iError = iError;
        m_hr = S_OK;
    }

    int m_hr;
    int m_iErrorType;
    int m_iError;

    // A CCOMERR class can impersonate another class, which happens
    // if the error // was not actually a COM Services error, but was simply
    // transmitted back via COM.
    int ErrorType()
    {
        if (m_iErrorType == 0)
            return ERR_TYPE_COM;
        else
            return m_iErrorType;
    }

    int ErrorNum() {return m_hr;}

    char *ErrorText()
    {
        if (m_hr == S_OK)
            sprintf( m_szErrorText, "Error: Class %d,
error # %d", m_iErrorType, m_iError );
    }
}

```

```

        else
            sprintf( m_szErrorText, "Error: COM HRESULT
%x", m_hr );
        return m_szErrorText;
    }
};

class DllDecl CTPCC_COM : public CTPCC_BASE
{
private:
    BOOL m_bSinglePool;

    // COM Interface pointers
    ITPCC* m_pNewOrder;
    ITPCC* m_pPayment;
    ITPCC* m_pStockLevel;
    ITPCC* m_pOrderStatus;

    struct COM_DATA
    {
        int ErrorType;
        int error;
        union
        {
            NEW_ORDER_DATA NewOrder;
            PAYMENT_DATA Payment;
            DELIVERY_DATA Delivery;
            STOCK_LEVEL_DATA StockLevel;
            ORDER_STATUS_DATA OrderStatus;
        } u;
    } *m_pTxn;

public:
    VARIANT m_vTxn;
    CTPCC_COM(BOOL bSinglePool);
    ~CTPCC_COM(void);

    inline PNEW_ORDER_DATA BuffAddr_NewOrder()
    { return &m_pTxn->u.NewOrder; };
    inline PPAYMENT_DATA BuffAddr_Payment()
    { return &m_pTxn->u.Payment; };
    inline PDELIVERY_DATA BuffAddr_Delivery()
    { return &m_pTxn->u.Delivery; };
    inline PSTOCK_LEVEL_DATA BuffAddr_StockLevel()
    { return &m_pTxn->u.StockLevel; };
    inline PORDER_STATUS_DATA BuffAddr_OrderStatus()
    { return &m_pTxn->u.OrderStatus; };

    void NewOrder ();
    void Payment ();
    void StockLevel ();
    void OrderStatus ();
    void Delivery () { throw new CCOMERR(E_NOTIMPL); };
}; // not supported

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

```

```

    }
}

// wrapper routine for class constructor
extern "C" __declspec(dllexport) CTPCC_COM* CTPCC_COM_new(BOOL);

typedef CTPCC_COM* (TYPE_CTPCC_COM)(BOOL);

```

## tpcc\_com\_all.cpp

```

/* FILE: TPCC_COM_ALL.CPP
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 * All Rights Reserved
 *
 * Version 4.10.000 audited by Richard Gimarc,
Performance Metrics, 3/17/99
 *
 * PURPOSE: Implementation for TPC-C Tuxedo class.
 * Contact: Charles Levine (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - updated rev number to match kit
 */

#define STRICT
#define _WIN32_WINNT 0x0400
#define _ATL_APARTMENT_THREADED

#include <stdio.h>
#include <atbase.h>
//You may derive a class from CComModule and use it if you want to override
//something, but do not change the name of _Module
extern CComModule _Module;

#include <atlcom.h>
#include <initguid.h>
#include <transact.h>
#include <atlimpl.cpp>
#include <comsvcs.h>

#include <sqltypes.h>
#include <sql.h>
#include <sqlxext.h>

#include "tpcc_com_ps.h"
#include "..\..\common\src\trans.h"
//tpckit transaction header contains definitions of structures specific to
TPC-C
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\error.h"
#include "..\..\common\src\ReadRegistry.h"
#include "..\..\db_dblib_dll\src\tpcc_dblib.h" // DBLIB implementation
of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h" // ODBC implementation
of TPC-C txns

#include "resource.h"
#include "tpcc_com_all.h"
#include "tpcc_com_all_i.c"
#include "Methods.h"

```

```

#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\common\src\ReadRegistry.cpp"

CComModule _Module;

BEGIN_OBJECT_MAP(ObjectMap)
    OBJECT_ENTRY(CLSID_TPCC, CTPCC)
    OBJECT_ENTRY(CLSID_NewOrder, CNewOrder)
    OBJECT_ENTRY(CLSID_OrderStatus, COrderStatus)
    OBJECT_ENTRY(CLSID_Payment, CPayment)
    OBJECT_ENTRY(CLSID_StockLevel, CStockLevel)
END_OBJECT_MAP()

// configuration settings from registry
TPCCREGISTRYDATA Reg;
char szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;

////////////////////////////////////
// DLL Entry Point
extern "C"
BOOL WINAPI DllMain(HINSTANCE hInstance, DWORD dwReason, LPVOID /*lpReserved*/)
{
    char szDllName[128];

    try
    {
        if (dwReason == DLL_PROCESS_ATTACH)
        {
            _Module.Init(ObjectMap, hInstance);
            DisableThreadLibraryCalls(hInstance);

            DWORD dwSize = MAX_COMPUTERNAME_LENGTH+1;
            GetComputerName(szMyComputerName, &dwSize);
            szMyComputerName[dwSize] = 0;

            if ( ReadTPCCRegistrySettings( &Reg ) )
                throw new CCOMPONENT_ERR(
ERR_MISSING_REGISTRY_ENTRIES );

            if (Reg.eDB_Protocol == DBLIB)
            {
                strcpy( szDllName, Reg.szPath );
                strcat( szDllName, "tpcc_dblib.dll");
                hLibInstanceDb = LoadLibrary( szDllName );
                if (hLibInstanceDb == NULL)
                    throw new CCOMPONENT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                // get function pointer to wrapper for class
                constructor
                pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
GetProcAddress(hLibInstanceDb, "CTPCC_DBLIB_new");
                if (pCTPCC_DBLIB_new == NULL)

```

```

                    throw new CCOMPONENT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
            }
            else if (Reg.eDB_Protocol == ODBC)
            {
                strcpy( szDllName, Reg.szPath );
                strcat( szDllName, "tpcc_odbc.dll");
                hLibInstanceDb = LoadLibrary( szDllName );
                if (hLibInstanceDb == NULL)
                    throw new CCOMPONENT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                // get function pointer to wrapper for class
                constructor
                pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");
                if (pCTPCC_ODBC_new == NULL)
                    throw new CCOMPONENT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
            }
            else
                throw new CCOMPONENT_ERR(
ERR_UNKNOWN_DB_PROTOCOL );
        }
        else if (dwReason == DLL_PROCESS_DETACH)
            _Module.Term();
    }
    catch (CBaseErr *e)
    {
        WriteMessageToEventLog(e->ErrorText());
        delete e;
        return FALSE;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled exception in object
DllMain"));
        return FALSE;
    }
    return TRUE; // OK
}

////////////////////////////////////
// Used to determine whether the DLL can be unloaded by OLE
STDAPI DllCanUnloadNow(void)
{
    return (_Module.GetLockCount()==0) ? S_OK : S_FALSE;
}

////////////////////////////////////
// Returns a class factory to create an object of the requested type
STDAPI DllGetClassObject(REFCLSID rclsid, REFIID riid, LPVOID* ppv)
{
    return _Module.GetClassObject(rclsid, riid, ppv);
}

////////////////////////////////////
// DllRegisterServer - Adds entries to the system registry

```

```

STDAPI DllRegisterServer(void)
{
    // registers object, typelib and all interfaces in typelib
    return _Module.RegisterServer(TRUE);
}

////////////////////////////////////
// DllUnregisterServer - Removes entries from the system registry

STDAPI DllUnregisterServer(void)
{
    _Module.UnregisterServer();
    return S_OK;
}

static void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR    szMsg[256];
    HANDLE   hEventSource;
    LPTSTR   lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL, TEXT("tpcc_com_all.dll"));

    _stprintf(szMsg, TEXT("Error in COM+ TPC-C Component: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event source
            EVENTLOG_ERROR_TYPE, // event type
            0, // event category
            0, // event ID
            NULL, // current user's SID
            2, // strings in lpszStrings
            0, // no bytes of raw data
            (LPCTSTR *)lpszStrings, // array of error strings
            NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

/* FUNCTION: CCOMPONENT_ERR::ErrorText
 *
 */

char* CCOMPONENT_ERR::ErrorText(void)
{
    static SERRORMSG errorMsgs[] =
    {

```

```

        { ERR_MISSING_REGISTRY_ENTRIES, "Required entries
missing from registry." },
        { ERR_LOADDLL_FAILED, "Load of DLL
failed. DLL=" },
        { ERR_GETPROCADDR_FAILED, "Could not map proc in
DLL. GetProcAddress error. DLL=" },
        { ERR_UNKNOWN_DB_PROTOCOL, "Unknown database
protocol specified in registry." },
        { 0, "" }
    };
};

char szTmp[256];
int i = 0;
while (TRUE)
{
    if (errorMsgs[i].szMsg[0] == 0)
    {
        strcpy( szTmp, "Unknown error number." );
        break;
    }
    if (m_Error == errorMsgs[i].iError)
    {
        strcpy( szTmp, errorMsgs[i].szMsg );
        break;
    }
    i++;
}

if (m_szTextDetail)
    strcat( szTmp, m_szTextDetail );
if (m_SystemErr)
    wsprintf( szTmp+strlen(szTmp), " Error=%d", m_SystemErr );

m_szErrorText = new char[strlen(szTmp)+1];
strcpy( m_szErrorText, szTmp );
return m_szErrorText;
}

CTPCC_Common::CTPCC_Common()
{
    m_pTxn = NULL;
    m_bCanBePooled = TRUE;
}

CTPCC_Common::~CTPCC_Common()
{
    if (m_pTxn)
        delete m_pTxn;
}

HRESULT CTPCC_Common::CallSetComplete()
{
    IObjectContext* pObjectContext = NULL;

    // get our object context
    HRESULT hr = CoGetObjectContext( IID_IObjectContext, (void
**) &pObjectContext );
    pObjectContext->SetComplete();
    ReleaseInterface(pObjectContext);
}

```

```

        return hr;
    }

    //
    // called by the ctor activator
    //
    STDMETHODIMP CTPCC_Common::Construct(IDispatch * pUnk)
    {
        // Code to access construction string, if needed later...
        // if (!pUnk)
        //     return E_UNEXPECTED;
        // IObjectConstructString * pString = NULL;
        // HRESULT hr = pUnk->QueryInterface(IID_IObjectConstructString,
        (void **)&pString);
        // pString->Release();

        try
        {
            if (Reg.eDB_Protocol == ODBC)
                m_pTxn = pCTPCC_ODBC_new( Reg.szDbServer,
                Reg.szDbUser, Reg.szDbPassword, szMyComputerName, Reg.szDbName );
            else if (Reg.eDB_Protocol == DBLIB)
                m_pTxn = pCTPCC_DBLIB_new( Reg.szDbServer,
                Reg.szDbUser, Reg.szDbPassword, szMyComputerName, Reg.szDbName );
        }
        catch (CBaseErr *e)
        {
            WriteMessageToEventLog(e->ErrorText());
            delete e;
            return E_FAIL;
        }
        catch (...)
        {
            WriteMessageToEventLog(TEXT("Unhandled exception in object
            ::Construct"));
            return E_FAIL;
        }

        return S_OK;
    }

    HRESULT CTPCC_Common::NewOrder(VARIANT txn_in, VARIANT* txn_out)
    {
        PNEW_ORDER_DATA    pNewOrder;
        COM_DATA            *pData;
        try
        {
            pData = (COM_DATA*)txn_in.parray->pvData;
            pNewOrder = m_pTxn->BuffAddr_NewOrder();

            memcpy(pNewOrder, &pData->u.NewOrder, sizeof(NEW_ORDER_DATA));

            m_pTxn->NewOrder();           // do the actual txn

            VariantInit(txn_out);
            txn_out->vt = VT_SAFEARRAY;
            txn_out->parray = SafeArrayCreateVector(VT_UI1,

            >rgsabound->cElements,                txn_in.parray-
            >rgsabound->cElements);                txn_in.parray-
            pData = (COM_DATA*) txn_out->parray->pvData;

            memcpy( &pData->u.Payment, pNewOrder, sizeof(NEW_ORDER_DATA));

            pData->retval = ERR_SUCCESS;
            pData->error = 0;
            return S_OK;
        }
        catch (CBaseErr *e)
        {
            // check for lost database connection; if yes, component is
            toast

```

```

            memcpy( &pData->u.NewOrder, pNewOrder, sizeof(NEW_ORDER_DATA));

            pData->retval = ERR_SUCCESS;
            pData->error = 0;
            return S_OK;
        }
        catch (CBaseErr *e)
        {
            // check for lost database connection; if yes, component is
            toast
            if ( ((e->ErrorType() == ERR_TYPE_DBLIB) && (e->ErrorNum() ==
            10005)) ||
            ((e->ErrorType() == ERR_TYPE_ODBC) && (e->ErrorNum()
            == 10054)) )
                m_bCanBePooled = FALSE;

            pData->retval = e->ErrorType();
            pData->error = e->ErrorNum();
            delete e;
            return E_FAIL;
        }
        catch (...)
        {
            WriteMessageToEventLog(TEXT("Unhandled exception.));
            pData->retval = ERR_TYPE_LOGIC;
            pData->error = 0;
            m_bCanBePooled = FALSE;
            return E_FAIL;
        }
    }

    HRESULT CTPCC_Common::Payment(VARIANT txn_in, VARIANT* txn_out)
    {
        PPAYMENT_DATA      pPayment;
        COM_DATA            *pData;
        try
        {
            pData = (COM_DATA*)txn_in.parray->pvData;
            pPayment = m_pTxn->BuffAddr_Payment();

            memcpy(pPayment, &pData->u.Payment, sizeof(PAYMENT_DATA));

            m_pTxn->Payment();           // do the actual txn

            VariantInit(txn_out);
            txn_out->vt = VT_SAFEARRAY;
            txn_out->parray = SafeArrayCreateVector( VT_UI1,
            txn_in.parray-
            >rgsabound->cElements,                txn_in.parray-
            >rgsabound->cElements);                txn_in.parray-
            pData = (COM_DATA*) txn_out->parray->pvData;

            memcpy( &pData->u.Payment, pPayment, sizeof(PAYMENT_DATA));

            pData->retval = ERR_SUCCESS;
            pData->error = 0;
            return S_OK;
        }
        catch (CBaseErr *e)
        {
            // check for lost database connection; if yes, component is
            toast

```

```

        if ( ((e->ErrorType() == ERR_TYPE_DBLIB) && (e->ErrorNum() ==
10005)) ||
        == 10054) )
            ((e->ErrorType() == ERR_TYPE_ODBC) && (e->ErrorNum()
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled exception.));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

HRESULT CTPCC_Common::StockLevel(VARIANT txn_in, VARIANT* txn_out)
{
    PSTOCK_LEVEL_DATA  pStockLevel;
    COM_DATA            *pData;

    try
    {
        pData = (COM_DATA*)txn_in.parray->pvData;
        pStockLevel = m_pTxn->BuffAddr_StockLevel();

        memcpy(pStockLevel, &pData->u.StockLevel,
sizeof(STOCK_LEVEL_DATA));

        m_pTxn->StockLevel();

        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray = SafeArrayCreateVector( VT_UI1,
        txn_in.parray->rgsabound->cElements,
        txn_in.parray->rgsabound->cElements);
        pData = (COM_DATA*)txn_out->parray->pvData;
        memcpy( &pData->u.StockLevel, pStockLevel,
sizeof(STOCK_LEVEL_DATA));

        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database connection; if yes, component is
toast
        if ( ((e->ErrorType() == ERR_TYPE_DBLIB) && (e->ErrorNum() ==
10005)) ||
        == 10054) )
            ((e->ErrorType() == ERR_TYPE_ODBC) && (e->ErrorNum()
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();

```

```

        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled exception.));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

HRESULT CTPCC_Common::OrderStatus(VARIANT txn_in, VARIANT* txn_out)
{
    PORDER_STATUS_DATA pOrderStatus;
    COM_DATA            *pData;

    try
    {
        pData = (COM_DATA*)txn_in.parray->pvData;
        pOrderStatus = m_pTxn->BuffAddr_OrderStatus();

        memcpy(pOrderStatus, &pData->u.OrderStatus,
sizeof(ORDER_STATUS_DATA));

        m_pTxn->OrderStatus();

        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray = SafeArrayCreateVector( VT_UI1,
        txn_in.parray->rgsabound->cElements,
        txn_in.parray->rgsabound->cElements);
        pData = (COM_DATA*)txn_out->parray->pvData;
        memcpy( &pData->u.OrderStatus, pOrderStatus,
sizeof(ORDER_STATUS_DATA));

        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database connection; if yes, component is
toast
        if ( ((e->ErrorType() == ERR_TYPE_DBLIB) && (e->ErrorNum() ==
10005)) ||
        == 10054) )
            ((e->ErrorType() == ERR_TYPE_ODBC) && (e->ErrorNum()
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled exception.));
        pData->retval = ERR_TYPE_LOGIC;

```

```

pData->error = 0;
m_bCanBePooled = FALSE;
return E_FAIL;
}
}

```

## **tpcc\_com\_all.def**

```

; tpcc_com_all.def : Declares the module parameters.

```

```

LIBRARY      "tpcc_com_all.dll"

EXPORTS
    DllCanUnloadNow      @1 PRIVATE
    DllGetClassObject    @2 PRIVATE
    DllRegisterServer    @3 PRIVATE
    DllUnregisterServer  @4 PRIVATE

```

## **tpcc\_com\_all.dsp**

```

# Microsoft Developer Studio Project File - Name="tpcc_com_all" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File, Format Version 6.00
# ** DO NOT EDIT **

```

```

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

```

```

CFG=tpcc_com_all - Win32 Debug
!MESSAGE This is not a valid makefile. To build this project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_all.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running NMAKE
!MESSAGE by defining the macro CFG= on the command line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_all.mak" CFG="tpcc_com_all - Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tpcc_com_all - Win32 Release" (based on "Win32 (x86) Dynamic-Link
Library")
!MESSAGE "tpcc_com_all - Win32 Debug" (based on "Win32 (x86) Dynamic-Link
Library")
!MESSAGE

```

```

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

```

```

!IF "$(CFG)" == "tpcc_com_all - Win32 Release"

```

```

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0

```

```

# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D "_WINDOWS" /YX /FD
/c
# ADD CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL" /win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /dll /machine:I386
# ADD LINK32 ..\db_dblib_dll\bin\tpcc_dblib.lib ..\db_odbc_dll\bin\tpcc_odbc.lib
kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib /nologo /subsystem:windows
/dll /machine:I386

```

```

!ELSEIF "$(CFG)" == "tpcc_com_all - Win32 Debug"

```

```

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D "WIN32" /D "_DEBUG" /D "_WINDOWS"
/YX /FD /c
# ADD CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D "WIN32" /D "_DEBUG" /D "_WINDOWS" /YX
/OD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /dll /debug /machine:I386 /pdbtype:sept
# ADD LINK32 ..\db_dblib_dll\bin\tpcc_dblib.lib ..\db_odbc_dll\bin\tpcc_odbc.lib
kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib /nologo /subsystem:windows
/dll /debug /machine:I386 /pdbtype:sept

```

```

!ENDIF

```

```

# Begin Target

```

```

# Name "tpcc_com_all - Win32 Release"
# Name "tpcc_com_all - Win32 Debug"
# Begin Group "Source"

```



```

# PROP Default_Filter "*.cpp, *.c"
# Begin Source File

SOURCE=.\src\tpcc_com_all.cpp
# SUBTRACT CPP /YX
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_com_all.def
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_com_all.idl

!IF "$(CFG)" == "tpcc_com_all - Win32 Release"

# PROP Ignore_Default_Tool 1
# Begin Custom Build - Performing MIDL step
InputPath=.\src\tpcc_com_all.idl

BuildCmds= \
    midl /Oicf /h "tpcc_com_all.h" /iid "tpcc_com_all_i.c"
"..\src\tpcc_com_all.idl" /out "..\src"

"..\src\tpcc_com_all.tlb" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

"..\src\tpcc_com_all.h" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

"..\src\tpcc_com_all_i.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)
# End Custom Build

!ELSEIF "$(CFG)" == "tpcc_com_all - Win32 Debug"

# PROP Ignore_Default_Tool 1
# Begin Custom Build - Performing MIDL step
InputPath=.\src\tpcc_com_all.idl

BuildCmds= \
    midl /Oicf /h "tpcc_com_all.h" /iid "tpcc_com_all_i.c"
"..\src\tpcc_com_all.idl" /out "..\src"

"..\src\tpcc_com_all.tlb" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

"..\src\tpcc_com_all.h" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

"..\src\tpcc_com_all_i.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)
# End Custom Build

!ENDIF

# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

```

```

SOURCE=.\src\Methods.h
# End Source File
# Begin Source File

SOURCE=.\src\resource.h
# End Source File
# End Group
# Begin Source File

SOURCE=.\src\tpcc_com_all.rc
# End Source File
# End Target
# End Project

```

---

## ***tpcc\_com\_all.h***

---

```

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the definitions for the interfaces */

/* File created by MIDL compiler version 5.03.0280 */
/* at Thu Dec 13 23:13:14 2001
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
    Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run), ms_ext, c_ext
    error checks: allocation ref bounds_check enum stub_data
    VC __declspec() decoration level:
        __declspec(uuid()), __declspec(selectany), __declspec(novtable)
        DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

/* verify that the <rpcndr.h> version is high enough to compile this file*/
#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __tpcc_com_all_h__
#define __tpcc_com_all_h__

/* Forward Declarations */

#ifndef __TPCC_FWD_DEFINED__
#define __TPCC_FWD_DEFINED__

#ifdef __cplusplus
typedef class TPCC TPCC;
#else
typedef struct TPCC TPCC;
#endif /* __cplusplus */

#endif /* __TPCC_FWD_DEFINED__ */

#ifndef __NewOrder_FWD_DEFINED__

```

```

#define __NewOrder_FWD_DEFINED__

#ifdef __cplusplus
typedef class NewOrder NewOrder;
#else
typedef struct NewOrder NewOrder;
#endif /* __cplusplus */

#ifdef /* __NewOrder_FWD_DEFINED__ */

#endif

#ifdef __OrderStatus_FWD_DEFINED__
#define __OrderStatus_FWD_DEFINED__

#ifdef __cplusplus
typedef class OrderStatus OrderStatus;
#else
typedef struct OrderStatus OrderStatus;
#endif /* __cplusplus */

#ifdef /* __OrderStatus_FWD_DEFINED__ */

#endif

#ifdef __Payment_FWD_DEFINED__
#define __Payment_FWD_DEFINED__

#ifdef __cplusplus
typedef class Payment Payment;
#else
typedef struct Payment Payment;
#endif /* __cplusplus */

#ifdef /* __Payment_FWD_DEFINED__ */

#endif

#ifdef __StockLevel_FWD_DEFINED__
#define __StockLevel_FWD_DEFINED__

#ifdef __cplusplus
typedef class StockLevel StockLevel;
#else
typedef struct StockLevel StockLevel;
#endif /* __cplusplus */

#ifdef /* __StockLevel_FWD_DEFINED__ */

#endif

/* header files for imported files */
#include "oidl.h"
#include "ocidl.h"
#include "tpcc_com_ps.h"

#ifdef __cplusplus
extern "C"{
#endif

void __RPC_FAR * __RPC_USER MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpcc_com_all_0000 */
/* [local] */

```

```

extern RPC_IF_HANDLE __MIDL_itf_tpcc_com_all_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE __MIDL_itf_tpcc_com_all_0000_v0_0_s_ifspec;

```

```

#ifdef __TPCCLib_LIBRARY_DEFINED__
#define __TPCCLib_LIBRARY_DEFINED__

/* library TPCCLib */
/* [helpstring][version][uuid] */

EXTERN_C const IID LIBID_TPCCLib;

EXTERN_C const CLSID CLSID_TPCC;

#ifdef __cplusplus

class DECLSPEC_UUID("122A3128-2520-11D3-BA71-00C04FBFE08B")
TPCC;
#endif

EXTERN_C const CLSID CLSID_NewOrder;

#ifdef __cplusplus

class DECLSPEC_UUID("975BAABF-84A7-11D2-BA47-00C04FBFE08B")
NewOrder;
#endif

EXTERN_C const CLSID CLSID_OrderStatus;

#ifdef __cplusplus

class DECLSPEC_UUID("266836AD-A50D-11D2-BA4E-00C04FBFE08B")
OrderStatus;
#endif

EXTERN_C const CLSID CLSID_Payment;

#ifdef __cplusplus

class DECLSPEC_UUID("CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B")
Payment;
#endif

EXTERN_C const CLSID CLSID_StockLevel;

#ifdef __cplusplus

class DECLSPEC_UUID("2668369E-A50D-11D2-BA4E-00C04FBFE08B")
StockLevel;
#endif
#endif /* __TPCCLib_LIBRARY_DEFINED__ */

/* Additional Prototypes for ALL interfaces */

/* end of Additional Prototypes */

```

```

#ifndef __cplusplus
}
#endif
#endif

```

---

## ***tpcc\_com\_all.idl***

```

/* FILE: TPCC.IDL
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 *
 * All Rights Reserved
 *
 * not yet audited
 *
 * PURPOSE: IDL source for TPCC.dll. This file is processed by the MIDL
tool to
 * produce the type library (TPCC.tlb) and
marshalling code.
 *
 * Change history:
 * 4.20.000 - first version
 */

interface TPCC;
interface NewOrder;
interface OrderStatus;
interface Payment;
interface StockLevel;

import "oidl.idl";
import "ocidl.idl";
import "..\tpcc_com_ps\src\tpcc_com_ps.idl";

[
    uuid(122A3117-2520-11D3-BA71-00C04FBFE08B),
    version(1.0),
    helpstring("TPC-C 1.0 Type Library")
]
library TPCCLib
{
    importlib("stdole32.tlb");
    importlib("stdole2.tlb");

    [
        uuid(122A3128-2520-11D3-BA71-00C04FBFE08B),
        helpstring("All Txns Class")
    ]
    coclass TPCC
    {
        [default] interface ITPCC;
    };

    [
        uuid(975BAABF-84A7-11D2-BA47-00C04FBFE08B),
        helpstring("NewOrder Class")
    ]

```

```

coclass NewOrder
{
    [default] interface ITPCC;
};

[
    uuid(266836AD-A50D-11D2-BA4E-00C04FBFE08B),
    helpstring("OrderStatus Class")
]
coclass OrderStatus
{
    [default] interface ITPCC;
};

[
    uuid(CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B),
    helpstring("Payment Class")
]
coclass Payment
{
    [default] interface ITPCC;
};

[
    uuid(2668369E-A50D-11D2-BA4E-00C04FBFE08B),
    helpstring("StockLevel Class")
]
coclass StockLevel
{
    [default] interface ITPCC;
};
};

```

---

## ***tpcc\_com\_all.rc***

```

//Microsoft Developer Studio generated resource script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "winres.h"

//
// English (U.S.) resources
//

#if !defined(AFX_RESOURCE_DLL) || defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

```

```

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
//
// TEXTINCLUDE
//

1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include "winres.h"\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "1 TYPELIB "tpcc_com_all.tlb"\r\n"
    "\0"
END

#endif // APSTUDIO_INVOKED

#ifdef _MAC
////////////////////////////////////
//
// Version
//

VS_VERSION_INFO VERSIONINFO
FILEVERSION 1,0,0,1
PRODUCTVERSION 1,0,0,1
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x4L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904B0"
        BEGIN
            VALUE "CompanyName", "\0"
            VALUE "FileDescription", "tpcc_com_all Module\0"
            VALUE "FileVersion", "1, 0, 0, 1\0"
            VALUE "InternalName", "TPCCNEWORDER\0"
            VALUE "LegalCopyright", "Copyright 1997\0"
            VALUE "OriginalFilename", "tpcc_com_all.DLL\0"
            VALUE "ProductName", "tpcc_com_all Module\0"
            VALUE "ProductVersion", "1, 0, 0, 1\0"
            VALUE "OLESelfRegister", "\0"
        END
    END
    BLOCK "VarFileInfo"
    BEGIN
        VALUE "Translation", 0x409, 1200
    END
END

```

```

END
#endif // !_MAC

////////////////////////////////////
//
// REGISTRY
//

IDR_TPCC                REGISTRY DISCARDABLE "tpcc_com_all.rgs"
IDR_NEWORDER            REGISTRY DISCARDABLE "tpcc_com_no.rgs"
IDR_ORDERSTATUS        REGISTRY DISCARDABLE "tpcc_com_os.rgs"
IDR_PAYMENT             REGISTRY DISCARDABLE "tpcc_com_pay.rgs"
IDR_STOCKLEVEL         REGISTRY DISCARDABLE "tpcc_com_sl.rgs"

////////////////////////////////////
//
// String Table
//

STRINGTABLE DISCARDABLE
BEGIN
    IDS_PROJNAME        "tpcc_com_all"
END

#endif // English (U.S.) resources
////////////////////////////////////

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 3 resource.
//
1 TYPELIB "tpcc_com_all.tlb"

////////////////////////////////////
#endif // not APSTUDIO_INVOKED

```

## ***tpcc\_com\_all.rgs***

```

HKCR
{
    TPCC.AllTxns.1 = s 'All Txns Class'
    {
        CLSID = s '{122A3128-2520-11D3-BA71-00C04FBFE08B}'
    }
    TPCC.AllTxns = s 'TPCC Class'
    {
        CurVer = s 'TPCC.AllTxns.1'
    }
    NoRemove CLSID
    {
        ForceRemove {122A3128-2520-11D3-BA71-00C04FBFE08B} = s 'TPCC
Class'
        {
            ProgID = s 'TPCC.AllTxns.1'
            VersionIndependentProgID = s 'TPCC.AllTxns'
        }
    }
}

```

```

        InprocServer32 = s '%MODULE%'
        {
            val ThreadingModel = s 'Both'
        }
    }
}

```

## **tpcc\_com\_all\_i.c**

```

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the IIDs and CLSIDs */

/* link this file in with the server and any clients */

/* File created by MIDL compiler version 5.03.0280 */
/* at Thu Dec 13 23:13:14 2001 */
/*
 * Compiler settings for .\src\tpcc_com_all.idl:
 *   Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run), ms_ext, c_ext
 *   error checks: allocation ref bounds_check enum stub_data
 *   VC __declspec() decoration level:
 *   __declspec(uuid()), __declspec(selectany), __declspec(novtable)
 *   DECLSPEC_UUID(), MIDL_INTERFACE()
 */
//@@MIDL_FILE_HEADING(  )

#if !defined(_M_IA64) && !defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifdef __IID_DEFINED__
#define __IID_DEFINED__
typedef struct _IID
{
    unsigned long x;
    unsigned short s1;

```

```

    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    const type name = {l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib,0x122A3117,0x2520,0x11D3,0xBA,0x71,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC,0x122A3128,0x2520,0x11D3,0xBA,0x71,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder,0x975BAABF,0x84A7,0x11D2,0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus,0x266836AD,0xA50D,0x11D2,0xBA,0x4E,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_Payment,0xCD02F7EF,0xA4FA,0x11D2,0xBA,0x4E,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel,0x2668369E,0xA50D,0x11D2,0xBA,0x4E,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AXP64) */

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the IIDs and CLSIDs */

/* link this file in with the server and any clients */

/* File created by MIDL compiler version 5.03.0280 */
/* at Thu Dec 13 23:13:14 2001 */
/*
 * Compiler settings for .\src\tpcc_com_all.idl:
 *   Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b run,appending), ms_ext, c_ext, robust
 *   error checks: allocation ref bounds_check enum stub_data

```

```

VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany), __declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
/**@MIDL_FILE_HEADERING( )

#if defined(_M_IA64) || defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifdef __IID_DEFINED__
#define __IID_DEFINED__
typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifdef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    const type name = {l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib,0x122A3117,0x2520,0x11D3,0xBA,0x71,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC,0x122A3128,0x2520,0x11D3,0xBA,0x71,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

```

```

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder,0x975BAABF,0x84A7,0x11D2,0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus,0x266836AD,0xA50D,0x11D2,0xBA,0x4E,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_Payment,0xCD02F7EF,0xA4FA,0x11D2,0xBA,0x4E,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel,0x2668369E,0xA50D,0x11D2,0xBA,0x4E,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* defined(_M_IA64) || defined(_M_AXP64) */

```

---

## ***tpcc\_com\_no.rgs***

---

```

HKCR
{
    TPCC.NewOrder.1 = s 'NewOrder Class'
    {
        CLSID = s '{975BAABF-84A7-11D2-BA47-00C04FBFE08B}'
    }
    TPCC.NewOrder = s 'NewOrder Class'
    {
        CurVer = s 'TPCC.NewOrder.1'
    }
    NoRemove CLSID
    {
        ForceRemove {975BAABF-84A7-11D2-BA47-00C04FBFE08B} = s 'NewOrder
Class'
        {
            ProgID = s 'TPCC.NewOrder.1'
            VersionIndependentProgID = s 'TPCC.NewOrder'
            InprocServer32 = s '%MODULE%'
            {
                val ThreadingModel = s 'Both'
            }
        }
    }
}

```

---

## ***tpcc\_com\_os.rgs***

---

```

HKCR
{
    TPCC.OrderStatus.1 = s 'OrderStatus Class'
    {
        CLSID = s '{266836AD-A50D-11D2-BA4E-00C04FBFE08B}'
    }
}

```

```

TPCC.OrderStatus = s 'OrderStatus Class'
{
    CurVer = s 'TPCC.OrderStatus.1'
}
NoRemove CLSID
{
    ForceRemove {266836AD-A50D-11D2-BA4E-00C04FBFE08B} = s
'OrderStatus Class'
    {
        ProgID = s 'TPCC.OrderStatus.1'
        VersionIndependentProgID = s 'TPCC.OrderStatus'
        InprocServer32 = s '%MODULE%'
        {
            val ThreadingModel = s 'Both'
        }
    }
}
}

```

## tpcc\_com\_pay.rgs

```

HKCR
{
    TPCC.Payment.1 = s 'Payment Class'
    {
        CLSID = s '{CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B}'
    }
    TPCC.Payment = s 'Payment Class'
    {
        CurVer = s 'TPCC.Payment.1'
    }
    NoRemove CLSID
    {
        ForceRemove {CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B} = s 'Payment
Class'
        {
            ProgID = s 'TPCC.Payment.1'
            VersionIndependentProgID = s 'TPCC.Payment'
            InprocServer32 = s '%MODULE%'
            {
                val ThreadingModel = s 'Both'
            }
        }
    }
}

```

## tpcc\_com\_ps.def

```

LIBRARY      "tpcc_com_ps"

DESCRIPTION  'Proxy/Stub DLL'

EXPORTS
    DllGetClassObject      @1    PRIVATE
    DllCanUnloadNow        @2    PRIVATE
    GetProxyDllInfo        @3    PRIVATE
    DllRegisterServer      @4    PRIVATE
    DllUnregisterServer    @5    PRIVATE

```

## tpcc\_com\_ps.dsp

```

# Microsoft Developer Studio Project File - Name="tpcc_com_ps" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File, Format Version 6.00
# ** DO NOT EDIT **

```

```
# TARGETTYPE "Win32 (x86) Application" 0x0101
```

```

CFG=tpcc_com_ps - Win32 Debug
!MESSAGE This is not a valid makefile. To build this project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_ps.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running NMAKE
!MESSAGE by defining the macro CFG on the command line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_ps.mak" CFG="tpcc_com_ps - Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tpcc_com_ps - Win32 Release" (based on "Win32 (x86) Application")
!MESSAGE "tpcc_com_ps - Win32 Debug" (based on "Win32 (x86) Application")
!MESSAGE

```

```

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

```

```
!IF "$(CFG)" == "tpcc_com_ps - Win32 Release"
```

```

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D "_WIN32_WINNT=0x0400" /D
"REGISTER_PROXY_DLL" /FD /c
# SUBTRACT CPP /YX
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL" /win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /machine:I386

```

```

# ADD LINK32 kernel32.lib rpcndr.lib rpcns4.lib rpport4.lib oleaut32.lib uuid.lib
/nologo /entry:"DllMain" /subsystem:windows /dll /pdb:none /machine:I386
/def:".src\tpcc_com_ps.def"
# Begin Custom Build - Copying tpcc_com_ps.h
InputPath=.bin\tpcc_com_ps.dll
SOURCE=$(InputPath)

"..tpcc_com_all\src\tpcc_com_ps.h" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
    copy .\src\tpcc_com_ps.h ..tpcc_com_all\src\

# End Custom Build

!ELSEIF "$(CFG)" == "tpcc_com_ps - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32" /D "_DEBUG" /D "_WINDOWS" /YX
/ FD /c
# ADD CPP /nologo /ZI /Od /D "WIN32" /D "_DEBUG" /D "_WIN32_WINNT=0x0400" /D
"REGISTER_PROXY_DLL" /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbc32.lib odbccp32.lib
/nologo /subsystem:windows /debug /machine:I386 /pdbtype:sept
# ADD LINK32 kernel32.lib rpcndr.lib rpcns4.lib rpport4.lib oleaut32.lib uuid.lib
/nologo /entry:"DllMain" /dll /debug /machine:IX86 /def:".src\tpcc_com_ps.def"
/pdbtype:sept
# SUBTRACT LINK32 /pdb:none
# Begin Custom Build - Copying tpcc_com_ps.h
InputPath=.bin\tpcc_com_ps.dll
SOURCE=$(InputPath)

"..tpcc_com_all\src\tpcc_com_ps.h" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
    copy .\src\tpcc_com_ps.h ..tpcc_com_all\src\

# End Custom Build

!ENDIF

# Begin Target

# Name "tpcc_com_ps - Win32 Release"
# Name "tpcc_com_ps - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter ""
# Begin Source File

```

```

SOURCE=.src\dlldata.c
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps.def
# PROP Exclude_From_Build 1
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps.idl

!IF "$(CFG)" == "tpcc_com_ps - Win32 Release"

# PROP Ignore_Default_Tool 1
# Begin Custom Build
InputPath=.src\tpcc_com_ps.idl

BuildCmds= \
    midl /Oicf /h "tpcc_com_ps.h" /iid "tpcc_com_ps_i.c"
".src\tpcc_com_ps.idl" /out ".\src"

".src\tpcc_com_ps.h" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
    $(BuildCmds)

".src\tpcc_com_ps_i.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
    $(BuildCmds)

".src\dlldata.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
    $(BuildCmds)

".src\tpcc_com_ps_p.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
    $(BuildCmds)
# End Custom Build

!ELSEIF "$(CFG)" == "tpcc_com_ps - Win32 Debug"

# PROP Ignore_Default_Tool 1
# Begin Custom Build
InputPath=.src\tpcc_com_ps.idl

BuildCmds= \
    midl /Oicf /h "tpcc_com_ps.h" /iid "tpcc_com_ps_i.c"
".src\tpcc_com_ps.idl" /out ".\src"

".src\tpcc_com_ps.h" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
    $(BuildCmds)

".src\tpcc_com_ps_i.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
    $(BuildCmds)

".src\dlldata.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
    $(BuildCmds)

".src\tpcc_com_ps_p.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
    $(BuildCmds)
# End Custom Build

!ENDIF

# End Source File
# Begin Source File

```



```

SOURCE=.\src\tpcc_com_ps_i.c
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_com_ps_p.c
# End Source File
# End Group
# End Target
# End Project

```

## ***tpcc\_com\_ps.h***

```

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the definitions for the interfaces */

/* File created by MIDL compiler version 5.03.0280 */
/* at Thu Dec 13 23:13:08 2001 */
/*
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
   Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run), ms_ext, c_ext
   error checks: allocation ref bounds_check enum stub_data
   VC __declspec() decoration level:
       __declspec(uuid()), __declspec(selectany), __declspec(novtable)
       DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING(  )

/* verify that the <rpcndr.h> version is high enough to compile this file*/
#ifdef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifdef __RPCNDR_H_VERSION__
#error this stub requires an updated version of <rpcndr.h>
#endif // __RPCNDR_H_VERSION__

#ifdef COM_NO_WINDOWS_H
#include "windows.h"
#include "ole2.h"
#endif /*COM_NO_WINDOWS_H*/

#ifdef __tpcc_com_ps_h__
#define __tpcc_com_ps_h__

/* Forward Declarations */

#ifdef __ITPCC_FWD_DEFINED__
#define __ITPCC_FWD_DEFINED__
typedef interface ITPCC ITPCC;
#endif /* __ITPCC_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"

```

```

#ifdef __cplusplus
extern "C"{
#endif

void __RPC_FAR * __RPC_USER MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpcc_com_ps_0000 */
/* [local] */

extern RPC_IF_HANDLE __MIDL_itf_tpcc_com_ps_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE __MIDL_itf_tpcc_com_ps_0000_v0_0_s_ifspec;

#ifdef __ITPCC_INTERFACE_DEFINED__
#define __ITPCC_INTERFACE_DEFINED__

/* interface ITPCC */
/* [unique][helpstring][uuid][oleautomation][object] */

EXTERN_C const IID IID_ITPCC;

#if defined(__cplusplus) && !defined(CINTERFACE)

MIDL_INTERFACE("FEE6AA2-84B1-11d2-BA47-00C04FBFE08B")
ITPCC : public IUnknown
{
public:
    virtual HRESULT __stdcall NewOrder(
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

    virtual HRESULT __stdcall Payment(
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

    virtual HRESULT __stdcall Delivery(
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

    virtual HRESULT __stdcall StockLevel(
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

    virtual HRESULT __stdcall OrderStatus(
        /* [in] */ VARIANT txn_in,
        /* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

    virtual HRESULT __stdcall CallSetComplete( void) = 0;

};

#else /* C style interface */

typedef struct ITPCCVtbl
{
    BEGIN_INTERFACE

    HRESULT ( STDMETHODCALLTYPE __RPC_FAR *QueryInterface )(

```

```

ITPCC __RPC_FAR * This,
/* [in] */ REFIID riid,
/* [iid_is][out] */ void __RPC_FAR * __RPC_FAR *ppvObject);

ULONG ( STDMETHODCALLTYPE __RPC_FAR *AddRef )(
ITPCC __RPC_FAR * This);

ULONG ( STDMETHODCALLTYPE __RPC_FAR *Release )(
ITPCC __RPC_FAR * This);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *NewOrder )(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Payment )(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Delivery )(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *StockLevel )(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *OrderStatus )(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *CallSetComplete )(
ITPCC __RPC_FAR * This);

END_INTERFACE
} ITPCCVtbl;

interface ITPCC
{
CONST_VTBL struct ITPCCVtbl __RPC_FAR *lpVtbl;
};

#ifdef COBJMACROS

#define ITPCC_QueryInterface(This,riid,ppvObject) \
(This)->lpVtbl -> QueryInterface(This,riid,ppvObject)

#define ITPCC_AddRef(This) \
(This)->lpVtbl -> AddRef(This)

#define ITPCC_Release(This) \
(This)->lpVtbl -> Release(This)

#define ITPCC_NewOrder(This,txn_in,txn_out) \
(This)->lpVtbl -> NewOrder(This,txn_in,txn_out)

```

```

#define ITPCC_Payment(This,txn_in,txn_out) \
(This)->lpVtbl -> Payment(This,txn_in,txn_out)

#define ITPCC_Delivery(This,txn_in,txn_out) \
(This)->lpVtbl -> Delivery(This,txn_in,txn_out)

#define ITPCC_StockLevel(This,txn_in,txn_out) \
(This)->lpVtbl -> StockLevel(This,txn_in,txn_out)

#define ITPCC_OrderStatus(This,txn_in,txn_out) \
(This)->lpVtbl -> OrderStatus(This,txn_in,txn_out)

#define ITPCC_CallSetComplete(This) \
(This)->lpVtbl -> CallSetComplete(This)

#endif /* COBJMACROS */

#endif /* C style interface */

HRESULT STDMETHODCALLTYPE ITPCC_NewOrder_Proxy(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_NewOrder_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT STDMETHODCALLTYPE ITPCC_Payment_Proxy(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_Payment_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT STDMETHODCALLTYPE ITPCC_Delivery_Proxy(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_Delivery_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT STDMETHODCALLTYPE ITPCC_StockLevel_Proxy(

```

```

ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_StockLevel_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_OrderStatus_Proxy(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_OrderStatus_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_CallSetComplete_Proxy(
ITPCC __RPC_FAR * This);

void __RPC_STUB ITPCC_CallSetComplete_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

#endif /* __ITPCC_INTERFACE_DEFINED__ */

/* Additional Prototypes for ALL interfaces */
unsigned long __RPC_USER VARIANT_UserSize( unsigned long __RPC_FAR
*, unsigned long __RPC_FAR *, VARIANT __RPC_FAR * );
unsigned char __RPC_FAR * __RPC_USER VARIANT_UserMarshal( unsigned long __RPC_FAR
*, unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );
unsigned char __RPC_FAR * __RPC_USER VARIANT_UserUnmarshal(unsigned long __RPC_FAR
*, unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );
void __RPC_USER VARIANT_UserFree( unsigned long __RPC_FAR
*, VARIANT __RPC_FAR * );

/* end of Additional Prototypes */

#ifdef __cplusplus
}
#endif
#endif

```

## ***tpcc\_com\_ps.idl***

```

/* FILE: ITPCC.IDL
*
* Microsoft TPC-C Kit Ver. 4.20.000
* Copyright Microsoft, 1999
*
* All Rights Reserved
*
* not yet audited
*
* PURPOSE: Defines the interface used by TPCC. This interface can be
implemented by C++ components.
*
* Change history:
* 4.20.000 - first version
*/

// Forward declare all types defined
interface ITPCC;
import "oidl.idl";
import "ocidl.idl";

[
    object,
    oleautomation,
    uuid(FEEE6AA2-84B1-11d2-BA47-00C04FBFE08B),
    helpstring("ITPCC Interface"),
    pointer_default(unique)
]
interface ITPCC : IUnknown
{
    HRESULT __stdcall NewOrder(
        [in] VARIANT txn_in,
        [out] VARIANT *txn_out
    );

    HRESULT __stdcall Payment(
        [in] VARIANT txn_in,
        [out] VARIANT *txn_out
    );

    HRESULT __stdcall Delivery(
        [in] VARIANT txn_in,
        [out] VARIANT *txn_out
    );

    HRESULT __stdcall StockLevel(
        [in] VARIANT txn_in,
        [out] VARIANT *txn_out
    );

    HRESULT __stdcall OrderStatus(
        [in] VARIANT txn_in,
        [out] VARIANT *txn_out
    );

    HRESULT __stdcall CallSetComplete

```

```

(
);

}; // interface ITPCC


```

---

## ***tpcc\_com\_ps\_i.c***

---

```

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the IIDs and CLSIDs */

/* link this file in with the server and any clients */

/* File created by MIDL compiler version 5.03.0280 */
/* at Thu Dec 13 23:13:08 2001
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run), ms_ext, c_ext
error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany), __declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;

```

```

    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
const type name = {l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif // !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the IIDs and CLSIDs */

/* link this file in with the server and any clients */

/* File created by MIDL compiler version 5.03.0280 */
/* at Thu Dec 13 23:13:08 2001
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b run,appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany), __declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>

```

```

#undef INITGUID
#else
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    const type name = {l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* defined(_M_IA64) || defined(_M_AXP64) */

```

## ***tpcc\_com\_ps\_p.c***

```

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the proxy stub code */

/* File created by MIDL compiler version 5.03.0280 */
/* at Thu Dec 13 23:13:08 2001
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
    Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run), ms_ext, c_ext
    error checks: allocation ref bounds_check enum stub_data
    VC __declspec() decoration level:

```

```

    __declspec(uuid()), __declspec(selectany), __declspec(novtable)
    DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high enough to compile this file*/
#ifndef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 440
#endif

#include "rpcproxy.h"
#ifndef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of <rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 997
#define PROC_FORMAT_STRING_SIZE 193
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0x00,0x00,0x00,0x46}} */

/* Object interface: ITPCC, ver. 0.0,
GUID={0xFEE6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")

```

```

static const unsigned short ITPCC_FormatStringOffsetTable[] =
{
    0,
    34,
    68,
    102,
    136,
    170
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0,
    0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo =
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0
};

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy ,
    (void *)-1 /* ITPCC::NewOrder */ ,
    (void *)-1 /* ITPCC::Payment */ ,
    (void *)-1 /* ITPCC::Delivery */ ,
    (void *)-1 /* ITPCC::StockLevel */ ,
    (void *)-1 /* ITPCC::OrderStatus */ ,
    (void *)-1 /* ITPCC::CallSetComplete */
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

extern const USER_MARSHAL_ROUTINE_QUADRUPLE UserMarshalRoutines[
WIRE_MARSHAL_TABLE_SIZE ];

static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrOleAllocate,

```

```

NdrOleFree,
0,
0,
0,
0,
0,
0,
__MIDL_TypeFormatString.Format,
1, /* -error bounds_check flag */
0x20000, /* Ndr library version */
0,
0x5030118, /* MIDL Version 5.3.280 */
0,
UserMarshalRoutines,
0, /* notify & notify_flag routine table */
0x1, /* MIDL flag */
0, /* Reserved3 */
0, /* Reserved4 */
0 /* Reserved5 */
};

#pragma data_seg(".rdata")

static const USER_MARSHAL_ROUTINE_QUADRUPLE UserMarshalRoutines[
WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        VARIANT_UserSize
        ,VARIANT_UserMarshal
        ,VARIANT_UserUnmarshal
        ,VARIANT_UserFree
    }
};

#if !defined(__RPC_WIN32__)
#error Invalid build platform for this stub.
#endif

#if !(TARGET_IS_NT40_OR_LATER)
#error You need a Windows NT 4.0 or later to run this stub because it uses these
features:
#error -Oif or -Oicf, [wire_marshall] or [user_marshall] attribute.
#error However, your C/C++ compilation flags indicate you intend to run this app on
earlier systems.
#error This app will die there with the RPC_X_WRONG_STUB_VERSION error.
#endif

static const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString =
{
    0,
    {
        /* Procedure NewOrder */
        0x33, /* FC_AUTO_HANDLE */
        0x6c, /* Old Flags: object, Oi2 */
        /* 2 */ NdrFcLong( 0x0 ), /* 0 */
        /* 6 */ NdrFcShort( 0x3 ), /* 3 */
#ifdef _ALPHA_
#ifdef _PPC_

```

```

#if !defined(_MIPS_)
/* 8 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
/* 10 */ NdrFcShort( 0x0 ), /* 0 */
/* 12 */ NdrFcShort( 0x8 ), /* 8 */
/* 14 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has
return, */
0x3, /* 3 */

/* Parameter txn_in */

/* 16 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 18 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 20 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Parameter txn_out */

/* 22 */ NdrFcShort( 0x4113 ), /* Flags: must size, must free, out, simple
ref, srv alloc size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 24 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 26 */ NdrFcShort( 0x3da ), /* Type Offset=986 */

/* Return value */

/* 28 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 30 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */

```

```

#endif
#else
NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 32 */ 0x8, /* FC_LONG */
0x0, /* 0 */

/* Procedure Payment */

/* 34 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object, Oi2 */
/* 36 */ NdrFcLong( 0x0 ), /* 0 */
/* 40 */ NdrFcShort( 0x4 ), /* 4 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 42 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
/* 44 */ NdrFcShort( 0x0 ), /* 0 */
/* 46 */ NdrFcShort( 0x8 ), /* 8 */
/* 48 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has
return, */
0x3, /* 3 */

/* Parameter txn_in */

/* 50 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 52 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 54 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Parameter txn_out */

/* 56 */ NdrFcShort( 0x4113 ), /* Flags: must size, must free, out, simple
ref, srv alloc size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 58 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */

```

```

#endif
#else
                NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
                NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 60 */ NdrFcShort( 0x3da ), /* Type Offset=986 */

/* Return value */

/* 62 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 64 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
                NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */
#endif
#else
                NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
                NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 66 */ 0x8, /* FC_LONG */
0x0, /* 0 */

/* Procedure Delivery */

/* 68 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object, Oi2 */

/* 70 */ NdrFcLong( 0x0 ), /* 0 */
/* 74 */ NdrFcShort( 0x5 ), /* 5 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 76 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
                NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#else
                NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#else
                NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
/* 78 */ NdrFcShort( 0x0 ), /* 0 */
/* 80 */ NdrFcShort( 0x8 ), /* 8 */
/* 82 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has
return, */
0x3, /* 3 */

/* Parameter txn_in */

/* 84 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 86 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
                NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#endif
#endif
#endif

```

```

#else
                NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
                NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 88 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Parameter txn_out */

/* 90 */ NdrFcShort( 0x4113 ), /* Flags: must size, must free, out, simple
ref, srv alloc size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 92 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
                NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif
#else
                NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
                NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 94 */ NdrFcShort( 0x3da ), /* Type Offset=986 */

/* Return value */

/* 96 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 98 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
                NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */
#endif
#else
                NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
                NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 100 */ 0x8, /* FC_LONG */
0x0, /* 0 */

/* Procedure StockLevel */

/* 102 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object, Oi2 */

/* 104 */ NdrFcLong( 0x0 ), /* 0 */
/* 108 */ NdrFcShort( 0x6 ), /* 6 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 110 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
                NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#else
                NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#endif
#endif

```



```

NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
/* 112 */ NdrFcShort( 0x0 ), /* 0 */
/* 114 */ NdrFcShort( 0x8 ), /* 8 */
/* 116 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has
return, */
0x3, /* 3 */

/* Parameter txn_in */

/* 118 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 120 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 122 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Parameter txn_out */

/* 124 */ NdrFcShort( 0x4113 ), /* Flags: must size, must free, out, simple
ref, srv alloc size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 126 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 128 */ NdrFcShort( 0x3da ), /* Type Offset=986 */

/* Return value */

/* 130 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 132 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 134 */ 0x8, /* FC_LONG */
0x0, /* 0 */

```

```

/* Procedure OrderStatus */

/* 136 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object, Oi2 */
/* 138 */ NdrFcLong( 0x0 ), /* 0 */
/* 142 */ NdrFcShort( 0x7 ), /* 7 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 144 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
NdrFcShort( 0x20 ), /* MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /* PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /* Alpha Stack size/offset = 40 */
#endif
/* 146 */ NdrFcShort( 0x0 ), /* 0 */
/* 148 */ NdrFcShort( 0x8 ), /* 8 */
/* 150 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has
return, */
0x3, /* 3 */

/* Parameter txn_in */

/* 152 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 154 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 156 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Parameter txn_out */

/* 158 */ NdrFcShort( 0x4113 ), /* Flags: must size, must free, out, simple
ref, srv alloc size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 160 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
NdrFcShort( 0x18 ), /* MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* Alpha Stack size/offset = 24 */
#endif
/* 162 */ NdrFcShort( 0x3da ), /* Type Offset=986 */

```

```

        /* Return value */

/* 164 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 166 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
                                NdrFcShort( 0x1c ), /* MIPS Stack size/offset = 28 */
#endif
#else
                                NdrFcShort( 0x1c ), /* PPC Stack size/offset = 28 */
#endif
#else
                                NdrFcShort( 0x20 ), /* Alpha Stack size/offset = 32 */
#endif
/* 168 */ 0x8, /* FC_LONG */
                                0x0, /* 0 */

        /* Procedure CallSetComplete */

/* 170 */ 0x33, /* FC_AUTO_HANDLE */
                                0x6c, /* Old Flags: object, Oi2 */
/* 172 */ NdrFcLong( 0x0 ), /* 0 */
/* 176 */ NdrFcShort( 0x8 ), /* 8 */
#ifdef _ALPHA_
/* 178 */ NdrFcShort( 0x8 ), /* x86, MIPS, PPC Stack size/offset = 8 */
#else
                                NdrFcShort( 0x10 ), /* Alpha Stack size/offset = 16 */
#endif
/* 180 */ NdrFcShort( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x8 ), /* 8 */
/* 184 */ 0x4, /* Oi2 Flags: has return, */
                                0x1, /* 1 */

        /* Return value */

/* 186 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
/* 188 */ NdrFcShort( 0x4 ), /* x86, MIPS, PPC Stack size/offset = 4 */
#else
                                NdrFcShort( 0x8 ), /* Alpha Stack size/offset = 8 */
#endif
/* 190 */ 0x8, /* FC_LONG */
                                0x0, /* 0 */

                                0x0
    }
};

static const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString =
{
    0,
    {
        /* 2 */
                                NdrFcShort( 0x0 ), /* 0 */

        /* 4 */ 0x12, 0x0, /* FC_UP */
        /* 6 */ NdrFcShort( 0x3b0 ), /* Offset= 944 (948) */

        /* 8 */ 0x7, /* Corr desc: FC_USHORT */
                                0x0, /* 0 */
    }
}

```

```

/* 10 */ NdrFcShort( 0xffff ), /* -8 */
/* 12 */ NdrFcShort( 0x2 ), /* Offset= 2 (14) */
/* 14 */ NdrFcShort( 0x10 ), /* 16 */
/* 16 */ NdrFcShort( 0x2b ), /* 43 */
/* 18 */ NdrFcLong( 0x3 ), /* 3 */
/* 22 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 24 */ NdrFcLong( 0x11 ), /* 17 */
/* 28 */ NdrFcShort( 0x8001 ), /* Simple arm type: FC_BYTE */
/* 30 */ NdrFcLong( 0x2 ), /* 2 */
/* 34 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 36 */ NdrFcLong( 0x4 ), /* 4 */
/* 40 */ NdrFcShort( 0x800a ), /* Simple arm type: FC_FLOAT */
/* 42 */ NdrFcLong( 0x5 ), /* 5 */
/* 46 */ NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */
/* 48 */ NdrFcLong( 0xb ), /* 11 */
/* 52 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 54 */ NdrFcLong( 0xa ), /* 10 */
/* 58 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 60 */ NdrFcLong( 0x6 ), /* 6 */
/* 64 */ NdrFcShort( 0xd6 ), /* Offset= 214 (278) */
/* 66 */ NdrFcLong( 0x7 ), /* 7 */
/* 70 */ NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */
/* 72 */ NdrFcLong( 0x8 ), /* 8 */
/* 76 */ NdrFcShort( 0xd0 ), /* Offset= 208 (284) */
/* 78 */ NdrFcLong( 0xd ), /* 13 */
/* 82 */ NdrFcShort( 0xe2 ), /* Offset= 226 (308) */
/* 84 */ NdrFcLong( 0x9 ), /* 9 */
/* 88 */ NdrFcShort( 0xee ), /* Offset= 238 (326) */
/* 90 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 94 */ NdrFcShort( 0xfa ), /* Offset= 250 (344) */
/* 96 */ NdrFcLong( 0x24 ), /* 36 */
/* 100 */ NdrFcShort( 0x308 ), /* Offset= 776 (876) */
/* 102 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 106 */ NdrFcShort( 0x302 ), /* Offset= 770 (876) */
/* 108 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 112 */ NdrFcShort( 0x300 ), /* Offset= 768 (880) */
/* 114 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 118 */ NdrFcShort( 0x2fe ), /* Offset= 766 (884) */
/* 120 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 124 */ NdrFcShort( 0x2fc ), /* Offset= 764 (888) */
/* 126 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 130 */ NdrFcShort( 0x2fa ), /* Offset= 762 (892) */
/* 132 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 136 */ NdrFcShort( 0x2f8 ), /* Offset= 760 (896) */
/* 138 */ NdrFcLong( 0x400b ), /* 16395 */
/* 142 */ NdrFcShort( 0x2e6 ), /* Offset= 742 (884) */
/* 144 */ NdrFcLong( 0x400a ), /* 16394 */
/* 148 */ NdrFcShort( 0x2e4 ), /* Offset= 740 (888) */
/* 150 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 154 */ NdrFcShort( 0x2ea ), /* Offset= 746 (900) */
/* 156 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 160 */ NdrFcShort( 0x2e0 ), /* Offset= 736 (896) */
/* 162 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 166 */ NdrFcShort( 0x2e2 ), /* Offset= 738 (904) */
/* 168 */ NdrFcLong( 0x400d ), /* 16397 */
/* 172 */ NdrFcShort( 0x2e0 ), /* Offset= 736 (908) */
/* 174 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 178 */ NdrFcShort( 0x2de ), /* Offset= 734 (912) */
/* 180 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 184 */ NdrFcShort( 0x2dc ), /* Offset= 732 (916) */
/* 186 */ NdrFcLong( 0x400c ), /* 16396 */
/* 190 */ NdrFcShort( 0x2da ), /* Offset= 730 (920) */
/* 192 */ NdrFcLong( 0x10 ), /* 16 */

```

```

/* 196 */ NdrFcShort( 0x8002 ), /* Simple arm type: FC_CHAR */
/* 198 */ NdrFcLong( 0x12 ), /* 18 */
/* 202 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 204 */ NdrFcLong( 0x13 ), /* 19 */
/* 208 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 210 */ NdrFcLong( 0x16 ), /* 22 */
/* 214 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 216 */ NdrFcLong( 0x17 ), /* 23 */
/* 220 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 222 */ NdrFcLong( 0xe ), /* 14 */
/* 226 */ NdrFcShort( 0x2be ), /* Offset= 702 (928) */
/* 228 */ NdrFcLong( 0x400e ), /* 16398 */
/* 232 */ NdrFcShort( 0x2c4 ), /* Offset= 708 (940) */
/* 234 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 238 */ NdrFcShort( 0x2c2 ), /* Offset= 706 (944) */
/* 240 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 244 */ NdrFcShort( 0x280 ), /* Offset= 640 (884) */
/* 246 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 250 */ NdrFcShort( 0x27e ), /* Offset= 638 (888) */
/* 252 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 256 */ NdrFcShort( 0x278 ), /* Offset= 632 (888) */
/* 258 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 262 */ NdrFcShort( 0x272 ), /* Offset= 626 (888) */
/* 264 */ NdrFcLong( 0x0 ), /* 0 */
/* 268 */ NdrFcShort( 0x0 ), /* Offset= 0 (268) */
/* 270 */ NdrFcLong( 0x1 ), /* 1 */
/* 274 */ NdrFcShort( 0x0 ), /* Offset= 0 (274) */
/* 276 */ NdrFcShort( 0xffffffff ), /* Offset= -1 (275) */
/* 278 */
0x15, /* FC_STRUCT */
0x7, /* 7 */
/* 280 */ NdrFcShort( 0x8 ), /* 8 */
/* 282 */ 0xb, /* FC_HYPER */
0x5b, /* FC_END */
/* 284 */
0x12, 0x0, /* FC_UP */
/* 286 */ NdrFcShort( 0xc ), /* Offset= 12 (298) */
/* 288 */
0x1b, /* FC_CARRAY */
0x1, /* 1 */
/* 290 */ NdrFcShort( 0x2 ), /* 2 */
/* 292 */ 0x9, /* Corr desc: FC_ULONG */
0x0, /* */
/* 294 */ NdrFcShort( 0xffffc ), /* -4 */
/* 296 */ 0x6, /* FC_SHORT */
0x5b, /* FC_END */
/* 298 */
0x17, /* FC_CSTRUCT */
0x3, /* 3 */
/* 300 */ NdrFcShort( 0x8 ), /* 8 */
/* 302 */ NdrFcShort( 0xffffffff2 ), /* Offset= -14 (288) */
/* 304 */ 0x8, /* FC_LONG */
0x8, /* FC_LONG */
/* 306 */ 0x5c, /* FC_PAD */
0x5b, /* FC_END */
/* 308 */
0x2f, /* FC_IP */
0x5a, /* FC_CONSTANT_IID */
/* 310 */ NdrFcLong( 0x0 ), /* 0 */
/* 314 */ NdrFcShort( 0x0 ), /* 0 */
/* 316 */ NdrFcShort( 0x0 ), /* 0 */
/* 318 */ 0xc0, /* 192 */
0x0, /* 0 */

```

```

/* 320 */ 0x0, /* 0 */
0x0, /* 0 */
/* 322 */ 0x0, /* 0 */
0x0, /* 0 */
/* 324 */ 0x0, /* 0 */
0x46, /* 70 */
/* 326 */
0x2E, /* FC_IP */
0x5a, /* FC_CONSTANT_IID */
/* 328 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 332 */ NdrFcShort( 0x0 ), /* 0 */
/* 334 */ NdrFcShort( 0x0 ), /* 0 */
/* 336 */ 0xc0, /* 192 */
0x0, /* 0 */
/* 338 */ 0x0, /* 0 */
0x0, /* 0 */
/* 340 */ 0x0, /* 0 */
0x0, /* 0 */
/* 342 */ 0x0, /* 0 */
0x46, /* 70 */
/* 344 */
0x12, 0x10, /* FC_UP [pointer_deref] */
/* 346 */ NdrFcShort( 0x2 ), /* Offset= 2 (348) */
/* 348 */
0x12, 0x0, /* FC_UP */
/* 350 */ NdrFcShort( 0x1fc ), /* Offset= 508 (858) */
/* 352 */
0x2a, /* FC_ENCAPSULATED_UNION */
0x49, /* 73 */
/* 354 */ NdrFcShort( 0x18 ), /* 24 */
/* 356 */ NdrFcShort( 0xa ), /* 10 */
/* 358 */ NdrFcLong( 0x8 ), /* 8 */
/* 362 */ NdrFcShort( 0x58 ), /* Offset= 88 (450) */
/* 364 */ NdrFcLong( 0xd ), /* 13 */
/* 368 */ NdrFcShort( 0x78 ), /* Offset= 120 (488) */
/* 370 */ NdrFcLong( 0x9 ), /* 9 */
/* 374 */ NdrFcShort( 0x94 ), /* Offset= 148 (522) */
/* 376 */ NdrFcLong( 0xc ), /* 12 */
/* 380 */ NdrFcShort( 0xbc ), /* Offset= 188 (568) */
/* 382 */ NdrFcLong( 0x24 ), /* 36 */
/* 386 */ NdrFcShort( 0x114 ), /* Offset= 276 (662) */
/* 388 */ NdrFcLong( 0x800d ), /* 32781 */
/* 392 */ NdrFcShort( 0x130 ), /* Offset= 304 (696) */
/* 394 */ NdrFcLong( 0x10 ), /* 16 */
/* 398 */ NdrFcShort( 0x148 ), /* Offset= 328 (726) */
/* 400 */ NdrFcLong( 0x2 ), /* 2 */
/* 404 */ NdrFcShort( 0x160 ), /* Offset= 352 (756) */
/* 406 */ NdrFcLong( 0x3 ), /* 3 */
/* 410 */ NdrFcShort( 0x178 ), /* Offset= 376 (786) */
/* 412 */ NdrFcLong( 0x14 ), /* 20 */
/* 416 */ NdrFcShort( 0x190 ), /* Offset= 400 (816) */
/* 418 */ NdrFcShort( 0xffffffff ), /* Offset= -1 (417) */
/* 420 */
0x1b, /* FC_CARRAY */
0x3, /* 3 */
/* 422 */ NdrFcShort( 0x4 ), /* 4 */
/* 424 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
0x0, /* */
/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */
0x4b, /* FC_PP */
0x5c, /* FC_PAD */
/* 430 */

```

```

0x48,          /* FC_VARIABLE_REPEAT */
0x49,          /* FC_FIXED_OFFSET */
/* 432 */ NdrFcShort( 0x4 ), /* 4 */
/* 434 */ NdrFcShort( 0x0 ), /* 0 */
/* 436 */ NdrFcShort( 0x1 ), /* 1 */
/* 438 */ NdrFcShort( 0x0 ), /* 0 */
/* 440 */ NdrFcShort( 0x0 ), /* 0 */
/* 442 */ 0x12, 0x0,        /* FC_UP */
/* 444 */ NdrFcShort( 0xfffff6e ), /* Offset= -146 (298) */
/* 446 */
0x5b,          /* FC_END */
0x8,           /* FC_LONG */
/* 448 */ 0x5c,        /* FC_PAD */
0x5b,          /* FC_END */
/* 450 */
0x16,          /* FC_PSTRUCT */
0x3,           /* 3 */
/* 452 */ NdrFcShort( 0x8 ), /* 8 */
/* 454 */
0x4b,          /* FC_PP */
0x5c,          /* FC_PAD */
/* 456 */
0x46,          /* FC_NO_REPEAT */
0x5c,          /* FC_PAD */
/* 458 */ NdrFcShort( 0x4 ), /* 4 */
/* 460 */ NdrFcShort( 0x4 ), /* 4 */
/* 462 */ 0x11, 0x0,        /* FC_RP */
/* 464 */ NdrFcShort( 0xfffffd4 ), /* Offset= -44 (420) */
/* 466 */
0x5b,          /* FC_END */
0x8,           /* FC_LONG */
/* 468 */ 0x8,         /* FC_LONG */
0x5b,          /* FC_END */
/* 470 */
0x21,          /* FC_BOGUS_ARRAY */
0x3,           /* 3 */
/* 472 */ NdrFcShort( 0x0 ), /* 0 */
/* 474 */ 0x19,          /* Corr desc: field pointer, FC_ULONG */
0x0,           /* */
/* 476 */ NdrFcShort( 0x0 ), /* 0 */
/* 478 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 482 */ 0x4c,          /* FC_EMBEDDED_COMPLEX */
0x0,           /* 0 */
/* 484 */ NdrFcShort( 0xfffff50 ), /* Offset= -176 (308) */
/* 486 */ 0x5c,        /* FC_PAD */
0x5b,          /* FC_END */
/* 488 */
0x1a,          /* FC_BOGUS_STRUCT */
0x3,           /* 3 */
/* 490 */ NdrFcShort( 0x8 ), /* 8 */
/* 492 */ NdrFcShort( 0x0 ), /* 0 */
/* 494 */ NdrFcShort( 0x6 ), /* Offset= 6 (500) */
/* 496 */ 0x8,         /* FC_LONG */
0x36,          /* FC_POINTER */
/* 498 */ 0x5c,        /* FC_PAD */
0x5b,          /* FC_END */
/* 500 */
0x11, 0x0,     /* FC_RP */
/* 502 */ NdrFcShort( 0xffffffe0 ), /* Offset= -32 (470) */
/* 504 */
0x21,          /* FC_BOGUS_ARRAY */

```

```

0x3,           /* 3 */
/* 506 */ NdrFcShort( 0x0 ), /* 0 */
/* 508 */ 0x19,          /* Corr desc: field pointer, FC_ULONG */
0x0,           /* */
/* 510 */ NdrFcShort( 0x0 ), /* 0 */
/* 512 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 516 */ 0x4c,          /* FC_EMBEDDED_COMPLEX */
0x0,           /* 0 */
/* 518 */ NdrFcShort( 0xfffff40 ), /* Offset= -192 (326) */
/* 520 */ 0x5c,        /* FC_PAD */
0x5b,          /* FC_END */
/* 522 */
0x1a,          /* FC_BOGUS_STRUCT */
0x3,           /* 3 */
/* 524 */ NdrFcShort( 0x8 ), /* 8 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */
/* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 530 */ 0x8,         /* FC_LONG */
0x36,          /* FC_POINTER */
/* 532 */ 0x5c,        /* FC_PAD */
0x5b,          /* FC_END */
/* 534 */
0x11, 0x0,     /* FC_RP */
/* 536 */ NdrFcShort( 0xfffffe0 ), /* Offset= -32 (504) */
/* 538 */
0x1b,          /* FC_CARRAY */
0x3,           /* 3 */
/* 540 */ NdrFcShort( 0x4 ), /* 4 */
/* 542 */ 0x19,          /* Corr desc: field pointer, FC_ULONG */
0x0,           /* */
/* 544 */ NdrFcShort( 0x0 ), /* 0 */
/* 546 */
0x4b,          /* FC_PP */
0x5c,          /* FC_PAD */
/* 548 */
0x48,          /* FC_VARIABLE_REPEAT */
0x49,          /* FC_FIXED_OFFSET */
/* 550 */ NdrFcShort( 0x4 ), /* 4 */
/* 552 */ NdrFcShort( 0x0 ), /* 0 */
/* 554 */ NdrFcShort( 0x1 ), /* 1 */
/* 556 */ NdrFcShort( 0x0 ), /* 0 */
/* 558 */ NdrFcShort( 0x0 ), /* 0 */
/* 560 */ 0x12, 0x0,        /* FC_UP */
/* 562 */ NdrFcShort( 0x182 ), /* Offset= 386 (948) */
/* 564 */
0x5b,          /* FC_END */
0x8,           /* FC_LONG */
/* 566 */ 0x5c,        /* FC_PAD */
0x5b,          /* FC_END */
/* 568 */
0x1a,          /* FC_BOGUS_STRUCT */
0x3,           /* 3 */
/* 570 */ NdrFcShort( 0x8 ), /* 8 */
/* 572 */ NdrFcShort( 0x0 ), /* 0 */
/* 574 */ NdrFcShort( 0x6 ), /* Offset= 6 (580) */
/* 576 */ 0x8,         /* FC_LONG */
0x36,          /* FC_POINTER */
/* 578 */ 0x5c,        /* FC_PAD */
0x5b,          /* FC_END */
/* 580 */
0x11, 0x0,     /* FC_RP */
/* 582 */ NdrFcShort( 0xfffffd4 ), /* Offset= -44 (538) */

```

```

/* 584 */
                                0x2f,          /* FC_IP */
                                0x5a,          /* FC_CONSTANT_IID */
/* 586 */ NdrFcLong( 0x2f ), /* 47 */
/* 590 */ NdrFcShort( 0x0 ), /* 0 */
/* 592 */ NdrFcShort( 0x0 ), /* 0 */
/* 594 */ 0xc0, /* 192 */
                                0x0,          /* 0 */
/* 596 */ 0x0, /* 0 */
                                0x0,          /* 0 */
/* 598 */ 0x0, /* 0 */
                                0x0,          /* 0 */
/* 600 */ 0x0, /* 0 */
                                0x46,        /* 70 */
/* 602 */
                                0x1b,        /* FC_CARRAY */
                                0x0,          /* 0 */
/* 604 */ NdrFcShort( 0x1 ), /* 1 */
/* 606 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
                                0x0,          /* */
/* 608 */ NdrFcShort( 0x4 ), /* 4 */
/* 610 */ 0x1, /* FC_BYTE */
                                0x5b,        /* FC_END */
/* 612 */
                                0x1a,        /* FC_BOGUS_STRUCT */
                                0x3,          /* 3 */
/* 614 */ NdrFcShort( 0x10 ), /* 16 */
/* 616 */ NdrFcShort( 0x0 ), /* 0 */
/* 618 */ NdrFcShort( 0xa ), /* Offset= 10 (628) */
/* 620 */ 0x8, /* FC_LONG */
                                0x8,          /* FC_LONG */
/* 622 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
                                0x0,          /* 0 */
/* 624 */ NdrFcShort( 0xfffffd8 ), /* Offset= -40 (584) */
/* 626 */ 0x36, /* FC_POINTER */
                                0x5b,        /* FC_END */
/* 628 */
                                0x12, 0x0,    /* FC_UP */
/* 630 */ NdrFcShort( 0xfffffe4 ), /* Offset= -28 (602) */
/* 632 */
                                0x1b,        /* FC_CARRAY */
                                0x3,          /* 3 */
/* 634 */ NdrFcShort( 0x4 ), /* 4 */
/* 636 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
                                0x0,          /* */
/* 638 */ NdrFcShort( 0x0 ), /* 0 */
/* 640 */
                                0x4b,        /* FC_PP */
                                0x5c,        /* FC_PAD */
/* 642 */
                                0x48,        /* FC_VARIABLE_REPEAT */
                                0x49,        /* FC_FIXED_OFFSET */
/* 644 */ NdrFcShort( 0x4 ), /* 4 */
/* 646 */ NdrFcShort( 0x0 ), /* 0 */
/* 648 */ NdrFcShort( 0x1 ), /* 1 */
/* 650 */ NdrFcShort( 0x0 ), /* 0 */
/* 652 */ NdrFcShort( 0x0 ), /* 0 */
/* 654 */ 0x12, 0x0, /* FC_UP */
/* 656 */ NdrFcShort( 0xfffffd4 ), /* Offset= -44 (612) */
/* 658 */
                                0x5b,        /* FC_END */
                                0x8,          /* FC_LONG */

```

```

/* 660 */ 0x5c, /* FC_PAD */
                                0x5b,        /* FC_END */
/* 662 */
                                0x1a,        /* FC_BOGUS_STRUCT */
                                0x3,          /* 3 */
/* 664 */ NdrFcShort( 0x8 ), /* 8 */
/* 666 */ NdrFcShort( 0x0 ), /* 0 */
/* 668 */ NdrFcShort( 0x6 ), /* Offset= 6 (674) */
/* 670 */ 0x8, /* FC_LONG */
                                0x36,        /* FC_POINTER */
/* 672 */ 0x5c, /* FC_PAD */
                                0x5b,        /* FC_END */
/* 674 */
                                0x11, 0x0,    /* FC_RP */
/* 676 */ NdrFcShort( 0xfffffd4 ), /* Offset= -44 (632) */
/* 678 */
                                0x1d,        /* FC_SMFARRAY */
                                0x0,          /* 0 */
/* 680 */ NdrFcShort( 0x8 ), /* 8 */
/* 682 */ 0x1, /* FC_BYTE */
                                0x5b,        /* FC_END */
/* 684 */
                                0x15,        /* FC_STRUCT */
                                0x3,          /* 3 */
/* 686 */ NdrFcShort( 0x10 ), /* 16 */
/* 688 */ 0x8, /* FC_LONG */
                                0x6,          /* FC_SHORT */
/* 690 */ 0x6, /* FC_SHORT */
                                0x4c,        /* FC_EMBEDDED_COMPLEX */
/* 692 */ 0x0, /* 0 */
                                NdrFcShort( 0xffffff1 ), /* Offset= -15 (678) */
/* 696 */ 0x5b, /* FC_END */
                                0x1a,        /* FC_BOGUS_STRUCT */
                                0x3,          /* 3 */
/* 698 */ NdrFcShort( 0x18 ), /* 24 */
/* 700 */ NdrFcShort( 0x0 ), /* 0 */
/* 702 */ NdrFcShort( 0xa ), /* Offset= 10 (712) */
/* 704 */ 0x8, /* FC_LONG */
                                0x36,        /* FC_POINTER */
/* 706 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
                                0x0,          /* 0 */
/* 708 */ NdrFcShort( 0xffffffe8 ), /* Offset= -24 (684) */
/* 710 */ 0x5c, /* FC_PAD */
                                0x5b,        /* FC_END */
/* 712 */
                                0x11, 0x0,    /* FC_RP */
/* 714 */ NdrFcShort( 0xfffff0c ), /* Offset= -244 (470) */
/* 716 */
                                0x1b,        /* FC_CARRAY */
                                0x0,          /* 0 */
/* 718 */ NdrFcShort( 0x1 ), /* 1 */
/* 720 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
                                0x0,          /* */
/* 722 */ NdrFcShort( 0x0 ), /* 0 */
/* 724 */ 0x1, /* FC_BYTE */
                                0x5b,        /* FC_END */
/* 726 */
                                0x16,        /* FC_PSTRUCT */
                                0x3,          /* 3 */
/* 728 */ NdrFcShort( 0x8 ), /* 8 */
/* 730 */
                                0x4b,        /* FC_PP */

```

```

/* 732 */          0x5c,          /* FC_PAD */
/* 734 */ NdrFcShort( 0x4 ), /* 4 */
/* 736 */ NdrFcShort( 0x4 ), /* 4 */
/* 738 */ 0x12, 0x0, /* FC_UP */
/* 740 */ NdrFcShort( 0xffffffe8 ), /* Offset= -24 (716) */
/* 742 */
          0x5b,          /* FC_END */
          0x8,          /* FC_LONG */
/* 744 */ 0x8,          /* FC_LONG */
          0x5b,          /* FC_END */
/* 746 */
          0x1b,          /* FC_CARRAY */
          0x1,          /* 1 */
/* 748 */ NdrFcShort( 0x2 ), /* 2 */
/* 750 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
          0x0,          /* */
/* 752 */ NdrFcShort( 0x0 ), /* 0 */
/* 754 */ 0x6, /* FC_SHORT */
          0x5b,          /* FC_END */
/* 756 */
          0x16,          /* FC_PSTRUCT */
          0x3,          /* 3 */
/* 758 */ NdrFcShort( 0x8 ), /* 8 */
/* 760 */
          0x4b,          /* FC_PP */
          0x5c,          /* FC_PAD */
/* 762 */
          0x46,          /* FC_NO_REPEAT */
          0x5c,          /* FC_PAD */
/* 764 */ NdrFcShort( 0x4 ), /* 4 */
/* 766 */ NdrFcShort( 0x4 ), /* 4 */
/* 768 */ 0x12, 0x0, /* FC_UP */
/* 770 */ NdrFcShort( 0xffffffe8 ), /* Offset= -24 (746) */
/* 772 */
          0x5b,          /* FC_END */
          0x8,          /* FC_LONG */
/* 774 */ 0x8,          /* FC_LONG */
          0x5b,          /* FC_END */
/* 776 */
          0x1b,          /* FC_CARRAY */
          0x3,          /* 3 */
/* 778 */ NdrFcShort( 0x4 ), /* 4 */
/* 780 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
          0x0,          /* */
/* 782 */ NdrFcShort( 0x0 ), /* 0 */
/* 784 */ 0x8, /* FC_LONG */
          0x5b,          /* FC_END */
/* 786 */
          0x16,          /* FC_PSTRUCT */
          0x3,          /* 3 */
/* 788 */ NdrFcShort( 0x8 ), /* 8 */
/* 790 */
          0x4b,          /* FC_PP */
          0x5c,          /* FC_PAD */
/* 792 */
          0x46,          /* FC_NO_REPEAT */
          0x5c,          /* FC_PAD */
/* 794 */ NdrFcShort( 0x4 ), /* 4 */

```

```

/* 796 */ NdrFcShort( 0x4 ), /* 4 */
/* 798 */ 0x12, 0x0, /* FC_UP */
/* 800 */ NdrFcShort( 0xffffffe8 ), /* Offset= -24 (776) */
/* 802 */
          0x5b,          /* FC_END */
          0x8,          /* FC_LONG */
/* 804 */ 0x8,          /* FC_LONG */
          0x5b,          /* FC_END */
/* 806 */
          0x1b,          /* FC_CARRAY */
          0x7,          /* 7 */
/* 808 */ NdrFcShort( 0x8 ), /* 8 */
/* 810 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
          0x0,          /* */
/* 812 */ NdrFcShort( 0x0 ), /* 0 */
/* 814 */ 0xb, /* FC_HYPER */
          0x5b,          /* FC_END */
/* 816 */
          0x16,          /* FC_PSTRUCT */
          0x3,          /* 3 */
/* 818 */ NdrFcShort( 0x8 ), /* 8 */
/* 820 */
          0x4b,          /* FC_PP */
          0x5c,          /* FC_PAD */
/* 822 */
          0x46,          /* FC_NO_REPEAT */
          0x5c,          /* FC_PAD */
/* 824 */ NdrFcShort( 0x4 ), /* 4 */
/* 826 */ NdrFcShort( 0x4 ), /* 4 */
/* 828 */ 0x12, 0x0, /* FC_UP */
/* 830 */ NdrFcShort( 0xffffffe8 ), /* Offset= -24 (806) */
/* 832 */
          0x5b,          /* FC_END */
          0x8,          /* FC_LONG */
/* 834 */ 0x8,          /* FC_LONG */
          0x5b,          /* FC_END */
/* 836 */
          0x15,          /* FC_STRUCT */
          0x3,          /* 3 */
/* 838 */ NdrFcShort( 0x8 ), /* 8 */
/* 840 */ 0x8, /* FC_LONG */
          0x8,          /* FC_LONG */
          0x5b,          /* FC_PAD */
          0x5b,          /* FC_END */
/* 844 */
          0x1b,          /* FC_CARRAY */
          0x3,          /* 3 */
/* 846 */ NdrFcShort( 0x8 ), /* 8 */
/* 848 */ 0x7, /* Corr desc: FC_USHORT */
          0x0,          /* */
/* 850 */ NdrFcShort( 0xfffd8 ), /* -40 */
/* 852 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
          0x0,          /* 0 */
/* 854 */ NdrFcShort( 0xfffffee ), /* Offset= -18 (836) */
/* 856 */ 0x5c, /* FC_PAD */
          0x5b,          /* FC_END */
/* 858 */
          0x1a,          /* FC_BOGUS_STRUCT */
          0x3,          /* 3 */
/* 860 */ NdrFcShort( 0x28 ), /* 40 */
/* 862 */ NdrFcShort( 0xfffffee ), /* Offset= -18 (844) */

```

```

/* 864 */ NdrFcShort( 0x0 ), /* Offset= 0 (864) */
/* 866 */ 0x6, /* FC_SHORT */
/* 868 */ 0x38, /* FC_ALIGNM4 */
/* 870 */ 0x8, /* FC_LONG */
/* 872 */ 0x0, /* FC_EMBEDDED_COMPLEX */
/* 876 */ NdrFcShort( 0xffffdf7 ), /* Offset= -521 (352) */
/* 878 */ 0x5b, /* FC_END */
/* 880 */ 0x12, 0x0, /* FC_UP */
/* 882 */ NdrFcShort( 0xffffef6 ), /* Offset= -266 (612) */
/* 884 */ 0x12, 0x8, /* FC_UP [simple_pointer] */
/* 886 */ 0x1, /* FC_BYTE */
/* 888 */ 0x5c, /* FC_PAD */
/* 890 */ 0x12, 0x8, /* FC_UP [simple_pointer] */
/* 892 */ 0x1, /* FC_BYTE */
/* 894 */ 0x5c, /* FC_PAD */
/* 896 */ 0x12, 0x8, /* FC_UP [simple_pointer] */
/* 898 */ 0xa, /* FC_FLOAT */
/* 900 */ 0x5c, /* FC_PAD */
/* 902 */ 0x12, 0x0, /* FC_UP */
/* 904 */ NdrFcShort( 0xfffffd90 ), /* Offset= -624 (278) */
/* 906 */ 0x12, 0x10, /* FC_UP [pointer_deref] */
/* 908 */ NdrFcShort( 0xfffffd92 ), /* Offset= -622 (284) */
/* 910 */ 0x12, 0x10, /* FC_UP [pointer_deref] */
/* 912 */ NdrFcShort( 0xfffffda6 ), /* Offset= -602 (308) */
/* 914 */ 0x12, 0x10, /* FC_UP [pointer_deref] */
/* 916 */ NdrFcShort( 0xfffffdb4 ), /* Offset= -588 (326) */
/* 918 */ 0x12, 0x10, /* FC_UP [pointer_deref] */
/* 920 */ NdrFcShort( 0xfffffdc2 ), /* Offset= -574 (344) */
/* 922 */ 0x12, 0x10, /* FC_UP [pointer_deref] */
/* 924 */ NdrFcShort( 0x2 ), /* Offset= 2 (924) */
/* 926 */ 0x12, 0x0, /* FC_UP */
/* 928 */ NdrFcShort( 0x16 ), /* Offset= 22 (948) */
/* 930 */ 0x15, /* FC_STRUCT */
/* 932 */ 0x7, /* FC_UP */
/* 934 */ 0x1, /* FC_BYTE */
/* 936 */ 0x8, /* FC_ALIGNM4 */

```

```

/* 938 */ 0xb, /* FC_ALIGNM8 */
/* 940 */ 0x5b, /* FC_HYPER */
/* 942 */ 0x12, 0x0, /* FC_UP */
/* 944 */ NdrFcShort( 0xfffffff2 ), /* Offset= -14 (928) */
/* 946 */ 0x12, 0x8, /* FC_UP [simple_pointer] */
/* 948 */ 0x5c, /* FC_CHAR */
/* 950 */ 0x1a, /* FC_BOGUS_STRUCT */
/* 952 */ 0x7, /* FC_UP */
/* 954 */ NdrFcShort( 0x20 ), /* FC_SHORT */
/* 956 */ NdrFcShort( 0x0 ), /* FC_SHORT */
/* 958 */ NdrFcShort( 0x0 ), /* Offset= 0 (954) */
/* 960 */ 0x8, /* FC_LONG */
/* 962 */ 0x6, /* FC_SHORT */
/* 964 */ 0x6, /* FC_SHORT */
/* 966 */ 0x6, /* FC_SHORT */
/* 968 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 970 */ 0x0, /* FC_UP */
/* 972 */ NdrFcShort( 0xfffffc42 ), /* Offset= -958 (6) */
/* 974 */ 0x5c, /* FC_PAD */
/* 976 */ 0x5b, /* FC_END */
/* 978 */ 0xb4, /* FC_USER_MARSHAL */
/* 980 */ 0x83, /* FC_UP */
/* 982 */ NdrFcShort( 0x0 ), /* FC_UP */
/* 984 */ NdrFcShort( 0x10 ), /* FC_UP */
/* 986 */ NdrFcShort( 0x0 ), /* FC_UP */
/* 988 */ NdrFcShort( 0xfffffc32 ), /* Offset= -974 (2) */
/* 990 */ 0x11, 0x4, /* FC_UP */
/* 992 */ NdrFcShort( 0x6 ), /* Offset= 6 (986) */
/* 994 */ 0x13, 0x0, /* FC_UP */
/* 996 */ NdrFcShort( 0xfffffdc ), /* Offset= -36 (948) */
/* 998 */ 0xb4, /* FC_USER_MARSHAL */
/* 1000 */ 0x83, /* FC_UP */
/* 1002 */ NdrFcShort( 0x0 ), /* FC_UP */
/* 1004 */ NdrFcShort( 0x10 ), /* FC_UP */
/* 1006 */ NdrFcShort( 0x0 ), /* FC_UP */
/* 1008 */ NdrFcShort( 0xfffffff4 ), /* Offset= -12 (982) */
/* 1010 */ 0x0
};

const CInterfaceProxyVtbl * _tpcc_com_ps_ProxyVtblList[] =
{
    ( CInterfaceProxyVtbl *) &ITPCCProxyVtbl,
    0
};

const CInterfaceStubVtbl * _tpcc_com_ps_StubVtblList[] =
{
    ( CInterfaceStubVtbl *) &ITPCCStubVtbl,
    0
};

PCInterfaceName const _tpcc_com_ps_InterfaceNamesList[] =

```

```

{
    "ITPCC",
    0
};

#define _tpcc_com_ps_CHECK_IID(n) IID_GENERIC_CHECK_IID( _tpcc_com_ps, pIID,
n)

int __stdcall _tpcc_com_ps_IID_Lookup( const IID * pIID, int * pIndex )
{
    if(!_tpcc_com_ps_CHECK_IID(0))
    {
        *pIndex = 0;
        return 1;
    }

    return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo =
{
    (PCInterfaceProxyVtblList *) & _tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) & _tpcc_com_ps_StubVtblList,
    (const PCInterfaceName * ) & _tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    & _tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
};

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the proxy stub code */

/* File created by MIDL compiler version 5.03.0280 */
/* at Thu Dec 13 23:13:08 2001
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b run,appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany), __declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_AXP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high enough to compile this file*/
#endif

```

```

#define __REQUIRED_RPCPROXY_H_VERSION__ 475
#endif

#include "rpcproxy.h"
#ifdef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of <rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 979
#define PROC_FORMAT_STRING_SIZE 253
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0x00,0x00,0x00,0x46}} */

/* Object interface: ITPCC, ver. 0.0,
GUID={0xFEEE6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short ITPCC_FormatStringOffsetTable[] =
{
    0,
    44,
    88,
    132,
    176,
    220
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =

```



```

    {
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0,
    0
    };

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo =
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0
};

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy,
    (void *)-1 /* ITPCC::NewOrder */ ,
    (void *)-1 /* ITPCC::Payment */ ,
    (void *)-1 /* ITPCC::Delivery */ ,
    (void *)-1 /* ITPCC::StockLevel */ ,
    (void *)-1 /* ITPCC::OrderStatus */ ,
    (void *)-1 /* ITPCC::CallSetComplete */
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

extern const USER_MARSHAL_ROUTINE_QUADRUPLE UserMarshalRoutines[
WIRE_MARSHAL_TABLE_SIZE ];

static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,
    0,
    0,
    0,
    0,
    0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x50002, /* Ndr library version */
    0,
    0x5030118, /* MIDL Version 5.3.280 */
};

```

```

    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* Reserved3 */
    0, /* Reserved4 */
    0 /* Reserved5 */
};

#pragma data_seg(".rdata")

static const USER_MARSHAL_ROUTINE_QUADRUPLE UserMarshalRoutines[
WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        VARIANT_UserSize,
        VARIANT_UserMarshal,
        VARIANT_UserUnmarshal,
        VARIANT_UserFree
    }
};

#if !defined(__RPC_WIN64__)
#error Invalid build platform for this stub.
#endif

static const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString =
{
    0,
    {
        /* Procedure NewOrder */

        0x33, /* FC_AUTO_HANDLE */
        0x6c, /* Old Flags: object, Oi2 */

        /* 2 */ NdrFcLong( 0x0 ), /* 0 */
        /* 6 */ NdrFcShort( 0x3 ), /* 3 */
#ifdef _ALPHA_
        /* 8 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /* xpp64 Stack size/offset = 48 */
#endif
        /* 10 */ NdrFcShort( 0x0 ), /* 0 */
        /* 12 */ NdrFcShort( 0x8 ), /* 8 */
        /* 14 */ 0x47, /* Oi2 Flags: srv must size, clt must size, has
return, has ext, */

        0x3, /* 3 */
        /* 16 */ 0xa, /* 10 */
        0x7, /* Ext Flags: new corr desc, clt
corr check, srv corr check, */
        /* 18 */ NdrFcShort( 0x20 ), /* 32 */
        /* 20 */ NdrFcShort( 0x20 ), /* 32 */
        /* 22 */ NdrFcShort( 0x0 ), /* 0 */
        /* 24 */ NdrFcShort( 0x0 ), /* 0 */

        /* Parameter txn_in */

        /* 26 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifdef _ALPHA_
        /* 28 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */

```

```

#else
                                NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 30 */ NdrFcShort( 0x3b6 ), /* Type Offset=950 */
/* Parameter txn_out */
/* 32 */ NdrFcShort( 0x6113 ), /* Flags: must size, must free, out, simple
ref, srv alloc size=24 */
#ifndef _ALPHA_
/* 34 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
                                NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 36 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */
/* Return value */
/* 38 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
/* 40 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
                                NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 42 */ 0x8, /* FC_LONG */
0x0, /* 0 */
/* Procedure Payment */
/* 44 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object, Oi2 */
/* 46 */ NdrFcLong( 0x0 ), /* 0 */
/* 50 */ NdrFcShort( 0x4 ), /* 4 */
#ifndef _ALPHA_
/* 52 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
                                NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 54 */ NdrFcShort( 0x0 ), /* 0 */
/* 56 */ NdrFcShort( 0x8 ), /* 8 */
/* 58 */ 0x47, /* Oi2 Flags: srv must size, clt must size, has
return, has ext, */
0x3, /* 3 */
/* 60 */ 0xa, /* 10 */
0x7, /* Ext Flags: new corr desc, clt
corr check, srv corr check, */
/* 62 */ NdrFcShort( 0x20 ), /* 32 */
/* 64 */ NdrFcShort( 0x20 ), /* 32 */
/* 66 */ NdrFcShort( 0x0 ), /* 0 */
/* 68 */ NdrFcShort( 0x0 ), /* 0 */
/* Parameter txn_in */
/* 70 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
/* 72 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
                                NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 74 */ NdrFcShort( 0x3b6 ), /* Type Offset=950 */
/* Parameter txn_out */

```

```

/* 76 */ NdrFcShort( 0x6113 ), /* Flags: must size, must free, out, simple
ref, srv alloc size=24 */
#ifndef _ALPHA_
/* 78 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
                                NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 80 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */
/* Return value */
/* 82 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
/* 84 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
                                NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 86 */ 0x8, /* FC_LONG */
0x0, /* 0 */
/* Procedure Delivery */
/* 88 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object, Oi2 */
/* 90 */ NdrFcLong( 0x0 ), /* 0 */
/* 94 */ NdrFcShort( 0x5 ), /* 5 */
#ifndef _ALPHA_
/* 96 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
                                NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 98 */ NdrFcShort( 0x0 ), /* 0 */
/* 100 */ NdrFcShort( 0x8 ), /* 8 */
/* 102 */ 0x47, /* Oi2 Flags: srv must size, clt must size, has
return, has ext, */
0x3, /* 3 */
/* 104 */ 0xa, /* 10 */
0x7, /* Ext Flags: new corr desc, clt
corr check, srv corr check, */
/* 106 */ NdrFcShort( 0x20 ), /* 32 */
/* 108 */ NdrFcShort( 0x20 ), /* 32 */
/* 110 */ NdrFcShort( 0x0 ), /* 0 */
/* 112 */ NdrFcShort( 0x0 ), /* 0 */
/* Parameter txn_in */
/* 114 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
/* 116 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
                                NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 118 */ NdrFcShort( 0x3b6 ), /* Type Offset=950 */
/* Parameter txn_out */
/* 120 */ NdrFcShort( 0x6113 ), /* Flags: must size, must free, out, simple
ref, srv alloc size=24 */
#ifndef _ALPHA_
/* 122 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
                                NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif

```

```

/* 124 */ NdrFcShort( 0x3c8 ),          /* Type Offset=968 */

        /* Return value */

/* 126 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
/* 128 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
        NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 130 */ 0x8,          /* FC_LONG */
                0x0,          /* 0 */

        /* Procedure StockLevel */

/* 132 */ 0x33,          /* FC_AUTO_HANDLE */
                0x6c,          /* Old Flags: object, Oi2 */
/* 134 */ NdrFcLong( 0x0 ), /* 0 */
/* 138 */ NdrFcShort( 0x6 ), /* 6 */
#ifdef _ALPHA_
/* 140 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 142 */ NdrFcShort( 0x0 ), /* 0 */
/* 144 */ NdrFcShort( 0x8 ), /* 8 */
/* 146 */ 0x47,          /* Oi2 Flags: srv must size, clt must size, has
return, has ext, */
                0x3,          /* 3 */
/* 148 */ 0xa,          /* 10 */
                0x7,          /* Ext Flags: new corr desc, clt
corr check, srv corr check, */
/* 150 */ NdrFcShort( 0x20 ), /* 32 */
/* 152 */ NdrFcShort( 0x20 ), /* 32 */
/* 154 */ NdrFcShort( 0x0 ), /* 0 */
/* 156 */ NdrFcShort( 0x0 ), /* 0 */

        /* Parameter txn_in */

/* 158 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifdef _ALPHA_
/* 160 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
        NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 162 */ NdrFcShort( 0x3b6 ),          /* Type Offset=950 */

        /* Parameter txn_out */

/* 164 */ NdrFcShort( 0x6113 ),          /* Flags: must size, must free, out, simple
ref, srv alloc size=24 */
#ifdef _ALPHA_
/* 166 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
        NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 168 */ NdrFcShort( 0x3c8 ),          /* Type Offset=968 */

        /* Return value */

/* 170 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
/* 172 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */

```

```

#else
        NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 174 */ 0x8,          /* FC_LONG */
                0x0,          /* 0 */

        /* Procedure OrderStatus */

/* 176 */ 0x33,          /* FC_AUTO_HANDLE */
                0x6c,          /* Old Flags: object, Oi2 */
/* 178 */ NdrFcLong( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x7 ), /* 7 */
#ifdef _ALPHA_
/* 184 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /* axp64 Stack size/offset = 48 */
#endif
/* 186 */ NdrFcShort( 0x0 ), /* 0 */
/* 188 */ NdrFcShort( 0x8 ), /* 8 */
/* 190 */ 0x47,          /* Oi2 Flags: srv must size, clt must size, has
return, has ext, */
                0x3,          /* 3 */
/* 192 */ 0xa,          /* 10 */
                0x7,          /* Ext Flags: new corr desc, clt
corr check, srv corr check, */
/* 194 */ NdrFcShort( 0x20 ), /* 32 */
/* 196 */ NdrFcShort( 0x20 ), /* 32 */
/* 198 */ NdrFcShort( 0x0 ), /* 0 */
/* 200 */ NdrFcShort( 0x0 ), /* 0 */

        /* Parameter txn_in */

/* 202 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifdef _ALPHA_
/* 204 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
        NdrFcShort( 0x8 ), /* axp64 Stack size/offset = 8 */
#endif
/* 206 */ NdrFcShort( 0x3b6 ),          /* Type Offset=950 */

        /* Parameter txn_out */

/* 208 */ NdrFcShort( 0x6113 ),          /* Flags: must size, must free, out, simple
ref, srv alloc size=24 */
#ifdef _ALPHA_
/* 210 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
        NdrFcShort( 0x20 ), /* axp64 Stack size/offset = 32 */
#endif
/* 212 */ NdrFcShort( 0x3c8 ),          /* Type Offset=968 */

        /* Return value */

/* 214 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
/* 216 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
        NdrFcShort( 0x28 ), /* axp64 Stack size/offset = 40 */
#endif
/* 218 */ 0x8,          /* FC_LONG */
                0x0,          /* 0 */

        /* Procedure CallSetComplete */

```

```

/* 220 */ 0x33,          /* FC_AUTO_HANDLE */
0x6c,          /* Old Flags: object, Oi2 */
/* 222 */ NdrFcLong( 0x0 ), /* 0 */
/* 226 */ NdrFcShort( 0x8 ), /* 8 */
/* 228 */ NdrFcShort( 0x10 ), /* ia64, axp64 Stack size/offset = 16 */
/* 230 */ NdrFcShort( 0x0 ), /* 0 */
/* 232 */ NdrFcShort( 0x8 ), /* 8 */
/* 234 */ 0x44,        /* Oi2 Flags: has return, has ext, */
0x1,          /* 1 */
/* 236 */ 0xa,         /* 10 */
0x1,          /* Ext Flags: new corr desc, */
/* 238 */ NdrFcShort( 0x0 ), /* 0 */
/* 240 */ NdrFcShort( 0x0 ), /* 0 */
/* 242 */ NdrFcShort( 0x0 ), /* 0 */
/* 244 */ NdrFcShort( 0x0 ), /* 0 */

    /* Return value */

/* 246 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
/* 248 */ NdrFcShort( 0x8 ), /* ia64, axp64 Stack size/offset = 8 */
/* 250 */ 0x8,             /* FC_LONG */
0x0,                    /* 0 */
0x0
    }
};

static const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString =
{
    0,
    {
        NdrFcShort( 0x0 ), /* 0 */
/* 2 */
0x12, 0x0,             /* FC_UP */
/* 4 */ NdrFcShort( 0x39e ), /* Offset= 926 (930) */
/* 6 */
0x2b,                 /* FC_NON_ENCAPSULATED_UNION */
0x9,                  /* FC_ULONG */
/* 8 */ 0x7,           /* Corr desc: FC_USHORT */
0x0,                  /* */
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */
/* 12 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 14 */ NdrFcShort( 0x2 ), /* Offset= 2 (16) */
/* 16 */ NdrFcShort( 0x10 ), /* 16 */
/* 18 */ NdrFcShort( 0x2b ), /* 43 */
/* 20 */ NdrFcLong( 0x3 ), /* 3 */
/* 24 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 26 */ NdrFcLong( 0x11 ), /* 17 */
/* 30 */ NdrFcShort( 0x8001 ), /* Simple arm type: FC_BYTE */
/* 32 */ NdrFcLong( 0x2 ), /* 2 */
/* 36 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 38 */ NdrFcLong( 0x4 ), /* 4 */
/* 42 */ NdrFcShort( 0x800a ), /* Simple arm type: FC_FLOAT */
/* 44 */ NdrFcLong( 0x5 ), /* 5 */
/* 48 */ NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */
/* 50 */ NdrFcLong( 0xb ), /* 11 */
/* 54 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 56 */ NdrFcLong( 0xa ), /* 10 */
/* 60 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 62 */ NdrFcLong( 0x6 ), /* 6 */
/* 66 */ NdrFcShort( 0xd6 ), /* Offset= 214 (280) */
/* 68 */ NdrFcLong( 0x7 ), /* 7 */

```

```

/* 72 */ NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */
/* 74 */ NdrFcLong( 0x8 ), /* 8 */
/* 78 */ NdrFcShort( 0xd0 ), /* Offset= 208 (286) */
/* 80 */ NdrFcLong( 0xd ), /* 13 */
/* 84 */ NdrFcShort( 0xe4 ), /* Offset= 228 (312) */
/* 86 */ NdrFcLong( 0x9 ), /* 9 */
/* 90 */ NdrFcShort( 0xf0 ), /* Offset= 240 (330) */
/* 92 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 96 */ NdrFcShort( 0xfc ), /* Offset= 252 (348) */
/* 98 */ NdrFcLong( 0x24 ), /* 36 */
/* 102 */ NdrFcShort( 0x2f4 ), /* Offset= 756 (858) */
/* 104 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 108 */ NdrFcShort( 0x2ee ), /* Offset= 750 (858) */
/* 110 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 114 */ NdrFcShort( 0x2ec ), /* Offset= 748 (862) */
/* 116 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 120 */ NdrFcShort( 0x2ea ), /* Offset= 746 (866) */
/* 122 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 126 */ NdrFcShort( 0x2e8 ), /* Offset= 744 (870) */
/* 128 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 132 */ NdrFcShort( 0x2e6 ), /* Offset= 742 (874) */
/* 134 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 138 */ NdrFcShort( 0x2e4 ), /* Offset= 740 (878) */
/* 140 */ NdrFcLong( 0x400b ), /* 16395 */
/* 144 */ NdrFcShort( 0x2d2 ), /* Offset= 722 (866) */
/* 146 */ NdrFcLong( 0x400a ), /* 16394 */
/* 150 */ NdrFcShort( 0x2d0 ), /* Offset= 720 (870) */
/* 152 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 156 */ NdrFcShort( 0x2d6 ), /* Offset= 726 (882) */
/* 158 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 162 */ NdrFcShort( 0x2cc ), /* Offset= 716 (878) */
/* 164 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 168 */ NdrFcShort( 0x2ce ), /* Offset= 718 (886) */
/* 170 */ NdrFcLong( 0x400d ), /* 16397 */
/* 174 */ NdrFcShort( 0x2cc ), /* Offset= 716 (890) */
/* 176 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 180 */ NdrFcShort( 0x2ca ), /* Offset= 714 (894) */
/* 182 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 186 */ NdrFcShort( 0x2c8 ), /* Offset= 712 (898) */
/* 188 */ NdrFcLong( 0x400c ), /* 16396 */
/* 192 */ NdrFcShort( 0x2c6 ), /* Offset= 710 (902) */
/* 194 */ NdrFcLong( 0x10 ), /* 16 */
/* 198 */ NdrFcShort( 0x8002 ), /* Simple arm type: FC_CHAR */
/* 200 */ NdrFcLong( 0x12 ), /* 18 */
/* 204 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 206 */ NdrFcLong( 0x13 ), /* 19 */
/* 210 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 212 */ NdrFcLong( 0x16 ), /* 22 */
/* 216 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 218 */ NdrFcLong( 0x17 ), /* 23 */
/* 222 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 224 */ NdrFcLong( 0xe ), /* 14 */
/* 228 */ NdrFcShort( 0x2aa ), /* Offset= 682 (910) */
/* 230 */ NdrFcLong( 0x400e ), /* 16398 */
/* 234 */ NdrFcShort( 0x2b0 ), /* Offset= 688 (922) */
/* 236 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 240 */ NdrFcShort( 0x2ae ), /* Offset= 686 (926) */
/* 242 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 246 */ NdrFcShort( 0x26c ), /* Offset= 620 (866) */
/* 248 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 252 */ NdrFcShort( 0x26a ), /* Offset= 618 (870) */
/* 254 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 258 */ NdrFcShort( 0x264 ), /* Offset= 612 (870) */

```

```

/* 260 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 264 */ NdrFcShort( 0x25e ), /* Offset= 606 (870) */
/* 266 */ NdrFcLong( 0x0 ), /* 0 */
/* 270 */ NdrFcShort( 0x0 ), /* Offset= 0 (270) */
/* 272 */ NdrFcLong( 0x1 ), /* 1 */
/* 276 */ NdrFcShort( 0x0 ), /* Offset= 0 (276) */
/* 278 */ NdrFcShort( 0xffffffff ), /* Offset= -1 (277) */
/* 280 */
                                0x15, /* FC_STRUCT */
                                0x7, /* 7 */
/* 282 */ NdrFcShort( 0x8 ), /* 8 */
/* 284 */ 0xb, /* FC_HYPER */
                                0x5b, /* FC_END */
/* 286 */
                                0x12, 0x0, /* FC_UP */
/* 288 */ NdrFcShort( 0xe ), /* Offset= 14 (302) */
/* 290 */
                                0x1b, /* FC_CARRAY */
                                0x1, /* 1 */
/* 292 */ NdrFcShort( 0x2 ), /* 2 */
/* 294 */ 0x9, /* Corr desc: FC_ULONG */
                                0x0, /* */
/* 296 */ NdrFcShort( 0xffffc ), /* -4 */
/* 298 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 300 */ 0x6, /* FC_SHORT */
                                0x5b, /* FC_END */
/* 302 */
                                0x17, /* FC_CSTRUCT */
                                0x3, /* 3 */
/* 304 */ NdrFcShort( 0x8 ), /* 8 */
/* 306 */ NdrFcShort( 0xffffffff0 ), /* Offset= -16 (290) */
/* 308 */ 0x8, /* FC_LONG */
                                0x8, /* FC_LONG */
/* 310 */ 0x5c, /* FC_PAD */
                                0x5b, /* FC_END */
/* 312 */
                                0x2f, /* FC_IP */
                                0x5a, /* FC_CONSTANT_IID */
/* 314 */ NdrFcLong( 0x0 ), /* 0 */
/* 318 */ NdrFcShort( 0x0 ), /* 0 */
/* 320 */ NdrFcShort( 0x0 ), /* 0 */
/* 322 */ 0xc0, /* 192 */
                                0x0, /* 0 */
/* 324 */ 0x0, /* 0 */
                                0x0, /* 0 */
/* 326 */ 0x0, /* 0 */
                                0x0, /* 0 */
/* 328 */ 0x0, /* 0 */
                                0x46, /* 70 */
/* 330 */
                                0x2f, /* FC_IP */
                                0x5a, /* FC_CONSTANT_IID */
/* 332 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 336 */ NdrFcShort( 0x0 ), /* 0 */
/* 338 */ NdrFcShort( 0x0 ), /* 0 */
/* 340 */ 0xc0, /* 192 */
                                0x0, /* 0 */
/* 342 */ 0x0, /* 0 */
                                0x0, /* 0 */
/* 344 */ 0x0, /* 0 */
                                0x0, /* 0 */
/* 346 */ 0x0, /* 0 */
                                0x46, /* 70 */

```

```

/* 348 */
                                0x12, 0x10, /* FC_UP [pointer_deref] */
/* 350 */ NdrFcShort( 0x2 ), /* Offset= 2 (352) */
/* 352 */
                                0x12, 0x0, /* FC_UP */
/* 354 */ NdrFcShort( 0x1e6 ), /* Offset= 486 (840) */
/* 356 */
                                0x2a, /* FC_ENCAPSULATED_UNION */
                                0x89, /* 137 */
/* 358 */ NdrFcShort( 0x20 ), /* 32 */
/* 360 */ NdrFcShort( 0xa ), /* 10 */
/* 362 */ NdrFcLong( 0x8 ), /* 8 */
/* 366 */ NdrFcShort( 0x50 ), /* Offset= 80 (446) */
/* 368 */ NdrFcLong( 0xd ), /* 13 */
/* 372 */ NdrFcShort( 0x70 ), /* Offset= 112 (484) */
/* 374 */ NdrFcLong( 0x9 ), /* 9 */
/* 378 */ NdrFcShort( 0x90 ), /* Offset= 144 (522) */
/* 380 */ NdrFcLong( 0xc ), /* 12 */
/* 384 */ NdrFcShort( 0xb0 ), /* Offset= 176 (560) */
/* 386 */ NdrFcLong( 0x24 ), /* 36 */
/* 390 */ NdrFcShort( 0x104 ), /* Offset= 260 (650) */
/* 392 */ NdrFcLong( 0x800d ), /* 32781 */
/* 396 */ NdrFcShort( 0x120 ), /* Offset= 288 (684) */
/* 398 */ NdrFcLong( 0x10 ), /* 16 */
/* 402 */ NdrFcShort( 0x13a ), /* Offset= 314 (716) */
/* 404 */ NdrFcLong( 0x2 ), /* 2 */
/* 408 */ NdrFcShort( 0x150 ), /* Offset= 336 (744) */
/* 410 */ NdrFcLong( 0x3 ), /* 3 */
/* 414 */ NdrFcShort( 0x166 ), /* Offset= 358 (772) */
/* 416 */ NdrFcLong( 0x14 ), /* 20 */
/* 420 */ NdrFcShort( 0x17c ), /* Offset= 380 (800) */
/* 422 */ NdrFcShort( 0xffffffff ), /* Offset= -1 (421) */
/* 424 */
                                0x21, /* FC_BOGUS_ARRAY */
                                0x3, /* 3 */
/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
                                0x0, /* */
/* 430 */ NdrFcShort( 0x0 ), /* 0 */
/* 432 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 434 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 438 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 440 */
                                0x12, 0x0, /* FC_UP */
/* 442 */ NdrFcShort( 0xffffffff74 ), /* Offset= -140 (302) */
/* 444 */ 0x5c, /* FC_PAD */
                                0x5b, /* FC_END */
/* 446 */
                                0x1a, /* FC_BOGUS_STRUCT */
                                0x3, /* 3 */
/* 448 */ NdrFcShort( 0x10 ), /* 16 */
/* 450 */ NdrFcShort( 0x0 ), /* 0 */
/* 452 */ NdrFcShort( 0x6 ), /* Offset= 6 (458) */
/* 454 */ 0x8, /* FC_LONG */
                                0x39, /* FC_ALIGNM8 */
/* 456 */ 0x36, /* FC_POINTER */
                                0x5b, /* FC_END */
/* 458 */
                                0x11, 0x0, /* FC_RP */
/* 460 */ NdrFcShort( 0xffffffffdc ), /* Offset= -36 (424) */
/* 462 */
                                0x21, /* FC_BOGUS_ARRAY */
                                0x3, /* 3 */

```

```

/* 464 */ NdrFcShort( 0x0 ), /* 0 */
/* 466 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 468 */ NdrFcShort( 0x0 ), /* 0 */
/* 470 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 472 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 476 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 478 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 480 */ NdrFcShort( 0xffffffff58 ), /* Offset=-168 (312) */
/* 482 */ 0x5c, /* FC_PAD */
/* 484 */ 0x5b, /* FC_END */
/* 486 */ 0x1a, /* FC_BOGUS_STRUCT */
/* 488 */ 0x3, /* 3 */
/* 490 */ NdrFcShort( 0x10 ), /* 16 */
/* 492 */ NdrFcShort( 0x0 ), /* 0 */
/* 494 */ NdrFcShort( 0x6 ), /* Offset= 6 (496) */
/* 496 */ 0x8, /* FC_LONG */
/* 498 */ 0x39, /* FC_ALIGNM8 */
/* 500 */ 0x36, /* FC_POINTER */
/* 502 */ 0x5b, /* FC_END */
/* 504 */ 0x11, 0x0, /* FC_RP */
/* 506 */ NdrFcShort( 0xffffffffdc ), /* Offset=-36 (462) */
/* 508 */ 0x21, /* FC_BOGUS_ARRAY */
/* 510 */ 0x3, /* 3 */
/* 512 */ NdrFcShort( 0x0 ), /* 0 */
/* 514 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 516 */ 0x0, /* */
/* 518 */ NdrFcShort( 0x0 ), /* 0 */
/* 520 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 522 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 524 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 526 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 528 */ 0x0, /* 0 */
/* 530 */ NdrFcShort( 0xffffffff44 ), /* Offset=-188 (330) */
/* 532 */ 0x5c, /* FC_PAD */
/* 534 */ 0x5b, /* FC_END */
/* 536 */ 0x1a, /* FC_BOGUS_STRUCT */
/* 538 */ 0x3, /* 3 */
/* 540 */ NdrFcShort( 0x10 ), /* 16 */
/* 542 */ NdrFcShort( 0x0 ), /* 0 */
/* 544 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 546 */ 0x8, /* FC_LONG */
/* 548 */ 0x39, /* FC_ALIGNM8 */
/* 550 */ 0x36, /* FC_POINTER */
/* 552 */ 0x5b, /* FC_END */
/* 554 */ 0x11, 0x0, /* FC_RP */
/* 556 */ NdrFcShort( 0xffffffffdc ), /* Offset=-36 (500) */
/* 558 */ 0x21, /* FC_BOGUS_ARRAY */
/* 560 */ 0x3, /* 3 */
/* 562 */ NdrFcShort( 0x0 ), /* 0 */
/* 564 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 566 */ 0x0, /* */
/* 568 */ NdrFcShort( 0x0 ), /* 0 */
/* 570 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 572 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 574 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 576 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 578 */ 0x0, /* 0 */
/* 580 */ NdrFcShort( 0xffffffff44 ), /* Offset=-188 (330) */
/* 582 */ 0x5c, /* FC_PAD */
/* 584 */ 0x5b, /* FC_END */
/* 586 */ 0x1a, /* FC_BOGUS_STRUCT */
/* 588 */ 0x3, /* 3 */
/* 590 */ NdrFcShort( 0x10 ), /* 16 */
/* 592 */ NdrFcShort( 0x0 ), /* 0 */
/* 594 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 596 */ 0x8, /* FC_LONG */
/* 598 */ 0x39, /* FC_ALIGNM8 */
/* 600 */ 0x36, /* FC_POINTER */
/* 602 */ 0x5b, /* FC_END */
/* 604 */ 0x11, 0x0, /* FC_RP */
/* 606 */ NdrFcShort( 0xffffffffdc ), /* Offset=-36 (500) */
/* 608 */ 0x21, /* FC_BOGUS_ARRAY */
/* 610 */ 0x3, /* 3 */
/* 612 */ NdrFcShort( 0x0 ), /* 0 */
/* 614 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 616 */ 0x0, /* */
/* 618 */ NdrFcShort( 0x0 ), /* 0 */
/* 620 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 622 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 624 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 626 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 628 */ 0x0, /* 0 */

```

```

/* 554 */ 0x12, 0x0, /* FC_UP */
/* 556 */ NdrFcShort( 0x176 ), /* Offset= 374 (930) */
/* 558 */ 0x5c, /* FC_PAD */
/* 560 */ 0x5b, /* FC_END */
/* 562 */ 0x1a, /* FC_BOGUS_STRUCT */
/* 564 */ 0x3, /* 3 */
/* 566 */ NdrFcShort( 0x10 ), /* 16 */
/* 568 */ NdrFcShort( 0x0 ), /* 0 */
/* 570 */ NdrFcShort( 0x6 ), /* Offset= 6 (572) */
/* 572 */ 0x8, /* FC_LONG */
/* 574 */ 0x39, /* FC_ALIGNM8 */
/* 576 */ 0x36, /* FC_POINTER */
/* 578 */ 0x5b, /* FC_END */
/* 580 */ 0x11, 0x0, /* FC_RP */
/* 582 */ NdrFcShort( 0xffffffffdc ), /* Offset=-36 (538) */
/* 584 */ 0x2f, /* FC_IP */
/* 586 */ 0x5a, /* FC_CONSTANT_IID */
/* 588 */ NdrFcLong( 0x2f ), /* 47 */
/* 590 */ NdrFcShort( 0x0 ), /* 0 */
/* 592 */ NdrFcShort( 0x0 ), /* 0 */
/* 594 */ 0xc0, /* 192 */
/* 596 */ 0x0, /* 0 */
/* 598 */ 0x0, /* 0 */
/* 600 */ 0x0, /* 0 */
/* 602 */ 0x0, /* 0 */
/* 604 */ 0x46, /* 70 */
/* 606 */ 0x1b, /* FC_CARRAY */
/* 608 */ 0x0, /* 0 */
/* 610 */ NdrFcShort( 0x1 ), /* 1 */
/* 612 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 614 */ 0x0, /* */
/* 616 */ NdrFcShort( 0x4 ), /* 4 */
/* 618 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 620 */ 0x1, /* FC_BYTE */
/* 622 */ 0x5b, /* FC_END */
/* 624 */ 0x1a, /* FC_BOGUS_STRUCT */
/* 626 */ 0x3, /* 3 */
/* 628 */ NdrFcShort( 0x18 ), /* 24 */
/* 630 */ NdrFcShort( 0x0 ), /* 0 */
/* 632 */ NdrFcShort( 0xc ), /* Offset= 12 (624) */
/* 634 */ 0x8, /* FC_LONG */
/* 636 */ 0x8, /* FC_LONG */
/* 638 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 640 */ 0x0, /* 0 */
/* 642 */ NdrFcShort( 0xffffffffd6 ), /* Offset=-42 (576) */
/* 644 */ 0x39, /* FC_ALIGNM8 */
/* 646 */ 0x36, /* FC_POINTER */
/* 648 */ 0x5c, /* FC_PAD */
/* 650 */ 0x5b, /* FC_END */
/* 652 */ 0x12, 0x0, /* FC_UP */
/* 654 */ NdrFcShort( 0xffffffffe0 ), /* Offset=-32 (594) */
/* 656 */ 0x21, /* FC_BOGUS_ARRAY */
/* 658 */ 0x3, /* 3 */

```

```

/* 630 */ NdrFcShort( 0x0 ), /* 0 */
/* 632 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 634 */ NdrFcShort( 0x0 ), /* 0 */
/* 636 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 638 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 642 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 644 */
/* 646 */ NdrFcShort( 0xffffffff8 ), /* Offset= -40 (606) */
/* 648 */ 0x5c, /* FC_PAD */
/* 650 */
/* 652 */ NdrFcShort( 0x10 ), /* 16 */
/* 654 */ NdrFcShort( 0x0 ), /* 0 */
/* 656 */ NdrFcShort( 0x6 ), /* Offset= 6 (662) */
/* 658 */ 0x8, /* FC_LONG */
/* 660 */ 0x36, /* FC_ALIGNM8 */
/* 662 */
/* 664 */ NdrFcShort( 0xffffffffc ), /* Offset= -36 (628) */
/* 666 */
/* 668 */ NdrFcShort( 0x8 ), /* 8 */
/* 670 */ 0x1, /* FC_BYTE */
/* 672 */
/* 674 */ NdrFcShort( 0x10 ), /* 16 */
/* 676 */ 0x8, /* FC_LONG */
/* 678 */ 0x6, /* FC_SHORT */
/* 680 */ 0x0, /* FC_EMBEDDED_COMPLEX */
/* 684 */
/* 686 */ NdrFcShort( 0x20 ), /* 32 */
/* 688 */ NdrFcShort( 0x0 ), /* 0 */
/* 690 */ NdrFcShort( 0xa ), /* Offset= 10 (700) */
/* 692 */ 0x8, /* FC_LONG */
/* 694 */ 0x36, /* FC_ALIGNM8 */
/* 696 */ 0x0, /* FC_POINTER */
/* 700 */
/* 702 */ NdrFcShort( 0xffffffff10 ), /* Offset= -240 (462) */
/* 704 */
/* 706 */ NdrFcShort( 0x1 ), /* 1 */
/* 708 */ 0x19, /* Corr desc: field pointer, FC_ULONG */

```

```

/* 710 */ NdrFcShort( 0x0 ), /* 0 */
/* 712 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 714 */ 0x1, /* FC_BYTE */
/* 716 */
/* 718 */ NdrFcShort( 0x10 ), /* 16 */
/* 720 */ NdrFcShort( 0x0 ), /* 0 */
/* 722 */ NdrFcShort( 0x6 ), /* Offset= 6 (728) */
/* 724 */ 0x8, /* FC_LONG */
/* 726 */ 0x36, /* FC_ALIGNM8 */
/* 728 */
/* 730 */ NdrFcShort( 0xffffffe6 ), /* Offset= -26 (704) */
/* 732 */
/* 734 */ NdrFcShort( 0x2 ), /* 2 */
/* 736 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 738 */ NdrFcShort( 0x0 ), /* 0 */
/* 740 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 742 */ 0x6, /* FC_SHORT */
/* 744 */
/* 746 */ NdrFcShort( 0x10 ), /* 16 */
/* 748 */ NdrFcShort( 0x0 ), /* 0 */
/* 750 */ NdrFcShort( 0x6 ), /* Offset= 6 (756) */
/* 752 */ 0x8, /* FC_LONG */
/* 754 */ 0x36, /* FC_ALIGNM8 */
/* 756 */
/* 758 */ NdrFcShort( 0xfffffe6 ), /* Offset= -26 (732) */
/* 760 */
/* 762 */ NdrFcShort( 0x4 ), /* 4 */
/* 764 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 766 */ NdrFcShort( 0x0 ), /* 0 */
/* 768 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 770 */ 0x8, /* FC_LONG */
/* 772 */
/* 774 */ NdrFcShort( 0x10 ), /* 16 */
/* 776 */ NdrFcShort( 0x0 ), /* 0 */
/* 778 */ NdrFcShort( 0x6 ), /* Offset= 6 (784) */
/* 780 */ 0x8, /* FC_LONG */
/* 782 */ 0x36, /* FC_ALIGNM8 */
/* 784 */
/* 786 */ NdrFcShort( 0x10 ), /* 16 */
/* 788 */ NdrFcShort( 0x0 ), /* 0 */
/* 790 */ NdrFcShort( 0x6 ), /* Offset= 6 (796) */
/* 792 */ 0x8, /* FC_LONG */
/* 794 */ 0x36, /* FC_ALIGNM8 */
/* 796 */
/* 798 */ NdrFcShort( 0x10 ), /* 16 */
/* 800 */ NdrFcShort( 0x0 ), /* 0 */
/* 802 */ NdrFcShort( 0x6 ), /* Offset= 6 (808) */
/* 804 */ 0x8, /* FC_LONG */
/* 806 */ 0x36, /* FC_ALIGNM8 */
/* 808 */
/* 810 */ NdrFcShort( 0x10 ), /* 16 */
/* 812 */ NdrFcShort( 0x0 ), /* 0 */
/* 814 */ NdrFcShort( 0x6 ), /* Offset= 6 (820) */
/* 816 */ 0x8, /* FC_LONG */
/* 818 */ 0x36, /* FC_ALIGNM8 */
/* 820 */
/* 822 */ NdrFcShort( 0x10 ), /* 16 */
/* 824 */ NdrFcShort( 0x0 ), /* 0 */
/* 826 */ NdrFcShort( 0x6 ), /* Offset= 6 (832) */
/* 828 */ 0x8, /* FC_LONG */
/* 830 */ 0x36, /* FC_ALIGNM8 */
/* 832 */
/* 834 */ NdrFcShort( 0x10 ), /* 16 */
/* 836 */ NdrFcShort( 0x0 ), /* 0 */
/* 838 */ NdrFcShort( 0x6 ), /* Offset= 6 (844) */
/* 840 */ 0x8, /* FC_LONG */
/* 842 */ 0x36, /* FC_ALIGNM8 */
/* 844 */
/* 846 */ NdrFcShort( 0x10 ), /* 16 */
/* 848 */ NdrFcShort( 0x0 ), /* 0 */
/* 850 */ NdrFcShort( 0x6 ), /* Offset= 6 (856) */
/* 852 */ 0x8, /* FC_LONG */
/* 854 */ 0x36, /* FC_ALIGNM8 */
/* 856 */
/* 858 */ NdrFcShort( 0x10 ), /* 16 */
/* 860 */ NdrFcShort( 0x0 ), /* 0 */
/* 862 */ NdrFcShort( 0x6 ), /* Offset= 6 (868) */
/* 864 */ 0x8, /* FC_LONG */
/* 866 */ 0x36, /* FC_ALIGNM8 */
/* 868 */
/* 870 */ NdrFcShort( 0x10 ), /* 16 */
/* 872 */ NdrFcShort( 0x0 ), /* 0 */
/* 874 */ NdrFcShort( 0x6 ), /* Offset= 6 (880) */
/* 876 */ 0x8, /* FC_LONG */
/* 878 */ 0x36, /* FC_ALIGNM8 */
/* 880 */
/* 882 */ NdrFcShort( 0x10 ), /* 16 */
/* 884 */ NdrFcShort( 0x0 ), /* 0 */
/* 886 */ NdrFcShort( 0x6 ), /* Offset= 6 (892) */
/* 888 */ 0x8, /* FC_LONG */
/* 890 */ 0x36, /* FC_ALIGNM8 */
/* 892 */
/* 894 */ NdrFcShort( 0x10 ), /* 16 */
/* 896 */ NdrFcShort( 0x0 ), /* 0 */
/* 898 */ NdrFcShort( 0x6 ), /* Offset= 6 (904) */
/* 900 */ 0x8, /* FC_LONG */
/* 902 */ 0x36, /* FC_ALIGNM8 */
/* 904 */
/* 906 */ NdrFcShort( 0x10 ), /* 16 */
/* 908 */ NdrFcShort( 0x0 ), /* 0 */
/* 910 */ NdrFcShort( 0x6 ), /* Offset= 6 (916) */
/* 912 */ 0x8, /* FC_LONG */
/* 914 */ 0x36, /* FC_ALIGNM8 */
/* 916 */
/* 918 */ NdrFcShort( 0x10 ), /* 16 */
/* 920 */ NdrFcShort( 0x0 ), /* 0 */
/* 922 */ NdrFcShort( 0x6 ), /* Offset= 6 (928) */
/* 924 */ 0x8, /* FC_LONG */
/* 926 */ 0x36, /* FC_ALIGNM8 */
/* 928 */
/* 930 */ NdrFcShort( 0x10 ), /* 16 */
/* 932 */ NdrFcShort( 0x0 ), /* 0 */
/* 934 */ NdrFcShort( 0x6 ), /* Offset= 6 (940) */
/* 936 */ 0x8, /* FC_LONG */
/* 938 */ 0x36, /* FC_ALIGNM8 */
/* 940 */
/* 942 */ NdrFcShort( 0x10 ), /* 16 */
/* 944 */ NdrFcShort( 0x0 ), /* 0 */
/* 946 */ NdrFcShort( 0x6 ), /* Offset= 6 (952) */
/* 948 */ 0x8, /* FC_LONG */
/* 950 */ 0x36, /* FC_ALIGNM8 */
/* 952 */
/* 954 */ NdrFcShort( 0x10 ), /* 16 */
/* 956 */ NdrFcShort( 0x0 ), /* 0 */
/* 958 */ NdrFcShort( 0x6 ), /* Offset= 6 (964) */
/* 960 */ 0x8, /* FC_LONG */
/* 962 */ 0x36, /* FC_ALIGNM8 */
/* 964 */
/* 966 */ NdrFcShort( 0x10 ), /* 16 */
/* 968 */ NdrFcShort( 0x0 ), /* 0 */
/* 970 */ NdrFcShort( 0x6 ), /* Offset= 6 (976) */
/* 972 */ 0x8, /* FC_LONG */
/* 974 */ 0x36, /* FC_ALIGNM8 */
/* 976 */
/* 978 */ NdrFcShort( 0x10 ), /* 16 */
/* 980 */ NdrFcShort( 0x0 ), /* 0 */
/* 982 */ NdrFcShort( 0x6 ), /* Offset= 6 (988) */
/* 984 */ 0x8, /* FC_LONG */
/* 986 */ 0x36, /* FC_ALIGNM8 */
/* 988 */
/* 990 */ NdrFcShort( 0x10 ), /* 16 */
/* 992 */ NdrFcShort( 0x0 ), /* 0 */
/* 994 */ NdrFcShort( 0x6 ), /* Offset= 6 (996) */
/* 996 */ 0x8, /* FC_LONG */
/* 998 */ 0x36, /* FC_ALIGNM8 */

```

```

/* 786 */ NdrFcShort( 0xffffffe6 ), /* Offset= -26 (760) */
/* 788 */
                                0x1b, /* FC_CARRAY */
                                0x7, /* 7 */
/* 790 */ NdrFcShort( 0x8 ), /* 8 */
/* 792 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 794 */ NdrFcShort( 0x0 ), /* 0 */
/* 796 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 798 */ 0xb, /* FC_HYPER */
/* 800 */ 0x5b, /* FC_END */
                                0x1a, /* FC_BOGUS_STRUCT */
                                0x3, /* 3 */
/* 802 */ NdrFcShort( 0x10 ), /* 16 */
/* 804 */ NdrFcShort( 0x0 ), /* 0 */
/* 806 */ NdrFcShort( 0x6 ), /* Offset= 6 (812) */
/* 808 */ 0x8, /* FC_LONG */
/* 810 */ 0x36, /* FC_POINTER */
/* 812 */ 0x5b, /* FC_END */
                                0x12, 0x0, /* FC_UP */
/* 814 */ NdrFcShort( 0xffffffe6 ), /* Offset= -26 (788) */
/* 816 */
                                0x15, /* FC_STRUCT */
                                0x3, /* 3 */
/* 818 */ NdrFcShort( 0x8 ), /* 8 */
/* 820 */ 0x8, /* FC_LONG */
/* 822 */ 0x5c, /* FC_PAD */
/* 824 */ 0x5b, /* FC_END */
                                0x1b, /* FC_CARRAY */
                                0x3, /* 3 */
/* 826 */ NdrFcShort( 0x8 ), /* 8 */
/* 828 */ 0x7, /* Corr desc: FC_USHORT */
/* 830 */ NdrFcShort( 0xffc8 ), /* -56 */
/* 832 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 834 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 836 */ NdrFcShort( 0xfffffec ), /* Offset= -20 (816) */
/* 838 */ 0x5c, /* FC_PAD */
/* 840 */ 0x5b, /* FC_END */
                                0x1a, /* FC_BOGUS_STRUCT */
                                0x3, /* 3 */
/* 842 */ NdrFcShort( 0x38 ), /* 56 */
/* 844 */ NdrFcShort( 0xfffffec ), /* Offset= -20 (824) */
/* 846 */ NdrFcShort( 0x0 ), /* Offset= 0 (846) */
/* 848 */ 0x6, /* FC_SHORT */
/* 850 */ 0x38, /* FC_ALIGNM4 */
/* 852 */ 0x8, /* FC_LONG */
/* 854 */ 0x4, /* FC_EMBEDDED_COMPLEX */
/* 858 */ NdrFcShort( 0xffffe0d ), /* Offset= -499 (356) */
/* 860 */ 0x5b, /* FC_END */
                                0x12, 0x0, /* FC_UP */
/* 862 */ NdrFcShort( 0xfffff02 ), /* Offset= -254 (606) */

```

```

/* 862 */
                                0x12, 0x8, /* FC_UP [simple_pointer] */
/* 864 */ 0x1, /* FC_BYTE */
/* 866 */ 0x5c, /* FC_PAD */
                                0x12, 0x8, /* FC_UP [simple_pointer] */
/* 868 */ 0x6, /* FC_SHORT */
/* 870 */ 0x5c, /* FC_PAD */
                                0x12, 0x8, /* FC_UP [simple_pointer] */
/* 872 */ 0x8, /* FC_LONG */
/* 874 */ 0x5c, /* FC_PAD */
                                0x12, 0x8, /* FC_UP [simple_pointer] */
/* 876 */ 0xa, /* FC_FLOAT */
/* 878 */ 0x5c, /* FC_PAD */
                                0x12, 0x8, /* FC_UP [simple_pointer] */
/* 880 */ 0xc, /* FC_DOUBLE */
/* 882 */ 0x5c, /* FC_PAD */
                                0x12, 0x0, /* FC_UP */
/* 884 */ NdrFcShort( 0xfffffda4 ), /* Offset= -604 (280) */
/* 886 */
                                0x12, 0x10, /* FC_UP [pointer_deref] */
/* 888 */ NdrFcShort( 0xfffffda6 ), /* Offset= -602 (286) */
/* 890 */
                                0x12, 0x10, /* FC_UP [pointer_deref] */
/* 892 */ NdrFcShort( 0xfffffdbc ), /* Offset= -580 (312) */
/* 894 */
                                0x12, 0x10, /* FC_UP [pointer_deref] */
/* 896 */ NdrFcShort( 0xfffffda ), /* Offset= -566 (330) */
/* 898 */
                                0x12, 0x10, /* FC_UP [pointer_deref] */
/* 900 */ NdrFcShort( 0xfffffdd8 ), /* Offset= -552 (348) */
/* 902 */
                                0x12, 0x10, /* FC_UP [pointer_deref] */
/* 904 */ NdrFcShort( 0x2 ), /* Offset= 2 (906) */
/* 906 */
                                0x12, 0x0, /* FC_UP */
/* 908 */ NdrFcShort( 0x16 ), /* Offset= 22 (930) */
/* 910 */
                                0x15, /* FC_STRUCT */
                                0x7, /* 7 */
/* 912 */ NdrFcShort( 0x10 ), /* 16 */
/* 914 */ 0x6, /* FC_SHORT */
/* 916 */ 0x1, /* FC_BYTE */
/* 918 */ 0x8, /* FC_ALIGNM4 */
/* 920 */ 0xb, /* FC_LONG */
/* 922 */ 0x39, /* FC_ALIGNM8 */
/* 924 */ 0x5b, /* FC_HYPER */
/* 926 */ 0x5b, /* FC_END */
                                0x12, 0x0, /* FC_UP */
/* 928 */ NdrFcShort( 0xffffff2 ), /* Offset= -14 (910) */
/* 930 */
                                0x12, 0x8, /* FC_UP [simple_pointer] */
/* 932 */ 0x2, /* FC_CHAR */
/* 934 */ 0x5c, /* FC_PAD */
                                0x1a, /* FC_BOGUS_STRUCT */
                                0x7, /* 7 */

```



```

/* 932 */ NdrFcShort( 0x20 ), /* 32 */
/* 934 */ NdrFcShort( 0x0 ), /* 0 */
/* 936 */ NdrFcShort( 0x0 ), /* Offset= 0 (936) */
/* 938 */ 0x8, /* FC_LONG */
/* 940 */ 0x6, /* FC_SHORT */
/* 942 */ 0x6, /* FC_SHORT */
/* 944 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 946 */ NdrFcShort( 0xfffffc54 ), /* Offset= -940 (6) */
/* 948 */ 0x5c, /* FC_PAD */
/* 950 */ 0xb4, /* FC_USER_MARSHAL */
/* 952 */ NdrFcShort( 0x0 ), /* 0 */
/* 954 */ NdrFcShort( 0x18 ), /* 24 */
/* 956 */ NdrFcShort( 0x0 ), /* 0 */
/* 958 */ NdrFcShort( 0xfffffc44 ), /* Offset= -956 (2) */
/* 960 */
/* 962 */ NdrFcShort( 0x6 ), /* Offset= 6 (968) */
/* 964 */
/* 966 */ NdrFcShort( 0xfffffcdc ), /* Offset= -36 (930) */
/* 968 */ 0xb4, /* FC_USER_MARSHAL */
/* 970 */ NdrFcShort( 0x0 ), /* 0 */
/* 972 */ NdrFcShort( 0x18 ), /* 24 */
/* 974 */ NdrFcShort( 0x0 ), /* 0 */
/* 976 */ NdrFcShort( 0xfffffff4 ), /* Offset= -12 (964) */

0x0
}
};

const CInterfaceProxyVtbl * _tpcc_com_ps_ProxyVtblList[] =
{
( CInterfaceProxyVtbl * ) &ITPCCProxyVtbl,
0
};

const CInterfaceStubVtbl * _tpcc_com_ps_StubVtblList[] =
{
( CInterfaceStubVtbl * ) &ITPCCStubVtbl,
0
};

PCInterfaceName const _tpcc_com_ps_InterfaceNamesList[] =
{
"ITPCC",
0
};

#define _tpcc_com_ps_CHECK_IID(n) IID_GENERIC_CHECK_IID( _tpcc_com_ps, pIID,
n)

int __stdcall _tpcc_com_ps_IID_Lookup( const IID * pIID, int * pIndex )
{
if(!_tpcc_com_ps_CHECK_IID(0))

```

```

{
*pIndex = 0;
return 1;
}

return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo =
{
(PCInterfaceProxyVtblList *) &_tpcc_com_ps_ProxyVtblList,
(PCInterfaceStubVtblList *) &_tpcc_com_ps_StubVtblList,
(const PCInterfaceName *) &_tpcc_com_ps_InterfaceNamesList,
0, // no delegation
&_tpcc_com_ps_IID_Lookup,
1,
2,
0, /* table of [async_uuid] interfaces */
0, /* Filler1 */
0, /* Filler2 */
0 /* Filler3 */
};

#endif /* defined(_M_IA64) || defined(_M_AXP64)*/



---


tpcc_com_sl.rgs


---


HKCR
{
TPCC.StockLevel.1 = s 'StockLevel Class'
{
CLSID = s '{2668369E-A50D-11D2-BA4E-00C04FBFE08B}'
}
TPCC.StockLevel = s 'StockLevel Class'
{
CurVer = s 'TPCC.StockLevel.1'
}
NoRemove CLSID
{
ForceRemove {2668369E-A50D-11D2-BA4E-00C04FBFE08B} = s
'StockLevel Class'
{
ProgID = s 'TPCC.StockLevel.1'
VersionIndependentProgID = s 'TPCC.StockLevel'
InprocServer32 = s '%MODULE%'
{
val ThreadingModel = s 'Both'
}
}
}
}
}



---


tpcc_dblib.cpp


---


/* FILE: TPCC_DBLIB.CPP
* Microsoft TPC-C Kit Ver. 4.20.000
* Copyright Microsoft, 1999
* All Rights Reserved
*

```

```

*
*                               Version 4.10.000 audited by Richard Gimarc,
Performance Metrics, 3/17/99
*
*   PURPOSE:  Implements dblib calls for TPC-C txns.
*   Contact:  Charles Levine (clevine@microsoft.com)
*
*   Change history:
*           4.20.000 - updated rev number to match kit
*           4.10.001 - not deleting error class in catch handler on deadlock
retry;
*
*                               not a functional bug, but a memory leak
*                               - had to tweak some declarations to compile
with latest SDK; no functional change
*/

#include <windows.h>
#include <stdio.h>
#include <assert.h>

#define DBNTWIN32
#include <sqlfront.h>
#include <sqlldb.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_dblib.h"

#define DEFCLPACKSIZE          4096

// version string; must match return value from tpcc_version stored proc
const char      sVersion[] = "4.10.000";

const          iMaxRetries = 10;          // how many retries on
deadlock
static long     iConnectionCount = 0;    // number of current dblib connections

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

BOOL WINAPI DllMain(HMODULE hModule, DWORD ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:
            DisableThreadLibraryCalls(hModule);
            dbinit();          // initialize dblib
            break;

        case DLL_PROCESS_DETACH:
            dbexit();          // close all dblib
            structures/connections
            break;

        default:
            /* nothing */;
    }
}

```

```

    }
    return TRUE;
}

int err_handler(DBPROCESS *dbproc, int severity, int dberr, int oserr, LPCSTR
dberrstr, LPCSTR oserrstr)
{
    CTPCC_DBLIB          *pConn;

    assert(dbproc != NULL);
    pConn = (CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {
        pConn->SetDbLibError( severity, dberr, oserr, dberrstr, oserrstr
);
    }
    return INT_CANCEL;
}

/* FUNCTION: int msg_handler(DBPROCESS *dbproc, DBINT msgno, int msgstate, int
severity, char *msgtext)
*
* PURPOSE:      This function handles DB-Library SQL Server error messages
*
* ARGUMENTS:    DBPROCESS          *dbproc          DBPROCESS id
pointer
*              DBINT              msgno
*              message number
*              int                 severity
*              int                 msgstate
*              int                 msgseverity
*              char                 *msgtext
*              printable message description
*
* RETURNS:      int                 INT_CONTINUE
*              continue if error is SQLETIME else INT_CANCEL action
*
*              INT_CANCEL          cancel operation
*
* COMMENTS:     This function also sets the dead lock dbproc variable if
necessary.
*
*/

// typedef INT (SQLAPI *DBMSGHANDLE_PROC)(PDBPROCESS, DBINT, INT, INT, LPCSTR,
LPCSTR, LPCSTR, DBUSMALLINT);

int msg_handler(DBPROCESS *dbproc, DBINT msgno, int msgstate, int severity,
LPCSTR msgtext, LPCSTR srvname, LPCSTR
procname, DBUSMALLINT line)
{
    CTPCC_DBLIB          *pConn;

    assert(dbproc != NULL);
    pConn = (CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {
        pConn->SetSqlError( msgno, msgstate, severity, msgtext );
    }
}

```

```

        return 0;
    }

/* FUNCTION: void UtilStrCpy(char * pDest, char * pSrc, int n)
 *
 * PURPOSE:      This function copies n characters from string pSrc to pDst and
 places a
 *               null character at the end of the destination string.
 *
 * ARGUMENTS:   char          *pDest  destination string
 pointer
 *               char          *pSrc
 *               source string pointer
 *               int            n
 *               number of characters to copy
 *
 * RETURNS:     None
 *
 * COMMENTS:    Unlike strncpy this function ensures that the result string is
 *               always null terminated.
 */

inline static void UtilStrCpy(char * pDest, const BYTE * pSrc, int n)
{
    strncpy(pDest, (char *)pSrc, n);
    pDest[n] = '\\0';

    return;
}

/* FUNCTION: CTPCC_DBLIB_ERR::ErrorText
 *
 */

char* CTPCC_DBLIB_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,          "Wrong version of stored
procs on database server" },
        { ERR_INVALID_CUST,              "Invalid Customer
id,name." },
        { ERR_NO_SUCH_ORDER,             "No orders found for
customer." },
        { ERR_RETRIED_TRANS,            "Retries before
transaction succeeded." },
        { 0,                             "" }
    };

    static char szNotFound[] = "Unknown error number.";

    for(i=0; errorMsgs[i].szMsg[0]; i++)
    {
        if ( m_errno == errorMsgs[i].iError )
            break;
    }

    if ( !errorMsgs[i].szMsg[0] )

```

```

        return szNotFound;
    else
        return errorMsgs[i].szMsg;
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_DBLIB* CTPCC_DBLIB_new(
    LPCSTR szServer,          // name of SQL server
    LPCSTR szUser,           // user name for login
    LPCSTR szPassword,       // password for login
    LPCSTR szHost,          // workstation name; shows up in
sp_who; max 30 chars, only first 10 kept by SQL Server
    LPCSTR szDatabase )     // name of database to use
{
    return new CTPCC_DBLIB( szServer, szUser, szPassword, szHost, szDatabase
);
}

CTPCC_DBLIB::CTPCC_DBLIB (
    LPCSTR szServer,          // name of SQL server
    LPCSTR szUser,           // user name for login
    LPCSTR szPassword,       // password for login
    LPCSTR szHost,          // workstation name; shows up in
sp_who; max 30 chars, only first 10 kept by SQL Server
    LPCSTR szDatabase )     // name of database to use
{
    LOGINREC *login;
    const BYTE *pData;

    // initialization
    m_dbproc = NULL;
    m_DbLibErr = (CDBLIBERR*)NULL;
    m_SqlErr = (CSQLERR*)NULL;

    m_MaxRetries = 10;          // how many retries on deadlock

    // increase max number of connections if getting close
    if ( dbgetmaxprocs() < (iConnectionCount+5) )
    {
        if ( dbsetmaxprocs(iConnectionCount+10) == FAIL )
            ThrowError(CDBLIBERR::eDbSetMaxProcs);
    }

    // allocate a login structure
    login = dblogin();
    if (login == NULL)
        ThrowError(CDBLIBERR::eLogin);
    InterlockedIncrement( &iConnectionCount );

    // register error and message handler functions
    if (dbprocerrhandle(login, err_handler) == NULL)
        ThrowError(CDBLIBERR::eDbProcHandler);

    if (dbprocmsghandle(login, msg_handler) == NULL)
        ThrowError(CDBLIBERR::eDbProcHandler);

    DBSETLUSER(login, szUser);
    DBSETLPWD(login, szPassword);
    DBSETLHOST(login, szHost);
    DBSETLPACKET(login, (unsigned short)DEFCLPACKSIZE);
}

```

```

        DBSETLVERSION(login, DBVER60); // use dblib ver 6.0
client behavior

    // set time to wait for login
    if (dbsetlogintime(60) == FAIL)
        ThrowError(CDBLIBERR::eDbSet);

    // set time to wait for statement execution
    if (dbsettime(180) == FAIL)
        ThrowError(CDBLIBERR::eDbSet);

    m_dbproc = dbopen(login, szServer);

    // deallocate login structure before checking for success
    dbfreelogin( login );

    if (m_dbproc == NULL)
        ThrowError(CDBLIBERR::eDbOpen);

    // save address of class instance so that the message and error handler
    // can get to data.
    dbsetuserdata(m_dbproc, (LPVOID)this);

    // Use the the right database
    if (dbuse(m_dbproc, szDatabase) == FAIL)
        ThrowError(CDBLIBERR::eDbUse);

    dbcmd(m_dbproc, "set nocount on "); // do not
return row counts
    dbcmd(m_dbproc, "set XACT_ABORT ON"); // rollback transaction
on abort

    if (dbsqlexec(m_dbproc) == FAIL)
        ThrowError(CDBLIBERR::eDbSqlExec);

    DiscardNextResults(2);

    // verify that version of stored procs on server is correct
    dbrpcinit(m_dbproc, "tpcc_version", 0);

    if (dbrpcexec(m_dbproc) == FAIL)
        ThrowError(CDBLIBERR::eDbRpcExec);

    if (dbresults(m_dbproc) != SUCCEED)
        ThrowError(CDBLIBERR::eDbResults);

    if (dbnextrow(m_dbproc) != REG_ROW)
        ThrowError(CDBLIBERR::eDbNextRow);

    char szSrvVersion[16];
    pData=dbdata(m_dbproc, 1);
    if (pData)
        UtilStrCpy(szSrvVersion, pData, dbdatlen(m_dbproc, 1));
    else
        szSrvVersion[0]=0;
    if (strcmp(szSrvVersion,sVersion))
        throw new CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_WRONG_SP_VERSION
);

    DiscardNextRows(0);
    DiscardNextResults(0);
}

```

```

CTPCC_DBLIB::~CTPCC_DBLIB( void )
{
    // close db connection and deallocate resources
    dbclose(m_dbproc);
    InterlockedDecrement( &iConnectionCount );
    if (m_DbLibErr != NULL)
        delete m_DbLibErr;
    if (m_SqlErr != NULL)
        delete m_SqlErr;
}

void CTPCC_DBLIB::SetDbLibError(int severity, int dberr, int oserr, LPCSTR dberrstr,
LPCSTR oserrstr)
{
    delete m_DbLibErr;
    m_DbLibErr = new CDBLIBERR(CDBLIBERR::eUnknown, severity, dberr, oserr);

    if (dberrstr != NULL)
    {
        m_DbLibErr->m_dberrstr = new char[ strlen(dberrstr)+1 ];
        strcpy( m_DbLibErr->m_dberrstr, dberrstr );
    }

    if (oserrstr != NULL)
    {
        m_DbLibErr->m_oserrstr = new char[ strlen(oserrstr)+1 ];
        strcpy( m_DbLibErr->m_oserrstr, oserrstr );
    }
}

void CTPCC_DBLIB::SetSqlError( int /*DBINT*/ msgno, int msgstate, int severity,
LPCSTR msgtext )
{
    if (m_SqlErr == NULL)
        m_SqlErr = new CSQLERR();

    m_SqlErr->m_msgno = msgno;
    m_SqlErr->m_msgstate = msgstate;
    m_SqlErr->m_severity = severity;

    delete [] m_SqlErr->m_msgtext;
    if (msgtext != NULL)
    {
        m_SqlErr->m_msgtext = new char[ strlen(msgtext)+1 ];
        strcpy( m_SqlErr->m_msgtext, msgtext );
    }
}

void CTPCC_DBLIB::ThrowError( CDBLIBERR::ACTION eAction )
{
    // discard anything still in return buffer
    DiscardNextRows(-1);
    DiscardNextResults(-1);

    // check for SQL Server error first; if yes, throw it and ignore any
    DBLib error.
    if (m_SqlErr != NULL)
    {
        CSQLERR *pSqlErr;
        pSqlErr = m_SqlErr;
    }
}

```

```

        m_SqlErr = NULL;    // clear our pointer to instance; catch
handler will delete      throw pSqlErr;
    }

    CDLIBERR *pDbLibErr;
    if (m_DbLibErr == NULL)
error was returned      // this case isn't expected to happen, since it means that an
                        // but the error handlers were not called.
                        pDbLibErr = new CDLIBERR(eAction);
    else
    {
        pDbLibErr = m_DbLibErr;
        pDbLibErr->m_eAction = eAction;
        m_DbLibErr = NULL;    // clear our pointer to instance;
catch handler will delete
    }

    throw pDbLibErr;
}

// Read and discard rows until no more.  Throw an exception if number of rows read
doesn't
// match number of rows expected.  The row count will be ignored if the expected
count value
// passed in is negative.  A typical use of this routine is to verify that there are
no more
// rows to be read.
void CTPCC_DBLIB::DiscardNextRows(int iExpectedCount)
{
    int          iRowsRead = 0;
    RETCODE      rc;

    while (TRUE)
    {
        rc = dbnextrow(m_dbproc);
        if (rc == NO_MORE_ROWS)
            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >= 0)
                ThrowError(CDLIBERR::eDbNextRow);
            else
                break;
        }
        iRowsRead++;
    }

    if ((iExpectedCount >= 0) &&
        (iExpectedCount != iRowsRead))
        ThrowError(CDLIBERR::eWrongRowCount);
}

// Read and discard results until no more.  Throw an exception if number of result
sets read doesn't
// match number expected.  The result set count will be ignored if the expected
count value
// passed in is negative.  A typical use of this routine is to verify that there are
no more
// result sets to be read.
void CTPCC_DBLIB::DiscardNextResults(int iExpectedCount)
{

```

```

        int          iResultsRead = 0;
        RETCODE      rc;

        while (TRUE)
        {
            rc = dbresults(m_dbproc);
            if (rc == NO_MORE_RESULTS)
                break;
            if (rc == FAIL)
            {
                if (iExpectedCount >= 0)
                    ThrowError(CDLIBERR::eDbResults);
                else
                    break;
            }

            DiscardNextRows(-1);
            iResultsRead++;
        }

        if ((iExpectedCount >= 0) &&
            (iExpectedCount != iResultsRead))
            ThrowError(CDLIBERR::eWrongRowCount);
    }

void CTPCC_DBLIB::StockLevel()
{
    int          iTryCount = 0;
    const BYTE   *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_stocklevel", 0);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE
*) &m_txn.StockLevel.w_id);    // @w_id smallint
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE
*) &m_txn.StockLevel.d_id);    // @d_id tinyint
            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE
*) &m_txn.StockLevel.threshold);    // @threshold smallint

            if (dbrpcexec(m_dbproc) == FAIL)
                ThrowError(CDLIBERR::eDbRpcExec);

            if (dbresults(m_dbproc) != SUCCEED)
                ThrowError(CDLIBERR::eDbResults);

            if (dbnextrow(m_dbproc) != REG_ROW)
                ThrowError(CDLIBERR::eDbNextRow);

            if (pData=dbdata(m_dbproc, 1))
                m_txn.StockLevel.low_stock = *((long *)

pData);

            DiscardNextRows(0);
            DiscardNextResults(0);

            m_txn.StockLevel.exec_status_code = eOK;
            return;
        }
    }
}

```

```

    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205 ||
            (e->m_msgno == iErrOleDbProvider &&
             strstr(e->m_msgtext, sErrTimeoutExpired) !=
             NULL)) &&
            (++iTryCount <= iMaxRetries))
        {
            // hit deadlock; backoff for increasingly
            // longer period
            delete e;
            Sleep(10 * iTryCount);
        }
        else
            throw;
    }
    // while (TRUE)
}

//if (iTryCount)
//    throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::NewOrder()
{
    int          i;
    DBINT        commit_flag;
    DBDATETIME  datetime;
    DBDATEREC   daterec;

    int          iTryCount = 0;
    const BYTE  *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_neworder", 0);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE
*) &m_txn.NewOrder.w_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE
*) &m_txn.NewOrder.d_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1, -1, (BYTE
*) &m_txn.NewOrder.c_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE
*) &m_txn.NewOrder.o_ol_cnt);

            // check whether any order lines are for a remote
            // warehouse
            m_txn.NewOrder.o_all_local = 1;
            for (i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
            {
                if (m_txn.NewOrder.OL[i].ol_supply_w_id !=
                    m_txn.NewOrder.w_id)
                {
                    m_txn.NewOrder.o_all_local = 0;
                    break;
                }
            }
        }
    }
}

```

```

    }
    dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE
*) &m_txn.NewOrder.o_all_local);

    for (i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
    {
        dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1, -
1, (BYTE *) &m_txn.NewOrder.OL[i].ol_i_id);
        dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -
1, (BYTE *) &m_txn.NewOrder.OL[i].ol_supply_w_id);
        dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -
1, (BYTE *) &m_txn.NewOrder.OL[i].ol_quantity);
    }

    if (dbrpcexec(m_dbproc) == FAIL)
        ThrowError(CDBLIBERR::eDbRpcExec);

    // Get order line results
    m_txn.NewOrder.total_amount = 0;
    for (i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
    {
        if (dbresults(m_dbproc) != SUCCEEDED)
            ThrowError(CDBLIBERR::eDbResults);

        if (dbnumcols(m_dbproc) != 5)
            ThrowError(CDBLIBERR::eWrongNumCols);

        if (dbnextrow(m_dbproc) != REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        if (pData=dbdata(m_dbproc, 1))
            UtilStrCpy(m_txn.NewOrder.OL[i].ol_i_name, pData, dbdatlen(m_dbproc, 1));
        if (pData=dbdata(m_dbproc, 2))
            m_txn.NewOrder.OL[i].ol_stock =
            (*(DBSMALLINT *) pData);
        if (pData=dbdata(m_dbproc, 3))
            UtilStrCpy(m_txn.NewOrder.OL[i].ol_brand_generic, pData,
            dbdatlen(m_dbproc, 3));
        if (pData=dbdata(m_dbproc, 4))
            dbconvert(m_dbproc, SQLNUMERIC,
            (LPCBYTE)pData, dbdatlen(m_dbproc,4),
            SQLFLT8, (BYTE
*)&m_txn.NewOrder.OL[i].ol_i_price, 8);
        if (pData=dbdata(m_dbproc, 5))
            dbconvert(m_dbproc, SQLNUMERIC,
            (LPCBYTE)pData, dbdatlen(m_dbproc,5),
            SQLFLT8, (BYTE
*)&m_txn.NewOrder.OL[i].ol_amount, 8);

        m_txn.NewOrder.total_amount =
        m_txn.NewOrder.total_amount + m_txn.NewOrder.OL[i].ol_amount;

        DiscardNextRows(0);
    }
}

```

```

// get remaining values for w_tax, d_tax, o_id,
c_last, c_discount, c_credit, o_entry_d, commit_flag
if (dbresults(m_dbproc) != SUCCEEDED)
    ThrowError(CDBLIBERR::eDbResults);

if (dbnextrow(m_dbproc) != REG_ROW)
    ThrowError(CDBLIBERR::eDbNextRow);

if (dbnumcols(m_dbproc) != 8)
    ThrowError(CDBLIBERR::eWrongNumCols);

if (pData=dbdata(m_dbproc, 1))

    dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc,1), SQLFLT8, (BYTE *)&m_txn.NewOrder.w_tax, 8);
if (pData=dbdata(m_dbproc, 2))

    dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc,2), SQLFLT8, (BYTE *)&m_txn.NewOrder.d_tax, 8);
if (pData=dbdata(m_dbproc, 3))
    m_txn.NewOrder.o_id = (*(DBINT *) pData);
if (pData=dbdata(m_dbproc, 4))
    UtilStrCpy(m_txn.NewOrder.c_last, pData,
dbdatlen(m_dbproc, 4));
if (pData=dbdata(m_dbproc, 5))
    dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc,5), SQLFLT8, (BYTE *)&m_txn.NewOrder.c_discount,
8);
if (pData=dbdata(m_dbproc, 6))
    UtilStrCpy(m_txn.NewOrder.c_credit, pData,
dbdatlen(m_dbproc, 6));
if (pData=dbdata(m_dbproc, 7))
{
    datetime = (*(DBDATETIME *) pData);
dbdatecrack(m_dbproc, &daterec, &datetime);
m_txn.NewOrder.o_entry_d.year =
m_txn.NewOrder.o_entry_d.month =
m_txn.NewOrder.o_entry_d.day =
m_txn.NewOrder.o_entry_d.hour =
m_txn.NewOrder.o_entry_d.minute =
m_txn.NewOrder.o_entry_d.second =
}
if (pData=dbdata(m_dbproc, 8))
    commit_flag = (*(DBTINYINT *) pData);

DiscardNextRows(0);
DiscardNextResults(0);

if (commit_flag == 1)
{
    m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 - m_txn.NewOrder.c_discount));
    m_txn.NewOrder.exec_status_code = eOK;
}
else

```

```

m_txn.NewOrder.exec_status_code =
eInvalidItem;

return;
}
catch (CSQLERR *e)
{
    if ((e->m_msgno == 1205 ||
(e->m_msgno == iErrOleDbProvider &&
strstr(e->m_msgtext, sErrTimeoutExpired) !=
NULL)) &&
(++iTryCount <= iMaxRetries))
    {
        // hit deadlock; backoff for increasingly
        longer period
        delete e;
        Sleep(10 * iTryCount);
    }
    else
        throw;
} // while (TRUE)

// if (iTryCount)
// throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Payment()
{
    DBDATETIME datetime;
    DBDATETIME daterec;

    int iTryCount = 0;
    const BYTE *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_payment", 0);

            * &m_txn.Payment.w_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE
            * &m_txn.Payment.c_w_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE
            * &m_txn.Payment.h_amount);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE
            * &m_txn.Payment.d_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE
            * &m_txn.Payment.c_d_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1, -1, (BYTE
            * &m_txn.Payment.c_id);

            // if customer id is zero, then payment is by name
            if (m_txn.Payment.c_id == 0)
                dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
                strlen(m_txn.Payment.c_last), (unsigned char *)m_txn.Payment.c_last);

```

```

if (dbrpcexec(m_dbproc) == FAIL)
    ThrowError(CDBLIBERR::eDbRpcExec);

if (dbresults(m_dbproc) != SUCCEED)
    ThrowError(CDBLIBERR::eDbResults);

if (dbnextrow(m_dbproc) != REG_ROW)
    ThrowError(CDBLIBERR::eDbNextRow);

if (dbnumcols(m_dbproc) != 27)
    ThrowError(CDBLIBERR::eWrongNumCols);

if (pData=dbdata(m_dbproc, 1))
    m_txn.Payment.c_id = *((DBINT *) pData);
if (pData=dbdata(m_dbproc, 2))
    UtilStrCpy(m_txn.Payment.c_last, pData,
dbdatlen(m_dbproc, 2));

if (pData=dbdata(m_dbproc, 3))
{
    datetime = *((DBDATETIME *) pData);
    dbdatecrack(m_dbproc, &daterec, &datetime);
    m_txn.Payment.h_date.year = daterec.year;
    m_txn.Payment.h_date.month = daterec.month;
    m_txn.Payment.h_date.day = daterec.day;
    m_txn.Payment.h_date.hour = daterec.hour;
    m_txn.Payment.h_date.minute =
daterec.minute;
    m_txn.Payment.h_date.second =
daterec.second;
}
if (pData=dbdata(m_dbproc, 4))
    UtilStrCpy(m_txn.Payment.w_street_1, pData,
dbdatlen(m_dbproc, 4));
if (pData=dbdata(m_dbproc, 5))
    UtilStrCpy(m_txn.Payment.w_street_2, pData,
dbdatlen(m_dbproc, 5));
if (pData=dbdata(m_dbproc, 6))
    UtilStrCpy(m_txn.Payment.w_city, pData,
dbdatlen(m_dbproc, 6));
if (pData=dbdata(m_dbproc, 7))
    UtilStrCpy(m_txn.Payment.w_state, pData,
dbdatlen(m_dbproc, 7));
if (pData=dbdata(m_dbproc, 8))
    UtilStrCpy(m_txn.Payment.w_zip, pData,
dbdatlen(m_dbproc, 8));
if (pData=dbdata(m_dbproc, 9))
    UtilStrCpy(m_txn.Payment.d_street_1, pData,
dbdatlen(m_dbproc, 9));
if (pData=dbdata(m_dbproc, 10))
    UtilStrCpy(m_txn.Payment.d_street_2, pData,
dbdatlen(m_dbproc, 10));
if (pData=dbdata(m_dbproc, 11))
    UtilStrCpy(m_txn.Payment.d_city, pData,
dbdatlen(m_dbproc, 11));
if (pData=dbdata(m_dbproc, 12))
    UtilStrCpy(m_txn.Payment.d_state, pData,
dbdatlen(m_dbproc, 12));
if (pData=dbdata(m_dbproc, 13))
    UtilStrCpy(m_txn.Payment.d_zip, pData,
dbdatlen(m_dbproc, 13));
if (pData=dbdata(m_dbproc, 14))
    UtilStrCpy(m_txn.Payment.c_first, pData,
dbdatlen(m_dbproc, 14));

```

```

if (pData=dbdata(m_dbproc, 15))
    UtilStrCpy(m_txn.Payment.c_middle, pData,
dbdatlen(m_dbproc, 15));
if (pData=dbdata(m_dbproc, 16))
    UtilStrCpy(m_txn.Payment.c_street_1, pData,
dbdatlen(m_dbproc, 16));
if (pData=dbdata(m_dbproc, 17))
    UtilStrCpy(m_txn.Payment.c_street_2, pData,
dbdatlen(m_dbproc, 17));
if (pData=dbdata(m_dbproc, 18))
    UtilStrCpy(m_txn.Payment.c_city, pData,
dbdatlen(m_dbproc, 18));
if (pData=dbdata(m_dbproc, 19))
    UtilStrCpy(m_txn.Payment.c_state, pData,
dbdatlen(m_dbproc, 19));
if (pData=dbdata(m_dbproc, 20))
    UtilStrCpy(m_txn.Payment.c_zip, pData,
dbdatlen(m_dbproc, 20));
if (pData=dbdata(m_dbproc, 21))
    UtilStrCpy(m_txn.Payment.c_phone, pData,
dbdatlen(m_dbproc, 21));
if (pData=dbdata(m_dbproc, 22))
{
    datetime = *((DBDATETIME *) pData);
    dbdatecrack(m_dbproc, &daterec, &datetime);
    m_txn.Payment.c_since.year = daterec.year;
    m_txn.Payment.c_since.month =
daterec.month;
    m_txn.Payment.c_since.day = daterec.day;
    m_txn.Payment.c_since.hour = daterec.hour;
    m_txn.Payment.c_since.minute =
daterec.minute;
    m_txn.Payment.c_since.second =
daterec.second;
}
if (pData=dbdata(m_dbproc, 23))
    UtilStrCpy(m_txn.Payment.c_credit, pData,
dbdatlen(m_dbproc, 23));
if (pData=dbdata(m_dbproc, 24))
    dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc, 24), SQLFLT8, (BYTE *)&m_txn.Payment.c_credit_lim,
8);
if (pData=dbdata(m_dbproc, 25))
    dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc, 25), SQLFLT8, (BYTE *)&m_txn.Payment.c_discount,
8);
if (pData=dbdata(m_dbproc, 26))
    dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc, 26), SQLFLT8, (BYTE *)&m_txn.Payment.c_balance,
8);
if (pData=dbdata(m_dbproc, 27))
    UtilStrCpy(m_txn.Payment.c_data, pData,
dbdatlen(m_dbproc, 27));

DiscardNextRows(0);
DiscardNextResults(0);

if (m_txn.Payment.c_id == 0)
    throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
else
    m_txn.Payment.exec_status_code = eOK;

```



```

        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205 ||
            (e->m_msgno == iErrOleDbProvider &&
             strstr(e->m_msgtext, sErrTimeoutExpired) !=
             NULL)) &&
            (++iTryCount <= iMaxRetries))
        {
            // hit deadlock; backoff for increasingly
            // longer period
            delete e;
            Sleep(10 * iTryCount);
        }
        else
            throw;
    }
    // while (TRUE)
}

// if (iTryCount)
// throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
// iTryCount);
}

void CTPCC_DBLIB::OrderStatus()
{
    int i;
    DBDATETIME datetime;
    DBDATEREC daterec;

    int rc;
    const BYTE *pData;

    int iTryCount = 0;
    ResetError();
    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_orderstatus", 0);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE
            *) &m_txn.OrderStatus.w_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE
            *) &m_txn.OrderStatus.d_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1, -1, (BYTE
            *) &m_txn.OrderStatus.c_id);

            // if customer id is zero, then order status is by
            name
            if (m_txn.OrderStatus.c_id == 0)
                dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
                strlen(m_txn.OrderStatus.c_last), (unsigned char *)m_txn.OrderStatus.c_last);

            if (dbrpcexec(m_dbproc) == FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);
        }
    }
}

```

```

// Get order lines
if (dbresults(m_dbproc) != SUCCEED)
{
    if ((m_DbLibErr == NULL) && (m_SqlErr ==
    NULL))
        throw new CTPCC_DBLIB_ERR(
        CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER );
    else
        ThrowError(CDBLIBERR::eDbResults);
}
if (dbnumcols(m_dbproc) != 5)
    ThrowError(CDBLIBERR::eWrongNumCols);

i = 0;
while (TRUE)
{
    rc = dbnextrow(m_dbproc);
    if (rc == NO_MORE_ROWS)
        break;
    if (rc != REG_ROW)
        ThrowError(CDBLIBERR::eDbNextRow);

    if (pData=dbdata(m_dbproc, 1))

        m_txn.OrderStatus.OL[i].ol_supply_w_id = (*(DBSMALLINT *) pData);
        if (pData=dbdata(m_dbproc, 2))
            m_txn.OrderStatus.OL[i].ol_i_id =
            (*(DBINT *) pData);
            if (pData=dbdata(m_dbproc, 3))

                m_txn.OrderStatus.OL[i].ol_quantity = (*(DBSMALLINT *) pData);
                if (pData=dbdata(m_dbproc, 4))
                    dbconvert(m_dbproc, SQLNUMERIC,
                    (LPCBYTE)pData, dbdatlen(m_dbproc,4),
                    (BYTE *)&m_txn.OrderStatus.OL[i].ol_amount, 8),
                    SQLFLT8,
                    if (pData=dbdata(m_dbproc, 5))
                        {
                            datetime = (*(DBDATETIME *)
                            pData);
                            dbdatecrack(m_dbproc, &daterec,
                            &datetime);

                            m_txn.OrderStatus.OL[i].ol_delivery_d.year = daterec.year;
                            m_txn.OrderStatus.OL[i].ol_delivery_d.month = daterec.month;
                            m_txn.OrderStatus.OL[i].ol_delivery_d.day = daterec.day;
                            m_txn.OrderStatus.OL[i].ol_delivery_d.hour = daterec.hour;
                            m_txn.OrderStatus.OL[i].ol_delivery_d.minute = daterec.minute;
                            m_txn.OrderStatus.OL[i].ol_delivery_d.second = daterec.second;
                        }
                        i++;
                    m_txn.OrderStatus.o_ol_cnt = i;

    if (dbresults(m_dbproc) != SUCCEED)
        ThrowError(CDBLIBERR::eDbResults);
}
}

```

```

        if (dbnextrow(m_dbproc) != REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        if (dbnumcols(m_dbproc) != 8)
            ThrowError(CDBLIBERR::eWrongNumCols);

        if (pData=dbdata(m_dbproc, 1))
            m_txn.OrderStatus.c_id = (*(DBINT *) pData);
        if (pData=dbdata(m_dbproc, 2))
            UtilStrCpy(m_txn.OrderStatus.c_last, pData,
dbdatlen(m_dbproc,2));
        if (pData=dbdata(m_dbproc, 3))
            UtilStrCpy(m_txn.OrderStatus.c_first, pData,
dbdatlen(m_dbproc,3));
        if (pData=dbdata(m_dbproc, 4))
            UtilStrCpy(m_txn.OrderStatus.c_middle,
pData, dbdatlen(m_dbproc, 4));
        if (pData=dbdata(m_dbproc, 5))
        {
            datetime = (*(DBDATETIME *) pData);
            dbdatecrack(m_dbproc, &daterec, &datetime);
            m_txn.OrderStatus.o_entry_d.year =
                m_txn.OrderStatus.o_entry_d.month =
                m_txn.OrderStatus.o_entry_d.day =
                m_txn.OrderStatus.o_entry_d.hour =
                m_txn.OrderStatus.o_entry_d.minute =
                m_txn.OrderStatus.o_entry_d.second =
        }
        if (pData=dbdata(m_dbproc, 6))
            m_txn.OrderStatus.o_carrier_id =
        (*(DBSMALLINT *) pData);
        if (pData=dbdata(m_dbproc, 7))
            dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc,7),
SQLFLT8, (BYTE
*)&m_txn.OrderStatus.c_balance, 8);
        if (pData=dbdata(m_dbproc, 8))
            m_txn.OrderStatus.o_id = (*(DBINT *) pData);

        DiscardNextRows(0);
        DiscardNextResults(0);

        if (m_txn.OrderStatus.o_ol_cnt == 0)
            throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER );
        else if (m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
            throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
        else
            m_txn.OrderStatus.exec_status_code = eOK;

        return;
    }
    catch (CSQLERR *e)

```

```

    {
        if ((e->m_msgno == 1205 ||
(e->m_msgno == iErrOleDbProvider &&
strstr(e->m_msgtext, sErrTimeoutExpired) !=
        nullptr) &&
        (++iTryCount <= iMaxRetries))
        {
            // hit deadlock; backoff for increasingly
            // longer period
            delete e;
            Sleep(10 * iTryCount);
        }
        else
            throw;
    }
    // while (TRUE)
    // if (iTryCount)
    // throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Delivery()
{
    int i;
    int iTryCount = 0;
    const BYTE *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_delivery", 0);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1, -1, (BYTE
*)&m_txn.Delivery.w_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1, -1, -1, (BYTE
*)&m_txn.Delivery.o_carrier_id);

            if (dbrpcexec(m_dbproc) == FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            if (dbresults(m_dbproc) != SUCCEED)
                ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc) != REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            if (dbnumcols(m_dbproc) != 10)
                ThrowError(CDBLIBERR::eWrongNumCols);

            for (i=0; i<10; i++)
            {
                if (pData = dbdata(m_dbproc, i+1))
                    m_txn.Delivery.o_id[i] = (*(DBINT
*)&m_txn.Delivery.o_id[i]);
            }

            DiscardNextRows(0);
            DiscardNextResults(0);
        }
    }
}

```

```

        m_txn.Delivery.exec_status_code = eOK;
        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205 ||
            (e->m_msgno == iErrOleDbProvider &&
             strstr(e->m_msgtext, sErrTimeoutExpired) !=
             NULL)) &&
            (++iTryCount <= iMaxRetries))
        {
            // hit deadlock; backoff for increasingly
            // longer period
            delete e;
            Sleep(10 * iTryCount);
        }
        else
            throw;
    }
    // while (TRUE)
}

// if (iTryCount)
// throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
// iTryCount);
}

void CTPCC_DBLIB::ResetError()
{
    if (m_DbLibErr != NULL)
    {
        delete m_DbLibErr;
        m_DbLibErr = (CDBLIBERR*)NULL;
    }

    if (m_SqlErr != NULL)
    {
        delete m_SqlErr;
        m_SqlErr = (CSQLERR*)NULL;
    }
    return;
}

```

## tpcc\_dblib.h

```

/* FILE: TPCC_DBLIB.H
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 * All Rights Reserved
 * Version 4.10.000 audited by Richard Gimarc,
 * Performance Metrics, 3/17/99
 * PURPOSE: Header file for TPC-C txn class implementation.
 * Change history:
 * 4.20.000 - updated rev number to match kit
 */
#pragma once

#ifdef PDBPROCESS
#define DBPROCESS void // dbprocess structure type

```

```

typedef DBPROCESS * PDBPROCESS;
#endif

// need to declare functions for import, unless define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CSQLERR : public CBaseErr
{
public:
    CSQLERR(void)
    {
        m_msgno = 0;
        m_msgstate = 0;
        m_severity = 0;
        m_msgtext = NULL;
    };

    ~CSQLERR()
    {
        delete [] m_msgtext;
    };

    int m_msgno;
    int m_msgstate;
    int m_severity;
    char *m_msgtext;

    int ErrorType() {return ERR_TYPE_SQL;};
    int ErrorNum() {return m_msgno;};
    char *ErrorText() {return m_msgtext;};
};

class CDBLIBERR : public CBaseErr
{
public:
    enum ACTION
    {
        eNone,
        eUnknown, // error from
        eLogin, // error from dbopen
        eDbOpen, // error from dbopen
        eDbUse, // error from
        eDbSqlExec, // error from
        eDbSet, // error from
        eDbNextRow, // error from
        eWrongRowCount, // more or less rows
        eWrongNumCols, // more or less columns
        eDbResults, // error from
        eDbRpcExec, // error from
    };
};

```

```

        eDbSetMaxProcs,          // error from
dbsetmaxprocs          eDbProcHandler      // error from either
dbprocerrhandle or dbprocmsghandle
    };

    CDBLIBERR(ACTION eAction, int severity = 0, int dberror = 0, int
oserr = 0)
    {
        m_eAction = eAction;
        m_severity = severity;
        m_dberror = dberror;
        m_oserr = oserr;

        m_dberrstr = NULL;
        m_oserrstr = NULL;
    };

    ~CDBLIBERR()
    {
        delete [] m_dberrstr;
        delete [] m_oserrstr;
    };

    ACTION    m_eAction;
    int       m_severity;
    int       m_dberror;
    int       m_oserr;
    char     *m_dberrstr;
    char     *m_oserrstr;

    int ErrorType() {return ERR_TYPE_DBLIB;};
    int ErrorNum() {return m_dberror;};
    char *ErrorText() {return m_dberrstr;};
};

class CTPCC_DBLIB_ERR : public CBaseErr
{
    public:
        enum CTPCC_DBLIB_ERRS
        {
            ERR_WRONG_SP_VERSION = 1,    // "Wrong version of
stored procs on database server"
            ERR_INVALID_CUST,           // "Invalid
Customer id,name."
            ERR_NO_SUCH_ORDER,         // "No orders
found for customer."
            ERR_RETRIED_TRANS,         // "Retries
before transaction succeeded."
        };

        CTPCC_DBLIB_ERR( int iErr ) { m_errno = iErr; m_iTryCount = 0;
};

        CTPCC_DBLIB_ERR( int iErr, int iTryCount ) { m_errno = iErr;
m_iTryCount = iTryCount; };

        int         m_errno;
        int         m_iTryCount;

        int ErrorType() {return ERR_TYPE_TPCC_DBLIB;};
        int ErrorNum() {return m_errno;};
};

```

```

};
        char *ErrorText();

class DllDecl CTPCC_DBLIB : public CTPCC_BASE
{
    private:
        // declare variables and private functions here...
        PDBPROCESS      m_dbproc;
        CDBLIBERR *m_DbLibErr;          // not allocated until
needed (maybe never)
        CSQLErr         *m_SqlErr;     //
not allocated until needed (maybe never)
        int             m_MaxRetries;  //
retry count on deadlock

        void DiscardNextRows(int iExpectedCount);
        void DiscardNextResults(int iExpectedCount);
        void ThrowError( CDBLIBERR::ACTION eAction );
        void ResetError();

        union
        {
            NEW_ORDER_DATA      NewOrder;
            PAYMENT_DATA         Payment;
            DELIVERY_DATA        Delivery;
            STOCK_LEVEL_DATA     StockLevel;
            ORDER_STATUS_DATA    OrderStatus;
            m_txn;
        }

    public:
        CTPCC_DBLIB(LPCSTR szServer, LPCSTR szUser, LPCSTR szPassword,
LPCSTR szHost, LPCSTR szDatabase );
        ~CTPCC_DBLIB(void);

        inline PNEW_ORDER_DATA      BuffAddr_NewOrder()
        { return &m_txn.NewOrder; };
        inline PPAYMENT_DATA        BuffAddr_Payment()
        { return &m_txn.Payment; };
        inline PDELIVERY_DATA        BuffAddr_Delivery()
        { return &m_txn.Delivery; };
        inline PSTOCK_LEVEL_DATA     BuffAddr_StockLevel() {
return &m_txn.StockLevel; };
        inline PORDER_STATUS_DATA    BuffAddr_OrderStatus() {
return &m_txn.OrderStatus; };

        void NewOrder      ();
        void Payment        ();
        void Delivery        ();
        void StockLevel     ();
        void OrderStatus    ();

        // these are public because they must be called from the dblib
err_handler and msg_hangler
        // outside of the class
        void SetDbLibError(int severity, int dberr, int oserr, LPCSTR
dberrstr, LPCSTR oserrstr);
        void SetSqlError( int msgno, int msgstate, int severity, LPCSTR
msgtext );
};

```

```
extern "C" DllDecl CTPCC_DBLIB* CTPCC_DBLIB_new
( LPCSTR szServer, LPCSTR szUser, LPCSTR szPassword, LPCSTR szHost, LPCSTR
szDatabase );

typedef CTPCC_DBLIB* (TYPE_CTPCC_DBLIB)(LPCSTR, LPCSTR, LPCSTR, LPCSTR, LPCSTR);
```

## tpcc\_odbc.cpp

```
/* FILE: TPCODBC.CPP
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 *
 * All Rights Reserved
 *
 * Version 4.10.000 audited by Richard Gimarc,
 * Performance Metrics, 3/17/99
 *
 * PURPOSE: Implements ODBC calls for TPC-C txns.
 * Contact: Charles Levine (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - updated rev number to match kit
 * 4.10.001 - not deleting error class in catch handler on deadlock
retry;
 * not a functional bug, but a memory leak
 */

#include <windows.h>
#include <stdio.h>
#include <assert.h>

#define DBNTWIN32
#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>
#include <odbcss.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_odbc.h"

// version string; must match return value from tpcc_version stored proc
const char sVersion[] = "4.10.000";

const iMaxRetries = 10; // how many retries on deadlock

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

static SQLHENV henv = SQL_NULL_HENV; // ODBC
environment handle

BOOL APIENTRY DllMain(HMODULE hModule, DWORD ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
```

```
{
    case DLL_PROCESS_ATTACH:
        DisableThreadLibraryCalls(hModule);
        if ( SQLAllocHandleStd(SQL_HANDLE_ENV,
SQL_NULL_HANDLE, &henv) != SQL_SUCCESS )
            return FALSE;
        break;

    case DLL_PROCESS_DETACH:
        if (henv != NULL)
            SQLFreeEnv(henv);
        break;

    default:
        /* nothing */;
}
return TRUE;
}

/* FUNCTION: CTPCC_ODBC_ERR::ErrorText
 *
 */
char* CTPCC_ODBC_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION, "Wrong version of stored
procs on database server" },
        { ERR_INVALID_CUST, "Invalid Customer
id,name." },
        { ERR_NO_SUCH_ORDER, "No orders found for
customer." },
        { ERR_RETRIED_TRANS, "Retries before
transaction succeeded." },
        { 0, "" }
    };

    static char szNotFound[] = "Unknown error number.";

    for(i=0; errorMsgs[i].szMsg[0]; i++)
    {
        if ( m_errno == errorMsgs[i].iError )
            break;
    }
    if ( !errorMsgs[i].szMsg[0] )
        return szNotFound;
    else
        return errorMsgs[i].szMsg;
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_ODBC* CTPCC_ODBC_new(
LPCSTR szServer, // name of SQL server
LPCSTR szUser, // user name for login
LPCSTR szPassword, // password for login
LPCSTR szHost, // not used
LPCSTR szDatabase ) // name of database to use
{
```

```

        return new CTPCC_ODBC( szServer, szUser, szPassword, szHost, szDatabase );
    }

CTPCC_ODBC::CTPCC_ODBC (
    LPCSTR szServer,           // name of SQL server
    LPCSTR szUser,            // user name
    LPCSTR szPassword,        // password for login
    LPCSTR szHost,            // not used
    LPCSTR szDatabase         // name of database to
    use
)
{
    RETCODE          rc;

    // initialization
    m_hdbc = SQL_NULL_HDBC;
    m_hstmt = SQL_NULL_HSTMT;

    m_hstmtNewOrder = SQL_NULL_HSTMT;
    m_hstmtPayment = SQL_NULL_HSTMT;
    m_hstmtDelivery = SQL_NULL_HSTMT;
    m_hstmtOrderStatus = SQL_NULL_HSTMT;
    m_hstmtStockLevel = SQL_NULL_HSTMT;

    m_descNewOrderCols1 = SQL_NULL_HDESC;
    m_descNewOrderCols2 = SQL_NULL_HDESC;
    m_descOrderStatusCols1 = SQL_NULL_HDESC;
    m_descOrderStatusCols2 = SQL_NULL_HDESC;

    if ( SQLAllocHandle(SQL_HANDLE_DBC, henv, &m_hdbc) != SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);

    if ( SQLSetConnectOption(m_hdbc, SQL_PACKET_SIZE, 4096) != SQL_SUCCESS )
        ThrowError(CODBCERR::eConnOption);

    {
        char          szConnectStr[256];
        char          szOutStr[1024];
        SQLSMALLINT  iOutStrLen;

        sprintf( szConnectStr, "DRIVER=SQL
Server:SERVER=%s;UID=%s;PWD=%s;DATABASE=%s",
                szServer, szUser, szPassword, szDatabase );

        rc = SQLDriverConnect(m_hdbc, NULL, (SQLCHAR*)szConnectStr,
sizeof(szConnectStr),
                (SQLCHAR*)szOutStr, sizeof(szOutStr), &iOutStrLen,
SQL_DRIVER_NOPROMPT );

        if (rc != SQL_SUCCESS && rc != SQL_SUCCESS_WITH_INFO)
            ThrowError(CODBCERR::eConnect);
    }

    if (SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc, &m_hstmt) != SQL_SUCCESS)
        ThrowError(CODBCERR::eAllocHandle);

    {
        char          buffer[128];

        // set some options affecting connection behavior

```

```

        strcpy(buffer, "set nocount on set XACT_ABORT ON");
        rc = SQLExecDirect(m_hstmt, (unsigned char *)buffer, SQL_NTS);
        if (rc != SQL_SUCCESS && rc != SQL_SUCCESS_WITH_INFO)
            ThrowError(CODBCERR::eExecDirect);

        // verify that version of stored procs on server is correct
        char db_sp_version[10];
        strcpy(buffer, "{call tpcc_version}");
        rc = SQLExecDirect(m_hstmt, (unsigned char *)buffer, SQL_NTS);
        if (rc != SQL_SUCCESS && rc != SQL_SUCCESS_WITH_INFO)
            ThrowError(CODBCERR::eExecDirect);
        if ( SQLBindCol(m_hstmt, 1, SQL_C_CHAR, &db_sp_version,
sizeof(db_sp_version), NULL) != SQL_SUCCESS )
            ThrowError(CODBCERR::eBindCol);
        if ( SQLFetch(m_hstmt) == SQL_ERROR )
            ThrowError(CODBCERR::eFetch);
        if (strcmp(db_sp_version, sVersion))
            throw new CTPCC_ODBC_ERR(
CTPCC_ODBC_ERR::ERR_WRONG_SP_VERSION );

        SQLFreeHandle(SQL_HANDLE_STMT, m_hstmt);
    }

    // Bind parameters for each of the transactions
    InitNewOrderParams();
    InitPaymentParams();
    InitOrderStatusParams();
    InitDeliveryParams();
    InitStockLevelParams();
}

CTPCC_ODBC::~~CTPCC_ODBC( void )
{
    // note: descriptors are automatically released when the connection is
    dropped
    SQLFreeHandle(SQL_HANDLE_STMT, m_hstmtNewOrder);
    SQLFreeHandle(SQL_HANDLE_STMT, m_hstmtPayment);
    SQLFreeHandle(SQL_HANDLE_STMT, m_hstmtDelivery);
    SQLFreeHandle(SQL_HANDLE_STMT, m_hstmtOrderStatus);
    SQLFreeHandle(SQL_HANDLE_STMT, m_hstmtStockLevel);

    SQLDisconnect(m_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, m_hdbc);
}

void CTPCC_ODBC::ThrowError( CODBCERR::ACTION eAction )
{
    RETCODE          rc;
    SDWORD           lNativeError;
    char             szState[6];
    char             szMsg[SQL_MAX_MESSAGE_LENGTH];
    char             szTmp[6*SQL_MAX_MESSAGE_LENGTH];
    CODBCERR         *pODBCErr;           // not allocated until
needed (maybe never)

    pODBCErr = new CODBCERR();

    pODBCErr->m_NativeError = 0;
    pODBCErr->m_eAction = eAction;
    pODBCErr->m_bDeadLock = FALSE;

    szTmp[0] = 0;
    while (TRUE)

```

```

    {
        rc = SQLError(henv, m_hdbc, m_hstmt, (BYTE *)&szState,
&lNativeError,
        (BYTE *)&szMsg, sizeof(szMsg),
        NULL);
        if (rc == SQL_NO_DATA)
            break;

        // check for deadlock
        if (lNativeError == 1205 || (lNativeError == iErrOleDbProvider
&&
            strstr(szMsg, sErrTimeoutExpired) != NULL))
            pODBCErr->m_bDeadLock = TRUE;

        // capture the (first) database error
        if (pODBCErr->m_NativeError == 0 && lNativeError != 0)
            pODBCErr->m_NativeError = lNativeError;

        // quit if there isn't enough room to concatenate error text
        if ( (strlen(szMsg) + 2) > (sizeof(szTmp) - strlen(szTmp)) )
            break;

        // include line break after first error msg
        if (szTmp[0] != 0)
            strcat( szTmp, "\n");
        strcat( szTmp, szMsg );
    }

    if (pODBCErr->m_odbcerrstr != NULL)
    {
        delete [] pODBCErr->m_odbcerrstr;
        pODBCErr->m_odbcerrstr = NULL;
    }

    if (strlen(szTmp) > 0)
    {
        pODBCErr->m_odbcerrstr = new char[ strlen(szTmp)+1 ];
        strcpy( pODBCErr->m_odbcerrstr, szTmp );
    }

    SQLFreeStmt(m_hstmt, SQL_CLOSE);
    throw pODBCErr;
}

void CTPCC_ODBC::InitStockLevelParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc, &m_hstmtStockLevel) !=
SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtStockLevel;

    int i = 0;
    if (
SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT, SQL_C_SSHORT,
SQL_SMALLINT, 0, 0, &m_txn.StockLevel.w_id, 0, NULL) != SQL_SUCCESS
    || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_UTINYINT, SQL_TINYINT, 0, 0, &m_txn.StockLevel.d_id, 0, NULL) != SQL_SUCCESS
    || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT, SQL_C_SSHORT,
SQL_SMALLINT, 0, 0, &m_txn.StockLevel.threshold, 0, NULL) != SQL_SUCCESS
    )
        ThrowError(CODBCERR::eBindParam);
}

```

```

        if ( SQLBindCol(m_hstmt, 1, SQL_C_SLONG, &m_txn.StockLevel.low_stock, 0,
NULL) != SQL_SUCCESS )
            ThrowError(CODBCERR::eBindCol);
    }

void CTPCC_ODBC::StockLevel()
{
    RETCODE rc;
    int iTryCount = 0;

    m_hstmt = m_hstmtStockLevel;

    while (TRUE)
    {
        try
        {
            rc = SQLExecDirectW(m_hstmt, (SQLWCHAR*)L" {call
tpcc_stocklevel(?,?,?)", SQL_NTS);
            if (rc != SQL_SUCCESS && rc != SQL_SUCCESS_WITH_INFO)
                ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt) == SQL_ERROR )
                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt, SQL_CLOSE);

            m_txn.StockLevel.exec_status_code = eOK;
            break;
        }
        catch (CODBCERR *e)
        {
            if ((!e->m_bDeadLock) || (++iTryCount > iMaxRetries))
                throw;

            // hit deadlock; backoff for increasingly longer
            delete e;
            Sleep(10 * iTryCount);
        }
    }

    // if (iTryCount)
    // throw new CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitNewOrderParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc, &m_hstmtNewOrder) !=
SQL_SUCCESS
    || SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc, &m_descNewOrderCols1)
!= SQL_SUCCESS
    || SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc, &m_descNewOrderCols2)
!= SQL_SUCCESS
    )
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtNewOrder;

    if ( SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);
}

```

```

        int i = 0;
        if ( SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT, SQL_C_SSHORT,
SQL_SMALLINT, 0, 0, &m_txn.NewOrder.w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_UTINYINT, SQL_TINYINT, 0, 0, &m_txn.NewOrder.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT, SQL_C_SLONG,
SQL_INTEGER, 0, 0, &m_txn.NewOrder.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_UTINYINT, SQL_TINYINT, 0, 0, &m_txn.NewOrder.o_ol_cnt, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_UTINYINT, SQL_TINYINT, 0, 0, &m_txn.NewOrder.o_all_local, 0, NULL) !=
SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindParam);

        for (int j=0; j<MAX_OL_NEW_ORDER_ITEMS; j++)
        {
            if ( SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SLONG, SQL_INTEGER, 0, 0, &m_txn.NewOrder.OL[j].ol_i_id, 0, NULL) !=
SQL_SUCCESS
            || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHORT, SQL_SMALLINT, 0, 0, &m_txn.NewOrder.OL[j].ol_supply_w_id, 0, NULL) !=
SQL_SUCCESS
            || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHORT, SQL_SMALLINT, 0, 0, &m_txn.NewOrder.OL[j].ol_quantity, 0, NULL) !=
SQL_SUCCESS
            )
                ThrowError(CODBCERR::eBindParam);
        }

        // set the bind offset pointer
        if ( SQLSetStmtAttrW( m_hstmt, SQL_ATTR_ROW_BIND_OFFSET_PTR,
&m_BindOffset, SQL_IS_POINTER ) != SQL_SUCCESS )
            ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.NewOrder.OL[0].ol_i_name, sizeof(m_txn.NewOrder.OL[0].ol_i_name), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_SSHORT,
&m_txn.NewOrder.OL[0].ol_stock, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.NewOrder.OL[0].ol_brand_generic,
sizeof(m_txn.NewOrder.OL[0].ol_brand_generic), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.NewOrder.OL[0].ol_i_price, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.NewOrder.OL[0].ol_amount, 0, NULL) != SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindCol);

        // associate the column bindings for the second result set
        if ( SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols2,
SQL_IS_POINTER ) != SQL_SUCCESS )
            ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE, &m_txn.NewOrder.w_tax, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.NewOrder.d_tax, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_SLONG,
&m_txn.NewOrder.o_id, 0, NULL) != SQL_SUCCESS

```

```

        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.NewOrder.c_last, sizeof(m_txn.NewOrder.c_last), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.NewOrder.c_discount, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.NewOrder.c_credit, sizeof(m_txn.NewOrder.c_credit), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_TYPE_TIMESTAMP,
&m_txn.NewOrder.o_entry_d, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_SLONG, &m_no_commit_flag,
0, NULL) != SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindCol);
    }

void CTPCC_ODBC::NewOrder()
{
    int i;
    RETCODE rc;
    int iTryCount = 0;

    // 0 1 2
    // 012345678901234567890123456789
    wchar_t szSqlTemplate[] = L"{call
tpcc_neworder(?,?,?,?,?,
L"?,?,?,?,?,?,?,?,?,?,?,?,?",
L"?,?,?,?,?,?,?,?,?,?,?,?,?",
L"?,?,?,?,?,?,?,?,?,?,?,?,?)";

    m_hstmt = m_hstmtNewOrder;

    // associate the parameter and column bindings for this transaction
    if ( SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    // clip statement buffer based on number of parameters
    // fixed part is 29 chars and variable part is 6 chars per line item
    i = 29 + m_txn.NewOrder.o_ol_cnt*6;
    wcsncpy( &szSqlTemplate[i], L"}}" );

    // check whether any order lines are for a remote warehouse
    m_txn.NewOrder.o_all_local = 1;
    for (i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
    {
        if (m_txn.NewOrder.OL[i].ol_supply_w_id != m_txn.NewOrder.w_id)
        {
            m_txn.NewOrder.o_all_local = 0; // at least one
            break;
        }
    }

    while (TRUE)
    {
        try
        {
            m_BindOffset = 0;
            rc = SQLExecDirectW(m_hstmt, (SQLWCHAR*)szSqlTemplate,
SQL_NTS);

```



```

if (rc != SQL_SUCCESS && rc != SQL_SUCCESS_WITH_INFO)
    ThrowError(CODBCERR::eExecDirect);

// Get order line results
m_txn.NewOrder.total_amount = 0;
for (i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
{
    // set the bind offset value...
    m_BindOffset = i *
sizeof(m_txn.NewOrder.OL[0]);

    if ( SQLFetch(m_hstmt) == SQL_ERROR)
        ThrowError(CODBCERR::eFetch);

    // move to the next resultset
    if ( SQLMoreResults(m_hstmt) == SQL_ERROR )
        ThrowError(CODBCERR::eMoreResults);

    m_txn.NewOrder.total_amount +=
m_txn.NewOrder.OL[i].ol_amount;
}

// associate the column bindings for the second result
set
    if ( SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descNewOrderCols2, SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    if ( SQLFetch(m_hstmt) == SQL_ERROR)
        ThrowError(CODBCERR::eFetch);

    SQLFreeStmt(m_hstmt, SQL_CLOSE);

    if (m_no_commit_flag == 1)
    {
        m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 - m_txn.NewOrder.c_discount));
        m_txn.NewOrder.exec_status_code = eOK;
    }
    else
        m_txn.NewOrder.exec_status_code =
eInvalidItem;

    break;
}
catch (CODBCERR *e)
{
    if (!(e->m_bDeadLock) || (++iTryCount > iMaxRetries))
        throw;

    // hit deadlock; backoff for increasingly longer
    delete e;
    Sleep(10 * iTryCount);
}

// if (iTryCount)
// throw new CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

```

```

void CTPCC_ODBC::InitPaymentParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc, &m_hstmtPayment) !=
SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtPayment;

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT, SQL_C_SSHORT,
SQL_SMALLINT, 0, 0, &m_txn.Payment.w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT, SQL_C_SSHORT,
SQL_SMALLINT, 0, 0, &m_txn.Payment.c_w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT, SQL_C_DOUBLE,
SQL_NUMERIC, 6, 2, &m_txn.Payment.h_amount, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_UTINYINT, SQL_TINYINT, 0, 0, &m_txn.Payment.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_UTINYINT, SQL_TINYINT, 0, 0, &m_txn.Payment.c_d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT, SQL_C_SLONG,
SQL_INTEGER, 0, 0, &m_txn.Payment.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT, SQL_C_CHAR,
SQL_CHAR, sizeof(m_txn.Payment.c_last), 0, &m_txn.Payment.c_last,
sizeof(m_txn.Payment.c_last), NULL) != SQL_SUCCESS
        )
        ThrowError(CODBCERR::eBindParam);

    i = 0;
    if ( SQLBindCol(m_hstmt, ++i, SQL_C_SLONG, &m_txn.Payment.c_id,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_last,
sizeof(m_txn.Payment.c_last), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_TYPE_TIMESTAMP,
&m_txn.Payment.h_date,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.w_street_1,
sizeof(m_txn.Payment.w_street_1), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.w_street_2,
sizeof(m_txn.Payment.w_street_2), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.w_city,
sizeof(m_txn.Payment.w_city), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.w_state,
sizeof(m_txn.Payment.w_state), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.w_zip,
sizeof(m_txn.Payment.w_zip), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.d_street_1,
sizeof(m_txn.Payment.d_street_1), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.d_street_2,
sizeof(m_txn.Payment.d_street_2), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.d_city,
sizeof(m_txn.Payment.d_city), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.d_state,
sizeof(m_txn.Payment.d_state), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.d_zip,
sizeof(m_txn.Payment.d_zip), NULL) !=
SQL_SUCCESS
    )

```

```

        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_first,
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_middle,
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_street_1,
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_street_2,
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_city,
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_state,
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_zip,
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_phone,
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_TYPE_TIMESTAMP,
&m_txn.Payment.c_since,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_credit,
        || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.Payment.c_credit_lim,0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.Payment.c_discount,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.Payment.c_balance,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_data,
        sizeof(m_txn.Payment.c_data), NULL) !=
SQL_SUCCESS
    )
    ThrowError(CODBCERR::eBindCol);
}

void CTPCC_ODBC::Payment()
{
    RETCODE rc;
    int iTryCount = 0;

    m_hstmt = m_hstmtPayment;

    if (m_txn.Payment.c_id != 0)
        m_txn.Payment.c_last[0] = 0;

    while (TRUE)
    {
        try
        {
            rc = SQLExecDirectW(m_hstmt, (SQLWCHAR*)L"{call
tpcc_payment(?,?,?,?,,?)", SQL_NTS);
            if (rc != SQL_SUCCESS && rc != SQL_SUCCESS_WITH_INFO)
                ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt) == SQL_ERROR)
                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt, SQL_CLOSE);

            if (m_txn.Payment.c_id == 0)

```

```

        throw new CTPCC_ODBC_ERR(
CTPCC_ODBC_ERR::ERR_INVALID_CUST );
        else
            m_txn.Payment.exec_status_code = eOK;

        break;
    }
    catch (CODBCERR *e)
    {
        if (!(e->m_bDeadLock) || (++iTryCount > iMaxRetries))
            throw;

        // hit deadlock; backoff for increasingly longer
        period
            delete e;
            Sleep(10 * iTryCount);
    }
}

// if (iTryCount)
// throw new CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitOrderStatusParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc, &m_hstmtOrderStatus) !=
SQL_SUCCESS
        || SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols1) != SQL_SUCCESS
        || SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols2) != SQL_SUCCESS
    )
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtOrderStatus;

    if ( SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descOrderStatusCols1, SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT, SQL_C_SSHORT,
SQL_SMALLINT, 0, 0, &m_txn.OrderStatus.w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_UTINYINT, SQL_TINYINT, 0, 0, &m_txn.OrderStatus.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT, SQL_C_SLONG,
SQL_INTEGER, 0, 0, &m_txn.OrderStatus.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT, SQL_C_CHAR,
SQL_CHAR, sizeof(m_txn.OrderStatus.c_last), 0, &m_txn.OrderStatus.c_last,
sizeof(m_txn.OrderStatus.c_last), NULL) != SQL_SUCCESS
    )
        ThrowError(CODBCERR::eBindParam);

    // configure block cursor
    if ( SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_BIND_TYPE,
(SQLPOINTER)sizeof(m_txn.OrderStatus.OL[0]), 0) != SQL_SUCCESS
        || SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROWS_FETCHED_PTR,
&m_RowsFetched, 0) != SQL_SUCCESS
    )
        ThrowError(CODBCERR::eSetStmtAttr);

    i = 0;

```

```

        if ( SQLBindCol(m_hstmt, ++i, SQL_C_SSHORT,
&m_txn.OrderStatus.OL[0].ol_supply_w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_SLONG,
&m_txn.OrderStatus.OL[0].ol_i_id, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_SSHORT,
&m_txn.OrderStatus.OL[0].ol_quantity, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.OrderStatus.OL[0].ol_amount, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_TYPE_TIMESTAMP,
&m_txn.OrderStatus.OL[0].ol_delivery_d, 0, NULL) != SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindCol);

        if ( SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descOrderStatusCols2, SQL_IS_POINTER ) != SQL_SUCCESS )
            ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i, SQL_C_SLONG, &m_txn.OrderStatus.c_id, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.OrderStatus.c_last, sizeof(m_txn.OrderStatus.c_last), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.OrderStatus.c_first, sizeof(m_txn.OrderStatus.c_first), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.OrderStatus.c_middle, sizeof(m_txn.OrderStatus.c_middle), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_TYPE_TIMESTAMP,
&m_txn.OrderStatus.o_entry_d, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_SSHORT,
&m_txn.OrderStatus.o_carrier_id, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.OrderStatus.c_balance, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_SLONG,
&m_txn.OrderStatus.o_id, 0, NULL) != SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindCol);
    }

void CTPCC_ODBC::OrderStatus()
{
    int                                     rc;                iTryCount = 0;
    RETCODE

    m_hstmt = m_hstmtOrderStatus;

    if ( SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descOrderStatusCols1, SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    if (m_txn.OrderStatus.c_id != 0)
        m_txn.OrderStatus.c_last[0] = 0;

    while (TRUE)
    {
        try
        {
            // configure block cursor
            if ( SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)1, 0) != SQL_SUCCESS )
                ThrowError(CODBCERR::eSetStmtAttr);

```

```

        rc = SQLExecDirectW(m_hstmt, (SQLWCHAR*)L"call
tpcc_orderstatus(?,?,?,?)", SQL_NTS);
        if ( ((rc == SQL_SUCCESS_WITH_INFO) && (m_RowsFetched
!= 0)) || (rc == SQL_ERROR) )
            ThrowError(CODBCERR::eExecDirect);

        // configure block cursor
        if ( SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)MAX_OL_ORDER_STATUS_ITEMS, 0) != SQL_SUCCESS )
            ThrowError(CODBCERR::eSetStmtAttr);

        rc = SQLFetchScroll( m_hstmt, SQL_FETCH_NEXT, 0 );
        if ( ((rc == SQL_SUCCESS_WITH_INFO) && (m_RowsFetched
!= 0)) || (rc == SQL_ERROR) )
            ThrowError(CODBCERR::eFetchScroll);

        m_txn.OrderStatus.o_ol_cnt = (short)m_RowsFetched;

        if (m_txn.OrderStatus.o_ol_cnt != 0)
        {
            if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols2, SQL_IS_POINTER ) != SQL_SUCCESS )
                ThrowError(CODBCERR::eSetStmtAttr);

            if ( SQLMoreResults(m_hstmt) == SQL_ERROR )
                ThrowError(CODBCERR::eMoreResults);

            if ( (rc = SQLFetch(m_hstmt)) == SQL_ERROR )
                ThrowError(CODBCERR::eFetch);
        }

        SQLFreeStmt(m_hstmt, SQL_CLOSE);

        if (m_txn.OrderStatus.o_ol_cnt == 0)
            throw new CTPCC_ODBC_ERR(
CTPCC_ODBC_ERR::ERR_NO_SUCH_ORDER );
        else if (m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
            throw new CTPCC_ODBC_ERR(
CTPCC_ODBC_ERR::ERR_INVALID_CUST );
        else
            m_txn.OrderStatus.exec_status_code = eOK;

        break;
    }
    catch (CODBCERR *e)
    {
        if ( (!e->m_bDeadLock) || (++iTryCount > iMaxRetries) )
            throw;

        // hit deadlock; backoff for increasingly longer
        delete e;
        Sleep(10 * iTryCount);
    }
}

// if (iTryCount)
// throw new CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

```

```

void CTPCC_ODBC::InitDeliveryParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc, &m_hstmtDelivery) !=
SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtDelivery;

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT, SQL_C_SSHORT,
SQL_SMALLINT, 0, 0, &m_txn.Delivery.w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT, SQL_C_SSHORT,
SQL_SMALLINT, 0, 0, &m_txn.Delivery.o_carrier_id, 0, NULL) != SQL_SUCCESS
        )
        ThrowError(CODBCERR::eBindParam);

    for (i=0;i<10;i++)
    {
        if ( SQLBindCol(m_hstmt, (UWORD)(i+1), SQL_C_SLONG,
&m_txn.Delivery.o_id[i], 0, NULL) != SQL_SUCCESS )
            ThrowError(CODBCERR::eBindCol);
    }
}

void CTPCC_ODBC::Delivery()
{
    RETCODE rc;
    int iTryCount = 0;

    m_hstmt = m_hstmtDelivery;

    while (TRUE)
    {
        try
        {
            rc = SQLExecDirectW(m_hstmt, (SQLWCHAR*)"L{call
tpcc_delivery(?,?)", SQL_NTS);
            if (rc != SQL_SUCCESS && rc != SQL_SUCCESS_WITH_INFO)
                ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt) == SQL_ERROR )
                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt, SQL_CLOSE);
            m_txn.Delivery.exec_status_code = eOK;
            break;
        }
        catch (CODBCERR *e)
        {
            if (!(e->m_bDeadLock) || (++iTryCount > iMaxRetries))
                throw;

            // hit deadlock; backoff for increasingly longer
            delete e;
            Sleep(10 * iTryCount);
        }
    }

    // if (iTryCount)
    // throw new CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

```

```

}

```

## tpcc\_odbc.h

```

/* FILE: TPCC_ODBC.H
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 * All Rights Reserved
 * Version 4.10.000 audited by Richard Gimarc,
 * Performance Metrics, 3/17/99
 * PURPOSE: Header file for TPC-C txn class implementation.
 * Change history:
 * 4.20.000 - updated rev number to match kit
 */
#pragma once

// need to declare functions for import, unless define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CODBCERR : public CBaseErr
{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eAllocConn, // error from
        SQLAllocConnect
        eAllocHandle, // error from
        SQLAllocHandle
        eConnOption, // error from
        SQLSetConnectOption
        eConnect, // error from SQLConnect
        eAllocStmt, // error from
        SQLAllocStmt
        eExecDirect, // error from
        SQLExecDirect
        eBindParam, // error from
        SQLBindParameter
        eBindCol, // error from SQLBindCol
        eFetch, // error from
        SQLFetch
        eFetchScroll, // error from
        SQLFetchScroll
        eMoreResults, // error from
        SQLMoreResults
        ePrepare, // error from SQLPrepare
        eExecute, // error from SQLExecute
        eSetEnvAttr, // error from
        SQLSetEnvAttr
        eSetStmtAttr // error from
        SQLSetStmtAttr
    };

    CODBCERR(void)
    {

```

```

        m_eAction = eNone;
        m_NativeError = 0;
        m_bDeadLock = FALSE;
        m_odbcerrstr = NULL;
    };

~COBCEERR()
{
    if (m_odbcerrstr != NULL)
        delete [] m_odbcerrstr;
};

ACTION    m_eAction;
int       m_NativeError;
BOOL      m_bDeadLock;
char      *m_odbcerrstr;

int ErrorType() {return ERR_TYPE_ODBC;};
int ErrorNum() {return m_NativeError;};
char *ErrorText() {return m_odbcerrstr;};

};

class CTPCC_ODBC_ERR : public CBaseErr
{
public:
    enum TPCC_ODBC_ERRS
    {
        ERR_WRONG_SP_VERSION = 1,    // "Wrong version of
stored procs on database server"
        ERR_INVALID_CUST,            // "Invalid
Customer id,name."
        ERR_NO_SUCH_ORDER,           // "No orders
found for customer."
        ERR_RETRIED_TRANS,           // "Retries
before transaction succeeded."
    };

    CTPCC_ODBC_ERR( int iErr ) { m_errno = iErr; m_iTryCount = 0; };

    CTPCC_ODBC_ERR( int iErr, int iTryCount ) { m_errno = iErr;
m_iTryCount = iTryCount; };

    int         m_errno;
    int         m_iTryCount;

    int ErrorType() {return ERR_TYPE_TPCC_ODBC;};
    int ErrorNum() {return m_errno;};

    char *ErrorText();

};

class DllDecl CTPCC_ODBC : public CTPCC_BASE
{
private:
    // declare variables and private functions here...
    BOOL      m_bDeadlock;           // transaction
was selected as deadlock victim
    int       m_MaxRetries;          //
retry count on deadlock

    SQLHENV   m_henv;               //
ODBC environment handle

```

```

SQLHDBC      m_hdbc;
SQLHSTMT     m_hstmt;               // the current hstmt

SQLHSTMT     m_hstmtNewOrder;
SQLHSTMT     m_hstmtPayment;
SQLHSTMT     m_hstmtDelivery;
SQLHSTMT     m_hstmtOrderStatus;
SQLHSTMT     m_hstmtStockLevel;

SQLHDESC     m_descNewOrderCols1;
SQLHDESC     m_descNewOrderCols2;
SQLHDESC     m_descOrderStatusCols1;
SQLHDESC     m_descOrderStatusCols2;

// new-order specific fields
SQLUIINTEGER m_BindOffset;
SQLUIINTEGER m_RowsFetched;
int          m_no_commit_flag;

void ThrowError( COBCEERR::ACTION eAction );

void InitNewOrderParams();
void InitPaymentParams();
void InitDeliveryParams();
void InitStockLevelParams();
void InitOrderStatusParams();

union
{
    NEW_ORDER_DATA      NewOrder;
    PAYMENT_DATA        Payment;
    DELIVERY_DATA       Delivery;
    STOCK_LEVEL_DATA    StockLevel;
    ORDER_STATUS_DATA   OrderStatus;
    m_txn;
}

public:
    CTPCC_ODBC(LPCSTR szServer, LPCSTR szUser, LPCSTR szPassword,
LPCSTR szHost, LPCSTR szDatabase);
~CTPCC_ODBC(void);

    inline PNEW_ORDER_DATA      BuffAddr_NewOrder()
    { return &m_txn.NewOrder; };
    inline PPAYMENT_DATA        BuffAddr_Payment()
    { return &m_txn.Payment; };
    inline PDELIVERY_DATA       BuffAddr_Delivery()
    { return &m_txn.Delivery; };
    inline PSTOCK_LEVEL_DATA    BuffAddr_StockLevel()
return &m_txn.StockLevel; };
    inline PORDER_STATUS_DATA   BuffAddr_OrderStatus()
return &m_txn.OrderStatus; };

    void NewOrder      ();
    void Payment       ();
    void Delivery      ();
    void StockLevel    ();
    void OrderStatus   ();

};

// wrapper routine for class constructor
extern "C" DllDecl CTPCC_ODBC* CTPCC_ODBC_new

```

```

        ( LPCSTR szServer, LPCSTR szUser, LPCSTR szPassword, LPCSTR szHost, LPCSTR
szDatabase );

typedef CTPOCC_ODBC* (TYPE_CTPCC_ODBC)(LPCSTR, LPCSTR, LPCSTR, LPCSTR, LPCSTR);

```

## trans.h

```

/*      FILE:          TRANS.H
 *
 *      Microsoft TPC-C Kit Ver. 4.20.000
 *      Copyright Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *      Version 4.10.000 audited by Richard Gimarc,
Performance Metrics, 3/17/99
 *
 *      PURPOSE:  Header file for TPC-C structure templates.
 *
 *      Change history:
 *      4.20.000 - updated rev number to match kit
 */
#pragma once

// String length constants
#define SERVER_NAME_LEN      20
#define DATABASE_NAME_LEN   20
#define USER_NAME_LEN       20
#define PASSWORD_LEN        20
#define TABLE_NAME_LEN    20
#define I_DATA_LEN          50
#define I_NAME_LEN          24
#define BRAND_LEN           1
#define LAST_NAME_LEN       16
#define W_NAME_LEN          10
#define ADDRESS_LEN         20
#define STATE_LEN           2
#define ZIP_LEN              9
#define S_DIST_LEN          24
#define S_DATA_LEN          50
#define D_NAME_LEN          10
#define FIRST_NAME_LEN      16
#define MIDDLE_NAME_LEN     2
#define PHONE_LEN           16
#define DATETIME_LEN        30
#define CREDIT_LEN          2
#define C_DATA_LEN          250
#define H_DATA_LEN          24
#define DIST_INFO_LEN       24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN          25
#define OL_DIST_INFO_LEN    24

// TIMESTAMP_STRUCT is provided by the ODBC header file sqltypes.h, but is not
available
// when compiling with dblib, so redefined here. Note: we are using the symbol
"__SQLTYPES"
// (declared in sqltypes.h) as a way to determine if TIMESTAMP_STRUCT has been
declared.
#ifndef __SQLTYPES
typedef struct
{

```

```

short
year;
unsigned short /* SQLUSMALLINT */ month;
unsigned short /* SQLUSMALLINT */ day;
unsigned short /* SQLUSMALLINT */ hour;
unsigned short /* SQLUSMALLINT */ minute;
unsigned short /* SQLUSMALLINT */ second;
unsigned long /* SQLUINTEGER */ fraction;
} TIMESTAMP_STRUCT;
#endif

// possible values for exec_status_code after transaction completes
enum EXEC_STATUS
{
    eOK, // 0 "Transaction committed."
    eInvalidItem, // 1 "Item number is not valid."
    eDeliveryFailed // 2 "Delivery Post Failed."
};

// transaction structures
typedef struct
{
    // input params
    short ol_supply_w_id;
    long ol_i_id;
    short ol_quantity;

    // output params
    char ol_i_name[I_NAME_LEN+1];
    char ol_brand_generic[BRAND_LEN+1];
    double ol_i_price;
    double ol_amount;
    short ol_stock;
} OL_NEW_ORDER_DATA;

typedef struct
{
    // input params
    short w_id;
    short d_id;
    long c_id;
    short o_ol_cnt;

    // output params
    EXEC_STATUS exec_status_code;
    char c_last[LAST_NAME_LEN+1];
    char c_credit[CREDIT_LEN+1];
    double c_discount;
    double w_tax;
    double d_tax;
    long o_id;
    short o_commit_flag;
    TIMESTAMP_STRUCT o_entry_g;
    short o_all_local;
    double total_amount;
    OL_NEW_ORDER_DATA OL[MAX_OL_NEW_ORDER_ITEMS];
} NEW_ORDER_DATA, *PNEW_ORDER_DATA;

typedef struct
{
    // input params
    short w_id;
    short d_id;
    long c_id;

```

```

short          c_d_id;
short          c_w_id;
double        h_amount;
char          c_last[LAST_NAME_LEN+1];

// output params
EXEC_STATUS   exec_status_code;
TIMESTAMP_STRUCT  h_date;
char          w_street_1[ADDRESS_LEN+1];
char          w_street_2[ADDRESS_LEN+1];
char          w_city[ADDRESS_LEN+1];
char          w_state[STATE_LEN+1];
char          w_zip[ZIP_LEN+1];
char          d_street_1[ADDRESS_LEN+1];
char          d_street_2[ADDRESS_LEN+1];
char          d_city[ADDRESS_LEN+1];
char          d_state[STATE_LEN+1];
char          d_zip[ZIP_LEN+1];
char          c_first[FIRST_NAME_LEN+1];
char          c_middle[MIDDLE_NAME_LEN + 1];
char          c_street_1[ADDRESS_LEN+1];
char          c_street_2[ADDRESS_LEN+1];
char          c_city[ADDRESS_LEN+1];
char          c_state[STATE_LEN+1];
char          c_zip[ZIP_LEN+1];
char          c_phone[PHONE_LEN+1];
TIMESTAMP_STRUCT  c_since;
char          c_credit[CREDIT_LEN+1];
double        c_credit_lim;
double        c_discount;
double        c_balance;
char          c_data[200+1];
} PAYMENT_DATA, *PPAYMENT_DATA;

typedef struct
{
    long          ol_i_id;
    short         ol_supply_w_id;
    short         ol_quantity;
    double        ol_amount;
    TIMESTAMP_STRUCT  ol_delivery_d;
} OL_ORDER_STATUS_DATA;

typedef struct
{
    // input params
    short         w_id;
    short         d_id;
    long          c_id;
    char          c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS   exec_status_code;
    char          c_first[FIRST_NAME_LEN+1];
    char          c_middle[MIDDLE_NAME_LEN+1];
    double        c_balance;
    long          o_id;
    TIMESTAMP_STRUCT  o_entry_d;
    short         o_carrier_id;
    OL_ORDER_STATUS_DATA  OL[MAX_OL_ORDER_STATUS_ITEMS];
    short         o_ol_cnt;
} ORDER_STATUS_DATA, *PORDER_STATUS_DATA;

```

```

typedef struct
{
    // input params
    short         w_id;
    short         o_carrier_id;

    // output params
    EXEC_STATUS   exec_status_code;
    SYSTEMTIME    queue_time;
    long          o_id[10];          // id's of
} DELIVERED_ORDERS, *PDELIVERED_ORDERS;

//This structure is used for posting delivery transactions and for writing them to
the delivery server.
typedef struct _DELIVERY_TRANSACTION
{
    SYSTEMTIME    queue;           //time delivery
    transaction queued;
    short         w_id;           //delivery warehouse
    short         o_carrier_id;   //carrier id
} DELIVERY_TRANSACTION;

typedef struct
{
    // input params
    short         w_id;
    short         d_id;
    short         threshold;

    // output params
    EXEC_STATUS   exec_status_code;
    long          low_stock;
} STOCK_LEVEL_DATA, *PSTOCK_LEVEL_DATA;

```

## txnlog.h

```

/* FILE: TXNLOG.H Microsoft TPC-C Kit Ver. 4.10.000
 * not yet audited
 *
 * PURPOSE: Header file for txn log class
 * Copyright Microsoft, 1999
 *
 * All Rights Reserved
 *
 */

#pragma once

typedef struct _TXN_NEWORDER
{
    BYTE         OL_Count;           //range 0 to 31
    BYTE         OL_Remote_Count;    //range 0 to 31
    WORD         c_id;
    int          o_id;
} TXN_NEWORDER;

typedef struct _TXN_PAYMENT
{
    BYTE         CustByName;
} TXN_PAYMENT;

```

```

    BYTE      IsRemote;
  } TXN_PAYMENT;

typedef struct _TXN_ORDERSTATUS
{
    BYTE      CustByName;
} TXN_ORDERSTATUS;

typedef union _TXN_DETAILS
{
    TXN_NEWORDER      NewOrder;
    TXN_PAYMENT       Payment;
    TXN_ORDERSTATUS   OrderStatus;
} TXN_DETAILS;

// Common header for all records in txn log. The TxnType field is
// a switch which identifies the particular variant.
#define TXN_REC_TYPE_CONTROL 1 //
#define TXN_REC_TYPE_TPCC 2 // replaces
TRANSACTION_TYPE_TPCC
#define TXN_REC_TYPE_TPCC_DELIV_DEF 3

typedef struct _TXN_RECORD_HEADER
{
    JULIAN_TIME      TxnStartT0; // start of
    BYTE      TxnType; // one of TXN_REC_TYPE_*
    BYTE      TxnSubType; // depends on
    TxnType
} TXN_RECORD_HEADER, *PTXN_RECORD_HEADER;

typedef struct _TXN_RECORD_CONTROL
{
    // common header; must exactly match TXN_RECORD_HEADER
    JULIAN_TIME      TxnStartT0; // start of
    BYTE      TxnType; // =
    TXN_REC_TYPE_CONTROL
    BYTE      TxnSubType; // depends on
    TxnType
    // end of common header
    DWORD      Len; // number of
    bytes after this field
} TXN_RECORD_CONTROL, *PTXN_RECORD_CONTROL;

// TPC-C Txn Record Layout:
//
// 'TxnStartT0' is a Julian timestamp corresponding to the moment the
// txn is sent to the SUT, i.e., beginning of response time. Deltas
// are in milliseconds. Note that if RTDelay > 0, then the txn was
// delayed by this amount. The delay occurs at the beginning of the
// response time. So if RTDelay > 0, then the txn was actually sent
// at TxnStartT0 + RTDelay.
//
// Graphically:
//
// time -->
//
// |--- Menu ---|-- Keying --|-- Response --|--- Think --|

```

```

// <- DeltaT1 -> <- DeltaT2 -> <- DeltaT4 -> <- DeltaT3 ->
//
// ^
// ^ TxnStartT0
//
// RTDelay is the amount of response time delay included in DeltaT4.
// RTDelay is recorded per txn because this value can be changed on
// the fly, and so may vary from txn to txn.
//
// TxnStatus is the txn completion code. It is used to indicate errors.
// For example, in the New Order txn, 1% of txns abort. TxnStatus will
// reflect this.

typedef struct _TXN_RECORD_TPCC
{
    // common header; must exactly match TXN_RECORD_HEADER
    JULIAN_TIME      TxnStartT0; // start of
    Txn
    BYTE      TxnType; // = TXN_REC_TYPE_TPCC
    BYTE      TxnSubType; // depends on
    TxnType
    // end of common header
    int      DeltaT1; // menu time (ms)
    int      DeltaT2; // keying time (ms)
    int      DeltaT3; // think time (ms)
    int      DeltaT4; // response time (ms)
    int      RTDelay; // response time delay (ms)
    more detail for TxnStatus
    int      TxnError; // error code providing
    ID
    int      w_id; // warehouse
    for this thread
    BYTE      d_id; // assigned district ID
    particular
    BYTE      d_id_ThisTxn; // district ID chosen for this
    BYTE      TxnStatus; // completion status for
    txn to indicate errors
    BYTE      reserved; // for word alignment
    TXN_DETAILS      TxnDetails; //
} TXN_RECORD_TPCC, *PTXN_RECORD_TPCC;

// TPC-C Deferred Delivery Txn Record Layout:
//
// Incorporating delivery transaction information into the above
// structure would increase the size of TXN_DETAILS from 8 to 42 bytes.
// Hence, we store delivery transaction details in a separate structure.
//
typedef struct _TXN_RECORD_TPCC_DELIV_DEF
{
    // common header; must exactly match TXN_RECORD_HEADER
    JULIAN_TIME      TxnStartT0; // start of
    Txn
    BYTE      TxnType; // =
    TXN_REC_TYPE_TPCC_DELIV_DEF
    BYTE      TxnSubType; // = 0
    // end of common header
    int      DeltaT4; // response time (ms)
    int      DeltaTxnExec; // execution time (ms)
    int      w_id; // warehouse
    ID
    BYTE      TxnStatus; // completion status for
    txn to indicate errors

```



```

        BYTE    reserved;           // for word alignment
        short   o_carrier_id;       // carrier id
        long    o_id[10];           // returned delivery transaction
ids      } TXN_RECORD_TPCC_DELIV_DEF, *PTXN_RECORD_TPCC_DELIV_DEF;

#define TXN_LOG_VERSION 2
#define TXN_DATA_START 4096 // offset in log file
where log records start
#define TXN_LOG_EYE_CATCHER "BC" // signature bytes at the start of
log file

////////////////////////////////////
//
// The transaction log has a header as the first 4K block.
//
typedef struct _TXN_LOG_HEADER
{
    char    EyeCatcher[2]; // signature
bytes; should always be "BC"
    int     LogVersion;
        // set to TXN_LOG_VERSION
        JULIAN_TIME    BeginTxnTS; //
timestamp of first (lowest) txn start
        JULIAN_TIME    EndTxnTS; // timestamp
of last (highest) txn completion time
    int     iRecCount;
        // number of records in log file
        BOOL    bLogSorted;
    int     iFileSize;
        // file size in bytes

        // the record map provides a fast way to get close to a
particular timestamp in a sorted log file.
//
// struct
//
// {
//     JULIAN_TIME    TS;
// timestamp of record
//     int     iPos;
// byte position in file
// }
// #define RecMapSize 200
} TXN_LOG_HEADER, *PTXN_LOG_HEADER;

/* Header of the sorted pointers blocks in Temp file (in merging). */
typedef struct BLOCK_HEADER {
    long    BlockPos;
    __int64 CurPos;
    DWORD   BytesRead;
    int     nRecords;
    BYTE    *offset; /* offset of pointers to records in the log
file */
} BLOCK_HEADER, *PBLOCK_HEADER;

#define READ_BUFFER_SIZE 64*1024
#define WRITE_BUFFER_SIZE 8*1024

```

```

#define NUM_READ_BUFFERS 1
#define NUM_WRITE_BUFFERS 2
#define MAX_NUM_BUFFERS 2

// flags passed in to the constructor
#define TXN_LOG_WRITE 0x01
#define TXN_LOG_READ 0x02
#define TXN_LOG_SORTED 0x04
#define TXN_LOG_CRASHOPEN 0x08 // if set, invalid headers will be
tolerated; used for recovery

#define TXN_LOG_OS_ERROR 1
#define TXN_LOG_NOT_SORTED 2

#define SKIP_CTRL_RECS 1

class CTxnLog
{
private:
    DWORD    iBufferSize;
//buffer allocated size
    DWORD    iBytesFreeInBuffer; //total bytes
available for use in buffer
    int     iNumBuffers;
//buffers in use
    int     iActiveBuffer;
//indicates which buffer is active: 0 or 1
    int     iIoBuffer;
//buffer for any pending IO operation
//
    int     iFilePointer;
//position in file.
    LARGE_INTEGER    lFilePointer; //position in
file.
    int     iNextRec;
//when reading, ordinal value of next record

        // A "save point" is remembered each time GetNextRecord is
called with a start time specified.
        // The next time it is called, if start time is after the save
point, we start scanning from the
        // save point. This is particularly useful in FindBestInterval,
where the log is scanned repeatedly.
        JULIAN_TIME    SavePtTime;
//
    int     iSavePtFilePointer;
    LARGE_INTEGER    lSavePtFilePointer;
    int     iSavePtNextRec;

        JULIAN_TIME    lastTS;
//when writing sorted output, used to verify records are sorted
    BOOL    bWrite;
//writing log file
    BOOL    bCrashOpen;
// tolerate bad headers and consistency checks

    BOOL    bLogSorted;
// is log file sorted? applies to both input and output
    JULIAN_TIME    BeginTxnTS;
// timestamp of first (lowest) txn start
    JULIAN_TIME    EndTxnTS; //
timestamp of last (highest) txn completion time
    int     iRecCount;
// number of records in log file

```

```

        BYTE                *pCurrent;
//ptr to current buffer
        BYTE                *pBuffer[MAX_NUM_BUFFERS];

        PTXN_RECORD_HEADER *TxnArray;           //transaction
record pointer array for sort

        DWORD              dwError;
        HANDLE             hTxnFile;
//handle to log file
        HANDLE             hMapFile;
//map file used when sorting the log
        HANDLE             hIoComplete;
//event to signify that there are no pending IOs
        HANDLE             hLogFileIo;
//event to signal the IO thread to write the inactive buffer

        Spinlock Spin;
//spin lock to protect the txn log file buffers

        FILE               *tmpFile;
//temp file for merging sorted pieces
        PBLOCK_HEADER      tmpHeaders;
//sorted pointers block header
        BYTE               **recPointers;
//record pointer buffers for each sorted block
        PTXN_RECORD_HEADER *recBuffers;       //record buffers for
each sorted block
        int                *PointersRead;
        int                *BlockAvailable;   //whether to
check a particular block for jmin

        int                nBlocks;
        int                jmin;
//index (block-wise) of the lowest timestamp record
        int                iAvgRecordLen;
//average record length

        int                iSortedReturnedCount;
//keeps track of the # of sorted records returned through
GetSortedRecord()

        int Write(BYTE *ptr, DWORD Size);
        static void LogFileIO(CTxnLog *);

        void LoadBuffers(int j);           //used in
sort/merge to load record buffers

    public:

        CTxnLog::CTxnLog(LPCTSTR szFileName, DWORD dwOpts);
        ~CTxnLog(void);

        int WriteToLog(PTXN_RECORD_TPCC pTxnRcprd);
        int WriteToLog(PTXN_RECORD_TPCC_DELIV_DEF pTxnRcprd);
        int WriteToLog(PTXN_RECORD_CONTROL pCtrlRec);
        int WriteToLog(PTXN_RECORD_HEADER pCtrlRec);

        int WriteCtrlRecToLog(BYTE SubType, LPCTSTR lpStr, DWORD dwLen);

        void CloseTransactionLogFile(void);

```

```

        PTXN_RECORD_HEADER GetNextRecord(BOOL bSkipCtrlRecs = FALSE);
        PTXN_RECORD_HEADER GetNextRecord(JULIAN_TIME SeekTimeT0, BOOL
bSkipCtrlRecs = FALSE);

        int Sort(void);
        PTXN_RECORD_HEADER GetSortedRecord();

        inline BOOL IsSorted(void) { return bLogSorted; };
        inline JULIAN_TIME BeginTS(void) { return BeginTxnTS; };
        inline JULIAN_TIME EndTS(void) { return EndTxnTS; };
        inline int RecordCount(void) { return iRecCount; };
};

class CTXNLOG_ERR : public CBaseErr
{
    public:
        enum CTXNLOG_ERRS
        {
            ERR_BAD_FILE_FORMAT,           // "File
format is invalid."
            ERR_UNKNOWN_LOG_VERSION,      // "Log file version is
unknown."
            ERR_BROKEN_LOG_FILE,         // "Log file
is broken."
            ERR_LOG_NOT_SORTED,          // "Log file
is not sorted"
            ERR_INVALID_TIME_SEQ,        // "Internal
Error: Record Time Sequence invalid."
        };

        CTXNLOG_ERR(int iErr) : CBaseErr(iErr) {};

        int ErrorType() {return ERR_TYPE_TXNLOG;};

        char *ErrorText()
        {
            static char *szMsgs[] = {
                "File format is invalid.",
                "Log file version is unknown.",
                "Log file is broken.",
                "Log file is not sorted",
                "Internal Error: Record Time Sequence
invalid.",
                ""
            };

            for(int i = 0; szMsgs[i][0]; i++)
            {
                if ( m_idMsg == i )
                    break;
            }

            return(szMsgs[i][0] ? szMsgs[i] : ERR_UNKNOWN);
        };
};

```

# Appendix B: Database Design

The TPC-C database was created with the following Transact-SQL scripts:

---

## RunSQLCfg.sql

---

```
/* TPC-C Benchmark Kit */
/* */
/* RUNSQLCFG.SQL */
/* This script file is used to set runtime server configuration parameters */
/* */

exec sp_configure "show advanced option", 1
go

reconfigure with override
go

/* change this value to approximately the number of connected users */
exec sp_configure "max worker threads",255

/* increase priority of user threads */
exec sp_configure "priority boost",1

/* disable automatic checkpointing */
exec sp_configure "recovery interval",32767

/* change to a mask appropriate for the number of processors on the server */
exec sp_configure "affinity mask",0xf

/* enable fibers */
exec sp_configure "lightweight pooling",1

go

reconfigure with override
go
```

---

## VerifyTpccLoad.sql

---

```
-- File: VERIFYPCCLOAD.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Performs series of TPCC database checks to verify
```

```
-- that database load completed correctly

print " "
select convert(char(30), getdate(),9)
print " "

use tpcc
go

-- *****
-- Check rows per table from SYSINDEXES
-- *****

print 'WAREHOUSE TABLE'

select rows
from sysindexes
where id = object_id("warehouse")
go

print 'DISTRICT TABLE = (10 * No of warehouses)'

select rows
from sysindexes
where id =object_id("district")
go

print 'ITEM TABLE = 100,000'

select rows
from sysindexes
where id =object_id("item")
go

print 'CUSTOMER TABLE = (30,000 * No of warehouses)'

select rows
from sysindexes
where id =object_id("customer")
go

print 'ORDERS TABLE = (30,000 * No of warehouses)'

select rows
from sysindexes
where id =object_id("orders")
go

print 'HISTORY TABLE = (30,000 * No of warehouses)'

select rows
from sysindexes
where id =object_id("history")
go

print 'STOCK TABLE = (100,000 * No of warehouses)'

select rows
from sysindexes
where id =object_id("stock")
go
```

```

print      'ORDER_LINE TABLE = (300,000 * No of warehouses + some change)'

select    rows
from      sysindexes
where     id      =object_id("order_line")
go

print      'NEW_ORDER TABLE = (9000 * No of warehouses)'

select    rows
from      sysindexes
where     id      =object_id("new_order")
go

--      *****
--      Check indices
--      *****

print '*****Index Check*****'

use tpcc
go

sp_helpindex      customer
go

sp_helpindex      stock
go

sp_helpindex      district
go

sp_helpindex      item
go

sp_helpindex      new_order
go

sp_helpindex      orders
go

sp_helpindex      order_line
go

sp_helpindex      warehouse
go

```

---

## **backup.sql**

---

```

-- File:      BACKUP.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates backup of tpcc database

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

```

```

dump database tpcc to tpccback1, tpccback2, tpccback3, tpccback4, tpccback5 with
init, stats = 1

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

```

```
go
```

---

## **backupdev.sql**

---

```

-- File:      BACKUPDEV.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates tpcc database Backup Devices

```

```
use master
go
```

```
-- create backup devices
```

```

exec sp_addumpdevice 'disk','tpccback1','V:\tpccback1.dmp'
go
exec sp_addumpdevice 'disk','tpccback2','W:\tpccback2.dmp'
go
exec sp_addumpdevice 'disk','tpccback3','X:\tpccback3.dmp'
go
exec sp_addumpdevice 'disk','tpccback4','Y:\tpccback4.dmp'
go
exec sp_addumpdevice 'disk','tpccback5','Z:\tpccback5.dmp'
go

```

---

## **config.sql**

---

```

-- File:      CONFIG.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.00
--           Copyright Microsoft, 1996
-- Purpose:   Collects SQL Server configuration parameters

```

```

print " "
select convert(char(30), getdate(),9)
print " "
go

```

```

sp_configure "show advanced",1
go
reconfigure with override
go
exec sp_configure "affinity mask",          15
exec sp_configure "cost threshold for parallelism",      5
exec sp_configure "index create memory",          704
exec sp_configure "lightweight pooling",          1
exec sp_configure "awe enabled",                  1
exec sp_configure "locks",                        0
exec sp_configure "max degree of parallelism",      1
exec sp_configure "max server memory",            2147483647
exec sp_configure "max worker threads",           215
exec sp_configure "min memory per query",         512

```

```

exec sp_configure "min server memory",          0
exec sp_configure "nested triggers",           1
exec sp_configure "network packet size",       2048
exec sp_configure "open objects",              0
exec sp_configure "priority boost",            1
exec sp_configure "recovery interval",         100
exec sp_configure "set working set size",      0
exec sp_configure "user connections",          0

```

```

go

reconfigure with override
go
sp_configure
go

```

---

## createdb.sql

---

```

-- File:      CREATEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates tpcc database and backup files

```

```

use master
go

-- Create temporary table for timing

if exists ( select name from sysobjects where name = 'tpcc_timer' )
drop table tpcc_timer
go

create table tpcc_timer
(
    start_date          char(30),
    end_date            char(30)
)

insert into tpcc_timer values (0,0)
go

-- Store starting time

update tpcc_timer
set start_date = (select convert(char(30), getdate(),9))
go

-- create main database files

CREATE DATABASE tpcc
ON PRIMARY
(
    NAME = MSSQL_tpcc_root,
    FILENAME = "C:\MSSQL_tpcc_root.mdf",
    SIZE = 8MB,
    FILEGROWTH =0),
FILEGROUP MSSQL_cs_fg
(
    NAME = MSSQL_cs1,
    FILENAME = "F:",
    SIZE = 43900MB,

```

```

    FILEGROWTH = 0),
(
    NAME = MSSQL_cs2,
    FILENAME = "G:",
    SIZE = 43900MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_cs3,
    FILENAME = "H:",
    SIZE = 43900MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_cs4,
    FILENAME = "I:",
    SIZE = 43900MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_cs5,
    FILENAME = "J:",
    SIZE = 43900MB,
    FILEGROWTH = 0),
FILEGROUP MSSQL_misc_fg
(
    NAME = MSSQL_misc1,
    FILENAME = "K:",
    SIZE = 20900MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_misc2,
    FILENAME = "L:",
    SIZE = 20900MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_misc3,
    FILENAME = "M:",
    SIZE = 20900MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_misc4,
    FILENAME = "N:",
    SIZE = 20900MB,
    FILEGROWTH = 0),
(
    NAME = MSSQL_misc5,
    FILENAME = "O:",
    SIZE = 20900MB,
    FILEGROWTH = 0)
LOG ON
(
    NAME =MSSQL_tpcc_log,
    FILENAME ="E:",
    SIZE =138890MB,
    FILEGROWTH =0)
COLLATE Latin1_General_Bin
go

-- Store ending time
update tpcc_timer
set end_date = (select convert(char(30), getdate(),9))
go

select "Elapsed time (in seconds): ", datediff(second,(select start_date from
tpcc_timer),(select end_date from tpcc_timer))

-- remove temporary table

if exists ( select name from sysobjects where name = 'tpcc_timer' )
drop table tpcc_timer
go

```

## dbopt1.sql

```
-- File:      DBOPT1.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Sets database options for data load

use master
go

exec sp_dboption tpcc,'select into/bulkcopy',true
exec sp_dboption tpcc,'trunc. log on chkpt.',true
go

use tpcc
go

checkpoint
go
```

## dbopt2.sql

```
-- File:      DBOPT2.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Resets database options after data load

sp_dboption tpcc,'select into/bulkcopy',FALSE
GO

sp_dboption tpcc,'trunc. log on chkpt.',FALSE
GO

USE tpcc
GO

CHECKPOINT
GO

sp_configure 'allow updates',1
GO

RECONFIGURE WITH OVERRIDE
GO

DECLARE @msg          varchar(50)

--           --
-- OPTIONS FOR SQL SERVER 8.0 --
-- Set option values for user-defined indexes --
--           --

SET @msg = ''
PRINT @msg
SET @msg = 'Setting SQL Server indexoptions'
```

```
PRINT @msg
SET @msg = ''
PRINT @msg

EXEC sp_indexoption 'customer', 'DisallowPageLocks', TRUE
EXEC sp_indexoption 'district', 'DisallowPageLocks', TRUE
EXEC sp_indexoption 'warehouse', 'DisallowPageLocks', TRUE
EXEC sp_indexoption 'stock', 'DisallowPageLocks', TRUE
EXEC sp_indexoption 'order_line', 'DisallowRowLocks', TRUE
EXEC sp_indexoption 'orders', 'DisallowRowLocks', TRUE
EXEC sp_indexoption 'new_order', 'DisallowRowLocks', TRUE
EXEC sp_indexoption 'item', 'DisallowRowLocks', TRUE
EXEC sp_indexoption 'item', 'DisallowPageLocks', TRUE
GO
```

```
Print ' '
Print '*****'
Print 'Pre-specified Locking Hierarchy:'
Print ' Lockflag = 0 ==> No pre-specified hierarchy'
Print ' Lockflag = 1 ==> Lock at Page-level then Table-level'
Print ' Lockflag = 2 ==> Lock at Row-level then Table-level'
Print ' Lockflag = 3 ==> Lock at Table-level'
Print ' '
```

```
SELECT name,lockflags
FROM sysindexes
WHERE object_id('warehouse') = id OR
       object_id('district') = id OR
       object_id('customer') = id OR
       object_id('stock') = id OR
       object_id('orders') = id OR
       object_id('order_line') = id OR
       object_id('history') = id OR
       object_id('new_order') = id OR
       object_id('item') = id
ORDER BY lockflags asc
GO
```

```
sp_configure 'allow updates',0
GO
```

```
RECONFIGURE WITH OVERRIDE
GO
```

```
EXEC sp_dboption tpcc, 'auto update statistics', FALSE
EXEC sp_dboption tpcc, 'auto create statistics', FALSE
GO
```

```
EXEC sp_tableoption 'district', 'pintable',true
EXEC sp_tableoption 'warehouse', 'pintable',true
EXEC sp_tableoption 'new_order', 'pintable',true
EXEC sp_tableoption 'item', 'pintable',true
GO
```

## delivery.sql

```
-- File:      DELIVERY.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates delivery transaction stored procedure
--
--           Interface Level: 4.10.000
```

```

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_delivery" )
    drop procedure tpcc_delivery
go

create proc tpcc_delivery    @w_id            smallint,
                            @o_carrier_id    smallint
as

declare @d_id    tinyint,
        @o_id    int,
        @c_id    int,
        @total   numeric(12,2),
        @oid1   int,
        @oid2   int,
        @oid3   int,
        @oid4   int,
        @oid5   int,
        @oid6   int,
        @oid7   int,
        @oid8   int,
        @oid9   int,
        @oid10  int

select @d_id = 0

begin tran d

    while (@d_id < 10)
    begin

        select      @d_id = @d_id + 1,
                   @total = 0,
                   @o_id = 0

        select      top 1
                   @o_id = no_o_id
        from        new_order (serializable uplock)
        where       no_w_id = @w_id and
                   no_d_id = @d_id
        order       by no_o_id asc

        if (@@rowcount <> 0)
        begin

-- claim the order for this district

            delete  new_order
            where   no_w_id = @w_id and
                   no_d_id = @d_id and
                   no_o_id = @o_id

-- set carrier_id on this order (and get customer id)

            update  orders
            set     o_carrier_id = @o_carrier_id,
                   @c_id = o_c_id
            where   o_w_id = @w_id and
                   o_d_id = @d_id and

```

```

                            o_id = @o_id

-- set date in all lineitems for this order (and sum amounts)

            update  order_line
            set     ol_delivery_d = getdate(),
                   @total = @total + ol_amount
            where   ol_w_id = @w_id and
                   ol_d_id = @d_id and
                   ol_o_id = @o_id

-- accumulate lineitem amounts for this order into customer

            update  customer
            set     c_balance = c_balance + @total,
                   c_delivery_cnt = c_delivery_cnt + 1
            where   c_w_id = @w_id and
                   c_d_id = @d_id and
                   c_id = @c_id

        end

        select @oid1 = case @d_id when 1 then @o_id else @oid1 end,
               @oid2 = case @d_id when 2 then @o_id else @oid2 end,
               @oid3 = case @d_id when 3 then @o_id else @oid3 end,
               @oid4 = case @d_id when 4 then @o_id else @oid4 end,
               @oid5 = case @d_id when 5 then @o_id else @oid5 end,
               @oid6 = case @d_id when 6 then @o_id else @oid6 end,
               @oid7 = case @d_id when 7 then @o_id else @oid7 end,
               @oid8 = case @d_id when 8 then @o_id else @oid8 end,
               @oid9 = case @d_id when 9 then @o_id else @oid9 end,
               @oid10 = case @d_id when 10 then @o_id else @oid10 end

    end

commit tran d

-- return delivery data to client

select @oid1,
       @oid2,
       @oid3,
       @oid4,
       @oid5,
       @oid6,
       @oid7,
       @oid8,
       @oid9,
       @oid10

go

getargs.c
-----
//      File:          GETARGS.C
//
//      Microsoft TPC-C Kit Ver. 4.22
//      Copyright Microsoft, 1996, 1997, 1998, 1999,
//      2000, 2001
//      Purpose:  Source file for command line processing

```

```

// Includes
#include "tpcc.h"

//=====
//
// Function name: GetArgsLoader
//
//=====

void GetArgsLoader(int argc, char **argv, TPCCLDR_ARGS *pargs)
{
    int    i;
    char  *ptr;

#ifdef DEBUG
    printf("[%ld]DBG: Entering GetArgsLoader()\n", (int) GetCurrentThreadId());
#endif

    /* init args struct with some useful values */
    pargs->server      = SERVER;
    pargs->user        = USER;
    pargs->password    = PASSWORD;
    pargs->database    = DATABASE;
    pargs->batch       = BATCH;
    pargs->num_warehouses = UNDEF;
    pargs->tables_all  = TRUE;
    pargs->table_item  = FALSE;
    pargs->table_warehouse = FALSE;
    pargs->table_customer = FALSE;
    pargs->table_orders  = FALSE;
    pargs->loader_res_file = LOADER_RES_FILE;
    pargs->pack_size     = DEFLDPACKSIZE;
    pargs->starting_warehouse = DEF_STARTING_WAREHOUSE;
    pargs->build_index   = BUILD_INDEX;
    pargs->index_order   = INDEX_ORDER;
    pargs->index_script_path = INDEX_SCRIPT_PATH;
    pargs->scale_down    = SCALE_DOWN;

    /* check for zero command line args */
    if ( argc == 1 )
        GetArgsLoaderUsage();

    for ( i = 1; i < argc; ++i )
    {
        if (argv[i][0] != '-' && argv[i][0] != '/')
        {
            printf("\nUnrecognized command");
            GetArgsLoaderUsage();
            exit(1);
        }

        ptr = argv[i];

        switch (ptr[1])
        {
            case 'h': /* Fall throught */
            case 'H':
                GetArgsLoaderUsage();
                break;

            case 'D':
                pargs->database = ptr+2;
                break;

```

```

            case 'P':
                pargs->password = ptr+2;
                break;

            case 'S':
                pargs->server = ptr+2;
                break;

            case 'U':
                pargs->user = ptr+2;
                break;

            case 'b':
                pargs->batch = atol(ptr+2);
                break;

            case 'W':
                pargs->num_warehouses = atol(ptr+2);
                break;

            case 's':
                pargs->starting_warehouse = atol(ptr+2);
                break;

            case 't':
                {
                    pargs->tables_all = FALSE;
                    if (strcmp(ptr+2,"item") == 0)
                        pargs->table_item =
TRUE;
                    else if (strcmp(ptr+2,"warehouse")
== 0)
                        pargs->table_warehouse =
TRUE;
                    else if (strcmp(ptr+2,"customer")
== 0)
                        pargs->table_customer =
TRUE;
                    else if (strcmp(ptr+2,"orders") ==
0)
                        pargs->table_orders =
TRUE;
                    else
                    {
                        printf("\nUnrecognized command");
                        GetArgsLoaderUsage();
                        exit(1);
                    }
                    break;
                }

            case 'f':
                pargs->loader_res_file = ptr+2;
                break;

            case 'p':
                pargs->pack_size = atol(ptr+2);
                break;

            case 'i':
                pargs->build_index = atol(ptr+2);

```



```

                break;
        case 'o':
            pargs->index_order = atol(ptr+2);
            break;
        case 'c':
            pargs->scale_down = atol(ptr+2);
            break;
        case 'd':
            pargs->index_script_path = ptr+2;
            break;
        default:
            GetArgsLoaderUsage();
            exit(-1);
            break;
    }
}

/* check for required args */
if (pargs->num_warehouses == UNDEF )
{
    printf("Number of Warehouses is required\n");
    exit(-2);
}

return;
}

//=====
//
// Function name: GetArgsLoaderUsage
//
//=====

void GetArgsLoaderUsage()
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering GetArgsLoaderUsage()\n", (int) GetCurrentThreadId());
#endif

    printf("TPCCLDR:\n\n");
    printf("Parameter                                Default\n");
    printf("-----\n\n");
    printf("-W Number of Warehouses to Load                Required \n");
    printf("-S Server                                         %s\n", SERVER);
    printf("-U Username                                       %s\n", USER);
    printf("-P Password                                       %s\n", PASSWORD);
    printf("-D Database                                       %s\n", DATABASE);
    printf("-b Batch Size                                     %ld\n",
(long) BATCH);
    printf("-p TDS packet size                               %ld\n",
(long) DEF_LDPACKSIZE);
    printf("-f Loader Results Output Filename              %s\n",
LOADER_RES_FILE);
    printf("-s Starting Warehouse                           %ld\n",
(long) DEF_STARTING_WAREHOUSE);

```

```

        printf("-i Build Option (data = 0, data and index = 1) %ld\n",
(long) BUILD_INDEX);
        printf("-o Cluster Index Build Order (before = 1, after = 0) %ld\n",
(long) INDEX_ORDER);
        printf("-c Build Scaled Database (normal = 0, tiny = 1) %ld\n",
(long) SCALE_DOWN);
        printf("-d Index Script Path %s\n",
INDEX_SCRIPT_PATH);
        printf("-t Table to Load all tables\n");
\n);
    printf(" [item|warehouse|customer|orders]\n");
    printf(" Notes: \n");
    printf(" - the '-t' parameter may be included multiple times to \n");
    printf(" specify multiple tables to be loaded \n");
    printf(" - 'item' loads ITEM table \n");
    printf(" - 'warehouse' loads WAREHOUSE, DISTRICT, and STOCK tables \n");
    printf(" - 'customer' loads CUSTOMER and HISTORY tables \n");
    printf(" - 'orders' load NEW-ORDER, ORDERS, ORDER-LINE tables \n");
\n);
    printf("\nNote: Command line switches are case sensitive.\n");
\n);
    exit(0);
}

```

---

## ***idxcuscl.sql***

---

```

-- File: IDXCUSCL.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates clustered index on customer table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'customer_c1' )
drop index customer.customer_c1

create unique clustered index customer_c1 on customer(c_w_id, c_d_id, c_id)
on MSSQL_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxcusnc.sql***

---

```

-- File: IDXCUSNC.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates non-clustered index on customer table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'customer_nc1' )
    drop index customer.customer_nc1

create unique nonclustered index customer_nc1 on customer(c_w_id, c_d_id, c_last,
c_first, c_id)
    on MSSQL_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxdiscl.sql***

---

```

-- File:      IDXDISCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on district table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'district_c1' )
    drop index district.district_c1

create unique clustered index district_c1 on district(d_w_id, d_id)
    with fillfactor=100 on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxitmcl.sql***

---

```

-- File:      IDXITMCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on item table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'item_c1' )
    drop index item.item_c1

create unique clustered index item_c1 on item(i_id)
    on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxnodcl.sql***

---

```

-- File:      IDXNODCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on new_order table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'new_order_c1' )
    drop index new_order.new_order_c1

create unique clustered index new_order_c1 on new_order(no_w_id, no_d_id, no_o_id)
    on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxodlcl.sql***

---

```

-- File:      IDXODLCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on order_line table

```

```

use tpcc

```

```

go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'order_line_c1' )
    drop index order_line.order_line_c1

create unique clustered index order_line_c1 on order_line(ol_w_id, ol_d_id, ol_o_id,
ol_number)
    on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxordcl.sql***

---

```

-- File:      IDXORDCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on orders table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'orders_c1' )
    drop index orders.orders_c1

create unique clustered index orders_c1 on orders(o_w_id, o_d_id, o_id)
    on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxordnc.sql***

---

```

-- File:      IDXORDNC.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates non-clustered index on orders table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'orders_nc1' )
    drop index orders.orders_nc1

create index orders_nc1 on orders(o_w_id, o_d_id, o_c_id, o_id)
    on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxstkcl.sql***

---

```

-- File:      IDXSTKCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on stock table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'stock_c1' )
    drop index stock.stock_c1

create unique clustered index stock_c1 on stock(s_i_id, s_w_id)
    on MSSQL_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxwarcl.sql***

---

```

-- File:      IDXWARCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on warehouse table

```

```

use tpcc
go

declare @startdate datetime

```

```

declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'warehouse_c1' )
    drop index warehouse.warehouse_c1

create unique clustered index warehouse_c1 on warehouse(w_id)
with fillfactor=100 on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## neword.sql

```

-- File:      NEWORD.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates new order transaction stored procedure
--
--           Interface Level: 4.10.000

use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_neworder" )
    drop procedure tpcc_neworder
go

create proc tpcc_neworder

                @w_id      smallint,
                @d_id      tinyint,
                @c_id      int,
                @o_ol_cnt  tinyint,
                @o_all_local tinyint,
                @i_id1 int = 0, @s_w_id1

smallint = 0, @ol_qty1  smallint = 0,
                @i_id2 int = 0, @s_w_id2

smallint = 0, @ol_qty2  smallint = 0,
                @i_id3 int = 0, @s_w_id3

smallint = 0, @ol_qty3  smallint = 0,
                @i_id4 int = 0, @s_w_id4

smallint = 0, @ol_qty4  smallint = 0,
                @i_id5 int = 0, @s_w_id5

smallint = 0, @ol_qty5  smallint = 0,
                @i_id6 int = 0, @s_w_id6

smallint = 0, @ol_qty6  smallint = 0,
                @i_id7 int = 0, @s_w_id7

smallint = 0, @ol_qty7  smallint = 0,
                @i_id8 int = 0, @s_w_id8

smallint = 0, @ol_qty8  smallint = 0,
                @i_id9 int = 0, @s_w_id9

smallint = 0, @ol_qty9  smallint = 0,
                @i_id10 int = 0, @s_w_id10

smallint = 0, @ol_qty10 smallint = 0,
                @i_id11 int = 0, @s_w_id11

smallint = 0, @ol_qty11 smallint = 0,

```

```

                @i_id12 int = 0, @s_w_id12
                @i_id13 int = 0, @s_w_id13
                @i_id14 int = 0, @s_w_id14
                @i_id15 int = 0, @s_w_id15

smallint = 0, @ol_qty12 smallint = 0,
smallint = 0, @ol_qty13 smallint = 0,
smallint = 0, @ol_qty14 smallint = 0,
smallint = 0, @ol_qty15 smallint = 0

as
declare @w_tax      numeric(4,4),
        @d_tax      numeric(4,4),
        @c_last     char(16),
        @c_credit   char(2),
        @c_discount numeric(4,4),
        @i_price    numeric(5,2),
        @i_name     char(24),
        @i_data     char(50),
        @o_entry_d  datetime,
        @remote_flag int,
        @s_quantity smallint,
        @s_data     char(50),
        @s_dist     char(24),
        @li_no      int,
        @o_id       int,
        @commit_flag tinyint,
        @li_id      int,
        @li_s_w_id  smallint,
        @li_qty     smallint,
        @ol_number  int,
        @c_id_local int

begin
begin transaction n

-- get district tax and next available order id and update
-- plus initialize local variables

        update district
        set @d_tax      = d_tax,
            @o_id       = d_next_o_id,
            d_next_o_id = d_next_o_id + 1,
            @o_entry_d  = getdate(),
            @li_no      = 0,
            @commit_flag = 1
        where d_w_id = @w_id and
              d_id   = @d_id

-- process orderlines

        while (@li_no < @o_ol_cnt)
        begin

                select @li_no = @li_no + 1

-- set i_id, s_w_id, and qty for this lineitem

                select @li_id = case @li_no
                    when 1 then @i_id1
                    when 2 then @i_id2
                    when 3 then @i_id3

```

```

when 4 then @i_id4
when 5 then @i_id5
when 6 then @i_id6
when 7 then @i_id7
when 8 then @i_id8
when 9 then @i_id9
when 10 then @i_id10
when 11 then @i_id11
when 12 then @i_id12
when 13 then @i_id13
when 14 then @i_id14
when 15 then @i_id15
end,

@li_s_w_id = case @li_no
when 1 then @s_w_id1
when 2 then @s_w_id2
when 3 then @s_w_id3
when 4 then @s_w_id4
when 5 then @s_w_id5
when 6 then @s_w_id6
when 7 then @s_w_id7
when 8 then @s_w_id8
when 9 then @s_w_id9
when 10 then @s_w_id10
when 11 then @s_w_id11
when 12 then @s_w_id12
when 13 then @s_w_id13
when 14 then @s_w_id14
when 15 then @s_w_id15
end,

@li_qty = case @li_no
when 1 then @ol_qty1
when 2 then @ol_qty2
when 3 then @ol_qty3
when 4 then @ol_qty4
when 5 then @ol_qty5
when 6 then @ol_qty6
when 7 then @ol_qty7
when 8 then @ol_qty8
when 9 then @ol_qty9
when 10 then @ol_qty10
when 11 then @ol_qty11
when 12 then @ol_qty12
when 13 then @ol_qty13
when 14 then @ol_qty14
when 15 then @ol_qty15
end

-- get item data (no one updates item)
select @i_price = i_price,
       @i_name = i_name,
       @i_data = i_data
from item (tablock repeatableread)
where i_id = @li_id

-- update stock values
update stock
set s_ytd = s_ytd + @li_qty,

```

```

@s_quantity = s_quantity -
@li_qty +
(s_quantity - @li_qty < 10) then 91 else 0 end,
(@li_s_w_id = @w_id) then 0 else 1 end,
@s_data
@s_dist

@s_quantity = s_quantity -
case when
s_order_cnt
s_remote_cnt
= s_order_cnt + 1,
= s_remote_cnt + case when
= s_data,
= case @d_id
when 1 then s_dist_01
when 2 then s_dist_02
when 3 then s_dist_03
when 4 then s_dist_04
when 5 then s_dist_05
when 6 then s_dist_06
when 7 then s_dist_07
when 8 then s_dist_08
when 9 then s_dist_09
when 10 then s_dist_10
end
where s_i_id = @li_id and
s_w_id = @li_s_w_id

-- if there actually is a stock (and item) with these ids, go to work
if (@@rowcount > 0)
begin
-- insert order_line data (using data from item and stock)
insert into order_line values(@o_id,
@d_id,
@w_id,
@li_no,
@li_id,
@li_s_w_id,
"dec 31, 1899",
@li_qty,
@i_price *
@li_qty,
@s_dist)

-- send line-item data to client
select @i_name,
@s_quantity,
b_g = case when (
(patindex("%ORIGINAL%",@i_data) > 0) and
(patindex("%ORIGINAL%",@s_data) > 0) )
then "B" else "G" end,
@i_price,
@i_price * @li_qty
end
else
begin

-- no item (or stock) found - triggers rollback condition
select "",0,"",0,0
select @commit_flag = 0

```

```

        end
    end
end

-- get customer last name, discount, and credit rating

select    @c_last    = c_last,
          @c_discount = c_discount,
          @c_credit   = c_credit,
          @c_id_local = c_id
from      customer (repeatableread)
where     c_id       = @c_id and
          c_w_id     = @w_id and
          c_d_id     = @d_id

-- insert fresh row into orders table

insert into orders values (    @o_id,
                              @d_id,
                              @w_id,
                              @c_id_local,
                              @o_entry_d,
                              0,
                              @o_ol_cnt,
                              @o_all_local)

-- insert corresponding row into new-order table

insert into new_order values (    @o_id,
                                  @d_id,
                                  @w_id)

-- select warehouse tax

select    @w_tax    = w_tax
from      warehouse (repeatableread)
where     w_id     = @w_id

if (@commit_flag = 1)
    commit transaction n
else
-- all that work for nuthin!!!
    rollback transaction n

-- return order data to client

select    @w_tax,
          @d_tax,
          @o_id,
          @c_last,
          @c_discount,
          @c_credit,
          @o_entry_d,
          @commit_flag

end
go

```

## ***null-txns.sql***

```

-- TPC-C Null Txn Stored Procs
-- Microsoft TPC-C Kit
-- 8/17/99
--
-- This script will create stored procs which accept the same parameters and return
correctly formed
-- results sets to match the standard TPC-C stored procs. Of course, the advantage
is that these
-- stored procs place almost no load on SQL Server and do not require a database.
--
-- The purpose of these stored procs is to size and test the web client without the
need of a fully
-- scaled database.
--
drop proc tpcc_delivery
drop proc tpcc_neworder
drop proc tpcc_orderstatus
drop proc tpcc_payment
drop proc tpcc_stocklevel
drop proc tpcc_version
drop table order_line_null
go

create proc tpcc_delivery    @w_id            smallint,
                             @o_carrier_id   smallint
as

declare @d_id tinyint,
        @o_id int,
        @c_id int,
        @total numeric(12,2),
        @oid1 int,
        @oid2 int,
        @oid3 int,
        @oid4 int,
        @oid5 int,
        @oid6 int,
        @oid7 int,
        @oid8 int,
        @oid9 int,
        @oid10 int

declare @delaytime varchar(30)

-- uniform random delay of 0 - 1 second; avg = 0.50
select @delaytime = '00:00:0' + cast(cast((rand()*1.00) as decimal(4,3)) as char(5))
waitfor delay @delaytime

select 3001, 3001, 3001, 3001, 3001, 3001, 3001, 3001, 3001, 3001

GO

create proc tpcc_neworder
                             @w_id            smallint,
                             @d_id            tinyint,
                             @c_id            int,
                             @o_ol_cnt       tinyint,
                             @o_all_local     tinyint,

```

```

= 0, @ol_qty1 smallint = 0,
= 0, @ol_qty2 smallint = 0,
= 0, @ol_qty3 smallint = 0,
= 0, @ol_qty4 smallint = 0,
= 0, @ol_qty5 smallint = 0,
= 0, @ol_qty6 smallint = 0,
= 0, @ol_qty7 smallint = 0,
= 0, @ol_qty8 smallint = 0,
= 0, @ol_qty9 smallint = 0,
smallint = 0, @ol_qty10 smallint = 0,
smallint = 0, @ol_qty11 smallint = 0,
smallint = 0, @ol_qty12 smallint = 0,
smallint = 0, @ol_qty13 smallint = 0,
smallint = 0, @ol_qty14 smallint = 0,
smallint = 0, @ol_qty15 smallint = 0

@i_id1 int = 0, @s_w_id1 smallint
@i_id2 int = 0, @s_w_id2 smallint
@i_id3 int = 0, @s_w_id3 smallint
@i_id4 int = 0, @s_w_id4 smallint
@i_id5 int = 0, @s_w_id5 smallint
@i_id6 int = 0, @s_w_id6 smallint
@i_id7 int = 0, @s_w_id7 smallint
@i_id8 int = 0, @s_w_id8 smallint
@i_id9 int = 0, @s_w_id9 smallint
@i_id10 int = 0, @s_w_id10
@i_id11 int = 0, @s_w_id11
@i_id12 int = 0, @s_w_id12
@i_id13 int = 0, @s_w_id13
@i_id14 int = 0, @s_w_id14
@i_id15 int = 0, @s_w_id15

as
declare @w_tax numeric(4,4),
@d_tax numeric(4,4),
@c_last char(16),
@c_credit char(2),
@c_discount numeric(4,4),
@i_price numeric(5,2),
@i_name char(24),
@o_entry_d datetime,
@li_no int,
@o_id int,
@commit_flag tinyint,
@li_id int,
@li_qty smallint

declare @delaytime varchar(30)

begin
-- uniform random delay of 0 - 0.6 second; avg = 0.3
select @delaytime = '00:00:0' + cast(cast((rand()*0.60) as decimal(4,3)) as
char(5))
waitfor delay @delaytime

-- process orderlines
select @commit_flag = 1, @li_no = 0

while (@li_no < @o_ol_cnt)
begin
select @li_id = case @li_no

```

```

when 1 then @i_id1
when 2 then @i_id2
when 3 then @i_id3
when 4 then @i_id4
when 5 then @i_id5
when 6 then @i_id6
when 7 then @i_id7
when 8 then @i_id8
when 9 then @i_id9
when 10 then @i_id10
when 11 then @i_id11
when 12 then @i_id12
when 13 then @i_id13
when 14 then @i_id14
when 15 then @i_id15
end

select @li_no = @li_no + 1
select @i_price = 23.45, @li_qty = @li_no

if (@li_id = 999999)
begin
select ',0,',0,0
select @commit_flag = 0
end
else
begin
select 'Item Name blah',17,'G', @i_price, @i_price * @li_qty
end

end

-- return order data to client

select @w_tax = 0.1234,
@d_tax = 0.0987,
@o_id = 3001,
@c_last = 'BAROUGHTABLE',
@c_discount = 0.2198,
@c_credit = 'GC',
@o_entry_d = getdate()

select @w_tax,
@d_tax,
@o_id,
@c_last,
@c_discount,
@c_credit,
@o_entry_d,
@commit_flag

end

GO

create proc tpcc_orderstatus @w_id smallint,
tinyint,
@o_id int,
char(16) = ''

```

```

as
declare @c_balance      numeric(12,2),
        @c_first       char(16),
        @c_middle      char(2),
        @o_id          int,
        @o_entry_d     datetime,
        @o_carrier_id  smallint,
        @ol_cnt        smallint

declare @delaytime varchar(30)

-- uniform random delay of 0 - 0.2 second; avg = 0.1
select @delaytime = '00:00:0' + cast(cast((rand()*0.20) as decimal(4,3)) as
char(5))
waitfor delay @delaytime

select
    @c_id      = 113,
    @c_balance = -10.00,
    @c_first  = '8YCodgytqCj8',
    @c_middle = 'OE',
    @c_last   = 'OUGHTOUGHTABLE',
    @o_id     = 3456,
    @o_entry_d = getdate(),
    @o_carrier_id = 1

select @ol_cnt = (rand() * 11) + 5
SET ROWCOUNT @ol_cnt

select
    ol_supply_w_id,
    ol_i_id,
    ol_quantity,
    ol_amount,
    ol_delivery_d
from order_line_null

select @c_id,
    @c_last,
    @c_first,
    @c_middle,
    @o_entry_d,
    @o_carrier_id,
    @c_balance,
    @o_id

GO

create proc tpcc_payment @w_id      smallint,
                        @c_w_id    int,
                        @h_amount  numeric(6,2),
                        @d_id      tinyint,
                        @c_d_id    tinyint,
                        @c_id      int,

```

```

char(16) = ''
@_c_last

as
declare @w_street_1 char(20),
        @w_street_2 char(20),
        @w_city     char(20),
        @w_state    char(2),
        @w_zip      char(9),
        @w_name     char(10),
        @d_street_1 char(20),
        @d_street_2 char(20),
        @d_city     char(20),
        @d_state    char(2),
        @d_zip      char(9),
        @d_name     char(10),
        @c_first    char(16),
        @c_middle   char(2),
        @c_street_1 char(20),
        @c_street_2 char(20),
        @c_city     char(20),
        @c_state    char(2),
        @c_zip      char(9),
        @c_phone    char(16),
        @c_since    datetime,
        @c_credit   char(2),
        @c_credit_lim numeric(12,2),
        @c_balance  numeric(12,2),
        @c_discount numeric(4,4),
        @data       char(500),
        @c_data     char(500),
        @datetime   datetime,
        @w_ytd      numeric(12,2),
        @d_ytd      numeric(12,2),
        @cnt        smallint,
        @val        smallint,
        @screen_data char(200),
        @d_id_local tinyint,
        @w_id_local smallint,
        @c_id_local int

declare @delaytime varchar(30)

-- uniform random delay of 0 - 0.3 second; avg = 0.15
select @delaytime = '00:00:0' + cast(cast((rand()*0.30) as decimal(4,3)) as
char(5))
waitfor delay @delaytime

select @screen_data = ''

-- get customer info and update balances

select
    @d_street_1 = 'rqSHHakqyV',
    @d_street_2 = 'zZ98nW3BR2s',
    @d_city     = 'ArNr4GNFV9',
    @d_state    = 'aV',
    @d_zip      = '453511111'

-- get warehouse data and update year-to-date

select

```



```

        @w_street_1 = 'rqSHHakqyV',
        @w_street_2 = 'zZ98nW3BR2s',
        @w_city      = 'ArNr4GNFV9',
        @w_state     = 'aV',
        @w_zip       = '453511111'

select
    @c_id           = 123,
    @c_balance      = -10000.00,
    @c_first        = 'KmR03Xureb',
    @c_middle       = 'OE',
    @c_last         = 'BAROUGHTBAR',
    @c_street_1    = 'QpGdOHjv8mR9vNI8V',
    @c_street_2    = 'dzKoCObBqbC3yu',
    @c_city         = 'zAKZXdC037FQxq',
    @c_state        = 'QA',
    @c_zip          = '700311111',
    @c_phone        = '2967264064528555',
    @c_credit       = 'GC',
    @c_credit_lim   = 50000.00,
    @c_discount     = 0.3069,
    @c_since        = getdate(),
    @datetime       = getdate()

-- return data to client

select  @c_id,
        @c_last,
        @datetime,
        @w_street_1,
        @w_street_2,
        @w_city,
        @w_state,
        @w_zip,
        @d_street_1,
        @d_street_2,
        @d_city,
        @d_state,
        @d_zip,
        @c_first,
        @c_middle,
        @c_street_1,
        @c_street_2,
        @c_city,
        @c_state,
        @c_zip,
        @c_phone,
        @c_since,
        @c_credit,
        @c_credit_lim,
        @c_discount,
        @c_balance,
        @screen_data

GO

create proc tpcc_stocklevel  @w_id          smallint,
                             @d_id          tinyint,

```

```

                                                @threshold

as

declare @delaytime varchar(30)

-- uniform random delay of 0 - 3.6 second; avg = 1.8
select @delaytime = '00:00:0' + cast(cast((rand()*3.60) as decimal(4,3)) as
char(5))
waitfor delay @delaytime

select 49

GO

create proc tpcc_version
as
declare @version char(8)

begin
    select @version = '4.10.000'
    select @version as 'Version'

end

GO

CREATE TABLE order_line_null (
    [ol_i_id] [int] NOT NULL ,
    [ol_supply_w_id] [smallint] NOT NULL ,
    [ol_delivery_d] [datetime] NOT NULL ,
    [ol_quantity] [smallint] NOT NULL ,
    [ol_amount] [numeric](6, 2) NOT NULL
) ON [PRIMARY]
GO

insert into order_line_null values ( 101, 1, getdate(), 1, 123.45 )
insert into order_line_null values ( 102, 1, getdate(), 2, 123.45 )
insert into order_line_null values ( 103, 1, getdate(), 3, 123.45 )
insert into order_line_null values ( 104, 1, getdate(), 4, 123.45 )
insert into order_line_null values ( 105, 1, getdate(), 5, 123.45 )
insert into order_line_null values ( 106, 1, getdate(), 1, 123.45 )
insert into order_line_null values ( 107, 1, getdate(), 2, 123.45 )
insert into order_line_null values ( 108, 1, getdate(), 3, 123.45 )
insert into order_line_null values ( 109, 1, getdate(), 4, 123.45 )
insert into order_line_null values ( 110, 1, getdate(), 5, 123.45 )
insert into order_line_null values ( 111, 1, getdate(), 1, 123.45 )
insert into order_line_null values ( 112, 1, getdate(), 2, 123.45 )
insert into order_line_null values ( 113, 1, getdate(), 3, 123.45 )
insert into order_line_null values ( 114, 1, getdate(), 4, 123.45 )
insert into order_line_null values ( 115, 1, getdate(), 5, 123.45 )

GO

```

## ordstat.sql

```

-- File:      ORDSTAT.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates order status transaction stored procedure
--
--           Interface Level: 4.10.000

```

```

use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_orderstatus" )
    drop procedure tpcc_orderstatus
go

create proc tpcc_orderstatus @w_id    smallint,
                             @d_id    tinyint,
                             @c_id    int,
                             @c_last  char(16) = ""

as

declare @c_balance    numeric(12,2),
        @c_first      char(16),
        @c_middle     char(2),
        @o_id         int,
        @o_entry_d    datetime,
        @o_carrier_id smallint,
        @cnt          smallint

begin tran o

if (@c_id = 0)
    begin

-- get customer id and info using last name

        select @cnt = (count(*)+1)/2
        from customer (repeatableread)
        where c_last = @c_last and
              c_w_id = @w_id and
              c_d_id = @d_id

        set rowcount @cnt

        select @c_id = c_id,
               @c_balance = c_balance,
               @c_first = c_first,
               @c_last = c_last,
               @c_middle = c_middle
        from customer (repeatableread)
        where c_last = @c_last and
              c_w_id = @w_id and
              c_d_id = @d_id
        order by c_w_id, c_d_id, c_last, c_first

        set rowcount 0

    end

    else

        begin

-- get customer info if by id

        select @c_balance = c_balance,
               @c_first = c_first,
               @c_middle = c_middle,
               @c_last = c_last
        from customer (repeatableread)

```

```

        where c_id = @c_id and
              c_d_id = @d_id and
              c_w_id = @w_id

        select @cnt = @@rowcount

    end

-- if no such customer

    if (@cnt = 0)
        begin
            raiserror("Customer not found",18,1)
            goto custnotfound
        end

-- get order info

        select @o_id = o_id,
               @o_entry_d = o_entry_d,
               @o_carrier_id = o_carrier_id
        from orders (serializable)
        where o_c_id = @c_id and
              o_d_id = @d_id and
              o_w_id = @w_id
        order by o_id asc

-- select order lines for the current order

        select ol_supply_w_id,
               ol_i_id,
               ol_quantity,
               ol_amount,
               ol_delivery_d
        from order_line (repeatableread)
        where ol_o_id = @o_id and
              ol_d_id = @d_id and
              ol_w_id = @w_id

custnotfound:

commit tran o

-- return data to client

select @c_id,
       @c_last,
       @c_first,
       @c_middle,
       @o_entry_d,
       @o_carrier_id,
       @c_balance,
       @o_id

go

```

---

## ***payment.sql***

```

-- File: PAYMENT.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates payment transaction stored procedure

```

```

--
--      Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_payment" )
    drop procedure tpcc_payment
go

create proc tpcc_payment      @w_id          smallint,
                             @c_w_id       smallint,
                             @h_amount     numeric(6,2),
                             @d_id        tinyint,
                             @c_d_id      tinyint,
                             @c_id        int,
                             @c_last      char(16) = ""

as
declare @w_street_1 char(20),
        @w_street_2 char(20),
        @w_city     char(20),
        @w_state    char(2),
        @w_zip      char(9),
        @w_name     char(10),
        @d_street_1 char(20),
        @d_street_2 char(20),
        @d_city     char(20),
        @d_state    char(2),
        @d_zip      char(9),
        @d_name     char(10),
        @c_first    char(16),
        @c_middle   char(2),
        @c_street_1 char(20),
        @c_street_2 char(20),
        @c_city     char(20),
        @c_state    char(2),
        @c_zip      char(9),
        @c_phone    char(16),
        @c_since    datetime,
        @c_credit   char(2),
        @c_credit_lim numeric(12,2),
        @c_balance  numeric(12,2),
        @c_discount numeric(4,4),
        @data       char(500),
        @c_data     char(500),
        @datetime   datetime,
        @w_ytd     numeric(12,2),
        @d_ytd     numeric(12,2),
        @cnt       smallint,
        @val       smallint,
        @screen_data char(200),
        @d_id_local tinyint,
        @w_id_local smallint,
        @c_id_local int

select @screen_data = ""

begin tran p

--  get payment date

```

```

select      @datetime = getdate()

if (@c_id = 0)
begin
--  get customer id and info using last name

select      @cnt       = count(*)
from        customer (repeatableread)
where       c_last     = @c_last and
           c_w_id     = @c_w_id and
           c_d_id     = @c_d_id

select      @val = (@cnt + 1) / 2
set        rowcount @val

select      @c_id     = c_id
from        customer (repeatableread)
where       c_last     = @c_last and
           c_w_id     = @c_w_id and
           c_d_id     = @c_d_id

order      by c_last, c_first

set        rowcount 0

end

--  get customer info and update balances

update      customer
set         @c_balance      = c_balance      = c_balance - @h_amount,
           c_payment_cnt   = c_payment_cnt + 1,
           c_ytd_payment   = c_ytd_payment + @h_amount,
           @c_first = c_first,
           @c_middle = c_middle,
           @c_last      = c_last,
           @c_street_1  = c_street_1,
           @c_street_2  = c_street_2,
           @c_city      = c_city,
           @c_state     = c_state,
           @c_zip       = c_zip,
           @c_phone     = c_phone,
           @c_credit    = c_credit,
           @c_credit_lim = c_credit_lim,
           @c_discount  = c_discount,
           @c_since     = c_since,
           @data        = c_data,
           @c_id_local  = c_id

where       c_id         = @c_id and
           c_w_id       = @c_w_id and
           c_d_id       = @c_d_id

--  if customer has bad credit get some more info

if (@c_credit = "BC")
begin

--      compute new info

select @c_data = convert(char(5),@c_id) +
               convert(char(4),@c_d_id) +
               convert(char(5),@c_w_id) +
               convert(char(4),@d_id) +

```

```

                convert(char(5),@w_id) +
                convert(char(19),@h_amount) +
                substring(@data, 1, 458)

-- update customer info

        update    customer
        set       c_data = @c_data
        where    c_id = @c_id and
                c_w_id = @c_w_id and
                c_d_id = @c_d_id

        select    @screen_data = substring (@c_data,1,200)
    end

-- get district data and update year-to-date

    update    district
    set       d_ytd = d_ytd + @h_amount,
            @d_street_1 = d_street_1,
            @d_street_2 = d_street_2,
            @d_city = d_city,
            @d_state = d_state,
            @d_zip = d_zip,
            @d_name = d_name,
            @d_id_local = d_id

    where    d_w_id = @w_id and
            d_id = @d_id

-- get warehouse data and update year-to-date

    update    warehouse
    set       w_ytd = w_ytd + @h_amount,
            @w_street_1 = w_street_1,
            @w_street_2 = w_street_2,
            @w_city = w_city,
            @w_state = w_state,
            @w_zip = w_zip,
            @w_name = w_name,
            @w_id_local = w_id

    where    w_id = @w_id

-- create history record

    insert into history values ( @c_id_local,
                                @c_d_id,
                                @c_w_id,
                                @d_id_local,
                                @w_id_local,
                                @datetime,
                                @h_amount,
                                @w_name + " " + @d_name)

commit tran p

-- return data to client

select    @c_id,
        @c_last,
        @datetime,
        @w_street_1,
        @w_street_2,
        @w_city,
        @w_state,

```

```

        @w_zip,
        @d_street_1,
        @d_street_2,
        @d_city,
        @d_state,
        @d_zip,
        @c_first,
        @c_middle,
        @c_street_1,
        @c_street_2,
        @c_city,
        @c_state,
        @c_zip,
        @c_phone,
        @c_since,
        @c_credit,
        @c_credit_lim,
        @c_discount,
        @c_balance,
        @screen_data

```

go

---

## random.c

---

```

// File: RANDOM.C
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 1996, 1997, 1998, 1999,
2000, 2001
// Purpose: Random number generation routines for database loader

// Includes
#include "tpcc.h"
#include "math.h"

// Defines
#define A 16807
#define M 2147483647
#define Q 127773 /* M div A */
#define R 2836 /* M mod A */
#define Thread __declspec(thread)

// Globals
long Thread Seed = 0; /* thread local seed */

/*****
 *
 * random -
 * Implements a GOOD pseudo random number generator. This generator
 * will/should? run the complete period before repeating.
 *
 * Copied from:
 * Random Numbers Generators: Good Ones Are Hard to Find.
 * Communications of the ACM - October 1988 Volume 31 Number 10
 *
 * Machine Dependencies:
 * long must be 2 ^ 31 - 1 or greater.
 *
 *****/

```

```

* seed - load the Seed value used in irand and drand.  Should be used before *
* first call to irand or drand. *
*****/

void seed(long val)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering seed()...\n", (int) GetCurrentThreadId());
    printf("Old Seed %ld New Seed %ld\n",Seed, val);
#endif

    if ( val < 0 )
        val = abs(val);

    Seed = val;
}

/*****
*
* irand - returns a 32 bit integer pseudo random number with a period of *
* 1 to 2 ^ 32 - 1. *
*
* parameters: *
* none. *
*
* returns: *
* 32 bit integer - defined as long ( see above ). *
*
* side effects: *
* seed get recomputed. *
*****/

long irand()
{
    register long s; /* copy of seed */
    register long test; /* test flag */
    register long hi; /* tmp value for speed */
    register long lo; /* tmp value for speed */

#ifdef DEBUG
    printf("[%ld]DBG: Entering irand()...\n", (int) GetCurrentThreadId());
#endif

    s = Seed;
    hi = s / Q;
    lo = s % Q;

    test = A * lo - R * hi;
    if ( test > 0 )
        Seed = test;
    else
        Seed = test + M;

    return( Seed );
}

/*****
*
* drand - returns a double pseudo random number between 0.0 and 1.0. *
*****/

```

```

* See irand. *
*****/
double drand()
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering drand()...\n", (int) GetCurrentThreadId());
#endif

    return( (double)irand() / 2147483647.0);
}

//=====
// Function : RandomNumber
//
// Description:
//=====
long RandomNumber(long lower, long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering RandomNumber()...\n", (int) GetCurrentThreadId());
#endif

    if ( upper == lower ) /* pgd 08-13-96 perf enhancement */
        return lower;

    upper++;

    if ( upper <= lower )
        rand_num = upper;
    else
        rand_num = lower + irand() % (upper - lower); /* pgd 08-13-96
perf enhancement */

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld ==> %ld\n",
        (int) GetCurrentThreadId(), lower, upper,
        rand_num);
#endif

    return rand_num;
}

#if 0
//Original code pgd 08/13/96
long RandomNumber(long lower, long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering RandomNumber()...\n", (int) GetCurrentThreadId());
#endif

    upper++;

```

```

    if ((upper <= lower))
        rand_num = upper;
    else
        rand_num = lower + irand() % ((upper > lower) ? upper - lower :
upper);

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld ==> %ld\n",
        (int) GetCurrentThreadId(), lower, upper,
rand_num);
#endif

    return rand_num;
}
#endif

//=====
// Function : NURand
//
// Description:
//=====
long NURand(int iConst,
            long x,
            long y,
            long C)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering NURand()...\n", (int) GetCurrentThreadId());
#endif

    rand_num = (((RandomNumber(0,iConst) | RandomNumber(x,y)) + C) % (y-x+1))+x;

#ifdef DEBUG
    printf("[%ld]DBG: NURand: num = %d\n", (int) GetCurrentThreadId(), rand_num);
#endif

    return rand_num;
}

```

---

## **removedb.sql**

---

```

-- File:      REMOVEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Removes tpcc database and backup files

use master
go

-- remove any existing database and backup files

exec sp_dbremove tpcc, dropdev
go

```

```

exec sp_dropdevice 'tpccback1'
exec sp_dropdevice 'tpccback2'
exec sp_dropdevice 'tpccback3'
exec sp_dropdevice 'tpccback4'
go

```

---

## **restore.sql**

---

```

-- File:      RESTORE.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Loads database backup from backup files

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

load database tpcc from tpccback1, tpccback2, tpccback3, tpccback4, tpccback5 with
stats = 1, replace

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

sp_dboption 'tpcc', 'torn page', false
go

```

---

## **sqlshutdown.sql**

---

```

use tpcc
go
checkpoint
go
shutdown
go

```

---

## **stocklev.sql**

---

```

-- File:      STOCKLEV.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates stock level transaction stored procedure
--           Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_stocklevel" )
drop procedure tpcc_stocklevel
go

create proc tpcc_stocklevel    @w_id          smallint,
                               @d_id          tinyint,
                               @threshold    smallint

```

```

as
declare @o_id_low int,
        @o_id_high int

select @o_id_low = (d_next_o_id - 20),
       @o_id_high = (d_next_o_id - 1)
from   district
where  d_w_id      = @w_id and
       d_id        = @d_id

select count(distinct(s_i_id))
from   stock, order_line
where  ol_w_id      = @w_id and
       ol_d_id      = @d_id and
       ol_o_id      between @o_id_low and
                       @o_id_high and
       s_w_id       = ol_w_id and
       s_i_id       = ol_i_id and
       s_quantity   < @threshold

go

```

## strings.c

```

// File: STRINGS.C
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 1996, 1997, 1998, 1999,
2000, 2001
// Purpose: Source file for database loader string functions

// Includes
#include "tpcc.h"
#include <string.h>
#include <ctype.h>

//=====
//
// Function name: MakeAddress
//
//=====

void MakeAddress(char *street_1,
                char *street_2,
                char *city,
                char *state,
                char *zip)
{
#ifdef DEBUG
printf("[%ld]DBG: Entering MakeAddress()\n", (int) GetCurrentThreadId());
#endif

MakeAlphaString(10, 20, ADDRESS_LEN, street_1);
MakeAlphaString(10, 20, ADDRESS_LEN, street_2);
MakeAlphaString(10, 20, ADDRESS_LEN, city);
MakeAlphaString(2, 2, STATE_LEN, state);
MakeZipNumberString(9, 9, ZIP_LEN, zip);

#ifdef DEBUG

```

```

printf("[%ld]DBG: MakeAddress: street_1: %s, street_2: %s, city: %s, state: %s,
zip: %s\n",
        (int) GetCurrentThreadId(), street_1, street_2, city,
state, zip);
#endif

return;
}

//=====
//
// Function name: LastName
//
//=====

void LastName(int num,
             char *name)
{
static char *n[] =
{
        "BAR" , "OUGHT" , "ABLE" , "PRI" , "PRES",
        "ESE" , "ANTI" , "CALLY" , "ATION", "EING"
};

#ifdef DEBUG
printf("[%ld]DBG: Entering LastName()\n", (int) GetCurrentThreadId());
#endif

if ((num >= 0) && (num < 1000))
{
        strcpy(name, n[(num/100)%10]);
        strcat(name, n[(num/10)%10]);
        strcat(name, n[(num/1)%10]);

        if (strlen(name) < LAST_NAME_LEN)
        {
                PaddString(LAST_NAME_LEN, name);
        }
        else
        {
                printf("\nError in LastName()... num <%ld> out of range
(0,999)\n", num);
                exit(-1);
        }
}

#ifdef DEBUG
printf("[%ld]DBG: LastName: num = [%d] ==> [%d][%d][%d]\n",
        (int) GetCurrentThreadId(), num, num/100, (num/10)%10,
num%10);
printf("[%ld]DBG: LastName: String = %s\n", (int) GetCurrentThreadId(),
name);
#endif

return;
}

```

```

//=====
//
// Function name: MakeAlphaString
//
//=====
//philipdu 08/13/96 Changed MakeAlphaString to use A-Z, a-z, and 0-9 in
//accordance with spec see below:
//The spec says:
//4.3.2.2 The notation random a-string [x .. y]
//(respectively, n-string [x .. y]) represents a string of random alphanumeric
//(respectively, numeric) characters of a random length of minimum x, maximum y,
//and mean (y+x)/2. Alphanumerics are A..Z, a..z, and 0..9. The only other
//requirement is that the character set used "must be able to represent a minimum
//of 128 different characters". We are using 8-bit chars, so this is a non issue.
//It is completely unreasonable to stuff non-printing chars into the text fields.
//--Clevine 08/13/96

int MakeAlphaString( int x, int y, int z, char *str)
{
    int len;
    int i;
    char cc = 'a';
    static char chArray[] =
"0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz";
    static int chArrayMax = 61;

#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeAlphaString()\n", (int) GetCurrentThreadId());
#endif

    len= RandomNumber(x, y);

    for (i=0; i<len; i++)
    {
        cc = chArray[RandomNumber(0, chArrayMax)];
        str[i] = cc;
    }

    if ( len < z )
        memset(str+len, ' ', z - len);
    str[len] = 0;

    return len;
}

//=====
//
// Function name: MakeOriginalAlphaString
//
//=====

int MakeOriginalAlphaString(int x, int y, int z, char *str, int percent)
{
    int len;
    int val;
    int start;

#ifdef DEBUG

```

```

printf("[%ld]DBG: Entering MakeOriginalAlphaString()\n", (int)
GetCurrentThreadId());
#endif

    // verify prcentage is valid
    if ((percent < 0) || (percent > 100))
    {
        printf("MakeOrigianlAlphaString: Invalid percentage: %d\n",
percent);
        exit(-1);
    }

    // verify string is at least 8 chars in length
    if ((x + y) <= 8)
    {
        printf("MakeOriginalAlphaString: string length must be >= 8\n");
        exit(-1);
    }

    // Make Alpha String
    len = MakeAlphaString(x,y, z, str);

    val = RandomNumber(1,100);
    if (val <= percent)
    {
        start = RandomNumber(0, len - 8);
        strncpy(str + start, "ORIGINAL", 8);
    }

#ifdef DEBUG
    printf("[%ld]DBG: MakeOriginalAlphaString: : %s\n",
(int) GetCurrentThreadId(), str);
#endif

    return strlen(str);
}

//=====
//
// Function name: MakeNumberString
//
//=====
int MakeNumberString(int x, int y, int z, char *str)
{
    char tmp[16];

    //MakeNumberString is always called MakeZipNumberString(16, 16, 16,
string)

    memset(str, '0', 16);
    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str+8, tmp, strlen(tmp));

    str[16] = 0;

    return 16;
}

```



```

//=====
//
// Function name: MakeZipNumberString
//
//=====
int MakeZipNumberString(int x, int y, int z, char *str)
{
    char tmp[16];

    //MakeZipNumberString is always called MakeZipNumberString(9, 9, 9,
string)

    strcpy(str, "000011111");

    itoa(RandomNumber(0, 9999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    return 9;
}

//=====
//
// Function name: InitString
//
//=====
void InitString(char *str, int len)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering InitString()\n", (int) GetCurrentThreadId());
#endif

    memset(str, ' ', len);
    str[len] = 0;
}

//=====
// Function name: InitAddress
//
// Description:
//
//=====
void InitAddress(char *street_1, char *street_2, char *city, char *state, char *zip)
{
    memset(street_1, ' ', ADDRESS_LEN+1);
    memset(street_2, ' ', ADDRESS_LEN+1);
    memset(city, ' ', ADDRESS_LEN+1);

    street_1[ADDRESS_LEN+1] = 0;
    street_2[ADDRESS_LEN+1] = 0;
    city[ADDRESS_LEN+1] = 0;

    memset(state, ' ', STATE_LEN+1);
    state[STATE_LEN+1] = 0;

    memset(zip, ' ', ZIP_LEN+1);
    zip[ZIP_LEN+1] = 0;
}

```

```

//=====
//
// Function name: PaddString
//
//=====
void PaddString(int max, char *name)
{
    int len;

    len = strlen(name);
    if ( len < max )
        memset(name+len, ' ', max - len);
    name[max] = 0;

    return;
}

```

## **tables.sql**

```

-- File: TABLES.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates TPC-C tables

use tpcc
go

--
-- Remove all existing TPC-C tables
--

if exists ( select name from sysobjects where name = 'warehouse' )
    drop table warehouse
go
if exists ( select name from sysobjects where name = 'district' )
    drop table district
go
if exists ( select name from sysobjects where name = 'customer' )
    drop table customer
go
if exists ( select name from sysobjects where name = 'history' )
    drop table history
go
if exists ( select name from sysobjects where name = 'new_order' )
    drop table new_order
go
if exists ( select name from sysobjects where name = 'orders' )
    drop table orders
go
if exists ( select name from sysobjects where name = 'order_line' )
    drop table order_line
go
if exists ( select name from sysobjects where name = 'item' )
    drop table item
go
if exists ( select name from sysobjects where name = 'stock' )
    drop table stock
go
--

```

```

-- Create new tables
--

create table warehouse
(
    w_id                smallint,
    w_name              char(10),
    w_street_1         char(20),
    w_street_2         char(20),
    w_city             char(20),
    w_state            char(2),
    w_zip              char(9),
    w_tax              numeric(4,4),
    w_ytd              numeric(12,2)
) on MSSQL_misc_fg
go

create table district
(
    d_id                tinyint,
    d_w_id              smallint,
    d_name              char(10),
    d_street_1         char(20),
    d_street_2         char(20),
    d_city             char(20),
    d_state            char(2),
    d_zip              char(9),
    d_tax              numeric(4,4),
    d_ytd              numeric(12,2),
    d_next_o_id        int
) on MSSQL_misc_fg
go

create table customer
(
    c_id                int,
    c_d_id              tinyint,
    c_w_id              smallint,
    c_first             char(16),
    c_middle            char(2),
    c_last              char(16),
    c_street_1         char(20),
    c_street_2         char(20),
    c_city             char(20),
    c_state            char(2),
    c_zip              char(9),
    c_phone            char(16),
    c_since            datetime,
    c_credit            char(2),
    c_credit_lim        numeric(12,2),
    c_discount          numeric(4,4),
    c_balance           numeric(12,2),
    c_ytd_payment      numeric(12,2),
    c_payment_cnt      smallint,
    c_delivery_cnt     smallint,
    c_data             char(500)
) on MSSQL_cs_fg
go

create table history
(
    h_c_id              int,
    h_c_d_id            tinyint,

```

```

    h_c_w_id            smallint,
    h_d_id              tinyint,
    h_w_id              smallint,
    h_date              datetime,
    h_amount            numeric(6,2),
    h_data             char(24)
) on MSSQL_misc_fg
go

create table new_order
(
    no_o_id             int,
    no_d_id             tinyint,
    no_w_id             smallint
) on MSSQL_misc_fg
go

create table orders
(
    o_id                int,
    o_d_id              tinyint,
    o_w_id              smallint,
    o_c_id              int,
    o_entry_d           datetime,
    o_carrier_id        tinyint,
    o_ol_cnt            tinyint,
    o_all_local         tinyint
) on MSSQL_misc_fg
go

create table order_line
(
    ol_o_id             int,
    ol_d_id             tinyint,
    ol_w_id             smallint,
    ol_number           tinyint,
    ol_i_id             int,
    ol_supply_w_id      smallint,
    ol_delivery_d        datetime,
    ol_quantity         smallint,
    ol_amount           numeric(6,2),
    ol_dist_info        char(24)
) on MSSQL_misc_fg
go

create table item
(
    i_id                int,
    i_im_id             int,
    i_name              char(24),
    i_price             numeric(5,2),
    i_data             char(50)
) on MSSQL_misc_fg
go

create table stock
(
    s_i_id             int,
    s_w_id             smallint,
    s_quantity          smallint,
    s_dist_01          char(24),
    s_dist_02          char(24),
    s_dist_03          char(24),

```

```

        s_dist_04          char(24),
        s_dist_05          char(24),
        s_dist_06          char(24),
        s_dist_07          char(24),
        s_dist_08          char(24),
        s_dist_09          char(24),
        s_dist_10          char(24),
        s_ytd              int,
        s_order_cnt        smallint,
        s_remote_cnt       smallint,
        s_data             char(50)
) on MSSQL_cs_fg
go

```

## time.c

```

//      File:          TIME.C
//
//      Microsoft TPC-C Kit Ver. 4.22
//      Copyright Microsoft, 1996, 1997, 1998, 1999,
//      2000, 2001
//      Purpose:      Source file for time functions

// Includes
#include "tpcc.h"

// Globals
static long start_sec;

//=====
//
// Function name: TimeNow
//
//=====

long TimeNow()
{
    long          time_now;
    struct _timeb el_time;

#ifdef DEBUG
    printf("[%ld]DBG: Entering TimeNow()\n", (int) GetCurrentThreadId());
#endif

    _ftime(&el_time);

    time_now = ((el_time.time - start_sec) * 1000) + el_time.millitm;

    return time_now;
}

```

## tpcc.h

```

//      File:          TPCC.H
//
//      Microsoft TPC-C Kit Ver. 4.22
//      Copyright Microsoft, 1996, 1997, 1998, 1999,
//      2000, 2001
//      Purpose:      Header file for TPC-C database loader

```

```

// Build number of TPC Benchmark Kit
#define TPCKIT_VER "4.22"

```

```

// General headers
#include <windows.h>
#include <winbase.h>
#include <stdlib.h>
#include <stdio.h>
#include <process.h>
#include <stddef.h>
#include <stdarg.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <sys\types.h>

```

```

// ODBC headers
#include <sql.h>
#include <sqlext.h>
#include <odbcss.h>

```

```

// General constants
#define MILLI          1000
#define FALSE          0
#define TRUE           1
#define UNDEF          -1
#define MINPRINTASCII 32
#define MAXPRINTASCII 126

```

```

// Default environment constants
#define SERVER          ""
#define DATABASE        "tpcc"
#define USER            "sa"
#define PASSWORD        ""

```

```

// Default loader arguments
#define BATCH           10000
#define DEFLDPACKSIZE  32768
#define LOADER_RES_FILE "logs\\load.out"
#define LOADER_NURAND_C 123
#define DEF_STARTING_WAREHOUSE 1
#define BUILD_INDEX    1 // build both
                        data and indexes
#define INDEX_ORDER    1 // build
                        indexes before load
#define SCALE_DOWN     0 // build a normal
                        scale database
#define INDEX_SCRIPT_PATH "scripts"

```

```

typedef struct
{
    char          *server;
    char          *database;
    char          *user;
    char          *password;
    BOOL          tables_all;
    BOOL          // set if loading all tables
    table_item;
    BOOL          // set if loading ITEM table specifically
    table_warehouse; // set if
loading WAREHOUSE, DISTRICT, and STOCK

```

```

        BOOL                table_customer;    //
set if loading CUSTOMER and HISTORY
        BOOL                table_orders;     //
set if loading NEW-ORDER, ORDERS, ORDER-LINE
        long
        long                num_warehouses;
        long                batch;
        long                verbose;
        char                pack_size;
        char                *loader_res_file;
        char                *synch_servername;
        long                case_sensitivity;
        long                starting_warehouse;
        long                build_index;
        long                index_order;
        long                scale_down;
        char                *index_script_path;
} TPCCLDR_ARGS;

// String length constants
#define SERVER_NAME_LEN      20
#define DATABASE_NAME_LEN   20
#define USER_NAME_LEN       20
#define PASSWORD_LEN        20
#define TABLE_NAME_LEN     20
#define I_DATA_LEN          50
#define I_NAME_LEN          24
#define BRAND_LEN           1
#define LAST_NAME_LEN       16
#define W_NAME_LEN          10
#define ADDRESS_LEN         20
#define STATE_LEN           2
#define ZIP_LEN              9
#define S_DIST_LEN          24
#define S_DATA_LEN          50
#define D_NAME_LEN          10
#define FIRST_NAME_LEN      16
#define MIDDLE_NAME_LEN     2
#define PHONE_LEN           16
#define CREDIT_LEN          2
#define C_DATA_LEN          500
#define H_DATA_LEN          24
#define DIST_INFO_LEN       24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN          25
#define OL_DIST_INFO_LEN    24
#define C_SINCE_LEN         23
#define H_DATE_LEN          23
#define OL_DELIVERY_D_LEN   23
#define O_ENTRY_D_LEN       23

// Functions in random.c
void seed();
long irand();
double drand();
void WUCreate();
short WURand();
long RandomNumber(long lower, long upper);

// Functions in getargs.c;
void GetArgsLoader();
void GetArgsLoaderUsage();

```

```

// Functions in time.c
long TimeNow();

// Functions in strings.c
void MakeAddress();
void LastName();
int MakeAlphaString();
int MakeOriginalAlphaString();
int MakeNumberString();
int MakeZipNumberString();
void InitString();
void InitAddress();
void PaddString();

```

## tpccldr.c

```

// File: TPCCLDR.C
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 2000, 2001
// Purpose: Source file for TPC-C database loader

// Includes
#include "tpcc.h"
#include "search.h"

// Defines
#define MAXITEMS 100000
#define MAXITEMS_SCALE_DOWN 100
#define CUSTOMERS_PER_DISTRICT 3000
#define CUSTOMERS_SCALE_DOWN 30
#define DISTRICT_PER_WAREHOUSE 10
#define ORDERS_PER_DISTRICT 3000
#define ORDERS_SCALE_DOWN 30
#define MAX_CUSTOMER_THREADS 2
#define MAX_ORDER_THREADS 3
#define MAX_MAIN_THREADS 4

// Functions declarations

void HandleErrorDBC (SQLHDBC hdbc1);

void CheckSQL();
void CheckDataBase();

long NURand();
void LoadItem();
void LoadWarehouse();

void Stock();
void District();

void LoadCustomer();
void CustomerBufInit();
void CustomerBufLoad();
void LoadCustomerTable();
void LoadHistoryTable();

void LoadOrders();
void OrdersBufInit();
void OrdersBufLoad();

```

```

void LoadOrdersTable();
void LoadNewOrderTable();
void LoadOrderLineTable();
void GetPermutation();
void CheckForCommit();
void OpenConnections();
void BuildIndex();
void FormatDate ();

// Shared memory structures

typedef struct
{
    long            ol;
    long            ol_i_id;
    short           ol_supply_w_id;
    short           ol_quantity;
    double          ol_amount;
    char            ol_dist_info[DIST_INFO_LEN+1];
    char            ol_delivery_d[OL_DELIVERY_D_LEN+1];
} ORDER_LINE_STRUCT;

typedef struct
{
    long            o_id;
    short           o_d_id;
    short           o_w_id;
    long            o_c_id;
    short           o_carrier_id;
    short           o_ol_cnt;
    short           o_all_local;
    ORDER_LINE_STRUCT  o_ol[15];
} ORDERS_STRUCT;

typedef struct
{
    long            c_id;
    short           c_d_id;
    short           c_w_id;
    char            c_first[FIRST_NAME_LEN+1];
    char            c_middle[MIDDLE_NAME_LEN+1];
    char            c_last[LAST_NAME_LEN+1];
    char            c_street_1[ADDRESS_LEN+1];
    char            c_street_2[ADDRESS_LEN+1];
    char            c_city[ADDRESS_LEN+1];
    char            c_state[STATE_LEN+1];
    char            c_zip[ZIP_LEN+1];
    char            c_phone[PHONE_LEN+1];
    char            c_credit[CREDIT_LEN+1];
    double          c_credit_lim;
    double          c_discount;
    // fix to avoid ODBC float to numeric conversion problem.
    // double          c_balance;
    char            c_balance[6];

    double          c_ytd_payment;
    short           c_payment_cnt;
    short           c_delivery_cnt;
    char            c_data[C_DATA_LEN+1];
    double          h_amount;
    char            h_data[H_DATA_LEN+1];
} CUSTOMER_STRUCT;

```

```

typedef struct
{
    char            c_last[LAST_NAME_LEN+1];
    char            c_first[FIRST_NAME_LEN+1];
    long            c_id;
} CUSTOMER_SORT_STRUCT;

typedef struct
{
    long            time_start;
} LOADER_TIME_STRUCT;

// Global variables

char            szLastError[300];

HENV            henv;

HDBC            v_hdbc; // for SQL
Server version verification
HDBC            i_hdbc1; // for ITEM table
HDBC            w_hdbc1; // for WAREHOUSE,
DISTRICT, STOCK
HDBC            c_hdbc1; // for CUSTOMER
HDBC            c_hdbc2; // for HISTORY
HDBC            o_hdbc1; // for ORDERS
HDBC            o_hdbc2; // for NEW-ORDER

HDBC            o_hdbc3; // for ORDER-LINE

HSTMT           v_hstmt; // for SQL Server
version verification
HSTMT           i_hstmt1;
HSTMT           w_hstmt1;
HSTMT           c_hstmt1, c_hstmt2;
HSTMT           o_hstmt1, o_hstmt2, o_hstmt3;

ORDERS_STRUCT  orders_buf[ORDERS_PER_DISTRICT];
CUSTOMER_STRUCT customer_buf[CUSTOMERS_PER_DISTRICT];
long            orders_rows_loaded;
long            new_order_rows_loaded;
long            order_line_rows_loaded;
long            history_rows_loaded;
long            customer_rows_loaded;
long            stock_rows_loaded;
long            district_rows_loaded;
long            item_rows_loaded;
long            warehouse_rows_loaded;
long            main_time_start;
long            main_time_end;
long            max_items;
long            customers_per_district;
long            orders_per_district;
long            first_new_order;
long            last_new_order;

TPCCCLDR_ARGS  *aptr, args;

//=====

```

```

//
// Function name: main
//
//=====
int main(int argc, char **argv)
{
    DWORD          dwThreadID[MAX_MAIN_THREADS];
    HANDLE         hThread[MAX_MAIN_THREADS];
    FILE          *fLoader;
    char          buffer[255];
    int           i;

    for (i=0; i<MAX_MAIN_THREADS; i++)
        hThread[i] = NULL;

    printf("\n*****");
    printf("\n*
    printf("\n* Microsoft SQL Server          **);
    printf("\n*
    printf("\n* TPC-C BENCHMARK KIT: Database loader **);
    printf("\n* Version %s
    printf("\n*
    printf("\n*
    printf("\n*****\n\n");

    // process command line arguments

    aptr = &args;
    GetArgsLoader(argc, argv, aptr);

    // verify database and tables exist before attempting to load

    CheckSQL();
    CheckDataBase();

    printf("Build interface is ODBC.\n");

    if (aptr->build_index == 0)
        printf("Data load only - no index creation.\n");
    else
        printf("Data load and index creation.\n");

    if (aptr->index_order == 0)
        printf("Clustered indexes will be created after bulk load.\n");
    else
        printf("Clustered indexes will be created before bulk load.\n");

    // set database scale values
    if (aptr->scale_down == 1)
    {
        printf("**** Scaled Down Database ****\n");
        max_items = MAXITEMS_SCALE_DOWN;
        customers_per_district = CUSTOMERS_SCALE_DOWN;
        orders_per_district = ORDERS_SCALE_DOWN;
        first_new_order = 0;
        last_new_order = 30;
    }
    else
    {
        max_items = MAXITEMS;
        customers_per_district = CUSTOMERS_PER_DISTRICT;
        orders_per_district = ORDERS_PER_DISTRICT;
    }
}

```

```

        first_new_order = 2100;
        last_new_order = 3000;
    }

    // open connections to SQL Server
    OpenConnections();

    // open file for loader results
    fLoader = fopen(aptr->loader_res_file, "w");

    if (fLoader == NULL)
    {
        printf("Error, loader result file open failed.");
        exit(-1);
    }

    // start loading data
    sprintf(buffer, "TPC-C load started for %ld warehouses.\n", aptr->num_warehouses);

    printf("%s", buffer);
    fprintf(fLoader, "%s", buffer);

    main_time_start = (TimeNow() / MILLI);

    // start parallel load threads

    if (aptr->tables_all || aptr->table_item)
    {
        fprintf(fLoader, "\nStarting loader threads for: item\n");

        hThread[0] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE) LoadItem,
                                NULL,
                                0,
                                &dwThreadID[0]);

        if (hThread[0] == NULL)
        {
            printf("Error, failed in creating creating thread =
0.\n");
            exit(-1);
        }

        if (aptr->tables_all || aptr->table_warehouse)
        {
            fprintf(fLoader, "Starting loader threads for: warehouse\n");

            hThread[1] = CreateThread(NULL,
                                    0,
                                    (LPTHREAD_START_ROUTINE) LoadWarehouse,
                                    NULL,
                                    0,

```

```

&dwThreadID[1]);
        if (hThread[1] == NULL)
        {
            printf("Error, failed in creating creating thread =
1.\n");
            exit(-1);
        }
        if (aptr->tables_all || aptr->table_customer)
        {
            fprintf(fLoader, "Starting loader threads for: customer\n");
            hThread[2] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadCustomer,
NULL,
0,
&dwThreadID[2]);
            if (hThread[2] == NULL)
            {
                printf("Error, failed in creating creating main thread
= 2.\n");
                exit(-1);
            }
            if (aptr->tables_all || aptr->table_orders)
            {
                fprintf(fLoader, "Starting loader threads for: orders\n");
                hThread[3] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadOrders,
NULL,
0,
&dwThreadID[3]);
                if (hThread[3] == NULL)
                {
                    printf("Error, failed in creating creating main thread
= 3.\n");
                    exit(-1);
                }
            }
            // Wait for threads to finish...
            for (i=0; i<MAX_MAIN_THREADS; i++)
            {
                if (hThread[i] != NULL)
                {
                    WaitForSingleObject( hThread[i], INFINITE );
                    CloseHandle(hThread[i]);
                    hThread[i] = NULL;
                }
            }
        }
    }
}

```

```

    }
}

main_time_end = (TimeNow() / MILLI);
printf(buffer, "\nTPC-C load completed successfully in %ld minutes.\n",
(main_time_end - main_time_start)/60);

printf("%s",buffer);
fprintf(fLoader, "%s", buffer);
fclose(fLoader);
SQLFreeEnv(henv);

exit(0);

return 0;
}

//=====
//
// Function name: LoadItem
//
//=====

void LoadItem()
{
    long        i_id;
    long        i_im_id;
    char        i_name[I_NAME_LEN+1];
    double      i_price;
    char        i_data[I_DATA_LEN+1];
    char        name[20];
    long        time_start;
    RETCODE     rc;
    DBINT       rcint;
    char        bcpHint[128];

    // Seed with unique number
    seed(1);

    printf("Loading item table...\n");

    // if build index before load
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxitmcl");

    InitString(i_name, I_NAME_LEN+1);
    InitString(i_data, I_DATA_LEN+1);

    sprintf(name, "%s..%s", aptr->database, "item");

    rc = bcp_init(i_hdbc1, name, NULL, "logs\\item.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcpHint, "tablock, order (i_id), ROWS_PER_BATCH =
100000");
        rc = bcp_control(i_hdbc1, BCPHINTS, (void*) bcpHint);
    }
}

```

```

        if (rc != SUCCEEDED)
            HandleErrorDBC(i_hdbc1);
    }

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_im_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) i_name, 0, I_NAME_LEN, NULL, 0, 0, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_price, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) i_data, 0, I_DATA_LEN, NULL, 0, 0, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(i_hdbc1);

    time_start = (TimeNow() / MILLI);

    item_rows_loaded = 0;

    for (i_id = 1; i_id <= max_items; i_id++)
    {
        i_im_id = RandomNumber(1L, 10000L);

        MakeAlphaString(14, 24, I_NAME_LEN, i_name);

        i_price = ((float) RandomNumber(100L, 10000L))/100.0;

        MakeOriginalAlphaString(26, 50, I_DATA_LEN, i_data, 10);

        rc = bcp_sendrow(i_hdbc1);
        if (rc != SUCCEEDED)
            HandleErrorDBC(i_hdbc1);

        item_rows_loaded++;
        CheckForCommit(i_hdbc1, i_hstmt1, item_rows_loaded, "item",
&time_start);
    }

    rcint = bcp_done(i_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(i_hdbc1);

    printf("Finished loading item table.\n");

    SQLFreeStmt(i_hstmt1, SQL_DROP);
    SQLDisconnect(i_hdbc1);
    SQLFreeConnect(i_hdbc1);

    // if build index after load
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxitmc1");

```

```

    }

    //=====
    //
    // Function : LoadWarehouse
    //
    // Loads WAREHOUSE table and loads Stock and District as Warehouses are created
    //
    //=====

void LoadWarehouse()
{
    short w_id;
    char w_name[W_NAME_LEN+1];
    char w_street_1[ADDRESS_LEN+1];
    char w_street_2[ADDRESS_LEN+1];
    char w_city[ADDRESS_LEN+1];
    char w_state[STATE_LEN+1];
    char w_zip[ZIP_LEN+1];
    double w_tax;
    double w_ytd;
    char name[20];
    long time_start;
    RETCODE rc;
    DBINT rcint;
    char bcp[128];

    // Seed with unique number
    seed(2);

    printf("Loading warehouse table...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxwarcl");

    InitString(w_name, W_NAME_LEN+1);
    InitAddress(w_street_1, w_street_2, w_city, w_state, w_zip);

    sprintf(name, "%s.%s", aptr->database, "warehouse");

    rc = bcp_init(w_hdbc1, name, NULL, "logs\\whouse.err", DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcp, "tablock, order (w_id), ROWS_PER_BATCH = %d",
aptr->num_warehouses);
        rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcp);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
    }

    rc = bcp_bind(w_hdbc1, (BYTE *) &w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_name, 0, W_NAME_LEN, NULL, 0, 0, 2);

```



```

    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

3);
    rc = bcp_bind(w_hdbc1, (BYTE *) w_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

4);
    rc = bcp_bind(w_hdbc1, (BYTE *) w_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_city, 0, ADDRESS_LEN, NULL, 0, 0, 5);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_state, 0, STATE_LEN, NULL, 0, 0, 6);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_zip, 0, ZIP_LEN, NULL, 0, 0, 7);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

SQLFLT8, 8);
    rc = bcp_bind(w_hdbc1, (BYTE *) &w_tax, 0, SQL_VARLEN_DATA, NULL, 0,
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

SQLFLT8, 9);
    rc = bcp_bind(w_hdbc1, (BYTE *) &w_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    time_start = (TimeNow() / MILLI);

    warehouse_rows_loaded = 0;

w_id++)
    for (w_id = (short)aptr->starting_warehouse; w_id <= aptr->num_warehouses;
    {
        MakeAlphaString(6,10, W_NAME_LEN, w_name);

        MakeAddress(w_street_1, w_street_2, w_city, w_state, w_zip);

        w_tax = ((float) RandomNumber(0L,2000L))/10000.00;

        w_ytd = 300000.00;

        rc = bcp_sendrow(w_hdbc1);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        warehouse_rows_loaded++;
        CheckForCommit(w_hdbc1, i_hstmt1, warehouse_rows_loaded,
"warehouse", &time_start);
    }

    rcint = bcp_done(w_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(w_hdbc1);

```

```

    printf("Finished loading warehouse table.\n");

    // if build index after load...
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxwarc1");

    stock_rows_loaded = 0;
    district_rows_loaded = 0;

    District();
    Stock();
}

//=====
//
// Function   : District
//
//=====

void District()
{
    short d_id;
    short d_w_id;
    char d_name[D_NAME_LEN+1];
    char d_street_1[ADDRESS_LEN+1];
    char d_street_2[ADDRESS_LEN+1];
    char d_city[ADDRESS_LEN+1];
    char d_state[STATE_LEN+1];
    char d_zip[ZIP_LEN+1];
    double d_tax;
    double d_ytd;
    char name[20];
    long d_next_o_id;
    long time_start;
    int w_id;
    RETCODE rc;
    DBINT rcint;
    char bcp hint[128];

    // Seed with unique number
    seed(4);

    printf("Loading district table...\n");

    // build index before load
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxdiscl");

    InitString(d_name, D_NAME_LEN+1);
    InitAddress(d_street_1, d_street_2, d_city, d_state, d_zip);
    sprintf(name, "%s.%s", aptr->database, "district");

    rc = bcp_init(w_hdbc1, name, NULL, "logs\\district.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcp hint, "tablock, order (d_w_id, d_id), ROWS_PER_BATCH
= %u", (aptr->num_warehouses * 10));
        rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcp hint);
    }
}

```

```

        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
    }

    rc = bcp_bind(w_hdbc1, (BYTE *) &d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &d_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) d_name, 0, D_NAME_LEN, NULL, 0, 0, 3);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) d_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
4);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) d_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
5);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) d_city, 0, ADDRESS_LEN, NULL, 0, 0, 6);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) d_state, 0, STATE_LEN, NULL, 0, 0, 7);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) d_zip, 0, ZIP_LEN, NULL, 0, 0, 8);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &d_tax, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &d_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 10);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &d_next_o_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 11);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    d_ytd = 30000.0;

    d_next_o_id = orders_per_district+1;

    time_start = (TimeNow() / MILLI);

    for (w_id = aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)

```

```

    {
        d_w_id = w_id;

        for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
        {
            MakeAlphaString(6,10,D_NAME_LEN, d_name);

            MakeAddress(d_street_1, d_street_2, d_city, d_state,
d_zip);

            d_tax = ((float) RandomNumber(0L,2000L))/10000.00;

            rc = bcp_sendrow(w_hdbc1);
            if (rc != SUCCEED)
                HandleErrorDBC(w_hdbc1);

            district_rows_loaded++;
            CheckForCommit(w_hdbc1, w_hstmt1,
district_rows_loaded, "district", &time_start);
        }

        rcint = bcp_done(w_hdbc1);
        if (rcint < 0)
            HandleErrorDBC(w_hdbc1);

        printf("Finished loading district table.\n");

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxdisc1");

        return;
    }

//=====
//
// Function   : Stock
//
//=====

void Stock()
{
    long  s_i_id;
    short s_w_id;
    short s_quantity;
    char  s_dist_01[S_DIST_LEN+1];
    char  s_dist_02[S_DIST_LEN+1];
    char  s_dist_03[S_DIST_LEN+1];
    char  s_dist_04[S_DIST_LEN+1];
    char  s_dist_05[S_DIST_LEN+1];
    char  s_dist_06[S_DIST_LEN+1];
    char  s_dist_07[S_DIST_LEN+1];
    char  s_dist_08[S_DIST_LEN+1];
    char  s_dist_09[S_DIST_LEN+1];
    char  s_dist_10[S_DIST_LEN+1];
    long  s_ytd;
    short s_order_cnt;
    short s_remote_cnt;
    char  s_data[S_DATA_LEN+1];
    short len;
    char  name[20];

```

```

long    time_start;
RETCODE rc;
DBINT   rcint;
char    bcphint[128];

// Seed with unique number
seed(3);

// if build index before load...
if ((aptr->build_index == 1) && (aptr->index_order == 1))
    BuildIndex("idxstkcl");

sprintf(name, "%s.%s", aptr->database, "stock");

rc = bcp_init(w_hdbc1, name, NULL, "logs\\stock.err", DB_IN);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (s_i_id, s_w_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 100000));
    rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);
}

rc = bcp_bind(w_hdbc1, (BYTE *) &s_i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

    bcp_bind(w_hdbc1, (BYTE *) &s_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_quantity, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_01, 0, S_DIST_LEN, NULL, 0, 4);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_02, 0, S_DIST_LEN, NULL, 0, 5);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_03, 0, S_DIST_LEN, NULL, 0, 6);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_04, 0, S_DIST_LEN, NULL, 0, 7);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_05, 0, S_DIST_LEN, NULL, 0, 8);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_06, 0, S_DIST_LEN, NULL, 0, 9);

```

```

if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_07, 0, S_DIST_LEN, NULL, 0, 10);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_08, 0, S_DIST_LEN, NULL, 0, 11);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_09, 0, S_DIST_LEN, NULL, 0, 12);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_10, 0, S_DIST_LEN, NULL, 0, 13);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 14);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_order_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 15);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_remote_cnt, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT2, 16);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_data, 0, S_DATA_LEN, NULL, 0, 17);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

s_ytd = s_order_cnt = s_remote_cnt = 0;

time_start = (TimeNow() / MILLI);

printf("...Loading stock table\n");

for (s_i_id=1; s_i_id <= max_items; s_i_id++)
{
    for (s_w_id = (short)aptr->starting_warehouse; s_w_id <= aptr-
>num_warehouses; s_w_id++)
    {
        s_quantity = (short)RandomNumber(10L,100L);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_01);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_02);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_03);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_04);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_05);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_06);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_07);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_08);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_09);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_10);
    }
}

```

```

        len = MakeOriginalAlphaString(26,50, S_DATA_LEN,
s_data,10);

        rc = bcp_sendrow(w_hdbc1);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        stock_rows_loaded++;
        CheckForCommit(w_hdbc1, w_hstmt1, stock_rows_loaded,
"stock", &time_start);
    }
}

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

printf("Finished loading stock table.\n");

SQLFreeStmt(w_hstmt1, SQL_DROP);
SQLDisconnect(w_hdbc1);
SQLFreeConnect(w_hdbc1);

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxstkcl");

return;
}

//=====
//
// Function   : LoadCustomer
//
//=====

void LoadCustomer()
{
    LOADER_TIME_STRUCT    customer_time_start;
    LOADER_TIME_STRUCT    history_time_start;
    short                 w_id;

    short                 d_id;

    DWORD                 dwThreadID[MAX_CUSTOMER_THREADS];
    HANDLE                 hThread[MAX_CUSTOMER_THREADS];
    char                   name[20];

    RETCODE                rc;
    DBINT                 rcint;
    char                   bcphint[128];
    char                   cmd[256];
    // SQLRETURN            rc_l;
    // SQLSMALLINT           recnum, MsgLen;
    // SQLCHAR                SqlState[6],
Msg[SQL_MAX_MESSAGE_LENGTH];
    // SQLINTEGER            NativeError;

    // Seed with unique number
    seed(5);

    printf("Loading customer and history tables...\n");

    // if build index before load...

```

```

        if ((aptr->build_index == 1) && (aptr->index_order == 1))
            BuildIndex("idxxcuscl");

        // Initialize bulk copy
        sprintf(name, "%s.%s", aptr->database, "customer");

        rc = bcp_init(c_hdbc1, name, NULL, "logs\\customer.err", DB_IN);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc1);

        if ((aptr->build_index == 1) && (aptr->index_order == 1))
        {
            sprintf(bcphint, "tablock, order (c_w_id, c_d_id, c_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
            rc = bcp_control(c_hdbc1, BCPHINTS, (void*) bcphint);
            if (rc != SUCCEED)
                HandleErrorDBC(c_hdbc1);
        }

        sprintf(name, "%s.%s", aptr->database, "history");

        rc = bcp_init(c_hdbc2, name, NULL, "logs\\history.err", DB_IN);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc2);

        sprintf(bcphint, "tablock");
        rc = bcp_control(c_hdbc2, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc2);

        customer_rows_loaded    = 0;
        history_rows_loaded    = 0;

        CustomerBufInit();

        customer_time_start.time_start = (TimeNow() / MILLI);
        history_time_start.time_start = (TimeNow() / MILLI);

        for (w_id = (short)aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
        {
            for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
            {
                CustomerBufLoad(d_id, w_id);

                // Start parallel loading threads here...

                // Start customer table thread

                printf("...Loading customer table for: d_id = %d, w_id
= %d\n", d_id, w_id);

                hThread[0] = CreateThread(NULL,

0,

(LPTHREAD_START_ROUTINE) LoadCustomerTable,

&customer_time_start,

0,

```

```

        &dwThreadID[0]);

        if (hThread[0] == NULL)
        {
            printf("Error, failed in creating creating
thread = 0.\n");
            exit(-1);
        }

        // Start History table thread
        printf("...Loading history table for: d_id = %d, w_id
= %d\n", d_id, w_id);

        hThread[1] = CreateThread(NULL,

0,

(LPTHREAD_START_ROUTINE) LoadHistoryTable,

&history_time_start,

0,

&dwThreadID[1]);

        if (hThread[1] == NULL)
        {
            printf("Error, failed in creating creating
thread = 1.\n");
            exit(-1);
        }

        WaitForSingleObject( hThread[0], INFINITE );
        WaitForSingleObject( hThread[1], INFINITE );

        if (CloseHandle(hThread[0]) == FALSE)
        {
            printf("Error, failed in closing customer
thread handle with errno: %d\n", GetLastError());
        }

        if (CloseHandle(hThread[1]) == FALSE)
        {
            printf("Error, failed in closing history
thread handle with errno: %d\n", GetLastError());
        }

    }

}

// Flush the bulk connection
rcint = bcp_done(c_hdbc1);
if (rcint < 0)
    HandleErrorDBC(c_hdbc1);

rcint = bcp_done(c_hdbc2);
if (rcint < 0)
    HandleErrorDBC(c_hdbc2);

```

```

        printf("Finished loading customer table.\n");

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxcuscl");

        // build non-clustered index
        if (aptr->build_index == 1)
            BuildIndex("idxcusnc");

        // Output the NURAND used for the loader into C_FIRST for C_ID = 1,
        // C_W_ID = 1, and C_D_ID = 1
        sprintf(cmd, "isql -S%s -U%s -P%s -d%s -e -Q\"update customer set c_first
= 'C_LOAD = %d' where c_id = 1 and c_w_id = 1 and c_d_id = 1\" >
logs\\nurand_load.log",

aptr->server,
aptr->user,
aptr->password,
aptr->database,
LOADER_NURAND_C);

        system(cmd);

        SQLFreeStmt(c_hstmt1, SQL_DROP);
        SQLDisconnect(c_hdbc1);
        SQLFreeConnect(c_hdbc1);

        SQLFreeStmt(c_hstmt2, SQL_DROP);
        SQLDisconnect(c_hdbc2);
        SQLFreeConnect(c_hdbc2);

    return;
}

//=====
//
// Function : CustomerBufInit
//
//=====

void CustomerBufInit()
{
    int i;

    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_id = 0;
        customer_buf[i].c_d_id = 0;
        customer_buf[i].c_w_id = 0;

        strcpy(customer_buf[i].c_first,"");
        strcpy(customer_buf[i].c_middle,"");
        strcpy(customer_buf[i].c_last,"");
        strcpy(customer_buf[i].c_street_1,"");
        strcpy(customer_buf[i].c_street_2,"");
        strcpy(customer_buf[i].c_city,"");
        strcpy(customer_buf[i].c_state,"");
        strcpy(customer_buf[i].c_zip,"");
        strcpy(customer_buf[i].c_phone,"");
        strcpy(customer_buf[i].c_credit,"");
    }
}

```

```

customer_buf[i].c_credit_lim = 0;
customer_buf[i].c_discount = (float) 0;

// fix to avoid ODBC float to numeric conversion problem.
// customer_buf[i].c_balance = 0;
strcpy(customer_buf[i].c_balance, "");

customer_buf[i].c_ytd_payment = 0;
customer_buf[i].c_payment_cnt = 0;
customer_buf[i].c_delivery_cnt = 0;

strcpy(customer_buf[i].c_data, "");

customer_buf[i].h_amount = 0;

strcpy(customer_buf[i].h_data, "");

}

}

//=====
//
// Function : CustomerBufLoad
//
// Fills shared buffer for HISTORY and CUSTOMER
//=====

void CustomerBufLoad(int d_id, int w_id)
{
    long i;
    CUSTOMER_SORT_STRUCT c[CUSTOMERS_PER_DISTRICT];

    for (i=0;i<customers_per_district;i++)
    {
        if (i < 1000)
            LastName(i, c[i].c_last);
        else
            LastName(NURand(255,0,999,LOADER_NURAND_C),
c[i].c_last);

        MakeAlphaString(8,16,FIRST_NAME_LEN, c[i].c_first);

        c[i].c_id = i+1;
    }

    printf("...Loading customer buffer for: d_id = %d, w_id = %d\n",
d_id, w_id);

    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_d_id = d_id;
        customer_buf[i].c_w_id = w_id;
        customer_buf[i].h_amount = 10.0;

        customer_buf[i].c_ytd_payment = 10.0;

```

```

customer_buf[i].c_payment_cnt = 1;
customer_buf[i].c_delivery_cnt = 0;

// Generate CUSTOMER and HISTORY data

customer_buf[i].c_id = c[i].c_id;

strcpy(customer_buf[i].c_first, c[i].c_first);
strcpy(customer_buf[i].c_last, c[i].c_last);

customer_buf[i].c_middle[0] = 'O';
customer_buf[i].c_middle[1] = 'E';

MakeAddress(customer_buf[i].c_street_1,
customer_buf[i].c_street_2,
customer_buf[i].c_city,
customer_buf[i].c_state,
customer_buf[i].c_zip);

MakeNumberString(16, 16, PHONE_LEN, customer_buf[i].c_phone);

if (RandomNumber(1L, 100L) > 10)
    customer_buf[i].c_credit[0] = 'G';
else
    customer_buf[i].c_credit[0] = 'B';
customer_buf[i].c_credit[1] = 'C';

customer_buf[i].c_credit_lim = 50000.0;
customer_buf[i].c_discount = ((float) RandomNumber(0L, 5000L)) /
10000.0;

// fix to avoid ODBC float to numeric conversion problem.

// customer_buf[i].c_balance = -10.0;
strcpy(customer_buf[i].c_balance, "-10.0");

MakeAlphaString(300, 500, C_DATA_LEN, customer_buf[i].c_data);

// Generate HISTORY data
MakeAlphaString(12, 24, H_DATA_LEN, customer_buf[i].h_data);

}

}

//=====
//
// Function : LoadCustomerTable
//
//=====

void LoadCustomerTable(LOADER_TIME_STRUCT *customer_time_start)
{
    int i;
    long c_id;
    short c_d_id;
    short c_w_id;
    char c_first[FIRST_NAME_LEN+1];
    char c_middle[MIDDLE_NAME_LEN+1];
    char c_last[LAST_NAME_LEN+1];
    char c_street_1[ADDRESS_LEN+1];
    char c_street_2[ADDRESS_LEN+1];
    char c_city[ADDRESS_LEN+1];

```

```

char      c_state[STATE_LEN+1];
char      c_zip[ZIP_LEN+1];
char      c_phone[PHONE_LEN+1];
char      c_credit[CREDIT_LEN+1];
double    c_credit_lim;
double    c_discount;

    // fix to avoid ODBC float to numeric conversion problem.
    // double      c_balance;
char      c_balance[6];

double    c_ytd_payment;
short     c_payment_cnt;
short     c_delivery_cnt;
char      c_data[C_DATA_LEN+1];
char      c_since[C_SINCE_LEN+1];
char      RETCODE      rc;

rc = bcp_bind(c_hdbc1, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_first, 0, FIRST_NAME_LEN, NULL, 0, 0, 4);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_middle, 0, MIDDLE_NAME_LEN, NULL, 0, 0, 5);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_last, 0, LAST_NAME_LEN, NULL, 0, 0, 6);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_1, 0, ADDRESS_LEN, NULL, 0, 0, 7);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_2, 0, ADDRESS_LEN, NULL, 0, 0, 8);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_city, 0, ADDRESS_LEN, NULL, 0, 0, 9);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_state, 0, STATE_LEN, NULL, 0, 0, 10);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_zip, 0, ZIP_LEN, NULL, 0, 0, 11);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

```

```

rc = bcp_bind(c_hdbc1, (BYTE *) c_phone, 0, PHONE_LEN, NULL, 0, 0, 12);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_since, 0, C_SINCE_LEN, NULL, 0,
SQLCHARACTER, 13);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_credit, 0, CREDIT_LEN, NULL, 0, 0, 14);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_credit_lim, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 15);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_discount, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 16);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

    // fix to avoid ODBC float to numeric conversion problem.

    // rc = bcp_bind(c_hdbc1, (BYTE *) &c_balance, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 17);
    // if (rc != SUCCEEDED)
    //     HandleErrorDBC(c_hdbc1);
rc = bcp_bind(c_hdbc1, (BYTE *) c_balance, 0, 5, NULL, 0, SQLCHARACTER, 17);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_ytd_payment, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 18);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_payment_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 19);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_delivery_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 20);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_data, 0, 500, NULL, 0, 0, 21);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

for (i = 0; i < customers_per_district; i++)
{
    c_id = customer_buf[i].c_id;
    c_d_id = customer_buf[i].c_d_id;
    c_w_id = customer_buf[i].c_w_id;

    strcpy(c_first, customer_buf[i].c_first);
    strcpy(c_middle, customer_buf[i].c_middle);
}

```

```

strcpy(c_last, customer_buf[i].c_last);
strcpy(c_street_1, customer_buf[i].c_street_1);
strcpy(c_street_2, customer_buf[i].c_street_2);
strcpy(c_city, customer_buf[i].c_city);
strcpy(c_state, customer_buf[i].c_state);
strcpy(c_zip, customer_buf[i].c_zip);
strcpy(c_phone, customer_buf[i].c_phone);
strcpy(c_credit, customer_buf[i].c_credit);

FormatDate(&c_since);

c_credit_lim = customer_buf[i].c_credit_lim;
c_discount = customer_buf[i].c_discount;

// fix to avoid ODBC float to numeric conversion problem.

// c_balance = customer_buf[i].c_balance;
strcpy(c_balance, customer_buf[i].c_balance);

c_ytd_payment = customer_buf[i].c_ytd_payment;
c_payment_cnt = customer_buf[i].c_payment_cnt;
c_delivery_cnt = customer_buf[i].c_delivery_cnt;

strcpy(c_data, customer_buf[i].c_data);

// Send data to server
rc = bcp_sendrow(c_hdbc1);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

customer_rows_loaded++;
CheckForCommit(c_hdbc1, c_hstmt1, customer_rows_loaded,
"customer", &customer_time_start->time_start);
}

}

//=====
//
// Function : LoadHistoryTable
//
//=====

void LoadHistoryTable(LOADER_TIME_STRUCT *history_time_start)
{
    int i;
    long c_id;
    short c_d_id;
    short c_w_id;
    double h_amount;
    char h_data[H_DATA_LEN+1];
    char h_date[H_DATE_LEN+1];
    RETCODE rc;

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
    if (rc != SUCCEEDED)

```

```

        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_date, 0, H_DATE_LEN, NULL, 0,
SQLCHARACTER, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_amount, 0, SQL_VARLEN_DATA, NULL, 0, SQLFLT8,
7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) h_data, 0, H_DATA_LEN, NULL, 0, 0, 8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    for (i = 0; i < customers_per_district; i++)
    {
        c_id = customer_buf[i].c_id;
        c_d_id = customer_buf[i].c_d_id;
        c_w_id = customer_buf[i].c_w_id;
        h_amount = customer_buf[i].h_amount;
        strcpy(h_data, customer_buf[i].h_data);

        FormatDate(&h_date);

        // send to server
        rc = bcp_sendrow(c_hdbc2);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc2);

        history_rows_loaded++;
        CheckForCommit(c_hdbc2, c_hstmt2, history_rows_loaded,
"history", &history_time_start->time_start);
    }

}

//=====
//
// Function : LoadOrders
//
//=====

void LoadOrders()
{
    LOADER_TIME_STRUCT orders_time_start;

```



```

LOADER_TIME_STRUCT    new_order_time_start;
LOADER_TIME_STRUCT    order_line_time_start;
short                  w_id;
short                  d_id;
DWORD                  dwThreadID[MAX_ORDER_THREADS];
HANDLE                  hThread[MAX_ORDER_THREADS];
char                    name[20];
RETICODE                rc;
char                    bcphint[128];

// seed with unique number
seed(6);

printf("Loading orders...\n");

// if build index before load...
if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    BuildIndex("idxordc1");
    BuildIndex("idxnodc1");
    BuildIndex("idxodlcl");
}

// initialize bulk copy
sprintf(name, "%s..%s", aptr->database, "orders");

rc = bcp_init(o_hdbc1, name, NULL, "logs\\orders.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (o_w_id, o_d_id, o_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
    rc = bcp_control(o_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);
}

sprintf(name, "%s..%s", aptr->database, "new_order");

rc = bcp_init(o_hdbc2, name, NULL, "logs\\neword.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (no_w_id, no_d_id, no_o_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 9000));
    rc = bcp_control(o_hdbc2, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);
}

sprintf(name, "%s..%s", aptr->database, "order_line");

rc = bcp_init(o_hdbc3, name, NULL, "logs\\ordline.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{

```

```

        sprintf(bcphint, "tablock, order (ol_w_id, ol_d_id, ol_o_id,
ol_number), ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
        rc = bcp_control(o_hdbc3, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc3);
    }

    orders_rows_loaded = 0;
    new_order_rows_loaded = 0;
    order_line_rows_loaded = 0;

    OrdersBufInit();

    orders_time_start.time_start = (TimeNow() / MILLI);
    new_order_time_start.time_start = (TimeNow() / MILLI);
    order_line_time_start.time_start = (TimeNow() / MILLI);

    for (w_id = (short)aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
    {
        for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
        {
            OrdersBufLoad(d_id, w_id);

            // start parallel loading threads here...

            // start Orders table thread

            printf("...Loading Order Table for: d_id = %d, w_id =
%d\n", d_id, w_id);

            hThread[0] = CreateThread(NULL,

                0,

                (LPTHREAD_START_ROUTINE) LoadOrdersTable,

                &orders_time_start,

                0,

                &dwThreadID[0]);

            if (hThread[0] == NULL)
            {
                printf("Error, failed in creating creating
thread = 0.\n");
                exit(-1);
            }

            // start NewOrder table thread

            printf("...Loading New-Order Table for: d_id = %d,
w_id = %d\n", d_id, w_id);

            hThread[1] = CreateThread(NULL,

                0,

                (LPTHREAD_START_ROUTINE) LoadNewOrderTable,

                &new_order_time_start,

```

```

0,
&dwThreadID[1]);

    if (hThread[1] == NULL)
    {
        printf("Error, failed in creating creating
thread = 1.\n");
        exit(-1);
    }

    // start Order-Line table thread
printf("...Loading Order-Line Table for: d_id = %d,
w_id = %d\n", d_id, w_id);

    hThread[2] = CreateThread(NULL,

0,
(LPTHREAD_START_ROUTINE) LoadOrderLineTable,
&order_line_time_start,

0,
&dwThreadID[2]);

    if (hThread[2] == NULL)
    {
        printf("Error, failed in creating creating
thread = 2.\n");
        exit(-1);
    }

    WaitForSingleObject( hThread[0], INFINITE );
    WaitForSingleObject( hThread[1], INFINITE );
    WaitForSingleObject( hThread[2], INFINITE );

    if (CloseHandle(hThread[0]) == FALSE)
    {
        printf("Error, failed in closing Orders
thread handle with errno: %d\n", GetLastError());
    }

    if (CloseHandle(hThread[1]) == FALSE)
    {
        printf("Error, failed in closing NewOrder
thread handle with errno: %d\n", GetLastError());
    }

    if (CloseHandle(hThread[2]) == FALSE)
    {
        printf("Error, failed in closing OrderLine
thread handle with errno: %d\n", GetLastError());
    }
}

printf("Finished loading orders.\n");

```

```

return;
}

//=====
//
// Function : OrdersBufInit
//
// Clears shared buffer for ORDERS, NEWORDER, and ORDERLINE
//
//=====

void OrdersBufInit()
{
    int i;
    int j;

    for (i=0;i<orders_per_district;i++)
    {
        orders_buf[i].o_id = 0;
        orders_buf[i].o_d_id = 0;
        orders_buf[i].o_w_id = 0;
        orders_buf[i].o_c_id = 0;
        orders_buf[i].o_carrier_id = 0;
        orders_buf[i].o_ol_cnt = 0;
        orders_buf[i].o_all_local = 0;

        for (j=0;j<=14;j++)
        {
            orders_buf[i].o_ol[j].ol = 0;
            orders_buf[i].o_ol[j].ol_i_id = 0;
            orders_buf[i].o_ol[j].ol_supply_w_id = 0;
            orders_buf[i].o_ol[j].ol_quantity = 0;
            orders_buf[i].o_ol[j].ol_amount = 0;
            strcpy(orders_buf[i].o_ol[j].ol_dist_info, "");
        }
    }
}

//=====
//
// Function : OrdersBufLoad
//
// Fills shared buffer for ORDERS, NEWORDER, and ORDERLINE
//
//=====

void OrdersBufLoad(int d_id, int w_id)
{
    int cust[ORDERS_PER_DISTRICT+1];
    long o_id;
    short ol;

    printf("...Loading Order Buffer for: d_id = %d, w_id = %d\n",
d_id, w_id);

    GetPermutation(cust, orders_per_district);

```

```

for (o_id=0;o_id<orders_per_district;o_id++)
{
    // Generate ORDER and NEW-ORDER data

    orders_buf[o_id].o_d_id = d_id;
    orders_buf[o_id].o_w_id = w_id;
    orders_buf[o_id].o_id = o_id+1;
    orders_buf[o_id].o_c_id = cust[o_id+1];
    orders_buf[o_id].o_ol_cnt = (short)RandomNumber(5L, 15L);

    if (o_id < first_new_order)
    {
        orders_buf[o_id].o_carrier_id =
(short)RandomNumber(1L, 10L);
        orders_buf[o_id].o_all_local = 1;
    }
    else
    {
        orders_buf[o_id].o_carrier_id = 0;
        orders_buf[o_id].o_all_local = 1;
    }

    for (ol=0; ol<orders_buf[o_id].o_ol_cnt; ol++)
    {
        orders_buf[o_id].o_ol[ol].ol = ol+1;
        orders_buf[o_id].o_ol[ol].ol_i_id = RandomNumber(1L,
max_items);
        orders_buf[o_id].o_ol[ol].ol_supply_w_id = w_id;
        orders_buf[o_id].o_ol[ol].ol_quantity = 5;
        MakeAlphaString(24, 24, OL_DIST_INFO_LEN,
&orders_buf[o_id].o_ol[ol].ol_dist_info);

        // Generate ORDER-LINE data
        if (o_id < first_new_order)
        {
            orders_buf[o_id].o_ol[ol].ol_amount = 0;
            // Added to insure ol_delivery_d set
properly during load

            FormatDate(&orders_buf[o_id].o_ol[ol].ol_delivery_d);
        }
        else
        {
            orders_buf[o_id].o_ol[ol].ol_amount =
RandomNumber(1,999999)/100.0;
            // Added to insure ol_delivery_d set
properly during load

            // odbc datetime format

            strcpy(orders_buf[o_id].o_ol[ol].ol_delivery_d,"1899-12-31 00:00:00.000");
        }
    }
}

//=====

```

```

//
// Function : LoadOrdersTable
//
//=====
void LoadOrdersTable(LOADER_TIME_STRUCT *orders_time_start)
{
    int i;
    long o_id;
    short o_d_id;
    short o_w_id;
    long o_c_id;
    short o_carrier_id;
    short o_ol_cnt;
    short o_all_local;
    char o_entry_d[O_ENTRY_D_LEN+1];
    RETCODE rc;
    DBINT rcint;

    // bind ORDER data
    rc = bcp_bind(o_hdbc1, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
3);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_c_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4,
4);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_entry_d, 0, O_ENTRY_D_LEN, NULL, 0,
SQLCHARACTER, 5);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_carrier_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 6);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_ol_cnt, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
7);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_all_local, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 8);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    for (i = 0; i < orders_per_district; i++)
    {
        o_id = orders_buf[i].o_id;
        o_d_id = orders_buf[i].o_d_id;

```

```

        o_w_id      = orders_buf[i].o_w_id;
        o_c_id      = orders_buf[i].o_c_id;
        o_carrier_id = orders_buf[i].o_carrier_id;
        o_ol_cnt    = orders_buf[i].o_ol_cnt;
        o_all_local  = orders_buf[i].o_all_local;

        FormatDate(&o_entry_d);

        // send data to server
        rc = bcp_sendrow(o_hdbc1);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc1);

        orders_rows_loaded++;
        CheckForCommit(o_hdbc1, o_hstmt1, orders_rows_loaded, "orders",
&orders_time_start->time_start);
    }

    // rcint = bcp_batch(o_hdbc1);
    // if (rcint < 0)
    //     HandleErrorDBC(o_hdbc1);

    if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
    {
        rcint = bcp_done(o_hdbc1);
        if (rcint < 0)
            HandleErrorDBC(o_hdbc1);

        SQLFreeStmt(o_hstmt1, SQL_DROP);
        SQLDisconnect(o_hdbc1);
        SQLFreeConnect(o_hdbc1);

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxordc1");

        // build non-clustered index
        if (aptr->build_index == 1)
            BuildIndex("idxordnc");
    }
}

//=====
//
// Function   : LoadNewOrderTable
//
//=====

void LoadNewOrderTable(LOADER_TIME_STRUCT *new_order_time_start)
{
    int         i;
    long        o_id;
    short       o_d_id;
    short       o_w_id;
    RETCODE     rc;
    DBINT       rcint;

    // Bind NEW-ORDER data
    rc = bcp_bind(o_hdbc2, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEED)

```

```

        HandleErrorDBC(o_hdbc2);

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
3);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    for (i = first_new_order; i < last_new_order; i++)
    {
        o_id      = orders_buf[i].o_id;
        o_d_id    = orders_buf[i].o_d_id;
        o_w_id    = orders_buf[i].o_w_id;

        rc = bcp_sendrow(o_hdbc2);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc2);

        new_order_rows_loaded++;
        CheckForCommit(o_hdbc2, o_hstmt2, new_order_rows_loaded,
"new_order", &new_order_time_start->time_start);
    }

    // rcint = bcp_batch(o_hdbc2);
    // if (rcint < 0)
    //     HandleErrorDBC(o_hdbc2);

    if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
    {
        rcint = bcp_done(o_hdbc2);
        if (rcint < 0)
            HandleErrorDBC(o_hdbc2);

        SQLFreeStmt(o_hstmt2, SQL_DROP);
        SQLDisconnect(o_hdbc2);
        SQLFreeConnect(o_hdbc2);

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxmodc1");
    }
}

//=====
//
// Function   : LoadOrderLineTable
//
//=====

void LoadOrderLineTable(LOADER_TIME_STRUCT *order_line_time_start)
{
    int         i, j;
    long        o_id;
    short       o_d_id;
    short       o_w_id;
    long        ol;

```

```

    long    ol_i_id;
short    ol_supply_w_id;
short    ol_quantity;
double   ol_amount;
char     ol_dist_info[DIST_INFO_LEN+1];
char     char    ol_delivery_d[OL_DELIVERY_D_LEN+1];
RETCODE  rc;
DBINT    rcint;

    // bind ORDER-LINE data
rc = bcp_bind(o_hdbc3, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
3);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &ol, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 4);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &ol_i_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4,
5);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &ol_supply_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 6);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &ol_delivery_d, 0, OL_DELIVERY_D_LEN,
NULL, 0, SQLCHARACTER, 7);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &ol_quantity, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 8);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &ol_amount, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) ol_dist_info, 0, DIST_INFO_LEN, NULL, 0, 0, 10);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    for (i = 0; i < orders_per_district; i++)
    {
        o_id    = orders_buf[i].o_id;
        o_d_id  = orders_buf[i].o_d_id;
        o_w_id  = orders_buf[i].o_w_id;

```

```

        for (j=0; j < orders_buf[i].o_ol_cnt; j++)
        {
            ol        = orders_buf[i].o_ol[j].ol;
            ol_i_id   = orders_buf[i].o_ol[j].ol_i_id;
            ol_supply_w_id = orders_buf[i].o_ol[j].ol_supply_w_id;
            ol_quantity = orders_buf[i].o_ol[j].ol_quantity;
            ol_amount  = orders_buf[i].o_ol[j].ol_amount;

            strcpy(ol_delivery_d,orders_buf[i].o_ol[j].ol_delivery_d);

            strcpy(ol_dist_info,orders_buf[i].o_ol[j].ol_dist_info);

            rc = bcp_sendrow(o_hdbc3);
            if (rc != SUCCEED)
                HandleErrorDBC(o_hdbc3);

            order_line_rows_loaded++;
            CheckForCommit(o_hdbc3, o_hstmt3,
order_line_rows_loaded, "order_line", &order_line_time_start->time_start);
        }
    }

    // rcint = bcp_batch(o_hdbc3);
    // if (rcint < 0)
    //     HandleErrorDBC(o_hdbc3);

    if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
    {
        rcint = bcp_done(o_hdbc3);
        if (rcint < 0)
            HandleErrorDBC(o_hdbc3);

        SQLFreeStmt(o_hstmt3, SQL_DROP);
        SQLDisconnect(o_hdbc3);
        SQLFreeConnect(o_hdbc3);

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxodlcl");
    }
}

//=====
//
// Function : GetPermutation
//
//=====

void GetPermutation(int perm[], int n)
{
    int i, r, t;

    for (i=1;i<=n;i++)
        perm[i] = i;

    for (i=1;i<=n;i++)
    {

```

```

        r = RandomNumber(i,n);
        t = perm[i];
        perm[i] = perm[r];
        perm[r] = t;
    }
}

//=====
//
// Function   : CheckForCommit
//
//=====

void CheckForCommit(HDBC hdbc,
                   HSTMT hstmt,
                   int rows_loaded,
                   char *table_name,
                   long *time_start)
{
    long time_end, time_diff;
    // DBINT rcint;

    if ( !(rows_loaded % aptr->batch) )
    {
        // rcint = bcp_batch(hdbc);
        // if (rcint < 0)
        //     HandleErrorDBC(hdbc);

        time_end = (TimeNow() / MILLI);
        time_diff = time_end - *time_start;

        printf("-> Loaded %ld rows into %s in %ld sec - Total = %d (%.2f
rps)\n",
                aptr->batch,
                table_name,
                time_diff,
                rows_loaded,
                (float) aptr->batch / (time_diff ? time_diff
: 1L));

        *time_start = time_end;
    }
    return;
}

//=====
//
// Function   : OpenConnections
//
//=====

void OpenConnections()
{
    RETCODE    rc;

    char       szDriverString[300];

```

```

char          szDriverStringOut[1024];
SQLSMALLINT   cbDriverStringOut;

SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );

SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );

SQLAllocHandle(SQL_HANDLE_DBC, henv , &i_hdbc1);
SQLAllocHandle(SQL_HANDLE_DBC, henv , &w_hdbc1);
SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc1);
SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc2);
SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc1);
SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc2);
SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc3);

SQLSetConnectAttr(i_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
SQLSetConnectAttr(w_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
SQLSetConnectAttr(c_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
SQLSetConnectAttr(c_hdbc2, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
SQLSetConnectAttr(o_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
SQLSetConnectAttr(o_hdbc2, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
SQLSetConnectAttr(o_hdbc3, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

// Open connections to SQL Server

// Connection 1

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
                aptr->server,
                aptr->user,
                aptr->password,
                aptr->database );

rc = SQLSetConnectOption (i_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(i_hdbc1);

rc = SQLDriverConnect ( i_hdbc1,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );

if (rc != SUCCEED)
    HandleErrorDBC(i_hdbc1);

// Connection 2

```

```

        sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
                                aptr->server,
                                aptr->user,
                                aptr->password,
                                aptr->database );

rc = SQLSetConnectOption (w_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = SQLDriverConnect ( w_hdbc1,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

// Connection 3

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
                                aptr->server,
                                aptr->user,
                                aptr->password,
                                aptr->database );

rc = SQLSetConnectOption (c_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = SQLDriverConnect ( c_hdbc1,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

// Connection 4

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
                                aptr->server,
                                aptr->user,
                                aptr->password,
                                aptr->database );

```

```

                                aptr->database );

rc = SQLSetConnectOption (c_hdbc2, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

rc = SQLDriverConnect ( c_hdbc2,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

// Connection 5

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
                                aptr->server,
                                aptr->user,
                                aptr->password,
                                aptr->database );

rc = SQLSetConnectOption (o_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

rc = SQLDriverConnect ( o_hdbc1,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

// Connection 6

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
                                aptr->server,
                                aptr->user,
                                aptr->password,
                                aptr->database );

rc = SQLSetConnectOption (o_hdbc2, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

```

```

rc = SQLDriverConnect ( o_hdbc2,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

// Connection 7

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

rc = SQLSetConnectOption (o_hdbc3, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = SQLDriverConnect ( o_hdbc3,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);
}

//=====
//
// Function name: BuildIndex
//
//=====

void BuildIndex(char          *index_script)
{
    char    cmd[256];

    printf("Starting index creation:  %s\n",index_script);

    sprintf(cmd, "isql -S%s -U%s -P%s -e -i%s\\%s.sql > logs\\%s.log",
            aptr->server,
            aptr->user,

```

```

        aptr->password,
        aptr->index_script_path,
        index_script,
        index_script);

    system(cmd);

    printf("Finished index creation:  %s\n",index_script);
}

void HandleErrorDBC (SQLHDBC hdbc1)
{
    SQLCHAR          SqlState[6], Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER       NativeError;
    SQLSMALLINT      i, MsgLen;
    SQLRETURN        rc2;
    char             timebuf[128];
    char             datebuf[128];
    FILE             *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_DBC , hdbc1, i, SqlState ,
    &NativeError,
                                Msg, sizeof(Msg) , &MsgLen )) !=
    SQL_NO_DATA )
    {
        sprintf( szLastError , "%s" , Msg );
        _strtime(timebuf);
        _strdate(datebuf);
        printf( "[%s : %s] %s\n" , datebuf, timebuf, szLastError);
        fp1 = fopen("logs\\tpccldr.err","w");
        if (fp1 == NULL)
            printf("ERROR:  Unable to open errorlog file.\n");
        else
        {
            fprintf(fp1, "[%s : %s] %s\n" , datebuf, timebuf,
            szLastError);
            fclose(fp1);
        }
        i++;
    }
}

void HandleErrorSTMT (HSTMT hstmt1)
{
    SQLCHAR          SqlState[6], Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER       NativeError;
    SQLSMALLINT      i, MsgLen;
    SQLRETURN        rc2;
    char             timebuf[128];
    char             datebuf[128];
    FILE             *fp1;

    i = 1;

```



```

        while (( rc2 = SQLGetDiagRec(SQL_HANDLE_STMT , hstmt1, i, SqlState ,
&NativeError,
                                Msg, sizeof(Msg) , &MsgLen )) !=
SQL_NO_DATA )
        {

            sprintf( szLastError , "%s" , Msg );

            _strtime(timebuf);
            _strdate(datebuf);

            printf( "[%s : %s] %s\n" , datebuf, timebuf, szLastError);

            fp1 = fopen("logs\\tpccldr.err","w");
            if (fp1 == NULL)
                printf("ERROR: Unable to open errorlog file.\n");
            else
            {
                fprintf(fp1, "[%s : %s] %s\n" , datebuf, timebuf,
szLastError);
                fclose(fp1);
            }

            i++;
        }

}

void FormatDate ( char* szTimeCOutput )
{

    struct tm when;
    time_t now;

    time( &now );
    when = *localtime( &now );

    mktime( &when );

    // odbc datetime format
    strftime( szTimeCOutput , 30 , "%Y-%m-%d %H:%M:%S.000" , &when );

    return;

}

//=====
//
// Function   : CheckSQL
//
//=====

void CheckSQL()
{

    RETCODE      rc;

    char          szDriverString[300];
    char          szDriverStringOut[1024];
    int           SQLBuildFlag;
    char          resp;

```

```

SQLSMALLINT      cbDriverStringOut;
SQLCHAR          SQLVersion[19];
SQLINTEGER       SQLVersionInd;

SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );

SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );

SQLAllocHandle(SQL_HANDLE_DBC, henv , &v_hdbc);

SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

// Open connection to SQL Server

sprintf( szDriverString , "DRIVER={SQL Server};SERVER=%s;UID=%s;PWD=%s" ,
aptr->server,
aptr->user,
aptr->password );

if ( SQLSetConnectAttr( v_hdbc, SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr->pack_size, SQL_IS_INTEGER ) != SQL_SUCCESS )
    HandleErrorDBC(v_hdbc);

rc = SQLDriverConnect ( v_hdbc,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );

if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorDBC(v_hdbc);

if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt) != SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

rc = SQLBindCol(v_hstmt, 4, SQL_C_CHAR, &SQLVersion, sizeof(SQLVersion),
&SQLVersionInd);

// issue SQL Server extended stored procedure (xp_msver) to determine
installed version
rc = SQLExecDirect(v_hstmt, "EXECUTE xp_msver ProductVersion", SQL_NTS);

if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorSTMT(v_hstmt);

rc = SQLFetch(v_hstmt);

if (rc != SQL_SUCCESS)
    HandleErrorDBC(v_hdbc);

// Check build number to ensure 8.00.194 or higher
SQLBuildFlag = 1;

```

```

// first check the Major version
if ( SQLVersion[0] == '8' )
{
    if ( ( SQLVersion[2] == '0' ) & ( SQLVersion[3] == '0' ) )
    {
        if ( SQLVersion[5] == '1' )
        {
            if ( (SQLVersion[6] == '9') &
(SQLVersion[7] == '4') )
            {
                SQLBuildFlag = 0;
                printf("You are using SQL Server
version = %9s\n\n", SQLVersion);
            }
            else
            {
                SQLBuildFlag = 1;
            }
        }
        else
        {
            if ( SQLVersion[5] == '3' )
            {
                if ( (SQLVersion[6] >= 53) &
(SQLVersion[7] >= 48) )
                {
                    SQLBuildFlag = 0;
                    printf("You are using
SQL Server version = %9s\n\n", SQLVersion);
                }
                else
                {
                    SQLBuildFlag = 1;
                }
            }
        }
    }
}
else
{
    SQLBuildFlag = 1;
}

if ( SQLBuildFlag == 1 )
{
    printf("NOTE: The SQL Server version you are using is not
supported\n");
    printf("for TPC-C benchmarking. You currently have SQL Server
version %9s\n",SQLVersion);
    printf("installed. Please upgrade to Microsoft SQL Server 2000
(8.00.0194) or better.\n");
    printf("and re-run the SETUP program.\n\n");
    printf("Do you wish to continue with setup? (Y/N): ");
    resp = getchar();
    if ( ( resp == 'N' ) || (resp == 'n') )
    {
        printf("\nSetup Aborted!\n");
        exit(1);
    }
}

SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);

```

```

SQLDisconnect(v_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

return;
}

//=====
//
// Function : CheckDataBase
//
//=====

void CheckDataBase()
{
    RETCODE rc;

    char szDriverString[300];
    char szDriverStringOut[1024];
    char TablesBitMap[9] = {"000000000"};
    int i, ExitFlag;

    SQLSMALLINT cbDriverStringOut;
    SQLCHAR TabName[10];
    SQLINTEGER TabNameInd, TabCount, TabCountInd;

    ExitFlag = 0;

    SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );

    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );

    SQLAllocHandle(SQL_HANDLE_DBC, henv , &v_hdbc);

    SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

    // Open connection to SQL Server

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

    rc = SQLSetConnectAttr( v_hdbc, SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr-
>pack_size, SQL_IS_UIINTEGER );
    if (rc != SQL_SUCCESS)
        HandleErrorDBC(v_hdbc);

    rc = SQLDriverConnect ( v_hdbc,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),

```

```

                                &cbDriverStringOut,
                                SQL_DRIVER_NOPROMPT );

// if the rc is SQL_ERROR, the the TPCC database probably does not exist
if (rc == SQL_ERROR)
{
    printf("The database TPCC does not appear to exist!\n");
    printf("\nCheck LOGS\\ directory for database creation
errors.\n");

    // cleanup database connections and handles
    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
    SQLDisconnect(v_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

    // since there is not a database, exit back to SETUP.CMD
    exit(1);
}

if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt) != SQL_SUCCESS )
    HandleErrorDBC(v_hdbc);

if ( SQLBindCol(v_hstmt, 1, SQL_C_ULONG, &TabCount, 0, &TabCountInd) !=
SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

// count the number of user tables from sysobjects
rc = SQLExecDirect(v_hstmt, "select count(*) from sysobjects where xtype =
'\U'", SQL_NTS);
if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorSTMT(v_hstmt);

if ( SQLFetch(v_hstmt) != SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

// if the number of tables is less than 9, select all the user tables in
TPCC
if (TabCount != 9)
{
    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);

    SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt);

    if ( SQLBindCol(v_hstmt, 1, SQL_C_CHAR, &TabName,
sizeof(TabName), &TabNameInd) != SQL_SUCCESS )
        HandleErrorSTMT(v_hstmt);

    // select the list of user tables into a result set
    rc = SQLExecDirect(v_hstmt, "select * from sysobjects where
xtype = '\U'", SQL_NTS);
    if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
        HandleErrorSTMT(v_hstmt);

    // go through the result set and set the bitmap for each found
table

    // set the bitmap to '1' if the table name is found

    while ((rc = SQLFetch(v_hstmt)) != SQL_NO_DATA)
    {
        switch( TabName[0] )
        {
            case 'w':
                TablesBitMap[0] = '1';

```

```

                                break;
                                case 'd':
                                    TablesBitMap[1] = '1';
                                    break;
                                case 'c':
                                    TablesBitMap[2] = '1';
                                    break;
                                case 'h':
                                    TablesBitMap[3] = '1';
                                    break;
                                case 'n':
                                    TablesBitMap[4] = '1';
                                    break;
                                case 'o':
                                    if (TabName[5] = 's')
                                        TablesBitMap[5] = '1';
                                    if (TabName[5] = '_')
                                        TablesBitMap[6] = '1';
                                    break;
                                case 'i':
                                    TablesBitMap[7] = '1';
                                    break;
                                case 's':
                                    TablesBitMap[8] = '1';
                                    break;
                                }
                                }

// a '0' ExitFlag means do NOT exit the loader early, a '1'
means exit the loader early
ExitFlag = 0;

// iterate through the bitmap to display which table(s) is
actually missing
for (i = 0; i <= 8; i++)
{
    switch(i)
    {
        case 0:
            if (TablesBitMap[i] == '0')
            {
                printf("The Warehouse table is
missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 1:
            if (TablesBitMap[i] == '0')
            {
                printf("The District table is
missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 2:
            if (TablesBitMap[i] == '0')
            {
                printf("The Customer table is
missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 3:

```

```

missing or damaged.\n");
        if (TablesBitMap[i] == '0')
        {
            printf("The History table is
missing or damaged.\n");
            ExitFlag = 1;
        }
        break;
case 4:
        if (TablesBitMap[i] == '0')
        {
            printf("The New_Order table is
missing or damaged.\n");
            ExitFlag = 1;
        }
        break;
case 5:
        if (TablesBitMap[i] == '0')
        {
            printf("The Orders table is
missing or damaged.\n");
            ExitFlag = 1;
        }
        break;
case 6:
        if (TablesBitMap[i] == '0')
        {
            printf("The Order_Line table is
missing or damaged.\n");
            ExitFlag = 1;
        }
        break;
case 7:
        if (TablesBitMap[i] == '0')
        {
            printf("The Item table is missing
or damaged.\n");
            ExitFlag = 1;
        }
        break;
case 8:
        if (TablesBitMap[i] == '0')
        {
            printf("The Stock table is missing
or damaged.\n");
            ExitFlag = 1;
        }
        break;
    }
}
// if one or more tables are missing, display message and exit
the loader
if (ExitFlag = 1)
{
    printf("\nExiting TPC-C Loader!\n");
    printf("\nCheck LOGS\\ directory for database\n");
    printf("or table creation errors.\n");

    // cleanup database connections and handles
    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
    SQLDisconnect(v_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);
}

```

```

        exit(1);
    }
}

// cleanup database connections and handles
SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

return;
}

version.sql
-- File: VERSION.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Returns version level of TPC-C stored procs
-- Note: Always update the return value of this proc for
-- any interface changes or "must have" bug fixes.
--
-- The value returned by this SP defines the "interface level",
-- which must match between the stored procs and the client code.
-- The interface level may be down rev from the current kit. This
-- indicates that the interface hasn't changed since that version.

use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_version" )
drop procedure tpcc_version
go

create proc tpcc_version
as
declare @version char(8)
begin
select @version = "4.10.000"
select @version as "Version"
end

go

```

## Appendix C: Tunable Parameters

### Microsoft SQL Server 2000 Startup Parameters

```
C:\Program Files\Microsoft SQL
Server\MSSQL\BINN\sqlservr.exe
-eC:\Program Files\Microsoft SQL
Server\MSSQL\LOG\ERRORLOG -x -c -t3502
-g100
```

Where:

- c Start SQL Server independently of the Windows NT Service Control Manager
- x Disables the keeping of CPU time and cache-hit ratio statistics
- t3502 Prints a message to the SQL Server log at the start and end of each checkpoint
- g64 Specify the amount of virtual address space in MB, SQL Server will leave available for memory allocations, excluding the buffer pool and threads stack, such as dynamically-loaded DLLs, extended procedure calls, etc. Incorrect use of this option can lead to conditions under which SQL Server may not start or may encounter runtime errors.

### Boot.ini Parameters

```
[boot loader]
timeout=30
```

```
default=multi(0)disk(0)rdisk(0)partition(2)\WINNT
[operating systems]
multi(0)disk(0)rdisk(0)partition(2)\WINNT="Microsoft
Windows 2000 Server" /pae /fastdetect
```

### Microsoft SQL Server 2000 Configuration Parameters

```
1> 2> 3> DBCC execution completed. If DBCC printed
error messages, contact your system administrator.
Configuration option 'show advanced options' changed
from 1 to 1. Run the RECONFIGURE statement to
install.
```

```
sp_configure "show advanced",1
1> 2> reconfigure with override
1> 2> sp_configure
name
minimum maximum config_value run_value
-----
-----
affinity mask
-2147483648 2147483647 15 15
allow updates
0 1 0 0
awe enabled
0 1 1 1
c2 audit mode
0 1 0 0
cost threshold for parallelism
0 32767 5 5
Cross DB Ownership Chaining
0 1 0 0
cursor threshold
-1 2147483647 -1 -1
default full-text language
0 2147483647 1033 1033
default language
0 9999 0 0
fill factor (%)
0 100 0 0
index create memory (KB)
704 2147483647 704 704
lightweight pooling
0 1 1 1
locks
5000 2147483647 0 0
max degree of parallelism
0 32 1 1
```

```
max server memory (MB)
4 2147483647 2147483647 2147483647
max text repl size (B)
0 2147483647 65536 65536
max worker threads
32 32767 215 215
media retention
0 365 0 0
min memory per query (KB)
512 2147483647 512 512
min server memory (MB)
0 2147483647 0 0
nested triggers
0 1 1 1
network packet size (B)
512 65536 2048 2048
open objects
0 2147483647 0 0
priority boost
0 1 1 1
query governor cost limit
0 2147483647 0 0
query wait (s)
-1 2147483647 -1 -1
recovery interval (min)
0 32767 100 100
remote access
0 1 1 1
remote login timeout (s)
0 2147483647 20 20
remote proc trans
0 1 0 0
remote query timeout (s)
0 2147483647 600 600
scan for startup procs
0 1 0 0
set working set size
0 1 0 0
show advanced options
0 1 1 1
two digit year cutoff
1753 9999 2049 2049
user connections
0 32767 0 0
user options
0 32767 0 0

1>
```

### Benchcraft Profile

```
Profile: Bugs_4160war_4cl
File Path: C:\Benchcraft\Bugs_4160war_4cl.pro
Version: 3
Number of Engines: 4
Name: c17a
```

Description:  
 Directory: c:\blog\cl7a.log  
 Machine: N7  
 Parameter Set: 2.2  
 Index: 50000000  
 Seed: 18546  
 Configured Users: 10400  
 Pipe Name: DRIVER286005718  
 Connect Rate: 11  
 Start Rate: 0  
 Max. Concurrency: 0  
 Concurrency Rate: 0  
 CLIENT\_NURAND: 233  
 CPU: 1

Name: cl7b  
 Description:  
 Directory: c:\blog\cl7b.log  
 Machine: N8  
 Parameter Set: 2.2  
 Index: 100000000  
 Seed: 18546  
 Configured Users: 10400  
 Pipe Name: DRIVER2149515765  
 Connect Rate: 11  
 Start Rate: 0  
 Max. Concurrency: 0  
 Concurrency Rate: 0  
 CLIENT\_NURAND: 233  
 CPU: 0

Name: cl8b  
 Description:  
 Directory: c:\blog\cl6b.log  
 Machine: N8  
 Parameter Set: 2.2  
 Index: 200000000  
 Seed: 18546  
 Configured Users: 10400  
 Pipe Name: DRIVER33696359  
 Connect Rate: 11  
 Start Rate: 0  
 Max. Concurrency: 0  
 Concurrency Rate: 0  
 CLIENT\_NURAND: 233  
 CPU: 0

Name: cl8a  
 Description:  
 Directory: c:\blog\cl6a.log  
 Machine: N7  
 Parameter Set: 2.2  
 Index: 300000000  
 Seed: 18546  
 Configured Users: 10400  
 Pipe Name: DRIVER41447531  
 Connect Rate: 11  
 Start Rate: 0  
 Max. Concurrency: 0  
 Concurrency Rate: 0  
 CLIENT\_NURAND: 233  
 CPU: 1

Number of User groups: 4

Driver Engine: cl7a  
 IIS Server: cl7  
 SQL Server: bugs  
 Database: tpcc  
 User: sa  
 Protocol: HTML  
 w\_id Range: 3121 - 4160  
 w\_id Min Warehouse: 1  
 w\_id Max Warehouse: 4160  
 Scale: Normal  
 User Count: 10400  
 District id: 1  
 Scale Down: No

Driver Engine: cl7b  
 IIS Server: cl7  
 SQL Server: bugs  
 Database: tpcc  
 User: sa  
 Protocol: HTML  
 w\_id Range: 2081 - 3120  
 w\_id Min Warehouse: 1  
 w\_id Max Warehouse: 4160  
 Scale: Normal  
 User Count: 10400  
 District id: 1  
 Scale Down: No

Driver Engine: cl8a  
 IIS Server: cl6  
 SQL Server: bugs  
 Database: tpcc  
 User: sa  
 Protocol: HTML  
 w\_id Range: 1041 - 2080  
 w\_id Min Warehouse: 1  
 w\_id Max Warehouse: 4160  
 Scale: Normal  
 User Count: 10400  
 District id: 1  
 Scale Down: No

Driver Engine: cl8b  
 IIS Server: cl6  
 SQL Server: bugs  
 Database: tpcc  
 User: sa  
 Protocol: HTML  
 w\_id Range: 1 - 1040  
 w\_id Min Warehouse: 1  
 w\_id Max Warehouse: 4160  
 Scale: Normal  
 User Count: 10400  
 District id: 1  
 Scale Down: No

Number of Parameter Sets: 44

~Default  
 Default Parameter Set

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.05		18.01	New Order	5.00	10.00
			0.10	10.00	0.10
12.05		3.01	Payment	5.00	10.00
			0.10	1.00	0.10
5.05		2.01	Delivery	5.00	1.00
			0.10	20.00	0.10
5.05		2.01	Stock Level	20.00	1.00
			0.10	1.00	0.10
10.05		2.01	Order Status	5.00	1.00
			0.10	5.00	0.10

Tuned Distribution

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.05		18.01	New Order	5.00	44.75
			0.10	43.10	0.10
12.05		3.01	Payment	5.00	4.05
			0.10	5.00	4.05
5.05		2.01	Delivery	5.00	4.05
			0.10	20.00	0.10
5.05		2.01	Stock Level	20.00	4.05
			0.10	5.00	0.10
10.05		2.01	Order Status	5.00	4.05
			0.10	5.00	0.10

No Think

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
0.00		0.00	New Order	5.00	10.00
			0.00	10.00	0.00
0.00		0.00	Payment	5.00	1.00
			0.00	5.00	0.00
0.00		0.00	Delivery	5.00	1.00
			0.00	20.00	0.00
0.00		0.00	Stock Level	20.00	1.00
			0.00	5.00	0.00
0.00		0.00	Order Status	5.00	1.00
			0.00	5.00	0.00

95%

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
13.00		18.01	New Order	5.00	44.75
			0.10	43.10	0.10
13.00		3.01	Payment	5.00	4.05
			0.10	5.00	4.05
6.00		2.01	Delivery	5.00	4.05
			0.10	20.00	0.10
6.00		2.01	Stock Level	20.00	4.05
			0.10	5.00	0.10

11.00	2.01		Order Status	4.05	
			90%		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay		
16.00	18.01		New Order	44.75	
			0.10	5.00	0.10
16.00	3.01		Payment	43.10	
			0.10	5.00	0.10
9.00	2.01		Delivery	4.05	
			0.10	5.00	0.10
9.00	2.01		Stock Level	4.05	
			0.10	20.00	0.10
14.00	2.01		Order Status	4.05	
			0.10	5.00	0.10
			1.6		
			1.6 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay		
19.28	18.01		New Order	44.75	
			0.10	5.00	0.10
19.28	3.01		Payment	43.10	
			0.10	5.00	0.10
8.08	2.01		Delivery	4.05	
			0.10	5.00	0.10
8.08	2.01		Stock Level	4.05	
			0.10	20.00	0.10
16.08	2.01		Order Status	4.05	
			0.10	5.00	0.10
			2.0		
			2.0 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay		
24.10	24.10		New Order	44.88	
			0.10	5.00	0.10
24.10	24.10		Payment	43.03	
			0.10	5.00	0.10
10.10	10.10		Delivery	4.03	
			0.10	5.00	0.10
10.10	10.10		Stock Level	4.03	
			0.10	20.00	0.10
20.10	20.10		Order Status	4.03	
			0.10	5.00	0.10
			2.6		
			2.6 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay		
31.33	18.01		New Order	44.75	
			0.10	5.00	0.10

31.33	3.01		Payment	43.10	
			0.10	5.00	0.10
13.13	2.01		Delivery	4.05	
			0.10	5.00	0.10
13.13	2.01		Stock Level	4.05	
			0.10	20.00	0.10
26.13	2.01		Order Status	4.05	
			0.10	5.00	0.10
			3.0		
			3.0 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay		
36.15	18.01		New Order	44.75	
			0.10	5.00	0.10
36.15	3.01		Payment	43.10	
			0.10	5.00	0.10
15.15	2.01		Delivery	4.05	
			0.10	5.00	0.10
15.15	2.01		Stock Level	4.05	
			0.10	20.00	0.10
30.15	2.01		Order Status	4.05	
			0.10	5.00	0.10
			4.0		
			4.0 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay		
48.20	18.01		New Order	44.75	
			0.10	5.00	0.10
48.20	3.01		Payment	43.10	
			0.10	5.00	0.10
20.20	2.01		Delivery	4.05	
			0.10	5.00	0.10
20.20	2.01		Stock Level	4.05	
			0.10	20.00	0.10
40.20	2.01		Order Status	4.05	
			0.10	5.00	0.10
			3.8		
			3.8 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay		
45.80	18.01		New Order	44.75	
			0.10	5.00	0.10
45.80	3.01		Payment	43.10	
			0.10	5.00	0.10
19.20	2.01		Delivery	4.05	
			0.10	5.00	0.10
19.20	2.01		Stock Level	4.05	
			0.10	20.00	0.10
38.20	2.01		Order Status	4.05	
			0.10	5.00	0.10
			3.6		
			3.6 tt		

Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay		
43.38	18.01		New Order	44.75	
			0.10	5.00	0.10
43.38	3.01		Payment	43.10	
			0.10	5.00	0.10
18.18	2.01		Delivery	4.05	
			0.10	5.00	0.10
18.18	2.01		Stock Level	4.05	
			0.10	20.00	0.10
36.18	2.01		Order Status	4.05	
			0.10	5.00	0.10
			3.4		
			3.4 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay		
40.97	18.01		New Order	44.75	
			0.10	5.00	0.10
40.97	3.01		Payment	43.10	
			0.10	5.00	0.10
17.17	2.01		Delivery	4.05	
			0.10	5.00	0.10
17.17	2.01		Stock Level	4.05	
			0.10	20.00	0.10
34.17	2.01		Order Status	4.05	
			0.10	5.00	0.10
			3.2		
			3.2 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay		
38.56	18.01		New Order	44.75	
			0.10	5.00	0.10
38.56	3.01		Payment	43.10	
			0.10	5.00	0.10
16.16	2.01		Delivery	4.05	
			0.10	5.00	0.10
16.16	2.01		Stock Level	4.05	
			0.10	20.00	0.10
32.16	2.01		Order Status	4.05	
			0.10	5.00	0.10
			2.8		
			2.8 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay		
33.74	18.01		New Order	44.75	
			0.10	5.00	0.10
33.74	3.01		Payment	43.10	
			0.10	5.00	0.10
14.14	2.01		Delivery	4.05	
			0.10	5.00	0.10
14.14	2.01		Stock Level	4.05	
			0.10	20.00	0.10

28.14	2.01	0.10	5.00	0.10	4.05		
		2.4					
		2.4 tt					
Key	RT	RT	Menu	Txn	Think		
Time	Delay	Fence	Delay	Weight	Time		
28.92	18.01	New Order	0.10	5.00	44.88	0.10	
28.92	3.01	Payment	0.10	5.00	43.03	0.10	
12.12	2.01	Delivery	0.10	5.00	4.03	0.10	
12.12	2.01	Stock Level	0.10	20.00	4.03	0.10	
24.12	2.01	Order Status	0.10	5.00	4.03	0.10	
		2.2					
		2.2 tt					
Key	RT	RT	Menu	Txn	Think		
Time	Delay	Fence	Delay	Weight	Time		
26.51	18.01	New Order	0.10	5.00	44.86	0.10	
26.51	3.01	Payment	0.10	5.00	43.05	0.10	
11.11	2.01	Delivery	0.10	5.00	4.03	0.10	
11.11	2.01	Stock Level	0.10	20.00	4.03	0.10	
22.11	2.01	Order Status	0.10	5.00	4.03	0.10	
		1.1					
		1.1 tt					
Key	RT	RT	Menu	Txn	Think		
Time	Delay	Fence	Delay	Weight	Time		
13.25	18.01	New Order	0.10	5.00	44.95	0.10	
13.25	3.01	Payment	0.10	5.00	43.02	0.10	
5.55	2.01	Delivery	0.10	5.00	4.01	0.10	
5.55	2.01	Stock Level	0.10	20.00	4.01	0.10	
11.05	2.01	Order Status	0.10	5.00	4.01	0.10	
		1.2					
		1.2 tt					
Key	RT	RT	Menu	Txn	Think		
Time	Delay	Fence	Delay	Weight	Time		
14.46	18.01	New Order	0.10	5.00	44.95	0.10	

14.46	3.01	Payment	0.10	5.00	43.02	0.10	
6.06	2.01	Delivery	0.10	5.00	4.01	0.10	
6.06	2.01	Stock Level	0.10	20.00	4.01	0.10	
12.06	2.01	Order Status	0.10	5.00	4.01	0.10	
		1.05					
		1.05tt					
Key	RT	RT	Menu	Txn	Think		
Time	Delay	Fence	Delay	Weight	Time		
12.65	18.01	New Order	0.10	5.00	44.95	0.10	
12.65	3.01	Payment	0.10	5.00	43.02	0.10	
5.30	2.01	Delivery	0.10	5.00	4.01	0.10	
5.30	2.01	Stock Level	0.10	20.00	4.01	0.10	
10.55	2.01	Order Status	0.10	5.00	4.01	0.10	
		1.01					
		1.01tt					
Key	RT	RT	Menu	Txn	Think		
Time	Delay	Fence	Delay	Weight	Time		
12.17	18.01	New Order	0.10	5.00	44.96	0.10	
12.17	3.01	Payment	0.10	5.00	43.01	0.10	
5.10	2.01	Delivery	0.10	5.00	4.01	0.10	
5.10	2.01	Stock Level	0.10	20.00	4.01	0.10	
10.15	2.01	Order Status	0.10	5.00	4.01	0.10	
		1.02					
		1.02tt					
Key	RT	RT	Menu	Txn	Think		
Time	Delay	Fence	Delay	Weight	Time		
12.29	18.01	New Order	0.10	5.00	44.95	0.10	
12.29	3.01	Payment	0.10	5.00	43.02	0.10	
5.15	2.01	Delivery	0.10	5.00	4.01	0.10	
5.15	2.01	Stock Level	0.10	20.00	4.01	0.10	
10.25	2.01	Order Status	0.10	5.00	4.01	0.10	
		1.08					
		1.08 tt					

Key	RT	RT	Menu	Txn	Think		
Time	Delay	Fence	Delay	Weight	Time		
13.01	18.01	New Order	0.10	5.00	44.86	0.10	
13.01	3.01	Payment	0.10	5.00	43.05	0.10	
5.45	2.01	Delivery	0.10	5.00	4.03	0.10	
5.45	2.01	Stock Level	0.10	20.00	4.03	0.10	
10.85	2.01	Order Status	0.10	5.00	4.03	0.10	
		1.06					
		1.06tt					
Key	RT	RT	Menu	Txn	Think		
Time	Delay	Fence	Delay	Weight	Time		
12.77	18.01	New Order	0.10	5.00	44.86	0.10	
12.77	3.01	Payment	0.10	5.00	43.05	0.10	
5.35	2.01	Delivery	0.10	5.00	4.03	0.10	
5.35	2.01	Stock Level	0.10	20.00	4.03	0.10	
10.65	2.01	Order Status	0.10	5.00	4.03	0.10	
		1.07					
		1.07tt					
Key	RT	RT	Menu	Txn	Think		
Time	Delay	Fence	Delay	Weight	Time		
12.89	18.01	New Order	0.10	5.00	44.86	0.10	
12.89	3.01	Payment	0.10	5.00	43.05	0.10	
5.40	2.01	Delivery	0.10	5.00	4.03	0.10	
5.40	2.01	Stock Level	0.10	20.00	4.03	0.10	
10.75	2.01	Order Status	0.10	5.00	4.03	0.10	
		1.03					
		1.03tt					
Key	RT	RT	Menu	Txn	Think		
Time	Delay	Fence	Delay	Weight	Time		
12.41	18.01	New Order	0.10	5.00	44.95	0.10	
12.41	3.01	Payment	0.10	5.00	43.02	0.10	
5.20	2.01	Delivery	0.10	5.00	4.01	0.10	
5.20	2.01	Stock Level	0.10	20.00	4.01	0.10	



Key	RT	RT	Menu	Txn	Think
10.35	2.01		Order Status	4.01	
			1.04		
			1.04tt		
12.53	18.01		New Order	44.95	
12.53	3.01		Payment	43.02	
5.25	2.01		Delivery	4.01	
5.25	2.01		Stock Level	4.01	
10.45	2.01		Order Status	4.01	
			1.005		
			1.005		
12.11	18.01		New Order	44.96	
12.11	3.01		Payment	43.01	
5.08	2.01		Delivery	4.01	
5.08	2.01		Stock Level	4.01	
10.10	2.01		Order Status	4.01	
			1.8tt		
21.69	18.01		New Order	44.86	
21.69	3.01		Payment	43.05	
9.09	2.01		Delivery	4.03	
9.09	2.01		Stock Level	4.03	
18.09	2.01		Order Status	4.03	
			1.9		
22.90	18.01		New Order	44.86	

Key	RT	RT	Menu	Txn	Think
22.90	3.01		Payment	43.05	
9.60	2.01		Delivery	4.03	
9.60	2.01		Stock Level	4.03	
19.10	2.01		Order Status	4.03	
			1.4		
			1.4 tt		
16.87	18.01		New Order	44.86	
16.87	3.01		Payment	43.05	
7.07	2.01		Delivery	4.03	
7.07	2.01		Stock Level	4.03	
14.07	2.01		Order Status	4.03	
			1.5		
			1.5 tt		
18.07	18.01		New Order	44.86	
18.07	3.01		Payment	43.05	
7.58	2.01		Delivery	4.03	
7.58	2.01		Stock Level	4.03	
15.07	2.01		Order Status	4.03	
			1.3		
			1.3 tt		
15.66	18.01		New Order	44.86	
15.66	3.01		Payment	43.05	
6.57	2.01		Delivery	4.03	
6.57	2.01		Stock Level	4.03	
13.07	2.01		Order Status	4.03	
			1.49		
			1.49 tt		

Key	RT	RT	Menu	Txn	Think
17.95	18.01		New Order	44.86	
17.95	3.01		Payment	43.05	
7.52	2.01		Delivery	4.03	
7.52	2.01		Stock Level	4.03	
14.97	2.01		Order Status	4.03	
			1.48		
			1.48 tt		
17.83	18.01		New Order	44.86	
17.83	3.01		Payment	43.05	
7.47	2.01		Delivery	4.03	
7.47	2.01		Stock Level	4.03	
14.87	2.01		Order Status	4.03	
			1.47		
			1.47 tt		
17.71	18.01		New Order	44.86	
17.71	3.01		Payment	43.05	
7.42	2.01		Delivery	4.03	
7.42	2.01		Stock Level	4.03	
14.77	2.01		Order Status	4.03	
			1.46		
			1.46 tt		
17.59	18.01		New Order	44.86	
17.59	3.01		Payment	43.05	
7.37	2.01		Delivery	4.03	
7.37	2.01		Stock Level	4.03	

Key	RT	RT	Menu	Txn	Think
14.67	2.01		Order Status	4.03	
			0.10	5.00	0.10
			1.45		
			1.45 tt		
Time	Delay	Fence	Delay	Weight	Time
17.47	18.01		New Order	44.86	
			0.10	5.00	0.10
17.47	3.01		Payment	43.05	
			0.10	5.00	0.10
7.32	2.01		Delivery	4.03	
			0.10	5.00	0.10
7.32	2.01		Stock Level	4.03	
			0.10	20.00	0.10
14.57	2.01		Order Status	4.03	
			0.10	5.00	0.10
			1.44		
			1.44 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
17.35	18.01		New Order	44.86	
			0.10	5.00	0.10
17.35	3.01		Payment	43.05	
			0.10	5.00	0.10
7.27	2.01		Delivery	4.03	
			0.10	5.00	0.10
7.27	2.01		Stock Level	4.03	
			0.10	20.00	0.10
14.47	2.01		Order Status	4.03	
			0.10	5.00	0.10
			1.43		
			1.43 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
17.23	18.01		New Order	44.86	
			0.10	5.00	0.10
17.23	3.01		Payment	43.05	
			0.10	5.00	0.10
7.22	2.01		Delivery	4.03	
			0.10	5.00	0.10
7.22	2.01		Stock Level	4.03	
			0.10	20.00	0.10
14.37	2.01		Order Status	4.03	
			0.10	5.00	0.10
			1.42		
			1.42 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
17.11	18.01		New Order	44.86	
			0.10	5.00	0.10

Key	RT	RT	Menu	Txn	Think
17.11	3.01		Payment	43.05	
			0.10	5.00	0.10
7.17	2.01		Delivery	4.03	
			0.10	5.00	0.10
7.17	2.01		Stock Level	4.03	
			0.10	20.00	0.10
14.27	2.01		Order Status	4.03	
			0.10	5.00	0.10
			1.41		
			1.41 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
16.99	18.01		New Order	44.86	
			0.10	5.00	0.10
16.99	3.01		Payment	43.05	
			0.10	5.00	0.10
7.12	2.01		Delivery	4.03	
			0.10	5.00	0.10
7.12	2.01		Stock Level	4.03	
			0.10	20.00	0.10
14.17	2.01		Order Status	4.03	
			0.10	5.00	0.10
			1.001		
			1.001		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
12.05	18.01		New Order	44.92	
			0.10	5.00	0.10
12.05	3.01		Payment	43.01	
			0.10	5.00	0.10
5.05	2.01		Delivery	4.02	
			0.10	5.00	0.10
5.05	2.01		Stock Level	4.03	
			0.10	20.00	0.10
10.05	2.01		Order Status	4.02	
			0.10	5.00	0.10
			1.0		
			1.0		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
12.05	18.01		New Order	44.92	
			0.10	5.00	0.10
12.05	3.01		Payment	43.01	
			0.10	5.00	0.10
5.05	2.01		Delivery	4.02	
			0.10	5.00	0.10
5.05	2.01		Stock Level	4.03	
			0.10	20.00	0.10
10.05	2.01		Order Status	4.02	
			0.10	5.00	0.10

## Internet Information Server Registry Parameters

REGEDIT4

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\InetInfo]
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\InetInfo\Parameters]
"ListenBackLog"=dword:00000019
"DispatchEntries"=hex(7):4c,44,41,50,53,56,43,00,00
"PoolThreadLimit"=dword:000003fe
"ThreadTimeout"=dword:00015180
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\InetInfo\Performance]
"Library"="infcstrs.dll"
"Open"="OpenINFOPerformanceData"
"Close"="CloseINFOPerformanceData"
"Collect"="CollectINFOPerformanceData"
"Last Counter"=dword:00000842
"Last Help"=dword:00000843
"First Counter"=dword:00000802
"First Help"=dword:00000803
"Library Validation Code"=hex:30,bb,ee,43,77,5b,c2,01,10,25,00,00,00,00,0,00
"WbemAdapFileTime"=hex:00,73,79,5b,bc,d4,c0,01
"WbemAdapFileSize"=dword:00002510
"WbemAdapStatus"=dword:00000000
```

## World Wide Web Service Registry Parameters

REGEDIT4

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\W3SVC]
"Type"=dword:00000020
"Start"=dword:00000002
"ErrorControl"=dword:00000001
"ImagePath"=hex(2):43,3a,5c,57,49,4e,4e,54,5c,53,79,73,74,65,6d,33,32,5c,69,6e,\
```

```

65,74,73,72,76,5c,69,6e,65,74,69,6e,66,6f,2e,65,78,65
,00
"DisplayName"="World Wide Web Publishing Service"
"DependOnService"=hex(7):49,49,53,41,44,4d,49,4e,00,0
0
"DependOnGroup"=hex(7):00
"ObjectName"="LocalSystem"
"Description"="Provides Web connectivity and
administration through the Internet Information
Services snap-in."
"FailureActions"=hex:ff,ff,ff,ff,80,3a,0e,00,90,3a,0e
,00,03,00,00,00,98,3a,0e,\
00,00,00,00,00,00,00,00,00,00,00,00,00,00,00,00,00
,00,00,00,00,00,00

```

```

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\ASP]
"NOTE"="This is for backward compatibility only."

```

```

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\ASP\Parameters]

```

```

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Parameters]
"MajorVersion"=dword:00000005
"MinorVersion"=dword:00000000
"InstallPath"="C:\\WINNT\\System32\\inetrv"
"CertMapList"="C:\\WINNT\\System32\\inetrv\\iisrmap
.dll"
"AccessDeniedMessage"="Error: Access is Denied."
"Filter DLLs"=""
"LogFileDirectory"="C:\\WINNT\\System32\\LogFiles"
"AcceptExOutstanding"=dword:00000028

```

```

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Parameters\ADCLaunch]

```

```

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Parameters\ADCLaunch\AdvancedDataFactory]

```

```

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Parameters\ADCLaunch\RDS\Server.DataFactory]

```

```

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Parameters\Script Map]

```

```

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Parameters\Virtual Roots]
"/"="c:\\inetpub\\wwwroot,,207"
"/Scripts"="c:\\inetpub\\scripts,,1"
"/IISHelp"="c:\\winnt\\help\\iishelp,,1"
"/IISAdmin"="C:\\WINNT\\System32\\inetrv\\iisadmin,,
1"
"/IISSamples"="c:\\inetpub\\iissamples,,1"
"/MSADC"="c:\\program files\\common
files\\system\\msadc,,1"
"/_vti_bin"="C:\\Program Files\\Common
Files\\Microsoft Shared\\Web Server
Extensions\\40\\isapi,,1"
"/Printers"="C:\\WINNT\\web\\printers,,201"

```

```

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Performance]
"Library"="w3ctr.s.dll"
"Open"="OpenW3PerformanceData"
"Close"="CloseW3PerformanceData"
"Collect"="CollectW3PerformanceData"
"Last Counter"=dword:000008e6
"Last Help"=dword:000008e7
"First Counter"=dword:00000844
"First Help"=dword:00000845
"Library Validation
Code"=hex:de,61,7e,46,77,5b,c2,01,10,3d,00,00,00,00,0
0,00
"WbemAdapFileTime"=hex:00,73,79,5b,bc,d4,c0,01
"WbemAdapFileSize"=dword:00001d10
"WbemAdapStatus"=dword:00000000

```

```

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Security]
"Security"=hex:01,00,14,80,a0,00,00,00,ac,00,00,00,14
,00,00,00,30,00,00,00,02,\
00,1c,00,01,00,00,00,02,80,14,00,ff,01,0f,00,01,01,00
,00,00,00,00,01,00,00,\
00,00,02,00,70,00,04,00,00,00,00,18,00,fd,01,02,00
,01,01,00,00,00,00,00,\
05,12,00,00,00,74,00,6f,00,00,00,1c,00,ff,01,0f,00,01
,02,00,00,00,00,00,05,\
20,00,00,00,20,02,00,00,72,00,73,00,00,00,18,00,8d,01
,02,00,01,01,00,00,00,\
00,00,05,0b,00,00,00,20,02,00,00,00,00,1c,00,fd,01,02
,00,01,02,00,00,00,\
00,05,20,00,00,00,23,02,00,00,72,00,73,00,01,01,00,00
,00,00,00,05,12,00,00,\
00,01,01,00,00,00,00,00,05,12,00,00,00

```

```

[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services
\W3SVC\Enum]
"0"="Root\\LEGACY_W3SVC\\00000"
"Count"=dword:00000001
"NextInstance"=dword:00000001

```

## TPCC Application Registry Parameters

REGEDIT4

```

[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\TPCC]
"Path"="C:\\inetpub\\wwwroot\\"

```

```

"NumberOfDeliveryThreads"=dword:0000003c
"MaxConnections"=dword:0000000f
"MaxPendingDeliveries"=dword:000007d0
"DB_Protocol"="ODBC"
"TxnMonitor"="COM"
"DbServer"="bugs"
"DbName"="tpcc"
"DbUser"="sa"
"DbPassword"=""
"COM_SinglePool"="YES"

```

## Server Bus Performance Driver Registry Parameters

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissb
Class Name: <NO CLASS>
Last Write Time: 12/19/2002 - 12:03 PM
Value 0
Name: Type
Type: REG_DWORD
Data: 0x1

Value 1
Name: Start
Type: REG_DWORD
Data: 0

Value 2
Name: ErrorControl
Type: REG_DWORD
Data: 0x1

Value 3
Name: Tag
Type: REG_DWORD
Data: 0x102

Value 4
Name: ImagePath
Type: REG_EXPAND_SZ
Data: system32\DRIVERS\hpqcissb.sys

Value 5
Name: DisplayName
Type: REG_SZ
Data: Smart Array Controllers Non-
Miniport Bus Driver

Value 6
Name: Group
Type: REG_SZ
Data: port

```

Key Name:  
HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\  
hpqcissb\Parameters  
Class Name: <NO CLASS>  
Last Write Time: 12/18/2002 - 1:26 AM  
Value 0  
Name: CompletionMode  
Type: REG\_DWORD  
Data: 0x2

Key Name:  
HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\  
hpqcissb\Parameters\Controller0  
Class Name: <NO CLASS>  
Last Write Time: 11/4/2002 - 11:59 AM  
Value 0  
Name: CompletionMode  
Type: REG\_DWORD  
Data: 0x1

Key Name:  
HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\  
hpqcissb\Security  
Class Name: <NO CLASS>  
Last Write Time: 11/4/2002 - 11:50 AM  
Value 0  
Name: Security  
Type: REG\_BINARY  
Data:

```
00000000 01 00 14 80 90 00 00 00 - 9c 00 00 00 14
00 00 00 .....
00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02
80 14 00 0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00
00 00 00 Ÿ.....
00000030 02 00 60 00 04 00 00 00 - 00 00 14 00 fd
01 02 00 ..Ÿ.....
00000040 01 01 00 00 00 00 05 - 12 00 00 00 00
00 18 00 .....
00000050 ff 01 0f 00 01 02 00 00 - 00 00 00 05 20
00 00 00 Ÿ.....
00000060 20 02 00 00 00 00 14 00 - 8d 01 02 00 01
01 00 00 .....
00000070 00 00 00 05 0b 00 00 00 - 00 00 18 00 fd
01 02 00 ..Ÿ.....
00000080 01 02 00 00 00 00 05 - 20 00 00 00 23
02 00 00 .....#...
00000090 01 01 00 00 00 00 05 - 12 00 00 00 01
01 00 00 .....
00 00 00 05 12 00 00 00 -
.....
```

Key Name:  
HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\  
hpqcissb\Enum  
Class Name: <NO CLASS>  
Last Write Time: 12/19/2002 - 12:03 PM  
Value 0

Name: 0  
Type: REG\_SZ  
Data:  
PCI\VEN\_0E11&DEV\_B060&SUBSYS\_40700E11&REV\_02\3&107002  
0&0&08

Value 1  
Name: Count  
Type: REG\_DWORD  
Data: 0x3

Value 2  
Name: NextInstance  
Type: REG\_DWORD  
Data: 0x3

Value 3  
Name: 1  
Type: REG\_SZ  
Data:  
PCI\VEN\_0E11&DEV\_B060&SUBSYS\_40700E11&REV\_02\3&29e819  
82&0&10

Value 4  
Name: 2  
Type: REG\_SZ  
Data:  
PCI\VEN\_0E11&DEV\_B060&SUBSYS\_40700E11&REV\_02\3&172e68  
dd&0&10

## Server Disk Device Performance Driver Registry Parameters

Key Name:  
HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\  
hpqcissd  
Class Name: <NO CLASS>  
Last Write Time: 12/19/2002 - 12:03 PM  
Value 0

Name: Type  
Type: REG\_DWORD  
Data: 0x1

Value 1  
Name: Start  
Type: REG\_DWORD  
Data: 0

Value 2  
Name: ErrorControl

Type: REG\_DWORD  
Data: 0x1

Value 3  
Name: Tag  
Type: REG\_DWORD  
Data: 0x102

Value 4  
Name: ImagePath  
Type: REG\_EXPAND\_SZ  
Data: system32\DRIVERS\hpqcissd.sys

Value 5  
Name: DisplayName  
Type: REG\_SZ  
Data: Smart Array Controllers Non-  
Miniport Disk Driver

Value 6  
Name: Group  
Type: REG\_SZ  
Data: Primary Disk

Key Name:  
HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\  
hpqcissd\Security  
Class Name: <NO CLASS>  
Last Write Time: 11/4/2002 - 11:54 AM  
Value 0  
Name: Security  
Type: REG\_BINARY  
Data:

```
00000000 01 00 14 80 90 00 00 00 - 9c 00 00 00 14
00 00 00 .....
00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02
80 14 00 0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00
00 00 00 Ÿ.....
00000030 02 00 60 00 04 00 00 00 - 00 00 14 00 fd
01 02 00 ..Ÿ.....
00000040 01 01 00 00 00 00 05 - 12 00 00 00 00
00 18 00 .....
00000050 ff 01 0f 00 01 02 00 00 - 00 00 00 05 20
00 00 00 Ÿ.....
00000060 20 02 00 00 00 00 14 00 - 8d 01 02 00 01
01 00 00 .....
00000070 00 00 00 05 0b 00 00 00 - 00 00 18 00 fd
01 02 00 ..Ÿ.....
00000080 01 02 00 00 00 00 05 - 20 00 00 00 23
02 00 00 .....#...
00000090 01 01 00 00 00 00 05 - 12 00 00 00 01
01 00 00 .....
00 00 00 05 12 00 00 00 -
.....
```

Key Name:  
HKEY\_LOCAL\_MACHINE\SYSTEM\CurrentControlSet\Services\  
hpqcissd\Enum  
Class Name: <NO CLASS>  
Last Write Time: 12/19/2002 - 12:03 PM

```

Value 0
  Name: 0
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&3332ab
6&0&0000004000000000

Value 1
  Name: Count
  Type: REG_DWORD
  Data: 0x16

Value 2
  Name: NextInstance
  Type: REG_DWORD
  Data: 0x16

Value 3
  Name: 1
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1c5980e
a&0&0000004000000000

Value 4
  Name: 2
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1c5980e
a&0&0100004000000000

Value 5
  Name: 3
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1c5980e
a&0&0200004000000000

Value 6
  Name: 4
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1c5980e
a&0&0300004000000000

Value 7
  Name: 5
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1c5980e
a&0&0400004000000000

Value 8
  Name: 6
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1c5980e
a&0&0500004000000000

Value 9
  Name: 7
  Type: REG_SZ

```

```

  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1c5980e
a&0&0600004000000000

Value 10
  Name: 8
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1c5980e
a&0&0700004000000000

Value 11
  Name: 9
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1c5980e
a&0&0800004000000000

Value 12
  Name: 10
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&1c5980e
a&0&0900004000000000

Value 13
  Name: 11
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0000004000000000

Value 14
  Name: 12
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0100004000000000

Value 15
  Name: 13
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0200004000000000

Value 16
  Name: 14
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0300004000000000

Value 17
  Name: 15
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0400004000000000

Value 18
  Name: 16
  Type: REG_SZ

```

```

  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0500004000000000

Value 19
  Name: 17
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0600004000000000

Value 20
  Name: 18
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0700004000000000

Value 21
  Name: 19
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0800004000000000

Value 22
  Name: 20
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0900004000000000

Value 23
  Name: 21
  Type: REG_SZ
  Data:
HPQCISS\Disk&VEN_COMPAQ&PROD_LOGICAL_VOLUME\4&2e12b67
&0&0a00004000000000

```

---

## System Summary

---

```

System Information report written at: 05/26/03
11:23:51
System Name: BUGS
[System Summary]

Item      Value
OS Name   Microsoft(R) Windows(R) Server 2003,
Enterprise Edition
Version   5.2.3790      Build 3790
OS Manufacturer   Microsoft Corporation
System Name         BUGS
System Manufacturer Compaq
System Model        ProLiant ML370 G3
System Type         X86-based PC
Processor x86 Family 15 Model 2 Stepping 7
GenuineIntel ~3065 Mhz

```

Processor x86 Family 15 Model 2 Stepping 7  
 GenuineIntel ~3065 Mhz  
 Processor x86 Family 15 Model 2 Stepping 7  
 GenuineIntel ~3065 Mhz  
 Processor x86 Family 15 Model 2 Stepping 7  
 GenuineIntel ~3065 Mhz  
 BIOS Version/Date Compaq P28, 1/31/2003  
 SMBIOS Version 2.3  
 Windows Directory C:\WINDOWS  
 System Directory C:\WINDOWS\system32  
 Boot Device \Device\HarddiskVolume17  
 Locale United States  
 Hardware Abstraction Layer Version = "5.2.3790.0  
 (srv03\_rtm.030324-2048)"  
 User Name BUGS\Administrator  
 Time Zone Central Daylight Time  
 Total Physical Memory 12,288.00 MB  
 Available Physical Memory 11.43 GB  
 Total Virtual Memory 25.28 GB  
 Available Virtual Memory 24.85 GB  
 Page File Space 13.53 GB  
 Page File C:\pagefile.sys

[Hardware Resources]

[Conflicts/Sharing]

Resource	Device	
IRQ 3	Base System Device	
IRQ 3	Communications Port (COM2)	
I/O Port 0x00000000-0x00000CFF	PCI bus	
I/O Port 0x00000000-0x00000CFF	PCI bus	
I/O Port 0x00000000-0x00000CFF	Direct memory access controller	
Memory Address 0xF7C00000-0xF7FFFFFF	PCI bus	
Memory Address 0xF7C00000-0xF7FFFFFF	Smart Array	
5300 Controller (Non-Miniport)		
I/O Port 0x000003C0-0x000003DF	PCI bus	
I/O Port 0x000003C0-0x000003DF	Standard VGA Graphics Adapter	
I/O Port 0x00006000-0x000064FF	PCI bus	
I/O Port 0x00006000-0x000064FF	Smart Array	
5300 Controller (Non-Miniport)		
I/O Port 0x00003000-0x000030FF	PCI bus	
I/O Port 0x00003000-0x000030FF	Compaq 64-bit/66MHz Dual Channel Wide Ultra3 SCSI Adapter	
Memory Address 0xF7500000-0xF78FFFFFF	PCI bus	
Memory Address 0xF7500000-0xF78FFFFFF	Smart Array	
5300 Controller (Non-Miniport)		
I/O Port 0x00005000-0x000054FF	PCI bus	
I/O Port 0x00005000-0x000054FF	Smart Array	
5300 Controller (Non-Miniport)		
Memory Address 0xA0000-0xBFFFF	PCI bus	

Memory Address 0xA0000-0xBFFFF	Standard VGA Graphics Adapter	
Memory Address 0xF5F00000-0xF6FFFFFF	PCI bus	
Memory Address 0xF5F00000-0xF6FFFFFF	HP iLO Management Interface Driver	
I/O Port 0x000003B0-0x000003BB	PCI bus	
I/O Port 0x000003B0-0x000003BB	Standard VGA Graphics Adapter	
I/O Port 0x00004000-0x000044FF	PCI bus	
I/O Port 0x00004000-0x000044FF	Smart Array 5300 Controller (Non-Miniport)	
[DMA]		
Resource Device Status		
Channel 7 Direct memory access controller		OK
Channel 2 Standard floppy disk controller		OK
[Forced Hardware]		
Device PNP Device ID		
[I/O]		
Resource Device Status		
0x00000000-0x00000CFF	PCI bus	OK
0x00000000-0x00000CFF	PCI bus	OK
0x00000000-0x00000CFF	Direct memory access controller	OK
0x000003B0-0x000003BB	PCI bus	OK
0x000003B0-0x000003BB	Standard VGA Graphics Adapter	OK
0x000003C0-0x000003DF	PCI bus	OK
0x000003C0-0x000003DF	Standard VGA Graphics Adapter	OK
0x00002400-0x000024FF	Standard VGA Graphics Adapter	OK
0x00001800-0x000018FF	Base System Device	OK
0x00002800-0x000028FF	HP iLO Management Interface Driver	OK
0x00000A79-0x00000A79	ISAPNP Read Data Port	OK
0x00000279-0x00000279	ISAPNP Read Data Port	OK
0x00000274-0x00000277	ISAPNP Read Data Port	OK
0x00000F50-0x00000F58	Motherboard resources	OK
0x00000408-0x0000040F	Motherboard resources	OK
0x00000092-0x00000092	Motherboard resources	OK
0x00000900-0x00000903	Motherboard resources	OK
0x00000910-0x00000911	Motherboard resources	OK

0x00000920-0x00000923	Motherboard resources	OK
0x00000930-0x00000937	Motherboard resources	OK
0x00000940-0x00000947	Motherboard resources	OK
0x00000950-0x00000957	Motherboard resources	OK
0x00000C06-0x00000C08	Motherboard resources	OK
0x00000C14-0x00000C14	Motherboard resources	OK
0x00000C49-0x00000C4A	Motherboard resources	OK
0x00000C50-0x00000C52	Motherboard resources	OK
0x00000C6C-0x00000C6F	Motherboard resources	OK
0x00000010-0x0000001F	Motherboard resources	OK
0x00000230-0x00000233	Motherboard resources	OK
0x00000260-0x00000267	Motherboard resources	OK
0x000004D0-0x000004D1	Motherboard resources	OK
0x00000700-0x0000070F	Motherboard resources	OK
0x00000800-0x0000081F	Motherboard resources	OK
0x00000C80-0x00000C83	Motherboard resources	OK
0x00000CD4-0x00000CD7	Motherboard resources	OK
0x00000CF9-0x00000CF9	Motherboard resources	OK
0x00000020-0x00000021	Programmable interrupt controller	OK
0x000000A0-0x000000A1	Programmable interrupt controller	OK
0x00000C00-0x00000C01	Programmable interrupt controller	OK
0x00000040-0x00000043	System timer	OK
0x00000080-0x0000008F	Direct memory access controller	OK
0x000000C0-0x000000DF	Direct memory access controller	OK
0x0000040B-0x0000040B	Direct memory access controller	OK
0x000004D6-0x000004D6	Direct memory access controller	OK
0x00000061-0x00000061	System speaker	OK
0x00000060-0x00000060	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard	OK
0x00000064-0x00000064	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard	OK
0x0000002E-0x0000002F	Extended IO Bus	OK
0x00000220-0x00000223	Extended IO Bus	OK

0x00000240-0x0000025F	Extended IO Bus	OK
0x00000070-0x00000073	Extended IO Bus	OK
0x00000378-0x0000037F	Printer Port (LPT1)	OK
0x000003F8-0x000003FF	Communications Port	
(COM1)	OK	
0x000002F8-0x000002FF	Communications Port	
(COM2)	OK	
0x000003F2-0x000003F5	Standard floppy disk	
controller	OK	
0x000003F7-0x000003F7	Standard floppy disk	
controller	OK	
0x00002000-0x0000200F	CSB5 IDE Controller	OK
0x000001F0-0x000001F7	Primary IDE Channel	OK
0x000003F6-0x000003F6	Primary IDE Channel	OK
0x00000170-0x00000177	Secondary IDE Channel	
OK		
0x00000376-0x00000376	Secondary IDE Channel	
OK		
0x00003000-0x000030FF	PCI bus	OK
0x00003000-0x000030FF	Compaq 64-bit/66MHz	
Dual Channel Wide Ultra3 SCSI	Adapter	OK
0x00004000-0x000044FF	PCI bus	OK
0x00004000-0x000044FF	Smart Array 5300	
Controller (Non-Miniport)	OK	
0x00004400-0x000044FF	Smart Array 5300	
Controller (Non-Miniport)	OK	
0x00005000-0x000054FF	PCI bus	OK
0x00005000-0x000054FF	Smart Array 5300	
Controller (Non-Miniport)	OK	
0x00005400-0x000054FF	Smart Array 642	
Controller	OK	
0x00006000-0x000064FF	PCI bus	OK
0x00006000-0x000064FF	Smart Array 5300	
Controller (Non-Miniport)	OK	
0x00006400-0x000064FF	Smart Array 5300	
Controller (Non-Miniport)	OK	

[IRQs]

Resource	Device	Status	
IRQ 9	Microsoft ACPI-Compliant System		OK
IRQ 3	Base System Device	OK	
IRQ 3	Communications Port (COM2)	OK	
IRQ 33	HP iLO Management Interface Driver		OK
IRQ 0	System timer	OK	
IRQ 1	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard	OK	
IRQ 12	PS/2 Compatible Mouse	OK	
IRQ 4	Communications Port (COM1)	OK	
IRQ 6	Standard floppy disk controller		OK
IRQ 14	Primary IDE Channel	OK	
IRQ 30	Compaq 64-bit/66MHz Dual Channel Wide Ultra3 SCSI Adapter	OK	
IRQ 29	BCM5703 Gigabit Ethernet	OK	

IRQ 16	Smart Array 5300 Controller (Non-Miniport)	OK
IRQ 18	Smart Array 5300 Controller (Non-Miniport)	OK
IRQ 24	Smart Array 5300 Controller (Non-Miniport)	OK
IRQ 26	Smart Array 642 Controller	OK
IRQ 20	Smart Array 5300 Controller (Non-Miniport)	OK
IRQ 22	Smart Array 5300 Controller (Non-Miniport)	OK

[Memory]

Resource	Device	Status	
0xA0000-0xBFFFF	PCI bus	OK	
0xA0000-0xBFFFF	Standard VGA Graphics Adapter	OK	
0xF5F00000-0xF6FFFFFF	PCI bus	OK	
0xF5F00000-0xF6FFFFFF	HP iLO Management Interface Driver	OK	
0xF6000000-0xF6FFFFFF	Standard VGA Graphics Adapter	OK	
0xF5FF0000-0xF5FF0FFF	Standard VGA Graphics Adapter	OK	
0xF5FE0000-0xF5FE01FF	Base System Device	OK	
0xF5FD0000-0xF5FD07FF	HP iLO Management Interface Driver	OK	
0xF5FC0000-0xF5FC1FFF	HP iLO Management Interface Driver	OK	
0xF7400000-0xF74FFFFF	PCI bus	OK	
0xF74F0000-0xF74F0FFF	Compaq 64-bit/66MHz Dual Channel Wide Ultra3 SCSI Adapter	OK	
0xF74E0000-0xF74EFFFF	BCM5703 Gigabit Ethernet	OK	
0xF7500000-0xF78FFFFF	PCI bus	OK	
0xF7500000-0xF78FFFFF	Smart Array 5300 Controller (Non-Miniport)	OK	
0xF78C0000-0xF78FFFFF	Smart Array 5300 Controller (Non-Miniport)	OK	
0xF7700000-0xF77FFFFF	Smart Array 5300 Controller (Non-Miniport)	OK	
0xF76C0000-0xF76FFFFF	Smart Array 5300 Controller (Non-Miniport)	OK	
0xF7900000-0xF7BFFFFF	PCI bus	OK	
0xF7BC0000-0xF7BFFFFF	Smart Array 5300 Controller (Non-Miniport)	OK	
0xF7A00000-0xF7AFFFFF	Smart Array 5300 Controller (Non-Miniport)	OK	
0xF79C0000-0xF79FFFFF	Smart Array 642 Controller	OK	
0xF79B0000-0xF79B3FFF	Smart Array 642 Controller	OK	
0xF7C00000-0xF7FFFFFF	PCI bus	OK	
0xF7C00000-0xF7FFFFFF	Smart Array 5300 Controller (Non-Miniport)	OK	
0xF7FC0000-0xF7FFFFFF	Smart Array 5300 Controller (Non-Miniport)	OK	
0xF7E00000-0xF7EFFFFF	Smart Array 5300 Controller (Non-Miniport)	OK	
0xF7DC0000-0xF7DFFFFF	Smart Array 5300 Controller (Non-Miniport)	OK	

[Components]

[Multimedia]

[Audio Codecs]

CODEC	Manufacturer	Description	Status	File	Version	Size
Creation Date						
c:\windows\system32\sl_anet.acm						
Sipro Lab Telecom Inc.						
Sipro Lab Telecom Audio Codec						
C:\WINDOWS\system32\SL_ANET.ACM						
3.02						
84.00 KB (86,016 bytes)						
3/25/2003 12:00 AM						
c:\windows\system32\msaud32.acm						
Microsoft Corporation						
Windows Media Audio Codec						
C:\WINDOWS\system32\MSAUD32.ACM						
8.00.00.4487						
288.00 KB (294,912 bytes)						
3/25/2003 12:00 AM						
c:\windows\system32\msadp32.acm						
Microsoft Corporation						
OK						
C:\WINDOWS\system32\MSADP32.ACM						
5.2.3790.0 (srv03_rtm.030324-2048)						
14.50 KB (14,848 bytes)						
3/25/2003 12:00 AM						
c:\windows\system32\msg711.acm						
Microsoft Corporation						
OK						
C:\WINDOWS\system32\MSG711.ACM						
5.2.3790.0 (srv03_rtm.030324-2048)						
10.00 KB (10,240 bytes)						
3/25/2003 12:00 AM						
c:\windows\system32\imaadp32.acm						
Microsoft Corporation						
OK						
C:\WINDOWS\system32\IMAADP32.ACM						
5.2.3790.0 (srv03_rtm.030324-2048)						
15.50 KB (15,872 bytes)						
3/25/2003 12:00 AM						
c:\windows\system32\l3codeca.acm						
Fraunhofer Institut Integrierte Schaltungen IIS						
Fraunhofer IIS MPEG Layer-3 Codec						
C:\WINDOWS\system32\L3CODECA.ACM						
1, 9, 0, 0305						
284.00 KB (290,816 bytes)						
3/25/2003 12:00 AM						
c:\windows\system32\msg723.acm						
Microsoft Corporation						
OK						
C:\WINDOWS\system32\MSG723.ACM						
4.4.4000						
116.00 KB (118,784 bytes)						
4/29/2003 2:14 PM						
c:\windows\system32\tssoft32.acm						
DSP GROUP, INC.						
OK						
C:\WINDOWS\system32\TSSOFT32.ACM						
1.01						
9.50 KB (9,728 bytes)						
3/25/2003 12:00 AM						
c:\windows\system32\msgsm32.acm						
Microsoft Corporation						
OK						
C:\WINDOWS\system32\MSGSM32.ACM						
5.2.3790.0 (srv03_rtm.030324-2048)						

```

20.50 KB (20,992 bytes)      3/25/2003
12:00 AM

[Video Codecs]

CODEC      Manufacturer      Description
Status     File      Version  Size
Creation Date

c:\windows\system32\msh261.drv      Microsoft
Corporation      OK
C:\WINDOWS\system32\MSH261.DRV
4.4.4000 180.00 KB (184,320 bytes)
4/29/2003 2:14 PM

c:\windows\system32\msyuv.dll Microsoft Corporation
OK
C:\WINDOWS\system32\MSYUV.DLL 5.2.3790.0
(srv03_rtm.030324-2048) 16.50 KB (16,896 bytes)
3/24/2003 7:49 PM

c:\windows\system32\msvidc32.dll Microsoft
Corporation      OK
C:\WINDOWS\system32\MSVIDC32.DLL
5.2.3790.0 (srv03_rtm.030324-2048)
26.50 KB (27,136 bytes)      3/25/2003

12:00 AM
c:\windows\system32\tsbyuv.dll      Microsoft
Corporation      OK
C:\WINDOWS\system32\TSBYUV.DLL
5.2.3790.0 (srv03_rtm.030324-2048)
8.00 KB (8,192 bytes)      3/24/2003

7:50 PM
c:\windows\system32\iyuv_32.dll      Microsoft
Corporation      OK
C:\WINDOWS\system32\IYUV_32.DLL
5.2.3790.0 (srv03_rtm.030324-2048)
45.00 KB (46,080 bytes)      3/24/2003

7:49 PM
c:\windows\system32\msh263.drv      Microsoft
Corporation      OK
C:\WINDOWS\system32\MSH263.DRV
4.4.4000 284.00 KB (290,816 bytes)
3/24/2003 7:46 PM

c:\windows\system32\msrle32.dll      Microsoft
Corporation      OK
C:\WINDOWS\system32\MSRLE32.DLL
5.2.3790.0 (srv03_rtm.030324-2048)
10.50 KB (10,752 bytes)      3/25/2003

12:00 AM

[CD-ROM]

Item      Value
Drive     D:
Description      CD-ROM Drive
Media Loaded     No
Media Type       CD-ROM
Name             COMPAQ CD-ROM LTN486S
Manufacturer     (Standard CD-ROM drives)
Status           OK
Transfer Rate    Not Available
SCSI Target ID  1
PNP Device ID    IDE\CDROMCOMPAQ_CD-
ROM_LTN486S_____YQSD____\5\FB0C83D&0&0.
1.0

```

```

Driver      c:\windows\system32\drivers\cdrom.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 49.50 KB (50,688
bytes), 3/25/2003 12:00 AM)

[Sound Device]

Item      Value

[Display]

Item      Value
Name      Standard VGA Graphics Adapter
PNP Device ID
PCI\VEN_1002&DEV_4752&SUBSYS_001E0E11&REV_2
7\3&267A616A&0&18
Adapter Type      ATI MACH64, (Standard display
types) compatible
Adapter Description      Standard VGA Graphics Adapter
Adapter RAM        7.94 MB (8,323,072 bytes)
Installed Drivers
vga.dll,framebuf.dll,vga256.dll,vga64k.dll

Driver Version      5.2.3790.0
INF File      display.inf (vga section)
Color Planes      1
Color Table Entries      256
Resolution        640 x 480 x 1 hertz
Bits/Pixel        8
Memory Address     0xF6000000-0xF6FFFFFF
I/O Port          0x00002400-0x000024FF
Memory Address     0xF5FF0000-0xF5FF0FFF
I/O Port          0x000003B0-0x000003BB
I/O Port          0x000003C0-0x000003DF
Memory Address     0xA0000-0xBFFFF
Driver            c:\windows\system32\drivers\vgapnp.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 23.00 KB (23,552
bytes), 5/7/2003 9:16 AM)

[Infrared]

Item      Value

[Input]

[Keyboard]

Item      Value
Description      Standard 101/102-Key or Microsoft
Natural PS/2 Keyboard
Name             Enhanced (101- or 102-key)
Layout           00000409
PNP Device ID    ACPI\PNP0303\4&35118DFF&0
Number of Function Keys      12
I/O Port        0x00000060-0x00000060
I/O Port        0x00000064-0x00000064
IRQ Channel     IRQ 1
Driver          c:\windows\system32\drivers\i8042prt.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 68.50 KB (70,144
bytes), 3/25/2003 12:00 AM)

[Pointing Device]

```

```

Item      Value
Hardware Type      PS/2 Compatible Mouse
Number of Buttons  5
Status            OK
PNP Device ID      ACPI\PNP0F13\4&35118DFF&0
Power Management Supported      No
Double Click Threshold      6
Handedness        Right Handed Operation
IRQ Channel       IRQ 12
Driver            c:\windows\system32\drivers\i8042prt.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 68.50 KB (70,144
bytes), 3/25/2003 12:00 AM)

[Modem]

Item      Value

[Network]

[Adapter]

Item      Value
Name      [00000001] BCM5703 Gigabit Ethernet
Adapter Type      Ethernet 802.3
Product Type      BCM5703 Gigabit Ethernet
Installed Yes
PNP Device ID      PCI\VEN_14E4&DEV_16A7&SUBSYS_00CB0E11&REV_0
2\3&13C0B0C5&0&20
Last Reset      5/23/2003 4:54 PM
Index           1
Service Name    b57w2k
IP Address      130.168.212.165
IP Subnet      255.255.0.0
Default IP Gateway      Not Available
DHCP Enabled    No
DHCP Server     Not Available
DHCP Lease Expires      Not Available
DHCP Lease Obtained      Not Available
MAC Address     00:02:A5:FF:2E:B7
Memory Address  0xF74E0000-0xF74EFFFF
IRQ Channel     IRQ 29
Driver          c:\windows\system32\drivers\b57xp32.sys
(2.91.0.0 built by: WinDDK, 137.00 KB (140,288
bytes), 5/14/2003 5:03 PM)

Name      [00000002] RAS Async Adapter
Adapter Type      Not Available
Product Type      RAS Async Adapter
Installed Yes
PNP Device ID    Not Available
Last Reset      5/23/2003 4:54 PM
Index           2
Service Name    AsyncMac
IP Address      Not Available
IP Subnet      Not Available
Default IP Gateway      Not Available
DHCP Enabled    No
DHCP Server     Not Available
DHCP Lease Expires      Not Available

```



DHCP Lease Obtained Not Available  
MAC Address Not Available

Name [00000003] WAN Miniport (L2TP)  
Adapter Type Not Available  
Product Type WAN Miniport (L2TP)  
Installed Yes  
PNP Device ID ROOT\MS\_L2TPMINIPORT\0000  
Last Reset 5/23/2003 4:54 PM  
Index 3  
Service Name Rasl2tp  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled No  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address Not Available  
Driver c:\windows\system32\drivers\rasl2tp.sys  
(5.2.3790.0 (srv03\_rtm.030324-2048), 77.00 KB (78,848 bytes), 3/25/2003 12:00 AM)

Name [00000004] WAN Miniport (PPTP)  
Adapter Type Wide Area Network (WAN)  
Product Type WAN Miniport (PPTP)  
Installed Yes  
PNP Device ID ROOT\MS\_PPTPMINIPORT\0000  
Last Reset 5/23/2003 4:54 PM  
Index 4  
Service Name PptpMiniport  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled No  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address 50:50:54:50:30:30  
Driver c:\windows\system32\drivers\raspptp.sys  
(5.2.3790.0 (srv03\_rtm.030324-2048), 70.50 KB (72,192 bytes), 3/25/2003 12:00 AM)

Name [00000005] WAN Miniport (PPPOE)  
Adapter Type Wide Area Network (WAN)  
Product Type WAN Miniport (PPPOE)  
Installed Yes  
PNP Device ID ROOT\MS\_PPPOEMINIPORT\0000  
Last Reset 5/23/2003 4:54 PM  
Index 5  
Service Name Rasppoe  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled No  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address 33:50:6F:45:30:30  
Driver c:\windows\system32\drivers\rasppoe.sys  
(5.2.3790.0 (srv03\_rtm.030324-2048), 38.00 KB (38,912 bytes), 3/25/2003 12:00 AM)

Name [00000006] Direct Parallel  
Adapter Type Not Available  
Product Type Direct Parallel  
Installed Yes  
PNP Device ID ROOT\MS\_PTMINIPORT\0000  
Last Reset 5/23/2003 4:54 PM  
Index 6  
Service Name Raspti  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled No  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address Not Available  
Driver c:\windows\system32\drivers\raspti.sys  
(5.2.3790.0 (srv03\_rtm.030324-2048), 18.50 KB (18,944 bytes), 3/25/2003 12:00 AM)

Name [00000007] WAN Miniport (IP)  
Adapter Type Not Available  
Product Type WAN Miniport (IP)  
Installed Yes  
PNP Device ID ROOT\MS\_NDISWANIP\0000  
Last Reset 5/23/2003 4:54 PM  
Index 7  
Service Name NdisWan  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled No  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address Not Available  
Driver c:\windows\system32\drivers\ndiswan.sys  
(5.2.3790.0 (srv03\_rtm.030324-2048), 96.50 KB (98,816 bytes), 3/25/2003 12:00 AM)

[Protocol]

Item	Value
Name	MSAFD Tcpip [TCP/IP]
Connectionless Service	No
Guarantees Delivery	Yes
Guarantees Sequencing	Yes
Maximum Address Size	16 bytes
Maximum Message Size	0 bytes
Message Oriented	No
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	Yes
Supports Graceful Closing	Yes
Supports Guaranteed Bandwidth	No
Supports Multicasting	No

Name	Value
Name	MSAFD Tcpip [UDP/IP]
Connectionless Service	Yes

Guarantees Delivery No  
Guarantees Sequencing No  
Maximum Address Size 16 bytes  
Maximum Message Size 63.93 KB (65,467 bytes)

Message Oriented Yes  
Minimum Address Size 16 bytes  
Pseudo Stream Oriented No  
Supports Broadcasting Yes  
Supports Connect Data No  
Supports Disconnect Data No  
Supports Encryption No  
Supports Expedited Data No  
Supports Graceful Closing No  
Supports Guaranteed Bandwidth No  
Supports Multicasting Yes

Name RSVP UDP Service Provider  
Connectionless Service Yes  
Guarantees Delivery No  
Guarantees Sequencing No  
Maximum Address Size 16 bytes  
Maximum Message Size 63.93 KB (65,467 bytes)

Message Oriented Yes  
Minimum Address Size 16 bytes  
Pseudo Stream Oriented No  
Supports Broadcasting Yes  
Supports Connect Data No  
Supports Disconnect Data No  
Supports Encryption Yes  
Supports Expedited Data No  
Supports Graceful Closing No  
Supports Guaranteed Bandwidth No  
Supports Multicasting Yes

Name RSVP TCP Service Provider  
Connectionless Service No  
Guarantees Delivery Yes  
Guarantees Sequencing Yes  
Maximum Address Size 16 bytes  
Maximum Message Size 0 bytes  
Message Oriented No  
Minimum Address Size 16 bytes  
Pseudo Stream Oriented No  
Supports Broadcasting No  
Supports Connect Data No  
Supports Disconnect Data No  
Supports Encryption Yes  
Supports Expedited Data Yes  
Supports Graceful Closing Yes  
Supports Guaranteed Bandwidth No  
Supports Multicasting No

Name MSAFD NetBIOS  
[Device\NetBT\_Tcpip\_{0D218F27-7560-4236-9549-AF72AA83E93D}] SEQPACKET 0  
Connectionless Service No  
Guarantees Delivery Yes  
Guarantees Sequencing Yes  
Maximum Address Size 20 bytes  
Maximum Message Size 62.50 KB (64,000 bytes)

```

Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

```

```

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{0D218F27-7560-4236-9549-
AF72AA83E93D}] DATAGRAM 0
Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

```

```

Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

```

```

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{52654A4F-A387-4BFD-9C02-
64750433C893}] SEQPACKET 1
Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

```

```

Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

```

```

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{52654A4F-A387-4BFD-9C02-
64750433C893}] DATAGRAM 1
Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

```

```

Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

```

```

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{1AAC3157-CA17-4C8A-8B6B-
F00EA0085907}] SEQPACKET 2
Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

```

```

Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

```

```

Name MSAFD NetBIOS
[\Device\NetBT_Tcpip_{1AAC3157-CA17-4C8A-8B6B-
F00EA0085907}] DATAGRAM 2
Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 20 bytes
Maximum Message Size 62.50 KB (64,000 bytes)

```

```

Message Oriented Yes
Minimum Address Size 20 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting No

```

```

[WinSock]
Item Value
File c:\windows\system32\winsock.dll
Size 2.80 KB (2,864 bytes)
Version 3.10
File c:\windows\system32\wsock32.dll
Size 22.00 KB (22,528 bytes)

```

Version 5.2.3790.0 (srv03\_rtm.030324-2048)

[Ports]

[Serial]

```

Item Value
Name Communications Port (COM1)
Status OK
PNP Device ID ACPI\PNP0501\0
Maximum Input Buffer Size 0
Maximum Output Buffer Size No
Settable Baud Rate Yes
Settable Data Bits Yes
Settable Flow Control Yes
Settable Parity Yes
Settable Parity Check Yes
Settable Stop Bits Yes
Settable RLSD Yes
Supports RLSD Yes
Supports 16 Bit Mode No
Supports Special Characters No
Baud Rate 9600
Bits/Byte 8
Stop Bits 1
Parity None
Busy No
Abort Read/Write on Error No
Binary Mode Enabled Yes
Continue Xmit on Xoff No
CTS Outflow Control No
Discard NULL Bytes No
DSR Outflow Control 0
DSR Sensitivity 0
DTR Flow Control Type Enable
EOF Character 0
Error Replace Character 0
Error Replacement Enabled No
Event Character 0
Parity Check Enabled No
RTS Flow Control Type Enable
Xoff Character 19
XoffXmit Threshold 512
XOn Character 17
XOnXmit Threshold 2048
XOnXoff InFlow Control 0
XOnXoff OutFlow Control 0
IRQ Channel IRQ 4
I/O Port 0x000003F8-0x000003FF
Driver c:\windows\system32\drivers\serial.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 76.00 KB (77,824
bytes), 3/25/2003 12:00 AM)

```

```

Name Communications Port (COM2)
Status OK
PNP Device ID ACPI\PNP0501\1
Maximum Input Buffer Size 0
Maximum Output Buffer Size No
Settable Baud Rate Yes
Settable Data Bits Yes
Settable Flow Control Yes

```

```

Settable Parity      Yes
Settable Parity Check      Yes
Settable Stop Bits      Yes
Settable RLSD      Yes
Supports RLSD      Yes
Supports 16 Bit Mode      No
Supports Special Characters      No
Baud Rate 9600
Bits/Byte 8
Stop Bits 1
Parity None
Busy No
Abort Read/Write on Error      No
Binary Mode Enabled Yes
Continue XMit on XOff      No
CTS Outflow Control No
Discard NULL Bytes No
DSR Outflow Control 0
DSR Sensitivity 0
DTR Flow Control Type      Enable
EOF Character 0
Error Replace Character 0
Error Replacement Enabled      No
Event Character 0
Parity Check Enabled      No
RTS Flow Control Type      Enable
XOff Character 19
XOffXMit Threshold 512
XOn Character 17
XOnXMit Threshold 2048
XOnXOff InFlow Control 0
XOnXOff OutFlow Control 0
IRQ Channel      IRQ 3
I/O Port 0x000002F8-0x000002FF
Driver c:\windows\system32\drivers\serial.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 76.00 KB (77,824
bytes), 3/25/2003 12:00 AM)

[Parallel]

Item      Value
Name      LPT1
PNP Device ID      ACPI\PNP0400\5&13237358&0
I/O Port 0x00000378-0x0000037F
Driver c:\windows\system32\drivers\parport.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 76.50 KB (78,336
bytes), 3/24/2003 5:04 PM)

[Storage]

[Drives]

Item      Value
Drive A:
Description      3 1/2 Inch Floppy Drive

Drive C:
Description      Local Fixed Disk
Compressed      No
File System      NTFS
Size      16.94 GB (18,186,092,544 bytes)

```

```

Free Space      13.11 GB (14,080,778,240 bytes)

Volume Name
Volume Serial Number      A00F6B40

Drive D:
Description      CD-ROM Disc

Drive E:
Description      Local Fixed Disk
Compressed      Not Available
File System      Not Available
Size      Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive F:
Description      Local Fixed Disk
Compressed      Not Available
File System      Not Available
Size      Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive G:
Description      Local Fixed Disk
Compressed      Not Available
File System      Not Available
Size      Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive H:
Description      Local Fixed Disk
Compressed      Not Available
File System      Not Available
Size      Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive I:
Description      Local Fixed Disk
Compressed      Not Available
File System      Not Available
Size      Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive J:
Description      Local Fixed Disk
Compressed      Not Available
File System      Not Available
Size      Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive K:

```

```

Description      Local Fixed Disk
Compressed      Not Available
File System      Not Available
Size      Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive L:
Description      Local Fixed Disk
Compressed      Not Available
File System      Not Available
Size      Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive M:
Description      Local Fixed Disk
Compressed      Not Available
File System      Not Available
Size      Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive N:
Description      Local Fixed Disk
Compressed      Not Available
File System      Not Available
Size      Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive O:
Description      Local Fixed Disk
Compressed      Not Available
File System      Not Available
Size      Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive V:
Description      Local Fixed Disk
Compressed      No
File System      NTFS
Size      324.37 GB (348,291,223,552 bytes)
Free Space      271.28 GB (291,284,574,208 bytes)

Volume Name      backup1
Volume Serial Number      7053D437

Drive W:
Description      Local Fixed Disk
Compressed      No
File System      NTFS
Size      324.37 GB (348,291,223,552 bytes)
Free Space      271.28 GB (291,284,574,208 bytes)

Volume Name      backup2
Volume Serial Number      C460F81E

```

Drive X:  
 Description Local Fixed Disk  
 Compressed No  
 File System NTFS  
 Size 324.37 GB (348,291,223,552 bytes)  
 Free Space 271.28 GB (291,284,574,208 bytes)

Volume Name backup3  
 Volume Serial Number F46A0CEC

Drive Y:  
 Description Local Fixed Disk  
 Compressed No  
 File System NTFS  
 Size 324.37 GB (348,291,223,552 bytes)  
 Free Space 271.28 GB (291,284,639,744 bytes)

Volume Name backup4  
 Volume Serial Number 50BD2481

Drive Z:  
 Description Local Fixed Disk  
 Compressed No  
 File System NTFS  
 Size 324.37 GB (348,291,223,552 bytes)  
 Free Space 270.92 GB (290,895,978,496 bytes)

Volume Name backup5  
 Volume Serial Number C8F1FC4C

[Disks]

Item Value  
 Description \\.\PHYSICALDRIVE3  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 42.97 GB (46,135,595,520 bytes)  
 Total Cylinders 5,609  
 Total Sectors 90,108,585  
 Total Tracks 1,430,295  
 Tracks/Cylinder 255  
 Partition Disk #3, Partition #0  
 Partition Size 42.97 GB (46,135,563,264 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE4  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1

SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 20.50 GB (22,010,849,280 bytes)  
 Total Cylinders 2,676  
 Total Sectors 42,989,940  
 Total Tracks 682,380  
 Tracks/Cylinder 255  
 Partition Disk #4, Partition #0  
 Partition Size 20.50 GB (22,010,817,024 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE5  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 324.38 GB (348,299,481,600 bytes)  
 Total Cylinders 42,345  
 Total Sectors 680,272,425  
 Total Tracks 10,797,975  
 Tracks/Cylinder 255  
 Partition Disk #5, Partition #0  
 Partition Size 324.37 GB (348,291,224,064 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE9  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 42.97 GB (46,135,595,520 bytes)  
 Total Cylinders 5,609  
 Total Sectors 90,108,585  
 Total Tracks 1,430,295  
 Tracks/Cylinder 255  
 Partition Disk #9, Partition #0  
 Partition Size 42.97 GB (46,135,563,264 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE10  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512

Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 20.50 GB (22,010,849,280 bytes)  
 Total Cylinders 2,676  
 Total Sectors 42,989,940  
 Total Tracks 682,380  
 Tracks/Cylinder 255  
 Partition Disk #10, Partition #0  
 Partition Size 20.50 GB (22,010,817,024 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE11  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 324.38 GB (348,299,481,600 bytes)  
 Total Cylinders 42,345  
 Total Sectors 680,272,425  
 Total Tracks 10,797,975  
 Tracks/Cylinder 255  
 Partition Disk #11, Partition #0  
 Partition Size 324.37 GB (348,291,224,064 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE12  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 42.97 GB (46,135,595,520 bytes)  
 Total Cylinders 5,609  
 Total Sectors 90,108,585  
 Total Tracks 1,430,295  
 Tracks/Cylinder 255  
 Partition Disk #12, Partition #0  
 Partition Size 42.97 GB (46,135,563,264 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE13

Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 20.50 GB (22,010,849,280 bytes)  
 Total Cylinders 2,676  
 Total Sectors 42,989,940  
 Total Tracks 682,380  
 Tracks/Cylinder 255  
 Partition Disk #13, Partition #0  
 Partition Size 20.50 GB (22,010,817,024 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE14  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 324.38 GB (348,299,481,600 bytes)  
 Total Cylinders 42,345  
 Total Sectors 680,272,425  
 Total Tracks 10,797,975  
 Tracks/Cylinder 255  
 Partition Disk #14, Partition #0  
 Partition Size 324.37 GB (348,291,224,064 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE0  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 42.97 GB (46,135,595,520 bytes)  
 Total Cylinders 5,609  
 Total Sectors 90,108,585  
 Total Tracks 1,430,295  
 Tracks/Cylinder 255  
 Partition Disk #0, Partition #0  
 Partition Size 42.97 GB (46,135,563,264 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE1  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 20.50 GB (22,010,849,280 bytes)  
 Total Cylinders 2,676  
 Total Sectors 42,989,940  
 Total Tracks 682,380  
 Tracks/Cylinder 255  
 Partition Disk #1, Partition #0  
 Partition Size 20.50 GB (22,010,817,024 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE2  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 324.38 GB (348,299,481,600 bytes)  
 Total Cylinders 42,345  
 Total Sectors 680,272,425  
 Total Tracks 10,797,975  
 Tracks/Cylinder 255  
 Partition Disk #2, Partition #0  
 Partition Size 324.37 GB (348,291,224,064 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE6  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 42.97 GB (46,135,595,520 bytes)  
 Total Cylinders 5,609  
 Total Sectors 90,108,585  
 Total Tracks 1,430,295  
 Tracks/Cylinder 255

Partition Disk #6, Partition #0  
 Partition Size 42.97 GB (46,135,563,264 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE7  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 20.50 GB (22,010,849,280 bytes)  
 Total Cylinders 2,676  
 Total Sectors 42,989,940  
 Total Tracks 682,380  
 Tracks/Cylinder 255  
 Partition Disk #7, Partition #0  
 Partition Size 20.50 GB (22,010,817,024 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE8  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 324.38 GB (348,299,481,600 bytes)  
 Total Cylinders 42,345  
 Total Sectors 680,272,425  
 Total Tracks 10,797,975  
 Tracks/Cylinder 255  
 Partition Disk #8, Partition #0  
 Partition Size 324.37 GB (348,291,224,064 bytes)

Partition Starting Offset 32,256 bytes

Description Disk drive  
 Manufacturer (Standard disk drives)  
 Model COMPAQ BF01885A34 SCSI Disk Device  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 2  
 SCSI Bus 0  
 SCSI Logical Unit 0  
 SCSI Port 2  
 SCSI Target ID 0  
 Sectors/Track 63  
 Size 16.95 GB (18,202,544,640 bytes)  
 Total Cylinders 2,213

```

Total Sectors      35,551,845
Total Tracks      564,315
Tracks/Cylinder   255
Partition Disk #15, Partition #0
Partition Size    7.81 MB (8,193,024 bytes)
Partition Starting Offset 32,256 bytes
Partition Disk #15, Partition #1
Partition Size    16.94 GB (18,186,094,080 bytes)

Partition Starting Offset 8,225,280 bytes

Description        Disk drive
Manufacturer       (Standard disk drives)
Model             HP LOGICAL VOLUME SCSI Disk Device
Bytes/Sector      512
Media Loaded      Yes
Media Type        Fixed hard disk
Partitions        1
SCSI Bus          0
SCSI Logical Unit 0
SCSI Port         3
SCSI Target ID   4
Sectors/Track    63
Size             135.67 GB (145,669,708,800 bytes)
Total Cylinders  17,710
Total Sectors    284,511,150
Total Tracks     4,516,050
Tracks/Cylinder  255
Partition Disk #16, Partition #0
Partition Size    135.67 GB (145,669,676,544 bytes)

Partition Starting Offset 32,256 bytes

[SCSI]

Item      Value
Name      Compaq 64-bit/66MHz Dual Channel Wide
Ultra3 SCSI Adapter
Manufacturer      Adaptec
Status            OK
PNP Device ID    PCI\VEN_9005&DEV_00C0&SUBSYS_F6200E11&REV_0
1\3&13C0B0C5&0&18
I/O Port 0x00003000-0x000030FF
Memory Address 0xF74F0000-0xF74F0FFF
IRQ Channel   IRQ 30
Driver c:\windows\system32\drivers\adpu160m.sys
(RTC_XP07 (lab01_n(storbuilid).010917-1031), 99.63 KB
(102,016 bytes), 3/25/2003 12:00 AM)

Name      Compaq 64-bit/66MHz Dual Channel Wide
Ultra3 SCSI Adapter
Manufacturer      Adaptec
Status            Error
PNP Device ID    PCI\VEN_9005&DEV_00C0&SUBSYS_F6200E11&REV_0
1\3&13C0B0C5&0&19
Driver c:\windows\system32\drivers\adpu160m.sys
(RTC_XP07 (lab01_n(storbuilid).010917-1031), 99.63 KB
(102,016 bytes), 3/25/2003 12:00 AM)

Name      Smart Array 5300 Controller (Non-Miniport)

```

```

Manufacturer      Hewlett-Packard
Status            OK
PNP Device ID    PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&1070020&0&08
Memory Address 0xF78C0000-0xF78FFFFF
Memory Address 0xF7700000-0xF77FFFFF
I/O Port 0x00004000-0x000044FF
IRQ Channel   IRQ 16
Driver c:\windows\system32\drivers\hpcqciissb.sys
(5.6.2.32 built by: WinDDK, 38.00 KB (38,912 bytes),
4/29/2003 4:16 PM)

Name      Smart Array 5300 Controller (Non-Miniport)

Manufacturer      Hewlett-Packard
Status            OK
PNP Device ID    PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&1070020&0&10
Memory Address 0xF76C0000-0xF76FFFFF
Memory Address 0xF7500000-0xF75FFFFF
I/O Port 0x00004400-0x000044FF
IRQ Channel   IRQ 18
Driver c:\windows\system32\drivers\hpcqciissb.sys
(5.6.2.32 built by: WinDDK, 38.00 KB (38,912 bytes),
4/29/2003 4:16 PM)

Name      Smart Array 5300 Controller (Non-Miniport)

Manufacturer      Hewlett-Packard
Status            OK
PNP Device ID    PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&29E81982&0&08
Memory Address 0xF7BC0000-0xF7BFFFFF
Memory Address 0xF7A00000-0xF7AFFFFF
I/O Port 0x00005000-0x000054FF
IRQ Channel   IRQ 24
Driver c:\windows\system32\drivers\hpcqciissb.sys
(5.6.2.32 built by: WinDDK, 38.00 KB (38,912 bytes),
4/29/2003 4:16 PM)

Name      Smart Array 642 Controller
Manufacturer      Hewlett-Packard Company
Status            OK
PNP Device ID    PCI\VEN_0E11&DEV_0046&SUBSYS_409B0E11&REV_0
1\3&29E81982&0&10
Memory Address 0xF79C0000-0xF79FFFFF
I/O Port 0x00005400-0x000054FF
Memory Address 0xF79B0000-0xF79B3FFF
IRQ Channel   IRQ 26
Driver c:\windows\system32\drivers\cpqciissm.sys
(5.44.0.32 Build 1, 15.20 KB (15,568 bytes),
5/13/2003 3:06 PM)

Name      Smart Array 5300 Controller (Non-Miniport)

Manufacturer      Hewlett-Packard
Status            OK

```

```

PNP Device ID    PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&172E68DD&0&08
Memory Address 0xF7FC0000-0xF7FFFFFF
Memory Address 0xF7E00000-0xF7EFFFFF
I/O Port 0x00006000-0x000064FF
IRQ Channel   IRQ 20
Driver c:\windows\system32\drivers\hpcqciissb.sys
(5.6.2.32 built by: WinDDK, 38.00 KB (38,912 bytes),
4/29/2003 4:16 PM)

Name      Smart Array 5300 Controller (Non-Miniport)

Manufacturer      Hewlett-Packard
Status            OK
PNP Device ID    PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&172E68DD&0&10
Memory Address 0xF7DC0000-0xF7DFFFFF
Memory Address 0xF7C00000-0xF7CFFFFF
I/O Port 0x00006400-0x000064FF
IRQ Channel   IRQ 22
Driver c:\windows\system32\drivers\hpcqciissb.sys
(5.6.2.32 built by: WinDDK, 38.00 KB (38,912 bytes),
4/29/2003 4:16 PM)

[IDE]

Item      Value
Name      CSB5 IDE Controller
Manufacturer      ServerWorks
Status            OK
PNP Device ID    PCI\VEN_1166&DEV_0212&SUBSYS_02121166&REV_9
3\3&267A616A&0&79
I/O Port 0x00002000-0x0000200F
Driver c:\windows\system32\drivers\pciide.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 5.50 KB (5,632
bytes), 3/25/2003 12:00 AM)

Name      Primary IDE Channel
Manufacturer      (Standard IDE ATA/ATAPI
controllers)
Status            OK
PNP Device ID    PCI\IDE\IDECHANNEL\4&1024D5C6&0&0

I/O Port 0x00001F0-0x00001F7
I/O Port 0x000003F6-0x000003F6
IRQ Channel   IRQ 14
Driver c:\windows\system32\drivers\ataapi.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 89.00 KB (91,136
bytes), 3/25/2003 12:00 AM)

Name      Secondary IDE Channel
Manufacturer      (Standard IDE ATA/ATAPI
controllers)
Status            OK
PNP Device ID    PCI\IDE\IDECHANNEL\4&1024D5C6&0&1

I/O Port 0x0000170-0x0000177
I/O Port 0x00000376-0x00000376

```

```
Driver c:\windows\system32\drivers\ataapi.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 89.00 KB (91,136
bytes), 3/25/2003 12:00 AM)
```

[Printing]

```
Name Driver Port Name Server Name
```

[Problem Devices]

```
Device PNP Device ID Error Code
Base System Device
PCI\VEN_0E11&DEV_B203&SUBSYS_B2060E11&REV_0
1\3&267A616A&0&20 The drivers for this device are
not installed.
Compaq 64-bit/66MHz Dual Channel Wide Ultra3 SCSI
Adapter
PCI\VEN_9005&DEV_00C0&SUBSYS_F6200E11&REV_0
1\3&13C0B0C5&0&19 This device cannot find enough
free resources that it can use.
Smart Array 5x and 6x Notification Driver
SCSI\OTHER&VEN_COMPAQ&PROD_SCSI_COMMUNICATE
&REV_CISS\4&81A1F93&0&000 38
```

[USB]

```
Device PNP Device ID
```

[Software Environment]

[System Drivers]

```
Name Description File Type
Started Start Mode State
Status Error Control Accept Pause
Abiosdsk Abiosdsk Not Available Kernel Driver
No Disabled Stopped OK
Ignore No No
acpi Microsoft ACPI Driver
c:\windows\system32\drivers\acpi.sys
Kernel Driver Yes Boot
Running OK Normal No Yes
acpiec ACPIEC
c:\windows\system32\drivers\acpiec.sys
Kernel Driver No Disabled
Stopped OK Normal No No
adpu160m adpu160m
c:\windows\system32\drivers\adpu160m.sys
Kernel Driver Yes Boot
Running OK Normal No Yes
adpu320 adpu320 Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
afcncnt afcncnt Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
```

```
afd AFD Networking Support Environment
c:\windows\system32\drivers\afd.sys
Kernel Driver Yes Auto
Running OK Normal No Yes
ahal54x Ahal54x Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
aic78u2 aic78u2 Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
aic78xx aic78xx Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
aliide AliIde Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
asynmac RAS Asynchronous Media Driver
c:\windows\system32\drivers\asynmac.sys
Kernel Driver No Manual
Stopped OK Normal No No
ataapi Standard IDE/ESDI Hard Disk Controller
c:\windows\system32\drivers\ataapi.sys
Kernel Driver Yes Boot
Running OK Normal No Yes
atdisk Atdisk Not Available Kernel Driver
No Disabled Stopped OK
Ignore No No
ati2mpad ati2mpad
c:\windows\system32\drivers\ati2mpad.sys
Kernel Driver No Manual
Stopped OK Ignore No No
atmarpc ATM ARP Client Protocol
c:\windows\system32\drivers\atmarpc.sys
Kernel Driver No Manual
Stopped OK Normal No No
audstsub Audio Stub Driver
c:\windows\system32\drivers\audstsub.sys
Kernel Driver Yes Manual
Running OK Normal No Yes
b57w2k BCM5703 Gigabit Ethernet
c:\windows\system32\drivers\b57xp32.sys
Kernel Driver Yes Manual
Running OK Normal No Yes
beep Beep
c:\windows\system32\drivers\beep.sys
Kernel Driver Yes System
Running OK Normal No Yes
cbidf2k cbidf2k
c:\windows\system32\drivers\cbidf2k.sys
Kernel Driver No Disabled
Stopped OK Normal No No
cd20xrnt cd20xrnt Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
```

```
cdfs Cdifs
c:\windows\system32\drivers\cdfs.sys
File System Driver Yes Disabled
Running OK Normal No Yes
cdrom CD-ROM Driver
c:\windows\system32\drivers\cdrom.sys
Kernel Driver Yes System
Running OK Normal No Yes
changer Changer Not Available Kernel Driver
No System Stopped OK
Ignore No No
clusdisk Cluster Disk Driver
c:\windows\system32\drivers\clusdisk.sys
Kernel Driver No Disabled
Stopped OK Normal No No
cmdide CmdIde Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
cpqarray Cpqarray Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
cpqarray2 cpqarray2 Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
cpqcidrv HP Integrated Lights-Out
c:\windows\system32\drivers\cpqcidrv.sys
Kernel Driver Yes Manual
Running OK Normal No Yes
cpqcisse CPQCISSE
c:\windows\system32\drivers\cpqcisse.sys
Kernel Driver No Manual
Stopped OK Normal No No
cpqcissm cpqcissm
c:\windows\system32\drivers\cpqcissm.sys
Kernel Driver Yes Boot
Running OK Normal No Yes
cpqfcalm cpqfcalm Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
crcdisk CRC Disk Filter Driver
c:\windows\system32\drivers\crcdisk.sys
Kernel Driver Yes Boot
Running OK Normal No Yes
dac960nt dac960nt Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
dellcerc dellcerc Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
dfsdriver DfsDriver
c:\windows\system32\drivers\dfs.sys
File System Driver Yes Boot
Running OK Normal No Yes
disk Disk Driver
c:\windows\system32\drivers\disk.sys
```

	Kernel Driver	Yes	Boot			Running	OK	Normal	No	Yes		Running	OK	Normal	No	Yes		
	Running	OK	Normal	No	Yes													
dmboot	dmboot					hpt3xx	hpt3xx	Not Available	Kernel Driver			ksecdd	KSecDD					
	c:\windows\system32\drivers\dmboot.sys						No	Disabled	Stopped	OK			c:\windows\system32\drivers\ksecdd.sys					
	Kernel Driver	No	Disabled				Normal	No	No				Kernel Driver	Yes	Boot			
	Stopped	OK	Normal	No	No	http	HTTP						Running	OK	Normal	No	Yes	
							c:\windows\system32\drivers\http.sys											
dmio	Logical Disk Manager Driver						Kernel Driver	No	Manual			lp6nds35	lp6nds35	Not Available	Kernel Driver			
	c:\windows\system32\drivers\dmio.sys						No	System	Stopped	OK			No	Disabled	Stopped	OK		
	Kernel Driver	Yes	Boot				Normal	No	No				Normal	No	No			
	Running	OK	Normal	No	Yes	i2omgmt	i2omgmt	Not Available	Kernel Driver			nmmd	nmmd					
							No	System	Stopped	OK			c:\windows\system32\drivers\nmmd.sys					
dmload	dmload						Kernel Driver	No	Manual				Kernel Driver	Yes	System			
	c:\windows\system32\drivers\dmload.sys						No	System	Stopped	OK			Running	OK	Ignore	No	Yes	
	Kernel Driver	Yes	Boot			i2omp	i2omp	Not Available	Kernel Driver									
	Running	OK	Normal	No	Yes		No	Disabled	Stopped	OK								
							Normal	No	No									
dpti2o	dpti2o	Not Available	Kernel Driver			i8042prt	i8042 Keyboard and PS/2 Mouse Port Driver											
	No	Disabled	Stopped	OK			c:\windows\system32\drivers\i8042prt.sys											
	Normal	No	No				Kernel Driver	Yes	System									
							Running	OK	Normal	No	Yes							
fastfat	Fastfat					iirsp	iirsp	Not Available	Kernel Driver				mouclass	Mouse Class Driver				
	c:\windows\system32\drivers\fastfat.sys						No	Disabled	Stopped	OK				c:\windows\system32\drivers\mouclass.sys				
	File System Driver	No	Disabled				Normal	No	No					Kernel Driver	Yes	System		
	Stopped	OK	Normal	No	No	imapi	CD-Burning Filter Driver							Running	OK	Normal	No	Yes
							c:\windows\system32\drivers\imapi.sys											
fdc	Floppy Disk Controller Driver						Kernel Driver	No	System				mountmgr	Mount Point Manager				
	c:\windows\system32\drivers\fdc.sys						Stopped	OK	Normal	No	No			c:\windows\system32\drivers\mountmgr.sys				
	Kernel Driver	Yes	Manual				Running	OK	Normal	No	Yes			Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes	intelide	IntelIde	Not Available	Kernel Driver					Running	OK	Normal	No	Yes
							No	Disabled	Stopped	OK								
fips	Fips						Normal	No	No				mraid35x	mraid35x	Not Available	Kernel Driver		
	c:\windows\system32\drivers\fips.sys						IP Filter Driver							No	Disabled	Stopped	OK	
	Kernel Driver	Yes	System				c:\windows\system32\drivers\ipfltdrv.sys							Normal	No	No		
	Running	OK	Normal	No	Yes		Kernel Driver	No	Manual					Normal	No	No		
							Stopped	OK	Normal	No	No							
flpydisk	Floppy Disk Driver					ipinip	IP in IP Tunnel Driver											
	c:\windows\system32\drivers\flpydisk.sys						c:\windows\system32\drivers\ipinip.sys											
	Kernel Driver	Yes	Manual				Kernel Driver	No	Manual									
	Running	OK	Normal	No	Yes		Stopped	OK	Normal	No	No							
ftdisk	Volume Manager Driver						IP Network Address Translator											
	c:\windows\system32\drivers\ftdisk.sys						c:\windows\system32\drivers\ipnat.sys											
	Kernel Driver	Yes	Boot				Kernel Driver	No	Manual									
	Running	OK	Normal	No	Yes		Stopped	OK	Normal	No	No							
gpc	Generic Packet Classifier					ipsec	IPSEC driver											
	c:\windows\system32\drivers\msgpc.sys						c:\windows\system32\drivers\ipsec.sys											
	Kernel Driver	Yes	Manual				Kernel Driver	Yes	System									
	Running	OK	Normal	No	Yes		Running	OK	Normal	No	Yes							
hpn	hpn	Not Available	Kernel Driver			ipsraidn	ipsraidn	Not Available	Kernel Driver									
	No	Disabled	Stopped	OK			No	Disabled	Stopped	OK								
	Normal	No	No				Normal	No	No									
hpqcissb	Smart Array Controllers Non-Miniport Bus Driver					isapnp	PnP ISA/EISA Bus Driver											
	c:\windows\system32\drivers\hpqcissb.sys						c:\windows\system32\drivers\isapnp.sys											
	Kernel Driver	Yes	Boot				Kernel Driver	Yes	Boot									
	Running	OK	Normal	No	Yes		Running	OK	Critical	No	Yes							
hpqcissd	Smart Array Controllers Non-Miniport Disk Driver					kbdclass	Keyboard Class Driver											
	c:\windows\system32\drivers\hpqcissd.sys						c:\windows\system32\drivers\kbdclass.sys											
	Kernel Driver	Yes	Boot				Kernel Driver	Yes	System									



ndisuiio	NDIS Usermode I/O Protocol c:\windows\system32\drivers\ndisuiio.sys Kernel Driver Yes Manual Running OK Normal No Yes
ndiswan	Remote Access NDIS WAN Driver c:\windows\system32\drivers\ndiswan.sys Kernel Driver Yes Manual Running OK Normal No Yes
ndproxy	NDIS Proxy c:\windows\system32\drivers\ndproxy.sys Kernel Driver Yes Manual Running OK Normal No Yes
netbios	NetBIOS Interface c:\windows\system32\drivers\netbios.sys File System Driver Yes System Running OK Normal No Yes
netbt	NetBios over Tcpip c:\windows\system32\drivers\netbt.sys Kernel Driver Yes System Running OK Normal No Yes
nfrd960	nfrd960 Not Available Kernel Driver No Disabled Stopped OK Normal No No
npfs	Npfs c:\windows\system32\drivers\npfs.sys File System Driver Yes System Running OK Normal No Yes
ntfs	Ntfs c:\windows\system32\drivers\ntfs.sys File System Driver Yes Disabled Running OK Normal No Yes
null	Null c:\windows\system32\drivers\null.sys Kernel Driver Yes System Running OK Normal No Yes
parport	Parallel port driver c:\windows\system32\drivers\parport.sys Kernel Driver Yes Manual Running OK Normal No Yes
partmgr	Partition Manager c:\windows\system32\drivers\partmgr.sys Kernel Driver Yes Boot Running OK Normal No Yes
parvdm	Parvdm c:\windows\system32\drivers\parvdm.sys Kernel Driver Yes Auto Running OK Ignore No Yes
pci	PCI Bus Driver c:\windows\system32\drivers\pci.sys Kernel Driver Yes Boot Running OK Critical No Yes

pciide	PCIIde c:\windows\system32\drivers\pciide.sys Kernel Driver Yes Boot Running OK Normal No Yes
pcmcia	Pcmcia c:\windows\system32\drivers\pcmcia.sys Kernel Driver No Disabled Stopped OK Normal No No
pdcomp	PDCOMP Not Available Kernel Driver No Manual Stopped OK Ignore No No
pdframe	PDFRAME Not Available Kernel Driver No Manual Stopped OK Ignore No No
pdreli	PDRELI Not Available Kernel Driver No Manual Stopped OK Ignore No No
pdrframe	PDRFRAME Not Available Kernel Driver No Manual Stopped OK Ignore No No
perc2	perc2 Not Available Kernel Driver No Disabled Stopped OK Normal No No
perc2hib	perc2hib Not Available Kernel Driver No Disabled Stopped OK Normal No No
pptpminiport	WAN Miniport (PPTP) c:\windows\system32\drivers\rasppptp.sys Kernel Driver Yes Manual Running OK Normal No Yes
prlntss	PRLNTSS c:\windows\system32\drivers\prlntss.sys Kernel Driver Yes System Running OK Normal No Yes
processor	Processor Driver c:\windows\system32\drivers\processr.sys Kernel Driver Yes Manual Running OK Normal No Yes
ptilink	Direct Parallel Link Driver c:\windows\system32\drivers\ptilink.sys Kernel Driver Yes Manual Running OK Normal No Yes
q57w2k	Compaq NC7781 Gigabit Server Adapter c:\windows\system32\drivers\q57xp32.sys Kernel Driver No Manual Stopped OK Normal No No
ql1080	ql1080 Not Available Kernel Driver No Disabled Stopped OK Normal No No
ql10wnt	QL10wnt Not Available Kernel Driver No Disabled Stopped OK Normal No No
ql12160	ql12160 Not Available Kernel Driver No Disabled Stopped OK Normal No No

ql1240	ql1240 Not Available Kernel Driver No Disabled Stopped OK Normal No No
ql1280	ql1280 Not Available Kernel Driver No Disabled Stopped OK Normal No No
ql2100	ql2100 Not Available Kernel Driver No Disabled Stopped OK Normal No No
ql2200	ql2200 Not Available Kernel Driver No Disabled Stopped OK Normal No No
ql2300	ql2300 Not Available Kernel Driver No Disabled Stopped OK Normal No No
rasacd	Remote Access Auto Connection Driver c:\windows\system32\drivers\rasacd.sys Kernel Driver Yes System Running OK Normal No Yes
rasl2tp	WAN Miniport (L2TP) c:\windows\system32\drivers\rasl2tp.sys Kernel Driver Yes Manual Running OK Normal No Yes
raspppoe	Remote Access PPPOE Driver c:\windows\system32\drivers\raspppoe.sys Kernel Driver Yes Manual Running OK Normal No Yes
raspti	Direct Parallel c:\windows\system32\drivers\raspti.sys Kernel Driver Yes Manual Running OK Normal No Yes
rdbss	Rdbss c:\windows\system32\drivers\rdbss.sys File System Driver Yes System Running OK Normal No Yes
rdpcdd	RDPDCC c:\windows\system32\drivers\rdpcdd.sys Kernel Driver Yes System Running OK Ignore No Yes
rdpdr	Terminal Server Device Redirector Driver c:\windows\system32\drivers\rdpdr.sys Kernel Driver Yes Manual Running OK Normal No Yes
rdpwd	RDPWD c:\windows\system32\drivers\rdpwd.sys Kernel Driver Yes Manual Running OK Ignore No Yes
redbook	Digital CD Audio Playback Filter Driver c:\windows\system32\drivers\redbook.sys Kernel Driver Yes System Running OK Normal No Yes
secdrv	Secdrv c:\windows\system32\drivers\secdrv.sys Kernel Driver No Manual

```

Stopped OK Normal No No
serenum Serenum Filter Driver
c:\windows\system32\drivers\serenum.sys
Kernel Driver Yes Manual
Running OK Normal No Yes
serial Serial port driver
c:\windows\system32\drivers\serial.sys
Kernel Driver Yes System
Running OK Ignore No Yes
sfloppy Sfloppy
c:\windows\system32\drivers\sfloppy.sys
Kernel Driver No System
Stopped OK Ignore No No
simbad Simbad Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
sparrow Sparrow Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
srv Srv
c:\windows\system32\drivers\srv.sys
File System Driver Yes Manual
Running OK Normal No Yes
swenum Software Bus Driver
c:\windows\system32\drivers\swenum.sys
Kernel Driver Yes Manual
Running OK Normal No Yes
symc810 symc810 Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
symc8xx symc8xx Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
symmpi symmpi Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
sym_hi sym_hi Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
sym_u3 sym_u3 Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
tcpip TCP/IP Protocol Driver
c:\windows\system32\drivers\tcpip.sys
Kernel Driver Yes System
Running OK Normal No Yes
tdpipe TDPIPE
c:\windows\system32\drivers\tdpipe.sys
Kernel Driver No Manual
Stopped OK Ignore No No
tdtcp TDTCP
c:\windows\system32\drivers\tdtcp.sys
Kernel Driver Yes Manual
Running OK Ignore No Yes

```

```

termdd Terminal Device Driver
c:\windows\system32\drivers\termdd.sys
Kernel Driver Yes System
Running OK Normal No Yes
toside TosIde Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
udfs Udfs
c:\windows\system32\drivers\udfs.sys
File System Driver No Disabled
Stopped OK Normal No No
ultra ultra Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
update Microcode Update Driver
c:\windows\system32\drivers\update.sys
Kernel Driver Yes Manual
Running OK Normal No Yes
vga vga
c:\windows\system32\drivers\vgapnp.sys
Kernel Driver Yes Manual
Running OK Ignore No Yes
vgasave VGA Display Controller.
c:\windows\system32\drivers\vga.sys
Kernel Driver No System
Stopped OK Ignore No No
viaide ViaIde Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
volsnap Storage volumes
c:\windows\system32\drivers\volsnap.sys
Kernel Driver Yes Boot
Running OK Normal No Yes
wanarp Remote Access IP ARP Driver
c:\windows\system32\drivers\wanarp.sys
Kernel Driver Yes Manual
Running OK Normal No Yes
wdica WDICA Not Available Kernel Driver
No Manual Stopped OK
Ignore No No
wlbs Network Load Balancing
c:\windows\system32\drivers\wlbs.sys
Kernel Driver No Manual
Stopped OK Normal No No

[Signed Drivers]
Device Name Signed Device Class
Driver Version Driver Date
Manufacturer INF Name Driver Name
Device ID
Not Available Not Available Not Available Not Available
Available Not Available Not Available Not Available
HTREE\ROOT\0

```

```

ACPI Multiprocessor PC Yes COMPUTER
5.2.3790.0 10/1/2002 (Standard
computers) hal.inf Not Available
ROOT\ACPI_HAL\0000
Microsoft ACPI-Compliant System Yes
SYSTEM 5.2.3790.0 10/1/2002
Microsoft acpi.inf Not Available
ACPI_HAL\PNP0C08\0
Processor Yes PROCESSOR 5.2.3790.0
10/1/2002 (Standard processor types)
cpu.inf Not Available
ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_2\_0
Processor Yes PROCESSOR 5.2.3790.0
10/1/2002 (Standard processor types)
cpu.inf Not Available
ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_2\_1
Processor Yes PROCESSOR 5.2.3790.0
10/1/2002 (Standard processor types)
cpu.inf Not Available
ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_2\_6
Processor Yes PROCESSOR 5.2.3790.0
10/1/2002 (Standard processor types)
cpu.inf Not Available
ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_2\_7
PCI bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\0
ServerWorks (RCC) CMIC_LE Processor to PCI Bridge(*)
Yes SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0014&SUBSYS_00000000&REV_3
1\3&267A616A&0&00
ServerWorks (RCC) CMIC_LE Processor to PCI Bridge(*)
Yes SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0014&SUBSYS_00000000&REV_0
0\3&267A616A&0&01
ServerWorks (RCC) CMIC_LE Processor to PCI Bridge(*)
Yes SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0014&SUBSYS_00000000&REV_0
0\3&267A616A&0&02
Standard VGA Graphics Adapter Yes DISPLAY
5.2.3790.0 10/1/2002 (Standard
display types) display.inf Not Available
PCI\VEN_1002&DEV_4752&SUBSYS_001E0E11&REV_2
7\3&267A616A&0&18
Plug and Play Monitor Yes MONITOR
5.1.2001.0 6/6/2001 (Standard
monitor types) monitor.inf Not Available
DISPLAY\AV00402\4&89B5141&0&1234567&0&03

Base System Device Not Available UNKNOWN Not
Available Not Available Not Available Not
Available Not Available

```

```

PCI\VEN_0E11&DEV_B203&SUBSYS_B2060E11&REV_0
1\3&267A616A&0&22
HP iLO Management Interface Driver No
MULTIFUNCTION 1.4.3.2 3/24/2003
Hewlett-Packard Company oem0.inf Not
Available
PCI\VEN_0E11&DEV_B204&SUBSYS_B2060E11&REV_0
1\3&267A616A&0&22
PCI standard ISA bridge Yes SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_1166&DEV_0201&SUBSYS_00000000&REV_9
3\3&267A616A&0&78
ISAPNP Read Data Port Yes SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ISAPNP\READDATAPORT\0
Motherboard resources Yes SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ACPI\PNP0C02\0
Programmable interrupt controller Yes
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
ACPI\PNP0000\4&35118DFF&0
System timer Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0100\4&35118DFF&0
Direct memory access controller Yes
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
ACPI\PNP0200\4&35118DFF&0
System speaker Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0800\4&35118DFF&0
Standard 101/102-Key or Microsoft Natural PS/2
Keyboard Yes KEYBOARD 5.2.3790.0
10/1/2002 (Standard keyboards)
keyboard.inf Not Available
ACPI\PNP0303\4&35118DFF&0
PS/2 Compatible Mouse Yes MOUSE
5.2.3790.0 10/1/2002 Microsoft
msmouse.inf Not Available
ACPI\PNP0F13\4&35118DFF&0
Extended IO Bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A06\4&35118DFF&0
Printer Port Yes PORTS 5.2.3790.0
10/1/2002 (Standard port types)
msports.inf Not Available
ACPI\PNP0400\5&13237358&0
Printer Port Logical Interface Yes
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
LPTENUM\MICROSOFTRAWPORT\6&BCCF519&0&LPT1

```

```

Communications Port Yes PORTS 5.2.3790.0
10/1/2002 (Standard port types)
msports.inf Not Available
ACPI\PNP0501\0
Communications Port Yes PORTS 5.2.3790.0
10/1/2002 (Standard port types)
msports.inf Not Available
ACPI\PNP0501\1
Standard floppy disk controller Yes FDC
5.2.3790.0 10/1/2002 (Standard
floppy disk controllers) fdc.inf Not Available
ACPI\PNP0700\5&13237358&0
Floppy disk drive Yes FLOPPYDISK
5.2.3790.0 10/1/2002 (Standard
floppy disk drives) flpydisk.inf Not Available
FDC\GENERIC_FLOPPY_DRIVE\6&1C650E5D&0&0
CSB5 IDE Controller Yes HDC 5.2.3790.0
10/1/2002 ServerWorks mshdc.inf Not
Available
PCI\VEN_1166&DEV_0212&SUBSYS_02121166&REV_9
3\3&267A616A&0&79
Primary IDE Channel Yes HDC 5.2.3790.0
10/1/2002 (Standard IDE ATA/ATAPI
controllers) mshdc.inf Not Available
PCIIDE\IDECHANNEL\4&1024D5C6&0&0
CD-ROM Drive Yes CDROM 5.2.3790.0
10/1/2002 (Standard CD-ROM drives)
cdrom.inf Not Available
IDE\CDROMCOMPAQ_CD-
ROM_LTN486S_YQSD_5\FB0C83D&0&0.
1.0
Secondary IDE Channel Yes HDC
5.2.3790.0 10/1/2002 (Standard IDE
ATA/ATAPI controllers) mshdc.inf Not Available
PCIIDE\IDECHANNEL\4&1024D5C6&0&1
Serverworks Champion CSB5 - SouthBridge 5 LPC Yes
SYSTEM 5.2.3790.0 10/1/2002
ServerWorks (RCC) machine.inf Not
Available
PCI\VEN_1166&DEV_0225&SUBSYS_00000000&REV_0
0\3&267A616A&0&7B
ServerWorks Grand Champion CIOB_X2 - I/O Bridge 133
Mhz Yes SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0101&SUBSYS_00000000&REV_0
5\3&267A616A&0&80
ServerWorks Grand Champion CIOB_X2 - I/O Bridge 133
Mhz Yes SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0101&SUBSYS_00000000&REV_0
5\3&267A616A&0&82
ServerWorks Grand Champion CIOB_X2 - I/O Bridge 133
Mhz Yes SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0101&SUBSYS_00000000&REV_0
5\3&267A616A&0&88
ServerWorks Grand Champion CIOB_X2 - I/O Bridge 133
Mhz Yes SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available

```

```

PCI\VEN_1166&DEV_0101&SUBSYS_00000000&REV_0
5\3&267A616A&0&8A
PCI bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\1
Compaq 64-bit/66MHz Dual Channel Wide Ultra3 SCSI
Adapter Yes SCSIADAPTER 5.2.3790.0
10/1/2002 Adaptec pnpscsi.inf Not
Available
PCI\VEN_9005&DEV_00C0&SUBSYS_F6200E11&REV_0
1\3&13C0B0C5&0&18
Disk drive Yes DISKDRIVE 5.2.3790.0
10/1/2002 (Standard disk drives)
disk.inf Not Available
SCSI\DISK&VEN_COMPAQ&PROD_BF01885A34&REV_HP
B3\4&F4A740&0&000
Compaq ProLiant Storage System Plug and Play Yes
SYSTEM 5.16.0.0 3/22/2002 Compaq
oem5.inf Not Available
SCSI\PROCESSOR&VEN_COMPAQ&PROD_PROLIANT_4L2
I&REV_1.70\4&F4A740&0&0F0
Compaq 64-bit/66MHz Dual Channel Wide Ultra3 SCSI
Adapter Yes SCSIADAPTER 5.2.3790.0
10/1/2002 Adaptec pnpscsi.inf Not
Available
PCI\VEN_9005&DEV_00C0&SUBSYS_F6200E11&REV_0
1\3&13C0B0C5&0&19
BCM5703 Gigabit Ethernet Yes NET
2.91.0.0 10/1/2002 Narrowcom netb57xp.inf
Not Available
PCI\VEN_14E4&DEV_16A7&SUBSYS_00CB0E11&REV_0
2\3&13C0B0C5&0&20
PCI bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\2
Smart Array 5300 Controller (Non-Miniport) No
SCSIADAPTER 5.6.59.32 4/8/2003
Hewlett-Packard oem1.inf Not Available
PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&1070020&0&08
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem2.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&33332AB6&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem2.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&33332AB6&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem2.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&33332AB6&0&0200004000000000
Smart Array 5300 Controller (Non-Miniport) No
SCSIADAPTER 5.6.59.32 4/8/2003
Hewlett-Packard oem1.inf Not Available
PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&1070020&0&10

```

```

Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem2.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&16A16360&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem2.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&16A16360&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem2.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&16A16360&0&0200004000000000
PCI bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\3
Smart Array 5300 Controller (Non-Miniport) No
SCSIADAPTER 5.6.59.32 4/8/2003
Hewlett-Packard oem1.inf Not Available
PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&29E81982&0&08
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem2.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&38EB4840&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem2.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&38EB4840&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem2.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&38EB4840&0&0200004000000000
Smart Array 642 Controller Yes SCSIADAPTER
5.44.0.32 1/31/2003 Hewlett-Packard Company
oem4.inf Not Available
PCI\VEN_0E11&DEV_0046&SUBSYS_409B0E11&REV_0
1\3&29E81982&0&10
Smart Array 5x and 6x Notification Driver Yes
SYSTEM 5.44.0.32 2/12/2003 Hewlett-
Packard Company oem6.inf Not Available
SCSI\OTHER&VEN_COMPAQ&PROD_SCSI_COMMUNICATE
&REV_CISS\4&81A1F93&0&000
Disk drive Yes DISKDRIVE 5.2.3790.0
10/1/2002 (Standard disk drives)
disk.inf Not Available
SCSI\DISK&VEN_HP&PROD_LOGICAL_VOLUME&REV_0.
20\4&81A1F93&0&040
PCI bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\4
Smart Array 5300 Controller (Non-Miniport) No
SCSIADAPTER 5.6.59.32 4/8/2003
Hewlett-Packard oem1.inf Not Available
PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&172E68DD&0&08

```

```

Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem2.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&1F72F2BD&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem2.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&1F72F2BD&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem2.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&1F72F2BD&0&0200004000000000
Smart Array 5300 Controller (Non-Miniport) No
SCSIADAPTER 5.6.59.32 4/8/2003
Hewlett-Packard oem1.inf Not Available
PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&172E68DD&0&10
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem2.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&2E12B67&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem2.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&2E12B67&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.56.32 4/8/2003 Hewlett-Packard
oem2.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&2E12B67&0&0200004000000000
ACPI Thermal Zone Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\THERMALZONE\THM0
ACPI Fixed Feature Button Yes SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ACPI\FIXEDBUTTON\2&DABA3FF&0
Logical Disk Manager Yes SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\DMIO\0000
Volume Manager Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ROOT\FTDISK\0000
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70161A
CAOFFSET7E00LENGHTHABDE4D400
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70161A
CBOFFSET7E00LENGHTH51FF26A00
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not

```

```

Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70161A
CDOFFSET7E00LENGHTH517C65200
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70161A
CEOFFSET7E00LENGHTHABDE4D400
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70161A
CFOFFSET7E00LENGHTH51FF26A00
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70161A
FOFFSET7E00LENGHTH517C65200
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70161A
FLOFFSET7E00LENGHTHABDE4D400
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70161A
F2OFFSET7E00LENGHTH51FF26A00
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70161A
F3OFFSET7E00LENGHTH517C65200
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70161A
F4OFFSET7E00LENGHTHABDE4D400
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70161A
F5OFFSET7E00LENGHTH51FF26A00
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70161A
F6OFFSET7E00LENGHTH517C65200
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70161A
F7OFFSET7E00LENGHTHABDE4D400
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70161A
F8OFFSET7E00LENGHTH51FF26A00
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70161A
F9OFFSET7E00LENGHTH517C65200

```

```

Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATUREC16FC1
6FOFFSET7E00LENGTH7D0400
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATUREC16FC1
6FOFFSET7D8200LENGTH43BF9C600
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE70CDC
FFOFFSET7E00LENGTH21EA96DE00
AFD Networking Support Environment Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_AFD\0000
Beep Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available ROOT\LEGACY_BEEP\0000

cpqcissm Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_CPQCISSM\0000
CRC Disk Filter Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_CRCDISK\0000
dmbot Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_DMBOT\0000

dmload Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_DMLoad\0000

Fips Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_FIPS\0000

Generic Packet Classifier Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_GPC\0000
IPSEC driver Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_IPSEC\0000
ksecdd Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_KSECDD\0000

nmmd Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_MNMD\0000

mountmgr Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available
ROOT\LEGACY_MOUNTMGR\0000

```

```

NDIS System Driver Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available
Available ROOT\LEGACY_NDIS\0000
Remote Access NDIS TAPI Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_NDIS\0000
NDIS Usermode I/O Protocol Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_NDISUIO\0000
NDProxy Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available
ROOT\LEGACY_NDPROXY\0000
NetBios over Tcpi Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_NETBT\0000
Null Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_NULL\0000

Partition Manager Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_PARTMGR\0000
Parvdm Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_PARVDM\0000

Remote Access Auto Connection Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_RASACD\0000
RDPcdd Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_RDPcdd\0000

RDPWD Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_RDPWD\0000

TCP/IP Protocol Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_TCPIP\0000
TDTCP Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_TDTCP\0000

volsnap Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available
ROOT\LEGACY_VOLSNAP\0000
Remote Access IP ARP Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_WANARP\0000
Audio Codecs Yes MEDIA 5.2.3790.0
10/1/2002 (Standard system devices)

```

```

wave.inf Not Available
ROOT\MEDIA\MS_MMADM
Legacy Audio Drivers Yes MEDIA
5.2.3790.0 10/1/2002 (Standard
system devices) wave.inf Not Available
ROOT\MEDIA\MS_MMDRV
Media Control Devices Yes MEDIA
5.2.3790.0 10/1/2002 (Standard
system devices) wave.inf Not Available
ROOT\MEDIA\MS_MMCI
Legacy Video Capture Devices Yes MEDIA
5.2.3790.0 10/1/2002 (Standard
system devices) wave.inf Not Available
ROOT\MEDIA\MS_MMVCD
Video Codecs Yes MEDIA 5.2.3790.0
10/1/2002 (Standard system devices)
wave.inf Not Available
ROOT\MEDIA\MS_MMVID
WAN Miniport (L2TP) Yes NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_L2TPMINI\0000
WAN Miniport (IP) Yes NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_NDISWANIP\0000
WAN Miniport (PPPOE) Yes NET
5.2.3790.0 10/1/2002 Microsoft
netrasa.inf Not Available
ROOT\MS_PPPOEMINI\0000
WAN Miniport (PPTP) Yes NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_PPTPMINI\0000
Direct Parallel Yes NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_PTMINI\0000
Terminal Server Device Redirector Yes
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\RDPDR\0000
Terminal Server Keyboard Driver Yes
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\RDP_KBD\0000
Terminal Server Mouse Driver Yes
SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\RDP_MOUSE\0000
Plug and Play Software Device Enumerator Yes
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\SYSTEM\0000
Microcode Update Device Yes
SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\SYSTEM\0001

[Environment Variables]
Variable Value User Name
ClusterLog C:\WINDOWS\cluster\cluster.log
<SYSTEM>
ComSpec %SystemRoot%\system32\cmd.exe <SYSTEM>
NUMBER_OF_PROCESSORS 4 <SYSTEM>
OS Windows_NT <SYSTEM>

```

```

Path
%SystemRoot%\system32;%SystemRoot%;%SystemR
oot%\System32\Wbem;C:\Program Files\Microsoft SQL
Server\80\Tools\Binn;C:\Program Files\Microsoft SQL
Server\MSSQL\Binn; <SYSTEM>
PATHEXT
.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF
;.WSH
<SYSTEM>
PROCESSOR_ARCHITECTURE x86 <SYSTEM>
PROCESSOR_IDENTIFIER x86 Family 15 Model 2
Stepping 7, GenuineIntel <SYSTEM>
PROCESSOR_LEVEL 15 <SYSTEM>
PROCESSOR_REVISION 0207 <SYSTEM>
TEMP %SystemRoot%\TEMP <SYSTEM>
TMP %SystemRoot%\TEMP <SYSTEM>
windir %SystemRoot% <SYSTEM>
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\SYSTEM
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\SYSTEM
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\LOCAL SERVICE
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\NETWORK SERVICE
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\NETWORK SERVICE
TEMP %USERPROFILE%\Local Settings\Temp
BUGS\Administrator
TEMP %USERPROFILE%\Local Settings\Temp
BUGS\Administrator

[Print Jobs]

Document Size Owner Notify Status
Time Submitted Start Time
Until Time Elapsed Time
Pages Printed Job ID Priority
Parameters Driver Print
Processor Host Print Queue Data Type Name

[Network Connections]

Local Name Remote Name Type
Status User Name

[Running Tasks]

Name Path Process ID Priority Min
Working Set Max Working Set Start Time
Version Size File Date
system idle process Not Available 0 0
Not Available Not Available Not Available Not Available
Available Not Available Not Available Not Available
system Not Available 4 8 0
1413120 Not Available Not Available Not Available
smss.exe Not Available 484 11
204800 1413120 5/23/2003 4:55 PM Not
Available Not Available Not Available

```

```

csrss.exe Not Available 532 13 Not
Available Not Available 5/23/2003 4:58 PM Not
Available Not Available Not Available
winlogon.exe c:\windows\system32\winlogon.exe
556 13 204800 1413120
5/23/2003 4:58 PM 5.2.3790.0
(srv03_rtm.030324-2048) 536.50 KB (549,376
bytes) 3/25/2003 12:00 AM
services.exe c:\windows\system32\services.exe
600 9 204800 1413120
5/23/2003 4:58 PM 5.2.3790.0
(srv03_rtm.030324-2048) 102.00 KB (104,448
bytes) 3/25/2003 12:00 AM
lsass.exe c:\windows\system32\lsass.exe 612 9
204800 1413120 5/23/2003 4:58 PM
5.2.3790.0 (srv03_rtm.030324-2048)
13.00 KB (13,312 bytes) 3/25/2003
12:00 AM
svchost.exe c:\windows\system32\svchost.exe
776 8 204800 1413120
5/23/2003 4:58 PM 5.2.3790.0
(srv03_rtm.030324-2048) 13.00 KB (13,312 bytes)
3/25/2003 12:00 AM
svchost.exe c:\windows\system32\svchost.exe
816 8 204800 1413120
5/23/2003 4:58 PM 5.2.3790.0
(srv03_rtm.030324-2048) 13.00 KB (13,312 bytes)
3/25/2003 12:00 AM
svchost.exe Not Available 980 8
Not Available Not Available
5/23/2003 4:58 PM Not Available Not
Available Not Available 1028 8
svchost.exe Not Available Not Available
Not Available 5/23/2003 4:58 PM Not
Available Not Available
svchost.exe c:\windows\system32\svchost.exe
1204 8 204800 1413120
5/23/2003 4:58 PM 5.2.3790.0
(srv03_rtm.030324-2048) 55.00 KB (56,320 bytes)
3/25/2003 12:00 AM
spoolsv.exe c:\windows\system32\spoolsv.exe
1252 8 Not
Available Not Available 5/23/2003 4:58 PM Not
Available Not Available Not Available
svchost.exe c:\windows\system32\svchost.exe
1428 8 204800 1413120
5/23/2003 4:58 PM 5.2.3790.0
(srv03_rtm.030324-2048) 13.00 KB (13,312 bytes)
3/25/2003 12:00 AM
svchost.exe Not Available 1464 8
Not Available Not Available
5/23/2003 4:58 PM Not Available Not
Available Not Available
tssdis.exe c:\windows\system32\tssdis.exe
1484 8 204800 1413120
5/23/2003 4:58 PM 5.2.3790.0
(srv03_rtm.030324-2048) 63.00 KB (64,512 bytes)
4/29/2003 2:11 PM

```

```

mssearch.exe c:\program files\common
files\system\mssearch\bin\mssearch.exe 1556 8
204800 1413120 5/23/2003 4:58 PM
9.107.8320.0 68.00 KB (69,632 bytes)
1/21/2003 9:30 AM
dfssvc.exe c:\windows\system32\dfssvc.exe
1796 8 204800 1413120
5/23/2003 4:58 PM 5.2.3790.0
(srv03_rtm.030324-2048) 130.50 KB (133,632
bytes) 3/25/2003 12:00 AM
wmiprvse.exe Not Available 1944 8
Not Available Not Available
5/23/2003 4:59 PM Not Available Not
Available Not Available
explorer.exe c:\windows\explorer.exe
1956 8 204800 1413120
5/26/2003 11:22 AM 6.00.3790.0
(srv03_rtm.030324-2048) 1,008.50 KB (1,032,704
bytes) 3/25/2003 12:00 AM
rundll32.exe c:\windows\system32\rundll32.exe
2040 8 204800 1413120
5/26/2003 11:22 AM 5.2.3790.0
(srv03_rtm.030324-2048) 32.00 KB (32,768 bytes)
3/25/2003 12:00 AM
sqlmangr.exe c:\program files\microsoft sql
server\80\tools\bin\sqlmangr.exe 1716 8
204800 1413120 5/26/2003 11:22 AM
2000.080.0760.00 72.57 KB (74,308 bytes)
4/29/2003 2:34 PM
helpctr.exe c:\windows\pchealth\helpctr\binaries\helpctr
.exe 504 8 204800 1413120
5/26/2003 11:22 AM 5.2.3790.0
(srv03_rtm.030324-2048) 764.00 KB (782,336
bytes) 4/29/2003 2:14 PM
helpsvc.exe c:\windows\pchealth\helpctr\binaries\helpsv
c.exe 268 8 204800 1413120
5/26/2003 11:22 AM 5.2.3790.0
(srv03_rtm.030324-2048) 720.00 KB (737,280
bytes) 4/29/2003 2:14 PM
wmiprvse.exe Not Available 852 8
Not Available Not Available
5/26/2003 11:22 AM Not Available Not
Available Not Available

[Loaded Modules]

Name Version Size File Date Manufacturer
Path
winlogon 5.2.3790.0 (srv03_rtm.030324-2048)
536.50 KB (549,376 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\winlogon.exe
ntdll 5.2.3790.0 (srv03_rtm.030324-2048)
722.50 KB (739,840 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\ntdll.dll
kernel32 5.2.3790.0 (srv03_rtm.030324-2048)
965.00 KB (988,160 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\kernel32.dll

```

```

msvcrt 7.0.3790.0 (srv03_rtm.030324-2048)
319.50 KB (327,168 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\msvcrt.dll
advapi32 5.2.3790.0 (srv03_rtm.030324-2048)
559.50 KB (572,928 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\advapi32.dll
rpcrt4 5.2.3790.0 (srv03_rtm.030324-2048)
643.50 KB (658,944 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\rpcrt4.dll
user32 5.2.3790.0 (srv03_rtm.030324-2048)
562.00 KB (575,488 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\user32.dll
gdi32 5.2.3790.0 (srv03_rtm.030324-2048)
263.00 KB (269,312 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\gdi32.dll
userenv 5.2.3790.0 (srv03_rtm.030324-2048)
732.50 KB (750,080 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\userenv.dll
nddeapi 5.2.3790.0 (srv03_rtm.030324-2048)
16.00 KB (16,384 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\nddeapi.dll
crypt32 5.131.3790.0 (srv03_rtm.030324-2048)
598.00 KB (612,352 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\crypt32.dll
msasn1 5.2.3790.0 (srv03_rtm.030324-2048)
58.00 KB (59,392 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\msasn1.dll
secur32 5.2.3790.0 (srv03_rtm.030324-2048)
63.00 KB (64,512 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\secur32.dll
winsta 5.2.3790.0 (srv03_rtm.030324-2048)
51.00 KB (52,224 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\winsta.dll
netapi32 5.2.3790.0 (srv03_rtm.030324-2048)
317.00 KB (324,608 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\netapi32.dll
profmap 5.2.3790.0 (srv03_rtm.030324-2048)
22.00 KB (22,528 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\profmap.dll
regapi 5.2.3790.0 (srv03_rtm.030324-2048)
48.50 KB (49,664 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\regapi.dll
ws2_32 5.2.3790.0 (srv03_rtm.030324-2048)
87.50 KB (89,600 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\ws2_32.dll
ws2help 5.2.3790.0 (srv03_rtm.030324-2048)
19.50 KB (19,968 bytes) 3/25/2003

```

```

12:00 AM Microsoft Corporation
c:\windows\system32\ws2help.dll
psapi 5.2.3790.0 (srv03_rtm.030324-2048)
21.50 KB (22,016 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\psapi.dll
version 5.2.3790.0 (srv03_rtm.030324-2048)
17.00 KB (17,408 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\version.dll
setupapi 5.2.3790.0 (srv03_rtm.030324-2048)
1,014.50 KB (1,038,848 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\setupapi.dll
msgina 5.2.3790.0 (srv03_rtm.030324-2048)
1.14 MB (1,191,936 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\msgina.dll
shsvcs 6.00.3790.0 (srv03_rtm.030324-2048)
121.50 KB (124,416 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\shsvcs.dll
shlwapi 6.00.3790.0 (srv03_rtm.030324-2048)
281.00 KB (287,744 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\shlwapi.dll
sfc 5.2.3790.0 (srv03_rtm.030324-2048)
4.50 KB (4,608 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\sfc.dll
sfc_os 5.2.3790.0 (srv03_rtm.030324-2048)
133.00 KB (136,192 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\sfc_os.dll
wintrust 5.131.3790.0 (srv03_rtm.030324-2048)
161.50 KB (165,376 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\wintrust.dll
ole32 5.2.3790.0 (srv03_rtm.030324-2048)
1.13 MB (1,187,328 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\ole32.dll
imagehlp 5.2.3790.0 (srv03_rtm.030324-2048)
142.50 KB (145,920 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\imagehlp.dll
comctl32 6.0 (srv03_rtm.030324-2048)
907.00 KB (928,768 bytes) 4/29/2003 8:52 AM Microsoft Corporation
c:\windows\winsxs\x86_microsoft.windows.com
mon-controls_6595b64144ccf1df.6.0.100.0_x-
ww_8417450b\comctl32.dll
wincard 5.2.3790.0 (srv03_rtm.030324-2048)
98.50 KB (100,864 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\wincard.dll
wtsapi32 5.2.3790.0 (srv03_rtm.030324-2048)
17.50 KB (17,920 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\wtsapi32.dll
winmm 5.2.3790.0 (srv03_rtm.030324-2048)
166.00 KB (169,984 bytes) 3/25/2003

```

```

12:00 AM Microsoft Corporation
c:\windows\system32\winmm.dll
sxs 5.2.3790.0 (srv03_rtm.030324-2048)
733.00 KB (750,592 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\sxs.dll
shell32 6.00.3790.0 (srv03_rtm.030324-2048)
7.79 MB (8,166,400 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\shell32.dll
wldap32 5.2.3790.0 (srv03_rtm.030324-2048)
158.00 KB (161,792 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\wldap32.dll
rsaenh 5.2.3790.0 (srv03_rtm.030324-2048)
176.83 KB (181,072 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\rsaenh.dll
csddl 5.2.3790.0 (srv03_rtm.030324-2048)
99.00 KB (101,376 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\csddl.dll
wlnotify 5.2.3790.0 (srv03_rtm.030324-2048)
87.50 KB (89,600 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\wlnotify.dll
winapool 5.2.3790.0 (srv03_rtm.030324-2048)
140.00 KB (143,360 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\winapool.drv
mpr 5.2.3790.0 (srv03_rtm.030324-2048)
56.00 KB (57,344 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\mpr.dll
comctl32 5.82 (srv03_rtm.030324-2048)
561.00 KB (574,464 bytes) 4/29/2003 8:52 AM Microsoft Corporation
c:\windows\winsxs\x86_microsoft.windows.com
mon-controls_6595b64144ccf1df.5.82.0.0_x-
ww_8a69ba05\comctl32.dll
uxtheme 6.00.3790.0 (srv03_rtm.030324-2048)
196.00 KB (200,704 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\uxtheme.dll
clbcatq 2001.12.4720.0 (srv03_rtm.030324-2048)
481.00 KB (492,544 bytes) 4/29/2003
2:11 PM Microsoft Corporation
c:\windows\system32\clbcatq.dll
oleaut32 5.2.3790.0
486.00 KB (497,664 bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows\system32\oleaut32.dll
comres 2001.12.4720.0 (srv03_rtm.030324-2048)
778.00 KB (796,672 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\comres.dll
wbemprox 5.2.3790.0 (srv03_rtm.030324-2048)
17.50 KB (17,920 bytes) 4/29/2003
2:11 PM Microsoft Corporation
c:\windows\system32\wbem\wbemprox.dll
wbemcomn 5.2.3790.0 (srv03_rtm.030324-2048)
211.50 KB (216,576 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\wbem\wbemcomn.dll

```

wbemsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
42.50 KB (43,520 bytes) 4/29/2003  
Microsoft Corporation  
c:\windows\system32\wbem\wbemsvcs.dll

fastprox 5.2.3790.0 (srv03\_rtm.030324-2048)  
443.00 KB (453,632 bytes) 4/29/2003  
2:11 PM Microsoft Corporation  
c:\windows\system32\wbem\fastprox.dll

msvcpx60 6.05.2144.0 388.00 KB (397,312 bytes)  
3/25/2003 12:00 AM Microsoft Corporation  
c:\windows\system32\msvcpx60.dll

ntdsapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
76.00 KB (77,824 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\ntdsapi.dll

dnsapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
147.50 KB (151,040 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\dnsapi.dll

samlib 5.2.3790.0 (srv03\_rtm.030324-2048)  
49.00 KB (50,176 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\samlib.dll

cscui 5.2.3790.0 (srv03\_rtm.030324-2048)  
305.00 KB (312,320 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\cscui.dll

es 2001.12.4720.0 (srv03\_rtm.030324-2048)  
221.50 KB (226,816 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\es.dll

ntmarta 5.2.3790.0 (srv03\_rtm.030324-2048)  
114.00 KB (116,736 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\ntmarta.dll

services 5.2.3790.0 (srv03\_rtm.030324-2048)  
102.00 KB (104,448 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\services.exe

scesrv 5.2.3790.0 (srv03\_rtm.030324-2048)  
316.50 KB (324,096 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\scesrv.dll

authz 5.2.3790.0 (srv03\_rtm.030324-2048)  
67.00 KB (68,608 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\authz.dll

umpnpgmr 5.2.3790.0 (srv03\_rtm.030324-2048)  
121.50 KB (124,416 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\umpnpgmr.dll

ncobjapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
34.50 KB (35,328 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\ncobjapi.dll

eventlog 5.2.3790.0 (srv03\_rtm.030324-2048)  
60.50 KB (61,952 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\eventlog.dll

cryptnet 5.131.3790.0 (srv03\_rtm.030324-2048)  
59.50 KB (60,928 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\cryptnet.dll

sensapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
6.00 KB (6,144 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\sensapi.dll

cabinet 5.2.3790.0 (srv03\_rtm.030324-2048)  
61.00 KB (62,464 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\cabinet.dll

imm32 5.2.3790.0 (srv03\_rtm.030324-2048)  
105.50 KB (108,032 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\imm32.dll

apphelp 5.2.3790.0 (srv03\_rtm.030324-2048)  
122.00 KB (124,928 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\apphelp.dll

lsass 5.2.3790.0 (srv03\_rtm.030324-2048)  
13.00 KB (13,312 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\lsass.exe

lsasrv 5.2.3790.0 (srv03\_rtm.030324-2048)  
780.50 KB (799,232 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\lsasrv.dll

samsrv 5.2.3790.0 (srv03\_rtm.030324-2048)  
452.00 KB (462,848 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\samsrv.dll

cryptdll 5.2.3790.0 (srv03\_rtm.030324-2048)  
34.00 KB (34,816 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\cryptdll.dll

msprvs 5.2.3790.0 (srv03\_rtm.030324-2048)  
46.50 KB (47,616 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\msprvs.dll

kerberos 5.2.3790.0 (srv03\_rtm.030324-2048)  
332.50 KB (340,480 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\kerberos.dll

msvl\_0 5.2.3790.0 (srv03\_rtm.030324-2048)  
127.00 KB (130,048 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\msvl\_0.dll

netlogon 5.2.3790.0 (srv03\_rtm.030324-2048)  
409.00 KB (418,816 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\netlogon.dll

w32time 5.2.3790.0 (srv03\_rtm.030324-2048)  
216.00 KB (221,184 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\w32time.dll

iphlpapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
82.50 KB (84,480 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\iphlpapi.dll

schannel 5.2.3790.0 (srv03\_rtm.030324-2048)  
149.50 KB (153,088 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\schannel.dll

wdigest 5.2.3790.0 (srv03\_rtm.030324-2048)  
61.00 KB (62,464 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
c:\windows\system32\wdigest.dll

rassfm 5.2.3790.0 (srv03\_rtm.030324-2048)  
20.50 KB (20,992 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\rassfm.dll

kdcsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
221.00 KB (226,304 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\kdcsvc.dll

ntdsa 5.2.3790.0 (srv03\_rtm.030324-2048)  
1.45 MB (1,520,640 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\ntdsa.dll

ntdsatq 5.2.3790.0 (srv03\_rtm.030324-2048)  
32.00 KB (32,768 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\ntdsatq.dll

mswsock 5.2.3790.0 (srv03\_rtm.030324-2048)  
254.00 KB (260,096 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\mswsock.dll

esent 5.2.3790.0 (srv03\_rtm.030324-2048)  
1.01 MB (1,056,256 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\esent.dll

scecli 5.2.3790.0 (srv03\_rtm.030324-2048)  
179.50 KB (183,808 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\scecli.dll

wshtcpip 5.2.3790.0 (srv03\_rtm.030324-2048)  
18.00 KB (18,432 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\wshtcpip.dll

ipsecsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
162.50 KB (166,400 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\ipsecsvc.dll

oakley 5.2.3790.0 (srv03\_rtm.030324-2048)  
325.50 KB (333,312 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\oakley.dll

winipsec 5.2.3790.0 (srv03\_rtm.030324-2048)  
34.50 KB (35,328 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\winipsec.dll

pstorsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
24.00 KB (24,576 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\pstorsvc.dll

psbase 5.2.3790.0 (srv03\_rtm.030324-2048)  
81.00 KB (82,944 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\psbase.dll

dssenh 5.2.3790.0 (srv03\_rtm.030324-2048)  
131.33 KB (134,480 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\dssenh.dll

wlbsctrl 5.2.3790.0 (srv03\_rtm.030324-2048)  
78.00 KB (79,872 bytes) 3/25/2003  
12:00 AM Microsoft Corporation  
c:\windows\system32\wlbsctrl.dll



```

svchost 5.2.3790.0 (srv03_rtm.030324-2048)
13.00 KB (13,312 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\svchost.exe
rpcss 5.2.3790.0 (srv03_rtm.030324-2048)
276.50 KB (283,136 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\rpcss.dll
termsrv 5.2.3790.0 (srv03_rtm.030324-2048)
216.50 KB (221,696 bytes) 4/29/2003
2:11 PM Microsoft Corporation
c:\windows\system32\termsrv.dll
icaapi 5.2.3790.0 (srv03_rtm.030324-2048)
10.50 KB (10,752 bytes) 4/29/2003
2:11 PM Microsoft Corporation
c:\windows\system32\icaapi.dll
mstlsapi 5.2.3790.0 (srv03_rtm.030324-2048)
104.50 KB (107,008 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\mstlsapi.dll
activeds 5.2.3790.0 (srv03_rtm.030324-2048)
189.00 KB (193,536 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\activeds.dll
adslsdp 5.2.3790.0 (srv03_rtm.030324-2048)
142.50 KB (145,920 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\adslsdp.dll
credui 5.2.3790.0 (srv03_rtm.030324-2048)
159.00 KB (162,816 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\credui.dll
atl 3.05.2283 83.00 KB (84,992 bytes)
3/25/2003 12:00 AM Microsoft Corporation
c:\windows\system32\atl.dll
rdpwsx 5.2.3790.0 (srv03_rtm.030324-2048)
80.13 KB (82,056 bytes) 4/29/2003
2:11 PM Microsoft Corporation
c:\windows\system32\rdpwsx.dll
wzcsvc 5.2.3790.0 (srv03_rtm.030324-2048)
272.50 KB (279,040 bytes) 3/25/2003
6:15 AM Microsoft Corporation
c:\windows\system32\wzcsvc.dll
rtutils 5.2.3790.0 (srv03_rtm.030324-2048)
32.00 KB (32,768 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\rtutils.dll
wmi 5.2.3790.0 (srv03_rtm.030324-2048)
6.50 KB (6,656 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\wmi.dll
dhcpcsvc 5.2.3790.0 (srv03_rtm.030324-2048)
101.50 KB (103,936 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\dhcpcsvc.dll
rastls 5.2.3790.0 (srv03_rtm.030324-2048)
155.00 KB (158,720 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\rastls.dll
cryptui 5.131.3790.0 (srv03_rtm.030324-2048)
473.50 KB (484,864 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\cryptui.dll

```

```

mprapi 5.2.3790.0 (srv03_rtm.030324-2048)
81.00 KB (82,944 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\mprapi.dll
rasapi32 5.2.3790.0 (srv03_rtm.030324-2048)
227.50 KB (232,960 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\rasapi32.dll
rasman 5.2.3790.0 (srv03_rtm.030324-2048)
56.50 KB (57,856 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\rasman.dll
tapi32 5.2.3790.0 (srv03_rtm.030324-2048)
175.00 KB (179,200 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\tapi32.dll
raschap 5.2.3790.0 (srv03_rtm.030324-2048)
106.00 KB (108,544 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\raschap.dll
schedsv 5.2.3790.0 (srv03_rtm.030324-2048)
176.00 KB (180,224 bytes) 4/29/2003
2:14 PM Microsoft Corporation
c:\windows\system32\schedsv.dll
msidle 6.00.3790.0 (srv03_rtm.030324-2048)
5.50 KB (5,632 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\msidle.dll
wkssvc 5.2.3790.0 (srv03_rtm.030324-2048)
125.00 KB (128,000 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\wkssvc.dll
wiarpc 5.2.3790.0 (srv03_rtm.030324-2048)
30.00 KB (30,720 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\wiarpc.dll
cryptsvc 5.2.3790.0 (srv03_rtm.030324-2048)
51.00 KB (52,224 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\cryptsvc.dll
certcli 5.2.3790.0 (srv03_rtm.030324-2048)
228.00 KB (233,472 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\certcli.dll
vssapi 5.2.3790.0 (srv03_rtm.030324-2048)
528.00 KB (540,672 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\vssapi.dll
dmserver 5.2.3790.0 (srv03_rtm.030324-2048)
24.00 KB (24,576 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\dmserver.dll
pchsvc 5.2.3790.0 (srv03_rtm.030324-2048)
31.50 KB (32,256 bytes) 4/29/2003
2:14 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\pchsvc
.dll
srvsvc 5.2.3790.0 (srv03_rtm.030324-2048)
89.00 KB (91,136 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\srvsvc.dll
seclogon 5.2.3790.0 (srv03_rtm.030324-2048)
16.50 KB (16,896 bytes) 3/25/2003

```

```

12:00 AM Microsoft Corporation
c:\windows\system32\seclogon.dll
trkwks 5.2.3790.0 (srv03_rtm.030324-2048)
85.00 KB (87,040 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\trkwks.dll
wmisvc 5.2.3790.0 (srv03_rtm.030324-2048)
131.00 KB (134,144 bytes) 4/29/2003
2:11 PM Microsoft Corporation
c:\windows\system32\wbem\wmisvc.dll
wuauserv 5.4.3790.0 (srv03_rtm.030324-2048)
10.50 KB (10,752 bytes) 4/29/2003
2:11 PM Microsoft Corporation
c:\windows\system32\wuauserv.dll
wuaueng 5.4.3790.0 (srv03_rtm.030324-2048)
188.50 KB (193,024 bytes) 4/29/2003
2:11 PM Microsoft Corporation
c:\windows\system32\wuaueng.dll
advpack 6.00.3790.0 (srv03_rtm.030324-2048)
93.50 KB (95,744 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\advpack.dll
wininet 6.00.3790.0 (srv03_rtm.030324-2048)
609.00 KB (623,616 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\wininet.dll
sens 5.2.3790.0 (srv03_rtm.030324-2048)
35.50 KB (36,352 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\sens.dll
comsvcs 2001.12.4720.0 (srv03_rtm.030324-2048)
1.14 MB (1,199,616 bytes) 4/29/2003
2:11 PM Microsoft Corporation
c:\windows\system32\comsvcs.dll
browser 5.2.3790.0 (srv03_rtm.030324-2048)
70.50 KB (72,192 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\browser.dll
netrap 5.2.3790.0 (srv03_rtm.030324-2048)
11.50 KB (11,776 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\netrap.dll
wbemcore 5.2.3790.0 (srv03_rtm.030324-2048)
457.00 KB (467,968 bytes) 4/29/2003
2:11 PM Microsoft Corporation
c:\windows\system32\wbem\wbemcore.dll
esscli 5.2.3790.0 (srv03_rtm.030324-2048)
235.50 KB (241,152 bytes) 4/29/2003
2:11 PM Microsoft Corporation
c:\windows\system32\wbem\esscli.dll
winhttp 5.2.3790.0 (srv03_rtm.030324-2048)
327.50 KB (335,360 bytes) 4/29/2003
8:52 AM Microsoft Corporation
c:\windows\winsxs\x86_microsoft.windows.win
http_6595b64144ccf1df_5.1.0.0_x-
ww_e0651936\winhttp.dll
wmiutils 5.2.3790.0 (srv03_rtm.030324-2048)
90.50 KB (92,672 bytes) 4/29/2003
2:11 PM Microsoft Corporation
c:\windows\system32\wbem\wmiutils.dll
repdrvfs 5.2.3790.0 (srv03_rtm.030324-2048)
165.00 KB (168,960 bytes) 4/29/2003

```

2:11 PM Microsoft Corporation  
 c:\windows\system32\wbem\repdrvfs.dll  
 wmiprvsd 5.2.3790.0 (srv03\_rtm.030324-2048)  
 405.50 KB (415,232 bytes) 4/29/2003

2:11 PM Microsoft Corporation  
 c:\windows\system32\wbem\wmiprvsd.dll  
 wbemess 5.2.3790.0 (srv03\_rtm.030324-2048)  
 256.50 KB (262,656 bytes) 4/29/2003

2:11 PM Microsoft Corporation  
 c:\windows\system32\wbem\wbemess.dll  
 ncprov 5.2.3790.0 (srv03\_rtm.030324-2048)  
 43.00 KB (44,032 bytes) 4/29/2003

2:11 PM Microsoft Corporation  
 c:\windows\system32\wbem\ncprov.dll  
 actxprxy 6.00.3790.0 (srv03\_rtm.030324-2048)  
 95.00 KB (97,280 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\actxprxy.dll  
 netman 5.2.3790.0 (srv03\_rtm.030324-2048)  
 209.00 KB (214,016 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\netman.dll  
 wzcsapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 24.50 KB (25,088 bytes) 3/25/2003

6:15 AM Microsoft Corporation  
 c:\windows\system32\wzcsapi.dll  
 netshell 5.2.3790.0 (srv03\_rtm.030324-2048)  
 1.67 MB (1,747,456 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\netshell.dll  
 clusapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 56.00 KB (57,344 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\clusapi.dll  
 netcfgx 5.2.3790.0 (srv03\_rtm.030324-2048)  
 726.00 KB (743,424 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\netcfgx.dll  
 wbemcons 5.2.3790.0 (srv03\_rtm.030324-2048)  
 69.00 KB (70,656 bytes) 4/29/2003

2:11 PM Microsoft Corporation  
 c:\windows\system32\wbem\wbemcons.dll  
 hnetcfg 5.2.3790.0 (srv03\_rtm.030324-2048)  
 243.50 KB (249,344 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\hnetcfg.dll  
 rasdlg 5.2.3790.0 (srv03\_rtm.030324-2048)  
 642.00 KB (657,408 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\rasdlg.dll  
 rasadhlp 5.2.3790.0 (srv03\_rtm.030324-2048)  
 6.50 KB (6,656 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\rasadhlp.dll  
 spoolsv 5.2.3790.0 (srv03\_rtm.030324-2048)  
 55.00 KB (56,320 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\spoolsv.exe  
 spoolss 5.2.3790.0 (srv03\_rtm.030324-2048)  
 79.00 KB (80,896 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\spoolss.dll

localspl 5.2.3790.0 (srv03\_rtm.030324-2048)  
 304.50 KB (311,808 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\localspl.dll  
 cnbjmon 5.2.3680.0 (Lab03\_dev\skatari).020509-1043)  
 45.50 KB (46,592 bytes) 3/24/2003

7:48 PM Microsoft Corporation  
 c:\windows\system32\cnbjmon.dll  
 pjlmmon 5.2.3790.0 (srv03\_rtm.030324-2048)  
 15.00 KB (15,360 bytes) 3/24/2003

7:49 PM Microsoft Corporation  
 c:\windows\system32\pjlmmon.dll  
 tcpmon 5.2.3790.0 (srv03\_rtm.030324-2048)  
 44.00 KB (45,056 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\tcpmon.dll  
 mgmtapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 14.00 KB (14,336 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\mgmtapi.dll  
 snmpapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 17.50 KB (17,920 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\snmpapi.dll  
 wsnmp32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 39.50 KB (40,448 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\wsnmp32.dll  
 usbmon 5.2.3790.0 (srv03\_rtm.030324-2048)  
 17.00 KB (17,408 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\usbmon.dll  
 winnrnr 5.2.3790.0 (srv03\_rtm.030324-2048)  
 15.00 KB (15,360 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\winnrnr.dll  
 wshqos 5.2.3790.0 (srv03\_rtm.030324-2048)  
 23.00 KB (23,552 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\wshqos.dll  
 win32spl 5.2.3790.0 (srv03\_rtm.030324-2048)  
 94.50 KB (96,768 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\win32spl.dll  
 inetpp 5.2.3790.0 (srv03\_rtm.030324-2048)  
 71.50 KB (73,216 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\inetpp.dll  
 icmp 5.2.3790.0 (srv03\_rtm.030324-2048)  
 4.50 KB (4,608 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\icmp.dll  
 ersvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 22.00 KB (22,528 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\ersvc.dll  
 tssdis 5.2.3790.0 (srv03\_rtm.030324-2048)  
 63.00 KB (64,512 bytes) 4/29/2003

2:11 PM Microsoft Corporation  
 c:\windows\system32\tssdis.exe  
 resutils 5.2.3790.0 (srv03\_rtm.030324-2048)  
 59.00 KB (60,416 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\resutils.dll  
 mfc42u 6.05.3014.0 960.00 KB (983,040 bytes)  
 3/25/2003 12:00 AM Microsoft Corporation  
 c:\windows\system32\mfc42u.dll  
 mssearch 9.107.8320.0 68.00 KB (69,632 bytes)  
 1/21/2003 9:30 AM Microsoft Corporation  
 c:\program files\common files\system\mssearch\bin\mssearch.exe  
 mssws 9.107.8320.0 32.00 KB (32,768 bytes)  
 1/21/2003 9:30 AM Microsoft Corporation  
 c:\program files\common files\system\mssearch\bin\mssws.dll  
 mssrch 9.107.8320.0 1.24 MB (1,302,528 bytes)  
 1/21/2003 9:30 AM Microsoft Corporation  
 c:\progra-1\common-1\system\mssearch\bin\ms srch.dll  
 security 5.2.3790.0 (srv03\_rtm.030324-2048)  
 5.50 KB (5,632 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\security.dll  
 tqquery 9.107.8320.0 1.46 MB (1,536,000 bytes)  
 1/21/2003 9:30 AM Microsoft Corporation  
 c:\program files\common files\system\mssearch\bin\tquery.dll  
 propdefs 9.107.8320.0 136.00 KB (139,264 bytes)  
 1/21/2003 9:30 AM Microsoft Corporation  
 c:\progra-1\common-1\system\mssearch\bin\pr opdefs.dll  
 srchidx 9.107.8320.0 384.00 KB (393,216 bytes)  
 1/21/2003 9:30 AM Microsoft Corporation  
 c:\progra-1\common-1\system\mssearch\bin\sr chidx.dll  
 iprop 5.2.3790.0 (srv03\_rtm.030324-2048)  
 3.50 KB (3,584 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\iprop.dll  
 dfssvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 130.50 KB (133,632 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\dfssvc.exe  
 wsock32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 22.00 KB (22,528 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\wsock32.dll  
 explorer 6.00.3790.0 (srv03\_rtm.030324-2048)  
 1,008.50 KB (1,032,704 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\explorer.exe  
 browseui 6.00.3790.0 (srv03\_rtm.030324-2048)  
 1.01 MB (1,057,280 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\browseui.dll  
 shdocvw 6.00.3790.0 (srv03\_rtm.030324-2048)  
 1.33 MB (1,393,664 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\shdocvw.dll  
 themeui 6.00.3790.0 (srv03\_rtm.030324-2048)  
 360.50 KB (369,152 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows\system32\themeui.dll  
 msimg32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 4.50 KB (4,608 bytes) 3/25/2003

```

12:00 AM Microsoft Corporation
c:\windows\system32\msimg32.dll
linkinfo 5.2.3790.0 (srv03_rtm.030324-2048)
16.50 KB (16,896 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\linkinfo.dll
ntshrui 6.00.3790.0 (srv03_rtm.030324-2048)
136.00 KB (139,264 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\ntshrui.dll
urlmon 6.00.3790.0 (srv03_rtm.030324-2048)
501.50 KB (513,536 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32?urlmon.dll
webcheck 6.00.3790.0 (srv03_rtm.030324-2048)
261.50 KB (267,776 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\webcheck.dll
stobject 5.2.3790.0 (srv03_rtm.030324-2048)
117.50 KB (120,320 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\stobject.dll
batmeter 6.00.3790.0 (srv03_rtm.030324-2048)
28.50 KB (29,184 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\batmeter.dll
powrprof 6.00.3790.0 (srv03_rtm.030324-2048)
14.50 KB (14,848 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\powrprof.dll
shdoclc 6.00.3790.0 (srv03_rtm.030324-2048)
588.50 KB (602,624 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\shdoclc.dll
printui 5.2.3790.0 (srv03_rtm.030324-2048)
536.50 KB (549,376 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\printui.dll
cfgmgr32 5.2.3790.0 (srv03_rtm.030324-2048)
17.50 KB (17,920 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\cfgmgr32.dll
rundll32 5.2.3790.0 (srv03_rtm.030324-2048)
32.00 KB (32,768 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\rundll32.exe
newdev 5.2.3790.0 (srv03_rtm.030324-2048)
244.00 KB (249,856 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\newdev.dll
sqlmangr 2000.080.0760.00 72.57 KB (74,308 bytes)
4/29/2003 2:34 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\sqlmangr.exe
sqlunirl 2000.080.0728.00 176.56 KB (180,800
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows\system32\sqlunirl.dll
comdlg32 6.00.3790.0 (srv03_rtm.030324-2048)
261.00 KB (267,264 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\comdlg32.dll
w95scm 2000.080.0760.00 48.56 KB (49,728 bytes)
4/29/2003 2:34 PM Microsoft Corporation

```

```

c:\program files\microsoft sql
server\80\tools\bin\w95scm.dll
odbc32 3.525.1022.0 (srv03_rtm.030324-2048)
232.00 KB (237,568 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\odbc32.dll
sqlsvc 2000.080.0760.00 92.56 KB (94,784 bytes)
4/29/2003 2:34 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\sqlsvc.dll
odbcbcsp 2000.085.1022.00 (srv03_rtm.030324-2048)
24.00 KB (24,576 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\odbcbcsp.dll
sqlresld 2000.080.0382.00 28.56 KB (29,248 bytes)
4/29/2003 2:34 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\sqlresld.dll
odbcint 3.525.1022.0 (srv03_rtm.030324-2048)
92.00 KB (94,208 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\odbcint.dll
sqlsvc 2000.080.0194.00 24.00 KB (24,576 bytes)
4/29/2003 2:34 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\resources\1033\sqlsvc.rll
sqlmangr 2000.080.0194.00 96.00 KB (98,304 bytes)
4/29/2003 2:34 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\resources\1033\sqlmangr.rll
helpctr 5.2.3790.0 (srv03_rtm.030324-2048)
764.00 KB (782,336 bytes) 4/29/2003
2:14 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\helpctr
r.exe
hcappres 5.2.3790.0 (srv03_rtm.030324-2048)
6.50 KB (6,656 bytes) 4/29/2003
2:14 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\hcappr
es.dll
itss 5.2.3790.0 (srv03_rtm.030324-2048)
119.50 KB (122,368 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\itss.dll
msxml3 8.40.9419.0 1.28 MB (1,337,344
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows\system32\msxml3.dll
pchshell 5.2.3790.0 (srv03_rtm.030324-2048)
100.50 KB (102,912 bytes) 4/29/2003
2:14 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\pchshe
ll.dll
mlang 6.00.3790.0 (srv03_rtm.030324-2048)
570.00 KB (583,680 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\mlang.dll
mshtml 6.00.3790.0 (srv03_rtm.030324-2048)
2.78 MB (2,916,352 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\mshtml.dll
msimtf 5.2.3790.0 (srv03_rtm.030324-2048)
149.00 KB (152,576 bytes) 3/25/2003

```

```

12:00 AM Microsoft Corporation
c:\windows\system32\msimtf.dll
msctf 5.2.3790.0 (srv03_rtm.030324-2048)
287.00 KB (293,888 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\msctf.dll
jscrip 5.6.0.8515 436.00 KB (446,464
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows\system32\jscrip.dll
msls31 3.10.349.0 147.00 KB (150,528
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows\system32\msls31.dll
mshtml 6.00.3790.0 (srv03_rtm.030324-2048)
443.50 KB (454,144 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\mshtml.dll
vbscrip 5.6.0.8515 404.00 KB (413,696
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows\system32\vbscrip.dll
mfc42 6.05.3014.0 960.00 KB (983,040
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows\system32\mfc42.dll
msinfo 5.2.3790.0 (srv03_rtm.030324-2048)
358.50 KB (367,104 bytes) 4/29/2003
2:14 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\msinfo
.dll
riched32 5.2.3790.0 (srv03_rtm.030324-2048)
3.50 KB (3,584 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\riched32.dll
riched20 5.31.23.1218 406.00 KB (415,744
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows\system32\riched20.dll
drprov 5.2.3790.0 (srv03_rtm.030324-2048)
12.50 KB (12,800 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\drprov.dll
ntlanman 5.2.3790.0 (srv03_rtm.030324-2048)
41.00 KB (41,984 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\ntlanman.dll
netui0 5.2.3790.0 (srv03_rtm.030324-2048)
75.50 KB (77,312 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\netui0.dll
netui1 5.2.3790.0 (srv03_rtm.030324-2048)
184.00 KB (188,416 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\netui1.dll
davlnt 5.2.3790.0 (srv03_rtm.030324-2048)
23.50 KB (24,064 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows\system32\davln1.dll
helpsvc 5.2.3790.0 (srv03_rtm.030324-2048)
720.00 KB (737,280 bytes) 4/29/2003
2:14 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\helpsv
c.exe
[Services]

```



```

c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Access Connection Manager RasMan
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Desktop Help Session Manager RDSessMgr
Stopped Manual Own Process
c:\windows\system32\sessmgr.exe
Normal LocalSystem 0
Routing and Remote Access RemoteAccess
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Registry RemoteRegistry Running
Auto Share Process
c:\windows\system32\svchost.exe -k regsvc
Normal NT AUTHORITY\LocalService 0

Remote Procedure Call (RPC) Locator RpcLocator
Stopped Manual Own Process
c:\windows\system32\locator.exe
Normal NT AUTHORITY\NetworkService 0

Remote Procedure Call (RPC) RpcSs Running
Auto Share Process
c:\windows\system32\svchost -k rpcss
Normal LocalSystem 0
Resultant Set of Policy Provider RSOPProv
Stopped Manual Share Process
c:\windows\system32\rsopprov.exe
Normal LocalSystem 0
Special Administration Console Helper sacsvr
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Security Accounts Manager SamSs Running
Auto Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Smart Card SCardSvr Stopped Manual
Share Process
c:\windows\system32\scardsvr.exe
Ignore NT AUTHORITY\LocalService 0

Task Scheduler Schedule Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Secondary Logon seclogon Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Ignore LocalSystem 0
System Event Notification SENS Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Internet Connection Firewall (ICF) / Internet
Connection Sharing (ICS) SharedAccess
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0

```

```

Shell Hardware Detection ShellHWDetection
Running Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Ignore LocalSystem 0
Print Spooler Spooler Running Auto Own
Process c:\windows\system32\spoolsv.exe
Normal LocalSystem 0
SQLSERVERAGENT SQLSERVERAGENT Stopped
Manual Own Process
c:\progra~1\microso~1\mssql~1\binn\sqlagent.ex
e Normal LocalSystem 0
Windows Image Acquisition (WIA) stisvc
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k imgsvc
Normal NT AUTHORITY\LocalService 0

Microsoft Software Shadow Copy Provider swprv
Stopped Manual Own Process
c:\windows\system32\svchost.exe -k swprv
Normal LocalSystem 0
Performance Logs and Alerts SysmonLog Stopped
Manual Own Process
c:\windows\system32\smlogsvc.exe
Normal NT Authority\NetworkService 0

Telephony Tapisrv Stopped Manual Share Process
c:\windows\system32\svchost.exe -k tapisrv
Normal LocalSystem 0
Terminal Services TermService Running
Auto Share Process
c:\windows\system32\svchost.exe -k termsvcs
Normal LocalSystem 0
Themes Themes Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Telnet TlntSvr Stopped Disabled Own Process
c:\windows\system32\tlntsvr.exe
Normal NT AUTHORITY\LocalService 0

Distributed Link Tracking Server TrkSvr
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Distributed Link Tracking Client TrkWks
Running Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Terminal Services Session Directory Tssdis
Running Auto Own Process
c:\windows\system32\tssdis.exe
Normal LocalSystem 0
Upload Manager uploadmgr Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Uninterruptible Power Supply UPS
Manual Own Process
c:\windows\system32\ups.exe Normal NT
AUTHORITY\LocalService 0
Virtual Disk Service vds Stopped
Manual Own Process
c:\windows\system32\vds.exe Normal
LocalSystem 0

```

```

Volume Shadow Copy VSS Stopped Manual Own
Process c:\windows\system32\vssvc.exe Normal
LocalSystem 0
Windows Time W32Time Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
WebClient WebClient Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
WinHTTP Web Proxy Auto-Discovery Service
WinHttpAutoProxySvc Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Windows Management Instrumentation winmgmt
Running Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Ignore LocalSystem 0
Portable Media Serial Number Service WmdmPmsN
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Windows Management Instrumentation Driver Extensions
Wmi Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
WMI Performance Adapter WmiApSrv Stopped
Manual Own Process
c:\windows\system32\wbem\wmiapsrv.exe
Normal LocalSystem 0
Automatic Updates wuauerv Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Wireless Configuration WZCSVC Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0

[Program Groups]

Group Name Name User Name
Accessories Default User:Accessories
Default User
Accessories\Accessibility Default
User:Accessories\Accessibility Default User
Accessories\Entertainment Default
User:Accessories\Entertainment Default User
Startup Default User:Startup Default User
Accessories All Users:Accessories All
Users
Accessories\Accessibility All
Users:Accessories\Accessibility All Users
Accessories\Communications All
Users:Accessories\Communications All Users
Accessories\Entertainment All
Users:Accessories\Entertainment All Users

```

```

Accessories\System Tools All
Users:Accessories\System Tools All Users
Administrative Tools All
Users:Administrative Tools All Users
Compaq System Tools All Users:Compaq System Tools All
Users
Compaq System Tools\hp Array Configuration Utility
All Users:Compaq System Tools\hp Array
Configuration Utility All Users
Microsoft SQL Server All Users:Microsoft SQL
Server All Users
Microsoft SQL Server - Switch All Users:Microsoft SQL
Server - Switch All Users
Startup All Users:Startup All Users
Accessories NT AUTHORITY\SYSTEM:Accessories
NT AUTHORITY\SYSTEM
Accessories\Accessibility NT
AUTHORITY\SYSTEM:Accessories\Accessibility NT
AUTHORITY\SYSTEM
Accessories\Entertainment NT
AUTHORITY\SYSTEM:Accessories\Entertainment
AUTHORITY\SYSTEM
Startup NT AUTHORITY\SYSTEM:Startup NT
AUTHORITY\SYSTEM
Accessories BUGS\Administrator:Accessories
BUGS\Administrator
Accessories\Accessibility
BUGS\Administrator:Accessories\Accessibilit
y
BUGS\Administrator
Accessories\Entertainment
BUGS\Administrator:Accessories\Entertainmen
t
BUGS\Administrator
Administrative Tools
BUGS\Administrator:Administrative Tools
BUGS\Administrator
Startup BUGS\Administrator:Startup
BUGS\Administrator

[Startup Programs]

Program Command User Name Location
desktop desktop.ini NT AUTHORITY\SYSTEM
Startup
desktop desktop.ini BUGS\Administrator
Startup
desktop desktop.ini .DEFAULT Startup
desktop desktop.ini All Users Common
Startup
Service Manager
c:\progra-1\micros-1\80\tools\binn\sqlmangr
.exe /n All Users Common Startup

[OLE Registration]

Object Local Server
Sound (OLE2) sndrec32.exe
Media Clip mplay32.exe
Video Clip mplay32.exe /avi
MIDI Sequence mplay32.exe /mid
Sound Not Available
Media Clip Not Available
WordPad Document "%programfiles%\windows
nt\accessories\wordpad.exe"

```

```

Windows Media Services DRM Storage object Not
Available
Bitmap Image mspaint.exe

[Windows Error Reporting]

Time Type Details
5/13/2003 3:09 PM Application Hang Hanging
application cpqsetup.exe, version 1.2.0.0, hang
module hungapp, version 0.0.0.0, hang address
0x00000000.&#x000d;&#x000a;
5/3/2003 12:02 AM Application Hang Hanging
application mmc.exe, version 5.2.3790.0, hang module
hungapp, version 0.0.0.0, hang address
0x00000000.&#x000d;&#x000a;
5/2/2003 6:17 PM Application Hang Hanging
application mmc.exe, version 5.2.3790.0, hang module
hungapp, version 0.0.0.0, hang address
0x00000000.&#x000d;&#x000a;
5/2/2003 6:02 PM Application Hang Hanging
application explorer.exe, version 6.0.3790.0, hang
module hungapp, version 0.0.0.0, hang address
0x00000000.&#x000d;&#x000a;

[Internet Settings]

[Internet Explorer]

[ Following are sub-categories of this main category
]
[Summary]

Item Value
Version 6.0.3790.0
Build 63790
Application Path C:\Program Files\Internet
Explorer
Language English (United States)
Active Printer Not Available

Cipher Strength 128-bit
Content Advisor Disabled
IEAK Install No

[File Versions]

File Version Size Date Path
Company
actxprxy.dll 6.0.3790.0 95 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
advpack.dll 6.0.3790.0 94 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
asctrls.ocx 6.0.3790.0 90 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation

```

```

browselc.dll 6.0.3790.0 62 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
browseui.dll 6.0.3790.0 1,033 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
cdfview.dll 6.0.3790.0 144 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
comctl32.dll 5.82.3790.0 561 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
dxtrans.dll 6.3.3790.0 198 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
dxtmsft.dll 6.3.3790.0 344 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
iecont.dll <File Missing> Not Available
Not Available Not Available Not
Available
iecontlc.dll <File Missing> Not Available
Not Available Not Available Not
Available
iedkcs32.dll 16.0.3790.0 300 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
iepeers.dll 6.0.3790.0 230 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
iesetup.dll 6.0.3790.0 59 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
ieuinit.inf Not Available 20 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Not Available
iexplore.exe 6.0.3790.0 90 KB
3/25/2003 1:00:00 AM C:\Program
Files\Internet Explorer Microsoft Corporation
imgutil.dll 5.2.3790.0 35 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
inetcp1.cpl 6.0.3790.0 303 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
inetcp1c.dll 6.0.3790.0 109 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
inseng.dll 6.0.3790.0 72 KB
3/25/2003 1:00:00 AM

```

```

C:\WINDOWS\system32 Microsoft Corporation
mlang.dll 6.0.3790.0 570 KB 3/25/2003
1:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
msencode.dll 2002.10.4.0 112 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Not Available
mshta.exe 6.0.3790.0 26 KB 3/25/2003
1:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
mshtml.dll 6.0.3790.0 2,848 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mshtml.tlb 6.0.3790.0 1,319 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mshtml.dll 6.0.3790.0 444 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mshtml.dll 6.0.3790.0 55 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msident.dll 6.0.3790.0 47 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msidentld.dll 6.0.3790.0 15 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msieftp.dll 6.0.3790.0 230 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msrating.dll 6.0.3790.0 132 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mstime.dll 6.0.3790.0 491 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
occache.dll 6.0.3790.0 89 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
proctexe.ocx 6.3.3790.0 78 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Intel Corporation
sendmail.dll 6.0.3790.0 52 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
shdoclc.dll 6.0.3790.0 589 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation

```

```

shdocv.dll 6.0.3790.0 1,361 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
shfolder.dll 6.0.3790.0 23 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
shlwapi.dll 6.0.3790.0 281 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
tdc.ocx 1.3.0.3130 58 KB 3/25/2003
1:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
url.dll 6.0.3790.0 36 KB 3/25/2003
1:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
urlmon.dll 6.0.3790.0 502 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
webcheck.dll 6.0.3790.0 262 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
wininet.dll 6.0.3790.0 609 KB
3/25/2003 1:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation

[Connectivity]

Item Value
Connection Preference Never dial

LAN Settings

AutoConfigProxy Not Available
AutoProxyDetectMode Disabled
AutoConfigURL
Proxy Disabled
ProxyServer
ProxyOverride

[Cache]

[ Following are sub-categories of this main category
]
[Summary]

Item Value
Page Refresh Type Automatic
Temporary Internet Files Folder C:\Documents
and Settings\NetworkService\Local Settings\Temporary
Internet Files
Total Disk Space Not Available
Available Disk Space Not Available
Maximum Cache Size Not Available
Available Cache Size Not Available

[List of Objects]

```

```

Program File Status CodeBase
No cached object information available

```

```

[Content]

[ Following are sub-categories of this main category
]
[Summary]

```

```

Item Value
Content Advisor Disabled

```

```

[Personal Certificates]

```

```

Issued To Issued By Validity Signature Algorithm
No personal certificate information available

```

```

[Other People Certificates]

```

```

Issued To Issued By Validity Signature Algorithm
No other people certificate information available

```

```

[Publishers]

```

```

Name
No publisher information available

```

```

[Security]

```

```

Zone Security Level
My Computer Custom
Local intranet Medium-low
Trusted sites Low
Internet Medium
Restricted sites High

```

## Client Summary

```

System Information report written at: 12/19/2002
08:36:43 AM
[System Information]

```

```

[ Following are sub-categories of this main category
]

```

```

[System Summary]

```

```

Item Value
OS Name Microsoft Windows 2000 Server
Version 5.0.2195 Service Pack 2 Build 2195
OS Manufacturer Microsoft Corporation
System Name CL7
System Manufacturer Compaq
System Model ProLiant DL360 G2
System Type X86-based PC

```

```

Processor x86 Family 6 Model 11 Stepping 1
GenuineIntel ~1396 Mhz
Processor x86 Family 6 Model 11 Stepping 1
GenuineIntel ~1396 Mhz
BIOS Version 03/19/02
Windows Directory C:\WINNT
System Directory C:\WINNT\System32
Boot Device \Device\Harddisk0\Partition1
Locale United States
User Name CL1\Administrator
Time Zone Central Standard Time
Total Physical Memory 1,048,088 KB
Available Physical Memory 884,220 KB
Total Virtual Memory 2,783,884 KB
Available Virtual Memory 2,552,040 KB
Page File Space 1,735,796 KB
Page File C:\pagefile.sys

[Hardware Resources]

[ Following are sub-categories of this main category ]

[Conflicts/Sharing]

Resource Device
IRQ 7 Standard OpenHCD USB Host Controller
IRQ 7 PCI standard host CPU bridge

[DMA]

Channel Device Status
7 Direct memory access controller OK
2 Standard floppy disk controller OK

[Forced Hardware]

Device PNP Device ID
No Forced Hardware

[I/O]

Address Range Device Status
0x0000-0x0CFF PCI bus OK
0x0000-0x0CFF PCI bus OK
0x0000-0x0CFF Direct memory access controller OK
0x03B0-0x03DF PCI bus OK
0x03B0-0x03DF ATI Technologies Inc. RAGE XL PCI OK
0x2400-0x24FF ATI Technologies Inc. RAGE XL PCI OK
0x03C0-0x03DF ATI Technologies Inc. RAGE XL PCI OK
0x1800-0x18FF Base System Device OK
0x2800-0x28FF Base System Device OK
0x0A79-0x0A79 ISAPNP Read Data Port OK
0x0279-0x0279 ISAPNP Read Data Port OK
0x02F4-0x02F7 ISAPNP Read Data Port OK
0x0F50-0x0F58 Motherboard resources OK
0x0020-0x0021 Programmable interrupt controller OK

```

```

0x00A0-0x00A1 Programmable interrupt controller OK
0x0C00-0x0C01 Programmable interrupt controller OK
0x0040-0x0043 System timer OK
0x0080-0x008F Direct memory access controller OK
0x00C0-0x00DF Direct memory access controller OK
0x040B-0x040B Direct memory access controller OK
0x04D6-0x04D6 Direct memory access controller OK
0x0061-0x0061 System speaker OK
0x0060-0x0060 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard OK
0x0064-0x0064 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard OK
0x002E-0x002F Extended IO Bus OK
0x0220-0x0223 Extended IO Bus OK
0x0230-0x0231 Extended IO Bus OK
0x0240-0x025F Extended IO Bus OK
0x03F8-0x03FF Communications Port (COM1) OK
0x03F2-0x03F5 Standard floppy disk controller OK
0x03F7-0x03F7 Standard floppy disk controller OK
0x2000-0x200F Standard Dual Channel PCI IDE Controller OK
0x27FC-0x27FF Standard Dual Channel PCI IDE Controller OK
0x01F0-0x01F7 Primary IDE Channel OK
0x03F6-0x03F6 Primary IDE Channel OK
0x0170-0x0177 Secondary IDE Channel OK
0x0376-0x0376 Secondary IDE Channel OK
0x3000-0x30FF PCI bus OK
0x3000-0x30FF Compaq Smart Array 5i OK

[IRQs]

IRQ Number Device
9 Microsoft ACPI-Compliant System
24 ATI Technologies Inc. RAGE XL PCI
3 Base System Device
15 Base System Device
1 Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
12 PS/2 Compatible Mouse
4 Communications Port (COM1)
6 Standard floppy disk controller
14 Primary IDE Channel
7 Standard OpenHCD USB Host Controller
7 PCI standard host CPU bridge
31 Compaq Smart Array 5i
30 Compaq NC7780 Gigabit Server Adapter
29 Compaq NC7780 Gigabit Server Adapter #2

[Memory]

Range Device Status
0xA0000-0xBFFFF PCI bus OK
0xA0000-0xBFFFF ATI Technologies Inc. RAGE XL PCI OK

```

```

0xF5E00000-0xF6FFFFFF PCI bus OK
0xF6000000-0xF6FFFFFF ATI Technologies Inc.
RAGE XL PCI OK
0xF5FF0000-0xF5FF0FFF ATI Technologies Inc.
RAGE XL PCI OK
0xF5FE0000-0xF5FE01FF Base System Device OK
0xF5FD0000-0xF5FD07FF Base System Device OK
0xF5FC0000-0xF5FC1FFF Base System Device OK
0xF5F00000-0xF5F7FFFF Base System Device OK
0xF5EF0000-0xF5EF0FFF Standard OpenHCD USB Host Controller OK
0xF7E00000-0xF7FFFFFF PCI bus OK
0xF7FC0000-0xF7FFFFFF Compaq Smart Array 5i OK
0xF7EF0000-0xF7EF3FFF Compaq Smart Array 5i OK
0xF7FB0000-0xF7FBFFFF Compaq NC7780 Gigabit Server Adapter OK
0xF7FA0000-0xF7FAFFFF Compaq NC7780 Gigabit Server Adapter #2 OK

[Components]

[ Following are sub-categories of this main category ]

[Multimedia]

[ Following are sub-categories of this main category ]

[Audio Codecs]

Codec Manufacturer Description
Status File Version Size
Creation Date
c:\winnt\system32\msg723.acm Microsoft Corporation OK
C:\WINNT\System32\MSG723.ACM 4.4.3385
106.77 KB (109,328 bytes) 9/13/2002
5:46:03 PM
c:\winnt\system32\iac25_32.ax Intel Corporation
Indeo® audio software OK
C:\WINNT\System32\IAC25_32.AX 2.05.53
195.00 KB (199,680 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\lhacm.acm Microsoft Corporation OK
C:\WINNT\System32\LHACM.ACM 4.4.3385
33.27 KB (34,064 bytes) 9/13/2002
5:46:04 PM
c:\winnt\system32\msgsm32.acm Microsoft Corporation OK
C:\WINNT\System32\MSGSM32.ACM 5.00.2134.1
22.27 KB (22,800 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\tsssoft32.acm DSP GROUP, INC. OK
C:\WINNT\System32\TSSOFT32.ACM
1.01 9.27 KB (9,488 bytes)
12/7/1999 7:00:00 AM
c:\winnt\system32\msg711.acm Microsoft Corporation OK

```



```

C:\WINNT\System32\MSG711.ACM 5.00.2134.1
10.27 KB (10,512 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\msadp32.acm Microsoft Corporation
OK
C:\WINNT\System32\MSADP32.ACM 5.00.2134.1
14.77 KB (15,120 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\imaadp32.acm Microsoft
Corporation OK
C:\WINNT\System32\IMAADP32.ACM
5.00.2134.1 16.27 KB (16,656 bytes)
12/7/1999 7:00:00 AM

```

[Video Codecs]

```

Codec      Manufacturer      Description
Status File      Version Size
Creation Date
c:\winnt\system32\ir50_32.dll Intel Corporation
Indeo® video 5.10 OK
C:\WINNT\System32\IR50_32.DLL
R.5.10.15.2.55 737.50 KB (755,200
bytes) 12/7/1999 7:00:00 AM
c:\winnt\system32\msh261.drv Microsoft Corporation
OK
C:\WINNT\System32\MSH261.DRV 4.4.3385
163.77 KB (167,696 bytes) 9/13/2002
5:46:04 PM
c:\winnt\system32\msh263.drv Microsoft Corporation
OK
C:\WINNT\System32\MSH263.DRV 4.4.3385
252.27 KB (258,320 bytes) 9/13/2002
5:45:39 PM
c:\winnt\system32\msrle32.dll Microsoft Corporation
OK
C:\WINNT\System32\MSRLE32.DLL 5.00.2134.1
10.77 KB (11,024 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\msvidc32.dll Microsoft
Corporation OK
C:\WINNT\System32\MSVIDC32.DLL
5.00.2134.1 27.27 KB (27,920 bytes)
12/7/1999 7:00:00 AM
c:\winnt\system32\iccvld.dll Radius Inc.
OK C:\WINNT\System32\ICCVLD.DLL
1.10.0.6 108.00 KB (110,592 bytes)
12/7/1999 7:00:00 AM
c:\winnt\system32\ir32_32.dll Intel(R) Corporation
OK
C:\WINNT\System32\IR32_32.DLL Not Available
194.50 KB (199,168 bytes) 12/7/1999
7:00:00 AM

```

[CD-ROM]

```

Item      Value
Drive     D:
Description CD-ROM Drive
Media Loaded False
Media Type CD-ROM
Name      COMPAQ CD-224E
Manufacturer (Standard CD-ROM drives)

```

```

Status OK
Transfer Rate Not Available
SCSI Target ID 0
PNP Device ID IDE\CDROMCOMPAQ_CD-
224E_____A.8D____\5&23A72C42&0&0
.0.0

```

[Sound Device]

```

Item      Value
No sound devices

```

[Display]

```

Item      Value
Name      ATI Technologies Inc. RAGE XL PCI
PNP Device ID PCI\VEN_1002&DEV_4752&SUBSYS_001E0E11&REV_2
7\3&267A616A&0&18
Adapter Type ATI RAGE XL PCI, ATI Technologies
Inc. compatible
Adapter Description ATI Technologies Inc. RAGE XL PCI
Adapter RAM 8.00 MB (8,388,608 bytes)
Installed Drivers atidrab.dll
Driver Version 5.00.2179.1
INF File display.inf (atirage3 section)
Color Planes 1
Color Table Entries 65536
Resolution 640 x 480 x 60 hertz
Bits/Pixel 16

```

[Infrared]

```

Item      Value
No infrared devices

```

[Input]

[ Following are sub-categories of this main category ]

[Keyboard]

```

Item      Value
Description Standard 101/102-Key or Microsoft
Natural PS/2 Keyboard
Name      Enhanced (101- or 102-key)
Layout    00000409
PNP Device ID ACPI\PNP0303\4&32BA4B66&0
NumberOfFunctionKeys 12

```

[Pointing Device]

```

Item      Value
Hardware Type PS/2 Compatible Mouse
Number of Buttons 3
Status OK
PNP Device ID ACPI\PNP0F13\4&32BA4B66&0
Power Management Supported False
Double Click Threshold 6

```

```

Handedness Right Handed Operation

```

[Modem]

```

Item      Value
No modems

```

[Network]

[ Following are sub-categories of this main category ]

[Adapter]

```

Item      Value
Name      [00000000] RAS Async Adapter
Adapter Type Not Available
Product Name RAS Async Adapter
Installed True
PNP Device ID Not Available
Last Reset 12/18/2002 10:37:01 AM
Index 0
Service Name AsyncMac
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Service Name Not Available

Name      [00000001] WAN Miniport (L2TP)
Adapter Type Not Available
Product Name WAN Miniport (L2TP)
Installed True
PNP Device ID ROOT\MS_L2TPMINIPORT\0000
Last Reset 12/18/2002 10:37:01 AM
Index 1
Service Name Rasl2tp
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Service Name Rasl2tp
Driver    c:\winnt\system32\drivers\rasl2tp.sys
(50800, 5.00.2179.1)

Name      [00000002] WAN Miniport (PPTP)
Adapter Type Wide Area Network (WAN)
Product Name WAN Miniport (PPTP)
Installed True
PNP Device ID ROOT\MS_PPTPMINIPORT\0000
Last Reset 12/18/2002 10:37:01 AM
Index 2
Service Name PptpMiniport
IP Address Not Available

```

IP Subnet Not Available  
 Default IP Gateway Not Available  
 DHCP Enabled False  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address 50:50:54:50:30:30  
 Service Name PptpMiniport  
 Driver c:\winnt\system32\drivers\raspppt.sys  
 (47856, 5.00.2160.1)

Name [00000003] Direct Parallel  
 Adapter Type Not Available  
 Product Name Direct Parallel  
 Installed True  
 PNP Device ID ROOT\MS\_PTIMINIPOINT\0000  
 Last Reset 12/18/2002 10:37:01 AM  
 Index 3  
 Service Name Raspti  
 IP Address Not Available  
 IP Subnet Not Available  
 Default IP Gateway Not Available  
 DHCP Enabled False  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address Not Available  
 Service Name Raspti  
 Driver c:\winnt\system32\drivers\raspti.sys  
 (16880, 5.00.2146.1)

Name [00000004] WAN Miniport (IP)  
 Adapter Type Not Available  
 Product Name WAN Miniport (IP)  
 Installed True  
 PNP Device ID ROOT\MS\_NDISWANIP\0000  
 Last Reset 12/18/2002 10:37:01 AM  
 Index 4  
 Service Name NdisWan  
 IP Address Not Available  
 IP Subnet Not Available  
 Default IP Gateway Not Available  
 DHCP Enabled False  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address Not Available  
 Service Name NdisWan  
 Driver c:\winnt\system32\drivers\ndiswan.sys  
 (90096, 5.00.2195.2779)

Name [00000005] Compaq NC7780 Gigabit Server  
 Adapter  
 Adapter Type Ethernet 802.3  
 Product Name Compaq NC7780 Gigabit Server  
 Adapter  
 Installed True  
 PNP Device ID PCI\VEN\_14E4&DEV\_1645&SUBSYS\_00850E11&REV\_1  
 5\3&13C0B0C5&0&28  
 Last Reset 12/18/2002 10:37:01 AM  
 Index 5  
 Service Name q57w2k

IP Address  
 IP Subnet  
 Default IP Gateway Not Available  
 DHCP Enabled False  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address 00:02:A5:EC:07:F9  
 Service Name q57w2k  
 IRQ Number 30  
 Driver c:\winnt\system32\drivers\q57w2k.sys  
 (77776, 2.75.0.0)

Name [00000006] Compaq NC7780 Gigabit Server  
 Adapter  
 Adapter Type Ethernet 802.3  
 Product Name Compaq NC7780 Gigabit Server  
 Adapter  
 Installed True  
 PNP Device ID PCI\VEN\_14E4&DEV\_1645&SUBSYS\_00850E11&REV\_1  
 5\3&13C0B0C5&0&30  
 Last Reset 12/18/2002 10:37:01 AM  
 Index 6  
 Service Name q57w2k  
 IP Address 130.172.12.1  
 IP Subnet 255.255.255.0  
 Default IP Gateway Not Available  
 DHCP Enabled False  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address 00:02:A5:EC:07:FA  
 Service Name q57w2k  
 IRQ Number 29  
 Driver c:\winnt\system32\drivers\q57w2k.sys  
 (77776, 2.75.0.0)

Name [00000007] Compaq NC3123 Fast Ethernet NIC  
 Adapter Type Not Available  
 Product Name Compaq NC3123 Fast Ethernet NIC  
 Installed True  
 PNP Device ID Not Available  
 Last Reset 12/18/2002 10:37:01 AM  
 Index 7  
 Service Name N100  
 IP Address 130.172.12.1  
 IP Subnet 255.255.255.0  
 Default IP Gateway Not Available  
 DHCP Enabled True  
 DHCP Server 130.168.253.2  
 DHCP Lease Expires 9/16/2002 3:58:55 PM  
 DHCP Lease Obtained 9/15/2002 3:58:55 PM  
 MAC Address 00:02:A5:EC:07:FA  
 Service Name Not Available

[Protocol]

Item Value  
 Name MSFDF Tcpip [TCP/IP]  
 ConnectionlessService False  
 GuaranteesDelivery True

GuaranteesSequencing True  
 MaximumAddressSize 16 bytes  
 MaximumMessageSize 0 bytes  
 MessageOriented False  
 MinimumAddressSize 16 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting False  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData True  
 SupportsGracefulClosing True  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSFDF Tcpip [UDP/IP]  
 ConnectionlessService True  
 GuaranteesDelivery False  
 GuaranteesSequencing False  
 MaximumAddressSize 16 bytes  
 MaximumMessageSize 65467 bytes  
 MessageOriented True  
 MinimumAddressSize 16 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting True  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting True

Name RSVP UDP Service Provider  
 ConnectionlessService True  
 GuaranteesDelivery False  
 GuaranteesSequencing False  
 MaximumAddressSize 16 bytes  
 MaximumMessageSize 65467 bytes  
 MessageOriented True  
 MinimumAddressSize 16 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting True  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption True  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting True

Name RSVP TCP Service Provider  
 ConnectionlessService False  
 GuaranteesDelivery True  
 GuaranteesSequencing True  
 MaximumAddressSize 16 bytes  
 MaximumMessageSize 0 bytes  
 MessageOriented False  
 MinimumAddressSize 16 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting False  
 SupportsConnectData False  
 SupportsDisconnectData False

SupportsEncryption True  
SupportsExpeditedData True  
SupportsGracefulClosing True  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS  
[\\Device\\NetBT\_Tcpip\_{4249431A-469E-4735-A292-01AA526741FC}] SEQPACKE 4  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS  
[\\Device\\NetBT\_Tcpip\_{4249431A-469E-4735-A292-01AA526741FC}] DATAGRAM 4  
ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS  
[\\Device\\NetBT\_Tcpip\_{3B09DDB7-7EB8-4941-8121-52DC6359F5A6}] SEQPACKE 3  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False

SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS  
[\\Device\\NetBT\_Tcpip\_{3B09DDB7-7EB8-4941-8121-52DC6359F5A6}] DATAGRAM 3  
ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS  
[\\Device\\NetBT\_Tcpip\_{684FA660-D082-4A8C-AC8C-C9D449B21686}] SEQPACKE 0  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS  
[\\Device\\NetBT\_Tcpip\_{684FA660-D082-4A8C-AC8C-C9D449B21686}] DATAGRAM 0  
ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS  
[\\Device\\NetBT\_Tcpip\_{D90E04F2-3AD9-4F98-9464-751E106D7E6A}] SEQPACKE 1  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS  
[\\Device\\NetBT\_Tcpip\_{D90E04F2-3AD9-4F98-9464-751E106D7E6A}] DATAGRAM 1  
ConnectionlessService True  
GuaranteesDelivery False  
GuaranteesSequencing False  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting True  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS  
[\\Device\\NetBT\_Tcpip\_{3F1BA297-E685-416B-82D7-70E771CC8745}] SEQPACKE 2  
ConnectionlessService False  
GuaranteesDelivery True  
GuaranteesSequencing True  
MaximumAddressSize 20 bytes  
MaximumMessageSize 64000 bytes  
MessageOriented True  
MinimumAddressSize 20 bytes  
PseudoStreamOriented False  
SupportsBroadcasting False  
SupportsConnectData False  
SupportsDisconnectData False  
SupportsEncryption False  
SupportsExpeditedData False  
SupportsGracefulClosing False  
SupportsGuaranteedBandwidth False  
SupportsMulticasting False

Name MSAFD NetBIOS  
[\\Device\\NetBT\_Tcpip\_{3F1BA297-E685-416B-82D7-70E771CC8745}] DATAGRAM 2

```

ConnectionlessService      True
GuaranteesDelivery        False
GuaranteesSequencing      False
MaximumAddressSize        20 bytes
MaximumMessageSize        64000 bytes
MessageOriented           True
MinimumAddressSize        20 bytes
PseudoStreamOriented     False
SupportsBroadcasting      True
SupportsConnectData       False
SupportsDisconnectData    False
SupportsEncryption        False
SupportsExpeditedData     False
SupportsGracefulClosing   False
SupportsGuaranteedBandwidth False
SupportsMulticasting      False

```

[WinSock]

```

Item      Value
File      c:\winnt\system32\winsock.dll
Version   3.10
Size      2.80 KB (2,864 bytes)

```

```

File      c:\winnt\system32\sock32.dll
Version   5.00.2195.2871
Size      21.27 KB (21,776 bytes)

```

[Ports]

[ Following are sub-categories of this main category ]

[Serial]

```

Item      Value
Name      COM1
Status    OK
PNP Device ID  ACPI\PNP0501\0
Maximum Input Buffer Size  0
Maximum Output Buffer Size  False
Settable Baud Rate      True
Settable Data Bits      True
Settable Flow Control   True
Settable Parity         True
Settable Parity Check   True
Settable Stop Bits     True
Settable RLSD          True
Supports RLSD          True
Supports 16 Bit Mode   False
Supports Special Characters False
Baud Rate 9600
Bits/Byte 8
Stop Bits 1
Parity    None
Busy      0
Abort Read/Write on Error 0
Binary Mode Enabled -1
Continue XMit on XOff    0
CTS Outflow Control 0
Discard NULL Bytes 0

```

```

DSR Outflow Control 0
DSR Sensitivity 0
DTR Flow Control Type Enable
EOF Character 0
Error Replace Character 0
Error Replacement Enabled 0
Event Character 0
Parity Check Enabled 0
RTS Flow Control Type Enable
XOff Character 19
XOffXMit Threshold 512
XOn Character 17
XOnXMit Threshold 2048
XOnXOff InFlow Control 0
XOnXOff OutFlow Control 0
IRQ Number 4
I/O Port 0x03F8-0x03FF
Driver c:\winnt\system32\drivers\serial.sys
(62416, 5.00.2195.2780)

```

[Parallel]

```

Item      Value
No parallel port information

```

[Storage]

[ Following are sub-categories of this main category ]

[Drives]

```

Item      Value
Drive     A:
Description 3 1/2 Inch Floppy Drive

Drive     C:
Description Local Fixed Disk
Compressed False
File System NTFS
Size      16.95 GB (18,198,999,040 bytes)
Free Space 13.82 GB (14,834,704,384 bytes)
Volume Name
Volume Serial Number C8B488FA
Partition Disk #0, Partition #0
Partition Size 16.95 GB (18,199,003,136 bytes)
Starting Offset 16384 bytes
Drive Description Disk drive
Drive Manufacturer (Standard disk drives)
Drive Model COMPAQ LOGICAL VOLUME SCSI Disk
Device
Drive BytesPerSector 512
Drive MediaLoaded True
Drive MediaType Fixed hard disk media
Drive Partitions 1
Drive SCSI Bus 0
Drive SCSI LogicalUnit 0
Drive SCSI Port 2
Drive SCISITargetId 4
Drive SectorsPerTrack 32
Drive Size 18203197440 bytes
Drive TotalCylinders 4357

```

```

Drive TotalSectors 35553120
Drive TotalTracks 1111035
Drive TracksPerCylinder 255

```

[SCSI]

```

Item      Value
Name      Compaq Smart Array 5i
Caption   Compaq Smart Array 5i
Driver    cpqccissm
Status    OK
PNP Device ID
          PCI\VEN_0E11&DEV_B178&SUBSYS_40800E11&REV_0
1\3&13C0B0C5&0&20
Device ID
          PCI\VEN_0E11&DEV_B178&SUBSYS_40800E11&REV_0
1\3&13C0B0C5&0&20
Device Map Not Available
Index     Not Available
Max Number Controlled Not Available
IRQ Number 31
I/O Port 0x3000-0x30FF
Driver    c:\winnt\system32\drivers\cpqccissm.sys
(14992, 5.40.2.0)

```

[Printing]

```

Name      Port Name Server Name
No printing information

```

[Problem Devices]

```

Device    PNP Device ID      Error Code
Base System Device
          PCI\VEN_0E11&DEV_B203&SUBSYS_B2060E11&REV_0
1\3&267A616A&0&28 28
Base System Device
          PCI\VEN_0E11&DEV_B204&SUBSYS_B2060E11&REV_0
1\3&267A616A&0&2A 28

```

[USB]

```

Device    PNP Device ID
Standard OpenHCD USB Host Controller
          PCI\VEN_1166&DEV_0220&SUBSYS_02201166&REV_0
5\3&267A616A&0&7A
USB Root Hub USB\ROOT_HUB\4&AF5358C&0

```

[Software Environment]

[ Following are sub-categories of this main category ]

[Drivers]

```

Name      Description      File      Type
Started  Start Mode
Status    Error Control  Accept Pause
Accept Stop

```

abiosdsk	Abiosdsk	Not Available	Kernel Driver
	False	Disabled	Stopped
	Ignore	False	False
abp480n5	abp480n5	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
acpi	Microsoft ACPI Driver		
	c:\winnt\system32\drivers\acpi.sys		
	Kernel Driver	True	Boot
	Running	OK	Normal
	True	False	False
acpiec	ACPIEC		
	c:\winnt\system32\drivers\acpiec.sys		
	Kernel Driver	False	Disabled
	Stopped	OK	Normal
	False	False	False
adpu160m	adpu160m	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
afd	AFD Networking Support Environment		
	c:\winnt\system32\drivers\afd.sys		
	Kernel Driver	True	Auto
	Running	OK	Normal
	True	False	False
ahal54x	Ahal54x	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
aic116x	aic116x	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
aic78u2	aic78u2	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
aic78xx	aic78xx	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
ami0nt	ami0nt	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
amsint	amsint	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
asc	asc	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
asc3350p	asc3350p	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
asc3550	asc3550	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
asyncmac	RAS Asynchronous Media Driver		
	c:\winnt\system32\drivers\asyncmac.sys		
	Kernel Driver	False	Manual
	Stopped	OK	Normal
	False	False	False
atapi	Standard IDE/ESDI Hard Disk Controller		
	c:\winnt\system32\drivers\atapi.sys		
	Kernel Driver	True	Boot
	Running	OK	Normal
	True	False	False

atdisk	Atdisk	Not Available	Kernel Driver
	False	Disabled	Stopped
	Ignore	False	False
atirage3	atirage3		
	c:\winnt\system32\drivers\atimpab.sys		
	Kernel Driver	True	Manual
	Running	OK	Ignore
	True	False	False
atmarpc	ATM ARP Client Protocol		
	c:\winnt\system32\drivers\atmarpc.sys		
	Kernel Driver	False	Manual
	Stopped	OK	Normal
	False	False	False
audstub	Audio Stub Driver		
	c:\winnt\system32\drivers\audstub.sys		
	Kernel Driver	True	Manual
	Running	OK	Normal
	True	False	False
beep	Beep		
	c:\winnt\system32\drivers\beep.sys		
	Kernel Driver	True	System
	Running	OK	Normal
	True	False	False
buslogic	BusLogic	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
cd20xrnt	cd20xrnt	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
cdaudio	Cdaudio		
	c:\winnt\system32\drivers\cdaudio.sys		
	Kernel Driver	False	System
	Stopped	OK	Ignore
	False	False	False
cdfs	Cdfs		
	c:\winnt\system32\drivers\cdfs.sys		
	File System Driver	True	Disabled
	Running	OK	Normal
	True	False	False
cdrom	CD-ROM Driver		
	c:\winnt\system32\drivers\cdrom.sys		
	Kernel Driver	True	System
	Running	OK	Normal
	True	False	False
changer	Changer	Not Available	Kernel Driver
	False	System	Stopped
	Ignore	False	False
cpqarray	Cpqarray	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
cpqarray2	cpqarray2	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
cpqcissm	cpqcissm		
	c:\winnt\system32\drivers\cpqcissm.sys		
	Kernel Driver	True	Boot
	Running	OK	Normal
	True	False	False
cpqfcalm	cpqfcalm	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False

cpqfws2e	cpqfws2e	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
dac960nt	dac960nt	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
deckzpsx	deckzpsx	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
dfsdriver	DfsDriver		
	c:\winnt\system32\drivers\dfs.sys		
	File System Driver	True	Boot
	Running	OK	Normal
	True	False	False
disk	Disk Driver		
	c:\winnt\system32\drivers\disk.sys		
	Kernel Driver	True	Boot
	Running	OK	Normal
	True	False	False
diskperf	Diskperf		
	c:\winnt\system32\drivers\diskperf.sys		
	Kernel Driver	True	Boot
	Running	OK	Normal
	True	False	False
dmboot	dmboot		
	c:\winnt\system32\drivers\dmboot.sys		
	Kernel Driver	False	Disabled
	Stopped	OK	Normal
	False	False	False
dmio	Logical Disk Manager Driver		
	c:\winnt\system32\drivers\dmio.sys		
	Kernel Driver	True	Boot
	Running	OK	Normal
	True	False	False
dmload	dmload		
	c:\winnt\system32\drivers\dmload.sys		
	Kernel Driver	True	Boot
	Running	OK	Normal
	True	False	False
efs	EFS		
	c:\winnt\system32\drivers\efs.sys		
	File System Driver	True	Disabled
	Running	OK	Normal
	True	False	False
fastfat	Fastfat		
	c:\winnt\system32\drivers\fastfat.sys		
	File System Driver	True	Disabled
	Running	OK	Normal
	True	False	False
fd16_700	Fd16_700	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
fdc	Floppy Disk Controller Driver		
	c:\winnt\system32\drivers\fdc.sys		
	Kernel Driver	True	Manual
	Running	OK	Normal
	True	False	False
fips	Fips		
	c:\winnt\system32\drivers\fips.sys		
	Kernel Driver	True	Auto
	Running	OK	Normal
	True	False	False
fireport	fireport	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False

```

flashpnt flashpnt Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
flpydisk Floppy Disk Driver
c:\winnt\system32\drivers\flpydisk.sys
Kernel Driver True Manual
Running OK Normal False
True
ftdisk Volume Manager Driver
c:\winnt\system32\drivers\ftdisk.sys
Kernel Driver True Boot
Running OK Normal False
True
gpc Generic Packet Classifier
c:\winnt\system32\drivers\msgpc.sys
Kernel Driver True Manual
Running OK Normal False
True
i8042prt i8042 Keyboard and PS/2 Mouse Port Driver
c:\winnt\system32\drivers\i8042prt.sys
Kernel Driver True System
Running OK Normal False
True
ini910u ini910u Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
intelide IntelIde Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
ipfilterdriver IP Traffic Filter Driver
c:\winnt\system32\drivers\ipfldrv.sys
Kernel Driver False Manual
Stopped OK Normal False
False
ipinip IP in IP Tunnel Driver
c:\winnt\system32\drivers\ipinip.sys
Kernel Driver False Manual
Stopped OK Normal False
False
ipnat IP Network Address Translator
c:\winnt\system32\drivers\ipnat.sys
Kernel Driver False Manual
Stopped OK Normal False
False
ipsec IPSEC driver
c:\winnt\system32\drivers\ipsec.sys
Kernel Driver True Manual
Running OK Normal False
True
ipsraidn ipsraidn Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
isapnp PnP ISA/EISA Bus Driver
c:\winnt\system32\drivers\isapnp.sys
Kernel Driver True Boot
Running OK Critical False
True
kbdclass Keyboard Class Driver
c:\winnt\system32\drivers\kbdclass.sys
Kernel Driver True System
Running OK Normal False
True

```

```

ksecdd KSecDD
c:\winnt\system32\drivers\ksecdd.sys
Kernel Driver True Boot
Running OK Normal False
True
lbrtfdc lbrtfdc Not Available Kernel Driver
False System Stopped OK
Ignore False False
lp6nds35 lp6nds35 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
mmdd mmdd
c:\winnt\system32\drivers\mmdd.sys
Kernel Driver True System
Running OK Ignore False
True
modem Modem
c:\winnt\system32\drivers\modem.sys
Kernel Driver False Manual
Stopped OK Ignore False
False
mouclass Mouse Class Driver
c:\winnt\system32\drivers\mouclass.sys
Kernel Driver True System
Running OK Normal False
True
mountmgr MountMgr
c:\winnt\system32\drivers\mountmgr.sys
Kernel Driver True Boot
Running OK Normal False
True
mraid35x mraid35x Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
mrxsmb MRXSMB
c:\winnt\system32\drivers\mrxsmb.sys
File System Driver True System
Running OK Normal False
True
msfs Msfs
c:\winnt\system32\drivers\msfs.sys
File System Driver True System
Running OK Normal False
True
mskssrv Microsoft Streaming Service Proxy
c:\winnt\system32\drivers\mskssrv.sys
Kernel Driver False Manual
Stopped OK Normal False
False
mspclock Microsoft Streaming Clock Proxy
c:\winnt\system32\drivers\mspclock.sys
Kernel Driver False Manual
Stopped OK Normal False
False
mspqm Microsoft Streaming Quality Manager Proxy
c:\winnt\system32\drivers\mspqm.sys
Kernel Driver False Manual
Stopped OK Normal False
False
mup Mup c:\winnt\system32\drivers\mup.sys
File System Driver True Boot
Running OK Normal False
True

```

```

n100 Compaq Ethernet or Fast Ethernet NIC NT
Driver c:\winnt\system32\drivers\n100nt5.sys
Kernel Driver False Manual
Stopped OK Normal False
False
ncrc710 Ncrc710 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
ndis NDIS System Driver
c:\winnt\system32\drivers\ndis.sys
Kernel Driver True Boot
Running OK Normal False
True
ndistapi Remote Access NDIS TAPI Driver
c:\winnt\system32\drivers\ndistapi.sys
Kernel Driver True Manual
Running OK Normal False
True
ndiswan Remote Access NDIS WAN Driver
c:\winnt\system32\drivers\ndiswan.sys
Kernel Driver True Manual
Running OK Normal False
True
ndproxy NDIS Proxy
c:\winnt\system32\drivers\ndproxy.sys
Kernel Driver True Manual
Running OK Normal False
True
netbios NetBIOS Interface
c:\winnt\system32\drivers\netbios.sys
File System Driver True System
Running OK Normal False
True
netbt NetBios over Tcpip
c:\winnt\system32\drivers\netbt.sys
Kernel Driver True System
Running OK Normal False
True
netdetect NetDetect
c:\winnt\system32\drivers\netdetect.sys
Kernel Driver False Manual
Stopped OK Normal False
False
npfs Npfs
c:\winnt\system32\drivers\npfs.sys
File System Driver True System
Running OK Normal False
True
ntfs Ntfs
c:\winnt\system32\drivers\ntfs.sys
File System Driver True Disabled
Running OK Normal False
True
null Null
c:\winnt\system32\drivers\null.sys
Kernel Driver True System
Running OK Normal False
True
nwlnkflt IPX Traffic Filter Driver
c:\winnt\system32\drivers\nwlnkflt.sys
Kernel Driver False Manual
Stopped OK Normal False
False

```

nwlkfw	IPX Traffic Forwarder Driver c:\winnt\system32\drivers\nwlkfw.sys Kernel Driver False Manual Stopped OK Normal False False	Running OK Normal False True	ptilink	Direct Parallel Link Driver c:\winnt\system32\drivers\ptilink.sys Kernel Driver True Manual Running OK Normal False True	serenum	Stopped OK Normal False False Serenum Filter Driver c:\winnt\system32\drivers\serenum.sys Kernel Driver True Manual Running OK Normal False True
openhci	Microsoft USB Open Host Controller Driver c:\winnt\system32\drivers\openhci.sys Kernel Driver True Manual Running OK Normal False True	q57w2k	Compaq NC7780 Gigabit Server Adapter c:\winnt\system32\drivers\q57w2k.sys Kernel Driver True Manual Running OK Normal False True	serial	Serial port driver c:\winnt\system32\drivers\serial.sys Kernel Driver True System Running OK Ignore False True	
parallel	Parallel c:\winnt\system32\drivers\parallel.sys Kernel Driver False Auto Stopped OK Ignore False False	ql1080	ql1080 Not Available Kernel Driver False Disabled Stopped OK Normal False False	sfloppy	SFloppy c:\winnt\system32\drivers\sfloppy.sys Kernel Driver False System Stopped OK Ignore False False	
parport	Parport c:\winnt\system32\drivers\parport.sys Kernel Driver False Auto Stopped OK Ignore False False	ql10wnt	ql10wnt Not Available Kernel Driver False Disabled Stopped OK Normal False False	sglfb	sglfb Not Available Kernel Driver False System Stopped OK Normal False False	
partmgr	PartMgr c:\winnt\system32\drivers\partmgr.sys Kernel Driver True Boot Running OK Normal False True	ql1240	ql1240 Not Available Kernel Driver False Disabled Stopped OK Normal False False	simbad	Simbad Not Available Kernel Driver False Disabled Stopped OK Normal False False	
parvdm	ParVdm c:\winnt\system32\drivers\parvdm.sys Kernel Driver False Auto Stopped OK Ignore False False	ql2100	ql2100 Not Available Kernel Driver False Disabled Stopped OK Normal False False	sparrow	Sparrow Not Available Kernel Driver False Disabled Stopped OK Normal False False	
pci	PCI Bus Driver c:\winnt\system32\drivers\pci.sys Kernel Driver True Boot Running OK Critical False True	rasacd	Remote Access Auto Connection Driver c:\winnt\system32\drivers\rasacd.sys Kernel Driver True System Running OK Normal False True	spud	Special Purpose Utility Driver c:\winnt\system32\drivers\spud.sys Kernel Driver True Manual Running OK Normal False True	
pcidump	PCIDump Not Available Kernel Driver False System Stopped OK Ignore False False	rasl2tp	WAN Miniport (L2TP) c:\winnt\system32\drivers\rasl2tp.sys Kernel Driver True Manual Running OK Normal False True	srv	Srv c:\winnt\system32\drivers\srv.sys File System Driver True Manual Running OK Normal False True	
pciide	PCIIde c:\winnt\system32\drivers\pciide.sys Kernel Driver True Boot Running OK Normal False True	raspti	Direct Parallel c:\winnt\system32\drivers\raspti.sys Kernel Driver True Manual Running OK Normal False True	swenum	Software Bus Driver c:\winnt\system32\drivers\swenum.sys Kernel Driver True Manual Running OK Normal False True	
pcmcia	Pcmcia c:\winnt\system32\drivers\pcmcia.sys Kernel Driver False Disabled Stopped OK Normal False False	rca	Microsoft Streaming Network Raw Channel Access c:\winnt\system32\drivers\rca.sys Kernel Driver False Manual Stopped OK Normal False False	symc810	symc810 Not Available Kernel Driver False Disabled Stopped OK Normal False False	
pdcomp	PDCOMP Not Available Kernel Driver False Manual Stopped OK Ignore False False	rdbss	Rdbss c:\winnt\system32\drivers\rdbss.sys File System Driver True System Running OK Normal False True	symc8xx	symc8xx Not Available Kernel Driver False Disabled Stopped OK Normal False False	
pdframe	PDFRAME Not Available Kernel Driver False Manual Stopped OK Ignore False False	rdpdr	Terminal Server Device Redirector Driver c:\winnt\system32\drivers\rdpdr.sys Kernel Driver True Manual Running OK Normal False True	sym_hi	sym_hi Not Available Kernel Driver False Disabled Stopped OK Normal False False	
pdreli	PDRELI Not Available Kernel Driver False Manual Stopped OK Ignore False False	rdpwd	RDPWD c:\winnt\system32\drivers\rdpwd.sys Kernel Driver True Manual Running OK Ignore False True	tcpip	TCP/IP Protocol Driver c:\winnt\system32\drivers\tcpip.sys Kernel Driver True System Running OK Normal False True	
pdrframe	PDRFRAME Not Available Kernel Driver False Manual Stopped OK Ignore False False	redbook	Digital CD Audio Playback Filter Driver c:\winnt\system32\drivers\redbook.sys Kernel Driver False System	tdasync	TDASYNC c:\winnt\system32\drivers\tdasync.sys Kernel Driver False Manual Stopped OK Ignore False False	
pptpminiport	WAN Miniport (PPTP) c:\winnt\system32\drivers\raspptp.sys Kernel Driver True Manual			tdipx	TDIPX c:\winnt\system32\drivers\tdipx.sys Kernel Driver False Manual	

```

Stopped OK Ignore False
False
tdnetb TDNETB
c:\winnt\system32\drivers\tdnetb.sys
Kernel Driver False Manual
Stopped OK Ignore False
False
tdpipe TDPIPE
c:\winnt\system32\drivers\tdpipe.sys
Kernel Driver False Manual
Stopped OK Ignore False
False
tdspix TDSPIX
c:\winnt\system32\drivers\tdspix.sys
Kernel Driver False Manual
Stopped OK Ignore False
False
tdtcp TDTCP
c:\winnt\system32\drivers\tdtcp.sys
Kernel Driver True Manual
Running OK Ignore False
True
termdd Terminal Device Driver
c:\winnt\system32\drivers\termdd.sys
Kernel Driver True Auto
Running OK Normal False
True
tga tga Not Available Kernel Driver
False System Stopped OK
Ignore False False
udfs Udfs
c:\winnt\system32\drivers\udfs.sys
File System Driver False Disabled
Stopped OK Normal False
False
ultra66 ultra66 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
update Microcode Update Driver
c:\winnt\system32\drivers\update.sys
Kernel Driver True Manual
Running OK Normal False
True
usbhub Microsoft USB Standard Hub Driver
c:\winnt\system32\drivers\usbhub.sys
Kernel Driver True Manual
Running OK Normal False
True
vgasave VgaSave c:\winnt\system32\drivers\vga.sys
Kernel Driver True System
Running OK Ignore False
True
wanarp Remote Access IP ARP Driver
c:\winnt\system32\drivers\wanarp.sys
Kernel Driver True Manual
Running OK Normal False
True
wdica WDICA Not Available Kernel Driver
False Manual Stopped OK
Ignore False False

```

[Environment Variables]

```

Variable Value User Name
ComSpec %SystemRoot%\system32\cmd.exe <SYSTEM>
Os2LibPath %SystemRoot%\system32\os2\dll;
<SYSTEM>
Path %SystemRoot%\system32;%SystemRoot%;%SystemR
oot%\System32\Wbem;C:\Program Files\Microsoft SQL
Server\80\Tools\BINN <SYSTEM>
windir %SystemRoot% <SYSTEM>
OS Windows_NT <SYSTEM>
PROCESSOR_ARCHITECTURE x86 <SYSTEM>
PROCESSOR_LEVEL 6 <SYSTEM>
PROCESSOR_IDENTIFIER x86 Family 6 Model 11
Stepping 1, GenuineIntel <SYSTEM>
PROCESSOR_REVISION 0b01 <SYSTEM>
NUMBER_OF_PROCESSORS 2 <SYSTEM>
PATHEXT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF
;.WSH <SYSTEM>
TEMP %SystemRoot%\TEMP <SYSTEM>
TMP %SystemRoot%\TEMP <SYSTEM>
TEMP %USERPROFILE%\Local Settings\Temp
CL1\Administrator
TMP %USERPROFILE%\Local Settings\Temp
CL1\Administrator

[Jobs]

[ Following are sub-categories of this main category ]

[Print]

Document Size Owner Notify Status
Time Submitted Start Time
Until Time Elapsed Time
Pages Printed Job ID Priority
Parameters Driver Name
Print Processor Host Print Queue
Data Type Name
Unknown Unknown Unknown Unknown Unknown
Unknown Unknown Unknown Unknown Unknown
Unknown Unknown Unknown Unknown Unknown

[Network Connections]

Local Name Remote Name Type
Status User Name

No network connections information

[Running Tasks]

Name Path Process ID Priority Min
Working Set Max Working Set Start Time
Version Size File Date
system idle process Not Available 0 0
Not Available Not Available Not Available
Available Unknown Unknown Unknown

```

```

system Not Available 8 8 0
1413120 Not Available Unknown
Unknown Unknown
smss.exe c:\winnt\system32\smss.exe 184 11
204800 1413120 12/18/2002 4:37:12 PM
5.00.2195.2901 44.27 KB (45,328 bytes)
12/7/1999 7:00:00 AM
csrss.exe Not Available 208 13 Not
Available Not Available 12/18/2002 4:37:16 PM
Unknown Unknown Unknown
winlogon.exe c:\winnt\system32\winlogon.exe
232 13 204800 1413120
12/18/2002 4:37:17 PM
5.00.2195.2953 173.77 KB (177,936
bytes) 12/7/1999 7:00:00 AM
services.exe c:\winnt\system32\services.exe
260 9 204800 1413120
12/18/2002 4:37:18 PM
5.00.2195.2780 86.77 KB (88,848 bytes)
12/7/1999 7:00:00 AM
lsass.exe c:\winnt\system32\lsass.exe 272 9
204800 1413120 12/18/2002 4:37:18 PM
5.00.2195.2964 32.77 KB (33,552 bytes)
12/7/1999 7:00:00 AM
termsrv.exe c:\winnt\system32\termsrv.exe 380
10 204800 1413120 12/18/2002
4:37:19 PM 5.00.2195.2342 137.27 KB
(140,560 bytes) 9/13/2002 6:09:44 PM
rsys.exe c:\benchcraft\rsys.exe 476 8
204800 1413120 12/18/2002 4:37:21 PM
Not Available 32.00 KB (32,768 bytes)
9/13/2002 6:30:57 PM
svchost.exe c:\winnt\system32\svchost.exe 492
8 204800 1413120 12/18/2002
4:37:21 PM 5.00.2134.1 7.77 KB
(7,952 bytes) 12/7/1999 7:00:00 AM
svchost.exe c:\winnt\system32\svchost.exe 524
204800 1413120 12/18/2002
4:37:25 PM 5.00.2134.1 7.77 KB
(7,952 bytes) 12/7/1999 7:00:00 AM
mstask.exe c:\winnt\system32\mstask.exe 628
8 204800 1413120 12/18/2002
4:37:26 PM 4.71.2195.1 115.27 KB
(118,032 bytes) 9/13/2002 6:09:32 PM
winmgmt.exe c:\winnt\system32\wbem\winmgmt.exe 644
8 204800 1413120 12/18/2002
4:37:26 PM 1.50.1085.0029 192.08 KB
(196,685 bytes) 9/13/2002 6:09:52 PM
inetinfo.exe c:\winnt\system32\inetrv\inetinfo.exe 684
8 204800 1413120 12/18/2002
4:37:26 PM 5.00.0984 14.27 KB (14,608 bytes)
9/13/2002 6:10:42 PM
dfssvc.exe c:\winnt\system32\dfssvc.exe 780
204800 1413120 12/18/2002
4:37:28 PM 5.00.2195.2841 88.27 KB
(90,384 bytes) 9/13/2002 6:09:18 PM
svchost.exe c:\winnt\system32\svchost.exe 932
8 204800 1413120 12/18/2002
4:37:40 PM 5.00.2134.1 7.77 KB
(7,952 bytes) 12/7/1999 7:00:00 AM

```



```

explorer.exe      c:\winnt\explorer.exe      312
8                204800 1413120 12/18/2002
4:42:50 PM      5.00.3315.2846 237.27 KB
(242,960 bytes) 9/13/2002 6:09:47 PM
dllhost.exe      Not Available 1076 8
Not Available   Not Available
12/18/2002 4:43:16 PM Unknown
Unknown Unknown
mmc.exe          c:\winnt\system32\mmc.exe 1032 8
204800 1413120 12/19/2002 8:36:08 AM
5.00.2195.2301 589.27 KB (603,408
bytes) 9/13/2002 6:09:26 PM
rsvp.exe        c:\winnt\system32\rsvp.exe 1260 8
204800 1413120 12/19/2002 8:36:31 AM
5.00.2167.1 172.77 KB (176,912
bytes) 12/7/1999 7:00:00 AM

[Loaded Modules]

Name      Version  Size      File Date Manufacturer
Path
traffic.dll 5.00.2139.1 30.77 KB
(31,504 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\traffic.dll
rsvp.exe 5.00.2167.1 172.77 KB (176,912
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation
c:\winnt\system32\rsvp.exe
wbemprox.dll 1.50.1085.0045 40.08 KB
(41,040 bytes) 9/13/2002 6:09:52 PM
Microsoft Corporation
c:\winnt\system32\wbem\wbemprox.dll
mlang.dll 5.00.3103.1000 510.77 KB (523,024
bytes) 9/13/2002 6:09:26 PM Microsoft
Corporation
c:\winnt\system32\mlang.dll
rassapi.dll 5.00.2188.1 14.27 KB
(14,608 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rassapi.dll
adsnt.dll 5.00.2195.2778 195.27 KB (199,952
bytes) 9/13/2002 6:09:13 PM Microsoft
Corporation
c:\winnt\system32\adsnt.dll
dbghelp.dll 5.00.2195.2104 159.27 KB
(163,088 bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\dbghelp.dll
localsec.dll 5.00.2195.2130 230.27 KB
(235,792 bytes) 9/13/2002 6:09:26 PM
Microsoft Corporation
c:\winnt\system32\localsec.dll
devmgr.dll 5.00.2166.1 215.77 KB
(220,944 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\devmgr.dll
filemgmt.dll 5.00.2195.2165 287.27 KB
(294,160 bytes) 9/13/2002 6:09:22 PM
Microsoft Corporation
c:\winnt\system32\filemgmt.dll
pdh.dll 5.00.2195.2739 147.77 KB (151,312
bytes) 9/13/2002 6:09:38 PM Microsoft
Corporation
c:\winnt\system32\pdh.dll
smlogcfg.dll 5.00.2195.2485 273.27 KB
(279,824 bytes) 9/13/2002 6:09:42 PM

```

```

Microsoft Corporation
c:\winnt\system32\smlogcfg.dll
cabinet.dll 5.00.2147.1 54.77 KB
(56,080 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cabinet.dll
msinfo32.dll 5.00.2177.1 312.27 KB
(319,760 bytes) 9/13/2002 5:46:00 PM
Microsoft Corporation c:\program
files\common files\microsoft
shared\msinfo\msinfo32.dll
riched20.dll 5.30.23.1205 421.27 KB
(431,376 bytes) 9/13/2002 6:09:40 PM
Microsoft Corporation
c:\winnt\system32\riched20.dll
riched32.dll 5.00.2134.1 3.77 KB
(3,856 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\riched32.dll
els.dll 5.00.2175.1 151.27 KB (154,896
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation
c:\winnt\system32\els.dll
ntmsmgr.dll 1,0,0,1 427.77 KB (438,032
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation and HighGround Systems, Inc.
c:\winnt\system32\ntmsmgr.dll
mmfutil.dll 1.50.1085.0000 32.06 KB
(32,829 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mmfutil.dll
logdrive.dll 1.50.1085.0000 200.06 KB
(204,863 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\logdrive.dll
dfrgres.dll 5.00.2150.1 27.50 KB
(28,160 bytes) 12/7/1999 7:00:00 AM
Executive Software International, Inc.
c:\winnt\system32\dfrgres.dll
dfrgsnap.dll 5.00.2195.2104 41.77 KB
(42,768 bytes) 9/13/2002 6:09:18 PM
Executive Software International, Inc.
c:\winnt\system32\dfrgsnap.dll
dmdskres.dll 2195.2104.297.3 119.50 KB
(122,368 bytes) 9/13/2002 6:09:19 PM
Microsoft Corp., VERITAS Software
c:\winnt\system32\dmdskres.dll
dmutil.dll 2195.2104.297.3 42.27 KB
(43,280 bytes) 9/13/2002 6:09:19 PM
VERITAS Software Corp.
c:\winnt\system32\dmutil.dll
ntmsapi.dll 5.00.1948.1 51.77 KB
(53,008 bytes) 9/13/2002 6:09:35 PM
Microsoft Corporation
c:\winnt\system32\ntmsapi.dll
dmdskmgr.dll 2215.2215.297.3 160.27 KB
(164,112 bytes) 9/13/2002 6:09:19 PM
Microsoft Corp., VERITAS Software
c:\winnt\system32\dmdskmgr.dll
mycomput.dll 5.00.2134.1 107.77 KB
(110,352 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mycomput.dll

```

```

mmcmdmgr.dll 5.00.2178.1 815.27 KB
(834,832 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mmcmdmgr.dll
msvcps50.dll 5.00.7051 552.50 KB (565,760
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation
c:\winnt\system32\msvcps50.dll
mmc.exe 5.00.2195.2301 589.27 KB (603,408
bytes) 9/13/2002 6:09:26 PM Microsoft
Corporation
c:\winnt\system32\mmc.exe
shdoclc.dll 5.00.3315.2879 324.50 KB
(332,288 bytes) 9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\shdoclc.dll
wininet.dll 5.00.3315.1000 456.77 KB
(467,728 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wininet.dll
msi.dll 1.11.2405.0 1.69 MB (1,767,184
bytes) 9/13/2002 6:09:29 PM Microsoft
Corporation
c:\winnt\system32\msi.dll
faxshell.dll 5.00.2134.1 8.27 KB
(8,464 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\faxshell.dll
msacm32.dll 5.00.2134.1 65.27 KB
(66,832 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msacm32.dll
avifil32.dll 5.00.2134.1 76.27 KB
(78,096 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\avifil32.dll
msvfw32.dll 5.00.2134.1 113.77 KB
(116,496 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msvfw32.dll
docprop2.dll 5.00.2178.1 297.77 KB
(304,912 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\docprop2.dll
linkinfo.dll 5.00.2134.1 15.77 KB
(16,144 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\linkinfo.dll
powrprof.dll 5.00.3103.1000 13.27 KB
(13,584 bytes) 9/13/2002 6:09:38 PM
Microsoft Corporation
c:\winnt\system32\powrprof.dll
batmeter.dll 5.00.3103.1000 20.27 KB
(20,752 bytes) 9/13/2002 6:09:14 PM
Microsoft Corporation
c:\winnt\system32\batmeter.dll
stobject.dll 5.00.2195.2780 79.27 KB
(81,168 bytes) 9/13/2002 6:09:43 PM
Microsoft Corporation
c:\winnt\system32\stobject.dll
webcheck.dll 5.00.3315.1000 251.77 KB
(257,808 bytes) 9/13/2002 6:09:45 PM
Microsoft Corporation
c:\winnt\system32\webcheck.dll
ntshrui.dll 5.00.2134.1 46.77 KB
(47,888 bytes) 12/7/1999 7:00:00 AM

```

```

Microsoft Corporation
c:\winnt\system32\ntshrui.dll
mydocs.dll 5.00.2920.0000 55.77 KB
(57,104 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mydocs.dll
browseui.dll 5.00.3315.2846 788.77 KB
(807,696 bytes) 9/13/2002 6:09:14 PM
Microsoft Corporation
c:\winnt\system32\browseui.dll
shdocvw.dll 5.00.3315.2879 1.05 MB
(1,104,144 bytes) 9/13/2002 6:09:42 PM
Microsoft Corporation
c:\winnt\system32\shdocvw.dll
explorer.exe 5.00.3315.2846 237.27 KB
(242,960 bytes) 9/13/2002 6:09:47 PM
Microsoft Corporation
c:\winnt\explorer.exe
tapisrv.dll 5.00.2195.2955 169.27 KB
(173,328 bytes) 9/13/2002 6:09:44 PM
Microsoft Corporation
c:\winnt\system32\tapisrv.dll
dfssvc.exe 5.00.2195.2841 88.27 KB
(90,384 bytes) 9/13/2002 6:09:18 PM
Microsoft Corporation
c:\winnt\system32\dfssvc.exe
adslldp.dll 5.00.2195.2778 119.77 KB
(122,640 bytes) 9/13/2002 6:09:12 PM
Microsoft Corporation
c:\winnt\system32\adslldp.dll
odbc32.dll 3.520.6526.0 100.27 KB
(102,672 bytes) 9/13/2002 6:19:39 PM
Microsoft Corporation
c:\winnt\system32\odbc32.dll
sqlsrv32.rll 2000.080.0194.00 88.00 KB
(90,112 bytes) 9/13/2002 6:19:44 PM
Microsoft Corporation
c:\winnt\system32\sqlsrv32.rll
mtxdm.dll 2000.2.3471.1 23.27 KB (23,824 bytes)
9/13/2002 6:09:33 PM Microsoft
Corporation c:\winnt\system32\mtxdm.dll
sqlunirl.dll 2000.080.0194.00 176.06 KB
(180,290 bytes) 8/6/2000 1:51:56 AM Microsoft
Corporation c:\winnt\system32\sqlunirl.dll
sqlsrv32.dll 2000.080.0194.00 460.08 KB
(471,119 bytes) 9/13/2002 6:19:44 PM
Microsoft Corporation
c:\winnt\system32\sqlsrv32.dll
tpcc_odbc.dll Not Available 28.00 KB
(28,672 bytes) 9/13/2002 6:29:42 PM Not
Available c:\inetpub\wwwroot\tpcc_odbc.dll
tpcc_com.dll Not Available 24.00 KB
(24,576 bytes) 9/13/2002 6:29:43 PM Not
Available c:\inetpub\wwwroot\tpcc_com.dll
tpcc.dll 0, 4, 0, 0 92.00 KB (94,208 bytes)
9/13/2002 6:29:42 PM Microsoft
Corporation c:\inetpub\wwwroot\tpcc.dll
mfc42.dll 6.00.8665.0 972.05 KB (995,383
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\mfc42.dll
wam.dll 5.00.0984 70.77 KB (72,464 bytes)
9/13/2002 6:10:44 PM Microsoft
Corporation c:\winnt\system32\inetsrv\wam.dll

```

```

odbcint.dll 3.520.6526.0 88.00 KB
(90,112 bytes) 9/13/2002 6:19:39 PM
Microsoft Corporation
c:\winnt\system32\odbcint.dll
comdlg32.dll 5.00.3103.1000 236.77 KB
(242,448 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\comdlg32.dll
odbc32.dll 3.520.6526.0 216.27 KB
(221,456 bytes) 9/13/2002 6:19:39 PM
Microsoft Corporation
c:\winnt\system32\odbc32.dll
mtxoci.dll 2000.2.3471.1 101.77 KB
(104,208 bytes) 9/13/2002 6:09:33 PM
Microsoft Corporation
c:\winnt\system32\mtxoci.dll
resutils.dll 5.00.2195.2787 39.77 KB
(40,720 bytes) 9/13/2002 6:09:40 PM
Microsoft Corporation
c:\winnt\system32\resutils.dll
clusapi.dll 5.00.2195.2104 54.27 KB
(55,568 bytes) 9/13/2002 6:09:16 PM
Microsoft Corporation
c:\winnt\system32\clusapi.dll
mtxclu.dll 2000.2.3471.1 51.27 KB
(52,496 bytes) 9/13/2002 6:09:33 PM
Microsoft Corporation
c:\winnt\system32\mtxclu.dll
msdtcprx.dll 2000.2.3471.1 665.77 KB
(681,744 bytes) 9/13/2002 6:09:27 PM
Microsoft Corporation
c:\winnt\system32\msdtcprx.dll
comsvcs.dll 2000.2.3471.1 1.35 MB
(1,417,488 bytes) 9/13/2002 6:09:17 PM
Microsoft Corporation
c:\winnt\system32\comsvcs.dll
iislog.dll 5.00.0984 75.27 KB (77,072 bytes)
9/13/2002 6:10:42 PM Microsoft
Corporation c:\winnt\system32\inetsrv\iislog.dll
httpext.dll 0.9.3940.21 435.27 KB
(445,712 bytes) 9/13/2002 6:10:42 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\httpext.dll
fpexedll.dll 4.0.2.4324 20.06 KB
(20,541 bytes) 9/13/2002 6:10:33 PM
Microsoft Corporation c:\program
files\common files\microsoft shared\web server
extensions\40\bin\fpexedll.dll
md5filt.dll 5.00.0984 32.77 KB (33,552 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\md5filt.dll
gzip.dll 5.00.0984 30.27 KB (30,992 bytes)
9/13/2002 6:10:42 PM Microsoft
Corporation c:\winnt\system32\inetsrv\gzip.dll
compfilt.dll 5.00.0984 22.77 KB (23,312 bytes)
9/13/2002 6:10:41 PM Microsoft
Corporation c:\winnt\system32\inetsrv\compfilt.dll
sspifilt.dll 5.00.0984 43.27 KB (44,304 bytes)
9/13/2002 6:10:43 PM Microsoft

```

```

Corporation c:\winnt\system32\inetsrv\sspifilt.dll
iscomlog.dll 5.00.0984 24.77 KB (25,360 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\iscomlog.dll
lonsint.dll 5.00.0984 11.77 KB (12,048 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\lonsint.dll
inetsloc.dll 5.00.0984 20.27 KB (20,752 bytes)
9/13/2002 6:09:24 PM Microsoft
Corporation c:\winnt\system32\inetsloc.dll
iisfecnv.dll 5.00.0984 7.27 KB (7,440 bytes)
9/13/2002 5:45:32 PM Microsoft
Corporation c:\winnt\system32\inetsrv\iisfecnv.dll
isatq.dll 5.00.0984 60.27 KB (61,712 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\isatq.dll
infocomm.dll 5.00.0984 238.27 KB (243,984
bytes) 9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\infocomm.dll
w3svc.dll 5.00.0984 343.27 KB (351,504 bytes)
9/13/2002 6:10:44 PM Microsoft
Corporation c:\winnt\system32\inetsrv\w3svc.dll
security.dll 5.00.2154.1 5.77 KB
(5,904 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\security.dll
svcext.dll 5.00.0984 39.77 KB (40,720 bytes)
9/13/2002 6:10:44 PM Microsoft
Corporation c:\winnt\system32\inetsrv\svcext.dll
admexs.dll 5.00.0984 27.77 KB (28,432 bytes)
9/13/2002 6:10:41 PM Microsoft
Corporation c:\winnt\system32\inetsrv\admexs.dll
wamreg.dll 5.00.0984 45.77 KB (46,864 bytes)
9/13/2002 6:10:44 PM Microsoft
Corporation c:\winnt\system32\inetsrv\wamreg.dll
metadata.dll 5.00.0984 68.77 KB (70,416 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\metadata.dll
iismap.dll 5.00.0984 55.77 KB (57,104 bytes)
9/13/2002 6:09:23 PM Microsoft
Corporation c:\winnt\system32\iismap.dll
nsepm.dll 5.00.0984 43.27 KB (44,304 bytes)
9/13/2002 6:10:43 PM Microsoft
Corporation c:\winnt\system32\inetsrv\nsepm.dll
admwprox.dll 5.00.0984 31.77 KB (32,528 bytes)
9/13/2002 5:45:33 PM Microsoft
Corporation c:\winnt\system32\admwprox.dll
coadmin.dll 5.00.0984 39.27 KB (40,208 bytes)
9/13/2002 6:10:41 PM Microsoft
Corporation c:\winnt\system32\inetsrv\coadmin.dll

```

iisadmin.dll 5.00.0984 15.27 KB (15,632 bytes)  
 9/13/2002 6:10:42 PM Microsoft Corporation  
 c:\winnt\system32\inetrv\iisadmin.dll  
 rpcpref.dll 5.00.0984 4.27 KB (4,368 bytes)  
 9/13/2002 6:10:43 PM Microsoft Corporation  
 c:\winnt\system32\inetrv\rpcpref.dll  
 iisrtl.dll 5.00.0984 119.77 KB (122,640 bytes)  
 9/13/2002 6:09:23 PM Microsoft Corporation  
 c:\winnt\system32\iisrtl.dll  
 inetinfo.exe 5.00.0984 14.27 KB (14,608 bytes)  
 9/13/2002 6:10:42 PM Microsoft Corporation  
 c:\winnt\system32\inetrv\inetinfo.exe  
 netuil.dll 5.00.2134.1 210.27 KB (215,312 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\netuil.dll  
 netui0.dll 5.00.2134.1 70.27 KB (71,952 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\netui0.dll  
 ntlanman.dll 5.00.2157.1 35.27 KB (36,112 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\ntlanman.dll  
 ntmarta.dll 5.00.2195.2862 98.77 KB (101,136 bytes)  
 9/13/2002 6:09:35 PM Microsoft Corporation  
 c:\winnt\system32\ntmarta.dll  
 perfos.dll 5.00.2155.1 21.27 KB (21,776 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\perfos.dll  
 psapi.dll 5.00.2134.1 28.27 KB (28,944 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\psapi.dll  
 provthrd.dll 1.50.1085.0000 68.07 KB (69,708 bytes)  
 9/13/2002 5:45:53 PM Microsoft Corporation  
 c:\winnt\system32\wbem\provthrd.dll  
 ntevt.dll 1.50.1085.0000 192.06 KB (196,669 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\wbem\ntevt.dll  
 framedyn.dll 1.50.1085.0000 164.05 KB (167,992 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\wbem\framedyn.dll  
 cimwin32.dll 1.50.1085.0038 1.02 MB (1,073,232 bytes)  
 9/13/2002 6:09:50 PM Microsoft Corporation  
 c:\winnt\system32\wbem\cimwin32.dll  
 wbmssvc.dll 1.50.1085.0007 40.07 KB (41,036 bytes)  
 9/13/2002 6:09:52 PM Microsoft Corporation  
 c:\winnt\system32\wbem\wbmssvc.dll  
 wbemess.dll 1.50.1085.0039 364.07 KB (372,804 bytes)  
 9/13/2002 6:09:52 PM Microsoft Corporation  
 c:\winnt\system32\wbem\wbemess.dll  
 fastprox.dll 1.50.1085.0037 144.08 KB (147,536 bytes)  
 9/13/2002 6:09:51 PM Microsoft Corporation  
 c:\winnt\system32\wbem\fastprox.dll

Microsoft Corporation  
 c:\winnt\system32\wbem\fastprox.dll  
 wbemcore.dll 1.50.1085.0036 628.07 KB (643,140 bytes)  
 9/13/2002 6:09:52 PM Microsoft Corporation  
 c:\winnt\system32\wbem\wbemcore.dll  
 wbemcomn.dll 1.50.1085.0021 692.07 KB (708,675 bytes)  
 9/13/2002 6:09:51 PM Microsoft Corporation  
 c:\winnt\system32\wbem\wbemcomn.dll  
 winmgmt.exe 1.50.1085.0029 192.08 KB (196,685 bytes)  
 9/13/2002 6:09:52 PM Microsoft Corporation  
 c:\winnt\system32\wbem\winmgmt.exe  
 msidle.dll 5.00.2920.0000 6.27 KB (6,416 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\msidle.dll  
 mstask.exe 4.71.2195.1 115.27 KB (118,032 bytes)  
 9/13/2002 6:09:32 PM Microsoft Corporation  
 c:\winnt\system32\mstask.exe  
 wmi.dll 5.00.2191.1 6.27 KB (6,416 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\wmi.dll  
 netshell.dll 5.00.2195.2779 457.27 KB (468,240 bytes)  
 9/13/2002 6:09:34 PM Microsoft Corporation  
 c:\winnt\system32\netshell.dll  
 netman.dll 5.00.2195.2779 89.27 KB (91,408 bytes)  
 9/13/2002 6:09:34 PM Microsoft Corporation  
 c:\winnt\system32\netman.dll  
 ntmsdba.dll 5.00.2195.2779 167.27 KB (171,280 bytes)  
 9/13/2002 6:09:35 PM Microsoft Corporation  
 c:\winnt\system32\ntmsdba.dll  
 rasdlg.dll 5.00.2195.2671 514.27 KB (526,608 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\rasdlg.dll  
 netcfgx.dll 5.00.2195.2228 534.77 KB (547,600 bytes)  
 9/13/2002 6:09:34 PM Microsoft Corporation  
 c:\winnt\system32\netcfgx.dll  
 rasmans.dll 5.00.2195.2728 147.27 KB (150,800 bytes)  
 9/13/2002 6:09:39 PM Microsoft Corporation  
 c:\winnt\system32\rasmans.dll  
 sens.dll 5.00.2163.1 36.77 KB (37,648 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\sens.dll  
 ntmsvc.dll 5.00.2195.2779 391.27 KB (400,656 bytes)  
 9/13/2002 6:09:35 PM Microsoft Corporation  
 c:\winnt\system32\ntmsvc.dll  
 txfaux.dll 2000.2.3471.1 374.27 KB (383,248 bytes)  
 9/13/2002 6:09:44 PM Microsoft Corporation  
 c:\winnt\system32\txfaux.dll  
 es.dll 2000.2.3471.1 222.27 KB (227,600 bytes)  
 9/13/2002 6:09:21 PM Microsoft Corporation  
 c:\winnt\system32\es.dll

rpcss.dll 5.00.2195.2815 231.27 KB (236,816 bytes)  
 9/13/2002 6:09:40 PM Microsoft Corporation  
 c:\winnt\system32\rpcss.dll  
 svchost.exe 5.00.2134.1 7.77 KB (7,952 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\svchost.exe  
 rsys.exe Not Available 32.00 KB (32,768 bytes)  
 9/13/2002 6:30:57 PM Not Available  
 c:\benchmark\rsys.exe  
 rdpwsx.dll 5.00.2180.1 94.40 KB (96,664 bytes)  
 9/13/2002 5:45:10 PM Microsoft Corporation  
 c:\winnt\system32\rdpwsx.dll  
 mstlsapi.dll 5.00.2181.1 24.77 KB (25,360 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\mstlsapi.dll  
 icaapi.dll 5.00.2134.1 118.77 KB (121,616 bytes)  
 9/13/2002 5:45:09 PM Microsoft Corporation  
 c:\winnt\system32\icaapi.dll  
 regapi.dll 5.00.2155.1 35.27 KB (36,112 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\regapi.dll  
 termsrv.exe 5.00.2195.2342 137.27 KB (140,560 bytes)  
 9/13/2002 6:09:44 PM Microsoft Corporation  
 c:\winnt\system32\termsrv.exe  
 iissuba.dll 5.00.0984 9.77 KB (10,000 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\iissuba.dll  
 dssenh.dll 5.00.2195.2228 142.77 KB (146,192 bytes)  
 9/13/2002 6:10:37 PM Microsoft Corporation  
 c:\winnt\system32\dssenh.dll  
 oakley.dll 5.00.2195.2785 378.77 KB (387,856 bytes)  
 9/13/2002 6:09:36 PM Microsoft Corporation  
 c:\winnt\system32\oakley.dll  
 mfc42u.dll 6.00.8665.0 972.05 KB (995,384 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\mfc42u.dll  
 polagent.dll 5.00.2183.1 108.27 KB (110,864 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\polagent.dll  
 scecli.dll 5.00.2195.2780 105.27 KB (107,792 bytes)  
 9/13/2002 6:09:41 PM Microsoft Corporation  
 c:\winnt\system32\scecli.dll  
 atl.dll 3.00.8449 57.56 KB (58,938 bytes)  
 12/7/1999 7:00:00 AM Microsoft Corporation  
 c:\winnt\system32\atl.dll  
 certcli.dll 5.00.2195.2778 130.77 KB (133,904 bytes)  
 9/13/2002 6:09:16 PM Microsoft Corporation  
 c:\winnt\system32\certcli.dll  
 ntdsatq.dll 5.00.2195.2878 31.27 KB (32,016 bytes)  
 9/13/2002 6:09:35 PM Microsoft Corporation

```

Microsoft Corporation
c:\winnt\system32\ntdsatq.dll
ntdsa.dll 5.00.2195.2899 990.77 KB (1,014,544
bytes) 9/13/2002 6:09:34 PM Microsoft
Corporation c:\winnt\system32\ntdsa.dll
kdcsvc.dll 5.00.2195.2878 137.77 KB
(141,072 bytes) 9/13/2002 6:09:26 PM
Microsoft Corporation
c:\winnt\system32\kdcsvc.dll
sfmapi.dll 5.00.2134.1 38.77 KB
(39,696 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\sfmapi.dll
rassfm.dll 5.00.2195.2671 21.27 KB
(21,776 bytes) 9/13/2002 6:09:39 PM
Microsoft Corporation
c:\winnt\system32\rassfm.dll
mpr.dll 5.00.2195.2779 53.27 KB (54,544 bytes)
9/13/2002 6:09:27 PM Microsoft
Corporation c:\winnt\system32\mpr.dll
rsabase.dll 5.00.2195.2228 128.27 KB
(131,344 bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\rsabase.dll
schannel.dll 5.00.2195.2922 138.27 KB
(141,584 bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\schannel.dll
netlogon.dll 5.00.2195.2865 357.77 KB
(366,352 bytes) 9/13/2002 6:09:34 PM
Microsoft Corporation
c:\winnt\system32\netlogon.dll
kerberos.dll 5.00.2195.2913 198.77 KB
(203,536 bytes) 9/13/2002 6:09:26 PM
Microsoft Corporation
c:\winnt\system32\kerberos.dll
msprivs.dll 5.00.2154.1 41.50 KB
(42,496 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msprivs.dll
samsrv.dll 5.00.2195.2918 369.77 KB
(378,640 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\samsrv.dll
lsasrv.dll 5.00.2195.2964 492.77 KB
(504,592 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\lsasrv.dll
lsass.exe 5.00.2195.2964 32.77 KB (33,552 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\lsass.exe
ntlsapi.dll 5.00.2134.1 6.77 KB
(6,928 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ntlsapi.dll
esent.dll 6.0.3940.13 1.08 MB (1,135,376
bytes) 9/13/2002 6:09:21 PM Microsoft
Corporation c:\winnt\system32\esent.dll
wmicore.dll 5.00.2195.2842 72.27 KB
(74,000 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wmicore.dll

```

```

browser.dll 5.00.2195.2778 48.27 KB
(49,424 bytes) 9/13/2002 6:09:14 PM
Microsoft Corporation
c:\winnt\system32\browser.dll
trkwks.dll 5.00.2166.1 88.77 KB
(90,896 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\trkwks.dll
psbase.dll 5.00.2195.2779 111.77 KB
(114,448 bytes) 9/13/2002 6:09:39 PM
Microsoft Corporation
c:\winnt\system32\psbase.dll
cryptsvc.dll 5.00.2181.1 61.77 KB
(63,248 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cryptsvc.dll
seclogon.dll 5.00.2135.1 15.77 KB
(16,144 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\seclogon.dll
cryptdll.dll 5.00.2135.1 41.27 KB
(42,256 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cryptdll.dll
wkssvc.dll 5.00.2195.2780 95.27 KB
(97,552 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wkssvc.dll
srvsvc.dll 5.00.2195.2904 79.27 KB
(81,168 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\srvsvc.dll
cfgmgr32.dll 5.00.2134.1 16.77 KB
(17,168 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cfgmgr32.dll
dmsrvr.dll 2195.2778.297.3 11.77 KB
(12,048 bytes) 9/13/2002 6:09:19 PM
VERITAS Software Corp.
c:\winnt\system32\dmsrvr.dll
lmhsvc.dll 5.00.2195.2778 9.77 KB
(10,000 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\lmhsvc.dll
eventlog.dll 5.00.2178.1 43.77 KB
(44,816 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\eventlog.dll
ntdsapi.dll 5.00.2195.2661 55.77 KB
(57,104 bytes) 9/13/2002 6:09:35 PM
Microsoft Corporation
c:\winnt\system32\ntdsapi.dll
scesrv.dll 5.00.2195.2780 226.27 KB
(231,696 bytes) 9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\scesrv.dll
umpnpgm.dll 5.00.2182.1 86.27 KB
(88,336 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\umpnpgm.dll
services.exe 5.00.2195.2780 86.77 KB
(88,848 bytes) 12/7/1999 7:00:00 AM

```

```

Microsoft Corporation
c:\winnt\system32\services.exe
msvl_0.dll 5.00.2195.2900 111.77 KB
(114,448 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msvl_0.dll
cscui.dll 5.00.2195.2959 228.27 KB (233,744
bytes) 9/13/2002 6:09:17 PM Microsoft
Corporation c:\winnt\system32\cscui.dll
rasadhlp.dll 5.00.2168.1 7.27 KB
(7,440 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rasadhlp.dll
wshnetbs.dll 5.00.2134.1 7.77 KB
(7,952 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wshnetbs.dll
winrnr.dll 5.00.2160.1 18.77 KB
(19,216 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\winrnr.dll
clbcatq.dll 2000.2.3471.1 496.77 KB
(508,688 bytes) 9/13/2002 6:09:16 PM
Microsoft Corporation
c:\winnt\system32\clbcatq.dll
dhcpcsvc.dll 5.00.2195.2778 88.77 KB
(90,896 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\dhcpcsvc.dll
tapi32.dll 5.00.2182.1 123.27 KB
(126,224 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\tapi32.dll
rasman.dll 5.00.2195.2780 54.77 KB
(56,080 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rasman.dll
rasapi32.dll 5.00.2195.2671 189.77 KB
(194,320 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rasapi32.dll
rtutils.dll 5.00.2168.1 43.77 KB
(44,816 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rtutils.dll
adslrpc.dll 5.00.2195.2842 127.27 KB
(130,320 bytes) 9/13/2002 6:09:12 PM
Microsoft Corporation
c:\winnt\system32\adslrpc.dll
activeds.dll 5.00.2195.2778 174.77 KB
(178,960 bytes) 9/13/2002 6:09:09 PM
Microsoft Corporation
c:\winnt\system32\activeds.dll
oleaut32.dll 2.40.4517.612.27 KB (626,960
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\oleaut32.dll
mprapi.dll 5.00.2181.1 79.27 KB
(81,168 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mprapi.dll
icmp.dll 5.00.2134.1 7.27 KB (7,440 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\icmp.dll

```

```

iphlpapi.dll      5.00.2173.2      67.77 KB
(69,392 bytes)   12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\iphlpapi.dll
rnr20.dll 5.00.2195.2871 35.77 KB (36,624 bytes)
9/13/2002 6:09:40 PM Microsoft
Corporation c:\winnt\system32\rnr20.dll
wshtcpip.dll 5.00.2195.2104 17.27 KB
(17,680 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wshtcpip.dll
msafd.dll 5.00.2195.2779 106.77 KB (109,328
bytes) 9/13/2002 6:09:27 PM Microsoft
Corporation c:\winnt\system32\msafd.dll
mswsock.dll 5.00.2195.2871 62.77 KB
(64,272 bytes) 9/13/2002 6:09:33 PM
Microsoft Corporation
c:\winnt\system32\mswsock.dll
winspool.dr 5.00.2195.2780 109.77 KB
(112,400 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\winspool.dr
wincard.dll 5.00.2134.1 77.27 KB
(79,120 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wincard.dll
wlnotify.dll 5.00.2195.2780 53.77 KB
(55,056 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wlnotify.dll
cscdll.dll 5.00.2195.2401 98.27 KB
(100,624 bytes) 9/13/2002 6:09:17 PM
Microsoft Corporation
c:\winnt\system32\cscdll.dll
lz32.dll 5.00.2134.1 9.77 KB (10,000 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\lz32.dll
version.dll 5.00.2134.1 15.77 KB
(16,144 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\version.dll
rsaenh.dll 5.00.2195.2228 130.77 KB
(133,904 bytes) 9/13/2002 6:10:37 PM
Microsoft Corporation
c:\winnt\system32\rsaenh.dll
mscat32.dll 5.131.2134.1 7.77 KB
(7,952 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mscat32.dll
ole32.dll 5.00.2195.2887 969.77 KB (993,040
bytes) 9/13/2002 6:09:38 PM Microsoft
Corporation c:\winnt\system32\ole32.dll
imagehlp.dll 5.00.2195.2778 125.77 KB
(128,784 bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\imagehlp.dll
msasn1.dll 5.00.2134.1 51.27 KB
(52,496 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msasn1.dll
crypt32.dll 5.131.2195.2833 451.27 KB
(462,096 bytes) 9/13/2002 6:09:17 PM

```

```

Microsoft Corporation
c:\winnt\system32\crypt32.dll
wintrust.dll 5.131.2195.2779 162.27 KB
(166,160 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wintrust.dll
shlwapi.dll 5.00.3315.1000 282.77 KB
(289,552 bytes) 9/13/2002 6:09:42 PM
Microsoft Corporation
c:\winnt\system32\shlwapi.dll
shell32.dll 5.00.3315.2902 2.25 MB
(2,359,056 bytes) 9/13/2002 6:09:42 PM
Microsoft Corporation
c:\winnt\system32\shell32.dll
msgina.dll 5.00.2195.2779 324.27 KB
(332,048 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msgina.dll
comctl32.dll 5.81 537.77 KB (550,672
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\comctl32.dll
setupapi.dll 5.00.2195.2663 555.77 KB
(569,104 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\setupapi.dll
winmm.dll 5.00.2161.1 184.77 KB (189,200
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\winmm.dll
winsta.dll 5.00.2195.2386 36.77 KB
(37,648 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\winsta.dll
wsock32.dll 5.00.2195.2871 21.27 KB
(21,776 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wsock32.dll
dnsapi.dll 5.00.2195.2785 130.77 KB
(133,904 bytes) 9/13/2002 6:09:19 PM
Microsoft Corporation
c:\winnt\system32\dnsapi.dll
wldap32.dll 5.00.2195.2797 125.27 KB
(128,272 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wldap32.dll
ws2help.dll 5.00.2134.1 17.77 KB
(18,192 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ws2help.dll
ws2_32.dll 5.00.2195.2780 67.77 KB
(69,392 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\ws2_32.dll
samlib.dll 5.00.2195.2780 49.77 KB
(50,960 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\samlib.dll
netrap.dll 5.00.2134.1 11.27 KB
(11,536 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\netrap.dll
netapi32.dll 5.00.2195.2808 303.77 KB
(311,056 bytes) 9/13/2002 6:09:34 PM

```

```

Microsoft Corporation
c:\winnt\system32\netapi32.dll
profmap.dll 5.00.2181.1 29.27 KB
(29,968 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\profmap.dll
secur32.dll 5.00.2195.2862 46.77 KB
(47,888 bytes) 9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\secur32.dll
sfc.dll 5.00.2195.2896 92.11 KB (94,320 bytes)
9/13/2002 6:09:41 PM Microsoft
Corporation c:\winnt\system32\sfc.dll
nddeapi.dll 5.00.2137.1 15.27 KB
(15,632 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\nddeapi.dll
userenv.dll 5.00.2195.2780 361.77 KB
(370,448 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\userenv.dll
user32.dll 5.00.2195.2821 392.77 KB
(402,192 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\user32.dll
gdi32.dll 5.00.2195.2778 228.77 KB (234,256
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\gdi32.dll
rpctx4.dll 5.00.2195.2832 437.27 KB
(447,760 bytes) 9/13/2002 6:09:40 PM
Microsoft Corporation
c:\winnt\system32\rpctx4.dll
advapi32.dll 5.00.2195.2867 351.77 KB
(360,208 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\advapi32.dll
kernel32.dll 5.00.2195.2778 714.77 KB
(731,920 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\kernel32.dll
msvcrt.dll 6.10.8924.0 284.05 KB
(290,869 bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\msvcrt.dll
winlogon.exe 5.00.2195.2953 173.77 KB
(177,936 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\winlogon.exe
sfcfiles.dll 5.00.2195.2967 948.27 KB
(971,024 bytes) 9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\sfcfiles.dll
ntdll.dll 5.00.2195.2779 478.77 KB (490,256
bytes) 5/4/2001 12:05:02 PM Microsoft
Corporation c:\winnt\system32\ntdll.dll
smss.exe 5.00.2195.2901 44.27 KB (45,328 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\smss.exe

```

[Services]

Display Name	Name	State	Start Mode
Service Type	Path	Error Control	
Start Name	Tag ID		
Alerter	Alerter	Stopped	Manual
Application Management	AppMgmt	Stopped	Manual
Computer Browser	Browser	Running	Auto
Indexing Service	cisvc	Stopped	Manual
ClipBook	ClipSrv	Stopped	Manual
Distributed File System	Dfs	Running	Auto
DHCP Client	Dhcp	Stopped	Manual
Logical Disk Manager	dmadmin	Stopped	Manual
Logical Disk Manager	dmsrvr	Running	Auto
DNS Client	Dnscache	Stopped	Manual
Event Log	Eventlog	Running	Auto
COM+ Event System	EventSystem	Running	Manual
Fax Service	Fax	Stopped	Manual
IIS Admin Service	IISADMIN	Running	Auto
Intersite Messaging	IsmServ	Stopped	Disabled
Kerberos Key Distribution Center	kdc	Stopped	Disabled

Server	lanmanserver	Running	Auto
Workstation	lanmanworkstation	Running	Auto
License Logging Service	LicenseService	Stopped	Manual
TCP/IP NetBIOS Helper Service	LmHosts	Running	Auto
Messenger	Messenger	Stopped	Manual
NetMeeting Remote Desktop Sharing	nmmsrvc	Stopped	Manual
Distributed Transaction Coordinator	MSDTC	Stopped	Manual
Windows Installer	MSIServer	Stopped	Manual
Network DDE	NetDDE	Stopped	Manual
Network DDE DSDM	NetDDEdsdm	Stopped	Manual
Net Logon	Netlogon	Stopped	Manual
Network Connections	Netman	Running	Manual
File Replication Process	Ntfrs	Stopped	Manual
NT LM Security Support Provider	NtLmSsp	Stopped	Manual
Removable Storage	NtmsSvc	Running	Auto
Plug and Play	PlugPlay	Running	Auto
IPSEC Policy Agent	PolicyAgent	Running	Auto

Protected Storage	ProtectedStorage	Running	Auto
Remote Access Connection Manager	RasAuto	Stopped	Manual
Remote Access Connection Manager	RasMan	Stopped	Manual
Routing and Remote Access	RemoteAccess	Stopped	Disabled
Remote Registry Service	RemoteRegistry	Stopped	Manual
Remote Command Service	RMSYS	Running	Auto
Remote Procedure Call (RPC) Locator	RpcLocator	Stopped	Manual
Remote Procedure Call (RPC)	RpcSs	Running	Auto
QoS RSVP	RSVP	Running	Manual
Security Accounts Manager	SamSs	Running	Auto
Smart Card Helper	SCardDrv	Stopped	Manual
Smart Card	SCardSvr	Stopped	Manual
Task Scheduler	Schedule	Running	Auto
RunAs Service	seclogon	Running	Auto
System Event Notification	SENS	Running	Auto
Internet Connection Sharing	SharedAccess	Stopped	Manual

```

c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Print Spooler Spooler Stopped Manual Own
Process c:\winnt\system32\spoolsv.exe Normal
LocalSystem 0
Performance Logs and Alerts SysmonLog Stopped
Manual Own Process
c:\winnt\system32\smlogsvc.exe
Normal LocalSystem 0
Telephony TapiSrv Running Manual Share Process
c:\winnt\system32\svchost.exe -k tapisrv
Normal LocalSystem 0
Terminal Services TermService Running
Auto Own Process
c:\winnt\system32\termsrv.exe Normal
LocalSystem 0
Telnet TlntSvr Stopped Manual Own Process
c:\winnt\system32\tlntsvr.exe Normal
LocalSystem 0
Distributed Link Tracking Server TrkSvr
Stopped Manual Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Distributed Link Tracking Client TrkWks
Running Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Uninterruptible Power Supply UPS Stopped
Manual Own Process
c:\winnt\system32\ups.exe Normal
LocalSystem 0
Utility Manager UtilMan Stopped Manual Own
Process c:\winnt\system32\utilman.exe Normal
LocalSystem 0
Windows Time W32Time Stopped Manual
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
World Wide Web Publishing Service W3SVC
Running Auto Share Process
c:\winnt\system32\inet_srv\inetinfo.exe
Normal LocalSystem 0
Windows Management Instrumentation WinMgmt
Running Auto Own Process
c:\winnt\system32\wbem\winmgmt.exe
Ignore LocalSystem 0
Windows Management Instrumentation Driver Extensions
Wmi Running Manual Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0

[Program Groups]

Group Name Name User Name
Accessories Default User:Accessories
Default User
Accessories\Accessibility Default
User:Accessories\Accessibility Default User
Accessories\Entertainment Default
User:Accessories\Entertainment Default User
Accessories\System Tools Default
User:Accessories\System Tools Default User
Startup Default User:Startup Default User

```

```

Accessories All Users:Accessories All
Users
Accessories\Communications All
User:Accessories\Communications All Users
Accessories\Entertainment All
User:Accessories\Entertainment All Users
Accessories\Microsoft Script Debugger All
User:Accessories\Microsoft Script Debugger All
Users
Accessories\System Tools All
User:Accessories\System Tools All Users
Administrative Tools All
User:Administrative Tools All Users
Microsoft SQL Server All Users:Microsoft SQL
Server All Users
Startup All Users:Startup All Users
Tardis All Users:Tardis All Users
Accessories CL1\Administrator:Accessories
CL1\Administrator
Accessories\Accessibility
CL1\Administrator:Accessories\Accessibility
CL1\Administrator
Accessories\Entertainment
CL1\Administrator:Accessories\Entertainment
CL1\Administrator
Accessories\System Tools
CL1\Administrator:Accessories\System Tools
CL1\Administrator
Administrative Tools
CL1\Administrator:Administrative Tools
CL1\Administrator
Startup CL1\Administrator:Startup
CL1\Administrator

[Startup Programs]

Program Command User Name Location
No startup program information

[OLE Registration]

Object Local Server
Sound (OLE2) sndrec32.exe
Media Clip mplay32.exe
Video Clip mplay32.exe /avi
MIDI Sequence mplay32.exe /mid
Sound Not Available
Media Clip Not Available
Image Document "C:\Program Files\Windows
NT\Accessories\ImageVue\KodakImg.exe"
WordPad Document "%ProgramFiles%\Windows
NT\Accessories\WORDPAD.EXE"
Windows Media Services DRM Storage object Not
Available
Bitmap Image mspaint.exe

[Internet Explorer 5]

[ Following are sub-categories of this main category ]

[Summary]

```

```

Item Value
Version 5.00.3315.1000
Build 53315.1000
Product ID 51876-270-9567332-05753
Application Path C:\Program Files\Internet
Explorer
Language English (United States)
Active Printer Not Available

Cipher Strength 168-bit
Content Advisor Disabled
IEAK Install No

[File Versions]

File Version Size Date Path
advapi32.dll 5.0.2195.2867 352 KB
5/4/2001 11:05:02 AM
C:\WINNT\system32 Microsoft Corporation
advpack.dll 5.0.3103.1000 87 KB
5/4/2001 11:05:02 AM
C:\WINNT\system32 Microsoft Corporation
browsec.dll 5.0.3315.2846 35 KB
5/4/2001 11:05:02 AM
C:\WINNT\system32 Microsoft Corporation
browseui.dll 5.0.3315.2846 789 KB
5/4/2001 11:05:02 AM
C:\WINNT\system32 Microsoft Corporation
ckcnv.exe 5.0.2189.1 9 KB 12/7/1999
7:00:00 AM C:\WINNT\system32 Microsoft
Corporation
comctl32.dll 5.81.3103.1000 538 KB
5/4/2001 11:05:02 AM
C:\WINNT\system32 Microsoft Corporation
crypt32.dll 5.131.2195.2833 451 KB
5/4/2001 11:05:02 AM
C:\WINNT\system32 Microsoft Corporation
ehnsig.dll <File Missing> Not Available
Not Available Not Available Not
Available
iemigrat.dll <File Missing> Not Available
Not Available Not Available Not
Available
iesetup.dll 5.0.3103.1000 57 KB
5/4/2001 11:05:02 AM
C:\WINNT\system32 Microsoft Corporation
iexplore.exe 5.0.2920.0 59 KB
12/7/1999 7:00:00 AM C:\Program
Files\Internet Explorer Microsoft Corporation
imagehlp.dll 5.0.2195.2778 126 KB
5/4/2001 11:05:02 AM
C:\WINNT\system32 Microsoft Corporation
imghelp.dll <File Missing> Not Available
Not Available Not Available Not
Available
inseng.dll 5.0.3103.1000 72 KB
5/4/2001 11:05:02 AM
C:\WINNT\system32 Microsoft Corporation
jobexec.dll 5.0.0.1 47 KB 12/7/1999
7:00:00 AM C:\WINNT\system32 Microsoft
Corporation

```

```

jscript.dll      5.1.0.5907      476 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
jsproxy.dll     5.0.2920.0      13 KB
                  12/7/1999 7:00:00 AM
                  C:\WINNT\system32 Microsoft Corporation
msaahtml.dll    <File Missing> Not Available
                  Not Available      Not Available      Not Available
Available
mshtml.dll     5.0.3315.2870   2290 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
msjava.dll     5.0.3802.0      923 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
msoss.dll      <File Missing> Not Available
Available Not Available      Not Available
msxml.dll      8.0.5718.1      493 KB 5/4/2001
11:05:02 AM      C:\WINNT\system32 Microsoft
Corporation
occache.dll    5.0.3103.1000   86 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
ole32.dll      5.0.2195.2887   970 KB 5/4/2001
11:05:02 AM      C:\WINNT\system32 Microsoft
Corporation
oleaut32.dll   2.40.4517.0     612 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
olepro32.dll   5.0.4517.0      160 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
rsabase.dll    5.0.2195.2228   128 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
rsaenh.dll     5.0.2195.2228   131 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
rsapi32.dll    <File Missing> Not Available
                  Not Available      Not Available      Not Available
Available
rsasig.dll     <File Missing> Not Available
                  Not Available      Not Available      Not Available
Available
schannel.dll   5.1.2195.0      138 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
shdoc401.dll   <File Missing> Not Available
                  Not Available      Not Available      Not Available
Available
shdocvw.dll    5.0.3315.2879   1078 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
shell32.dll    5.0.3315.2902   2304 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
shlwapi.dll    5.0.3315.1000   283 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
url.dll        5.0.2920.0      82 KB 12/7/1999
7:00:00 AM      C:\WINNT\system32 Microsoft
Corporation

```

```

urlmon.dll     5.0.3315.1000   441 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
vbscript.dll   5.1.0.5907      428 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
webcheck.dll   5.0.3315.1000   252 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
win.com        5.0.2134.1      24 KB 12/7/1999
7:00:00 AM      C:\WINNT\system32 Microsoft
Corporation
wininet.dll    5.0.3315.1000   457 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
winsock.dll    3.10.0.103      3 KB
                  12/7/1999 7:00:00 AM
                  C:\WINNT\system32 Microsoft Corporation
wintrust.dll   5.131.2195.2779 162 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
wsock.vxd     <File Missing> Not Available
Available Not Available      Not Available
wsock32.dll    5.0.2195.2871   21 KB
                  5/4/2001 11:05:02 AM
                  C:\WINNT\system32 Microsoft Corporation
wsock32n.dll   <File Missing> Not Available
                  Not Available      Not Available      Not Available
Available
[Connectivity]
Item Value
Connection Preference Never dial
EnableHttp1.1 1
ProxyHttp1.1 0
LAN Settings
AutoConfigProxy wininet.dll
AutoProxyDetectMode Disabled
AutoConfigURL
Proxy Disabled
ProxyServer
ProxyOverride
[Cache]
[ Following are sub-categories of this main category ]
[Summary]
Item Value
Page Refresh Type Automatic
Temporary Internet Files Folder C:\Documents
and Settings\Administrator\Local Settings\Temporary
Internet Files
Total Disk Space 17355 MB
Available Disk Space 14147 MB
Maximum Cache Size 542 MB
Available Cache Size 542 MB

```

```

[List of Objects]
Program File Status CodeBase
No cached object information available
[Content]
[ Following are sub-categories of this main category ]
[Summary]
Item Value
Content Advisor Disabled
[Personal Certificates]
Issued To Issued By Validity Signature Algorithm
Administrator Administrator 9/13/2002 to
8/20/2102 sha1RSA
[Other People Certificates]
Issued To Issued By Validity Signature Algorithm
No other people certificate information available
[Publishers]
Name
No publisher information available
[Security]
Zone Security Level
Local intranet Medium-low
Trusted sites Low
Internet Medium
Restricted sites High

```

## Microsoft SQL Server 2000 Installation Procedures

Microsoft SQL Server 2000 Installation Procedures  
Type of installation: custom  
During the custom installation, use the default settings for all except the following two areas:  
Services accounts:  
SQL Server - local system account  
SQL Server Agent - local system account  
Set the sort order/collation as SQL Collation binary sort order/Latin\_1\_General



---

## **Microsoft COM Component Configuration Parameters**

---

The component services tool in Windows 2003 Server was used to change the queue settings for the TPCC COM+ single queue component. The single queue component was set to enable object pooling, object construction, just in time activation, and component supports events and statistics. The min and max pool size for the single queue component on the client was 95. Delivery threads were set under the TPCC key in the registry at 15. The construction string was Dummy String

# *Appendix D: 60-Day Space*

TPC-C 60 Day Space Requirements						
Warehouses	4,160				TpmC	52,468.00
Table	Rows	Data KB	Index KB	Extra 5% KB	8hr Space	Total Space KB
Warehouse	4,160	448	40	24		512
District	41,600	4,624	48	234		4906
Customer	124,800,000	90,763,640	5,412,088	4,808,786		100984514
History	124,800,000	6,933,344	40		1,414,079	6933384
New_order	37,440,000	591,944	1,384	29,666		622994
Orders	124,800,000	3,825,288	1,739,504		6,429,575	5564792
Order_line	1,247,997,146	77,999,824	165,120		17,495,603	78164944
Item	100,000	9,528	64	480		10072
Stock	416,000,000	133,120,000	248,688	6,668,434		140037122
<b>Total</b>		313,248,640	7,566,976	11,507,625	25,339,257	332,323,241
<b>MB</b>						
Dynamic Space	86,678	Sum of Data for Order, Orderline and History				
Static Space	237,856	Sum of Data+Index+5%-Dynamic Space				
Free Space	na	Total Allocated Space - ( Dynamic + Static Space)				
Daily Growth	17,492	(Dynamic Space/(W*62.5))*tpmc				
Daily Spread	-	(Free Space -1.5*Daily Growth) Zero Assumed				
60 Day Space MB	1,287,356					
60 Day Space GB	1,257.18	GB				
Log Size	138,890.00	MB				
KB Per New Order	4.81	KB				
8 hr log MB	118,228	MB				
8 hr log GB	115.4571	GB				
Space Usage	GB Needed	Disks Measured	GB Priced	Disk Size	Formatted Size	
60 Day Space DB	1,257.18	210	3549.00	18.2GB	16.900	
Total DB			3549.00			
8-hr log + mirror	230.9141	4	280.00	72GB	70.00	
OS, Swap	3	1	16.90	18.2GB	16.900	
<b>Total Storage</b>	<b>1,491.10 GB</b>		<b>3,845.90 GB</b>			

MSSQL_misc_fg	MSSQL_cs_fg
512	
4906	
8347463	100984514
622994	
11994367	
95660547	
10072	140037122
116,640,861	241,021,637
5	5
3,059,200	6,259,200
15,296,000	31,296,000

files=  
size=  
Total=  
8K blocks

122,368,000 250,368,000  
OK OK

	Data Before KB	Index Before KB	Data After KB	Index After KB	Data Grow KB	Index Grow KB	Total Grow KB	KB/New-Order	8-Hr Growth KB	8-Hr Growth MB
History	6,933,344	40	7,531,944	136	598,600	96	598,696	0.0561	1,414,079.06	1,380.94
Order	3,825,288	1,739,504	4,797,424	3,489,536	972,136	1,750,032	2,722,168	0.2553	6,429,574.89	6,278.88
Order-Line	77,999,824	165,120	85,242,024	330,248	7,242,200	165,128	7,407,328	0.6947	17,495,602.82	17,085.55
	sum(*) Before		sum(*) After		Num New-					24,745.37
d_next o_id	124,841,600		135,504,330		10,662,730					
	Before MB		After MB		Grow MB					
Log	1601.84		5157.49		50055.65			KB/New-Order	8-Hr Growth MB	8-Hr Growth GB
								4.8071	118,228.03	115.46
								4,922.4874	bytes	
138890	1.153312		37.193092							
Database tpcc log used (%)										

# *Appendix E:* *Third Party Letters*

Microsoft Corporation  
One Microsoft Way  
Redmond, WA 98052-6399

Tel 425 882 8080  
Fax 425 936 7329  
<http://www.microsoft.com/>

**Microsoft**

July 8, 2003

Hewlett-Packard  
Company  
Paul Cao  
MS150402  
20555 SH 249  
Houston, TX 77070

Mr. Cao:

Here is the information you requested regarding pricing for several Microsoft products to be used in conjunction with your TPC-C benchmark testing.

All pricing shown is in US Dollars (\$).

Part Number	Description	Unit Price	Quantity	Price
810-00845	<b>SQL Server 2000 Enterprise Edition</b> <i>Per processor licensing Discount Schedule: Open Program Level B Unit Price reflects a 14% discount from the retail unit price of \$19,999.</i>	\$17,279	2	\$34,558
C11-00821	<b>Windows 2000 Server</b> <i>Server license only - No CALs Discount Schedule: Open Program - No Level Unit Price reflects a 8% discount from the retail unit price of \$799.</i>	\$738	2	\$1,476
P72-00264	<b>Windows Server 2003, Enterprise Server</b> <i>Server license only - No CALs Discount Schedule: Open Program - No Level Unit Price reflects a 40% discount from the retail unit price of \$3,999.</i>	\$2,399	1	\$2,399
PRO-PRORS-16U-01	<b>Database Server Support Package</b> <i>1 Year Term</i>	\$1,950	3	\$5,850

Some products may not be currently orderable but will be available through Microsoft's normal distribution channels by April 2, 2003.

This quote is valid for the next 90 days.

If we can be of any further assistance, please contact Jamie Reding at (425) 703-0510 or [jamiere@microsoft.com](mailto:jamiere@microsoft.com).



**THE NUMBER ONE SOURCE  
FOR COMPUTER PERIPHERA**

Phone Orders  
800.287.2323

ORDER TRACKING CLEARANCE SHOPPING

Home About Us Product Return Customer Service Contact Us Phone Orders

**Products are in stock and ready to ship**


**Exclusive Offer! Creative Labs Nomad Jukebox 3 20GB...\$195**  
**Exclusive Offer! Creative Labs Sound Blaster Audigy 2 Retail Box...\$195**  
**HOT! Kodak EasyShare LS443 4.0 MegaPixel 3.3x Digital Camera...ONL**  
**SAVE\$\$ Toshiba E740 Pocket PC 64 MB WIRELESS...\$345**

shop by product	shop by brand
SEARCH STORE	
<input style="width: 80%;" type="text"/>	GO!

- PRODUCTS**
- CDROMs**
  - CDR/CDRW**
  - CDR/W MEDIA**
  - Camera Accessories**
  - CASES**
  - CLOSEOUTS**
  - CONTROLLER CARDS**
  - CPU's**
  - DIGITAL CAMERAS**
  - DVDs**
  - FLASH CARDS**
  - FLOPPY DRIVES**
  - GPS**
  - HANDHELDS/PDA's**
  - HARD DRIVES**
  - HUBS**
  - KEYBOARD/MOUSE**
  - MEMORY**
  - MICROSOFT**
  - MODEMS**
  - MONITORS**
  - MOTHERBOARDS**
  - MP3 PLAYERS**
  - NETWORKING**
  - NOTEBOOKS**
  - OPERATING SYSTEMS**
  - PALM ACCESSORIES**
  - POWER SUPPLIES**
  - PRINTERS**
  - REMOVABLE DRIVES**
  - ROUTERS**
  - SCANNERS**
  - SMART MEDIA**
  - SOFTWARE**
  - SOUND CARDS**
  - SPEAKERS**

**NETGEAR NETGEAR GS508TNA 8 PORT GIGABIT COPPER SWITCH 10/100/1000 MBPS**

- Price: \$502.00
- In Stock! Usually ships in 1-2 Business Days



tell a friend
ADD TO CART
BUY NOW

**DESCRIPTION:**

The NETGEAR GS508T Gigabit over Copper Switch is a high performance network switch that provides back-bone connectivity for power workgroups, data centers, and server farms. [More Info & Product Specification](#)

**More Info & Product Specification**


- Includes switch, power cord, rack-mount kit, and manual;
- CONNECTOR(s): (8) 10BaseT/100BaseTX/1000BaseT/RJ45 ports;-
- INDICATORS: Unit, power, Per network port, link, activity, full duplex/collision;
- PERFORMANCE: Switching fabric (9.6 gigabit per sec), Forward rate (100 Mbps port) 148,000 packet per sec, Forward rate (1000 Mbps port) 1,480,000 packet per sec, Latency (100 to 1000 Mbps) 8 usec max;
- MAC addresses: 8,000;
- Gigabit buffer memory: 8MB for 8 ports;
- APPROVALS: CE, FCC A, EN55022 A,VCCI A,UL,TUV;
- POWER: Autosensing internal 100 ~ 240V, 50/60Hz; Consumption 25 watts;
- SIZE: 13.0"w x 1.7"h x 8.2"d;
- Five Year Warranty!
- Pictures are for illustration purposes only.

- FEAT**
- XP Hc OEM \$81.C
  - P Teach Read Guar \$6.95
  - E 1250I Scanr B11B \$35.C
  - T Playe Headj Adapl Softw CDMF \$72.C

- Home
- Network Cards
- Network Cables & MISC Cat5e
- Crossover Cables
- Print Servers
- Barcode Readers
- Extension Cables
- Miscellaneous
- TEST
- WE ARE ANTI SPAM
- Blacklisted Brands
- gaming
- Cables - Misc
- SCSI Cables & devices
- Boneyard Cables
- 6ft 4 wire black molded  
As low as 34 cents each
- network patch cable  
- supports 10 / 100 mbps networks  
\*Order quantities over 5 ONLY\*

- Show Order
- Privacy Policy
- Info &  
Shipping Notes  
& Ways to delay  
Processing of order
- Search
- Index
- Y? SHOPPING**

# LanAdapters.com



## 7ft Cat 5e Network Patch Cables. (compatible with cat 5)

7ft Category 5 and (Cat5e)Enhanced Network patch cables MOLDED. 35C Twist Pair supports fast ethernet. These cat 5 e cables are backwards compatible with cat 5

green purple come with booted snagless ends  
blue light gray white black red yellow orange come with compact molded snagless

**Availability:** Usually ships the same business day.

CBLC57 \$1.00, 125/\$118.75 Color: