DELL	DELL PowerEdge R730/R730xd w/ Cloudera CDH 5.4.2			TPCx-HS Rev. 1.3.0 TPC-Pricing Rev. 2.0.0 Report Date: October 15, 2015		
Total System Cost	TPCx-HS Performance Metric			Price/Performance		
USD 345,578	9.07 HSph@10TB		38,101.22 \$/HSph@10TB			
Apache Hadoop Compatible Software	Op	Operating System Other S		Software	System Availability Date	
Cloudera CDH 5.4.2 HDFS API Ver 2, Map Reduce API ver 1	Linux Server 6.5		DK 64-bit erver .0_45	October 15, 2015		
w/ 2xIntel E5-2650v3, 8x	tanodes)		Networking: 2xDell Force10 S4810 10 GbE			
Physical Storage/Scale Factor			Scale Factor/Physical Memory			
36.0				6.0	1	
Servers: 1 x Dell PowerEdge Processors/Cores/Threads:	-	_	xd			
Server Configurat Processors		R730 2xIntel Xeon E 2.3GHz, 25MB		R730xd 2xIntel Xeon E5-2690 v3 2.6GHz, 30MB L3		

Server Configuration	R730	R730xd		
Processors	2xIntel Xeon E5-2650 v3	2xIntel Xeon E5-2690 v3		
	2.3GHz, 25MB L3	2.6GHz, 30MB L3		
Memory		128GB		
Storage Controller	Dell PERC H730 Mini			
Storage Device	8 x 1TB,3.5",7.2K,6G SATA	24x1.2TB,2.5",10K,6G,SAS		
Network Interface Cards	Intel x520 DP 10Gb	Intel x520 DP 10GbE + I350 DP		
	Intel x520 DP 10GbE + I350	1GbE		
	DP 1GbE			
Switches	2x Dell Force10 S4810			



Dell PowerEdge 730/730xd with Cloudera CDH 5.4.2

TPCx-HS Revision 1.3.0

Report Date: September-30-2015

	Cloudera CDH 5.4.2							
Description	Part Number	Key	Unit Price	Qty	Extended Price	3 yr. Maint. Price		
HARDWARE COMPONENTS								
PowerEdge R730xd Server	210-ADBC	1	\$25,520.00	12	\$306,240.00			
PowerEdge R730/R730xd	591-BBCH	1	\$0.00	12	, ,			
Motherboard			,					
R730/xd PCIe Riser 2, Center	330-BBCO	1	\$0.00	12				
R730/xd PCIe Riser 1, Right	330-BBCR	1	\$0.00	12				
Intel X520 DP 10Gb DA/SFP+, + I350	540-BBBB	1	\$0.00	12				
DP 1Gb Ethernet, Network	3 10 0000	-	φυ.σσ					
Daughter Card								
Chassis with up to 24, 2.5 Hard	350-BBFE	1	\$0.00	12				
Drives and 2, 2.5" Flex Bay Hard								
Drives								
Performance BIOS Settings	384-BBBL	1	\$0.00	12				
UEFI BIOS	800-BBDM	1	\$0.00	12				
No RAID for H330/H730/H730P	780-BBLS	1	\$0.00	12				
including Flex Bay Drives (1-24			,					
HDDs or SSDs)								
PERC H730 Integrated RAID	405-AAEG	1	\$0.00	12				
Controller, 1GB Cache								
Intel Xeon E5-2690 v3 2.6GHz,30M	338-BFFL	1	\$0.00	12				
Cache,9.60GT/s								
QPI,Turbo,HT,12C/24T (135W) Max								
Mem 2133MHz								
Upgrade to Two Intel Xeon E5-2690	374-BBGS	1	\$0.00	12				
v3 2.6GHz,30M Cache,9.60GT/s								
QPI,Turbo,HT,12C/24T (135W)		<u> </u>	1					
16GB RDIMM, 2133 MT/s, Dual	370-ABUG	1	\$0.00	96				
Rank, x4 Data Width	270 ABUE	1	¢0.00	12				
2133MT/s RDIMMs	370-ABUF	1	\$0.00	12				
Performance Optimized	370-AAIP	1	\$0.00	12				
300GB 10K RPM SAS 6Gbps 2.5in	400-AEOC	1	\$0.00	24				
Flex Bay Hard Drive,13G			40.00	200				
1.2 TB 10K RPM SAS 6Gbps 2.5in	400-AEFO	1	\$0.00	288				
Hot-plug Hard Drive,13G	C21 AAIC	1	¢0.00	12				
Electronic System Documentation and OpenManage DVD Kit,	631-AAJG	1	\$0.00	12				
PowerEdge R730/xd								
ReadyRails Sliding Rails With Cable	770-BBBR	1	\$0.00	12				
Management Arm	770 BBBK	*	70.00	12				
Dual, Hot-plug, Redundant Power	450-ADWS	1	\$0.00	12				
Supply (1+1), 750W	100712110	-	75.55					
C13 to C14, PDU Style, 12 AMP, 2	492-BBDH	1	\$0.00	12				
Feet (.6m) Power Cord, North								
America		<u> </u>						
DIMM Blanks for System with 2	370-ABWE	1	\$0.00	12				
Processors								
Standard Heat sink for PowerEdge R730/R730xd	374-BBHM	1	\$0.00	12				
Standard Heat sink for PowerEdge	374-BBHM	1	\$0.00	12				
R730/R730xd								

INFO QS, 13G HADOOP BUNDLE	379-BBWM	1	\$0.00	12		
4hr Response, 24x7 Maintenance			\$2,529.00	12		\$30,348.00
Package, R730xd						
- Thank you choosing Dell	911-6619	1	\$0.00	12		
ProSupport. For tech support, visit						
http://support.dell.com/ProSupport	070 4020		40.00	4.2		
- Dell Limited Hardware Warranty	978-4029	1	\$0.00	12		
Plus Service, Initial Year	978-4042	1	\$0.00	12		
 ProSupport Mission Critical Package: Enhanced Services,3 Year 	978-4042	1	\$0.00	12		
- ProSupport Mission Critical: 7X24	978-4043	1	\$0.00	12		
HW / SW Tech Support and	370 4043	-	70.00	12		
Assistance,3 Year						
- Mission Critical Package: 4-Hours	978-4044	1	\$0.00	12		
7X24 On-Site Service with						
Emergency Dispatch, 3 Year						
- On-Site Installation Declined	900-9997	1	\$0.00	12		
- US Order	332-1286	1	\$0.00	12		
PowerEdge R730 Server	210-ACXU	1	\$13,026.00	1	\$13,026.00	
PowerEdge R730/R730xd	591-BBCH	1	\$0.00	1	, ,	
Motherboard			75.55	-		
R730/xd PCIe Riser 2, Center	330-BBCO	1	\$0.00	1		
R730 PCle Riser 3, Left	330-BBCQ	1	\$0.00	1		
R730/xd PCle Riser 1, Right	330-BBCR	1	\$0.00	1		
Intel X520 DP 10Gb DA/SFP+ Server	540-BBHY	1	\$0.00	1		
Adapter, Low Profile	340 00111	-	70.00	1		
Intel X520 DP 10Gb DA/SFP+, + I350	540-BBBB	1	\$0.00	1		
DP 1Gb Ethernet, Network		_	75.55	_		
Daughter Card						
Chassis with up to 8, 3.5" Hard	350-BBEO	1	\$0.00	1		
Drives						
Performance BIOS Settings	384-BBBL	1	\$0.00	1		
UEFI BIOS	800-BBDM	1	\$0.00	1		
No RAID for H330/H730/H730P (1-	780-BBJS	1	\$0.00	1		
16 HDDs or SSDs)						
PERC H730 Integrated RAID	405-AAEG	1	\$0.00	1		
Controller, 1GB Cache						
Intel Xeon E5-2650 v3 2.3GHz,25M	338-BFFF	1	\$0.00	1		
Cache,9.60GT/s						
QPI,Turbo,HT,10C/20T (105W) Max						
Mem 2133MHz	0=1.0001		40.00			
Upgrade to Two Intel Xeon E5-2650	374-BBGM	1	\$0.00	1		
v3 2.3GHz,25M Cache,9.60GT/s						
QPI,Turbo,HT,10C/20T (105W) 16GB RDIMM, 2133 MT/s, Dual	370-ABUG	1	\$0.00	8		
Rank, x4 Data Width	370-ADUG	1	ŞU.UU	0		
2133MT/s RDIMMs	370-ABUF	1	\$0.00	1		
Performance Optimized	370-ABOI	1	\$0.00	1		
1TB 7.2K RPM SATA 6Gbps 3.5in	400-AEEZ	1	\$0.00	8		
Hot-plug Hard Drive,13G	400-AEEZ	1	30.00	0		
Electronic System Documentation	631-AAJG	1	\$0.00	1		
and OpenManage DVD Kit,	0317030		70.00	-		
PowerEdge R730/xd						
DVD+/-RW, SATA, Internal	429-AAPS	1	\$0.00	1		
ReadyRails Sliding Rails With Cable	770-BBBR	1	\$0.00	1		
Management Arm			,			

Dual, Hot-plug, Redundant Power Supply (1+1), 750W	450-ADWS	1	\$0.00	1		
C13 to C14, PDU Style, 12 AMP, 2 Feet (.6m) Power Cord, North	492-BBDH	1	\$0.00	2		
America						
DIMM Blanks for System with 2	370-ABWE	1	\$0.00	1		
Processors						
Standard Heat sink for PowerEdge	374-BBHM	1	\$0.00	1		
R730/R730xd						
Standard Heat sink for PowerEdge	374-BBHM	1	\$0.00	1		
R730/R730xd						
INFO QS, 13G HADOOP BUNDLE	379-BBWM	1	\$0.00	1		
4hr response, 24x7 Maintenance		1	\$2,049.00	1		\$2,049.00
Package, R730						
- Thank you choosing Dell	911-6619	1	\$0.00	1		
ProSupport. For tech support, visit						
http://support.dell.com/ProSupport						
- Dell Limited Hardware Warranty	978-3603	1	\$0.00	1		
Plus Service, Initial Year						
- ProSupport Mission Critical	978-3617	1	\$0.00	1		
Package: Enhanced Services,3 Year						
- ProSupport Mission Critical: 7X24	978-3618	1	\$0.00	1		
HW / SW Tech Support and						
Assistance,3 Year						
- Mission Critical Package: 4-Hours	978-3619	1	\$0.00	1		
7X24 On-Site Service with						
Emergency Dispatch, 3 Year						
- On-Site Installation Declined	900-9997	1	\$0.00	1		
- US Order	332-1286	1	\$0.00	1		
Dell Force10 S4810 Switch		1	\$21,156.00	2	\$42,312.00	
Force10, S4810P, 1RU, 48 x 10GbE	225-2479	1	\$0.00	2		
SFP+, 4 x 40GbE QSFP+, 1 x AC PSU,						
2 x FM, PSU to IO Panels (Reverse)						
Dell Networking, Jumper Cord,	450-AASX	1	\$0.00	2		
250V, 12A, 2 Meters, C13/C14, US						
Force10 Customer not deploying this switch in iSCSI or FCOE						
environment.	332-0139	1	\$0.00	2		
INFO QS, 13G HADOOP BUNDLE	332-0139	1	\$0.00	2		
I INFO Q3, 13G DADOOF BUINDLE				2		
	379-BBWM	1	\$0.00	2		
Dell Networking, Cable, SFP+ to						
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct	379-BBWM	1	\$0.00	2		
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter	379-BBWM	1	\$0.00	2 30		\$6,307.98
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter 4hr response, 24x7 Maintenance	379-BBWM	1	\$0.00	2		\$6,307.98
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter 4hr response, 24x7 Maintenance Package, S4810	379-BBWM 470-AAGP	1 1	\$0.00 \$0.00 \$3,153.99	2 30 2		\$6,307.98
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter 4hr response, 24x7 Maintenance Package, S4810 - Force10, User Documentation for	379-BBWM	1	\$0.00	2 30		\$6,307.98
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter 4hr response, 24x7 Maintenance Package, S4810 - Force10, User Documentation for S4810, DAO/BCC	379-BBWM 470-AAGP	1 1	\$0.00 \$0.00 \$3,153.99 \$0.00	2 30 2		\$6,307.98
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter 4hr response, 24x7 Maintenance Package, S4810 - Force10, User Documentation for	379-BBWM 470-AAGP 331-6279	1 1 1	\$0.00 \$0.00 \$3,153.99	2 30 2 2		\$6,307.98
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter 4hr response, 24x7 Maintenance Package, S4810 - Force10, User Documentation for S4810, DAO/BCC - SW Support, Force10 Software, 3	379-BBWM 470-AAGP 331-6279	1 1 1	\$0.00 \$0.00 \$3,153.99 \$0.00	2 30 2 2		\$6,307.98
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter 4hr response, 24x7 Maintenance Package, S4810 - Force10, User Documentation for S4810, DAO/BCC - SW Support, Force10 Software, 3 Years	379-BBWM 470-AAGP 331-6279 935-0103	1 1 1 1	\$0.00 \$0.00 \$3,153.99 \$0.00 \$0.00	2 30 2 2		\$6,307.98
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter 4hr response, 24x7 Maintenance Package, S4810 - Force10, User Documentation for S4810, DAO/BCC - SW Support, Force10 Software, 3 Years - ProSupport: 7x24 HW / SW Tech	379-BBWM 470-AAGP 331-6279 935-0103	1 1 1 1	\$0.00 \$0.00 \$3,153.99 \$0.00 \$0.00	2 30 2 2		\$6,307.98
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter 4hr response, 24x7 Maintenance Package, S4810 - Force10, User Documentation for S4810, DAO/BCC - SW Support, Force10 Software, 3 Years - ProSupport: 7x24 HW / SW Tech Support and Assistance, 3 Years	379-BBWM 470-AAGP 331-6279 935-0103 935-0143	1 1 1 1	\$0.00 \$0.00 \$3,153.99 \$0.00 \$0.00	2 30 2 2 2		\$6,307.98
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter 4hr response, 24x7 Maintenance Package, S4810 - Force10, User Documentation for S4810, DAO/BCC - SW Support, Force10 Software, 3 Years - ProSupport: 7x24 HW / SW Tech Support and Assistance, 3 Years - Thank you choosing Dell	379-BBWM 470-AAGP 331-6279 935-0103 935-0143	1 1 1 1	\$0.00 \$0.00 \$3,153.99 \$0.00 \$0.00	2 30 2 2 2		\$6,307.98
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter 4hr response, 24x7 Maintenance Package, S4810 - Force10, User Documentation for S4810, DAO/BCC - SW Support, Force10 Software, 3 Years - ProSupport: 7x24 HW / SW Tech Support and Assistance, 3 Years - Thank you choosing Dell ProSupport. For tech support, visit	379-BBWM 470-AAGP 331-6279 935-0103 935-0143	1 1 1 1	\$0.00 \$0.00 \$3,153.99 \$0.00 \$0.00	2 30 2 2 2		\$6,307.98
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter 4hr response, 24x7 Maintenance Package, S4810 - Force10, User Documentation for S4810, DAO/BCC - SW Support, Force10 Software, 3 Years - ProSupport: 7x24 HW / SW Tech Support and Assistance, 3 Years - Thank you choosing Dell ProSupport. For tech support, visit http://www.dell.com/support or	379-BBWM 470-AAGP 331-6279 935-0103 935-0143	1 1 1 1	\$0.00 \$0.00 \$3,153.99 \$0.00 \$0.00	2 30 2 2 2		\$6,307.98
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter 4hr response, 24x7 Maintenance Package, S4810 - Force10, User Documentation for S4810, DAO/BCC - SW Support, Force10 Software, 3 Years - ProSupport: 7x24 HW / SW Tech Support and Assistance, 3 Years - Thank you choosing Dell ProSupport. For tech support, visit http://www.dell.com/support or call 1-800-945-3355	379-BBWM 470-AAGP 331-6279 935-0103 935-0143 989-3439	1 1 1 1 1	\$0.00 \$0.00 \$3,153.99 \$0.00 \$0.00 \$0.00	2 30 2 2 2 2		\$6,307.98
Dell Networking, Cable, SFP+ to SFP+, 10GbE, Copper Twinax Direct Attach Cable, 3 Meter 4hr response, 24x7 Maintenance Package, S4810 - Force10, User Documentation for S4810, DAO/BCC - SW Support, Force10 Software, 3 Years - ProSupport: 7x24 HW / SW Tech Support and Assistance, 3 Years - Thank you choosing Dell ProSupport. For tech support, visit http://www.dell.com/support or call 1-800-945-3355 - Dell Hardware Limited Warranty	379-BBWM 470-AAGP 331-6279 935-0103 935-0143 989-3439	1 1 1 1 1	\$0.00 \$0.00 \$3,153.99 \$0.00 \$0.00 \$0.00	2 30 2 2 2 2		\$6,307.98

- Declined Remote Consulting Service	973-2426	1	\$0.00	2		
Dell Netshelter SX 42U Rack - 600mm Wide x 1070mm Deep	A7545497	1	\$1,279.99	1	\$1,279.99	
Logitech MK120 Keyboard and Mouse	A3974709	1	\$19.99	1	\$19.99	
HARDWARE COMPONENTS				Subtotal	\$362,877.98	\$38,704.98
SOFTWARE COMPONENTS						
Red Hat Enterprise Linux,1-2SKT,3yr Premium Subscription,1 Virtual Guest	421-5721	1	\$3,059.00	13	\$39,767.00	
- Red Hat Enterprise Linux Non Factory Install, x64,Reqs Subscription Selection	421-4727	1	\$0.00		\$0.00	
- Red Hat Enterprise Linux 6.5 Media Only X86_64, No Subscription	421-5737	1	\$0.00		\$0.00	
Cloudera Enterprise Basic Edition, Node License, 24x7 3YR	A8208056	1	6,912	13	\$89,856.00	
SOFTWARE COMPONENTS				Subtotal	\$129,623.00	\$0.00
Total					\$492,500.98	\$38,704.98
Large Purchase Discount (35%)*					-172,375.34	-13,546.74
ViewSonic VA2055Sa LED Monitor 20" (includes spares)	3701841	2	\$97.99	3	293.97	
Pricing: 1 - Dell 2 - CDW (www.cdw	.com)				Three-Year Cost of Ownership:	\$345,578
* Discount based upon total system or regular customer.	cost as purcha	sed by a			HSph@10TB:	9.07
Audited by Doug Johnson, Infosizing (www.sizing.com)					\$ / HSph@10TB:	38,101.22

\$0.00

900-9997

- On-Site Installation Declined

Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specifications. If you find that the stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org.



DELL PowerEdge R730/R730xd w/ Cloudera CDH 5.4.2

TPCx-HS Revision 1.3.0

Report Date: October 15, 2015

Numerical Quantities Summary

Measurement Results	s for Performance Run
Scale Factor	10TB
Run Start Time	2015/08/12 11:01:56
Run End Time	2015/08/12 12:08:01
Run Elapsed Time	3968.000
Start of HSGen	2015/08/12 11:01:59
End of HSGen	2015/08/12 11:17:29
HSGen Time	933.331
Start of HSSort	2015/08/12 11:17:34
End of HSSort	2015/08/12 12:00:33
HSSort Time	2580.766
Start of HSValidate	2015/08/12 12:00:39
End of HSValidate	2015/08/12 12:08:01
HSValidate Time	444.555

Measurement Results	for Repeatability Run
Scale Factor	10TB
Run Start Time	2015/08/12 09:55:45
Run End Time	2015/08/12 11:00:47
Run Elapsed Time	3905.000
Start of HSGen	2015/08/12 09:55:48
End of HSGen	2015/08/12 10:11:17
HSGen Time	932.300
Start of HSSort	2015/08/12 10:11:22
End of HSSort	2015/08/12 10:53:26
HSSort Time	2525.273
Start of HSValidate	2015/08/12 10:53:32
End of HSValidate	2015/08/12 11:00:47
HSValidate Time	437.551



DELL PowerEdge R730/R730xd w/ Cloudera 5.4.2

TPCx-HS Revision 1.3.0

Report Date: October 15, 2015

Run Report

Full run report is provided in the SupportingFiles Archive. Summary lines are shown below.
Performance Metric (HSph@SF) Report
Test Run 1 details: Total Time = 3905 Total Size = 10000000000 Scale-Factor = 10.0000
TPCx-HS Performance Metric (HSph@SF): 9.2191
Performance Metric (HSph@SF) Report
Test Run 2 details: Total Time = 3968 Total Size = 10000000000 Scale-Factor = 10.0000
TPCx-HS Performance Metric (HSph@SF): 9.0727