				TPCx-IoT v2.0.0			
Total System Cost \$533,385 USD		Dell PowerEdge R7515 TPCx-IoT Performance Metric 1,617,545.46		TPC-Pricing v2.6.0			
				Report Date: April 02, 2021			
				Price/Performance			
				\$329.75 USD/kIoTp			
Number of Records	DBMS Software	Operating System	Other Software	Availability Date			
1,728 Million	HBase 2.2.3 on CDP 7.1.4	SuSE Enterprise Linux Server Release 12 SP5	None	April 15, 2021			
		System Configuration	ion				
	1 x Dell PowerEdge R7515 (Mass 1x AMD EPYC 75F3 32-Core 512GB (8x 64GB HMAA8GR; BOSS-S1 controller 2x 223.57 GB M.2 SATA SSD 1x 480GB SSD SATA 1x Broadcom Gigabit Ethern 2x PSU 0Y26KXA02 1x Broadcom 25GbE NIC Me	ter Node) Processor /AJR4N-XN 3200 MT/s Dual Rank) et BCM5720	Dell S5048F-ON Networki 100gbe QSFF				
	Total Number of Servers: 8x Dell Power						
			8x Dell PowerI	Edge R7515			
Total Number of Servers Total Processors/Cores/T			8/256/512				
	Threads: Process		8/256/512 1x AMD EPYC	Edge R7515 C 75F3 2.3GHz 32-Core			
	Process Memor	у	8/256/512 1x AMD EPYC 512GB	C 75F3 2.3GHz 32-Core			
	Process Memor	y Controller	8/256/512 1x AMD EPYC 512GB BOSS-S1 contr	C 75F3 2.3GHz 32-Core			
Total Processors/Cores/T	Process Memor Storage Storage	у	8/256/512 1x AMD EPYC 512GB BOSS-S1 contr 2x 240GB SSD	C 75F3 2.3GHz 32-Core coller SATA (all nodes)			
	Process Memor Storage Storage (each)	y Controller	8/256/512 1x AMD EPYC 512GB BOSS-S1 contr 2x 240GB SSD 1x 480GB SAT	C 75F3 2.3GHz 32-Core coller SATA (all nodes) CA 6Gbps SSD (Master Node)			
Total Processors/Cores/T	Process Memor Storage Storage (each) 7x	y c Controller c Device	8/256/512 1x AMD EPYC 512GB BOSS-S1 contr 2x 240GB SSD 1x 480GB SAT 2x Dell 3.2TB	C 75F3 2.3GHz 32-Core coller C SATA (all nodes) C A 6Gbps SSD (Master Node) NVMe (Data Nodes)			
Total Processors/Cores/T	Process Memor Storage Storage (each)	y c Controller c Device	8/256/512 1x AMD EPYC 512GB BOSS-S1 contr 2x 240GB SSD 1x 480GB SAT 2x Dell 3.2TB 1x Broadcom 2	C 75F3 2.3GHz 32-Core Foller SATA (all nodes) CA 6Gbps SSD (Master Node) NVMe (Data Nodes) 5GbE Mezzanine NIC			
Total Processors/Cores/T	Process Memor Storage Storage (each) 7x Network Network Network Network	y c Controller c Device	8/256/512 1x AMD EPYC 512GB BOSS-S1 contr 2x 240GB SSD 1x 480GB SAT 2x Dell 3.2TB 1x Broadcom 2 1x Broadcom C	C 75F3 2.3GHz 32-Core coller SATA (all nodes) CA 6Gbps SSD (Master Node) NVMe (Data Nodes) 5GbE Mezzanine NIC Gigabit Ethernet BCM5720 NIC			
Total Processors/Cores/T	Process Memor Storage Storage (each) 7x	y c Controller c Device	8/256/512 1x AMD EPYC 512GB BOSS-S1 contr 2x 240GB SSD 1x 480GB SAT 2x Dell 3.2TB 1x Broadcom 2 1x Broadcom C Dell S-Series S	C 75F3 2.3GHz 32-Core Foller SATA (all nodes) SA 6Gbps SSD (Master Node) NVMe (Data Nodes) 5GbE Mezzanine NIC			



TPCx-IoT v2.0.0

TPC-Pricing v2.6.0

Report Date: April 02, 2021

Donate Africa	Part	14	Hait Baiss	04	Extended
Description	Number	Key	Unit Price	Qty	Price
HARDWARE COMPONENTS	•				
PowerEdge R7515 - Data Nodes		1	\$55,550.70	7	\$388,854.90
2.5 Chassis	379-BDTF	1	, ,	7	, ,
SAS/SATA/NVMe Capable Backplane	379-BDSX	1		7	
PowerEdge R7515 Server	210-ASVQ	1		7	
No Trusted Platform Module	461-AADZ	1		7	
Chassis with up to 24 x 2.5" Hard Drives Including Maximum of 24 NVME Drives	321- BERW	1		7	
AMD EPYC 75F3 3.3GHz, 32C/64T, 256M Cache (280W) DDR4-3200	338-BZRK	1		7	
Standard Heatsink	412-AASE	1		7	
Performance Optimized	370-AAIP	1		7	
3200MT/s RDIMMs	370-AEVR	1		7	
C30, No RAID for NVMe Chassis	780-BCDO	1		7	
No Controller	405-AACD	1		7	
CFI, STANDARD OPTION NOT SELECTED	692-BBBB	1		7	
Performance BIOS Settings	384-BBBL	1		7	
UEFI BIOS Boot Mode with GPT Partition	800-	1		7	
No Additional Mid Fan	BBDM	1		7	
	384-BBSO 450-	1		7	
Dual, Hot-plug, Redundant Power Supply (1+1), 1100W	ADWM	1		7	
Riser Config 2, 2 x 16 FH + 2 x 16 LP PCIe slot	330-BBNL	1		7	
PowerEdge R7515 Motherboard, with 2 x 1Gb Onboard LOM (BCM5720) V2	384-BCNR	1		7	
iDRAC9,Enterprise x5	385-BBOT	1		7	
PowerEdge 2U Standard Bezel	350-			_	
	BBWP	1		7	
BOSS controller card + with 2 M.2 Sticks 240G (RAID 1),FH No Quick Sync	403-BCHP	1		7	
iDRAC,Legacy Password	350-BBKU	1		7	
iDRAC Group Manager, Enabled	379-BCSG	1		7	
Enterprise Linux OS, Non Factory Installed, Requires Subscription Selection	379-BCQV 605-BBFL	1		7	
No Media Required		1 1		7 7	
ReadyRails Sliding Rails	605-BBFN	1		, 7	
No Internal Optical Drive	770-BBBQ 429-AAIQ	1		, 7	
No Systems Documentation, No OpenManage DVD Kit	631-AACK	1		, 7	
	340-	_		,	
PowerEdge R7515 Shipping	CMZG	1		7	
PowerEdge R7515 Ship Material	340-			_	
	CODN	1		7	
PowerEdge R7515 CCC Marking, No CE Marking GCP Operations Management	343-BBPQ	1		7	
GCP Operations Management Basic Next Business Day 36 Months	929-8509	1		7	
Prosupport Plus and 4Hr Mission Critical Initial, 36 Month(s)	709-BBFM	1		7	
On-Site Installation Declined	865-BBNF	1		7	
64GB RDIMM, 3200MT/s, Dual Rank	900-9997	1		7 56	
Dell 3.2TB, NVMe, Mixed Use Express Flash, 2.5 SFF Drive, U.2, PM1725b with Carrier	370-AEVP 400-BEFE	1 1		56 14	



TPCx-IoT v2.0.0

TPC-Pricing v2.6.0

Report Date: April 02, 2021

Description	Part Number	Key	Unit Price	Qty	Extended Price
Jumper Cord - C13/C14, 4M, 250V, 12A (North America, Guam, North Marianas,					
Philippines, Samoa)	492-BBDV	1		14	
Mellanox ConnectX-5 EX Dual Port 40/100GbE QSFP28 Adapter, PCle Low Profile	540-BCIX	1		7	
SUSE Linux Enterprise Server, 1-2 SKT w Unlimited VMs, L3 Subscription, 3 Year, Digitally					
Fulfilled	528-CHFF	1		7	
PowerEdge R7515 - Master Node		1	\$48,575.72	1	\$48,575.72
2.5 Chassis	379-BDTF	1		1	
SAS/SATA/NVMe Capable Backplane	379-				
	BDSW	1		1	
PowerEdge R7515 Server	210-ASVQ	1		1	
No Trusted Platform Module	461-AADZ	1		1	
Chassis with up to 24 x 2.5" Hard Drives Including Maximum of 12 NVME Drives	321-BERS	1		1	
AMD EPYC 75F3 3.3GHz, 32C/64T, 256M Cache (280W) DDR4-3200	338-BZRK	1		1	
Standard Heatsink	412-AASE	1		1	
Performance Optimized	370-AAIP	1		1	
3200MT/s RDIMMs	370-AEVR	1		1	
Unconfigured RAID	780-BCDS	1		1	
PERC H740P RAID Controller, 8GB NV Cache, Mini card	405-				
	AAMS	1		1	
Performance BIOS Settings	384-BBBL	1		1	
UEFI BIOS Boot Mode with GPT Partition	800-	1		1	
	BBDM 750-	1		1	
High Performance Fan	AAWT	1		1	
Dual, Hot-plug, Redundant Power Supply (1+1), 1100W	450-				
	ADWM	1		1	
Riser Config 2, 2 x 16 FH + 2 x 16 LP PCIe slot	330-BBNL	1		1	
PowerEdge R7515 Motherboard, with 2 x 1Gb Onboard LOM (BCM5720) V2	384-BCNR	1		1	
iDRAC9,Enterprise x5	385-BBOT	1		1	
Broadcom 57414 Dual Port 25GbE SFP28 LOM Mezz Card	540-BCKU				
PowerEdge 2U Standard Bezel	350-				
	BBWP	1		1	
BOSS controller card + with 2 M.2 Sticks 240G (RAID 1),FH	403-BCHP	1		1	
No Quick Sync	350-BBKU	1		1	
iDRAC,Legacy Password	379-BCSG	1		1	
iDRAC Group Manager, Enabled	379-BCQV	1		1	
Enterprise Linux OS, Non Factory Installed, Requires Subscription Selection	605-BBFL	1		1	
No Media Required	605-BBFN	1		1	
ReadyRails Sliding Rails	770-BBBQ	1		1	
No Internal Optical Drive	429-AAIQ	1		1	
No Systems Documentation, No OpenManage DVD Kit	631-AACK	1		1	



TPCx-IoT v2.0.0

TPC-Pricing v2.6.0

Report Date: April 02, 2021

Description	Part Number	Key	Unit Price	Qty	Extended Price
PowerEdge R7515 Shipping	340-CMZG	1		1	
PowerEdge R7515 Ship Material	340-CODN	1		1	
PowerEdge R7515 CCC Marking, No CE Marking	343-BBPQ	1		1	
GCP Operations Management	929-8509	1		1	
Basic Next Business Day 36 Months	709-BBFM	1		1	
Prosupport Plus and 4Hr Mission Critical Initial, 36 Month(s)	865-BBNF	1		1	
On-Site Installation Declined	900-9997	1		1	
64GB RDIMM, 3200MT/s, Dual Rank	370-AEVP	1		8	
480GB SSD SATA Read Intensive 6Gbps 512 2.5in Hot-plug AG Drive, 1 DWPD, 876 TBW	400-AXTV	1		1	
Jumper Cord - C13/C14, 4M, 250V, 12A (North America, Guam, North Marianas,					
Philippines, Samoa)	492-BBDV	1		2	
Mellanox ConnectX-5 EX Dual Port 40/100GbE QSFP28 Adapter, PCIe Low Profile	540-BCIX	1		1	
SUSE Linux Enterprise Server, 1-2 SKT w Unlimited VMs, L3 Subscription, 3 Year,					
Digitally Fulfilled	528-CHFF	1		1	
PowerSwitch S5248-ON - [amer_s5248-on_12922]		1	\$39,234.37	1	\$39,234.37
Dell EMC S5248F-ON Switch, 48x25GbE SFP28, 4x100GbE QSFP28,					
2x100GbE QSFP-DD, IO to PSU, 2xPSU, OS10	210-APEX				
Dell EMC S52XX-ON Series User Guide	343-BBLP				
OS10 Enterprise, S5248F-ON	634-BRUN				
Dell Hardware Limited Warranty 1 Year	818-4856				
ProSupport Plus:Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch,1 Year	818-4898				
ProSupport Plus Mission Critical:7x24 HW/SW Technical Support and					
Assistance, 3 Years	818-4901				
ProSupport Plus:Mission Critical 4-Hour 7x24 On-Site Service with					
Emergency Dispatch, 2 Years Extended	818-4902				
Thank you for choosing Dell ProSupport Plus. For tech support, visit					
//www.dell.com/contactdell	951-2015				
Dell Limited Hardware Warranty Extended Year(s)	975-3461				
Info 3rd Party Software Warranty provided by Vendor	997-6306				
On-Site Installation Declined	900-9997				
Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13	450-AAFH				
Power Cord, 125V, 15A, 10 Feet, NEMA 5-15/C13	450-AAFH				
Mellanox® Passive Copper cable , ETH 100GbE, 100Gb/s, QSFP28, 2m, Black, 30AWG, CA-N	AA319963		\$96.67	4	\$386.68
APC NetShelter SX Deep Enclosure - Rack - cabinet - black - 24U - 19-inch	A7522217	1	\$1,129.99	1	\$1,129.99
APC Basic Rack PDU AP9567 - 0U - 120V NEMA 5-15 Input / (14) NEMA 5-15 Output	A7541364	1	\$189.99	1	\$189.99
		_	\$136.99	3	\$410.97



TPCx-IoT v2.0.0

TPC-Pricing v2.6.0

Report Date: April 02, 2021

Description	Part Numbe	er Key	Unit Price	Qty	Extended Price		
Logitech MK200 Media Keyboard and Mouse Combo	A6859396	1	\$24.99	3	\$74.97		
C2G 6ft Cat6 Snagless Unshielded (UTP) Ethernet Network Patch Cable - Black - patch cable - 6 ft - black Dell C13 to C14, PDU Style, 250 V Power Cord, North America - 6.5	A7052140	1	\$5.99	9	\$53.91		
feet	450-ACHI	1	\$11.93	18	\$214.74		
PowerSwitch S3048-ON		1	\$15,066.51	1	\$15,066.51		
Dell Networking S3048-ON, 48x 1GbE, 4x SFP+ 10GbE ports, Stacking,			7-3,000		¥-5,555.5-		
IO to PSU air, 1x AC PSU, DNOS 9	210-AEDM	1		1			
ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year	802-7419	1		1			
ProSupport Plus: 7x24 HW/SW Tech Support and Assistance, 3 Year	802-7434	1		1			
ProSupport Plus: Mission Critical 4-Hour 7x24 On-Site Service with Emergency Dispatch, 2 Year Extended	802-7435	1		1			
HARDWARE COMPONENTS				Subtota I	\$494,192.75		
SOFTWARE COMPONENTS							
Clauders CDD 2 area 24.7 areas at			\$40,800.0				
Cloudera CDP - 3 year 24x7 support		1	0	8	\$326,400.00		
				Subtota			
SOFTWARE COMPONENTS				ı	\$326,400.00		
Total					\$820,592.75		
Large Purchase Discount (35%)*					-287,207.46		
		Three-Yea	ar Cost of	¢E22.2			
Pricing: 1 - Dell		Ownership:			\$533,385		
			loTps:	1,617,54	15.46		
* Discount based upon total system cost as purchased by a regular customer.		\$	/ kloTps:	\$329.	75		

Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specifications. If you find that the stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org.

	\ /	0
	IVI	

TPCx-IoT v2.0.0

TPC-Pricing v2.6.0

Report Date: April 02, 2021

Measurement Results for Performance Run

Total Number of Records 2,112 Million

Warmup Run - Start Time 2021-02-26 12:15:02

Warmup Run - End Time 2021-02-26 12:53:59

Warmup Run Elapsed Time in Seconds 2,335.884

Measured Run Start Time 2021-02-26 12:54:00

Measured Run End Time 2021-02-26 13:14:31

Total Time In Seconds 1,230.240

Measurement Results for Repeatability Run

Total Number of Records 2,112 Million

Warmup Run Start Time 2021-02-26 13:40:09

Warmup Run End Time 2021-02-26 14:12:41

Warmup Run Elapsed Time in Seconds 1,950.826

Measured Run Start Time 2021-02-26 14:12:42

Measured Run End Time 2021-02-26 14:34:29

Total Time In Seconds 1,305.682



TPCx-IoT

TPC-Pricing v2.6.0

v2.0.0

Report Date: April 02, 2021

Run Report for Performance Run

TPCx-IoT Performance Metric (IoTps) Report

Total Time For Warmup Run In Seconds = 2,335.88

Total Time In Seconds = 1,230.24

Total Number of Records = 2,112 Million

TPCx-IoT Performance Metric (IoTps): 1,716,738.19

Run Report for Repeatability Run

TPCx-IoT Performance Metric (IoTps) Report

Total Time For Warmup Run In Seconds = 1,950.82

Total Time In Seconds = 1,305.68

Total Number of Records = 2,112 Millions

TPCx-IoT Performance Metric (IoTps): 1,617,545.46
