



Hewlett-Packard Company

TPC Benchmark™ C
Full Disclosure Report
for
HP ProLiant ML350G4p - 1P
using
Microsoft SQL Server 2000 Enterprise Edition SP3
and
Windows Server 2003, Enterprise Edition

First Edition
March 2005

First Edition – March 2005

Hewlett-Packard Company (HP) believes that the information in this document is accurate as of the publication date. The information in this document is subject to change without notice. HP assumes no responsibility for any errors that may appear in this document. The pricing information in this document is believed to accurately reflect the current prices as of the publication date. However, HP provides no warranty of the pricing information in this document.

Benchmark results are highly dependent upon workload, specific application requirements, and system design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC Benchmark C should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report were obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. HP does not warrant or represent that a user can or will achieve similar performance expressed in transactions per minute (tpmC) or normalized price/performance (USD\$/tpmC). No warranty of system performance or price/performance is expressed or implied in this report.

Copyright 2005 Hewlett-Packard Company.

All rights reserved. Permission is hereby granted to reproduce this document in whole or in part provided the copyright notice printed above is set forth in full text or on the title page of each item reproduced.

Printed in U.S.A., 2005

HP, NonStop, ProLiant ML350 G4p, and ProLiant are registered trademarks of Hewlett-Packard Company.

Microsoft, Windows 2000, Windows Server 2003 and SQL Server 2000 are registered trademarks of Microsoft Corporation.

Xeon is a registered trademark of Intel.

TPC Benchmark is a trademark of the Transaction Processing Performance Council.

Other product names mentioned in this document may be trademarks and/or registered trademarks of their respective companies.

Table of Contents

TABLE OF CONTENTS	3
PREFACE	5
TPC BENCHMARK C OVERVIEW.....	5
ABSTRACT	6
OVERVIEW.....	6
TPC BENCHMARK C METRICS.....	6
STANDARD AND EXECUTIVE SUMMARY STATEMENTS	6
AUDITOR	6
GENERAL ITEMS	10
TEST SPONSOR.....	10
APPLICATION CODE AND DEFINITION STATEMENTS	10
PARAMETER SETTINGS	10
CONFIGURATION ITEMS	10
CLAUSE 1 RELATED ITEMS	12
TABLE DEFINITIONS	12
PHYSICAL ORGANIZATION OF DATABASE	12
<i>Benchmarked Configuration:</i>	12
PRICED CONFIGURATION VS. MEASURED CONFIGURATION:.....	13
INSERT AND DELETE OPERATIONS.....	13
PARTITIONING	13
REPLICATION, DUPLICATION OR ADDITIONS	13
CLAUSE 2 RELATED ITEMS	14
RANDOM NUMBER GENERATION.....	14
INPUT/OUTPUT SCREEN LAYOUT.....	14
PRICED TERMINAL FEATURE VERIFICATION.....	14
PRESENTATION MANAGER OR INTELLIGENT TERMINAL.....	14
TRANSACTION STATISTICS	15
QUEUEING MECHANISM	15
CLAUSE 3 RELATED ITEMS	16
TRANSACTION SYSTEM PROPERTIES (ACID)	16
ATOMICITY	16
<i>Completed Transactions</i>	16
<i>Aborted Transactions</i>	16
CONSISTENCY.....	16
ISOLATION.....	16
DURABILITY	17
<i>Durable Media Failure</i>	17
<i>Instantaneous Interruption and Loss of Memory</i>	17
CLAUSE 4 RELATED ITEMS	19
INITIAL CARDINALITY OF TABLES	19
DATABASE LAYOUT	19
TYPE OF DATABASE.....	20
DATABASE MAPPING.....	20

60 DAY SPACE.....	20
CLAUSE 5 RELATED ITEMS.....	21
THROUGHPUT.....	21
KEYING AND THINK TIMES.....	21
RESPONSE TIME FREQUENCY DISTRIBUTION CURVES AND OTHER GRAPHS.....	22
STEADY STATE DETERMINATION.....	27
WORK PERFORMED DURING STEADY STATE.....	27
MEASUREMENT PERIOD DURATION.....	27
REGULATION OF TRANSACTION MIX.....	28
TRANSACTION STATISTICS.....	28
CHECKPOINT COUNT AND LOCATION.....	29
CHECKPOINT DURATION.....	29
CLAUSE 6 RELATED ITEMS.....	30
RTE DESCRIPTIONS.....	30
EMULATED COMPONENTS.....	30
FUNCTIONAL DIAGRAMS.....	30
NETWORKS.....	30
OPERATOR INTERVENTION.....	30
CLAUSE 7 RELATED ITEMS.....	31
SYSTEM PRICING.....	31
AVAILABILITY, THROUGHPUT, AND PRICE PERFORMANCE.....	31
COUNTRY SPECIFIC PRICING.....	31
USAGE PRICING.....	31
CLAUSE 9 RELATED ITEMS.....	32
AUDITOR'S REPORT.....	32
AVAILABILITY OF THE FULL DISCLOSURE REPORT.....	32

Preface

The TPC Benchmark C was developed by the Transaction Processing Performance Council (TPC). The TPC was founded to define transaction processing benchmarks and to disseminate objective, verifiable performance data to the industry. This full disclosure report is based on the TPC Benchmark C Standard Specifications Version 5.3.

TPC Benchmark C Overview

The TPC describes this benchmark in Clause 0.1 of the specifications as follows:

TPC Benchmark™ C (TPC-C) is an OLTP workload. It is a mixture of read-only and update intensive transactions that simulate the activities found in complex OLTP application environments. It does so by exercising a breadth of system components associated with such environments, which are characterized by:

- The simultaneous execution of multiple transaction types that span a breadth of complexity
- On-line and deferred transaction execution modes
- Multiple on-line terminal sessions
- Moderate system and application execution time
- Significant disk input/output
- Transaction integrity (ACID properties)
- Non-uniform distribution of data access through primary and secondary keys
- Databases consisting of many tables with a wide variety of sizes, attributes, and relationships
- Contention on data access and update

The performance metric reported by TPC-C is a "business throughput" measuring the number of orders processed per minute. Multiple transactions are used to simulate the business activity of processing an order, and each transaction is subject to a response time constraint. The performance metric for this benchmark is expressed in transactions-per-minute-C (tpmC). To be compliant with the TPC-C standard, all references to tpmC results must include the tpmC rate, the associated price-per-tpmC, and the availability date of the priced configuration.

Although these specifications express implementation in terms of a relational data model with conventional locking scheme, the database may be implemented using any commercially available database management system (DBMS), database server, file system, or other data repository that provides a functionally equivalent implementation. The terms "table", "row", and "column" are used in this document only as examples of logical data structures.

TPC-C uses terminology and metrics that are similar to other benchmarks, originated by the TPC or others. Such similarity in terminology does not in any way imply that TPC-C results are comparable to other benchmarks. The only benchmark results comparable to TPC-C are other TPC-C results conformant with the same revision.

Despite the fact that this benchmark offers a rich environment that emulates many OLTP applications, this benchmark does not reflect the entire range of OLTP requirements. In addition, the extent to which a customer can achieve the results reported by a vendor is highly dependent on how closely TPC-C approximates the customer application. The relative performance of systems derived from this benchmark does not necessarily hold for other workloads or environments. Extrapolations to any other environment are not recommended.

Benchmark results are highly dependent upon workload, specific application requirements, and systems design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC-C should not be used as a substitute for a specific customer application benchmarking when critical capacity planning and/or product evaluation decisions are contemplated.

Abstract

Overview

This report documents the methodology and results of the TPC Benchmark C test conducted on the HP ProLiant ML350 G4p. The operating system used for the benchmark was Windows Server 2003, Enterprise Edition. The DBMS used was Microsoft SQL Server 2000 Enterprise Edition SP3.

TPC Benchmark C Metrics

The standard TPC Benchmark C metrics, tpmC (transactions per minute), price per tpmC (three year capital cost per measured tpmC), and the availability date are reported as:

42,432 tpmC
USD \$1.96 per tpmC

The availability date is March 29, 2005.

Standard and Executive Summary Statements

The following pages contain executive summary of results for this benchmark.


Auditor

The benchmark configuration, environment and methodology were audited by Lorna Livingtree of Performance Metrics, Inc. to verify compliance with the relevant TPC specifications.

Hewlett-Packard Company	HP ProLiant ML350G4p - 1P	TPC-C Rev. 5.3
	C/S with 2 HP ProLiant ML110	Report Date: March 28, 2005

Total System Cost	TPC-C Throughput	Price/Performance	Availability Date
\$82,815 USD	42,432	\$1.96 USD	March 29, 2005

Processors	Database Manager	Operating System	Other Software	Number of Users
1 Intel Xeon 3.4 GHz (2MB) Server 2 Intel Pentium 4 3 GHz – Clients	Microsoft SQL Server 2000 Enterprise Edition SP3	Windows Server 2003, Enterprise Edition	Microsoft Visual C++ Microsoft COM+	34160



	Server		Each Client	
System Components	Quantity	Description	Quantity	Description
Processor	1	Intel Xeon 3.4 GHz w/ 2MB Cache	1	3 GHz Intel Pentium 4 w/ 512K cache
Memory	6	2 GB DDR	1	256 MB
Disk Controllers	1	Integrated SCSI Controller	1	512 MB
	3	HP SMART 6404 Array Controllers	1	Integrated IDE Controller
Disk Drives	4	72.8 GB SCSI Drive	1	80 GB IDE Drive
	71	36.4 GB SCSI Drive		
Total Storage		2875.6 GB		80 GB

Hewlett-Packard		ProLiant ML350-G4p-2M/3.4GHz 1P			TPC-C Rev. 5.3		
Company		Client/Server			Report Date:		28-Mar-05
Description	Part Number	Third Party	Unit Price	Qty	Extended Price	3 yr. Maint. Price	
Server Hardware							
		Brand	Pricing				
ML350G4p 1 x 3.4GHz (2MB) - emb. Gigabit NIC, emb. SCSI contr.	380172-001	1	2,179	1	2,179		
4GB PC3200 DDR SDRAM (2x2GB)	343057-B21	1	5,799	3	17,397		
HP s7540 17in. CRT Monitor	PF997AA#ABA	1	149	1	149		
HP Storaeworks MSA 30 SB Storage	302969-B21	1	2,978	5	14,890		
HP 5642 Pallet Unassembled Rack	358254-B21	1	689	1	689		
HP Smart Array 6404/256MB Controller	273914-B21	1	1,899	3	5,697		
36GB 15Krpm U320 UNI HDD (OS)	286776-B22	1	299	1	299		
36GB 15Krpm U320 UNI HDD	286776-B22	1	299	70	20,930		
36GB 15Krpm U320 UNI HDD (10% spares)	286776-B22	1	299	7			2,093
HP 72GB 10K U320 Pluggable Hard Drive	286714-B22	1	389	4	1,556		
HP T500 Uninterruptible Power System	361475-001	1	99	1	99		
CarePaq Service - 300 Series Servers 3Yr,7x24,4hr	162657-002	1	949	1			949
FM-4E724-36 3YR 24X7/4HR EMPTY DISK ENCL	171242-002	1	157	5			785
ML3xx Two Bay Hot Plug SCSI Drive Cage	244059-B21	1	370	1	370		
					Subtotal	64,255	3,827
Server Software							
Microsoft SQL Server 2000 Enterprise Edition(per processor)	810-00845	Microsoft	2	17,279	1	17,279	
Visual C++ .Net Standard	254-00170	Microsoft	2	109	1	109	Incl below
Microsoft Windows 2003, Enterprise Edition	P72-00264	Microsoft	2	2,399	1	2,399	Incl below
Microsoft Problem Resolution Services (1 incident)		Microsoft	2	245	1		245
					Subtotal	19,787	245
Client Hardware							
ML110 P3.0 512KB 256MB 80GB ATA TWR US	359661-001	1	729	2	1,458		
512 UNREG PC3200 1X512 ML110 WW	354560-B21	1	259	2	518		
NC1020 PCI Gigabit NIC 10/100/1000 WOL	353377-B21	1	99	2	198		
HP CP 3Y 4H 24x7 HW TC2120 4-Hour 24 Hour x 7 Day Coverage 3 Years	321653-002	1	328	2			656
					Subtotal	2,174	656
Client Software							
Microsoft Windows 2000 Server	C11-00821	Microsoft	2	738	2	1,476	Incl. Above
					Subtotal	1,476	0
User Connectivity							
DLink DGS-1005D Switch 5-PORT 10/100/1000MBPS	DGS-1005D	Dlink	3	52	1	52	
DLink DGS-1005D Switch 5-PORT 10/100/1000MBPS (10% spares)	DGS-1005D	Dlink	3	52	2		105
15 ft. CAT5E cable	cblc5EMSB15	LanAdapters	4	3	3	9	
15 ft. CAT5E cable (10% spares)	cblc5EMSB15	LanAdapters	4	3	2		6
IOGEAR 4-port KVM Switch PS/2 (with cables)	IOGR00P	Provantage	5	50	1	50	
IOGEAR 4-port KVM Switch PS/2 (with cables) (spares)	IOGR00P	Provantage	5	50	2		100
					Subtotal	111	211
Large Purchase and Net 30 discount (See Note 1)					14.0%	1	
						(\$9,300)	(\$628)
					Total	\$78,503	\$4,311
Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark pricing specifications. If you find that the stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org. Thank you.					Three-Year Cost of Ownership: \$82,815 USD		
Pricing: 1=HP 2=Microsoft 3=PageComputers.com 4=LanAdapters.com 5=Provantage.com					tpmC Rating: 42,432		
Note 1 = Discount based on HP Direct guidance with large purchase and Net 30 discount.					\$ / tpmC: \$1.96 USD		
Note: The benchmark results and test methodology were audited by Lorna Livingtree of Performance Metrics, Inc.							

Numerical Quantities Summary

MQTH, Computed Maximum Qualified Throughput

42,432 tpmC

Response Times (in seconds)	Average	90 %	Maximum
New-Order	0.57	0.84	5.40
Payment	0.48	0.73	4.89
Order-Status	0.49	0.74	5.31
Delivery (interactive portion)	0.10	0.11	0.14
Delivery (deferred portion)	0.28	0.40	1.03
Stock-Level	1.46	1.85	5.37
Menu	0.10	0.11	0.94

Transaction Mix, in percent of total transaction

New-Order	44.93%
Payment	43.04%
Order-Status	4.00%
Delivery	4.02%
Stock-Level	4.02%

Emulation Delay (in seconds)

	Resp.Time	Menu
New-Order	0.10	0.10
Payment	0.10	0.10
Order-Status	0.10	0.10
Delivery (interactive)	0.10	0.10
Stock-Level	0.10	0.10

Keying/Think Times (in seconds)

	Min.	Average	Max.
New-Order	18.00/0.00	18.02/12.06	18.07/120.63
Payment	3.00/0.00	3.02/12.06	3.08/120.63
Order-Status	2.00/0.00	2.02/10.08	2.07/100.62
Delivery (interactive)	2.00/0.00	2.02/5.07	2.04/50.62
Stock-Level	2.00/0.00	2.02/5.04	2.06/50.61

Test Duration

Ramp-up time	24 minutes
Measurement interval	120 minutes
Transactions (all types) completed during measurement interval	23,071,631
Ramp down time	56 minutes

Checkpointing

Number of checkpoints	4
Checkpoint interval	30 minutes

General Items

Test Sponsor

A statement identifying the benchmark sponsor(s) and other participating companies must be provided.

This benchmark was sponsored by Hewlett-Packard Company. The benchmark was developed and engineered by Hewlett-Packard Company. Testing took place at HP benchmarking laboratories in Houston, Texas.

Application Code and Definition Statements

The application program (as defined in clause 2.1.7) must be disclosed. This includes, but is not limited to, the code implementing the five transactions and the terminal input output functions.

Appendix A contains all source code implemented in this benchmark.

Parameter Settings

Settings must be provided for all customer-tunable parameters and options which have been changed from the defaults found in actual products, including by not limited to:

- *Database options*
- *Recover/commit options*
- *Consistency locking options*
- *Operating system and application configuration parameters*

This requirement can be satisfied by providing a full list of all parameters.


Appendix C contains the tunable parameters to for the database, the operating system, and the transaction monitor.

Configuration Items

Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences.

The configuration diagram for both the tested and priced systems are included on the following page.

Figure 1 Benchmarked and Priced Configuration



Clause 1 Related Items

Table Definitions

Listing must be provided for all table definition statements and all other statements used to set up the database.

Appendix B contains the code used to define and load the database tables.

Physical Organization of Database

The physical organization of tables and indices within the database must be disclosed.

The tested configuration consisted of: 70 drives at 36.4 GB connected to 3 SMART 6404 controllers for database data, 1 36.4 GB drives for the operating system connected to the integrated SCSI controller, along with 4 drives at 72.8 GB in the internal drive bays for the database log.

Benchmarked Configuration:

Integrated SCSI Controller

LOGICAL DRIVE C: Total Capacity = 33.91 GB

Microsoft Windows Server 2003, Enterprise Edition

SMART-6404 Controller, Slot 3, Array A

LOGICAL DRIVE E: Total Capacity = 135.66 GB RAID 0+1

MSSQL_tpcc_log

SMART-6404 Controller Expansion Module, Slot 3, Array A

LOGICAL DRIVE J: Total Capacity = 96.87 GB RAID 0

MSSQL_misc

LOGICAL DRIVE Z: Total Capacity = 188.95 GB RAID 0+1

Backup5

SMART-6404 Controller, Slot 4, Array A

LOGICAL DRIVE H: Total Capacity = 49.90 GB RAID 0

MSSQL_cs3

LOGICAL DRIVE X: Total Capacity = 212.44 GB RAID 0+1

Backup3

SMART-6404 Controller Expansion Module, Slot 4, Array A

LOGICAL DRIVE I: Total Capacity = 49.90 GB RAID 0

MSSQL_cs4

LOGICAL DRIVE Y: Total Capacity = 212.44 GB RAID 0+1

Backup4

SMART-6404 Controller, Slot 5, Array A

LOGICAL DRIVE F: Total Capacity = 49.90 GB RAID 0

MSSQL_cs1

LOGICAL DRIVE V: Total Capacity = 212.44 GB RAID 0+1

Backup1

SMART-6404 Controller Expansion Module, Slot 5, Array A

<u>LOGICAL DRIVE G:</u> MSSQL_cs2	<u>Total Capacity = 49.90 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE W:</u> Backup2	<u>Total Capacity = 212.44 GB</u>	<u>RAID 0+1</u>

Priced Configuration vs. Measured Configuration:

The measured and priced configurations are the same.

Insert and Delete Operations

It must be ascertained that insert and/or delete operations to any of the tables can occur concurrently with the TPC-C transaction mix. Furthermore, any restrictions in the SUT database implementation that precludes inserts beyond the limits defined in Clause 1.4.11 must be disclosed. This includes the maximum number of rows that can be inserted and the minimum key value for these new rows.

All insert and delete functions were fully operational during the entire benchmark.

Partitioning

While there are a few restrictions placed upon horizontal or vertical partitioning of tables and rows in the TPC-C benchmark, any such partitioning must be disclosed.

No partitioning was used in this benchmark.

Replication, Duplication or Additions

Replication of tables, if used, must be disclosed. Additional and/or duplicated attributes in any table must be disclosed along with a statement on the impact on performance.

No replications, duplications or additional attributes were used in this benchmark.

Clause 2 Related Items

Random Number Generation

The method of verification for the random number generation must be described.

In the Benchcraft RTE from Microsoft, each driver engine uses an independent random number sequence. All of the users within a given driver draw from the same sequence.

The Benchcraft RTE computes random integers as described in "Random Numbers Generators: Good Ones Are Hard to Find." Communications of the ACM - October 1988 Volume 31 Number 10.

The seeds for each user were captured and verified by the auditor to be unique. In addition, the contents of the database were systematically searched, and randomly sampled by the auditor for patterns that would indicate the random number generator had affected any kind of a discernible pattern; none were found.

Input/Output Screen Layout

The actual layout of the terminal input/output screens must be disclosed.

All screen layouts followed the specifications exactly.

Priced Terminal Feature Verification

The method used to verify that the emulated terminals provide all the features described in Clause 2.2.2.4 must be explained. Although not specifically priced, the type and model of the terminals used for the demonstration in 8.1.3.3 must be disclosed and commercially available (including supporting software and maintenance).

The terminal attributes were verified by the auditor. The auditor manually exercised each specification on a representative HP ProLiant web server.

Presentation Manager or Intelligent Terminal

Any usage of presentation managers or intelligent terminals must be explained.

Application code running on the client machines implemented the TPC-C user interface. No presentation manager software or intelligent terminal features were used. The source code for the forms applications is listed in Appendix A.

Transaction Statistics

Table 2.1 lists the numerical quantities that Clauses 8.1.3.5 to 8.1.3.11 require.

Table 2.1 Transaction Statistics

Statistic		Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse payments	85.00%
	Remote warehouse payments	15.00%
	Accessed by last name	60.01%
Order Status	Accessed by last name	60.12%
Transaction Mix	New Order	44.93%
	Payment	43.04%
	Order status	4.00%
	Delivery	4.02%
	Stock level	4.02%

Queuing Mechanism

The queuing mechanism used to defer the execution of the Delivery transaction must be disclosed.

Microsoft COM+ on each client machine served as the queuing mechanism to the database. Each delivery request was submitted to Microsoft COM+ asynchronously with control being returned to the client process immediately and the deferred delivery part completing asynchronously.

The source code is listed in Appendix A.

Clause 3 Related Items

Transaction System Properties (ACID)

The results of the ACID tests must be disclosed along with a description of how the ACID requirements were met. This includes disclosing which case was followed for the execution of Isolation Test 7.

All ACID property tests were successful. The executions are described below.

Atomicity

The system under test must guarantee that the database transactions are atomic; the system will either perform all individual operations on the data or will assure that no partially completed operations leave any effects on the data.

Completed Transactions

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was committed and the rows were verified to contain correctly updated balances.

Aborted Transactions

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was rolled back and the rows were verified to contain the original balances.

Consistency

Consistency is the property of the application that requires any execution of a database transaction to take the database from one consistent state to another, assuming that the database is initially in a consistent state.

Consistency conditions one through four were tested using a script to issue queries to the database. The results of the queries verified that the database was consistent for all four tests.

A run was executed under full load lasting over two hours and included a checkpoint.

The script was executed again. The result of the same queries verified that the database remained consistent after the run.

Isolation

Sufficient conditions must be enabled at either the system or application level to ensure the required isolation defined above (clause 3.4.1) is obtained.

Isolation tests one through nine were executed using shell scripts to issue queries to the database. Each script included timestamps to demonstrate the concurrency of operations. The results of the queries were captured to files. The captured files were verified by the auditor to demonstrate the required isolation had been met.

In addition, the phantom tests and the stock level tests were executed and verified.

For Isolation test seven, case A was followed.

Durability

The tested system must guarantee durability: the ability to preserve the effects of committed transaction and insure database consistency after recovery from any one of the failures listed in Clause 3.5.3.

Durable Media Failure

Loss of Data and Log

This test was executed on a fully scaled database of 3416 warehouses under a full load of 3440 users, which accessed only the first 344 warehouses. To demonstrate recovery from a permanent failure of durable medium containing DBMS logs and TPC-C tables, the following steps were executed:

- The total number of New Orders was determined by the sum of D_NEXT_O_ID of all rows in the DISTRICT table giving the beginning count.
- The RTEs were started with 3440 users.
- The test was allowed to run for a minimum of 10 minutes.
- One log disk was removed from the server.
- Since the disk was mirrored, processing was not interrupted. This was verified by checking the user status on the RTE.
- One of the data disks was removed from a MSA 30.
- When Microsoft SQL Server recorded errors about not being able to access the database, the RTE was shut down and SQL stopped.
- Both disks were replaced with new disks, and the log drive was allowed to complete RAID1 recovery.
- Server was rebooted
- Microsoft SQL Server was restarted. A dump of the transaction log was taken.
- The database was restored from backup and the transaction log dump was applied.
- Consistency condition #3 was executed and verified.
- Step 1 was repeated and the difference between the first and second counts was noted.
- An RTE report was generated for the entire run time giving the number of NEW-ORDERS successfully returned to the RTE.
- The counts in step 13 and 14 were compared and the results verified that all committed transactions had been successfully recovered.
- Samples were taken from the RTE files and used to query the database to demonstrate successful transactions had corresponding rows in the ORDER table.

Instantaneous Interruption and Loss of Memory

Because loss of power erases the contents of memory, the instantaneous interruption and the loss of memory tests were combined into a single test. This test was executed on a fully scaled database of 3416 warehouses under a full load of 34,160 users. The following steps were executed:

- The total number of New Orders was determined by the sum of D_NEXT_O_ID of all rows in the DISTRICT table giving the beginning count.
- The RTE was started with 34,160 users.
- The test was allowed to run for a minimum of 10 minutes.
- System crash and loss of memory were induced by pulling the power cord out of the system.
- The RTE was shutdown.
- Power was restored and the system restarted.
- Microsoft SQL Server was restarted and performed an automatic recovery.
- Consistency condition #3 was executed and verified.
- Step 1 was repeated and the difference between the first and second counts was noted.
- An RTE report was generated for the entire run time giving the number of NEW-ORDERS successfully returned to the RTE.

- The counts in steps 9 and 10 were compared and the results verified that all committed transactions had been successfully recovered.
- Samples were taken from the RTE files and used to query the database to demonstrate successful transactions had corresponding rows in the ORDER table.

Clause 4 Related Items

Initial Cardinality of Tables

The cardinality (e.g. number of rows) of each table, as it existed at the start of the benchmark run, must be disclosed. If the database was over-scaled and inactive rows of the WAREHOUSE table were deleted, the cardinality of the WAREHOUSE table as initially configured and the number of rows deleted must be disclosed.

Table 4.1 Number of Rows for Server

Table	Cardinality as built
Warehouse	3,416
District	34,160
Customer	102,480,000
History	102,480,000
Orders	102,480,000
New Order	30,744,000
Order Line	1,024,799,699
Stock	341,600,000
Item	100,000

Database Layout

The distribution of tables and logs across all media must be explicitly depicted for tested and priced systems.

The benchmarked configuration used 3 SMART 6404 Array controllers, with 4 SCSI channels each, connected to 5 MSA30 single-bus disk enclosures and 1 integrated SCSI controller connected to one 36.4 GB disks. Each SMART 6404 Array controller is capable of accessing up to 14 disk drives per channel and supports RAID 0, RAID 0+1, and RAID 5 per each logical volume configured with a limit of 28 drives per volume. The data tables were stored on 5 RAID arrays of (14) 36.4 GB drives each. Five arrays were configured with 1 logical drive (RAID 0) for database data and a RAID 0+1 volume used for backup of the database. The other array was configured with 1 logical drive RAID 0 for database data only. The database log volume was configured using four 72.8 GB drives as RAID 0+1 in the internal drive bays, which were connected to the internal ports of one of the SMART 6404 controllers. The operating system was configured on the internal SCSI controller on a 36.4 GB 15K drive in the add-on hot plug drive cage. The Array Accelerators on the data controllers were configured as 100% write cache and were enabled for all logical drives, except for the log controller, which had the cache disabled. All RAID volumes used hardware RAID.

Section 1.2 of this report details the distribution of database tables across all disks. The code that creates the filegroups and tables is included in Appendix B.

Type of Database

A statement must be provided that describes:

- *The data model implemented by DBMS used (e.g. relational, network, hierarchical).*
- *The database interface (e.g. embedded, call level) and access language (e.g. SQL, DL/I, COBOL read/write used to implement the TPC-C transaction. If more than one interface/access language is used to implement TPC-C, each interface/access language must be described and a list of which interface/access language is used with which transaction type must be disclosed.*

Microsoft SQL Server 2000 Enterprise Edition is a relational DBMS.

The interface used was Microsoft SQL Server stored procedures accessed with Remote Procedure Calls embedded in C code.

Database Mapping

The mapping of database partitions/replications must be explicitly described.

The database was not replicated.

60 Day Space

Details of the 60-day space computations along with proof that the database is configured to sustain 8 hours of growth for the dynamic tables (Order, Order-Line, and History) must be disclosed.

To calculate the space required to sustain the database log for 8 hours of growth at steady state, the following steps were followed:

- The free space on the log file was queried using *dbcc sqlperf(logspace)*.
- Transactions were run against the database with a full load of users.
- The free space was again queried using *dbcc sqlperf(logspace)*.
- The space used was calculated as the difference between the first and second query.
- The number of NEW-ORDERS was verified from the difference in the sum(d_next_o_id) taken from before and after the run.
- The space used was divided by the number of NEW-ORDERS giving a space used per NEW-ORDER transaction.
- The space used per transaction was multiplied by the measured tpmC rate times 480 minutes.

The same methodology was used to compute growth requirements for dynamic tables Order, Order-Line and History.

The details of both the 8-hour transaction log space requirement and the 60-day space requirement are shown in Appendix D.

Clause 5 Related Items

Throughput

Measured tpmC must be reported

Measured tpmC 42,432 tpmC
Price per tpmC USD \$1.96 per tpmC

Response Times

Ninetieth percentile, maximum and average response times must be reported for all transaction types as well as for the menu response time.

Table 5.2: Response Times

Type	Average	90 th %	Maximum
New-Order	0.57	0.84	5.40
Payment	0.48	0.73	4.89
Order-Status	0.49	0.74	5.31
Interactive Delivery	0.10	0.11	0.14
Deferred Delivery	0.28	0.40	1.03
Stock-Level	1.46	1.85	5.37
Menu	0.10	0.11	0.94

Keying and Think Times

The minimum, the average, and the maximum keying and think times must be reported for each transaction type.

Table 5.3: Keying Times

Type	Minimum	Average	Maximum
New-Order	18.00	18.02	18.07
Payment	3.00	3.02	3.08
Order-Status	2.00	2.02	2.07
Interactive Delivery	2.00	2.02	2.04
Stock-Level	2.00	2.02	2.06

Table 5.4: Think Times

Type	Minimum	Average	Maximum
New-Order	0.00	12.06	120.63
Payment	0.00	12.06	120.63
Order-Status	0.00	10.08	100.62
Interactive Delivery	0.00	5.07	50.62
Stock-Level	0.00	5.04	50.61

Response Time Frequency Distribution Curves and Other Graphs

Response Time frequency distribution curves (see Clause 5.6.1) must be reported for each transaction type.

The performance curve for response times versus throughput (see Clause 5.6.2) must be reported for the New-Order transaction.

Think Time frequency distribution curves (see Clause 5.6.3) must be reported for each transaction type.

Keying Time frequency distribution curves (see Clause 5.6.4) must be reported for each transaction type.

A graph of throughput versus elapsed time (see Clause 5.6.5) must be reported for the New-Order transaction.

Figure 2 New Order Response Time Distribution




Figure 3 Payment Response Time Distribution




Figure 4 Order Status Response Time Distribution




Figure 5 Delivery Response Time Distribution




Figure 6 Stock Level Response Time Distribution




Figure 7 Response Time vs. Throughput




Figure 8 New Order Think Time Distribution





Figure 9 Throughput vs. Time Distribution



Steady State Determination

The method used to determine that the SUT had reached a steady state prior to commencing the measurement interval must be disclosed.

Steady state was determined using real time monitor utilities from the RTE. Steady state was further confirmed by the throughput data collected during the run and graphed in Figure 10.

Work Performed During Steady State

A description of how the work normally performed during a sustained test (for example checkpointing, writing redo/undo log records, etc.), actually occurred during the measurement interval must be reported.

The RTE generated the required input data to choose a transaction from the menu. This data was timestamped. The input screen for the requested transaction was returned and timestamped. The difference between these two timestamps was the menu response time. The RTE writes to the log file once per transaction on selective fields such as order id. There is one log file per driver engine.

The RTE generated the required input data for the chosen transaction. It waited to complete the minimum required key time before transmitting the input screen. The transmission was timestamped. The return of the screen with the required response data was timestamped. The difference between these two timestamps was the response time for that transaction.

The RTE then waited the required think time interval before repeating the process starting at selecting a transaction from the menu.

The RTE transmissions were sent to application processes running on the client machines through Ethernet LANs. These client application processes handled all screen I/O as well as all requests to the database on the server. The applications communicated with the database server over gigabit Ethernet LANs using ODBC and RPC calls.

To perform checkpoints at specific intervals, the SQL Server *recovery interval* was set to 80 and a script was written to schedule multiple checkpoints at specific intervals. The script included a wait time between each checkpoint equal to 30 minutes so that the checkpoint interval was an integral multiple of the measurement interval, which was 120 minutes. The checkpoint script was started manually after the RTE had all users logged in and the database had achieved steady state.

At each checkpoint, Microsoft SQL Server wrote to disk all memory pages that had been updated but not yet physically written to disk. The positioning of the measurement interval is depicted on the graph in Figure 10.

Measurement Period Duration

A statement of the duration of the measurement interval for the reported Maximum Qualified Throughput (tpmC) must be included.

The reported measured interval was exactly 120 minutes long.

Regulation of Transaction Mix

The method of regulation of the transaction mix (e.g., card decks or weighted random distribution) must be described. If weighted distribution is used and the RTE adjusts the weights associated with each transaction type, the maximum adjustments to the weight from the initial value must be disclosed.

The RTE was given a weighted random distribution, which was not adjusted during the run.

Transaction Statistics

The percentage of the total mix for each transaction type must be disclosed. The percentage of New-Order transactions rolled back as a result of invalid item number must be disclosed. The average number of order-lines entered per New-Order transaction must be disclosed. The percentage of remote order lines per New-Order transaction must be disclosed. The percentage of remote Payment transactions must be disclosed. The percentage of customer selections by customer last name in the Payment and Order-Status transactions must be disclosed. The percentage of Delivery transactions skipped due to there being fewer than necessary orders in the New-Order table must be disclosed.

Table 5.5: Transaction Statistics

Statistic		Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse payments	85.00%
	Remote warehouse payments	15.00%
	Accessed by last name	60.01%
Delivery	Skipped transactions (interactive)	0
	Skipped transactions (deferred)	0
Order Status	Accessed by last name	60.12%
Transaction Mix	New Order	44.93%
	Payment	43.04%
	Order status	4.00%
	Delivery	4.02%
	Stock level	4.02%

Checkpoint Count and Location

The number of checkpoints in the Measurement Interval, the time in seconds from the start of the Measurement Interval to the first checkpoint, and the Checkpoint Interval must be disclosed.

The initial checkpoint was started 26 minutes after the start of the ramp-up. Subsequent checkpoints occurred every 30 minutes. Each checkpoint in the measurement interval lasted approximately 16-19 minutes. The measurement interval contains four checkpoints.

Checkpoint Duration

The start time and duration in seconds of at least the four longest checkpoints during the Measurement Interval must be disclosed.

Checkpoint Start Time	Duration
10:00:57.13 a.m.	18 minutes, 23.83 seconds
10:30:52.05 a.m.	15 minutes, 54.27 seconds
11:00:47.15 a.m.	19 minutes, 30.47 seconds
11:30:42.01 a.m.	16 minutes, 6.42 seconds

Clause 6 Related Items

RTE Descriptions

If the RTE is commercially available, then its inputs must be specified. Otherwise, a description must be supplied of what inputs (e.g., scripts) to the RTE had been used.

The RTE used was Microsoft Benchcraft RTE. Benchcraft is a proprietary tool provided by Microsoft and is not commercially available. The RTE's input is listed in Appendix A.

Emulated Components

It must be demonstrated that the functionality and performance of the components being emulated in the Driver System are equivalent to the priced system. The results of the test described in Clause 6.6.3.4 must be disclosed.

The driver system consisted of 4 HP ProLiant servers. These driver machines emulated the users' web browsers.

Functional Diagrams

A complete functional diagram of both the benchmark configuration and the configuration of the proposed (target) system must be disclosed. A detailed list of all hardware and software functionality being performed on the Driver System and its interface to the SUT must be disclosed.

The driver system performed the data generation and input functions of the priced display device. It also captured the input and output data and timestamps for post-processing of the reported metrics. No other functionality was included on the driver system.

Section 1.4 of this report contains detailed diagrams of both the benchmark configuration and the priced configuration.

Networks

The network configuration of both the tested services and proposed (target) services that are being represented and a thorough explanation of exactly which parts of the proposed configuration are being replaced with the Driver System must be disclosed.

The bandwidth of the networks used in the tested/priced configuration must be disclosed.

In the tested configuration, 4 driver (RTE) machines were connected through a gigabit Ethernet switch to the client machines at 1Gbps, thus providing the path from the RTEs to the clients. The server (SUT) was connected to the clients through a gigabit Ethernet switch on a separate LAN.

The priced configuration was connected in the same manner as the tested configuration.

Operator Intervention

If the configuration requires operator intervention (see Clause 6.6.6), the mechanism and the frequency of this intervention must be disclosed.

This configuration does not require any operator intervention to sustain eight hours of the reported throughput.

Clause 7 Related Items

System Pricing

A detailed list of hardware and software used in the priced system must be reported. Each separately orderable item must have vendor part number, description, and release/revision level, and either general availability status or committed delivery data. If package-pricing is used, vendor part number of the package and a description uniquely identifying each of the components of the package must be disclosed. Pricing source and effective date(s) of price(s) must also be reported.

The total 3 year price of the entire configuration must be reported, including: hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed.

The details of the hardware and software are reported in the front of this report as part of the executive summary. All third party quotations are included at the end of this report as Appendix E.

Availability, Throughput, and Price Performance

The committed delivery date for general availability (availability date) of products used in the price calculation must be reported. When the priced system included products with different availability dates, the reported availability date for the priced system must be the date at which all components are committed to be available.

A statement of the measured tpmC as well as the respective calculations for the 5-year pricing, price/performance (price/tpmC), and the availability date must be included.

- **Maximum Qualified Throughput** **42,432 tpmC**
- **Price per tpmC** **USD \$1.96 per tpmC**
- **Availability** **March 29, 2005**

Country Specific Pricing

Additional Clause 7 related items may be included in the Full Disclosure Report for each country specific priced configuration. Country specific pricing is subject to Clause 7.1.7

This system is being priced for the United States of America.

Usage Pricing

For any usage pricing, the sponsor must disclose:

- *Usage level at which the component was priced.*
- *A statement of the company policy allowing such pricing.*

The component pricing based on usage is shown below:

- 2 Microsoft Windows 2000 Server
- 1 Microsoft Windows Server 2003, Enterprise Edition
- 1 Microsoft SQL Server 2000 Enterprise Edition SP3 (per processor licensing)
- 1 Microsoft Visual C++
- HP Servers include 3 years of support.

Clause 9 Related Items

Auditor's Report

The auditor's name, address, phone number, and a copy of the auditor's attestation letter indicating compliance must be included in the Full Disclosure Report.

This implementation of the TPC Benchmark C was audited by Lorna Livingtree of Performance Metrics, Inc.

Performance Metrics, Inc.
PO Box 984
Klamath, CA 95548
(phone) (707) 482-0115
(fax) (707) 482-0575
e-mail: lornal@perfmetrics.com

Availability of the Full Disclosure Report

The Full Disclosure Report must be readily available to the public at a reasonable charge, similar to the charges for similar documents by the test sponsor. The report must be made available when results are made public. In order to use the phrase "TPC Benchmark™ C", the Full Disclosure Report must have been submitted to the TPC Administrator as well as written permission obtained to distribute same.

Requests for this TPC Benchmark C Full Disclosure Report should be sent to:

Transaction Processing Performance Council
Presidio of San Francisco
P.O. Box 29920
San Francisco, CA 94129-0920

Voice: 415-561-6272
Fax: 415-561-6120
Email: info@tpc.org
or

Hewlett-Packard Company
Database Performance Engineering
P.O. Box 692000
Houston, TX 77269-2000



PERFORMANCE METRICS INC.
TPC Certified Auditors

March 18, 2005

Mr. John Ellyson
Database Performance Engineer
Hewlett-Packard Company
20555 SH 249
Houston, TX 77070

I have verified by remote the TPC Benchmark™ C for the following configuration:

Platform: HP ProLiant ML350
Database Manager: Microsoft SQL Server 2000 Enterprise Edition
Operating System: Microsoft Windows Server 2003 Enterprise Edition
Transaction Monitor: Microsoft COM+

System Under Test:				
CPU's	Memory	Disks (total)	90% Response	TpmC
1 Xeon @ 3.4 Ghz	Main: 12 GB	71 @ 36 GB 4 @ 73 GB	0.84	42,432

In my opinion, these performance results were produced in compliance with the TPC requirements for the benchmark. The following attributes of the benchmark were given special attention:

- The transactions were correctly implemented.
- The database files were properly sized.
- The database was properly scaled with 3,416 warehouses.
- The ACID properties were successfully demonstrated.
- Input data was generated according to the specified percentages.
- Eight hours of mirrored log space was present on the tested system.
- Eight hours of growth space for the dynamic tables was present on the tested system.
- The data for the 60 days space calculation was verified.
- The steady state portion of the test was 120 minutes.
- There was one complete checkpoint in steady state before the measured interval.
- There were 4 checkpoints started and completed inside the measured interval.

PO Box 984, Klamath, CA 95548
(707) 482-0523 fax: (707) 482-0575 email: LornaL@PerfMetrics.com

Page 1

PERFORMANCE METRICS INC.
TPC Certified Auditors

- The system pricing was checked for major components and maintenance.
- Third party quotes were verified for compliance.

Auditor Notes: None

Sincerely,



Lorna Livingtree
Auditor

Appendix A: Source Code

The client source code is listed below.

client_utils.c

```
/* client_utils.c
*/

#include <stdio.h>
#include <time.h>
#include <windows.h>
#include <winperf.h>
#include <winsock.h>
#include "client_utils.h"

#define Li2Double(x) ((double)((x).HighPart) *
4.294967296E9 + (double)((x).LowPart))

static LARGE_INTEGER pFreq;
static double sFreq;
static int print_thread_id = 1;
static int user_id = 0;
static char *user_code = "C";

/*
 * get_thread_id
 * A function that returns the thread ID of the
current thread
*/
static int get_thread_id()
{
    return(GetCurrentThreadId());
}

/*
 * get_prefix
 * Format the output prefix for printing:
 * It contains the user_id, 'C' or 'T'
depending on whether it
 * is a terminal or a client and optional a
thread identifier
 * The prefix is written in the buffer passed in
by the caller.
*/
static void get_prefix(char *buffer)
{
    if (print_thread_id) {
        int thread_id = get_thread_id();
        sprintf(buffer, "%s(%d-%s-
%d)%s",
```

```
user_id < 10 ? " " : "",
100 ? " " : "",
user_id,
user_code,
thread_id,
thread_id < 10 ? " " : "");
    } else {
        sprintf(buffer, "%s(%2d-%s)",
user_id < 10 ? " " : "", user_id,
user_code);
    }
}

/*
 * err_printf
 * A var-arg function that appends the current
time and
 * other data to the print request and sends it
to stderr
 * if it is not a web client, to a file if it is
*/
void err_printf(char *format, ...)
{
    time_t cur_time;
    char time_str[30];
    char line_prefix[50];
    va_list ap;

    va_start(ap, format);

    cur_time = time(&cur_time);
    strftime(time_str, 29, "%X",
localtime(&cur_time));

    get_prefix(line_prefix);

    fprintf(ERROROUT, "%s %s - ", line_prefix,
time_str);
    vfprintf(ERROROUT, format, ap);
    fflush(ERROROUT);

    va_end(ap);
}

/*
 * encina_error_message
 *
 * Report an encina error message by interpreting it
and writing
 * it to both the logfile (if any) and to standard
error
*/
void encina_error_message(char *msg, unsigned long n)
{
    char errorMsg[ENCINA_MAX_STATUS_STRING_SIZE];
    encina_StatusToString(n,
ENCINA_MAX_STATUS_STRING_SIZE, errorMsg);
    err_printf("ERROR: %s. Error code = %s (%d 0x%x)
\n", msg, errorMsg, n, n);
}

int get_time_init()
```

```
{
    QueryPerformanceFrequency(&pFreq);
    sFreq=Li2Double(pFreq);
    return 0;
}

int get_local_time(time_type *timeP)
{
    double cur_t;
    LARGE_INTEGER counter;

    QueryPerformanceCounter(&counter);
    cur_t = Li2Double(counter) / sFreq;
    timeP->sec = (long)cur_t;
    /* timeP->usec = ((long)cur_t - timeP->sec) *
1000000;*/
    timeP->usec = (long)((cur_t - timeP->sec) *
1000000);
    return 0;
}

/*
 * time_diff_ms
 * Return the difference in milliseconds between
two times
*/
int time_diff_ms(struct timeval *t2, struct timeval
*t1)
{
    int t_diff;

    t_diff = (t2->tv_usec + 1000000 - t1->tv_usec +
500) / 1000 +
(t2->tv_sec - t1->tv_sec - 1) * 1000;

    return(t_diff);
}

/*
 * perfClntDataInit:
 * Initialization for the shared file mapping.
 *
 * return: pointer to the shared memory space
 *
 * This routine creates a named mapped memory section
that is used
 * to communicate the TPCC performance data to the
extensible
 * counter DLL for NT perfmon.
*/
total_tran_count_t *perfClntDataInit()
{
    HANDLE hMappedObject;
    total_tran_count_t *pClntInfo = NULL;
    TCHAR szMappedObjectName[] =
TEXT("TPCC_CLNT_COUNTER_BLOCK");

    /* create named section for the performance
data */
    hMappedObject =
CreateFileMapping((HANDLE)0xFFFFFFFF,
NULL,
PAGE_READWRITE,
```

```

        0,
        sizeof(total_tran_count_t),
        szMappedObjectName);
    if (hMappedObject == NULL) {
        err_printf("perfClntDataInit:
CreateFileMapping failed %x\n",
        GetLastError());
        pClntInfo = NULL;
    } else {
        /* map the section and assign the counter
block pointer
* to this section of memory
*/
        pClntInfo = (total_tran_count_t *)
MapViewOfFile(hMappedObject,
        FILE_MAP_ALL_ACCESS,
        0,
        0,
        0);
        if (pClntInfo == NULL) {
            err_printf("perfClntDataInit:
MapViewOfFile failed %x\n",
            GetLastError());
        } else {
            err_printf("perfClntDataInit:
MapViewOfFile success \n");
        }
    }
    return(pClntInfo);
}

```

client_utils.h

```

#ifndef TPCC_CLIENT_UTILS_H
#define TPCC_CLIENT_UTILS_H

#include <stdio.h>
#include <time.h>
#include <dce/rpc.h>
#include <dce/dce_error.h>
#include <encina/encina.h>
#include <stdlib.h>
#include <utils/trace.h>
#include <winsock.h>
#include "mon_client.h"
#include "../include/tpcc_type.h"

extern FILE * errtpcc;
extern FILE * logtpcc;
extern int debug;
extern char log_file_name[];
extern void logprintf( char *format, ...);
extern void err_printf( char *format, ...);
extern void encina_error_message(char *msg, unsigned
long n);
extern int time_diff_ms(struct timeval *t2, struct
timeval *t1);

```

```

typedef struct {
    int num;
    int errs;
    double RTtotal[2]; // 1 for server RT and 0 for
client RT
    int RTcount;
} tran_info_t;

/*
* total_tran_count_t
*
* structure that holds the total count of
transaction of each type
* as well as the reposne times.
*/
typedef struct {
    tran_info_t tran[MAX_TRAN_TYPE + 1];
    int errors;
    double time;
} total_tran_count_t;

/* enc_status_t
* structure that holds error information
*/
typedef struct {
    int status;
    int line;
    char file[268];
    unsigned long encinaError;
    char errorMsg[ENCINA_MAX_STATUS_STRING_SIZE];
} enc_status_t;

#define FALSE 0
#define TRUE 1

#define DPRINT(args) if (0) err_printf args

#define CHECK_ENVIRON(str,var) if (str == NULL) {
fprintf(ERROROUT, \
        "%s environment variable is
not defined.\n",var); }

#define CHK_STATUS(st, val, _errMsg)
\
    if(st) {
\
        enc_status.status=val;
\
        strcpy(enc_status.file, __FILE__);
\
        enc_status.line= __LINE__;
\
        enc_status.encinaError = st;
\
        if(_errMsg)strcpy(enc_status.errorMsg,
_errMsg);
\
        if(st!=1) return;
\
    }

#define UTIL_IDENT(a) a

```

```

#if ENCINA_C_ANSI_STRING_TOKEN_SUPPORT
#define UTIL_STRING(a) # a
#define UTIL_CONCAT(a, b) a ## b
#else /* ENCINA_C_ANSI_STRING_TOKEN_SUPPORT */
#define UTIL_STRING(a) "a"
#define UTIL_CONCAT(a, b) UTIL_IDENT(a)b
#endif /* ENCINA_C_ANSI_STRING_TOKEN_SUPPORT */

/* ENCINA_CALL: Make fail-fast calls on the various
services. */
#define ENCINA_CALL(proc_name,call) \
{
    unsigned long _status; \
    ENCINA_CALL_RC(proc_name,call,_status); \
    if (_status) exit_program(_status); \
}

#define ENCINA_CALL_RC(proc_name,call,rc)
\
{
\
    char _errorMsg[ENCINA_MAX_STATUS_STRING_SIZE];
\
    DPRINT(("ENCINA_CALL_RC: before call %s\n",
proc_name)); \
    rc = (call);
\
    DPRINT(("ENCINA_CALL_RC: after call %s\n",
proc_name)); \
    if (rc) {
\
        encina_StatusToString(rc,
ENCINA_MAX_STATUS_STRING_SIZE,
        _errorMsg);
\
        err_printf( "%x \n", rc);
\
        err_printf( "%s \n", _errorMsg);
\
        err_printf( "%s \n", proc_name);
\
    }
\
}

void err_printf(char *format, ...);
void encina_error_message(char *msg, unsigned long
n);
int get_time_init();
int get_local_time(time_type *timeP);
int time_diff_ms(struct timeval *t2, struct timeval
*t1);

#endif /* TPCC_CLIENT_UTILS_H */

databuf.h


---


/*

```

```

*   databuf.h
*
* $Revision: 1.1 $
* $Date: 1998/11/06 21:10:11 $
* $Log: databuf.h,v $
* Revision 4.2 95/05/16 10:55:31 10:55:31 tpcc
(TPCC Benchmark)
* Added necessary RCS ident strings
*
* Revision 4.1 95/05/09 15:21:02 15:21:02 strue
(Scott Truesdale)
* New code from Transarc - initial version
*
* Revision 3.2 95/04/03 17:43:09 17:43:09 strue
(Scott Truesdale)
* Changes from Transarc - added sql error handling
in client; cleaned up debug handling with macros;
added check on db paramters via call to server.
*
* Revision 3.1 95/04/03 15:10:30 15:10:30 strue
(Scott Truesdale)
* Base of rev 3 - shipped to transarc
*
*
* $TALog: databuf.h,v $
* Revision 1.1 1998/11/06 21:10:11 dongfeng
* - Move all files common to client and server to
tpcc/common
* directory
* [added by delta dongfeng-23677-TPCC-new-directory-
structures, r1.1]
*
* Revision 1.3 1998/10/22 15:33:04 wenjian
* Make changes to Encina server code to connect with
SQL server and add
* callsql.c and sql directory.
*
* Add ERR_BAD_ITEM_ID, which is returned by SLQnew
and same as INVALID_NEWO
* [from r1.2 by delta wenjian-23529-TPCC-integrate-
with-SQL-server, r1.1]
*
* Revision 1.2 1998/01/23 15:07:47 oz
* - Updated the SP TPCC directory to the latest
files used
* during the SP tpcc audit.
* [from r1.1 by delta oz-20774-TPCC-update-to-
latest-SP-version-11-27, r1.1]
*
* Revision 1.1 1997/04/20 11:57:57 oz
* - This is the code base modified at IBM
Poughkeepsie
* by Ofer Zajicek and Radha Sivaramakrishnan for
the
* SP scaling test for TPCC.
* [added by delta oz-19782-TPCC-add-ibm-sp-code,
r1.1]
*
* Revision 1.31 1995/10/30 19:10:54 oz
* [merge of changes from 1.29 to 1.30 into 1.27]
*

```

```

* Revision 1.30 1995/10/27 15:41:30 oz
* - Modified the tpc-c code to work with the new
informix
* sql code that is in ex_trans.ec
* [from r1.29 by delta oz-16761-TPCC-modify-code-to-
work-with-oracle, r1.1]
*
* Revision 1.27 1995/10/20 18:44:30 ctipper
* [merge of changes from 1.17 to 1.25 into 1.22]
*
* Revision 1.25 1995/10/20 18:15:34 ctipper
* Incorporate changes per code review.
*
* - add DISTRIBUTED_TRAN_FAILED,
TPCC_DB_INFO_PARTIAL, and
* TPCC_DB_INFO_FAILED error codes to tpcc_rc_t
* - got rid of MAX_NUM_SERVERS variables
* [from r1.23 by delta ctipper-16547-TPCC-more-
distributed-trans, r1.2]
*
* Revision 1.23 1995/10/13 17:00:26 ctipper
* This delta encompasses all changes necessary to do
distributed, XA
* transactions with the TPCC benchmark. This
includes the changes
* necessary to build with Informix version 6.
*
* Each client still talks to only one server,
however, if a distributed
* transaction is necessary, the client sends the
request to a different
* interface of that server which then forwards all
or part of the
* request on to the appropriate remote server.
*
* - added new error codes to the tpcc_rc_t
enumeration.
* - defined MAX_NUM_SERVERS to be 10
* [from r1.19 by delta ctipper-16547-TPCC-more-
distributed-trans, r1.1]
*
* Revision 1.19 1995/09/20 21:02:39 oz
* -Corrected code for the payment transaction
* - The distributed case now no longer uses
* stored procedures
* [from r1.18 by delta oz-16547-TPCC-add-
distributed-transactions, r1.2]
*
* Revision 1.18 1995/09/20 17:51:10 oz
* - Added distributed transactions for the new order
and
* payment transaction
*
* - Added new error codes
* [from r1.17 by delta oz-16547-TPCC-add-
distributed-transactions, r1.1]
*
* Revision 1.22 1995/10/02 20:31:07 oz
* - Corrected definition of ERROR()
* [from r1.21 by delta oz-16638-tpcc-modify-
terminal-for-RTE, r1.3]
*
* Revision 1.21 1995/10/02 18:51:45 oz

```

```

* - Added definitions needed for utils.c and
liberty.c
* [from r1.20 by delta oz-16638-tpcc-modify-
terminal-for-RTE, r1.2]
*
* Revision 1.20 1995/10/02 15:52:35 oz
* - Modified the TPC-C benchmark to be compatible
with the RTE.
* - There are now 3 terminal processes:
* emulator: the old terminal process with a
built in
* simple emulator
* curses: An interactive terminal process using
curses
* liberty: An interactive terminal process to be
used with
* the RTE compatible with the liberty
freedom terminal.
*
* - Define TRUE and FALSE only if they are not
already defined.
* (curses.h defines TRUE)
* - Removed READ_TO_DATE and YEAR_TO_SECOND
* - Added term_type_t
* - Added
* GOOD_INPUT (0)
* WRONG_INPUT (10)
* [from r1.17 by delta oz-16638-tpcc-modify-
terminal-for-RTE, r1.1]
*
* Revision 1.17 1995/07/28 15:28:23 oz
* - Added a -null and -no_marshallng option to TPCC
*
* - Added INVALID_TRAN_TYPE return code
* [from r1.16 by delta oz-16070-TPCC-add-null-and-
marshalling-test, r1.1]
*
* Revision 1.16 1995/07/18 17:02:38 oz
* - Added a DCE_ERROR error code
* [from r1.15 by delta oz-15938-TPCC-add-dce-only-
client, r1.1]
*
* Revision 1.15 1995/05/22 19:50:48 shl
* [merge of changes from 1.12 to 1.13 into 1.14]
*
* Revision 1.13 1995/05/18 15:11:27 oz
* [from r1.12 by delta oz-15290-TPCC-incorporate-hp-
drop-of-05-16-95, r1.1]
*
* Revision 1.14 1995/05/22 17:26:35 ctipper
* [merge of changes from 1.5 to 1.9 into 1.11]
*
* [*** log entries omitted ***]
*
*/

#ifndef __TPCC_DATABUF_H__
#define __TPCC_DATABUF_H__

#define I_NAME_LEN 24
#define I_DATA 50
#define W_NAME_LEN 10
#define ADDR_LEN 20

```

```

#define STATE_LEN      2
#define ZIP_LEN        9
#define DIST_INFO_LEN 24
#define S_DATA_LEN    50
#define D_NAME_LEN    10
#define H_DATA_LEN    24
#define CARRIER_LEN  2
#define C_LAST_LEN    17
#define C_MID_LEN     2
#define PHONE_LEN     16
#define CREDIT_LEN    2
#define C_DATA_LEN    500
#define BC_DATA_LEN   23

#define YEAR_TO_DATE  1
#define YEAR_TO_SECOND 2

#define ERROR(x) fprintf(stderr,"Error:
%s\n",#x),exit(11)

#define MAX_STR_LEN   255
#define MAX_OL        15

#ifndef TRUE
#define TRUE 1
#endif
#ifndef FALSE
#define FALSE 0
#endif

#define CANCEL -1

#define DATETIME_LEN 19

#define D_PER_W 10

#define COLLECTOR 1 /* ctipper
5/3/95 */

#define ERR_BAD_ITEM_ID 1 /* copied from sql/tpcc.h
*/
#define RPC_ERROR -2
#define SUCCESS_CODE 0

#define CHAR_NULL '\0' /* strue
1/23/95 */

typedef enum {
liberty_term,
curses_term,
emulator_term
} term_type_t;

typedef enum {
GOOD_INPUT = 0,

SQL_ERROR = 2,
DCE_ERROR = 4,
NO_SUCH_LAST_NAME = 5,
INVALID_TRAN_TYPE = 6,
INVALID_HANDLE = 7,

WRONG_INPUT = 10,

```

```

DISTRIBUTED_TRAN_FAILED = 15,

TPCC_DB_INFO_PARTIAL = 20,
TPCC_DB_INFO_FAILED,

TPCC_ERROR_BEGIN_NEWO = 110,

TPCC_ERROR_DECL_NEWO_SEL_ITEM,
TPCC_ERROR_OPEN_NEWO_SEL_ITEM,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_ITEM,
TPCC_ERROR_FETCH_NEWO_SEL_ITEM,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_ITEM,
TPCC_ERROR_PREP_NEWO_SEL_STCK,
TPCC_ERROR_DECL_NEWO_SEL_STCK,
TPCC_ERROR_OPEN_NEWO_SEL_STCK,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_STCK,
TPCC_ERROR_FETCH_NEWO_SEL_STCK,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_STCK,
TPCC_ERROR_NEWO_SELECT,
TPCC_ERROR_NEWO_UPD_STCK,
TPCC_ERROR_DIST_NEWO_UPD_STCK,
TPCC_ERROR_NEWO_SELECT_2,
TPCC_ERROR_DECL_NEWO_SEL_CUST,
TPCC_ERROR_OPEN_NEWO_SEL_CUST,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_CUST,
TPCC_ERROR_FETCH_NEWO_SEL_CUST,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_CUST,
TPCC_ERROR_DECL_NEWO_SEL_DIST,
TPCC_ERROR_OPEN_NEWO_SEL_DIST,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_DIST,
TPCC_ERROR_FETCH_NEWO_SEL_DIST,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_DIST,
TPCC_ERROR_PREP_NEWO_INS_OL,
TPCC_ERROR_DECL_NEWO_INS_OL,
TPCC_ERROR_OPEN_NEWO_INS_OL,
TPCC_ERROR_OPEN_DIST_NEWO_INS_OL,
TPCC_ERROR_PUT_NEWO_INS_OL,
TPCC_ERROR_PUT_DIST_NEWO_INS_OL,
TPCC_ERROR_DECL_NEWO_SEL_WARE,
TPCC_ERROR_OPEN_NEWO_SEL_WARE,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_WARE,
TPCC_ERROR_FETCH_NEWO_SEL_WARE,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_WARE,
TPCC_ERROR_EXECUTE_NEWO_UPD_INS,
TPCC_ERROR_UPDATE_NEWO_NEXT_OID,
TPCC_ERROR_PREP_NEWO_INS,
TPCC_ERROR_EXECUTE_DIST_NEWO_INS,
TPCC_ERROR_EXECUTE_NEWO_COMMIT,
TPCC_ERROR_ROLLBACK_NEWO,
TPCC_ERROR_REMOTE_OL_SELECT,
TPCC_ERROR_REMOTE_OL_UPDATE,

TPCC_ERROR_OPEN_ORDS_CNT_CID = 200,
TPCC_ERROR_FETCH_ORDS_CNT_CID,
TPCC_ERROR_OPEN_ORDS_SEL_CLAST,
TPCC_ERROR_FETCH_ORDS_SEL_CLAST,
TPCC_ERROR_OPEN_ORDS_SEL_CID,
TPCC_ERROR_FETCH_ORDS_SEL_CID,
TPCC_ERROR_OPEN_ORDS_SEL_OLDORD,
TPCC_ERROR_FETCH_ORDS_OLDORD,
TPCC_ERROR_OPEN_ORDS_SEL_OL,
TPCC_ERROR_FETCH_ORDS_SEL_OL,

```

```

TPCC_ERROR_EXECUTE_ORDS_COMMIT,

TPCC_ERROR_OPEN_DELIVERY_OLDEST_OID = 300,
TPCC_ERROR_FETCH_DELIVERY_OLDEST_OID,
TPCC_ERROR_EXECUTE_DELIVERY_COMMIT,
TPCC_ERROR_OPEN_DELIVERY_SEL_ORD,
TPCC_ERROR_FETCH_DELIVERY_SEL_ORD,
TPCC_ERROR_OPEN_DELIVERY_SEL_SUM_OL,
TPCC_ERROR_FETCH_DELIVERY_SEL_SUM_OL,
TPCC_ERROR_EXECUTE_DELIVERY_EXEC_DVRY,
TPCC_ERROR_SELECT_DELIVERY_ORDER_ID,
TPCC_ERROR_SELECT_DELIVERY_CARRIER_ID,
TPCC_ERROR_SELECT_DELIVERY_BALANCE,

TPCC_ERROR_OPEN_STOCKLEVEL_SEL_OID = 400,
TPCC_ERROR_FETCH_STOCKLEVEL_SEL_OID,
TPCC_ERROR_OPEN_STOCKLEVEL_CNT_SID,
TPCC_ERROR_FETCH_STOCKLEVEL_CNT_SID,
TPCC_ERROR_OPEN_STOCKLEVEL_FIND,
TPCC_ERROR_FETCH_STOCKLEVEL_FIND,
TPCC_ERROR_EXECUTE_STOCKLEVEL_COMMIT,

TPCC_ERROR_OPEN_PAYMENT_CNT_CID = 500,
TPCC_ERROR_FETCH_PAYMENT_CNT_CID,
TPCC_ERROR_OPEN_PAYMENT_SEL_CLAST,
TPCC_ERROR_FETCH_PAYMENT_SEL_CLAST,
TPCC_ERROR_OPEN_PAYMENT_SEL_CID,
TPCC_ERROR_FETCH_PAYMENT_SEL_CID,
TPCC_ERROR_DECL_PAYMENT_SEL_DIST,
TPCC_ERROR_OPEN_PAYMENT_SEL_DIST,
TPCC_ERROR_OPEN_DIST_PAYMENT_SEL_DIST,
TPCC_ERROR_FETCH_PAYMENT_SEL_DIST,
TPCC_ERROR_FETCH_DIST_PAYMENT_SEL_DIST,
TPCC_ERROR_DECL_PAYMENT_SEL_WARE,
TPCC_ERROR_OPEN_PAYMENT_SEL_WARE,
TPCC_ERROR_OPEN_DIST_PAYMENT_SEL_WARE,
TPCC_ERROR_FETCH_PAYMENT_SEL_WARE,
TPCC_ERROR_FETCH_DIST_PAYMENT_SEL_WARE,
TPCC_ERROR_EXECUTE_PAYMENT_UPD_CUST_LAST,
TPCC_ERROR_EXECUTE_PAYMENT_UPD_CUST_ID,
TPCC_ERROR_COMMIT_PAYMENT_UPD_CUST,
TPCC_ERROR_SELECT_PAYMENT_W_YTD,
TPCC_ERROR_SELECT_PAYMENT_D_YTD,
TPCC_ERROR_BEGIN_PAYMENT,
TPCC_ERROR_EXECUTE_PAYMENT_COMMIT,
TPCC_ERROR_PAYMENT_UPD_CUST_BY_NAME,
TPCC_ERROR_PAYMENT_UPD_CUST_BY_ID,
TPCC_ERROR_PAYMENT_UPDATE_DIST,
TPCC_ERROR_PAYMENT_UPDATE_WH,
TPCC_ERROR_PAYMENT_INSERT_HISTORY,
TPCC_ERROR_EXECUTE_PAYMENT_WH_DIST

} tpcc_rc_t;

typedef enum {
TPCC_DEADLOCK_MSG = 10,
TPCC_RETRY_MSG
} tpcc_msg_t;

#endif /* __TPCC_DATABUF_H__ */

```

databuf.h.new

```
/*
 * databuf.h
 */

#ifndef __TPCC_DATABUF_H__
#define __TPCC_DATABUF_H__

#define I_NAME_LEN 24
#define I_DATA 50
#define W_NAME_LEN 10
#define ADDR_LEN 20
#define STATE_LEN 2
#define ZIP_LEN 9
#define DIST_INFO_LEN 24
#define S_DATA_LEN 50
#define D_NAME_LEN 10
#define H_DATA_LEN 24
#define CARRIER_LEN 2
#define C_LAST_LEN 17
#define C_MID_LEN 2
#define PHONE_LEN 16
#define CREDIT_LEN 2
/* #define C_DATA_LEN 500 */
#define BC_DTA_LEN 23

#define YEAR_TO_DATE 1
#define YEAR_TO_SECOND 2

#define MAX_STR_LEN 255
#define MAX_OL 15

#ifndef TRUE
#define TRUE 1
#endif
#ifndef FALSE
#define FALSE 0
#endif

#define CANCEL -1
/* #define DATETIME_LEN 19 */

#define D_PER_W 10

#define COLLECTOR 1 /* ctipper
5/3/95 */

#define ERR_BAD_ITEM_ID 1 /* copied from sql/tpcc.h
*/
#define RPC_ERROR -2
#define SUCCESS_CODE 0

#define CHAR_NULL '\0' /* strue
1/23/95 */

typedef enum {
liberty_term,
curses_term,
emulator_term
```

```
} term_type_t;

typedef enum {
TPCC_SUCCESS = 0,
GOOD_INPUT = 0,

INVALID_NEWO = 100,
SQL_ERROR = 2,
TRPC_ERROR = 3,
DCE_ERROR = 4,
NO_SUCH_LAST_NAME = 5,
INVALID_TRAN_TYPE = 6,
INVALID_HANDLE = 7,

WRONG_INPUT = 10,

DISTRIBUTED_TRAN_FAILED = 15,

TPCC_DB_INFO_PARTIAL = 20,
TPCC_DB_INFO_FAILED,

TPCC_ERROR_BEGIN_NEWO = 110,

TPCC_ERROR_DECL_NEWO_SEL_ITEM,
TPCC_ERROR_OPEN_NEWO_SEL_ITEM,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_ITEM,
TPCC_ERROR_FETCH_NEWO_SEL_ITEM,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_ITEM,
TPCC_ERROR_PREP_NEWO_SEL_STCK,
TPCC_ERROR_DECL_NEWO_SEL_STCK,
TPCC_ERROR_OPEN_NEWO_SEL_STCK,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_STCK,
TPCC_ERROR_FETCH_NEWO_SEL_STCK,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_STCK,
TPCC_ERROR_NEWO_SELECT,
TPCC_ERROR_NEWO_UPD_STCK,
TPCC_ERROR_DIST_NEWO_UPD_STCK,
TPCC_ERROR_NEWO_SELECT_2,
TPCC_ERROR_DECL_NEWO_SEL_CUST,
TPCC_ERROR_OPEN_NEWO_SEL_CUST,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_CUST,
TPCC_ERROR_FETCH_NEWO_SEL_CUST,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_CUST,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_CUST,
TPCC_ERROR_DECL_NEWO_SEL_DIST,
TPCC_ERROR_OPEN_NEWO_SEL_DIST,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_DIST,
TPCC_ERROR_FETCH_NEWO_SEL_DIST,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_DIST,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_DIST,
TPCC_ERROR_PREP_NEWO_INS_OL,
TPCC_ERROR_DECL_NEWO_INS_OL,
TPCC_ERROR_OPEN_NEWO_INS_OL,
TPCC_ERROR_OPEN_DIST_NEWO_INS_OL,
TPCC_ERROR_PUT_NEWO_INS_OL,
TPCC_ERROR_PUT_DIST_NEWO_INS_OL,
TPCC_ERROR_DECL_NEWO_SEL_WARE,
TPCC_ERROR_OPEN_NEWO_SEL_WARE,
TPCC_ERROR_OPEN_DIST_NEWO_SEL_WARE,
TPCC_ERROR_FETCH_NEWO_SEL_WARE,
TPCC_ERROR_FETCH_DIST_NEWO_SEL_WARE,
TPCC_ERROR_EXECUTE_NEWO_UPD_INS,
TPCC_ERROR_UPDATE_NEWO_NEXT_OID,
TPCC_ERROR_PREP_NEWO_INS,
TPCC_ERROR_EXECUTE_DIST_NEWO_INS,
```

```
TPCC_ERROR_EXECUTE_NEWO_COMMIT,
TPCC_ERROR_ROLLBACK_NEWO,
TPCC_ERROR_REMOTE_OL_SELECT,
TPCC_ERROR_REMOTE_OL_UPDATE,

TPCC_ERROR_OPEN_ORDS_CNT_CID = 200,
TPCC_ERROR_FETCH_ORDS_CNT_CID,
TPCC_ERROR_OPEN_ORDS_SEL_CLAST,
TPCC_ERROR_FETCH_ORDS_SEL_CLAST,
TPCC_ERROR_OPEN_ORDS_SEL_CID,
TPCC_ERROR_FETCH_ORDS_SEL_CID,
TPCC_ERROR_OPEN_ORDS_SEL_OLDORD,
TPCC_ERROR_FETCH_ORDS_OLDORD,
TPCC_ERROR_OPEN_ORDS_SEL_OL,
TPCC_ERROR_FETCH_ORDS_SEL_OL,
TPCC_ERROR_EXECUTE_ORDS_COMMIT,

TPCC_ERROR_OPEN_DELIVERY_OLDEST_OID = 300,
TPCC_ERROR_FETCH_DELIVERY_OLDEST_OID,
TPCC_ERROR_EXECUTE_DELIVERY_COMMIT,
TPCC_ERROR_OPEN_DELIVERY_SEL_ORD,
TPCC_ERROR_FETCH_DELIVERY_SEL_ORD,
TPCC_ERROR_OPEN_DELIVERY_SEL_SUM_OL,
TPCC_ERROR_FETCH_DELIVERY_SEL_SUM_OL,
TPCC_ERROR_EXECUTE_DELIVERY_EXEC_DVRY,
TPCC_ERROR_SELECT_DELIVERY_ORDER_ID,
TPCC_ERROR_SELECT_DELIVERY_CARRIER_ID,
TPCC_ERROR_SELECT_DELIVERY_BALANCE,

TPCC_ERROR_OPEN_STOCKLEVEL_SEL_OID = 400,
TPCC_ERROR_FETCH_STOCKLEVEL_SEL_OID,
TPCC_ERROR_OPEN_STOCKLEVEL_CNT_SID,
TPCC_ERROR_FETCH_STOCKLEVEL_CNT_SID,
TPCC_ERROR_OPEN_STOCKLEVEL_FIND,
TPCC_ERROR_FETCH_STOCKLEVEL_FIND,
TPCC_ERROR_EXECUTE_STOCKLEVEL_COMMIT,

TPCC_ERROR_OPEN_PAYMENT_CNT_CID = 500,
TPCC_ERROR_FETCH_PAYMENT_CNT_CID,
TPCC_ERROR_OPEN_PAYMENT_SEL_CLAST,
TPCC_ERROR_FETCH_PAYMENT_SEL_CLAST,
TPCC_ERROR_OPEN_PAYMENT_SEL_CID,
TPCC_ERROR_FETCH_PAYMENT_SEL_CID,
TPCC_ERROR_DECL_PAYMENT_SEL_DIST,
TPCC_ERROR_OPEN_PAYMENT_SEL_DIST,
TPCC_ERROR_OPEN_DIST_PAYMENT_SEL_DIST,
TPCC_ERROR_FETCH_PAYMENT_SEL_DIST,
TPCC_ERROR_FETCH_DIST_PAYMENT_SEL_DIST,
TPCC_ERROR_DECL_PAYMENT_SEL_WARE,
TPCC_ERROR_OPEN_PAYMENT_SEL_WARE,
TPCC_ERROR_OPEN_DIST_PAYMENT_SEL_WARE,
TPCC_ERROR_FETCH_PAYMENT_SEL_WARE,
TPCC_ERROR_FETCH_DIST_PAYMENT_SEL_WARE,
TPCC_ERROR_EXECUTE_PAYMENT_UPD_CUST_LAST,
TPCC_ERROR_EXECUTE_PAYMENT_UPD_CUST_ID,
TPCC_ERROR_COMMIT_PAYMENT_UPD_CUST,
TPCC_ERROR_SELECT_PAYMENT_W_YTD,
TPCC_ERROR_SELECT_PAYMENT_D_YTD,
TPCC_ERROR_BEGIN_PAYMENT,
TPCC_ERROR_EXECUTE_PAYMENT_COMMIT,
TPCC_ERROR_PAYMENT_UPD_CUST_BY_NAME,
TPCC_ERROR_PAYMENT_UPD_CUST_BY_ID,
TPCC_ERROR_PAYMENT_UPDATE_DIST,
```

```

TPCC_ERROR_PAYMENT_UPDATE_WH,
TPCC_ERROR_PAYMENT_INSERT_HISTORY,
TPCC_ERROR_EXECUTE_PAYMENT_WH_DIST
} tpcc_rc_t;

typedef enum {
TPCC_DEADLOCK_MSG = 10,
TPCC_RETRY_MSG
} tpcc_msg_t;

#endif /* __TPCC_DATABUF_H__ */

```

db_dblib_dll.dsp

```

# Microsoft Developer Studio Project File -
Name="db_dblib_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=db_dblib_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "db_dblib_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "db_dblib_dll.mak"
CFG="db_dblib_dll - Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "db_dblib_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_dblib_dll - Win32 Debug" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_dblib_dll - Win32 IceCAP" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "db_dblib_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0

```

```

# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 ntdbllib.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib /nologo
/subsystem:windows /dll /machine:I386
/out:".bin\tpcc_dblib.dll"

!ELSEIF "$(CFG)" == "db_dblib_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib

```

```

ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ntdbllib.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/out:".bin\tpcc_dblib.dll" /pdbtype:sept

!ELSEIF "$(CFG)" == "db_dblib_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "db_dblib"
# PROP BASE Intermediate_Dir "db_dblib"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MDd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /Gm /GX /Zi /O2 /D "WIN32"
/D "NDEBUG" /D "_WINDOWS" /D "ICECAP" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 ntdbllib.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_dblib.dll"
/pdbtype:sept
# ADD LINK32 icap.lib ntdbllib.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_dblib.dll"
/pdbtype:sept

!ENDIF

# Begin Target

# Name "db_dblib_dll - Win32 Release"
# Name "db_dblib_dll - Win32 Debug"
# Name "db_dblib_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp"
# Begin Source File

SOURCE=.\src\tpcc_dblib.cpp

```

```

# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=..\common\src\error.h
# End Source File
# Begin Source File

SOURCE=..\src\tpcc_dblib.h
# End Source File
# Begin Source File

SOURCE=..\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=..\common\src\txn_base.h
# End Source File
# End Group
# End Target
# End Project

```

db_odbc_dll.dsp

```

# Microsoft Developer Studio Project File -
Name="db_odbc_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=db_odbc_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "db_odbc_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "db_odbc_dll.mak" CFG="db_odbc_dll
- Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "db_odbc_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_odbc_dll - Win32 Debug" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE "db_odbc_dll - Win32 IceCAP" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

```

```

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "db_odbc_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
/win32 "NUL"
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o /win32
"NUL"
# ADD BASE RSC /1 0x409 /d "NDEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll
/machine:I386 /out:".bin\tpcc_odbc.dll"

!ELSEIF "$(CFG)" == "db_odbc_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /d
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /GX /ZI /Od /D "WIN32" /D
"_DEBUG" /D "_WINDOWS" /YX /FD /c

```

```

# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
/win32 "NUL"
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o /win32
"NUL"
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdptype:sept
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_odbc.dll"
/pdptype:sept

!ELSEIF "$(CFG)" == "db_odbc_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "db_odbc_"
# PROP BASE Intermediate_Dir "db_odbc_"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MD /W3 /Gm /GX /Zi /Od /d
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /Gm /GX /Zi /O2 /D "WIN32"
/D "NDEBUG" /D "_WINDOWS" /D "ICECAP" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
/win32 "NUL"
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o /win32
"NUL"
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_odbc.dll"
/pdptype:sept
# ADD LINK32 icap.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib
odbc32.lib odbccp32.lib /nologo /subsystem:windows
/dll /debug /machine:I386 /out:".bin\tpcc_odbc.dll"
/pdptype:sept

```

```

!ENDIF

# Begin Target

# Name "db_odbc_dll - Win32 Release"
# Name "db_odbc_dll - Win32 Debug"
# Name "db_odbc_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp"
# Begin Source File

SOURCE=.\src\tpcc_odbc.cpp
# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=.\common\src\error.h
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_odbc.h
# End Source File
# Begin Source File

SOURCE=.\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=.\common\src\txn_base.h
# End Source File
# End Group
# End Target
# End Project

```

delivery.h

```

#ifndef TRANSARC_delivery_h
#define TRANSARC_delivery_h

#include <trpc/trpc.h>
#include "_delivery.h"

#include <encina/c_prologue.h>

#if defined(BUILDDL)
#define DLLEXPORT __declspec( dllexport )
#else
#define DLLEXPORT extern
#endif

#ifndef ENCINA_STUB_CALLING
#define ENCINA_STUB_CALLING ENCINA_RPC_CALLING
#endif

#define delivery_v1_0_c_ifspec
    _delivery_v1_0_c_ifspec

```

```

#define delivery_v1_0_s_ifspec
    _delivery_v1_0_s_ifspec

typedef struct delivery_v1_0_epv {
void (ENCINA_STUB_CALLING *impTPCCDelivery) (
#ifdef IDL_PROTOTYPES

        idl_long_int length,
        idl_char *dataP,
        data_header *headerP,
        trpc_status_t *trpcStatus

#endif

);

} delivery_v1_0_epv_t;

DLLEXPORT void ENCINA_STUB_CALLING impTPCCDelivery (
#ifdef IDL_PROTOTYPES

        idl_long_int length,
        idl_char *dataP,
        data_header *headerP,
        trpc_status_t *trpcStatus

#endif

);

trpc_handle_t          ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t        *ifSpecP

#endif

);

void          ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_handle_t        trpcHandle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t        *ifSpecP

#endif

);

trpc_handle_t          ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t        *ifSpecP

#endif

);

void          ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
        mon_handle_t          handle,
        trpc_handle_t        trpcHandle,
        trpc_tranInfo_t      *tranInfoP,
        trpc_ifSpec_t        *ifSpecP

#endif

);

```

```

extern delivery_v1_0_epv_t
    delivery_v1_0_client_epv;
extern _delivery_v1_0_epv_t
    delivery_v1_0_manager_epv;
extern rpc_mgr_epv_t
    delivery_v1_0_mgr_epv;

#include <encina/c_epilogue.h>
#endif /* TRANSARC_delivery_h */

```

dlldata.c

```

/*****
****
DllData file -- generated by MIDL compiler
****

DO NOT ALTER THIS FILE

This file is regenerated by MIDL on every IDL file
compile.

To completely reconstruct this file, delete it and
rerun MIDL
on all the IDL files in this DLL, specifying this
file for the
/dlldata command line option

****/

#include <rpcproxy.h>

#ifdef __cplusplus
extern "C" {
#endif

EXTERN_PROXY_FILE( tpcc_com_ps )

PROXYFILE_LIST_START
/* Start of list */
REFERENCE_PROXY_FILE( tpcc_com_ps ),
/* End of list */
PROXYFILE_LIST_END

DLLDATA_ROUTINES( aProxyFileList, GET_DLL_CLSID )

#ifdef __cplusplus
} /*extern "C" */
#endif

/* end of generated dlldata file */

```

error.h

```

/*          FILE:          ERROR.H

```

```

*
* Microsoft
* TPC-C Kit Ver. 4.20.000
* Copyright
* Microsoft, 1999
* All Rights Reserved
*
* Version
* 4.10.000 audited by Richard Gimarc, Performance
* Metrics, 3/17/99
*
* PURPOSE: Header file for error exception
* classes.
*
* Change history:
*
* 4.20.000 - updated rev number to
* match kit
*
* 4.21.000 - fixed bug: ~CBaseErr
* needed to be declared virtual
*/

#pragma once

#ifndef _INC_STRING
#include <string.h>
#endif

const int m_szMsg_size = 512;
const int m_szApp_size = 64;
const int m_szLoc_size = 64;

//error message structure used in ErrorText routines
typedef struct _SERRORMSG
{
    int iError;
    char szMsg[256];
} SERRORMSG;

typedef enum _ErrorLevel
{
    ERR_FATAL_LEVEL = 1,
    ERR_WARNING_LEVEL = 2,
    ERR_INFORMATION_LEVEL = 3
} ErrorLevel;

#define ERR_TYPE_LOGIC -1
//logic error in program; internal error
#define ERR_SUCCESS 0
//success (a non-error error)
#define ERR_BAD_ITEM_ID 1
//expected abort record in txnRecord
#define ERR_TYPE_DELIVERY_POST 2
//expected delivery post failed
#define ERR_TYPE_WEBDLL 3
//tpcc web generated error

```

```

#define ERR_TYPE_SQL 4
//sql server generated error
#define ERR_TYPE_DBLIB 5
//dblib generated error
#define ERR_TYPE_ODBC 6
//odbc generated error
#define ERR_TYPE_SOCKET 7
//error on communication socket client rte
only
#define ERR_TYPE_DEADLOCK 8
//dblib and odbc only deadlock condition
#define ERR_TYPE_COM 9
//error from COM call
#define ERR_TYPE_TUXEDO 10
//tuxedo error
#define ERR_TYPE_OS 11
//operating system error
#define ERR_TYPE_MEMORY 12
//memory allocation error
#define ERR_TYPE_TPCC_ODBC 13
//error from tpcc odbc txn module
#define ERR_TYPE_TPCC_DBLIB 14
//error from tpcc dblib txn module
#define ERR_TYPE_DELISRV 15
//delivery server error
#define ERR_TYPE_TXNLOG 16
//txn log error
#define ERR_TYPE_BCCONN 17
//Benchcraft connection class
#define ERR_TYPE_TPCC_CONN 18
//Benchcraft connection class
#define ERR_TYPE_ENCINA 19
//Encina error
#define ERR_TYPE_COMPONENT 20
//error from COM component
#define ERR_TYPE_RTE 21
//Benchcraft rte
#define ERR_TYPE_AUTOMATION 22
//Benchcraft automation errors
#define ERR_TYPE_DRIVER 23
//Driver engine errors

```

```

#define ERR_TYPE_RTE_BASE 24
//Framework errors
#define ERR_BUF_OVERFLOW 25
//Buffer overflow during receive
// TPC-W error types
#define ERR_TYPE_TPCW_CONN 50
//Benchcraft connection class
#define ERR_TYPE_TPCW_HTML 51
//error from TpcwHtml dll
#define ERR_TYPE_TPCW_USER 52
//error from TPC-W user class
#define ERR_TYPE_TPCW_ENG_BASE 53
#define ERR_TYPE_TPCW_ENG_OS 54
#define ERR_TYPE_HTML_RESP 55
#define ERR_TYPE_TPCW_ODBC 56
#define ERR_TYPE_SCHANNEL 57

#define ERR_INS_MEMORY
    "Insufficient Memory to continue."
#define ERR_UNKNOWN
    "Unknown error."
#define ERR_MSG_BUF_SIZE 512
#define INV_ERROR_CODE -1
#define ERR_INS_BUF_OVERFLOW "Insufficient Buffer
size to recieve HTML pages."

class CBaseErr
{
public:
    CBaseErr(LPCTSTR szLoc = NULL)
    {
        m_idMsg =
        INV_ERROR_CODE;
        if (szLoc)
        {
            m_szLoc = new
            char[m_szLoc_size];
            strcpy(m_szLoc, szLoc);
        }
        else
            m_szLoc = NULL;
        m_szApp = new
        char[m_szApp_size];
        GetModuleFileName(GetModuleHandle(NULL),
        m_szApp, m_szApp_size);
    }
}

```

```

CBaseErr(int idMsg, LPCTSTR szLoc = NULL)
{
    m_idMsg = idMsg;

    if (szLoc)
    {
        m_szLoc = new
char[m_szLoc_size];
        strcpy(m_szLoc, szLoc);
    }
    else
        m_szLoc = NULL;

    m_szApp = new
char[m_szApp_size];

    GetModuleFileName(GetModuleHandle(NULL),
m_szApp, m_szApp_size);
}

virtual ~CBaseErr(void)
{
    if (m_szApp)
        delete [] m_szApp;
    if (m_szLoc)
        delete [] m_szLoc;
};

virtual void Draw(HWND hwnd, LPCTSTR szStr
= NULL)
{
    int j = 0;
    char szTmp[512];

    if (szStr)
        j = wsprintf(szTmp,
"%s\n",szStr);
    if (ErrorNum() != INV_ERROR_CODE)
        j += wsprintf(szTmp+j,
"Error = %d\n", ErrorNum());
    if (m_szLoc)
        j += wsprintf(szTmp+j,
"Location = %s\n", GetLocation());
    j += wsprintf(szTmp+j, "%s\n",
ErrorText());
    ::MessageBox(hwnd, szTmp,
m_szApp, MB_OK);
}

char *GetApp(void) { return m_szApp; }
char *GetLocation(void) { return m_szLoc; }
virtual int ErrorNum() { return m_idMsg; }

```

```

    virtual int ErrorType() = 0; // a value
which distinguishes the kind of error that occurred
    virtual char *ErrorText() = 0; // a string
(i.e., human readable) representation of the error

protected:
    char *m_szApp;
    char *m_szLoc; // code location where
the error occurred
    int m_idMsg;

    //short m_errType;
};

class CSocketErr : public CBaseErr
{
public:
    enum Action
    {
        eNone = 0,
        eSend,
        eSocket,
        eBind,
        eConnect,
        eListen,
        eHost,
        eRecv,
        eGetHostByName,
        eWSACreateEvent,
        eWSASend,
        eWSASendImage,
        eWSAGetOverlappedResult,
        eWSARecv,
        eWSARecvImage,
        eWSAWaitForMultipleEvents,
        eWSAStartup,
        eWSAResetEvent,
        eNonRetryable,
    };

    CSocketErr(Action eAction, LPCTSTR
szLocation = NULL);

    ~CSocketErr()
    {
        if (m_szErrorText != NULL)
            delete []
m_szErrorText;
    };

    Action m_eAction;
    char *m_szErrorText;

    int ErrorType() { return ERR_TYPE_SOCKET;};
    char *ErrorText(void);
};

class CSystemErr : public CBaseErr
{
public:
    enum Action

```

```

{
    eNone = 0,
    eTransactNamedPipe,
    eWaitNamedPipe,
    eSetNamedPipeHandleState,
    eCreateFile,
    eCreateProcess,
    eCallNamedPipe,
    eCreateEvent,
    eCreateThread,
    eVirtualAlloc,
    eReadFile = 10,
    eWriteFile,
    eMapViewOfFile,
    eCreateFileMapping,
    eInitializeSecurityDescriptor,
    eSetSecurityDescriptorDacl,
    eCreateNamedPipe,
    eConnectNamedPipe,
    eWaitForSingleObject,
    eRegOpenKeyEx,
    eRegQueryValueEx = 20,
    eBeginThread,
    eRegEnumValue,
    eRegSetValueEx,
    eRegCreateKeyEx,
    eWaitForMultipleObjects,
    eRegisterClassEx,
    eCreateWindow,
    eCreateSemaphore,
    eFSeek,
    eFRead,
    eFWrite,
    eTmpFile,
    eSetFilePointer,
    eNew,
};

    CSystemErr(Action
eAction, LPCTSTR szLocation);
    CSystemErr(int iError,
Action eAction, LPCTSTR szLocation);
    int ErrorType() { return
ERR_TYPE_OS;};
    char *ErrorText(void);
    void Draw(HWND hwnd, LPCTSTR szStr =
NULL);

    Action m_eAction;

private:
    char m_szMsg[ERR_MSG_BUF_SIZE];
};

class CMemoryErr : public CBaseErr
{
public:
    CMemoryErr();

    int ErrorType() {return ERR_TYPE_MEMORY;};
    char *ErrorText() {return ERR_INS_MEMORY;};
};

```

```

class CBufferOverflowErr : public CBaseErr
{
public:
    CBufferOverflowErr(int, LPTSTR);

    int ErrorType() {return ERR_BUF_OVERFLOW;}

    char *ErrorText() {return
ERR_INS_BUF_OVERFLOW;}
};

```

install.c

```

/* FILE: INSTALL.C
 * Microsoft
TPC-C Kit Ver. 4.20.000
 * Copyright
Microsoft, 1999
 * All Rights Reserved
 *
 * not audited
 *
 * PURPOSE: Automated installation
application for TPC-C Web Kit
 * Contact: Charles Levine
(clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - added COM installation
steps
 */

#include <windows.h>
#include <direct.h>
#include <io.h>
#include <stdlib.h>
#include <stdio.h>
#include <commctrl.h>
#include "..\..\common\src\ReadRegistry.h"

#include "resource.h"

#define WM_INITTEXT WM_USER+100

HICON hIcon;
HINSTANCE hInst;

DWORD versionExeMS;
DWORD versionExeLS;
DWORD versionExeMM;
DWORD versionDllMS;
DWORD versionDllLS;

// TPC-C registry settings
TPCCREGISTRYDATA Reg;

static int iPoolThreadLimit;
static int iThreadTimeout;
static int iListenBackLog;

```

```

static int iAcceptExOutstanding;

static int iMaxPhysicalMemory;
//max physical memory in MB
static char szLastFileName[64]; //
last file we worked on (for error reporting)

BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT
uMsg, WPARAM wParam, LPARAM lParam);
BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT
uMsg, WPARAM wParam, LPARAM lParam);
BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam);
BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam);
static void ProcessOK(HWND hwnd,
char *szDllPath);
static void
ReadRegistrySettings(void);
static void
WriteRegistrySettings(char *szDllPath);
static BOOL RegisterDLL(char
*szFileName);
static int
CopyFiles(HWND hDlg, char *szDllPath);
static BOOL GetInstallPath(char
*szDllPath);
static void GetVersionInfo(char
*szDLLPath, char *szExePath);
static BOOL
CheckWWWebService(void);
static BOOL
StartWWWebService(void);
static BOOL StopWWWebService(void);
static void UpdateDialog(HWND
hDlg);

BOOL install_com(char *szDllPath);

#include "..\..\common\src\ReadRegistry.cpp"

int WINAPI WinMain( HINSTANCE hInstance, HINSTANCE
hPrevInstance, LPSTR lpCmdLine, int nCmdShow )
{
    int iRc;

    hInst = hInstance;

    InitCommonControls();

    hIcon = LoadIcon(hInstance,
MAKEINTRESOURCE(IDI_ICON1));

    iRc = DialogBox(hInstance,
MAKEINTRESOURCE(IDD_DIALOG4), GetDesktopWindow(),
LicenseDlgProc);
    if ( iRc )
    {
        iRc = DialogBox(hInstance,
MAKEINTRESOURCE(IDD_DIALOG1), GetDesktopWindow(),
MainDlgProc);
        if ( iRc )

```

```

{
    DialogBoxParam(hInstance,
MAKEINTRESOURCE(IDD_DIALOG2), GetDesktopWindow(),
UpdatedDlgProc, (LPARAM)iRc);
}

DestroyIcon(hIcon);
return 0;
}

BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    HGLOBAL hRes;
    HRSRC hResInfo;
    BYTE *pSrc, *pDst;
    DWORD dwSize;
    static HFONT hFont;

    switch(uMsg)
    {
        case WM_INITDIALOG:
            hFont = CreateFont(-12,
0, 0, 0, 400, 0, 0, 0, 0, 0, 0, 0, "Arial");
            SendMessage(
GetDlgItem(hwnd, IDR_LICENSE1), WM_SETFONT,
(WPARAM)hFont, MAKELPARAM(0, 0) );
            PostMessage(hwnd,
WM_INITTEXT, (WPARAM)0, (LPARAM)0);
            return TRUE;
        case WM_INITTEXT:
            hResInfo =
FindResource(hInst, MAKEINTRESOURCE(IDR_LICENSE1),
"LICENSE");
            dwSize =
SizeofResource(hInst, hResInfo);
            hRes =
LoadResource(hInst, hResInfo );
            pSrc = (BYTE
*)LockResource(hRes);
            pDst = (unsigned char
*)malloc(dwSize+1);
            if ( pDst )
            {
                memcpy(pDst,
pSrc, dwSize);
                pDst[dwSize]
= 0;

                SetDlgItemText(hwnd, IDC_LICENSE, (const
char *)pDst);
                free(pDst);
            }
            else
                SetDlgItemText(hwnd, IDC_LICENSE, (const
char *)pSrc);
            return TRUE;
        case WM_DESTROY:
            DeleteObject(hFont);
            return TRUE;
    }
}

```

```

        case WM_COMMAND:
            if ( wParam == IDOK )
                EndDialog(hwnd, TRUE);
            if ( wParam == IDCANCEL )
                EndDialog(hwnd, FALSE);
            default:
                break;
        }
        return FALSE;
    }

BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    switch(uMsg)
    {
        case WM_INITDIALOG:
            switch(lParam)
            {
                case 1:
                case 2:
                    SetDlgItemText(hwnd, IDC_RESULTS, "TPC-C
Web Client Installed");
                    break;
            }
            return TRUE;
        case WM_COMMAND:
            if ( wParam == IDOK )
                EndDialog(hwnd, TRUE);
            break;
            default:
                break;
        }
        return FALSE;
    }
}

BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    PAINTSTRUCT ps;
    MEMORYSTATUS memoryStatus;
    OSVERSIONINFO VI;
    char szTmp[256];
    static char
    szDllPath[256];
    static char
    szExePath[256];

    switch(uMsg)
    {
        case WM_INITDIALOG:
            GlobalMemoryStatus(&memoryStatus);
            iMaxPhysicalMemory =
(memoryStatus.dwTotalPhys/ 1048576);

```

```

        if (
GetInstallPath(szDllPath) )
        {
            MessageBox(hwnd, "Error internet service
inetsrv is not installed.", NULL, MB_ICONSTOP |
MB_OK);
            EndDialog(hwnd, FALSE);
            return TRUE;
        }
        // set default values
        ZeroMemory( &Reg,
sizeof(Reg) );
        Reg.dwNumberOfDeliveryThreads = 4;
        Reg.dwMaxConnections =
100;
        Reg.dwMaxPendingDeliveries = 100;
        Reg.eDB_Protocol =
DBLIB;
        Reg.eTxnMon = None;
        strcpy(Reg.szDbServer,
"");
        strcpy(Reg.szDbName,
"tpcc");
        strcpy(Reg.szDbUser,
"sa");
        strcpy(Reg.szDbPassword,
"");
        iPoolThreadLimit =
iMaxPhysicalMemory * 2;
        iThreadTimeout = 86400;
        iListenBackLog = 15;
        iAcceptExOutstanding =
40;

        ReadTPCCRegistrySettings( &Reg );
        ReadRegistrySettings();

        GetModuleFileName(hInst, szExePath,
sizeof(szExePath));

        GetVersionInfo(szDllPath, szExePath);

        sprintf(szTmp,
"Version %d.%2d.%3d", versionExeMS, versionExeMM,
versionExeLS);
        SetDlgItemText(hwnd,
IDC_VERSION, szTmp);

        SetDlgItemText(hwnd,
IDC_PATH, szDllPath);

        SetDlgItemText(hwnd,
ED_DB_SERVER, Reg.szDbServer);
        SetDlgItemText(hwnd,
ED_DB_USER_ID, Reg.szDbUser);

```

```

        SetDlgItemText(hwnd,
ED_DB_PASSWORD, Reg.szDbPassword);
        SetDlgItemText(hwnd,
ED_DB_NAME, Reg.szDbName);

        SetDlgItemInt(hwnd,
ED_THREADS, Reg.dwNumberOfDeliveryThreads, FALSE);
        SetDlgItemInt(hwnd,
ED_MAXCONNECTION, Reg.dwMaxConnections, FALSE);
        SetDlgItemInt(hwnd,
ED_MAXDELIVERIES, Reg.dwMaxPendingDeliveries, FALSE);
        SetDlgItemInt(hwnd,
ED_IIS_MAX_THREAD_POOL_LIMIT, iPoolThreadLimit,
FALSE);
        SetDlgItemInt(hwnd,
ED_IIS_THREAD_TIMEOUT, iThreadTimeout, FALSE);
        SetDlgItemInt(hwnd,
ED_IIS_LISTEN_BACKLOG, iListenBackLog, FALSE);
        SetDlgItemInt(hwnd,
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE,
iAcceptExOutstanding, FALSE);

        CheckDlgButton(hwnd,
IDC_DBLIB, 0);
        CheckDlgButton(hwnd,
IDC_ODBC, 0);
        if ( Reg.eDB_Protocol
== DBLIB )
            CheckDlgButton(hwnd, IDC_DBLIB, 1);
        else
            CheckDlgButton(hwnd, IDC_ODBC, 1);

        // check OS version
        level for COM. Must be at least Windows 2000
        VI.dwOSVersionInfoSize
= sizeof(VI);
        GetVersionEx( &VI );
        if (VI.dwMajorVersion <
5)
        {
            HWND hDlg =
GetDlgItem( hwnd, IDC_TM_MTS );
            EnableWindow(
hDlg, 0 );
            // disable COM option
            if
(Reg.eTxnMon == COM)
                Reg.eTxnMon = None;
        }

        CheckDlgButton(hwnd,
IDC_TM_NONE, 0);
        CheckDlgButton(hwnd,
IDC_TM_TUXEDO, 0);
        CheckDlgButton(hwnd,
IDC_TM_MTS, 0);
        CheckDlgButton(hwnd,
IDC_TM_ENCINA, 0);
        switch (Reg.eTxnMon)
        {
            case None:

```

```

CheckDlgButton(hwnd, IDC_TM_NONE, 1);
    break;
    case TUXEDO:
        break;
CheckDlgButton(hwnd, IDC_TM_TUXEDO, 1);
    break;
    case ENCINA:
        break;
CheckDlgButton(hwnd, IDC_TM_ENCINA, 1);
    break;
    case COM:
        break;
CheckDlgButton(hwnd, IDC_TM_MTS, 1);
    break;
    }
    return TRUE;
    case WM_PAINT:
        if ( IsIconic(hwnd) )
        {
            BeginPaint(hwnd, &ps);
            DrawIcon(ps.hdc, 0, 0, hIcon);
            EndPaint(hwnd, &ps);
        }
        return TRUE;
    case WM_COMMAND:
        if ( HIWORD(wParam) ==
BN_CLICKED )
        {
            LOWORD(wParam) )
            {
                switch(
                {
                    case IDC_DBLIB:
                        return TRUE;
                    case IDC_ODBC:
                        return TRUE;
                    case IDOK:
                        ProcessOK(hwnd, szDllPath);
                        return TRUE;
                    case IDCANCEL:
                        EndDialog(hwnd, FALSE);
                        return TRUE;
                    default:
                        return FALSE;
                }
            }
        }
}

```

```

        break;
        default:
            break;
    }
    return FALSE;
}
static void ProcessOK(HWND hwnd, char *szDllPath)
{
    int            d;
    HWND          hDlg;
    int            rc;
    char           szFullName[256];
    char           szErrTxt[128];
    // read settings from dialog
    Reg.dwNumberOfDeliveryThreads =
GetDlgItemInt(hwnd, ED_THREADS, &d, FALSE);
    Reg.dwMaxConnections = GetDlgItemInt(hwnd,
ED_MAXCONNECTION, &d, FALSE);
    Reg.dwMaxPendingDeliveries =
GetDlgItemInt(hwnd, ED_MAXDELIVERIES, &d, FALSE);
    GetDlgItemText(hwnd, ED_DB_SERVER,
Reg.szDbServer, sizeof(Reg.szDbServer));
    GetDlgItemText(hwnd, ED_DB_USER_ID,
Reg.szDbUser, sizeof(Reg.szDbUser));
    GetDlgItemText(hwnd, ED_DB_PASSWORD,
Reg.szDbPassword, sizeof(Reg.szDbPassword));
    GetDlgItemText(hwnd, ED_DB_NAME,
Reg.szDbName, sizeof(Reg.szDbName));
    if ( IsDlgButtonChecked(hwnd, IDC_DBLIB) )
    {
        Reg.eDB_Protocol = DBLIB;
        rc = 1;
    }
    else if ( IsDlgButtonChecked(hwnd,
IDC_ODBC) )
    {
        Reg.eDB_Protocol = ODBC;
        rc = 2;
    }
    if ( IsDlgButtonChecked(hwnd, IDC_TM_NONE)
)
        Reg.eTxnMon = None;
    else if ( IsDlgButtonChecked(hwnd,
IDC_TM_TUXEDO) )
        Reg.eTxnMon = TUXEDO;
    else if ( IsDlgButtonChecked(hwnd,
IDC_TM_MTS) )
        Reg.eTxnMon = COM;
    else if ( IsDlgButtonChecked(hwnd,
IDC_TM_ENCINA) )
        Reg.eTxnMon = ENCINA;
    iPoolThreadLimit = GetDlgItemInt(hwnd,
ED_IIS_MAX_THREAD_POOL_LIMIT, &d, FALSE);
    iThreadTimeout = GetDlgItemInt(hwnd,
ED_IIS_THREAD_TIMEOUT, &d, FALSE);
}

```

```

    iListenBackLog = GetDlgItemInt(hwnd,
ED_IIS_LISTEN_BACKLOG, &d, FALSE);
    iAcceptExOutstanding = GetDlgItemInt(hwnd,
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE, &d, FALSE);
    ShowWindow(hwnd, SW_HIDE);
    hDlg = CreateDialog(hInst,
MAKEINTRESOURCE(IDD_DIALOG3), hwnd, CopyDlgProc);
    ShowWindow(hDlg, SW_SHOWNA);
    UpdateDialog(hDlg);
    // write binaries to inetpub\wwwroot
    rc = CopyFiles(hDlg, szDllPath);
    if ( !rc )
    {
        ShowWindow(hwnd, SW_SHOWNA);
        DestroyWindow(hDlg);
        strcpy( szErrTxt, "Error(s)
occured when creating " );
        strcat( szErrTxt, szLastFileName
);
        MessageBox(hwnd, szErrTxt, NULL,
MB_ICONSTOP | MB_OK);
        EndDialog(hwnd, 0);
        return;
    }
    // update registry
    SetDlgItemText(hDlg, IDC_STATUS, "Updating
Registry.");
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);
    WriteRegistrySettings(szDllPath);
    // register com proxy stub
    strcpy(szFullName, szDllPath);
    strcat(szFullName, "tpcc_com.ps.dll");
    if (!RegisterDLL(szFullName))
    {
        ShowWindow(hwnd, SW_SHOWNA);
        DestroyWindow(hDlg);
        strcpy( szErrTxt, "Error occured
when registering " );
        strcat( szErrTxt, szFullName );
        MessageBox(hwnd, szErrTxt, NULL,
MB_ICONSTOP | MB_OK);
        EndDialog(hwnd, 0);
        return;
    }
    // if using COM
    if (Reg.eTxnMon == COM)
    {
        SetDlgItemText(hDlg, IDC_STATUS,
"Configuring COM.");
        SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
        if (install_com(szDllPath))

```

```

        {
            ShowWindow(hwnd,
SW_SHOWNA);
            DestroyWindow(hDlg);
            strcpy( szErrTxt,
"Error occured when configuring COM settings." );
            MessageBox(hwnd,
szErrTxt, NULL, MB_ICONSTOP | MB_OK);
            EndDialog(hwnd, 0);
            return;
        }
    }
    Sleep(100);
    ShowWindow(hwnd, SW_SHOWNA);
    DestroyWindow(hDlg);
    EndDialog(hwnd, rc);
    return;
}

static void ReadRegistrySettings(void)
{
    HKEY    hKey;
    DWORD  size;
    DWORD  type;

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\Inetinfo\\Param
eters", 0, KEY_READ, &hKey) == ERROR_SUCCESS )
    {
        size = sizeof(iPoolThreadLimit);
        if ( RegQueryValueEx(hKey,
"PoolThreadLimit", 0, &type, (char
*)&iPoolThreadLimit, &size) == ERROR_SUCCESS )
            if ( !iPoolThreadLimit )

                iPoolThreadLimit = iMaxPhysicalMemory * 2;

        size = sizeof(iThreadTimeout);
        if ( RegQueryValueEx(hKey,
"ThreadTimeout", 0, &type, (char *)&iThreadTimeout,
&size) == ERROR_SUCCESS )
            if ( !iThreadTimeout )

                iThreadTimeout = 86400;

        size = sizeof(iListenBackLog);
        if ( RegQueryValueEx(hKey,
"ListenBackLog", 0, &type, (char *)&iListenBackLog,
&size) == ERROR_SUCCESS )
            if ( !iListenBackLog )

                iListenBackLog = 15;

        RegCloseKey(hKey);
    }

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Paramete
rs", 0, KEY_READ, &hKey) == ERROR_SUCCESS )

```

```

        {
            size =
sizeof(iAcceptExOutstanding);
            if ( RegQueryValueEx(hKey,
"AcceptExOutstanding", 0, &type, (char
*)&iAcceptExOutstanding, &size) == ERROR_SUCCESS )
                if (
!iAcceptExOutstanding )

                    iAcceptExOutstanding = 40;

            RegCloseKey(hKey);
        }
    }

static void WriteRegistrySettings(char *szDllPath)
{
    HKEY    hKey;
    DWORD  dwDisposition;
    char    szTmp[256];
    char    *ptr;
    int     iRc;

    if ( RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\\Microsoft\\TPCC", 0, NULL,
REG_OPTION_NON_VOLATILE, KEY_ALL_ACCESS, NULL, &hKey,
&dwDisposition) == ERROR_SUCCESS )
    {
        strcpy(szTmp, szDllPath);
        ptr = strstr(szTmp, "tpcc");
        if ( ptr )
            *ptr = 0;

        RegSetValueEx(hKey, "Path", 0,
REG_SZ, szTmp, strlen(szTmp)+1);

        RegSetValueEx(hKey,
"NumberOfDeliveryThreads", 0, REG_DWORD, (char
*)&Reg.dwNumberOfDeliveryThreads,
sizeof(Reg.dwNumberOfDeliveryThreads));
        RegSetValueEx(hKey,
"MaxConnections", 0, REG_DWORD, (char
*)&Reg.dwMaxConnections,
sizeof(Reg.dwMaxConnections));
        RegSetValueEx(hKey,
"MaxPendingDeliveries", 0, REG_DWORD, (char
*)&Reg.dwMaxPendingDeliveries,
sizeof(Reg.dwMaxPendingDeliveries));

        RegSetValueEx(hKey,
"DB_Protocol", 0, REG_SZ,
szDBNames[Reg.eDB_Protocol],
strlen(szDBNames[Reg.eDB_Protocol])+1);
        RegSetValueEx(hKey, "TxnMonitor",
0, REG_SZ, szTxnMonNames[Reg.eTxnMon],
strlen(szTxnMonNames[Reg.eTxnMon])+1);

        RegSetValueEx(hKey, "DbServer",
0, REG_SZ, Reg.szDbServer, strlen(Reg.szDbServer)+1);
        RegSetValueEx(hKey, "DbName", 0,
REG_SZ, Reg.szDbName, strlen(Reg.szDbName)+1);
        RegSetValueEx(hKey, "DbUser", 0,
REG_SZ, Reg.szDbUser, strlen(Reg.szDbUser)+1);

```

```

        RegSetValueEx(hKey, "DbPassword",
0, REG_SZ, Reg.szDbPassword,
strlen(Reg.szDbPassword)+1);

        strcpy(szTmp, "YES");
        RegSetValueEx(hKey,
"COM_SinglePool", 0, REG_SZ, szTmp, strlen(szTmp)+1);

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if (
(iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\Inetinfo\\Param
eters", 0, NULL, REG_OPTION_NON_VOLATILE,
KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        RegSetValueEx(hKey,
"PoolThreadLimit", 0, REG_DWORD, (char
*)&iPoolThreadLimit, sizeof(iPoolThreadLimit));
        RegSetValueEx(hKey,
"ThreadTimeout", 0, REG_DWORD, (char
*)&iThreadTimeout, sizeof(iThreadTimeout));
        RegSetValueEx(hKey,
"ListenBackLog", 0, REG_DWORD, (char
*)&iListenBackLog, sizeof(iListenBackLog));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if (
(iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Paramete
rs", 0, NULL, REG_OPTION_NON_VOLATILE,
KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        RegSetValueEx(hKey,
"AcceptExOutstanding", 0, REG_DWORD, (char
*)&iAcceptExOutstanding,
sizeof(iAcceptExOutstanding));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    return;
}

BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    if ( uMsg == WM_INITDIALOG )
    {
        SendDlgItemMessage(hwnd,
IDC_PROGRESS1, PBM_SETRANGE, 0, MAKELPARAM(0, 16));
        SendDlgItemMessage(hwnd,
IDC_PROGRESS1, PBM_SETSTEP, (WPARAM)1, 0);
        return TRUE;
    }
}

```

```

        return FALSE;
    }

    BOOL RegisterDLL(char *szFileName)
    {
        HINSTANCE hLib;
        FARPROC    lpDllEntryPoint;

        hLib = LoadLibrary(szFileName);
        if ( hLib == NULL )
            return FALSE;
        // Find the entry point.
        lpDllEntryPoint = GetProcAddress(hLib,
        "DllRegisterServer");
        if (lpDllEntryPoint != NULL)
        {
            return ((*lpDllEntryPoint)() ==
            S_OK);
        }
        else
            return FALSE;        //unable to
        locate entry point
    }

    BOOL FileFromResource( char *szResourceName, int
    iResourceId, char *szDllPath, char *szFileName )
    {
        HGLOBAL          hDLL;
        HRSRC             hResInfo;
        HANDLE           hFile;
        DWORD            dwSize;
        BYTE             *pSrc;
        DWORD            d;
        char             szFullName[256];

        hResInfo = FindResource(hInst,
        MAKEINTRESOURCE(iResourceId), szResourceName);

        strcpy(szFullName, szDllPath);
        strcat(szFullName, szFileName);

        dwSize = SizeofResource(hInst, hResInfo);
        hDLL = LoadResource(hInst, hResInfo );
        pSrc = (BYTE *)LockResource(hDLL);
        remove(szFullName);

        if ( !(hFile = CreateFile(szFullName,
        GENERIC_WRITE, 0, NULL, CREATE_ALWAYS,
        FILE_ATTRIBUTE_NORMAL, NULL)) )
            return FALSE;

        if ( !WriteFile(hFile, pSrc, dwSize, &d,
        NULL) )
            return FALSE;

        CloseHandle(hFile);

        UnlockResource(hDLL);
        FreeResource(hDLL);
        return TRUE;
    }

```

```

static int CopyFiles(HWND hDlg, char *szDllPath)
{
    BOOL                bSvcRunning;

    bSvcRunning = CheckWWWService();
    if ( bSvcRunning )
    {
        SetDlgItemText(hDlg, IDC_STATUS,
        "Stopping Web Service.");
        SendDlgItemMessage(hDlg,
        IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        StopWWWService();
        SendDlgItemMessage(hDlg,
        IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
    }

    SetDlgItemText(hDlg, IDC_STATUS, "Copying
    Files...");
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install TPCC.DLL
    strcpy( szLastFileName, "tpcc.dll" );
    if (!FileFromResource( "TPCCDLL",
    IDR_TPCCDLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_dblib.dll
    strcpy( szLastFileName, "tpcc_dblib.dll" );
    if (!FileFromResource( "DBLIB_DLL",
    IDR_DBLIB_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_odbc.dll
    strcpy( szLastFileName, "tpcc_odbc.dll" );
    if (!FileFromResource( "ODBC_DLL",
    IDR_ODBC_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tuxapp.exe
    strcpy( szLastFileName, "tuxapp.exe" );
    if (!FileFromResource( "TUXEDO_APP",
    IDR_TUXEDO_APP, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_tuxedo.dll

```

```

        strcpy( szLastFileName, "tpcc_tuxedo.dll"
    );
    if (!FileFromResource( "TUXEDO_DLL",
    IDR_TUXEDO_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_com.dll
    strcpy( szLastFileName, "tpcc_com.dll" );
    if (!FileFromResource( "COM_DLL",
    IDR_COM_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_com_all.tlb
    strcpy( szLastFileName, "tpcc_com_all.tlb"
    );
    if (!FileFromResource( "COM_TYPLIB",
    IDR_COMTYPLIB_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_com_ps.dll
    strcpy( szLastFileName, "tpcc_com_ps.dll"
    );
    if (!FileFromResource( "COM_PS_DLL",
    IDR_COMPS_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_com_all.dll
    strcpy( szLastFileName, "tpcc_com_all.dll"
    );
    if (!FileFromResource( "COM_ALL_DLL",
    IDR_COMALL_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    //if we stopped service restart it.
    if ( bSvcRunning )
    {
        SetDlgItemText(hDlg, IDC_STATUS,
        "Starting Web Service.");
        SendDlgItemMessage(hDlg,
        IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
        StartWWWService();
    }

    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

```

```

        return 1;
    }

static BOOL GetInstallPath(char *szDllPath)
{
    HKEY hKey;
    BYTE szData[256];
    DWORD sv;
    BOOL bRc;
    int len;
    int iRc;

    // Registry key
    HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\InetStp\PathWWW
    Root is used to find the
    // IIS default web site directory and
    determine that IIS is installed.

    szDllPath[0] = 0;
    bRc = TRUE;
    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\Microsoft\InetStp", 0, KEY_ALL_ACCESS,
&hKey) == ERROR_SUCCESS )
    {
        sv = sizeof(szData);
        iRc = RegQueryValueEx( hKey,
"PathWWWRoot", NULL, NULL, szData, &sv ); // used by
IIS 5.0 & 6.0
        if (iRc == ERROR_SUCCESS)
        {
            bRc = FALSE;
            strcpy(szDllPath,
szData);
            len =
strlen(szDllPath);
            if ( szDllPath[len-1]
!= '\\' )
            {
                szDllPath[len] = '\\';
                szDllPath[len+1] = 0;
            }
            RegCloseKey(hKey);
        }
    }
    return bRc;
}

static void GetVersionInfo(char *szDLLPath, char
*szExePath)
{
    DWORD
    DWORD
    dwSize;
    DWORD
    dwBytes;
    char
    *ptr;
    VS_FIXEDFILEINFO *vs;

```

```

    versionDllMS = 0;
    versionDllLS = 0;
    if ( _access(szDLLPath, 00) == 0 )
    {
        dwSize =
GetFileVersionInfoSize(szDLLPath, &d);
        if ( dwSize )
        {
            ptr = (char
*)malloc(dwSize);
            GetFileVersionInfo(szDLLPath, 0, dwSize,
ptr);
            VerQueryValue(ptr,
"\\",&vs, &dwBytes);
            versionDllMS = vs-
>dwProductVersionMS;
            versionDllLS = vs-
>dwProductVersionLS;
        }
        versionExeMS = 0x7FFF;
        versionExeLS = 0x7FFF;
        dwSize = GetFileVersionInfoSize(szExePath,
&d);
        if ( dwSize )
        {
            ptr = (char *)malloc(dwSize);
            GetFileVersionInfo(szExePath, 0,
dwSize, ptr);
            VerQueryValue(ptr, "\\",&vs,
&dwBytes);
            versionExeMS = vs-
>dwProductVersionMS;
            versionExeLS = LOWORD(vs-
>dwProductVersionLS);
            versionExeMM = HIWORD(vs-
>dwProductVersionLS);
            free(ptr);
        }
        return;
    }

static BOOL CheckWWWWebService(void)
{
    SC_HANDLE schSCManager;
    SC_HANDLE schService;
    SERVICE_STATUS ssStatus;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto ServiceNotRunning;

```

```

    if ( !ControlService(schService,
SERVICE_CONTROL_STOP, &ssStatus) )
        goto ServiceNotRunning;
    //start Service pending, Check the status
until the service is running.
    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto ServiceNotRunning;

    CloseServiceHandle(schService);
    return TRUE;

ServiceNotRunning:
    CloseServiceHandle(schService);
    return FALSE;
}

static BOOL StartWWWWebService(void)
{
    SC_HANDLE schSCManager;
    SC_HANDLE schService;
    SERVICE_STATUS ssStatus;
    DWORD
    dwOldCheckPoint;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! StartService(schService, 0, NULL) )
        goto StartWWWWebErr;
    //start Service pending, Check the status
until the service is running.
    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto StartWWWWebErr;
    while( ssStatus.dwCurrentState !=
SERVICE_RUNNING)
    {
        dwOldCheckPoint =
ssStatus.dwCheckPoint;
        //Save the current checkpoint.
        Sleep(ssStatus.dwWaitHint);

        //Wait for the specified interval.
        if (
!QueryServiceStatus(schService, &ssStatus) )
            //Check the status again.
            break;
        if (dwOldCheckPoint >=
ssStatus.dwCheckPoint) //Break if
the checkpoint has not been incremented.
            break;
    }

    if (ssStatus.dwCurrentState ==
SERVICE_RUNNING)

```

```

        goto StartWWWebErr;

    CloseServiceHandle(schService);
    return TRUE;

StartWWWebErr:
    CloseServiceHandle(schService);
    return FALSE;
}

static BOOL StopWWWebService(void)
{
    SC_HANDLE      schSCManager;
    SC_HANDLE      schService;
    SERVICE_STATUS ssStatus;
    DWORD          dwOldCheckPoint;

    schSCManager = OpenSCManager(NULL, NULL,
    SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
    TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! QueryServiceStatus(schService,
    &ssStatus) )
        goto StopWWWebErr;

    if ( !ControlService(schService,
    SERVICE_CONTROL_STOP, &ssStatus) )
        goto StopWWWebErr;

    //start Service pending, Check the status
    until the service is running.
    if (! QueryServiceStatus(schService,
    &ssStatus) )
        goto StopWWWebErr;
    while( ssStatus.dwCurrentState ==
    SERVICE_RUNNING)
    {
        dwOldCheckPoint =
    ssStatus.dwCheckPoint;
        //Save the current checkpoint.
        Sleep(ssStatus.dwWaitHint);

        //Wait for the specified interval.
        if (
    !QueryServiceStatus(schService, &ssStatus) )
            //Check the status again.
            break;
        if (dwOldCheckPoint >=
    ssStatus.dwCheckPoint) //Break if
    the checkpoint has not been incremented.
            break;
    }

    if (ssStatus.dwCurrentState ==
    SERVICE_RUNNING)
        goto StopWWWebErr;

    CloseServiceHandle(schService);
    return TRUE;
}

```

```

StopWWWebErr:
    CloseServiceHandle(schService);
    return FALSE;
}

static void UpdateDialog(HWND hDlg)
{
    MSG msg;

    UpdateWindow(hDlg);
    while( PeekMessage(&msg, hDlg, 0, 0,
    PM_REMOVE) )
    {
        TranslateMessage(&msg);
        DispatchMessage(&msg);
    }
    Sleep(250);
    return;
}

```

install.dsp

```

# Microsoft Developer Studio Project File -
Name="install" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Application" 0x0101

CFG=install - Win32 Release
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "install.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "install.mak" CFG="install - Win32
Release"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "install - Win32 Release" (based on "Win32
(x86) Application")
!MESSAGE "install - Win32 Debug" (based on "Win32
(x86) Application")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe

```

```

RSC=rc.exe

!IF "$(CFG)" == "install - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir ".\Release"
# PROP BASE Intermediate_Dir ".\Release"
# PROP BASE Target_Dir "."
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir "."
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /c
# ADD CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG"
/D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /win32
# ADD BASE RSC /1 0x409 /d "NDEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /machine:I386
# ADD LINK32 version.lib comctl32.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbccp32.lib /nologo
/subsystem:windows /machine:I386
/out:".bin\install.exe"

!ELSEIF "$(CFG)" == "install - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir ".\Debug"
# PROP BASE Intermediate_Dir ".\Debug"
# PROP BASE Target_Dir "."
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir "."
# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /c
# ADD CPP /nologo /W3 /Gm /GX /ZI /Od /D "WIN32" /D
"_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /win32
# ADD BASE RSC /1 0x409 /d "DEBUG"
# ADD RSC /1 0x409 /d "DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe

```

```

# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /debug
/machine:I386
# ADD LINK32 version.lib comctl32.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /debug /machine:I386
/out:"..\bin\install.exe"

!ENDIF

# Begin Target

# Name "install - Win32 Release"
# Name "install - Win32 Debug"
# Begin Group "Source Files"

# PROP Default_Filter
"cpp;c;cx;rc;def;r;odl;hpj;bat;for;f90"
# Begin Source File

SOURCE=.\src\install.c
# End Source File
# Begin Source File

SOURCE=.\src\install.rc
# ADD BASE RSC /l 0x409 /i "src"
# ADD RSC /l 0x409 /i "src" /i "..\src"
# End Source File
# Begin Source File

SOURCE=.\src\install_com.cpp
# End Source File
# End Group
# Begin Group "Header Files"

# PROP Default_Filter "h;hpp;hxx;hm;inl;fi;fd"
# End Group
# Begin Group "Resource Files"

# PROP Default_Filter
"ico;cur;bmp;dlg;rc2;rct;bin;cnt;rtf;gif;jpg;jpeg;jpe"
# End Source File

SOURCE=.\SRC\ICON1.ICO
# End Source File
# Begin Source File

SOURCE=.\SRC\ICON2.ICO
# End Source File
# End Group
# Begin Source File

SOURCE=.\SRC\LICENSE.TXT
# End Source File
# Begin Source File

SOURCE=..\isapi_dll\bin\tpcc.dll
# End Source File

```

```

# Begin Source File

SOURCE=..\tm_com_dll\bin\tpcc_com.dll
# End Source File
# Begin Source File

SOURCE=..\tpcc_com_all\bin\tpcc_com_all.dll
# End Source File
# Begin Source File

SOURCE=..\tpcc_com_ps\bin\tpcc_com_ps.dll
# End Source File
# Begin Source File

SOURCE=..\db_dblib_dll\bin\tpcc_dblib.dll
# End Source File
# Begin Source File

SOURCE=..\db_odbc_dll\bin\tpcc_odbc.dll
# End Source File
# Begin Source File

SOURCE=..\tm_tuxedo_dll\bin\tpcc_tuxedo.dll
# End Source File
# Begin Source File

SOURCE=..\tuxapp\bin\tuxapp.exe
# End Source File
# End Target
# End Project

```

install.h

```

//{{(NO_DEPENDENCIES)}
// Microsoft Developer Studio generated include file.
// Used by install.rc
//

#define IDD_DIALOG1 101
#define IDI_ICON1 102
#define IDR_TPCCDLL 103
#define IDD_DIALOG2 105
#define IDI_ICON2 106
#define IDR_DELIVERY 107
#define IDD_DIALOG3 108

#define BN_LOG 1001
#define ED_KEEP 1002
#define ED_THREADS 1003
#define ED_THREADS2 1004
#define IDC_PATH 1007
#define IDC_VERSION 1009
#define IDC_RESULTS 1010

```

```

#define IDC_PROGRESS1 1011
#define IDC_STATUS 1012
#define IDC_BUTTON1 1013
#define ED_MAXCONNECTION 1014
#define ED_IIS_MAX_THREAD_POOL_LIMIT 1015
#define ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE 1017
#define ED_IIS_THREAD_TIMEOUT 1018
#define ED_IIS_LISTEN_BACKLOG 1019
#define IDC_DBLIB 1021
#define IDC_ODBC 1022
#define IDC_CONNECT_POOL 1023
#define ED_USER_CONNECT_DELAY_TIME 1024

// Next default values for new objects
//

```

install.rc

```

//Microsoft Developer Studio generated resource
script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"

////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS

////////////////////////////////////
// English (U.S.) resources

#if !defined(AFX_RESOURCE_DLL) ||
defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

////////////////////////////////////
////////////////////////////////////

```

```

//
// Dialog
//
IDD_DIALOG1 DIALOGEX 0, 0, 219, 351
STYLE DS_MODALFRAME | DS_CENTER | WS_MINIMIZEBOX |
WS_POPUP | WS_CAPTION |
WS_SYSMENU
CAPTION "TPC-C Web Client Installation Utility"
FONT 8, "MS Sans Serif"
BEGIN
    EDITTEXT        ED_THREADS,164,45,34,12,ES_RIGHT
    | ES_NUMBER,
    WS_EX_RTLDREADING
    EDITTEXT
ED_MAXDELIVERIES,164,59,34,12,ES_RIGHT | ES_NUMBER,
WS_EX_RTLDREADING
    EDITTEXT
ED_MAXCONNECTION,164,73,34,12,ES_RIGHT | ES_NUMBER,
WS_EX_RTLDREADING
    CONTROL
"None", IDC_TM_NONE, "Button", BS_AUTORADIOBUTTON |
WS_TABSTOP, 43, 100, 33, 10
    CONTROL
"COM", IDC_TM_MTS, "Button", BS_AUTORADIOBUTTON |
WS_TABSTOP, 43, 113, 32, 10
    CONTROL
"TUXEDO", IDC_TM_TUXEDO, "Button", BS_AUTORADIOBUTTON |
WS_TABSTOP, 106, 100, 46, 10
    CONTROL
"ENCINA", IDC_TM_ENCINA, "Button", BS_AUTORADIOBUTTON |
WS_DISABLED |
WS_TABSTOP, 106, 113, 43, 10
    EDITTEXT
ED_DB_SERVER, 131, 152, 67, 12, ES_AUTOHSCROLL
    EDITTEXT
ED_DB_USER_ID, 131, 165, 67, 12, ES_AUTOHSCROLL
    EDITTEXT
ED_DB_PASSWORD, 131, 178, 67, 12, ES_AUTOHSCROLL
    EDITTEXT
ED_DB_NAME, 131, 191, 67, 12, ES_AUTOHSCROLL
    CONTROL
"DBLIB", IDC_DBLIB, "Button", BS_AUTORADIOBUTTON |
WS_GROUP |
WS_TABSTOP, 45, 219, 39, 12
    CONTROL
"ODBC", IDC_ODBC, "Button", BS_AUTORADIOBUTTON |
WS_TABSTOP,
91, 219, 39, 12
    EDITTEXT
ED_IIS_MAX_THREAD_POOL_LIMIT, 164, 263, 34, 12, ES_RIGHT |
ES_NUMBER, WS_EX_RTLDREADING
    EDITTEXT
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE, 164, 277, 34, 12, ES_RI
GHT |
ES_NUMBER, WS_EX_RTLDREADING
    EDITTEXT
ED_IIS_THREAD_TIMEOUT, 164, 291, 34, 12, ES_RIGHT |
ES_NUMBER,
WS_EX_RTLDREADING

```

```

EDITTEXT
ED_IIS_LISTEN_BACKLOG, 164, 305, 34, 12, ES_RIGHT |
ES_NUMBER,
WS_EX_RTLDREADING
DEFPUSHBUTTON "OK", IDOK, 53, 331, 50, 14
PUSHBUTTON "Cancel", IDCANCEL, 119, 331, 50, 14
EDITTEXT
IDC_PATH, 106, 26, 91, 13, ES_AUTOHSCROLL | ES_READONLY
LTEXT "Number of Delivery
Threads:", IDC_STATIC, 35, 45, 115, 12
LTEXT "Max Number of
Connections:", IDC_STATIC, 35, 73, 115, 12
RTEXT "Version
4.11", IDC_VERSION, 120, 4, 89, 9
LTEXT "IIS Max Thread Pool
Limit:", IDC_STATIC, 36, 263, 115, 12
LTEXT "Web Service Backlog Queue
Size:", IDC_STATIC, 36, 277, 115,
12
LTEXT "IIS Thread Timeout
(seconds):", IDC_STATIC, 36, 291, 115, 12
LTEXT "IIS Listen
Backlog:", IDC_STATIC, 36, 307, 115, 10
GROUPBOX "Database
Interface", IDC_STATIC, 35, 208, 163, 27, WS_GROUP
LTEXT "Installation
directory:", IDC_STATIC, 35, 29, 71, 10
GROUPBOX "Transaction
Monitor", IDC_STATIC, 33, 90, 165, 37
LTEXT "Server
Name:", IDC_STATIC, 35, 155, 56, 8
LTEXT "User ID:", IDC_STATIC, 35, 168, 60, 8
LTEXT "User
Password:", IDC_STATIC, 35, 181, 83, 8
LTEXT "Database
Name:", IDC_STATIC, 35, 194, 54, 8
GROUPBOX "SQL Server Connection
Properties", IDC_STATIC, 22, 139, 187,
102
GROUPBOX "Web Client
Properties", IDC_STATIC, 22, 15, 187, 118
GROUPBOX "IIS
Settings", IDC_STATIC, 22, 247, 187, 79
LTEXT "Max Pending
Deliveries:", IDC_STATIC, 35, 59, 115, 12
END
IDD_DIALOG2 DIALOGEX 0, 0, 117, 62
STYLE DS_SETFOREGROUND | DS_3DLOOK | DS_CENTER |
WS_POPUP | WS_BORDER
EXSTYLE WS_EX_STATICEDGE
FONT 12, "MS Sans Serif", 0, 0, 0x1
BEGIN
    DEFPUSHBUTTON "OK", IDOK, 33, 45, 50, 9
    CTEXT "HTML TPC-C Installation
Successful", IDC_RESULTS, 7, 22,
102, 18, 0, WS_EX_CLIENTEDGE
    ICON
IDI_ICON2, IDC_STATIC, 50, 7, 18, 20, SS_REALSIZEIMAGE,
WS_EX_TRANSPARENT
END
IDD_DIALOG3 DIALOG DISCARDABLE 0, 0, 91, 40

```

```

STYLE DS_SYSDIALOG | DS_MODALFRAME | DS_3DLOOK |
DS_CENTER | WS_CAPTION
CAPTION "Installing TPC-C Web Client"
FONT 12, "Arial Black"
BEGIN
    CONTROL
"Progress1", IDC_PROGRESS1, "msctls_progress32", WS_BORD
ER,
7, 20, 77, 13
    CTEXT
"Static", IDC_STATUS, 7, 7, 77, 12, SS_SUNKEN
END
IDD_DIALOG4 DIALOG DISCARDABLE 0, 0, 291, 202
STYLE DS_MODALFRAME | DS_CENTER | WS_POPUP |
WS_CAPTION | WS_SYSMENU
CAPTION "Client End User License"
FONT 8, "MS Sans Serif"
BEGIN
    EDITTEXT
IDC_LICENSE, 7, 7, 271, 167, ES_MULTILINE | ES_AUTOVSCROLL
|
ES_AUTOHSCROLL | ES_READONLY |
WS_VSCROLL | WS_HSCROLL
DEFPUSHBUTTON "I &Agree", IDOK, 87, 181, 50, 14
PUSHBUTTON "&Cancel", IDCANCEL, 153, 181, 50, 14
END
////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////
//
// DESIGNINFO
//
#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
    IDD_DIALOG1, DIALOG
    BEGIN
        LEFTMARGIN, 22
        RIGHTMARGIN, 209
        VERTGUIDE, 35
        VERTGUIDE, 198
        TOPMARGIN, 4
        BOTTOMMARGIN, 345
    END
    IDD_DIALOG2, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 109
        TOPMARGIN, 7
        BOTTOMMARGIN, 54
    END
    IDD_DIALOG3, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 84
        TOPMARGIN, 7
        BOTTOMMARGIN, 33
    END
END

```

```

IDDI_DIALOG4, DIALOG
BEGIN
    LEFTMARGIN, 7
    RIGHTMARGIN, 278
    TOPMARGIN, 7
    BOTTOMMARGIN, 195
END
#endif // APSTUDIO_INVOKED

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include "afxres.h"\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "\r\n"
    "\0"
END

#endif // APSTUDIO_INVOKED

////////////////////////////////////
////////////////////////////////////
//
// Icon
//
// Icon with lowest ID value placed first to ensure
// application icon
// remains consistent on all systems.
IDI_ICON1          ICON    DISCARDABLE
"icon1.ico"
IDI_ICON2          ICON    DISCARDABLE
"icon2.ico"

////////////////////////////////////
////////////////////////////////////
//
// TPCCDLL
//
IDR_TPCCDLL        TPCCDLL DISCARDABLE
"..\\..\\isapi_dll\\bin\\tpcc.dll"

#endifdef _MAC

```

```

////////////////////////////////////
////////////////////////////////////
//
// Version
//
VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,20,0
PRODUCTVERSION 0,4,20,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
    FILEFLAGS 0x1L
#else
    FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x1L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904b0"
        BEGIN
            VALUE "Comments", "TPC-C Web Client
Installer\0"
            VALUE "CompanyName", "Microsoft\0"
            VALUE "FileDescription", "install\0"
            VALUE "FileVersion", "0, 4, 20, 0\0"
            VALUE "InternalName", "install\0"
            VALUE "LegalCopyright", "Copyright ©
1999\0"
            VALUE "OriginalFilename", "install.exe\0"
            VALUE "ProductName", "Microsoft
install\0"
            VALUE "ProductVersion", "0, 4, 20, 0\0"
        END
        BLOCK "VarFileInfo"
        BEGIN
            VALUE "Translation", 0x409, 1200
        END
    END
END

#endif // !_MAC

////////////////////////////////////
////////////////////////////////////
//
// LICENSE
//
IDR_LICENSE1      LICENSE DISCARDABLE
"license.txt"

////////////////////////////////////
////////////////////////////////////
//
// DBLIB_DLL
//
IDR_DBLIB_DLL     DBLIB_DLL DISCARDABLE
"..\\..\\db_dblib_dll\\bin\\tpcc_dblib.dll"

```

```

////////////////////////////////////
////////////////////////////////////
//
// ODBC_DLL
//
IDR_ODBC_DLL      ODBC_DLL DISCARDABLE
"..\\..\\db_odbc_dll\\bin\\tpcc_odbc.dll"

////////////////////////////////////
////////////////////////////////////
//
// TUXEDO_APP
//
IDR_TUXEDO_APP    TUXEDO_APP DISCARDABLE
"..\\..\\tuxapp\\bin\\tuxapp.exe"

////////////////////////////////////
////////////////////////////////////
//
// TUXEDO_DLL
//
IDR_TUXEDO_DLL    TUXEDO_DLL DISCARDABLE
"..\\..\\tm_tuxedo_dll\\bin\\tpcc_tuxedo.dll"

////////////////////////////////////
////////////////////////////////////
//
// COM_DLL
//
IDR_COM_DLL       COM_DLL DISCARDABLE
"..\\..\\tm_com_dll\\bin\\tpcc_com.dll"

////////////////////////////////////
////////////////////////////////////
//
// COM_PS_DLL
//
IDR_COMPS_DLL    COM_PS_DLL DISCARDABLE
"..\\..\\tpcc_com_ps\\bin\\tpcc_com_ps.dll"

////////////////////////////////////
////////////////////////////////////
//
// COM_ALL_DLL
//
IDR_COMALL_DLL   COM_ALL_DLL DISCARDABLE
"..\\..\\tpcc_com_all\\bin\\tpcc_com_all.dll"

////////////////////////////////////
////////////////////////////////////
//
// COM_TYPLIB
//
IDR_COMTYPLIB_DLL COM_TYPLIB DISCARDABLE
"..\\..\\tpcc_com_all\\src\\tpcc_com_all.tlb"

```



```

        // save key to get the Components
collection later
hr = pCatalogObjectApp->get_Key(&vKey);
if (!SUCCEEDED(hr)) goto Error;

        // save changes (app creation) so component
installation will work
hr = pCatalogCollectionApp-
>SaveChanges(&lActProp);
if (!SUCCEEDED(hr)) goto Error;

pCatalogObjectApp->Release();
pCatalogObjectApp = NULL;

bstrTemp = "TPC-C";
// app name
bstrTemp2 = bstrDllPath +
"tpcc_com_all.dll"; // DLL
bstrTemp3 = bstrDllPath +
"tpcc_com_all.tlb"; // type library (TLB)
bstrTemp4 = bstrDllPath +
"tpcc_com_ps.dll"; // proxy/stub dll

hr = pCOMAdminCat-
>InstallComponent(bstrTemp,

bstrTemp2,

bstrTemp3,

bstrTemp4);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp = "Components";
hr = pCatalogCollectionApp-
>GetCollection(bstrTemp, vKey, (IDispatch**)
&pCatalogCollectionCo);
if (!SUCCEEDED(hr)) goto Error;

hr = pCatalogCollectionCo->Populate();
if (!SUCCEEDED(hr)) goto Error;

hr = pCatalogCollectionCo-
>get_Count(&lCountCo);
if (!SUCCEEDED(hr)) goto Error;

// iterate through components in
application and set the properties
while (lCountCo > 0)
{
    hr = pCatalogCollectionCo-
>get_Item(lCountCo - 1, (IDispatch**)
&pCatalogObjectCo);
    if (!SUCCEEDED(hr)) goto Error;

    // used for debugging (view the
name)

```

```

        hr = pCatalogObjectCo-
>get_Name(&vTmp);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp = "ConstructionEnabled";
bTmp = TRUE;
vTmp = bTmp;
hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp = "ConstructorString";
bstrTemp2 = "dummy string (do not
remove)";

vTmp = bstrTemp2;
hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp =
"JustInTimeActivation";
bTmp = TRUE;
vTmp = bTmp;
hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp = "MaxPoolSize";
vTmp.Clear(); // clear
variant so it isn't stored as a bool (_variant_t
feature)

vTmp = (long)30;
hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp =
"ObjectPoolingEnabled";
bTmp = TRUE;
vTmp = bTmp;
hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
if (!SUCCEEDED(hr)) goto Error;

// save key to get the
InterfacesForComponent collection
hr = pCatalogObjectCo-
>get_Key(&vKey);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp =
"InterfacesForComponent";
hr = pCatalogCollectionCo-
>GetCollection(bstrTemp, vKey, (IDispatch**)
&pCatalogCollectionItf);
if (!SUCCEEDED(hr)) goto Error;

hr = pCatalogCollectionItf-
>Populate();
if (!SUCCEEDED(hr)) goto Error;

```

```

        hr = pCatalogCollectionItf-
>get_Count(&lCountItf);
if (!SUCCEEDED(hr)) goto Error;

// iterate through interfaces in
component
while (lCountItf > 0)
{
    hr =
pCatalogCollectionItf->get_Item(lCountItf - 1,
(IDispatch**) &pCatalogObjectItf);
    if (!SUCCEEDED(hr))
goto Error;

    // save key to get the
MethodsForInterface collection
hr = pCatalogObjectItf-
>get_Key(&vKey);
    if (!SUCCEEDED(hr))
goto Error;

    bstrTemp =
"MethodsForInterface";
    hr =
pCatalogCollectionItf->GetCollection(bstrTemp, vKey,
(IDispatch**) &pCatalogCollectionMethod);
    if (!SUCCEEDED(hr))
goto Error;

    hr =
pCatalogCollectionMethod->Populate();
    if (!SUCCEEDED(hr))
goto Error;

    hr =
pCatalogCollectionMethod->get_Count(&lCountMethod);
    if (!SUCCEEDED(hr))
goto Error;

    // iterate through
methods of interface
while (lCountMethod >
0)
{
    hr =
pCatalogCollectionMethod->get_Item(lCountMethod - 1,
(IDispatch**) &pCatalogObjectMethod);
    if
(!SUCCEEDED(hr)) goto Error;

    bstrTemp =
"AutoComplete";
    bTmp = TRUE;
    vTmp = bTmp;
    hr =
pCatalogObjectMethod->put_Value(bstrTemp, vTmp);
    if
(!SUCCEEDED(hr)) goto Error;

    pCatalogObjectMethod->Release();

    pCatalogObjectMethod = NULL;

```

```

        lCountMethod-
-;
    }
    // save changes
    hr =
pCatalogCollectionMethod->SaveChanges(&lActProp);
    if (!SUCCEEDED(hr))
goto Error;

    pCatalogObjectItf-
>Release();
    pCatalogObjectItf =
NULL;

    lCountItf--;
}

    pCatalogObjectCo->Release();
    pCatalogObjectCo = NULL;

    lCountCo--;
}

// save changes
hr = pCatalogCollectionCo-
>SaveChanges(&lActProp);
    if (!SUCCEEDED(hr)) goto Error;

    pCatalogCollectionApp->Release();
    pCatalogCollectionApp = NULL;

    pCatalogCollectionCo->Release();
    pCatalogCollectionCo = NULL;

    pCatalogCollectionItf->Release();
    pCatalogCollectionItf = NULL;

    pCatalogCollectionMethod->Release();
    pCatalogCollectionMethod = NULL;

Error:
    CoUninitialize();

    if (!SUCCEEDED(hr))
    {
        LPTSTR lpBuf;
        DWORD dwRes =
FormatMessage(FORMAT_MESSAGE_ALLOCATE_BUFFER |
FORMAT_MESSAGE_FROM_SYSTEM,
                NULL,
                hr,
                MAKELANGID(LANG_NEUTRAL, SUBLANG_DEFAULT),

```

```

        (LPTSTR)
        &lpBuf,
        0,
        NULL);
//
components. HRESULT: 0x%x\n%s)", hr, lpBuf);
        return TRUE;
    }
    else
        return FALSE;
}

```

isapi_dll.dsp

```

# Microsoft Developer Studio Project File -
Name="isapi_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=isapi_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "isapi_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "isapi_dll.mak" CFG="isapi_dll -
Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "isapi_dll - Win32 Release" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE "isapi_dll - Win32 Debug" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE "isapi_dll - Win32 IceCAP" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$ (CFG)" == "isapi_dll - Win32 Release"

```

```

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "NDEBUG" /D
"WIN32" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 ..\common\txnlog\lib\release\rtetime.lib
..\common\txnlog\lib\release\spinlock.lib
..\common\txnlog\lib\release\error.lib
..\common\txnlog\lib\release\txnlog.lib wsock32.lib
kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib
oleaut32.lib uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /dll /machine:I386
/nodfaultlib:"LIBCMT" /out:.\bin\tpcc.dll"
# SUBTRACT LINK32 /nodefaultlib

!ELSEIF "$ (CFG)" == "isapi_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /GX /ZI /Od /D "_DEBUG" /D
"WIN32" /D "_WINDOWS" /FR /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"

```

```

# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ..\common\txnlog\lib\debug\rtetime.lib
..\common\txnlog\lib\debug\spinlock.lib
..\common\txnlog\lib\debug\error.lib
..\common\txnlog\lib\debug\txnlog.lib wsock32.lib
kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib
oleaut32.lib uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/nodfaultlib:"LIBCMD" /out:".bin\tpcc.dll"
/pdbtype:sept
# SUBTRACT LINK32 /profile /pdb:none /nodfaultlib

!ELSEIF "$CFG" == "isapi_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "isapi_dl"
# PROP BASE Intermediate_Dir "isapi_dl"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MDd /W3 /GX /Zi /Od /D
"_DEBUG" /D "WIN32" /D "_WINDOWS" /FR /YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /GX /Zi /O2 /D "NDEBUG" /D
"ICECAP" /D "WIN32" /D "_WINDOWS" /FR /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc.dll" /pdbtype:sept
# SUBTRACT BASE LINK32 /profile /pdb:none
# ADD LINK32 icap.lib
..\common\txnlog\lib\release\rtetime.lib
..\common\txnlog\lib\release\spinlock.lib
..\common\txnlog\lib\release\error.lib
..\common\txnlog\lib\release\txnlog.lib wsock32.lib
kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib

```

```

oleaut32.lib uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/out:".bin\tpcc.dll" /pdbtype:sept
# SUBTRACT LINK32 /profile /pdb:none /map

!ENDIF

# Begin Target

# Name "isapi_dll - Win32 Release"
# Name "isapi_dll - Win32 Debug"
# Name "isapi_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp, *.def, *.rc"
# Begin Source File

SOURCE=.\src\tpcc.cpp
# End Source File
# Begin Source File

SOURCE=.\src\tpcc.def
# End Source File
# Begin Source File

SOURCE=.\src\tpcc.rc
# End Source File
# End Group
# Begin Group "Header Files"

# PROP Default_Filter "*.h, *.hpp"
# Begin Source File

SOURCE=.\common\src\error.h
# End Source File
# Begin Source File

SOURCE=.\common\src\ReadRegistry.h
# End Source File
# Begin Source File

SOURCE=.\src\tpcc.h
# End Source File
# Begin Source File

SOURCE=.\db\dlib_dll\src\tpcc_dlib.h
# End Source File
# Begin Source File

SOURCE=.\db\odbc_dll\src\tpcc_odbc.h
# End Source File
# Begin Source File

SOURCE=.\tm\tuxedo_dll\src\tpcc_tux.h
# End Source File
# Begin Source File

SOURCE=.\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=.\common\src\txn_base.h
# End Source File

```

```

# End Group
# End Target
# End Project

```

license.txt

END-USER LICENSE AGREEMENT FOR
MICROSOFT TPC-C BENCHMARK KIT

IMPORTANT READ CAREFULLY: This Microsoft End-User License Agreement (EULA) is a legal agreement between you (either an individual or a single entity) and Microsoft Corporation for the Microsoft software product identified above, which includes computer software and may include associated media, printed materials, and online or electronic documentation (SOFTWARE PRODUCT). By installing, copying, or otherwise using the SOFTWARE PRODUCT, you agree to be bound by the terms of this EULA.

If you do not agree to the terms of this Agreement, you are not authorized to use the SOFTWARE PRODUCT.

The SOFTWARE PRODUCT is protected by copyright laws and international copyright treaties, as well as other intellectual property laws and treaties. The SOFTWARE PRODUCT is licensed, not sold.

1. GRANT OF LICENSE. This EULA grants you the following rights:

Use. Microsoft grants to you the right to install and use copies of the SOFTWARE PRODUCT only in conjunction with validly licensed copies of Microsoft SQL Server and/or Microsoft Windows NT Server software. You may also make copies of the SOFTWARE PRODUCT for backup and archival purposes.

2. RESTRICTIONS.

--You must maintain all copyright notices on all copies of the SOFTWARE PRODUCT.

--You may not distribute copies of the SOFTWARE PRODUCT to third parties.

--You may not rent, lease or lend the SOFTWARE PRODUCT.

--You may not use the SOFTWARE PRODUCT or any derivative works thereof to internally test database management system software other than Microsoft SQL Server and/or operating system software other than Microsoft Windows NT.

-- You may not disclose the results of any benchmark tests using the SOFTWARE PRODUCT to any third party without Microsoft's prior written approval.

-- You may not disclose or provide the SOFTWARE PRODUCT or any derivative works thereof, or any information relating to the SOFTWARE PRODUCT (including the existence of the SOFTWARE PRODUCT or the results of use and testing or benchmark testing), to any third party without Microsoft's written permission.

3. TERMINATION. Without prejudice to any other rights, Microsoft may terminate this EULA if you fail to comply with the terms and conditions of this EULA. In such event, you must destroy all copies of the SOFTWARE PRODUCT.

4. COPYRIGHT. All title and copyrights in and to the SOFTWARE PRODUCT and any copies thereof are owned by Microsoft or its suppliers. All title and intellectual property rights in and to the content which may be accessed through use of the SOFTWARE PRODUCT is the property of the respective content owner and may be protected by applicable copyright or other intellectual property laws and treaties. This EULA grants you no rights to use such content.

5. UPGRADES. If the SOFTWARE PRODUCT is labeled as an upgrade, you must be properly licensed to use a product identified by Microsoft as being eligible for the upgrade in order to use the SOFTWARE PRODUCT. A SOFTWARE PRODUCT labeled as an upgrade replaces and/or supplements the product that formed the basis for your eligibility for the upgrade. You may use the resulting upgraded product only in accordance with the terms of this EULA.

6. U.S. GOVERNMENT RESTRICTED RIGHTS. The SOFTWARE PRODUCT is provided with RESTRICTED RIGHTS. Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c) (1) (ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013 or subparagraphs (c) (1) and (2) of the Commercial Computer Software Restricted Rights at 48 CFR 52.227-19, as applicable. Manufacturer is Microsoft Corporation/One Microsoft Way/Redmond, WA 98052-6399.

7. EXPORT RESTRICTIONS.

You agree that you will not export or re-export the SOFTWARE PRODUCT to any country, person, entity or end user subject to U.S.A. export restrictions. Restricted countries currently include, but are not necessarily limited to Cuba, Iran, Iraq, Libya, North Korea, Syria, and the Federal Republic of Yugoslavia (Serbia and Montenegro, U.N. Protected Areas and areas of Republic of Bosnia and Herzegovina under the control of Bosnian Serb forces). You warrant and represent that neither the U.S.A. Bureau of Export Administration nor any other federal agency has suspended, revoked or denied your export privileges.

8. NO WARRANTY. ANY USE OF THE SOFTWARE PRODUCT IS AT YOUR OWN RISK. THE SOFTWARE PRODUCT IS PROVIDED FOR USE ONLY WITH MICROSOFT SQL SERVER AND/OR MICROSOFT WINDOWS NT SERVER SOFTWARE. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, MICROSOFT AND ITS SUPPLIERS DISCLAIM ALL WARRANTIES AND CONDITIONS, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT.

9. NO LIABILITY FOR CONSEQUENTIAL DAMAGES. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT SHALL MICROSOFT OR ITS SUPPLIERS BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES WHATSOEVER (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION, LOSS OF BUSINESS INFORMATION, OR ANY OTHER PECUNIARY LOSS) ARISING OUT OF THE USE OF OR INABILITY TO USE THE SOFTWARE PRODUCT, EVEN IF MICROSOFT HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. BECAUSE SOME STATES AND JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

10. LIMITATION OF LIABILITY. MICROSOFT'S ENTIRE LIABILITY AND YOUR EXCLUSIVE REMEDY UNDER THIS EULA SHALL NOT EXCEED FIVE DOLLARS (US\$5.00).

11. MISCELLANEOUS This EULA is governed by the laws of the State of Washington, U.S.A. Should you have any questions concerning this EULA, or if

you desire to contact Microsoft for any reason, please contact the Microsoft subsidiary serving your country, or write: Microsoft Sales Information Center/One Microsoft Way/Redmond, WA 98052-6399.

Si vous avez acquis votre produit Microsoft au CANADA, la garantie limit,e suivante vous concerne:

EXCLUSION DE GARANTIES. Microsoft renonce entiřrement ... toute garantie pour le LOGICIEL. Le LOGICIEL et toute autre documentation s'y rapportant sont fournis @ comme tels ` sans aucune garantie quelle qu'elle soit, expresse ou implicite, y compris, mais ne se limitant pas aux garanties implicites de la qualit, marchande ou un usage particulier. Le risque total d,coulant de l'utilisation ou de la performance du LOGICIEL est entre vos mains.

RESPONSABILIT LIMITE. La seule obligation de Microsoft et votre recours exclusif concernant ce contrat n'excderont pas cinq dollare (US\$5.00).

ABSENCE DE RESPONSABILIT POUR LES DOMMAGES INDIRECTS. Microsoft ou ses fournisseurs ne pourront tre tenus responsables en aucune circonstance de tout dommage quel qu'il soit (y compris mais non de faon limitative les dommages directs ou indirects caus,s par la perte de b,n,fices commerciaux, l'interruption des affaires, la perte d'information commerciale ou toute autre perte p,cuniaire) r,sultant de l'utilisation ou de l'impossibilit, d'utilisation de ce produit, et ce, mme si la soci,t, Microsoft a ,t, avis,e de l',ventualit, de tels dommages. Certains ,tats/juridictions ne permettent pas l'exclusion ou la limitation de responsabilit, relative aux dommages indirects ou cons,cutifs, et la limitation ci-dessus peut ne pas s'appliquer ... votre ,gard. La pr,sente Convention est r,gie par les lois de la province d'Ontario, Canada. Chacune des parties ... la pr,sente reconnat irr,vocablement la comp,tence des tribunaux de la province d'Ontario et consent ... instituer tout litige qui pourrait d,couler de la pr,sente

auprès des tribunaux situés dans le district judiciaire de York, province d'Ontario. Au cas où vous auriez des questions concernant cette licence ou que vous désiriez vous mettre en rapport avec Microsoft pour quelque raison que ce soit, veuillez contacter la succursale Microsoft desservant votre pays, dont l'adresse est fournie dans ce produit, ou écrire à : Microsoft Customer Sales and Service, One Microsoft Way, Redmond, Washington 98052 6399.

Methods.h

```

/*      FILE:          METHODS.H
 *
 *      TPC-C Kit Ver. 4.20.000
 *      Copyright
 *      Microsoft, 1999
 *      All Rights Reserved
 *
 *      not yet
 *      audited
 *
 *      PURPOSE:      Header file for COM components.
 *
 *      Change history:
 *      4.20.000 - first version
 */

enum COMPONENT_ERROR
{
    ERR_MISSING_REGISTRY_ENTRIES = 1,
    ERR_LOADDLL_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_UNKNOWN_DB_PROTOCOL
};

class CCOMPONENT_ERR : public CBaseErr
{
public:
    CCOMPONENT_ERR(COMPONENT_ERROR
Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    };

    CCOMPONENT_ERR(COMPONENT_ERROR
Err, char *szTextDetail, DWORD dwSystemErr)
    {
        m_Error = Err;

```

```

        m_szTextDetail = new
char[strlen(szTextDetail)+1];
        strcpy( m_szTextDetail,
szTextDetail );
        m_SystemErr =
dwSystemErr;
        m_szErrorText = NULL;
    };

~CCOMPONENT_ERR()
{
    if (m_szTextDetail !=
NULL)
        delete []
m_szTextDetail;
    if (m_szErrorText !=
NULL)
        delete []
m_szErrorText;
};

    COMPONENT_ERROR    m_Error;
    char                *m_szTextDetail;
    char                *m_szErrorText;
    DWORD               m_SystemErr;

    int ErrorType() {return
ERR_TYPE_COMPONENT;};
    int ErrorNum() {return m_Error;};
    char *ErrorText();
};

static void WriteMessageToEventLog(LPTSTR lpszMsg);

////////////////////////////////////
// CTPCC_Common
class CTPCC_Common :
public ITPCC,
public IObjectControl,
public IObjectConstruct,
public
CComObjectRootEx<CComSingleThreadModel>
{
public:
    BEGIN_COM_MAP(CTPCC_Common)
        COM_INTERFACE_ENTRY(ITPCC)
        COM_INTERFACE_ENTRY(IObjectControl)
        COM_INTERFACE_ENTRY(IObjectConstruct)
    END_COM_MAP()

    CTPCC_Common();
    ~CTPCC_Common();

// ITPCC
public:
    HRESULT __stdcall NewOrder(
    VARIANT txn_in, VARIANT* txn_out);

```

```

    HRESULT __stdcall Payment(
    VARIANT txn_in, VARIANT* txn_out);
    HRESULT __stdcall Delivery(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out);
    HRESULT __stdcall OrderStatus(
    VARIANT txn_in, VARIANT* txn_out);
    HRESULT __stdcall CallSetComplete();

// IObjectControl
    STDMETHODCALLTYPE CanBePooled() { return
m_bCanBePooled; }
    STDMETHODCALLTYPE Activate() { return S_OK; }
    // we don't support COM Services
    transactions (no enlistment)
    STDMETHODCALLTYPE Deactivate() { /*
nothing to do */ }

// IObjectConstruct
    STDMETHODCALLTYPE Construct(IDispatch * pUnk);

// helper methods
private:
    BOOL                m_bCanBePooled;
    CTPCC_BASE         *m_pTxn;

    struct COM_DATA
    {
        int retval;
        int error;
        union
        {
            NEW_ORDER_DATA
            NewOrder;
            PAYMENT_DATA
            Payment;
            DELIVERY_DATA
            Delivery;
            STOCK_LEVEL_DATA
            StockLevel;
            ORDER_STATUS_DATA
            OrderStatus;
        } u;
    };

////////////////////////////////////
// CTPCC
class CTPCC :
public CTPCC_Common,
public CComCoClass<CTPCC, &CLSID_TPCC>
{
public:
    DECLARE_REGISTRY_RESOURCEID(IDR_TPCC)

    BEGIN_COM_MAP(CTPCC)
        COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)

```

```

        COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP ()
};

////////////////////////////////////
////////////////////////////////////
// CNewOrder
class CNewOrder :
    public CTPCC_Common,
    public CComCoClass<CNewOrder,
&CLSID_NewOrder>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_NEWORDER)

BEGIN_COM_MAP(CNewOrder)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP ()

// ITPCC
public:
//      HRESULT __stdcall NewOrder(
//          VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
      HRESULT __stdcall Payment(
//          VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
      HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
      HRESULT __stdcall OrderStatus(
//          VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

////////////////////////////////////
////////////////////////////////////
// COrderStatus
class COrderStatus :
    public CTPCC_Common,
    public CComCoClass<COrderStatus,
&CLSID_OrderStatus>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_ORDERSTATUS)

BEGIN_COM_MAP(COrderStatus)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP ()

// ITPCC
public:
      HRESULT __stdcall NewOrder(
//          VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}

```

```

      HRESULT __stdcall Payment(
//          VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
      HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
//      HRESULT __stdcall OrderStatus(
//          VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

////////////////////////////////////
////////////////////////////////////
// CPayment
class CPayment :
    public CTPCC_Common,
    public CComCoClass<CPayment,
&CLSID_Payment>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_PAYMENT)

BEGIN_COM_MAP(CPayment)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP ()

// ITPCC
public:
      HRESULT __stdcall NewOrder(
//          VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
//      HRESULT __stdcall Payment(
//          VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
      HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
      HRESULT __stdcall OrderStatus(
//          VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

////////////////////////////////////
////////////////////////////////////
// CStockLevel
class CStockLevel :
    public CTPCC_Common,
    public CComCoClass<CStockLevel,
&CLSID_StockLevel>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_STOCKLEVEL)

BEGIN_COM_MAP(CStockLevel)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP ()

// ITPCC
public:

```

```

      HRESULT __stdcall NewOrder(
//          VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
      HRESULT __stdcall Payment(
//          VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
//      HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
      HRESULT __stdcall OrderStatus(
//          VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

```

mon_client.c

```

/*
 *      mon_client.c
 *
 */

#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <stdarg.h>
#include <time.h>
#include <pthread.h>
#include <tpm/mon/mon.h>
#include <utils/trace.h>
#include "../include/delivery.h"
#include "../include/neworder.h"
#include "../include/payment.h"
#include "../include/stocklevel.h"
#include "../include/orderstatus.h"
#include "../include/tpcc_type.h"
#include "mon_client.h"
#include "client_utils.h"

extern total_tran_count_t *perfClntDataInit();
static void read_mon_environment(void);

static char *cellName;
static int envRetrieval = 0;
static int useSecurity = FALSE;
static CRITICAL_SECTION init_lock;
static total_tran_count_t *pClientInfo=NULL; /*
keep stats for the client process */
static num_active_threads = 0;
static int iStatsFrequency = 1;
FILE *errtpcc;
char *errFile = "C:/temp/tpcc_encina.out";
enc_status_t enc_status;

#define NewOrder_code      NEWO_TRANS
#define Payment_code      PAYMENT_TRANS
#define OrderStatus_code  ORDER_STAT_TRANS
#define Delivery_code     DELIVERY_TRANS
#define StockLevel_code   STOCK_TRANS

#define INT_ENV_VALUE(var, default) \

```

```

(var = getenv(#var) ? atoi(getenv(#var)) : default)
#define PRE_RPC_WORK(headerP, tran, sub_tran) \
    if (iStatsFrequency > 0) \
        pre_rpc(headerP, tran, sub_tran);
\
    else
        \
            (headerP->stats = 0;
#define POST_RPC_WORK(headerP, tran) \
    if (iStatsFrequency > 0) \
        post_rpc(headerP, tran)

/* CALTPCC
 * Macro to sends 1 RPC and then handles any errors.
 *
 * The macro takes the name of the RPC (e.g.,
NewOrder)
 * and makes the RPC by calling the appropriate
function
 * (e.g., impTPCCNewOrder).
 */
#define
CALLTPCC(name,length,dataP,header,trpcStatusP)
\
{
\
UTIL_CONCAT(impTPCC,name)(length,dataP,&header,trpcStat
atusP);
\
    if (*(trpcStatusP)) {
\
        char msg[100];
\
        sprintf(msg, "TRPC error during impTPCC%s",
UTIL_STRING(name));
\
        header.returncode = TRPC_ERROR;
\
        encina_error_message(msg, *(trpcStatusP));
\
    } else if ((header.returncode != TPCC_SUCCESS) &&
\
        (header.returncode != INVALID_NEWO)) {
\
        char msg[100];
\
        sprintf(msg, "App error during impTPCC%s: ",
UTIL_STRING(name));
\
        encina_error_message(msg, header.returncode);
\
    }
\
}
\
/*
 * pre_rpc -- For debug purposes
 *
 * Called before an RPC is made.
 * Set the state of the thread and keep track of the
time the RPC is sent.
 * This is used by the Background thread to report
the state of the client.
 */

```

```

static void pre_rpc(data_header *headerP,
                    int tran_type,
                    int sub_tran_type)
{
    if (iStatsFrequency < 1) {
        headerP->stats = 0;
    } else {
        int num;
        num = ++ (pClientInfo->tran[tran_type].num);
        headerP->stats = (num % iStatsFrequency==0) ?
1 : 0;
        if (headerP->stats)
            { /* measure the time for RT */
                get_local_time(&headerP->clnt_start);
                headerP->srv_start.sec = 0; /*
initialize the server time */
                headerP->srv_start.usec = 0;
                headerP->srv_end.sec = 0;
                headerP->srv_end.usec = 0;
            }
    }
}
/*
 * post_rpc
 *
 * Called when the RPC returns from the server
 *
 * Keeps track of the client response time and the
server response time
 * as well as the state of the thread. This is used
by the background
 * debug thread to report the state of the client
 */
static void post_rpc(data_header *headerP,
                    int tran_type)
{
    double time_diff;
    int tran_failed;
    struct timeval start_time, end_time;

    if (headerP->stats)
        get_local_time(&headerP->
>clnt_end);
    else
        return;

    /* Store the info for each client.
 * Note: Since we don't use mutex for performance
reason, pClientInfo
 * may not be accurate if more than one
thread work on the same
 * data at a same time. But this should
give us reasonable info.
 */
    if ((headerP->returncode == TPCC_SUCCESS) ||
        (headerP->returncode == INVALID_NEWO)) {
        tran_failed = 0;
    } else {
        pClientInfo->tran[tran_type].errs ++;
        pClientInfo->errors ++;
        tran_failed = 1;
    }
}

```

```

    }
    if (headerP->stats && tran_type <= MAX_TRAN_TYPE
&& tran_type > 0
        && !tran_failed) {
        /* update total server round trip response
time */
        start_time.tv_sec = headerP->
>srv_start.sec;
        start_time.tv_usec = headerP->
>srv_start.usec;
        end_time.tv_sec = headerP->srv_end.sec;
        end_time.tv_usec = headerP->srv_end.usec;
        time_diff = time_diff_ms(&end_time,
&start_time);
        pClientInfo->tran[tran_type].RTtotal[1] +=
time_diff;
        DPRINT(("srv start_time %d.%d, end_time
%d.%d, time_diff %f\n",
start_time.tv_usec,
start_time.tv_sec,
end_time.tv_usec,
end_time.tv_sec,
time_diff));
        /* update total client round trip response
time */
        start_time.tv_sec = headerP->
>clnt_start.sec;
        start_time.tv_usec = headerP->
>clnt_start.usec;
        end_time.tv_sec = headerP->clnt_end.sec;
        end_time.tv_usec = headerP->
>clnt_end.usec;
        time_diff = time_diff_ms(&end_time,
&start_time);
        pClientInfo->tran[tran_type].RTtotal[0] +=
time_diff;
        DPRINT(("clnt start_time %d.%d, end_time
%d.%d, time_diff %f\n",
start_time.tv_usec,
start_time.tv_sec,
end_time.tv_usec,
end_time.tv_sec,
time_diff));
        /* update num for the number of trans
which have RT measured */
        pClientInfo->tran[tran_type].RTcount ++;
    }
}
/*
 * The following send*** functions are called from
CIPCC_ENCINA class.
 *
 */
/*
 * send_new_order
 * Send a new order request to the server
 */
int send_new_order(long length, unsigned char *dataP)

```

```

{
    trpc_status_t trpcStatus;
    data_header header;

    PRE_RPC_WORK(&header, NEWO_TRANS, 0);

CALLTPCC(NewOrder,length,dataP,header,&trpcStatus)
    POST_RPC_WORK(&header, NEWO_TRANS);
    if (header.returncode == INVALID_NEWO)
        return TPCC_SUCCESS;
    else
        return header.returncode;
}

/*
 * send_payment
 * Send a payment request to the server
 */
int send_payment(long length, unsigned char *dataP)
{
    trpc_status_t trpcStatus;
    data_header header;

    PRE_RPC_WORK(&header, PAYMENT_TRANS, 0);

CALLTPCC(Payment,length,dataP,header,&trpcStatus);
    POST_RPC_WORK(&header, PAYMENT_TRANS);
    return header.returncode;
}

/*
 * send_order_status
 * Send a order status request to the server
 */
int send_order_status(long length, unsigned char *dataP)
{
    trpc_status_t trpcStatus;
    data_header header;

    PRE_RPC_WORK(&header, ORDER_STAT_TRANS, 0);

CALLTPCC(OrderStatus,length,dataP,header,&trpcStatus)
;
    POST_RPC_WORK(&header, ORDER_STAT_TRANS);
    return header.returncode;
}

/*
 * send_delivery
 * Send a delivery request to the server
 */
int send_delivery(long length, unsigned char *dataP)
{
    trpc_status_t trpcStatus;
    data_header header;

    PRE_RPC_WORK(&header, DELIVERY_TRANS, 0);

CALLTPCC(Delivery,length,dataP,header,&trpcStatus);
    POST_RPC_WORK(&header, DELIVERY_TRANS);
    return header.returncode;
}

```

```

/*
 * send_stock_level
 * Send a stock level request to the server
 */
int send_stock_level(long length, unsigned char *dataP)
{
    trpc_status_t trpcStatus;
    data_header header;

    PRE_RPC_WORK(&header, STOCK_TRANS, 0);

CALLTPCC(StockLevel,length,dataP,header,&trpcStatus);
    POST_RPC_WORK(&header, STOCK_TRANS);
    return header.returncode;
}

/*
 * Enroll the client:
 * get the necessary handles.
 * This function should be called only once. Use
static var client_enrolled to control it.
 */
void enroll_client()
{
    static char *clientName="tpcc_client";
    unsigned long status ;
    static int client_enrolled = 0;
    unsigned32 client_authnLevel;
    unsigned32 client_authzSvc;
    time_type a_time;
    char err_msg[100];

    MUTEX_INIT(&init_lock);
    get_local_time(&a_time);
    srand(a_time.sec ^ a_time.usec);

    MUTEX_LOCK(&init_lock);
    if (client_enrolled) {
        MUTEX_UNLOCK(&init_lock);
        return;
    }

    /* open output file for tracing */
    errtpcc = fopen(errFile, "w");
    if(!errtpcc)
    {
        sprintf(err_msg, "Cannot open
file %s", errFile);
        CHK_STATUS(1,
ERRROUT_FILE_NOT_FOUND,err_msg);
    }

    get_time_init();
    // initialize the space for perfmon
    pClientInfo = perfClntDataInit();
    if (pClientInfo == NULL) // in case something
wrong
        pClientInfo =
        malloc(sizeof(total_tran_count_t));

```

```

memset(pClientInfo, 0,
sizeof(total_tran_count_t));

read_mon_environment();

if(!cellName)
    CHK_STATUS(30, CELL_NAME_UNAVAILABLE,
"ENCINA_TPM_CELL is not set!");

if (useSecurity) {
    client_authnLevel =
rpc_c_protect_level_connect;
    client_authzSvc =
rpc_c_authz_dce;
} else {
    client_authnLevel =
rpc_c_protect_level_none;
    client_authzSvc =
rpc_c_authz_none;
}

if (envRetrieval == 0) {
ENCINA_CALL_RC("mon_RetrieveEnable",mon_RetrieveEnabl
e(FALSE),status);
    CHK_STATUS(status, MON_RETRIEVEENABLE_FAILED,
"mon_RetrieveEnable failed");
}

err_printf("enroll_client: calling mon_InitClient
\n");

ENCINA_CALL_RC("mon_InitClient",mon_InitClient(client
Name,cellName),status);
    CHK_STATUS(status, MON_INITCLIENT_FAILED,
"mon_InitClient failed");

DPRINT(("mon_SecuritySetDefaults-> authn %d,
authz %d\n",
client_authnLevel, client_authzSvc));
ENCINA_CALL_RC("mon_SecuritySetDefaults",
mon_SecuritySetDefaults(client_authnLevel,c
lient_authzSvc),
status);
    CHK_STATUS(status, MON_SECURITYSET_FAILED,
"mon_SecuritySetDefaults failed");

ENCINA_CALL_RC("mon_SetHandleCacheRefreshInterval",
mon_SetHandleCacheRefreshInterval(300),
status);
    CHK_STATUS(status, MON_SETREFRESHINTERVAL_FAILED,
"mon_SetHandleCacheRefreshInterval
failed");

{
    dbInfo_data_t data;
    trpc_status_t trpcStatus;
    /* Get DB Info -- currently id does not do
anything

```

```

        but it will tell us if there is a server
out there.
Better to know instead of when all the
terminals
are up and ready
*/
    impTPCCNOInfo(&data, &trpcStatus);
    if (trpcStatus) {
        char msg[100];
        sprintf(msg, "TRPC error during db info
at init.");
        encina_error_message(msg, trpcStatus);
        CHK_STATUS(33, NOINFO_TRPC_ERROR,
            "TRPC error during db info at
init");
    }
}

client_enrolled = 1;
MUTEX_UNLOCK(&init_lock);
err_printf("end of enroll_client\n");
}

/*-----*/
/*      Read environment paramaters and registry
entries      */
/*-----*/
static void read_mon_environment()
{
    char *env_str;
    char *registryKey =
"SOFTWARE\\TransarcCorporation\\TxTpcpc";
    HKEY hKey;
    DWORD size;
    DWORD type;
    char szTmp[256];

    cellName = getenv("ENCINA_TPM_CELL");
    CHECK_ENVIRON(cellName, "ENCINA_TPM_CELL");

    if (env_str = getenv("TPCC_ENV_RETRIEVE")) {
        envRetrieval = atoi(env_str);
    }

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
registryKey, 0, KEY_READ, &hKey) != ERROR_SUCCESS )
        return;

    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "StatsFrequency", 0,
&type, szTmp, &size)==ERROR_SUCCESS)
        iStatsFrequency = atoi(szTmp);

    RegCloseKey(hKey);
}

```

mon_client.h

```

/*
 *      mon_client.h
 *
 */

#ifndef MON_CLIENT_H
#define MON_CLIENT_H

#define MUTEX_T CRITICAL_SECTION
#define MUTEX_LOCK(a) EnterCriticalSection(a)
#define MUTEX_UNLOCK(a) LeaveCriticalSection(a)
#define MUTEX_INIT(mut)
InitializeCriticalSection(mut)
#define MUTEX_DESTROY(mut) DeleteCriticalSection(mut)
#define ERRROUT errtpcc

/*initialization status */
#define INIT_SUCCESS 0
#define INIT_FAILED 1
#define CELL_NAME_UNAVAILABLE 2
#define MON_RETRIEVEENABLE_FAILED 3
#define MON_INITCLIENT_FAILED 4
#define MON_SECURITYSET_FAILED 5
#define MON_SETREFRESHINTERVAL_FAILED 6
#define NOINFO_TRPC_ERROR 7
#define ENROLL_CLIENT_EXCEPTION 8
#define ERRROUT_FILE_NOT_FOUND 9
#define LOG_FILE_NOT_FOUND 10
#define TPCC_KEY_NOT_FOUND 11
#define TERM_ALLOC_FAILED 12

/*
 *      Routines and declarations that are common to all
clients
 */
#ifdef __cplusplus
extern "C" {
#endif
int send_new_order(long, unsigned char *);
int send_payment(long, unsigned char *);
int send_order_status(long, unsigned char *);
int send_delivery(long, unsigned char *);
int send_stock_level(long, unsigned char *);
void enroll_client();
#ifdef __cplusplus
}
#endif

#endif /* MON_CLIENT_H */

```

neworder.h

```

#ifndef TRANSARC_neworder_h
#define TRANSARC_neworder_h

#include <trpc/trpc.h>

```

```

#include "_neworder.h"

#include <encina/c_prologue.h>

#ifdef BUILDDLL
#define DLLEXPORT __declspec( dllexport )
#else
#define DLLEXPORT extern
#endif

#ifdef ENCINA_STUB_CALLING
#define ENCINA_STUB_CALLING ENCINA_RPC_CALLING
#endif

#define neworder_v1_0_c_ifspec
    _neworder_v1_0_c_ifspec
#define neworder_v1_0_s_ifspec
    _neworder_v1_0_s_ifspec

typedef struct neworder_v1_0_epv {
void (ENCINA_STUB_CALLING *impTPCCNewOrder) (
#ifdef IDL_PROTOTYPES

        idl_long_int length,
        idl_char *dataP,
        data_header *headerP,
        trpc_status_t *trpcStatus

#endif
);

void (ENCINA_STUB_CALLING *impTPCCNOInfo) (
#ifdef IDL_PROTOTYPES

        dbInfo_data_t *dataP,
        trpc_status_t *trpcStatus

#endif
);

} neworder_v1_0_epv_t;

DLLEXPORT void ENCINA_STUB_CALLING impTPCCNewOrder (
#ifdef IDL_PROTOTYPES

        idl_long_int length,
        idl_char *dataP,
        data_header *headerP,
        trpc_status_t *trpcStatus

#endif
);

DLLEXPORT void ENCINA_STUB_CALLING impTPCCNOInfo (
#ifdef IDL_PROTOTYPES

        dbInfo_data_t *dataP,
        trpc_status_t *trpcStatus

#endif
);

trpc_handle_t      ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES

        mon_handle_t      handle,
        trpc_tranInfo_t   *tranInfoP,

```

```

        trpc_ifSpec_t *ifSpecP
#endif
    );
};

void ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
    mon_handle_t handle,
    trpc_handle_t trpcHandle,
    trpc_tranInfo_t *tranInfoP,
    trpc_ifSpec_t *ifSpecP
#endif
);

trpc_handle_t ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
    mon_handle_t handle,
    trpc_tranInfo_t *tranInfoP,
    trpc_ifSpec_t *ifSpecP
#endif
);

void ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
    mon_handle_t handle,
    trpc_handle_t trpcHandle,
    trpc_tranInfo_t *tranInfoP,
    trpc_ifSpec_t *ifSpecP
#endif
);

extern neworder_v1_0_epv_t
    neworder_v1_0_client_epv;
extern _neworder_v1_0_epv_t
    neworder_v1_0_manager_epv;
extern rpc_mgr_epv_t
    neworder_v1_0_mgr_epv;

#include <encina/c_epilogue.h>
#endif /* TRANSARC_neworder_h */

```

orderstatus.h

```

#ifdef TRANSARC_orderstatus_h
#define TRANSARC_orderstatus_h

#include <trpc/trpc.h>
#include "_orderstatus.h"

#include <encina/c_prologue.h>

#if defined(BUILDDLL)
#define DLLEXPORT __declspec( dllexport )
#else
#define DLLEXPORT extern
#endif

#ifdef ENCINA_STUB_CALLING
#define ENCINA_STUB_CALLING ENCINA_RPC_CALLING
#endif

```

```

#define orderstatus_v1_0_c_ifspec
    _orderstatus_v1_0_c_ifspec
#define orderstatus_v1_0_s_ifspec
    _orderstatus_v1_0_s_ifspec

typedef struct orderstatus_v1_0_epv {
    void (ENCINA_STUB_CALLING *impTPCCOrderStatus) (

        idl_long_int length,
        idl_char *dataP,
        data_header *headerP,
        trpc_status_t *trpcStatus
    );
};

} orderstatus_v1_0_epv_t;

DLLEXPORT void ENCINA_STUB_CALLING impTPCCOrderStatus (
#ifdef IDL_PROTOTYPES
    idl_long_int length,
    idl_char *dataP,
    data_header *headerP,
    trpc_status_t *trpcStatus
#endif
);

trpc_handle_t ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
    mon_handle_t handle,
    trpc_tranInfo_t *tranInfoP,
    trpc_ifSpec_t *ifSpecP
#endif
);

void ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
    mon_handle_t handle,
    trpc_handle_t trpcHandle,
    trpc_tranInfo_t *tranInfoP,
    trpc_ifSpec_t *ifSpecP
#endif
);

trpc_handle_t ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
    mon_handle_t handle,
    trpc_tranInfo_t *tranInfoP,
    trpc_ifSpec_t *ifSpecP
#endif
);

void ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
    mon_handle_t handle,
    trpc_handle_t trpcHandle,
    trpc_tranInfo_t *tranInfoP,
    trpc_ifSpec_t *ifSpecP

```

```

#endif
    );

extern orderstatus_v1_0_epv_t
    orderstatus_v1_0_client_epv;
extern _orderstatus_v1_0_epv_t
    orderstatus_v1_0_manager_epv;
extern rpc_mgr_epv_t
    orderstatus_v1_0_mgr_epv;

#include <encina/c_epilogue.h>
#endif /* TRANSARC_orderstatus_h */

```

payment.h

```

#ifdef TRANSARC_payment_h
#define TRANSARC_payment_h

#include <trpc/trpc.h>
#include "_payment.h"

#include <encina/c_prologue.h>

#if defined(BUILDDLL)
#define DLLEXPORT __declspec( dllexport )
#else
#define DLLEXPORT extern
#endif

#ifdef ENCINA_STUB_CALLING
#define ENCINA_STUB_CALLING ENCINA_RPC_CALLING
#endif

#define payment_v1_0_c_ifspec _payment_v1_0_c_ifspec
#define payment_v1_0_s_ifspec _payment_v1_0_s_ifspec

typedef struct payment_v1_0_epv {
    void (ENCINA_STUB_CALLING *impTPCCPayment) (
#ifdef IDL_PROTOTYPES
        idl_long_int length,
        idl_char *dataP,
        data_header *headerP,
        trpc_status_t *trpcStatus
    );
};

} payment_v1_0_epv_t;

DLLEXPORT void ENCINA_STUB_CALLING impTPCCPayment (
#ifdef IDL_PROTOTYPES
    idl_long_int length,
    idl_char *dataP,
    data_header *headerP,
    trpc_status_t *trpcStatus
#endif
);

```

```

trpc_handle_t      ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
    mon_handle_t      handle,
    trpc_tranInfo_t   *tranInfoP,
    trpc_ifSpec_t     *ifSpecP
#endif
);

void      ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
    mon_handle_t      handle,
    trpc_handle_t     trpcHandle,
    trpc_tranInfo_t   *tranInfoP,
    trpc_ifSpec_t     *ifSpecP
#endif
);

trpc_handle_t      ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
    mon_handle_t      handle,
    trpc_tranInfo_t   *tranInfoP,
    trpc_ifSpec_t     *ifSpecP
#endif
);

void      ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
    mon_handle_t      handle,
    trpc_handle_t     trpcHandle,
    trpc_tranInfo_t   *tranInfoP,
    trpc_ifSpec_t     *ifSpecP
#endif
);

extern payment_v1_0_epv_t
    payment_v1_0_client_epv;
extern _payment_v1_0_epv_t
    payment_v1_0_manager_epv;
extern rpc_mgr_epv_t
    payment_v1_0_mgr_epv;

#include <encina/c_epilogue.h>
#endif /* TRANSARC_payment_h */

```

ReadRegistry.cpp

```

/*      FILE:          READREGISTRY.CPP
 *
 *      TPC-C Kit Ver. 4.20.000
 *
 *      Microsoft
 *
 *      Copyright
 *      Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *
 *      not yet
 *
 *      audited
 *
 *      PURPOSE:  Implementation for TPC-C Tuxedo
class.

```

```

 *      Contact:  Charles Levine
 *      (clevine@microsoft.com)
 *
 *      *
 *      Change history:
 *      *          4.20.000 - first version
 *      */

/* FUNCTION: ReadTPCCRegistrySettings
 *
 * PURPOSE:      This function reads the NT
 * registry for startup parameters. There parameters are
 *               under the TPCC key.
 *
 * RETURNS      FALSE = no errors
 *               TRUE  = error reading
registry
 */
BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg
)
{
    HKEY    hKey;
    DWORD  size;
    DWORD  type;
    DWORD  dwTmp;
    char   szTmp[256];

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\\Microsoft\\TPCC", 0, KEY_READ, &hKey) !=
ERROR_SUCCESS )
        return TRUE;

    // determine database protocol to use; may
be either ODBC or DBLIB
    pReg->eDB_Protocol = Unspecified;
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "DB_Protocol",
0, &type, (BYTE *)&szTmp, &size) == ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp,
szDBNames[ODBC]) )
            pReg->eDB_Protocol =
ODBC;
        else if ( !strcmp(szTmp,
szDBNames[DBLIB]) )
            pReg->eDB_Protocol =
DBLIB;
    }

    pReg->eTxnMon = None;
    // determine txn monitor to use; may be
either TUXEDO, or blank
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "TxnMonitor", 0,
&type, (BYTE *)&szTmp, &size) == ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp,
szTxnMonNames[TUXEDO]) )
            pReg->eTxnMon = TUXEDO;
        else if ( !strcmp(szTmp,
szTxnMonNames[ENCINA]) )
            pReg->eTxnMon = ENCINA;

```

```

    else if ( !strcmp(szTmp,
szTxnMonNames[COM]) )
        pReg->eTxnMon = COM;
    }

    pReg->bCOM_SinglePool = FALSE;
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey,
"COM_SinglePool", 0, &type, (BYTE *)&szTmp, &size) ==
ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp, "YES") )
            pReg->bCOM_SinglePool =
TRUE;
    }

    pReg->dwMaxConnections = 0;
    size = sizeof(dwTmp);
    if ( ( RegQueryValueEx(hKey,
"MaxConnections", 0, &type, (LPBYTE)&dwTmp, &size) ==
ERROR_SUCCESS )
        && (type == REG_DWORD) )
        pReg->dwMaxConnections = dwTmp;

    pReg->dwMaxPendingDeliveries = 0;
    size = sizeof(dwTmp);
    if ( ( RegQueryValueEx(hKey,
"MaxPendingDeliveries", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )
        && (type == REG_DWORD) )
        pReg->dwMaxPendingDeliveries =
dwTmp;

    pReg->dwNumberOfDeliveryThreads = 0;
    size = sizeof(dwTmp);
    if ( ( RegQueryValueEx(hKey,
"NumberOfDeliveryThreads", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )
        && (type == REG_DWORD) )
        pReg->dwNumberOfDeliveryThreads =
dwTmp;

    size = sizeof( pReg->szPath );
    if ( RegQueryValueEx(hKey, "Path", 0,
&type, (BYTE *)&pReg->szPath, &size) != ERROR_SUCCESS
)
        pReg->szPath[0] = 0;

    size = sizeof( pReg->szDbServer );
    if ( RegQueryValueEx(hKey, "DbServer", 0,
&type, (BYTE *)&pReg->szDbServer, &size) !=
ERROR_SUCCESS )
        pReg->szDbServer[0] = 0;

    size = sizeof( pReg->szDbName );
    if ( RegQueryValueEx(hKey, "DbName", 0,
&type, (BYTE *)&pReg->szDbName, &size) !=
ERROR_SUCCESS )
        pReg->szDbName[0] = 0;

    size = sizeof( pReg->szDbUser );

```

```

        if ( RegQueryValueEx(hKey, "DbUser", 0,
&type, (BYTE *)&pReg->szDbUser, &size) !=
ERROR_SUCCESS )
            pReg->szDbUser[0] = 0;

        size = sizeof( pReg->szDbPassword );
        if ( RegQueryValueEx(hKey, "DbPassword", 0,
&type, (BYTE *)&pReg->szDbPassword, &size) !=
ERROR_SUCCESS )
            pReg->szDbPassword[0] = 0;

        RegCloseKey(hKey);

        return FALSE;
}

```

ReadRegistry.h

```

/*      FILE:          ReadRegistry.h
*      Microsoft
TPC-C Kit Ver. 4.20.000
*      Copyright
Microsoft, 1999
*      All Rights Reserved
*
*      not audited
*
*      PURPOSE:  Header for registry related code.
*
*      Change history:
*      4.20.000 - first version
*/

enum DBPROTOCOL { Unspecified, ODBC, DBLIB };
const char *szDBNames[] = { "Unspecified", "ODBC",
"DBLIB" };

enum TXNMON { None, TUXEDO, ENCINA, COM };
const char *szTxnMonNames[] = { "NONE", "TUXEDO",
"ENCINA", "COM" };

//This structure defines the data necessary to keep
distinct for each terminal or client connection.
typedef struct _TPCCREGISTRYDATA
{
    enum DBPROTOCOL eDB_Protocol;
    enum TXNMON eTxnMon;
    BOOL bCOM_SinglePool;
    DWORD dwMaxConnections;
    DWORD dwMaxPendingDeliveries;
    DWORD dwNumberOfDeliveryThreads;
    char szPath[128];
    char szDbServer[32];
    char szDbName[32];
    char szDbUser[32];
    char szDbPassword[32];
} TPCCREGISTRYDATA, *PTPCCREGISTRYDATA;

BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg
);

```

RESOURCE.H

```

//((NO_DEPENDENCIES))
// Microsoft Developer Studio generated include file.
// Used by install.rc
//
#define IDD_DIALOG1          101
#define IDI_ICON1           102
#define IDR_TPCCDLL         103
#define IDD_DIALOG2        105
#define IDI_ICON2           106
#define IDR_DELIVERY        107
#define IDD_DIALOG3        108
#define IDR_LICENSE1       112
#define IDD_DIALOG4        113
#define IDR_TPCCOBJ1       117
#define IDR_TPCCSTUB1      118
#define IDR_DBLIB_DLL       122
#define IDR_ODBC_DLL        123
#define IDR_TUXEDO_APP      124
#define IDR_TUXEDO_DLL      125
#define IDR_COM_DLL         126
#define IDR_COMPS_DLL       127
#define IDR_COMALL_DLL      128
#define IDR_COMTYPLIB_DLL  129
#define BN_LOG              1001
#define ED_KEEP             1002
#define ED_THREADS          1003
#define ED_THREADS2         1004
#define IDC_PATH            1007
#define IDC_VERSION         1009
#define IDC_RESULTS         1010
#define IDC_PROGRESS1       1011
#define IDC_STATUS          1012
#define IDC_BUTTON1         1013
#define ED_MAXCONNECTION   1014
#define ED_IIS_MAX_THREAD_POOL_LIMIT 1015
#define ED_MAXDELIVERIES   1016
#define ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE 1017
#define ED_IIS_THREAD_TIMEOUT 1018
#define ED_IIS_LISTEN_BACKLOG 1019
#define IDC_DBLIB           1021
#define IDC_LICENSE         1022
#define IDC_ODBC            1022
#define IDC_CONNECT_POOL   1023
#define ED_DB_SERVER        1023
#define ED_USER_CONNECT_DELAY_TIME 1024
#define ED_DB_USER_ID       1024
#define IDC_MTS              1025
#define IDC_TM_MTS          1025
#define IDC_TM_TUXEDO       1026
#define IDC_TM_NONE         1027
#define ED_DB_PASSWORD      1028
#define ED_DB_NAME          1029
#define IDC_TM_ENCINA       1030

// Next default values for new objects
//
#ifdef APSTUDIO_INVOKED
#ifdef APSTUDIO_READONLY_SYMBOLS
#define _APS_NEXT_RESOURCE_VALUE          130

```

```

#define _APS_NEXT_COMMAND_VALUE          40001
#define _APS_NEXT_CONTROL_VALUE          1031
#define _APS_NEXT_SYMED_VALUE           101
#endif
#endif

```

rtetime.h

```

/* FILE: rtetime.h : header file
* Copyright 1997 Microsoft Corp., All rights
reserved.
*
* Source code licensed to Tandem Computers for
Internal
* use only. Redistribution of source or object
files or
* any derivative works is prohibited. By agreement,
this
* notice may not be removed.
*
* Authors: Charles Levine, Philip Durr
*      Microsoft Corp.
*/

//FILE: RTETIME.H

#define MAX_JULIAN_TIME
0x7FFFFFFFFFFFFFFF
#define JULIAN_TIME __int64
#define TC_TIME      DWORD
extern "C"
{
    BOOL          InitJulianTime(LPSYSTEMTIME
lpInitTime);
    JULIAN_TIME  GetJulianTime(void);
    DWORD        MyTickCount(void);
    void          GetJulianAndTC(JULIAN_TIME
*pJulian, DWORD *pTC);
    JULIAN_TIME  ConvertTo64BitTime(int iYear, int
iMonth, int iDay, int iHour, int iMinute, int
iSecond);
    JULIAN_TIME  Get64BitTime(LPSYSTEMTIME
lpInitTime);
    int          JulianDay( int yr, int
mm, int dd );
    void          JulianToTime(JULIAN_TIME
julianTS, int* yr, int* mm, int* dd, int *hh, int
*mi, int *ss );
    void          JulianToCalendar( int day, int*
yr, int* mm, int* dd );
}

```

spinlock.h

```

/*      FILE:  SPINLOCK.H
*

```

```

* Copyright 1997 Microsoft Corp., All rights
reserved.
*
* Source code licensed to Tandem Computers for
Internal
* use only. Redistribution of source or object
files or
* any derivative works is prohibited. By agreement,
this
* notice may not be removed.
*
* Authors: Mike Parkes, Charles Levine, Philip Durr
* Microsoft Corp.
*/

#ifndef _INC_Spinlock

const LONG LockClosed = 1;
const LONG LockOpen = 0;

/*****
*
* Spinlock and Semaphore locking.
*
* This class provides a very
conservative locking scheme.
* The assumption behind the code is that
locks will be
* held for a very short time. When a
lock is taken a memory
* location is exchanged. All other
threads that want this
* lock wait by spinning and sometimes
sleeping on a semaphore
* until it becomes free again. The only
other choice is not
* to wait at all and move on to do
something else. This
* module should normally be used in
conjunction with cache
* aligned memory in minimize cache line
misses.
*
*****/

class Spinlock
{
// Private data.
HANDLE
Semaphore;
volatile LONG
m_Spinlock;
volatile LONG
Waiting;

#ifdef _DEBUG
// Counters for
debugging builds.
volatile LONG
TotalLocks;
#endif
};

```

```

volatile LONG
TotalSleeps;
volatile LONG
TotalSpins;
volatile LONG
TotalWaits;
#endif
public:
// Public functions.
Spinlock( void );
inline BOOL ClaimLock(
inline void
~Spinlock( void );
// Disabled operations.
Spinlock( const
void operator=( const
Spinlock & Copy );
private:
// Private functions.
inline BOOL
ClaimSpinlock( volatile LONG *sl );
void WaitForLock( void
void );
};

/*****
*
* A guaranteed atomic exchange.
*
* An attempt is made to claim the
Spinlock. This action is
* guaranteed to be atomic.
*
*****/

inline BOOL Spinlock::ClaimSpinlock(
volatile LONG *Spinlock )
{
#ifdef _DEBUG
InterlockedIncrement(
(LPLONG) & TotalLocks );
#endif
return ( (*Spinlock) ==
LockOpen) && (InterlockedExchange( (LPLONG) Spinlock,
LockClosed) == LockOpen) );
}

/*****
*
* Claim the Spinlock.
*****/

```

```

*
* Claim the lock if available else wait
or exit.
*
*****/

inline BOOL Spinlock::ClaimLock( BOOL Wait
)
{
if ( ! ClaimSpinlock( (volatile
LONG*) & m_Spinlock ) )
{
if ( Wait )
WaitForLock();
return Wait;
}
return TRUE;
}

/*****
*
* Release the Spinlock.
*
* Release the lock and if needed wakeup
any sleepers.
*
*****/

inline void Spinlock::ReleaseLock( void )
{
m_Spinlock = LockOpen;
if ( Waiting > 0 )
WakeAllSleepers();
}

#define _INC_Spinlock

#endif

```

stocklevel.h

```

#ifndef TRANSARC_stocklevel_h
#define TRANSARC_stocklevel_h

#include <trpc/trpc.h>
#include "_stocklevel.h"

#include <encina/c_prologue.h>

#ifdef BUILD DLL
#define DLLEXPORT __declspec( dllimport )
#else
#define DLLEXPORT extern
#endif

```

```

#ifndef ENCINA_STUB_CALLING
#define ENCINA_STUB_CALLING ENCINA_RPC_CALLING
#endif

#define stocklevel_v1_0_c_ifspec
      _stocklevel_v1_0_c_ifspec
#define stocklevel_v1_0_s_ifspec
      _stocklevel_v1_0_s_ifspec

typedef struct stocklevel_v1_0_epv {
void (ENCINA_STUB_CALLING *impTPCCStockLevel) (
#ifdef IDL_PROTOTYPES

      idl_long_int length,
      idl_char *dataP,
      data_header *headerP,
      trpc_status_t *trpcStatus

#endif
);

} stocklevel_v1_0_epv_t;

DLLEXPORT void ENCINA_STUB_CALLING impTPCCStockLevel
(
#ifdef IDL_PROTOTYPES

      idl_long_int length,
      idl_char *dataP,
      data_header *headerP,
      trpc_status_t *trpcStatus

#endif
);

trpc_handle_t      ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
      mon_handle_t      handle,
      trpc_tranInfo_t   *tranInfoP,
      trpc_ifSpec_t     *ifSpecP
#endif
);

void      ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
      mon_handle_t      handle,
      trpc_handle_t     trpcHandle,
      trpc_tranInfo_t   *tranInfoP,
      trpc_ifSpec_t     *ifSpecP
#endif
);

trpc_handle_t      ENCINA_CALLING
mon_handle_t_tranBind(
#ifdef IDL_PROTOTYPES
      mon_handle_t      handle,
      trpc_tranInfo_t   *tranInfoP,
      trpc_ifSpec_t     *ifSpecP
#endif
);

void      ENCINA_CALLING mon_handle_t_tranUnBind(
#ifdef IDL_PROTOTYPES
      mon_handle_t      handle,

```

```

      trpc_handle_t     trpcHandle,
      trpc_tranInfo_t   *tranInfoP,
      trpc_ifSpec_t     *ifSpecP
#endif
);

extern stocklevel_v1_0_epv_t
      stocklevel_v1_0_client_epv;
extern _stocklevel_v1_0_epv_t
      stocklevel_v1_0_manager_epv;
extern rpc_mgr_epv_t
      stocklevel_v1_0_mgr_epv;

#include <encina/c_epilogue.h>
#endif /* TRANSARC_stocklevel_h */

tm_com_dll.dsp

# Microsoft Developer Studio Project File -
Name="tm_com_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=tm_com_dll - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tm_com_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tm_com_dll.mak" CFG="tm_com_dll -
Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tm_com_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tm_com_dll - Win32 Debug" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "tm_com_dll - Win32 Release"

# PROP BASE Use_MFC 0

```

```

# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386 /out:".bin\tpcc_com.dll"

!ELSEIF "$(CFG)" == "tm_com_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe

```

```

# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_com.dll" /pdbtype:sept

!ENDIF

# Begin Target

# Name "tm_com_dll - Win32 Release"
# Name "tm_com_dll - Win32 Debug"
# Begin Source File

SOURCE=.\src\tpcc_com.cpp
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_com.h
# End Source File
# End Target
# End Project

```

tm_encina_dll.dsp

```

# Microsoft Developer Studio Project File -
Name="tm_encina_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=tm_encina_dll - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tm_encina_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tm_encina_dll.mak"
CFG="tm_encina_dll - Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tm_encina_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tm_encina_dll - Win32 Debug" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

```

```

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "tm_encina_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "NDEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll
/machine:I386 /out:".bin\tpcc_encina.dll"

!ELSEIF "$(CFG)" == "tm_encina_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c

```

```

# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "DEBUG"
# ADD RSC /1 0x409 /d "DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_encina.dll"
/pdbtype:sept

!ENDIF

# Begin Target

# Name "tm_encina_dll - Win32 Release"
# Name "tm_encina_dll - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter "*.c, *.cpp"
# Begin Source File

SOURCE=.\src\client_utils.c
# End Source File
# Begin Source File

SOURCE=.\src\mon_client.c
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_enc.cpp
# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=.\src\client_utils.h
# End Source File
# Begin Source File

SOURCE=.\src\mon_client.h
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_enc.h
# End Source File
# End Group
# End Target

```

```
# End Project
```

tm_tuxedo_dll.dsp

```
# Microsoft Developer Studio Project File -
Name="tm_tuxedo_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=tm_tuxedo_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tm_tuxedo_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tm_tuxedo_dll.mak"
CFG="tm_tuxedo_dll - Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tm_tuxedo_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tm_tuxedo_dll - Win32 Debug" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tm_tuxedo_dll - Win32 IceCAP" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "tm_tuxedo_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c

```

```
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "NDEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib libtux.lib libbuft.lib libtux2.lib
libfml.lib libfml32.lib libgp.lib /nologo
/subsystem:windows /dll /machine:I386
/out:".bin\tpcc_tuxedo.dll"

!ELSEIF "$(CFG)" == "tm_tuxedo_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib libtux.lib libbuft.lib libtux2.lib
libfml.lib libfml32.lib libgp.lib /nologo

```

```
/subsystem:windows /dll /debug /machine:I386
/out:".bin\tpcc_tuxedo.dll" /pdbtype:sept

!ELSEIF "$(CFG)" == "tm_tuxedo_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "tm_tuxed"
# PROP BASE Intermediate_Dir "tm_tuxed"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /Gm /GX /ZI /O2 /D "WIN32"
/D "NDEBUG" /D "_WINDOWS" /D "ICECAP" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib libtux.lib libbuft.lib libtux2.lib
libfml.lib libfml32.lib libgp.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/out:".bin\tpcc_tuxedo.dll" /pdbtype:sept
# ADD LINK32 icap.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib
odbc32.lib odbc32.lib libtux.lib libbuft.lib
libtux2.lib libfml.lib libfml32.lib libgp.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/out:".bin\tpcc_tuxedo.dll" /pdbtype:sept

!ENDIF

# Begin Target

# Name "tm_tuxedo_dll - Win32 Release"
# Name "tm_tuxedo_dll - Win32 Debug"
# Name "tm_tuxedo_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp"
# Begin Source File

SOURCE=.\src\tpcc_tux.cpp
# End Source File
# End Group
# Begin Group "Header"
```

```
# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=.\src\tpcc_tux.h
# End Source File
# End Group
# End Target
# End Project
```

tpcc.cpp

```
/* FILE: TPCC.C Microsoft
 * TPC-C Kit Ver. 4.20.000 Copyright
 * Microsoft, 1999
 * All Rights Reserved
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 * PURPOSE: Main module for TPCC.DLL which is
 * an ISAPI service dll.
 * Contact: Charles Levine
 * (clevine@microsoft.com)
 * Change history:
 * 4.20.000 - reworked error
 * handling; added options for COM and Encina txn
 * monitors
 */

#include <windows.h>
#include <process.h>
#include <tchar.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>
#include <assert.h>

#include <sqltypes.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\ReadRegistry.h"

#include "..\..\common\txnlog\include\rtetime.h"
```

```
#include "..\..\common\txnlog\include\spinlock.h"
#include "..\..\common\txnlog\include\txnlog.h"

// Database layer includes
#include "..\..\db_dblib_dll\src\tpcc_dblib.h"
// DBLIB implementation of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h"
// ODBC implementation of TPC-C txns

// Txn monitor layer includes
#include "..\..\tm_com_dll\src\tpcc_com.h"
// COM Services implementation on
TPC-C txns
#include "..\..\tm_tuxedo_dll\src\tpcc_tux.h"
// interface to Tuxedo libraries
#include "..\..\tm_encina_dll\src\tpcc_enc.h"
// interface to Encina libraries

#include "httpext.h"
//ISAPI DLL information header
#include "tpcc.h"
//this dlls specific structure, value e.t.
header.

#define LEN_ERR_STRING 256

// defines for Make<Txn>Form calls to distinguish
input and output flavors
#define OUTPUT_FORM 0
#define INPUT_FORM 1

char
    szMyComputerName [MAX_COMPUTERNAME_LENGTH+1]
;

//Terminal client id structure
TERM Term = { 0, 0, 0, NULL };

// The WEBCLIENT_VERSION string specifies the version
level of this web client interface.
// The RTE must be synchronized with the interface
level on login, otherwise the login
// will fail. This is a sanity check to catch
problems resulting from mismatched versions
// of the RTE and web client.
#define WEBCLIENT_VERSION "410"

static CRITICAL_SECTION
    TermCriticalSection;

static HINSTANCE hLibInstanceTm = NULL;
static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;
TYPE_CTPCC_TUXEDO *pCTPCC_TUXEDO_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_post_init;
TYPE_CTPCC_COM *pCTPCC_COM_new;

// For deferred Delivery txns:
```

```
CTxnLog
    *txnDelilog = NULL;
//used to log delivery transaction
information

HANDLE hWorkerSemaphore = INVALID_HANDLE_VALUE;
HANDLE hDoneEvent =
INVALID_HANDLE_VALUE;
HANDLE *pDeliHandles = NULL;

// configuration settings from registry
TPCCREGISTRYDATA Reg;

DWORD dwNumDeliveryThreads = 4;
CRITICAL_SECTION DelBuffCriticalSection;
//critical section for delivery
transactions cache
DELIVERY_TRANSACTION *pDelBuff
= NULL;

DWORD dwDelBuffSize = 100;
// size of circular buffer for delivery

txns
DWORD dwDelBuffFreeCount;
// number of buffers free

DWORD dwDelBuffBusyIndex = 0;
//
index position of entry waiting to be delivered
DWORD dwDelBuffFreeIndex = 0;
//
index position of unused entry

#include "..\..\common\src\ReadRegistry.cpp"

/* FUNCTION: DllMain
 *
 * PURPOSE: This function is the entry point
 * for the DLL. This implementation is based on the
 * fact that
 * DLL_PROCESS_ATTACH is only called from the inet
 * service once.
 *
 * ARGUMENTS: HANDLE hModule
 * module handle
 *
 * ul_reason_for_call reason for call
 * LPVOID
 *
 * lpReserved
 * reserved for future use
 *
 * RETURNS: BOOL FALSE
 * errors occurred in
 *
 * initialization
 *
 * TRUE
 * successfully initialized
 *
 * DLL
 */
```

```

BOOL APIENTRY DllMain(HANDLE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    DWORD i;
    char szEvent[LEN_ERR_STRING] = "\0";
    char szLogFile[128];
    char szDllName[128];

    // debugging...
    // DebugBreak();

    try
    {
        switch( ul_reason_for_call )
        {
            case
DLL_PROCESS_ATTACH:
                {
                    DWORD dwSize = MAX_COMPUTERNAME_LENGTH+1;
                    GetComputerName(szMyComputerName, &dwSize);
                    szMyComputerName[dwSize] = 0;
                }

                DisableThreadLibraryCalls((HMODULE)hModule)
;
                InitializeCriticalSection(&TermCriticalSect
ion);

                ReadTPCCRegistrySettings( &Reg ) )
                if (
                    throw new CWEBCLNT_ERR(
ERR_MISSING_REGISTRY_ENTRIES );

                    dwDelBuffSize
= min( Reg.dwMaxPendingDeliveries, 10000 ); // min
with 10000 as a sanity constraint

                    dwNumDeliveryThreads = min(
Reg.dwNumberOfDeliveryThreads, 100 ); // min with
100 as a sanity constraint

                    TermInit();
                    // load DLL
                    if
(Reg.eTxnMon == TUXEDO)
                    {
                        strcpy( szDllName, Reg.szPath );
                        strcat( szDllName, "tpcc_tuxedo.dll");
                        hLibInstanceTm = LoadLibrary( szDllName );
                        if
(hLibInstanceTm == NULL)

```

```

                throw new CWEBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );
                //
                get function pointer to wrapper for class constructor
                pCTPCC_TUXEDO_new = (TYPE_CTPCC_TUXEDO*)
GetProcAddress(hLibInstanceTm,"CTPCC_TUXEDO_new");
                if
(pCTPCC_TUXEDO_new == NULL)
                {
                    throw new CWEBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                }
                else if
(Reg.eTxnMon == ENCINA)
                {
                    strcpy( szDllName, Reg.szPath );
                    strcat( szDllName, "tpcc_encina.dll");
                    hLibInstanceTm = LoadLibrary( szDllName );
                    if
(hLibInstanceTm == NULL)
                    {
                        throw new CWEBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );
                    }
                    //
                    get function pointer to wrapper for class constructor
                    pCTPCC_ENCINA_new = (TYPE_CTPCC_ENCINA*)
GetProcAddress(hLibInstanceTm,"CTPCC_ENCINA_new");
                    pCTPCC_ENCINA_post_init =
(TYPE_CTPCC_ENCINA*)
GetProcAddress(hLibInstanceTm,"CTPCC_ENCINA_post_init
");
                    if
(pCTPCC_ENCINA_new == NULL)
                    {
                        throw new CWEBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                    }
                    else if
(Reg.eTxnMon == COM)
                    {
                        strcpy( szDllName, Reg.szPath );
                        strcat( szDllName, "tpcc_com.dll");
                        hLibInstanceTm = LoadLibrary( szDllName );
                        if
(hLibInstanceTm == NULL)
                        {
                            throw new CWEBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );
                        }
                    }
                    //
                    get function pointer to wrapper for class constructor

```

```

                pCTPCC_COM_new = (TYPE_CTPCC_COM*)
GetProcAddress(hLibInstanceTm,"CTPCC_COM_new");
                if
(pCTPCC_COM_new == NULL)
                {
                    throw new CWEBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                }
                // load DLL
                for database connection
                if
((Reg.eTxnMon == None) || (dwNumDeliveryThreads > 0))
                {
                    if
(Reg.eDB_Protocol == DBLIB)
                    {
                        strcpy( szDllName, Reg.szPath );
                        strcat( szDllName, "tpcc_dblib.dll");
                        hLibInstanceDb = LoadLibrary( szDllName );
                        if (hLibInstanceDb == NULL)
                        {
                            throw new CWEBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );
                        }
                        // get function pointer to wrapper for
class constructor
                        pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
GetProcAddress(hLibInstanceDb,"CTPCC_DBLIB_new");
                        if (pCTPCC_DBLIB_new == NULL)
                        {
                            throw new CWEBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                        }
                    }
                    else if (Reg.eDB_Protocol == ODBC)
                    {
                        strcpy( szDllName, Reg.szPath );
                        strcat( szDllName, "tpcc_odbc.dll");
                        hLibInstanceDb = LoadLibrary( szDllName );
                        if (hLibInstanceDb == NULL)
                        {
                            throw new CWEBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );
                        }
                    }
                    // get function pointer to wrapper for
class constructor
                    pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb,"CTPCC_ODBC_new");

```

```

        if (pCIPCC_ODBC_new == NULL)
            throw new CWEBCLNT_ERR(
                ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
    }
}

(dwNumDeliveryThreads)
{
    //
    for deferred delivery txns:

        hDoneEvent = CreateEvent( NULL, TRUE /*
            manual reset */, FALSE /* initially not signalled */,
            NULL );

        InitializeCriticalSection(&DelBuffCriticalS
            ection);

        hWorkerSemaphore = CreateSemaphore( NULL,
            0, dwDelBuffSize, NULL );

        dwDelBuffFreeCount = dwDelBuffSize;

        InitJulianTime(NULL);

        //
        create unique log file name based on delilog-yyymmdd-
        hhmm.log

        SYSTEMTIME Time;

        GetLocalTime( &Time );

        wsprintf( szLogFile, "%sdelivery-
            %2.2d%2.2d%2.2d-%2.2d%2.2d.log",

                Reg.szPath, Time.wYear % 100,
                Time.wMonth, Time.wDay, Time.wHour, Time.wMinute );

        txnDelilog = new CTxnLog(szLogFile,
            TXN_LOG_WRITE);

        //write event into txn log for START

        txnDelilog->WriteCtrlRecToLog(TXN_EVENT_START, szMyComputerName,
            sizeof(szMyComputerName));

        //
        allocate structures for delivery buffers and thread
        mgmt

        pDeliHandles = new
            HANDLE[dwNumDeliveryThreads];

        pDelBuff = new
            DELIVERY_TRANSACTION[dwDelBuffSize];

```

```

//
launch DeliveryWorkerThread to perform actual
delivery txns

        for(i=0; i<dwNumDeliveryThreads; i++)
        {
            pDeliHandles[i] = (HANDLE) _beginthread(
                DeliveryWorkerThread, 0, NULL );

            if (pDeliHandles[i] ==
                INVALID_HANDLE_VALUE)

                throw new CWEBCLNT_ERR(
                    ERR_DELIVERY_THREAD_FAILED );
        }

        break;

        case
            DLL_PROCESS_DETACH:

                if
                    (dwNumDeliveryThreads)

                        if
                            (txnDelilog != NULL)

                                {
                                    //write event into txn log for STOP

                                    txnDelilog->WriteCtrlRecToLog(TXN_EVENT_STOP, szMyComputerName,
                                        sizeof(szMyComputerName));

                                    // This will do a clean shutdown of the
                                    delivery log file

                                    CTxnLog *txnDelilogLocal = txnDelilog;

                                    txnDelilog= NULL;

                                    delete txnDelilogLocal;
                                }

                                delete [] pDeliHandles;

                                delete [] pDelBuff;

                                CloseHandle( hWorkerSemaphore );

                                CloseHandle( hDoneEvent );

                                DeleteCriticalSection(&DelBuffCriticalSecti
                                    on);

                                DeleteCriticalSection(&TermCriticalSection)
;

```

```

        if
            (hLibInstanceTm != NULL)

                FreeLibrary( hLibInstanceTm );

                hLibInstanceTm = NULL;

        if
            (hLibInstanceDb != NULL)

                FreeLibrary( hLibInstanceDb );

                hLibInstanceDb = NULL;

                Sleep(500);
                break;

                default:
                    /* nothing
                    */;

            }

        } catch (CBaseErr *e)
        {
            WriteMessageToEventLog( e-
                >ErrorText() );

            delete e;
            TerminateExtension(0);
            return FALSE;
        } catch (...)
        {
            WriteMessageToEventLog(TEXT("Unhandled
                exception. DLL could not load.));
            TerminateExtension(0);
            return FALSE;
        }

        return TRUE;

/* FUNCTION: GetExtensionVersion
*
* PURPOSE: This function is called by the
inet service when the DLL is first loaded.
*
* ARGUMENTS: HSE_VERSION_INFO *pVer
passed in structure in which to place
expected version number.
*
* RETURNS: TRUE inet service
expected return value.
*/

BOOL WINAPI GetExtensionVersion(HSE_VERSION_INFO
*pVer)
{
    pVer->dwExtensionVersion =
        MAKELONG(HSE_VERSION_MINOR, HSE_VERSION_MAJOR);

```

```

        lstrcpy(pVer->lpszExtensionDesc, "TPC-C
Server.", HSE_MAX_EXT_DLL_NAME_LEN);

        // TODO: why do we need this here instead
of in the DLL attach?
        if (Reg.eTxnMon == ENCINA)
            pCTPCC_ENCINA_post_init();

        return TRUE;
    }

/* FUNCTION: TerminateExtension
 *
 * PURPOSE:      This function is called by the
inet service when the DLL is about to be unloaded.
 *              Release all resources
in anticipation of being unloaded.
 *
 * RETURNS:      TRUE      inet service
expected return value.
 */

BOOL WINAPI TerminateExtension( DWORD dwFlags )
{
    if (pDeliHandles)
    {
        SetEvent( hDoneEvent );
        for (DWORD i=0;
i<dwNumDeliveryThreads; i++)
            WaitForSingleObject(
pDeliHandles[i], INFINITE );
    }

    TermDeleteAll();
    return TRUE;
}

/* FUNCTION: HttpExtensionProc
 *
 * PURPOSE:      This function is the main entry
point for the TPCC DLL. The internet service
 *              calls this function
passing in the http string.
 *
 * ARGUMENTS:    EXTENSION_CONTROL_BLOCK
 *pECB      structure pointer to passed in
internet
 *
 *              service information.
 *
 * RETURNS:      DWORD
HSE_STATUS_SUCCESS
            connection can be dropped if
error
 *
 *              HSE_STATUS_SUCCESS_AND_KEEP_CONN
keep connect valid comment sent
 *
 * COMMENTS:      None
 */

```

```

DWORD WINAPI
HttpExtensionProc(EXTENSION_CONTROL_BLOCK *pECB)
{
    int                iCmd, FormId,
TermId, iSyncId;
    char                szBuffer[4096];

    int                lpbSize;
    static char        szHeader[] = "200 Ok";
    DWORD              dwSize = 6;
    // initial value is strlen(szHeader)
    char                szHeader1[4096];

#ifdef ICECAP
    StartCAP();
#endif

    try
    {
        //process http query
        ProcessQueryString(pECB, &iCmd,
&FormId, &TermId, &iSyncId);

        if (TermId != 0)
        {
            if ( TermId < 0 ||
TermId >= Term.iNumEntries ||
Term.pClientData[TermId].iNextFree != -1 )
                //
                // debugging...
                char
                szTmp[128];
                wsprintf(
szTmp, "Invalid term ID; TermId = %d", TermId );
                WriteMessageToEventLog( szTmp );
                throw new
CWEBCLN_ERR( ERR_INVALID_TERMID );
            //must have a valid
syncid here since termid is valid
            if (iSyncId !=
Term.pClientData[TermId].iSyncId)
                throw new
CWEBCLN_ERR( ERR_INVALID_SYNC_CONNECTION );
            //set use time
            Term.pClientData[TermId].iTickCount =
GetTickCount();
        }

        switch(iCmd)
        {
            case 0:
                WelcomeForm(pECB,
szBuffer);

```

```

            break;
        case 1:
            switch( FormId )
            {
                case
WELCOME_FORM:
                case
MAIN_MENU_FORM:
                    break;
                case
NEW_ORDER_FORM:
                    ProcessNewOrderForm(pECB, TermId,
szBuffer);
                    break;
                case
PAYMENT_FORM:
                    ProcessPaymentForm(pECB, TermId, szBuffer);
                    break;
                case
DELIVERY_FORM:
                    ProcessDeliveryForm(pECB, TermId,
szBuffer);
                    break;
                case
ORDER_STATUS_FORM:
                    ProcessOrderStatusForm(pECB, TermId,
szBuffer);
                    break;
                case
STOCK_LEVEL_FORM:
                    ProcessStockLevelForm(pECB, TermId,
szBuffer);
                    break;
            }
        case 2:
            // new-order selected
            from menu; display new-order input form
            MakeNewOrderForm(TermId, NULL, INPUT_FORM,
szBuffer);
            break;
        case 3:
            // payment selected
            from menu; display payment input form
            MakePaymentForm(TermId,
NULL, INPUT_FORM, szBuffer);
            break;
        case 4:
            // delivery selected
            from menu; display delivery input form

```

```

        MakeDeliveryForm(TermId, NULL, INPUT_FORM,
szBuffer);
                break;
        case 5:
            // order-status
selected from menu; display order-status input form
            MakeOrderStatusForm(TermId, NULL,
INPUT_FORM, szBuffer);
                break;
        case 6:
            // stock-level selected
from menu; display stock-level input form
            MakeStockLevelForm(TermId, NULL,
INPUT_FORM, szBuffer);
                break;
        case 7:
            // ExitCmd
TermDelete(TermId);
WelcomeForm(pECB,
szBuffer);
                break;
        case 8:
            SubmitCmd(pECB,
szBuffer);
                break;
        case 9:
            // menu
            MakeMainMenuForm(TermId,
Term.pClientData[TermId].iSyncId, szBuffer);
                break;
        case 10:
            // CMD=Clear
            // resets all
connections; should only be used when no other
connections are active
            TermDeleteAll();
TermInit();
WelcomeForm(pECB,
szBuffer);
                break;
        case 11:
            // CMD=Stats
StatsCmd(pECB,
szBuffer);
                break;
    }
}
catch (CBaseErr *e)
{
    ErrorForm( pECB, e->ErrorType(),
e->ErrorNum(), TermId, iSyncId, e->ErrorText(),
szBuffer );
    delete e;
}
catch (...)
{
    ErrorForm( pECB, ERR_TYPE_WEBDLL,
0, TermId, iSyncId, "Error: Unhandled exception in
Web Client.", szBuffer );
}

```

```

#ifdef ICECAP
    StopCAP();
#endif

    lpbSize = strlen(szBuffer);
    wsprintf(szHeader1,
            "Content-Type:
text/html\r\n"
            "Content-Length:
%d\r\n"
            "Connection: Keep-
Alive\r\n\r\n", lpbSize);
    strcat( szHeader1, szBuffer );

    (*pECB->ServerSupportFunction)(pECB-
>ConnID, HSE_REQ_SEND_RESPONSE_HEADER, szHeader,
(LPDWORD) &dwSize, (LPDWORD)szHeader1);

    //finish up and keep connection
pECB->dwHttpStatusCode = 200;
return HSE_STATUS_SUCCESS_AND_KEEP_CONN;
}

void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR    szMsg[256];
    HANDLE   hEventSource;
    LPTSTR   lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL,
TEXT("TPCC.DLL"));

    _stprintf(szMsg, TEXT("Error in TPCC.DLL: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event
source
            EVENTLOG_ERROR_TYPE, // event type
            0, // event category
            0, // event ID
            NULL, // current user's
SID
            2, // strings in
lpszStrings
            0, // no bytes of raw
data
            (LPCWSTR *)lpszStrings, // array of
error strings
            NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

```

```

/* FUNCTION: DeliveryWorkerThread
 *
 * PURPOSE:      This function processes deferred
delivery txns. There are typically several
 *              threads running this
routine. The number of threads is determined by an
entry
 *              read from the registry.
The thread waits for work by waiting on semaphore.
 *              When a delivery txn is
posted, the semaphore is released. After processing
 *              the delivery txn,
information is logged to record the txn status and
execution
 *              time.
 */

/*static*/ void DeliveryWorkerThread(void *ptr)
{
    CTPCC_BASE                *pTxn = NULL;

    DELIVERY_TRANSACTION
delivery;
PDELIVERY_DATA
pDeliveryData;
TXN_RECORD_TPCC_DELIV_DEF    txnDeliRec;

    DWORD
index;
HANDLE
handles[2];

    SYSTEMTIME                trans_end;
                                //delivery transaction finished
time
    SYSTEMTIME                trans_start;
                                //delivery transaction start time

    assert(txnDeliLog != NULL);

    try
    {
        if (Reg.eDB_Protocol == ODBC)
            pTxn = pCTPCC_ODBC_new(
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
szMyComputerName, Reg.szDbName );
        else if (Reg.eDB_Protocol ==
DBLIB)
            pTxn =
pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
        pDeliveryData = pTxn-
>BuffAddr_Delivery();
    }
    catch (CBaseErr *e)
    {
        char szTmp[1024];
        wsprintf( szTmp, "Error in
Delivery Txn thread. Could not connect to database.
"
            "%s.
Server=%s, User=%s, Password=%s, Database=%s",

```

```

e-
>ErrorText(), Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, Reg.szDbName );
    WriteMessageToEventLog( szTmp );
    delete e;
    goto ErrorExit;
}
catch (...)
{
    WriteMessageToEventLog(TEXT("Unhandled
exception caught in DeliveryWorkerThread.));
    goto ErrorExit;
}
while (TRUE)
{
    try
    {
        //while delivery thread
        running, i.e. user has not requested termination
        while (TRUE)
        {
            // need to
            wait for multiple objects: program exit or worker
            semaphore;
            hDoneEvent;
            hWorkerSemaphore;
            WaitForMultipleObjects( 2, &handles[0], FALSE,
            INFINITE );
            if (index ==
            WAIT_OBJECT_0)
                goto ErrorExit;

            ZeroMemory(&txnDeliRec,
            sizeof(txnDeliRec));
            txnDeliRec.TxnType =
            TXN_REC_TYPE_TPCC_DELIV_DEF;

            // make a
            local copy of current entry from delivery buffer and
            increment buffer index
            EnterCriticalSection(&DelBuffCriticalSection);
            delivery =
            *(pDelBuff+dwDelBuffBusyIndex);
            dwDelBuffFreeCount++;
            dwDelBuffBusyIndex++;
            if
            (dwDelBuffBusyIndex == dwDelBuffSize) // wrap-
            around if at end of buffer
                dwDelBuffBusyIndex = 0;
        }
    }
}

```

```

LeaveCriticalSection(&DelBuffCriticalSection);
n);
pDeliveryData->w_id = delivery.w_id;
pDeliveryData->o_carrier_id =
delivery.o_carrier_id;
txnDeliRec.w_id = pDeliveryData->w_id;
txnDeliRec.o_carrier_id = pDeliveryData-
>o_carrier_id;
txnDeliRec.TxnStartT0 =
Get64BitTime(&delivery.queue);
GetLocalTime(
&trans_start );
pTxn-
>Delivery();
GetLocalTime(
&trans_end );
//log txn
txnDeliRec.TxnStatus = ERR_SUCCESS;
for (int i=0;
i<10; i++)
    txnDeliRec.o_id[i] = pDeliveryData-
>o_id[i];
txnDeliRec.DeltaT4 =
(int)(Get64BitTime(&trans_end) -
txnDeliRec.TxnStartT0);
txnDeliRec.DeltaTxnExec =
(int)(Get64BitTime(&trans_end) -
Get64BitTime(&trans_start));
if
(txnDelilog != NULL)
    txnDelilog->WriteToLog(&txnDeliRec);
}
catch (CBaseErr *e)
{
    char szTmp[1024];
    wsprintf( szTmp, "Error
in Delivery Txn thread. %s",
e->ErrorText() );
    WriteMessageToEventLog(
szTmp );
    // log the error txn
    txnDeliRec.TxnStatus =
e->ErrorType();
    if (txnDelilog != NULL)
        txnDelilog-
>WriteToLog(&txnDeliRec);
}

```

```

delete e;
}
catch (...)
{
    // unhandled exception;
    shouldn't happen; not much we can do...
    WriteMessageToEventLog(TEXT("Unhandled
exception caught in DeliveryWorkerThread.));
}
ErrorExit:
delete pTxn;
_endthread();
}
/* FUNCTION: PostDeliveryInfo
* PURPOSE: This function enters the delivery
txn into the deferred delivery buffer.
* RETURNS: BOOL FALSE
delivery information posted successfully
TRUE error cannot post delivery info
*/
BOOL PostDeliveryInfo(short w_id, short o_carrier_id)
{
    BOOL bError;
    EnterCriticalSection(&DelBuffCriticalSection);
    if (dwDelBuffFreeCount > 0)
    {
        bError = FALSE;
        (pDelBuff+dwDelBuffFreeIndex)-
        = w_id;
        (pDelBuff+dwDelBuffFreeIndex)-
        = o_carrier_id;
        GetLocalTime(&(pDelBuff+dwDelBuffFreeIndex)
->queue);
        dwDelBuffFreeCount--;
        dwDelBuffFreeIndex++;
        if (dwDelBuffFreeIndex ==
dwDelBuffSize)
            dwDelBuffFreeIndex = 0;
        // wrap-around if at end of
        buffer
    }
    else
        // No free buffers. Return an
        error, which indicates that the delivery buffer is
        full.
        // Most likely, the number of
        delivery worker threads needs to be increased to keep
        up
        // with the txn rate.
        bError = TRUE;
}

```

```

n);
    LeaveCriticalSection(&DelBuffCriticalSection);
    if (!bError)
        // increment worker semaphore to
wake up a worker thread
        ReleaseSemaphore(
hWorkerSemaphore, 1, NULL );
    return bError;
}
/* FUNCTION: ProcessQueryString
 *
 * PURPOSE:      This function extracts the
relevent information out of the http command passed
in from
 *
 *               the browser.
 *
 * COMMENTS:     If this is the initial connection
i.e. client is at welcome screen then
 *
 *               there will
not be a terminal id or current form id. If this is
the case
 *
 *               then the
pTermid and pFormid return values are undefined.
 */
void ProcessQueryString(EXTENSION_CONTROL_BLOCK
*pECB, int *pCmd, int *pFormId, int *pTermId, int
*pSyncId)
{
    char *ptr = pECB->lpszQueryString;
    char szBuffer[25];
    int i;
    //allowable client command strings i.e.
CMD=command
    static char *szCmds[] =
    {
        "Process", "..NewOrder..",
"..Payment..", "..Delivery..", "..Order-Status..",
"..Stock-Level..",
"..Exit..", "Submit", "Menu",
"Clear", "Stats", ""
    };
    *pCmd = 0; // default is
the login screen
    *pTermId = 0;
    // if no params (i.e., empty query string),
then return login screen
    if (strlen(pECB->lpszQueryString) == 0)
        return;
    // parse FORMID, TERMID, and SYNCID
    *pFormId = GetIntKeyValue(&ptr, "FORMID",
NO_ERR, NO_ERR);
    *pTermId = GetIntKeyValue(&ptr, "TERMID",
NO_ERR, NO_ERR);
    *pSyncId = GetIntKeyValue(&ptr, "SYNCID",
NO_ERR, NO_ERR);

```

```

// parse CMD
GetKeyValue(&ptr, "CMD", szBuffer,
sizeof(szBuffer), ERR_COMMAND_UNDEFINED);
// see which command it matches
for(i=0; ; i++)
{
    if (szCmds[i][0] == 0)
        // no more; no match;
return error
        throw new CWEBCLNT_ERR(
ERR_COMMAND_UNDEFINED );
    if ( !strcmp(szCmds[i], szBuffer)
)
    {
        *pCmd = i+1;
        break;
    }
}
/* FUNCTION: void WelcomeForm
 *
 */
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    char szTmp[1024];
    //welcome to tpc-c html form buffer, this
is first form client sees.
    strcpy( szBuffer,
"<HTML><HEAD><TITLE>TPC-C Web
Client</TITLE></HEAD><BODY>"
    " <B><BIG>Microsoft TPC-C Web Client (ver
4.20)</BIG></B> <BR> <BR>"
    "<font face=\"Courier New\"><PRE>"
    "Compiled: \"__DATE__\", \"__TIME__\" <BR>"
    "Source: \"__FILE__\" (\"__TIMESTAMP__")
<BR>"
    "</PRE></font>"
    "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\"">"
    "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\""
VALUE=\"0\"">"
    "<INPUT TYPE=\"hidden\" NAME=\"ERROR\""
VALUE=\"0\"">"
    "<INPUT TYPE=\"hidden\" NAME=\"FORMID\""
VALUE=\"1\"">"
    "<INPUT TYPE=\"hidden\" NAME=\"TERMID\""
VALUE=\"0\"">"

```

```

    "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\""
VALUE=\"0\"">"
    "<INPUT TYPE=\"hidden\" NAME=\"VERSION\""
VALUE=\"\" WEBCLIENT_VERSION \"\""
);
    sprintf( szTmp,
"Configuration
Settings: <BR><font face=\"Courier New\""
color=\"blue\"><PRE>"
    "Txn Monitor = <B>%s</B><BR>"
    "Database protocol = <B>%s</B><BR>"
    "Max Connections = <B>%d</B><BR>"
    "#
of Delivery Threads = <B>%d</B><BR>"
    "Max Pending Deliveries = <B>%d</B><BR>"
    szTxnMonNames[Reg.eTxnMon],
szDBNames[Reg.eDB_Protocol],
    Reg.dwMaxConnections,
dwNumDeliveryThreads, dwDelBuffSize );
    strcat( szBuffer, szTmp);
    if (Reg.eTxnMon == COM)
    {
        sprintf( szTmp,
"COM Single
Pool = <B>%s</B><BR>",
    Reg.bCOM_SinglePool ?
"YES" : "NO" );
        strcat( szBuffer, szTmp);
    }
    strcat( szBuffer, "</PRE></font>");
    if (Reg.eTxnMon == None)
        // connection options may be
specified when not using a txn monitor
        sprintf( szTmp,
"Please enter
your database options for this connection:<BR>"
    "<font face=\"Courier New\""
color=\"blue\"><PRE>"
    "DB Server = <INPUT NAME=\"db_server\""
SIZE=20 VALUE=\"%s\"><BR>"
    "DB User ID = <INPUT NAME=\"db_user\""
SIZE=20 VALUE=\"%s\"><BR>"
    "DB Password = <INPUT NAME=\"db_passwd\""
SIZE=20 VALUE=\"%s\"><BR>"
    "DB Name = <INPUT NAME=\"db_name\""
SIZE=20 VALUE=\"%s\"><BR>"
    "</PRE></font>"
    Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
Reg.szDbName );

```

```

else
    // if using a txn monitor,
    connection options are determined from registry;
    can't
    // set per user. show options
    fyi
    sprintf( szTmp, "Database
options which will be used by the transaction
monitor:<BR>"

    "<font face=\\"Courier New\\"
color=\\"blue\\"><PRE>"

    "DB Server          = <B>%s</B><BR>"
    "DB User ID         = <B>%s</B><BR>"
    "DB Password        = <B>%s</B><BR>"
    "DB Name            = <B>%s</B><BR>"

    "</PRE></font>"

    Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
    Reg.szDbName );
    strcat( szBuffer, szTmp);

    sprintf( szTmp, "Please enter your
Warehouse and District for this session:<BR>"

    "<font face=\\"Courier New\\"
color=\\"blue\\"><PRE>" );
    strcat( szBuffer, szTmp);
    strcat( szBuffer, "Warehouse ID = <INPUT
NAME=\\"w_id\\" SIZE=4><BR>"

    "District ID = <INPUT NAME=\\"d_id\\"
SIZE=2><BR>"

    "</PRE></font><HR>"

    "<INPUT TYPE=\\"submit\\" NAME=\\"CMD\\"
VALUE=\\"Submit\\">"

    "</FORM></BODY></HTML>");
}

/* FUNCTION: SubmitCmd
*
* PURPOSE: This function allocated a new
terminal id in the Term structure array.
*
*/

void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    int          iNewTerm;
    char         *ptr = pECB->lpszQueryString;

    char         szVersion[32]   = { 0 };
    char         szServer[32]    = { 0 };

```

```

"sa";
char         szUser[32]        =
"sa";
char         szPassword[32]   = { 0 };
char         szDatabase[32]   = "tpcc";

    // validate version field; the version
    field ensures that the RTE is synchronized with the
    web client
    GetKeyValue(&ptr, "VERSION", szVersion,
    sizeof(szVersion), ERR_VERSION_MISMATCH);
    if ( strcmp( szVersion, WEBCLIENT_VERSION )
    )
        throw new CWEBCLNT_ERR(
    ERR_VERSION_MISMATCH );

    if (Reg.eTxnMon == None)
    {
        // parse Server name
        GetKeyValue(&ptr, "db_server",
    szServer, sizeof(szServer), ERR_NO_SERVER_SPECIFIED);
        // parse User name
        GetKeyValue(&ptr, "db_user",
    szUser, sizeof(szUser), NO_ERR);
        // parse Password
        GetKeyValue(&ptr, "db_passwd",
    szPassword, sizeof(szPassword), NO_ERR);
        // parse Database name
        GetKeyValue(&ptr, "db_name",
    szDatabase, sizeof(szDatabase), NO_ERR);
    }

    // parse warehouse ID
    int w_id = GetIntKeyValue(&ptr, "w_id",
    ERR_HTML_ILL_FORMED, ERR_W_ID_INVALID);
    if ( w_id < 1 )
        throw new CWEBCLNT_ERR(
    ERR_W_ID_INVALID );

    // parse district ID
    int d_id = GetIntKeyValue(&ptr, "d_id",
    ERR_HTML_ILL_FORMED, ERR_D_ID_INVALID);
    if ( d_id < 1 || d_id > 10 )
        throw new CWEBCLNT_ERR(
    ERR_D_ID_INVALID );

    iNewTerm = TermAdd();

    Term.pClientData[iNewTerm].w_id = w_id;
    Term.pClientData[iNewTerm].d_id = d_id;

    try
    {
        if (Reg.eTxnMon == TUXEDO)

            Term.pClientData[iNewTerm].pTxn =
    pCTPCC_TUXEDO_new();
        else if (Reg.eTxnMon == ENCINA)

            Term.pClientData[iNewTerm].pTxn =
    pCTPCC_ENCINA_new();
        else if (Reg.eTxnMon == COM)

```

```

            Term.pClientData[iNewTerm].pTxn =
    pCTPCC_COM_new( Reg.bCOM_SinglePool );
        else if (Reg.eDB_Protocol ==
    ODBC)

            Term.pClientData[iNewTerm].pTxn =
    pCTPCC_ODBC_new( szServer, szUser, szPassword,
    szMyComputerName, szDatabase );
        else if (Reg.eDB_Protocol ==
    DBLIB)

            Term.pClientData[iNewTerm].pTxn =
    pCTPCC_DBLIB_new( szServer, szUser, szPassword,
    szMyComputerName, szDatabase );
    }
    catch (...)
    {
        TermDelete(iNewTerm);
        throw; // pass
    }
}

exception upward
{
}

MakeMainMenuForm(iNewTerm,
Term.pClientData[iNewTerm].iSyncId, szBuffer);
}

/* FUNCTION: StatsCmd
*
* PURPOSE: This function returns to the
browser the total number of active terminal ids.
* This routine is for
development/debugging purposes.
*
*/

void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    int i;
    int iTTotal;

    EnterCriticalSection(&TermCriticalSection);

    iTTotal = 0;
    for(i=0; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree
    == -1)

            iTTotal++;
    }

    LeaveCriticalSection(&TermCriticalSection);

    wsprintf( szBuffer,

    "<HTML><HEAD><TITLE>TPC-C Web Client
Stats</TITLE></HEAD>"

    "<BODY><B><BIG> Total
Active Connections: %d </BIG></B><BR></BODY></HTML>"
    , iTTotal );
}

```

```

char *CWEBCLNT_ERR::ErrorText()
{
    static SERRORMSG errorMsgs[] =
    {
        { ERR_COMMAND_UNDEFINED,
          "Command undefined."
        },
        { ERR_D_ID_INVALID,
          "Invalid District ID Must be 1 to 10."
        },
        { ERR_DELIVERY_CARRIER_ID_RANGE,
          "Delivery Carrier ID out of range
must be 1 - 10."
        },
        { ERR_DELIVERY_CARRIER_INVALID,
          "Delivery Carrier ID invalid must be
numeric 1 - 10."
        },
        { ERR_DELIVERY_MISSING_OCD_KEY,
          "Delivery missing Carrier ID key \"OCD*\"."
        },
        { ERR_DELIVERY_THREAD_FAILED,
          "Could not start delivery worker
thread."
        },
        { ERR_GETPROCADDR_FAILED,
          "Could not map proc in DLL. GetProcAddr
error. DLL="
        },
        { ERR_HTML_ILL_FORMED,
          "Required key field is missing from HTML
string."
        },
        { ERR_INVALID_SYNC_CONNECTION,
          "Invalid Terminal Sync ID."
        },
        { ERR_INVALID_TERMINID,
          "Invalid Terminal ID."
        },
        { ERR_LOADDLL_FAILED,
          "Load of DLL failed. DLL="
        },
        { ERR_MAX_CONNECTIONS_EXCEEDED,
          "No connections available. Max Connections
is probably too low."
        },
        { ERR_MISSING_REGISTRY_ENTRIES,

```

```

          "Required registry entries are missing.
Rerun INSTALL to correct."
        },
        { ERR_NEWORDER_CUSTOMER_INVALID,
          "New Order customer id invalid
data type, range = 1 to 3000."
        },
        { ERR_NEWORDER_CUSTOMER_KEY,
          "New Order missing Customer key
\"CID*\"."
        },
        { ERR_NEWORDER_DISTRICT_INVALID,
          "New Order District ID Invalid
range 1 - 10."
        },
        { ERR_NEWORDER_FORM_MISSING_DID,
          "New Order missing District key
\"DID*\"."
        },
        { ERR_NEWORDER_ITEMID_INVALID,
          "New Order Item Id is wrong data type, must
be numeric."
        },
        { ERR_NEWORDER_ITEMID_RANGE,
          "New Order Item Id is out of
range. Range = 1 to 999999."
        },
        { ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
          "New Order Item_Id field entered without a
corresponding Supp_W."
        },
        { ERR_NEWORDER_MISSING_IID_KEY,
          "New Order missing Item Id key \"IID*\"."
        },
        { ERR_NEWORDER_MISSING_QTY_KEY,
          "New Order Missing Qty key \"Qty##*\"."
        },
        { ERR_NEWORDER_MISSING_SUPPW_KEY,
          "New Order missing Supp_W key
\"SP##*\"."
        },
        { ERR_NEWORDER_NOITEMS_ENTERED,
          "New Order No order lines entered."
        },
        { ERR_NEWORDER_QTY_INVALID,
          "New Order Qty invalid must be
numeric range 1 - 99."
        },
        { ERR_NEWORDER_QTY_RANGE,
          "New Order Qty is out of range. Range = 1
to 99."
        },

```

```

        { ERR_NEWORDER_QTY_WITHOUT_SUPPW,
          "New Order Qty field entered
without a corresponding Supp_W."
        },
        { ERR_NEWORDER_SUPPW_INVALID,
          "New Order Supp_W invalid data
type must be numeric."
        },
        { ERR_NO_SERVER_SPECIFIED,
          "No Server name specified."
        },
        { ERR_ORDERSTATUS_CID_AND_CLT,
          "Order Status Only Customer ID or Last Name
may be entered, not both."
        },
        { ERR_ORDERSTATUS_CID_INVALID,
          "Order Status Customer ID invalid, range
must be numeric 1 - 3000."
        },
        { ERR_ORDERSTATUS_CLT_RANGE,
          "Order Status Customer last name
longer than 16 characters."
        },
        { ERR_ORDERSTATUS_DID_INVALID,
          "Order Status District invalid, value must
be numeric 1 - 10."
        },
        { ERR_ORDERSTATUS_MISSING_CID_CLT,
          "Order Status Either Customer ID or Last
Name must be entered."
        },
        { ERR_ORDERSTATUS_MISSING_CID_KEY,
          "Order Status missing Customer key
\"CID*\"."
        },
        { ERR_ORDERSTATUS_MISSING_CLT_KEY,
          "Order Status missing Customer Last Name
key \"CLT*\"."
        },
        { ERR_ORDERSTATUS_MISSING_DID_KEY,
          "Order Status missing District key
\"DID*\"."
        },
        { ERR_PAYMENT_CDI_INVALID,
          "Payment Customer district
invalid must be numeric."
        },
        { ERR_PAYMENT_CID_AND_CLT,
          "Payment Only Customer ID or Last
Name may be entered, not both."
        },
        { ERR_PAYMENT_CUSTOMER_INVALID,
          "Payment Customer data type invalid, must
be numeric."
        },
        { ERR_PAYMENT_CWI_INVALID,

```

```

        "Payment Customer Warehouse
invalid, must be numeric."
    },
    {
        ERR_PAYMENT_DISTRICT_INVALID,
        "Payment District ID is invalid, must be 1
- 10."
    },
    {
        ERR_PAYMENT_HAM_INVALID,
        "Payment Amount invalid data type
must be numeric."
    },
    {
        ERR_PAYMENT_HAM_RANGE,
        "Payment Amount out of range, 0 - 9999.99."
    },
    {
        ERR_PAYMENT_LAST_NAME_TO_LONG,
        "Payment Customer last name
longer than 16 characters."
    },
    {
        ERR_PAYMENT_MISSING_CDI_KEY,
        "Payment missing Customer district key
\"CDI*\"."
    },
    {
        ERR_PAYMENT_MISSING_CID_CLT,
        "Payment Either Customer ID or Last Name
must be entered."
    },
    {
        ERR_PAYMENT_MISSING_CID_KEY,
        "Payment missing Customer Key \"CID*\"."
    },
    {
        ERR_PAYMENT_MISSING_CLT_KEY,
        "Payment missing Customer Last Name key
\"CLT*\"."
    },
    {
        ERR_PAYMENT_MISSING_CWI_KEY,
        "Payment missing Customer Warehouse key
\"CWI*\"."
    },
    {
        ERR_PAYMENT_MISSING_DID_KEY,
        "Payment missing District Key \"DID*\"."
    },
    {
        ERR_PAYMENT_MISSING_HAM_KEY,
        "Payment missing Amount key \"HAM*\"."
    },
    {
        ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
        "Stock Level; missing Threshold key
\"TT*\"."
    },
    {
        ERR_STOCKLEVEL_THRESHOLD_INVALID,

```

```

        "Stock Level; Threshold value must be in
the range = 1 - 99."
    },
    {
        ERR_STOCKLEVEL_THRESHOLD_RANGE,
        "Stock Level Threshold out of
range, range must be 1 - 99."
    },
    {
        ERR_VERSION_MISMATCH,
        "Invalid version field. RTE and Web Client
are probably out of sync."
    },
    {
        ERR_W_ID_INVALID,
        "Invalid Warehouse ID."
    },
    {
        0,
        ""
    },
};

char szTmp[256];
int i = 0;
while (TRUE)
{
    if (errorMsgs[i].szMsg[0] == 0)
    {
        strcpy( szTmp, "Unknown
error number.");
        break;
    }
    if (m_Error ==
errorMsgs[i].iError)
    {
        strcpy( szTmp,
errorMsgs[i].szMsg );
        break;
    }
    i++;
}

if (m_szTextDetail)
    strcat( szTmp, m_szTextDetail );
if (m_SystemErr)
    sprintf( szTmp+strlen(szTmp), "
Error=%d", m_SystemErr );

m_szErrorText = new char[strlen(szTmp)+1];
strcpy( m_szErrorText, szTmp );
return m_szErrorText;
}

/* FUNCTION: GetKeyValue
*
* PURPOSE: This function parses a http
formatted string for specific key values.
*
* ARGUMENTS: char http string from client
browser

```

```

char key
*pKey char
value to look for char
*pValue character array into which to place key's
value int
* iMax maximum length of key value array.
* WEBERROR error
error value to throw
* RETURNS: nothing.
* ERROR: if (the pKey value is not found)
then if
* (err == 0)
* return (empty string)
* else
* throw CWEBCLNT_ERR(err)
*
* COMMENTS: http keys are formatted either
KEY=value& or KEY=value\0. This DLL formats
* TPC-C input
fields in such a manner that the keys can be
extracted in the
* above manner.
*/

void GetKeyValue(char **pQueryString, char *pKey,
char *pValue, int iMax, WEBERROR err)
{
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorExit;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorExit;
    ptr++;

    iMax--; // one position is for terminating
null
    while( *ptr && *ptr != '&' && iMax)
    {
        *pValue++ = *ptr++;
        iMax--;
    }
    *pValue = 0; // terminating null

    *pQueryString = ptr;
    return;

ErrorExit:
    if (err != NO_ERR)
        throw new CWEBCLNT_ERR( err );
    *pValue = 0; // return empty result string

```

```

}
/* FUNCTION: GetIntKeyValue
 *
 * PURPOSE:      This function parses a http
formatted string for a specific key value.
 *
 * ARGUMENTS:   char          http string from client
                *pQueryString
browser
 *
                char          key
                *pKey
value to look for
 *
                WEBERROR      error value to throw if
key not found
 *
                WEBERROR      error value to throw if
                NotIntErr     value not numeric
 *
 * RETURNS:     integer
 *
 * ERROR:       if (the pKey value is not found)
then
 *
                if
(NoKeyErr != NO_ERR)
 *
                throw CWEBCLNT_ERR(err)
 *
                else
 *
                return 0
 *
                else if (non-
numeric char found) then
 *
                if
(NotIntErr != NO_ERR) then
 *
                throw CWEBCLNT_ERR(err)
 *
                else
 *
                return 0
 *
 * COMMENTS:   http keys are formatted either
KEY=value& or KEY=value\0. This DLL formats
 *
                TPC-C input
fields in such a manner that the keys can be
extracted in the
 *
                above manner.
 */
int GetIntKeyValue(char **pQueryString, char *pKey,
WEBERROR NoKeyErr, WEBERROR NotIntErr)
{
    char *ptr0;
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorNoKey;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorNoKey;
    ptr++;

```

```

        ptr0 = ptr;          // remember
starting point
        // scan string until a terminator (null or
&) or a non-digit
        while( *ptr && *ptr != '&'amp; && isdigit(*ptr)
)
            ptr++;

        // make sure we stopped scanning for the
right reason
        if ((ptr0 == ptr) || (*ptr && *ptr != '&'))
        {
            if (NotIntErr != NO_ERR)
                throw new CWEBCLNT_ERR(
NoKeyErr );
            return 0;
        }

        *pQueryString = ptr;
        return atoi(ptr0);

ErrorNoKey:
    if (NoKeyErr != NO_ERR)
        throw new CWEBCLNT_ERR( NoKeyErr
);
    return 0;
}

/* FUNCTION: TermInit
 *
 * PURPOSE:     This function initializes the
client terminal structure; it is called when the
TPCC.DLL
 *
                is first loaded by the
inet service.
 *
 */
void TermInit(void)
{
    EnterCriticalSection(&TermCriticalSection);

    Term.iMasterSyncId = 1;
    Term.iNumEntries =
Reg.dwMaxConnections+1;

    Term.pClientData = NULL;
    Term.pClientData =
(PCLIENTDATA) malloc(Term.iNumEntries *
sizeof(CLIENTDATA));
    if (Term.pClientData == NULL)
    {
        LeaveCriticalSection(&TermCriticalSection);
        throw new CWEBCLNT_ERR(
ERR_MEM_ALLOC_FAILED );
    }

    ZeroMemory( Term.pClientData,
Term.iNumEntries * sizeof(CLIENTDATA) );

```

```

        Term.iFreeList =
Term.iNumEntries-1;
        // build free list
        // note: Term.pClientData[0].iNextFree gets
set to -1, which marks it as "in use".
        // This is intentional, as the zero
entry is used as an anchor and never
        // allocated as an actual
terminal.
        for(int i=0; i<Term.iNumEntries; i++)
            Term.pClientData[i].iNextFree =
i-1;

        LeaveCriticalSection(&TermCriticalSection);
}

/* FUNCTION: TermDeleteAll
 *
 * PURPOSE:     This function frees allocated
resources associated with the terminal structure.
 *
 * ARGUMENTS:   none
 *
 * RETURNS:     None
 *
 * COMMENTS:    This function is called only when
the inet service unloads the TPCC.DLL
 *
 */
void TermDeleteAll(void)
{
    EnterCriticalSection(&TermCriticalSection);

    for(int i=1; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree
== -1)
            delete
Term.pClientData[i].pTxn;
    }

    Term.iFreeList = 0;
    Term.iNumEntries = 0;
    if ( Term.pClientData )
        free(Term.pClientData);
    Term.pClientData = NULL;

    LeaveCriticalSection(&TermCriticalSection);
}

/* FUNCTION: TermAdd
 *
 * PURPOSE:     This function assigns a terminal
id which is used to identify a client browser.
 *
 * RETURNS:     int
                assigned terminal id
 *
 */
int TermAdd(void)
{

```

```

DWORD    i;
int       iNewTerm, iTickCount;

if (Term.iNumEntries == 0)
    return -1;

EnterCriticalSection(&TermCriticalSection);
if (Term.iFreeList != 0)
{
    // position is available
    iNewTerm = Term.iFreeList;
    Term.iFreeList =
Term.pClientData[iNewTerm].iNextFree;

    Term.pClientData[iNewTerm].iNextFree = -1;
// indicates this position is in use
}
else
{
    // no open slots, so find the
slot that hasn't been used in the longest time and
reuse it
    for(iNewTerm=1, i=1,
iTickCount=0x7FFFFFFF; i<Reg.dwMaxConnections; i++)
    {
        if (iTickCount >
Term.pClientData[i].iTickCount)
        {
            iTickCount =
Term.pClientData[i].iTickCount;
            iNewTerm = i;
        }
    }
    // if oldest term is less than
one minute old, it probably means that more
connections
// are being attempted than were
specified as "Max Connections" at install. In this
case,
// do not bump existing
connection; instead, return error to requestor.
    if ((GetTickCount() - iTickCount)
< 60000)
    {
        LeaveCriticalSection(&TermCriticalSection);
        throw new CWEBCLNT_ERR(
ERR_MAX_CONNECTIONS_EXCEEDED );
    }
}

Term.pClientData[iNewTerm].iTickCount =
GetTickCount();
Term.pClientData[iNewTerm].iSyncId =
Term.iMasterSyncId++;
Term.pClientData[iNewTerm].pTxn = NULL;

LeaveCriticalSection(&TermCriticalSection);
return iNewTerm;
}

/* FUNCTION: TermDelete
*
* PURPOSE:      This function makes a terminal
entry in the Term array available for reuse.

```

```

*
* ARGUMENTS:   int
               id
               Terminal id of client exiting
*
*/

void TermDelete(int id)
{
    if ( id > 0 && id < Term.iNumEntries )
    {
        delete Term.pClientData[id].pTxn;

        // put onto free list

        EnterCriticalSection(&TermCriticalSection);

        Term.pClientData[id].iNextFree =
Term.iFreeList;
        Term.iFreeList = id;

        LeaveCriticalSection(&TermCriticalSection);
    }
}

/* FUNCTION: MakeErrorForm
*
void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int
iType, int iErrorNum, int iTermId, int iSyncId, char
*szErrorText, char *szBuffer )
{
    wsprintf(szBuffer,
    "<HTML><HEAD><TITLE>TPC-C
Error</TITLE></HEAD><BODY>"
    "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
    "<BOLD>An Error
Occurred</BOLD><BR><BR>"
    "%s"
    "<BR><BR><HR>"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".NewOrder..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Payment..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Delivery..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Order-Level..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Stock-Level..\">"

```

```

    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Exit..\">"
    "</FORM></BODY></HTML>"
    , iType, iErrorNum,
MAIN_MENU_FORM, iTermId, iSyncId, szErrorText );
}

/* FUNCTION: MakeMainMenuForm
*/

void MakeMainMenuForm(int iTermId, int iSyncId, char
*szForm)
{
    wsprintf(szForm,
    "<HTML><HEAD><TITLE>TPC-C Main
Menu</TITLE></HEAD><BODY>"
    "Select Desired
Transaction.<BR><HR>"
    "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".NewOrder..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Payment..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Delivery..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Order-Level..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Stock-Level..\">"
    "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Exit..\">"
    "</FORM></BODY></HTML>"
    , MAIN_MENU_FORM, iTermId,
iSyncId);
}

/* FUNCTION: MakeStockLevelForm
*
* PURPOSE:      This function constructs the
Stock Level HTML page.
*
* COMMENTS:     The internal client buffer is
created when the terminal id is assigned and should
not
*
*               be freed
except when the client terminal id is no longer
needed.
*/

void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm)
{

```

```

int      c;

c = sprintf(szForm,
"HTML<HEAD><TITLE>TPC-C Stock
Level</TITLE></HEAD><FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
"INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">"
"INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
"INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
"INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
"INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
"PRE><font face=\"Courier\">
Stock-Level<BR>"
"Warehouse: %4.4d District:
%2.2d<BR> <BR>";
STOCK_LEVEL_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id,
Term.pClientData[iTermId].d_id);

if ( bInput )
{
strcpy(szForm+c,
"Stock Level Threshold:
INPUT NAME=\"TT\" SIZE=2><BR> <BR>"
"low stock:
</font><BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR>"
" <BR> <BR> <BR> <BR>
<BR> <BR> <BR></PRE><HR>"
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\">"
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">"
" </FORM></HTML>" );
}
else
{
sprintf(szForm+c,
"Stock Level Threshold:
%2.2d<BR> <BR>"
"low stock:
%3.3d</font> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR>"
" <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR></PRE><HR>"
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">"
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"

```

```

" </FORM></HTML>"
, pStockLevelData->low_stock);
}
}

/* FUNCTION: MakeNewOrderForm
*
* COMMENTS: The internal client buffer is
created when the terminal id is assigned and should
not
* be freed
except when the client terminal id is no longer
needed.
*/

void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm)
{
int      i, c;
BOOL     bValid;
static  char szBR[] = " <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR>";

if (!bInput)
assert( pNewOrderData->exec_status_code == eOK || pNewOrderData->exec_status_code == eInvalidItem );

bValid = (bInput || (pNewOrderData->exec_status_code == eOK));

c = sprintf(szForm,
"HTML<HEAD><TITLE>TPC-C New
Order</TITLE></HEAD><BODY>"
"FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
"INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">"
"INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
"INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
"INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
"INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
"PRE><font face=\"Courier\">
New Order<BR>"
" bValid ? 0 : ERR_BAD_ITEM_ID,
NEW_ORDER_FORM, iTermId,
Term.pClientData[iTermId].iSyncId);

if ( bInput )
{
c += sprintf(szForm+c,
"Warehouse: %4.4d ", Term.pClientData[iTermId].w_id
);
strcpy( szForm+c,

```

```

"District: <INPUT
NAME=\"DID\" SIZE=1>
Date:<BR>"
"Customer: <INPUT
NAME=\"CID\" SIZE=4> Name:
Credit: %Disc:<BR>"
"Order Number:
Number of Lines: W_tax: D_tax:<BR>
<BR>"
" Supp_W Item_Id Item
Name Qty Stock B/G Price
Amount<BR>"
" <INPUT
NAME=\"SP0\" SIZE=4> <INPUT NAME=\"IID00\"
SIZE=6> <INPUT
NAME=\"Qty0\" SIZE=1><BR>"
" <INPUT
NAME=\"SP01\" SIZE=4> <INPUT NAME=\"IID01\"
SIZE=6> <INPUT
NAME=\"Qty01\" SIZE=1><BR>"
" <INPUT
NAME=\"SP02\" SIZE=4> <INPUT NAME=\"IID02\"
SIZE=6> <INPUT
NAME=\"Qty02\" SIZE=1><BR>"
" <INPUT
NAME=\"SP03\" SIZE=4> <INPUT NAME=\"IID03\"
SIZE=6> <INPUT
NAME=\"Qty03\" SIZE=1><BR>"
" <INPUT
NAME=\"SP04\" SIZE=4> <INPUT NAME=\"IID04\"
SIZE=6> <INPUT
NAME=\"Qty04\" SIZE=1><BR>"
" <INPUT
NAME=\"SP05\" SIZE=4> <INPUT NAME=\"IID05\"
SIZE=6> <INPUT
NAME=\"Qty05\" SIZE=1><BR>"
" <INPUT
NAME=\"SP06\" SIZE=4> <INPUT NAME=\"IID06\"
SIZE=6> <INPUT
NAME=\"Qty06\" SIZE=1><BR>"
" <INPUT
NAME=\"SP07\" SIZE=4> <INPUT NAME=\"IID07\"
SIZE=6> <INPUT
NAME=\"Qty07\" SIZE=1><BR>"
" <INPUT
NAME=\"SP08\" SIZE=4> <INPUT NAME=\"IID08\"
SIZE=6> <INPUT
NAME=\"Qty08\" SIZE=1><BR>"
" <INPUT
NAME=\"SP09\" SIZE=4> <INPUT NAME=\"IID09\"
SIZE=6> <INPUT
NAME=\"Qty09\" SIZE=1><BR>"
" <INPUT
NAME=\"SP10\" SIZE=4> <INPUT NAME=\"IID10\"
SIZE=6> <INPUT
NAME=\"Qty10\" SIZE=1><BR>"
" <INPUT
NAME=\"SP11\" SIZE=4> <INPUT NAME=\"IID11\"
SIZE=6> <INPUT
NAME=\"Qty11\" SIZE=1><BR>"
" <INPUT
NAME=\"SP12\" SIZE=4> <INPUT NAME=\"IID12\"

```

```

SIZE=6>
NAME="Qty12*" SIZE=1<BR>"
" <INPUT
NAME="SP13*" SIZE=4> <INPUT NAME="IID13*"
SIZE=6>
NAME="Qty13*" SIZE=1<BR>"
" <INPUT
NAME="SP14*" SIZE=4> <INPUT NAME="IID14*"
SIZE=6>
NAME="Qty14*" SIZE=1<BR>"
"Execution Status:
Total:<BR>"
" </font></PRE><HR>"
" <INPUT TYPE="submit\"
NAME="CMD\" VALUE="Process\">"
" <INPUT TYPE="submit\"
NAME="CMD\" VALUE="Menu\">"
" </FORM></HTML>"
);
}
else
{
c += sprintf(szForm+c,
"Warehouse: %4.4d District: %2.2d
Date: ",
pNewOrderData->w_id,
pNewOrderData->d_id);
if ( bValid )
{
c += sprintf(szForm+c,
"%2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
pNewOrderData->o_entry_d.day,
pNewOrderData->o_entry_d.month,
pNewOrderData->o_entry_d.year,
pNewOrderData->o_entry_d.hour,
pNewOrderData->o_entry_d.minute,
pNewOrderData->o_entry_d.second);
}
c += sprintf(szForm+c,
"<BR>Customer: %4.4d Name: %-16s Credit: %-2s
",
pNewOrderData->c_id,
pNewOrderData->c_last, pNewOrderData->c_credit);
if ( bValid )
{
c += sprintf(szForm+c,
"%Disc: %5.2f <BR>"
"Order Number: %8.8d Number of Lines:
%2.2d W_tax: %5.2f D_tax: %5.2f <BR> <BR>"
" Supp_W Item_Id Item Name
Qty Stock B/G Price Amount<BR>",

```

```

100.0*pNewOrderData->c_discount,
pNewOrderData->o_id,
pNewOrderData->o_ol_cnt,
100.0 *
100.0 *
pNewOrderData->w_tax,
pNewOrderData->d_tax);
for(i=0;
i<pNewOrderData->o_ol_cnt; i++)
{
c +=
sprintf(szForm+c, " %4.4d %6.6d %-24s %2.2d
%3.3d %1.1s %6.2f %7.2f <BR>",
pNewOrderData->OL[i].ol_supply_w_id,
pNewOrderData->OL[i].ol_i_id,
pNewOrderData->OL[i].ol_i_name,
pNewOrderData->OL[i].ol_quantity,
pNewOrderData->OL[i].ol_stock,
pNewOrderData->OL[i].ol_brand_generic,
pNewOrderData->OL[i].ol_i_price,
pNewOrderData->OL[i].ol_amount );
}
else
{
c += sprintf(szForm+c,
"%Disc:<BR>"
"Order
Number: %8.8d Number of Lines: W_tax:
D_tax:<BR> <BR>"
" Supp_W
Item_Id Item Name Qty Stock B/G
Price Amount<BR>"
pNewOrderData->o_id);
i = 0;
}
strcpy( szForm+c, szBR, (15-i)*5
);
c += (15-i)*5;
if ( bValid )
c += sprintf(szForm+c,
"Execution Status: Transaction committed.
Total: %8.2f ",
pNewOrderData->total_amount);
else

```

```

c += sprintf(szForm+c,
"Execution Status: Item number is not valid.
Total:");
strcpy(szForm+c,
"
<BR></font></PRE><HR>"
" <INPUT TYPE="submit\"
NAME="CMD\" VALUE="..NewOrder..\">"
" <INPUT TYPE="submit\"
NAME="CMD\" VALUE="..Payment..\">"
" <INPUT TYPE="submit\"
NAME="CMD\" VALUE="..Delivery..\">"
" <INPUT TYPE="submit\"
NAME="CMD\" VALUE="..Order-Status..\">"
" <INPUT TYPE="submit\"
NAME="CMD\" VALUE="..Stock-Level..\">"
" <INPUT TYPE="submit\"
NAME="CMD\" VALUE="..Exit..\">"
" </FORM></HTML>"
);
}
/* FUNCTION: MakePaymentForm
*
* COMMENTS: The internal client buffer is
created when the terminal id is assigned and should
not
* be freed
except when the client terminal id is no longer
needed.
*/
void MakePaymentForm(int iTermId, PAYMENT_DATA
*pPaymentData, BOOL bInput, char *szForm)
{
int c;
c = sprintf(szForm,
"<HTML><HEAD><TITLE>TPC-C
Payment</TITLE></HEAD><BODY>"
"<FORM ACTION="tpcc.dll"
METHOD="GET">"
" <INPUT TYPE="hidden\"
NAME="STATUSID\" VALUE="0\">"
" <INPUT TYPE="hidden\"
NAME="ERROR\" VALUE="0\">"
" <INPUT TYPE="hidden\"
NAME="FORMID\" VALUE="\">"
" <INPUT TYPE="hidden\"
NAME="TERMINID\" VALUE="\">"
" <INPUT TYPE="hidden\"
NAME="SYNCID\" VALUE="\">"
"<PRE><font face="Courier\">
Payment<BR>"
"Date: "
, PAYMENT_DATA, iTermId,
Term.pClientData[iTermId].iSyncId);
if ( !bInput )
{

```

```

        c += sprintf(szForm+c, "%2.2d-
%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
        pPaymentData-
>h_date.day,
        pPaymentData-
>h_date.month,
        pPaymentData-
>h_date.year,
        pPaymentData-
>h_date.hour,
        pPaymentData-
>h_date.minute,
        pPaymentData-
>h_date.second);
    }
    if ( bInput )
    {
        c += sprintf(szForm+c,
        "<BR> <BR>Warehouse:
%4.4d"
        "
District: <INPUT NAME=\"DID*\" SIZE=1><BR> <BR> <BR>
<BR> <BR>"
        "Customer: <INPUT
NAME=\"CID*\" SIZE=4>"
        "Cust-Warehouse: <INPUT
NAME=\"CWI*\" SIZE=4> "
        "Cust-District: <INPUT
NAME=\"CDI*\" SIZE=1><BR>"
        "Name:
<INPUT NAME=\"CLI*\" SIZE=16>
Since:<BR>"
        "
Credit:<BR>"
        "
Disc:<BR>"
        "
Phone:<BR> <BR>"
        "Amount Paid:
$<INPUT NAME=\"HAM*\" SIZE=7>
Balance:<BR>"
        "Credit Limit:<BR>
<BR>Cust-Data: <BR> <BR> <BR> <BR>
<BR></font></PRE><HR>"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\"><INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">"
        "</BODY></FORM></HTML>"
        ,
Term.pClientData[iTermId].w_id);
    }
    else
    {
        c += sprintf(szForm+c,
        "<BR> <BR>Warehouse:
%4.4d
District: %2.2d<BR>"
        "%-20s
%20s<BR>"
        "%-20s
%20s<BR>"
        "%-20s %-2s %5.5s-%4.4s
%-20s %-2s %5.5s-%4.4s<BR> <BR>"

```

```

        "Customer: %4.4d Cust-
Warehouse: %4.4d Cust-District: %2.2d<BR>"
        "Name: %-16s %-2s %-
16s Since: %2.2d-%2.2d-%4.4d<BR>"
        " %-20s
Credit: %-2s<BR>"
        ,
Term.pClientData[iTermId].w_id, pPaymentData->d_id
        , pPaymentData-
>w_street_1, pPaymentData->d_street_1
        , pPaymentData-
>w_street_2, pPaymentData->d_street_2
        , pPaymentData->w_city,
pPaymentData->w_state, pPaymentData->w_zip,
pPaymentData->w_zip+5
        , pPaymentData->d_city,
pPaymentData->d_state, pPaymentData->d_zip,
pPaymentData->d_zip+5
        , pPaymentData->c_id,
pPaymentData->c_w_id, pPaymentData->c_d_id
        , pPaymentData-
>c_first, pPaymentData->c_middle, pPaymentData-
>c_last
        , pPaymentData-
>c_since.day, pPaymentData->c_since.month,
pPaymentData->c_since.year
        , pPaymentData-
>c_street_1, pPaymentData->c_credit
        );
        c += sprintf(szForm+c,
        " %-20s
%%Disc: %5.2f<BR>",
        pPaymentData-
>c_street_2, 100.0*pPaymentData->c_discount);
        c += sprintf(szForm+c,
        " %-20s %-2s
%5.5s-%4.4s Phone: %6.6s-%3.3s-%3.3s-%4.4s<BR>
<BR>",
        pPaymentData->c_state, pPaymentData->c_city,
pPaymentData->c_zip+5,
        pPaymentData->c_phone,
pPaymentData->c_phone+6, pPaymentData->c_phone+9,
pPaymentData->c_phone+12 );
        c += sprintf(szForm+c,
        "Amount Paid:
$%7.2f New Cust-Balance: %14.2f<BR>"
        "Credit Limit:
$%13.2f<BR> <BR>"
        , pPaymentData-
>h_amount, pPaymentData->c_balance
        , pPaymentData-
>c_credit_lim
        );
        if ( pPaymentData->c_credit[0] ==
'B' && pPaymentData->c_credit[1] == 'C' )
            c += sprintf(szForm+c,

```

```

        "Cust-Data: %50.50s<BR>
50.50s<BR> %-50.50s<BR>
50.50s<BR>",
        pPaymentData->c_data, pPaymentData-
>c_data+50, pPaymentData->c_data+100, pPaymentData-
>c_data+150 );
        else
            strcpy(szForm+c, "Cust-
Data: <BR> <BR> <BR> <BR>");
        strcat(szForm,
        "
<BR></font></PRE><HR>"
        "
<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
        "
<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Payment..\">"
        "
<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Delivery..\">"
        "
<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Order-Status..\">"
        "
<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Stock-Level..\">"
        "
<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Exit..\">"
        "</BODY></FORM></HTML>");
    }
}
/* FUNCTION: MakeOrderStatusForm
 *
 * COMMENTS: The internal client buffer is
created when the terminal id is assigned and should
not
 * be freed
 * except when the client terminal id is no longer
needed.
 */
void MakeOrderStatusForm(int iTermId,
ORDER_STATUS_DATA *pOrderStatusData, BOOL bInput,
char *szForm)
{
    int i, c;
    static char szBR[] = " <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR>";
    c = sprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Order-
Status</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"

```

```

        "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"TERMIN\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
        "<PRE><font face=\"Courier\">
Order-Status<BR>"
        "Warehouse: %4.4d ",
        ORDER_STATUS_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id;

        if ( bInput )
        {
            strcpy( szForm+c,
                "District: <INPUT
NAME=\"DID*\" SIZE=1><BR>"
                "Customer: <INPUT
NAME=\"CID*\" SIZE=4> Name:
<INPUT NAME=\"CLI*\" SIZE=23><BR>"
                "Cust-Balance:<BR>
<BR>"
                "Order-Number:
                Carrier-
                "Supply-W Item-Id
Qty Amount Delivery-Date<BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> </font></PRE>"
                "<HR><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Process\"><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
                "</BODY></FORM></HTML>"
            );
        }
        else
        {
            c += sprintf( szForm+c,
                "District: %2.2d<BR>"
                "Customer: %4.4d
Name: %16s %2s %16s<BR>",
                pOrderStatusData->d_id,
                pOrderStatusData->c_id,
                pOrderStatusData->c_first, pOrderStatusData->c_middle,
                pOrderStatusData->c_last);
            c += sprintf( szForm+c, "Cust-
Balance: %9.2f<BR> <BR>",
                pOrderStatusData->c_balance);
            c += sprintf( szForm+c,
                "Order-Number: %8.8d
Entry-Date: %2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d
Carrier-Number: %2.2d<BR>"

```

```

        "Supply-W Item-Id
Qty Amount Delivery-Date<BR>",
        pOrderStatusData->o_id,
        pOrderStatusData->o_entry_d.day,
        pOrderStatusData->o_entry_d.month,
        pOrderStatusData->o_entry_d.year,
        pOrderStatusData->o_entry_d.hour,
        pOrderStatusData->o_entry_d.minute,
        pOrderStatusData->o_entry_d.second,
        pOrderStatusData->o_carrier_id);
        for(i=0; i< pOrderStatusData->o_ol_cnt; i++)
        {
            c += sprintf( szForm+c,
                "%4.4d %6.6d %2.2d %8.2f %2.2d-
%2.2d-%4.4d<BR>",
                pOrderStatusData->OL[i].ol_supply_w_id,
                pOrderStatusData->OL[i].ol_i_id,
                pOrderStatusData->OL[i].ol_quantity,
                pOrderStatusData->OL[i].ol_amount,
                pOrderStatusData->OL[i].ol_delivery_d.day,
                pOrderStatusData->OL[i].ol_delivery_d.month,
                pOrderStatusData->OL[i].ol_delivery_d.year);
        }
        strcpy( szForm+c, szBR, (15-i)*5 );
        c += (15-i)*5;
        strcpy( szForm+c,
            "</font></PRE><HR><INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">"
            "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
            "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
            "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
            "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
            "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
            "</BODY></FORM></HTML>"
        );
    }

```

```

}
/* FUNCTION: MakeDeliveryForm
 *
 * COMMENTS: The internal client buffer is
created when the terminal id is assigned and should
not
 * be freed
 * except when the client terminal id is no longer
needed.
 */

void MakeDeliveryForm(int iTermId, DELIVERY_DATA
*pDeliveryData, BOOL bInput, char *szForm)
{
    int c;
    c = sprintf( szForm,
        "<HTML><HEAD><TITLE>TPC-C
Delivery</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"TERMIN\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
        "<PRE><font face=\"Courier\">
Delivery<BR>"
        "Warehouse: %4.4d<BR> <BR>",
        (!bInput && (pDeliveryData->exec_status_code != eOK)) ? ERR_TYPE_DELIVERY_POST :
        0,
        DELIVERY_FORM, iTermId,
        Term.pClientData[iTermId].iSyncId,
        Term.pClientData[iTermId].w_id);
    if ( bInput )
    {
        strcpy( szForm+c,
            "Carrier Number: <INPUT
NAME=\"OCD*\" SIZE=1><BR> <BR>"
            "Execution Status: <BR>
<BR> <BR> <BR> <BR> <BR> <BR>
" <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> </font></PRE><HR>"
            "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\">"
            "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">"
            "</BODY></FORM></HTML>"
        );
    }
    else
    {
        sprintf( szForm+c,
            "%2.2d<BR> <BR>"

```

```

"Execution Status: %s
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
" <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> </font></PRE>"
"<HR><INPUT
TYPE="submit" NAME="CMD\" VALUE="\"..NewOrder..\">"
" <INPUT TYPE="submit\"
NAME="CMD\" VALUE="\"..Payment..\">"
" <INPUT TYPE="submit\"
NAME="CMD\" VALUE="\"..Delivery..\">"
" <INPUT TYPE="submit\"
NAME="CMD\" VALUE="\"..Order-Status..\">"
" <INPUT TYPE="submit\"
NAME="CMD\" VALUE="\"..Stock-Level..\">"
" <INPUT TYPE="submit\"
NAME="CMD\" VALUE="\"..Exit..\">"
" </BODY></FORM></HTML>"
, pDeliveryData-
(pDeliveryData-
>exec_status_code == eOK) ? "Delivery has been
queued." : "Delivery Post Failed "
)
}
}
/* FUNCTION: ProcessNewOrderForm
*
* PURPOSE: This function gets and validates
the input data from the new order form
* filling in the required
input variables. it then calls the SQLNewOrder
* transaction, constructs
the output form and writes it back to client
* browser.
*/
void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
PNEW_ORDER_DATA pNewOrder;
pNewOrder = Term.pClientData[iTermId].pTxn-
>BuffAddr_NewOrder();
ZeroMemory(pNewOrder,
sizeof(NEW_ORDER_DATA));
pNewOrder->w_id =
Term.pClientData[iTermId].w_id;
GetNewOrderData(pECB->lpszQueryString,
pNewOrder);
Term.pClientData[iTermId].pTxn->NewOrder();
pNewOrder = Term.pClientData[iTermId].pTxn-
>BuffAddr_NewOrder();
MakeNewOrderForm(iTermId, pNewOrder,
OUTPUT_FORM, szBuffer);
}
/* FUNCTION: void ProcessPaymentForm
*

```

```

* PURPOSE: This function gets and validates
the input data from the payment form
* filling in the required
input variables. It then calls the SQLPayment
* transaction, constructs
the output form and writes it back to client
* browser.
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
*pECB passed in structure pointer from
inetsrv. int
iTermId client browser terminal id
*/
void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
PPAYMENT_DATA pPayment;
pPayment = Term.pClientData[iTermId].pTxn-
>BuffAddr_Payment();
ZeroMemory(pPayment, sizeof(PAYMENT_DATA));
pPayment->w_id =
Term.pClientData[iTermId].w_id;
GetPaymentData(pECB->lpszQueryString,
pPayment);
Term.pClientData[iTermId].pTxn->Payment();
pPayment = Term.pClientData[iTermId].pTxn-
>BuffAddr_Payment();
MakePaymentForm(iTermId, pPayment,
OUTPUT_FORM, szBuffer);
}
/* FUNCTION: ProcessOrderStatusForm
*
* PURPOSE: This function gets and validates
the input data from the Order Status
* form filling in the
required input variables. It then calls the
* SQLOrderStatus
transaction, constructs the output form and writes it
* back to client browser.
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
*pECB passed in structure pointer from
inetsrv. int
iTermId client browser terminal id
*/
void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
PORDER_STATUS_DATA pOrderStatus;

```

```

pOrderStatus =
Term.pClientData[iTermId].pTxn-
>BuffAddr_OrderStatus();
ZeroMemory(pOrderStatus,
sizeof(ORDER_STATUS_DATA));
pOrderStatus->w_id =
Term.pClientData[iTermId].w_id;
GetOrderStatusData(pECB->lpszQueryString,
pOrderStatus);
Term.pClientData[iTermId].pTxn-
>OrderStatus();
pOrderStatus =
Term.pClientData[iTermId].pTxn-
>BuffAddr_OrderStatus();
MakeOrderStatusForm(iTermId, pOrderStatus,
OUTPUT_FORM, szBuffer);
}
/* FUNCTION: ProcessDeliveryForm
*
* PURPOSE: This function gets and validates
the input data from the delivery form
* filling in the required
input variables. It then calls the PostDeliveryInfo
* Api, The client is then
informed that the transaction has been posted.
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
*pECB passed in structure pointer from
inetsrv. int
iTermId client browser terminal id
*/
void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
char *ptr = pECB->lpszQueryString;
PDELIVERY_DATA pDelivery;
pDelivery = Term.pClientData[iTermId].pTxn-
>BuffAddr_Delivery();
ZeroMemory(pDelivery,
sizeof(DELIVERY_DATA));
pDelivery->w_id =
Term.pClientData[iTermId].w_id;
pDelivery->o_carrier_id =
GetIntKeyValue(&ptr, "OCD*",
ERR_DELIVERY_MISSING_OCD_KEY,
ERR_DELIVERY_CARRIER_INVALID);
if ( pDelivery->o_carrier_id > 10 ||
pDelivery->o_carrier_id < 1 )
throw new CWBCLNT_ERR(
ERR_DELIVERY_CARRIER_ID_RANGE );
if (dwNumDeliveryThreads)
{

```

```

        //post delivery info
        if ( PostDeliveryInfo(pDelivery-
>w_id, pDelivery->o_carrier_id) )
            pDelivery-
>exec_status_code = eDeliveryFailed;
        else
            pDelivery-
>exec_status_code = eOK;
    }
    else // delivery is done synchronously if
no delivery threads configured
        Term.pClientData[iTermId].pTxn-
>Delivery();

    pDelivery = Term.pClientData[iTermId].pTxn-
>BuffAddr_Delivery();
    MakeDeliveryForm(iTermId, pDelivery,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessStockLevelForm
*
* PURPOSE: This function gets and validates
the input data from the Stock Level
*           form filling in the
required input variables. It then calls the
SQLStockLevel
transaction, constructs the output form and writes it
back to client browser.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
*PECB passed in structure pointer from
inetsrv.
*           int
*           iTermId client browser terminal id
*/

void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    char *ptr = pECB-
>lpszQueryString;

    PSTOCK_LEVEL_DATA pStockLevel;

    pStockLevel =
Term.pClientData[iTermId].pTxn-
>BuffAddr_StockLevel();
    ZeroMemory( pStockLevel,
sizeof( STOCK_LEVEL_DATA ) );

    pStockLevel->w_id =
Term.pClientData[iTermId].w_id;
    pStockLevel->d_id =
Term.pClientData[iTermId].d_id;

    pStockLevel->threshold =
GetIntKeyValue(&ptr, "TI",
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID);

```

```

        if ( pStockLevel->threshold >= 100 ||
pStockLevel->threshold < 0 )
            throw new CWBCLNT_ERR(
ERR_STOCKLEVEL_THRESHOLD_RANGE );

        Term.pClientData[iTermId].pTxn-
>StockLevel();

        pStockLevel =
Term.pClientData[iTermId].pTxn-
>BuffAddr_StockLevel();
        MakeStockLevelForm(iTermId, pStockLevel,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: GetNewOrderData
*
* PURPOSE: This function extracts and
validates the new order form data from an http
command string.
*
* ARGUMENTS: LPSTR client
lpszQueryString browser http command string
*
NEW_ORDER_DATA *pNewOrderData
pointer to new order data structure
*/

void GetNewOrderData(LPSTR lpszQueryString,
NEW_ORDER_DATA *pNewOrderData)
{
    char szTmp[26];
    int i;
    short items;
    int ol_i_id, ol_quantity;
    char *ptr = lpszQueryString;

    static char szSP[MAX_OL_NEW_ORDER_ITEMS][6]
=
"SP03*", "SP04*", {"SP00*", "SP01*", "SP02*",
"SP03*", "SP04*", "SP05*", "SP06*", "SP07*",
"SP08*", "SP09*", "SP10*", "SP11*", "SP12*",
"SP13*", "SP14*"};
    static char
szIID[MAX_OL_NEW_ORDER_ITEMS][7] =
{"IID00*", "IID01*", "IID02*",
"IID03*", "IID04*", "IID05*", "IID06*", "IID07*",
"IID08*", "IID09*", "IID10*", "IID11*", "IID12*",
"IID13*", "IID14*"};
    static char
szQty[MAX_OL_NEW_ORDER_ITEMS][7] =
{"Qty00*", "Qty01*", "Qty02*",
"Qty03*", "Qty04*", "Qty05*", "Qty06*", "Qty07*",
"Qty08*", "Qty09*", "Qty10*", "Qty11*", "Qty12*",
"Qty13*", "Qty14*"};

```

```

        pNewOrderData->d_id = GetIntKeyValue(&ptr,
"DID*", ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_DISTRICT_INVALID);
        pNewOrderData->c_id = GetIntKeyValue(&ptr,
"CID*", ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_CUSTOMER_INVALID);

        for(i=0, items=0; i<MAX_OL_NEW_ORDER_ITEMS;
i++)
        {
            GetKeyValue(&ptr, szSP[i], szTmp,
sizeof(szTmp), ERR_NEWORDER_MISSING_SUPPW_KEY);
            if ( szTmp[0] )
            {
                if ( !IsNumeric(szTmp)
                throw new
CWBCLNT_ERR( ERR_NEWORDER_SUPPW_INVALID );
                pNewOrderData-
>OL[items].ol_supply_w_id = (short)atoi(szTmp);

                ol_i_id =
pNewOrderData->OL[items].ol_i_id =
                GetIntKeyValue(&ptr, szIID[i],
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_ITEMID_INVALID);
                if ( ol_i_id > 999999
|| ol_i_id < 1 )
                    throw new
CWBCLNT_ERR( ERR_NEWORDER_ITEMID_RANGE );

                ol_quantity =
pNewOrderData->OL[items].ol_quantity =
                GetIntKeyValue(&ptr, szQty[i],
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_QTY_INVALID);
                if ( ol_quantity > 99
|| ol_quantity < 1 )
                    throw new
CWBCLNT_ERR( ERR_NEWORDER_QTY_RANGE );

                items++;
            }
            else
            {
                // nothing entered for
supply warehouse, so item id and qty must also be
blank
                GetKeyValue(&ptr,
szIID[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_IID_KEY);
                if ( szTmp[0] )
                    throw new
CWBCLNT_ERR( ERR_NEWORDER_ITEMID_WITHOUT_SUPPW );

                GetKeyValue(&ptr,
szQty[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_QTY_KEY);
                if ( szTmp[0] )
                    throw new
CWBCLNT_ERR( ERR_NEWORDER_QTY_WITHOUT_SUPPW );
            }
        }
    }
}

```

```

    }
    if ( items == 0 )
        throw new CWBCLNT_ERR(
ERR_NEWORDER_NOITEMS_ENTERED );
    pNewOrderData->o_ol_cnt = items;
}

/* FUNCTION: GetPaymentData
 *
 * PURPOSE:      This function extracts and
validates the payment form data from an http command
string.
 *
 * ARGUMENTS:    LPSTR          client
lpzQueryString      browser http command string
 *
 *                *pPaymentData  PAYMENT_DATA
payment data structure
 */

void GetPaymentData(LPSTR lpzQueryString,
PAYMENT_DATA *pPaymentData)
{
    char    szTmp[26];
    char    *ptr = lpzQueryString;
    BOOL    bCustIdBlank;

    pPaymentData->d_id = GetIntKeyValue(&ptr,
"DID*", ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_DISTRICT_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        bCustIdBlank = TRUE;
        pPaymentData->c_id = 0;
    }
    else
    {
        // parse customer id and verify
that last name was NOT entered
        bCustIdBlank = FALSE;
        if ( !IsNumeric(szTmp) )
            throw new CWBCLNT_ERR(
ERR_PAYMENT_CUSTOMER_INVALID );
        pPaymentData->c_id = atoi(szTmp);
    }

    pPaymentData->c_w_id = GetIntKeyValue(&ptr,
"CWI*", ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_CWI_INVALID);
    pPaymentData->c_d_id = GetIntKeyValue(&ptr,
"CDI*", ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_CDI_INVALID);

    if ( bCustIdBlank )
    {
        // customer id is blank, so last
name must be entered
        GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CLT_KEY);

```

```

        if ( szTmp[0] == 0 )
            throw new CWBCLNT_ERR(
ERR_PAYMENT_MISSING_CID_CLT );
        _strupr( szTmp );
        if ( strlen(pPaymentData->c_last)
> LAST_NAME_LEN )
            throw new CWBCLNT_ERR(
ERR_PAYMENT_LAST_NAME_TO_LONG );
        strcpy(pPaymentData->c_last,
szTmp);
    }
    else
    {
        // parse customer id and verify
that last name was NOT entered
        GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CLT_KEY);
        if ( szTmp[0] != 0 )
            throw new CWBCLNT_ERR(
ERR_PAYMENT_CID_AND_CLT );
    }

    GetKeyValue(&ptr, "HAM*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_HAM_KEY);
    if (!IsDecimal(szTmp))
        throw new CWBCLNT_ERR(
ERR_PAYMENT_HAM_INVALID );
    pPaymentData->h_amount = atof(szTmp);
    if ( pPaymentData->h_amount >= 10000.00 ||
pPaymentData->h_amount < 0 )
        throw new CWBCLNT_ERR(
ERR_PAYMENT_HAM_RANGE );
}

/* FUNCTION: GetOrderStatusData
 *
 * PURPOSE:      This function extracts and
validates the payment form data from an http command
string.
 *
 *                void GetOrderStatusData(LPSTR lpzQueryString,
ORDER_STATUS_DATA *pOrderStatusData)
{
    char    szTmp[26];
    char    *ptr = lpzQueryString;

    pOrderStatusData->d_id =
GetIntKeyValue(&ptr, "DID*",
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_ORDERSTATUS_DID_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        // customer id is blank, so last
name must be entered
        pOrderStatusData->c_id = 0;
        GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] == 0 )
            throw new CWBCLNT_ERR(
ERR_ORDERSTATUS_MISSING_CID_CLT );

```

```

        _strupr( szTmp );
        if ( strlen(pOrderStatusData-
>c_last) > LAST_NAME_LEN )
            throw new CWBCLNT_ERR(
ERR_ORDERSTATUS_CLT_RANGE );
        strcpy(pOrderStatusData->c_last,
szTmp);
    }
    else
    {
        // parse customer id and verify
that last name was NOT entered
        if ( !IsNumeric(szTmp) )
            throw new CWBCLNT_ERR(
ERR_ORDERSTATUS_CID_INVALID );
        pOrderStatusData->c_id =
atoi(szTmp);
        GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] != 0 )
            throw new CWBCLNT_ERR(
ERR_ORDERSTATUS_CID_AND_CLT );
    }
}

/* FUNCTION: BOOL IsNumeric(char *ptr)
 *
 * PURPOSE:      This function determines if a
string is numeric. It fails if any characters other
 *                than numeric and null
terminator are present.
 *
 * ARGUMENTS:    char
 *                *ptr      pointer to string to check.
 *
 * RETURNS:      BOOL      FALSE      if
string is not all numeric
 *                TRUE      if string contains only numeric
characters i.e. '0' - '9'
 */

BOOL IsNumeric(char *ptr)
{
    if ( *ptr == 0 )
        return FALSE;

    while( *ptr && isdigit(*ptr) )
        ptr++;
    return ( !*ptr );
}

/* FUNCTION: BOOL IsDecimal(char *ptr)
 *
 * PURPOSE:      This function determines if a
string is a non-negative decimal value.
 *                It fails if any characters other than a
series of numbers followed by
 *                a decimal point,
another series of numbers, and a null terminator are
present.
 *

```

```

* ARGUMENTS:      char
                  *ptr      pointer to string to check.
*
* RETURNS:        BOOL      FALSE   if
string is not a valid non-negative decimal value
*
                  TRUE       if string is OK
*/

BOOL IsDecimal(char *ptr)
{
    char *dotptr;
    BOOL bValid;

    if ( *ptr == 0 )
        return FALSE;

    // find decimal point
    dotptr = strchr( ptr, '.' );
    if (dotptr == NULL)
        // no decimal point, so just
        // check for numeric
        return IsNumeric(ptr);
    *dotptr = 0; // temporarily replace
    decimal with a terminator

    if ( *ptr != 0 )
        bValid = IsNumeric(ptr);
    // string starts with decimal point
    else if (*(dotptr+1) == 0)
        return FALSE; // nothing but a
    decimal point is bad
    else
        bValid = TRUE;

    if (*(dotptr+1) != 0)
        // check text after decimal point
        bValid &= IsNumeric(dotptr+1);

    *dotptr = '.'; // replace decimal point
    return bValid;
}

```

tpcc.def

LIBRARY TPCC.DLL

EXPORTS

```

GetExtensionVersion @1
HttpExtensionProc   @2
TerminateExtension  @3

```

tpcc.h

```

/*      FILE:          TPCC.H

```

```

*
*      Microsoft
TPC-C Kit Ver. 4.20.000
*
*      Copyright
Microsoft, 1999
*
*      All Rights Reserved
*
*
*      Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*      PURPOSE:  Header file for ISAPI TPCC.DLL,
defines structures and functions used in the isapi
tpcc.dll.
*/

//VERSION RESOURCE DEFINES
#define _APS_NEXT_RESOURCE_VALUE        101
#define _APS_NEXT_COMMAND_VALUE        40001
#define _APS_NEXT_CONTROL_VALUE        1000
#define _APS_NEXT_SYMED_VALUE          101

#define TP_MAX_RETRIES                  50

//note that the welcome form must be processed first
as terminal ids assigned here, once the
//terminal id is assigned then the forms can be
processed in any order.
#define WELCOME_FORM                    1
//beginning form no term id assigned, form
id
#define MAIN_MENU_FORM                  2
//term id assigned main menu form id
#define NEW_ORDER_FORM                  3
//new order form id
#define PAYMENT_FORM                    4
//payment form id
#define DELIVERY_FORM                   5
//delivery form id
#define ORDER_STATUS_FORM               6
//order
status id
#define STOCK_LEVEL_FORM                7
//stock level
form id

//This macro is used to prevent the compiler error
unused formal parameter
#define UNUSEDPARAM(x) (x = x)

```

```

//This structure defines the data necessary to keep
distinct for each terminal or client connection.
typedef struct _CLIENTDATA
{
    int                iNextFree;
//index of
next free element or -1 if this entry in use.
    int                w_id;
//warehouse
id assigned at welcome form
    int                d_id;
//district id
assigned at welcome form
    int                iSyncId;
//synchronization id
    int                iTickCount;
//time of
last access;
    CTPCC_BASE        *pTxn;
} CLIENTDATA, *PCLIENTDATA;

//This structure is used to define the operational
interface for terminal id support
typedef struct _TERM
{
    int                iNumEntries;
//total allocated terminal array entries
    int                iFreeList;
//next available terminal array element or
-1 if none
    int                iMasterSyncId;
//synchronization id
    CLIENTDATA        *pClientData;
//pointer to
allocated client data
} TERM;

typedef TERM *PTERM;
//pointer to
terminal structure type

enum WEBERROR
{
    NO_ERR,
    ERR_COMMAND_UNDEFINED,
    ERR_D_ID_INVALID,
    ERR_DELIVERY_CARRIER_ID_RANGE,
    ERR_DELIVERY_CARRIER_INVALID,
    ERR_DELIVERY_MISSING_OCD_KEY,
    ERR_DELIVERY_THREAD_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_HTML_ILL_FORMED,
    ERR_INVALID_SYNC_CONNECTION,
    ERR_INVALID_TERMID,
    ERR_LOADDLL_FAILED,

```

```

ERR_MAX_CONNECTIONS_EXCEEDED,
ERR_MEM_ALLOC_FAILED,
ERR_MISSING_REGISTRY_ENTRIES,
ERR_NEWORDER_CUSTOMER_INVALID,
ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_DISTRICT_INVALID,
ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_ITEMID_INVALID,
ERR_NEWORDER_ITEMID_RANGE,

ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_MISSING_SUPPW_KEY,
ERR_NEWORDER_NOITEMS_ENTERED,
ERR_NEWORDER_QTY_INVALID,
ERR_NEWORDER_QTY_RANGE,
ERR_NEWORDER_QTY_WITHOUT_SUPPW,
ERR_NEWORDER_SUPPW_INVALID,
ERR_NO_SERVER_SPECIFIED,
ERR_ORDERSTATUS_CID_AND_CLT,
ERR_ORDERSTATUS_CID_INVALID,
ERR_ORDERSTATUS_CLT_RANGE,
ERR_ORDERSTATUS_DID_INVALID,
ERR_ORDERSTATUS_MISSING_CID_CLT,
ERR_ORDERSTATUS_MISSING_CID_KEY,
ERR_ORDERSTATUS_MISSING_CLT_KEY,
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_PAYMENT_CDI_INVALID,
ERR_PAYMENT_CID_AND_CLT,
ERR_PAYMENT_CUSTOMER_INVALID,
ERR_PAYMENT_CWI_INVALID,
ERR_PAYMENT_DISTRICT_INVALID,
ERR_PAYMENT_HAM_INVALID,
ERR_PAYMENT_HAM_RANGE,
ERR_PAYMENT_LAST_NAME_TO_LONG,
ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_MISSING_CID_CLT,
ERR_PAYMENT_MISSING_CID_KEY,
ERR_PAYMENT_MISSING_CLT,
ERR_PAYMENT_MISSING_CLT_KEY,
ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_MISSING_HAM_KEY,

ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID,
ERR_STOCKLEVEL_THRESHOLD_RANGE,
ERR_VERSION_MISMATCH,
ERR_W_ID_INVALID

};

class CWEBCLNT_ERR : public CBaseErr
{
public:
    CWEBCLNT_ERR(WEBERROR Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    };
};

```

```

    CWEBCLNT_ERR(WEBERROR Err, char
    *szTextDetail, DWORD dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new
        char[strlen(szTextDetail)+1];
        strcpy( m_szTextDetail,
        szTextDetail );
        m_SystemErr =
        dwSystemErr;
        m_szErrorText = NULL;
    };

~CWEBCLNT_ERR()
{
    if (m_szTextDetail !=
    NULL)
        delete []
        m_szTextDetail;
    if (m_szErrorText !=
    NULL)
        delete []
        m_szErrorText;
};

    WEBERROR m_Error;
    char
    *m_szTextDetail; //
    char
    *m_szErrorText;
    DWORD m_SystemErr;

int ErrorType() {return
ERR_TYPE_WEBDLL};
int ErrorNum() {return m_Error};
char *ErrorText();
};

//These constants have already been defined in
engstut.h, but since we do
//not want to include it in the delisrv executable
#define TXN_EVENT_START 2
#define TXN_EVENT_STOP 4
#define TXN_EVENT_WARNING 6
//used to record a warning into the log

//function prototypes

BOOL APIENTRY DllMain(HANDLE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved);
void WriteMessageToEventLog(LPTSTR lpszMsg);
void ProcessQueryString(EXTENSION_CONTROL_BLOCK
*pECB, int *pCmd, int *pFormId, int *pTermId, int
*pSyncId);
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void BeginCmd(EXTENSION_CONTROL_BLOCK *pECB, int
iFormId, int iTermId);

```

```

void ProcessCmd(EXTENSION_CONTROL_BLOCK *pECB, int
iFormId, int iTermId);
void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void ErrorMessage(EXTENSION_CONTROL_BLOCK *pECB, int
iError, int iErrorType, char *szMsg, int iTermId);
void GetKeyValue(char **pQueryString, char *pKey,
char *pValue, int iMax, WEBERROR err);
int GetIntKeyValue(char **pQueryString, char *pKey,
WEBERROR NoKeyErr, WEBERROR NotIntErr);
void TermInit(void);
void TermDeleteAll(void);
int TermAdd(void);
void TermDelete(int id);
void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int
iType, int iErrorNum, int iTermId, int iSyncId, char
*szErrorText, char *szBuffer);
void MakeMainMenuForm(int iTermId, int iSyncId, char
*szForm);
void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm);
void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm);
void MakePaymentForm(int iTermId, PAYMENT_DATA
*pPaymentData, BOOL bInput, char *szForm);
void MakeOrderStatusForm(int iTermId,
ORDER_STATUS_DATA *pOrderStatusData, BOOL bInput,
char *szForm);
void MakeDeliveryForm(int iTermId, DELIVERY_DATA
*pDeliveryData, BOOL bInput, char *szForm);
void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void GetNewOrderData(LPSTR lpszQueryString,
NEW_ORDER_DATA *pNewOrderData);
void GetPaymentData(LPSTR lpszQueryString,
PAYMENT_DATA *pPaymentData);
void GetOrderStatusData(LPSTR lpszQueryString,
ORDER_STATUS_DATA *pOrderStatusData);
BOOL PostDeliveryInfo(short w_id, short
o_carrier_id);
BOOL IsNumeric(char *ptr);
BOOL IsDecimal(char *ptr);
void DeliveryWorkerThread(void *ptr);

```

tpcc.rc

```

//Microsoft Developer Studio generated resource
script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS

```

```

////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"

////////////////////////////////////
////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS

////////////////////////////////////
////////////////////////////////////
// English (U.S.) resources

#if !defined(AFX_RESOURCE_DLL) ||
defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef _MAC
////////////////////////////////////
////////////////////////////////////
//
// Version
//
VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,0,0
PRODUCTVERSION 0,4,0,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904b0"
        BEGIN
            VALUE "Comments", "TPC-C HTML DLL Server
(DBLIB)\0"
            VALUE "CompanyName", "Microsoft\0"
            VALUE "FileDescription", "TPC-C HTML DLL
Server (DBLIB)\0"
            VALUE "FileVersion", "0, 4, 0, 0\0"
            VALUE "InternalName", "tpcc\0"
            VALUE "LegalCopyright", "Copyright ©
1997\0"
            VALUE "OriginalFilename", "tpcc.dll\0"
            VALUE "ProductName", "Microsoft tpcc\0"
            VALUE "ProductVersion", "0, 4, 0, 0\0"
        END
    END
    BLOCK "VarFileInfo"
    BEGIN
        VALUE "Translation", 0x409, 1200

```

```

END
END
#endif // !_MAC

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include \"afxres.h\"\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "\r\n"
    "\0"
END

#endif // APSTUDIO_INVOKED

////////////////////////////////////
////////////////////////////////////
//
// Dialog
//
IDD_DIALOG1 DIALOG DISCARDABLE 0, 0, 186, 95
STYLE DS_MODALFRAME | WS_POPUP | WS_CAPTION |
WS_SYSMENU
CAPTION "Dialog"
FONT 8, "MS Sans Serif"
BEGIN
    DEFPUSHBUTTON "OK", IDOK, 129, 7, 50, 14
    PUSHBUTTON "Cancel", IDCANCEL, 129, 24, 50, 14
END

////////////////////////////////////
////////////////////////////////////
//
// DESIGNINFO
//

#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
    IDD_DIALOG1, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 179

```

```

TOPMARGIN, 7
BOTTOMMARGIN, 88
END
#endif // APSTUDIO_INVOKED

#endif // English (U.S.) resources
////////////////////////////////////
////////////////////////////////////

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 3 resource.
//

////////////////////////////////////
////////////////////////////////////
#endif // not APSTUDIO_INVOKED



---


Tpcc.ubb

*RESOURCES
IPCKEY 133133

MAXACCESSERS 500
MAXSERVERS 100
MAXSERVICES 100
MODEL SHM
MASTER Master
LDBAL Y
SCANUNIT 15
BLOCKTIME 60
BBLQUERY 60

*MACHINES
DEFAULT:
IIS_NODE LMID= Master
TUXDIR="C:\tuxedo"
APPDIR="C:\InetPub\wwwroot"
TUXCONFIG="C:\InetPub\wwwroot\tuxconfig"
ULOGFX="C:\InetPub\wwwroot\ULOG"
TYPE="WinNT"
UID= 0
GID= 0

*GROUPS
GROUPNO
LMID=Master GRPNO=1 OPENINFO=NONE

GROUPPAY
LMID=Master GRPNO=2 OPENINFO=NONE

GROUPOS

```

```

        LMID=Master GRPNO=3 OPENINFO=NONE
GROUPSL      LMID=Master GRPNO=4 OPENINFO=NONE
GROUPDEL     LMID=Master GRPNO=5 OPENINFO=NONE

*SERVERS
DEFAULT:
tuxapp  SRVGRP=GROUPNO
        SRVID=100
        MIN=2 MAX=10
        CLOPT="-s NEWORDER -- -Sdbserver"
        RQADDR=newq REPLYQ=Y
tuxapp  SRVGRP=GROUPPAY
        SRVID=200
        MIN=2 MAX=10
        CLOPT="-s PAYMENT -- -Sdbserver"
        RQADDR=payq REPLYQ=Y
tuxapp  SRVGRP=GROUPOS
        SRVID=300
        MIN=1 MAX=2
        CLOPT="-s ORDERSTATUS -- -Sdbserver"
        RQADDR=ordq REPLYQ=Y
tuxapp  SRVGRP=GROUPSL
        SRVID=400
        MIN=2 MAX=5
        CLOPT="-s STOCKLEVEL -- -Sdbserver"
        RQADDR=stkq REPLYQ=Y
tuxapp  SRVGRP=GROUPDEL
        SRVID=500
        MIN=1 MAX=5
        CLOPT="-s DELIVERY -- -Sdbserver"
        RQADDR=delq REPLYQ=N

*SERVICES

```

tpcc_com.cpp

```

/* FILE: TPCC_COM.CPP
 * Microsoft
TPC-C Kit Ver. 4.20.000
 * Copyright
Microsoft, 1999
 * All Rights Reserved
 *
 * not yet
audited
 *
 * PURPOSE: Source file for TPC-C COM+ class
implementation.
 * Contact: Charles Levine
(clevine@microsoft.com)

```

```

 *
 * Change history:
 * 4.20.000 - first version
 */

// needed for CoInitializeEx
#define _WIN32_WINNT 0x0400

#include <windows.h>

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_com.h"

#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\tpcc_com_all\src\tpcc_com_all_i.c"

// wrapper routine for class constructor
__declspec( dllexport ) CTPCC_COM* CTPCC_COM_new(BOOL
bSinglePool)
{
    return new CTPCC_COM(bSinglePool);
}

CTPCC_COM::CTPCC_COM(BOOL bSinglePool)
{
    HRESULT hr = NULL;
    long lRet = 0;
    ULONG ulTmpSize = 0;

    m_pTxn = NULL;
    m_pNewOrder = NULL;
    m_pPayment = NULL;
    m_pStockLevel = NULL;
    m_pOrderStatus = NULL;

    m_bSinglePool = bSinglePool;

    ulTmpSize = (ULONG) sizeof(COM_DATA);
    VariantInit(&m_vTxn);
    m_vTxn.vt = VT_SAFEARRAY;

    m_vTxn.parray =
SafeArrayCreateVector(VT_UI1, ulTmpSize, ulTmpSize);
    if (!m_vTxn.parray)
        throw new CCOMERR( E_FAIL );

    memset((void*)m_vTxn.parray-
>pvData,0,ulTmpSize);
    m_pTxn = (COM_DATA*)m_vTxn.parray->pvData;

    hr = CoInitializeEx(NULL,
COINIT_MULTITHREADED);
    if (FAILED(hr))
    {
        throw new CCOMERR( hr );
    }
}

```

```

// create components
if (m_bSinglePool)
{
    hr = CoCreateInstance(CLSID_TPCC,
NULL, CLSCTX_SERVER, IID_ITPCC, (void
**)&m_pNewOrder);
    if (FAILED(hr))
        throw new CCOMERR(hr);

    // all txns will use same
component
    m_pPayment = m_pNewOrder;
    m_pStockLevel = m_pNewOrder;
    m_pOrderStatus = m_pNewOrder;
}
else
{
    // use different components for
each txn
    hr =
CoCreateInstance(CLSID_NewOrder, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pNewOrder);
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr =
CoCreateInstance(CLSID_Payment, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pPayment);
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr =
CoCreateInstance(CLSID_StockLevel, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **)&m_pStockLevel);
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr =
CoCreateInstance(CLSID_OrderStatus, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **)&m_pOrderStatus);
    if (FAILED(hr))
        throw new CCOMERR(hr);
}

// call setcomplete to release each
component back into pool
hr = m_pNewOrder->CallSetComplete();
if (FAILED(hr))
    throw new CCOMERR(hr);

if (!m_bSinglePool)
{
    hr = m_pPayment-
>CallSetComplete();
    if (FAILED(hr))
        throw new CCOMERR(hr);

    hr = m_pStockLevel-
>CallSetComplete();
    if (FAILED(hr))
        throw new CCOMERR(hr);
}

```

```

        hr = m_pOrderStatus-
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);
    }
}
CTPCC_COM::~CTPCC_COM()
{
    if (m_pTxn)
        SafeArrayDestroy(m_vTxn.parray);

    ReleaseInterface(m_pNewOrder);
    if (!m_bSinglePool)
    {
        ReleaseInterface(m_pPayment);
        ReleaseInterface(m_pStockLevel);
        ReleaseInterface(m_pOrderStatus);
    }
    CoUninitialize();
}

void CTPCC_COM::NewOrder()
{
    VARIANT    vTxn_out;

    HRESULT hr = m_pNewOrder->NewOrder(m_vTxn,
&vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData, vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

void CTPCC_COM::Payment()
{
    VARIANT    vTxn_out;

    HRESULT hr = m_pPayment->Payment(m_vTxn,
&vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData, vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

void CTPCC_COM::StockLevel()
{
    VARIANT    vTxn_out;

    HRESULT hr = m_pStockLevel-
>StockLevel(m_vTxn, &vTxn_out);

```

```

        if (FAILED(hr))
            throw new CCOMERR( hr );
        memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData, vTxn_out.parray->rgsabound[0].cElements);
        SafeArrayDestroy(vTxn_out.parray);

        if ( m_pTxn->ErrorType != ERR_SUCCESS )
            throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
    }
}

void CTPCC_COM::OrderStatus()
{
    VARIANT    vTxn_out;

    HRESULT hr = m_pOrderStatus-
>OrderStatus(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData, vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

```

tpcc_com.h

```

/*      FILE:          TPCC_COM.H
 *      Microsoft
 *      TPC-C Kit Ver. 4.20.000
 *      Copyright
 *      Microsoft, 1999
 *      All Rights Reserved
 *
 *      not yet
 *      audited
 *
 *      PURPOSE:  Header file for TPC-C COM+ class
 *      implementation.
 *      Change history:
 *      *          4.20.000 - first version
 */

#pragma once

#include <stdio.h>
#include "..\..\tpcc_com_ps\src\tpcc_com_ps.h"

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CCOMERR : public CBaseErr

```

```

{
private:
    char m_szErrorText[64];

public:
    // use this interface for genuine
    COM errors
    CCOMERR( HRESULT hr )
    {
        m_hr = hr;
        m_iErrorType = 0;
        m_iError = 0;
    }

    // use this interface to
    impersonate a non-COM error type
    CCOMERR( int iErrorType, int
iError )
    {
        m_iErrorType =
        m_iError = iError;
        m_hr = S_OK;
    }

    int        m_hr;
    int        m_iErrorType;
    int        m_iError;

    // A CCOMERR class can
    impersonate another
    class, which happens if the error
    // was not actually a COM
    Services error, but was simply transmitted back via
    COM.
    int ErrorType()
    {
        if (m_iErrorType == 0)
            return
            ERR_TYPE_COM;
        else
            return
            m_iErrorType;
    }

    int ErrorNum() {return m_hr;}

    char *ErrorText()
    {
        if (m_hr == S_OK)
            sprintf(
m_szErrorText, "Error: Class %d, error # %d",
m_iErrorType, m_iError );
        else
            sprintf(
m_szErrorText, "Error: COM HRESULT %x", m_hr );
        return m_szErrorText;
    }
};

class DllDecl CTPCC_COM : public CTPCC_BASE
{
private:
    BOOL m_bSinglePool;

```

```

        // COM Interface pointers
        ITPCC*
        m_pNewOrder;
        ITPCC*
        m_pPayment;
        ITPCC*
        m_pStockLevel;
        ITPCC*
        m_pOrderStatus;

        struct COM_DATA
        {
                int ErrorType;
                int error;
                union
                {
                        NEW_ORDER_DATA      NewOrder;
                        PAYMENT_DATA        Payment;
                        DELIVERY_DATA       Delivery;
                        STOCK_LEVEL_DATA    StockLevel;
                        ORDER_STATUS_DATA   OrderStatus;
                } *m_pTxn;

                VARIANT m_vTxn;
        public:
                CTPCC_COM(BOOL bSinglePool);
                ~CTPCC_COM(void);

                inline PNEW_ORDER_DATA
                BuffAddr_NewOrder() { return
                &m_pTxn->u.NewOrder; };
                inline PPAYMENT_DATA
                BuffAddr_Payment() { return
                &m_pTxn->u.Payment; };
                inline PDELIVERY_DATA
                BuffAddr_Delivery() { return
                &m_pTxn->u.Delivery; };
                inline PSTOCK_LEVEL_DATA
                BuffAddr_StockLevel() { return
                &m_pTxn->u.StockLevel; };
                inline PORDER_STATUS_DATA
                BuffAddr_OrderStatus() { return
                &m_pTxn->u.OrderStatus; };

                void NewOrder      ();
                void Payment        ();
                void StockLevel     ();
                void OrderStatus    ();
                void Delivery       ();
        { throw new CCOMERR(E_NOTIMPL); } // not supported
        };

        inline void ReleaseInterface(IUnknown *pUnk)
        {
                if (pUnk)

```

```

        {
                pUnk->Release();
                pUnk = NULL;
        }
}

// wrapper routine for class constructor
extern "C" __declspec(dllexport) CTPCC_COM*
CTPCC_COM_new(BOOL);

typedef CTPCC_COM* (TYPE_CTPCC_COM) (BOOL);

tpcc_com_all.cpp

/*      FILE:          TPCC_COM_ALL.CPP
 *      Microsoft
 *      TPC-C Kit Ver. 4.20.000
 *      Copyright
 *      Microsoft, 1999
 *      All Rights Reserved
 *      Version
 *      4.10.000 audited by Richard Gimarc, Performance
 *      Metrics, 3/17/99
 *
 *      PURPOSE:  Implementation for TPC-C Tuxedo
 *      class.
 *      Contact:  Charles Levine
 *      (clevine@microsoft.com)
 *
 *      Change history:
 *      4.20.000 - updated rev number to
 *      match kit
 */

#define STRICT
#define _WIN32_WINNT 0x0400
#define _ATL_APARTMENT_THREADED

#include <stdio.h>
#include <atlbase.h>
//You may derive a class from CComModule and use it
if you want to override
//something, but do not change the name of _Module
extern CComModule _Module;

#include <atlcom.h>
#include <initguid.h>
#include <transact.h>
#include <atlimpl.cpp>
#include <comsvcs.h>

#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>

#include "tpcc_com_ps.h"
#include "..\..\common\src\trans.h"
//tpckit transaction

```

```

header contains definitions of structures specific to
TPC-C
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\error.h"
#include "..\..\common\src\ReadRegistry.h"
#include "..\..\db_dblib_dll\src\tpcc_dblib.h"
// DBLIB implementation of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h"
// ODBC implementation of TPC-C txns

#include "resource.h"
#include "tpcc_com_all.h"
#include "tpcc_com_all_i.c"
#include "Methods.h"
#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\common\src\ReadRegistry.cpp"

CComModule _Module;

BEGIN_OBJECT_MAP(ObjectMap)
OBJECT_ENTRY(CLSID_TPCC, CTPCC)
OBJECT_ENTRY(CLSID_NewOrder, CNewOrder)
OBJECT_ENTRY(CLSID_OrderStatus,
COrderStatus)
OBJECT_ENTRY(CLSID_Payment, CPayment)
OBJECT_ENTRY(CLSID_StockLevel, CStockLevel)
END_OBJECT_MAP()

// configuration settings from registry
TPCCREGISTRYDATA Reg;
char
        szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];
;

static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;

////////////////////////////////////
// DLL Entry Point

extern "C"
BOOL WINAPI DllMain(HINSTANCE hInstance, DWORD
dwReason, LPVOID /*lpReserved*/)
{
        char szDllName[128];

        try
        {
                if (dwReason ==
DLL_PROCESS_ATTACH)
                {
                        _Module.Init(ObjectMap,
hInstance);

                        DisableThreadLibraryCalls(hInstance);

```

```

        DWORD dwSize =
MAX_COMPUTERNAME_LENGTH+1;
        GetComputerName(szMyComputerName, &dwSize);
        szMyComputerName[dwSize] = 0;

        if (
ReadTPCCRegistrySettings( &Reg ) )
            throw new
CCOMPONENT_ERR( ERR_MISSING_REGISTRY_ENTRIES );

        if (Reg.eDB_Protocol ==
DBLIB)
        {
            strcpy(
szDllName, Reg.szPath );
            strcat(
szDllName, "tpcc_dblib.dll");

            hLibInstanceDb = LoadLibrary( szDllName );
            if
(hLibInstanceDb == NULL)
                throw new CCOMPONENT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

            // get
function pointer to wrapper for class constructor
            pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
GetProcAddress(hLibInstanceDb, "CTPCC_DBLIB_new");
            if
(pCTPCC_DBLIB_new == NULL)
                throw new CCOMPONENT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
            else if
(Reg.eDB_Protocol == ODBC)
            {
                strcpy(
szDllName, Reg.szPath );
                strcat(
szDllName, "tpcc_odbc.dll");

                hLibInstanceDb = LoadLibrary( szDllName );
                if
(hLibInstanceDb == NULL)
                    throw new CCOMPONENT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                // get
function pointer to wrapper for class constructor
                pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");
                if
(pCTPCC_ODBC_new == NULL)
                    throw new CCOMPONENT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );

```

```

        }
        else
            throw new
CCOMPONENT_ERR( ERR_UNKNOWN_DB_PROTOCOL );
        }
        else if (dwReason ==
DLL_PROCESS_DETACH)
            _Module.Term();
    }
    catch (CBaseErr *e)
    {
        WriteMessageToEventLog(e-
>ErrorText());
        delete e;
        return FALSE;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception in object DllMain"));
        return FALSE;
    }
    return TRUE;    // OK
}

////////////////////////////////////
// Used to determine whether the DLL can be unloaded
by OLE
STDAPI DllCanUnloadNow(void)
{
    return (_Module.GetLockCount()==0) ? S_OK :
S_FALSE;
}

////////////////////////////////////
// Returns a class factory to create an object of the
requested type
STDAPI DllGetClassObject(REFCLSID rclsid, REFIID
riid, LPVOID* ppv)
{
    return _Module.GetClassObject(rclsid, riid,
ppv);
}

////////////////////////////////////
// DllRegisterServer - Adds entries to the system
registry
STDAPI DllRegisterServer(void)
{
    // registers object, typelib and all
interfaces in typelib
    return _Module.RegisterServer(TRUE);
}

```

```

////////////////////////////////////
// DllUnregisterServer - Removes entries from the
system registry
STDAPI DllUnregisterServer(void)
{
    _Module.UnregisterServer();
    return S_OK;
}

static void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR    szMsg[256];
    HANDLE  hEventSource;
    LPTSTR  lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL,
TEXT("tpcc_com_all.dll"));

    _stprintf(szMsg, TEXT("Error in COM+ TPC-C
Component: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event
source
            EVENTLOG_ERROR_TYPE, // event type
            0, // event category
            0, // event ID
            NULL, // current user's
SID
            2, // strings in
lpszStrings
            0, // no bytes of raw
data
            (LPCTSTR *)lpszStrings, // array of
error strings
            NULL); // no raw data
        (VOID) DeregisterEventSource(hEventSource);
    }
}

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

/* FUNCTION: CCOMPONENT_ERR::ErrorText
*
*/
char* CCOMPONENT_ERR::ErrorText(void)

```

```

{
    static SERRORMSG errorMsgs[] =
    {
        { ERR_MISSING_REGISTRY_ENTRIES,
        "Required entries missing from registry."
        },
        { ERR_LOADDLL_FAILED,
        "Load of DLL failed. DLL="
        },
        { ERR_GETPROCADDR_FAILED,
        "Could not map proc in DLL. GetProcAddress. DLL="
        },
        { ERR_UNKNOWN_DB_PROTOCOL,
        "Unknown database protocol specified in registry."
        },
        { 0, ""
        }
    };

    char szTmp[256];
    int i = 0;
    while (TRUE)
    {
        if (errorMsgs[i].szMsg[0] == 0)
        {
            strcpy( szTmp, "Unknown
            error number.");
            break;
        }
        if (m_Error ==
            errorMsgs[i].iError)
        {
            strcpy( szTmp,
            errorMsgs[i].szMsg );
            break;
        }
        i++;
    }

    if (m_szTextDetail)
        strcat( szTmp, m_szTextDetail );
    if (m_SystemErr)
        sprintf( szTmp+strlen(szTmp), "
        Error=%d", m_SystemErr );

    m_szErrorText = new char[strlen(szTmp)+1];
    strcpy( m_szErrorText, szTmp );
    return m_szErrorText;
}

CTPCC_Common::CTPCC_Common()
{
    m_pTxn = NULL;
    m_bCanBePooled = TRUE;
}

CTPCC_Common::~~CTPCC_Common()
{

```

```

    if (m_pTxn)
        delete m_pTxn;
}

HRESULT CTPCC_Common::CallSetComplete()
{
    IObjectContext* pObjectContext = NULL;

    // get our object context
    HRESULT hr = CoGetObjectContext(
    IID_IObjectContext, (void **)&pObjectContext );
    pObjectContext->SetComplete();
    ReleaseInterface(pObjectContext);
    return hr;
}

//
// called by the ctor activator
//
STDMETHODIMP CTPCC_Common::Construct(IDispatch *
pUnk)
{
    // Code to access construction string, if
    needed later...
    // if (!pUnk)
    // return E_UNEXPECTED;
    // IObjectConstructString * pString
    = NULL;
    // HRESULT hr = pUnk-
    >QueryInterface(IID_IObjectConstructString, (void
    **)&pString);
    // pString->Release();

    try
    {
        if (Reg.eDB_Protocol == ODBC)
            m_pTxn =
            pCTPCC_ODBC_new( Reg.szDbServer, Reg.szDbUser,
            Reg.szDbPassword, szMyComputerName, Reg.szDbName );
        else if (Reg.eDB_Protocol ==
            DBLIB)
            m_pTxn =
            pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,
            Reg.szDbPassword, szMyComputerName, Reg.szDbName );
    }
    catch (CBaseErr *e)
    {
        WriteMessageToEventLog(e-
        >ErrorText());
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
        exception in object ::Construct"));
        return E_FAIL;
    }

    return S_OK;
}

```

```

HRESULT CTPCC_Common::NewOrder(VARIANT txn_in,
VARIANT* txn_out)
{
    PNEW_ORDER_DATA pNewOrder;
    COM_DATA *pData;
    try
    {
        pData = (COM_DATA*)txn_in.parray-
        >pvData;
        pNewOrder = m_pTxn-
        >BuffAddr_NewOrder();

        memcpy(pNewOrder, &pData-
        >u.NewOrder, sizeof(NEW_ORDER_DATA));

        m_pTxn->NewOrder(); //
        // do the actual txn

        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
        SafeArrayCreateVector(VT_UI1,
        txn_in.parray->rgsabound-
        >cElements,
        txn_in.parray->rgsabound-
        >cElements);
        pData = (COM_DATA*) txn_out-
        >parray->pvData;

        memcpy( &pData->u.NewOrder,
        pNewOrder, sizeof(NEW_ORDER_DATA));

        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
        connection; if yes, component is toast
        if ( (e->ErrorType() ==
        ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005) ||
        (e->ErrorType() ==
        ERR_TYPE_ODBC) && (e->ErrorNum() == 10054) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
        exception."));

        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

```

```

}
HRESULT CTPCC_Common::Payment(VARIANT txn_in,
VARIANT* txn_out)
{
    PPAYMENT_DATA    pPayment;
    COM_DATA          *pData;
    try
    {
        pData = (COM_DATA*)txn_in.parray-
>pvData;
        pPayment = m_pTxn-
>BuffAddr_Payment();
        memcpy(pPayment, &pData-
>u.Payment, sizeof(PAYMENT_DATA));
        m_pTxn->Payment();        //
do the actual txn
        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,
>cElements,
        txn_in.parray->rsgsabound-
>cElements);
        pData = (COM_DATA*) txn_out-
>parray->pvData;
        memcpy( &pData->u.Payment,
pPayment, sizeof(PAYMENT_DATA));
        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005)) ||
((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )
            m_bCanBePooled = FALSE;
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
    }
}

```

```

        return E_FAIL;
    }
}
HRESULT CTPCC_Common::StockLevel(VARIANT txn_in,
VARIANT* txn_out)
{
    PSTOCK_LEVEL_DATA pStockLevel;
    COM_DATA          *pData;
    try
    {
        pData = (COM_DATA*)txn_in.parray-
>pvData;
        pStockLevel = m_pTxn-
>BuffAddr_StockLevel();
        memcpy(pStockLevel, &pData-
>u.StockLevel, sizeof(STOCK_LEVEL_DATA));
        m_pTxn->StockLevel();
        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,
>cElements,
        txn_in.parray->rsgsabound-
>cElements);
        pData = (COM_DATA*)txn_out-
>parray->pvData;
        memcpy( &pData->u.StockLevel,
pStockLevel, sizeof(STOCK_LEVEL_DATA));
        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005)) ||
((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )
            m_bCanBePooled = FALSE;
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
    }
}

```

```

        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}
HRESULT CTPCC_Common::OrderStatus(VARIANT txn_in,
VARIANT* txn_out)
{
    PORDER_STATUS_DATA pOrderStatus;
    COM_DATA          *pData;
    try
    {
        pData = (COM_DATA*)txn_in.parray-
>pvData;
        pOrderStatus = m_pTxn-
>BuffAddr_OrderStatus();
        memcpy(pOrderStatus, &pData-
>u.OrderStatus, sizeof(ORDER_STATUS_DATA));
        m_pTxn->OrderStatus();
        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,
>cElements,
        txn_in.parray->rsgsabound-
>cElements);
        pData = (COM_DATA*)txn_out-
>parray->pvData;
        memcpy( &pData->u.OrderStatus,
pOrderStatus, sizeof(ORDER_STATUS_DATA));
        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005)) ||
((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )
            m_bCanBePooled = FALSE;
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
    }
}

```

```

pData->retval = ERR_TYPE_LOGIC;
pData->error = 0;
m_bCanBePooled = FALSE;
return E_FAIL;
}
}

```

tpcc_com_all.def

```
; tpcc_com_all.def : Declares the module parameters.
```

```

LIBRARY      "tpcc_com_all.dll"

EXPORTS
    DllCanUnloadNow      @1 PRIVATE
    DllGetClassObject    @2 PRIVATE
    DllRegisterServer    @3 PRIVATE
    DllUnregisterServer  @4 PRIVATE

```

tpcc_com_all.dsp

```

# Microsoft Developer Studio Project File -
Name="tpcc_com_all" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=tpcc_com_all - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_all.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_all.mak"
CFG="tpcc_com_all - Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tpcc_com_all - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tpcc_com_all - Win32 Debug" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe

```

```

RSC=rc.exe

!IF "$(CFG)" == "tpcc_com_all - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 ..\db_dblib_dll\bin\tpcc_dblib.lib
..\db_odbc_dll\bin\tpcc_odbc.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbccp32.lib /nologo
/subsystem:windows /dll /machine:I386

!ELSEIF "$(CFG)" == "tpcc_com_all - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"

```

```

# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ..\db_dblib_dll\bin\tpcc_dblib.lib
..\db_odbc_dll\bin\tpcc_odbc.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbccp32.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/pdbtype:sept

!ENDIF

# Begin Target

# Name "tpcc_com_all - Win32 Release"
# Name "tpcc_com_all - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter "*.cpp, *.c"
# Begin Source File

SOURCE=.\src\tpcc_com_all.cpp
# SUBTRACT CPP /YX
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_com_all.def
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_com_all.idl

!IF "$(CFG)" == "tpcc_com_all - Win32 Release"

# PROP Ignore_Default_Tool 1
# Begin Custom Build - Performing MIDL step
InputPath=.\src\tpcc_com_all.idl

BuildCmds= \
midl /Oic /h "tpcc_com_all.h" /iid
"tpcc_com_all_i.c" ".\src\tpcc_com_all.idl"
/out ".\src"

".\src\tpcc_com_all.tlb" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

".\src\tpcc_com_all.h" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

".\src\tpcc_com_all_i.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)
# End Custom Build

```

```

!ELSEIF "$(CFG)" == "tpcc_com_all - Win32 Debug"

# PROP Ignore_Default_Tool 1
# Begin Custom Build - Performing MIDL step
InputPath=.\src\tpcc_com_all.idl

BuildCmds= \
    midl /Oicf /h "tpcc_com_all.h" /iid
"tpcc_com_all_i.c"      ".\src\tpcc_com_all.idl"
/out ".\src"

".\src\tpcc_com_all.tlb" : $(SOURCE) "$(INTDIR)"
"$$(OUTDIR)"
    $(BuildCmds)

".\src\tpcc_com_all.h" : $(SOURCE) "$(INTDIR)"
"$$(OUTDIR)"
    $(BuildCmds)

".\src\tpcc_com_all_i.c" : $(SOURCE) "$(INTDIR)"
"$$(OUTDIR)"
    $(BuildCmds)
# End Custom Build

!ENDIF

# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=.\src\Methods.h
# End Source File
# Begin Source File

SOURCE=.\src\resource.h
# End Source File
# End Group
# Begin Source File

SOURCE=.\src\tpcc_com_all.rc
# End Source File
# End Target
# End Project

```

tpcc_com_all.h

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the
definitions for the interfaces */

/* File created by MIDL compiler version 5.03.0280
*/

```

```

/* at Thu Dec 13 23:13:14 2001
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

/* verify that the <rpcndr.h> version is high enough
to compile this file*/
#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __tpcc_com_all_h__
#define __tpcc_com_all_h__

/* Forward Declarations */

#ifndef __TPCC_FWD_DEFINED__
#define __TPCC_FWD_DEFINED__

#ifdef __cplusplus
typedef class TPCC TPCC;
#else
typedef struct TPCC TPCC;
#endif /* __cplusplus */

#endif /* __TPCC_FWD_DEFINED__ */

#ifndef __NewOrder_FWD_DEFINED__
#define __NewOrder_FWD_DEFINED__

#ifdef __cplusplus
typedef class NewOrder NewOrder;
#else
typedef struct NewOrder NewOrder;
#endif /* __cplusplus */

#endif /* __NewOrder_FWD_DEFINED__ */

#ifndef __OrderStatus_FWD_DEFINED__
#define __OrderStatus_FWD_DEFINED__

#ifdef __cplusplus
typedef class OrderStatus OrderStatus;
#else
typedef struct OrderStatus OrderStatus;
#endif /* __cplusplus */

#endif /* __OrderStatus_FWD_DEFINED__ */

```

```

#ifndef __Payment_FWD_DEFINED__
#define __Payment_FWD_DEFINED__

#ifdef __cplusplus
typedef class Payment Payment;
#else
typedef struct Payment Payment;
#endif /* __cplusplus */

#endif /* __Payment_FWD_DEFINED__ */

#ifndef __StockLevel_FWD_DEFINED__
#define __StockLevel_FWD_DEFINED__

#ifdef __cplusplus
typedef class StockLevel StockLevel;
#else
typedef struct StockLevel StockLevel;
#endif /* __cplusplus */

#endif /* __StockLevel_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"
#include "tpcc_com_ps.h"

#ifdef __cplusplus
extern "C"{
#endif

void __RPC_FAR * __RPC_USER
MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpcc_com_all_0000 */
/* [local] */

extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_all_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_all_0000_v0_0_s_ifspec;

#ifndef __TPCCLib_LIBRARY_DEFINED__
#define __TPCCLib_LIBRARY_DEFINED__

/* library TPCCLib */
/* [helpstring][version][uuid] */

EXTERN_C const IID LIBID_TPCCLib;

```

```

EXTERN_C const CLSID CLSID_TPCC;

#ifdef __cplusplus
class DECLSPEC_UUID("122A3128-2520-11D3-BA71-00C04FBFE08B")
TPCC;
#endif

EXTERN_C const CLSID CLSID_NewOrder;

#ifdef __cplusplus
class DECLSPEC_UUID("975BAABF-84A7-11D2-BA47-00C04FBFE08B")
NewOrder;
#endif

EXTERN_C const CLSID CLSID_OrderStatus;

#ifdef __cplusplus
class DECLSPEC_UUID("266836AD-A50D-11D2-BA4E-00C04FBFE08B")
OrderStatus;
#endif

EXTERN_C const CLSID CLSID_Payment;

#ifdef __cplusplus
class DECLSPEC_UUID("CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B")
Payment;
#endif

EXTERN_C const CLSID CLSID_StockLevel;

#ifdef __cplusplus
class DECLSPEC_UUID("2668369E-A50D-11D2-BA4E-00C04FBFE08B")
StockLevel;
#endif
#endif /* __TPCCLib_LIBRARY_DEFINED__ */

/* Additional Prototypes for ALL interfaces */
/* end of Additional Prototypes */

#ifdef __cplusplus
}
#endif

#endif

```

tpcc_com_all.idl

```

/* FILE: TPCC.IDL Microsoft
 * TPC-C Kit Ver. 4.20.000 Copyright
 * Microsoft, 1999 All Rights Reserved
 * not yet audited
 * PURPOSE: IDL source for TPCC.dll. This
 * file is processed by the MIDL tool to
 * produce the type library (TPCC.tlb) and marshalling code.
 * Change history:
 * 4.20.000 - first version
 */

interface TPCC;
interface NewOrder;
interface OrderStatus;
interface Payment;
interface StockLevel;

import "oaidl.idl";
import "ocidl.idl";
import "..\tpcc_com_ps\src\tpcc_com_ps.idl";

[
    uuid(122A3117-2520-11D3-BA71-00C04FBFE08B),
    version(1.0),
    helpstring("TPC-C 1.0 Type Library")
]
library TPCCLib
{
    importlib("stdole32.tlb");
    importlib("stdole2.tlb");

    [
        uuid(122A3128-2520-11D3-BA71-00C04FBFE08B),
        helpstring("All Txns Class")
    ]
    coclass TPCC
    {
        [default] interface ITPCC;
    };

    [
        uuid(975BAABF-84A7-11D2-BA47-00C04FBFE08B),
        helpstring("NewOrder Class")
    ]
    coclass NewOrder
    {
        [default] interface ITPCC;
    };
}

```

```

];

[
    uuid(266836AD-A50D-11D2-BA4E-00C04FBFE08B),
    helpstring("OrderStatus Class")
]
coclass OrderStatus
{
    [default] interface ITPCC;
};

[
    uuid(CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B),
    helpstring("Payment Class")
]
coclass Payment
{
    [default] interface ITPCC;
};

[
    uuid(2668369E-A50D-11D2-BA4E-00C04FBFE08B),
    helpstring("StockLevel Class")
]
coclass StockLevel
{
    [default] interface ITPCC;
};
};

```

tpcc_com_all.rc

```

//Microsoft Developer Studio generated resource
script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "winres.h"

////////////////////////////////////
////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS

////////////////////////////////////
////////////////////////////////////
// English (U.S.) resources

```

```

#if !defined (AFX_RESOURCE_DLL) ||
defined (AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// TEXTINCLUDE
//

1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include \"winres.h\"\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "1 TYPELIB \"tpcc_com_all.tlb\"\r\n"
    "\0"
END

#endif // APSTUDIO_INVOKED

#ifdef _MAC
////////////////////////////////////
////////////////////////////////////
//
// Version
//

VS_VERSION_INFO VERSIONINFO
FILEVERSION 1,0,0,1
PRODUCTVERSION 1,0,0,1
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x4L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904B0"
        BEGIN
            VALUE "CompanyName", "\0"
            VALUE "FileDescription", "tpcc_com_all
Module\0"
            VALUE "FileVersion", "1, 0, 0, 1\0"
            VALUE "InternalName", "TPCCNEWORDER\0"

```

```

        VALUE "LegalCopyright", "Copyright
1997\0"
        VALUE "OriginalFilename",
"tpcc_com_all.DLL\0"
        VALUE "ProductName", "tpcc_com_all
Module\0"
        VALUE "ProductVersion", "1, 0, 0, 1\0"
        VALUE "OLESelfRegister", "\0"
    END
END
BLOCK "VarFileInfo"
BEGIN
    VALUE "Translation", 0x409, 1200
END
END
#endif // !_MAC

////////////////////////////////////
////////////////////////////////////
//
// REGISTRY
//

IDR_TPCC                REGISTRY DISCARDABLE
"tpcc_com_all.rgs"
IDR_NEWORDER            REGISTRY DISCARDABLE
"tpcc_com_no.rgs"
IDR_ORDERSTATUS        REGISTRY DISCARDABLE
"tpcc_com_os.rgs"
IDR_PAYMENT             REGISTRY DISCARDABLE
"tpcc_com_pay.rgs"
IDR_STOCKLEVEL         REGISTRY DISCARDABLE
"tpcc_com_sl.rgs"

////////////////////////////////////
////////////////////////////////////
//
// String Table
//

STRINGTABLE DISCARDABLE
BEGIN
    IDS_PROJNAME        "tpcc_com_all"
END

#endif // English (U.S.) resources
////////////////////////////////////
////////////////////////////////////

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 3 resource.
//
1 TYPELIB "tpcc_com_all.tlb"

////////////////////////////////////
////////////////////////////////////

```

```

#endif // not APSTUDIO_INVOKED



---


tpcc_com_all.rgs


---


HKCR
{
    TPCC.AllTxns.1 = s 'All Txns Class'
    {
        CLSID = s '{122A3128-2520-11D3-
BA71-00C04FBFE08B}'
    }
    TPCC.AllTxns = s 'TPCC Class'
    {
        CurVer = s 'TPCC.AllTxns.1'
    }
    NoRemove CLSID
    {
        ForceRemove {122A3128-2520-11D3-
BA71-00C04FBFE08B} = s 'TPCC Class'
        {
            ProgID = s
'TPCC.AllTxns.1'
            VersionIndependentProgID = s 'TPCC.AllTxns'
            InprocServer32 = s
'%MODULE%'
            {
                val
ThreadingModel = s 'Both'
            }
        }
    }
}



---


tpcc_com_all_i.c


---


#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:14 2001
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:

```

```

    __declspec(uuid()), __declspec(selectany),
    __declspec(novtable)
    DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADERING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \

DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifdef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib,0x122A3117,0x2520,0x11D3,0xBA,0x71,0x00,
0xC0,0x4F,0xBF,0xE0,0x8B);

```

```

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC,0x122A3128,0x2520,0x11D3,0xBA,0x71,0x00,0x
C0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder,0x975BAABF,0x84A7,0x11D2,0xBA,0x47,0x0
0,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus,0x266836AD,0xA50D,0x11D2,0xBA,0x4E,
0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_Payment,0xCD02F7EF,0xA4FA,0x11D2,0xBA,0x4E,0x00
,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel,0x2668369E,0xA50D,0x11D2,0xBA,0x4E,0
x00,0xC0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:14 2001
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b
run,appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADERING( )

```

```

#if defined(_M_IA64) || defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \

DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifdef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib,0x122A3117,0x2520,0x11D3,0xBA,0x71,0x00,
0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC,0x122A3128,0x2520,0x11D3,0xBA,0x71,0x00,0x
C0,0x4F,0xBF,0xE0,0x8B);

```



```

!MESSAGE "tpcc_com_ps - Win32 Debug" (based on "Win32
(x86) Application")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "tpcc_com_ps - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG"
/D "_WIN32_WINNT=0x0400" /D "REGISTER_PROXY_DLL" /FD /c
# SUBTRACT CPP /YX
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:windows /machine:I386
# ADD LINK32 kernel32.lib rpcndr.lib rpcns4.lib
rpcrt4.lib oleaut32.lib uuid.lib /nologo
/entry:"DllMain" /subsystem:windows /dll /pdb:none
/machine:I386 /def:".src\tpcc_com_ps.def"
# Begin Custom Build - Copying tpcc_com_ps.h
InputPath=.\bin\tpcc_com_ps.dll
SOURCE="$(InputPath)"

"..\tpcc_com_all\src\tpcc_com_ps.h" : $(SOURCE)
"%$(INTDIR)" "%$(OUTDIR)"
copy ..\src\tpcc_com_ps.h
..\tpcc_com_all\src\

# End Custom Build

!ELSEIF "$(CFG)" == "tpcc_com_ps - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1

```

```

# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /ZI /Od /D "WIN32" /D "_DEBUG" /D
_WIN32_WINNT=0x0400 /D "REGISTER_PROXY_DLL" /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:windows /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 kernel32.lib rpcndr.lib rpcns4.lib
rpcrt4.lib oleaut32.lib uuid.lib /nologo
/entry:"DllMain" /dll /debug /machine:IX86
/def:".src\tpcc_com_ps.def" /pdbtype:sept
# SUBTRACT LINK32 /pdb:none
# Begin Custom Build - Copying tpcc_com_ps.h
InputPath=.\bin\tpcc_com_ps.dll
SOURCE="$(InputPath)"

"..\tpcc_com_all\src\tpcc_com_ps.h" : $(SOURCE)
"%$(INTDIR)" "%$(OUTDIR)"
copy ..\src\tpcc_com_ps.h
..\tpcc_com_all\src\

# End Custom Build

!ENDIF

# Begin Target

# Name "tpcc_com_ps - Win32 Release"
# Name "tpcc_com_ps - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter ""
# Begin Source File

SOURCE=.\src\dlldata.c
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_com_ps.def
# PROP Exclude_From_Build 1
# End Source File
# Begin Source File

```

```

SOURCE=.\src\tpcc_com_ps.idl

!IF "$(CFG)" == "tpcc_com_ps - Win32 Release"

# PROP Ignore_Default_Tool 1
# Begin Custom Build
InputPath=.\src\tpcc_com_ps.idl

BuildCmds= \
midl /Oicf /h "tpcc_com_ps.h" /iid
"tpcc_com_ps_i.c" ".\src\tpcc_com_ps.idl" /out
".\src"

".\src\tpcc_com_ps.h" : $(SOURCE) "%$(INTDIR)"
"%$(OUTDIR)"
$(BuildCmds)

".\src\tpcc_com_ps_i.c" : $(SOURCE) "%$(INTDIR)"
"%$(OUTDIR)"
$(BuildCmds)

".\src\dlldata.c" : $(SOURCE) "%$(INTDIR)" "%$(OUTDIR)"
$(BuildCmds)

".\src\tpcc_com_ps_p.c" : $(SOURCE) "%$(INTDIR)"
"%$(OUTDIR)"
$(BuildCmds)
# End Custom Build

!ELSEIF "$(CFG)" == "tpcc_com_ps - Win32 Debug"

# PROP Ignore_Default_Tool 1
# Begin Custom Build
InputPath=.\src\tpcc_com_ps.idl

BuildCmds= \
midl /Oicf /h "tpcc_com_ps.h" /iid
"tpcc_com_ps_i.c" ".\src\tpcc_com_ps.idl" /out
".\src"

".\src\tpcc_com_ps.h" : $(SOURCE) "%$(INTDIR)"
"%$(OUTDIR)"
$(BuildCmds)

".\src\tpcc_com_ps_i.c" : $(SOURCE) "%$(INTDIR)"
"%$(OUTDIR)"
$(BuildCmds)

".\src\dlldata.c" : $(SOURCE) "%$(INTDIR)" "%$(OUTDIR)"
$(BuildCmds)

".\src\tpcc_com_ps_p.c" : $(SOURCE) "%$(INTDIR)"
"%$(OUTDIR)"
$(BuildCmds)
# End Custom Build

!ENDIF

# End Source File
# Begin Source File

SOURCE=.\src\tpcc_com_ps_i.c

```

```

# End Source File
# Begin Source File

SOURCE=. \src\tpcc_com_ps_p.c
# End Source File
# End Group
# End Target
# End Project

```

tpcc_com_ps.h

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

```

```

/* this ALWAYS GENERATED file contains the
definitions for the interfaces */

```

```

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:08 2001
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADER( )

```

```

/* verify that the <rpcndr.h> version is high enough
to compile this file*/

```

```

#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

```

```

#include "rpc.h"
#include "rpcndr.h"

```

```

#ifndef __RPCNDR_H_VERSION__
#error this stub requires an updated version of
<rpcndr.h>
#endif // __RPCNDR_H_VERSION__

```

```

#ifndef COM_NO_WINDOWS_H
#include "windows.h"
#include "ole2.h"
#endif /*COM_NO_WINDOWS_H*/

```

```

#ifndef __tpcc_com_ps_h__
#define __tpcc_com_ps_h__

```

```

/* Forward Declarations */

```

```

#ifndef __ITPCC_FWD_DEFINED__
#define __ITPCC_FWD_DEFINED__
typedef interface ITPCC ITPCC;
#endif /* __ITPCC_FWD_DEFINED__ */

```

```

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"

```

```

#ifdef __cplusplus
extern "C"{
#endif

```

```

void __RPC_FAR * __RPC_USER
MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

```

```

/* interface __MIDL_itf_tpcc_com_ps_0000 */
/* [local] */

```

```

extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_ps_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_ps_0000_v0_0_s_ifspec;

```

```

#ifdef __ITPCC_INTERFACE_DEFINED__
#define __ITPCC_INTERFACE_DEFINED__

/* interface ITPCC */
/* [unique][helpstring][uuid][oleautomation][object]
*/

```

```

EXTERN_C const IID IID_ITPCC;

```

```

#if defined(__cplusplus) && !defined(CINTERFACE)

```

```

MIDL_INTERFACE("FEE6AA2-84B1-11d2-BA47-
00C04FBFE08B")

```

```

ITPCC : public IUnknown
{
public:
virtual HRESULT STDMETHODCALLTYPE NewOrder(
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

virtual HRESULT STDMETHODCALLTYPE Payment(
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

virtual HRESULT STDMETHODCALLTYPE Delivery(
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

virtual HRESULT STDMETHODCALLTYPE StockLevel(
/* [in] */ VARIANT txn_in,

```

```

/* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

virtual HRESULT STDMETHODCALLTYPE OrderStatus(
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

virtual HRESULT STDMETHODCALLTYPE CallSetComplete(
void) = 0;
};

#else /* C style interface */

typedef struct ITPCCVtbl
{
BEGIN_INTERFACE

HRESULT ( STDMETHODCALLTYPE __RPC_FAR
*QueryInterface )(
ITPCC __RPC_FAR * This,
/* [in] */ REFIID riid,
/* [iid_is][out] */ void __RPC_FAR
*__RPC_FAR *ppvObject);

ULONG ( STDMETHODCALLTYPE __RPC_FAR *AddRef
)(
ITPCC __RPC_FAR * This);

ULONG ( STDMETHODCALLTYPE __RPC_FAR *Release
)(
ITPCC __RPC_FAR * This);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *NewOrder )(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Payment )(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Delivery )(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *StockLevel )(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *OrderStatus )(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( STDMETHODCALLTYPE __RPC_FAR
*CallSetComplete )(
ITPCC __RPC_FAR * This);

```

```

        END_INTERFACE
    } ITPCCVtbl;

    interface ITPCC
    {
        CONST_VTBL struct ITPCCVtbl __RPC_FAR
        *lpVtbl;
    };

#ifdef COBJMACROS

#define ITPCC_QueryInterface(This,riid,ppvObject) \
    QueryInterface(This,riid,ppvObject)

#define ITPCC_AddRef(This) \
    (This)->lpVtbl -> AddRef(This)

#define ITPCC_Release(This) \
    (This)->lpVtbl -> Release(This)

#define ITPCC_NewOrder(This,txn_in,txn_out) \
    (This)->lpVtbl -> NewOrder(This,txn_in,txn_out)

#define ITPCC_Payment(This,txn_in,txn_out) \
    (This)->lpVtbl -> Payment(This,txn_in,txn_out)

#define ITPCC_Delivery(This,txn_in,txn_out) \
    (This)->lpVtbl -> Delivery(This,txn_in,txn_out)

#define ITPCC_StockLevel(This,txn_in,txn_out) \
    (This)->lpVtbl -> StockLevel(This,txn_in,txn_out)

#define ITPCC_OrderStatus(This,txn_in,txn_out) \
    (This)->lpVtbl -> OrderStatus(This,txn_in,txn_out)

#define ITPCC_CallSetComplete(This) \
    (This)->lpVtbl -> CallSetComplete(This)

#endif /* COBJMACROS */

#endif /* C style interface */

HRESULT STDMETHODCALLTYPE ITPCC_NewOrder_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_NewOrder_Stub(
    IrpcStubBuffer *This,
    IrpcChannelBuffer *pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

```

```

HRESULT STDMETHODCALLTYPE ITPCC_Payment_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_Payment_Stub(
    IrpcStubBuffer *This,
    IrpcChannelBuffer *pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT STDMETHODCALLTYPE ITPCC_Delivery_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_Delivery_Stub(
    IrpcStubBuffer *This,
    IrpcChannelBuffer *pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT STDMETHODCALLTYPE ITPCC_StockLevel_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_StockLevel_Stub(
    IrpcStubBuffer *This,
    IrpcChannelBuffer *pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT STDMETHODCALLTYPE ITPCC_OrderStatus_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_OrderStatus_Stub(
    IrpcStubBuffer *This,
    IrpcChannelBuffer *pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT STDMETHODCALLTYPE ITPCC_CallSetComplete_Proxy(
    ITPCC __RPC_FAR * This);

void __RPC_STUB ITPCC_CallSetComplete_Stub(
    IrpcStubBuffer *This,
    IrpcChannelBuffer *pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

```

```

#endif /* __ITPCC_INTERFACE_DEFINED__ */

/* Additional Prototypes for ALL interfaces */

unsigned long             __RPC_USER
VARIANT_UserSize(        unsigned long __RPC_FAR *,
    unsigned long         , VARIANT __RPC_FAR * );
unsigned char             __RPC_USER
VARIANT_UserMarshal(    unsigned long __RPC_FAR *,
    unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );
unsigned char             __RPC_USER
VARIANT_UserUnmarshal(unsigned long __RPC_FAR *,
    unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );
void                     __RPC_USER
VARIANT_UserFree(       unsigned long __RPC_FAR *,
    VARIANT __RPC_FAR * );

/* end of Additional Prototypes */

#ifdef __cplusplus
}
#endif

#endif

```

tpcc_com_ps.idl

```

/* FILE: ITPCC.IDL
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 * not yet
 * audited
 *
 * PURPOSE: Defines the interface used by
 * TPCC. This interface can be implemented by C++
 * components.
 *
 * Change history:
 * 4.20.000 - first version
 */

// Forward declare all types defined
interface ITPCC;
import "oidl.idl";
import "ocidl.idl";

[
    object,
    oleautomation,
    uuid(FEEE6AA2-84B1-11d2-BA47-
00C04FBFE08B),

```

```

        helpstring("ITPCC Interface"),
        pointer_default(unique)
    ]
    interface ITPCC : IUnknown
    {
        HRESULT STDMETHODCALLTYPE NewOrder
        (
            [in] VARIANT txn_in,
            [out] VARIANT *txn_out
        );
        HRESULT STDMETHODCALLTYPE Payment
        (
            [in] VARIANT txn_in,
            [out] VARIANT *txn_out
        );
        HRESULT STDMETHODCALLTYPE Delivery
        (
            [in] VARIANT txn_in,
            [out] VARIANT *txn_out
        );
        HRESULT STDMETHODCALLTYPE StockLevel
        (
            [in] VARIANT txn_in,
            [out] VARIANT *txn_out
        );
        HRESULT STDMETHODCALLTYPE OrderStatus
        (
            [in] VARIANT txn_in,
            [out] VARIANT *txn_out
        );
        HRESULT STDMETHODCALLTYPE CallSetComplete
        (
        );
    }; // interface ITPCC

```

tpcc_com_ps_i.c

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:08 2001
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \

DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

```

```

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0x0C,
0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AXP64) */

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:08 2001
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b
run,appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)

```

```

DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \

DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
    {l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0x0,
0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

```

```

#ifdef __cplusplus
}
#endif

#endif /* defined(_M_IA64) || defined(_M_AXP64) */



---


tpcc_com_ps_p.c

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the proxy stub
code */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:08 2001
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high
enough to compile this file*/
#ifdef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 440
#endif

#include "rpcproxy.h"
#ifdef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of
<rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 997
#define PROC_FORMAT_STRING_SIZE 193
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

```

```

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000,
ver. 0.0,

GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0
x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,

GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0
x00,0x00,0x00,0x46}} */

/* Object interface: ITPCC, ver. 0.0,

GUID={0xFEEE6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0
x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short
ITPCC_FormatStringOffsetTable[] =
{
    0,
    34,
    68,
    102,
    136,
    170
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,

```

```

0,
0,
0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo
=
{
  &Object_StubDesc,
  __MIDL_ProcFormatString.Format,
  &ITPCC_FormatStringOffsetTable[-3],
  0,
  0,
  0;
};

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
  &ITPCC_ProxyInfo,
  &IID_ITPCC,
  IUnknown_QueryInterface_Proxy,
  IUnknown_AddRef_Proxy,
  IUnknown_Release_Proxy ,
  (void *)-1 /* ITPCC::NewOrder */ ,
  (void *)-1 /* ITPCC::Payment */ ,
  (void *)-1 /* ITPCC::Delivery */ ,
  (void *)-1 /* ITPCC::StockLevel */ ,
  (void *)-1 /* ITPCC::OrderStatus */ ,
  (void *)-1 /* ITPCC::CallSetComplete */
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
  &IID_ITPCC,
  &ITPCC_ServerInfo,
  9,
  0, /* pure interpreted */
  CStdStubBuffer_METHODS
};

extern const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ];

static const MIDL_STUB_DESC Object_StubDesc =
{
  0,
  NdrOleAllocate,
  NdrOleFree,
  0,
  0,
  0,
  0,
  0,
  __MIDL_TypeFormatString.Format,
  1, /* -error bounds_check flag */
  0x20000, /* Ndr library version */
  0,
  0x5030118, /* MIDL Version 5.3.280 */
  0,
  UserMarshalRoutines,
  0, /* notify & notify_flag routine table */
  0x1, /* MIDL flag */
  0, /* Reserved3 */
};

```

```

0, /* Reserved4 */
0 /* Reserved5 */
};

#pragma data_seg(".rdata")

static const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ] =
{
  {
    VARIANT_UserSize
    ,VARIANT_UserMarshal
    ,VARIANT_UserUnmarshal
    ,VARIANT_UserFree
  }
};

#if !defined(__RPC_WIN32__)
#error Invalid build platform for this stub.
#endif

#if !(TARGET_IS_NT40_OR_LATER)
#error You need a Windows NT 4.0 or later to run this
stub because it uses these features:
#error -Oif or -Oicf, [wire_marshall] or
[user_marshall] attribute.
#error However, your C/C++ compilation flags indicate
you intend to run this app on earlier systems.
#error This app will die there with the
RPC_X_WRONG_STUB_VERSION error.
#endif

static const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString =
{
  0,
  {
    /* Procedure NewOrder */
    FC_AUTO_HANDLE /* 0x33, */
    Old Flags: object, Oi2 /*
    /* 2 */ NdrFcLong( 0x0 ), /* 0 */
    /* 6 */ NdrFcShort( 0x3 ), /* 3 */
    #ifndef _ALPHA_
    #ifndef _PPC_
    #if !defined(_MIPS_)
    /* 8 */ NdrFcShort( 0x1c ), /* x86 Stack
    size/offset = 28 */
    #else
    NdrFcShort( 0x20 ), /*
    MIPS Stack size/offset = 32 */
    #endif
    #else
    NdrFcShort( 0x20 ), /*
    PPC Stack size/offset = 32 */
    #endif
  }
};

```

```

#else
NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 10 */ NdrFcShort( 0x0 ), /* 0 */
/* 12 */ NdrFcShort( 0x8 ), /* 8 */
/* 14 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /*
3 */

/* Parameter txn_in */

/* 16 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 18 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 20 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 22 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 24 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 26 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

/* Return value */

```

```

/* 28 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 30 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 32 */ 0x8, /* FC_LONG */
0x0, /*
0 */

/* Procedure Payment */

/* 34 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 36 */ NdrFcLong( 0x0 ), /* 0 */
/* 40 */ NdrFcShort( 0x4 ), /* 4 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 42 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 44 */ NdrFcShort( 0x0 ), /* 0 */
/* 46 */ NdrFcShort( 0x8 ), /* 8 */
/* 48 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /*
3 */

/* Parameter txn_in */

/* 50 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 52 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */

```

```

#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 54 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 56 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 58 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 60 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

/* Return value */

/* 62 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 64 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 66 */ 0x8, /* FC_LONG */

```

```

0x0, /*
0 */

/* Procedure Delivery */

/* 68 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 70 */ NdrFcLong( 0x0 ), /* 0 */
/* 74 */ NdrFcShort( 0x5 ), /* 5 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 76 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 78 */ NdrFcShort( 0x0 ), /* 0 */
/* 80 */ NdrFcShort( 0x8 ), /* 8 */
/* 82 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /*
3 */

/* Parameter txn_in */

/* 84 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 86 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 88 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 90 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */

```

```

#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 92 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 94 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

/* Return value */

/* 96 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 98 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 100 */ 0x8, /* FC_LONG */
0x0, /*
0 */

/* Procedure StockLevel */

/* 102 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 104 */ NdrFcLong( 0x0 ), /* 0 */
/* 108 */ NdrFcShort( 0x6 ), /* 6 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 110 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
#endif
#endif

```

```

NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
Alpha Stack size/offset = 40 */
#endif
/* 112 */ NdrFcShort( 0x0 ), /* 0 */
/* 114 */ NdrFcShort( 0x8 ), /* 8 */
/* 116 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /*
3 */

/* Parameter txn_in */

/* 118 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 120 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 122 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 124 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 126 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 128 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

```

```

/* Return value */

/* 130 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 132 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 134 */ 0x8, /* FC_LONG */
0x0, /*
0 */

/* Procedure OrderStatus */

/* 136 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 138 */ NdrFcLong( 0x0 ), /* 0 */
/* 142 */ NdrFcShort( 0x7 ), /* 7 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 144 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 146 */ NdrFcShort( 0x0 ), /* 0 */
/* 148 */ NdrFcShort( 0x8 ), /* 8 */
/* 150 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /*
3 */

/* Parameter txn_in */

/* 152 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)

```

```

/* 154 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 156 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 158 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 160 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 162 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

/* Return value */

/* 164 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 166 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif

```

```

/* 168 */ 0x8, /* FC_LONG */
0x0, /*
0 */

/* Procedure CallSetComplete */

/* 170 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 172 */ NdrFcLong( 0x0 ), /* 0 */
/* 176 */ NdrFcShort( 0x8 ), /* 8 */
#ifndef _ALPHA_
/* 178 */ NdrFcShort( 0x8 ), /* x86, MIPS, PPC Stack
size/offset = 8 */
#else
NdrFcShort( 0x10 ), /*
Alpha Stack size/offset = 16 */
#endif
/* 180 */ NdrFcShort( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x8 ), /* 8 */
/* 184 */ 0x4, /* Oi2 Flags: has
return, */
1, /*
0x1, /*
/* Return value */

/* 186 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
/* 188 */ NdrFcShort( 0x4 ), /* x86, MIPS, PPC Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 190 */ 0x8, /* FC_LONG */
0x0, /*
0 */
0x0

}
};

static const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString =
{
0,
{
0 */
/* 2 */
0x12, 0x0, /*
FC_UP */
/* 4 */ NdrFcShort( 0x3b0 ), /* Offset=
944 (948) */
/* 6 */
0x2b, /*
FC_NON_ENCAPSULATED_UNION */
0x9, /*
FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT
*/

```

```

0x0, /*
*/
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */
/* 12 */ NdrFcShort( 0x2 ), /* Offset= 2 (14) */
/* 14 */ NdrFcShort( 0x10 ), /* 16 */
/* 16 */ NdrFcShort( 0x2b ), /* 43 */
/* 18 */ NdrFcLong( 0x3 ), /* 3 */
/* 22 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 24 */ NdrFcLong( 0x11 ), /* 17 */
/* 28 */ NdrFcShort( 0x8001 ), /* Simple arm
type: FC_BYTE */
/* 30 */ NdrFcLong( 0x2 ), /* 2 */
/* 34 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 36 */ NdrFcLong( 0x4 ), /* 4 */
/* 40 */ NdrFcShort( 0x800a ), /* Simple arm
type: FC_FLOAT */
/* 42 */ NdrFcLong( 0x5 ), /* 5 */
/* 46 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 48 */ NdrFcLong( 0xb ), /* 11 */
/* 52 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 54 */ NdrFcLong( 0xa ), /* 10 */
/* 58 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 60 */ NdrFcLong( 0x6 ), /* 6 */
/* 64 */ NdrFcShort( 0xd6 ), /* Offset= 214 (278) */
/* 66 */ NdrFcLong( 0x7 ), /* 7 */
/* 70 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 72 */ NdrFcLong( 0x8 ), /* 8 */
/* 76 */ NdrFcShort( 0xd0 ), /* Offset= 208 (284) */
/* 78 */ NdrFcLong( 0xd ), /* 13 */
/* 82 */ NdrFcShort( 0xe2 ), /* Offset= 226 (308) */
/* 84 */ NdrFcLong( 0x9 ), /* 9 */
/* 88 */ NdrFcShort( 0xee ), /* Offset= 238 (326) */
/* 90 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 94 */ NdrFcShort( 0xfa ), /* Offset= 250 (344) */
/* 96 */ NdrFcLong( 0x24 ), /* 36 */
/* 100 */ NdrFcShort( 0x308 ), /* Offset=
776 (876) */
/* 102 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 106 */ NdrFcShort( 0x302 ), /* Offset=
770 (876) */
/* 108 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 112 */ NdrFcShort( 0x300 ), /* Offset=
768 (880) */
/* 114 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 118 */ NdrFcShort( 0x2fe ), /* Offset=
766 (884) */
/* 120 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 124 */ NdrFcShort( 0x2fc ), /* Offset=
764 (888) */
/* 126 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 130 */ NdrFcShort( 0x2fa ), /* Offset=
762 (892) */
/* 132 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 136 */ NdrFcShort( 0x2f8 ), /* Offset=
760 (896) */
/* 138 */ NdrFcLong( 0x400b ), /* 16395 */

```

```

/* 142 */ NdrFcShort( 0x2e6 ), /* Offset=
742 (884) */
/* 144 */ NdrFcLong( 0x400a ), /* 16394 */
/* 148 */ NdrFcShort( 0x2e4 ), /* Offset=
740 (888) */
/* 150 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 154 */ NdrFcShort( 0x2ea ), /* Offset=
746 (900) */
/* 156 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 160 */ NdrFcShort( 0x2e0 ), /* Offset=
736 (896) */
/* 162 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 166 */ NdrFcShort( 0x2e2 ), /* Offset=
738 (904) */
/* 168 */ NdrFcLong( 0x400d ), /* 16397 */
/* 172 */ NdrFcShort( 0x2e0 ), /* Offset=
736 (908) */
/* 174 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 178 */ NdrFcShort( 0x2de ), /* Offset=
734 (912) */
/* 180 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 184 */ NdrFcShort( 0x2dc ), /* Offset=
732 (916) */
/* 186 */ NdrFcLong( 0x400c ), /* 16396 */
/* 190 */ NdrFcShort( 0x2da ), /* Offset=
730 (920) */
/* 192 */ NdrFcLong( 0x10 ), /* 16 */
/* 196 */ NdrFcShort( 0x8002 ), /* Simple arm
type: FC_CHAR */
/* 198 */ NdrFcLong( 0x12 ), /* 18 */
/* 202 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 204 */ NdrFcLong( 0x13 ), /* 19 */
/* 208 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 210 */ NdrFcLong( 0x16 ), /* 22 */
/* 214 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 216 */ NdrFcLong( 0x17 ), /* 23 */
/* 220 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 222 */ NdrFcLong( 0xe ), /* 14 */
/* 226 */ NdrFcShort( 0x2be ), /* Offset=
702 (928) */
/* 228 */ NdrFcLong( 0x400e ), /* 16398 */
/* 232 */ NdrFcShort( 0x2c4 ), /* Offset=
708 (940) */
/* 234 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 238 */ NdrFcShort( 0x2c2 ), /* Offset=
706 (944) */
/* 240 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 244 */ NdrFcShort( 0x280 ), /* Offset=
640 (884) */
/* 246 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 250 */ NdrFcShort( 0x27e ), /* Offset=
638 (888) */
/* 252 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 256 */ NdrFcShort( 0x278 ), /* Offset=
632 (888) */
/* 258 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 262 */ NdrFcShort( 0x272 ), /* Offset=
626 (888) */
/* 264 */ NdrFcLong( 0x0 ), /* 0 */

```

```

/* 268 */ NdrFcShort( 0x0 ), /* Offset= 0 (268) */
/* 270 */ NdrFcLong( 0x1 ), /* 1 */
/* 274 */ NdrFcShort( 0x0 ), /* Offset= 0 (274) */
/* 276 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(275) */
/* 278 */
FC_STRUCT */
0x15, /*
7 */
/* 280 */ NdrFcShort( 0x8 ), /* 8 */
/* 282 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */
/* 284 */
0x12, 0x0, /*
FC_UP */
/* 286 */ NdrFcShort( 0xc ), /* Offset= 12 (298) */
/* 288 */
0x1b, /*
FC_CARRAY */
0x1, /*
1 */
/* 290 */ NdrFcShort( 0x2 ), /* 2 */
/* 292 */ 0x9, /* Corr desc: FC_ULONG
*/
0x0, /*
*/
/* 294 */ NdrFcShort( 0xffff ), /* -4 */
/* 296 */ 0x6, /* FC_SHORT */
0x5b, /*
FC_END */
/* 298 */
0x17, /*
FC_CSTRUCT */
0x3, /*
3 */
/* 300 */ NdrFcShort( 0x8 ), /* 8 */
/* 302 */ NdrFcShort( 0xffffffff2 ), /* Offset= -
14 (288) */
/* 304 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 306 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 308 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 310 */ NdrFcLong( 0x0 ), /* 0 */
/* 314 */ NdrFcShort( 0x0 ), /* 0 */
/* 316 */ NdrFcShort( 0x0 ), /* 0 */
/* 318 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 320 */ 0x0, /* 0 */
0x0, /*
0 */
/* 322 */ 0x0, /* 0 */
0x0, /*
0 */
0 */

```

```

/* 324 */ 0x0, /* 0 */
0x46, /*
70 */
/* 326 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 328 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 332 */ NdrFcShort( 0x0 ), /* 0 */
/* 334 */ NdrFcShort( 0x0 ), /* 0 */
/* 336 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 338 */ 0x0, /* 0 */
0x0, /*
0 */
/* 340 */ 0x0, /* 0 */
0x0, /*
0 */
/* 342 */ 0x0, /* 0 */
0x46, /*
70 */
/* 344 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 346 */ NdrFcShort( 0x2 ), /* Offset= 2 (348) */
/* 348 */
0x12, 0x0, /*
FC_UP */
/* 350 */ NdrFcShort( 0x1fc ), /* Offset=
508 (858) */
/* 352 */
0x2a, /*
FC_ENCAPSULATED_UNION */
0x49, /*
73 */
/* 354 */ NdrFcShort( 0x18 ), /* 24 */
/* 356 */ NdrFcShort( 0xa ), /* 10 */
/* 358 */ NdrFcLong( 0x8 ), /* 8 */
/* 362 */ NdrFcShort( 0x58 ), /* Offset= 88 (450) */
/* 364 */ NdrFcLong( 0xd ), /* 13 */
/* 368 */ NdrFcShort( 0x78 ), /* Offset= 120 (488) */
/* 370 */ NdrFcLong( 0x9 ), /* 9 */
/* 374 */ NdrFcShort( 0x94 ), /* Offset= 148 (522) */
/* 376 */ NdrFcLong( 0xc ), /* 12 */
/* 380 */ NdrFcShort( 0xbc ), /* Offset= 188 (568) */
/* 382 */ NdrFcLong( 0x24 ), /* 36 */
/* 386 */ NdrFcShort( 0x114 ), /* Offset=
276 (662) */
/* 388 */ NdrFcLong( 0x800d ), /* 32781 */
/* 392 */ NdrFcShort( 0x130 ), /* Offset=
304 (696) */
/* 394 */ NdrFcLong( 0x10 ), /* 16 */
/* 398 */ NdrFcShort( 0x148 ), /* Offset=
328 (726) */
/* 400 */ NdrFcLong( 0x2 ), /* 2 */
/* 404 */ NdrFcShort( 0x160 ), /* Offset=
352 (756) */
/* 406 */ NdrFcLong( 0x3 ), /* 3 */
/* 410 */ NdrFcShort( 0x178 ), /* Offset=
376 (786) */
/* 412 */ NdrFcLong( 0x14 ), /* 20 */

```

```

/* 416 */ NdrFcShort( 0x190 ), /* Offset=
400 (816) */
/* 418 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(417) */
/* 420 */
                                0x1b, /*
FC_CARRAY */
                                0x3, /*
3 */
/* 422 */ NdrFcShort( 0x4 ), /* 4 */
/* 424 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0, /*
*/
/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */
                                0x4b, /*
FC_PP */
                                0x5c, /*
FC_PAD */
/* 430 */
                                0x48, /*
FC_VARIABLE_REPEAT */
                                0x49, /*
FC_FIXED_OFFSET */
/* 432 */ NdrFcShort( 0x4 ), /* 4 */
/* 434 */ NdrFcShort( 0x0 ), /* 0 */
/* 436 */ NdrFcShort( 0x1 ), /* 1 */
/* 438 */ NdrFcShort( 0x0 ), /* 0 */
/* 440 */ NdrFcShort( 0x0 ), /* 0 */
/* 442 */ 0x12, 0x0, /* FC_UP */
/* 444 */ NdrFcShort( 0xffffffff6e ), /* Offset= -
146 (298) */
/* 446 */
                                0x5b, /*
FC_END */
                                0x8, /*
FC_LONG */
/* 448 */ 0x5c, /* FC_PAD */
                                0x5b, /*
FC_END */
/* 450 */
                                0x16, /*
FC_PSTRUCT */
                                0x3, /*
3 */
/* 452 */ NdrFcShort( 0x8 ), /* 8 */
/* 454 */
                                0x4b, /*
FC_PP */
                                0x5c, /*
FC_PAD */
/* 456 */
                                0x46, /*
FC_NO_REPEAT */
                                0x5c, /*
FC_PAD */
/* 458 */ NdrFcShort( 0x4 ), /* 4 */
/* 460 */ NdrFcShort( 0x4 ), /* 4 */
/* 462 */ 0x11, 0x0, /* FC_RP */
/* 464 */ NdrFcShort( 0xffffffffd4 ), /* Offset= -
44 (420) */

```

```

/* 466 */
FC_END */
                                0x5b, /*
FC_LONG */
/* 468 */ 0x8, /* FC_LONG */
                                0x5b, /*
FC_END */
/* 470 */
                                0x21, /*
FC_BOGUS_ARRAY */
                                0x3, /*
3 */
/* 472 */ NdrFcShort( 0x0 ), /* 0 */
/* 474 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0, /*
*/
/* 476 */ NdrFcShort( 0x0 ), /* 0 */
/* 478 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 482 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
                                0x0, /*
0 */
/* 484 */ NdrFcShort( 0xffffffff50 ), /* Offset= -
176 (308) */
/* 486 */ 0x5c, /* FC_PAD */
                                0x5b, /*
FC_END */
/* 488 */
                                0x1a, /*
FC_BOGUS_STRUCT */
                                0x3, /*
3 */
/* 490 */ NdrFcShort( 0x8 ), /* 8 */
/* 492 */ NdrFcShort( 0x0 ), /* 0 */
/* 494 */ NdrFcShort( 0x6 ), /* Offset= 6 (500) */
/* 496 */ 0x8, /* FC_LONG */
                                0x36, /*
FC_POINTER */
/* 498 */ 0x5c, /* FC_PAD */
                                0x5b, /*
FC_END */
/* 500 */
                                0x11, 0x0, /*
FC_RP */
/* 502 */ NdrFcShort( 0xffffffffe0 ), /* Offset= -
32 (470) */
/* 504 */
                                0x21, /*
FC_BOGUS_ARRAY */
                                0x3, /*
3 */
/* 506 */ NdrFcShort( 0x0 ), /* 0 */
/* 508 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0, /*
*/
/* 510 */ NdrFcShort( 0x0 ), /* 0 */
/* 512 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 516 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/

```

```

                                0x0, /*
0 */
/* 518 */ NdrFcShort( 0xffffffff40 ), /* Offset= -
192 (326) */
/* 520 */ 0x5c, /* FC_PAD */
                                0x5b, /*
FC_END */
/* 522 */
                                0x1a, /*
FC_BOGUS_STRUCT */
                                0x3, /*
3 */
/* 524 */ NdrFcShort( 0x8 ), /* 8 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */
/* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 530 */ 0x8, /* FC_LONG */
                                0x36, /*
FC_POINTER */
/* 532 */ 0x5c, /* FC_PAD */
                                0x5b, /*
FC_END */
/* 534 */
                                0x11, 0x0, /*
FC_RP */
/* 536 */ NdrFcShort( 0xfffffffff0 ), /* Offset= -
32 (504) */
/* 538 */
                                0x1b, /*
FC_CARRAY */
                                0x3, /*
3 */
/* 540 */ NdrFcShort( 0x4 ), /* 4 */
/* 542 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0, /*
*/
/* 544 */ NdrFcShort( 0x0 ), /* 0 */
/* 546 */
                                0x4b, /*
FC_PP */
                                0x5c, /*
FC_PAD */
/* 548 */
                                0x48, /*
FC_VARIABLE_REPEAT */
                                0x49, /*
FC_FIXED_OFFSET */
/* 550 */ NdrFcShort( 0x4 ), /* 4 */
/* 552 */ NdrFcShort( 0x0 ), /* 0 */
/* 554 */ NdrFcShort( 0x1 ), /* 1 */
/* 556 */ NdrFcShort( 0x0 ), /* 0 */
/* 558 */ NdrFcShort( 0x0 ), /* 0 */
/* 560 */ 0x12, 0x0, /* FC_UP */
/* 562 */ NdrFcShort( 0x182 ), /* Offset=
386 (948) */
/* 564 */
                                0x5b, /*
FC_END */
                                0x8, /*
FC_LONG */
/* 566 */ 0x5c, /* FC_PAD */

```

FC_END */	0x5b,	/*	/* 620 */ 0x8,	/* FC_LONG */	/* 670 */ 0x8,	/* FC_LONG */
/* 568 */				0x8,		0x36,
FC_BOGUS_STRUCT */	0x1a,	/*	FC_LONG */	/* FC_EMBEDDED_COMPLEX	FC_POINTER */	/*
	0x3,	/*	/* 622 */ 0x4c,	*/	/* 672 */ 0x5c,	/* FC_PAD */
3 */				0x0,		0x5b,
/* 570 */ NdrFcShort(0x8),	/* 8 */		0 */	/*	FC_END */	/*
/* 572 */ NdrFcShort(0x0),	/* 0 */		/* 624 */ NdrFcShort(0xffffffd8),	/* Offset= -	/* 674 */	0x11, 0x0,
/* 574 */ NdrFcShort(0x6),	/* Offset= 6 (580) */		40 (584) */		FC_RP */	/*
/* 576 */ 0x8,	/* FC_LONG */		/* 626 */ 0x36,	/* FC_POINTER */	/* 676 */ NdrFcShort(0xfffffd4),	/* Offset= -
	0x36,	/*		0x5b,	44 (632) */	/* 678 */
FC_POINTER */	/* FC_PAD */		FC_END */	/*		0x1d,
/* 578 */ 0x5c,	0x5b,	/*	/* 628 */	0x12, 0x0,	FC_SMFARRAY */	/*
			FC_UP */		0 */	0x0,
FC_END */	0x11, 0x0,	/*	/* 630 */ NdrFcShort(0xfffffe4),	/* Offset= -	/* 680 */ NdrFcShort(0x8),	/* 8 */
/* 580 */			28 (602) */		/* 682 */ 0x1,	/* FC_BYTE */
FC_RP */			/* 632 */	0x1b,	FC_END */	/*
/* 582 */ NdrFcShort(0xfffffd4),	/* Offset= -		FC_CARRAY */	0x3,	/* 684 */	0x15,
44 (538) */					FC_STRUCT */	/*
/* 584 */	0x2f,	/*	3 */			0x3,
FC_IP */	0x5a,	/*	/* 634 */ NdrFcShort(0x4),	/* 4 */	3 */	
			/* 636 */ 0x19,	/* Corr desc: field	/* 686 */ NdrFcShort(0x10),	/* 16 */
FC_CONSTANT_IID */			pointer, FC_ULONG */	0x0,	/* 688 */ 0x8,	/* FC_LONG */
/* 586 */ NdrFcLong(0x2f),	/* 47 */		*/		0x6,	/*
/* 590 */ NdrFcShort(0x0),	/* 0 */		/* 638 */ NdrFcShort(0x0),	/* 0 */	FC_SHORT */	/*
/* 592 */ NdrFcShort(0x0),	/* 0 */		/* 640 */	0x4b,	/* 690 */ 0x6,	/* FC_SHORT */
/* 594 */ 0xc0,	/* 192 */		FC_PP */	0x5c,	FC_EMBEDDED_COMPLEX */	/*
	0x0,	/*			/* 692 */ 0x0,	/* 0 */
0 */	/* 596 */ 0x0,	/*	FC_PAD */	0x48,	NdrFcShort(0xfffff1	/*
/* 598 */ 0x0,	/* 0 */		/* 642 */	0x49,),	/* Offset= -15 (678) */
	0x0,	/*	FC_VARIABLE_REPEAT */		0x5b,	/*
0 */	/* 600 */ 0x0,	/*			FC_END */	/*
/* 602 */	/* 0 */		FC_FIXED_OFFSET */		/* 696 */	0x1a,
	0x46,	/*	/* 644 */ NdrFcShort(0x4),	/* 4 */		0x3,
70 */			/* 646 */ NdrFcShort(0x0),	/* 0 */	FC_BOGUS_STRUCT */	/*
/* 602 */	0x1b,	/*	/* 648 */ NdrFcShort(0x1),	/* 1 */		0x3,
FC_CARRAY */	0x0,	/*	/* 650 */ NdrFcShort(0x0),	/* 0 */	3 */	
			/* 652 */ NdrFcShort(0x0),	/* 0 */	/* 698 */ NdrFcShort(0x18),	/* 24 */
0 */			/* 654 */ 0x12, 0x0,	/* FC_UP */	/* 700 */ NdrFcShort(0x0),	/* 0 */
/* 604 */ NdrFcShort(0x1),	/* 1 */		/* 656 */ NdrFcShort(0xfffffd4),	/* Offset= -	/* 702 */ NdrFcShort(0xa),	/* Offset= 10 (712) */
/* 606 */ 0x19,	/* Corr desc: field		44 (612) */		/* 704 */ 0x8,	/* FC_LONG */
pointer, FC_ULONG */	0x0,	/*	/* 658 */	0x5b,	0x36,	/*
*/			FC_END */		FC_POINTER */	/*
/* 608 */ NdrFcShort(0x4),	/* 4 */			0x8,	/* 706 */ 0x4c,	/* FC_EMBEDDED_COMPLEX
/* 610 */ 0x1,	/* FC_BYTE */		FC_LONG */		*/	0x0,
	0x5b,	/*	/* 660 */ 0x5c,	/* FC_PAD */		/*
FC_END */	0x1a,	/*	/* 662 */	0x5b,	0 */	/*
/* 612 */			FC_END */	0x1a,	/* 708 */ NdrFcShort(0xfffffe8),	/* Offset= -
FC_BOGUS_STRUCT */	0x3,	/*	FC_BOGUS_STRUCT */	0x3,	24 (684) */	/*
					/* 710 */ 0x5c,	/* FC_PAD */
3 */			3 */		FC_END */	/*
/* 614 */ NdrFcShort(0x10),	/* 16 */		/* 664 */ NdrFcShort(0x8),	/* 8 */	/* 712 */	0x5b,
/* 616 */ NdrFcShort(0x0),	/* 0 */		/* 666 */ NdrFcShort(0x0),	/* 0 */		/*
/* 618 */ NdrFcShort(0xa),	/* Offset= 10 (628) */		/* 668 */ NdrFcShort(0x6),	/* Offset= 6 (674) */	FC_RP */	/*
					/* 714 */ NdrFcShort(0xfffff0c),	/* Offset= -
					244 (470) */	/*
					/* 716 */	

```

0x1b, /*
FC_CARRAY */
0x0, /*
0 */
/* 718 */ NdrFcShort( 0x1 ), /* 1 */
/* 720 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 722 */ NdrFcShort( 0x0 ), /* 0 */
/* 724 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 726 */
0x16, /*
FC_PSTRUCT */
0x3, /*
3 */
/* 728 */ NdrFcShort( 0x8 ), /* 8 */
/* 730 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 732 */
0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 734 */ NdrFcShort( 0x4 ), /* 4 */
/* 736 */ NdrFcShort( 0x4 ), /* 4 */
/* 738 */ 0x12, 0x0, /* FC_UP */
/* 740 */ NdrFcShort( 0xfffffe8 ), /* Offset= -
24 (716) */
/* 742 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 744 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 746 */
0x1b, /*
FC_CARRAY */
0x1, /*
1 */
/* 748 */ NdrFcShort( 0x2 ), /* 2 */
/* 750 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 752 */ NdrFcShort( 0x0 ), /* 0 */
/* 754 */ 0x6, /* FC_SHORT */
0x5b, /*
FC_END */
/* 756 */
0x16, /*
FC_PSTRUCT */
0x3, /*
3 */
/* 758 */ NdrFcShort( 0x8 ), /* 8 */

```

```

/* 760 */
FC_PP */
0x4b, /*
FC_PAD */
/* 762 */
0x5c, /*
FC_NO_REPEAT */
0x46, /*
0x5c, /*
FC_PAD */
/* 764 */ NdrFcShort( 0x4 ), /* 4 */
/* 766 */ NdrFcShort( 0x4 ), /* 4 */
/* 768 */ 0x12, 0x0, /* FC_UP */
/* 770 */ NdrFcShort( 0xfffffe8 ), /* Offset= -
24 (746) */
/* 772 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 774 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 776 */
0x1b, /*
FC_CARRAY */
0x3, /*
3 */
/* 778 */ NdrFcShort( 0x4 ), /* 4 */
/* 780 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 782 */ NdrFcShort( 0x0 ), /* 0 */
/* 784 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 786 */
0x16, /*
FC_PSTRUCT */
0x3, /*
3 */
/* 788 */ NdrFcShort( 0x8 ), /* 8 */
/* 790 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 792 */
0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 794 */ NdrFcShort( 0x4 ), /* 4 */
/* 796 */ NdrFcShort( 0x4 ), /* 4 */
/* 798 */ 0x12, 0x0, /* FC_UP */
/* 800 */ NdrFcShort( 0xfffffe8 ), /* Offset= -
24 (776) */
/* 802 */
0x5b, /*
FC_END */

```

```

0x8, /*
FC_LONG */
/* 804 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 806 */
0x1b, /*
FC_CARRAY */
0x7, /*
7 */
/* 808 */ NdrFcShort( 0x8 ), /* 8 */
/* 810 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 812 */ NdrFcShort( 0x0 ), /* 0 */
/* 814 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */
/* 816 */
0x16, /*
FC_PSTRUCT */
0x3, /*
3 */
/* 818 */ NdrFcShort( 0x8 ), /* 8 */
/* 820 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 822 */
0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 824 */ NdrFcShort( 0x4 ), /* 4 */
/* 826 */ NdrFcShort( 0x4 ), /* 4 */
/* 828 */ 0x12, 0x0, /* FC_UP */
/* 830 */ NdrFcShort( 0xfffffe8 ), /* Offset= -
24 (806) */
/* 832 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 834 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 836 */
0x15, /*
FC_STRUCT */
0x3, /*
3 */
/* 838 */ NdrFcShort( 0x8 ), /* 8 */
/* 840 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 842 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 844 */

```

```

0x1b, /*
FC_CARRAY */
0x3, /*
3 */
/* 846 */ NdrFcShort( 0x8 ), /* 8 */
/* 848 */ 0x7, /* Corr desc: FC_USHORT */
0x0, /*
*/
/* 850 */ NdrFcShort( 0xffd8 ), /* -40 */
/* 852 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /*
0 */
/* 854 */ NdrFcShort( 0xfffffee ), /* Offset= -18 (836) */
/* 856 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 858 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 860 */ NdrFcShort( 0x28 ), /* 40 */
/* 862 */ NdrFcShort( 0xfffffee ), /* Offset= -18 (844) */
/* 864 */ NdrFcShort( 0x0 ), /* Offset= 0 (864) */
/* 866 */ 0x6, /* FC_SHORT */
0x6, /*
FC_SHORT */
/* 868 */ 0x38, /* FC_ALIGNM4 */
0x8, /*
FC_LONG */
/* 870 */ 0x8, /* FC_LONG */
0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 872 */ 0x0, /* 0 */
NdrFcShort( 0xffffdf7 ), /* Offset= -521 (352) */
0x5b, /*
FC_END */
/* 876 */
0x12, 0x0, /*
FC_UP */
/* 878 */ NdrFcShort( 0xffffef6 ), /* Offset= -266 (612) */
/* 880 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 882 */ 0x1, /* FC_BYTE */
0x5c, /*
FC_PAD */
/* 884 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 886 */ 0x6, /* FC_SHORT */
0x5c, /*
FC_PAD */
/* 888 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 890 */ 0x8, /* FC_LONG */

```

```

0x5c, /*
FC_PAD */
/* 892 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 894 */ 0xa, /* FC_FLOAT */
0x5c, /*
FC_PAD */
/* 896 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 898 */ 0xc, /* FC_DOUBLE */
0x5c, /*
FC_PAD */
/* 900 */
0x12, 0x0, /*
FC_UP */
/* 902 */ NdrFcShort( 0xffffd90 ), /* Offset= -624 (278) */
/* 904 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 906 */ NdrFcShort( 0xffffd92 ), /* Offset= -622 (284) */
/* 908 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 910 */ NdrFcShort( 0xffffda6 ), /* Offset= -602 (308) */
/* 912 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 914 */ NdrFcShort( 0xffffdb4 ), /* Offset= -588 (326) */
/* 916 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 918 */ NdrFcShort( 0xffffdc2 ), /* Offset= -574 (344) */
/* 920 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 922 */ NdrFcShort( 0x2 ), /* Offset= 2 (924) */
/* 924 */
0x12, 0x0, /*
FC_UP */
/* 926 */ NdrFcShort( 0x16 ), /* Offset= 22 (948) */
/* 928 */
0x15, /*
FC_STRUCT */
0x7, /*
7 */
/* 930 */ NdrFcShort( 0x10 ), /* 16 */
/* 932 */ 0x6, /* FC_SHORT */
0x1, /*
FC_BYTE */
/* 934 */ 0x1, /* FC_BYTE */
0x38, /*
FC_ALIGNM4 */
/* 936 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 938 */ 0xb, /* FC_HYPER */

```

```

0x5b, /*
FC_END */
/* 940 */
0x12, 0x0, /*
FC_UP */
/* 942 */ NdrFcShort( 0xffffffff2 ), /* Offset= -14 (928) */
/* 944 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 946 */ 0x2, /* FC_CHAR */
0x5c, /*
FC_PAD */
/* 948 */
0x1a, /*
FC_BOGUS_STRUCT */
0x7, /*
7 */
/* 950 */ NdrFcShort( 0x20 ), /* 32 */
/* 952 */ NdrFcShort( 0x0 ), /* 0 */
/* 954 */ NdrFcShort( 0x0 ), /* Offset= 0 (954) */
/* 956 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 958 */ 0x6, /* FC_SHORT */
0x6, /*
FC_SHORT */
/* 960 */ 0x6, /* FC_SHORT */
0x6, /*
FC_SHORT */
/* 962 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /*
0 */
/* 964 */ NdrFcShort( 0xffffc42 ), /* Offset= -958 (6) */
/* 966 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 968 */ 0xb4, /* FC_USER_MARSHAL */
0x83, /*
131 */
/* 970 */ NdrFcShort( 0x0 ), /* 0 */
/* 972 */ NdrFcShort( 0x10 ), /* 16 */
/* 974 */ NdrFcShort( 0x0 ), /* 0 */
/* 976 */ NdrFcShort( 0xffffc32 ), /* Offset= -974 (2) */
/* 978 */
0x11, 0x4, /*
FC_RP [allocated_on_stack] */
/* 980 */ NdrFcShort( 0x6 ), /* Offset= 6 (986) */
/* 982 */
0x13, 0x0, /*
FC_OP */
/* 984 */ NdrFcShort( 0xfffffdc ), /* Offset= -36 (948) */
/* 986 */ 0xb4, /* FC_USER_MARSHAL */
0x83, /*
131 */
/* 988 */ NdrFcShort( 0x0 ), /* 0 */
/* 990 */ NdrFcShort( 0x10 ), /* 16 */
/* 992 */ NdrFcShort( 0x0 ), /* 0 */

```

```

/* 994 */ NdrFcShort( 0xfffffff4 ), /* Offset= -
12 (982) */

                                0x0
    }
};

const CInterfaceProxyVtbl *
_tpsc_com_ps_ProxyVtblList[] =
{
    ( CInterfaceProxyVtbl *) &ITPCCProxyVtbl,
    0
};

const CInterfaceStubVtbl *
_tpsc_com_ps_StubVtblList[] =
{
    ( CInterfaceStubVtbl *) &ITPCCStubVtbl,
    0
};

PCInterfaceName const
_tpsc_com_ps_InterfaceNamesList[] =
{
    "ITPCC",
    0
};

#define _tpcc_com_ps_CHECK_IID(n)
IID_GENERIC_CHECK_IID( _tpcc_com_ps, pIID,
n)

int __stdcall _tpcc_com_ps_IID_Lookup( const IID *
pIID, int * pIndex )
{
    if(!_tpcc_com_ps_CHECK_IID(0))
    {
        *pIndex = 0;
        return 1;
    }

    return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo
=
{
    (PCInterfaceProxyVtblList *) &
_tpsc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) &
_tpsc_com_ps_StubVtblList,
    (const PCInterfaceName *) &
_tpsc_com_ps_InterfaceNamesList,
    0, // no delegation
    &_tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
}

```

```

};

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the proxy stub
code */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Thu Dec 13 23:13:08 2001
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b
run,appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_AXP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high
enough to compile this file*/
#ifndef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 475
#endif

#include "rpcproxy.h"
#ifndef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of
<rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 979
#define PROC_FORMAT_STRING_SIZE 253
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short Pad;

```

```

    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000,
ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0
x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0
x00,0x00,0x00,0x46}} */

/* Object interface: ITPCC, ver. 0.0,
GUID={0xFEE6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0
x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short
ITPCC_FormatStringOffsetTable[] =
{
    0,
    44,
    88,
    132,
    176,
    220
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0,
    0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo
=
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,

```



```

/* 70 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
/* 72 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
/* 74 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

/* Parameter txn_out */

/* 76 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifdef _ALPHA_
/* 78 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
/* 80 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Return value */

/* 82 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
/* 84 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
/* 86 */ 0x8, /* FC_LONG */
0, /*
*/

/* Procedure Delivery */

/* 88 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
*/
Old Flags: object, Oi2 */
/* 90 */ NdrFcLong( 0x0 ), /* 0 */
/* 94 */ NdrFcShort( 0x5 ), /* 5 */
#ifdef _ALPHA_
/* 96 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
/* 98 */ NdrFcShort( 0x0 ), /* 0 */
/* 100 */ NdrFcShort( 0x8 ), /* 8 */
/* 102 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
0x3, /*
*/
3 /*
*/
/* 104 */ 0xa, /* 10 */

```

```

0x7, /*
Ext Flags: new corr desc, clt corr check, srv corr
check, */
/* 106 */ NdrFcShort( 0x20 ), /* 32 */
/* 108 */ NdrFcShort( 0x20 ), /* 32 */
/* 110 */ NdrFcShort( 0x0 ), /* 0 */
/* 112 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 114 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
/* 116 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
/* 118 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

/* Parameter txn_out */

/* 120 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifdef _ALPHA_
/* 122 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
/* 124 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Return value */

/* 126 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
/* 128 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
/* 130 */ 0x8, /* FC_LONG */
0x0, /*
*/
0 /*
*/

/* Procedure StockLevel */

/* 132 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
*/
Old Flags: object, Oi2 */
/* 134 */ NdrFcLong( 0x0 ), /* 0 */
/* 138 */ NdrFcShort( 0x6 ), /* 6 */
#ifdef _ALPHA_
/* 140 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else

```

```

NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
/* 142 */ NdrFcShort( 0x0 ), /* 0 */
/* 144 */ NdrFcShort( 0x8 ), /* 8 */
/* 146 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
0x3, /*
*/
3 /*
*/
/* 148 */ 0xa, /* 10 */
0x7, /*
Ext Flags: new corr desc, clt corr check, srv corr
check, */
/* 150 */ NdrFcShort( 0x20 ), /* 32 */
/* 152 */ NdrFcShort( 0x20 ), /* 32 */
/* 154 */ NdrFcShort( 0x0 ), /* 0 */
/* 156 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 158 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
/* 160 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
/* 162 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

/* Parameter txn_out */

/* 164 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifdef _ALPHA_
/* 166 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
/* 168 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Return value */

/* 170 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
/* 172 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
/* 174 */ 0x8, /* FC_LONG */
0x0, /*
*/
0 /*
*/

/* Procedure OrderStatus */

```

```

/* 176 */ 0x33, /* FC_AUTO_HANDLE */
/* 0x6c, */
Old Flags: object, Oi2 */
/* 178 */ NdrFcLong( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x7 ), /* 7 */
#ifdef _ALPHA_
/* 184 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
/* 186 */ NdrFcShort( 0x0 ), /* 0 */
/* 188 */ NdrFcShort( 0x8 ), /* 8 */
/* 190 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
/* 0x3, */
3 */
/* 192 */ 0xa, /* 10 */
/* 0x7, */
Ext Flags: new corr desc, clt corr check, srv corr
check, */
/* 194 */ NdrFcShort( 0x20 ), /* 32 */
/* 196 */ NdrFcShort( 0x20 ), /* 32 */
/* 198 */ NdrFcShort( 0x0 ), /* 0 */
/* 200 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 202 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
/* 204 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
/* 206 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

/* Parameter txn_out */

/* 208 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifdef _ALPHA_
/* 210 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
/* 212 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Return value */

/* 214 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_

```

```

/* 216 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
/* 218 */ 0x8, /* FC_LONG */
/* 0x0, */
0 */

/* Procedure CallSetComplete */

/* 220 */ 0x33, /* FC_AUTO_HANDLE */
/* 0x6c, */
Old Flags: object, Oi2 */
/* 222 */ NdrFcLong( 0x0 ), /* 0 */
/* 226 */ NdrFcShort( 0x8 ), /* 8 */
/* 228 */ NdrFcShort( 0x10 ), /* ia64, axp64 Stack
size/offset = 16 */
/* 230 */ NdrFcShort( 0x0 ), /* 0 */
/* 232 */ NdrFcShort( 0x8 ), /* 8 */
/* 234 */ 0x44, /* Oi2 Flags: has
return, has ext, */
/* 0x1, */
1 */
/* 236 */ 0xa, /* 10 */
/* 0x1, */
Ext Flags: new corr desc, */
/* 238 */ NdrFcShort( 0x0 ), /* 0 */
/* 240 */ NdrFcShort( 0x0 ), /* 0 */
/* 242 */ NdrFcShort( 0x0 ), /* 0 */
/* 244 */ NdrFcShort( 0x0 ), /* 0 */

/* Return value */

/* 246 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 248 */ NdrFcShort( 0x8 ), /* ia64, axp64 Stack
size/offset = 8 */
/* 250 */ 0x8, /* FC_LONG */
/* 0x0, */
0 */

/* 0x0 */
}
};

static const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString =
{
0,
{
NdrFcShort( 0x0 ), /*
0 */
/* 2 */
0x12, 0x0, /*
FC_UP */
/* 4 */ NdrFcShort( 0x39e ), /* Offset=
926 (930) */
/* 6 */
0x2b, /*
FC_NON_ENCAPSULATED_UNION */

```

```

0x9, /*
FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT
*/
0x0, /*
*/
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */
/* 12 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 14 */ NdrFcShort( 0x2 ), /* Offset= 2 (16) */
/* 16 */ NdrFcShort( 0x10 ), /* 16 */
/* 18 */ NdrFcShort( 0x2b ), /* 43 */
/* 20 */ NdrFcLong( 0x3 ), /* 3 */
/* 24 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 26 */ NdrFcLong( 0x11 ), /* 17 */
/* 30 */ NdrFcShort( 0x8001 ), /* Simple arm
type: FC_BYTE */
/* 32 */ NdrFcLong( 0x2 ), /* 2 */
/* 36 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 38 */ NdrFcLong( 0x4 ), /* 4 */
/* 42 */ NdrFcShort( 0x800a ), /* Simple arm
type: FC_FLOAT */
/* 44 */ NdrFcLong( 0x5 ), /* 5 */
/* 48 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 50 */ NdrFcLong( 0xb ), /* 11 */
/* 54 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 56 */ NdrFcLong( 0xa ), /* 10 */
/* 60 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 62 */ NdrFcLong( 0x6 ), /* 6 */
/* 66 */ NdrFcShort( 0xd6 ), /* Offset= 214 (280) */
/* 68 */ NdrFcLong( 0x7 ), /* 7 */
/* 72 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 74 */ NdrFcLong( 0x8 ), /* 8 */
/* 78 */ NdrFcShort( 0xd0 ), /* Offset= 208 (286) */
/* 80 */ NdrFcLong( 0xd ), /* 13 */
/* 84 */ NdrFcShort( 0xe4 ), /* Offset= 228 (312) */
/* 86 */ NdrFcLong( 0x9 ), /* 9 */
/* 90 */ NdrFcShort( 0xf0 ), /* Offset= 240 (330) */
/* 92 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 96 */ NdrFcShort( 0xfc ), /* Offset= 252 (348) */
/* 98 */ NdrFcLong( 0x24 ), /* 36 */
/* 102 */ NdrFcShort( 0x2f4 ), /* Offset=
756 (858) */
/* 104 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 108 */ NdrFcShort( 0x2ee ), /* Offset=
750 (858) */
/* 110 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 114 */ NdrFcShort( 0x2ec ), /* Offset=
748 (862) */
/* 116 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 120 */ NdrFcShort( 0x2ea ), /* Offset=
746 (866) */
/* 122 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 126 */ NdrFcShort( 0x2e8 ), /* Offset=
744 (870) */
/* 128 */ NdrFcLong( 0x4004 ), /* 16388 */

```

```

/* 132 */ NdrFcShort( 0x2e6 ), /* Offset=
742 (874) */
/* 134 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 138 */ NdrFcShort( 0x2e4 ), /* Offset=
740 (878) */
/* 140 */ NdrFcLong( 0x400b ), /* 16395 */
/* 144 */ NdrFcShort( 0x2d2 ), /* Offset=
722 (866) */
/* 146 */ NdrFcLong( 0x400a ), /* 16394 */
/* 150 */ NdrFcShort( 0x2d0 ), /* Offset=
720 (870) */
/* 152 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 156 */ NdrFcShort( 0x2d6 ), /* Offset=
726 (882) */
/* 158 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 162 */ NdrFcShort( 0x2cc ), /* Offset=
716 (878) */
/* 164 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 168 */ NdrFcShort( 0x2ce ), /* Offset=
718 (886) */
/* 170 */ NdrFcLong( 0x400d ), /* 16397 */
/* 174 */ NdrFcShort( 0x2c6 ), /* Offset=
716 (890) */
/* 176 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 180 */ NdrFcShort( 0x2ca ), /* Offset=
714 (894) */
/* 182 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 186 */ NdrFcShort( 0x2c8 ), /* Offset=
712 (898) */
/* 188 */ NdrFcLong( 0x400c ), /* 16396 */
/* 192 */ NdrFcShort( 0x2c6 ), /* Offset=
710 (902) */
/* 194 */ NdrFcLong( 0x10 ), /* 16 */
/* 198 */ NdrFcShort( 0x8002 ), /* Simple arm
type: FC_CHAR */
/* 200 */ NdrFcLong( 0x12 ), /* 18 */
/* 204 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 206 */ NdrFcLong( 0x13 ), /* 19 */
/* 210 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 212 */ NdrFcLong( 0x16 ), /* 22 */
/* 216 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 218 */ NdrFcLong( 0x17 ), /* 23 */
/* 222 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 224 */ NdrFcLong( 0xe ), /* 14 */
/* 228 */ NdrFcShort( 0x2aa ), /* Offset=
682 (910) */
/* 230 */ NdrFcLong( 0x400e ), /* 16398 */
/* 234 */ NdrFcShort( 0x2b0 ), /* Offset=
688 (922) */
/* 236 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 240 */ NdrFcShort( 0x2ae ), /* Offset=
686 (926) */
/* 242 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 246 */ NdrFcShort( 0x26c ), /* Offset=
620 (866) */
/* 248 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 252 */ NdrFcShort( 0x26a ), /* Offset=
618 (870) */
/* 254 */ NdrFcLong( 0x4016 ), /* 16406 */

```

```

/* 258 */ NdrFcShort( 0x264 ), /* Offset=
612 (870) */
/* 260 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 264 */ NdrFcShort( 0x25e ), /* Offset=
606 (870) */
/* 266 */ NdrFcLong( 0x0 ), /* 0 */
/* 270 */ NdrFcShort( 0x0 ), /* Offset= 0 (270) */
/* 272 */ NdrFcLong( 0x1 ), /* 1 */
/* 276 */ NdrFcShort( 0x0 ), /* Offset= 0 (276) */
/* 278 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(277) */
/* 280 */
0x15, /*
FC_STRUCT */
0x7, /*
7 */
/* 282 */ NdrFcShort( 0x8 ), /* 8 */
/* 284 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */
/* 286 */
0x12, 0x0, /*
FC_UP */
/* 288 */ NdrFcShort( 0xe ), /* Offset= 14 (302) */
/* 290 */
0x1b, /*
FC_CARRAY */
0x1, /*
1 */
/* 292 */ NdrFcShort( 0x2 ), /* 2 */
/* 294 */ 0x9, /* Corr desc: FC_ULONG */
/*
0x0, /*
*/
/* 296 */ NdrFcShort( 0xfffc ), /* -4 */
/* 298 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 300 */ 0x6, /* FC_SHORT */
0x5b, /*
FC_END */
/* 302 */
0x17, /*
FC_CSTRUCT */
0x3, /*
3 */
/* 304 */ NdrFcShort( 0x8 ), /* 8 */
/* 306 */ NdrFcShort( 0xffffffff ), /* Offset= -
16 (290) */
/* 308 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 310 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 312 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 314 */ NdrFcLong( 0x0 ), /* 0 */
/* 318 */ NdrFcShort( 0x0 ), /* 0 */
/* 320 */ NdrFcShort( 0x0 ), /* 0 */
/* 322 */ 0xc0, /* 192 */

```

```

0x0, /*
0 */
/* 324 */ 0x0, /* 0 */
0x0, /*
0 */
/* 326 */ 0x0, /* 0 */
0x0, /*
0 */
/* 328 */ 0x0, /* 0 */
0x46, /*
70 */
/* 330 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 332 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 336 */ NdrFcShort( 0x0 ), /* 0 */
/* 338 */ NdrFcShort( 0x0 ), /* 0 */
/* 340 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 342 */ 0x0, /* 0 */
0x0, /*
0 */
/* 344 */ 0x0, /* 0 */
0x0, /*
0 */
/* 346 */ 0x0, /* 0 */
0x46, /*
70 */
/* 348 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 350 */ NdrFcShort( 0x2 ), /* Offset= 2 (352) */
/* 352 */
0x12, 0x0, /*
FC_UP */
/* 354 */ NdrFcShort( 0x1e6 ), /* Offset=
486 (840) */
/* 356 */
0x2a, /*
FC_ENCAPSULATED_UNION */
0x89, /*
137 */
/* 358 */ NdrFcShort( 0x20 ), /* 32 */
/* 360 */ NdrFcShort( 0xa ), /* 10 */
/* 362 */ NdrFcLong( 0x8 ), /* 8 */
/* 366 */ NdrFcShort( 0x50 ), /* Offset= 80 (446) */
/* 368 */ NdrFcLong( 0xd ), /* 13 */
/* 372 */ NdrFcShort( 0x70 ), /* Offset= 112 (484) */
/* 374 */ NdrFcLong( 0x9 ), /* 9 */
/* 378 */ NdrFcShort( 0x90 ), /* Offset= 144 (522) */
/* 380 */ NdrFcLong( 0xc ), /* 12 */
/* 384 */ NdrFcShort( 0xb0 ), /* Offset= 176 (560) */
/* 386 */ NdrFcLong( 0x24 ), /* 36 */
/* 390 */ NdrFcShort( 0x104 ), /* Offset=
260 (650) */
/* 392 */ NdrFcLong( 0x800d ), /* 32781 */
/* 396 */ NdrFcShort( 0x120 ), /* Offset=
288 (684) */
/* 398 */ NdrFcLong( 0x10 ), /* 16 */

```

```

/* 402 */ NdrFcShort( 0x13a ), /* Offset=
314 (716) */
/* 404 */ NdrFcLong( 0x2 ), /* 2 */
/* 408 */ NdrFcShort( 0x150 ), /* Offset=
336 (744) */
/* 410 */ NdrFcLong( 0x3 ), /* 3 */
/* 414 */ NdrFcShort( 0x166 ), /* Offset=
358 (772) */
/* 416 */ NdrFcLong( 0x14 ), /* 20 */
/* 420 */ NdrFcShort( 0x17c ), /* Offset=
380 (800) */
/* 422 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(421) */
/* 424 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 430 */ NdrFcShort( 0x0 ), /* 0 */
/* 432 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 434 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 438 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 440 */
0x12, 0x0, /*
FC_UP */
/* 442 */ NdrFcShort( 0xfffff74 ), /* Offset= -
140 (302) */
/* 444 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 446 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 448 */ NdrFcShort( 0x10 ), /* 16 */
/* 450 */ NdrFcShort( 0x0 ), /* 0 */
/* 452 */ NdrFcShort( 0x6 ), /* Offset= 6 (458) */
/* 454 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 456 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 458 */
0x11, 0x0, /*
FC_RP */
/* 460 */ NdrFcShort( 0xfffff5dc ), /* Offset= -
36 (424) */
/* 462 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 464 */ NdrFcShort( 0x0 ), /* 0 */
/* 466 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */

```

```

0x0, /*
*/
/* 468 */ NdrFcShort( 0x0 ), /* 0 */
/* 470 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 472 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 476 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 478 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 480 */ NdrFcShort( 0xfffff58 ), /* Offset= -
168 (312) */
/* 482 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 484 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 486 */ NdrFcShort( 0x10 ), /* 16 */
/* 488 */ NdrFcShort( 0x0 ), /* 0 */
/* 490 */ NdrFcShort( 0x6 ), /* Offset= 6 (496) */
/* 492 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 494 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 496 */
0x11, 0x0, /*
FC_RP */
/* 498 */ NdrFcShort( 0xfffff5dc ), /* Offset= -
36 (462) */
/* 500 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 502 */ NdrFcShort( 0x0 ), /* 0 */
/* 504 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 506 */ NdrFcShort( 0x0 ), /* 0 */
/* 508 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 510 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 514 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 516 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 518 */ NdrFcShort( 0xfffff44 ), /* Offset= -
188 (330) */
/* 520 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 522 */
0x1a, /*
FC_BOGUS_STRUCT */

```

```

0x3, /*
3 */
/* 524 */ NdrFcShort( 0x10 ), /* 16 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */
/* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 530 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 532 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 534 */
0x11, 0x0, /*
FC_RP */
/* 536 */ NdrFcShort( 0xfffff5dc ), /* Offset= -
36 (500) */
/* 538 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 540 */ NdrFcShort( 0x0 ), /* 0 */
/* 542 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 544 */ NdrFcShort( 0x0 ), /* 0 */
/* 546 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 548 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 552 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 554 */
0x12, 0x0, /*
FC_UP */
/* 556 */ NdrFcShort( 0x176 ), /* Offset=
374 (930) */
/* 558 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 560 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 562 */ NdrFcShort( 0x10 ), /* 16 */
/* 564 */ NdrFcShort( 0x0 ), /* 0 */
/* 566 */ NdrFcShort( 0x6 ), /* Offset= 6 (572) */
/* 568 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 570 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 572 */
0x11, 0x0, /*
FC_RP */
/* 574 */ NdrFcShort( 0xfffff5dc ), /* Offset= -
36 (538) */
/* 576 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */

```

```

/* 578 */ NdrFcLong( 0x2f ), /* 47 */
/* 582 */ NdrFcShort( 0x0 ), /* 0 */
/* 584 */ NdrFcShort( 0x0 ), /* 0 */
/* 586 */ 0xc0, /* 192 */
0 /*
/* 588 */ 0x0, /* 0 */
0 /*
/* 590 */ 0x0, /* 0 */
0 /*
/* 592 */ 0x0, /* 0 */
70 /*
/* 594 */
FC_CARRAY */
0 /*
/* 596 */ NdrFcShort( 0x1 ), /* 1 */
/* 598 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
*/
/* 600 */ NdrFcShort( 0x4 ), /* 4 */
/* 602 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 604 */ 0x1, /* FC_BYTE */
FC_END */
/* 606 */
FC_BOGUS_STRUCT */
0x1a, /*
3 */
/* 608 */ NdrFcShort( 0x18 ), /* 24 */
/* 610 */ NdrFcShort( 0x0 ), /* 0 */
/* 612 */ NdrFcShort( 0xc ), /* Offset= 12 (624) */
/* 614 */ 0x8, /* FC_LONG */
FC_LONG */
/* 616 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 618 */ NdrFcShort( 0xfffffd6 ), /* Offset= -
42 (576) */
/* 620 */ 0x39, /* FC_ALIGNM8 */
FC_POINTER */
/* 622 */ 0x5c, /* FC_PAD */
FC_END */
/* 624 */
0x12, 0x0, /*
FC_UP */
/* 626 */ NdrFcShort( 0xfffffe0 ), /* Offset= -
32 (594) */
/* 628 */
0x21, /*
FC_BOGUS_ARRAY */

```

```

0x3, /*
3 */
/* 630 */ NdrFcShort( 0x0 ), /* 0 */
/* 632 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 634 */ NdrFcShort( 0x0 ), /* 0 */
/* 636 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 638 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 642 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 644 */
0x12, 0x0, /*
FC_UP */
/* 646 */ NdrFcShort( 0xfffffd8 ), /* Offset= -
40 (606) */
/* 648 */ 0x5c, /* FC_PAD */
FC_END */
/* 650 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 652 */ NdrFcShort( 0x10 ), /* 16 */
/* 654 */ NdrFcShort( 0x0 ), /* 0 */
/* 656 */ NdrFcShort( 0x6 ), /* Offset= 6 (662) */
/* 658 */ 0x8, /* FC_LONG */
FC_ALIGNM8 */
/* 660 */ 0x36, /* FC_POINTER */
FC_END */
/* 662 */
0x11, 0x0, /*
FC_RP */
/* 664 */ NdrFcShort( 0xfffffddc ), /* Offset= -
36 (628) */
/* 666 */
0x1d, /*
FC_SMFARRAY */
0x0, /*
0 */
/* 668 */ NdrFcShort( 0x8 ), /* 8 */
/* 670 */ 0x1, /* FC_BYTE */
FC_END */
/* 672 */
0x15, /*
FC_STRUCT */
0x3, /*
3 */
/* 674 */ NdrFcShort( 0x10 ), /* 16 */
/* 676 */ 0x8, /* FC_LONG */
0x6, /*
FC_SHORT */
/* 678 */ 0x6, /* FC_SHORT */
0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 680 */ 0x0, /* 0 */
NdrFcShort( 0xfffffff1
), /* Offset= -15 (666) */

```

```

0x5b, /*
FC_END */
/* 684 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 686 */ NdrFcShort( 0x20 ), /* 32 */
/* 688 */ NdrFcShort( 0x0 ), /* 0 */
/* 690 */ NdrFcShort( 0xa ), /* Offset= 10 (700) */
/* 692 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 694 */ 0x36, /* FC_POINTER */
0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 696 */ 0x0, /* 0 */
NdrFcShort( 0xffffffe7
), /* Offset= -25 (672) */
FC_END */
/* 700 */
0x11, 0x0, /*
FC_RP */
/* 702 */ NdrFcShort( 0xfffffff10 ), /* Offset= -
240 (462) */
/* 704 */
0x1b, /*
FC_CARRAY */
0x0, /*
0 */
/* 706 */ NdrFcShort( 0x1 ), /* 1 */
/* 708 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 710 */ NdrFcShort( 0x0 ), /* 0 */
/* 712 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 714 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 716 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 718 */ NdrFcShort( 0x10 ), /* 16 */
/* 720 */ NdrFcShort( 0x0 ), /* 0 */
/* 722 */ NdrFcShort( 0x6 ), /* Offset= 6 (728) */
/* 724 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 726 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 728 */
0x12, 0x0, /*
FC_UP */
/* 730 */ NdrFcShort( 0xffffffe6 ), /* Offset= -
26 (704) */
/* 732 */

```

```

FC_CARRAY */          0x1b,          /*
1 */
/* 734 */ NdrFcShort( 0x2 ), /* 2 */
/* 736 */ 0x19,          /* Corr desc: field
pointer, FC_ULONG */
0x0,          /*
*/
/* 738 */ NdrFcShort( 0x0 ), /* 0 */
/* 740 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 742 */ 0x6,          /* FC_SHORT */
FC_END */          0x5b,          /*
/* 744 */
FC_BOGUS_STRUCT */ 0x1a,          /*
0x3,          /*
3 */
/* 746 */ NdrFcShort( 0x10 ), /* 16 */
/* 748 */ NdrFcShort( 0x0 ), /* 0 */
/* 750 */ NdrFcShort( 0x6 ), /* Offset= 6 (756) */
/* 752 */ 0x8,          /* FC_LONG */
0x39,          /*
FC_ALIGNM8 */
/* 754 */ 0x36,          /* FC_POINTER */
FC_END */          0x5b,          /*
/* 756 */
0x12, 0x0,          /*
FC_UP */
/* 758 */ NdrFcShort( 0xffffffe6 ), /* Offset= -
26 (732) */
/* 760 */
0x1b,          /*
FC_CARRAY */          0x3,          /*
3 */
/* 762 */ NdrFcShort( 0x4 ), /* 4 */
/* 764 */ 0x19,          /* Corr desc: field
pointer, FC_ULONG */
0x0,          /*
*/
/* 766 */ NdrFcShort( 0x0 ), /* 0 */
/* 768 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 770 */ 0x8,          /* FC_LONG */
0x5b,          /*
FC_END */          0x5b,          /*
/* 772 */
0x1a,          /*
FC_BOGUS_STRUCT */ 0x3,          /*
0x3,          /*
3 */
/* 774 */ NdrFcShort( 0x10 ), /* 16 */
/* 776 */ NdrFcShort( 0x0 ), /* 0 */
/* 778 */ NdrFcShort( 0x6 ), /* Offset= 6 (784) */
/* 780 */ 0x8,          /* FC_LONG */
0x39,          /*
FC_ALIGNM8 */
/* 782 */ 0x36,          /* FC_POINTER */

```

```

FC_END */          0x5b,          /*
/* 784 */
0x12, 0x0,          /*
FC_UP */
/* 786 */ NdrFcShort( 0xffffffe6 ), /* Offset= -
26 (760) */
/* 788 */
0x1b,          /*
FC_CARRAY */          0x7,          /*
7 */
/* 790 */ NdrFcShort( 0x8 ), /* 8 */
/* 792 */ 0x19,          /* Corr desc: field
pointer, FC_ULONG */
0x0,          /*
*/
/* 794 */ NdrFcShort( 0x0 ), /* 0 */
/* 796 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 798 */ 0xb,          /* FC_HYPER */
0x5b,          /*
FC_END */          0x5b,          /*
/* 800 */
FC_BOGUS_STRUCT */ 0x1a,          /*
0x3,          /*
3 */
/* 802 */ NdrFcShort( 0x10 ), /* 16 */
/* 804 */ NdrFcShort( 0x0 ), /* 0 */
/* 806 */ NdrFcShort( 0x6 ), /* Offset= 6 (812) */
/* 808 */ 0x8,          /* FC_LONG */
0x39,          /*
FC_ALIGNM8 */
/* 810 */ 0x36,          /* FC_POINTER */
0x5b,          /*
FC_END */          0x5b,          /*
/* 812 */
0x12, 0x0,          /*
FC_UP */
/* 814 */ NdrFcShort( 0xffffffe6 ), /* Offset= -
26 (788) */
/* 816 */
0x15,          /*
FC_STRUCT */          0x3,          /*
3 */
/* 818 */ NdrFcShort( 0x8 ), /* 8 */
/* 820 */ 0x8,          /* FC_LONG */
0x8,          /*
FC_LONG */          0x8,          /*
/* 822 */ 0x5c,          /* FC_PAD */
0x5b,          /*
FC_END */          0x5b,          /*
/* 824 */
0x1b,          /*
FC_CARRAY */          0x3,          /*
0x3,          /*
3 */
/* 826 */ NdrFcShort( 0x8 ), /* 8 */
/* 828 */ 0x7,          /* Corr desc: FC_USHORT
*/

```

```

0x0,          /*
*/
/* 830 */ NdrFcShort( 0xffc8 ), /* -56 */
/* 832 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 834 */ 0x4c,          /* FC_EMBEDDED_COMPLEX
*/
0x0,          /*
0 */
/* 836 */ NdrFcShort( 0xfffffec ), /* Offset= -
20 (816) */
/* 838 */ 0x5c,          /* FC_PAD */
0x5b,          /*
FC_END */          0x5b,          /*
/* 840 */
FC_BOGUS_STRUCT */ 0x1a,          /*
0x3,          /*
3 */
/* 842 */ NdrFcShort( 0x38 ), /* 56 */
/* 844 */ NdrFcShort( 0xfffffec ), /* Offset= -
20 (824) */
/* 846 */ NdrFcShort( 0x0 ), /* Offset= 0 (846) */
/* 848 */ 0x6,          /* FC_SHORT */
0x6,          /*
FC_SHORT */          0x6,          /*
/* 850 */ 0x38,          /* FC_ALIGNM4 */
0x8,          /*
FC_LONG */          0x8,          /*
/* 852 */ 0x8,          /* FC_LONG */
0x4c,          /*
FC_EMBEDDED_COMPLEX */ 0x4c,          /*
/* 854 */ 0x4,          /* 4 */
NdrFcShort( 0xfffffe0d
), /* Offset= -499 (356) */
0x5b,          /*
FC_END */          0x5b,          /*
/* 858 */
0x12, 0x0,          /*
FC_UP */          0x12, 0x0,          /*
/* 860 */ NdrFcShort( 0xfffff02 ), /* Offset= -
254 (606) */
/* 862 */
0x12, 0x8,          /*
FC_UP [simple_pointer] */ /*
/* 864 */ 0x1,          /* FC_BYTE */
0x5c,          /*
FC_PAD */          0x5c,          /*
/* 866 */
0x12, 0x8,          /*
FC_UP [simple_pointer] */ /*
/* 868 */ 0x6,          /* FC_SHORT */
0x5c,          /*
FC_PAD */          0x5c,          /*
/* 870 */
0x12, 0x8,          /*
FC_UP [simple_pointer] */ /*
/* 872 */ 0x8,          /* FC_LONG */
0x5c,          /*
FC_PAD */          0x5c,          /*
/* 874 */
0x12, 0x8,          /*
FC_UP [simple_pointer] */ /*

```

```

/* 876 */ 0xa,          /* FC_FLOAT */
FC_PAD /* 878 */
/* 880 */ 0xc,          /* FC_DOUBLE */
FC_PAD /* 882 */
/* 884 */ NdrFcShort( 0xfffffda4 ), /* Offset= -
604 (280) */
/* 886 */
/* 888 */ NdrFcShort( 0xfffffda6 ), /* Offset= -
602 (286) */
/* 890 */
/* 892 */ NdrFcShort( 0xfffffdbc ), /* Offset= -
580 (312) */
/* 894 */
/* 896 */ NdrFcShort( 0xfffffdca ), /* Offset= -
566 (330) */
/* 898 */
/* 900 */ NdrFcShort( 0xfffffdd8 ), /* Offset= -
552 (348) */
/* 902 */
/* 904 */ NdrFcShort( 0x2 ), /* Offset= 2 (906) */
/* 906 */
/* 908 */ NdrFcShort( 0x16 ), /* Offset= 22 (930) */
/* 910 */
FC_STRUCT /*
7 */
/* 912 */ NdrFcShort( 0x10 ), /* 16 */
/* 914 */ 0x6,          /* FC_SHORT */
FC_BYTE /*
/* 916 */ 0x1,          /* FC_BYTE */
FC_ALIGNM4 /*
/* 918 */ 0x8,          /* FC_LONG */
FC_ALIGNM8 /*
/* 920 */ 0xb,          /* FC_HYPER */
FC_END /*
/* 922 */
FC_UP /*

```

```

/* 924 */ NdrFcShort( 0xfffffff2 ), /* Offset= -
14 (910) */
/* 926 */
/* 928 */ 0x2,          /* FC_CHAR */
FC_PAD /*
/* 930 */
FC_BOGUS_STRUCT /*
7 */
/* 932 */ NdrFcShort( 0x20 ), /* 32 */
/* 934 */ NdrFcShort( 0x0 ), /* 0 */
/* 936 */ NdrFcShort( 0x0 ), /* Offset= 0 (936) */
/* 938 */ 0x8,          /* FC_LONG */
/* 940 */ 0x6,          /* FC_SHORT */
/* 942 */ 0x6,          /* FC_SHORT */
/* 944 */ 0x4c,         /* FC_EMBEDDED_COMPLEX */
0 /*
/* 946 */ NdrFcShort( 0xfffffc54 ), /* Offset= -
940 (6) */
/* 948 */ 0x5c,          /* FC_PAD */
FC_END /*
/* 950 */ 0xb4,         /* FC_USER_MARSHAL */
131 /*
/* 952 */ NdrFcShort( 0x0 ), /* 0 */
/* 954 */ NdrFcShort( 0x18 ), /* 24 */
/* 956 */ NdrFcShort( 0x0 ), /* 0 */
/* 958 */ NdrFcShort( 0xfffffc44 ), /* Offset= -
956 (2) */
/* 960 */
/* 962 */ NdrFcShort( 0x6 ), /* Offset= 6 (968) */
/* 964 */
/* 966 */ NdrFcShort( 0xfffffddc ), /* Offset= -
36 (930) */
/* 968 */ 0xb4,         /* FC_USER_MARSHAL */
131 /*
/* 970 */ NdrFcShort( 0x0 ), /* 0 */
/* 972 */ NdrFcShort( 0x18 ), /* 24 */
/* 974 */ NdrFcShort( 0x0 ), /* 0 */
/* 976 */ NdrFcShort( 0xfffffff4 ), /* Offset= -
12 (964) */
0x0
};

```

```

const CInterfaceProxyVtbl *
_tpcc_com_ps_ProxyVtblList[] =
{
    ( CInterfaceProxyVtbl *) &_ITPCCProxyVtbl,
    0
};

const CInterfaceStubVtbl *
_tpcc_com_ps_StubVtblList[] =
{
    ( CInterfaceStubVtbl *) &_ITPCCStubVtbl,
    0
};

PCInterfaceName const
_tpcc_com_ps_InterfaceNamesList[] =
{
    "ITPCC",
    0
};

#define _tpcc_com_ps_CHECK_IID(n)
IID_GENERIC_CHECK_IID( _tpcc_com_ps, pIID,
n)

int __stdcall _tpcc_com_ps_IID_Lookup( const IID *
pIID, int * pIndex )
{
    if(!_tpcc_com_ps_CHECK_IID(0))
    {
        *pIndex = 0;
        return 1;
    }

    return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo
=
{
    (PCInterfaceProxyVtblList *) &
_tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) &
_tpcc_com_ps_StubVtblList,
    (const PCInterfaceName *) &
_tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    &_tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0, /* Filler3 */
};

#endif /* defined(_M_IA64) || defined(_M_AXP64) */

```

tpcc_com_sl.rgs

```
HKCR
{
    TPCC.StockLevel.1 = s 'StockLevel Class'
    {
        CLSID = s '{2668369E-A50D-11D2-BA4E-00C04FBFE08B}'
    }
    TPCC.StockLevel = s 'StockLevel Class'
    {
        CurVer = s 'TPCC.StockLevel.1'
    }
    NoRemove CLSID
    {
        ForceRemove {2668369E-A50D-11D2-BA4E-00C04FBFE08B} = s 'StockLevel Class'
    }
    ProgID = s
    'TPCC.StockLevel.1'
    VersionIndependentProgID = s
    'TPCC.StockLevel'
    InprocServer32 = s
    {
        val
    }
    ThreadingModel = s 'Both'
}
}
```

tpcc_dblib.cpp

```
/* FILE: TPCC_DBLIB.CPP
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 *
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 *
 * PURPOSE: Implements dblib calls for TPC-C
 * txns.
 * Contact: Charles Levine
 * (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - updated rev number to
 * match kit
 * 4.10.001 - not deleting error
 * class in catch handler on deadlock retry;
 * not a
 * functional bug, but a memory leak
```

```
* - had to
* tweak some declarations to compile with latest SDK;
* no functional change
*/

#include <windows.h>
#include <stdio.h>
#include <assert.h>

#define DBNTWIN32
#include <sqlfront.h>
#include <sqldb.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_dblib.h"

#define DEFCLPACKSIZE
4096

// version string; must match return value from
tpcc_version stored proc
const char sVersion[] = "4.10.000";

const iMaxRetries = 10;
// how many retries on deadlock
static long iConnectionCount = 0; // number
of current dblib connections

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

BOOL APIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:
            DisableThreadLibraryCalls(hModule);
            dbinit(); //
            initialize dblib
            break;

        case DLL_PROCESS_DETACH:
            dbexit(); //
            close all dblib structures/connections
            break;

        default:
            /* nothing */;
    }
    return TRUE;
}
```

```
int err_handler(DBPROCESS *dbproc, int severity, int
dberr, int oserr, LPCSTR dberrstr, LPCSTR oserrstr)
{
    CTPCC_DBLIB
    *pConn;

    assert(dbproc != NULL);
    pConn =
    (CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {
        pConn->SetDbLibError( severity,
        dberr, oserr, dberrstr, oserrstr );
    }
    return INT_CANCEL;
}

/* FUNCTION: int msg_handler(DBPROCESS *dbproc, DBINT
msgno, int msgstate, int severity, char *msgtext)
 *
 * PURPOSE: This function handles DB-Library
 * SQL Server error messages
 *
 * ARGUMENTS: DBPROCESS *dbproc
 * DBPROCESS id pointer
 * DBINT
 *
 * message number
 *
 * message state
 *
 * message severity
 *
 * severity
 *
 * char
 * printable
 *
 * message description
 *
 * RETURNS: int
 * INT_CONTINUE continue if
 * error is SQLETIME else INT_CANCEL action
 *
 * INT_CANCEL
 *
 * cancel operation
 *
 * COMMENTS: This function also sets the dead
 * lock dbproc variable if necessary.
 *
 */

// typedef INT (SQLAPI *DBMSGHANDLE_PROC) (PDBPROCESS,
DBINT, INT, INT, LPCSTR, LPCSTR, LPCSTR,
DBUSMALLINT);

int msg_handler(DBPROCESS *dbproc, DBINT msgno, int
msgstate, int severity,
LPCSTR
msgtext, LPCSTR srvname, LPCSTR procname, DBUSMALLINT
line)
{
}
```

```

CTPCC_DBLIB
*pConn;

assert(dbproc != NULL);
pConn =
(CTPCC_DBLIB*)dbgetuserdata(dbproc);

if (pConn != NULL)
{
    pConn->SetSqlError( msgno,
msgstate, severity, msgtext );
}

return 0;
}

/* FUNCTION: void UtilStrCpy(char * pDest, char *
pSrc, int n)
*
* PURPOSE:      This function copies n characters
from string pSrc to pDst and places a
*              null character at the
end of the destination string.
*
* ARGUMENTS:   char
               *pDest destination string pointer
               char
               *pSrc  source string pointer
               int
               n
               number of characters to copy
*
* RETURNS:     None
*
* COMMENTS:    Unlike strncpy this function
ensures that the result string is
               always null
terminated.
*
*/

inline static void UtilStrCpy(char * pDest, const
BYTE * pSrc, int n)
{
    strncpy(pDest, (char *)pSrc, n);
    pDest[n] = '\0';

    return;
}

/* FUNCTION: CTPCC_DBLIB_ERR::ErrorText
*
*/

char* CTPCC_DBLIB_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,
"Wrong version of stored procs on database
server"
},

```

```

        { ERR_INVALID_CUST,
"Invalid Customer id,name."
},
        { ERR_NO_SUCH_ORDER,
"No orders found for customer."
},
        { ERR_RETRIED_TRANS,
"Retries before transaction succeeded."
},
        { 0,
""
}
    };

static char szNotFound[] = "Unknown error
number.";

for(i=0; errorMsgs[i].szMsg[0]; i++)
{
    if ( m_errno ==
errorMsgs[i].iError )
        break;
}
if ( !errorMsgs[i].szMsg[0] )
    return szNotFound;
else
    return errorMsgs[i].szMsg;
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_DBLIB_new(
LPCSTR szServer, // name of
SQL server
LPCSTR szUser, //
user name for login
LPCSTR szPassword, // password
for login
LPCSTR szHost, //
workstation name; shows up in sp_who; max 30 chars,
only first 10 kept by SQL Server
LPCSTR szDatabase ) // name of
database to use
{
    return new CTPCC_DBLIB( szServer, szUser,
szPassword, szHost, szDatabase );
}

CTPCC_DBLIB::CTPCC_DBLIB (
LPCSTR szServer, // name of
SQL server
LPCSTR szUser, //
user name for login
LPCSTR szPassword, // password
for login
LPCSTR szHost, //
workstation name; shows up in sp_who; max 30 chars,
only first 10 kept by SQL Server
LPCSTR szDatabase ) // name of
database to use
{

```

```

LOGINREC *login;
const BYTE *pData;

// initialization
m_dbproc = NULL;
m_DbLibErr = (CDBLIBERR*)NULL;
m_SqlErr = (CSQLERR*)NULL;

m_MaxRetries = 10; // how many
retries on deadlock

// increase max number of connections if
getting close
if ( dbgetmaxprocs() < (iConnectionCount+5)
)
{
    if (
dbsetmaxprocs(iConnectionCount+10) == FAIL )
        ThrowError(CDBLIBERR::eDbSetMaxProcs);
}

// allocate a login structure
login = dblogin();
if (login == NULL)
    ThrowError(CDBLIBERR::eLogin);
InterlockedIncrement( &iConnectionCount );

// register error and message handler
functions
if (dbprocerrhandle(login, err_handler) ==
NULL)
    ThrowError(CDBLIBERR::eDbProcHandler);

if (dbprocmsghandle(login, msg_handler) ==
NULL)
    ThrowError(CDBLIBERR::eDbProcHandler);

DBSETLUSER(login, szUser);
DBSETLPWD(login, szPassword);
DBSETLHOST(login, szHost);
DBSETLPACKET(login, (unsigned
short)DEFCLPCKSIZE);
DBSETLVERSION(login, DBVER60);
// use dblink ver 6.0 client behavior

// set time to wait for login
if (dbsetlogintime(60) == FAIL)
    ThrowError(CDBLIBERR::eDbSet);

// set time to wait for statement execution
if (dbsettime(180) == FAIL)
    ThrowError(CDBLIBERR::eDbSet);

m_dbproc = dbopen(login, szServer);

// deallocate login structure before
checking for success
dbfreelogin( login );

```

```

    if (m_dbproc == NULL)
        ThrowError(CDBLIBERR::eDbOpen);

    // save address of class instance so that
    the message and error handler
    // can get to data.
    dbsetuserdata(m_dbproc, (LPVOID)this);

    // Use the the right database
    if (dbuse(m_dbproc, szDatabase) == FAIL)
        ThrowError(CDBLIBERR::eDbUse);

    dbcmd(m_dbproc, "set nocount on ");
    // do not return row counts
    dbcmd(m_dbproc, "set XACT_ABORT ON");
    // rollback transaction on abort

    if (dbsqlexec(m_dbproc) == FAIL)
        ThrowError(CDBLIBERR::eDbSqlExec);

    DiscardNextResults(2);

    // verify that version of stored procs on
    server is correct
    dbrpcinit(m_dbproc, "tpcc_version", 0);

    if (dbrpcexec(m_dbproc) == FAIL)
        ThrowError(CDBLIBERR::eDbRpcExec);

    if (dbresults(m_dbproc) != SUCCEED)
        ThrowError(CDBLIBERR::eDbResults);

    if (dbnextrow(m_dbproc) != REG_ROW)
        ThrowError(CDBLIBERR::eDbNextRow);

    char szSrvVersion[16];
    pData=dbdata(m_dbproc, 1);
    if (pData)
        UtilStrCpy(szSrvVersion, pData,
dbdatalen(m_dbproc, 1));
    else
        szSrvVersion[0]=0;
    if (strcmp(szSrvVersion,sVersion))
        throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_WRONG_SP_VERSION );

    DiscardNextRows(0);
    DiscardNextResults(0);
}

CTPCC_DBLIB::~CTPCC_DBLIB( void )
{
    // close db connection and deallocate
    resources
    dbclose(m_dbproc);
    InterlockedDecrement( &iConnectionCount );
    if (m_DbLibErr != NULL)

```

```

        delete m_DbLibErr;
    if (m_SqlErr != NULL)
        delete m_SqlErr;
}

void CTPCC_DBLIB::SetDbLibError(int severity, int
dberr, int oserr, LPCSTR dberrstr, LPCSTR oserrstr)
{
    delete m_DbLibErr;
    m_DbLibErr = new
CDBLIBERR(CDBLIBERR::eUnknown, severity, dberr,
oserr);

    if (dberrstr != NULL)
    {
        m_DbLibErr->m_dberrstr = new
char[ strlen(dberrstr)+1 ];
        strcpy( m_DbLibErr->m_dberrstr,
dberrstr );
    }

    if (oserrstr != NULL)
    {
        m_DbLibErr->m_oserrstr = new
char[ strlen(oserrstr)+1 ];
        strcpy( m_DbLibErr->m_oserrstr,
oserrstr );
    }
}

void CTPCC_DBLIB::SetSqlError( int /*DBINT*/ msgno,
int msgstate, int severity, LPCSTR msgtext )
{
    if (m_SqlErr == NULL)
        m_SqlErr = new CSQLERR();

    m_SqlErr->m_msgno = msgno;
    m_SqlErr->m_msgstate = msgstate;
    m_SqlErr->m_severity = severity;

    delete [] m_SqlErr->m_msgtext;
    if (msgtext != NULL)
    {
        m_SqlErr->m_msgtext = new char[
strlen(msgtext)+1 ];
        strcpy( m_SqlErr->m_msgtext,
msgtext );
    }
}

void CTPCC_DBLIB::ThrowError( CDBLIBERR::ACTION
eAction )
{
    // discard anything still in return buffer
    DiscardNextRows(-1);
    DiscardNextResults(-1);

    // check for SQL Server error first; if
    yes, throw it and ignore any DBLib error.
    if (m_SqlErr != NULL)
    {
        CSQLERR *pSqlErr;

```

```

        pSqlErr = m_SqlErr;
        m_SqlErr = NULL; // clear our
        pointer to instance; catch handler will delete
        throw pSqlErr;
    }

    CDBLIBERR *pDbLibErr;
    if (m_DbLibErr == NULL)
        // this case isn't expected to
        happen, since it means that an error was returned
        // but the error handlers were
        not called.
        pDbLibErr = new
CDBLIBERR(eAction);
    else
    {
        pDbLibErr = m_DbLibErr;
        pDbLibErr->m_eAction = eAction;
        m_DbLibErr = NULL; //
        clear our pointer to instance; catch handler will
        delete
    }

    throw pDbLibErr;
}

// Read and discard rows until no more. Throw an
exception if number of rows read doesn't
// match number of rows expected. The row count will
be ignored if the expected count value
// passed in is negative. A typical use of this
routine is to verify that there are no more
// rows to be read.
void CTPCC_DBLIB::DiscardNextRows(int iExpectedCount)
{
    int iRowsRead = 0;
    RETCODE rc;

    while (TRUE)
    {
        rc = dbnextrow(m_dbproc);
        if (rc == NO_MORE_ROWS)
            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >=
0)
                ThrowError(CDBLIBERR::eDbNextRow);
            else
                break;
        }
        iRowsRead++;
    }

    if ((iExpectedCount >= 0) &&
(iExpectedCount != iRowsRead))
        ThrowError(CDBLIBERR::eWrongRowCount);
}

// Read and discard results until no more. Throw an
exception if number of result sets read doesn't

```

```

// match number expected. The result set count will
// be ignored if the expected count value
// passed in is negative. A typical use of this
// routine is to verify that there are no more
// result sets to be read.
void CTPCC_DBLIB::DiscardNextResults(int
iExpectedCount)
{
    int          iResultsRead = 0;
    RETCODE     rc;

    while (TRUE)
    {
        rc = dbresults(m_dbproc);
        if (rc == NO_MORE_RESULTS)
            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >=
0)
                ThrowError(CDBLIBERR::eDbResults);
            else
                break;
        }

        DiscardNextRows(-1);
        iResultsRead++;
    }

    if ((iExpectedCount >= 0) &&
(iExpectedCount != iResultsRead))
        ThrowError(CDBLIBERR::eWrongRowCount);
}

void CTPCC_DBLIB::StockLevel()
{
    int          iTryCount =
0;
    const BYTE   *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_stocklevel", 0);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.StockLevel.w_id);
            smallint @w_id
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.StockLevel.d_id);
            // @d_id
            tinyint
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.StockLevel.threshold);
            // @threshold
            smallint

```

```

        if (dbrpcexec(m_dbproc)
== FAIL)
            ThrowError(CDBLIBERR::eDbRpcExec);

        if (dbresults(m_dbproc)
!= SUCCEEDED)
            ThrowError(CDBLIBERR::eDbResults);

        if (dbnextrow(m_dbproc)
!= REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        if
(pData=dbdata(m_dbproc, 1))
            m_txn.StockLevel.low_stock = *((long *)
pData);

        DiscardNextRows(0);
        DiscardNextResults(0);

        m_txn.StockLevel.exec_status_code = eOK;
        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205
||
== iErrOleDbProvider &&
(e->m_msgno
>m_msgtext, sErrTimeoutExpired) != NULL) &&
(++iTryCount
<= iMaxRetries))
        {
            // hit
            // deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    }
} // while (TRUE)

//if (iTryCount)
// throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::NewOrder()
{
    int          i;
    DBINT        commit_flag;
    DBDATETIME   datetime;

```

```

    DBDATEREC   daterec;

    int          iTryCount =
0;
    const BYTE   *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_neworder", 0);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.NewOrder.w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.d_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.NewOrder.c_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.o_ol_cnt);

            // check whether any
            // order lines are for a remote warehouse
            m_txn.NewOrder.o_all_local = 1;
            for (i = 0; i <
m_txn.NewOrder.o_ol_cnt; i++)
            {
                if
(m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
                {
                    m_txn.NewOrder.o_all_local = 0; // at
                    // least one remote warehouse
                    break;
                }
            }
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.o_all_local);

            for (i = 0; i <
m_txn.NewOrder.o_ol_cnt; i++)
            {
                dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_i_id);
                dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_supply_w_id);
                dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_quantity);
            }

```

```

        if (dbrpcexec(m_dbproc)
== FAIL)
        ThrowError(CDBLIBERR::eDbRpcExec);

        // Get order line
results
        m_txn.NewOrder.total_amount = 0;
        for (i = 0;
i<m_txn.NewOrder.o_ol_cnt; i++)
        {
            if
(dbresults(m_dbproc) != SUCCEED)
            ThrowError(CDBLIBERR::eDbResults);

            if
(dbnumcols(m_dbproc) != 5)
            ThrowError(CDBLIBERR::eWrongNumCols);

            if
(dbnxtrow(m_dbproc) != REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

            if (pData=dbdata(m_dbproc, 1))
                UtilStrCpy(m_txn.NewOrder.OL[i].ol_i_name,
pData, dbdatlen(m_dbproc, 1));

            if (pData=dbdata(m_dbproc, 2))
                m_txn.NewOrder.OL[i].ol_stock =
(*)(DBSMALLINT *) pData);

            if (pData=dbdata(m_dbproc, 3))
                UtilStrCpy(m_txn.NewOrder.OL[i].ol_brand_ge
neric, pData, dbdatlen(m_dbproc, 3));

            if (pData=dbdata(m_dbproc, 4))
                dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc, 4),
SQLFLT8, (BYTE
*)&m_txn.NewOrder.OL[i].ol_i_price, 8);

            if (pData=dbdata(m_dbproc, 5))
                dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc, 5),
SQLFLT8, (BYTE
*)&m_txn.NewOrder.OL[i].ol_amount, 8);

```

```

        m_txn.NewOrder.total_amount =
m_txn.NewOrder.total_amount +
m_txn.NewOrder.OL[i].ol_amount;

        DiscardNextRows(0);
    }

        // get remaining values
for w_tax, d_tax, o_id, c_last, c_discount, c_credit,
o_entry_d, commit_flag
        if (dbresults(m_dbproc)
!= SUCCEED)
            ThrowError(CDBLIBERR::eDbResults);

        if (dbnxtrow(m_dbproc)
!= REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        if (dbnumcols(m_dbproc)
!= 8)
            ThrowError(CDBLIBERR::eWrongNumCols);

        if
(pData=dbdata(m_dbproc, 1))
            dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc, 1), SQLFLT8, (BYTE
*)&m_txn.NewOrder.w_tax, 8);

        if
(pData=dbdata(m_dbproc, 2))
            dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc, 2), SQLFLT8, (BYTE
*)&m_txn.NewOrder.d_tax, 8);

        if
(pData=dbdata(m_dbproc, 3))
            m_txn.NewOrder.o_id = (*(DBINT *) pData);

        if
(pData=dbdata(m_dbproc, 4))
            UtilStrCpy(m_txn.NewOrder.c_last, pData,
dbdatlen(m_dbproc, 4));

        if
(pData=dbdata(m_dbproc, 5))
            dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc, 5), SQLFLT8, (BYTE
*)&m_txn.NewOrder.c_discount, 8);

        if
(pData=dbdata(m_dbproc, 6))

```

```

        UtilStrCpy(m_txn.NewOrder.c_credit, pData,
dbdatlen(m_dbproc, 6));
        if
(pData=dbdata(m_dbproc, 7))
        {
            datetime =
*(DBDATETIME *) pData);

            dbdatecrack(m_dbproc, &daterec, &datetime);

            m_txn.NewOrder.o_entry_d.year =
daterec.year;

            m_txn.NewOrder.o_entry_d.month =
daterec.month;

            m_txn.NewOrder.o_entry_d.day =
daterec.day;

            m_txn.NewOrder.o_entry_d.hour =
daterec.hour;

            m_txn.NewOrder.o_entry_d.minute =
daterec.minute;

            m_txn.NewOrder.o_entry_d.second =
daterec.second;
        }
        if
(pData=dbdata(m_dbproc, 8))
            commit_flag =
(*)(DBTINYINT *) pData);

            DiscardNextRows(0);
            DiscardNextResults(0);

            if (commit_flag == 1)
            {
                m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
m_txn.NewOrder.c_discount));

                m_txn.NewOrder.exec_status_code = eOK;
            }
            else
                m_txn.NewOrder.exec_status_code =
eInvalidItem;

            return;
        }
        catch (CSQLERR *e)
        {
            if ((e->m_msgno == 1205
||
(e->m_msgno
== iErrOleDbProvider &&
strstr(e-
>m_msgtext, sErrTimeoutExpired) != NULL)) &&

```

```

                (++iTryCount
<= iMaxRetries))
                {
                // hit
deadlock; backoff for increasingly longer period
                delete e;
                Sleep(10 *
iTryCount);
                }
                else
                throw;
                }
                // while (TRUE)
                }
                // if (iTryCount)
                // throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
                }

void CTPCC_DBLIB::Payment ()
{
    DBDATETIME      datetime;
    DBDATERECD      daterec;

    int              iTryCount =
0;
    const BYTE      *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_payment", 0);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Payment.w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Payment.c_w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLFLT8, -1, -1, (BYTE *)
&m_txn.Payment.h_amount);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.d_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.c_d_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.Payment.c_id);

            // if customer id is
zero, then payment is by name
            if (m_txn.Payment.c_id
== 0)

```

```

            dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.Payment.c_last), (unsigned char
*)m_txn.Payment.c_last);

            if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            if (dbresults(m_dbproc)
!= SUCCEED)
                ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc)
!= REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            if (dbnumcols(m_dbproc)
!= 27)
                ThrowError(CDBLIBERR::eWrongNumCols);

            if
(pData=dbdata(m_dbproc, 1))
                m_txn.Payment.c_id = *((DBINT *) pData);
            if
(pData=dbdata(m_dbproc, 2))
                UtilStrCpy(m_txn.Payment.c_last, pData,
dbdatlen(m_dbproc, 2));
            if
(pData=dbdata(m_dbproc, 3))
                {
                    datetime =
*((DBDATETIME *) pData);
                    dbdatecrack(m_dbproc, &daterec, &datetime);
                    m_txn.Payment.h_date.year = daterec.year;
                    m_txn.Payment.h_date.month =
daterec.month;
                    m_txn.Payment.h_date.day = daterec.day;
                    m_txn.Payment.h_date.hour = daterec.hour;
                    m_txn.Payment.h_date.minute =
daterec.minute;
                    m_txn.Payment.h_date.second =
daterec.second;
                }
            if
(pData=dbdata(m_dbproc, 4))
                UtilStrCpy(m_txn.Payment.w_street_1, pData,
dbdatlen(m_dbproc, 4));

```

```

            if
(pData=dbdata(m_dbproc, 5))
                UtilStrCpy(m_txn.Payment.w_street_2, pData,
dbdatlen(m_dbproc, 5));
            if
(pData=dbdata(m_dbproc, 6))
                UtilStrCpy(m_txn.Payment.w_city, pData,
dbdatlen(m_dbproc, 6));
            if
(pData=dbdata(m_dbproc, 7))
                UtilStrCpy(m_txn.Payment.w_state, pData,
dbdatlen(m_dbproc, 7));
            if
(pData=dbdata(m_dbproc, 8))
                UtilStrCpy(m_txn.Payment.w_zip, pData,
dbdatlen(m_dbproc, 8));
            if
(pData=dbdata(m_dbproc, 9))
                UtilStrCpy(m_txn.Payment.d_street_1, pData,
dbdatlen(m_dbproc, 9));
            if
(pData=dbdata(m_dbproc, 10))
                UtilStrCpy(m_txn.Payment.d_street_2, pData,
dbdatlen(m_dbproc, 10));
            if
(pData=dbdata(m_dbproc, 11))
                UtilStrCpy(m_txn.Payment.d_city, pData,
dbdatlen(m_dbproc, 11));
            if
(pData=dbdata(m_dbproc, 12))
                UtilStrCpy(m_txn.Payment.d_state, pData,
dbdatlen(m_dbproc, 12));
            if
(pData=dbdata(m_dbproc, 13))
                UtilStrCpy(m_txn.Payment.d_zip, pData,
dbdatlen(m_dbproc, 13));
            if
(pData=dbdata(m_dbproc, 14))
                UtilStrCpy(m_txn.Payment.c_first, pData,
dbdatlen(m_dbproc, 14));
            if
(pData=dbdata(m_dbproc, 15))
                UtilStrCpy(m_txn.Payment.c_middle, pData,
dbdatlen(m_dbproc, 15));
            if
(pData=dbdata(m_dbproc, 16))
                UtilStrCpy(m_txn.Payment.c_street_1, pData,
dbdatlen(m_dbproc, 16));
            if
(pData=dbdata(m_dbproc, 17))

```

```

        UtilStrCpy(m_txn.Payment.c_street_2, pData,
dbdatlen(m_dbproc, 17));
        if
(pData=dbdata(m_dbproc, 18))
        UtilStrCpy(m_txn.Payment.c_city, pData,
dbdatlen(m_dbproc, 18));
        if
(pData=dbdata(m_dbproc, 19))
        UtilStrCpy(m_txn.Payment.c_state, pData,
dbdatlen(m_dbproc, 19));
        if
(pData=dbdata(m_dbproc, 20))
        UtilStrCpy(m_txn.Payment.c_zip, pData,
dbdatlen(m_dbproc, 20));
        if
(pData=dbdata(m_dbproc, 21))
        UtilStrCpy(m_txn.Payment.c_phone, pData,
dbdatlen(m_dbproc, 21));
        if
(pData=dbdata(m_dbproc, 22))
        {
                datetime =
*(DBDATETIME *) pData);
                dbdatecrack(m_dbproc, &daterec, &datetime);
                m_txn.Payment.c_since.year =
daterec.year;
                m_txn.Payment.c_since.month =
daterec.month;
                m_txn.Payment.c_since.day = daterec.day;
                m_txn.Payment.c_since.hour =
daterec.hour;
                m_txn.Payment.c_since.minute =
daterec.minute;
                m_txn.Payment.c_since.second =
daterec.second;
        }
        if(pData=dbdata(m_dbproc, 23))
        UtilStrCpy(m_txn.Payment.c_credit, pData,
dbdatlen(m_dbproc, 23));
        if(pData=dbdata(m_dbproc, 24))
        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc, 24), SQLFLT8, (BYTE
*)&m_txn.Payment.c_credit_lim, 8);
        if(pData=dbdata(m_dbproc, 25))
        dbconvert(m_dbproc, SQLNUMERIC,

```

```

(LPCBYTE)pData, dbdatlen(m_dbproc, 25), SQLFLT8, (BYTE
*)&m_txn.Payment.c_discount, 8);
        if(pData=dbdata(m_dbproc, 26))
        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc, 26), SQLFLT8, (BYTE
*)&m_txn.Payment.c_balance, 8);
        if(pData=dbdata(m_dbproc, 27))
        UtilStrCpy(m_txn.Payment.c_data, pData,
dbdatlen(m_dbproc, 27));
        DiscardNextRows(0);
        DiscardNextResults(0);
        if (m_txn.Payment.c_id
== 0)
                throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
        else
                m_txn.Payment.exec_status_code = eOK;
        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205
||
== iErrOleDbProvider &&
(e->m_msgno
>m_msgtext, sErrTimeoutExpired) != NULL) &&
(++iTryCount
<= iMaxRetries))
        {
                // hit
                deadlock; backoff for increasingly longer period
                delete e;
                Sleep(10 *
iTryCount);
        }
        else
                throw;
    }
    // while (TRUE)
    // if (iTryCount)
    // throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::OrderStatus()
{
        int
        DBDATETIME datetime;
        DBDATERECDaterec;

```

```

        int
        RETCODE rc;
        const BYTE
        *pData;

        ResetError();
        while (TRUE)
        {
                try
                {
                        dbrpcinit(m_dbproc,
"tpcc_orderstatus", 0);
                        dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.OrderStatus.w_id);
                        dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.OrderStatus.d_id);
                        dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.OrderStatus.c_id);

                                // if customer id is
                                zero, then order status is by name
                                if
                                (m_txn.OrderStatus.c_id == 0)
                                        dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.OrderStatus.c_last), (unsigned char
*)m_txn.OrderStatus.c_last);

                                if (dbrpcexec(m_dbproc)
== FAIL)
                                        ThrowError(CDBLIBERR::eDbRpcExec);

                                // Get order lines
                                if (dbresults(m_dbproc)
!= SUCCEED)
                                        {
                                                if
                                                ((m_DbLibErr == NULL) && (m_SqlErr == NULL))
                                                        throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER );
                                                else
                                                        ThrowError(CDBLIBERR::eDbResults);
                                        }
                                if (dbnumcols(m_dbproc)
!= 5)
                                        ThrowError(CDBLIBERR::eWrongNumCols);

                                                i = 0;
                                                while (TRUE)
                                                {

```

```

rc =
dbnextrow(m_dbproc);
NO_MORE_ROWS)
break;
REG_ROW)
if (rc !=
ThrowError(CDBLIBERR::eDbNextRow);
if(pData=dbdata(m_dbproc, 1))
m_txn.OrderStatus.OL[i].ol_supply_w_id =
(* (DBSMALLINT *) pData);
if(pData=dbdata(m_dbproc, 2))
m_txn.OrderStatus.OL[i].ol_i_id = (* (DBINT
*) pData);
if(pData=dbdata(m_dbproc, 3))
m_txn.OrderStatus.OL[i].ol_quantity =
(* (DBSMALLINT *) pData);
if(pData=dbdata(m_dbproc, 4))
dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,4),
SQLFLT8, (BYTE
*)&m_txn.OrderStatus.OL[i].ol_amount, 8);
if(pData=dbdata(m_dbproc, 5))
{
datetime = *((DBDATETIME *) pData);
dbdatecrack(m_dbproc, &daterec, &datetime);
m_txn.OrderStatus.OL[i].ol_delivery_d.year
= daterec.year;
m_txn.OrderStatus.OL[i].ol_delivery_d.month
= daterec.month;
m_txn.OrderStatus.OL[i].ol_delivery_d.day
= daterec.day;
m_txn.OrderStatus.OL[i].ol_delivery_d.hour
= daterec.hour;
m_txn.OrderStatus.OL[i].ol_delivery_d.minut
e = daterec.minute;
m_txn.OrderStatus.OL[i].ol_delivery_d.secon
d = daterec.second;
}
i++;
}

```

```

m_txn.OrderStatus.o_ol_cnt = i;
if (dbresults(m_dbproc)
!= SUCCEEDED)
ThrowError(CDBLIBERR::eDbResults);
if (dbnextrow(m_dbproc)
!= REG_ROW)
ThrowError(CDBLIBERR::eDbNextRow);
if (dbnumcols(m_dbproc)
!= 8)
ThrowError(CDBLIBERR::eWrongNumCols);
if(pData=dbdata(m_dbproc, 1))
m_txn.OrderStatus.c_id = (* (DBINT *)
pData);
if(pData=dbdata(m_dbproc, 2))
UtilStrCpy(m_txn.OrderStatus.c_last, pData,
dbdatlen(m_dbproc,2));
if(pData=dbdata(m_dbproc, 3))
UtilStrCpy(m_txn.OrderStatus.c_first,
pData, dbdatlen(m_dbproc,3));
if(pData=dbdata(m_dbproc, 4))
UtilStrCpy(m_txn.OrderStatus.c_middle,
pData, dbdatlen(m_dbproc, 4));
if(pData=dbdata(m_dbproc, 5))
{
datetime =
*((DBDATETIME *) pData);
dbdatecrack(m_dbproc, &daterec, &datetime);
m_txn.OrderStatus.o_entry_d.year =
daterec.year;
m_txn.OrderStatus.o_entry_d.month =
daterec.month;
m_txn.OrderStatus.o_entry_d.day =
daterec.day;
m_txn.OrderStatus.o_entry_d.hour =
daterec.hour;
m_txn.OrderStatus.o_entry_d.minute =
daterec.minute;
}

```

```

m_txn.OrderStatus.o_entry_d.second =
daterec.second;
}
if(pData=dbdata(m_dbproc, 6))
m_txn.OrderStatus.o_carrier_id =
(* (DBSMALLINT *) pData);
if(pData=dbdata(m_dbproc, 7))
dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc, 7),
SQLFLT8, (BYTE
*)&m_txn.OrderStatus.c_balance, 8);
if(pData=dbdata(m_dbproc, 8))
m_txn.OrderStatus.o_id = (* (DBINT *)
pData);
DiscardNextRows(0);
DiscardNextResults(0);
if
(m_txn.OrderStatus.o_ol_cnt == 0)
throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER
);
else if
(m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
else
m_txn.OrderStatus.exec_status_code = eOK;
return;
}
catch (CSQLERR *e)
{
if ((e->m_msgno == 1205
(e->m_msgno
== iErrOleDbProvider &&
strstr(e-
>m_msgtext, sErrTimeoutExpired) != NULL)) &&
(++iTryCount
<= iMaxRetries))
{
// hit
deadlock; backoff for increasingly longer period
delete e;
Sleep(10 *
iTryCount);
}
else
throw;
}
}

```

```

    } // while (TRUE)

// if (iTryCount)
// throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Delivery()
{
    int i;
    int iTryCount =
0;
    const BYTE *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_delivery", 0);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Delivery.w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Delivery.o_carrier_id);

            if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            if (dbresults(m_dbproc)
!= SUCCEEDED)
                ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc)
!= REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            if (dbnumcols(m_dbproc)
!= 10)
                ThrowError(CDBLIBERR::eWrongNumCols);

            for (i=0; i<10; i++)
            {
                if (pData =
dbdata(m_dbproc, i+1))
                    m_txn.Delivery.o_id[i] = *((DBINT *)pData);
            }

            DiscardNextRows(0);
            DiscardNextResults(0);
        }
    }
}

```

```

        m_txn.Delivery.exec_status_code = eOK;
        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205

||
(e->m_msgno
== iErrOleDbProvider &&
>m_msgtext, sErrTimeoutExpired) != NULL)) &&
(++iTryCount
<= iMaxRetries))
        {
            // hit
            deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    }
} // while (TRUE)

// if (iTryCount)
// throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::ResetError()
{
    if (m_DbLibErr != NULL)
    {
        delete m_DbLibErr;
        m_DbLibErr = (CDBLIBERR*)NULL;
    }

    if (m_SqlErr != NULL)
    {
        delete m_SqlErr;
        m_SqlErr = (CSQLERR*)NULL;
    }

    return;
}

```

tpcc_dblib.h

```

/* FILE: TPC_C_DBLIB.H
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99

```

```

 *
 * PURPOSE: Header file for TPC-C txn class
 * implementation.
 *
 * Change history:
 * 4.20.000 - updated rev number to
 * match kit
 */
#pragma once

#ifndef PDBPROCESS
#define DBPROCESS void // dbprocess structure type
typedef DBPROCESS * PDBPROCESS;
#endif

// need to declare functions for import, unless
// define has already been created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CSQLERR : public CBaseErr
{
public:
    CSQLERR(void)
    {
        m_msgno = 0;
        m_msgstate = 0;
        m_severity = 0;
        m_msgtext = NULL;
    };

    ~CSQLERR()
    {
        delete [] m_msgtext;
    };

    int m_msgno;
    int m_msgstate;
    int m_severity;
    char *m_msgtext;

    int ErrorType() {return
ERR_TYPE_SQL;};

    int ErrorNum() {return m_msgno;};
    char *ErrorText() {return
m_msgtext;};

};

class CDBLIBERR : public CBaseErr
{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eLogin,
        // error from dblogin
        eDbOpen,
        // error from dbopen
    };
};

```

```

        eDbUse,
// error from dbuse
        eDbSqlExec,
// error from dbsqlexec
        eDbSet,
// error from one of the dbset*
routines
        eDbNextRow,
// error from dbnextrow
        eWrongRowCount,
// more or less rows returned than expected
        eWrongNumCols,
// more or less columns returned than
expected
        eDbResults,
// error from dbresults
        eDbRpcExec,
// error from dbrpcexec
        eDbSetMaxProcs,
// error from dbsetmaxprocs
        eDbProcHandler
// error from either dbprocerrhandle or
dbprocmsghandle
    };

    CDBLIBERR(ACTION eAction, int
severity = 0, int dberror = 0, int oserr = 0)
    {
        m_eAction = eAction;
        m_severity = severity;
        m_dberror = dberror;
        m_oserr = oserr;

        m_dberrstr = NULL;
        m_oserrstr = NULL;
    };

~CDBLIBERR()
{
    delete [] m_dberrstr;
    delete [] m_oserrstr;
};

ACTION    m_eAction;
int       m_severity;
int       m_dberror;
int       m_oserr;
char      *m_dberrstr;
char      *m_oserrstr;

int ErrorType() {return
ERR_TYPE_DBLIB;};
int ErrorNum() {return
m_dberror;};
char *ErrorText() {return
m_dberrstr;};
};

class CTPCC_DBLIB_ERR : public CBaseErr
{
public:
    enum CTPCC_DBLIB_ERRS

```

```

    {
        ERR_WRONG_SP_VERSION =
1, // "Wrong version of stored procs on
database server"
        ERR_INVALID_CUST,
// "Invalid Customer id,name."
        ERR_NO_SUCH_ORDER,
// "No orders found for
customer."
        ERR_RETRIED_TRANS,
// "Retries before transaction
succeeded."
    };

    CTPCC_DBLIB_ERR( int iErr ) {
m_errno = iErr; m_iTryCount = 0; };

    CTPCC_DBLIB_ERR( int iErr, int
iTryCount ) { m_errno = iErr; m_iTryCount =
iTryCount; };

    int m_errno;
    int m_iTryCount;

    int ErrorType() {return
ERR_TYPE_TPCC_DBLIB;};
    int ErrorNum() {return m_errno;};

    char *ErrorText();
};

class DllDecl CTPCC_DBLIB : public CTPCC_BASE
{
private:
// declare variables and private
functions here...
    PDBPROCESS m_dbproc;
    CDBLIBERR *m_DbLibErr;
    CSQLERR *m_SqlErr;
// not allocated until
needed (maybe never)
    int m_MaxRetries; // retry
count on deadlock

    void DiscardNextRows(int
iExpectedCount);
    void DiscardNextResults(int
iExpectedCount);
    void ThrowError(
CDBLIBERR::ACTION eAction );
    void ResetError();

    union
    {
        NEW_ORDER_DATA
        PAYMENT_DATA
        DELIVERY_DATA
    }
};

```

```

        STOCK_LEVEL_DATA
        StockLevel;
        ORDER_STATUS_DATA
        OrderStatus;
    };
    m_txn;

public:
    CTPCC_DBLIB(LPCSTR szServer,
LPCSTR szUser, LPCSTR szPassword, LPCSTR szHost,
LPCSTR szDatabase );
    ~CTPCC_DBLIB(void);

    inline PNEW_ORDER_DATA
    BuffAddr_NewOrder() { return
&m_txn.NewOrder; };
    inline PPAYMENT_DATA
    BuffAddr_Payment() { return
&m_txn.Payment; };
    inline PDELIVERY_DATA
    BuffAddr_Delivery() { return
&m_txn.Delivery; };
    inline PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel() { return
&m_txn.StockLevel; };
    inline PORDER_STATUS_DATA
    BuffAddr_OrderStatus() { return
&m_txn.OrderStatus; };

    void NewOrder ();
    void Payment ();
    void Delivery ();
    void StockLevel ();
    void OrderStatus ();

// these are public because they
must be called from the dblib err_handler and
msg_hangler
// outside of the class
    void SetDbLibError(int severity,
int dberr, int oserr, LPCSTR dberrstr, LPCSTR
oserrstr);
    void SetSqlError( int msgno, int
msgstate, int severity, LPCSTR msgtext );
};

extern "C" DllDecl CTPCC_DBLIB* CTPCC_DBLIB_new
( LPCSTR szServer, LPCSTR szUser, LPCSTR
szPassword, LPCSTR szHost, LPCSTR szDatabase );

typedef CTPCC_DBLIB* (TYPE_CTPCC_DBLIB)(LPCSTR,
LPCSTR, LPCSTR, LPCSTR, LPCSTR);

```

tpcc_enc.cpp

```

// tpcc_enc.cpp: implementation of the CTPCC_ENCINA
class.
//

```

```

////////////////////////////////////
////////////////////////////////////

#include <windows.h>
#include <process.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\trans.h"
//tpckit transaction header contains definitions of
structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_enc.h"
#include "..\include\tpcc_type.h"
#include "mon_client.h"
#include "client_utils.h"

static CRITICAL_SECTION TpCriticalSection;
extern "C" char *errFile;

BOOL WINAPIENTRY DllMain(HANDLE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:

DisableThreadLibraryCalls(hModule);

InitializeCriticalSection(&TpCriticalSection);
        break;

        case DLL_PROCESS_DETACH:

DeleteCriticalSection(&TpCriticalSection);
        break;

        default:
            /* nothing */;
    }
    return TRUE;
}

// wrapper routine for class constructor
__declspec( dllexport ) CTPCC_ENCINA*
CTPCC_ENCINA_new()
{

```

```

        return new CTPCC_ENCINA();
    }

// wrapper routine for enroll_client
__declspec( dllexport ) CTPCC_ENCINA*
CTPCC_ENCINA_post_init()
{
    enroll_client();
    return NULL;
}

// constructor and destructor
CTPCC_ENCINA::CTPCC_ENCINA()
{
    // Add initialization of ENCINA
    Structures if any
        m_txn = (ENC_DATA
*)malloc(sizeof(ENC_DATA));
        if (m_txn == NULL)
            throw new
CENCERR(ERR_TYPE_MEMORY, ERR_FATAL_LEVEL);
}

CTPCC_ENCINA::~CTPCC_ENCINA()
{
    // free the data structure allocated with
tpalloc
        free((char *)m_txn);
}

void CTPCC_ENCINA::NewOrder()
{
    // question: if we need to prepare the
data?
    if (send_new_order(sizeof(ENC_DATA), (unsigned
char *)m_txn) == TRPC_ERROR)
        throw new CENCERR(TRPC_ERROR);

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CENCERR( m_txn-
>ErrorType, m_txn->error );
}

void CTPCC_ENCINA::Payment()
{
    if (send_payment(sizeof(ENC_DATA), (unsigned char
*)m_txn) == TRPC_ERROR)
        throw new CENCERR(TRPC_ERROR);

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CENCERR( m_txn-
>ErrorType, m_txn->error );
}

void CTPCC_ENCINA::Delivery()
{
    // Note: Delivery txn code in the tuxedo
server does not implement logging of the delivery
// txn results, so cannot be used as
is to run an auditable TPC-C result. For that

```

```

        // reason, delivery txns should not
be done via Tuxedo.
        // The code is included for
completeness.
        //m_txn->u.Delivery.exec_status_code =
eDeliveryFailed;
        //return;

        // Note: If we use the delivery thread in
tpcc.dll, it is not possible to get to this
point for delivery txns. But if we
use Encina delivery server, the code is
// needed. It is suggested using the
delivery thread in tpcc.dll since it is
// convenient and provides best
performance.
        GetLocalTime(&m_txn-
>u.Delivery.queue_time);

        if (send_delivery(sizeof(ENC_DATA), (unsigned
char *)m_txn) == TRPC_ERROR)
            m_txn-
>u.Delivery.exec_status_code = eDeliveryFailed;
        else
            m_txn-
>u.Delivery.exec_status_code = eOK;
}

void CTPCC_ENCINA::StockLevel()
{
    if (send_stock_level(sizeof(ENC_DATA), (unsigned
char *)m_txn) == TRPC_ERROR)
        throw new CENCERR(TRPC_ERROR);

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CENCERR( m_txn-
>ErrorType, m_txn->error );
}

void CTPCC_ENCINA::OrderStatus()
{
    if (send_order_status(sizeof(ENC_DATA), (unsigned
char *)m_txn) == TRPC_ERROR)
        throw new CENCERR(TRPC_ERROR);

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CENCERR( m_txn-
>ErrorType, m_txn->error );
}

char *CENCERR::ErrorText()
{
    if (m_iErrorType == TRPC_ERROR)
    {
        sprintf( m_szErrorText, "Error:
ENCINA TRPC error (see log file %s for details)",
errFile);
    }
    else
        sprintf( m_szErrorText, "Error:
Class %d, error # %d", m_iErrorType, m_iError );
}

```

```

        return m_szErrorText;
};

```

tpcc_enc.h

```

/*      FILE:          TPCC_ENCINA.H
 *      Microsoft
TPC-C Kit Ver. 4.10.000
 *      not yet
audited
 *
 *      PURPOSE:  Header file for TPC-C Encina
class implementation.
 *      Copyright
Microsoft, 1999
 *      All Rights Reserved
 */

#if !defined(_TPCC_ENCINA_H_)
#define _TPCC_ENCINA_H_

#pragma once

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CTPCC_ENCINA : public CTPCC_BASE
{
private:
    struct ENC_DATA
    {
        int
        ErrorType;
        int
        error;
        union
        {
            NEW_ORDER_DATA      NewOrder;
            PAYMENT_DATA        Payment;
            DELIVERY_DATA       Delivery;
            STOCK_LEVEL_DATA    StockLevel;
            ORDER_STATUS_DATA   OrderStatus;
        } *m_txn;
    };
public:
    CTPCC_ENCINA();

```

```

    virtual ~CTPCC_ENCINA();

    inline PNEW_ORDER_DATA
    BuffAddr_NewOrder() { return
&m_txn->u.NewOrder; };
    inline PPAYMENT_DATA
    BuffAddr_Payment() { return
&m_txn->u.Payment; };
    inline PDELIVERY_DATA
    BuffAddr_Delivery() { return
&m_txn->u.Delivery; };
    inline PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel() { return
&m_txn->u.StockLevel; };
    inline PORDER_STATUS_DATA
    BuffAddr_OrderStatus() { return
&m_txn->u.OrderStatus; };

    void NewOrder          ();
    void Payment           ();
    void Delivery          ();
    void StockLevel        ();
    void OrderStatus      ();
};

class CENCERR : public CBaseErr
{
private:
    char    m_szErrorText[64];
public:
    int     m_errno;
    int     m_iErrorType;
    int     m_iError;
// match ErrorType in CTPCC_ENCINA
// machine error in CTPCC_ENCINA

    // use this interface for genuine
Encina errors
    CENCERR( int iErr )
    {
        m_errno = iErr; //
        m_iErrorType =
ERR_TYPE_ENCINA;
        m_iError = 0; //
        only meaningful if m_errno == TPEOS
    };

    // use this interface to
impersonate a non-Encina error type
    CENCERR( int iErrorType, int
iError )
    {
        m_iErrorType =
iErrorType;
        m_iError = iError;
        m_errno = iError; //
    };
};

```

```

// A CENCERR class can
impersonate another
class, which happens if the error
// was not actually a Tuxedo
error, but was simply transmitted back via Tuxedo.
    int ErrorType()
    {
        return m_iErrorType;
    }

    int ErrorNum() {return m_errno;};
    char *ErrorText();
};

// wrapper routine for class constructor:
extern "C" __declspec(dlllexport) CTPCC_ENCINA*
CTPCC_ENCINA_new();
extern "C" __declspec(dlllexport) CTPCC_ENCINA*
CTPCC_ENCINA_post_init();

typedef CTPCC_ENCINA* (TYPE_CTPCC_ENCINA)();
#endif // !defined(_TPCC_ENCINA_H_)

```

tpcc_odbc.cpp

```

/*      FILE:          TPCC_ODBC.CPP
 *      Microsoft
TPC-C Kit Ver. 4.20.000
 *      Copyright
Microsoft, 1999
 *      All Rights Reserved
 *      Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 *      PURPOSE:  Implements ODBC calls for TPC-C
txns.
 *      Contact:  Charles Levine
(clevine@microsoft.com)
 *
 *      Change history:
 *      4.20.000 - updated rev number to
match kit
 *      4.10.001 - not deleting error
class in catch handler on deadlock retry;
 *      not a
functional bug, but a memory leak
 */

#include <windows.h>
#include <stdio.h>
#include <assert.h>

#define DBNITWIN32
#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>
#include <odbcss.h>

```

```

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_odbc.h"

// version string; must match return value from
tpcc_version stored proc
const char sVersion[] = "4.10.000";

const iMaxRetries = 10; // how many
retries on deadlock

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

static SQLHENV henv = SQL_NULL_HENV;
// ODBC environment handle

BOOL APIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:

            DisableThreadLibraryCalls(hModule);
            if (
SQLAllocHandleStd(SQL_HANDLE_ENV, SQL_NULL_HANDLE,
&henv) != SQL_SUCCESS )
                break;

            case DLL_PROCESS_DETACH:
                if (henv != NULL)
                    SQLFreeEnv(henv);
                break;

            default:
                /* nothing */;
    }
    return TRUE;
}

/* FUNCTION: CTPCC_ODBC_ERR::ErrorText
 *
 */
char* CTPCC_ODBC_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {

```

```

        { ERR_WRONG_SP_VERSION,
"Wrong version of stored procs on database
server" },
        { ERR_INVALID_CUST,
"Invalid Customer id,name." },
        { ERR_NO_SUCH_ORDER,
"No orders found for customer." },
        { ERR_RETRIED_TRANS,
"Retries before transaction succeeded." },
        { 0, "" }
    };

    static char szNotFound[] = "Unknown error
number.";

    for(i=0; errorMsgs[i].szMsg[0]; i++)
    {
        if ( m_errno ==
errorMsgs[i].iError )
            break;
    }
    if ( !errorMsgs[i].szMsg[0] )
        return szNotFound;
    else
        return errorMsgs[i].szMsg;
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_ODBC* CTPCC_ODBC_new(
LPCSTR szServer, // name of
SQL server
LPCSTR szUser, //
user name for login
LPCSTR szPassword, // password
for login
LPCSTR szHost, //
not used
LPCSTR szDatabase ) // name of
database to use
{
    return new CTPCC_ODBC( szServer, szUser,
szPassword, szHost, szDatabase );
}

CTPCC_ODBC::CTPCC_ODBC (
LPCSTR szServer,
// name of SQL server
LPCSTR szUser,
// user name for login
LPCSTR szPassword,
// password for login
LPCSTR szHost,
// not used
LPCSTR szDatabase
// name of database to use

```

```

)
{
    RETCODE rc;

    // initialization
    m_hdbc = SQL_NULL_HDBC;
    m_hstmt = SQL_NULL_HSTMT;

    m_hstmtNewOrder = SQL_NULL_HSTMT;
    m_hstmtPayment = SQL_NULL_HSTMT;
    m_hstmtDelivery = SQL_NULL_HSTMT;
    m_hstmtOrderStatus = SQL_NULL_HSTMT;
    m_hstmtStockLevel = SQL_NULL_HSTMT;

    m_descNewOrderCols1 = SQL_NULL_HDESC;
    m_descNewOrderCols2 = SQL_NULL_HDESC;
    m_descOrderStatusCols1 = SQL_NULL_HDESC;
    m_descOrderStatusCols2 = SQL_NULL_HDESC;

    if ( SQLAllocHandle(SQL_HANDLE_DBC, henv,
&m_hdbc) != SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);

    if ( SQLSetConnectOption(m_hdbc,
SQL_PACKET_SIZE, 4096) != SQL_SUCCESS )
        ThrowError(CODBCERR::eConnOption);

    {
        char
szConnectStr[256];
        char
szOutStr[1024];
        SQLSMALLINT
iOutStrLen;

        sprintf( szConnectStr,
"DRIVER=SQL
Server;SERVER=%s;UID=%s;PWD=%s;DATABASE=%s",
szServer, szUser,
szPassword, szDatabase );

        rc = SQLDriverConnect(m_hdbc,
NULL, (SQLCHAR*)szConnectStr, sizeof(szConnectStr),
(SQLCHAR*)szOutStr,
sizeof(szOutStr), &iOutStrLen, SQL_DRIVER_NOPROMPT );

        if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
            ThrowError(CODBCERR::eConnect);
    }

    if (SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc,
&m_hstmt) != SQL_SUCCESS)
        ThrowError(CODBCERR::eAllocHandle);

    {
        char
buffer[128];

```

```

        // set some options affecting
connection behavior
strcpy(buffer, "set nocount on
set XACT_ABORT ON"); rc = SQLExecDirect(m_hstmt,
(unsigned char *)buffer, SQL_NTS);
if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)

    ThrowError(CODBCERR::eExecDirect);

    // verify that version of stored
procs on server is correct
char db_sp_version[10];
strcpy(buffer, "(call
tpcc_version)");
rc = SQLExecDirect(m_hstmt,
(unsigned char *)buffer, SQL_NTS);
if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)

    ThrowError(CODBCERR::eExecDirect);
if ( SQLBindCol(m_hstmt, 1,
SQL_C_CHAR, &db_sp_version, sizeof(db_sp_version),
NULL) != SQL_SUCCESS )

    ThrowError(CODBCERR::eBindCol);
if ( SQLFetch(m_hstmt) ==
SQL_ERROR )

    ThrowError(CODBCERR::eFetch);
if
( strcmp(db_sp_version,sVersion)
throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_WRONG_SP_VERSION
);

    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmt);
}

// Bind parameters for each of the
transactions
InitNewOrderParams();
InitPaymentParams();
InitOrderStatusParams();
InitDeliveryParams();
InitStockLevelParams();
}

CTPCC_ODBC::~CTPCC_ODBC( void )
{
    // note: descriptors are automatically
released when the connection is dropped
SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtNewOrder);
SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtPayment);
SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtDelivery);
SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtOrderStatus);

```

```

    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtStockLevel);

    SQLDisconnect(m_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, m_hdbc);
}

void CTPCC_ODBC::ThrowError( CODBCERR::ACTION eAction
)
{
    RETCODE rc;
    SDWORD lNativeError;
    char szState[6];
    char
szMsg[SQL_MAX_MESSAGE_LENGTH];
    char
szTmp[6*SQL_MAX_MESSAGE_LENGTH];
    CODBCERR *pODBCErr;
    // not allocated until needed (maybe never)
    pODBCErr = new CODBCERR();

    pODBCErr->m_NativeError = 0;
    pODBCErr->m_eAction = eAction;
    pODBCErr->m_bDeadLock = FALSE;

    szTmp[0] = 0;
    while (TRUE)
    {
        rc = SQLError(henv, m_hdbc,
m_hstmt, (BYTE *)&szState, &lNativeError,
(BYTE *)&szMsg, sizeof(szMsg), NULL);
if (rc == SQL_NO_DATA)
break;

        // check for deadlock
if (lNativeError == 1205 ||
(lNativeError == iErrOleDbProvider &&
strstr(szMsg,
sErrTimeoutExpired) != NULL))
pODBCErr->m_bDeadLock =
TRUE;

        // capture the (first) database
error
if (pODBCErr->m_NativeError == 0
&& lNativeError != 0)
pODBCErr->m_NativeError
= lNativeError;

        // quit if there isn't enough
room to concatenate error text
if ( ( strlen(szMsg) + 2 ) >
(sizeof(szTmp) - strlen(szTmp)) )
break;

        // include line break after first
error msg
if (szTmp[0] != 0)
strcat( szTmp, "\n");
strcat( szTmp, szMsg );
}

```

```

if (pODBCErr->m_odbcerrstr != NULL)
{
    delete [] pODBCErr->m_odbcerrstr;
    pODBCErr->m_odbcerrstr = NULL;
}

if (strlen(szTmp) > 0)
{
    pODBCErr->m_odbcerrstr = new
char[ strlen(szTmp)+1 ];
    strcpy( pODBCErr->m_odbcerrstr,
szTmp );
}

SQLFreeStmt(m_hstmt, SQL_CLOSE);
throw pODBCErr;
}

void CTPCC_ODBC::InitStockLevelParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtStockLevel) != SQL_SUCCESS )

        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtStockLevel;

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.StockLevel.w_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.StockLevel.d_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.StockLevel.threshold, 0, NULL) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eBindParam);

    if ( SQLBindCol(m_hstmt, 1, SQL_C_SLONG,
&m_txn.StockLevel.low_stock, 0, NULL) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eBindCol);
}

void CTPCC_ODBC::StockLevel()
{
    RETCODE rc;
    int iTryCount =
0;

    m_hstmt = m_hstmtStockLevel;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)L"(call
tpcc_stocklevel(?,?,?))", SQL_NTS);

```

```

        if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)
            ThrowError(CODBCERR::eExecDirect);

        if ( SQLFetch(m_hstmt)
== SQL_ERROR )
            ThrowError(CODBCERR::eFetch);

        SQLFreeStmt(m_hstmt,
SQL_CLOSE);

        m_txn.StockLevel.exec_status_code = eOK;
        break;
    }
    catch (CODBCERR *e)
    {
        if (!(e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))
            throw;

        // hit deadlock;
        backoff for increasingly longer period
        delete e;
        Sleep(10 * iTryCount);
    }
}

// if (iTryCount)
// throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitNewOrderParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtNewOrder) != SQL_SUCCESS
||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descNewOrderCols1) != SQL_SUCCESS
||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descNewOrderCols2) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtNewOrder;

    if ( SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.NewOrder.w_id, 0, NULL) != SQL_SUCCESS

```

```

        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.NewOrder.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.NewOrder.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.NewOrder.o_ol_cnt, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.NewOrder.o_all_local, 0, NULL) != SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindParam);

    for (int j=0; j<MAX_OL_NEW_ORDER_ITEMS;
j++)
    {
        if ( SQLBindParameter(m_hstmt,
++i, SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.NewOrder.OL[j].ol_i_id, 0, NULL) !=
SQL_SUCCESS
        ||
SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.NewOrder.OL[j].ol_supply_w_id, 0, NULL) !=
SQL_SUCCESS
        ||
SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.NewOrder.OL[j].ol_quantity, 0, NULL) !=
SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindParam);
    }

    // set the bind offset pointer
    if ( SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROW_BIND_OFFSET_PTR, &m_BindOffset,
SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    i = 0;
    if ( SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.NewOrder.OL[0].ol_i_name,
sizeof(m_txn.NewOrder.OL[0].ol_i_name), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.NewOrder.OL[0].ol_stock, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.NewOrder.OL[0].ol_brand_generic,
sizeof(m_txn.NewOrder.OL[0].ol_brand_generic), NULL)
!= SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.OL[0].ol_i_price, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.OL[0].ol_amount, 0,
NULL) != SQL_SUCCESS
        )

```

```

        ThrowError(CODBCERR::eBindCol);

        // associate the column bindings for the
        second result set
        if ( SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols2,
SQL_IS_POINTER ) != SQL_SUCCESS )
            ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.w_tax, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.d_tax, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.NewOrder.o_id, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.NewOrder.c_last,
sizeof(m_txn.NewOrder.c_last), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.c_discount, 0, NULL)
!= SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.NewOrder.c_credit,
sizeof(m_txn.NewOrder.c_credit), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.NewOrder.o_entry_d, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_no_commit_flag, 0, NULL) !=
SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindCol);
    }

    void CTPCC_ODBC::NewOrder()
    {
        int
        i;
        RETCODE
        int
        iTryCount = 0;

        //
        0 1 2
        //
        012345678901234567890123456789
        wchar_t
        szSqlTemplate[] = L"{call
tpcc_neworder(?, ?, ?, ?, ?,
L"?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?"
L"?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?"
L"?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?"

```



```

        sizeof(m_txn.Payment.w_city), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_state,
sizeof(m_txn.Payment.w_state), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_zip,
sizeof(m_txn.Payment.w_zip), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_street_1,
sizeof(m_txn.Payment.d_street_1), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_street_2,
sizeof(m_txn.Payment.d_street_2), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_city,
sizeof(m_txn.Payment.d_city), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_state,
sizeof(m_txn.Payment.d_state), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_zip,
sizeof(m_txn.Payment.d_zip), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_first,
sizeof(m_txn.Payment.c_first), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_middle,
sizeof(m_txn.Payment.c_middle), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_street_1,
sizeof(m_txn.Payment.c_street_1), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_street_2,
sizeof(m_txn.Payment.c_street_2), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_city,
sizeof(m_txn.Payment.c_city), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_state,
sizeof(m_txn.Payment.c_state), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_zip,
sizeof(m_txn.Payment.c_zip), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_phone,
sizeof(m_txn.Payment.c_phone), NULL) !=
SQL_SUCCESS

```

```

        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.Payment.c_since,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_credit,
sizeof(m_txn.Payment.c_credit), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_credit_lim, 0, NULL)
!= SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_discount, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_balance, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_data,
sizeof(m_txn.Payment.c_data), NULL) !=
SQL_SUCCESS
        )
        ThrowError(CODBCERR::eBindCol);
}

void CTPCC_ODBC::Payment()
{
    RETCODE rc;
    int iTryCount =
0;

    m_hstmt = m_hstmtPayment;

    if (m_txn.Payment.c_id != 0)
        m_txn.Payment.c_last[0] = 0;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)"call
tpcc_payment(?,?,?,?,?,?)", SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)
                ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt)
== SQL_ERROR)
                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt,
SQL_CLOSE);

            if (m_txn.Payment.c_id
== 0)
                throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_INVALID_CUST );
            m_txn.Payment.exec_status_code = eOK;

```

```

        break;
    }
    catch (CODBCERR *e)
    {
        if (!(e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))
            throw;

        // hit deadlock;
        backoff for increasingly longer period
        delete e;
        Sleep(10 * iTryCount);
    }
}

// if (iTryCount)
// throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitOrderStatusParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtOrderStatus) != SQL_SUCCESS
        ||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols1) != SQL_SUCCESS
        ||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols2) != SQL_SUCCESS
        )
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtOrderStatus;

    if ( SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.OrderStatus.w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.OrderStatus.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.OrderStatus.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_CHAR, SQL_CHAR,
sizeof(m_txn.OrderStatus.c_last), 0,
&m_txn.OrderStatus.c_last,
sizeof(m_txn.OrderStatus.c_last), NULL) !=
SQL_SUCCESS
        )
        ThrowError(CODBCERR::eBindParam);

    // configure block cursor

```

```

        if ( SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROW_BIND_TYPE,
(SQLPOINTER) sizeof(m_txn.OrderStatus.OL[0]), 0) !=
SQL_SUCCESS
        || SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROWS_FETCHED_PTR, &m_RowsFetched, 0) !=
SQL_SUCCESS
        )
        ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT,
&m_txn.OrderStatus.OL[0].ol_supply_w_id, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.OL[0].ol_i_id, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.OrderStatus.OL[0].ol_quantity,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.OrderStatus.OL[0].ol_amount, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP,
&m_txn.OrderStatus.OL[0].ol_delivery_d, 0, NULL) !=
SQL_SUCCESS
        )
        ThrowError(CODBCERR::eBindCol);

        if ( SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols2,
SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.c_id, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_last,
sizeof(m_txn.OrderStatus.c_last), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_first,
sizeof(m_txn.OrderStatus.c_first), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_middle,
sizeof(m_txn.OrderStatus.c_middle), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.OrderStatus.o_entry_d,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.OrderStatus.o_carrier_id, 0,
NULL) != SQL_SUCCESS

```

```

        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.OrderStatus.c_balance, 0, NULL)
!= SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.o_id, 0, NULL) !=
SQL_SUCCESS
        )
        ThrowError(CODBCERR::eBindCol);
}

void CTPCC_ODBC::OrderStatus()
{
    int        iTryCount = 0;
    RETCODE    rc;

    m_hstmt = m_hstmtOrderStatus;

    if ( SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    if (m_txn.OrderStatus.c_id != 0)
        m_txn.OrderStatus.c_last[0] = 0;

    while (TRUE)
    {
        try
        {
            // configure block
            cursor
            if (
SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)1, 0) != SQL_SUCCESS )
                ThrowError(CODBCERR::eSetStmtAttr);

            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)L"(call
tpcc_orderstatus(?,?,?,?))", SQL_NTS);
            if ( ((rc ==
SQL_SUCCESS_WITH_INFO) && (m_RowsFetched != 0)) ||
(rc == SQL_ERROR) )
                ThrowError(CODBCERR::eExecDirect);

            // configure block
            cursor
            if (
SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)MAX_OL_ORDER_STATUS_ITEMS, 0) !=
SQL_SUCCESS )
                ThrowError(CODBCERR::eSetStmtAttr);

            rc = SQLFetchScroll(
m_hstmt, SQL_FETCH_NEXT, 0 );
            if ( ((rc ==
SQL_SUCCESS_WITH_INFO) && (m_RowsFetched != 0)) ||
(rc == SQL_ERROR) )

```

```

                ThrowError(CODBCERR::eFetchScroll);

                m_txn.OrderStatus.o_ol_cnt =
(short)m_RowsFetched;

                if
(m_txn.OrderStatus.o_ol_cnt != 0)
                {
                    if (
SQLSetStmtAttrW(m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descOrderStatusCols2, SQL_IS_POINTER ) !=
SQL_SUCCESS )
                        ThrowError(CODBCERR::eSetStmtAttr);

                    if (
SQLMoreResults(m_hstmt) == SQL_ERROR )
                        ThrowError(CODBCERR::eMoreResults);

                    if ( (rc =
SQLFetch(m_hstmt)) == SQL_ERROR)
                        ThrowError(CODBCERR::eFetch);
                }

                SQLFreeStmt(m_hstmt,
SQL_CLOSE);

                if
(m_txn.OrderStatus.o_ol_cnt == 0)
                    throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_NO_SUCH_ORDER );
                else if
(m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
                    throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_INVALID_CUST );
                else
                    m_txn.OrderStatus.exec_status_code = eOK;

                break;
            }
            catch (CODBCERR *e)
            {
                if (!(e->m_bDeadLock))
                || (++iTryCount > iMaxRetries))
                    throw;

                // hit deadlock;
                // backoff for increasingly longer period
                delete e;
                Sleep(10 * iTryCount);
            }
        }
    }

    if (iTryCount)
        throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);

```

```

}

void CTPCC_ODBC::InitDeliveryParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtDelivery) != SQL_SUCCESS )

        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtDelivery;

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Delivery.w_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Delivery.o_carrier_id, 0, NULL) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eBindParam);

    for (i=0;i<10;i++)
    {
        if ( SQLBindCol(m_hstmt,
(UWORD)(i+1), SQL_C_SLONG, &m_txn.Delivery.o_id[i],
0, NULL) != SQL_SUCCESS )

            ThrowError(CODBCERR::eBindCol);
    }
}

void CTPCC_ODBC::Delivery()
{
    RETCODE          rc;
    int              iTryCount =
0;

    m_hstmt = m_hstmtDelivery;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)L"call
tpcc_delivery(?,?)", SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)

                ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt)
== SQL_ERROR )

                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt,
SQL_CLOSE);

            m_txn.Delivery.exec_status_code = eOK;
            break;
        }
        catch (CODBCERR *e)

```

```

{
        if (!(e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))

            throw;

        // hit deadlock;
        backoff for increasingly longer period
        delete e;
        Sleep(10 * iTryCount);
    }
}

//      if (iTryCount)
//          throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

```

tpcc_odbc.h

```

/*      FILE:          TPCC_ODBC.H
*                               Microsoft
TPC-C Kit Ver. 4.20.000
*                               Copyright
Microsoft, 1999
*                               All Rights Reserved
*
*                               Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*      PURPOSE:  Header file for TPC-C txn class
implementation.
*
*      Change history:
*          4.20.000 - updated rev number to
match kit
*/
#pragma once

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl  __declspec( dllimport )
#endif

class CODBCERR : public CBaseErr
{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eAllocConn,
        // error from SQLAllocConnect
        eAllocHandle,
        // error from SQLAllocHandle
        eConnOption,
        // error from SQLSetConnectOption

```

```

eConnect,
// error from SQLConnect
eAllocStmt,
// error from SQLAllocStmt
eExecDirect,
// error from SQLExecDirect
eBindParam,
// error from SQLBindParameter
eBindCol,
// error from SQLBindCol
eFetch,
// error from SQLFetch
eFetchScroll,
// error from SQLFetchScroll
eMoreResults,
// error from SQLMoreResults
ePrepare,
// error from SQLPrepare
eExecute,
// error from SQLExecute
eSetEnvAttr,
// error from SQLSetEnvAttr
eSetStmtAttr,
// error from SQLSetStmtAttr
};

CODBCERR(void)
{
    m_eAction = eNone;
    m_NativeError = 0;
    m_bDeadLock = FALSE;
    m_odbcerrstr = NULL;
};

~CODBCERR()
{
    if (m_odbcerrstr !=
NULL)

        delete []
m_odbcerrstr;
};

ACTION    m_eAction;
int       m_NativeError;
BOOL      m_bDeadLock;
char      *m_odbcerrstr;

int ErrorType() {return
ERR_TYPE_ODBC;};
int ErrorNum() {return
m_NativeError;};
char *ErrorText() {return
m_odbcerrstr;};
};

class CTPCC_ODBC_ERR : public CBaseErr
{
public:
    enum TPCC_ODBC_ERRS

```

```

        ERR_WRONG_SP_VERSION =
1,      // "Wrong version of stored procs on
database server"
        ERR_INVALID_CUST,
        // "Invalid Customer id,name."
        ERR_NO_SUCH_ORDER,
        // "No orders found for
customer."
        ERR_RETRIED_TRANS,
        // "Retries before transaction
succeeded."
    );
    CTPCC_ODBC_ERR( int iErr ) {
m_errno = iErr; m_iTryCount = 0; };

    CTPCC_ODBC_ERR( int iErr, int
iTryCount ) { m_errno = iErr; m_iTryCount =
iTryCount; };

    int          m_errno;
    int          m_iTryCount;

    int ErrorType() {return
ERR_TYPE_TPCC_ODBC;};
    int ErrorNum() {return m_errno;};

    char *ErrorText();
};

class DllDecl CTPCC_ODBC : public CTPCC_BASE
{
    private:
    // declare variables and private
functions here...
    BOOL          m_bDeadlock;
    // transaction was selected as
deadlock victim
    int           m_MaxRetries;      // retry
count on deadlock

    SQLHENV       m_henv;
    // ODBC environment
handle
    SQLHDBC       m_hdbc;
    SQLHSTMT      m_hstmt;
    // the current hstmt

    SQLHSTMT      m_hstmtNewOrder;
    SQLHSTMT      m_hstmtPayment;
    SQLHSTMT      m_hstmtDelivery;
    SQLHSTMT      m_hstmtOrderStatus;
    SQLHSTMT      m_hstmtStockLevel;

    SQLHDESC      m_descNewOrderCols1;
    SQLHDESC      m_descNewOrderCols2;
    SQLHDESC      m_descOrderStatusCols1;
    SQLHDESC      m_descOrderStatusCols2;

    // new-order specific fields
    SQLUINTEGER   m_BindOffset;

```

```

    SQLUINTEGER
m_RowsFetched;
    int
m_no_commit_flag;

    void ThrowError( CODBCERR::ACTION
eAction );

    void InitNewOrderParams();
    void InitPaymentParams();
    void InitDeliveryParams();
    void InitStockLevelParams();
    void InitOrderStatusParams();

    union
    {
        NEW_ORDER_DATA
NewOrder;
        PAYMENT_DATA
Payment;
        DELIVERY_DATA
Delivery;
        STOCK_LEVEL_DATA
StockLevel;
        ORDER_STATUS_DATA
OrderStatus;
    }
    m_txn;

    public:
    CTPCC_ODBC(LPCSTR szServer,
LPCSTR szUser, LPCSTR szPassword, LPCSTR szHost,
LPCSTR szDatabase);
    ~CTPCC_ODBC(void);

    inline PNEW_ORDER_DATA
BuffAddr_NewOrder() { return
&m_txn.NewOrder; };
    inline PPAYMENT_DATA
BuffAddr_Payment() { return
&m_txn.Payment; };
    inline PDELIVERY_DATA
BuffAddr_Delivery() { return
&m_txn.Delivery; };
    inline PSTOCK_LEVEL_DATA
BuffAddr_StockLevel() { return
&m_txn.StockLevel; };
    inline PORDER_STATUS_DATA
BuffAddr_OrderStatus() { return
&m_txn.OrderStatus; };

    void NewOrder          ();
    void Payment           ();
    void Delivery          ();
    void StockLevel       ();
    void OrderStatus      ();
};

// wrapper routine for class constructor
extern "C" DllDecl CTPCC_ODBC* CTPCC_ODBC_new

```

```

    ( LPCSTR szServer, LPCSTR szUser, LPCSTR
szPassword, LPCSTR szHost, LPCSTR szDatabase );

typedef CTPCC_ODBC* (TYPE_CTPCC_ODBC) (LPCSTR, LPCSTR,
LPCSTR, LPCSTR, LPCSTR);

```

tpcc_tux.cpp

```

/*      FILE:          TPCC_TUX.CPP
*
*      TPC-C Kit Ver. 4.20.000
*
*      Microsoft
*
*      Copyright
Microsoft, 1999
*      All Rights Reserved
*
*      Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*      PURPOSE:      Implementation for TPC-C Tuxedo
class.
*      Contact:      Charles Levine
(clevine@microsoft.com)
*
*      Change history:
*      4.20.000 - updated rev number to
match kit
*/

#include <windows.h>
#include <process.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>
#include <assert.h>

#include <tmenv.h>
#include <xa.h>
#include <atmi.h>

#ifdef ICECAP
// for IceCAP profiling
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_tux.h"
// interface to Tuxedo libraries

```

```

static TPINIT
    *tpinf;
static DWORD
    TLSIsTpInitedKey;
static CRITICAL_SECTION
    TpCriticalSection;

BOOL APIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:

            DisableThreadLibraryCalls(hModule);

            // create thread local
            // storage to determine Tuxedo initialization per
            // thread.
            // it really should be
            // possible to do this in the DLL_THREAD_ATTACH call,
            // but
            // Ed says he could not
            // get it to work.
            // assumption: value
            // init'd to 0
            TLSIsTpInitedKey =
            TlsAlloc();

            if ((tpinf = (TPINIT
            *)tpalloc("TPINIT", NULL, sizeof(TPINIT))) == NULL)
            {
                // int TpRc =
                // tperrno;
                return FALSE;
            }
            tpinf->flags |=
            TPMULTICONTEXTS;

            InitializeCriticalSection(&TpCriticalSection);
            break;

            case DLL_PROCESS_DETACH:

                TlsFree(TLSIsTpInitedKey);

                DeleteCriticalSection(&TpCriticalSection);
                break;

            default:
                /* nothing */;
    }
    return TRUE;
}

static void ThrTpInit()
{
    static int num_tpinit=0;
    int iRc, TpRc;

```

```

        // has this thread been initialized? check
        // thread local storage
        if(!TlsGetValue(TLSIsTpInitedKey))
        {
            EnterCriticalSection(&TpCriticalSection);
            itoa(++num_tpinit, tpinf-
            >cltname, 10);

            iRc = tpinit(tpinf);
            TpRc = tperrno;

            LeaveCriticalSection(&TpCriticalSection);

            if (iRc < 0)
                throw new CTUXERR(
                tperrno );

            int value = 1;

            TlsSetValue(TLSIsTpInitedKey, &value);
        }
    }

    // wrapper routine for class constructor
    __declspec(dllexport) CTPCC_TUXEDO*
    CTPCC_TUXEDO_new()
    {
        return new CTPCC_TUXEDO();
    }

    CTPCC_TUXEDO::~CTPCC_TUXEDO()
    {
        // Add initialization of Tuxedo
        Structures
        m_txn = (TUX_DATA *)tpalloc("CARRAY", NULL,
        sizeof(TUX_DATA));
        if (m_txn == NULL)
            throw new CTUXERR( tperrno );
    }

    CTPCC_TUXEDO::~~CTPCC_TUXEDO()
    {
        // free the data structure allocated with
        tpalloc
        tpfree((char *)m_txn);
    }

    void CTPCC_TUXEDO::NewOrder()
    {
        long ilen, *olen;

        ThrTpInit();

        ilen = sizeof(TUX_DATA);
        olen = &ilen;

        if (tpcall("NEWORDER", (char *)m_txn, ilen,
        (char **)&m_txn, (long *)olen, TPSIGRSTRT) == -1)
            throw new CTUXERR( tperrno );

        if ( m_txn->ErrorType != ERR_SUCCESS )

```

```

            throw new CTUXERR( m_txn-
            >ErrorType, m_txn->error );
    }

    void CTPCC_TUXEDO::Payment()
    {
        long ilen, *olen;

        ThrTpInit();

        ilen = sizeof(TUX_DATA);
        olen = &ilen;

        if (tpcall("PAYMENT", (char *)m_txn, ilen,
        (char **)&m_txn, (long *)olen, TPSIGRSTRT) == -1)
            throw new CTUXERR( tperrno );

        if ( m_txn->ErrorType != ERR_SUCCESS )
            throw new CTUXERR( m_txn-
            >ErrorType, m_txn->error );
    }

    void CTPCC_TUXEDO::Delivery()
    {
        int iRc;
        long ilen, *olen;

        // Note: Delivery txn code in the tuxedo
        // server does not implement logging of the delivery
        // txn results, so cannot be used as
        // is to run an auditable TPC-C result. For that
        // reason, delivery txns should not
        // be done via tuxedo.
        // The code is included for
        // completeness.
        m_txn->u.Delivery.exec_status_code =
        eDeliveryFailed;
        return;

        // normal path...

        ThrTpInit();

        GetLocalTime(&m_txn-
        >u.Delivery.queue_time);

        ilen = sizeof(TUX_DATA);
        olen = &ilen;

        if ((iRc = tpcall("DELIVERY", (char
        *)m_txn, ilen, TPNOREPLY)) == -1)
        {
            int TpRc = tperrno;
            m_txn-
            >u.Delivery.exec_status_code = eDeliveryFailed;
        }
        else
            m_txn-
            >u.Delivery.exec_status_code = eOK;
    }

    void CTPCC_TUXEDO::StockLevel()

```

```

{
    long        ilen, *olen;

    ThrTpInit();

    ilen = sizeof(TUX_DATA);
    olen = &ilen;

    if (tpcall("STOCKLEVEL", (char *)m_txn,
ilen, (char **)&m_txn, (long *)olen, TPSIGRSTRT) == -
1)
        throw new CTUXERR( tperno );

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CTUXERR( m_txn-
>ErrorType, m_txn->error );
}

void CTPCC_TUXEDO::OrderStatus()
{
    long        ilen, *olen;

    ThrTpInit();

    ilen = sizeof(TUX_DATA);
    olen = &ilen;

    if (tpcall("ORDERSTATUS", (char *)m_txn,
ilen, (char **)&m_txn, (long *)olen, TPSIGRSTRT) == -
1)
        throw new CTUXERR( tperno );

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CTUXERR( m_txn-
>ErrorType, m_txn->error );
}

char *CTUXERR::ErrorText()
{
    if (m_iErrorType == 0)
    {
        if (m_errno == TPEOS)
            sprintf( m_szErrorText,
"Error: TUXEDO error # %d, OS error # %d", m_errno,
m_iError );
        else
            sprintf( m_szErrorText,
"Error: TUXEDO error # %d", m_errno );
    }
    else
        sprintf( m_szErrorText, "Error:
Class %d, error # %d", m_iErrorType, m_iError );
    return m_szErrorText;
};

```

tpcc_tux.h

```

/*      FILE:          TPCC_TUX.H
*
*      Microsoft
TPC-C Kit Ver. 4.20.000

```

```

*
*      Copyright
Microsoft, 1999
*      All Rights Reserved
*
*      Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*      PURPOSE:  Header file for TPC-C Tuxedo
class implementation.
*
*      Change history:
*      4.20.000 - updated rev number to
match kit
*/

#pragma once

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class DllDecl CTPCC_TUXEDO : public CTPCC_BASE
{
private:
    struct TUX_DATA
    {
        int
        ErrorType;
        int
        error;

        union
        {
            NEW_ORDER_DATA          NewOrder;
            PAYMENT_DATA            Payment;
            DELIVERY_DATA           Delivery;

            STOCK_LEVEL_DATA        StockLevel;

            ORDER_STATUS_DATA        OrderStatus;
        } u;
    } *m_txn;

public:
    CTPCC_TUXEDO();
    ~CTPCC_TUXEDO(void);

    inline PNEW_ORDER_DATA
    BuffAddr_NewOrder()    { return
&m_txn->u.NewOrder;    };
    inline PPAYMENT_DATA
    BuffAddr_Payment()    { return
&m_txn->u.Payment;    };
    inline PDELIVERY_DATA
    BuffAddr_Delivery()    { return
&m_txn->u.Delivery;    };

```

```

    inline PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel()    { return
&m_txn->u.StockLevel;    };
    inline PORDER_STATUS_DATA
    BuffAddr_OrderStatus()    { return
&m_txn->u.OrderStatus;    };

    void NewOrder            ();
    void Payment             ();
    void Delivery            ();
    void StockLevel         ();
    void OrderStatus        ();
};

class CTUXERR : public CBaseErr
{
private:
    // TODO: should use the sz_Msg
field of the base class instead
    char m_szErrorText[64];

public:
    // use this interface for genuine
Tuxedo errors
    CTUXERR( int iErr )
    {
        m_errno = iErr;
        m_iErrorType = 0;
        m_iError =
        GetLastError(); // only meaningful if m_errno ==
TPEOS
    };

    // use this interface to
impersonate a non-Tuxedo error type
    CTUXERR( int iErrorType, int
iError )
    {
        m_iErrorType =
        m_iError = iError;
        m_errno = 0;
    }

    int
    m_errno;
    int
    m_iErrorType;
    int
    m_iError;

    // A CTUXERR class can
impersonate another
class, which happens if the error
// was not actually a Tuxedo
error, but was simply transmitted back via Tuxedo.
    int ErrorType()
    {
        if (m_iErrorType == 0)
            return
ERR_TYPE_TUXEDO;
        else
            return
m_iErrorType;
    }
};

```

```

        int ErrorNum() {return m_errno;};
        char *ErrorText();
};

// wrapper routine for class constructor
extern "C" __declspec(dllexport) CTPCC_TUXEDO*
CTPCC_TUXEDO_new();

typedef CTPCC_TUXEDO* (TYPE_CTPCC_TUXEDO)();

```

tpcc_type.h

```

/* Generated by IDL compiler version DEC DCE V2.0.0-6
*/
#ifndef tpcc_types_v1_0_included
#define tpcc_types_v1_0_included
#ifndef IDLBASE_H
#include <dce\idlbase.h>
#endif
#ifndef __cplusplus
extern "C" {
#endif
#ifndef nbase_v0_0_included
#include "dce\nbase.h"
#endif
#define NAME_LENGTH (32)
#define NEWO_INTERFACE (1)
#define PAYMENT_INTERFACE (2)
#define ORDER_STAT_INTERFACE (4)
#define DELIVERY_INTERFACE (8)
#define STOCK_INTERFACE (16)
#define ONLINE_INTERFACES (23)
#define ALL_INTERFACE (65535)
#define NEWO_TRANS (1)
#define PAYMENT_TRANS (2)
#define ORDER_STAT_TRANS (3)
#define DELIVERY_TRANS (4)
#define STOCK_TRANS (5)
#define MAX_TRAN_TYPE (5)
#define TPCC_SUCCESS (0)
#define TRPC_ERROR (1)
#define INVALID_NEWO (100)
typedef struct {
    idl_long_int sec;
    idl_long_int usec;
} time_type;
typedef struct {
    idl_short_int returncode;
    idl_short_int stats;
    time_type srv_start;
    time_type srv_end;
    time_type clnt_start;
    time_type clnt_end;
} data_header;
typedef struct {
    idl_long_int first_wh;
    idl_long_int last_wh;

```

```

    idl_long_int server_id;
} dbInfo_data_t;
#endif
#endif

trans.h
/* FILE: TRANS.H Microsoft
* TPC-C Kit Ver. 4.20.000 Copyright
* Microsoft, 1999
* All Rights Reserved
* Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
* PURPOSE: Header file for TPC-C structure
templates.
* Change history:
* 4.20.000 - updated rev number to
match kit
*/
#pragma once

// String length constants
#define SERVER_NAME_LEN 20
#define DATABASE_NAME_LEN 20
#define USER_NAME_LEN 20
#define PASSWORD_LEN 20
#define TABLE_NAME_LEN 20
#define I_DATA_LEN 50
#define I_NAME_LEN 24
#define BRAND_LEN 1
#define LAST_NAME_LEN 16
#define W_NAME_LEN 10
#define ADDRESS_LEN 20
#define STATE_LEN 2
#define ZIP_LEN 9
#define S_DIST_LEN 24
#define S_DATA_LEN 50
#define D_NAME_LEN 10
#define FIRST_NAME_LEN 16
#define MIDDLE_NAME_LEN 2
#define PHONE_LEN 16
#define DATETIME_LEN 30
#define CREDIT_LEN 2
#define C_DATA_LEN 250
#define H_DATA_LEN 24
#define DIST_INFO_LEN 24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN 25
#define OL_DIST_INFO_LEN

```

```

// TIMESTAMP_STRUCT is provided by the ODBC header
file sqltypes.h, but is not available
// when compiling with dblink, so redefined here.
Note: we are using the symbol "__SQLTYPES"
// (declared in sqltypes.h) as a way to determine if
TIMESTAMP_STRUCT has been declared.
#ifndef __SQLTYPES
typedef struct
{
    /* SQLSMALLINT */ short
    /* SQLSMALLINT */ unsigned short /*
SQLSMALLINT */ month; unsigned short /*
SQLSMALLINT */ day; unsigned short /*
SQLSMALLINT */ hour; unsigned short /*
SQLSMALLINT */ minute; unsigned short /*
SQLSMALLINT */ second; unsigned long /*
SQLINTEGER */ fraction;
} TIMESTAMP_STRUCT;
#endif
// possible values for exec_status_code after
transaction completes
enum EXEC_STATUS
{
    eOK, // 0
    "Transaction committed."
    eInvalidItem, // 1 "Item number
is not valid."
    eDeliveryFailed // 2 "Delivery
Post Failed."
};
// transaction structures
typedef struct
{
    // input params
    short
    ol_supply_w_id;
    long
    ol_i_id;
    short
    ol_quantity;
    // output params
    char
    ol_i_name[I_NAME_LEN+1];
    char
    ol_brand_generic[BRAND_LEN+1];
    double
    ol_i_price;
    double
    ol_amount;
    short
    ol_stock;
} OL_NEW_ORDER_DATA;

```

```

typedef struct
{
    // input params
    short      w_id;
    short      d_id;
    long       c_id;
    short      o_ol_cnt;

    // output params
    EXEC_STATUS
    exec_status_code;
    char
    c_last[LAST_NAME_LEN+1];
    char
    c_credit[CREDIT_LEN+1];
    double
    c_discount;
    double
    w_tax;
    double
    d_tax;
    long
    o_id;
    short
    o_commit_flag;
    TIMESTAMP_STRUCT
    o_entry_d;
    short
    o_all_local;
    double
    total_amount;
    OL_NEW_ORDER_DATA
    OL[MAX_OL_NEW_ORDER_ITEMS];
} NEW_ORDER_DATA, *PNEW_ORDER_DATA;

typedef struct
{
    // input params
    short
    w_id;
    short
    d_id;
    long
    c_id;
    short
    c_d_id;
    short
    c_w_id;
    double
    h_amount;
    char
    c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS
    exec_status_code;
    TIMESTAMP_STRUCT
    h_date;
    char
    w_street_1[ADDRESS_LEN+1];
    char
    w_street_2[ADDRESS_LEN+1];
    char
    w_city[ADDRESS_LEN+1];
    char
    w_state[STATE_LEN+1];
    char
    w_zip[ZIP_LEN+1];
    char
    d_street_1[ADDRESS_LEN+1];
    char
    d_street_2[ADDRESS_LEN+1];

```

```

    char
    d_city[ADDRESS_LEN+1];
    char
    d_state[STATE_LEN+1];
    char
    d_zip[ZIP_LEN+1];
    char
    c_first[FIRST_NAME_LEN+1];
    char
    c_middle[MIDDLE_NAME_LEN + 1];
    char
    c_street_1[ADDRESS_LEN+1];
    char
    c_street_2[ADDRESS_LEN+1];
    char
    c_city[ADDRESS_LEN+1];
    char
    c_state[STATE_LEN+1];
    char
    c_zip[ZIP_LEN+1];
    char
    c_phone[PHONE_LEN+1];
    TIMESTAMP_STRUCT
    c_since;
    char
    c_credit[CREDIT_LEN+1];
    double
    c_credit_lim;
    double
    c_discount;
    double
    c_balance;
    char
    c_data[200+1];
} PAYMENT_DATA, *PPAYMENT_DATA;

typedef struct
{
    long
    ol_i_id;
    short
    ol_supply_w_id;
    short
    ol_quantity;
    double
    ol_amount;
    TIMESTAMP_STRUCT
    ol_delivery_d;
} OL_ORDER_STATUS_DATA;

typedef struct
{
    // input params
    short
    w_id;
    short
    d_id;
    long
    c_id;
    char
    c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS
    exec_status_code;
    char
    c_first[FIRST_NAME_LEN+1];
    char
    c_middle[MIDDLE_NAME_LEN+1];

```

```

    double
    c_balance;
    long
    o_id;
    TIMESTAMP_STRUCT
    o_entry_d;
    short
    o_carrier_id;
    OL_ORDER_STATUS_DATA
    OL[MAX_OL_ORDER_STATUS_ITEMS];
    short
    o_ol_cnt;
} ORDER_STATUS_DATA, *PORDER_STATUS_DATA;

typedef struct
{
    // input params
    short
    w_id;
    short
    o_carrier_id;

    // output params
    EXEC_STATUS
    exec_status_code;
    SYSTEMTIME
    queue_time;
    long
    o_id[10]; // id's of delivered
orders for districts 1 to 10
} DELIVERY_DATA, *PDELIVERY_DATA;

//This structure is used for posting delivery
transactions and for writing them to the delivery
server.
typedef struct _DELIVERY_TRANSACTION
{
    SYSTEMTIME
    queue;
    //time delivery transaction queued
    short
    w_id;
    //delivery warehouse
    short
    o_carrier_id;
} DELIVERY_TRANSACTION;

typedef struct
{
    // input params
    short
    w_id;
    short
    d_id;
    short
    threshold;

    // output params
    EXEC_STATUS
    exec_status_code;
    long
    low_stock;
} STOCK_LEVEL_DATA, *PSTOCK_LEVEL_DATA;

```

tuxapp.cpp

```

/* FILE: TUXAPP.CPP
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999

```

```

*           All Rights Reserved
*
*           Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*   PURPOSE: Implementation for TPC-C Tuxedo
server.
*   Contact: Charles Levine
(clevine@microsoft.com)
*
*   Change history:
*           4.20.000 - updated rev number to
match kit
*/

#include <windows.h>
#include <process.h>
#include <tchar.h>
#include <stdio.h>
#include <stdarg.h>
#include <iostream.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>
#include <assert.h>

#include <sqltypes.h>
#include <sql.h>
#include <sqlx.h>

#include <tmenv.h>
#include <xa.h>
#include <atmi.h>

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\ReadRegistry.h"
#include "..\..\db_dblib_dll\src\tpcc_dblib.h"
// DBLIB implementation of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h"
// ODBC implementation of TPC-C txns
#include "tuxapp.h"

char
    szMyComputerName[MAX_COMPUTERNAME_LENGTH+1]
;

// configuration settings from registry
TPCCREGISTRYDATA    Reg;

CTPCC_BASE          *pTxn = NULL;

#include "..\..\common\src\ReadRegistry.cpp"

/* FUNCTION: tpsvrinit ( int argc, char *argv[] )

```

```

*
* PURPOSE:      Initialize the Server to Database
connection.
*
* RETURNS:     int      0
                Success
                -1
                Failure
*/

int tpsvrinit ( int argc, char *argv[] )
{
    try
    {
        DWORD dwSize =
MAX_COMPUTERNAME_LENGTH+1;
        GetComputerName(szMyComputerName,
&dwSize);
        szMyComputerName[dwSize] = 0;

        if ( ReadTPCCRegistrySettings(
&Reg ) )
            throw new CTUXAPP_ERR(
ERR_MISSING_REGISTRY_ENTRIES );

        GetParameters(argc, argv);

        switch (Reg.eDB_Protocol)
        {
            case ODBC:
                pTxn = new CTPCC_ODBC(
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
szMyComputerName, Reg.szDbName );
                break;
            case DBLIB:
                pTxn = new CTPCC_DBLIB(
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
szMyComputerName, Reg.szDbName );
                break;
        }
    }
    catch (CBaseErr *e)
    {
        WriteMessageToEventLog(e-
>ErrorText());
        delete e;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
    }

    return 0;
}

/* FUNCTION: tpsvrdone ( void )
*
*/

void tpsvrdone ( void )
{

```

```

        delete pTxn;
        pTxn = NULL;
}

/* FUNCTION: BOOL GetParameters(int argc, char
*argv[] )
*
* PURPOSE:      This function parses the command
line passed in to the delivery executable,
initializing
                and filling in global
variable parameters.
*
* ARGUMENTS:   int      argc
                number of command line arguments passed to
delivery
                char
                *argv[] array of command line argument
pointers
*
*/

static void GetParameters(int argc, char *argv[] )
{
    // advance through args until "--" is found
for(int j=0; j<argc; j++)
    {
        if (strcmp(argv[j],"--") == 0)
            break;
    }

for(int i=j+1; i<argc; i++)
    {
        if ( argv[i][0] == '-' ||
argv[i][0] == '/' )
            {
                switch(argv[i][1])
                {
                    case 'S':
                        strcpy(Reg.szDbServer, argv[i+2]);
                        break;
                    case 'D':
                        strcpy(Reg.szDbName, argv[i+2]);
                        break;
                    case 'P':
                        strcpy(Reg.szDbPassword, argv[i+2]);
                        break;
                    case 'U':
                        strcpy(Reg.szDbUser, argv[i+2]);
                        break;
                    default:
                        cout << "Microsoft TPC-C Kit" << endl;
                        cout << "Tuxedo Server" << endl << endl;

```

```

        cout << "Usage:" << endl;

        cout << "    tuxapp [<tuxedo-args>] -- -
S<sql-server> [-D<database>] [-U<user>] [-
P<password>]" << endl << endl;

        cout << "All parameters default to values
in registry." << endl;

        throw new CTUXAPP_ERR( ERR_BAD_SYNTAX );
    }
}

static void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR    szMsg[256];
    HANDLE   hEventSource;
    LPTSTR   lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL,
TEXT("TUXAPP.EXE"));

    _stprintf(szMsg, TEXT("Error in TUXAPP.EXE: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event
source
        EVENTLOG_ERROR_TYPE, // event type
        0, // event category
        0, // event ID
        NULL, // current user's
SID
        2, // strings in
lpszStrings
        0, // no bytes of raw
data
        (LPCSTR *)lpszStrings, // array of
error strings
        NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

void NEWORDER( TPSVCINFO *rqst )
{
    PNEW_ORDER_DATA    pNewOrder;
    TUX_DATA            *pData;
    const int          iSize = sizeof(pData-
>u.NewOrder);

    try
    {
        pData = (TUX_DATA*)rqst->data;
        pData->retval = ERR_SUCCESS;

```

```

        pData->error = 0;

        pNewOrder = pTxn-
>BuffAddr_NewOrder();
        assert( rqst->len ==
sizeof(TUX_DATA) );
        memcpy(pNewOrder, &pData-
>u.NewOrder, iSize );

        pTxn->NewOrder();
        memcpy( &pData->u.NewOrder,
pNewOrder, iSize );
        tpreturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
    catch (CBaseErr *e)
    {
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        memcpy( &pData->u.NewOrder,
pNewOrder, iSize );
        tpreturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
        delete e;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        memcpy( &pData->u.NewOrder,
pNewOrder, iSize );
        tpreturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
}

void PAYMENT( TPSVCINFO *rqst )
{
    PPAYMENT_DATA    pPayment;
    TUX_DATA          *pData;
    const int          iSize = sizeof(pData-
>u.Payment);

    try
    {
        pData = (TUX_DATA*)rqst->data;
        pData->retval = ERR_SUCCESS;
        pData->error = 0;

        pPayment = pTxn-
>BuffAddr_Payment();
        assert( rqst->len ==
sizeof(TUX_DATA) );
        memcpy(pPayment, &pData-
>u.Payment, iSize );

        pTxn->Payment();
        memcpy( &pData->u.Payment,
pPayment, iSize );

```

```

        tpreturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
    catch (CBaseErr *e)
    {
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        memcpy( &pData->u.Payment,
pPayment, iSize );
        tpreturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
        delete e;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        memcpy( &pData->u.Payment,
pPayment, iSize );
        tpreturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
}

// Note: Delivery txn code below does not implement
logging of the delivery
// txn results, so cannot be used as is to run
an auditable TPC-C result.
// The code is included for completeness.
void DELIVERY( TPSVCINFO *rqst )
{
    PDELIVERY_DATA    pDelivery;
    TUX_DATA          *pData;
    const int          iSize = sizeof(pData-
>u.Delivery);

    try
    {
        pData = (TUX_DATA*)rqst->data;
        pData->retval = ERR_SUCCESS;
        pData->error = 0;

        pDelivery = pTxn-
>BuffAddr_Delivery();
        assert( rqst->len ==
sizeof(TUX_DATA) );
        memcpy(pDelivery, &pData-
>u.Delivery, iSize );

        pTxn->Delivery();

        memcpy( &pData->u.Delivery,
pDelivery, iSize );
        tpreturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
    catch (CBaseErr *e)
    {
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();

```

```

        memcpy( &pData->u.Delivery,
pDelivery, iSize );
        tpreturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
        delete e;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        memcpy( &pData->u.Delivery,
pDelivery, iSize );
        tpreturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
}

void STOCKLEVEL( TPSVCINFO *rqst )
{
    PSTOCK_LEVEL_DATA  pStockLevel;
    TUX_DATA            *pData;
    const int          iSize =
sizeof(pData->u.StockLevel);

    try
    {
        pData = (TUX_DATA*)rqst->data;
        pData->retval = ERR_SUCCESS;
        pData->error = 0;

        pStockLevel = pTxn-
>BuffAddr_StockLevel();
        assert( rqst->len ==
sizeof(TUX_DATA) );
        memcpy(pStockLevel, &pData-
>u.StockLevel, iSize );

        pTxn->StockLevel();
        memcpy( &pData->u.StockLevel,
pStockLevel, iSize );
        tpreturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
    catch (CBaseErr *e)
    {
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        memcpy( &pData->u.StockLevel,
pStockLevel, iSize );
        tpreturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
        delete e;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
    }
}

```

```

        memcpy( &pData->u.StockLevel,
pStockLevel, iSize );
        tpreturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
}

void ORDERSTATUS( TPSVCINFO *rqst )
{
    PORDER_STATUS_DATA  pOrderStatus;
    TUX_DATA            *pData;
    const int          iSize = sizeof(pData-
>u.OrderStatus);

    try
    {
        pData = (TUX_DATA*)rqst->data;
        pData->retval = ERR_SUCCESS;
        pData->error = 0;

        pOrderStatus = pTxn-
>BuffAddr_OrderStatus();
        assert( rqst->len ==
sizeof(TUX_DATA) );
        memcpy(pOrderStatus, &pData-
>u.OrderStatus, iSize );

        pTxn->OrderStatus();
        memcpy( &pData->u.OrderStatus,
pOrderStatus, iSize );
        tpreturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
    catch (CBaseErr *e)
    {
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        memcpy( &pData->u.OrderStatus,
pOrderStatus, iSize );
        tpreturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
        delete e;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        memcpy( &pData->u.OrderStatus,
pOrderStatus, iSize );
        tpreturn( TPSUCCESS, 0, rqst-
>data, sizeof(TUX_DATA), 0);
    }
}

/* FUNCTION: CTUXAPP_ERR::ErrorText
*
*/
char* CTUXAPP_ERR::ErrorText(void)
{

```

```

    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_MISSING_REGISTRY_ENTRIES,
"Required entries missing from registry."
},
        { ERR_BAD_SYNTAX,
"Syntax error in input
parameters."
},
        { ERR_UNKNOWN_DB_PROTOCOL,
"Unknown database protocol specified in
registry."
},
        { 0, ""
}
};

    static char szNotFound[] = "Unknown error
number.";

    for(i=0; errorMsgs[i].szMsg[0]; i++)
    {
        if ( m_Error ==
errorMsgs[i].iError )
            break;
    }
    if ( !errorMsgs[i].szMsg[0] )
        return szNotFound;
    else
        return errorMsgs[i].szMsg;
}

```

tuxapp.dsp

```

# Microsoft Developer Studio Project File -
Name="tuxapp" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Console Application" 0x0103

CFG=tuxapp - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tuxapp.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE

```

```

!MESSAGE NMAKE /f "tuxapp.mak" CFG="tuxapp - Win32
Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tuxapp - Win32 Release" (based on "Win32
(x86) Console Application")
!MESSAGE "tuxapp - Win32 Debug" (based on "Win32
(x86) Console Application")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
RSC=rc.exe

!IF "$(CFG)" == "tuxapp - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_CONSOLE" /D "_MBCS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_CONSOLE" /D "_MBCS" /YX /FD /c
# ADD BASE RSC /1 0x409 /d "NDEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:console /machine:I386
# ADD LINK32 ..\db_dblib_dll\bin\tpcc_dblib.lib
..\db_odbc_dll\bin\tpcc_odbc.lib libtux.lib
libbuft.lib libtux2.lib libfml.lib libfml32.lib
libgp.lib kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:console /machine:I386

!ELSEIF "$(CFG)" == "tuxapp - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"

```

```

# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32"
/D "_DEBUG" /D "_CONSOLE" /D "_MBCS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_CONSOLE" /D "_MBCS" /YX /FD /c
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:console /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ..\db_dblib_dll\bin\tpcc_dblib.lib
..\db_odbc_dll\bin\tpcc_odbc.lib libtux.lib
libbuft.lib libtux2.lib libfml.lib libfml32.lib
libgp.lib kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:console /debug
/machine:I386 /pdbtype:sept

!ENDIF

# Begin Target

# Name "tuxapp - Win32 Release"
# Name "tuxapp - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter "*.cpp;*.c"
# Begin Source File

SOURCE=.\src\tuxapp.cpp

!IF "$(CFG)" == "tuxapp - Win32 Release"

# ADD CPP /MD

!ELSEIF "$(CFG)" == "tuxapp - Win32 Debug"

# ADD CPP /MDd

!ENDIF

# End Source File
# Begin Source File

SOURCE=.\src\tuxmain.c

!IF "$(CFG)" == "tuxapp - Win32 Release"

# ADD CPP /MD

!ELSEIF "$(CFG)" == "tuxapp - Win32 Debug"

# ADD CPP /MDd

```

```

!ENDIF

# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=.\src\tuxapp.h
# End Source File
# End Group
# End Target
# End Project

```

tuxapp.h

```

/* FILE: TUXAPP.H
*
* Microsoft
* TPC-C Kit Ver. 4.20.000
* Copyright
* Microsoft, 1999
* All Rights Reserved
*
* Version
* 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
* PURPOSE: Header file for TPC-C Tuxedo
server.
*
* Change history:
* 4.20.000 - updated rev number to
match kit
*/

enum TUXERROR
{
    ERR_MISSING_REGISTRY_ENTRIES = 1,
    ERR_BAD_SYNTAX,
    ERR_UNKNOWN_DB_PROTOCOL
};

class CTUXAPP_ERR : public CBaseErr
{
public:
    TUXERROR m_Error;

    CTUXAPP_ERR(TUXERROR Err) {
        m_Error = Err; };
    ~CTUXAPP_ERR() {};

    int ErrorType() {return
ERR_TYPE_TUXEDO;};
    int ErrorNum() {return m_Error;};
    char *ErrorText();
};

struct TUX_DATA
{

```

```

int
retval;
int
error;

union
{
    NEW_ORDER_DATA
NewOrder;
    PAYMENT_DATA
Payment;
    DELIVERY_DATA
Delivery;
    STOCK_LEVEL_DATA    StockLevel;
    ORDER_STATUS_DATA   OrderStatus;
} u;
};

static void GetParameters(int argc, char *argv[]);
static void WriteMessageToEventLog(LPTSTR lpszMsg);

#if defined(__cplusplus)
extern "C" {
#endif

void NEWORDER( TPSVCINFO *rqst );
void PAYMENT( TPSVCINFO *rqst );
void DELIVERY( TPSVCINFO *rqst );
void STOCKLEVEL( TPSVCINFO *rqst );
void ORDERSTATUS( TPSVCINFO *rqst );

#if defined(__cplusplus)
}
#endif
#endif

```

tuxmain.c

```

/*      FILE:          TUXMAIN.C
 *
 *      TPC-C Kit Ver. 4.20.000
 *
 *      Microsoft
 *      Copyright
 *      Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *      Version
 *      4.10.000 audited by Richard Gimarc, Performance
 *      Metrics, 3/17/99
 *
 *      PURPOSE:      Implementation for TPC-C Tuxedo
 *      server.
 *
 *      Contact:      Charles Levine
 *      (clevine@microsoft.com)
 *
 *      Change history:
 *      4.20.000 - updated rev number to
 *      match kit
 */

```

```

#include <stdio.h>
#include <xa.h>
#include <atmi.h>

#if defined(__cplusplus)
extern "C" {
#endif
extern int _tmrunserver _((int));
extern void DELIVERY _((TPSVCINFO *));
extern void NEWORDER _((TPSVCINFO *));
extern void ORDERSTATUS _((TPSVCINFO *));
extern void PAYMENT _((TPSVCINFO *));
extern void STOCKLEVEL _((TPSVCINFO *));
#if defined(__cplusplus)
}
#endif

static struct tmdspthtbl_t tmdspthtbl[] = {
    { "DELIVERY", "DELIVERY", (void (*)
_((TPSVCINFO *)) DELIVERY, 0, 0 },
    { "NEWORDER", "NEWORDER", (void (*)
_((TPSVCINFO *)) NEWORDER, 1, 0 },
    { "ORDERSTATUS", "ORDERSTATUS", (void (*)
_((TPSVCINFO *)) ORDERSTATUS, 2, 0 },
    { "PAYMENT", "PAYMENT", (void (*)
_((TPSVCINFO *)) PAYMENT, 3, 0 },
    { "STOCKLEVEL", "STOCKLEVEL", (void (*)
_((TPSVCINFO *)) STOCKLEVEL, 4, 0 },
    { NULL, NULL, NULL, 0, 0 }
};

#ifdef _TMDLLIMPORT
#define _TMDLLIMPORT
#endif

_TMDLLIMPORT extern struct xa_switch_t tmnull_switch;

struct tmsvargs_t tmsvargs = {
    NULL,
    &tmdspthtbl[0],
    0,
    tpsvrinit,
    tpsvrdone,
    _tmrunserver, /* PRIVATE */
    NULL, /* RESERVED */
    /*
    NULL, /* RESERVED */
    /*
    NULL, /* RESERVED */
    /*
    NULL /* RESERVED */
};

struct tmsvargs_t *
#ifdef _TMPROTOTYPES
_tmgetsvargs(void)
#else
_tmgetsvargs()
#endif
{
    tmsvargs.xa_switch = &tmnull_switch;
    return(&tmsvargs);
}

```

```

}

int
#ifdef _TMPROTOTYPES
main(int argc, char **argv)
#else
main(argc,argv)
int argc;
char **argv;
#endif
{
#ifdef TMMAINEXIT
#include "mainexit.h"
#endif

return( _tmstartserver( argc, argv,
_tmgetsvargs()));
}

```

txnlog.h

```

/*      FILE:          TXNLOG.H
 *
 *      TPC-C Kit Ver. 4.10.000
 *
 *      Microsoft
 *      not yet
 *      audited
 *
 *      PURPOSE:      Header file for txn log class
 *      Copyright
 *      Microsoft, 1999
 *
 *      All Rights Reserved
 *
 */

#pragma once

typedef struct _TXN_NEWORDER
{
    BYTE    OL_Count; /*range 0 to
31
    BYTE    OL_Remote_Count; /*range 0 to
31
    WORD    c_id;
    int     o_id;
} TXN_NEWORDER;

typedef struct _TXN_PAYMENT
{
    BYTE    CustByName;
    BYTE    IsRemote;
} TXN_PAYMENT;

typedef struct _TXN_ORDERSTATUS
{
    BYTE    CustByName;
} TXN_ORDERSTATUS;

typedef union _TXN_DETAILS
{

```

```

        TXN_NEWORDER      NewOrder;
        TXN_PAYMENT
Payment;
        TXN_ORDERSTATUS  OrderStatus;
    } TXN_DETAILS;

    // Common header for all records in txn
log. The TxnType field is
    // a switch which identifies the particular
variant.
    #define TXN_REC_TYPE_CONTROL      1
    //
    #define TXN_REC_TYPE_TPCC        2
    // replaces TRANSACTION_TYPE_TPCC
    #define TXN_REC_TYPE_TPCC_DELIV_DEF  3

typedef struct _TXN_RECORD_HEADER
{
    JULIAN_TIME      TxnStartT0;
    // start of txn
    BYTE      TxnType;
    // one of TXN_REC_TYPE_*
    BYTE      TxnSubType;
    // depends on TxnType
} TXN_RECORD_HEADER, *PTXN_RECORD_HEADER;

typedef struct _TXN_RECORD_CONTROL
{
    // common header; must exactly
match TXN_RECORD_HEADER
    JULIAN_TIME      TxnStartT0;
    // start of txn
    BYTE      TxnType;
    // = TXN_REC_TYPE_CONTROL
    BYTE      TxnSubType;
    // depends on TxnType
    // end of common header

    DWORD      Len;
    // number of bytes after this
field
} TXN_RECORD_CONTROL, *PTXN_RECORD_CONTROL;

    // TPC-C Txn Record Layout:
    //
    // 'TxnStartT0' is a Julian timestamp
corresponding to the moment the
    // txn is sent to the SUT, i.e., beginning of
response time. Deltas
    // are in milliseconds. Note that if RTDelay > 0,
then the txn was
    // delayed by this amount. The delay occurs at
the beginning of the
    // response time. So if RTDelay > 0, then the txn
was actually sent
    // at TxnStartT0 + RTDelay.
    //
    // Graphically:
    //

```

```

    // time -->
    //
    // |--- Menu ---|--- Keying ---|--- Response ---
|--- Think ---|
    // <- DeltaT1 -> <- DeltaT2 -> <- DeltaT4 ->
<- DeltaT3 ->
    //
    //           ^ TxnStartT0
    //
    // RTDelay is the amount of response time delay
included in DeltaT4.
    // RTDelay is recorded per txn because this value
can be changed on
    // the fly, and so may vary from txn to txn.
    //
    // TxnStatus is the txn completion code. It is
used to indicate errors.
    // For example, in the New Order txn, 1% of txns
abort. TxnStatus will
    // reflect this.

typedef struct _TXN_RECORD_TPCC
{
    // common header; must exactly
match TXN_RECORD_HEADER
    JULIAN_TIME      TxnStartT0;
    // start of txn
    BYTE      TxnType;
    // = TXN_REC_TYPE_TPCC
    BYTE      TxnSubType;
    // depends on TxnType
    // end of common header

    int      DeltaT1;
    //
    int      DeltaT2;
    //
    int      DeltaT3;
    //
    int      DeltaT4;
    //
    int      RTDelay;
    //
    int      TxnError;
    // error code providing more detail for
TxnStatus
    int      w_id;
    // warehouse ID
    BYTE      d_id;
    // assigned district ID for this thread
    BYTE      d_id_ThisTxn;
    //
    BYTE      TxnStatus;
    // completion status for txn to indicate
errors
    BYTE      reserved;
    //
    TXN_DETAILS      TxnDetails;
    //
} TXN_RECORD_TPCC, *PTXN_RECORD_TPCC;

    // TPC-C Deferred Delivery Txn Record
Layout:

```

```

    //
    // Incorporating delivery transaction information
into the above
    // structure would increase the size of
TXN_DETAILS from 8 to 42 bytes.
    // Hence, we store delivery transaction details in
a separate structure.
    //
    typedef struct _TXN_RECORD_TPCC_DELIV_DEF
    {
        // common header; must exactly
match TXN_RECORD_HEADER
        JULIAN_TIME      TxnStartT0;
        // start of txn
        BYTE      TxnType;
        // = TXN_REC_TYPE_TPCC_DELIV_DEF
        BYTE      TxnSubType;
        // = 0
        // end of common header

        int      DeltaT4;
        //
        int      DeltaTxnExec;
        // execution time (ms)
        int      w_id;
        // warehouse ID
        BYTE      TxnStatus;
        // completion status for txn to indicate
errors
        BYTE      reserved;
        //
        short      o_carrier_id;
        //
        long      o_id[10];
        //
        // returned delivery transaction ids
        } TXN_RECORD_TPCC_DELIV_DEF,
        *PTXN_RECORD_TPCC_DELIV_DEF;

    #define      TXN_LOG_VERSION      2
    #define      TXN_DATA_START      4096
    // offset in log file where log
records start
    #define      TXN_LOG_EYE_CATCHER "BC"
    //
signature bytes at the start of log file

    //
    //
    //
    //
    // The transaction log has a header as the
first 4K block.
    //
    typedef struct _TXN_LOG_HEADER
    {
        char
        EyeCatcher[2];
        // signature bytes;
        // should always be "BC"
        int
        LogVersion;
        // set to
TXN_LOG_VERSION
    }

```

```

        JULIAN_TIME
        BeginTxnTS;          // timestamp
of first (lowest) txn start
        JULIAN_TIME
        EndTxnTS;          // timestamp of last
(highest) txn completion time
        int
records in log file        // number of
        iRecCount;
        BOOL
        bLogSorted;
        int
        iFileSize;        // file size
in bytes

        // the record map provides a fast
way to get close to a particular timestamp in a
sorted log file.
        struct
        {
        //
        //
        TS;          JULIAN_TIME // timestamp
of record
        //
        int
position in file        // byte
        iPos;
        }
        RecMap[RecMapSize];
#define RecMapSize
        200
        } TXN_LOG_HEADER, *PTXN_LOG_HEADER;

/* Header of the sorted pointers blocks in
Temp file (in merging). */
typedef struct BLOCK_HEADER {
        long        BlockPos;
        __int64    CurPos;
        DWORD       BytesRead;
        int         nRecords;
        BYTE        *offset; /* offset of
pointers to records in the log file */
        } BLOCK_HEADER, *PBLOCK_HEADER;

#define READ_BUFFER_SIZE        64*1024
#define WRITE_BUFFER_SIZE      8*1024

#define NUM_READ_BUFFERS        1
#define NUM_WRITE_BUFFERS      2
#define MAX_NUM_BUFFERS        2

// flags passed in to the constructor
#define TXN_LOG_WRITE            0x01
#define TXN_LOG_READ            0x02
#define TXN_LOG_SORTED          0x04
#define TXN_LOG_CRASHOPEN       0x08 //
if set, invalid headers will be tolerated; used for
recovery

#define TXN_LOG_OS_ERROR        1
#define TXN_LOG_NOT_SORTED     2

```

```

#define SKIP_CTRL_RECS        1

class CTxnLog
{
private:
        DWORD        iBufferSize;
//buffer allocated size
        DWORD        iBytesFreeInBuffer; //total bytes
available for use in buffer
        int
        iNumBuffers; //buffers in use
        int
        iActiveBuffer; //indicates which buffer is active: 0 or 1
        int
        iIoBuffer; //buffer for any pending IO operation
        int
        iFilePointer; //position in file.
        LARGE_INTEGER iFilePointer; //position in file.
        int
        iNextRec; //when reading, ordinal value of next
record

        // A "save point" is remembered
each time GetNextRecord is called with a start time
specified.
        // The next time it is called, if
start time is after the save point, we start scanning
from the
        // save point. This is
particularly useful in FindBestInterval, where the
log is scanned repeatedly.
        JULIAN_TIME
        SavePtTime;
        int
        iSavePtFilePointer;
        LARGE_INTEGER
        lSavePtFilePointer;
        int
        iSavePtNextRec;

        JULIAN_TIME        lastTS;
//when
writing sorted output, used to verify records are
sorted
        BOOL        bWrite; //writing log
file
        BOOL        bCrashOpen; // tolerate
bad headers and consistency checks
        BOOL
        bLogSorted; //
is log file sorted? applies to both input and output

```

```

        JULIAN_TIME
        BeginTxnTS;          //
timestamp of first (lowest) txn start
        JULIAN_TIME
        EndTxnTS;          // timestamp
of last (highest) txn completion time
        int
        iRecCount;          //
number of records in log file
        BYTE
        *pCurrent; //ptr to
current buffer
        BYTE
        *pBuffer[MAX_NUM_BUFFERS];
        PTXN_RECORD_HEADER *TxnArray;
//transaction record pointer
array for sort
        DWORD        dwError;
        HANDLE        hTxnFile;
//handle to log file
        HANDLE        hMapFile;
//map file used when
sorting the log
        HANDLE        hIoComplete;
//event to signify that
there are no pending IOs
        HANDLE        hLogFileIo;
//event to
signal the IO thread to write the inactive buffer
        Spinlock    Spin;
//spin lock to protect
the txn log file buffers
        FILE
        *tmpFile; //temp file for merging
sorted pieces
        PBLOCK_HEADER //sorted
        tmpHeaders; //sorted
pointers block header
        BYTE
        **recPointers; //record pointer
buffers for each sorted block
        PTXN_RECORD_HEADER *recBuffers;
//record buffers for each sorted block
        int
        *PointersRead; //# of pointers processed in each block
        BOOL        *BlockAvailable;
//whether to check a particular
block for jmin
        int
        nBlocks;
        int
        jmin;

//index (block-wise) of the lowest
timestamp record
        int
        iAvgRecordLen;
//average record length

```

```

        int
        iSortedReturnedCount;
        //keeps track of the # of sorted records
        returned through GetSortedRecord()

        int Write(BYTE *ptr, DWORD Size);
        static void LogFileIO(CTxnLog *);

        void LoadBuffers(int j);
        //used in sort/merge to load
        record buffers

        public:
                CTxnLog::CTxnLog(LPCTSTR
                szFileName, DWORD dwOpts);
                ~CTxnLog(void);

                int WriteToLog(PTXN_RECORD_TPCC
                pTxnRcprd);
                WriteToLog(PTXN_RECORD_TPCC_DELIV_DEF pTxnRcprd);
                int
                WriteToLog(PTXN_RECORD_CONTROL pCtrlRec);
                int WriteToLog(PTXN_RECORD_HEADER
                pCtrlRec);

                int WriteCtrlRecToLog(BYTE
                SubType, LPCTSTR lpStr, DWORD dwLen);

                void
                CloseTransactionLogFile(void);

                PTXN_RECORD_HEADER
                GetNextRecord(BOOL bSkipCtrlRecs = FALSE);
                PTXN_RECORD_HEADER
                GetNextRecord(JULIAN_TIME SeekTimeT0, BOOL
                bSkipCtrlRecs = FALSE);

                int Sort(void);
                PTXN_RECORD_HEADER
                GetSortedRecord();

                inline BOOL IsSorted(void) {
                return bLogSorted; };
                inline JULIAN_TIME BeginTS(void)
                { return BeginTxnTS; };
                inline JULIAN_TIME EndTS(void) {
                return EndTxnTS; };
                inline int RecordCount(void) {
                return iRecCount; };
                };

class CTXNLOG_ERR : public CBaseErr
{
        public:
                enum CTXNLOG_ERRS
                {
                        ERR_BAD_FILE_FORMAT,
                        // "File format is invalid."

```

```

                ERR_UNKNOWN_LOG_VERSION, // "Log file
                version is unknown."
                ERR_BROKEN_LOG_FILE,
                // "Log file is broken."
                ERR_LOG_NOT_SORTED,
                // "Log file is not sorted"
                ERR_INVALID_TIME_SEQ,
                // "Internal Error: Record Time
                Sequence invalid."
                };

                CTXNLOG_ERR(int iErr) :
                CBaseErr(iErr) {};

                int ErrorType() {return
                ERR_TYPE_TXNLOG;};

                char *ErrorText()
                {
                        static char *szMsgs[] =
                {
                        "File format
                is invalid.",
                        "Log file
                version is unknown.",
                        "Log file is
                broken.",
                        "Log file is
                not sorted",
                        "Internal
                Error: Record Time Sequence invalid.",
                        ""
                };

                        for(int i = 0;
                szMsgs[i][0]; i++)
                {
                        if ( m_idMsg
                == i )
                                break;
                }

                        return(szMsgs[i][0] ?
                szMsgs[i] : ERR_UNKNOWN);
                };

```

txn_base.h

```

/* FILE: TXN_BASE.H
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 *

```

```

* Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
* PURPOSE: Header file for TPC-C txn class
implementation.
*
* Change history:
* 4.20.000 - updated rev number to
match kit
*/

#pragma once

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class DllDecl CTPCC_BASE
{
        public:
                CTPCC_BASE(void) {};
                virtual ~CTPCC_BASE(void) {};

                virtual PNEW_ORDER_DATA
                BuffAddr_NewOrder() = 0;
                virtual PPAYMENT_DATA
                BuffAddr_Payment() = 0;
                virtual PDELIVERY_DATA
                BuffAddr_Delivery() = 0;
                virtual PSTOCK_LEVEL_DATA
                BuffAddr_StockLevel() = 0;
                virtual PORDER_STATUS_DATA
                BuffAddr_OrderStatus() = 0;

                virtual void NewOrder
                () = 0;
                virtual void Payment
                () = 0;
                virtual void Delivery
                () = 0;
                virtual void StockLevel
                () = 0;
                virtual void OrderStatus
                () = 0;
};

```

WEBCLNT.DSP

```

# Microsoft Developer Studio Project File -
Name="webclnt" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 5.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Application" 0x0101

```

```

CFG=webclnt - Win32 Release
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "Webclnt.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "Webclnt.mak" CFG="webclnt - Win32
Release"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "webclnt - Win32 Release" (based on "Win32
(x86) Application")
!MESSAGE "webclnt - Win32 Debug" (based on "Win32
(x86) Application")
!MESSAGE

# Begin Project
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "webclnt - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir ".\Release"
# PROP BASE Intermediate_Dir ".\Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\Release"
# PROP Intermediate_Dir ".\Release"
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /c
# ADD CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG"
/D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /win32
# ADD MTL /nologo /D "NDEBUG" /mktypelib203 /win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /machine:I386

```

```

!ELSEIF "$(CFG)" == "webclnt - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir ".\Debug"
# PROP BASE Intermediate_Dir ".\Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\Debug"
# PROP Intermediate_Dir ".\Debug"
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /c
# ADD CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32" /D
"_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /win32
# ADD MTL /nologo /D "_DEBUG" /mktypelib203 /win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /debug
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /debug
/machine:I386

!ENDIF

# Begin Target

# Name "webclnt - Win32 Release"
# Name "webclnt - Win32 Debug"
# End Target
# End Project

```

Webclnt.dsw

```

Microsoft Developer Studio Workspace File, Format
Version 6.00
# WARNING: DO NOT EDIT OR DELETE THIS WORKSPACE FILE!

#####

Project:
"db_dblib_dll"=. \db_dblib_dll\db_dblib_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}
```

```

Package=<4>
{{{
}}}

#####

Project: "db_odbc_dll"=. \db_odbc_dll\db_odbc_dll.dsp
- Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####

Project: "install"=. \install\install.dsp - Package
Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
    Begin Project Dependency
    Project_Dep_Name isapi_dll
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name tuxapp
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name db_dblib_dll
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name db_odbc_dll
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name tm_com_dll
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name tm_tuxedo_dll
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name tpcc_com_all
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name tpcc_com_ps
    End Project Dependency
}}}

#####

Project: "isapi_dll"=. \isapi_dll\isapi_dll.dsp -
Package Owner=<4>

```

```

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name db_dblib_dll
  End Project Dependency
  Begin Project Dependency
  Project_Dep_Name db_odbc_dll
  End Project Dependency
  Begin Project Dependency
  Project_Dep_Name tm_tuxedo_dll
  End Project Dependency
  Begin Project Dependency
  Project_Dep_Name tm_com_dll
  End Project Dependency
  Begin Project Dependency
  Project_Dep_Name tm_encina_dll
  End Project Dependency
}}}

#####
#####

Project: "tm_com_dll"=. \tm_com_dll\tm_com_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name tpcc_com_ps
  End Project Dependency
  Begin Project Dependency
  Project_Dep_Name tpcc_com_all
  End Project Dependency
}}}

#####
#####

Project:
"tm_encina_dll"=. \tm_encina_dll\tm_encina_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

```

```

Project:
"tm_tuxedo_dll"=. \tm_tuxedo_dll\tm_tuxedo_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

Project:
"tpcc_com_all"=. \tpcc_com_all\tpcc_com_all.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name tpcc_com_ps
  End Project Dependency
}}}

#####
#####

Project: "tpcc_com_ps"=. \tpcc_com_ps\tpcc_com_ps.dsp
- Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

Project: "tuxapp"=. \tuxapp\tuxapp.dsp - Package
Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name db_dblib_dll
  End Project Dependency
  Begin Project Dependency
  Project_Dep_Name db_odbc_dll
  End Project Dependency
}}}

```

```

#####
#####

Global:

Package=<5>
{{{
}}}

Package=<3>
{{{
}}}

#####
#####

```

delivery.h

```

/* Generated by IDL compiler version DEC DCE V2.0.0-6
*/
#ifndef _delivery_v1_0_included
#define _delivery_v1_0_included
#ifndef IDLBASE_H
#include <dce\idlbase.h>
#endif
#include <dce\rpc.h>
#include "trpc/trpc.h"

#ifdef __cplusplus
extern "C" {
#endif

#ifndef nbase_v0_0_included
#include "dce\nbase.h"
#endif
#ifndef trpcImports_v0_0_included
#include "trpc/trpcImports.h"
#endif
#ifndef mon_handle_v1_0_included
#include "tpm/mon\mon_handle.h"
#endif
#ifndef tpcc_types_v1_0_included
#include "tpcc_type.h"
#endif
#include <dce\rpcexc.h>
extern EXCEPTION encina_x_transaction_aborted;
extern EXCEPTION encina_x_server_shutdown;
extern EXCEPTION encina_x_permission_denied;
extern EXCEPTION encina_x_object_not_found;
extern EXCEPTION encina_x_empty_slot1;
extern EXCEPTION encina_x_empty_slot2;
extern EXCEPTION encina_x_empty_slot3;
extern EXCEPTION encina_x_empty_slot4;
extern EXCEPTION encina_x_empty_slot5;
extern EXCEPTION encina_x_undefined_exception;
extern void IDL_STD_STDCALL _delivery_GetApplId(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t handle,

```

```

/* [out] */ trpc_byteData_t applString,
/* [out] */ idl_ulong_int *applStringLength,
/* [out] */ trpc_byteData_t address,
/* [out] */ idl_ulong_int *addressLength,
/* [out] */ error_status_t *c_status,
/* [out] */ error_status_t *f_status
#endif
);
extern void IDL_STD_STDCALL _impTPCCDelivery(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t trpc_h,
/* [in] */ idl_long_int length,
/* [in, out] */ idl_char *dataP,
/* [in, out] */ data_header *headerP,
/* [in] */ trpc_byteData_t applAndAddress,
/* [in] */ idl_ulong_int applAndAddressLength,
/* [in] */ trpc_callbackData_t inCallbackData,
/* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
globalref mon_handle_t handle;
#if defined(__VMS) && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __save
#pragma extern_model __common_block __shr
#endif
typedef struct _delivery_v1_0_epv_t {
void ( IDL_STD_STDCALL *_delivery_GetAppId)(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t handle,
/* [out] */ trpc_byteData_t applString,
/* [out] */ idl_ulong_int *applStringLength,
/* [out] */ trpc_byteData_t address,
/* [out] */ idl_ulong_int *addressLength,
/* [out] */ error_status_t *c_status,
/* [out] */ error_status_t *f_status
#endif
);
void ( IDL_STD_STDCALL *_impTPCCDelivery)(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t trpc_h,
/* [in] */ idl_long_int length,
/* [in, out] */ idl_char *dataP,
/* [in, out] */ data_header *headerP,
/* [in] */ trpc_byteData_t applAndAddress,
/* [in] */ idl_ulong_int applAndAddressLength,
/* [in] */ trpc_callbackData_t inCallbackData,
/* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
} _delivery_v1_0_epv_t;
extern rpc_if_handle_t _delivery_v1_0_c_ifspec;
extern rpc_if_handle_t _delivery_v1_0_s_ifspec;
#if defined(__VMS) && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __restore
#endif

#ifdef __cplusplus
}
#else
#endif

```

```

#endif



---



## neworder.h



---


/* Generated by IDL compiler version DEC DCE V2.0.0-6
*/
#ifdef _neworder_v1_0_included
#define _neworder_v1_0_included
#ifdef IDLBASE_H
#include <dce\idlbase.h>
#endif
#include <dce\rpc.h>
#include "trpc/trpc.h"

#ifdef __cplusplus
extern "C" {
#endif

#ifdef nbase_v0_0_included
#include "dce\nbase.h"
#endif
#ifdef trpcImports_v0_0_included
#include "trpc\trpcImports.h"
#endif
#ifdef mon_handle_v1_0_included
#include "tpm\mon\mon_handle.h"
#endif
#ifdef tpcc_types_v1_0_included
#include "tpcc_type.h"
#endif
#include <dce\rpcexc.h>
extern EXCEPTION encina_x_transaction_aborted;
extern EXCEPTION encina_x_server_shutdown;
extern EXCEPTION encina_x_permission_denied;
extern EXCEPTION encina_x_object_not_found;
extern EXCEPTION encina_x_empty_slot1;
extern EXCEPTION encina_x_empty_slot2;
extern EXCEPTION encina_x_empty_slot3;
extern EXCEPTION encina_x_empty_slot4;
extern EXCEPTION encina_x_empty_slot5;
extern EXCEPTION encina_x_undefined_exception;
extern void IDL_STD_STDCALL _neworder_GetAppId(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t handle,
/* [out] */ trpc_byteData_t applString,
/* [out] */ idl_ulong_int *applStringLength,
/* [out] */ trpc_byteData_t address,
/* [out] */ idl_ulong_int *addressLength,
/* [out] */ error_status_t *c_status,
/* [out] */ error_status_t *f_status
#endif
);
extern void IDL_STD_STDCALL _impTPCCNewOrder(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t trpc_h,
/* [in] */ idl_long_int length,
/* [in, out] */ idl_char *dataP,
/* [in, out] */ data_header *headerP,
/* [in] */ trpc_byteData_t applAndAddress,
/* [in] */ idl_ulong_int applAndAddressLength,
/* [in] */ trpc_callbackData_t inCallbackData,
/* [in] */ idl_ulong_int numOfInCallbackData
#endif
);

```

```

/* [in] */ trpc_callbackData_t inCallbackData,
/* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
extern void IDL_STD_STDCALL _impTPCCNOInfo(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t trpc_h,
/* [out] */ dbInfo_data_t *dataP,
/* [in] */ trpc_byteData_t applAndAddress,
/* [in] */ idl_ulong_int applAndAddressLength,
/* [in] */ trpc_callbackData_t inCallbackData,
/* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
globalref mon_handle_t handle;
#if defined(__VMS) && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __save
#pragma extern_model __common_block __shr
#endif
typedef struct _neworder_v1_0_epv_t {
void ( IDL_STD_STDCALL *_neworder_GetAppId)(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t handle,
/* [out] */ trpc_byteData_t applString,
/* [out] */ idl_ulong_int *applStringLength,
/* [out] */ trpc_byteData_t address,
/* [out] */ idl_ulong_int *addressLength,
/* [out] */ error_status_t *c_status,
/* [out] */ error_status_t *f_status
#endif
);
void ( IDL_STD_STDCALL *_impTPCCNewOrder)(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t trpc_h,
/* [in] */ idl_long_int length,
/* [in, out] */ idl_char *dataP,
/* [in, out] */ data_header *headerP,
/* [in] */ trpc_byteData_t applAndAddress,
/* [in] */ idl_ulong_int applAndAddressLength,
/* [in] */ trpc_callbackData_t inCallbackData,
/* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
void ( IDL_STD_STDCALL *_impTPCCNOInfo)(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t trpc_h,
/* [out] */ dbInfo_data_t *dataP,
/* [in] */ trpc_byteData_t applAndAddress,
/* [in] */ idl_ulong_int applAndAddressLength,
/* [in] */ trpc_callbackData_t inCallbackData,
/* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
extern rpc_if_handle_t _neworder_v1_0_c_ifspec;
extern rpc_if_handle_t _neworder_v1_0_s_ifspec;
#if defined(__VMS) && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __restore
#endif

#ifdef __cplusplus

```

```

}
#else
#endif
#endif

```

orderstatus.h

```

/* Generated by IDL compiler version DEC DCE V2.0.0-6
*/
#ifndef _orderstatus_v1_0_included
#define _orderstatus_v1_0_included
#ifndef IDLBASE_H
#include <dce\idlbase.h>
#endif
#include <dce\rpc.h>
#include "trpc/trpc.h"

#ifdef __cplusplus
extern "C" {
#endif

#ifndef nbase_v0_0_included
#include "dce\nbase.h"
#endif
#ifndef trpcImports_v0_0_included
#include "trpc\trpcImports.h"
#endif
#ifndef mon_handle_v1_0_included
#include "tpm\mon\mon_handle.h"
#endif
#ifndef tpcc_types_v1_0_included
#include "tpcc_type.h"
#endif
#include <dce\rpcexc.h>
extern EXCEPTION encina_x_transaction_aborted;
extern EXCEPTION encina_x_server_shutdown;
extern EXCEPTION encina_x_permission_denied;
extern EXCEPTION encina_x_object_not_found;
extern EXCEPTION encina_x_empty_slot1;
extern EXCEPTION encina_x_empty_slot2;
extern EXCEPTION encina_x_empty_slot3;
extern EXCEPTION encina_x_empty_slot4;
extern EXCEPTION encina_x_empty_slot5;
extern EXCEPTION encina_x_undefined_exception;
extern void IDL_STD_STDCALL _orderstatus_GetApplId(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t handle,
/* [out] */ trpc_byteData_t applString,
/* [out] */ idl_ulong_int *applStringLength,
/* [out] */ trpc_byteData_t address,
/* [out] */ idl_ulong_int *addressLength,
/* [out] */ error_status_t *c_status,
/* [out] */ error_status_t *f_status
#endif
);
extern void IDL_STD_STDCALL _impTPCCOrderStatus(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t trpc_h,
/* [in] */ idl_long_int length,

```

```

/* [in, out] */ idl_char *dataP,
/* [in, out] */ data_header *headerP,
/* [in] */ trpc_byteData_t applAndAddress,
/* [in] */ idl_ulong_int applAndAddressLength,
/* [in] */ trpc_callbackData_t inCallbackData,
/* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
globalref mon_handle_t handle;
#if defined(__VMS) && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __save
#pragma extern_model __common_block __shr
#endif
typedef struct _orderstatus_v1_0_epv_t {
void ( IDL_STD_STDCALL *_orderstatus_GetApplId) (
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t handle,
/* [out] */ trpc_byteData_t applString,
/* [out] */ idl_ulong_int *applStringLength,
/* [out] */ trpc_byteData_t address,
/* [out] */ idl_ulong_int *addressLength,
/* [out] */ error_status_t *c_status,
/* [out] */ error_status_t *f_status
#endif
);
void ( IDL_STD_STDCALL *_impTPCCOrderStatus) (
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t trpc_h,
/* [in] */ idl_long_int length,
/* [in, out] */ idl_char *dataP,
/* [in, out] */ data_header *headerP,
/* [in] */ trpc_byteData_t applAndAddress,
/* [in] */ idl_ulong_int applAndAddressLength,
/* [in] */ trpc_callbackData_t inCallbackData,
/* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
} _orderstatus_v1_0_epv_t;
extern rpc_if_handle_t _orderstatus_v1_0_c_ifspec;
extern rpc_if_handle_t _orderstatus_v1_0_s_ifspec;
#if defined(__VMS) && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __restore
#endif

#ifdef __cplusplus
}
#endif
#else
#endif
#endif

```

payment.h

```

/* Generated by IDL compiler version DEC DCE V2.0.0-6
*/
#ifndef _payment_v1_0_included
#define _payment_v1_0_included
#ifndef IDLBASE_H

```

```

#include <dce\idlbase.h>
#endif
#include <dce\rpc.h>
#include "trpc/trpc.h"

#ifdef __cplusplus
extern "C" {
#endif

#ifndef nbase_v0_0_included
#include "dce\nbase.h"
#endif
#ifndef trpcImports_v0_0_included
#include "trpc\trpcImports.h"
#endif
#ifndef mon_handle_v1_0_included
#include "tpm\mon\mon_handle.h"
#endif
#ifndef tpcc_types_v1_0_included
#include "tpcc_type.h"
#endif
#include <dce\rpcexc.h>
extern EXCEPTION encina_x_transaction_aborted;
extern EXCEPTION encina_x_server_shutdown;
extern EXCEPTION encina_x_permission_denied;
extern EXCEPTION encina_x_object_not_found;
extern EXCEPTION encina_x_empty_slot1;
extern EXCEPTION encina_x_empty_slot2;
extern EXCEPTION encina_x_empty_slot3;
extern EXCEPTION encina_x_empty_slot4;
extern EXCEPTION encina_x_empty_slot5;
extern EXCEPTION encina_x_undefined_exception;
extern void IDL_STD_STDCALL _payment_GetApplId(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t handle,
/* [out] */ trpc_byteData_t applString,
/* [out] */ idl_ulong_int *applStringLength,
/* [out] */ trpc_byteData_t address,
/* [out] */ idl_ulong_int *addressLength,
/* [out] */ error_status_t *c_status,
/* [out] */ error_status_t *f_status
#endif
);
extern void IDL_STD_STDCALL _impTPCCPayment(
#ifdef IDL_PROTOTYPES
/* [in] */ handle_t trpc_h,
/* [in] */ idl_long_int length,
/* [in, out] */ idl_char *dataP,
/* [in, out] */ data_header *headerP,
/* [in] */ trpc_byteData_t applAndAddress,
/* [in] */ idl_ulong_int applAndAddressLength,
/* [in] */ trpc_callbackData_t inCallbackData,
/* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
globalref mon_handle_t handle;
#if defined(__VMS) && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __save
#pragma extern_model __common_block __shr
#endif
typedef struct _payment_v1_0_epv_t {
void ( IDL_STD_STDCALL *_payment_GetApplId) (

```

```

#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t handle,
    /* [out] */ trpc_byteData_t applString,
    /* [out] */ idl_ulong_int *applStringLength,
    /* [out] */ trpc_byteData_t address,
    /* [out] */ idl_ulong_int *addressLength,
    /* [out] */ error_status_t *c_status,
    /* [out] */ error_status_t *f_status
#endif
);
void ( IDL_STD_STDCALL *_impTPCCPayment)(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t trpc_h,
    /* [in] */ idl_long_int length,
    /* [in, out] */ idl_char *dataP,
    /* [in, out] */ data_header *headerP,
    /* [in] */ trpc_byteData_t applAndAddress,
    /* [in] */ idl_ulong_int applAndAddressLength,
    /* [in] */ trpc_callbackData_t inCallbackData,
    /* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
) _payment_v1_0_epv_t;
extern rpc_if_handle_t _payment_v1_0_c_ifspec;
extern rpc_if_handle_t _payment_v1_0_s_ifspec;
#if defined(__VMS) && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __restore
#endif

#ifdef __cplusplus
}
#else
#endif
#endif


```

stocklevel.h

```

/* Generated by IDL compiler version DEC DCE V2.0.0-6
*/
#ifdef _stocklevel_v1_0_included
#define _stocklevel_v1_0_included
#endif
#ifdef IDLBASE_H
#include <dce\idlbase.h>
#endif
#include <dce\rpc.h>
#include "trpc/trpc.h"

#ifdef __cplusplus
extern "C" {
#endif

#ifdef nbase_v0_0_included
#include "dce\nbase.h"
#endif
#include trpcImports_v0_0_included
#include "trpc\trpcImports.h"
#endif
#include mon_handle_v1_0_included

```

```

#include "tpm/mon\mon_handle.h"
#endif
#ifdef tpcc_types_v1_0_included
#include "tpcc_type.h"
#endif
#include <dce\rpcexc.h>
extern EXCEPTION encina_x_transaction_aborted;
extern EXCEPTION encina_x_server_shutdown;
extern EXCEPTION encina_x_permission_denied;
extern EXCEPTION encina_x_object_not_found;
extern EXCEPTION encina_x_empty_slot1;
extern EXCEPTION encina_x_empty_slot2;
extern EXCEPTION encina_x_empty_slot3;
extern EXCEPTION encina_x_empty_slot4;
extern EXCEPTION encina_x_empty_slot5;
extern EXCEPTION encina_x_undefined_exception;
extern void IDL_STD_STDCALL _stocklevel_GetApplId(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t handle,
    /* [out] */ trpc_byteData_t applString,
    /* [out] */ idl_ulong_int *applStringLength,
    /* [out] */ trpc_byteData_t address,
    /* [out] */ idl_ulong_int *addressLength,
    /* [out] */ error_status_t *c_status,
    /* [out] */ error_status_t *f_status
#endif
);
extern void IDL_STD_STDCALL _impTPCCStockLevel(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t trpc_h,
    /* [in] */ idl_long_int length,
    /* [in, out] */ idl_char *dataP,
    /* [in, out] */ data_header *headerP,
    /* [in] */ trpc_byteData_t applAndAddress,
    /* [in] */ idl_ulong_int applAndAddressLength,
    /* [in] */ trpc_callbackData_t inCallbackData,
    /* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
globalref mon_handle_t handle;
#if defined(__VMS) && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __save
#pragma extern_model __common_block __shr
#endif
typedef struct _stocklevel_v1_0_epv_t {
void ( IDL_STD_STDCALL *_stocklevel_GetApplId)(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t handle,
    /* [out] */ trpc_byteData_t applString,
    /* [out] */ idl_ulong_int *applStringLength,
    /* [out] */ trpc_byteData_t address,
    /* [out] */ idl_ulong_int *addressLength,
    /* [out] */ error_status_t *c_status,
    /* [out] */ error_status_t *f_status
#endif
);
);
void ( IDL_STD_STDCALL *_impTPCCStockLevel)(
#ifdef IDL_PROTOTYPES
    /* [in] */ handle_t trpc_h,
    /* [in] */ idl_long_int length,
    /* [in, out] */ idl_char *dataP,
    /* [in, out] */ data_header *headerP,

```

```

    /* [in] */ trpc_byteData_t applAndAddress,
    /* [in] */ idl_ulong_int applAndAddressLength,
    /* [in] */ trpc_callbackData_t inCallbackData,
    /* [in] */ idl_ulong_int numOfInCallbackData
#endif
);
) _stocklevel_v1_0_epv_t;
extern rpc_if_handle_t _stocklevel_v1_0_c_ifspec;
extern rpc_if_handle_t _stocklevel_v1_0_s_ifspec;
#if defined(__VMS) && (defined(__DECC) ||
defined(__cplusplus))
#pragma extern_model __restore
#endif

#ifdef __cplusplus
}
#else
#endif
#endif

```

Appendix B: Database Design

The TPC-C database was created with the following Transact-SQL scripts:

backup.sql

```
-- File:      BACKUP.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates backup of tpcc database
```

```
declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)
```

```
dump database tpcc to tpccback1, tpccback2,
tpccback3, tpccback4, tpccback5 with init, stats = 1
```

```
select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)
```

```
go
```

backupdev.sql

```
-- File:      BACKUPDEVB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates tpcc database Backup Devices
```

```
use master
go
```

```
-- create backup devices
```

```
exec sp_addumpdevice
'disk','tpccback1','V:\tpccback1.dmp'
go
```

```
exec sp_addumpdevice
'disk','tpccback2','W:\tpccback2.dmp'
go
exec sp_addumpdevice
'disk','tpccback3','X:\tpccback3.dmp'
go
exec sp_addumpdevice
'disk','tpccback4','Y:\tpccback4.dmp'
go
exec sp_addumpdevice
'disk','tpccback5','Z:\tpccback5.dmp'
go
```

config.sql

```
-- File:      CONFIG.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.00
--           Copyright Microsoft, 1996
-- Purpose:   Collects SQL Server configuration
parameters
```

```
print " "
select convert(char(30), getdate(),9)
print " "
go
```

```
sp_configure "show advanced",1
go
reconfigure with override
```

```
go
exec sp_configure "affinity mask",          3
exec sp_configure "cost threshold for parallelism",
5
exec sp_configure "index create memory",    704
exec sp_configure "lightweight pooling",    1
exec sp_configure "awe enabled",           1
exec sp_configure "locks",                  0
exec sp_configure "max degree of parallelism", 1
exec sp_configure "max server memory",     2147483647
exec sp_configure "max worker threads",     400
exec sp_configure "min memory per query",   512
exec sp_configure "min server memory",     0
exec sp_configure "nested triggers",        1
exec sp_configure "network packet size",   2048
exec sp_configure "open objects",          0
exec sp_configure "priority boost",        1
exec sp_configure "recovery interval",     116
exec sp_configure "set working set size",  0
exec sp_configure "user connections",      0
```

```
go
```

```
reconfigure with override
go
sp_configure
go
```

createdb.sql

```
-- File:      CREATEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates tpcc database and backup files
for 5760 warehouses
```

```
use master
go
```

```
-- Create temporary table for timing
```

```
if exists ( select name from sysobjects where name =
'tpcc_timer' )
drop table tpcc_timer
```

```
go
```

```
create table tpcc_timer
```

```
(
start_date
char(30),
end_date
char(30)
)
```

```
insert into tpcc_timer values (0,0)
go
```

```
-- Store starting time
```

```
update tpcc_timer
set start_date = (select
convert(char(30), getdate(),9))
go
```

```
-- create main database files
```

```
CREATE DATABASE tpcc
ON PRIMARY
```

```
(
NAME = MSSQL_tpcc_root,
FILENAME = "C:\MSSQL_tpcc_root.mdf",
SIZE = 8MB,
FILEGROWTH = 0),
```

```
FILEGROUP MSSQL_cs_fg
```

```
(
NAME = MSSQL_cs1,
FILENAME = "F:",
SIZE = 51050MB,
FILEGROWTH = 0),
```

```
(
NAME = MSSQL_cs2,
FILENAME = "G:",
SIZE = 51050MB,
FILEGROWTH = 0),
```

```
(
NAME = MSSQL_cs3,
FILENAME = "H:",
SIZE = 51050MB,
FILEGROWTH = 0),
```

```
(
NAME = MSSQL_cs4,
FILENAME = "I:",
```

```

        SIZE                = 51050MB,
        FILEGROWTH          = 0),

FILEGROUP MSSQL_misc_fg
(
    NAME                    = MSSQL_misc1,
    FILENAME = "J:",
    SIZE                    = 99150MB,
    FILEGROWTH              = 0)

LOG ON
(
    NAME                    =MSSQL_tpcc_log,
    FILENAME = "E:",
    SIZE                    =138850MB,
    FILEGROWTH              =0)

-- Store ending time
update tpcc_timer
set end_date = (select convert(char(30),
getdate(),9))
go

select "Elapsed time (in seconds): ",
datediff(second,(select start_date from
tpcc_timer),(select end_date from tpcc_timer))

-- remove temporary table

if exists ( select name from sysobjects where name =
'tpcc_timer' )
drop table tpcc_timer
go

```

dbopt1.sql

```

-- File:      DBOPT1.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Sets database options for data load

use master
go

exec sp_dboption tpcc,'select into/bulkcopy',true
exec sp_dboption tpcc,'trunc. log on chkpt.',true
go

use tpcc
go

checkpoint
go

```

dbopt2.sql

```

-- File:      DBOPT2.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Resets database options after data load

sp_dboption tpcc,'select into/bulkcopy',FALSE
GO

sp_dboption tpcc,'trunc. log on chkpt.',FALSE
GO

USE tpcc
GO

CHECKPOINT
GO

sp_configure 'allow updates',1
GO

RECONFIGURE WITH OVERRIDE
GO

DECLARE @msg          varchar(50)

--
-- OPTIONS FOR SQL SERVER 8.0
-- Set option values for user-defined indexes
--
SET @msg = ' '
PRINT @msg
SET @msg = 'Setting SQL Server
indexoptions'
PRINT @msg
SET @msg = ' '
PRINT @msg

EXEC sp_indexoption 'customer',
'DisAllowPageLocks', TRUE
EXEC sp_indexoption 'district',
'DisAllowPageLocks', TRUE
EXEC sp_indexoption 'warehouse',
'DisAllowPageLocks', TRUE
EXEC sp_indexoption 'stock', 'DisAllowPageLocks',
TRUE
EXEC sp_indexoption 'order_line',
'DisAllowRowLocks', TRUE
EXEC sp_indexoption 'orders', 'DisAllowRowLocks',
TRUE
EXEC sp_indexoption 'new_order',
'DisAllowRowLocks', TRUE
EXEC sp_indexoption 'item',
'DisAllowRowLocks', TRUE
EXEC sp_indexoption 'item',
'DisAllowPageLocks', TRUE
GO

Print ' '

```

```

Print '*****'
Print 'Pre-specified Locking Hierarchy:'
Print ' Lockflag = 0 ==> No pre-specified
hierarchy'
Print ' Lockflag = 1 ==> Lock at Page-level then
Table-level'
Print ' Lockflag = 2 ==> Lock at Row-level then
Table-level'
Print ' Lockflag = 3 ==> Lock at Table-level'
Print ' '

SELECT name,lockflags
FROM sysindexes
WHERE object_id('warehouse') = id OR
object_id('district') = id OR
object_id('customer') = id OR
object_id('stock') = id OR
object_id('orders') = id OR
object_id('order_line') = id OR
object_id('history') = id OR
object_id('new_order') = id OR
object_id('item') = id

ORDER BY lockflags asc
GO

sp_configure 'allow updates',0
GO

RECONFIGURE WITH OVERRIDE
GO

EXEC sp_dboption tpcc, 'auto update
statistics', FALSE
EXEC sp_dboption tpcc, 'auto create
statistics', FALSE
GO

EXEC sp_tableoption 'district',
'pintable',true
EXEC sp_tableoption 'warehouse',
'pintable',true
EXEC sp_tableoption 'new_order',
'pintable',true
EXEC sp_tableoption 'item',
'pintable',true
GO

delivery.sql

-- File:      DELIVERY.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates delivery transaction stored
procedure
--
-- Interface Level: 4.10.000

use tpcc
go

```

```

if exists (select name from sysobjects where name =
"tpcc_delivery" )
    drop procedure tpcc_delivery
go
create proc tpcc_delivery    @w_id
smallint,
                                @o_carrier_id
smallint
as
declare @d_id    tinyint,
        @o_id    int,
        @c_id    int,
        @total   numeric(12,2),
        @oid1    int,
        @oid2    int,
        @oid3    int,
        @oid4    int,
        @oid5    int,
        @oid6    int,
        @oid7    int,
        @oid8    int,
        @oid9    int,
        @oid10   int
select @d_id = 0
begin tran d
    while (@d_id < 10)
    begin
        select    @d_id = @d_id + 1,
                  @total = 0,
                  @o_id = 0
        select    top 1
                  @o_id    = no_o_id
        from      new_order (serializable)
        updown)
        where     no_w_id    = @w_id and
                  no_d_id    = @d_id
        order    by no_o_id asc
        if (@@rowcount > 0)
        begin
            -- claim the order for this district
            delete    new_order
            where     no_w_id =
            @w_id and
            @d_id and
            @o_id
            -- set carrier_id on this order (and get customer
            id)

```

```

update    orders
set       o_carrier_id
        = @o_carrier_id,
        @c_id
        = o_c_id
    where  o_w_id
        = @w_id and
        o_d_id
        = @d_id and
        o_id
        = @o_id
-- set date in all lineitems for this order (and sum
amounts)
update    order_line
set       ol_delivery_d
        = getdate(),
        @total
        = @total + ol_amount
    where  ol_w_id
        = @w_id and
        ol_d_id
        = @d_id and
        ol_o_id
        = @o_id
-- accumulate lineitem amounts for this order into
customer
update    customer
set       c_balance =
c_balance + @total,
        c_delivery_cnt
        = c_delivery_cnt + 1
    where  c_w_id
        = @w_id and
        c_d_id
        = @d_id and
        c_id
        = @c_id
end
select @oid1 = case @d_id when 1 then
@o_id else @oid1 end,
        @oid2 = case @d_id when 2 then @o_id
else @oid2 end,
        @oid3 = case @d_id when 3 then @o_id
else @oid3 end,
        @oid4 = case @d_id when 4 then @o_id
else @oid4 end,
        @oid5 = case @d_id when 5 then @o_id
else @oid5 end,
        @oid6 = case @d_id when 6 then @o_id
else @oid6 end,
        @oid7 = case @d_id when 7 then @o_id
else @oid7 end,
        @oid8 = case @d_id when 8 then @o_id
else @oid8 end,
        @oid9 = case @d_id when 9 then @o_id
else @oid9 end,

```

```

        @oid10 = case @d_id when 10 then @o_id
else @oid10 end
end
commit tran d
-- return delivery data to client
select @oid1,
        @oid2,
        @oid3,
        @oid4,
        @oid5,
        @oid6,
        @oid7,
        @oid8,
        @oid9,
        @oid10
go

```

getargs.c

```

// File: GETARGS.C
// Microsoft
TPC-C Kit Ver. 4.22
// Copyright
Microsoft, 1996, 1997, 1998, 1999, 2000, 2001
// Purpose: Source file for command line
processing

// Includes
#include "tpcc.h"

//=====
//
// Function name: GetArgsLoader
//
//=====

void GetArgsLoader(int argc, char **argv,
TPCCLDR_ARGS *pargs)
{
    int    i;
    char *ptr;

#ifdef DEBUG
    printf("[%ld]DBG: Entering GetArgsLoader()\n",
(int) GetCurrentThreadId());
#endif

    /* init args struct with some useful values */
    pargs->server    = SERVER;
    pargs->user       = USER;
    pargs->password   = PASSWORD;
    pargs->database   = DATABASE;

```

```

    pargs->batch = BATCH;
    pargs->num_warehouses = UNDEF;
    pargs->tables_all =
TRUE;
    pargs->table_item =
FALSE;
    pargs->table_warehouse =
FALSE;
    pargs->table_customer =
FALSE;
    pargs->table_orders =
FALSE;
    pargs->loader_res_file =
LOADER_RES_FILE;
    pargs->pack_size =
DEFLDPACKSIZE;
    pargs->starting_warehouse =
DEF_STARTING_WAREHOUSE;
    pargs->build_index =
BUILD_INDEX;
    pargs->index_order =
INDEX_ORDER;
    pargs->index_script_path =
INDEX_SCRIPT_PATH;
    pargs->scale_down =
SCALE_DOWN;

    /* check for zero command line args */
    if ( argc == 1 )
        GetArgsLoaderUsage();

    for ( i = 1; i < argc; ++i)
    {
        if (argv[i][0] != '/' &&
argv[i][0] != '/')
        {
            printf("\nUnrecognized command");
            GetArgsLoaderUsage();
            exit(1);
        }

        ptr = argv[i];

        switch (ptr[1])
        {
            case 'h': /* Fall through */
            case 'H':

                GetArgsLoaderUsage();
                break;

            case 'D':
                pargs->
>database = ptr+2;
                break;

            case 'P':
                pargs->
>password = ptr+2;
                break;

            case 'S':

```

```

                pargs->server
                = ptr+2;
                break;

            case 'U':
                pargs->user =
                ptr+2;
                break;

            case 'b':
                pargs->batch
                = atol(ptr+2);
                break;

            case 'W':
                pargs->
>num_warehouses = atol(ptr+2);
                break;

            case 's':
                pargs->
>starting_warehouse = atol(ptr+2);
                break;

            case 't':
                {
                    pargs->tables_all = FALSE;
                    if
                    (strcmp(ptr+2,"item") == 0)

                        pargs->table_item = TRUE;

                    else if (strcmp(ptr+2,"warehouse") == 0)

                        pargs->table_warehouse = TRUE;

                    else if (strcmp(ptr+2,"customer") == 0)

                        pargs->table_customer = TRUE;

                    else if (strcmp(ptr+2,"orders") == 0)

                        pargs->table_orders = TRUE;

                    else
                {
                    printf("\nUnrecognized command");
                    GetArgsLoaderUsage();
                    exit(1);
                }

                break;

            case 'f':
                pargs->
>loader_res_file = ptr+2;
                break;

```

```

                case 'p':
                    pargs->
>pack_size = atol(ptr+2);
                    break;

                case 'i':
                    pargs->
>build_index = atol(ptr+2);
                    break;

                case 'o':
                    pargs->
>index_order = atol(ptr+2);
                    break;

                case 'c':
                    pargs->
>scale_down = atol(ptr+2);
                    break;

                case 'd':
                    pargs->
>index_script_path = ptr+2;
                    break;

                default:
                    GetArgsLoaderUsage();
                    exit(-1);
                    break;
            }

        }

        /* check for required args */
        if (pargs->num_warehouses == UNDEF )
        {
            printf("Number of Warehouses is
required\n");
            exit(-2);
        }

        return;
    }

    //=====
    //
    // Function name: GetArgsLoaderUsage
    //
    //=====
    void GetArgsLoaderUsage()
    {
        #ifdef DEBUG
            printf("[%d]DBG: Entering
GetArgsLoaderUsage()\n", (int) GetCurrentThreadId());
        #endif

        printf("TPCCCLR:\n\n");

```

```

        printf("Parameter
Default\n");
        printf("-----\n");
        printf("-W Number of Warehouses to Load
Required \n");
        printf("-S Server
%s\n", SERVER);
        printf("-U Username
%s\n", USER);
        printf("-P Password
%s\n", PASSWORD);
        printf("-D Database
%s\n", DATABASE);
        printf("-b Batch Size
%d\n", (long) BATCH);
        printf("-p TDS packet size
%d\n", (long) DEF_LDPACKSIZE);
        printf("-f Loader Results Output Filename
%s\n", LOADER_RES_FILE);
        printf("-s Starting Warehouse
%d\n", (long) DEF_STARTING_WAREHOUSE);
        printf("-i Build Option (data = 0, data and
index = 1)
        %d\n", (long) BUILD_INDEX);
        printf("-o Cluster Index Build Order
(before = 1, after = 0) %d\n", (long) INDEX_ORDER);
        printf("-c Build Scaled Database (normal =
0, tiny = 1)
        %d\n", (long) SCALE_DOWN);
        printf("-d Index Script Path
%s\n", INDEX_SCRIPT_PATH);
        printf("-t Table to Load
all tables \n");
        printf(" [item|warehouse|customer|orders]\n");
        printf(" Notes: \n");
        printf(" - the '-t' parameter may be included
multiple times to \n");
        printf(" specify multiple tables to be
loaded \n");
        printf(" - 'item' loads ITEM table \n");
        printf(" - 'warehouse' loads WAREHOUSE,
DISTRICT, and STOCK tables \n");
        printf(" - 'customer' loads CUSTOMER and
HISTORY tables \n");
        printf(" - 'orders' load NEW-ORDER, ORDERS,
ORDER-LINE tables \n");

        printf("\nNote: Command line switches are
case sensitive.\n");

        exit(0);
}

```

idxcuscl.sql

```

-- File:      IDXCUSCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001

```

```

-- Purpose:  Creates clustered index on customer
table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name =
'customer_c1' )
        drop index customer.customer_c1

create unique clustered index customer_c1 on
customer(c_w_id, c_d_id, c_id)
        on MSSQL_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

go

```

idxcusnc.sql

```

-- File:      IDXCUSNC.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates non-clustered index on customer
table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name =
'customer_nc1' )
        drop index customer.customer_nc1

create unique nonclustered index customer_nc1 on
customer(c_w_id, c_d_id, c_last, c_first, c_id)
        on MSSQL_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

```

go

idxdiscl.sql

```

-- File:      IDXDISCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on district
table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name =
'district_c1' )
        drop index district.district_c1

create unique clustered index district_c1 on
district(d_w_id, d_id)
        with fillfactor=100 on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

go

```

idxitmcl.sql

```

-- File:      IDXITMCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on item table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name =
'item_c1' )

```

```

drop index item.item_cl

create unique clustered index item_cl on item(i_id)
on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

go

```

idxnodcl.sql

```

-- File:      IDXNODCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on new_order
table

```

```

use tpcc
go

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert (varchar(30),@startdate,9)

```

```

if exists ( select name from sysindexes where name =
'new_order_cl' )
drop index new_order.new_order_cl

```

```

create unique clustered index new_order_cl on
new_order(no_w_id, no_d_id, no_o_id)
on MSSQL_misc_fg

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

```

```

go

```

idxodlcl.sql

```

-- File:      IDXODLCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on order_line
table

```

```

use tpcc
go

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert (varchar(30),@startdate,9)

```

```

if exists ( select name from sysindexes where name =
'order_line_cl' )
drop index order_line.order_line_cl

```

```

create unique clustered index order_line_cl on
order_line(ol_w_id, ol_d_id, ol_o_id, ol_number)
on MSSQL_misc_fg

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

```

```

go

```

idxordcl.sql

```

-- File:      IDXORDCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on orders table

```

```

use tpcc
go

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert (varchar(30),@startdate,9)

```

```

if exists ( select name from sysindexes where name =
'orders_cl' )
drop index orders.orders_cl

```

```

create unique clustered index orders_cl on
orders(o_w_id, o_d_id, o_id)
on MSSQL_misc_fg

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

```

```

go

```

idxordnc.sql

```

-- File:      IDXORDNC.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates non-clustered index on orders
table

```

```

use tpcc
go

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert (varchar(30),@startdate,9)

```

```

if exists ( select name from sysindexes where name =
'orders_nc1' )
drop index orders.orders_nc1

```

```

create index orders_nc1 on orders(o_w_id, o_d_id,
o_c_id, o_id)
on MSSQL_misc_fg

```

```

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

```

```

go

```

idxstkcl.sql

```

-- File:      IDXSTKCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on stock table

```

```

use tpcc
go

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert (varchar(30),@startdate,9)

```

```

if exists ( select name from sysindexes where name =
'stock_cl' )
drop index stock.stock_cl

```

```

create unique clustered index stock_cl on
stock(s_i_id, s_w_id)
on MSSQL_cs_fg

```

```

select @enddate = getdate()

```

```
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)
```

```
go
```

idxwarcl.sql

```
-- File:      IDXWARCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on warehouse
table
```

```
use tpcc
go
```

```
declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert(varchar(30),@startdate,9)
```

```
if exists ( select name from sysindexes where name =
'warehouse_c1' )
drop index warehouse.warehouse_c1
```

```
create unique clustered index warehouse_c1 on
warehouse(w_id)
with fillfactor=100 on MSSQL_misc_fg
```

```
select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)
```

```
go
```

neword.sql

```
-- File:      NEWORD.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates new order transaction stored
procedure
--           Interface Level: 4.10.000
```

```
use tpcc
go
```

```
if exists ( select name from sysobjects where name =
"tpcc_neworder" )
drop procedure tpcc_neworder
```

```
go
```

```
create proc tpcc_neworder
```

```
    @w_id          smallint,
    @d_id          tinyint,
    @c_id          int,
    @o_ol_cnt      tinyint,
    @o_all_local   tinyint,
    @i_id1 int = 0, @s_w_id1 smallint = 0,
@ol_qty1
smallint = 0,
    @i_id2 int = 0, @s_w_id2 smallint = 0,
@ol_qty2
smallint = 0,
    @i_id3 int = 0, @s_w_id3 smallint = 0,
@ol_qty3
smallint = 0,
    @i_id4 int = 0, @s_w_id4 smallint = 0,
@ol_qty4
smallint = 0,
    @i_id5 int = 0, @s_w_id5 smallint = 0,
@ol_qty5
smallint = 0,
    @i_id6 int = 0, @s_w_id6 smallint = 0,
@ol_qty6
smallint = 0,
    @i_id7 int = 0, @s_w_id7 smallint = 0,
@ol_qty7
smallint = 0,
    @i_id8 int = 0, @s_w_id8 smallint = 0,
@ol_qty8
smallint = 0,
    @i_id9 int = 0, @s_w_id9 smallint = 0,
@ol_qty9
smallint = 0,
    @i_id10 int = 0, @s_w_id10 smallint = 0,
@ol_qty10
smallint = 0,
    @i_id11 int = 0, @s_w_id11 smallint = 0,
@ol_qty11
smallint = 0,
    @i_id12 int = 0, @s_w_id12 smallint = 0,
@ol_qty12
smallint = 0,
    @i_id13 int = 0, @s_w_id13 smallint = 0,
@ol_qty13
smallint = 0,
    @i_id14 int = 0, @s_w_id14 smallint = 0,
@ol_qty14
smallint = 0,
    @i_id15 int = 0, @s_w_id15 smallint = 0,
@ol_qty15
smallint = 0
```

```
as
declare @w_tax          numeric(4,4),
```

```
@d_tax          numeric(4,4),
@c_last        char(16),
@c_credit      char(2),
@c_discount    numeric(4,4),
@i_price       numeric(5,2),
@i_name        char(24),
@i_data        char(50),
@o_entry_d     datetime,
@remote_flag   int,
@s_quantity    smallint,
@s_data        char(50),
@s_dist        char(24),
@li_no         int,
@o_id          int,
@commit_flag   tinyint,
@li_id         int,
@li_s_w_id     smallint,
@li_qty        smallint,
@ol_number     int,
@c_id_local    int
```

```
begin
```

```
begin transaction n
```

```
-- get district tax and next available order id and
update
-- plus initialize local variables
```

```
update district
set @d_tax = d_tax,
@c_id = d_next_o_id,
d_next_o_id = d_next_o_id + 1,
@o_entry_d = getdate(),
@li_no = 0,
@commit_flag = 1
where d_w_id = @w_id and
d_id = @d_id
```

```
-- process orderlines
```

```
while (@li_no < @o_ol_cnt)
begin
select @li_no = @li_no + 1
```

```
-- set i_id, s_w_id, and qty for this lineitem
```

```
select @li_id = case @li_no
when 1 then
@i_id1
when 2 then
@i_id2
when 3 then
@i_id3
when 4 then
@i_id4
when 5 then
@i_id5
when 6 then
@i_id6
```

```

when 7 then
@i_id7
when 8 then
@i_id8
when 9 then
@i_id9
when 10 then
@i_id10
when 11 then
@i_id11
when 12 then
@i_id12
when 13 then
@i_id13
when 14 then
@i_id14
when 15 then
@i_id15
end,
@li_s_w_id = case
when 1
then @s_w_id1
when 2
then @s_w_id2
when 3
then @s_w_id3
when 4
then @s_w_id4
when 5
then @s_w_id5
when 6
then @s_w_id6
when 7
then @s_w_id7
when 8
then @s_w_id8
when 9
then @s_w_id9
when 10
then @s_w_id10
when 11
then @s_w_id11
when 12
then @s_w_id12
when 13
then @s_w_id13
when 14
then @s_w_id14
when 15
then @s_w_id15
end,
@li_qty = case @li_no
when 1 then
@ol_qty1
when 2 then
@ol_qty2
when 3 then
@ol_qty3
when 4 then
@ol_qty4
when 5 then
@ol_qty5
when 6 then
@ol_qty6
when 7 then
@ol_qty7
when 8 then
@ol_qty8
when 9 then
@ol_qty9
then @ol_qty10
then @ol_qty11
then @ol_qty12
then @ol_qty13
then @ol_qty14
then @ol_qty15
-- get item data (no one updates item)
select @i_price = i_price,
@i_name = i_name,
@i_data = i_data
from item (tablock
repeatable read)
where i_id = @li_id
-- update stock values
update stock
set s_ytd =
s_ytd + @li_qty,
@s_quantity =
s_quantity - @li_qty +
case when (s_quantity - @li_qty < 10)
then 91 else 0 end,
s_order_cnt =
s_order_cnt + 1,
s_remote_cnt =
s_remote_cnt + case when (@li_s_w_id = @w_id) then 0
else 1 end,
@s_data =
@s_data
@s_dist =
@s_dist
case @d_id
when 1 then s_dist_01
when 2 then s_dist_02
when 3 then s_dist_03
when 4 then s_dist_04
when 5 then s_dist_05
when 6 then s_dist_06
when 7 then s_dist_07
when 8 then s_dist_08
when 9 then s_dist_09
when 10 then s_dist_10
end
where s_i_id =
@li_id and
s_w_id =
@li_s_w_id
-- if there actually is a stock (and item) with
these ids, go to work
if (@@rowcount > 0)
begin
-- insert order_line data (using data from item and
stock)
insert into order_line
values (@o_id,
@d_id,
@w_id,
@li_no,
@li_id,
@li_s_w_id,
"dec 31, 1899",
@li_qty,
@i_price * @li_qty,
@s_dist)
-- send line-item data to client
select @i_name,
@s_quantity,
b_g = case
when ( (patindex("%ORIGINAL%",@i_data) > 0) and
(patindex("%ORIGINAL%",@s_data) > 0) )
then
"B" else "C" end,
@i_price,
@i_price *
@li_qty
end
else

```

```

begin
-- no item (or stock) found - triggers rollback
condition
                select "",0,"",0,0
                select @commit_flag = 0
end
-- get customer last name, discount, and credit
rating
select      @c_last      = c_last,
            @c_discount = c_discount,
            @c_credit    = c_credit,
            @c_id_local  = c_id
from        customer (repeatableread)
where       c_id         = @c_id and
            c_w_id       = @w_id and
            c_d_id       = @d_id
-- insert fresh row into orders table
insert into orders values ( @o_id,
                            @d_id,
                            @w_id,
                            @c_id_local,
                            @o_entry_d,
                            0,
                            @o_ol_cnt,
                            @o_all_local)
-- insert corresponding row into new-order table
insert into new_order values (
    @o_id,
    @d_id,
    @w_id)
-- select warehouse tax
select      @w_tax      = w_tax
from        warehouse (repeatableread)
where       w_id        = @w_id
if (@commit_flag = 1)
    commit transaction n
else
    rollback transaction n
-- all that work for nuthin!!!
rollback transaction n

```

```

-- return order data to client
select      @w_tax,
            @d_tax,
            @o_id,
            @c_last,
            @c_discount,
            @c_credit,
            @o_entry_d,
            @commit_flag
end
go

```

null-txns.sql

```

-- TPC-C Null Txn Stored Procs
-- Microsoft TPC-C Kit
-- 8/17/99
--
-- This script will create stored procs which accept
the same parameters and return correctly formed
-- results sets to match the standard TPC-C stored
procs. Of course, the advantage is that these
-- stored procs place almost no load on SQL Server
and do not require a database.
--
-- The purpose of these stored procs is to size and
test the web client without the need of a fully
-- scaled database.
--
drop proc tpcc_delivery
drop proc tpcc_neworder
drop proc tpcc_orderstatus
drop proc tpcc_payment
drop proc tpcc_stocklevel
drop proc tpcc_version
drop table order_line_null
go
create proc tpcc_delivery      @w_id
smallint,
            @o_carrier_id    smallint
as
declare @d_id tinyint,
        @o_id int,
        @c_id int,
        @total numeric(12,2),
        @oid1 int,
        @oid2 int,
        @oid3 int,
        @oid4 int,
        @oid5 int,
        @oid6 int,

```

```

        @oid7 int,
        @oid8 int,
        @oid9 int,
        @oid10 int
declare @delaytime varchar(30)
-- uniform random delay of 0 - 1 second; avg = 0.50
select @delaytime = '00:00:0' +
cast(cast((rand()*1.00) as decimal(4,3)) as char(5))
waitfor delay @delaytime
select 3001, 3001, 3001, 3001, 3001, 3001, 3001,
3001, 3001, 3001
GO
create proc tpcc_neworder
            @w_id          smallint,
            @d_id          tinyint,
            @c_id          int,
            @o_ol_cnt      tinyint,
            @o_all_local   tinyint,
            @i_id1 int = 0, @s_w_id1 smallint = 0,
@ol_qty1 smallint = 0,
            @i_id2 int = 0, @s_w_id2 smallint = 0,
@ol_qty2 smallint = 0,
            @i_id3 int = 0, @s_w_id3 smallint = 0,
@ol_qty3 smallint = 0,
            @i_id4 int = 0, @s_w_id4 smallint = 0,
@ol_qty4 smallint = 0,
            @i_id5 int = 0, @s_w_id5 smallint = 0,
@ol_qty5 smallint = 0,
            @i_id6 int = 0, @s_w_id6 smallint = 0,
@ol_qty6 smallint = 0,
            @i_id7 int = 0, @s_w_id7 smallint = 0,
@ol_qty7 smallint = 0,
            @i_id8 int = 0, @s_w_id8 smallint = 0,
@ol_qty8 smallint = 0,
            @i_id9 int = 0, @s_w_id9 smallint = 0,
@ol_qty9 smallint = 0,
            @i_id10 int = 0, @s_w_id10 smallint = 0,
@ol_qty10 smallint = 0,
            @i_id11 int = 0, @s_w_id11 smallint = 0,
@ol_qty11 smallint = 0,

```

```

        @i_id12 int = 0, @s_w_id12 smallint = 0,
@ol_qty12 smallint = 0,

        @i_id13 int = 0, @s_w_id13 smallint = 0,
@ol_qty13 smallint = 0,

        @i_id14 int = 0, @s_w_id14 smallint = 0,
@ol_qty14 smallint = 0,

        @i_id15 int = 0, @s_w_id15 smallint = 0,
@ol_qty15 smallint = 0

as
declare @w_tax          numeric(4,4),
@d_tax                numeric(4,4),
@c_last              char(16),
@c_credit            char(2),
@c_discount          numeric(4,4),
@i_price             numeric(5,2),
@i_name              char(24),
@o_entry_d           datetime,
@li_no               int,
@o_id                int,
@commit_flag         tinyint,
@li_id               int,
@li_qty              smallint

declare @delaytime varchar(30)

begin
-- uniform random delay of 0 - 0.6 second; avg =
0.3
select @delaytime = '00:00:0' +
cast(cast((rand()*0.60) as decimal(4,3)) as char(5))
waitfor delay @delaytime

-- process orderlines

select @commit_flag = 1, @li_no = 0

while (@li_no < @o_ol_cnt)
begin

select @li_id = case @li_no
when 1 then @i_id1
when 2 then @i_id2
when 3 then @i_id3
when 4 then @i_id4
when 5 then @i_id5
when 6 then @i_id6
when 7 then @i_id7
when 8 then @i_id8
when 9 then @i_id9
when 10 then
@i_id10
when 11 then
@i_id11
when 12 then
@i_id12

```

```

when 13 then
@i_id13
when 14 then
@i_id14
when 15 then
@i_id15
end

select @li_no = @li_no + 1
select @i_price = 23.45, @li_qty = @li_no

if (@li_id = 999999)
begin
select ',0,',0,0
select @commit_flag = 0
end
else
begin
select 'Item Name blah',17,'G',
@i_price, @i_price * @li_qty
end

end

-- return order data to client

select @w_tax = 0.1234,
@d_tax = 0.0987,
@o_id = 3001,
@c_last = 'BAROUGHTABLE',
@c_discount = 0.2198,
@c_credit = 'GC',
@o_entry_d = getdate()

select @w_tax,
@d_tax,
@o_id,
@c_last,
@c_discount,
@c_credit,
@o_entry_d,
@commit_flag

end

GO

create proc tpcc_orderstatus @w_id
smallint,

@d_id          tinyint,

@c_id          int,

@c_last char(16) = ''

as

declare @c_balance          numeric(12,2),

```

```

@c_first      char(16),
@c_middle    char(2),
@o_id        int,
@o_entry_d   datetime,
@o_carrier_id smallint,
@ol_cnt      smallint

declare @delaytime varchar(30)

-- uniform random delay of 0 - 0.2 second; avg =
0.1
select @delaytime = '00:00:0' +
cast(cast((rand()*0.20) as decimal(4,3)) as char(5))
waitfor delay @delaytime

select
@c_id      = 113,
@c_balance = -10.00,
@c_first   = '8YCodgytqCj8',
@c_middle  = 'OE',
@c_last    = 'OUGHTOUGHTABLE',
@o_id      = 3456,
@o_entry_d = getdate(),
@o_carrier_id = 1

select @ol_cnt = (rand() * 11) + 5
SET ROWCOUNT @ol_cnt

select
ol_supply_w_id,
ol_i_id,
ol_quantity,
ol_amount,
ol_delivery_d
from order_line_null

select @c_id,
@c_last,
@c_first,
@c_middle,

@o_entry_d,
@o_carrier_id,
@c_balance,
@o_id

GO

create proc tpcc_payment @w_id          smallint,

@c_w_id          smallint,

@h_amount        numeric(6,2),

@d_id            tinyint,

@c_d_id          tinyint,

@c_id            int,

@c_last          char(16) = ''

```

```

as
declare @w_street_1 char(20),
        @w_street_2 char(20),
        @w_city      char(20),
        @w_state     char(2),
        @w_zip       char(9),
        @w_name      char(10),
        @d_street_1 char(20),
        @d_street_2 char(20),
        @d_city      char(20),
        @d_state     char(2),
        @d_zip       char(9),
        @d_name      char(10),
        @c_first     char(16),
        @c_middle    char(2),
        @c_street_1 char(20),
        @c_street_2 char(20),
        @c_city      char(20),
        @c_state     char(2),
        @c_zip       char(9),
        @c_phone     char(16),
        @c_since     datetime,
        @c_credit    char(2),
        @c_credit_lim numeric(12,2),
        @c_balance   numeric(12,2),
        @c_discount  numeric(4,4),
        @data        char(500),
        @c_data      char(500),
        @datetime    datetime,
        @w_ytd       numeric(12,2),
        @d_ytd       numeric(12,2),
        @cnt         smallint,
        @val         smallint,
        @screen_data char(200),
                @d_id_local tinyint,
                @w_id_local smallint,
                @c_id_local int

declare @delaytime varchar(30)

-- uniform random delay of 0 - 0.3 second; avg =
0.15
select @delaytime = '00:00:0' +
cast(cast((rand()*0.30) as decimal(4,3)) as char(5))
waitfor delay @delaytime

select @screen_data = ''

-- get customer info and update balances

select
        @d_street_1 = 'rqSHHakqyV',
        @d_street_2 = 'zZ98nW3BR2s',
        @d_city     = 'ArNr4GNFV9',
        @d_state    = 'aV',
        @d_zip      = '453511111'

-- get warehouse data and update year-to-date

select

```

```

        @w_street_1 = 'rqSHHakqyV',
        @w_street_2 = 'zZ98nW3BR2s',
        @w_city     = 'ArNr4GNFV9',
        @w_state    = 'aV',
        @w_zip      = '453511111'

select
        @c_id       = 123,
        @c_balance  = -10000.00,
        @c_first    = 'Kmr03Xureb',
        @c_middle   = 'OE',
        @c_last     = 'BAROUGHTBAR',
        @c_street_1 =
'QpGdOHjv8mR9vNI8V',
        @c_street_2 =
'dzKoCObBqbC3yu',
        @c_city     =
'zAKZXdC037FQxq',
        @c_state    = 'QA',
        @c_zip      = '700311111',
        @c_phone    =
'2967264064528555',
        @c_credit   = 'GC',
        @c_credit_lim = 50000.00,
        @c_discount = 0.3069,
        @c_since    = getdate(),
        @datetime   = getdate()

-- return data to client

select @c_id,
        @c_last,
        @datetime,
        @w_street_1,
        @w_street_2,
        @w_city,
        @w_state,
        @w_zip,
        @d_street_1,
        @d_street_2,
        @d_city,
        @d_state,
        @d_zip,
        @c_first,
        @c_middle,
        @c_street_1,
        @c_street_2,
        @c_city,
        @c_state,
        @c_zip,
        @c_phone,
        @c_since,
        @c_credit,
        @c_credit_lim,
        @c_discount,
        @c_balance,
        @screen_data

GO

```

```

create proc tpcc_stocklevel @w_id
        smallint,
        @d_id tinyint,
        @threshold smallint
as
declare @delaytime varchar(30)

-- uniform random delay of 0 - 3.6 second; avg =
1.8
select @delaytime = '00:00:0' +
cast(cast((rand()*3.60) as decimal(4,3)) as char(5))
waitfor delay @delaytime

select 49

GO

create proc tpcc_version
as
declare @version char(8)

begin
        select @version = '4.10.000'
        select @version as 'Version'

end

GO

CREATE TABLE order_line_null (
        [ol_i_id] [int] NOT NULL ,
        [ol_supply_w_id] [smallint] NOT NULL ,
        [ol_delivery_d] [datetime] NOT NULL ,
        [ol_quantity] [smallint] NOT NULL ,
        [ol_amount] [numeric] (6, 2) NOT NULL
) ON [PRIMARY]
GO

insert into order_line_null values ( 101, 1,
getdate(), 1, 123.45 )
insert into order_line_null values ( 102, 1,
getdate(), 2, 123.45 )
insert into order_line_null values ( 103, 1,
getdate(), 3, 123.45 )
insert into order_line_null values ( 104, 1,
getdate(), 4, 123.45 )
insert into order_line_null values ( 105, 1,
getdate(), 5, 123.45 )
insert into order_line_null values ( 106, 1,
getdate(), 1, 123.45 )
insert into order_line_null values ( 107, 1,
getdate(), 2, 123.45 )
insert into order_line_null values ( 108, 1,
getdate(), 3, 123.45 )
insert into order_line_null values ( 109, 1,
getdate(), 4, 123.45 )
insert into order_line_null values ( 110, 1,
getdate(), 5, 123.45 )
insert into order_line_null values ( 111, 1,
getdate(), 1, 123.45 )

```

```

insert into order_line_null values ( 112, 1,
getdate(), 2, 123.45 )
insert into order_line_null values ( 113, 1,
getdate(), 3, 123.45 )
insert into order_line_null values ( 114, 1,
getdate(), 4, 123.45 )
insert into order_line_null values ( 115, 1,
getdate(), 5, 123.45 )

```

GO

ordstat.sql

```

-- File:      ORDSTAT.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates order status transaction stored
--           procedure
--
--           Interface Level: 4.10.000

use tpcc
go

if exists ( select name from sysobjects where name =
"tpcc_orderstatus" )
    drop procedure    tpcc_orderstatus
go

create proc tpcc_orderstatus @w_id    smallint,
                             @d_id    tinyint,
                             @c_id    int,
                             @c_last char(16) = ""

as

declare @c_balance    numeric(12,2),
        @c_first     char(16),
        @c_middle    char(2),
        @o_id        int,
        @o_entry_d   datetime,
        @o_carrier_id smallint,
        @cnt         smallint

begin tran o

if (@c_id = 0)
    begin

-- get customer id and info using last name

        select    @cnt    =
(count(*)+1)/2    from    customer
(repeatbleread)

```

```

where    c_last    = @c_last and
        c_w_id    = @w_id and
        c_d_id    = @d_id

set    rowcount @cnt

select    @c_id    =
        @c_balance =
        @c_first  =
        @c_last   =
        @c_middle =
from    customer
(repeatbleread)
where    c_last    =
@c_id and
@c_w_id and
@d_id

order    by c_w_id, c_d_id,
c_last, c_first

end

else
    begin

-- get customer info if by id

        select    @c_balance =
        @c_first  = c_first,
        @c_middle = c_middle,
        @c_last   =
from    customer
where    c_id    =
@c_id and
@d_id and
@c_w_id

select    @cnt    = @@rowcount

end

-- if no such customer

        if (@cnt = 0)
            begin
                raiserror("Customer not
found",18,1)
                goto custnotfound
            end

```

```

-- get order info

        select    @o_id    = o_id,
        @o_entry_d = o_entry_d,
        @o_carrier_id =
o_carrier_id
from    orders (serializable)
where    o_c_id    = @c_id and
        o_d_id    = @d_id and
        o_w_id    = @w_id

order    by o_id asc

-- select order lines for the current order

        select    ol_supply_w_id,
        ol_i_id,
        ol_quantity,
        ol_amount,
        ol_delivery_d
from    order_line (repeatbleread)
where    ol_o_id = @o_id and
        ol_d_id = @d_id and
        ol_w_id = @w_id

custnotfound:

commit tran o

-- return data to client

select    @c_id,
        @c_last,
        @c_first,
        @c_middle,
        @o_entry_d,
        @o_carrier_id,
        @c_balance,
        @o_id

go

```

payment.sql

```

-- File:      PAYMENT.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates payment transaction stored
--           procedure
--
--           Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name =
"tpcc_payment" )
    drop procedure tpcc_payment
go

```

```

create proc tpcc_payment      @w_id
smallint,                    @c_w_id
                              @h_amount
smallint,                    @d_id
numeric(6,2),                @c_d_id
tinyint,                     @c_id
tinyint,                     @c_last
int,                          @c_last
char(16) = ""

as
declare @w_street_1 char(20),
        @w_street_2 char(20),
        @w_city     char(20),
        @w_state    char(2),
        @w_zip      char(9),
        @w_name     char(10),
        @d_street_1 char(20),
        @d_street_2 char(20),
        @d_city     char(20),
        @d_state    char(2),
        @d_zip      char(9),
        @d_name     char(10),
        @c_first    char(16),
        @c_middle   char(2),
        @c_street_1 char(20),
        @c_street_2 char(20),
        @c_city     char(20),
        @c_state    char(2),
        @c_zip      char(9),
        @c_phone    char(16),
        @c_since    datetime,
        @c_credit   char(2),
        @c_credit_lim numeric(12,2),
        @c_balance  numeric(12,2),
        @c_discount numeric(4,4),
        @data       char(500),
        @c_data     char(500),
        @datetime   datetime,
        @w_ytd     numeric(12,2),
        @d_ytd     numeric(12,2),
        @cnt       smallint,
        @val       smallint,
        @screen_data char(200),
        @d_id_local tinyint,
        @w_id_local  smallint,
        @c_id_local  int

select @screen_data = ""

begin tran p
-- get payment date

```

```

select @datetime = getdate()

if (@c_id = 0)
begin
-- get customer id and info using last name

select @cnt = count(*)
from customer

(repeatableread)
where c_last = @c_last and
       c_w_id = @c_w_id and
       c_d_id = @c_d_id

select @val = (@cnt + 1) / 2
set rowcount @val

select @c_id = c_id
from customer

(repeatableread)
where c_last = @c_last and
       c_w_id = @c_w_id and
       c_d_id = @c_d_id

order by c_last, c_first

set rowcount 0

end

-- get customer info and update balances

update customer
set @c_balance = c_balance
  = c_balance - @h_amount,
  c_payment_cnt =
c_payment_cnt + 1,
  c_ytd_payment =
c_ytd_payment + @h_amount,
  @c_first = c_first,
  @c_middle = c_middle,
  @c_last = c_last,
  @c_street_1 = c_street_1,
  @c_street_2 = c_street_2,
  @c_city = c_city,
  @c_state = c_state,
  @c_zip = c_zip,
  @c_phone = c_phone,
  @c_credit = c_credit,
  @c_credit_lim =
c_credit_lim,
  @c_discount = c_discount,
  @c_since = c_since,
  @data = c_data,

where @c_id_local = c_id
      c_id = @c_id and
      c_w_id = @c_w_id and
      c_d_id = @c_d_id

-- if customer has bad credit get some more info

if (@c_credit = "BC")

```

```

begin
-- compute new info

select @c_data =
convert(char(5),@c_id) +
convert(char(4),@c_d_id) +
convert(char(5),@c_w_id) +
convert(char(4),@d_id) +
convert(char(5),@w_id) +
convert(char(19),@h_amount) +
substring(@data, 1, 458)

-- update customer info

update customer
set c_data = @c_data
where c_id = @c_id and
       c_w_id = @c_w_id and
       c_d_id = @c_d_id

select @screen_data =
substring(@c_data,1,200)
end

-- get district data and update year-to-date

update district
set d_ytd = d_ytd +
@h_amount,
  @d_street_1 = d_street_1,
  @d_street_2 = d_street_2,
  @d_city = d_city,
  @d_state = d_state,
  @d_zip = d_zip,
  @d_name = d_name,
  @d_id_local = d_id
where d_w_id = @w_id and
      d_id = @d_id

-- get warehouse data and update year-to-date

update warehouse
set w_ytd = w_ytd +
@h_amount,
  @w_street_1 = w_street_1,
  @w_street_2 = w_street_2,
  @w_city = w_city,
  @w_state = w_state,
  @w_zip = w_zip,
  @w_name = w_name,
  @w_id_local = w_id
where w_id = @w_id

-- create history record

```

```

insert into history values ( @c_id_local,
@c_d_id,
@c_w_id,
@d_id_local,
@w_id_local,
@datetime,
@h_amount,
@w_name + " " + @d_name)
commit tran p
-- return data to client
select @c_id,
@c_last,
@datetime,
@w_street_1,
@w_street_2,
@w_city,
@w_state,
@w_zip,
@d_street_1,
@d_street_2,
@d_city,
@d_state,
@d_zip,
@c_first,
@c_middle,
@c_street_1,
@c_street_2,
@c_city,
@c_state,
@c_zip,
@c_phone,
@c_since,
@c_credit,
@c_credit_lim,
@c_discount,
@c_balance,
@screen_data
go

```

random.c

```

// File: RANDOM.C
// Microsoft
TPC-C Kit Ver. 4.22
// Copyright
Microsoft, 1996, 1997, 1998, 1999, 2000, 2001
// Purpose: Random number generation routines
for database loader

```

```

// Includes
#include "tpcc.h"
#include "math.h"

// Defines
#define A 16807
#define M 2147483647
#define Q 127773 /* M div A */
#define R 2836 /* M mod A */
#define Thread __declspec(thread)

// Globals
long Thread Seed = 0; /* thread local seed */

/*****
*****
*
* * random -
*
* Implements a GOOD pseudo random number
generator. This generator *
* will/should? run the complete period before
repeating. *
*
* Copied from:
*
* Random Numbers Generators: Good Ones Are Hard
to Find. *
* Communications of the ACM - October 1988
Volume 31 Number 10 *
*
* Machine Dependencies:
*
* long must be 2 ^ 31 - 1 or greater.
*
*
*
* seed - load the Seed value used in irand and drand.
Should be used before *
* first call to irand or drand.
*
*****
*****/

void seed(long val)
{
#ifdef DEBUG
printf("[%ld]DBG: Entering seed()...\n", (int)
GetCurrentThreadId());
printf("Old Seed %ld New Seed %ld\n",Seed,
val);
#endif

```

```

if ( val < 0 )
val = abs(val);

Seed = val;
}

/*****
*****
*
* * irand - returns a 32 bit integer pseudo random
number with a period of *
* 1 to 2 ^ 32 - 1.
*
* parameters:
*
* none.
*
* returns:
*
* 32 bit integer - defined as long ( see above
). *
*
* side effects:
*
* seed get recomputed.
*****
*****/

long irand()
{
register long s; /* copy of seed */
register long test; /* test flag */
register long hi; /* tmp value for speed */
register long lo; /* tmp value for speed */

#ifdef DEBUG
printf("[%ld]DBG: Entering irand()...\n", (int)
GetCurrentThreadId());
#endif

s = Seed;
hi = s / Q;
lo = s % Q;

test = A * lo - R * hi;
if ( test > 0 )
Seed = test;
else
Seed = test + M;

return( Seed );
}

```

```

/*****
*****
*
* drand - returns a double pseudo random number
* between 0.0 and 1.0.
* See irand.
*
*****
*****/
double drand()
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering drand()...\n", (int)
GetCurrentThreadId());
#endif
    return( (double)irand() / 2147483647.0);
}

//=====
// Function : RandomNumber
//
// Description:
//=====
long RandomNumber(long lower, long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering RandomNumber()...\n",
(int) GetCurrentThreadId());
#endif

    if ( upper == lower ) /* pgd 08-13-
96 perf enhancement */
        return lower;

    upper++;

    if ( upper <= lower )
        rand_num = upper;

    else
        rand_num = lower + irand() %
(upper - lower); /* pgd 08-13-96 perf enhancement */

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld
=> %ld\n",
(int)
GetCurrentThreadId(), lower, upper, rand_num);
#endif

    return rand_num;
}

```

```

#if 0

//Original code pgd 08/13/96

long RandomNumber(long lower,
                    long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering RandomNumber()...\n",
(int) GetCurrentThreadId());
#endif

    upper++;

    if ((upper <= lower)
        rand_num = upper;

    else
        rand_num = lower + irand() %
((upper > lower) ? upper - lower : upper);

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld
=> %ld\n",
(int)
GetCurrentThreadId(), lower, upper, rand_num);
#endif

    return rand_num;
}
#endif

//=====
// Function : NURand
//
// Description:
//=====
long NURand(int iConst,
            long x,
            long y,
            long C)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering NURand()...\n", (int)
GetCurrentThreadId());
#endif

    rand_num = (((RandomNumber(0,iConst) |
RandomNumber(x,y)) + C) % (y-x+1))+x;

#ifdef DEBUG
    printf("[%ld]DBG: NURand: num = %d\n", (int)
GetCurrentThreadId(), rand_num);
#endif
}

```

```

return rand_num;
}

```

removedb.sql

```

-- File:      REMOVEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Removes tpcc database and backup files

use master
go

-- remove any existing database and backup files

exec sp_dbrremove tpcc, dropdev
go

exec sp_dropdevice 'tpccback1'
exec sp_dropdevice 'tpccback2'
exec sp_dropdevice 'tpccback3'
exec sp_dropdevice 'tpccback4'
exec sp_dropdevice 'tpccback5'
go

```

restore.sql

```

-- File:      RESTORE.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Loads database backup from backup files

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:",
convert (varchar(30),@startdate,9)

load database tpcc from tpccback1, tpccback2,
tpccback3, tpccback4, tpccback5 with stats = 1,
replace

select @enddate = getdate()
select "End date: ", convert (varchar(30),@enddate,9)
select "Elapsed time (in seconds): ",
datediff(second, @startdate, @enddate)

go

sp_dboption tpcc, 'torn page detection', 'false'
go

```

RunSQLCfg.sql

```
/* TPC-C Benchmark Kit
*/
/*
*/
/* RUNSQLCFG.SQL
*/
/*
*/
/* This script file is used to set runtime server
configuration parameters */
/*
*/

exec sp_configure "show advanced option", 1
go

reconfigure with override
go

/* change this value to approximately the number of
connected users */
exec sp_configure "max worker threads",255

/* increase priority of user threads */
exec sp_configure "priority boost",1

/* disable automatic checkpointing */
exec sp_configure "recovery interval",32767

/* change to a mask appropriate for the number of
processors on the server */
exec sp_configure "affinity mask",0xf

/* enable fibers */
exec sp_configure "lightweight pooling",1

go

reconfigure with override
go
```

sqlshutdown.sql

```
use tpcc
go
checkpoint
go
shutdown
go
```

stocklev.sql

```
-- File:      STOCKLEV.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates stock level transaction stored
procedure
--
--           Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name =
"tpcc_stocklevel" )
    drop procedure tpcc_stocklevel
go

create proc tpcc_stocklevel @w_id
    smallint,
                                @d_id
                                tinyint,
                                @threshold
    smallint
as

declare @o_id_low int,
        @o_id_high int

select @o_id_low = (d_next_o_id - 20),
        @o_id_high = (d_next_o_id - 1)
from district
where d_w_id = @w_id and
       d_id = @d_id

select count(distinct(s_i_id))
from stock, order_line
where ol_w_id = @w_id and
       ol_d_id = @d_id and
       ol_o_id between @o_id_low
and
                                @o_id_high and
       s_w_id = ol_w_id and
       s_i_id = ol_i_id and
       s_quantity < @threshold

go
```

strings.c

```
// File:      STRINGS.C
//           Microsoft
//           TPC-C Kit Ver. 4.22
//           Copyright
//           Microsoft, 1996, 1997, 1998, 1999, 2000, 2001
// Purpose:   Source file for database loader
string functions
```

```
// Includes
#include "tpcc.h"
#include <string.h>
#include <ctype.h>

//=====
//
// Function name: MakeAddress
//
//=====

void MakeAddress(char *street_1,
                 char
                 *street_2,
                 char *city,
                 char *state,
                 char *zip)
{
    #ifdef DEBUG
        printf("[%ld]DBG: Entering MakeAddress()\n",
(int) GetCurrentThreadId());
    #endif

        MakeAlphaString (10, 20, ADDRESS_LEN, street_1);
        MakeAlphaString (10, 20, ADDRESS_LEN, street_2);
        MakeAlphaString (10, 20, ADDRESS_LEN, city);
        MakeAlphaString ( 2,  2, STATE_LEN, state);
        MakeZipNumberString( 9,  9, ZIP_LEN, zip);

    #ifdef DEBUG
        printf("[%ld]DBG: MakeAddress: street_1: %s,
street_2: %s, city: %s, state: %s, zip: %s\n",
(int)
GetCurrentThreadId(), street_1, street_2, city,
state, zip);
    #endif

        return;
}

//=====
//
// Function name: LastName
//
//=====

void LastName(int num,
             char *name)
{
    static char *n[] =
    {
        "BAR", "OUGHT", "ABLE", "PRI"
, "PRES",
        "ESE", "ANTI", "CALLY",
"ATION", "EING"
```

```

};
#ifdef DEBUG
printf("[%d]DBG: Entering LastName()\n", (int)
GetCurrentThreadId());
#endif

if ((num >= 0) && (num < 1000))
{
    strcpy(name, n[(num/100)%10]);
    strcat(name, n[(num/10)%10]);
    strcat(name, n[(num/1)%10]);

    if (strlen(name) < LAST_NAME_LEN)
    {
        PaddString(LAST_NAME_LEN, name);
    }
}
else
{
    printf("\nError in LastName()...
num < %ld> out of range (0,999)\n", num);
    exit(-1);
}

#ifdef DEBUG
printf("[%d]DBG: LastName: num = [%d] ==>
[%d][%d][%d]\n",
(int)
GetCurrentThreadId(), num, num/100, (num/10)%10,
num%10);
printf("[%d]DBG: LastName: String = %s\n",
(int) GetCurrentThreadId(), name);
#endif

return;
}

//=====
//
// Function name: MakeAlphaString
//
//=====
//philipdu 08/13/96 Changed MakeAlphaString to use A-
Z, a-z, and 0-9 in
//accordance with spec see below:
//The spec says:
//4.3.2.2 The notation random a-string [x .. y]
//(respectively, n-string [x .. y]) represents a
string of random alphanumeric
//(respectively, numeric) characters of a random
length of minimum x, maximum y,
//and mean (y+x)/2. Alphanumerics are A..Z, a..z, and
0..9. The only other

```

```

//requirement is that the character set used "must be
able to represent a minimum
//of 128 different characters". We are using 8-bit
chars, so this is a non issue.
//It is completely unreasonable to stuff non-printing
chars into the text fields.
//--CLevine 08/13/96

int MakeAlphaString( int x, int y, int z, char
*str)
{
    int len;
    int i;
    char cc = 'a';
    static char chArray[] =
"0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz";
    static int chArrayMax = 61;

#ifdef DEBUG
printf("[%d]DBG: Entering MakeAlphaString()\n",
(int) GetCurrentThreadId());
#endif

    len= RandomNumber(x, y);

    for (i=0; i<len; i++)
    {
        cc = chArray[RandomNumber(0,
chArrayMax)];
        str[i] = cc;
    }
    if ( len < z )
        memset(str+len, ' ', z - len);
    str[len] = 0;

    return len;
}

//=====
//
// Function name: MakeOriginalAlphaString
//
//=====

int MakeOriginalAlphaString(int x,
int y,
int z,
char *str,
int percent)
{
    int len;
    int val;
    int start;

#ifdef DEBUG

```

```

printf("[%d]DBG: Entering
MakeOriginalAlphaString()\n", (int)
GetCurrentThreadId());
#endif

// verify percentage is valid
if ((percent < 0) || (percent > 100))
{
    printf("MakeOriginalAlphaString:
Invalid percentage: %d\n", percent);
    exit(-1);
}

// verify string is at least 8 chars in length
if ((x + y) <= 8)
{
    printf("MakeOriginalAlphaString:
string length must be >= 8\n");
    exit(-1);
}

// Make Alpha String
len = MakeAlphaString(x,y, z, str);

val = RandomNumber(1,100);
if (val <= percent)
{
    start = RandomNumber(0, len - 8);
    strncpy(str + start, "ORIGINAL",
8);
}

#ifdef DEBUG
printf("[%d]DBG: MakeOriginalAlphaString: :
%s\n",
(int)
GetCurrentThreadId(), str);
#endif

return strlen(str);
}

//=====
//
// Function name: MakeNumberString
//
//=====
int MakeNumberString(int x, int y, int z, char
*str)
{
    char tmp[16];

//MakeNumberString is always called
MakeZipNumberString(16, 16, 16, string)

memset(str, '0', 16);
itoa(RandomNumber(0, 99999999), tmp, 10);
memcpy(str, tmp, strlen(tmp));

```

```

        itoa(RandomNumber(0, 99999999), tmp, 10);
        memcpy(str+8, tmp, strlen(tmp));

        str[16] = 0;

    return 16;
}

//=====
//
// Function name: MakeZipNumberString
//
//=====
int MakeZipNumberString(int x, int y, int z, char
*str)
{
    char tmp[16];

    //MakeZipNumberString is always called
    MakeZipNumberString(9, 9, 9, string)

    strcpy(str, "000011111");

    itoa(RandomNumber(0, 9999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    return 9;
}

//=====
//
// Function name: InitString
//
//=====
void InitString(char *str, int len)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering InitString()\n", (int)
GetCurrentThreadId());
#endif

    memset(str, ' ', len);
    str[len] = 0;
}

//=====
//
// Function name: InitAddress
//
// Description:
//
//=====
void InitAddress(char *street_1, char *street_2, char
*city, char *state, char *zip)

```

```

{
    memset(street_1, ' ', ADDRESS_LEN+1);
    memset(street_2, ' ', ADDRESS_LEN+1);
    memset(city, ' ', ADDRESS_LEN+1);

    street_1[ADDRESS_LEN+1] = 0;
    street_2[ADDRESS_LEN+1] = 0;
    city[ADDRESS_LEN+1] = 0;

    memset(state, ' ', STATE_LEN+1);
    state[STATE_LEN+1] = 0;

    memset(zip, ' ', ZIP_LEN+1);
    zip[ZIP_LEN+1] = 0;
}

//=====
//
// Function name: PaddString
//
//=====
void PaddString(int max, char *name)
{
    int len;

    len = strlen(name);
    if ( len < max )
        memset(name+len, ' ', max - len);
    name[max] = 0;

    return;
}

```

tables.sql

```

-- File: TABLES.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates TPC-C tables

use tpcc
go

-- Remove all existing TPC-C tables
--

if exists ( select name from sysobjects where name =
'warehouse' )
    drop table warehouse
go
if exists ( select name from sysobjects where name =
'district' )
    drop table district
go

```

```

if exists ( select name from sysobjects where name =
'customer' )
    drop table customer
go
if exists ( select name from sysobjects where name =
'history' )
    drop table history
go
if exists ( select name from sysobjects where name =
'new_order' )
    drop table new_order
go
if exists ( select name from sysobjects where name =
'orders' )
    drop table orders
go
if exists ( select name from sysobjects where name =
'order_line' )
    drop table order_line
go
if exists ( select name from sysobjects where name =
'item' )
    drop table item
go
if exists ( select name from sysobjects where name =
'stock' )
    drop table stock
go

--
-- Create new tables
--

create table warehouse
(
    w_id
    smallint,
    w_name
    char(10),
    w_street_1
    char(20),
    w_street_2
    char(20),
    w_city
    char(20),
    w_state
    char(2),
    w_zip
    char(9),
    w_tax
    numeric(4,4),
    w_ytd
    numeric(12,2)
) on MSSQL_misc_fg
go

create table district
(
    d_id
    tinyint,
    d_w_id
    smallint,

```

```

d_name
char(10),
d_street_1
char(20),
d_street_2
char(20),
d_city
char(20),
d_state
char(2),
d_zip
char(9),
d_tax
numeric(4,4),
d_ytd
numeric(12,2),
d_next_o_id
int
) on MSSQL_misc_fg
go

create table customer
(
c_id
int,
c_d_id
tinyint,
c_w_id
smallint,
c_first
char(16),
c_middle
char(2),
c_last
char(16),
c_street_1
char(20),
c_street_2
char(20),
c_city
char(20),
c_state
char(2),
c_zip
char(9),
c_phone
char(16),
c_since
datetime,
c_credit
char(2),
c_credit_lim
numeric(12,2),
c_discount
numeric(4,4),
c_balance
numeric(12,2),
c_ytd_payment
numeric(12,2),
c_payment_cnt
smallint,
c_delivery_cnt
smallint,
c_data
char(500)
) on MSSQL_cs_fg
go

```

```

create table history
(
h_c_id
int,
h_c_d_id
tinyint,
h_c_w_id
smallint,
h_d_id
tinyint,
h_w_id
smallint,
h_date
datetime,
h_amount
numeric(6,2),
h_data
char(24)
) on MSSQL_misc_fg
go

create table new_order
(
no_o_id
int,
no_d_id
tinyint,
no_w_id
smallint
) on MSSQL_misc_fg
go

create table orders
(
o_id
int,
o_d_id
tinyint,
o_w_id
smallint,
o_c_id
int,
o_entry_d
datetime,
o_carrier_id
tinyint,
o_ol_cnt
tinyint,
o_all_local
tinyint
) on MSSQL_misc_fg
go

create table order_line
(
ol_o_id
int,
ol_d_id
tinyint,
ol_w_id
smallint,
ol_number
tinyint,
ol_i_id
int,
ol_supply_w_id
smallint,
ol_delivery_d
datetime,
ol_quantity
smallint,
ol_amount
numeric(6,2),

```

```

ol_dist_info
char(24)
) on MSSQL_misc_fg
go

create table item
(
i_id
int,
i_im_id
int,
i_name
char(24),
i_price
numeric(5,2),
i_data
char(50)
) on MSSQL_misc_fg
go

create table stock
(
s_i_id
int,
s_w_id
smallint,
s_quantity
smallint,
s_dist_01
char(24),
s_dist_02
char(24),
s_dist_03
char(24),
s_dist_04
char(24),
s_dist_05
char(24),
s_dist_06
char(24),
s_dist_07
char(24),
s_dist_08
char(24),
s_dist_09
char(24),
s_dist_10
char(24),
s_ytd
int,
s_order_cnt
smallint,
s_remote_cnt
smallint,
s_data
char(50)
) on MSSQL_cs_fg
go

```

time.c

```

// File: TIME.C Microsoft
// TPC-C Kit Ver. 4.22 Copyright
// Microsoft, 1996, 1997, 1998, 1999, 2000, 2001
// Purpose: Source file for time functions

// Includes
#include "tpcc.h"

```

```

// Globals
static long start_sec;

//=====
//
// Function name: TimeNow
//
//=====
long TimeNow()
{
    long         time_now;
    struct _timeb el_time;

#ifdef DEBUG
    printf("[%ld]DBG: Entering TimeNow()\n", (int)
GetCurrentThreadId());
#endif

    _ftime(&el_time);

    time_now = ((el_time.time - start_sec) * 1000) +
el_time.millitm;

    return time_now;
}

```

tpcc.h

```

// File: TPC.C.H Microsoft
TPC-C Kit Ver. 4.22
// Copyright
Microsoft, 1996, 1997, 1998, 1999, 2000, 2001
// Purpose: Header file for TPC-C database
loader

// Build number of TPC Benchmark Kit
#define TPCKIT_VER "4.22"

// General headers
#include <windows.h>
#include <winbase.h>
#include <stdlib.h>
#include <stdio.h>
#include <process.h>
#include <stddef.h>
#include <stdarg.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <sys\types.h>

// ODBC headers

```

```

#include <sql.h>
#include <sqlext.h>
#include <odbcss.h>

// General constants
#define MILLI 1000
#define FALSE 0
#define TRUE 1
#define UNDEF -1
#define MINPRINTASCII 32
#define MAXPRINTASCII 126

// Default environment constants
#define SERVER ""
#define DATABASE "tpcc"
#define USER "sa"
#define PASSWORD ""

// Default loader arguments
#define BATCH 10000
#define DEFILDPACKSIZE 32768
#define LOADER_RES_FILE "logs\\load.out"
#define LOADER_NURAND_C 123
#define DEF_STARTING_WAREHOUSE 1
#define BUILD_INDEX 1 // build both data and indexes
#define INDEX_ORDER 1 // build indexes before load
#define SCALE_DOWN 0 // build a normal scale database
#define INDEX_SCRIPT_PATH "scripts"

typedef struct
{
    char *server;
    char *database;
    char *user;
    char *password;
    BOOL tables_all; //
    set if loading all tables
    BOOL table_item; //
    set if loading ITEM table specifically
    BOOL table_warehouse; // set if loading
WAREHOUSE, DISTRICT, and STOCK
    BOOL table_customer; // set if
loading CUSTOMER and HISTORY

```

```

    BOOL table_orders; // set if
loading NEW-ORDER, ORDERS, ORDER-LINE
    long num_warehouses;
    long batch;
    long verbose;
    long pack_size;
    char *loader_res_file;
    char *synch_servername;
    long case_sensitivity;
    long starting_warehouse;
    long build_index;
    long index_order;
    long scale_down;
    char *index_script_path;
} TPCCCLR_ARGS;

// String length constants
#define SERVER_NAME_LEN 20
#define DATABASE_NAME_LEN 20
#define USER_NAME_LEN 20
#define PASSWORD_LEN 20
#define TABLE_NAME_LEN 20
#define I_DATA_LEN 50
#define I_NAME_LEN 24
#define BRAND_LEN 1
#define LAST_NAME_LEN 16
#define W_NAME_LEN 10
#define ADDRESS_LEN 20
#define STATE_LEN 2
#define ZIP_LEN 9
#define S_DIST_LEN 24
#define S_DATA_LEN 50
#define D_NAME_LEN 10
#define FIRST_NAME_LEN 16
#define MIDDLE_NAME_LEN 2
#define PHONE_LEN 16
#define CREDIT_LEN 2
#define C_DATA_LEN 500
#define H_DATA_LEN 24
#define DIST_INFO_LEN 24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN 25
#define OL_DIST_INFO_LEN

24
#define C_SINCE_LEN 23
#define H_DATE_LEN 23

```

```

23         #define OL_DELIVERY_D_LEN
           #define O_ENTRY_D_LEN           23

// Functions in random.c
void seed();
long irand();
double drand();
void WUCreate();
short WURand();
long RandomNumber(long lower, long upper);

// Functions in getargs.c;
void GetArgsLoader();
void GetArgsLoaderUsage();

// Functions in time.c
long TimeNow();

// Functions in strings.c
void MakeAddress();
void LastName();
int MakeAlphaString();
int MakeOriginalAlphaString();
int MakeNumberString();
int MakeZipNumberString();
void InitString();
void InitAddress();
void PaddString();

```

tpccldr.c

```

// File: TPCCLDR.C Microsoft
TPC-C Kit Ver. 4.22 Copyright
// Microsoft, 2000, 2001
// Purpose: Source file for TPC-C database loader

// Includes
#include "tpcc.h"
#include "search.h"

// Defines
#define MAXITEMS 100000
#define MAXITEMS_SCALE_DOWN 100
#define CUSTOMERS_PER_DISTRICT 3000
#define CUSTOMERS_SCALE_DOWN 30
#define DISTRICT_PER_WAREHOUSE 10
#define ORDERS_PER_DISTRICT 3000
#define ORDERS_SCALE_DOWN 30
#define MAX_CUSTOMER_THREADS 2
#define MAX_ORDER_THREADS 3
#define MAX_MAIN_THREADS 4

// Functions declarations

```

```

void HandleErrorDBC (SQLHDBC hdbc1);

void CheckSQL();
void CheckDataBase();

long NURand();
void LoadItem();
void LoadWarehouse();

void Stock();
void District();

void LoadCustomer();
void CustomerBufInit();
void CustomerBufLoad();
void LoadCustomerTable();
void LoadHistoryTable();

void LoadOrders();
void OrdersBufInit();
void OrdersBufLoad();
void LoadOrdersTable();
void LoadNewOrderTable();
void LoadOrderLineTable();
void GetPermutation();
void CheckForCommit();
void OpenConnections();
void BuildIndex();
void FormatDate ();

// Shared memory structures

typedef struct
{
    long ol;
    long ol_i_id;
    short ol_supply_w_id;
    short ol_quantity;
    double ol_amount;
    char ol_dist_info[DIST_INFO_LEN+1];
    char ol_delivery_d[OL_DELIVERY_D_LEN+1];
} ORDER_LINE_STRUCT;

typedef struct
{
    long o_id;
    short o_d_id;
    short o_w_id;
    long o_c_id;
    short o_carrier_id;
    short o_ol_cnt;
    short o_all_local;
    ORDER_LINE_STRUCT o_ol[15];
} ORDERS_STRUCT;

typedef struct
{
    long c_id;
    short c_d_id;
    short c_w_id;

```

```

    char c_first[FIRST_NAME_LEN+1];
    char c_middle[MIDDLE_NAME_LEN+1];
    char c_last[LAST_NAME_LEN+1];
    char c_street_1[ADDRESS_LEN+1];
    char c_street_2[ADDRESS_LEN+1];
    char c_city[ADDRESS_LEN+1];
    char c_state[STATE_LEN+1];
    char c_zip[ZIP_LEN+1];
    char c_phone[PHONE_LEN+1];
    char c_credit[CREDIT_LEN+1];
    double c_credit_lim;
    double c_discount;
    // fix to avoid ODBC float to numeric conversion
    // problem.
    // double
    double c_balance;
    char c_balance[6];

    double
    double c_ytd_payment;
    short c_payment_cnt;
    short c_delivery_cnt;
    char c_data[C_DATA_LEN+1];
    double c_h_amount;
    char c_h_data[H_DATA_LEN+1];
} CUSTOMER_STRUCT;

typedef struct
{
    char c_last[LAST_NAME_LEN+1];
    char c_first[FIRST_NAME_LEN+1];
    long c_id;
} CUSTOMER_SORT_STRUCT;

typedef struct
{
    long time_start;
} LOADER_TIME_STRUCT;

// Global variables
char szLastError[300];

```

```

HENV      henv;
HDBC      v_hdbc;
          // for SQL Server version
verification
HDBC      i_hdbc1;
          // for ITEM table
HDBC      w_hdbc1;
          // for WAREHOUSE, DISTRICT, STOCK
HDBC      c_hdbc1;
          // for CUSTOMER
HDBC      c_hdbc2;
          // for HISTORY
HDBC      o_hdbc1;
          // for ORDERS
HDBC      o_hdbc2;
          // for NEW-ORDER
HDBC      o_hdbc3;
          // for ORDER-LINE

HSTMT     v_hstmt;
          // for SQL Server version verification
HSTMT     i_hstmt1;
HSTMT     w_hstmt1;
HSTMT     c_hstmt1, c_hstmt2;
HSTMT     o_hstmt1, o_hstmt2, o_hstmt3;

ORDERS_STRUCT  orders_buf[ORDERS_PER_DISTRICT];
CUSTOMER_STRUCT customer_buf[CUSTOMERS_PER_DISTRICT];
long           orders_rows_loaded;
long           new_order_rows_loaded;
long           order_line_rows_loaded;
long           history_rows_loaded;
long           customer_rows_loaded;
long           stock_rows_loaded;
long           district_rows_loaded;
long           item_rows_loaded;
long           warehouse_rows_loaded;
long           main_time_start;
long           main_time_end;
long           max_items;
long           customers_per_district;
long           orders_per_district;
long           first_new_order;
long           last_new_order;

TPCC_LDR_ARGS *aptr, args;

//=====
//
// Function name: main
//
//=====

int main(int argc, char **argv)
{

```

```

        DWORD
dwThreadId[MAX_MAIN_THREADS];
        HANDLE      hThread[MAX_MAIN_THREADS];
        FILE        *fLoader;
        char        buffer[255];
        int         i;

        for (i=0; i<MAX_MAIN_THREADS; i++)
            hThread[i] = NULL;

        printf("\n*****
*****");
        printf("\n*
*");
        printf("\n* Microsoft SQL Server
*");
        printf("\n*
*");
        printf("\n* TPC-C BENCHMARK KIT: Database
loader *");
        printf("\n* Version %s
*", TPCKIT_VER);
        printf("\n*
*****
*****\n\n");

        // process command line arguments
        aptr = &args;
        GetArgsLoader(argc, argv, aptr);

        // verify database and tables exist before
        attempting to load

        ChecksQL();
        CheckDataBase();

        printf("Build interface is ODBC.\n");

        if (aptr->build_index == 0)
            printf("Data load only - no index
creation.\n");
        else
            printf("Data load and index
creation.\n");

        if (aptr->index_order == 0)
            printf("Clustered indexes will be
created after bulk load.\n");
        else
            printf("Clustered indexes will be
created before bulk load.\n");

        // set database scale values
        if (aptr->scale_down == 1)
        {
            printf("*** Scaled Down Database
***\n");
            max_items = MAXITEMS_SCALE_DOWN;
            customers_per_district =
CUSTOMERS_SCALE_DOWN;

```

```

            orders_per_district =
ORDERS_SCALE_DOWN;
            first_new_order = 0;
            last_new_order = 30;
        }
        else
        {
            max_items = MAXITEMS;
            customers_per_district =
CUSTOMERS_PER_DISTRICT;
            orders_per_district =
ORDERS_PER_DISTRICT;
            first_new_order = 2100;
            last_new_order = 3000;
        }

        // open connections to SQL Server
        OpenConnections();

        // open file for loader results
        fLoader = fopen(aptr->loader_res_file, "w");

        if (fLoader == NULL)
        {
            printf("Error, loader result file
open failed.");
            exit(-1);
        }

        // start loading data

        sprintf(buffer, "TPC-C load started for %ld
warehouses.\n", aptr->num_warehouses);

        printf("%s", buffer);
        fprintf(fLoader, "%s", buffer);

        main_time_start = (TimeNow()) / MILLI;

        // start parallel load threads

        if (aptr->tables_all || aptr->table_item)
        {
            fprintf(fLoader, "\nStarting
loader threads for: item\n");

            hThread[0] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadItem,
NULL,
0,
&dwThreadId[0]);

```

```

        if (hThread[0] == NULL)
        {
            printf("Error, failed
in creating creating thread = 0.\n");
            exit(-1);
        }
    }

    if (aptr->tables_all || aptr-
>table_warehouse)
    {
        fprintf(fLoader, "Starting loader
threads for: warehouse\n");

        hThread[1] = CreateThread(NULL,
            0,
(LPTHREAD_START_ROUTINE) LoadWarehouse,
            NULL,
            0,
            &dwThreadID[1]);

        if (hThread[1] == NULL)
        {
            printf("Error, failed
in creating creating thread = 1.\n");
            exit(-1);
        }

        if (aptr->tables_all || aptr-
>table_customer)
        {
            fprintf(fLoader, "Starting loader
threads for: customer\n");

            hThread[2] = CreateThread(NULL,
                0,
(LPTHREAD_START_ROUTINE) LoadCustomer,
                NULL,
                0,
                &dwThreadID[2]);

            if (hThread[2] == NULL)
            {
                printf("Error, failed
in creating creating main thread = 2.\n");
                exit(-1);
            }
        }

        if (aptr->tables_all || aptr->table_orders)

```

```

    {
        fprintf(fLoader, "Starting loader
threads for: orders\n");

        hThread[3] = CreateThread(NULL,
            0,
(LPTHREAD_START_ROUTINE) LoadOrders,
            NULL,
            0,
            &dwThreadID[3]);

        if (hThread[3] == NULL)
        {
            printf("Error, failed
in creating creating main thread = 3.\n");
            exit(-1);
        }

        // Wait for threads to finish...
        for (i=0; i<MAX_MAIN_THREADS; i++)
        {
            if (hThread[i] != NULL)
            {
                WaitForSingleObject(
hThread[i], INFINITE );

                CloseHandle(hThread[i]);
                hThread[i] = NULL;
            }

            main_time_end = (TimeNow() / MILLI);

            sprintf(buffer, "\nTPC-C load completed
successfully in %ld minutes.\n",
                (main_time_end -
main_time_start)/60);

            printf("%s",buffer);
            fprintf(fLoader, "%s", buffer);

            fclose(fLoader);

            SQLFreeEnv(henv);

            exit(0);

            return 0;
        }

        //=====
        //
        // Function name: LoadItem
        //

```

```

//=====
void LoadItem()
{
    long        i_id;
    long        i_im_id;
    char        i_name[I_NAME_LEN+1];
    double      i_price;
    char        i_data[I_DATA_LEN+1];
    char        name[20];
    long        time_start;
    RETCODE     rc;
    DBINT       rcint;
    char        bcpint[128];

    // Seed with unique number
    seed(1);

    printf("Loading item table...\n");

    // if build index before load
    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
        BuildIndex("idxitmcl");

    InitString(i_name, I_NAME_LEN+1);
    InitString(i_data, I_DATA_LEN+1);

    sprintf(name, "%s.%s", aptr->database,
"item");

    rc = bcp_init(i_hdbc1, name, NULL,
"logs\\item.err", DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(i_hdbc1);

    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
    {
        sprintf(bcpint, "tablock, order
(i_id, ROWS_PER_BATCH = 100000");
        rc = bcp_control(i_hdbc1,
BCPHINTS, (void*) bcpint);
        if (rc != SUCCEEDED)
            HandleErrorDBC(i_hdbc1);
    }

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_im_id,
0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) i_name, 0,
I_NAME_LEN, NULL, 0, 0, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(i_hdbc1);
}

```

```

        rc = bcp_bind(i_hdbc1, (BYTE *) &i_price,
0, SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 4);
        if (rc != SUCCEED)
            HandleErrorDBC(i_hdbc1);

        rc = bcp_bind(i_hdbc1, (BYTE *) i_data, 0,
I_DATA_LEN, NULL, 0, 0, 5);
        if (rc != SUCCEED)
            HandleErrorDBC(i_hdbc1);

        time_start = (TimeNow() / MILLI);
        item_rows_loaded = 0;

        for (i_id = 1; i_id <= max_items; i_id++)
        {
            i_im_id = RandomNumber(1L,
10000L);

            MakeAlphaString(14, 24,
I_NAME_LEN, i_name);

            i_price = ((float)
RandomNumber(100L, 10000L))/100.0;

            MakeOriginalAlphaString(26, 50,
I_DATA_LEN, i_data, 10);

            rc = bcp_sendrow(i_hdbc1);

            if (rc != SUCCEED)
                HandleErrorDBC(i_hdbc1);

            item_rows_loaded++;
            CheckForCommit(i_hdbc1, i_hstmt1,
item_rows_loaded, "item", &time_start);
        }

        rcint = bcp_done(i_hdbc1);
        if (rcint < 0)
            HandleErrorDBC(i_hdbc1);

        printf("Finished loading item table.\n");

        SQLFreeStmt(i_hstmt1, SQL_DROP);
        SQLDisconnect(i_hdbc1);
        SQLFreeConnect(i_hdbc1);

        // if build index after load
        if ((aptr->build_index == 1) && (aptr-
>index_order == 0))
            BuildIndex("idxitmc1");
    }

//=====
//

```

```

// Function : LoadWarehouse
//
// Loads WAREHOUSE table and loads Stock and District
as Warehouses are created
//
//=====
void LoadWarehouse()
{
    short w_id;
    char w_name[W_NAME_LEN+1];
    char w_street_1[ADDRESS_LEN+1];
    char w_street_2[ADDRESS_LEN+1];
    char w_city[ADDRESS_LEN+1];
    char w_state[STATE_LEN+1];
    char w_zip[ZIP_LEN+1];
    double w_tax;
    double w_ytd;
    char name[20];
    long time_start;
    RETCODE rc;
    DBINT rcint;
    char bcphint[128];

    // Seed with unique number
    seed(2);

    printf("Loading warehouse table...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
        BuildIndex("idxwarc1");

    InitString(w_name, W_NAME_LEN+1);
    InitAddress(w_street_1, w_street_2, w_city,
w_state, w_zip);

    sprintf(name, "%s.%s", aptr->database,
"warehouse");

    rc = bcp_init(w_hdbc1, name, NULL,
"logs\\whouse.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
    {
        sprintf(bcphint, "tablock, order
(w_id), ROWS_PER_BATCH = %d", aptr->num_warehouses);
        rc = bcp_control(w_hdbc1,
BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
    }

    rc = bcp_bind(w_hdbc1, (BYTE *) &w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 1);
    if (rc != SUCCEED)

```

```

        HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) w_name, 0,
W_NAME_LEN, NULL, 0, 0, 2);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) w_street_1,
0, ADDRESS_LEN, NULL, 0, 0, 3);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) w_street_2,
0, ADDRESS_LEN, NULL, 0, 0, 4);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) w_city, 0,
ADDRESS_LEN, NULL, 0, 0, 5);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) w_state, 0,
STATE_LEN, NULL, 0, 0, 6);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) w_zip, 0,
ZIP_LEN, NULL, 0, 0, 7);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) &w_tax, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 8);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) &w_ytd, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 9);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        time_start = (TimeNow() / MILLI);
        warehouse_rows_loaded = 0;

        for (w_id = (short)aptr-
>starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
        {
            MakeAlphaString(6,10, W_NAME_LEN,
w_name);

            MakeAddress(w_street_1,
w_street_2, w_city, w_state, w_zip);

            w_tax = ((float)
RandomNumber(0L,2000L))/10000.00;

            w_ytd = 300000.00;

            rc = bcp_sendrow(w_hdbc1);
            if (rc != SUCCEED)

```

```

HandleErrorDBC(w_hdbc1);

warehouse_rows_loaded++;
CheckForCommit(w_hdbc1, i_hstmt1,
warehouse_rows_loaded, "warehouse", &time_start);
}

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

printf("Finished loading warehouse
table.\n");

// if build index after load..
if ((aptr->build_index == 1) && (aptr-
>index_order == 0))
    BuildIndex("idxwarc1");

stock_rows_loaded = 0;
district_rows_loaded = 0;

District();
Stock();
}

//=====
//
// Function   : District
//=====
void District()
{
short d_id;
short d_w_id;
char d_name[D_NAME_LEN+1];
char d_street_1[ADDRESS_LEN+1];
char d_street_2[ADDRESS_LEN+1];
char d_city[ADDRESS_LEN+1];
char d_state[STATE_LEN+1];
char d_zip[ZIP_LEN+1];
double d_tax;
double d_ytd;
char name[20];
long d_next_o_id;
long time_start;
int w_id;
RETCODE rc;
DBINT rcint;
char bcphint[128];

// Seed with unique number
seed(4);

printf("Loading district table...\n");

```

```

// build index before load
if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
    BuildIndex("idxdiscl");

InitString(d_name, D_NAME_LEN+1);
InitAddress(d_street_1, d_street_2, d_city,
d_state, d_zip);
sprintf(name, "%s..%s", aptr->database,
"district");

rc = bcp_init(w_hdbc1, name, NULL,
"logs\\district.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
{
    sprintf(bcphint, "tablock, order
(d_w_id, d_id), ROWS_PER_BATCH = %u", (aptr-
>num_warehouses * 10));
    rc = bcp_control(w_hdbc1,
BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
}

rc = bcp_bind(w_hdbc1, (BYTE *) &d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 1);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &d_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_name, 0,
D_NAME_LEN, NULL, 0, 0, 3);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_street_1,
0, ADDRESS_LEN, NULL, 0, 0, 4);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_street_2,
0, ADDRESS_LEN, NULL, 0, 0, 5);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_city, 0,
ADDRESS_LEN, NULL, 0, 0, 6);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_state, 0,
STATE_LEN, NULL, 0, 0, 7);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

```

```

rc = bcp_bind(w_hdbc1, (BYTE *) d_zip, 0,
ZIP_LEN, NULL, 0, 0, 8);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &d_tax, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 9);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &d_ytd, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 10);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *)
&d_next_o_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4,
11);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

d_ytd = 30000.0;

d_next_o_id = orders_per_district+1;

time_start = (TimeNow() / MILLI);

for (w_id = aptr->starting_warehouse; w_id
<= aptr->num_warehouses; w_id++)
{
    d_w_id = w_id;

    for (d_id = 1; d_id <=
DISTRICT_PER_WAREHOUSE; d_id++)
    {
        MakeAlphaString(6,10,D_NAME_LEN, d_name);

        MakeAddress(d_street_1,
d_street_2, d_city, d_state, d_zip);

        d_tax = ((float)
RandomNumber(0L,2000L))/10000.00;

        rc =
bcp_sendrow(w_hdbc1);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        district_rows_loaded++;
        CheckForCommit(w_hdbc1,
&time_start);
    }
}

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

```

```

        printf("Finished loading district
table.\n");

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr-
>index_order == 0))
            BuildIndex("idxdiscl");

        return;
    }

//=====
//
// Function   : Stock
//
//=====

void Stock()
{
    long  s_i_id;
    short s_w_id;
    short s_quantity;
    char  s_dist_01[S_DIST_LEN+1];
    char  s_dist_02[S_DIST_LEN+1];
    char  s_dist_03[S_DIST_LEN+1];
    char  s_dist_04[S_DIST_LEN+1];
    char  s_dist_05[S_DIST_LEN+1];
    char  s_dist_06[S_DIST_LEN+1];
    char  s_dist_07[S_DIST_LEN+1];
    char  s_dist_08[S_DIST_LEN+1];
    char  s_dist_09[S_DIST_LEN+1];
    char  s_dist_10[S_DIST_LEN+1];
    long  s_ytd;
    short s_order_cnt;
    short s_remote_cnt;
    char  s_data[S_DATA_LEN+1];
    short len;
    char  name[20];
    long  time_start;
    RETCODE rc;
    DBINT rcint;
    char  bcphint[128];

    // Seed with unique number
    seed(3);

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
        BuildIndex("idxstkcl");

    sprintf(name, "%s.%s", aptr->database,
"stock");

    rc = bcp_init(w_hdbc1, name, NULL,
"logs\\stock.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

```

```

        if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
        {
            sprintf(bcphint, "tablock, order
(s_i_id, s_w_id), ROWS_PER_BATCH = %u", (aptr-
>num_warehouses * 100000));
            rc = bcp_control(w_hdbc1,
BCPHINTS, (void*) bcphint);
            if (rc != SUCCEED)

                HandleErrorDBC(w_hdbc1);
        }

        rc = bcp_bind(w_hdbc1, (BYTE *) &s_i_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        bcp_bind(w_hdbc1, (BYTE *) &s_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *)
&s_quantity, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
3);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_01,
0, S_DIST_LEN, NULL, 0, 0, 4);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_02,
0, S_DIST_LEN, NULL, 0, 0, 5);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_03,
0, S_DIST_LEN, NULL, 0, 0, 6);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_04,
0, S_DIST_LEN, NULL, 0, 0, 7);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_05,
0, S_DIST_LEN, NULL, 0, 0, 8);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_06,
0, S_DIST_LEN, NULL, 0, 0, 9);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_07,
0, S_DIST_LEN, NULL, 0, 0, 10);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

```

```

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_08,
0, S_DIST_LEN, NULL, 0, 0, 11);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_09,
0, S_DIST_LEN, NULL, 0, 0, 12);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_10,
0, S_DIST_LEN, NULL, 0, 0, 13);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) &s_ytd, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 14);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *)
&s_order_cnt, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
15);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *)
&s_remote_cnt, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
16);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) s_data, 0,
S_DATA_LEN, NULL, 0, 0, 17);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        s_ytd = s_order_cnt = s_remote_cnt = 0;

        time_start = (TimeNow() / MILLI);

        printf("...Loading stock table\n");

        for (s_i_id=1; s_i_id <= max_items;
s_i_id++)
        {

            for (s_w_id = (short)aptr-
>starting_warehouse; s_w_id <= aptr->num_warehouses;
s_w_id++)
            {

                s_quantity =
(short)RandomNumber(101,101);
                len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_01);
                len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_02);
                len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_03);
                len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_04);

```

```

        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_05);
        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_06);
        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_07);
        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_08);
        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_09);
        len =
MakeAlphaString(24,24,S_DIST_LEN, s_dist_10);

        len =
MakeOriginalAlphaString(26,50, S_DATA_LEN,
s_data,10);

        rc =
bcp_sendrow(w_hdbc1);
        if (rc != SUCCEED)

            HandleErrorDBC(w_hdbc1);

            stock_rows_loaded++;
            CheckForCommit(w_hdbc1,
w_hstmt1, stock_rows_loaded, "stock", &time_start);
        }
    }

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

printf("Finished loading stock table.\n");

SQLFreeStmt(w_hstmt1, SQL_DROP);
SQLDisconnect(w_hdbc1);
SQLFreeConnect(w_hdbc1);

// if build index after load..
if ((aptr->build_index == 1) && (aptr-
>index_order == 0))
    BuildIndex("idxstkcl");

return;
}

//=====
//
// Function   : LoadCustomer
//
//=====
void LoadCustomer()
{
    LOADER_TIME_STRUCT
customer_time_start;
    LOADER_TIME_STRUCT      history_time_start;

```

```

short          short          w_id;
short          d_id;

DWORD
dwThreadID[MAX_CUSTOMER_THREADS];
HANDLE
hThread[MAX_CUSTOMER_THREADS];
char          name[20];
RETCODE
rc;
DBINT
rcint;
char
bcphint[128];
char
cmd[256];
// SQLRETURN
rc_l;
// SQLSMALLINT
reclen, MsgLen;
// SQLCHAR
SqlState[6],
Msg[SQL_MAX_MESSAGE_LENGTH];
// SQLINTEGER
NativeError;

// Seed with unique number
seed(5);

printf("Loading customer and history
tables...\n");

// if build index before load..
if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
    BuildIndex("idxxcsc1");

// Initialize bulk copy
sprintf(name, "%s..%s", aptr->database,
"customer");

rc = bcp_init(c_hdbc1, name, NULL,
"logs\\customer.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
{
    sprintf(bcphint, "tablock, order
(c_w_id, c_d_id, c_id), ROWS_PER_BATCH = %u", (aptr-
>num_warehouses * 30000));
    rc = bcp_control(c_hdbc1,
BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)

        HandleErrorDBC(c_hdbc1);
}

sprintf(name, "%s..%s", aptr->database,
"history");

rc = bcp_init(c_hdbc2, name, NULL,
"logs\\history.err", DB_IN);

```

```

if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

sprintf(bcphint, "tablock");
rc = bcp_control(c_hdbc2, BCPHINTS, (void*)
bcphint);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

customer_rows_loaded = 0;
history_rows_loaded = 0;

CustomerBufInit();

customer_time_start.time_start = (TimeNow()
/ MILLI);
history_time_start.time_start = (TimeNow()
/ MILLI);

for (w_id = (short)aptr-
>starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
{
    for (d_id = 1; d_id <=
DISTRICT_PER_WAREHOUSE; d_id++)
    {

        CustomerBufLoad(d_id,
w_id);

        // Start parallel
loading threads here...

        // Start customer table
thread

        printf("...Loading
customer table for: d_id = %d, w_id = %d\n", d_id,
w_id);

        hThread[0] =
CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadCustomerTable,
&customer_time_start,
0,
&dwThreadID[0]);

        if (hThread[0] == NULL)
        {
            printf("Error, failed in creating creating
thread = 0.\n");
            exit(-1);
        }
    }
}

```

```

thread // Start History table

history table for: d_id = %d, w_id = %d\n", d_id, w_id);

CreateThread(NULL,

(LPTHREAD_START_ROUTINE) LoadHistoryTable,

shistory_time_start,

&dwThreadID[1]);

if (hThread[1] == NULL)
{
printf("Error, failed in creating creating
thread = 1.\n");
exit(-1);
}

WaitForSingleObject(
hThread[0], INFINITE );
WaitForSingleObject(
hThread[1], INFINITE );

if
(CloseHandle(hThread[0]) == FALSE)
{
printf("Error, failed in closing customer
thread handle with errno: %d\n", GetLastError());
}

if
(CloseHandle(hThread[1]) == FALSE)
{
printf("Error, failed in closing history
thread handle with errno: %d\n", GetLastError());
}

}

// flush the bulk connection
rcint = bcp_done(c_hdbc1);
if (rcint < 0)
HandleErrorDBC(c_hdbc1);

```

```

rcint = bcp_done(c_hdbc2);
if (rcint < 0)
HandleErrorDBC(c_hdbc2);

printf("Finished loading customer
table.\n");

// if build index after load...
if ((aptr->build_index == 1) && (aptr-
>index_order == 0))
BuildIndex("idxcuscl");

// build non-clustered index
if (aptr->build_index == 1)
BuildIndex("idxcusnc");

// Output the NURAND used for the loader
into C_FIRST for C_ID = 1,
// C_W_ID = 1, and C_D_ID = 1
sprintf(cmd, "isql -S%s -U%s -P%s -d%s -e -
Q\update customer set c_first = 'C_LOAD = %d' where
c_id = 1 and c_w_id = 1 and c_d_id = 1\ " >
logs\nurand_load.log",

aptr->server,
aptr->user,
aptr-
>password,
aptr-
>database,

LOADER_NURAND_C);

system(cmd);

SQLFreeStmt(c_hstmt1, SQL_DROP);
SQLDisconnect(c_hdbc1);
SQLFreeConnect(c_hdbc1);

SQLFreeStmt(c_hstmt2, SQL_DROP);
SQLDisconnect(c_hdbc2);
SQLFreeConnect(c_hdbc2);

return;
}

//=====
//
// Function : CustomerBufInit
//
//=====
void CustomerBufInit()
{
int i;

for (i=0;i<customers_per_district;i++)

```

```

{
customer_buf[i].c_id = 0;
customer_buf[i].c_d_id = 0;
customer_buf[i].c_w_id = 0;

strcpy(customer_buf[i].c_first, "");
strcpy(customer_buf[i].c_middle, "");
strcpy(customer_buf[i].c_last, "");
strcpy(customer_buf[i].c_street_1, "");
strcpy(customer_buf[i].c_street_2, "");
strcpy(customer_buf[i].c_city, "");
strcpy(customer_buf[i].c_state, "");
strcpy(customer_buf[i].c_zip, "");

strcpy(customer_buf[i].c_phone, "");
strcpy(customer_buf[i].c_credit, "");

customer_buf[i].c_credit_lim = 0;
customer_buf[i].c_discount =
(float) 0;

// fix to avoid ODBC float to
numeric conversion problem.
//
customer_buf[i].c_balance = 0;
strcpy(customer_buf[i].c_balance, "");

customer_buf[i].c_ytd_payment =
0;
customer_buf[i].c_payment_cnt =
0;
customer_buf[i].c_delivery_cnt =
0;

strcpy(customer_buf[i].c_data, "");

customer_buf[i].h_amount = 0;

strcpy(customer_buf[i].h_data, "");
}

//=====
//
// Function : CustomerBufLoad

```

```

//
// Fills shared buffer for HISTORY and CUSTOMER
//=====
void CustomerBufLoad(int d_id, int w_id)
{
    long i;
    CUSTOMER_SORT_STRUCT
c[CUSTOMERS_PER_DISTRICT];

    for (i=0;i<customers_per_district;i++)
    {
        if (i < 1000)
            LastName(i,
c[i].c_last);
        else
            LastName(NURand(255,0,999,LOADER_NURAND_C),
c[i].c_last);

        MakeAlphaString(8,16,FIRST_NAME_LEN,
c[i].c_first);

        c[i].c_id = i+1;
    }

    printf("...Loading customer buffer for:
d_id = %d, w_id = %d\n",
        d_id, w_id);

    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_d_id = d_id;
        customer_buf[i].c_w_id = w_id;
        customer_buf[i].h_amount = 10.0;

        customer_buf[i].c_ytd_payment =
10.0;

        customer_buf[i].c_payment_cnt =
1;

        customer_buf[i].c_delivery_cnt =
0;

        // Generate CUSTOMER and HISTORY
data

        customer_buf[i].c_id = c[i].c_id;
        strcpy(customer_buf[i].c_first,
c[i].c_first);
        strcpy(customer_buf[i].c_last,
c[i].c_last);

        customer_buf[i].c_middle[0] =
'O';

```

```

        customer_buf[i].c_middle[1] =
'E';

        MakeAddress(customer_buf[i].c_street_1,
customer_buf[i].c_street_2,
customer_buf[i].c_city,
customer_buf[i].c_state,
customer_buf[i].c_zip);

        MakeNumberString(16, 16,
PHONE_LEN, customer_buf[i].c_phone);

        if (RandomNumber(1L, 100L) > 10)
            customer_buf[i].c_credit[0] = 'G';
        else
            customer_buf[i].c_credit[0] = 'B';
        customer_buf[i].c_credit[1] =
'C';

        customer_buf[i].c_credit_lim =
50000.0;
        customer_buf[i].c_discount =
((float) RandomNumber(0L, 5000L) / 10000.0);

        // fix to avoid ODBC float to
numeric conversion problem.
        // customer_buf[i].c_balance = -
10.0;

        strcpy(customer_buf[i].c_balance, "-10.0");

        MakeAlphaString(300, 500,
C_DATA_LEN, customer_buf[i].c_data);

        // Generate HISTORY data
        MakeAlphaString(12, 24,
H_DATA_LEN, customer_buf[i].h_data);
    }
}
//=====
//
// Function : LoadCustomerTable
//
//=====
void LoadCustomerTable(LOADER_TIME_STRUCT
*customer_time_start)
{
    int i;
    long c_id;
    short c_d_id;

```

```

    short c_w_id;
    char c_first[FIRST_NAME_LEN+1];
    char c_middle[MIDDLE_NAME_LEN+1];
    char c_last[LAST_NAME_LEN+1];
    char c_street_1[ADDRESS_LEN+1];
    char c_street_2[ADDRESS_LEN+1];
    char c_city[ADDRESS_LEN+1];
    char c_state[STATE_LEN+1];
    char c_zip[ZIP_LEN+1];
    char c_phone[PHONE_LEN+1];
    char c_credit[CREDIT_LEN+1];
    double c_credit_lim;
    double c_discount;

    // fix to avoid ODBC float to numeric
conversion problem.
    // double c_balance;
    char c_balance[6];

    double c_ytd_payment;
    short c_payment_cnt;
    short c_delivery_cnt;
    char c_data[C_DATA_LEN+1];
    char c_since[C_SINCE_LEN+1];

    RETCODE rc;

    rc = bcp_bind(c_hdbc1, (BYTE *) &c_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) &c_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) &c_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_first, 0,
FIRST_NAME_LEN, NULL, 0, 0, 4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_middle, 0,
MIDDLE_NAME_LEN, NULL, 0, 0, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_last, 0,
LAST_NAME_LEN, NULL, 0, 0, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

    rc = bcp_bind(c_hdbc1, (BYTE *) c_street_1, 0,
ADDRESS_LEN, NULL, 0, 0, 7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

```

```

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_2, 0,
ADDRESS_LEN, NULL, 0, 0, 8);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_city, 0,
ADDRESS_LEN, NULL, 0, 0, 9);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_state, 0,
STATE_LEN, NULL, 0, 0, 10);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_zip, 0,
ZIP_LEN, NULL, 0, 0, 11);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_phone, 0,
PHONE_LEN, NULL, 0, 0, 12);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_since,
0, C_SINCE_LEN, NULL, 0, SQLCHARACTER, 13);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_credit, 0,
CREDIT_LEN, NULL, 0, 0, 14);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_credit_lim, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 15);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_discount, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 16);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

// fix to avoid ODBC float to numeric
conversion problem.
// rc = bcp_bind(c_hdbc1, (BYTE *) &c_balance,
0, SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 17);
// if (rc != SUCCEEDED)
//     HandleErrorDBC(c_hdbc1);
rc = bcp_bind(c_hdbc1, (BYTE *) c_balance, 0, 5,
NULL, 0, SQLCHARACTER, 17);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_ytd_payment,
0, SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 18);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

```

```

rc = bcp_bind(c_hdbc1, (BYTE *) &c_payment_cnt,
0, SQL_VARLEN_DATA, NULL, 0, SQLINT2, 19);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *)
&c_delivery_cnt, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
20);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_data, 0, 500,
NULL, 0, 0, 21);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

for (i = 0; i < customers_per_district; i++)
{
    c_id = customer_buf[i].c_id;
    c_d_id = customer_buf[i].c_d_id;
    c_w_id = customer_buf[i].c_w_id;

    strcpy(c_first,
customer_buf[i].c_first);
    strcpy(c_middle,
customer_buf[i].c_middle);
    strcpy(c_last,
customer_buf[i].c_last);
    strcpy(c_street_1,
customer_buf[i].c_street_1);
    strcpy(c_street_2,
customer_buf[i].c_street_2);
    strcpy(c_city,
customer_buf[i].c_city);
    strcpy(c_state,
customer_buf[i].c_state);
    strcpy(c_zip,
customer_buf[i].c_zip);
    strcpy(c_phone,
customer_buf[i].c_phone);
    strcpy(c_credit,
customer_buf[i].c_credit);

    FormatDate(&c_since);

    c_credit_lim =
customer_buf[i].c_credit_lim;
    c_discount =
customer_buf[i].c_discount;

    // fix to avoid ODBC float to
numeric conversion problem.
    // c_balance =
customer_buf[i].c_balance;
    strcpy(c_balance,
customer_buf[i].c_balance);

    c_ytd_payment =
customer_buf[i].c_ytd_payment;
    c_payment_cnt =
customer_buf[i].c_payment_cnt;

```

```

c_delivery_cnt =
customer_buf[i].c_delivery_cnt;

strcpy(c_data,
customer_buf[i].c_data);

// Send data to server
rc = bcp_sendrow(c_hdbc1);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

customer_rows_loaded++;
CheckForCommit(c_hdbc1, c_hstmt1,
customer_rows_loaded, "customer",
&customer_time_start->time_start);
}

}

//=====
//
// Function : LoadHistoryTable
//
//=====

void LoadHistoryTable(LOADER_TIME_STRUCT
*history_time_start)
{
    int i;
    long c_id;
    short c_d_id;
    short c_w_id;
    double h_amount;
    char h_data[H_DATA_LEN+1];
    char h_date[H_DATE_LEN+1];

    RETCODE rc;

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

```

```

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 5);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_date, 0,
H_DATE_LEN, NULL, 0, SQLCHARACTER, 6);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_amount, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 7);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) h_data, 0,
H_DATA_LEN, NULL, 0, 0, 8);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    for (i = 0; i < customers_per_district; i++)
    {
        c_id = customer_buf[i].c_id;
        c_d_id = customer_buf[i].c_d_id;
        c_w_id = customer_buf[i].c_w_id;
        h_amount =
customer_buf[i].h_amount;
        strcpy(h_data,
customer_buf[i].h_data);

        FormatDate(&h_date);

        // send to server
        rc = bcp_sendrow(c_hdbc2);
        if (rc != SUCCEED)

            HandleErrorDBC(c_hdbc2);

        history_rows_loaded++;
        CheckForCommit(c_hdbc2, c_hstmt2,
history_rows_loaded, "history", &history_time_start-
>time_start);
    }

}

//=====
//
// Function : LoadOrders
//
//=====

void LoadOrders()
{
    LOADER_TIME_STRUCT orders_time_start;
    LOADER_TIME_STRUCT
new_order_time_start;

```

```

    LOADER_TIME_STRUCT
order_line_time_start;
    short w_id;
    short d_id;
    DWORD dwThreadId[MAX_ORDER_THREADS];
    HANDLE hThread[MAX_ORDER_THREADS];
    char name[20];
    RETCODE rc;
    char bcphint[128];

    // seed with unique number
    seed(6);

    printf("Loading orders...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
    {
        BuildIndex("idxordcl");
        BuildIndex("idxnodcl");
        BuildIndex("idxodcl");
    }

    // initialize bulk copy
    sprintf(name, "%s..%s", aptr->database,
"orders");

    rc = bcp_init(o_hdbc1, name, NULL,
"log\orders.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
    {
        sprintf(bcphint, "tablock, order
(o_w_id, o_d_id, o_id), ROWS_PER_BATCH = %u", (aptr-
>num_warehouses * 30000));
        rc = bcp_control(o_hdbc1,
BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)

            HandleErrorDBC(o_hdbc1);
    }

    sprintf(name, "%s..%s", aptr->database,
"new_order");

    rc = bcp_init(o_hdbc2, name, NULL,
"log\neword.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
    {

```

```

        sprintf(bcphint, "tablock, order
(no_w_id, no_d_id, no_o_id), ROWS_PER_BATCH = %u",
(aptr->num_warehouses * 9000));
        rc = bcp_control(o_hdbc2,
BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)

            HandleErrorDBC(o_hdbc2);
    }

    sprintf(name, "%s..%s", aptr->database,
"order_line");

    rc = bcp_init(o_hdbc3, name, NULL,
"log\ordline.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    if ((aptr->build_index == 1) && (aptr-
>index_order == 1))
    {
        sprintf(bcphint, "tablock, order
(ol_w_id, ol_d_id, ol_o_id, ol_number),
ROWS_PER_BATCH = %u", (aptr->num_warehouses *
300000));
        rc = bcp_control(o_hdbc3,
BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)

            HandleErrorDBC(o_hdbc3);
    }

    orders_rows_loaded = 0;
    new_order_rows_loaded = 0;
    order_line_rows_loaded = 0;

    OrdersBufInit();

    orders_time_start.time_start = (TimeNow() /
MILLI);
    new_order_time_start.time_start =
(TimeNow() / MILLI);
    order_line_time_start.time_start =
(TimeNow() / MILLI);

    for (w_id = (short)aptr-
>starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
    {
        for (d_id = 1; d_id <=
DISTRICT_PER_WAREHOUSE; d_id++)
        {
            OrdersBufLoad(d_id,
w_id);

            // start parallel
            loading threads here...

            // start Orders table
            thread

```

```

                printf("...Loading
Order Table for: d_id = %d, w_id = %d\n", d_id,
w_id);

                hThread[0] =
CreateThread(NULL,
                0,
(LPTHREAD_START_ROUTINE) LoadOrdersTable,
&orders_time_start,
                0,
&dwThreadID[0]);

                if (hThread[0] == NULL)
                {
                    printf("Error, failed in creating creating
thread = 0.\n");
                    exit(-1);
                }
                // start NewOrder table
thread
                printf("...Loading New-
Order Table for: d_id = %d, w_id = %d\n", d_id,
w_id);

                hThread[1] =
CreateThread(NULL,
                0,
(LPTHREAD_START_ROUTINE) LoadNewOrderTable,
&new_order_time_start,
                0,
&dwThreadID[1]);

                if (hThread[1] == NULL)
                {
                    printf("Error, failed in creating creating
thread = 1.\n");
                    exit(-1);
                }
                // start Order-Line
table thread

```

```

                printf("...Loading
Order-Line Table for: d_id = %d, w_id = %d\n", d_id,
w_id);

                hThread[2] =
CreateThread(NULL,
                0,
(LPTHREAD_START_ROUTINE) LoadOrderLineTable,
&order_line_time_start,
                0,
&dwThreadID[2]);

                if (hThread[2] == NULL)
                {
                    printf("Error, failed in creating creating
thread = 2.\n");
                    exit(-1);
                }
                WaitForSingleObject(
hThread[0], INFINITE );
                WaitForSingleObject(
hThread[1], INFINITE );
                WaitForSingleObject(
hThread[2], INFINITE );

                if
(CloseHandle(hThread[0]) == FALSE)
                {
                    printf("Error, failed in closing Orders
thread handle with errno: %d\n", GetLastError());
                }

                if
(CloseHandle(hThread[1]) == FALSE)
                {
                    printf("Error, failed in closing NewOrder
thread handle with errno: %d\n", GetLastError());
                }

                if
(CloseHandle(hThread[2]) == FALSE)
                {
                    printf("Error, failed in closing OrderLine
thread handle with errno: %d\n", GetLastError());
                }
                }

                printf("Finished loading orders.\n");

```

```

return;
}

//=====
//
// Function   : OrdersBufInit
//
// Clears shared buffer for ORDERS, NEWORDER, and
ORDERLINE
//
//=====
void OrdersBufInit()
{
    int     i;
    int     j;

    for (i=0;i<orders_per_district;i++)
    {
        orders_buf[i].o_id = 0;
        orders_buf[i].o_d_id = 0;
        orders_buf[i].o_w_id = 0;
        orders_buf[i].o_c_id = 0;
        orders_buf[i].o_carrier_id = 0;
        orders_buf[i].o_ol_cnt = 0;
        orders_buf[i].o_all_local = 0;

        for (j=0;j<=14;j++)
        {
            orders_buf[i].o_ol[j].ol = 0;
            orders_buf[i].o_ol[j].ol_i_id = 0;
            orders_buf[i].o_ol[j].ol_supply_w_id = 0;
            orders_buf[i].o_ol[j].ol_quantity = 0;
            orders_buf[i].o_ol[j].ol_amount = 0;
            strcpy(orders_buf[i].o_ol[j].ol_dist_info,
                "
                );
        }
    }

//=====
//
// Function   : OrdersBufLoad
//
// Fills shared buffer for ORDERS, NEWORDER, and
ORDERLINE
//

```

```

//=====
void OrdersBufLoad(int d_id, int w_id)
{
    int    cust[ORDERS_PER_DISTRICT+1];
    long   o_id;
    short  ol;

    printf("...Loading Order Buffer for: d_id =
%d, w_id = %d\n",
           d_id, w_id);

    GetPermutation(cust, orders_per_district);

    for
(o_id=0;o_id<orders_per_district;o_id++)
    {
        // Generate ORDER and NEW-ORDER
        data
        orders_buf[o_id].o_d_id = d_id;
        orders_buf[o_id].o_w_id = w_id;
        orders_buf[o_id].o_id = o_id+1;
        orders_buf[o_id].o_c_id =
cust[o_id+1];
        orders_buf[o_id].o_ol_cnt =
(short)RandomNumber(5L, 15L);

        if (o_id < first_new_order)
        {
            orders_buf[o_id].o_carrier_id =
(short)RandomNumber(1L, 10L);

            orders_buf[o_id].o_all_local = 1;
        }
        else
        {
            orders_buf[o_id].o_carrier_id = 0;

            orders_buf[o_id].o_all_local = 1;
        }

        for (ol=0;
ol<orders_buf[o_id].o_ol_cnt; ol++)
        {
            orders_buf[o_id].o_ol[ol].ol = ol+1;

            orders_buf[o_id].o_ol[ol].ol_i_id =
RandomNumber(1L, max_items);

            orders_buf[o_id].o_ol[ol].ol_supply_w_id =
w_id;

            orders_buf[o_id].o_ol[ol].ol_quantity = 5;

```

```

MakeAlphaString(24, 24,
OL_DIST_INFO_LEN,
&orders_buf[o_id].o_ol[ol].ol_dist_info);

// Generate ORDER-LINE
data
if (o_id <
first_new_order)
{
    orders_buf[o_id].o_ol[ol].ol_amount = 0;
    // Added to
insure ol_delivery_d set properly during load

    FormatDate(&orders_buf[o_id].o_ol[ol].ol_de
livery_d);
}
else
{
    orders_buf[o_id].o_ol[ol].ol_amount =
RandomNumber(1,999999)/100.0;
    // Added to
insure ol_delivery_d set properly during load

    // odbc
datetime format
    strcpy(orders_buf[o_id].o_ol[ol].ol_deliver
y_d,"1899-12-31 00:00:00.000");
}
}

//=====
//
// Function : LoadOrdersTable
//
//=====
void LoadOrdersTable(LOADER_TIME_STRUCT
*orders_time_start)
{
    int    i;
    long   o_id;
    short  o_d_id;
    short  o_w_id;
    long   o_c_id;
    short  o_carrier_id;
    short  o_ol_cnt;
    short  o_all_local;
    char   o_entry_d[O_ENTRY_D_LEN+1];
    RETCODE rc;

```

```

DBINT     rcint;

// bind ORDER data
rc = bcp_bind(o_hdbc1, (BYTE *) &o_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc1);

rc = bcp_bind(o_hdbc1, (BYTE *) &o_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc1);

rc = bcp_bind(o_hdbc1, (BYTE *) &o_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc1);

rc = bcp_bind(o_hdbc1, (BYTE *) &o_c_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 4);
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc1);

rc = bcp_bind(o_hdbc1, (BYTE *) &o_entry_d,
0, O_ENTRY_D_LEN, NULL, 0, SQLCHARACTER, 5);
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc1);

rc = bcp_bind(o_hdbc1, (BYTE *) &o_carrier_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 6);
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc1);

rc = bcp_bind(o_hdbc1, (BYTE *) &o_ol_cnt, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 7);
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc1);

rc = bcp_bind(o_hdbc1, (BYTE *) &o_all_local, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 8);
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc1);

for (i = 0; i < orders_per_district; i++)
{
    o_id =
orders_buf[i].o_id;
    o_d_id =
orders_buf[i].o_d_id;
    o_w_id =
orders_buf[i].o_w_id;
    o_c_id =
orders_buf[i].o_c_id;
    o_carrier_id =
orders_buf[i].o_carrier_id;
    o_ol_cnt =
orders_buf[i].o_ol_cnt;
    o_all_local =
orders_buf[i].o_all_local;

    FormatDate(&o_entry_d);

    // send data to server

```

```

        rc = bcp_sendrow(o_hdbc1);
        if (rc != SUCCEED)

        HandleErrorDBC(o_hdbc1);

        orders_rows_loaded++;

        CheckForCommit(o_hdbc1, o_hstmt1,
orders_rows_loaded, "orders", &orders_time_start-
>time_start);
    }

    // rcint = bcp_batch(o_hdbc1);
    // if (rcint < 0)
    //     HandleErrorDBC(o_hdbc1);

    if ((o_w_id == aptr->num_warehouses) &&
(o_d_id == 10))
    {
        rcint = bcp_done(o_hdbc1);

        if (rcint < 0)

        HandleErrorDBC(o_hdbc1);

        SQLFreeStmt(o_hstmt1, SQL_DROP);
        SQLDisconnect(o_hdbc1);
        SQLFreeConnect(o_hdbc1);

        // if build index after load...
        if ((aptr->build_index == 1) &&
(aptr->index_order == 0))
            BuildIndex("idxordc1");

        // build non-clustered index
        if (aptr->build_index == 1)
            BuildIndex("idxordnc");
    }
}

//=====
//
// Function   : LoadNewOrderTable
//
//=====
void LoadNewOrderTable(LOADER_TIME_STRUCT
*new_order_time_start)
{
    int         i;
    long        o_id;
    short       o_d_id;
    short       o_w_id;
    RETCODE     rc;
    DBINT       rcint;

    // Bind NEW-ORDER data

```

```

        rc = bcp_bind(o_hdbc2, (BYTE *) &o_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc2);

        rc = bcp_bind(o_hdbc2, (BYTE *) &o_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc2);

        rc = bcp_bind(o_hdbc2, (BYTE *) &o_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc2);

        for (i = first_new_order; i <
last_new_order; i++)
        {
            o_id = orders_buf[i].o_id;
            o_d_id = orders_buf[i].o_d_id;
            o_w_id = orders_buf[i].o_w_id;

            rc = bcp_sendrow(o_hdbc2);
            if (rc != SUCCEED)

            HandleErrorDBC(o_hdbc2);

            new_order_rows_loaded++;

            CheckForCommit(o_hdbc2, o_hstmt2,
new_order_rows_loaded, "new_order",
&new_order_time_start->time_start);
        }

        // rcint = bcp_batch(o_hdbc2);
        // if (rcint < 0)
        //     HandleErrorDBC(o_hdbc2);

        if ((o_w_id == aptr->num_warehouses) &&
(o_d_id == 10))
        {
            rcint = bcp_done(o_hdbc2);

            if (rcint < 0)

            HandleErrorDBC(o_hdbc2);

            SQLFreeStmt(o_hstmt2, SQL_DROP);
            SQLDisconnect(o_hdbc2);
            SQLFreeConnect(o_hdbc2);

            // if build index after load...
            if ((aptr->build_index == 1) &&
(aptr->index_order == 0))
                BuildIndex("idxnodc1");
        }
    }
}

```

```

//=====
//
// Function   : LoadOrderLineTable
//
//=====
void LoadOrderLineTable(LOADER_TIME_STRUCT
*order_line_time_start)
{
    int         i,j;
    long        o_id;
    short       o_d_id;
    short       o_w_id;
    long        ol;
    long        ol_i_id;
    short       ol_supply_w_id;
    short       ol_quantity;
    double      ol_amount;
    char        ol_dist_info[DIST_INFO_LEN+1];
    char        ol_delivery_d[OL_DELIVERY_D_LEN+1];
    RETCODE     rc;
    DBINT       rcint;

    // bind ORDER-LINE data
    rc = bcp_bind(o_hdbc3, (BYTE *) &o_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &o_d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &o_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 4);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_i_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 5);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_supply_w_id,
0, SQL_VARLEN_DATA, NULL, 0, SQLINT2, 6);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *)
&ol_delivery_d, 0, OL_DELIVERY_D_LEN, NULL, 0,
SQL_CHARACTER, 7);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
}

```

```

rc = bcp_bind(o_hdbc3, (BYTE *) &ol_quantity, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 8);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) &ol_amount, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 9);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = bcp_bind(o_hdbc3, (BYTE *) ol_dist_info, 0,
DIST_INFO_LEN, NULL, 0, 0, 10);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

for (i = 0; i < orders_per_district; i++)
{
    o_id = orders_buf[i].o_id;
    o_d_id = orders_buf[i].o_d_id;
    o_w_id = orders_buf[i].o_w_id;

    for (j=0; j <
orders_buf[i].o_ol_cnt; j++)
    {
        ol =
orders_buf[i].o_ol[j].ol;
        ol_i_id =
orders_buf[i].o_ol[j].ol_i_id;
        ol_supply_w_id =
orders_buf[i].o_ol[j].ol_supply_w_id;
        ol_quantity =
orders_buf[i].o_ol[j].ol_quantity;
        ol_amount =
orders_buf[i].o_ol[j].ol_amount;

        strcpy(ol_delivery_d,orders_buf[i].o_ol[j].
ol_delivery_d);

        strcpy(ol_dist_info,orders_buf[i].o_ol[j].o
l_dist_info);

rc =
bcp_sendrow(o_hdbc3);
if (rc != SUCCEED)

        HandleErrorDBC(o_hdbc3);

        order_line_rows_loaded++;
        CheckForCommit(o_hdbc3,
o_hstmt3, order_line_rows_loaded, "order_line",
&order_line_time_start->time_start);
    }
}

// rcint = bcp_batch(o_hdbc3);
// if (rcint < 0)

```

```

// HandleErrorDBC(o_hdbc3);

if ((o_w_id == aptr->num_warehouses) &&
(o_d_id == 10))
{
    rcint = bcp_done(o_hdbc3);

    if (rcint < 0)
        HandleErrorDBC(o_hdbc3);

    SQLFreeStmt(o_hstmt3, SQL_DROP);
    SQLDisconnect(o_hdbc3);
    SQLFreeConnect(o_hdbc3);

    // if build index after load..
    if ((aptr->build_index == 1) &&
(aptr->index_order == 0))
        BuildIndex("idxodlcl");
}

}

//=====
//
// Function : GetPermutation
//
//=====
void GetPermutation(int perm[], int n)
{
    int i, r, t;

    for (i=1;i<=n;i++)
        perm[i] = i;

    for (i=1;i<=n;i++)
    {
        r = RandomNumber(i,n);
        t = perm[i];
        perm[i] = perm[r];
        perm[r] = t;
    }
}

//=====
//
// Function : CheckForCommit
//
//=====
void CheckForCommit(HDBC hdbc,
HSTMT hstmt,

```

```

rows_loaded, int
char *table_name, long
*time_start)
{
    long time_end, time_diff;
    // DBINT rcint;

    if ( !(rows_loaded % aptr->batch) )
    {
        // rcint = bcp_batch(hdbc);
        // if (rcint < 0)
        // HandleErrorDBC(hdbc);

        time_end = (TimeNow() / MILLI);
        time_diff = time_end -
*time_start;

        printf("-> Loaded %ld rows into
%s in %ld sec - Total = %d (%.2f rps)\n",
aptr->batch,
table_name,
time_diff,
rows_loaded,
(float) aptr-
>batch / (time_diff ? time_diff : 1L));

        *time_start = time_end;
    }

    return;
}

//=====
//
// Function : OpenConnections
//
//=====
void OpenConnections()
{
    RETCODE rc;

    char
szDriverString[300];
    char
szDriverStringOut[1024];
    SQLSMALLINT
cbDriverStringOut;

    SQLAllocHandle(SQL_HANDLE_ENV,
SQL_NULL_HANDLE, &henv );

```

```

        SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION,
(void*)SQL_OV_ODBC3, 0 );

        SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&i_hdbc1);
        SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&w_hdbc1);
        SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&c_hdbc1);
        SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&c_hdbc2);
        SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&o_hdbc1);
        SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&o_hdbc2);
        SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&o_hdbc3);

        SQLSetConnectAttr(i_hdbc1, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
        SQLSetConnectAttr(w_hdbc1, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
        SQLSetConnectAttr(c_hdbc1, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
        SQLSetConnectAttr(c_hdbc2, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
        SQLSetConnectAttr(o_hdbc1, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
        SQLSetConnectAttr(o_hdbc2, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
        SQLSetConnectAttr(o_hdbc3, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );

        // Open connections to SQL Server
        // Connection 1

        sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

        rc = SQLSetConnectOption (i_hdbc1,
SQL_PACKET_SIZE, aptr->pack_size);
        if (rc != SUCCEEDED)
            HandleErrorDBC(i_hdbc1);

        rc = SQLDriverConnect ( i_hdbc1,
NULL,

        (SQLCHAR*)&szDriverString[0] ,
        SQL_NTS,

        (SQLCHAR*)&szDriverStringOut[0],

```

```

        sizeof(szDriverStringOut),
        &cbDriverStringOut,

        SQL_DRIVER_NOPROMPT );
        if (rc != SUCCEEDED)
            HandleErrorDBC(i_hdbc1);

        // Connection 2

        sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

        rc = SQLSetConnectOption (w_hdbc1,
SQL_PACKET_SIZE, aptr->pack_size);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        rc = SQLDriverConnect ( w_hdbc1,
NULL,

        (SQLCHAR*)&szDriverString[0] ,
        SQL_NTS,

        (SQLCHAR*)&szDriverStringOut[0],
        sizeof(szDriverStringOut),
        &cbDriverStringOut,

        SQL_DRIVER_NOPROMPT );
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        // Connection 3

        sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

        rc = SQLSetConnectOption (c_hdbc1,
SQL_PACKET_SIZE, aptr->pack_size);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);

```

```

        rc = SQLDriverConnect ( c_hdbc1,
NULL,

        (SQLCHAR*)&szDriverString[0] ,
        SQL_NTS,

        (SQLCHAR*)&szDriverStringOut[0],
        sizeof(szDriverStringOut),
        &cbDriverStringOut,

        SQL_DRIVER_NOPROMPT );
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);

        // Connection 4

        sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

        rc = SQLSetConnectOption (c_hdbc2,
SQL_PACKET_SIZE, aptr->pack_size);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc2);

        rc = SQLDriverConnect ( c_hdbc2,
NULL,

        (SQLCHAR*)&szDriverString[0] ,
        SQL_NTS,

        (SQLCHAR*)&szDriverStringOut[0],
        sizeof(szDriverStringOut),
        &cbDriverStringOut,

        SQL_DRIVER_NOPROMPT );
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc2);

        // Connection 5

        sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

        aptr->server,
        aptr->user,

```

```

    aptr->password,
    aptr->database );

rc = SQLSetConnectOption (o_hdbc1,
SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

rc = SQLDriverConnect ( o_hdbc1,
    NULL,
    (SQLCHAR*)&szDriverString[0] ,
    SQL_NTS,
    (SQLCHAR*)&szDriverStringOut[0],
    sizeof(szDriverStringOut),
    &cbDriverStringOut,
    SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

// Connection 6
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

    aptr->server,
    aptr->user,
    aptr->password,
    aptr->database );

rc = SQLSetConnectOption (o_hdbc2,
SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

rc = SQLDriverConnect ( o_hdbc2,
    NULL,
    (SQLCHAR*)&szDriverString[0] ,
    SQL_NTS,
    (SQLCHAR*)&szDriverStringOut[0],
    sizeof(szDriverStringOut),
    &cbDriverStringOut,
    SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

```

```

// Connection 7
    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

    aptr->server,
    aptr->user,
    aptr->password,
    aptr->database );

rc = SQLSetConnectOption (o_hdbc3,
SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = SQLDriverConnect ( o_hdbc3,
    NULL,
    (SQLCHAR*)&szDriverString[0] ,
    SQL_NTS,
    (SQLCHAR*)&szDriverStringOut[0],
    sizeof(szDriverStringOut),
    &cbDriverStringOut,
    SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);
}

//=====
//
// Function name: BuildIndex
//
//=====
void BuildIndex(char          *index_script)
{
    char    cmd[256];

    printf("Starting index creation:
%s\n",index_script);

    sprintf(cmd, "isql -S%s -U%s -P%s -e -
i%s\\%s.sql > logs\\%s.log",

    aptr->server,
    aptr->user,
    aptr->password,
    aptr->index_script_path,
    index_script,

```

```

    index_script);

    system(cmd);

    printf("Finished index creation:
%s\n",index_script);
}

void HandleErrorDBC (SQLHDBC hdbc1)
{
    SQLCHAR          SqlState[6],
    Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER NativeError;
    SQLSMALLINT i, MsgLen;
    SQLRETURN rc2;
    char          timebuf[128];
    char          datebuf[128];
    FILE          *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_DBC
, hdbc1, i, SqlState , &NativeError,
    Msg,
    sizeof(Msg) , &MsgLen )) != SQL_NO_DATA )
    {
        printf( szLastError , "%s" ,
    Msg );

        _strtime(timebuf);
        _strdate(datebuf);

        printf( "[%s : %s] %s\n" ,
    datebuf, timebuf, szLastError);

        fp1 =
    fopen("logs\\tpccldr.err","w");
        if (fp1 == NULL)
            printf("ERROR: Unable
to open errorlog file.\n");
        else
        {
            fprintf(fp1, "[%s : %s]
%s\n" , datebuf, timebuf, szLastError);
            fclose(fp1);
        }
        i++;
    }
}

void HandleErrorSTMT (HSTMT hstmt1)
{
    SQLCHAR          SqlState[6],
    Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER NativeError;
    SQLSMALLINT i, MsgLen;
    SQLRETURN rc2;

```

```

char          timebuf[128];
char          datebuf[128];
FILE          *fp1;

i = 1;
while (( rc2 =
SQLGetDiagRec(SQL_HANDLE_STMT , hstmt1, i, SqlState ,
&NativeError,
Msg,
sizeof(Msg) , &MsgLen ) != SQL_NO_DATA )
{
    sprintf( szLastError , "%s" ,
Msg );

    _strtime(timebuf);
    _strdate(datebuf);

    printf( "[%s : %s] %s\n" ,
datebuf, timebuf, szLastError);

    fp1 =
fopen("logs\\tpccldr.err","w");
    if (fp1 == NULL)
        printf("ERROR: Unable
to open errorlog file.\n");
    else
    {
        fprintf(fp1, "[%s : %s]
%s\n" , datebuf, timebuf, szLastError);
        fclose(fp1);
    }
    i++;
}

void FormatDate ( char* szTimeCOutput )
{
    struct tm when;
    time_t now;

    time( &now );
    when = *localtime( &now );

    mktime( &when );

    // odbc datetime format
    strftime( szTimeCOutput , 30 , "%Y-%m-%d
%H:%M:%S.000" , &when );

    return;
}

//=====
//
// Function   : CheckSQL
//

```

```

//=====
void CheckSQL()
{
    RETCODE      rc;

    char
    szDriverString[300];
    char
    szDriverStringOut[1024];
    int
    SQLBuildFlag;
    char
    resp;

    SQLSMALLINT
    cbDriverStringOut;
    SQLCHAR
    SQLVersion[19];
    SQLINTEGER
    SQLVersionInd;

    SQLAllocHandle(SQL_HANDLE_ENV,
SQL_NULL_HANDLE, &henv );

    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION,
(void*)SQL_OV_ODBC3, 0 );

    SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&v_hdbc);

    SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );

    // Open connection to SQL Server

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s" ,

    aptr->server,
    aptr->user,
    aptr->password );

    if ( SQLSetConnectAttr( v_hdbc,
SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr->pack_size,
SQL_IS_UINTEGER ) != SQL_SUCCESS )
        HandleErrorDBC(v_hdbc);

    rc = SQLDriverConnect ( v_hdbc,
NULL,

    (SQLCHAR*)&szDriverString[0] ,
SQL_NTS,

    (SQLCHAR*)&szDriverStringOut[0],

```

```

sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );

    if ((rc != SQL_SUCCESS) && (rc !=
SQL_SUCCESS_WITH_INFO))
        HandleErrorDBC(v_hdbc);

    if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc
, &v_hstmt) != SQL_SUCCESS )
        HandleErrorSTMT(v_hstmt);

    rc = SQLBindCol(v_hstmt, 4, SQL_C_CHAR,
&SQLVersion, sizeof(SQLVersion), &SQLVersionInd);

    // issue SQL Server extended stored
procedure (xp_msver) to determine installed version

    rc = SQLExecDirect(v_hstmt, "EXECUTE
xp_msver ProductVersion", SQL_NTS);

    if ((rc != SQL_SUCCESS) && (rc !=
SQL_SUCCESS_WITH_INFO))
        HandleErrorSTMT(v_hstmt);

    rc = SQLFetch(v_hstmt);

    if (rc != SQL_SUCCESS)
        HandleErrorDBC(v_hdbc);

    // Check build number to ensure 8.00.194 or
higher

    SQLBuildFlag = 1;

    // first check the Major version

    if ( SQLVersion[0] == '8' )
    {
        if (( SQLVersion[2] == '0' ) & (
SQLVersion[3] == '0' ) )
        {
            if ( SQLVersion[5] ==
'1' )
            {
                if (
(SQLVersion[6] == '9') & (SQLVersion[7] == '4') )
                {
                    SQLBuildFlag = 0;

                    printf("You are using SQL Server version =
%s\n\n", SQLVersion);
                }
            }
        }
    }

    SQLBuildFlag = 1;

```

```

    }
    else
    {
        if (
            if (
                if
                ( (SQLVersion[6] >= 53) & (SQLVersion[7] >= 48) )
                {
                    SQLBuildFlag = 0;
                    printf("You are using SQL Server version =
%9s\n\n", SQLVersion);
                }
                else
                {
                    SQLBuildFlag = 1;
                }
            }
        }
    }
    else
    {
        SQLBuildFlag = 1;
    }
    if ( SQLBuildFlag == 1 )
    {
        printf("NOTE: The SQL Server
version you are using is not supported\n");
        printf("for TPC-C benchmarking.
You currently have SQL Server version
%9s\n", SQLVersion);
        printf("installed. Please
upgrade to Microsoft SQL Server 2000 (8.00.0194) or
better.\n");
        printf("and re-run the SETUP
program.\n\n");
        printf("Do you wish to continue
with setup? (Y/N): ");
        resp = getchar();
        if ( ( resp == 'N' ) || (resp ==
'n') )
        {
            printf("\nSetup
Aborted!\n");
            exit(1);
        }
    }
    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
    SQLDisconnect(v_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);
    return;
}

```

```

//=====
//
// Function   : CheckDataBase
//
//=====
void CheckDataBase()
{
    RETCODE         rc;
    char            szDriverString[300];
    char            szDriverStringOut[1024];
    char            TablesBitMap[9] = {"000000000"};
    int             i,
    ExitFlag;
    SQLSMALLINT     cbDriverStringOut;
    SQLCHAR         TabName[10];
    SQLINTEGER      TabNameInd,
    TabCount, TabCountInd;
    ExitFlag = 0;
    SQLAllocHandle(SQL_HANDLE_ENV,
SQL_NULL_HANDLE, &henv );
    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION,
(void*)SQL_OV_ODBC3, 0 );
    SQLAllocHandle(SQL_HANDLE_DBC, henv ,
&v_hdbc);
    SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP,
(void *)SQL_BCP_ON, SQL_IS_INTEGER );
    // Open connection to SQL Server
    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
    aptr->server,
    aptr->user,
    aptr->password,
    aptr->database );
    rc = SQLSetConnectAttr( v_hdbc,
SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr->pack_size,
SQL_IS_INTEGER );
    if (rc != SQL_SUCCESS)
        HandleErrorDBC(v_hdbc);
}

```

```

rc = SQLDriverConnect ( v_hdbc,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
// if the rc is SQL_ERROR, the the TPCC
database probably does not exist
if (rc == SQL_ERROR)
{
    printf("The database TPCC does
not appear to exist!\n");
    printf("\nCheck LOGS\\ directory
for database creation errors.\n");
    // cleanup database connections
    and handles
    SQLFreeHandle(SQL_HANDLE_STMT,
v_hstmt);
    SQLDisconnect(v_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC,
v_hdbc);
    // since there is not a database,
    exit back to SETUP.CMD
    exit(1);
}
if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc
, &v_hstmt) != SQL_SUCCESS )
    HandleErrorDBC(v_hdbc);
if ( SQLBindCol(v_hstmt, 1, SQL_C_ULONG,
&TabCount, 0, &TabCountInd) != SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);
// count the number of user tables from
sysobjects
rc = SQLExecDirect(v_hstmt, "select
count(*) from sysobjects where xtype = \U'\",
SQL_NTS);
if ((rc != SQL_SUCCESS) && (rc !=
SQL_SUCCESS_WITH_INFO))
    HandleErrorSTMT(v_hstmt);
if ( SQLFetch(v_hstmt) != SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);
// if the number of tables is less than 9,
select all the user tables in TPCC
if (TabCount != 9)
{

```

```

        SQLFreeHandle(SQL_HANDLE_STMT,
v_hstmt);
        SQLAllocHandle(SQL_HANDLE_STMT,
v_hdbc , &v_hstmt);
        if ( SQLBindCol(v_hstmt, 1,
SQL_C_CHAR, &TabName, sizeof(TabName), &TabNameInd)
!= SQL_SUCCESS )
            HandleErrorSTMT(v_hstmt);
        // select the list of user tables
into a result set
        rc = SQLExecDirect(v_hstmt,
"select * from sysobjects where xtype = '\U'",
SQL_NTS);
        if ((rc != SQL_SUCCESS) && (rc !=
SQL_SUCCESS_WITH_INFO))
            HandleErrorSTMT(v_hstmt);
        // go through the result set and
set the bitmap for each found table
        // set the bitmap to '1' if the
table name is found
        while ((rc = SQLFetch(v_hstmt))
!= SQL_NO_DATA)
        {
            switch( TabName[0] )
            {
                case 'w':
                    TablesBitMap[0] = '1';
                    break;
                case 'd':
                    TablesBitMap[1] = '1';
                    break;
                case 'c':
                    TablesBitMap[2] = '1';
                    break;
                case 'h':
                    TablesBitMap[3] = '1';
                    break;
                case 'n':
                    TablesBitMap[4] = '1';
                    break;
                case 'o':
                    if
(TabName[5] = 's')
                        TablesBitMap[5] = '1';
                    if
(TabName[5] = '_')
                        TablesBitMap[6] = '1';
                    break;
                case 'i':

```

```

                    TablesBitMap[7] = '1';
                    break;
                case 's':
                    TablesBitMap[8] = '1';
                    break;
            }
        }
        // a '0' ExitFlag means do NOT
exit the loader early, a '1' means exit the loader
early
        ExitFlag = 0;
        // interate through the bitmap to
display which table(s) is actually missing
        for (i = 0; i <= 8; i++)
        {
            switch(i)
            {
                case 0:
                    if
(TablesBitMap[i] == '0')
                        printf("The Warehouse table is missing or
damaged.\n");
                    ExitFlag = 1;
                    break;
                case 1:
                    if
(TablesBitMap[i] == '0')
                        printf("The District table is missing or
damaged.\n");
                    ExitFlag = 1;
                    break;
                case 2:
                    if
(TablesBitMap[i] == '0')
                        printf("The Customer table is missing or
damaged.\n");
                    ExitFlag = 1;
                    break;
                case 3:
                    if
(TablesBitMap[i] == '0')
                        printf("The History table is missing or
damaged.\n");
                    ExitFlag = 1;

```

```

            }
            break;
        case 4:
            if
(TablesBitMap[i] == '0')
                printf("The New_Order table is missing or
damaged.\n");
            ExitFlag = 1;
            break;
        case 5:
            if
(TablesBitMap[i] == '0')
                printf("The Orders table is missing or
damaged.\n");
            ExitFlag = 1;
            break;
        case 6:
            if
(TablesBitMap[i] == '0')
                printf("The Order_Line table is missing or
damaged.\n");
            ExitFlag = 1;
            break;
        case 7:
            if
(TablesBitMap[i] == '0')
                printf("The Item table is missing or
damaged.\n");
            ExitFlag = 1;
            break;
        case 8:
            if
(TablesBitMap[i] == '0')
                printf("The Stock table is missing or
damaged.\n");
            ExitFlag = 1;
            break;
        }
        // if one or more tables are
missing, display message and exit the loader
        if (ExitFlag = 1)

```

```

        {
            printf("\nExiting TPC-C
Loader!\n");
            printf("\nCheck LOGS\
directory for database\n");
            printf("or table
creation errors.\n");
            // cleanup database
            connections and handles
                SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
                SQLDisconnect(v_hdbc);
            SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);
                exit(1);
            }
        // cleanup database connections and handles
        SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
        SQLDisconnect(v_hdbc);
        SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);
        return;
    }

```

VerifyTpccLoad.sql

```

-- File:      VERIFYTPCCLOAD.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Performs series of TPCC database checks
to verify
--           that database load completed
correctly

print      " "
select    convert(char(30), getdate(),9)
print      " "

use tpcc
go

--
-- *****
-- Check rows per table from SYSINDEXES
--
-- *****

print      'WAREHOUSE TABLE'

select    rows
from      sysindexes
where     id      = object_id("warehouse")
go

print      'DISTRICT TABLE = (10 * No of warehouses)'

```

```

select    rows
from      sysindexes
where     id      =object_id("district")
go

print      'ITEM TABLE = 100,000'

select    rows
from      sysindexes
where     id      =object_id("item")
go

print      'CUSTOMER TABLE = (30,000 * No of
warehouses) '

select    rows
from      sysindexes
where     id      =object_id("customer")
go

print      'ORDERS TABLE = (30,000 * No of warehouses) '

select    rows
from      sysindexes
where     id      =object_id("orders")
go

print      'HISTORY TABLE = (30,000 * No of
warehouses) '

select    rows
from      sysindexes
where     id      =object_id("history")
go

print      'STOCK TABLE = (100,000 * No of
warehouses) '

select    rows
from      sysindexes
where     id      =object_id("stock")
go

print      'ORDER_LINE TABLE = (300,000 * No of
warehouses + some change) '

select    rows
from      sysindexes
where     id      =object_id("order_line")
go

print      'NEW_ORDER TABLE = (9000 * No of
warehouses) '

select    rows
from      sysindexes
where     id      =object_id("new_order")
go

--
-- *****
-- Check indices
--

```

```

--
-- *****
print '*****Index Check*****'

use tpcc
go

sp_helpindex      customer
go

sp_helpindex      stock
go

sp_helpindex      district
go

sp_helpindex      item
go

sp_helpindex      new_order
go

sp_helpindex      orders
go

sp_helpindex      order_line
go

sp_helpindex      warehouse
go

```

version.sql

```

-- File:      VERSION.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Returns version level of TPC-C stored
procs
-- Note:     Always update the return value of this
proc for
--           any interface changes or "must have"
bug fixes.
--
-- The value returned by this SP defines the
"interface level",
-- which must match between the stored procs and the
client code.
-- The interface level may be down rev from the
current kit. This
-- indicates that the interface hasn't changed since
that version.

use tpcc
go

if exists ( select name from sysobjects where name =
"tpcc_version" )
    drop procedure tpcc_version
go

```

```
create proc tpcc_version
as
declare @version char(8)

begin
    select @version = "4.10.000"
    select @version as "Version"
end

go
```

Appendix C: Tunable Parameters

Microsoft SQL Server 2000 Startup Parameters

```
start sqlservr.exe -c -x -t3502 -g84 -T3428
```

Where:

```
-c Start SQL Server independently of the
Windows NT Service Control Manager
-x Disables the keeping of CPU time and cache-
hit ratio statistics
-t3502 Prints a message to the SQL Server log at the
start and end of each checkpoint
-g84 Specify the amount of virtual address space
in MB, SQL Server will leave available for memory
allocations, excluding the buffer pool and threads
stack, such as dynamically- loaded DLLs, extended
procedure calls, etc. Incorrect use of this option
can lead to conditions under which SQL Server may not
start or may encounter runtime errors.
-T3428 enable fast recovery
```

File locations:

```
sqlserver.exe C:\Program
Files\Microsoft SQL Server\MSSQL\BINN
ERRORLOG C:\Program Files\Microsoft SQL
Server\MSSQL\LOG
```

Boot.ini Parameters

```
[boot loader]
timeout=10
default=multi(0) disk(0) rdisk(0) partition(1) \WINDOWS
[operating systems]
multi(0) disk(0) rdisk(0) partition(1) \WINDOWS="Windows
Server 2003, Enterprise /PAE" /PAE /fastdetect
multi(0) disk(0) rdisk(0) partition(1) \WINDOWS="Windows
Server 2003, Enterprise (default)" /fastdetect
```

Microsoft SQL Server 2000 Configuration Parameters

```
1> 2> name                               minimum
maximum  config_value run_value
-----
affinity mask                             -2147483648
2147483647                               3           3
allow updates                             0
1 0 0
awe enabled                               0
1 1 1
c2 audit mode                             0
1 0 0
cost threshold for parallelism            0
32767 5 5
Cross DB Ownership Chaining              0
1 0 0
cursor threshold                         -1
2147483647                               -1          -1
default full-text language               0
2147483647                               1033        1033
default language                         0
9999 0 0
fill factor (%)                          0
100 0 0
index create memory (KB)                  704
2147483647                               704         704
lightweight pooling                      0
1 1 1
locks                                    5000
2147483647                               0           0
max degree of parallelism                 0
32 1 1
max server memory (MB)                   4
2147483647 2147483647 2147483647
max text repl size (B)                   0
2147483647                               65536       65536
max worker threads                       32
32767 400 400
media retention                           0
365 0 0
min memory per query (KB)                 512
2147483647                               512        512
min server memory (MB)                   0
2147483647                               0           0
nested triggers                          0
1 1 1
network packet size (B)                   512
65536 2048 2048
open objects                              0
2147483647                               0           0
priority boost                            0
1 1 1
query governor cost limit                 0
2147483647                               0           0
```

```
query wait (s)                           -1          -1
2147483647                               -1          -1
recovery interval (min)                   0
32767 116 116
remote access                             0
1 1 1
remote login timeout (s)                  0
2147483647                               20          20
remote proc trans                         0
1 0 0
remote query timeout (s)                  0
2147483647                               600         600
scan for startup procs                    0
1 0 0
set working set size                      0
1 0 0
show advanced options                     0
1 1 1
two digit year cutoff                      1753
9999 2049 2049
user connections                          0
32767 0 0
user options                              0
32767 0 0

1> 2> 3>
```

Microsoft SQL Server 2000 Torn Page Detection Status

```
1> 2> OptionName
CurrentSetting
-----
torn page detection off

1> 2> 3>
```

Benchcraft Profile

```
Profile: ML350_3416
File Path: C:\Program
Files\BenchCraft\ML350_3416.xml
Version: 5

Number of Engines: 8

Name: CL165a
Description:
Directory: c:\blog\n37a.log
Machine: n37
Parameter Set: 1.001 tt very

aggressive Index: 800000000
```

```

Seed: 4678
Configured Users: 4270
Pipe Name: DRIVER44265281
Connect Rate: 10000
Start Rate: 10000
Max. Concurrency: 4100
Concurrency Rate: 10000
CLIENT_NURAND: 25
CPU: 0
Additional Options:

Name: CL165c
Description:
Directory: c:\blog\n39a.log
Machine: n39
Parameter Set: 1.001 tt very

aggressive

Index: 200000000
Seed: 4678
Configured Users: 4270
Pipe Name: DRIVER3439676359
Connect Rate: 10000
Start Rate: 10000
Max. Concurrency: 4100
Concurrency Rate: 10000
CLIENT_NURAND: 25
CPU: 0
Additional Options:

Name: CL165d
Description:
Directory: c:\blog\n39b.log
Machine: n39
Parameter Set: 1.001 tt very

aggressive

Index: 300000000
Seed: 4678
Configured Users: 4270
Pipe Name: DRIVER4439706187
Connect Rate: 10000
Start Rate: 10000
Max. Concurrency: 4100
Concurrency Rate: 10000
CLIENT_NURAND: 25
CPU: 1
Additional Options:

Name: CL165b
Description:
Directory: c:\blog\n37b.log
Machine: n37
Parameter Set: 1.001 tt very

aggressive

Index: 100000000
Seed: 4678
Configured Users: 4270
Pipe Name: DRIVER5346413218
Connect Rate: 10000
Start Rate: 10000
Max. Concurrency: 4100
Concurrency Rate: 10000
CLIENT_NURAND: 25
CPU: 1

```

```

Additional Options:

Name: CL167a
Description:
Directory: c:\blog\n41a.log
Machine: n41
Parameter Set: 1.001 tt very

aggressive

Index: 400000000
Seed: 4678
Configured Users: 4270
Pipe Name: DRIVER5-418577843
Connect Rate: 10000
Start Rate: 10000
Max. Concurrency: 4100
Concurrency Rate: 10000
CLIENT_NURAND: 25
CPU: 0
Additional Options:

Name: CL167b
Description:
Directory: c:\blog\n41b.log
Machine: n41
Parameter Set: 1.001 tt very

aggressive

Index: 500000000
Seed: 4678
Configured Users: 4270
Pipe Name: DRIVER6-418516765
Connect Rate: 10000
Start Rate: 10000
Max. Concurrency: 4100
Concurrency Rate: 10000
CLIENT_NURAND: 25
CPU: 1
Additional Options:

Name: CL167c
Description:
Directory: c:\blog\n38a.log
Machine: n38
Parameter Set: 1.001 tt very

aggressive

Index: 600000000
Seed: 4678
Configured Users: 4270
Pipe Name: DRIVER7259371328
Connect Rate: 10000
Start Rate: 10000
Max. Concurrency: 4100
Concurrency Rate: 10000
CLIENT_NURAND: 25
CPU: 0
Additional Options:

Name: CL167d
Description:
Directory: c:\blog\n38b.log
Machine: n38
Parameter Set: 1.001 tt very

aggressive

Index: 700000000

```

```

Seed: 4678
Configured Users: 4270
Pipe Name: DRIVER8259401875
Connect Rate: 10000
Start Rate: 10000
Max. Concurrency: 4100
Concurrency Rate: 10000
CLIENT_NURAND: 25
CPU: 1
Additional Options:

Number of User groups: 8

Driver Engine: CL165a
IIS Server: cr165
SQL Server: lumberjack
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 1 - 427
w_id Min Warehouse: 1
w_id Max Warehouse: 3416
Scale: Normal
User Count: 4270
District id: 1
Scale Down: No

Driver Engine: CL165b
IIS Server: cr165
SQL Server: lumberjack
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 428 - 854
w_id Min Warehouse: 1
w_id Max Warehouse: 3416
Scale: Normal
User Count: 4270
District id: 1
Scale Down: No

Driver Engine: CL165c
IIS Server: cr165
SQL Server: lumberjack
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 855 - 1281
w_id Min Warehouse: 1
w_id Max Warehouse: 3416
Scale: Normal
User Count: 4270
District id: 1
Scale Down: No

Driver Engine: CL165d
IIS Server: cr165
SQL Server: lumberjack
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 1282 - 1708
w_id Min Warehouse: 1

```

w_id Max Warehouse: 3416
 Scale: Normal
 User Count: 4270
 District id: 1
 Scale Down: No

Driver Engine: CL167a
 IIS Server: cr167
 SQL Server: lumberjack
 Database: tpcc
 User: sa
 Protocol: HTML
 w_id Range: 1709 - 2135
 w_id Min Warehouse: 1
 w_id Max Warehouse: 3416
 Scale: Normal
 User Count: 4270
 District id: 1
 Scale Down: No

Driver Engine: CL167b
 IIS Server: cr167
 SQL Server: lumberjack
 Database: tpcc
 User: sa
 Protocol: HTML
 w_id Range: 2136 - 2562
 w_id Min Warehouse: 1
 w_id Max Warehouse: 3416
 Scale: Normal
 User Count: 4270
 District id: 1
 Scale Down: No

Driver Engine: CL167c
 IIS Server: cr167
 SQL Server: lumberjack
 Database: tpcc
 User: sa
 Protocol: HTML
 w_id Range: 2563 - 2989
 w_id Min Warehouse: 1
 w_id Max Warehouse: 3416
 Scale: Normal
 User Count: 4270
 District id: 1
 Scale Down: No

Driver Engine: CL167d
 IIS Server: cr167
 SQL Server: lumberjack
 Database: tpcc
 User: sa
 Protocol: HTML
 w_id Range: 2990 - 3416
 w_id Min Warehouse: 1
 w_id Max Warehouse: 3416
 Scale: Normal
 User Count: 4270
 District id: 1
 Scale Down: No

Number of Parameter Sets: 81

~Default
Default Parameter Set

Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay		
12.05	18.01		New Order	10.00	
			0.10	5.00	0.10
12.05	3.01		Payment	10.00	
			0.10	5.00	0.10
5.05	2.01		Delivery	1.00	
			0.10	5.00	0.10
5.05	2.01		Stock Level	1.00	
			0.10	20.00	0.10
10.05	2.01		Order Status	1.00	
			0.10	5.00	0.10
Tuned Distribution					
				Txn	Think
Key	RT	RT	Menu	Weight	Time
Time	Delay	Fence	Delay		
12.05	18.01		New Order	44.75	
			0.10	5.00	0.10
12.05	3.01		Payment	43.10	
			0.10	5.00	0.10
5.05	2.01		Delivery	4.05	
			0.10	5.00	0.10
5.05	2.01		Stock Level	4.05	
			0.10	20.00	0.10
10.05	2.01		Order Status	4.05	
			0.10	5.00	0.10
No Think					
				Txn	Think
Key	RT	RT	Menu	Weight	Time
Time	Delay	Fence	Delay		
0.00	0.00		New Order	10.00	
			0.00	5.00	0.00
0.00	0.00		Payment	10.00	
			0.00	5.00	0.00
0.00	0.00		Delivery	1.00	
			0.00	5.00	0.00
0.00	0.00		Stock Level	1.00	
			0.00	20.00	0.00
0.00	0.00		Order Status	1.00	
			0.00	5.00	0.00
95%					
				Txn	Think
Key	RT	RT	Menu	Weight	Time
Time	Delay	Fence	Delay		
13.00	18.01		New Order	44.75	
			0.10	5.00	0.10
13.00	3.01		Payment	43.10	
			0.10	5.00	0.10

6.00	2.01		Delivery	4.05	
			0.10	5.00	0.10
6.00	2.01		Stock Level	4.05	
			0.10	20.00	0.10
11.00	2.01		Order Status	4.05	
			0.10	5.00	0.10
90%					
				Txn	Think
Key	RT	RT	Menu	Weight	Time
Time	Delay	Fence	Delay		
16.00	18.01		New Order	44.83	
			0.10	5.00	0.10
16.00	3.01		Payment	43.05	
			0.10	5.00	0.10
9.00	2.01		Delivery	4.04	
			0.10	5.00	0.10
9.00	2.01		Stock Level	4.04	
			0.10	20.00	0.10
14.00	2.01		Order Status	4.04	
			0.10	5.00	0.10
3.0					
				Txn	Think
Key	RT	RT	Menu	Weight	Time
Time	Delay	Fence	Delay		
36.15	0.00		New Order	44.75	
			0.10	5.00	0.10
36.15	0.00		Payment	43.10	
			0.10	5.00	0.10
15.15	0.00		Delivery	4.05	
			0.10	5.00	0.10
15.15	0.00		Stock Level	4.05	
			0.10	20.00	0.10
30.15	0.00		Order Status	4.05	
			0.10	5.00	0.10
4.0 4.0 tt					
				Txn	Think
Key	RT	RT	Menu	Weight	Time
Time	Delay	Fence	Delay		
48.20	18.01		New Order	44.75	
			0.10	5.00	0.10
48.20	3.01		Payment	43.10	
			0.10	5.00	0.10
20.20	2.01		Delivery	4.05	
			0.10	5.00	0.10
20.20	2.01		Stock Level	4.05	
			0.10	20.00	0.10
40.20	2.01		Order Status	4.05	
			0.10	5.00	0.10
3.8 3.8 tt					
				Txn	Think
Key	RT	RT	Menu	Weight	Time

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
45.70	18.01	0.10	5.00	0.10	
			Payment	43.10	
45.70	3.01	0.10	5.00	0.10	
			Delivery	4.05	
19.10	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
19.10	2.01	0.10	20.00	0.10	
			Order Status	4.05	
38.10	2.01	0.10	5.00	0.10	
			3.6		
			3.6 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
43.30	18.01	0.10	5.00	0.10	
			Payment	43.10	
43.30	3.01	0.10	5.00	0.10	
			Delivery	4.05	
18.10	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
18.10	2.01	0.10	20.00	0.10	
			Order Status	4.05	
36.18	2.01	0.10	5.00	0.10	
			3.4		
			3.4 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
40.90	18.01	0.10	5.00	0.10	
			Payment	43.10	
40.90	3.01	0.10	5.00	0.10	
			Delivery	4.05	
17.10	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
17.10	2.01	0.10	20.00	0.10	
			Order Status	4.05	
17.10	2.01	0.10	5.00	0.10	
			3.2		
			3.2 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
38.50	18.01	0.10	5.00	0.10	
			Payment	43.10	
38.50	3.01	0.10	5.00	0.10	
			Delivery	4.05	
16.10	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
16.10	2.01	0.10	20.00	0.10	
			Order Status	4.05	
32.10	2.01	0.10	5.00	0.10	

				2.8	
				2.8 tt	
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
33.74	18.01	0.10	5.00	0.10	
			Payment	43.10	
33.74	3.01	0.10	5.00	0.10	
			Delivery	4.05	
14.14	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
14.14	2.01	0.10	20.00	0.10	
			Order Status	4.05	
28.14	2.01	0.10	5.00	0.10	
			2.6		
			2.6 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
31.30	18.01	0.10	5.00	0.10	
			Payment	43.10	
31.30	3.01	0.10	5.00	0.10	
			Delivery	4.05	
13.10	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
13.10	2.01	0.10	20.00	0.10	
			Order Status	4.05	
26.10	2.01	0.10	5.00	0.10	
			2.4		
			2.4 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
28.90	18.01	0.10	5.00	0.10	
			Payment	43.10	
28.90	3.01	0.10	5.00	0.10	
			Delivery	4.05	
12.10	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
12.10	2.01	0.10	20.00	0.10	
			Order Status	4.05	
24.10	2.01	0.10	5.00	0.10	
			2.2		
			2.2 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
28.90	18.01	0.10	5.00	0.10	
			Payment	43.10	
28.90	3.01	0.10	5.00	0.10	

				Delivery	4.05
12.10	2.01	0.10	5.00	0.10	
				Stock Level	4.05
12.10	2.01	0.10	20.00	0.10	
				Order Status	4.05
24.12	2.01	0.10	5.00	0.10	
			2.0		
			2.0 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
24.10	18.01	0.10	5.00	0.10	
				Payment	43.10
24.10	3.01	0.10	5.00	0.10	
				Delivery	4.05
10.10	2.01	0.10	5.00	0.10	
				Stock Level	4.05
10.10	2.01	0.10	20.00	0.10	
				Order Status	4.05
20.10	2.01	0.10	5.00	0.10	
			5.0		
			5.0 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
60.25	18.01	0.10	5.00	0.10	
				Payment	43.10
60.25	3.01	0.10	5.00	0.10	
				Delivery	4.05
25.25	2.01	0.10	5.00	0.10	
				Stock Level	4.05
25.25	2.01	0.10	20.00	0.10	
				Order Status	4.05
50.25	2.01	0.10	5.00	0.10	
			4.5		
			4.5 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
54.20	18.01	0.10	5.00	0.10	
				Payment	43.10
54.20	3.01	0.10	5.00	0.10	
				Delivery	4.05
22.70	2.01	0.10	5.00	0.10	
				Stock Level	4.05
22.70	2.01	0.10	20.00	0.10	
				Order Status	4.05
45.20	2.01	0.10	5.00	0.10	
			3.5		
			3.5 tt		
Key	RT	RT	Menu	Txn	Think

Time	Delay	Fence	Delay	Weight	Time
42.10	18.01	New Order	0.10	44.75	0.10
42.10	3.01	Payment	0.10	43.10	0.10
17.60	2.01	Delivery	0.10	4.05	0.10
17.60	2.01	Stock Level	0.10	4.05	0.10
35.10	2.01	Order Status	0.10	4.05	0.10
1.8					
1.8 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
21.60	18.01	New Order	0.10	44.75	0.10
21.60	3.01	Payment	0.10	43.10	0.10
9.09	2.01	Delivery	0.10	4.05	0.10
9.09	2.01	Stock Level	0.10	4.05	0.10
18.09	2.01	Order Status	0.10	4.05	0.10
4.2					
4.2 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
54.20	18.01	New Order	0.10	44.75	0.10
54.20	3.01	Payment	0.10	43.10	0.10
22.70	2.01	Delivery	0.10	4.05	0.10
22.70	2.01	Stock Level	0.10	4.05	0.10
45.20	2.01	Order Status	0.10	4.05	0.10
1.6					
1.6 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
19.20	18.01	New Order	0.10	44.75	0.10
19.20	3.01	Payment	0.10	43.10	0.10
8.08	2.01	Delivery	0.10	4.05	0.10
8.08	2.01	Stock Level	0.10	4.05	0.10
16.08	2.01	Order Status	0.10	4.05	0.10

Key	RT	RT	Menu	Txn	Think
1.4					
1.4 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
16.87	18.01	New Order	0.10	44.75	0.10
16.87	3.01	Payment	0.10	43.10	0.10
7.07	2.01	Delivery	0.10	4.05	0.10
7.07	2.01	Stock Level	0.10	4.05	0.10
14.07	2.01	Order Status	0.10	4.05	0.10
1.2					
1.2 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
14.46	18.01	New Order	0.10	44.83	0.10
14.46	3.01	Payment	0.10	43.05	0.10
6.06	2.01	Delivery	0.10	4.04	0.10
6.06	2.01	Stock Level	0.10	4.04	0.10
12.06	2.01	Order Status	0.10	4.04	0.10
3.5					
3.5 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
42.10	18.01	New Order	0.10	44.75	0.10
42.10	3.01	Payment	0.10	43.10	0.10
17.60	2.01	Delivery	0.10	4.05	0.10
17.60	2.01	Stock Level	0.10	4.05	0.10
35.10	2.01	Order Status	0.10	4.05	0.10
1.9					
1.9 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
22.89	18.01	New Order	0.10	44.75	0.10
22.89	3.01	Payment	0.10	43.10	0.10

Key	RT	RT	Menu	Txn	Think
Delivery					
9.59	2.01	0.10	5.00	4.05	0.10
Stock Level					
9.59	2.01	0.10	20.00	4.05	0.10
Order Status					
19.09	2.01	0.10	5.00	4.05	0.10
1.1					
1.1 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
13.25	18.01	New Order	0.10	44.83	0.10
13.25	3.01	Payment	0.10	43.05	0.10
5.55	2.01	Delivery	0.10	4.04	0.10
5.55	2.01	Stock Level	0.10	4.04	0.10
11.05	2.01	Order Status	0.10	4.04	0.10
1.05 better					
1.05 tt better					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.65	18.01	New Order	0.10	44.92	0.10
12.65	3.01	Payment	0.10	43.01	0.10
5.30	2.01	Delivery	0.10	4.02	0.10
5.30	2.01	Stock Level	0.10	4.03	0.10
10.55	2.01	Order Status	0.10	4.02	0.10
1.09					
1.09 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
13.13	18.01	New Order	0.10	44.83	0.10
13.13	3.01	Payment	0.10	43.05	0.10
5.50	2.01	Delivery	0.10	4.04	0.10
5.50	2.01	Stock Level	0.10	4.04	0.10
10.95	2.01	Order Status	0.10	4.04	0.10
1.08					
1.08 tt					
Key	RT	RT	Menu	Txn	Think

Time	Delay	Fence	Delay	Weight	Time
13.01	18.01	New Order	0.10	44.83	0.10
13.01	3.01	Payment	0.10	43.05	0.10
5.45	2.01	Delivery	0.10	4.04	0.10
5.45	2.01	Stock Level	0.10	4.04	0.10
10.85	2.01	Order Status	0.10	4.04	0.10
		1.07			
		1.07 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.89	18.01	New Order	0.10	44.83	0.10
12.89	3.01	Payment	0.10	43.05	0.10
5.40	2.01	Delivery	0.10	4.04	0.10
5.40	2.01	Stock Level	0.10	4.04	0.10
10.75	2.01	Order Status	0.10	4.04	0.10
		1.06			
		1.06 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.77	18.01	New Order	0.10	44.83	0.10
12.77	3.01	Payment	0.10	43.05	0.10
5.35	2.01	Delivery	0.10	4.04	0.10
5.35	2.01	Stock Level	0.10	4.04	0.10
10.65	2.01	Order Status	0.10	4.04	0.10
		1.15			
		1.15 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
13.85	18.01	New Order	0.10	44.75	0.10
13.85	3.01	Payment	0.10	43.10	0.10
5.80	2.01	Delivery	0.10	4.05	0.10
5.80	2.01	Stock Level	0.10	4.05	0.10
11.55	2.01	Order Status	0.10	4.05	0.10

Key	RT	RT	Menu	Txn	Think
			1.25		
			1.25 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
15.06	18.01	New Order	0.10	44.83	0.10
15.06	3.01	Payment	0.10	43.05	0.10
6.31	2.01	Delivery	0.10	4.04	0.10
6.31	2.01	Stock Level	0.10	4.04	0.10
12.56	2.01	Order Status	0.10	4.04	0.10
		1.3			
		1.3 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
15.66	18.01	New Order	0.10	44.83	0.10
15.66	3.01	Payment	0.10	43.05	0.10
6.56	2.01	Delivery	0.10	4.04	0.10
6.56	2.01	Stock Level	0.10	4.04	0.10
13.06	2.01	Order Status	0.10	4.04	0.10
		1.12			
		1.12 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
13.49	18.01	New Order	0.10	44.75	0.10
13.49	3.01	Payment	0.10	43.10	0.10
5.65	2.01	Delivery	0.10	4.05	0.10
5.65	2.01	Stock Level	0.10	4.05	0.10
11.25	2.01	Order Status	0.10	4.05	0.10
		1.18			
		1.18 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
14.21	18.01	New Order	0.10	44.75	0.10
14.21	3.01	Payment	0.10	43.10	0.10

Key	RT	RT	Menu	Txn	Think
5.95	2.01	Delivery	0.10	5.00	4.05
5.95	2.01	Stock Level	0.10	20.00	4.05
11.85	2.01	Order Status	0.10	5.00	4.05
		1.22			
		1.22 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
14.70	18.01	New Order	0.10	5.00	44.75
14.70	3.01	Payment	0.10	5.00	43.10
6.16	2.01	Delivery	0.10	5.00	4.05
6.16	2.01	Stock Level	0.10	20.00	4.05
12.26	2.01	Order Status	0.10	5.00	4.05
		1.28			
		1.28 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
15.42	18.01	New Order	0.10	5.00	44.75
15.42	3.01	Payment	0.10	5.00	43.10
6.46	2.01	Delivery	0.10	5.00	4.05
6.46	2.01	Stock Level	0.10	20.00	4.05
12.86	2.01	Order Status	0.10	5.00	4.05
		1.04			
		1.04 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.53	18.01	New Order	0.10	5.00	44.83
12.53	3.01	Payment	0.10	5.00	43.05
5.25	2.01	Delivery	0.10	5.00	4.04
5.25	2.01	Stock Level	0.10	20.00	4.04
10.45	2.01	Order Status	0.10	5.00	4.04
		1.03			
		1.03 tt			
Key	RT	RT	Menu	Txn	Think

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
12.41	18.01		0.10	5.00	0.10
			Payment	43.05	
12.41	3.01		0.10	5.00	0.10
			Delivery	4.04	
5.20	2.01		0.10	5.00	0.10
			Stock Level	4.04	
5.20	2.01		0.10	20.00	0.10
			Order Status	4.04	
10.35	2.01		0.10	5.00	0.10
			1.02		
			1.02 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
12.29	18.01		0.10	5.00	0.10
			Payment	43.05	
12.29	3.01		0.10	5.00	0.10
			Delivery	4.04	
5.15	2.01		0.10	5.00	0.10
			Stock Level	4.04	
5.15	2.01		0.10	20.00	0.10
			Order Status	4.04	
10.25	2.01		0.10	5.00	0.10
			1.01		
			1.01 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
12.17	18.01		0.10	5.00	0.10
			Payment	43.05	
12.17	3.01		0.10	5.00	0.10
			Delivery	4.04	
5.10	2.01		0.10	5.00	0.10
			Stock Level	4.04	
5.10	2.01		0.10	20.00	0.10
			Order Status	4.04	
10.15	2.01		0.10	5.00	0.10
			1.005_best		
			1.005 tt best		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.88	
12.11	18.01		0.10	5.00	0.10
			Payment	43.02	
12.11	3.01		0.10	5.00	0.10
			Delivery	4.03	
5.07	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.07	2.01		0.10	20.00	0.10
			Order Status	4.03	
10.10	2.01		0.10	5.00	0.10

Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.90	
12.06	18.01		0.10	5.00	0.10
			Payment	43.05	
12.06	3.01		0.10	5.00	0.10
			Delivery	4.01	
5.06	2.01		0.10	5.00	0.10
			Stock Level	4.01	
5.06	2.01		0.10	20.00	0.10
			Order Status	4.04	
10.06	2.01		0.10	5.00	0.10
			1.03_better		
			1.03 tt more aggressive		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.92	
12.41	18.01		0.10	5.00	0.10
			Payment	43.01	
12.41	3.01		0.10	5.00	0.10
			Delivery	4.02	
5.20	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.20	2.01		0.10	20.00	0.10
			Order Status	4.02	
10.35	2.01		0.10	5.00	0.10
			1.005_better		
			1.005 tt more aggressive		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.90	
12.11	18.01		0.10	5.00	0.10
			Payment	43.05	
12.11	3.01		0.10	5.00	0.10
			Delivery	4.01	
5.07	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.07	2.01		0.10	20.00	0.10
			Order Status	4.01	
10.10	2.01		0.10	5.00	0.10
			1.02_better		
			1.02 tt more aggressive		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.92	
12.29	18.01		0.10	5.00	0.10
			Payment	43.01	
12.29	3.01		0.10	5.00	0.10

Key <th>RT</th> <th>RT</th> <th>Menu</th> <th>Txn</th> <th>Think</th>	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.96	
12.29	18.01		0.00	5.00	0.00
			Payment	43.00	
12.29	3.01		0.00	5.00	0.00
			Delivery	4.00	
5.15	2.01		0.00	5.00	0.00
			Stock Level	4.03	
5.15	2.01		0.00	20.00	0.00
			Order Status	4.01	
10.25	2.01		0.00	5.00	0.00
			1.03_best		
			1.03 tt best		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.96	
12.41	18.01		0.10	5.00	0.10
			Payment	43.01	
12.41	3.01		0.10	5.00	0.10
			Delivery	4.01	
5.20	2.01		0.10	5.00	0.10
			Stock Level	4.01	
5.20	2.01		0.10	20.00	0.10
			Order Status	4.01	
10.35	2.01		0.10	5.00	0.10
			5.5		
			5.5 tt		
Key	RT	RT	Menu	Txn	Think

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
66.28	18.01		0.10	5.00	0.10
			Payment	43.05	
66.28	3.01		0.10	5.00	0.10
			Delivery	4.04	
27.77	2.01		0.10	5.00	0.10
			Stock Level	4.04	
27.77	2.01		0.10	20.00	0.10
			Order Status	4.04	
55.27	2.01		0.10	5.00	0.10
			6.0		
			6.0 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
72.30	18.01		0.10	5.00	0.10
			Payment	43.05	
72.30	3.01		0.10	5.00	0.10
			Delivery	4.04	
30.30	2.01		0.10	5.00	0.10
			Stock Level	4.04	
30.30	2.01		0.10	20.00	0.10
			Order Status	4.04	
60.30	2.01		0.10	5.00	0.10
			6.5		
			6.5 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
79.53	18.01		0.10	5.00	0.10
			Payment	43.05	
79.53	3.01		0.10	5.00	0.10
			Delivery	4.04	
33.33	2.01		0.10	5.00	0.10
			Stock Level	4.04	
33.33	2.01		0.10	20.00	0.10
			Order Status	4.04	
66.33	2.01		0.10	5.00	0.10
			7.0		
			7.0 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
84.35	18.01		0.10	5.00	0.10
			Payment	43.05	
84.35	3.01		0.10	5.00	0.10
			Delivery	4.04	
35.35	2.01		0.10	5.00	0.10
			Stock Level	4.04	
35.35	2.01		0.10	20.00	0.10
			Order Status	4.04	
70.35	2.01		0.10	5.00	0.10

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
90.38	18.01		0.10	5.00	0.10
			Payment	43.05	
90.38	3.01		0.10	5.00	0.10
			Delivery	4.04	
37.88	2.01		0.10	5.00	0.10
			Stock Level	4.04	
37.88	2.01		0.10	20.00	0.10
			Order Status	4.04	
75.38	2.01		0.10	5.00	0.10
			8.0		
			8.0 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
96.40	18.01		0.10	5.00	0.10
			Payment	43.05	
96.40	3.01		0.10	5.00	0.10
			Delivery	4.04	
40.40	2.01		0.10	5.00	0.10
			Stock Level	4.04	
40.40	2.01		0.10	20.00	0.10
			Order Status	4.04	
80.40	2.01		0.10	5.00	0.10
			8.5		
			8.5 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
102.43	18.01		0.10	5.00	0.10
			Payment	43.05	
192.43	3.01		0.10	5.00	0.10
			Delivery	4.04	
42.92	2.01		0.10	5.00	0.10
			Stock Level	4.04	
42.92	2.01		0.10	20.00	0.10
			Order Status	4.04	
85.42	2.01		0.10	5.00	0.10
			9.0		
			9.0 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
108.45	18.01		0.10	5.00	0.10
			Payment	43.05	
108.45	3.01		0.10	5.00	0.10

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
45.45	2.01		0.10	5.00	0.10
			Stock Level	4.04	
45.45	2.01		0.10	20.00	0.10
			Order Status	4.04	
90.45	2.01		0.10	5.00	0.10
			9.5		
			9.5 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
114.47	18.01		0.10	5.00	0.10
			Payment	43.05	
114.47	3.01		0.10	5.00	0.10
			Delivery	4.04	
47.98	2.01		0.10	5.00	0.10
			Stock Level	4.04	
47.98	2.01		0.10	20.00	0.10
			Order Status	4.04	
95.47	2.01		0.10	5.00	0.10
			10		
			10 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
120.50	18.01		0.10	5.00	0.10
			Payment	43.05	
120.50	3.01		0.10	5.00	0.10
			Delivery	4.04	
50.50	2.01		0.10	5.00	0.10
			Stock Level	4.04	
50.50	2.01		0.10	20.00	0.10
			Order Status	4.04	
100.50	2.01		0.10	5.00	0.10
			1.02 better		
			1.02 more aggressive		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.92	
12.05	18.01		0.10	5.00	0.10
			Payment	43.01	
12.05	3.01		0.10	5.00	0.10
			Delivery	4.02	
5.05	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.05	2.01		0.10	20.00	0.10
			Order Status	4.02	
10.05	2.01		0.10	5.00	0.10
			1.01 better		
			1.01 more aggressive		
Key	RT	RT	Menu	Txn	Think

Time	Delay	Fence	Delay	Weight	Time
12.17	18.01	New Order	0.10	5.00	44.92
12.17	3.01	Payment	0.10	5.00	43.01
5.10	2.01	Delivery	0.10	5.00	4.02
5.10	2.01	Stock Level	0.10	20.00	4.03
10.15	2.01	Order Status	0.10	5.00	4.02
1.001 better					
1.001 more aggressive					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.06	18.01	New Order	0.10	5.00	44.92
12.06	3.01	Payment	0.10	5.00	43.01
5.06	2.01	Delivery	0.10	5.00	4.02
5.06	2.01	Stock Level	0.10	20.00	4.03
10.06	2.01	Order Status	0.10	5.00	4.02
FullSpeed					
1.000 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.05	18.01	New Order	0.10	5.00	44.92
12.05	3.01	Payment	0.10	5.00	43.01
5.05	2.01	Delivery	0.10	5.00	4.02
5.05	2.01	Stock Level	0.10	20.00	4.03
10.05	2.01	Order Status	0.10	5.00	4.02
1.003 best					
1.003 best					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.09	18.01	New Order	0.10	5.00	44.90
12.09	3.01	Payment	0.10	5.00	43.05
5.07	2.01	Delivery	0.10	5.00	4.01
5.07	2.01	Stock Level	0.10	20.00	4.03
10.08	2.01	Order Status	0.10	5.00	4.01

Key	RT	RT	Menu	Txn	Think
1.004 tt					
1.004 tt					
Time	Delay	Fence	Delay	Weight	Time
12.10	18.01	New Order	0.10	5.00	44.88
12.10	3.01	Payment	0.10	5.00	43.02
5.07	2.01	Delivery	0.10	5.00	4.03
5.07	2.01	Stock Level	0.10	20.00	4.03
10.09	2.01	Order Status	0.10	5.00	4.03
1.003 tt					
1.003 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.09	18.01	New Order	0.10	5.00	44.88
12.09	3.01	Payment	0.10	5.00	43.02
5.07	2.01	Delivery	0.10	5.00	4.03
5.07	2.01	Stock Level	0.10	20.00	4.03
10.08	2.01	Order Status	0.10	5.00	4.03
1.002 tt					
1.002 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.07	18.01	New Order	0.10	5.00	44.88
12.07	3.01	Payment	0.10	5.00	43.02
5.06	2.01	Delivery	0.10	5.00	4.03
5.06	2.01	Stock Level	0.10	20.00	4.03
10.07	2.01	Order Status	0.10	5.00	4.03
1.001 tt					
1.001 tt					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.06	18.01	New Order	0.10	5.00	44.88
12.06	3.01	Payment	0.10	5.00	43.02

Key	RT	RT	Menu	Txn	Think
Delivery					
0.10					
5.00					
4.03					
0.10					
20.00					
4.03					
0.10					
5.00					
0.10					
1.004 tt aggressive					
1.004 tt aggressive					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.10	18.01	New Order	0.10	5.00	44.90
12.10	3.01	Payment	0.10	5.00	43.03
5.07	2.01	Delivery	0.10	5.00	4.01
5.07	2.01	Stock Level	0.10	20.00	4.03
10.09	2.01	Order Status	0.10	5.00	4.03
1.003 tt aggressive					
1.003 tt aggressive					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.09	18.01	New Order	0.10	5.00	44.90
12.09	3.01	Payment	0.10	5.00	43.03
5.07	2.01	Delivery	0.10	5.00	4.01
5.07	2.01	Stock Level	0.10	20.00	4.03
10.08	2.01	Order Status	0.10	5.00	4.03
1.002 tt aggressive					
1.002 tt aggressive					
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.07	18.01	New Order	0.10	5.00	44.90
12.07	3.01	Payment	0.10	5.00	43.03
5.06	2.01	Delivery	0.10	5.00	4.01
5.06	2.01	Stock Level	0.10	20.00	4.03
10.07	2.01	Order Status	0.10	5.00	4.03
1.001 tt aggressive					
1.001 tt aggressive					
Key	RT	RT	Menu	Txn	Think

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.90	
12.06	18.01	0.10	5.00	43.03	0.10
			Payment	4.01	
12.06	3.01	0.10	5.00	4.03	0.10
			Delivery	4.03	
5.06	2.01	0.10	5.00	20.00	0.10
			Stock Level	4.03	
5.06	2.01	0.10	5.00	4.03	0.10
			Order Status	5.00	
10.06	2.01	0.10	5.00		0.10
			1.004 tt very aggressive		
			1.004 tt very aggressive		
			Txn	Think	
Key	RT	RT	Menu	Weight	Time
			New Order	44.93	
12.10	18.01	0.10	5.00	43.01	0.10
			Payment	4.01	
12.10	3.01	0.10	5.00	4.01	0.10
			Delivery	4.01	
5.07	2.01	0.10	5.00	20.00	0.10
			Stock Level	4.01	
5.07	2.01	0.10	20.00	4.01	0.10
			Order Status	5.00	
10.09	2.01	0.10	5.00		0.10
			1.003 tt very aggressive		
			1.003 tt very aggressive		
			Txn	Think	
Key	RT	RT	Menu	Weight	Time
			New Order	44.93	
12.09	18.01	0.10	5.00	43.01	0.10
			Payment	4.01	
12.09	3.01	0.10	5.00	4.01	0.10
			Delivery	4.01	
5.07	2.01	0.10	5.00	20.00	0.10
			Stock Level	4.01	
5.07	2.01	0.10	20.00	4.01	0.10
			Order Status	5.00	
10.08	2.01	0.10	5.00		0.10
			1.002 tt very aggressive		
			1.002 tt very aggressive		
			Txn	Think	
Key	RT	RT	Menu	Weight	Time
			New Order	44.93	
12.07	18.01	0.10	5.00	43.01	0.10
			Payment	4.01	
12.07	3.01	0.10	5.00	4.01	0.10
			Delivery	4.01	
5.06	2.01	0.10	5.00	20.00	0.10
			Stock Level	4.01	
5.06	2.01	0.10	20.00	4.01	0.10
			Order Status	5.00	
10.07	2.01	0.10	5.00		0.10

Key	RT	RT	Menu	Weight	Time
			1.001 tt very aggressive		
			1.001 tt very aggressive		
			Txn	Think	
Key	RT	RT	Menu	Weight	Time
			New Order	44.93	
12.06	18.01	0.10	5.00	43.01	0.10
			Payment	4.01	
12.06	3.01	0.10	5.00	4.01	0.10
			Delivery	4.01	
5.06	2.01	0.10	5.00	20.00	0.10
			Stock Level	4.01	
5.06	2.01	0.10	20.00	4.01	0.10
			Order Status	5.00	
10.06	2.01	0.10	5.00		0.10
			+0.04 very aggressive		
			+0.04 very aggressive		
			Txn	Think	
Key	RT	RT	Menu	Weight	Time
			New Order	44.93	
12.04	18.01	0.10	5.00	43.01	0.10
			Payment	4.01	
12.04	3.01	0.10	5.00	4.01	0.10
			Delivery	4.01	
5.04	2.01	0.10	5.00	20.00	0.10
			Stock Level	4.01	
5.04	2.01	0.10	20.00	4.01	0.10
			Order Status	5.00	
10.04	2.01	0.10	5.00		0.10
			+0.03 very aggressive		
			+0.03 very aggressive		
			Txn	Think	
Key	RT	RT	Menu	Weight	Time
			New Order	44.93	
12.03	18.01	0.10	5.00	43.01	0.10
			Payment	4.01	
12.03	3.01	0.10	5.00	4.01	0.10
			Delivery	4.01	
5.03	2.01	0.10	5.00	20.00	0.10
			Stock Level	4.01	
5.03	2.01	0.10	20.00	4.01	0.10
			Order Status	5.00	
10.03	2.01	0.10	5.00		0.10
			+0.02 very aggressive		
			+0.02 very aggressive		
			Txn	Think	
Key	RT	RT	Menu	Weight	Time
			New Order	44.93	
12.02	18.01	0.10	5.00	43.01	0.10
			Payment	4.01	
12.02	3.01	0.10	5.00	4.01	0.10

Time	Delay	Fence	Delay	Weight	Time
			Delivery	4.01	
5.02	2.01	0.10	5.00	4.01	0.10
			Stock Level	20.00	
5.02	2.01	0.10	20.00	4.01	0.10
			Order Status	5.00	
10.02	2.01	0.10	5.00		0.10

Internet Information Server Registry Parameters

Windows Registry Editor Version 5.00

```
[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\inetinfo]
```

```
[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\inetinfo\Parameters]
"ListenBackLog"=dword:00000019
"DispatchEntries"=hex(7):4c,00,44,00,41,00,50,00,53,00,56,00,43,00,00,00,00,00
"PoolThreadLimit"=dword:00000bfc
"ThreadTimeout"=dword:00015180
```

```
[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\inetinfo\Performance]
"Library"="infcotrs.dll"
"Open"="OpenINFOPerformanceData"
"Close"="CloseINFOPerformanceData"
"Collect"="CollectINFOPerformanceData"
"Last Counter"=dword:00000842
"Last Help"=dword:00000843
"First Counter"=dword:00000802
"First Help"=dword:00000803
"Library Validation Code"=hex:5e,76,48,3b,fd,1f,c5,01,10,25,00,00,00,00,00,00
"WbemAdapFileTime"=hex:00,c8,12,f8,b2,40,bf,01
"WbemAdapFileSize"=dword:00002510
"WbemAdapStatus"=dword:00000000
```

World Wide Web Service Registry Parameters

Windows Registry Editor Version 5.00

```
[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\w3svc]
"Type"=dword:00000020
"Start"=dword:00000002
"ErrorControl"=dword:00000001
```

```

"ImagePath"=hex(2):43,00,3a,00,5c,00,57,00,49,00,4e,0
0,4e,00,54,00,5c,00,53,00,\

79,00,73,00,74,00,65,00,6d,00,33,00,32,00,5c,00,69,00
,6e,00,65,00,74,00,73,\

00,72,00,76,00,5c,00,69,00,6e,00,65,00,74,00,69,00,6e
,00,66,00,6f,00,2e,00,\
65,00,78,00,65,00,00,00
"DisplayName"="World Wide Web Publishing Service"
"DependOnService"=hex(7):49,00,49,00,53,00,41,00,44,0
0,4d,00,49,00,4e,00,00,00,\
00,00
"DependOnGroup"=hex(7):00,00
"ObjectName"="LocalSystem"
"Description"="Provides Web connectivity and
administration through the Internet Information
Services snap-in."

[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services
\w3svc\ASP]
"NOTE"="This is for backward compatibility only."

[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services
\w3svc\ASP\Parameters]

[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services
\w3svc\Parameters]
"MajorVersion"=dword:00000005
"MinorVersion"=dword:00000000
"InstallPath"="C:\\WINNT\\System32\\inetrv"
"CertMapList"="C:\\WINNT\\System32\\inetrv\\iisrmap
.dll"
"AccessDeniedMessage"="Error: Access is Denied."
"Filter DLLs"=""
"LogFileDirectory"="C:\\WINNT\\System32\\LogFiles"
"AcceptExOutstanding"=dword:00000028

[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services
\w3svc\Parameters\ADCLaunch]

[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services
\w3svc\Parameters\ADCLaunch\AdvancedDataFactory]

[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services
\w3svc\Parameters\ADCLaunch\RDSSEServer.DataFactory]

[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services
\w3svc\Parameters\Script Map]

[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services
\w3svc\Parameters\Virtual Roots]
"/"="c:\\inetpub\\wwwroot,,207"
"/Scripts"="c:\\inetpub\\scripts,,1"
"/IISHelp"="c:\\winnt\\help\\iishelp,,1"
"/IISAdmin"="C:\\WINNT\\System32\\inetrv\\iisadmin,,
1"
"/IISSamples"="c:\\inetpub\\iissamples,,1"
"/MSADC"="c:\\program files\\common
files\\system\\msadc,,1"
"/Printers"="C:\\WINNT\\web\\printers,,201"

```

```

[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services
\w3svc\Performance]
"Library"="w3ctrs.dll"
"Open"="OpenW3PerformanceData"
"Close"="CloseW3PerformanceData"
"Collect"="CollectW3PerformanceData"
"Last Counter"=dword:000008e6
"Last Help"=dword:000008e7
"First Counter"=dword:00000844
"First Help"=dword:00000845
"Library Validation
Code"=hex:32,24,3d,fd,1f,c5,01,10,3d,00,00,00,0,0
0,00
"WbemAdapFileTime"=hex:00,c8,12,f8,b2,40,bf,01
"WbemAdapFileSize"=dword:00003d10
"WbemAdapStatus"=dword:00000000

[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services
\w3svc\Security]
"Security"=hex:01,00,14,80,a0,00,00,00,ac,00,00,00,14
,00,00,00,30,00,00,00,02,\

00,1c,00,01,00,00,00,02,80,14,00,ff,01,0f,00,01,01,00
,00,00,00,00,01,00,00,\

00,00,02,00,70,00,04,00,00,00,00,00,18,00,fd,01,02,00
,01,01,00,00,00,00,00,\

05,12,00,00,00,74,00,6f,00,00,00,1c,00,ff,01,0f,00,01
,02,00,00,00,00,00,05,\

20,00,00,00,20,02,00,00,72,00,73,00,00,00,18,00,8d,01
,02,00,01,01,00,00,00,\

00,00,05,0b,00,00,00,20,02,00,00,00,00,1c,00,fd,01,02
,00,01,02,00,00,00,\

00,05,20,00,00,00,23,02,00,00,72,00,73,00,01,01,00,00
,00,00,00,05,12,00,00,\
00,01,01,00,00,00,00,00,05,12,00,00,00

[HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services
\w3svc\Enum]
"0"="Root\\LEGACY_W3SVC\\00000"
"Count"=dword:00000001
"NextInstance"=dword:00000001

Windows Registry Editor Version 5.00

[HKEY_LOCAL_MACHINE\Software\Microsoft\TPCC]
"Path"="C:\\inetpub\\wwwroot\\"
"NumberOfDeliveryThreads"=dword:0000000c
"MaxConnections"=dword:00007530
"MaxPendingDeliveries"=dword:00000bb8
"DB_Protocol"="DBLIB"

```

TPCC Application Registry Parameters

```

"TxnMonitor"="COM"
"DbServer"="lumberjack"
"DbName"="tpcc"
"DbUser"="sa"
"DbPassword"=""
"COM_SinglePool"="YES"

```

Server Bus Performance Driver Registry Parameters

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissb
Class Name: <NO CLASS>
Last Write Time: 3/21/2005 - 9:10 AM
Value 0
Name: Type
Type: REG_DWORD
Data: 0x1

Value 1
Name: Start
Type: REG_DWORD
Data: 0

Value 2
Name: ErrorControl
Type: REG_DWORD
Data: 0x1

Value 3
Name: Tag
Type: REG_DWORD
Data: 0x102

Value 4
Name: ImagePath
Type: REG_EXPAND_SZ
Data: system32\DRIVERS\hpqcissb.sys

Value 5
Name: DisplayName
Type: REG_SZ
Data: Smart Array Controllers Non-
Miniport Bus Driver

Value 6
Name: Group
Type: REG_SZ
Data: port

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissb\Parameters

```

```

Class Name: <NO CLASS>
Last Write Time: 3/21/2005 - 7:09 AM
Value 0
  Name: CompletionMode
  Type: REG_DWORD
  Data: 0x2

Value 1
  Name: CosTimerRate
  Type: REG_DWORD
  Data: 0x23

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissb\Parameters\Controller4
Class Name: <NO CLASS>
Last Write Time: 3/2/2005 - 5:52 PM
Value 0
  Name: CompletionMode
  Type: REG_DWORD
  Data: 0x1

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissb\Security
Class Name: <NO CLASS>
Last Write Time: 3/2/2005 - 3:50 PM
Value 0
  Name: Security
  Type: REG_BINARY
  Data:
00000000 01 00 14 80 90 00 00 00 - 9c 00 00 00 14
00 00 00 .....
00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02
80 14 00 0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00
00 00 00 ý.....
00000030 02 00 60 00 04 00 00 00 - 00 00 14 00 fd
01 02 00 `.....ý...
00000040 01 01 00 00 00 00 05 - 12 00 00 00 00
00 18 00 .....
00000050 ff 01 0f 00 01 02 00 00 - 00 00 00 05 20
00 00 00 ý.....
00000060 20 02 00 00 00 00 14 00 - 8d 01 02 00 01
01 00 00 .....
00000070 00 00 00 05 0b 00 00 00 - 00 00 18 00 fd
01 02 00 .....ý...
00000080 01 02 00 00 00 00 05 - 20 00 00 00 23
02 00 00 .....#...
00000090 01 01 00 00 00 00 05 - 12 00 00 00 01
01 00 00 .....
00 00 00 05 12 00 00 00 -
.....

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissb\Enum
Class Name: <NO CLASS>
Last Write Time: 3/21/2005 - 9:10 AM
Value 0

```

```

Name: 0
Type: REG_SZ
Data:
PCI\VEN_0E11&DEV_0046&SUBSYS_409C0E11&REV_01\6&2e5f39
ce&0&20080010

Value 1
  Name: Count
  Type: REG_DWORD
  Data: 0x6

Value 2
  Name: NextInstance
  Type: REG_DWORD
  Data: 0x6

Value 3
  Name: 1
  Type: REG_SZ
  Data:
PCI\VEN_0E11&DEV_0046&SUBSYS_409D0E11&REV_01\6&2e5f39
ce&0&28080010

Value 4
  Name: 2
  Type: REG_SZ
  Data:
PCI\VEN_0E11&DEV_0046&SUBSYS_409C0E11&REV_01\6&167faf
72&0&20080210

Value 5
  Name: 3
  Type: REG_SZ
  Data:
PCI\VEN_0E11&DEV_0046&SUBSYS_409D0E11&REV_01\6&167faf
72&0&28080210

Value 6
  Name: 4
  Type: REG_SZ
  Data:
PCI\VEN_0E11&DEV_0046&SUBSYS_409C0E11&REV_01\6&2e8b1a
1a&0&20100210

Value 7
  Name: 5
  Type: REG_SZ
  Data:
PCI\VEN_0E11&DEV_0046&SUBSYS_409D0E11&REV_01\6&2e8b1a
1a&0&28100210

```

Server Disk Device Performance Driver Registry Parameters

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissd
Class Name: <NO CLASS>
Last Write Time: 3/21/2005 - 9:11 AM
Value 0
  Name: Type
  Type: REG_DWORD
  Data: 0x1

Value 1
  Name: Start
  Type: REG_DWORD
  Data: 0

Value 2
  Name: ErrorControl
  Type: REG_DWORD
  Data: 0x1

Value 3
  Name: Tag
  Type: REG_DWORD
  Data: 0x102

Value 4
  Name: ImagePath
  Type: REG_EXPAND_SZ
  Data: system32\DRIVERS\hpqcissd.sys

Value 5
  Name: DisplayName
  Type: REG_SZ
  Data: Smart Array Controllers Non-
Miniport Disk Driver

Value 6
  Name: Group
  Type: REG_SZ
  Data: Primary Disk

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissd\Security
Class Name: <NO CLASS>
Last Write Time: 3/2/2005 - 5:21 PM
Value 0
  Name: Security
  Type: REG_BINARY
  Data:
00000000 01 00 14 80 90 00 00 00 - 9c 00 00 00 14
00 00 00 .....

```

```

00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02
80 14 00 0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00
00 00 00 y.....
00000030 02 00 60 00 04 00 00 00 - 00 00 14 00 fd
01 02 00 ..`.....y...
00000040 01 01 00 00 00 00 00 05 - 12 00 00 00 00
00 18 00 .....
00000050 ff 01 0f 00 01 02 00 00 - 00 00 00 05 20
00 00 00 y.....
00000060 20 02 00 00 00 00 14 00 - 8d 01 02 00 01
01 00 00 .....
00000070 00 00 00 05 0b 00 00 00 - 00 00 18 00 fd
01 02 00 .....y...
00000080 01 02 00 00 00 00 05 05 - 20 00 00 00 23
02 00 00 .....#...
00000090 01 01 00 00 00 00 05 05 - 12 00 00 00 01
01 00 00 .....
00 00 00 05 12 00 00 00 -
.....

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissd\Enum
Class Name: <NO CLASS>
Last Write Time: 3/21/2005 - 9:11 AM
Value 0
Name: 0
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&3410afa7&0&
0000004000000000

Value 1
Name: Count
Type: REG_DWORD
Data: 0xb

Value 2
Name: NextInstance
Type: REG_DWORD
Data: 0xb

Value 3
Name: 1
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&3410afa7&0&
0100004000000000

Value 4
Name: 2
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&3527f213&0&
0000004000000000

Value 5
Name: 3
Type: REG_SZ

```

```

Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&3527f213&0&
0100004000000000

Value 6
Name: 4
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&13ecce47&0&
0000004000000000

Value 7
Name: 5
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&13ecce47&0&
0100004000000000

Value 8
Name: 6
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&ba4fbf1&0&0
0000004000000000

Value 9
Name: 7
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&ba4fbf1&0&0
1000004000000000

Value 10
Name: 8
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&334b89b8&0&
0000004000000000

Value 11
Name: 9
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&35ed1802&0&
0000004000000000

Value 12
Name: 10
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&35ed1802&0&
0100004000000000

```

System Summary

System Information report written at: 03/16/05
14:28:45
System Name: LUMBERJACK

```

[System Summary]

Item      Value
OS Name   Microsoft(R) Windows(R) Server 2003,
Enterprise Edition
Version   5.2.3790   Build 3790
OS Manufacturer   Microsoft Corporation
System Name   LUMBERJACK
System Manufacturer   HP
System Model   ProLiant ML350 G4p
System Type   X86-based PC
Processor x86 Family 15 Model 4 Stepping 3
GenuineIntel ~3400 Mhz
Processor x86 Family 15 Model 4 Stepping 3
GenuineIntel ~3400 Mhz
BIOS Version/Date   HP D19, 1/4/2005
SMBIOS Version      2.3
Windows Directory   C:\WINDOWS
System Directory     C:\WINDOWS\system32
Boot Device          \Device\HarddiskVolume12
Locale               United States
Hardware Abstraction Layer   Version = "5.2.3790.0
(srv03_rtm.030324-2048)"
User Name Not Available
Time Zone Central Standard Time
Total Physical Memory 12,288.00 MB
Available Physical Memory 11.61 GB
Total Virtual Memory 25.66 GB
Available Virtual Memory 25.23 GB
Page File Space 13.72 GB
Page File C:\pagefile.sys

[Hardware Resources]

[Conflicts/Sharing]

Resource Device
I/O Port 0x00000000-0x00000CF7 PCI bus
I/O Port 0x00000000-0x00000CF7 Direct memory
access controller

Memory Address 0xFDE00000-0xFDFFFFFFFF PCI standard
PCI-to-PCI bridge
Memory Address 0xFDE00000-0xFDFFFFFFFF PCI standard
PCI-to-PCI bridge

I/O Port 0x000002F8-0x000002FF Motherboard
resources
I/O Port 0x000002F8-0x000002FF
Communications Port (COM2)

I/O Port 0x00006000-0x00007FFF PCI standard
PCI-to-PCI bridge
I/O Port 0x00006000-0x00007FFF PCI standard
PCI-to-PCI bridge
I/O Port 0x00006000-0x00007FFF Smart Array
6400 Controller (Non-Miniport)

IRQ 16 PCI standard PCI-to-PCI bridge
IRQ 16 PCI standard PCI-to-PCI bridge
IRQ 16 PCI standard PCI-to-PCI bridge

```

IRQ 16 Standard Universal PCI to USB Host Controller		0x00005000-0x00007FFF	PCI standard PCI-to-PCI bridge OK	0x00000020-0x0000003F	Motherboard resources
I/O Port 0x00005000-0x00007FFF PCI-to-PCI bridge	PCI standard	0x00005000-0x00007FFF	PCI standard PCI-to-PCI bridge OK	0x000000A0-0x000000BF	Motherboard resources
I/O Port 0x00005000-0x00007FFF PCI-to-PCI bridge	PCI standard	0x00005000-0x00007FFF	PCI standard PCI-to-PCI bridge OK	0x00000090-0x0000009F	Motherboard resources
I/O Port 0x00005000-0x00007FFF PCI-to-PCI bridge	PCI standard	0x00005000-0x00007FFF	Smart Array 6400 Controller (Non-Miniport) OK	0x00000050-0x00000053	Motherboard resources
I/O Port 0x00005000-0x00007FFF 6400 Controller (Non-Miniport)	Smart Array	0x00005400-0x000054FF	Smart Array 6400 Controller U320 Expansion Module (Non-Miniport) OK	0x00000500-0x0000050F	Motherboard resources
Memory Address 0xE0000000-0xFEBFFFFFFF	PCI bus	0x00006000-0x00007FFF	PCI standard PCI-to-PCI bridge OK	0x00000700-0x0000071F	Motherboard resources
Memory Address 0xE0000000-0xFEBFFFFFFF resources	Motherboard resources	0x00006000-0x00007FFF	PCI standard PCI-to-PCI bridge OK	0x00000800-0x0000083F	Motherboard resources
Memory Address 0xA0000-0xBFFFF	PCI bus	0x00006000-0x00007FFF	Smart Array 6400 Controller (Non-Miniport) OK	0x00000900-0x0000097F	Motherboard resources
Memory Address 0xA0000-0xBFFFF Graphics Adapter	Standard VGA	0x00006400-0x000064FF	Smart Array 6400 Controller U320 Expansion Module (Non-Miniport) OK	0x00000010-0x0000001F	Motherboard resources
I/O Port 0x00007000-0x00007FFF PCI-to-PCI bridge	PCI standard	0x00007000-0x00007FFF	PCI standard PCI-to-PCI bridge OK	0x00000C80-0x00000C83	Motherboard resources
I/O Port 0x00007000-0x00007FFF 6400 Controller (Non-Miniport)	Smart Array	0x00007000-0x00007FFF	Smart Array 6400 Controller (Non-Miniport) OK	0x00000CD4-0x00000CD7	Motherboard resources
I/O Port 0x00004000-0x00004FFF	PCI standard	0x00007400-0x000074FF	Smart Array 6400 Controller U320 Expansion Module (Non-Miniport) OK	0x00000F50-0x00000F58	Motherboard resources
I/O Port 0x00004000-0x00004FFF Ultra320 SCSI 2000 series, (with 1020/1030)	LSI Adapter, Ultra320 SCSI 2000 series, (with 1020/1030)	0x00004000-0x00004FFF	PCI standard PCI-to-PCI bridge OK	0x000002F8-0x000002FF	Motherboard resources
Memory Address 0xFDD00000-0xFDFFFFFFFF	PCI standard	0x00004000-0x00004FFF	LSI Adapter, Ultra320 SCSI 2000 series, (with 1020/1030) OK	0x000002F8-0x000002FF	Communications Port (COM2) OK
Memory Address 0xFDD00000-0xFDFFFFFFFF	PCI standard	0x00004400-0x000044FF	LSI Adapter, Ultra320 SCSI 2000 series, (with 1020/1030) OK	0x00000040-0x00000043	System timer OK
Memory Address 0xFDD00000-0xFDFFFFFFFF	PCI standard	0x00002000-0x0000201F	Standard Universal PCI to USB Host Controller OK	0x00000080-0x0000008F	Direct memory access controller OK
I/O Port 0x0000004E-0x0000004F resources	Motherboard	0x00002020-0x0000203F	Standard Universal PCI to USB Host Controller OK	0x000000C0-0x000000DF	Direct memory access controller OK
I/O Port 0x0000004E-0x0000004F Bus	Extended IO	0x00003000-0x000030FF	Standard VGA Graphics Adapter OK	0x00000061-0x00000061	System speaker OK
[DMA]		0x00003000-0x000030FF	Standard VGA Graphics Adapter OK	0x00000060-0x00000060	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard OK
Resource Device Status Channel 7 Direct memory access controller	OK	0x00003B0-0x000003BB	Standard VGA Graphics Adapter OK	0x0000064-0x0000064	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard OK
Channel 2 Standard floppy disk controller	OK	0x00003C0-0x000003DF	Standard VGA Graphics Adapter OK	0x0000002E-0x0000002F	Extended IO Bus OK
[Forced Hardware]		0x00001800-0x000018FF	HP ProLiant iLO Advanced System Management Controller OK	0x00000220-0x0000025F	Extended IO Bus OK
Device PNP Device ID		0x00003400-0x000034FF	Base System Device OK	0x00000280-0x0000029F	Extended IO Bus OK
[I/O]		0x00000A79-0x00000A79	ISAPNP Read Data Port OK	0x00000378-0x0000037F	Printer Port (LPT1) OK
Resource Device Status 0x00000000-0x000000CF7	PCI bus OK	0x00000279-0x00000279	ISAPNP Read Data Port OK	0x000003F8-0x000003FF	Communications Port (COM1) OK
0x00000000-0x000000CF7 controller OK	Direct memory access	0x00000274-0x00000277	ISAPNP Read Data Port OK	0x000003F2-0x000003F5	Standard floppy disk controller OK
0x00000D00-0x0000FFFF	PCI bus OK	0x0000004E-0x0000004F	Motherboard resources	0x000003F7-0x000003F7	Standard floppy disk controller OK
		0x0000004E-0x0000004F	Extended IO Bus OK	0x0000FFF0-0x0000FFFF	Standard Dual Channel PCI IDE Controller OK
		0x00000070-0x00000077	Motherboard resources	0x000001F0-0x000001F7	Primary IDE Channel OK
		0x00000408-0x0000040F	Motherboard resources	0x000003F6-0x000003F6	Primary IDE Channel OK
		0x000004D0-0x000004D1	Motherboard resources	0x00000170-0x00000177	Secondary IDE Channel OK

```

0x00000376-0x00000376      Secondary IDE Channel
                             OK
0x00002040-0x00002047      Standard Dual Channel
PCI IDE Controller OK
0x00002048-0x0000204B      Standard Dual Channel
PCI IDE Controller OK
0x00002050-0x00002057      Standard Dual Channel
PCI IDE Controller OK
0x00002058-0x0000205B      Standard Dual Channel
PCI IDE Controller OK
0x00002060-0x0000206F      Standard Dual Channel
PCI IDE Controller OK

[IRQs]

Resource Device Status
IRQ 9      Microsoft ACPI-Compliant System      OK
IRQ 16     PCI standard PCI-to-PCI bridge         OK
IRQ 16     PCI standard PCI-to-PCI bridge         OK
IRQ 16     PCI standard PCI-to-PCI bridge         OK
IRQ 16     Standard Universal PCI to USB Host
Controller OK
IRQ 48     Smart Array 6400 Controller (Non-Miniport)
OK
IRQ 49     Smart Array 6400 Controller U320 Expansion
Module (Non-Miniport) OK
IRQ 76     Smart Array 6400 Controller (Non-Miniport)
OK
IRQ 77     Smart Array 6400 Controller U320 Expansion
Module (Non-Miniport) OK
IRQ 72     Smart Array 6400 Controller (Non-Miniport)
OK
IRQ 73     Smart Array 6400 Controller U320 Expansion
Module (Non-Miniport) OK
IRQ 24     LSI Adapter, Ultra320 SCSI 2000 series,
(with 1020/1030) OK
IRQ 25     LSI Adapter, Ultra320 SCSI 2000 series,
(with 1020/1030) OK
IRQ 19     Standard Universal PCI to USB Host
Controller OK
IRQ 23     Standard Enhanced PCI to USB Host
Controller OK
IRQ 17     HP NC7761 Gigabit Server Adapter      OK

IRQ 21     HP ProLiant iLO Advanced System Management
Controller OK
IRQ 5      Base System Device OK
IRQ 0      System timer OK
IRQ 1      Standard 101/102-Key or Microsoft Natural
PS/2 Keyboard OK
IRQ 12     PS/2 Compatible Mouse OK
IRQ 4      Communications Port (COM1) OK
IRQ 6      Standard floppy disk controller      OK

IRQ 15     Secondary IDE Channel OK
IRQ 18     Standard Dual Channel PCI IDE Controller
OK
IRQ 3      Communications Port (COM2) OK

```

```

[Memory]

Resource Device Status
0xA0000-0xBFFFF PCI bus OK
0xA0000-0xBFFFF Standard VGA Graphics Adapter OK

0xE0000000-0xFEBFFFFFFF PCI bus OK
0xE0000000-0xFEBFFFFFFF Motherboard resources
OK
0xFDD00000-0xFDFFFFFFFF PCI standard PCI-to-PCI
bridge OK
0xFDD00000-0xFDFFFFFFFF PCI standard PCI-to-PCI
bridge OK
0xFDD00000-0xFDFFFFFFFF PCI standard PCI-to-PCI
bridge OK
0xFDDF0000-0xFDDF1FFF Smart Array 6400
Controller (Non-Miniport) OK
0xFDD70000-0xFDD71FFF Smart Array 6400
Controller U320 Expansion Module (Non-Miniport) OK

0xFDE00000-0xFDEFFFFFFF PCI standard PCI-to-PCI
bridge OK
0xFDE00000-0xFDEFFFFFFF PCI standard PCI-to-PCI
bridge OK
0xFDEF0000-0xFDEF1FFF Smart Array 6400
Controller (Non-Miniport) OK
0xFDE70000-0xFDE71FFF Smart Array 6400
Controller U320 Expansion Module (Non-Miniport) OK

0xFDF00000-0xFDFFFFFFFF PCI standard PCI-to-PCI
bridge OK
0xFDF00000-0xFDF1FFF Smart Array 6400
Controller (Non-Miniport) OK
0xFDF70000-0xFDF71FFF Smart Array 6400
Controller U320 Expansion Module (Non-Miniport) OK

0xFDC00000-0xFDCFFFFFFF PCI standard PCI-to-PCI
bridge OK
0xFDCE0000-0xFDCFFFFFFF LSI Adapter, Ultra320
SCSI 2000 series, (with 1020/1030) OK
0xFDCC0000-0xFDCDFFFF LSI Adapter, Ultra320
SCSI 2000 series, (with 1020/1030) OK
0xFDCA0000-0xFDCBFFFF LSI Adapter, Ultra320
SCSI 2000 series, (with 1020/1030) OK
0xFDC80000-0xFDC9FFFF LSI Adapter, Ultra320
SCSI 2000 series, (with 1020/1030) OK
0xFBEF0000-0xFBEF000F Base System Device OK

0xFBEE0000-0xFBEE03FF Standard Enhanced PCI
to USB Host Controller OK
0xFDBF0000-0xFDBFFFFF HP NC7761 Gigabit
Server Adapter OK
0xFC000000-0xFCFFFFFFF Standard VGA Graphics
Adapter OK
0xFBFF0000-0xFBFF0FFF Standard VGA Graphics
Adapter OK
0xFBFE0000-0xFBFE01FF HP ProLiant iLO
Advanced System Management Controller OK
0xFBFD0000-0xFBFD07FF Base System Device OK

0xFBFC0000-0xFBFC1FFF Base System Device OK

```

```

0xFBF00000-0xFBF7FFFF      Base System Device OK

0xFEBFFC00-0xFEBFFFFFFF      Standard Dual Channel
PCI IDE Controller OK

[Components]

[Multimedia]

[Audio Codecs]

CODEC Manufacturer Description
Status File Version Size
Creation Date
c:\windows\system32\sl_anet.acm Sipro Lab
Telecom Inc. Sipro Lab Telecom Audio Codec OK
C:\WINDOWS\system32\SL_ANET.ACM
3.02 84.00 KB (86,016 bytes)
3/25/2003 6:00 AM
c:\windows\system32\l3codeca.acm Fraunhofer
Institut Integrierte Schaltungen IIS Fraunhofer
IIS MPEG Layer-3 Codec OK
C:\WINDOWS\system32\L3CODECA.ACM 1,
9, 0, 0305 284.00 KB (290,816 bytes)
3/25/2003 6:00 AM
c:\windows\system32\msaud32.acm Microsoft
Corporation Windows Media Audio Codec OK
C:\WINDOWS\system32\MSAUD32.ACM
8.00.00.4487 288.00 KB (294,912
bytes) 3/25/2003 6:00 AM
c:\windows\system32\msg723.acm Microsoft
Corporation OK
C:\WINDOWS\system32\MSG723.ACM
4.4.4000 116.00 KB (118,784 bytes)
3/2/2005 12:01 PM
c:\windows\system32\tssoft32.acm DSP GROUP,
INC. OK
C:\WINDOWS\system32\TSSOFT32.ACM
1.01 9.50 KB (9,728 bytes)
3/25/2003 6:00 AM
c:\windows\system32\msg711.acm Microsoft
Corporation OK
C:\WINDOWS\system32\MSG711.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
10.00 KB (10,240 bytes) 3/25/2003
6:00 AM
c:\windows\system32\msgsm32.acm Microsoft
Corporation OK
C:\WINDOWS\system32\MSGSM32.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
20.50 KB (20,992 bytes) 3/25/2003
6:00 AM
c:\windows\system32\msadp32.acm Microsoft
Corporation OK
C:\WINDOWS\system32\MSADP32.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
14.50 KB (14,848 bytes) 3/25/2003
6:00 AM

```

```

c:\windows\system32\imaadp32.acm      Microsoft
Corporation                          OK
C:\WINDOWS\system32\IMAADP32.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
15.50 KB (15,872 bytes)              3/25/2003
6:00 AM

```

[Video Codecs]

```

CODEC      Manufacturer      Description
Status     File                Version  Size
Creation   Date
c:\windows\system32\msh261.drv      Microsoft
Corporation                          OK
C:\WINDOWS\system32\MSH261.DRV
4.4.4000  180.00 KB (184,320 bytes)
3/2/2005  12:01 PM
c:\windows\system32\tsbyuv.dll      Microsoft
Corporation                          OK
C:\WINDOWS\system32\TSBYUV.DLL
5.2.3790.0 (srv03_rtm.030324-2048)
8.00 KB (8,192 bytes)                3/24/2003

```

7:50 PM

```

c:\windows\system32\msyuv.dll      Microsoft Corporation
OK
C:\WINDOWS\system32\MSYUV.DLL 5.2.3790.0
(srv03_rtm.030324-2048) 16.50 KB (16,896 bytes)
3/24/2003 7:49 PM
c:\windows\system32\msvidc32.dll   Microsoft
Corporation                          OK
C:\WINDOWS\system32\MSVIDC32.DLL
5.2.3790.0 (srv03_rtm.030324-2048)
26.50 KB (27,136 bytes)              3/25/2003

```

6:00 AM

```

c:\windows\system32\msrle32.dll    Microsoft
Corporation                          OK
C:\WINDOWS\system32\MSRLE32.DLL
5.2.3790.0 (srv03_rtm.030324-2048)
10.50 KB (10,752 bytes)              3/25/2003

```

6:00 AM

```

c:\windows\system32\iyuv_32.dll    Microsoft
Corporation                          OK
C:\WINDOWS\system32\IYUV_32.DLL
5.2.3790.0 (srv03_rtm.030324-2048)
45.00 KB (46,080 bytes)              3/24/2003

```

7:49 PM

```

c:\windows\system32\msh263.drv     Microsoft
Corporation                          OK
C:\WINDOWS\system32\MSH263.DRV
4.4.4000  284.00 KB (290,816 bytes)
3/24/2003 7:46 PM

```

[CD-ROM]

Item	Value
Drive	D:
Description	CD-ROM Drive
Media Loaded	No
Media Type	CD-ROM
Name	HL-DT-ST CD-ROM GCR-8482B
Manufacturer	(Standard CD-ROM drives)
Status	OK
Transfer Rate	Not Available

```

SCSI Target ID      0
PNP Device ID       IDE\CDROMHL-DT-ST_CD-ROM_GCR-
8482B               2.09_52AC52874&0&0.0.0
Driver              c:\windows\system32\drivers\cdrom.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 49.50 KB (50,688
bytes), 3/25/2003 6:00 AM)

```

[Sound Device]

Item	Value
------	-------

[Display]

Item	Value
Name	Standard VGA Graphics Adapter
PNP Device ID	PCI\VEN_1002&DEV_4752&SUBSYS_001E0E11&REV_27\4&2183A681&0&18F0
Adapter Type	ATI MACH64, (Standard display types) compatible
Adapter Description	Standard VGA Graphics Adapter
Adapter RAM	7.94 MB (8,323,072 bytes)
Installed Drivers	vga.dll,framebuf.dll,vga256.dll,vga64k.dll

```

Driver Version      5.2.3790.0
INF File            display.inf (vga section)
Color Planes        1
Color Table Entries 16777216
Resolution          800 x 600 x 1 hertz
Bits/Pixel          24
Memory Address      0xF0000000-0xFCFFFFFF
I/O Port            0x00003000-0x000030FF
Memory Address      0xFBFF0000-0xFBFF0FFF
I/O Port            0x000003B0-0x000003BB
I/O Port            0x000003C0-0x000003DF
Memory Address      0xA0000-0xBFFFF
Driver              c:\windows\system32\drivers\vgapnp.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 23.00 KB (23,552
bytes), 3/11/2005 10:51 AM)

```

[Infrared]

Item	Value
------	-------

[Input]

Item	Value
Description	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
Name	Enhanced (101- or 102-key)
Layout	00000409
PNP Device ID	ACPI\PNP0303\4&1F443D2A&0
Number of Function Keys	12
I/O Port	0x00000060-0x00000060
I/O Port	0x00000064-0x00000064
IRQ Channel	IRQ 1

```

Driver              c:\windows\system32\drivers\i8042prt.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 68.50 KB (70,144
bytes), 3/25/2003 6:00 AM)

```

[Pointing Device]

Item	Value
Hardware Type	PS/2 Compatible Mouse
Number of Buttons	5
Status	OK
PNP Device ID	ACPI\PNP0F13\4&1F443D2A&0
Power Management Supported	No
Double Click Threshold	6
Handedness	Right Handed Operation
IRQ Channel	IRQ 12
Driver	c:\windows\system32\drivers\i8042prt.sys (5.2.3790.0 (srv03_rtm.030324-2048), 68.50 KB (70,144 bytes), 3/25/2003 6:00 AM)

[Modem]

Item	Value
------	-------

[Network]

[Adapter]

Item	Value
Name	[00000001] RAS Async Adapter
Adapter Type	Not Available
Product Type	RAS Async Adapter
Installed Yes	
PNP Device ID	Not Available
Last Reset	3/16/2005 1:45 PM
Index	1
Service Name	AsyncMac
IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available
DHCP Enabled	No
DHCP Server	Not Available
DHCP Lease Expires	Not Available
DHCP Lease Obtained	Not Available
MAC Address	Not Available

Name	Value
[00000002]	WAN Miniport (L2TP)
Adapter Type	Not Available
Product Type	WAN Miniport (L2TP)
Installed Yes	
PNP Device ID	ROOT\MS_L2TPMINIPORT\0000
Last Reset	3/16/2005 1:45 PM
Index	2
Service Name	Rasl2tp
IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available
DHCP Enabled	No
DHCP Server	Not Available
DHCP Lease Expires	Not Available
DHCP Lease Obtained	Not Available
MAC Address	Not Available

Driver c:\windows\system32\drivers\rasl2tp.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 77.00 KB (78,848 bytes), 3/25/2003 6:00 AM)

Name [00000003] WAN Miniport (PPTP)
Adapter Type Wide Area Network (WAN)
Product Type WAN Miniport (PPTP)
Installed Yes
PNP Device ID ROOT\MS_PPTP\MINI\PORT\0000
Last Reset 3/16/2005 1:45 PM
Index 3
Service Name PptpMiniport
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 50:50:54:50:30:30

Driver c:\windows\system32\drivers\rasppptp.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 70.50 KB (72,192 bytes), 3/25/2003 6:00 AM)

Name [00000004] WAN Miniport (PPPOE)
Adapter Type Wide Area Network (WAN)
Product Type WAN Miniport (PPPOE)
Installed Yes
PNP Device ID ROOT\MS_PPPOE\MINI\PORT\0000
Last Reset 3/16/2005 1:45 PM
Index 4
Service Name Raspppoe
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 33:50:6F:45:30:30

Driver c:\windows\system32\drivers\raspppoe.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 38.00 KB (38,912 bytes), 3/25/2003 6:00 AM)

Name [00000005] Direct Parallel
Adapter Type Not Available
Product Type Direct Parallel
Installed Yes
PNP Device ID ROOT\MS_PT\MINI\PORT\0000
Last Reset 3/16/2005 1:45 PM
Index 5

Service Name Raspti
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available

Driver c:\windows\system32\drivers\raspti.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 18.50 KB (18,944 bytes), 3/25/2003 6:00 AM)

Name [00000006] WAN Miniport (IP)
Adapter Type Not Available
Product Type WAN Miniport (IP)
Installed Yes
PNP Device ID ROOT\MS_NDISWANIP\0000
Last Reset 3/16/2005 1:45 PM
Index 6
Service Name NdisWan
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available

Driver c:\windows\system32\drivers\ndiswan.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 96.50 KB (98,816 bytes), 3/25/2003 6:00 AM)

Name [00000007] HP NC7761 Gigabit Server Adapter
Adapter Type Ethernet 802.3
Product Type HP NC7761 Gigabit Server Adapter

Installed Yes
PNP Device ID PCI\VEN_14E4&DEV_1654&SUBSYS_00E30E11&REV_03\4&2183A681&0&10F0
Last Reset 3/16/2005 1:45 PM
Index 7
Service Name q57w2k
IP Address 130.168.212.60
IP Subnet 255.255.0.0
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 00:12:79:94:30:61
Memory Address 0xFDBF0000-0xFDBFFFFF
IRQ Channel IRQ 17

Driver c:\windows\system32\drivers\q57xp32.sys
(7.80.0.0 built by: WinDDK, 185.88 KB (190,336 bytes), 3/2/2005 2:02 PM)

[Protocol]

Item	Value
Name	MSAFD Tcpip [TCP/IP]
Connectionless Service	No
Guarantees Delivery	Yes
Guarantees Sequencing	Yes
Maximum Address Size	16 bytes
Maximum Message Size	0 bytes
Message Oriented	No
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	Yes
Supports Graceful Closing	Yes
Supports Guaranteed Bandwidth	No
Supports Multicasting	No

Supports Expedited Data Yes
Supports Graceful Closing Yes
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD Tcpip [UDP/IP]
Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 16 bytes
Maximum Message Size 63.93 KB (65,467 bytes)

Message Oriented Yes
Minimum Address Size 16 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting Yes

Name RSVP UDP Service Provider
Connectionless Service Yes
Guarantees Delivery No
Guarantees Sequencing No
Maximum Address Size 16 bytes
Maximum Message Size 63.93 KB (65,467 bytes)

Message Oriented Yes
Minimum Address Size 16 bytes
Pseudo Stream Oriented No
Supports Broadcasting Yes
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption Yes
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting Yes

Name RSVP TCP Service Provider
Connectionless Service No
Guarantees Delivery Yes
Guarantees Sequencing Yes
Maximum Address Size 16 bytes
Maximum Message Size 0 bytes
Message Oriented No
Minimum Address Size 16 bytes
Pseudo Stream Oriented No
Supports Broadcasting No
Supports Connect Data No
Supports Disconnect Data No
Supports Encryption Yes
Supports Expedited Data Yes
Supports Graceful Closing Yes
Supports Guaranteed Bandwidth No
Supports Multicasting No

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{E64E2155-98AD-4363-9069-B9BEC6A31249}] SEQPACKE 0
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 20 bytes
 Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{E64E2155-98AD-4363-9069-B9BEC6A31249}] DATAGRAM 0
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 20 bytes
 Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{57EF7D4F-3EEB-4D54-BD33-AC74B9C7CF7}] SEQPACKE 1
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 20 bytes
 Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{57EF7D4F-3EEB-4D54-BD33-AC74B9C7CF7}] DATAGRAM 1
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 20 bytes
 Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{D882A6FD-BED3-4951-80CA-4E0B3C50CDB4}] SEQPACKE 2
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 20 bytes
 Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{D882A6FD-BED3-4951-80CA-4E0B3C50CDB4}] DATAGRAM 2
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 20 bytes
 Maximum Message Size 62.50 KB (64,000 bytes)

Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

[WinSock]

Item Value
 File c:\windows\system32\winsock.dll
 Size 2.80 KB (2,864 bytes)
 Version 3.10

File c:\windows\system32\wssock32.dll
 Size 22.00 KB (22,528 bytes)
 Version 5.2.3790.0 (srv03_rtm.030324-2048)

[Ports]

[Serial]

Item Value
 Name Communications Port (COM2)
 Status OK
 PNP Device ID ROOT*PNP0501\1_0_17_1_0_0
 Maximum Input Buffer Size 0
 Maximum Output Buffer Size No
 Settable Baud Rate Yes
 Settable Data Bits Yes
 Settable Flow Control Yes
 Settable Parity Yes
 Settable Parity Check Yes
 Settable Stop Bits Yes
 Settable RLSD Yes
 Supports RLSD Yes
 Supports 16 Bit Mode No
 Supports Special Characters No
 Baud Rate 9600
 Bits/Byte 8
 Stop Bits 1
 Parity None
 Busy No
 Abort Read/Write on Error No
 Binary Mode Enabled Yes
 Continue Xmit on Xoff No
 CTS Outflow Control No
 Discard NULL Bytes No
 DSR Outflow Control 0
 DSR Sensitivity 0
 DTR Flow Control Type Enable
 EOF Character 0
 Error Replace Character 0
 Error Replacement Enabled No
 Event Character 0
 Parity Check Enabled No
 RTS Flow Control Type Enable
 Xoff Character 19
 XoffXmit Threshold 512
 XOn Character 17
 XOnXmit Threshold 2048
 XOnXoff InFlow Control 0
 XOnXoff OutFlow Control 0
 I/O Port 0x000002F8-0x000002FF
 IRQ Channel IRQ 3
 Driver c:\windows\system32\drivers\serial.sys
 (5.2.3790.0 (srv03_rtm.030324-2048), 76.00 KB (77,824 bytes), 3/25/2003 6:00 AM)

```

Name      Communications Port (COM1)
Status    OK
PNP Device ID      ACPI\PNP0501\0
Maximum Input Buffer Size      0
Maximum Output Buffer Size     No
Settable Baud Rate   Yes
Settable Data Bits   Yes
Settable Flow Control      Yes
Settable Parity      Yes
Settable Parity Check      Yes
Settable Stop Bits   Yes
Settable RLSD        Yes
Supports RLSD        Yes
Supports 16 Bit Mode      No
Supports Special Characters  No
Baud Rate 9600
Bits/Byte 8
Stop Bits 1
Parity None
Busy No
Abort Read/Write on Error    No
Binary Mode Enabled Yes
Continue XMit on XOff        No
CTS Outflow Control No
Discard NULL Bytes No
DSR Outflow Control 0
DSR Sensitivity 0
DTR Flow Control Type      Enable
EOF Character 0
Error Replace Character 0
Error Replacement Enabled  No
Event Character 0
Parity Check Enabled      No
RTS Flow Control Type      Enable
XOff Character 19
XOffXMit Threshold 512
XOn Character 17
XOnXMit Threshold 2048
XOnXOff InFlow Control 0
XOnXOff OutFlow Control 0
IRQ Channel  IRQ 4
I/O Port 0x000003F8-0x000003FF
Driver c:\windows\system32\drivers\serial.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 76.00 KB (77,824
bytes), 3/25/2003 6:00 AM)

```

[Parallel]

```

Item      Value
Name      LPT1
PNP Device ID      ACPI\PNP0400\5&13608CEC&0
I/O Port 0x00000378-0x0000037F
Driver c:\windows\system32\drivers\parport.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 76.50 KB (78,336
bytes), 3/24/2003 5:04 PM)

```

[Storage]

[Drives]

```

Item      Value
Drive A:
Description      3 1/2 Inch Floppy Drive

Drive C:
Description      Local Fixed Disk
Compressed       No
File System      NTFS
Size            33.90 GB (36,405,055,488 bytes)
Free Space      30.28 GB (32,507,801,600 bytes)

Volume Name
Volume Serial Number      F029C1EE

Drive D:
Description      CD-ROM Disc

Drive E:
Description      Local Fixed Disk
Compressed       Not Available
File System      Not Available
Size            Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive F:
Description      Local Fixed Disk
Compressed       Not Available
File System      Not Available
Size            Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive G:
Description      Local Fixed Disk
Compressed       Not Available
File System      Not Available
Size            Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive H:
Description      Local Fixed Disk
Compressed       Not Available
File System      Not Available
Size            Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive I:
Description      Local Fixed Disk
Compressed       Not Available
File System      Not Available
Size            Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive J:

```

```

Description      Local Fixed Disk
Compressed       Not Available
File System      Not Available
Size            Not Available
Free Space      Not Available
Volume Name      Not Available
Volume Serial Number      Not Available

Drive V:
Description      Local Fixed Disk
Compressed       No
File System      NTFS
Size            212.44 GB (228,103,024,640 bytes)
Free Space      162.06 GB (174,010,449,920 bytes)

Volume Name      Backup1
Volume Serial Number      9015C349

Drive W:
Description      Local Fixed Disk
Compressed       No
File System      NTFS
Size            212.44 GB (228,103,024,640 bytes)
Free Space      162.06 GB (174,010,449,920 bytes)

Volume Name      Backup2
Volume Serial Number      AC31A0DA

Drive X:
Description      Local Fixed Disk
Compressed       No
File System      NTFS
Size            212.44 GB (228,103,024,640 bytes)
Free Space      162.06 GB (174,010,515,456 bytes)

Volume Name      Backup3
Volume Serial Number      24412C0A

Drive Y:
Description      Local Fixed Disk
Compressed       No
File System      NTFS
Size            212.44 GB (228,103,024,640 bytes)
Free Space      162.06 GB (174,010,515,456 bytes)

Volume Name      Backup4
Volume Serial Number      984FF621

Drive Z:
Description      Local Fixed Disk
Compressed       No
File System      NTFS
Size            188.95 GB (202,883,723,264 bytes)
Free Space      138.57 GB (148,791,984,128 bytes)

Volume Name      Backup5
Volume Serial Number      88657258

[Disks]

Item      Value
Description      \\.\PHYSICALDRIVE4
Manufacturer      Not Available

```

```

Model          Not Available
Bytes/Sector   512
Media Loaded   Yes
Media Type     Fixed hard disk
Partitions     1
SCSI Bus       Not Available
SCSI Logical Unit Not Available
SCSI Port      Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size           49.90 GB (53,579,473,920 bytes)
Total Cylinders 6,514
Total Sectors  104,647,410
Total Tracks   1,661,070
Tracks/Cylinder 255
Partition Disk #4, Partition #0
Partition Size  49.90 GB (53,579,087,872 bytes)

Partition Starting Offset 65,536 bytes

Description    \\.\PHYSICALDRIVE5
Manufacturer   Not Available
Model          Not Available
Bytes/Sector   512
Media Loaded   Yes
Media Type     Fixed hard disk
Partitions     1
SCSI Bus       Not Available
SCSI Logical Unit Not Available
SCSI Port      Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size           212.44 GB (228,103,464,960 bytes)
Total Cylinders 27,732
Total Sectors  445,514,580
Total Tracks   7,071,660
Tracks/Cylinder 255
Partition Disk #5, Partition #0
Partition Size  212.44 GB (228,103,028,736 bytes)

Partition Starting Offset 65,536 bytes

Description    \\.\PHYSICALDRIVE8
Manufacturer   Not Available
Model          Not Available
Bytes/Sector   512
Media Loaded   Yes
Media Type     Fixed hard disk
Partitions     1
SCSI Bus       Not Available
SCSI Logical Unit Not Available
SCSI Port      Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size           135.66 GB (145,661,483,520 bytes)
Total Cylinders 17,709
Total Sectors  284,495,085
Total Tracks   4,515,795
Tracks/Cylinder 255
Partition Disk #8, Partition #0
Partition Size  135.66 GB (145,660,837,888 bytes)

Partition Starting Offset 65,536 bytes

```

```

Description    \\.\PHYSICALDRIVE0
Manufacturer   Not Available
Model          Not Available
Bytes/Sector   512
Media Loaded   Yes
Media Type     Fixed hard disk
Partitions     1
SCSI Bus       Not Available
SCSI Logical Unit Not Available
SCSI Port      Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size           49.90 GB (53,579,473,920 bytes)
Total Cylinders 6,514
Total Sectors  104,647,410
Total Tracks   1,661,070
Tracks/Cylinder 255
Partition Disk #0, Partition #0
Partition Size  49.90 GB (53,579,087,872 bytes)

Partition Starting Offset 65,536 bytes

Description    \\.\PHYSICALDRIVE1
Manufacturer   Not Available
Model          Not Available
Bytes/Sector   512
Media Loaded   Yes
Media Type     Fixed hard disk
Partitions     1
SCSI Bus       Not Available
SCSI Logical Unit Not Available
SCSI Port      Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size           212.44 GB (228,103,464,960 bytes)
Total Cylinders 27,732
Total Sectors  445,514,580
Total Tracks   7,071,660
Tracks/Cylinder 255
Partition Disk #1, Partition #0
Partition Size  212.44 GB (228,103,028,736 bytes)

Partition Starting Offset 65,536 bytes

Description    \\.\PHYSICALDRIVE2
Manufacturer   Not Available
Model          Not Available
Bytes/Sector   512
Media Loaded   Yes
Media Type     Fixed hard disk
Partitions     1
SCSI Bus       Not Available
SCSI Logical Unit Not Available
SCSI Port      Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size           49.90 GB (53,579,473,920 bytes)
Total Cylinders 6,514
Total Sectors  104,647,410
Total Tracks   1,661,070
Tracks/Cylinder 255
Partition Disk #2, Partition #0

```

```

Partition Size  49.90 GB (53,579,087,872 bytes)

Partition Starting Offset 65,536 bytes

Description    \\.\PHYSICALDRIVE3
Manufacturer   Not Available
Model          Not Available
Bytes/Sector   512
Media Loaded   Yes
Media Type     Fixed hard disk
Partitions     1
SCSI Bus       Not Available
SCSI Logical Unit Not Available
SCSI Port      Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size           212.44 GB (228,103,464,960 bytes)
Total Cylinders 27,732
Total Sectors  445,514,580
Total Tracks   7,071,660
Tracks/Cylinder 255
Partition Disk #3, Partition #0
Partition Size  212.44 GB (228,103,028,736 bytes)

Partition Starting Offset 65,536 bytes

Description    \\.\PHYSICALDRIVE9
Manufacturer   Not Available
Model          Not Available
Bytes/Sector   512
Media Loaded   Yes
Media Type     Fixed hard disk
Partitions     1
SCSI Bus       Not Available
SCSI Logical Unit Not Available
SCSI Port      Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size           96.87 GB (104,016,890,880 bytes)
Total Cylinders 12,646
Total Sectors  203,157,990
Total Tracks   3,224,730
Tracks/Cylinder 255
Partition Disk #9, Partition #0
Partition Size  96.87 GB (104,016,642,048 bytes)

Partition Starting Offset 65,536 bytes

Description    \\.\PHYSICALDRIVE10
Manufacturer   Not Available
Model          Not Available
Bytes/Sector   512
Media Loaded   Yes
Media Type     Fixed hard disk
Partitions     1
SCSI Bus       Not Available
SCSI Logical Unit Not Available
SCSI Port      Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size           188.95 GB (202,884,756,480 bytes)
Total Cylinders 24,666
Total Sectors  396,259,290

```

Total Tracks 6,289,830
Tracks/Cylinder 255
Partition Disk #10, Partition #0
Partition Size 188.95 GB (202,883,727,360 bytes)

Partition Starting Offset 65,536 bytes

Description \\.\PHYSICALDRIVE6
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 49.90 GB (53,579,473,920 bytes)
Total Cylinders 6,514
Total Sectors 104,647,410
Total Tracks 1,661,070
Tracks/Cylinder 255
Partition Disk #6, Partition #0
Partition Size 49.90 GB (53,579,087,872 bytes)

Partition Starting Offset 65,536 bytes

Description \\.\PHYSICALDRIVE7
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 212.44 GB (228,103,464,960 bytes)
Total Cylinders 27,732
Total Sectors 445,514,580
Total Tracks 7,071,660
Tracks/Cylinder 255
Partition Disk #7, Partition #0
Partition Size 212.44 GB (228,103,028,736 bytes)

Partition Starting Offset 65,536 bytes

Description Disk drive
Manufacturer (Standard disk drives)
Model COMPAQ BF036863B5 SCSI Disk Device
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus 0
SCSI Logical Unit 0
SCSI Port 4
SCSI Target ID 0
Sectors/Track 63

Size 33.91 GB (36,413,314,560 bytes)
Total Cylinders 4,427
Total Sectors 71,119,755
Total Tracks 1,128,885
Tracks/Cylinder 255
Partition Disk #11, Partition #0
Partition Size 33.90 GB (36,405,057,024 bytes)

Partition Starting Offset 32,256 bytes

[SCSI]

Item Value
Name Smart Array 6400 Controller (Non-Miniport)
Manufacturer Hewlett-Packard
Status OK
PNP Device ID
PCI\VEN_0E11&DEV_0046&SUBSYS_409C0E11&REV_01\6&2E5F39CE&0&20080010
Memory Address 0xFDDF0000-0xFDDF1FFF
I/O Port 0x00005000-0x00007FFF
IRQ Channel IRQ 48
Driver c:\windows\system32\drivers\hpcqissb.sys
(5.12.2.32 built by: skav, 39.00 KB (39,936 bytes), 3/2/2005 3:46 PM)

Name Smart Array 6400 Controller U320 Expansion Module (Non-Miniport)
Manufacturer Hewlett-Packard
Status OK
PNP Device ID
PCI\VEN_0E11&DEV_0046&SUBSYS_409D0E11&REV_01\6&2E5F39CE&0&28080010
Memory Address 0xFDD70000-0xFDD71FFF
I/O Port 0x00005400-0x000054FF
IRQ Channel IRQ 49
Driver c:\windows\system32\drivers\hpcqissb.sys
(5.12.2.32 built by: skav, 39.00 KB (39,936 bytes), 3/2/2005 3:46 PM)

Name Smart Array 6400 Controller (Non-Miniport)
Manufacturer Hewlett-Packard
Status OK
PNP Device ID
PCI\VEN_0E11&DEV_0046&SUBSYS_409C0E11&REV_01\6&167FAF72&0&20080210
Memory Address 0xFDEF0000-0xFDEF1FFF
I/O Port 0x00006000-0x00007FFF
IRQ Channel IRQ 76
Driver c:\windows\system32\drivers\hpcqissb.sys
(5.12.2.32 built by: skav, 39.00 KB (39,936 bytes), 3/2/2005 3:46 PM)

Name Smart Array 6400 Controller U320 Expansion Module (Non-Miniport)
Manufacturer Hewlett-Packard
Status OK
PNP Device ID
PCI\VEN_0E11&DEV_0046&SUBSYS_409D0E11&REV_01\6&167FAF72&0&28080210
Memory Address 0xFDE70000-0xFDE71FFF

I/O Port 0x00006400-0x000064FF
IRQ Channel IRQ 77
Driver c:\windows\system32\drivers\hpcqissb.sys
(5.12.2.32 built by: skav, 39.00 KB (39,936 bytes), 3/2/2005 3:46 PM)

Name Smart Array 6400 Controller (Non-Miniport)
Manufacturer Hewlett-Packard
Status OK
PNP Device ID
PCI\VEN_0E11&DEV_0046&SUBSYS_409C0E11&REV_01\6&2E8B1A1A&0&20100210
Memory Address 0xFDF00000-0xFDF01FFF
I/O Port 0x00007000-0x00007FFF
IRQ Channel IRQ 72
Driver c:\windows\system32\drivers\hpcqissb.sys
(5.12.2.32 built by: skav, 39.00 KB (39,936 bytes), 3/2/2005 3:46 PM)

Name Smart Array 6400 Controller U320 Expansion Module (Non-Miniport)
Manufacturer Hewlett-Packard
Status OK
PNP Device ID
PCI\VEN_0E11&DEV_0046&SUBSYS_409D0E11&REV_01\6&2E8B1A1A&0&28100210
Memory Address 0xFDF70000-0xFDF71FFF
I/O Port 0x00007400-0x000074FF
IRQ Channel IRQ 73
Driver c:\windows\system32\drivers\hpcqissb.sys
(5.12.2.32 built by: skav, 39.00 KB (39,936 bytes), 3/2/2005 3:46 PM)

Name LSI Adapter, Ultra320 SCSI 2000 series, (with 1020/1030)
Manufacturer LSI Logic
Status OK
PNP Device ID
PCI\VEN_1000&DEV_0030&SUBSYS_00DA0E11&REV_08\4&19638ECB&0&18E0
I/O Port 0x00004000-0x00004FFF
Memory Address 0xFDCE0000-0xFDCEFFFF
Memory Address 0xFDCC0000-0xFDCCFFFF
IRQ Channel IRQ 24
Driver c:\windows\system32\drivers\symmpi.sys
(1.10.02.00 built by: WindDK, 46.50 KB (47,616 bytes), 3/2/2005 2:05 PM)

Name LSI Adapter, Ultra320 SCSI 2000 series, (with 1020/1030)
Manufacturer LSI Logic
Status OK
PNP Device ID
PCI\VEN_1000&DEV_0030&SUBSYS_00DA0E11&REV_08\4&19638ECB&0&19E0
I/O Port 0x00004400-0x00004FFF
Memory Address 0xFDCA0000-0xFDCAFFFF
Memory Address 0xFDC80000-0xFDC8FFFF
IRQ Channel IRQ 25
Driver c:\windows\system32\drivers\symmpi.sys
(1.10.02.00 built by: WindDK, 46.50 KB (47,616 bytes), 3/2/2005 2:05 PM)

[IDE]

Item Value
Name Standard Dual Channel PCI IDE Controller

Manufacturer (Standard IDE ATA/ATAPI controllers)
Status OK
PNP Device ID PCI\VEN_8086&DEV_25A2&SUBSYS_32010E11&REV_02\3&61AAA01&0&F9
I/O Port 0x0000FFFF-0x0000FFFF
Memory Address 0xFEBFFC00-0xFEBFFFFF
Driver c:\windows\system32\drivers\pciide.sys (5.2.3790.0 (srv03_rtm.030324-2048), 5.50 KB (5,632 bytes), 3/25/2003 6:00 AM)

Name Primary IDE Channel
Manufacturer (Standard IDE ATA/ATAPI controllers)
Status OK
PNP Device ID PCIIDE\IDECHANNEL\4&2BBEC4C6&0&0

I/O Port 0x000001F0-0x000001F7
I/O Port 0x000003F6-0x000003F6
Driver c:\windows\system32\drivers\atapi.sys (5.2.3790.0 (srv03_rtm.030324-2048), 89.00 KB (91,136 bytes), 3/25/2003 6:00 AM)

Name Secondary IDE Channel
Manufacturer (Standard IDE ATA/ATAPI controllers)
Status OK
PNP Device ID PCIIDE\IDECHANNEL\4&2BBEC4C6&0&1

I/O Port 0x00000170-0x00000177
I/O Port 0x00000376-0x00000376
IRQ Channel IRQ 15
Driver c:\windows\system32\drivers\atapi.sys (5.2.3790.0 (srv03_rtm.030324-2048), 89.00 KB (91,136 bytes), 3/25/2003 6:00 AM)

Name Standard Dual Channel PCI IDE Controller

Manufacturer (Standard IDE ATA/ATAPI controllers)
Status OK
PNP Device ID PCI\VEN_8086&DEV_25A3&SUBSYS_32010E11&REV_02\3&61AAA01&0&FA
I/O Port 0x00002040-0x00002047
I/O Port 0x00002048-0x0000204B
I/O Port 0x00002050-0x00002057
I/O Port 0x00002058-0x0000205B
I/O Port 0x00002060-0x0000206F
IRQ Channel IRQ 18
Driver c:\windows\system32\drivers\pciide.sys (5.2.3790.0 (srv03_rtm.030324-2048), 5.50 KB (5,632 bytes), 3/25/2003 6:00 AM)

Name Primary IDE Channel

Manufacturer (Standard IDE ATA/ATAPI controllers)
Status OK
PNP Device ID PCIIDE\IDECHANNEL\4&23046091&0&0

Driver c:\windows\system32\drivers\atapi.sys (5.2.3790.0 (srv03_rtm.030324-2048), 89.00 KB (91,136 bytes), 3/25/2003 6:00 AM)

Name Secondary IDE Channel
Manufacturer (Standard IDE ATA/ATAPI controllers)
Status OK
PNP Device ID PCIIDE\IDECHANNEL\4&23046091&0&1

Driver c:\windows\system32\drivers\atapi.sys (5.2.3790.0 (srv03_rtm.030324-2048), 89.00 KB (91,136 bytes), 3/25/2003 6:00 AM)

[Printing]

Name Driver Port Name Server Name

[Problem Devices]

Device PNP Device ID Error Code
Base System Device PCI\VEN_8086&DEV_25AB&SUBSYS_32010E11&REV_02\3&61AAA01&0&EC The drivers for this device are not installed.
System Interrupt Controller PCI\VEN_8086&DEV_25AC&SUBSYS_32010E11&REV_02\3&61AAA01&0&ED The drivers for this device are not installed.
Base System Device PCI\VEN_0E11&DEV_B204&SUBSYS_B2060E11&REV_01\4&2183A681&0&22F0 The drivers for this device are not installed.

[USB]

Device PNP Device ID
Standard Universal PCI to USB Host Controller PCI\VEN_8086&DEV_25A9&SUBSYS_32010E11&REV_02\3&61AAA01&0&E8
USB Root Hub USB\ROOT_HUB\4&312B1C17&0
Standard Universal PCI to USB Host Controller PCI\VEN_8086&DEV_25AA&SUBSYS_32010E11&REV_02\3&61AAA01&0&E9
USB Root Hub USB\ROOT_HUB\4&24B43ADC&0
Standard Enhanced PCI to USB Host Controller PCI\VEN_8086&DEV_25AD&SUBSYS_32010E11&REV_02\3&61AAA01&0&EF
USB Root Hub USB\ROOT_HUB20\4&27805AAC&0

[Software Environment]

[System Drivers]

Name Description File Type
Started Start Mode State

	Status	Error Control	Accept	Pause
abiosdsk	Accept Stop			
	Abiosdsk	Not Available	Kernel Driver	
	No	Disabled Stopped	OK	
	Ignore	No		
acpi	Microsoft ACPI Driver			
	c:\windows\system32\drivers\acpi.sys			
	Kernel Driver	Yes	Boot	
	Running	OK	Normal	No Yes
acpiec	ACPIEC			
	c:\windows\system32\drivers\acpiec.sys			
	Kernel Driver	No	Disabled	
	Stopped	OK	Normal	No No
adpu160m	adpu160m	Not Available	Kernel Driver	
	No	Disabled Stopped	OK	
	Normal	No	No	
adpu320	adpu320	Not Available	Kernel Driver	
	No	Disabled Stopped	OK	
	Normal	No	No	
afcnc	afcnc	Not Available	Kernel Driver	
	No	Disabled Stopped	OK	
	Normal	No	No	
afd	AFD Networking Support Environment			
	c:\windows\system32\drivers\afd.sys			
	Kernel Driver	Yes	Auto	
	Running	OK	Normal	No Yes
ahal54x	Ahal54x	Not Available	Kernel Driver	
	No	Disabled Stopped	OK	
	Normal	No	No	
aic78u2	aic78u2	Not Available	Kernel Driver	
	No	Disabled Stopped	OK	
	Normal	No	No	
aic78xx	aic78xx	Not Available	Kernel Driver	
	No	Disabled Stopped	OK	
	Normal	No	No	
alliide	AliIde	Not Available	Kernel Driver	
	No	Disabled Stopped	OK	
	Normal	No	No	
asynmac	RAS Asynchronous Media Driver			
	c:\windows\system32\drivers\asynmac.sys			
	Kernel Driver	No	Manual	
	Stopped	OK	Normal	No No
atapi	Standard IDE/ESDI Hard Disk Controller			
	c:\windows\system32\drivers\atapi.sys			
	Kernel Driver	Yes	Boot	
	Running	OK	Normal	No Yes
atdisk	Atdisk	Not Available	Kernel Driver	
	No	Disabled Stopped	OK	
	Ignore	No	No	
ati2mpad	ati2mpad			
	c:\windows\system32\drivers\ati2mpad.sys			
	Kernel Driver	No	Manual	
	Stopped	OK	Ignore	No No
atmarpc	ATM ARP Client Protocol			
	c:\windows\system32\drivers\atmarpc.sys			
	Kernel Driver	No	Manual	

		Stopped	OK	Normal	No	No
audstub	Audio Stub Driver c:\windows\system32\drivers\audstub.sys	Kernel Driver	Yes	Manual		
		Running	OK	Normal	No	Yes
beep	Beep c:\windows\system32\drivers\beep.sys	Kernel Driver	Yes	System		
		Running	OK	Normal	No	Yes
cbidf2k	cbidf2k c:\windows\system32\drivers\cbidf2k.sys	Kernel Driver	No	Disabled		
		Stopped	OK	Normal	No	No
cd20xrnt	cd20xrnt	Not Available			Kernel Driver	
		No	Disabled	Stopped	OK	
		Normal	No	No		
cdfs	Cdfs c:\windows\system32\drivers\cdfs.sys	File System Driver	Yes	Disabled		
		Running	OK	Normal	No	Yes
cdrom	CD-ROM Driver c:\windows\system32\drivers\cdrom.sys	Kernel Driver	Yes	System		
		Running	OK	Normal	No	Yes
changer	Changer	Not Available			Kernel Driver	
		No	System	Stopped	OK	
		Ignore	No	No		
clusdisk	Cluster Disk Driver c:\windows\system32\drivers\clusdisk.sys	Kernel Driver	No	Disabled		
		Stopped	OK	Normal	No	No
cmdide	CmdIde	Not Available			Kernel Driver	
		No	Disabled	Stopped	OK	
		Normal	No	No		
cpqarray	Cpqarray	Not Available			Kernel Driver	
		No	Disabled	Stopped	OK	
		Normal	No	No		
cpqarray2	cpqarray2	Not Available			Kernel Driver	
		No	Disabled	Stopped	OK	
		Normal	No	No		
cpqasm2	cpqasm2 c:\windows\system32\drivers\cpqasm2.sys	Kernel Driver	Yes	Manual		
		Running	OK	Normal	No	Yes
cpqcissm	cpqcissm	Not Available			Kernel Driver	
		No	Disabled	Stopped	OK	
		Normal	No	No		
cpqfcalm	cpqfcalm	Not Available			Kernel Driver	
		No	Disabled	Stopped	OK	
		Normal	No	No		
cpqteam	HP Network Configuration Utility 7 c:\windows\system32\drivers\cpqteam.sys	Kernel Driver	No	Manual		
		Stopped	OK	Normal	No	No

crdisk	CRC Disk Filter Driver c:\windows\system32\drivers\crdisk.sys	Kernel Driver	Yes	Boot		
		Running	OK	Normal	No	Yes
dac960nt	dac960nt	Not Available			Kernel Driver	
		No	Disabled	Stopped	OK	
		Normal	No	No		
dellcerc	dellcerc	Not Available			Kernel Driver	
		No	Disabled	Stopped	OK	
		Normal	No	No		
dfsdriver	DfsDriver c:\windows\system32\drivers\dfs.sys	File System Driver	Yes	Boot		
		Running	OK	Normal	No	Yes
disk	Disk Driver c:\windows\system32\drivers\disk.sys	Kernel Driver	Yes	Boot		
		Running	OK	Normal	No	Yes
dmbboot	dmbboot c:\windows\system32\drivers\dmbboot.sys	Kernel Driver	No	Disabled		
		Stopped	OK	Normal	No	No
dmio	Logical Disk Manager Driver c:\windows\system32\drivers\dmio.sys	Kernel Driver	Yes	Boot		
		Running	OK	Normal	No	Yes
dmload	dmload c:\windows\system32\drivers\dmload.sys	Kernel Driver	Yes	Boot		
		Running	OK	Normal	No	Yes
dpti2o	dpti2o	Not Available			Kernel Driver	
		No	Disabled	Stopped	OK	
		Normal	No	No		
fastfat	Fastfat c:\windows\system32\drivers\fastfat.sys	File System Driver	No	Disabled		
		Stopped	OK	Normal	No	No
fdc	Floppy Disk Controller Driver c:\windows\system32\drivers\fdc.sys	Kernel Driver	Yes	Manual		
		Running	OK	Normal	No	Yes
fips	Fips c:\windows\system32\drivers\fips.sys	Kernel Driver	Yes	System		
		Running	OK	Normal	No	Yes
flpydisk	Floppy Disk Driver c:\windows\system32\drivers\flpydisk.sys	Kernel Driver	Yes	Manual		
		Running	OK	Normal	No	Yes
ftdisk	Volume Manager Driver c:\windows\system32\drivers\ftdisk.sys	Kernel Driver	Yes	Boot		

gpc	Generic Packet Classifier c:\windows\system32\drivers\msgpc.sys	Kernel Driver	Yes	Manual		
		Running	OK	Normal	No	Yes
hpn	hpn	Not Available			Kernel Driver	
		No	Disabled	Stopped	OK	
		Normal	No	No		
hpgcissb	Smart Array Controllers Non-Miniport Bus Driver c:\windows\system32\drivers\hpgcissb.sys	Kernel Driver	Yes	Boot		
		Running	OK	Normal	No	Yes
hpgcissd	Smart Array Controllers Non-Miniport Disk Driver c:\windows\system32\drivers\hpgcissd.sys	Kernel Driver	Yes	Boot		
		Running	OK	Normal	No	Yes
hpt3xx	hpt3xx	Not Available			Kernel Driver	
		No	Disabled	Stopped	OK	
		Normal	No	No		
http	HTTP c:\windows\system32\drivers\http.sys	Kernel Driver	No	Manual		
		Stopped	OK	Normal	No	No
i2omgmt	i2omgmt	Not Available			Kernel Driver	
		No	System	Stopped	OK	
		Normal	No	No		
i2omp	i2omp	Not Available			Kernel Driver	
		No	Disabled	Stopped	OK	
		Normal	No	No		
i8042prt	i8042 Keyboard and PS/2 Mouse Port Driver c:\windows\system32\drivers\i8042prt.sys	Kernel Driver	Yes	System		
		Running	OK	Normal	No	Yes
iirsp	iirsp	Not Available			Kernel Driver	
		No	Disabled	Stopped	OK	
		Normal	No	No		
imapi	CD-Burning Filter Driver c:\windows\system32\drivers\imapi.sys	Kernel Driver	No	System		
		Stopped	OK	Normal	No	No
intelide	IntelIde	Not Available			Kernel Driver	
		No	Disabled	Stopped	OK	
		Normal	No	No		
ipfilterdriver	IP Traffic Filter Driver c:\windows\system32\drivers\ipfltdrv.sys	Kernel Driver	No	Manual		
		Stopped	OK	Normal	No	No
ipinip	IP in IP Tunnel Driver c:\windows\system32\drivers\ipinip.sys	Kernel Driver	No	Manual		
		Stopped	OK	Normal	No	No
ipnat	IP Network Address Translator c:\windows\system32\drivers\ipnat.sys	Kernel Driver	No	Manual		

	Stopped	OK	Normal	No	No
ipsec	IPSEC driver c:\windows\system32\drivers\ipsec.sys	Kernel Driver	Yes	System	
	Running	OK	Normal	No	Yes
ipsraidn	ipsraidn	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
isapnp	PnP ISA/EISA Bus Driver c:\windows\system32\drivers\isapnp.sys	Kernel Driver	Yes	Boot	
	Running	OK	Critical	No	Yes
kbdclass	Keyboard Class Driver c:\windows\system32\drivers\kbdclass.sys	Kernel Driver	Yes	System	
	Running	OK	Normal	No	Yes
ksecdd	KSecDD c:\windows\system32\drivers\ksecdd.sys	Kernel Driver	Yes	Boot	
	Running	OK	Normal	No	Yes
lp6nds35	lp6nds35	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
mnmdd	mnmdd c:\windows\system32\drivers\mnmdd.sys	Kernel Driver	Yes	System	
	Running	OK	Ignore	No	Yes
modem	Modem c:\windows\system32\drivers\modem.sys	Kernel Driver	No	Manual	
	Stopped	OK	Ignore	No	No
mouclass	Mouse Class Driver c:\windows\system32\drivers\mouclass.sys	Kernel Driver	Yes	System	
	Running	OK	Normal	No	Yes
mountmgr	Mount Point Manager c:\windows\system32\drivers\mountmgr.sys	Kernel Driver	Yes	Boot	
	Running	OK	Normal	No	Yes
mraid35x	mraid35x	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
mrxdav	WebDav Client Redirector c:\windows\system32\drivers\mrxdav.sys	File System Driver	No	Manual	
	Stopped	OK	Normal	No	No
mrxsmb	MRXSMB c:\windows\system32\drivers\mrxsmb.sys	File System Driver	Yes	System	
	Running	OK	Normal	No	Yes
msfs	Msfs c:\windows\system32\drivers\msfs.sys				

	File System Driver	Yes	System		
	Running	OK	Normal	No	Yes
mup	Mup c:\windows\system32\drivers\mup.sys	File System Driver	Yes	Boot	
	Running	OK	Normal	No	Yes
ndis	NDIS System Driver c:\windows\system32\drivers\ndis.sys	Kernel Driver	Yes	Boot	
	Running	OK	Normal	No	Yes
ndistapi	Remote Access NDIS TAPI Driver c:\windows\system32\drivers\ndistapi.sys	Kernel Driver	Yes	Manual	
	Running	OK	Normal	No	Yes
ndisuio	NDIS Usermode I/O Protocol c:\windows\system32\drivers\ndisuio.sys	Kernel Driver	No	Manual	
	Stopped	OK	Normal	No	No
ndiswan	Remote Access NDIS WAN Driver c:\windows\system32\drivers\ndiswan.sys	Kernel Driver	Yes	Manual	
	Running	OK	Normal	No	Yes
ndproxy	NDIS Proxy c:\windows\system32\drivers\ndproxy.sys	Kernel Driver	Yes	Manual	
	Running	OK	Normal	No	Yes
netbios	NetBIOS Interface c:\windows\system32\drivers\netbios.sys	File System Driver	Yes	System	
	Running	OK	Normal	No	Yes
netbt	NetBios over Tcpip c:\windows\system32\drivers\netbt.sys	Kernel Driver	Yes	System	
	Running	OK	Normal	No	Yes
nfrd960	nfrd960	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
npfs	Npfs c:\windows\system32\drivers\npfs.sys	File System Driver	Yes	System	
	Running	OK	Normal	No	Yes
ntfs	Ntfs c:\windows\system32\drivers\ntfs.sys	File System Driver	Yes	Disabled	
	Running	OK	Normal	No	Yes
null	Null c:\windows\system32\drivers\null.sys	Kernel Driver	Yes	System	
	Running	OK	Normal	No	Yes
parport	Parallel port driver c:\windows\system32\drivers\parport.sys				

	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
partmgr	Partition Manager c:\windows\system32\drivers\partmgr.sys	Kernel Driver	Yes	Boot	
	Running	OK	Normal	No	Yes
parvdm	Parvdm c:\windows\system32\drivers\parvdm.sys	Kernel Driver	Yes	Auto	
	Running	OK	Ignore	No	Yes
pci	PCI Bus Driver c:\windows\system32\drivers\pci.sys	Kernel Driver	Yes	Boot	
	Running	OK	Critical	No	Yes
pciide	PCIIde c:\windows\system32\drivers\pciide.sys	Kernel Driver	Yes	Boot	
	Running	OK	Normal	No	Yes
pcmcia	Pcmcia c:\windows\system32\drivers\pcmcia.sys	Kernel Driver	No	Disabled	
	Stopped	OK	Normal	No	No
pdcomp	PDCOMP	Not Available		Kernel Driver	
	No	Manual	Stopped	OK	
	Ignore	No	No		
pdframe	PDFRAME	Not Available		Kernel Driver	
	No	Manual	Stopped	OK	
	Ignore	No	No		
pdreli	PDRELI	Not Available		Kernel Driver	
	No	Manual	Stopped	OK	
	Ignore	No	No		
pdrframe	PDRFRAME	Not Available		Kernel Driver	
	No	Manual	Stopped	OK	
	Ignore	No	No		
perc2	perc2	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
perc2hib	perc2hib	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
pptpminiport	WAN Miniport (PPTP) c:\windows\system32\drivers\raspptp.sys	Kernel Driver	Yes	Manual	
	Running	OK	Normal	No	Yes
processor	Processor Driver c:\windows\system32\drivers\processr.sys	Kernel Driver	Yes	Manual	
	Running	OK	Normal	No	Yes
ptilink	Direct Parallel Link Driver c:\windows\system32\drivers\ptilink.sys	Kernel Driver	Yes	Manual	
	Running	OK	Normal	No	Yes
q57w2k	HP NC7761 Gigabit Server Adapter c:\windows\system32\drivers\q57xp32.sys				

	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
ql1080	ql1080	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql10wnt	ql10wnt	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql12160	ql12160	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql1240	ql1240	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql1280	ql1280	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql2100	ql2100	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql2200	ql2200	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql2300	ql2300	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
rasacd	Remote Access Auto Connection Driver				
	c:\windows\system32\drivers\rasacd.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
rasl2tp	WAN Miniport (L2TP)				
	c:\windows\system32\drivers\rasl2tp.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
rasppoe	Remote Access PPPOE Driver				
	c:\windows\system32\drivers\rasppoe.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
raspti	Direct Parallel				
	c:\windows\system32\drivers\raspti.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
rdbs	Rdbss				
	c:\windows\system32\drivers\rdbs.sys				
	File System Driver	Yes	System		
	Running	OK	Normal	No	Yes
rdpcdd	RDPCDD				
	c:\windows\system32\drivers\rdpcdd.sys				
	Kernel Driver	Yes	System		
	Running	OK	Ignore	No	Yes
rdpdr	Terminal Server Device Redirector Driver				
	c:\windows\system32\drivers\rdpdr.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes

rdpwd	RDPWD				
	c:\windows\system32\drivers\rdpwd.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Ignore	No	Yes
redbook	Digital CD Audio Playback Filter Driver				
	c:\windows\system32\drivers\redbook.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
secdrv	Secdrv				
	c:\windows\system32\drivers\secdrv.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Normal	No	No
serenum	Serenum Filter Driver				
	c:\windows\system32\drivers\serenum.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
serial	Serial port driver				
	c:\windows\system32\drivers\serial.sys				
	Kernel Driver	Yes	System		
	Running	OK	Ignore	No	Yes
sfloppy	Sfloppy				
	c:\windows\system32\drivers\sfloppy.sys				
	Kernel Driver	No	System		
	Stopped	OK	Ignore	No	No
simbad	Simbad	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
sparrow	Sparrow	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
srv	Srv				
	c:\windows\system32\drivers\srv.sys				
	File System Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
startdss	startdss				
	c:\windows\system32\drivers\startdss.sys				
	Kernel Driver	No	Disabled		
	Stopped	OK	Normal	No	No
swenum	Software Bus Driver				
	c:\windows\system32\drivers\swenum.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
symc810	symc810	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
symc8xx	symc8xx	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
symmpi	symmpi				
	c:\windows\system32\drivers\symmpi.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes

sym_hi	sym_hi	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
sym_u3	sym_u3	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
sysmgmt	HP ProLiant System Management Interface				
	c:\windows\system32\drivers\sysmgmt.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
tcpip	TCP/IP Protocol Driver				
	c:\windows\system32\drivers\tcpip.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
tdpipe	TDPIPE				
	c:\windows\system32\drivers\tdpipe.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Ignore	No	No
tdtcp	TDTCP				
	c:\windows\system32\drivers\tdtcp.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Ignore	No	Yes
termdd	Terminal Device Driver				
	c:\windows\system32\drivers\termdd.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
toside	Toside	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
udfs	Udfs				
	c:\windows\system32\drivers\udfs.sys				
	File System Driver	No	Disabled		
	Stopped	OK	Normal	No	No
ultra	ultra	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
update	Microcode Update Driver				
	c:\windows\system32\drivers\update.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
usbhci	Microsoft USB 2.0 Enhanced Host Controller				
	Miniport Driver				
	c:\windows\system32\drivers\usbhci.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
usbhub	USB2 Enabled Hub				
	c:\windows\system32\drivers\usbhub.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
usbuhci	Microsoft USB Universal Host Controller				
	Miniport Driver				
	c:\windows\system32\drivers\usbuhci.sys				
	Kernel Driver	Yes	Manual		

```

Running OK Normal No Yes
vga vga
c:\windows\system32\drivers\vgapnp.sys
Kernel Driver Yes Manual
Running OK Ignore No Yes
vgasave VGA Display Controller.
c:\windows\system32\drivers\vga.sys
Kernel Driver No System
Stopped OK Ignore No No
viaide ViaIde Not Available Kernel Driver
No Disabled Stopped OK
Normal No No
volsnap Storage volumes
c:\windows\system32\drivers\volsnap.sys
Kernel Driver Yes Boot
Running OK Normal No Yes
wanarp Remote Access IP ARP Driver
c:\windows\system32\drivers\wanarp.sys
Kernel Driver Yes Manual
Running OK Normal No Yes
wdica WDICA Not Available Kernel Driver
No Manual Stopped OK
Ignore No No
wlbs Network Load Balancing
c:\windows\system32\drivers\wlbs.sys
Kernel Driver No Manual
Stopped OK Normal No No

[Signed Drivers]
Device Name Signed Device Class
Driver Version Driver Date
Manufacturer INF Name Driver Name
Device ID
Not Available Not Available Not Available
Available Not Available Not Available
HTR3E\ROOT\0
ACPI Multiprocessor PC No COMPUTER
5.2.3790.0 10/1/2002 (Standard
computers) hal.inf Not Available
ROOT\ACPI_HAL\0000
Microsoft ACPI-Compliant System No
SYSTEM 5.2.3790.0 10/1/2002
Microsoft acpi.inf Not Available
ACPI_HAL\PNP0C08\0
Processor No PROCESSOR 5.2.3790.0
10/1/2002 (Standard processor types)
cpu.inf Not Available
ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_4\0
Processor No PROCESSOR 5.2.3790.0
10/1/2002 (Standard processor types)
cpu.inf Not Available
ACPI\GENUINEINTEL_-
_X86_FAMILY_15_MODEL_4\1

```

```

PCI bus No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\2\DABA3FF\0
PCI standard host CPU bridge No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_3590&SUBSYS_00000000&REV_0
C\3&61AAA01&0&00
PCI standard PCI-to-PCI bridge No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_8086&DEV_0329&SUBSYS_00000000&REV_0
9\4&4773D89&0&0010
PCI standard PCI-to-PCI bridge No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_1014&DEV_01A7&SUBSYS_00000000&REV_0
2\5&31FDA43B&0&080010
Smart Array 6400 Controller (Non-Miniport) No
SCSIADAPTER 5.12.2.32 8/11/2004
Hewlett-Packard oem6.inf Not Available
PCI\VEN_0E11&DEV_0046&SUBSYS_409C0E11&REV_0
1\6&2E5F39CE&0&20080010
Smart Array Logical Volume No DISKDRIVE
5.6.2.32 7/14/2004 Hewlett-Packard
oem7.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&3
410AFA7&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.2.32 7/14/2004 Hewlett-Packard
oem7.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&3
410AFA7&0&0100004000000000
Smart Array 6400 Controller U320 Expansion Module
(Non-Miniport) No SCSIADAPTER
5.12.2.32 8/11/2004 Hewlett-Packard
oem6.inf Not Available
PCI\VEN_0E11&DEV_0046&SUBSYS_409D0E11&REV_0
1\6&2E5F39CE&0&28080010
Smart Array Logical Volume No DISKDRIVE
5.6.2.32 7/14/2004 Hewlett-Packard
oem7.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&3
527F213&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.2.32 7/14/2004 Hewlett-Packard
oem7.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&3
527F213&0&0100004000000000
PCI standard PCI-to-PCI bridge No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available

```

```

PCI\VEN_8086&DEV_032A&SUBSYS_00000000&REV_0
9\4&4773D89&0&0210
PCI standard PCI-to-PCI bridge No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_1014&DEV_01A7&SUBSYS_00000000&REV_0
2\5&6DBA692&0&080210
Smart Array 6400 Controller (Non-Miniport) No
SCSIADAPTER 5.12.2.32 8/11/2004
Hewlett-Packard oem6.inf Not Available
PCI\VEN_0E11&DEV_0046&SUBSYS_409C0E11&REV_0
1\6&167FAF72&0&20080210
Smart Array Logical Volume No DISKDRIVE
5.6.2.32 7/14/2004 Hewlett-Packard
oem7.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
3ECCE47&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.2.32 7/14/2004 Hewlett-Packard
oem7.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
3ECCE47&0&0100004000000000
Smart Array 6400 Controller U320 Expansion Module
(Non-Miniport) No SCSIADAPTER
5.12.2.32 8/11/2004 Hewlett-Packard
oem6.inf Not Available
PCI\VEN_0E11&DEV_0046&SUBSYS_409D0E11&REV_0
1\6&167FAF72&0&28080210
Smart Array Logical Volume No DISKDRIVE
5.6.2.32 7/14/2004 Hewlett-Packard
oem7.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&B
A4FBF1&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.6.2.32 7/14/2004 Hewlett-Packard
oem7.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&B
A4FBF1&0&0100004000000000
PCI standard PCI-to-PCI bridge No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_1014&DEV_01A7&SUBSYS_00000000&REV_0
2\5&6DBA692&0&100210
Smart Array 6400 Controller (Non-Miniport) No
SCSIADAPTER 5.12.2.32 8/11/2004
Hewlett-Packard oem6.inf Not Available
PCI\VEN_0E11&DEV_0046&SUBSYS_409C0E11&REV_0
1\6&2E8B1A1A&0&20100210
Smart Array Logical Volume No DISKDRIVE
5.6.2.32 7/14/2004 Hewlett-Packard
oem7.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&3
34B89B&0&0000004000000000
Smart Array 6400 Controller U320 Expansion Module
(Non-Miniport) No SCSIADAPTER
5.12.2.32 8/11/2004 Hewlett-Packard
oem6.inf Not Available
PCI\VEN_0E11&DEV_0046&SUBSYS_409D0E11&REV_0
1\6&2E8B1A1A&0&28100210
Smart Array Logical Volume No DISKDRIVE
5.6.2.32 7/14/2004 Hewlett-Packard

```

```

oem7.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&3
5ED1802&0&00000400000000
Smart Array Logical Volume No DISKDRIVE
5.6.2.32 7/14/2004 Hewlett-Packard
oem7.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&3
5ED1802&0&0100004000000000
PCI standard PCI-to-PCI bridge No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_8086&DEV_3597&SUBSYS_00000000&REV_0
C\3&61AAA01&0&20
PCI standard PCI-to-PCI bridge No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_8086&DEV_3599&SUBSYS_00000000&REV_0
C\3&61AAA01&0&30
PCI standard PCI-to-PCI bridge No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_8086&DEV_25AE&SUBSYS_00000000&REV_0
2\3&61AAA01&0&E0
LSI Adapter, Ultra320 SCSI 2000 series, (with
1020/1030) No SCSIADAPTER
1.10.2.0 6/11/2004 LSI Logic oem3.inf Not
Available
PCI\VEN_1000&DEV_0030&SUBSYS_00DA0E11&REV_0
8\4&19638ECB&0&18E0
Disk drive No DISKDRIVE 5.2.3790.0
10/1/2002 (Standard disk drives)
disk.inf Not Available
SCSI\DISK&VEN_COMPAQ&PROD_BF036863B5&REV_HP
B3\5&50CB971&0&000
Compaq StorageWorks/ProLiant Storage Subsystem No
SYSTEM 5.2.3790.0 10/1/2002
Compaq scsidev.inf Not Available
SCSI\PROCESSOR&VEN_COMPAQ&PROD_PROLIANT_4L2
I&REV_1.70\5&50CB971&0&0F0
LSI Adapter, Ultra320 SCSI 2000 series, (with
1020/1030) No SCSIADAPTER
1.10.2.0 6/11/2004 LSI Logic oem3.inf Not
Available
PCI\VEN_1000&DEV_0030&SUBSYS_00DA0E11&REV_0
8\4&19638ECB&0&19E0
Standard Universal PCI to USB Host Controller No
USB 5.2.3790.0 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_8086&DEV_25A9&SUBSYS_32010E11&REV_0
2\3&61AAA01&0&E8
USB Root Hub No USB 5.2.3790.0
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\4&312B1C17&0
Standard Universal PCI to USB Host Controller No
USB 5.2.3790.0 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available

```

```

PCI\VEN_8086&DEV_25AA&SUBSYS_32010E11&REV_0
2\3&61AAA01&0&E9
USB Root Hub No USB 5.2.3790.0
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\4&24B43ADC&0
Base System Device Not Available UNKNOWN Not
Available Not Available Not Available Not
Available
PCI\VEN_8086&DEV_25AB&SUBSYS_32010E11&REV_0
2\3&61AAA01&0&EC
System Interrupt Controller Not Available
UNKNOWN Not Available Not Available Not
Available
PCI\VEN_8086&DEV_25AC&SUBSYS_32010E11&REV_0
2\3&61AAA01&0&ED
Standard Enhanced PCI to USB Host Controller No
USB 5.2.3790.0 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_8086&DEV_25AD&SUBSYS_32010E11&REV_0
2\3&61AAA01&0&EF
USB Root Hub No USB 5.2.3790.0
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB20\4&27805AAC&0
Intel(R) 82801DB PCI Bridge - 244E No
SYSTEM 5.2.3790.0 10/1/2002
Intel machine.inf Not Available
PCI\VEN_8086&DEV_244E&SUBSYS_00000000&REV_0
A\3&61AAA01&0&F0
HP NC7761 Gigabit Server Adapter No NET
7.80.0.0 6/19/2004 Hewlett-Packard Company
oem1.inf Not Available
PCI\VEN_14E4&DEV_1654&SUBSYS_00E30E11&REV_0
3\4&2183A681&0&10F0
Standard VGA Graphics Adapter No DISPLAY
5.2.3790.0 10/1/2002 (Standard
display types) display.inf Not Available
PCI\VEN_1002&DEV_4752&SUBSYS_001E0E11&REV_2
7\4&2183A681&0&18F0
Plug and Play Monitor No MONITOR
5.1.2001.0 6/6/2001 (Standard
monitor types) monitor.inf Not Available
DISPLAY\AV00000\5&1CAD663B&0&12345678&01&03
HP ProLiant iLO Advanced System Management Controller
No SYSTEM 5.35.0.0 12/10/2004
Compaq oem2.inf Not Available
PCI\VEN_0E11&DEV_B203&SUBSYS_B2060E11&REV_0
1\4&2183A681&0&20F0
Base System Device Not Available UNKNOWN Not
Available Not Available Not Available Not
Available
PCI\VEN_0E11&DEV_B204&SUBSYS_B2060E11&REV_0
1\4&2183A681&0&22F0
PCI standard ISA bridge No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_25A1&SUBSYS_00000000&REV_0
2\3&61AAA01&0&F8

```

```

ISAPNP Read Data Port No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ISAPNP\READDATA\PORT\0
Motherboard resources No SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ACPI\PNP0C02\0
System timer No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0100\4&1F443D2A&0
Direct memory access controller No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
ACPI\PNP0200\4&1F443D2A&0
System speaker No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0800\4&1F443D2A&0
Standard 101/102-Key or Microsoft Natural PS/2
Keyboard No KEYBOARD 5.2.3790.0
10/1/2002 (Standard keyboards)
keyboard.inf Not Available
ACPI\PNP0303\4&1F443D2A&0
PS/2 Compatible Mouse No MOUSE
5.2.3790.0 10/1/2002 Microsoft
msmouse.inf Not Available
ACPI\PNP0F13\4&1F443D2A&0
Extended IO Bus No SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A06\4&1F443D2A&0
Printer Port No PORTS 5.2.3790.0
10/1/2002 (Standard port types)
msports.inf Not Available
ACPI\PNP0400\5&13608CEC&0
Printer Port Logical Interface No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available
LPTENUM\MICROSOFTRAWPORT\6&13179365&0&LPT1
Communications Port No PORTS 5.2.3790.0
10/1/2002 (Standard port types)
msports.inf Not Available
ACPI\PNP0501\0
Standard floppy disk controller No FDC
5.2.3790.0 10/1/2002 (Standard
floppy disk controllers) fdc.inf Not Available
ACPI\PNP0700\5&13608CEC&0
Floppy disk drive No FLOPPYDISK
5.2.3790.0 10/1/2002 (Standard
floppy disk drives) floppydisk.inf Not Available
FDC\GENERIC_FLOPPY_DRIVE\6&27F7A21&0&0
Standard Dual Channel PCI IDE Controller No
HDC 5.2.3790.0 10/1/2002
(Standard IDE ATA/ATAPI controllers)
mshdc.inf Not Available
PCI\VEN_8086&DEV_25A2&SUBSYS_32010E11&REV_0
2\3&61AAA01&0&F9

```

```

Primary IDE Channel No      HDC      5.2.3790.0
10/1/2002 (Standard IDE ATA/ATAPI
controllers)      mshdc.inf Not Available
PCIIDE\IDECHANNEL\4&2BBEC4C6&0&0
Secondary IDE Channel      No      HDC
5.2.3790.0      10/1/2002 (Standard IDE
ATA/ATAPI controllers)      mshdc.inf Not Available
PCIIDE\IDECHANNEL\4&2BBEC4C6&0&1
CD-ROM Drive      No      CDROM      5.2.3790.0
10/1/2002 (Standard CD-ROM drives)
cdrom.inf Not Available      IDE\CDROMHL-
DT-ST_CD-ROM_GCR-
8482B_____2.09____\5&2AC52874&0&0.0.0
Standard Dual Channel PCI IDE Controller      No
HDC      5.2.3790.0      10/1/2002
(Standard IDE ATA/ATAPI controllers)
mshdc.inf Not Available
PCI\VEN_8086&DEV_25A3&SUBSYS_32010E11&REV_0
2\3&61AAA01&0&FA
Primary IDE Channel No      HDC      5.2.3790.0
10/1/2002 (Standard IDE ATA/ATAPI
controllers)      mshdc.inf Not Available
PCIIDE\IDECHANNEL\4&23046091&0&0
Secondary IDE Channel      No      HDC
5.2.3790.0      10/1/2002 (Standard IDE
ATA/ATAPI controllers)      mshdc.inf Not Available
PCIIDE\IDECHANNEL\4&23046091&0&1
ACPI Thermal Zone      No      SYSTEM      5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\THERMALZONE\THM0
ACPI Fixed Feature Button      No      SYSTEM
5.2.3790.0      10/1/2002 (Standard
system devices)      machine.inf Not Available
ACPI\FIXEDBUTTON\2&DABA3FF&0
Logical Disk Manager      No      SYSTEM
5.2.3790.0      10/1/2002 (Standard
system devices)      machine.inf Not Available
ROOT\DMIO\0000
Volume Manager      No      SYSTEM      5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ROOT\FTDISK\0000
Generic volume      No      VOLUME      5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE8504A7
60FFSET10000LENGT HC79900000
Generic volume      No      VOLUME      5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURECC859C
540FFSET10000LENGT H351C000000
Generic volume      No      VOLUME      5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURECC859C
510FFSET10000LENGT HC79900000
Generic volume      No      VOLUME      5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURECC859C
570FFSET10000LENGT H351C000000

```

```

Generic volume      No      VOLUME      5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE10FFSE
T10000LENGT HC79900000
Generic volume      No      VOLUME      5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURECC859C
5B0FFSET10000LENGT H351C000000
Generic volume      No      VOLUME      5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURECC859C
4D0FFSET10000LENGT HC79900000
Generic volume      No      VOLUME      5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURECC859C
4F0FFSET10000LENGT H351C000000
Generic volume      No      VOLUME      5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURECC859C
550FFSET10000LENGT H21EA100000
Generic volume      No      VOLUME      5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURECC859C
520FFSET10000LENGT H2F3CD000000
Generic volume      No      VOLUME      5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATUREA470A4
700FFSET7E00LENGT H879E91600
AFD Networking Support Environment Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Beep Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_BEEP\0000
CRC Disk Filter Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_CRCDISK\0000
dmbboot Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_DMBOOT\0000
dmload Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_DMLOAD\0000
Fips Not Available LEGACYDRIVER Not
Available Not Available Not Available Not

```

```

Available Not Available      ROOT\LEGACY_FIPS\0000
Generic Packet Classifier Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_GPC\0000
IPSEC driver Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_IPSEC\0000
ksecdd Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_KSECCD\0000
mmdd Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_MNMD\0000
mountmgr Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_MOUNTMGR\0000
NDIS System Driver Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_NDIS\0000
Remote Access NDIS TAPI Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_NDIS\0000
NDIS Usermode I/O Protocol Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_NDISUIO\0000
NDProxy Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_NDPROXY\0000
NetBios over Tcpip Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_NETBT\0000
Null Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_NULL\0000
Partition Manager Not Available LEGACYDRIVER
Not Available Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_PARTMGR\0000
Parvdm Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_PARVDM\0000
Remote Access Auto Connection Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_RASACD\0000
RDPcdd Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_RDPcdd\0000

```

```

RDPWD Not Available LEGACYDRIVER Not
Available Not Available Not
Available Not Available ROOT\LEGACY_RDPWD\0000

startdss Not Available LEGACYDRIVER Not
Available Not Available Not Available
Available Not Available
ROOT\LEGACY_STARTDSS\0000
HP ProLiant System Management Interface Driver Not
Available LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_SYSMGMT\0000
TCP/IP Protocol Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available
Available ROOT\LEGACY_TCPIP\0000
TDTCP Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_TDTCP\0000

volsnap Not Available LEGACYDRIVER Not
Available Not Available Not Available
Available Not Available
ROOT\LEGACY_VOLSNAP\0000
Remote Access IP ARP Driver Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_WANARP\0000
Audio Codecs No MEDIA 5.2.3790.0
10/1/2002 (Standard system devices)
wave.inf Not Available
ROOT\MEDIA\MS_MMCM
Legacy Audio Drivers No MEDIA
5.2.3790.0 10/1/2002 (Standard
system devices) wave.inf Not Available
ROOT\MEDIA\MS_MMDRV
Media Control Devices No MEDIA
5.2.3790.0 10/1/2002 (Standard
system devices) wave.inf Not Available
ROOT\MEDIA\MS_MMMCI
Legacy Video Capture Devices No MEDIA
5.2.3790.0 10/1/2002 (Standard
system devices) wave.inf Not Available
ROOT\MEDIA\MS_MMVCD
Video Codecs No MEDIA 5.2.3790.0
10/1/2002 (Standard system devices)
wave.inf Not Available
ROOT\MEDIA\MS_MMVID
WAN Miniport (L2TP) No NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_L2TPMINIPORT\0000
WAN Miniport (IP) No NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_NDISWANIP\0000
WAN Miniport (PPPOE) No NET
5.2.3790.0 10/1/2002 Microsoft
netrasa.inf Not Available
ROOT\MS_PPPOEMINIPORT\0000
WAN Miniport (PPTP) No NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_PPTPMINIPORT\0000

```

```

Direct Parallel No NET 5.2.3790.0
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_PTMINIPORT\0000
Terminal Server Device Redirector No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\RDPDR\0000
Terminal Server Keyboard Driver No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\RDP_KBD\0000
Terminal Server Mouse Driver No
SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\RDP_MOU\0000
Plug and Play Software Device Enumerator No
SYSTEM 5.2.3790.0 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\SYSTEM\0000
Microcode Update Device No
SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\SYSTEM\0001
Communications Port No PORTS 5.2.3790.0
10/1/2002 (Standard port types)
msports.inf Not Available
ROOT\*PNP0501\1_0_17_1_0_0

[Environment Variables]
Variable Value User Name
ComSpec %SystemRoot%\system32\cmd.exe <SYSTEM>
Path
%SystemRoot%\system32;%SystemRoot%;%SystemR
oot%\System32\Wbem;C:\Program Files\Microsoft SQL
Server\80\Tools\BINN <SYSTEM>
windir %SystemRoot% <SYSTEM>
OS Windows_NT <SYSTEM>
PROCESSOR_ARCHITECTURE x86 <SYSTEM>
PROCESSOR_LEVEL 15 <SYSTEM>
PROCESSOR_IDENTIFIER x86 Family 15 Model 4
Stepping 3, GenuineIntel <SYSTEM>
PROCESSOR_REVISION 0403 <SYSTEM>
NUMBER_OF_PROCESSORS 2 <SYSTEM>
ClusterLog C:\WINDOWS\Cluster\cluster.log
<SYSTEM>
PATHEXT
.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF
;.WSH <SYSTEM>
TEMP %SystemRoot%\TEMP <SYSTEM>
TMP %SystemRoot%\TEMP <SYSTEM>
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\SYSTEM
TMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\SYSTEM
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\LOCAL SERVICE
TMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\LOCAL SERVICE
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\NETWORK SERVICE
TMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\NETWORK SERVICE

```

```

TEMP %USERPROFILE%\Local Settings\Temp
LUMBERJACK\Administrator
TMP %USERPROFILE%\Local Settings\Temp
LUMBERJACK\Administrator

[Print Jobs]
Document Size Owner Notify Status
Time Submitted Start Time
Until Time Elapsed Time
Pages Printed Job ID Priority
Parameters Driver Print
Processor Host Print Queue Data Type Name

[Network Connections]
Local Name Remote Name Type
Status User Name

[Running Tasks]
Name Path Process ID Priority Min
Working Set Max Working Set Start Time
Version Size File Date
system idle process Not Available 0 0
Not Available Not Available Not
Available Not Available Not Available Not
Available Not Available 4 8 0
1413120 Not Available Not Available
Not Available Not Available
smss.exe Not Available 476 11
204800 1413120 3/16/2005 1:46 PM Not
Available Not Available Not Available
csrss.exe Not Available 524 13 Not
Available Not Available 3/16/2005 1:52 PM Not
Available Not Available Not Available
winlogon.exe c:\windows\system32\winlogon.exe
548 13 204800 1413120
3/16/2005 1:52 PM 5.2.3790.0
(srv03_rtm.030324-2048) 536.50 KB (549,376
bytes) 3/25/2003 6:00 AM
services.exe c:\windows\system32\services.exe
592 9 204800 1413120
3/16/2005 1:52 PM 5.2.3790.0
(srv03_rtm.030324-2048) 102.00 KB (104,448
bytes) 3/25/2003 6:00 AM
lsass.exe c:\windows\system32\lsass.exe 604 9
204800 1413120 3/16/2005 1:52 PM
5.2.3790.0 (srv03_rtm.030324-2048)
13.00 KB (13,312 bytes) 3/25/2003
6:00 AM
svchost.exe c:\windows\system32\svchost.exe
752 8 204800 1413120
3/16/2005 1:52 PM 5.2.3790.0
(srv03_rtm.030324-2048) 13.00 KB (13,312 bytes)
3/25/2003 6:00 AM
svchost.exe c:\windows\system32\svchost.exe
824 8 204800 1413120
3/16/2005 1:52 PM 5.2.3790.0
(srv03_rtm.030324-2048) 13.00 KB (13,312 bytes)
3/25/2003 6:00 AM

```

```

svchost.exe Not Available 972 8
Not Available Not Available
3/16/2005 1:52 PM Not Available Not
Available Not Available
svchost.exe c:\windows\system32\svchost.exe
1004 8 204800 1413120
3/16/2005 1:52 PM 5.2.3790.0
(srv03_rtm.030324-2048) 13.00 KB (13,312 bytes)
3/25/2003 6:00 AM
msdtc.exe Not Available 1084 8 Not
Available Not Available 3/16/2005 1:53 PM Not
Available Not Available Not Available
svchost.exe c:\windows\system32\svchost.exe
1184 8 204800 1413120
3/16/2005 1:53 PM 5.2.3790.0
(srv03_rtm.030324-2048) 13.00 KB (13,312 bytes)
3/25/2003 6:00 AM
svchost.exe Not Available 1216 8
Not Available Not Available
3/16/2005 1:53 PM Not Available Not
Available Not Available
mssearch.exe c:\program files\common
files\system\mssearch\bin\mssearch.exe 1248 8
204800 1413120 3/16/2005 1:53 PM
9.107.8320.0 68.00 KB (69,632 bytes)
1/21/2003 9:30 AM
sysdown.exe c:\windows\system32\sysdown.exe
1332 8 204800 1413120
3/16/2005 1:53 PM 5.35.0.0 built by:
WINBUILD1 31.00 KB (31,744 bytes) 3/2/2005 2:03
PM
wmiprvse.exe Not Available 1556 8
Not Available Not Available
3/16/2005 1:53 PM Not Available Not
Available Not Available
csrss.exe Not Available 1744 13 Not
Available Not Available 3/16/2005 1:54 PM Not
Available Not Available Not Available
winlogon.exe c:\windows\system32\winlogon.exe
1772 13 204800 1413120
3/16/2005 1:54 PM 5.2.3790.0
(srv03_rtm.030324-2048) 536.50 KB (549,376
bytes) 3/25/2003 6:00 AM
rdpclip.exe c:\windows\system32\rdpclip.exe
1940 8 204800 1413120
3/16/2005 1:54 PM 5.2.3790.0
(srv03_rtm.030324-2048) 53.00 KB (54,272 bytes)
3/2/2005 11:58 AM
explorer.exe c:\windows\explorer.exe
2008 8 204800 1413120
3/16/2005 1:54 PM 6.00.3790.0
(srv03_rtm.030324-2048) 1,008.50 KB (1,032,704
bytes) 3/25/2003 6:00 AM
cpqteam.exe c:\windows\system32\cpqteam.exe
236 8 204800 1413120
3/16/2005 1:54 PM 7.80.0.9 84.10 KB
(86,114 bytes) 10/20/2004 9:40 AM
sqlmangr.exe c:\program files\microsoft sql
server\80\tools\bin\sqlmangr.exe 232 8
204800 1413120 3/16/2005 1:54 PM
2000.080.0760.00 72.57 KB (74,308 bytes)
3/2/2005 3:12 PM

```

```

logon.scr Not Available 1452 4 Not
Available Not Available 3/16/2005 2:03 PM Not
Available Not Available Not Available
helpctr.exe
c:\windows\pchealth\helpctr\binaries\helpct
r.exe 1380 8 204800 1413120
3/16/2005 2:27 PM 5.2.3790.0
(srv03_rtm.030324-2048) 764.00 KB (782,336
bytes) 3/2/2005 12:01 PM
helpsvc.exe
c:\windows\pchealth\helpctr\binaries\helpsv
c.exe 1456 8 204800 1413120
3/16/2005 2:27 PM 5.2.3790.0
(srv03_rtm.030324-2048) 720.00 KB (737,280
bytes) 3/2/2005 12:01 PM
wmiprvse.exe Not Available 1996 8
Not Available Not Available
3/16/2005 2:27 PM Not Available Not
Available Not Available
[Loaded Modules]
Name Version Size File Date Manufacturer
Path
winlogon 5.2.3790.0 (srv03_rtm.030324-2048)
536.50 KB (549,376 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\winlogon.exe
ntdll 5.2.3790.0 (srv03_rtm.030324-2048)
722.50 KB (739,840 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\ntdll.dll
kernel32 5.2.3790.0 (srv03_rtm.030324-2048)
965.00 KB (988,160 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\kernel32.dll
msvcrt 7.0.3790.0 (srv03_rtm.030324-2048)
319.50 KB (327,168 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\msvcrt.dll
advapi32 5.2.3790.0 (srv03_rtm.030324-2048)
559.50 KB (572,928 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\advapi32.dll
rpcrt4 5.2.3790.0 (srv03_rtm.030324-2048)
643.50 KB (658,944 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\rpcrt4.dll
user32 5.2.3790.0 (srv03_rtm.030324-2048)
562.00 KB (575,488 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\user32.dll
gdi32 5.2.3790.0 (srv03_rtm.030324-2048)
263.00 KB (269,312 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\gdi32.dll
userenv 5.2.3790.0 (srv03_rtm.030324-2048)
732.50 KB (750,080 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\userenv.dll
nddeapi 5.2.3790.0 (srv03_rtm.030324-2048)
16.00 KB (16,384 bytes) 3/25/2003

```

```

6:00 AM Microsoft Corporation
c:\windows\system32\nddeapi.dll
5.131.3790.0 (srv03_rtm.030324-2048)
598.00 KB (612,352 bytes) 3/25/2003
crypt32
6:00 AM Microsoft Corporation
c:\windows\system32\crypt32.dll
5.2.3790.0 (srv03_rtm.030324-2048)
58.00 KB (59,392 bytes) 3/25/2003
msasn1
6:00 AM Microsoft Corporation
c:\windows\system32\msasn1.dll
5.2.3790.0 (srv03_rtm.030324-2048)
63.00 KB (64,512 bytes) 3/25/2003
secur32
6:00 AM Microsoft Corporation
c:\windows\system32\secur32.dll
5.2.3790.0 (srv03_rtm.030324-2048)
51.00 KB (52,224 bytes) 3/25/2003
winsta
6:00 AM Microsoft Corporation
c:\windows\system32\winsta.dll
5.2.3790.0 (srv03_rtm.030324-2048)
317.00 KB (324,608 bytes) 3/25/2003
netapi32
6:00 AM Microsoft Corporation
c:\windows\system32\netapi32.dll
5.2.3790.0 (srv03_rtm.030324-2048)
22.00 KB (22,528 bytes) 3/25/2003
profmap
6:00 AM Microsoft Corporation
c:\windows\system32\profmap.dll
5.2.3790.0 (srv03_rtm.030324-2048)
48.50 KB (49,664 bytes) 3/25/2003
regapi
6:00 AM Microsoft Corporation
c:\windows\system32\regapi.dll
5.2.3790.0 (srv03_rtm.030324-2048)
87.50 KB (89,600 bytes) 3/25/2003
ws2_32
6:00 AM Microsoft Corporation
c:\windows\system32\ws2_32.dll
5.2.3790.0 (srv03_rtm.030324-2048)
19.50 KB (19,968 bytes) 3/25/2003
ws2help
6:00 AM Microsoft Corporation
c:\windows\system32\ws2help.dll
5.2.3790.0 (srv03_rtm.030324-2048)
21.50 KB (22,016 bytes) 3/25/2003
psapi
6:00 AM Microsoft Corporation
c:\windows\system32\psapi.dll
5.2.3790.0 (srv03_rtm.030324-2048)
17.00 KB (17,408 bytes) 3/25/2003
version
6:00 AM Microsoft Corporation
c:\windows\system32\version.dll
5.2.3790.0 (srv03_rtm.030324-2048)
1,014.50 KB (1,038,848 bytes) 3/25/2003
setupapi
6:00 AM Microsoft Corporation
c:\windows\system32\setupapi.dll
5.2.3790.0 (srv03_rtm.030324-2048)
1.14 MB (1,191,936 bytes) 3/25/2003
msgina
6:00 AM Microsoft Corporation
c:\windows\system32\msgina.dll
6.00.3790.0 (srv03_rtm.030324-2048)
121.50 KB (124,416 bytes) 3/25/2003
shsvcs
6:00 AM Microsoft Corporation
c:\windows\system32\shsvcs.dll
6.00.3790.0 (srv03_rtm.030324-2048)
281.00 KB (287,744 bytes) 3/25/2003
shlwapi
6:00 AM Microsoft Corporation
c:\windows\system32\shlwapi.dll

```

sfc 5.2.3790.0 (srv03_rtm.030324-2048)
4.50 KB (4,608 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\sfc.dll
sfc_os 5.2.3790.0 (srv03_rtm.030324-2048)
133.00 KB (136,192 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\sfc_os.dll
wintrust 5.131.3790.0 (srv03_rtm.030324-2048)
161.50 KB (165,376 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\wintrust.dll
ole32 5.2.3790.0 (srv03_rtm.030324-2048)
1.13 MB (1,187,328 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\ole32.dll
imagehlp 5.2.3790.0 (srv03_rtm.030324-2048)
142.50 KB (145,920 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\imagehlp.dll
comctl32 6.0 (srv03_rtm.030324-2048) 907.00 KB
(928,768 bytes) 3/2/2005 5:47 AM Microsoft
Corporation
c:\windows\winsxs\x86_microsoft.windows.com
mon-controls_6595b64144ccf1df.6.0.100.0_x-
ww_8417450b\comctl32.dll
winscard 5.2.3790.0 (srv03_rtm.030324-2048)
98.50 KB (100,864 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\winscard.dll
wtsapi32 5.2.3790.0 (srv03_rtm.030324-2048)
17.50 KB (17,920 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\wtsapi32.dll
winmm 5.2.3790.0 (srv03_rtm.030324-2048)
166.00 KB (169,984 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\winmm.dll
sxs 5.2.3790.0 (srv03_rtm.030324-2048)
733.00 KB (750,592 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\sxs.dll
shell32 6.00.3790.0 (srv03_rtm.030324-2048)
7.79 MB (8,166,400 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\shell32.dll
wldap32 5.2.3790.0 (srv03_rtm.030324-2048)
158.00 KB (161,792 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\wldap32.dll
csddl 5.2.3790.0 (srv03_rtm.030324-2048)
99.00 KB (101,376 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\csddl.dll
wlnotify 5.2.3790.0 (srv03_rtm.030324-2048)
87.50 KB (89,600 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\wlnotify.dll
winspool 5.2.3790.0 (srv03_rtm.030324-2048)
140.00 KB (143,360 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\winspool.drv

mpr 5.2.3790.0 (srv03_rtm.030324-2048)
56.00 KB (57,344 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\mpr.dll
rsaenh 5.2.3790.0 (srv03_rtm.030324-2048)
176.83 KB (181,072 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\rsaenh.dll
comctl32 5.82 (srv03_rtm.030324-2048) 561.00 KB
(574,464 bytes) 3/2/2005 5:47 AM Microsoft
Corporation
c:\windows\winsxs\x86_microsoft.windows.com
mon-controls_6595b64144ccf1df.5.82.0.0_x-
ww_8a69ba05\comctl32.dll
uxtheme 6.00.3790.0 (srv03_rtm.030324-2048)
196.00 KB (200,704 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\uxtheme.dll
services 5.2.3790.0 (srv03_rtm.030324-2048)
102.00 KB (104,448 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\services.exe
scserv 5.2.3790.0 (srv03_rtm.030324-2048)
316.50 KB (324,096 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\scserv.dll
authz 5.2.3790.0 (srv03_rtm.030324-2048)
67.00 KB (68,608 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\authz.dll
umppmgrp 5.2.3790.0 (srv03_rtm.030324-2048)
121.50 KB (124,416 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\umppmgrp.dll
ncobjapi 5.2.3790.0 (srv03_rtm.030324-2048)
34.50 KB (35,328 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\ncobjapi.dll
msvcp60 6.05.2144.0 388.00 KB (397,312
bytes) 3/25/2003 6:00 AM Microsoft Corporation
c:\windows\system32\msvcp60.dll
eventlog 5.2.3790.0 (srv03_rtm.030324-2048)
60.50 KB (61,952 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\eventlog.dll
lsass 5.2.3790.0 (srv03_rtm.030324-2048)
13.00 KB (13,312 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\lsass.exe
lsasrv 5.2.3790.0 (srv03_rtm.030324-2048)
780.50 KB (799,232 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\lsasrv.dll
samsv 5.2.3790.0 (srv03_rtm.030324-2048)
452.00 KB (462,848 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\samsrv.dll
cryptdll 5.2.3790.0 (srv03_rtm.030324-2048)
34.00 KB (34,816 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\cryptdll.dll
dnsapi 5.2.3790.0 (srv03_rtm.030324-2048)
147.50 KB (151,040 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\dnsapi.dll
samlib 5.2.3790.0 (srv03_rtm.030324-2048)
49.00 KB (50,176 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\samlib.dll
ntdsapi 5.2.3790.0 (srv03_rtm.030324-2048)
76.00 KB (77,824 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\ntdsapi.dll
msprvs 5.2.3790.0 (srv03_rtm.030324-2048)
46.50 KB (47,616 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\msprvs.dll
kerberos 5.2.3790.0 (srv03_rtm.030324-2048)
332.50 KB (340,480 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\kerberos.dll
msvl_0 5.2.3790.0 (srv03_rtm.030324-2048)
127.00 KB (130,048 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\msvl_0.dll
netlogon 5.2.3790.0 (srv03_rtm.030324-2048)
409.00 KB (418,816 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\netlogon.dll
w32time 5.2.3790.0 (srv03_rtm.030324-2048)
216.00 KB (221,184 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\w32time.dll
iphlpapi 5.2.3790.0 (srv03_rtm.030324-2048)
82.50 KB (84,480 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\iphlpapi.dll
schannel 5.2.3790.0 (srv03_rtm.030324-2048)
149.50 KB (153,088 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\schannel.dll
wdigest 5.2.3790.0 (srv03_rtm.030324-2048)
61.00 KB (62,464 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\wdigest.dll
rassfm 5.2.3790.0 (srv03_rtm.030324-2048)
20.50 KB (20,992 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\rassfm.dll
kdcsvc 5.2.3790.0 (srv03_rtm.030324-2048)
221.00 KB (226,304 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\kdcsvc.dll
ntdsa 5.2.3790.0 (srv03_rtm.030324-2048)
1.45 MB (1,520,640 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\ntdsa.dll
ntdsatq 5.2.3790.0 (srv03_rtm.030324-2048)
32.00 KB (32,768 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\ntdsatq.dll
mswsock 5.2.3790.0 (srv03_rtm.030324-2048)
254.00 KB (260,096 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\mswsock.dll

esent 5.2.3790.0 (srv03_rtm.030324-2048)
1.01 MB (1,056,256 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\esent.dll
scecli 5.2.3790.0 (srv03_rtm.030324-2048)
179.50 KB (183,808 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\scecli.dll
wshtcpip 5.2.3790.0 (srv03_rtm.030324-2048)
18.00 KB (18,432 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\wshtcpip.dll
pstorsvc 5.2.3790.0 (srv03_rtm.030324-2048)
24.00 KB (24,576 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\pstorsvc.dll
psbase 5.2.3790.0 (srv03_rtm.030324-2048)
81.00 KB (82,944 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\psbase.dll
dssenh 5.2.3790.0 (srv03_rtm.030324-2048)
131.33 KB (134,480 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\dssenh.dll
svchost 5.2.3790.0 (srv03_rtm.030324-2048)
13.00 KB (13,312 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\svchost.exe
rpcss 5.2.3790.0 (srv03_rtm.030324-2048)
276.50 KB (283,136 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\rpcss.dll
clbcatq 2001.12.4720.0 (srv03_rtm.030324-2048)
481.00 KB (492,544 bytes) 3/2/2005
Microsoft Corporation
11:58 AM c:\windows\system32\clbcatq.dll
oleaut32 5.2.3790.0 486.00 KB (497,664
bytes) 3/25/2003 6:00 AM Microsoft Corporation
c:\windows\system32\oleaut32.dll
comres 2001.12.4720.0 (srv03_rtm.030324-2048)
778.00 KB (796,672 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\comres.dll
ntmarta 5.2.3790.0 (srv03_rtm.030324-2048)
114.00 KB (116,736 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\ntmarta.dll
termsrv 5.2.3790.0 (srv03_rtm.030324-2048)
216.50 KB (221,696 bytes) 3/2/2005
Microsoft Corporation
11:58 AM c:\windows\system32\termsrv.dll
icaapi 5.2.3790.0 (srv03_rtm.030324-2048)
10.50 KB (10,752 bytes) 3/2/2005
Microsoft Corporation
11:58 AM c:\windows\system32\icaapi.dll
mstlsapi 5.2.3790.0 (srv03_rtm.030324-2048)
104.50 KB (107,008 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\mstlsapi.dll
activeds 5.2.3790.0 (srv03_rtm.030324-2048)
189.00 KB (193,536 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\activeds.dll

adslrpc 5.2.3790.0 (srv03_rtm.030324-2048)
142.50 KB (145,920 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\adslrpc.dll
credui 5.2.3790.0 (srv03_rtm.030324-2048)
159.00 KB (162,816 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\credui.dll
atll 3.05.2283 83.00 KB (84,992 bytes)
3/25/2003 6:00 AM Microsoft Corporation
c:\windows\system32\atll.dll
rdpwsx 5.2.3790.0 (srv03_rtm.030324-2048)
80.13 KB (82,056 bytes) 3/2/2005
Microsoft Corporation
11:58 AM c:\windows\system32\rdpwsx.dll
wkssvc 5.2.3790.0 (srv03_rtm.030324-2048)
125.00 KB (128,000 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\wkssvc.dll
wiarpc 5.2.3790.0 (srv03_rtm.030324-2048)
30.00 KB (30,720 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\wiarpc.dll
dmserver 5.2.3790.0 (srv03_rtm.030324-2048)
24.00 KB (24,576 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\dmserver.dll
es 2001.12.4720.0 (srv03_rtm.030324-2048)
221.50 KB (226,816 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\es.dll
srvsvc 5.2.3790.0 (srv03_rtm.030324-2048)
89.00 KB (91,136 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\srvsvc.dll
pchsvc 5.2.3790.0 (srv03_rtm.030324-2048)
31.50 KB (32,256 bytes) 3/2/2005
Microsoft Corporation
12:01 PM c:\windows\pchealth\helpctr\binaries\pchsvc
.dll
seclogon 5.2.3790.0 (srv03_rtm.030324-2048)
16.50 KB (16,896 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\seclogon.dll
trkwks 5.2.3790.0 (srv03_rtm.030324-2048)
85.00 KB (87,040 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\trkwks.dll
wmisvc 5.2.3790.0 (srv03_rtm.030324-2048)
131.00 KB (134,144 bytes) 3/2/2005
Microsoft Corporation
11:58 AM c:\windows\system32\wbem\wmisvc.dll
vssapi 5.2.3790.0 (srv03_rtm.030324-2048)
528.00 KB (540,672 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\vssapi.dll
winrnr 5.2.3790.0 (srv03_rtm.030324-2048)
15.00 KB (15,360 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\winrnr.dll
netman 5.2.3790.0 (srv03_rtm.030324-2048)
209.00 KB (214,016 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\netman.dll
mprapi 5.2.3790.0 (srv03_rtm.030324-2048)
81.00 KB (82,944 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\mprapi.dll
rtutils 5.2.3790.0 (srv03_rtm.030324-2048)
32.00 KB (32,768 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\rtutils.dll
rasapi32 5.2.3790.0 (srv03_rtm.030324-2048)
227.50 KB (232,960 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\rasapi32.dll
rasman 5.2.3790.0 (srv03_rtm.030324-2048)
56.50 KB (57,856 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\rasman.dll
tapi32 5.2.3790.0 (srv03_rtm.030324-2048)
175.00 KB (179,200 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\tapi32.dll
wzcsvc 5.2.3790.0 (srv03_rtm.030324-2048)
272.50 KB (279,040 bytes) 3/25/2003
Microsoft Corporation
6:15 AM c:\windows\system32\wzcsvc.dll
wmi 5.2.3790.0 (srv03_rtm.030324-2048)
6.50 KB (6,656 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\wmi.dll
dhcpcsvc 5.2.3790.0 (srv03_rtm.030324-2048)
101.50 KB (103,936 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\dhcpcsvc.dll
wzcsapi 5.2.3790.0 (srv03_rtm.030324-2048)
24.50 KB (25,088 bytes) 3/25/2003
Microsoft Corporation
6:15 AM c:\windows\system32\wzcsapi.dll
sens 5.2.3790.0 (srv03_rtm.030324-2048)
35.50 KB (36,352 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\sens.dll
comsvcs 2001.12.4720.0 (srv03_rtm.030324-2048)
1.14 MB (1,199,616 bytes) 3/2/2005
Microsoft Corporation
11:58 AM c:\windows\system32\comsvcs.dll
rasadhlp 5.2.3790.0 (srv03_rtm.030324-2048)
6.50 KB (6,656 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\rasadhlp.dll
browser 5.2.3790.0 (srv03_rtm.030324-2048)
70.50 KB (72,192 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\browser.dll
netrap 5.2.3790.0 (srv03_rtm.030324-2048)
11.50 KB (11,776 bytes) 3/25/2003
Microsoft Corporation
6:00 AM c:\windows\system32\netrap.dll
wbemcore 5.2.3790.0 (srv03_rtm.030324-2048)
457.00 KB (467,968 bytes) 3/2/2005
Microsoft Corporation
11:58 AM c:\windows\system32\wbem\wbemcore.dll

esscli 5.2.3790.0 (srv03_rtm.030324-2048)
235.50 KB (241,152 bytes) 3/2/2005

11:58 AM Microsoft Corporation
c:\windows\system32\wbem\esscli.dll

wbemcomn 5.2.3790.0 (srv03_rtm.030324-2048)
211.50 KB (216,576 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\wbem\wbemcomn.dll

fastprox 5.2.3790.0 (srv03_rtm.030324-2048)
443.00 KB (453,632 bytes) 3/2/2005

11:58 AM Microsoft Corporation
c:\windows\system32\wbem\fastprox.dll

wbemsvc 5.2.3790.0 (srv03_rtm.030324-2048)
42.50 KB (43,520 bytes) 3/2/2005

11:58 AM Microsoft Corporation
c:\windows\system32\wbem\wbemsvc.dll

wmiutils 5.2.3790.0 (srv03_rtm.030324-2048)
90.50 KB (92,672 bytes) 3/2/2005

11:58 AM Microsoft Corporation
c:\windows\system32\wbem\wmiutils.dll

repdrvfs 5.2.3790.0 (srv03_rtm.030324-2048)
165.00 KB (168,960 bytes) 3/2/2005

11:58 AM Microsoft Corporation
c:\windows\system32\wbem\repdrvfs.dll

wmiprvsd 5.2.3790.0 (srv03_rtm.030324-2048)
405.50 KB (415,232 bytes) 3/2/2005

11:58 AM Microsoft Corporation
c:\windows\system32\wbem\wmiprvsd.dll

wbemess 5.2.3790.0 (srv03_rtm.030324-2048)
256.50 KB (262,656 bytes) 3/2/2005

11:58 AM Microsoft Corporation
c:\windows\system32\wbem\wbemess.dll

ncprov 5.2.3790.0 (srv03_rtm.030324-2048)
43.00 KB (44,032 bytes) 3/2/2005

11:58 AM Microsoft Corporation
c:\windows\system32\wbem\ncprov.dll

netshell 5.2.3790.0 (srv03_rtm.030324-2048)
1.67 MB (1,747,456 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\netshell.dll

clusapi 5.2.3790.0 (srv03_rtm.030324-2048)
56.00 KB (57,344 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\clusapi.dll

hnetcfg 5.2.3790.0 (srv03_rtm.030324-2048)
243.50 KB (249,344 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\hnetcfg.dll

wininet 5.2.3790.0 (srv03_rtm.030324-2048)
609.00 KB (623,616 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\wininet.dll

rasdlg 5.2.3790.0 (srv03_rtm.030324-2048)
642.00 KB (657,408 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\rasdlg.dll

ntlsapi 5.2.3790.0 (srv03_rtm.030324-2048)
8.00 KB (8,192 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\ntlsapi.dll

netcfgx 5.2.3790.0 (srv03_rtm.030324-2048)
726.00 KB (743,424 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\netcfgx.dll

windows 5.2.3790.0 (srv03_rtm.030324-2048)
34.50 KB (35,328 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\winipsec.dll

ersvc 5.2.3790.0 (srv03_rtm.030324-2048)
22.00 KB (22,528 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\ersvc.dll

mssearch 9.107.8320.0 68.00 KB (69,632 bytes)
1/21/2003 9:30 AM Microsoft Corporation
c:\program files\common files\system\mssearch\bin\mssearch.exe

mssws 9.107.8320.0 32.00 KB (32,768 bytes)
1/21/2003 9:30 AM Microsoft Corporation
c:\program files\common files\system\mssearch\bin\mssws.dll

mssrch 9.107.8320.0 1.24 MB (1,302,528 bytes)
1/21/2003 9:30 AM Microsoft Corporation
c:\progra-1\common-1\system\mssearch\bin\mssrch.dll

security 5.2.3790.0 (srv03_rtm.030324-2048)
5.50 KB (5,632 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\security.dll

tquery 9.107.8320.0 1.46 MB (1,536,000 bytes)
1/21/2003 9:30 AM Microsoft Corporation
c:\program files\common files\system\mssearch\bin\tquery.dll

propdefs 9.107.8320.0 136.00 KB (139,264 bytes)
1/21/2003 9:30 AM Microsoft Corporation
c:\progra-1\common-1\system\mssearch\bin\propdefs.dll

srchid 9.107.8320.0 384.00 KB (393,216 bytes)
1/21/2003 9:30 AM Microsoft Corporation
c:\progra-1\common-1\system\mssearch\bin\srchid.dll

iprop 5.2.3790.0 (srv03_rtm.030324-2048)
3.50 KB (3,584 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\iprop.dll

sysdown 5.35.0.0 built by: WINBUILD1 31.00 KB (31,744 bytes) 3/2/2005 2:03 PM Compaq
Computer Corporation
c:\windows\system32\sysdown.exe

rdpsnd 5.2.3790.0 (srv03_rtm.030324-2048)
18.00 KB (18,432 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\rdpsnd.dll

scredir 5.2.3790.0 (srv03_rtm.030324-2048)
27.00 KB (27,648 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\scredir.dll

csoui 5.2.3790.0 (srv03_rtm.030324-2048)
305.00 KB (312,320 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\csoui.dll

msacm32 5.2.3790.0 (srv03_rtm.030324-2048)
21.00 KB (21,504 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\msacm32.drv

msacm32 5.2.3790.0 (srv03_rtm.030324-2048)
67.50 KB (69,120 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\msacm32.dll

imaadp32 5.2.3790.0 (srv03_rtm.030324-2048)
15.50 KB (15,872 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\imaadp32.acm

msadp32 5.2.3790.0 (srv03_rtm.030324-2048)
14.50 KB (14,848 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\msadp32.acm

msg711 5.2.3790.0 (srv03_rtm.030324-2048)
10.00 KB (10,240 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\msg711.acm

msgsm32 5.2.3790.0 (srv03_rtm.030324-2048)
20.50 KB (20,992 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\msgsm32.acm

tssoft32 1.01 9.50 KB (9,728 bytes)
3/25/2003 6:00 AM DSP GROUP, INC.
c:\windows\system32\tssoft32.acm

tsd32 1.03 16.50 KB (16,896 bytes)
3/25/2003 6:00 AM DSP GROUP, INC.
c:\windows\system32\tsd32.dll

msg723 4.4.4000 116.00 KB (118,784 bytes)
3/2/2005 12:01 PM Microsoft Corporation
c:\windows\system32\msg723.acm

msaud32 8.00.00.4487 288.00 KB (294,912 bytes)
3/25/2003 6:00 AM Microsoft Corporation
c:\windows\system32\msaud32.acm

sl_anet 3.02 84.00 KB (86,016 bytes)
3/25/2003 6:00 AM Sipro Lab Telecom Inc.
c:\windows\system32\sl_anet.acm

l3codeca 1, 9, 0, 0305 284.00 KB (290,816 bytes)
3/25/2003 6:00 AM Fraunhofer Institut
Integrierte Schaltungen IIS
c:\windows\system32\l3codeca.acm

rdpclip 5.2.3790.0 (srv03_rtm.030324-2048)
53.00 KB (54,272 bytes) 3/2/2005

11:58 AM Microsoft Corporation
c:\windows\system32\rdpclip.exe

wsock32 5.2.3790.0 (srv03_rtm.030324-2048)
22.00 KB (22,528 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\wsock32.dll

explorer 6.00.3790.0 (srv03_rtm.030324-2048)
1,008.50 KB (1,032,704 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\explorer.exe

browseui 6.00.3790.0 (srv03_rtm.030324-2048)
1.01 MB (1,057,280 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\browseui.dll

shdocvw 6.00.3790.0 (srv03_rtm.030324-2048)
1.33 MB (1,393,664 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\shdocvw.dll

apphelp 5.2.3790.0 (srv03_rtm.030324-2048)
122.00 KB (124,928 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\apphelp.dll

themeui 6.00.3790.0 (srv03_rtm.030324-2048)
360.50 KB (369,152 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\themeui.dll
msimg32 5.2.3790.0 (srv03_rtm.030324-2048)
4.50 KB (4,608 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\msimg32.dll
linkinfo 5.2.3790.0 (srv03_rtm.030324-2048)
16.50 KB (16,896 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\linkinfo.dll
ntshrui 6.00.3790.0 (srv03_rtm.030324-2048)
136.00 KB (139,264 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\ntshrui.dll
urlmon 6.00.3790.0 (srv03_rtm.030324-2048)
501.50 KB (513,536 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\urlmon.dll
webcheck 6.00.3790.0 (srv03_rtm.030324-2048)
261.50 KB (267,776 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\webcheck.dll
stobject 5.2.3790.0 (srv03_rtm.030324-2048)
117.50 KB (120,320 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\stobject.dll
batmeter 6.00.3790.0 (srv03_rtm.030324-2048)
28.50 KB (29,184 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\batmeter.dll
powrprof 6.00.3790.0 (srv03_rtm.030324-2048)
14.50 KB (14,848 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\powrprof.dll
printui 5.2.3790.0 (srv03_rtm.030324-2048)
536.50 KB (549,376 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\printui.dll
cfgmgr32 5.2.3790.0 (srv03_rtm.030324-2048)
17.50 KB (17,920 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\cfgmgr32.dll
drprov 5.2.3790.0 (srv03_rtm.030324-2048)
12.50 KB (12,800 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\drprov.dll
ntlanman 5.2.3790.0 (srv03_rtm.030324-2048)
41.00 KB (41,984 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\ntlanman.dll
netui0 5.2.3790.0 (srv03_rtm.030324-2048)
75.50 KB (77,312 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\netui0.dll
netui1 5.2.3790.0 (srv03_rtm.030324-2048)
184.00 KB (188,416 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\netui1.dll
davclnt 5.2.3790.0 (srv03_rtm.030324-2048)
23.50 KB (24,064 bytes) 3/25/2003

6:00 AM Microsoft Corporation
c:\windows\system32\davclnt.dll
browsec 6.00.3790.0 (srv03_rtm.030324-2048)
62.00 KB (63,488 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\browsec.dll
shdoclc 6.00.3790.0 (srv03_rtm.030324-2048)
588.50 KB (602,624 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\shdoclc.dll
cpqteam 7.80.0.9 84.10 KB (86,114 bytes)
10/20/2004 9:40 AM Hewlett-Packard Company
c:\windows\system32\cpqteam.exe
sqlmangr 2000.080.0760.00 72.57 KB (74,308 bytes)
3/2/2005 3:12 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\sqlmangr.exe
sqlunirl 2000.080.0728.00 176.56 KB (180,800
bytes) 3/25/2003 6:00 AM Microsoft Corporation
c:\windows\system32\sqlunirl.dll
comdlg32 6.00.3790.0 (srv03_rtm.030324-2048)
261.00 KB (267,264 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\comdlg32.dll
w95scm 2000.080.0760.00 48.56 KB (49,728 bytes)
3/2/2005 3:12 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\w95scm.dll
odbc32 3.525.1022.0 (srv03_rtm.030324-2048)
232.00 KB (237,568 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\odbc32.dll
sqlsvc 2000.080.0760.00 92.56 KB (94,784 bytes)
3/2/2005 3:12 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\sqlsvc.dll
odbcbc 2000.085.1022.00 (srv03_rtm.030324-2048)
24.00 KB (24,576 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\odbcbc.dll
sqlresld 2000.080.0382.00 28.56 KB (29,248 bytes)
3/2/2005 3:12 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\sqlresld.dll
odbcint 3.525.1022.0 (srv03_rtm.030324-2048)
92.00 KB (94,208 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\odbcint.dll
resutils 5.2.3790.0 (srv03_rtm.030324-2048)
59.00 KB (60,416 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\resutils.dll
mfc42u 6.05.3014.0 960.00 KB (983,040
bytes) 3/25/2003 6:00 AM Microsoft Corporation
c:\windows\system32\mfc42u.dll
sqlsvc 2000.080.0194.00 24.00 KB (24,576 bytes)
3/2/2005 3:12 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\resources\1033\sqlsvc.rll
sqlmangr 2000.080.0194.00 96.00 KB (98,304 bytes)
3/2/2005 3:12 PM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\resources\1033\sqlmangr.rll

helpctr 5.2.3790.0 (srv03_rtm.030324-2048)
764.00 KB (782,336 bytes) 3/2/2005
Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\helpctr
r.exe
hcappres 5.2.3790.0 (srv03_rtm.030324-2048)
6.50 KB (6,656 bytes) 3/2/2005
Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\hcappres.dll
es.dll
itss 5.2.3790.0 (srv03_rtm.030324-2048)
119.50 KB (122,368 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\itss.dll
msxml3 8.40.9419.0 1.28 MB (1,337,344
bytes) 3/25/2003 6:00 AM Microsoft Corporation
c:\windows\system32\msxml3.dll
pchshell 5.2.3790.0 (srv03_rtm.030324-2048)
100.50 KB (102,912 bytes) 3/2/2005
Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\pchshell.dll
ll.dll
mlang 6.00.3790.0 (srv03_rtm.030324-2048)
570.00 KB (583,680 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\mlang.dll
mshtml 6.00.3790.0 (srv03_rtm.030324-2048)
2.78 MB (2,916,352 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\mshtml.dll
msimtf 5.2.3790.0 (srv03_rtm.030324-2048)
149.00 KB (152,576 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\msimtf.dll
msctf 5.2.3790.0 (srv03_rtm.030324-2048)
287.00 KB (293,888 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\msctf.dll
jscript 5.6.0.8515 436.00 KB (446,464
bytes) 3/25/2003 6:00 AM Microsoft Corporation
c:\windows\system32\jscript.dll
msls31 3.10.349.0 147.00 KB (150,528
bytes) 3/25/2003 6:00 AM Microsoft Corporation
c:\windows\system32\msls31.dll
imm32 5.2.3790.0 (srv03_rtm.030324-2048)
105.50 KB (108,032 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\imm32.dll
mshtml 6.00.3790.0 (srv03_rtm.030324-2048)
443.50 KB (454,144 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\mshtml.dll
vbscript 5.6.0.8515 404.00 KB (413,696
bytes) 3/25/2003 6:00 AM Microsoft Corporation
c:\windows\system32\vbscript.dll
mfc42 6.05.3014.0 960.00 KB (983,040
bytes) 3/25/2003 6:00 AM Microsoft Corporation
c:\windows\system32\mfc42.dll
msinfo 5.2.3790.0 (srv03_rtm.030324-2048)
358.50 KB (367,104 bytes) 3/2/2005
Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\msinfo
.dll

```

riched32 5.2.3790.0 (srv03_rtm.030324-2048)
3.50 KB (3,584 bytes) 3/25/2003
Microsoft Corporation
c:\windows\system32\riched32.dll
riched20 5.31.23.1218 406.00 KB (415,744
bytes) 3/25/2003 6:00 AM Microsoft Corporation
c:\windows\system32\riched20.dll
wbemprox 5.2.3790.0 (srv03_rtm.030324-2048)
17.50 KB (17,920 bytes) 3/2/2005
Microsoft Corporation
c:\windows\system32\wbem\wbemprox.dll
mydocs 6.00.3790.0 (srv03_rtm.030324-2048)
88.00 KB (90,112 bytes) 3/25/2003
6:00 AM Microsoft Corporation
c:\windows\system32\mydocs.dll
helpsv 5.2.3790.0 (srv03_rtm.030324-2048)
720.00 KB (737,280 bytes) 3/2/2005
12:01 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\helpsv
c.exe

[Services]

Display Name Name State Start Mode
Service Type Path Error Control
Tag Name Tag ID
Alerter Alerter Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Application Layer Gateway Service ALG
Stopped Manual Own Process
c:\windows\system32\alg.exe Normal NT
AUTHORITY\LocalService 0
Application Management AppMgmt Stopped
Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Windows Audio AudioSrv Stopped Disabled
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Background Intelligent Transfer Service BITS
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Computer Browser Browser Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Indexing Service C1Svc Stopped Disabled
Share Process
c:\windows\system32\cisvc.exe Normal
LocalSystem 0
ClipBook ClipSrv Stopped Disabled Own Process
c:\windows\system32\clipsrv.exe
Normal LocalSystem 0
COM+ System Application COMSysApp Stopped
Manual Own Process
c:\windows\system32\dllhost.exe
/processid:{02d4b3f1-fd88-11d1-960d-00805fc79235}
Normal LocalSystem 0

```

```

Cryptographic Services CryptSvc Stopped
Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Distributed File System Dfs Stopped
Manual Own Process
c:\windows\system32\dfssvc.exe
Normal LocalSystem 0
DHCP Client Dhcp Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Logical Disk Manager Administrative Service
dmadmin Stopped Manual Share Process
c:\windows\system32\dmadmn.exe /com
Normal LocalSystem 0
Logical Disk Manager dmserver Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
DNS Client Dnscache Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Error Reporting Service ERSvc Running
Auto Share Process
c:\windows\system32\svchost.exe -k winerr
Ignore LocalSystem 0
Event Log Eventlog Running Auto Share Process
c:\windows\system32\services.exe
Normal LocalSystem 0
COM+ Event System EventSystem Running
Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Help and Support helpsvc Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Human Interface Device Access HidServ Stopped
Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
HTTP SSL HTTPFilter Stopped Manual
Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
IMAPI CD-Burning COM Service ImapiService
Stopped Disabled Own Process
c:\windows\system32\imapi.exe Normal
LocalSystem 0
Intersite Messaging IsmServ Stopped Disabled Own
Process
c:\windows\system32\ismserv.exe
Normal LocalSystem 0
Kerberos Key Distribution Center kdc
Stopped Disabled Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Server lanmanserver Running Auto
Share Process

```

```

c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Workstation lanmanworkstation Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
License Logging LicenseService Stopped
Disabled Own Process
c:\windows\system32\llssrv.exe
Normal NT AUTHORITY\NetworkService 0
TCP/IP NetBIOS Helper LmHosts Running
Auto Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Messenger Messenger Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
NetMeeting Remote Desktop Sharing mnmsrvc
Stopped Disabled Own Process
c:\windows\system32\mnmsrvc.exe
Normal LocalSystem 0
Distributed Transaction Coordinator MSDTC
Running Auto Own Process
c:\windows\system32\msdtc.exe Normal NT
AUTHORITY\NetworkService 0
Windows Installer MSI Server Stopped Manual
Share Process
c:\windows\system32\msiexec.exe /v
Normal LocalSystem 0
Microsoft Search MSSEARCH Running Auto
Share Process "c:\program
files\common files\system\mssearch\bin\mssearch.exe"
Normal LocalSystem 0
MSSQLSERVER MSSQLSERVER Stopped
Manual Own Process
c:\progra-1\micro-1\mssql\bin\sqlservr.ex
e Normal LocalSystem 0
MSSQLServerADHelper MSSQLServerADHelper Stopped
Manual Own Process c:\program
files\microsoft sql server\80\tools\bin\sqladhlp.exe
Normal LocalSystem 0
Network DDE NetDDE Stopped Disabled
Share Process
c:\windows\system32\netdde.exe
Normal LocalSystem 0
Network DDE DSDM NetDDEdsdm Stopped
Disabled Share Process
c:\windows\system32\netdde.exe
Normal LocalSystem 0
Net Logon Netlogon Stopped Manual Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Network Connections Netman Running Manual
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Network Location Awareness (NLA) Nla
Running Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0

```

```

File Replication NtFrms Stopped Manual Own
Process c:\windows\system32\ntfrms.exe Ignore
LocalSystem 0
NT LM Security Support Provider NtLmSsp
Running Manual Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Removable Storage NtmsSvc Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Plug and Play PlugPlay Running Auto
Share Process
c:\windows\system32\services.exe
Normal LocalSystem 0
IPSEC Services PolicyAgent Stopped
Manual Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Protected Storage ProtectedStorage Running
Auto Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Remote Access Auto Connection Manager RasAuto
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Access Connection Manager RasMan
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Desktop Help Session Manager RDSessMgr
Stopped Manual Own Process
c:\windows\system32\sessmgr.exe
Normal LocalSystem 0
Routing and Remote Access RemoteAccess
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Registry RemoteRegistry Running
Auto Share Process
c:\windows\system32\svchost.exe -k regsvr
Normal NT AUTHORITY\LocalService 0
Remote Procedure Call (RPC) Locator RpcLocator
Stopped Manual Own Process
c:\windows\system32\locator.exe
Normal NT AUTHORITY\NetworkService 0
Remote Procedure Call (RPC) RpcSs Running
Auto Share Process
c:\windows\system32\svchost.exe -k rpcss
Normal LocalSystem 0
Resultant Set of Policy Provider RSOPProv
Stopped Manual Share Process
c:\windows\system32\rsopprov.exe
Normal LocalSystem 0
Special Administration Console Helper sacsvr
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Security Accounts Manager SamSs Running
Auto Share Process

```

```

c:\windows\system32\lsass.exe Normal
LocalSystem 0
Smart Card SCardSvr Stopped Manual
Share Process
c:\windows\system32\scardsvr.exe
Ignore NT AUTHORITY\LocalService 0
Task Scheduler Schedule Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Secondary Logon seclogon Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Ignore LocalSystem 0
System Event Notification SENS Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Internet Connection Firewall (ICF) / Internet
Connection Sharing (ICS) SharedAccess
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Shell Hardware Detection ShellHWDetection
Running Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Ignore LocalSystem 0
Print Spooler Spooler Stopped Manual Own
Process c:\windows\system32\spoolsv.exe
Normal LocalSystem 0
SQLSERVERAGENT SQLSERVERAGENT Stopped
Manual Own Process
c:\progra-1\microso-1\mssql-binn\sqlagent.exe
Normal LocalSystem 0
Windows Image Acquisition (WIA) stisvc
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k imgsvc
Normal NT AUTHORITY\LocalService 0
Microsoft Software Shadow Copy Provider swprv
Stopped Manual Own Process
c:\windows\system32\svchost.exe -k swprv
Normal LocalSystem 0
HP ProLiant System Shutdown Service sysdown
Running Auto Own Process
c:\windows\system32\sysdown.exe
Normal LocalSystem 0
Performance Logs and Alerts SysmonLog Stopped
Manual Own Process
c:\windows\system32\smlogsvc.exe
Normal NT Authority\NetworkService 0
Telephony TapiSrv Stopped Manual Share Process
c:\windows\system32\svchost.exe -k tapisrv
Normal LocalSystem 0
Terminal Services TermService Running
Manual Share Process
c:\windows\system32\svchost.exe -k termsvcs
Normal LocalSystem 0
Themes Themes Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0

```

```

Telnet TlntSvr Stopped Disabled Own Process
c:\windows\system32\tlntsvr.exe
Normal NT AUTHORITY\LocalService 0
Distributed Link Tracking Server TrkSvr
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Distributed Link Tracking Client TrkWks
Running Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Terminal Services Session Directory Tssdis
Stopped Disabled Own Process
c:\windows\system32\tssdis.exe
Normal LocalSystem 0
Upload Manager uploadmgr Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Uninterruptible Power Supply UPS Stopped
Manual Own Process
c:\windows\system32\ups.exe Normal NT
AUTHORITY\LocalService 0
Virtual Disk Service vds Stopped
Manual Own Process
c:\windows\system32\vds.exe Normal
LocalSystem 0
Volume Shadow Copy VSS Stopped Manual Own
Process c:\windows\system32\vssvc.exe Normal
LocalSystem 0
Windows Time W32Time Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
WebClient WebClient Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
WinHTTP Web Proxy Auto-Discovery Service
WinHttpAutoProxySvc Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Windows Management Instrumentation winmgmt
Running Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Ignore LocalSystem 0
Portable Media Serial Number Service WmdmPmSN
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Windows Management Instrumentation Driver Extensions
Wmi Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
WMI Performance Adapter WmiApSrv Stopped
Manual Own Process
c:\windows\system32\wbem\wmiaprv.exe
Normal LocalSystem 0
Automatic Updates wuauclt Stopped Manual
Share Process

```

```

c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Wireless Configuration WZCSVC Stopped
Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0

[Program Groups]

Group Name Name User Name
Accessories Default User:Accessories
Default User
Accessories\Accessibility Default
User:Accessories\Accessibility Default User

Accessories\Entertainment Default
User:Accessories\Entertainment Default User

Startup Default User:Startup Default User

Accessories All Users:Accessories All
Users
Accessories\Accessibility All
Users:Accessories\Accessibility All Users
Accessories\Communications All
Users:Accessories\Communications All Users
Accessories\Entertainment All
Users:Accessories\Entertainment All Users
Accessories\System Tools All
Users:Accessories\System Tools All Users
Administrative Tools All
Users:Administrative Tools All Users
Microsoft SQL Server All Users:Microsoft SQL
Server All Users
Microsoft SQL Server - Switch All Users:Microsoft SQL
Server - Switch All Users
Startup All Users:Startup All Users
Accessories NT AUTHORITY\SYSTEM:Accessories
NT AUTHORITY\SYSTEM
Accessories\Accessibility NT
AUTHORITY\SYSTEM:Accessories\Accessibility NT
AUTHORITY\SYSTEM
Accessories\Entertainment NT
AUTHORITY\SYSTEM:Accessories\Entertainment NT
AUTHORITY\SYSTEM
Startup NT AUTHORITY\SYSTEM:Startup NT
AUTHORITY\SYSTEM
Accessories
LUMBERJACK\Administrator:Accessories
LUMBERJACK\Administrator
Accessories\Accessibility
LUMBERJACK\Administrator:Accessories\Access
ibility LUMBERJACK\Administrator
Accessories\Entertainment
LUMBERJACK\Administrator:Accessories\Entert
ainment LUMBERJACK\Administrator
Startup LUMBERJACK\Administrator:Startup
LUMBERJACK\Administrator

[Startup Programs]

Program Command User Name Location

```

```

desktop desktop.ini NT AUTHORITY\SYSTEM
Startup
desktop desktop.ini
LUMBERJACK\Administrator Startup
desktop desktop.ini .DEFAULT Startup
desktop desktop.ini All Users Common
Startup
Service Manager
c:\progra~1\micro~1\80\tools\binn\sqlmangr
.exe /n All Users Common Startup
CPQTEAM cpqteam.exe All Users
ion\Run HKLM\SOFTWARE\Microsoft\Windows\CurrentVers

[OLE Registration]

Object Local Server
Sound (OLE2) sndrec32.exe
Media Clip mplay32.exe
Video Clip mplay32.exe /avi
MIDI Sequence mplay32.exe /mid
Sound Not Available
Media Clip Not Available
WordPad Document "%programfiles%\windows
nt\accessories\wordpad.exe"
Windows Media Services DRM Storage object Not
Available
Bitmap Image mspaint.exe

[Windows Error Reporting]

Time Type Details

[Internet Settings]

[Internet Explorer]

[ Following are sub-categories of this main category
]
[Summary]

Item Value
Version 6.0.3790.0
Build 63790
Application Path C:\Program Files\Internet
Explorer
Language English (United States)
Active Printer Not Available

Cipher Strength 128-bit
Content Advisor Disabled
IEAK Install No

[File Versions]

File Version Size Date Path
actxprxy.dll 6.0.3790.0 95 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32\Microsoft Corporation

```

```

advpack.dll 6.0.3790.0 94 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32\Microsoft Corporation
asctrls.ocx 6.0.3790.0 90 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32\Microsoft Corporation
browselc.dll 6.0.3790.0 62 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32\Microsoft Corporation
browseui.dll 6.0.3790.0 1,033 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32\Microsoft Corporation
cdfview.dll 6.0.3790.0 144 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32\Microsoft Corporation
comctl32.dll 5.82.3790.0 561 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32\Microsoft Corporation
dxtrans.dll 6.3.3790.0 198 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32\Microsoft Corporation
dxtmsft.dll 6.3.3790.0 344 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32\Microsoft Corporation
iecont.dll <File Missing> Not Available
Not Available Not Available Not
Available
iecontlc.dll <File Missing> Not Available
Not Available Not Available Not
Available
iedkcs32.dll 16.0.3790.0 300 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32\Microsoft Corporation
iepeers.dll 6.0.3790.0 230 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32\Microsoft Corporation
iesetup.dll 6.0.3790.0 59 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32\Microsoft Corporation
ieuunit.inf Not Available 20 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32\Not Available
iexplore.exe 6.0.3790.0 90 KB
3/25/2003 6:00:00 AM
C:\Program
Files\Internet Explorer Microsoft Corporation
imgutil.dll 5.2.3790.0 35 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32\Microsoft Corporation
inetcp1.cpl 6.0.3790.0 303 KB
3/25/2003 6:00:00 AM

```

```

C:\WINDOWS\system32 Microsoft Corporation
inetcpic.dll      6.0.3790.0      109 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
inseng.dll       6.0.3790.0      72 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mlang.dll 6.0.3790.0      570 KB 3/25/2003
6:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
msencode.dll     2002.10.4.0     112 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Not Available
mshta.exe 6.0.3790.0      26 KB 3/25/2003
6:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
mshtml.dll      6.0.3790.0     2,848 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mshtml.tlb      6.0.3790.0     1,319 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mshtml.dll      6.0.3790.0     444 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mshtml.dll      6.0.3790.0     55 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msident.dll     6.0.3790.0     47 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msidntld.dll    6.0.3790.0     15 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msieftp.dll     6.0.3790.0     230 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msrating.dll    6.0.3790.0     132 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mstime.dll      6.0.3790.0     491 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
occache.dll     6.0.3790.0     89 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
proctexe.ocx    6.3.3790.0     78 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Intel Corporation

```

```

sendmail.dll     6.0.3790.0     52 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
shdoclc.dll     6.0.3790.0     589 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
shdocvw.dll     6.0.3790.0     1,361 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
shfolder.dll    6.0.3790.0     23 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
shlwapi.dll     6.0.3790.0     281 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
tdc.ocx 1.3.0.3130     58 KB 3/25/2003
6:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
url.dll 6.0.3790.0     36 KB 3/25/2003
6:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
urlmon.dll      6.0.3790.0     502 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
webcheck.dll    6.0.3790.0     262 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
wininet.dll     6.0.3790.0     609 KB
3/25/2003 6:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation

[Connectivity]

Item Value
Connection Preference Never dial

LAN Settings

AutoConfigProxy Not Available
AutoProxyDetectMode Disabled
AutoConfigURL
Proxy Disabled
ProxyServer
ProxyOverride

[Cache]

[ Following are sub-categories of this main category ]
[Summary]

Item Value
Page Refresh Type Automatic

```

```

Temporary Internet Files Folder C:\Documents
and Settings\NetworkService\Local Settings\Temporary
Internet Files
Total Disk Space Not Available
Available Disk Space Not Available
Maximum Cache Size Not Available
Available Cache Size Not Available

[List of Objects]

Program File Status CodeBase
No cached object information available

[Content]

[ Following are sub-categories of this main category ]
[Summary]

Item Value
Content Advisor Disabled

[Personal Certificates]

Issued To Issued By Validity Signature Algorithm
No personal certificate information available

[Other People Certificates]

Issued To Issued By Validity Signature Algorithm
No other people certificate information available

[Publishers]

Name
No publisher information available

[Security]

Zone Security Level
My Computer Custom
Local intranet Medium-low
Trusted sites Medium
Internet High
Restricted sites High

```

Client Summary

```

System Information report written at: 03/14/2005
04:24:34 PM
[System Information]

[ Following are sub-categories of this main category ]

[System Summary]

```

```

Item      Value
OS Name   Microsoft Windows 2000 Server
Version   5.0.2195 Build 2195
OS Manufacturer Microsoft Corporation
System Name CL165
System Manufacturer Hewlett-Packard
System Model HP ProLiant
System Type X86-based PC
Processor x86 Family 15 Model 3 Stepping 3
GenuineIntel ~3001 Mhz
BIOS Version PhoenixBIOS 4.0 Release 6.0
Windows Directory C:\WINNT
System Directory C:\WINNT\System32
Boot Device \Device\Harddisk0\Partition1
Locale    United States
User Name CL165\Administrator
Time Zone Central Standard Time
Total Physical Memory 785,376 KB
Available Physical Memory 680,428 KB
Total Virtual Memory 3,622,052 KB
Available Virtual Memory 3,444,224 KB
Page File Space 2,836,676 KB
Page File C:\pagefile.sys

[Hardware Resources]

[ Following are sub-categories of this main category ]

[Conflicts/Sharing]

Resource Device
IRQ 16 Intel(R) 6300ESB USB Universal Host
Controller - 25A9
IRQ 16 ATI Technologies Inc. RAGE XL PCI

[DMA]

Channel Device Status
4 Direct memory access controller OK
2 Standard floppy disk controller OK
1 ECP Printer Port (LPT1) OK

[Forced Hardware]

Device PNP Device ID
No Forced Hardware

[I/O]

Address Range Device Status
0x0000-0x0CF7 PCI bus OK
0x0000-0x0CF7 Direct memory access controller
OK
0x0D00-0xFFFF PCI bus OK
0x1400-0x141F Intel(R) 6300ESB USB Universal
Host Controller - 25A9 OK
0x1420-0x143F Intel(R) 6300ESB USB Universal
Host Controller - 25AA OK
0x2000-0x20FF ATI Technologies Inc. RAGE XL PCI
OK
0x03B0-0x03BB ATI Technologies Inc. RAGE XL PCI
OK

```

```

0x03C0-0x03DF ATI Technologies Inc. RAGE XL PCI
OK
0x0A79-0x0A79 ISAPNP Read Data Port OK
0x0279-0x0279 ISAPNP Read Data Port OK
0x0274-0x0277 ISAPNP Read Data Port OK
0x0010-0x001F Motherboard resources OK
0x0024-0x0025 Motherboard resources OK
0x0028-0x0029 Motherboard resources OK
0x002C-0x002D Motherboard resources OK
0x0030-0x0031 Motherboard resources OK
0x0034-0x0035 Motherboard resources OK
0x0038-0x0039 Motherboard resources OK
0x003C-0x003D Motherboard resources OK
0x0050-0x0053 Motherboard resources OK
0x0050-0x0053 System timer OK
0x0072-0x0077 Motherboard resources OK
0x0080-0x0080 Motherboard resources OK
0x0090-0x009F Motherboard resources OK
0x00A4-0x00A5 Motherboard resources OK
0x00A8-0x00A9 Motherboard resources OK
0x00AC-0x00AD Motherboard resources OK
0x00B0-0x00B5 Motherboard resources OK
0x00B8-0x00B9 Motherboard resources OK
0x00BC-0x00BD Motherboard resources OK
0x1000-0x107F Motherboard resources OK
0x1180-0x11BF Motherboard resources OK
0x002E-0x002F Motherboard resources OK
0x004E-0x004F Motherboard resources OK
0x04D0-0x04D1 Motherboard resources OK
0x0500-0x057F Motherboard resources OK
0xFE00-0xFE00 Motherboard resources OK
0xFE10-0xFE11 Motherboard resources OK
0x0081-0x008F Direct memory access controller
OK
0x00C0-0x00DF Direct memory access controller
OK
0x00F0-0x00FE Numeric data processor OK
0x0020-0x0021 Programmable interrupt controller
OK
0x00A0-0x00A1 Programmable interrupt controller
OK
0x0070-0x0071 System CMOS/real time clock OK
0x0061-0x0061 System speaker OK
0x0040-0x0043 System timer OK
0x0060-0x0060 Standard 101/102-Key or Microsoft
Natural PS/2 Keyboard OK
0x0064-0x0064 Standard 101/102-Key or Microsoft
Natural PS/2 Keyboard OK
0x03F0-0x03F5 Standard floppy disk controller
OK
0x03F7-0x03F7 Standard floppy disk controller
OK
0x03F8-0x03FF Communications Port (COM1) OK
0x0378-0x037F ECP Printer Port (LPT1) OK
0x0778-0x077F ECP Printer Port (LPT1) OK
0x1460-0x146F Intel(R) 6300ESB Ultra ATA
Storage Controller - 25A2 OK
0x01F0-0x01F7 Primary IDE Channel OK
0x03F6-0x03F6 Primary IDE Channel OK
0x0170-0x0177 Secondary IDE Channel OK
0x0376-0x0376 Secondary IDE Channel OK
0x1440-0x145F Intel(R) 6300ESB SMBus Controller
- 25A4 OK

```

```

[IRQs]

IRQ Number Device
9 Microsoft ACPI-Compliant System
26 Broadcom NetXtreme Gigabit Ethernet #2
16 Intel(R) 6300ESB USB Universal Host
Controller - 25A9
16 ATI Technologies Inc. RAGE XL PCI
19 Intel(R) 6300ESB USB Universal Host
Controller - 25AA
11 Universal Serial Bus (USB) Controller
17 Broadcom NetXtreme Gigabit Ethernet
13 Numeric data processor
8 System CMOS/real time clock
1 Standard 101/102-Key or Microsoft Natural
PS/2 Keyboard
12 PS/2 Compatible Mouse
6 Standard floppy disk controller
4 Communications Port (COM1)
14 Primary IDE Channel
15 Secondary IDE Channel
10 Intel(R) 6300ESB SMBus Controller - 25A4

[Memory]

Range Device Status
0xA0000-0xBFFFF PCI bus OK
0xA0000-0xBFFFF ATI Technologies Inc. RAGE XL PCI
OK
0xC0000-0xCFFFF PCI bus OK
0xD0000-0xD3FFF PCI bus OK
0xD4000-0xD7FFF PCI bus OK
0xD8000-0xDBFFF PCI bus OK
0x2FF80000-0xFEBFFFF PCI bus OK
0xFED20000-0xFED8FFFF PCI bus OK
0xE8100000-0xE81FFFF Intel(R) 6300ESB 64-bit
PCI-X Bridge - 25AE OK
0xE8100000-0xE81FFFF Broadcom NetXtreme
Gigabit Ethernet #2 OK
0xE8000000-0xE800000F Intel(R) 6300ESB
Watchdog Timer - 25AB OK
0xE8000400-0xE80007FF Universal Serial Bus
(USB) Controller OK
0xE9000000-0xE99FFFFF ATI Technologies Inc.
RAGE XL PCI OK
0xE8210000-0xE8210FFF ATI Technologies Inc.
RAGE XL PCI OK
0xE8200000-0xE820FFFF Broadcom NetXtreme
Gigabit Ethernet OK
0xFECF0000-0xFECFFFFF Motherboard resources
OK
0xFF800000-0xFFFFFFFF Intel(r) 82802 Firmware
Hub Device OK
0xFED8FC00-0xFED8FFFF Intel(R) 6300ESB Ultra
ATA Storage Controller - 25A2 OK

[Components]

[ Following are sub-categories of this main category ]

[Multimedia]

```

[Following are sub-categories of this main category]

[Audio Codecs]

Codec	Manufacturer	Description	Status	File	Version	Size
c:\winnt\system32\iac25_32.ax	Intel Corporation	Indeo® audio software	OK	C:\WINNT\System32\IAC25_32.AX	2.05.53	195.00 KB (199,680 bytes)
7:00:00 AM						12/7/1999
c:\winnt\system32\msg723.acm	Microsoft Corporation		OK	C:\WINNT\System32\MSG723.ACM	4.4.3385	106.77 KB (109,328 bytes)
2:30:55 PM						3/3/2005
c:\winnt\system32\lhacm.acm	Microsoft Corporation		OK	C:\WINNT\System32\LHACM.ACM	4.4.3385	33.27 KB (34,064 bytes)
2:30:56 PM						3/3/2005
c:\winnt\system32\tssoft32.acm	DSP GROUP, INC.		OK	C:\WINNT\System32\TSSOFT32.ACM		1.01 9.27 KB (9,488 bytes)
7:00:00 AM						12/7/1999 7:00:00 AM
c:\winnt\system32\msg711.acm	Microsoft Corporation		OK	C:\WINNT\System32\MSG711.ACM	5.00.2134.1	10.27 KB (10,512 bytes)
7:00:00 AM						12/7/1999
c:\winnt\system32\msadp32.acm	Microsoft Corporation		OK	C:\WINNT\System32\MSADP32.ACM	5.00.2134.1	14.77 KB (15,120 bytes)
7:00:00 AM						12/7/1999
c:\winnt\system32\imaadp32.acm	Microsoft Corporation		OK	C:\WINNT\System32\IMAADP32.ACM	5.00.2134.1	16.27 KB (16,656 bytes)
7:00:00 AM						12/7/1999 7:00:00 AM
c:\winnt\system32\msgsm32.acm	Microsoft Corporation		OK	C:\WINNT\System32\MSGSM32.ACM	5.00.2134.1	22.27 KB (22,800 bytes)
7:00:00 AM						12/7/1999

[Video Codecs]

Codec	Manufacturer	Description	Status	File	Version	Size
c:\winnt\system32\ir50_32.dll	Intel Corporation	Indeo® video 5.10	OK	C:\WINNT\System32\IR50_32.DLL	R.5.10.15.2.55	737.50 KB (755,200 bytes)
7:00:00 AM						12/7/1999 7:00:00 AM
c:\winnt\system32\msh261.drv	Microsoft Corporation		OK	C:\WINNT\System32\MSH261.DRV	4.4.3385	

163.77 KB (167,696 bytes)	3/3/2005
2:30:55 PM	
c:\winnt\system32\msh263.drv	Microsoft Corporation
OK	
C:\WINNT\System32\MSH263.DRV	4.4.3385
252.27 KB (258,320 bytes)	3/3/2005
2:30:38 PM	
c:\winnt\system32\msvidc32.dll	Microsoft Corporation
OK	
C:\WINNT\System32\MSVIDC32.DLL	5.00.2134.1
27.27 KB (27,920 bytes)	
12/7/1999 7:00:00 AM	
c:\winnt\system32\msrle32.dll	Microsoft Corporation
OK	
C:\WINNT\System32\MSRLE32.DLL	5.00.2134.1
10.77 KB (11,024 bytes)	12/7/1999
7:00:00 AM	
c:\winnt\system32\ir32_32.dll	Intel(R) Corporation
OK	
C:\WINNT\System32\IR32_32.DLL	Not Available
194.50 KB (199,168 bytes)	12/7/1999
7:00:00 AM	
c:\winnt\system32\iccvid.dll	Radius Inc.
OK	
C:\WINNT\System32\ICCVID.DLL	1.10.0.6
108.00 KB (110,592 bytes)	
12/7/1999 7:00:00 AM	

[CD-ROM]

Item	Value
Drive D:	
Description	CD-ROM Drive
Media Loaded	False
Media Type	CD-ROM
Name	COMPAQ CD-ROM LTN486S
Manufacturer	(Standard CD-ROM drives)
Status	OK
Transfer Rate	Not Available
SCSI Target ID	0
PNP Device ID	IDE\CDROMCOMPAQ_CD-ROM_LTN486S_____YQSK____\5&2677BD0A&0&0
.0.0	

[Sound Device]

Item	Value
No sound devices	

[Display]

Item	Value
Name	ATI Technologies Inc. RAGE XL PCI
PNP Device ID	PCI\VEN_1002&DEV_4752&SUBSYS_8008103C&REV_27\4&2183A681&0&18F0
Adapter Type	ATI RAGE XL PCI, ATI Technologies Inc. compatible
Adapter Description	ATI Technologies Inc. RAGE XL PCI
Adapter RAM	8.00 MB (8,388,608 bytes)
Installed Drivers	atidrab.dll
Driver Version	5.00.2179.1
INF File	display.inf (atirage3 section)

Color Planes	1
Color Table Entries	65536
Resolution	640 x 480 x 60 hertz
Bits/Pixel	16

[Infrared]

Item	Value
No infrared devices	

[Input]

[Following are sub-categories of this main category]

[Keyboard]

Item	Value
Description	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
Name	Enhanced (101- or 102-key)
Layout	00000409
PNP Device ID	ACPI\PNP0303\4&1F443D2A&0
NumberOfFunctionKeys	12

[Pointing Device]

Item	Value
Hardware Type	PS/2 Compatible Mouse
Number of Buttons	5
Status	OK
PNP Device ID	ACPI\PNP0F13\4&1F443D2A&0
Power Management Supported	False
Double Click Threshold	6
Handedness	Right Handed Operation

[Modem]

Item	Value
No modems	

[Network]

[Following are sub-categories of this main category]

[Adapter]

Item	Value
Name	[00000000] RAS Async Adapter
Adapter Type	Not Available
Product Name	RAS Async Adapter
Installed True	
PNP Device ID	Not Available
Last Reset	3/14/2005 6:58:55 AM
Index	0
Service Name	AsyncMac
IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available

DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Service Name Not Available

Name [00000001] WAN Miniport (L2TP)
Adapter Type Not Available
Product Name WAN Miniport (L2TP)
Installed True
PNP Device ID ROOT\MS_L2TPMINIPORT\0000
Last Reset 3/14/2005 6:58:55 AM
Index 1
Service Name Rasl2tp
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Service Name Rasl2tp
Driver c:\winnt\system32\drivers\rasl2tp.sys
(50800, 5.00.2179.1)

Name [00000002] WAN Miniport (PPTP)
Adapter Type Wide Area Network (WAN)
Product Name WAN Miniport (PPTP)
Installed True
PNP Device ID ROOT\MS_PPTPMINIPORT\0000
Last Reset 3/14/2005 6:58:55 AM
Index 2
Service Name PptpMiniport
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 50:50:54:50:30:30
Service Name PptpMiniport
Driver c:\winnt\system32\drivers\raspptp.sys
(47856, 5.00.2160.1)

Name [00000003] Direct Parallel
Adapter Type Not Available
Product Name Direct Parallel
Installed True
PNP Device ID ROOT\MS_PTMINIPORT\0000
Last Reset 3/14/2005 6:58:55 AM
Index 3
Service Name Raspti
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available

Service Name Raspti
Driver c:\winnt\system32\drivers\raspti.sys
(16880, 5.00.2146.1)

Name [00000004] WAN Miniport (IP)
Adapter Type Not Available
Product Name WAN Miniport (IP)
Installed True
PNP Device ID ROOT\MS_NDISWANIP\0000
Last Reset 3/14/2005 6:58:55 AM
Index 4
Service Name NdisWan
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Service Name NdisWan
Driver c:\winnt\system32\drivers\ndiswan.sys
(90768, 5.00.2184.1)

Name [00000005] Broadcom NetXtreme Gigabit Ethernet
Adapter Type Ethernet 802.3
Product Name Broadcom NetXtreme Gigabit Ethernet
Installed True
PNP Device ID PCI\VEN_14E4&DEV_1654&SUBSYS_1654103C&REV_03\4&2183A681&0&20F0
Last Reset 3/14/2005 6:58:55 AM
Index 5
Service Name b57w2k
IP Address 130.172.11.165
IP Subnet 255.255.0.0
Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 00:0B:CD:E7:7E:F8
Service Name b57w2k
IRQ Number 17
Driver c:\winnt\system32\drivers\b57w2k.sys
(114002, 7.33.0.0)

Name [00000006] Broadcom NetXtreme Gigabit Ethernet
Adapter Type Ethernet 802.3
Product Name Broadcom NetXtreme Gigabit Ethernet
Installed True
PNP Device ID PCI\VEN_14E4&DEV_1645&SUBSYS_007C0E11&REV_15\4&19638ECB&0&08E0
Last Reset 3/14/2005 6:58:55 AM
Index 6
Service Name b57w2k
IP Address 130.168.40.165
IP Subnet 255.255.0.0

Default IP Gateway Not Available
DHCP Enabled False
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 00:08:02:ED:3F:EB
Service Name b57w2k
IRQ Number 26
Driver c:\winnt\system32\drivers\b57w2k.sys
(114002, 7.33.0.0)

[Protocol]

Item	Value
Name	MSAFD Tcpip [TCP/IP]
ConnectionlessService	False
GuaranteesDelivery	True
GuaranteesSequencing	True
MaximumAddressSize	16 bytes
MaximumMessageSize	0 bytes
MessageOriented	False
MinimumAddressSize	16 bytes
PseudoStreamOriented	False
SupportsBroadcasting	False
SupportsConnectData	False
SupportsDisconnectData	False
SupportsEncryption	False
SupportsExpeditedData	True
SupportsGracefulClosing	True
SupportsGuaranteedBandwidth	False
SupportsMulticasting	False

Name	MSAFD Tcpip [UDP/IP]
ConnectionlessService	True
GuaranteesDelivery	False
GuaranteesSequencing	False
MaximumAddressSize	16 bytes
MaximumMessageSize	65467 bytes
MessageOriented	True
MinimumAddressSize	16 bytes
PseudoStreamOriented	False
SupportsBroadcasting	True
SupportsConnectData	False
SupportsDisconnectData	False
SupportsEncryption	False
SupportsExpeditedData	False
SupportsGracefulClosing	False
SupportsGuaranteedBandwidth	False
SupportsMulticasting	True

Name	RSVP UDP Service Provider
ConnectionlessService	True
GuaranteesDelivery	False
GuaranteesSequencing	False
MaximumAddressSize	16 bytes
MaximumMessageSize	65467 bytes
MessageOriented	True
MinimumAddressSize	16 bytes
PseudoStreamOriented	False
SupportsBroadcasting	True
SupportsConnectData	False
SupportsDisconnectData	False

SupportsEncryption True
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting True

Name RSVP TCP Service Provider
 ConnectionlessService False
 GuaranteesDelivery True
 GuaranteesSequencing True
 MaximumAddressSize 16 bytes
 MaximumMessageSize 0 bytes
 MessageOriented False
 MinimumAddressSize 16 bytes
 PseudoStreamOriented False
 SupportsBroadcasting False
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption True
 SupportsExpeditedData True
 SupportsGracefulClosing True
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{50122EF7-24A0-4FAD-B479-98CA83955552}] SEQPACKET 3
 ConnectionlessService False
 GuaranteesDelivery True
 GuaranteesSequencing True
 MaximumAddressSize 20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize 20 bytes
 PseudoStreamOriented False
 SupportsBroadcasting False
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{50122EF7-24A0-4FAD-B479-98CA83955552}] DATAGRAM 3
 ConnectionlessService True
 GuaranteesDelivery False
 GuaranteesSequencing False
 MaximumAddressSize 20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize 20 bytes
 PseudoStreamOriented False
 SupportsBroadcasting True
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{9EE59CA2-1B77-4503-B620-827FB2419AF1}] SEQPACKET 0
 ConnectionlessService False
 GuaranteesDelivery True
 GuaranteesSequencing True
 MaximumAddressSize 20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize 20 bytes
 PseudoStreamOriented False
 SupportsBroadcasting False
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{9EE59CA2-1B77-4503-B620-827FB2419AF1}] DATAGRAM 0
 ConnectionlessService True
 GuaranteesDelivery False
 GuaranteesSequencing False
 MaximumAddressSize 20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize 20 bytes
 PseudoStreamOriented False
 SupportsBroadcasting True
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{C80A1093-6535-4A90-B467-C35C184E016A}] SEQPACKET 1
 ConnectionlessService False
 GuaranteesDelivery True
 GuaranteesSequencing True
 MaximumAddressSize 20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize 20 bytes
 PseudoStreamOriented False
 SupportsBroadcasting False
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{C80A1093-6535-4A90-B467-C35C184E016A}] DATAGRAM 1
 ConnectionlessService True
 GuaranteesDelivery False
 GuaranteesSequencing False
 MaximumAddressSize 20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize 20 bytes
 PseudoStreamOriented False
 SupportsBroadcasting True
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{3C0A4A13-2A15-4843-8A73-972822AB3EDE}] SEQPACKET 2
 ConnectionlessService False
 GuaranteesDelivery True
 GuaranteesSequencing True
 MaximumAddressSize 20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize 20 bytes
 PseudoStreamOriented False
 SupportsBroadcasting False
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{3C0A4A13-2A15-4843-8A73-972822AB3EDE}] DATAGRAM 2
 ConnectionlessService True
 GuaranteesDelivery False
 GuaranteesSequencing False
 MaximumAddressSize 20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize 20 bytes
 PseudoStreamOriented False
 SupportsBroadcasting True
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

[WinSock]

```

Item      Value
File      c:\winnt\system32\winsock.dll
Version   3.10
Size      2.80 KB (2,864 bytes)

File      c:\winnt\system32\sock32.dll
Version   5.00.2152.1
Size      21.27 KB (21,776 bytes)

```

[Ports]

[Following are sub-categories of this main category]

[Serial]

```

Item      Value
Name      COM1
Status    OK
PNP Device ID  ACPI\PNP0501\1
Maximum Input Buffer Size  Not Available
Maximum Output Buffer Size  Not Available
Settable Baud Rate  Not Available
Settable Data Bits  Not Available
Settable Flow Control  Not Available
Settable Parity  Not Available
Settable Parity Check  Not Available
Settable Stop Bits  Not Available
Settable RLSd  Not Available
Supports RLSd  Not Available
Supports 16 Bit Mode  Not Available
Supports Special Characters  Not Available
Baud Rate 9600
Bits/Byte 8
Stop Bits 1
Parity None
Busy -1
Abort Read/Write on Error  Not Available
Binary Mode Enabled  Not Available
Continue XMit on XOff  Not Available
CTS Outflow Control  Not Available
Discard NULL Bytes  Not Available
DSR Outflow Control  Not Available
DSR Sensitivity  Not Available
DTR Flow Control Type  Not Available
EOF Character  Not Available
Error Replace Character  Not Available
Error Replacement Enabled  Not Available
Event Character  Not Available
Parity Check Enabled  -1
RTS Flow Control Type  Not Available
XOff Character  19
XOffXMit Threshold  512
XOn Character  17
XOnXMit Threshold  2048
XOnXOff InFlow Control  Not Available
XOnXOff OutFlow Control  Not Available
IRQ Number  4
I/O Port 0x03F8-0x03FF
Driver c:\winnt\system32\drivers\serial.sys
(62448, 5.00.2134.1)

```

```

[Parallel]

Item      Value
Name      LPT1
PNP Device ID  ACPI\PNP0401\1

```

[Storage]

[Following are sub-categories of this main category]

[Drives]

```

Item      Value
Drive     A:
Description 3 1/2 Inch Floppy Drive

Drive     C:
Description Local Fixed Disk
Compressed False
File System NTFS
Size      74.53 GB (80,023,715,840 bytes)
Free Space 71.51 GB (76,788,629,504 bytes)
Volume Name
Volume Serial Number F0DB2808
Partition Disk #0, Partition #0
Partition Size 74.53 GB (80,023,716,864 bytes)
Starting Offset 32256 bytes
Drive Description Disk drive
Drive Manufacturer (Standard disk drives)
Drive Model Maxtor 6Y080L0
Drive BytesPerSector 512
Drive MediaLoaded True
Drive MediaType Fixed hard disk media
Drive Partitions 1
Drive SCSIbus 0
Drive SCSILogicalUnit 0
Drive SCSIPort 0
Drive SCsITargetId 0
Drive SectorsPerTrack 63
Drive Size 80023749120 bytes
Drive TotalCylinders 9729
Drive TotalSectors 156296385
Drive TotalTracks 2480895
Drive TracksPerCylinder 255

```

[SCSI]

```

Item      Value
No SCSI information

```

[Printing]

```

Name      Port Name Server Name
__inforb_Labprinter/SOUNDWAVE/Session 1 TS001  Not
Available

```

[Problem Devices]

```

Device     PNP Device ID      Error Code

```

```

Universal Serial Bus (USB) Controller
PCI\VEN_8086&DEV_25AD&SUBSYS_24D08086&REV_0
2\3&61AAA01&0&EF 28

```

[USB]

```

Device     PNP Device ID
Intel(R) 6300ESB USB Universal Host Controller - 25A9
PCI\VEN_8086&DEV_25A9&SUBSYS_0000103C&REV_0
2\3&61AAA01&0&E8
USB Root Hub USB\ROOT_HUB\4&159139EA&0
Intel(R) 6300ESB USB Universal Host Controller - 25AA
PCI\VEN_8086&DEV_25AA&SUBSYS_0000103C&REV_0
2\3&61AAA01&0&E9
USB Root Hub USB\ROOT_HUB\4&4B35302&0

```

[Software Environment]

[Following are sub-categories of this main category]

[Drivers]

Name	Description	File	Type
	Started	Start Mode	State
	Status	Error Control	Accept Pause
	Accept Stop		
abiosdsk	Abiosdsk	Not Available	Kernel Driver
	False	Disabled Stopped	OK
	Ignore	False False	
abp480n5	abp480n5	Not Available	Kernel Driver
	False	Disabled Stopped	OK
	Normal	False False	
acpi	Microsoft ACPI Driver		
	c:\winnt\system32\drivers\acpi.sys		
	Kernel Driver	True	Boot
	Running	OK Normal	False
	True		
acpiec	ACPIEC		
	c:\winnt\system32\drivers\acpiec.sys		
	Kernel Driver	False	Disabled
	Stopped	OK Normal	False
	False		
adpu160m	adpu160m	Not Available	Kernel Driver
	False	Disabled Stopped	OK
	Normal	False False	
afd	AFD Networking Support Environment		
	c:\winnt\system32\drivers\afd.sys		
	Kernel Driver	True	Auto
	Running	OK Normal	False
	True		
ahal54x	Ahal54x	Not Available	Kernel Driver
	False	Disabled Stopped	OK
	Normal	False False	
aic116x	aic116x	Not Available	Kernel Driver
	False	Disabled Stopped	OK
	Normal	False False	
aic78u2	aic78u2	Not Available	Kernel Driver
	False	Disabled Stopped	OK
	Normal	False False	
aic78xx	aic78xx	Not Available	Kernel Driver
	False	Disabled Stopped	OK
	Normal	False False	

alkernel	Altiris Kernel Driver			
	c:\winnt\system32\drivers\alkernel.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
ami0nt	ami0nt	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
amsint	amsint	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
asc	asc	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
asc3350p	asc3350p	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
asc3550	asc3550	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
asyncmac	RAS Asynchronous Media Driver			
	c:\winnt\system32\drivers\asyncmac.sys			
	Kernel Driver	False	Manual	
	Stopped	OK	Normal	False
	False			
atapi	Standard IDE/ESDI Hard Disk Controller			
	c:\winnt\system32\drivers\atapi.sys			
	Kernel Driver	True	Boot	
	Running	OK	Normal	False
	True			
atdisk	Atdisk	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Ignore	False	False	
atirage3	atirage3			
	c:\winnt\system32\drivers\atimpab.sys			
	Kernel Driver	True	Manual	
	Running	OK	Ignore	False
	True			
atmarpc	ATM ARP Client Protocol			
	c:\winnt\system32\drivers\atmarpc.sys			
	Kernel Driver	False	Manual	
	Stopped	OK	Normal	False
	False			
audstub	Audio Stub Driver			
	c:\winnt\system32\drivers\audstub.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
b57w2k	Broadcom NetXtreme Gigabit Ethernet			
	c:\winnt\system32\drivers\b57w2k.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
beep	Beep			
	c:\winnt\system32\drivers\beep.sys			
	Kernel Driver	True	System	
	Running	OK	Normal	False
	True			
buslogic	BusLogic	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	

cd20xrnt	cd20xrnt	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
cdaudio	Cdaudio			
	c:\winnt\system32\drivers\cdaudio.sys			
	Kernel Driver	False	System	
	Stopped	OK	Ignore	False
	False			
cdfs	Cdfs			
	c:\winnt\system32\drivers\cdfs.sys			
	File System Driver	True	Disabled	
	Running	OK	Normal	False
	True			
cdrom	CD-ROM Driver			
	c:\winnt\system32\drivers\cdrom.sys			
	Kernel Driver	True	System	
	Running	OK	Normal	False
	True			
changer	Changer	Not Available	Kernel Driver	
	False	System	Stopped	OK
	Ignore	False	False	
cpqarray	Cpqarray	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
cpqarray2	cpqarray2	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
cpqfcalm	cpqfcalm	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
cpqfws2e	cpqfws2e	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
dac960nt	dac960nt	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
deckzpsx	deckzpsx	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
dfsdriver	DfsDriver			
	c:\winnt\system32\drivers\dfs.sys			
	File System Driver	True	Boot	
	Running	OK	Normal	False
	True			
disk	Disk Driver			
	c:\winnt\system32\drivers\disk.sys			
	Kernel Driver	True	Boot	
	Running	OK	Normal	False
	True			
diskperf	Diskperf			
	c:\winnt\system32\drivers\diskperf.sys			
	Kernel Driver	True	Boot	
	Running	OK	Normal	False
	True			
dmbboot	dmbboot			
	c:\winnt\system32\drivers\dmbboot.sys			
	Kernel Driver	False	Disabled	
	Stopped	OK	Normal	False
	False			
dmio	Logical Disk Manager Driver			
	c:\winnt\system32\drivers\dmio.sys			
	Kernel Driver	True	Boot	
	Running	OK	Normal	False
	True			

dmload	dmload			
	c:\winnt\system32\drivers\dmload.sys			
	Kernel Driver	True	Boot	
	Running	OK	Normal	False
	True			
efs	EFS			
	c:\winnt\system32\drivers\efs.sys			
	File System Driver	True	Disabled	
	Running	OK	Normal	False
	True			
fastfat	Fastfat			
	c:\winnt\system32\drivers\fastfat.sys			
	File System Driver	True	Disabled	
	Running	OK	Normal	False
	True			
fd16_700	Fd16_700	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
fdc	Floppy Disk Controller Driver			
	c:\winnt\system32\drivers\fdc.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
fireport	fireport	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
flashpnt	flashpnt	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
flpydisk	Floppy Disk Driver			
	c:\winnt\system32\drivers\flpydisk.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
ftdisk	Volume Manager Driver			
	c:\winnt\system32\drivers\ftdisk.sys			
	Kernel Driver	True	Boot	
	Running	OK	Normal	False
	True			
gpc	Generic Packet Classifier			
	c:\winnt\system32\drivers\msgpc.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
i8042prt	i8042 Keyboard and PS/2 Mouse Port Driver			
	c:\winnt\system32\drivers\i8042prt.sys			
	Kernel Driver	True	System	
	Running	OK	Normal	False
	True			
ini910u	ini910u	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
intelide	IntelIde	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
ipfilterdriver	IP Traffic Filter Driver			
	c:\winnt\system32\drivers\ipfltdrv.sys			
	Kernel Driver	False	Manual	
	Stopped	OK	Normal	False
	False			
ipinip	IP in IP Tunnel Driver			
	c:\winnt\system32\drivers\ipinip.sys			
	Kernel Driver	False	Manual	

```

Stopped OK Normal False
False
ipnat IP Network Address Translator
c:\winnt\system32\drivers\ipnat.sys
Kernel Driver False Manual
Stopped OK Normal False
False
ipsec IPSEC driver
c:\winnt\system32\drivers\ipsec.sys
Kernel Driver True Manual
Running OK Normal False
True
ipsraidn ipsraidn Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
isapnp PnP ISA/EISA Bus Driver
c:\winnt\system32\drivers\isapnp.sys
Kernel Driver True Boot
Running OK Critical False
True
kbdclass Keyboard Class Driver
c:\winnt\system32\drivers\kbdclass.sys
Kernel Driver True System
Running OK Normal False
True
ksecdd KSecDD
c:\winnt\system32\drivers\ksecdd.sys
Kernel Driver True Boot
Running OK Normal False
True
lbrtfdc lbrtfdc Not Available Kernel Driver
False System Stopped OK
Ignore False False
lp6nds35 lp6nds35 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
mnmdd mnmdd
c:\winnt\system32\drivers\mnmdd.sys
Kernel Driver True System
Running OK Ignore False
True
modem Modem
c:\winnt\system32\drivers\modem.sys
Kernel Driver False Manual
Stopped OK Ignore False
False
mouclass Mouse Class Driver
c:\winnt\system32\drivers\mouclass.sys
Kernel Driver True System
Running OK Normal False
True
mountmgr MountMgr
c:\winnt\system32\drivers\mountmgr.sys
Kernel Driver True Boot
Running OK Normal False
True
mraid35x mraid35x Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
mrxsmb MRXSMB
c:\winnt\system32\drivers\mrxsmb.sys
File System Driver True System

```

```

Running OK Normal False
True
msfs Msfs
c:\winnt\system32\drivers\msfs.sys
File System Driver True System
Running OK Normal False
True
mksksrv Microsoft Streaming Service Proxy
c:\winnt\system32\drivers\mksksrv.sys
Kernel Driver False Manual
Stopped OK Normal False
False
mspclock Microsoft Streaming Clock Proxy
c:\winnt\system32\drivers\mspclock.sys
Kernel Driver False Manual
Stopped OK Normal False
False
mspqm Microsoft Streaming Quality Manager Proxy
c:\winnt\system32\drivers\mspqm.sys
Kernel Driver False Manual
Stopped OK Normal False
False
mup Mup c:\winnt\system32\drivers\mup.sys
File System Driver True Boot
Running OK Normal False
True
ncrc710 Ncrc710 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
ndis NDIS System Driver
c:\winnt\system32\drivers\ndis.sys
Kernel Driver True Boot
Running OK Normal False
True
ndistapi Remote Access NDIS TAPI Driver
c:\winnt\system32\drivers\ndistapi.sys
Kernel Driver True Manual
Running OK Normal False
True
ndiswan Remote Access NDIS WAN Driver
c:\winnt\system32\drivers\ndiswan.sys
Kernel Driver True Manual
Running OK Normal False
True
ndproxy NDIS Proxy
c:\winnt\system32\drivers\ndproxy.sys
Kernel Driver True Manual
Running OK Normal False
True
netbios NetBIOS Interface
c:\winnt\system32\drivers\netbios.sys
File System Driver True System
Running OK Normal False
True
netbt NetBios over Tcpip
c:\winnt\system32\drivers\netbt.sys
Kernel Driver True System
Running OK Normal False
True
netdetect NetDetect
c:\winnt\system32\drivers\netdetect.sys
Kernel Driver False Manual

```

```

Stopped OK Normal False
False
Npfs
npfs c:\winnt\system32\drivers\npfs.sys
File System Driver True System
Running OK Normal False
True
Ntfs
ntfs c:\winnt\system32\drivers\ntfs.sys
File System Driver True Disabled
Running OK Normal False
True
null Null
c:\winnt\system32\drivers\null.sys
Kernel Driver True System
Running OK Normal False
True
nwlkflt IPX Traffic Filter Driver
c:\winnt\system32\drivers\nwlkflt.sys
Kernel Driver False Manual
Stopped OK Normal False
False
nwlkfwf IPX Traffic Forwarder Driver
c:\winnt\system32\drivers\nwlkfwf.sys
Kernel Driver False Manual
Stopped OK Normal False
False
parallel Parallel class driver
c:\winnt\system32\drivers\parallel.sys
Kernel Driver True Manual
Running OK Normal False
True
parport Parallel port driver
c:\winnt\system32\drivers\parport.sys
Kernel Driver True System
Running OK Ignore False
True
partmgr PartMgr
c:\winnt\system32\drivers\partmgr.sys
Kernel Driver True Boot
Running OK Normal False
True
parvdm ParVdm
c:\winnt\system32\drivers\parvdm.sys
Kernel Driver True Auto
Running OK Ignore False
True
pci PCI Bus Driver
c:\winnt\system32\drivers\pci.sys
Kernel Driver True Boot
Running OK Critical False
True
pcidump PCIDump Not Available Kernel Driver
False System Stopped OK
Ignore False False
pciide PCIIDE
c:\winnt\system32\drivers\pciide.sys
Kernel Driver True Boot
Running OK Normal False
True
pcmcia Pcmcia
c:\winnt\system32\drivers\pcmcia.sys
Kernel Driver False Disabled

```

	Stopped	OK	Normal	False
	False			
pdcomp	PDCOMP	Not Available	Kernel Driver	
	False	Manual	Stopped	OK
	Ignore	False	False	
pdframe	PDFFRAME	Not Available	Kernel Driver	
	False	Manual	Stopped	OK
	Ignore	False	False	
pdreli	PDRELI	Not Available	Kernel Driver	
	False	Manual	Stopped	OK
	Ignore	False	False	
pdrframe	PDRFRAME	Not Available	Kernel Driver	
	False	Manual	Stopped	OK
	Ignore	False	False	
pptpminiport	WAN Miniport (PPTP)			
	c:\winnt\system32\drivers\raspppt.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
ptilink	Direct Parallel Link Driver			
	c:\winnt\system32\drivers\ptilink.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
ql1080	ql1080	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
ql10wnt	Ql10wnt	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
ql1240	ql1240	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
ql2100	ql2100	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
rasacd	Remote Access Auto Connection Driver			
	c:\winnt\system32\drivers\rasacd.sys			
	Kernel Driver	True	System	
	Running	OK	Normal	False
	True			
rasl2tp	WAN Miniport (L2TP)			
	c:\winnt\system32\drivers\rasl2tp.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
raspti	Direct Parallel			
	c:\winnt\system32\drivers\raspti.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
rca	Microsoft Streaming Network Raw Channel			
Access	c:\winnt\system32\drivers\rca.sys			
	Kernel Driver	False	Manual	
	Stopped	OK	Normal	False
	False			
rdbss	Rdbss			
	c:\winnt\system32\drivers\rdbss.sys			
	File System Driver	True	System	
	Running	OK	Normal	False
	True			
rdpdr	Terminal Server Device Redirector Driver			
	c:\winnt\system32\drivers\rdpdr.sys			

	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
rdpwd	RDPWD			
	c:\winnt\system32\drivers\rdpwd.sys			
	Kernel Driver	True	Manual	
	Running	OK	Ignore	False
	True			
redbook	Digital CD Audio Playback Filter Driver			
	c:\winnt\system32\drivers\redbook.sys			
	Kernel Driver	False	System	
	Stopped	OK	Normal	False
	False			
serenum	Serenum Filter Driver			
	c:\winnt\system32\drivers\serenum.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
serial	Serial port driver			
	c:\winnt\system32\drivers\serial.sys			
	Kernel Driver	True	System	
	Running	OK	Ignore	False
	True			
sfloppy	Sfloppy			
	c:\winnt\system32\drivers\sfloppy.sys			
	Kernel Driver	False	System	
	Stopped	OK	Ignore	False
	False			
sglfb	sglfb	Not Available	Kernel Driver	
	False	System	Stopped	OK
	Normal	False	False	
simbad	Simbad	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
sparrow	Sparrow	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
spud	Special Purpose Utility Driver			
	c:\winnt\system32\drivers\spud.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
srv	Srv			
	c:\winnt\system32\drivers\srv.sys			
	File System Driver	True	Manual	
	Running	OK	Normal	False
	True			
swenum	Software Bus Driver			
	c:\winnt\system32\drivers\swenum.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
symc810	symc810	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
symc8xx	symc8xx	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
sym_hi	sym_hi	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
tcpip	TCP/IP Protocol Driver			
	c:\winnt\system32\drivers\tcpip.sys			
	Kernel Driver	True	System	

	Running	OK	Normal	False
	True			
tdasync	TDASync			
	c:\winnt\system32\drivers\tdasync.sys			
	Kernel Driver	False	Manual	
	Stopped	OK	Ignore	False
	False			
tdipx	TDIPX			
	c:\winnt\system32\drivers\tdipx.sys			
	Kernel Driver	False	Manual	
	Stopped	OK	Ignore	False
	False			
tdnetb	TDNETB			
	c:\winnt\system32\drivers\tdnetb.sys			
	Kernel Driver	False	Manual	
	Stopped	OK	Ignore	False
	False			
tdpipe	TDPIPE			
	c:\winnt\system32\drivers\tdpipe.sys			
	Kernel Driver	False	Manual	
	Stopped	OK	Ignore	False
	False			
tdspix	TDSPX			
	c:\winnt\system32\drivers\tdspix.sys			
	Kernel Driver	False	Manual	
	Stopped	OK	Ignore	False
	False			
tdtcp	TDTCP			
	c:\winnt\system32\drivers\tdtcp.sys			
	Kernel Driver	True	Manual	
	Running	OK	Ignore	False
	True			
termdd	Terminal Device Driver			
	c:\winnt\system32\drivers\termdd.sys			
	Kernel Driver	True	Auto	
	Running	OK	Normal	False
	True			
tga	tga	Not Available	Kernel Driver	
	False	System	Stopped	OK
	Ignore	False	False	
udfs	Udfs			
	c:\winnt\system32\drivers\udfs.sys			
	File System Driver	False	Disabled	
	Stopped	OK	Normal	False
	False			
uhcd	Microsoft USB Universal Host Controller			
Driver	c:\winnt\system32\drivers\uhcd.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
ultra66	ultra66	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
update	Microcode Update Driver			
	c:\winnt\system32\drivers\update.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
usbhub	Microsoft USB Standard Hub Driver			
	c:\winnt\system32\drivers\usbhub.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			

```

vgasave  VgaSave  c:\winnt\system32\drivers\vga.sys
Kernel Driver  True      System
Running       OK       Ignore  False
True

wanarp    Remote Access IP ARP Driver
c:\winnt\system32\drivers\wanarp.sys
Kernel Driver  True      Manual
Running       OK       Normal  False
True

wdica    WDICA    Not Available  Kernel Driver
False      Manual    Stopped  OK
Ignore    False    False

```

[Environment Variables]

```

Variable  Value      User Name
ComSpec   %SystemRoot%\system32\cmd.exe <SYSTEM>
Os2LibPath %SystemRoot%\system32\os2\dll;
<SYSTEM>
Path      %SystemRoot%\system32;%SystemRoot%;%SystemR
oot%\System32\Wbem;C:\Program Files\Microsoft SQL
Server\80\Tools\Binn <SYSTEM>
windir    %SystemRoot% <SYSTEM>
OS        Windows_NT <SYSTEM>
PROCESSOR_ARCHITECTURE x86 <SYSTEM>
PROCESSOR_LEVEL 15 <SYSTEM>
PROCESSOR_IDENTIFIER x86 Family 15 Model 3
Stepping 3, GenuineIntel <SYSTEM>
PROCESSOR_REVISION 0303 <SYSTEM>
NUMBER_OF_PROCESSORS 1 <SYSTEM>
PATHEXT  .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF
;.WSH <SYSTEM>
TEMP      %SystemRoot%\TEMP <SYSTEM>
TMP       %SystemRoot%\TEMP <SYSTEM>
TEMP      %USERPROFILE%\Local Settings\Temp
CL165\Administrator
TMP       %USERPROFILE%\Local Settings\Temp
CL165\Administrator

```

[Jobs]

[Following are sub-categories of this main category]

[Print]

```

Document  Size      Owner      Notify  Status
Time Submitted
Until Time Elapsed Time
Pages Printed  Job ID  Priority
Parameters  Driver Name
Print Processor  Host Print Queue
Data Type Name
No print jobs

```

[Network Connections]

```

Local Name      Remote Name      Type
Status      User Name
No network connections information

```

[Running Tasks]

Name	Path	Process ID	Priority	Min
Working Set	Max Working Set	Start Time		
Version	Size	File Date		
system idle process	Not Available	0	0	0
Available	Not Available	Not Available	Not	Not
system	Unknown	Unknown	Unknown	0
1413120	Not Available	8	8	0
Unknown	Unknown	Unknown	Unknown	
smss.exe	c:\winnt\system32\smss.exe	176	11	
204800	1413120	3/14/2005 12:59:10 PM		
5.00.2170.1	44.27 KB (45,328 bytes)			
12/7/1999 7:00:00 AM				
csrss.exe	Not Available	200	13	Not
Available	Not Available	3/14/2005 12:59:13 PM		
Unknown	Unknown	Unknown	Unknown	
winlogon.exe	c:\winnt\system32\winlogon.exe			
224	13	204800	1413120	
3/14/2005 12:59:14 PM	5.00.2182.1			
173.27 KB (177,424 bytes)				12/7/1999
7:00:00 AM				
services.exe	c:\winnt\system32\services.exe			
252	9	204800	1413120	
3/14/2005 12:59:15 PM	5.00.2134.1			
86.77 KB (88,848 bytes)				12/7/1999
7:00:00 AM				
lsass.exe	c:\winnt\system32\lsass.exe	264	13	
204800	1413120	3/14/2005 12:59:15 PM		
5.00.2184.1	32.77 KB (33,552 bytes)			
12/7/1999 7:00:00 AM				
svchost.exe	c:\winnt\system32\svchost.exe	424		
8	204800	1413120	3/14/2005	
12:59:18 PM	5.00.2134.1	7.77 KB		
(7,952 bytes)				12/7/1999 7:00:00 AM
spoolsv.exe	c:\winnt\system32\spoolsv.exe	468		
8	204800	1413120	3/14/2005	
12:59:18 PM	5.00.2161.1	43.77 KB		
(44,816 bytes)				3/3/2005 8:07:21 AM
msdtc.exe	c:\winnt\system32\msdtc.exe	496	8	
204800	1413120	3/14/2005 12:59:19 PM		
1999.9.3421.3	6.77 KB (6,928 bytes)			
3/3/2005 8:27:52 AM				
aclient.exe	c:\program			
files\altiris\aclient\aclient.exe	596	8		
204800	1413120	3/14/2005 12:59:20 PM		
5.6.124	3.83 MB (4,018,252 bytes)			
3/3/2005 3:41:01 PM				
svchost.exe	c:\winnt\system32\svchost.exe	632		
8	204800	1413120	3/14/2005	
12:59:22 PM	5.00.2134.1	7.77 KB		
(7,952 bytes)				12/7/1999 7:00:00 AM
llssrv.exe	c:\winnt\system32\llssrv.exe	648		
9	204800	1413120	3/14/2005	
12:59:22 PM	5.00.2167.1	114.27 KB		
(117,008 bytes)				12/7/1999 7:00:00 AM

```

regsvcs.exe  c:\winnt\system32\regsvcs.exe 692
8
204800 1413120 3/14/2005
12:59:22 PM 5.00.2155.1 65.27 KB
(66,832 bytes) 12/7/1999 7:00:00 AM
mstask.exe c:\winnt\system32\mstask.exe 716
204800 1413120 3/14/2005
12:59:23 PM 4.71.2137.1 115.27 KB
(118,032 bytes) 3/3/2005 2:30:47 PM
termsrv.exe c:\winnt\system32\termsrv.exe 844
204800 1413120 3/14/2005
12:59:29 PM 5.00.2182.1 136.77 KB
(140,048 bytes) 3/3/2005 8:27:54 AM
winmgmt.exe c:\winnt\system32\wbem\winmgmt.exe 896
8
204800 1413120 3/14/2005
12:59:30 PM 1.50.1085.0001 188.05 KB
(192,567 bytes) 12/7/1999 7:00:00 AM
inetinfo.exe c:\winnt\system32\inetrv\inetinfo.exe 912
8
204800 1413120 3/14/2005
12:59:30 PM 5.00.0984 14.27 KB (14,608 bytes)
3/3/2005 8:28:13 AM
dfssvc.exe c:\winnt\system32\dfssvc.exe 980
8
204800 1413120 3/14/2005
12:59:32 PM 5.00.2191.1 85.27 KB
(87,312 bytes) 12/7/1999 7:00:00 AM
svchost.exe c:\winnt\system32\svchost.exe
1220 8 204800 1413120
3/14/2005 12:59:47 PM 5.00.2134.1
7.77 KB (7,952 bytes) 12/7/1999
7:00:00 AM
logon.scr c:\winnt\system32\logon.scr 684 4
204800 1413120 3/14/2005 1:14:29 PM
5.00.2134.1 123.27 KB (126,224
bytes) 12/7/1999 7:00:00 AM
csrss.exe Not Available 292 13 Not
Available Not Available 3/14/2005 4:23:24 PM
Unknown Unknown Unknown
winlogon.exe c:\winnt\system32\winlogon.exe
704 13 204800 1413120
3/14/2005 4:23:24 PM 5.00.2182.1
173.27 KB (177,424 bytes) 12/7/1999
7:00:00 AM
rdpclip.exe c:\winnt\system32\rdpclip.exe
1308 8 204800 1413120
3/14/2005 4:23:26 PM 5.00.2174.1
39.77 KB (40,720 bytes) 3/3/2005
8:27:53 AM
explorer.exe c:\winnt\explorer.exe
1196 8 204800 1413120
3/14/2005 4:23:26 PM
5.00.2920.0000 232.77 KB (238,352
bytes) 12/7/1999 7:00:00 AM
aclntusr.exe c:\program
files\altiris\aclient\aclntusr.exe 1268 8
204800 1413120 3/14/2005 4:23:29 PM
5, 6, 0, 50 176.00 KB (180,224
bytes) 3/3/2005 3:41:02 PM
mmc.exe c:\winnt\system32\mmc.exe 1372 8
204800 1413120 3/14/2005 4:23:41 PM
5.00.2153.1 589.27 KB (603,408
bytes) 12/7/1999 7:00:00 AM

```

```

rsvp.exe c:\winnt\system32\rsvp.exe 1480 8
204800 1413120 3/14/2005 4:24:20 PM
5.00.2167.1 172.77 KB (176,912
bytes) 12/7/1999 7:00:00 AM

[Loaded Modules]

Name Version Size File Date Manufacturer
Path
traffic.dll 5.00.2139.1 30.77 KB
(31,504 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\traffic.dll
rsvp.exe 5.00.2167.1 172.77 KB (176,912
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\rsvp.exe
wbemprox.dll 1.50.1085.0001 40.05 KB
(41,016 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wbem\wbemprox.dll
mlang.dll 5.00.2920.0000 510.77 KB (523,024
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\mlang.dll
cabinet.dll 5.00.2147.1 54.77 KB
(56,080 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cabinet.dll
msinfo32.dll 5.00.2177.1 312.27 KB
(319,760 bytes) 3/3/2005 2:30:52 PM Microsoft
Corporation c:\program files\common
files\microsoft shared\msinfo\msinfo32.dll
mmcndmgr.dll 5.00.2178.1 815.27 KB
(834,832 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mmcndmgr.dll
mmc.exe 5.00.2153.1 589.27 KB (603,408
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\mmc.exe
aclntusr.exe 5, 6, 0, 50 176.00 KB
(180,224 bytes) 3/3/2005 3:41:02 PM
c:\program
files\altiris\aclnt\aclntusr.exe
shdoclc.dll 5.00.2920.0000 324.50 KB
(332,288 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\shdoclc.dll
wininet.dll 5.00.2920.0000 456.77 KB
(467,728 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wininet.dll
linkinfo.dll 5.00.2134.1 15.77 KB
(16,144 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\linkinfo.dll
faxshell.dll 5.00.2134.1 8.27 KB
(8,464 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\faxshell.dll
msacm32.dll 5.00.2134.1 65.27 KB
(66,832 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msacm32.dll

```

```

avifil32.dll 5.00.2134.1 76.27 KB
(78,096 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\avifil32.dll
msvfw32.dll 5.00.2134.1 113.77 KB
(116,496 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msvfw32.dll
docprop2.dll 5.00.2178.1 297.77 KB
(304,912 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\docprop2.dll
hhsetup.dll 4.74.8702 66.27 KB (67,856 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\hhsetup.dll
mmcshext.dll 5.00.2153.1 24.27 KB
(24,848 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mmcshext.dll
msi.dll 1.10.1029.0 1.71 MB (1,794,320
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\msi.dll
powrprof.dll 5.00.2920.0000 13.27 KB
(13,584 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\powrprof.dll
batmeter.dll 5.00.2920.0000 20.27 KB
(20,752 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\batmeter.dll
stobject.dll 5.00.2144.1 81.77 KB
(83,728 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\stobject.dll
webcheck.dll 5.00.2920.0000 251.77 KB
(257,808 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\webcheck.dll
ntshrui.dll 5.00.2134.1 46.77 KB
(47,888 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ntshrui.dll
mydocs.dll 5.00.2920.0000 55.77 KB
(57,104 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mydocs.dll
browseui.dll 5.00.2920.0000 793.27 KB
(812,304 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\browseui.dll
shdocvw.dll 5.00.2920.0000 1.05 MB
(1,104,144 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\shdocvw.dll
explorer.exe 5.00.2920.0000 232.77 KB
(238,352 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\explorer.exe
rdpclip.exe 5.00.2174.1 39.77 KB
(40,720 bytes) 3/3/2005 8:27:53 AM Microsoft
Corporation c:\winnt\system32\rdpclip.exe

```

```

mscms.dll 5.00.2180.1 68.27 KB (69,904 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\mscms.dll
printui.dll 5.00.2161.1 371.77 KB
(380,688 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\printui.dll
cscui.dll 5.00.2172.1 227.27 KB (232,720
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\cscui.dll
logon.scr 5.00.2134.1 123.27 KB (126,224
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\logon.scr
tapisrv.dll 5.00.2186.1 168.77 KB
(172,816 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\tapisrv.dll
dfssvc.exe 5.00.2191.1 85.27 KB
(87,312 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\dfssvc.exe
iislog.dll 5.00.0984 76.27 KB (78,096 bytes)
3/3/2005 8:28:13 AM Microsoft Corporation
c:\winnt\system32\iislog.dll
httpext.dll 0.9.3939.9 418.27 KB
(428,304 bytes) 3/3/2005 8:28:13 AM Microsoft
Corporation
c:\winnt\system32\inet\httpext.dll
md5filt.dll 5.00.0984 32.77 KB (33,552 bytes)
3/3/2005 8:28:17 AM Microsoft Corporation
c:\winnt\system32\inet\md5filt.dll
gzip.dll 5.00.0984 30.27 KB (30,992 bytes)
3/3/2005 8:28:17 AM Microsoft Corporation
c:\winnt\system32\inet\gzip.dll
compfilt.dll 5.00.0984 22.27 KB (22,800 bytes)
3/3/2005 8:28:16 AM Microsoft Corporation
c:\winnt\system32\inet\compfilt.dll
sspfilt.dll 5.00.0984 43.27 KB (44,304 bytes)
3/3/2005 8:28:17 AM Microsoft Corporation
c:\winnt\system32\inet\sspfilt.dll
iscomlog.dll 5.00.0984 24.77 KB (25,360 bytes)
3/3/2005 8:28:13 AM Microsoft Corporation
c:\winnt\system32\inet\iscomlog.dll
lonsint.dll 5.00.0984 11.77 KB (12,048 bytes)
3/3/2005 8:28:13 AM Microsoft Corporation
c:\winnt\system32\inet\lonsint.dll
inetsloc.dll 5.00.0984 20.27 KB (20,752 bytes)
3/3/2005 8:28:14 AM Microsoft Corporation
c:\winnt\system32\inet\inetsloc.dll
iisfecnv.dll 5.00.0984 7.27 KB (7,440 bytes)
3/3/2005 8:28:13 AM Microsoft Corporation
c:\winnt\system32\inet\iisfecnv.dll
isatq.dll 5.00.0984 61.27 KB (62,736 bytes)
3/3/2005 8:28:15 AM Microsoft Corporation
c:\winnt\system32\inet\isatq.dll
infocomm.dll 5.00.0984 234.27 KB (239,888
bytes) 3/3/2005 8:28:13 AM Microsoft Corporation
c:\winnt\system32\inet\infocomm.dll
w3svc.dll 5.00.0984 347.27 KB (355,600 bytes)
3/3/2005 8:28:18 AM Microsoft Corporation
c:\winnt\system32\inet\w3svc.dll
security.dll 5.00.2154.1 5.77 KB
(5,904 bytes) 12/7/1999 7:00:00 AM

```

Microsoft Corporation
 c:\winnt\system32\security.dll
 svcext.dll 5.00.0984 39.77 KB (40,720 bytes)
 3/3/2005 8:28:14 AM Microsoft Corporation
 c:\winnt\system32\inetsrv\svcext.dll
 admxss.dll 5.00.0984 27.77 KB (28,432 bytes)
 3/3/2005 8:28:13 AM Microsoft Corporation
 c:\winnt\system32\inetsrv\admxs.dll
 wamreg.dll 5.00.0984 46.27 KB (47,376 bytes)
 3/3/2005 8:28:18 AM Microsoft Corporation
 c:\winnt\system32\inetsrv\wamreg.dll
 metadata.dll 5.00.0984 70.77 KB (72,464 bytes)
 3/3/2005 8:28:13 AM Microsoft Corporation
 c:\winnt\system32\inetsrv\metadata.dll
 iismap.dll 5.00.0984 56.27 KB (57,616 bytes)
 3/3/2005 8:28:14 AM Microsoft Corporation
 c:\winnt\system32\iismap.dll
 nsepm.dll 5.00.0984 43.27 KB (44,304 bytes)
 3/3/2005 8:28:14 AM Microsoft Corporation
 c:\winnt\system32\inetsrv\nsepm.dll
 admwprox.dll 5.00.0984 31.77 KB (32,528 bytes)
 3/3/2005 8:28:14 AM Microsoft Corporation
 c:\winnt\system32\admwprox.dll
 coadmin.dll 5.00.0984 39.77 KB (40,720 bytes)
 3/3/2005 8:28:15 AM Microsoft Corporation
 c:\winnt\system32\inetsrv\coadmin.dll
 iisadmin.dll 5.00.0984 14.77 KB (15,120 bytes)
 3/3/2005 8:28:13 AM Microsoft Corporation
 c:\winnt\system32\inetsrv\iisadmin.dll
 rpcref.dll 5.00.0984 4.27 KB (4,368 bytes)
 3/3/2005 8:28:14 AM Microsoft Corporation
 c:\winnt\system32\inetsrv\rpcref.dll
 iisrtl.dll 5.00.0984 120.77 KB (123,664
 bytes)
 3/3/2005 8:28:14 AM Microsoft Corporation
 c:\winnt\system32\iisrtl.dll
 inetinfo.exe 5.00.0984 14.27 KB (14,608 bytes)
 3/3/2005 8:28:13 AM Microsoft Corporation
 c:\winnt\system32\inetsrv\inetinfo.exe
 netui1.dll 5.00.2134.1 210.27 KB
 (215,312 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\netui1.dll
 netui0.dll 5.00.2134.1 70.27 KB
 (71,952 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\netui0.dll
 ntlanman.dll 5.00.2157.1 35.27 KB
 (36,112 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\ntlanman.dll
 wshnetbs.dll 5.00.2134.1 7.77 KB
 (7,952 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\wshnetbs.dll
 rapilib.dll 5.00.2167.1 25.27 KB
 (25,872 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\rapilib.dll
 rsvpsp.dll 5.00.2167.1 74.77 KB
 (76,560 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\rsvpsp.dll

perfos.dll 5.00.2155.1 21.27 KB
 (21,776 bytes) 12/7/1999 7:00:00 AM
 Microsoft Corporation
 c:\winnt\system32\perfos.dll
 provthrd.dll 1.50.1085.0000 68.07 KB
 (69,708 bytes) 3/3/2005 2:30:47 PM Microsoft
 Corporation
 c:\winnt\system32\wbem\provthrd.dll
 ntevt.dll 1.50.1085.0000 192.06 KB (196,669
 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\wbem\ntevt.dll
 framedyn.dll 1.50.1085.0000 164.05 KB
 (167,992 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\wbem\framedyn.dll
 cimwin32.dll 1.50.1085.0000 1.03 MB
 (1,077,306 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\wbem\cimwin32.dll
 wbemsvc.dll 1.50.1085.0000 140.07 KB
 (143,430 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\wbem\wbemsvc.dll
 wbemess.dll 1.50.1085.0001 352.05 KB
 (360,503 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\wbem\wbemess.dll
 fastprox.dll 1.50.1085.0001 144.08 KB
 (147,534 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\wbem\fastprox.dll
 wbemcore.dll 1.50.1085.0001 632.05 KB
 (647,224 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\wbem\wbemcore.dll
 wbemcomn.dll 1.50.1085.0001 684.05 KB
 (700,472 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\wbem\wbemcomn.dll
 winmgmt.exe 1.50.1085.0001 188.05 KB
 (192,567 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\wbem\winmgmt.exe
 rdpwsx.dll 5.00.2180.1 94.40 KB
 (96,664 bytes) 3/3/2005 8:27:54 AM Microsoft
 Corporation
 c:\winnt\system32\rdpwsx.dll
 mstlsapi.dll 5.00.2181.1 24.77 KB
 (25,360 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\mstlsapi.dll
 icaapi.dll 5.00.2134.1 118.77 KB
 (121,616 bytes) 3/3/2005 8:27:53 AM Microsoft
 Corporation
 c:\winnt\system32\icaapi.dll
 regapi.dll 5.00.2155.1 35.27 KB
 (36,112 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\regapi.dll
 termsrv.exe 5.00.2182.1 136.77 KB
 (140,048 bytes) 3/3/2005 8:27:54 AM Microsoft
 Corporation
 c:\winnt\system32\termsrv.exe
 msidle.dll 5.00.2920.0000 6.27 KB
 (6,416 bytes) 12/7/1999 7:00:00 AM

Microsoft Corporation
 c:\winnt\system32\msidle.dll
 mstask.exe 4.71.2137.1 115.27 KB
 (118,032 bytes) 3/3/2005 2:30:47 PM Microsoft
 Corporation
 c:\winnt\system32\mstask.exe
 regsvc.exe 5.00.2155.1 65.27 KB
 (66,832 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\regsvc.exe
 llsrc.dll 5.00.2149.1 45.77 KB
 (46,864 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\llsrc.dll
 llssrv.exe 5.00.2167.1 114.27 KB
 (117,008 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\llssrv.exe
 wmi.dll 5.00.2191.1 6.27 KB (6,416 bytes)
 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\wmi.dll
 netshell.dll 5.00.2176.1 456.77 KB
 (467,728 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\netshell.dll
 netman.dll 5.00.2175.1 88.77 KB
 (90,896 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\netman.dll
 ntmsdba.dll 5.00.2187.1 167.77 KB
 (171,792 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\ntmsdba.dll
 rasdlg.dll 5.00.2194.1 514.27 KB
 (526,608 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\rasdlg.dll
 netcfgx.dll 5.00.2175.1 533.77 KB
 (546,576 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\netcfgx.dll
 rasmans.dll 5.00.2188.1 146.77 KB
 (150,288 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\rasmans.dll
 sens.dll 5.00.2163.1 36.77 KB (37,648 bytes)
 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\sens.dll
 ntmsvc.dll 5.00.2187.1 390.77 KB
 (400,144 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\ntmsvc.dll
 es.dll 1999.9.3422.21 231.77 KB (237,328
 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\es.dll
 ntmarta.dll 5.00.2158.1 98.77 KB
 (101,136 bytes) 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\ntmarta.dll
 psapi.dll 5.00.2134.1 28.27 KB (28,944 bytes)
 12/7/1999 7:00:00 AM
 Microsoft
 Corporation
 c:\winnt\system32\psapi.dll
 riched20.dll 5.30.23.1200 421.27 KB
 (431,376 bytes) 12/7/1999 7:00:00 AM

```

Microsoft Corporation
c:\winnt\system32\riched20.dll
riched32.dll 5.00.2134.1 3.77 KB
(3,856 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\riched32.dll
comdlg32.dll 5.00.2920.0000 236.77 KB
(242,448 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\comdlg32.dll
aclient.exe 5.6.124 3.83 MB (4,018,252
bytes) 3/3/2005 3:41:01 PM Altiris, Inc.
c:\program
files\altiris\aclient\aclient.exe
mtxoci.dll 1999.9.3421.3 109.27 KB
(111,888 bytes) 3/3/2005 8:27:52 AM Microsoft
Corporation c:\winnt\system32\mtxoci.dll
resutils.dll 5.00.2191.1 39.77 KB
(40,720 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\resutils.dll
clusapi.dll 5.00.2179.1 50.27 KB
(51,472 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\clusapi.dll
msvcp50.dll 5.00.7051 552.50 KB (565,760
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\msvcp50.dll
xolehlp.dll 1999.9.3421.3 17.27 KB
(17,680 bytes) 3/3/2005 8:27:52 AM Microsoft
Corporation c:\winnt\system32\xolehlp.dll
msdtclog.dll 1999.9.3421.3 89.77 KB
(91,920 bytes) 3/3/2005 8:27:52 AM Microsoft
Corporation c:\winnt\system32\msdtclog.dll
mtxclu.dll 1999.9.3421.3 50.27 KB
(51,472 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mtxclu.dll
msdtcprx.dll 1999.9.3422.10 619.27 KB
(634,128 bytes) 3/3/2005 8:27:52 AM Microsoft
Corporation c:\winnt\system32\msdtcprx.dll
txfaux.dll 1999.9.3422.24 341.27 KB
(349,456 bytes) 3/3/2005 8:27:52 AM Microsoft
Corporation c:\winnt\system32\txfaux.dll
msdtctm.dll 1999.9.3422.12 1.02 MB
(1,070,864 bytes) 3/3/2005 8:27:52 AM Microsoft
Corporation c:\winnt\system32\msdtctm.dll
msdtc.exe 1999.9.3421.3 6.77 KB (6,928 bytes)
3/3/2005 8:27:52 AM Microsoft Corporation
c:\winnt\system32\msdtc.exe
psSui.dll 5.00.2134.1 103.77 KB (106,256
bytes) 3/3/2005 4:49:45 PM Microsoft Corporation
c:\winnt\system32\spool\drivers\w32x86\3\ps
Sui.dll
inetpp.dll 5.00.2161.1 63.27 KB
(64,784 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\inetpp.dll
win32spl.dll 5.00.2162.1 92.27 KB
(94,480 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\win32spl.dll

```

```

usbmon.dll 5.00.2165.1 11.27 KB
(11,536 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\usbmon.dll
tcpmon.dll 5.00.2165.1 40.77 KB
(41,744 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\tcpmon.dll
pjlmon.dll 5.00.2165.1 12.77 KB
(13,072 bytes) 11/30/1999 5:39:36 PM
Microsoft Corporation
c:\winnt\system32\pjlmon.dll
cnbjmon.dll 5.00.2134.1 43.77 KB
(44,816 bytes) 11/30/1999 5:38:48 PM
Microsoft Corporation
c:\winnt\system32\cnbjmon.dll
localspl.dll 5.00.2191.1 244.77 KB
(250,640 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\localspl.dll
spoolss.dll 5.00.2161.1 61.77 KB
(63,248 bytes) 3/3/2005 8:07:21 AM Microsoft
Corporation c:\winnt\system32\spoolss.dll
spoolsv.exe 5.00.2161.1 43.77 KB
(44,816 bytes) 3/3/2005 8:07:21 AM Microsoft
Corporation c:\winnt\system32\spoolsv.exe
rpcss.dll 5.00.2181.1 229.27 KB (234,768
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\rpcss.dll
svchost.exe 5.00.2134.1 7.77 KB
(7,952 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\svchost.exe
dssbase.dll 5.00.2150.1 140.77 KB
(144,144 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\dssbase.dll
oakley.dll 5.00.2174.1 420.27 KB
(430,352 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\oakley.dll
mfc42u.dll 6.00.8665.0 972.05 KB
(995,384 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mfc42u.dll
polagent.dll 5.00.2183.1 108.27 KB
(110,864 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\polagent.dll
scecli.dll 5.00.2191.1 105.27 KB
(107,792 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\scecli.dll
atl.dll 3.00.8449 57.56 KB (58,938 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\atl.dll
certcli.dll 5.00.2175.1 132.27 KB
(135,440 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\certcli.dll
esent.dll 6.0.3939.6 1.07 MB (1,120,016
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\esent.dll

```

```

ntdsatq.dll 5.00.2181.1 31.27 KB
(32,016 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ntdsatq.dll
ntdsa.dll 5.00.2195.1 993.27 KB (1,017,104
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\ntdsa.dll
kdcsvc.dll 5.00.2181.1 133.77 KB
(136,976 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\kdcsvc.dll
sfmapi.dll 5.00.2134.1 38.77 KB
(39,696 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\sfmapi.dll
rassfm.dll 5.00.2168.1 21.27 KB
(21,776 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rassfm.dll
mpr.dll 5.00.2146.1 53.27 KB (54,544 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\mpr.dll
schannel.dll 5.00.2170.1 139.77 KB
(143,120 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\schannel.dll
netlogon.dll 5.00.2182.1 347.77 KB
(356,112 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\netlogon.dll
msvl_0.dll 5.00.2164.1 94.77 KB
(97,040 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msvl_0.dll
kerberos.dll 5.00.2181.1 196.77 KB
(201,488 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\kerberos.dll
msprivs.dll 5.00.2154.1 41.50 KB
(42,496 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msprivs.dll
samsrv.dll 5.00.2192.1 357.77 KB
(366,352 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\samsrv.dll
lsasrv.dll 5.00.2184.1 487.77 KB
(499,472 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\lsasrv.dll
lsass.exe 5.00.2184.1 32.77 KB (33,552 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\lsass.exe
ntlsapi.dll 5.00.2134.1 6.77 KB
(6,928 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ntlsapi.dll
xactsrv.dll 5.00.2134.1 90.27 KB
(92,432 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\xactsrv.dll
wmicore.dll 5.00.2178.1 70.77 KB
(72,464 bytes) 12/7/1999 7:00:00 AM

```

```

Microsoft Corporation
c:\winnt\system32\micore.dll
rasadhlp.dll 5.00.2168.1 7.27 KB
(7,440 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rasadhlp.dll
winrnr.dll 5.00.2160.1 18.77 KB
(19,216 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\winrnr.dll
rnr20.dll 5.00.2152.1 35.77 KB (36,624 bytes)
12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rnr20.dll
wshtcpip.dll 5.00.2134.1 17.27 KB
(17,680 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wshtcpip.dll
msafd.dll 5.00.2153.1 54.27 KB (55,568 bytes)
12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msafd.dll
mswsock.dll 5.00.2152.1 62.27 KB
(63,760 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mswsock.dll
msgsvc.dll 5.00.2181.1 33.77 KB
(34,576 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msgsvc.dll
browser.dll 5.00.2142.1 48.27 KB
(49,424 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\browser.dll
alrsvc.dll 5.00.2134.1 17.77 KB
(18,192 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\alrsvc.dll
trkwns.dll 5.00.2166.1 88.77 KB
(90,896 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\trkwns.dll
seclogon.dll 5.00.2135.1 15.77 KB
(16,144 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\seclogon.dll
psbase.dll 5.00.2146.1 111.77 KB
(114,448 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\psbase.dll
cryptsvc.dll 5.00.2181.1 61.77 KB
(63,248 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cryptsvc.dll
cryptdll.dll 5.00.2135.1 41.27 KB
(42,256 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cryptdll.dll
wkssvc.dll 5.00.2181.1 95.27 KB
(97,552 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wkssvc.dll
srvsvc.dll 5.00.2178.1 79.27 KB
(81,168 bytes) 12/7/1999 7:00:00 AM

```

```

Microsoft Corporation
c:\winnt\system32\srvc.dll
cfgmgr32.dll 5.00.2134.1 16.77 KB
(17,168 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cfgmgr32.dll
dmsrvr.dll 2191.1.296.2 11.77 KB
(12,048 bytes) 12/7/1999 7:00:00 AM
VERITAS Software Corp.
c:\winnt\system32\dmsrvr.dll
lmhsvc.dll 5.00.2134.1 9.27 KB
(9,488 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\lmhsvc.dll
dnssrslvr.dll 5.00.2181.1 88.27 KB
(90,384 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\dnssrslvr.dll
clbcatq.dll 1999.9.3422.14 479.27 KB
(490,768 bytes) 3/3/2005 8:27:48 AM
Microsoft Corporation
c:\winnt\system32\clbcatq.dll
tapi32.dll 5.00.2182.1 123.27 KB
(126,224 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\tapi32.dll
rasman.dll 5.00.2188.1 54.77 KB
(56,080 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rasman.dll
rasapi32.dll 5.00.2188.1 189.77 KB
(194,320 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rasapi32.dll
rtutils.dll 5.00.2168.1 43.77 KB
(44,816 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rtutils.dll
adsltdpc.dll 5.00.2172.1 127.77 KB
(130,832 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\adsltdpc.dll
activeds.dll 5.00.2172.1 172.77 KB
(176,912 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\activeds.dll
oleaut32.dll 2.40.4512 600.27 KB (614,672
bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\oleaut32.dll
mprapi.dll 5.00.2181.1 79.27 KB
(81,168 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mprapi.dll
iphlpapi.dll 5.00.2173.2 67.77 KB
(69,392 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\iphlpapi.dll
icmp.dll 5.00.2134.1 7.27 KB (7,440 bytes)
12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\icmp.dll
dhcpcsvc.dll 5.00.2153.1 88.77 KB
(90,896 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\dhcpcsvc.dll

```

```

eventlog.dll 5.00.2178.1 43.77 KB
(44,816 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\eventlog.dll
ntdsapi.dll 5.00.2160.1 56.27 KB
(57,616 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ntdsapi.dll
scesrv.dll 5.00.2188.1 225.77 KB
(231,184 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\scesrv.dll
umpnpmgr.dll 5.00.2182.1 86.27 KB
(88,336 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\umpnpmgr.dll
services.exe 5.00.2134.1 86.77 KB
(88,848 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\services.exe
winspool.drv 5.00.2167.1 109.77 KB
(112,400 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\winspool.drv
wincard.dll 5.00.2134.1 77.27 KB
(79,120 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wincard.dll
wlnotify.dll 5.00.2164.1 53.27 KB
(54,544 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wlnotify.dll
csd.dll 5.00.2189.1 98.27 KB
(100,624 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\csd.dll
lz32.dll 5.00.2134.1 9.77 KB (10,000 bytes)
12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\lz32.dll
version.dll 5.00.2134.1 15.77 KB
(16,144 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\version.dll
rsabase.dll 5.00.2150.1 128.77 KB
(131,856 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rsabase.dll
mscat32.dll 5.131.2134.1 7.77 KB
(7,952 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mscat32.dll
ole32.dll 5.00.2181.1 966.27 KB (989,456
bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ole32.dll
imagehlp.dll 5.00.2195.1 125.27 KB
(128,272 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\imagehlp.dll
msasn1.dll 5.00.2134.1 51.27 KB
(52,496 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msasn1.dll

```

```

crypt32.dll      5.131.2173.1    465.77 KB
(476,944 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\crypt32.dll
wintrust.dll    5.131.2143.1    162.27 KB
(166,160 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wintrust.dll
setupapi.dll    5.00.2183.1     554.27 KB
(567,568 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\setupapi.dll
winmm.dll        5.00.2161.1     184.77 KB (189,200
bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\winmm.dll
comctl32.dll     5.81 540.27 KB (553,232
bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\comctl32.dll
shlwapi.dll      5.00.2920.0000  282.77 KB
(289,552 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\shlwapi.dll
shell32.dll      5.00.2920.0000  2.24 MB
(2,352,400 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\shell32.dll
msgina.dll       5.00.2191.1     309.77 KB
(317,200 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msgina.dll
winsta.dll       5.00.2134.1     36.27 KB
(37,136 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\winsta.dll
wsock32.dll      5.00.2152.1     21.27 KB
(21,776 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wsock32.dll
dnsapi.dll       5.00.2181.1     129.77 KB
(132,880 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\dnsapi.dll
wldap32.dll      5.00.2168.1     155.77 KB
(159,504 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wldap32.dll
ws2help.dll      5.00.2134.1     17.77 KB
(18,192 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ws2help.dll
ws2_32.dll       5.00.2134.1     69.77 KB
(71,440 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ws2_32.dll
samlib.dll       5.00.2160.1     46.27 KB
(47,376 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\samlib.dll
netrap.dll       5.00.2134.1     11.27 KB
(11,536 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\netrap.dll

```

```

netapi32.dll     5.00.2194.1     302.77 KB
(310,032 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\netapi32.dll
profmap.dll     5.00.2181.1     29.27 KB
(29,968 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\profmap.dll
secur32.dll     5.00.2154.1     46.77 KB
(47,888 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\secur32.dll
sfc.dll          5.00.2164.1     84.27 KB (86,288 bytes)
12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\sfc.dll
nddeapi.dll     5.00.2137.1     15.27 KB
(15,632 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\nddeapi.dll
userenv.dll     5.00.2185.1     361.27 KB
(369,936 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\userenv.dll
user32.dll      5.00.2180.1     393.27 KB
(402,704 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\user32.dll
gdi32.dll       5.00.2180.1     228.77 KB (234,256
bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\gdi32.dll
rpcrt4.dll      5.00.2193.1     434.27 KB
(444,688 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rpcrt4.dll
advapi32.dll    5.00.2191.1     349.27 KB
(357,648 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\advapi32.dll
kernel32.dll    5.00.2191.1     715.27 KB
(732,432 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\kernel32.dll
msvrt.dll       6.10.8637.0     288.09 KB
(295,000 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msvrt.dll
winlogon.exe    5.00.2182.1     173.27 KB
(177,424 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\winlogon.exe
sfcfiles.dll    5.00.2195.1     973.27 KB
(996,624 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\sfcfiles.dll
ntdll.dll       5.00.2163.1     469.77 KB (481,040
bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ntdll.dll
smss.exe        5.00.2170.1     44.27 KB (45,328 bytes)
12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\smss.exe
[Services]

```

```

Display Name      Name      State      Start Mode
Service Type      Path      Error Control
Start Name        Tag ID
Altiris Client Service AClient    Running
Auto              Own Process c:\program
files\altiris\aclient\aclient.exe -service
Normal LocalSystem 0
Alerter           Alerter   Running   Auto      Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Application Management AppMgmt   Stopped
Manual            Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Computer Browser  Browser   Running   Auto      Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Indexing Service  cisvc     Stopped   Manual   Share Process
c:\winnt\system32\cisvc.exe
LocalSystem 0
ClipBook          ClipSrv   Stopped   Manual   Own Process
c:\winnt\system32\clipsrv.exe
LocalSystem 0
Distributed File System Dfs        Running
Auto              Own Process
c:\winnt\system32\dfssvc.exe
Normal LocalSystem 0
DHCP Client       Dhcp      Running   Auto      Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Logical Disk Manager Administrative Service
dmadmin          Stopped   Manual   Share Process
c:\winnt\system32\dmadmin.exe /com
Normal LocalSystem 0
Logical Disk Manager dmserver   Running
Auto              Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
DNS Client        Dnscache  Running   Auto      Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Event Log         Eventlog   Running   Auto      Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
COM+ Event System EventSystem Running
Manual            Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Fax Service       Fax        Stopped   Manual   Own
Process          c:\winnt\system32\faxsvc.exe
Normal LocalSystem 0
IIS Admin Service IISADMIN  Running   Auto      Share Process
c:\winnt\system32\inetrv\inetinfo.exe
Normal LocalSystem 0
Intersite Messaging IsmServ   Stopped   Disabled  Own
Process          c:\winnt\system32\ismserv.exe
Normal LocalSystem 0

```

```

Kerberos Key Distribution Center kdc
Stopped Disabled Share Process
c:\winnt\system32\lsass.exe Normal
LocalSystem 0
Server lanmanserver Running Auto
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Workstation lanmanworkstation Running
Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
License Logging Service LicenseService
Running Auto Own Process
c:\winnt\system32\llssrv.exe Normal
LocalSystem 0
TCP/IP NetBIOS Helper Service LmHosts Running
Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Messenger Messenger Running Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
NetMeeting Remote Desktop Sharing mnmsrvc
Stopped Manual Own Process
c:\winnt\system32\mnmsrvc.exe Normal
LocalSystem 0
Distributed Transaction Coordinator MSDTC
Running Auto Own Process
c:\winnt\system32\msdtc.exe Normal
LocalSystem 0
Windows Installer MSI Server Stopped Manual
Share Process
c:\winnt\system32\msiexec.exe /v
Normal LocalSystem 0
Network DDE NetDDE Stopped Manual
Share Process
c:\winnt\system32\netdde.exe Normal
LocalSystem 0
Network DDE DSDM NetDDEdsdm Stopped
Manual Share Process
c:\winnt\system32\netdde.exe Normal
LocalSystem 0
Net Logon Netlogon Stopped Manual Share Process
c:\winnt\system32\lsass.exe Normal
LocalSystem 0
Network Connections Netman Running Manual
Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
File Replication NtFrs Stopped Manual Own
Process
c:\winnt\system32\ntfrs.exe Ignore
LocalSystem 0
NT LM Security Support Provider NtLmSsp
Stopped Manual Share Process
c:\winnt\system32\lsass.exe Normal
LocalSystem 0
Removable Storage NtmsSvc Running Auto
Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Plug and Play PlugPlay Running Auto
Share Process

```

```

c:\winnt\system32\services.exe
Normal LocalSystem 0
IPSEC Policy Agent PolicyAgent Running
Auto Share Process
c:\winnt\system32\lsass.exe Normal
LocalSystem 0
Protected Storage ProtectedStorage Running
Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Remote Access Auto Connection Manager RasAuto
Stopped Manual Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Access Connection Manager RasMan
Stopped Manual Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Routing and Remote Access RemoteAccess
Stopped Disabled Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Registry Service RemoteRegistry
Running Auto Own Process
c:\winnt\system32\regsvc.exe Normal
LocalSystem 0
Remote Procedure Call (RPC) Locator RpcLocator
Stopped Manual Own Process
c:\winnt\system32\locator.exe Normal
LocalSystem 0
Remote Procedure Call (RPC) RpcSs Running
Auto Share Process
c:\winnt\system32\svchost -k rpcss
Normal LocalSystem 0
QoS RSVP RSVP Running Manual Own Process
c:\winnt\system32\rsvp.exe -s Normal
LocalSystem 0
Security Accounts Manager SamSs Running
Auto Share Process
c:\winnt\system32\lsass.exe Normal
LocalSystem 0
Smart Card Helper SCardDrv Stopped Manual
Share Process
c:\winnt\system32\scardsvr.exe
Ignore LocalSystem 0
Smart Card SCardSvr Stopped Manual
Share Process
c:\winnt\system32\scardsvr.exe
Ignore LocalSystem 0
Task Scheduler Schedule Running Auto
Share Process
c:\winnt\system32\mstask.exe Normal
LocalSystem 0
RunAs Service seclogon Running Auto
Share Process
c:\winnt\system32\services.exe
Ignore LocalSystem 0
System Event Notification SENS Running
Auto Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Internet Connection Sharing SharedAccess
Stopped Manual Share Process

```

```

c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Print Spooler Spooler Running Auto Own
Process
c:\winnt\system32\spoolsv.exe Normal
LocalSystem 0
Performance Logs and Alerts SysmonLog Stopped
Manual Own Process
c:\winnt\system32\smlogsvc.exe
Normal LocalSystem 0
Telephony Tapisrv Running Manual Share Process
c:\winnt\system32\svchost.exe -k tapisrv
Normal LocalSystem 0
Terminal Services TermService Running
Auto Own Process
c:\winnt\system32\termsrv.exe Normal
LocalSystem 0
Telnet TlntSvr Stopped Manual Own Process
c:\winnt\system32\tlntsvr.exe Normal
LocalSystem 0
Distributed Link Tracking Server TrkSvr
Stopped Manual Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Distributed Link Tracking Client TrkWks
Running Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Uninterruptible Power Supply UPS Stopped
Manual Own Process
c:\winnt\system32\ups.exe Normal
LocalSystem 0
Utility Manager UtilMan Stopped Manual Own
Process
c:\winnt\system32\utilman.exe Normal
LocalSystem 0
Windows Time W32Time Stopped Manual
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
World Wide Web Publishing Service W3SVC
Running Auto Share Process
c:\winnt\system32\inetnsrv\inetinfo.exe
Normal LocalSystem 0
Windows Management Instrumentation WinMgmt
Running Auto Own Process
c:\winnt\system32\wbem\winmgmt.exe
Ignore LocalSystem 0
Windows Management Instrumentation Driver Extensions
Wmi Running Manual Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0

[Program Groups]

Group Name Name User Name
Accessories Default User:Accessories
Default User
Accessories\Accessibility Default
User:Accessories\Accessibility Default User
Accessories\Entertainment Default
User:Accessories\Entertainment Default User
Accessories\System Tools Default
User:Accessories\System Tools Default User
Startup Default User:Startup Default User

```

```

Accessories      All Users:Accessories      All
Users
Accessories\Communications  All
Users:Accessories\Communications  All Users
Accessories\Entertainment  All
Users:Accessories\Entertainment  All Users
Accessories\Games  All Users:Accessories\Games  All
Users
Accessories\Microsoft Script Debugger  All
Users:Accessories\Microsoft Script Debugger  All
Users
Accessories\System Tools  All
Users:Accessories\System Tools  All Users
Administrative Tools  All
Users:Administrative Tools  All Users
Microsoft SQL Server  All Users:Microsoft SQL
Server  All Users
Startup  All Users:Startup  All Users
Tardis  All Users:Tardis  All Users
Accessories  CL165\Administrator:Accessories
CL165\Administrator
Accessories\Accessibility
CL165\Administrator:Accessories\Accessibili
ty
CL165\Administrator
Accessories\Entertainment
CL165\Administrator:Accessories\Entertainme
nt
CL165\Administrator
Accessories\System Tools
CL165\Administrator:Accessories\System
Tools
CL165\Administrator
Administrative Tools
CL165\Administrator:Administrative Tools
CL165\Administrator
Startup  CL165\Administrator:Startup
CL165\Administrator

[Startup Programs]

Program  Command  User Name  Location
ACLntUsr  c:\program
files\altiris\aclient\aclntusr.exe  All Users
ion\Run  HKLM\SOFTWARE\Microsoft\Windows\CurrentVers
ion\Run

[OLE Registration]

Object  Local  Server
Sound (OLE2)  sndrec32.exe
Media Clip  mplay32.exe
Video Clip  mplay32.exe /avi
MIDI Sequence  mplay32.exe /mid
Sound  Not Available
Media Clip  Not Available
Image Document  "C:\Program Files\Windows
NT\Accessories\ImageVue\KodakImg.exe"
WordPad Document  "%ProgramFiles%\Windows
NT\Accessories\WORDPAD.EXE"
Windows Media Services DRM Storage object  Not
Available
Bitmap Image  mspaint.exe

[Internet Explorer 5]

```

```

[ Following are sub-categories of this main category
]

[Summary]

Item      Value
Version  5.00.2920.0000
Build     52920
Product ID  51876-270-8588526-05420
Application Path  C:\Program Files\Internet
Explorer
Language  English (United States)
Active Printer
__inforb_Labprinter/SOUNDWAVE/Session
1,winspool,TS001

Cipher Strength  56-bit
Content Advisor  Disabled
IEAK Install     No

[File Versions]

File      Version  Size  Date  Path
Company
advapi32.dll  5.0.2191.1  349 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
advpack.dll  5.0.2920.0  87 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
browselc.dll  5.0.2920.0  35 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
browseui.dll  5.0.2920.0  793 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
ckcnv.exe  5.0.2189.1  9 KB
7:00:00 AM C:\WINNT\system32 Microsoft
Corporation
comctl32.dll  5.81.2920.0  540 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
crypt32.dll  5.131.2173.1  466 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
ehnsig.dll  <File Missing>  Not Available
Not Available  Not Available  Not
Available
iemigrat.dll  <File Missing>  Not Available
Not Available  Not Available  Not
Available
iesetup.dll  5.0.2920.0  57 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
iexplore.exe  5.0.2920.0  59 KB
12/7/1999 7:00:00 AM
C:\Program
Files\Internet Explorer Microsoft Corporation
imagehlp.dll  5.0.2195.1  125 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
imghelp.dll  <File Missing>  Not Available
Not Available  Not Available  Not
Available

```

```

inseng.dll  5.0.2920.0  72 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
jobexec.dll  5.0.0.1  47 KB
7:00:00 AM C:\WINNT\system32 Microsoft
Corporation
jscript.dll  5.1.0.4615  476 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
jsproxy.dll  5.0.2920.0  13 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
msaahtml.dll  <File Missing>  Not Available
Not Available  Not Available  Not
Available
mshtml.dll  5.0.2920.0  2302 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
msjava.dll  5.0.3234.0  918 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
msoss.dll  <File Missing>  Not Available  Not
Available Not Available
msxml.dll  5.0.2920.0  521 KB
7:00:00 AM C:\WINNT\system32 Microsoft
Corporation
occache.dll  5.0.2920.0  86 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
ole32.dll  5.0.2181.1  966 KB
7:00:00 AM C:\WINNT\system32 Microsoft
Corporation
oleaut32.dll  2.40.4512.1  600 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
olepro32.dll  5.0.4512.1  160 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
rsabase.dll  5.0.2150.1  129 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
rsaenh.dll  <File Missing>  Not Available
Not Available  Not Available  Not
Available
rsapi32.dll  <File Missing>  Not Available
Not Available  Not Available  Not
Available
rsasig.dll  <File Missing>  Not Available
Not Available  Not Available  Not
Available
schannel.dll  5.0.2170.0  140 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
shdoc401.dll  <File Missing>  Not Available
Not Available  Not Available  Not
Available
shdocv.dll  5.0.2920.0  1078 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
shell32.dll  5.0.2920.0  2297 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation

```

```

shlwapi.dll          5.0.2920.0          283 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
url.dll             5.0.2920.0          82 KB 12/7/1999
7:00:00 AM C:\WINNT\system32 Microsoft
Corporation
urlmon.dll          5.0.2920.0          427 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
vbscript.dll        5.1.0.4615          428 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
webcheck.dll        5.0.2920.0          252 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
win.com             5.0.2134.1          24 KB 12/7/1999
7:00:00 AM C:\WINNT\system32 Microsoft
Corporation
wininet.dll         5.0.2920.0          457 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
winsock.dll         3.10.0.103          3 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
wintrust.dll        5.131.2143.1        162 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
wsock.vxd <File Missing> Not Available Not
Available Not Available Not Available
wsock32.dll         5.0.2152.1          21 KB
12/7/1999 7:00:00 AM
C:\WINNT\system32 Microsoft Corporation
wsock32n.dll <File Missing> Not Available Not
Available Not Available Not Available

[Connectivity]

Item Value
Connection Preference Never dial
EnableHttp1.1 1
ProxyHttp1.1 0

LAN Settings

AutoConfigProxy wininet.dll
AutoProxyDetectMode Disabled
AutoConfigURL
Proxy Disabled
ProxyServer
ProxyOverride

[Cache]

[ Following are sub-categories of this main category ]

[Summary]

Item Value
Page Refresh Type Automatic

```

```

Temporary Internet Files Folder C:\Documents
and Settings\Administrator\Local Settings\Temporary
Internet Files
Total Disk Space 76316 MB
Available Disk Space 73231 MB
Maximum Cache Size 2384 MB
Available Cache Size 2385 MB

[List of Objects]

Program File Status CodeBase
No cached object information available

[Content]

[ Following are sub-categories of this main category ]

[Summary]

Item Value
Content Advisor Disabled

[Personal Certificates]

Issued To Issued By Validity Signature Algorithm
Administrator Administrator 3/3/2005 to
2/7/2105 sha1RSA

[Other People Certificates]

Issued To Issued By Validity Signature Algorithm
No other people certificate information available

[Publishers]

Name
No publisher information available

[Security]

Zone Security Level
Local intranet Medium-low
Trusted sites Low
Internet Medium
Restricted sites High

```

Microsoft SQL Server 2000 Installation Procedures

Microsoft SQL Server 2000 Installation Procedures
Type of installation: custom
During the custom installation, use the default settings for all except the following two areas:

Services accounts:
SQL Server - local system account
SQL Server Agent - local system account
Set the sort order/collation as
SQL_Latini_General_CP437_Bin

Microsoft COM Component Configuration Parameters

The component services tool in Windows 2000 was used to change the queue settings for the TPC COM+ single queue component. The single queue component was set to enable object pooling, object construction, just in time activation, and component supports events and statistics. The min and max pool size for the single queue component on the client was 160. Delivery threads were set under the TPC key in the registry. The construction string was Dummy String

Appendix D: 60-Day Space

TPC-C 60 Day Space Requirements						
Warehouses	3,416	TpmC			42,432.00	
Table	Rows	Data KB	Index KB	Extra 5% KB	8hr Space	Total Space KB
Warehouse	3,416	368	16	19		403
District	34,160	3,800	16	191		4007
Customer	102,480,000	74,530,912	4,444,128	3,948,752		82923792
History	102,480,000	5,693,344	16		1,147,117	5693360
New_order	30,744,000	486,072	1,112	24,359		511543
Orders	102,480,000	3,141,152	1,428,368		4,822,371	4569520
Order_line	1,024,799,699	64,049,984	135,560		14,036,511	64185544
Item	100,000	9,528	32	478		10038
Stock	341,600,000	109,312,000	204,216	5,475,811		114992027
Total		257,227,160	6,213,464	9,449,610	20,005,999	272,890,234
MB						
Dynamic Space	71,176	Sum of Data for Order, Orderline and History				
Static Space	195,318	Sum of Data+Index+5%-Dynamic Space				
Free Space	na	Total Allocated Spac - (Dynamic + Static Space)				
Daily Growth	14,146	(Dynamic Space/(W*62.5))*tpmc				
Daily Spread	-	(Free Space -1.5*Daily Growth) Zero Assumed				
60 Day Space MB	1,044,072					
60 Day Space GB	1,019.60					
Log Size	138,850.00	MB				
KB Per New Order	4.76	KB				
8 hr log MB	94,679	MB				
8 hr log GB	92.4598	GB				
Space Usage	GB Needed	Disks Measured	GB Priced	Disk Size	Formatted Size	
60 Day Space DB	1,019.60	70	2374.40	36.4GB	33.920	
			0.00			
			0.00			
Total DB			2374.40			
8-hr log + mirror	184.9195	4	276.00	72.8GB	69.00	
OS, Swap	3	1	33.92	36.4GB	33.920	
Total Storage	1,207.52	GB	2,684.32	GB		

MSSQL_misc_fg	MSSQL_cs_fg
403	
4007	82923792
6840477	
511543	
9391891	
64185544	
10038	114992027
80,943,903	197,915,819

files= 1
size= 12,691,200
Total= 12,691,200

8K blocks 101,529,600 209,100,800
OK OK

tpmC	42,432.00										
	Data Before KB	Index Before KB	Data After KB	Index After KB	Data Grow KB	Index Grow KB	Total Grow KB	KB/New-Order	8-Hr Growth KB	8-Hr Growth MB	
History	5,693,344	16	6,229,024	72	535,680	56	535,736	0.0563	1,147,116.72	1,120.23	
Order	3,141,152	1,428,368	3,955,832	2,865,872	814,680	1,437,504	2,252,184	0.2368	4,822,371.33	4,709.35	
Order-Line	64,049,984	135,560	70,469,920	271,072	6,419,936	135,512	6,555,448	0.6892	14,036,510.56	13,707.53	
	sum(*) Before		sum(*) After		Num New-						19,537.11
d_next_o_id	102,514,160		112,026,294		9,512,134						
	Before MB		After MB		Grow MB				8-Hr Growth MB	8-Hr Growth GB	
Log	1314.86		45532.54		44217.68			4.7601	94,678.80	92.46	
	138850	0.946966	32.792614					4,874.3637	bytes		
Database tpcc log used (%)											

Appendix E: *Third Party Letters*

Microsoft Corporation
One Microsoft Way
Redmond, WA 98052-6399

Tel 425 882 8080
Fax 425 936 7329
<http://www.microsoft.com/>

Microsoft

March 10, 2005

Hewlett-Packard Company
John Ellyson
20555 SH 249
Mailstop 150402
Houston, TX 77070

Mr. Ellyson:

Here is the information you requested regarding pricing for several Microsoft products to be used in conjunction with your TPC-C benchmark testing.

All pricing shown is in US Dollars (\$).

Part Number	Description	Unit Price	Quantity	Price
810-00845	SQL Server 2000 Enterprise Edition <i>Per Processor Licensing</i> <i>Discount Schedule: Open Program - Level B</i> <i>Unit Price reflects a 14% discount from the retail unit price of \$19,999.</i>	\$17,279	1	\$17,279
C11-00821	Windows 2000 Server <i>Server License Only - No CALs</i> <i>Discount Schedule: No Level</i> <i>Unit Price reflects a 8% discount from the retail unit price of \$799.</i>	\$738	2	\$1,476
P72-00264	Windows Server 2003, Enterprise Edition <i>Server License Only - No CALs</i> <i>Discount Schedule: No Level</i> <i>Unit Price reflects a 40% discount from the retail unit price of \$3,999.</i>	\$2,399	1	\$2,399
254-00170	Visual C++ Standard Edition <i>Discount Schedule: No Discounts Applied</i>	\$109	1	\$109
	Microsoft Problem Resolution Services <i>Professional Support</i> <i>(1 incident)</i>	\$245	1	\$245

All products are currently orderable through Microsoft's normal distribution channels.

This quote is valid for the next 90 days.

If we can be of any further assistance, please contact Jamie Reding at (425) 703-0510 or jamiere@microsoft.com.

Reference ID: PCjoel0510037921.

Please include this Reference ID in any correspondence regarding this price quote.



PROVANTAGE[®]
Computer Products Superstore

> Search Track Cart Order Status Re

QUICKFIND

> Home Brands Hardware Cables Supplies Office Electronics Software Books

Home > Main Index > Stores > Company > Brand > Overview > Vari

Check It Out

TRIPP-LITE

A variety of 32-, 16- and 8-port models available in slim 1U rackmount or console designs.

Find Products

Main Index

- Keyword Search
- Company Stores
- Brand Name Index
- Product Name Index
- Configurator Index
- Industry Partners

Departments

Hot Products

- New Products
- New Versions
- Rebate Center
- Open Box Specials
- Closeouts
- Price Reductions

Resources

Free Catalog

- My Account
- Shopping Cart
- Order Status
- Product Tracker
- Returning a Product

Doing Business

Who is Provantage?

- Shipping Your Order
- Payment Options
- Contact Information
- Fast Processing
- International Orders
- Corporate Accounts
- Terms and Conditions
- Privacy Policy
- F A Q

∨

MiniView 4-Port PS2 KVM Switch with Cables

By IOGEAR - KVM Switches

[Product Page](#)

\$50.02

▶ See [Product Overview](#) : MiniView 4-Port PS/2 KVM Switch (1 Product Variant)

> 646 In Stock > Track This Item > Add to Cart

MiniView 4-Port PS2 KVM Switch with Cables

\$ 50.02 ◀

Magnify Image



Brand **IOGEAR - KVM Switches**

Manuf Part **GCS14**
Returns 30 Days (Unopened Products Only).
Our Part **IOGR00P**

SUMMARY

With Patented Video Signal Enhancement technology

DETAILS

Introducing the New two And four-Port miniviewt KVM switches from iogear - simple Solutions For those with more PCs than hands. Use one Keyboard, one Mouse And one Monitor to Control up to four PCs. These self-powered KVM switches Feature Mouse & Keyboard emulation, to ensure smooth operation, as well as support For Plug-N-Play Monitors And most Wheel Mice. Our patented Video Signal enhancement technology provides rich, 32-bit Color at Resolutions up to 1920 x, 1440. Throw in all the necessary Cables And adapters to get you up, And running, And you've got two more Complete KVM Solutions from iogear.

Page Options

- Printer Friendly V
- Email to a Friend
- Bookmark this Pa

Related Catego

KVM Switches

More Informati

Visit the Manufac Web Site

Options/Access

These Options and # Are Available For MiniView 4-Port PS2 KVM Switch Cables

6-FT M PS/2 C
IOGEAR

10FT F Premium Cable I
 \$

6FT PS Premium Cable I
 \$

Customer Purc

Customers Who Bought 4-Port PS2 KVM Switch Cables also bought the **Hardware**

128MB HP Vec Series
Kingston \$

The Lowest Prices

PROVANTAGE has the lowest prices after ground shipping charges on more products than any of our competitors - even those with "free shipping" offers!

Product Features

- Use one Keyboard, Monitor And Mouse to Control between two And four PCs.
- Microsoft IntelliMouse, Logitech firstmouse+ mouseman+ And other, Special Mice are supported.
- PS/2 Mouse emulation For error-Free boot-up.
- Connected PC's can be added or removed from the setup without powering off the KVM Switch.
- Plug-N-Play Monitor support.
- Miniviewt switches support Video Resolutions up to 1920 x 1440.
- NO software required.
- Built in AutoScan mode.
- Keyboard lock States are stored For each PC.
- LEDs allow For easy status monitoring.
- Iogear's miniviewt products use Standard connectors to connect PCs.
- 3 Year limited Warranty.

System And other Requirements

- IBM PS/2 PC

Warranty

- Standard Warranty: 3 years
- Next Day support? Yes
- Lifetime Technical support.

Product Specifications

Device chassis

- Device Type: KVM Switch
- Voltage supported: DC 5V
- NO. And Type of Ports: 1 VGA female
- 4 VGA male
- 6 PS/2 Ports

▼ **Product Overview**

Magnify Image



▶ **See Product Overview :**
MiniView 4-Port PS/2 KVM Switch
 (1 Product Variant)

	3.5IN L FireWire Drive Enclosure \$4
	4-Port w/AC Adapter Cable \$4
	EtherFast Cable/Router Switch \$4
	FS524 Ethernet Switch \$4
	MiniView Port Adapter w/6IN Ethernet PS/2 \$4
	MiniView Port Connector Switch w/Cable \$4

▼ **Customer Purchases**

Customers Who Bought 4-Port PS2 KVM Switch Cables also bought the following **Accessories**

	#45 Black 700/80 1100/1 1200/1 51645/ Popula \$4
	#11 Cyan Cartridge 2250TB \$4
	#10 Black Large Capacity 2000C/ 2500C \$4
	2-Port Reliable Switch w/Cable \$4

Introducing the new two and four-port MiniView KVM switches from IOGEAR - simple solutions for those with more PCs than hands. Use one keyboard, one mouse and one monitor to control up to four PCs or Macintosh systems. These self-powered KVM switches feature mouse & keyboard emulation to ensure smooth ...

\$:

Customer Purc

Customers Who Bought 4-Port PS2 KVM Switch Cables also bought the **Software**

 Norton for Win Boxed \$:

 Partitio Revisic Windov Boxed \$:

 UPGR/ CoreID Graphi \$14

Manufacturer's Web Site

Need More Information?
Please visit the manufacturer's web site by using the convenient link below.

 **IOGEAR - KVM Switches**
<http://www.iogear.com>

Please Note: Since all products were created by our customers' purchases and not by our company, we cannot assure that all products will work together. Therefore, please be sure to verify compatibility before placing your order.

Prices and information are updated daily on our website (Monday-Friday; holidays excluded) and are the best of our knowledge when posted. However, because of the dynamic nature of the computer industry, products, prices, manufacturer promotions, product information or offers may change before we are able to post the information on our Web Site. In the event of an unexpected cost increase or other change, we reserve the right to determine whether you want to continue your order at the new price or cancel your order. We reserve the right to decline the acceptance of any orders.

miniview 4-port ps2 kvm switch with cables by iogear - kvm switches

PROVANTAGE® Contact Us



© Copyright 1984-2005 Provantage Corporation



Home | My Account | View Cart | Testimonials | Site Map | Contact Us | Order Status | Log In |

Search

Search entire site

SEARCH

You are in >>> Networking > Hub For LAN / WAN / INET > LAN Switches

Product Details

5PT 10/100/1000 GBIT SWITCH DESKTOP



Our Price: **\$51.51**

[Buy now](#)

Manufacturer: D-LINK SYSTEMS
MfgPartNo: DGS-1005D
ProductCode: 302079
Available: **Yes**

3 Months Free Extended Warranty [Check Details](#)

[Email to a friend!](#)

[Reasons To Buy From PageComputers!](#)

[Overview](#)

[Accessories](#)

HardWare

- Audio Devices
- Books
- Cables \ Testing \ Tools
- Cameras & Video Cameras
- Cellular Accessories
- Cellular Phones
- Computer Cases
- Computer Systems
- Consoles & Video Games
- Control Devices
- Desk Accessories
- Fingerprint Scanners
- GPS
- Home Electronics
- Interface & IO Adapters
- Keyboards & Keypads
- Memory
- Modems
- Monitors & Displays
- Motherboards
- Mounting Kits
- MP3 Players
- Networking
- Notebooks & Laptops
- Office Equipment
- PDA's & Handhelds
- Point of Sale & Data



Hours: M-F 6am-5pm PT

Clearance Items

CLEARANCE
items 30% - 80% OFF
SECTION
[Click Here !!](#)

Special Deals



APRICORN
40GB 1.8IN PORTABLE USB
2.0 HD USB- IF CERT BUS
POWERED HDD
Mfg# EBM-40 **\$205.41**

Special Deals



PLANTRONICS
M2500 BLUETOOTH WRLS
HEADSET
Mfg# 66209-01 **\$34.63**

Special Deals



CANON

http://newsite.pagecomputers.com/store/product.asp?catalog%5Fname=Networking&category%5Fname=18g18c127s543&prod... 3/28/2005

Capture
Pointing & Input Devices
Power Equipment
Printer Accessories & Supplies
Printers
Processors
Projectors
Scanners
Sound Cards
Speakers
Storage Devices
Storage Media
Switch Boxes
Unclassified
Video Cards \ Adapters
Warranties & Services & Agreements
Wireless Networking

Software

AntiVirus
Audio Recording
Business
Communication
Developer Tools
Drivers
Games
Graphics/Desktop Publish
Home/Education
Inter/Intra/Extranet
Licenses
Networking
O/S & Enhancements
Other
Reference
Utilities

[PIXMA IP1500 CLR PHOTO PRNTR 18/ 13PPM 4800X1200 1088NOZZ WIN/ MAC](#)

Mfg# 9319A001 \$41.79

Certifications



<http://newsite.pagecomputers.com/store/product.asp?catalog%5Fname=Networking&category%5Fname=18g18c127s543&prod...> 3/28/2005

Product Description:

Get the blazing speed of Gigabit Ethernet with the D-Link GigaExpress DGS-1005D, an 5-port 10/100/1000Mbps Gigabit Switch that delivers power, performance, and reliability in one cost-effective, space-saving design. Increase the speed of your network server and backbone connections, or make Gigabit to the desktop a reality. Power users in the home, office, workgroup, or creative production environment can now move large, bandwidth-intensive files faster. Transfer graphics, CGI, CAD, or multimedia files across the network instantly.

Power-Packed

The D-Link DGS-1005D 10/100/1000 Mbps Gigabit Switch features a non-blocking switching architecture that filters and forwards packets at full wire-speed for maximum throughput. An 8,000 MAC address table provides scalability for even the largest networks. Address learning and aging, 802.3x Flow Control for full duplex mode, and back pressure flow control for half-duplex mode alleviates traffic congestion and ensures reliable data transmission. Designed using industry standards, it is compatible with virtually all 10, 100, and 1000Mbps Ethernet devices and other vendor equipment. The D-Link DGS-1005D 10/100/1000 Mbps Gigabit Switch protects your existing network investments while providing you with a straightforward migration path to faster Gigabit speeds.

Easy to Use

The auto features of this gigabit switch make installation plug and play and hassle-free. No configuring is required. Auto MDI/MDI-X crossover on all ports eliminate the need for crossover cables or uplink ports. Auto-negotiation on each port senses the link speed of a network device (either 10, 100, or 1000 Mbps) and intelligently adjusts for compatibility and optimal performance. It also features diagnostic LEDs which display status and activity, allowing you to quickly detect and correct problems on the network.

Product Features:

- 10Gbps Switching Capacity
- Desktop or Wall-Mount Design
- Non-blocking Architecture

The Manufacturer Store

Outlet prices from the manufacturer straight to you!



Best viewed with Microsoft Internet Explorer 6+, Netscape Navigator 7+ @ 1024 x 768 Resolution
Copyright 2002-2004 PAGE COMPUTER, INC. All rights reserved.
All product names throughout this catalog are trademarks of their respective holders. (w2)

- Home
- WE ARE ANTI SPAM
- Blacklisted Brands
- Barcode
- Print servers
- Cables
- Miscellaneous Items
- Power
- Printing Supplies and Cables
- SCSI
- Software
- Storage
- Network Cables & Parts
Cat5 Cat5e Cat6
- Networking

LanAdapters.com



15 foot Category 5E Molded Snagless Boot Network Patch Cab

Cat 5E LIFETIME WARRANTY

cblc5EMSB15 Regular price: \$3.00 Sale price: \$2.80, 40/\$84.80, 80/\$157.60, 320/\$540.80 color: ANYshipASAP

- Show Order
- Privacy Policy
- Info & Shipping Notes
& Ways to delay
Processing of order
- Search
- Index
- Y! SHOPPING**