



# Hewlett-Packard Company

---

TPC Benchmark™ C  
Full Disclosure Report  
for  
ProLiant ML370-G3-1P  
using  
Microsoft SQL Server 2000  
and  
Windows Server 2003

---

**Third Edition  
September 2003**

Third Edition – September 2003

Hewlett-Packard Company (HP) believes that the information in this document is accurate as of the publication date. The information in this document is subject to change without notice. HP assumes no responsibility for any errors that may appear in this document. The pricing information in this document is believed to accurately reflect the current prices as of the publication date. However, HP provides no warranty of the pricing information in this document.

Benchmark results are highly dependent upon workload, specific application requirements, and system design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC Benchmark C should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report were obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. HP does not warrant or represent that a user can or will achieve similar performance expressed in transactions per minute (tpmC) or normalized price/performance (\$/tpmC). No warranty of system performance or price/performance is expressed or implied in this report.

Copyright 2003 Hewlett-Packard Company.

All rights reserved. Permission is hereby granted to reproduce this document in whole or in part provided the copyright notice printed above is set forth in full text or on the title page of each item reproduced.

Printed in U.S.A., 2003

HP, NonStop, ProLiant ML370-G3, and ProLiant are registered trademarks of Hewlett-Packard Company.

Microsoft, Windows 2000, 2003 and SQL Server 2000 are registered trademarks of Microsoft Corporation.

Pentium III is a registered trademark of Intel.

TPC Benchmark is a trademark of the Transaction Processing Performance Council.

Other product names mentioned in this document may be trademarks and/or registered trademarks of their respective companies.

# Table of Contents

---

<b>TABLE OF CONTENTS</b> .....	<b>III</b>
<b>PREFACE</b> .....	<b>V</b>
TPC BENCHMARK C OVERVIEW .....	V
<b>ABSTRACT</b> .....	<b>VI</b>
OVERVIEW .....	VI
TPC BENCHMARK C METRICS .....	VI
STANDARD AND EXECUTIVE SUMMARY STATEMENTS .....	VI
AUDITOR .....	VI
<b>GENERAL ITEMS</b> .....	<b>10</b>
TEST SPONSOR.....	10
APPLICATION CODE AND DEFINITION STATEMENTS .....	10
PARAMETER SETTINGS .....	10
CONFIGURATION ITEMS .....	10
<b>CLAUSE 1 RELATED ITEMS</b> .....	<b>12</b>
TABLE DEFINITIONS .....	12
PHYSICAL ORGANIZATION OF DATABASE .....	12
<i>Benchmarked Configuration:</i> .....	12
PRICED CONFIGURATION VS. MEASURED CONFIGURATION: .....	13
INSERT AND DELETE OPERATIONS.....	13
PARTITIONING .....	13
REPLICATION, DUPLICATION OR ADDITIONS .....	13
<b>CLAUSE 2 RELATED ITEMS</b> .....	<b>14</b>
RANDOM NUMBER GENERATION.....	14
INPUT/OUTPUT SCREEN LAYOUT.....	14
PRICED TERMINAL FEATURE VERIFICATION.....	14
PRESENTATION MANAGER OR INTELLIGENT TERMINAL.....	14
TRANSACTION STATISTICS .....	15
QUEUEING MECHANISM .....	15
<b>CLAUSE 3 RELATED ITEMS</b> .....	<b>16</b>
TRANSACTION SYSTEM PROPERTIES (ACID) .....	16
ATOMICITY .....	16
<i>Completed Transactions</i> .....	16
<i>Aborted Transactions</i> .....	16
CONSISTENCY.....	16
ISOLATION .....	16
DURABILITY .....	17
<i>Durable Media Failure</i> .....	17
<i>Instantaneous Interruption and Loss of Memory</i> .....	17
<b>CLAUSE 4 RELATED ITEMS</b> .....	<b>19</b>
INITIAL CARDINALITY OF TABLES .....	19
DATABASE LAYOUT .....	19
TYPE OF DATABASE.....	20
DATABASE MAPPING.....	20
60 DAY SPACE.....	20
<b>CLAUSE 5 RELATED ITEMS</b> .....	<b>21</b>
THROUGHPUT .....	21

KEYING AND THINK TIMES .....	21
RESPONSE TIME FREQUENCY DISTRIBUTION CURVES AND OTHER GRAPHS .....	22
STEADY STATE DETERMINATION .....	27
WORK PERFORMED DURING STEADY STATE .....	27
MEASUREMENT PERIOD DURATION .....	27
REGULATION OF TRANSACTION MIX .....	28
TRANSACTION STATISTICS .....	28
CHECKPOINT COUNT AND LOCATION .....	29
CHECKPOINT DURATION.....	29
<b>CLAUSE 6 RELATED ITEMS .....</b>	<b>30</b>
RTE DESCRIPTIONS .....	30
EMULATED COMPONENTS .....	30
FUNCTIONAL DIAGRAMS .....	30
NETWORKS .....	30
OPERATOR INTERVENTION .....	30
<b>CLAUSE 7 RELATED ITEMS .....</b>	<b>31</b>
SYSTEM PRICING .....	31
AVAILABILITY, THROUGHPUT, AND PRICE PERFORMANCE .....	31
COUNTRY SPECIFIC PRICING.....	31
USAGE PRICING .....	31
<b>CLAUSE 9 RELATED ITEMS .....</b>	<b>32</b>
AUDITOR'S REPORT .....	32
AVAILABILITY OF THE FULL DISCLOSURE REPORT.....	32

# Preface

---

The TPC Benchmark C was developed by the Transaction Processing Performance Council (TPC). The TPC was founded to define transaction processing benchmarks and to disseminate objective, verifiable performance data to the industry. This full disclosure report is based on the TPC Benchmark C Standard Specifications Version 5.1, released December, 2002.

## TPC Benchmark C Overview

The TPC describes this benchmark in Clause 0.1 of the specifications as follows:

TPC Benchmark™ C (TPC-C) is an OLTP workload. It is a mixture of read-only and update intensive transactions that simulate the activities found in complex OLTP application environments. It does so by exercising a breadth of system components associated with such environments, which are characterized by:

- The simultaneous execution of multiple transaction types that span a breadth of complexity
- On-line and deferred transaction execution modes
- Multiple on-line terminal sessions
- Moderate system and application execution time
- Significant disk input/output
- Transaction integrity (ACID properties)
- Non-uniform distribution of data access through primary and secondary keys
- Databases consisting of many tables with a wide variety of sizes, attributes, and relationships
- Contention on data access and update

The performance metric reported by TPC-C is a "business throughput" measuring the number of orders processed per minute. Multiple transactions are used to simulate the business activity of processing an order, and each transaction is subject to a response time constraint. The performance metric for this benchmark is expressed in transactions-per-minute-C (tpmC). To be compliant with the TPC-C standard, all references to tpmC results must include the tpmC rate, the associated price-per-tpmC, and the availability date of the priced configuration.

Although these specifications express implementation in terms of a relational data model with conventional locking scheme, the database may be implemented using any commercially available database management system (DBMS), database server, file system, or other data repository that provides a functionally equivalent implementation. The terms "table", "row", and "column" are used in this document only as examples of logical data structures.

TPC-C uses terminology and metrics that are similar to other benchmarks, originated by the TPC or others. Such similarity in terminology does not in any way imply that TPC-C results are comparable to other benchmarks. The only benchmark results comparable to TPC-C are other TPC-C results conformant with the same revision.

Despite the fact that this benchmark offers a rich environment that emulates many OLTP applications, this benchmark does not reflect the entire range of OLTP requirements. In addition, the extent to which a customer can achieve the results reported by a vendor is highly dependent on how closely TPC-C approximates the customer application. The relative performance of systems derived from this benchmark does not necessarily hold for other workloads or environments. Extrapolations to any other environment are not recommended.

Benchmark results are highly dependent upon workload, specific application requirements, and systems design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC-C should not be used as a substitute for a specific customer application benchmarking when critical capacity planning and/or product evaluation decisions are contemplated.

# *Abstract*

---

## **Overview**

This report documents the methodology and results of the TPC Benchmark C test conducted on the HP ProLiant ML370-G3. The operating system used for the benchmark was Windows Server 2003. The DBMS used was Microsoft SQL Server 2000 Standard Edition.

## **TPC Benchmark C Metrics**

The standard TPC Benchmark C metrics, tpmC (transactions per minute), price per tpmC (three year capital cost per measured tpmC), and the availability date are reported as:

19,140.72 tpmC

\$2.33 per tpmC

The availability date is May 29, 2003.

## **Standard and Executive Summary Statements**

The following pages contain executive summary of results for this benchmark.


## **Auditor**

The benchmark configuration, environment and methodology were audited by Lorna Livingtree of Performance Metrics, Inc. to verify compliance with the relevant TPC specifications.

Hewlett-Packard Company	ProLiant ML370-G3-1P	TPC-C Rev. 5.1
	C/S with 1 ProLiant DL360R	Report Date: May 29, 2003

Total System Cost	TPC-C Throughput	Price/Performance	Availability Date
<b>\$44,548</b>	<b>19140.72</b>	<b>\$2.33</b>	<b>May 29, 2003</b>

Processors	Database Manager	Operating System	Other Software	Number of Users
1 Intel Xeon processor 3.06 GHz – Server 2 Pentium III 1.4 GHz – Clients	Microsoft SQL Server 2000 SP3	Windows Server 2003	Microsoft Visual C++ Microsoft COM+	<b>15500</b>



	Server		Each Client	
System Components	Quantity	Description	Quantity	Description
Processor	1	3.06 GHz Intel Xeon w/ 512MB Cache	2	1.4GHz Pentium III w/ 512K cache
Memory	4	512 MB DDR	2	512MB
Disk Controllers	1	HP SMART 5302 Array Controller	1	Integrated SMART 5i Array Controller
	1	HP SMART 641 Array Controller		
	1	HP SMART 642 Array Controller		
Disk Drives	42	18.2 GB SCSI Drive 15k	1	18.2 GB SCSI Drive
	4	36.4 GB SCSI Drive 10k		
	1	18.2 GB SCSI Drive 10k		
Total Storage		596 GB		18.2 GB
Tape Drives	1	12/24 GB DAT		

Hewlett-Packard		HP ProLiant ML370-G3 1P			TPC-C Rev. 5.1		
Company		Client/Server			Report Date:		29-May-03
Description	Part Number	Third Party	Unit Price	Qty	Extended Price	3 yr. Maint. Price	
<b>Server Hardware</b>		<b>Brand Pricing</b>					
ProLiant ML370G3T 1GB 1P 3.0GHz, Integrated Gigabit NIC	310590-001	1	2,549	1	2,549		
512MB x 1 PC2100 DDR	287496-B21	1	275	2	550		
StorageWorks Enclosure Model 4314T- Tower	190210-001	1	3,182	3	9,546		
2x1 Drive Cage with fan (ML530 G2)	244058-B21	1	370	1	370		
Smart Array 5302/128 Controller	283552-B21	1	1,299	1	1,299		
Smart Array 642 Controller	291967-B21	1	699	1	699		
Smart Array 641 Controller	291966-B21	1	549	1	549		
S5500 15 carbon / silver monitor	261602-001	1	129	1	129		
3-Button Mouse-Carbon	231946-B21	1	5	1	5		
PS/2 Easy Access Internet Keyboard	265977-001	1	12	1	12		
TR5 10/20-Gigabyte Tape Drive - Carbon	294243-B22	1	299	1	299		
Pro UPS 500 (500VA/300 Watts; 110-127 VAC, 60Hz)	136386-001	1	146	1	146		
18.2GB 15Krpm U320 UNI HDD	286775-B22	1	299	42	12,558		
18.2GB 15Krpm U320 UNI HDD (10% spares)	286775-B23	1	299	5			1,495
36.4GB 10Krpm U320 UNI HDD	286713-B22	1	339	1	339		
36.4GB 10Krpm U320 UNI HDD	286713-B22	1	339	4	1,356		
HP CP 3Y 4H 24x7 HW 300 Srs 4-Hour 24 Hour x 7 Day Coverage 3 Yee	162657-002	1	949	1			949
FM-4E724-36 3YR 24X7/4HR EMPTY DISK ENCL	171242-002	1	157	3			471
<b>Subtotal</b>					<b>30,406</b>		<b>2,915</b>
<b>Server Software</b>							
Database Server Support Package	PRO-PRORS-16 Microsoft	2	1,950	3			5,850
SQL Server 2000 Standard Edition 32-bit	228-01079 Microsoft	2	4,999	1	4,999		Incl Above
Visual C++ Standard	254-00170 Microsoft	2	109	1	109		Incl Above
Windows Server 2003 32-bit	Microsoft	2	738	1	738		Incl Above
<b>Subtotal</b>					<b>5,846</b>		<b>5,850</b>
<b>Client Hardware</b>							
ProLiant DL360R02 P1.4/133-512K 256MB	233271-001	1	1,759	1	1,759		
Two integrated Gigabit NIC, Integrated Smart Array Controller							
1.40GHz PIII Processor Option Kit (DL360 G2)	233273-B21	1	717	-1	717		
1GB 133MHz SDRAM DIMM Memory (2x512MB)	201694-B21	1	600	1	600		
36.4GB 10Krpm U320 UNI HDD	286713-B22	1	339	1	339		
FM-EL724-36 3YR 24X7 4HR ENTRY 300 SVR	162675-002	1	599	1			599
<b>Subtotal</b>					<b>3,415</b>		<b>599</b>
<b>Client Software</b>							
Windows 2000 Server 32-bit	C11-00821 Microsoft	2	738	1	738		Incl. Above
<b>Subtotal</b>					<b>738</b>		<b>0</b>
<b>User Connectivity</b>							
15 ft. CAT5e Patch cable	CBLC515	LanAdapters	3	2	3	6	
<b>Subtotal</b>					<b>6</b>		<b>0</b>
Large Purchase and Net 30 discount (See Note 1)		14.0%	1				
<b>Total</b>					<b>\$35,676</b>		<b>\$8,872</b>
Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark pricing specifications. If you find that the stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org. Thank you.				<b>Three-Year Cost of Ownership: \$44,548</b>			
				<b>tpmC Rating: 19140.72</b>			
				<b>\$ / tpmC: \$2.33</b>			
Pricing: 1=HP 2= Microsoft 3=LanAdapters.com							
Note 1 = Discount based on HP Direct guidance with large purchase and Net 30 discount.							
Note: The benchmark results and test methodology were audited by Lorna Livingtree of Performance Metrics, Inc.							



## Numerical Quantities Summary

**MQTH, Computed Maximum Qualified Throughput**

**19,140.72 tpmC**

<b>Response Times (in seconds)</b>	<b>Average</b>	<b>90%</b>	<b>Maximum</b>
New-Order	0.70	1.06	6.59
Payment	0.44	0.75	5.52
Order-Status	0.56	0.89	5.95
Delivery (interactive portion)	0.10	0.11	0.14
Delivery (deferred portion)	1.08	1.55	3.42
Stock-Level	3.90	4.95	9.67
Menu	0.10	0.11	0.33

### **Transaction Mix, in percent of total transaction**

New-Order	44.94%
Payment	43.03%
Order-Status	4.00%
Delivery	4.01%
Stock-Level	4.01%

<b>Emulation Delay (in seconds)</b>	<b>Resp.Time</b>	<b>Menu</b>
New-Order	0.10	0.10
Payment	0.10	0.10
Order-Status	0.10	0.10
Delivery (interactive)	0.10	0.10
Stock-Level	0.10	0.10

<b>Keying/Think Times (in seconds)</b>	<b>Min.</b>	<b>Average</b>	<b>Max.</b>
New-Order	18.00/0.00	18.02/12.05	18.04/120.51
Payment	3.00/0.00	3.02/12.04	3.04/120.50
Order-Status	2.00/0.00	2.02/10.05	2.04/100.51
Delivery (interactive)	2.00/0.00	2.02/5.06	2.03/50.50
Stock-Level	2.00/0.00	2.02/5.05	2.04/50.50

### **Test Duration**

Ramp-up time	20 minutes
Measurement interval	120 minutes
Transactions (all types) completed during measurement interval	5,088,414
Ramp down time	5 minutes

### **Checkpointing**

Number of checkpoints	4
Checkpoint interval	30 minutes

# General Items

---

## Test Sponsor

*A statement identifying the benchmark sponsor(s) and other participating companies must be provided.*

This benchmark was sponsored by Hewlett-Packard Company. The benchmark was developed and engineered by Hewlett-Packard Company. Testing took place at HP benchmarking laboratories in Houston, Texas.

## Application Code and Definition Statements

*The application program (as defined in clause 2.1.7) must be disclosed. This includes, but is not limited to, the code implementing the five transactions and the terminal input output functions.*

Appendix A contains all source code implemented in this benchmark.

## Parameter Settings

*Settings must be provided for all customer-tunable parameters and options which have been changed from the defaults found in actual products, including by not limited to:*

- *Database options*
- *Recover/commit options*
- *Consistency locking options*
- *Operating system and application configuration parameters*

*This requirement can be satisfied by providing a full list of all parameters.*


Appendix C contains the tunable parameters to for the database, the operating system, and the transaction monitor.

## Configuration Items


*Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences.*

The configuration diagram for both the tested and priced systems are the same and included on the following page.

**Figure 1a. Benchmarked Configuration**



**Figure 1b. Priced Configuration**



# Clause 1 Related Items

---

## Table Definitions

Listing must be provided for all table definition statements and all other statements used to set up the database.

Appendix B contains the code used to define and load the database tables.

## Physical Organization of Database

The physical organization of tables and indices within the database must be disclosed.

The tested configuration consisted of: 42 drives at 18.2GB for data, 4 drives at 36.4GB for log and one 18.2GB drive for the operating system.

### Benchmarked Configuration:

#### SMART 5i Integrated Controller,

LOGICAL DRIVE C: Total Capacity = 16.95 GB  
Microsoft Windows Server 2003

#### SMART-642 Controller, Slot 1, Logical Volume 1

LOGICAL DRIVE E: Total Capacity = 67.83 GB RAID 0+1  
MSSQL\_tpcc\_log

#### SMART-5302 Controller, Slot 3, Logical Volume 1

LOGICAL DRIVE F: Total Capacity = 31.25GB RAID 0  
MSSQL\_cs1

#### SMART-5302 Controller, Slot 3, Logical Volume 2

LOGICAL DRIVE I: Total Capacity = 15.13 GB RAID 0  
MSSQL\_misc1

#### SMART-5302 Controller, Slot 3, Logical Volume 4

LOGICAL DRIVE G: Total Capacity = 31.25GB RAID 0  
MSSQL\_cs2

#### SMART-5302 Controller, Slot 3, Logical Volume 5

LOGICAL DRIVE J: Total Capacity = 15.13 GB RAID 0  
MSSQL\_misc21

#### SMART-642 Controller, Slot 5, Logical Volume 1

LOGICAL DRIVE H: Total Capacity = 31.25GB RAID 0  
MSSQL\_cs3

#### SMART-642 Controller, Slot 5, Logical Volume 2

LOGICAL DRIVE K: Total Capacity = 15.13 GB RAID 0  
MSSQL\_misc3

SMART-642 Controller, Slot 5, Logical Volume 3

LOGICAL DRIVE Z:

Total Capacity = 115 GB

RAID 5

Tpcback1

### **Priced Configuration vs. Measured Configuration:**

The measured and priced configuration differ in that the measured configuration used disk drives for the Backup device. The priced configuration used 4314T drive enclosures instead of 4314R drive enclosures, and used a DAT drive for backup.

### **Insert and Delete Operations**

*It must be ascertained that insert and/or delete operations to any of the tables can occur concurrently with the TPC-C transaction mix. Furthermore, any restrictions in the SUT database implementation that precludes inserts beyond the limits defined in Clause 1.4.11 must be disclosed. This includes the maximum number of rows that can be inserted and the minimum key value for these new rows.*

All insert and delete functions were fully operational during the entire benchmark.

### **Partitioning**

*While there are a few restrictions placed upon horizontal or vertical partitioning of tables and rows in the TPC-C benchmark, any such partitioning must be disclosed.*

No partitioning was used in this benchmark.

### **Replication, Duplication or Additions**

*Replication of tables, if used, must be disclosed. Additional and/or duplicated attributes in any table must be disclosed along with a statement on the impact on performance.*

No replications, duplications or additional attributes were used in this benchmark.

# Clause 2 Related Items

---

## **Random Number Generation**

*The method of verification for the random number generation must be described.*

In the Benchcraft RTE from Microsoft, each driver engine uses an independent random number sequence. All of the users within a given driver draw from the same sequence.

The Benchcraft RTE computes random integers as described in "Random Numbers Generators: Good Ones Are Hard to Find." Communications of the ACM - October 1988 Volume 31 Number 10.

The seeds for each user were captured and verified by the auditor to be unique. In addition, the contents of the database were systematically searched, and randomly sampled by the auditor for patterns that would indicate the random number generator had affected any kind of a discernible pattern; none were found.

## **Input/Output Screen Layout**

*The actual layout of the terminal input/output screens must be disclosed.*

All screen layouts followed the specifications exactly.

## **Priced Terminal Feature Verification**

*The method used to verify that the emulated terminals provide all the features described in Clause 2.2.2.4 must be explained. Although not specifically priced, the type and model of the terminals used for the demonstration in 8.1.3.3 must be disclosed and commercially available (including supporting software and maintenance).*

The terminal attributes were verified by the auditor. The auditor manually exercised each specification on a representative HP ProLiant web server.

## **Presentation Manager or Intelligent Terminal**

*Any usage of presentation managers or intelligent terminals must be explained.*

Application code running on the client machines implemented the TPC-C user interface. No presentation manager software or intelligent terminal features were used. The source code for the forms applications is listed in Appendix A.

## Transaction Statistics

Table 2.1 lists the numerical quantities that Clauses 8.1.3.5 to 8.1.3.11 require.

**Table 2.1 Transaction Statistics**

Statistic		Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse payments	85.00%
	Remote warehouse payments	15.00%
	Accessed by last name	60.01%
Order Status	Accessed by last name	60.09%
Transaction Mix	New Order	44.95%
	Payment	43.02%
	Order status	4.00%
	Delivery	4.01%
	Stock level	4.01%

## Queuing Mechanism

*The queuing mechanism used to defer the execution of the Delivery transaction must be disclosed.*

Microsoft COM+ on each client machine served as the queuing mechanism to the database. Each delivery request was submitted to Microsoft COM+ asynchronously with control being returned to the client process immediately and the deferred delivery part completing asynchronously.

The source code is listed in Appendix A.

# Clause 3 Related Items

---

## Transaction System Properties (ACID)

*The results of the ACID tests must be disclosed along with a description of how the ACID requirements were met. This includes disclosing which case was followed for the execution of Isolation Test 7.*

All ACID property tests were successful. The executions are described below.

### Atomicity

*The system under test must guarantee that the database transactions are atomic; the system will either perform all individual operations on the data or will assure that no partially completed operations leave any effects on the data.*

#### Completed Transactions

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was committed and the rows were verified to contain correctly updated balances.

#### Aborted Transactions

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was rolled back and the rows were verified to contain the original balances.

### Consistency

*Consistency is the property of the application that requires any execution of a database transaction to take the database from one consistent state to another, assuming that the database is initially in a consistent state.*

Consistency conditions one through four were tested using a script to issue queries to the database. The results of the queries verified that the database was consistent for all four tests.

A run was executed under full load lasting over two hours and included a checkpoint.

The script was executed again. The result of the same queries verified that the database remained consistent after the run.

### Isolation

*Sufficient conditions must be enabled at either the system or application level to ensure the required isolation defined above (clause 3.4.1) is obtained.*

Isolation tests one through nine were executed using shell scripts to issue queries to the database. Each script included timestamps to demonstrate the concurrency of operations. The results of the queries were captured to files. The captured files were verified by the auditor to demonstrate the required isolation had been met.

In addition, the phantom tests and the stock level tests were executed and verified.

For Isolation test seven, case A was followed.



## Durability

*The tested system must guarantee durability: the ability to preserve the effects of committed transaction and insure database consistency after recovery from any one of the failures listed in Clause 3.5.3.*

### Durable Media Failure

#### Loss of Data and Log

To demonstrate recovery from a permanent failure of durable medium containing DBMS logs and TPC-C tables, the following steps were executed:

- The full database was started, but only 160 of the warehouses were accessed for this test.
- The total number of New Orders was determined by the sum of D\_NEXT\_O\_ID of all rows in the DISTRICT table giving the beginning count.
- The RTE was started with 1600 users.
- The test was allowed to run for a minimum of 10 minutes.
- One log disk was removed from the server.
- Since the disk was mirrored, processing was not interrupted. This was verified by checking the users status on the RTE.
- One of the data disks was removed from a drive cabinet.
- When Microsoft SQL Server recorded errors about not being able to access the database, the RTE was shut down.
- A dump of the transaction log was taken and the Microsoft SQL Server was shutdown.
- A new log disk was inserted into the server. A new data disk was inserted into the data drive cabinet. After the RAID recovery process finished, the system was rebooted and Microsoft SQL Server was started.
- The database was restored from backup and the transaction log dump was applied.
- Consistency condition #3 was executed and verified.
- Step 2 was repeated and the difference between the first and second counts was noted.
- An RTE report was generated for the entire run time giving the number of NEW-ORDERS successfully returned to the RTE.
- The counts in step 13 and 14 were compared and the results verified that all committed transactions had been successfully recovered.
- Samples were taken from the RTE files and used to query the database to demonstrate successful transactions had corresponding rows in the ORDER table.

### Instantaneous Interruption and Loss of Memory

Because loss of power erases the contents of memory, the instantaneous interruption and the loss of memory tests were combined into a single test. This test was executed on a fully scaled database of 1550 warehouses under a full load of 15500 users. The following steps were executed:

- The total number of New Orders was determined by the sum of D\_NEXT\_O\_ID of all rows in the DISTRICT table giving the beginning count.
- The RTE was started with 15500 users.
- The test was allowed to run for a minimum of 10 minutes.
- System crash and loss of memory was induced by removing the power cord. No battery backup or Uninterruptible Power Supply (UPS) were used to preserve the contents of memory.
- The RTE was shutdown.
- Power was restored and the system restarted.
- Microsoft SQL Server was restarted and performed an automatic recovery.
- Consistency condition #3 was executed and verified.
- Step 1 was repeated and the difference between the first and second counts was noted.
- An RTE report was generated for the entire run time giving the number of NEW-ORDERS successfully returned to the RTE.

- The counts in step 10 and 11 were compared and the results verified that all committed transactions had been successfully recovered.
- Samples were taken from the RTE files and used to query the database to demonstrate successful transactions had corresponding rows in the ORDER table.

# Clause 4 Related Items

---

## Initial Cardinality of Tables

The cardinality (e.g. number of rows) of each table, as it existed at the start of the benchmark run, must be disclosed. If the database was over-scaled and inactive rows of the WAREHOUSE table were deleted, the cardinality of the WAREHOUSE table as initially configured and the number of rows deleted must be disclosed.

**Table 4.1 Number of Rows for Server**

Table	Cardinality as built
Warehouse	1,580
District	15,800
Customer	48,300,000
History	48,300,000
Orders	48,300,000
New Order	14,490,000
Order Line	482,994,468
Stock	161,000,000
Item	100,000
Deleted Warehouses	30

## Database Layout

The distribution of tables and logs across all media must be explicitly depicted for tested and priced systems.

The benchmarked configuration used 1 SMART-5302 Array controllers with 2 SCSI channels, SMART-642 Array controller with 1 internal and 1 SMART-642 Array controller with 1 internal and 1 external SCSI channel. Each controller is capable of accessing up to 14 disk drives per channel, and supports RAID 0, RAID 0+1, and RAID 5 per each logical volume configured. The data tables were stored on 3 RAID arrays of (14) 18.2GB 15K drives each. Each array was configured as RAID 0 and housed logical drives for database data. The SMART-5302 Array controllers also housed a RAID 0+1 volume used for backup of the database. The SMART-642 Array controller was connected to one external array consisting of (14) 18.2GB 15K drives. The SMART-641 Array controller was connected to one internal array consisting of (4) 36.4GB 10K drives, and housed a RAID 0+1 logical volume for the database log. The operating system was housed internally on the integrated Smart-5i controller as one 18.2 GB 15K drive. The controller for the transaction log had the cache disabled. All RAID volumes used hardware RAID.

Section 1.2 of this report details the distribution of database tables across all disks. The code that creates the filegroups and tables is included in Appendix B.

## Type of Database

A statement must be provided that describes:

- The data model implemented by DBMS used (e.g. relational, network, hierarchical).
- The database interface (e.g. embedded, call level) and access language (e.g. SQL, DL/I, COBOL read/write used to implement the TPC-C transaction. If more than one interface/access language is used to implement TPC-C, each interface/access language must be described and a list of which interface/access language is used with which transaction type must be disclosed.

Microsoft SQL Server 2000 is a relational DBMS.

The interface used was Microsoft SQL Server stored procedures accessed with Remote Procedure Calls embedded in C code.

## Database Mapping

The mapping of database partitions/replications must be explicitly described.

The database was not replicated.

## 60 Day Space

Details of the 60-day space computations along with proof that the database is configured to sustain 8 hours of growth for the dynamic tables (Order, Order-Line, and History) must be disclosed.

To calculate the space required to sustain the database log for 8 hours of growth at steady state, the following steps were followed:

- The free space on the log file was queried using *dbcc sqlperf(logspace)*.
- Transactions were run against the database with a full load of users.
- The free space was again queried using *dbcc sqlperf(logspace)*.
- The space used was calculated as the difference between the first and second query.
- The number of NEW-ORDERS was verified from the difference in the sum(d\_next\_o\_id) taken from before and after the run.
- The space used was divided by the number of NEW-ORDERS giving a space used per NEW-ORDER transaction.
- The space used per transaction was multiplied by the measured tpmC rate times 480 minutes.

The same methodology was used to compute growth requirements for dynamic tables Order, Order-Line and History.

The details of both the 8-hour transaction log space requirement and the 60-day space requirement is shown in Appendix D.

# Clause 5 Related Items

---

## Throughput

*Measured tpmC must be reported*

Measured tpmC            19,140.72 tpmC  
Price per tpmC            \$2.33 per tpmC

## Response Times

*Ninetieth percentile, maximum and average response times must be reported for all transaction types as well as for the menu response time.*

**Table 5.2: Response Times**

Type	Average	90 <sup>th</sup> %	Maximum
New-Order	0.70	1.05	6.59
Payment	0.43	0.74	5.52
Order-Status	0.55	0.88	5.95
Interactive Delivery	0.10	0.11	0.14
Deferred Delivery	1.07	1.55	3.42
Stock-Level	3.89	4.93	9.67
Menu	0.10	0.11	0.33

## Keying and Think Times

*The minimum, the average, and the maximum keying and think times must be reported for each transaction type.*

**Table 5.3: Keying Times**

Type	Minimum	Average	Maximum
New-Order	18.00	18.02	18.04
Payment	3.00	3.02	3.04
Order-Status	2.00	2.02	2.04
Interactive Delivery	2.00	2.02	2.04
Stock-Level	2.00	2.02	2.03

**Table 5.4: Think Times**

Type	Minimum	Average	Maximum
New-Order	0.00	12.05	120.51
Payment	0.00	12.04	120.50
Order-Status	0.00	10.05	100.51
Interactive Delivery	0.00	5.06	50.50
Stock-Level	0.00	5.05	50.50

### **Response Time Frequency Distribution Curves and Other Graphs**

*Response Time frequency distribution curves (see Clause 5.6.1) must be reported for each transaction type.*


*The performance curve for response times versus throughput (see Clause 5.6.2) must be reported for the New-Order transaction.*

*Think Time frequency distribution curves (see Clause 5.6.3) must be reported for each transaction type.*


*Keying Time frequency distribution curves (see Clause 5.6.4) must be reported for each transaction type.*

*A graph of throughput versus elapsed time (see Clause 5.6.5) must be reported for the New-Order transaction.*


**Figure 2. New Order Response Time Distribution**




**Figure 3. Payment Response Time Distribution**



**Figure 4. Order Status Response Time Distribution**




**Figure 5. Delivery Response Time Distribution**







**Figure 6. Stock Level Response Time Distribution**




**Figure 7. Response Time vs. Throughput**



**Figure 8. New Order Think Time Distribution**



**Figure 9. Throughput vs. Time Distribution**



## Steady State Determination

*The method used to determine that the SUT had reached a steady state prior to commencing the measurement interval must be disclosed.*

Steady state was determined using real time monitor utilities from the RTE. Steady state was further confirmed by the throughput data collected during the run and graphed in Figure 10.

## Work Performed During Steady State

*A description of how the work normally performed during a sustained test (for example checkpointing, writing redo/undo log records, etc.), actually occurred during the measurement interval must be reported.*

The RTE generated the required input data to choose a transaction from the menu. This data was timestamped. The input screen for the requested transaction was returned and timestamped. The difference between these two timestamps was the menu response time. The RTE writes to the log file once per transaction on selective fields such as order id. There is one log file per driver engine.

The RTE generated the required input data for the chosen transaction. It waited to complete the minimum required key time before transmitting the input screen. The transmission was timestamped. The return of the screen with the required response data was timestamped. The difference between these two timestamps was the response time for that transaction.

The RTE then waited the required think time interval before repeating the process starting at selecting a transaction from the menu.

The RTE transmissions were sent to application processes running on the client machines through Ethernet LANs. These client application processes handled all screen I/O as well as all requests to the database on the server. The applications communicated with the database server over Ethernet LANs using ODBC and RPC calls.

To perform checkpoints at specific intervals, the SQL Server *recovery interval* was set to 60 and a script was written to schedule multiple checkpoints at specific intervals. The script included a wait time between each checkpoint equal to 30 minutes so that the checkpoint interval was an integral multiple of the measurement interval, which was 120 minutes. The checkpoint script was started manually after the RTE had all users logged in and the database had achieved steady state.

At each checkpoint, Microsoft SQL Server wrote to disk all memory pages that had been updated but not yet physically written to disk. The positioning of the measurement interval is depicted on the graph in Figure 10.

## Measurement Period Duration

*A statement of the duration of the measurement interval for the reported Maximum Qualified Throughput (tpmC) must be included.*

The reported measured interval was exactly 120 minutes long.

## Regulation of Transaction Mix

*The method of regulation of the transaction mix (e.g., card decks or weighted random distribution) must be described. If weighted distribution is used and the RTE adjusts the weights associated with each transaction type, the maximum adjustments to the weight from the initial value must be disclosed.*

The RTE was given a weighted random distribution, which was not adjusted during the run.

## Transaction Statistics

*The percentage of the total mix for each transaction type must be disclosed. The percentage of New-Order transactions rolled back as a result of invalid item number must be disclosed. The average number of order-lines entered per New-Order transaction must be disclosed. The percentage of remote order lines per New-Order transaction must be disclosed. The percentage of remote Payment transactions must be disclosed. The percentage of customer selections by customer last name in the Payment and Order-Status transactions must be disclosed. The percentage of Delivery transactions skipped due to there being fewer than necessary orders in the New-Order table must be disclosed.*

**Table 5.5: Transaction Statistics**

Statistic		Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse payments	85.00%
	Remote warehouse payments	15.00%
	Accessed by last name	60.00%
Delivery	Skipped transactions (interactive)	0
	Skipped transactions (deferred)	0
Order Status	Accessed by last name	60.04%
Transaction Mix	New Order	44.94%
	Payment	43.03%
	Order status	4.00%
	Delivery	4.01%
	Stock level	4.01%

## Checkpoint Count and Location

*The number of checkpoints in the Measurement Interval, the time in seconds from the start of the Measurement Interval to the first checkpoint, and the Checkpoint Interval must be disclosed.*

The initial checkpoint was started 17 minutes after the start of the ramp-up. Subsequent checkpoints occurred every 30 minutes. Each checkpoint in the measurement interval lasted approximately 10 minutes. The measurement interval contains four checkpoints.

## Checkpoint Duration

*The start time and duration in seconds of at least the four longest checkpoints during the Measurement Interval must be disclosed.*

Checkpoint Start Time	Duration
6:07:09p.m.	12 minutes, 35 seconds
6:37:06p.m.	14 minutes, 23 seconds
7:07:05p.m.	15 minutes, 7 seconds
7:37:03p.m.	15 minutes, 35 seconds

# Clause 6 Related Items

---

## RTE Descriptions

*If the RTE is commercially available, then its inputs must be specified. Otherwise, a description must be supplied of what inputs (e.g., scripts) to the RTE had been used.*

The RTE used was Microsoft Benchcraft RTE. Benchcraft is a proprietary tool provided by Microsoft and is not commercially available. The RTE's input is listed in Appendix A.

## Emulated Components

*It must be demonstrated that the functionality and performance of the components being emulated in the Driver System are equivalent to the priced system. The results of the test described in Clause 6.6.3.4 must be disclosed.*

The driver system consisted of 1 HP ProLiant server. This driver machine emulated the users web browsers.

## Functional Diagrams

*A complete functional diagram of both the benchmark configuration and the configuration of the proposed (target) system must be disclosed. A detailed list of all hardware and software functionality being performed on the Driver System and its interface to the SUT must be disclosed.*

The driver system performed the data generation and input functions of the priced display device. It also captured the input and output data and timestamps for post-processing of the reported metrics. No other functionality was included on the driver system.

Section 1.4 of this report contains detailed diagrams of both the benchmark configuration and the priced configuration.

## Networks

*The network configuration of both the tested services and proposed (target) services that are being represented and a thorough explanation of exactly which parts of the proposed configuration are being replaced with the Driver System must be disclosed.*

*The bandwidth of the networks used in the tested/priced configuration must be disclosed.*

In the tested configuration, 1 driver (RTE) machine was connected through a 10/100/1000 switch to the client machine at 1000Mbps, thus providing the path from the RTE to the client. The server (SUT) was connected to the client through a CAT5e Ethernet cable on a separate 1000Mbps LAN.

The priced configuration was connected in the same manner as the tested configuration.

## Operator Intervention

*If the configuration requires operator intervention (see Clause 6.6.6), the mechanism and the frequency of this intervention must be disclosed.*

This configuration does not require any operator intervention to sustain eight hours of the reported throughput.

# Clause 7 Related Items

---

## System Pricing

A detailed list of hardware and software used in the priced system must be reported. Each separately orderable item must have vendor part number, description, and release/revision level, and either general availability status or committed delivery data. If package-pricing is used, vendor part number of the package and a description uniquely identifying each of the components of the package must be disclosed. Pricing source and effective date(s) of price(s) must also be reported.

The total 3 year price of the entire configuration must be reported, including: hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed.

The details of the hardware and software are reported in the front of this report as part of the executive summary. All third party quotations are included at the end of this report as Appendix E.

## Availability, Throughput, and Price Performance

The committed delivery date for general availability (availability date) of products used in the price calculation must be reported. When the priced system included products with different availability dates, the reported availability date for the priced system must be the date at which all components are committed to be available.

A statement of the measured tpmC as well as the respective calculations for the 3-year pricing, price/performance (price/tpmC), and the availability date must be included.

- |                                       |                        |
|---------------------------------------|------------------------|
| • <b>Maximum Qualified Throughput</b> | <b>19,140.72 tpmC</b>  |
| • <b>Price per tpmC</b>               | <b>\$2.33 per tpmC</b> |
| • <b>Availability</b>                 | <b>May 29, 2003</b>    |

Note\*\* All hardware except the SMART 642 controller is now available

## Country Specific Pricing

Additional Clause 7 related items may be included in the Full Disclosure Report for each country specific priced configuration. Country specific pricing is subject to Clause 7.1.7

This system is being priced for the United States of America.

## Usage Pricing

For any usage pricing, the sponsor must disclose:

- Usage level at which the component was priced.
- A statement of the company policy allowing such pricing.

The component pricing based on usage is shown below:

- 1 Microsoft Windows 2000 Server
- 1 Microsoft Windows Server 2003
- 1 Microsoft SQL Server 2000 (per processor)
- 1 Microsoft Visual C++
- HP Servers include 3 years of support.

# Clause 9 Related Items

---

## **Auditor's Report**

*The auditor's name, address, phone number, and a copy of the auditor's attestation letter indicating compliance must be included in the Full Disclosure Report.*

This implementation of the TPC Benchmark C was audited by Lorna Livingtree of Performance Metrics, Inc.

Performance Metrics, Inc.  
137 Yankton St., Suite 101  
Folsom, CA 95630  
(phone) (916) 985-1131  
(fax) (916) 985-1185  
e-mail: lorna@perfmetrics.com

## **Availability of the Full Disclosure Report**

*The Full Disclosure Report must be readily available to the public at a reasonable charge, similar to the charges for similar documents by the test sponsor. The report must be made available when results are made public. In order to use the phrase "TPC Benchmark™ C", the Full Disclosure Report must have been submitted to the TPC Administrator as well as written permission obtained to distribute same.*


Requests for this TPC Benchmark C Full Disclosure Report should be sent to:

Transaction Processing Performance Council  
c/o Shanley Public Relations  
777 North First Street, Suite 600  
San Jose, CA 95112-6311

or

Hewlett-Packard Company  
Database Performance Engineering  
P.O. Box 692000  
MS 150402  
Houston, TX 77269-2000





**PERFORMANCE METRICS INC.**  
**TPC Certified Auditors**

May 28, 2003

Mr. Paul Cao  
Hewlett-Packard Company  
20555 SH 249  
Houston, TX 77070

I have verified on by remote and in real time the TPC Benchmark™ C client/server for the following configuration:

Platform: ProLiant ML370G3  
Database Manager: Microsoft SQL Server 2000 Standard Edition  
Operating System: Microsoft Windows Server 2003 Standard Edition  
Transaction Monitor: Microsoft COM+

Servers: ProLiant ML370G3 with:				
CPU's	Memory	Disks (total)	90% Response	TpmC
1 Pentium Xeon @ 3.06 Ghz	Main: 2 GB Cache: 512 KB	42 @ 18GB 4 @ 36GB	1.06	19,140.72
1 Clients: DL360R each with:				
2 Pentium Xeon @ 1.4 Ghz	Main: 1 GB Cache: 512 KB	1 @ 18 GB	Na	Na

In my opinion, these performance results were produced in compliance with the TPC requirements for the benchmark. The following attributes of the benchmark were given special attention:

- The transactions were correctly implemented.
- The database files were properly sized and populated.
- The database was properly scaled with 1580 warehouses of which 1,550 were active during the performance run.
- The ACID properties were successfully demonstrated.

**PERFORMANCE METRICS INC.**  
**TPC Certified Auditors**

---

- The log loss and data loss durability test were demonstrated on a subset of the configured system using 160 warehouses.
- Input data was generated according to the specified percentages.
- Eight hours of mirrored log space was present on the tested system.
- Eight hours of growth space for the dynamic tables was present on the tested system.
- The data for the 60 day space calculation was verified.
- The controller cache was disabled on the log disk controllers.
- The steady state portion of the test was 120 minutes.
- One checkpoint was taken before the measured interval.
- Four checkpoints were taken during the measured interval.
- The system pricing was checked for major components and maintenance.
- Third party quotes were verified for compliance.

Auditor Notes: None.

Sincerely,



Lorna Livingtree  
Auditor

# Appendix A: Source Code

The client source code is listed below.

## Methods.h

```
/* FILE: METHODS.H
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 *
 * not yet
 * audited
 *
 * PURPOSE: Header file for COM components.
 *
 * Change history:
 * 4.20.000 - first version
 */

enum COMPONENT_ERROR
{
    ERR_MISSING_REGISTRY_ENTRIES = 1,
    ERR_LOADDLL_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_UNKNOWN_DB_PROTOCOL
};

class CCOMPONENT_ERR : public CBaseErr
{
public:
    CCOMPONENT_ERR(COMPONENT_ERROR
Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    };

    CCOMPONENT_ERR(COMPONENT_ERROR
Err, char *szTextDetail, DWORD dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new
char[strlen(szTextDetail)+1];
        strcpy( m_szTextDetail,
szTextDetail );
    };
};
```

```
        m_SystemErr =
dwSystemErr;
        m_szErrorText = NULL;
    };
};

~CCOMPONENT_ERR()
{
    if (m_szTextDetail !=
NULL)
        delete []
m_szTextDetail;
    if (m_szErrorText !=
NULL)
        delete []
m_szErrorText;
};

COMPONENT_ERROR m_Error;
char
*m_szTextDetail;
char
*m_szErrorText;
DWORD
m_SystemErr;

int ErrorType() {return
ERR_TYPE_COMPONENT;};
int ErrorNum() {return m_Error;};
char *ErrorText();

static void WriteMessageToEventLog(LPTSTR lpszMsg);

////////////////////////////////////
// CTPCC_Common
class CTPCC_Common :
public ITPCC,
public IObjectControl,
public IObjectConstruct,
public
CComObjectRootEx<CComSingleThreadModel>
{
public:
BEGIN_COM_MAP(CTPCC_Common)
    COM_INTERFACE_ENTRY(ITPCC)
    COM_INTERFACE_ENTRY(IObjectControl)
    COM_INTERFACE_ENTRY(IObjectConstruct)
END_COM_MAP()

    CTPCC_Common();
    ~CTPCC_Common();

// ITPCC
public:
    HRESULT __stdcall NewOrder(
VARIANT txn_in, VARIANT* txn_out);
    HRESULT __stdcall Payment(
VARIANT txn_in, VARIANT* txn_out);
};
```

```
    HRESULT __stdcall Delivery(
VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out);
    HRESULT __stdcall OrderStatus(
VARIANT txn_in, VARIANT* txn_out);
    HRESULT __stdcall CallSetComplete();

// IObjectControl
STDMETHODIMP_(BOOL) CanBePooled() { return
m_bCanBePooled; }
STDMETHODIMP Activate() { return S_OK; }
// we don't support COM Services
transactions (no enlistment)
STDMETHODIMP_(void) Deactivate() { /*
nothing to do */ }

// IObjectConstruct
STDMETHODIMP Construct(IDispatch * pUnk);

private:
    BOOL m_bCanBePooled;
    CTPCC_BASE *m_pTxn;

    struct COM_DATA
    {
        int retval;
        int error;
        union
        {
            NEW_ORDER_DATA
NewOrder;
            PAYMENT_DATA
Payment;
            DELIVERY_DATA
Delivery;
            STOCK_LEVEL_DATA
StockLevel;
            ORDER_STATUS_DATA
OrderStatus;
        } u;
    };

};

////////////////////////////////////
// CTPCC
class CTPCC :
public CTPCC_Common,
public CComCoClass<CTPCC, &CLSID_TPCC>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_TPCC)

BEGIN_COM_MAP(CTPCC)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()
};
```

```

};

////////////////////////////////////
////////////////////////////////////
// CNewOrder
class CNewOrder :
    public CTPCC_Common,
    public CComCoClass<CNewOrder,
&CLSID_NewOrder>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_NEWORDER)

BEGIN_COM_MAP(CNewOrder)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
// HRESULT __stdcall NewOrder(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    HRESULT __stdcall Payment(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
    HRESULT __stdcall OrderStatus(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

////////////////////////////////////
////////////////////////////////////
// COrderStatus
class COrderStatus :
    public CTPCC_Common,
    public CComCoClass<COrderStatus,
&CLSID_OrderStatus>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_ORDERSTATUS)

BEGIN_COM_MAP(COrderStatus)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
    HRESULT __stdcall NewOrder(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    HRESULT __stdcall Payment(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

```

```

    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
// HRESULT __stdcall OrderStatus(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

////////////////////////////////////
////////////////////////////////////
// CPayment
class CPayment :
    public CTPCC_Common,
    public CComCoClass<CPayment,
&CLSID_Payment>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_PAYMENT)

BEGIN_COM_MAP(CPayment)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
    HRESULT __stdcall NewOrder(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
// HRESULT __stdcall Payment(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
    HRESULT __stdcall OrderStatus(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

////////////////////////////////////
////////////////////////////////////
// CStockLevel
class CStockLevel :
    public CTPCC_Common,
    public CComCoClass<CStockLevel,
&CLSID_StockLevel>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_STOCKLEVEL)

BEGIN_COM_MAP(CStockLevel)
    COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
    HRESULT __stdcall NewOrder(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

```

```

    HRESULT __stdcall Payment(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
// HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
    HRESULT __stdcall OrderStatus(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

```

## ReadRegistry.c pp

```

/* FILE: READREGISTRY.CPP
* Microsoft
TPC-C Kit Ver. 4.20.000
* Copyright
Microsoft, 1999
* All Rights Reserved
*
* not yet
audited
*
* PURPOSE: Implementation for TPC-C Tuxedo
class.
* Contact: Charles Levine
(clevine@microsoft.com)
*
* Change history:
* 4.20.000 - first version
*/

/* FUNCTION: ReadTPCCRegistrySettings
*
* PURPOSE: This function reads the NT
registry for startup parameters. There parameters are
* under the TPCC key.
*
* RETURNS FALSE = no errors
* TRUE = error reading
registry
*/
BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg
)
{
    HKEY hKey;
    DWORD size;
    DWORD type;
    DWORD dwTmp;
    char szTmp[256];

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\\Microsoft\\TPCC", 0, KEY_READ, &hKey) !=
ERROR_SUCCESS )
        return TRUE;

    // determine database protocol to use; may
be either ODBC or DBLIB
    pReg->eDB_Protocol = Unspecified;

```

```

        size = sizeof(szTmp);
        if ( RegQueryValueEx(hKey, "DB_Protocol",
0, &type, (BYTE *)&szTmp, &size) == ERROR_SUCCESS )
        {
            if ( !strcmp(szTmp,
szDBNames[ODBC]) )
                pReg->eDB_Protocol =
ODBC;
            else if ( !strcmp(szTmp,
szDBNames[DBLIB]) )
                pReg->eDB_Protocol =
DBLIB;
        }

        pReg->eTxnMon = None;
        // determine txn monitor to use; may be
either TUXEDO, or blank
        size = sizeof(szTmp);
        if ( RegQueryValueEx(hKey, "TxnMonitor", 0,
&type, (BYTE *)&szTmp, &size) == ERROR_SUCCESS )
        {
            if ( !strcmp(szTmp,
szTxnMonNames[TUXEDO]) )
                pReg->eTxnMon = TUXEDO;
            else if ( !strcmp(szTmp,
szTxnMonNames[ENCINA]) )
                pReg->eTxnMon = ENCINA;
            else if ( !strcmp(szTmp,
szTxnMonNames[COM]) )
                pReg->eTxnMon = COM;
        }

        pReg->bCOM_SinglePool = FALSE;
        size = sizeof(szTmp);
        if ( RegQueryValueEx(hKey,
"COM_SinglePool", 0, &type, (BYTE *)&szTmp, &size) ==
ERROR_SUCCESS )
        {
            if ( !strcmp(szTmp, "YES") )
                pReg->bCOM_SinglePool =
TRUE;
        }

        pReg->dwMaxConnections = 0;
        size = sizeof(dwTmp);
        if ( ( RegQueryValueEx(hKey,
"MaxConnections", 0, &type, (LPBYTE)&dwTmp, &size) ==
ERROR_SUCCESS )
            && (type == REG_DWORD) )
            pReg->dwMaxConnections = dwTmp;

        pReg->dwMaxPendingDeliveries = 0;
        size = sizeof(dwTmp);
        if ( ( RegQueryValueEx(hKey,
"MaxPendingDeliveries", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )
            && (type == REG_DWORD) )
            pReg->dwMaxPendingDeliveries =
dwTmp;

        pReg->dwNumberOfDeliveryThreads = 0;
        size = sizeof(dwTmp);

```

```

        if ( ( RegQueryValueEx(hKey,
"NumberOfDeliveryThreads", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )
            && (type == REG_DWORD) )
            pReg->dwNumberOfDeliveryThreads =
dwTmp;

        size = sizeof( pReg->szPath );
        if ( RegQueryValueEx(hKey, "Path", 0,
&type, (BYTE *)&pReg->szPath, &size) != ERROR_SUCCESS )
            pReg->szPath[0] = 0;

        size = sizeof( pReg->szDbServer );
        if ( RegQueryValueEx(hKey, "DbServer", 0,
&type, (BYTE *)&pReg->szDbServer, &size) !=
ERROR_SUCCESS )
            pReg->szDbServer[0] = 0;

        size = sizeof( pReg->szDbName );
        if ( RegQueryValueEx(hKey, "DbName", 0,
&type, (BYTE *)&pReg->szDbName, &size) !=
ERROR_SUCCESS )
            pReg->szDbName[0] = 0;

        size = sizeof( pReg->szDbUser );
        if ( RegQueryValueEx(hKey, "DbUser", 0,
&type, (BYTE *)&pReg->szDbUser, &size) !=
ERROR_SUCCESS )
            pReg->szDbUser[0] = 0;

        size = sizeof( pReg->szDbPassword );
        if ( RegQueryValueEx(hKey, "DbPassword", 0,
&type, (BYTE *)&pReg->szDbPassword, &size) !=
ERROR_SUCCESS )
            pReg->szDbPassword[0] = 0;

        RegCloseKey(hKey);

        return FALSE;
    }

```

## ReadRegistry.h

```

/* FILE: ReadRegistry.h
* Microsoft
TPC-C Kit Ver. 4.20.000 Copyright
Microsoft, 1999
* All Rights Reserved
* not audited
* PURPOSE: Header for registry related code.
* Change history:
* 4.20.000 - first version
*/

enum DBPROTOCOL { Unspecified, ODBC, DBLIB };
const char *szDBNames[] = { "Unspecified", "ODBC",
"DBLIB" };

```

```

enum TXNMON { None, TUXEDO, ENCINA, COM };
const char *szTxnMonNames[] = { "NONE", "TUXEDO",
"ENCINA", "COM" };

```

```

//This structure defines the data necessary to keep
distinct for each terminal or client connection.
typedef struct _TPCCREGISTRYDATA
{

```

```

    enum DBPROTOCOL eDB_Protocol;
    enum TXNMON eTxnMon;
    BOOL bCOM_SinglePool;
    DWORD dwMaxConnections;
    DWORD dwMaxPendingDeliveries;
    DWORD dwNumberOfDeliveryThreads;
    char szPath[128];
    char szDbServer[32];
    char szDbName[32];
    char szDbUser[32];
    char szDbPassword[32];
} TPCCREGISTRYDATA, *PTPCCREGISTRYDATA;

```

```

BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg
);

```

## WEBCLNT.DSP

```

# Microsoft Developer Studio Project File -
Name="webclnt" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 5.00
# ** DO NOT EDIT **

```

```

# TARGETTYPE "Win32 (x86) Application" 0x0101

```

```

CFG=webclnt - Win32 Release
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "Webclnt.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "Webclnt.mak" CFG="webclnt - Win32
Release"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "webclnt - Win32 Release" (based on "Win32
(x86) Application")
!MESSAGE "webclnt - Win32 Debug" (based on "Win32
(x86) Application")
!MESSAGE

```

```

# Begin Project
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe

```

```

MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "webclnt - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir ".\Release"
# PROP BASE Intermediate_Dir ".\Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\Release"
# PROP Intermediate_Dir ".\Release"
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /c
# ADD CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG"
/D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /machine:I386

!ELSEIF "$(CFG)" == "webclnt - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir ".\Debug"
# PROP BASE Intermediate_Dir ".\Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\Debug"
# PROP Intermediate_Dir ".\Debug"
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /c
# ADD CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32" /D
"_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib

```

```

odbccp32.lib /nologo /subsystem:windows /debug
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /debug
/machine:I386

!ENDIF

# Begin Target

# Name "webclnt - Win32 Release"
# Name "webclnt - Win32 Debug"
# End Target
# End Project

```

## Webclnt.dsw

```

Microsoft Developer Studio Workspace File, Format
Version 6.00
# WARNING: DO NOT EDIT OR DELETE THIS WORKSPACE FILE!

#####

Project:
"db_dblib_dll"=".\\db_dblib_dll\\db_dblib_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}

Package=<4>
{{{
}}}

#####

Project: "db_odbc_dll"=".\\db_odbc_dll\\db_odbc_dll.dsp
- Package Owner=<4>

Package=<5>
{{{
}}

Package=<4>
{{{
}}}

#####

Project: "install"=".\\install\\install.dsp - Package
Owner=<4>

Package=<5>
{{{
}}}

```

```

Package=<4>
{{{
Begin Project Dependency
Project_Dep_Name isapi_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tuxapp
End Project Dependency
Begin Project Dependency
Project_Dep_Name db_dblib_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name db_odbc_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_com_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_tuxedo_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tpcc_com_all
End Project Dependency
Begin Project Dependency
Project_Dep_Name tpcc_com_ps
End Project Dependency
}}}

#####

Project: "isapi_dll"=".\\isapi_dll\\isapi_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
Begin Project Dependency
Project_Dep_Name db_dblib_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name db_odbc_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_tuxedo_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_com_dll
End Project Dependency
Begin Project Dependency
Project_Dep_Name tm_encina_dll
End Project Dependency
}}}

#####

Project: "tm_com_dll"=".\\tm_com_dll\\tm_com_dll.dsp -
Package Owner=<4>

```

```

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name tpcc_com_ps
  End Project Dependency
  Begin Project Dependency
  Project_Dep_Name tpcc_com_all
  End Project Dependency
}}}

#####
#####

Project:
"tm_encina_dll"=.\tm_encina_dll\tm_encina_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

Project:
"tm_tuxedo_dll"=.\tm_tuxedo_dll\tm_tuxedo_dll.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

Project:
"tpcc_com_all"=.\tpcc_com_all\tpcc_com_all.dsp -
Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name tpcc_com_ps
  End Project Dependency
}}}

```

```

#####
#####

Project: "tpcc_com_ps"=.\tpcc_com_ps\tpcc_com_ps.dsp
- Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

Project: "tuxapp"=.\tuxapp\tuxapp.dsp - Package
Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name db_dblib_dll
  End Project Dependency
  Begin Project Dependency
  Project_Dep_Name db_odbc_dll
  End Project Dependency
}}}

#####
#####

Global:

Package=<5>
{{{
}}}

Package=<3>
{{{
}}}

#####
#####

db_dblib_dll.ds
p
# Microsoft Developer Studio Project File -
Name="db_dblib_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

```

```

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=db_dblib_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "db_dblib_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "db_dblib_dll.mak"
CFG="db_dblib_dll - Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "db_dblib_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_dblib_dll - Win32 Debug" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_dblib_dll - Win32 IceCAP" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "db_dblib_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe

```

```

# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 ntdbllib.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib /nologo
/subsystem:windows /dll /machine:I386
/out:".bin\tpcc_dblib.dll"

!ELSEIF "$(CFG) == "db_dblib_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".bin"
# PROP Intermediate_Dir ".obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ntdbllib.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/out:".bin\tpcc_dblib.dll" /pdbtype:sept

!ELSEIF "$(CFG) == "db_dblib_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "db_dblib"
# PROP BASE Intermediate_Dir "db_dblib"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".bin"
# PROP Intermediate_Dir ".obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""

```

```

# ADD BASE CPP /nologo /MDd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /Gm /GX /Zi /O2 /D "WIN32"
/D "NDEBUG" /D "_WINDOWS" /D "ICECAP" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 ntdbllib.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_dblib.dll"
/pdbtype:sept
# ADD LINK32 icap.lib ntdbllib.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_dblib.dll"
/pdbtype:sept

!ENDIF

# Begin Target

# Name "db_dblib_dll - Win32 Release"
# Name "db_dblib_dll - Win32 Debug"
# Name "db_dblib_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp"
# Begin Source File

SOURCE=.\src\tpcc_dblib.cpp
# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=..\common\src\error.h
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_dblib.h
# End Source File
# Begin Source File

SOURCE=..\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=..\common\src\txn_base.h
# End Source File
# End Group
# End Target

```

```
# End Project
```

## db\_odbc\_dll.ds

### p

```

# Microsoft Developer Studio Project File -
Name="db_odbc_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=db_odbc_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "db_odbc_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "db_odbc_dll.mak" CFG="db_odbc_dll
- Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "db_odbc_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "db_odbc_dll - Win32 Debug" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE "db_odbc_dll - Win32 IceCAP" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG) == "db_odbc_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".bin"
# PROP Intermediate_Dir ".obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""

```



```

# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
/win32 "NUL"
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o /win32
"NUL"
# ADD BASE RSC /1 0x409 /d "NDEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:windows /dll
/machine:I386 /out:".bin\tpcc_odbc.dll"

!ELSEIF "$(CFG) == "db_odbc_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /GX /ZI /Od /D "WIN32" /D
"_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
/win32 "NUL"
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o /win32
"NUL"
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_odbc.dll"
/pdbtype:sept

```

```

!ELSEIF "$(CFG) == "db_odbc_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "db_odbc_"
# PROP BASE Intermediate_Dir "db_odbc_"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MDd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /Gm /GX /Zi /O2 /D "WIN32"
/D "NDEBUG" /D "_WINDOWS" /D "ICECAP" /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
/win32 "NUL"
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o /win32
"NUL"
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_odbc.dll"
/pdbtype:sept
# ADD LINK32 icap.lib kernel32.lib user32.lib
gdi32.lib winspool.lib comdlg32.lib advapi32.lib
shell32.lib ole32.lib oleaut32.lib uuid.lib
odbcc32.lib odbccp32.lib /nologo /subsystem:windows
/dll /debug /machine:I386 /out:".bin\tpcc_odbc.dll"
/pdbtype:sept

!ENDIF

# Begin Target

# Name "db_odbc_dll - Win32 Release"
# Name "db_odbc_dll - Win32 Debug"
# Name "db_odbc_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp"
# Begin Source File

SOURCE=.\src\tpcc_odbc.cpp
# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=.\common\src\error.h

```

```

# End Source File
# Begin Source File

SOURCE=.\src\tpcc_odbc.h
# End Source File
# Begin Source File

SOURCE=.\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=.\common\src\txn_base.h
# End Source File
# End Group
# End Target
# End Project

```

## dlldata.c

```

/*****
****
DllData file -- generated by MIDL compiler

DO NOT ALTER THIS FILE

This file is regenerated by MIDL on every IDL file
compile.

To completely reconstruct this file, delete it and
rerun MIDL
on all the IDL files in this DLL, specifying this
file for the
/dlldata command line option

****/

#include <rpcproxy.h>

#ifdef __cplusplus
extern "C" {
#endif

EXTERN_PROXY_FILE( tpcc_com_ps )

PROXYFILE_LIST_START
/* Start of list */
REFERENCE_PROXY_FILE( tpcc_com_ps ),
/* End of list */
PROXYFILE_LIST_END

DLLDATA_ROUTINES( aProxyFileList, GET_DLL_CLSID )

#ifdef __cplusplus
} /*extern "C" */
#endif

/* end of generated dlldata file */

```

## error.h

```
/* FILE: ERROR.H Microsoft
 * TPC-C Kit Ver. 4.20.000 Copyright
 * Microsoft, 1999 Copyright
 * All Rights Reserved
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 * PURPOSE: Header file for error exception
 * classes.
 * Change history:
 * 4.20.000 - updated rev number to
 * match kit
 * 4.21.000 - fixed bug: ~CBaseErr
 * needed to be declared virtual
 */

#pragma once

#ifndef _INC_STRING
#include <string.h>
#endif

const int m_szMsg_size = 512;
const int m_szApp_size = 64;
const int m_szLoc_size = 64;

//error message structure used in ErrorText routines
typedef struct _SERRORMSG
{
    int iError;
    char szMsg[256];
} SERRORMSG;

typedef enum _ErrorLevel
{
    ERR_FATAL_LEVEL = 1,
    ERR_WARNING_LEVEL = 2,
    ERR_INFORMATION_LEVEL = 3
} ErrorLevel;

#define ERR_TYPE_LOGIC -1
//logic error in program; internal error
#define ERR_SUCCESS 0
//success (a non-error error)
#define ERR_BAD_ITEM_ID 1
//expected abort record in txnRecord
```

```
#define ERR_TYPE_DELIVERY_POST 2
//expected delivery post failed
#define ERR_TYPE_WEBDDL 3
//tpcc web generated error
#define ERR_TYPE_SQL 4
//sql server generated error
#define ERR_TYPE_DBLIB 5
//dblib generated error
#define ERR_TYPE_ODBC 6
//odbc generated error
#define ERR_TYPE_SOCKET 7
//error on communication socket client rte
only
#define ERR_TYPE_DEADLOCK 8
//dblib and odbc only deadlock condition
#define ERR_TYPE_COM 9
//error from COM call
#define ERR_TYPE_TUXEDO 10
//tuxedo error
#define ERR_TYPE_OS 11
//operating system error
#define ERR_TYPE_MEMORY 12
//memory allocation error
#define ERR_TYPE_TPCC_ODBC 13
//error from tpcc odbc txn module
#define ERR_TYPE_TPCC_DBLIB 14
//error from tpcc dblib txn module
#define ERR_TYPE_DELISRV 15
//delivery server error
#define ERR_TYPE_TXNLOG 16
//txn log error
#define ERR_TYPE_BCONN 17
//Benchcraft connection class
#define ERR_TYPE_TPCC_CONN 18
//Benchcraft connection class
#define ERR_TYPE_ENCINA 19
//Encina error
#define ERR_TYPE_COMPONENT 20
//error from COM component
#define ERR_TYPE_RTE 21
//Benchcraft rte
```

```
#define ERR_TYPE_AUTOMATION 22
//Benchcraft automation errors
#define ERR_TYPE_DRIVER 23
//Driver engine errors
#define ERR_TYPE_RTE_BASE 24
//Framework errors

#define ERR_INS_MEMORY "Insufficient Memory to continue."
#define ERR_UNKNOWN "Unknown error."
#define ERR_MSG_BUF_SIZE 512
#define INV_ERROR_CODE -1

class CBaseErr
{
public:
    CBaseErr(LPCTSTR szLoc = NULL)
    {
        m_idMsg =
        INV_ERROR_CODE;
        if (szLoc)
        {
            m_szLoc = new
            char[m_szLoc_size];
            strcpy(m_szLoc, szLoc);
        }
        else
            m_szLoc = NULL;
        m_szApp = new
        char[m_szApp_size];
        GetModuleFileName(GetModuleHandle(NULL),
        m_szApp, m_szApp_size);
    }
    CBaseErr(int idMsg, LPCTSTR szLoc = NULL)
    {
        m_idMsg = idMsg;
        if (szLoc)
        {
            m_szLoc = new
            char[m_szLoc_size];
            strcpy(m_szLoc, szLoc);
        }
        else
            m_szLoc = NULL;
        m_szApp = new
        char[m_szApp_size];
        GetModuleFileName(GetModuleHandle(NULL),
        m_szApp, m_szApp_size);
    }
    virtual ~CBaseErr(void)
    {

```

```

        if (m_szApp)
            delete [] m_szApp;
        if (m_szLoc)
            delete [] m_szLoc;
    };

    virtual void Draw(HWND hwnd, LPCTSTR szStr
= NULL)
    {
        int                j = 0;
        char                szTmp[512];

        if (szStr)
            j = wsprintf(szTmp,
"%s\n",szStr);
        if (ErrorNum() != INV_ERROR_CODE)
            j += wsprintf(szTmp+j,
"Error = %d\n", ErrorNum());
        if (m_szLoc)
            j += wsprintf(szTmp+j,
"Location = %s\n", GetLocation());

        j += wsprintf(szTmp+j, "%s\n",
ErrorText());

        ::MessageBox(hwnd, szTmp,
m_szApp, MB_OK);
    }

    char *GetApp(void) { return m_szApp; }
    char *GetLocation(void) { return m_szLoc; }
    virtual int ErrorNum() { return m_idMsg; }
    virtual int ErrorType() = 0; // a value
which distinguishes the kind of error that occurred
    virtual char *ErrorText() = 0; // a string
(i.e., human readable) representation of the error

protected:
    char                *m_szApp;
    char                *m_szLoc; // code location where
the error occurred
    int                m_idMsg;
};

class CSocketErr : public CBaseErr
{
public:
    enum Action
    {
        eNone,
        eSend,
        eSocket,
        eBind,
        eConnect,
        eListen,
        eHost,
        eRecv,
    };

    CSocketErr(Action eAction, LPCTSTR
szLocation = NULL);
    Action                m_eAction;

```

```

    int ErrorType() { return ERR_TYPE_SOCKET;};
    char *ErrorText(void);
};

class CSystemErr : public CBaseErr
{
public:
    enum Action
    {
        eNone = 0,
        eTransactNamedPipe,
        eWaitNamedPipe,
        eSetNamedPipeHandleState,
        eCreateFile,
        eCreateProcess,
        eCallNamedPipe,
        eCreateEvent,
        eCreateThread,
        eVirtualAlloc,
        eReadFile = 10,
        eWriteFile,
        eMapViewOfFile,
        eCreateFileMapping,
        eInitializeSecurityDescriptor,
        eSetSecurityDescriptorDacl,
        eCreateNamedPipe,
        eConnectNamedPipe,
        eWaitForSingleObject,
        eRegOpenKeyEx,
        eRegQueryValueEx = 20,
        eBeginThread,
        eRegEnumValue,
        eRegSetValueEx,
        eRegCreateKeyEx,
        eWaitForMultipleObjects,
    };

    CSystemErr(Action
eAction, LPCTSTR szLocation);
    int                ErrorType() { return
ERR_TYPE_OS;};
    char                *ErrorText(void);
    void                Draw(HWND hwnd, LPCTSTR szStr =
NULL);

    Action                m_eAction;

private:
    char m_szMsg[ERR_MSG_BUF_SIZE];
};

class CMemoryErr : public CBaseErr
{
public:
    CMemoryErr();

    int ErrorType() {return ERR_TYPE_MEMORY;};
    char *ErrorText() {return ERR_INS_MEMORY;};
};

```

## install.c

```

/*      FILE:                INSTALL.C
 *                               Microsoft
 *      TPC-C Kit Ver. 4.20.000
 *                               Copyright
 *      Microsoft, 1999
 *                               All Rights Reserved
 *
 *                               not audited
 *
 *      PURPOSE: Automated installation
 *      application for TPC-C Web Kit
 *      *      Contact: Charles Levine
 *      (clevine@microsoft.com)
 *
 *      Change history:
 *      *      4.20.000 - added COM installation
 *      steps
 */

#include <windows.h>
#include <direct.h>
#include <io.h>
#include <stdlib.h>
#include <stdio.h>
#include <commctrl.h>
#include "..\..\common\src\ReadRegistry.h"

#include "resource.h"

#define WM_INITTEXT WM_USER+100

HICON hIcon;
HINSTANCE hInst;

DWORD versionExeMS;
DWORD versionExeLS;
DWORD versionExeMM;
DWORD versionDllMS;
DWORD versionDllLS;

// TPC-C registry settings
TPC_REGISTRYDATA Reg;

static int iPoolThreadLimit;
static int iThreadTimeout;
static int iListenBackLog;
static int iAcceptExOutstanding;

static int iMaxPhysicalMemory;
//max physical memory in MB
static char szLastFileName[64]; //
last file we worked on (for error reporting)

BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT
uMsg, WPARAM wParam, LPARAM lParam);
BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT
uMsg, WPARAM wParam, LPARAM lParam);
BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam);

```

```

BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam);
static void ProcessOK(HWND hwnd,
char *szDllPath);
static void
ReadRegistrySettings(void);
static void
WriteRegistrySettings(char *szDllPath);
static BOOL RegisterDLL(char
*szFileName);
static int
CopyFiles(HWND hDlg, char *szDllPath);
static BOOL GetInstallPath(char
*szDllPath);
static void GetVersionInfo(char
*szDLLPath, char *szExePath);
static BOOL
CheckWWWebService(void);
static BOOL
StartWWWebService(void);
static BOOL StopWWWebService(void);
static void UpdateDialog(HWND
hDlg);

BOOL install_com(char *szDllPath);

#include "..\..\common\src\ReadRegistry.cpp"

int WINAPI WinMain( HINSTANCE hInstance, HINSTANCE
hPrevInstance, LPSTR lpCmdLine, int nCmdShow )
{
    int iRc;

    hInst = hInstance;

    InitCommonControls();

    hIcon = LoadIcon(hInstance,
MAKEINTRESOURCE(IDI_ICON1));

    iRc = DialogBox(hInstance,
MAKEINTRESOURCE(IDD_DIALOG4), GetDesktopWindow(),
LicenseDlgProc);
    if ( iRc )
    {
        iRc = DialogBox(hInstance,
MAKEINTRESOURCE(IDD_DIALOG1), GetDesktopWindow(),
MainDlgProc);
        if ( iRc )
        {
            DialogBoxParam(hInstance,
MAKEINTRESOURCE(IDD_DIALOG2), GetDesktopWindow(),
UpdatedDlgProc, (LPARAM)iRc);
        }
    }

    DestroyIcon(hIcon);
    return 0;
}

BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)

```

```

{
    HGLOBAL hRes;
    HRSRC hResInfo;
    BYTE *pSrc, *pDst;
    DWORD dwSize;
    static HFONT hFont;

    switch(uMsg)
    {
        case WM_INITDIALOG:
            hFont = CreateFont(-12,
0, 0, 0, 400, 0, 0, 0, 0, 0, 0, 0, 0, "Arial");
            SendMessage(
GetDlgItem(hwnd, IDR_LICENSE1), WM_SETFONT,
(WPARAM)hFont, MAKELPARAM(0, 0) );
            PostMessage(hwnd,
WM_INITTEXT, (LPARAM)0);
            return TRUE;
        case WM_INITTEXT:
            hResInfo =
FindResource(hInst, MAKEINTRESOURCE(IDR_LICENSE1),
"LICENSE");
            dwSize =
SizeofResource(hInst, hResInfo);
            hRes =
LoadResource(hInst, hResInfo );
            pSrc = (BYTE
*)LockResource(hRes);
            pDst = (unsigned char
*)malloc(dwSize+1);
            if ( pDst )
            {
                memcpy(pDst,
pSrc, dwSize);
                pDst[dwSize]
= 0;

                SetDlgItemText(hwnd, IDC_LICENSE, (const
char *)pDst);
                free(pDst);
            }
            else
            {
                SetDlgItemText(hwnd, IDC_LICENSE, (const
char *)pSrc);
                return TRUE;
            }
            case WM_DESTROY:
                DeleteObject(hFont);
                return TRUE;
            case WM_COMMAND:
                if ( wParam == IDOK )
                {
                    EndDialog(hwnd, TRUE);
                    if ( wParam == IDCANCEL
)
                    {
                        EndDialog(hwnd, FALSE);
                        default:
                            break;
                    }
                }
            }
        }
    }
    return FALSE;
}

```

```

BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    switch(uMsg)
    {
        case WM_INITDIALOG:
            switch(lParam)
            {
                case 1:
                case 2:
                    SetDlgItemText(hwnd, IDC_RESULTS, "TPC-C
Web Client Installed");
                    break;
            }
            return TRUE;
        case WM_COMMAND:
            if ( wParam == IDOK )
            {
                EndDialog(hwnd, TRUE);
                break;
            }
            default:
                break;
        }
    }
    return FALSE;
}

BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    PAINTSTRUCT ps;
    MEMORYSTATUS memoryStatus;
    OSVERSIONINFO VI;
    char szTmp[256];
    static char
szDllPath[256];
    static char
szExePath[256];

    switch(uMsg)
    {
        case WM_INITDIALOG:
            GlobalMemoryStatus(&memoryStatus);
            iMaxPhysicalMemory =
(memoryStatus.dwTotalPhys/ 1048576);
            if (
GetInstallPath(szDllPath) )
            {
                MessageBox(hwnd, "Error internet service
inetsrv is not installed.", NULL, MB_ICONSTOP |
MB_OK);
                EndDialog(hwnd, FALSE);
                return TRUE;
            }
            // set default values
            ZeroMemory( &Reg,
sizeof(Reg) );
    }
}

```

```

    Reg.dwNumberOfDeliveryThreads = 4;
    Reg.dwMaxConnections =
100;
    Reg.dwMaxPendingDeliveries = 100;
    Reg.eDB_Protocol =
DBLIB;
    Reg.eTxnMon = None;
    strcpy(Reg.szDbServer,
    "");
    strcpy(Reg.szDbName,
    "tpcc");
    strcpy(Reg.szDbUser,
    "sa");
    strcpy(Reg.szDbPassword,
    "");
    iPoolThreadLimit =
iMaxPhysicalMemory * 2;
    iThreadTimeout = 86400;
    iListenBackLog = 15;
    iAcceptExOutstanding =
40;

    ReadTPCCRegistrySettings( &Reg );
    ReadRegistrySettings();

    GetModuleFileName(hInst, szExePath,
sizeof(szExePath));
    GetVersionInfo(szDllPath, szExePath);
    wsprintf(szTmp,
"Version %d.%2d.%3d", versionExeMS, versionExeMM,
versionExeLS);
    SetDlgItemText(hwnd,
IDC_VERSION, szTmp);
    SetDlgItemText(hwnd,
IDC_PATH, szDllPath);
    SetDlgItemText(hwnd,
ED_DB_SERVER, Reg.szDbServer);
    SetDlgItemText(hwnd,
ED_DB_USER_ID, Reg.szDbUser);
    SetDlgItemText(hwnd,
ED_DB_PASSWORD, Reg.szDbPassword);
    SetDlgItemText(hwnd,
ED_DB_NAME, Reg.szDbName);
    SetDlgItemInt(hwnd,
ED_THREADS, Reg.dwNumberOfDeliveryThreads, FALSE);
    SetDlgItemInt(hwnd,
ED_MAXCONNECTION, Reg.dwMaxConnections, FALSE);
    SetDlgItemInt(hwnd,
ED_MAXDELIVERIES, Reg.dwMaxPendingDeliveries, FALSE);
    SetDlgItemInt(hwnd,
ED_IIS_MAX_THREAD_POOL_LIMIT, iPoolThreadLimit,
FALSE);

```

```

    SetDlgItemInt(hwnd,
ED_IIS_THREAD_TIMEOUT, iThreadTimeout, FALSE);
    SetDlgItemInt(hwnd,
ED_IIS_LISTEN_BACKLOG, iListenBackLog, FALSE);
    SetDlgItemInt(hwnd,
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE,
iAcceptExOutstanding, FALSE);
    CheckDlgButton(hwnd,
IDC_DBLIB, 0);
    CheckDlgButton(hwnd,
IDC_ODBC, 0);
    if ( Reg.eDB_Protocol
== DBLIB )
        CheckDlgButton(hwnd, IDC_DBLIB, 1);
    else
        CheckDlgButton(hwnd, IDC_ODBC, 1);
    // check OS version
    level for COM. Must be at least Windows 2000
    VI.dwOSVersionInfoSize
= sizeof(VI);
    GetVersionEx( &VI );
    if (VI.dwMajorVersion <
5)
    {
        HWND hDlg =
GetDlgItem( hwnd, IDC_TM_MTS );
        EnableWindow(
hDlg, 0 ); // disable COM option
        if
(Reg.eTxnMon == COM)
            Reg.eTxnMon = None;
    }
    CheckDlgButton(hwnd,
IDC_TM_NONE, 0);
    CheckDlgButton(hwnd,
IDC_TM_TUXEDO, 0);
    CheckDlgButton(hwnd,
IDC_TM_MTS, 0);
    CheckDlgButton(hwnd,
IDC_TM_ENCINA, 0);
    switch (Reg.eTxnMon)
    {
        case None:
            CheckDlgButton(hwnd, IDC_TM_NONE, 1);
            break;
        case TUXEDO:
            CheckDlgButton(hwnd, IDC_TM_TUXEDO, 1);
            break;
        case ENCINA:
            CheckDlgButton(hwnd, IDC_TM_ENCINA, 1);
            break;
        case COM:
            CheckDlgButton(hwnd, IDC_TM_MTS, 1);

```

```

        break;
    }
    return TRUE;
case WM_PAINT:
    if ( IsIconic(hwnd) )
    {
        BeginPaint(hwnd, &ps);
        DrawIcon(ps.hdc, 0, 0, hIcon);
        EndPaint(hwnd, &ps);
        return TRUE;
    }
    break;
case WM_COMMAND:
    if ( HIWORD(wParam) ==
BN_CLICKED )
    {
        switch(
LOWORD(wParam) )
        {
            case IDC_DBLIB:
                return TRUE;
            case IDC_ODBC:
                return TRUE;
            case IDOK:
                ProcessOK(hwnd, szDllPath);
                return TRUE;
            case IDCANCEL:
                EndDialog(hwnd, FALSE);
                return TRUE;
            default:
                return FALSE;
        }
    }
    default:
        break;
}
return FALSE;
}

static void ProcessOK(HWND hwnd, char *szDllPath)
{
    int d;
    HWND hDlg;
    int rc;
    char szFullName[256];

```

```

char    szErrTxt[128];

// read settings from dialog
Reg.dwNumberOfDeliveryThreads =
GetDlgItemInt(hwnd, ED_THREADS, &d, FALSE);
Reg.dwMaxConnections = GetDlgItemInt(hwnd,
ED_MAXCONNECTION, &d, FALSE);
Reg.dwMaxPendingDeliveries =
GetDlgItemInt(hwnd, ED_MAXDELIVERIES, &d, FALSE);

GetDlgItemText(hwnd, ED_DB_SERVER,
Reg.szDbServer, sizeof(Reg.szDbServer));
GetDlgItemText(hwnd, ED_DB_USER_ID,
Reg.szDbUser, sizeof(Reg.szDbUser));
GetDlgItemText(hwnd, ED_DB_PASSWORD,
Reg.szDbPassword, sizeof(Reg.szDbPassword));
GetDlgItemText(hwnd, ED_DB_NAME,
Reg.szDbName, sizeof(Reg.szDbName));

if ( IsDlgButtonChecked(hwnd, IDC_DBLIB) )
{
    Reg.eDB_Protocol = DBLIB;
    rc = 1;
}
else if ( IsDlgButtonChecked(hwnd,
IDC_ODBC) )
{
    Reg.eDB_Protocol = ODBC;
    rc = 2;
}

if ( IsDlgButtonChecked(hwnd, IDC_TM_NONE) )
    Reg.eTxnMon = None;
else if ( IsDlgButtonChecked(hwnd,
IDC_TM_TUXEDO) )
    Reg.eTxnMon = TUXEDO;
else if ( IsDlgButtonChecked(hwnd,
IDC_TM_MTS) )
    Reg.eTxnMon = COM;
else if ( IsDlgButtonChecked(hwnd,
IDC_TM_ENCINA) )
    Reg.eTxnMon = ENCINA;

iPoolThreadLimit = GetDlgItemInt(hwnd,
ED_IIS_MAX_THREAD_POOL_LIMIT, &d, FALSE);
iThreadTimeout = GetDlgItemInt(hwnd,
ED_IIS_THREAD_TIMEOUT, &d, FALSE);
iListenBackLog = GetDlgItemInt(hwnd,
ED_IIS_LISTEN_BACKLOG, &d, FALSE);
iAcceptExOutstanding = GetDlgItemInt(hwnd,
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE, &d, FALSE);

ShowWindow(hwnd, SW_HIDE);
hDlg = CreateDialog(hInst,
MAKEINTRESOURCE(IDD_DIALOG3), hwnd, CopyDlgProc);
ShowWindow(hDlg, SW_SHOWNA);
UpdateDialog(hDlg);

// write binaries to inetpub\wwwroot
rc = CopyFiles(hDlg, szDllPath);

```

```

if ( !rc )
{
    ShowWindow(hwnd, SW_SHOWNA);
    DestroyWindow(hDlg);
    strcpy( szErrTxt, "Error(s)
occured when creating " );
    strcat( szErrTxt, szLastFileName
);
    MessageBox(hwnd, szErrTxt, NULL,
MB_ICONSTOP | MB_OK);
}

// update registry
SetDlgItemText(hDlg, IDC_STATUS, "Updating
Registry.");
SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
UpdateDialog(hDlg);
WriteRegistrySettings(szDllPath);

// register com proxy stub
strcpy(szFullName, szDllPath);
strcat(szFullName, "tpcc_com_ps.dll");
if (!RegisterDLL(szFullName))
{
    ShowWindow(hwnd, SW_SHOWNA);
    DestroyWindow(hDlg);
    strcpy( szErrTxt, "Error occured
when registering " );
    strcat( szErrTxt, szFullName );
    MessageBox(hwnd, szErrTxt, NULL,
MB_ICONSTOP | MB_OK);
}

// if using COM
if (Reg.eTxnMon == COM)
{
    SetDlgItemText(hDlg, IDC_STATUS,
"Configuring COM.");
    SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    if (install_com(szDllPath))
    {
        ShowWindow(hwnd,
SW_SHOWNA);
        DestroyWindow(hDlg);
        strcpy( szErrTxt,
"Error occured when configuring COM settings." );
        MessageBox(hwnd,
szErrTxt, NULL, MB_ICONSTOP | MB_OK);
        EndDialog(hwnd, 0);
        return;
    }
}

Sleep(100);

```

```

ShowWindow(hwnd, SW_SHOWNA);
DestroyWindow(hDlg);

EndDialog(hwnd, rc);
return;
}

static void ReadRegistrySettings(void)
{
    HKEY    hKey;
    DWORD   size;
    DWORD   type;

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\Inetinfo\\Param
eters", 0, KEY_READ, &hKey) == ERROR_SUCCESS )
    {
        size = sizeof(iPoolThreadLimit);
        if ( RegQueryValueEx(hKey,
"PoolThreadLimit", 0, &type, (char
*)&iPoolThreadLimit, &size) == ERROR_SUCCESS )
            if ( !iPoolThreadLimit
)
                iPoolThreadLimit = iMaxPhysicalMemory * 2;

        size = sizeof(iThreadTimeout);
        if ( RegQueryValueEx(hKey,
"ThreadTimeout", 0, &type, (char *)&iThreadTimeout,
&size) == ERROR_SUCCESS )
            if ( !iThreadTimeout )
                iThreadTimeout = 86400;

        size = sizeof(iListenBackLog);
        if ( RegQueryValueEx(hKey,
"ListenBackLog", 0, &type, (char *)&iListenBackLog,
&size) == ERROR_SUCCESS )
            if ( !iListenBackLog )
                iListenBackLog = 15;

        RegCloseKey(hKey);
    }

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Paramete
rs", 0, KEY_READ, &hKey) == ERROR_SUCCESS )
    {
        size =
sizeof(iAcceptExOutstanding);
        if ( RegQueryValueEx(hKey,
"AcceptExOutstanding", 0, &type, (char
*)&iAcceptExOutstanding, &size) == ERROR_SUCCESS )
            if (
!iAcceptExOutstanding )
                iAcceptExOutstanding = 40;

        RegCloseKey(hKey);
    }
}

```

```

static void WriteRegistrySettings(char *szDllPath)
{
    HKEY    hKey;
    DWORD   dwDisposition;
    char    szTmp[256];
    char    *ptr;
    int     iRc;

    if ( RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\\Microsoft\\TPCC", 0, NULL,
REG_OPTION_NON_VOLATILE, KEY_ALL_ACCESS, NULL, &hKey,
&dwDisposition) == ERROR_SUCCESS )
    {
        strcpy(szTmp, szDllPath);
        ptr = strstr(szTmp, "tpcc");
        if ( ptr )
            *ptr = 0;

        RegSetValueEx(hKey, "Path", 0,
REG_SZ, szTmp, strlen(szTmp)+1);

        RegSetValueEx(hKey,
"NumberOfDeliveryThreads", 0, REG_DWORD, (char
*)&Reg.dwNumberOfDeliveryThreads,
sizeof(Reg.dwNumberOfDeliveryThreads));
        RegSetValueEx(hKey,
"MaxConnections", 0, REG_DWORD, (char
*)&Reg.dwMaxConnections,
sizeof(Reg.dwMaxConnections));
        RegSetValueEx(hKey,
"MaxPendingDeliveries", 0, REG_DWORD, (char
*)&Reg.dwMaxPendingDeliveries,
sizeof(Reg.dwMaxPendingDeliveries));

        RegSetValueEx(hKey,
"DB_Protocol", 0, REG_SZ,
szDBNames[Reg.eDB_Protocol],
strlen(szDBNames[Reg.eDB_Protocol])+1);
        RegSetValueEx(hKey, "TxnMonitor",
0, REG_SZ, szTxnMonNames[Reg.eTxnMon],
strlen(szTxnMonNames[Reg.eTxnMon])+1);

        RegSetValueEx(hKey, "DbServer",
0, REG_SZ, Reg.szDbServer, strlen(Reg.szDbServer)+1);
        RegSetValueEx(hKey, "DbName", 0,
REG_SZ, Reg.szDbName, strlen(Reg.szDbName)+1);
        RegSetValueEx(hKey, "DbUser", 0,
REG_SZ, Reg.szDbUser, strlen(Reg.szDbUser)+1);
        RegSetValueEx(hKey, "DbPassword",
0, REG_SZ, Reg.szDbPassword,
strlen(Reg.szDbPassword)+1);

        strcpy(szTmp, "YES");
        RegSetValueEx(hKey,
"COM_SinglePool", 0, REG_SZ, szTmp, strlen(szTmp)+1);

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if (
iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\Inetinfo\\Param

```

```

eters", 0, NULL, REG_OPTION_NON_VOLATILE,
KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        RegSetValueEx(hKey,
"PoolThreadLimit", 0, REG_DWORD, (char
*)&iPoolThreadLimit, sizeof(iPoolThreadLimit));
        RegSetValueEx(hKey,
"ThreadTimeout", 0, REG_DWORD, (char
*)&iThreadTimeout, sizeof(iThreadTimeout));
        RegSetValueEx(hKey,
"ListenBackLog", 0, REG_DWORD, (char
*)&iListenBackLog, sizeof(iListenBackLog));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if (
iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Paramete
rs", 0, NULL, REG_OPTION_NON_VOLATILE,
KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        RegSetValueEx(hKey,
"AcceptExOutstanding", 0, REG_DWORD, (char
*)&iAcceptExOutstanding,
sizeof(iAcceptExOutstanding));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    return;
}

BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    if ( uMsg == WM_INITDIALOG )
    {
        SendDlgItemMessage(hwnd,
IDC_PROGRESS1, PBM_SETRANGE, 0, MAKELPARAM(0, 15));
        SendDlgItemMessage(hwnd,
IDC_PROGRESS1, PBM_SETSTEP, (WPARAM)1, 0);

        return TRUE;
    }

    return FALSE;
}

BOOL RegisterDLL(char *szFileName)
{
    HINSTANCE hLib;
    FARPROC   lpDllEntryPoint;

    hLib = LoadLibrary(szFileName);
    if ( hLib == NULL )
        return FALSE;
    // Find the entry point.
    lpDllEntryPoint = GetProcAddress(hLib,
"DllRegisterServer");
    if (lpDllEntryPoint != NULL)

```

```

    {
        return ((*lpDllEntryPoint)()) ==
S_OK);
    }
    else
        return FALSE; //unable to
locate entry point
}

BOOL FileFromResource( char *szResourceName, int
iResourceId, char *szDllPath, char *szFileName )
{
    HGLOBAL          hDLL;
    HRSRC            hResInfo;
    HANDLE           hFile;
    DWORD            dwSize;
    BYTE             *pSrc;
    DWORD            d;
    char             szFullName[256];

    hResInfo = FindResource(hInst,
MAKEINTRESOURCE(iResourceId), szResourceName);

    strcpy(szFullName, szDllPath);
    strcat(szFullName, szFileName);

    dwSize = SizeofResource(hInst, hResInfo);
    hDLL = LoadResource(hInst, hResInfo );
    pSrc = (BYTE *)LockResource(hDLL);
    remove(szFullName);

    if ( !(hFile = CreateFile(szFullName,
GENERIC_WRITE, 0, NULL, CREATE_ALWAYS,
FILE_ATTRIBUTE_NORMAL, NULL)) )
        return FALSE;

    if ( !WriteFile(hFile, pSrc, dwSize, &d,
NULL) )
        return FALSE;

    CloseHandle(hFile);

    UnlockResource(hDLL);
    FreeResource(hDLL);
    return TRUE;
}

static int CopyFiles(HWND hDlg, char *szDllPath)
{
    BOOL          bSvcRunning;

    bSvcRunning = CheckWWWWebService();
    if ( bSvcRunning )
    {
        SetDlgItemText(hDlg, IDC_STATUS,
"Stopping Web Service.");
        SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
        StopWWWWebService();
    }

```

```

        SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
    }

    SetDlgItemText(hDlg, IDC_STATUS, "Copying
Files...");
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install TPCC.DLL
    strcpy( szLastFileName, "tpcc.dll" );
    if (!FileFromResource( "TPCCDLL",
IDR_TPCCDLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_dblib.dll
    strcpy( szLastFileName, "tpcc_dblib.dll" );
    if (!FileFromResource( "DBLIB_DLL",
IDR_DBLIB_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_odbc.dll
    strcpy( szLastFileName, "tpcc_odbc.dll" );
    if (!FileFromResource( "ODBC_DLL",
IDR_ODBC_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tuxapp.exe
    strcpy( szLastFileName, "tuxapp.exe" );
    if (!FileFromResource( "TUXEDO_APP",
IDR_TUXEDO_APP, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_tuxedo.dll
    strcpy( szLastFileName, "tpcc_tuxedo.dll"
);
    if (!FileFromResource( "TUXEDO_DLL",
IDR_TUXEDO_DLL, szDllPath, szLastFileName ))
        return 0;
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    // install tpcc_com.dll
    strcpy( szLastFileName, "tpcc_com.dll" );
    if (!FileFromResource( "COM_DLL",
IDR_COM_DLL, szDllPath, szLastFileName ))
        return 0;

```

```

        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        // install tpcc_com_ps.dll
        strcpy( szLastFileName, "tpcc_com_ps.dll"
);
        if (!FileFromResource( "COM_PS_DLL",
IDR_COMPS_DLL, szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        // install tpcc_com_all.dll
        strcpy( szLastFileName, "tpcc_com_all.dll"
);
        if (!FileFromResource( "COM_ALL_DLL",
IDR_COMALL_DLL, szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        //if we stopped service restart it.
        if ( bSvcRunning )
        {
            SetDlgItemText(hDlg, IDC_STATUS,
"Starting Web Service.");
            SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
            UpdateDialog(hDlg);
            StartWWWebService();
        }

        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        return 1;
    }

    static BOOL GetInstallPath(char *szDllPath)
    {
        HKEY hKey;
        BYTE szData[256];
        DWORD sv;
        BOOL bRc;
        int len;
        char *ptr;
        int iRc;

        szDllPath[0] = 0;
        bRc = TRUE;
        if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Paramete
rs\\Virtual Roots", 0, KEY_ALL_ACCESS, &hKey) ==
ERROR_SUCCESS )
        {
            sv = sizeof(szData);
            iRc = RegQueryValueEx( hKey,
"/,", NULL, NULL, szData, &sv ); // used by IIS 3.0
            if (iRc == ERROR_FILE_NOT_FOUND)

```

```

            iRc = RegQueryValueEx(
hKey, "/", NULL, NULL, szData, &sv ); // used by
IIS 4.0
            if (iRc == ERROR_SUCCESS)
            {
                bRc = FALSE;
                strcpy(szDllPath,
szData);
                if ( (ptr =
strchr(szDllPath, ',')) )
                    *ptr = 0;

                len =
strlen(szDllPath);
                if ( szDllPath[len-1]
!= '\\\' )
                {
                    szDllPath[len] = '\\';
                    szDllPath[len+1] = 0;
                }
                RegCloseKey(hKey);
            }
            return bRc;
        }

    static void GetVersionInfo(char *szDLLPath, char
*szExePath)
    {
        DWORD d;
        DWORD dwSize;
        DWORD dwBytes;
        char *ptr;
        VS_FIXEDFILEINFO *vs;

        versionDllMS = 0;
        versionDllLS = 0;
        if ( _access(szDLLPath, 00) == 0 )
        {
            dwSize =
GetFileVersionInfoSize(szDLLPath, &d);
            if ( dwSize )
            {
                ptr = (char
*)malloc(dwSize);
                GetFileVersionInfo(szDLLPath, 0, dwSize,
ptr);
                VerQueryValue(ptr,
"\\",&vs, &dwBytes);
                versionDllMS = vs-
>dwProductVersionMS;
                versionDllLS = vs-
>dwProductVersionLS;
                free(ptr);
            }
        }
    }

```



```

    }
    versionExeMS = 0x7FFF;
    versionExeLS = 0x7FFF;
    dwSize = GetFileVersionInfoSize(szExePath,
&d);
    if ( dwSize )
    {
        ptr = (char *)malloc(dwSize);
        GetFileVersionInfo(szExePath, 0,
dwSize, ptr);
        VerQueryValue(ptr, "\\",&vs,
&dwBytes);

        versionExeMS = vs-
>dwProductVersionMS;
        versionExeLS = LOWORD(vs-
>dwProductVersionLS);
        versionExeMM = HIWORD(vs-
>dwProductVersionLS);
        free(ptr);
    }
    return;
}

static BOOL CheckWWWWebService(void)
{
    SC_HANDLE      schSCManager;
    SC_HANDLE      schService;
    SERVICE_STATUS ssStatus;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto ServiceNotRunning;

    if ( !ControlService(schService,
SERVICE_CONTROL_STOP, &ssStatus) )
        goto ServiceNotRunning;
    //start Service pending, Check the status
until the service is running.
    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto ServiceNotRunning;

    CloseServiceHandle(schService);
    return TRUE;
}

ServiceNotRunning:

    CloseServiceHandle(schService);
    return FALSE;
}

static BOOL StartWWWWebService(void)
{
    SC_HANDLE      schSCManager;

```

```

    SC_HANDLE      schService;
    SERVICE_STATUS ssStatus;
    DWORD
    dwOldCheckPoint;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! StartService(schService, 0, NULL) )
        goto StartWWWWebErr;
    //start Service pending, Check the status
until the service is running.
    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto StartWWWWebErr;
    while( ssStatus.dwCurrentState !=
SERVICE_RUNNING)
    {
        dwOldCheckPoint =
ssStatus.dwCheckPoint;
        //Save the current checkpoint.
        Sleep(ssStatus.dwWaitHint);

        //Wait for the specified interval.
        if (
!QueryServiceStatus(schService, &ssStatus) )
            //Check the status again.
            break;
        if (dwOldCheckPoint >=
ssStatus.dwCheckPoint) //Break if
the checkpoint has not been incremented.
            break;
    }

    if (ssStatus.dwCurrentState ==
SERVICE_RUNNING)
        goto StartWWWWebErr;

    CloseServiceHandle(schService);
    return TRUE;
}

StartWWWWebErr:
    CloseServiceHandle(schService);
    return FALSE;
}

static BOOL StopWWWWebService(void)
{
    SC_HANDLE      schSCManager;
    SC_HANDLE      schService;
    SERVICE_STATUS ssStatus;
    DWORD
    dwOldCheckPoint;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
TEXT("W3SVC"), SERVICE_ALL_ACCESS);

```

```

    if (schService == NULL)
        return FALSE;

    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto StopWWWWebErr;

    if ( !ControlService(schService,
SERVICE_CONTROL_STOP, &ssStatus) )
        goto StopWWWWebErr;
    //start Service pending, Check the status
until the service is running.
    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto StopWWWWebErr;
    while( ssStatus.dwCurrentState ==
SERVICE_RUNNING)
    {
        dwOldCheckPoint =
ssStatus.dwCheckPoint;
        //Save the current checkpoint.
        Sleep(ssStatus.dwWaitHint);

        //Wait for the specified interval.
        if (
!QueryServiceStatus(schService, &ssStatus) )
            //Check the status again.
            break;
        if (dwOldCheckPoint >=
ssStatus.dwCheckPoint) //Break if
the checkpoint has not been incremented.
            break;
    }

    if (ssStatus.dwCurrentState ==
SERVICE_RUNNING)
        goto StopWWWWebErr;

    CloseServiceHandle(schService);
    return TRUE;
}

StopWWWWebErr:
    CloseServiceHandle(schService);
    return FALSE;
}

static void UpdateDialog(HWND hDlg)
{
    MSG msg;

    UpdateWindow(hDlg);
    while( PeekMessage(&msg, hDlg, 0, 0,
PM_REMOVE) )
    {
        TranslateMessage(&msg);
        DispatchMessage(&msg);
    }
    Sleep(250);
    return;
}

```

## install.h

```
//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by install.rc
//

#define IDD_DIALOG1 101
#define IDI_ICON1 102
#define IDR_TPCCDLL 103
#define IDD_DIALOG2 105
#define IDI_ICON2 106
#define IDR_DELIVERY 107
#define IDD_DIALOG3 108

#define BN_LOG 1001
#define ED_KEEP 1002
#define ED_THREADS 1003
#define ED_THREADS2 1004
#define IDC_PATH 1007
#define IDC_VERSION 1009
#define IDC_RESULTS 1010
#define IDC_PROGRESS1 1011
#define IDC_STATUS 1012
#define IDC_BUTTON1 1013
#define ED_MAXCONNECTION 1014
#define ED_IIS_MAX_THREAD_POOL_LIMIT 1015
#define ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE 1017
#define ED_IIS_THREAD_TIMEOUT 1018
#define ED_IIS_LISTEN_BACKLOG 1019
#define IDC_DBLIB 1021
#define IDC_ODBC 1022
#define IDC_CONNECT_POOL 1023
#define ED_USER_CONNECT_DELAY_TIME 1024

// Next default values for new objects
//
```

## install.rc

```
//Microsoft Developer Studio generated resource
script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"
////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
// English (U.S.) resources
//
#if !defined(AFX_RESOURCE_DLL) ||
defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32
////////////////////////////////////
//
// Dialog
//
IDD_DIALOG1 DIALOGEX 0, 0, 219, 351
STYLE DS_MODALFRAME | DS_CENTER | WS_MINIMIZEBOX |
WS_POPUP | WS_CAPTION |
WS_SYSMENU
CAPTION "TPC-C Web Client Installation Utility"
FONT 8, "MS Sans Serif"
BEGIN
    EDITTEXT        ED_THREADS,164,45,34,12,ES_RIGHT
    | ES_NUMBER,
    WS_EX_RTLREADING
    EDITTEXT        ED_MAXDELIVERIES,164,59,34,12,ES_RIGHT | ES_NUMBER,
    WS_EX_RTLREADING
    EDITTEXT        ED_MAXCONNECTION,164,73,34,12,ES_RIGHT | ES_NUMBER,
    WS_EX_RTLREADING
    CONTROL        "None", IDC_TM_NONE, "Button", BS_AUTORADIOBUTTON |
    WS_GROUP |
WS_TABSTOP,43,100,33,10
    CONTROL        "COM", IDC_TM_MTS, "Button", BS_AUTORADIOBUTTON |
    WS_TABSTOP,43,113,32,10
    CONTROL        "TUXEDO", IDC_TM_TUXEDO, "Button", BS_AUTORADIOBUTTON |
    WS_TABSTOP,106,100,46,10
    CONTROL        "ENCINA", IDC_TM_ENCINA, "Button", BS_AUTORADIOBUTTON |
WS_DISABLED |
WS_TABSTOP,106,113,43,10
    EDITTEXT        ED_DB_SERVER,131,152,67,12,ES_AUTOHSCROLL
    EDITTEXT        ED_DB_USER_ID,131,165,67,12,ES_AUTOHSCROLL
    EDITTEXT        ED_DB_PASSWORD,131,178,67,12,ES_AUTOHSCROLL
    EDITTEXT        ED_DB_NAME,131,191,67,12,ES_AUTOHSCROLL
    CONTROL        "DBLIB", IDC_DBLIB, "Button", BS_AUTORADIOBUTTON |
WS_GROUP |
    WS_TABSTOP,45,219,39,12
    CONTROL        "ODBC", IDC_ODBC, "Button", BS_AUTORADIOBUTTON |
WS_TABSTOP,
    91,219,39,12
    EDITTEXT        ED_IIS_MAX_THREAD_POOL_LIMIT,164,263,34,12,ES_RIGHT |
    ES_NUMBER,WS_EX_RTLREADING
    EDITTEXT        ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE,164,277,34,12,ES_RI
    GHT |
    ES_NUMBER,WS_EX_RTLREADING
    EDITTEXT        ED_IIS_THREAD_TIMEOUT,164,291,34,12,ES_RIGHT |
    ES_NUMBER,
    WS_EX_RTLREADING
    EDITTEXT        ED_IIS_LISTEN_BACKLOG,164,305,34,12,ES_RIGHT |
    ES_NUMBER,
    WS_EX_RTLREADING
    DEFPUSHBUTTON  "OK",IDOK,53,331,50,14
    PUSHBUTTON    "Cancel",IDCANCEL,119,331,50,14
    EDITTEXT        IDC_PATH,106,26,91,13,ES_AUTOHSCROLL | ES_READONLY
    LTEXT        "Number of Delivery
Threads:", IDC_STATIC,35,45,115,12
    LTEXT        "Max Number of
Connections:", IDC_STATIC,35,73,115,12
    RTEXT        "Version
4.11", IDC_VERSION,120,4,89,9
    LTEXT        "IIS Max Thread Pool
Limit:", IDC_STATIC,36,263,115,12
    LTEXT        "Web Service Backlog Queue
Size:", IDC_STATIC,36,277,115,
12
    LTEXT        "IIS Thread Timeout
(seconds):", IDC_STATIC,36,291,115,12
    LTEXT        "IIS Listen
Backlog:", IDC_STATIC,36,307,115,10
    GROUPBOX    "Database
Interface", IDC_STATIC,35,208,163,27,WS_GROUP
    LTEXT        "Installation
directory:", IDC_STATIC,35,219,71,10
    GROUPBOX    "Transaction
Monitor", IDC_STATIC,33,90,165,37
    LTEXT        "Server
Name:", IDC_STATIC,35,155,56,8
    LTEXT        "User ID:", IDC_STATIC,35,168,60,8
    LTEXT        "User
Password:", IDC_STATIC,35,181,83,8
```

```

LTEXT "Database
Name:", IDC_STATIC, 35, 194, 54, 8
GROUPBOX "SQL Server Connection
Properties", IDC_STATIC, 22, 139, 187,
102
GROUPBOX "Web Client
Properties", IDC_STATIC, 22, 15, 187, 118
GROUPBOX "IIS
Settings", IDC_STATIC, 22, 247, 187, 79
LTEXT "Max Pending
Deliveries:", IDC_STATIC, 35, 59, 115, 12
END

IDD_DIALOG2 DIALOGEX 0, 0, 117, 62
STYLE DS_SETFOREGROUND | DS_3DLOOK | DS_CENTER |
WS_POPUP | WS_BORDER
EXSTYLE WS_EX_STATICEDGE
FONT 12, "MS Sans Serif", 0, 0, 0x1
BEGIN
DEFPUSHBUTTON "OK", IDOK, 33, 45, 50, 9
CTEXT "HTML TPC-C Installation
Successful", IDC_RESULTS, 7, 22,
102, 18, 0, WS_EX_CLIENTEDGE
ICON
IDI_ICON2, IDC_STATIC, 50, 7, 18, 20, SS_REALSIZEIMAGE,
WS_EX_TRANSPARENT
END

IDD_DIALOG3 DIALOG DISCARDABLE 0, 0, 91, 40
STYLE DS_SYSMODAL | DS_MODALFRAME | DS_3DLOOK |
DS_CENTER | WS_CAPTION
CAPTION "Installing TPC-C Web Client"
FONT 12, "Arial Black"
BEGIN
CONTROL
"Progress1", IDC_PROGRESS1, "mactls_progress32", WS_BORD
ER,
7, 20, 77, 13
CTEXT
"Static", IDC_STATUS, 7, 7, 77, 12, SS_SUNKEN
END

IDD_DIALOG4 DIALOG DISCARDABLE 0, 0, 291, 202
STYLE DS_MODALFRAME | DS_CENTER | WS_POPUP |
WS_CAPTION | WS_SYSMENU
CAPTION "Client End User License"
FONT 8, "MS Sans Serif"
BEGIN
EDITTEXT
IDC_LICENSE, 7, 7, 271, 167, ES_MULTILINE | ES_AUTOVSCROLL
|
ES_AUTOHSCROLL | ES_READONLY |
WS_VSCROLL | WS_HSCROLL
DEFPUSHBUTTON "I &Agree", IDOK, 87, 181, 50, 14
PUSHBUTTON "&Cancel", IDCANCEL, 153, 181, 50, 14
END

////////////////////////////////////
//
// DESIGNINFO
//

```

```

#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
IDD_DIALOG1, DIALOG
BEGIN
LEFTMARGIN, 22
RIGHTMARGIN, 209
VERTGUIDE, 35
VERTGUIDE, 198
TOPMARGIN, 4
BOTTOMMARGIN, 345
END

IDD_DIALOG2, DIALOG
BEGIN
LEFTMARGIN, 7
RIGHTMARGIN, 109
TOPMARGIN, 7
BOTTOMMARGIN, 54
END

IDD_DIALOG3, DIALOG
BEGIN
LEFTMARGIN, 7
RIGHTMARGIN, 84
TOPMARGIN, 7
BOTTOMMARGIN, 33
END

IDD_DIALOG4, DIALOG
BEGIN
LEFTMARGIN, 7
RIGHTMARGIN, 278
TOPMARGIN, 7
BOTTOMMARGIN, 195
END
#endif // APSTUDIO_INVOKED

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
//
// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
"resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
#include "afxres.h"\r\n"
"\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
\r\n"
"\0"

```

```

END

#endif // APSTUDIO_INVOKED

////////////////////////////////////
//
// Icon
//
// Icon with lowest ID value placed first to ensure
application icon
// remains consistent on all systems.
IDI_ICON1 ICON DISCARDABLE
"icon1.ico"
IDI_ICON2 ICON DISCARDABLE
"icon2.ico"

////////////////////////////////////
//
// TPCCDLL
//
IDR_TPCCDLL TPCCDLL DISCARDABLE
"..\\..\\isapi_dll\\bin\\tpcc.dll"

#ifdef _MAC
////////////////////////////////////
//
// Version
//
VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,20,0
PRODUCTVERSION 0,4,20,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x1L
FILESUBTYPE 0x0L
BEGIN
BLOCK "StringFileInfo"
BEGIN
BLOCK "040904b0"
BEGIN
VALUE "Comments", "TPC-C Web Client
Installer\0"
VALUE "CompanyName", "Microsoft\0"
VALUE "FileDescription", "install\0"
VALUE "FileVersion", "0, 4, 20, 0\0"
VALUE "InternalName", "install\0"
VALUE "LegalCopyright", "Copyright ©
1999\0"
VALUE "OriginalFilename", "install.exe\0"
VALUE "ProductName", "Microsoft
install\0"

```

```

        VALUE "ProductVersion", "0, 4, 20, 0\0"
    END
END
BLOCK "VarFileInfo"
BEGIN
    VALUE "Translation", 0x409, 1200
END
END

#endif // !_MAC

////////////////////////////////////
//
// LICENSE
//

IDR_LICENSE1          LICENSE DISCARDABLE
"license.txt"

////////////////////////////////////
//
// DBLIB_DLL
//

IDR_DBLIB_DLL          DBLIB_DLL DISCARDABLE
"..\\..\\db_dblib_dll\\bin\\tpcc_dblib.dll"

////////////////////////////////////
//
// ODBC_DLL
//

IDR_ODBC_DLL          ODBC_DLL DISCARDABLE
"..\\..\\db_odbc_dll\\bin\\tpcc_odbc.dll"

////////////////////////////////////
//
// TUXEDO_APP
//

IDR_TUXEDO_APP        TUXEDO_APP DISCARDABLE
"..\\..\\tuxapp\\bin\\tuxapp.exe"

////////////////////////////////////
//
// TUXEDO_DLL
//

IDR_TUXEDO_DLL        TUXEDO_DLL DISCARDABLE
"..\\..\\tm_tuxedo_dll\\bin\\tpcc_tuxedo.dll"

////////////////////////////////////
//
// COM_DLL
//

```

```

IDR_COM_DLL          COM_DLL DISCARDABLE
"..\\..\\tm_com_dll\\bin\\tpcc_com.dll"

////////////////////////////////////
//
// COM_PS_DLL
//

IDR_COMPS_DLL        COM_PS_DLL DISCARDABLE
"..\\..\\tpcc_com_ps\\bin\\tpcc_com_ps.dll"

////////////////////////////////////
//
// COM_ALL_DLL
//

IDR_COMALL_DLL        COM_ALL_DLL DISCARDABLE
"..\\..\\tpcc_com_all\\bin\\tpcc_com_all.dll"
#endif // English (U.S.) resources

////////////////////////////////////
//
// Generated from the TEXTINCLUDE 3 resource.
//

#ifndef APSTUDIO_INVOKED
////////////////////////////////////
//
//
//
// Generated from the TEXTINCLUDE 3 resource.
//

////////////////////////////////////
//
// not APSTUDIO_INVOKED
//

install_com.cp
/* FILE: INSTALL_COM.CPP
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 * not audited
 * PURPOSE: installation code for COM
 * application for TPC-C Web Kit
 * Contact: Charles Levine
 * (clevine@microsoft.com)
 * Change history:
 * 4.20.000 - first version
 */

```

```

#define _WIN32_WINNT 0x0500

#include <comdef.h>
#include <comadmin.h>
#include <stdio.h>
#include <tchar.h>

extern "C"
{
    BOOL install_com(char *szDllPath);
}

BOOL install_com(char *szDllPath)
{
    ICOMAdminCatalog* pCOMAdminCat = NULL;
    ICatalogCollection* pCatalogCollectionApp
= NULL;
    ICatalogCollection* pCatalogCollectionCo
= NULL;
    ICatalogCollection* pCatalogCollectionItf
= NULL;
    ICatalogCollection*
pCatalogCollectionMethod = NULL;

    ICatalogObject*
pCatalogObjectApp = NULL;
    ICatalogObject*
pCatalogObjectCo = NULL;
    ICatalogObject*
pCatalogObjectItf = NULL;
    ICatalogObject*
pCatalogObjectMethod = NULL;

    _bstr_t
bstrTemp, bstrTemp2, bstrTemp3, bstrTemp4;
    _bstr_t
bstrDllPath = szDllPath;
    _variant_t
vTmp, vKey;
    long
lActProp, lCount, lCountCo, lCountItf,
lCountMethod;
    bool
bTmp;

    CoInitializeEx(NULL, COINIT_MULTITHREADED);

    HRESULT hr =
CoCreateInstance(CLSID_COMAdminCatalog,
NULL,
CLSCTX_INPROC_SERVER,
IID_ICOMAdminCatalog,
(void**)
&pCOMAdminCat);

    if (!SUCCEEDED(hr)) goto Error;

```

```

        bstrTemp = "Applications";

        // Attempt to connect to "Applications" in
the Catalog
        hr = pCOMAdminCat->GetCollection(bstrTemp,

                                        (IDispatch**)
&pCatalogCollectionApp);
        if (!SUCCEEDED(hr)) goto Error;

        // Attempt to load the "Applications"
collection
        hr = pCatalogCollectionApp->Populate();
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogCollectionApp-
>get_Count(&lCount);
        if (!SUCCEEDED(hr)) goto Error;

        // iterate through applications to delete
existing "TPC-C" application (if any)
        while (lCount > 0)
        {
            hr = pCatalogCollectionApp-
>get_Item(lCount - 1, (IDispatch**)
&pCatalogObjectApp);
            if (!SUCCEEDED(hr)) goto Error;

            hr = pCatalogObjectApp-
>get_Name(&vTmp);
            if (!SUCCEEDED(hr)) goto Error;

            if (wcsncmp(vTmp.bstrVal, L"TPC-
C"))
            {
                lCount--;
                continue;
            }
            else
            {
                hr =
pCatalogCollectionApp->Remove(lCount - 1);
                if (!SUCCEEDED(hr))
                    goto Error;

                break;
            }
        }

        hr = pCatalogCollectionApp-
>SaveChanges(&lActProp);
        if (!SUCCEEDED(hr)) goto Error;

        // add the new application
        hr = pCatalogCollectionApp-
>Add((IDispatch**) &pCatalogObjectApp);
        if (!SUCCEEDED(hr)) goto Error;

        // set properties
        bstrTemp = "Name";
        vTmp = "TPC-C";
        hr = pCatalogObjectApp->put_Value(bstrTemp,
vTmp);

```

```

        if (!SUCCEEDED(hr)) goto Error;

        // set as a library (in process)
application
        bstrTemp = "Activation";
        lActProp = COMAdminActivationInproc;
        vTmp = lActProp;
        hr = pCatalogObjectApp->put_Value(bstrTemp,
vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        // set security level to process
        bstrTemp = "AccessChecksLevel";
        lActProp =
COMAdminAccessChecksApplicationLevel;
        vTmp = lActProp;
        hr = pCatalogObjectApp->put_Value(bstrTemp,
vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        // save key to get the Components
collection later
        hr = pCatalogObjectApp->get_Key(&vKey);
        if (!SUCCEEDED(hr)) goto Error;

        // save changes (app creation) so component
installation will work
        hr = pCatalogCollectionApp-
>SaveChanges(&lActProp);
        if (!SUCCEEDED(hr)) goto Error;

        pCatalogObjectApp->Release();
        pCatalogObjectApp = NULL;

        bstrTemp = "TPC-C";
        // app name
        bstrTemp2 = bstrDllPath +
"tpcc_com_all.dll"; // DLL
        bstrTemp3 = ""; // type

        library (TLB)
        bstrTemp4 = bstrDllPath +
"tpcc_com_ps.dll"; // proxy/stub dll

        hr = pCOMAdminCat-
>InstallComponent(bstrTemp,

                    bstrTemp2,

                    bstrTemp3,

                    bstrTemp4);
        if (!SUCCEEDED(hr)) goto Error;

        bstrTemp = "Components";
        hr = pCatalogCollectionApp-
>GetCollection(bstrTemp, vKey, (IDispatch**)
&pCatalogCollectionCo);
        if (!SUCCEEDED(hr)) goto Error;

```

```

        hr = pCatalogCollectionCo->Populate();
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogCollectionCo-
>get_Count(&lCountCo);
        if (!SUCCEEDED(hr)) goto Error;

        // iterate through components in
application and set the properties
        while (lCountCo > 0)
        {
            hr = pCatalogCollectionCo-
>get_Item(lCountCo - 1, (IDispatch**)
&pCatalogObjectCo);
            if (!SUCCEEDED(hr)) goto Error;

            // used for debugging (view the
name)
            hr = pCatalogObjectCo-
>get_Name(&vTmp);
            if (!SUCCEEDED(hr)) goto Error;

            bstrTemp = "ConstructionEnabled";
            bTmp = TRUE;
            vTmp = bTmp;
            hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
            if (!SUCCEEDED(hr)) goto Error;

            bstrTemp = "ConstructorString";
            bstrTemp2 = "dummy string (do not
remove)";
            vTmp = bstrTemp2;
            hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
            if (!SUCCEEDED(hr)) goto Error;

            bstrTemp =
"JustInTimeActivation";
            bTmp = TRUE;
            vTmp = bTmp;
            hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
            if (!SUCCEEDED(hr)) goto Error;

            bstrTemp = "MaxPoolSize";
            vTmp.Clear(); // clear
variant so it isn't stored as a bool (_variant_t
feature)
            vTmp = (long)30;
            hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
            if (!SUCCEEDED(hr)) goto Error;

            bstrTemp =
"ObjectPoolingEnabled";
            bTmp = TRUE;
            vTmp = bTmp;
            hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
            if (!SUCCEEDED(hr)) goto Error;

```

```

// save key to get the
InterfacesForComponent collection
hr = pCatalogObjectCo-
>get_Key(&vKey);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp =
"InterfacesForComponent";
hr = pCatalogCollectionCo-
>GetCollection(bstrTemp, vKey, (IDispatch**)
&pCatalogCollectionItf);
if (!SUCCEEDED(hr)) goto Error;

>Populate();
if (!SUCCEEDED(hr)) goto Error;

hr = pCatalogCollectionItf-
>get_Count(&lCountItf);
if (!SUCCEEDED(hr)) goto Error;

// iterate through interfaces in
component
while (lCountItf > 0)
{
hr =
pCatalogCollectionItf->get_Item(lCountItf - 1,
(IDispatch**) &pCatalogObjectItf);
if (!SUCCEEDED(hr))
goto Error;

// save key to get the
MethodsForInterface collection
hr = pCatalogObjectItf-
>get_Key(&vKey);
if (!SUCCEEDED(hr))
goto Error;

bstrTemp =
"MethodsForInterface";
hr =
pCatalogCollectionItf->GetCollection(bstrTemp, vKey,
(IDispatch**) &pCatalogCollectionMethod);
if (!SUCCEEDED(hr))
goto Error;

hr =
pCatalogCollectionMethod->Populate();
if (!SUCCEEDED(hr))
goto Error;

hr =
pCatalogCollectionMethod->get_Count(&lCountMethod);
if (!SUCCEEDED(hr))
goto Error;

// iterate through
methods of interface
while (lCountMethod >
0)
{

```

```

hr =
pCatalogCollectionMethod->get_Item(lCountMethod - 1,
(IDispatch**) &pCatalogObjectMethod);
if
(!SUCCEEDED(hr)) goto Error;

bstrTemp =
"AutoComplete";
bTmp = TRUE;
vTmp = bTmp;
hr =
pCatalogObjectMethod->put_Value(bstrTemp, vTmp);
if
(!SUCCEEDED(hr)) goto Error;

pCatalogObjectMethod->Release();
pCatalogObjectMethod = NULL;

lCountMethod-
-;
}
// save changes
hr =
pCatalogCollectionMethod->SaveChanges(&lActProp);
if (!SUCCEEDED(hr))
goto Error;

pCatalogObjectItf-
>Release();
pCatalogObjectItf =
NULL;

lCountItf--;
}

pCatalogObjectCo->Release();
pCatalogObjectCo = NULL;

lCountCo--;
}

// save changes
hr = pCatalogCollectionCo-
>SaveChanges(&lActProp);
if (!SUCCEEDED(hr)) goto Error;

pCatalogCollectionApp->Release();
pCatalogCollectionApp = NULL;

pCatalogCollectionCo->Release();
pCatalogCollectionCo = NULL;

pCatalogCollectionItf->Release();
pCatalogCollectionItf = NULL;

pCatalogCollectionMethod->Release();
pCatalogCollectionMethod = NULL;

```

```

Error:
CoUninitialize();

if (!SUCCEEDED(hr))
{
LPTSTR lpBuf;
DWORD dwRes =
FormatMessage(FORMAT_MESSAGE_ALLOCATE_BUFFER |
FORMAT_MESSAGE_FROM_SYSTEM,
NULL,
hr,
MAKELANGID(LANG_NEUTRAL, SUBLANG_DEFAULT),
(LPTSTR)
&lpBuf,
0,
NULL);
//
_tprintf(_T("Error adding
components. HRESULT: 0x%x\n%s"), hr, lpBuf);
return TRUE;
}
else
return FALSE;
}

```

## ***isapi\_dll.dsp***

```

# Microsoft Developer Studio Project File -
Name="isapi_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=isapi_dll - Win32 IceCAP
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "isapi_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "isapi_dll.mak" CFG="isapi_dll -
Win32 IceCAP"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "isapi_dll - Win32 Release" (based on "Win32
(x86) Dynamic-Link Library")

```

```

!MESSAGE "isapi_dll - Win32 Debug" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE "isapi_dll - Win32 IceCAP" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG) == "isapi_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "NDEBUG" /D
"WIN32" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "NDEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 ..\common\txnlog\lib\release\rtetime.lib
..\common\txnlog\lib\release\spinlock.lib
..\common\txnlog\lib\release\error.lib
..\common\txnlog\lib\release\txnolog.lib wsock32.lib
kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib
oleaut32.lib uuid.lib odbc32.lib odbccp32.lib /nologo
/subsystem:windows /dll /machine:I386
/nodefaultlib:"LIBCMT" /out:".bin\tpcc.dll"
# SUBTRACT LINK32 /nodefaultlib

!ELSEIF "$(CFG) == "isapi_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"

```

```

# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /GX /Zi /Od /D "_DEBUG" /D
"WIN32" /D "_WINDOWS" /FR /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ..\common\txnlog\lib\debug\rtetime.lib
..\common\txnlog\lib\debug\spinlock.lib
..\common\txnlog\lib\debug\error.lib
..\common\txnlog\lib\debug\txnolog.lib wsock32.lib
kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib
oleaut32.lib uuid.lib odbc32.lib odbccp32.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/nodefaultlib:"LIBCMTD" /out:".bin\tpcc.dll"
/pdbtype:sept
# SUBTRACT LINK32 /profile /pdb:none /nodefaultlib

!ELSEIF "$(CFG) == "isapi_dll - Win32 IceCAP"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "isapi_dll"
# PROP BASE Intermediate_Dir "isapi_dll"
# PROP BASE Ignore_Export_Lib 0
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MDd /W3 /GX /Zi /Od /D
"_DEBUG" /D "WIN32" /D "_WINDOWS" /FR /YX /FD /Gh /c
# ADD CPP /nologo /MD /W3 /GX /Zi /O2 /D "NDEBUG" /D
"ICECAP" /D "WIN32" /D "_WINDOWS" /FR /YX /FD /Gh /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe

```

```

# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc.dll" /pdbtype:sept
# SUBTRACT BASE LINK32 /profile /pdb:none
# ADD LINK32 icap.lib
..\common\txnlog\lib\release\rtetime.lib
..\common\txnlog\lib\release\spinlock.lib
..\common\txnlog\lib\release\error.lib
..\common\txnlog\lib\release\txnolog.lib wsock32.lib
kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib
oleaut32.lib uuid.lib odbc32.lib odbccp32.lib /nologo
/subsystem:windows /dll /debug /machine:I386
/out:".bin\tpcc.dll" /pdbtype:sept
# SUBTRACT LINK32 /profile /pdb:none /map

!ENDIF

# Begin Target

# Name "isapi_dll - Win32 Release"
# Name "isapi_dll - Win32 Debug"
# Name "isapi_dll - Win32 IceCAP"
# Begin Group "Source"

# PROP Default_Filter "*.cpp, *.def, *.rc"
# Begin Source File

SOURCE=.\src\tpcc.cpp
# End Source File
# Begin Source File

SOURCE=.\src\tpcc.def
# End Source File
# Begin Source File

SOURCE=.\src\tpcc.rc
# End Source File
# End Group
# Begin Group "Header Files"

# PROP Default_Filter "*.h, *.hpp"
# Begin Source File

SOURCE=.\common\src\error.h
# End Source File
# Begin Source File

SOURCE=.\common\src\ReadRegistry.h
# End Source File
# Begin Source File

SOURCE=.\src\tpcc.h
# End Source File
# Begin Source File

SOURCE=.\db_dblib_dll\src\tpcc_dblib.h
# End Source File

```

```

# Begin Source File

SOURCE=..\db_odbc_dll\src\tpcc_odbc.h
# End Source File
# Begin Source File

SOURCE=..\tm_tuxedo_dll\src\tpcc_tux.h
# End Source File
# Begin Source File

SOURCE=..\common\src\trans.h
# End Source File
# Begin Source File

SOURCE=..\common\src\txn_base.h
# End Source File
# End Group
# End Target
# End Project

```

## **rtetime.h**

```

/* FILE: rtetime.h : header file
 * Copyright 1997 Microsoft Corp., All rights
reserved.
 *
 * Source code licensed to Tandem Computers for
Internal
 * use only. Redistribution of source or object
files or
 * any derivative works is prohibited. By agreement,
this
 * notice may not be removed.
 *
 * Authors: Charles Levine, Philip Durr
 *
 * Microsoft Corp.
 */

//FILE: RTETIME.H

#define MAX_JULIAN_TIME
0x7FFFFFFFFFFFFFFF
#define JULIAN_TIME __int64
#define TC_TIME DWORD
extern "C"
{
    BOOL InitJulianTime(LPSYSTEMTIME
lpInitTime);
    JULIAN_TIME GetJulianTime(void);
    DWORD MyTickCount(void);
    void GetJulianAndTC(JULIAN_TIME
*pJulian, DWORD *pTC);
    JULIAN_TIME ConvertTo64BitTime(int iYear, int
iMonth, int iDay, int iHour, int iMinute, int
iSecond);
    JULIAN_TIME Get64BitTime(LPSYSTEMTIME
lpInitTime);
    int JulianDay( int yr, int
mm, int dd );

```

```

void JulianToTime(JULIAN_TIME
julianTS, int* yr, int* mm, int* dd, int *hh, int
*mi, int *ss );
void JulianToCalendar( int day, int*
yr, int* mm, int* dd );
}

```

## **spinlock.h**

```

/* FILE: SPINLOCK.H
 *
 * Copyright 1997 Microsoft Corp., All rights
reserved.
 *
 * Source code licensed to Tandem Computers for
Internal
 * use only. Redistribution of source or object
files or
 * any derivative works is prohibited. By agreement,
this
 * notice may not be removed.
 *
 * Authors: Mike Parkes, Charles Levine, Philip Durr
 *
 * Microsoft Corp.
 */

#ifndef _INC_Spinlock
#define _INC_Spinlock

const LONG LockClosed = 1;
const LONG LockOpen = 0;

/*****
 *
 * Spinlock and Semaphore locking.
 *
 * This class provides a very
conservative locking scheme.
 * The assumption behind the code is that
locks will be
 * held for a very short time. When a
lock is taken a memory
 * location is exchanged. All other
threads that want this
 * lock wait by spinning and sometimes
sleeping on a semaphore
 * until it becomes free again. The only
other choice is not
 * to wait at all and move on to do
something else. This
 * module should normally be used in
conjunction with cache
 * aligned memory in minimize cache line
misses.
 *
 *****/

class Spinlock
{
    // Private data.

```

```

HANDLE
Semaphore;
volatile LONG
m_Spinlock;
volatile LONG
Waiting;

#ifdef _DEBUG
// Counters for
debugging builds.
volatile LONG
TotalLocks;
volatile LONG
TotalSleeps;
volatile LONG
TotalSpins;
volatile LONG
TotalWaits;
#endif

public:
// Public functions.
Spinlock( void );

inline BOOL ClaimLock(
ReleaseLock( void );
~Spinlock( void );
// Disabled operations.
Spinlock( const
void operator=( const
Spinlock & Copy );

private:
// Private functions.
inline BOOL
ClaimSpinlock( volatile LONG *sl );
void WaitForLock( void
);
void WakeAllSleepers(
void );
};

/*****
 *
 * A guaranteed atomic exchange.
 *
 * An attempt is made to claim the
Spinlock. This action is
 * guaranteed to be atomic.
 *
 *****/

inline BOOL Spinlock::ClaimSpinlock(
volatile LONG *Spinlock )
{
#ifdef _DEBUG

```



```

InterlockedIncrement(
(LPLONG) & TotalLocks );
#endif
return ( (*Spinlock) ==
LockOpen) && ( InterlockedExchange( (LPLONG)Spinlock,
LockClosed ) == LockOpen) );
}

/*****
*
* Claim the Spinlock.
*
* Claim the lock if available else wait
or exit.
*
*****/

inline BOOL Spinlock::ClaimLock( BOOL Wait
)
{
    if ( ! ClaimSpinlock( (volatile
LONG*) & m_Spinlock ) )
    {
        if ( Wait )
            WaitForLock();
        return Wait;
    }
    return TRUE;
}

/*****
*
* Release the Spinlock.
*
* Release the lock and if needed wakeup
any sleepers.
*
*****/

inline void Spinlock::ReleaseLock( void )
{
    m_Spinlock = LockOpen;
    if ( Waiting > 0 )
        WakeAllSleepers();
}

#define _INC_Spinlock

#endif

```

**tm\_com\_dll.ds**  
**p**

```

# Microsoft Developer Studio Project File -
Name="tm_com_dll" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=tm_com_dll - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tm_com_dll.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tm_com_dll.mak" CFG="tm_com_dll -
Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tm_com_dll - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tm_com_dll - Win32 Debug" (based on "Win32
(x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "tm_com_dll - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MD /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe

```

```

# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386 /out:".bin\tpcc_com.dll"

!ELSEIF "$(CFG)" == "tm_com_dll - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MDd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdptype:sept
# ADD LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /out:".bin\tpcc_com.dll" /pdptype:sept

!ENDIF

# Begin Target

# Name "tm_com_dll - Win32 Release"
# Name "tm_com_dll - Win32 Debug"
# Begin Source File

SOURCE=.\src\tpcc_com.cpp
# End Source File
# Begin Source File

```

```
SOURCE=.\src\tpcc_com.h
# End Source File
# End Target
# End Project
```

## tpcc.cpp

```
/* FILE: TPCC.C Microsoft
 * TPC-C Kit Ver. 4.20.000 Copyright
 * Microsoft, 1999
 * All Rights Reserved
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 *
 * PURPOSE: Main module for TPCC.DLL which is
 * an ISAPI service dll.
 * Contact: Charles Levine
 * (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - reworked error
 * handling; added options for COM and Encina txn
 * monitors
 */

#include <windows.h>
#include <process.h>
#include <tchar.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>
#include <assert.h>

#include <sqltypes.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\ReadRegistry.h"

#include "..\..\common\txnlog\include\rtetime.h"
#include "..\..\common\txnlog\include\spinlock.h"
#include "..\..\common\txnlog\include\txnlog.h"

// Database layer includes
```

```
#include "..\..\db_dblib_dll\src\tpcc_dblib.h"
// DBLIB implementation of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h"
// ODBC implementation of TPC-C txns

// Txn monitor layer includes
#include "..\..\tm_com_dll\src\tpcc_com.h"
// COM Services implementation on

TPC-C txns
#include "..\..\tm_tuxedo_dll\src\tpcc_tux.h"
// interface to Tuxedo libraries
#include "..\..\tm_encina_dll\src\tpcc_enc.h"
// interface to Encina libraries

#include "httpext.h"
//ISAPI DLL information header
#include "tpcc.h"
//this dlls specific structure, value e.t.
header.

#define LEN_ERR_STRING 256

// defines for Make<Txn>Form calls to distinguish
input and output flavors
#define OUTPUT_FORM 0
#define INPUT_FORM 1

char szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

//Terminal client id structure
TERM Term = { 0, 0, 0, NULL };

// The WEBCLIENT_VERSION string specifies the version
level of this web client interface.
// The RTE must be synchronized with the interface
level on login, otherwise the login
// will fail. This is a sanity check to catch
problems resulting from mismatched versions
// of the RTE and web client.
#define WEBCLIENT_VERSION "410"

static CRITICAL_SECTION
TermCriticalSection;

static HINSTANCE hLibInstanceTm = NULL;
static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;
TYPE_CTPCC_TUXEDO *pCTPCC_TUXEDO_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_post_init;
TYPE_CTPCC_COM *pCTPCC_COM_new;

// For deferred Delivery txns:

CTxnLog *txnDelilog = NULL;
//used to log delivery transaction
information
```

```
HANDLE hWorkerSemaphore = INVALID_HANDLE_VALUE;
HANDLE hDoneEvent = INVALID_HANDLE_VALUE;
HANDLE *pDeliHandles = NULL;

// configuration settings from registry
TPCCREGISTRYDATA Reg;

DWORD dwNumDeliveryThreads = 4;
CRITICAL_SECTION DelBuffCriticalSection;
//critical section for delivery
transactions cache
DELIVERY_TRANSACTION *pDelBuff
= NULL;

DWORD dwDelBuffSize = 100;
// size of circular buffer for delivery

txns
DWORD dwDelBuffFreeCount;
// number of buffers free

DWORD dwDelBuffBusyIndex = 0; //
index position of entry waiting to be delivered
DWORD dwDelBuffFreeIndex = 0; //
index position of unused entry

#include "..\..\common\src\ReadRegistry.cpp"

/* FUNCTION: DllMain
 *
 * PURPOSE: This function is the entry point
 * for the DLL. This implementation is based on the
 * fact that
 * DLL_PROCESS_ATTACH is only called from the inet
 * service once.
 *
 * ARGUMENTS: HANDLE hModule
 * module handle
 *
 * ul_reason_for_call reason for call
 * LPVOID LPVOID
 *
 * lpReserved reserved for future use
 *
 * RETURNS: BOOL FALSE
 * errors occurred in
 * initialization
 *
 * TRUE DLL
 * successfully initialized
 */

BOOL APIENTRY DllMain(HANDLE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
```

```

DWORD i;
char szEvent[LEN_ERR_STRING] = "\0";
char szLogFile[128];
char szDllName[128];

try
{
    switch( ul_reason_for_call )
    {
        case
DLL_PROCESS_ATTACH:
            {
                DWORD dwSize = MAX_COMPUTERNAME_LENGTH+1;
                GetComputerName(szMyComputerName, &dwSize);
                szMyComputerName[dwSize] = 0;
            }

            DisableThreadLibraryCalls((HMODULE)hModule)
;
            InitializeCriticalSection(&TermCriticalSection);

            ReadTPCCRegistrySettings( &Reg )
                if (
                    throw new CWBCLNT_ERR(
ERR_MISSING_REGISTRY_ENTRIES );

                    dwDelBuffSize
= min( Reg.dwMaxPendingDeliveries, 10000 ); // min
with 10000 as a sanity constraint

                    dwNumDeliveryThreads = min(
Reg.dwNumberOfDeliveryThreads, 100 ); // min with
100 as a sanity constraint

                    TermInit();

                // load DLL
                if
(Reg.eTxnMon == TUXEDO)
                {
                    strcpy( szDllName, Reg.szPath );

                    strcat( szDllName, "tpcc_tuxedo.dll" );

                    hLibInstanceTm = LoadLibrary( szDllName );
                    if
(hLibInstanceTm == NULL)

                        throw new CWBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );

                    //
                    get function pointer to wrapper for class constructor
                }
            }
        }
    }

```

```

                pCTPCC_TUXEDO_new = (TYPE_CTPCC_TUXEDO*)
GetProcAddress(hLibInstanceTm, "CTPCC_TUXEDO_new");
                if
(pCTPCC_TUXEDO_new == NULL)

                    throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );

                else if
(Reg.eTxnMon == ENCINA)
                {
                    strcpy( szDllName, Reg.szPath );

                    strcat( szDllName, "tpcc_encina.dll" );

                    hLibInstanceTm = LoadLibrary( szDllName );
                    if
(hLibInstanceTm == NULL)

                        throw new CWBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );

                    //
                    get function pointer to wrapper for class constructor

                    pCTPCC_ENCINA_new = (TYPE_CTPCC_ENCINA*)
GetProcAddress(hLibInstanceTm, "CTPCC_ENCINA_new");

                    pCTPCC_ENCINA_post_init =
(TYPE_CTPCC_ENCINA*)
GetProcAddress(hLibInstanceTm, "CTPCC_ENCINA_post_init
");
                    if
(pCTPCC_ENCINA_new == NULL)

                        throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );

                }

                else if
(Reg.eTxnMon == COM)
                {
                    strcpy( szDllName, Reg.szPath );

                    strcat( szDllName, "tpcc_com.dll" );

                    hLibInstanceTm = LoadLibrary( szDllName );
                    if
(hLibInstanceTm == NULL)

                        throw new CWBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );

                    //
                    get function pointer to wrapper for class constructor

                    pCTPCC_COM_new = (TYPE_CTPCC_COM*)
GetProcAddress(hLibInstanceTm, "CTPCC_COM_new");

                    if
(pCTPCC_COM_new == NULL)

```

```

                    throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                }

                // load DLL
                for database connection
                    if
((Reg.eTxnMon == None) || (dwNumDeliveryThreads > 0))
                    {
                        if
(Reg.eDB_Protocol == DBLIB)
                        {
                            strcpy( szDllName, Reg.szPath );

                            strcat( szDllName, "tpcc_dblib.dll" );

                            hLibInstanceDb = LoadLibrary( szDllName );
                            if
(hLibInstanceDb == NULL)

                                throw new CWBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                            // get function pointer to wrapper for
class constructor

                            pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
GetProcAddress(hLibInstanceDb, "CTPCC_DBLIB_new");

                            if
(pCTPCC_DBLIB_new == NULL)

                                throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );

                            else if
(Reg.eDB_Protocol == ODBC)
                            {
                                strcpy( szDllName, Reg.szPath );

                                strcat( szDllName, "tpcc_odbc.dll" );

                                hLibInstanceDb = LoadLibrary( szDllName );
                                if
(hLibInstanceDb == NULL)

                                    throw new CWBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                                // get function pointer to wrapper for
class constructor

                                pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");

                                if
(pCTPCC_ODBC_new == NULL)

                                    throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
                            }
                        }
                    }
                }
            }
        }
    }

```

```

    }
    }
    if
(dwNumDeliveryThreads)
    {
//
for deferred delivery txns:
    hDoneEvent = CreateEvent( NULL, TRUE /*
manual reset */, FALSE /* initially not signalled */,
NULL );
    InitializeCriticalSection(&DelBuffCriticalS
ection);
    hWorkerSemaphore = CreateSemaphore( NULL,
0, dwDelBuffSize, NULL );
    dwDelBuffFreeCount = dwDelBuffSize;

    InitJulianTime(NULL);

//
create unique log file name based on delilog-yyymmdd-
hhmm.log
    SYSTEMTIME Time;
    GetLocalTime( &Time );
    wsprintf( szLogFile, "%sdelivery-
%2.2d%2.2d%2.2d-%2.2d%2.2d.log",
        Reg.szPath, Time.wYear % 100,
Time.wMonth, Time.wDay, Time.wHour, Time.wMinute );
    txnDelilog = new CTxnLog(szLogFile,
TXN_LOG_WRITE);

//write event into txn log for START
    txnDelilog-
>WriteCtrlRecToLog(TXN_EVENT_START, szMyComputerName,
sizeof(szMyComputerName));

//
allocate structures for delivery buffers and thread
mgmt
    pDeliHandles = new
HANDLE[dwNumDeliveryThreads];

    pDelBuff = new
DELIVERY_TRANSACTION[dwDelBuffSize];

//
launch DeliveryWorkerThread to perform actual
delivery txns
    for(i=0; i<dwNumDeliveryThreads; i++)
    {

```

```

        pDeliHandles[i] = (HANDLE) _beginthread(
DeliveryWorkerThread, 0, NULL );
        if (pDeliHandles[i] ==
INVALID_HANDLE_VALUE)
            throw new CWEBCLNT_ERR(
ERR_DELIVERY_THREAD_FAILED );
    }
    break;
case
DLL_PROCESS_DETACH:
    if
(dwNumDeliveryThreads)
    {
        if
(txnDelilog != NULL)
        {
            //write event into txn log for STOP
            txnDelilog-
>WriteCtrlRecToLog(TXN_EVENT_STOP, szMyComputerName,
sizeof(szMyComputerName));

            // This will do a clean shutdown of the
delivery log file
            CTxnLog *txnDelilogLocal = txnDelilog;
            txnDelilog= NULL;
            delete txnDelilogLocal;
        }

        delete [] pDeliHandles;
        delete [] pDelBuff;

        CloseHandle( hWorkerSemaphore );
        CloseHandle( hDoneEvent );
        DeleteCriticalSection(&DelBuffCriticalSecti
on);
        DeleteCriticalSection(&TermCriticalSection)
;
    }
    if
(hLibInstanceTm != NULL)
        FreeLibrary( hLibInstanceTm );

```

```

        hLibInstanceTm = NULL;
    }
    if
(hLibInstanceDb != NULL)
        FreeLibrary( hLibInstanceDb );
    hLibInstanceDb = NULL;
    Sleep(500);
    break;
default:
    /* nothing
*/;
}
catch (CBaseErr *e)
{
    WriteMessageToEventLog( e-
>ErrorText() );
    delete e;
    TerminateExtension(0);
    return FALSE;
}
catch (...)
{
    WriteMessageToEventLog(TEXT("Unhandled
exception. DLL could not load."));
    TerminateExtension(0);
    return FALSE;
}
return TRUE;

/* FUNCTION: GetExtensionVersion
*
* PURPOSE: This function is called by the
inet service when the DLL is first loaded.
*
* ARGUMENTS: HSE_VERSION_INFO *pVer
passed in structure in which to place
expected version number.
*
* RETURNS: TRUE inet service
expected return value.
*/
BOOL WINAPI GetExtensionVersion(HSE_VERSION_INFO
*pVer)
{
    pVer->dwExtensionVersion =
MAKELONG(HSE_VERSION_MINOR, HSE_VERSION_MAJOR);
    lstrcpy(pVer->lpszExtensionDesc, "TPC-C
Server.", HSE_MAX_EXT_DLL_NAME_LEN);

// TODO: why do we need this here instead
of in the DLL attach?
    if (Reg.eTxnMon == ENCINA)

```

```

        pCTPCC_ENCINA_post_init();

        return TRUE;
    }

/* FUNCTION: TerminateExtension
 *
 * PURPOSE:      This function is called by the
inet service when the DLL is about to be unloaded.
 *              Release all resources
in anticipation of being unloaded.
 *
 * RETURNS:      TRUE      inet service
expected return value.
 */

BOOL WINAPI TerminateExtension( DWORD dwFlags )
{
    if (pDeliHandles)
    {
        SetEvent( hDoneEvent );
        for(DWORD i=0;
i<dwNumDeliveryThreads; i++)
        WaitForSingleObject(
pDeliHandles[i], INFINITE );
    }

    TermDeleteAll();
    return TRUE;
}

/* FUNCTION: HttpExtensionProc
 *
 * PURPOSE:      This function is the main entry
point for the TPCC DLL. The internet service
 *              calls this function
passing in the http string.
 *
 * ARGUMENTS:    EXTENSION_CONTROL_BLOCK
 *pECB      structure pointer to passed in
internet
 *
 *              service information.
 *
 * RETURNS:      DWORD
HSE_STATUS_SUCCESS
connection can be dropped if
error
 *
 *              HSE_STATUS_SUCCESS_AND_KEEP_CONN
keep connect valid comment sent
 *
 * COMMENTS:     None
 */

DWORD WINAPI
HttpExtensionProc(EXTENSION_CONTROL_BLOCK *pECB)
{
    int          iCmd, FormId,
TermId, iSyncId;

```

```

char          szBuffer[4096];

int          lpbSize;
static char  szHeader[] = "200 Ok";
DWORD        dwSize = 6;
// initial value is strlen(szHeader)
char          szHeader1[4096];

#ifdef ICECAP
    StartCAP();
#endif

    try
    {
        //process http query
        ProcessQueryString(pECB, &iCmd,
&FormId, &TermId, &iSyncId);

        if (TermId != 0)
        {
            if ( TermId < 0 ||
TermId >= Term.iNumEntries ||
Term.pClientData[TermId].iNextFree != -1 )
            {
                //
                debugging...
                char
szTmp[128];

                wsprintf(
szTmp, "Invalid term ID; TermId = %d", TermId );

                WriteMessageToEventLog( szTmp );

                throw new
CWEBCLNT_ERR( ERR_INVALID_TERMID );
            }
            //must have a valid
syncid here since termid is valid
            if (iSyncId !=
Term.pClientData[TermId].iSyncId)
                throw new
CWEBCLNT_ERR( ERR_INVALID_SYNC_CONNECTION );

            //set use time
            Term.pClientData[TermId].iTickCount =
GetTickCount();
        }

        switch(iCmd)
        {
        case 0:
            WelcomeForm(pECB,
szBuffer);
            break;
        case 1:
            switch( FormId )
            {
                case
WELCOME_FORM:

```

```

                case
MAIN_MENU_FORM:
                    break;
                case
NEW_ORDER_FORM:
                    ProcessNewOrderForm(pECB, TermId,
szBuffer);
                    break;
                case
PAYMENT_FORM:
                    ProcessPaymentForm(pECB, TermId, szBuffer);
                    break;
                case
DELIVERY_FORM:
                    ProcessDeliveryForm(pECB, TermId,
szBuffer);
                    break;
                case
ORDER_STATUS_FORM:
                    ProcessOrderStatusForm(pECB, TermId,
szBuffer);
                    break;
                case
STOCK_LEVEL_FORM:
                    ProcessStockLevelForm(pECB, TermId,
szBuffer);
                    break;
            }
            case 2:
                // new-order selected
from menu; display new-order input form
                MakeNewOrderForm(TermId, NULL, INPUT_FORM,
szBuffer);
                break;
            case 3:
                // payment selected
from menu; display payment input form
                MakePaymentForm(TermId,
NULL, INPUT_FORM, szBuffer);
                break;
            case 4:
                // delivery selected
from menu; display delivery input form
                MakeDeliveryForm(TermId, NULL, INPUT_FORM,
szBuffer);
                break;
            case 5:
                // order-status
selected from menu; display order-status input form

```

```

        MakeOrderStatusForm(TermId, NULL,
INPUT_FORM, szBuffer);
        break;
        case 6:
            // stock-level selected
from menu; display stock-level input form
        MakeStockLevelForm(TermId, NULL,
INPUT_FORM, szBuffer);
        break;
        case 7:
            // ExitCmd
TermDelete(TermId);
WelcomeForm(pECB,
szBuffer);
        break;
        case 8:
            SubmitCmd(pECB,
szBuffer);
        break;
        case 9:
            // menu
        MakeMainMenuForm(TermId,
Term.pClientData[TermId].iSyncId, szBuffer);
        break;
        case 10:
            // CMD=Clear
            // resets all
connections; should only be used when no other
connections are active
            TermDeleteAll();
            TermInit();
            WelcomeForm(pECB,
szBuffer);
        break;
        case 11:
            // CMD=Stats
StatsCmd(pECB,
szBuffer);
        break;
    }
    catch (CBaseErr *e)
    {
        ErrorForm( pECB, e->ErrorType(),
e->ErrorNum(), TermId, iSyncId, e->ErrorText(),
szBuffer );
        delete e;
    }
    catch (...)
    {
        ErrorForm( pECB, ERR_TYPE_WEBDLL,
0, TermId, iSyncId, "Error: Unhandled exception in
Web Client.", szBuffer );
    }
#endif ICECAP
StopCAP();
#endif

lpbSize = strlen(szBuffer);

```

```

        wsprintf(szHeader1,
                "Content-Type:
text/html\r\n"
                "Content-Length:
%d\r\n"
                "Connection: Keep-
Alive\r\n\r\n", lpbSize);
        strcat( szHeader1, szBuffer );

        (*pECB->ServerSupportFunction)(pECB-
>ConnID, HSE_REQ_SEND_RESPONSE_HEADER, szHeader,
(LPWORD) &dwSize, (LPWORD)szHeader1);

        //finish up and keep connection
pECB->dwHttpStatusCode = 200;
return HSE_STATUS_SUCCESS_AND_KEEP_CONN;
    }

void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR    szMsg[256];
    HANDLE   hEventSource;
    LPTSTR   lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL,
TEXT("TPCC.DLL"));

    _stprintf(szMsg, TEXT("Error in TPCC.DLL: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event
source
        EVENTLOG_ERROR_TYPE, // event type
0, // event category
0, // event ID
NULL, // current user's
SID
2, // strings in
lpszStrings
0, // no bytes of raw
data
(LPCTSTR *)lpszStrings, // array of
error strings
NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

/* FUNCTION: DeliveryWorkerThread
*
* PURPOSE: This function processes deferred
delivery txns. There are typically several
* threads running this
routine. The number of threads is determined by an
entry

```

```

* read from the registry.
The thread waits for work by waiting on semaphore.
* When a delivery txn is
posted, the semaphore is released. After processing
* the delivery txn,
information is logged to record the txn status and
execution
* time.
*/

/*static*/ void DeliveryWorkerThread(void *ptr)
{
    CTPCC_BASE *pTxn = NULL;

    DELIVERY_TRANSACTION
delivery;
PDELIVERY_DATA
pDeliveryData;
TXN_RECORD_TPCC_DELIV_DEF txnDeliRec;

    DWORD index;
HANDLE handles[2];

    SYSTEMTIME trans_end;
//delivery transaction finished
time
SYSTEMTIME trans_start;
//delivery transaction start time

    int
iRetryCnt = 0;
static int iMaxRetries =
10;

    assert(txnDeliLog != NULL);

Reconnect:
    try
    {
        if (Reg.eDB_Protocol == ODBC)
            pTxn = pCTPCC_ODBC_new(
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
szMyComputerName, Reg.szDbName );
        else if (Reg.eDB_Protocol ==
DBLIB)
            pTxn =
pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
        pDeliveryData = pTxn-
>BuffAddr_Delivery();
    }
    catch (CBaseErr *e)
    {
        char szTmp[1024];
        wsprintf( szTmp, "Error in
Delivery Txn thread. Could not connect to database.
"
                "%s.
Server=%s, User=%s, Password=%s, Database=%s",
e-
>ErrorText(), Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, Reg.szDbName );
        WriteMessageToEventLog( szTmp );
    }
}

```

```

delete e;
// will retry connection up to
ten times
if (iRetryCnt++ < iMaxRetries)
{
Sleep(5000); //
delay for 5 seconds
goto Reconnect;
}

wsprintf( szTmp, "Delivery Txn
thread terminating after %d retries.", iMaxRetries );
WriteMessageToEventLog( szTmp );
goto ErrorExit;
}
catch (...)
{
WriteMessageToEventLog(TEXT("Unhandled
exception caught in DeliveryWorkerThread. Delivery
Txn thread terminating."));
goto ErrorExit;
}

while (TRUE)
{
try
{
//while delivery thread
running, i.e. user has not requested termination
while (TRUE)
{
// need to
wait for multiple objects: program exit or worker
semaphore;
handles[0] =
hDoneEvent;
handles[1] =
hWorkerSemaphore;
index =
WaitForMultipleObjects( 2, &handles[0], FALSE,
INFINITE );
if (index ==
WAIT_OBJECT_0)
goto ErrorExit;

ZeroMemory(&txnDeliRec,
sizeof(txnDeliRec));

txnDeliRec.TxnType =
TXN_REC_TYPE_TPCC_DELIV_DEF;

// make a
local copy of current entry from delivery buffer and
increment buffer index
EnterCriticalSection(&DelBuffCriticalSectio
n);

```

```

delivery =
*(pDelBuff+dwDelBuffBusyIndex);
dwDelBuffFreeCount++;
dwDelBuffBusyIndex++;
if
(dwDelBuffBusyIndex == dwDelBuffSize) // wrap-
around if at end of buffer
dwDelBuffBusyIndex = 0;

LeaveCriticalSection(&DelBuffCriticalSectio
n);

pDeliveryData->w_id = delivery.w_id;
pDeliveryData->o_carrier_id =
delivery.o_carrier_id;

txnDeliRec.w_id = pDeliveryData->w_id;
txnDeliRec.o_carrier_id = pDeliveryData-
>o_carrier_id;

txnDeliRec.TxnStartT0 =
Get64BitTime(&delivery.queue);

GetLocalTime(
&trans_start );
pTxn-
>Delivery();
GetLocalTime(
&trans_end );

//log txn
txnDeliRec.TxnStatus = ERR_SUCCESS;
for (int i=0;
i<10; i++)
txnDeliRec.o_id[i] = pDeliveryData-
>o_id[i];

txnDeliRec.DeltaT4 =
(int)(Get64BitTime(&trans_end) -
txnDeliRec.TxnStartT0);

txnDeliRec.DeltaTxnExec =
(int)(Get64BitTime(&trans_end) -
Get64BitTime(&trans_start));

if
(txnDeliLog != NULL)
txnDeliLog->WriteToLog(&txnDeliRec);
}
catch (CBaseErr *e)
{

```

```

char szTmp[1024];
wsprintf( szTmp, "Error
in Delivery Txn thread. %s", e->ErrorText() );
WriteMessageToEventLog(
szTmp );

// log the error txn
txnDeliRec.TxnStatus =
e->ErrorType();
if (txnDeliLog != NULL)
txnDeliLog-
>WriteToLog(&txnDeliRec);

delete e;
}
catch (...)
{
// unhandled exception;
shouldn't happen; not much we can do...

WriteMessageToEventLog(TEXT("Unhandled
exception caught in DeliveryWorkerThread."));
}

ErrorExit:
delete pTxn;
_endthread();
}

/* FUNCTION: PostDeliveryInfo
* PURPOSE: This function enters the delivery
txn into the deferred delivery buffer.
* RETURNS: BOOL FALSE
delivery information posted successfully
TRUE error cannot post delivery info
*/
BOOL PostDeliveryInfo(short w_id, short o_carrier_id)
{
BOOL bError;

EnterCriticalSection(&DelBuffCriticalSectio
n);
if (dwDelBuffFreeCount > 0)
{
bError = FALSE;
(pDelBuff+dwDelBuffFreeIndex)-
= w_id;
(pDelBuff+dwDelBuffFreeIndex)-
= o_carrier_id;

GetLocalTime(&(pDelBuff+dwDelBuffFreeIndex)
->queue);

dwDelBuffFreeCount--;
dwDelBuffFreeIndex++;
if (dwDelBuffFreeIndex ==
dwDelBuffSize)

```

```

        dwDelBuffFreeIndex = 0;
        // wrap-around if at end of
buffer
    }
    else
        // No free buffers. Return an
error, which indicates that the delivery buffer is
full.
        // Most likely, the number of
delivery worker threads needs to be increased to keep
up
        // with the txn rate.
        bError = TRUE;
        LeaveCriticalSection(&DelBuffCriticalSection);
    if (!bError)
        // increment worker semaphore to
wake up a worker thread
        ReleaseSemaphore(
hWorkerSemaphore, 1, NULL );
    return bError;
}

/* FUNCTION: ProcessQueryString
 *
 * PURPOSE: This function extracts the
relevant information out of the http command passed
in from
 *
 * the browser.
 *
 * COMMENTS: If this is the initial connection
i.e. client is at welcome screen then
 *
 * there will
not be a terminal id or current form id. If this is
the case
 *
 * then the
pTermid and pFormid return values are undefined.
 */

void ProcessQueryString(EXTENSION_CONTROL_BLOCK
*pECB, int *pCmd, int *pFormId, int *pTermId, int
*pSyncId)
{
    char *ptr = pECB->lpszQueryString;
    char szBuffer[25];
    int i;

    //allowable client command strings i.e.
CMD=command
    static char *szCmds[] =
    {
        "Process", "..NewOrder..",
        "..Payment..", "..Delivery..", "..Order-Status..",
        "..Stock-Level..",
        "..Exit..", "Submit", "Menu",
        "Clear", "Stats", ""
    };

    *pCmd = 0; // default is
the login screen
    *pTermId = 0;

```

```

        // if no params (i.e., empty query string),
then return login screen
        if (strlen(pECB->lpszQueryString) == 0)
            return;

        // parse FORMID, TERMID, and SYNCID
        *pFormId = GetIntKeyValue(&ptr, "FORMID",
NO_ERR, NO_ERR);
        *pTermId = GetIntKeyValue(&ptr, "TERMID",
NO_ERR, NO_ERR);
        *pSyncId = GetIntKeyValue(&ptr, "SYNCID",
NO_ERR, NO_ERR);

        // parse CMD
        GetKeyValue(&ptr, "CMD", szBuffer,
sizeof(szBuffer), ERR_COMMAND_UNDEFINED);

        // see which command it matches
        for(i=0; i++)
        {
            if (szCmds[i][0] == 0)
                // no more; no match;
            throw new CWEBCLNT_ERR(
ERR_COMMAND_UNDEFINED );
            if ( !strcmp(szCmds[i], szBuffer) )
            {
                *pCmd = i+1;
                break;
            }
        }
    }

/* FUNCTION: void WelcomeForm
 *
 *
 */

void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    char szTmp[1024];

    //welcome to tpc-c html form buffer, this
is first form client sees.
    strcpy( szBuffer,
"HTML<HEAD><TITLE>TPC-C Web
Client</TITLE></HEAD><BODY>"

"<B><BIG>Microsoft TPC-C Web Client (ver
4.20)</BIG></B> <BR> <BR>"

"<font face=\\"Courier New\\"><PRE>"

"Compiled: " __DATE__ ", " __TIME__ " <BR>"

"Source: " __FILE__ " (" __TIMESTAMP__ )"

<BR>"

"</PRE></font>"

"<FORM ACTION=\\"tpcc.dll\\" METHOD=\\"GET\\">"

```

```

        "<INPUT TYPE=\\"hidden\\" NAME=\\"STATUSID\\"
VALUE=\\"0\\">"

        "<INPUT TYPE=\\"hidden\\" NAME=\\"ERROR\\"
VALUE=\\"0\\">"

        "<INPUT TYPE=\\"hidden\\" NAME=\\"FORMID\\"
VALUE=\\"1\\">"

        "<INPUT TYPE=\\"hidden\\" NAME=\\"TERMID\\"
VALUE=\\"0\\">"

        "<INPUT TYPE=\\"hidden\\" NAME=\\"SYNCID\\"
VALUE=\\"0\\">"

        "<INPUT TYPE=\\"hidden\\" NAME=\\"VERSION\\"
VALUE=\\" " WEBCLIENT_VERSION "\\>"
    );

    sprintf( szTmp, "Configuration
Settings: <BR><font face=\\"Courier New\\"
color=\\"blue\\"><PRE>"

        "Txn Monitor = <B>%s</B><BR>"

        "Database protocol = <B>%s</B><BR>"

        "Max Connections = <B>%d</B><BR>" "#
of Delivery Threads = <B>%d</B><BR>"

        "Max Pending Deliveries = <B>%d</B><BR>"

    szTxnMonNames[Reg.eTxnMon],
    szDBNames[Reg.eDB_Protocol],
        Reg.dwMaxConnections,
dwNumDeliveryThreads, dwDelBuffSize );
    strcat( szBuffer, szTmp);

    if (Reg.eTxnMon == COM)
    {
        sprintf( szTmp, "COM Single
Pool = <B>%s</B><BR>",
Reg.bCOM_SinglePool ?
"YES" : "NO" );
        strcat( szBuffer, szTmp);
    }
    strcat( szBuffer, "</PRE></font>");

    if (Reg.eTxnMon == None)
        // connection options may be
specified when not using a txn monitor
        sprintf( szTmp, "Please enter
your database options for this connection:<BR>"

        "<font face=\\"Courier New\\"
color=\\"blue\\"><PRE>"

        "DB Server = <INPUT NAME=\\"db_server\\"
SIZE=20 VALUE=\\"%s\\"><BR>"

```



```

        "DB User ID = <INPUT NAME=\"db_user\"
SIZE=20 VALUE=\"%s\"><BR>"

        "DB Password = <INPUT NAME=\"db_passwd\"
SIZE=20 VALUE=\"%s\"><BR>"

        "DB Name = <INPUT NAME=\"db_name\"
SIZE=20 VALUE=\"%s\"><BR>"

        "</PRE></font>"

        ,
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
Reg.szDbName );
        else
            // if using a txn monitor,
            connection options are determined from registry;
            can't
            // set per user. show options
            fyi
            sprintf( szTmp, "Database
options which will be used by the transaction
monitor:<BR>"

        " <font face=\"Courier New\"
color=\"blue\"><PRE>"

        "DB Server = <B>%s</B><BR>"

        "DB User ID = <B>%s</B><BR>"

        "DB Password = <B>%s</B><BR>"

        "DB Name = <B>%s</B><BR>"

        "</PRE></font>"

        ,
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
Reg.szDbName );
        strcat( szBuffer, szTmp);

        sprintf( szTmp, "Please enter your
Warehouse and District for this session:<BR>"

        " <font face=\"Courier New\"
color=\"blue\"><PRE>" );
        strcat( szBuffer, szTmp);
        strcat( szBuffer, "Warehouse ID = <INPUT
NAME=\"w_id\" SIZE=4><BR>"

        "District ID = <INPUT NAME=\"d_id\"
SIZE=2><BR>"

        "</PRE></font><HR>"

        " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"Submit\">"

        "</FORM></BODY></HTML>" );
    }

/* FUNCTION: SubmitCmd
*

```

```

* PURPOSE: This function allocated a new
terminal id in the Term structure array.
*
*/

void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    int iNewTerm;
    char *ptr = pECB->lpszQueryString;

    char szVersion[32] = { 0 };
    char szServer[32] = { 0 };
    char szUser[32] = "sa";
    char szPassword[32] = { 0 };
    char szDatabase[32] = "tpcc";

    // validate version field; the version
field ensures that the RTE is synchronized with the
web client
    GetKeyValue(&ptr, "VERSION", szVersion,
sizeof(szVersion), ERR_VERSION_MISMATCH);
    if ( strcmp( szVersion, WEBCLIENT_VERSION )
)
        throw new CWEBCLNT_ERR(
ERR_VERSION_MISMATCH );

    if (Reg.eTxnMon == None)
    {
        // parse Server name
        GetKeyValue(&ptr, "db_server",
szServer, sizeof(szServer), ERR_NO_SERVER_SPECIFIED);
        // parse User name
        GetKeyValue(&ptr, "db_user",
szUser, sizeof(szUser), NO_ERR);
        // parse Password
        GetKeyValue(&ptr, "db_passwd",
szPassword, sizeof(szPassword), NO_ERR);
        // parse Database name
        GetKeyValue(&ptr, "db_name",
szDatabase, sizeof(szDatabase), NO_ERR);

        // parse warehouse ID
        int w_id = GetIntKeyValue(&ptr, "w_id",
ERR_HTML_ILL_FORMED, ERR_W_ID_INVALID);
        if ( w_id < 1 )
            throw new CWEBCLNT_ERR(
ERR_W_ID_INVALID );

        // parse district ID
        int d_id = GetIntKeyValue(&ptr, "d_id",
ERR_HTML_ILL_FORMED, ERR_D_ID_INVALID);
        if ( d_id < 1 || d_id > 10 )
            throw new CWEBCLNT_ERR(
ERR_D_ID_INVALID );

        iNewTerm = TermAdd();

        Term.pClientData[iNewTerm].w_id = w_id;
        Term.pClientData[iNewTerm].d_id = d_id;
    }
}

```

```

    try
    {
        if (Reg.eTxnMon == TUXEDO)

            Term.pClientData[iNewTerm].pTxn =
pCTPCC_TUXEDO_new();
        else if (Reg.eTxnMon == ENCINA)

            Term.pClientData[iNewTerm].pTxn =
pCTPCC_ENCINA_new();
        else if (Reg.eTxnMon == COM)

            Term.pClientData[iNewTerm].pTxn =
pCTPCC_COM_new( Reg.bCOM_SinglePool );
        else if (Reg.eDB_Protocol ==
ODBC)

            Term.pClientData[iNewTerm].pTxn =
pCTPCC_ODBC_new( szServer, szUser, szPassword,
szMyComputerName, szDatabase );
        else if (Reg.eDB_Protocol ==
DBLIB)

            Term.pClientData[iNewTerm].pTxn =
pCTPCC_DBLIB_new( szServer, szUser, szPassword,
szMyComputerName, szDatabase );
    }
    catch (...)
    {
        TermDelete(iNewTerm);
        throw; // pass
exception upward
    }

    MakeMainMenuForm(iNewTerm,
Term.pClientData[iNewTerm].iSyncId, szBuffer);
}

/* FUNCTION: StatsCmd
*
* PURPOSE: This function returns to the
browser the total number of active terminal ids.
* This routine is for
development/debugging purposes.
*
*/

void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    int i;
    int iTTotal;

    EnterCriticalSection(&TermCriticalSection);

    iTTotal = 0;
    for(i=0; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree
== -1)

            iTTotal++;
    }
}

```

```

LeaveCriticalSection(&TermCriticalSection);
wsprintf( szBuffer,
"<HTML><HEAD><TITLE>TPC-C Web Client
Stats</TITLE></HEAD>"
"<BODY><B><BIG> Total
Active Connections: %d </BIG></B><BR></BODY></HTML>"
, iTotal );
}
char *CWEBCLNT_ERR::ErrorText()
{
static SERRORMSG errorMsgs[] =
{
{ ERR_COMMAND_UNDEFINED,
"Command undefined."
},
{ ERR_D_ID_INVALID,
"Invalid District ID Must be 1 to 10."
},
{ ERR_DELIVERY_CARRIER_ID_RANGE,
"Delivery Carrier ID out of range
must be 1 - 10."
},
{ ERR_DELIVERY_CARRIER_INVALID,
"Delivery Carrier ID invalid must be
numeric 1 - 10."
},
{ ERR_DELIVERY_MISSING_OCD_KEY,
"Delivery missing Carrier ID key \"OCD*\"."
},
{ ERR_DELIVERY_THREAD_FAILED,
"Could not start delivery worker
thread."
},
{ ERR_GETPROCADDR_FAILED,
"Could not map proc in DLL. GetProcAddr
error. DLL="
},
{ ERR_HTML_ILL_FORMED,
"Required key field is missing from HTML
string."
},
{ ERR_INVALID_SYNC_CONNECTION,
"Invalid Terminal Sync ID."
},
{ ERR_INVALID_TERMID,
"Invalid Terminal ID."
}
},

```

```

{ ERR_LOADDLL_FAILED,
"Load of DLL failed. DLL="
},
{ ERR_MAX_CONNECTIONS_EXCEEDED,
"No connections available. Max Connections
is probably too low."
},
{ ERR_MISSING_REGISTRY_ENTRIES,
"Required registry entries are missing.
Rerun INSTALL to correct."
},
{ ERR_NEWORDER_CUSTOMER_INVALID,
"New Order customer id invalid
data type, range = 1 to 3000."
},
{ ERR_NEWORDER_CUSTOMER_KEY,
"New Order missing Customer key
\"CID*\"."
},
{ ERR_NEWORDER_DISTRICT_INVALID,
"New Order District ID Invalid
range 1 - 10."
},
{ ERR_NEWORDER_FORM_MISSING_DID,
"New Order missing District key
\"DID*\"."
},
{ ERR_NEWORDER_ITEMID_INVALID,
"New Order Item Id is wrong data type, must
be numeric."
},
{ ERR_NEWORDER_ITEMID_RANGE,
"New Order Item Id is out of
range. Range = 1 to 999999."
},
{ ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
"New Order Item_Id field entered without a
corresponding Supp_W."
},
{ ERR_NEWORDER_MISSING_IID_KEY,
"New Order missing Item Id key \"IID*\"."
},
{ ERR_NEWORDER_MISSING_QTY_KEY,
"New Order Missing Qty key \"Qty##*\"."
},
{ ERR_NEWORDER_MISSING_SUPPW_KEY,
"New Order missing Supp_W key
\"SP##*\"."
},
{ ERR_NEWORDER_NOITEMS_ENTERED,
"New Order No order lines entered."
}
},

```

```

},
{ ERR_NEWORDER_QTY_INVALID,
"New Order Qty invalid must be
numeric range 1 - 99."
},
{ ERR_NEWORDER_QTY_RANGE,
"New Order Qty is out of range. Range = 1
to 99."
},
{ ERR_NEWORDER_QTY_WITHOUT_SUPPW,
"New Order Qty field entered
without a corresponding Supp_W."
},
{ ERR_NEWORDER_SUPPW_INVALID,
"New Order Supp_W invalid data
type must be numeric."
},
{ ERR_NO_SERVER_SPECIFIED,
"No Server name specified."
},
{ ERR_ORDERSTATUS_CID_AND_CLT,
"Order Status Only Customer ID or Last Name
may be entered, not both."
},
{ ERR_ORDERSTATUS_CID_INVALID,
"Order Status Customer ID invalid, range
must be numeric 1 - 3000."
},
{ ERR_ORDERSTATUS_CLT_RANGE,
"Order Status Customer last name
longer than 16 characters."
},
{ ERR_ORDERSTATUS_DID_INVALID,
"Order Status District invalid, value must
be numeric 1 - 10."
},
{ ERR_ORDERSTATUS_MISSING_CID_CLT,
"Order Status Either Customer ID or Last
Name must be entered."
},
{ ERR_ORDERSTATUS_MISSING_CID_KEY,
"Order Status missing Customer key
\"CID*\"."
},
{ ERR_ORDERSTATUS_MISSING_CLT_KEY,
"Order Status missing Customer Last Name
key \"CLT*\"."
},
{ ERR_ORDERSTATUS_MISSING_DID_KEY,
"Order Status missing District key
\"DID*\"."
},
{ ERR_PAYMENT_CDI_INVALID,
"Payment Customer district

```

```

invalid must be numeric."
    },
    {
        ERR_PAYMENT_CID_AND_CLT,
        "Payment Only Customer ID or Last
Name may be entered, not both."
    },
    {
        ERR_PAYMENT_CUSTOMER_INVALID,
        "Payment Customer data type invalid, must
be numeric."
    },
    {
        ERR_PAYMENT_CWI_INVALID,
        "Payment Customer Warehouse
invalid, must be numeric."
    },
    {
        ERR_PAYMENT_DISTRICT_INVALID,
        "Payment District ID is invalid, must be 1
- 10."
    },
    {
        ERR_PAYMENT_HAM_INVALID,
        "Payment Amount invalid data type
must be numeric."
    },
    {
        ERR_PAYMENT_HAM_RANGE,
        "Payment Amount out of range, 0 - 9999.99."
    },
    {
        ERR_PAYMENT_LAST_NAME_TO_LONG,
        "Payment Customer last name
longer than 16 characters."
    },
    {
        ERR_PAYMENT_MISSING_CDI_KEY,
        "Payment missing Customer district key
\"CDI*\"."
    },
    {
        ERR_PAYMENT_MISSING_CID_CLT,
        "Payment Either Customer ID or Last Name
must be entered."
    },
    {
        ERR_PAYMENT_MISSING_CID_KEY,
        "Payment missing Customer Key \"CID*\"."
    },
    {
        ERR_PAYMENT_MISSING_CLT_KEY,
        "Payment missing Customer Last Name key
\"CLT*\"."
    },
    {
        ERR_PAYMENT_MISSING_CWI_KEY,
        "Payment missing Customer Warehouse key
\"CWI*\"."
    },
    {
        ERR_PAYMENT_MISSING_DID_KEY,
        "Payment missing District Key \"DID*\"."
    },
    },

```

```

    {
        ERR_PAYMENT_MISSING_HAM_KEY,
        "Payment missing Amount key \"HAM*\"."
    },
    {
        ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
        "Stock Level; missing Threshold key
\"TT*\"."
    },
    {
        ERR_STOCKLEVEL_THRESHOLD_INVALID,
        "Stock Level; Threshold value must be in
the range = 1 - 99."
    },
    {
        ERR_STOCKLEVEL_THRESHOLD_RANGE,
        "Stock Level Threshold out of
range, range must be 1 - 99."
    },
    {
        ERR_VERSION_MISMATCH,
        "Invalid version field. RTE and Web Client
are probably out of sync."
    },
    {
        ERR_W_ID_INVALID,
        "Invalid Warehouse ID."
    },
    {
        0,
        ""
    },
};

char szTmp[256];
int i = 0;
while (TRUE)
{
    if (errorMsgs[i].szMsg[0] == 0)
    {
        strcpy( szTmp, "Unknown
error number." );
        break;
    }
    if (m_Error ==
errorMsgs[i].iError)
    {
        strcpy( szTmp,
errorMsgs[i].szMsg );
        break;
    }
    i++;
}

if (m_szTextDetail)
    strcat( szTmp, m_szTextDetail );
if (m_SystemErr)
    sprintf( szTmp+strlen(szTmp), "
Error=%d", m_SystemErr );

m_szErrorText = new char[strlen(szTmp)+1];
strcpy( m_szErrorText, szTmp );

```

```

return m_szErrorText;
}

/* FUNCTION: GetKeyValue
*
* PURPOSE: This function parses a http
formatted string for specific key values.
*
* ARGUMENTS: char http string from client
browser *pQueryString char key
* *pKey char
value to look for *pValue char
* character array into which to place key's
value * int
* maximum length of key value array.
* WEBERROR
err
error value to throw
*
* RETURNS: nothing.
*
* ERROR: if (the pKey value is not found)
then if
(err == 0)
*
return (empty string)
*
else
*
throw CWEBCLNT_ERR(err)
*
* COMMENTS: http keys are formatted either
KEY=value& or KEY=value\0. This DLL formats
* TPC-C input
fields in such a manner that the keys can be
extracted in the
* above manner.
*/

void GetKeyValue(char **pQueryString, char *pKey,
char *pValue, int iMax, WEBERROR err)
{
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorExit;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorExit;
    ptr++;

    iMax--; // one position is for terminating
    null while( *ptr && *ptr != '&' && iMax)
    {

```

```

        *pValue++ = *ptr++;
        iMax--;
    }
    *pValue = 0; // terminating null
    *pQueryString = ptr;
    return;
ErrorExit:
    if (err != NO_ERR)
        throw new CWEBCLNT_ERR( err );
    *pValue = 0; // return empty result string
}
/* FUNCTION: GetIntKeyValue
 *
 * PURPOSE:      This function parses a http
formatted string for a specific key value.
 *
 * ARGUMENTS:   char
                *pQueryString      http string from client
browser
                char              key
value to look for
                WEBERROR
                NoKeyErr          error value to throw if
key not found
                WEBERROR
                NotIntErr        error value to throw if
value not numeric
 *
 * RETURNS:     integer
 *
 * ERROR:       if (the pKey value is not found)
then
                if
(NoKeyErr != NO_ERR)
                throw CWEBCLNT_ERR(err)
 *
                else
 *
                return 0
 *
                else if (non-
numeric char found) then
                if
(NotIntErr != NO_ERR) then
                throw CWEBCLNT_ERR(err)
 *
                else
 *
                return 0
 *
 * COMMENTS:   http keys are formatted either
KEY=value& or KEY=value\0. This DLL formats
 *
                TPC-C input
fields in such a manner that the keys can be
extracted in the
 *
                above manner.
 */

```

```

int GetIntKeyValue(char **pQueryString, char *pKey,
WEBERROR NoKeyErr, WEBERROR NotIntErr)
{
    char *ptr0;
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorNoKey;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorNoKey;
    ptr++;

    ptr0 = ptr; // remember
starting point
    // scan string until a terminator (null or
&) or a non-digit
    while( *ptr && *ptr != '&' && isdigit(*ptr)
)
        ptr++;

    // make sure we stopped scanning for the
right reason
    if ((ptr0 == ptr) || (*ptr && *ptr != '&'))
    {
        if (NotIntErr != NO_ERR)
            throw new CWEBCLNT_ERR(
NoKeyErr );
        return 0;
    }

    *pQueryString = ptr;
    return atoi(ptr0);
ErrorNoKey:
    if (NoKeyErr != NO_ERR)
        throw new CWEBCLNT_ERR( NoKeyErr
);
    return 0;
}
/* FUNCTION: TermInit
 *
 * PURPOSE:     This function initializes the
client terminal structure; it is called when the
TPCC.DLL
 *
                is first loaded by the
inet service.
 *
                */
void TermInit(void)
{
    EnterCriticalSection(&TermCriticalSection);
    Term.iMasterSyncId = 1;
    Term.iNumEntries =
Reg.dwMaxConnections+1;

    Term.pClientData = NULL;
    Term.pClientData =
(PCLIENTDATA)malloc(Term.iNumEntries *
sizeof(CLIENTDATA));

```

```

    if (Term.pClientData == NULL)
    {
        LeaveCriticalSection(&TermCriticalSection);
        throw new CWEBCLNT_ERR(
ERR_MEM_ALLOC_FAILED );
    }

    ZeroMemory( Term.pClientData,
Term.iNumEntries * sizeof(CLIENTDATA) );

    Term.iFreeList =
Term.iNumEntries-1;
    // build free list
    // note: Term.pClientData[0].iNextFree gets
set to -1, which marks it as "in use".
    // This is intentional, as the zero
entry is used as an anchor and never
    // allocated as an actual
terminal.
    for(int i=0; i<Term.iNumEntries; i++)
        Term.pClientData[i].iNextFree =
i-1;

    LeaveCriticalSection(&TermCriticalSection);
}
/* FUNCTION: TermDeleteAll
 *
 * PURPOSE:     This function frees allocated
resources associated with the terminal structure.
 *
 * ARGUMENTS:   none
 *
 * RETURNS:     None
 *
 * COMMENTS:    This function is called only when
the inet service unloads the TPCC.DLL
 *
                */
void TermDeleteAll(void)
{
    EnterCriticalSection(&TermCriticalSection);
    for(int i=1; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree
== -1)
            delete
Term.pClientData[i].pTxn;
    }

    Term.iFreeList = 0;
    Term.iNumEntries = 0;
    if ( Term.pClientData )
        free(Term.pClientData);
    Term.pClientData = NULL;

    LeaveCriticalSection(&TermCriticalSection);
}
/* FUNCTION: TermAdd

```

```

*
* PURPOSE:      This function assigns a terminal
id which is used to identify a client browser.
*
* RETURNS:      int
                assigned terminal id
*/

int TermAdd(void)
{
    DWORD    i;
    int      iNewTerm, iTickCount;

    if (Term.iNumEntries == 0)
        return -1;

    EnterCriticalSection(&TermCriticalSection);
    if (Term.iFreeList != 0)
    {
        // position is available
        iNewTerm = Term.iFreeList;
        Term.iFreeList =
Term.pClientData[iNewTerm].iNextFree;

        Term.pClientData[iNewTerm].iNextFree = -1;
        // indicates this position is in use
    }
    else
    {
        // no open slots, so find the
slot that hasn't been used in the longest time and
reuse it
        for(iNewTerm=1, i=1,
iTickCount=0x7FFFFFFF; i<Reg.dwMaxConnections; i++)
        {
            if (iTickCount >
Term.pClientData[i].iTickCount)
            {
                iTickCount =
Term.pClientData[i].iTickCount;
                iNewTerm = i;
            }
        }
        // if oldest term is less than
one minute old, it probably means that more
connections
        // are being attempted than were
specified as "Max Connections" at install. In this
case,
        // do not bump existing
connection; instead, return error to requester.
        if ((GetTickCount() - iTickCount)
< 60000)
        {
            LeaveCriticalSection(&TermCriticalSection);
            throw new CWEBCLNT_ERR(
ERR_MAX_CONNECTIONS_EXCEEDED );
        }

        Term.pClientData[iNewTerm].iTickCount =
GetTickCount();
    }
}

```

```

Term.pClientData[iNewTerm].iSyncId =
Term.iMasterSyncId++;
Term.pClientData[iNewTerm].pTxn = NULL;
LeaveCriticalSection(&TermCriticalSection);
return iNewTerm;
}

/* FUNCTION: TermDelete
*
* PURPOSE:      This function makes a terminal
entry in the Term array available for reuse.
*
* ARGUMENTS:    int      id
                Terminal id of client exiting
*/

void TermDelete(int id)
{
    if ( id > 0 && id < Term.iNumEntries )
    {
        delete Term.pClientData[id].pTxn;
        // put onto free list

        EnterCriticalSection(&TermCriticalSection);
        Term.pClientData[id].iNextFree =
Term.iFreeList;
        Term.iFreeList = id;

        LeaveCriticalSection(&TermCriticalSection);
    }
}

/* FUNCTION: MakeErrorForm
*/

void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int
iType, int iErrorNum, int iTermId, int iSyncId, char
*szErrorText, char *szBuffer )
{
    wsprintf(szBuffer,
"<HTML><HEAD><TITLE>TPC-C
Error</TITLE></HEAD><BODY>"
"<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
" <INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">"
" <INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"%d\">"
" <INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
" <INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
" <INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
" <BOLD>An Error
Occurred</BOLD><BR><BR>"

```

```

"&s"
"<BR><BR><HR>"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".NewOrder..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Payment..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Delivery..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Order-Status..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Stock-Level..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Exit..\">"
"</FORM></BODY></HTML>"
, iType, iErrorNum,
MAIN_MENU_FORM, iTermId, iSyncId, szErrorText );
}

/* FUNCTION: MakeMainMenuForm
*/

void MakeMainMenuForm(int iTermId, int iSyncId, char
*szForm)
{
    wsprintf(szForm,
"<HTML><HEAD><TITLE>TPC-C Main
Menu</TITLE></HEAD><BODY>"
"Select Desired
Transaction.<BR><HR>"
" <FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
" <INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">"
" <INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
" <INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
" <INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
" <INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".NewOrder..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Payment..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Delivery..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Order-Status..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Stock-Level..\">"
" <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Exit..\">"
"</FORM></BODY></HTML>"
, MAIN_MENU_FORM, iTermId,
iSyncId);
}

/* FUNCTION: MakeStockLevelForm
*
* PURPOSE:      This function constructs the
Stock Level HTML page.

```

```

*
* COMMENTS:      The internal client buffer is
created when the terminal id is assigned and should
not
*                be freed
except when the client terminal id is no longer
needed.
*/

void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm)
{
    int    c;

    c = sprintf(szForm,
               "<HTML><HEAD><TITLE>TPC-C Stock
Level</TITLE></HEAD><FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
               "<PRE><font face=\"Courier\">
Stock-Level<BR>"
               "Warehouse: %4.4d District:
%2.2d<BR> <BR>,"
               STOCK_LEVEL_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id,
Term.pClientData[iTermId].d_id);

    if ( bInput )
    {
        strcpy(szForm+c,
               "Stock Level Threshold:
<INPUT NAME=\"TT*\" SIZE=2><BR> <BR>"
               "low stock:
</font><BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR></PRE><HR>"
               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\">"
               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">"
               "</FORM></HTML>" );
    }
    else
    {
        sprintf(szForm+c,
               "Stock Level Threshold:
%2.2d<BR> <BR>"
               "low stock:
<3.3d</font> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR>"
               " <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR></PRE><HR>"

```

```

               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">"
               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
               "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
               "</FORM></HTML>"
               , pStockLevelData-
>threshold, pStockLevelData->low_stock);
    }
}

/* FUNCTION: MakeNewOrderForm
*
* COMMENTS:      The internal client buffer is
created when the terminal id is assigned and should
not
*                be freed
except when the client terminal id is no longer
needed.
*/

void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm)
{
    int    i, c;
    BOOL   bValid;
    static char szBR[] = " <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR>";

    if (!bInput)
        assert( pNewOrderData-
>exec_status_code == eOK || pNewOrderData-
>exec_status_code == eInvalidItem );

    bValid = (bInput || (pNewOrderData-
>exec_status_code == eOK));

    c = sprintf(szForm,
               "<HTML><HEAD><TITLE>TPC-C New
Order</TITLE></HEAD><BODY>"
               "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
               "<INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
               "<PRE><font face=\"Courier\">
New Order<BR>"

```

```

               , bValid ? 0 : ERR_BAD_ITEM_ID,
NEW_ORDER_FORM, iTermId,
Term.pClientData[iTermId].iSyncId);

    if ( bInput )
    {
        c += sprintf(szForm+c,
"Warehouse: %4.4d ", Term.pClientData[iTermId].w_id
);

        strcpy( szForm+c,
               "District: <INPUT
NAME=\"DID*\" SIZE=1>
Date:<BR>"
               "Customer: <INPUT
NAME=\"CID*\" SIZE=4> Name:
Credit: %Disc:<BR>"
               "Order Number:
Number of Lines:      W_tax:      D_tax:<BR>
<BR>"
               "Supp_W Item_Id Item
Amount<BR>"
               " <INPUT
NAME=\"SP0*\" SIZE=4> <INPUT NAME=\"IID00*\"
SIZE=6> <INPUT
NAME=\"Qty0*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP01*\" SIZE=4> <INPUT NAME=\"IID01*\"
SIZE=6> <INPUT
NAME=\"Qty01*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP02*\" SIZE=4> <INPUT NAME=\"IID02*\"
SIZE=6> <INPUT
NAME=\"Qty02*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP03*\" SIZE=4> <INPUT NAME=\"IID03*\"
SIZE=6> <INPUT
NAME=\"Qty03*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP04*\" SIZE=4> <INPUT NAME=\"IID04*\"
SIZE=6> <INPUT
NAME=\"Qty04*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP05*\" SIZE=4> <INPUT NAME=\"IID05*\"
SIZE=6> <INPUT
NAME=\"Qty05*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP06*\" SIZE=4> <INPUT NAME=\"IID06*\"
SIZE=6> <INPUT
NAME=\"Qty06*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP07*\" SIZE=4> <INPUT NAME=\"IID07*\"
SIZE=6> <INPUT
NAME=\"Qty07*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP08*\" SIZE=4> <INPUT NAME=\"IID08*\"
SIZE=6> <INPUT
NAME=\"Qty08*\" SIZE=1><BR>"
               " <INPUT
NAME=\"SP09*\" SIZE=4> <INPUT NAME=\"IID09*\"
SIZE=6> <INPUT
NAME=\"Qty09*\" SIZE=1><BR>"

```

```

        " <INPUT
NAME=\SP10*" SIZE=4> <INPUT NAME=\IID10*"
SIZE=6>
NAME=\Qty10*" SIZE=1><BR>"
        " <INPUT
NAME=\SP11*" SIZE=4> <INPUT NAME=\IID11*"
SIZE=6>
NAME=\Qty11*" SIZE=1><BR>"
        " <INPUT
NAME=\SP12*" SIZE=4> <INPUT NAME=\IID12*"
SIZE=6>
NAME=\Qty12*" SIZE=1><BR>"
        " <INPUT
NAME=\SP13*" SIZE=4> <INPUT NAME=\IID13*"
SIZE=6>
NAME=\Qty13*" SIZE=1><BR>"
        " <INPUT
NAME=\SP14*" SIZE=4> <INPUT NAME=\IID14*"
SIZE=6>
NAME=\Qty14*" SIZE=1><BR>"
"Execution Status:
Total:<BR>"
        "</font></PRE><HR>"
        "<INPUT TYPE=\submit\"
NAME=\CMD\" VALUE=\Process\">"
NAME=\CMD\" VALUE=\Menu\">"
        "</FORM></HTML>"
    }
    else
    {
        c += sprintf(szForm+c,
"Warehouse: %4.4d District: %2.2d
Date: ",
        pNewOrderData->w_id,
pNewOrderData->d_id);
        if ( bValid )
        {
            c += sprintf(szForm+c,
"%2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
pNewOrderData->o_entry_d.day,
pNewOrderData->o_entry_d.month,
pNewOrderData->o_entry_d.year,
pNewOrderData->o_entry_d.hour,
pNewOrderData->o_entry_d.minute,
pNewOrderData->o_entry_d.second);
        }
        c += sprintf(szForm+c,
"<BR>Customer: %4.4d Name: %-16s Credit: %-2s
",
        pNewOrderData->c_id,
pNewOrderData->c_last, pNewOrderData->c_credit);
        if ( bValid )

```

```

    {
        c += sprintf(szForm+c,
        "%Disc: %5.2f <BR>"
        "Order Number: %8.8d Number of Lines:
%2.2d W_tax: %5.2f D_tax: %5.2f <BR> <BR>"
        " Supp_W Item_Id Item Name
Qty Stock B/G Price Amount<BR>",
        100.0*pNewOrderData->c_discount,
pNewOrderData->o_id,
pNewOrderData->o_ol_cnt,
        pNewOrderData->w_tax, 100.0 *
pNewOrderData->d_tax);
        for(i=0;
i<pNewOrderData->o_ol_cnt; i++)
        {
            c +=
sprintf(szForm+c, " %4.4d %6.6d %-24s %2.2d
%3.3d %1.1s %5.2f %5.2f <BR>",
pNewOrderData->OL[i].ol_supply_w_id,
pNewOrderData->OL[i].ol_i_id,
pNewOrderData->OL[i].ol_i_name,
pNewOrderData->OL[i].ol_quantity,
pNewOrderData->OL[i].ol_stock,
pNewOrderData->OL[i].ol_brand_generic,
pNewOrderData->OL[i].ol_i_price,
pNewOrderData->OL[i].ol_amount );
        }
        else
        {
            c += sprintf(szForm+c,
        "%Disc:<BR>"
        "Order
D_tax:<BR> <BR>"
        " Supp_W
Item_Id Item Name Qty Stock B/G
Price Amount<BR>"
        pNewOrderData->o_id);
            i = 0;
        }
        strncpy( szForm+c, szBR, (15-i)*5
    );

```

```

        c += (15-i)*5;
        if ( bValid )
            c += sprintf(szForm+c,
"Execution Status: Transaction committed.
Total: %5.2f ",
        pNewOrderData->total_amount);
        else
            c += sprintf(szForm+c,
"Execution Status: Item number is not valid.
Total:");
        strcpy(szForm+c,
        "<BR></font></PRE><HR>"
        "<INPUT TYPE=\submit\"
NAME=\CMD\" VALUE=\NewOrder..\">"
        "<INPUT TYPE=\submit\"
NAME=\CMD\" VALUE=\Payment..\">"
        "<INPUT TYPE=\submit\"
NAME=\CMD\" VALUE=\Delivery..\">"
        "<INPUT TYPE=\submit\"
NAME=\CMD\" VALUE=\Order-Status..\">"
        "<INPUT TYPE=\submit\"
NAME=\CMD\" VALUE=\Stock-Level..\">"
        "<INPUT TYPE=\submit\"
NAME=\CMD\" VALUE=\Exit..\">"
        "</FORM></HTML>"
    );
    }
}
/* FUNCTION: MakePaymentForm
 *
 * COMMENTS: The internal client buffer is
created when the terminal id is assigned and should
not
 * be freed
except when the client terminal id is no longer
needed.
 */
void MakePaymentForm(int iTermId, PAYMENT_DATA
*pPaymentData, BOOL bInput, char *szForm)
{
    int c;
    c = sprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C
Payment</TITLE></HEAD><BODY>"
        "<FORM ACTION=\tpcc.dll\"
METHOD=\GET\">"
        "<INPUT TYPE=\hidden\"
NAME=\STATUSID\" VALUE=\0\">"
        "<INPUT TYPE=\hidden\"
NAME=\ERROR\" VALUE=\0\">"
        "<INPUT TYPE=\hidden\"
NAME=\FORMID\" VALUE=\%d\">"
        "<INPUT TYPE=\hidden\"
NAME=\TERMINID\" VALUE=\%d\">"
        "<INPUT TYPE=\hidden\"
NAME=\SYCID\" VALUE=\%d\">"

```

```

Payment<BR>"
    "<PRE><font face=\"Courier\">
    "Date: "
    , PAYMENT_FORM, iTermId,
Term.pClientData[iTermId].iSyncId);
    if ( !bInput )
    {
        c += sprintf(szForm+c, "%2.2d-
%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
        pPaymentData-
>h_date.day,
        pPaymentData-
>h_date.month,
        pPaymentData-
>h_date.year,
        pPaymentData-
>h_date.hour,
        pPaymentData-
>h_date.minute,
        pPaymentData-
>h_date.second);
    }
    if ( bInput )
    {
        c += sprintf(szForm+c,
        "<BR> <BR>Warehouse:
%4.4d
District: <INPUT NAME=\"DID*\" SIZE=1><BR> <BR> <BR>
<BR> <BR>"
        "Customer: <INPUT
NAME=\"CID*\" SIZE=4>"
        "Cust-Warehouse: <INPUT
NAME=\"CWI*\" SIZE=4> "
        "Cust-District: <INPUT
NAME=\"CDI*\" SIZE=1><BR>"
        "Name:
<INPUT NAME=\"CLT*\" SIZE=16>
Since:<BR>"
        "
Credit:<BR>"
        "
Disc:<BR>"
        "
Phone:<BR> <BR>"
        "Amount Paid:
New Cust-
Balance:<BR>"
        "Credit Limit:<BR>
<BR>Cust-Data: <BR> <BR> <BR>
<BR></font></PRE><HR>"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\"><INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">"
        "</BODY></FORM></HTML>"
    }
Term.pClientData[iTermId].w_id);
    }
    else
    {
        c += sprintf(szForm+c,

```

```

    "<BR> <BR>Warehouse:
%4.4d
District: %2.2d<BR>"
    "%-20s<BR>"
    "%-20s
    "%-20s<BR>"
    "%-20s %-2s %5.5s-%4.4s<BR> <BR>"
    "Customer: %4.4d Cust-
Warehouse: %4.4d Cust-District: %2.2d<BR>"
    "Name: %-16s %-2s %-
16s Since: %2.2d-%2.2d-%4.4d<BR>"
    " %-20s
Credit: %-2s<BR>"
    "
    Term.pClientData[iTermId].w_id, pPaymentData->d_id
    , pPaymentData-
    >w_street_1, pPaymentData->d_street_1
    , pPaymentData-
    >w_street_2, pPaymentData->d_street_2
    , pPaymentData->w_city,
    pPaymentData->w_state, pPaymentData->w_zip,
    pPaymentData->w_zip+5
    , pPaymentData->d_city,
    pPaymentData->d_state, pPaymentData->d_zip,
    pPaymentData->d_zip+5
    , pPaymentData->c_id,
    pPaymentData->c_d_id
    , pPaymentData-
    >c_first, pPaymentData->c_middle, pPaymentData-
    >c_last
    , pPaymentData-
    >c_since.day, pPaymentData->c_since.month,
    pPaymentData->c_since.year
    , pPaymentData-
    >c_street_1, pPaymentData->c_credit
    );
    c += sprintf(szForm+c,
    " %-20s
    %%Disc: %5.2f<BR>",
    pPaymentData-
    >c_street_2, 100.0*pPaymentData->c_discount);
    c += sprintf(szForm+c,
    " %-20s %-2s
    %5.5s-%4.4s Phone: %6.6s-%3.3s-%3.3s-%4.4s<BR>
    <BR>",
    pPaymentData->c_city,
    pPaymentData->c_state, pPaymentData->c_zip,
    pPaymentData->c_zip+5,
    pPaymentData->c_phone,
    pPaymentData->c_phone+6, pPaymentData->c_phone+9,
    pPaymentData->c_phone+12 );
    c += sprintf(szForm+c,
    "Amount Paid:
    $%7.2f New Cust-Balance: $%14.2f<BR>"
    "Credit Limit:
    $%13.2f<BR> <BR>"
    , pPaymentData-
    >h_amount, pPaymentData->c_balance

```

```

    , pPaymentData-
    >c_credit_lim
    );
    if ( pPaymentData->c_credit[0] ==
'B' && pPaymentData->c_credit[1] == 'C' )
        c += sprintf(szForm+c,
        "Cust-Data: %50.50s<BR>
50.50s<BR>
50.50s<BR>
        "
        pPaymentData->c_data, pPaymentData-
        >c_data+50, pPaymentData->c_data+100, pPaymentData-
        >c_data+150 );
    else
        strcpy(szForm+c, "Cust-
Data: <BR> <BR> <BR> <BR>");
    strcat(szForm,
    "<BR></font></PRE><HR>"
    "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
    "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Payment..\">"
    "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Delivery..\">"
    "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Order-Status..\">"
    "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Stock-Level..\">"
    "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Exit..\">"
    "</BODY></FORM></HTML>");
    }
}
/* FUNCTION: MakeOrderStatusForm
*
* COMMENTS: The internal client buffer is
created when the terminal id is assigned and should
not
* be freed
except when the client terminal id is no longer
needed.
*/
void MakeOrderStatusForm(int iTermId,
ORDER_STATUS_DATA *pOrderStatusData, BOOL bInput,
char *szForm)
{
    int i, c;
    static char szBR[] = " <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR>";

```



```

        c = sprintf(szForm,
        "HTML><HEAD><TITLE>TPC-C Order-
Status</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"TERMIN\" VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
        "<PRE><font face=\"Courier\">
Order-Status<BR>"
        "Warehouse: %4.4d ",
        ORDER_STATUS_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id);

        if ( bInput )
        {
            strcpy(szForm+c,
            "District: <INPUT
NAME=\"DID*\" SIZE=1><BR>"
            "Customer: <INPUT
NAME=\"CID*\" SIZE=4> Name:
<INPUT NAME=\"CLT*\" SIZE=23><BR>"
            "Cust-Balance:<BR>
<BR>"
            "Order-Number:
Entry-Date:
Number:<BR>"
            "Carrier-
Supply-W Item-Id
Qty Amount Delivery-Date<BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> </font></PRE>"
            "<HR><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Process\"><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
            "</BODY></FORM></HTML>"
        );
        }
        else
        {
            c += sprintf(szForm+c,
            "District: %2.2d<BR>"
            "Customer: %4.4d
Name: %-16s %-2s %-16s<BR>",
            pOrderStatusData->d_id,
            pOrderStatusData->c_id,
            pOrderStatusData-
>c_first, pOrderStatusData->c_middle,
            pOrderStatusData->c_last);
            c += sprintf(szForm+c, "Cust-
Balance: %9.2f<BR> <BR>",
            pOrderStatusData-
>c_balance);

```

```

        c += sprintf(szForm+c,
        "Order-Number: %8.8d
Entry-Date: %2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d
Carrier-Number: %2.2d<BR>"
        "Supply-W Item-Id
Qty Amount Delivery-Date<BR>",
        pOrderStatusData->o_id,
        pOrderStatusData-
>o_entry_d.day,
        pOrderStatusData-
>o_entry_d.month,
        pOrderStatusData-
>o_entry_d.year,
        pOrderStatusData-
>o_entry_d.hour,
        pOrderStatusData-
>o_entry_d.minute,
        pOrderStatusData-
>o_entry_d.second,
        pOrderStatusData-
>o_carrier_id);
        for(i=0; i< pOrderStatusData-
>o_ol_cnt; i++)
        {
            c += sprintf(szForm+c,
            "%4.4d %6.6d %2.2d %8.2f %2.2d-
%2.2d-%4.4d<BR>",
            pOrderStatusData->OL[i].ol_supply_w_id,
            pOrderStatusData->OL[i].ol_i_id,
            pOrderStatusData->OL[i].ol_quantity,
            pOrderStatusData->OL[i].ol_amount,
            pOrderStatusData->OL[i].ol_delivery_d.day,
            pOrderStatusData-
>OL[i].ol_delivery_d.month,
            pOrderStatusData-
>OL[i].ol_delivery_d.year);
        }
        strncpy( szForm+c, szBR, (15-i)*5
        );
        c += (15-i)*5;
        strcpy(szForm+c,
        "</font></PRE><HR><INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".NewOrder.\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Payment.\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Delivery.\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Order-Status.\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Stock-Level.\">"

```

```

        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\".Exit.\">"
        "</BODY></FORM></HTML>"
    );
    }
}
/* FUNCTION: MakeDeliveryForm
*
* COMMENTS: The internal client buffer is
created when the terminal id is assigned and should
not
* be freed
except when the client terminal id is no longer
needed.
*/
void MakeDeliveryForm(int iTermId, DELIVERY_DATA
*pDeliveryData, BOOL bInput, char *szForm)
{
    int c;
    c = sprintf(szForm,
    "HTML><HEAD><TITLE>TPC-C
Delivery</TITLE></HEAD><BODY>"
    "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"TERMIN\" VALUE=\"%d\">"
    "<INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
    "<PRE><font face=\"Courier\">
Delivery<BR>"
    "Warehouse: %4.4d<BR> <BR>",
    (bInput && (pDeliveryData-
>exec_status_code != eOK)) ? ERR_TYPE_DELIVERY_POST :
    0,
    DELIVERY_FORM, iTermId,
    Term.pClientData[iTermId].iSyncId,
    Term.pClientData[iTermId].w_id);
    if ( bInput )
    {
        strcpy( szForm+c,
        "Carrier Number: <INPUT
NAME=\"OCD*\" SIZE=1><BR> <BR>"
        "Execution Status: <BR>
<BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> </font></PRE><HR>"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\">"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">"
        "</BODY></FORM></HTML>"
    );
    }
}

```

```

else
{
    wsprintf( szForm+c,
              "Carrier Number:
%2.2d<BR> <BR>"
              "Execution Status: %s
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> </font></PRE>"
              "<HR><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..NewOrder..\">"
              "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
              "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
              "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
              "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
              "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
              "</BODY></FORM></HTML>"
              , pDeliveryData-
>o_carrier_id,
              (pDeliveryData-
>exec_status_code == eOK) ? "Delivery has been
queued." : "Delivery Post Failed
"
              );
}
}

/* FUNCTION: ProcessNewOrderForm
*
* PURPOSE: This function gets and validates
the input data from the new order form
*
* filling in the required
input variables. it then calls the SQLNewOrder
*
* transaction, constructs
the output form and writes it back to client
*
* browser.
*/

void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    PNEW_ORDER_DATA pNewOrder;

    pNewOrder = Term.pClientData[iTermId].pTxn-
>BuffAddr_NewOrder();

    ZeroMemory(pNewOrder,
sizeof(NEW_ORDER_DATA));
    pNewOrder->w_id =
Term.pClientData[iTermId].w_id;
    GetNewOrderData(pECB->lpszQueryString,
pNewOrder);

    Term.pClientData[iTermId].pTxn->NewOrder();

    pNewOrder = Term.pClientData[iTermId].pTxn-
>BuffAddr_NewOrder();

```

```

    MakeNewOrderForm(iTermId, pNewOrder,
OUTPUT_FORM, szBuffer );
}

/* FUNCTION: void ProcessPaymentForm
*
* PURPOSE: This function gets and validates
the input data from the payment form
*
* filling in the required
input variables. It then calls the SQLPayment
*
* transaction, constructs
the output form and writes it back to client
*
* browser.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
*pECB passed in structure pointer from
inetsrv.
*
* int
*
* iTermId client browser terminal id
*/

void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    PPAYMENT_DATA pPayment;

    pPayment = Term.pClientData[iTermId].pTxn-
>BuffAddr_Payment();
    ZeroMemory(pPayment, sizeof(PAYMENT_DATA));
    pPayment->w_id =
Term.pClientData[iTermId].w_id;
    GetPaymentData(pECB->lpszQueryString,
pPayment);

    Term.pClientData[iTermId].pTxn->Payment();

    pPayment = Term.pClientData[iTermId].pTxn-
>BuffAddr_Payment();
    MakePaymentForm(iTermId, pPayment,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessOrderStatusForm
*
* PURPOSE: This function gets and validates
the input data from the Order Status
*
* form filling in the
required input variables. It then calls the
*
* SQLOrderStatus
transaction, constructs the output form and writes it
*
* back to client browser.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
*pECB passed in structure pointer from
inetsrv.
*
* int
*
* iTermId client browser terminal id
*/

```

```

void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    PORDER_STATUS_DATA pOrderStatus;

    pOrderStatus =
Term.pClientData[iTermId].pTxn-
>BuffAddr_OrderStatus();
    ZeroMemory(pOrderStatus,
sizeof(ORDER_STATUS_DATA));
    pOrderStatus->w_id =
Term.pClientData[iTermId].w_id;
    GetOrderStatusData(pECB->lpszQueryString,
pOrderStatus);

    Term.pClientData[iTermId].pTxn-
>OrderStatus();

    pOrderStatus =
Term.pClientData[iTermId].pTxn-
>BuffAddr_OrderStatus();
    MakeOrderStatusForm(iTermId, pOrderStatus,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessDeliveryForm
*
* PURPOSE: This function gets and validates
the input data from the delivery form
*
* filling in the required
input variables. It then calls the PostDeliveryInfo
*
* Api, The client is then
informed that the transaction has been posted.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
*pECB passed in structure pointer from
inetsrv.
*
* int
*
* iTermId client browser terminal id
*/

void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    char *ptr = pECB->lpszQueryString;

    PDELIVERY_DATA pDelivery;

    pDelivery = Term.pClientData[iTermId].pTxn-
>BuffAddr_Delivery();
    ZeroMemory(pDelivery,
sizeof(DELIVERY_DATA));
    pDelivery->w_id =
Term.pClientData[iTermId].w_id;

    pDelivery->o_carrier_id =
GetIntKeyValue(&ptr, "OCD**",
ERR_DELIVERY_MISSING_OCD_KEY,
ERR_DELIVERY_CARRIER_INVALID);
    if ( pDelivery->o_carrier_id > 10 ||
pDelivery->o_carrier_id < 1 )

```

```

        throw new CWBCLNT_ERR(
ERR_DELIVERY_CARRIER_ID_RANGE );

        if (dwNumDeliveryThreads)
        {
            //post delivery info
            if ( PostDeliveryInfo(pDelivery-
>w_id, pDelivery->o_carrier_id) )
                pDelivery-
>exec_status_code = eDeliveryFailed;
            else
                pDelivery-
>exec_status_code = eOK;
        }
        else // delivery is done synchronously if
no delivery threads configured
            Term.pClientData[iTermId].pTxn-
>Delivery();

        pDelivery = Term.pClientData[iTermId].pTxn-
>BuffAddr_Delivery();
        MakeDeliveryForm(iTermId, pDelivery,
OUTPUT_FORM, szBuffer);
    }

/* FUNCTION: ProcessStockLevelForm
 *
 * PURPOSE:      This function gets and validates
the input data from the Stock Level
 *
 *               form filling in the
required input variables. It then calls the
 *               SQLStockLevel
transaction, constructs the output form and writes it
 *               back to client browser.
 *
 * ARGUMENTS:    EXTENSION_CONTROL_BLOCK
 *               *pECB      passed in structure pointer from
inetsrv.
 *
 *               int
 *
 *               iTermId    client browser terminal id
 */

void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    char *ptr = pECB-
>lpszQueryString;

    PSTOCK_LEVEL_DATA pStockLevel;

    pStockLevel =
Term.pClientData[iTermId].pTxn-
>BuffAddr_StockLevel();
    ZeroMemory( pStockLevel,
sizeof(STOCK_LEVEL_DATA) );

    pStockLevel->w_id =
Term.pClientData[iTermId].w_id;
    pStockLevel->d_id =
Term.pClientData[iTermId].d_id;

```

```

        pStockLevel->threshold =
GetIntKeyValue(&ptr, "TT*",
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID);
        if ( pStockLevel->threshold >= 100 ||
pStockLevel->threshold < 0 )
            throw new CWBCLNT_ERR(
ERR_STOCKLEVEL_THRESHOLD_RANGE );

        Term.pClientData[iTermId].pTxn-
>StockLevel();

        pStockLevel =
Term.pClientData[iTermId].pTxn-
>BuffAddr_StockLevel();
        MakeStockLevelForm(iTermId, pStockLevel,
OUTPUT_FORM, szBuffer);
    }

/* FUNCTION: GetNewOrderData
 *
 * PURPOSE:      This function extracts and
validates the new order form data from an http
command string.
 *
 * ARGUMENTS:    LPSTR      client
                lpszQueryString    browser http command string
 *
 *               NEW_ORDER_DATA *pNewOrderData
                pointer to new order data structure
 *
 */

void GetNewOrderData(LPSTR lpszQueryString,
NEW_ORDER_DATA *pNewOrderData)
{
    char szTmp[26];
    int i;
    short items;
    int ol_i_id, ol_quantity;
    char *ptr = lpszQueryString;

    static char szSP[MAX_OL_NEW_ORDER_ITEMS][6]
=
"SP03*", "SP04*", { "SP00*", "SP01*", "SP02*",
"SP03*", "SP04*", "SP05*", "SP06*", "SP07*",
"SP08*", "SP09*", "SP10*", "SP11*", "SP12*",
"SP13*", "SP14*" };
    static char
szIID[MAX_OL_NEW_ORDER_ITEMS][7] =
{ "IID00*", "IID01*", "IID02*",
"IID03*", "IID04*", "IID05*", "IID06*", "IID07*",
"IID08*", "IID09*", "IID10*", "IID11*", "IID12*",
"IID13*", "IID14*" };
    static char
szQty[MAX_OL_NEW_ORDER_ITEMS][7] =
{ "Qty00*", "Qty01*", "Qty02*",
"Qty03*", "Qty04*",

```

```

                "Qty05*", "Qty06*", "Qty07*",
"Qty08*", "Qty09*",
                "Qty10*", "Qty11*", "Qty12*",
"Qty13*", "Qty14*" };

        pNewOrderData->d_id = GetIntKeyValue(&ptr,
"DID*", ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_DISTRICT_INVALID);
        pNewOrderData->c_id = GetIntKeyValue(&ptr,
"CID*", ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_CUSTOMER_INVALID);

        for(i=0, items=0; i<MAX_OL_NEW_ORDER_ITEMS;
i++)
        {
            GetKeyValue(&ptr, szSP[i], szTmp,
sizeof(szTmp), ERR_NEWORDER_MISSING_SUPPW_KEY);
            if ( szTmp[0] )
                {
                    if ( !IsNumeric(szTmp)
)
                        throw new
CWBCLNT_ERR( ERR_NEWORDER_SUPPW_INVALID );
                    pNewOrderData-
>OL[items].ol_supply_w_id = (short)atoi(szTmp);

                    ol_i_id =
pNewOrderData->OL[items].ol_i_id =
                    GetIntKeyValue(&ptr, szIID[i],
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_ITEMID_INVALID);
                    if ( ol_i_id > 999999
|| ol_i_id < 1 )
                        throw new
CWBCLNT_ERR( ERR_NEWORDER_ITEMID_RANGE );

                    ol_quantity =
pNewOrderData->OL[items].ol_quantity =
                    GetIntKeyValue(&ptr, szQty[i],
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_QTY_INVALID);
                    if ( ol_quantity > 99
|| ol_quantity < 1 )
                        throw new
CWBCLNT_ERR( ERR_NEWORDER_QTY_RANGE );

                    items++;
                }
            else
                // nothing entered for
supply warehouse, so item id and qty must also be
blank
                GetKeyValue(&ptr,
szIID[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_IID_KEY);
                if ( szTmp[0] )
                    throw new
CWBCLNT_ERR( ERR_NEWORDER_ITEMID_WITHOUT_SUPPW );

```

```

        GetKeyValue(&ptr,
szQty[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_QTY_KEY);
        if ( szTmp[0] )
            throw new
CWEBCLNT_ERR( ERR_NEWORDER_QTY_WITHOUT_SUPPW );
    }
    if ( items == 0 )
        throw new CWEBCLNT_ERR(
ERR_NEWORDER_NOITEMS_ENTERED );
    pNewOrderData->o_ol_cnt = items;
}

/* FUNCTION: GetPaymentData
 *
 * PURPOSE:      This function extracts and
                 validates the payment form data from an http command
                 string.
 *
 * ARGUMENTS:   LPSTR          client
                 lpszQueryString
                 browser http command string
 *
 * RETURNS:     *pPaymentData  PAYMENT_DATA
                 payment data structure
                 pointer to
 */

void GetPaymentData(LPSTR lpszQueryString,
PAYMENT_DATA *pPaymentData)
{
    char    szTmp[26];
    char    *ptr = lpszQueryString;
    BOOL    bCustIdBlank;

    pPaymentData->d_id = GetIntKeyValue(&ptr,
"DID*", ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_DISTRICT_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        bCustIdBlank = TRUE;
        pPaymentData->c_id = 0;
    }
    else
    {
        // parse customer id and verify
        that last name was NOT entered
        bCustIdBlank = FALSE;
        if ( !IsNumeric(szTmp) )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_CUSTOMER_INVALID );
        pPaymentData->c_id = atoi(szTmp);
    }

    pPaymentData->c_w_id = GetIntKeyValue(&ptr,
"CWI*", ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_CWI_INVALID);
    pPaymentData->c_d_id = GetIntKeyValue(&ptr,
"CDI*", ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_CDI_INVALID);

```

```

        if ( bCustIdBlank )
        {
            // customer id is blank, so last
            name must be entered
            GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CLT_KEY);
            if ( szTmp[0] == 0 )
                throw new CWEBCLNT_ERR(
ERR_PAYMENT_MISSING_CID_CLT );
            _strupr( szTmp );
            if ( strlen(pPaymentData->c_last)
> LAST_NAME_LEN )
                throw new CWEBCLNT_ERR(
ERR_PAYMENT_LAST_NAME_TO_LONG );
            strcpy(pPaymentData->c_last,
szTmp);
        }
        else
        {
            // parse customer id and verify
            that last name was NOT entered
            GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CLT_KEY);
            if ( szTmp[0] != 0 )
                throw new CWEBCLNT_ERR(
ERR_PAYMENT_CID_AND_CLT );
        }

        GetKeyValue(&ptr, "HAM*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_HAM_KEY);
        if ( !IsDecimal(szTmp) )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_HAM_INVALID );
        pPaymentData->h_amount = atof(szTmp);
        if ( pPaymentData->h_amount >= 10000.00 ||
pPaymentData->h_amount < 0 )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_HAM_RANGE );
    }

/* FUNCTION: GetOrderStatusData
 *
 * PURPOSE:      This function extracts and
                 validates the payment form data from an http command
                 string.
 *
 * RETURNS:     BOOL
                 string is not all numeric
 *
 * ARGUMENTS:   char          *ptr
                 pointer to string to check.
 *
 * RETURNS:     BOOL          FALSE
                 string contains only numeric
                 characters i.e. '0' - '9'
 */

void GetOrderStatusData(LPSTR lpszQueryString,
ORDER_STATUS_DATA *pOrderStatusData)
{
    char    szTmp[26];
    char    *ptr = lpszQueryString;

    pOrderStatusData->d_id =
GetIntKeyValue(&ptr, "DID*",
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_ORDERSTATUS_DID_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        // customer id is blank, so last
        name must be entered

```

```

        pOrderStatusData->c_id = 0;
        GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] == 0 )
            throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_MISSING_CID_CLT );
        _strupr( szTmp );
        if ( strlen(pOrderStatusData-
>c_last) > LAST_NAME_LEN )
            throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_CLT_RANGE );
        strcpy(pOrderStatusData->c_last,
szTmp);
    }
    else
    {
        // parse customer id and verify
        that last name was NOT entered
        if ( !IsNumeric(szTmp) )
            throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_CID_INVALID );
        pOrderStatusData->c_id =
atoi(szTmp);
        GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CLT_KEY);
        if ( szTmp[0] != 0 )
            throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_CID_AND_CLT );
    }
}

/* FUNCTION: BOOL IsNumeric(char *ptr)
 *
 * PURPOSE:      This function determines if a
                 string is numeric. It fails if any characters other
                 than numeric and null
                 terminator are present.
 *
 * ARGUMENTS:   char          *ptr
                 pointer to string to check.
 *
 * RETURNS:     BOOL          FALSE
                 string is not all numeric
                 TRUE
                 if string contains only numeric
                 characters i.e. '0' - '9'
 */

BOOL IsNumeric(char *ptr)
{
    if ( *ptr == 0 )
        return FALSE;

    while( *ptr && isdigit(*ptr) )
        ptr++;

    return ( !*ptr );
}

/* FUNCTION: BOOL IsDecimal(char *ptr)
 *
 * PURPOSE:      This function determines if a
                 string is a non-negative decimal value.

```

```

*           It fails if any characters other than a
series of numbers followed by
*           a decimal point,
another series of numbers, and a null terminator are
present.
* ARGUMENTS:      char
                 *ptr      pointer to string to check.
*
* RETURNS:        BOOL      FALSE   if
string is not a valid non-negative decimal value
*
                 TRUE       if string is OK
*/

BOOL IsDecimal(char *ptr)
{
    char *dotptr;
    BOOL  bValid;

    if ( *ptr == 0 )
        return FALSE;

    // find decimal point
    dotptr = strchr( ptr, '.' );
    if (dotptr == NULL)
        // no decimal point, so just
check for numeric        return IsNumeric(ptr);
    *dotptr = 0; // temporarily replace
decimal with a terminator

    if ( *ptr != 0 )
        bValid = IsNumeric(ptr);
    // string starts with decimal point
    else if (*(dotptr+1) == 0)
        return FALSE; // nothing but a
decimal point is bad
    else
        bValid = TRUE;

    if (*(dotptr+1) != 0)
        // check text after decimal point
        bValid &= IsNumeric(dotptr+1);

    *dotptr = '.'; // replace decimal point
    return bValid;
}

```

## **tpcc.def**

```

LIBRARY TPCC.DLL

EXPORTS

    GetExtensionVersion @1
    HttpExtensionProc   @2
    TerminateExtension  @3

```

## **tpcc.h**

```

/* FILE: TPCC.H Microsoft
 * TPC-C Kit Ver. 4.20.000 Copyright
 * Microsoft, 1999 All Rights Reserved
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE: Header file for ISAPI TPCC.DLL,
defines structures and functions used in the isapi
tpcc.dll.
 */

//VERSION RESOURCE DEFINES
#define _APS_NEXT_RESOURCE_VALUE 101
#define _APS_NEXT_COMMAND_VALUE 40001
#define _APS_NEXT_CONTROL_VALUE 1000
#define _APS_NEXT_SYMED_VALUE 101

#define TP_MAX_RETRIES 50

//note that the welcome form must be processed first
as terminal ids assigned here, once the
//terminal id is assigned then the forms can be
processed in any order.
#define WELCOME_FORM 1
//beginning form no term id assigned, form
id
#define MAIN_MENU_FORM 2
//term id assigned main menu form id
#define NEW_ORDER_FORM 3
//new order form id
#define PAYMENT_FORM 4
//payment form id
#define DELIVERY_FORM 5
//delivery form id
#define ORDER_STATUS_FORM 6 //order
status id
#define STOCK_LEVEL_FORM 7 //stock level
form id

//This macro is used to prevent the compiler error
unused formal parameter

```

```

#define UNUSEDPARAM(x) (x = x)

//This structure defines the data necessary to keep
distinct for each terminal or client connection.
typedef struct _CLIENTDATA
{
    int iNextFree; //index of
next free element or -1 if this entry in use.
    int w_id; //warehouse
id assigned at welcome form
    int d_id; //district id
assigned at welcome form
    int iSyncId; //synchronization id
    int iTickCount; //time of
last access;
    CTPCC_BASE *pTxn;
} CLIENTDATA, *PCLIENTDATA;

//This structure is used to define the operational
interface for terminal id support
typedef struct _TERM
{
    int iNumEntries;
    //total allocated terminal array entries
    int iFreeList;
    //next available terminal array element or
-1 if none
    int iMasterSyncId;
    //synchronization id
    CLIENTDATA *pClientData; //pointer to
allocated client data
} TERM;

typedef TERM *PTERM; //pointer to
terminal structure type

enum WEBERROR
{
    NO_ERR,
    ERR_COMMAND_UNDEFINED,
    ERR_D_ID_INVALID,
    ERR_DELIVERY_CARRIER_ID_RANGE,
    ERR_DELIVERY_CARRIER_INVALID,
    ERR_DELIVERY_MISSING_OCD_KEY,
    ERR_DELIVERY_THREAD_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_HTML_ILL_FORMED,

```

```

ERR_INVALID_SYNC_CONNECTION,
ERR_INVALID_TERMID,
ERR_LOADDLL_FAILED,
ERR_MAX_CONNECTIONS_EXCEEDED,
ERR_MEM_ALLOC_FAILED,
ERR_MISSING_REGISTRY_ENTRIES,
ERR_NEWORDER_CUSTOMER_INVALID,
ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_DISTRICT_INVALID,
ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_ITEMID_INVALID,
ERR_NEWORDER_ITEMID_RANGE,

ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_MISSING_SUPPW_KEY,
ERR_NEWORDER_NOITEMS_ENTERED,
ERR_NEWORDER_QTY_INVALID,
ERR_NEWORDER_QTY_RANGE,
ERR_NEWORDER_QTY_WITHOUT_SUPPW,
ERR_NEWORDER_SUPPW_INVALID,
ERR_NO_SERVER_SPECIFIED,
ERR_ORDERSTATUS_CID_AND_CLT,
ERR_ORDERSTATUS_CID_INVALID,
ERR_ORDERSTATUS_CLT_RANGE,
ERR_ORDERSTATUS_DID_INVALID,
ERR_ORDERSTATUS_MISSING_CID_CLT,
ERR_ORDERSTATUS_MISSING_CID_KEY,
ERR_ORDERSTATUS_MISSING_CLT_KEY,
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_PAYMENT_CID_AND_CLT,
ERR_PAYMENT_CDI_INVALID,
ERR_PAYMENT_CID_AND_CLT,
ERR_PAYMENT_CUSTOMER_INVALID,
ERR_PAYMENT_CWI_INVALID,
ERR_PAYMENT_DISTRICT_INVALID,
ERR_PAYMENT_HAM_INVALID,
ERR_PAYMENT_HAM_RANGE,
ERR_PAYMENT_LAST_NAME_TO_LONG,
ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_MISSING_CID_CLT,
ERR_PAYMENT_MISSING_CID_KEY,
ERR_PAYMENT_MISSING_CLT,
ERR_PAYMENT_MISSING_CLT_KEY,
ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_MISSING_HAM_KEY,

ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID,
ERR_STOCKLEVEL_THRESHOLD_RANGE,
ERR_VERSION_MISMATCH,
ERR_W_ID_INVALID
};

class CWEBCLNT_ERR : public CBaseErr
{
public:
    CWEBCLNT_ERR(WEBERROR Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
    }
};

```

```

        m_SystemErr = 0;
        m_szErrorText = NULL;
    };

    CWEBCLNT_ERR(WEBERROR Err, char
    *szTextDetail, DWORD dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new
        char[strlen(szTextDetail)+1];
        strcpy( m_szTextDetail,
        szTextDetail );
        m_SystemErr =
        dwSystemErr;
        m_szErrorText = NULL;
    };

    ~CWEBCLNT_ERR()
    {
        if ( m_szTextDetail !=
        NULL)
            delete []
            m_szTextDetail;
        if ( m_szErrorText !=
        NULL)
            delete []
            m_szErrorText;
    };

    WEBERROR m_Error;
    char
    *m_szTextDetail; //
    char
    *m_szErrorText;
    DWORD m_SystemErr;

    int ErrorType() {return
    ERR_TYPE_WEBDLL;};

    int ErrorNum() {return m_Error;};
    char *ErrorText();

};

//These constants have already been defined in
engstat.h, but since we do
//not want to include it in the delisrv executable
#define TXN_EVENT_START 2
#define TXN_EVENT_STOP 4
#define TXN_EVENT_WARNING 6
//used to record a warning into the log

//function prototypes

BOOL APIENTRY DllMain(HANDLE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved);
void WriteMessageToEventLog(LPTSTR lpszMsg);
void ProcessQueryString(EXTENSION_CONTROL_BLOCK
*pECB, int *pCmd, int *pFormId, int *pTermId, int
*pSyncId);
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);

```

```

void BeginCmd(EXTENSION_CONTROL_BLOCK *pECB, int
iFormId, int iTermId);
void ProcessCmd(EXTENSION_CONTROL_BLOCK *pECB, int
iFormId, int iTermId);
void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void ErrorMessage(EXTENSION_CONTROL_BLOCK *pECB, int
iError, int iErrorType, char *szMsg, int iTermId);
void GetKeyValue(char **pQueryString, char *pKey,
char *pValue, int iMax, WEBERROR err);
int GetIntKeyValue(char **pQueryString, char *pKey,
WEBERROR NoKeyErr, WEBERROR NotIntErr);
void TermInit(void);
void TermDeleteAll(void);
int TermAdd(void);
void TermDelete(int id);
void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int
iType, int iErrorNum, int iTermId, int iSyncId, char
*szErrorText, char *szBuffer );
void MakeMainMenuForm(int iTermId, int iSyncId, char
*szForm);
void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm);
void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm);
void MakePaymentForm(int iTermId, PAYMENT_DATA
*pPaymentData, BOOL bInput, char *szForm);
void MakeOrderStatusForm(int iTermId,
ORDER_STATUS_DATA *pOrderStatusData, BOOL bInput,
char *szForm);
void MakeDeliveryForm(int iTermId, DELIVERY_DATA
*pDeliveryData, BOOL bInput, char *szForm);
void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
void GetNewOrderData(LPSTR lpszQueryString,
NEW_ORDER_DATA *pNewOrderData);
void GetPaymentData(LPSTR lpszQueryString,
PAYMENT_DATA *pPaymentData);
void GetOrderStatusData(LPSTR lpszQueryString,
ORDER_STATUS_DATA *pOrderStatusData);
BOOL PostDeliveryInfo(short w_id, short
o_carrier_id);
BOOL IsNumeric(char *ptr);
BOOL IsDecimal(char *ptr);
void DeliveryWorkerThread(void *ptr);

```

**tpcc.rc**

//Microsoft Developer Studio generated resource script.

// #include "resource.h"

#define APSTUDIO\_READONLY\_SYMBOLS

```

////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"

////////////////////////////////////
////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS

////////////////////////////////////
////////////////////////////////////
// English (U.S.) resources

#if !defined(AFX_RESOURCE_DLL) ||
defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef _MAC
////////////////////////////////////
////////////////////////////////////
//
// Version
//
VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,0,0
PRODUCTVERSION 0,4,0,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904b0"
        BEGIN
            VALUE "Comments", "TPC-C HTML DLL Server
(DBLIB)\0"
            VALUE "CompanyName", "Microsoft\0"
            VALUE "FileDescription", "TPC-C HTML DLL
Server (DBLIB)\0"
            VALUE "FileVersion", "0, 4, 0, 0\0"
            VALUE "InternalName", "tpcc\0"
            VALUE "LegalCopyright", "Copyright ©
1997\0"
            VALUE "OriginalFilename", "tpcc.dll\0"
            VALUE "ProductName", "Microsoft tpcc\0"
            VALUE "ProductVersion", "0, 4, 0, 0\0"
        END
    END
    BLOCK "VarFileInfo"
    BEGIN
        VALUE "Translation", 0x409, 1200

```

```

END
END
#endif // !_MAC

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include \"afxres.h\"\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "\r\n"
    "\0"
END

#endif // APSTUDIO_INVOKED

////////////////////////////////////
////////////////////////////////////
//
// Dialog
//
IDD_DIALOG1 DIALOG DISCARDABLE 0, 0, 186, 95
STYLE DS_MODALFRAME | WS_POPUP | WS_CAPTION |
WS_SYSMENU
CAPTION "Dialog"
FONT 8, "MS Sans Serif"
BEGIN
    DEFPUSHBUTTON "OK", IDOK, 129, 7, 50, 14
    PUSHBUTTON "Cancel", IDCANCEL, 129, 24, 50, 14
END

////////////////////////////////////
////////////////////////////////////
//
// DESIGNINFO
//
#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
    IDD_DIALOG1, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 179

```

```

TOPMARGIN, 7
BOTTOMMARGIN, 88
END
#endif // APSTUDIO_INVOKED

#ifdef English (U.S.) resources
////////////////////////////////////
////////////////////////////////////

#endif APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
// Generated from the TEXTINCLUDE 3 resource.
//

////////////////////////////////////
////////////////////////////////////
#endif // not APSTUDIO_INVOKED

-----
tpcc_com.cpp
-----
/* FILE: TPCC_COM.CPP
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 *
 * not yet
 * audited
 *
 * PURPOSE: Source file for TPC-C COM+ class
 * implementation.
 * Contact: Charles Levine
 * (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - first version
 */

// needed for CoinitializeEx
#define WIN32_WINNT 0x0400

#include <windows.h>

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_com.h"

#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"

```

```

#include "..\..\tpcc_com_all\src\tpcc_com_all_i.c"

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_COM* CTPCC_COM_new(BOOL
bSinglePool)
{
    return new CTPCC_COM(bSinglePool);
}

CTPCC_COM::CTPCC_COM(BOOL bSinglePool)
{
    HRESULT hr = NULL;
    long lRet = 0;
    ULONG ulTmpSize = 0;

    m_pTxn                = NULL;
    m_pNewOrder           = NULL;
    m_pPayment            = NULL;
    m_pStockLevel         = NULL;
    m_pOrderStatus        = NULL;

    m_bSinglePool        = bSinglePool;

    ulTmpSize = (ULONG) sizeof(COM_DATA);
    VariantInit(&m_vTxn);
    m_vTxn.vt = VT_SAFEARRAY;

    m_vTxn.parray =
SafeArrayCreateVector(VT_UI1, ulTmpSize, ulTmpSize);
    if (!m_vTxn.parray)
        throw new CCOMERR( E_FAIL );

    memset((void*)m_vTxn.parray-
>pvData,0,ulTmpSize);
    m_pTxn = (COM_DATA*)m_vTxn.parray->pvData;

    hr = CoInitializeEx(NULL,
COINIT_MULTITHREADED);
    if (FAILED(hr))
    {
        throw new CCOMERR( hr );
    }

    // create components
    if (m_bSinglePool)
    {
        hr = CoCreateInstance(CLSID_TPCC,
NULL, CLSCTX_SERVER, IID_ITPCC, (void
**) &m_pNewOrder);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        // all txns will use same
        component
            m_pPayment = m_pNewOrder;
            m_pStockLevel = m_pNewOrder;
            m_pOrderStatus = m_pNewOrder;
        }
    else
    {
        // use different components for
each txn

```

```

        hr =
CoCreateInstance(CLSID_NewOrder, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **) &m_pNewOrder);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr =
CoCreateInstance(CLSID_Payment, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **) &m_pPayment);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr =
CoCreateInstance(CLSID_StockLevel, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **) &m_pStockLevel);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr =
CoCreateInstance(CLSID_OrderStatus, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **) &m_pOrderStatus);
        if (FAILED(hr))
            throw new CCOMERR(hr);
    }

    // call setcomplete to release each
component back into pool
    hr = m_pNewOrder->CallSetComplete();
    if (FAILED(hr))
        throw new CCOMERR(hr);

    if (!m_bSinglePool)
    {
        hr = m_pPayment->
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pStockLevel->
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pOrderStatus->
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);
    }

    CTPCC_COM::~~CTPCC_COM()
    {
        if (m_pTxn)
            SafeArrayDestroy(m_vTxn.parray);

        ReleaseInterface(m_pNewOrder);
        if (!m_bSinglePool)
        {
            ReleaseInterface(m_pPayment);
            ReleaseInterface(m_pStockLevel);
            ReleaseInterface(m_pOrderStatus);
        }
        CoUninitialize();

```

```

    }

void CTPCC_COM::NewOrder()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pNewOrder->NewOrder(m_vTxn,
&vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData,vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

void CTPCC_COM::Payment()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pPayment->Payment(m_vTxn,
&vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData,vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

void CTPCC_COM::StockLevel()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pStockLevel-
>StockLevel(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData,vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
}

void CTPCC_COM::OrderStatus()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pOrderStatus-
>OrderStatus(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData,vTxn_out.parray->rgsabound[0].cElements);

```



```

        SafeArrayDestroy(vTxn_out.parray);

        if ( m_pTxn->ErrorType != ERR_SUCCESS )
            throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
    }

```

## tpcc\_com.h

```

/*      FILE:          TPCC_COM.H
 *
 *      TPC-C Kit Ver. 4.20.000
 *
 *      Microsoft
 *      Copyright
 *      Microsoft, 1999
 *      All Rights Reserved
 *
 *      not yet
 *      audited
 *
 *      PURPOSE:  Header file for TPC-C COM+ class
 *      implementation.
 *
 *      Change history:
 *      4.20.000 - first version
 */

#pragma once

#include <stdio.h>
#include "..\..\tpcc_com_ps\src\tpcc_com_ps.h"

// need to declare functions for import, unless
// define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CCOMERR : public CBaseErr
{
private:
    char m_szErrorText[64];

public:
    // use this interface for genuine
    COM errors
    CCOMERR( HRESULT hr )
    {
        m_hr = hr;
        m_iErrorType = 0;
        m_iError = 0;
    }

    // use this interface to
    impersonate a non-COM error type
    CCOMERR( int iErrorType, int
iError )
    {
        m_iErrorType =
iErrorType;

        m_iError = iError;
        m_hr = S_OK;
    }

```

```

    }

    int m_hr;
    int m_iErrorType;
    int m_iError;

    // A CCOMERR class can
    impersonate another
    class, which happens if the error
    // was not actually a COM
    Services error, but
    was simply transmitted back via
    COM.

    int ErrorType()
    {
        if (m_iErrorType == 0)
            return
ERR_TYPE_COM;
        else
            return
m_iErrorType;
    }

    int ErrorNum() {return m_hr;}

    char *ErrorText()
    {
        if (m_hr == S_OK)
            sprintf(
m_szErrorText, "Error: Class %d, error # %d",
m_iErrorType, m_iError );
        else
            sprintf(
m_szErrorText, "Error: COM HRESULT %x", m_hr );
    }
};

class DllDecl CTPCC_COM : public CTPCC_BASE
{
private:
    BOOL m_bSinglePool;

    // COM Interface pointers
    ITPCC*
m_pNewOrder;
    ITPCC*
m_pPayment;
    ITPCC*
m_pStockLevel;
    ITPCC*
m_pOrderStatus;

    struct COM_DATA
    {
        int ErrorType;
        int error;
        union
        {
            NEW_ORDER_DATA      NewOrder;
            PAYMENT_DATA        Payment;
            DELIVERY_DATA       Delivery;
        }
    }

```

```

    STOCK_LEVEL_DATA      StockLevel;
    ORDER_STATUS_DATA     OrderStatus;
    } u;
    } *m_pTxn;

    VARIANT m_vTxn;

public:
    CTPCC_COM(BOOL bSinglePool);
    ~CTPCC_COM(void);

    inline PNEW_ORDER_DATA
    BuffAddr_NewOrder() { return
&m_pTxn->u.NewOrder; };
    inline PPAYMENT_DATA
    BuffAddr_Payment() { return
&m_pTxn->u.Payment; };
    inline PDELIVERY_DATA
    BuffAddr_Delivery() { return
&m_pTxn->u.Delivery; };
    inline PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel() { return
&m_pTxn->u.StockLevel; };
    inline PORDER_STATUS_DATA
    BuffAddr_OrderStatus() { return
&m_pTxn->u.OrderStatus; };

    void NewOrder      ();
    void Payment       ();
    void StockLevel    ();
    void OrderStatus   ();
    void Delivery      ();
    { throw new CCOMERR(E_NOTIMPL); } // not supported
};

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

// wrapper routine for class constructor
extern "C" __declspec(dllexport) CTPCC_COM*
CTPCC_COM_new(BOOL);

typedef CTPCC_COM* (TYPE_CTPCC_COM)(BOOL);

```

## tpcc\_com\_all.c

### pp

```

/*      FILE:          TPCC_COM_ALL.CPP
 *
 *      Microsoft
 *
 *      TPC-C Kit Ver. 4.20.000

```

```

*                                     Copyright
Microsoft, 1999
*                                     All Rights Reserved
*
*                                     Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*   PURPOSE: Implementation for TPC-C Tuxedo
class.
*   Contact: Charles Levine
(clevine@microsoft.com)
*
*   Change history:
*       4.20.000 - updated rev number to
match kit
*/

#define STRICT
#define _WIN32_WINNT 0x0400
#define _ATL_APARTMENT_THREADED

#include <stdio.h>
#include <atlbase.h>
//You may derive a class from CComModule and use it
if you want to override
//something, but do not change the name of _Module
extern CComModule _Module;

#include <atlcom.h>
#include <initguid.h>
#include <transact.h>
#include <atlimpl.cpp>
#include <comsvcs.h>

#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>

#include "tpcc_com_ps.h"
#include "..\..\common\src\trans.h"
//tpckit transaction
header contains definations of structures specific to
TPC-C
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\error.h"
#include "..\..\common\src\ReadRegistry.h"
#include "..\..\db_dblib_dll\src\tpcc_dblib.h"
// DBLIB implementation of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h"
// ODBC implementation of TPC-C txns

#include "resource.h"
#include "tpcc_com_all.h"
#include "tpcc_com_all_i.c"
#include "Methods.h"
#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\common\src\ReadRegistry.cpp"

CComModule _Module;

BEGIN_OBJECT_MAP(ObjectMap)

```

```

OBJECT_ENTRY(CLSID_TPCC, CTPCC)
OBJECT_ENTRY(CLSID_NewOrder, CNewOrder)
OBJECT_ENTRY(CLSID_OrderStatus,
COrderStatus)
OBJECT_ENTRY(CLSID_Payment, CPayment)
OBJECT_ENTRY(CLSID_StockLevel, CStockLevel)
END_OBJECT_MAP()

// configuration settings from registry
TPCCREGISTRYDATA Reg;
char
    szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;

////////////////////////////////////
////////////////////////////////////
// DLL Entry Point

extern "C"
BOOL WINAPI DllMain(HINSTANCE hInstance, DWORD
dwReason, LPVOID /*lpReserved*/)
{
    char szDllName[128];

    try
    {
        if (dwReason ==
DLL_PROCESS_ATTACH)
        {
            _Module.Init(ObjectMap,
hInstance);

            DisableThreadLibraryCalls(hInstance);

            DWORD dwSize =
MAX_COMPUTERNAME_LENGTH+1;

            GetComputerName(szMyComputerName, &dwSize);

            szMyComputerName[dwSize] = 0;

            if (
ReadTPCCRegistrySettings( &Reg ))
                throw new
CCOMPONENT_ERR( ERR_MISSING_REGISTRY_ENTRIES );

            if (Reg.eDB_Protocol ==
DBLIB)
            {
                strcpy(
szDllName, Reg.szPath );

                strcat(
szDllName, "tpcc_dblib.dll");

                hLibInstanceDb = LoadLibrary( szDllName );
            }
        }
    }
}

```

```

if
(hLibInstanceDb == NULL)
    throw new CCOMPONENT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

// get
function pointer to wrapper for class constructor

    pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*)
GetProcAddress(hLibInstanceDb, "CTPCC_DBLIB_new");
    if
(pCTPCC_DBLIB_new == NULL)
        throw new CCOMPONENT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
    else if
(Reg.eDB_Protocol == ODBC)
    {
        strcpy(
szDllName, Reg.szPath );

        strcat(
szDllName, "tpcc_odbc.dll");

        hLibInstanceDb = LoadLibrary( szDllName );
        if
(hLibInstanceDb == NULL)
            throw new CCOMPONENT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

        // get
function pointer to wrapper for class constructor

        pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");
        if
(pCTPCC_ODBC_new == NULL)
            throw new CCOMPONENT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
        else
            throw new
CCOMPONENT_ERR( ERR_UNKNOWN_DB_PROTOCOL );
        else if (dwReason ==
DLL_PROCESS_DETACH)
            _Module.Term();
    }
}
catch (CBaseErr *e)
{
    WriteMessageToEventLog(e-
>ErrorText());

    delete e;
    return FALSE;
}
catch (...)
{
}

```

```

        WriteMessageToEventLog(TEXT("Unhandled
exception in object DllMain"));
        return FALSE;
    }
    return TRUE; // OK
}

////////////////////////////////////
////////////////////////////////////
// Used to determine whether the DLL can be unloaded
by OLE

STDAPI DllCanUnloadNow(void)
{
    return (_Module.GetLockCount()==0) ? S_OK :
S_FALSE;
}

////////////////////////////////////
////////////////////////////////////
// Returns a class factory to create an object of the
requested type

STDAPI DllGetClassObject(REFCLSID rclsid, REFIID
riid, LPVOID* ppv)
{
    return _Module.GetClassObject(rclsid, riid,
ppv);
}

////////////////////////////////////
////////////////////////////////////
// DllRegisterServer - Adds entries to the system
registry

STDAPI DllRegisterServer(void)
{
    // registers object, typelib and all
interfaces in typelib
    return _Module.RegisterServer(TRUE);
}

////////////////////////////////////
////////////////////////////////////
// DllUnregisterServer - Removes entries from the
system registry

STDAPI DllUnregisterServer(void)
{
    _Module.UnregisterServer();
    return S_OK;
}

static void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR szMsg[256];
    HANDLE hEventSource;
    LPTSTR lpszStrings[2];

    // Use event logging to log the error.

```

```

//
hEventSource = RegisterEventSource(NULL,
TEXT("tpcc_com_all.dll"));

_stprintf(szMsg, TEXT("Error in COM+ TPC-C
Component: "));
lpszStrings[0] = szMsg;
lpszStrings[1] = lpszMsg;

if (hEventSource != NULL)
{
    ReportEvent(hEventSource, // handle of event
source
                EVENLOG_ERROR_TYPE, // event type
                0, // event category
                0, // event ID
                NULL, // current user's
SID
                2, // strings in
lpszStrings
                0, // no bytes of raw
data
                (LPCWSTR *)lpszStrings, // array of
error strings
                NULL); // no raw data

    (VOID) DeregisterEventSource(hEventSource);
}

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

/* FUNCTION: CCOMPONENT_ERR::ErrorText
*
*/

char* CCOMPONENT_ERR::ErrorText(void)
{
    static SERRORMSG errorMsgs[] =
    {
        { ERR_MISSING_REGISTRY_ENTRIES,
"Required entries missing from registry."
        },
        { ERR_LOADDLL_FAILED,
"Load of DLL failed. DLL="
        },
        { ERR_GETPROCADDR_FAILED,
"Could not map proc in DLL. GetProcAddr
error. DLL="
        },
        { ERR_UNKNOWN_DB_PROTOCOL,
"Unknown database protocol specified in
registry."
        },
        { 0, ""
        }
    }
}

```

```

};

char szTmp[256];
int i = 0;
while (TRUE)
{
    if (errorMsgs[i].szMsg[0] == 0)
    {
        strcpy( szTmp, "Unknown
error number.");
        break;
    }
    if (m_Error ==
errorMsgs[i].iError)
    {
        strcpy( szTmp,
errorMsgs[i].szMsg );
        break;
    }
    i++;
}

if (m_szTextDetail)
    strcat( szTmp, m_szTextDetail );
if (m_SystemErr)
    wsprintf( szTmp+strlen(szTmp), "
Error=%d", m_SystemErr );

m_szErrorText = new char[strlen(szTmp)+1];
strcpy( m_szErrorText, szTmp );
return m_szErrorText;
}

CTPCC_Common::CTPCC_Common()
{
    m_pTxn = NULL;
    m_bCanBePooled = TRUE;
}

CTPCC_Common::~CTPCC_Common()
{
    if (m_pTxn)
        delete m_pTxn;
}

HRESULT CTPCC_Common::CallSetComplete()
{
    IObjectContext* pObjectContext = NULL;

    // get our object context
    HRESULT hr = CoGetObjectContext(
IID_IObjectContext, (void **)&pObjectContext );
    pObjectContext->SetComplete();
    ReleaseInterface(pObjectContext);
    return hr;
}

//
// called by the ctor activator
//

```

```

STDMETHODIMP CTPCC_Common::Construct(IDispatch *
pUnk)
{
    // Code to access construction string, if
needed later...
    // if (!pUnk)
    //     return E_UNEXPECTED;
    // IObjectConstructString * pString
= NULL;
    // HRESULT hr = pUnk-
>QueryInterface(IID_IObjectConstructString, (void
**) &pString);
    // pString->Release();

    try
    {
        if (Reg.eDB_Protocol == ODBC)
            m_pTxn =
pCTPCC_ODBC_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
        else if (Reg.eDB_Protocol ==
DBLIB)
            m_pTxn =
pCTPCC_DBLIB_new( Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, szMyComputerName, Reg.szDbName );
    }
    catch (CBaseErr *e)
    {
        WriteMessageToEventLog(e-
>ErrorText());
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception in object ::Construct"));
        return E_FAIL;
    }

    return S_OK;
}

HRESULT CTPCC_Common::NewOrder(VARIANT txn_in,
VARIANT* txn_out)
{
    PNEW_ORDER_DATA    pNewOrder;
    COM_DATA            *pData;
    try
    {
        pData = (COM_DATA*)txn_in.parray-
>pvData;
        pNewOrder = m_pTxn-
>BuffAddr_NewOrder();

        memcpy(pNewOrder, &pData-
>u.NewOrder, sizeof(NEW_ORDER_DATA));

        do the actual txn

        VariantInit(txn_out);

```

```

        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector(VT_UI1,
>cElements,
        txn_in.parray->rgsabound-
>cElements);
        pData = (COM_DATA*) txn_out-
>parray->pvData;

        memcpy( &pData->u.NewOrder,
pNewOrder, sizeof(NEW_ORDER_DATA));

        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005) ||
((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));

        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

HRESULT CTPCC_Common::Payment(VARIANT txn_in,
VARIANT* txn_out)
{
    PPAYMENT_DATA      pPayment;
    COM_DATA            *pData;
    try
    {
        pData = (COM_DATA*)txn_in.parray-
>pvData;
        pPayment = m_pTxn-
>BuffAddr_Payment();

        memcpy(pPayment, &pData-
>u.Payment, sizeof(PAYMENT_DATA));

        do the actual txn

```

```

        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,
>cElements,
        txn_in.parray->rgsabound-
>cElements);
        pData = (COM_DATA*) txn_out-
>parray->pvData;

        memcpy( &pData->u.Payment,
pPayment, sizeof(PAYMENT_DATA));

        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005) ||
((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));

        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

HRESULT CTPCC_Common::StockLevel(VARIANT txn_in,
VARIANT* txn_out)
{
    PSTOCK_LEVEL_DATA  pStockLevel;
    COM_DATA            *pData;

    try
    {
        pData = (COM_DATA*)txn_in.parray-
>pvData;
        pStockLevel = m_pTxn-
>BuffAddr_StockLevel();

        memcpy(pStockLevel, &pData-
>u.StockLevel, sizeof(STOCK_LEVEL_DATA));

```

```

        m_pTxn->StockLevel();

        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,

>cElements,
        txn_in.parray->rgsabound-
>cElements);
        txn_in.parray->rgsabound-
>parray->pvData;
        pData = (COM_DATA*)txn_out-
        memcpy( &pData->u.StockLevel,
pStockLevel, sizeof(STOCK_LEVEL_DATA));
        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005) ||
            ((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054) ) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

HRESULT CTPCC_Common::OrderStatus(VARIANT txn_in,
VARIANT* txn_out)
{
    PORDER_STATUS_DATA pOrderStatus;
    COM_DATA *pData;
    try
    {
        pData = (COM_DATA*)txn_in.parray-
>pvData;
        pOrderStatus = m_pTxn-
>BuffAddr_OrderStatus();

```

```

        memcpy(pOrderStatus, &pData-
>u.OrderStatus, sizeof(ORDER_STATUS_DATA));
        m_pTxn->OrderStatus();
        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,

>cElements,
        txn_in.parray->rgsabound-
>cElements);
        txn_in.parray->rgsabound-
>parray->pvData;
        pData = (COM_DATA*)txn_out-
        memcpy( &pData->u.OrderStatus,
pOrderStatus, sizeof(ORDER_STATUS_DATA));
        pData->retval = ERR_SUCCESS;
        pData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_DBLIB) && (e->ErrorNum() == 10005) ||
            ((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054) ) )
            m_bCanBePooled = FALSE;

        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        m_bCanBePooled = FALSE;
        return E_FAIL;
    }
}

```

## ***tpcc\_com\_all.d*** ***ef***

```

; tpcc_com_all.def : Declares the module parameters.

LIBRARY      "tpcc_com_all.dll"

EXPORTS

```

```

DllCanUnloadNow      @1 PRIVATE
DllGetClassObject    @2 PRIVATE
DllRegisterServer    @3 PRIVATE
DllUnregisterServer   @4 PRIVATE

```

## ***tpcc\_com\_all.d*** ***sp***

```

# Microsoft Developer Studio Project File -
Name="tpcc_com_all" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=tpcc_com_all - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_all.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_all.mak"
CFG="tpcc_com_all - Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tpcc_com_all - Win32 Release" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE "tpcc_com_all - Win32 Debug" (based on
"Win32 (x86) Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "tpcc_com_all - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""

```

```

# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll
/machine:I386
# ADD LINK32 ..\db_dblib_dll\bin\tpcc_dblib.lib
..\db_odbc_dll\bin\tpcc_odbc.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbc32.lib /nologo
/subsystem:windows /dll /machine:I386

!ELSEIF "$(CFG) == "tpcc_com_all - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D
"WIN32" /D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MTd /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 ..\db_dblib_dll\bin\tpcc_dblib.lib
..\db_odbc_dll\bin\tpcc_odbc.lib kernel32.lib
user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib
uuid.lib odbc32.lib odbc32.lib /nologo

```

```

/subsystem:windows /dll /debug /machine:I386
/pdbtype:sept

!ENDIF

# Begin Target

# Name "tpcc_com_all - Win32 Release"
# Name "tpcc_com_all - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter "*.cpp, *.c"
# Begin Source File

SOURCE=.\src\tpcc_com_all.cpp
# SUBTRACT CPP /YX
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_com_all.def
# End Source File
# Begin Source File

SOURCE=.\src\tpcc_com_all.idl

!IF "$(CFG) == "tpcc_com_all - Win32 Release"

# PROP Ignore_Default_Tool 1
# Begin Custom Build - Performing MIDL step
InputPath=.\src\tpcc_com_all.idl

BuildCmds= \
    midl /Oicf /h "tpcc_com_all.h" /iid
    "tpcc_com_all.i.c" ".\src\tpcc_com_all.idl"
    /out ".\src"

".\src\tpcc_com_all.tlb" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
    $(BuildCmds)

".\src\tpcc_com_all.h" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
    $(BuildCmds)

".\src\tpcc_com_all.i.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
    $(BuildCmds)
# End Custom Build

!ELSEIF "$(CFG) == "tpcc_com_all - Win32 Debug"

# PROP Ignore_Default_Tool 1
# Begin Custom Build - Performing MIDL step
InputPath=.\src\tpcc_com_all.idl

BuildCmds= \
    midl /Oicf /h "tpcc_com_all.h" /iid
    "tpcc_com_all.i.c" ".\src\tpcc_com_all.idl"
    /out ".\src"

".\src\tpcc_com_all.tlb" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
    $(BuildCmds)

```

```

".\src\tpcc_com_all.h" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
    $(BuildCmds)

".\src\tpcc_com_all.i.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
    $(BuildCmds)
# End Custom Build

!ENDIF

# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=.\src\Methods.h
# End Source File
# Begin Source File

SOURCE=.\src\resource.h
# End Source File
# End Group
# Begin Source File

SOURCE=.\src\tpcc_com_all.rc
# End Source File
# End Target
# End Project

```

## **tpcc\_com\_all.h**

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the
definitions for the interfaces */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:19 2000
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
    Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
    error checks: allocation ref bounds_check enum
stub_data
    VC __declspec() decoration level:
        __declspec(uuid()), __declspec(selectany),
        __declspec(novtable)
        DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

/* verify that the <rpcndr.h> version is high enough
to compile this file*/

```

```

#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __tpcc_com_all_h__
#define __tpcc_com_all_h__

/* Forward Declarations */

#ifndef __TPCC_FWD_DEFINED__
#define __TPCC_FWD_DEFINED__

#ifdef __cplusplus
typedef class TPCC TPCC;
#else
typedef struct TPCC TPCC;
#endif /* __cplusplus */

#endif /* __TPCC_FWD_DEFINED__ */

#ifndef __NewOrder_FWD_DEFINED__
#define __NewOrder_FWD_DEFINED__

#ifdef __cplusplus
typedef class NewOrder NewOrder;
#else
typedef struct NewOrder NewOrder;
#endif /* __cplusplus */

#endif /* __NewOrder_FWD_DEFINED__ */

#ifndef __OrderStatus_FWD_DEFINED__
#define __OrderStatus_FWD_DEFINED__

#ifdef __cplusplus
typedef class OrderStatus OrderStatus;
#else
typedef struct OrderStatus OrderStatus;
#endif /* __cplusplus */

#endif /* __OrderStatus_FWD_DEFINED__ */

#ifndef __Payment_FWD_DEFINED__
#define __Payment_FWD_DEFINED__

#ifdef __cplusplus
typedef class Payment Payment;
#else
typedef struct Payment Payment;
#endif /* __cplusplus */

#endif /* __Payment_FWD_DEFINED__ */

#ifndef __StockLevel_FWD_DEFINED__
#define __StockLevel_FWD_DEFINED__

```

```

#ifdef __cplusplus
typedef class StockLevel StockLevel;
#else
typedef struct StockLevel StockLevel;
#endif /* __cplusplus */

#endif /* __StockLevel_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"
#include "tpcc_com_ps.h"

#ifdef __cplusplus
extern "C"{
#endif

void __RPC_FAR * __RPC_USER
MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpcc_com_all_0000 */
/* [local] */

extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_all_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_all_0000_v0_0_s_ifspec;

#ifdef __TPCCLib_LIBRARY_DEFINED__
#define __TPCCLib_LIBRARY_DEFINED__

/* library TPCCLib */
/* [helpstring][version][uuid] */

EXTERN_C const IID LIBID_TPCCLib;

EXTERN_C const CLSID CLSID_TPCC;

#ifdef __cplusplus
class DECLSPEC_UUID("122A3128-2520-11D3-BA71-00C04FBFE08B")
TPCC;
#endif

EXTERN_C const CLSID CLSID_NewOrder;

#ifdef __cplusplus
class DECLSPEC_UUID("975BAABF-84A7-11D2-BA47-00C04FBFE08B")
NewOrder;

```

```

#endif

EXTERN_C const CLSID CLSID_OrderStatus;

#ifdef __cplusplus
class DECLSPEC_UUID("266836AD-A50D-11D2-BA4E-00C04FBFE08B")
OrderStatus;
#endif

EXTERN_C const CLSID CLSID_Payment;

#ifdef __cplusplus
class DECLSPEC_UUID("CD02F7EF-A4FA-11D2-BA4E-00C04FBFE08B")
Payment;
#endif

EXTERN_C const CLSID CLSID_StockLevel;

#ifdef __cplusplus
class DECLSPEC_UUID("2668369E-A50D-11D2-BA4E-00C04FBFE08B")
StockLevel;
#endif
#endif /* __TPCCLib_LIBRARY_DEFINED__ */

/* Additional Prototypes for ALL interfaces */

/* end of Additional Prototypes */

#ifdef __cplusplus
}
#endif

#endif

tpcc_com_all.i
dl


---


/* FILE: TPCC.IDL Microsoft
*
* TPC-C Kit Ver. 4.20.000 Copyright
*
* Microsoft, 1999
* All Rights Reserved
*
* not yet
audited
*
* PURPOSE: IDL source for TPCC.dll. This
file is processed by the MIDL tool to
* produce the
type library (TPCC.tlb) and marshalling code.
*

```

```

* Change history:
*           4.20.000 - first version
*/

interface TPCC;
interface NewOrder;
interface OrderStatus;
interface Payment;
interface StockLevel;

import "oidl.idl";
import "ocidl.idl";
import "..\tpcc_com_ps\src\tpcc_com_ps.idl";

[
    uuid(122A3117-2520-11D3-BA71-00C04FBFE08B),
    version(1.0),
    helpstring("TPC-C 1.0 Type Library")
]
library TPCCLib
{
    importlib("stdole32.tlb");
    importlib("stdole2.tlb");

    [
        uuid(122A3128-2520-11D3-BA71-
00C04FBFE08B),
        helpstring("All Txns Class")
    ]
    coclass TPCC
    {
        [default] interface ITPCC;
    };

    [
        uuid(975BAABF-84A7-11D2-BA47-
00C04FBFE08B),
        helpstring("NewOrder Class")
    ]
    coclass NewOrder
    {
        [default] interface ITPCC;
    };

    [
        uuid(266836AD-A50D-11D2-BA4E-
00C04FBFE08B),
        helpstring("OrderStatus Class")
    ]
    coclass OrderStatus
    {
        [default] interface ITPCC;
    };

    [
        uuid(CD02F7EF-A4FA-11D2-BA4E-
00C04FBFE08B),
        helpstring("Payment Class")
    ]
}

```

```

coclass Payment
{
    [default] interface ITPCC;
};

[
    uuid(2668369E-A50D-11D2-BA4E-
00C04FBFE08B),
    helpstring("StockLevel Class")
]
coclass StockLevel
{
    [default] interface ITPCC;
};

```

## **tpcc\_com\_all.r**

### **C**

```

//Microsoft Developer Studio generated resource
script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "winres.h"

////////////////////////////////////
////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
////////////////////////////////////
// English (U.S.) resources

#if !defined(AFX_RESOURCE_DLL) ||
defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// TEXTINCLUDE
//

1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

```

```

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include \"winres.h\"\r\n"
    "\0"
END

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "1 TYPELIB \"tpcc_com_all.tlb\"\r\n"
    "\0"
END

#endif // APSTUDIO_INVOKED

#ifdef _MAC
////////////////////////////////////
////////////////////////////////////
//
// Version
//

VS_VERSION_INFO VERSIONINFO
FILEVERSION 1,0,0,1
PRODUCTVERSION 1,0,0,1
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x4L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904B0"
        BEGIN
            VALUE "CompanyName", "\0"
            VALUE "FileDescription", "tpcc_com_all
Module\0"
            VALUE "FileVersion", "1, 0, 0, 1\0"
            VALUE "InternalName", "TPCCNEWORDER\0"
            VALUE "LegalCopyright", "Copyright
1997\0"
            VALUE "OriginalFilename",
"tpcc_com_all.DLL\0"
            VALUE "ProductName", "tpcc_com_all
Module\0"
            VALUE "ProductVersion", "1, 0, 0, 1\0"
            VALUE "OLESelfRegister", "\0"
        END
    END
    BLOCK "VarFileInfo"
    BEGIN
        VALUE "Translation", 0x409, 1200
    END
END

#endif // !_MAC

```



```

////////////////////////////////////
////////////////////////////////////
//
// REGISTRY
//
IDR_TPCC                REGISTRY DISCARDABLE
"tpcc_com_all.rgs"
IDR_NEWORDER           REGISTRY DISCARDABLE
"tpcc_com_no.rgs"
IDR_ORDERSTATUS       REGISTRY DISCARDABLE
"tpcc_com_os.rgs"
IDR_PAYMENT            REGISTRY DISCARDABLE
"tpcc_com_pay.rgs"
IDR_STOCKLEVEL        REGISTRY DISCARDABLE
"tpcc_com_sl.rgs"

////////////////////////////////////
////////////////////////////////////
//
// String Table
//
STRINGTABLE DISCARDABLE
BEGIN
    IDS_PROJNAME        "tpcc_com_all"
END

#endif // English (U.S.) resources
////////////////////////////////////
////////////////////////////////////

#ifndef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 3 resource.
//
1 TYPELIB "tpcc_com_all.tlb"

////////////////////////////////////
////////////////////////////////////
#endif // not APSTUDIO_INVOKED

```

## ***tpcc\_com\_all.rgs***

```

HKCR
{
    TPCC.AllTxns.1 = s 'All Txns Class'
    {
        CLSID = s '{122A3128-2520-11D3-
BA71-00C04FBFE08B}'
    }
    TPCC.AllTxns = s 'TPCC Class'
    {

```

```

        CurVer = s 'TPCC.AllTxns.1'
    }
    NoRemove CLSID
    {
        ForceRemove {122A3128-2520-11D3-
BA71-00C04FBFE08B} = s 'TPCC Class'
        {
            ProgID = s
'TPCC.AllTxns.1'
            VersionIndependentProgID = s 'TPCC.AllTxns'
            InprocServer32 = s
'%MODULE%'
        }
        val
ThreadingModel = s 'Both'
    }
}
}

```

## ***tpcc\_com\_all.i.c***

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:19 2000
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@MIDL_FILE_HEADERING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

```

```

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \

DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif // !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib,0x122A3117,0x2520,0x11D3,0xBA,0x71,0x00,
0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC,0x122A3128,0x2520,0x11D3,0xBA,0x71,0x00,0x
C0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder,0x975BAABF,0x84A7,0x11D2,0xBA,0x47,0x0
0,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus,0x266836AD,0xA50D,0x11D2,0xBA,0x4E,
0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

```

```

MIDL_DEFINE_GUID(CLSID,
CLSID_Payment, 0xCD02F7EF, 0xA4FA, 0x11D2, 0xBA, 0x4E, 0x00
, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel, 0x2668369E, 0xA50D, 0x11D2, 0xBA, 0x4E, 0
x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:19 2000
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b
run, appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>

```

```

#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \

DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
    {l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCLLib, 0x122A3117, 0x2520, 0x11D3, 0xBA, 0x71, 0x00
, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC, 0x122A3128, 0x2520, 0x11D3, 0xBA, 0x71, 0x00, 0x
C0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder, 0x975BAABF, 0x84A7, 0x11D2, 0xBA, 0x47, 0x0
0, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus, 0x266836AD, 0xA50D, 0x11D2, 0xBA, 0x4E,
0x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_Payment, 0xCD02F7EF, 0xA4FA, 0x11D2, 0xBA, 0x4E, 0x00
, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

```

```

MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel, 0x2668369E, 0xA50D, 0x11D2, 0xBA, 0x4E, 0
x00, 0xC0, 0x4F, 0xBF, 0xE0, 0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* defined(_M_IA64) || defined(_M_AXP64)*/

```

---

## ***tpcc\_com\_no.r***

---

### ***gs***

---

```

HKCR
{
    TPCC.NewOrder.1 = s 'NewOrder Class'
    {
        CLSID = s '{975BAABF-84A7-11D2-
BA47-00C04FBFE08B}'
    }
    TPCC.NewOrder = s 'NewOrder Class'
    {
        CurVer = s 'TPCC.NewOrder.1'
    }
    NoRemove CLSID
    {
        ForceRemove {975BAABF-84A7-11D2-
BA47-00C04FBFE08B} = s 'NewOrder Class'
        {
            ProgID = s
'TPCC.NewOrder.1'

            VersionIndependentProgID = s
'TPCC.NewOrder'

            InprocServer32 = s
'%MODULE%'
            {
                val
ThreadingModel = s 'Both'
            }
        }
    }
}

```

---

## ***tpcc\_com\_os.r***

---

### ***gs***

---

```

HKCR
{
    TPCC.OrderStatus.1 = s 'OrderStatus Class'
    {

```

```

        CLSID = s '{266836AD-A50D-11D2-
BA4E-00C04FBFE08B}'
    }
    TPCC.OrderStatus = s 'OrderStatus Class'
    {
        CurVer = s 'TPCC.OrderStatus.1'
    }
    NoRemove CLSID
    {
        ForceRemove {266836AD-A50D-11D2-
BA4E-00C04FBFE08B} = s 'OrderStatus Class'
    }
    ProgID = s
'TPCC.OrderStatus.1'
    VersionIndependentProgID = s
'TPCC.OrderStatus'
    InprocServer32 = s
'%MODULE%'
    {
        val
        ThreadingModel = s 'Both'
    }
}

```

## tpcc\_com\_pay. rgs

```

HKCR
{
    TPCC.Payment.1 = s 'Payment Class'
    {
        CLSID = s '{CD02F7EF-A4FA-11D2-
BA4E-00C04FBFE08B}'
    }
    TPCC.Payment = s 'Payment Class'
    {
        CurVer = s 'TPCC.Payment.1'
    }
    NoRemove CLSID
    {
        ForceRemove {CD02F7EF-A4FA-11D2-
BA4E-00C04FBFE08B} = s 'Payment Class'
    }
    ProgID = s
'TPCC.Payment.1'
    VersionIndependentProgID = s 'TPCC.Payment'
    InprocServer32 = s
'%MODULE%'
    {
        val
        ThreadingModel = s 'Both'
    }
}

```

## tpcc\_com\_ps.d ef

```

LIBRARY      "tpcc_com_ps"

DESCRIPTION  'Proxy/Stub DLL'

EXPORTS
    DllGetClassObject      @1  PRIVATE
    DllCanUnloadNow       @2  PRIVATE
    GetProxyDllInfo       @3  PRIVATE
    DllRegisterServer      @4
    PRIVATE
    DllUnregisterServer    @5
    PRIVATE

```

## tpcc\_com\_ps.d sp

```

# Microsoft Developer Studio Project File -
Name="tpcc_com_ps" - Package Owner=<4>
# Microsoft Developer Studio Generated Build File,
Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Application" 0x0101

CFG=tpcc_com_ps - Win32 Debug
!MESSAGE This is not a valid makefile. To build this
project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_ps.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running
NMAKE
!MESSAGE by defining the macro CFG on the command
line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_ps.mak" CFG="tpcc_com_ps
- Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tpcc_com_ps - Win32 Release" (based on
"Win32 (x86) Application")
!MESSAGE "tpcc_com_ps - Win32 Debug" (based on "Win32
(x86) Application")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe

```

```

RSC=rc.exe

!IF "$(CFG)" == "tpcc_com_ps - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D
"NDEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG"
/D "_WIN32_WINNT=0x0400" /D "REGISTER_PROXY_DLL" /FD /c
# SUBTRACT CPP /YX
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o
"NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "NDEBUG"
# ADD RSC /l 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbc32.lib
odbc32.lib /nologo /subsystem:windows /machine:I386
# ADD LINK32 kernel32.lib rpndr.lib rpcns4.lib
rpctr4.lib oleaut32.lib uuid.lib /nologo
/entry:"DllMain" /subsystem:windows /dll /pdb:none
/machine:I386 /def:".src\tpcc_com_ps.def"
# Begin Custom Build - Copying tpcc_com_ps.h
InputPath=.bin\tpcc_com_ps.dll
SOURCE="$(InputPath)"

"..\tpcc_com_all\src\tpcc_com_ps.h" : $(SOURCE)
"$(INTDIR)" "$(OUTDIR)"
copy ..\src\tpcc_com_ps.h
..\tpcc_com_all\src\

# End Custom Build

!ELSEIF "$(CFG)" == "tpcc_com_ps - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""

```

```

# ADD BASE CPP /nologo /W3 /Gm /GX /ZI /Od /D "WIN32"
/D "_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /ZI /Od /D "WIN32" /D "_DEBUG" /D
_WIN32_WINNT=0x0400 /D "REGISTER_PROXY_DLL" /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktypelib203 /o
"NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktypelib203 /o "NUL"
/win32
# ADD BASE RSC /l 0x409 /d "_DEBUG"
# ADD RSC /l 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib
ole32.lib oleaut32.lib uuid.lib odbccp32.lib
odbc32.lib /nologo /subsystem:windows /debug
/machine:I386 /pdbtype:sept
# ADD LINK32 kernel32.lib rpcndr.lib rpcns4.lib
rpcrt4.lib oleaut32.lib uuid.lib /nologo
/entry:"DllMain" /dll /debug /machine:IX86
/def:".src\tpcc_com_ps.def" /pdbtype:sept
# SUBTRACT LINK32 /pdb:none
# Begin Custom Build - Copying tpcc_com_ps.h
InputPath=.bin\tpcc_com_ps.dll
SOURCE="$(InputPath)"

..\tpcc_com_all\src\tpcc_com_ps.h" : $(SOURCE)
"$(INTDIR)" "$(OUTDIR)"
copy .\src\tpcc_com_ps.h
..\tpcc_com_all\src\

# End Custom Build

!ENDIF

# Begin Target

# Name "tpcc_com_ps - Win32 Release"
# Name "tpcc_com_ps - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter ""
# Begin Source File

SOURCE=.src\dlldata.c
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps.def
# PROP Exclude_From_Build 1
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps.idl

!IF "$(CFG)" == "tpcc_com_ps - Win32 Release"

# PROP Ignore_Default_Tool 1
# Begin Custom Build
InputPath=.src\tpcc_com_ps.idl

```

```

BuildCmds= \
midl /Oicf /h "tpcc_com_ps.h" /iid
"tpcc_com_ps_i.c" ".src\tpcc_com_ps.idl" /out
.\src"

.\src\tpcc_com_ps.h" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

.\src\tpcc_com_ps_i.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

.\src\dlldata.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

.\src\tpcc_com_ps_p.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)
# End Custom Build

!ELSEIF "$(CFG)" == "tpcc_com_ps - Win32 Debug"

# PROP Ignore_Default_Tool 1
# Begin Custom Build
InputPath=.src\tpcc_com_ps.idl

BuildCmds= \
midl /Oicf /h "tpcc_com_ps.h" /iid
"tpcc_com_ps_i.c" ".src\tpcc_com_ps.idl" /out
.\src"

.\src\tpcc_com_ps.h" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

.\src\tpcc_com_ps_i.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)

.\src\dlldata.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

.\src\tpcc_com_ps_p.c" : $(SOURCE) "$(INTDIR)"
"$(OUTDIR)"
$(BuildCmds)
# End Custom Build

!ENDIF

# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps_i.c
# End Source File
# Begin Source File

SOURCE=.src\tpcc_com_ps_p.c
# End Source File
# End Group
# End Target
# End Project

```

## tpcc\_com\_ps.h

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the
definitions for the interfaces */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:12 2000
*/
/* Compiler settings for .src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
/**@MIDL_FILE_HEADERING( )

/* verify that the <rpcndr.h> version is high enough
to compile this file*/
#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __RPCNDR_H_VERSION__
#error this stub requires an updated version of
<rpcndr.h>
#endif // __RPCNDR_H_VERSION__

#ifndef COM_NO_WINDOWS_H
#include "windows.h"
#include "ole2.h"
#endif /*COM_NO_WINDOWS_H*/

#ifndef __tpcc_com_ps_h__
#define __tpcc_com_ps_h__

/* Forward Declarations */

#ifndef __ITPCC_FWD_DEFINED__
#define __ITPCC_FWD_DEFINED__
typedef interface ITPCC ITPCC;
#endif /* __ITPCC_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"

#ifndef __cplusplus

```

```

extern "C"{
#ifdef
void __RPC_FAR * __RPC_USER
MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpcc_com_ps_0000 */
/* [local] */

extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_ps_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_ps_0000_v0_0_s_ifspec;

#ifdef __ITPCC_INTERFACE_DEFINED__
#define __ITPCC_INTERFACE_DEFINED__

/* interface ITPCC */
/* [unique][helpstring][uuid][oleautomation][object] */

EXTERN_C const IID IID_ITPCC;

#if defined(__cplusplus) && !defined(CINTERFACE)

    MIDL_INTERFACE("FEE6AA2-84B1-11d2-BA47-00C04FBFE08B")
    ITPCC : public IUnknown
    {
    public:
        virtual HRESULT STDMETHODCALLTYPE NewOrder(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

        virtual HRESULT STDMETHODCALLTYPE Payment(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

        virtual HRESULT STDMETHODCALLTYPE Delivery(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

        virtual HRESULT STDMETHODCALLTYPE StockLevel(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

        virtual HRESULT STDMETHODCALLTYPE OrderStatus(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out) =
0;

        virtual HRESULT STDMETHODCALLTYPE CallSetComplete(
void) = 0;

```

```

};

#else /* C style interface */

typedef struct ITPCCVtbl
{
    BEGIN_INTERFACE

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR
*QueryInterface )(
            ITPCC __RPC_FAR * This,
            /* [in] */ REFIID riid,
            /* [iid_is][out] */ void __RPC_FAR
*__RPC_FAR **ppvObject);

        ULONG ( STDMETHODCALLTYPE __RPC_FAR *AddRef

)(
            ITPCC __RPC_FAR * This);

        ULONG ( STDMETHODCALLTYPE __RPC_FAR *Release

)(
            ITPCC __RPC_FAR * This);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *NewOrder )(
            ITPCC __RPC_FAR * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Payment )(
            ITPCC __RPC_FAR * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *Delivery )(
            ITPCC __RPC_FAR * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *StockLevel )(
            ITPCC __RPC_FAR * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR *OrderStatus )(
            ITPCC __RPC_FAR * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT __RPC_FAR *txn_out);

        HRESULT ( STDMETHODCALLTYPE __RPC_FAR
*CallSetComplete )(
            ITPCC __RPC_FAR * This);

    END_INTERFACE
} ITPCCVtbl;

interface ITPCC
{
    CONST_VTBL struct ITPCCVtbl __RPC_FAR
*lpVtbl;
};

```

```

#ifdef COBJMACROS

#define ITPCC_QueryInterface(This,riid,ppvObject) \
    (This)->lpVtbl -> QueryInterface(This,riid,ppvObject)

#define ITPCC_AddRef(This) \
    (This)->lpVtbl -> AddRef(This)

#define ITPCC_Release(This) \
    (This)->lpVtbl -> Release(This)

#define ITPCC_NewOrder(This,txn_in,txn_out) \
    (This)->lpVtbl -> NewOrder(This,txn_in,txn_out)

#define ITPCC_Payment(This,txn_in,txn_out) \
    (This)->lpVtbl -> Payment(This,txn_in,txn_out)

#define ITPCC_Delivery(This,txn_in,txn_out) \
    (This)->lpVtbl -> Delivery(This,txn_in,txn_out)

#define ITPCC_StockLevel(This,txn_in,txn_out) \
    (This)->lpVtbl -> StockLevel(This,txn_in,txn_out)

#define ITPCC_OrderStatus(This,txn_in,txn_out) \
    (This)->lpVtbl -> OrderStatus(This,txn_in,txn_out)

#define ITPCC_CallSetComplete(This) \
    (This)->lpVtbl -> CallSetComplete(This)

#endif /* COBJMACROS */

#endif /* C style interface */

HRESULT STDMETHODCALLTYPE ITPCC_NewOrder_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_NewOrder_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT STDMETHODCALLTYPE ITPCC_Payment_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_Payment_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,

```

```

DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_Delivery_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_Delivery_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_StockLevel_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_StockLevel_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_OrderStatus_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_OrderStatus_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_CallSetComplete_Proxy(
    ITPCC __RPC_FAR * This);

void __RPC_STUB ITPCC_CallSetComplete_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

#endif /* __ITPCC_INTERFACE_DEFINED__ */

/* Additional Prototypes for ALL interfaces */
unsigned long             __RPC_USER
VARIANT_UserSize(        unsigned long __RPC_FAR *,
unsigned long             , VARIANT __RPC_FAR * );

```

```

unsigned char __RPC_FAR * __RPC_USER
VARIANT_UserMarshal(    unsigned long __RPC_FAR *,
unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );
unsigned char __RPC_FAR * __RPC_USER
VARIANT_UserUnmarshal(unsigned long __RPC_FAR *,
unsigned char __RPC_FAR *, VARIANT __RPC_FAR * );
void __RPC_USER
VARIANT_UserFree(       unsigned long __RPC_FAR *,
VARIANT __RPC_FAR * );

```

/\* end of Additional Prototypes \*/

```

#ifdef __cplusplus
}
#endif

```

```

#endif

```

## ***tpcc\_com\_ps.i*** ***dl***

```

/* FILE: ITPCC.IDL Microsoft
 * TPC-C Kit Ver. 4.20.000 Copyright
 * Microsoft, 1999 All Rights Reserved
 * not yet audited
 * PURPOSE: Defines the interface used by
TPCC. This interface can be implemented by C++
components.
 * Change history: 4.20.000 - first version
 */

```

```

// Forward declare all types defined
interface ITPCC;
import "oidl.idl";
import "ocidl.idl";

[
    object,
    oleautomation,
    uuid(FEEE6AA2-84B1-11d2-BA47-
00C04FBFE08B),
    helpstring("ITPCC Interface"),
    pointer_default(unique)
]
interface ITPCC : IUnknown
{
    HRESULT __stdcall NewOrder
    (

```

```

[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
};
HRESULT __stdcall Payment
(
[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
};
HRESULT __stdcall Delivery
(
[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
};
HRESULT __stdcall StockLevel
(
[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
};
HRESULT __stdcall OrderStatus
(
[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
};
HRESULT __stdcall CallSetComplete
(
);
}; // interface ITPCC

```

## ***tpcc\_com\_ps\_i*** ***.C***

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:12 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@MIDL_FILE_HEADERING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \

DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;

```

```

    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEB6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0x0
0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:12 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win64 (32b
run,appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@MIDL_FILE_HEADERING( )

#if defined(_M_IA64) || defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{

```

```

#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \

DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEB6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0x0
0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* defined(_M_IA64) || defined(_M_AXP64)*/

```

## tpcc\_com\_ps\_ p.c

```
#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the proxy stub
code */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:12 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), Wl, Zp8, env=Win32 (32b run),
ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high
enough to compile this file*/
#ifndef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 440
#endif

#include "rpcproxy.h"
#ifndef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of
<rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 997
#define PROC_FORMAT_STRING_SIZE 193
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;
```

```
typedef struct _MIDL_PROC_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000,
ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0
x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0
x00,0x00,0x00,0x46}} */

/* Object interface: ITPCC, ver. 0.0,
GUID={0xFEEB6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0
x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short
ITPCC_FormatStringOffsetTable[] =
{
    0,
    34,
    68,
    102,
    136,
    170
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0,
    0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo
=
```

```
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0
};

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy,
    (void *)-1 /* ITPCC::NewOrder */ ,
    (void *)-1 /* ITPCC::Payment */ ,
    (void *)-1 /* ITPCC::Delivery */ ,
    (void *)-1 /* ITPCC::StockLevel */ ,
    (void *)-1 /* ITPCC::OrderStatus */ ,
    (void *)-1 /* ITPCC::CallSetComplete */
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

extern const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ];

static const MIDL_SERVER_INFO Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,
    0,
    0,
    0,
    0,
    0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x20000, /* Ndr library version */
    0,
    0x5030118, /* MIDL Version 5.3.280 */
    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* Reserved3 */
    0, /* Reserved4 */
    0, /* Reserved5 */
};

#pragma data_seg(".rdata")
```



```

static const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        VARIANT_UserSize
        ,VARIANT_UserMarshal
        ,VARIANT_UserUnmarshal
        ,VARIANT_UserFree
    }
};

#if !defined(__RPC_WIN32__)
#error Invalid build platform for this stub.
#endif

#if !(TARGET_IS_NT40_OR_LATER)
#error You need a Windows NT 4.0 or later to run this
stub because it uses these features:
#error -Oif or -Oicf, [wire_marshall] or
[user_marshall] attribute.
#error However, your C/C++ compilation flags indicate
you intend to run this app on earlier systems.
#error This app will die there with the
RPC_X_WRONG_STUB_VERSION error.
#endif

static const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString =
{
    0,
    {
        /* Procedure NewOrder */

        FC_AUTO_HANDLE */
        0x33,
        /*
        Old Flags: object, Oi2 */
        /* 2 */ NdrFcLong( 0x0 ), /* 0 */
        /* 6 */ NdrFcShort( 0x3 ), /* 3 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 8 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 10 */ NdrFcShort( 0x0 ), /* 0 */
/* 12 */ NdrFcShort( 0x8 ), /* 8 */

```

```

/* 14 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /*
3 */

/* Parameter txn_in */

/* 16 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 18 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 20 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 22 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 24 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 26 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

/* Return value */

/* 28 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 30 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */

```

```

#else
NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 32 */ 0x8, /* FC_LONG */
0x0, /*
0 */

/* Procedure Payment */

/* 34 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 36 */ NdrFcLong( 0x0 ), /* 0 */
/* 40 */ NdrFcShort( 0x4 ), /* 4 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 42 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 44 */ NdrFcShort( 0x0 ), /* 0 */
/* 46 */ NdrFcShort( 0x8 ), /* 8 */
/* 48 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /*
3 */

/* Parameter txn_in */

/* 50 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 52 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */

```

```

#endif
#else
                NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 54 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

                /* Parameter txn_out */

/* 56 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 58 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
                NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
                NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
                NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 60 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

                /* Return value */

/* 62 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 64 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
                NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
                NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
                NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 66 */ 0x8, /* FC_LONG */
0x0, /*
0 */

                /* Procedure Delivery */

/* 68 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */

```

```

/* 70 */ NdrFcLong( 0x0 ), /* 0 */
/* 74 */ NdrFcShort( 0x5 ), /* 5 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 76 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
                NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
                NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
                NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 78 */ NdrFcShort( 0x0 ), /* 0 */
/* 80 */ NdrFcShort( 0x8 ), /* 8 */
/* 82 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /*
3 */

                /* Parameter txn_in */

/* 84 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 86 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
                NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
                NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
#else
                NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 88 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

                /* Parameter txn_out */

/* 90 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 92 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
                NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */

```

```

#endif
#else
                NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
                NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 94 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

                /* Return value */

/* 96 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 98 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
                NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
                NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
                NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 100 */ 0x8, /* FC_LONG */
0x0, /*
0 */

                /* Procedure StockLevel */

/* 102 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 104 */ NdrFcLong( 0x0 ), /* 0 */
/* 108 */ NdrFcShort( 0x6 ), /* 6 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 110 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
                NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
                NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
                NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 112 */ NdrFcShort( 0x0 ), /* 0 */
/* 114 */ NdrFcShort( 0x8 ), /* 8 */

```

```

/* 116 */ 0x7,          /* Oi2 Flags:  srv must
size, clt must size, has return, */
3 */              0x3,          /*

/* Parameter txn_in */

/* 118 */ NdrFcShort( 0x8b ), /* Flags:  must size,
must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 120 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 122 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 124 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 126 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 128 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

/* Return value */

/* 130 */ NdrFcShort( 0x70 ), /* Flags:  out, return,
base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 132 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */

```

```

#else
NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 134 */ 0x8,          /* FC_LONG */
0 */              0x0,          /*

/* Procedure OrderStatus */

/* 136 */ 0x33,          /* FC_AUTO_HANDLE */
/* 138 */ NdrFcLong( 0x0 ), /* 0 */
/* 142 */ NdrFcShort( 0x7 ), /* 7 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 144 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
#else
NdrFcShort( 0x20 ), /*
MIPS Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /*
PPC Stack size/offset = 32 */
#endif
#else
NdrFcShort( 0x28 ), /*
Alpha Stack size/offset = 40 */
#endif
/* 146 */ NdrFcShort( 0x0 ), /* 0 */
/* 148 */ NdrFcShort( 0x8 ), /* 8 */
/* 150 */ 0x7,          /* Oi2 Flags:  srv must
size, clt must size, has return, */
3 */              0x3,          /*

/* Parameter txn_in */

/* 152 */ NdrFcShort( 0x8b ), /* Flags:  must size,
must free, in, by val, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 154 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
MIPS Stack size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /*
PPC Stack size/offset = 8 */

```

```

#endif
#else
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 156 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

/* Parameter txn_out */

/* 158 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 160 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
#else
NdrFcShort( 0x18 ), /*
MIPS Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
PPC Stack size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /*
Alpha Stack size/offset = 24 */
#endif
/* 162 */ NdrFcShort( 0x3da ), /* Type
Offset=986 */

/* Return value */

/* 164 */ NdrFcShort( 0x70 ), /* Flags:  out, return,
base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if !defined(_MIPS_)
/* 166 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
#else
NdrFcShort( 0x1c ), /*
MIPS Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /*
PPC Stack size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /*
Alpha Stack size/offset = 32 */
#endif
/* 168 */ 0x8,          /* FC_LONG */
0 */              0x0,          /*

/* Procedure CallSetComplete */

/* 170 */ 0x33,          /* FC_AUTO_HANDLE */
Old Flags:  object, Oi2 */

```

```

/* 172 */ NdrFcLong( 0x0 ), /* 0 */
/* 176 */ NdrFcShort( 0x8 ), /* 8 */
#ifdef _ALPHA_
/* 178 */ NdrFcShort( 0x8 ), /* x86, MIPS, PPC Stack
size/offset = 8 */
#else
NdrFcShort( 0x10 ), /*
Alpha Stack size/offset = 16 */
#endif
/* 180 */ NdrFcShort( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x8 ), /* 8 */
/* 184 */ 0x4, /* Oi2 Flags: has
return, */
0x1, /*
1 */
/* Return value */
/* 186 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
/* 188 */ NdrFcShort( 0x4 ), /* x86, MIPS, PPC Stack
size/offset = 4 */
#else
NdrFcShort( 0x8 ), /*
Alpha Stack size/offset = 8 */
#endif
/* 190 */ 0x8, /* FC_LONG */
0x0, /*
0 */
0x0
}
};
static const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString =
{
0,
{
NdrFcShort( 0x0 ), /*
0 */
/* 2 */
0x12, 0x0, /*
FC_UP */
/* 4 */ NdrFcShort( 0x3b0 ), /* Offset=
944 (948) */
/* 6 */
0x2b, /*
FC_NON_ENCAPSULATED_UNION */
0x9, /*
FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT
*/
0x0, /*
*/
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */
/* 12 */ NdrFcShort( 0x2 ), /* Offset= 2 (14) */
/* 14 */ NdrFcShort( 0x10 ), /* 16 */
/* 16 */ NdrFcShort( 0x2b ), /* 43 */
/* 18 */ NdrFcLong( 0x3 ), /* 3 */
/* 22 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */

```

```

/* 24 */ NdrFcLong( 0x11 ), /* 17 */
/* 28 */ NdrFcShort( 0x8001 ), /* Simple arm
type: FC_BYTE */
/* 30 */ NdrFcLong( 0x2 ), /* 2 */
/* 34 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 36 */ NdrFcLong( 0x4 ), /* 4 */
/* 40 */ NdrFcShort( 0x800a ), /* Simple arm
type: FC_FLOAT */
/* 42 */ NdrFcLong( 0x5 ), /* 5 */
/* 46 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 48 */ NdrFcLong( 0xb ), /* 11 */
/* 52 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 54 */ NdrFcLong( 0xa ), /* 10 */
/* 58 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 60 */ NdrFcLong( 0x6 ), /* 6 */
/* 64 */ NdrFcShort( 0xd6 ), /* Offset= 214 (278) */
/* 66 */ NdrFcLong( 0x7 ), /* 7 */
/* 70 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 72 */ NdrFcLong( 0x8 ), /* 8 */
/* 76 */ NdrFcShort( 0xd0 ), /* Offset= 208 (284) */
/* 78 */ NdrFcLong( 0xd ), /* 13 */
/* 82 */ NdrFcShort( 0xe2 ), /* Offset= 226 (308) */
/* 84 */ NdrFcLong( 0x9 ), /* 9 */
/* 88 */ NdrFcShort( 0xee ), /* Offset= 238 (326) */
/* 90 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 94 */ NdrFcShort( 0xfa ), /* Offset= 250 (344) */
/* 96 */ NdrFcLong( 0x24 ), /* 36 */
/* 100 */ NdrFcShort( 0x308 ), /* Offset=
776 (876) */
/* 102 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 106 */ NdrFcShort( 0x302 ), /* Offset=
770 (876) */
/* 108 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 112 */ NdrFcShort( 0x300 ), /* Offset=
768 (880) */
/* 114 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 118 */ NdrFcShort( 0x2fe ), /* Offset=
766 (884) */
/* 120 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 124 */ NdrFcShort( 0x2fc ), /* Offset=
764 (888) */
/* 126 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 130 */ NdrFcShort( 0x2fa ), /* Offset=
762 (892) */
/* 132 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 136 */ NdrFcShort( 0x2f8 ), /* Offset=
760 (896) */
/* 138 */ NdrFcLong( 0x400b ), /* 16395 */
/* 142 */ NdrFcShort( 0x2e6 ), /* Offset=
742 (884) */
/* 144 */ NdrFcLong( 0x400a ), /* 16394 */
/* 148 */ NdrFcShort( 0x2e4 ), /* Offset=
740 (888) */
/* 150 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 154 */ NdrFcShort( 0x2ea ), /* Offset=
746 (900) */
/* 156 */ NdrFcLong( 0x4007 ), /* 16391 */

```

```

/* 160 */ NdrFcShort( 0x2e0 ), /* Offset=
736 (896) */
/* 162 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 166 */ NdrFcShort( 0x2e2 ), /* Offset=
738 (904) */
/* 168 */ NdrFcLong( 0x400d ), /* 16397 */
/* 172 */ NdrFcShort( 0x2e0 ), /* Offset=
736 (908) */
/* 174 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 178 */ NdrFcShort( 0x2de ), /* Offset=
734 (912) */
/* 180 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 184 */ NdrFcShort( 0x2dc ), /* Offset=
732 (916) */
/* 186 */ NdrFcLong( 0x400c ), /* 16396 */
/* 190 */ NdrFcShort( 0x2da ), /* Offset=
730 (920) */
/* 192 */ NdrFcLong( 0x10 ), /* 16 */
/* 196 */ NdrFcShort( 0x8002 ), /* Simple arm
type: FC_CHAR */
/* 198 */ NdrFcLong( 0x12 ), /* 18 */
/* 202 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 204 */ NdrFcLong( 0x13 ), /* 19 */
/* 208 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 210 */ NdrFcLong( 0x16 ), /* 22 */
/* 214 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 216 */ NdrFcLong( 0x17 ), /* 23 */
/* 220 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 222 */ NdrFcLong( 0xe ), /* 14 */
/* 226 */ NdrFcShort( 0x2be ), /* Offset=
702 (928) */
/* 228 */ NdrFcLong( 0x400e ), /* 16398 */
/* 232 */ NdrFcShort( 0x2c4 ), /* Offset=
708 (940) */
/* 234 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 238 */ NdrFcShort( 0x2c2 ), /* Offset=
706 (944) */
/* 240 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 244 */ NdrFcShort( 0x280 ), /* Offset=
640 (884) */
/* 246 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 250 */ NdrFcShort( 0x27e ), /* Offset=
638 (888) */
/* 252 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 256 */ NdrFcShort( 0x278 ), /* Offset=
632 (888) */
/* 258 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 262 */ NdrFcShort( 0x272 ), /* Offset=
626 (888) */
/* 264 */ NdrFcLong( 0x0 ), /* 0 */
/* 268 */ NdrFcShort( 0x0 ), /* Offset= 0 (268) */
/* 270 */ NdrFcLong( 0x1 ), /* 1 */
/* 274 */ NdrFcShort( 0x0 ), /* Offset= 0 (274) */
/* 276 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(275) */
/* 278 */
0x15, /*
FC_STRUCT */

```

```

0x7, /*
7 */
/* 280 */ NdrFcShort( 0x8 ), /* 8 */
/* 282 */ 0xb, /* FC_HYPER */
FC_END /*
/* 284 */
0x12, 0x0, /*
FC_UP /*
/* 286 */ NdrFcShort( 0xc ), /* Offset= 12 (298) */
/* 288 */
0x1b, /*
FC_CARRAY /*
0x1, /*
1 */
/* 290 */ NdrFcShort( 0x2 ), /* 2 */
/* 292 */ 0x9, /* Corr desc: FC_ULONG
*/
0x0, /*
/* 294 */ NdrFcShort( 0xffffc ), /* -4 */
/* 296 */ 0x6, /* FC_SHORT */
0x5b, /*
FC_END /*
/* 298 */
0x17, /*
FC_CSTRUCT /*
0x3, /*
3 */
/* 300 */ NdrFcShort( 0x8 ), /* 8 */
/* 302 */ NdrFcShort( 0xffffffff2 ), /* Offset= -
14 (288) */
/* 304 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG /*
/* 306 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END /*
/* 308 */
0x2f, /*
FC_IP /*
0x5a, /*
FC_CONSTANT_IID /*
/* 310 */ NdrFcLong( 0x0 ), /* 0 */
/* 314 */ NdrFcShort( 0x0 ), /* 0 */
/* 316 */ NdrFcShort( 0x0 ), /* 0 */
/* 318 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 320 */ 0x0, /* 0 */
0x0, /*
0 */
/* 322 */ 0x0, /* 0 */
0x0, /*
0 */
/* 324 */ 0x0, /* 0 */
0x46, /*
70 */
/* 326 */
0x2E, /*
FC_IP /*
0x5a, /*
FC_CONSTANT_IID */

```

```

/* 328 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 332 */ NdrFcShort( 0x0 ), /* 0 */
/* 334 */ NdrFcShort( 0x0 ), /* 0 */
/* 336 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 338 */ 0x0, /* 0 */
0x0, /*
0 */
/* 340 */ 0x0, /* 0 */
0x0, /*
0 */
/* 342 */ 0x0, /* 0 */
0x46, /*
70 */
/* 344 */
0x12, 0x10, /*
FC_UP [pointer_deref] /*
/* 346 */ NdrFcShort( 0x2 ), /* Offset= 2 (348) */
/* 348 */
0x12, 0x0, /*
FC_UP /*
/* 350 */ NdrFcShort( 0x1fc ), /* Offset=
508 (858) */
/* 352 */
0x2a, /*
FC_ENCAPSULATED_UNION /*
0x49, /*
73 */
/* 354 */ NdrFcShort( 0x18 ), /* 24 */
/* 356 */ NdrFcShort( 0xa ), /* 10 */
/* 358 */ NdrFcLong( 0x8 ), /* 8 */
/* 362 */ NdrFcShort( 0x58 ), /* Offset= 88 (450) */
/* 364 */ NdrFcLong( 0xd ), /* 13 */
/* 368 */ NdrFcShort( 0x78 ), /* Offset= 120 (488) */
/* 370 */ NdrFcLong( 0x9 ), /* 9 */
/* 374 */ NdrFcShort( 0x94 ), /* Offset= 148 (522) */
/* 376 */ NdrFcLong( 0xc ), /* 12 */
/* 380 */ NdrFcShort( 0xbc ), /* Offset= 188 (568) */
/* 382 */ NdrFcLong( 0x24 ), /* 36 */
/* 386 */ NdrFcShort( 0x114 ), /* Offset=
276 (662) */
/* 388 */ NdrFcLong( 0x800d ), /* 32781 */
/* 392 */ NdrFcShort( 0x130 ), /* Offset=
304 (696) */
/* 394 */ NdrFcLong( 0x10 ), /* 16 */
/* 398 */ NdrFcShort( 0x148 ), /* Offset=
328 (726) */
/* 400 */ NdrFcLong( 0x2 ), /* 2 */
/* 404 */ NdrFcShort( 0x160 ), /* Offset=
352 (756) */
/* 406 */ NdrFcLong( 0x3 ), /* 3 */
/* 410 */ NdrFcShort( 0x178 ), /* Offset=
376 (786) */
/* 412 */ NdrFcLong( 0x14 ), /* 20 */
/* 416 */ NdrFcShort( 0x190 ), /* Offset=
400 (816) */
/* 418 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(417) */
/* 420 */
0x1b, /*
FC_CARRAY */

```

```

0x3, /*
3 */
/* 422 */ NdrFcShort( 0x4 ), /* 4 */
/* 424 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */
0x4b, /*
FC_PP /*
0x5c, /*
FC_PAD /*
/* 430 */
0x48, /*
FC_VARIABLE_REPEAT /*
0x49, /*
FC_FIXED_OFFSET /*
/* 432 */ NdrFcShort( 0x4 ), /* 4 */
/* 434 */ NdrFcShort( 0x0 ), /* 0 */
/* 436 */ NdrFcShort( 0x1 ), /* 1 */
/* 438 */ NdrFcShort( 0x0 ), /* 0 */
/* 440 */ NdrFcShort( 0x0 ), /* 0 */
/* 442 */ 0x12, 0x0, /* FC_UP */
/* 444 */ NdrFcShort( 0xffffffff6e ), /* Offset= -
146 (298) */
/* 446 */
0x5b, /*
FC_END /*
0x8, /*
FC_LONG /*
/* 448 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END /*
/* 450 */
0x16, /*
FC_PSTRUCT /*
0x3, /*
3 */
/* 452 */ NdrFcShort( 0x8 ), /* 8 */
/* 454 */
0x4b, /*
FC_PP /*
0x5c, /*
FC_PAD /*
/* 456 */
0x46, /*
FC_NO_REPEAT /*
0x5c, /*
FC_PAD /*
/* 458 */ NdrFcShort( 0x4 ), /* 4 */
/* 460 */ NdrFcShort( 0x4 ), /* 4 */
/* 462 */ 0x11, 0x0, /* FC_RP */
/* 464 */ NdrFcShort( 0xffffffffd4 ), /* Offset= -
44 (420) */
/* 466 */
0x5b, /*
FC_END /*
0x8, /*
FC_LONG /*
/* 468 */ 0x8, /* FC_LONG */

```

```

0x5b, /*
FC_END */
/* 470 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 472 */ NdrFcShort( 0x0 ), /* 0 */
/* 474 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 476 */ NdrFcShort( 0x0 ), /* 0 */
/* 478 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 482 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 484 */ NdrFcShort( 0xfffff50 ), /* Offset= -
176 (308) */
/* 486 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 488 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 490 */ NdrFcShort( 0x8 ), /* 8 */
/* 492 */ NdrFcShort( 0x0 ), /* 0 */
/* 494 */ NdrFcShort( 0x6 ), /* Offset= 6 (500) */
/* 496 */ 0x8, /* FC_LONG */
0x36, /*
FC_POINTER */
/* 498 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 500 */
0x11, 0x0, /*
FC_RP */
/* 502 */ NdrFcShort( 0xfffffe0 ), /* Offset= -
32 (470) */
/* 504 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 506 */ NdrFcShort( 0x0 ), /* 0 */
/* 508 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 510 */ NdrFcShort( 0x0 ), /* 0 */
/* 512 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 516 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 518 */ NdrFcShort( 0xfffff40 ), /* Offset= -
192 (326) */
/* 520 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */

```

```

/* 522 */
FC_BOGUS_STRUCT */
0x1a, /*
0x3, /*
3 */
/* 524 */ NdrFcShort( 0x8 ), /* 8 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */
/* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 530 */ 0x8, /* FC_LONG */
0x36, /*
FC_POINTER */
/* 532 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 534 */
0x11, 0x0, /*
FC_RP */
/* 536 */ NdrFcShort( 0xfffffe0 ), /* Offset= -
32 (504) */
/* 538 */
0x1b, /*
FC_CARRAY */
0x3, /*
3 */
/* 540 */ NdrFcShort( 0x4 ), /* 4 */
/* 542 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 544 */ NdrFcShort( 0x0 ), /* 0 */
/* 546 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 548 */
0x48, /*
FC_VARIABLE_REPEAT */
0x49, /*
FC_FIXED_OFFSET */
/* 550 */ NdrFcShort( 0x4 ), /* 4 */
/* 552 */ NdrFcShort( 0x0 ), /* 0 */
/* 554 */ NdrFcShort( 0x1 ), /* 1 */
/* 556 */ NdrFcShort( 0x0 ), /* 0 */
/* 558 */ NdrFcShort( 0x0 ), /* 0 */
/* 560 */ 0x12, 0x0, /* FC_UP */
/* 562 */ NdrFcShort( 0x182 ), /* Offset=
386 (948) */
/* 564 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 566 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 568 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 570 */ NdrFcShort( 0x8 ), /* 8 */

```

```

/* 572 */ NdrFcShort( 0x0 ), /* 0 */
/* 574 */ NdrFcShort( 0x6 ), /* Offset= 6 (580) */
/* 576 */ 0x8, /* FC_LONG */
0x36, /*
FC_POINTER */
/* 578 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 580 */
0x11, 0x0, /*
FC_RP */
/* 582 */ NdrFcShort( 0xfffffd4 ), /* Offset= -
44 (538) */
/* 584 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 586 */ NdrFcLong( 0x2f ), /* 47 */
/* 590 */ NdrFcShort( 0x0 ), /* 0 */
/* 592 */ NdrFcShort( 0x0 ), /* 0 */
/* 594 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 596 */ 0x0, /* 0 */
0x0, /*
0 */
/* 598 */ 0x0, /* 0 */
0x0, /*
0 */
/* 600 */ 0x0, /* 0 */
0x46, /*
70 */
/* 602 */
0x1b, /*
FC_CARRAY */
0x0, /*
0 */
/* 604 */ NdrFcShort( 0x1 ), /* 1 */
/* 606 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 608 */ NdrFcShort( 0x4 ), /* 4 */
/* 610 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 612 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 614 */ NdrFcShort( 0x10 ), /* 16 */
/* 616 */ NdrFcShort( 0x0 ), /* 0 */
/* 618 */ NdrFcShort( 0xa ), /* Offset= 10 (628) */
/* 620 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 622 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */

```

```

/* 624 */ NdrFcShort( 0xffffffffd8 ), /* Offset= -
40 (584) */
/* 626 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 628 */
0x12, 0x0, /*
FC_UP */
/* 630 */ NdrFcShort( 0xffffffffe4 ), /* Offset= -
28 (602) */
/* 632 */
0x1b, /*
FC_CARRAY */
0x3, /*
3 */
/* 634 */ NdrFcShort( 0x4 ), /* 4 */
/* 636 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 638 */ NdrFcShort( 0x0 ), /* 0 */
/* 640 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 642 */
0x48, /*
FC_VARIABLE_REPEAT */
0x49, /*
FC_FIXED_OFFSET */
/* 644 */ NdrFcShort( 0x4 ), /* 4 */
/* 646 */ NdrFcShort( 0x0 ), /* 0 */
/* 648 */ NdrFcShort( 0x1 ), /* 1 */
/* 650 */ NdrFcShort( 0x0 ), /* 0 */
/* 652 */ NdrFcShort( 0x0 ), /* 0 */
/* 654 */ 0x12, 0x0, /* FC_UP */
/* 656 */ NdrFcShort( 0xffffffffd4 ), /* Offset= -
44 (612) */
/* 658 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 660 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 662 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 664 */ NdrFcShort( 0x8 ), /* 8 */
/* 666 */ NdrFcShort( 0x0 ), /* 0 */
/* 668 */ NdrFcShort( 0x6 ), /* Offset= 6 (674) */
/* 670 */ 0x8, /* FC_LONG */
0x36, /*
FC_POINTER */
/* 672 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 674 */

```

```

0x11, 0x0, /*
FC_RP */
/* 676 */ NdrFcShort( 0xffffffffd4 ), /* Offset= -
44 (632) */
/* 678 */
0x1d, /*
FC_SMPARRAY */
0x0, /*
0 */
/* 680 */ NdrFcShort( 0x8 ), /* 8 */
/* 682 */ 0x2, /* FC_CHAR */
0x5b, /*
FC_END */
/* 684 */
0x15, /*
FC_STRUCT */
0x3, /*
3 */
/* 686 */ NdrFcShort( 0x10 ), /* 16 */
/* 688 */ 0x8, /* FC_LONG */
0x6, /*
FC_SHORT */
/* 690 */ 0x6, /* FC_SHORT */
0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 692 */ 0x0, /* 0 */
NdrFcShort( 0xfffffffff1
), /* Offset= -15 (678) */
0x5b, /*
FC_END */
/* 696 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 698 */ NdrFcShort( 0x18 ), /* 24 */
/* 700 */ NdrFcShort( 0x0 ), /* 0 */
/* 702 */ NdrFcShort( 0xa ), /* Offset= 10 (712) */
/* 704 */ 0x8, /* FC_LONG */
0x36, /*
FC_POINTER */
/* 706 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /*
0 */
/* 708 */ NdrFcShort( 0xffffffffe8 ), /* Offset= -
24 (684) */
/* 710 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 712 */
0x11, 0x0, /*
FC_RP */
/* 714 */ NdrFcShort( 0xfffffffff0c ), /* Offset= -
244 (470) */
/* 716 */
0x1b, /*
FC_CARRAY */
0x0, /*
0 */
/* 718 */ NdrFcShort( 0x1 ), /* 1 */
/* 720 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */

```

```

0x0, /*
*/
/* 722 */ NdrFcShort( 0x0 ), /* 0 */
/* 724 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 726 */
0x16, /*
FC_PSTRUCT */
0x3, /*
3 */
/* 728 */ NdrFcShort( 0x8 ), /* 8 */
/* 730 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 732 */
0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 734 */ NdrFcShort( 0x4 ), /* 4 */
/* 736 */ NdrFcShort( 0x4 ), /* 4 */
/* 738 */ 0x12, 0x0, /* FC_UP */
/* 740 */ NdrFcShort( 0xffffffffe8 ), /* Offset= -
24 (716) */
/* 742 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 744 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 746 */
0x1b, /*
FC_CARRAY */
0x1, /*
1 */
/* 748 */ NdrFcShort( 0x2 ), /* 2 */
/* 750 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 752 */ NdrFcShort( 0x0 ), /* 0 */
/* 754 */ 0x6, /* FC_SHORT */
0x5b, /*
FC_END */
/* 756 */
0x16, /*
FC_PSTRUCT */
0x3, /*
3 */
/* 758 */ NdrFcShort( 0x8 ), /* 8 */
/* 760 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 762 */

```

```

FC_NO_REPEAT */          0x46,          /*
FC_PAD */
/* 764 */ NdrFcShort( 0x4 ), /* 4 */
/* 766 */ NdrFcShort( 0x4 ), /* 4 */
/* 768 */ 0x12, 0x0, /* FC_UP */
/* 770 */ NdrFcShort( 0xffffffe8 ), /* Offset= -
24 (746) */
/* 772 */
FC_END */          0x5b,          /*
FC_LONG */
/* 774 */ 0x8,          /* FC_LONG */
/* 776 */
FC_END */
/* 778 */
FC_CARRAY */          0x1b,          /*
FC_CARRAY */          0x3,          /*
3 */
/* 778 */ NdrFcShort( 0x4 ), /* 4 */
/* 780 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
/*
/* 782 */ NdrFcShort( 0x0 ), /* 0 */
/* 784 */ 0x8, /* FC_LONG */
FC_END */
/* 786 */
FC_PSTRUCT */          0x16,          /*
FC_PSTRUCT */          0x3,          /*
3 */
/* 788 */ NdrFcShort( 0x8 ), /* 8 */
/* 790 */
FC_PP */          0x4b,          /*
FC_PP */          0x5c,          /*
FC_PAD */
/* 792 */
FC_NO_REPEAT */          0x46,          /*
FC_NO_REPEAT */          0x5c,          /*
FC_PAD */
/* 794 */ NdrFcShort( 0x4 ), /* 4 */
/* 796 */ NdrFcShort( 0x4 ), /* 4 */
/* 798 */ 0x12, 0x0, /* FC_UP */
/* 800 */ NdrFcShort( 0xffffffe8 ), /* Offset= -
24 (776) */
/* 802 */
FC_END */          0x5b,          /*
FC_LONG */
/* 804 */ 0x8,          /* FC_LONG */
/* 806 */

```

```

FC_CARRAY */          0x1b,          /*
FC_CARRAY */          0x7,          /*
7 */
/* 808 */ NdrFcShort( 0x8 ), /* 8 */
/* 810 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
/*
/* 812 */ NdrFcShort( 0x0 ), /* 0 */
/* 814 */ 0xb, /* FC_HYPER */
FC_END */
/* 816 */
FC_PSTRUCT */          0x16,          /*
FC_PSTRUCT */          0x3,          /*
3 */
/* 818 */ NdrFcShort( 0x8 ), /* 8 */
/* 820 */
FC_PP */          0x4b,          /*
FC_PP */          0x5c,          /*
FC_PAD */
/* 822 */
FC_NO_REPEAT */          0x46,          /*
FC_NO_REPEAT */          0x5c,          /*
FC_PAD */
/* 824 */ NdrFcShort( 0x4 ), /* 4 */
/* 826 */ NdrFcShort( 0x4 ), /* 4 */
/* 828 */ 0x12, 0x0, /* FC_UP */
/* 830 */ NdrFcShort( 0xffffffe8 ), /* Offset= -
24 (806) */
/* 832 */
FC_END */          0x5b,          /*
FC_END */          0x8,          /*
FC_LONG */
/* 834 */ 0x8,          /* FC_LONG */
FC_END */
/* 836 */
FC_STRUCT */          0x15,          /*
FC_STRUCT */          0x3,          /*
3 */
/* 838 */ NdrFcShort( 0x8 ), /* 8 */
/* 840 */ 0x8, /* FC_LONG */
/* 842 */ 0x5c, /* FC_PAD */
/* 844 */
FC_END */          0x5b,          /*
FC_END */          0x1b,          /*
FC_CARRAY */          0x3,          /*
3 */
/* 846 */ NdrFcShort( 0x8 ), /* 8 */
/* 848 */ 0x7, /* Corr desc: FC_USHORT
*/

```

```

/*
/* 850 */ NdrFcShort( 0xffd8 ), /* -40 */
/* 852 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
/*
/* 854 */ NdrFcShort( 0xfffffee ), /* Offset= -
18 (836) */
/* 856 */ 0x5c, /* FC_PAD */
FC_END */          0x5b,          /*
/* 858 */
FC_BOGUS_STRUCT */          0x1a,          /*
FC_BOGUS_STRUCT */          0x3,          /*
3 */
/* 860 */ NdrFcShort( 0x28 ), /* 40 */
/* 862 */ NdrFcShort( 0xfffffee ), /* Offset= -
18 (844) */
/* 864 */ NdrFcShort( 0x0 ), /* Offset= 0 (864) */
/* 866 */ 0x6, /* FC_SHORT */
FC_SHORT */          0x6,          /*
/* 868 */ 0x38, /* FC_ALIGNM4 */
FC_LONG */          0x8,          /*
/* 870 */ 0x8, /* FC_LONG */
/* 872 */ 0x0, /* FC_LONG */
FC_EMBEDDED_COMPLEX */          0x4c,          /*
/* 872 */ 0x0, /* 0 */
NdrFcShort( 0xfffffd7
), /* Offset= -521 (352) */
/* 876 */
FC_END */          0x5b,          /*
/* 876 */
FC_UP */          0x12, 0x0,          /*
/* 878 */ NdrFcShort( 0xfffffef6 ), /* Offset= -
266 (612) */
/* 880 */
FC_UP [simple_pointer] */          0x12, 0x8,          /*
/* 882 */ 0x1, /* FC_BYTE */
/* 884 */
FC_PAD */          0x5c,          /*
/* 884 */
FC_UP [simple_pointer] */          0x12, 0x8,          /*
/* 886 */ 0x6, /* FC_SHORT */
/* 888 */
FC_PAD */          0x5c,          /*
/* 888 */
FC_UP [simple_pointer] */          0x12, 0x8,          /*
/* 890 */ 0x8, /* FC_LONG */
/* 892 */
FC_PAD */          0x5c,          /*
/* 892 */
FC_UP [simple_pointer] */          0x12, 0x8,          /*
/* 894 */ 0xa, /* FC_FLOAT */
*/

```



```

0x5c, /*
FC_PAD */
/* 896 */
FC_UP [simple_pointer] */
/* 898 */ 0xc, /* FC_DOUBLE */
0x5c, /*
FC_PAD */
/* 900 */
FC_UP */
/* 902 */ NdrFcShort( 0xfffffd90 ), /* Offset= -
624 (278) */
/* 904 */
FC_UP [pointer_deref] */
/* 906 */ NdrFcShort( 0xfffffd92 ), /* Offset= -
622 (284) */
/* 908 */
FC_UP [pointer_deref] */
/* 910 */ NdrFcShort( 0xfffffda6 ), /* Offset= -
602 (308) */
/* 912 */
FC_UP [pointer_deref] */
/* 914 */ NdrFcShort( 0xfffffdb4 ), /* Offset= -
588 (326) */
/* 916 */
FC_UP [pointer_deref] */
/* 918 */ NdrFcShort( 0xfffffdc2 ), /* Offset= -
574 (344) */
/* 920 */
FC_UP [pointer_deref] */
/* 922 */ NdrFcShort( 0x2 ), /* Offset= 2 (924) */
/* 924 */
FC_UP */
/* 926 */ NdrFcShort( 0x16 ), /* Offset= 22 (948) */
/* 928 */
FC_STRUCT */
0x15, /*
7 */
/* 930 */ NdrFcShort( 0x10 ), /* 16 */
/* 932 */ 0x6, /* FC_SHORT */
0x1, /*
FC_BYTE */
/* 934 */ 0x1, /* FC_BYTE */
0x38, /*
FC_ALIGNM4 */
/* 936 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 938 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */
/* 940 */
FC_UP */

```

```

/* 942 */ NdrFcShort( 0xffffffff2 ), /* Offset= -
14 (928) */
/* 944 */
FC_UP [simple_pointer] */
/* 946 */ 0x2, /* FC_CHAR */
0x5c, /*
FC_PAD */
/* 948 */
FC_BOGUS_STRUCT */
0x1a, /*
0x7, /*
7 */
/* 950 */ NdrFcShort( 0x20 ), /* 32 */
/* 952 */ NdrFcShort( 0x0 ), /* 0 */
/* 954 */ NdrFcShort( 0x0 ), /* Offset= 0 (954) */
/* 956 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 958 */ 0x6, /* FC_SHORT */
0x6, /*
FC_SHORT */
/* 960 */ 0x6, /* FC_SHORT */
0x6, /*
FC_SHORT */
/* 962 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /*
0 */
/* 964 */ NdrFcShort( 0xfffffc42 ), /* Offset= -
958 (6) */
/* 966 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 968 */ 0xb4, /* FC_USER_MARSHAL */
0x83, /*
131 */
/* 970 */ NdrFcShort( 0x0 ), /* 0 */
/* 972 */ NdrFcShort( 0x10 ), /* 16 */
/* 974 */ NdrFcShort( 0x0 ), /* 0 */
/* 976 */ NdrFcShort( 0xfffffc32 ), /* Offset= -
974 (2) */
/* 978 */
FC_RP [allocated_on_stack] */
/* 980 */ NdrFcShort( 0x6 ), /* Offset= 6 (986) */
/* 982 */
FC_OP */
/* 984 */ NdrFcShort( 0xfffffcdc ), /* Offset= -
36 (948) */
/* 986 */ 0xb4, /* FC_USER_MARSHAL */
0x83, /*
131 */
/* 988 */ NdrFcShort( 0x0 ), /* 0 */
/* 990 */ NdrFcShort( 0x10 ), /* 16 */
/* 992 */ NdrFcShort( 0x0 ), /* 0 */
/* 994 */ NdrFcShort( 0xfffffff4 ), /* Offset= -
12 (982) */
0x0
}
};

```

```

const CInterfaceProxyVtbl *
_tpcc_com_ps_ProxyVtblList[] =
{
( CInterfaceProxyVtbl *) &ITPCCProxyVtbl,
0
};

const CInterfaceStubVtbl *
_tpcc_com_ps_StubVtblList[] =
{
( CInterfaceStubVtbl *) &ITPCCStubVtbl,
0
};

PCInterfaceName const
_tpcc_com_ps_InterfaceNamesList[] =
{
"ITPCC",
0
};

#define _tpcc_com_ps_CHECK_IID(n)
IID_GENERIC_CHECK_IID( _tpcc_com_ps, pIID,
n)

int __stdcall _tpcc_com_ps_IID_Lookup( const IID *
pIID, int * pIndex )
{
if(!_tpcc_com_ps_CHECK_IID(0))
{
*pIndex = 0;
return 1;
}

return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo
=
{
(PCInterfaceProxyVtblList *) &
_tpcc_com_ps_ProxyVtblList,
(PCInterfaceStubVtblList *) &
_tpcc_com_ps_StubVtblList,
(const PCInterfaceName *) &
_tpcc_com_ps_InterfaceNamesList,
0, // no delegation
& _tpcc_com_ps_IID_Lookup,
1,
2,
0, /* table of [async_uuid] interfaces */
0, /* Filler1 */
0, /* Filler2 */
0, /* Filler3 */
};

#endif /* !defined(_M_IA64) && !defined(_M_AXP64) */

```

```

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* this ALWAYS GENERATED file contains the proxy stub
code */

/* File created by MIDL compiler version 5.03.0280
*/
/* at Mon Jun 12 18:15:12 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=12), Wl, Zp8, env=Win64 (32b
run, appending), ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_XPP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high
enough to compile this file*/
#ifndef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 475
#endif

#include "rpcproxy.h"
#ifndef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of
<rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 979
#define PROC_FORMAT_STRING_SIZE 253
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString;

```

```

extern const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000,
ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0
x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0
x00,0x00,0x00,0x46}} */

/* Object interface: ITPCC, ver. 0.0,
GUID={0xFEEE6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0
x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short
ITPCC_FormatStringOffsetTable[] =
{
    0,
    44,
    88,
    132,
    176,
    220
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0,
    0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo
=
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0
};

```

```

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy ,
    (void *)-1 /* ITPCC::NewOrder */ ,
    (void *)-1 /* ITPCC::Payment */ ,
    (void *)-1 /* ITPCC::Delivery */ ,
    (void *)-1 /* ITPCC::StockLevel */ ,
    (void *)-1 /* ITPCC::OrderStatus */ ,
    (void *)-1 /* ITPCC::CallSetComplete */
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

extern const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ];

static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,
    0,
    0,
    0,
    0,
    0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x50002, /* Ndr library version */
    0,
    0x5030118, /* MIDL Version 5.3.280 */
    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* Reserved3 */
    0, /* Reserved4 */
    0 /* Reserved5 */
};

#pragma data_seg(".rdata")

static const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        VARIANT_UserSize
        ,VARIANT_UserMarshal
        ,VARIANT_UserUnmarshal
        ,VARIANT_UserFree
    }
};

```

```

    };

#if !defined(__RPC_WIN64__)
#error Invalid build platform for this stub.
#endif

static const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString =
{
    0,
    {
        /* Procedure NewOrder */

        0x33, /*
FC_AUTO_HANDLE */
        0x6c, /*
Old Flags: object, Oi2 */
        /* 2 */ NdrFcLong( 0x0 ), /* 0 */
        /* 6 */ NdrFcShort( 0x3 ), /* 3 */
#ifdef _ALPHA_
        /* 8 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
        /* 10 */ NdrFcShort( 0x0 ), /* 0 */
        /* 12 */ NdrFcShort( 0x8 ), /* 8 */
        /* 14 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
        0x3, /*
3 */
        /* 16 */ 0xa, /* 10 */
        0x7, /*
Ext Flags: new corr desc, clt corr check, srv corr
check, */
        /* 18 */ NdrFcShort( 0x20 ), /* 32 */
        /* 20 */ NdrFcShort( 0x20 ), /* 32 */
        /* 22 */ NdrFcShort( 0x0 ), /* 0 */
        /* 24 */ NdrFcShort( 0x0 ), /* 0 */

        /* Parameter txn_in */

        /* 26 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
        /* 28 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
        NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
        /* 30 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

        /* Parameter txn_out */

        /* 32 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */

```

```

#ifdef _ALPHA_
        /* 34 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
        NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
        /* 36 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

        /* Return value */

        /* 38 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
        /* 40 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
        NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
        /* 42 */ 0x8, /* FC_LONG */
        0x0, /*
0 */

        /* Procedure Payment */

        /* 44 */ 0x33, /* FC_AUTO_HANDLE */
        0x6c, /*
Old Flags: object, Oi2 */
        /* 46 */ NdrFcLong( 0x0 ), /* 0 */
        /* 50 */ NdrFcShort( 0x4 ), /* 4 */
#ifdef _ALPHA_
        /* 52 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
        /* 54 */ NdrFcShort( 0x0 ), /* 0 */
        /* 56 */ NdrFcShort( 0x8 ), /* 8 */
        /* 58 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
        0x3, /*
3 */
        /* 60 */ 0xa, /* 10 */
        0x7, /*
Ext Flags: new corr desc, clt corr check, srv corr
check, */
        /* 62 */ NdrFcShort( 0x20 ), /* 32 */
        /* 64 */ NdrFcShort( 0x20 ), /* 32 */
        /* 66 */ NdrFcShort( 0x0 ), /* 0 */
        /* 68 */ NdrFcShort( 0x0 ), /* 0 */

        /* Parameter txn_in */

        /* 70 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
        /* 72 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else

```

```

        NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
        /* 74 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

        /* Parameter txn_out */

        /* 76 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifdef _ALPHA_
        /* 78 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
        NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
        /* 80 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

        /* Return value */

        /* 82 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
        /* 84 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
        NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
        /* 86 */ 0x8, /* FC_LONG */
        0x0, /*
0 */

        /* Procedure Delivery */

        /* 88 */ 0x33, /* FC_AUTO_HANDLE */
        0x6c, /*
Old Flags: object, Oi2 */
        /* 90 */ NdrFcLong( 0x0 ), /* 0 */
        /* 94 */ NdrFcShort( 0x5 ), /* 5 */
#ifdef _ALPHA_
        /* 96 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
        /* 98 */ NdrFcShort( 0x0 ), /* 0 */
        /* 100 */ NdrFcShort( 0x8 ), /* 8 */
        /* 102 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
        0x3, /*
3 */
        /* 104 */ 0xa, /* 10 */
        0x7, /*
Ext Flags: new corr desc, clt corr check, srv corr
check, */
        /* 106 */ NdrFcShort( 0x20 ), /* 32 */
        /* 108 */ NdrFcShort( 0x20 ), /* 32 */
        /* 110 */ NdrFcShort( 0x0 ), /* 0 */

```

```

/* 112 */ NdrFcShort( 0x0 ), /* 0 */
        /* Parameter txn_in */

/* 114 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
/* 116 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
        NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
/* 118 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

        /* Parameter txn_out */

/* 120 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifdef _ALPHA_
/* 122 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
        NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
/* 124 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

        /* Return value */

/* 126 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
/* 128 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
        NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
/* 130 */ 0x8, /* FC_LONG */
0x0, /*
0 */

        /* Procedure StockLevel */

/* 132 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*

Old Flags: object, Oi2 */
/* 134 */ NdrFcLong( 0x0 ), /* 0 */
/* 138 */ NdrFcShort( 0x6 ), /* 6 */
#ifdef _ALPHA_
/* 140 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
/* 142 */ NdrFcShort( 0x0 ), /* 0 */
/* 144 */ NdrFcShort( 0x8 ), /* 8 */

```

```

/* 146 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
0x3, /*
3 */
/* 148 */ 0xa, /* 10 */
0x7, /*
Ext Flags: new corr desc, clt corr check, srv corr
check, */
/* 150 */ NdrFcShort( 0x20 ), /* 32 */
/* 152 */ NdrFcShort( 0x20 ), /* 32 */
/* 154 */ NdrFcShort( 0x0 ), /* 0 */
/* 156 */ NdrFcShort( 0x0 ), /* 0 */

        /* Parameter txn_in */

/* 158 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
/* 160 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
        NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
/* 162 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

        /* Parameter txn_out */

/* 164 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifdef _ALPHA_
/* 166 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
        NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
/* 168 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

        /* Return value */

/* 170 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
/* 172 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
        NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif
/* 174 */ 0x8, /* FC_LONG */
0x0, /*
0 */

        /* Procedure OrderStatus */

/* 176 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*

Old Flags: object, Oi2 */
/* 178 */ NdrFcLong( 0x0 ), /* 0 */

```

```

/* 182 */ NdrFcShort( 0x7 ), /* 7 */
#ifdef _ALPHA_
/* 184 */ NdrFcShort( 0x38 ), /* ia64 Stack
size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /*
axp64 Stack size/offset = 48 */
#endif
/* 186 */ NdrFcShort( 0x0 ), /* 0 */
/* 188 */ NdrFcShort( 0x8 ), /* 8 */
/* 190 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
0x3, /*
3 */
/* 192 */ 0xa, /* 10 */
0x7, /*
Ext Flags: new corr desc, clt corr check, srv corr
check, */
/* 194 */ NdrFcShort( 0x20 ), /* 32 */
/* 196 */ NdrFcShort( 0x20 ), /* 32 */
/* 198 */ NdrFcShort( 0x0 ), /* 0 */
/* 200 */ NdrFcShort( 0x0 ), /* 0 */

        /* Parameter txn_in */

/* 202 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
#ifdef _ALPHA_
/* 204 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
#else
        NdrFcShort( 0x8 ), /*
axp64 Stack size/offset = 8 */
#endif
/* 206 */ NdrFcShort( 0x3b6 ), /* Type
Offset=950 */

        /* Parameter txn_out */

/* 208 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
#ifdef _ALPHA_
/* 210 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
#else
        NdrFcShort( 0x20 ), /*
axp64 Stack size/offset = 32 */
#endif
/* 212 */ NdrFcShort( 0x3c8 ), /* Type
Offset=968 */

        /* Return value */

/* 214 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
#ifdef _ALPHA_
/* 216 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
#else
        NdrFcShort( 0x28 ), /*
axp64 Stack size/offset = 40 */
#endif

```

```

/* 218 */ 0x8, /* FC_LONG */
0 */
/* Procedure CallSetComplete */
/* 220 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 222 */ NdrFcLong( 0x0 ), /* 0 */
/* 226 */ NdrFcShort( 0x8 ), /* 8 */
/* 228 */ NdrFcShort( 0x10 ), /* ia64, axp64 Stack
size/offset = 16 */
/* 230 */ NdrFcShort( 0x0 ), /* 0 */
/* 232 */ NdrFcShort( 0x8 ), /* 8 */
/* 234 */ 0x44, /* Oi2 Flags: has
return, has ext, */
0x1, /*
1 */
/* 236 */ 0xa, /* 10 */
0x1, /*
Ext Flags: new corr desc, */
/* 238 */ NdrFcShort( 0x0 ), /* 0 */
/* 240 */ NdrFcShort( 0x0 ), /* 0 */
/* 242 */ NdrFcShort( 0x0 ), /* 0 */
/* 244 */ NdrFcShort( 0x0 ), /* 0 */
/* Return value */
/* 246 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 248 */ NdrFcShort( 0x8 ), /* ia64, axp64 Stack
size/offset = 8 */
/* 250 */ 0x8, /* FC_LONG */
0 */
0x0
}
};
static const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString =
{
0,
{
NdrFcShort( 0x0 ), /*
0 */
/* 2 */
0x12, 0x0, /*
FC_UP */
/* 4 */ NdrFcShort( 0x39e ), /* Offset=
926 (930) */
/* 6 */
0x2b, /*
FC_NON_ENCAPSULATED_UNION */
0x9, /*
FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT
*/
0x0, /*
*/
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */

```

```

/* 12 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 14 */ NdrFcShort( 0x2 ), /* Offset= 2 (16) */
/* 16 */ NdrFcShort( 0x10 ), /* 16 */
/* 18 */ NdrFcShort( 0x2b ), /* 43 */
/* 20 */ NdrFcLong( 0x3 ), /* 3 */
/* 24 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 26 */ NdrFcLong( 0x11 ), /* 17 */
/* 30 */ NdrFcShort( 0x8001 ), /* Simple arm
type: FC_BYTE */
/* 32 */ NdrFcLong( 0x2 ), /* 2 */
/* 36 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 38 */ NdrFcLong( 0x4 ), /* 4 */
/* 42 */ NdrFcShort( 0x800a ), /* Simple arm
type: FC_FLOAT */
/* 44 */ NdrFcLong( 0x5 ), /* 5 */
/* 48 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 50 */ NdrFcLong( 0xb ), /* 11 */
/* 54 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 56 */ NdrFcLong( 0xa ), /* 10 */
/* 60 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 62 */ NdrFcLong( 0x6 ), /* 6 */
/* 66 */ NdrFcShort( 0xd6 ), /* Offset= 214 (280) */
/* 68 */ NdrFcLong( 0x7 ), /* 7 */
/* 72 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 74 */ NdrFcLong( 0x8 ), /* 8 */
/* 78 */ NdrFcShort( 0xd0 ), /* Offset= 208 (286) */
/* 80 */ NdrFcLong( 0xd ), /* 13 */
/* 84 */ NdrFcShort( 0xe4 ), /* Offset= 228 (312) */
/* 86 */ NdrFcLong( 0x9 ), /* 9 */
/* 90 */ NdrFcShort( 0xf0 ), /* Offset= 240 (330) */
/* 92 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 96 */ NdrFcShort( 0xfc ), /* Offset= 252 (348) */
/* 98 */ NdrFcLong( 0x24 ), /* 36 */
/* 102 */ NdrFcShort( 0x2f4 ), /* Offset=
756 (858) */
/* 104 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 108 */ NdrFcShort( 0x2ee ), /* Offset=
750 (858) */
/* 110 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 114 */ NdrFcShort( 0x2ec ), /* Offset=
748 (862) */
/* 116 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 120 */ NdrFcShort( 0x2ea ), /* Offset=
746 (866) */
/* 122 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 126 */ NdrFcShort( 0x2e8 ), /* Offset=
744 (870) */
/* 128 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 132 */ NdrFcShort( 0x2e6 ), /* Offset=
742 (874) */
/* 134 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 138 */ NdrFcShort( 0x2e4 ), /* Offset=
740 (878) */
/* 140 */ NdrFcLong( 0x400b ), /* 16395 */
/* 144 */ NdrFcShort( 0x2d2 ), /* Offset=
722 (866) */

```

```

/* 146 */ NdrFcLong( 0x400a ), /* 16394 */
/* 150 */ NdrFcShort( 0x2d0 ), /* Offset=
720 (870) */
/* 152 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 156 */ NdrFcShort( 0x2d6 ), /* Offset=
726 (882) */
/* 158 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 162 */ NdrFcShort( 0x2cc ), /* Offset=
716 (878) */
/* 164 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 168 */ NdrFcShort( 0x2ce ), /* Offset=
718 (886) */
/* 170 */ NdrFcLong( 0x400d ), /* 16397 */
/* 174 */ NdrFcShort( 0x2cc ), /* Offset=
716 (890) */
/* 176 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 180 */ NdrFcShort( 0x2ca ), /* Offset=
714 (894) */
/* 182 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 186 */ NdrFcShort( 0x2c8 ), /* Offset=
712 (898) */
/* 188 */ NdrFcLong( 0x400c ), /* 16396 */
/* 192 */ NdrFcShort( 0x2c6 ), /* Offset=
710 (902) */
/* 194 */ NdrFcLong( 0x10 ), /* 16 */
/* 198 */ NdrFcShort( 0x8002 ), /* Simple arm
type: FC_CHAR */
/* 200 */ NdrFcLong( 0x12 ), /* 18 */
/* 204 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 206 */ NdrFcLong( 0x13 ), /* 19 */
/* 210 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 212 */ NdrFcLong( 0x16 ), /* 22 */
/* 216 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 218 */ NdrFcLong( 0x17 ), /* 23 */
/* 222 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 224 */ NdrFcLong( 0xe ), /* 14 */
/* 228 */ NdrFcShort( 0x2aa ), /* Offset=
682 (910) */
/* 230 */ NdrFcLong( 0x400e ), /* 16398 */
/* 234 */ NdrFcShort( 0x2b0 ), /* Offset=
688 (922) */
/* 236 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 240 */ NdrFcShort( 0x2ae ), /* Offset=
686 (926) */
/* 242 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 246 */ NdrFcShort( 0x26c ), /* Offset=
620 (866) */
/* 248 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 252 */ NdrFcShort( 0x26a ), /* Offset=
618 (870) */
/* 254 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 258 */ NdrFcShort( 0x264 ), /* Offset=
612 (870) */
/* 260 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 264 */ NdrFcShort( 0x25e ), /* Offset=
606 (870) */
/* 266 */ NdrFcLong( 0x0 ), /* 0 */
/* 270 */ NdrFcShort( 0x0 ), /* Offset= 0 (270) */
/* 272 */ NdrFcLong( 0x1 ), /* 1 */

```

```

/* 276 */ NdrFcShort( 0x0 ), /* Offset= 0 (276) */
/* 278 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(277) */
/* 280 */
FC_STRUCT */
0x15, /*
7 */
0x7, /*
/* 282 */ NdrFcShort( 0x8 ), /* 8 */
/* 284 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */
/* 286 */
0x12, 0x0, /*
FC_UP */
/* 288 */ NdrFcShort( 0xe ), /* Offset= 14 (302) */
/* 290 */
0x1b, /*
FC_CARRAY */
0x1, /*
1 */
/* 292 */ NdrFcShort( 0x2 ), /* 2 */
/* 294 */ 0x9, /* Corr desc: FC_ULONG */
0x0, /*
*/
/* 296 */ NdrFcShort( 0xfffc ), /* -4 */
/* 298 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 300 */ 0x6, /* FC_SHORT */
0x5b, /*
FC_END */
/* 302 */
0x17, /*
FC_CSTRUCT */
0x3, /*
3 */
/* 304 */ NdrFcShort( 0x8 ), /* 8 */
/* 306 */ NdrFcShort( 0xffffffff0 ), /* Offset= -
16 (290) */
/* 308 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 310 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 312 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 314 */ NdrFcLong( 0x0 ), /* 0 */
/* 318 */ NdrFcShort( 0x0 ), /* 0 */
/* 320 */ NdrFcShort( 0x0 ), /* 0 */
/* 322 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 324 */ 0x0, /* 0 */
0x0, /*
0 */
/* 326 */ 0x0, /* 0 */
0x0, /*
0 */

```

```

/* 328 */ 0x0, /* 0 */
0x46, /*
70 */
/* 330 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 332 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 336 */ NdrFcShort( 0x0 ), /* 0 */
/* 338 */ NdrFcShort( 0x0 ), /* 0 */
/* 340 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 342 */ 0x0, /* 0 */
0x0, /*
0 */
/* 344 */ 0x0, /* 0 */
0x0, /*
0 */
/* 346 */ 0x0, /* 0 */
0x46, /*
70 */
/* 348 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 350 */ NdrFcShort( 0x2 ), /* Offset= 2 (352) */
/* 352 */
0x12, 0x0, /*
FC_UP */
/* 354 */ NdrFcShort( 0x1e6 ), /* Offset=
486 (840) */
/* 356 */
0x2a, /*
FC_ENCAPSULATED_UNION */
0x89, /*
137 */
/* 358 */ NdrFcShort( 0x20 ), /* 32 */
/* 360 */ NdrFcShort( 0xa ), /* 10 */
/* 362 */ NdrFcLong( 0x8 ), /* 8 */
/* 366 */ NdrFcShort( 0x50 ), /* Offset= 80 (446) */
/* 368 */ NdrFcLong( 0xd ), /* 13 */
/* 372 */ NdrFcShort( 0x70 ), /* Offset= 112 (484) */
/* 374 */ NdrFcLong( 0x9 ), /* 9 */
/* 378 */ NdrFcShort( 0x90 ), /* Offset= 144 (522) */
/* 380 */ NdrFcLong( 0xc ), /* 12 */
/* 384 */ NdrFcShort( 0xb0 ), /* Offset= 176 (560) */
/* 386 */ NdrFcLong( 0x24 ), /* 36 */
/* 390 */ NdrFcShort( 0x104 ), /* Offset=
260 (650) */
/* 392 */ NdrFcLong( 0x800d ), /* 32781 */
/* 396 */ NdrFcShort( 0x120 ), /* Offset=
288 (684) */
/* 398 */ NdrFcLong( 0x10 ), /* 16 */
/* 402 */ NdrFcShort( 0x13a ), /* Offset=
314 (716) */
/* 404 */ NdrFcLong( 0x2 ), /* 2 */
/* 408 */ NdrFcShort( 0x150 ), /* Offset=
336 (744) */
/* 410 */ NdrFcLong( 0x3 ), /* 3 */
/* 414 */ NdrFcShort( 0x166 ), /* Offset=
358 (772) */
/* 416 */ NdrFcLong( 0x14 ), /* 20 */

```

```

/* 420 */ NdrFcShort( 0x17c ), /* Offset=
380 (800) */
/* 422 */ NdrFcShort( 0xffffffff ), /* Offset= -1
(421) */
/* 424 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 430 */ NdrFcShort( 0x0 ), /* 0 */
/* 432 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 434 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 438 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 440 */
0x12, 0x0, /*
FC_UP */
/* 442 */ NdrFcShort( 0xffffffff74 ), /* Offset= -
140 (302) */
/* 444 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 446 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 448 */ NdrFcShort( 0x10 ), /* 16 */
/* 450 */ NdrFcShort( 0x0 ), /* 0 */
/* 452 */ NdrFcShort( 0x6 ), /* Offset= 6 (458) */
/* 454 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 456 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 458 */
0x11, 0x0, /*
FC_RP */
/* 460 */ NdrFcShort( 0xffffffffdc ), /* Offset= -
36 (424) */
/* 462 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 464 */ NdrFcShort( 0x0 ), /* 0 */
/* 466 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 468 */ NdrFcShort( 0x0 ), /* 0 */
/* 470 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 472 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 476 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 478 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
*/

```

```

0x0, /*
0 */
/* 480 */ NdrFcShort( 0xffffffff58 ), /* Offset= -
168 (312) */
/* 482 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 484 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 486 */ NdrFcShort( 0x10 ), /* 16 */
/* 488 */ NdrFcShort( 0x0 ), /* 0 */
/* 490 */ NdrFcShort( 0x6 ), /* Offset= 6 (496) */
/* 492 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 494 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 496 */
0x11, 0x0, /*
FC_RP */
/* 498 */ NdrFcShort( 0xffffffffdc ), /* Offset= -
36 (462) */
/* 500 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 502 */ NdrFcShort( 0x0 ), /* 0 */
/* 504 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 506 */ NdrFcShort( 0x0 ), /* 0 */
/* 508 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 510 */ NdrFcLong( 0xfffffffff ), /* -1 */
/* 514 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 516 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 518 */ NdrFcShort( 0xffffffff44 ), /* Offset= -
188 (330) */
/* 520 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 522 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 524 */ NdrFcShort( 0x10 ), /* 16 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */
/* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 530 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 532 */ 0x36, /* FC_POINTER */

```

```

0x5b, /*
FC_END */
/* 534 */
0x11, 0x0, /*
FC_RP */
/* 536 */ NdrFcShort( 0xffffffffdc ), /* Offset= -
36 (500) */
/* 538 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 540 */ NdrFcShort( 0x0 ), /* 0 */
/* 542 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 544 */ NdrFcShort( 0x0 ), /* 0 */
/* 546 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 548 */ NdrFcLong( 0xfffffffff ), /* -1 */
/* 552 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 554 */
0x12, 0x0, /*
FC_UP */
/* 556 */ NdrFcShort( 0x176 ), /* Offset=
374 (930) */
/* 558 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 560 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 562 */ NdrFcShort( 0x10 ), /* 16 */
/* 564 */ NdrFcShort( 0x0 ), /* 0 */
/* 566 */ NdrFcShort( 0x6 ), /* Offset= 6 (572) */
/* 568 */ 0x8, /* FC_LONG */
0x39, /*
FC_ALIGNM8 */
/* 570 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 572 */
0x11, 0x0, /*
FC_RP */
/* 574 */ NdrFcShort( 0xffffffffdc ), /* Offset= -
36 (538) */
/* 576 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 578 */ NdrFcLong( 0x2f ), /* 47 */
/* 582 */ NdrFcShort( 0x0 ), /* 0 */
/* 584 */ NdrFcShort( 0x0 ), /* 0 */
/* 586 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 588 */ 0x0, /* 0 */
0x0, /*
0 */

```

```

/* 590 */ 0x0, /* 0 */
0x0, /*
0 */
/* 592 */ 0x0, /* 0 */
0x46, /*
70 */
/* 594 */
0x1b, /*
FC_CARRAY */
0x0, /*
0 */
/* 596 */ NdrFcShort( 0x1 ), /* 1 */
/* 598 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 600 */ NdrFcShort( 0x4 ), /* 4 */
/* 602 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 604 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 606 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 608 */ NdrFcShort( 0x18 ), /* 24 */
/* 610 */ NdrFcShort( 0x0 ), /* 0 */
/* 612 */ NdrFcShort( 0xc ), /* Offset= 12 (624) */
/* 614 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 616 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 618 */ NdrFcShort( 0xffffffffd6 ), /* Offset= -
42 (576) */
/* 620 */ 0x39, /* FC_ALIGNM8 */
0x36, /*
FC_POINTER */
/* 622 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 624 */
0x12, 0x0, /*
FC_UP */
/* 626 */ NdrFcShort( 0xffffffffe0 ), /* Offset= -
32 (594) */
/* 628 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 630 */ NdrFcShort( 0x0 ), /* 0 */
/* 632 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 634 */ NdrFcShort( 0x0 ), /* 0 */
/* 636 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/

```

```

/* 638 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 642 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 644 */
                                0x12, 0x0, /*
FC_UP */
/* 646 */ NdrFcShort( 0xffffffffd8 ), /* Offset= -
40 (606) */
/* 648 */ 0x5c, /* FC_PAD */
                                0x5b, /*
FC_END */
/* 650 */
                                0x1a, /*
FC_BOGUS_STRUCT */
                                0x3, /*
3 */
/* 652 */ NdrFcShort( 0x10 ), /* 16 */
/* 654 */ NdrFcShort( 0x0 ), /* 0 */
/* 656 */ NdrFcShort( 0x6 ), /* Offset= 6 (662) */
/* 658 */ 0x8, /* FC_LONG */
                                0x39, /*
FC_ALIGNM8 */
/* 660 */ 0x36, /* FC_POINTER */
                                0x5b, /*
FC_END */
/* 662 */
                                0x11, 0x0, /*
FC_RP */
/* 664 */ NdrFcShort( 0xffffffffdc ), /* Offset= -
36 (628) */
/* 666 */
                                0x1d, /*
FC_SMFARRAY */
                                0x0, /*
0 */
/* 668 */ NdrFcShort( 0x8 ), /* 8 */
/* 670 */ 0x2, /* FC_CHAR */
                                0x5b, /*
FC_END */
/* 672 */
                                0x15, /*
FC_STRUCT */
                                0x3, /*
3 */
/* 674 */ NdrFcShort( 0x10 ), /* 16 */
/* 676 */ 0x8, /* FC_LONG */
                                0x6, /*
FC_SHORT */
/* 678 */ 0x6, /* FC_SHORT */
                                0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 680 */ 0x0, /* 0 */
NdrFcShort( 0xfffffffff1
), /* Offset= -15 (666) */
                                0x5b, /*
FC_END */
/* 684 */
                                0x1a, /*
FC_BOGUS_STRUCT */
                                0x3, /*
3 */
/* 686 */ NdrFcShort( 0x20 ), /* 32 */
/* 688 */ NdrFcShort( 0x0 ), /* 0 */
/* 690 */ NdrFcShort( 0xa ), /* Offset= 10 (700) */

```

```

/* 692 */ 0x8, /* FC_LONG */
                                0x39, /*
FC_ALIGNM8 */
/* 694 */ 0x36, /* FC_POINTER */
                                0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 696 */ 0x0, /* 0 */
NdrFcShort( 0xfffffffffe7
), /* Offset= -25 (672) */
                                0x5b, /*
FC_END */
/* 700 */
                                0x11, 0x0, /*
FC_RP */
/* 702 */ NdrFcShort( 0xfffffffff10 ), /* Offset= -
240 (462) */
/* 704 */
                                0x1b, /*
FC_CARRAY */
                                0x0, /*
0 */
/* 706 */ NdrFcShort( 0x1 ), /* 1 */
/* 708 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0, /*
*/
/* 710 */ NdrFcShort( 0x0 ), /* 0 */
/* 712 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 714 */ 0x1, /* FC_BYTE */
                                0x5b, /*
FC_END */
/* 716 */
                                0x1a, /*
FC_BOGUS_STRUCT */
                                0x3, /*
3 */
/* 718 */ NdrFcShort( 0x10 ), /* 16 */
/* 720 */ NdrFcShort( 0x0 ), /* 0 */
/* 722 */ NdrFcShort( 0x6 ), /* Offset= 6 (728) */
/* 724 */ 0x8, /* FC_LONG */
                                0x39, /*
FC_ALIGNM8 */
/* 726 */ 0x36, /* FC_POINTER */
                                0x5b, /*
FC_END */
/* 728 */
                                0x12, 0x0, /*
FC_UP */
/* 730 */ NdrFcShort( 0xfffffffffe6 ), /* Offset= -
26 (704) */
/* 732 */
                                0x1b, /*
FC_CARRAY */
                                0x1, /*
1 */
/* 734 */ NdrFcShort( 0x2 ), /* 2 */
/* 736 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0, /*
*/
/* 738 */ NdrFcShort( 0x0 ), /* 0 */

```

```

/* 740 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 742 */ 0x6, /* FC_SHORT */
                                0x5b, /*
FC_END */
/* 744 */
                                0x1a, /*
FC_BOGUS_STRUCT */
                                0x3, /*
3 */
/* 746 */ NdrFcShort( 0x10 ), /* 16 */
/* 748 */ NdrFcShort( 0x0 ), /* 0 */
/* 750 */ NdrFcShort( 0x6 ), /* Offset= 6 (756) */
/* 752 */ 0x8, /* FC_LONG */
                                0x39, /*
FC_ALIGNM8 */
/* 754 */ 0x36, /* FC_POINTER */
                                0x5b, /*
FC_END */
/* 756 */
                                0x12, 0x0, /*
FC_UP */
/* 758 */ NdrFcShort( 0xfffffffffe6 ), /* Offset= -
26 (732) */
/* 760 */
                                0x1b, /*
FC_CARRAY */
                                0x3, /*
3 */
/* 762 */ NdrFcShort( 0x4 ), /* 4 */
/* 764 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
                                0x0, /*
*/
/* 766 */ NdrFcShort( 0x0 ), /* 0 */
/* 768 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 770 */ 0x8, /* FC_LONG */
                                0x5b, /*
FC_END */
/* 772 */
                                0x1a, /*
FC_BOGUS_STRUCT */
                                0x3, /*
3 */
/* 774 */ NdrFcShort( 0x10 ), /* 16 */
/* 776 */ NdrFcShort( 0x0 ), /* 0 */
/* 778 */ NdrFcShort( 0x6 ), /* Offset= 6 (784) */
/* 780 */ 0x8, /* FC_LONG */
                                0x39, /*
FC_ALIGNM8 */
/* 782 */ 0x36, /* FC_POINTER */
                                0x5b, /*
FC_END */
/* 784 */
                                0x12, 0x0, /*
FC_UP */
/* 786 */ NdrFcShort( 0xfffffffffe6 ), /* Offset= -
26 (760) */
/* 788 */
                                0x1b, /*
FC_CARRAY */

```



```

0x7, /*
7 */
/* 790 */ NdrFcShort( 0x8 ), /* 8 */
/* 792 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 794 */ NdrFcShort( 0x0 ), /* 0 */
/* 796 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 798 */ 0xb, /* FC_HYPER */
FC_END /*
/* 800 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 802 */ NdrFcShort( 0x10 ), /* 16 */
/* 804 */ NdrFcShort( 0x0 ), /* 0 */
/* 806 */ NdrFcShort( 0x6 ), /* Offset= 6 (812) */
/* 808 */ 0x8, /* FC_LONG */
FC_ALIGNM8 /*
/* 810 */ 0x36, /* FC_POINTER */
FC_END /*
/* 812 */
0x12, 0x0, /*
FC_UP */
/* 814 */ NdrFcShort( 0xffffffe6 ), /* Offset= -
26 (788) */
/* 816 */
0x15, /*
FC_STRUCT */
0x3, /*
3 */
/* 818 */ NdrFcShort( 0x8 ), /* 8 */
/* 820 */ 0x8, /* FC_LONG */
FC_LONG /*
/* 822 */ 0x5c, /* FC_PAD */
FC_END /*
/* 824 */
0x1b, /*
FC_CARRAY */
0x3, /*
3 */
/* 826 */ NdrFcShort( 0x8 ), /* 8 */
/* 828 */ 0x7, /* Corr desc: FC_USHORT
*/
0x0, /*
*/
/* 830 */ NdrFcShort( 0xffc8 ), /* -56 */
/* 832 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 834 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 836 */ NdrFcShort( 0xfffffec ), /* Offset= -
20 (816) */

```

```

/* 838 */ 0x5c, /* FC_PAD */
FC_END /*
/* 840 */
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 842 */ NdrFcShort( 0x38 ), /* 56 */
/* 844 */ NdrFcShort( 0xfffffec ), /* Offset= -
20 (824) */
/* 846 */ NdrFcShort( 0x0 ), /* Offset= 0 (846) */
/* 848 */ 0x6, /* FC_SHORT */
FC_SHORT /*
/* 850 */ 0x38, /* FC_ALIGNM4 */
FC_LONG /*
/* 852 */ 0x8, /* FC_LONG */
FC_EMBEDDED_COMPLEX */
/* 854 */ 0x4, /* 4 */
), /* Offset= -499 (356) */
FC_END /*
/* 858 */
0x12, 0x0, /*
FC_UP */
/* 860 */ NdrFcShort( 0xfffff02 ), /* Offset= -
254 (606) */
/* 862 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 864 */ 0x1, /* FC_BYTE */
FC_PAD /*
/* 866 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 868 */ 0x6, /* FC_SHORT */
FC_PAD /*
/* 870 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 872 */ 0x8, /* FC_LONG */
FC_PAD /*
/* 874 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 876 */ 0xa, /* FC_FLOAT */
FC_PAD /*
/* 878 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 880 */ 0xc, /* FC_DOUBLE */
FC_PAD /*
/* 882 */

```

```

0x12, 0x0, /*
FC_UP */
/* 884 */ NdrFcShort( 0xffffda4 ), /* Offset= -
604 (280) */
/* 886 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 888 */ NdrFcShort( 0xffffda6 ), /* Offset= -
602 (286) */
/* 890 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 892 */ NdrFcShort( 0xffffdbc ), /* Offset= -
580 (312) */
/* 894 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 896 */ NdrFcShort( 0xffffdca ), /* Offset= -
566 (330) */
/* 898 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 900 */ NdrFcShort( 0xffffdd8 ), /* Offset= -
552 (348) */
/* 902 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 904 */ NdrFcShort( 0x2 ), /* Offset= 2 (906) */
/* 906 */
0x12, 0x0, /*
FC_UP */
/* 908 */ NdrFcShort( 0x16 ), /* Offset= 22 (930) */
/* 910 */
0x15, /*
FC_STRUCT */
0x7, /*
7 */
/* 912 */ NdrFcShort( 0x10 ), /* 16 */
/* 914 */ 0x6, /* FC_SHORT */
FC_BYTE /*
/* 916 */ 0x1, /* FC_BYTE */
FC_ALIGNM4 /*
/* 918 */ 0x8, /* FC_LONG */
FC_ALIGNM8 /*
/* 920 */ 0xb, /* FC_HYPER */
FC_END /*
/* 922 */
0x12, 0x0, /*
FC_UP */
/* 924 */ NdrFcShort( 0xfffffff2 ), /* Offset= -
14 (910) */
/* 926 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 928 */ 0x2, /* FC_CHAR */
FC_PAD /*
/* 930 */

```

```

FC_BOGUS_STRUCT */          0x1a,          /*
                                0x7,          /*
7 */
/* 932 */ NdrFcShort( 0x20 ), /* 32 */
/* 934 */ NdrFcShort( 0x0 ), /* 0 */
/* 936 */ NdrFcShort( 0x0 ), /* Offset= 0 (936) */
/* 938 */ 0x8,                /* FC_LONG */
                                0x8,          /*
FC_LONG */
/* 940 */ 0x6,                /* FC_SHORT */
                                0x6,          /*
FC_SHORT */
/* 942 */ 0x6,                /* FC_SHORT */
                                0x6,          /*
FC_SHORT */
/* 944 */ 0x4c,              /* FC_EMBEDDED_COMPLEX
*/
                                0x0,          /*
0 */
/* 946 */ NdrFcShort( 0xfffffc54 ), /* Offset= -
940 (6) */
/* 948 */ 0x5c,              /* FC_PAD */
                                0x5b,          /*
FC_END */
/* 950 */ 0xb4,              /* FC_USER_MARSHAL */
                                0x83,          /*
131 */
/* 952 */ NdrFcShort( 0x0 ), /* 0 */
/* 954 */ NdrFcShort( 0x18 ), /* 24 */
/* 956 */ NdrFcShort( 0x0 ), /* 0 */
/* 958 */ NdrFcShort( 0xfffffc44 ), /* Offset= -
956 (2) */
/* 960 */
                                0x11, 0x4,          /*
FC_RP [allocated_on_stack] */
/* 962 */ NdrFcShort( 0x6 ), /* Offset= 6 (968) */
/* 964 */
                                0x13, 0x0,          /*
FC_OP */
/* 966 */ NdrFcShort( 0xfffffcdc ), /* Offset= -
36 (930) */
/* 968 */ 0xb4,              /* FC_USER_MARSHAL */
                                0x83,          /*
131 */
/* 970 */ NdrFcShort( 0x0 ), /* 0 */
/* 972 */ NdrFcShort( 0x18 ), /* 24 */
/* 974 */ NdrFcShort( 0x0 ), /* 0 */
/* 976 */ NdrFcShort( 0xfffffff4 ), /* Offset= -
12 (964) */
                                0x0
    }
};

const CInterfaceProxyVtbl *
_tpcc_com_ps_ProxyVtblList[] =
{
    ( CInterfaceProxyVtbl * ) &_ITPCCProxyVtbl,
    0
};

```

```

const CInterfaceStubVtbl *
_tpcc_com_ps_StubVtblList[] =
{
    ( CInterfaceStubVtbl * ) &_ITPCCStubVtbl,
    0
};

PCInterfaceName const
_tpcc_com_ps_InterfaceNamesList[] =
{
    "ITPCC",
    0
};

#define _tpcc_com_ps_CHECK_IID(n)
    IID_GENERIC_CHECK_IID( _tpcc_com_ps, pIID,
n )

int __stdcall _tpcc_com_ps_IID_Lookup( const IID *
pIID, int * pIndex )
{
    if(!_tpcc_com_ps_CHECK_IID(0))
    {
        *pIndex = 0;
        return 1;
    }

    return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo
=
{
    (PCInterfaceProxyVtblList *) &
_tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) &
_tpcc_com_ps_StubVtblList,
    (const PCInterfaceName * ) &
_tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    & _tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
};

#ifdef _M_IA64 || defined(_M_AXP64)*/

```

***tpcc\_com\_sl.rg***

---

**S**

---

HKCR  
{

```

TPCC.StockLevel.1 = s 'StockLevel Class'
{
    CLSID = s '{2668369E-A50D-11D2-
BA4E-00C04FBFE08B}'
}
TPCC.StockLevel = s 'StockLevel Class'
{
    CurVer = s 'TPCC.StockLevel.1'
}
NoRemove CLSID
{
    ForceRemove {2668369E-A50D-11D2-
BA4E-00C04FBFE08B} = s 'StockLevel Class'
{
    ProgID = s
'TPCC.StockLevel.1'
    VersionIndependentProgID = s
'TPCC.StockLevel'
    InprocServer32 = s
'%MODULE%'
    val
ThreadingModel = s 'Both'
}
}
}

```

## ***tpcc\_dblib.cpp***

```

/* FILE: TPCC_DBLIB.CPP
* Microsoft
TPC-C Kit Ver. 4.20.000
* Copyright
Microsoft, 1999
* All Rights Reserved
* Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
* PURPOSE: Implements dblib calls for TPC-C
txns.
* Contact: Charles Levine
(clevine@microsoft.com)
*
* Change history:
* 4.20.000 - updated rev number to
match kit
* 4.10.001 - not deleting error
class in catch handler on deadlock retry;
* not a
functional bug, but a memory leak
* - had to
tweak some declarations to compile with latest SDK;
no functional change
*/

#include <windows.h>
#include <stdio.h>
#include <assert.h>

```

```

#define DBNTWIN32
#include <sqlfront.h>
#include <sqldb.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_dblib.h"

#define DEFCLPACKSIZE
4096

// version string; must match return value from
tpcc_version stored proc
const char sVersion[] = "4.10.000";

const iMaxRetries = 10;
// how many retries on deadlock
static long iConnectionCount = 0; // number
of current dblib connections

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

BOOL APIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:
            DisableThreadLibraryCalls(hModule);
            dbinit(); //
            initialize dblib
            break;

        case DLL_PROCESS_DETACH:
            dbexit(); //
            close all dblib structures/connections
            break;

        default:
            /* nothing */;
    }
    return TRUE;
}

int err_handler(DBPROCESS *dbproc, int severity, int
dberr, int oserr, LPCSTR dberrstr, LPCSTR oserrstr)
{
    CTPCC_DBLIB
    *pConn;

    assert(dbproc != NULL);

```

```

        pConn =
        (CTPCC_DBLIB*)dbgetuserdata(dbproc);

        if (pConn != NULL)
        {
            pConn->SetDbLibError( severity,
            dberr, oserr, dberrstr, oserrstr );
        }
        return INT_CANCEL;
    }

/* FUNCTION: int msg_handler(DBPROCESS *dbproc, DBINT
msgno, int msgstate, int severity, char *msgtext)
*
* PURPOSE: This function handles DB-Library
SQL Server error messages
*
* ARGUMENTS: DBPROCESS *dbproc
DBPROCESS id pointer DBINT
msgno
message number
msgstate int
severity int
msgtext char
printable
message description
*
* RETURNS: int
INT_CONTINUE continue if
error is SQLETIME else INT_CANCEL action
INT_CANCEL
cancel operation
*
* COMMENTS: This function also sets the dead
lock dbproc variable if necessary.
*/

// typedef INT (SQLAPI *DBMSGHANDLE_PROC)(PDBPROCESS,
DBINT, INT, LPCSTR, LPCSTR, LPCSTR,
DBUSMALLINT);

int msg_handler(DBPROCESS *dbproc, DBINT msgno, int
msgstate, int severity,
LPCSTR
msgtext, LPCSTR srvname, LPCSTR procname, DBUSMALLINT
line)
{
    CTPCC_DBLIB
    *pConn;

    assert(dbproc != NULL);
    pConn =
    (CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {

```

```

        pConn->SetSqlError( msgno,
msgstate, severity, msgtext );
    }
    return 0;
}

/* FUNCTION: void UtilStrCpy(char * pDest, char *
pSrc, int n)
*
* PURPOSE: This function copies n characters
from string pSrc to pDest and places a
null character at the
end of the destination string.
*
* ARGUMENTS: char
destination string pointer
*pDest char
source string pointer
*pSrc int
n
number of characters to copy
*
* RETURNS: None
*
* COMMENTS: Unlike strncpy this function
ensures that the result string is
always null
terminated.
*/

inline static void UtilStrCpy(char * pDest, const
BYTE * pSrc, int n)
{
    strncpy(pDest, (char *)pSrc, n);
    pDest[n] = '\0';

    return;
}

/* FUNCTION: CTPCC_DBLIB_ERR::ErrorText
*
*/

char* CTPCC_DBLIB_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,
"Wrong version of stored procs on database
server" },
        { ERR_INVALID_CUST,
"Invalid Customer id,name." },
        { ERR_NO_SUCH_ORDER,
"No orders found for customer." },
        { ERR_RETRIED_TRANS,
"Retries before transaction succeeded." },
    },

```

```

        { 0, ""
    }
};

static char szNotFound[] = "Unknown error
number.";

for(i=0; errorMsgs[i].szMsg[0]; i++)
{
    if ( m_errno ==
errorMsgs[i].iError )
        break;
}
if ( !errorMsgs[i].szMsg[0] )
    return szNotFound;
else
    return errorMsgs[i].szMsg;
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_DBLIB* CTPCC_DBLIB_new(
    LPCSTR szServer, // name of
SQL server
    LPCSTR szUser, //
user name for login
    LPCSTR szPassword, // password
for login
    LPCSTR szHost, //
workstation name; shows up in sp_who; max 30 chars,
only first 10 kept by SQL Server
    LPCSTR szDatabase ) // name of
database to use
{
    return new CTPCC_DBLIB( szServer, szUser,
szPassword, szHost, szDatabase );
}

CTPCC_DBLIB::CTPCC_DBLIB (
    LPCSTR szServer, // name of
SQL server
    LPCSTR szUser, //
user name for login
    LPCSTR szPassword, // password
for login
    LPCSTR szHost, //
workstation name; shows up in sp_who; max 30 chars,
only first 10 kept by SQL Server
    LPCSTR szDatabase ) // name of
database to use
{
    LOGINREC *login;
    const BYTE *pData;

    // initialization
    m_dbproc = NULL;
    m_DbLibErr = (CDBLIBERR*)NULL;
    m_SqlErr = (CSQLERR*)NULL;

```

```

        m_MaxRetries = 10; // how many
retries on deadlock

        // increase max number of connections if
getting close
        if ( dbgetmaxprocs() < (iConnectionCount+5)
)
        {
            if (
dbsetmaxprocs(iConnectionCount+10) == FAIL )
                ThrowError(CDBLIBERR::eDbSetMaxProcs);
        }

        // allocate a login structure
        login = dblogin();
        if (login == NULL)
            ThrowError(CDBLIBERR::eLogin);
        InterlockedIncrement( &iConnectionCount );

        // register error and message handler
functions
        if (dbprocerrhandle(login, err_handler) ==
NULL)
            ThrowError(CDBLIBERR::eDbProcHandler);

        if (dbprocmsghandle(login, msg_handler) ==
NULL)
            ThrowError(CDBLIBERR::eDbProcHandler);

        DBSETLUSER(login, szUser);
        DBSETLPWD(login, szPassword);
        DBSETLHOST(login, szHost);
        DBSETLPACKET(login, (unsigned
short)DEFCLPACKSIZE);
        DBSETLVERSION(login, DBVER60);
        // use dblib ver 6.0 client behavior

        // set time to wait for login
        if (dbsetlogintime(60) == FAIL)
            ThrowError(CDBLIBERR::eDbSet);

        // set time to wait for statement execution
        if (dbsettime(180) == FAIL)
            ThrowError(CDBLIBERR::eDbSet);

        m_dbproc = dbopen(login, szServer);

        // deallocate login structure before
checking for success
        dbfreelogin( login );

        if (m_dbproc == NULL)
            ThrowError(CDBLIBERR::eDbOpen);

        // save address of class instance so that
the message and error handler
        // can get to data.
        dbsetuserdata(m_dbproc, (LPVOID)this);

```

```

        // Use the the right database
        if (dbuse(m_dbproc, szDatabase) == FAIL)
            ThrowError(CDBLIBERR::eDbUse);

        // set connection properties to match those
used by ODBC
        dbcmd(m_dbproc, "set ANSI_DEFAULTS ON ");
        dbcmd(m_dbproc, "set CURSOR_CLOSE_ON_COMMIT
OFF ");
        dbcmd(m_dbproc, "set IMPLICIT_TRANSACTIONS
OFF ");
        dbcmd(m_dbproc, "set NOCOUNT ON ");
        // do not return row counts
        dbcmd(m_dbproc, "set XACT_ABORT ON ");
        // rollback transaction on abort

        // for coyote
        dbcmd(m_dbproc, "set ansi_warnings on ");
        //
        dbcmd(m_dbproc, "set ansi_nulls on ");
        //

        if (dbsqlxexec(m_dbproc) == FAIL)
            ThrowError(CDBLIBERR::eDbSqlExec);

        // This value must match the number of
commands above.
        DiscardNextResults(2);
        DiscardNextResults(5); // coyote

        // verify that version of stored procs on
server is correct
        dbrpcinit(m_dbproc, "tpcc_version", 0);
        if (dbrpcexec(m_dbproc) == FAIL)
            ThrowError(CDBLIBERR::eDbRpcExec);

        if (dbresults(m_dbproc) != SUCCEED)
            ThrowError(CDBLIBERR::eDbResults);

        if (dbnextrow(m_dbproc) != REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        char szSrvVersion[16];
        pData=dbdata(m_dbproc, 1);
        if (pData)
            UtilStrCpy(szSrvVersion, pData,
dbdatlen(m_dbproc, 1));
        else
            szSrvVersion[0]=0;
        if (strcmp(szSrvVersion,sVersion))
            throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_WRONG_SP_VERSION );

        DiscardNextRows(0);
        DiscardNextResults(0);
    }
}

```

```

CTPCC_DBLIB::~CTPCC_DBLIB( void )
{
    // close db connection and deallocate
    resources
    dbcloses(m_dbproc);
    InterlockedDecrement( &iConnectionCount );
    if (m_DbLibErr != NULL)
        delete m_DbLibErr;
    if (m_SqlErr != NULL)
        delete m_SqlErr;
}

void CTPCC_DBLIB::SetDbLibError(int severity, int
dberr, int oserr, LPCSTR dberrstr, LPCSTR oserrstr)
{
    delete m_DbLibErr;
    m_DbLibErr = new
CDBLIBERR(CDBLIBERR::eUnknown, severity, dberr,
oserr);

    if (dberrstr != NULL)
    {
        m_DbLibErr->m_dberrstr = new
char[ strlen(dberrstr)+1 ];
        strcpy( m_DbLibErr->m_dberrstr,
dberrstr );
    }

    if (oserrstr != NULL)
    {
        m_DbLibErr->m_oserrstr = new
char[ strlen(oserrstr)+1 ];
        strcpy( m_DbLibErr->m_oserrstr,
oserrstr );
    }
}

void CTPCC_DBLIB::SetSqlError( int /*DBINT*/ msgno,
int msgstate, int severity, LPCSTR msgtext )
{
    if (m_SqlErr == NULL)
        m_SqlErr = new CSQLEERR();

    m_SqlErr->m_msgno = msgno;
    m_SqlErr->m_msgstate = msgstate;
    m_SqlErr->m_severity = severity;

    delete [] m_SqlErr->m_msgtext;
    if (msgtext != NULL)
    {
        m_SqlErr->m_msgtext = new char[
strlen(msgtext)+1 ];
        strcpy( m_SqlErr->m_msgtext,
msgtext );
    }
}

void CTPCC_DBLIB::ThrowError( CDBLIBERR::ACTION
eAction )
{
    // discard anything still in return buffer

```

```

DiscardNextRows(-1);
DiscardNextResults(-1);

// check for SQL Server error first; if
yes, throw it and ignore any DLib error.
if (m_SqlErr != NULL)
{
    CSQLEERR *pSqlErr;
    pSqlErr = m_SqlErr;
    m_SqlErr = NULL; // clear our
pointer to instance; catch handler will delete
    throw pSqlErr;
}

CDBLIBERR *pDbLibErr;
if (m_DbLibErr == NULL)
// this case isn't expected to
happen, since it means that an error was returned
// but the error handlers were
not called.
pDbLibErr = new
CDBLIBERR(eAction);
else
{
    pDbLibErr = m_DbLibErr;
    pDbLibErr->m_eAction = eAction;
    m_DbLibErr = NULL; //
clear our pointer to instance; catch handler will
delete
}

throw pDbLibErr;

// Read and discard rows until no more. Throw an
exception if number of rows read doesn't
// match number of rows expected. The row count will
be ignored if the expected count value
// passed in is negative. A typical use of this
routine is to verify that there are no more
// rows to be read.
void CTPCC_DBLIB::DiscardNextRows(int iExpectedCount)
{
    int iRowsRead = 0;
    RETCODE rc;

    while (TRUE)
    {
        rc = dbnextrow(m_dbproc);
        if (rc == NO_MORE_ROWS)
            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >=
0)
                ThrowError(CDBLIBERR::eDbNextRow);
            else
                break;
        }
        iRowsRead++;
    }
}

```

```

if ((iExpectedCount >= 0) &&
(iExpectedCount != iRowsRead))
    ThrowError(CDBLIBERR::eWrongRowCount);
}

// Read and discard results until no more. Throw an
exception if number of result sets read doesn't
// match number expected. The result set count will
be ignored if the expected count value
// passed in is negative. A typical use of this
routine is to verify that there are no more
// result sets to be read.
void CTPCC_DBLIB::DiscardNextResults(int
iExpectedCount)
{
    int iResultsRead = 0;
    RETCODE rc;

    while (TRUE)
    {
        rc = dbresults(m_dbproc);
        if (rc == NO_MORE_RESULTS)
            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >=
0)
                ThrowError(CDBLIBERR::eDbResults);
            else
                break;
        }
        iResultsRead++;
    }

    if ((iExpectedCount >= 0) &&
(iExpectedCount != iResultsRead))
        ThrowError(CDBLIBERR::eWrongRowCount);
}

void CTPCC_DBLIB::StockLevel()
{
    int iTryCount =
0;
    const BYTE *pData;
    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_stocklevel", 0);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.StockLevel.w_id); // @w_id
smallint

```

```

        dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.StockLevel.d_id); // @d_id
tinyint

        dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.StockLevel.threshold); // @threshold
smallint

        if (dbrpcexec(m_dbproc)
== FAIL)
            ThrowError(CDBLIBERR::eDbRpcExec);

        if (dbresults(m_dbproc)
!= SUCCEED)
            ThrowError(CDBLIBERR::eDbResults);

        if (dbnextrow(m_dbproc)
!= REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        if
(pData=dbdata(m_dbproc, 1))
        m_txn.StockLevel.low_stock = *((long *)
pData);

        DiscardNextRows(0);
        DiscardNextResults(0);

        m_txn.StockLevel.exec_status_code = eOK;
        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205
||
== iErrOleDbProvider &&
>m_msgtext, sErrTimeoutExpired) != NULL) &&
<= iMaxRetries))
        {
            // hit
            deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    }
    // while (TRUE)

    //if (iTryCount)
    //    throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);

```

```

}

void CTPCC_DBLIB::NewOrder()
{
    int                i;
    DBINT              commit_flag;
    DBDATETIME         datetime;
    DBDATEREC          daterec;

    int                iTryCount =
0;
    const BYTE         *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_neworder", 0);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.NewOrder.w_id);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.d_id);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.NewOrder.c_id);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.o_ol_cnt);

            // check whether any
            order lines are for a remote warehouse

            m_txn.NewOrder.o_all_local = 1;
            for (i = 0; i <
m_txn.NewOrder.o_ol_cnt; i++)
            {
                if
(m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
                {
                    m_txn.NewOrder.o_all_local = 0; // at
                    least one remote warehouse

                    break;
                }
            }

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.o_all_local);

            for (i = 0; i <
m_txn.NewOrder.o_ol_cnt; i++)
            {

```

```

            dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_i_id);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_supply_w_id);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_quantity);
        }
        if (dbrpcexec(m_dbproc)
== FAIL)
            ThrowError(CDBLIBERR::eDbRpcExec);

        // Get order line
        results
        m_txn.NewOrder.total_amount = 0;
        for (i = 0;
i<m_txn.NewOrder.o_ol_cnt; i++)
        {
            if
(dbresults(m_dbproc) != SUCCEED)
                ThrowError(CDBLIBERR::eDbResults);

            if
(dbnumcols(m_dbproc) != 5)
                ThrowError(CDBLIBERR::eWrongNumCols);

            if
(dbnextrow(m_dbproc) != REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            if(pData=dbdata(m_dbproc, 1))
                UtilStrCpy(m_txn.NewOrder.OL[i].ol_i_name,
pData, dbdatlen(m_dbproc, 1));

            if(pData=dbdata(m_dbproc, 2))
                m_txn.NewOrder.OL[i].ol_stock =
                (*(DBSMALLINT *) pData);

            if(pData=dbdata(m_dbproc, 3))
                UtilStrCpy(m_txn.NewOrder.OL[i].ol_brand_ge
neric, pData, dbdatlen(m_dbproc, 3));

            if(pData=dbdata(m_dbproc, 4))
                dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc,4),
SQLFLT8, (BYTE
*)&m_txn.NewOrder.OL[i].ol_i_price, 8);

```



```

        dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.c_id);
        dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.Payment.c_id);

        // if customer id is
zero, then payment is by name
        if (m_txn.Payment.c_id
== 0)

            dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.Payment.c_last), (unsigned char
*)m_txn.Payment.c_last);

            if (dbrpcexec(m_dbproc)
== FAIL)

                ThrowError(CDBLIBERR::eDbRpcExec);

            if (dbresults(m_dbproc)
!= SUCCEED)

                ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc)
!= REG_ROW)

                ThrowError(CDBLIBERR::eDbNextRow);

            if (dbnumcols(m_dbproc)
!= 27)

                ThrowError(CDBLIBERR::eWrongNumCols);

            if
(pData=dbdata(m_dbproc, 1))

                m_txn.Payment.c_id = *((DBINT *) pData);

            if
(pData=dbdata(m_dbproc, 2))

                UtilStrCpy(m_txn.Payment.c_last, pData,
dbdatlen(m_dbproc, 2));

            if
(pData=dbdata(m_dbproc, 3))

                {
                    datetime =
*((DBDATETIME *) pData);

                    dbdatecrack(m_dbproc, &daterec, &datetime);

                    m_txn.Payment.h_date.year = daterec.year;

                    m_txn.Payment.h_date.month =
daterec.month;

                    m_txn.Payment.h_date.day = daterec.day;

                    m_txn.Payment.h_date.hour = daterec.hour;

```

```

        m_txn.Payment.h_date.minute =
daterec.minute;

        m_txn.Payment.h_date.second =
daterec.second;

        }
        if
(pData=dbdata(m_dbproc, 4))

            UtilStrCpy(m_txn.Payment.w_street_1, pData,
dbdatlen(m_dbproc, 4));

        if
(pData=dbdata(m_dbproc, 5))

            UtilStrCpy(m_txn.Payment.w_street_2, pData,
dbdatlen(m_dbproc, 5));

        if
(pData=dbdata(m_dbproc, 6))

            UtilStrCpy(m_txn.Payment.w_city, pData,
dbdatlen(m_dbproc, 6));

        if
(pData=dbdata(m_dbproc, 7))

            UtilStrCpy(m_txn.Payment.w_state, pData,
dbdatlen(m_dbproc, 7));

        if
(pData=dbdata(m_dbproc, 8))

            UtilStrCpy(m_txn.Payment.w_zip, pData,
dbdatlen(m_dbproc, 8));

        if
(pData=dbdata(m_dbproc, 9))

            UtilStrCpy(m_txn.Payment.d_street_1, pData,
dbdatlen(m_dbproc, 9));

        if
(pData=dbdata(m_dbproc, 10))

            UtilStrCpy(m_txn.Payment.d_street_2, pData,
dbdatlen(m_dbproc, 10));

        if
(pData=dbdata(m_dbproc, 11))

            UtilStrCpy(m_txn.Payment.d_city, pData,
dbdatlen(m_dbproc, 11));

        if
(pData=dbdata(m_dbproc, 12))

            UtilStrCpy(m_txn.Payment.d_state, pData,
dbdatlen(m_dbproc, 12));

        if
(pData=dbdata(m_dbproc, 13))

            UtilStrCpy(m_txn.Payment.d_zip, pData,
dbdatlen(m_dbproc, 13));

        if
(pData=dbdata(m_dbproc, 14))

            UtilStrCpy(m_txn.Payment.c_first, pData,
dbdatlen(m_dbproc, 14));

```

```

        if
(pData=dbdata(m_dbproc, 15))

            UtilStrCpy(m_txn.Payment.c_middle, pData,
dbdatlen(m_dbproc, 15));

        if
(pData=dbdata(m_dbproc, 16))

            UtilStrCpy(m_txn.Payment.c_street_1, pData,
dbdatlen(m_dbproc, 16));

        if
(pData=dbdata(m_dbproc, 17))

            UtilStrCpy(m_txn.Payment.c_street_2, pData,
dbdatlen(m_dbproc, 17));

        if
(pData=dbdata(m_dbproc, 18))

            UtilStrCpy(m_txn.Payment.c_city, pData,
dbdatlen(m_dbproc, 18));

        if
(pData=dbdata(m_dbproc, 19))

            UtilStrCpy(m_txn.Payment.c_state, pData,
dbdatlen(m_dbproc, 19));

        if
(pData=dbdata(m_dbproc, 20))

            UtilStrCpy(m_txn.Payment.c_zip, pData,
dbdatlen(m_dbproc, 20));

        if
(pData=dbdata(m_dbproc, 21))

            UtilStrCpy(m_txn.Payment.c_phone, pData,
dbdatlen(m_dbproc, 21));

        if
(pData=dbdata(m_dbproc, 22))

            {
                datetime =
*((DBDATETIME *) pData);

                dbdatecrack(m_dbproc, &daterec, &datetime);

                m_txn.Payment.c_since.year =
daterec.year;

                m_txn.Payment.c_since.month =
daterec.month;

                m_txn.Payment.c_since.day = daterec.day;

                m_txn.Payment.c_since.hour =
daterec.hour;

                m_txn.Payment.c_since.minute =
daterec.minute;

                m_txn.Payment.c_since.second =
daterec.second;

            }

        if(pData=dbdata(m_dbproc, 23))

```



```

        UtilStrCpy(m_txn.Payment.c_credit, pData,
dbdatlen(m_dbproc, 23));
        if(pData=dbdata(m_dbproc, 24))
            dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,24), SQLFLT8, (BYTE
*)&m_txn.Payment.c_credit_lim, 8);
        if(pData=dbdata(m_dbproc, 25))
            dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,25), SQLFLT8, (BYTE
*)&m_txn.Payment.c_discount, 8);
        if(pData=dbdata(m_dbproc, 26))
            dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,26), SQLFLT8, (BYTE
*)&m_txn.Payment.c_balance, 8);
        if(pData=dbdata(m_dbproc, 27))
            UtilStrCpy(m_txn.Payment.c_data, pData,
dbdatlen(m_dbproc, 27));
        DiscardNextRows(0);
        DiscardNextResults(0);
        if (m_txn.Payment.c_id
== 0)
            throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
        else
            m_txn.Payment.exec_status_code = eOK;
        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205
(e->m_msgno
        strstr(e-
>m_msgtext, sErrTimeoutExpired) != NULL) &&
(++iTryCount
<= iMaxRetries))
        {
            // hit
            deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    }
} // while (TRUE)

```

```

//      if (iTryCount)
//          throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::OrderStatus()
{
    int          i;
    DBDATETIME  datetime;
    DBDATEREC   daterec;

    int          iTryCount =
0;
    RETCODE     rc;
    const BYTE  *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_orderstatus", 0);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.OrderStatus.w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.OrderStatus.d_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.OrderStatus.c_id);

            // if customer id is
            zero, then order status is by name
            if
(m_txn.OrderStatus.c_id == 0)
                dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.OrderStatus.c_last), (unsigned char
*)&m_txn.OrderStatus.c_last);

            if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            // Get order lines
            if (dbresults(m_dbproc)
!= SUCCEED)
            {
                if
((m_DbLibErr == NULL) && (m_SqlErr == NULL))
                    throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER );
                else

```

```

                ThrowError(CDBLIBERR::eDbResults);
            }
        }
        if (dbnumcols(m_dbproc)
!= 5)
            ThrowError(CDBLIBERR::eWrongNumCols);

        i = 0;
        while (TRUE)
        {
            rc =
dbnextrow(m_dbproc);
            if (rc ==
NO_MORE_ROWS)
                break;
            if (rc !=
REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            if(pData=dbdata(m_dbproc, 1))
                m_txn.OrderStatus.OL[i].ol_supply_w_id =
(*(DBSMALLINT *) pData);
            if(pData=dbdata(m_dbproc, 2))
                m_txn.OrderStatus.OL[i].ol_i_id = (*(DBINT
*) pData);
            if(pData=dbdata(m_dbproc, 3))
                m_txn.OrderStatus.OL[i].ol_quantity =
(*(DBSMALLINT *) pData);
            if(pData=dbdata(m_dbproc, 4))
                dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,4),
SQLFLT8, (BYTE
*)&m_txn.OrderStatus.OL[i].ol_amount, 8);
            if(pData=dbdata(m_dbproc, 5))
            {
                datetime = *((DBDATETIME *) pData);
                dbdatecrack(m_dbproc, &daterec, &datetime);
                m_txn.OrderStatus.OL[i].ol_delivery_d.year
= daterec.year;
                m_txn.OrderStatus.OL[i].ol_delivery_d.month
= daterec.month;
                m_txn.OrderStatus.OL[i].ol_delivery_d.day
= daterec.day;
            }
        }
    }
}

```

```

        m_txn.OrderStatus.OL[i].ol_delivery_d.hour
= daterec.hour;
        m_txn.OrderStatus.OL[i].ol_delivery_d.minut
e = daterec.minute;
        m_txn.OrderStatus.OL[i].ol_delivery_d.secon
d = daterec.second;
                }
                i++;
        }
        m_txn.OrderStatus.o_ol_cnt = i;

        if (dbresults(m_dbproc)
!= SUCCEEDED)
            ThrowError(CDBLIBERR::eDbResults);

        if (dbnextrow(m_dbproc)
!= REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        if (dbnumcols(m_dbproc)
!= 8)
            ThrowError(CDBLIBERR::eWrongNumCols);

        if(pData=dbdata(m_dbproc, 1))
            m_txn.OrderStatus.c_id = (*(DBINT *)
pData);

        if(pData=dbdata(m_dbproc, 2))
            UtilStrCpy(m_txn.OrderStatus.c_last, pData,
dbdatlen(m_dbproc,2));

        if(pData=dbdata(m_dbproc, 3))
            UtilStrCpy(m_txn.OrderStatus.c_first,
pData, dbdatlen(m_dbproc,3));

        if(pData=dbdata(m_dbproc, 4))
            UtilStrCpy(m_txn.OrderStatus.c_middle,
pData, dbdatlen(m_dbproc, 4));

        if(pData=dbdata(m_dbproc, 5))
        {
            datetime =
*(DBDATETIME *) pData);
            dbdatecrack(m_dbproc, &daterec, &datetime);

            m_txn.OrderStatus.o_entry_d.year =
daterec.year;

```

```

        m_txn.OrderStatus.o_entry_d.month =
daterec.month;
        m_txn.OrderStatus.o_entry_d.day =
daterec.day;
        m_txn.OrderStatus.o_entry_d.hour =
daterec.hour;
        m_txn.OrderStatus.o_entry_d.minute =
daterec.minute;
        m_txn.OrderStatus.o_entry_d.second =
daterec.second;
        }
        if(pData=dbdata(m_dbproc, 6))
            m_txn.OrderStatus.o_carrier_id =
(*(DBSMALLINT *) pData);

        if(pData=dbdata(m_dbproc, 7))
            dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,7),
SQLFLT8, (BYTE
*)&m_txn.OrderStatus.c_balance, 8);

        if(pData=dbdata(m_dbproc, 8))
            m_txn.OrderStatus.o_id = (*(DBINT *)
pData);

            DiscardNextRows(0);
            DiscardNextResults(0);

            if
(m_txn.OrderStatus.o_ol_cnt == 0)
                throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER
);
            else if
(m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
                throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
            else
                m_txn.OrderStatus.exec_status_code = eOK;

                return;
            }
        catch (CSQLERR *e)
        {
            if ((e->m_msgno == 1205
== iErrOleDbProvider &&
>m_msgtext, sErrTimeoutExpired) != NULL) &&

```

```

            (++iTryCount
<= iMaxRetries))
        {
            // hit
            deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    } // while (TRUE)

    // if (iTryCount)
    // throw new
    CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Delivery()
{
    int
    int
    i;
    iTryCount =
0;
    const BYTE
    *pData;
    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_delivery", 0);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.Delivery.w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Delivery.o_carrier_id);

            if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            if (dbresults(m_dbproc)
!= SUCCEEDED)
                ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc)
!= REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            if (dbnumcols(m_dbproc)
!= 10)
                ThrowError(CDBLIBERR::eWrongNumCols);

```

```

        for (i=0; i<10; i++)
        {
            if (pData =
dbdata(m_dbproc, i+1))
                m_txn.Delivery.o_id[i] = *((DBINT *)pData);
        }

        DiscardNextRows(0);
        DiscardNextResults(0);

        m_txn.Delivery.exec_status_code = eOK;
        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205
||
(e->m_msgno
== iErrOleDbProvider &&
>m_msgtext, sErrTimeoutExpired) != NULL) &&
(++iTryCount
<= iMaxRetries))
        {
            // hit
            deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    }
} // while (TRUE)

// if (iTryCount)
// throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::ResetError()
{
    if (m_DbLibErr != NULL)
    {
        delete m_DbLibErr;
        m_DbLibErr = (CDBLIBERR*)NULL;
    }

    if (m_SqlErr != NULL)
    {
        delete m_SqlErr;
        m_SqlErr = (CSQLERR*)NULL;
    }

    return;
}

```

## tpcc\_dblib.h

```

/* FILE: TPC_C_DBLIB.H
* Microsoft
TPC-C Kit Ver. 4.20.000
* Copyright
Microsoft, 1999
* All Rights Reserved
*
* Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
* PURPOSE: Header file for TPC-C txn class
implementation.
*
* Change history:
* 4.20.000 - updated rev number to
match kit
*/
#pragma once

#ifndef PDBPROCESS
#define DBPROCESS void // dbprocess structure type
typedef DBPROCESS * PDBPROCESS;
#endif

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CSQLERR : public CBaseErr
{
public:
    CSQLERR(void)
    {
        m_msgno = 0;
        m_msgstate = 0;
        m_severity = 0;
        m_msgtext = NULL;
    };

    ~CSQLERR()
    {
        delete [] m_msgtext;
    };

    int m_msgno;
    int m_msgstate;
    int m_severity;
    char *m_msgtext;

    int ErrorType() {return
ERR_TYPE_SQL;};

    int ErrorNum() {return m_msgno;};
    char *ErrorText() {return
m_msgtext;};

};

class CDBLIBERR : public CBaseErr

```

```

{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eLogin,
        // error from dblogin
        eDbOpen,
        // error from dbopen
        eDbUse,
        // error from dbuse
        eDbSqlExec,
        // error from dbsqlexec
        eDbSet,
        // error from one of the dbset*
        eDbNextRow,
        // error from dbnextrow
        eWrongRowCount,
        // more or less rows returned than expected
        eWrongNumCols,
        // more or less columns returned than
        expected
        eDbResults,
        // error from dbresults
        eDbRpcExec,
        // error from dbrpcexec
        eDbSetMaxProcs,
        // error from dbsetmaxprocs
        eDbProcHandler,
        // error from either dbprocerrhandle or
        dbprocmsghandle
    };

    CDBLIBERR(ACTION eAction, int
severity = 0, int dberror = 0, int oserr = 0)
    {
        m_eAction = eAction;
        m_severity = severity;
        m_dberror = dberror;
        m_oserr = oserr;

        m_dberrstr = NULL;
        m_oserrstr = NULL;
    };

    ~CDBLIBERR()
    {
        delete [] m_dberrstr;
        delete [] m_oserrstr;
    };

    ACTION m_eAction;
    int m_severity;
    int m_dberror;
    int m_oserr;
    char *m_dberrstr;
    char *m_oserrstr;

    int ErrorType() {return
ERR_TYPE_DBLIB;};
}

```

```

        int ErrorNum() {return
m_dberror;};
        char *ErrorText() {return
m_dberrstr;};
};

class CTPCC_DBLIB_ERR : public CBaseErr
{
    public:
        enum CTPCC_DBLIB_ERRS
        {
            ERR_WRONG_SP_VERSION =
1, // "Wrong version of stored procs on
database server"
            ERR_INVALID_CUST,
// "Invalid Customer id,name."
            ERR_NO_SUCH_ORDER,
// "No orders found for
customer."
            ERR_RETRIED_TRANS,
// "Retries before transaction
succeeded."
        };

        CTPCC_DBLIB_ERR( int iErr ) {
m_errno = iErr; m_iTryCount = 0; };

        CTPCC_DBLIB_ERR( int iErr, int
iTryCount ) { m_errno = iErr; m_iTryCount =
iTryCount; };

        int                m_errno;
        int                m_iTryCount;

        int ErrorType() {return
ERR_TYPE_TPCC_DBLIB;};
        int ErrorNum() {return m_errno;};

        char *ErrorText();
};

class DllDecl CTPCC_DBLIB : public CTPCC_BASE
{
    private:
        // declare variables and private
functions here...
        PDBPROCESS        m_dbproc;
        CDBLIBERR *m_DbLibErr;
        // not allocated until needed (maybe never)
        CSQLEERR          *m_SqlErr;
        // not allocated until
needed (maybe never)
        int
        m_MaxRetries; // retry
count on deadlock

        void DiscardNextRows(int
iExpectedCount);
        void DiscardNextResults(int
iExpectedCount);
        void ThrowError(
CDBLIBERR::ACTION eAction );

```

```

void ResetError();

union
{
    NewOrder;           NEW_ORDER_DATA
    Payment;            PAYMENT_DATA
    Delivery;           DELIVERY_DATA
    StockLevel;         STOCK_LEVEL_DATA
    OrderStatus;        ORDER_STATUS_DATA
};

m_txn;

public:
    CTPCC_DBLIB(LPCSTR szServer,
LPCSTR szUser, LPCSTR szPassword, LPCSTR szHost,
LPCSTR szDatabase );
    ~CTPCC_DBLIB(void);

    inline PNEW_ORDER_DATA
    BuffAddr_NewOrder() { return
&m_txn.NewOrder; };
    inline PPAYMENT_DATA
    BuffAddr_Payment() { return
&m_txn.Payment; };
    inline PDELIVERY_DATA
    BuffAddr_Delivery() { return
&m_txn.Delivery; };
    inline PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel() { return
&m_txn.StockLevel; };
    inline PORDER_STATUS_DATA
    BuffAddr_OrderStatus() { return
&m_txn.OrderStatus; };

    void NewOrder        ();
    void Payment         ();
    void Delivery        ();
    void StockLevel     ();
    void OrderStatus    ();

    // these are public because they
must be called from the dblib err_handler and
msg_hangler
    // outside of the class
    void SetDbLibError(int severity,
LPCSTR dberrstr, LPCSTR
oserrstr);
    void SetSqlError( int msgno, int
msgstate, int severity, LPCSTR msgtext );
};

extern "C" DllDecl CTPCC_DBLIB* CTPCC_DBLIB_new
( LPCSTR szServer, LPCSTR szUser, LPCSTR
szPassword, LPCSTR szHost, LPCSTR szDatabase );

```

```

typedef CTPCC_DBLIB* (TYPE_CTPCC_DBLIB)(LPCSTR,
LPCSTR, LPCSTR, LPCSTR);

```

## ***tpcc\_odbc.cpp***

```

/* FILE: TPCC_ODBC.CPP
 * Microsoft
TPC-C Kit Ver. 4.20.000
 * Copyright
Microsoft, 1999
 * All Rights Reserved
 * Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE: Implements ODBC calls for TPC-C
txns.
 * Contact: Charles Levine
(clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - updated rev number to
match kit
 * 4.10.001 - not deleting error
class in catch handler on deadlock retry;
not a
functional bug, but a memory leak
 */

#include <windows.h>
#include <stdio.h>
#include <assert.h>

#define DBNTWIN32
#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>
#include <odbcss.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_odbc.h"

// version string; must match return value from
tpcc_version stored proc
const char sVersion[] = "4.10.000";

const iMaxRetries = 10; // how many
retries on deadlock

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

```

```

static SQLHENV henv = SQL_NULL_HENV;
// ODBC environment handle

BOOL APIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:

            DisableThreadLibraryCalls(hModule);
            if (
SQLAllocHandleStd(SQL_HANDLE_ENV, SQL_NULL_HANDLE,
&henv) != SQL_SUCCESS )
                return FALSE;
                break;

        case DLL_PROCESS_DETACH:
            if (henv != NULL)
                SQLFreeEnv(henv);
                break;

        default:
            /* nothing */;
    }
    return TRUE;
}

/* FUNCTION: CTPCC_ODBC_ERR::ErrorText
*
*/

char* CTPCC_ODBC_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,
"Wrong version of stored procs on database
server" },
        { ERR_INVALID_CUST,
"Invalid Customer id,name." },
        { ERR_NO_SUCH_ORDER,
"No orders found for customer." },
        { ERR_RETRIED_TRANS,
"Retries before transaction succeeded." },
        { 0, "" }
    };

    static char szNotFound[] = "Unknown error
number.";

    for(i=0; errorMsgs[i].szMsg[0]; i++)

```

```

        if ( m_errno ==
errorMsgs[i].iError )
            break;
    }
    if ( !errorMsgs[i].szMsg[0] )
        return szNotFound;
    else
        return errorMsgs[i].szMsg;
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_ODBC* CTPCC_ODBC_new(
LPCSTR szServer, // name of
SQL server
LPCSTR szUser, //
user name for login
LPCSTR szPassword, // password
for login
LPCSTR szHost, //
not used
LPCSTR szDatabase ) // name of
database to use
{
    return new CTPCC_ODBC( szServer, szUser,
szPassword, szHost, szDatabase );
}

CTPCC_ODBC::CTPCC_ODBC (
LPCSTR szServer,
// name of SQL server
LPCSTR szUser,
// user name for login
LPCSTR szPassword,
// password for login
LPCSTR szHost,
// not used
LPCSTR szDatabase
// name of database to use
)
{
    RETCODE rc;

    // initialization
    m_hdbc = SQL_NULL_HDBC;
    m_hstmt = SQL_NULL_HSTMT;

    m_hstmtNewOrder = SQL_NULL_HSTMT;
    m_hstmtPayment = SQL_NULL_HSTMT;
    m_hstmtDelivery = SQL_NULL_HSTMT;
    m_hstmtOrderStatus = SQL_NULL_HSTMT;
    m_hstmtStockLevel = SQL_NULL_HSTMT;

    m_descNewOrderCols1 = SQL_NULL_HDESC;
    m_descNewOrderCols2 = SQL_NULL_HDESC;
    m_descOrderStatusCols1 = SQL_NULL_HDESC;
    m_descOrderStatusCols2 = SQL_NULL_HDESC;

    if ( SQLAllocHandle(SQL_HANDLE_DBC, henv,
&m_hdbc) != SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);

```

```

        if ( SQLSetConnectOption(m_hdbc,
SQL_PACKET_SIZE, 4096) != SQL_SUCCESS )
            ThrowError(CODBCERR::eConnOption);
    {
        char
szConnectStr[256];
        char
szOutStr[1024];
        SQLSMALLINT
iOutStrLen;

        sprintf( szConnectStr,
"DRIVER=SQL
Server;SERVER=%s;UID=%s;PWD=%s;DATABASE=%s",
szServer, szUser,
szPassword, szDatabase );

        rc = SQLDriverConnect(m_hdbc,
NULL, (SQLCHAR*)szConnectStr, sizeof(szConnectStr),
(SQLCHAR*)szOutStr,
sizeof(szOutStr), &iOutStrLen,
SQL_DRIVER_NOPROMPT );

        if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
            ThrowError(CODBCERR::eConnect);
    }

    if (SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc,
&m_hstmt) != SQL_SUCCESS)
        ThrowError(CODBCERR::eAllocHandle);
    {
        char
buffer[128];

        // set some options affecting
connection behavior
strcpy(buffer, "set nocount on
");
        strcat(buffer, "set XACT_ABORT ON
");

        // for coyote
        strcat(buffer, "set ansi_warnings
on ");
        strcat(buffer, "set ansi_nulls on
");

        rc = SQLExecDirect(m_hstmt,
(unsigned char *)buffer, SQL_NTS);
        if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
            ThrowError(CODBCERR::eExecDirect);

        // verify that version of stored
procs on server is correct
        char db_sp_version[10];

```

```

        strcpy(buffer, "{call
tpcc_version}");
        rc = SQLExecDirect(m_hstmt,
(unsigned char *)buffer, SQL_NTS);
        if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)

            ThrowError(CODBCERR::eExecDirect);
            if ( SQLBindCol(m_hstmt, 1,
SQL_C_CHAR, &db_sp_version, sizeof(db_sp_version),
NULL) != SQL_SUCCESS )

                ThrowError(CODBCERR::eBindCol);
                if ( SQLFetch(m_hstmt) ==
SQL_ERROR )

                    ThrowError(CODBCERR::eFetch);
                    if
(strcmp(db_sp_version,sVersion))
                        throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_WRONG_SP_VERSION
);

                SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmt);
            }

            // Bind parameters for each of the
transactions
            InitNewOrderParams();
            InitPaymentParams();
            InitOrderStatusParams();
            InitDeliveryParams();
            InitStockLevelParams();
        }

CTPCC_ODBC::~CTPCC_ODBC( void )
{
    // note: descriptors are automatically
released when the connection is dropped
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtNewOrder);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtPayment);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtDelivery);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtOrderStatus);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtStockLevel);

    SQLDisconnect(m_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, m_hdbc);
}

void CTPCC_ODBC::ThrowError( CODBCERR::ACTION eAction
)
{
    RETCODE          rc;
    SDWORD           lNativeError;
    char             szState[6];
    char             szMsg[SQL_MAX_MESSAGE_LENGTH];

```

```

    char
    szTmp[6*SQL_MAX_MESSAGE_LENGTH];
    CODBCERR *pODBCErr;
    // not allocated until needed (maybe never)

    pODBCErr = new CODBCERR();

    pODBCErr->m_NativeError = 0;
    pODBCErr->m_eAction = eAction;
    pODBCErr->m_bDeadLock = FALSE;

    szTmp[0] = 0;
    while (TRUE)
    {
        rc = SQLError(henv, m_hdbc,
m_hstmt, (BYTE *)&szState, &lNativeError,
(BYTE *)&szMsg, sizeof(szMsg), NULL);
        if (rc == SQL_NO_DATA)
            break;

        // check for deadlock
        if (lNativeError == 1205 ||
(lNativeError == iErrOleDbProvider &&
strstr(szMsg,
sErrTimeoutExpired) != NULL))
            pODBCErr->m_bDeadLock =
TRUE;

        // capture the (first) database
error
        if (pODBCErr->m_NativeError == 0
&& lNativeError != 0)
            pODBCErr->m_NativeError
= lNativeError;

        // quit if there isn't enough
room to concatenate error text
        if ( (strlen(szMsg) + 2) >
(sizeof(szTmp) - strlen(szTmp)) )
            break;

        // include line break after first
error msg
        if (szTmp[0] != 0)
            strcat( szTmp, "\n");
            strcat( szTmp, szMsg );
    }

    if (pODBCErr->m_odbcerrstr != NULL)
    {
        delete [] pODBCErr->m_odbcerrstr;
        pODBCErr->m_odbcerrstr = NULL;
    }

    if (strlen(szTmp) > 0)
    {
        pODBCErr->m_odbcerrstr = new
char[ strlen(szTmp)+1 ];
        strcpy( pODBCErr->m_odbcerrstr,
szTmp );
    }

```

```

        SQLFreeStmt(m_hstmt, SQL_CLOSE);
        throw pODBCErr;
    }

void CTPCC_ODBC::InitStockLevelParams(
)
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtStockLevel) != SQL_SUCCESS )

        ThrowError(CODBCERR::eAllocHandle);

        m_hstmt = m_hstmtStockLevel;

        int i = 0;
        if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.StockLevel.w_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_TINYINT, SQL_TINYINT, 0, 0,
&m_txn.StockLevel.d_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.StockLevel.threshold, 0, NULL) != SQL_SUCCESS
)
            ThrowError(CODBCERR::eBindParam);

        if ( SQLBindCol(m_hstmt, 1, SQL_C_SLONG,
&m_txn.StockLevel.low_stock, 0, NULL) != SQL_SUCCESS
)
            ThrowError(CODBCERR::eBindCol);
    }

void CTPCC_ODBC::StockLevel(
)
{
    RETCODE          rc;
    int              iTryCount =
0;

    m_hstmt = m_hstmtStockLevel;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)"L" {call
tpcc_stocklevel(?,?,?)", SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)

                ThrowError(CODBCERR::eExecDirect);

                if ( SQLFetch(m_hstmt)
== SQL_ERROR )

                    ThrowError(CODBCERR::eFetch);

                    SQLFreeStmt(m_hstmt,
SQL_CLOSE);

                    m_txn.StockLevel.exec_status_code = eOK;
                    break;

```

```

    }
    catch (COBDCERR *e)
    {
        if (!e->m_bDeadLock)
        || (++iTryCount > iMaxRetries))
            throw;

        // hit deadlock;
        backoff for increasingly longer period
        delete e;
        Sleep(10 * iTryCount);
    }

    // if (iTryCount)
    // throw new
    CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
    iTryCount);
}

void CTPCC_ODBC::InitNewOrderParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
    m_hdbc, &m_hstmtNewOrder) != SQL_SUCCESS
    ||
    SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
    &m_descNewOrderCols1) != SQL_SUCCESS
    ||
    SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
    &m_descNewOrderCols2) != SQL_SUCCESS
    )

        ThrowError(COBCERR::eAllocHandle);

    m_hstmt = m_hstmtNewOrder;

    if ( SQLSetStmtAttrW( m_hstmt,
    SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols1,
    SQL_IS_POINTER ) != SQL_SUCCESS )

        ThrowError(COBCERR::eSetStmtAttr);

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
    SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
    &m_txn.NewOrder.w_id, 0, NULL) != SQL_SUCCESS
    || SQLBindParameter(m_hstmt, ++i,
    SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
    &m_txn.NewOrder.d_id, 0, NULL) != SQL_SUCCESS
    || SQLBindParameter(m_hstmt, ++i,
    SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
    &m_txn.NewOrder.c_id, 0, NULL) != SQL_SUCCESS
    || SQLBindParameter(m_hstmt, ++i,
    SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
    &m_txn.NewOrder.o_ol_cnt, 0, NULL) != SQL_SUCCESS
    || SQLBindParameter(m_hstmt, ++i,
    SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
    &m_txn.NewOrder.o_all_local, 0, NULL) != SQL_SUCCESS
    )
        ThrowError(COBCERR::eBindParam);

    for (int j=0; j<MAX_OL_NEW_ORDER_ITEMS;
    j++)

```

```

    {
        if ( SQLBindParameter(m_hstmt,
    ++i, SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
    &m_txn.NewOrder.OL[j].ol_i_id, 0, NULL) !=
    SQL_SUCCESS
        ||
        SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
    SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
    &m_txn.NewOrder.OL[j].ol_supply_w_id, 0, NULL) !=
    SQL_SUCCESS
        ||
        SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
    SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
    &m_txn.NewOrder.OL[j].ol_quantity, 0, NULL) !=
    SQL_SUCCESS
        )
            ThrowError(COBCERR::eBindParam);
    }

    #ifndef new_order_strstr
        // set the bind offset pointer
        if ( SQLSetStmtAttrW( m_hstmt,
    SQL_ATTR_ROW_BIND_OFFSET_PTR, &BindOffset,
    SQL_IS_POINTER ) != SQL_SUCCESS )

            ThrowError(COBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
    &m_txn.NewOrder.OL[0].ol_i_name,
    sizeof(m_txn.NewOrder.OL[0].ol_i_name), NULL) !=
    SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_SSHORT, &m_txn.NewOrder.OL[0].ol_stock, 0,
    NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_CHAR, &m_txn.NewOrder.OL[0].ol_brand_generic,
    sizeof(m_txn.NewOrder.OL[0].ol_brand_generic), NULL)
    != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_DOUBLE, &m_txn.NewOrder.OL[0].ol_i_price, 0,
    NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_DOUBLE, &m_txn.NewOrder.OL[0].ol_amount, 0,
    NULL) != SQL_SUCCESS
        )
            ThrowError(COBCERR::eBindCol);
    #else
        // prototype to eliminate patindex in
        server: shift work to client
        i = 0;
        if ( SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
    &m_ol_i_name, sizeof(m_ol_i_name), NULL) !=
    SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_SSHORT, &m_ol_stock, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_CHAR, &m_i_data, sizeof(m_i_data), NULL) !=
    SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_CHAR, &m_s_data, sizeof(m_s_data), NULL) !=
    SQL_SUCCESS
        )

```

```

        || SQLBindCol(m_hstmt, ++i,
    SQL_C_DOUBLE, &m_ol_i_price, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
    SQL_C_DOUBLE, &m_ol_amount, 0, NULL) != SQL_SUCCESS
        )
            ThrowError(COBCERR::eBindCol);
    #endif

    // associate the column bindings for the
    second result set
    if ( SQLSetStmtAttrW( m_hstmt,
    SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols2,
    SQL_IS_POINTER ) != SQL_SUCCESS )

        ThrowError(COBCERR::eSetStmtAttr);

    i = 0;
    if ( SQLBindCol(m_hstmt, ++i,
    SQL_C_DOUBLE, &m_txn.NewOrder.w_tax, 0, NULL) !=
    SQL_SUCCESS
    || SQLBindCol(m_hstmt, ++i,
    SQL_C_DOUBLE, &m_txn.NewOrder.d_tax, 0, NULL) !=
    SQL_SUCCESS
    || SQLBindCol(m_hstmt, ++i,
    SQL_C_SLONG, &m_txn.NewOrder.o_id, 0, NULL) !=
    SQL_SUCCESS
    || SQLBindCol(m_hstmt, ++i,
    SQL_C_CHAR, &m_txn.NewOrder.c_last,
    sizeof(m_txn.NewOrder.c_last), NULL) != SQL_SUCCESS
    || SQLBindCol(m_hstmt, ++i,
    SQL_C_DOUBLE, &m_txn.NewOrder.c_discount, 0, NULL)
    != SQL_SUCCESS
    || SQLBindCol(m_hstmt, ++i,
    SQL_C_CHAR, &m_txn.NewOrder.c_credit,
    sizeof(m_txn.NewOrder.c_credit), NULL) != SQL_SUCCESS
    || SQLBindCol(m_hstmt, ++i,
    SQL_C_TYPE_TIMESTAMP, &m_txn.NewOrder.o_entry_d, 0,
    NULL) != SQL_SUCCESS
    || SQLBindCol(m_hstmt, ++i,
    SQL_C_SLONG, &m_no_commit_flag, 0, NULL) !=
    SQL_SUCCESS
    )
        ThrowError(COBCERR::eBindCol);
}

void CTPCC_ODBC::NewOrder()
{
    int
    i;
    RETCODE rc;
    int
    iTryCount = 0;

    0 1 2

    012345678901234567890123456789
    wchar_t
    szSqlTemplate[] = L"call
    tpcc_neworder(?,?,?,?,"

```

```

L"?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?,"
L"?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?,"
L"?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?}";

    m_hstmt = m_hstmtNewOrder;

    // associate the parameter and column
bindings for this transaction
    if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )

        ThrowError(CODBCERR::eSetStmtAttr);

// clip statement buffer based on number of
parameters
// fixed part is 29 chars and variable part
is 6 chars per line item
i = 29 + m_txn.NewOrder.o_ol_cnt*6;
wcscpy( &szSqlTemplate[i], L" }" );

// check whether any order lines are for a
remote warehouse
m_txn.NewOrder.o_all_local = 1;
for ( i = 0; i < m_txn.NewOrder.o_ol_cnt;
i++)
{
    if
(m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
    {
        m_txn.NewOrder.o_all_local = 0; // at
least one remote warehouse
        break;
    }
}

while (TRUE)
{
    try
    {
        m_BindOffset = 0;
        rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)szSqlTemplate,
SQL_NTS);
        if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)
            ThrowError(CODBCERR::eExecDirect);

        // Get order line
        results
        m_txn.NewOrder.total_amount = 0;
        for ( i = 0;
i<m_txn.NewOrder.o_ol_cnt; i++)

```

```

{
#ifdef new_order_strstr
// set the
bind offset value...
m_BindOffset
= i * sizeof(m_txn.NewOrder.OL[0]);

    if (
SQLFetch(m_hstmt) == SQL_ERROR)
        ThrowError(CODBCERR::eFetch);
#else
    if (
SQLFetch(m_hstmt) == SQL_ERROR)
        ThrowError(CODBCERR::eFetch);

        strcpy(
m_txn.NewOrder.OL[i].ol_i_name, m_ol_i_name );

    if (
strstr(m_i_data, "ORIGINAL") != NULL &&
strstr(m_s_data, "ORIGINAL") != NULL )

        m_txn.NewOrder.OL[i].ol_brand_generic[0] =
'B';
    else
        m_txn.NewOrder.OL[i].ol_brand_generic[0] =
'G';
    m_txn.NewOrder.OL[i].ol_brand_generic[1] =
0;

    m_txn.NewOrder.OL[i].ol_stock
= m_ol_stock;

    m_txn.NewOrder.OL[i].ol_i_price
= m_ol_i_price;

    m_txn.NewOrder.OL[i].ol_amount
= m_ol_amount;
#endif

// move to
the next resultset
if (
SQLMoreResults(m_hstmt) == SQL_ERROR )
    ThrowError(CODBCERR::eMoreResults);

    m_txn.NewOrder.total_amount +=
m_txn.NewOrder.OL[i].ol_amount;
}

// associate the column
bindings for the second result set
if ( SQLSetStmAttrW(
m_hstmt, SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols2,
SQL_IS_POINTER ) != SQL_SUCCESS )

```

```

        ThrowError(CODBCERR::eSetStmtAttr);

        if ( SQLFetch(m_hstmt)
== SQL_ERROR)
            ThrowError(CODBCERR::eFetch);

        SQLFreeStmt(m_hstmt,
SQL_CLOSE);

        if (m_no_commit_flag ==
1)
        {
            m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
m_txn.NewOrder.c_discount));

            m_txn.NewOrder.exec_status_code = eOK;
        }
        else
            m_txn.NewOrder.exec_status_code =
eInvalidItem;

        break;
    }
    catch (CODBCERR *e)
    {
        if (!e->m_bDeadLock)
        {
            if (++iTryCount > iMaxRetries)
                throw;

            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
    }

    if (iTryCount)
        throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitPaymentParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtPayment) != SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtPayment;

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Payment.w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Payment.c_w_id, 0, NULL) != SQL_SUCCESS

```



```

        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_DOUBLE, SQL_NUMERIC, 6, 2,
&m_txn.Payment.h_amount, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.Payment.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.Payment.c_d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.Payment.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_CHAR, SQL_CHAR,
sizeof(m_txn.Payment.c_last), 0,
&m_txn.Payment.c_last, sizeof(m_txn.Payment.c_last),
NULL) != SQL_SUCCESS
    )
    ThrowError(CODBCERR::eBindParam);

    i = 0;
    if (
SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.Payment.c_id, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_last,
sizeof(m_txn.Payment.c_last), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.Payment.h_date,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_street_1,
sizeof(m_txn.Payment.w_street_1), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_street_2,
sizeof(m_txn.Payment.w_street_2), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_city,
sizeof(m_txn.Payment.w_city), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_state,
sizeof(m_txn.Payment.w_state), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.w_zip,
sizeof(m_txn.Payment.w_zip), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_street_1,
sizeof(m_txn.Payment.d_street_1), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_street_2,
sizeof(m_txn.Payment.d_street_2), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_city,
sizeof(m_txn.Payment.d_city), NULL) !=
SQL_SUCCESS

```

```

        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_state,
sizeof(m_txn.Payment.d_state), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.d_zip,
sizeof(m_txn.Payment.d_zip), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_first,
sizeof(m_txn.Payment.c_first), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_middle,
sizeof(m_txn.Payment.c_middle), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_street_1,
sizeof(m_txn.Payment.c_street_1), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_street_2,
sizeof(m_txn.Payment.c_street_2), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_city,
sizeof(m_txn.Payment.c_city), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_state,
sizeof(m_txn.Payment.c_state), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_zip,
sizeof(m_txn.Payment.c_zip), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_phone,
sizeof(m_txn.Payment.c_phone), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.Payment.c_since,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_credit,
sizeof(m_txn.Payment.c_credit), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_credit_lim, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_discount, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_balance, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_data,
sizeof(m_txn.Payment.c_data), NULL) !=
SQL_SUCCESS
    )
    ThrowError(CODBCERR::eBindCol);
}

```

```

void CTPCC_ODBC::Payment()
{
    RETCODE rc;
    int iTryCount =
0;

    m_hstmt = m_hstmtPayment;

    if (m_txn.Payment.c_id != 0)
        m_txn.Payment.c_last[0] = 0;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)L"{call
tpcc_payment(?,?,?,?,?,?)}", SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)

                ThrowError(CODBCERR::eExecDirect);

            if (SQLFetch(m_hstmt)
== SQL_ERROR)

                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt,
SQL_CLOSE);

            if (m_txn.Payment.c_id
== 0)

                throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_INVALID_CUST );
            else

                m_txn.Payment.exec_status_code = eOK;

            break;
        }
        catch (CODBCERR *e)
        {
            if (!e->m_bDeadLock)
                throw;

            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
    }

    // if (iTryCount)
    // throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitOrderStatusParams()
{

```

```

        if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtOrderStatus) != SQL_SUCCESS
        ||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols1) != SQL_SUCCESS
        ||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols2) != SQL_SUCCESS
        )

        ThrowError(CODBCERR::eAllocHandle);

        m_hstmt = m_hstmtOrderStatus;

        if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )

        ThrowError(CODBCERR::eSetStmtAttr);

        int i = 0;
        if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.OrderStatus.w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.OrderStatus.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.OrderStatus.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_CHAR, SQL_CHAR,
sizeof(m_txn.OrderStatus.c_last), 0,
&m_txn.OrderStatus.c_last,
sizeof(m_txn.OrderStatus.c_last), NULL) !=
SQL_SUCCESS
        )
        ThrowError(CODBCERR::eBindParam);

        // configure block cursor
        if ( SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROW_BIND_TYPE,
(SQLPOINTER)sizeof(m_txn.OrderStatus.OL[0]), 0) !=
SQL_SUCCESS
        || SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROWS_FETCHED_PTR, &m_RowsFetched, 0) !=
SQL_SUCCESS
        )

        ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT,
&m_txn.OrderStatus.OL[0].ol_supply_w_id, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.OL[0].ol_i_id, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.OrderStatus.OL[0].ol_quantity,
0, NULL) != SQL_SUCCESS

```

```

        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.OrderStatus.OL[0].ol_amount, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP,
&m_txn.OrderStatus.OL[0].ol_delivery_d, 0, NULL) !=
SQL_SUCCESS
        )
        ThrowError(CODBCERR::eBindCol);

        if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols2,
SQL_IS_POINTER ) != SQL_SUCCESS )

        ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.c_id, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_last,
sizeof(m_txn.OrderStatus.c_last), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_first,
sizeof(m_txn.OrderStatus.c_first), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_middle,
sizeof(m_txn.OrderStatus.c_middle), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.OrderStatus.o_entry_d,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.OrderStatus.o_carrier_id, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.OrderStatus.c_balance, 0, NULL)
!= SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.o_id, 0, NULL) !=
SQL_SUCCESS
        )
        ThrowError(CODBCERR::eBindCol);
}

void CTPCC_ODBC::OrderStatus()
{
    int        iTryCount = 0;
    RETCODE
    rc;

    m_hstmt = m_hstmtOrderStatus;

    if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )

        ThrowError(CODBCERR::eSetStmtAttr);

```

```

        if (m_txn.OrderStatus.c_id != 0)
            m_txn.OrderStatus.c_last[0] = 0;

        while (TRUE)
        {
            try
            {
                // configure block
                cursor
                if (
SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)1, 0) != SQL_SUCCESS )

                ThrowError(CODBCERR::eSetStmtAttr);

                rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)"L'{call
tpcc_orderstatus(?,?,?,?)}'", SQL_NTS);
                if ( (rc ==
SQL_SUCCESS_WITH_INFO) && (m_RowsFetched != 0) ||
(rc == SQL_ERROR) )

                ThrowError(CODBCERR::eExecDirect);

                // configure block
                cursor
                if (
SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)MAX_OL_ORDER_STATUS_ITEMS, 0) !=
SQL_SUCCESS )

                ThrowError(CODBCERR::eSetStmtAttr);

                rc = SQLFetchScroll(
m_hstmt, SQL_FETCH_NEXT, 0 );
                if ( (rc ==
SQL_SUCCESS_WITH_INFO) && (m_RowsFetched != 0) ||
(rc == SQL_ERROR) )

                ThrowError(CODBCERR::eFetchScroll);

                m_txn.OrderStatus.o_ol_cnt =
(short)m_RowsFetched;

                if
(m_txn.OrderStatus.o_ol_cnt != 0)
                {
                    if (
SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descOrderStatusCols2, SQL_IS_POINTER ) !=
SQL_SUCCESS )

                    ThrowError(CODBCERR::eSetStmtAttr);

                    if (
SQLMoreResults(m_hstmt) == SQL_ERROR )

                    ThrowError(CODBCERR::eMoreResults);

                    if ( (rc =
SQLFetch(m_hstmt)) == SQL_ERROR)

```

```

        ThrowError(CODBCERR::eFetch);
    }

    SQLFreeStmt(m_hstmt,
SQL_CLOSE);

    if
(m_txn.OrderStatus.o_ol_cnt == 0)
        throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_NO_SUCH_ORDER );
    else if
(m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
        throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_INVALID_CUST );
    else
        m_txn.OrderStatus.exec_status_code = eOK;

        break;
    }
    catch (CODBCERR *e)
    {
        if (!(e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))
            throw;

        // hit deadlock;
        backoff for increasingly longer period
        delete e;
        Sleep(10 * iTryCount);
    }
}

// if (iTryCount)
// throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitDeliveryParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtDelivery) != SQL_SUCCESS )

        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtDelivery;

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Delivery.w_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Delivery.o_carrier_id, 0, NULL) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eBindParam);

    for (i=0;i<10;i++)
    {

```

```

        if ( SQLBindCol(m_hstmt,
(UWORD)(i+1), SQL_C_SLONG, &m_txn.Delivery.o_id[i],
0, NULL) != SQL_SUCCESS )

            ThrowError(CODBCERR::eBindCol);
    }
}

void CTPCC_ODBC::Delivery()
{
    RETCODE rc;
    int iTryCount =
0;

    m_hstmt = m_hstmtDelivery;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, (SQLWCHAR*)L"call
tpcc_delivery(?,?)", SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)

                ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt)
== SQL_ERROR )

                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt,
SQL_CLOSE);

            m_txn.Delivery.exec_status_code = eOK;
            break;
        }
        catch (CODBCERR *e)
        {
            if (!(e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))
                throw;

            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
    }

    if (iTryCount)
        throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

tpcc_odbc.h
/* FILE: TPCC_ODBC.H

```

```

* Microsoft
TPC-C Kit Ver. 4.20.000
* Copyright
Microsoft, 1999
* All Rights Reserved
*
* Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
* PURPOSE: Header file for TPC-C txn class
implementation.
*
* Change history:
* 4.20.000 - updated rev number to
match kit
*/
#pragma once

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CODBCERR : public CBaseErr
{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eAllocConn,
        // error from SQLAllocConnect
        eAllocHandle,
        // error from SQLAllocHandle
        eConnOption,
        // error from SQLSetConnectOption
        eConnect,
        // error from SQLConnect
        eAllocStmt,
        // error from SQLAllocStmt
        eExecDirect,
        // error from SQLExecDirect
        eBindParam,
        // error from SQLBindParameter
        eBindCol,
        // error from SQLBindCol
        eFetch,
        // error from SQLFetch
        eFetchScroll,
        // error from SQLFetchScroll
        eMoreResults,
        // error from SQLMoreResults
        ePrepare,
        // error from SQLPrepare
        eExecute,
        // error from SQLExecute
        eSetEnvAttr,
        // error from SQLSetEnvAttr
        eSetStmtAttr,
        // error from SQLSetStmtAttr

```

```

};
COBDCERR(void)
{
    m_eAction = eNone;
    m_NativeError = 0;
    m_bDeadLock = FALSE;
    m_odbcerrstr = NULL;
};
~COBDCERR()
{
    if (m_odbcerrstr !=
NULL)
        delete []
m_odbcerrstr;
};
ACTION    m_eAction;
int
m_NativeError;
BOOL      m_bDeadLock;
char      *m_odbcerrstr;

int ErrorType() {return
ERR_TYPE_ODBC;};
int ErrorNum() {return
m_NativeError;};
char *ErrorText() {return
m_odbcerrstr;};
};

class CTPCC_ODBC_ERR : public CBaseErr
{
public:
    enum TPCC_ODBC_ERRS
    {
        ERR_WRONG_SP_VERSION =
1, // "Wrong version of stored procs on
database server"
        ERR_INVALID_CUST,
// "Invalid Customer id,name."
        ERR_NO_SUCH_ORDER,
// "No orders found for
customer."
        ERR_RETRIED_TRANS,
// "Retries before transaction
succeeded."
    };

    CTPCC_ODBC_ERR( int iErr ) {
m_errno = iErr; m_iTryCount = 0; };

    CTPCC_ODBC_ERR( int iErr, int
iTryCount ) { m_errno = iErr; m_iTryCount =
iTryCount; };

    int            m_errno;
    int            m_iTryCount;

    int ErrorType() {return
ERR_TYPE_TPCC_ODBC;};
};

```

```

int ErrorNum() {return m_errno;};
char *ErrorText();
};

class DllDecl CTPCC_ODBC : public CTPCC_BASE
{
private:
// declare variables and private
functions here...
    BOOL            m_bDeadlock;
// transaction was selected as
deadlock victim
    int
m_MaxRetries; // retry
count on deadlock

    SQLHENV         m_henv;
// ODBC environment
handle
    SQLHDBC         m_hdbc;
    SQLHSTMT        m_hstmt;
// the current hstmt

    SQLHSTMT        m_hstmtNewOrder;
    SQLHSTMT        m_hstmtPayment;
    SQLHSTMT        m_hstmtDelivery;
    SQLHSTMT        m_hstmtOrderStatus;
    SQLHSTMT        m_hstmtStockLevel;

    SQLHDESC        m_descNewOrderCols1;
    SQLHDESC        m_descNewOrderCols2;
    SQLHDESC        m_descOrderStatusCols1;
    SQLHDESC        m_descOrderStatusCols2;

// new-order specific fields
    SQLUIINTEGER    m_BindOffset;
    SQLUIINTEGER
m_RowsFetched;
    int
m_no_commit_flag;

#ifdef new_order_strstr
// for new-order txn;
// output params
char
m_ol_i_name[I_NAME_LEN+1];
double        m_ol_i_price;
double        m_ol_amount;
short         m_ol_stock;
// used locally, but not returned

to caller
char
m_i_data[I_DATA_LEN];
char
m_s_data[S_DATA_LEN];
#endif

    void ThrowError( COBDCERR::ACTION
eAction );

    void InitNewOrderParams();
    void InitPaymentParams();
};

```

```

void InitDeliveryParams();
void InitStockLevelParams();
void InitOrderStatusParams();

union
{
    NEW_ORDER_DATA
NewOrder;
    PAYMENT_DATA
Payment;
    DELIVERY_DATA
Delivery;
    STOCK_LEVEL_DATA
StockLevel;
    ORDER_STATUS_DATA
OrderStatus;
};
m_txn;

public:
    CTPCC_ODBC(LPCSTR szServer,
LPCSTR szUser, LPCSTR szPassword, LPCSTR szHost,
LPCSTR szDatabase);
    ~CTPCC_ODBC(void);

    inline PNEW_ORDER_DATA
BuffAddr_NewOrder() { return
&m_txn.NewOrder; };
    inline PPAYMENT_DATA
BuffAddr_Payment() { return
&m_txn.Payment; };
    inline PDELIVERY_DATA
BuffAddr_Delivery() { return
&m_txn.Delivery; };
    inline PSTOCK_LEVEL_DATA
BuffAddr_StockLevel() { return
&m_txn.StockLevel; };
    inline PORDER_STATUS_DATA
BuffAddr_OrderStatus() { return
&m_txn.OrderStatus; };

    void NewOrder            ();
    void Payment             ();
    void Delivery            ();
    void StockLevel          ();
    void OrderStatus        ();
};

// wrapper routine for class constructor
extern "C" DllDecl CTPCC_ODBC* CTPCC_ODBC_new
( LPCSTR szServer, LPCSTR szUser, LPCSTR
szPassword, LPCSTR szHost, LPCSTR szDatabase );

typedef CTPCC_ODBC* (TYPE_CTPCC_ODBC)(LPCSTR, LPCSTR,
LPCSTR, LPCSTR, LPCSTR);

trans.h
/* FILE: TRANS.H

```

```

*                               Microsoft
TPC-C Kit Ver. 4.20.000
*                               Copyright
Microsoft, 1999
*                               All Rights Reserved
*
*                               Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*   PURPOSE: Header file for TPC-C structure
templates.
*
*   Change history:
*       4.20.000 - updated rev number to
match kit
*/
#pragma once

// String length constants
#define SERVER_NAME_LEN          20
#define DATABASE_NAME_LEN       20
#define USER_NAME_LEN           20
#define PASSWORD_LEN            20
#define TABLE_NAME_LEN        20
#define I_DATA_LEN              50
#define I_NAME_LEN              24
#define BRAND_LEN               1
#define LAST_NAME_LEN           16
#define W_NAME_LEN              10
#define ADDRESS_LEN             20
#define STATE_LEN               2
#define ZIP_LEN                 9
#define S_DIST_LEN              24
#define S_DATA_LEN              50
#define D_NAME_LEN              10
#define FIRST_NAME_LEN          16
#define MIDDLE_NAME_LEN        2
#define PHONE_LEN               16
#define DATETIME_LEN            30
#define CREDIT_LEN              2
#define C_DATA_LEN              250
#define H_DATA_LEN              24
#define DIST_INFO_LEN           24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN              25
#define OL_DIST_INFO_LEN        24

// TIMESTAMP_STRUCT is provided by the ODBC header
file sqltypes.h, but is not available
// when compiling with dllib, so redefined here.
Note: we are using the symbol "__SQLTYPES"
// (declared in sqltypes.h) as a way to determine if
TIMESTAMP_STRUCT has been declared.
#ifdef __SQLTYPES
typedef struct
{
    short
    /* SQLSMALLINT */ year;
    unsigned short
    SQLUSMALLINT */ month;

```

```

    unsigned short /*
    SQLUSMALLINT */ day;
    unsigned short /*
    SQLUSMALLINT */ hour;
    unsigned short /*
    SQLUSMALLINT */ minute;
    unsigned short /*
    SQLUSMALLINT */ second;
    unsigned long /*
    SQLINTEGER */ fraction;
} TIMESTAMP_STRUCT;
#endif

// possible values for exec_status_code after
transaction completes
enum EXEC_STATUS
{
    eOK, // 0
    "Transaction committed.",
    eInvalidItem, // 1 "Item number
    is not valid.",
    eDeliveryFailed // 2 "Delivery
    Post Failed."
};

// transaction structures
typedef struct
{
    // input params
    short
    ol_supply_w_id;
    long
    ol_i_id;
    short
    ol_quantity;

    // output params
    char
    ol_i_name[I_NAME_LEN+1];
    char
    ol_brand_generic[BRAND_LEN+1];
    double
    ol_i_price;
    double
    ol_amount;
    short
    ol_stock;
} OL_NEW_ORDER_DATA;

typedef struct
{
    // input params
    short
    w_id;
    short
    d_id;
    long
    c_id;
    short
    o_ol_cnt;

    // output params
    EXEC_STATUS
    exec_status_code;
    char
    c_last[LAST_NAME_LEN+1];
    char
    c_credit[CREDIT_LEN+1];

```

```

    double
    c_discount;
    double
    w_tax;
    double
    d_tax;
    long
    o_id;
    short
    o_commit_flag;
    TIMESTAMP_STRUCT
    o_entry_d;
    short
    o_all_local;
    double
    total_amount;
    OL_NEW_ORDER_DATA
    OL[MAX_OL_NEW_ORDER_ITEMS];
} NEW_ORDER_DATA, *PNEW_ORDER_DATA;

typedef struct
{
    // input params
    short
    w_id;
    short
    d_id;
    long
    c_id;
    short
    c_d_id;
    short
    c_w_id;
    double
    h_amount;
    char
    c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS
    exec_status_code;
    TIMESTAMP_STRUCT
    h_date;
    char
    w_street_1[ADDRESS_LEN+1];
    char
    w_street_2[ADDRESS_LEN+1];
    char
    w_city[ADDRESS_LEN+1];
    char
    w_state[STATE_LEN+1];
    char
    w_zip[ZIP_LEN+1];
    char
    d_street_1[ADDRESS_LEN+1];
    char
    d_street_2[ADDRESS_LEN+1];
    char
    d_city[ADDRESS_LEN+1];
    char
    d_state[STATE_LEN+1];
    char
    d_zip[ZIP_LEN+1];
    char
    c_first[FIRST_NAME_LEN+1];
    char
    c_middle[MIDDLE_NAME_LEN + 1];
    char
    c_street_1[ADDRESS_LEN+1];
    char
    c_street_2[ADDRESS_LEN+1];

```

```

        char
c_city[ADDRESS_LEN+1];
        char
c_state[STATE_LEN+1];
        char
c_zip[ZIP_LEN+1];
        char
c_phone[PHONE_LEN+1];
        TIMESTAMP_STRUCT    c_since;
        char
c_credit[CREDIT_LEN+1];
        double
c_credit_lim;
        double
c_discount;
        double
c_balance;
        char
c_data[200+1];
    } PAYMENT_DATA, *PPAYMENT_DATA;

typedef struct
{
        long
ol_i_id;
        short
ol_supply_w_id;
        short
ol_quantity;
        double
ol_amount;
        TIMESTAMP_STRUCT    ol_delivery_d;
} OL_ORDER_STATUS_DATA;

typedef struct
{
        // input params
        short                w_id;
        short                d_id;
        long                 c_id;
        char
c_last[LAST_NAME_LEN+1];

        // output params
        EXEC_STATUS
exec_status_code;
        char
c_first[FIRST_NAME_LEN+1];
        char
c_middle[MIDDLE_NAME_LEN+1];
        double                c_balance;
        long                 o_id;
        TIMESTAMP_STRUCT    o_entry_d;
        short                o_carrier_id;
        OL_ORDER_STATUS_DATA
OL[MAX_OL_ORDER_STATUS_ITEMS];
        short                o_ol_cnt;
} ORDER_STATUS_DATA, *PORDER_STATUS_DATA;

typedef struct
{
        // input params
        short                w_id;
        short                o_carrier_id;

```

```

        // output params
        EXEC_STATUS
exec_status_code;
        SYSTEMTIME
long                queue_time;
        long
o_id[10];          // id's of delivered
orders for districts 1 to 10
} DELIVERY_DATA, *PDELIVERY_DATA;

//This structure is used for posting delivery
transactions and for writing them to the delivery
server.
typedef struct _DELIVERY_TRANSACTION
{
        SYSTEMTIME
//time delivery transaction queued
short                w_id;
//delivery warehouse
short                o_carrier_id;
//carrier id
} DELIVERY_TRANSACTION;

typedef struct
{
        // input params
        short
w_id;
        short
d_id;
        short
threshold;

        // output params
        EXEC_STATUS
exec_status_code;
        long
low_stock;
} STOCK_LEVEL_DATA, *PSTOCK_LEVEL_DATA;

```

## txn\_base.h

```

/* FILE: TXN_BASE.H
Microsoft
TPC-C Kit Ver. 4.20.000
Copyright
Microsoft, 1999
All Rights Reserved
Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
PURPOSE: Header file for TPC-C txn class
implementation.
Change history:
4.20.000 - updated rev number to
match kit
*/
#pragma once

```

```

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class DllDecl CTPCC_BASE
{
        public:
                CTPCC_BASE(void) {};
                virtual ~CTPCC_BASE(void) {};

                virtual PNEW_ORDER_DATA
BuffAddr_NewOrder() = 0;
                virtual PPAYMENT_DATA
BuffAddr_Payment() = 0;
                virtual PDELIVERY_DATA
BuffAddr_Delivery() = 0;
                virtual PSTOCK_LEVEL_DATA
BuffAddr_StockLevel() = 0;
                virtual PORDER_STATUS_DATA
BuffAddr_OrderStatus() = 0;

                virtual void NewOrder
() = 0;
                virtual void Payment
() = 0;
                virtual void Delivery
() = 0;
                virtual void StockLevel
() = 0;
                virtual void OrderStatus
() = 0;
};

```

## txnlog.h

```

/* FILE: TXNLOG.H
Microsoft
TPC-C Kit Ver. 4.10.000
not yet
audited
PURPOSE: Header file for txn log class
Copyright
Microsoft, 1999
All Rights Reserved
*/

#pragma once

typedef struct _TXN_NEWORDER
{
        BYTE                OL_Count;          //range 0 to
31
        BYTE                OL_Remote_Count;    //range 0 to
31
        WORD                c_id;
        int                 o_id;
} TXN_NEWORDER;

```

```

typedef struct _TXN_PAYMENT
{
    BYTE    CustByName;
    BYTE    IsRemote;
} TXN_PAYMENT;

typedef struct _TXN_ORDERSTATUS
{
    BYTE    CustByName;
} TXN_ORDERSTATUS;

typedef union _TXN_DETAILS
{
    TXN_NEWORDER    NewOrder;
    TXN_PAYMENT     Payment;
    TXN_ORDERSTATUS OrderStatus;
} TXN_DETAILS;

// Common header for all records in txn
log. The TxnType field is
// a switch which identifies the particular
variant.
#define TXN_REC_TYPE_CONTROL      1
//
#define TXN_REC_TYPE_TPCC         2
// replaces TRANSACTION_TYPE_TPCC
#define TXN_REC_TYPE_TPCC_DELIV_DEF 3

typedef struct _TXN_RECORD_HEADER
{
    JULIAN_TIME    TxnStartT0;
    // start of txn
    BYTE    TxnType;
    // one of TXN_REC_TYPE_*
    BYTE    TxnSubType;
    // depends on TxnType
} TXN_RECORD_HEADER, *PTXN_RECORD_HEADER;

typedef struct _TXN_RECORD_CONTROL
{
    // common header; must exactly
match TXN_RECORD_HEADER
    JULIAN_TIME    TxnStartT0;
    // start of txn
    BYTE    TxnType;
    // = TXN_REC_TYPE_CONTROL
    BYTE    TxnSubType;
    // depends on TxnType
    // end of common header

    DWORD    Len;
    // number of bytes after this
field
} TXN_RECORD_CONTROL, *PTXN_RECORD_CONTROL;

// TPC-C Txn Record Layout:
//

```

```

//'TxnStartT0' is a Julian timestamp
corresponding to the moment the
//txn is sent to the SUT, i.e., beginning of
response time. Deltas
//are in milliseconds. Note that if RTDelay > 0,
then the txn was
//delayed by this amount. The delay occurs at
the beginning of the
//response time. So if RTDelay > 0, then the txn
was actually sent
//at TxnStartT0 + RTDelay.
//
//Graphically:
//
// time -->
//
// |--- Menu ---|--- Keying ---|--- Response ---
|--- Think ---|
//
// <- DeltaT3 -> <- DeltaT1 -> <- DeltaT2 -> <- DeltaT4 ->
<- DeltaT3 ->
//
// ^
// ^ TxnStartT0
//
//RTDelay is the amount of response time delay
included in DeltaT4.
//RTDelay is recorded per txn because this value
can be changed on
//the fly, and so may vary from txn to txn.
//
//TxnStatus is the txn completion code. It is
used to indicate errors.
//For example, in the New Order txn, 1% of txns
abort. TxnStatus will
//reflect this.

typedef struct _TXN_RECORD_TPCC
{
    // common header; must exactly
match TXN_RECORD_HEADER
    JULIAN_TIME    TxnStartT0;
    // start of txn
    BYTE    TxnType;
    // = TXN_REC_TYPE_TPCC
    BYTE    TxnSubType;
    // depends on TxnType
    // end of common header

    int    DeltaT1;
    // menu time (ms)

    int    DeltaT2;
    // keying time (ms)

    int    DeltaT3;
    // think time (ms)

    int    DeltaT4;
    // response time (ms)

    int    RTDelay;
    // response time delay (ms)

    int    TxnError;
    // error code providing more detail for
TxnStatus

    WORD    w_id;
    // warehouse ID

```

```

    BYTE    d_id;
    // assigned district ID for this thread
    BYTE    d_id_ThisTxn;
    // district ID chosen for this particular
errors
    BYTE    TxnStatus;
    // completion status for txn to indicate
errors
    BYTE    reserved;
    // for word alignment
    TXN_DETAILS    TxnDetails;
    //
    } TXN_RECORD_TPCC, *PTXN_RECORD_TPCC;
//
// TPC-C Deferred Delivery Txn Record
Layout:
//
// Incorporating delivery transaction information
into the above
//structure would increase the size of
TXN_DETAILS from 8 to 42 bytes.
//Hence, we store delivery transaction details in
a separate structure.
//
typedef struct _TXN_RECORD_TPCC_DELIV_DEF
{
    // common header; must exactly
match TXN_RECORD_HEADER
    JULIAN_TIME    TxnStartT0;
    // start of txn
    BYTE    TxnType;
    // = TXN_REC_TYPE_TPCC_DELIV_DEF
    BYTE    TxnSubType;
    // = 0
    // end of common header

    int    DeltaT4;
    // response time (ms)

    int    DeltaTxnExec;
    // execution time (ms)

    WORD    w_id;
    // warehouse ID

    BYTE    TxnStatus;
    // completion status for txn to indicate
errors
    BYTE    reserved;
    // for word alignment
    short    o_carrier_id;
    // carrier id

    long    o_id[10];
    // returned delivery transaction ids
    } TXN_RECORD_TPCC_DELIV_DEF,
*PTXN_RECORD_TPCC_DELIV_DEF;

#define TXN_LOG_VERSION      1
#define TXN_DATA_START      4096
// offset in log file where log
records start
#define TXN_LOG_EYE_CATCHER "BC"
// signature bytes at the start of log file

```

```

////////////////////////////////////
////////////////////////////////////
// The transaction log has a header as the
first 4K block.
//
typedef struct _TXN_LOG_HEADER
{
    char
    EyeCatcher[2];    // signature bytes;
should always be "BC"
    int
    LogVersion;      // set to
TXN_LOG_VERSION
    JULIAN_TIME
    BeginTxnTS;      // timestamp
of first (lowest) txn start
    JULIAN_TIME
    EndTxnTS;        // timestamp of last
(highest) txn completion time
    int
    iRecCount;       // number of
records in log file
    BOOL
    bLogSorted;      //
    int
    iFileSize;       // file size
in bytes

    // the record map provides a fast
way to get close to a particular timestamp in a
sorted log file.
//
    struct
    {
        JULIAN_TIME
        TS;          // timestamp
of record
    }
    int
    iPos;           // byte
position in file
//
    RecMap[RecMapSize];
// #define
    RecMapSize
    200
} TXN_LOG_HEADER, *PTXN_LOG_HEADER;

#define READ_BUFFER_SIZE    64*1024
#define WRITE_BUFFER_SIZE   8*1024

#define NUM_READ_BUFFERS    1
#define NUM_WRITE_BUFFERS   2
#define MAX_NUM_BUFFERS     2

// flags passed in to the constructor
#define TXN_LOG_WRITE        0x01
#define TXN_LOG_READ        0x02
#define TXN_LOG_SORTED      0x04

#define TXN_LOG_OS_ERROR    1
#define TXN_LOG_NOT_SORTED  2

```

```

#define SKIP_CTRL_RECS      1

class CTxnLog
{
private:
    DWORD    iBufferSize;
//buffer allocated size
    DWORD    iBytesFreeInBuffer;
//total bytes
available for use in buffer
    int
    iNumBuffers;
//buffers in use
    int
    iActiveBuffer;
//indicates which buffer is active: 0 or 1
    int
    iIoBuffer;
//buffer for any pending IO operation
    int
    iFilePointer;
//position in file.
    int
    iNextRec;
//when reading, ordinal value of next
record

    // A "save point" is remembered
each time GetNextRecord is called with a start time
specified.
    // The next time it is called, if
start time is after the save point, we start scanning
from the
    // save point. This is
particularly useful in FindBestInterval, where the
log is scanned repeatedly.
    JULIAN_TIME
    SavePtTime;
    int
    iSavePtFilePointer;
    int
    iSavePtNextRec;

    JULIAN_TIME    lastTS;
//when
writing sorted output, used to verify records are
sorted
    BOOL
    bWrite;
//writing log
file
    BOOL
    bLogSorted;
//
is log file sorted? applies to both input and output
    JULIAN_TIME
    BeginTxnTS;
//
timestamp of first (lowest) txn start
    JULIAN_TIME
    EndTxnTS;
// timestamp
of last (highest) txn completion time

```

```

    int
    iRecCount;
//
number of records in log file
    BYTE
    *pCurrent;
//ptr to
current buffer
    BYTE
    *pBuffer[MAX_NUM_BUFFERS];
    PTXN_RECORD_HEADER *TxnArray;
//transaction record pointer
array for sort
    DWORD    dwError;
HANDLE
    hTxnFile;
//handle to log file
HANDLE
    hMapFile;
//map file used when
sorting the log
HANDLE
    hIoComplete;
//event to signify that
there are no pending IOs
HANDLE
    hLogFileIo;
//event to
signal the IO thread to write the inactive buffer

    Spinlock Spin;
//spin lock to protect
the txn log file buffers

    int Write(BYTE *ptr, DWORD Size);
    static void LogFileIO(CTxnLog *);

public:
    CTxnLog:CTxnLog(LPCTSTR
szFileName, DWORD dwOpts);
    ~CTxnLog(void);

    int WriteToLog(PTXN_RECORD_TPCC
pTxnRcprd);
    int
    WriteToLog(PTXN_RECORD_TPCC_DELIV_DEF pTxnRcprd);
    int
    WriteToLog(PTXN_RECORD_CONTROL pCtrlRec);
    int WriteToLog(PTXN_RECORD_HEADER
pCtrlRec);

    int WriteCtrlRecToLog(BYTE
SubType, LPCTSTR lpStr, DWORD dwLen);

    void
    CloseTransactionLogFile(void);

    PTXN_RECORD_HEADER
    GetNextRecord(BOOL bSkipCtrlRecs = FALSE);
    PTXN_RECORD_HEADER
    GetNextRecord(JULIAN_TIME SeekTimeT0, BOOL
bSkipCtrlRecs = FALSE);

    int Sort(void);
    PTXN_RECORD_HEADER
    GetSortedRecord(int index);

```





# Appendix B: Database Design

The TPC-C database was created with the following Transact-SQL scripts:

## VerifyTpccLoad.sql

```
-- File:      VERIFYTPCCLOAD.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Performs series of TPCC database checks to verify
--           that database load completed correctly

print      " "
select    convert(char(30), getdate(),9)
print    " "

use tpcc
go

--
-- *****
-- Check rows per table from SYSINDEXES
--
-- *****

print      'WAREHOUSE TABLE'

select    rows
from      sysindexes
where     id      = object_id("warehouse")
go

print      'DISTRICT TABLE = (10 * No of warehouses)'

select    rows
from      sysindexes
where     id      =object_id("district")
go

print      'ITEM TABLE = 100,000'

select    rows
from      sysindexes
where     id      =object_id("item")
go

print      'CUSTOMER TABLE = (30,000 * No of warehouses)'

select    rows
from      sysindexes
```

```
where     id      =object_id("customer")
go

print      'ORDERS TABLE = (30,000 * No of warehouses)'

select    rows
from      sysindexes
where     id      =object_id("orders")
go

print      'HISTORY TABLE = (30,000 * No of warehouses)'

select    rows
from      sysindexes
where     id      =object_id("history")
go

print      'STOCK TABLE = (100,000 * No of warehouses)'

select    rows
from      sysindexes
where     id      =object_id("stock")
go

print      'ORDER_LINE TABLE = (300,000 * No of warehouses + some change)'

select    rows
from      sysindexes
where     id      =object_id("order_line")
go

print      'NEW_ORDER TABLE = (9000 * No of warehouses)'

select    rows
from      sysindexes
where     id      =object_id("new_order")
go

--
-- *****
-- Check indices
--
-- *****

print      '*****Index Check*****'

use tpcc
go

sp_helpindex      customer
go

sp_helpindex      stock
go

sp_helpindex      district
go

sp_helpindex      item
go

sp_helpindex      new_order
go
```

```

sp_helpindex      orders
go

sp_helpindex      order_line
go

sp_helpindex      warehouse
go

```

## backup.sql

```

-- File:      BACKUP.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates backup of tpcc database

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

dump database tpcc to tpccback1, tpccback2 with init, stats = 1

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

## backupdev.sql

```

-- File:      BACKUPDEVB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates tpcc database Backup Devices

use master
go

-- create backup devices

exec sp_addumpdevice 'disk', 'tpccback1', 'X:\tpccback1.dmp'
go
exec sp_addumpdevice 'disk', 'tpccback2', 'Y:\tpccback2.dmp'
go

```

## createdb.sql

```

-- File:      CREATEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates tpcc database and backup files for 3700 warehouses

use master
go

```

```

-- Create temporary table for timing

if exists ( select name from sysobjects where name = 'tpcc_timer' )
drop table tpcc_timer
go

create table tpcc_timer
(
    start_date          char(30),
    end_date            char(30)
)

insert into tpcc_timer values (0,0)
go

-- Store starting time

update tpcc_timer
set start_date = (select convert(char(30), getdate(),9))
go

-- create main database files

CREATE DATABASE tpcc
ON PRIMARY
(
    NAME              = MSSQL_tpcc_root,
    FILENAME          = "C:\MSSQL_tpcc_root.mdf",
    SIZE              = 8MB,
    FILEGROWTH        =0),

FILEGROUP MSSQL_cs_fg
(
    NAME              = MSSQL_cs1,
    FILENAME          = "F:",
    SIZE              = 32000MB,
    FILEGROWTH        = 0),
(
    NAME              = MSSQL_cs2,
    FILENAME          = "G:",
    SIZE              = 32000MB,
    FILEGROWTH        = 0),
(
    NAME              = MSSQL_cs3,
    FILENAME          = "H:",
    SIZE              = 32000MB,
    FILEGROWTH        = 0),

FILEGROUP MSSQL_misc_fg
(
    NAME              = MSSQL_misc1,
    FILENAME          = "I:",
    SIZE              = 15500MB,
    FILEGROWTH        = 0),
(
    NAME              = MSSQL_misc2,
    FILENAME          = "J:",
    SIZE              = 15500MB,
    FILEGROWTH        = 0),
(
    NAME              = MSSQL_misc3,
    FILENAME          = "K:",
    SIZE              = 15500MB,
    FILEGROWTH        = 0)

LOG ON
(
    NAME              =MSSQL_tpcc_log,
    FILENAME          = "E:",

```

```

        SIZE                =55000MB,
        FILEGROWTH          =0)
go

-- Store ending time
update   tpcc_timer
set      end_date = (select convert(char(30), getdate(),9))
go

select "Elapsed time (in seconds): ", datediff(second,(select start_date from
tpcc_timer),(select end_date from tpcc_timer))

--      remove temporary table

if exists ( select name from sysobjects where name = 'tpcc_timer' )
drop table tpcc_timer
go

```

---

## config.sql

---

```

-- File:      CONFIG.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.00
--           Copyright Microsoft, 1996
-- Purpose:   Collects SQL Server configuration parameters

```

```

print " "
select convert(char(30), getdate(),9)
print " "
go

```

```

sp_configure "show advanced",1
go
reconfigure with override
go
exec sp_configure "affinity mask",          3
exec sp_configure "awe enabled",            0
exec sp_configure "cost threshold for parallelism", 5
exec sp_configure "index create memory",    704
exec sp_configure "lightweight pooling",    1
exec sp_configure "locks",                  0
exec sp_configure "max degree of parallelism", 1
exec sp_configure "max server memory",     2147483647
exec sp_configure "max worker threads",    310
exec sp_configure "min memory per query",   512
exec sp_configure "min server memory",     0
exec sp_configure "nested triggers",       1
exec sp_configure "network packet size",   2048
exec sp_configure "open objects",          0
exec sp_configure "priority boost",        1
exec sp_configure "recovery interval",     60
exec sp_configure "set working set size",  0
exec sp_configure "user connections",      0

```

```

go

reconfigure with override
go
sp_configure
go

```

---

## dbopt1.sql

---

```

-- File:      DBOPT1.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Sets database options for data load

```

```

use master
go

```

```

exec sp_dboption tpcc,'select into/bulkcopy',true
exec sp_dboption tpcc,'trunc. log on chkpt.',true
go

```

```

use tpcc
go

```

```

checkpoint
go

```

---

## dbopt2.sql

---

```

-- File:      DBOPT2.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Resets database options after data load

```

```

sp_dboption tpcc,'select into/bulkcopy',FALSE
GO

```

```

sp_dboption tpcc,'trunc. log on chkpt.',FALSE
GO

```

```

USE tpcc
GO

```

```

CHECKPOINT
GO

```

```

sp_configure 'allow updates',1
GO

```

```

RECONFIGURE WITH OVERRIDE
GO

```

```

DECLARE   @msg                varchar(50)

```

```

--                                     --
--           OPTIONS FOR SQL SERVER 8.0 --
-- Set option values for user-defined indexes --
--                                     --

```

```

SET      @msg                = ' '
PRINT   @msg

```

```

SET      @msg      = 'Setting SQL Server indexoptions'
PRINT   @msg
SET      @msg      = ' '
PRINT   @msg

EXEC sp_indexoption 'customer',      'DisallowPageLocks',      TRUE
EXEC sp_indexoption 'district',      'DisallowPageLocks',      TRUE
EXEC sp_indexoption 'warehouse',      'DisallowPageLocks',      TRUE
EXEC sp_indexoption 'stock',      'DisallowPageLocks',      TRUE
EXEC sp_indexoption 'order_line',      'DisallowRowLocks',      TRUE
EXEC sp_indexoption 'orders',      'DisallowRowLocks',      TRUE
EXEC sp_indexoption 'new_order',      'DisallowRowLocks',      TRUE
EXEC sp_indexoption 'item',      'DisallowRowLocks',      TRUE
EXEC sp_indexoption 'item',      'DisallowPageLocks',      TRUE
GO

Print ' '
Print '*****'
Print 'Pre-specified Locking Hierarchy:'
Print '   Lockflag = 0 ==> No pre-specified hierarchy'
Print '   Lockflag = 1 ==> Lock at Page-level then Table-level'
Print '   Lockflag = 2 ==> Lock at Row-level then Table-level'
Print '   Lockflag = 3 ==> Lock at Table-level'
Print ' '

SELECT  name,lockflags
FROM    sysindexes
WHERE   object_id('warehouse')      = id OR
        object_id('district')      = id OR
        object_id('customer')      = id OR
        object_id('stock')      = id OR
        object_id('orders')      = id OR
        object_id('order_line')      = id OR
        object_id('history')      = id OR
        object_id('new_order')      = id OR
        object_id('item')      = id

ORDER  BY lockflags asc
GO

sp_configure 'allow updates',0
GO

RECONFIGURE WITH OVERRIDE
GO

EXEC sp_dboption tpcc,      'auto update statistics',      FALSE
EXEC sp_dboption tpcc,      'auto create statistics',      FALSE
GO

EXEC sp_tableoption 'district',      'pintable',true
EXEC sp_tableoption 'warehouse',      'pintable',true
EXEC sp_tableoption 'new_order',      'pintable',true
EXEC sp_tableoption 'item',      'pintable',true
GO

```

## delivery.sql

```

-- File:      DELIVERY.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates delivery transaction stored procedure
--

```

```

--           Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_delivery" )
drop procedure tpcc_delivery
go

create proc tpcc_delivery      @w_id      smallint,
                              @o_carrier_id      smallint
as

declare @d_id      tinyint,
        @o_id      int,
        @c_id      int,
        @total      numeric(12,2),
        @oid1      int,
        @oid2      int,
        @oid3      int,
        @oid4      int,
        @oid5      int,
        @oid6      int,
        @oid7      int,
        @oid8      int,
        @oid9      int,
        @oid10     int

select @d_id = 0

begin tran d

        while (@d_id < 10)
        begin

                select      @d_id = @d_id + 1,
                            @total = 0,
                            @o_id = 0

                select      top 1
                            @o_id      = no_o_id
                        from    new_order (serializable uplock)
                        where   no_w_id  = @w_id and
                            no_d_id  = @d_id
                        order   by no_o_id asc

                if (@@rowcount <> 0)
                begin

-- claim the order for this district

                        delete    new_order
                        where      no_w_id  = @w_id and
                            no_d_id  = @d_id and
                            no_o_id  = @o_id

-- set carrier_id on this order (and get customer id)

                        update    orders
                        set      o_carrier_id      = @o_carrier_id,
                            @c_id      = o_c_id
                        where     o_w_id      = @w_id and

```

```

                o_d_id          = @d_id and
                o_id            = @o_id

-- set date in all lineitems for this order (and sum amounts)

                update  order_line
                set      ol_delivery_d = getdate(),
                        @total        = @total + ol_amount
                where    ol_w_id      = @w_id and
                        ol_d_id      = @d_id and
                        ol_o_id      = @o_id

-- accumulate lineitem amounts for this order into customer

                update  customer
                set      c_balance = c_balance + @total,
                        c_delivery_cnt = c_delivery_cnt + 1
                where    c_w_id      = @w_id and
                        c_d_id      = @d_id and
                        c_id        = @c_id

                end

                select @oid1 = case @d_id when 1 then @o_id else @oid1 end,
                       @oid2 = case @d_id when 2 then @o_id else @oid2 end,
                       @oid3 = case @d_id when 3 then @o_id else @oid3 end,
                       @oid4 = case @d_id when 4 then @o_id else @oid4 end,
                       @oid5 = case @d_id when 5 then @o_id else @oid5 end,
                       @oid6 = case @d_id when 6 then @o_id else @oid6 end,
                       @oid7 = case @d_id when 7 then @o_id else @oid7 end,
                       @oid8 = case @d_id when 8 then @o_id else @oid8 end,
                       @oid9 = case @d_id when 9 then @o_id else @oid9 end,
                       @oid10 = case @d_id when 10 then @o_id else @oid10 end

                end

commit tran d

-- return delivery data to client

select @oid1,
       @oid2,
       @oid3,
       @oid4,
       @oid5,
       @oid6,
       @oid7,
       @oid8,
       @oid9,
       @oid10

go

```

## getargs.c

```

// File: GETARGS.C
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 1996, 1997, 1998, 1999,
2000, 2001
// Purpose: Source file for command line processing

```

```

// Includes
#include "tpcc.h"

//=====
//
// Function name: GetArgsLoader
//
//=====

void GetArgsLoader(int argc, char **argv, TPCC_LDR_ARGS *pargs)
{
    int i;
    char *ptr;

#ifdef DEBUG
    printf("[%ld]DBG: Entering GetArgsLoader()\n", (int) GetCurrentThreadId());
#endif

    /* init args struct with some useful values */
    pargs->server = SERVER;
    pargs->user = USER;
    pargs->password = PASSWORD;
    pargs->database = DATABASE;
    pargs->batch = BATCH;
    pargs->num_warehouses = UNDEF;
    pargs->tables_all = TRUE;
    pargs->table_item = FALSE;
    pargs->table_warehouse = FALSE;
    pargs->table_customer = FALSE;
    pargs->table_orders = FALSE;
    pargs->loader_res_file = LOADER_RES_FILE;
    pargs->pack_size = DEF_LD_PACK_SIZE;
    pargs->starting_warehouse = DEF_STARTING_WAREHOUSE;
    pargs->build_index = BUILD_INDEX;
    pargs->index_order = INDEX_ORDER;
    pargs->index_script_path = INDEX_SCRIPT_PATH;
    pargs->scale_down = SCALE_DOWN;

    /* check for zero command line args */
    if ( argc == 1 )
        GetArgsLoaderUsage();

    for ( i = 1; i < argc; ++i )
    {
        if ( argv[i][0] != '-' && argv[i][0] != '/' )
        {
            printf("\nUnrecognized command");
            GetArgsLoaderUsage();
            exit(1);
        }

        ptr = argv[i];

        switch ( ptr[1] )
        {
            case 'h': /* Fall through */
            case 'H':
                GetArgsLoaderUsage();
                break;

            case 'D':
                pargs->database = ptr+2;

```



```

        printf("-s Starting Warehouse           %ld\n",
(long) DEF_STARTING_WAREHOUSE);
        printf("-i Build Option (data = 0, data and index = 1) %ld\n",
(long) BUILD_INDEX);
        printf("-o Cluster Index Build Order (before = 1, after = 0) %ld\n",
(long) INDEX_ORDER);
        printf("-c Build Scaled Database (normal = 0, tiny = 1) %ld\n",
(long) SCALE_DOWN);
        printf("-d Index Script Path           %s\n",
INDEX_SCRIPT_PATH);
        printf("-t Table to Load                       all tables
\n");
        printf(" [item|warehouse|customer|orders]\n");
        printf(" Notes: \n");
        printf(" - the '-t' parameter may be included multiple times to \n");
        printf(" specify multiple tables to be loaded \n");
        printf(" - 'item' loads ITEM table \n");
        printf(" - 'warehouse' loads WAREHOUSE, DISTRICT, and STOCK tables \n");
        printf(" - 'customer' loads CUSTOMER and HISTORY tables \n");
        printf(" - 'orders' load NEW-ORDER, ORDERS, ORDER-LINE tables \n");

        printf("\nNote: Command line switches are case sensitive.\n");

        exit(0);
}

```

---

## ***idxcuscl.sql***

---

```

-- File:      IDXCUSCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on customer table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'customer_c1' )
drop index customer.customer_c1

create unique clustered index customer_c1 on customer(c_w_id, c_d_id, c_id)
on MSSQL_cust_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxcusnc.sql***

---

```

-- File:      IDXCUSNC.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22

```

```

--           Copyright Microsoft, 2001
-- Purpose:   Creates non-clustered index on customer table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'customer_nc1' )
drop index customer.customer_nc1

create unique nonclustered index customer_nc1 on customer(c_w_id, c_d_id, c_last,
c_first, c_id)
on MSSQL_cust_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxdiscl.sql***

---

```

-- File:      IDXDISCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on district table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'district_c1' )
drop index district.district_c1

create unique clustered index district_c1 on district(d_w_id, d_id)
with fillfactor=100 on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxitmcl.sql***

---

```

-- File:      IDXITMCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22

```



```

--          Copyright Microsoft, 2001
-- Purpose:  Creates clustered index on item table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'item_c1' )
    drop index item.item_c1

create unique clustered index item_c1 on item(i_id)
    on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxnodcl.sql***

---

```

-- File:      IDXNODCL.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on new_order table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'new_order_c1' )
    drop index new_order.new_order_c1

create unique clustered index new_order_c1 on new_order(no_w_id, no_d_id, no_o_id)

    on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxodlcl.sql***

---

```

-- File:      IDXODLCL.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on order_line table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'order_line_c1' )
    drop index order_line.order_line_c1

create unique clustered index order_line_c1 on order_line(ol_w_id, ol_d_id, ol_o_id,
ol_number)
    on MSSQL_ordln_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxordcl.sql***

---

```

-- File:      IDXORDCL.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on orders table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'orders_c1' )
    drop index orders.orders_c1

create unique clustered index orders_c1 on orders(o_w_id, o_d_id, o_id)
    on MSSQL_ord_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxordnc.sql***

---

```

-- File:      IDXORDNC.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose:   Creates non-clustered index on orders table

```

```

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'orders_ncl' )
    drop index orders.orders_ncl

create index orders_ncl on orders(o_w_id, o_d_id, o_c_id, o_id)
    on MSSQL_ord_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxstkcl.sql***

---

```

-- File:      IDXSTKCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on stock table

use tpcc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'stock_c1' )
    drop index stock.stock_c1

create unique clustered index stock_c1 on stock(s_i_id, s_w_id)
    on MSSQL_stk_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***idxwarcl.sql***

---

```

-- File:      IDXWARCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates clustered index on warehouse table

use tpcc
go

```

```

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'warehouse_c1' )
    drop index warehouse.warehouse_c1

create unique clustered index warehouse_c1 on warehouse(w_id)
    with fillfactor=100 on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

---

## ***neword.sql***

---

```

-- File:      NEWORD.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates new order transaction stored procedure
--           Interface Level: 4.10.000

use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_neworder" )
    drop procedure tpcc_neworder

go

create proc tpcc_neworder

        @w_id          smallint,
        @d_id          tinyint,
        @c_id          int,
        @o_ol_cnt      tinyint,
        @o_all_local   tinyint,
        @i_id1         int = 0, @s_w_id1

smallint = 0, @ol_qty1 smallint = 0,
        @i_id2         int = 0, @s_w_id2

smallint = 0, @ol_qty2 smallint = 0,
        @i_id3         int = 0, @s_w_id3

smallint = 0, @ol_qty3 smallint = 0,
        @i_id4         int = 0, @s_w_id4

smallint = 0, @ol_qty4 smallint = 0,
        @i_id5         int = 0, @s_w_id5

smallint = 0, @ol_qty5 smallint = 0,
        @i_id6         int = 0, @s_w_id6

smallint = 0, @ol_qty6 smallint = 0,
        @i_id7         int = 0, @s_w_id7

smallint = 0, @ol_qty7 smallint = 0,
        @i_id8         int = 0, @s_w_id8

smallint = 0, @ol_qty8 smallint = 0,
        @i_id9         int = 0, @s_w_id9

smallint = 0, @ol_qty9 smallint = 0,
        @i_id10        int = 0, @s_w_id10

smallint = 0, @ol_qty10 smallint = 0,

```

```

smallint = 0, @ol_qty11 smallint = 0,
smallint = 0, @ol_qty12 smallint = 0,
smallint = 0, @ol_qty13 smallint = 0,
smallint = 0, @ol_qty14 smallint = 0,
smallint = 0, @ol_qty15 smallint = 0

as
declare @w_tax          numeric(4,4),
        @d_tax          numeric(4,4),
        @c_last         char(16),
        @c_credit       char(2),
        @c_discount     numeric(4,4),
        @i_price        numeric(5,2),
        @i_name         char(24),
        @i_data         char(50),
        @o_entry_d      datetime,
        @remote_flag    int,
        @s_quantity     smallint,
        @s_data         char(50),
        @s_dist         char(24),
        @li_no          int,
        @o_id           int,
        @commit_flag    tinyint,
        @li_id         int,
        @li_s_w_id      smallint,
        @li_qty         smallint,
        @ol_number      int,
        @c_id_local     int

begin
begin transaction n

-- get district tax and next available order id and update
-- plus initialize local variables

        update  district
        set     @d_tax          = d_tax,
               @o_id           = d_next_o_id,
               d_next_o_id    = d_next_o_id + 1,
               @o_entry_d      = getdate(),
               @li_no          = 0,
               @commit_flag    = 1
        where   d_w_id         = @w_id and
               d_id           = @d_id

-- process orderlines

        while (@li_no < @o_ol_cnt)
        begin

                select @li_no = @li_no + 1

-- set i_id, s_w_id, and qty for this lineitem

                select  @li_id = case @li_no
                        when 1 then @i_id1

```

```

        @i_id11 int = 0, @s_w_id11
        @i_id12 int = 0, @s_w_id12
        @i_id13 int = 0, @s_w_id13
        @i_id14 int = 0, @s_w_id14
        @i_id15 int = 0, @s_w_id15

```

```

        when 2 then @i_id2
        when 3 then @i_id3
        when 4 then @i_id4
        when 5 then @i_id5
        when 6 then @i_id6
        when 7 then @i_id7
        when 8 then @i_id8
        when 9 then @i_id9
        when 10 then @i_id10
        when 11 then @i_id11
        when 12 then @i_id12
        when 13 then @i_id13
        when 14 then @i_id14
        when 15 then @i_id15
end,

```

```

@li_s_w_id = case @li_no
        when 1 then @s_w_id1
        when 2 then @s_w_id2
        when 3 then @s_w_id3
        when 4 then @s_w_id4
        when 5 then @s_w_id5
        when 6 then @s_w_id6
        when 7 then @s_w_id7
        when 8 then @s_w_id8
        when 9 then @s_w_id9
        when 10 then @s_w_id10
        when 11 then @s_w_id11
        when 12 then @s_w_id12
        when 13 then @s_w_id13
        when 14 then @s_w_id14
        when 15 then @s_w_id15
end,

```

```

@li_qty = case @li_no
        when 1 then @ol_qty1
        when 2 then @ol_qty2
        when 3 then @ol_qty3
        when 4 then @ol_qty4
        when 5 then @ol_qty5
        when 6 then @ol_qty6
        when 7 then @ol_qty7
        when 8 then @ol_qty8
        when 9 then @ol_qty9
        when 10 then @ol_qty10
        when 11 then @ol_qty11
        when 12 then @ol_qty12
        when 13 then @ol_qty13
        when 14 then @ol_qty14
        when 15 then @ol_qty15
end

```

```

-- get item data (no one updates item)

        select  @i_price = i_price,
               @i_name = i_name,
               @i_data = i_data
        from    item (tablock repeatableread)
        where   i_id = @li_id

-- update stock values

        update  stock

```

```

set      s_ytd          = s_ytd + @li_qty,
@s_quantity = s_quantity = s_quantity -
@li_qty +
(s_quantity - @li_qty < 10) then 91 else 0 end,
s_order_cnt = s_order_cnt + 1,
s_remote_cnt = s_remote_cnt + case when
(@li_s_w_id = @w_id) then 0 else 1 end,
@s_data      = s_data,
@s_dist      = case @d_id
when 1 then s_dist_01
when 2 then s_dist_02
when 3 then s_dist_03
when 4 then s_dist_04
when 5 then s_dist_05
when 6 then s_dist_06
when 7 then s_dist_07
when 8 then s_dist_08
when 9 then s_dist_09
when 10 then s_dist_10
end
where      s_i_id      = @li_id and
s_w_id     = @li_s_w_id

-- if there actually is a stock (and item) with these ids, go to work
if (@@rowcount > 0)
begin
-- insert order_line data (using data from item and stock)
insert into order_line values(@o_id,
@d_id,
@w_id,
@li_no,
@li_id,
@li_s_w_id,
"dec 31, 1899",
@li_qty,
@i_price *
@li_qty,
@s_dist)

-- send line-item data to client
select      @i_name,
@s_quantity,
b_g = case when (
(patindex("%ORIGINAL%",@i_data) > 0) and
(patindex("%ORIGINAL%",@s_data) > 0) )
then "B" else "G" end,
@i_price,
@i_price * @li_qty

end
else
begin
-- no item (or stock) found - triggers rollback condition
select "",0,"",0,0

```

```

select @commit_flag = 0
end
end
-- get customer last name, discount, and credit rating
select      @c_last     = c_last,
@c_discount = c_discount,
@c_credit   = c_credit,
@c_id_local = c_id
from        customer (repeatableread)
where       c_id        = @c_id and
c_w_id     = @w_id and
c_d_id     = @d_id

-- insert fresh row into orders table
insert into orders values ( @o_id,
@d_id,
@w_id,
@c_id_local,
@o_entry_d,
0,
@o_ol_cnt,
@o_all_local)

-- insert corresponding row into new-order table
insert into new_order values ( @o_id,
@d_id,
@w_id)

-- select warehouse tax
select      @w_tax     = w_tax
from        warehouse (repeatableread)
where       w_id      = @w_id

if (@commit_flag = 1)
commit transaction n
else
-- all that work for nuthin!!!
rollback transaction n

-- return order data to client
select      @w_tax,
@d_tax,
@o_id,
@c_last,
@c_discount,
@c_credit,
@o_entry_d,
@commit_flag

end
go

```

## ordstat.sql

```
-- File:      ORDSTAT.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates order status transaction stored procedure
--
--           Interface Level: 4.10.000

use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_orderstatus" )
    drop procedure    tpcc_orderstatus
go

create proc tpcc_orderstatus @w_id    smallint,
                             @d_id    tinyint,
                             @c_id    int,
                             @c_last  char(16) = ""

as

declare @c_balance    numeric(12,2),
        @c_first      char(16),
        @c_middle     char(2),
        @o_id         int,
        @o_entry_d    datetime,
        @o_carrier_id smallint,
        @cnt          smallint

begin tran o

if (@c_id = 0)
    begin

-- get customer id and info using last name

        select @cnt = (count(*)+1)/2
        from customer (repeatableread)
        where c_last = @c_last and
              c_w_id = @w_id and
              c_d_id = @d_id

        set rowcount @cnt

        select @c_id = c_id,
               @c_balance = c_balance,
               @c_first = c_first,
               @c_last = c_last,
               @c_middle = c_middle
        from customer (repeatableread)
        where c_last = @c_last and
              c_w_id = @w_id and
              c_d_id = @d_id

        order by c_w_id, c_d_id, c_last, c_first

        set rowcount 0

    end

else
```

```
begin

-- get customer info if by id

        select @c_balance = c_balance,
               @c_first = c_first,
               @c_middle = c_middle,
               @c_last = c_last
        from customer (repeatableread)
        where c_id = @c_id and
              c_d_id = @d_id and
              c_w_id = @w_id

        select @cnt = @@rowcount

    end

-- if no such customer

    if (@cnt = 0)
        begin
            raiserror("Customer not found",18,1)
            goto custnotfound
        end

-- get order info

        select @o_id = o_id,
               @o_entry_d = o_entry_d,
               @o_carrier_id = o_carrier_id
        from orders (serializable)
        where o_c_id = @c_id and
              o_d_id = @d_id and
              o_w_id = @w_id

        order by o_id asc

-- select order lines for the current order

        select ol_supply_w_id,
               ol_i_id,
               ol_quantity,
               ol_amount,
               ol_delivery_d
        from order_line (repeatableread)
        where ol_o_id = @o_id and
              ol_d_id = @d_id and
              ol_w_id = @w_id

custnotfound:

commit tran o

-- return data to client

select @c_id,
       @c_last,
       @c_first,
       @c_middle,
       @o_entry_d,
       @o_carrier_id,
       @c_balance,
       @o_id
```

go

## payment.sql

```
-- File:      PAYMENT.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates payment transaction stored procedure
--
--           Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_payment" )
    drop procedure tpcc_payment
go

create proc tpcc_payment      @w_id          smallint,
                             @c_w_id       smallint,
                             @h_amount     numeric(6,2),
                             @d_id        tinyint,
                             @c_d_id      tinyint,
                             @c_id       int,
                             @c_last     char(16) = ""

as
declare @w_street_1 char(20),
        @w_street_2 char(20),
        @w_city     char(20),
        @w_state    char(2),
        @w_zip      char(9),
        @w_name     char(10),
        @d_street_1 char(20),
        @d_street_2 char(20),
        @d_city     char(20),
        @d_state    char(2),
        @d_zip      char(9),
        @d_name     char(10),
        @c_first    char(16),
        @c_middle   char(2),
        @c_street_1 char(20),
        @c_street_2 char(20),
        @c_city     char(20),
        @c_state    char(2),
        @c_zip      char(9),
        @c_phone    char(16),
        @c_since    datetime,
        @c_credit   char(2),
        @c_credit_lim numeric(12,2),
        @c_balance  numeric(12,2),
        @c_discount numeric(4,4),
        @data       char(500),
        @c_data     char(500),
        @datetime   datetime,
        @w_ytd     numeric(12,2),
        @d_ytd     numeric(12,2),
        @cnt       smallint,
        @val       smallint,
        @screen_data char(200),
```

```
@d_id_local    tinyint,
@w_id_local    smallint,
@c_id_local    int
```

```
select @screen_data = ""
```

```
begin tran p
```

```
-- get payment date
```

```
select @datetime = getdate()
```

```
if (@c_id = 0)
begin
```

```
-- get customer id and info using last name
```

```
select @cnt = count(*)
from customer (repeatableread)
where c_last = @c_last and
      c_w_id = @c_w_id and
      c_d_id = @c_d_id
```

```
select @val = (@cnt + 1) / 2
set rowcount @val
```

```
select @c_id = c_id
from customer (repeatableread)
where c_last = @c_last and
      c_w_id = @c_w_id and
      c_d_id = @c_d_id

order by c_last, c_first
```

```
set rowcount 0
end
```

```
-- get customer info and update balances
```

```
update customer
set @c_balance = c_balance - @h_amount,
    c_payment_cnt = c_payment_cnt + 1,
    c_ytd_payment = c_ytd_payment + @h_amount,
    @c_first = c_first,
    @c_middle = c_middle,
    @c_last = c_last,
    @c_street_1 = c_street_1,
    @c_street_2 = c_street_2,
    @c_city = c_city,
    @c_state = c_state,
    @c_zip = c_zip,
    @c_phone = c_phone,
    @c_credit = c_credit,
    @c_credit_lim = c_credit_lim,
    @c_discount = c_discount,
    @c_since = c_since,
    @data = c_data,
    @c_id_local = c_id
where c_id = @c_id and
      c_w_id = @c_w_id and
      c_d_id = @c_d_id
```

```
-- if customer has bad credit get some more info
```

```

        if (@c_credit = "BC")
        begin
--      compute new info
                select @c_data      = convert(char(5),@c_id) +
                convert(char(4),@c_d_id) +
                convert(char(5),@c_w_id) +
                convert(char(4),@d_id) +
                convert(char(5),@w_id) +
                convert(char(19),@h_amount) +
                substring(@data, 1, 458)

--      update customer info
                update  customer
                set     c_data = @c_data
                where  c_id = @c_id and
                c_w_id = @c_w_id and
                c_d_id = @c_d_id

                select  @screen_data = substring (@c_data,1,200)
        end

--      get district data and update year-to-date
                update  district
                set     d_ytd      = d_ytd + @h_amount,
                @d_street_1 = d_street_1,
                @d_street_2 = d_street_2,
                @d_city      = d_city,
                @d_state     = d_state,
                @d_zip       = d_zip,
                @d_name      = d_name,
                @d_id_local  = d_id
                where  d_w_id = @w_id and
                d_id      = @d_id

--      get warehouse data and update year-to-date
                update  warehouse
                set     w_ytd      = w_ytd + @h_amount,
                @w_street_1 = w_street_1,
                @w_street_2 = w_street_2,
                @w_city      = w_city,
                @w_state     = w_state,
                @w_zip       = w_zip,
                @w_name      = w_name,
                @w_id_local  = w_id
                where  w_id      = @w_id

--      create history record
                insert into history values ( @c_id_local,
                @c_d_id,
                @c_w_id,
                @d_id_local,
                @w_id_local,
                @datetime,
                @h_amount,
                @w_name + " " + @d_name)

commit tran p

```

```
-- return data to client
```

```

select  @c_id,
        @c_last,
        @datetime,
        @w_street_1,
        @w_street_2,
        @w_city,
        @w_state,
        @w_zip,
        @d_street_1,
        @d_street_2,
        @d_city,
        @d_state,
        @d_zip,
        @c_first,
        @c_middle,
        @c_street_1,
        @c_street_2,
        @c_city,
        @c_state,
        @c_zip,
        @c_phone,
        @c_since,
        @c_credit,
        @c_credit_lim,
        @c_discount,
        @c_balance,
        @screen_data

```

```
go
```

## random.c

```

//      File:                RANDOM.C
//
//      Microsoft TPC-C Kit Ver. 4.22
//      Copyright Microsoft, 1996, 1997, 1998, 1999,
//      2000, 2001
//      Purpose: Random number generation routines for database loader

// Includes
#include "tpcc.h"
#include "math.h"

// Defines
#define A          16807
#define M          2147483647
#define Q          127773      /* M div A */
#define R          2836       /* M mod A */
#define Thread    __declspec(thread)

// Globals
long      Thread Seed = 0;      /* thread local seed */

/*****
 *
 * random -
 *      Implements a GOOD pseudo random number generator. This generator
 *      will/should? run the complete period before repeating.
 *
 *****/

```

```

* Copied from:
* Random Numbers Generators: Good Ones Are Hard to Find.
* Communications of the ACM - October 1988 Volume 31 Number 10
*
* Machine Dependencies:
* long must be 2 ^ 31 - 1 or greater.
*
*****/
/*****
* seed - load the Seed value used in irand and drand. Should be used before *
* first call to irand or drand.
* *****/
void seed(long val)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering seed()...\n", (int) GetCurrentThreadId());
    printf("Old Seed %ld New Seed %ld\n",Seed, val);
#endif

    if ( val < 0 )
        val = abs(val);

    Seed = val;
}

/*****
*
* irand - returns a 32 bit integer pseudo random number with a period of
* 1 to 2 ^ 32 - 1.
*
* parameters:
* none.
*
* returns:
* 32 bit integer - defined as long ( see above ).
*
* side effects:
* seed get recomputed.
* *****/
long irand()
{
    register long s; /* copy of seed */
    register long test; /* test flag */
    register long hi; /* tmp value for speed */
    register long lo; /* tmp value for speed */

#ifdef DEBUG
    printf("[%ld]DBG: Entering irand()...\n", (int) GetCurrentThreadId());
#endif

    s = Seed;
    hi = s / Q;
    lo = s % Q;

    test = A * lo - R * hi;
    if ( test > 0 )
        Seed = test;
}

```

```

else
    Seed = test + M;

return( Seed );
}

/*****
*
* drand - returns a double pseudo random number between 0.0 and 1.0.
* See irand.
* *****/
double drand()
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering drand()...\n", (int) GetCurrentThreadId());
#endif

    return( (double)irand() / 2147483647.0);
}

//=====
// Function : RandomNumber
//
// Description:
//=====
long RandomNumber(long lower, long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering RandomNumber()...\n", (int) GetCurrentThreadId());
#endif

    if ( upper == lower ) /* pgd 08-13-96 perf enhancement */
        return lower;

    upper++;

    if ( upper <= lower )
        rand_num = upper;
    else
        rand_num = lower + irand() % (upper - lower); /* pgd 08-13-96
perf enhancement */

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld ==> %ld\n",
(int) GetCurrentThreadId(), lower, upper,
rand_num);
#endif

    return rand_num;
}

#if 0
//Original code pgd 08/13/96

```



```

long RandomNumber(long lower,
                  long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering RandomNumber()...\n", (int) GetCurrentThreadId());
#endif

    upper++;

    if ((upper <= lower))
        rand_num = upper;
    else
        rand_num = lower + irand() % ((upper > lower) ? upper - lower :
upper);

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld ==> %ld\n",
          (int) GetCurrentThreadId(), lower, upper,
rand_num);
#endif

    return rand_num;
}
#endif

//=====
// Function : NURand
//
// Description:
//=====
long NURand(int iConst,
           long x,
           long y,
           long C)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering NURand()...\n", (int) GetCurrentThreadId());
#endif

    rand_num = (((RandomNumber(0,iConst) | RandomNumber(x,y)) + C) % (y-x+1))+x;

#ifdef DEBUG
    printf("[%ld]DBG: NURand: num = %d\n", (int) GetCurrentThreadId(), rand_num);
#endif

    return rand_num;
}

```

---

## removedb.sql

---

```

-- File:      REMOVEDB.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Removes tpcc database and backup files

```

```

use master
go

-- remove any existing database and backup files

exec sp_dbremove tpcc, dropdev
go

exec sp_dropdevice 'tpccback1'
exec sp_dropdevice 'tpccback2'
exec sp_dropdevice 'tpccback3'
exec sp_dropdevice 'tpccback4'
go

```

---

## restore.sql

---

```

-- File:      RESTORE.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Loads database backup from backup files

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

load database tpcc from tpccback1, tpccback2 with stats = 1, replace

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

sp_dboption tpcc,'torn page detection','false'
go

```

---

## sqlshutdown.sql

---

```

use tpcc
go
checkpoint
go
shutdown
go

```

---

## stocklev.sql

---

```

-- File:      STOCKLEV.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Creates stock level transaction stored procedure
--
--           Interface Level: 4.10.000

use tpcc

```

```

go

if exists (select name from sysobjects where name = "tpcc_stocklevel" )
    drop procedure tpcc_stocklevel
go

create proc tpcc_stocklevel @w_id          smallint,
                           @d_id          tinyint,
                           @threshold     smallint
as

declare @o_id_low int,
        @o_id_high int

select  @o_id_low = (d_next_o_id - 20),
        @o_id_high = (d_next_o_id - 1)
from    district
where   d_w_id      = @w_id and
        d_id        = @d_id

select  count(distinct(s_i_id))
from    stock, order_line
where   ol_w_id      = @w_id and
        ol_d_id      = @d_id and
        ol_o_id      between @o_id_low and
                           @o_id_high and
        s_w_id       = ol_w_id and
        s_i_id       = ol_i_id and
        s_quantity   < @threshold

go

```

## strings.c

```

// File: STRINGS.C
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 1996, 1997, 1998, 1999,
2000, 2001
// Purpose: Source file for database loader string functions

// Includes
#include "tpcc.h"
#include <string.h>
#include <ctype.h>

//=====
//
// Function name: MakeAddress
//
//=====

void MakeAddress(char *street_1,
                char *street_2,
                char *city,
                char *state,
                char *zip)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeAddress()\n", (int) GetCurrentThreadId());

```

```

#endif

    MakeAlphaString (10, 20, ADDRESS_LEN, street_1);
    MakeAlphaString (10, 20, ADDRESS_LEN, street_2);
    MakeAlphaString (10, 20, ADDRESS_LEN, city);
    MakeAlphaString ( 2,  2, STATE_LEN, state);
    MakeZipNumberString( 9,  9, ZIP_LEN, zip);

#ifdef DEBUG
    printf("[%ld]DBG: MakeAddress: street_1: %s, street_2: %s, city: %s, state: %s,
zip: %s\n",
                (int) GetCurrentThreadId(), street_1, street_2, city,
state, zip);
#endif

    return;
}

//=====
//
// Function name: LastName
//
//=====

void LastName(int num,
             char *name)
{
    static char *n[] =
    {
        "BAR", "OUGHT", "ABLE", "PRI", "PRES",
        "ESE", "ANTI", "CALLY", "ATION", "EING"
    };

#ifdef DEBUG
    printf("[%ld]DBG: Entering LastName()\n", (int) GetCurrentThreadId());
#endif

    if ((num >= 0) && (num < 1000))
    {
        strcpy(name, n[(num/100)%10]);
        strcat(name, n[(num/10)%10]);
        strcat(name, n[(num/1)%10]);

        if (strlen(name) < LAST_NAME_LEN)
        {
            PaddString(LAST_NAME_LEN, name);
        }
    }
    else
    {
        printf("\nError in LastName()... num < %ld> out of range
(0,999)\n", num);
        exit(-1);
    }

#ifdef DEBUG
    printf("[%ld]DBG: LastName: num = [%d] ==> [%d][%d][%d]\n",
                (int) GetCurrentThreadId(), num, num/100, (num/10)%10,
num%10);

```

```

        printf("[%ld]DBG: LastName: String = %s\n", (int) GetCurrentThreadId(),
name);
#endif
    return;
}

//=====
//
// Function name: MakeAlphaString
//
//=====

//philipdu 08/13/96 Changed MakeAlphaString to use A-Z, a-z, and 0-9 in
//accordance with spec see below:
//The spec says:
//4.3.2.2 The notation random a-string [x .. y]
//(respectively, n-string [x .. y]) represents a string of random alphanumeric
//(respectively, numeric) characters of a random length of minimum x, maximum y,
//and mean (y+x)/2. Alphanumerics are A..Z, a..z, and 0..9. The only other
//requirement is that the character set used "must be able to represent a minimum
//of 128 different characters". We are using 8-bit chars, so this is a non issue.
//It is completely unreasonable to stuff non-printing chars into the text fields.
//-CLevine 08/13/96

int MakeAlphaString( int x, int y, int z, char *str)
{
    int len;
    int i;
    char cc = 'a';
    static char chArray[] =
"0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz";
    static int chArrayMax = 61;

#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeAlphaString()\n", (int) GetCurrentThreadId());
#endif

    len= RandomNumber(x, y);

    for (i=0; i<len; i++)
    {
        cc = chArray[RandomNumber(0, chArrayMax)];
        str[i] = cc;
    }
    if ( len < z )
        memset(str+len, ' ', z - len);
    str[len] = 0;

    return len;
}

//=====
//
// Function name: MakeOriginalAlphaString
//
//=====

int MakeOriginalAlphaString(int x,
int y,

```

```

int z,
char *str,
int percent)
{
    int len;
    int val;
    int start;

#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeOriginalAlphaString()\n", (int)
GetCurrentThreadId());
#endif

    // verify percentage is valid
    if ((percent < 0) || (percent > 100))
    {
        printf("MakeOriginalAlphaString: Invalid percentage: %d\n",
percent);
        exit(-1);
    }

    // verify string is at least 8 chars in length
    if ((x + y) <= 8)
    {
        printf("MakeOriginalAlphaString: string length must be >= 8\n");
        exit(-1);
    }

    // Make Alpha String
    len = MakeAlphaString(x,y, z, str);

    val = RandomNumber(1,100);
    if (val <= percent)
    {
        start = RandomNumber(0, len - 8);
        strncpy(str + start, "ORIGINAL", 8);
    }

#ifdef DEBUG
    printf("[%ld]DBG: MakeOriginalAlphaString: : %s\n",
(int) GetCurrentThreadId(), str);
#endif

    return strlen(str);
}

//=====
//
// Function name: MakeNumberString
//
//=====
int MakeNumberString(int x, int y, int z, char *str)
{
    char tmp[16];

    //MakeNumberString is always called MakeZipNumberString(16, 16, 16,
string)

    memset(str, '0', 16);
    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));
}

```

```

        itoa(RandomNumber(0, 99999999), tmp, 10);
        memcpy(str+8, tmp, strlen(tmp));

        str[16] = 0;

        return 16;
    }

//=====
//
// Function name: MakeZipNumberString
//
//=====
int MakeZipNumberString(int x, int y, int z, char *str)
{
    char tmp[16];

    //MakeZipNumberString is always called MakeZipNumberString(9, 9, 9,
string)

    strcpy(str, "000011111");

    itoa(RandomNumber(0, 9999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    return 9;
}

//=====
//
// Function name: InitString
//
//=====
void InitString(char *str, int len)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering InitString()\n", (int) GetCurrentThreadId());
#endif

    memset(str, ' ', len);
    str[len] = 0;
}

//=====
// Function name: InitAddress
//
// Description:
//
//=====
void InitAddress(char *street_1, char *street_2, char *city, char *state, char *zip)
{
    memset(street_1, ' ', ADDRESS_LEN+1);
    memset(street_2, ' ', ADDRESS_LEN+1);
    memset(city, ' ', ADDRESS_LEN+1);

    street_1[ADDRESS_LEN+1] = 0;
    street_2[ADDRESS_LEN+1] = 0;
    city[ADDRESS_LEN+1] = 0;
}

```

```

        memset(state, ' ', STATE_LEN+1);
        state[STATE_LEN+1] = 0;

        memset(zip, ' ', ZIP_LEN+1);
        zip[ZIP_LEN+1] = 0;
    }

//=====
//
// Function name: PaddString
//
//=====
void PaddString(int max, char *name)
{
    int len;

    len = strlen(name);
    if ( len < max )
        memset(name+len, ' ', max - len);
    name[max] = 0;

    return;
}

```

---

## **tables.sql**

---

```

-- File: TABLES.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates TPC-C tables

use tpcc
go

--
-- Remove all existing TPC-C tables
--

if exists ( select name from sysobjects where name = 'warehouse' )
    drop table warehouse
go
if exists ( select name from sysobjects where name = 'district' )
    drop table district
go
if exists ( select name from sysobjects where name = 'customer' )
    drop table customer
go
if exists ( select name from sysobjects where name = 'history' )
    drop table history
go
if exists ( select name from sysobjects where name = 'new_order' )
    drop table new_order
go
if exists ( select name from sysobjects where name = 'orders' )
    drop table orders
go
if exists ( select name from sysobjects where name = 'order_line' )
    drop table order_line

```

```

go
if exists ( select name from sysobjects where name = 'item' )
drop table item
go
if exists ( select name from sysobjects where name = 'stock' )
drop table stock
go
--
-- Create new tables
--
create table warehouse
(
    w_id                smallint,
    w_name              char(10),
    w_street_1         char(20),
    w_street_2         char(20),
    w_city              char(20),
    w_state             char(2),
    w_zip              char(9),
    w_tax              numeric(4,4),
    w_ytd              numeric(12,2)
) on MSSQL_misc_fg
go

create table district
(
    d_id                tinyint,
    d_w_id              smallint,
    d_name              char(10),
    d_street_1         char(20),
    d_street_2         char(20),
    d_city              char(20),
    d_state             char(2),
    d_zip              char(9),
    d_tax              numeric(4,4),
    d_ytd              numeric(12,2),
    d_next_o_id        int
) on MSSQL_misc_fg
go

create table customer
(
    c_id                int,
    c_d_id              tinyint,
    c_w_id              smallint,
    c_first             char(16),
    c_middle            char(2),
    c_last              char(16),
    c_street_1         char(20),
    c_street_2         char(20),
    c_city              char(20),
    c_state             char(2),
    c_zip              char(9),
    c_phone            char(16),
    c_since            datetime,
    c_credit            char(2),
    c_credit_lim       numeric(12,2),
    c_discount         numeric(4,4),
    c_balance          numeric(12,2),
    c_ytd_payment     numeric(12,2),
    c_payment_cnt     smallint,

```

```

    c_delivery_cnt     smallint,
    c_data            char(500)
) on MSSQL_cust_fg
go

create table history
(
    h_c_id              int,
    h_c_d_id            tinyint,
    h_c_w_id            smallint,
    h_d_id              tinyint,
    h_w_id              smallint,
    h_date              datetime,
    h_amount            numeric(6,2),
    h_data              char(24)
) on MSSQL_misc_fg
go

create table new_order
(
    no_o_id             int,
    no_d_id             tinyint,
    no_w_id             smallint
) on MSSQL_misc_fg
go

create table orders
(
    o_id                int,
    o_d_id              tinyint,
    o_w_id              smallint,
    o_c_id              int,
    o_entry_d           datetime,
    o_carrier_id        tinyint,
    o_ol_cnt            tinyint,
    o_all_local         tinyint
) on MSSQL_ord_fg
go

create table order_line
(
    ol_o_id             int,
    ol_d_id             tinyint,
    ol_w_id             smallint,
    ol_number           tinyint,
    ol_i_id             int,
    ol_supply_w_id     smallint,
    ol_delivery_d       datetime,
    ol_quantity         smallint,
    ol_amount           numeric(6,2),
    ol_dist_info        char(24)
) on MSSQL_ordln_fg
go

create table item
(
    i_id                int,
    i_im_id             int,
    i_name              char(24),
    i_price             numeric(5,2),
    i_data              char(50)
) on MSSQL_misc_fg
go

```

```

create table stock
(
    s_i_id          int,
    s_w_id          smallint,
    s_quantity     smallint,
    s_dist_01      char(24),
    s_dist_02      char(24),
    s_dist_03      char(24),
    s_dist_04      char(24),
    s_dist_05      char(24),
    s_dist_06      char(24),
    s_dist_07      char(24),
    s_dist_08      char(24),
    s_dist_09      char(24),
    s_dist_10      char(24),
    s_ytd          int,
    s_order_cnt    smallint,
    s_remote_cnt   smallint,
    s_data         char(50)
) on MSSQL_stk_fg
go

```

## time.c

```

// File: TIME.C
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 1996, 1997, 1998, 1999,
// 2000, 2001
// Purpose: Source file for time functions

// Includes
#include "tpcc.h"

// Globals
static long start_sec;

//=====
//
// Function name: TimeNow
//
//=====

long TimeNow()
{
    long time_now;
    struct _timeb e1_time;

#ifdef DEBUG
    printf("[%ld]DBG: Entering TimeNow()\n", (int) GetCurrentThreadId());
#endif

    _ftime(&e1_time);

    time_now = ((e1_time.time - start_sec) * 1000) + e1_time.millitm;

    return time_now;
}

```

## tpcc.h

```

// File: TPCC.H
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 1996, 1997, 1998, 1999,
// 2000, 2001
// Purpose: Header file for TPC-C database loader

// Build number of TPC Benchmark Kit
#define TPCKIT_VER "4.22"

// General headers
#include <windows.h>
#include <winbase.h>
#include <stdlib.h>
#include <stdio.h>
#include <process.h>
#include <stddef.h>
#include <stdarg.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <sys\types.h>

// ODBC headers
#include <sql.h>
#include <sqlext.h>
#include <odbcss.h>

// General constants
#define MILLI 1000
#define FALSE 0
#define TRUE 1
#define UNDEF -1
#define MINPRINTASCII 32
#define MAXPRINTASCII 126

// Default environment constants
#define SERVER ""
#define DATABASE "tpcc"
#define USER "sa"
#define PASSWORD ""

// Default loader arguments
#define BATCH 10000
#define DEFLDPACKSIZE 32768
#define LOADER_RES_FILE "logs\\load.out"
#define LOADER_NURAND_C 123
#define DEF_STARTING_WAREHOUSE 1
#define BUILD_INDEX 1 // build both
data and indexes
#define INDEX_ORDER 1 // build
indexes before load
#define SCALE_DOWN 0 // build a normal
scale database
#define INDEX_SCRIPT_PATH "scripts"

typedef struct
{
    char *server;
    char *database;
}

```

```

char          *user;
char          *password;
BOOL         tables_all;
// set if loading all tables
BOOL         table_item;
// set if loading ITEM table specifically
BOOL         table_warehouse; // set if
loading WAREHOUSE, DISTRICT, and STOCK
BOOL         table_customer; //
set if loading CUSTOMER and HISTORY
BOOL         table_orders; //
set if loading NEW-ORDER, ORDERS, ORDER-LINE
long         num_warehouses;
long         batch;
long         verbose;
long         pack_size;
char         *loader_res_file;
char         *synch_servername;
long         case_sensitivity;
long         starting_warehouse;
long         build_index;
long         index_order;
long         scale_down;
char         *index_script_path;
} TPCCLDR_ARGS;

// String length constants
#define SERVER_NAME_LEN      20
#define DATABASE_NAME_LEN   20
#define USER_NAME_LEN       20
#define PASSWORD_LEN        20
#define TABLE_NAME_LEN     20
#define I_DATA_LEN          50
#define I_NAME_LEN          24
#define BRAND_LEN           1
#define LAST_NAME_LEN       16
#define W_NAME_LEN          10
#define ADDRESS_LEN         20
#define STATE_LEN           2
#define ZIP_LEN             9
#define S_DIST_LEN          24
#define S_DATA_LEN          50
#define D_NAME_LEN          10
#define FIRST_NAME_LEN      16
#define MIDDLE_NAME_LEN     2
#define PHONE_LEN           16
#define CREDIT_LEN          2
#define C_DATA_LEN          500
#define H_DATA_LEN          24
#define DIST_INFO_LEN       24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN          25
#define OL_DIST_INFO_LEN    24
#define C_SINCE_LEN         23
#define H_DATE_LEN          23
#define OL_DELIVERY_D_LEN   23
#define O_ENTRY_D_LEN       23

// Functions in random.c
void seed();
long irand();

```

```

double drand();
void WUCreate();
short WURand();
long RandomNumber(long lower, long upper);

// Functions in getargs.c;
void GetArgsLoader();
void GetArgsLoaderUsage();

// Functions in time.c
long TimeNow();

// Functions in strings.c
void MakeAddress();
void LastName();
int MakeAlphaString();
int MakeOriginalAlphaString();
int MakeNumberString();
int MakeZipNumberString();
void InitString();
void InitAddress();
void PaddString();

```

## tpccldr.c

```

// File: TPCCLDR.C
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 2000, 2001
// Purpose: Source file for TPC-C database loader

// Includes
#include "tpcc.h"
#include "search.h"

// Defines
#define MAXITEMS 100000
#define MAXITEMS_SCALE_DOWN 100
#define CUSTOMERS_PER_DISTRICT 3000
#define CUSTOMERS_SCALE_DOWN 30
#define DISTRICT_PER_WAREHOUSE 10
#define ORDERS_PER_DISTRICT 3000
#define ORDERS_SCALE_DOWN 30
#define MAX_CUSTOMER_THREADS 2
#define MAX_ORDER_THREADS 3
#define MAX_MAIN_THREADS 4

// Functions declarations

void HandleErrorDBC (SQLHDBC hdbc1);

void CheckSQL();
void CheckDataBase();

long NURand();
void LoadItem();
void LoadWarehouse();

void Stock();
void District();

void LoadCustomer();

```

```

void CustomerBufInit();
void CustomerBufLoad();
void LoadCustomerTable();
void LoadHistoryTable();

void LoadOrders();
void OrdersBufInit();
void OrdersBufLoad();
void LoadOrdersTable();
void LoadNewOrderTable();
void LoadOrderLineTable();
void GetPermutation();
void CheckForCommit();
void OpenConnections();
void BuildIndex();
void FormatDate ();

// Shared memory structures

typedef struct
{
    long            ol;
    long            ol_i_id;
    short           ol_supply_w_id;
    short           ol_quantity;
    double          ol_amount;
    char            ol_dist_info[DIST_INFO_LEN+1];
    char            ol_delivery_d[OL_DELIVERY_D_LEN+1];
} ORDER_LINE_STRUCT;

typedef struct
{
    long            o_id;
    short           o_d_id;
    short           o_w_id;
    long            o_c_id;
    short           o_carrier_id;
    short           o_ol_cnt;
    short           o_all_local;
    ORDER_LINE_STRUCT  o_ol[15];
} ORDERS_STRUCT;

typedef struct
{
    long            c_id;
    short           c_d_id;
    short           c_w_id;
    char            c_first[FIRST_NAME_LEN+1];
    char            c_middle[MIDDLE_NAME_LEN+1];
    char            c_last[LAST_NAME_LEN+1];
    char            c_street_1[ADDRESS_LEN+1];
    char            c_street_2[ADDRESS_LEN+1];
    char            c_city[ADDRESS_LEN+1];
    char            c_state[STATE_LEN+1];
    char            c_zip[ZIP_LEN+1];
    char            c_phone[PHONE_LEN+1];
    char            c_credit[CREDIT_LEN+1];
    double          c_credit_lim;
    double          c_discount;
// fix to avoid ODBC float to numeric conversion problem.
// double          c_balance;
    char            c_balance[6];
}

```

```

double            c_ytd_payment;
short             c_payment_cnt;
short             c_delivery_cnt;
char              c_data[C_DATA_LEN+1];
double           h_amount;
char              h_data[H_DATA_LEN+1];
} CUSTOMER_STRUCT;

typedef struct
{
    char            c_last[LAST_NAME_LEN+1];
    char            c_first[FIRST_NAME_LEN+1];
    long            c_id;
} CUSTOMER_SORT_STRUCT;

typedef struct
{
    long            time_start;
} LOADER_TIME_STRUCT;

// Global variables

char              szLastError[300];

HENV              henv;

HDBC              v_hdbc; // for SQL
Server version verification
HDBC              i_hdbc1; // for ITEM table
HDBC              w_hdbc1; // for WAREHOUSE,
DISTRICT, STOCK
HDBC              c_hdbc1; // for CUSTOMER
HDBC              c_hdbc2; // for HISTORY
HDBC              o_hdbc1; // for ORDERS
HDBC              o_hdbc2; // for NEW-ORDER

HDBC              o_hdbc3; // for ORDER-LINE

HSTMT             v_hstmt; // for SQL Server
version verification
HSTMT             i_hstmt1;
HSTMT             w_hstmt1;
HSTMT             c_hstmt1, c_hstmt2;
HSTMT             o_hstmt1, o_hstmt2, o_hstmt3;

ORDERS_STRUCT     orders_buf[ORDERS_PER_DISTRICT];
CUSTOMER_STRUCT   customer_buf[CUSTOMERS_PER_DISTRICT];
long              orders_rows_loaded;
long              new_order_rows_loaded;
long              order_line_rows_loaded;
long              history_rows_loaded;
long              customer_rows_loaded;
long              stock_rows_loaded;
long              district_rows_loaded;
long              item_rows_loaded;
long              warehouse_rows_loaded;
long              main_time_start;
long              main_time_end;
long              max_items;
long              customers_per_district;
long              orders_per_district;
}

```



```

long                first_new_order;
long                last_new_order;

TPCCCLDR_ARGS      *aptr, args;

//=====
//
// Function name: main
//
//=====

int main(int  argc, char **argv)
{
    DWORD          dwThreadID[MAX_MAIN_THREADS];
    HANDLE         hThread[MAX_MAIN_THREADS];
    FILE           *fLoader;
    char           buffer[255];
    int            i;

    for (i=0; i<MAX_MAIN_THREADS; i++)
        hThread[i] = NULL;

    printf("\n*****");
    printf("\n*                *");
    printf("\n* Microsoft SQL Server *");
    printf("\n*                *");
    printf("\n* TPC-C BENCHMARK KIT: Database loader *");
    printf("\n* Version %s          *", TPCKIT_VER);
    printf("\n*                *");
    printf("\n*****\n\n");

    // process command line arguments
    aptr = &args;
    GetArgsLoader(argc, argv, aptr);

    // verify database and tables exist before attempting to load
    CheckSQL();
    CheckDataBase();

    printf("Build interface is ODBC.\n");

    if (aptr->build_index == 0)
        printf("Data load only - no index creation.\n");
    else
        printf("Data load and index creation.\n");

    if (aptr->index_order == 0)
        printf("Clustered indexes will be created after bulk load.\n");
    else
        printf("Clustered indexes will be created before bulk load.\n");

    // set database scale values
    if (aptr->scale_down == 1)
    {
        printf("**** Scaled Down Database ****\n");
        max_items = MAXITEMS_SCALE_DOWN;
        customers_per_district = CUSTOMERS_SCALE_DOWN;
        orders_per_district = ORDERS_SCALE_DOWN;
    }
}

```

```

        first_new_order = 0;
        last_new_order = 30;
    }
    else
    {
        max_items = MAXITEMS;
        customers_per_district = CUSTOMERS_PER_DISTRICT;
        orders_per_district = ORDERS_PER_DISTRICT;
        first_new_order = 2100;
        last_new_order = 3000;
    }

    // open connections to SQL Server
    OpenConnections();

    // open file for loader results
    fLoader = fopen(aptr->loader_res_file, "w");

    if (fLoader == NULL)
    {
        printf("Error, loader result file open failed.");
        exit(-1);
    }

    // start loading data
    sprintf(buffer, "TPC-C load started for %ld warehouses.\n", aptr->num_warehouses);

    printf("%s", buffer);
    fprintf(fLoader, "%s", buffer);

    main_time_start = (TimeNow() / MILLI);

    // start parallel load threads

    if (aptr->tables_all || aptr->table_item)
    {
        fprintf(fLoader, "\nStarting loader threads for: item\n");

        hThread[0] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE) LoadItem,
                                NULL,
                                0,
                                &dwThreadID[0]);

        if (hThread[0] == NULL)
        {
            printf("Error, failed in creating creating thread =
0.\n");
            exit(-1);
        }
    }

    if (aptr->tables_all || aptr->table_warehouse)
    {
        fprintf(fLoader, "Starting loader threads for: warehouse\n");
    }
}

```

```

        hThread[1] = CreateThread(NULL,
                                0,
(LPTHREAD_START_ROUTINE) LoadWarehouse,
NULL,
                                0,
&dwThreadID[1]);
        if (hThread[1] == NULL)
        {
            printf("Error, failed in creating creating thread =
1.\n");
            exit(-1);
        }
        if (aptr->tables_all || aptr->table_customer)
        {
            fprintf(fLoader, "Starting loader threads for: customer\n");
            hThread[2] = CreateThread(NULL,
                                0,
(LPTHREAD_START_ROUTINE) LoadCustomer,
NULL,
                                0,
&dwThreadID[2]);
            if (hThread[2] == NULL)
            {
                printf("Error, failed in creating creating main thread
= 2.\n");
                exit(-1);
            }
        }
        if (aptr->tables_all || aptr->table_orders)
        {
            fprintf(fLoader, "Starting loader threads for: orders\n");
            hThread[3] = CreateThread(NULL,
                                0,
(LPTHREAD_START_ROUTINE) LoadOrders,
NULL,
                                0,
&dwThreadID[3]);
            if (hThread[3] == NULL)
            {
                printf("Error, failed in creating creating main thread
= 3.\n");
                exit(-1);
            }
        }

```

```

// Wait for threads to finish...
for (i=0; i<MAX_MAIN_THREADS; i++)
{
    if (hThread[i] != NULL)
    {
        WaitForSingleObject( hThread[i], INFINITE );
        CloseHandle(hThread[i]);
        hThread[i] = NULL;
    }
}

main_time_end = (TimeNow() / MILLI);
sprintf(buffer, "\nTPC-C load completed successfully in %ld minutes.\n",
        (main_time_end - main_time_start)/60);

printf("%s",buffer);
fprintf(fLoader, "%s", buffer);

fclose(fLoader);

SQLFreeEnv(henv);

exit(0);

return 0;
}

//=====
//
// Function name: LoadItem
//
//=====

void LoadItem()
{
    long          i_id;
    long          i_im_id;
    char          i_name[I_NAME_LEN+1];
    double        i_price;
    char          i_data[I_DATA_LEN+1];
    char          name[20];
    long          time_start;
    RETCODE       rc;
    DBINT         rcint;
    char          bcpint[128];

    // Seed with unique number
    seed(1);

    printf("Loading item table...\n");

    // if build index before load
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxitmcl");

    InitString(i_name, I_NAME_LEN+1);
    InitString(i_data, I_DATA_LEN+1);

    sprintf(name, "%s.%s", aptr->database, "item");

    rc = bcp_init(i_hdbc1, name, NULL, "logs\\item.err", DB_IN);

```

```

    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (i_id), ROWS_PER_BATCH =
100000*");
        rc = bcp_control(i_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(i_hdbc1);
    }

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_im_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) i_name, 0, I_NAME_LEN, NULL, 0, 0, 3);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_price, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 4);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) i_data, 0, I_DATA_LEN, NULL, 0, 0, 5);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    time_start = (TimeNow() / MILLI);

    item_rows_loaded = 0;

    for (i_id = 1; i_id <= max_items; i_id++)
    {
        i_im_id = RandomNumber(1L, 10000L);

        MakeAlphaString(14, 24, I_NAME_LEN, i_name);

        i_price = ((float) RandomNumber(100L, 10000L))/100.0;

        MakeOriginalAlphaString(26, 50, I_DATA_LEN, i_data, 10);

        rc = bcp_sendrow(i_hdbc1);
        if (rc != SUCCEED)
            HandleErrorDBC(i_hdbc1);

        item_rows_loaded++;
        CheckForCommit(i_hdbc1, i_hstmt1, item_rows_loaded, "item",
&time_start);
    }

    rcint = bcp_done(i_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(i_hdbc1);

    printf("Finished loading item table.\n");

```

```

SQLFreeStmt(i_hstmt1, SQL_DROP);
SQLDisconnect(i_hdbc1);
SQLFreeConnect(i_hdbc1);

// if build index after load
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxitmc1");
}

//=====
//
// Function : LoadWarehouse
//
// Loads WAREHOUSE table and loads Stock and District as Warehouses are created
//
//=====

void LoadWarehouse()
{
    short w_id;
    char w_name[W_NAME_LEN+1];
    char w_street_1[ADDRESS_LEN+1];
    char w_street_2[ADDRESS_LEN+1];
    char w_city[ADDRESS_LEN+1];
    char w_state[STATE_LEN+1];
    char w_zip[ZIP_LEN+1];
    double w_tax;
    double w_ytd;
    char name[20];
    long time_start;
    RETCODE rc;
    DBINT rcint;
    char bcphint[128];

    // Seed with unique number
    seed(2);

    printf("Loading warehouse table...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxwarcl");

    InitString(w_name, W_NAME_LEN+1);
    InitAddress(w_street_1, w_street_2, w_city, w_state, w_zip);

    sprintf(name, "%s.%s", aptr->database, "warehouse");

    rc = bcp_init(w_hdbc1, name, NULL, "logs\\whouse.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (w_id), ROWS_PER_BATCH = %d",
aptr->num_warehouses);
        rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
    }
}

```

```

    }
    rc = bcp_bind(w_hdbc1, (BYTE *) &w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_name, 0, W_NAME_LEN, NULL, 0, 0, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_city, 0, ADDRESS_LEN, NULL, 0, 0, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_state, 0, STATE_LEN, NULL, 0, 0, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) w_zip, 0, ZIP_LEN, NULL, 0, 0, 7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &w_tax, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &w_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    time_start = (TimeNow() / MILLI);
    warehouse_rows_loaded = 0;

    for (w_id = (short)aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
    {
        MakeAlphaString(6,10, W_NAME_LEN, w_name);
        MakeAddress(w_street_1, w_street_2, w_city, w_state, w_zip);
        w_tax = ((float) RandomNumber(0L,2000L))/10000.00;
        w_ytd = 300000.00;

        rc = bcp_sendrow(w_hdbc1);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        warehouse_rows_loaded++;
    }

```

```

        CheckForCommit(w_hdbc1, i_hstmt1, warehouse_rows_loaded,
"warehouse", &time_start);
    }

    rcint = bcp_done(w_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(w_hdbc1);

    printf("Finished loading warehouse table.\n");

    // if build index after load...
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxwarc1");

    stock_rows_loaded = 0;
    district_rows_loaded = 0;

    District();
    Stock();
}

//=====
//
// Function   : District
//
//=====

void District()
{
    short d_id;
    short d_w_id;
    char d_name[D_NAME_LEN+1];
    char d_street_1[ADDRESS_LEN+1];
    char d_street_2[ADDRESS_LEN+1];
    char d_city[ADDRESS_LEN+1];
    char d_state[STATE_LEN+1];
    char d_zip[ZIP_LEN+1];
    double d_tax;
    double d_ytd;
    char name[20];
    long d_next_o_id;
    long time_start;
    int w_id;
    RETCODE rc;
    DBINT rcint;
    char bcpint[128];

    // Seed with unique number
    seed(4);

    printf("Loading district table...\n");

    // build index before load
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxdiscl");

    InitString(d_name, D_NAME_LEN+1);
    InitAddress(d_street_1, d_street_2, d_city, d_state, d_zip);
    sprintf(name, "%s.%s", aptr->database, "district");

    rc = bcp_init(w_hdbc1, name, NULL, "logs\\district.err", DB_IN);
}

```

```

        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        if ((aptr->build_index == 1) && (aptr->index_order == 1))
        {
            sprintf(bcphint, "tablock, order (d_w_id, d_id), ROWS_PER_BATCH
= %u", (aptr->num_warehouses * 10));
            rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
            if (rc != SUCCEED)
                HandleErrorDBC(w_hdbc1);
        }

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 1);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 2);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_name, 0, D_NAME_LEN, NULL, 0, 0, 3);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
4);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
5);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_city, 0, ADDRESS_LEN, NULL, 0, 0, 6);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_state, 0, STATE_LEN, NULL, 0, 0, 7);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) d_zip, 0, ZIP_LEN, NULL, 0, 0, 8);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_tax, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 10);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_next_o_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 11);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

```

```

        d_ytd = 30000.0;
        d_next_o_id = orders_per_district+1;
        time_start = (TimeNow() / MILLI);
        for (w_id = aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
        {
            d_w_id = w_id;

            for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
            {
                MakeAlphaString(6,10,D_NAME_LEN, d_name);

                MakeAddress(d_street_1, d_street_2, d_city, d_state,

                d_tax = ((float) RandomNumber(0L,2000L))/10000.00;

                rc = bcp_sendrow(w_hdbc1);
                if (rc != SUCCEED)
                    HandleErrorDBC(w_hdbc1);

                district_rows_loaded++;
                CheckForCommit(w_hdbc1, w_hstmt1,
district_rows_loaded, "district", &time_start);
            }
        }

        rcint = bcp_done(w_hdbc1);
        if (rcint < 0)
            HandleErrorDBC(w_hdbc1);

        printf("Finished loading district table.\n");

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxdiscl");

        return;
    }

//=====
//
// Function   : Stock
//
//=====

void Stock()
{
    long  s_i_id;
    short s_w_id;
    short s_quantity;
    char  s_dist_01[S_DIST_LEN+1];
    char  s_dist_02[S_DIST_LEN+1];
    char  s_dist_03[S_DIST_LEN+1];
    char  s_dist_04[S_DIST_LEN+1];
    char  s_dist_05[S_DIST_LEN+1];
    char  s_dist_06[S_DIST_LEN+1];
    char  s_dist_07[S_DIST_LEN+1];
    char  s_dist_08[S_DIST_LEN+1];

```

```

char s_dist_09[S_DIST_LEN+1];
char s_dist_10[S_DIST_LEN+1];
long s_ytd;
short s_order_cnt;
short s_remote_cnt;
char s_data[S_DATA_LEN+1];
short len;
char name[20];
long time_start;
RETCODE rc;
DBINT rcint;
char bcphint[128];

// Seed with unique number
seed(3);

// if build index before load...
if ((aptr->build_index == 1) && (aptr->index_order == 1))
    BuildIndex("idxstkcl");

sprintf(name, "%s.%s", aptr->database, "stock");

rc = bcp_init(w_hdbc1, name, NULL, "logs\\stock.err", DB_IN);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (s_i_id, s_w_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 100000));
    rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);
}

rc = bcp_bind(w_hdbc1, (BYTE *) &s_i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 1);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

bcp_bind(w_hdbc1, (BYTE *) &s_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_quantity, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_01, 0, S_DIST_LEN, NULL, 0, 0, 4);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_02, 0, S_DIST_LEN, NULL, 0, 0, 5);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_03, 0, S_DIST_LEN, NULL, 0, 0, 6);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_04, 0, S_DIST_LEN, NULL, 0, 0, 7);

```

```

if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_05, 0, S_DIST_LEN, NULL, 0, 0, 8);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_06, 0, S_DIST_LEN, NULL, 0, 0, 9);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_07, 0, S_DIST_LEN, NULL, 0, 0, 10);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_08, 0, S_DIST_LEN, NULL, 0, 0, 11);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_09, 0, S_DIST_LEN, NULL, 0, 0, 12);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_10, 0, S_DIST_LEN, NULL, 0, 0, 13);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 14);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_order_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 15);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &s_remote_cnt, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT2, 16);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) s_data, 0, S_DATA_LEN, NULL, 0, 0, 17);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

s_ytd = s_order_cnt = s_remote_cnt = 0;

time_start = (TimeNow() / MILLI);

printf("...Loading stock table\n");

for (s_i_id=1; s_i_id <= max_items; s_i_id++)
{
    for (s_w_id = (short)aptr->starting_warehouse; s_w_id <= aptr-
>num_warehouses; s_w_id++)
    {
        s_quantity = (short)RandomNumber(10L,100L);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_01);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_02);
        len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_03);
    }
}

```

```

len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_04);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_05);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_06);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_07);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_08);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_09);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_10);

s_data,10);

len = MakeOriginalAlphaString(26,50, S_DATA_LEN,

rc = bcp_sendrow(w_hdbc1);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

stock_rows_loaded++;
CheckForCommit(w_hdbc1, w_hstmt1, stock_rows_loaded,

"stock", &time_start);
    }
}

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

printf("Finished loading stock table.\n");

SQLFreeStmt(w_hstmt1, SQL_DROP);
SQLDisconnect(w_hdbc1);
SQLFreeConnect(w_hdbc1);

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxstkcl*");

return;
}

//=====
//
// Function   : LoadCustomer
//
//=====
void LoadCustomer()
{
    LOADER_TIME_STRUCT    customer_time_start;
    LOADER_TIME_STRUCT    history_time_start;
    short                 w_id;
    short                 d_id;
    DWORD                 dwThreadID[MAX_CUSTOMER_THREADS];
    HANDLE                 hThread[MAX_CUSTOMER_THREADS];
    char                   name[20];
    RETCODE                rc;
    DBINT                  rcint;
    char                   bcphint[128];
    char                   cmd[256];
    // SQLRETURN            rc_l;
    // SQLSMALLINT          recnum, MsgLen;
    // SQLCHAR               SqlState[6],
Msg[SQL_MAX_MESSAGE_LENGTH];

```

```

// SQLINTEGER                NativeError;

// Seed with unique number
seed(5);

printf("Loading customer and history tables...\n");

// if build index before load...
if ((aptr->build_index == 1) && (aptr->index_order == 1))
    BuildIndex("idxcuscl");

// Initialize bulk copy
sprintf(name, "%s.%s", aptr->database, "customer");

rc = bcp_init(c_hdbc1, name, NULL, "logs\\customer.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (c_w_id, c_d_id, c_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
    rc = bcp_control(c_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
}

sprintf(name, "%s.%s", aptr->database, "history");

rc = bcp_init(c_hdbc2, name, NULL, "logs\\history.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

sprintf(bcphint, "tablock");
rc = bcp_control(c_hdbc2, BCPHINTS, (void*) bcphint);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

customer_rows_loaded    = 0;
history_rows_loaded     = 0;

CustomerBufInit();

customer_time_start.time_start = (TimeNow() / MILLI);
history_time_start.time_start = (TimeNow() / MILLI);

for (w_id = (short)aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
{
    for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
    {
        CustomerBufLoad(d_id, w_id);

        // Start parallel loading threads here...

        // Start customer table thread

        printf("...Loading customer table for: d_id = %d, w_id
= %d\n", d_id, w_id);

        hThread[0] = CreateThread(NULL,

```

```

0,
(LPTHREAD_START_ROUTINE) LoadCustomerTable,
&customer_time_start,
0,
&dwThreadID[0]);
    if (hThread[0] == NULL)
    {
        printf("Error, failed in creating creating
thread = 0.\n");
        exit(-1);
    }
    // Start History table thread
    printf("...Loading history table for: d_id = %d, w_id
= %d\n", d_id, w_id);
    hThread[1] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadHistoryTable,
&history_time_start,
0,
&dwThreadID[1]);
    if (hThread[1] == NULL)
    {
        printf("Error, failed in creating creating
thread = 1.\n");
        exit(-1);
    }
    WaitForSingleObject( hThread[0], INFINITE );
    WaitForSingleObject( hThread[1], INFINITE );
    if (CloseHandle(hThread[0]) == FALSE)
    {
        printf("Error, failed in closing customer
thread handle with errno: %d\n", GetLastError());
    }
    if (CloseHandle(hThread[1]) == FALSE)
    {
        printf("Error, failed in closing history
thread handle with errno: %d\n", GetLastError());
    }
}
// flush the bulk connection

```

```

rcint = bcp_done(c_hdbc1);
if (rcint < 0)
    HandleErrorDBC(c_hdbc1);

rcint = bcp_done(c_hdbc2);
if (rcint < 0)
    HandleErrorDBC(c_hdbc2);

printf("Finished loading customer table.\n");

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxcuscl");

// build non-clustered index
if (aptr->build_index == 1)
    BuildIndex("idxcusnc");

// Output the NURAND used for the loader into C_FIRST for C_ID = 1,
// C_W_ID = 1, and C_D_ID = 1
sprintf(cmd, "isql -S%s -U%s -P%s -d%s -e -Q\"update customer set c_first
= 'C_LOAD = %d' where c_id = 1 and c_w_id = 1 and c_d_id = 1\" >
logs\\nurand_load.log",
aptr->server,
aptr->user,
aptr->password,
aptr->database,
LOADER_NURAND_C);

system(cmd);

SQLFreeStmt(c_hstmt1, SQL_DROP);
SQLDisconnect(c_hdbc1);
SQLFreeConnect(c_hdbc1);

SQLFreeStmt(c_hstmt2, SQL_DROP);
SQLDisconnect(c_hdbc2);
SQLFreeConnect(c_hdbc2);

return;
}

//=====
//
// Function : CustomerBufInit
//
//=====

void CustomerBufInit()
{
    int i;

    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_id = 0;
        customer_buf[i].c_d_id = 0;
        customer_buf[i].c_w_id = 0;

        strcpy(customer_buf[i].c_first,"");
        strcpy(customer_buf[i].c_middle,"");
    }
}

```



```

        strcpy(customer_buf[i].c_last,"");
        strcpy(customer_buf[i].c_street_1,"");
        strcpy(customer_buf[i].c_street_2,"");
        strcpy(customer_buf[i].c_city,"");
        strcpy(customer_buf[i].c_state,"");
        strcpy(customer_buf[i].c_zip,"");
        strcpy(customer_buf[i].c_phone,"");
        strcpy(customer_buf[i].c_credit,"");

        customer_buf[i].c_credit_lim = 0;
        customer_buf[i].c_discount = (float) 0;

        // fix to avoid ODBC float to numeric conversion problem.
        // customer_buf[i].c_balance = 0;
        strcpy(customer_buf[i].c_balance,"");

        customer_buf[i].c_ytd_payment = 0;
        customer_buf[i].c_payment_cnt = 0;
        customer_buf[i].c_delivery_cnt = 0;

        strcpy(customer_buf[i].c_data,"");

        customer_buf[i].h_amount = 0;

        strcpy(customer_buf[i].h_data,"");
    }
}

//=====
//
// Function : CustomerBufLoad
//
// Fills shared buffer for HISTORY and CUSTOMER
//=====
void CustomerBufLoad(int d_id, int w_id)
{
    long i;
    CUSTOMER_SORT_STRUCT c[CUSTOMERS_PER_DISTRICT];

    for (i=0;i<customers_per_district;i++)
    {
        if (i < 1000)
            LastName(i, c[i].c_last);
        else
            LastName(NURand(255,0,999,LOADER_NURAND_C),
c[i].c_last);

        MakeAlphaString(8,16,FIRST_NAME_LEN, c[i].c_first);

        c[i].c_id = i+1;
    }

    printf("...Loading customer buffer for: d_id = %d, w_id = %d\n",
d_id, w_id);

    for (i=0;i<customers_per_district;i++)

```

```

    {
        customer_buf[i].c_d_id = d_id;
        customer_buf[i].c_w_id = w_id;
        customer_buf[i].h_amount = 10.0;

        customer_buf[i].c_ytd_payment = 10.0;

        customer_buf[i].c_payment_cnt = 1;
        customer_buf[i].c_delivery_cnt = 0;

        // Generate CUSTOMER and HISTORY data
        customer_buf[i].c_id = c[i].c_id;

        strcpy(customer_buf[i].c_first, c[i].c_first);
        strcpy(customer_buf[i].c_last, c[i].c_last);

        customer_buf[i].c_middle[0] = '0';
        customer_buf[i].c_middle[1] = 'E';

        MakeAddress(customer_buf[i].c_street_1,
                    customer_buf[i].c_street_2,
                    customer_buf[i].c_city,
                    customer_buf[i].c_state,
                    customer_buf[i].c_zip);

        MakeNumberString(16, 16, PHONE_LEN, customer_buf[i].c_phone);

        if (RandomNumber(1L, 100L) > 10)
            customer_buf[i].c_credit[0] = 'G';
        else
            customer_buf[i].c_credit[0] = 'B';
        customer_buf[i].c_credit[1] = 'C';

        customer_buf[i].c_credit_lim = 50000.0;
        customer_buf[i].c_discount = ((float) RandomNumber(0L, 5000L)) /
10000.0;

        // fix to avoid ODBC float to numeric conversion problem.

        // customer_buf[i].c_balance = -10.0;
        strcpy(customer_buf[i].c_balance,"-10.0");

        MakeAlphaString(300, 500, C_DATA_LEN, customer_buf[i].c_data);

        // Generate HISTORY data
        MakeAlphaString(12, 24, H_DATA_LEN, customer_buf[i].h_data);
    }
}

//=====
//
// Function : LoadCustomerTable
//
//=====
void LoadCustomerTable(LOADER_TIME_STRUCT *customer_time_start)
{
    int i;
    long c_id;

```

```

short      c_d_id;
short      c_w_id;
char       c_first[FIRST_NAME_LEN+1];
char       c_middle[MIDDLE_NAME_LEN+1];
char       c_last[LAST_NAME_LEN+1];
char       c_street_1[ADDRESS_LEN+1];
char       c_street_2[ADDRESS_LEN+1];
char       c_city[ADDRESS_LEN+1];
char       c_state[STATE_LEN+1];
char       c_zip[ZIP_LEN+1];
char       c_phone[PHONE_LEN+1];
char       c_credit[CREDIT_LEN+1];
double     c_credit_lim;
double     c_discount;

// fix to avoid ODBC float to numeric conversion problem.
// double      c_balance;
char       c_balance[6];

double     c_ytd_payment;
short      c_payment_cnt;
short      c_delivery_cnt;
char       c_data[C_DATA_LEN+1];
char       c_since[C_SINCE_LEN+1];
RETCODE    rc;

rc = bcp_bind(c_hdbc1, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 3);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_first, 0, FIRST_NAME_LEN, NULL, 0, 0, 4);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_middle, 0, MIDDLE_NAME_LEN, NULL, 0, 0, 5);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_last, 0, LAST_NAME_LEN, NULL, 0, 0, 6);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_1, 0, ADDRESS_LEN, NULL, 0, 0, 7);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_2, 0, ADDRESS_LEN, NULL, 0, 0, 8);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_city, 0, ADDRESS_LEN, NULL, 0, 0, 9);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

```

```

rc = bcp_bind(c_hdbc1, (BYTE *) c_state, 0, STATE_LEN, NULL, 0, 0, 10);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_zip, 0, ZIP_LEN, NULL, 0, 0, 11);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_phone, 0, PHONE_LEN, NULL, 0, 0, 12);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_since, 0, C_SINCE_LEN, NULL, 0,
SQLCHARACTER, 13);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_credit, 0, CREDIT_LEN, NULL, 0, 0, 14);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_credit_lim, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 15);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_discount, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 16);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

// fix to avoid ODBC float to numeric conversion problem.

// rc = bcp_bind(c_hdbc1, (BYTE *) &c_balance, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 17);
// if (rc != SUCCEED)
//     HandleErrorDBC(c_hdbc1);
rc = bcp_bind(c_hdbc1, (BYTE *) c_balance, 0, 5, NULL, 0, SQLCHARACTER, 17);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_ytd_payment, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 18);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_payment_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 19);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_delivery_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 20);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_data, 0, 500, NULL, 0, 0, 21);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

```

```

for (i = 0; i < customers_per_district; i++)
{
    c_id = customer_buf[i].c_id;
    c_d_id = customer_buf[i].c_d_id;
    c_w_id = customer_buf[i].c_w_id;

    strcpy(c_first, customer_buf[i].c_first);
    strcpy(c_middle, customer_buf[i].c_middle);
    strcpy(c_last, customer_buf[i].c_last);
    strcpy(c_street_1, customer_buf[i].c_street_1);
    strcpy(c_street_2, customer_buf[i].c_street_2);
    strcpy(c_city, customer_buf[i].c_city);
    strcpy(c_state, customer_buf[i].c_state);
    strcpy(c_zip, customer_buf[i].c_zip);
    strcpy(c_phone, customer_buf[i].c_phone);
    strcpy(c_credit, customer_buf[i].c_credit);

    FormatDate(&c_since);

    c_credit_lim = customer_buf[i].c_credit_lim;
    c_discount = customer_buf[i].c_discount;

    // fix to avoid ODBC float to numeric conversion problem.

    // c_balance = customer_buf[i].c_balance;
    strcpy(c_balance, customer_buf[i].c_balance);

    c_ytd_payment = customer_buf[i].c_ytd_payment;
    c_payment_cnt = customer_buf[i].c_payment_cnt;
    c_delivery_cnt = customer_buf[i].c_delivery_cnt;

    strcpy(c_data, customer_buf[i].c_data);

    // Send data to server
    rc = bcp_sendrow(c_hdbc1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

    customer_rows_loaded++;
    CheckForCommit(c_hdbc1, c_hstmt1, customer_rows_loaded,
"customer", &customer_time_start->time_start);
}

}

//=====
//
// Function : LoadHistoryTable
//
//=====

void LoadHistoryTable(LOADER_TIME_STRUCT *history_time_start)
{
    int i;
    long c_id;
    short c_d_id;
    short c_w_id;
    double h_amount;
    char h_data[H_DATA_LEN+1];
    char h_date[H_DATE_LEN+1];
    RETCODE rc;

```

```

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_date, 0, H_DATE_LEN, NULL, 0,
SQLCHARACTER, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_amount, 0, SQL_VARLEN_DATA, NULL, 0, SQLFLT8,
7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) h_data, 0, H_DATA_LEN, NULL, 0, 0, 8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    for (i = 0; i < customers_per_district; i++)
    {
        c_id = customer_buf[i].c_id;
        c_d_id = customer_buf[i].c_d_id;
        c_w_id = customer_buf[i].c_w_id;
        h_amount = customer_buf[i].h_amount;
        strcpy(h_data, customer_buf[i].h_data);

        FormatDate(&h_date);

        // send to server
        rc = bcp_sendrow(c_hdbc2);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc2);

        history_rows_loaded++;
        CheckForCommit(c_hdbc2, c_hstmt2, history_rows_loaded,
"history", &history_time_start->time_start);
    }
}

//=====

```

```

//
// Function   : LoadOrders
//
//=====
void LoadOrders()
{
    LOADER_TIME_STRUCT    orders_time_start;
    LOADER_TIME_STRUCT    new_order_time_start;
    LOADER_TIME_STRUCT    order_line_time_start;
    short                 w_id;
    short                 d_id;
    DWORD                 dwThreadID[MAX_ORDER_THREADS];
    HANDLE                 hThread[MAX_ORDER_THREADS];
    char                   name[20];
    RETCODE                rc;
    char                   bcphint[128];

    // seed with unique number
    seed(6);

    printf("Loading orders...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        BuildIndex("idxordcl");
        BuildIndex("idxnodel");
        BuildIndex("idxodlcl");
    }

    // initialize bulk copy
    sprintf(name, "%s..%s", aptr->database, "orders");
    rc = bcp_init(o_hdbc1, name, NULL, "logs\\orders.err", DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (o_w_id, o_d_id, o_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
        rc = bcp_control(o_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEEDED)
            HandleErrorDBC(o_hdbc1);
    }

    sprintf(name, "%s..%s", aptr->database, "new_order");
    rc = bcp_init(o_hdbc2, name, NULL, "logs\\neword.err", DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (no_w_id, no_d_id, no_o_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 9000));
        rc = bcp_control(o_hdbc2, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEEDED)
            HandleErrorDBC(o_hdbc2);
    }

    sprintf(name, "%s..%s", aptr->database, "order_line");

```

```

rc = bcp_init(o_hdbc3, name, NULL, "logs\\ordline.err", DB_IN);
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc3);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (ol_w_id, ol_d_id, ol_o_id,
ol_number), ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
    rc = bcp_control(o_hdbc3, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);
}

orders_rows_loaded      = 0;
new_order_rows_loaded   = 0;
order_line_rows_loaded  = 0;

OrdersBufInit();

orders_time_start.time_start = (TimeNow() / MILLI);
new_order_time_start.time_start = (TimeNow() / MILLI);
order_line_time_start.time_start = (TimeNow() / MILLI);

for (w_id = (short)aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
{
    for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
    {
        OrdersBufLoad(d_id, w_id);

        // start parallel loading threads here...

        // start Orders table thread
        printf("...Loading Order Table for: d_id = %d, w_id =
%d\n", d_id, w_id);

        hThread[0] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadOrdersTable,
&orders_time_start,
0,
&dwThreadID[0]);

        if (hThread[0] == NULL)
        {
            printf("Error, failed in creating creating
thread = 0.\n");
            exit(-1);
        }

        // start NewOrder table thread
        printf("...Loading New-Order Table for: d_id = %d,
w_id = %d\n", d_id, w_id);

```

```

        hThread[1] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadNewOrderTable,
&new_order_time_start,
0,
&dwThreadID[1]);

    if (hThread[1] == NULL)
    {
        printf("Error, failed in creating creating
thread = 1.\n");
        exit(-1);
    }

    // start Order-Line table thread
    printf("...Loading Order-Line Table for: d_id = %d,
w_id = %d\n", d_id, w_id);

    hThread[2] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadOrderLineTable,
&order_line_time_start,
0,
&dwThreadID[2]);

    if (hThread[2] == NULL)
    {
        printf("Error, failed in creating creating
thread = 2.\n");
        exit(-1);
    }

    WaitForSingleObject( hThread[0], INFINITE );
    WaitForSingleObject( hThread[1], INFINITE );
    WaitForSingleObject( hThread[2], INFINITE );

    if (CloseHandle(hThread[0]) == FALSE)
    {
        printf("Error, failed in closing Orders
thread handle with errno: %d\n", GetLastError());
    }

    if (CloseHandle(hThread[1]) == FALSE)
    {
        printf("Error, failed in closing NewOrder
thread handle with errno: %d\n", GetLastError());
    }

    if (CloseHandle(hThread[2]) == FALSE)
    {
        printf("Error, failed in closing OrderLine
thread handle with errno: %d\n", GetLastError());
    }

```

```

    }
}

printf("Finished loading orders.\n");

return;
}

//=====
//
// Function : OrdersBufInit
//
// Clears shared buffer for ORDERS, NEWORDER, and ORDERLINE
//
//=====
void OrdersBufInit()
{
    int i;
    int j;

    for (i=0;i<orders_per_district;i++)
    {
        orders_buf[i].o_id = 0;
        orders_buf[i].o_d_id = 0;
        orders_buf[i].o_w_id = 0;
        orders_buf[i].o_c_id = 0;
        orders_buf[i].o_carrier_id = 0;
        orders_buf[i].o_ol_cnt = 0;
        orders_buf[i].o_all_local = 0;

        for (j=0;j<=14;j++)
        {
            orders_buf[i].o_ol[j].ol = 0;
            orders_buf[i].o_ol[j].ol_i_id = 0;
            orders_buf[i].o_ol[j].ol_supply_w_id = 0;
            orders_buf[i].o_ol[j].ol_quantity = 0;
            orders_buf[i].o_ol[j].ol_amount = 0;
            strcpy(orders_buf[i].o_ol[j].ol_dist_info, "");
        }
    }
}

//=====
//
// Function : OrdersBufLoad
//
// Fills shared buffer for ORDERS, NEWORDER, and ORDERLINE
//
//=====
void OrdersBufLoad(int d_id, int w_id)
{
    int cust[ORDERS_PER_DISTRICT+1];
    long o_id;

```



```

        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc1);

    for (i = 0; i < orders_per_district; i++)
    {
        o_id      = orders_buf[i].o_id;
        o_d_id    = orders_buf[i].o_d_id;
        o_w_id    = orders_buf[i].o_w_id;
        o_c_id    = orders_buf[i].o_c_id;
        o_carrier_id = orders_buf[i].o_carrier_id;
        o_ol_cnt  = orders_buf[i].o_ol_cnt;
        o_all_local = orders_buf[i].o_all_local;

        FormatDate(&o_entry_d);

        // send data to server
        rc = bcp_sendrow(o_hdbc1);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc1);

        orders_rows_loaded++;
        CheckForCommit(o_hdbc1, o_hstmt1, orders_rows_loaded, "orders",
&orders_time_start->time_start);
    }

    // rcint = bcp_batch(o_hdbc1);
    // if (rcint < 0)
    //     HandleErrorDBC(o_hdbc1);

    if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
    {
        rcint = bcp_done(o_hdbc1);
        if (rcint < 0)
            HandleErrorDBC(o_hdbc1);

        SQLFreeStmt(o_hstmt1, SQL_DROP);
        SQLDisconnect(o_hdbc1);
        SQLFreeConnect(o_hdbc1);

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxordc1");

        // build non-clustered index
        if (aptr->build_index == 1)
            BuildIndex("idxordnc");
    }
}

//=====
//
// Function   : LoadNewOrderTable
//
//=====

void LoadNewOrderTable(LOADER_TIME_STRUCT *new_order_time_start)
{
    int      i;
    long    o_id;
    short   o_d_id;
    short   o_w_id;

```

```

        RETCODE      rc;
        DBINT        rcint;

        // Bind NEW-ORDER data

        rc = bcp_bind(o_hdbc2, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc2);

        rc = bcp_bind(o_hdbc2, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc2);

        rc = bcp_bind(o_hdbc2, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
3);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc2);

        for (i = first_new_order; i < last_new_order; i++)
        {
            o_id      = orders_buf[i].o_id;
            o_d_id    = orders_buf[i].o_d_id;
            o_w_id    = orders_buf[i].o_w_id;

            rc = bcp_sendrow(o_hdbc2);
            if (rc != SUCCEED)
                HandleErrorDBC(o_hdbc2);

            new_order_rows_loaded++;
            CheckForCommit(o_hdbc2, o_hstmt2, new_order_rows_loaded,
"new_order", &new_order_time_start->time_start);
        }

        // rcint = bcp_batch(o_hdbc2);
        // if (rcint < 0)
        //     HandleErrorDBC(o_hdbc2);

        if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
        {
            rcint = bcp_done(o_hdbc2);
            if (rcint < 0)
                HandleErrorDBC(o_hdbc2);

            SQLFreeStmt(o_hstmt2, SQL_DROP);
            SQLDisconnect(o_hdbc2);
            SQLFreeConnect(o_hdbc2);

            // if build index after load...
            if ((aptr->build_index == 1) && (aptr->index_order == 0))
                BuildIndex("idxmodel");
        }
    }
}

//=====
//
// Function   : LoadOrderLineTable
//
//=====

```

```

void LoadOrderLineTable(LOADER_TIME_STRUCT *order_line_time_start)
{
    int        i,j;
    long       o_id;
    short      o_d_id;
    short      o_w_id;

    long       ol;
    long       ol_i_id;
    short      ol_supply_w_id;
    short      ol_quantity;
    double     ol_amount;
    char       ol_dist_info[DIST_INFO_LEN+1];
    char       ol_delivery_d[OL_DELIVERY_D_LEN+1];
    RETCODE    rc;
    DBINT      rcint;

    // bind ORDER-LINE data
    rc = bcp_bind(o_hdbc3, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
2);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
3);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4, 4);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_i_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4,
5);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_supply_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 6);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_delivery_d, 0, OL_DELIVERY_D_LEN,
NULL, 0, SQLCHARACTER, 7);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_quantity, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, 8);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_amount, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, 9);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) ol_dist_info, 0, DIST_INFO_LEN, NULL, 0, 0, 10);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
}

```

```

    for (i = 0; i < orders_per_district; i++)
    {
        o_id = orders_buf[i].o_id;
        o_d_id = orders_buf[i].o_d_id;
        o_w_id = orders_buf[i].o_w_id;

        for (j=0; j < orders_buf[i].o_ol_cnt; j++)
        {
            ol = orders_buf[i].o_ol[j].ol;
            ol_i_id = orders_buf[i].o_ol[j].ol_i_id;
            ol_supply_w_id = orders_buf[i].o_ol[j].ol_supply_w_id;
            ol_quantity = orders_buf[i].o_ol[j].ol_quantity;
            ol_amount = orders_buf[i].o_ol[j].ol_amount;

            strcpy(ol_delivery_d,orders_buf[i].o_ol[j].ol_delivery_d);

            strcpy(ol_dist_info,orders_buf[i].o_ol[j].ol_dist_info);

            rc = bcp_sendrow(o_hdbc3);
            if (rc != SUCCEED)
                HandleErrorDBC(o_hdbc3);

            order_line_rows_loaded++;
            CheckForCommit(o_hdbc3, o_hstmt3,
order_line_rows_loaded, "order_line", &order_line_time_start->time_start);
        }

        // rcint = bcp_batch(o_hdbc3);
        // if (rcint < 0)
        //     HandleErrorDBC(o_hdbc3);

        if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
        {
            rcint = bcp_done(o_hdbc3);
            if (rcint < 0)
                HandleErrorDBC(o_hdbc3);

            SQLFreeStmt(o_hstmt3, SQL_DROP);
            SQLDisconnect(o_hdbc3);
            SQLFreeConnect(o_hdbc3);

            // if build index after load...
            if ((aptr->build_index == 1) && (aptr->index_order == 0))
                BuildIndex("idxodlcl");
        }

    }

    //=====
    //
    // Function : GetPermutation
    //
    //=====
void GetPermutation(int perm[], int n)
{

```



```

int i, r, t;

for (i=1;i<=n;i++)
    perm[i] = i;

for (i=1;i<=n;i++)
{
    r = RandomNumber(i,n);
    t = perm[i];
    perm[i] = perm[r];
    perm[r] = t;
}

}

//=====
//
// Function   : CheckForCommit
//
//=====

void CheckForCommit(HDBC hdbc,
                   HSTMT hstmt,
                   int rows_loaded,
                   char *table_name,
                   long *time_start)
{
    long time_end, time_diff;
    // DBINT rcint;

    if ( !(rows_loaded % aptr->batch) )
    {
        // rcint = bcp_batch(hdbc);
        // if (rcint < 0)
        //     HandleErrorDBC(hdbc);

        time_end = (TimeNow() / MILLI);
        time_diff = time_end - *time_start;

        printf("-> Loaded %ld rows into %s in %ld sec - Total = %d (%.2f
rps)\n",
                aptr->batch,
                table_name,
                time_diff,
                rows_loaded,
                (float) aptr->batch / (time_diff ? time_diff
: 1L));

        *time_start = time_end;
    }

    return;
}

//=====
//
// Function   : OpenConnections
//
//=====

```

```

void OpenConnections()
{
    RETCODE          rc;

    char              szDriverString[300];
    char              szDriverStringOut[1024];
    SQLSMALLINT       cbDriverStringOut;

    SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );

    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );

    SQLAllocHandle(SQL_HANDLE_DBC, henv , &i_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &w_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc2);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc2);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc3);

    SQLSetConnectAttr(i_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(w_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(c_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(c_hdbc2, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc2, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc3, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

    // Open connections to SQL Server

    // Connection 1

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
                aptr->server,
                aptr->user,
                aptr->password,
                aptr->database );

    rc = SQLSetConnectOption (i_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = SQLDriverConnect ( i_hdbc1,
                            NULL,
                            (SQLCHAR*)&szDriverString[0] ,
                            SQL_NTS,
                            (SQLCHAR*)&szDriverStringOut[0],
                            sizeof(szDriverStringOut),
                            &cbDriverStringOut,

```

```

SQL_DRIVER_NOPROMPT );
if (rc != SUCCEEDED)
    HandleErrorDBC(i_hdbc1);

// Connection 2
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

rc = SQLSetConnectOption (w_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

rc = SQLDriverConnect ( w_hdbc1,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

// Connection 3
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

rc = SQLSetConnectOption (c_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

rc = SQLDriverConnect ( c_hdbc1,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc1);

// Connection 4

```

```

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

rc = SQLSetConnectOption (c_hdbc2, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc2);

rc = SQLDriverConnect ( c_hdbc2,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
if (rc != SUCCEEDED)
    HandleErrorDBC(c_hdbc2);

// Connection 5
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

rc = SQLSetConnectOption (o_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc1);

rc = SQLDriverConnect ( o_hdbc1,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc1);

// Connection 6
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,

```

```

aptr->password,
aptr->database );

rc = SQLSetConnectOption (o_hdbc2, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

rc = SQLDriverConnect ( o_hdbc2,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

// Connection 7

sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

rc = SQLSetConnectOption (o_hdbc3, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

rc = SQLDriverConnect ( o_hdbc3,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);
}

//=====
//
// Function name: BuildIndex
//
//=====

void BuildIndex(char          *index_script)
{
    char    cmd[256];

```

```

printf("Starting index creation:  %s\n",index_script);

sprintf(cmd, "isql -S%s -U%s -P%s -e -i%s\\%s.sql > logs\\%s.log",
aptr->server,
aptr->user,
aptr->password,
aptr->index_script_path,
index_script,
index_script);

system(cmd);

printf("Finished index creation:  %s\n",index_script);
}

void HandleErrorDBC (SQLHDBC hdbc1)
{
    SQLCHAR          SqlState[6], Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER       NativeError;
    SQLSMALLINT      i, MsgLen;
    SQLRETURN        rc2;
    char             timebuf[128];
    char             datebuf[128];
    FILE             *fpl;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_DBC , hdbc1, i, SqlState ,
&NativeError,
                                Msg, sizeof(Msg) , &MsgLen ) !=
SQL_NO_DATA )
    {
        sprintf( szLastError , "%s" , Msg );
        _strtime(timebuf);
        _strdate(datebuf);

        printf( "[%s : %s] %s\n" , datebuf, timebuf, szLastError);

        fpl = fopen("logs\\tpccldr.err","w");
        if (fpl == NULL)
            printf("ERROR:  Unable to open errorlog file.\n");
        else
        {
            fprintf(fpl, "[%s : %s] %s\n" , datebuf, timebuf,
szLastError);
            fclose(fpl);
        }
        i++;
    }
}

void HandleErrorSTMT (HSTMT hstmt1)
{
    SQLCHAR          SqlState[6], Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER       NativeError;
    SQLSMALLINT      i, MsgLen;

```

```

SQLRETURN rc2;
char timebuf[128];
char datebuf[128];
FILE *fp1;

i = 1;
while (( rc2 = SQLGetDiagRec(SQL_HANDLE_STMT , hstmt1, i, SqlState ,
&NativeError,
Msg, sizeof(Msg) , &MsgLen )) !=
SQL_NO_DATA )
{
    sprintf( szLastError , "%s" , Msg );
    _strtime(timebuf);
    _strdate(datebuf);
    printf( "[%s : %s] %s\n" , datebuf, timebuf, szLastError);
    fp1 = fopen("logs\\tpccldr.err","w");
    if (fp1 == NULL)
        printf("ERROR: Unable to open errorlog file.\n");
    else
    {
        fprintf(fp1, "[%s : %s] %s\n" , datebuf, timebuf,
szLastError);
        fclose(fp1);
    }
    i++;
}

void FormatDate ( char* szTimeOutput )
{
    struct tm when;
    time_t now;

    time( &now );
    when = *localtime( &now );

    mktime( &when );

    // odbc datetime format
    strftime( szTimeOutput , 30 , "%Y-%m-%d %H:%M:%S.000" , &when );

    return;
}

//=====
//
// Function : CheckSQL
//
//=====

void CheckSQL()
{
    RETCODE rc;

```

```

char szDriverString[300];
char szDriverStringOut[1024];
int SQLBuildFlag;
char resp;

SQLSMALLINT cbDriverStringOut;
SQLCHAR SQLVersion[19];
SQLINTEGER SQLVersionInd;

SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );

SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );

SQLAllocHandle(SQL_HANDLE_DBC, henv , &v_hdbc);

SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

// Open connection to SQL Server
sprintf( szDriverString , "DRIVER={SQL Server};SERVER=%s;UID=%s;PWD=%s" ,
aptr->server,
aptr->user,
aptr->password );

if ( SQLSetConnectAttr( v_hdbc, SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr-
>pack_size, SQL_IS_INTEGER ) != SQL_SUCCESS )
    HandleErrorDBC(v_hdbc);

rc = SQLDriverConnect ( v_hdbc,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );

if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorDBC(v_hdbc);

if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt) != SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

rc = SQLBindCol(v_hstmt, 4, SQL_C_CHAR, &SQLVersion, sizeof(SQLVersion),
&SQLVersionInd);

// issue SQL Server extended stored procedure (xp_msver) to determine
installed version
rc = SQLExecDirect(v_hstmt, "EXECUTE xp_msver ProductVersion", SQL_NTS);

if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorSTMT(v_hstmt);

rc = SQLFetch(v_hstmt);

if (rc != SQL_SUCCESS)

```

```

        HandleErrorDBC(v_hdbc);
// Check build number to ensure 8.00.194 or higher
SQLBuildFlag = 1;
// first check the Major version
if ( SQLVersion[0] == '8' )
{
    if ( ( SQLVersion[2] == '0' ) & ( SQLVersion[3] == '0' ) )
    {
        if ( SQLVersion[5] == '1' )
        {
            if ( (SQLVersion[6] == '9') &
(SQLVersion[7] == '4') )
            {
                SQLBuildFlag = 0;
                printf("You are using SQL Server
version = %9s\n\n", SQLVersion);
            }
            else
            {
                SQLBuildFlag = 1;
            }
        }
        else
        {
            if ( SQLVersion[5] == '3' )
            {
                if ( (SQLVersion[6] >= 53) &
(SQLVersion[7] >= 48) )
                {
                    SQLBuildFlag = 0;
                    printf("You are using
SQL Server version = %9s\n\n", SQLVersion);
                }
                else
                {
                    SQLBuildFlag = 1;
                }
            }
        }
    }
    else
    {
        SQLBuildFlag = 1;
    }
}
if ( SQLBuildFlag == 1 )
{
    printf("NOTE: The SQL Server version you are using is not
supported\n");
    printf("for TPC-C benchmarking. You currently have SQL Server
version %9s\n",SQLVersion);
    printf("installed. Please upgrade to Microsoft SQL Server 2000
(8.00.0194) or better.\n");
    printf("and re-run the SETUP program.\n");
    printf("Do you wish to continue with setup? (Y/N): ");
    resp = getchar();
    if ( ( resp == 'N' ) || (resp == 'n') )
    {

```

```

        printf("\nSetup Aborted!\n");
        exit(1);
    }
}
SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

return;
}

//=====
//
// Function : CheckDataBase
//
//=====
void CheckDataBase()
{
    RETCODE rc;

    char szDriverString[300];
    char szDriverStringOut[1024];
    char TablesBitMap[9] = {"000000000"};
    int i, ExitFlag;

    SQLSMALLINT cbDriverStringOut;
    SQLCHAR TabName[10];
    SQLINTEGER TabNameInd, TabCount, TabCountInd;

    ExitFlag = 0;

    SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );

    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );

    SQLAllocHandle(SQL_HANDLE_DBC, henv, &v_hdbc);

    SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

    // Open connection to SQL Server

    sprintf( szDriverString, "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->user,
aptr->password,
aptr->database );

    rc = SQLSetConnectAttr( v_hdbc, SQL_ATTR_PACKET_SIZE, (SQLPOINTER)aptr-
>pack_size, SQL_IS_UINTEGER );
    if (rc != SQL_SUCCESS)
        HandleErrorDBC(v_hdbc);

    rc = SQLDriverConnect ( v_hdbc,
NULL,

```

```

(SQLCHAR*)&szDriverString[0] ,
                                SQL_NTS,

(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
                                &cbDriverStringOut,
                                SQL_DRIVER_NOPROMPT );

// if the rc is SQL_ERROR, the the TPCC database probably does not exist
if (rc == SQL_ERROR)
{
    printf("The database TPCC does not appear to exist!\n");
    printf("\nCheck LOGS\\ directory for database creation
errors.\n");

    // cleanup database connections and handles
    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
    SQLDisconnect(v_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

    // since there is not a database, exit back to SETUP.CMD
    exit(1);
}

if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt) != SQL_SUCCESS )
    HandleErrorDBC(v_hdbc);

if ( SQLBindCol(v_hstmt, 1, SQL_C_ULONG, &TabCount, 0, &TabCountInd) !=
SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

// count the number of user tables from sysobjects
rc = SQLExecDirect(v_hstmt, "select count(*) from sysobjects where xtype =
'\U'", SQL_NTS);
if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
    HandleErrorSTMT(v_hstmt);

if ( SQLFetch(v_hstmt) != SQL_SUCCESS )
    HandleErrorSTMT(v_hstmt);

// if the number of tables is less than 9, select all the user tables in
TPCC
if (TabCount != 9)
{
    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);

    SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt);

    if ( SQLBindCol(v_hstmt, 1, SQL_C_CHAR, &TabName,
sizeof(TabName), &TabNameInd) != SQL_SUCCESS )
        HandleErrorSTMT(v_hstmt);

    // select the list of user tables into a result set
    rc = SQLExecDirect(v_hstmt, "select * from sysobjects where
xtype = '\U'", SQL_NTS);
    if ((rc != SQL_SUCCESS) && (rc != SQL_SUCCESS_WITH_INFO))
        HandleErrorSTMT(v_hstmt);

    // go through the result set and set the bitmap for each found
table
    // set the bitmap to '1' if the table name is found

```

```

while ((rc = SQLFetch(v_hstmt)) != SQL_NO_DATA)
{
    switch( TabName[0] )
    {
        case 'w':
            TablesBitMap[0] = '1';
            break;
        case 'd':
            TablesBitMap[1] = '1';
            break;
        case 'c':
            TablesBitMap[2] = '1';
            break;
        case 'h':
            TablesBitMap[3] = '1';
            break;
        case 'n':
            TablesBitMap[4] = '1';
            break;
        case 'o':
            if (TabName[5] = 's')
                TablesBitMap[5] = '1';
            if (TabName[5] = '_')
                TablesBitMap[6] = '1';
            break;
        case 'i':
            TablesBitMap[7] = '1';
            break;
        case 's':
            TablesBitMap[8] = '1';
            break;
    }
}

// a '0' ExitFlag means do NOT exit the loader early, a '1'
means exit the loader early
ExitFlag = 0;

// iterate through the bitmap to display which table(s) is
actually missing
for (i = 0; i <= 8; i++)
{
    switch(i)
    {
        case 0:
            if (TablesBitMap[i] == '0')
            {
                printf("The Warehouse table is
missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 1:
            if (TablesBitMap[i] == '0')
            {
                printf("The District table is
missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 2:
            if (TablesBitMap[i] == '0')

```

```

missing or damaged.\n");
        {
            printf("The Customer table is
missing or damaged.\n");
            ExitFlag = 1;
        }
        break;
case 3:
    if (TablesBitMap[i] == '0')
    {
        printf("The History table is
missing or damaged.\n");
        ExitFlag = 1;
    }
    break;
case 4:
    if (TablesBitMap[i] == '0')
    {
        printf("The New_Order table is
missing or damaged.\n");
        ExitFlag = 1;
    }
    break;
case 5:
    if (TablesBitMap[i] == '0')
    {
        printf("The Orders table is
missing or damaged.\n");
        ExitFlag = 1;
    }
    break;
case 6:
    if (TablesBitMap[i] == '0')
    {
        printf("The Order_Line table is
missing or damaged.\n");
        ExitFlag = 1;
    }
    break;
case 7:
    if (TablesBitMap[i] == '0')
    {
        printf("The Item table is missing
or damaged.\n");
        ExitFlag = 1;
    }
    break;
case 8:
    if (TablesBitMap[i] == '0')
    {
        printf("The Stock table is missing
or damaged.\n");
        ExitFlag = 1;
    }
    break;
    }
}
// if one or more tables are missing, display message and exit
the loader
if (ExitFlag = 1)
{
    printf("\nExiting TPC-C Loader!\n");
    printf("\nCheck LOGS\ directory for database\n");
}

```

```

        printf("or table creation errors.\n");
        // cleanup database connections and handles
        SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
        SQLDisconnect(v_hdbc);
        SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);
        exit(1);
    }
}
// cleanup database connections and handles
SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);
return;
}

```

---

## version.sql

---

```

-- File:      VERSION.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.22
--           Copyright Microsoft, 2001
-- Purpose:   Returns version level of TPC-C stored procs
-- Note:     Always update the return value of this proc for
--           any interface changes or "must have" bug fixes.
--
-- The value returned by this SP defines the "interface level",
-- which must match between the stored procs and the client code.
-- The interface level may be down rev from the current kit. This
-- indicates that the interface hasn't changed since that version.

use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_version" )
    drop procedure tpcc_version
go

create proc tpcc_version
as
declare @version char(8)

begin
    select @version = "4.10.000"
    select @version as "Version"

end

go

```

---

## null-txn.sql

---

```

-- TPC-C Null Txn Stored Procs
-- Microsoft TPC-C Kit
-- 8/17/99
--
-- This script will create stored procs which accept the same parameters and return
-- correctly formed
-- results sets to match the standard TPC-C stored procs. Of course, the advantage
-- is that these

```

```

-- stored procs place almost no load on SQL Server and do not require a database.
--
-- The purpose of these stored procs is to size and test the web client without the
need of a fully
-- scaled database.
--
drop proc tpcc_delivery
drop proc tpcc_neworder
drop proc tpcc_orderstatus
drop proc tpcc_payment
drop proc tpcc_stocklevel
drop proc tpcc_version
drop table order_line_null
go

create proc tpcc_delivery      @w_id          smallint,
                               @o_carrier_id smallint
as

declare @d_id tinyint,
        @o_id int,
        @c_id int,
        @total numeric(12,2),
        @oid1 int,
        @oid2 int,
        @oid3 int,
        @oid4 int,
        @oid5 int,
        @oid6 int,
        @oid7 int,
        @oid8 int,
        @oid9 int,
        @oid10 int

declare @delaytime varchar(30)

-- uniform random delay of 0 - 1 second; avg = 0.50
select @delaytime = '00:00:0' + cast(cast((rand()*1.00) as decimal(4,3)) as char(5))
waitfor delay @delaytime

select 3001, 3001, 3001, 3001, 3001, 3001, 3001, 3001, 3001, 3001

GO

create proc tpcc_neworder
                               @w_id          smallint,
                               @d_id          tinyint,
                               @c_id          int,
                               @o_ol_cnt     tinyint,
                               @o_all_local   tinyint,
                               @i_id1        int = 0, @s_w_id1 smallint
= 0, @ol_qty1 smallint = 0,
                               @i_id2        int = 0, @s_w_id2 smallint
= 0, @ol_qty2 smallint = 0,
                               @i_id3        int = 0, @s_w_id3 smallint
= 0, @ol_qty3 smallint = 0,
                               @i_id4        int = 0, @s_w_id4 smallint
= 0, @ol_qty4 smallint = 0,
                               @i_id5        int = 0, @s_w_id5 smallint
= 0, @ol_qty5 smallint = 0,

```

```

                               @i_id6        int = 0, @s_w_id6 smallint
= 0, @ol_qty6 smallint = 0,
                               @i_id7        int = 0, @s_w_id7 smallint
= 0, @ol_qty7 smallint = 0,
                               @i_id8        int = 0, @s_w_id8 smallint
= 0, @ol_qty8 smallint = 0,
                               @i_id9        int = 0, @s_w_id9 smallint
= 0, @ol_qty9 smallint = 0,
                               @i_id10       int = 0, @s_w_id10
smallint = 0, @ol_qty10 smallint = 0,
                               @i_id11       int = 0, @s_w_id11
smallint = 0, @ol_qty11 smallint = 0,
                               @i_id12       int = 0, @s_w_id12
smallint = 0, @ol_qty12 smallint = 0,
                               @i_id13       int = 0, @s_w_id13
smallint = 0, @ol_qty13 smallint = 0,
                               @i_id14       int = 0, @s_w_id14
smallint = 0, @ol_qty14 smallint = 0,
                               @i_id15       int = 0, @s_w_id15
smallint = 0, @ol_qty15 smallint = 0

as
declare  @w_tax          numeric(4,4),
        @d_tax          numeric(4,4),
        @c_last         char(16),
        @c_credit       char(2),
        @c_discount     numeric(4,4),
        @i_price        numeric(5,2),
        @i_name         char(24),
        @o_entry_d      datetime,
        @li_no          int,
        @o_id           int,
        @commit_flag    tinyint,
        @li_id          int,
        @li_qty         smallint

declare @delaytime varchar(30)

begin
-- uniform random delay of 0 - 0.6 second; avg = 0.3
select @delaytime = '00:00:0' + cast(cast((rand()*0.60) as decimal(4,3)) as
char(5))
waitfor delay @delaytime

-- process orderlines

select @commit_flag = 1, @li_no = 0

while (@li_no < @o_ol_cnt)
begin
select @li_id = case @li_no
when 1 then @i_id1
when 2 then @i_id2
when 3 then @i_id3
when 4 then @i_id4
when 5 then @i_id5
when 6 then @i_id6
when 7 then @i_id7
when 8 then @i_id8
when 9 then @i_id9
when 10 then @i_id10

```



```

                when 11 then @i_id11
                when 12 then @i_id12
                when 13 then @i_id13
                when 14 then @i_id14
                when 15 then @i_id15
            end

select @li_no = @li_no + 1
       select @i_price = 23.45, @li_qty = @li_no

if (@li_id = 999999)
begin
    select ',,0,',,0,0
    select @commit_flag = 0
end
else
begin
    select 'Item Name blah',17,'G', @i_price, @i_price * @li_qty
end

end

-- return order data to client

select  @w_tax = 0.1234,
        @d_tax = 0.0987,
        @o_id = 3001,
        @c_last = 'BAROUGHTABLE',
        @c_discount = 0.2198,
        @c_credit = 'GC',
        @o_entry_d = getdate()

select  @w_tax,
        @d_tax,
        @o_id,
        @c_last,
        @c_discount,
        @c_credit,
        @o_entry_d,
        @commit_flag

end

GO

create proc tpcc_orderstatus @w_id          smallint,
                                @d_id
                                tinyint,
                                @c_id
                                int,
                                @c_last
                                char(16) = ''

as

declare @c_balance      numeric(12,2),
        @c_first        char(16),
        @c_middle       char(2),
        @o_id           int,
        @o_entry_d      datetime,
        @o_carrier_id   smallint,
        @ol_cnt         smallint

```

```

declare @delaytime varchar(30)

-- uniform random delay of 0 - 0.2 second; avg = 0.1
select @delaytime = '00:00:0' + cast(cast((rand()*0.20) as decimal(4,3)) as
char(5))
waitfor delay @delaytime

select
    @c_id      = 113,
    @c_balance = -10.00,
    @c_first   = '8YCodgytqCj8',
    @c_middle  = 'OE',
    @c_last    = 'OUGHTOUGHTABLE',
    @o_id      = 3456,
    @o_entry_d = getdate(),
    @o_carrier_id = 1

select @ol_cnt = (rand() * 11) + 5
SET ROWCOUNT @ol_cnt

select
    ol_supply_w_id,
    ol_i_id,
    ol_quantity,
    ol_amount,
    ol_delivery_d
from order_line_null

select @c_id,
       @c_last,
       @c_first,
       @c_middle,
       @o_entry_d,
       @o_carrier_id,
       @c_balance,
       @o_id

GO

create proc tpcc_payment @w_id          smallint,
                                @c_w_id
                                smallint,
                                @h_amount
                                numeric(6,2),
                                @d_id
                                tinyint,
                                @c_d_id
                                tinyint,
                                @c_id
                                int,
                                @c_last
                                char(16) = ''

as

declare @w_street_1    char(20),
        @w_street_2    char(20),
        @w_city        char(20),
        @w_state       char(2),
        @w_zip         char(9),
        @w_name        char(10),
        @d_street_1    char(20),

```

```

@d_street_2 char(20),
@d_city char(20),
@d_state char(2),
@d_zip char(9),
@d_name char(10),
@c_first char(16),
@c_middle char(2),
@c_street_1 char(20),
@c_street_2 char(20),
@c_city char(20),
@c_state char(2),
@c_zip char(9),
@c_phone char(16),
@c_since datetime,
@c_credit char(2),
@c_credit_lim numeric(12,2),
@c_balance numeric(12,2),
@c_discount numeric(4,4),
@data char(500),
@c_data char(500),
@datetime datetime,
@w_ytd numeric(12,2),
@d_ytd numeric(12,2),
@cnt smallint,
@val smallint,
@screen_data char(200),
@d_id_local tinyint,
@w_id_local smallint,
@c_id_local int

declare @delaytime varchar(30)

-- uniform random delay of 0 - 0.3 second; avg = 0.15
select @delaytime = '00:00:0' + cast(cast((rand()*0.30) as decimal(4,3)) as
char(5))
waitfor delay @delaytime

select @screen_data = ''

-- get customer info and update balances
select
@d_street_1 = 'rqSHHakqyV',
@d_street_2 = 'zZ98nW3BR2s',
@d_city = 'ArNr4GNFV9',
@d_state = 'aV',
@d_zip = '453511111'

-- get warehouse data and update year-to-date
select
@w_street_1 = 'rqSHHakqyV',
@w_street_2 = 'zZ98nW3BR2s',
@w_city = 'ArNr4GNFV9',
@w_state = 'aV',
@w_zip = '453511111'

select
@c_id = 123,
@c_balance = -10000.00,
@c_first = 'KmrR03Xureb',
@c_middle = 'OE',

```

```

@c_last = 'BAROUGHTBAR',
@c_street_1 = 'OpGdOHjv8mR9vNI8V',
@c_street_2 = 'dzKcObBqbC3yu',
@c_city = 'zAKZXdc037FQxq',
@c_state = 'QA',
@c_zip = '700311111',
@c_phone = '2967264064528555',
@c_credit = 'GC',
@c_credit_lim = 50000.00,
@c_discount = 0.3069,
@c_since = getdate(),
@datetime = getdate()

-- return data to client
select @c_id,
@c_last,
@datetime,
@w_street_1,
@w_street_2,
@w_city,
@w_state,
@w_zip,
@d_street_1,
@d_street_2,
@d_city,
@d_state,
@d_zip,
@c_first,
@c_middle,
@c_street_1,
@c_street_2,
@c_city,
@c_state,
@c_zip,
@c_phone,
@c_since,
@c_credit,
@c_credit_lim,
@c_discount,
@c_balance,
@screen_data

GO

create proc tpcc_stocklevel @w_id smallint, @d_id
tinyint, @threshold
smallint
as

declare @delaytime varchar(30)

-- uniform random delay of 0 - 3.6 second; avg = 1.8
select @delaytime = '00:00:0' + cast(cast((rand()*3.60) as decimal(4,3)) as
char(5))
waitfor delay @delaytime

select 49

```

```

GO

create proc tpcc_version
as
declare @version char(8)

begin
    select @version = '4.10.000'
    select @version as 'Version'
end

GO

CREATE TABLE order_line_null (
    [ol_i_id] [int] NOT NULL ,
    [ol_supply_w_id] [smallint] NOT NULL ,
    [ol_delivery_d] [datetime] NOT NULL ,
    [ol_quantity] [smallint] NOT NULL ,
    [ol_amount] [numeric](6, 2) NOT NULL
) ON [PRIMARY]
GO

insert into order_line_null values ( 101, 1, getdate(), 1, 123.45 )
insert into order_line_null values ( 102, 1, getdate(), 2, 123.45 )
insert into order_line_null values ( 103, 1, getdate(), 3, 123.45 )
insert into order_line_null values ( 104, 1, getdate(), 4, 123.45 )
insert into order_line_null values ( 105, 1, getdate(), 5, 123.45 )
insert into order_line_null values ( 106, 1, getdate(), 1, 123.45 )
insert into order_line_null values ( 107, 1, getdate(), 2, 123.45 )
insert into order_line_null values ( 108, 1, getdate(), 3, 123.45 )
insert into order_line_null values ( 109, 1, getdate(), 4, 123.45 )
insert into order_line_null values ( 110, 1, getdate(), 5, 123.45 )
insert into order_line_null values ( 111, 1, getdate(), 1, 123.45 )
insert into order_line_null values ( 112, 1, getdate(), 2, 123.45 )
insert into order_line_null values ( 113, 1, getdate(), 3, 123.45 )
insert into order_line_null values ( 114, 1, getdate(), 4, 123.45 )
insert into order_line_null values ( 115, 1, getdate(), 5, 123.45 )

GO

```

## Appendix C: Tunable Parameters

### Microsoft SQL Server 2000 Startup Parameters

```
C:\Program Files\Microsoft SQL
Server\MSSQL\BINN\sqlservr.exe
-eC:\Program Files\Microsoft SQL
Server\MSSQL\LOG\ERRORLOG -x -c -t3502
```

Where:

```
-c Start SQL Server independently of the
Windows NT Service Control Manager
-x Disables the keeping of CPU time and
cache-hit ratio statistics
-t3502 Prints a message to the SQL Server log
at the start and end of each checkpoint
```

### Boot.ini Parameters

```
[boot loader]
timeout=30
default=multi(0)disk(0)rdisk(0)partition(2)\WINNT
[operating systems]
multi(0)disk(0)rdisk(0)partition(2)\WINNT="Microsoft
Windows 2000 Server" /fastdetect
```

### Microsoft SQL Server 2000

## Configuration Parameters

```
-- File: CONFIG.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Collects SQL Server configuration
parameters

print " "
select convert(char(30), getdate(),9)
print " "

-----
Nov 12 2002 10:59:04:223AM

(1 row affected)

1> 2> 3> DBCC execution completed. If DBCC printed
error messages, contact your system administrator.
Configuration option 'show advanced options' changed
from 1 to 1. Run the RECONFIGURE statement to
install.

sp_configure "show advanced",1
1> 2> reconfigure with override
1> 2> sp_configure
name
minimum maximum config_value run_value
-----
affinity mask
-2147483648 2147483647 3 3
allow updates
0 1 0 0
awe enabled
0 1 0 0
c2 audit mode
0 1 0 0
cost threshold for parallelism
0 32767 5 5
Cross DB Ownership Chaining
0 1 0 0
cursor threshold
-1 2147483647 -1 -1
default full-text language
0 2147483647 1033 1033
default language
0 9999 0 0
fill factor (%)
0 100 0 0
index create memory (KB)
704 2147483647 704 704
lightweight pooling
0 1 1 1
locks
5000 2147483647 0 0
```

```
max degree of parallelism
0 32 1 1
max server memory (MB)
4 2147483647 2147483647 2147483647
max text repl size (B)
0 2147483647 65536 65536
max worker threads
32 32767 300 300
media retention
0 365 0 0
min memory per query (KB)
512 2147483647 512 512
min server memory (MB)
0 2147483647 0 0
nested triggers
0 1 1 1
network packet size (B)
512 65536 2048 2048
open objects
0 2147483647 0 0
priority boost
0 1 1 1
query governor cost limit
0 2147483647 0 0
query wait (s)
-1 2147483647 -1 -1
recovery interval (min)
0 32767 60 60
remote access
0 1 1 1
remote login timeout (s)
0 2147483647 20 20
remote proc trans
0 1 0 0
remote query timeout (s)
0 2147483647 600 600
scan for startup procs
0 1 0 0
set working set size
0 1 0 0
show advanced options
0 1 1 1
two digit year cutoff
1753 9999 2049 2049
user connections
0 32767 0 0
user options
0 32767 0 0

1>
```

## Benchcraft Profile

```
Profile: lilo_1550wh
File Path: C:\Benchcraft\lilo_1550wh.pro
Version: 3
```

Number of Engines: 2

Name: cr11b  
 Description:  
 Directory: c:\temp\cr11b.log  
 Machine: n10  
 Parameter Set: 1.03  
 Index: 100000000  
 Seed: 18546  
 Configured Users: 7750  
 Pipe Name: DRIVER53164609  
 Connect Rate: 11  
 Start Rate: 0  
 Max. Concurrency: 0  
 Concurrency Rate: 0  
 CLIENT\_NURAND: 233  
 CPU: 1

Name: cr11  
 Description:  
 Directory: c:\temp\cr11.log  
 Machine: n10  
 Parameter Set: 1.03  
 Index: 200000000  
 Seed: 18546  
 Configured Users: 7750  
 Pipe Name: DRIVER44265281  
 Connect Rate: 11  
 Start Rate: 0  
 Max. Concurrency: 0  
 Concurrency Rate: 0  
 CLIENT\_NURAND: 233  
 CPU: 0

Number of User groups: 2

Driver Engine: cr11  
 IIS Server: cr11  
 SQL Server: lilo  
 Database: tpcc  
 User: sa  
 Protocol: HTML  
 w\_id Range: 1 - 775  
 w\_id Min Warehouse: 1  
 w\_id Max Warehouse: 1550  
 Scale: Normal  
 User Count: 7750  
 District id: 1  
 Scale Down: No

Driver Engine: cr11b  
 IIS Server: cr11  
 SQL Server: lilo  
 Database: tpcc  
 User: sa  
 Protocol: HTML  
 w\_id Range: 776 - 1550  
 w\_id Min Warehouse: 1  
 w\_id Max Warehouse: 1550  
 Scale: Normal  
 User Count: 7750  
 District id: 1  
 Scale Down: No

Number of Parameter Sets: 65

~Default  
Default Parameter Set

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	10.00	
12.05	18.01		0.10	5.00	0.10
			Payment	10.00	
12.05	3.01		0.10	5.00	0.10
			Delivery	1.00	
5.05	2.01		0.10	5.00	0.10
			Stock Level	1.00	
5.05	2.01		0.10	20.00	0.10
			Order Status	1.00	
10.05	2.01		0.10	5.00	0.10

Tuned Distribution

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
12.05	18.01		0.10	5.00	0.10
			Payment	43.10	
12.05	3.01		0.10	5.00	0.10
			Delivery	4.05	
5.05	2.01		0.10	5.00	0.10
			Stock Level	4.05	
5.05	2.01		0.10	20.00	0.10
			Order Status	4.05	
10.05	2.01		0.10	5.00	0.10

No Think

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	10.00	
0.00	0.00		0.00	5.00	0.00
			Payment	10.00	
0.00	0.00		0.00	5.00	0.00
			Delivery	1.00	
0.00	0.00		0.00	5.00	0.00
			Stock Level	1.00	
0.00	0.00		0.00	20.00	0.00
			Order Status	1.00	
0.00	0.00		0.00	5.00	0.00

95%

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
13.00	18.01		0.10	5.00	0.10
			Payment	43.10	
13.00	3.01		0.10	5.00	0.10

6.00	2.01		Delivery	5.00	4.05	0.10
			0.10	5.00	4.05	
6.00	2.01		Stock Level	20.00	4.05	0.10
			0.10	20.00	4.05	
11.00	2.01		Order Status	5.00	4.05	0.10
			0.10	5.00	4.05	

90%

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
16.00	18.01		0.10	5.00	0.10
			Payment	43.05	
16.00	3.01		0.10	5.00	0.10
			Delivery	4.04	
9.00	2.01		0.10	5.00	0.10
			Stock Level	4.04	
9.00	2.01		0.10	20.00	0.10
			Order Status	4.04	
14.00	2.01		0.10	5.00	0.10

3.0

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
36.15	0.00		0.10	5.00	0.10
			Payment	43.10	
36.15	0.00		0.10	5.00	0.10
			Delivery	4.05	
15.15	0.00		0.10	5.00	0.10
			Stock Level	4.05	
15.15	0.00		0.10	20.00	0.10
			Order Status	4.05	
30.15	0.00		0.10	5.00	0.10

4.0  
4.0 tt

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
48.20	18.01		0.10	5.00	0.10
			Payment	43.10	
48.20	3.01		0.10	5.00	0.10
			Delivery	4.05	
20.20	2.01		0.10	5.00	0.10
			Stock Level	4.05	
20.20	2.01		0.10	20.00	0.10
			Order Status	4.05	
40.20	2.01		0.10	5.00	0.10

3.8  
3.8 tt

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
13.00	18.01		0.10	5.00	0.10
			Payment	43.10	
13.00	3.01		0.10	5.00	0.10

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
45.70	18.01	0.10	5.00	0.10	
			Payment	43.10	
45.70	3.01	0.10	5.00	0.10	
			Delivery	4.05	
19.10	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
19.10	2.01	0.10	20.00	0.10	
			Order Status	4.05	
38.10	2.01	0.10	5.00	0.10	
			3.6		
			3.6 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
43.30	18.01	0.10	5.00	0.10	
			Payment	43.10	
43.30	3.01	0.10	5.00	0.10	
			Delivery	4.05	
18.10	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
18.10	2.01	0.10	20.00	0.10	
			Order Status	4.05	
36.18	2.01	0.10	5.00	0.10	
			3.4		
			3.4 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
40.90	18.01	0.10	5.00	0.10	
			Payment	43.10	
40.90	3.01	0.10	5.00	0.10	
			Delivery	4.05	
17.10	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
17.10	2.01	0.10	20.00	0.10	
			Order Status	4.05	
17.10	2.01	0.10	5.00	0.10	
			3.2		
			3.2 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
38.50	18.01	0.10	5.00	0.10	
			Payment	43.10	
38.50	3.01	0.10	5.00	0.10	
			Delivery	4.05	
16.10	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
16.10	2.01	0.10	20.00	0.10	
			Order Status	4.05	
32.10	2.01	0.10	5.00	0.10	

				2.8	
				2.8 tt	
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
33.74	18.01	0.10	5.00	0.10	
			Payment	43.10	
33.74	3.01	0.10	5.00	0.10	
			Delivery	4.05	
14.14	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
14.14	2.01	0.10	20.00	0.10	
			Order Status	4.05	
28.14	2.01	0.10	5.00	0.10	
			2.6		
			2.6 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
31.30	18.01	0.10	5.00	0.10	
			Payment	43.10	
31.30	3.01	0.10	5.00	0.10	
			Delivery	4.05	
13.10	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
13.10	2.01	0.10	20.00	0.10	
			Order Status	4.05	
26.10	2.01	0.10	5.00	0.10	
			2.4		
			2.4 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
28.90	18.01	0.10	5.00	0.10	
			Payment	43.10	
28.90	3.01	0.10	5.00	0.10	
			Delivery	4.05	
12.10	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
12.10	2.01	0.10	20.00	0.10	
			Order Status	4.05	
24.10	2.01	0.10	5.00	0.10	
			2.2		
			2.2 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
28.90	18.01	0.10	5.00	0.10	
			Payment	43.10	
28.90	3.01	0.10	5.00	0.10	

				4.05	
12.10	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
12.10	2.01	0.10	20.00	0.10	
			Order Status	4.05	
24.12	2.01	0.10	5.00	0.10	
			2.0		
			2.0 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
24.10	18.01	0.10	5.00	0.10	
			Payment	43.10	
24.10	3.01	0.10	5.00	0.10	
			Delivery	4.05	
10.10	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
10.10	2.01	0.10	20.00	0.10	
			Order Status	4.05	
20.10	2.01	0.10	5.00	0.10	
			5.0		
			5.0 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
60.25	18.01	0.10	5.00	0.10	
			Payment	43.10	
60.25	3.01	0.10	5.00	0.10	
			Delivery	4.05	
25.25	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
25.25	2.01	0.10	20.00	0.10	
			Order Status	4.05	
50.25	2.01	0.10	5.00	0.10	
			4.5		
			4.5 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
54.20	18.01	0.10	5.00	0.10	
			Payment	43.10	
54.20	3.01	0.10	5.00	0.10	
			Delivery	4.05	
22.70	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
22.70	2.01	0.10	20.00	0.10	
			Order Status	4.05	
45.20	2.01	0.10	5.00	0.10	
			3.5		
			3.5 tt		
Key	RT	RT	Menu	Txn	Think

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
42.10	18.01	0.10	5.00	0.10	
			Payment	43.10	
42.10	3.01	0.10	5.00	0.10	
			Delivery	4.05	
17.60	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
17.60	2.01	0.10	20.00	0.10	
			Order Status	4.05	
35.10	2.01	0.10	5.00	0.10	
			1.8		
			1.8 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
21.60	18.01	0.10	5.00	0.10	
			Payment	43.10	
21.60	3.01	0.10	5.00	0.10	
			Delivery	4.05	
9.09	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
9.09	2.01	0.10	20.00	0.10	
			Order Status	4.05	
18.09	2.01	0.10	5.00	0.10	
			4.2		
			4.2 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
54.20	18.01	0.10	5.00	0.10	
			Payment	43.10	
54.20	3.01	0.10	5.00	0.10	
			Delivery	4.05	
22.70	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
22.70	2.01	0.10	20.00	0.10	
			Order Status	4.05	
45.20	2.01	0.10	5.00	0.10	
			1.6		
			1.6 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
19.20	18.01	0.10	5.00	0.10	
			Payment	43.10	
19.20	3.01	0.10	5.00	0.10	
			Delivery	4.05	
8.08	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
8.08	2.01	0.10	20.00	0.10	
			Order Status	4.05	
16.08	2.01	0.10	5.00	0.10	

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
16.87	18.01	0.10	5.00	0.10	
			Payment	43.10	
16.87	3.01	0.10	5.00	0.10	
			Delivery	4.05	
7.07	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
7.07	2.01	0.10	20.00	0.10	
			Order Status	4.05	
14.07	2.01	0.10	5.00	0.10	
			1.2		
			1.2 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
14.46	18.01	0.10	5.00	0.10	
			Payment	43.05	
14.46	3.01	0.10	5.00	0.10	
			Delivery	4.04	
6.06	2.01	0.10	5.00	0.10	
			Stock Level	4.04	
6.06	2.01	0.10	20.00	0.10	
			Order Status	4.04	
12.06	2.01	0.10	5.00	0.10	
			3.5		
			3.5 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
42.10	18.01	0.10	5.00	0.10	
			Payment	43.10	
42.10	3.01	0.10	5.00	0.10	
			Delivery	4.05	
17.60	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
17.60	2.01	0.10	20.00	0.10	
			Order Status	4.05	
35.10	2.01	0.10	5.00	0.10	
			1.9		
			1.9 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
22.89	18.01	0.10	5.00	0.10	
			Payment	43.10	
22.89	3.01	0.10	5.00	0.10	

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
13.25	18.01	0.10	5.00	0.10	
			Payment	43.05	
13.25	3.01	0.10	5.00	0.10	
			Delivery	4.04	
5.55	2.01	0.10	5.00	0.10	
			Stock Level	4.04	
5.55	2.01	0.10	20.00	0.10	
			Order Status	4.04	
11.05	2.01	0.10	5.00	0.10	
			1.05		
			1.05 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.92	
12.65	18.01	0.10	5.00	0.10	
			Payment	43.01	
12.65	3.01	0.10	5.00	0.10	
			Delivery	4.02	
5.30	2.01	0.10	5.00	0.10	
			Stock Level	4.03	
5.30	2.01	0.10	20.00	0.10	
			Order Status	4.02	
10.55	2.01	0.10	5.00	0.10	
			1.09		
			1.09 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
13.13	18.01	0.10	5.00	0.10	
			Payment	43.05	
13.13	3.01	0.10	5.00	0.10	
			Delivery	4.04	
5.50	2.01	0.10	5.00	0.10	
			Stock Level	4.04	
5.50	2.01	0.10	20.00	0.10	
			Order Status	4.04	
10.95	2.01	0.10	5.00	0.10	
			1.08		
			1.08 tt		
Key	RT	RT	Menu	Txn	Think

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
13.01	18.01	0.10	5.00	0.10	
			Payment	43.05	
13.01	3.01	0.10	5.00	0.10	
			Delivery	4.04	
5.45	2.01	0.10	5.00	0.10	
			Stock Level	4.04	
5.45	2.01	0.10	20.00	0.10	
			Order Status	4.04	
10.85	2.01	0.10	5.00	0.10	
			1.07		
			1.07 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
12.89	18.01	0.10	5.00	0.10	
			Payment	43.05	
12.89	3.01	0.10	5.00	0.10	
			Delivery	4.04	
5.40	2.01	0.10	5.00	0.10	
			Stock Level	4.04	
5.40	2.01	0.10	20.00	0.10	
			Order Status	4.04	
10.75	2.01	0.10	5.00	0.10	
			1.06		
			1.06 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
12.77	18.01	0.10	5.00	0.10	
			Payment	43.05	
12.77	3.01	0.10	5.00	0.10	
			Delivery	4.04	
5.35	2.01	0.10	5.00	0.10	
			Stock Level	4.04	
5.35	2.01	0.10	20.00	0.10	
			Order Status	4.04	
10.65	2.01	0.10	5.00	0.10	
			1.15		
			1.15 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
13.85	18.01	0.10	5.00	0.10	
			Payment	43.10	
13.85	3.01	0.10	5.00	0.10	
			Delivery	4.05	
5.80	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
5.80	2.01	0.10	20.00	0.10	
			Order Status	4.05	
11.55	2.01	0.10	5.00	0.10	

Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
15.06	18.01	0.10	5.00	0.10	
			Payment	43.05	
15.06	3.01	0.10	5.00	0.10	
			Delivery	4.04	
6.31	2.01	0.10	5.00	0.10	
			Stock Level	4.04	
6.31	2.01	0.10	20.00	0.10	
			Order Status	4.04	
12.56	2.01	0.10	5.00	0.10	
			1.3		
			1.3 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
15.66	18.01	0.10	5.00	0.10	
			Payment	43.05	
15.66	3.01	0.10	5.00	0.10	
			Delivery	4.04	
6.56	2.01	0.10	5.00	0.10	
			Stock Level	4.04	
6.56	2.01	0.10	20.00	0.10	
			Order Status	4.04	
13.06	2.01	0.10	5.00	0.10	
			1.12		
			1.12 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
13.49	18.01	0.10	5.00	0.10	
			Payment	43.10	
13.49	3.01	0.10	5.00	0.10	
			Delivery	4.05	
5.65	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
5.65	2.01	0.10	20.00	0.10	
			Order Status	4.05	
11.25	2.01	0.10	5.00	0.10	
			1.18		
			1.18 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
14.21	18.01	0.10	5.00	0.10	
			Payment	43.10	
14.21	3.01	0.10	5.00	0.10	

Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
14.70	18.01	0.10	5.00	0.10	
			Payment	43.10	
14.70	3.01	0.10	5.00	0.10	
			Delivery	4.05	
6.16	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
6.16	2.01	0.10	20.00	0.10	
			Order Status	4.05	
12.26	2.01	0.10	5.00	0.10	
			1.28		
			1.28 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
15.42	18.01	0.10	5.00	0.10	
			Payment	43.10	
15.42	3.01	0.10	5.00	0.10	
			Delivery	4.05	
6.46	2.01	0.10	5.00	0.10	
			Stock Level	4.05	
6.46	2.01	0.10	20.00	0.10	
			Order Status	4.05	
12.86	2.01	0.10	5.00	0.10	
			1.04		
			1.04 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.92	
12.53	18.01	0.10	5.00	0.10	
			Payment	43.01	
12.53	3.01	0.10	5.00	0.10	
			Delivery	4.02	
5.25	2.01	0.10	5.00	0.10	
			Stock Level	4.03	
5.25	2.01	0.10	20.00	0.10	
			Order Status	4.02	
10.45	2.01	0.10	5.00	0.10	
			1.03		
			1.03 tt		
Key	RT	RT	Menu	Txn	Think



Time	Delay	Fence	Delay	Weight	Time
			New Order	44.92	
12.41	18.01		0.10	5.00	0.10
			Payment	43.01	
12.41	3.01		0.10	5.00	0.10
			Delivery	4.02	
5.20	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.20	2.01		0.10	20.00	0.10
			Order Status	4.02	
10.35	2.01		0.10	5.00	0.10
			1.02		
			1.02 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.92	
12.29	18.01		0.10	5.00	0.10
			Payment	43.01	
12.29	3.01		0.10	5.00	0.10
			Delivery	4.02	
5.15	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.15	2.01		0.10	20.00	0.10
			Order Status	4.02	
10.25	2.01		0.10	5.00	0.10
			1.01		
			1.01 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.92	
12.17	18.01		0.10	5.00	0.10
			Payment	43.01	
12.17	3.01		0.10	5.00	0.10
			Delivery	4.02	
5.10	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.10	2.01		0.10	20.00	0.10
			Order Status	4.02	
10.15	2.01		0.10	5.00	0.10
			1.005_best		
			1.005 tt best		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.96	
12.11	18.01		0.10	5.00	0.10
			Payment	43.00	
12.11	3.01		0.10	5.00	0.10
			Delivery	4.00	
5.07	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.07	2.01		0.10	20.00	0.10
			Order Status	4.01	
10.10	2.01		0.10	5.00	0.10
			1.02 better		
			1.02 tt more aggressive		
Key	RT	RT	Menu	Txn	Think

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.96	
12.06	18.01		0.10	5.00	0.10
			Payment	43.00	
12.06	3.01		0.10	5.00	0.10
			Delivery	4.00	
5.06	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.06	2.01		0.10	20.00	0.10
			Order Status	4.01	
10.06	2.01		0.10	5.00	0.10
			1.03 better		
			1.03 tt more aggressive		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.92	
12.41	18.01		0.10	5.00	0.10
			Payment	43.01	
12.41	3.01		0.10	5.00	0.10
			Delivery	4.02	
5.20	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.20	2.01		0.10	20.00	0.10
			Order Status	4.02	
10.35	2.01		0.10	5.00	0.10
			1.005 better		
			1.005 tt more aggressive		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.92	
12.11	18.01		0.10	5.00	0.10
			Payment	43.01	
12.11	3.01		0.10	5.00	0.10
			Delivery	4.02	
5.07	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.07	2.01		0.10	20.00	0.10
			Order Status	4.02	
10.10	2.01		0.10	5.00	0.10
			1.02 better		
			1.02 tt more aggressive		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.92	
12.29	18.01		0.10	5.00	0.10
			Payment	43.01	
12.29	3.01		0.10	5.00	0.10
			Delivery	4.01	
5.07	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.07	2.01		0.10	20.00	0.10
			Order Status	4.01	
10.10	2.01		0.10	5.00	0.10
			5.5		
			5.5 tt		
Key	RT	RT	Menu	Txn	Think

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.96	
12.17	18.01		0.10	5.00	0.10
			Payment	43.00	
12.17	3.01		0.10	5.00	0.10
			Delivery	4.00	
5.10	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.10	2.01		0.10	20.00	0.10
			Order Status	4.01	
10.15	2.01		0.10	5.00	0.10
			1.02 best		
			1.02 tt best		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.96	
12.29	18.01		0.10	5.00	0.10
			Payment	43.00	
12.29	3.01		0.10	5.00	0.10
			Delivery	4.00	
5.15	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.15	2.01		0.10	20.00	0.10
			Order Status	4.01	
10.25	2.01		0.10	5.00	0.10
			1.03 best		
			1.03 tt best		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.96	
12.41	18.01		0.10	5.00	0.10
			Payment	43.01	
12.41	3.01		0.10	5.00	0.10
			Delivery	4.01	
5.20	2.01		0.10	5.00	0.10
			Stock Level	4.01	
5.20	2.01		0.10	20.00	0.10
			Order Status	4.01	
10.35	2.01		0.10	5.00	0.10
			5.5		
			5.5 tt		
Key	RT	RT	Menu	Txn	Think

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
66.28	18.01		0.10	5.00	0.10
			Payment	43.05	
66.28	3.01		0.10	5.00	0.10
			Delivery	4.04	
27.77	2.01		0.10	5.00	0.10
			Stock Level	4.04	
27.77	2.01		0.10	20.00	0.10
			Order Status	4.04	
55.27	2.01		0.10	5.00	0.10
			6.0		
			6.0 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
72.30	18.01		0.10	5.00	0.10
			Payment	43.05	
72.30	3.01		0.10	5.00	0.10
			Delivery	4.04	
30.30	2.01		0.10	5.00	0.10
			Stock Level	4.04	
30.30	2.01		0.10	20.00	0.10
			Order Status	4.04	
60.30	2.01		0.10	5.00	0.10
			6.5		
			6.5 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
79.53	18.01		0.10	5.00	0.10
			Payment	43.05	
79.53	3.01		0.10	5.00	0.10
			Delivery	4.04	
33.33	2.01		0.10	5.00	0.10
			Stock Level	4.04	
33.33	2.01		0.10	20.00	0.10
			Order Status	4.04	
66.33	2.01		0.10	5.00	0.10
			7.0		
			7.0 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
84.35	18.01		0.10	5.00	0.10
			Payment	43.05	
84.35	3.01		0.10	5.00	0.10
			Delivery	4.04	
35.35	2.01		0.10	5.00	0.10
			Stock Level	4.04	
35.35	2.01		0.10	20.00	0.10
			Order Status	4.04	
70.35	2.01		0.10	5.00	0.10

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
90.38	18.01		0.10	5.00	0.10
			Payment	43.05	
90.38	3.01		0.10	5.00	0.10
			Delivery	4.04	
37.88	2.01		0.10	5.00	0.10
			Stock Level	4.04	
37.88	2.01		0.10	20.00	0.10
			Order Status	4.04	
75.38	2.01		0.10	5.00	0.10
			8.0		
			8.0 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
96.40	18.01		0.10	5.00	0.10
			Payment	43.05	
96.40	3.01		0.10	5.00	0.10
			Delivery	4.04	
40.40	2.01		0.10	5.00	0.10
			Stock Level	4.04	
40.40	2.01		0.10	20.00	0.10
			Order Status	4.04	
80.40	2.01		0.10	5.00	0.10
			8.5		
			8.5 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
102.43	18.01		0.10	5.00	0.10
			Payment	43.05	
192.43	3.01		0.10	5.00	0.10
			Delivery	4.04	
42.92	2.01		0.10	5.00	0.10
			Stock Level	4.04	
42.92	2.01		0.10	20.00	0.10
			Order Status	4.04	
85.42	2.01		0.10	5.00	0.10
			9.0		
			9.0 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
108.45	18.01		0.10	5.00	0.10
			Payment	43.05	
108.45	3.01		0.10	5.00	0.10

Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
45.45	2.01		0.10	5.00	0.10
			Stock Level	4.04	
45.45	2.01		0.10	20.00	0.10
			Order Status	4.04	
90.45	2.01		0.10	5.00	0.10
			9.5		
			9.5 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
114.47	18.01		0.10	5.00	0.10
			Payment	43.05	
114.47	3.01		0.10	5.00	0.10
			Delivery	4.04	
47.98	2.01		0.10	5.00	0.10
			Stock Level	4.04	
47.98	2.01		0.10	20.00	0.10
			Order Status	4.04	
95.47	2.01		0.10	5.00	0.10
			10		
			10 tt		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
120.50	18.01		0.10	5.00	0.10
			Payment	43.05	
120.50	3.01		0.10	5.00	0.10
			Delivery	4.04	
50.50	2.01		0.10	5.00	0.10
			Stock Level	4.04	
50.50	2.01		0.10	20.00	0.10
			Order Status	4.04	
100.50	2.01		0.10	5.00	0.10
			1.02 better		
			1.02 more aggressive		
Key	RT	RT	Menu	Txn	Think
				Weight	Time
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.92	
12.05	18.01		0.10	5.00	0.10
			Payment	43.01	
12.05	3.01		0.10	5.00	0.10
			Delivery	4.02	
5.05	2.01		0.10	5.00	0.10
			Stock Level	4.03	
5.05	2.01		0.10	20.00	0.10
			Order Status	4.02	
10.05	2.01		0.10	5.00	0.10
			1.01 better		
			1.01 more aggressive		
Key	RT	RT	Menu	Txn	Think



```
"WbemAdapStatus"=dword:00000000
"Last Counter"=dword:00000af4
"Last Help"=dword:00000af5
"First Counter"=dword:00000a52
"First Help"=dword:00000a53
"Library Validation
Code"=hex:c2,10,7e,95,d8,81,c2,01,10,1d,00,00,00,00,0,00
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\W3SVC\Security]
"Security"=hex:01,00,14,80,a0,00,00,00,ac,00,00,00,14,00,00,00,30,00,00,00,02,\
```

```
00,1c,00,01,00,00,00,02,80,14,00,ff,01,0f,00,01,01,00,00,00,00,01,00,00,\
```

```
00,00,02,00,70,00,04,00,00,00,00,00,18,00,fd,01,02,00,01,01,00,00,00,00,00,\
```

```
05,12,00,00,00,74,00,6f,00,00,00,1c,00,ff,01,0f,00,01,02,00,00,00,00,00,05,\
```

```
20,00,00,00,20,02,00,00,72,00,73,00,00,00,18,00,8d,01,02,00,01,01,00,00,00,\
```

```
00,00,05,0b,00,00,00,20,02,00,00,00,00,1c,00,fd,01,02,00,01,02,00,00,00,00,\
```

```
00,05,20,00,00,00,23,02,00,00,72,00,73,00,01,01,00,00,00,00,00,05,12,00,00,\
00,01,01,00,00,00,00,00,05,12,00,00,00
```

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\W3SVC\Enum]
"0"="Root\LEGACY_W3SVC\00000"
"Count"=dword:00000001
"NextInstance"=dword:00000001
```

## TPCC Application Registry Parameters

Windows Registry Editor Version 5.00

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\TPCC]
"Path"="C:\Inetpub\wwwroot\"
"NumberOfDeliveryThreads"=dword:00000040
"MaxConnections"=dword:00004e20
"MaxPendingDeliveries"=dword:00000bb8
"DB_Protocol"="ODBC"
"TxnMonitor"="COM"
"DbServer"="lilo"
"DbName"="tpcc"
"DbUser"="sa"
```

```
"DbPassword"=""
"COM_SinglePool"="YES"
```

## Server Bus Performance Driver Registry Parameters

```
Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\hpqcissb
Class Name: <NO CLASS>
Last Write Time: 11/11/2002 - 5:12 PM
Value 0
```

```
Name: Type
Type: REG_DWORD
Data: 0x1
```

```
Value 1
Name: Start
Type: REG_DWORD
Data: 0
```

```
Value 2
Name: ErrorControl
Type: REG_DWORD
Data: 0x1
```

```
Value 3
Name: Tag
Type: REG_DWORD
Data: 0x102
```

```
Value 4
Name: ImagePath
Type: REG_EXPAND_SZ
Data: system32\DRIVERS\hpqcissb.sys
```

```
Value 5
Name: DisplayName
Type: REG_SZ
Data: Smart Array Controllers Non-Miniport Bus Driver
```

```
Value 6
Name: Group
Type: REG_SZ
Data: port
```

```
Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\hpqcissb\Parameters
Class Name: <NO CLASS>
Last Write Time: 11/8/2002 - 8:53 AM
Value 0
Name: CompletionMode
```

```
Type: REG_DWORD
Data: 0x2
```

```
Value 1
Name: CosTimerRate
Type: REG_DWORD
Data: 0x4
```

```
Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\hpqcissb\Parameters\Controller2
Class Name: <NO CLASS>
Last Write Time: 11/5/2002 - 1:45 PM
Value 0
```

```
Name: CompletionMode
Type: REG_DWORD
Data: 0x1
```

```
Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\hpqcissb\Security
Class Name: <NO CLASS>
Last Write Time: 11/5/2002 - 1:34 PM
Value 0
```

```
Name: Security
Type: REG_BINARY
Data:
00000000 01 00 14 80 90 00 00 00 - 9c 00 00 00 14
00 00 00 .....
00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02
80 14 00 0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00
00 00 00 Ÿ.....
00000030 02 00 60 00 04 00 00 00 - 00 00 14 00 fd
01 02 00 ..`.....Ÿ...
00000040 01 01 00 00 00 00 00 05 - 12 00 00 00 00
00 18 00 .....
00000050 ff 01 0f 00 01 02 00 00 - 00 00 00 05 20
00 00 00 Ÿ.....
00000060 20 02 00 00 00 14 00 - 8d 01 02 00 01
01 00 00 .....
00000070 00 00 00 05 0b 00 00 00 - 00 00 18 00 fd
01 02 00 .....Ÿ...
00000080 01 02 00 00 00 00 00 05 - 20 00 00 00 23
02 00 00 .....#...
00000090 01 01 00 00 00 00 00 05 - 12 00 00 00 01
01 00 00 .....
00 00 00 05 12 00 00 00 -
.....
```

```
Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\hpqcissb\Enum
Class Name: <NO CLASS>
Last Write Time: 11/11/2002 - 5:12 PM
Value 0
Name: 0
Type: REG_SZ
```

Data:  
PCI\VEN\_0E11&DEV\_B060&SUBSYS\_40700E11&REV\_02\3&29e819  
82&0&08

Value 1  
Name: Count  
Type: REG\_DWORD  
Data: 0x3

Value 2  
Name: NextInstance  
Type: REG\_DWORD  
Data: 0x3

Value 3  
Name: 1  
Type: REG\_SZ  
Data:

PCI\VEN\_0E11&DEV\_B060&SUBSYS\_40700E11&REV\_02\3&172e68  
dd&0&08

Value 4  
Name: 2  
Type: REG\_SZ  
Data:

PCI\VEN\_0E11&DEV\_0046&SUBSYS\_409B0E11&REV\_01\3&172e68  
dd&0&10

## System Summary

System Information report written at: 05/23/03  
17:25:52  
System Name: LILO  
[System Summary]

Item	Value
OS Name	Microsoft(R) Windows(R) Server 2003, Standard Edition
Version	5.2.3790 Build 3790
OS Manufacturer	Microsoft Corporation
System Name	LILO
System Manufacturer	Compaq
System Model	ProLiant ML370 G3
System Type	X86-based PC
Processor	x86 Family 15 Model 2 Stepping 7
GenuineIntel	~3065 Mhz
Processor	x86 Family 15 Model 2 Stepping 7
GenuineIntel	~3065 Mhz
BIOS Version/Date	Compaq P28, 10/2/2002
SMBIOS Version	2.3
Windows Directory	C:\WINDOWS.0
System Directory	C:\WINDOWS.0\system32
Boot Device	\Device\HarddiskVolume8
Locale	United States

Hardware Abstraction Layer Version = "5.2.3790.0  
(srv03\_rtm.030324-2048)"  
User Name LIL0\Administrator  
Time Zone Central Daylight Time  
Total Physical Memory 2,048.00 MB  
Available Physical Memory 1.81 GB  
Total Virtual Memory 5.92 GB  
Available Virtual Memory 5.62 GB  
Page File Space 3.92 GB  
Page File C:\pagefile.sys

[Hardware Resources]

[Conflicts/Sharing]

Resource	Device
I/O Port 0x00000000-0x00000CFF	PCI bus
I/O Port 0x00000000-0x00000CFF	PCI bus
I/O Port 0x00000000-0x00000CFF	Direct memory access controller

Memory Address 0xF7C00000-0xF7DFFFFF	PCI bus
Memory Address 0xF7C00000-0xF7DFFFFF	Smart Array
5300 Controller (Non-Miniport)	

I/O Port 0x000003C0-0x000003DF	PCI bus
I/O Port 0x000003C0-0x000003DF	Standard VGA Graphics Adapter

I/O Port 0x00006000-0x000060FF	PCI bus
I/O Port 0x00006000-0x000060FF	Smart Array
642 Controller (Non-Miniport)	

I/O Port 0x00003000-0x000034FF	PCI bus
I/O Port 0x00003000-0x000034FF	Compaq 64-bit/66MHz Dual Channel Wide Ultra3 SCSI Adapter

I/O Port 0x00005000-0x000050FF	PCI bus
I/O Port 0x00005000-0x000050FF	Smart Array
641 Controller (Non-Miniport)	

Memory Address 0xA0000-0xBFFFFF	PCI bus
Memory Address 0xA0000-0xBFFFFF	Standard VGA Graphics Adapter

Memory Address 0xF5F00000-0xF6FFFFFFF	PCI bus
Memory Address 0xF5F00000-0xF6FFFFFFF	Base System Device

I/O Port 0x000003B0-0x000003BB	PCI bus
I/O Port 0x000003B0-0x000003BB	Standard VGA Graphics Adapter

I/O Port 0x00004000-0x000040FF	PCI bus
I/O Port 0x00004000-0x000040FF	Smart Array
5300 Controller (Non-Miniport)	

[DMA]

Resource Device Status

Channel 7 Direct memory access controller OK

Channel 2 Standard floppy disk controller OK

[Forced Hardware]

Device PNP Device ID

[I/O]

Resource	Device	Status
0x00000000-0x00000CFF	PCI bus	OK
0x00000000-0x00000CFF	PCI bus	OK
0x00000000-0x00000CFF	Direct memory access controller	OK
0x000003B0-0x000003BB	PCI bus	OK
0x000003B0-0x000003BB	Standard VGA Graphics Adapter	OK
0x000003C0-0x000003DF	PCI bus	OK
0x000003C0-0x000003DF	Standard VGA Graphics Adapter	OK
0x00002400-0x000024FF	Standard VGA Graphics Adapter	OK
0x00001800-0x000018FF	Base System Device	OK
0x00002800-0x000028FF	Base System Device	OK
0x00000A79-0x00000A79	ISAPNP Read Data Port	OK
0x00000279-0x00000279	ISAPNP Read Data Port	OK
0x00000274-0x00000277	ISAPNP Read Data Port	OK
0x00000F50-0x00000F58	Motherboard resources	OK
0x00000408-0x0000040F	Motherboard resources	OK
0x00000092-0x00000092	Motherboard resources	OK
0x00000900-0x00000903	Motherboard resources	OK
0x00000910-0x00000911	Motherboard resources	OK
0x00000920-0x00000923	Motherboard resources	OK
0x00000930-0x00000937	Motherboard resources	OK
0x00000940-0x00000947	Motherboard resources	OK
0x00000950-0x00000957	Motherboard resources	OK
0x00000C06-0x00000C08	Motherboard resources	OK
0x00000C14-0x00000C14	Motherboard resources	OK
0x00000C49-0x00000C4A	Motherboard resources	OK
0x00000C50-0x00000C52	Motherboard resources	OK
0x00000C6C-0x00000C6F	Motherboard resources	OK

```

0x0000010-0x000001F Motherboard resources
OK
0x00000230-0x00000233 Motherboard resources
OK
0x00000260-0x00000267 Motherboard resources
OK
0x000004D0-0x000004D1 Motherboard resources
OK
0x00000700-0x0000070F Motherboard resources
OK
0x00000800-0x0000081F Motherboard resources
OK
0x00000C80-0x00000C83 Motherboard resources
OK
0x00000CD4-0x00000CD7 Motherboard resources
OK
0x00000CF9-0x00000CF9 Motherboard resources
OK
0x00000020-0x00000021 Programmable interrupt
controller OK
0x000000A0-0x000000A1 Programmable interrupt
controller OK
0x00000C00-0x00000C01 Programmable interrupt
controller OK
0x00000040-0x00000043 System timer OK

0x00000080-0x0000008F Direct memory access
controller OK
0x000000C0-0x000000DF Direct memory access
controller OK
0x0000040B-0x0000040B Direct memory access
controller OK
0x000004D6-0x000004D6 Direct memory access
controller OK
0x00000061-0x00000061 System speaker OK

0x00000060-0x00000060 Standard 101/102-Key or
Microsoft Natural PS/2 Keyboard OK
0x00000064-0x00000064 Standard 101/102-Key or
Microsoft Natural PS/2 Keyboard OK
0x0000002E-0x0000002F Extended IO Bus OK

0x00000220-0x00000223 Extended IO Bus OK

0x00000240-0x0000025F Extended IO Bus OK

0x00000070-0x00000073 Extended IO Bus OK

0x00000378-0x0000037F Printer Port (LPT1) OK

0x000003F8-0x000003FF Communications Port
(COM1) OK
0x000002F8-0x000002FF Communications Port
(COM2) OK
0x000003F2-0x000003F5 Standard floppy disk
controller OK
0x000003F7-0x000003F7 Standard floppy disk
controller OK
0x00002000-0x0000200F CSB5 IDE Controller OK

0x000001F0-0x000001F7 Primary IDE Channel OK

```

```

0x000003F6-0x000003F6 Primary IDE Channel OK
0x00000170-0x00000177 Secondary IDE Channel
OK
0x00000376-0x00000376 Secondary IDE Channel
OK
0x00003000-0x000034FF PCI bus OK
0x00003000-0x000034FF Compaq 64-bit/66MHz
Dual Channel Wide Ultra3 SCSI Adapter OK
0x00003400-0x000034FF Compaq 64-bit/66MHz
Dual Channel Wide Ultra3 SCSI Adapter OK
0x00004000-0x000040FF PCI bus OK
0x00004000-0x000040FF Smart Array 5300
Controller (Non-Miniport) OK
0x00005000-0x000050FF PCI bus OK
0x00005000-0x000050FF Smart Array 641
Controller (Non-Miniport) OK
0x00006000-0x000060FF PCI bus OK
0x00006000-0x000060FF Smart Array 642
Controller (Non-Miniport) OK

[IRQs]
Resource Device Status
IRQ 9 Microsoft ACPI-Compliant System OK

IRQ 5 Base System Device OK
IRQ 15 Base System Device OK
IRQ 0 System timer OK
IRQ 1 Standard 101/102-Key or Microsoft Natural
PS/2 Keyboard OK
IRQ 12 PS/2 Compatible Mouse OK
IRQ 4 Communications Port (COM1) OK
IRQ 3 Communications Port (COM2) OK
IRQ 6 Standard floppy disk controller OK

IRQ 14 Primary IDE Channel OK
IRQ 30 Compaq 64-bit/66MHz Dual Channel Wide
Ultra3 SCSI Adapter OK
IRQ 31 Compaq 64-bit/66MHz Dual Channel Wide
Ultra3 SCSI Adapter OK
IRQ 29 BCM5703 Gigabit Ethernet OK
IRQ 18 Smart Array 5300 Controller (Non-Miniport)
OK
IRQ 26 Smart Array 641 Controller (Non-Miniport)
OK
IRQ 22 Smart Array 642 Controller (Non-Miniport)
OK

[Memory]
Resource Device Status
0xA0000-0xBFFFF PCI bus OK
0xA0000-0xBFFFF Standard VGA Graphics Adapter OK

0xF5F00000-0xF6FFFFFF PCI bus OK
0xF5F00000-0xF6FFFFFF Base System Device OK

0xF6000000-0xF6FFFFFF Standard VGA Graphics
Adapter OK
0xF5F00000-0xF5F0FFF Standard VGA Graphics
Adapter OK

```

```

0xF5FE0000-0xF5FE01FF Base System Device OK
0xF5FD0000-0xF5FD07FF Base System Device OK
0xF5FC0000-0xF5FC1FFF Base System Device OK
0xF7B00000-0xF7BFFFFF PCI bus OK
0xF7BF0000-0xF7BFFFFF Compaq 64-bit/66MHz
Dual Channel Wide Ultra3 SCSI Adapter OK
0xF7BE0000-0xF7BE0FFF Compaq 64-bit/66MHz
Dual Channel Wide Ultra3 SCSI Adapter OK
0xF7BD0000-0xF7BDDFFF BCM5703 Gigabit
Ethernet OK
0xF7C00000-0xF7DFFFFF PCI bus OK
0xF7C00000-0xF7DFFFFF Smart Array 5300
Controller (Non-Miniport) OK
0xF7DC0000-0xF7DFFFFF Smart Array 5300
Controller (Non-Miniport) OK
0xF7E00000-0xF7EFFFFF PCI bus OK
0xF7EF0000-0xF7EF1FFF Smart Array 641
Controller (Non-Miniport) OK
0xF7E80000-0xF7EFFFFF Smart Array 641
Controller (Non-Miniport) OK
0xF7F00000-0xF7FFFFFF PCI bus OK
0xF7FF0000-0xF7FF1FFF Smart Array 642
Controller (Non-Miniport) OK
0xF7F80000-0xF7FBFFFF Smart Array 642
Controller (Non-Miniport) OK

[Components]

[Multimedia]

[Audio Codecs]
CODEC Manufacturer Description
Status File Version Size
Creation Date
c:\windows.0\system32\sl_anet.acm Sipro Lab
Telecom Inc. Sipro Lab Telecom Audio Codec OK
C:\WINDOWS.0\system32\SLANET.ACM
3.02 84.00 KB (86,016 bytes)
3/25/2003 12:00 AM
c:\windows.0\system32\msg711.acm Microsoft
Corporation OK
C:\WINDOWS.0\system32\MSG711.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
10.00 KB (10,240 bytes) 3/25/2003
12:00 AM
c:\windows.0\system32\tssoft32.acm DSP GROUP,
INC. OK
C:\WINDOWS.0\system32\TSSOFT32.ACM
1.01 9.50 KB (9,728 bytes)
3/25/2003 12:00 AM
c:\windows.0\system32\l3codeca.acm Fraunhofer
Institut Integrierte Schaltungen IIS Fraunhofer
IIS MPEG Layer-3 Codec OK
C:\WINDOWS.0\system32\L3CODECA.ACM 1,

```

```

9, 0, 0305      284.00 KB (290,816 bytes)
                3/25/2003 12:00 AM
c:\windows.0\system32\imaadp32.acm      Microsoft
Corporation      OK
                C:\WINDOWS.0\system32\IMAADP32.ACM
                5.2.3790.0 (srv03_rtm.030324-2048)
                15.50 KB (15,872 bytes)      3/25/2003
12:00 AM
c:\windows.0\system32\msg723.acm      Microsoft
Corporation      OK
                C:\WINDOWS.0\system32\MSG723.ACM
                4.4.4000 116.00 KB (118,784 bytes)
                5/14/2003 5:00 PM
c:\windows.0\system32\msadp32.acm      Microsoft
Corporation      OK
                C:\WINDOWS.0\system32\MSADP32.ACM
                5.2.3790.0 (srv03_rtm.030324-2048)
                14.50 KB (14,848 bytes)      3/25/2003
12:00 AM
c:\windows.0\system32\msgsm32.acm      Microsoft
Corporation      OK
                C:\WINDOWS.0\system32\MSGSM32.ACM
                5.2.3790.0 (srv03_rtm.030324-2048)
                20.50 KB (20,992 bytes)      3/25/2003
12:00 AM
c:\windows.0\system32\msaud32.acm      Microsoft
Corporation      Windows Media Audio Codec      OK
                C:\WINDOWS.0\system32\MSAUD32.ACM
                8.00.00.4487      288.00 KB (294,912
bytes)      3/25/2003 12:00 AM

[Video Codecs]

CODEC      Manufacturer      Description
          Status      File      Version      Size
          Creation Date

c:\windows.0\system32\msrle32.dll      Microsoft
Corporation      OK
                C:\WINDOWS.0\system32\MSRLE32.DLL
                5.2.3790.0 (srv03_rtm.030324-2048)
                10.50 KB (10,752 bytes)      3/25/2003
12:00 AM
c:\windows.0\system32\msh261.drv      Microsoft
Corporation      OK
                C:\WINDOWS.0\system32\MSH261.DRV
                4.4.4000 180.00 KB (184,320 bytes)
                5/14/2003 5:00 PM
c:\windows.0\system32\iyuv_32.dll      Microsoft
Corporation      OK
                C:\WINDOWS.0\system32\IYUV_32.DLL
                5.2.3790.0 (srv03_rtm.030324-2048)
                45.00 KB (46,080 bytes)      3/24/2003
7:49 PM
c:\windows.0\system32\msyuv.dll      Microsoft
Corporation      OK
                C:\WINDOWS.0\system32\MSYUV.DLL
                5.2.3790.0 (srv03_rtm.030324-2048)
                16.50 KB (16,896 bytes)      3/24/2003
7:49 PM
c:\windows.0\system32\msvidc32.dll      Microsoft
Corporation      OK
                C:\WINDOWS.0\system32\MSVIDC32.DLL
                5.2.3790.0 (srv03_rtm.030324-2048)

```

```

                26.50 KB (27,136 bytes)      3/25/2003
12:00 AM
c:\windows.0\system32\msh263.drv      Microsoft
Corporation      OK
                C:\WINDOWS.0\system32\MSH263.DRV
                4.4.4000 284.00 KB (290,816 bytes)
                3/24/2003 7:46 PM
c:\windows.0\system32\tsbyuv.dll      Microsoft
Corporation      OK
                C:\WINDOWS.0\system32\TSBYUV.DLL
                5.2.3790.0 (srv03_rtm.030324-2048)
                8.00 KB (8,192 bytes)      3/24/2003
7:50 PM

[CD-ROM]

Item      Value
Drive      E:
Description      CD-ROM Drive
Media Loaded      No
Media Type      CD-ROM
Name      COMPAQ CD-ROM LTN486S
Manufacturer      (Standard CD-ROM drives)
Status      OK
Transfer Rate      Not Available
SCSI Target ID      1
PNP Device ID      IDE\CDROMCOMPAQ_CD-
ROM_LTN486S_____YQSD_____5\FB0C83D&0&0.
1.0
Driver      c:\windows.0\system32\drivers\cdrom.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 49.50 KB (50,688
bytes), 3/25/2003 12:00 AM)

[Sound Device]

Item      Value

[Display]

Item      Value
Name      Standard VGA Graphics Adapter
PNP Device ID      PCI\VEN_1002&DEV_4752&SUBSYS_001E0E11&REV_2
7\3&267A616A&0&18
Adapter Type      ATI MACH64, (Standard display
types) compatible
Adapter Description      Standard VGA Graphics Adapter
Adapter RAM      7.94 MB (8,323,072 bytes)
Installed Drivers      vga.dll,framebuf.dll,vga256.dll,vga64k.dll

Driver Version      5.2.3790.0
INF File      display.inf (vga section)
Color Planes      1
Color Table Entries      65536
Resolution      800 x 600 x 1 hertz
Bits/Pixel      16
Memory Address      0xF6000000-0xF6FFFFFF
I/O Port      0x00002400-0x000024FF
Memory Address      0xF5FF0000-0xF5FF0FFF
I/O Port      0x000003B0-0x000003BB
I/O Port      0x000003C0-0x000003DF
Memory Address      0xA0000-0xBFFFFF

```

```

Driver      c:\windows.0\system32\drivers\vgapnp.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 23.00 KB (23,552
bytes), 5/15/2003 3:11 PM)

[Infrared]

Item      Value

[Input]

[Keyboard]

Item      Value
Description      Standard 101/102-Key or Microsoft
Natural PS/2 Keyboard
Name      Enhanced (101- or 102-key)
Layout      00000409
PNP Device ID      ACPI\PNP0303\4&35118DFF&0
Number of Function Keys      12
I/O Port      0x00000060-0x00000060
I/O Port      0x00000064-0x00000064
IRQ Channel      IRQ 1
Driver      c:\windows.0\system32\drivers\i8042prt.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 68.50 KB (70,144
bytes), 3/25/2003 12:00 AM)

[Pointing Device]

Item      Value
Hardware Type      PS/2 Compatible Mouse
Number of Buttons      5
Status      OK
PNP Device ID      ACPI\PNP0F13\4&35118DFF&0
Power Management Supported      No
Double Click Threshold      6
Handedness      Right Handed Operation
IRQ Channel      IRQ 12
Driver      c:\windows.0\system32\drivers\i8042prt.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 68.50 KB (70,144
bytes), 3/25/2003 12:00 AM)

[Modem]

Item      Value

[Network]

[Adapter]

Item      Value
Name      [00000001] BCM5703 Gigabit Ethernet
Adapter Type      Ethernet 802.3
Product Type      BCM5703 Gigabit Ethernet
Installed Yes
PNP Device ID      PCI\VEN_14E4&DEV_16A7&SUBSYS_00CB0E11&REV_0
2\3&13C0B0C5&0&20
Last Reset      5/23/2003 5:22 PM
Index      1

```

Service Name b57w2k  
 IP Address 130.168.209.46  
 IP Subnet 255.255.0.0  
 Default IP Gateway Not Available  
 DHCP Enabled No  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address 00:02:A5:FF:2E:E0  
 Memory Address 0xF7BD0000-0xF7BDFFFF  
 IRQ Channel IRQ 29  
 Driver c:\windows.0\system32\drivers\b57xp32.sys  
 (2.91.0.0 built by: WinDDK, 137.00 KB (140,288  
 bytes), 5/14/2003 11:53 AM)

Name [00000002] RAS Async Adapter  
 Adapter Type Not Available  
 Product Type RAS Async Adapter  
 Installed Yes  
 PNP Device ID Not Available  
 Last Reset 5/23/2003 5:22 PM  
 Index 2  
 Service Name AsyncMac  
 IP Address Not Available  
 IP Subnet Not Available  
 Default IP Gateway Not Available  
 DHCP Enabled No  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address Not Available

Name [00000003] WAN Miniport (L2TP)  
 Adapter Type Not Available  
 Product Type WAN Miniport (L2TP)  
 Installed Yes  
 PNP Device ID ROOT\MS\_L2TPMINIPORT\0000  
 Last Reset 5/23/2003 5:22 PM  
 Index 3  
 Service Name Rasl2tp  
 IP Address Not Available  
 IP Subnet Not Available  
 Default IP Gateway Not Available  
 DHCP Enabled No  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address Not Available  
 Driver c:\windows.0\system32\drivers\rasl2tp.sys  
 (5.2.3790.0 (srv03\_rtm.030324-2048), 77.00 KB (78,848  
 bytes), 3/25/2003 12:00 AM)

Name [00000004] WAN Miniport (PPTP)  
 Adapter Type Wide Area Network (WAN)  
 Product Type WAN Miniport (PPTP)  
 Installed Yes  
 PNP Device ID ROOT\MS\_PPTPMINIPORT\0000  
 Last Reset 5/23/2003 5:22 PM  
 Index 4  
 Service Name PptpMiniport  
 IP Address Not Available  
 IP Subnet Not Available  
 Default IP Gateway Not Available

DHCP Enabled No  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address 50:50:54:50:30:30  
 Driver c:\windows.0\system32\drivers\raspppt.sys  
 (5.2.3790.0 (srv03\_rtm.030324-2048), 70.50 KB (72,192  
 bytes), 3/25/2003 12:00 AM)

Name [00000005] WAN Miniport (PPPOE)  
 Adapter Type Wide Area Network (WAN)  
 Product Type WAN Miniport (PPPOE)  
 Installed Yes  
 PNP Device ID ROOT\MS\_PPPOEMINIPORT\0000  
 Last Reset 5/23/2003 5:22 PM  
 Index 5  
 Service Name Raspppoe  
 IP Address Not Available  
 IP Subnet Not Available  
 Default IP Gateway Not Available  
 DHCP Enabled No  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address 33:50:6F:45:30:30  
 Driver c:\windows.0\system32\drivers\raspppoe.sys  
 (5.2.3790.0 (srv03\_rtm.030324-2048), 38.00 KB (38,912  
 bytes), 3/25/2003 12:00 AM)

Name [00000006] Direct Parallel  
 Adapter Type Not Available  
 Product Type Direct Parallel  
 Installed Yes  
 PNP Device ID ROOT\MS\_PTMINIPORT\0000  
 Last Reset 5/23/2003 5:22 PM  
 Index 6  
 Service Name Raspti  
 IP Address Not Available  
 IP Subnet Not Available  
 Default IP Gateway Not Available  
 DHCP Enabled No  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available  
 DHCP Lease Obtained Not Available  
 MAC Address Not Available  
 Driver c:\windows.0\system32\drivers\raspti.sys  
 (5.2.3790.0 (srv03\_rtm.030324-2048), 18.50 KB (18,944  
 bytes), 3/25/2003 12:00 AM)

Name [00000007] WAN Miniport (IP)  
 Adapter Type Not Available  
 Product Type WAN Miniport (IP)  
 Installed Yes  
 PNP Device ID ROOT\MS\_NDISWANIP\0000  
 Last Reset 5/23/2003 5:22 PM  
 Index 7  
 Service Name NdisWan  
 IP Address Not Available  
 IP Subnet Not Available  
 Default IP Gateway Not Available  
 DHCP Enabled No  
 DHCP Server Not Available  
 DHCP Lease Expires Not Available

DHCP Lease Obtained Not Available  
 MAC Address Not Available  
 Driver c:\windows.0\system32\drivers\ndiswan.sys  
 (5.2.3790.0 (srv03\_rtm.030324-2048), 96.50 KB (98,816  
 bytes), 3/25/2003 12:00 AM)

[Protocol]

Item	Value
Name	MSAFD Tcpip [TCP/IP]
Connectionless Service	No
Guarantees Delivery Yes	Yes
Guarantees Sequencing	Yes
Maximum Address Size	16 bytes
Maximum Message Size	0 bytes
Message Oriented	No
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	Yes
Supports Graceful Closing	Yes
Supports Guaranteed Bandwidth	No
Supports Multicasting	No

Name	MSAFD Tcpip [UDP/IP]
Connectionless Service	Yes
Guarantees Delivery	No
Guarantees Sequencing	No
Maximum Address Size	16 bytes
Maximum Message Size	63.93 KB (65,467 bytes)

Message Oriented	Yes
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	Yes
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No
Supports Multicasting	Yes

Name	RSVP UDP Service Provider
Connectionless Service	Yes
Guarantees Delivery	No
Guarantees Sequencing	No
Maximum Address Size	16 bytes
Maximum Message Size	63.93 KB (65,467 bytes)

Message Oriented	Yes
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	Yes
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	Yes
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No



```

Supports Multicasting      Yes
Name      RSVP TCP Service Provider
Connectionless Service    No
Guarantees Delivery Yes
Guarantees Sequencing     Yes
Maximum Address Size      16 bytes
Maximum Message Size      0 bytes
Message Oriented          No
Minimum Address Size      16 bytes
Pseudo Stream Oriented    No
Supports Broadcasting     No
Supports Connect Data     No
Supports Disconnect Data  No
Supports Encryption Yes
Supports Expedited Data   Yes
Supports Graceful Closing Yes
Supports Guaranteed Bandwidth No
Supports Multicasting     No

Name      MSAFD NetBIOS
[\Device\NetBT_Tcpip_{6798A982-E2D7-4827-835B-A68BACC0F668}] SEQPACKE
T 0
Connectionless Service    No
Guarantees Delivery Yes
Guarantees Sequencing     Yes
Maximum Address Size      20 bytes
Maximum Message Size      62.50 KB (64,000 bytes)

Message Oriented          Yes
Minimum Address Size      20 bytes
Pseudo Stream Oriented    No
Supports Broadcasting     No
Supports Connect Data     No
Supports Disconnect Data  No
Supports Encryption No
Supports Expedited Data   No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting     No

Name      MSAFD NetBIOS
[\Device\NetBT_Tcpip_{6798A982-E2D7-4827-835B-A68BACC0F668}] DATAGRAM 0
Connectionless Service    Yes
Guarantees Delivery No
Guarantees Sequencing     No
Maximum Address Size      20 bytes
Maximum Message Size      62.50 KB (64,000 bytes)

Message Oriented          Yes
Minimum Address Size      20 bytes
Pseudo Stream Oriented    No
Supports Broadcasting     Yes
Supports Connect Data     No
Supports Disconnect Data  No
Supports Encryption No
Supports Expedited Data   No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting     No

```

```

Name      MSAFD NetBIOS
[\Device\NetBT_Tcpip_{5DBF478C-94D2-479E-973D-5B485792159A}] SEQPACKE
T 1
Connectionless Service    No
Guarantees Delivery Yes
Guarantees Sequencing     Yes
Maximum Address Size      20 bytes
Maximum Message Size      62.50 KB (64,000 bytes)

Message Oriented          Yes
Minimum Address Size      20 bytes
Pseudo Stream Oriented    No
Supports Broadcasting     No
Supports Connect Data     No
Supports Disconnect Data  No
Supports Encryption No
Supports Expedited Data   No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting     No

Name      MSAFD NetBIOS
[\Device\NetBT_Tcpip_{5DBF478C-94D2-479E-973D-5B485792159A}] DATAGRAM 1
Connectionless Service    Yes
Guarantees Delivery No
Guarantees Sequencing     No
Maximum Address Size      20 bytes
Maximum Message Size      62.50 KB (64,000 bytes)

Message Oriented          Yes
Minimum Address Size      20 bytes
Pseudo Stream Oriented    No
Supports Broadcasting     Yes
Supports Connect Data     No
Supports Disconnect Data  No
Supports Encryption No
Supports Expedited Data   No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting     No

Name      MSAFD NetBIOS
[\Device\NetBT_Tcpip_{C00B20B8-E433-4C68-AC68-37F94150D27A}] SEQPACKE
T 2
Connectionless Service    No
Guarantees Delivery Yes
Guarantees Sequencing     Yes
Maximum Address Size      20 bytes
Maximum Message Size      62.50 KB (64,000 bytes)

Message Oriented          Yes
Minimum Address Size      20 bytes
Pseudo Stream Oriented    No
Supports Broadcasting     No
Supports Connect Data     No
Supports Disconnect Data  No
Supports Encryption No
Supports Expedited Data   No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting     No

```

```

Name      MSAFD NetBIOS
[\Device\NetBT_Tcpip_{C00B20B8-E433-4C68-AC68-37F94150D27A}] DATAGRAM 2
Connectionless Service    Yes
Guarantees Delivery No
Guarantees Sequencing     No
Maximum Address Size      20 bytes
Maximum Message Size      62.50 KB (64,000 bytes)

Message Oriented          Yes
Minimum Address Size      20 bytes
Pseudo Stream Oriented    No
Supports Broadcasting     Yes
Supports Connect Data     No
Supports Disconnect Data  No
Supports Encryption No
Supports Expedited Data   No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting     No

[WinSock]

Item      Value
File      c:\windows.0\system32\winsock.dll
Size      2.80 KB (2,864 bytes)
Version   3.10

File      c:\windows.0\system32\wsock32.dll
Size      22.00 KB (22,528 bytes)
Version   5.2.3790.0 (srv03_rtm.030324-2048)

[Ports]

[Serial]

Item      Value
Name      Communications Port (COM1)
Status    OK
PNP Device ID      ACPI\PNP0501\0
Maximum Input Buffer Size      0
Maximum Output Buffer Size     No
Settable Baud Rate      Yes
Settable Data Bits      Yes
Settable Flow Control    Yes
Settable Parity          Yes
Settable Parity Check    Yes
Settable Stop Bits      Yes
Settable RLSD            Yes
Supports RLSD            Yes
Supports 16 Bit Mode     No
Supports Special Characters No
Baud Rate 9600
Bits/Byte 8
Stop Bits 1
Parity None
Busy No
Abort Read/Write on Error No
Binary Mode Enabled Yes
Continue XMit on Xoff     No
CTS Outflow Control No

```

Discard NULL Bytes No  
 DSR Outflow Control 0  
 DSR Sensitivity 0  
 DTR Flow Control Type Enable  
 EOF Character 0  
 Error Replace Character 0  
 Error Replacement Enabled No  
 Event Character 0  
 Parity Check Enabled No  
 RTS Flow Control Type Enable  
 XOff Character 19  
 XOffXmit Threshold 512  
 XOn Character 17  
 XOnXmit Threshold 2048  
 XOnXoff InFlow Control 0  
 XOnXoff OutFlow Control 0  
 IRQ Channel IRQ 4  
 I/O Port 0x000003F8-0x000003FF  
 Driver c:\windows.0\system32\drivers\serial.sys  
 (5.2.3790.0 (srv03\_rtm.030324-2048), 76.00 KB (77,824  
 bytes), 3/25/2003 12:00 AM)

Name Communications Port (COM2)  
 Status OK  
 PNP Device ID ACPI\PNP0501\1  
 Maximum Input Buffer Size 0  
 Maximum Output Buffer Size No  
 Settable Baud Rate Yes  
 Settable Data Bits Yes  
 Settable Flow Control Yes  
 Settable Parity Yes  
 Settable Parity Check Yes  
 Settable Stop Bits Yes  
 Settable RLSD Yes  
 Supports RLSD Yes  
 Supports 16 Bit Mode No  
 Supports Special Characters No  
 Baud Rate 9600  
 Bits/Byte 8  
 Stop Bits 1  
 Parity None  
 Busy No  
 Abort Read/Write on Error No  
 Binary Mode Enabled Yes  
 Continue Xmit on XOff No  
 CTS Outflow Control No  
 Discard NULL Bytes No  
 DSR Outflow Control 0  
 DSR Sensitivity 0  
 DTR Flow Control Type Enable  
 EOF Character 0  
 Error Replace Character 0  
 Error Replacement Enabled No  
 Event Character 0  
 Parity Check Enabled No  
 RTS Flow Control Type Enable  
 XOff Character 19  
 XOffXmit Threshold 512  
 XOn Character 17  
 XOnXmit Threshold 2048  
 XOnXoff InFlow Control 0  
 XOnXoff OutFlow Control 0  
 IRQ Channel IRQ 3

I/O Port 0x000002F8-0x000002FF  
 Driver c:\windows.0\system32\drivers\serial.sys  
 (5.2.3790.0 (srv03\_rtm.030324-2048), 76.00 KB (77,824  
 bytes), 3/25/2003 12:00 AM)

[Parallel]

Item Value  
 Name LPT1  
 PNP Device ID ACPI\PNP0400\5&13237358&0  
 I/O Port 0x00000378-0x0000037F  
 Driver c:\windows.0\system32\drivers\parport.sys  
 (5.2.3790.0 (srv03\_rtm.030324-2048), 76.50 KB (78,336  
 bytes), 3/24/2003 5:04 PM)

[Storage]

[Drives]

Item Value  
 Drive A:  
 Description 3 1/2 Inch Floppy Drive  
 Drive C:  
 Description Local Fixed Disk  
 Compressed No  
 File System NTFS  
 Size 16.94 GB (18,186,092,544 bytes)  
 Free Space 12.30 GB (13,205,012,480 bytes)  
 Volume Name  
 Volume Serial Number 2497BA6A  
 Drive E:  
 Description CD-ROM Disc  
 Drive F:  
 Description Local Fixed Disk  
 Compressed Not Available  
 File System Not Available  
 Size Not Available  
 Free Space Not Available  
 Volume Name Not Available  
 Volume Serial Number Not Available  
 Drive G:  
 Description Local Fixed Disk  
 Compressed Not Available  
 File System Not Available  
 Size Not Available  
 Free Space Not Available  
 Volume Name Not Available  
 Volume Serial Number Not Available  
 Drive H:  
 Description Local Fixed Disk  
 Compressed Not Available  
 File System Not Available  
 Size Not Available  
 Free Space Not Available  
 Volume Name Not Available

Volume Serial Number Not Available

Drive I:  
 Description Local Fixed Disk  
 Compressed Not Available  
 File System Not Available  
 Size Not Available  
 Free Space Not Available  
 Volume Name Not Available  
 Volume Serial Number Not Available

Drive J:  
 Description Local Fixed Disk  
 Compressed Not Available  
 File System Not Available  
 Size Not Available  
 Free Space Not Available  
 Volume Name Not Available  
 Volume Serial Number Not Available

Drive K:  
 Description Local Fixed Disk  
 Compressed Not Available  
 File System Not Available  
 Size Not Available  
 Free Space Not Available  
 Volume Name Not Available  
 Volume Serial Number Not Available

Drive L:  
 Description Local Fixed Disk  
 Compressed Not Available  
 File System Not Available  
 Size Not Available  
 Free Space Not Available  
 Volume Name Not Available  
 Volume Serial Number Not Available

[Disks]

Item Value  
 Description \\.\PHYSICALDRIVE0  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 31.25 GB (33,550,917,120 bytes)  
 Total Cylinders 4,079  
 Total Sectors 65,529,135  
 Total Tracks 1,040,145  
 Tracks/Cylinder 255  
 Partition Disk #0, Partition #0  
 Partition Size 31.25 GB (33,550,884,864 bytes)  
 Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE1  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 15.62 GB (16,771,345,920 bytes)  
 Total Cylinders 2,039  
 Total Sectors 32,756,535  
 Total Tracks 519,945  
 Tracks/Cylinder 255  
 Partition Disk #1, Partition #0  
 Partition Size 15.62 GB (16,771,313,664 bytes)  
 Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE2  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 31.25 GB (33,550,917,120 bytes)  
 Total Cylinders 4,079  
 Total Sectors 65,529,135  
 Total Tracks 1,040,145  
 Tracks/Cylinder 255  
 Partition Disk #2, Partition #0  
 Partition Size 31.25 GB (33,550,884,864 bytes)  
 Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE3  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 15.62 GB (16,771,345,920 bytes)  
 Total Cylinders 2,039  
 Total Sectors 32,756,535  
 Total Tracks 519,945  
 Tracks/Cylinder 255  
 Partition Disk #3, Partition #0

Partition Size 15.62 GB (16,771,313,664 bytes)  
 Partition Starting Offset 32,256 bytes  
 Description \\.\PHYSICALDRIVE4  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 0  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 176.92 GB (189,971,066,880 bytes)  
 Total Cylinders 23,096  
 Total Sectors 371,037,240  
 Total Tracks 5,889,480  
 Tracks/Cylinder 255

Description \\.\PHYSICALDRIVE5  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 67.83 GB (72,826,629,120 bytes)  
 Total Cylinders 8,854  
 Total Sectors 142,239,510  
 Total Tracks 2,257,770  
 Tracks/Cylinder 255  
 Partition Disk #8, Partition #0  
 Partition Size 67.83 GB (72,826,596,864 bytes)  
 Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE5  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 31.25 GB (33,550,917,120 bytes)  
 Total Cylinders 4,079  
 Total Sectors 65,529,135  
 Total Tracks 1,040,145  
 Tracks/Cylinder 255  
 Partition Disk #5, Partition #0

Partition Size 31.25 GB (33,550,884,864 bytes)  
 Partition Starting Offset 32,256 bytes  
 Description \\.\PHYSICALDRIVE6  
 Manufacturer Not Available  
 Model Not Available  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 1  
 SCSI Bus Not Available  
 SCSI Logical Unit Not Available  
 SCSI Port Not Available  
 SCSI Target ID Not Available  
 Sectors/Track 63  
 Size 15.62 GB (16,771,345,920 bytes)  
 Total Cylinders 2,039  
 Total Sectors 32,756,535  
 Total Tracks 519,945  
 Tracks/Cylinder 255  
 Partition Disk #6, Partition #0  
 Partition Size 15.62 GB (16,771,313,664 bytes)  
 Partition Starting Offset 32,256 bytes

Description Disk drive  
 Manufacturer (Standard disk drives)  
 Model COMPAQ BD0186459A SCSI Disk Device  
 Bytes/Sector 512  
 Media Loaded Yes  
 Media Type Fixed hard disk  
 Partitions 2  
 SCSI Bus 0  
 SCSI Logical Unit 0  
 SCSI Port 3  
 SCSI Target ID 0  
 Sectors/Track 63  
 Size 16.95 GB (18,202,544,640 bytes)  
 Total Cylinders 2,213  
 Total Sectors 35,551,845  
 Total Tracks 564,315  
 Tracks/Cylinder 255  
 Partition Disk #7, Partition #0  
 Partition Size 7.81 MB (8,193,024 bytes)  
 Partition Starting Offset 32,256 bytes  
 Partition Disk #7, Partition #1  
 Partition Size 16.94 GB (18,186,094,080 bytes)  
 Partition Starting Offset 8,225,280 bytes

[SCSI]

Item Value  
 Name Compaq 64-bit/66MHz Dual Channel Wide  
 Ultra3 SCSI Adapter  
 Manufacturer Adaptec  
 Status OK  
 PNP Device ID  
 PCI\VEN\_9005&DEV\_00C0&SUBSYS\_F6200E11&REV\_0  
 1\3\13C0B0C5&0&18  
 I/O Port 0x0003000-0x000034FF  
 Memory Address 0xF7BF0000-0xF7BF0FFF

```

IRQ Channel      IRQ 30
Driver           c:\windows.0\system32\drivers\adpul60m.sys
(RTC_XP07 (lab01_n(storbuild).010917-1031), 99.63 KB
(102,016 bytes), 3/25/2003 12:00 AM)

Name             Compaq 64-bit/66MHz Dual Channel Wide
Ultra3 SCSI Adapter
Manufacturer     Adaptec
Status           OK
PNP Device ID    PCI\VEN_9005&DEV_00C0&SUBSYS_F6200E11&REV_0
1\3&13C0B0C5&0&19
I/O Port        0x00003400-0x000034FF
Memory Address   0xF7BE0000-0xF7BE0FFF
IRQ Channel      IRQ 31
Driver           c:\windows.0\system32\drivers\adpul60m.sys
(RTC_XP07 (lab01_n(storbuild).010917-1031), 99.63 KB
(102,016 bytes), 3/25/2003 12:00 AM)

Name             Smart Array 5300 Controller (Non-Miniport)

Manufacturer     Hewlett-Packard
Status           OK
PNP Device ID    PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&1070020&0&10
Memory Address   0xF7DC0000-0xF7DFFFFF
Memory Address   0xF7C00000-0xF7DFFFFF
I/O Port        0x00004000-0x000040FF
IRQ Channel      IRQ 18
Driver           c:\windows.0\system32\drivers\hpgcissb.sys
(5.5.59.32 built by: WinDDK, 35.50 KB (36,352 bytes),
5/14/2003 5:14 PM)

Name             Smart Array 641 Controller (Non-Miniport)

Manufacturer     Hewlett-Packard
Status           OK
PNP Device ID    PCI\VEN_0E11&DEV_0046&SUBSYS_409A0E11&REV_0
1\3&29E81982&0&10
Memory Address   0xF7EF0000-0xF7EF1FFF
I/O Port        0x00005000-0x000050FF
Memory Address   0xF7E80000-0xF7EBFFFF
IRQ Channel      IRQ 26
Driver           c:\windows.0\system32\drivers\hpgcissb.sys
(5.5.59.32 built by: WinDDK, 35.50 KB (36,352 bytes),
5/14/2003 5:14 PM)

Name             Smart Array 642 Controller (Non-Miniport)

Manufacturer     Hewlett-Packard
Status           OK
PNP Device ID    PCI\VEN_0E11&DEV_0046&SUBSYS_409B0E11&REV_0
1\3&172E68DD&0&10
Memory Address   0xF7FF0000-0xF7FF1FFF
I/O Port        0x00006000-0x000060FF
Memory Address   0xF7F80000-0xF7FBFFFF
IRQ Channel      IRQ 22
Driver           c:\windows.0\system32\drivers\hpgcissb.sys
(5.5.59.32 built by: WinDDK, 35.50 KB (36,352 bytes),
5/14/2003 5:14 PM)

```

```

[IDE]

Item             Value
Name             CSB5 IDE Controller
Manufacturer     ServerWorks
Status           OK
PNP Device ID    PCI\VEN_1166&DEV_0212&SUBSYS_02121166&REV_9
3\3&267A616A&0&79
I/O Port        0x00002000-0x0000200F
Driver           c:\windows.0\system32\drivers\pciide.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 5.50 KB (5,632
bytes), 3/25/2003 12:00 AM)

Name             Primary IDE Channel
Manufacturer     (Standard IDE ATA/ATAPI
controllers)
Status           OK
PNP Device ID    PCIIDE\IDECHANNEL\4&1024D5C6&0&0

I/O Port        0x000001F0-0x000001F7
I/O Port        0x000003F6-0x000003F6
IRQ Channel      IRQ 14
Driver           c:\windows.0\system32\drivers\atapi.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 89.00 KB (91,136
bytes), 3/25/2003 12:00 AM)

Name             Secondary IDE Channel
Manufacturer     (Standard IDE ATA/ATAPI
controllers)
Status           OK
PNP Device ID    PCIIDE\IDECHANNEL\4&1024D5C6&0&1

I/O Port        0x00000170-0x00000177
I/O Port        0x00000376-0x00000376
Driver           c:\windows.0\system32\drivers\atapi.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 89.00 KB (91,136
bytes), 3/25/2003 12:00 AM)

[Printing]

Name             Driver             Port Name Server Name

[Problem Devices]

Device           PNP Device ID      Error Code
Base System Device
PCI\VEN_0E11&DEV_B203&SUBSYS_B2060E11&REV_0
1\3&267A616A&0&20 The drivers for this device are
not installed.
Base System Device
PCI\VEN_0E11&DEV_B204&SUBSYS_B2060E11&REV_0
1\3&267A616A&0&22 The drivers for this device are
not installed.

[USB]

Device           PNP Device ID

[Software Environment]

```

```

[System Drivers]

Name             Description             File             Type
Started          Start Mode             Status           Error Control     Accept Pause

abiosdsk         Abiosdsk               Not Available    Kernel Driver
No               Disabled              Stopped         OK
Ignore          No                       No

acpi             Microsoft ACPI Driver   c:\windows.0\system32\drivers\acpi.sys
Kernel Driver    Yes                  Boot
Running         OK                     Normal          No             Yes

acpiec           ACPIEC                  c:\windows.0\system32\drivers\acpiec.sys
Kernel Driver    No                   Disabled
Stopped         OK                     Normal          No             No

adpul60m        adpul60m               c:\windows.0\system32\drivers\adpul60m.sys
Kernel Driver    Yes                  Boot
Running         OK                     Normal          No             Yes

adpu320         adpu320                Not Available    Kernel Driver
No               Disabled              Stopped         OK
Normal          No                       No

afcnc           afcnc                  Not Available    Kernel Driver
No               Disabled              Stopped         OK
Normal          No                       No

afd             AFD Networking Support Environment
c:\windows.0\system32\drivers\afd.sys
Kernel Driver    Yes                  Auto
Running         OK                     Normal          No             Yes

ahal54x         Ahal54x                Not Available    Kernel Driver
No               Disabled              Stopped         OK
Normal          No                       No

aic78u2         aic78u2                Not Available    Kernel Driver
No               Disabled              Stopped         OK
Normal          No                       No

aic78xx         aic78xx                Not Available    Kernel Driver
No               Disabled              Stopped         OK
Normal          No                       No

alliide         AliIde                 Not Available    Kernel Driver
No               Disabled              Stopped         OK
Normal          No                       No

asynctac        RAS Asynchronous Media Driver
c:\windows.0\system32\drivers\asynctac.sys
Kernel Driver    No                   Manual
Stopped         OK                     Normal          No             No

atapi           Standard IDE/ESDI Hard Disk Controller
c:\windows.0\system32\drivers\ataapi.sys
Kernel Driver    Yes                  Boot
Running         OK                     Normal          No             Yes

atdisk          Atdisk                 Not Available    Kernel Driver
No               Disabled              Stopped         OK
Ignore          No                       No

ati2mpad        ati2mpad               c:\windows.0\system32\drivers\ati2mpad.sys

```

	Kernel Driver	No	Manual		
	Stopped	OK	Ignore	No	No
atmarpc	ATM ARP Client Protocol				
	c:\windows.0\system32\drivers\atmarpc.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Normal	No	No
audstub	Audio Stub Driver				
	c:\windows.0\system32\drivers\audstub.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
b57w2k	BCM5703 Gigabit Ethernet				
	c:\windows.0\system32\drivers\b57xp32.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
beep	Beep				
	c:\windows.0\system32\drivers\beep.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
cbidf2k	cbidf2k				
	c:\windows.0\system32\drivers\cbidf2k.sys				
	Kernel Driver	No	Disabled		
	Stopped	OK	Normal	No	No
cd20xrnt	cd20xrnt	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
cdfs	Cdfs				
	c:\windows.0\system32\drivers\cdfs.sys				
	File System Driver	Yes	Disabled		
	Running	OK	Normal	No	Yes
cdrom	CD-ROM Driver				
	c:\windows.0\system32\drivers\cdrom.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
changer	Changer	Not Available		Kernel Driver	
	No	System	Stopped	OK	
	Ignore	No	No		
clusdisk	Cluster Disk Driver				
	c:\windows.0\system32\drivers\clusdisk.sys				
	Kernel Driver	No	Disabled		
	Stopped	OK	Normal	No	No
cmdide	CmdIde	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
cpgarray	Cpgarray	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
cpgarry2	Cpgarry2	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
cpqcissm	cpqcissm				
	c:\windows.0\system32\drivers\cpqcissm.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes

cpqfcalm	cpqfcalm	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
crccdisk	CRC Disk Filter Driver				
	c:\windows.0\system32\drivers\crccdisk.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
dac960nt	dac960nt	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
dellcerc	dellcerc	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
dfsdriver	DfsDriver				
	c:\windows.0\system32\drivers\dfs.sys				
	File System Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
disk	Disk Driver				
	c:\windows.0\system32\drivers\disk.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
dmboot	dmboot				
	c:\windows.0\system32\drivers\dmboot.sys				
	Kernel Driver	No	Disabled		
	Stopped	OK	Normal	No	No
dmio	Logical Disk Manager Driver				
	c:\windows.0\system32\drivers\dmio.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
dmload	dmload				
	c:\windows.0\system32\drivers\dmload.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
dpti2o	dpti2o	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
fastfat	Fastfat				
	c:\windows.0\system32\drivers\fastfat.sys				
	File System Driver	Yes	Disabled		
	Running	OK	Normal	No	Yes
fdc	Floppy Disk Controller Driver				
	c:\windows.0\system32\drivers\fdc.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
fips	Fips				
	c:\windows.0\system32\drivers\fips.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
flpydisk	Floppy Disk Driver				
	c:\windows.0\system32\drivers\flpydisk.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes

ftdisk	Volume Manager Driver				
	c:\windows.0\system32\drivers\ftdisk.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
gpc	Generic Packet Classifier				
	c:\windows.0\system32\drivers\msgpc.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
hpn	hpn	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
hpqcissb	Smart Array Controllers Non-Miniport Bus Driver				
	c:\windows.0\system32\drivers\hpqcissb.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
hpqcissd	Smart Array Controllers Non-Miniport Disk Driver				
	c:\windows.0\system32\drivers\hpqcissd.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
hpt3xx	hpt3xx	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
http	HTTP				
	c:\windows.0\system32\drivers\http.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Normal	No	No
i2omgmt	i2omgmt	Not Available		Kernel Driver	
	No	System	Stopped	OK	
	Normal	No	No		
i2omp	i2omp	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
i8042prt	i8042 Keyboard and PS/2 Mouse Port Driver				
	c:\windows.0\system32\drivers\i8042prt.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
iirsp	iirsp	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
imapi	CD-Burning Filter Driver				
	c:\windows.0\system32\drivers\imapi.sys				
	Kernel Driver	No	System		
	Stopped	OK	Normal	No	No
intelide	IntelIde	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
ipfilterdriver	IP Traffic Filter Driver				
	c:\windows.0\system32\drivers\ipfltdrv.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Normal	No	No
ipinip	IP in IP Tunnel Driver				
	c:\windows.0\system32\drivers\ipinip.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Normal	No	No

ipnat	IP Network Address Translator c:\windows.0\system32\drivers\ipnat.sys Kernel Driver No Manual Stopped OK Normal No No
ipsec	IPSEC driver c:\windows.0\system32\drivers\ipsec.sys Kernel Driver Yes System Running OK Normal No Yes
ipsraidn	ipsraidn Not Available Kernel Driver No Disabled Stopped OK Normal No No
irenum	IR Enumerator Service c:\windows.0\system32\drivers\irenum.sys Kernel Driver No Manual Stopped OK Normal No No
isapnp	PnP ISA/EISA Bus Driver c:\windows.0\system32\drivers\isapnp.sys Kernel Driver Yes Boot Running OK Critical No Yes
kbdclass	Keyboard Class Driver c:\windows.0\system32\drivers\kbdclass.sys Kernel Driver Yes System Running OK Normal No Yes
ksecdd	KSecDD c:\windows.0\system32\drivers\ksecdd.sys Kernel Driver Yes Boot Running OK Normal No Yes
lp6nds35	lp6nds35 Not Available Kernel Driver No Disabled Stopped OK Normal No No
mnmdd	mnmdd c:\windows.0\system32\drivers\mnmdd.sys Kernel Driver Yes System Running OK Ignore No Yes
modem	Modem c:\windows.0\system32\drivers\modem.sys Kernel Driver No Manual Stopped OK Ignore No No
mouclass	Mouse Class Driver c:\windows.0\system32\drivers\mouclass.sys Kernel Driver Yes System Running OK Normal No Yes
mountmgr	Mount Point Manager c:\windows.0\system32\drivers\mountmgr.sys Kernel Driver Yes Boot Running OK Normal No Yes
mraid35x	mraid35x Not Available Kernel Driver No Disabled Stopped OK Normal No No
mrxdav	WebDav Client Redirector c:\windows.0\system32\drivers\mrxdav.sys File System Driver No Manual

mrxsmb	MRXSMB c:\windows.0\system32\drivers\mrxsmb.sys File System Driver Yes System Running OK Normal No Yes
msfs	Msfs c:\windows.0\system32\drivers\msfs.sys File System Driver Yes System Running OK Normal No Yes
mup	Mup c:\windows.0\system32\drivers\mup.sys File System Driver Yes Boot Running OK Normal No Yes
ndis	NDIS System Driver c:\windows.0\system32\drivers\ndis.sys Kernel Driver Yes Boot Running OK Normal No Yes
ndistapi	Remote Access NDIS TAPI Driver c:\windows.0\system32\drivers\ndistapi.sys Kernel Driver Yes Manual Running OK Normal No Yes
ndisuiio	NDIS Usermode I/O Protocol c:\windows.0\system32\drivers\ndisuiio.sys Kernel Driver Yes Manual Running OK Normal No Yes
ndiswan	Remote Access NDIS WAN Driver c:\windows.0\system32\drivers\ndiswan.sys Kernel Driver Yes Manual Running OK Normal No Yes
ndproxy	NDIS Proxy c:\windows.0\system32\drivers\ndproxy.sys Kernel Driver Yes Manual Running OK Normal No Yes
netbios	NetBIOS Interface c:\windows.0\system32\drivers\netbios.sys File System Driver Yes System Running OK Normal No Yes
netbt	NetBios over Tcpip c:\windows.0\system32\drivers\netbt.sys Kernel Driver Yes System Running OK Normal No Yes
nfrd960	nfrd960 Not Available Kernel Driver No Disabled Stopped OK Normal No No
npfs	Npfs c:\windows.0\system32\drivers\npfs.sys File System Driver Yes System Running OK Normal No Yes
ntfs	Ntfs c:\windows.0\system32\drivers\ntfs.sys File System Driver Yes Disabled

null	Null c:\windows.0\system32\drivers\null.sys Kernel Driver Yes System Running OK Normal No Yes
parport	Parallel port driver c:\windows.0\system32\drivers\parport.sys Kernel Driver Yes Manual Running OK Normal No Yes
partmgr	Partition Manager c:\windows.0\system32\drivers\partmgr.sys Kernel Driver Yes Boot Running OK Normal No Yes
parvdm	Parvdm c:\windows.0\system32\drivers\parvdm.sys Kernel Driver Yes Auto Running OK Ignore No Yes
pci	PCI Bus Driver c:\windows.0\system32\drivers\pci.sys Kernel Driver Yes Boot Running OK Critical No Yes
pciide	PCIIde c:\windows.0\system32\drivers\pciide.sys Kernel Driver Yes Boot Running OK Normal No Yes
pcmcia	Pcmcia c:\windows.0\system32\drivers\pcmcia.sys Kernel Driver No Disabled Stopped OK Normal No No
pdcomp	PDCOMP Not Available Kernel Driver No Manual Stopped OK Ignore No No
pdframe	PDFFRAME Not Available Kernel Driver No Manual Stopped OK Ignore No No
pdreli	PDRELI Not Available Kernel Driver No Manual Stopped OK Ignore No No
pdrframe	PDRFRAME Not Available Kernel Driver No Manual Stopped OK Ignore No No
perc2	perc2 Not Available Kernel Driver No Disabled Stopped OK Normal No No
perc2hib	perc2hib Not Available Kernel Driver No Disabled Stopped OK Normal No No
pptpminiport	WAN Miniport (PPTP) c:\windows.0\system32\drivers\raspttp.sys Kernel Driver Yes Manual Running OK Normal No Yes
processor	Processor Driver c:\windows.0\system32\drivers\processr.sys Kernel Driver Yes Manual

	Running	OK	Normal	No	Yes
ptilink	Direct Parallel Link Driver c:\windows.0\system32\drivers\ptilink.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
ql1080	ql1080	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql10wmt	ql10wmt	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql12160	ql12160	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql1240	ql1240	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql1280	ql1280	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql2100	ql2100	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql2200	ql2200	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql2300	ql2300	Not Available		Kernel Driver	
	No	Disabled	Stopped	OK	
	Normal	No	No		
rasacd	Remote Access Auto Connection Driver c:\windows.0\system32\drivers\rasacd.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
rasl2tp	WAN Miniport (L2TP) c:\windows.0\system32\drivers\rasl2tp.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
raspppoe	Remote Access PPPOE Driver c:\windows.0\system32\drivers\raspppoe.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
raspti	Direct Parallel c:\windows.0\system32\drivers\raspti.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
rdbs	Rdbss c:\windows.0\system32\drivers\rdbs.sys				
	File System Driver	Yes	System		
	Running	OK	Normal	No	Yes
rdpcdd	RDPCDD c:\windows.0\system32\drivers\rdpcdd.sys				
	Kernel Driver	Yes	System		
	Running	OK	Ignore	No	Yes
rdpdr	Terminal Server Device Redirector Driver c:\windows.0\system32\drivers\rdpdr.sys				

	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
rdpwd	RDPWD c:\windows.0\system32\drivers\rdpwd.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Ignore	No	No
redbook	Digital CD Audio Playback Filter Driver c:\windows.0\system32\drivers\redbook.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
secdrv	Secdrv c:\windows.0\system32\drivers\secdrv.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Normal	No	No
serenum	Serenum Filter Driver c:\windows.0\system32\drivers\serenum.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
serial	Serial port driver c:\windows.0\system32\drivers\serial.sys				
	Kernel Driver	Yes	System		
	Running	OK	Ignore	No	Yes
sfloppy	Sfloppy c:\windows.0\system32\drivers\sfloppy.sys				
	Kernel Driver	No	System		
	Stopped	OK	Ignore	No	No
simbad	Simbad Not Available Kernel Driver				
	No	Disabled	Stopped	OK	
	Normal	No	No		
sparrow	Sparrow Not Available Kernel Driver				
	No	Disabled	Stopped	OK	
	Normal	No	No		
srv	Srv c:\windows.0\system32\drivers\srv.sys				
	File System Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
swenum	Software Bus Driver c:\windows.0\system32\drivers\swenum.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
symc810	symc810 Not Available Kernel Driver				
	No	Disabled	Stopped	OK	
	Normal	No	No		
symc8xx	symc8xx Not Available Kernel Driver				
	No	Disabled	Stopped	OK	
	Normal	No	No		
symmpi	symmpi Not Available Kernel Driver				
	No	Disabled	Stopped	OK	
	Normal	No	No		
sym_hi	sym_hi Not Available Kernel Driver				
	No	Disabled	Stopped	OK	
	Normal	No	No		

sym_u3	sym_u3 Not Available Kernel Driver				
	No	Disabled	Stopped	OK	
	Normal	No	No		
tcpip	TCP/IP Protocol Driver c:\windows.0\system32\drivers\tcpip.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
tdpipe	TDPIPE c:\windows.0\system32\drivers\tdpipe.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Ignore	No	No
tdtcp	TDTCP c:\windows.0\system32\drivers\tdtcp.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Ignore	No	No
termdd	Terminal Device Driver c:\windows.0\system32\drivers\termdd.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
toside	TosIde Not Available Kernel Driver				
	No	Disabled	Stopped	OK	
	Normal	No	No		
udfs	Udfs c:\windows.0\system32\drivers\udfs.sys				
	File System Driver	No	Disabled		
	Stopped	OK	Normal	No	No
ultra	ultra Not Available Kernel Driver				
	No	Disabled	Stopped	OK	
	Normal	No	No		
update	Microcode Update Driver c:\windows.0\system32\drivers\update.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
vga	vga c:\windows.0\system32\drivers\vgapnp.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Ignore	No	Yes
vgasave	VGA Display Controller. c:\windows.0\system32\drivers\vga.sys				
	Kernel Driver	No	System		
	Stopped	OK	Ignore	No	No
viaide	ViaIde Not Available Kernel Driver				
	No	Disabled	Stopped	OK	
	Normal	No	No		
volsnap	Storage volumes c:\windows.0\system32\drivers\volsnap.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
wanarp	Remote Access IP ARP Driver c:\windows.0\system32\drivers\wanarp.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes

wdica	WDICA	Not Available	Kernel Driver
	No	Manual	Stopped OK
	Ignore	No	No
wlbs	Network Load Balancing		
	c:\windows.0\system32\drivers\wlbs.sys		
	Kernel Driver	No	Manual
	Stopped	OK	Normal No No

[Signed Drivers]

Device Name	Signed	Device Class	Driver Version	Driver Date
Manufacturer	INF Name	Driver Name	Device ID	
Not Available	Not Available	Not Available	Not Available	Not Available
Available	Not Available	Not Available	Not Available	Not Available
ACPI Multiprocessor PC computers)	hal.inf	Not Available	5.2.3790.0	10/1/2002 (Standard)
Microsoft	ROOT\ACPI_HAL\0000	ACPI-Compliant System	5.2.3790.0	10/1/2002
Processor	ACPI_HAL\PNP0C08\0	PROCESSOR	5.2.3790.0	10/1/2002 (Standard processor types)
	cpu.inf	Not Available		
Processor	ACPI\GENUINEINTEL_-_X86_FAMILY_15_MODEL_2_6	PROCESSOR	5.2.3790.0	10/1/2002 (Standard processor types)
	cpu.inf	Not Available		
PCI bus	ACPI\GENUINEINTEL_-_X86_FAMILY_15_MODEL_2_7	SYSTEM	5.2.3790.0	10/1/2002 (Standard system devices)
	machine.inf	Not Available		
ServerWorks (RCC) CMIC_LE Processor to PCI Bridge(*)	ACPI\PNP0A03\0	SYSTEM	5.2.3790.0	10/1/2002 ServerWorks (RCC)
	machine.inf	Not Available		
ServerWorks (RCC) CMIC_LE Processor to PCI Bridge(*)	PCI\VEN_1166&DEV_0014&SUBSYS_00000000&REV_31\3&267A616A&0&00	SYSTEM	5.2.3790.0	10/1/2002 ServerWorks (RCC)
	machine.inf	Not Available		
ServerWorks (RCC) CMIC_LE Processor to PCI Bridge(*)	PCI\VEN_1166&DEV_0014&SUBSYS_00000000&REV_00\3&267A616A&0&01	SYSTEM	5.2.3790.0	10/1/2002 ServerWorks (RCC)
	machine.inf	Not Available		
ServerWorks (RCC) CMIC_LE Processor to PCI Bridge(*)	PCI\VEN_1166&DEV_0014&SUBSYS_00000000&REV_00\3&267A616A&0&02	SYSTEM	5.2.3790.0	10/1/2002 ServerWorks (RCC)
	machine.inf	Not Available		
Standard VGA Graphics Adapter	5.2.3790.0	DISPLAY	10/1/2002	(Standard display types)
	display.inf	Not Available		

PCI\VEN_1002&DEV_4752&SUBSYS_001E0E11&REV_27\3&267A616A&0&18	Plug and Play Monitor	Yes	MONITOR	6/6/2001	(Standard)
monitor types)	monitor.inf	Not Available			
DISPLAY\AV00402\4&89B5141&0&12345678&00&03	Base System Device	Not Available	UNKNOWN	Not Available	Not Available
1\3&267A616A&0&20	Base System Device	Not Available	UNKNOWN	Not Available	Not Available
PCI\VEN_0E11&DEV_B203&SUBSYS_B2060E11&REV_01\3&267A616A&0&22	PCI standard ISA bridge	Yes	SYSTEM	5.2.3790.0	10/1/2002 (Standard)
system devices)	machine.inf	Not Available			
PCI\VEN_1166&DEV_0201&SUBSYS_00000000&REV_93\3&267A616A&0&78	ISAPNP Read Data Port	Yes	SYSTEM	5.2.3790.0	10/1/2002 (Standard)
system devices)	machine.inf	Not Available			
ISAPNP\READDATA\PORT\0	Motherboard resources	Yes	SYSTEM	5.2.3790.0	10/1/2002 (Standard)
system devices)	machine.inf	Not Available			
ACPI\PNP0C02\0	Programmable interrupt controller	Yes	SYSTEM	5.2.3790.0	10/1/2002 (Standard system devices)
system devices)	machine.inf	Not Available			
ACPI\PNP0000\4&35118DFF&0	System timer	Yes	SYSTEM	5.2.3790.0	10/1/2002 (Standard system devices)
system devices)	machine.inf	Not Available			
ACPI\PNP0100\4&35118DFF&0	Direct memory access controller	Yes	SYSTEM	5.2.3790.0	10/1/2002 (Standard system devices)
system devices)	machine.inf	Not Available			
ACPI\PNP0200\4&35118DFF&0	System speaker	Yes	SYSTEM	5.2.3790.0	10/1/2002 (Standard system devices)
system devices)	machine.inf	Not Available			
ACPI\PNP0800\4&35118DFF&0	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard	Yes	KEYBOARD	5.2.3790.0	10/1/2002 (Standard keyboards)
keyboard.inf	Not Available				
ACPI\PNP0303\4&35118DFF&0	PS/2 Compatible Mouse	Yes	MOUSE	5.2.3790.0	10/1/2002 Microsoft
mouse.inf	Not Available				
ACPI\PNP0F13\4&35118DFF&0	Extended IO Bus	Yes	SYSTEM	5.2.3790.0	10/1/2002 (Standard system devices)
machine.inf	Not Available				
ACPI\PNP0A06\4&35118DFF&0	Printer Port	Yes	PORTS	5.2.3790.0	10/1/2002 (Standard port types)

msports.inf	Not Available				
ACPI\PNP0400\5&13237358&0	Printer Port Logical Interface	Yes	SYSTEM	5.2.3790.0	10/1/2002 (Standard system devices)
machine.inf	Not Available				
LPTENUM\MICROSOFTRAWPORT\6&BCCF519&0&LPT1	Communications Port	Yes	PORTS	5.2.3790.0	10/1/2002 (Standard port types)
msports.inf	Not Available				
ACPI\PNP0501\0	Communications Port	Yes	PORTS	5.2.3790.0	10/1/2002 (Standard port types)
msports.inf	Not Available				
ACPI\PNP0501\1	Standard floppy disk controller	Yes	FDC	5.2.3790.0	10/1/2002 (Standard floppy disk controllers)
fdc.inf	Not Available				
ACPI\PNP0700\5&13237358&0	Floppy disk drive	Yes	FLOPPYDISK	5.2.3790.0	10/1/2002 (Standard floppy disk drives)
fldpydisk.inf	Not Available				
FDC\GENERIC_FLOPPY_DRIVE\6&1C650E5D&0&0	CSB5 IDE Controller	Yes	HDC	5.2.3790.0	10/1/2002 ServerWorks
mshdc.inf	Not Available				
PCI\VEN_1166&DEV_0212&SUBSYS_02121166&REV_93\3&267A616A&0&79	Primary IDE Channel	Yes	HDC	5.2.3790.0	10/1/2002 (Standard IDE ATA/ATAPI controllers)
mshdc.inf	Not Available				
PCIIDE\IDECHANNEL\4&1024D5C6&0&0	CD-ROM Drive	Yes	CDROM	5.2.3790.0	10/1/2002 (Standard CD-ROM drives)
cdrom.inf	Not Available				
IDE\CDROMCOMPAQ_CD-ROM_LTN486S_____YQSD_____5&FB0C83D&0&0.1.0	Secondary IDE Channel	Yes	HDC	5.2.3790.0	10/1/2002 (Standard IDE ATA/ATAPI controllers)
mshdc.inf	Not Available				
PCIIDE\IDECHANNEL\4&1024D5C6&0&1	Serverworks Champion CSB5 - SouthBridge 5 LPC	Yes	SYSTEM	5.2.3790.0	10/1/2002 ServerWorks (RCC)
machine.inf	Not Available				
PCI\VEN_1166&DEV_0225&SUBSYS_00000000&REV_00\3&267A616A&0&7B	ServerWorks Grand Champion CIOB_X2 - I/O Bridge 133 Mhz	Yes	SYSTEM	5.2.3790.0	10/1/2002 ServerWorks (RCC)
machine.inf	Not Available				
PCI\VEN_1166&DEV_0101&SUBSYS_00000000&REV_00\5\3&267A616A&0&80	ServerWorks Grand Champion CIOB_X2 - I/O Bridge 133 Mhz	Yes	SYSTEM	5.2.3790.0	10/1/2002 ServerWorks (RCC)
machine.inf	Not Available				
PCI\VEN_1166&DEV_0101&SUBSYS_00000000&REV_00\5\3&267A616A&0&82	ServerWorks Grand Champion CIOB_X2 - I/O Bridge 133 Mhz	Yes	SYSTEM	5.2.3790.0	10/1/2002 ServerWorks (RCC)



```

10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0101&SUBSYS_00000000&REV_0
5\3&267A616A&0&88
ServerWorks Grand Champion CIOB_X2 - I/O Bridge 133
Mhz Yes SYSTEM 5.2.3790.0
10/1/2002 ServerWorks (RCC) machine.inf
Not Available
PCI\VEN_1166&DEV_0101&SUBSYS_00000000&REV_0
5\3&267A616A&0&8A
PCI bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\1
Compaq 64-bit/66MHz Dual Channel Wide Ultra3 SCSI
Adapter Yes SCSIADAPTER 5.2.3790.0
10/1/2002 Adaptec pnpscsi.inf Not
Available
PCI\VEN_9005&DEV_00C0&SUBSYS_F6200E11&REV_0
1\3&13C0B0C5&0&18
Compaq 64-bit/66MHz Dual Channel Wide Ultra3 SCSI
Adapter Yes SCSIADAPTER 5.2.3790.0
10/1/2002 Adaptec pnpscsi.inf Not
Available
PCI\VEN_9005&DEV_00C0&SUBSYS_F6200E11&REV_0
1\3&13C0B0C5&0&19
Disk drive Yes DISKDRIVE 5.2.3790.0
10/1/2002 (Standard disk drives)
disk.inf Not Available
SCSI\DISK&VEN_COMPAQ&PROD_BD0186459A&REV_B0
14\4&39814A06&0&00
Compaq StorageWorks/ProLiant Storage Subsystem Yes
SYSTEM 5.2.3790.0 10/1/2002
Compaq scsi.inf Not Available
SCSI\PROCESSOR&VEN_COMPAQ&PROD_PROLIANT_4L2
I&REV_1.70\4&39814A06&0&0F0
BCM5703 Gigabit Ethernet Yes NET
2.9i.0.0 10/1/2002 Narrowcom netb57xp.inf
Not Available
PCI\VEN_14E4&DEV_16A7&SUBSYS_00CB0E11&REV_0
2\3&13C0B0C5&0&20
PCI bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\2
Smart Array 5300 Controller (Non-Miniport) No
SCSIADAPTER 5.5.59.32 12/16/2002
Hewlett-Packard oem0.inf Not Available
PCI\VEN_0E11&DEV_B060&SUBSYS_40700E11&REV_0
2\3&1070020&0&10
Smart Array Logical Volume No DISKDRIVE
5.5.56.32 12/16/2002 Hewlett-
Packard oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&16A16360&0&0000004000000000
Smart Array Logical Volume No DISKDRIVE
5.5.56.32 12/16/2002 Hewlett-
Packard oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&16A16360&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.5.56.32 12/16/2002 Hewlett-
Packard oem1.inf Not Available

```

```

HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&16A16360&0&0200004000000000
Smart Array Logical Volume No DISKDRIVE
5.5.56.32 12/16/2002 Hewlett-
Packard oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&16A16360&0&0300004000000000
Smart Array Logical Volume No DISKDRIVE
5.5.56.32 12/16/2002 Hewlett-
Packard oem1.inf Not Available
HPQCISS\DISK&VEN_COMPAQ&PROD_LOGICAL_VOLUME
\4&16A16360&0&0400004000000000
PCI bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\3
Smart Array 641 Controller (Non-Miniport) No
SCSIADAPTER 5.5.59.32 12/16/2002
Hewlett-Packard oem0.inf Not Available
PCI\VEN_0E11&DEV_0046&SUBSYS_409A0E11&REV_0
1\3&29E81982&0&10
Smart Array Logical Volume No DISKDRIVE
5.5.56.32 12/16/2002 Hewlett-
Packard oem1.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\4&1
ACD7877&0&0000040000000000
PCI bus Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\4
Smart Array 642 Controller (Non-Miniport) No
SCSIADAPTER 5.5.59.32 12/16/2002
Hewlett-Packard oem0.inf Not Available
PCI\VEN_0E11&DEV_0046&SUBSYS_409B0E11&REV_0
1\3&172E68DD&0&10
Smart Array Logical Volume No DISKDRIVE
5.5.56.32 12/16/2002 Hewlett-
Packard oem1.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\4&2
A3C9417&0&0000040000000000
Smart Array Logical Volume No DISKDRIVE
5.5.56.32 12/16/2002 Hewlett-
Packard oem1.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\4&2
A3C9417&0&0100004000000000
ACPI Thermal Zone Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI THERMALZONE\THM0
ACPI Fixed Feature Button Yes SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ACPI\FIXEDBUTTON\2&DABA3FF&0
Logical Disk Manager Yes SYSTEM
5.2.3790.0 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\DMIO\0000
Volume Manager Yes SYSTEM 5.2.3790.0
10/1/2002 (Standard system devices)
machine.inf Not Available
ROOT\FTDISK\0000
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not

```

```

Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE3C5C5E
86OFFSET7E00LENGTH7CFC9E000
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE3C5C5E
87OFFSET7E00LENGTH3E7A5F000
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE3C5C5E
88OFFSET7E00LENGTH7CFC9E000
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE3C5C5E
8AOFFSET7E00LENGTH3E7A5F000
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE3C5C5E
8BOFFSET7E00LENGTH7CFC9E000
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATUREA6D014
45OFFSET7E00LENGTH7D0400
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATUREA6D014
45OFFSET7D8200LENGTH43BF9C600
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE3C5C5E
8DOFFSET7E00LENGTH3E7A5F000
Generic volume Yes VOLUME 5.2.3790.0
10/1/2002 Microsoft volume.inf Not
Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE498046
DEOFFSET7E00LENGTH10F4CDAE00
AFD Networking Support Environment Not Available
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_AFD\0000
Beep Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_BEEP\0000
cpqciism Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_CPQCISSM\0000
CRC Disk Filter Driver Not Available Not
LEGACYDRIVER Not Available Not
Available Not Available Not Available Not
Available ROOT\LEGACY_CRCDISK\0000
dmbot Not Available LEGACYDRIVER Not
Available Not Available Not Available Not
Available Not Available ROOT\LEGACY_DMBOT\0000

```



Local Name	Remote Name	Type		
Status	User Name			
[Running Tasks]				
Name	Path	Process ID	Priority	Min
Working Set	Max Working Set	Start Time		
Version	Size	File Date		
system	idle process	Not Available	0	0
Available	Not Available	Not Available	Not	Not
Available	Not Available	Not Available	Not	Not
system	Not Available	4	8	0
1413120	Not Available	Not Available	Not Available	
smss.exe	Not Available	344	11	
204800	1413120	5/23/2003 5:22 PM	Not	
Available	Not Available	Not Available	Not	
csrss.exe	Not Available	468	13	Not
Available	Not Available	5/23/2003 5:22 PM	Not	
Available	Not Available	Not Available	Not	
winlogon.exe	c:\windows.0\system32\winlogon.exe		492	
13	204800	1413120	5/23/2003	
5:22 PM	5.2.3790.0 (srv03_rtm.030324-2048)			
	536.50 KB (549,376 bytes)		3/25/2003	
12:00 AM				
services.exe	c:\windows.0\system32\services.exe		536	
9	204800	1413120	5/23/2003	
5:22 PM	5.2.3790.0 (srv03_rtm.030324-2048)			
	102.00 KB (104,448 bytes)		3/25/2003	
12:00 AM				
lsass.exe	c:\windows.0\system32\lsass.exe		548	
9	204800	1413120	5/23/2003	
5:22 PM	5.2.3790.0 (srv03_rtm.030324-2048)			
	13.00 KB (13,312 bytes)		3/25/2003	
12:00 AM				
svchost.exe	c:\windows.0\system32\svchost.exe		828	8
752	8	204800	1413120	
5/23/2003 5:23 PM	5.2.3790.0			
(srv03_rtm.030324-2048)		13.00 KB (13,312 bytes)		
3/25/2003 12:00 AM				
svchost.exe	Not Available	Not Available	828	8
Not Available	Not Available	Not Available	Not	
5/23/2003 5:23 PM	Not Available	Not Available	Not	
Available	Not Available	Not Available	Not	
svchost.exe	Not Available	876	8	
Not Available	Not Available	Not Available	Not	
5/23/2003 5:23 PM	Not Available	Not Available	Not	
Available	Not Available	Not Available	Not	
svchost.exe	c:\windows.0\system32\svchost.exe		892	8
892	8	204800	1413120	
5/23/2003 5:23 PM	5.2.3790.0			
(srv03_rtm.030324-2048)		13.00 KB (13,312 bytes)		
3/25/2003 12:00 AM				
spoolsv.exe	c:\windows.0\system32\spoolsv.exe		1064	8
1064	8	204800	1413120	
5/23/2003 5:23 PM	5.2.3790.0			
(srv03_rtm.030324-2048)		55.00 KB (56,320 bytes)		
3/25/2003 12:00 AM				

msdtc.exe	Not Available	1112	8	Not
Available	Not Available	5/23/2003 5:23 PM	Not	
Available	Not Available	Not Available	Not	
svchost.exe	c:\windows.0\system32\svchost.exe		1228	8
1228	8	204800	1413120	
5/23/2003 5:23 PM	5.2.3790.0			
(srv03_rtm.030324-2048)		13.00 KB (13,312 bytes)		
3/25/2003 12:00 AM				
svchost.exe	Not Available	1264	8	
Not Available	Not Available	Not Available	Not	
5/23/2003 5:23 PM	Not Available	Not Available	Not	
Available	Not Available	Not Available	Not	
mssearch.exe	c:\program files\common			
files\system\mssearch\bin\mssearch.exe	1300	8		
204800	1413120	5/23/2003 5:23 PM		
9.107.8320.0		68.00 KB (69,632 bytes)		
1/21/2003 9:30 AM				
dfssvc.exe	c:\windows.0\system32\dfssvc.exe		1496	8
1496	8	204800	1413120	
5/23/2003 5:23 PM	5.2.3790.0			
(srv03_rtm.030324-2048)		130.50 KB (133,632 bytes)		
3/25/2003 12:00 AM				
explorer.exe	c:\windows.0\explorer.exe		1728	8
1728	8	204800	1413120	
5/23/2003 5:23 PM	6.00.3790.0			
(srv03_rtm.030324-2048)		1,008.50 KB (1,032,704 bytes)		
3/25/2003 12:00 AM				
sqlmangr.exe	c:\program files\microsoft sql			
server\80\tools\bin\sqlmangr.exe	1832	8		
204800	1413120	5/23/2003 5:24 PM		
2000.080.0760.00		72.57 KB (74,308 bytes)		
2/28/2003 10:56 AM				
wmiprvse.exe	Not Available	424	8	
Not Available	Not Available	Not Available	Not	
5/23/2003 5:24 PM	Not Available	Not Available	Not	
Available	Not Available	Not Available	Not	
helpctr.exe	c:\windows.0\pchealth\helpctr\binaries\help			
ctr.exe	608	8	204800	1413120
5/23/2003 5:24 PM	5.2.3790.0			
(srv03_rtm.030324-2048)		764.00 KB (782,336 bytes)		
5/14/2003 5:00 PM				
wmiprvse.exe	Not Available	844	8	
Not Available	Not Available	Not Available	Not	
5/23/2003 5:24 PM	Not Available	Not Available	Not	
Available	Not Available	Not Available	Not	
helpsvc.exe	c:\windows.0\pchealth\helpctr\binaries\help			
svc.exe	864	8	204800	1413120
5/23/2003 5:24 PM	5.2.3790.0			
(srv03_rtm.030324-2048)		720.00 KB (737,280 bytes)		
5/14/2003 5:00 PM				
[Loaded Modules]				
Name	Version	Size	File Date	Manufacturer
Path				
winlogon	5.2.3790.0 (srv03_rtm.030324-2048)			
536.50 KB (549,376 bytes)		3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\winlogon.exe				
ntdll	5.2.3790.0 (srv03_rtm.030324-2048)			
722.50 KB (739,840 bytes)		3/25/2003		

12:00 AM	Microsoft Corporation			
c:\windows.0\system32\ntdll.dll				
5.2.3790.0 (srv03_rtm.030324-2048)				
kernel32	965.00 KB (988,160 bytes)	3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\kernel32.dll				
msvcrt	7.0.3790.0 (srv03_rtm.030324-2048)			
319.50 KB (327,168 bytes)		3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\msvcrt.dll				
advapi32	5.2.3790.0 (srv03_rtm.030324-2048)			
559.50 KB (572,928 bytes)		3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\advapi32.dll				
rpcrt4	5.2.3790.0 (srv03_rtm.030324-2048)			
643.50 KB (658,944 bytes)		3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\rpcrt4.dll				
user32	5.2.3790.0 (srv03_rtm.030324-2048)			
562.00 KB (575,488 bytes)		3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\user32.dll				
gdi32	5.2.3790.0 (srv03_rtm.030324-2048)			
263.00 KB (269,312 bytes)		3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\gdi32.dll				
userenv	5.2.3790.0 (srv03_rtm.030324-2048)			
732.50 KB (750,080 bytes)		3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\userenv.dll				
nddeapi	5.2.3790.0 (srv03_rtm.030324-2048)			
16.00 KB (16,384 bytes)		3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\nddeapi.dll				
crypt32	5.131.3790.0 (srv03_rtm.030324-2048)			
598.00 KB (612,352 bytes)		3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\crypt32.dll				
msasn1	5.2.3790.0 (srv03_rtm.030324-2048)			
58.00 KB (59,392 bytes)		3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\msasn1.dll				
secur32	5.2.3790.0 (srv03_rtm.030324-2048)			
63.00 KB (64,512 bytes)		3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\secur32.dll				
winsta	5.2.3790.0 (srv03_rtm.030324-2048)			
51.00 KB (52,224 bytes)		3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\winsta.dll				
netapi32	5.2.3790.0 (srv03_rtm.030324-2048)			
317.00 KB (324,608 bytes)		3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\netapi32.dll				
profmap	5.2.3790.0 (srv03_rtm.030324-2048)			
22.00 KB (22,528 bytes)		3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\profmap.dll				
regapi	5.2.3790.0 (srv03_rtm.030324-2048)			
48.50 KB (49,664 bytes)		3/25/2003		
12:00 AM	Microsoft Corporation			
c:\windows.0\system32\regapi.dll				

ws2\_32 5.2.3790.0 (srv03\_rtm.030324-2048)  
87.50 KB (89,600 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\ws2\_32.dll  
ws2help 5.2.3790.0 (srv03\_rtm.030324-2048)  
19.50 KB (19,968 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\ws2help.dll  
psapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
21.50 KB (22,016 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\psapi.dll  
version 5.2.3790.0 (srv03\_rtm.030324-2048)  
17.00 KB (17,408 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\version.dll  
setupapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
1,014.50 KB (1,038,848 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\setupapi.dll  
msgina 5.2.3790.0 (srv03\_rtm.030324-2048)  
1.14 MB (1,191,936 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\msgina.dll  
shsvcs 6.00.3790.0 (srv03\_rtm.030324-2048)  
121.50 KB (124,416 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\shsvcs.dll  
shlwapi 6.00.3790.0 (srv03\_rtm.030324-2048)  
281.00 KB (287,744 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\shlwapi.dll  
sfc 5.2.3790.0 (srv03\_rtm.030324-2048)  
4.50 KB (4,608 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\sfc.dll  
sfc\_os 5.2.3790.0 (srv03\_rtm.030324-2048)  
133.00 KB (136,192 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\sfc\_os.dll  
wintrust 5.131.3790.0 (srv03\_rtm.030324-2048)  
161.50 KB (165,376 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\wintrust.dll  
ole32 5.2.3790.0 (srv03\_rtm.030324-2048)  
1.13 MB (1,187,328 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\ole32.dll  
imagehlp 5.2.3790.0 (srv03\_rtm.030324-2048)  
142.50 KB (145,920 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\imagehlp.dll  
comctl32 6.0 (srv03\_rtm.030324-2048) 907.00 KB  
(928,768 bytes) 5/14/2003 11:44 AM Microsoft  
Corporation  
c:\windows.0\winsxs\x86\_microsoft.windows.c  
ommon-controls\_6595b64144ccf1df\_6.0.100.0\_x-  
ww\_8417450b\comctl32.dll  
winscard 5.2.3790.0 (srv03\_rtm.030324-2048)  
98.50 KB (100,864 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\winscard.dll

wtsapi32 5.2.3790.0 (srv03\_rtm.030324-2048)  
17.50 KB (17,920 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\wtsapi32.dll  
sxs 5.2.3790.0 (srv03\_rtm.030324-2048)  
733.00 KB (750,592 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\sxs.dll  
shell32 6.00.3790.0 (srv03\_rtm.030324-2048)  
7.79 MB (8,166,400 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\shell32.dll  
wldap32 5.2.3790.0 (srv03\_rtm.030324-2048)  
158.00 KB (161,792 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\wldap32.dll  
cscdll 5.2.3790.0 (srv03\_rtm.030324-2048)  
99.00 KB (101,376 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\cscdll.dll  
wlnotify 5.2.3790.0 (srv03\_rtm.030324-2048)  
87.50 KB (89,600 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\wlnotify.dll  
winmm 5.2.3790.0 (srv03\_rtm.030324-2048)  
166.00 KB (169,984 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\winmm.dll  
winspool 5.2.3790.0 (srv03\_rtm.030324-2048)  
140.00 KB (143,360 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\winspool.drv  
mpr 5.2.3790.0 (srv03\_rtm.030324-2048)  
56.00 KB (57,344 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\mpr.dll  
rsaenh 5.2.3790.0 (srv03\_rtm.030324-2048)  
176.83 KB (181,072 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\rsaenh.dll  
comctl32 5.82 (srv03\_rtm.030324-2048) 561.00 KB  
(574,464 bytes) 5/14/2003 11:44 AM Microsoft  
Corporation  
c:\windows.0\winsxs\x86\_microsoft.windows.c  
ommon-controls\_6595b64144ccf1df\_5.82.0.0\_x-  
ww\_8a69ba05\comctl32.dll  
uxtheme 6.00.3790.0 (srv03\_rtm.030324-2048)  
196.00 KB (200,704 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\uxtheme.dll  
samlib 5.2.3790.0 (srv03\_rtm.030324-2048)  
49.00 KB (50,176 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\samlib.dll  
cscui 5.2.3790.0 (srv03\_rtm.030324-2048)  
305.00 KB (312,320 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\cscui.dll  
oleaut32 5.2.3790.0 486.00 KB (497,664  
bytes) 3/25/2003 12:00 AM Microsoft Corporation  
c:\windows.0\system32\oleaut32.dll  
clbcatq 2001.12.4720.0 (srv03\_rtm.030324-2048)  
481.00 KB (492,544 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
c:\windows.0\system32\clbcatq.dll  
comres 2001.12.4720.0 (srv03\_rtm.030324-2048)  
778.00 KB (796,672 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\comres.dll  
ntmarta 5.2.3790.0 (srv03\_rtm.030324-2048)  
114.00 KB (116,736 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\ntmarta.dll  
services 5.2.3790.0 (srv03\_rtm.030324-2048)  
102.00 KB (104,448 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\services.exe  
scserv 5.2.3790.0 (srv03\_rtm.030324-2048)  
316.50 KB (324,096 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\scserv.dll  
authz 5.2.3790.0 (srv03\_rtm.030324-2048)  
67.00 KB (68,608 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\authz.dll  
umpnpgmr 5.2.3790.0 (srv03\_rtm.030324-2048)  
121.50 KB (124,416 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\umpnpgmr.dll  
ncobjapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
34.50 KB (35,328 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\ncobjapi.dll  
msvcp60 6.05.2144.0 388.00 KB (397,312  
bytes) 3/25/2003 12:00 AM Microsoft Corporation  
c:\windows.0\system32\msvcp60.dll  
eventlog 5.2.3790.0 (srv03\_rtm.030324-2048)  
60.50 KB (61,952 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\eventlog.dll  
cryptnet 5.131.3790.0 (srv03\_rtm.030324-2048)  
59.50 KB (60,928 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\cryptnet.dll  
sensapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
6.00 KB (6,144 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\sensapi.dll  
cabinet 5.2.3790.0 (srv03\_rtm.030324-2048)  
61.00 KB (62,464 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\cabinet.dll  
imm32 5.2.3790.0 (srv03\_rtm.030324-2048)  
105.50 KB (108,032 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\imm32.dll  
lsass 5.2.3790.0 (srv03\_rtm.030324-2048)  
13.00 KB (13,312 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\lsass.exe  
lsasrv 5.2.3790.0 (srv03\_rtm.030324-2048)  
780.50 KB (799,232 bytes) 3/25/2003  
Microsoft Corporation  
12:00 AM c:\windows.0\system32\lsasrv.dll  
samsrv 5.2.3790.0 (srv03\_rtm.030324-2048)  
452.00 KB (462,848 bytes) 3/25/2003

```

12:00 AM Microsoft Corporation
c:\windows.0\system32\samsrv.dll
cryptdll 5.2.3790.0 (srv03_rtm.030324-2048)
34.00 KB (34,816 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\cryptdll.dll
dnsapi 5.2.3790.0 (srv03_rtm.030324-2048)
147.50 KB (151,040 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\dnsapi.dll
ntdsapi 5.2.3790.0 (srv03_rtm.030324-2048)
76.00 KB (77,824 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\ntdsapi.dll
msprivs 5.2.3790.0 (srv03_rtm.030324-2048)
46.50 KB (47,616 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\msprivs.dll
kerberos 5.2.3790.0 (srv03_rtm.030324-2048)
332.50 KB (340,480 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\kerberos.dll
msvl_0 5.2.3790.0 (srv03_rtm.030324-2048)
127.00 KB (130,048 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\msvl_0.dll
netlogon 5.2.3790.0 (srv03_rtm.030324-2048)
409.00 KB (418,816 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\netlogon.dll
w32time 5.2.3790.0 (srv03_rtm.030324-2048)
216.00 KB (221,184 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\w32time.dll
iphlpapi 5.2.3790.0 (srv03_rtm.030324-2048)
82.50 KB (84,480 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\iphlpapi.dll
schannel 5.2.3790.0 (srv03_rtm.030324-2048)
149.50 KB (153,088 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\schannel.dll
wdigest 5.2.3790.0 (srv03_rtm.030324-2048)
61.00 KB (62,464 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\wdigest.dll
rassfm 5.2.3790.0 (srv03_rtm.030324-2048)
20.50 KB (20,992 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\rassfm.dll
kdcsvc 5.2.3790.0 (srv03_rtm.030324-2048)
221.00 KB (226,304 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\kdcsvc.dll
ntdsa 5.2.3790.0 (srv03_rtm.030324-2048)
1.45 MB (1,520,640 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\ntdsa.dll
ntdsatq 5.2.3790.0 (srv03_rtm.030324-2048)
32.00 KB (32,768 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\ntdsatq.dll

```

```

mswsock 5.2.3790.0 (srv03_rtm.030324-2048)
254.00 KB (260,096 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\mswsock.dll
esent 5.2.3790.0 (srv03_rtm.030324-2048)
1.01 MB (1,056,256 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\esent.dll
scecli 5.2.3790.0 (srv03_rtm.030324-2048)
179.50 KB (183,808 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\scecli.dll
whstcpip 5.2.3790.0 (srv03_rtm.030324-2048)
18.00 KB (18,432 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\whstcpip.dll
ipsecsvc 5.2.3790.0 (srv03_rtm.030324-2048)
162.50 KB (166,400 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\ipsecsvc.dll
oakley 5.2.3790.0 (srv03_rtm.030324-2048)
325.50 KB (333,312 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\oakley.dll
winipsec 5.2.3790.0 (srv03_rtm.030324-2048)
34.50 KB (35,328 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\winipsec.dll
pstorsvc 5.2.3790.0 (srv03_rtm.030324-2048)
24.00 KB (24,576 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\pstorsvc.dll
psbase 5.2.3790.0 (srv03_rtm.030324-2048)
81.00 KB (82,944 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\psbase.dll
dssenh 5.2.3790.0 (srv03_rtm.030324-2048)
131.33 KB (134,480 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\dssenh.dll
wlbsctrl 5.2.3790.0 (srv03_rtm.030324-2048)
78.00 KB (79,872 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\wlbsctrl.dll
svchost 5.2.3790.0 (srv03_rtm.030324-2048)
13.00 KB (13,312 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\svchost.exe
rpcss 5.2.3790.0 (srv03_rtm.030324-2048)
276.50 KB (283,136 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\rpcss.dll
wzcsvc 5.2.3790.0 (srv03_rtm.030324-2048)
272.50 KB (279,040 bytes) 3/25/2003
6:15 AM Microsoft Corporation
c:\windows.0\system32\wzcsvc.dll
rtutils 5.2.3790.0 (srv03_rtm.030324-2048)
32.00 KB (32,768 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\rtutils.dll
wmi 5.2.3790.0 (srv03_rtm.030324-2048)
6.50 KB (6,656 bytes) 3/25/2003

```

```

12:00 AM Microsoft Corporation
c:\windows.0\system32\wmi.dll
dhcpcsvc 5.2.3790.0 (srv03_rtm.030324-2048)
101.50 KB (103,936 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\dhcpcsvc.dll
rastls 5.2.3790.0 (srv03_rtm.030324-2048)
155.00 KB (158,720 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\rastls.dll
atl 3.05.2283 83.00 KB (84,992 bytes)
3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\atl.dll
cryptui 5.131.3790.0 (srv03_rtm.030324-2048)
473.50 KB (484,864 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\cryptui.dll
mprapi 5.2.3790.0 (srv03_rtm.030324-2048)
81.00 KB (82,944 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\mprapi.dll
activeds 5.2.3790.0 (srv03_rtm.030324-2048)
189.00 KB (193,536 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\activeds.dll
adslrpc 5.2.3790.0 (srv03_rtm.030324-2048)
142.50 KB (145,920 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\adslrpc.dll
credui 5.2.3790.0 (srv03_rtm.030324-2048)
159.00 KB (162,816 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\credui.dll
rasapi32 5.2.3790.0 (srv03_rtm.030324-2048)
227.50 KB (232,960 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\rasapi32.dll
rasman 5.2.3790.0 (srv03_rtm.030324-2048)
56.50 KB (57,856 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\rasman.dll
tapi32 5.2.3790.0 (srv03_rtm.030324-2048)
175.00 KB (179,200 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\tapi32.dll
raschap 5.2.3790.0 (srv03_rtm.030324-2048)
106.00 KB (108,544 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\raschap.dll
schedsvc 5.2.3790.0 (srv03_rtm.030324-2048)
176.00 KB (180,224 bytes) 5/14/2003
5:00 PM Microsoft Corporation
c:\windows.0\system32\schedsvc.dll
msidle 6.00.3790.0 (srv03_rtm.030324-2048)
5.50 KB (5,632 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\msidle.dll
audiosrv 5.2.3790.0 (srv03_rtm.030324-2048)
38.00 KB (38,912 bytes) 3/25/2003
12:00 AM Microsoft Corporation
c:\windows.0\system32\audiosrv.dll
wkssvc 5.2.3790.0 (srv03_rtm.030324-2048)
125.00 KB (128,000 bytes) 3/25/2003

```

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\wkssvc.dll  
 wiarpc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 30.00 KB (30,720 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\wiarpc.dll  
 cryptsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 51.00 KB (52,224 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\cryptsvc.dll  
 certcli 5.2.3790.0 (srv03\_rtm.030324-2048)  
 228.00 KB (233,472 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\certcli.dll  
 vssapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 528.00 KB (540,672 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\vssapi.dll  
 dmserver 5.2.3790.0 (srv03\_rtm.030324-2048)  
 24.00 KB (24,576 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\dmserver.dll  
 pchsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 31.50 KB (32,256 bytes) 5/14/2003

5:00 PM Microsoft Corporation  
 c:\windows.0\pchealth\helpctr\binaries\pchsv  
 vc.dll 2001.12.4720.0 (srv03\_rtm.030324-2048)  
 es 221.50 KB (226,816 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\es.dll  
 srvsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 89.00 KB (91,136 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\srvsvc.dll  
 seclogon 5.2.3790.0 (srv03\_rtm.030324-2048)  
 16.50 KB (16,896 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\seclogon.dll  
 trkwks 5.2.3790.0 (srv03\_rtm.030324-2048)  
 85.00 KB (87,040 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\trkwks.dll  
 wmisvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 131.00 KB (134,144 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
 c:\windows.0\system32\wbem\wmisvc.dll  
 wuauerv 5.4.3790.0 (srv03\_rtm.030324-2048)  
 10.50 KB (10,752 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
 c:\windows.0\system32\wuauerv.dll  
 wuaueng 5.4.3790.0 (srv03\_rtm.030324-2048)  
 188.50 KB (193,024 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
 c:\windows.0\system32\wuaueng.dll  
 advpack 6.00.3790.0 (srv03\_rtm.030324-2048)  
 93.50 KB (95,744 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\advpack.dll  
 wininet 6.00.3790.0 (srv03\_rtm.030324-2048)  
 609.00 KB (623,616 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\wininet.dll

sens 5.2.3790.0 (srv03\_rtm.030324-2048)  
 35.50 KB (36,352 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\sens.dll  
 winnr 5.2.3790.0 (srv03\_rtm.030324-2048)  
 15.00 KB (15,360 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\winnr.dll  
 comsvcs 2001.12.4720.0 (srv03\_rtm.030324-2048)  
 1.14 MB (1,199,616 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
 c:\windows.0\system32\comsvcs.dll  
 browser 5.2.3790.0 (srv03\_rtm.030324-2048)  
 70.50 KB (72,192 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\browser.dll  
 rasadhlp 5.2.3790.0 (srv03\_rtm.030324-2048)  
 6.50 KB (6,656 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\rasadhlp.dll  
 netrap 5.2.3790.0 (srv03\_rtm.030324-2048)  
 11.50 KB (11,776 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\netrap.dll  
 actxprxy 6.00.3790.0 (srv03\_rtm.030324-2048)  
 95.00 KB (97,280 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\actxprxy.dll  
 netman 5.2.3790.0 (srv03\_rtm.030324-2048)  
 209.00 KB (214,016 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\netman.dll  
 wzcsapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 24.50 KB (25,088 bytes) 3/25/2003

6:15 AM Microsoft Corporation  
 c:\windows.0\system32\wzcsapi.dll  
 netshell 5.2.3790.0 (srv03\_rtm.030324-2048)  
 1.67 MB (1,747,456 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\netshell.dll  
 clusapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 56.00 KB (57,344 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\clusapi.dll  
 netcfgx 5.2.3790.0 (srv03\_rtm.030324-2048)  
 726.00 KB (743,424 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\netcfgx.dll  
 hnetcfg 5.2.3790.0 (srv03\_rtm.030324-2048)  
 243.50 KB (249,344 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\hnetcfg.dll  
 wbemprox 5.2.3790.0 (srv03\_rtm.030324-2048)  
 17.50 KB (17,920 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
 c:\windows.0\system32\wbem\wbemprox.dll  
 wbemcomm 5.2.3790.0 (srv03\_rtm.030324-2048)  
 211.50 KB (216,576 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\wbem\wbemcomm.dll  
 wbemcore 5.2.3790.0 (srv03\_rtm.030324-2048)  
 457.00 KB (467,968 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
 c:\windows.0\system32\wbem\wbemcore.dll  
 esscli 5.2.3790.0 (srv03\_rtm.030324-2048)  
 235.50 KB (241,152 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
 c:\windows.0\system32\wbem\esscli.dll  
 fastprox 5.2.3790.0 (srv03\_rtm.030324-2048)  
 443.00 KB (453,632 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
 c:\windows.0\system32\wbem\fastprox.dll  
 wbemsvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 42.50 KB (43,520 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
 c:\windows.0\system32\wbem\wbemsvc.dll  
 wmiutils 5.2.3790.0 (srv03\_rtm.030324-2048)  
 90.50 KB (92,672 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
 c:\windows.0\system32\wbem\wmiutils.dll  
 repdrvfs 5.2.3790.0 (srv03\_rtm.030324-2048)  
 165.00 KB (168,960 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
 c:\windows.0\system32\wbem\repdrvfs.dll  
 wmiprvsd 5.2.3790.0 (srv03\_rtm.030324-2048)  
 405.50 KB (415,232 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
 c:\windows.0\system32\wbem\wmiprvsd.dll  
 wbemess 5.2.3790.0 (srv03\_rtm.030324-2048)  
 256.50 KB (262,656 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
 c:\windows.0\system32\wbem\wbemess.dll  
 rasdlg 5.2.3790.0 (srv03\_rtm.030324-2048)  
 642.00 KB (657,408 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\rasdlg.dll  
 winhttp 5.2.3790.0 (srv03\_rtm.030324-2048)  
 327.50 KB (335,360 bytes) 5/14/2003

11:44 AM Microsoft Corporation  
 c:\windows.0\winsxs\x86\_microsoft.windows.w  
 ww\_e0651936\winhttp.dll  
 ncprov 5.2.3790.0 (srv03\_rtm.030324-2048)  
 43.00 KB (44,032 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
 c:\windows.0\system32\wbem\ncprov.dll  
 wbemcons 5.2.3790.0 (srv03\_rtm.030324-2048)  
 69.00 KB (70,656 bytes) 5/14/2003

4:57 PM Microsoft Corporation  
 c:\windows.0\system32\wbem\wbemcons.dll  
 spoolsv 5.2.3790.0 (srv03\_rtm.030324-2048)  
 55.00 KB (56,320 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\spoolsv.exe  
 spoolss 5.2.3790.0 (srv03\_rtm.030324-2048)  
 79.00 KB (80,896 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\spoolss.dll  
 localspl 5.2.3790.0 (srv03\_rtm.030324-2048)  
 304.50 KB (311,808 bytes) 3/25/2003

12:00 AM Microsoft Corporation  
 c:\windows.0\system32\localspl.dll  
 cnbjmon 5.2.3680.0 (Lab03\_dev\skatari).020509-1043)  
 45.50 KB (46,592 bytes) 3/24/2003

7:48 PM Microsoft Corporation  
 c:\windows.0\system32\cnbjmon.dll  
 pjlmon 5.2.3790.0 (srv03\_rtm.030324-2048)  
 15.00 KB (15,360 bytes) 3/24/2003  
 7:49 PM Microsoft Corporation  
 c:\windows.0\system32\pjlmon.dll  
 tcpmon 5.2.3790.0 (srv03\_rtm.030324-2048)  
 44.00 KB (45,056 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\tcpmon.dll  
 mgmtapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 14.00 KB (14,336 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\mgmtapi.dll  
 snmpapi 5.2.3790.0 (srv03\_rtm.030324-2048)  
 17.50 KB (17,920 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\snmpapi.dll  
 wsnmp32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 39.50 KB (40,448 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\wsnmp32.dll  
 usbmon 5.2.3790.0 (srv03\_rtm.030324-2048)  
 17.00 KB (17,408 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\usbmon.dll  
 wshqos 5.2.3790.0 (srv03\_rtm.030324-2048)  
 23.00 KB (23,552 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\wshqos.dll  
 win32spl 5.2.3790.0 (srv03\_rtm.030324-2048)  
 94.50 KB (96,768 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\win32spl.dll  
 inetpp 5.2.3790.0 (srv03\_rtm.030324-2048)  
 71.50 KB (73,216 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\inetpp.dll  
 icmp 5.2.3790.0 (srv03\_rtm.030324-2048)  
 4.50 KB (4,608 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\icmp.dll  
 ersvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 22.00 KB (22,528 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\ersvc.dll  
 mssearch 9.107.8320.0 68.00 KB (69,632 bytes)  
 1/21/2003 9:30 AM Microsoft Corporation  
 c:\program files\common  
 files\system\mssearch\bin\mssearch.exe  
 mssws 9.107.8320.0 32.00 KB (32,768 bytes)  
 1/21/2003 9:30 AM Microsoft Corporation  
 c:\program files\common  
 files\system\mssearch\bin\mssws.dll  
 mssrch 9.107.8320.0 1.24 MB (1,302,528  
 bytes) 1/21/2003 9:30 AM Microsoft Corporation  
 c:\progra-1\common-1\system\mssearch\bin\ms  
 srch.dll  
 security 5.2.3790.0 (srv03\_rtm.030324-2048)  
 5.50 KB (5,632 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\security.dll

tquery 9.107.8320.0 1.46 MB (1,536,000  
 bytes) 1/21/2003 9:30 AM Microsoft Corporation  
 c:\program files\common  
 files\system\mssearch\bin\tquery.dll  
 propdefs 9.107.8320.0 136.00 KB (139,264  
 bytes) 1/21/2003 9:30 AM Microsoft Corporation  
 c:\progra-1\common-1\system\mssearch\bin\pr  
 opdefs.dll  
 srchidx 9.107.8320.0 384.00 KB (393,216  
 bytes) 1/21/2003 9:30 AM Microsoft Corporation  
 c:\progra-1\common-1\system\mssearch\bin\sr  
 chidx.dll  
 iprop 5.2.3790.0 (srv03\_rtm.030324-2048)  
 3.50 KB (3,584 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\iprop.dll  
 dfssvc 5.2.3790.0 (srv03\_rtm.030324-2048)  
 130.50 KB (133,632 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\dfssvc.exe  
 resutils 5.2.3790.0 (srv03\_rtm.030324-2048)  
 59.00 KB (60,416 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\resutils.dll  
 mfc42u 6.05.3014.0 960.00 KB (983,040  
 bytes) 3/25/2003 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\mfc42u.dll  
 wsoc32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 22.00 KB (22,528 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\wsoc32.dll  
 explorer 6.00.3790.0 (srv03\_rtm.030324-2048)  
 1,008.50 KB (1,032,704 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\explorer.exe  
 browseui 6.00.3790.0 (srv03\_rtm.030324-2048)  
 1.01 MB (1,057,280 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\browseui.dll  
 shdocvw 6.00.3790.0 (srv03\_rtm.030324-2048)  
 1.33 MB (1,393,664 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\shdocvw.dll  
 apphelp 5.2.3790.0 (srv03\_rtm.030324-2048)  
 122.00 KB (124,928 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\apphelp.dll  
 themeui 6.00.3790.0 (srv03\_rtm.030324-2048)  
 360.50 KB (369,152 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\themeui.dll  
 msimg32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 4.50 KB (4,608 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\msimg32.dll  
 linkinfo 5.2.3790.0 (srv03\_rtm.030324-2048)  
 16.50 KB (16,896 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\linkinfo.dll  
 ntshrui 6.00.3790.0 (srv03\_rtm.030324-2048)  
 136.00 KB (139,264 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\ntshrui.dll

urlmon 6.00.3790.0 (srv03\_rtm.030324-2048)  
 501.50 KB (513,536 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\urlmon.dll  
 webcheck 6.00.3790.0 (srv03\_rtm.030324-2048)  
 261.50 KB (267,776 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\webcheck.dll  
 stobject 5.2.3790.0 (srv03\_rtm.030324-2048)  
 117.50 KB (120,320 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\stobject.dll  
 batmeter 6.00.3790.0 (srv03\_rtm.030324-2048)  
 28.50 KB (29,184 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\batmeter.dll  
 powrprof 6.00.3790.0 (srv03\_rtm.030324-2048)  
 14.50 KB (14,848 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\powrprof.dll  
 drprov 5.2.3790.0 (srv03\_rtm.030324-2048)  
 12.50 KB (12,800 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\drprov.dll  
 ntlanman 5.2.3790.0 (srv03\_rtm.030324-2048)  
 41.00 KB (41,984 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\ntlanman.dll  
 netui0 5.2.3790.0 (srv03\_rtm.030324-2048)  
 75.50 KB (77,312 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\netui0.dll  
 netui1 5.2.3790.0 (srv03\_rtm.030324-2048)  
 184.00 KB (188,416 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\netui1.dll  
 davclnt 5.2.3790.0 (srv03\_rtm.030324-2048)  
 23.50 KB (24,064 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\davclnt.dll  
 printui 5.2.3790.0 (srv03\_rtm.030324-2048)  
 536.50 KB (549,376 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\printui.dll  
 cfgmgr32 5.2.3790.0 (srv03\_rtm.030324-2048)  
 17.50 KB (17,920 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\cfgmgr32.dll  
 sqlmangr 2000.080.0760.00 72.57 KB (74,308 bytes)  
 2/28/2003 10:56 AM Microsoft Corporation  
 c:\program files\microsoft sql  
 server\80\tools\bin\sqlmangr.exe  
 sqlunirl 2000.080.0728.00 176.56 KB (180,800  
 bytes) 3/25/2003 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\sqlunirl.dll  
 comdlg32 6.00.3790.0 (srv03\_rtm.030324-2048)  
 261.00 KB (267,264 bytes) 3/25/2003  
 12:00 AM Microsoft Corporation  
 c:\windows.0\system32\comdlg32.dll  
 w95scm 2000.080.0760.00 48.56 KB (49,728 bytes)  
 2/28/2003 10:56 AM Microsoft Corporation  
 c:\program files\microsoft sql  
 server\80\tools\bin\w95scm.dll

```

odbc32 3.525.1022.0 (srv03_rtm.030324-2048)
232.00 KB (237,568 bytes) 3/25/2003
Microsoft Corporation
c:\windows.0\system32\odbc32.dll
sqlsvc 2000.080.0760.00 92.56 KB (94,784 bytes)
2/28/2003 10:56 AM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\sqlsvc.dll
odbcbcpc 2000.085.1022.00 (srv03_rtm.030324-2048)
24.00 KB (24,576 bytes) 3/25/2003
Microsoft Corporation
c:\windows.0\system32\odbcbcpc.dll
sqlresld 2000.080.0382.00 28.56 KB (29,248 bytes)
2/28/2003 10:56 AM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\sqlresld.dll
odbcint 3.525.1022.0 (srv03_rtm.030324-2048)
92.00 KB (94,208 bytes) 3/25/2003
Microsoft Corporation
c:\windows.0\system32\odbcint.dll
sqlsvc 2000.080.0194.00 24.00 KB (24,576 bytes)
2/28/2003 10:56 AM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\resources\1033\sqlsvc.rll
sqlmangr 2000.080.0194.00 96.00 KB (98,304 bytes)
2/28/2003 10:56 AM Microsoft Corporation
c:\program files\microsoft sql
server\80\tools\bin\resources\1033\sqlmangr.rll
helpctr 5.2.3790.0 (srv03_rtm.030324-2048)
764.00 KB (782,336 bytes) 5/14/2003
Microsoft Corporation
c:\windows.0\pchealth\helpctr\binaries\help
ctr.exe
hcappres 5.2.3790.0 (srv03_rtm.030324-2048)
6.50 KB (6,656 bytes) 5/14/2003
Microsoft Corporation
c:\windows.0\pchealth\helpctr\binaries\hcap
pres.dll
itss 5.2.3790.0 (srv03_rtm.030324-2048)
119.50 KB (122,368 bytes) 3/25/2003
Microsoft Corporation
c:\windows.0\system32\itss.dll
msxml3 8.40.9419.0 1.28 MB (1,337,344
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\msxml3.dll
pchshell 5.2.3790.0 (srv03_rtm.030324-2048)
100.50 KB (102,912 bytes) 5/14/2003
Microsoft Corporation
c:\windows.0\pchealth\helpctr\binaries\pch
hell.dll
mlang 6.00.3790.0 (srv03_rtm.030324-2048)
570.00 KB (583,680 bytes) 3/25/2003
Microsoft Corporation
c:\windows.0\system32\mlang.dll
mshtml 6.00.3790.0 (srv03_rtm.030324-2048)
2.78 MB (2,916,352 bytes) 3/25/2003
Microsoft Corporation
c:\windows.0\system32\mshtml.dll
msimtf 5.2.3790.0 (srv03_rtm.030324-2048)
149.00 KB (152,576 bytes) 3/25/2003
Microsoft Corporation
c:\windows.0\system32\msimtf.dll

```

```

msctf 5.2.3790.0 (srv03_rtm.030324-2048)
287.00 KB (293,888 bytes) 3/25/2003
Microsoft Corporation
c:\windows.0\system32\msctf.dll
shdoclc 6.00.3790.0 (srv03_rtm.030324-2048)
588.50 KB (602,624 bytes) 3/25/2003
Microsoft Corporation
c:\windows.0\system32\shdoclc.dll
jscrip 5.6.0.8515 436.00 KB (446,464
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\jscrip.dll
mcls31 3.10.349.0 147.00 KB (150,528
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\mcls31.dll
mshtml 6.00.3790.0 (srv03_rtm.030324-2048)
443.50 KB (454,144 bytes) 3/25/2003
Microsoft Corporation
c:\windows.0\system32\mshtml.dll
vbscrip 5.6.0.8515 404.00 KB (413,696
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\vbscrip.dll
mfc42 6.05.3014.0 960.00 KB (983,040
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\mfc42.dll
msinfo 5.2.3790.0 (srv03_rtm.030324-2048)
358.50 KB (367,104 bytes) 5/14/2003
Microsoft Corporation
c:\windows.0\pchealth\helpctr\binaries\msin
fo.dll
riched32 5.2.3790.0 (srv03_rtm.030324-2048)
3.50 KB (3,584 bytes) 3/25/2003
Microsoft Corporation
c:\windows.0\system32\riched32.dll
riched20 5.31.23.1218 406.00 KB (415,744
bytes) 3/25/2003 12:00 AM Microsoft Corporation
c:\windows.0\system32\riched20.dll
helpsvc 5.2.3790.0 (srv03_rtm.030324-2048)
720.00 KB (737,280 bytes) 5/14/2003
Microsoft Corporation
c:\windows.0\pchealth\helpctr\binaries\help
svc.exe

[Services]
Display Name Name State Start Mode
Service Type Path Error Control
Start Name Tag ID
Alerter Alerter Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Application Layer Gateway Service ALG
Stopped Manual Own Process
c:\windows.0\system32\alg.exe Normal NT
AUTHORITY\LocalService 0
Application Management AppMgmt Stopped
Manual Share Process
c:\windows.0\system32\svchost.exe -k
netsh Normal LocalSystem 0
Windows Audio AudioSrv Running Auto
Share Process
c:\windows.0\system32\svchost.exe -k
netsh Normal LocalSystem 0

```

```

Background Intelligent Transfer Service BITS
Stopped Manual Share Process
c:\windows.0\system32\svchost.exe -k
netsh Normal LocalSystem 0
Computer Browser Browser Running Auto
Share Process
c:\windows.0\system32\svchost.exe -k
netsh Normal LocalSystem 0
Indexing Service CsiSvc Stopped Disabled
Share Process
c:\windows.0\system32\cisvc.exe
Normal LocalSystem 0
ClipBook ClipSrv Stopped Disabled Own Process
c:\windows.0\system32\clipsrv.exe
Normal LocalSystem 0
COM+ System Application COMSysApp Stopped
Manual Own Process
c:\windows.0\system32\dllhost.exe
/processid:{02d4b3f1-fd88-11d1-960d-00805fc79235}
Normal LocalSystem 0
Cryptographic Services CryptSvc Running
Auto Share Process
c:\windows.0\system32\svchost.exe -k
netsh Normal LocalSystem 0
Distributed File System Dfs Running
Auto Own Process
c:\windows.0\system32\dfssvc.exe
Normal LocalSystem 0
DHCP Client Dhcp Running Auto
Share Process
c:\windows.0\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Logical Disk Manager Administrative Service
dmadmin Stopped Manual Share Process
c:\windows.0\system32\dmadmin.exe /com
Normal LocalSystem 0
Logical Disk Manager dmserver Running
Auto Share Process
c:\windows.0\system32\svchost.exe -k
netsh Normal LocalSystem 0
DNS Client Dnscache Running Auto
Share Process
c:\windows.0\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Error Reporting Service ERSvc Running
Auto Share Process
c:\windows.0\system32\svchost.exe -k winerr
Ignore LocalSystem 0
Event Log Eventlog Running Auto Share Process
c:\windows.0\system32\services.exe
Normal LocalSystem 0
COM+ Event System EventSystem Running
Manual Share Process
c:\windows.0\system32\svchost.exe -k
netsh Normal LocalSystem 0
Help and Support helpsvc Running Auto
Share Process
c:\windows.0\system32\svchost.exe -k
netsh Normal LocalSystem 0
Human Interface Device Access HidServ Stopped
Disabled Share Process

```



```

c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
HTTP SSL HTTPFilter Stopped Manual
Share Process
c:\windows.0\system32\lsass.exe
Normal LocalSystem 0
IMAPI CD-Burning COM Service ImapIService
Stopped Disabled Own Process
c:\windows.0\system32\imapi.exe
Normal LocalSystem 0
Intersite Messaging IsmServ Stopped Disabled Own
Process c:\windows.0\system32\ismserv.exe
Normal LocalSystem 0
Kerberos Key Distribution Center kdc
Stopped Disabled Share Process
c:\windows.0\system32\lsass.exe
Normal LocalSystem 0
Server lanmanserver Running Auto
Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Workstation lanmanworkstation Running
Auto Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
License Logging LicenseService Stopped
Disabled Own Process
c:\windows.0\system32\llssrv.exe
Normal NT AUTHORITY\NetworkService 0

TCP/IP NetBIOS Helper LmHosts Running
Auto Share Process
c:\windows.0\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Messenger Messenger Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
NetMeeting Remote Desktop Sharing mnmrsvc
Stopped Disabled Own Process
c:\windows.0\system32\mmsrvc.exe
Normal LocalSystem 0
Distributed Transaction Coordinator MSDTC
Running Auto Own Process
c:\windows.0\system32\msdtc.exe
Normal NT AUTHORITY\NetworkService 0

Windows Installer MSIServer Stopped Manual
Share Process
c:\windows.0\system32\msiexec.exe /v
Normal LocalSystem 0
Microsoft Search MSEARCH Running Auto
Share Process "c:\program
files\common files\system\msearch\bin\msearch.exe"
Normal LocalSystem 0
MSSQLSERVER MSSQLSERVER Stopped
Manual Own Process
c:\sql2k\mssql\bin\sqlservr.exe
Normal LocalSystem 0
Network DDE NetDDE Stopped Disabled
Share Process
c:\windows.0\system32\netdde.exe
Normal LocalSystem 0

```

```

Network DDE DSDM NetDDEsdm Stopped
Disabled Share Process
c:\windows.0\system32\netdde.exe
Normal LocalSystem 0
Net Logon Netlogon Stopped Manual Share Process
c:\windows.0\system32\lsass.exe
Normal LocalSystem 0
Network Connections Netman Running Manual
Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Network Location Awareness (NLA) Nla
Running Manual Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
File Replication Ntfrs Stopped Manual Own
Process c:\windows.0\system32\ntfrs.exe
Ignore LocalSystem 0
NT LM Security Support Provider NtLmSsp
Running Manual Share Process
c:\windows.0\system32\lsass.exe
Normal LocalSystem 0
Removable Storage NtmsSvc Stopped Manual
Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Plug and Play PlugPlay Running Auto
Share Process
c:\windows.0\system32\services.exe
Normal LocalSystem 0
IPSEC Services PolicyAgent Running
Auto Share Process
c:\windows.0\system32\lsass.exe
Normal LocalSystem 0
Protected Storage ProtectedStorage Running
Auto Share Process
c:\windows.0\system32\lsass.exe
Normal LocalSystem 0
Remote Access Auto Connection Manager RasAuto
Stopped Manual Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Remote Access Connection Manager RasMan
Stopped Manual Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Remote Desktop Help Session Manager RDSessMgr
Stopped Manual Own Process
c:\windows.0\system32\sessmgr.exe
Normal LocalSystem 0
Routing and Remote Access RemoteAccess
Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Remote Registry RemoteRegistry Running
Auto Share Process
c:\windows.0\system32\svchost.exe -k regsvr
Normal NT AUTHORITY\LocalService 0
Remote Procedure Call (RPC) Locator RpcLocator
Stopped Manual Own Process
c:\windows.0\system32\locator.exe

```

```

Normal NT AUTHORITY\NetworkService 0
Remote Procedure Call (RPC) RpcSs Running
Auto Share Process
c:\windows.0\system32\svchost -k rpcss
Normal LocalSystem 0
Resultant Set of Policy Provider RSoPProv
Stopped Manual Share Process
c:\windows.0\system32\rsopprov.exe
Normal LocalSystem 0
Special Administration Console Helper sacsvr
Stopped Manual Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Security Accounts Manager SamSs Running
Auto Share Process
c:\windows.0\system32\lsass.exe
Normal LocalSystem 0
Smart Card SCardSvr Stopped Manual
Share Process
c:\windows.0\system32\scardsvr.exe
Ignore NT AUTHORITY\LocalService 0

Task Scheduler Schedule Running Auto
Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Secondary Logon seclogon Running Auto
Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Ignore LocalSystem 0
System Event Notification SENS Running
Auto Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Internet Connection Firewall (ICF) / Internet
Connection Sharing (ICS) SharedAccess
Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Shell Hardware Detection ShellHWDetection
Running Auto Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Ignore LocalSystem 0
Print Spooler Spooler Running Auto Own
Process c:\windows.0\system32\spoolsv.exe
Normal LocalSystem 0
SQLSERVERAGENT SQLSERVERAGENT Stopped
Manual Own Process
c:\sql2k\mssql\bin\sqlagent.exe
Normal LocalSystem 0
Windows Image Acquisition (WIA) stisvc
Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k imgsrv
Normal NT AUTHORITY\LocalService 0

Microsoft Software Shadow Copy Provider swprv
Stopped Manual Own Process
c:\windows.0\system32\svchost.exe -k swprv
Normal LocalSystem 0
Performance Logs and Alerts SysmonLog Stopped
Manual Own Process
c:\windows.0\system32\smlogsvc.exe

```

```

Normal NT Authority\NetworkService 0
Telephony TapiSrv Stopped Manual Share Process
c:\windows.0\system32\svchost.exe -k
tapisrv Normal LocalSystem 0
Terminal Services TermService Stopped
Disabled Share Process
c:\windows.0\system32\svchost.exe -k
termsvcs Normal LocalSystem 0
Themes Themes Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Telnet TlntSvr Stopped Disabled Own Process
c:\windows.0\system32\tlntsvr.exe
Normal NT AUTHORITY\LocalService 0

Distributed Link Tracking Server TrkSvr
Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Distributed Link Tracking Client TrkWks
Running Auto Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Terminal Services Session Directory Tssdis
Stopped Disabled Own Process
c:\windows.0\system32\tssdis.exe
Normal LocalSystem 0
Upload Manager uploadmgr Stopped Manual
Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Uninterruptible Power Supply UPS Stopped
Manual Own Process
c:\windows.0\system32\ups.exe Normal NT
AUTHORITY\LocalService 0
Virtual Disk Service vds Stopped
Manual Own Process
c:\windows.0\system32\vds.exe Normal
LocalSystem 0
Volume Shadow Copy VSS Stopped Manual Own
Process c:\windows.0\system32\vssvc.exe
Normal LocalSystem 0
Windows Time W32Time Running Auto
Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
WebClient WebClient Stopped Disabled Share Process
c:\windows.0\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
WinHTTP Web Proxy Auto-Discovery Service
WinHttpAutoProxySvc Stopped Manual
Share Process
c:\windows.0\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Windows Management Instrumentation winmgmt
Running Auto Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Ignore LocalSystem 0
Portable Media Serial Number Service WmdmPmSN
Stopped Manual Share Process

```

```

c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Windows Management Instrumentation Driver Extensions
Wmi Stopped Manual Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
WMI Performance Adapter WmiApSrv Stopped
Manual Own Process
c:\windows.0\system32\wbem\wmiapsrv.exe
Normal LocalSystem 0
Automatic Updates wuauerv Running Auto
Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0
Wireless Configuration WZCSVC Running
Auto Share Process
c:\windows.0\system32\svchost.exe -k
netsvcs Normal LocalSystem 0

[Program Groups]

Group Name Name User Name
Accessories Default User:Accessories
Default User
Accessories\Accessibility Default
User:Accessories\Accessibility Default User
Accessories\Entertainment Default
User:Accessories\Entertainment Default User

Startup Default User:Startup Default User

Accessories All Users:Accessories All
Users
Accessories\Accessibility All
Users:Accessories\Accessibility All Users
Accessories\Communications All
Users:Accessories\Communications All
Users
Accessories\Entertainment All
Users:Accessories\Entertainment All Users
Accessories\System Tools All
Users:Accessories\System Tools All Users
Administrative Tools All
Users:Administrative Tools All Users
Microsoft SQL Server All Users:Microsoft SQL
Server All Users
Startup All Users:Startup All Users
Accessories NT AUTHORITY\SYSTEM:Accessories
NT AUTHORITY\SYSTEM
Accessories\Accessibility NT
AUTHORITY\SYSTEM:Accessories\Accessibility NT
AUTHORITY\SYSTEM
Accessories\Entertainment NT
AUTHORITY\SYSTEM:Accessories\Entertainment NT
AUTHORITY\SYSTEM
Startup NT AUTHORITY\SYSTEM:Startup NT
AUTHORITY\SYSTEM
Accessories LILO\Administrator:Accessories
LILO\Administrator
Accessories\Accessibility
LILO\Administrator:Accessories\Accessibilit
y LILO\Administrator

```

```

Accessories\Entertainment
LILO\Administrator:Accessories\Entertainmen
t LILO\Administrator
Administrative Tools
LILO\Administrator:Administrative Tools
LILO\Administrator
Startup LILO\Administrator:Startup
LILO\Administrator

[Startup Programs]

Program Command User Name Location
desktop desktop.ini NT AUTHORITY\SYSTEM
Startup
desktop desktop.ini LILO\Administrator
Startup
desktop desktop.ini .DEFAULT Startup
desktop desktop.ini All Users Common
Startup
Service Manager
c:\progra~1\micros~1\80\tools\bin\sqlmangr
.exe /n All Users Common Startup

[OLE Registration]

Object Local Server
Sound (OLE2) sndrec32.exe
Media Clip mplay32.exe
Video Clip mplay32.exe /avi
MIDI Sequence mplay32.exe /mid
Sound Not Available
Media Clip Not Available
WordPad Document "%programfiles%\windows
nt\accessories\wordpad.exe"
Windows Media Services DRM Storage object Not
Available
Bitmap Image mspaint.exe

[Windows Error Reporting]

Time Type Details

[Internet Settings]

[Internet Explorer]

[ Following are sub-categories of this main category
]
[Summary]

Item Value
Version 6.0.3790.0
Build 63790
Application Path C:\Program Files\Internet
Explorer
Language English (United States)
Active Printer Not Available

Cipher Strength 128-bit
Content Advisor Disabled
IEAK Install No

```

[File Versions]

File	Version	Size	Date	Path
actxprxy.dll	6.0.3790.0	95 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
advpack.dll	6.0.3790.0	94 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
asctrls.ocx	6.0.3790.0	90 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
browseui.dll	6.0.3790.0	1,033 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
cdview.dll	6.0.3790.0	144 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
comctl32.dll	5.82.3790.0	561 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
dxtrans.dll	6.3.3790.0	198 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
dxtmsft.dll	6.3.3790.0	344 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
iecont.dll	<File Missing>	Not Available	Not Available	Not Available
iecontlc.dll	<File Missing>	Not Available	Not Available	Not Available
iedkcs32.dll	16.0.3790.0	300 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
iepeers.dll	6.0.3790.0	230 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
iesetup.dll	6.0.3790.0	59 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
ieunit.inf	Not Available	20 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32

iexplore.exe	6.0.3790.0	90 KB	3/25/2003 1:00:00 AM	C:\Program Files\Internet Explorer
imgutil.dll	5.2.3790.0	35 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
inetcp.cpl	6.0.3790.0	303 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
inetcpic.dll	6.0.3790.0	109 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
inseng.dll	6.0.3790.0	72 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
mlang.dll	6.0.3790.0	570 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
msencode.dll	2002.10.4.0	112 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
mshta.exe	6.0.3790.0	26 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
mshtml.dll	6.0.3790.0	2,848 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
mshtml.tlb	6.0.3790.0	1,319 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
mshtml.dll	6.0.3790.0	444 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
mshtml.dll	6.0.3790.0	55 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
msident.dll	6.0.3790.0	47 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
msidentld.dll	6.0.3790.0	15 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
msieft.dll	6.0.3790.0	230 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
msrating.dll	6.0.3790.0	132 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32

mstime.dll	6.0.3790.0	491 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
occache.dll	6.0.3790.0	89 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
proctexe.ocx	6.3.3790.0	78 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
sendmail.dll	6.0.3790.0	52 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
shdoclc.dll	6.0.3790.0	589 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
shdocvw.dll	6.0.3790.0	1,361 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
shfolder.dll	6.0.3790.0	23 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
shlwapi.dll	6.0.3790.0	281 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
tdc.ocx	1.3.0.3130	58 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
url.dll	6.0.3790.0	36 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
urlmon.dll	6.0.3790.0	502 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
webcheck.dll	6.0.3790.0	262 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32
wininet.dll	6.0.3790.0	609 KB	3/25/2003 1:00:00 AM	C:\WINDOWS.0\system32

[Connectivity]

Item	Value
Connection Preference	Never dial

LAN Settings

AutoConfigProxy	Not Available
AutoProxyDetectMode	Disabled
AutoConfigURL	
Proxy	Disabled
ProxyServer	

ProxyOverride

[Cache]

[ Following are sub-categories of this main category ]  
[Summary]

Item	Value
Page Refresh Type	Automatic
Temporary Internet Files Folder	C:\Documents and Settings\NetworkService.NT AUTHORITY\Local Settings\Temporary Internet Files
Total Disk Space	Not Available
Available Disk Space	Not Available
Maximum Cache Size	Not Available
Available Cache Size	Not Available

[List of Objects]

Program File	Status	CodeBase
No cached object information available		

[Content]

[ Following are sub-categories of this main category ]  
[Summary]

Item	Value
Content Advisor	Disabled

[Personal Certificates]

Issued To	Issued By	Validity	Signature	Algorithm
No personal certificate information available				

[Other People Certificates]

Issued To	Issued By	Validity	Signature	Algorithm
No other people certificate information available				

[Publishers]

Name
No publisher information available

[Security]

Zone	Security Level
My Computer	Custom
Local intranet	Medium-low
Trusted sites	Medium
Internet High	High
Restricted sites	High

## Client Summary

System Information report written at: 03/27/2003 03:33:43 PM  
[System Information]

[ Following are sub-categories of this main category ]

[System Summary]

Item	Value
OS Name	Microsoft Windows 2000 Server
Version	5.0.2195 Service Pack 2 Build 2195
OS Manufacturer	Microsoft Corporation
System Name	CL11
System Manufacturer	Compaq
System Model	ProLiant DL360 G2
System Type	X86-based PC
Processor	x86 Family 6 Model 11 Stepping 1
GenuineIntel	~1396 Mhz
Processor	x86 Family 6 Model 11 Stepping 1
GenuineIntel	~1396 Mhz
BIOS Version	06/18/02
Windows Directory	C:\WINNT
System Directory	C:\WINNT\System32
Boot Device	\Device\Harddisk0\Partition1
Locale	United States
User Name	CL11\Administrator
Time Zone	Central Standard Time
Total Physical Memory	1,048,088 KB
Available Physical Memory	882,320 KB
Total Virtual Memory	2,783,892 KB
Available Virtual Memory	2,542,512 KB
Page File Space	1,735,804 KB
Page File	C:\pagefile.sys

[Hardware Resources]

[ Following are sub-categories of this main category ]

[Conflicts/Sharing]

Resource	Device
IRQ 7	Standard OpenHCD USB Host Controller
IRQ 7	PCI standard host CPU bridge

[DMA]

Channel	Device	Status
7	Direct memory access controller	OK
2	Standard floppy disk controller	OK

[Forced Hardware]

Device	PNP Device ID
No Forced Hardware	

[I/O]

Address Range	Device	Status
0x0000-0x0CFF	PCI bus	OK
0x0000-0x0CFF	PCI bus	OK
0x0000-0x0CFF	Direct memory access controller	OK
0x03B0-0x03DF	PCI bus	OK
0x03B0-0x03DF	ATI Technologies Inc. RAGE XL PCI	OK
0x2400-0x24FF	ATI Technologies Inc. RAGE XL PCI	OK
0x03C0-0x03DF	ATI Technologies Inc. RAGE XL PCI	OK
0x1800-0x18FF	Base System Device	OK
0x2800-0x28FF	Base System Device	OK
0x0A79-0x0A79	ISAPNP Read Data Port	OK
0x0279-0x0279	ISAPNP Read Data Port	OK
0x02F4-0x02F7	ISAPNP Read Data Port	OK
0x0F50-0x0F58	Motherboard resources	OK
0x0020-0x0021	Programmable interrupt controller	OK
0x00A0-0x00A1	Programmable interrupt controller	OK
0x0C00-0x0C01	Programmable interrupt controller	OK
0x0040-0x0043	System timer	OK
0x0080-0x008F	Direct memory access controller	OK
0x00C0-0x00DF	Direct memory access controller	OK
0x040B-0x040B	Direct memory access controller	OK
0x04D6-0x04D6	Direct memory access controller	OK
0x0061-0x0061	System speaker	OK
0x0060-0x0060	Standard 101/102-Key or Microsoft	OK
Natural PS/2 Keyboard	Standard 101/102-Key or Microsoft	OK
0x0064-0x0064	Standard 101/102-Key or Microsoft	OK
Natural PS/2 Keyboard	Standard 101/102-Key or Microsoft	OK
0x002E-0x002F	Extended IO Bus	OK
0x0220-0x0223	Extended IO Bus	OK
0x0230-0x0231	Extended IO Bus	OK
0x0240-0x025F	Extended IO Bus	OK
0x03F8-0x03FF	Communications Port (COM1)	OK
0x03F2-0x03F5	Standard floppy disk controller	OK
0x03F7-0x03F7	Standard floppy disk controller	OK
0x2000-0x200F	Standard Dual Channel PCI IDE Controller	OK
0x27FC-0x27FF	Standard Dual Channel PCI IDE Controller	OK
0x01F0-0x01F7	Primary IDE Channel	OK
0x03F6-0x03F6	Primary IDE Channel	OK
0x0170-0x0177	Secondary IDE Channel	OK
0x0376-0x0376	Secondary IDE Channel	OK
0x3000-0x30FF	PCI bus	OK
0x3000-0x30FF	Compaq Smart Array 5i	OK

[IRQs]

```

IRQ Number      Device
9               Microsoft ACPI-Compliant System
24              ATI Technologies Inc. RAGE XL PCI
3               Base System Device
5               Base System Device
1               Standard 101/102-Key or Microsoft Natural
PS/2 Keyboard
12              PS/2 Compatible Mouse
4               Communications Port (COM1)
6               Standard floppy disk controller
14              Primary IDE Channel
7               Standard OpenHCD USB Host Controller
7               PCI standard host CPU bridge
31              Compaq Smart Array 5i
30              Compaq NC7780 Gigabit Server Adapter
29              Compaq NC7780 Gigabit Server Adapter #2

```

[Memory]

Range	Device	Status
0xA0000-0xBFFFF	PCI bus	OK
0xA0000-0xBFFFF	ATI Technologies Inc. RAGE XL PCI	OK
0xF5E00000-0xF6FFFFFF	PCI bus	OK
0xF6000000-0xF6FFFFFF	ATI Technologies Inc.	OK
0xF5FF0000-0xF5FF0FFF	ATI Technologies Inc.	OK
0xF5FE0000-0xF5FE01FF	Base System Device	OK
0xF5FD0000-0xF5FD07FF	Base System Device	OK
0xF5FC0000-0xF5FC1FFF	Base System Device	OK
0xF5F00000-0xF5F7FFFF	Base System Device	OK
0xF5EF0000-0xF5EF0FFF	Standard OpenHCD USB Host Controller	OK
0xF7E00000-0xF7FFFFFF	PCI bus	OK
0xF7FC0000-0xF7FFFFFF	Compaq Smart Array 5i	OK
0xF7EF0000-0xF7EF3FFF	Compaq Smart Array 5i	OK
0xF7FB0000-0xF7FBFFFF	Compaq NC7780 Gigabit Server Adapter	OK
0xF7FA0000-0xF7FAFFFF	Compaq NC7780 Gigabit Server Adapter #2	OK

[Components]

[ Following are sub-categories of this main category ]

[Multimedia]

[ Following are sub-categories of this main category ]

[Audio Codecs]

Codec	Manufacturer	Description
	Status File	Version Size
	Creation Date	
c:\winnt\system32\iac25_32.ax	Intel Corporation	Indeo® audio software OK
	C:\WINNT\System32\IAC25_32.AX	2.05.53

```

195.00 KB (199,680 bytes) 12/7/1999
7:00:00 AM
c:\winnt\system32\msadp32.acm Microsoft Corporation
OK
C:\WINNT\System32\MSADP32.ACM 5.00.2134.1
14.77 KB (15,120 bytes) 12/7/1999

```

```

7:00:00 AM
c:\winnt\system32\lhacm.acm Microsoft Corporation
OK
C:\WINNT\System32\LHACM.ACM 4.4.3385
33.27 KB (34,064 bytes) 9/13/2002

```

```

5:46:04 PM
c:\winnt\system32\msg711.acm Microsoft Corporation
OK
C:\WINNT\System32\MSG711.ACM 5.00.2134.1
10.27 KB (10,512 bytes) 12/7/1999

```

```

7:00:00 AM
c:\winnt\system32\tssoft32.acm DSP GROUP, INC.
OK
C:\WINNT\System32\TSSOFT32.ACM
1.01 9.27 KB (9,488 bytes)
12/7/1999 7:00:00 AM

```

```

c:\winnt\system32\imaadp32.acm Microsoft Corporation
OK
C:\WINNT\System32\IMAADP32.ACM
5.00.2134.1 16.27 KB (16,656 bytes)
12/7/1999 7:00:00 AM

```

```

c:\winnt\system32\msgsm32.acm Microsoft Corporation
OK
C:\WINNT\System32\MSGSM32.ACM 5.00.2134.1
22.27 KB (22,800 bytes) 12/7/1999

```

```

7:00:00 AM
c:\winnt\system32\msg723.acm Microsoft Corporation
OK
C:\WINNT\System32\MSG723.ACM 4.4.3385
106.77 KB (109,328 bytes) 9/13/2002

```

[Video Codecs]

Codec	Manufacturer	Description
	Status File	Version Size
	Creation Date	
c:\winnt\system32\ir50_32.dll	Intel Corporation	Indeo® video 5.10 OK
	C:\WINNT\System32\IR50_32.DLL	R.5.10.15.2.55 737.50 KB (755,200 bytes)
	12/7/1999 7:00:00 AM	

```

c:\winnt\system32\msrle32.dll Microsoft Corporation
OK
C:\WINNT\System32\MSRLE32.DLL 5.00.2134.1
10.77 KB (11,024 bytes) 12/7/1999

```

```

7:00:00 AM
c:\winnt\system32\msvidc32.dll Microsoft Corporation
OK
C:\WINNT\System32\MSVIDC32.DLL
5.00.2134.1 27.27 KB (27,920 bytes)
12/7/1999 7:00:00 AM

```

```

c:\winnt\system32\ir32_32.dll Intel(R) Corporation
OK
C:\WINNT\System32\IR32_32.DLL Not Available
194.50 KB (199,168 bytes) 12/7/1999

```

```

7:00:00 AM

```

```

c:\winnt\system32\msh263.driv Microsoft Corporation
OK
C:\WINNT\System32\MSH263.DRV 4.4.3385
252.27 KB (258,320 bytes) 9/13/2002

```

```

5:45:39 PM
c:\winnt\system32\iccvid.dll Radius Inc.
OK
C:\WINNT\System32\ICCVID.DLL
1.10.0.6 108.00 KB (110,592 bytes)
12/7/1999 7:00:00 AM

```

```

c:\winnt\system32\msh261.driv Microsoft Corporation
OK
C:\WINNT\System32\MSH261.DRV 4.4.3385
163.77 KB (167,696 bytes) 9/13/2002

```

[CD-ROM]

Item	Value
Drive D:	
Description	CD-ROM Drive
Media Loaded	False
Media Type	CD-ROM
Name	COMPAQ CD-224E
Manufacturer	(Standard CD-ROM drives)
Status	OK
Transfer Rate	Not Available
SCSI Target ID	0
PNP Device ID	IDE\CDROMCOMPAQ_CD-224E
	A.8D_____5&23A72C42&0&0
	.0.0

[Sound Device]

Item	Value
No sound devices	

[Display]

Item	Value
Name	ATI Technologies Inc. RAGE XL PCI
PNP Device ID	PCI\VEN_1002&DEV_4752&SUBSYS_001E0E11&REV_27\3&267A616A&0&18
Adapter Type	ATI RAGE XL PCI, ATI Technologies Inc. compatible
Adapter Description	ATI Technologies Inc. RAGE XL PCI
Adapter RAM	8.00 MB (8,388,608 bytes)
Installed Drivers	atidrab.dll
Driver Version	5.00.2179.1
INF File	display.inf (atirage3 section)
Color Planes	1
Color Table Entries	65536
Resolution	640 x 480 x 60 hertz
Bits/Pixel	16

[Infrared]

Item	Value
No infrared devices	

[Input]

[ Following are sub-categories of this main category ]

[Keyboard]

Item Value  
Description Standard 101/102-Key or Microsoft  
Natural PS/2 Keyboard  
Name Enhanced (101- or 102-key)  
Layout 00000409  
PNP Device ID ACPI\PNP0303\4&32BA4B66&0  
NumberOfFunctionKeys 12

[Pointing Device]

Item Value  
Hardware Type PS/2 Compatible Mouse  
Number of Buttons 2  
Status OK  
PNP Device ID ACPI\PNP0F13\4&32BA4B66&0  
Power Management Supported False  
Double Click Threshold 6  
Handedness Right Handed Operation

[Modem]

Item Value  
No modems

[Network]

[ Following are sub-categories of this main category ]

[Adapter]

Item Value  
Name [00000000] RAS Async Adapter  
Adapter Type Not Available  
Product Name RAS Async Adapter  
Installed True  
PNP Device ID Not Available  
Last Reset 3/27/2003 8:55:13 AM  
Index 0  
Service Name AsyncMac  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address Not Available  
Service Name Not Available

Name [00000001] WAN Miniport (L2TP)  
Adapter Type Not Available  
Product Name WAN Miniport (L2TP)  
Installed True  
PNP Device ID ROOT\MS\_L2TPMINIPORT\0000

Last Reset 3/27/2003 8:55:13 AM  
Index 1  
Service Name Rasl2tp  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address Not Available  
Service Name Rasl2tp  
Driver c:\winnt\system32\drivers\rasl2tp.sys  
(50800, 5.00.2179.1)

Name [00000002] WAN Miniport (PPTP)  
Adapter Type Wide Area Network (WAN)  
Product Name WAN Miniport (PPTP)  
Installed True  
PNP Device ID ROOT\MS\_PPTPMINIPORT\0000  
Last Reset 3/27/2003 8:55:13 AM  
Index 2  
Service Name PptpMiniport  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address 50:50:54:50:30:30  
Service Name PptpMiniport  
Driver c:\winnt\system32\drivers\raspptp.sys  
(47856, 5.00.2160.1)

Name [00000003] Direct Parallel  
Adapter Type Not Available  
Product Name Direct Parallel  
Installed True  
PNP Device ID ROOT\MS\_PTMINIPORT\0000  
Last Reset 3/27/2003 8:55:13 AM  
Index 3  
Service Name Raspti  
IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address Not Available  
Service Name Raspti  
Driver c:\winnt\system32\drivers\raspti.sys  
(16880, 5.00.2146.1)

Name [00000004] WAN Miniport (IP)  
Adapter Type Not Available  
Product Name WAN Miniport (IP)  
Installed True  
PNP Device ID ROOT\MS\_NDISWANIP\0000  
Last Reset 3/27/2003 8:55:13 AM  
Index 4  
Service Name NdisWan

IP Address Not Available  
IP Subnet Not Available  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address Not Available  
Service Name NdisWan  
Driver c:\winnt\system32\drivers\ndiswan.sys  
(90096, 5.00.2195.2779)

Name [00000005] Compaq NC7780 Gigabit Server  
Adapter  
Adapter Type Ethernet 802.3  
Product Name Compaq NC7780 Gigabit Server  
Adapter  
Installed True  
PNP Device ID PCI\VEN\_14E4&DEV\_1645&SUBSYS\_00850E11&REV\_1  
5\3&13C0B0C5&0&28  
Last Reset 3/27/2003 8:55:13 AM  
Index 5  
Service Name q57w2k  
IP Address 130.168.40.11  
IP Subnet 255.255.0.0  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address 00:08:02:45:66:95  
Service Name q57w2k  
IRQ Number 30  
Driver c:\winnt\system32\drivers\q57w2k.sys  
(77776, 2.75.0.0)

Name [00000006] Compaq NC7780 Gigabit Server  
Adapter  
Adapter Type Ethernet 802.3  
Product Name Compaq NC7780 Gigabit Server  
Adapter  
Installed True  
PNP Device ID PCI\VEN\_14E4&DEV\_1645&SUBSYS\_00850E11&REV\_1  
5\3&13C0B0C5&0&30  
Last Reset 3/27/2003 8:55:13 AM  
Index 6  
Service Name q57w2k  
IP Address 130.172.11.11  
IP Subnet 255.255.0.0  
Default IP Gateway Not Available  
DHCP Enabled False  
DHCP Server Not Available  
DHCP Lease Expires Not Available  
DHCP Lease Obtained Not Available  
MAC Address 00:08:02:45:66:96  
Service Name q57w2k  
IRQ Number 29  
Driver c:\winnt\system32\drivers\q57w2k.sys  
(77776, 2.75.0.0)

Name [00000007] Compaq NC3123 Fast Ethernet NIC

Adapter Type Not Available  
 Product Name Compaq NC3123 Fast Ethernet NIC  
 Installed True  
 PNP Device ID Not Available  
 Last Reset 3/27/2003 8:55:13 AM  
 Index 7  
 Service Name N100  
 IP Address 130.172.11.11  
 IP Subnet 255.255.0.0  
 Default IP Gateway Not Available  
 DHCP Enabled True  
 DHCP Server 130.168.253.2  
 DHCP Lease Expires 9/16/2002 3:58:55 PM  
 DHCP Lease Obtained 9/15/2002 3:58:55 PM  
 MAC Address 00:08:02:45:66:96  
 Service Name Not Available

[Protocol]

Item Value  
 Name MSAFD Tcpip [TCP/IP]  
 ConnectionlessService False  
 GuaranteesDelivery True  
 GuaranteesSequencing True  
 MaximumAddressSize 16 bytes  
 MaximumMessageSize 0 bytes  
 MessageOriented False  
 MinimumAddressSize 16 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting False  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData True  
 SupportsGracefulClosing True  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD Tcpip [UDP/IP]  
 ConnectionlessService True  
 GuaranteesDelivery False  
 GuaranteesSequencing False  
 MaximumAddressSize 16 bytes  
 MaximumMessageSize 65467 bytes  
 MessageOriented True  
 MinimumAddressSize 16 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting True  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting True

Name RSVP UDP Service Provider  
 ConnectionlessService True  
 GuaranteesDelivery False  
 GuaranteesSequencing False  
 MaximumAddressSize 16 bytes  
 MaximumMessageSize 65467 bytes

MessageOriented True  
 MinimumAddressSize 16 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting True  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption True  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting True

Name RSVP TCP Service Provider  
 ConnectionlessService False  
 GuaranteesDelivery True  
 GuaranteesSequencing True  
 MaximumAddressSize 16 bytes  
 MaximumMessageSize 0 bytes  
 MessageOriented False  
 MinimumAddressSize 16 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting False  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption True  
 SupportsExpeditedData True  
 SupportsGracefulClosing True  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{4249431A-469E-4735-A292-01AA526741FC}] SEQUENCE 4  
 ConnectionlessService False  
 GuaranteesDelivery True  
 GuaranteesSequencing True  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting False  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{4249431A-469E-4735-A292-01AA526741FC}] DATAGRAM 4  
 ConnectionlessService True  
 GuaranteesDelivery False  
 GuaranteesSequencing False  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting True  
 SupportsConnectData False

SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{3B09DDB7-7EB8-4941-8121-52DC6359F5A6}] SEQUENCE 3  
 ConnectionlessService False  
 GuaranteesDelivery True  
 GuaranteesSequencing True  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting False  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{3B09DDB7-7EB8-4941-8121-52DC6359F5A6}] DATAGRAM 3  
 ConnectionlessService True  
 GuaranteesDelivery False  
 GuaranteesSequencing False  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting True  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False  
 SupportsGracefulClosing False  
 SupportsGuaranteedBandwidth False  
 SupportsMulticasting False

Name MSAFD NetBIOS  
 [\Device\NetBT\_Tcpip\_{684FA660-D082-4A8C-AC8C-C9D449B21686}] SEQUENCE 0  
 ConnectionlessService False  
 GuaranteesDelivery True  
 GuaranteesSequencing True  
 MaximumAddressSize 20 bytes  
 MaximumMessageSize 64000 bytes  
 MessageOriented True  
 MinimumAddressSize 20 bytes  
 PseudoStreamOriented False  
 SupportsBroadcasting False  
 SupportsConnectData False  
 SupportsDisconnectData False  
 SupportsEncryption False  
 SupportsExpeditedData False

```

SupportsGracefulClosing      False
SupportsGuaranteedBandwidth  False
SupportsMulticasting         False

```

```

Name      MSAFD NetBIOS
[\Device\NetBT_Tcpip_{684FA660-D082-4A8C-AC8C-
C9D449E21686}] DATAGRAM 0
ConnectionlessService      True
GuaranteesDelivery         False
GuaranteesSequencing       False
MaximumAddressSize         20 bytes
MaximumMessageSize        64000 bytes
MessageOriented            True
MinimumAddressSize         20 bytes
PseudoStreamOriented      False
SupportsBroadcasting       True
SupportsConnectData        False
SupportsDisconnectData     False
SupportsEncryption         False
SupportsExpeditedData      False
SupportsGracefulClosing    False
SupportsGuaranteedBandwidth False
SupportsMulticasting       False

```

```

Name      MSAFD NetBIOS
[\Device\NetBT_Tcpip_{D90E04F2-3AD9-4F98-9464-
751E106D7E6A}] SEQPACKET 1
ConnectionlessService      False
GuaranteesDelivery         True
GuaranteesSequencing       True
MaximumAddressSize         20 bytes
MaximumMessageSize        64000 bytes
MessageOriented            True
MinimumAddressSize         20 bytes
PseudoStreamOriented      False
SupportsBroadcasting       False
SupportsConnectData        False
SupportsDisconnectData     False
SupportsEncryption         False
SupportsExpeditedData      False
SupportsGracefulClosing    False
SupportsGuaranteedBandwidth False
SupportsMulticasting       False

```

```

Name      MSAFD NetBIOS
[\Device\NetBT_Tcpip_{D90E04F2-3AD9-4F98-9464-
751E106D7E6A}] DATAGRAM 1
ConnectionlessService      True
GuaranteesDelivery         False
GuaranteesSequencing       False
MaximumAddressSize         20 bytes
MaximumMessageSize        64000 bytes
MessageOriented            True
MinimumAddressSize         20 bytes
PseudoStreamOriented      False
SupportsBroadcasting       True
SupportsConnectData        False
SupportsDisconnectData     False
SupportsEncryption         False
SupportsExpeditedData      False
SupportsGracefulClosing    False
SupportsGuaranteedBandwidth False
SupportsMulticasting       False

```

```

Name      MSAFD NetBIOS
[\Device\NetBT_Tcpip_{3F1BA297-E685-416B-82D7-
70E771CC8745}] SEQPACKET 2
ConnectionlessService      False
GuaranteesDelivery         True
GuaranteesSequencing       True
MaximumAddressSize         20 bytes
MaximumMessageSize        64000 bytes
MessageOriented            True
MinimumAddressSize         20 bytes
PseudoStreamOriented      False
SupportsBroadcasting       False
SupportsConnectData        False
SupportsDisconnectData     False
SupportsEncryption         False
SupportsExpeditedData      False
SupportsGracefulClosing    False
SupportsGuaranteedBandwidth False
SupportsMulticasting       False

```

```

Name      MSAFD NetBIOS
[\Device\NetBT_Tcpip_{3F1BA297-E685-416B-82D7-
70E771CC8745}] DATAGRAM 2
ConnectionlessService      True
GuaranteesDelivery         False
GuaranteesSequencing       False
MaximumAddressSize         20 bytes
MaximumMessageSize        64000 bytes
MessageOriented            True
MinimumAddressSize         20 bytes
PseudoStreamOriented      False
SupportsBroadcasting       True
SupportsConnectData        False
SupportsDisconnectData     False
SupportsEncryption         False
SupportsExpeditedData      False
SupportsGracefulClosing    False
SupportsGuaranteedBandwidth False
SupportsMulticasting       False

```

[WinSock]

```

Item      Value
File      c:\winnt\system32\winsock.dll
Version   3.10
Size      2.80 KB (2,864 bytes)

File      c:\winnt\system32\wsock32.dll
Version   5.00.2195.2871
Size      21.27 KB (21,776 bytes)

```

[Ports]

[ Following are sub-categories of this main category ]

[Serial]

```

Item      Value
Name      COM1

```

```

Status      OK
PNP Device ID      ACPI\PNP0501\0
Maximum Input Buffer Size      0
Maximum Output Buffer Size      False
Settable Baud Rate      True
Settable Data Bits      True
Settable Flow Control      True
Settable Parity      True
Settable Parity Check      True
Settable Stop Bits      True
Settable RLSD      True
Supports RLSD      True
Supports 16 Bit Mode      False
Supports Special Characters      False
Baud Rate      9600
Bits/Byte      8
Stop Bits      1
Parity      None
Busy      0
Abort Read/Write on Error      0
Binary Mode Enabled      -1
Continue XMit on XOff      0
CTS Outflow Control      0
Discard NULL Bytes      0
DSR Outflow Control      0
DSR Sensitivity      0
DTR Flow Control Type      Enable
EOF Character      0
Error Replace Character      0
Error Replacement Enabled      0
Event Character      0
Parity Check Enabled      0
RTS Flow Control Type      Enable
XOff Character      19
XOffXMit Threshold      512
XOn Character      17
XOnXMit Threshold      2048
XOnXOff InFlow Control      0
XOnXOff OutFlow Control      0
IRQ Number      4
I/O Port      0x03F8-0x03FF
Driver      c:\winnt\system32\drivers\serial.sys
(62416, 5.00.2195.2780)

```

[Parallel]

```

Item      Value
No parallel port information

```

[Storage]

[ Following are sub-categories of this main category ]

[Drives]

```

Item      Value
Drive      A:
Description      3 1/2 Inch Floppy Drive

Drive      C:
Description      Local Fixed Disk

```



```

Compressed           False
File System          NTFS
Size                 16.95 GB (18,198,999,040 bytes)
Free Space           14.86 GB (15,953,879,040 bytes)
Volume Name
Volume Serial Number      C8B488FA
Partition Disk #0, Partition #0
Partition Size           16.95 GB (18,199,003,136 bytes)
Starting Offset          16384 bytes
Drive Description        Disk drive
Drive Manufacturer       (Standard disk drives)
Drive Model              COMPAQ LOGICAL VOLUME SCSI Disk
Device
Drive BytesPerSector     512
Drive MediaLoaded        True
Drive MediaType          Fixed hard disk media
Drive Partitions         1
Drive SCSI Bus           0
Drive SCSI Logical Unit   0
Drive SCSI Port          2
Drive SCSI Target ID     4
Drive SectorsPerTrack    32
Drive Size                18203197440 bytes
Drive TotalCylinders      4357
Drive TotalSectors        35553120
Drive TotalTracks         1111035
Drive TracksPerCylinder  255

```

[SCSI]

```

Item      Value
Name      Compaq Smart Array 5i
Caption   Compaq Smart Array 5i
Driver    cpqcissm
Status    OK
PNP Device ID
          PCI\VEN_0E11&DEV_B178&SUBSYS_40800E11&REV_0
1\3&13C0B0C5&0&20
Device ID
          PCI\VEN_0E11&DEV_B178&SUBSYS_40800E11&REV_0
1\3&13C0B0C5&0&20
Device Map      Not Available
Index           Not Available
Max Number Controlled   Not Available
IRQ Number      31
I/O Port        0x3000-0x30FF
Driver          c:\winnt\system32\drivers\cpqcissm.sys
(14992, 5.40.2.0)

```

[Printing]

```

Name      Port Name Server Name
No printing information

```

[Problem Devices]

```

Device      PNP Device ID      Error Code
Base System Device
          PCI\VEN_0E11&DEV_B203&SUBSYS_B2060E11&REV_0
1\3&267A616A&0&28      28

```

```

Base System Device
          PCI\VEN_0E11&DEV_B204&SUBSYS_B2060E11&REV_0
1\3&267A616A&0&2A      28

```

[USB]

```

Device      PNP Device ID
Standard OpenHCD USB Host Controller
          PCI\VEN_1166&DEV_0220&SUBSYS_02201166&REV_0
5\3&267A616A&0&7A
USB Root Hub      USB\ROOT_HUB\4&AF5358C&0

```

[Software Environment]

```

[ Following are sub-categories of this main category ]

```

[Drivers]

Name	Description	File	Type	Started	Start Mode	State
	Status	Error Control	Accept Pause			
		Accept Stop				
abiosdsk	Abiosdsk	Not Available	Kernel Driver	False	Disabled	Stopped
		Ignore	False	False	False	False
abp480n5	abp480n5	Not Available	Kernel Driver	False	Disabled	Stopped
		Normal	False	False	False	False
acpi	Microsoft ACPI Driver	c:\winnt\system32\drivers\acpi.sys	Kernel Driver	True	Boot	Running
		True	OK	Normal	False	False
acpiec	ACPIEC	c:\winnt\system32\drivers\acpiec.sys	Kernel Driver	False	Disabled	Stopped
		Stopped	OK	Normal	False	False
adp160m	adp160m	Not Available	Kernel Driver	False	Disabled	Stopped
		Normal	False	False	False	False
afd	AFD Networking Support Environment	c:\winnt\system32\drivers\afd.sys	Kernel Driver	True	Auto	Running
		True	OK	Normal	False	False
ahal54x	Ahal54x	Not Available	Kernel Driver	False	Disabled	Stopped
		Normal	False	False	False	False
aic116x	aic116x	Not Available	Kernel Driver	False	Disabled	Stopped
		Normal	False	False	False	False
aic78u2	aic78u2	Not Available	Kernel Driver	False	Disabled	Stopped
		Normal	False	False	False	False
aic78xx	aic78xx	Not Available	Kernel Driver	False	Disabled	Stopped
		Normal	False	False	False	False
alkernel	Altiris Kernel Driver	c:\winnt\system32\drivers\alkernel.sys	Kernel Driver	True	Manual	Running

Running	OK	Normal	False
ami0nt	True	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
amsint	amsint	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
asc	asc	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
asc3350p	asc3350p	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
asc3550	asc3550	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
asynmac	RAS Asynchronous Media Driver	c:\winnt\system32\drivers\asynmac.sys	Kernel Driver
	Stopped	OK	Normal
	False	False	False
atapi	Standard IDE/ESDI Hard Disk Controller	c:\winnt\system32\drivers\atapi.sys	Kernel Driver
	Running	OK	Normal
	True	Boot	Running
	True	OK	Normal
atdisk	Atdisk	Not Available	Kernel Driver
	False	Disabled	Stopped
	Ignore	False	False
atirage3	atirage3	c:\winnt\system32\drivers\atimpab.sys	Kernel Driver
	Running	OK	Ignore
	True	False	False
atmarpc	ATM ARP Client Protocol	c:\winnt\system32\drivers\atmarpc.sys	Kernel Driver
	Stopped	OK	Normal
	False	False	False
audstub	Audio Stub Driver	c:\winnt\system32\drivers\audstub.sys	Kernel Driver
	Running	OK	Normal
	True	Manual	Running
	True	OK	Normal
beep	Beep	c:\winnt\system32\drivers\beep.sys	Kernel Driver
	Running	OK	Normal
	True	System	Running
	True	OK	Normal
buslogic	BusLogic	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
cd20xrnt	cd20xrnt	Not Available	Kernel Driver
	False	Disabled	Stopped
	Normal	False	False
cdaudio	Cdaudio	c:\winnt\system32\drivers\cdaudio.sys	Kernel Driver
	Stopped	OK	Ignore
	False	False	False
cdfs	Cdfs	c:\winnt\system32\drivers\cdfs.sys	Kernel Driver

	File System Driver	True	Disabled	
	Running	OK	Normal	False
cdrom	CD-ROM Driver			
	c:\winnt\system32\drivers\cdrom.sys			
	Kernel Driver	True	System	
	Running	OK	Normal	False
changer	Changer	Not Available	Kernel Driver	
	False	System	Stopped	OK
	Ignore	False	False	
cpqarray	Cpqarray	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
cpqarray2	cpqarray2	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
cpqcissm	cpqcissm			
	c:\winnt\system32\drivers\cpqcissm.sys			
	Kernel Driver	True	Boot	
	Running	OK	Normal	False
	True			
cpqfcalm	cpqfcalm	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
cpqfws2e	cpqfws2e	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
dac960nt	dac960nt	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
deckzpsx	deckzpsx	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
dfsdriver	DfsDriver	c:\winnt\system32\drivers\dfs.sys		
	File System Driver	True	Boot	
	Running	OK	Normal	False
	True			
disk	Disk Driver			
	c:\winnt\system32\drivers\disk.sys			
	Kernel Driver	True	Boot	
	Running	OK	Normal	False
	True			
diskperf	Diskperf			
	c:\winnt\system32\drivers\diskperf.sys			
	Kernel Driver	True	Boot	
	Running	OK	Normal	False
	True			
dmboot	dmboot			
	c:\winnt\system32\drivers\dmboot.sys			
	Kernel Driver	False	Disabled	
	Stopped	OK	Normal	False
	False			
dmio	Logical Disk Manager Driver			
	c:\winnt\system32\drivers\dmio.sys			
	Kernel Driver	True	Boot	
	Running	OK	Normal	False
	True			
dmload	dmload			
	c:\winnt\system32\drivers\dmload.sys			
	Kernel Driver	True	Boot	
	Running	OK	Normal	False
	True			

efs	EFS	c:\winnt\system32\drivers\efs.sys		
	File System Driver	True	Disabled	
	Running	OK	Normal	False
	True			
fastfat	Fastfat			
	c:\winnt\system32\drivers\fastfat.sys			
	File System Driver	True	Disabled	
	Running	OK	Normal	False
	True			
fd16_700	Pd16_700	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
fdc	Floppy Disk Controller Driver			
	c:\winnt\system32\drivers\fdc.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
fips	Fips			
	c:\winnt\system32\drivers\fips.sys			
	Kernel Driver	True	Auto	
	Running	OK	Normal	False
	True			
fireport	fireport	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
flashpnt	flashpnt	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
flpydisk	Floppy Disk Driver			
	c:\winnt\system32\drivers\flpydisk.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
ftdisk	Volume Manager Driver			
	c:\winnt\system32\drivers\ftdisk.sys			
	Kernel Driver	True	Boot	
	Running	OK	Normal	False
	True			
gpc	Generic Packet Classifier			
	c:\winnt\system32\drivers\msgpc.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
i8042prt	i8042 Keyboard and PS/2 Mouse Port Driver			
	c:\winnt\system32\drivers\i8042prt.sys			
	Kernel Driver	True	System	
	Running	OK	Normal	False
	True			
ini910u	ini910u	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
intelide	IntelIde	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
ipfilterdriver	IP Traffic Filter Driver			
	c:\winnt\system32\drivers\ipfltdrv.sys			
	Kernel Driver	False	Manual	
	Stopped	OK	Normal	False
	False			
ipinip	IP in IP Tunnel Driver			
	c:\winnt\system32\drivers\ipinip.sys			
	Kernel Driver	False	Manual	

	Stopped	OK	Normal	False
	False			
ipnat	IP Network Address Translator			
	c:\winnt\system32\drivers\ipnat.sys			
	Kernel Driver	False	Manual	
	Stopped	OK	Normal	False
	False			
ipsec	IPSEC driver			
	c:\winnt\system32\drivers\ipsec.sys			
	Kernel Driver	True	Manual	
	Running	OK	Normal	False
	True			
ipsraidn	ipsraidn	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
isapnp	PnP ISA/EISA Bus Driver			
	c:\winnt\system32\drivers\isapnp.sys			
	Kernel Driver	True	Boot	
	Running	OK	Critical	False
	True			
kbdclass	Keyboard Class Driver			
	c:\winnt\system32\drivers\kbdclass.sys			
	Kernel Driver	True	System	
	Running	OK	Normal	False
	True			
ksecdd	KSecDD			
	c:\winnt\system32\drivers\ksecdd.sys			
	Kernel Driver	True	Boot	
	Running	OK	Normal	False
	True			
lbrtfdc	lbrtfdc	Not Available	Kernel Driver	
	False	System	Stopped	OK
	Ignore	False	False	
lp6nds35	lp6nds35	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
mmdd	mmdd			
	c:\winnt\system32\drivers\mmdd.sys			
	Kernel Driver	True	System	
	Running	OK	Ignore	False
	True			
modem	Modem			
	c:\winnt\system32\drivers\modem.sys			
	Kernel Driver	False	Manual	
	Stopped	OK	Ignore	False
	False			
mouclass	Mouse Class Driver			
	c:\winnt\system32\drivers\mouclass.sys			
	Kernel Driver	True	System	
	Running	OK	Normal	False
	True			
mountmgr	MountMgr			
	c:\winnt\system32\drivers\mountmgr.sys			
	Kernel Driver	True	Boot	
	Running	OK	Normal	False
	True			
mraid35x	mraid35x	Not Available	Kernel Driver	
	False	Disabled	Stopped	OK
	Normal	False	False	
mrxsmb	MRXSMB			
	c:\winnt\system32\drivers\mrxsmb.sys			
	File System Driver	True	System	

```

Running OK Normal False
True
msfs Msfs
c:\winnt\system32\drivers\msfs.sys
File System Driver True System
Running OK Normal False
True
mskssrv Microsoft Streaming Service Proxy
c:\winnt\system32\drivers\mskssrv.sys
Kernel Driver False Manual
Stopped OK Normal False
False
mspclock Microsoft Streaming Clock Proxy
c:\winnt\system32\drivers\mspclock.sys
Kernel Driver False Manual
Stopped OK Normal False
False
mspqm Microsoft Streaming Quality Manager Proxy
c:\winnt\system32\drivers\mspqm.sys
Kernel Driver False Manual
Stopped OK Normal False
False
mup Mup c:\winnt\system32\drivers\mup.sys
File System Driver True Boot
Running OK Normal False
True
n100 Compaq Ethernet or Fast Ethernet NIC NT
Driver c:\winnt\system32\drivers\n100nt5.sys
Kernel Driver False Manual
Stopped OK Normal False
False
ncrc710 Ncrc710 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
ndis NDIS System Driver
c:\winnt\system32\drivers\ndis.sys
Kernel Driver True Boot
Running OK Normal False
True
ndistapi Remote Access NDIS TAPI Driver
c:\winnt\system32\drivers\ndistapi.sys
Kernel Driver True Manual
Running OK Normal False
True
ndiswan Remote Access NDIS WAN Driver
c:\winnt\system32\drivers\ndiswan.sys
Kernel Driver True Manual
Running OK Normal False
True
ndproxy NDIS Proxy
c:\winnt\system32\drivers\ndproxy.sys
Kernel Driver True Manual
Running OK Normal False
True
netbios NetBIOS Interface
c:\winnt\system32\drivers\netbios.sys
File System Driver True System
Running OK Normal False
True
netbt NetBios over Tcpip
c:\winnt\system32\drivers\netbt.sys
Kernel Driver True System

```

```

Running OK Normal False
True
netdetect NetDetect
c:\winnt\system32\drivers\netdect.sys
Kernel Driver False Manual
Stopped OK Normal False
False
npfs Npfs
c:\winnt\system32\drivers\npfs.sys
File System Driver True System
Running OK Normal False
True
ntfs Ntfs
c:\winnt\system32\drivers\ntfs.sys
File System Driver True Disabled
Running OK Normal False
True
null Null
c:\winnt\system32\drivers\null.sys
Kernel Driver True System
Running OK Normal False
True
nwlkflt IPX Traffic Filter Driver
c:\winnt\system32\drivers\nwlkflt.sys
Kernel Driver False Manual
Stopped OK Normal False
False
nwlkfwd IPX Traffic Forwarder Driver
c:\winnt\system32\drivers\nwlkfwd.sys
Kernel Driver False Manual
Stopped OK Normal False
False
openhci Microsoft USB Open Host Controller Driver
c:\winnt\system32\drivers\openhci.sys
Kernel Driver True Manual
Running OK Normal False
True
parallel Parallel
c:\winnt\system32\drivers\parallel.sys
Kernel Driver False Auto
Stopped OK Ignore False
False
parport Parport
c:\winnt\system32\drivers\parport.sys
Kernel Driver False Auto
Stopped OK Ignore False
False
partmgr PartMgr
c:\winnt\system32\drivers\partmgr.sys
Kernel Driver True Boot
Running OK Normal False
True
parvdm ParVdm
c:\winnt\system32\drivers\parvdm.sys
Kernel Driver False Auto
Stopped OK Ignore False
False
pci PCI Bus Driver
c:\winnt\system32\drivers\pci.sys
Kernel Driver True Boot
Running OK Critical False
True

```

```

pcidump PCIDump Not Available Kernel Driver
False System Stopped OK
Ignore False False
pciide PCIIDE
c:\winnt\system32\drivers\pciide.sys
Kernel Driver True Boot
Running OK Normal False
True
pcmcia Pcmcia
c:\winnt\system32\drivers\pcmcia.sys
Kernel Driver False Disabled
Stopped OK Normal False
False
pdcomp PDCOMP Not Available Kernel Driver
False Manual Stopped OK
Ignore False False
pdframe PDFRAME Not Available Kernel Driver
False Manual Stopped OK
Ignore False False
pdreli PDRELI Not Available Kernel Driver
False Manual Stopped OK
Ignore False False
pdrframe PDRFRAME Not Available Kernel Driver
False Manual Stopped OK
Ignore False False
pptpminiport WAN Miniport (PPTP)
c:\winnt\system32\drivers\raspttp.sys
Kernel Driver True Manual
Running OK Normal False
True
ptilink Direct Parallel Link Driver
c:\winnt\system32\drivers\ptilink.sys
Kernel Driver True Manual
Running OK Normal False
True
q57w2k Compaq NC7780 Gigabit Server Adapter
c:\winnt\system32\drivers\q57w2k.sys
Kernel Driver True Manual
Running OK Normal False
True
ql1080 ql1080 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
ql10wmt Ql10wmt Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
ql1240 ql1240 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
ql2100 ql2100 Not Available Kernel Driver
False Disabled Stopped OK
Normal False False
rasacd Remote Access Auto Connection Driver
c:\winnt\system32\drivers\rasacd.sys
Kernel Driver True System
Running OK Normal False
True
rasl2tp WAN Miniport (L2TP)
c:\winnt\system32\drivers\rasl2tp.sys
Kernel Driver True Manual
Running OK Normal False
True

```

```

raspti   Direct Parallel
c:\winnt\system32\drivers\raspti.sys
Kernel Driver   True   Manual
Running   OK       Normal   False
True

rca      Microsoft Streaming Network Raw Channel
Access    c:\winnt\system32\drivers\rca.sys
Kernel Driver   False  Manual
Stopped   OK       Normal   False
False

rdbss   Rdbss
c:\winnt\system32\drivers\rdbss.sys
File System Driver True   System
Running   OK       Normal   False
True

rdpdr   Terminal Server Device Redirector Driver
c:\winnt\system32\drivers\rdpdr.sys
Kernel Driver   True   Manual
Running   OK       Normal   False
True

rdpwd   RDPWD
c:\winnt\system32\drivers\rdpwd.sys
Kernel Driver   True   Manual
Running   OK       Ignore   False
True

redbook Digital CD Audio Playback Filter Driver
c:\winnt\system32\drivers\redbook.sys
Kernel Driver   False  System
Stopped   OK       Normal   False
False

serenum Serenum Filter Driver
c:\winnt\system32\drivers\serenum.sys
Kernel Driver   True   Manual
Running   OK       Normal   False
True

serial  Serial port driver
c:\winnt\system32\drivers\serial.sys
Kernel Driver   True   System
Running   OK       Ignore   False
True

sfloppy Sfloppy
c:\winnt\system32\drivers\sfloppy.sys
Kernel Driver   False  System
Stopped   OK       Ignore   False
False

sglfb   sglfb   Not Available   Kernel Driver
False   System   Stopped   OK
Normal   False   False

simbad  Simbad  Not Available   Kernel Driver
False   Disabled   Stopped   OK
Normal   False   False

sparrow Sparrow  Not Available   Kernel Driver
False   Disabled   Stopped   OK
Normal   False   False

spud    Special Purpose Utility Driver
c:\winnt\system32\drivers\spud.sys
Kernel Driver   True   Manual
Running   OK       Normal   False
True

srv     Srv     c:\winnt\system32\drivers\srv.sys
File System Driver True   Manual
Running   OK       Normal   False
True

```

```

swenum  Software Bus Driver
c:\winnt\system32\drivers\swenum.sys
Kernel Driver   True   Manual
Running   OK       Normal   False
True

symc810 symc810  Not Available   Kernel Driver
False   Disabled   Stopped   OK
Normal   False   False

symc8xx symc8xx  Not Available   Kernel Driver
False   Disabled   Stopped   OK
Normal   False   False

sym_hi  sym_hi  Not Available   Kernel Driver
False   Disabled   Stopped   OK
Normal   False   False

tcppip  TCP/IP Protocol Driver
c:\winnt\system32\drivers\tcpip.sys
Kernel Driver   True   System
Running   OK       Normal   False
True

tdasync TDASYNC
c:\winnt\system32\drivers\tdasync.sys
Kernel Driver   False  Manual
Stopped   OK       Ignore   False
False

tdipx   TDIPX
c:\winnt\system32\drivers\tdipx.sys
Kernel Driver   False  Manual
Stopped   OK       Ignore   False
False

tdnetb  TDNETB
c:\winnt\system32\drivers\tdnetb.sys
Kernel Driver   False  Manual
Stopped   OK       Ignore   False
False

tdpipe  TDPIPE
c:\winnt\system32\drivers\tdpipe.sys
Kernel Driver   False  Manual
Stopped   OK       Ignore   False
False

tdspix  TDSPX
c:\winnt\system32\drivers\tdspix.sys
Kernel Driver   False  Manual
Stopped   OK       Ignore   False
False

tdtcp   TDTCP
c:\winnt\system32\drivers\tdtcp.sys
Kernel Driver   True   Manual
Running   OK       Ignore   False
True

termdd  Terminal Device Driver
c:\winnt\system32\drivers\termdd.sys
Kernel Driver   True   Auto
Running   OK       Normal   False
True

tga     tga     Not Available   Kernel Driver
False   System   Stopped   OK
Ignore   False   False

udfs    Udfs
c:\winnt\system32\drivers\udfs.sys
File System Driver False  Disabled
Stopped   OK       Normal   False
False

```

```

ultra66 ultra66  Not Available   Kernel Driver
False   Disabled   Stopped   OK
Normal   False   False

update  Microcode Update Driver
c:\winnt\system32\drivers\update.sys
Kernel Driver   True   Manual
Running   OK       Normal   False
True

usbhub  Microsoft USB Standard Hub Driver
c:\winnt\system32\drivers\usbhub.sys
Kernel Driver   True   Manual
Running   OK       Normal   False
True

vgasave VgaSave  c:\winnt\system32\drivers\vga.sys
Kernel Driver   True   System
Running   OK       Ignore   False
True

wanarp  Remote Access IP ARP Driver
c:\winnt\system32\drivers\wanarp.sys
Kernel Driver   True   Manual
Running   OK       Normal   False
True

wdica   WDICA    Not Available   Kernel Driver
False   Manual   Stopped   OK
Ignore   False   False

[Environment Variables]

Variable  Value      User Name
ComSpec   %SystemRoot%\system32\cmd.exe <SYSTEM>
Os2LibPath %SystemRoot%\system32\os2\dll;
Path
%SystemRoot%\system32;%SystemRoot%;%SystemR
oot%\System32\wbem;C:\Program Files\Microsoft SQL
Server\80\Tools\BINN <SYSTEM>
windir    %SystemRoot% <SYSTEM>
OS        Windows_NT <SYSTEM>
PROCESSOR_ARCHITECTURE x86 <SYSTEM>
PROCESSOR_LEVEL        6 <SYSTEM>
PROCESSOR_IDENTIFIER   x86 Family 6 Model 11
Stepping 1, GenuineIntel <SYSTEM>
PROCESSOR_REVISION     0b01 <SYSTEM>
NUMBER_OF_PROCESSORS   2 <SYSTEM>
PATHEXT   .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF
;.WSH <SYSTEM>
TEMP      %SystemRoot%\TEMP <SYSTEM>
TMP       %SystemRoot%\TEMP <SYSTEM>
TEMP      %USERPROFILE%\Local Settings\Temp
CL11\Administrator
TMP       %USERPROFILE%\Local Settings\Temp
CL11\Administrator

[Jobs]

[ Following are sub-categories of this main category
]

[Print]

Document  Size      Owner      Notify      Status
Time Submitted      Start Time

```

Until Time Elapsed Time  
 Pages Printed Job ID Priority  
 Parameters Driver Name  
 Print Processor Host Print Queue  
 Data Type Name  
 No print jobs

[Network Connections]

Local Name Remote Name Type  
 Status User Name  
 No network connections information

[Running Tasks]

Name	Path	Process ID	Priority	Min
Working Set	Max Working Set	Start Time		
Version	Size	File Date		
system	idle process	Not Available	0	0
Available	Not Available	Not Available	Not	Not
Available	Unknown	Unknown	Unknown	
system	Not Available	8	8	0
	1413120	Not Available	Unknown	
	Unknown	Unknown		
smss.exe	c:\winnt\system32\smss.exe	184	11	
	204800	1413120	3/27/2003	2:55:23 PM
	5.00.2195.2901	44.27 KB	(45,328 bytes)	
	12/7/1999	7:00:00 AM		
csrss.exe	Not Available	208	13	Not
Available	Not Available	3/27/2003	2:55:28 PM	
	Unknown	Unknown	Unknown	
winlogon.exe	c:\winnt\system32\winlogon.exe			
	204	13	204800	1413120
	3/27/2003	2:55:29 PM		
	5.00.2195.2953	173.77 KB	(177,936 bytes)	
	12/7/1999	7:00:00 AM		
services.exe	c:\winnt\system32\services.exe			
	260	9	204800	1413120
	3/27/2003	2:55:30 PM		
	5.00.2195.2780	86.77 KB	(88,848 bytes)	
	12/7/1999	7:00:00 AM		
lsass.exe	c:\winnt\system32\lsass.exe	272	9	
	204800	1413120	3/27/2003	2:55:30 PM
	5.00.2195.2964	32.77 KB	(33,552 bytes)	
	12/7/1999	7:00:00 AM		
termsrv.exe	c:\winnt\system32\termsrv.exe	380		
	10	204800	1413120	3/27/2003
	2:55:31 PM	5.00.2195.2342	137.27 KB	
	(140,560 bytes)	9/13/2002	6:09:44 PM	
svchost.exe	c:\winnt\system32\svchost.exe	488		
	8	204800	1413120	3/27/2003
	2:55:33 PM	5.00.2134.1	7.77 KB	
	(7,952 bytes)	12/7/1999	7:00:00 AM	
spoolsv.exe	c:\winnt\system32\spoolsv.exe	520		
	8	204800	1413120	3/27/2003
	2:55:33 PM	5.00.2161.1	43.77 KB	
	(44,816 bytes)	9/13/2002	5:38:39 PM	
msdtc.exe	c:\winnt\system32\msdtc.exe	548	8	
	204800	1413120	3/27/2003	2:55:33 PM

	1999.9.3421.3	6.77 KB	(6,928 bytes)	
	9/13/2002	5:45:07 PM		
aclient.exe	c:\altiris\aclient\aclient.exe			
	668	8	204800	1413120
	3/27/2003	2:55:34 PM	5.5.142	
	1.91 MB	(2,003,020 bytes)	9/14/2002	
5:16:04 PM				
svchost.exe	c:\winnt\system32\svchost.exe	700		
	8	204800	1413120	3/27/2003
	2:55:35 PM	5.00.2134.1	7.77 KB	
	(7,952 bytes)	12/7/1999	7:00:00 AM	
llssrv.exe	c:\winnt\system32\llssrv.exe	720		
	9	204800	1413120	3/27/2003
	2:55:35 PM	5.00.2195.2649	114.27 KB	
	(117,008 bytes)	5/4/2001	12:05:02 PM	
regsvcs.exe	c:\winnt\system32\regsvcs.exe	780		
	8	204800	1413120	3/27/2003
	2:55:36 PM	5.00.2195.2104	65.27 KB	
	(66,832 bytes)	9/13/2002	6:09:39 PM	
rsys.exe	c:\benchcraft\rsys.exe	796	8	
	204800	1413120	3/27/2003	2:55:36 PM
	Not Available	32.00 KB	(32,768 bytes)	
	9/17/2002	4:43:31 PM		
mstask.exe	c:\winnt\system32\mstask.exe	828		
	8	204800	1413120	3/27/2003
	2:55:36 PM	4.71.2195.1	115.27 KB	
	(118,032 bytes)	9/13/2002	6:09:32 PM	
winmgmt.exe	c:\winnt\system32\wbem\winmgmt.exe	912		
	8	204800	1413120	3/27/2003
	2:55:42 PM	1.50.1085.0029	192.08 KB	
	(196,685 bytes)	9/13/2002	6:09:52 PM	
inetinfo.exe	c:\winnt\system32\inetrv\inetinfo.exe	944		
	8	204800	1413120	3/27/2003
	2:55:43 PM	5.00.0984	14.27 KB	(14,608 bytes)
	9/13/2002	6:10:42 PM		
dfssvc.exe	c:\winnt\system32\dfssvc.exe			
	1020	8	204800	1413120
	3/27/2003	2:55:45 PM		
	5.00.2195.2841	88.27 KB	(90,384 bytes)	
	9/13/2002	6:09:18 PM		
svchost.exe	c:\winnt\system32\svchost.exe			
	1244	8	204800	1413120
	3/27/2003	2:56:00 PM	5.00.2134.1	
	7.77 KB	(7,952 bytes)	12/7/1999	
7:00:00 AM				
logon.scr	c:\winnt\system32\logon.scr	760	4	
	204800	1413120	3/27/2003	3:10:44 PM
	5.00.2195.2104	127.77 KB	(130,832 bytes)	
	9/13/2002	6:09:26 PM		
csrss.exe	Not Available	1192	13	Not
Available	Not Available	3/27/2003	3:32:44 PM	
	Unknown	Unknown	Unknown	
winlogon.exe	c:\winnt\system32\winlogon.exe			
	1184	13	204800	1413120
	3/27/2003	3:32:44 PM		
	5.00.2195.2953	173.77 KB	(177,936 bytes)	
	12/7/1999	7:00:00 AM		
rdpclip.exe	c:\winnt\system32\rdpclip.exe			
	1336	8	204800	1413120
	3/27/2003	3:32:46 PM	5.00.2174.1	

	39.77 KB	(40,720 bytes)	9/13/2002	
5:45:10 PM				
explorer.exe	c:\winnt\explorer.exe			
	1128	8	204800	1413120
	3/27/2003	3:32:46 PM		
	5.00.3315.2846	237.27 KB	(242,960 bytes)	
	9/13/2002	6:09:47 PM		
tardis.exe	c:\program files\tardis 2000			
	1284	8	204800	
	1413120	3/27/2003	3:32:48 PM	5,
	0, 1, 4	308.00 KB	(315,392 bytes)	9/13/2002
	6:21:25 PM			
mmc.exe	c:\winnt\system32\mmc.exe	1420	8	
	204800	1413120	3/27/2003	3:32:56 PM
	5.00.2195.2301	589.27 KB	(603,408 bytes)	
	9/13/2002	6:09:26 PM		
rsvp.exe	c:\winnt\system32\rsvp.exe	1552	8	
	204800	1413120	3/27/2003	3:33:30 PM
	5.00.2167.1	172.77 KB	(176,912 bytes)	
	12/7/1999	7:00:00 AM		
[Loaded Modules]				
Name	Version	Size	File Date	Manufacturer
Path				
traffic.dll	5.00.2139.1	30.77 KB		
(31,504 bytes)	12/7/1999	7:00:00 AM		
	Microsoft Corporation			
rsvp.exe	c:\winnt\system32\traffic.dll			
	5.00.2167.1	172.77 KB	(176,912 bytes)	
	12/7/1999	7:00:00 AM		Microsoft
	Corporation			
wbemprox.dll	c:\winnt\system32\rsvp.exe			
	1.50.1085.0045	40.08 KB	(41,040 bytes)	
	9/13/2002	6:09:52 PM		
	Microsoft Corporation			
mlang.dll	c:\winnt\system32\wbem\wbemprox.dll			
	5.00.3103.1000	510.77 KB	(523,024 bytes)	
	9/13/2002	6:09:26 PM		Microsoft
	Corporation			
cabinet.dll	c:\winnt\system32\mlang.dll			
	5.00.2147.1	54.77 KB	(56,080 bytes)	
	12/7/1999	7:00:00 AM		
	Microsoft Corporation			
msinfo32.dll	c:\winnt\system32\cabinet.dll			
	5.00.2177.1	312.27 KB	(319,760 bytes)	
	9/13/2002	5:46:00 PM		
	Microsoft Corporation			c:\program
files\common files\microsoft				
shared\msinfo\msinfo32.dll				
mmcmdmgr.dll	5.00.2178.1	815.27 KB	(834,832 bytes)	
	12/7/1999	7:00:00 AM		
	Microsoft Corporation			
mmc.exe	c:\winnt\system32\mmcmdmgr.dll			
	5.00.2195.2301	589.27 KB	(603,408 bytes)	
	9/13/2002	6:09:26 PM		Microsoft
	Corporation			
rapilib.dll	c:\winnt\system32\mmc.exe			
	5.00.2195.2717	24.77 KB	(25,360 bytes)	
	9/13/2002	6:09:39 PM		
	Microsoft Corporation			
rsvsp.dll	c:\winnt\system32\rapilib.dll			
	5.00.2195.2749	74.77 KB	(76,560 bytes)	
	9/13/2002	6:09:40 PM		
	Microsoft Corporation			
	c:\winnt\system32\rsvsp.dll			

```

tardis.exe      5, 0, 1, 4      308.00 KB
(315,392 bytes) 9/13/2002 6:21:25 PM
H.C.Mingham-Smith Ltd. c:\program
files\tardis 2000 vl.4\tardis.exe
shdoclc.dll    5.00.3315.2879 324.50 KB
(332,288 bytes) 9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\shdoclc.dll
linkinfo.dll  5.00.2134.1    15.77 KB
(16,144 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\linkinfo.dll
msi.dll        1.11.2405.0    1.69 MB (1,767,184
bytes) 9/13/2002 6:09:29 PM
Microsoft Corporation
c:\winnt\system32\msi.dll
powrprof.dll  5.00.3103.1000 13.27 KB
(13,584 bytes) 9/13/2002 6:09:38 PM
Microsoft Corporation
c:\winnt\system32\powrprof.dll
batmeter.dll  5.00.3103.1000 20.27 KB
(20,752 bytes) 9/13/2002 6:09:14 PM
Microsoft Corporation
c:\winnt\system32\batmeter.dll
stobject.dll  5.00.2195.2780 79.27 KB
(81,168 bytes) 9/13/2002 6:09:43 PM
Microsoft Corporation
c:\winnt\system32\stobject.dll
webcheck.dll  5.00.3315.1000 251.77 KB
(257,808 bytes) 9/13/2002 6:09:45 PM
Microsoft Corporation
c:\winnt\system32\webcheck.dll
ntshrui.dll  5.00.2134.1    46.77 KB
(47,888 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ntshrui.dll
mydocs.dll   5.00.2920.0000 55.77 KB
(57,104 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mydocs.dll
browseui.dll 5.00.3315.2846 788.77 KB
(807,696 bytes) 9/13/2002 6:09:14 PM
Microsoft Corporation
c:\winnt\system32\browseui.dll
shdocvw.dll  5.00.3315.2879 1.05 MB
(1,104,144 bytes) 9/13/2002 6:09:42 PM
Microsoft Corporation
c:\winnt\system32\shdocvw.dll
explorer.exe 5.00.3315.2846 237.27 KB
(242,960 bytes) 9/13/2002 6:09:47 PM
Microsoft Corporation
c:\winnt\explorer.exe
rdpclip.exe  5.00.2174.1    39.77 KB
(40,720 bytes) 9/13/2002 5:45:10 PM
Microsoft Corporation
c:\winnt\system32\rdpclip.exe
mscms.dll    5.00.2180.1    68.27 KB (69,904 bytes)
12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mscms.dll
printui.dll  5.00.2195.2780 371.77 KB
(380,688 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\printui.dll

```

```

cscui.dll 5.00.2195.2959 228.27 KB (233,744
bytes) 9/13/2002 6:09:17 PM
Microsoft Corporation
c:\winnt\system32\cscui.dll
logon.scr 5.00.2195.2104 127.77 KB (130,832
bytes) 9/13/2002 6:09:26 PM
Microsoft Corporation
c:\winnt\system32\logon.scr
tapisrv.dll 5.00.2195.2955 169.27 KB
(173,328 bytes) 9/13/2002 6:09:44 PM
Microsoft Corporation
c:\winnt\system32\tapisrv.dll
dfssvc.exe  5.00.2195.2841 88.27 KB
(90,384 bytes) 9/13/2002 6:09:18 PM
Microsoft Corporation
c:\winnt\system32\dfssvc.exe
iislog.dll  5.00.0984 75.27 KB (77,072 bytes)
9/13/2002 6:10:42 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\iislog.dll
httpext.dll 0.9.3940.21 435.27 KB
(445,712 bytes) 9/13/2002 6:10:42 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\httpext.dll
fpexedll.dll 4.0.2.4324 20.06 KB
(20,541 bytes) 9/13/2002 6:10:33 PM
Microsoft Corporation
c:\program
files\common files\microsoft shared\web server
extensions\40\bin\fpexedll.dll
md5filt.dll 5.00.0984 32.77 KB (33,552 bytes)
9/13/2002 6:10:43 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\md5filt.dll
gzip.dll 5.00.0984 30.27 KB (30,992 bytes)
9/13/2002 6:10:42 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\gzip.dll
compfilt.dll 5.00.0984 22.77 KB (23,312 bytes)
9/13/2002 6:10:41 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\compfilt.dll
sspifilt.dll 5.00.0984 43.27 KB (44,304 bytes)
9/13/2002 6:10:43 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\sspifilt.dll
iscomlog.dll 5.00.0984 24.77 KB (25,360 bytes)
9/13/2002 6:10:43 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\iscomlog.dll
lonsint.dll 5.00.0984 11.77 KB (12,048 bytes)
9/13/2002 6:10:43 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\lonsint.dll
inetsloc.dll 5.00.0984 20.27 KB (20,752 bytes)
9/13/2002 6:09:24 PM
Microsoft Corporation
c:\winnt\system32\inetsloc.dll
iisfecnv.dll 5.00.0984 7.27 KB (7,440 bytes)
9/13/2002 5:45:32 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\iisfecnv.dll
isatq.dll 5.00.0984 60.27 KB (61,712 bytes)
9/13/2002 6:10:43 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\isatq.dll

```

```

infocomm.dll 5.00.0984 238.27 KB (243,984
bytes) 9/13/2002 6:10:43 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\infocomm.dll
w3svc.dll 5.00.0984 343.27 KB (351,504 bytes)
9/13/2002 6:10:44 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\w3svc.dll
security.dll 5.00.2154.1 5.77 KB
(5,904 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\security.dll
svcxext.dll 5.00.0984 39.77 KB (40,720 bytes)
9/13/2002 6:10:44 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\svcxext.dll
admexs.dll 5.00.0984 27.77 KB (28,432 bytes)
9/13/2002 6:10:41 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\admexs.dll
wamreg.dll 5.00.0984 45.77 KB (46,864 bytes)
9/13/2002 6:10:44 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\wamreg.dll
metadata.dll 5.00.0984 68.77 KB (70,416 bytes)
9/13/2002 6:10:43 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\metadata.dll
iismap.dll 5.00.0984 55.77 KB (57,104 bytes)
9/13/2002 6:09:23 PM
Microsoft Corporation
c:\winnt\system32\iismap.dll
nsepm.dll 5.00.0984 43.27 KB (44,304 bytes)
9/13/2002 6:10:43 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\nsepm.dll
admwprox.dll 5.00.0984 31.77 KB (32,528 bytes)
9/13/2002 5:45:33 PM
Microsoft Corporation
c:\winnt\system32\admwprox.dll
coadmin.dll 5.00.0984 39.27 KB (40,208 bytes)
9/13/2002 6:10:41 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\coadmin.dll
iisadmin.dll 5.00.0984 15.27 KB (15,632 bytes)
9/13/2002 6:10:42 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\iisadmin.dll
rpcref.dll 5.00.0984 4.27 KB (4,368 bytes)
9/13/2002 6:10:43 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\rpcref.dll
iisrtl.dll 5.00.0984 119.77 KB (122,640
bytes) 9/13/2002 6:09:23 PM
Microsoft Corporation
c:\winnt\system32\iisrtl.dll
inetinfo.exe 5.00.0984 14.27 KB (14,608 bytes)
9/13/2002 6:10:42 PM
Microsoft Corporation
c:\winnt\system32\inetsrv\inetinfo.exe
netui1.dll 5.00.2134.1 210.27 KB
(215,312 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\netui1.dll
netui0.dll 5.00.2134.1 70.27 KB
(71,952 bytes) 12/7/1999 7:00:00 AM

```

```

Microsoft Corporation
c:\winnt\system32\netui0.dll
ntlanman.dll 5.00.2157.1 35.27 KB
(36,112 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ntlanman.dll
wshnetbs.dll 5.00.2134.1 7.77 KB
(7,952 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wshnetbs.dll
ntmarta.dll 5.00.2195.2862 98.77 KB
(101,136 bytes) 9/13/2002 6:09:35 PM
Microsoft Corporation
c:\winnt\system32\ntmarta.dll
perfos.dll 5.00.2155.1 21.27 KB
(21,776 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\perfos.dll
provthrd.dll 1.50.1085.0000 68.07 KB
(69,708 bytes) 9/13/2002 5:45:53 PM
Microsoft Corporation
c:\winnt\system32\wbem\provthrd.dll
ntevt.dll 1.50.1085.0000 192.06 KB (196,669
bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wbem\ntevt.dll
framedyn.dll 1.50.1085.0000 164.05 KB
(167,992 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wbem\framedyn.dll
cimwin32.dll 1.50.1085.0038 1.02 MB
(1,073,232 bytes) 9/13/2002 6:09:50 PM
Microsoft Corporation
c:\winnt\system32\wbem\cimwin32.dll
wbemsvc.dll 1.50.1085.0007 40.07 KB
(41,036 bytes) 9/13/2002 6:09:52 PM
Microsoft Corporation
c:\winnt\system32\wbem\wbemsvc.dll
wbemess.dll 1.50.1085.0039 364.07 KB
(372,804 bytes) 9/13/2002 6:09:52 PM
Microsoft Corporation
c:\winnt\system32\wbem\wbemess.dll
fastprox.dll 1.50.1085.0037 144.08 KB
(147,536 bytes) 9/13/2002 6:09:51 PM
Microsoft Corporation
c:\winnt\system32\wbem\fastprox.dll
wbemcore.dll 1.50.1085.0036 628.07 KB
(643,140 bytes) 9/13/2002 6:09:52 PM
Microsoft Corporation
c:\winnt\system32\wbem\wbemcore.dll
wbemcomn.dll 1.50.1085.0021 692.07 KB
(708,675 bytes) 9/13/2002 6:09:51 PM
Microsoft Corporation
c:\winnt\system32\wbem\wbemcomn.dll
winmgmt.exe 1.50.1085.0029 192.08 KB
(196,685 bytes) 9/13/2002 6:09:52 PM
Microsoft Corporation
c:\winnt\system32\wbem\winmgmt.exe
msidle.dll 5.00.2920.0000 6.27 KB
(6,416 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msidle.dll
mstask.exe 4.71.2195.1 115.27 KB
(118,032 bytes) 9/13/2002 6:09:32 PM

```

```

Microsoft Corporation
c:\winnt\system32\mstask.exe
rsys.exe Not Available 32.00 KB (32,768 bytes)
9/17/2002 4:43:31 PM Not Available
c:\benchmark\rsys.exe
regsvc.exe 5.00.2195.2104 65.27 KB
(66,832 bytes) 9/13/2002 6:09:39 PM
Microsoft Corporation
c:\winnt\system32\regsvc.exe
llsrpc.dll 5.00.2149.1 45.77 KB
(46,864 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\llsrpc.dll
llssrv.exe 5.00.2195.2649 114.27 KB
(117,008 bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\llssrv.exe
wmi.dll 5.00.2191.1 6.27 KB (6,416 bytes)
12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wmi.dll
netshell.dll 5.00.2195.2779 457.27 KB
(468,240 bytes) 9/13/2002 6:09:34 PM
Microsoft Corporation
c:\winnt\system32\netshell.dll
netman.dll 5.00.2195.2779 89.27 KB
(91,408 bytes) 9/13/2002 6:09:34 PM
Microsoft Corporation
c:\winnt\system32\netman.dll
ntmsdba.dll 5.00.2195.2779 167.27 KB
(171,280 bytes) 9/13/2002 6:09:35 PM
Microsoft Corporation
c:\winnt\system32\ntmsdba.dll
rasdlg.dll 5.00.2195.2671 514.27 KB
(526,608 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rasdlg.dll
netcfgx.dll 5.00.2195.2228 534.77 KB
(547,600 bytes) 9/13/2002 6:09:34 PM
Microsoft Corporation
c:\winnt\system32\netcfgx.dll
rasmans.dll 5.00.2195.2728 147.27 KB
(150,800 bytes) 9/13/2002 6:09:39 PM
Microsoft Corporation
c:\winnt\system32\rasmans.dll
sens.dll 5.00.2163.1 36.77 KB (37,648 bytes)
12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\sens.dll
ntmssvc.dll 5.00.2195.2779 391.27 KB
(400,656 bytes) 9/13/2002 6:09:35 PM
Microsoft Corporation
c:\winnt\system32\ntmssvc.dll
es.dll 2000.2.3471.1 222.27 KB (227,600
bytes) 9/13/2002 6:09:21 PM
Microsoft Corporation
c:\winnt\system32\es.dll
psapi.dll 5.00.2134.1 28.27 KB (28,944 bytes)
12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\psapi.dll
riched20.dll 5.30.23.1205 421.27 KB
(431,376 bytes) 9/13/2002 6:09:40 PM
Microsoft Corporation
c:\winnt\system32\riched20.dll
riched32.dll 5.00.2134.1 3.77 KB
(3,856 bytes) 12/7/1999 7:00:00 AM

```

```

Microsoft Corporation
c:\winnt\system32\riched32.dll
comdlg32.dll 5.00.3103.1000 236.77 KB
(242,448 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\comdlg32.dll
aclient.exe 5.5.142 1.91 MB (2,003,020
bytes) 9/14/2002 5:16:04 PM Altiris, Inc.
c:\altiris\aclient\aclient.exe
mtxoci.dll 2000.2.3471.1 101.77 KB
(104,208 bytes) 9/13/2002 6:09:33 PM
Microsoft Corporation
c:\winnt\system32\mtxoci.dll
resutils.dll 5.00.2195.2787 39.77 KB
(40,720 bytes) 9/13/2002 6:09:40 PM
Microsoft Corporation
c:\winnt\system32\resutils.dll
clusapi.dll 5.00.2195.2104 54.27 KB
(55,568 bytes) 9/13/2002 6:09:16 PM
Microsoft Corporation
c:\winnt\system32\clusapi.dll
msvc50.dll 5.00.7051 552.50 KB (565,760
bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msvc50.dll
xolehlp.dll 1999.9.3421.3 17.27 KB
(17,680 bytes) 9/13/2002 5:45:08 PM
Microsoft Corporation
c:\winnt\system32\xolehlp.dll
msdtclog.dll 1999.9.3421.3 89.77 KB
(91,920 bytes) 9/13/2002 5:45:07 PM
Microsoft Corporation
c:\winnt\system32\msdtclog.dll
mtxclu.dll 2000.2.3471.1 51.27 KB
(52,496 bytes) 9/13/2002 6:09:33 PM
Microsoft Corporation
c:\winnt\system32\mtxclu.dll
msdtcprx.dll 2000.2.3471.1 665.77 KB
(681,744 bytes) 9/13/2002 6:09:27 PM
Microsoft Corporation
c:\winnt\system32\msdtcprx.dll
txfaux.dll 2000.2.3471.1 374.27 KB
(383,248 bytes) 9/13/2002 6:09:44 PM
Microsoft Corporation
c:\winnt\system32\txfaux.dll
msdtctm.dll 2000.2.3471.1 1.07 MB
(1,120,528 bytes) 9/13/2002 6:09:28 PM
Microsoft Corporation
c:\winnt\system32\msdtctm.dll
msdtc.exe 1999.9.3421.3 6.77 KB (6,928 bytes)
9/13/2002 5:45:07 PM
Microsoft Corporation
c:\winnt\system32\msdtc.exe
inetpp.dll 5.00.2195.2842 65.27 KB
(66,832 bytes) 9/13/2002 6:09:24 PM
Microsoft Corporation
c:\winnt\system32\inetpp.dll
win32spl.dll 5.00.2195.2780 92.27 KB
(94,480 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\win32spl.dll
usbmon.dll 5.00.2195.2780 11.27 KB
(11,536 bytes) 9/13/2002 6:09:44 PM
Microsoft Corporation
c:\winnt\system32\usbmon.dll

```

```

tcpmon.dll 5.00.2195.2780 40.77 KB
(41,744 bytes) 9/13/2002 6:09:44 PM
Microsoft Corporation
c:\winnt\system32\tcpmon.dll
pjlmon.dll 5.00.2165.1 12.77 KB
(13,072 bytes) 11/30/1999 5:39:36 PM
Microsoft Corporation
c:\winnt\system32\pjlmon.dll
cnbjmon.dll 5.00.2134.1 43.77 KB
(44,816 bytes) 11/30/1999 5:38:48 PM
Microsoft Corporation
c:\winnt\system32\cnbjmon.dll
localspl.dll 5.00.2195.2793 246.77 KB
(252,688 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\localspl.dll
spoolss.dll 5.00.2161.1 61.77 KB
(63,248 bytes) 9/13/2002 5:38:39 PM
Microsoft Corporation
c:\winnt\system32\spoolss.dll
spoolsv.exe 5.00.2161.1 43.77 KB
(44,816 bytes) 9/13/2002 5:38:39 PM
Microsoft Corporation
c:\winnt\system32\spoolsv.exe
rpcss.dll 5.00.2195.2815 231.27 KB (236,816
bytes) 9/13/2002 6:09:40 PM Microsoft
Corporation c:\winnt\system32\rpcss.dll
svchost.exe 5.00.2134.1 7.77 KB
(7,952 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\svchost.exe
rdpwsx.dll 5.00.2180.1 94.40 KB
(96,664 bytes) 9/13/2002 5:45:10 PM
Microsoft Corporation
c:\winnt\system32\rdpwsx.dll
ntlsapi.dll 5.00.2134.1 6.77 KB
(6,928 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ntlsapi.dll
mstlsapi.dll 5.00.2181.1 24.77 KB
(25,360 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mstlsapi.dll
icaapi.dll 5.00.2134.1 118.77 KB
(121,616 bytes) 9/13/2002 5:45:09 PM
Microsoft Corporation
c:\winnt\system32\icaapi.dll
regapi.dll 5.00.2155.1 35.27 KB
(36,112 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\regapi.dll
termsrv.exe 5.00.2195.2342 137.27 KB
(140,560 bytes) 9/13/2002 6:09:44 PM
Microsoft Corporation
c:\winnt\system32\termsrv.exe
dssenh.dll 5.00.2195.2228 142.77 KB
(146,192 bytes) 9/13/2002 6:10:37 PM
Microsoft Corporation
c:\winnt\system32\dssenh.dll
oakley.dll 5.00.2195.2785 378.77 KB
(387,856 bytes) 9/13/2002 6:09:36 PM
Microsoft Corporation
c:\winnt\system32\oakley.dll

```

```

mfc42u.dll 6.00.8665.0 972.05 KB
(995,384 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mfc42u.dll
polagent.dll 5.00.2183.1 108.27 KB
(110,864 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\polagent.dll
scecli.dll 5.00.2195.2780 105.27 KB
(107,792 bytes) 9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\scecli.dll
atl.dll 3.00.8449 57.56 KB (58,938 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\atl.dll
certcli.dll 5.00.2195.2778 130.77 KB
(133,904 bytes) 9/13/2002 6:09:16 PM
Microsoft Corporation
c:\winnt\system32\certcli.dll
esent.dll 6.0.3940.13 1.08 MB (1,135,376
bytes) 9/13/2002 6:09:21 PM Microsoft
Corporation c:\winnt\system32\esent.dll
ntdsatq.dll 5.00.2195.2878 31.27 KB
(32,016 bytes) 9/13/2002 6:09:35 PM
Microsoft Corporation
c:\winnt\system32\ntdsatq.dll
ntdsa.dll 5.00.2195.2899 990.77 KB (1,014,544
bytes) 9/13/2002 6:09:34 PM Microsoft
Corporation c:\winnt\system32\ntdsa.dll
kdcsvc.dll 5.00.2195.2878 137.77 KB
(141,072 bytes) 9/13/2002 6:09:26 PM
Microsoft Corporation
c:\winnt\system32\kdcsvc.dll
sfmapi.dll 5.00.2134.1 38.77 KB
(39,696 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\sfmapi.dll
rassfm.dll 5.00.2195.2671 21.27 KB
(21,776 bytes) 9/13/2002 6:09:39 PM
Microsoft Corporation
c:\winnt\system32\rassfm.dll
mpr.dll 5.00.2195.2779 53.27 KB (54,544 bytes)
9/13/2002 6:09:27 PM Microsoft
Corporation c:\winnt\system32\mpr.dll
rsabase.dll 5.00.2195.2228 128.27 KB
(131,344 bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\rsabase.dll
schannel.dll 5.00.2195.2922 138.27 KB
(141,584 bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\schannel.dll
netlogon.dll 5.00.2195.2865 357.77 KB
(366,352 bytes) 9/13/2002 6:09:34 PM
Microsoft Corporation
c:\winnt\system32\netlogon.dll
kerberos.dll 5.00.2195.2913 198.77 KB
(203,536 bytes) 9/13/2002 6:09:26 PM
Microsoft Corporation
c:\winnt\system32\kerberos.dll
msprivs.dll 5.00.2154.1 41.50 KB
(42,496 bytes) 12/7/1999 7:00:00 AM

```

```

Microsoft Corporation
c:\winnt\system32\msprivs.dll
samsrv.dll 5.00.2195.2918 369.77 KB
(378,640 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\samsrv.dll
lsasrv.dll 5.00.2195.2964 492.77 KB
(504,592 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\lsasrv.dll
lsass.exe 5.00.2195.2964 32.77 KB (33,552 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\lsass.exe
wmicore.dll 5.00.2195.2842 72.27 KB
(74,000 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wmicore.dll
msock.dll 5.00.2195.2871 62.77 KB
(64,272 bytes) 9/13/2002 6:09:33 PM
Microsoft Corporation
c:\winnt\system32\msock.dll
msgsvcs.dll 5.00.2195.2939 34.27 KB
(35,088 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msgsvcs.dll
browser.dll 5.00.2195.2778 48.27 KB
(49,424 bytes) 9/13/2002 6:09:14 PM
Microsoft Corporation
c:\winnt\system32\browser.dll
alrsvcs.dll 5.00.2134.1 17.77 KB
(18,192 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\alrsvcs.dll
trkwns.dll 5.00.2166.1 88.77 KB
(90,896 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\trkwns.dll
seclogon.dll 5.00.2135.1 15.77 KB
(16,144 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\seclogon.dll
psbase.dll 5.00.2195.2779 111.77 KB
(114,448 bytes) 9/13/2002 6:09:39 PM
Microsoft Corporation
c:\winnt\system32\psbase.dll
cryptsvc.dll 5.00.2181.1 61.77 KB
(63,248 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cryptsvc.dll
cryptdll.dll 5.00.2135.1 41.27 KB
(42,256 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cryptdll.dll
wkssvc.dll 5.00.2195.2780 95.27 KB
(97,552 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wkssvc.dll
srsvcs.dll 5.00.2195.2904 79.27 KB
(81,168 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\srsvcs.dll
cfgmgr32.dll 5.00.2134.1 16.77 KB
(17,168 bytes) 12/7/1999 7:00:00 AM

```



```

Microsoft Corporation
c:\winnt\system32\cfgmgr32.dll
dmserver.dll 2195.2778.297.3 11.77 KB
(12,048 bytes) 9/13/2002 6:09:19 PM
VERITAS Software Corp.
c:\winnt\system32\dmserver.dll
lmhsvc.dll 5.00.2195.2778 9.77 KB
(10,000 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\lmhsvc.dll
dnssrslvr.dll 5.00.2195.2778 88.77 KB
(90,896 bytes) 9/13/2002 6:09:20 PM
Microsoft Corporation
c:\winnt\system32\dnssrslvr.dll
eventlog.dll 5.00.2178.1 43.77 KB
(44,816 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\eventlog.dll
sceerv.dll 5.00.2195.2780 226.27 KB
(231,696 bytes) 9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\sceerv.dll
umpnpgmgr.dll 5.00.2182.1 86.27 KB
(88,336 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\umpnpgmgr.dll
services.exe 5.00.2195.2780 86.77 KB
(88,848 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\services.exe
wininet.dll 5.00.3315.1000 456.77 KB
(467,728 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wininet.dll
cryptnet.dll 5.131.2157.1 41.77 KB
(42,768 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\cryptnet.dll
msvl_0.dll 5.00.2195.2900 111.77 KB
(114,448 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msvl_0.dll
ntdsapi.dll 5.00.2195.2661 55.77 KB
(57,104 bytes) 9/13/2002 6:09:35 PM
Microsoft Corporation
c:\winnt\system32\ntdsapi.dll
rasadhlp.dll 5.00.2168.1 7.27 KB
(7,440 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rasadhlp.dll
winrnr.dll 5.00.2160.1 18.77 KB
(19,216 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\winrnr.dll
clbcatq.dll 2000.2.3471.1 496.77 KB
(508,688 bytes) 9/13/2002 6:09:16 PM
Microsoft Corporation
c:\winnt\system32\clbcatq.dll
dhcpcsvc.dll 5.00.2195.2778 88.77 KB
(90,896 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\dhcpcsvc.dll

```

```

tapi32.dll 5.00.2182.1 123.27 KB
(126,224 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\tapi32.dll
rasman.dll 5.00.2195.2780 54.77 KB
(56,080 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rasman.dll
rasapi32.dll 5.00.2195.2671 189.77 KB
(194,320 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rasapi32.dll
rtutils.dll 5.00.2168.1 43.77 KB
(44,816 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\rtutils.dll
adslrpc.dll 5.00.2195.2842 127.27 KB
(130,320 bytes) 9/13/2002 6:09:12 PM
Microsoft Corporation
c:\winnt\system32\adslrpc.dll
activeds.dll 5.00.2195.2778 174.77 KB
(178,960 bytes) 9/13/2002 6:09:09 PM
Microsoft Corporation
c:\winnt\system32\activeds.dll
oleaut32.dll 2.40.4517.612.27 KB (626,960
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\oleaut32.dll
mprapi.dll 5.00.2181.1 79.27 KB
(81,168 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mprapi.dll
icmp.dll 5.00.2134.1 7.27 KB (7,440 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\icmp.dll
iphlpapi.dll 5.00.2173.2 67.77 KB
(69,392 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\iphlpapi.dll
rnr20.dll 5.00.2195.2871 35.77 KB (36,624 bytes)
9/13/2002 6:09:40 PM Microsoft
Corporation c:\winnt\system32\rnr20.dll
wshtcpip.dll 5.00.2195.2104 17.27 KB
(17,680 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wshtcpip.dll
msafd.dll 5.00.2195.2779 106.77 KB (109,328
bytes) 9/13/2002 6:09:27 PM Microsoft
Corporation c:\winnt\system32\msafd.dll
winspool.drv 5.00.2195.2780 109.77 KB
(112,400 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\winspool.drv
wincard.dll 5.00.2134.1 77.27 KB
(79,120 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\wincard.dll
wlnotify.dll 5.00.2195.2780 53.77 KB
(55,056 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wlnotify.dll
cscdll.dll 5.00.2195.2401 98.27 KB
(100,624 bytes) 9/13/2002 6:09:17 PM

```

```

Microsoft Corporation
c:\winnt\system32\csdll.dll
lz32.dll 5.00.2134.1 9.77 KB (10,000 bytes)
12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\lz32.dll
version.dll 5.00.2134.1 15.77 KB
(16,144 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\version.dll
rsaenh.dll 5.00.2195.2228 130.77 KB
(133,904 bytes) 9/13/2002 6:10:37 PM
Microsoft Corporation
c:\winnt\system32\rsaenh.dll
mscat32.dll 5.131.2134.1 7.77 KB
(7,952 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\mscat32.dll
ole32.dll 5.00.2195.2887 969.77 KB (993,040
bytes) 9/13/2002 6:09:38 PM Microsoft
Corporation c:\winnt\system32\ole32.dll
imagehlp.dll 5.00.2195.2778 125.77 KB
(128,784 bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\imagehlp.dll
msasn1.dll 5.00.2134.1 51.27 KB
(52,496 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msasn1.dll
crypt32.dll 5.131.2195.2833 451.27 KB
(462,096 bytes) 9/13/2002 6:09:17 PM
Microsoft Corporation
c:\winnt\system32\crypt32.dll
wintrust.dll 5.131.2195.2779 162.27 KB
(166,160 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wintrust.dll
shlwapi.dll 5.00.3315.1000 282.77 KB
(289,552 bytes) 9/13/2002 6:09:42 PM
Microsoft Corporation
c:\winnt\system32\shlwapi.dll
shell32.dll 5.00.3315.2902 2.25 MB
(2,359,056 bytes) 9/13/2002 6:09:42 PM
Microsoft Corporation
c:\winnt\system32\shell32.dll
msgina.dll 5.00.2195.2779 324.27 KB
(332,048 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\msgina.dll
comctl32.dll 5.81 537.77 KB (550,672
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\comctl32.dll
setupapi.dll 5.00.2195.2663 555.77 KB
(569,104 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\setupapi.dll
winmm.dll 5.00.2161.1 184.77 KB (189,200
bytes) 12/7/1999 7:00:00 AM Microsoft
Corporation c:\winnt\system32\winmm.dll
winsta.dll 5.00.2195.2386 36.77 KB
(37,648 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\winsta.dll

```

```

wssock32.dll      5.00.2195.2871    21.27 KB
(21,776 bytes)   9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wssock32.dll
dnsapi.dll       5.00.2195.2785    130.77 KB
(133,904 bytes) 9/13/2002 6:09:19 PM
Microsoft Corporation
c:\winnt\system32\dnsapi.dll
wldap32.dll      5.00.2195.2797    125.27 KB
(128,272 bytes) 9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\wldap32.dll
ws2help.dll      5.00.2134.1       17.77 KB
(18,192 bytes)  12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\ws2help.dll
ws2_32.dll       5.00.2195.2780    67.77 KB
(69,392 bytes)  9/13/2002 6:09:46 PM
Microsoft Corporation
c:\winnt\system32\ws2_32.dll
samlib.dll       5.00.2195.2780    49.77 KB
(50,960 bytes)  12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\samlib.dll
netrap.dll       5.00.2134.1       11.27 KB
(11,536 bytes)  12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\netrap.dll
netapi32.dll     5.00.2195.2808    303.77 KB
(311,056 bytes) 9/13/2002 6:09:34 PM
Microsoft Corporation
c:\winnt\system32\netapi32.dll
profmap.dll      5.00.2181.1       29.27 KB
(29,968 bytes)  12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\profmap.dll
secur32.dll      5.00.2195.2862    46.77 KB
(47,888 bytes)  9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\secur32.dll
sfc.dll          5.00.2195.2896    92.11 KB (94,320 bytes)
9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\sfc.dll
nddeapi.dll     5.00.2137.1       15.27 KB
(15,632 bytes)  12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\nddeapi.dll
userenv.dll     5.00.2195.2780    361.77 KB
(370,448 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\userenv.dll
user32.dll      5.00.2195.2821    392.77 KB
(402,192 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\user32.dll
gdi32.dll       5.00.2195.2778    228.77 KB (234,256 bytes)
12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\gdi32.dll
rpcrt4.dll      5.00.2195.2832    437.27 KB
(447,760 bytes) 9/13/2002 6:09:40 PM
Microsoft Corporation
c:\winnt\system32\rpcrt4.dll

```

```

advapi32.dll     5.00.2195.2867    351.77 KB
(360,208 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\advapi32.dll
kernel32.dll    5.00.2195.2778    714.77 KB
(731,920 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\kernel32.dll
msvrt.dll       6.10.8924.0       284.05 KB
(290,869 bytes) 5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\msvrt.dll
winlogon.exe    5.00.2195.2953    173.77 KB
(177,936 bytes) 12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\winlogon.exe
sfcfiles.dll    5.00.2195.2967    948.27 KB
(971,024 bytes) 9/13/2002 6:09:41 PM
Microsoft Corporation
c:\winnt\system32\sfcfiles.dll
ntdll.dll       5.00.2195.2779    478.77 KB (490,256 bytes)
5/4/2001 12:05:02 PM
Microsoft Corporation
c:\winnt\system32\ntdll.dll
smss.exe        5.00.2195.2901    44.27 KB (45,328 bytes)
12/7/1999 7:00:00 AM
Microsoft Corporation
c:\winnt\system32\smss.exe

```

[Services]

Display Name	Name	State	Start Mode
	Service Type	Path	Error Control
	Start Name	Tag ID	
Altiris Client Service	Altient	Running	
	Auto	Own Process	
	c:\altiris\aclient\aclient.exe	-service	
	Normal	LocalSystem	0
Alerter	Alerter	Running	Auto
	Normal	LocalSystem	0
Application Management	AppMgmt	Stopped	
	Manual	Share Process	
	c:\winnt\system32\services.exe		
	Normal	LocalSystem	0
Computer Browser	Browser	Running	Auto
	Share Process		
	c:\winnt\system32\services.exe		
	Normal	LocalSystem	0
Indexing Service	cisvc	Stopped	Manual
	Share Process		
	c:\winnt\system32\cisvc.exe		
	Normal	LocalSystem	0
ClipBook	ClipSrv	Stopped	Manual
	Own Process		
	c:\winnt\system32\clipsrv.exe		
	Normal	LocalSystem	0
Distributed File System	Dfs	Running	
	Auto	Own Process	
	c:\winnt\system32\dfssvc.exe		
	Normal	LocalSystem	0
DHCP Client	Dhcp	Running	Auto
	Share Process		
	c:\winnt\system32\services.exe		
	Normal	LocalSystem	0

```

Logical Disk Manager Administrative Service
dmdadmin Stopped Manual Share Process
c:\winnt\system32\dmdadmin.exe /com
Normal LocalSystem 0
Logical Disk Manager dmserver Running
Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
DNS Client Dnscache Running Auto
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Event Log Eventlog Running Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
COM+ Event System EventSystem Running
Manual Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Fax Service Fax Stopped Manual Own
Process c:\winnt\system32\faxsvc.exe Normal
LocalSystem 0
IIS Admin Service IISADMIN Running Auto
Share Process
c:\winnt\system32\inetrv\inetinfo.exe
Normal LocalSystem 0
Intersite Messaging IsmServ Stopped Disabled Own
Process c:\winnt\system32\ismssrv.exe Normal
LocalSystem 0
Kerberos Key Distribution Center kdc
Stopped Disabled Share Process
c:\winnt\system32\lsass.exe Normal
LocalSystem 0
Server lanmanserver Running Auto
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Workstation lanmanworkstation Running
Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
License Logging Service LicenseService
Running Auto Own Process
c:\winnt\system32\llssrv.exe Normal
LocalSystem 0
TCP/IP NetBIOS Helper Service LmHosts Running
Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Messenger Messenger Running Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
NetMeeting Remote Desktop Sharing nmmsrvc
Stopped Manual Own Process
c:\winnt\system32\nmmsrvc.exe Normal
LocalSystem 0
Distributed Transaction Coordinator MSDTC
Running Auto Own Process
c:\winnt\system32\msdtc.exe Normal
LocalSystem 0
Windows Installer MSIServer Stopped Manual
Share Process

```

```

c:\winnt\system32\msiexec.exe /v
Normal LocalSystem 0
Network DDE NetDDE Stopped Manual
Share Process
c:\winnt\system32\netdde.exe Normal
LocalSystem 0
Network DDE DSDM NetDDEdsdm Stopped
Manual Share Process
c:\winnt\system32\netdde.exe Normal
LocalSystem 0
Net Logon NetLogon Stopped Manual Share Process
c:\winnt\system32\lsass.exe Normal
LocalSystem 0
Network Connections Netman Running Manual
Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
File Replication NtFrs Stopped Manual Own
Process c:\winnt\system32\ntfrs.exe Ignore
LocalSystem 0
NT LM Security Support Provider NtLmSsp
Stopped Manual Share Process
c:\winnt\system32\lsass.exe Normal
LocalSystem 0
Removable Storage NtmsSvc Running Auto
Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Plug and Play PlugPlay Running Auto
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
IPSEC Policy Agent PolicyAgent Running
Auto Share Process
c:\winnt\system32\lsass.exe Normal
LocalSystem 0
Protected Storage ProtectedStorage Running
Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Remote Access Auto Connection Manager RasAuto
Stopped Manual Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Access Connection Manager RasMan
Stopped Manual Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Routing and Remote Access RemoteAccess
Stopped Disabled Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Registry Service RemoteRegistry
Running Auto Own Process
c:\winnt\system32\regsvc.exe Normal
LocalSystem 0
Remote Command Service RMSYS Running
Auto Own Process
c:\benchmark\rsys.exe Normal
LocalSystem 0
Remote Procedure Call (RPC) Locator RpcLocator
Stopped Manual Own Process

```

```

c:\winnt\system32\locator.exe Normal
LocalSystem 0
Remote Procedure Call (RPC) RpcSs Running
Auto Share Process
c:\winnt\system32\svchost -k rpcss
Normal LocalSystem 0
QoS RSVP RSVP Running Manual Own Process
c:\winnt\system32\rsvp.exe -s Normal
LocalSystem 0
Security Accounts Manager SamSs Running
Auto Share Process
c:\winnt\system32\lsass.exe Normal
LocalSystem 0
Smart Card Helper SCardDrv Stopped Manual
Share Process
c:\winnt\system32\scardsvr.exe
Ignore LocalSystem 0
Smart Card SCardSvr Stopped Manual
Share Process
c:\winnt\system32\scardsvr.exe
Ignore LocalSystem 0
Task Scheduler Schedule Running Auto
Share Process
c:\winnt\system32\mstask.exe Normal
LocalSystem 0
RunAs Service seclogon Running Auto
Share Process
c:\winnt\system32\services.exe
Ignore LocalSystem 0
System Event Notification SENS Running
Auto Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Internet Connection Sharing SharedAccess
Stopped Manual Share Process
c:\winnt\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Print Spooler Spooler Running Auto Own
Process c:\winnt\system32\spoolsv.exe Normal
LocalSystem 0
Performance Logs and Alerts SysmonLog Stopped
Manual Own Process
c:\winnt\system32\smlogsvc.exe
Normal LocalSystem 0
Telephony Tapisrv Running Manual Share Process
c:\winnt\system32\svchost.exe -k tapisrv
Normal LocalSystem 0
Terminal Services TermService Running
Auto Own Process
c:\winnt\system32\termsrv.exe Normal
LocalSystem 0
Telnet TlntSvr Stopped Manual Own Process
c:\winnt\system32\tlntsvr.exe Normal
LocalSystem 0
Distributed Link Tracking Server TrkSvr
Stopped Manual Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
Distributed Link Tracking Client TrkWks
Running Auto Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0

```

```

Uninterruptible Power Supply UPS Stopped
Manual Own Process
c:\winnt\system32\ups.exe Normal
LocalSystem 0
Utility Manager UtilMan Stopped Manual Own
Process c:\winnt\system32\utilman.exe Normal
LocalSystem 0
Windows Time W32Time Stopped Manual
Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0
World Wide Web Publishing Service W3SVC
Running Auto Share Process
c:\winnt\system32\inet\inetinfo.exe
Normal LocalSystem 0
Windows Management Instrumentation WinMgmt
Running Auto Own Process
c:\winnt\system32\wbem\winmgmt.exe
Ignore LocalSystem 0
Windows Management Instrumentation Driver Extensions
Wmi Running Manual Share Process
c:\winnt\system32\services.exe
Normal LocalSystem 0

[Program Groups]

Group Name Name User Name
Accessories Default User:Accessories
Default User
Accessories\Accessibility Default
User:Accessories\Accessibility Default User
Accessories\Entertainment Default
User:Accessories\Entertainment Default User
Accessories\System Tools Default
User:Accessories\System Tools Default User
Startup Default User:Startup Default User
Accessories All Users:Accessories All
Users
Accessories\Communications All
Users:Accessories\Communications All Users
Accessories\Entertainment All
Users:Accessories\Entertainment All Users
Accessories\Microsoft Script Debugger All
Users:Accessories\Microsoft Script Debugger All
Users
Accessories\System Tools All
Users:Accessories\System Tools All Users
Administrative Tools All
Users:Administrative Tools All Users
Microsoft SQL Server All Users:Microsoft SQL
Server All Users
Startup All Users:Startup All Users
Tardis All Users:Tardis All Users
Accessories CL11\Administrator:Accessories
CL11\Administrator
Accessories\Accessibility
CL11\Administrator:Accessories\Accessibilit
y
CL11\Administrator
Accessories\Entertainment
CL11\Administrator:Accessories\Entertainmen
t
CL11\Administrator

```

```

Accessories\System Tools
  CL11\Administrator:Accessories\System Tools
  CL11\Administrator
Administrative Tools
  CL11\Administrator:Administrative Tools
  CL11\Administrator
Benchcraft
  CL11\Administrator:Benchcraft
  CL11\Administrator
Startup
  CL11\Administrator:Startup
  CL11\Administrator

[Startup Programs]

Program Command User Name Location
Tardis 2000 c:\progra-1\tardis-1.4\tardis.exe
  CL11\Administrator Startup

```

[OLE Registration]

Object	Local Server
Sound (OLE2)	sndrec32.exe
Media Clip	mplay32.exe
Video Clip	mplay32.exe /avi
MIDI Sequence	mplay32.exe /mid
Sound	Not Available
Media Clip	Not Available
Image Document	"C:\Program Files\Windows NT\Accessories\ImageVue\KodakImg.exe"
WordPad Document	"%ProgramFiles%\Windows NT\Accessories\WORDPAD.EXE"
Windows Media Services DRM Storage object	Not Available
Bitmap Image	mspaint.exe

[Internet Explorer 5]

[ Following are sub-categories of this main category ]

[Summary]

Item	Value
Version	5.0.3315.1000
Build	53315.1000
Product ID	51876-270-9567332-05753
Application Path	C:\Program Files\Internet Explorer
Language	English (United States)
Active Printer	Not Available

Cipher Strength	168-bit
Content Advisor	Disabled
IEAK Install	No

[File Versions]

File	Version	Size	Date	Path
advapi32.dll	5.0.2195.2867	352 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32
				Microsoft Corporation

advpack.dll	5.0.3103.1000	87 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
browselc.dll	5.0.3315.2846	35 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
browseui.dll	5.0.3315.2846	789 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
ckcncv.exe	5.0.2189.1	9 KB	12/7/1999 7:00:00 AM	C:\WINNT\system32	Microsoft Corporation
comctl32.dll	5.81.3103.1000	538 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
crypt32.dll	5.131.2195.2833	451 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
ehnsig.dll	<File Missing>	Not Available	Not Available	Not Available	Not Available
iemigrat.dll	<File Missing>	Not Available	Not Available	Not Available	Not Available
iesetup.dll	5.0.3103.1000	57 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
iexplore.exe	5.0.2920.0	59 KB	12/7/1999 7:00:00 AM	C:\Program Files\Internet Explorer	Microsoft Corporation
imagehlp.dll	5.0.2195.2778	126 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
imghelp.dll	<File Missing>	Not Available	Not Available	Not Available	Not Available
inseng.dll	5.0.3103.1000	72 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
jobexec.dll	5.0.0.1	47 KB	12/7/1999 7:00:00 AM	C:\WINNT\system32	Microsoft Corporation
jscrip.dll	5.1.0.5907	476 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
jsproxy.dll	5.0.2920.0	13 KB	12/7/1999 7:00:00 AM	C:\WINNT\system32	Microsoft Corporation
msaahtml.dll	<File Missing>	Not Available	Not Available	Not Available	Not Available
mshtml.dll	5.0.3315.2870	2290 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
msjava.dll	5.0.3802.0	923 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
msoss.dll	<File Missing>	Not Available	Not Available	Not Available	Not Available
msxml.dll	8.0.5718.1	493 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation

occache.dll	5.0.3103.1000	86 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
ole32.dll	5.0.2195.2887	970 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
oleaut32.dll	2.40.4517.0	612 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
olepro32.dll	5.0.4517.0	160 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
rsabase.dll	5.0.2195.2228	128 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
rsaenh.dll	5.0.2195.2228	131 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
rsapi32.dll	<File Missing>	Not Available	Not Available	Not Available	Not Available
rsasig.dll	<File Missing>	Not Available	Not Available	Not Available	Not Available
schannel.dll	5.1.2195.0	138 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
shdoc401.dll	<File Missing>	Not Available	Not Available	Not Available	Not Available
shdocvw.dll	5.0.3315.2879	1078 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
shell32.dll	5.0.3315.2902	2304 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
shlwapi.dll	5.0.3315.1000	283 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
url.dll	5.0.2920.0	82 KB	12/7/1999 7:00:00 AM	C:\WINNT\system32	Microsoft Corporation
urlmon.dll	5.0.3315.1000	441 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
vbscript.dll	5.1.0.5907	428 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
webcheck.dll	5.0.3315.1000	252 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
win.com	5.0.2134.1	24 KB	12/7/1999 7:00:00 AM	C:\WINNT\system32	Microsoft Corporation
wininet.dll	5.0.3315.1000	457 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation
winsock.dll	3.10.0.103	3 KB	12/7/1999 7:00:00 AM	C:\WINNT\system32	Microsoft Corporation
wintrust.dll	5.131.2195.2779	162 KB	5/4/2001 11:05:02 AM	C:\WINNT\system32	Microsoft Corporation

```
wsock.vxd <File Missing>      Not Available      Not
Available Not Available      Not Available
wsock32.dll      5.0.2195.2871      21 KB
5/4/2001 11:05:02 AM
C:\WINNT\system32 Microsoft Corporation
wsock32n.dll <File Missing>      Not Available
Not Available      Not Available      Not
Available
```

[Connectivity]

```
Item      Value
Connection Preference      Never dial
EnableHttp1.1      1
ProxyHttp1.1      0
```

LAN Settings

```
AutoConfigProxy      wininet.dll
AutoProxyDetectMode Disabled
AutoConfigURL
Proxy      Disabled
ProxyServer
ProxyOverride
```

[Cache]

[ Following are sub-categories of this main category ]

[Summary]

```
Item      Value
Page Refresh Type      Automatic
Temporary Internet Files Folder      C:\Documents
and Settings\Administrator\Local Settings\Temporary
Internet Files
Total Disk Space      17355 MB
Available Disk Space      15214 MB
Maximum Cache Size      542 MB
Available Cache Size      542 MB
```

[List of Objects]

```
Program File      Status      CodeBase
No cached object information available
```

[Content]

[ Following are sub-categories of this main category ]

[Summary]

```
Item      Value
Content Advisor      Disabled
```

[Personal Certificates]

```
Issued To Issued By Validity Signature Algorithm
Administrator Administrator      9/13/2002 to
8/20/2102 sha1RSA
```

[Other People Certificates]

```
Issued To Issued By Validity Signature Algorithm
No other people certificate information available
```

[Publishers]

```
Name
No publisher information available
```

[Security]

```
Zone      Security Level
Local intranet      Medium-low
Trusted sites      Low
Internet Medium
Restricted sites      High
```

## **Microsoft SQL Server 2000 Installation Procedures**

Microsoft SQL Server 2000 Installation Procedures  
Type of installation: custom  
During the custom installation, use the default settings for all except the following two areas:  
Services accounts:  
SQL Server - local system account  
SQL Server Agent - local system account  
Set the sort order/collation as SQL Collation binary sort order/Latin\_1\_General

## **Microsoft COM Component Configuration Parameters**

The component services tool in Windows 2000 was used to change the queue settings for the TPCC COM+ single queue component. The single queue component was set to enable object pooling, object construction, just in time activation, and component supports events and statistics. The min and max pool size for the single queue component on the client was 236. Delivery threads were set under the TPCC key

in the registry. The construction string was Dummy String

# *Appendix D: 60-Day Space*

TPC-C 60 Day Space Requirements

Warehouses	1,580				Tpmc	19,200.00
Table	Rows	Data KB	Index KB	Extra 5% KB	8hr Space	Total Space KB
Warehouse	1,580	176	32	10		218
District	15,800	1,760	32	90		1882
Customer	47,400,000	34,472,728	2,055,568	1,826,415		38354711
History	47,400,000	2,633,344	24		518,640	2633368
New_order	14,220,000	224,824	528	11,268		236620
Orders	47,400,000	1,452,880	660,688		2,374,433	2113568
Order_line	474,002,729	29,625,176	62,720		6,411,055	29687896
Item	100,000	9,528	48	479		10055
Stock	158,000,000	50,560,008	94,488	2,532,725		53187221
Total		118,980,424	2,874,128	4,370,986	9,304,128	126,225,538

MB		Sum of Data for Order, Orderline and History			
Dynamic Space	32,921	Sum of Data+Index+5% Dynamic Space	Total Allocated Space - (Dynamic + Static Space)	(Dynamic Space/(W*62.5))*tpmc	(Free Space - 1.5*Daily Growth) Zero Assumed
Static Space	90,346				
Free Space	na				
Daily Growth	6,401				
Daily Spread	-				
60 Day Space MB	474,400				
60 Day Space GB	463.28	GB			
Log Size	54,999.99	MB			
KB Per New Order	4.93	KB			
8 hr log MB	44,362	MB			
8 hr log GB	43.3225	GB			
Space Usage	GB Needed	Disks Measured	GB Priced	Disk Size	Formatted Size
60 Day Space DB	463.28	42	709.80	18.2GB	16.900
Total DB			709.80		
8-hr log + mirror	86.6450		135.68	36.4GB	33.92
OS, Swap	3		16.90	18.2GB	16.900
Total Storage	552.93	GB	862.38	GB	

MSSQL\_misc fg MSSQL\_cs fg

218	38354711
1882	
3152008	
236620	
4488001	
36098951	
10055	
53187221	
43,987,734	91,541,932

files= 3  
 size= 16,281,600  
 Total= 48,844,800  
 8K blocks 390,758,400  
 OK 783,974,400  
 OK

tpmC	19,200.00									
	<b>Index Before</b>	<b>Data Before KB</b>	<b>Index After KB</b>	<b>Data After KB</b>	<b>Index Grow KB</b>	<b>Data Grow KB</b>	<b>Total Grow KB</b>	<b>KB/New-Order</b>	<b>8-Hr Growth KB</b>	<b>8-Hr Growth MB</b>
History	24	2,854,440	72	221,096	48	221,144	221,144	0.0563	518,639.82	506.48
Order	660,688	1,813,256	1,312,752	360,376	652,064	1,012,440	1,012,440	0.2576	2,374,433.39	2,318.78
Order-Line	62,720	32,297,264	124,256	2,672,088	61,536	2,733,624	2,733,624	0.6956	6,411,054.57	6,260.80
										9,086.06
	<b>sum(*) Before</b>	<b>sum(*) After</b>			<b>Num New-</b>					
d_next_o_id	47,415,800	51,345,431			3,929,631					
	<b>Before MB</b>	<b>After MB</b>			<b>Grow MB</b>			<b>KB/New-Order</b>	<b>8-Hr Growth MB</b>	<b>Growth GB</b>
Log	530.15	195.25			18915.71			4.9291	44,362.23	43.32
								5,047.4363	bytes	
51999-992	1.1093583	35.501568								
Database tpcc log used (%)										



# *Appendix E:* *Third Party Letters*

Microsoft Corporation  
One Microsoft Way  
Redmond, WA 98052-6399

Tel 425 882 8080  
Fax 425 936 7329  
<http://www.microsoft.com/>

**Microsoft**

May 22, 2003

Hewlett-Packard  
Company  
Paul Cao  
MS150402  
20555 SH 249  
Houston, TX 77070

Mr. Cao:

Here is the information you requested regarding pricing for several Microsoft products to be used in conjunction with your TPC-C benchmark testing.

All pricing shown is in US Dollars (\$).

Part Number	Description	Unit Price	Quantity	Price
228-01079	<b>SQL Server 2000 Standard Edition</b> <i>Per processor licensing No discounts applied</i>	\$4,999	1	\$4,999
C11-00821	<b>Windows 2000 Server</b> <i>Server license only - No CALs Discount Schedule: Open Program - No Level Unit Price reflects a 8% discount from the retail unit price of \$799.</i>	\$738	1	\$738
P73-00295	<b>Windows Server 2003, Standard Server</b> <i>Server license only - No CALs Discount Schedule: Open Program - No Level Unit Price reflects a 26% discount from the retail unit price of \$999.</i>	\$738	1	\$738
PRO-PRORS-16U-01	<b>Database Server Support Package</b> <i>1 Year Term</i>	\$1,950	3	\$5,850

Some products may not be currently orderable but will be available through Microsoft's normal distribution channels by April 2, 2003.

This quote is valid for the next 90 days.

If we can be of any further assistance, please contact Jamie Reding at (425) 703-0510 or [jamiere@microsoft.com](mailto:jamiere@microsoft.com).

Microsoft Corporation  
One Microsoft Way  
Redmond, WA 98052-6399

Tel 425 882 8080  
Fax 425 936 7329  
<http://www.microsoft.com/>

**Microsoft**

May 22, 2003

Hewlett-Packard  
Company  
Paul Cao  
MS150402  
20555 SH 249  
Houston, TX 77070

Mr. Cao:

Here is the information you requested regarding pricing for several Microsoft products to be used in conjunction with your TPC-C benchmark testing.

All pricing shown is in US Dollars (\$).

Part Number	Description	Unit Price	Quantity	Price
254-00170	<b>Visual C++ Standard</b> <i>No discounts applied</i>	\$109	1	\$109

All products are currently orderable through Microsoft's normal distribution channels.


This quote is valid for the next 90 days.

If we can be of any further assistance, please contact Jamie Reding at (425) 703-0510 or [jamiere@microsoft.com](mailto:jamiere@microsoft.com).

- Home
- Network Cards
- Network Cables & MISC Cat5e
- Crossover Cables
- Print Servers
- Barcode Readers
- Extension Cables
- Miscellaneous
- TEST
- WE ARE ANTI SPAM
- Blacklisted Brands
- gaming
- Cables - Misc
- SCSI Cables & devices
- Boneyard Cables
- 6ft 4 wire black molded  
As low as 34 cents each
- network patch cable  
- supports 10 / 100 mbps networks  
\*Order quantities over 5 ONLY\*

- Show Order
- Privacy Policy
- Info &  
Shipping Notes  
& Ways to delay  
Processing of order
- Search
- Index
- Y! SHOPPING

# LanAdapters.com



## 15FT Cat 5e Network Patch Cables (backwards compatible)

15ft Category 5e Network patch cables. (compatible with cat 5 ) 10/10 DISCOUNT AVAILABLE\*

All feature molded compact snagless  
NOTE: The purple cable only comes in 14FT length!!!!

Availability: Usually ships the same business day.

CBLC515 \$2.00, 31/\$50.22, 80/\$121.60 Color: