

TPC Benchmark™ C
Full Disclosure Report
for
IBM @server xSeries 220
using
Microsoft SQL Server 2000 Standard Edition
and
Windows 2000 Server

TPC-C Version 5.0

Submitted for Review
October 16, 2001



First Edition - October 2001

THE INFORMATION CONTAINED IN THIS DOCUMENT IS DISTRIBUTED ON AN AS IS BASIS WITHOUT ANY WARRANTY EITHER EXPRESSED OR IMPLIED. The use of this information or the implementation of any of these techniques is the customer's responsibility and depends on the customer's ability to evaluate and integrate them into the customer's operational environment. While each item has been reviewed by IBM for accuracy in a specific situation, there is no guarantee that the same or similar results will be obtained elsewhere. Customers attempting to adapt these techniques to their own environment do so at their own risk.

In this document, any references made to an IBM licensed program are not intended to state or imply that only IBM's licensed program may be used; any functionally equivalent program may be used.

This publication was produced in the United States. IBM may not offer the products, services, or features discussed in this document in other countries, and the information is subject to change without notice. Consult your local IBM representative for information on products and services available in your area.

© Copyright International Business Machines Corporation 2001. All rights reserved.

Permission is hereby granted to reproduce this document in whole or in part, provided the copyright notice as printed above is set forth in full text on the title page of each item reproduced.

U.S. Government Users - Documentation related to restricted rights: Use, duplication, or disclosure is subject to restrictions set forth in GSA ADP Schedule Contract with IBM Corp.

Trademarks

IBM, xSeries, ServeRAID and the e-business logo are trademarks or registered trademarks of International Business Machines Corporation.

The following terms used in this publication are trademarks of other companies as follows: TPC Benchmark, tpmC, and \$/tpmC trademark of Transaction Processing Performance Council; Intel and Pentium are registered trademarks of Intel Corporation; Microsoft, Windows and BenchCraft are trademarks or registered trademarks of Microsoft Corporation. Other company, product, or service names, which may be denoted by two asterisks (**), may be trademarks or service marks of others.

Notes

¹ MHz only measures microprocessor internal clock speed, not application performance. Many factors affect application performance.

² When referring to hard disk capacity, GB, or gigabyte, means one thousand million bytes. Total user-accessible capacity may be less.

Abstract

IBM Corporation conducted the TPC Benchmark™ C on the IBM @server xSeries 220 configured as a client/server system. This report documents the full disclosure information required by the TPC Benchmark™ C Standard Specification, Revision 5.0, including the methodology used to achieve the reported results. All testing fully complied with this revision level.


The software used on the xSeries 220 system includes Microsoft** Windows** 2000 Server operating system and Microsoft SQL Server 2000 Standard Edition database.

Two standard metrics, transactions per minute-C (tpmC) and price per tpmC (\$/tpmC), are reported as required by the TPC Benchmark C Standard Specification.

The benchmark results are summarized in the following table.

Hardware	Software	Total System Cost	tpmC	\$/tpmC	Total Solution Availability Date
IBM @server xSeries 220	Microsoft SQL Server 2000 Standard Edition Microsoft Windows 2000 Server	\$43,370	9,112.91	\$4.76	Oct. 16, 2001

The results of the benchmark and test methodology used were audited by Bradley J. Askins of InfoSizing, Inc. The auditor's attestation letter is contained in Section 9 of this report.




**IBM @server xSeries 220 c/s
with Microsoft SQL Server 2000**

TPC-C Rev. 5.0

Report Date: Oct. 16, 2001

Total System Cost	TPC-C Throughput	Price/Performance	Availability Date
\$43,370	9,112.91 tpmC	\$4.76 / tpmC	Oct. 16, 2001

Processors	Database Manager	Operating System	Other Software	Number of Users
1 Database Server 1 Client	Microsoft[®] SQL Server 2000 Standard Edition	Microsoft Windows[®] 2000 Server	Microsoft Visual C++ 6.0 Win32 Microsoft COM+	7,360



System Component	Qty	Server	Qty	Client
Processors	1	1.266GHz Pentium III	1	1GHz Pentium III
Cache		w/512KB L2 Cache		w/256KB L2 Cache
Memory	1	128MB	1	128MB
	2	1GB ECC SDRAM RDIMM	1	256MB
Disk Controllers	3	ServeRAID-4MX	1	Ultra160 SCSI Interface
Disk Drives	37	9.1GB (10000 rpm)	1	9.1GB Hard Disk
	2	36.4GB (10000 rpm)		
Total Storage		346.55GB		
Tape Drive	1	20/40GB SCSI Tape Drive		

IBM Corporation	IBM @server xSeries 220 c/s with Microsoft SQL Server 2000			TPC-C Rev. 5.0			
	Report Date: Oct. 16, 2001						
Description	Order Number	Third-Party Brand	Pricing	Unit Price	Qty	Ext. Price	3-Yr. Maint.*
Server Hardware							
xSeries 220 / 1.266GHz/512KB Pentium III	864641X		1	\$1,049	1	\$1,049	\$748
1GB ECC SDRAM RDIMM Memory Kit	33L3152		1	1,239	2	2,478	0
ServeRAID-4MX Ultra160 SCSI Adapter	06P5736		1	999	3	2,997	0
Netfinity 4.2M Ultra2 SCSI Cable	03K9311		1	105	6	630	0
E54 14" (13.8" Viewable) Color Monitor*	6331N2N		1	159	1	159	90
20/40GB Internal SCSI Tape Drive	00N7991		1	769	1	769	0
NetBAY22 Rack*	9306200		1	1,455	1	1,455	300
Storage Hardware							
Netfinity EXP300 Rack Storage Enclosure*	35311RU		1	3,179	3	9,537	600
9.1GB 10K Ultra160 SCSI Drive	37L7204		1	275	37	10,175	0
36.4GB 10K Ultra160 SCSI Drive	37L7206		1	549	2	1,098	0
Subtotal						\$30,347	\$1,738
Server Software							
Microsoft SQL Server 2000 Standard Edition	228-01079	Microsoft	2	4,999	1	\$4,999	\$0
Microsoft Windows 2000 Server	C11-00821	Microsoft	2	738	1	738	0
Three-Year Maintenance for Software		Microsoft	2	2,095	3		6,285
Subtotal						\$5,737	\$6,285
Client Hardware							
xSeries 220 / 1GHz/256KB Pentium III*	864221X		1	849	1	\$849	\$748
256MB 133MHz ECC SDRAM RDIMM	33L3144		1	245	1	245	0
9.1GB 10K Ultra160 SCSI Drive	37L7204		1	275	1	275	0
E54 15" (13.8" Viewable) Color Monitor*	6331N2N		1	159	1	159	90
Subtotal						\$1,528	\$748
Client Software							
Microsoft Windows 2000 Server with COM+	C11-00821	Microsoft	2	738	1	738	0
Microsoft Visual C++ Professional 6.0 Win32	048-00317	Microsoft	2	549	1	549	0
Subtotal						\$1,287	\$0
User Connectivity							
8-Port 10/100Mbps Hub*** (incl. 2 spares)			3	24	3	72	0
Subtotal						\$72	\$0
Total						\$38,971	\$8,861
Large volume discount of 14% on IBM hardware; prices will vary if purchased separately.						(4,463)	\$0
Notes: * The standard 3-year warranties on IBM hardware have been upgraded to 7x24, 4-hour response time coverage. ** Five-year warranty. *** 10% or minimum 2 spares are added in place of on-site service (products have a 5-year return-to-vendor-warranty) Pricing: 1 - IBM Corp.; 2 - Microsoft Corp.; 3 - SHI Audited by Bradley J. Askins of InfoSizing, Inc.				Three-Year Cost of Ownership: \$43,370			
				tpmC Rating: 9,112.91			
				\$/tpmC: \$4.76			
Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specification. If you find that stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org. Thank you.							

Numerical Quantities Summary			
MQTh, Computed Maximum Qualified Throughput:			9,112.91 tpmC
Response Times (in seconds)	Average	Maximum	90 %-tile
New-Order	0.60	8.63	1.01
Payment	0.50	3.18	0.91
Delivery	0.16	1.36	0.34
Stock Level	0.93	4.17	2.34
Order Status	0.53	9.75	0.94
Delivery (Deferred)	0.99	6.45	1.85
Menu	0.16	1.41	0.35
Transaction Mix (in percent of total transactions)		Total Occurrences	Percent
New-Order		1,093,549	44.86
Payment		1,049,077	43.04
Delivery		98,594	4.04
Stock-Level		98,375	4.04
Order Status		97,968	4.02
Emulation Delay (in seconds)		Response Time	Menu
New-Order		0.1	0.1
Payment		0.1	0.1
Delivery		0.1	0.1
Stock-Level		0.1	0.1
Order Status		0.1	0.1
Keying/Think Times (in seconds)	Average	Minimum	Maximum
New Order	18.01 / 12.05	18.00 / 0.00	18.06 / 120.50
Payment	3.01 / 12.05	3.00 / 0.00	3.06 / 120.50
Delivery	2.01 / 5.07	2.00 / 0.00	2.05 / 50.50
Stock Level	2.01 / 5.05	2.00 / 0.00	2.06 / 50.50
Order Status	2.01 / 10.03	2.00 / 0.00	2.05 / 100.50
Test Duration			
Ramp-up time			25 minutes
Measurement interval			120 minutes
Number of transactions (all types) completed in measurement interval			2,536,155
Ramp-down time			4 minutes
Number of checkpoints in measurement interval			4
Checkpoint interval			30 minutes

Table of Contents

Abstract	3
Numerical Quantities Summary	5
Preface	11
General Items	12
Application Code Disclosure and Definition Statements	12
Benchmark Sponsor	12
Parameter Settings	12
Configuration Diagrams	12
Clause 1: Logical Database Design Related Items	15
Table Definitions	15
Physical Organization of the Database	15
Insert and Delete Operations	15
Horizontal or Vertical Partitioning	15
Replication	15
Table Attributes	15
Clause 2: Transaction and Terminal Profiles Related Items	16
Random Number Generation	16
Screen Layout	16
Terminal Verification	16
Intelligent Terminals	16
Transaction Profiles	16
Deferred Delivery Mechanism	17
Clause 3: Transaction and System Properties Related Items	18
Atomicity Requirements	18
Consistency Requirements	18
Isolation Requirements	19
Durability Requirements	19
Clause 4: Scaling and Database Population Related Items	21
Cardinality of Tables	21
Distribution of Tables and Logs	22
Database Model Implemented	22
Partitions/Replications Mapping	22
60-Day Space Requirement	22
Clause 5: Performance Metrics and Response Time Related Items	23
Measured tpmC	23
Response Times	23
Keying/Think Times	23
Response Time Frequency Distribution Curves	24
Performance Curve for Response Time vs. Throughput	26
New Order Think Time Distribution	27
Throughput vs. Elapsed Time	27
Steady State Methodology	28
Work Performed during Steady State	28
Checkpoints	28
Measurement Interval	28
Transaction Mix	28
Percentage of Total Mix	29
Number of Checkpoints	29
Clause 6: SUT, Driver and Communication Definition Related Items	30
Description of RTE	30
Emulated Components	30
Benchmarked and Targeted System Configuration Diagrams	30

Network Configuration	30
Network Bandwidth	30
Operator Intervention	30
Clause 7: Pricing Related Items	31
Hardware and Software Components	31
Availability Date	31
Measured tpmC	31
Country-Specific Pricing	31
Usage Pricing	31
System Pricing	32
Clause 9: Audit Related Items	33
Auditor	33
Availability of the Full Disclosure Report	33
<i>Attestation letter</i>	34
Appendix A: Source Code	36
<i>client_utils.c</i>	36
<i>client_utils.h</i>	37
<i>dlldata.c</i>	38
<i>error.h</i>	38
<i>install.c</i>	40
<i>install.h</i>	47
<i>install.rc</i>	48
<i>install_com.cpp</i>	50
<i>license.txt</i>	53
<i>mon_client.c</i>	54
<i>mon_client.h</i>	57
<i>readme.txt</i>	57
<i>Readregistry.cpp</i>	57
<i>Readregistry.h</i>	58
<i>Resource.h</i>	58
<i>RESource_tpcrc.rc.h</i>	59
<i>rtetime.h</i>	59
<i>spinlock.h</i>	59
<i>tpcc.cpp</i>	60
<i>tpcc.def</i>	81
<i>tpcc.h</i>	82
<i>tpcc.rc</i>	83
<i>tpcc_com.cpp</i>	84
<i>tpcc_com.h</i>	86
<i>tpcc_com_all.dsp</i>	87
<i>tpcc_com_ps.def</i>	88
<i>tpcc_com_ps.h</i>	88
<i>tpcc_com_ps.idl</i>	91
<i>tpcc_com_ps_i.c</i>	91
<i>tpcc_com_ps_p.c</i>	92
<i>tpcc_dblib.cpp</i>	112
<i>tpcc_dblib.h</i>	121
<i>tpcc_enc.cpp</i>	122
<i>tpcc_enc.h</i>	123
<i>tpcc_odbc.cpp</i>	124
<i>tpcc_odbc.h</i>	132
<i>tpcc_tux.cpp</i>	133
<i>tpcc_tux.h</i>	135
<i>trans.h</i>	136

<i>tuxapp.cpp</i>	137
<i>tuxapp.h</i>	141
<i>tuxmain.c</i>	141
<i>txn_base.h</i>	142
<i>txnlog.h</i>	142
<i>webclnt.dsp</i>	145
<i>webclnt.dsw</i>	146
Stored Procedures	147
<i>neword.sql</i>	147
<i>payment.sql</i>	149
<i>ordstat.sql</i>	151
<i>delivery.sql</i>	152
<i>stocklev.sql</i>	153
<i>version.sql</i>	153
<i>null-txn.sql</i>	153
Appendix B: Database Design	157
Database Build	157
<i>backup.sql</i>	157
<i>backupdev.sql</i>	157
<i>createdb.sql</i>	157
<i>dbopt1.sql</i>	158
<i>dbopt2.sql</i>	158
<i>idxcuscl.sql</i>	158
<i>idxcusnc.sql</i>	159
<i>idxdiscl.sql</i>	159
<i>idxitmcl.sql</i>	159
<i>idxnodcl.sql</i>	159
<i>idxodlcl.sql</i>	159
<i>idxordcl.sql</i>	160
<i>idxordnc.sql</i>	160
<i>idxstkcl.sql</i>	160
<i>idxwarcl.sql</i>	160
<i>removedb.sql</i>	160
<i>restore.sql</i>	161
<i>RunSQLCfg.sql</i>	161
<i>sqlshutdown.sql</i>	161
<i>tables.sql</i>	161
<i>Verify_TpccLoad.sql</i>	163
<i>version.sql</i>	163
Load Source Code	164
<i>getargs.c</i>	164
<i>random.c</i>	165
<i>strings.c</i>	167
<i>time.c</i>	169
<i>tpcc.h</i>	170
<i>tpccldr.c</i>	171
<i>tpccldr.mak</i>	194
Appendix C: Tunable Parameters	197
Microsoft Windows 2000 Server Configuration Parameters	197
Microsoft Windows 2000 Server Services	197
Disk Controller Configuration Parameters	216
Client Configuration Parameters	238
RTE Input Parameters	257

Appendix D: 60-Day Space	260
Appendix E: Third-Party Quotations	261

Preface

The TPC Benchmark™ C was developed by the Transaction Processing Performance Council (TPC). The TPC was founded to define transaction processing benchmarks and to disseminate objective, verifiable performance data to the industry. This full disclosure report is based on the TPC Benchmark C Standard Specification Version 5.0.

The TPC describes this benchmark in Clause 0.1 of the specification as follows:

TPC Benchmark C is an On Line Transaction Processing (OLTP) workload. It is a mixture of read-only and update-intensive transactions that simulate the activities found in complex OLTP application environments. It does so by exercising a breadth of system components associated with environments, which are characterized by:

- ▼ The simultaneous execution of multiple transaction types that span a breadth of complexity
- ▼ On-line and deferred transaction execution modes
- ▼ Multiple on-line terminal sessions
- ▼ Moderate system and application execution time
- ▼ Significant disk input/output
- ▼ Transaction integrity (ACID properties)
- ▼ Non-uniform distribution of data access through primary and secondary keys
- ▼ Databases consisting of many tables with a wide variety of sizes, attributes and relationships
- ▼ Contention on data access and update

The performance metric reported by TPC-C is a “business throughput” measuring the number of orders processed per minute. Multiple transactions are used to simulate the business activity of processing an order, and each transaction is subject to a response time constraint. The performance metric for this benchmark is expressed in transactions-per-minute-C (tpmC). To be compliant with the TPC-C standard, all references to tpmC results must include the tpmC rate, the associated price-per-tpmC, and the availability date of the priced configuration.

Despite the fact that this benchmark offers a rich environment that emulates many OLTP applications, this benchmark does not reflect the entire range of OLTP requirements. In addition, the extent to which a customer can achieve the results reported by a vendor is highly dependent on how closely TPC-C approximates the customer application. The relative performance of systems derived from this benchmark does not necessarily hold for other workloads or environments. Extrapolations to any other environment are not recommended.

Benchmark results are highly dependent upon workload, specific application requirements, and systems design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC-C should not be used as a substitute for a specific customer application benchmarking when critical capacity planning and/or product evaluation decisions are contemplated.

General Items

Benchmark Sponsor

A statement identifying the benchmark sponsor(s) and other participating companies must be provided.

This benchmark was sponsored by International Business Machines Corporation.

Application Code Disclosure and Definition Statements

The application program (as defined in Clause 2.1.7) must be disclosed. This includes, but is not limited to, the code implementing the five transactions and the terminal input and output functions.

Appendix A contains all source code implemented in this benchmark.

Parameter Settings

Settings must be provided for all customer-tunable parameters and options that have been changed from the defaults found in actual products, including but not limited to:

- ▼ *Database tuning options*
- ▼ *Recovery/commit options*
- ▼ *Consistency/locking options*
- ▼ *Operating system and application configuration parameters.*
- ▼ *Compilation and linkage options and run-time optimizations used to create/install applications, OS, and/or databases.*

This requirement can be satisfied by providing a full list of all parameters and options.

Appendix C contains the tunable parameters for the database, the operating system, and the transaction monitor.

Configuration Diagrams


Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences.

The configuration diagrams for the tested and priced systems are provided on the following pages.


The Remote Terminal Emulator (RTE) used for these TPC Benchmark C tests is the Microsoft BenchCraft RTE. Under Version 5.0, the components of the configuration being emulated by the RTE are the workstations and the Ethernet hubs. Appendix C contains a listing of the RTE scripts and inputs used in the benchmark testing.

The benchmarked configuration used an IBM xSeries 220 system as the client, which executed the terminal I/O and submitted transactions to COM+ servers, which are also running on the clients. These COM+ servers forwarded the transaction requests to the server, and returned the results to the RTE. Microsoft SQL Server 2000 Standard Edition is the DBMS executing on the server

Measured Configuration



Priced Configuration



Clause 1: Logical Database Design Related Items

Table Definitions

Listings must be provided for all table definition statements and all other statements used to set up the database. Appendix B contains the code used to define and load the database tables.

Physical Organization of the Database

The physical organization of tables and indexes within the database must be disclosed. Physical space was allocated to Microsoft SQL Server on the server disks as detailed in Figure 4-2.

Insert and Delete Operations

It must be ascertained that insert and/or delete operations to any of the tables can occur concurrently with the TPC-C transaction mix. Furthermore, any restriction in the SUT database implementation that precludes inserts beyond the limits defined in Clause 1.4.11 must be disclosed. This includes the maximum number of rows that can be inserted and the maximum key value for these new rows.

All insert and delete functions were fully operational during the running of the benchmark. The space required for an additional 5 percent of the initial table cardinality was allocated to Microsoft SQL Server 2000 and priced as static space.

Horizontal or Vertical Partitioning

While there are few restrictions placed upon horizontal or vertical partitioning of tables and rows in the TPC-C benchmark (see Clause 1.6), any such partitioning must be disclosed.

Partitioning was not used in this benchmark.

Replication

Replication tables, if used, must be disclosed (see Clause 1.4.6).

Replication was not used in this benchmark.

Table Attributes

Additional and/or duplicated attributes in any table must be disclosed, along with a statement on the impact on performance (see Clause 1.4.7).

No additional attributes were used in this benchmark.

Clause 2: Transaction and Terminal Profiles Related Items

Random Number Generation

The method of verification for the random number generation must be disclosed.

The seeds and offsets for the random number generator were collected and verified to be different for each driver. The auditor selected samples of the generated numbers from the database. The samples were verified to have no discernible patterns.

Screen Layout

The actual layouts of the terminal input/out screens must be disclosed.

All screen layouts followed the TPC Benchmark C Standard Specification.

Terminal Verification

The method used to verify that the emulated terminals provide all the features described in Clause 2.2.2.4 must be explained. Although not specifically priced, the type and model of the terminals used must for the demonstration in 8.1.3.3 must be disclosed and commercially available (including supporting software and maintenance).

The auditor verified terminal features by direct experimentation. The benchmarked configuration uses Microsoft Internet Explorer 5.0 and HTML scripts as the terminal interface.

Intelligent Terminals

Any usage of presentation managers or intelligent terminals must be explained.

The terminals emulated in the priced configuration are IBM PC desktop computer systems. All processing of the input/output screens was handled by the xSeries 220 client. The screen input/output was managed via HTML strings that comply with the HTML Version 2.0 specification. A listing of the code used to implement the intelligent terminals is provided in Appendix A. All data manipulation was handled by the xSeries 220 database server.

Transaction Profiles

The percentage of home and remote order-lines in the New-Order transactions must be disclosed.

The percentage of New-Order transactions that were rolled back as a result of an unused item number must be disclosed.

The number of items per orders entered by New-Order transactions must be disclosed. The percentage of home and remote Payment transactions must be disclosed. The percentage of Payment and Order-Status transactions that used non-primary key (C_LAST) access to the database must be disclosed.

The percentage of Delivery transactions that were skipped as a result of an insufficient number of rows in the NEW-ORDER table must be disclosed.

The mix (i.e., percentages) of transaction types seen by the SUT must be disclosed.

Table 2-1. Transaction Statistics

New Order	Value (%)
Home warehouse order lines	99.00
Remote warehouse order lines	1.00
Rolled back transactions	0.99
Average number of items per order	10.00
Payment	
Home warehouse payment transactions	85.02
Remote warehouse payment transactions	14.98
Non-Primary Key Access	
Payment transactions using C_LAST	60.02
Order-Status transactions using C_LAST	60.18
Delivery	
Delivery transactions skipped	0
Transaction Mix	
New-Order	44.86
Payment	43.04
Delivery	4.04
Stock Level	4.04
Order Status	4.02

Deferred Delivery Mechanism

The queuing mechanism used to defer execution of the Delivery transaction must be disclosed.

The deferred delivery operation is queued by making an entry in an array within the application process (tpcc.dll) running on the client. Background threads within the application asynchronously process the queued delivery transactions.

The source code is listed in Appendix A.

Clause 3: Transaction and System Properties Related Items

The results of the ACID test must be disclosed, along with a description of how the ACID requirements were met. This includes disclosing which case was followed for the execution of Isolation Test 7.

Atomicity Requirements

The system under test must guarantee that database transactions are atomic; the system will either perform all individual operations on the data, or will assure that no partially completed operations leave any effects on the data.

All ACID tests were conducted according to specification.

Completed Transactions

The following steps were performed to verify the Atomicity of completed transactions.

1. The balance was retrieved from the CUSTOMER table for a random Customer, District and Warehouse, giving BALANCE_1.
2. The Payment transaction was executed for the Customer, District and Warehouse used in step 1.
3. The balance was retrieved again for the Customer used in step 1 and step 2, giving BALANCE_2. It was verified that BALANCE_1 was greater than BALANCE_2 by AMT.

Aborted Transactions

The following steps were performed to verify the Atomicity of the aborted Payment transaction:

1. The Payment application code was changed to execute a rollback of the transaction instead of performing the commit.
2. Using the balance, BALANCE_2, from the CUSTOMER table retrieved for the completed transaction, the Payment transaction was executed for the Customer, District and Warehouse used in step 1 of section 3.1.1. The transaction rolled back due to the change in the application code from step 1.
3. The balance was retrieved again for the Customer used for step 2, giving BALANCE_3. It was verified that BALANCE_2 was equal to BALANCE_3.

Consistency Requirements

Consistency is the property of the application that requires any execution of a database transaction to take the database from one consistent state to another, assuming that the database is initially in a consistent state.

Consistency conditions one through four were tested using a shell script to issue queries to the database. The results of the queries demonstrated that the database was consistent for all four tests.

Isolation Requirements

Sufficient conditions must be enabled at either the system or the application level to ensure that the required isolation defined in Clause 3.4.1 is obtained.

Isolation tests one through seven were run using shell scripts to issue queries to the database. Each script included timestamps to demonstrate the concurrency of operations. The results of the queries were captured and placed in files. The auditor reviewed the results and verified that the isolation requirements had been met.

In addition, the phantom tests and the stock-level tests were run and verified.

Case A was followed for Isolation test seven.

Durability Requirements

The tested system must guarantee durability: the ability to preserve the effects of committed transactions and ensure database consistency after recovery from any one of the failures listed in Clause 3.5.3.

- ▼ *Permanent irrecoverable failure of any single durable medium containing TPC-C database tables or recovery log data (this test includes failure of all or part of memory)*
- ▼ *Instantaneous interruption (system crash/system hang) in processing that requires system reboot to recover*
- ▼ *Failure of all or part of memory (loss of contents)*

Loss of Data Test

The following steps were successfully performed to pass the Durability test of failure of a disk unit with database tables:

1. The contents of the database were backed up to several database dump devices during the initial database load. There were no dump devices on the disk array from which a drive was removed as part of this test.
2. The current count of the total number of orders was determined by the sum of D_NEXT_O_ID for all rows in the district table giving SUM1.
3. A test was started with 150 users submitting transactions.
4. A disk containing a portion of each of the tables in the tpcc database was removed causing SQL Server to report errors accessing that device.
5. The run was aborted and SQL Server was restarted. Upon restart, the database tpcc reported numerous errors relating to the failed database device.
6. The transaction log was dumped to disk and the failed disk was replaced with a spare disk and was recovered.
7. The database was recovered and restored from the backup dump devices. Afterwards, the transaction log was applied to the database.
8. Step 2 was repeated to obtain the current count of the total number of orders giving SUM2.
9. It was verified that the sum of D_NEXT_O_ID after the database is recovered is greater than or equal to the sum of D_NEXT_O_ID before the run, plus all new order transactions completed during the run minus any rollback transactions.
10. Consistency Condition 3 was verified.

Combined Loss of Log and Loss of System Test (Instantaneous Interruption and Loss of Memory)

1. The current count of the total number of orders was determined by the sum of D_NEXT_O_ID for all rows in the district table giving SUM1.
2. A test was started under full load with all users submitting transactions.
3. One disk from the log array was removed. Since the disk was RAID-1 mirrored, SQL Server continued to process transactions without interruption.
4. The test continued under full load with all users submitting transactions. A checkpoint was issued, and the system continued to run for another 5 minutes.
5. The server under test was powered off, which removed power from the system and the memory.
6. The server was powered on again.
7. SQL Server was started to initiate automatic recovery from its log.
8. Step 1 was repeated to obtain the current count of the total number of orders giving SUM2.
9. It was verified that the sum of D_NEXT_O_ID after the database is recovered is greater than or equal to the sum of D_NEXT_O_ID before the run, plus all new order transactions completed during the run minus any rollback transactions.

Clause 4: Scaling and Database Population Related Items

Cardinality of Tables

The cardinality (e.g., the number of rows) of each table, as it existed at the start of the benchmark run (see Clause 4.2), must be disclosed. If the database was over-scaled and inactive rows of the WAREHOUSE table were deleted (see Clause 4.2.2), the cardinality of the WAREHOUSE table as initially configured and the number of rows deleted must be disclosed.

The database was originally built with 7,360 warehouses, and the audited run used all 7,360 warehouses.

Table 4-1. Initial Cardinality of Tables

Table Name	Rows
Warehouse	736
District	7,360
Item	100,000
New Order	6,624,000
History	22,080,000
Orders	22,080,000
Customer	22,080,000
Order Line	220,804,524
Stock	73,600,000
Inactive Warehouses	0

Distribution of Tables and Logs

The distribution of tables and logs across all media must be explicitly depicted for the tested and priced systems.)

Figure 4-2 depicts the database configuration of the tested system to meet the 8-hour steady state requirement.

Figure 4-2. Data Distribution for the Benchmarked Configuration

Controller	Drives	Partition	Size	Use
1	12 - 9.1GB	G: H: X:	14050MB 7000MB 83000MB (NTFS)	Customer and Stock Misc. Backup 1
2	12 - 9.1GB	I: J: Y:	14050MB 7000MB 83000MB (NTFS)	Customer and Stock Misc. Backup 2
3	12 - 9.1GB	K: L: Z:	14050MB 7000MB 83000MB (NTFS)	Customer and Stock Misc. Backup 3
3	2 - 36.4GB	F:	34710MB	Logfile

Database Model Implemented

A statement must be provided that describes:

- 1. The database model implemented by the DBMS used (e.g., relational, network, hierarchical)*
- 2. The database interface (e.g., embedded, call level) and access language (e.g., SQL, DL/1, COBOL, read/write) used to implement the TPC-C transactions. If more than one interface/access language is used to implement TPC-C, each interface/access language must be described and a list of which interface/access language is used with which transaction type must be disclosed.*

Microsoft SQL Server 2000 Standard Edition is a relational database. The interface used was Microsoft SQL Server stored procedures accessed with Remote Procedure Calls embedded in C code using the Microsoft DBLIB interface.

Partitions/Replications Mapping

The mapping of database partitions/replications must be explicitly described.

The database was neither partitioned nor replicated.

60-Day Space Requirement

Details of the 60-day space computations, along with proof that the database is configured to sustain 8 hours of growth for the dynamic tables (Order, Order-Line, and History) must be disclosed (see Clause 4.2.3).

See Appendix D for details about how the 60-day space requirements were calculated.

Clause 5: Performance Metrics and Response Time Related Items

Measured tpmC

Measured tpmC must be reported.

Measured tpmC: 9,112.91 tpmC
Price per tpmC: \$4.76 per tpmC

Response Times

Ninetieth percentile, maximum and average response times must be reported for all transaction types as well as for the Menu response time.

The TPC-C requirements for the average response time and the 90th percentile were met. Table 5-1 provides the response times for each of the transaction types and the menu for the measured system.

Table 5-1. Response Times in Seconds

Transaction Type	Average	Maximum	90 %-tile
New-Order	0.60	8.63	1.01
Payment	0.50	3.18	0.91
Delivery	0.16	1.36	0.34
Stock Level	0.93	4.17	2.34
Order Status	0.53	9.75	0.94
Delivery (Deferred)	0.99	6.45	1.85
Menu	0.16	1.41	0.35

Keying/Think Times

The minimum, the average, and the maximum keying and think times must be reported for each transaction type.)

Table 5-2 lists the keying/think times for the measured system.

Table 5-2. Keying/Think Times

Transaction Type	Average	Minimum	Maximum
New-Order	18.01 / 12.05	18.00 / 0.00	18.06 / 120.50
Payment	3.01 / 12.05	3.00 / 0.00	3.06 / 120.50
Delivery	2.01 / 5.07	2.00 / 0.00	2.05 / 50.50
Stock Level	2.01 / 5.05	2.00 / 0.00	2.06 / 50.50
Order Status	2.01 / 10.03	2.00 / 0.00	2.05 / 100.50

Response Time Frequency Distribution Curves

Response time frequency distribution curves (see Clause 5.6.1) must be reported for each transaction type.

Figure 5-1. New-Order Transaction - Response Time Frequency Distribution




Figure 5-2. Payment Transaction - Response Time Frequency Distribution




Figure 5-3. Order-Status Transaction - Response Time Frequency Distribution





Figure 5-4. Delivery Transaction - Response Time Frequency Distribution




Figure 5-5. Stock-Level Transaction - Response Time Frequency Distribution



Performance Curve for Response Time vs. Throughput

The performance curve for response time vs. throughput (see Clause 5.6.2) must be reported for the New-Order transaction.

Figure 5-6. New-Order Response Time vs. Throughput



New Order Think Time Distribution


Figure 5-7. New-Order Think Time Distribution



Throughput vs. Elapsed Time

A graph of throughput vs. elapsed time (see Clause 5.6.5) must be reported for the New-Order transaction.

Figure 5-8. New-Order Throughput vs. Elapsed Time



Steady State Methodology

The method used to determine that the SUT had reached a steady state prior to commencing the measurement interval (see Clause 5.5) must be described.

Figure 5-8 shows that the system was in steady state at the beginning of the measurement interval.

Work Performed during Steady State

A description of how the work normally performed during a sustained test (e.g., checkpointing, writing redo/undo log records) actually occurred during the measurement interval must be reported.

Transaction Flow

The RTE generated the required input data to choose a transaction from the menu. This data was time-stamped. The response for the requested transaction was verified and time-stamped in the RTE log files.

The RTE generated the required input data for the chosen transaction. It waited to complete the minimum required key time before transmitting the input screen. The transmission was time-stamped. The return of the screen with the required response data was time-stamped. The difference between these two time-stamps was the response time for that transaction and was logged in the RTE log. The RTE then waited the required think time interval before repeating the process starting at selecting another transaction from the menu.

The RTE transmissions were sent to application processes running on the client machines through Ethernet LANs. These client application processes handled all screen I/O as well as all requests to the database on the server. The applications communicated with the database server over another Ethernet LAN using Microsoft SQL Server DBLIB library and RPC calls.

Checkpoints

Checkpoints were executed on the server during the ramp-up phase and at 30-minute intervals. The measured run contained four checkpoints. SQL Server was started with trace flag 3502, which caused it to log the occurrence of the checkpoint. This information was used to verify that the checkpoints occurred at the appropriate times during the test run.

During a checkpoint, SQL Server flushes all dirty pages from its cache to disk. It places a record in the database transaction log indicating that the checkpoint has completed and that all transactions, which were committed prior to the checkpoint have been written to disk.

Measurement Interval

A statement of the duration of the measurement interval for the reported Maximum Qualified Throughput (tpmC) must be included.

The measurement interval was 120 minutes.

Transaction Mix

The method of regulation of the transaction mix (e.g., card decks or weighted random distribution) must be described. If weighted distribution is used and the RTE adjusts the weights associated with each transaction type, the maximum adjustments to the weight from the initial value must be disclosed. (8.1.6.13)

See Table 5-3.

The RTE was given a weighted random distribution, which was not adjusted during the run.

Percentage of Total Mix

The percentage of the total mix for each transaction type must be disclosed.

See Table 5-3.

Table 5-3. Transaction Statistics and Transaction Mix

New Order	Value (%)
Home warehouse order lines	99.00
Remote warehouse order lines	1.00
Rolled back transactions	0.99
Average number of items per order	10.00
Payment	
Home warehouse payment transactions	85.02
Remote warehouse payment transactions	14.98
Non-Primary Key Access	
Payment transactions using C_LAST	60.02
Order-Status transactions using C_LAST	60.18
Delivery	
Delivery transactions skipped	0
Transaction Mix	
New-Order	44.86
Payment	43.04
Delivery	4.04
Stock Level	4.04
Order-Status	4.02

Number of Checkpoints

The number of checkpoints in the Measurement Interval, the time in seconds from the start of the Measurement Interval to the first checkpoint, and the Checkpoint Interval must be disclosed.

Checkpoints were performed during the ramp-up period and during each measured run interval. The first measurement interval checkpoint started 10 minutes and 52 seconds after the start of the measurement interval. The four checkpoints in the measured interval are shown in Table 5-4.

Table 5-4. Checkpoint Start Time and Duration

Checkpoint	Start Time	Duration
1	10:48:52 a.m.	7 minutes 42 seconds
2	11:18:50 a.m.	7 minutes 35 seconds
3	11:48:48 a.m.	7 minutes 50 seconds
4	12:18:46 a.m.	7 minutes 53 seconds

The checkpoints were verified to be clear of the protected zones around the beginning and end of the measurement intervals. The checkpoint interval was 30 minutes.

Clause 6: SUT, Driver and Communication Definition Related Items

Description of RTE

The RTE input parameters, code fragments, functions, etc., used to generate each transaction input field must be disclosed.

The RTE used was Microsoft BenchCraft RTE. Benchcraft is a proprietary tool provided by Microsoft and is not commercially available. The RTE input is listed in Appendix C.

Emulated Components

It must be demonstrated that the functionality and performance of the components being emulated in the Driver System are equivalent to that of the priced system. The results of the test described in Clause 6.6.3.4 must be disclosed.

No components were emulated.

Benchmarked and Targeted System Configuration Diagrams

A complete functional diagram of both the benchmarked configuration and the configuration of the proposed (target) system must be disclosed. A detailed list of all software and hardware functionality being performed on the Driver System, and its interface to the SUT must be disclosed (see Clause 6.6.3.6).

The driver RTE generated the transaction input data and transmitted it to the client in HTML format. The driver RTE received the output from the System under Test, time-stamped it, and forwarded it to the Master RTE for post-test processing. No other functionality was included on the driver RTE.

Detailed diagrams of the benchmarked and priced configurations are provided in the section called “General Items” at the beginning of this document.

Network Configuration

The network configurations of both the tested services and the proposed (target) services which are being represented and a thorough explanation of exactly which parts of the proposed configuration are being replaced with the Driver System must be disclosed (see Clause 6.6.4).

See the measured and priced configuration diagrams (pages 12 and 13) for details about the network configuration.

Network Bandwidth

The bandwidth of the network(s) used in the tested/priced configuration must be disclosed.

The Ethernet used in the LAN complies with the IEEE.802.3 standard. The LANs that connected the driver RTEs to the clients had a bandwidth of 10Mbps. The LAN that connected the client to the server had a bandwidth of 100Mbps.

Operator Intervention

If the configuration requires operator intervention (see Clause 6.6.6), the mechanism and the frequency of this intervention must be disclosed.

The configuration did not require any operator intervention to sustain the reported throughput.

Clause 7: Pricing Related Items

Hardware and Software Components

A detailed list of the hardware and software used in the priced system must be reported. Each separately orderable item must have a vendor part number, description and release/revision level, and either general availability status or committed delivery date. If package-pricing is used, vendor part number of the package and a description uniquely identifying each of the components of the package must be disclosed.

Pricing source(s) and effective date(s) must also be reported.

The total 3-year price of the entire configuration must be reported, including: hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed.

A detailed list of all hardware and software, including the 3-year price, is provided in the Executive Summary at the front of this report. All third-party quotations are included in Appendix E at the end of this document.

Availability Date

The committed delivery date for general availability (availability date) of products used in the price calculations must be reported. When the priced system includes products with different availability dates, the reported availability for the priced system must be the date at which all components are committed to be available.

All hardware and software used in this benchmark are currently available.

Measured tpmC

A statement of the measured tpmC, as well as the respective calculations for the 3-year pricing, price/performance (price/tpmC) and the availability date must be included.

{ Maximum Qualified Throughput:	9,112.91 tpmC
{ Price per tpmC:	\$4.76 per tpmC
{ Three-year cost of ownership:	\$43,370

Country-Specific Pricing

Additional Clause 7 related items may be included in the Full Disclosure Report for each country-specific priced configuration. Country-specific pricing is subject to Clause 7.1.7.

The configuration is priced for the United States of America.

Usage Pricing

For any usage pricing, the sponsor must disclose:

- v Usage level at which the component was priced.*
- v A statement of the company policy allowing such pricing.*

The component pricing based on usage is shown below:

- v 1 Microsoft Windows 2000 Server*
- v 1 Microsoft SQL Server 2000 Standard Edition (based on per-processor price)*

- v 3-year support for hardware components (except for components for which 10 percent spares are provided)

System Pricing

System pricing should include subtotals for the following components: Server Hardware, Server Software, Client Hardware, Client Software, and Network Components used for terminal connection (see Clause 7.2.2.3). System pricing must include line item indication where non-sponsoring companies' brands are used. System pricing must also include line item indication of third-party pricing.

A detailed list of all hardware and software, including the 3-year price, is provided in the Executive Summary at the front of this report. All third-party quotations are included in Appendix E at the end of this document.

Clause 9: Audit Related Items

Auditor

The auditor's name, address, phone number, and a copy of the auditor's attestation letter indicating compliance must be included in the Full Disclosure Report.

This implementation of the TPC-C benchmark was audited by Bradley J. Askins of InfoSizing, Inc. The auditor's attestation letter is provided in this section.

Availability of the Full Disclosure Report

The Full Disclosure Report must be readily available to the public at a reasonable charge, similar to the charges for similar documents by the test sponsor. The report must be made available when results are made public. In order to use the phrase "TPC BenchmarkTMC," the Full Disclosure Report must have been submitted to the TPC Administrator as well as written permission obtained to distribute same.

Requests for the TPC Benchmark C Full Disclosure Report should be sent to:

TPC
404 Balboa Street
San Francisco, CA 94118

Benchmark Sponsor: Richard Laviano
 Mgr., xSeries Server Performance
 IBM Server Group
 3039 Cornwallis Road
 Research Triangle Park, NC 27709

October 17, 2001

I verified the TPC Benchmark™ C performance for the following Client/Server configuration:

Platform: **IBM @server xSeries 220 c/s**
 Operating system: **Microsoft Windows 2000 Server**
 Database Manager: **Microsoft SQL Server 2000 Standard Edition**
 Transaction Manager: **Microsoft COM+**

The results were:

CPU's Speed	Memory	Disks	NewOrder 90% Response Time	tpmC
Server: IBM @server xSeries 220				
1 x Pentium III (1.266 GHz)	2.125 GB Main (512KB L2 Cache per processor)	2 x 36.4 GB 37 x 9.1 GB	1.01 Seconds	9,112.91
One (1) Client: IBM @server xSeries 220				
2 x Pentium III (1 GHz)	384 MB Main (256KB L2 Cache per processor)	1 x 9.1 GB	n/a	n/a

In my opinion, these performance results were produced in compliance with the TPC's requirements for the benchmark. The following verification items were given special attention:

- The database records were the proper size
- The database was properly scaled and populated

- The required ACID properties were met
- The transactions were correctly implemented
- Input data was generated according to the specified percentages
- The transaction cycle times included the required keying and think times
- The reported response times were correctly measured.
- All 90% response times were under the specified maximums
- At least 90% of all delivery transactions met the 80 Second completion time limit
- The reported measurement interval was 120 minutes (7200 seconds)
- The reported measurement interval was representative of steady state conditions
- Four checkpoints were taken during the reported measurement interval
- The 60 day storage requirement was correctly computed
- The system pricing was verified for major components and maintenance

Respectfully Yours,



François Raab, President



Bradley J. Askins, Auditor

Appendix A: Source Code

client_utils.c

```
/* client_utils.c
*/

#include <stdio.h>
#include <time.h>
#include <windows.h>
#include <winperf.h>
#include <winsock.h>
#include "client_utils.h"

#define Li2Double(x) ((double)((x).HighPart) * 4.294967296E9 +
(double)((x).LowPart))

static LARGE_INTEGER pFreq;
static double sFreq;
static int print_thread_id = 1;
static int user_id = 0;
static char *user_code = "C";

/*
 * get_thread_id
 * A function that returns the thread ID of the current thread
 */
static int get_thread_id()
{
    return(GetCurrentThreadId());
}

/*
 * get_prefix
 * Format the output prefix for printing:
 * It contains the user_id, 'C' or 'T' depending on whether it
 * is a terminal or a client and optional a thread identifier
 * The prefix is written in the buffer passed in by the caller.
 */
static void get_prefix(char *buffer)
{
    if (print_thread_id) {
        int thread_id = get_thread_id();
        sprintf(buffer, "%s(%d-%s-%d)%s",
            user_id < 10 ? " " : user_id < 100 ? " " : "",
            user_id,
            user_code,
            thread_id,
            thread_id < 10 ? " " : "");
    } else {
        sprintf(buffer, "%s(%2d-%s)",
            user_id < 10 ? " " : "", user_id, user_code);
    }
}

/*
 * err_printf
 * A var-arg function that appends the current time and
 * other data to the print request and sends it to stderr
 * if it is not a web client, to a file if it is
 */
void err_printf(char *format, ...)
{
    time_t cur_timet;
    char time_str[30];
    char line_prefix[50];
    va_list ap;

    va_start(ap, format);

    cur_timet = time(&cur_timet);
    strftime(time_str, 29, "%X", localtime(&cur_timet));

    get_prefix(line_prefix);

    fprintf(ERROROUT, "%s %s - ", line_prefix, time_str);
    vfprintf(ERROROUT, format, ap);
    fflush(ERROROUT);

    va_end(ap);
}

/*
 * encina_error_message
 * Report an encina error message by interpreting it and writing
 * it to both the logfile (if any) and to standard error
 */
void encina_error_message(char *msg, unsigned long n)
{
    char errorMsg[ENCINA_MAX_STATUS_STRING_SIZE];
    encina_StatusToString(n, ENCINA_MAX_STATUS_STRING_SIZE,
        errorMsg);
    err_printf("ERROR: %s. Error code = %s (%d 0x%x) \n", msg, errorMsg, n, n);
}

int get_time_init()
{
    QueryPerformanceFrequency(&pFreq);
    sFreq=Li2Double(pFreq);
    return 0;
}

int get_local_time(time_type *timeP)
{
    double cur_t;
    LARGE_INTEGER counter;

    QueryPerformanceCounter(&counter);
    cur_t = Li2Double(counter) / sFreq;
    timeP->sec = (long)cur_t;
    /* timeP->usec = ((long)cur_t - timeP->sec) * 1000000;*/
    timeP->usec = (long)((cur_t - timeP->sec) * 1000000);
    return 0;
}

/*
 * time_diff_ms
 * Return the difference in milliseconds between two times
 */
int time_diff_ms(struct timeval *t2, struct timeval *t1)
{
    int t_diff;

    t_diff = (t2->tv_usec + 1000000 - t1->tv_usec + 500) / 1000 +
        (t2->tv_sec - t1->tv_sec - 1) * 1000;

    return(t_diff);
}

/*
 * perfCntDataInit:
 * Initialization for the shared file mapping.
 *
 * return: pointer to the shared memory space
 *
 * This routine creates a named mapped memory section that is used
 */
```

```

* to communicate the TPCC performance data to the extensible
* counter DLL for NT perfmon.
*/
total_tran_count_t *perfCntDataInit()
{
    HANDLE hMappedObject;
    total_tran_count_t *pCntInfo = NULL;
    TCHAR szMappedObjectName[] =
TEXT("TPCC_CLNT_COUNTER_BLOCK");

    /* create named section for the performance data */
    hMappedObject = CreateFileMapping((HANDLE)0xFFFFFFFF,
        NULL,
        PAGE_READWRITE,
        0,
        sizeof(total_tran_count_t),
        szMappedObjectName);
    if (hMappedObject == NULL) {
        err_printf("perfCntDataInit: CreateFileMapping failed %x\n",
            GetLastError());
        pCntInfo = NULL;
    } else {
        /* map the section and assign the counter block pointer
        * to this section of memory
        */
        pCntInfo = (total_tran_count_t *) MapViewOfFile(hMappedObject,
            FILE_MAP_ALL_ACCESS,
            0,
            0,
            0);
        if (pCntInfo == NULL) {
            err_printf("perfCntDataInit: MapViewOfFile failed %x\n",
                GetLastError());
        } else {
            err_printf("perfCntDataInit: MapViewOfFile success \n");
        }
    }

    return(pCntInfo);
}

```

client_utils.h

```

#ifndef TPCC_CLIENT_UTILS_H
#define TPCC_CLIENT_UTILS_H

#include <stdio.h>
#include <time.h>
#include <dce/rpc.h>
#include <dce/dce_error.h>
#include <encina/encina.h>
#include <stdlib.h>
#include <utils/trace.h>
#include <winsock.h>
#include "mon_client.h"
#include "../include/tpcc_type.h"

extern FILE * errtpcc;
extern FILE * logtpcc;
extern int debug;
extern char log_file_name[];
extern void logprintf( char *format, ...);
extern void err_printf( char *format, ...);
extern void encina_error_message(char *msg, unsigned long n);
extern int time_diff_ms(struct timeval *t2, struct timeval *t1);

typedef struct {
    int num;

```

```

    int errs;
    double RTtotal[2]; // 1 for server RT and 0 for client RT
    int RTcount;
} tran_info_t;

/*
* total_tran_count_t
*
* structure that holds the total count of transaction of each type
* as well as the response times.
*/
typedef struct {
    tran_info_t tran[MAX_TRAN_TYPE + 1];
    int errors;
    double time;
} total_tran_count_t;

/* enc_status_t
* structure that holds error information
*/
typedef struct {
    int status;
    int line;
    char file[268];
    unsigned long encinaError;
    char errorMsg[ENCINA_MAX_STATUS_STRING_SIZE];
} enc_status_t;

#define FALSE 0
#define TRUE 1

#define DPRINT(args) if (0) err_printf args

#define CHECK_ENVIRON(str,var) if (str == NULL) { fprintf(ERROROUT, \
    "%s environment variable is not defined.\n",var); }

#define CHK_STATUS(st, val, _errMsg) \
    if(st) { \
        enc_status.status=val; \
        strcpy(enc_status.file, __FILE__); \
        enc_status.line= __LINE__; \
        enc_status.encinaError = st; \
        if(_errMsg)strcpy(enc_status.errorMsg, _errMsg); \
        if(st!=1) return; \
    }

#define UTIL_IDENT(a) a

#if ENCINA_C_ANSI_STRING_TOKEN_SUPPORT
#define UTIL_STRING(a) #a
#define UTIL_CONCAT(a, b) a ## b
#else /* ENCINA_C_ANSI_STRING_TOKEN_SUPPORT */
#define UTIL_STRING(a) "a"
#define UTIL_CONCAT(a, b) UTIL_IDENT(a)b
#endif /* ENCINA_C_ANSI_STRING_TOKEN_SUPPORT */

/* ENCINA_CALL: Make fail-fast calls on the various services. */
#define ENCINA_CALL(proc_name,call) \
{ \
    unsigned long _status; \
    ENCINA_CALL_RC(proc_name,call,_status); \
    if (_status) exit_program(_status); \
}

#define ENCINA_CALL_RC(proc_name,call,rc) \
{ \
    char _errorMsg[ENCINA_MAX_STATUS_STRING_SIZE]; \

```

```

DPRINT(("ENCINA_CALL_RC: before call %s\n", proc_name));
rc = (call);
DPRINT(("ENCINA_CALL_RC: after call %s\n", proc_name));
if (rc) {
    encina_StatusToString(rc, ENCINA_MAX_STATUS_STRING_SIZE,
        _errorMsg);
    err_printf( "%x\n", rc);
    err_printf( "%s\n", _errorMsg);
    err_printf( "%s\n", proc_name);
}
}

```

```

void err_printf(char *format, ...);
void encina_error_message(char *msg, unsigned long n);
int get_time_init();
int get_local_time(time_type *timeP);
int time_diff_ms(struct timeval *t2, struct timeval *t1);

#endif /* TPCC_CLIENT_UTILS_H */

```

dllldata.c

```

/*****
DllData file -- generated by MIDL compiler

```

DO NOT ALTER THIS FILE

This file is regenerated by MIDL on every IDL file compile.

To completely reconstruct this file, delete it and rerun MIDL on all the IDL files in this DLL, specifying this file for the /dllldata command line option

```

/*****

```

```

#include <rpcproxy.h>

```

```

#ifdef __cplusplus
extern "C" {
#endif

```

```

EXTERN_PROXY_FILE( tpcc_com_ps )

```

```

PROXYFILE_LIST_START

```

```

/* Start of list */
REFERENCE_PROXY_FILE( tpcc_com_ps ),
/* End of list */
PROXYFILE_LIST_END

```

```

DLLDATA_ROUTINES( aProxyFileList, GET_DLL_CLSID )

```

```

#ifdef __cplusplus
} /*extern "C" */
#endif

```

```

/* end of generated dllldata file */

```

error.h

```

/* FILE: ERROR.H
* Microsoft TPC-C Kit Ver. 4.20.000

```

```

* Copyright Microsoft, 1999
* All Rights Reserved
*
* Version 4.10.000 audited by
Richard Gimarc, Performance Metrics, 3/17/99
*
* PURPOSE: Header file for error exception classes.
*
* Change history:
* 4.20.000 - updated rev number to match kit
* 4.21.000 - fixed bug: ~CBaseErr needed to be declared
virtual
*/

#pragma once

#ifndef _INC_STRING
#include <string.h>
#endif

const int m_szMsg_size = 512;
const int m_szApp_size = 64;
const int m_szLoc_size = 64;

//error message structure used in ErrorText routines
typedef struct _SERRORMSG
{
    int iError;
    //error id of message
    char szMsg[256]; //message to
    //sent to browser
} SERRORMSG;

#define ERR_FATAL_LEVEL 1
#define ERR_WARNING_LEVEL 2
#define ERR_INFORMATION_LEVEL 3

#define ERR_TYPE_LOGIC -1 //logic error in program; internal error
#define ERR_SUCCESS 0 //success (a non-error error)
#define ERR_BAD_ITEM_ID 1 //expected abort record in txnRecord
#define ERR_TYPE_DELIVERY_POST 2 //expected delivery post failed
#define ERR_TYPE_WEBDLL 3 //tpcc web generated error
#define ERR_TYPE_SQL 4 //sql server generated error
#define ERR_TYPE_DBLIB 5 //dblib generated error
#define ERR_TYPE_ODBC 6 //odbc generated error
#define ERR_TYPE_SOCKET 7 //error on communication socket client rte only
#define ERR_TYPE_DEADLOCK 8 //dblib and odbc only deadlock condition
#define ERR_TYPE_COM 9 //error from COM call
#define ERR_TYPE_TUXEDO 10 //tuxedo error
#define ERR_TYPE_OS 11 //operating system error
#define ERR_TYPE_MEMORY 12 //memory allocation error
#define ERR_TYPE_TPCC_ODBC 13 //error from tpcc odbc txn module
#define ERR_TYPE_TPCC_DBLIB 14 //error from tpcc dblib txn module

```

```

#define ERR_TYPE_DELISRV
15 //delivery server error
#define ERR_TYPE_TXNLOG
16 //txn log error
#define ERR_TYPE_BCCONN
17 //Benchcraft connection class
#define ERR_TYPE_TPCC_CONN
18 //Benchcraft connection class
#define ERR_TYPE_ENCINA
19 //Encina error
#define ERR_TYPE_COMPONENT
20 //error from COM component
#define ERR_TYPE_RTE
21 //Benchcraft rte
#define ERR_TYPE_AUTOMATION
22 //Benchcraft automation errors

class CBaseErr
{
public:
    char *m_szApp;
    char *m_szMsg;
    char *m_szLoc;// code location where the error occurred
    int m_idMsg;

    CBaseErr(void)
    {
        m_idMsg = 0;
        m_szMsg = new char[m_szMsg_size];
        m_szApp = new char[m_szApp_size];
        m_szLoc = NULL;

        m_szMsg[0] = 0;
        m_szApp[0] = 0;

        GetModuleFileName(GetModuleHandle(NULL),
m_szApp, m_szApp_size);
    }

    virtual ~CBaseErr(void)
    {
        if (m_szMsg) delete [] m_szMsg;
        if (m_szApp) delete [] m_szApp;
        if (m_szLoc) delete [] m_szLoc;
    };

    CBaseErr(int idMsg)
    {
        m_idMsg = idMsg;
        m_szApp = new char[m_szApp_size];
        m_szMsg = new char[m_szMsg_size];
        m_szLoc = NULL;

        GetModuleFileName(GetModuleHandle(NULL),
m_szApp, m_szApp_size);
        LoadString(GetModuleHandle(NULL), idMsg, m_szMsg,
m_szMsg_size);
    }

    CBaseErr(LPCTSTR szMsg)
    {
        m_idMsg = 0;
        m_szApp = new char[m_szApp_size];
        m_szMsg = new char[m_szMsg_size];
        m_szLoc = NULL;

```

```

        GetModuleFileName(GetModuleHandle(NULL),
m_szApp, m_szApp_size);
        strcpy(m_szMsg, szMsg);
    }

    void SetError(char *szMsg, LPCTSTR szLocation)
    {
        if (szMsg != NULL)
            strcpy(m_szMsg, szMsg);
        else
            m_szMsg[0] = 0;

        if (szLocation != NULL)
        {
            delete [] m_szLoc;
            m_szLoc = new char[strlen(szLocation)+1];
            strcpy(m_szLoc, szLocation);
        }
        else
        {
            delete [] m_szLoc;
            m_szLoc = NULL;
        }
    }

    virtual void Draw(HWND hwnd, LPCTSTR szStr = NULL)
    {
        int j;
        char szTmp[512];

        if (szStr)
            j = sprintf(szTmp, "%s\n",szStr);
        if (m_szLoc)
            j += sprintf(szTmp+j,
"Location=%s\n",m_szLoc);
        if (m_szMsg)
            j += sprintf(szTmp+j, "%s\n", m_szMsg);

        ::MessageBox(hwnd, szTmp, m_szApp, MB_OK);
    }

    char *GetApp(void) { return m_szApp; }
    char *GetMsg(void) { return m_szMsg; }
    char *GetLocation(void) { return m_szLoc; }

    virtual int ErrorType() = 0; // a value which distinguishes the
kind of error that occurred
    virtual int ErrorNum() = 0; // an error value specific
to the error type
    virtual char *ErrorText() = 0; // a string (i.e., human readable)
representation of the error
};

class CSocketErr : public CBaseErr
{
public:
    enum Action
    {
        eNone,
        eSend,
        eSocket,
        eConnect
    };

    CSocketErr(Action eAction, LPCTSTR szLocation);
    CSocketErr(int iError) { m_errId = iError; };
    int m_errId;
    Action m_eAction;

    int ErrorType() { return ERR_TYPE_SOCKET;};

```

```

    int ErrorNum() { return m_errId;};
    char *ErrorText(void);
};

class CSystemErr : public CBaseErr
{
public:
    enum Action
    {
        eNone,
        eTransactNamedPipe,
        eWaitNamedPipe,
        eSetNamedPipeHandleState,
        eCreateFile,
        eCreateProcess,
        eCallNamedPipe,
        eCreateEvent,
        eCreateThread,
        eVirtualAlloc,
        eReadFile,
        eWriteFile,
        eMapViewOfFile,
        eCreateFileMapping,
        eInitializeSecurityDescriptor,
        eSetSecurityDescriptorDacl,
        eCreateNamedPipe,
        eConnectNamedPipe,
        eWaitForSingleObject,
        eRegOpenKeyEx,
        eRegQueryValueEx,
    };

    CSystemErr(Action eAction, LPCTSTR szLocation);

    void Draw(HWND hwnd, LPCTSTR szStr = NULL);

    int m_errId;
    Action m_eAction;

    int ErrorType() { return ERR_TYPE_OS;};
    int ErrorNum() { return m_errId;};
    char *ErrorText() { return m_szMsg; }
};

class CMemoryErr : public CBaseErr
{
public:
    CMemoryErr(void);

    int ErrorType() { return ERR_TYPE_MEMORY;};
    int ErrorNum() { return 0;};
    char *ErrorText() { return "Insufficient Memory to continue.";};
};

```

install.c

```

/* FILE:          INSTALL.C
 *
 *                Microsoft TPC-C Kit Ver. 4.20.000
 *                Copyright Microsoft, 1999
 *
 * All Rights Reserved
 *
 *                not audited
 *
 * PURPOSE:       Automated installation application for TPC-C
Web Kit
 * Contact:      Charles Levine (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - added COM installation steps

```

```

*/
#include <windows.h>
#include <direct.h>
#include <io.h>
#include <stdlib.h>
#include <stdio.h>
#include <commctrl.h>
#include "..\..\common\src\ReadRegistry.h"

#include "resource.h"

#define WM_INITTEXT WM_USER+100

HICON hIcon;
HINSTANCE hInst;

DWORD versionExeMS;
DWORD versionExeLS;
DWORD versionExeMM;
DWORD versionDIIMS;
DWORD versionDIILS;

// TPC-C registry settings
TPCCREGISTRYDATA Reg;

static int iPoolThreadLimit;
static int iThreadTimeout;
static int iListenBackLog;
static int iAcceptExOutstanding;

static int iMaxPhysicalMemory; //max
physical memory in MB
static char szLastFileName[64]; // last file we worked on
(for error reporting)

BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam);
BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam);
BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam);
BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam);
static void ProcessOK(HWND hwnd, char *szDllPath);
static void ReadRegistrySettings(void);
static void WriteRegistrySettings(char *szDllPath);
static BOOL RegisterDLL(char *szFileName);
static int CopyFiles(HWND hDlg, char
*szDllPath);
static BOOL GetInstallPath(char *szDllPath);
static void GetVersionInfo(char *szDllPath, char
*szExePath);
static BOOL CheckWWWWebService(void);
static BOOL StartWWWWebService(void);
static BOOL StopWWWWebService(void);
static void UpdateDialog(HWND hDlg);

BOOL install_com(char *szDllPath);

#include "..\..\common\src\ReadRegistry.cpp"

int WINAPI WinMain( HINSTANCE hInstance, HINSTANCE hPrevInstance,
LPSTR lpCmdLine, int nCmdShow )
{
    int iRc;

    hInst = hInstance;

    InitCommonControls();

```



```

        hIcon = LoadIcon(hInstance, MAKEINTRESOURCE(IDI_ICON1));

        iRc = DialogBox(hInstance,
        MAKEINTRESOURCE(IDD_DIALOG4), GetDesktopWindow(),
        LicenseDlgProc);
        if ( iRc )
        {
            iRc = DialogBox(hInstance,
            MAKEINTRESOURCE(IDD_DIALOG1), GetDesktopWindow(),
            MainDlgProc);
            if ( iRc )
            {
                DialogBoxParam(hInstance,
                MAKEINTRESOURCE(IDD_DIALOG2), GetDesktopWindow(),
                UpdatedDlgProc, (LPARAM)iRc);
            }
        }

        DestroyIcon(hIcon);
        return 0;
    }

    BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT uMsg, WPARAM
    wParam, LPARAM lParam)
    {
        HGLOBAL          hRes;
        HRSRC             hResInfo;
        BYTE              *pSrc, *pDst;
        DWORD             dwSize;
        static HFONT      hFont;

        switch(uMsg)
        {
            case WM_INITDIALOG:
                hFont = CreateFont(-12, 0, 0, 0, 400, 0, 0, 0, 0,
                0, 0, 0, 0, "Arial");
                SendMessage( GetDlgItem(hwnd,
                IDR_LICENSE1), WM_SETFONT, (LPARAM)hFont, MAKELPARAM(0, 0)
                );
                PostMessage(hwnd, WM_INITTEXT,
                (LPARAM)0, (LPARAM)0);
                return TRUE;
            case WM_INITTEXT:
                hResInfo = FindResource(hInst,
                MAKEINTRESOURCE(IDR_LICENSE1), "LICENSE");
                dwSize = SizeofResource(hInst, hResInfo);
                hRes = LoadResource(hInst, hResInfo);
                pSrc = (BYTE *)LockResource(hRes);
                pDst = (unsigned char *)malloc(dwSize+1);
                if ( pDst )
                {
                    memcpy(pDst, pSrc, dwSize);
                    pDst[dwSize] = 0;
                    SetDlgItemText(hwnd,
                    IDC_LICENSE, (const char *)pDst);
                }
                else
                    SetDlgItemText(hwnd,
                    IDC_LICENSE, (const char *)pSrc);
            case WM_DESTROY:
                DeleteObject(hFont);
                return TRUE;
            case WM_COMMAND:
                if ( wParam == IDOK )
                    EndDialog(hwnd, TRUE);
                if ( wParam == IDCANCEL )
                    EndDialog(hwnd, FALSE);
            default:

```

```

                break;
            }
            return FALSE;
        }
    }

    BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT uMsg, WPARAM
    wParam, LPARAM lParam)
    {
        switch(uMsg)
        {
            case WM_INITDIALOG:
                switch(lParam)
                {
                    case 1:
                    case 2:
                        SetDlgItemText(hwnd,
                        IDC_RESULTS, "TPC-C Web Client Installed");
                        break;
                }
                return TRUE;
            case WM_COMMAND:
                if ( wParam == IDOK )
                    EndDialog(hwnd, TRUE);
                break;
            default:
                break;
        }
        return FALSE;
    }

    BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg, WPARAM
    wParam, LPARAM lParam)
    {
        PAINTSTRUCT      ps;
        MEMORYSTATUS     memoryStatus;
        OSVERSIONINFO    VI;
        char              szTmp[256];
        static char       szDllPath[256];
        static char       szExePath[256];

        switch(uMsg)
        {
            case WM_INITDIALOG:
                GlobalMemoryStatus(&memoryStatus);
                iMaxPhysicalMemory=
                (memoryStatus.dwTotalPhys/ 1048576);

                if ( GetInstallPath(szDllPath) )
                {
                    MessageBox(hwnd, "Error internet
                    service inetsrv is not installed.", NULL, MB_ICONSTOP | MB_OK);
                    EndDialog(hwnd, FALSE);
                    return TRUE;
                }

                // set default values
                ZeroMemory( &Reg, sizeof(Reg) );
                Reg.dwNumberOfDeliveryThreads = 4;
                Reg.dwMaxConnections = 100;
                Reg.dwMaxPendingDeliveries = 100;
                Reg.eDB_Protocol = DBLIB;
                Reg.eTxnMon = None;
                strcpy(Reg.szDbServer,
                "");

                strcpy(Reg.szDbName,
                "tpcc");

                strcpy(Reg.szDbUser,      "sa");
                strcpy(Reg.szDbPassword,  "");

                iPoolThreadLimit = iMaxPhysicalMemory * 2;
                iThreadTimeout = 86400;

```

<pre> iListenBackLog = 15; iAcceptExOutstanding = 40; ReadTPCCRegistrySettings(&Reg); ReadRegistrySettings(); GetModuleFileName(hInst, szExePath, sizeof(szExePath)); GetVersionInfo(szDllPath, szExePath); wsprintf(szTmp, "Version %d.%2.2d.%3.3d", versionExeMS, versionExeMM, versionExeLS); SetDlgItemText(hwnd, IDC_VERSION, szTmp); SetDlgItemText(hwnd, IDC_PATH, szDllPath); SetDlgItemText(hwnd, ED_DB_SERVER, Reg.szDbServer); SetDlgItemText(hwnd, ED_DB_USER_ID, Reg.szDbUser); SetDlgItemText(hwnd, ED_DB_PASSWORD, Reg.szDbPassword); SetDlgItemText(hwnd, ED_DB_NAME, Reg.szDbName); SetDlgItemInt(hwnd, ED_THREADS, Reg.dwNumberOfDeliveryThreads, FALSE); SetDlgItemInt(hwnd, ED_MAXCONNECTION, Reg.dwMaxConnections, FALSE); SetDlgItemInt(hwnd, ED_MAXDELIVERIES, Reg.dwMaxPendingDeliveries, FALSE); SetDlgItemInt(hwnd, ED_IIS_MAX_THREAD_POOL_LIMIT, iPoolThreadLimit, FALSE); SetDlgItemInt(hwnd, ED_IIS_THREAD_TIMEOUT, iThreadTimeout, FALSE); SetDlgItemInt(hwnd, ED_IIS_LISTEN_BACKLOG, iListenBackLog, FALSE); SetDlgItemInt(hwnd, ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE, iAcceptExOutstanding, FALSE); CheckDlgButton(hwnd, IDC_DBLIB, 0); CheckDlgButton(hwnd, IDC_ODBC, 0); if (Reg.eDB_Protocol == DBLIB) CheckDlgButton(hwnd, IDC_DBLIB, 1); else CheckDlgButton(hwnd, IDC_ODBC, 1); // check OS version level for COM. Must be at least Windows 2000 VI.dwOSVersionInfoSize = sizeof(VI); GetVersionEx(&VI); if (VI.dwMajorVersion < 5) { HWND hDlg = GetDlgItem(hwnd, IDC_TM_MTS); EnableWindow(hDlg, 0); // if (Reg.eTxnMon == COM) Reg.eTxnMon = None; } CheckDlgButton(hwnd, IDC_TM_NONE, 0); CheckDlgButton(hwnd, IDC_TM_TUXEDO, 0); CheckDlgButton(hwnd, IDC_TM_MTS, 0); </pre>	<pre> 0); switch (Reg.eTxnMon) { case None: CheckDlgButton(hwnd, IDC_TM_NONE, 1); break; case TUXEDO: CheckDlgButton(hwnd, IDC_TM_TUXEDO, 1); break; case ENCINA: CheckDlgButton(hwnd, IDC_TM_ENCINA, 1); break; case COM: CheckDlgButton(hwnd, IDC_TM_MTS, 1); break; } return TRUE; case WM_PAINT: if (!IsIconic(hwnd)) { BeginPaint(hwnd, &ps); DrawIcon(ps.hdc, 0, 0, hIcon); EndPaint(hwnd, &ps); return TRUE; } break; case WM_COMMAND: if (HIWORD(wParam) == BN_CLICKED) { switch(LOWORD(wParam)) { case IDC_DBLIB: return case IDC_ODBC: return case IDOK: return case IDCANCEL: return default: return } } break; default: break; } return FALSE; } static void ProcessOK(HWND hwnd, char *szDllPath) { int d; HWND hDlg; int rc; </pre>	<pre> CheckDlgButton(hwnd, IDC_TM_ENCINA, 0); switch (Reg.eTxnMon) { case None: CheckDlgButton(hwnd, IDC_TM_NONE, 1); break; case TUXEDO: CheckDlgButton(hwnd, IDC_TM_TUXEDO, 1); break; case ENCINA: CheckDlgButton(hwnd, IDC_TM_ENCINA, 1); break; case COM: CheckDlgButton(hwnd, IDC_TM_MTS, 1); break; } return TRUE; case WM_PAINT: if (!IsIconic(hwnd)) { BeginPaint(hwnd, &ps); DrawIcon(ps.hdc, 0, 0, hIcon); EndPaint(hwnd, &ps); return TRUE; } break; case WM_COMMAND: if (HIWORD(wParam) == BN_CLICKED) { switch(LOWORD(wParam)) { case IDC_DBLIB: return case IDC_ODBC: return case IDOK: return case IDCANCEL: return default: return } } break; default: break; } return FALSE; } static void ProcessOK(HWND hwnd, char *szDllPath) { int d; HWND hDlg; int rc; </pre>
---	--	--

```

char    szFullName[256];
char    szErrMsg[128];

// read settings from dialog
Reg.dwNumberOfDeliveryThreads = GetDlgItemInt(hwnd,
ED_THREADS, &d, FALSE);
Reg.dwMaxConnections = GetDlgItemInt(hwnd,
ED_MAXCONNECTION, &d, FALSE);
Reg.dwMaxPendingDeliveries = GetDlgItemInt(hwnd,
ED_MAXDELIVERIES, &d, FALSE);

GetDlgItemText(hwnd, ED_DB_SERVER, Reg.szDbServer,
sizeof(Reg.szDbServer));
GetDlgItemText(hwnd, ED_DB_USER_ID, Reg.szDbUser,
sizeof(Reg.szDbUser));
GetDlgItemText(hwnd, ED_DB_PASSWORD, Reg.szDbPassword,
sizeof(Reg.szDbPassword));
GetDlgItemText(hwnd, ED_DB_NAME, Reg.szDbName,
sizeof(Reg.szDbName));

if ( IsDlgButtonChecked(hwnd, IDC_DBLIB) )
{
    Reg.eDB_Protocol = DBLIB;
    rc = 1;
}
else if ( IsDlgButtonChecked(hwnd, IDC_ODBC) )
{
    Reg.eDB_Protocol = ODBC;
    rc = 2;
}

if ( IsDlgButtonChecked(hwnd, IDC_TM_NONE) )
    Reg.eTxnMon = None;
else if ( IsDlgButtonChecked(hwnd, IDC_TM_TUXEDO) )
    Reg.eTxnMon = TUXEDO;
else if ( IsDlgButtonChecked(hwnd, IDC_TM_MTS) )
    Reg.eTxnMon = COM;
else if ( IsDlgButtonChecked(hwnd, IDC_TM_ENCINA) )
    Reg.eTxnMon = ENCINA;

iPoolThreadLimit = GetDlgItemInt(hwnd,
ED_IIS_MAX_THREAD_POOL_LIMIT, &d, FALSE);
iThreadTimeout = GetDlgItemInt(hwnd,
ED_IIS_THREAD_TIMEOUT, &d, FALSE);
iListenBackLog = GetDlgItemInt(hwnd,
ED_IIS_LISTEN_BACKLOG, &d, FALSE);
iAcceptExOutstanding = GetDlgItemInt(hwnd,
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE, &d, FALSE);

ShowWindow(hwnd, SW_HIDE);
hDlg = CreateDialog(hInst,
MAKEINTRESOURCE(IDD_DIALOG3), hwnd, CopyDlgProc);
ShowWindow(hDlg, SW_SHOWNA);
UpdateDialog(hDlg);

// write binaries to inetpub\wwwroot
rc = CopyFiles(hDlg, szDllPath);
if ( !rc )
{
    ShowWindow(hwnd, SW_SHOWNA);
    DestroyWindow(hDlg);
    strcpy( szErrMsg, "Error(s) ocured when creating " );
    strcat( szErrMsg, szLastFileName );
    MessageBox(hwnd, szErrMsg, NULL, MB_ICONSTOP |
MB_OK);

    EndDialog(hwnd, 0);
    return;
}

// update registry
SetDlgItemText(hDlg, IDC_STATUS, "Updating Registry.");
SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0,
0);

UpdateDialog(hDlg);
WriteRegistrySettings(szDllPath);

// register com proxy stub
strcpy(szFullName, szDllPath);
strcat(szFullName, "tpcc_com_ps.dll");
if (!RegisterDLL(szFullName))
{
    ShowWindow(hwnd, SW_SHOWNA);
    DestroyWindow(hDlg);
    strcpy( szErrMsg, "Error ocured when registering " );
    strcat( szErrMsg, szFullName );
    MessageBox(hwnd, szErrMsg, NULL, MB_ICONSTOP |
MB_OK);

    EndDialog(hwnd, 0);
    return;
}

// if using COM
if (Reg.eTxnMon == COM)
{
    SetDlgItemText(hDlg, IDC_STATUS, "Configuring
COM.");
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    if (install_com(szDllPath))
    {
        ShowWindow(hwnd, SW_SHOWNA);
        DestroyWindow(hDlg);
        strcpy( szErrMsg, "Error ocured when
configuring COM settings." );
        MessageBox(hwnd, szErrMsg, NULL,
MB_ICONSTOP | MB_OK);

        EndDialog(hwnd, 0);
        return;
    }
}

Sleep(100);

ShowWindow(hwnd, SW_SHOWNA);
DestroyWindow(hDlg);

EndDialog(hwnd, rc);
return;
}

static void ReadRegistrySettings(void)
{
    HKEY    hKey;
    DWORD  size;
    DWORD  type;

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\Inetinfo\\Parameters", 0, KEY_READ,
&hKey) == ERROR_SUCCESS )
    {
        size = sizeof(iPoolThreadLimit);
        if ( RegQueryValueEx(hKey, "PoolThreadLimit", 0,
&type, (char *)&iPoolThreadLimit, &size) == ERROR_SUCCESS )
            if ( !iPoolThreadLimit )
                iPoolThreadLimit =
iMaxPhysicalMemory * 2;

        size = sizeof(iThreadTimeout);

```

```

        if ( RegQueryValueEx(hKey, "ThreadTimeout", 0, &type,
(char *)&iThreadTimeout, &size) == ERROR_SUCCESS )
            if ( !iThreadTimeout )
                iThreadTimeout = 86400;

        size = sizeof(iListenBackLog);
        if ( RegQueryValueEx(hKey, "ListenBackLog", 0, &type,
(char *)&iListenBackLog, &size) == ERROR_SUCCESS )
            if ( !iListenBackLog )
                iListenBackLog = 15;

        RegCloseKey(hKey);
    }

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Parameters", 0, KEY_READ,
&hKey) == ERROR_SUCCESS )
    {
        size = sizeof(iAcceptExOutstanding);
        if ( RegQueryValueEx(hKey, "AcceptExOutstanding", 0,
&type, (char *)&iAcceptExOutstanding, &size) == ERROR_SUCCESS )
            if ( !iAcceptExOutstanding )
                iAcceptExOutstanding = 40;

        RegCloseKey(hKey);
    }
}

static void WriteRegistrySettings(char *szDllPath)
{
    HKEY    hKey;
    DWORD  dwDisposition;
    char    szTmp[256];
    char    *ptr;
    int     iRc;

    if ( RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\\Microsoft\\TPCC", 0, NULL,
REG_OPTION_NON_VOLATILE, KEY_ALL_ACCESS, NULL, &hKey,
&dwDisposition) == ERROR_SUCCESS )
    {
        strcpy(szTmp, szDllPath);
        ptr = strstr(szTmp, "tpcc");
        if ( ptr )
            *ptr = 0;

        RegSetValueEx(hKey, "Path", 0, REG_SZ, szTmp,
strlen(szTmp)+1);

        RegSetValueEx(hKey, "NumberOfDeliveryThreads", 0,
REG_DWORD, (char *)&Reg.dwNumberOfDeliveryThreads,
sizeof(Reg.dwNumberOfDeliveryThreads));
        RegSetValueEx(hKey, "MaxConnections", 0,
REG_DWORD, (char *)&Reg.dwMaxConnections,
sizeof(Reg.dwMaxConnections));
        RegSetValueEx(hKey, "MaxPendingDeliveries", 0,
REG_DWORD, (char *)&Reg.dwMaxPendingDeliveries,
sizeof(Reg.dwMaxPendingDeliveries));

        RegSetValueEx(hKey, "DB_Protocol", 0, REG_SZ,
szDBNames[Reg.eDB_Protocol], strlen(szDBNames[Reg.eDB_Protocol])+1);
        RegSetValueEx(hKey, "TxnMonitor", 0, REG_SZ,
szTxnMonNames[Reg.eTxnMon], strlen(szTxnMonNames[Reg.eTxnMon])+1);

        RegSetValueEx(hKey, "DbServer", 0, REG_SZ,
Reg.szDbServer, strlen(Reg.szDbServer)+1);
        RegSetValueEx(hKey, "DbName", 0, REG_SZ,
Reg.szDbName, strlen(Reg.szDbName)+1);
        RegSetValueEx(hKey, "DbUser", 0, REG_SZ,
Reg.szDbUser, strlen(Reg.szDbUser)+1);

        RegSetValueEx(hKey, "DbPassword", 0, REG_SZ,
Reg.szDbPassword, strlen(Reg.szDbPassword)+1);

        strcpy(szTmp, "YES");
        RegSetValueEx(hKey, "COM_SinglePool", 0, REG_SZ,
szTmp, strlen(szTmp)+1);

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if ( (iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\Inetinfo\\Parameters", 0, NULL,
REG_OPTION_NON_VOLATILE, KEY_ALL_ACCESS, NULL, &hKey,
&dwDisposition) == ERROR_SUCCESS )
    {
        RegSetValueEx(hKey, "PoolThreadLimit", 0,
REG_DWORD, (char *)&iPoolThreadLimit, sizeof(iPoolThreadLimit));
        RegSetValueEx(hKey, "ThreadTimeout", 0,
REG_DWORD, (char *)&iThreadTimeout, sizeof(iThreadTimeout));
        RegSetValueEx(hKey, "ListenBackLog", 0,
REG_DWORD, (char *)&iListenBackLog, sizeof(iListenBackLog));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if ( (iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Parameters", 0, NULL,
REG_OPTION_NON_VOLATILE, KEY_ALL_ACCESS, NULL, &hKey,
&dwDisposition) == ERROR_SUCCESS )
    {
        RegSetValueEx(hKey, "AcceptExOutstanding", 0,
REG_DWORD, (char *)&iAcceptExOutstanding, sizeof(iAcceptExOutstanding));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    return;
}

BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg, WPARAM
wParam, LPARAM lParam)
{
    if ( uMsg == WM_INITDIALOG )
    {
        SendDlgItemMessage(hwnd, IDC_PROGRESS1,
PBM_SETRANGE, 0, MAKELPARAM(0, 16));
        SendDlgItemMessage(hwnd, IDC_PROGRESS1,
PBM_SETSTEP, (WPARAM)1, 0);
        return TRUE;
    }
    return FALSE;
}

BOOL RegisterDLL(char *szFileName)
{
    HINSTANCE    hLib;
    FARPROC      lpDllEntryPoint;

    hLib = LoadLibrary(szFileName);
    if ( hLib == NULL )
        return FALSE;
    // Find the entry point.
    lpDllEntryPoint = GetProcAddress(hLib, "DllRegisterServer");
    if (lpDllEntryPoint != NULL)
    {
        return ((*lpDllEntryPoint)() == S_OK);
    }
    else

```

```

        return FALSE;        //unable to locate entry point
    }

    BOOL FileFromResource( char *szResourceName, int iResourceId, char
    *szDllPath, char *szFileName )
    {
        HGLOBAL          hDLL;
        HRSRC            hResInfo;
        HANDLE           hFile;
        DWORD            dwSize;
        BYTE             *pSrc;
        DWORD            d;
        char              szFullName[256];

        hResInfo = FindResource(hInst,
        MAKEINTRESOURCE(iResourceId), szResourceName);

        strcpy(szFullName, szDllPath);
        strcat(szFullName, szFileName);

        dwSize = SizeofResource(hInst, hResInfo);
        hDLL = LoadResource(hInst, hResInfo );
        pSrc = (BYTE *)LockResource(hDLL);
        remove(szFullName);

        if ( !(hFile = CreateFile(szFullName, GENERIC_WRITE, 0, NULL,
        CREATE_ALWAYS, FILE_ATTRIBUTE_NORMAL, NULL)) )
            return FALSE;

        if ( !WriteFile(hFile, pSrc, dwSize, &d, NULL) )
            return FALSE;

        CloseHandle(hFile);

        UnlockResource(hDLL);
        FreeResource(hDLL);
        return TRUE;
    }

    static int CopyFiles(HWND hDlg, char *szDllPath)
    {
        BOOL            bSvcRunning;

        bSvcRunning = CheckWWWebService();
        if ( bSvcRunning )
        {
            SetDlgItemText(hDlg, IDC_STATUS, "Stopping Web
            Service.");
            SendDlgItemMessage(hDlg, IDC_PROGRESS1,
            PBM_STEPIT, 0, 0);
            UpdateDialog(hDlg);

            StopWWWebService();
            SendDlgItemMessage(hDlg, IDC_PROGRESS1,
            PBM_STEPIT, 0, 0);
            UpdateDialog(hDlg);
        }

        SetDlgItemText(hDlg, IDC_STATUS, "Copying Files...");
        SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0,
        0);
        UpdateDialog(hDlg);

        // install TPCC.DLL
        strcpy( szLastFileName, "tpcc.dll" );
        if (!FileFromResource( "TPCCDLL", IDR_TPCCDLL, szDllPath,
        szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0,
        0);
        UpdateDialog(hDlg);

        // install tpcc_dblib.dll
        strcpy( szLastFileName, "tpcc_dblib.dll" );
        if (!FileFromResource( "DBLIB_DLL", IDR_DBLIB_DLL,
        szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0,
        0);
        UpdateDialog(hDlg);

        // install tpcc_odbc.dll
        strcpy( szLastFileName, "tpcc_odbc.dll" );
        if (!FileFromResource( "ODBC_DLL", IDR_ODBC_DLL, szDllPath,
        szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0,
        0);
        UpdateDialog(hDlg);

        // install tuxapp.exe
        strcpy( szLastFileName, "tuxapp.exe" );
        if (!FileFromResource( "TUXEDO_APP", IDR_TUXEDO_APP,
        szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0,
        0);
        UpdateDialog(hDlg);

        // install tpcc_tuxedo.dll
        strcpy( szLastFileName, "tpcc_tuxedo.dll" );
        if (!FileFromResource( "TUXEDO_DLL", IDR_TUXEDO_DLL,
        szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0,
        0);
        UpdateDialog(hDlg);

        // install tpcc_com.dll
        strcpy( szLastFileName, "tpcc_com.dll" );
        if (!FileFromResource( "COM_DLL", IDR_COM_DLL, szDllPath,
        szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0,
        0);
        UpdateDialog(hDlg);

        // install tpcc_com_all.tlb
        strcpy( szLastFileName, "tpcc_com_all.tlb" );
        if (!FileFromResource( "COM_TYPLIB", IDR_COMTYPLIB_DLL,
        szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0,
        0);
        UpdateDialog(hDlg);

        // install tpcc_com_ps.dll
        strcpy( szLastFileName, "tpcc_com_ps.dll" );
        if (!FileFromResource( "COM_PS_DLL", IDR_COMPS_DLL,
        szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0,
        0);
        UpdateDialog(hDlg);

        // install tpcc_com_all.dll
        strcpy( szLastFileName, "tpcc_com_all.dll" );
        if (!FileFromResource( "COM_ALL_DLL", IDR_COMALL_DLL,
        szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0,
        0);
    }

```

```

UpdateDialog(hDlg);

//if we stopped service restart it.
if ( bSvcRunning )
{
    SetDlgItemText(hDlg, IDC_STATUS, "Starting Web
Service.");
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);
    StartWWWebService();
}

SendDlgItemMessage(hDlg, IDC_PROGRESS1, PBM_STEPIT, 0,
0);
UpdateDialog(hDlg);

return 1;
}

static BOOL GetInstallPath(char *szDllPath)
{
    HKEY hKey;
    BYTE szData[256];
    DWORD sv;
    BOOL bRc;
    int len;
    char *ptr;
    int iRc;

    szDllPath[0] = 0;
    bRc = TRUE;
    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Parameters\\Virtual Roots", 0,
KEY_ALL_ACCESS, &hKey) == ERROR_SUCCESS )
    {
        sv = sizeof(szData);
        iRc = RegQueryValueEx( hKey, "/", NULL, NULL,
szData, &sv ); // used by IIS 3.0
        if (iRc == ERROR_FILE_NOT_FOUND)
            iRc = RegQueryValueEx( hKey, "/", NULL,
NULL, szData, &sv ); // used by IIS 4.0
        if (iRc == ERROR_SUCCESS)
        {
            bRc = FALSE;
            strcpy(szDllPath, szData);
            if ( (ptr = strchr(szDllPath, ','))
                *ptr = 0;

            len = strlen(szDllPath);
            if ( szDllPath[len-1] != '\\' )
            {
                szDllPath[len] = '\\';
                szDllPath[len+1] = 0;
            }
        }

        RegCloseKey(hKey);
    }

    return bRc;
}

static void GetVersionInfo(char *szDLLPath, char *szExePath)
{
    DWORD d;
    DWORD dwSize;
    DWORD dwBytes;
    char *ptr;
    VS_FIXEDFILEINFO *vs;

    versionDIIMS = 0;
    versionDIILS = 0;
    if ( _access(szDLLPath, 00) == 0 )
    {
        dwSize = GetFileVersionInfoSize(szDLLPath, &d);
        if ( dwSize )
        {
            ptr = (char *)malloc(dwSize);
            GetFileVersionInfo(szDLLPath, 0, dwSize,
ptr);
            VerQueryValue(ptr, "\\",&vs, &dwBytes);
            versionDIIMS = vs->dwProductVersionMS;
            versionDIILS = vs->dwProductVersionLS;
            free(ptr);
        }
    }

    versionExeMS = 0x7FFF;
    versionExeLS = 0x7FFF;
    dwSize = GetFileVersionInfoSize(szExePath, &d);
    if ( dwSize )
    {
        ptr = (char *)malloc(dwSize);
        GetFileVersionInfo(szExePath, 0, dwSize, ptr);
        VerQueryValue(ptr, "\\",&vs, &dwBytes);

        versionExeMS = vs->dwProductVersionMS;
        versionExeLS = LOWORD(vs->dwProductVersionLS);
        versionExeMM = HIWORD(vs->dwProductVersionLS);
        free(ptr);
    }
    return;
}

static BOOL CheckWWWebService(void)
{
    SC_HANDLE schSCManager;
    SC_HANDLE schService;
    SERVICE_STATUS ssStatus;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager, TEXT("W3SVC"),
SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! QueryServiceStatus(schService, &ssStatus) )
        goto ServiceNotRunning;

    if (! ControlService(schService, SERVICE_CONTROL_STOP,
&ssStatus) )
        goto ServiceNotRunning;
    //start Service pending, Check the status until the service is running.
    if (! QueryServiceStatus(schService, &ssStatus) )
        goto ServiceNotRunning;

    CloseServiceHandle(schService);
    return TRUE;
}

ServiceNotRunning:

    CloseServiceHandle(schService);
    return FALSE;
}

static BOOL StartWWWebService(void)
{
    SC_HANDLE schSCManager;
    SC_HANDLE schService;
    SERVICE_STATUS ssStatus;

```

```

        DWORD                dwOldCheckPoint;

        schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
        schService = OpenService(schSCManager, TEXT("W3SVC"),
SERVICE_ALL_ACCESS);
        if (schService == NULL)
            return FALSE;

        if (! StartService(schService, 0, NULL) )
            goto StartWWWebErr;
        //start Service pending, Check the status until the service is running.
        if (! QueryServiceStatus(schService, &ssStatus) )
            goto StartWWWebErr;
        while( ssStatus.dwCurrentState != SERVICE_RUNNING)
        {

            dwOldCheckPoint = ssStatus.dwCheckPoint;
//Save the current checkpoint.
            Sleep(ssStatus.dwWaitHint);
            //Wait for the specified interval.
            if ( !QueryServiceStatus(schService, &ssStatus) )
//Check the status again.
                break;
            if (dwOldCheckPoint >= ssStatus.dwCheckPoint)
//Break if the checkpoint has not been incremented.
                break;
        }

        if (ssStatus.dwCurrentState == SERVICE_RUNNING)
            goto StartWWWebErr;

        CloseServiceHandle(schService);
        return TRUE;

StartWWWebErr:
        CloseServiceHandle(schService);
        return FALSE;
    }

static BOOL StopWWWebService(void)
{
        SC_HANDLE            schSCManager;
        SC_HANDLE            schService;
        SERVICE_STATUS        ssStatus;
        DWORD                dwOldCheckPoint;

        schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
        schService = OpenService(schSCManager, TEXT("W3SVC"),
SERVICE_ALL_ACCESS);
        if (schService == NULL)
            return FALSE;

        if (! QueryServiceStatus(schService, &ssStatus) )
            goto StopWWWebErr;

        if ( !ControlService(schService, SERVICE_CONTROL_STOP,
&ssStatus) )
            goto StopWWWebErr;
        //start Service pending, Check the status until the service is running.
        if (! QueryServiceStatus(schService, &ssStatus) )
            goto StopWWWebErr;
        while( ssStatus.dwCurrentState == SERVICE_RUNNING)
        {

            dwOldCheckPoint = ssStatus.dwCheckPoint;
//Save the current checkpoint.
            Sleep(ssStatus.dwWaitHint);
            //Wait for the specified interval.

```

```

        if ( !QueryServiceStatus(schService, &ssStatus) )
//Check the status again.
            break;
            if (dwOldCheckPoint >= ssStatus.dwCheckPoint)
//Break if the checkpoint has not been incremented.
                break;
        }

        if (ssStatus.dwCurrentState == SERVICE_RUNNING)
            goto StopWWWebErr;

        CloseServiceHandle(schService);
        return TRUE;

StopWWWebErr:
        CloseServiceHandle(schService);
        return FALSE;
    }

static void UpdateDialog(HWND hDlg)
{
        MSG msg;

        UpdateWindow(hDlg);
        while( PeekMessage(&msg, hDlg, 0, 0, PM_REMOVE) )
        {
            TranslateMessage(&msg);
            DispatchMessage(&msg);
        }
        Sleep(250);
        return;
    }

```

install.h

```

//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by install.rc
//
#define IDD_DIALOG1                101
#define IDI_ICON1                  102
#define IDR_TPCCDLL                103
#define IDD_DIALOG2                105
#define IDI_ICON2                  106
#define IDR_DELIVERY               107
#define IDD_DIALOG3                108

#define BN_LOG                      1001
#define ED_KEEP                     1002
#define ED_THREADS                  1003
#define ED_THREADS2                 1004
#define IDC_PATH                    1007
#define IDC_VERSION                 1009
#define IDC_RESULTS                 1010
#define IDC_PROGRESS1              1011
#define IDC_STATUS                  1012
#define IDC_BUTTON1                 1013
#define ED_MAXCONNECTION            1014
#define ED_IIS_MAX_THREAD_POOL_LIMIT 1015
#define ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE 1017
#define ED_IIS_THREAD_TIMEOUT      1018
#define ED_IIS_LISTEN_BACKLOG      1019
#define IDC_DBLIB                  1021
#define IDC_ODBC                   1022
#define IDC_CONNECT_POOL           1023
#define ED_USER_CONNECT_DELAY_TIME 1024

```

```
// Next default values for new objects
//
```

install.rc

```
//Microsoft Developer Studio generated resource script.
```

```
//
#include "resource.h"
```

```
#define APSTUDIO_READONLY_SYMBOLS
//
```

```
// Generated from the TEXTINCLUDE 2 resource.
```

```
//
#include "afxres.h"
```

```
//
#undef APSTUDIO_READONLY_SYMBOLS
```

```
// English (U.S.) resources
```

```
#if !defined(AFX_RESOURCE_DLL) || defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32
```

```
//
// Dialog
//
```

```
IDD_DIALOG1 DIALOGEX 0, 0, 219, 351
STYLE DS_MODALFRAME | DS_CENTER | WS_MINIMIZEBOX |
WS_POPUP | WS_CAPTION |
WS_SYSMENU
CAPTION "TPC-C Web Client Installation Utility"
FONT 8, "MS Sans Serif"
BEGIN
```

```
EDITTEXT ED_THREADS,164,45,34,12,ES_RIGHT | ES_NUMBER,
WS_EX_RTLDREADING
EDITTEXT ED_MAXDELIVERIES,164,59,34,12,ES_RIGHT |
ES_NUMBER,
WS_EX_RTLDREADING
EDITTEXT ED_MAXCONNECTION,164,73,34,12,ES_RIGHT |
ES_NUMBER,
WS_EX_RTLDREADING
```

```
CONTROL
"None", IDC_TM_NONE, "Button", BS_AUTORADIOBUTTON |
WS_GROUP | WS_TABSTOP, 43, 100, 33, 10
```

```
CONTROL
"COM", IDC_TM_MTS, "Button", BS_AUTORADIOBUTTON |
WS_TABSTOP, 43, 113, 32, 10
```

```
CONTROL
"TUXEDO", IDC_TM_TUXEDO, "Button", BS_AUTORADIOBUTTON |
WS_TABSTOP, 106, 100, 46, 10
```

```
CONTROL
"ENCINA", IDC_TM_ENCINA, "Button", BS_AUTORADIOBUTTON |
WS_DISABLED | WS_TABSTOP, 106, 113, 43, 10
```

```
EDITTEXT ED_DB_SERVER, 131, 152, 67, 12, ES_AUTOHSCROLL
EDITTEXT ED_DB_USER_ID, 131, 165, 67, 12, ES_AUTOHSCROLL
EDITTEXT ED_DB_PASSWORD, 131, 178, 67, 12, ES_AUTOHSCROLL
EDITTEXT ED_DB_NAME, 131, 191, 67, 12, ES_AUTOHSCROLL
```

```
CONTROL
"DBLIB", IDC_DBLIB, "Button", BS_AUTORADIOBUTTON | WS_GROUP |
WS_TABSTOP, 45, 219, 39, 12
```

```
CONTROL "ODBC", IDC_ODBC, "Button", BS_AUTORADIOBUTTON
| WS_TABSTOP,
91, 219, 39, 12
```

```
EDITTEXT
ED_IIS_MAX_THREAD_POOL_LIMIT, 164, 263, 34, 12, ES_RIGHT |
ES_NUMBER, WS_EX_RTLDREADING
```

```
EDITTEXT
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE, 164, 277, 34, 12, ES_RIGHT |
ES_NUMBER, WS_EX_RTLDREADING
```

```
EDITTEXT ED_IIS_THREAD_TIMEOUT, 164, 291, 34, 12, ES_RIGHT |
ES_NUMBER,
WS_EX_RTLDREADING
```

```
EDITTEXT ED_IIS_LISTEN_BACKLOG, 164, 305, 34, 12, ES_RIGHT |
ES_NUMBER,
WS_EX_RTLDREADING
```

```
DEFPUSHBUTTON "OK", IDOK, 53, 331, 50, 14
PUSHBUTTON "Cancel", IDCANCEL, 119, 331, 50, 14
EDITTEXT IDC_PATH, 106, 26, 91, 13, ES_AUTOHSCROLL |
```

```
ES_READONLY
LTEXT "Number of Delivery Threads:", IDC_STATIC, 35, 45, 115, 12
LTEXT "Max Number of Connections:", IDC_STATIC, 35, 73, 115, 12
RTEXT "Version 4.11", IDC_VERSION, 120, 4, 89, 9
LTEXT "IIS Max Thread Pool Limit:", IDC_STATIC, 36, 263, 115, 12
LTEXT "Web Service Backlog Queue Size:", IDC_STATIC, 36, 277, 115,
12
```

```
LTEXT "IIS Thread Timeout (seconds):", IDC_STATIC, 36, 291, 115, 12
LTEXT "IIS Listen Backlog:", IDC_STATIC, 36, 307, 115, 10
```

```
GROUPBOX "Database
Interface", IDC_STATIC, 35, 208, 163, 27, WS_GROUP
```

```
LTEXT "Installation directory:", IDC_STATIC, 35, 29, 71, 10
GROUPBOX "Transaction Monitor", IDC_STATIC, 33, 90, 165, 37
```

```
LTEXT "Server Name:", IDC_STATIC, 35, 155, 56, 8
LTEXT "User ID:", IDC_STATIC, 35, 168, 60, 8
```

```
LTEXT "User Password:", IDC_STATIC, 35, 181, 83, 8
LTEXT "Database Name:", IDC_STATIC, 35, 194, 54, 8
```

```
GROUPBOX "SQL Server Connection
Properties", IDC_STATIC, 22, 139, 187,
102
```

```
GROUPBOX "Web Client Properties", IDC_STATIC, 22, 15, 187, 118
GROUPBOX "IIS Settings", IDC_STATIC, 22, 247, 187, 79
```

```
LTEXT "Max Pending Deliveries:", IDC_STATIC, 35, 59, 115, 12
END
```

```
IDD_DIALOG2 DIALOGEX 0, 0, 117, 62
STYLE DS_SETFOREGROUND | DS_3DLOOK | DS_CENTER | WS_POPUP
| WS_BORDER
```

```
EXSTYLE WS_EX_STATICEDGE
FONT 12, "MS Sans Serif", 0, 0, 0x1
```

```
BEGIN
DEFPUSHBUTTON "OK", IDOK, 33, 45, 50, 9
CTEXT "HTML TPC-C Installation Successful", IDC_RESULTS, 7, 22,
102, 18, 0, WS_EX_CLIENTEDGE
```

```
ICON ID_ICON2, IDC_STATIC, 50, 7, 18, 20, SS_REALSIZEIMAGE,
WS_EX_TRANSPARENT
```

END

```
IDD_DIALOG3 DIALOG DISCARDABLE 0, 0, 91, 40
STYLE DS_SYSMODAL | DS_MODALFRAME | DS_3DLOOK |
DS_CENTER | WS_CAPTION
```

```
CAPTION "Installing TPC-C Web Client"
FONT 12, "Arial Black"
```

```
BEGIN
CONTROL
"Progress1", IDC_PROGRESS1, "msctls_progress32", WS_BORDER,
7, 20, 77, 13
```

```
CTEXT "Static", IDC_STATUS, 7, 7, 77, 12, SS_SUNKEN
```

END

```
IDD_DIALOG4 DIALOG DISCARDABLE 0, 0, 291, 202
STYLE DS_MODALFRAME | DS_CENTER | WS_POPUP | WS_CAPTION |
WS_SYSMENU
```



```

CAPTION "Client End User License"
FONT 8, "MS Sans Serif"
BEGIN
    EDITTEXT    IDC_LICENSE,7,7,271,167,ES_MULTILINE |
ES_AUTOVSCROLL |
    ES_AUTOHSCROLL | ES_READONLY | WS_VSCROLL |
WS_HSCROLL
    DEFPUSHBUTTON "I &Agree",IDOK,87,181,50,14
    PUSHBUTTON    "&Cancel",IDCANCEL,153,181,50,14
END

```

```

////////////////////////////////////
//
// DESIGNINFO
//

```

```

#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
    IDD_DIALOG1, DIALOG
    BEGIN
        LEFTMARGIN, 22
        RIGHTMARGIN, 209
        VERTGUIDE, 35
        VERTGUIDE, 198
        TOPMARGIN, 4
        BOTTOMMARGIN, 345
    END

```

```

    IDD_DIALOG2, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 109
        TOPMARGIN, 7
        BOTTOMMARGIN, 54
    END

```

```

    IDD_DIALOG3, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 84
        TOPMARGIN, 7
        BOTTOMMARGIN, 33
    END

```

```

    IDD_DIALOG4, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 278
        TOPMARGIN, 7
        BOTTOMMARGIN, 195
    END

```

```

END
#endif // APSTUDIO_INVOKED

```

```

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
//
// TEXTINCLUDE
//

```

```

1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

```

```

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include ""afxres.h""\r\n"

```

```

"\0"
END
3 TEXTINCLUDE DISCARDABLE
BEGIN
    "\r\n"
    "\0"
END
#endif // APSTUDIO_INVOKED

```

```

////////////////////////////////////
//
// Icon
//
// Icon with lowest ID value placed first to ensure application icon
// remains consistent on all systems.
IDI_ICON1      ICON DISCARDABLE "icon1.ico"
IDI_ICON2      ICON DISCARDABLE "icon2.ico"

```

```

////////////////////////////////////
//
// TPCCDLL
//
IDR_TPCCDLL    TPCCDLL DISCARDABLE
"..\\..\\isapi_dll\\bin\\tpcc.dll"

```

```

#ifdef _MAC
////////////////////////////////////
//
// Version
//

```

```

VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,20,0
PRODUCTVERSION 0,4,20,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x1L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904b0"
        BEGIN
            VALUE "Comments", "TPC-C Web Client Installer\0"
            VALUE "CompanyName", "Microsoft\0"
            VALUE "FileDescription", "install\0"
            VALUE "FileVersion", "0, 4, 20, 0\0"
            VALUE "InternalName", "install\0"
            VALUE "LegalCopyright", "Copyright © 1999\0"
            VALUE "OriginalFilename", "install.exe\0"
            VALUE "ProductName", "Microsoft install\0"
            VALUE "ProductVersion", "0, 4, 20, 0\0"
        END
    END

```

```

    END
    BLOCK "VarFileInfo"
    BEGIN
        VALUE "Translation", 0x409, 1200
    END
END
#endif // !_MAC

```

```

////////////////////////////////////
//
// LICENSE
//
IDR_LICENSE1      LICENSE DISCARDABLE  "license.txt"

////////////////////////////////////
//
// DBLIB_DLL
//
IDR_DBLIB_DLL     DBLIB_DLL DISCARDABLE
"..\\..\\db_dblib_dll\\bin\\tpcc_dblib.dll"

////////////////////////////////////
//
// ODBC_DLL
//
IDR_ODBC_DLL      ODBC_DLL DISCARDABLE
"..\\..\\db_odbc_dll\\bin\\tpcc_odbc.dll"

////////////////////////////////////
//
// TUXEDO_APP
//
IDR_TUXEDO_APP    TUXEDO_APP DISCARDABLE
"..\\..\\tuxapp\\bin\\tuxapp.exe"

////////////////////////////////////
//
// TUXEDO_DLL
//
IDR_TUXEDO_DLL    TUXEDO_DLL DISCARDABLE
"..\\..\\tm_tuxedo_dll\\bin\\tpcc_tuxedo.dll"

////////////////////////////////////
//
// COM_DLL
//
IDR_COM_DLL       COM_DLL DISCARDABLE
"..\\..\\tm_com_dll\\bin\\tpcc_com.dll"

////////////////////////////////////
//
// COM_PS_DLL
//
IDR_COMPS_DLL     COM_PS_DLL DISCARDABLE
"..\\..\\tpcc_com_ps\\bin\\tpcc_com_ps.dll"

////////////////////////////////////
//
// COM_ALL_DLL
//
IDR_COMALL_DLL    COM_ALL_DLL DISCARDABLE
"..\\..\\tpcc_com_all\\bin\\tpcc_com_all.dll"

////////////////////////////////////
//
// COM_TYPLIB
//

```

```

IDR_COMTYPLIB_DLL  COM_TYPLIB DISCARDABLE
"..\\..\\tpcc_com_all\\src\\tpcc_com_all.tlb"

```

```

#endif // English (U.S.) resources
////////////////////////////////////

```

```

#ifndef APSTUDIO_INVOKED
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 3 resource.
//

```

```

////////////////////////////////////
#endif // not APSTUDIO_INVOKED

```

install_com.cpp

```

/*      FILE:          INSTALL_COM.CPP
 *
 *      Microsoft TPC-C Kit Ver. 4.20.000
 *      Copyright Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *      not audited
 *
 *      PURPOSE:       installation code for COM application for
TPC-C Web Kit
 *      Contact:      Charles Levine (clevine@microsoft.com)
 *
 *      Change history:
 *      4.20.000 - first version
 */

```

```

#define _WIN32_WINNT 0x0500

```

```

#include <comdef.h>
#include <comadmin.h>
#include <stdio.h>
#include <tchar.h>

```

```

extern "C"
{
    BOOL install_com(char *szDllPath);
}

```

```

BOOL install_com(char *szDllPath)
{
    ICOMAdminCatalog* pCOMAdminCat = NULL;
    ICatalogCollection* pCatalogCollectionApp = NULL;
    ICatalogCollection* pCatalogCollectionCo = NULL;
    ICatalogCollection* pCatalogCollectionItf = NULL;
    ICatalogCollection* pCatalogCollectionMethod = NULL;

    ICatalogObject* pCatalogObjectApp = NULL;
    ICatalogObject* pCatalogObjectCo = NULL;
    ICatalogObject* pCatalogObjectItf = NULL;
    ICatalogObject* pCatalogObjectMethod = NULL;

    _bstr_t bstrTemp, bstrTemp2,
    bstrTemp3, bstrTemp4;
    _bstr_t bstrDllPath = szDllPath;
    _variant_t vTmp, vKey;
    long lActProp, lCount,
    lCountCo, lCountItf, lCountMethod;
    bool bTmp;
}

```

```

CoInitializeEx(NULL, COINIT_MULTITHREADED);

HRESULT hr = CoCreateInstance(CLSID_COMAdminCatalog,
NULL,
CLSCTX_INPROC_SERVER,
IID_ICOMAdminCatalog,
(void**) &pCOMAdminCat;

if (!SUCCEEDED(hr)) goto Error;

bstrTemp = "Applications";

// Attempt to connect to "Applications" in the Catalog
hr = pCOMAdminCat->GetCollection(bstrTemp,

(IDispatch**) &pCatalogCollectionApp);
if (!SUCCEEDED(hr)) goto Error;

// Attempt to load the "Applications" collection
hr = pCatalogCollectionApp->Populate();
if (!SUCCEEDED(hr)) goto Error;

hr = pCatalogCollectionApp->get_Count(&lCount);
if (!SUCCEEDED(hr)) goto Error;

// iterate through applications to delete existing "TPC-C" application
(if any)
while (lCount > 0)
{
    hr = pCatalogCollectionApp->get_Item(lCount - 1,
(IDispatch**) &pCatalogObjectApp);
    if (!SUCCEEDED(hr)) goto Error;

    hr = pCatalogObjectApp->get_Name(&vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    if (wcsncmp(vTmp.bstrVal, L"TPC-C"))
    {
        lCount--;
        continue;
    }
    else
    {
        hr = pCatalogCollectionApp->Remove(lCount
- 1);
        if (!SUCCEEDED(hr)) goto Error;
        break;
    }
}

hr = pCatalogCollectionApp->SaveChanges(&lActProp);
if (!SUCCEEDED(hr)) goto Error;

// add the new application
hr = pCatalogCollectionApp->Add((IDispatch**)
&pCatalogObjectApp);
if (!SUCCEEDED(hr)) goto Error;

// set properties
bstrTemp = "Name";
vTmp = "TPC-C";
hr = pCatalogObjectApp->put_Value(bstrTemp, vTmp);
if (!SUCCEEDED(hr)) goto Error;

// set as a library (in process) application
bstrTemp = "Activation";
lActProp = COMAdminActivationInproc;

```

```

vTmp = lActProp;
hr = pCatalogObjectApp->put_Value(bstrTemp, vTmp);
if (!SUCCEEDED(hr)) goto Error;

// set security level to process
bstrTemp = "AccessChecksLevel";
lActProp = COMAdminAccessChecksApplicationLevel;
vTmp = lActProp;
hr = pCatalogObjectApp->put_Value(bstrTemp, vTmp);
if (!SUCCEEDED(hr)) goto Error;

// save key to get the Components collection later
hr = pCatalogObjectApp->get_Key(&vKey);
if (!SUCCEEDED(hr)) goto Error;

// save changes (app creation) so component installation will work
hr = pCatalogCollectionApp->SaveChanges(&lActProp);
if (!SUCCEEDED(hr)) goto Error;

pCatalogObjectApp->Release();
pCatalogObjectApp = NULL;

bstrTemp = "TPC-C"; // app name
bstrTemp2 = bstrDllPath + "tpcc_com_all.dll"; //
DLL
bstrTemp3 = bstrDllPath + "tpcc_com_all.tlb"; //
type library (TLB)
bstrTemp4 = bstrDllPath + "tpcc_com_ps.dll"; //
proxy/stub dll

hr = pCOMAdminCat->InstallComponent(bstrTemp,
bstrTemp2,
bstrTemp3,
bstrTemp4);
if (!SUCCEEDED(hr)) goto Error;

bstrTemp = "Components";
hr = pCatalogCollectionApp->GetCollection(bstrTemp, vKey,
(IDispatch**) &pCatalogCollectionCo);
if (!SUCCEEDED(hr)) goto Error;

hr = pCatalogCollectionCo->Populate();
if (!SUCCEEDED(hr)) goto Error;

hr = pCatalogCollectionCo->get_Count(&lCountCo);
if (!SUCCEEDED(hr)) goto Error;

// iterate through components in application and set the properties
while (lCountCo > 0)
{
    hr = pCatalogCollectionCo->get_Item(lCountCo - 1,
(IDispatch**) &pCatalogObjectCo);
    if (!SUCCEEDED(hr)) goto Error;

    // used for debugging (view the name)
    hr = pCatalogObjectCo->get_Name(&vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    bstrTemp = "ConstructionEnabled";
    bTmp = TRUE;
    vTmp = bTmp;
    hr = pCatalogObjectCo->put_Value(bstrTemp, vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    bstrTemp = "ConstructorString";
    bstrTemp2 = "dummy string (do not remove)";
    vTmp = bstrTemp2;

```

```

    hr = pCatalogObjectCo->put_Value(bstrTemp, vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    bstrTemp = "JustInTimeActivation";
    bTmp = TRUE;
    vTmp = bTmp;
    hr = pCatalogObjectCo->put_Value(bstrTemp, vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    bstrTemp = "MaxPoolSize";
    vTmp.Clear(); // clear variant so it isn't stored as a
bool (_variant_t feature)
    vTmp = (long)30;
    hr = pCatalogObjectCo->put_Value(bstrTemp, vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    bstrTemp = "ObjectPoolingEnabled";
    bTmp = TRUE;
    vTmp = bTmp;
    hr = pCatalogObjectCo->put_Value(bstrTemp, vTmp);
    if (!SUCCEEDED(hr)) goto Error;

    // save key to get the InterfacesForComponent collection
    hr = pCatalogObjectCo->get_Key(&vKey);
    if (!SUCCEEDED(hr)) goto Error;

    bstrTemp = "InterfacesForComponent";
    hr = pCatalogCollectionCo->GetCollection(bstrTemp,
vKey, (IDispatch**) &pCatalogCollectionItf);
    if (!SUCCEEDED(hr)) goto Error;

    hr = pCatalogCollectionItf->Populate();
    if (!SUCCEEDED(hr)) goto Error;

    hr = pCatalogCollectionItf->get_Count(&ICountItf);
    if (!SUCCEEDED(hr)) goto Error;

    // iterate through interfaces in component
    while (ICountItf > 0)
    {
        hr = pCatalogCollectionItf->get_Item(ICountItf
- 1, (IDispatch**) &pCatalogObjectItf);
        if (!SUCCEEDED(hr)) goto Error;

        // save key to get the MethodsForInterface
collection
        hr = pCatalogObjectItf->get_Key(&vKey);
        if (!SUCCEEDED(hr)) goto Error;

        bstrTemp = "MethodsForInterface";
        hr =
pCatalogCollectionItf->GetCollection(bstrTemp, vKey, (IDispatch**)
&pCatalogCollectionMethod);
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogCollectionMethod->Populate();
        if (!SUCCEEDED(hr)) goto Error;

        hr =
pCatalogCollectionMethod->get_Count(&ICountMethod);
        if (!SUCCEEDED(hr)) goto Error;

        // iterate through methods of interface
        while (ICountMethod > 0)
        {
            hr =
pCatalogCollectionMethod->get_Item(ICountMethod - 1, (IDispatch**)
&pCatalogObjectMethod);
            if (!SUCCEEDED(hr)) goto Error;

            bstrTemp = "AutoComplete";
            bTmp = TRUE;
            vTmp = bTmp;
            hr =
pCatalogObjectMethod->put_Value(bstrTemp, vTmp);
            if (!SUCCEEDED(hr)) goto Error;

            pCatalogObjectMethod->Release();
            pCatalogObjectMethod = NULL;

            ICountMethod--;
        }

        // save changes
        hr =
pCatalogCollectionMethod->SaveChanges(&IActProp);
        if (!SUCCEEDED(hr)) goto Error;

        pCatalogObjectItf->Release();
        pCatalogObjectItf = NULL;

        ICountItf--;
    }

    pCatalogObjectCo->Release();
    pCatalogObjectCo = NULL;

    ICountCo--;
}

// save changes
hr = pCatalogCollectionCo->SaveChanges(&IActProp);
if (!SUCCEEDED(hr)) goto Error;

pCatalogCollectionApp->Release();
pCatalogCollectionApp = NULL;

pCatalogCollectionCo->Release();
pCatalogCollectionCo = NULL;

pCatalogCollectionItf->Release();
pCatalogCollectionItf = NULL;

pCatalogCollectionMethod->Release();
pCatalogCollectionMethod = NULL;

Error:
    CoUninitialize();

    if (!SUCCEEDED(hr))
    {
        LPTSTR lpBuf;
        DWORD dwRes =
FormatMessage(FORMAT_MESSAGE_ALLOCATE_BUFFER |
FORMAT_MESSAGE_FROM_SYSTEM,

        NULL,

        hr,

        MAKELANGID(LANG_NEUTRAL, SUBLANG_DEFAULT),

        (LPTSTR) &lpBuf,

        0,

```

```

        NULL);
//      _tprintf(_T("Error adding components. HRESULT:
0x%x\n%s"), hr, lpBuf);
        return TRUE;
    }
    else
        return FALSE;
}

```

license.txt

END-USER LICENSE AGREEMENT FOR MICROSOFT TPC-C BENCHMARK KIT

IMPORTANT READ CAREFULLY: This Microsoft End-User License Agreement (EULA) is a legal agreement between you (either an individual or a single entity) and Microsoft Corporation for the Microsoft software product identified above, which includes computer software and may include associated media, printed materials, and online or electronic documentation (SOFTWARE PRODUCT). By installing, copying, or otherwise using the SOFTWARE PRODUCT, you agree to be bound by the terms of this EULA. If you do not agree to the terms of this Agreement, you are not authorized to use the SOFTWARE PRODUCT.

The SOFTWARE PRODUCT is protected by copyright laws and international copyright treaties, as well as other intellectual property laws and treaties. The SOFTWARE PRODUCT is licensed, not sold.

1. GRANT OF LICENSE. This EULA grants you the following rights:

Use. Microsoft grants to you the right to install and use copies of the SOFTWARE PRODUCT only in conjunction with validly licensed copies of Microsoft SQL Server and/or Microsoft Windows NT Server software. You may also make copies of the SOFTWARE PRODUCT for backup and archival purposes.

2. RESTRICTIONS.

--You must maintain all copyright notices on all copies of the SOFTWARE PRODUCT.

--You may not distribute copies of the SOFTWARE PRODUCT to third parties.

--You may not rent, lease or lend the SOFTWARE PRODUCT.

--You may not use the SOFTWARE PRODUCT or any derivative works thereof to internally test database management system software other than Microsoft SQL Server and/or operating system software other than Microsoft Windows NT.

-- You may not disclose the results of any benchmark tests using the SOFTWARE PRODUCT to any third party without Microsoft's prior written approval.

-- You may not disclose or provide the SOFTWARE PRODUCT or any derivative works thereof, or any information relating to the SOFTWARE PRODUCT (including the existence of the SOFTWARE PRODUCT or the results of use and testing or benchmark testing), to any third party without Microsoft's written permission.

3. TERMINATION. Without prejudice to any other rights, Microsoft may terminate this EULA if you fail to comply with the terms and conditions of this EULA. In such event, you must destroy all copies of the SOFTWARE PRODUCT.

4. COPYRIGHT. All title and copyrights in and to the

SOFTWARE PRODUCT and any copies thereof are owned by Microsoft or its suppliers. All title and intellectual property rights in and to the content which may be accessed through use of the SOFTWARE PRODUCT is the property of the respective content owner and may be protected by applicable copyright or other intellectual property laws and treaties. This EULA grants you no rights to use such content.

5. UPGRADES. If the SOFTWARE PRODUCT is labeled as an upgrade, you must be properly licensed to use a product identified by Microsoft as being eligible for the upgrade in order to use the SOFTWARE PRODUCT. A SOFTWARE PRODUCT labeled as an upgrade replaces and/or supplements the product that formed the basis for your eligibility for the upgrade. You may use the resulting upgraded product only in accordance with the terms of this EULA.

6. U.S. GOVERNMENT RESTRICTED RIGHTS.

The SOFTWARE PRODUCT is provided with RESTRICTED RIGHTS. Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013 or subparagraphs (c)(1) and (2) of the Commercial Computer Software Restricted Rights at 48 CFR 52.227-19, as applicable. Manufacturer is Microsoft Corporation/One Microsoft Way/Redmond, WA 98052-6399.

7. EXPORT RESTRICTIONS.

You agree that you will not export or re-export the SOFTWARE PRODUCT to any country, person, entity or end user subject to U.S.A. export restrictions. Restricted countries currently include, but are not necessarily limited to Cuba, Iran, Iraq, Libya, North Korea, Syria, and the Federal Republic of Yugoslavia (Serbia and Montenegro, U.N. Protected Areas and areas of Republic of Bosnia and Herzegovina under the control of Bosnian Serb forces). You warrant and represent that neither the U.S.A. Bureau of Export Administration nor any other federal agency has suspended, revoked or denied your export privileges.

8. NO WARRANTY. ANY USE OF THE SOFTWARE PRODUCT IS AT YOUR OWN RISK. THE SOFTWARE PRODUCT IS PROVIDED FOR USE ONLY WITH MICROSOFT SQL SERVER AND/OR MICROSOFT WINDOWS NT SERVER SOFTWARE. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, MICROSOFT AND ITS SUPPLIERS DISCLAIM ALL WARRANTIES AND CONDITIONS, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NONINFRINGEMENT.

9. NO LIABILITY FOR CONSEQUENTIAL DAMAGES. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT SHALL MICROSOFT OR ITS SUPPLIERS BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES WHATSOEVER (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION, LOSS OF BUSINESS INFORMATION, OR ANY OTHER PECUNIARY LOSS) ARISING OUT OF THE USE OF OR INABILITY TO USE THE SOFTWARE PRODUCT, EVEN IF MICROSOFT HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. BECAUSE SOME STATES AND JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

10. LIMITATION OF LIABILITY. MICROSOFT'S ENTIRE LIABILITY AND YOUR EXCLUSIVE REMEDY UNDER THIS EULA SHALL NOT EXCEED FIVE DOLLARS (US\$5.00).

11. MISCELLANEOUS

This EULA is governed by the laws of the State of Washington, U.S.A.

Should you have any questions concerning this EULA, or if you desire to contact Microsoft for any reason, please contact the Microsoft subsidiary serving your country, or write: Microsoft Sales Information Center/One Microsoft Way/Redmond, WA 98052-6399.

Si vous avez acquis votre produit Microsoft au CANADA, la garantie limitée suivante vous concerne:

EXCLUSION DE GARANTIES. Microsoft renonce entièrement ... toute garantie pour le LOGICIEL. Le LOGICIEL et toute autre documentation s'y rapportant sont fournis @ comme tels sans aucune garantie quelle qu'elle soit, expresse ou implicite, y compris, mais ne se limitant pas aux garanties implicites de la qualité, marchande ou un usage particulier. Le risque total d'écoulement de l'utilisation ou de la performance du LOGICIEL est entre vos mains.

RESPONSABILITÉ LIMITÉE. La seule obligation de Microsoft et votre recours exclusif concernant ce contrat n'excéderont pas cinq dollars (US\$5.00).

ABSENCE DE RESPONSABILITÉ POUR LES DOMMAGES INDIRECTS.

Microsoft ou ses fournisseurs ne pourront être tenus responsables en aucune circonstance de tout dommage quel qu'il soit (y compris mais non de façon limitative les dommages directs ou indirects causés par la perte de bénéfices commerciaux, l'interruption des affaires, la perte d'information commerciale ou toute autre perte pécuniaire) résultant de l'utilisation ou de l'impossibilité d'utilisation de ce produit, et ce, même si la société Microsoft a, à l'avance, avisé de l'existence de tels dommages. Certains États/juridictions ne permettent pas l'exclusion ou la limitation de responsabilité relative aux dommages indirects ou consécutifs, et la limitation ci-dessus peut ne pas s'appliquer ... votre regard. La présente Convention est régie par les lois de la province d'Ontario, Canada. Chacune des parties ... la présente reconnaît irrévocablement la compétence des tribunaux de la province d'Ontario et consent ... instituer tout litige qui pourrait découler de la présente auprès des tribunaux situés dans le district judiciaire de York, province d'Ontario. Au cas où vous auriez des questions concernant cette licence ou que vous désiriez vous mettre en rapport avec Microsoft pour quelque raison que ce soit, veuillez contacter la succursale Microsoft desservant votre pays, dont l'adresse est fournie dans ce produit, ou écrire ...: Microsoft Customer Sales and Service, One Microsoft Way, Redmond, Washington 98052 6399.

mon_client.c

```

/*
 *      mon_client.c
 *
 */

#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <stdarg.h>
#include <time.h>

```

```

#include <pthread.h>
#include <tpm/mon/mon.h>
#include <utils/trace.h>
#include "../include/delivery.h"
#include "../include/neworder.h"
#include "../include/payment.h"
#include "../include/stocklevel.h"
#include "../include/orderstatus.h"
#include "../include/tpcc_type.h"
#include "mon_client.h"
#include "client_utils.h"

extern total_tran_count_t *perfCntDataInit();
static void read_mon_environment(void);

static char *cellName;
static int envRetrieval = 0;
static int useSecurity = FALSE;
static CRITICAL_SECTION init_lock;
static total_tran_count_t *pClientInfo=NULL; /* keep stats for the client process
*/
static num_active_threads = 0;
static int iStatsFrequency = 1;
FILE *errtpcc;
char *errFile = "C:/temp/tpcc_encina.out";
enc_status_t enc_status;

#define NewOrder_code NEWO_TRANS
#define Payment_code PAYMENT_TRANS
#define OrderStatus_code ORDER_STAT_TRANS
#define Delivery_code DELIVERY_TRANS
#define StockLevel_code STOCK_TRANS

#define INT_ENV_VALUE(var, default) \
    (var = getenv(#var) ? atoi(getenv(#var)) : default)

#define PRE_RPC_WORK(headerP, tran, sub_tran) \
    if (iStatsFrequency > 0) \
        pre_rpc(headerP, tran, sub_tran); \
    else \
        (headerP)->stats = 0;
#define POST_RPC_WORK(headerP, tran) \
    if (iStatsFrequency > 0) \
        post_rpc(headerP, tran)

/* CALTPCC
 * Macro to sends 1 RPC and then handles any errors.
 *
 * The macro takes the name of the RPC (e.g., NewOrder)
 * and makes the RPC by calling the appropriate function
 * (e.g., impTPCCNewOrder).
 */
#define CALLTPCC(name,length,dataP,header,trpcStatusP) \
{ \
    UTIL_CONCAT(impTPCC,name)(length,dataP,&header,trpcStatusP); \
    if (*(trpcStatusP)) { \
        char msg[100]; \
        sprintf(msg, "TRPC error during impTPCC%s", UTIL_STRING(name)); \
        header.returncode = TRPC_ERROR; \
        encina_error_message(msg, *(trpcStatusP)); \
    } else if ((header.returncode != TPCC_SUCCESS) && \
        (header.returncode != INVALID_NEWO)) { \
        char msg[100]; \
        sprintf(msg, "App error during impTPCC%s: ", UTIL_STRING(name)); \
        encina_error_message(msg, header.returncode); \
    } \
}
/*

```

```

* pre_rpc -- For debug purposes
*
* Called before an RPC is made.
* Set the state of the thread and keep track of the time the RPC is sent.
* This is used by the Background thread to report the state of the client.
*/
static void pre_rpc(data_header *headerP,
                   int tran_type,
                   int sub_tran_type)
{
    if (iStatsFrequency < 1) {
        headerP->stats = 0;
    } else {
        int num;
        num = ++ (pClientInfo->tran[tran_type].num);
        headerP->stats = (num % iStatsFrequency==0) ? 1 : 0;
        if (headerP->stats)
            { /* measure the time for RT */
                get_local_time(&headerP->clnt_start);
                headerP->srv_start.sec = 0; /* initialize the server time */
                headerP->srv_start.usec = 0;
                headerP->srv_end.sec = 0;
                headerP->srv_end.usec = 0;
            }
    }
}

/*
* post_rpc
*
* Called when the RPC returns from the server
*
* Keeps track of the client response time and the server response time
* as well as the state of the thread. This is used by the background
* debug thread to report the state of the client
*/
static void post_rpc(data_header *headerP,
                    int tran_type)
{
    double time_diff;
    int tran_failed;
    struct timeval start_time, end_time;

    if (headerP->stats)
        get_local_time(&headerP->clnt_end);
    else
        return;

    /* Store the info for each client.
    * Note: Since we don't use mutex for performance reason, pClientInfo
    * may not be accurate if more than one thread work on the same
    * data at a same time. But this should give us reasonable info.
    */
    if ((headerP->returncode == TPCC_SUCCESS) ||
        (headerP->returncode == INVALID_NEWO)) {
        tran_failed = 0;
    } else {
        pClientInfo->tran[tran_type].errs ++;
        pClientInfo->errors ++;
        tran_failed = 1;
    }
    if (headerP->stats && tran_type <= MAX_TRAN_TYPE && tran_type > 0
        && !tran_failed) {
        /* update total server round trip response time */
        start_time.tv_sec = headerP->srv_start.sec;
        start_time.tv_usec = headerP->srv_start.usec;
        end_time.tv_sec = headerP->srv_end.sec;
        end_time.tv_usec = headerP->srv_end.usec;
        time_diff = time_diff_ms(&end_time, &start_time);
        pClientInfo->tran[tran_type].RTtotal[1] += time_diff;
        DPRINT(("srv start_time %d.%d, end_time %d.%d, time_diff %f\n",
                start_time.tv_sec, start_time.tv_usec,
                end_time.tv_sec, end_time.tv_usec,
                time_diff));

        /* update total client round trip response time */
        start_time.tv_sec = headerP->clnt_start.sec;
        start_time.tv_usec = headerP->clnt_start.usec;
        end_time.tv_sec = headerP->clnt_end.sec;
        end_time.tv_usec = headerP->clnt_end.usec;
        time_diff = time_diff_ms(&end_time, &start_time);
        pClientInfo->tran[tran_type].RTtotal[0] += time_diff;
        DPRINT(("clnt start_time %d.%d, end_time %d.%d, time_diff %f\n",
                start_time.tv_sec, start_time.tv_usec,
                end_time.tv_sec, end_time.tv_usec,
                time_diff));

        /* update num for the number of trans which have RT measured */
        pClientInfo->tran[tran_type].RTcount ++;
    }
}

/*
* The following send_*** functions are called from CTPCC_ENCINA class.
*/

/*
* send_new_order
* Send a new order request to the server
*/
int send_new_order(long length, unsigned char *dataP)
{
    trpc_status_t trpcStatus;
    data_header header;

    PRE_RPC_WORK(&header, NEWO_TRANS, 0);
    CALLTPCC(NewOrder,length,dataP,header,&trpcStatus);
    POST_RPC_WORK(&header, NEWO_TRANS);
    if (header.returncode == INVALID_NEWO)
        return TPCC_SUCCESS;
    else
        return header.returncode;
}

/*
* send_payment
* Send a payment request to the server
*/
int send_payment(long length, unsigned char *dataP)
{
    trpc_status_t trpcStatus;
    data_header header;

    PRE_RPC_WORK(&header, PAYMENT_TRANS, 0);
    CALLTPCC(Payment,length,dataP,header,&trpcStatus);
    POST_RPC_WORK(&header, PAYMENT_TRANS);
    return header.returncode;
}

/*
* send_order_status
* Send a order status request to the server
*/
int send_order_status(long length, unsigned char *dataP)
{
    trpc_status_t trpcStatus;
    data_header header;

    PRE_RPC_WORK(&header, ORDER_STAT_TRANS, 0);
    CALLTPCC(OrderStatus,length,dataP,header,&trpcStatus);
}

```

```

    POST_RPC_WORK(&header, ORDER_STAT_TRANS);
    return header.returncode;
}

/*
 * send_delivery
 *      Send a delivery request to the server
 */
int send_delivery(long length, unsigned char *dataP)
{
    trpc_status_t trpcStatus;
    data_header header;

    PRE_RPC_WORK(&header, DELIVERY_TRANS, 0);
    CALLTPCC(Delivery,length,dataP,header,&trpcStatus);
    POST_RPC_WORK(&header, DELIVERY_TRANS);
    return header.returncode;
}

/*
 * send_stock_level
 *      Send a stock level request to the server
 */
int send_stock_level(long length, unsigned char *dataP)
{
    trpc_status_t trpcStatus;
    data_header header;

    PRE_RPC_WORK(&header, STOCK_TRANS, 0);
    CALLTPCC(StockLevel,length,dataP,header,&trpcStatus);
    POST_RPC_WORK(&header, STOCK_TRANS);
    return header.returncode;
}

/*
 * Enroll the client:
 *      get the necessary handles.
 * This function should be called only once. Use static var client_enrolled to
 * control it.
 */
void enroll_client()
{
    static char *clientName="tpcc_client";
    unsigned long status ;
    static int client_enrolled = 0;
    unsigned32 client_authnLevel;
    unsigned32 client_authzSvc;
    time_type a_time;
    char err_msg[100];

    MUTEX_INIT(&init_lock);
    get_local_time(&a_time);
    srand(a_time.sec ^ a_time.usec);

    MUTEX_LOCK(&init_lock);
    if (client_enrolled) {
        MUTEX_UNLOCK(&init_lock);
        return;
    }

    /* open output file for tracing */
    errtpcc = fopen(errFile, "w");
    if(!errtpcc)
    {
        sprintf(err_msg, "Cannot open file %s", errFile);
        CHK_STATUS(1,
        ERRROUT_FILE_NOT_FOUND,err_msg);
    }

```

```

get_time_init();
    // initialize the space for perfmom
    pClientInfo = perfCntDataInit();
    if (pClientInfo == NULL) // in case something wrong
        pClientInfo = malloc(sizeof(total_tran_count_t));
    memset(pClientInfo, 0, sizeof(total_tran_count_t));

    read_mon_environment();

    if(!cellName)
        CHK_STATUS(30, CELL_NAME_UNAVAILABLE,
        "ENCINA_TPM_CELL is not set!");

    if (useSecurity) {
        client_authnLevel = rpc_c_protect_level_connect;
        client_authzSvc = rpc_c_authz_dce;
    } else {
        client_authnLevel = rpc_c_protect_level_none;
        client_authzSvc = rpc_c_authz_none;
    }

    if (envRetrieval == 0) {
        ENCINA_CALL_RC("mon_RetrieveEnable",mon_RetrieveEnable(FALSE),status);
        CHK_STATUS(status, MON_RETRIEVEENABLE_FAILED,
        "mon_RetrieveEnable failed");
    }

    err_printf("enroll_client: calling mon_InitClient \n");
    ENCINA_CALL_RC("mon_InitClient",mon_InitClient(clientName,cellName),status);
    CHK_STATUS(status, MON_INITCLIENT_FAILED,
    "mon_InitClient failed");

    DPRINT(("mon_SecuritySetDefaults-> authn %d, authz %d\n",
    client_authnLevel, client_authzSvc));
    ENCINA_CALL_RC("mon_SecuritySetDefaults",
    mon_SecuritySetDefaults(client_authnLevel,client_authzSvc),
    status);
    CHK_STATUS(status, MON_SECURITYSET_FAILED,
    "mon_SecuritySetDefaults failed");

    ENCINA_CALL_RC("mon_SetHandleCacheRefreshInterval",
    mon_SetHandleCacheRefreshInterval(300), status);
    CHK_STATUS(status, MON_SETREFRESHINTERVAL_FAILED,
    "mon_SetHandleCacheRefreshInterval failed");

    {
        dbInfo_data_t data;
        trpc_status_t trpcStatus;
        /* Get DB Info -- currently id does not do anything
        but it will tell us if there is a server out there.
        Better to know instead of when all the terminals
        are up and ready
        */
        impTPCCNOInfo(&data, &trpcStatus);
        if (trpcStatus) {
            char msg[100];
            sprintf(msg, "TRPC error during db info at init.");
            encina_error_message(msg, trpcStatus);
            CHK_STATUS(33,NOINFO_TRPC_ERROR,
            "TRPC error during db info at init");
        }
    }

    client_enrolled = 1;
    MUTEX_UNLOCK(&init_lock);
    err_printf("end of enroll_client\n");

```



```

}

/*-----*/
/*   Read environment parameters and registry entries   */
/*-----*/
static void read_mon_environment()
{
    char *env_str;
    char *registryKey = "SOFTWARE\\TransarcCorporation\\TxTpc";
    HKEY hKey;
    DWORD size;
    DWORD type;
    char szTmp[256];

    cellName = getenv("ENCINA_TPM_CELL");
    CHECK_ENVIRON(cellName, "ENCINA_TPM_CELL");

    if (env_str = getenv("TPCC_ENV_RETRIEVE")) {
        envRetrieval = atoi(env_str);
    }

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE, registryKey, 0,
        KEY_READ, &hKey) != ERROR_SUCCESS )
        return;

    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "StatsFrequency", 0, &type, szTmp,
        &size)==ERROR_SUCCESS)
        iStatsFrequency = atoi(szTmp);

    RegCloseKey(hKey);
}

```

mon_client.h

```

/*
 *   mon_client.h
 *
 */

#ifndef MON_CLIENT_H
#define MON_CLIENT_H

#define MUTEX_T CRITICAL_SECTION
#define MUTEX_LOCK(a) EnterCriticalSection(a)
#define MUTEX_UNLOCK(a) LeaveCriticalSection(a)
#define MUTEX_INIT(mut) InitializeCriticalSection(mut)
#define MUTEX_DESTROY(mut) DeleteCriticalSection(mut)
#define ERROUT errtpcc

/*initialization status */
#define INIT_SUCCESS 0
#define INIT_FAILED 1
#define CELL_NAME_UNAVAILABLE 2
#define MON_RETRIEVEENABLE_FAILED 3
#define MON_INITCLIENT_FAILED 4
#define MON_SECURITYSET_FAILED 5
#define MON_SETREFRESHINTERVAL_FAILED 6
#define NOINFO_TRPC_ERROR 7
#define ENROLL_CLIENT_EXCEPTION 8
#define ERROUT_FILE_NOT_FOUND 9
#define LOG_FILE_NOT_FOUND 10
#define TPCC_KEY_NOT_FOUND 11
#define TERM_ALLOC_FAILED 12

/*
 *   Routines and declarations that are common to all clients
 */

```

```

#ifdef __cplusplus
extern "C" {
#endif
int send_new_order(long, unsigned char *);
int send_payment(long, unsigned char *);
int send_order_status(long, unsigned char *);
int send_delivery(long, unsigned char *);
int send_stock_level(long, unsigned char *);
void enroll_client();
#ifdef __cplusplus
}
#endif
#endif /* MON_CLIENT_H */

```

readme.txt

ReadRegistry.cpp

```

/*      FILE:          READREGISTRY.CPP
 *
 *      Microsoft TPC-C Kit Ver. 4.20.000
 *      Copyright Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *      not yet audited
 *
 *      PURPOSE:       Implementation for TPC-C Tuxedo class.
 *      Contact:      Charles Levine (clevine@microsoft.com)
 *
 *      Change history:
 *      4.20.000 - first version
 */

/* FUNCTION: ReadTPCCRegistrySettings
 *
 * PURPOSE:   This function reads the NT registry for startup parameters.
 * There parameters are
 *            under the TPCC key.
 *
 * RETURNS   FALSE = no errors
 *            TRUE  = error reading registry
 */
BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg )
{
    HKEY hKey;
    DWORD size;
    DWORD type;
    DWORD dwTmp;
    char szTmp[256];

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\\Microsoft\\TPCC", 0, KEY_READ, &hKey) !=
ERROR_SUCCESS )
        return TRUE;

    // determine database protocol to use; may be either ODBC or DBLIB
    pReg->eDB_Protocol = Unspecified;
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "DB_Protocol", 0, &type, (BYTE
*)&szTmp, &size) == ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp, szDBNames[ODBC]) )
            pReg->eDB_Protocol = ODBC;
        else if ( !strcmp(szTmp, szDBNames[DBLIB]) )
            pReg->eDB_Protocol = DBLIB;
    }
}

```

```

    }

    pReg->eTxnMon = None;
    // determine txn monitor to use; may be either TUXEDO, or blank
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "TxnMonitor", 0, &type, (BYTE
*)&szTmp, &size) == ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp, szTxnMonNames[TUXEDO]) )
            pReg->eTxnMon = TUXEDO;
        else if ( !strcmp(szTmp, szTxnMonNames[ENCINA]) )
            pReg->eTxnMon = ENCINA;
        else if ( !strcmp(szTmp, szTxnMonNames[COM]) )
            pReg->eTxnMon = COM;
    }

    pReg->bCOM_SinglePool = FALSE;
    size = sizeof(szTmp);
    if ( RegQueryValueEx(hKey, "COM_SinglePool", 0, &type, (BYTE
*)&szTmp, &size) == ERROR_SUCCESS )
    {
        if ( !strcmp(szTmp, "YES") )
            pReg->bCOM_SinglePool = TRUE;
    }

    pReg->dwMaxConnections = 0;
    size = sizeof(dwTmp);
    if ( ( RegQueryValueEx(hKey, "MaxConnections", 0, &type,
(LPBYTE)&dwTmp, &size) == ERROR_SUCCESS )
        && (type == REG_DWORD) )
        pReg->dwMaxConnections = dwTmp;

    pReg->dwMaxPendingDeliveries = 0;
    size = sizeof(dwTmp);
    if ( ( RegQueryValueEx(hKey, "MaxPendingDeliveries", 0, &type,
(LPBYTE)&dwTmp, &size) == ERROR_SUCCESS )
        && (type == REG_DWORD) )
        pReg->dwMaxPendingDeliveries = dwTmp;

    pReg->dwNumberOfDeliveryThreads = 0;
    size = sizeof(dwTmp);
    if ( ( RegQueryValueEx(hKey, "NumberOfDeliveryThreads", 0,
&type, (LPBYTE)&dwTmp, &size) == ERROR_SUCCESS )
        && (type == REG_DWORD) )
        pReg->dwNumberOfDeliveryThreads = dwTmp;

    size = sizeof( pReg->szPath );
    if ( RegQueryValueEx(hKey, "Path", 0, &type, (BYTE
*)&pReg->szPath, &size) != ERROR_SUCCESS )
        pReg->szPath[0] = 0;

    size = sizeof( pReg->szDbServer );
    if ( RegQueryValueEx(hKey, "DbServer", 0, &type, (BYTE
*)&pReg->szDbServer, &size) != ERROR_SUCCESS )
        pReg->szDbServer[0] = 0;

    size = sizeof( pReg->szDbName );
    if ( RegQueryValueEx(hKey, "DbName", 0, &type, (BYTE
*)&pReg->szDbName, &size) != ERROR_SUCCESS )
        pReg->szDbName[0] = 0;

    size = sizeof( pReg->szDbUser );
    if ( RegQueryValueEx(hKey, "DbUser", 0, &type, (BYTE
*)&pReg->szDbUser, &size) != ERROR_SUCCESS )
        pReg->szDbUser[0] = 0;

    size = sizeof( pReg->szDbPassword );
    if ( RegQueryValueEx(hKey, "DbPassword", 0, &type, (BYTE
*)&pReg->szDbPassword, &size) != ERROR_SUCCESS )
        pReg->szDbPassword[0] = 0;

```

```
RegCloseKey(hKey);
```

```
return FALSE;
```

ReadRegistry.h

```

/* FILE: ReadRegistry.h
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 * All Rights Reserved
 *
 * not audited
 *
 * PURPOSE: Header for registry related code.
 *
 * Change history:
 * 4.20.000 - first version
 */

```

```
enum DBPROTOCOL { Unspecified, ODBC, DBLIB };
const char *szDBNames[] = { "Unspecified", "ODBC", "DBLIB" };

```

```
enum TXNMON { None, TUXEDO, ENCINA, COM };
const char *szTxnMonNames[] = { "NONE", "TUXEDO", "ENCINA", "COM"
};

```

```
//This structure defines the data necessary to keep distinct for each terminal or
client connection.

```

```
typedef struct _TPCCREGISTRYDATA
{
    enum DBPROTOCOL eDB_Protocol;
    enum TXNMON eTxnMon;
    BOOL bCOM_SinglePool;
    DWORD dwMaxConnections;
    DWORD dwMaxPendingDeliveries;
    DWORD dwNumberOfDeliveryThreads;
    char szPath[128];
    char szDbServer[32];
    char szDbName[32];
    char szDbUser[32];
    char szDbPassword[32];
} TPCCREGISTRYDATA, *PTPCCREGISTRYDATA;

```

```
BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg );

```

Resource.h

```

//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by install.rc
//
#define IDD_DIALOG1 101
#define IDI_ICON1 102
#define IDR_TPCCDLL 103
#define IDD_DIALOG2 105
#define IDI_ICON2 106
#define IDR_DELIVERY 107
#define IDD_DIALOG3 108
#define IDR_LICENSE1 112
#define IDD_DIALOG4 113
#define IDR_TPCCOBJ1 117
#define IDR_TPCCSTUB1 118
#define IDR_DBLIB_DLL 122
#define IDR_ODBC_DLL 123
#define IDR_TUXEDO_APP 124

```

```

#define IDR_TUXEDO_DLL          125
#define IDR_COM_DLL            126
#define IDR_COMPS_DLL          127
#define IDR_COMALL_DLL         128
#define IDR_COMTYPLIB_DLL     129
#define BN_LOG                  1001
#define ED_KEEP                 1002
#define ED_THREADS              1003
#define ED_THREADS2            1004
#define IDC_PATH                1007
#define IDC_VERSION            1009
#define IDC_RESULTS             1010
#define IDC_PROGRESS1          1011
#define IDC_STATUS              1012
#define IDC_BUTTON1            1013
#define ED_MAXCONNECTION       1014
#define ED_IIS_MAX_THREAD_POOL_LIMIT 1015
#define ED_MAXDELIVERIES       1016
#define ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE 1017
#define ED_IIS_THREAD_TIMEOUT  1018
#define ED_IIS_LISTEN_BACKLOG  1019
#define IDC_DBLIB               1021
#define IDC_LICENSE             1022
#define IDC_ODBC                1022
#define IDC_CONNECT_POOL       1023
#define ED_DB_SERVER            1023
#define ED_USER_CONNECT_DELAY_TIME 1024
#define ED_DB_USER_ID          1024
#define IDC_MTS                 1025
#define IDC_TM_MTS              1025
#define IDC_TM_TUXEDO           1026
#define IDC_TM_NONE             1027
#define ED_DB_PASSWORD         1028
#define ED_DB_NAME              1029
#define IDC_TM_ENCINA           1030

```

```

// Next default values for new objects
//
#ifdef APSTUDIO_INVOKED
#ifndef APSTUDIO_READONLY_SYMBOLS
#define _APS_NEXT_RESOURCE_VALUE 130
#define _APS_NEXT_COMMAND_VALUE 40001
#define _APS_NEXT_CONTROL_VALUE 1031
#define _APS_NEXT_SYMED_VALUE 101
#endif
#endif

```

Resource_tpcc_rc.h

```

//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by tpcc.rc
//
#define IDD_DIALOG1            101

```

```

// Next default values for new objects
//
#ifdef APSTUDIO_INVOKED
#ifndef APSTUDIO_READONLY_SYMBOLS
#define _APS_NEXT_RESOURCE_VALUE 102
#define _APS_NEXT_COMMAND_VALUE 40001
#define _APS_NEXT_CONTROL_VALUE 1000
#define _APS_NEXT_SYMED_VALUE 101
#endif
#endif

```

rtetime.h

```

/* FILE: rtetime.h : header file

```

```

* Copyright 1997 Microsoft Corp., All rights reserved.

```

```

*
* Authors: Charles Levine, Philip Durr
*
* Microsoft Corp.
*/

```

```

#define MAX_JULIAN_TIME          0x7FFFFFFFFFFFFFFF
#define JULIAN_TIME              __int64
#define TC_TIME                  DWORD
extern "C"
{
    BOOL          InitJulianTime(LPSYSTEMTIME lpInitTime);
    JULIAN_TIME   GetJulianTime(void);
    DWORD         MyTickCount(void);
    void          GetJulianAndTC(JULIAN_TIME *pJulian, DWORD
    *pTC);
    JULIAN_TIME   ConvertTo64BitTime(int iYear, int iMonth, int iDay, int
    iHour, int iMinute, int iSecond);
    JULIAN_TIME   Get64BitTime(LPSYSTEMTIME lpInitTime);
    int           JulianDay( int yr, int mm, int dd );
    void          JulianToTime(JULIAN_TIME julianTS, int* yr, int* mm,
    int* dd, int *hh, int *mi, int *ss );
    void          JulianToCalendar( int day, int* yr, int* mm, int* dd );
}

```

spinlock.h

```

/* FILE: SPINLOCK.H
*
* Copyright 1997 Microsoft Corp., All rights reserved.
*
* Authors: Mike Parkes, Charles Levine, Philip Durr
*
* Microsoft Corp.
*/

```

```

#ifdef _INC_Spinlock

```

```

    const LONG LockClosed      = 1;
    const LONG LockOpen        = 0;

```

```

/*****
*
* Spinlock and Semaphore locking.
*
* This class provides a very conservative locking scheme.
* The assumption behind the code is that locks will be
* held for a very short time. When a lock is taken a memory
* location is exchanged. All other threads that want this
* lock wait by spinning and sometimes sleeping on a semaphore
* until it becomes free again. The only other choice is not
* to wait at all and move on to do something else. This
* module should normally be used in conjunction with cache
* aligned memory in minimize cache line misses.
*
*****/

```

```

/*****

```

```

class Spinlock
{
    // Private data.
    HANDLE          Semaphore;
    volatile LONG   m_Spinlock;
    volatile LONG   Waiting;

#ifdef _DEBUG
    // Counters for debugging builds.
    volatile LONG   TotalLocks;
    volatile LONG   TotalSleeps;

```

```

        volatile LONG      TotalSpins;
        volatile LONG      TotalWaits;
    #endif

    public:
        // Public functions.

        Spinlock( void );

        inline BOOL ClaimLock( BOOL Wait =
TRUE );

        inline void ReleaseLock( void );
        ~Spinlock( void );
        // Disabled operations.
        Spinlock( const Spinlock & Copy );
        void operator=( const Spinlock & Copy );

    private:
        // Private functions.
        inline BOOL ClaimSpinlock( volatile LONG
*s);

        void WaitForLock( void );
        void WakeAllSleepers( void );
    };

/*****
 *
 * A guaranteed atomic exchange.
 *
 * An attempt is made to claim the Spinlock. This action is
 * guaranteed to be atomic.
 *
 *****/

        inline BOOL Spinlock::ClaimSpinlock( volatile LONG *Spinlock )
    {
        #ifdef _DEBUG
            InterlockedIncrement( (LPLONG) &
TotalLocks );
        #endif
        return ( (*Spinlock) == LockOpen ) &&
(InterlockedExchange( (LPLONG)Spinlock, LockClosed ) == LockOpen );
    }

/*****
 *
 * Claim the Spinlock.
 *
 * Claim the lock if available else wait or exit.
 *
 *****/

        inline BOOL Spinlock::ClaimLock( BOOL Wait )
    {
        if ( ! ClaimSpinlock( (volatile LONG*) & m_Spinlock ) )
        {
            if ( Wait )
                WaitForLock();
            return Wait;
        }
        return TRUE;
    }

/*****
 *
 * Release the Spinlock.
 *
 * Release the lock and if needed wakeup any sleepers.
 *
 *****/

```

```

/*****/

        inline void Spinlock::ReleaseLock( void )
    {
        m_Spinlock = LockOpen;
        if ( Waiting > 0 )
            WakeAllSleepers();
    }

    #define _INC_Spinlock

#endif

tpcc.cpp

/*      FILE:          TPCC.C
 *
 *      Microsoft TPC-C Kit Ver. 4.20.000
 *      Copyright Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *
 *      Version 4.10.000 audited by
 *      Richard Gimarc, Performance Metrics, 3/17/99
 *
 *      PURPOSE:       Main module for TPCC.DLL which is an
 *      ISAPI service dll.
 *      Contact:      Charles Levine (clevine@microsoft.com)
 *
 *      Change history:
 *
 *      4.20.000 - reworked error handling; added options for
 *      COM and Encina txn monitors
 */

#include <windows.h>
#include <process.h>
#include <tchar.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>
#include <assert.h>

#include <sqltypes.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

#include "..\..\common\src\trans.h" //tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\ReadRegistry.h"

#include "..\..\common\txnlog\include\rtetime.h"
#include "..\..\common\txnlog\include\spinlock.h"
#include "..\..\common\txnlog\include\txnlog.h"

// Database layer includes
#include "..\..\db_dblib_dll\src\tpcc_dblib.h" // DBLIB
implementation of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h" // ODBC
implementation of TPC-C txns

// Txn monitor layer includes

```

```

#include "..\..\tm_com_dll\src\tpcc_com.h" // COM
Services implementation on TPC-C txns
#include "..\..\tm_tuxedo_dll\src\tpcc_tux.h" // interface to Tuxedo
libraries
#include "..\..\tm_encina_dll\src\tpcc_enc.h" // interface to Encina
libraries

#include "httpext.h" //ISAPI DLL
information header
#include "tpcc.h" //this dlls
specific structure, value e.t. header.

#define LEN_ERR_STRING 256

// defines for Make<Txn>Form calls to distinguish input and output flavors
#define OUTPUT_FORM 0
#define INPUT_FORM 1

char
szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

//Terminal client id structure
TERM Term = { 0, 0, 0, NULL };

// The WEBCLIENT_VERSION string specifies the version level of this web
client interface.
// The RTE must be synchronized with the interface level on login, otherwise the
login
// will fail. This is a sanity check to catch problems resulting from mismatched
versions
// of the RTE and web client.
#define WEBCLIENT_VERSION "410"

static CRITICAL_SECTION TermCriticalSection;

static HINSTANCE hLibInstanceTm = NULL;
static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_DBLIB *pCTPCC_DBLIB_new;
TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;
TYPE_CTPCC_TUXEDO *pCTPCC_TUXEDO_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_new;
TYPE_CTPCC_ENCINA *pCTPCC_ENCINA_post_init;
TYPE_CTPCC_COM *pCTPCC_COM_new;

// For deferred Delivery txns:

CTxnLog *txnDelilog = NULL;
//used to log delivery transaction information

HANDLE hWorkerSemaphore =
INVALID_HANDLE_VALUE;
HANDLE hDoneEvent
= INVALID_HANDLE_VALUE;
HANDLE *pDeliHandles
= NULL;

// configuration settings from registry
TPCCREGISTRYDATA Reg;

DWORD
dwNumDeliveryThreads = 4;
CRITICAL_SECTION DelBuffCriticalSection;
//critical section for delivery transactions cache
DELIVERY_TRANSACTION *pDelBuff = NULL;
DWORD dwDelBuffSize
= 100; // size of circular buffer for delivery txns
DWORD dwDelBuffFreeCount;
// number of buffers free

DWORD dwDelBuffBusyIndex =
0; // index position of entry waiting to be delivered
DWORD dwDelBuffFreeIndex =
0; // index position of unused entry

#include "..\..\common\src\ReadRegistry.cpp"

/* FUNCTION: DllMain
*
* PURPOSE: This function is the entry point for the DLL. This
implementation is based on the
* fact that DLL_PROCESS_ATTACH is only
called from the inet service once.
*
* ARGUMENTS: HANDLE hModule
module handle
DWORD ul_reason_for_call
reason for call
LPVOID lpReserved
reserved for future use
*
* RETURNS: BOOL FALSE
errors occurred in initialization
TRUE
DLL successfully initialized
*/

BOOL WINAPI DllMain(HANDLE hModule, DWORD ul_reason_for_call,
LPVOID lpReserved)
{
    DWORD i;
    char szEvent[LEN_ERR_STRING] = "\0";
    char szLogFile[128];
    char szDllName[128];

    // debugging....
    // DebugBreak();

    try
    {
        switch( ul_reason_for_call )
        {
            case DLL_PROCESS_ATTACH:
                DWORD dwSize =
                MAX_COMPUTERNAME_LENGTH+1;
                GetComputerName(szMyComputerName, &dwSize);
                szMyComputerName[dwSize] = 0;
            }
        }

        DisableThreadLibraryCalls((HMODULE)hModule);
        InitializeCriticalSection(&TermCriticalSection);

        if ( ReadTPCCRegistrySettings(
        &Reg ) )
            throw new
            CWEBCLNT_ERR( ERR_MISSING_REGISTRY_ENTRIES );

            dwDelBuffSize = min(
            Reg.dwMaxPendingDeliveries, 10000 ); // min with 10000 as a sanity constraint
            dwNumDeliveryThreads = min(
            Reg.dwNumberOfDeliveryThreads, 100 ); // min with 100 as a sanity constraint

            TermInit();

            // load DLL for txn monitor
            if (Reg.eTxnMon == TUXEDO)

```

<pre> { Reg.szPath); "tpcc_tuxedo.dll"); LoadLibrary(szDllName); NULL) CWEBCLNT_ERR(ERR_LOADDLL_FAILED, szDllName, GetLastError()); wrapper for class constructor pCTPCC_TUXEDO_new = (TYPE_CTPCC_TUXEDO*) GetProcAddress(hLibInstanceTm,"CTPCC_TUXEDO_new"); (pCTPCC_TUXEDO_new == NULL) CWEBCLNT_ERR(ERR_GETPROCADDR_FAILED, szDllName, GetLastError()); } else if (Reg.eTxnMon == ENCINA) { Reg.szPath); "tpcc_encina.dll"); LoadLibrary(szDllName); NULL) CWEBCLNT_ERR(ERR_LOADDLL_FAILED, szDllName, GetLastError()); wrapper for class constructor pCTPCC_ENCINA_new = (TYPE_CTPCC_ENCINA*) GetProcAddress(hLibInstanceTm,"CTPCC_ENCINA_new"); pCTPCC_ENCINA_post_init = (TYPE_CTPCC_ENCINA*) GetProcAddress(hLibInstanceTm,"CTPCC_ENCINA_post_init"); (pCTPCC_ENCINA_new == NULL) CWEBCLNT_ERR(ERR_GETPROCADDR_FAILED, szDllName, GetLastError()); } else if (Reg.eTxnMon == COM) { Reg.szPath); "tpcc_com.dll"); LoadLibrary(szDllName); NULL) CWEBCLNT_ERR(ERR_LOADDLL_FAILED, szDllName, GetLastError()); // get function pointer to wrapper for class constructor (TYPE_CTPCC_COM*) GetProcAddress(hLibInstanceTm,"CTPCC_COM_new"); == NULL) </pre>	<pre> } throw new CWEBCLNT_ERR(ERR_GETPROCADDR_FAILED, szDllName, GetLastError()); } } // load DLL for database connection if ((Reg.eTxnMon == None) (dwNumDeliveryThreads > 0)) { if (Reg.eDB_Protocol == DBLIB) { strcpy(szDllName, Reg.szPath); strcat(szDllName, "tpcc_dblib.dll"); hLibInstanceDb = LoadLibrary(szDllName); if (hLibInstanceDb == NULL) throw new CWEBCLNT_ERR(ERR_LOADDLL_FAILED, szDllName, GetLastError()); } // get function pointer to wrapper for class constructor pCTPCC_DBLIB_new = (TYPE_CTPCC_DBLIB*) GetProcAddress(hLibInstanceDb,"CTPCC_DBLIB_new"); if (pCTPCC_DBLIB_new == NULL) throw new CWEBCLNT_ERR(ERR_GETPROCADDR_FAILED, szDllName, GetLastError()); } else if (Reg.eDB_Protocol == ODBC) { strcpy(szDllName, Reg.szPath); strcat(szDllName, "tpcc_odbc.dll"); hLibInstanceDb = LoadLibrary(szDllName); if (hLibInstanceDb == NULL) throw new CWEBCLNT_ERR(ERR_LOADDLL_FAILED, szDllName, GetLastError()); } // get function pointer to wrapper for class constructor pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*) GetProcAddress(hLibInstanceDb,"CTPCC_ODBC_new"); if (pCTPCC_ODBC_new == NULL) throw new CWEBCLNT_ERR(ERR_GETPROCADDR_FAILED, szDllName, GetLastError()); } } if (dwNumDeliveryThreads) { // for deferred delivery txns: hDoneEvent = CreateEvent(NULL, TRUE /* manual reset */, FALSE /* initially not signalled */, NULL); </pre>
--	---

<pre> InitializeCriticalSection(&DelBuffCriticalSection); CreateSemaphore(NULL, 0, dwDelBuffSize, NULL); dwDelBuffSize; InitJulianTime(NULL); // create unique log file name based on delilog-yymmdd-hhmm.log); SYSTEMTIME Time; GetLocalTime(&Time wsprintf(szLogFile, "%sdelivery-%2.2d%2.2d%2.2d-%2.2d%2.2d.log", Reg.szPath, Time.wYear % 100, Time.wMonth, Time.wDay, Time.wHour, Time.wMinute); txnDelilog = new CTxnLog(szLogFile, TXN_LOG_WRITE); //write event into txn log for START txnDelilog->WriteCtrlRecToLog(TXN_EVENT_START, szMyComputerName, sizeof(szMyComputerName)); // allocate structures for delivery buffers and thread mgmt HANDLE[dwNumDeliveryThreads]; pDeliHandles = new pDelBuff = new DELIVERY_TRANSACTION[dwDelBuffSize]; // launch DeliveryWorkerThread to perform actual delivery txns for(i=0; i<dwNumDeliveryThreads; i++) { pDeliHandles[i] = (HANDLE) _beginthread(DeliveryWorkerThread, 0, NULL) if (pDeliHandles[i] == INVALID_HANDLE_VALUE) throw new CWEBCLNT_ERR(ERR_DELIVERY_THREAD_FAILED); } break; case DLL_PROCESS_DETACH: if (dwNumDeliveryThreads) { if (txnDelilog != NULL) { //write event into txn log for STOP txnDelilog->WriteCtrlRecToLog(TXN_EVENT_STOP, szMyComputerName, sizeof(szMyComputerName)); // This will do a clean shutdown of the delivery log file CTxnLog *txnDelilogLocal = txnDelilog; txnDelilog= NULL; delete txnDelilogLocal; } } </pre>	<pre> delete [] pDeliHandles; delete [] pDelBuff; CloseHandle(hWorkerSemaphore); CloseHandle(hDoneEvent); DeleteCriticalSection(&DelBuffCriticalSection); } DeleteCriticalSection(&TermCriticalSection); if (hLibInstanceTm != NULL) FreeLibrary(hLibInstanceTm); hLibInstanceTm = NULL; if (hLibInstanceDb != NULL) FreeLibrary(hLibInstanceDb); hLibInstanceDb = NULL; Sleep(500); break; default: /* nothing */; } } catch (CBaseErr *e) { WriteMessageToEventLog(e->ErrorText()); delete e; TerminateExtension(0); return FALSE; } catch (...) { WriteMessageToEventLog(TEXT("Unhandled exception. DLL could not load.")); TerminateExtension(0); return FALSE; } return TRUE; } /* FUNCTION: GetExtensionVersion * * PURPOSE: This function is called by the inet service when the DLL is first loaded. * * ARGUMENTS: HSE_VERSION_INFO *pVer passed in structure in which to place expected version number. * * RETURNS: TRUE inet service expected return value. */ BOOL WINAPI GetExtensionVersion(HSE_VERSION_INFO *pVer) { pVer->dwExtensionVersion = MAKELONG(HSE_VERSION_MINOR, HSE_VERSION_MAJOR); lstrcpy(pVer->lpszExtensionDesc, "TPC-C Server.", HSE_MAX_EXT_DLL_NAME_LEN); // TODO: why do we need this here instead of in the DLL attach? if (Reg.eTxnMon == ENCINA) pCTPCC_ENCINA_post_init(); </pre>
--	---

```

        return TRUE;
    }

/* FUNCTION: TerminateExtension
 *
 * PURPOSE:      This function is called by the inet service when the DLL is
about to be unloaded.
 *
 *              Release all resources in anticipation of being
unloaded.
 *
 * RETURNS:      TRUE      inet service expected return value.
 */

BOOL WINAPI TerminateExtension( DWORD dwFlags )
{
    if (pDeliHandles)
    {
        SetEvent( hDoneEvent );
        for(DWORD i=0; i<dwNumDeliveryThreads; i++)
            WaitForSingleObject( pDeliHandles[i],
INFINITE );
    }

    TermDeleteAll();
    return TRUE;
}

/* FUNCTION: HttpExtensionProc
 *
 * PURPOSE:      This function is the main entry point for the TPCC DLL.
The internet service
 *
 *              calls this function passing in the http string.
 *
 * ARGUMENTS:   EXTENSION_CONTROL_BLOCK      *pECB
structure pointer to passed in internet
 *
 *              service information.
 *
 * RETURNS:     DWORD  HSE_STATUS_SUCCESS
connection can be dropped if error
 *
 * HSE_STATUS_SUCCESS_AND_KEEP_CONN      keep connect valid
comment sent
 *
 * COMMENTS:    None
 */

DWORD WINAPI HttpExtensionProc(EXTENSION_CONTROL_BLOCK
*pECB)
{
    int          iCmd, FormId, TermId, iSyncId;
    char        szBuffer[4096];

    int          lpbSize;
    static char szHeader[] = "200 Ok";
    DWORD       dwSize = 6;          // initial
value is strlen(szHeader)
    char        szHeader1[4096];

#ifdef ICECAP
    StartCAP();
#endif

    try
    {
        //process http query

```

```

        ProcessQueryString(pECB, &iCmd, &FormId, &TermId,
&iSyncId);

        if (TermId != 0)
        {
            if ( TermId < 0 || TermId >= Term.iNumEntries
|| Term.pClientData[TermId].iNextFree != -1 )
            {
                // debugging...
                char szTmp[128];
                sprintf( szTmp, "Invalid term ID;
TermId = %d", TermId );
                WriteMessageToEventLog( szTmp
);
                throw new CWEBCLNT_ERR(
ERR_INVALID_TERMID );
            }
            //must have a valid syncid here since termid is
valid
            if (iSyncId !=
Term.pClientData[TermId].iSyncId)
                throw new CWEBCLNT_ERR(
ERR_INVALID_SYNC_CONNECTION );

            //set use time
            Term.pClientData[TermId].iTickCount =
GetTickCount();
        }

        switch(iCmd)
        {
        case 0:
            WelcomeForm(pECB, szBuffer);
            break;
        case 1:
            switch( FormId )
            {
                case WELCOME_FORM:
                case MAIN_MENU_FORM:
                    break;
                case NEW_ORDER_FORM:
                    ProcessNewOrderForm(pECB, TermId, szBuffer);
                    break;
                case PAYMENT_FORM:
                    ProcessPaymentForm(pECB, TermId, szBuffer);
                    break;
                case DELIVERY_FORM:
                    ProcessDeliveryForm(pECB, TermId, szBuffer);
                    break;
                case ORDER_STATUS_FORM:
                    ProcessOrderStatusForm(pECB, TermId, szBuffer);
                    break;
                case STOCK_LEVEL_FORM:
                    ProcessStockLevelForm(pECB, TermId, szBuffer);
                    break;
            }
            break;
        case 2:
            // new-order selected from menu; display
new-order input form
            MakeNewOrderForm(TermId, NULL,
INPUT_FORM, szBuffer);
            break;

```



```

case 3:
    // payment selected from menu; display
    payment input form
    INPUT_FORM, szBuffer);
    MakePaymentForm(TermId, NULL,
break;
case 4:
    // delivery selected from menu; display delivery
    input form
    INPUT_FORM, szBuffer);
    MakeDeliveryForm(TermId, NULL,
break;
case 5:
    // order-status selected from menu; display
    order-status input form
    INPUT_FORM, szBuffer);
    MakeOrderStatusForm(TermId, NULL,
break;
case 6:
    // stock-level selected from menu; display
    stock-level input form
    INPUT_FORM, szBuffer);
    MakeStockLevelForm(TermId, NULL,
break;
case 7:
    // ExitCmd
    TermDelete(TermId);
    WelcomeForm(pECB, szBuffer);
    break;
case 8:
    SubmitCmd(pECB, szBuffer);
    break;
case 9:
    // menu
    MakeMainMenuForm(TermId,
Term.pClientData[TermId].iSyncId, szBuffer);
    break;
case 10:
    // CMD=Clear
    // resets all connections; should only be used
    when no other connections are active
    TermDeleteAll();
    TermInit();
    WelcomeForm(pECB, szBuffer);
    break;
case 11:
    // CMD=Stats
    StatsCmd(pECB, szBuffer);
    break;
}
}
catch (CBaseErr *e)
{
    ErrorForm( pECB, e->ErrorType(), e->ErrorNum(),
TermId, iSyncId, e->ErrorText(), szBuffer );
    delete e;
}
catch (...)
{
    ErrorForm( pECB, ERR_TYPE_WEBDLL, 0, TermId,
iSyncId, "Error: Unhandled exception in Web Client.", szBuffer );
}
#endif ICECAP
StopCAP();
#endif

lpbSize = strlen(szBuffer);
wsprintf(szHeader1,
    "Content-Type: text/html\r\n"
    "Content-Length: %d\r\n"
    "Connection: Keep-Alive\r\n\r\n", lpbSize);
strcat( szHeader1, szBuffer );

(*pECB->ServerSupportFunction)(pECB->ConnID,
HSE_REQ_SEND_RESPONSE_HEADER, szHeader, (LPDWORD) &dwSize,
(LPDWORD)szHeader1);

//finish up and keep connection
pECB->dwHttpStatusCode = 200;
return HSE_STATUS_SUCCESS_AND_KEEP_CONN;
}

void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR szMsg[256];
    HANDLE hEventSource;
    LPTSTR lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL, TEXT("TPCC.DLL"));

    _stprintf(szMsg, TEXT("Error in TPCC.DLL: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event source
EVENTLOG_ERROR_TYPE, // event type
0, // event category
0, // event ID
NULL, // current user's SID
2, // strings in lpszStrings
0, // no bytes of raw data
(LPCTSTR *)lpszStrings, // array of error strings
NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

/* FUNCTION: DeliveryWorkerThread
*
* PURPOSE: This function processes deferred delivery txns. There are
typically several
* threads running this routine. The number of
threads is determined by an entry
* read from the registry. The thread waits for
work by waiting on semaphore.
* When a delivery txn is posted, the semaphore is
released. After processing
* the delivery txn, information is logged to record
the txn status and execution
* time.
*/

/*static*/ void DeliveryWorkerThread(void *ptr)
{
    CTPCC_BASE *pTxn = NULL;

    DELIVERY_TRANSACTION delivery;
    PDELIVERY_DATA
pDeliveryData;
    TXN_RECORD_TPCC_DELIV_DEF txnDeliRec;

    DWORD index;
    HANDLE handles[2];

```

<pre> SYSTEMTIME trans_end; //delivery transaction finished time SYSTEMTIME trans_start;//delivery transaction start time assert(txnDelilog != NULL); try { if (Reg.eDB_Protocol == ODBC) pTxn = pCTPCC_ODBC_new(Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword, szMyComputerName, Reg.szDbName); else if (Reg.eDB_Protocol == DBLIB) pTxn = pCTPCC_DBLIB_new(Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword, szMyComputerName, Reg.szDbName); pDeliveryData = pTxn->BuffAddr_Delivery(); } catch (CBaseErr *e) { char szTmp[1024]; sprintf(szTmp, "Error in Delivery Txn thread. Could not connect to database. " "%s. Server=%s, User=%s, Password=%s, Database=%s", e->ErrorText(), Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword, Reg.szDbName); WriteMessageToEventLog(szTmp); delete e; goto ErrorExit; } catch (...) { WriteMessageToEventLog(TEXT("Unhandled exception caught in DeliveryWorkerThread.)); goto ErrorExit; } while (TRUE) { try { //while delivery thread running, i.e. user has no requested termination while (TRUE) { // need to wait for multiple objects: handles[0] = hDoneEvent; handles[1] = hWorkerSemaphore; index = WaitForMultipleObjects(2, &handles[0], FALSE, INFINITE); if (index == WAIT_OBJECT_0) goto ErrorExit; ZeroMemory(&txnDeliRec, sizeof(txnDeliRec)); txnDeliRec.TxnType = TXN_REC_TYPE_TPCC_DELIV_DEF; // make a local copy of current entry from delivery buffer and increment buffer index EnterCriticalSection(&DelBuffCriticalSection); *(&DelBuff+dwDelBuffBusyIndex); dwDelBuffFreeCount++; dwDelBuffBusyIndex++; if (dwDelBuffBusyIndex == dwDelBuffSize) // wrap-around if at end of buffer </pre>	<pre> 0; dwDelBuffBusyIndex = LeaveCriticalSection(&DelBuffCriticalSection); pDeliveryData->w_id = delivery.w_id; pDeliveryData->o_carrier_id = delivery.o_carrier_id; txnDeliRec.w_id = pDeliveryData->w_id; txnDeliRec.o_carrier_id = pDeliveryData->o_carrier_id; txnDeliRec.TxnStartT0 = Get64BitTime(&delivery.queue); GetLocalTime(&trans_start); pTxn->Delivery(); GetLocalTime(&trans_end); //log txn txnDeliRec.TxnStatus = ERR_SUCCESS; for (int i=0; i<10; i++) txnDeliRec.o_id[i] = pDeliveryData->o_id[i]; txnDeliRec.DeltaT4 = (int)(Get64BitTime(&trans_end) - txnDeliRec.TxnStartT0); txnDeliRec.DeltaTxnExec = (int)(Get64BitTime(&trans_end) - Get64BitTime(&trans_start)); if (txnDelilog != NULL) txnDelilog->WriteToLog(&txnDeliRec); } } catch (CBaseErr *e) { char szTmp[1024]; sprintf(szTmp, "Error in Delivery Txn thread. %s", e->ErrorText()); WriteMessageToEventLog(szTmp); // log the error txn txnDeliRec.TxnStatus = e->ErrorType(); if (txnDelilog != NULL) txnDelilog->WriteToLog(&txnDeliRec); delete e; } catch (...) { // unhandled exception; shouldn't happen; not much we can do... WriteMessageToEventLog(TEXT("Unhandled exception caught in DeliveryWorkerThread.)); } } ErrorExit: delete pTxn; _endthread(); } /* FUNCTION: PostDeliveryInfo * * PURPOSE: This function enters the delivery txn into the deferred delivery buffer. </pre>
--	--

```

*
* RETURNS:          BOOL   FALSE   delivery information
posted successfully
*
*                  TRUE
error cannot post delivery info
*/

BOOL PostDeliveryInfo(short w_id, short o_carrier_id)
{
    BOOL bError;

    EnterCriticalSection(&DelBuffCriticalSection);
    if (dwDelBuffFreeCount > 0)
    {
        bError = FALSE;
        (pDelBuff+dwDelBuffFreeIndex)->w_id
= w_id;
        (pDelBuff+dwDelBuffFreeIndex)->o_carrier_id
= o_carrier_id;

        GetLocalTime(&(pDelBuff+dwDelBuffFreeIndex)->queue);

        dwDelBuffFreeCount--;
        dwDelBuffFreeIndex++;
        if (dwDelBuffFreeIndex == dwDelBuffSize)
            dwDelBuffFreeIndex = 0;

wrap-around if at end of buffer
    }
    else
        // No free buffers. Return an error, which indicates that the
delivery buffer is full.
        // Most likely, the number of delivery worker threads needs
to be increased to keep up
        // with the txn rate.
        bError = TRUE;
        LeaveCriticalSection(&DelBuffCriticalSection);

        if (!bError)
            // increment worker semaphore to wake up a worker thread
            ReleaseSemaphore( hWorkerSemaphore, 1, NULL );

        return bError;
    }

/* FUNCTION: ProcessQueryString
*
* PURPOSE:          This function extracts the relevent information out of the
http command passed in from
*                  the browser.
*
* COMMENTS:         If this is the initial connection i.e. client is at welcome
screen then
*                  there will not be a terminal id or
current form id. If this is the case
*                  then the pTermid and pFormid
return values are undefined.
*/

void ProcessQueryString(EXTENSION_CONTROL_BLOCK *pECB, int
*pCmd, int *pFormId, int *pTermId, int *pSyncId)
{
    char *ptr = pECB->lpszQueryString;
    char szBuffer[25];
    int i;

    //allowable client command strings i.e. CMD=command
    static char *szCmds[] =
    {
        "Process", "..NewOrder..", "..Payment..", "..Delivery..",
"..Order-Status..", "..Stock-Level..",
        ".Exit..", "Submit", "Menu", "Clear", "Stats", ""
    };
};

*pCmd = 0; // default is the login screen
*pTermId = 0;

// if no params (i.e., empty query string), then return login screen
if (strlen(pECB->lpszQueryString) == 0)
    return;

// parse FORMID, TERMID, and SYNCID
*pFormId = GetIntKeyValue(&ptr, "FORMID", NO_ERR,
NO_ERR);
*pTermId = GetIntKeyValue(&ptr, "TERMID", NO_ERR,
NO_ERR);
*pSyncId = GetIntKeyValue(&ptr, "SYNCID", NO_ERR, NO_ERR);

// parse CMD
GetIntKeyValue(&ptr, "CMD", szBuffer, sizeof(szBuffer),
ERR_COMMAND_UNDEFINED);

// see which command it matches
for(i=0; i++)
{
    if (szCmds[i][0] == 0)
        // no more; no match; return error
        throw new CWEBCLNT_ERR(
ERR_COMMAND_UNDEFINED);
    if ( !strcmp(szCmds[i], szBuffer) )
    {
        *pCmd = i+1;
        break;
    }
}

/* FUNCTION: void WelcomeForm
*
*/
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    char szTmp[1024];

    //welcome to tpc-c html form buffer, this is first form client sees.
    strcpy( szBuffer, "<HTML><HEAD><TITLE>TPC-C Web
Client</TITLE></HEAD><BODY>"
"<B><BIG>Microsoft TPC-C Web Client (ver 4.20)</BIG></B> <BR> <BR>"
"<font"
"face=\"Courier New\"><PRE>"
"__DATE__, "__TIME__" <BR>"
"__FILE__ (" "__TIMESTAMP__" ) <BR>"
"</PRE></font>"
"__FORM"
"ACTION=\"tpcc.dll\" METHOD=\"GET\""
"<INPUT"
"TYPE=\"hidden\" NAME=\"STATUSID\" VALUE=\"0\">"
"<INPUT"
"TYPE=\"hidden\" NAME=\"ERROR\" VALUE=\"0\">"
"<INPUT"
"TYPE=\"hidden\" NAME=\"FORMID\" VALUE=\"1\">"
"<INPUT"
"TYPE=\"hidden\" NAME=\"TERMID\" VALUE=\"0\">"
"<INPUT"
"TYPE=\"hidden\" NAME=\"SYNCID\" VALUE=\"0\">"

```

```

                                "<INPUT
TYPE=\"hidden\" NAME=\"VERSION\" VALUE=\"\" WEBCLIENT_VERSION
\">";
                                );
                                sprintf( szTmp, "Configuration Settings: <BR><font
face=\"Courier New\" color=\"blue\"><PRE>
                                "Txn Monitor =
<B>%s</B><BR>"
                                "Database protocol =
<B>%s</B><BR>"
                                "Max Connections
= <B>%d</B><BR>"
                                "# of Delivery Threads
= <B>%d</B><BR>"
                                "Max Pending
Deliveries = <B>%d</B><BR>"
                                , sTxnMonNames[Reg.eTxnMon],
szDBNames[Reg.eDB_Protocol],
                                Reg.dwMaxConnections,
dwNumDeliveryThreads, dwDelBuffSize );
                                strcat( szBuffer, szTmp);
                                if (Reg.eTxnMon == COM)
                                {
                                sprintf( szTmp, "COM Single Pool =
<B>%s</B><BR>",
                                Reg.bCOM_SinglePool ? "YES" : "NO" );
                                strcat( szBuffer, szTmp);
                                }
                                strcat( szBuffer, "</PRE></font>");
                                if (Reg.eTxnMon == None)
                                // connection options may be specified when not using a txn
monitor
                                sprintf( szTmp, "Please enter your database options
for this connection:<BR>"
                                "<font
face=\"Courier New\" color=\"blue\"><PRE>
                                "DB Server
= <INPUT NAME=\"db_server\" SIZE=20 VALUE=\"%s\"><BR>"
                                "DB User ID
= <INPUT NAME=\"db_user\" SIZE=20 VALUE=\"%s\"><BR>"
                                "DB
Password = <INPUT NAME=\"db_passwd\" SIZE=20 VALUE=\"%s\"><BR>"
                                "DB Name
= <INPUT NAME=\"db_name\" SIZE=20 VALUE=\"%s\"><BR>"
                                "</PRE></font>"
                                , Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, Reg.szDbName );
                                else
                                // if using a txn monitor, connection options are determined
from registry; can't
                                // set per user. show options fyi
                                sprintf( szTmp, "Database options which will be
used by the transaction monitor:<BR>"
                                "<font
face=\"Courier New\" color=\"blue\"><PRE>
                                "DB Server
= <B>%s</B><BR>"
                                "DB User ID
= <B>%s</B><BR>"
                                "DB
Password = <B>%s</B><BR>"
                                "DB Name
= <B>%s</B><BR>"
                                "</PRE></font>"
                                , Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword, Reg.szDbName );
                                strcat( szBuffer, szTmp);
                                sprintf( szTmp, "Please enter your Warehouse and District for
this session:<BR>"
                                "<font face=\"Courier
New\" color=\"blue\"><PRE>");
                                strcat( szBuffer, szTmp);
                                strcat( szBuffer, "Warehouse ID = <INPUT NAME=\"w_id\"
SIZE=4><BR>"
                                "District ID
= <INPUT NAME=\"d_id\" SIZE=2><BR>"
                                "</PRE></font><HR>"
                                "<INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Submit\">"
                                "</FORM></BODY></HTML>");
                                }
                                /* FUNCTION: SubmitCmd
                                *
                                * PURPOSE: This function allocated a new terminal id in the Term
structure array.
                                *
                                */
                                void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer)
                                {
                                int iNewTerm;
                                char *ptr = pECB->lpszQueryString;
                                char szVersion[32] = { 0 };
                                char szServer[32] = { 0 };
                                char szUser[32] = "sa";
                                char szPassword[32] = { 0 };
                                char szDatabase[32] = "tpcc";
                                // validate version field; the version field ensures that the RTE is
synchronized with the web client
                                GetKeyValue(&ptr, "VERSION", szVersion, sizeof(szVersion),
ERR_VERSION_MISMATCH);
                                if ( strcmp( szVersion, WEBCLIENT_VERSION ) )
                                throw new CWEBCLNT_ERR(
ERR_VERSION_MISMATCH );
                                if (Reg.eTxnMon == None)
                                {
                                // parse Server name
                                GetKeyValue(&ptr, "db_server", szServer,
sizeof(szServer), ERR_NO_SERVER_SPECIFIED);
                                // parse User name
                                GetKeyValue(&ptr, "db_user", szUser, sizeof(szUser),
NO_ERR);
                                // parse Password
                                GetKeyValue(&ptr, "db_passwd", szPassword,
sizeof(szPassword), NO_ERR);
                                // parse Database name
                                GetKeyValue(&ptr, "db_name", szDatabase,
sizeof(szDatabase), NO_ERR);
                                }
                                // parse warehouse ID
                                int w_id = GetIntKeyValue(&ptr, "w_id",
ERR_HTML_ILL_FORMED, ERR_W_ID_INVALID);
                                if ( w_id < 1 )
                                throw new CWEBCLNT_ERR( ERR_W_ID_INVALID );
                                // parse district ID
                                int d_id = GetIntKeyValue(&ptr, "d_id",
ERR_HTML_ILL_FORMED, ERR_D_ID_INVALID);
                                if ( d_id < 1 || d_id > 10 )

```

```

throw new CWEBCLNT_ERR( ERR_D_ID_INVALID );
char *CWEBCLNT_ERR::ErrorText()
{
    static SERRORMSG errorMsgs[] =
    {
        {
            ERR_COMMAND_UNDEFINED,
            "Command undefined."
        },
        {
            ERR_D_ID_INVALID,
            "Invalid District ID Must be 1 to 10."
        },
        {
            ERR_DELIVERY_CARRIER_ID_RANGE,
            "Delivery Carrier ID out of range must be 1 - 10."
        },
        {
            ERR_DELIVERY_CARRIER_INVALID,
            "Delivery Carrier ID invalid must be numeric 1 - 10."
        },
        {
            ERR_DELIVERY_MISSING_OCD_KEY,
            "Delivery missing Carrier ID key \"OCD*\"."
        },
        {
            ERR_DELIVERY_THREAD_FAILED,
            "Could not start delivery worker thread."
        },
        {
            ERR_GETPROCADDR_FAILED,
            "Could not map proc in DLL. GetProcAddr
error. DLL="
        },
        {
            ERR_HTML_ILL_FORMED,
            "Required key field is missing from HTML string."
        },
        {
            ERR_INVALID_SYNC_CONNECTION,
            "Invalid Terminal Sync ID."
        },
        {
            ERR_INVALID_TERMID,
            "Invalid Terminal ID."
        },
        {
            ERR_LOADDLL_FAILED,
            "Load of DLL failed. DLL="
        },
        {
            ERR_MAX_CONNECTIONS_EXCEEDED,
            "No connections available. Max Connections is probably
too low."
        },
        {
            ERR_MISSING_REGISTRY_ENTRIES,
            "Required registry entries are missing. Rerun INSTALL to correct."
        },
        {
            ERR_NEWORDER_CUSTOMER_INVALID,
            "New Order customer id invalid data type, range = 1 to 3000."
        },
        {
            ERR_NEWORDER_CUSTOMER_KEY,
            "New Order missing Customer key \"CID*\"."
        },
        {
            ERR_NEWORDER_DISTRICT_INVALID,
            "New Order District ID Invalid range 1 - 10."
        },
        {
            ERR_NEWORDER_FORM_MISSING_DID,
            "New Order missing District key \"DID*\"."
        },
        {
            ERR_NEWORDER_ITEMID_INVALID,
            "New Order Item Id is wrong data type, must be numeric."
        },
        {
            ERR_NEWORDER_ITEMID_RANGE,
            "New Order Item Id is out of range. Range = 1 to 999999."
        },
        {
            ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
            "New Order
Item_Id field entered without a corresponding Supp_W.]",
        },
        {
            ERR_NEWORDER_MISSING_IID_KEY,
            "New Order missing Item Id key \"IID*\"."
        },
    },
};

iNewTerm = TermAdd();

Term.pClientData[iNewTerm].w_id = w_id;
Term.pClientData[iNewTerm].d_id = d_id;

try
{
    if (Reg.eTxnMon == TUXEDO)
        Term.pClientData[iNewTerm].pTxn =
pCTPCC_TUXEDO_new();
    else if (Reg.eTxnMon == ENCINA)
        Term.pClientData[iNewTerm].pTxn =
pCTPCC_ENCINA_new();
    else if (Reg.eTxnMon == COM)
        Term.pClientData[iNewTerm].pTxn =
pCTPCC_COM_new( Reg.bCOM_SinglePool );
    else if (Reg.eDB_Protocol == ODBC)
        Term.pClientData[iNewTerm].pTxn =
pCTPCC_ODBC_new( szServer, szUser, szPassword, szMyComputerName,
szDatabase );
    else if (Reg.eDB_Protocol == DBLIB)
        Term.pClientData[iNewTerm].pTxn =
pCTPCC_DBLIB_new( szServer, szUser, szPassword, szMyComputerName,
szDatabase );
}
catch (...)
{
    TermDelete(iNewTerm);
    throw; // pass exception upward
}

MakeMainMenuForm(iNewTerm,
Term.pClientData[iNewTerm].iSyncId, szBuffer);
}

/* FUNCTION: StatsCmd
*
* PURPOSE: This function returns to the browser the total number of
active terminal ids.
*
* This routine is for development/debugging
purposes.
*
*/

void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer)
{
    int i;
    int iTot;

    EnterCriticalSection(&TermCriticalSection);

    iTot = 0;
    for(i=0; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree == -1)
            iTot++;
    }

    LeaveCriticalSection(&TermCriticalSection);

    wsprintf( szBuffer,
"<HTML><HEAD><TITLE>TPC-C Web
Client Stats</TITLE></HEAD>"
"<BODY><B><BIG> Total Active
Connections: %d </BIG><B><BR></BODY></HTML>"
, iTot );
}

```

```

    {
        ERR_NEWORDER_MISSING_QTY_KEY,
        "New Order Missing Qty key \"Qty##*\"."
    },
    {
        ERR_NEWORDER_MISSING_SUPPW_KEY,
        "New Order missing Supp_W key \"SP##*\"."
    },
    {
        ERR_NEWORDER_NOITEMS_ENTERED,
        "New Order No order lines entered."
    },
    {
        ERR_NEWORDER_QTY_INVALID,
        "New Order Qty invalid must be numeric range 1 - 99."
    },
    {
        ERR_NEWORDER_QTY_RANGE,
        "New Order Qty is out of range. Range = 1 to
99."
    },
    {
        ERR_NEWORDER_QTY_WITHOUT_SUPPW,
        "New Order Qty field entered without a corresponding Supp_W."
    },
    {
        ERR_NEWORDER_SUPPW_INVALID,
        "New Order Supp_W invalid data type must be numeric."
    },
    {
        ERR_NO_SERVER_SPECIFIED,
        "No Server name specified."
    },
},
    {
        ERR_ORDERSTATUS_CID_AND_CLT,
        "Order Status Only Customer ID or Last Name may be entered, not
both."
    },
    {
        ERR_ORDERSTATUS_CID_INVALID,
        "Order Status Customer ID invalid, range must be numeric 1 - 3000."
    },
    {
        ERR_ORDERSTATUS_CLT_RANGE,
        "Order Status Customer last name longer than 16
characters."
    },
    {
        ERR_ORDERSTATUS_DID_INVALID,
        "Order Status District invalid, value must be numeric 1 - 10."
    },
},
    {
        ERR_ORDERSTATUS_MISSING_CID_CLT,
        "Order Status Either Customer ID or Last Name must be entered."
    },
    {
        ERR_ORDERSTATUS_MISSING_CID_KEY,
        "Order Status missing Customer key \"CID*\"."
    },
    {
        ERR_ORDERSTATUS_MISSING_CLT_KEY,
        "Order Status missing Customer Last Name key \"CLT*\"."
    },
    {
        ERR_ORDERSTATUS_MISSING_DID_KEY,
        "Order Status missing District key \"DID*\"."
    },
},
    {
        ERR_PAYMENT_CDI_INVALID,
        "Payment Customer district invalid must be numeric."
    },
    {
        ERR_PAYMENT_CID_AND_CLT,
        "Payment Only Customer ID or Last Name may be
entered, not both."
    },
    {
        ERR_PAYMENT_CUSTOMER_INVALID,
        "Payment Customer data type invalid, must be numeric."
    },
    {
        ERR_PAYMENT_CWI_INVALID,
        "Payment Customer Warehouse invalid, must be numeric."
    },
    {
        ERR_PAYMENT_DISTRICT_INVALID,
        "Payment District ID is invalid, must be 1 - 10."
    },
},
    {
        ERR_PAYMENT_HAM_INVALID,
        "Payment Amount invalid data type must be numeric."
    },
    {
        ERR_PAYMENT_HAM_RANGE,
        "Payment Amount out of range, 0 - 9999.99."
    },
},
    {
        ERR_PAYMENT_LAST_NAME_TO_LONG,
        "Payment Customer last name longer than 16 characters."
    },
},
    {
        ERR_PAYMENT_MISSING_CDI_KEY,
        "Payment missing Customer district key \"CDI*\"."
    },
    {
        ERR_PAYMENT_MISSING_CID_CLT,
        "Payment Either Customer ID or Last Name must be entered."
    },
    {
        ERR_PAYMENT_MISSING_CID_KEY,
        "Payment missing Customer Key \"CID*\"."
    },
    {
        ERR_PAYMENT_MISSING_CLT_KEY,
        "Payment missing Customer Last Name key \"CLT*\"."
    },
    {
        ERR_PAYMENT_MISSING_CWI_KEY,
        "Payment missing Customer Warehouse key \"CWI*\"."
    },
    {
        ERR_PAYMENT_MISSING_DID_KEY,
        "Payment missing District Key \"DID*\"."
    },
    {
        ERR_PAYMENT_MISSING_HAM_KEY,
        "Payment missing Amount key \"HAM*\"."
    },
},
    {
        ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
        "Stock Level; missing Threshold key \"TT*\"."
    },
    {
        ERR_STOCKLEVEL_THRESHOLD_INVALID,
        "Stock Level; Threshold value must be in the range = 1 - 99."
    },
    {
        ERR_STOCKLEVEL_THRESHOLD_RANGE,
        "Stock Level Threshold out of range, range must be 1 - 99."
    },
},
    {
        ERR_VERSION_MISMATCH,
        "Invalid version field. RTE and Web Client are probably
out of sync."
    },
    {
        ERR_W_ID_INVALID,
        "Invalid Warehouse ID."
    },
},
    {
        0,
        ""
    },
},
};

char szTmp[256];
int i = 0;
while (TRUE)
{
    if (errorMsgs[i].szMsg[0] == 0)
    {
        strcpy( szTmp, "Unknown error number." );
        break;
    }
    if (m_Error == errorMsgs[i].iError)
    {
        strcpy( szTmp, errorMsgs[i].szMsg );
        break;
    }
    i++;
}

```

```

        if (m_szTextDetail)
            strcat( szTmp, m_szTextDetail );
        if (m_SystemErr)
            sprintf( szTmp+strlen(szTmp), " Error=%d",
m_SystemErr );

        m_szErrorText = new char[strlen(szTmp)+1];
        strcpy( m_szErrorText, szTmp );
        return m_szErrorText;
    }

/* FUNCTION: GetKeyValue
*
* PURPOSE:      This function parses a http formatted string for specific key
values.
*
* ARGUMENTS:   char                *pQueryString
http string from client browser
*
* pKey         char                key value to look for
*
* pValue       char                character array into which to place key's value
*
* iMax         int                maximum length of key value array.
*
* err          WEBERROR           error value to throw
*
* RETURNS:     nothing.
*
* ERROR:       if (the pKey value is not found) then
*
*              if (err == 0)
*
*              return
(empty string)
*
*              else
*
*              throw
CWEBCLNT_ERR(err)
*
* COMMENTS:    http keys are formatted either KEY=value& or
KEY=value\0. This DLL formats
*
*              TPC-C input fields in such a
manner that the keys can be extracted in the
*
*              above manner.
*/

void GetKeyValue(char **pQueryString, char *pKey, char *pValue, int iMax,
WEBERROR err)
{
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorExit;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorExit;
    ptr++;

    iMax--; // one position is for terminating null
    while( *ptr && *ptr != '&' && iMax )
    {
        *pValue++ = *ptr++;
        iMax--;
    }
    *pValue = 0; // terminating null

    *pQueryString = ptr;
    return;

ErrorExit:
    if (err != NO_ERR)

```

```

        throw new CWEBCLNT_ERR( err );
        *pValue = 0; // return empty result string
    }

/* FUNCTION: GetIntKeyValue
*
* PURPOSE:      This function parses a http formatted string for a specific
key value.
*
* ARGUMENTS:   char                *pQueryString
http string from client browser
*
* pKey         char                key value to look for
*
* NoKeyErr     WEBERROR           error value to throw if key not found
*
* NotIntErr    WEBERROR           error value to throw if value not numeric
*
* RETURNS:     integer
*
* ERROR:       if (the pKey value is not found) then
*
*              if (NoKeyErr !=
NO_ERR)
*
*              throw
CWEBCLNT_ERR(err)
*
*              else
*
*              return 0
*
*              else if (non-numeric char found)
then
*
*              if (NotIntErr !=
NO_ERR) then
*
*              throw
CWEBCLNT_ERR(err)
*
*              else
*
*              return 0
*
* COMMENTS:    http keys are formatted either KEY=value& or
KEY=value\0. This DLL formats
*
*              TPC-C input fields in such a
manner that the keys can be extracted in the
*
*              above manner.
*/

int GetIntKeyValue(char **pQueryString, char *pKey, WEBERROR NoKeyErr,
WEBERROR NotIntErr)
{
    char *ptr0;
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorNoKey;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorNoKey;
    ptr++;

    ptr0 = ptr; // remember starting point
    // scan string until a terminator (null or &) or a non-digit
    while( *ptr && *ptr != '&' && isdigit(*ptr) )
        ptr++;

    // make sure we stopped scanning for the right reason
    if ((ptr0 == ptr) || (*ptr && *ptr != '&'))
    {
        if (NotIntErr != NO_ERR)
            throw new CWEBCLNT_ERR( NoKeyErr );
        return 0;
    }

    *pQueryString = ptr;

```

```

        return atoi(ptr0);
ErrorNoKey:
    if (NoKeyErr != NO_ERR)
        throw new CWEBCLNT_ERR( NoKeyErr );
    return 0;
}

/* FUNCTION: TermInit
 *
 * PURPOSE:      This function initializes the client terminal structure; it is
called when the TPCC.DLL
 *
 *               is first loaded by the inet service.
 *
 */

void TermInit(void)
{
    EnterCriticalSection(&TermCriticalSection);

    Term.iMasterSyncId = 1;
    Term.iNumEntries = Reg.dwMaxConnections+1;

    Term.pClientData = NULL;
    Term.pClientData = (PCLIENTDATA)malloc(Term.iNumEntries *
sizeof(CLIENTDATA));
    if (Term.pClientData == NULL)
    {
        LeaveCriticalSection(&TermCriticalSection);
        throw new CWEBCLNT_ERR(
ERR_MEM_ALLOC_FAILED);
    }

    ZeroMemory( Term.pClientData, Term.iNumEntries *
sizeof(CLIENTDATA) );

    Term.iFreeList = Term.iNumEntries-1;
    // build free list
    // note: Term.pClientData[0].iNextFree gets set to -1, which marks it
as "in use".
    // This is intentional, as the zero entry is used as an anchor and
never
    // allocated as an actual terminal.
    for(int i=0; i<Term.iNumEntries; i++)
        Term.pClientData[i].iNextFree = i-1;

    LeaveCriticalSection(&TermCriticalSection);
}

/* FUNCTION: TermDeleteAll
 *
 * PURPOSE:      This function frees allocated resources associated with the
terminal structure.
 *
 * ARGUMENTS:    none
 *
 * RETURNS:      None
 *
 * COMMENTS:     This function is called only when the inet service unloads
the TPCC.DLL
 *
 */

void TermDeleteAll(void)
{
    EnterCriticalSection(&TermCriticalSection);

    for(int i=1; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree == -1)
            delete Term.pClientData[i].pTxn;
    }
}

```

```

    }

    Term.iFreeList = 0;
    Term.iNumEntries = 0;
    if ( Term.pClientData )
        free(Term.pClientData);
    Term.pClientData = NULL;

    LeaveCriticalSection(&TermCriticalSection);
}

/* FUNCTION: TermAdd
 *
 * PURPOSE:      This function assigns a terminal id which is used to identify
a client browser.
 *
 * RETURNS:      int assigned terminal id
 *
 */

int TermAdd(void)
{
    DWORD i;
    int iNewTerm, iTickCount;

    if (Term.iNumEntries == 0)
        return -1;

    EnterCriticalSection(&TermCriticalSection);
    if (Term.iFreeList != 0)
    {
        // position is available
        iNewTerm = Term.iFreeList;
        Term.iFreeList =
Term.pClientData[iNewTerm].iNextFree;
        Term.pClientData[iNewTerm].iNextFree = -1; // indicates
this position is in use
    }
    else
    {
        // no open slots, so find the slot that hasn't been used in the
longest time and reuse it
        for(iNewTerm=1, i=1, iTickCount=0x7FFFFFFF;
i<Reg.dwMaxConnections; i++)
        {
            if (iTickCount >
Term.pClientData[i].iTickCount)
            {
                iTickCount =
Term.pClientData[i].iTickCount;
                iNewTerm = i;
            }
        }
        // if oldest term is less than one minute old, it probably
means that more connections
// are being attempted than were specified as "Max
Connections" at install. In this case,
// do not bump existing connection; instead, return error to
requestor.
        if ((GetTickCount() - iTickCount) < 60000)
        {
            LeaveCriticalSection(&TermCriticalSection);
            throw new CWEBCLNT_ERR(
ERR_MAX_CONNECTIONS_EXCEEDED );
        }
    }

    Term.pClientData[iNewTerm].iTickCount = GetTickCount();
    Term.pClientData[iNewTerm].iSyncId = Term.iMasterSyncId++;
    Term.pClientData[iNewTerm].pTxn = NULL;

    LeaveCriticalSection(&TermCriticalSection);
    return iNewTerm;
}

```



```

}

/* FUNCTION: TermDelete
*
* PURPOSE:      This function makes a terminal entry in the Term array
available for reuse.
*
* ARGUMENTS:   int
id              Terminal id of client exiting
*
*/

void TermDelete(int id)
{
    if ( id > 0 && id < Term.iNumEntries )
    {
        delete Term.pClientData[id].pTxn;

        // put onto free list
        EnterCriticalSection(&TermCriticalSection);

        Term.pClientData[id].iNextFree = Term.iFreeList;
        Term.iFreeList = id;

        LeaveCriticalSection(&TermCriticalSection);
    }
}

/* FUNCTION: MakeErrorForm
*/

void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int iType, int
iErrorNum, int iTermId, int iSyncId, char *szErrorText, char *szBuffer )
{
    wsprintf(szBuffer,
        "<HTML><HEAD><TITLE>TPC-C
Error</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\"
VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\"
VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\"
VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\"
VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\"
VALUE=\"%d\">"
        "<BOLD>An Error Occurred</BOLD><BR><BR>"
        "%s"
        "<BR><BR><HR>"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Payment..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Delivery..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Order-Status..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Stock-Level..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Exit..\">"
        "</FORM></BODY></HTML>"
        , iType, iErrorNum, MAIN_MENU_FORM, iTermId,
iSyncId, szErrorText );
}

/* FUNCTION: MakeMainMenuForm
*/

```

```

void MakeMainMenuForm(int iTermId, int iSyncId, char *szForm)
{
    wsprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Main
Menu</TITLE></HEAD><BODY>"
        "Select Desired Transaction.<BR><HR>"
        "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\"
VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\"
VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\"
VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\"
VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\"
VALUE=\"%d\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Payment..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Delivery..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Order-Status..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Stock-Level..\">"
        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Exit..\">"
        "</FORM></BODY></HTML>"
        , MAIN_MENU_FORM, iTermId, iSyncId);
}

/* FUNCTION: MakeStockLevelForm
*
* PURPOSE:      This function constructs the Stock Level HTML page.
*
* COMMENTS:    The internal client buffer is created when the terminal id is
assigned and should not
*
*               be freed except when the client
terminal id is no longer needed.
*/

void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm)
{
    int    c;

    c = wsprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C Stock
Level</TITLE></HEAD><FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\"
VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\"
VALUE=\"0\">"
        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\"
VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\"
VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\"
VALUE=\"%d\">"
        "<PRE><font face=\"Courier\">
Stock-Level<BR>"
        "Warehouse: %4.4d District: %2.2d<BR><BR>",
        STOCK_LEVEL_DATA, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id,
Term.pClientData[iTermId].d_id);

    if ( bInput )

```

```

    {
        strcpy(szForm+c,
            "Stock Level Threshold: <INPUT
NAME=\"TT*\" SIZE=2><BR><BR>
"low stock: </font><BR><BR><BR>
<BR><BR><BR><BR><BR><BR><BR>
<BR></PRE><HR>"
            " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"Process\">"
            " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"Menu\">"
        )
    }
    else
    {
        sprintf(szForm+c,
            "Stock Level Threshold: %2.2d<BR><BR>"
            "low stock: %3.3d</font><BR><BR><BR>
<BR><BR><BR><BR><BR><BR><BR>
<BR><BR></PRE><HR>"
            " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
            " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Payment..\">"
            " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Delivery..\">"
            " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Order-Status..\">"
            " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Stock-Level..\">"
            " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Exit..\">"
            "</FORM></HTML>"
            , pStockLevelData->threshold,
pStockLevelData->low_stock);
    }
}

/* FUNCTION: MakeNewOrderForm
*
* COMMENTS: The internal client buffer is created when the terminal id is
assigned and should not
* be freed except when the client
terminal id is no longer needed.
*/

void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm)
{
    int i, c;
    BOOL bValid;
    static char szBR[] = " <BR><BR><BR><BR><BR><BR>
<BR><BR><BR><BR><BR><BR><BR><BR><BR>";

    if (!bInput)
        assert( pNewOrderData->exec_status_code == eOK ||
pNewOrderData->exec_status_code == eInvalidItem );

    bValid = (bInput || (pNewOrderData->exec_status_code == eOK));

    c = sprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C New
Order</TITLE></HEAD><BODY>"
        "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\">"
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\"
VALUE=\"%d\">"
        " <INPUT TYPE=\"hidden\" NAME=\"ERROR\"
VALUE=\"0\">"

```

```

        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\"
VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"TERMINID\"
VALUE=\"%d\">"
        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\"
VALUE=\"%d\">"
        "<PRE><font face=\"Courier\">
New
Order<BR>"
        , bValid ? 0 : ERR_BAD_ITEM_ID,
NEW_ORDER_FORM, iTermId, Term.pClientData[iTermId].iSyncId);

    if ( bInput )
    {
        c += sprintf(szForm+c, "Warehouse: %4.4d ",
Term.pClientData[iTermId].w_id );

        strcpy( szForm+c,
            "District: <INPUT NAME=\"DID*\" SIZE=1>
Date:<BR>"
            "Customer: <INPUT NAME=\"CID*\"
SIZE=4> Name: Credit: %Disc:<BR>"
            "Order Number: Number of Lines:
W_tax: D_tax:<BR><BR>"
            " Supp_W Item_Id Item Name Qty
Stock B/G Price Amount<BR>"
            " <INPUT NAME=\"SP0*\" SIZE=4>
<INPUT NAME=\"IID0*\" SIZE=6> <INPUT
NAME=\"Qty0*\" SIZE=1><BR>"
            " <INPUT NAME=\"SP01*\" SIZE=4>
<INPUT NAME=\"IID01*\" SIZE=6> <INPUT
NAME=\"Qty01*\" SIZE=1><BR>"
            " <INPUT NAME=\"SP02*\" SIZE=4>
<INPUT NAME=\"IID02*\" SIZE=6> <INPUT
NAME=\"Qty02*\" SIZE=1><BR>"
            " <INPUT NAME=\"SP03*\" SIZE=4>
<INPUT NAME=\"IID03*\" SIZE=6> <INPUT
NAME=\"Qty03*\" SIZE=1><BR>"
            " <INPUT NAME=\"SP04*\" SIZE=4>
<INPUT NAME=\"IID04*\" SIZE=6> <INPUT
NAME=\"Qty04*\" SIZE=1><BR>"
            " <INPUT NAME=\"SP05*\" SIZE=4>
<INPUT NAME=\"IID05*\" SIZE=6> <INPUT
NAME=\"Qty05*\" SIZE=1><BR>"
            " <INPUT NAME=\"SP06*\" SIZE=4>
<INPUT NAME=\"IID06*\" SIZE=6> <INPUT
NAME=\"Qty06*\" SIZE=1><BR>"
            " <INPUT NAME=\"SP07*\" SIZE=4>
<INPUT NAME=\"IID07*\" SIZE=6> <INPUT
NAME=\"Qty07*\" SIZE=1><BR>"
            " <INPUT NAME=\"SP08*\" SIZE=4>
<INPUT NAME=\"IID08*\" SIZE=6> <INPUT
NAME=\"Qty08*\" SIZE=1><BR>"
            " <INPUT NAME=\"SP09*\" SIZE=4>
<INPUT NAME=\"IID09*\" SIZE=6> <INPUT
NAME=\"Qty09*\" SIZE=1><BR>"
            " <INPUT NAME=\"SP10*\" SIZE=4>
<INPUT NAME=\"IID10*\" SIZE=6> <INPUT
NAME=\"Qty10*\" SIZE=1><BR>"
            " <INPUT NAME=\"SP11*\" SIZE=4>
<INPUT NAME=\"IID11*\" SIZE=6> <INPUT
NAME=\"Qty11*\" SIZE=1><BR>"
            " <INPUT NAME=\"SP12*\" SIZE=4>
<INPUT NAME=\"IID12*\" SIZE=6> <INPUT
NAME=\"Qty12*\" SIZE=1><BR>"
            " <INPUT NAME=\"SP13*\" SIZE=4>
<INPUT NAME=\"IID13*\" SIZE=6> <INPUT
NAME=\"Qty13*\" SIZE=1><BR>"
            " <INPUT NAME=\"SP14*\" SIZE=4>
<INPUT NAME=\"IID14*\" SIZE=6> <INPUT
NAME=\"Qty14*\" SIZE=1><BR>"

```



```

VALUE="%"d">"      "<INPUT TYPE="hidden" NAME="FORMID"
VALUE="%"d">"      "<INPUT TYPE="hidden" NAME="TERMID"
VALUE="%"d">"      "<INPUT TYPE="hidden" NAME="SYCID"
Payment<BR>"
                    "Date: "
                    , pPaymentData->w_street_2,
Term.pClientData[iTermId].iSyncId);
                    , pPaymentData->w_city,
                    pPaymentData->w_state, pPaymentData->w_zip, pPaymentData->w_zip+5
                    , pPaymentData->d_city,
                    pPaymentData->d_state, pPaymentData->d_zip, pPaymentData->d_zip+5
                    , pPaymentData->c_id,
                    pPaymentData->c_w_id,
                    pPaymentData->c_middle, pPaymentData->c_last
                    , pPaymentData->c_since.day,
                    pPaymentData->c_since.month, pPaymentData->c_since.year
                    , pPaymentData->c_street_1,
                    pPaymentData->c_credit
                    );
                    c += sprintf(szForm+c,
                    "    %-20s          %%Disc:
%5.2f<BR>",
                    pPaymentData->c_street_2,
                    100.0*pPaymentData->c_discount);
                    c += wsprintf(szForm+c,
                    "    %-20s %-2s %5.5s-%4.4s   Phone:
%6.6s-%3.3s-%3.3s-%4.4s<BR> <BR>",
                    pPaymentData->c_city,
                    pPaymentData->c_state, pPaymentData->c_zip, pPaymentData->c_zip+5,
                    pPaymentData->c_phone,
                    pPaymentData->c_phone+6, pPaymentData->c_phone+9,
                    pPaymentData->c_phone+12 );
                    c += sprintf(szForm+c,
                    "    Amount Paid:      $%7.2f   New
Cust-Balance: $%14.2f<BR>"
                    "Credit Limit:  $%13.2f<BR> <BR>"
                    , pPaymentData->h_amount,
                    pPaymentData->c_balance
                    , pPaymentData->c_credit_lim
                    );
                    if ( pPaymentData->c_credit[0] == 'B' &&
                    pPaymentData->c_credit[1] == 'C' )
                    c += wsprintf(szForm+c,
                    "Cust-Data:
%-50.50s<BR>      %-50.50s<BR>      %-50.50s<BR>
%-50.50s<BR>",
                    pPaymentData->c_data,
                    pPaymentData->c_data+50, pPaymentData->c_data+100,
                    pPaymentData->c_data+150 );
                    else
                    strcpy(szForm+c, "Cust-Data: <BR> <BR>
<BR> <BR>");
                    strcat(szForm,
                    " <BR></font></PRE><HR>"
                    " <INPUT
TYPE="submit" NAME="CMD" VALUE="..NewOrder..">"
                    " <INPUT
TYPE="submit" NAME="CMD" VALUE="..Payment..">"
                    " <INPUT
TYPE="submit" NAME="CMD" VALUE="..Delivery..">"
                    " <INPUT
TYPE="submit" NAME="CMD" VALUE="..Order-Status..">"
                    " <INPUT
TYPE="submit" NAME="CMD" VALUE="..Stock-Level..">"
                    " <INPUT
TYPE="submit" NAME="CMD" VALUE="..Exit..">"
                    "</BODY></FORM></HTML>");
                    }
}
                    c += wsprintf(szForm+c,
                    "<BR> <BR>Warehouse: %4.4d
District: %2.2d<BR>"
                    "%-20s          %-20s<BR>"
                    "%-20s          %-20s<BR>"
                    "%-20s %-2s %5.5s-%4.4s   %-20s %-2s
%5.5s-%4.4s<BR> <BR>"
                    "Customer: %4.4d Cust-Warehouse: %4.4d
Cust-District: %2.2d<BR>"
                    "Name:  %-16s %-2s %-16s   Since:
%2.2d-%2.2d-%4.4d<BR>"
                    "    %-20s          Credit: %-2s<BR>"
                    , Term.pClientData[iTermId].w_id,
                    pPaymentData->w_street_1,
                    pPaymentData->d_id
                    , pPaymentData->d_street_1
                    );
                    if ( !bInput )
                    {
                    c += wsprintf(szForm+c,
                    " <BR> <BR>Warehouse: %4.4d
                    " District: <INPUT
NAME="DID*" SIZE=1><BR> <BR> <BR> <BR> <BR>"
                    "Customer: <INPUT NAME="CID*"
                    SIZE=4>"
                    "Cust-Warehouse: <INPUT NAME="CWI*"
                    SIZE=4> "
                    "Cust-District: <INPUT NAME="CDI*"
                    SIZE=1><BR>"
                    "Name:          <INPUT
NAME="CLT*" SIZE=16>      Since:<BR>"
                    "                               Credit:<BR>"
                    "                               Disc:<BR>"
                    "                               Phone:<BR>
<BR>"
                    "Amount Paid:      $<INPUT
NAME="HAM*" SIZE=7> New Cust-Balance:<BR>"
                    "Credit Limit:<BR> <BR>Cust-Data: <BR>
<BR> <BR> <BR> <BR></font></PRE><HR>"
                    " <INPUT TYPE="submit" NAME="CMD"
VALUE="Process"><INPUT TYPE="submit" NAME="CMD"
VALUE="Menu">"
                    "</BODY></FORM></HTML>"
                    , Term.pClientData[iTermId].w_id);
                    }
                    else
                    {
                    c += wsprintf(szForm+c,
                    "<BR> <BR>Warehouse: %4.4d
                    District: %2.2d<BR>"
                    "%-20s          %-20s<BR>"
                    "%-20s          %-20s<BR>"
                    "%-20s %-2s %5.5s-%4.4s   %-20s %-2s
%5.5s-%4.4s<BR> <BR>"
                    "Customer: %4.4d Cust-Warehouse: %4.4d
                    Cust-District: %2.2d<BR>"
                    "Name:  %-16s %-2s %-16s   Since:
                    %2.2d-%2.2d-%4.4d<BR>"
                    "    %-20s          Credit: %-2s<BR>"
                    , Term.pClientData[iTermId].w_id,
                    pPaymentData->w_street_1,
                    pPaymentData->d_id
                    , pPaymentData->d_street_1
                    );
                    }
}

```



```

VALUE="0">"
" <INPUT TYPE="hidden" NAME="ERROR"
VALUE="%d">"
" <INPUT TYPE="hidden" NAME="FORMID"
VALUE="%d">"
" <INPUT TYPE="hidden" NAME="TERMINID"
VALUE="%d">"
" <INPUT TYPE="hidden" NAME="SYNCID"
Delivery<BR>"
" <PRE><font face="Courier">
"Warehouse: %4.4d<BR> <BR>",
(!bInput && (pDeliveryData->exec_status_code != eOK))
? ERR_TYPE_DELIVERY_POST : 0,
DELIVERY_FORM, iTermId,
Term.pClientData[iTermId].iSyncId, Term.pClientData[iTermId].w_id);

if ( bInput )
{
strcpy( szForm+c,
"Carrier Number: <INPUT NAME="OCD*"
SIZE=1><BR> <BR>"
"Execution Status: <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR>"
" <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> </font></PRE><HR>"
" <INPUT TYPE="submit" NAME="CMD"
VALUE="Process">"
" <INPUT TYPE="submit" NAME="CMD"
VALUE="Menu">"
" </BODY></FORM></HTML> " );
}
else
{
wsprintf( szForm+c,
"Carrier Number: %2.2d<BR> <BR>"
"Execution Status: %s <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> </font></PRE>"
" <HR><INPUT TYPE="submit"
NAME="CMD" VALUE="..NewOrder..">"
" <INPUT TYPE="submit" NAME="CMD"
VALUE="..Payment..">"
" <INPUT TYPE="submit" NAME="CMD"
VALUE="..Delivery..">"
" <INPUT TYPE="submit" NAME="CMD"
VALUE="..Order-Status..">"
" <INPUT TYPE="submit" NAME="CMD"
VALUE="..Stock-Level..">"
" <INPUT TYPE="submit" NAME="CMD"
VALUE="..Exit..">"
" </BODY></FORM></HTML>"
, pDeliveryData->o_carrier_id,
(pDeliveryData->exec_status_code == eOK) ?
"Delivery has been queued." : "Delivery Post Failed "
);
}
}

/* FUNCTION: ProcessNewOrderForm
*
* PURPOSE: This function gets and validates the input data from the
new order form
*
* filling in the required input variables. it then
calls the SQLNewOrder
*
* transaction, constructs the output form and
writes it back to client
*
* browser.
*/

```

```

void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK *pECB, int
iTermId, char *szBuffer)
{
PNEW_ORDER_DATA pNewOrder;

pNewOrder =
Term.pClientData[iTermId].pTxn->BuffAddr_NewOrder();

ZeroMemory(pNewOrder, sizeof(NEW_ORDER_DATA));
pNewOrder->w_id = Term.pClientData[iTermId].w_id;
GetNewOrderData(pECB->lpszQueryString, pNewOrder);

Term.pClientData[iTermId].pTxn->NewOrder();

pNewOrder =
Term.pClientData[iTermId].pTxn->BuffAddr_NewOrder();
MakeNewOrderForm(iTermId, pNewOrder, OUTPUT_FORM,
szBuffer);
}

/* FUNCTION: void ProcessPaymentForm
*
* PURPOSE: This function gets and validates the input data from the
payment form
*
* filling in the required input variables. It then
calls the SQLPayment
*
* transaction, constructs the output form and
writes it back to client
*
* browser.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK *pECB
passed in structure pointer from inetsrv.
*
* int
iTermId client browser terminal id
*/

void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK *pECB, int
iTermId, char *szBuffer)
{
PPAYMENT_DATA pPayment;

pPayment = Term.pClientData[iTermId].pTxn->BuffAddr_Payment();
ZeroMemory(pPayment, sizeof(PAYMENT_DATA));
pPayment->w_id = Term.pClientData[iTermId].w_id;
GetPaymentData(pECB->lpszQueryString, pPayment);

Term.pClientData[iTermId].pTxn->Payment();

pPayment = Term.pClientData[iTermId].pTxn->BuffAddr_Payment();
MakePaymentForm(iTermId, pPayment, OUTPUT_FORM,
szBuffer);
}

/* FUNCTION: ProcessOrderStatusForm
*
* PURPOSE: This function gets and validates the input data from the
Order Status
*
* form filling in the required input variables. It
then calls the
*
* SQLOrderStatus transaction, constructs the
output form and writes it
*
* back to client browser.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK *pECB
passed in structure pointer from inetsrv.
*
* int
iTermId client browser terminal id
*/

```

```

void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK *pECB, int
iTermId, char *szBuffer)
{
    PORDER_STATUS_DATA    pOrderStatus;

    pOrderStatus =
Term.pClientData[iTermId].pTxn->BuffAddr_OrderStatus();
ZeroMemory(pOrderStatus, sizeof(ORDER_STATUS_DATA));
pOrderStatus->w_id = Term.pClientData[iTermId].w_id;
GetOrderStatusData(pECB->lpszQueryString, pOrderStatus);

    Term.pClientData[iTermId].pTxn->OrderStatus();

    pOrderStatus =
Term.pClientData[iTermId].pTxn->BuffAddr_OrderStatus();
    MakeOrderStatusForm(iTermId, pOrderStatus, OUTPUT_FORM,
szBuffer);
}

/* FUNCTION: ProcessDeliveryForm
*
* PURPOSE:      This function gets and validates the input data from the
*                delivery form
*                filling in the required input variables. It then
calls the PostDeliveryInfo
*                Api, The client is then informed that the
transaction has been posted.
*
* ARGUMENTS:   EXTENSION_CONTROL_BLOCK    *pECB
*                int
*                iTermId    client browser terminal id
*/

void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK *pECB, int
iTermId, char *szBuffer)
{
    char    *ptr = pECB->lpszQueryString;

    PDELIVERY_DATA pDelivery;

    pDelivery = Term.pClientData[iTermId].pTxn->BuffAddr_Delivery();
ZeroMemory(pDelivery, sizeof(DELIVERY_DATA));
pDelivery->w_id = Term.pClientData[iTermId].w_id;

    pDelivery->o_carrier_id    = GetIntKeyValue(&ptr, "OCD*",
ERR_DELIVERY_MISSING_OCD_KEY,
ERR_DELIVERY_CARRIER_INVALID);
    if ( pDelivery->o_carrier_id > 10 || pDelivery->o_carrier_id < 1 )
        throw new CWEBCLNT_ERR(
ERR_DELIVERY_CARRIER_ID_RANGE );

    if (dwNumDeliveryThreads)
    {
        //post delivery info
        if ( PostDeliveryInfo(pDelivery->w_id,
pDelivery->o_carrier_id )
            pDelivery->exec_status_code =
eDeliveryFailed;
        else
            pDelivery->exec_status_code = eOK;
    }
    else // delivery is done synchronously if no delivery threads configured
        Term.pClientData[iTermId].pTxn->Delivery();

    pDelivery = Term.pClientData[iTermId].pTxn->BuffAddr_Delivery();
    MakeDeliveryForm(iTermId, pDelivery, OUTPUT_FORM,
szBuffer);
}

/* FUNCTION: ProcessStockLevelForm
*
* PURPOSE:      This function gets and validates the input data from the
*                Stock Level
*                form filling in the required input variables. It
then calls the
*                SQLStockLevel transaction, constructs the
output form and writes it
*                back to client browser.
*
* ARGUMENTS:   EXTENSION_CONTROL_BLOCK    *pECB
*                int
*                iTermId    client browser terminal id
*/

void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK *pECB, int
iTermId, char *szBuffer)
{
    char    *ptr = pECB->lpszQueryString;

    PSTOCK_LEVEL_DATA    pStockLevel;

    pStockLevel =
Term.pClientData[iTermId].pTxn->BuffAddr_StockLevel();
ZeroMemory( pStockLevel, sizeof(STOCK_LEVEL_DATA) );

    pStockLevel->w_id = Term.pClientData[iTermId].w_id;
    pStockLevel->d_id = Term.pClientData[iTermId].d_id;

    pStockLevel->threshold = GetIntKeyValue(&ptr, "TT*",
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID);
    if ( pStockLevel->threshold >= 100 || pStockLevel->threshold < 0 )
        throw new CWEBCLNT_ERR(
ERR_STOCKLEVEL_THRESHOLD_RANGE );

    Term.pClientData[iTermId].pTxn->StockLevel();

    pStockLevel =
Term.pClientData[iTermId].pTxn->BuffAddr_StockLevel();
    MakeStockLevelForm(iTermId, pStockLevel, OUTPUT_FORM,
szBuffer);
}

/* FUNCTION: GetNewOrderData
*
* PURPOSE:      This function extracts and validates the new order form
*                data from an http command string.
*
* ARGUMENTS:   LPSTR                                lpszQueryString
*                client browser http command string
*                NEW_ORDER_DATA
*                *pNewOrderData    pointer to new order data structure
*/

void GetNewOrderData(LPSTR lpszQueryString, NEW_ORDER_DATA
*pNewOrderData)
{
    char    szTmp[26];
    int     i;
    short   items;
    int     ol_i_id, ol_quantity;
    char    *ptr = lpszQueryString;

    static char szSP[MAX_OL_NEW_ORDER_ITEMS][6] =
    { "SP00*", "SP01*", "SP02*", "SP03*", "SP04*",
      "SP05*", "SP06*", "SP07*", "SP08*", "SP09*",
      "SP10*", "SP11*", "SP12*", "SP13*", "SP14*" };
}

```

```

static char szIID[MAX_OL_NEW_ORDER_ITEMS][7] =
{ "IID00*", "IID01*", "IID02*", "IID03*", "IID04*",
  "IID05*", "IID06*", "IID07*", "IID08*", "IID09*",
  "IID10*", "IID11*", "IID12*", "IID13*", "IID14*" };
static char szQty[MAX_OL_NEW_ORDER_ITEMS][7] =
{ "Qty00*", "Qty01*", "Qty02*", "Qty03*", "Qty04*",
  "Qty05*", "Qty06*", "Qty07*", "Qty08*", "Qty09*",
  "Qty10*", "Qty11*", "Qty12*", "Qty13*", "Qty14*" };

pNewOrderData->d_id = GetIntKeyValue(&ptr, "DID*",
ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_DISTRICT_INVALID);
pNewOrderData->c_id = GetIntKeyValue(&ptr, "CID*",
ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_CUSTOMER_INVALID);

for(i=0, items=0; i<MAX_OL_NEW_ORDER_ITEMS; i++)
{
    GetKeyValue(&ptr, szSP[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_SUPPW_KEY);
    if ( szTmp[0] )
    {
        if ( !IsNumeric(szTmp) )
            throw new CWEBCLNT_ERR(
ERR_NEWORDER_SUPPW_INVALID );
        pNewOrderData->OL[items].ol_supply_w_id
= (short)atoi(szTmp);

        ol_i_id = pNewOrderData->OL[items].ol_i_id
=
            GetIntKeyValue(&ptr, szIID[i],
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_ITEMID_INVALID);
        if ( ol_i_id > 999999 || ol_i_id < 1 )
            throw new CWEBCLNT_ERR(
ERR_NEWORDER_ITEMID_RANGE );

        ol_quantity =
pNewOrderData->OL[items].ol_quantity =
            GetIntKeyValue(&ptr, szQty[i],
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_QTY_INVALID);
        if ( ol_quantity > 99 || ol_quantity < 1 )
            throw new CWEBCLNT_ERR(
ERR_NEWORDER_QTY_RANGE );

        items++;
    }
    else
    {
        // nothing entered for supply warehouse, so item
id and qty must also be blank
        GetKeyValue(&ptr, szIID[i], szTmp,
sizeof(szTmp), ERR_NEWORDER_MISSING_IID_KEY);
        if ( szTmp[0] )
            throw new CWEBCLNT_ERR(
ERR_NEWORDER_ITEMID_WITHOUT_SUPPW );

        GetKeyValue(&ptr, szQty[i], szTmp,
sizeof(szTmp), ERR_NEWORDER_MISSING_QTY_KEY);
        if ( szTmp[0] )
            throw new CWEBCLNT_ERR(
ERR_NEWORDER_QTY_WITHOUT_SUPPW );
    }
}
if ( items == 0 )
    throw new CWEBCLNT_ERR(
ERR_NEWORDER_NOITEMS_ENTERED );

pNewOrderData->o_ol_cnt = items;
}

```

```

/* FUNCTION: GetPaymentData
 *
 * PURPOSE:      This function extracts and validates the payment form data
from an http command string.
 *
 * ARGUMENTS:   LPSTR                                IpszQueryString
client browser http command string
 *
 * PAYMENT_DATA
 *pPaymentData pointer to payment data structure
 */

void GetPaymentData(LPSTR IpszQueryString, PAYMENT_DATA
 *pPaymentData)
{
    char    szTmp[26];
    char    *ptr = IpszQueryString;
    BOOL    bCustIdBlank;

    pPaymentData->d_id = GetIntKeyValue(&ptr, "DID*",
ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_DISTRICT_INVALID);

    GetKeyValue(&ptr, "CID*", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_CID_KEY);
    if ( szTmp[0] == 0 )
    {
        bCustIdBlank = TRUE;
        pPaymentData->c_id = 0;
    }
    else
    {
        // parse customer id and verify that last name was NOT
entered
        bCustIdBlank = FALSE;
        if ( !IsNumeric(szTmp) )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_CUSTOMER_INVALID );
        pPaymentData->c_id = atoi(szTmp);
    }

    pPaymentData->c_w_id = GetIntKeyValue(&ptr, "CWI*",
ERR_PAYMENT_MISSING_CWI_KEY, ERR_PAYMENT_CWI_INVALID);
    pPaymentData->c_d_id = GetIntKeyValue(&ptr, "CDI*",
ERR_PAYMENT_MISSING_CDI_KEY, ERR_PAYMENT_CDI_INVALID);

    if ( bCustIdBlank )
    {
        // customer id is blank, so last name must be entered
        GetKeyValue(&ptr, "CLT*", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_CLT_KEY);
        if ( szTmp[0] == 0 )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_MISSING_CID_CLT );

        _strupr( szTmp );
        if ( strlen(pPaymentData->c_last) > LAST_NAME_LEN )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_LAST_NAME_TO_LONG );
        strcpy(pPaymentData->c_last, szTmp);
    }
    else
    {
        // parse customer id and verify that last name was NOT
entered
        GetKeyValue(&ptr, "CLT*", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_CLT_KEY);
        if ( szTmp[0] != 0 )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_CID_AND_CLT );
    }

    GetKeyValue(&ptr, "HAM*", szTmp, sizeof(szTmp),
ERR_PAYMENT_MISSING_HAM_KEY);
    if ( !IsDecimal(szTmp) )

```



```

        throw new CWEBCLNT_ERR(
ERR_PAYMENT_HAM_INVALID );
        pPaymentData->h_amount = atof(szTmp);
        if ( pPaymentData->h_amount >= 10000.00 ||
pPaymentData->h_amount < 0 )
            throw new CWEBCLNT_ERR(
ERR_PAYMENT_HAM_RANGE );
    }

/* FUNCTION: GetOrderStatusData
*
* PURPOSE:      This function extracts and validates the payment form data
from an http command string.
*
*/
void GetOrderStatusData(LPSTR lpszQueryString, ORDER_STATUS_DATA
*pOrderStatusData)
{
    char    szTmp[26];
    char    *ptr = lpszQueryString;

        pOrderStatusData->d_id = GetIntKeyValue(&ptr, "DID*",
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_ORDERSTATUS_DID_INVALID);

        GetKeyValue(&ptr, "CID*", szTmp, sizeof(szTmp),
ERR_ORDERSTATUS_MISSING_CID_KEY);
        if ( szTmp[0] == 0 )
        {
            // customer id is blank, so last name must be entered
            pOrderStatusData->c_id = 0;
            GetKeyValue(&ptr, "CLT*", szTmp, sizeof(szTmp),
ERR_ORDERSTATUS_MISSING_CLT_KEY);
            if ( szTmp[0] == 0 )
                throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_MISSING_CID_CLT );

                _strupr( szTmp );
                if ( strlen(pOrderStatusData->c_last) >
LAST_NAME_LEN )
                    throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_CLT_RANGE );
                strcpy(pOrderStatusData->c_last, szTmp);
        }
        else
        {
            // parse customer id and verify that last name was NOT
entered
            if ( !IsNumeric(szTmp) )
                throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_CID_INVALID );
            pOrderStatusData->c_id = atoi(szTmp);
            GetKeyValue(&ptr, "CLT*", szTmp, sizeof(szTmp),
ERR_ORDERSTATUS_MISSING_CLT_KEY);
            if ( szTmp[0] != 0 )
                throw new CWEBCLNT_ERR(
ERR_ORDERSTATUS_CID_AND_CLT );
        }
    }

/* FUNCTION: BOOL IsNumeric(char *ptr)
*
* PURPOSE:      This function determines if a string is numeric. It fails if
any characters other
*
*               than numeric and null terminator are present.
*
* ARGUMENTS:   char                *ptr    pointer to
string to check.
*
* RETURNS:     BOOL    FALSE    if string is not all
numeric

```

```

*
*               TRUE    if
string contains only numeric characters i.e. '0' - '9'
*/
BOOL IsNumeric(char *ptr)
{
    if ( *ptr == 0 )
        return FALSE;

    while( *ptr && isdigit(*ptr) )
        ptr++;
    return ( !*ptr );
}

/* FUNCTION: BOOL IsDecimal(char *ptr)
*
* PURPOSE:      This function determines if a string is a non-negative
decimal value.
*
*               It fails if any characters other than a series of numbers followed by
a decimal point, another series of numbers, and
a null terminator are present.
*
* ARGUMENTS:   char                *ptr    pointer to
string to check.
*
* RETURNS:     BOOL    FALSE    if string is not a valid
non-negative decimal value
*               TRUE    if
string is OK
*/
BOOL IsDecimal(char *ptr)
{
    char *dotptr;
    BOOL bValid;

    if ( *ptr == 0 )
        return FALSE;

    // find decimal point
    dotptr = strchr( ptr, '.' );
    if ( dotptr == NULL )
        // no decimal point, so just check for numeric
        return IsNumeric(ptr);
    *dotptr = 0; // temporarily replace decimal with a terminator

    if ( *ptr != 0 )
        bValid = IsNumeric(ptr);
    // string starts with decimal point
    else if ( *(dotptr+1) == 0 )
        return FALSE; // nothing but a decimal point is bad
    else
        bValid = TRUE;

    if ( *(dotptr+1) != 0 )
        // check text after decimal point
        bValid &= IsNumeric(dotptr+1);

    *dotptr = '.'; // replace decimal point
    return bValid;
}

tpcc.def

LIBRARY TPCC.DLL

EXPORTS

```

```

GetExtensionVersion @1
HttpExtensionProc @2
TerminateExtension @3

```

tpcc.h

```

/* FILE: TPCC.H
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 * All Rights Reserved
 *
 * Version 4.10.000 audited by
Richard Gimarc, Performance Metrics, 3/17/99
 *
 * PURPOSE: Header file for ISAPI TPCC.DLL, defines
structures and functions used in the isapi tpcc.dll.
 *
 */

```

```

//VERSION RESOURCE DEFINES
#define _APS_NEXT_RESOURCE_VALUE
101
#define _APS_NEXT_COMMAND_VALUE
40001
#define _APS_NEXT_CONTROL_VALUE
1000
#define _APS_NEXT_SYMED_VALUE
101

#define TP_MAX_RETRIES
50

```

```

//note that the welcome form must be processed first as terminal ids assigned here,
once the

```

```

//terminal id is assigned then the forms can be processed in any order.

```

```

#define WELCOME_FORM
1 //beginning form no term id assigned, form id
#define MAIN_MENU_FORM
2 //term id assigned main menu form id
#define NEW_ORDER_FORM
3 //new order form id
#define PAYMENT_FORM
4 //payment form id
#define DELIVERY_FORM
5 //delivery form id
#define ORDER_STATUS_FORM
6 //order status id
#define STOCK_LEVEL_FORM
7 //stock level form id

```

```

//This macro is used to prevent the compiler error unused formal parameter
#define UNUSEDPARAM(x) (x = x)

```

```

//This structure defines the data necessary to keep distinct for each terminal or
client connection.

```

```

typedef struct _CLIENTDATA
{
    int iNextFree;
//index of next free element or -1 if this entry in use.
    int w_id;
//warehouse id assigned at welcome form
    int d_id;
//district id assigned at welcome form

    int iSyncId;
//synchronization id

```

```

    int iTickCount;
//time of last access;

    CTPCC_BASE *pTxn;
} CLIENTDATA, *PCLIENTDATA;

//This structure is used to define the operational interface for terminal id support
typedef struct _TERM
{
    int iNumEntries;
//total allocated terminal array entries
    int iFreeList;
//next available terminal array element or -1 if none
    int iMasterSyncId;
//synchronization id
    CLIENTDATA *pClientData;
//pointer to allocated client data
} TERM;

typedef TERM *PTERM;
//pointer to terminal structure type

```

```

enum WEBERROR

```

```

{
    NO_ERR,
    ERR_COMMAND_UNDEFINED,
    ERR_D_ID_INVALID,
    ERR_DELIVERY_CARRIER_ID_RANGE,
    ERR_DELIVERY_CARRIER_INVALID,
    ERR_DELIVERY_MISSING_OCD_KEY,
    ERR_DELIVERY_THREAD_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_HTML_ILL_FORMED,
    ERR_INVALID_SYNC_CONNECTION,
    ERR_INVALID_TERMID,
    ERR_LOADDLL_FAILED,
    ERR_MAX_CONNECTIONS_EXCEEDED,
    ERR_MEM_ALLOC_FAILED,
    ERR_MISSING_REGISTRY_ENTRIES,
    ERR_NEWORDER_CUSTOMER_INVALID,
    ERR_NEWORDER_CUSTOMER_KEY,
    ERR_NEWORDER_DISTRICT_INVALID,
    ERR_NEWORDER_FORM_MISSING_DID,
    ERR_NEWORDER_ITEMID_INVALID,
    ERR_NEWORDER_ITEMID_RANGE,
    ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
    ERR_NEWORDER_MISSING_IID_KEY,
    ERR_NEWORDER_MISSING_QTY_KEY,
    ERR_NEWORDER_MISSING_SUPPW_KEY,
    ERR_NEWORDER_NOITEMS_ENTERED,
    ERR_NEWORDER_QTY_INVALID,
    ERR_NEWORDER_QTY_RANGE,
    ERR_NEWORDER_QTY_WITHOUT_SUPPW,
    ERR_NEWORDER_SUPPW_INVALID,
    ERR_NO_SERVER_SPECIFIED,
    ERR_ORDERSTATUS_CID_AND_CLT,
    ERR_ORDERSTATUS_CID_INVALID,
    ERR_ORDERSTATUS_CLT_RANGE,
    ERR_ORDERSTATUS_DID_INVALID,
    ERR_ORDERSTATUS_MISSING_CID_CLT,
    ERR_ORDERSTATUS_MISSING_CID_KEY,
    ERR_ORDERSTATUS_MISSING_CLT_KEY,
    ERR_ORDERSTATUS_MISSING_DID_KEY,
    ERR_PAYMENT_CDI_INVALID,
    ERR_PAYMENT_CID_AND_CLT,
    ERR_PAYMENT_CUSTOMER_INVALID,
    ERR_PAYMENT_CWI_INVALID,
    ERR_PAYMENT_DISTRICT_INVALID,

```

```

ERR_PAYMENT_HAM_INVALID,
ERR_PAYMENT_HAM_RANGE,
ERR_PAYMENT_LAST_NAME_TO_LONG,
ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_MISSING_CID_CLT,
ERR_PAYMENT_MISSING_CID_KEY,
ERR_PAYMENT_MISSING_CLT,
ERR_PAYMENT_MISSING_CLT_KEY,
ERR_PAYMENT_MISSING_CWL_KEY,
ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_MISSING_HAM_KEY,
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID,
ERR_STOCKLEVEL_THRESHOLD_RANGE,
ERR_VERSION_MISMATCH,
ERR_W_ID_INVALID
};

class CWEBCLNT_ERR : public CBaseErr
{
public:
    CWEBCLNT_ERR(WEBERROR Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    };

    CWEBCLNT_ERR(WEBERROR Err, char
*szTextDetail, DWORD dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new
char[strlen(szTextDetail)+1];
        strcpy( m_szTextDetail, szTextDetail );
        m_SystemErr = dwSystemErr;
        m_szErrorText = NULL;
    };

    ~CWEBCLNT_ERR()
    {
        if (m_szTextDetail != NULL)
            delete [] m_szTextDetail;
        if (m_szErrorText != NULL)
            delete [] m_szErrorText;
    };

    WEBERROR        m_Error;
    char             *m_szTextDetail; //
    char             *m_szErrorText;
    DWORD           m_SystemErr;

    int ErrorType() {return ERR_TYPE_WEBDLL;};
    int ErrorNum() {return m_Error;};
    char *ErrorText();

};

//These constants have already been defined in engstut.h, but since we do
//not want to include it in the delisrv executable
#define TXN_EVENT_START          2
#define TXN_EVENT_STOP          4
#define TXN_EVENT_WARNING       6 //used to
record a warning into the log

//function prototypes

BOOL APIENTRY DllMain(HANDLE hModule, DWORD ul_reason_for_call,
LPVOID lpReserved);

```

```

void WriteMessageToEventLog(LPCTSTR lpszMsg);
void ProcessQueryString(EXTENSION_CONTROL_BLOCK *pECB, int
*pCmd, int *pFormId, int *pTermId, int *pSyncId);
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer);
void BeginCmd(EXTENSION_CONTROL_BLOCK *pECB, int iFormId, int
iTermId);
void ProcessCmd(EXTENSION_CONTROL_BLOCK *pECB, int iFormId, int
iTermId);
void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char *szBuffer);
void ErrorMessage(EXTENSION_CONTROL_BLOCK *pECB, int iError, int
iErrorType, char *szMsg, int iTermId);
void GetKeyValue(char **pQueryString, char *pKey, char *pValue, int iMax,
WEBERROR err);
int GetIntKeyValue(char **pQueryString, char *pKey, WEBERROR NoKeyErr,
WEBERROR NotIntErr);
void TermInit(void);
void TermDeleteAll(void);
int TermAdd(void);
void TermDelete(int id);
void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int iType, int
iErrorNum, int iTermId, int iSyncId, char *szErrorText, char *szBuffer );
void MakeMainMenuForm(int iTermId, int iSyncId, char *szForm);
void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm);
void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm);
void MakePaymentForm(int iTermId, PAYMENT_DATA *pPaymentData,
BOOL bInput, char *szForm);
void MakeOrderStatusForm(int iTermId, ORDER_STATUS_DATA
*pOrderStatusData, BOOL bInput, char *szForm);
void MakeDeliveryForm(int iTermId, DELIVERY_DATA *pDeliveryData,
BOOL bInput, char *szForm);
void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK *pECB, int
iTermId, char *szBuffer);
void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK *pECB, int
iTermId, char *szBuffer);
void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK *pECB, int
iTermId, char *szBuffer);
void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK *pECB, int
iTermId, char *szBuffer);
void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK *pECB, int
iTermId, char *szBuffer);
void GetNewOrderData(LPCTSTR lpszQueryString, NEW_ORDER_DATA
*pNewOrderData);
void GetPaymentData(LPCTSTR lpszQueryString, PAYMENT_DATA
*pPaymentData);
void GetOrderStatusData(LPCTSTR lpszQueryString, ORDER_STATUS_DATA
*pOrderStatusData);
BOOL PostDeliveryInfo(short w_id, short o_carrier_id);
BOOL IsNumeric(char *ptr);
BOOL IsDecimal(char *ptr);
void DeliveryWorkerThread(void *ptr);

```

tpcc.rc

```

//Microsoft Developer Studio generated resource script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"
//

```

```

#undef APSTUDIO_READONLY_SYMBOLS

////////////////////////////////////
// English (U.S.) resources

#if !defined(AFX_RESOURCE_DLL) || defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef _MAC
////////////////////////////////////
//
// Version
//

VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,0,0
PRODUCTVERSION 0,4,0,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904b0"
        BEGIN
            VALUE "Comments", "TPC-C HTML DLL Server (DBLIB)0"
            VALUE "CompanyName", "Microsoft0"
            VALUE "FileDescription", "TPC-C HTML DLL Server (DBLIB)0"
            VALUE "FileVersion", "0, 4, 0, 0\0"
            VALUE "InternalName", "tpcc0"
            VALUE "LegalCopyright", "Copyright © 1997\0"
            VALUE "OriginalFilename", "tpcc.dll0"
            VALUE "ProductName", "Microsoft tpcc\0"
            VALUE "ProductVersion", "0, 4, 0, 0\0"
        END
    END
    BLOCK "VarFileInfo"
    BEGIN
        VALUE "Translation", 0x409, 1200
    END
END

#endif // !_MAC

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
//
// TEXTINCLUDE
//

1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include ""afxres.h""\r\n"
    "\0"
END

```

```

3 TEXTINCLUDE DISCARDABLE
BEGIN
    "\r\n"
    "\0"
END

#endif // APSTUDIO_INVOKED

////////////////////////////////////
//
// Dialog
//

IDD_DIALOG1 DIALOG DISCARDABLE 0, 0, 186, 95
STYLE DS_MODALFRAME | WS_POPUP | WS_CAPTION | WS_SYSMENU
CAPTION "Dialog"
FONT 8, "MS Sans Serif"
BEGIN
    DEFPUSHBUTTON "OK",IDOK,129,7,50,14
    PUSHBUTTON "Cancel",IDCANCEL,129,24,50,14
END

////////////////////////////////////
//
// DESIGNINFO
//

#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
    IDD_DIALOG1, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 179
        TOPMARGIN, 7
        BOTTOMMARGIN, 88
    END
END
#endif // APSTUDIO_INVOKED

#endif // English (U.S.) resources

////////////////////////////////////

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 3 resource.
//

////////////////////////////////////
#endif // not APSTUDIO_INVOKED

tpcc_com.cpp

/*      FILE:          TPCC_COM.CPP
 *
 *      Microsoft TPC-C Kit Ver. 4.20.000
 *      Copyright Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *      not yet audited
 *
 *      PURPOSE:      Source file for TPC-C COM+ class
 *      implementation.
 *      Contact:      Charles Levine (clevine@microsoft.com)

```

```

*
* Change history:
*           4.20.000 - first version
*/

// needed for CoinitializeEx
#define _WIN32_WINNT 0x0400

#include <windows.h>

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\trans.h" //tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_com.h"

#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\tpcc_com_all\src\tpcc_com_all_i.c"

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_COM* CTPCC_COM_new(BOOL bSinglePool)
{
    return new CTPCC_COM(bSinglePool);
}

CTPCC_COM::CTPCC_COM(BOOL bSinglePool)
{
    HRESULT hr = NULL;
    long IRet = 0;
    ULONG ulTmpSize = 0;

    m_pTxn = NULL;
    m_pNewOrder = NULL;
    m_pPayment = NULL;
    m_pStockLevel = NULL;
    m_pOrderStatus = NULL;

    m_bSinglePool = bSinglePool;

    ulTmpSize = (ULONG) sizeof(COM_DATA);
    VariantInit(&m_vTxn);
    m_vTxn.vt = VT_SAFEARRAY;

    m_vTxn.parray = SafeArrayCreateVector(VT_UI1, ulTmpSize,
ulTmpSize);
    if (!m_vTxn.parray)
        throw new CCOMERR( E_FAIL );

    memset((void*)m_vTxn.parray->pvData,0,ulTmpSize);
    m_pTxn = (COM_DATA*)m_vTxn.parray->pvData;

    hr = CoInitializeEx(NULL, COINIT_MULTITHREADED);
    if (FAILED(hr))
    {
        throw new CCOMERR( hr );
    }

    // create components
    if (m_bSinglePool)
    {
        hr = CoCreateInstance(CLSID_TPCC, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **)&m_pNewOrder);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        // all txns will use same component
        m_pPayment = m_pNewOrder;
        m_pStockLevel = m_pNewOrder;

```

```

        m_pOrderStatus = m_pNewOrder;
    }
    else
    {
        // use different components for each txn

        hr = CoCreateInstance(CLSID_NewOrder, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **)&m_pNewOrder);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = CoCreateInstance(CLSID_Payment, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **)&m_pPayment);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = CoCreateInstance(CLSID_StockLevel, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **)&m_pStockLevel);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = CoCreateInstance(CLSID_OrderStatus, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **)&m_pOrderStatus);
        if (FAILED(hr))
            throw new CCOMERR(hr);
    }

    // call setcomplete to release each component back into pool
    hr = m_pNewOrder->CallSetComplete();
    if (FAILED(hr))
        throw new CCOMERR(hr);

    if (!m_bSinglePool)
    {
        hr = m_pPayment->CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pStockLevel->CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pOrderStatus->CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);
    }
}

CTPCC_COM::~CTPCC_COM()
{
    if (m_pTxn)
        SafeArrayDestroy(m_vTxn.parray);

    ReleaseInterface(m_pNewOrder);
    if (!m_bSinglePool)
    {
        ReleaseInterface(m_pPayment);
        ReleaseInterface(m_pStockLevel);
        ReleaseInterface(m_pOrderStatus);
    }
    CoUninitialize();
}

void CTPCC_COM::NewOrder()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pNewOrder->NewOrder(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
}

```

```

        memcpy(m_pTxn, (void
*)vTxn_out.parray->pvData,vTxn_out.parray->rgsabound[0].cElements);
        SafeArrayDestroy(vTxn_out.parray);

        if ( m_pTxn->ErrorType != ERR_SUCCESS )
            throw new CCOMERR( m_pTxn->ErrorType,
m_pTxn->error );
    }

void CTPCC_COM::Payment()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pPayment->Payment(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void
*)vTxn_out.parray->pvData,vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn->ErrorType,
m_pTxn->error );
}

void CTPCC_COM::StockLevel()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pStockLevel->StockLevel(m_vTxn, &vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void
*)vTxn_out.parray->pvData,vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn->ErrorType,
m_pTxn->error );
}

void CTPCC_COM::OrderStatus()
{
    VARIANT vTxn_out;

    HRESULT hr = m_pOrderStatus->OrderStatus(m_vTxn,
&vTxn_out);
    if (FAILED(hr))
        throw new CCOMERR( hr );
    memcpy(m_pTxn, (void
*)vTxn_out.parray->pvData,vTxn_out.parray->rgsabound[0].cElements);
    SafeArrayDestroy(vTxn_out.parray);

    if ( m_pTxn->ErrorType != ERR_SUCCESS )
        throw new CCOMERR( m_pTxn->ErrorType,
m_pTxn->error );
}

```

tpcc_com.h

```

/*      FILE:          TPCC_COM.H
*
*          Microsoft TPC-C Kit Ver. 4.20.000
*          Copyright Microsoft, 1999
*
*      All Rights Reserved
*
*
*          not yet audited
*
*      PURPOSE:       Header file for TPC-C COM+ class
implementation.

```

```

*
* Change history:
*          4.20.000 - first version
*/

#pragma once

#include <stdio.h>
#include "..\..\tpcc_com_ps\src\tpcc_com_ps.h"

// need to declare functions for import, unless define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CCOMERR : public CBaseErr
{
private:
    char m_szErrorText[64];

public:
    // use this interface for genuine COM errors
    CCOMERR( HRESULT hr )
    {
        m_hr = hr;
        m_iErrorType = 0;
        m_iError = 0;
    }

    // use this interface to impersonate a non-COM error type
    CCOMERR( int iErrorType, int iError )
    {
        m_iErrorType = iErrorType;
        m_iError = iError;
        m_hr = S_OK;
    }

    int m_hr;
    int m_iErrorType;
    int m_iError;

    // A CCOMERR class can impersonate another class,
    // which happens if the error
    // was not actually a COM Services error, but was simply
    // transmitted back via COM.
    int ErrorType()
    {
        if (m_iErrorType == 0)
            return ERR_TYPE_COM;
        else
            return m_iErrorType;
    }

    int ErrorNum() {return m_hr;}

    char *ErrorText()
    {
        if (m_hr == S_OK)
            sprintf( m_szErrorText, "Error:
Class %d, error # %d", m_iErrorType, m_iError );
        else
            sprintf( m_szErrorText, "Error:
COM HRESULT %x", m_hr );
        return m_szErrorText;
    }
};

class DllDecl CTPCC_COM : public CTPCC_BASE
{
private:

```

```

        BOOL m_bSinglePool;

// COM Interface pointers
ITPCC*          m_pNewOrder;
ITPCC*          m_pPayment;
ITPCC*          m_pStockLevel;
ITPCC*          m_pOrderStatus;

struct COM_DATA
{
        int ErrorType;
        int error;
        union
        {
                NEW_ORDER_DATA
                PAYMENT_DATA
                DELIVERY_DATA
                STOCK_LEVEL_DATA
                ORDER_STATUS_DATA
        } u;
        *m_pTxn;

public:
        VARIANT m_vTxn;
        CTPCC_COM(BOOL bSinglePool);
        ~CTPCC_COM(void);

        inline PNEW_ORDER_DATA
BuffAddr_NewOrder()      { return &m_pTxn->u.NewOrder;
};

        inline PPAYMENT_DATA
BuffAddr_Payment()      { return &m_pTxn->u.Payment; };
        inline PDELIVERY_DATA
BuffAddr_Delivery()     { return &m_pTxn->u.Delivery; };
        inline PSTOCK_LEVEL_DATA BuffAddr_StockLevel()
{ return &m_pTxn->u.StockLevel; };
        inline PORDER_STATUS_DATA
BuffAddr_OrderStatus()  { return &m_pTxn->u.OrderStatus; };

        void NewOrder      ();
        void Payment       ();
        void StockLevel    ();
        void OrderStatus   ();
        void Delivery      () { throw new
CCOMERR(E_NOTIMPL); } // not supported
};

inline void ReleaseInterface(IUnknown *pUnk)
{
        if (pUnk)
        {
                pUnk->Release();
                pUnk = NULL;
        }
}

// wrapper routine for class constructor
extern "C" __declspec(dllexport) CTPCC_COM* CTPCC_COM_new(BOOL);

typedef CTPCC_COM* (TYPE_CTPCC_COM)(BOOL);

```

tpcc_com_all.dsp

```

# Microsoft Developer Studio Project File - Name="tpcc_com_all" - Package
Owner=<<4>
# Microsoft Developer Studio Generated Build File, Format Version 6.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Dynamic-Link Library" 0x0102

CFG=tpcc_com_all - Win32 Debug
!MESSAGE This is not a valid makefile. To build this project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_all.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running NMAKE
!MESSAGE by defining the macro CFG on the command line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tpcc_com_all.mak" CFG="tpcc_com_all - Win32
Debug"
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tpcc_com_all - Win32 Release" (based on "Win32 (x86)
Dynamic-Link Library")
!MESSAGE "tpcc_com_all - Win32 Debug" (based on "Win32 (x86)
Dynamic-Link Library")
!MESSAGE

# Begin Project
# PROP AllowPerConfigDependencies 0
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe
MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "tpcc_com_all - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D
"_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MT /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D
"_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /o "NUL" /win32
# ADD BASE RSC /1 0x409 /d "NDEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /machine:1386
# ADD LINK32 ..\db_dblib_dll\bin\tpcc_dblib.lib
..\db_odbc_dll\bin\tpcc_odbc.lib kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:windows /dll /machine:1386

!ELSEIF "$(CFG)" == "tpcc_com_all - Win32 Debug"

# PROP BASE Use_MFC 0

```

```

# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\bin"
# PROP Intermediate_Dir ".\obj"
# PROP Ignore_Export_Lib 0
# PROP Target_Dir ""
# ADD BASE CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D "WIN32" /D
"_DEBUG" /D "_WINDOWS" /YX /FD /c
# ADD CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /D "WIN32" /D "_DEBUG" /D
"_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /o "NUL" /win32
# ADD BASE RSC /I 0x409 /d "_DEBUG"
# ADD RSC /I 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbccp32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug /machine:I386 /pdbtype:strip
# ADD LINK32 .\db_dblib_dll\bin\tpcc_dblib.lib
.\db_odbc_dll\bin\tpcc_odbc.lib kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbccp32.lib
odbc32.lib /nologo /subsystem:windows /dll /debug /machine:I386 /pdbtype:strip

!ENDIF

# Begin Target

# Name "tpcc_com_all - Win32 Release"
# Name "tpcc_com_all - Win32 Debug"
# Begin Group "Source"

# PROP Default_Filter "*.cpp, *.c"
# Begin Source File

SOURCE=. \src\tpcc_com_all.cpp
# SUBTRACT CPP /YX
# End Source File
# Begin Source File

SOURCE=. \src\tpcc_com_all.def
# End Source File
# Begin Source File

SOURCE=. \src\tpcc_com_all.idl

!IF "$(CFG)" == "tpcc_com_all - Win32 Release"

# PROP Ignore_Default_Tool 1
# Begin Custom Build - Performing MIDL step
InputPath=. \src\tpcc_com_all.idl

BuildCmds= \
    midl /Oicf /h "tpcc_com_all.h" /iid "tpcc_com_all_i.c"
". \src\tpcc_com_all.idl" /out ". \src"

". \src\tpcc_com_all.tlb" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

". \src\tpcc_com_all.h" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

". \src\tpcc_com_all_i.c" : $(SOURCE) "$(INTDIR)" "$(OUTDIR)"
$(BuildCmds)

# End Custom Build

!ENDIF

# End Source File
# End Group
# Begin Group "Header"

# PROP Default_Filter "*.h"
# Begin Source File

SOURCE=. \src\Methods.h
# End Source File
# Begin Source File

SOURCE=. \src\resource.h
# End Source File
# End Group
# Begin Source File

SOURCE=. \src\tpcc_com_all.rc
# End Source File
# End Target
# End Project

tpcc_com_ps.def

LIBRARY "tpcc_com_ps"

DESCRIPTION 'Proxy/Stub DLL'

EXPORTS
    DllGetClassObject @1 PRIVATE
    DllCanUnloadNow @2 PRIVATE
    GetProxyDllInfo @3 PRIVATE
    DllRegisterServer @4 PRIVATE
    DllUnregisterServer @5 PRIVATE

tpcc_com_ps.h

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the definitions for the interfaces */

```



```

/* File created by MIDL compiler version 5.03.0280 */
/* at Sat Apr 08 16:40:10 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run), ms_ext, c_ext
error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany), __declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@@MIDL_FILE_HEADING( )

/* verify that the <rpcndr.h> version is high enough to compile this file*/
#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __RPCNDR_H_VERSION__
#error this stub requires an updated version of <rpcndr.h>
#endif // __RPCNDR_H_VERSION__

#ifndef COM_NO_WINDOWS_H
#include "windows.h"
#include "ole2.h"
#endif /*COM_NO_WINDOWS_H*/

#ifndef __tpcc_com_ps_h__
#define __tpcc_com_ps_h__

/* Forward Declarations */

#ifndef __ITPCC_FWD_DEFINED__
#define __ITPCC_FWD_DEFINED__
typedef interface ITPCC ITPCC;
#endif /* __ITPCC_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"

#ifdef __cplusplus
extern "C" {
#endif

void __RPC_FAR * __RPC_USER MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void __RPC_FAR * );

/* interface __MIDL_itf_tpcc_com_ps_0000 */
/* [local] */

extern RPC_IF_HANDLE __MIDL_itf_tpcc_com_ps_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE __MIDL_itf_tpcc_com_ps_0000_v0_0_s_ifspec;

#ifndef __ITPCC_INTERFACE_DEFINED__
#define __ITPCC_INTERFACE_DEFINED__

/* interface ITPCC */
/* [unique][helpstring][uuid][oleautomation][object] */

EXTERN_C const IID IID_ITPCC;

#if defined(__cplusplus) && !defined(CINTERFACE)

```

```

MIDL_INTERFACE("FEEE6AA2-84B1-11d2-BA47-00C04FBFE08B")
ITPCC : public IUnknown
{
public:
virtual HRESULT __stdcall NewOrder(
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

virtual HRESULT __stdcall Payment(
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

virtual HRESULT __stdcall Delivery(
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

virtual HRESULT __stdcall StockLevel(
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

virtual HRESULT __stdcall OrderStatus(
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out) = 0;

virtual HRESULT __stdcall CallSetComplete( void) = 0;

};

#else /* C style interface */

typedef struct ITPCCVtbl
{
BEGIN_INTERFACE

HRESULT ( STDMETHODCALLTYPE __RPC_FAR *QueryInterface )(
ITPCC __RPC_FAR * This,
/* [in] */ REFIID riid,
/* [iid_is][out] */ void __RPC_FAR * __RPC_FAR *ppvObject);

ULONG ( STDMETHODCALLTYPE __RPC_FAR *AddRef )(
ITPCC __RPC_FAR * This);

ULONG ( STDMETHODCALLTYPE __RPC_FAR *Release )(
ITPCC __RPC_FAR * This);

HRESULT ( __stdcall __RPC_FAR *NewOrder )(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( __stdcall __RPC_FAR *Payment )(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( __stdcall __RPC_FAR *Delivery )(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( __stdcall __RPC_FAR *StockLevel )(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

HRESULT ( __stdcall __RPC_FAR *OrderStatus )(
ITPCC __RPC_FAR * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT __RPC_FAR *txn_out);

```

```

HRESULT ( __stdcall __RPC_FAR *CallSetComplete )(
    ITPCC __RPC_FAR * This);

    END_INTERFACE
} ITPCCVtbl;

interface ITPCC
{
    CONST_VTBL struct ITPCCVtbl __RPC_FAR *lpVtbl;
};

#ifdef COBJMACROS

#define ITPCC_QueryInterface(This,riid,ppvObject) \
    (This)->lpVtbl -> QueryInterface(This,riid,ppvObject)

#define ITPCC_AddRef(This) \
    (This)->lpVtbl -> AddRef(This)

#define ITPCC_Release(This) \
    (This)->lpVtbl -> Release(This)

#define ITPCC_NewOrder(This,txn_in,txn_out) \
    (This)->lpVtbl -> NewOrder(This,txn_in,txn_out)

#define ITPCC_Payment(This,txn_in,txn_out) \
    (This)->lpVtbl -> Payment(This,txn_in,txn_out)

#define ITPCC_Delivery(This,txn_in,txn_out) \
    (This)->lpVtbl -> Delivery(This,txn_in,txn_out)

#define ITPCC_StockLevel(This,txn_in,txn_out) \
    (This)->lpVtbl -> StockLevel(This,txn_in,txn_out)

#define ITPCC_OrderStatus(This,txn_in,txn_out) \
    (This)->lpVtbl -> OrderStatus(This,txn_in,txn_out)

#define ITPCC_CallSetComplete(This) \
    (This)->lpVtbl -> CallSetComplete(This)

#endif /* COBJMACROS */

#ifdef /* C style interface */

HRESULT __stdcall ITPCC_NewOrder_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_NewOrder_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_Payment_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_Payment_Stub(

```

```

    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_Delivery_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_Delivery_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_StockLevel_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_StockLevel_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_OrderStatus_Proxy(
    ITPCC __RPC_FAR * This,
    /* [in] */ VARIANT txn_in,
    /* [out] */ VARIANT __RPC_FAR *txn_out);

void __RPC_STUB ITPCC_OrderStatus_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_CallSetComplete_Proxy(
    ITPCC __RPC_FAR * This);

void __RPC_STUB ITPCC_CallSetComplete_Stub(
    IRpcStubBuffer *This,
    IRpcChannelBuffer *_pRpcChannelBuffer,
    PRPC_MESSAGE _pRpcMessage,
    DWORD *_pdwStubPhase);

#endif /* __ITPCC_INTERFACE_DEFINED__ */

/* Additional Prototypes for ALL interfaces */

unsigned long __RPC_USER VARIANT_UserSize( unsigned long
    __RPC_FAR *, unsigned long , VARIANT __RPC_FAR * );
unsigned char __RPC_FAR * __RPC_USER VARIANT_UserMarshal(
    unsigned long __RPC_FAR *, unsigned char __RPC_FAR *, VARIANT
    __RPC_FAR * );
unsigned char __RPC_FAR * __RPC_USER
    VARIANT_UserUnmarshal(unsigned long __RPC_FAR *, unsigned char
    __RPC_FAR *, VARIANT __RPC_FAR * );

```

```
void __RPC_USER VARIANT_UserFree( unsigned long
__RPC_FAR *, VARIANT __RPC_FAR * );
```

```
/* end of Additional Prototypes */
```

```
#ifdef __cplusplus
}
#endif
```

```
#endif
```

tpcc_com_ps.idl

```
/* FILE: ITPCC.IDL
* Microsoft TPC-C Kit Ver. 4.20.000
* Copyright Microsoft, 1999
* All Rights Reserved
*
* not yet audited
*
* PURPOSE: Defines the interface used by TPCC. This
interface can be implemented by C++ components.
*
* Change history:
* 4.20.000 - first version
*/
```

```
// Forward declare all types defined
```

```
interface ITPCC;
import "oidl.idl";
import "ocidl.idl";
```

```
[
    object,
    oleautomation,
    uuid(FEEE6AA2-84B1-11d2-BA47-00C04FBFE08B),
    helpstring("ITPCC Interface"),
    pointer_default(unique)
]
interface ITPCC : IUnknown
{
```

```
    HRESULT STDMETHODCALLTYPE NewOrder
```

```
    VARIANT txn_in,
```

```
    VARIANT *txn_out
```

```
    HRESULT STDMETHODCALLTYPE Payment
```

```
    VARIANT txn_in,
```

```
    VARIANT *txn_out
```

```
    HRESULT STDMETHODCALLTYPE Delivery
```

```
    VARIANT txn_in,
```

```
    VARIANT *txn_out
```

```
    HRESULT STDMETHODCALLTYPE StockLevel
```

```
VARIANT txn_in, [in]
```

```
VARIANT *txn_out [out]
```

```
    HRESULT STDMETHODCALLTYPE OrderStatus
```

```
VARIANT txn_in, [in]
```

```
VARIANT *txn_out [out]
```

```
    HRESULT STDMETHODCALLTYPE CallSetComplete
```

```
}; // interface ITPCC
```

tpcc_com_ps.i.c

```
#pragma warning( disable: 4049 ) /* more than 64k source lines */
```

```
/* this ALWAYS GENERATED file contains the IIDs and CLSIDs */
```

```
/* link this file in with the server and any clients */
```

```
/* File created by MIDL compiler version 5.03.0280 */
```

```
/* at Sat Apr 08 16:40:10 2000
```

```
*/
```

```
/* Compiler settings for .\src\tpcc_com_ps.idl:
```

```
Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run), ms_ext, c_ext
```

```
error checks: allocation ref bounds_check enum stub_data
```

```
VC __declspec() decoration level:
```

```
__declspec(uuid()), __declspec(selectany), __declspec(novtable)
```

```
DECLSPEC_UUID(), MIDL_INTERFACE()
```

```
*/
```

```
//@@MIDL_FILE_HEADING( )
```

```
#if !defined(_M_IA64) && !defined(_M_AXP64)
```

```
#ifdef __cplusplus
```

```
extern "C"{
```

```
#endif
```

```
#include <rpc.h>
```

```
#include <rpcndr.h>
```

```
#ifdef _MIDL_USE_GUIDDEF_
```

```
#ifndef INITGUID
```

```
#define INITGUID
```

```
#include <guiddef.h>
```

```
#undef INITGUID
```

```
#else
```

```
#include <guiddef.h>
```

```
#endif
```

```
#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
```

```
    DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)
```

```
#else // !_MIDL_USE_GUIDDEF_
```

```
#ifndef __IID_DEFINED__
```

```
#define __IID_DEFINED__
```

```

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    const type name = {l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xC0,0x4F,0xBF,
0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the IIDs and CLSIDs */

/* link this file in with the server and any clients */

/* File created by MIDL compiler version 5.03.0280 */
/* at Sat Apr 08 16:40:10 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), W1, Zp8, env=Win64 (32b run,appending), ms_ext, c_ext,
robust
error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany), __declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_AXP64)

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>

```

```

#endif INITGUID
#else
#include <guiddef.h>
#endif

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8) \
    const type name = {l,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xC0,0x4F,0xBF,
0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* defined(_M_IA64) || defined(_M_AXP64)*/

tpcc_com_ps_p.c

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the proxy stub code */

/* File created by MIDL compiler version 5.03.0280 */
/* at Sat Apr 08 16:40:10 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf (OptLev=i2), W1, Zp8, env=Win32 (32b run), ms_ext, c_ext
error checks: allocation ref bounds_check enum stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany), __declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AXP64)
#define USE_STUBLESS_PROXY

```

```

/* verify that the <rpcproxy.h> version is high enough to compile this file*/
#ifndef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 440
#endif

#include "rpcproxy.h"
#ifndef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of <rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 997
#define PROC_FORMAT_STRING_SIZE 193
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short    Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short    Pad;
    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0x00,0x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0x00,0x00,0x00,0x00,0x46}} */

/* Object interface: ITPCC, ver. 0.0,
GUID={0xFEED6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short ITPCC_FormatStringOffsetTable[] =
{
    0,
    34,
    68,
    102,
    136,
    170
};

```

```

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0,
    0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo =
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0
};

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy ,
    (void *)-1 /* ITPCC::NewOrder */,
    (void *)-1 /* ITPCC::Payment */,
    (void *)-1 /* ITPCC::Delivery */,
    (void *)-1 /* ITPCC::StockLevel */,
    (void *)-1 /* ITPCC::OrderStatus */,
    (void *)-1 /* ITPCC::CallSetComplete */
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

extern const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ];

static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,
    0,
    0,
    0,
    0,
    0,
    0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x20000, /* Ndr library version */
    0,
    0x5030118, /* MIDL Version 5.3.280 */
    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* Reserved3 */
    0, /* Reserved4 */
    0 /* Reserved5 */
};

```

```

};

#pragma data_seg("rdata")

static const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        VARIANT_UserSize
    ,VARIANT_UserMarshal
    ,VARIANT_UserUnmarshal
    ,VARIANT_UserFree
    }
};

#if !defined(__RPC_WIN32__)
#error Invalid build platform for this stub.
#endif

#if !(TARGET_IS_NT40_OR_LATER)
#error You need a Windows NT 4.0 or later to run this stub because it uses these
features:
#error -Oif or -Oicf, [wire_marshal] or [user_marshal] attribute.
#error However, your C/C++ compilation flags indicate you intend to run this app
on earlier systems.
#error This app will die there with the RPC_X_WRONG_STUB_VERSION
error.
#endif

static const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString =
{
    0,
    {
        /* Procedure NewOrder */

        FC_AUTO_HANDLE */          0x33,          /*
Oi2 */
/* 2 */ NdrFcLong( 0x0 ), /* 0 */
/* 6 */ NdrFcShort( 0x3 ), /* 3 */
#ifdef _ALPHA_
#ifdef _PPC_
#if defined(_MIPS_)
/* 8 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
NdrFcShort( 0x20 ), /* MIPS Stack
size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /* PPC Stack size/offset
= 32 */
#endif
#else
NdrFcShort( 0x28 ), /* Alpha Stack
size/offset = 40 */
#endif
/* 10 */ NdrFcShort( 0x0 ), /* 0 */
/* 12 */ NdrFcShort( 0x8 ), /* 8 */
/* 14 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has
return, */
0x3, /* 3 */

/* Parameter txn_in */
/* 16 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#endif _ALPHA_
#endif _PPC_
/* 18 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* MIPS Stack
size/offset = 8 */
#endif
/* 20 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Parameter txn_out */
/* 22 */ NdrFcShort( 0x4113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=16 */
#ifdef _ALPHA_
#ifdef _PPC_
#if defined(_MIPS_)
/* 24 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
NdrFcShort( 0x18 ), /* MIPS Stack
size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* PPC Stack size/offset
= 24 */
#endif
#else
NdrFcShort( 0x18 ), /* Alpha Stack
size/offset = 24 */
#endif
/* 26 */ NdrFcShort( 0x3da ), /* Type Offset=986 */

/* Return value */
/* 28 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
#ifdef _PPC_
#if defined(_MIPS_)
/* 30 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
NdrFcShort( 0x1c ), /* MIPS Stack
size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /* PPC Stack size/offset
= 28 */
#endif
#else
NdrFcShort( 0x20 ), /* Alpha Stack
size/offset = 32 */
#endif
/* 32 */ 0x8, /* FC_LONG */
0x0, /* 0 */

/* Procedure Payment */
/* 34 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object,
Oi2 */
/* 36 */ NdrFcLong( 0x0 ), /* 0 */
/* 40 */ NdrFcShort( 0x4 ), /* 4 */
#ifdef _ALPHA_
#ifdef _PPC_

```

```

#if !defined(_MIPS_)
/* 42 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
NdrFcShort( 0x20 ), /* MIPS Stack
size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /* PPC Stack size/offset
= 32 */
#endif
#else
NdrFcShort( 0x28 ), /* Alpha Stack
size/offset = 40 */
#endif
/* 44 */ NdrFcShort( 0x0 ), /* 0 */
/* 46 */ NdrFcShort( 0x8 ), /* 8 */
/* 48 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has
return, */
0x3, /* 3 */
/* Parameter txn_in */
/* 50 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 52 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* MIPS Stack
size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* PPC Stack size/offset
= 8 */
#endif
#else
NdrFcShort( 0x8 ), /* Alpha Stack
size/offset = 8 */
#endif
/* 54 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */
/* Parameter txn_out */
/* 56 */ NdrFcShort( 0x4113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 58 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
NdrFcShort( 0x18 ), /* MIPS Stack
size/offset = 24 */
#endif
#else
NdrFcShort( 0x18 ), /* PPC Stack size/offset
= 24 */
#endif
#else
NdrFcShort( 0x18 ), /* Alpha Stack
size/offset = 24 */
#endif
/* 60 */ NdrFcShort( 0x3da ), /* Type Offset=986 */
/* Return value */
/* 62 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 64 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
NdrFcShort( 0x1c ), /* MIPS Stack
size/offset = 28 */
#endif
#else
NdrFcShort( 0x20 ), /* PPC Stack size/offset
= 28 */
#endif
#else
NdrFcShort( 0x20 ), /* Alpha Stack
size/offset = 32 */
/* 66 */ 0x8, /* FC_LONG */
0x0, /* 0 */
/* Procedure Delivery */
/* 68 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object,
Oi2 */
/* 70 */ NdrFcLong( 0x0 ), /* 0 */
/* 74 */ NdrFcShort( 0x5 ), /* 5 */
#endif
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 76 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
NdrFcShort( 0x20 ), /* MIPS Stack
size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /* PPC Stack size/offset
= 32 */
#endif
#else
NdrFcShort( 0x28 ), /* Alpha Stack
size/offset = 40 */
#endif
/* 78 */ NdrFcShort( 0x0 ), /* 0 */
/* 80 */ NdrFcShort( 0x8 ), /* 8 */
/* 82 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has
return, */
0x3, /* 3 */
/* Parameter txn_in */
/* 84 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 86 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
NdrFcShort( 0x8 ), /* MIPS Stack
size/offset = 8 */
#endif
#else
NdrFcShort( 0x8 ), /* PPC Stack size/offset
= 8 */
#endif
#else
NdrFcShort( 0x8 ), /* Alpha Stack
size/offset = 8 */
#endif
/* 88 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */
/* Parameter txn_out */
/* 90 */ NdrFcShort( 0x4113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)

```

```

/* 92 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
NdrFcShort( 0x18 ), /* MIPS Stack
size/offset = 24 */
#endif
#else
= 24 */
#endif
#else
NdrFcShort( 0x18 ), /* PPC Stack size/offset
= 24 */
#endif
#else
NdrFcShort( 0x18 ), /* Alpha Stack
size/offset = 24 */
#endif
/* 94 */ NdrFcShort( 0x3da ), /* Type Offset=986 */

/* Return value */

/* 96 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 98 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
NdrFcShort( 0x1c ), /* MIPS Stack
size/offset = 28 */
#endif
#else
NdrFcShort( 0x1c ), /* PPC Stack size/offset
= 28 */
#endif
#else
NdrFcShort( 0x20 ), /* Alpha Stack
size/offset = 32 */
#endif
/* 100 */ 0x8, /* FC_LONG */
0x0, /* 0 */

/* Procedure StockLevel */

/* 102 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object,
Oi2 */
/* 104 */ NdrFcLong( 0x0 ), /* 0 */
/* 108 */ NdrFcShort( 0x6 ), /* 6 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 110 */ NdrFcShort( 0x1c ), /* x86 Stack size/offset = 28 */
#else
NdrFcShort( 0x20 ), /* MIPS Stack
size/offset = 32 */
#endif
#else
NdrFcShort( 0x20 ), /* PPC Stack size/offset
= 32 */
#endif
#else
NdrFcShort( 0x28 ), /* Alpha Stack
size/offset = 40 */
#endif
/* 112 */ NdrFcShort( 0x0 ), /* 0 */
/* 114 */ NdrFcShort( 0x8 ), /* 8 */
/* 116 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has
return, */
0x3, /* 3 */

/* Parameter txn_in */

/* 118 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_

```



```

#else
    NdrFcShort( 0x20 ), /* MIPS Stack
size/offset = 32 */
#endif
#else
    NdrFcShort( 0x20 ), /* PPC Stack size/offset
= 32 */
#endif
#else
    NdrFcShort( 0x28 ), /* Alpha Stack
size/offset = 40 */
#endif
/* 146 */ NdrFcShort( 0x0 ), /* 0 */
/* 148 */ NdrFcShort( 0x8 ), /* 8 */
/* 150 */ 0x7, /* Oi2 Flags: srv must size, clt must size, has
return, */
0x3, /* 3 */
/* Parameter txn_in */
/* 152 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 154 */ NdrFcShort( 0x4 ), /* x86 Stack size/offset = 4 */
#else
    NdrFcShort( 0x8 ), /* MIPS Stack
size/offset = 8 */
#endif
#else
    NdrFcShort( 0x8 ), /* PPC Stack size/offset
= 8 */
#endif
#else
    NdrFcShort( 0x8 ), /* Alpha Stack
size/offset = 8 */
#endif
/* 156 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */
/* Parameter txn_out */
/* 158 */ NdrFcShort( 0x4113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=16 */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 160 */ NdrFcShort( 0x14 ), /* x86 Stack size/offset = 20 */
#else
    NdrFcShort( 0x18 ), /* MIPS Stack
size/offset = 24 */
#endif
#else
    NdrFcShort( 0x18 ), /* PPC Stack size/offset
= 24 */
#endif
#else
    NdrFcShort( 0x18 ), /* Alpha Stack
size/offset = 24 */
#endif
/* 162 */ NdrFcShort( 0x3da ), /* Type Offset=986 */
/* Return value */
/* 164 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
#ifndef _PPC_
#if !defined(_MIPS_)
/* 166 */ NdrFcShort( 0x18 ), /* x86 Stack size/offset = 24 */
#else
    NdrFcShort( 0x1c ), /* MIPS Stack
size/offset = 28 */
#endif
#endif
#endif
#endif
#endif
NdrFcShort( 0x1c ), /* PPC Stack size/offset
= 28 */
#endif
#else
    NdrFcShort( 0x20 ), /* Alpha Stack
size/offset = 32 */
#endif
/* 168 */ 0x8, /* FC_LONG */
0x0, /* 0 */
/* Procedure CallSetComplete */
/* 170 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object,
Oi2 */
/* 172 */ NdrFcLong( 0x0 ), /* 0 */
/* 176 */ NdrFcShort( 0x8 ), /* 8 */
#ifndef _ALPHA_
/* 178 */ NdrFcShort( 0x8 ), /* x86, MIPS, PPC Stack size/offset = 8 */
#else
    NdrFcShort( 0x10 ), /* Alpha Stack
size/offset = 16 */
#endif
/* 180 */ NdrFcShort( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x8 ), /* 8 */
/* 184 */ 0x4, /* Oi2 Flags: has return, */
0x1, /* 1 */
/* Return value */
/* 186 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
/* 188 */ NdrFcShort( 0x4 ), /* x86, MIPS, PPC Stack size/offset = 4 */
#else
    NdrFcShort( 0x8 ), /* Alpha Stack
size/offset = 8 */
#endif
/* 190 */ 0x8, /* FC_LONG */
0x0, /* 0 */
0x0
}
};
static const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString =
{
    0,
    {
        NdrFcShort( 0x0 ), /* 0 */
/* 2 */
0x12, 0x0, /* FC_UP */
/* 4 */ NdrFcShort( 0x3b0 ), /* Offset= 944 (948) */
/* 6 */
0x2b, /*
FC_NON_ENCAPSULATED_UNION */
0x9, /* FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT */
0x0, /* */
/* 10 */ NdrFcShort( 0xff8 ), /* -8 */
/* 12 */ NdrFcShort( 0x2 ), /* Offset= 2 (14) */
/* 14 */ NdrFcShort( 0x10 ), /* 16 */
/* 16 */ NdrFcShort( 0x2b ), /* 43 */
/* 18 */ NdrFcLong( 0x3 ), /* 3 */
/* 22 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 24 */ NdrFcLong( 0x11 ), /* 17 */
/* 28 */ NdrFcShort( 0x8001 ), /* Simple arm type: FC_BYTE */
/* 30 */ NdrFcLong( 0x2 ), /* 2 */
/* 34 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 36 */ NdrFcLong( 0x4 ), /* 4 */

```

```

/* 40 */ NdrFcShort( 0x800a ), /* Simple arm type: FC_FLOAT */
/* 42 */ NdrFcLong( 0x5 ), /* 5 */
/* 46 */ NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */
/* 48 */ NdrFcLong( 0xb ), /* 11 */
/* 52 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 54 */ NdrFcLong( 0xa ), /* 10 */
/* 58 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 60 */ NdrFcLong( 0x6 ), /* 6 */
/* 64 */ NdrFcShort( 0xd6 ), /* Offset= 214 (278) */
/* 66 */ NdrFcLong( 0x7 ), /* 7 */
/* 70 */ NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */
/* 72 */ NdrFcLong( 0x8 ), /* 8 */
/* 76 */ NdrFcShort( 0xd0 ), /* Offset= 208 (284) */
/* 78 */ NdrFcLong( 0xd ), /* 13 */
/* 82 */ NdrFcShort( 0xe2 ), /* Offset= 226 (308) */
/* 84 */ NdrFcLong( 0x9 ), /* 9 */
/* 88 */ NdrFcShort( 0xee ), /* Offset= 238 (326) */
/* 90 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 94 */ NdrFcShort( 0xfa ), /* Offset= 250 (344) */
/* 96 */ NdrFcLong( 0x24 ), /* 36 */
/* 100 */ NdrFcShort( 0x308 ), /* Offset= 776 (876) */
/* 102 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 106 */ NdrFcShort( 0x302 ), /* Offset= 770 (876) */
/* 108 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 112 */ NdrFcShort( 0x300 ), /* Offset= 768 (880) */
/* 114 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 118 */ NdrFcShort( 0x2fe ), /* Offset= 766 (884) */
/* 120 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 124 */ NdrFcShort( 0x2fc ), /* Offset= 764 (888) */
/* 126 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 130 */ NdrFcShort( 0x2fa ), /* Offset= 762 (892) */
/* 132 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 136 */ NdrFcShort( 0x2e8 ), /* Offset= 760 (896) */
/* 138 */ NdrFcLong( 0x400b ), /* 16395 */
/* 142 */ NdrFcShort( 0x2e6 ), /* Offset= 742 (884) */
/* 144 */ NdrFcLong( 0x400a ), /* 16394 */
/* 148 */ NdrFcShort( 0x2e4 ), /* Offset= 740 (888) */
/* 150 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 154 */ NdrFcShort( 0x2ea ), /* Offset= 746 (900) */
/* 156 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 160 */ NdrFcShort( 0x2e0 ), /* Offset= 736 (896) */
/* 162 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 166 */ NdrFcShort( 0x2e2 ), /* Offset= 738 (904) */
/* 168 */ NdrFcLong( 0x400d ), /* 16397 */
/* 172 */ NdrFcShort( 0x2e0 ), /* Offset= 736 (908) */
/* 174 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 178 */ NdrFcShort( 0x2de ), /* Offset= 734 (912) */
/* 180 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 184 */ NdrFcShort( 0x2dc ), /* Offset= 732 (916) */
/* 186 */ NdrFcLong( 0x400c ), /* 16396 */
/* 190 */ NdrFcShort( 0x2da ), /* Offset= 730 (920) */
/* 192 */ NdrFcLong( 0x10 ), /* 16 */
/* 196 */ NdrFcShort( 0x8002 ), /* Simple arm type: FC_CHAR */
/* 198 */ NdrFcLong( 0x12 ), /* 18 */
/* 202 */ NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */
/* 204 */ NdrFcLong( 0x13 ), /* 19 */
/* 208 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 210 */ NdrFcLong( 0x16 ), /* 22 */
/* 214 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 216 */ NdrFcLong( 0x17 ), /* 23 */
/* 220 */ NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */
/* 222 */ NdrFcLong( 0xe ), /* 14 */
/* 226 */ NdrFcShort( 0x2be ), /* Offset= 702 (928) */
/* 228 */ NdrFcLong( 0x400e ), /* 16398 */
/* 232 */ NdrFcShort( 0x2c4 ), /* Offset= 708 (940) */
/* 234 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 238 */ NdrFcShort( 0x2c2 ), /* Offset= 706 (944) */
/* 240 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 244 */ NdrFcShort( 0x280 ), /* Offset= 640 (884) */
/* 246 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 250 */ NdrFcShort( 0x27e ), /* Offset= 638 (888) */
/* 252 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 256 */ NdrFcShort( 0x278 ), /* Offset= 632 (888) */
/* 258 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 262 */ NdrFcShort( 0x272 ), /* Offset= 626 (888) */
/* 264 */ NdrFcLong( 0x0 ), /* 0 */
/* 268 */ NdrFcShort( 0x0 ), /* Offset= 0 (268) */
/* 270 */ NdrFcLong( 0x1 ), /* 1 */
/* 274 */ NdrFcShort( 0x0 ), /* Offset= 0 (274) */
/* 276 */ NdrFcShort( 0xffffffff ), /* Offset= -1 (275) */
/* 278 */
0x15, /* FC_STRUCT */
0x7, /* 7 */
/* 280 */ NdrFcShort( 0x8 ), /* 8 */
/* 282 */ 0xb, /* FC_HYPER */
0x5b, /* FC_END */
/* 284 */
0x12, 0x0, /* FC_UP */
/* 286 */ NdrFcShort( 0xc ), /* Offset= 12 (298) */
/* 288 */
0x1b, /* FC_CARRAY */
0x1, /* 1 */
/* 290 */ NdrFcShort( 0x2 ), /* 2 */
/* 292 */ 0x9, /* Corr desc: FC_ULONG */
0x0, /* 0 */
/* 294 */ NdrFcShort( 0xffc ), /* -4 */
/* 296 */ 0x6, /* FC_SHORT */
0x5b, /* FC_END */
/* 298 */
0x17, /* FC_CSTRUCT */
0x3, /* 3 */
/* 300 */ NdrFcShort( 0x8 ), /* 8 */
/* 302 */ NdrFcShort( 0xffffffff2 ), /* Offset= -14 (288) */
/* 304 */ 0x8, /* FC_LONG */
0x8, /* FC_LONG */
/* 306 */ 0x5c, /* FC_PAD */
0x5b, /* FC_END */
/* 308 */
0x2f, /* FC_IP */
0x5a, /* 5a */
FC_CONSTANT_IID */
/* 310 */ NdrFcLong( 0x0 ), /* 0 */
/* 314 */ NdrFcShort( 0x0 ), /* 0 */
/* 316 */ NdrFcShort( 0x0 ), /* 0 */
/* 318 */ 0xc0, /* 192 */
0x0, /* 0 */
/* 320 */ 0x0, /* 0 */
0x0, /* 0 */
/* 322 */ 0x0, /* 0 */
0x0, /* 0 */
/* 324 */ 0x0, /* 0 */
0x46, /* 70 */
/* 326 */
0x2f, /* FC_IP */
0x5a, /* 5a */
FC_CONSTANT_IID */
/* 328 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 332 */ NdrFcShort( 0x0 ), /* 0 */
/* 334 */ NdrFcShort( 0x0 ), /* 0 */
/* 336 */ 0xc0, /* 192 */
0x0, /* 0 */
/* 338 */ 0x0, /* 0 */
0x0, /* 0 */
/* 340 */ 0x0, /* 0 */
0x0, /* 0 */
/* 342 */ 0x0, /* 0 */
0x46, /* 70 */
/* 344 */
0x12, 0x10, /* FC_UP */
[pointer_deref] */
/* 346 */ NdrFcShort( 0x2 ), /* Offset= 2 (348) */
/* 348 */

```

```

Ox12, 0x0, /* FC_UP */
/* 350 */ NdrFcShort( 0x1f ), /* Offset= 508 (858) */
/* 352 */
FC_ENCAPSULATED_UNION
Ox2a, /*
Ox49, /* 73 */
/* 354 */ NdrFcShort( 0x18 ), /* 24 */
/* 356 */ NdrFcShort( 0xa ), /* 10 */
/* 358 */ NdrFcLong( 0x8 ), /* 8 */
/* 362 */ NdrFcShort( 0x58 ), /* Offset= 88 (450) */
/* 364 */ NdrFcLong( 0xd ), /* 13 */
/* 368 */ NdrFcShort( 0x78 ), /* Offset= 120 (488) */
/* 370 */ NdrFcLong( 0x9 ), /* 9 */
/* 374 */ NdrFcShort( 0x94 ), /* Offset= 148 (522) */
/* 376 */ NdrFcLong( 0xc ), /* 12 */
/* 380 */ NdrFcShort( 0xbc ), /* Offset= 188 (568) */
/* 382 */ NdrFcLong( 0x24 ), /* 36 */
/* 386 */ NdrFcShort( 0x114 ), /* Offset= 276 (662) */
/* 388 */ NdrFcLong( 0x800d ), /* 32781 */
/* 392 */ NdrFcShort( 0x130 ), /* Offset= 304 (696) */
/* 394 */ NdrFcLong( 0x10 ), /* 16 */
/* 398 */ NdrFcShort( 0x148 ), /* Offset= 328 (726) */
/* 400 */ NdrFcLong( 0x2 ), /* 2 */
/* 404 */ NdrFcShort( 0x160 ), /* Offset= 352 (756) */
/* 406 */ NdrFcLong( 0x3 ), /* 3 */
/* 410 */ NdrFcShort( 0x178 ), /* Offset= 376 (786) */
/* 412 */ NdrFcLong( 0x14 ), /* 20 */
/* 416 */ NdrFcShort( 0x190 ), /* Offset= 400 (816) */
/* 418 */ NdrFcShort( 0xffffffff ), /* Offset= -1 (417) */
/* 420 */
Ox1b, /* FC_CARRAY */
Ox3, /* 3 */
/* 422 */ NdrFcShort( 0x4 ), /* 4 */
/* 424 */ Ox19, /* Corr desc: field pointer, FC_ULONG */
Ox0, /*
/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */
Ox4b, /* FC_PP */
Ox5c, /* FC_PAD */
/* 430 */
Ox48, /*
Ox49, /* FC_FIXED_OFFSET */
/*
/* 432 */ NdrFcShort( 0x4 ), /* 4 */
/* 434 */ NdrFcShort( 0x0 ), /* 0 */
/* 436 */ NdrFcShort( 0x1 ), /* 1 */
/* 438 */ NdrFcShort( 0x0 ), /* 0 */
/* 440 */ NdrFcShort( 0x0 ), /* 0 */
/* 442 */ Ox12, 0x0, /* FC_UP */
/* 444 */ NdrFcShort( 0xfffff6e ), /* Offset= -146 (298) */
/* 446 */
Ox5b, /* FC_END */
Ox8, /* FC_LONG */
/* 448 */ Ox5c, /* FC_PAD */
Ox5b, /* FC_END */
/* 450 */
Ox16, /* FC_PSTRUCT */
Ox3, /* 3 */
/* 452 */ NdrFcShort( 0x8 ), /* 8 */
/* 454 */
Ox4b, /* FC_PP */
Ox5c, /* FC_PAD */
/* 456 */
Ox46, /* FC_NO_REPEAT */
Ox5c, /* FC_PAD */
/* 458 */ NdrFcShort( 0x4 ), /* 4 */
/* 460 */ NdrFcShort( 0x4 ), /* 4 */
/* 462 */ Ox11, 0x0, /* FC_RP */
/* 464 */ NdrFcShort( 0xffffffffd4 ), /* Offset= -44 (420) */
/* 466 */
Ox5b, /* FC_END */
Ox8, /* FC_LONG */
/* 468 */ Ox8, /* FC_LONG */
Ox5b, /* FC_END */
/* 470 */
FC_BOGUS_ARRAY */
Ox3, /* 3 */
/* 472 */ NdrFcShort( 0x0 ), /* 0 */
/* 474 */ Ox19, /* Corr desc: field pointer, FC_ULONG */
Ox0, /*
/* 476 */ NdrFcShort( 0x0 ), /* 0 */
/* 478 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 482 */ Ox4c, /* FC_EMBEDDED_COMPLEX */
Ox0, /* 0 */
/* 484 */ NdrFcShort( 0xfffff50 ), /* Offset= -176 (308) */
/* 486 */ Ox5c, /* FC_PAD */
Ox5b, /* FC_END */
/* 488 */
Ox1a, /*
FC_BOGUS_STRUCT */
Ox3, /* 3 */
/* 490 */ NdrFcShort( 0x8 ), /* 8 */
/* 492 */ NdrFcShort( 0x0 ), /* 0 */
/* 494 */ NdrFcShort( 0x6 ), /* Offset= 6 (500) */
/* 496 */ Ox8, /* FC_LONG */
Ox36, /* FC_POINTER */
/* 498 */ Ox5c, /* FC_PAD */
Ox5b, /* FC_END */
/* 500 */
Ox11, 0x0, /* FC_RP */
/* 502 */ NdrFcShort( 0xfffffe0 ), /* Offset= -32 (470) */
/* 504 */
Ox21, /*
FC_BOGUS_ARRAY */
Ox3, /* 3 */
/* 506 */ NdrFcShort( 0x0 ), /* 0 */
/* 508 */ Ox19, /* Corr desc: field pointer, FC_ULONG */
Ox0, /*
/* 510 */ NdrFcShort( 0x0 ), /* 0 */
/* 512 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 516 */ Ox4c, /* FC_EMBEDDED_COMPLEX */
Ox0, /* 0 */
/* 518 */ NdrFcShort( 0xfffff40 ), /* Offset= -192 (326) */
/* 520 */ Ox5c, /* FC_PAD */
Ox5b, /* FC_END */
/* 522 */
Ox1a, /*
FC_BOGUS_STRUCT */
Ox3, /* 3 */
/* 524 */ NdrFcShort( 0x8 ), /* 8 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */
/* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 530 */ Ox8, /* FC_LONG */
Ox36, /* FC_POINTER */
/* 532 */ Ox5c, /* FC_PAD */
Ox5b, /* FC_END */
/* 534 */
Ox11, 0x0, /* FC_RP */
/* 536 */ NdrFcShort( 0xfffffe0 ), /* Offset= -32 (504) */
/* 538 */
Ox1b, /* FC_CARRAY */
Ox3, /* 3 */
/* 540 */ NdrFcShort( 0x4 ), /* 4 */
/* 542 */ Ox19, /* Corr desc: field pointer, FC_ULONG */
Ox0, /*
/* 544 */ NdrFcShort( 0x0 ), /* 0 */
/* 546 */
Ox4b, /* FC_PP */

```

/* 548 */	0x5c,	/* FC_PAD */	/* 628 */	0x12, 0x0, /* FC_UP */
FC_VARIABLE_REPEAT */	0x48,	/*	/* 630 */ NdrFcShort(0xffffffe4),	/* Offset= -28 (602) */
/	0x49,	/ FC_FIXED_OFFSET	/* 632 */	0x1b,
/* 550 */ NdrFcShort(0x4),	/* 4 */	*/	/* 634 */ NdrFcShort(0x4),	/* FC_CARRAY */
/* 552 */ NdrFcShort(0x0),	/* 0 */	*/	/* 636 */ 0x19,	/* 3 */
/* 554 */ NdrFcShort(0x1),	/* 1 */	*/	/* 638 */ NdrFcShort(0x0),	/* Corr desc: field pointer, FC_ULONG */
/* 556 */ NdrFcShort(0x0),	/* 0 */	*/	/* 640 */	0x0,
/* 558 */ NdrFcShort(0x0),	/* 0 */	*/	/* 642 */	/* *
/* 560 */ 0x12, 0x0, /* FC_UP */	*/	*/	0x4b,	/* FC_PP */
/* 562 */ NdrFcShort(0x182),	/* Offset= 386 (948) */	*/	0x5c,	/* FC_PAD */
/* 564 */	0x5b,	/* FC_END */	/* 644 */	/*
/	0x8,	/ FC_LONG */	FC_VARIABLE_REPEAT */	0x48,
/* 566 */ 0x5c,	/* FC_PAD */	*/	/* 646 */ NdrFcShort(0x4),	/* FC_FIXED_OFFSET
/* 568 */	0x5b,	/* FC_END */	/* 648 */ NdrFcShort(0x1),	*/
FC_BOGUS_STRUCT */	0x1a,	/*	/* 650 */ NdrFcShort(0x0),	/* 4 */
/	0x3,	/ 3 */	/* 652 */ NdrFcShort(0x0),	/* 0 */
/* 570 */ NdrFcShort(0x8),	/* 8 */	*/	/* 654 */ 0x12, 0x0, /* FC_UP */	/* 4 */
/* 572 */ NdrFcShort(0x0),	/* 0 */	*/	/* 656 */ NdrFcShort(0xfffffd4),	/* Offset= -44 (612) */
/* 574 */ NdrFcShort(0x6),	/* Offset= 6 (580) */	*/	/* 658 */	/*
/* 576 */ 0x8,	/* FC_LONG */	*/	0x5b,	/* FC_END */
/* 578 */ 0x5c,	0x36,	/* FC_POINTER */	0x8,	/* FC_LONG */
/* 580 */	0x5b,	/* FC_END */	/* 660 */ 0x5c,	/* FC_PAD */
/	0x11, 0x0, / FC_RP */	*/	/* 662 */	0x5b,
/* 582 */ NdrFcShort(0xfffffd4),	/* Offset= -44 (538) */	*/	FC_BOGUS_STRUCT */	/*
/* 584 */	0x2f,	/* FC_IP */	/* 664 */ NdrFcShort(0x8),	/* 3 */
FC_CONSTANT_IID */	0x5a,	/*	/* 666 */ NdrFcShort(0x0),	/* 8 */
/* 586 */ NdrFcLong(0x2f),	/* 47 */	*/	/* 668 */ NdrFcShort(0x6),	/* Offset= 6 (674) */
/* 590 */ NdrFcShort(0x0),	/* 0 */	*/	/* 670 */ 0x8,	/* FC_LONG */
/* 592 */ NdrFcShort(0x0),	/* 0 */	*/	/* 672 */ 0x5c,	0x36,
/* 594 */ 0xc0,	/* 192 */	*/	/* 674 */	/* FC_POINTER */
/* 596 */ 0x0,	0x0,	/* 0 */	0x5b,	/* FC_END */
/* 598 */ 0x0,	0x0,	/* 0 */	/* 676 */	/*
/* 600 */ 0x0,	0x0,	/* 0 */	/* 678 */	0x11, 0x0, /* FC_RP */
/* 602 */	0x46,	/* 70 */	/* 680 */ NdrFcShort(0xfffffd4),	/* Offset= -44 (632) */
/	0x1b,	/ FC_CARRAY */	/* 682 */ 0x2,	/*
/* 604 */ NdrFcShort(0x1),	0x0,	/* 0 */	/* 684 */	0x1d,
/* 606 */ 0x19,	/* 1 */	*/	/* 686 */ NdrFcShort(0x8),	/* FC_SMFARRAY */
/* 608 */ NdrFcShort(0x4),	/* Corr desc: field pointer, FC_ULONG */	*/	/* 688 */ 0x8,	/* 0 */
/* 610 */ 0x1,	0x0,	/* *	/* 690 */ 0x6,	/* 8 */
/* 612 */	0x5b,	/* FC_END */	/* 692 */	/* FC_CHAR */
/	0x1a,	/	/* 694 */	0x5b,
FC_BOGUS_STRUCT */	0x3,	/* 3 */	/* 696 */	/* FC_END */
/* 614 */ NdrFcShort(0x10),	/* 16 */	*/	FC_EMBEDDED_COMPLEX */	/*
/* 616 */ NdrFcShort(0x0),	/* 0 */	*/	/* 698 */ 0x0,	/* 0 */
/* 618 */ NdrFcShort(0xa),	/* Offset= 10 (628) */	*/	NdrFcShort(0xfffff1),	/* Offset=
/* 620 */ 0x8,	/* FC_LONG */	*/	-15 (678) */	0x5b,
/* 622 */ 0x4c,	0x8,	/* FC_LONG */	/* 696 */	/*
/	/ FC_EMBEDDED_COMPLEX */	*/	FC_BOGUS_STRUCT */	0x1a,
/* 624 */ NdrFcShort(0xfffffd8),	/* Offset= -40 (584) */	*/	/* 698 */ NdrFcShort(0x18),	/* 3 */
/* 626 */ 0x36,	/* FC_POINTER */	*/	/* 700 */ NdrFcShort(0x0),	/* 24 */
/	0x5b,	/ FC_END */	/* 702 */ NdrFcShort(0xa),	/* 0 */
			/* Offset= 10 (712) */	/*

/* 704 */	0x8,	/* FC_LONG */		/* 778 */	NdrFcShort(0x4),	/* 4 */	
/* 706 */	0x4c,	0x36,	/* FC_POINTER */	/* 780 */	0x19,	/* Corr desc: field pointer, FC_ULONG */	
		0x0,	/* FC_EMBEDDED_COMPLEX */			/* */	
/* 708 */	NdrFcShort(0xffffffe8),	/* Offset= -24 (684) */	/* 0 */	/* 782 */	NdrFcShort(0x0),	/* 0 */	
/* 710 */	0x5c,	/* FC_PAD */	/* FC_END */	/* 784 */	0x8,	/* FC_LONG */	
/* 712 */		0x5b,	/* FC_END */	/* 786 */		0x5b,	/* FC_END */
		0x11, 0x0,	/* FC_RP */			0x16,	/* FC_PSTRUCT */
/* 714 */	NdrFcShort(0xfffff0c),	/* Offset= -244 (470) */	/* 0 */	/* 788 */	NdrFcShort(0x8),	/* 8 */	/* 3 */
/* 716 */		0x1b,	/* FC_CARRAY */	/* 790 */		0x3,	/* 3 */
		0x0,	/* 0 */			0x4b,	/* FC_PP */
/* 718 */	NdrFcShort(0x1),	/* 1 */	/* FC_PAD */	/* 792 */		0x5c,	/* FC_PAD */
/* 720 */	0x19,	/* Corr desc: field pointer, FC_ULONG */	/* FC_NO_REPEAT */			0x46,	/* FC_NO_REPEAT */
		0x0,	/* FC_PAD */			0x5c,	/* FC_PAD */
/* 722 */	NdrFcShort(0x0),	/* 0 */	/* FC_UP */	/* 794 */	NdrFcShort(0x4),	/* 4 */	
/* 724 */	0x1,	/* FC_BYTE */	/* FC_END */	/* 796 */	NdrFcShort(0x4),	/* 4 */	
/* 726 */		0x5b,	/* FC_END */	/* 798 */	0x12, 0x0,	/* FC_UP */	
		0x16,	/* FC_PSTRUCT */	/* 800 */	NdrFcShort(0xffffffe8),	/* Offset= -24 (776) */	
		0x3,	/* 3 */	/* 802 */		0x5b,	/* FC_END */
/* 728 */	NdrFcShort(0x8),	/* 8 */	/* FC_LONG */			0x8,	/* FC_LONG */
/* 730 */		0x4b,	/* FC_PP */	/* 804 */	0x8,	/* FC_LONG */	
		0x5c,	/* FC_PAD */			0x5b,	/* FC_END */
/* 732 */		0x46,	/* FC_NO_REPEAT */	/* 806 */		0x1b,	/* FC_CARRAY */
		0x5c,	/* FC_PAD */			0x7,	/* 7 */
/* 734 */	NdrFcShort(0x4),	/* 4 */	/* FC_UP */	/* 808 */	NdrFcShort(0x8),	/* 8 */	
/* 736 */	NdrFcShort(0x4),	/* 4 */	/* FC_END */	/* 810 */	0x19,	/* Corr desc: field pointer, FC_ULONG */	
/* 738 */	0x12, 0x0,	/* FC_UP */	/* FC_NO_REPEAT */			0x0,	/* */
/* 740 */	NdrFcShort(0xffffffe8),	/* Offset= -24 (716) */	/* FC_PAD */	/* 812 */	NdrFcShort(0x0),	/* 0 */	
/* 742 */		0x5b,	/* FC_END */	/* 814 */	0xb,	/* FC_HYPER */	
		0x8,	/* FC_LONG */			0x5b,	/* FC_END */
/* 744 */	0x8,	/* FC_LONG */	/* FC_LONG */	/* 816 */		0x16,	/* FC_PSTRUCT */
/* 746 */		0x5b,	/* FC_END */			0x3,	/* 3 */
		0x1b,	/* FC_CARRAY */	/* 818 */	NdrFcShort(0x8),	/* 8 */	
		0x1,	/* 1 */	/* 820 */		0x4b,	/* FC_PP */
/* 748 */	NdrFcShort(0x2),	/* 2 */	/* FC_PAD */			0x5c,	/* FC_PAD */
/* 750 */	0x19,	/* Corr desc: field pointer, FC_ULONG */	/* FC_NO_REPEAT */	/* 822 */		0x46,	/* FC_NO_REPEAT */
		0x0,	/* FC_PAD */			0x5c,	/* FC_PAD */
/* 752 */	NdrFcShort(0x0),	/* 0 */	/* FC_UP */	/* 824 */	NdrFcShort(0x4),	/* 4 */	
/* 754 */	0x6,	/* FC_SHORT */	/* FC_END */	/* 826 */	NdrFcShort(0x4),	/* 4 */	
/* 756 */		0x5b,	/* FC_END */	/* 828 */	0x12, 0x0,	/* FC_UP */	
		0x16,	/* FC_PSTRUCT */	/* 830 */	NdrFcShort(0xffffffe8),	/* Offset= -24 (806) */	
		0x3,	/* 3 */	/* 832 */		0x5b,	/* FC_END */
/* 758 */	NdrFcShort(0x8),	/* 8 */	/* FC_LONG */			0x8,	/* FC_LONG */
/* 760 */		0x4b,	/* FC_PP */	/* 834 */	0x8,	/* FC_LONG */	
		0x5c,	/* FC_PAD */			0x5b,	/* FC_END */
/* 762 */		0x46,	/* FC_NO_REPEAT */	/* 836 */		0x15,	/* FC_STRUCT */
		0x5c,	/* FC_PAD */			0x3,	/* 3 */
/* 764 */	NdrFcShort(0x4),	/* 4 */	/* FC_UP */	/* 838 */	NdrFcShort(0x8),	/* 8 */	
/* 766 */	NdrFcShort(0x4),	/* 4 */	/* FC_END */	/* 840 */	0x8,	/* FC_LONG */	
/* 768 */	0x12, 0x0,	/* FC_UP */	/* FC_NO_REPEAT */			0x8,	/* FC_LONG */
/* 770 */	NdrFcShort(0xffffffe8),	/* Offset= -24 (746) */	/* FC_PAD */	/* 842 */	0x5c,	/* FC_PAD */	
/* 772 */		0x5b,	/* FC_END */	/* 844 */		0x5b,	/* FC_END */
		0x8,	/* FC_LONG */			0x1b,	/* FC_CARRAY */
/* 774 */	0x8,	/* FC_LONG */	/* FC_LONG */	/* 846 */	NdrFcShort(0x8),	/* 8 */	/* 3 */
/* 776 */		0x5b,	/* FC_END */	/* 848 */	0x7,	/* Corr desc: FC_USHORT */	/* */
		0x1b,	/* FC_CARRAY */			0x0,	/* */
		0x3,	/* 3 */	/* 850 */	NdrFcShort(0xffd8),	/* -40 */	
		0x1b,	/* FC_CARRAY */	/* 852 */	0x4c,	/* FC_EMBEDDED_COMPLEX */	

```

0x0, /* 0 */
/* 854 */ NdrFcShort( 0xfffffee ), /* Offset= -18 (836) */
/* 856 */ 0x5c, /* FC_PAD */
/* 858 */ 0x5b, /* FC_END */
/* 860 */ 0x1a, /*
FC_BOGUS_STRUCT */
0x3, /* 3 */
/* 862 */ NdrFcShort( 0x28 ), /* 40 */
/* 862 */ NdrFcShort( 0xfffffee ), /* Offset= -18 (844) */
/* 864 */ NdrFcShort( 0x0 ), /* Offset= 0 (864) */
/* 866 */ 0x6, /* FC_SHORT */
/* 868 */ 0x38, /* FC_ALIGNM4 */
/* 870 */ 0x8, /* FC_LONG */
0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 872 */ 0x0, /* 0 */
NdrFcShort( 0xffffdf7 ), /* Offset=
-521 (352) */
/* 876 */ 0x5b, /* FC_END */
0x12, 0x0, /* FC_UP */
/* 878 */ NdrFcShort( 0xfffffef6 ), /* Offset= -266 (612) */
/* 880 */ 0x12, 0x8, /* FC_UP [simple_pointer] */
/* 882 */ 0x1, /* FC_BYTE */
/* 884 */ 0x5c, /* FC_PAD */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* 886 */ 0x6, /* FC_SHORT */
/* 888 */ 0x5c, /* FC_PAD */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* 890 */ 0x8, /* FC_LONG */
/* 892 */ 0x5c, /* FC_PAD */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* 894 */ 0xa, /* FC_FLOAT */
/* 896 */ 0x5c, /* FC_PAD */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* 898 */ 0xc, /* FC_DOUBLE */
/* 900 */ 0x5c, /* FC_PAD */
0x12, 0x0, /* FC_UP */
/* 902 */ NdrFcShort( 0xffffd90 ), /* Offset= -624 (278) */
/* 904 */ 0x12, 0x10, /* FC_UP
[pointer_deref] */
/* 906 */ NdrFcShort( 0xffffd92 ), /* Offset= -622 (284) */
/* 908 */ 0x12, 0x10, /* FC_UP
[pointer_deref] */
/* 910 */ NdrFcShort( 0xffffda6 ), /* Offset= -602 (308) */
/* 912 */ 0x12, 0x10, /* FC_UP
[pointer_deref] */
/* 914 */ NdrFcShort( 0xffffdb4 ), /* Offset= -588 (326) */
/* 916 */ 0x12, 0x10, /* FC_UP
[pointer_deref] */
/* 918 */ NdrFcShort( 0xffffdc2 ), /* Offset= -574 (344) */
/* 920 */ 0x12, 0x10, /* FC_UP
[pointer_deref] */
/* 922 */ NdrFcShort( 0x2 ), /* Offset= 2 (924) */
/* 924 */ 0x12, 0x0, /* FC_UP */
/* 926 */ NdrFcShort( 0x16 ), /* Offset= 22 (948) */
/* 928 */ 0x15, /* FC_STRUCT */
/* 930 */ 0x7, /* 7 */
/* 932 */ NdrFcShort( 0x10 ), /* 16 */
/* 934 */ 0x6, /* FC_SHORT */
/* 936 */ 0x1, /* FC_BYTE */
/* 938 */ 0x1, /* FC_ALIGNM4 */
/* 940 */ 0x38, /* FC_LONG */
/* 942 */ 0x39, /* FC_ALIGNM8 */
/* 944 */ 0xb, /* FC_HYPER */
/* 946 */ 0x5b, /* FC_END */
0x12, 0x0, /* FC_UP */
/* 948 */ NdrFcShort( 0xfffff2 ), /* Offset= -14 (928) */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* 950 */ 0x5c, /* FC_CHAR */
/* 952 */ 0x1a, /* FC_PAD */
/* 954 */ 0x7, /* 7 */
/* 956 */ NdrFcShort( 0x20 ), /* 32 */
/* 958 */ NdrFcShort( 0x0 ), /* 0 */
/* 960 */ NdrFcShort( 0x0 ), /* Offset= 0 (954) */
/* 962 */ 0x8, /* FC_LONG */
/* 964 */ 0x6, /* FC_SHORT */
/* 966 */ 0x6, /* FC_SHORT */
/* 968 */ 0x6, /* FC_SHORT */
/* 970 */ 0x6, /* FC_SHORT */
/* 972 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 974 */ 0x0, /* 0 */
/* 976 */ NdrFcShort( 0xffffc42 ), /* Offset= -958 (6) */
/* 978 */ 0x5c, /* FC_PAD */
/* 980 */ 0xb4, /* FC_USER_MARSHAL */
/* 982 */ 0x83, /* 131 */
/* 984 */ NdrFcShort( 0x0 ), /* 0 */
/* 986 */ NdrFcShort( 0x10 ), /* 16 */
/* 988 */ NdrFcShort( 0x0 ), /* 0 */
/* 990 */ NdrFcShort( 0xffffc32 ), /* Offset= -974 (2) */
/* 992 */ 0x11, 0x4, /* FC_RP [allocated_on_stack] */
/* 994 */ NdrFcShort( 0x6 ), /* Offset= 6 (986) */
0x13, 0x0, /* FC_OP */
/* 996 */ NdrFcShort( 0xfffffdc ), /* Offset= -36 (948) */
/* 998 */ 0xb4, /* FC_USER_MARSHAL */
/* 1000 */ 0x83, /* 131 */
/* 1002 */ NdrFcShort( 0x0 ), /* 0 */
/* 1004 */ NdrFcShort( 0x10 ), /* 16 */
/* 1006 */ NdrFcShort( 0x0 ), /* 0 */
/* 1008 */ NdrFcShort( 0xfffffff4 ), /* Offset= -12 (982) */
0x0
}
};
const CInterfaceProxyVtbl * _tpcc_com_ps_ProxyVtblList[] =
{
( CInterfaceProxyVtbl *) &_ITPCCProxyVtbl,
0
};
const CInterfaceStubVtbl * _tpcc_com_ps_StubVtblList[] =
{
( CInterfaceStubVtbl *) &_ITPCCStubVtbl,
0
};

```

```

PCInterfaceName const _tpcc_com_ps_InterfaceNamesList[] =
{
    "ITPCC",
    0
};

#define _tpcc_com_ps_CHECK_IID(n)    IID_GENERIC_CHECK_IID(
    _tpcc_com_ps, pIID, n)

int __stdcall _tpcc_com_ps_IID_Lookup( const IID * pIID, int * pIndex )
{
    if(!_tpcc_com_ps_CHECK_IID(0))
    {
        *pIndex = 0;
        return 1;
    }

    return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo =
{
    (PCInterfaceProxyVtblList *) & _tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) & _tpcc_com_ps_StubVtblList,
    (const PCInterfaceName *) & _tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    & _tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
};

#endif /* !defined(_M_IA64) && !defined(_M_AXP64)*/

#pragma warning( disable: 4049 ) /* more than 64k source lines */

/* this ALWAYS GENERATED file contains the proxy stub code */

/* File created by MIDL compiler version 5.03.0280 */
/* at Sat Apr 08 16:40:10 2000
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
    Oicf (OptLev=i2), W1, Zp8, env=Win64 (32b run,appending), ms_ext, c_ext,
    robust
    error checks: allocation ref bounds_check enum stub_data
    VC __declspec() decoration level:
        __declspec(uuid()), __declspec(selectany), __declspec(novtable)
    DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@@MIDL_FILE_HEADING( )

#ifdef _M_IA64 || defined(_M_AXP64)
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high enough to compile this file*/
#ifndef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 475
#endif

#include "rpcproxy.h"

```

```

#ifndef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of <rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 979
#define PROC_FORMAT_STRING_SIZE 253
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{
    short Pad;
    unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

extern const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString;

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0x00,0x00,0x00,0x00,
0x00}} */

/* Object interface: IUnknown, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0xC0,0x00,0x00,0x00,0x00,0x00,0x00,0x00,
0x46}} */

/* Object interface: ITPCC, ver. 0.0,
GUID={0xFEEE6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0x4F,0xBF,0xE0,0x8B}} */

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;

#pragma code_seg(".orpc")
static const unsigned short ITPCC_FormatStringOffsetTable[] =
{
    0,
    44,
    88,
    132,
    176,
    220
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,

```

```

0,
0
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo =
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0
};

```

```

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy,
    (void *)-1 /* ITPCC::NewOrder */,
    (void *)-1 /* ITPCC::Payment */,
    (void *)-1 /* ITPCC::Delivery */,
    (void *)-1 /* ITPCC::StockLevel */,
    (void *)-1 /* ITPCC::OrderStatus */,
    (void *)-1 /* ITPCC::CallSetComplete */
};

```

```

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

```

```

extern const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ];

```

```

static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,
    0,
    0,
    0,
    0,
    0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x50002, /* Ndr library version */
    0,
    0x5030118, /* MIDL Version 5.3.280 */
    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* Reserved3 */
    0, /* Reserved4 */
    0 /* Reserved5 */
};

```

```

#pragma data_seg("rdata")

```

```

static const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ] =
{

```

```

{
    VARIANT_UserSize
    ,VARIANT_UserMarshal
    ,VARIANT_UserUnmarshal
    ,VARIANT_UserFree
}
};

#ifndef __RPC_WIN64__
#error Invalid build platform for this stub.
#endif

static const MIDL_PROC_FORMAT_STRING __MIDL_ProcFormatString =
{
    0,
    {
        /* Procedure NewOrder */
        0x33, /*
FC_AUTO_HANDLE */
        0x6c, /* Old Flags: object,
Oi2 */
        /* 2 */ NdrFcLong( 0x0 ), /* 0 */
        /* 6 */ NdrFcShort( 0x3 ), /* 3 */
#ifdef _ALPHA_
        /* 8 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
        NdrFcShort( 0x30 ), /* xpp64 Stack
size/offset = 48 */
#endif
        /* 10 */ NdrFcShort( 0x0 ), /* 0 */
        /* 12 */ NdrFcShort( 0x8 ), /* 8 */
        /* 14 */ 0x47, /* Oi2 Flags: srv must size, clt must size, has
return, has ext, */
        0x3, /* 3 */
        /* 16 */ 0xa, /* 10 */
        0x7, /* Ext Flags: new corr
desc, clt corr check, srv corr check, */
        /* 18 */ NdrFcShort( 0x20 ), /* 32 */
        /* 20 */ NdrFcShort( 0x20 ), /* 32 */
        /* 22 */ NdrFcShort( 0x0 ), /* 0 */
        /* 24 */ NdrFcShort( 0x0 ), /* 0 */
        /* Parameter txn_in */
        /* 26 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifdef _ALPHA_
        /* 28 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
        NdrFcShort( 0x8 ), /* xpp64 Stack
size/offset = 8 */
#endif
        /* 30 */ NdrFcShort( 0x3b6 ), /* Type Offset=950 */
        /* Parameter txn_out */
        /* 32 */ NdrFcShort( 0x6113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=24 */
#ifdef _ALPHA_
        /* 34 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
        NdrFcShort( 0x20 ), /* xpp64 Stack
size/offset = 32 */
#endif
        /* 36 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */
        /* Return value */

```



```

/* 38 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
/* 40 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
NdrFcShort( 0x28 ), /* xpp64 Stack
size/offset = 40 */
#endif
/* 42 */ 0x8, /* FC_LONG */
0x0, /* 0 */

/* Procedure Payment */

/* 44 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object,
Oi2 */
/* 46 */ NdrFcLong( 0x0 ), /* 0 */
/* 50 */ NdrFcShort( 0x4 ), /* 4 */
#ifdef _ALPHA_
/* 52 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
NdrFcShort( 0x30 ), /* xpp64 Stack
size/offset = 48 */
#endif
/* 54 */ NdrFcShort( 0x0 ), /* 0 */
/* 56 */ NdrFcShort( 0x8 ), /* 8 */
/* 58 */ 0x47, /* Oi2 Flags: srv must size, clt must size, has
return, has ext, */
0x3, /* 3 */
/* 60 */ 0xa, /* 10 */
0x7, /* Ext Flags: new corr
desc, clt corr check, srv corr check, */
/* 62 */ NdrFcShort( 0x20 ), /* 32 */
/* 64 */ NdrFcShort( 0x20 ), /* 32 */
/* 66 */ NdrFcShort( 0x0 ), /* 0 */
/* 68 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 70 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifdef _ALPHA_
/* 72 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
NdrFcShort( 0x8 ), /* xpp64 Stack
size/offset = 8 */
#endif
/* 74 */ NdrFcShort( 0x3b6 ), /* Type Offset=950 */

/* Parameter txn_out */

/* 76 */ NdrFcShort( 0x6113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=24 */
#ifdef _ALPHA_
/* 78 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
NdrFcShort( 0x20 ), /* xpp64 Stack
size/offset = 32 */
#endif
/* 80 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Return value */

/* 82 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
/* 84 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
NdrFcShort( 0x28 ), /* xpp64 Stack
size/offset = 40 */
#endif
/* 86 */ 0x8, /* FC_LONG */
0x0, /* 0 */

/* Procedure Delivery */

/* 88 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object,
Oi2 */
/* 90 */ NdrFcLong( 0x0 ), /* 0 */
/* 94 */ NdrFcShort( 0x5 ), /* 5 */
#ifdef _ALPHA_
/* 96 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
NdrFcShort( 0x30 ), /* xpp64 Stack
size/offset = 48 */
#endif
/* 98 */ NdrFcShort( 0x0 ), /* 0 */
/* 100 */ NdrFcShort( 0x8 ), /* 8 */
/* 102 */ 0x47, /* Oi2 Flags: srv must size, clt must size, has
return, has ext, */
0x3, /* 3 */
/* 104 */ 0xa, /* 10 */
0x7, /* Ext Flags: new corr
desc, clt corr check, srv corr check, */
/* 106 */ NdrFcShort( 0x20 ), /* 32 */
/* 108 */ NdrFcShort( 0x20 ), /* 32 */
/* 110 */ NdrFcShort( 0x0 ), /* 0 */
/* 112 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 114 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifdef _ALPHA_
/* 116 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
NdrFcShort( 0x8 ), /* xpp64 Stack
size/offset = 8 */
#endif
/* 118 */ NdrFcShort( 0x3b6 ), /* Type Offset=950 */

/* Parameter txn_out */

/* 120 */ NdrFcShort( 0x6113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=24 */
#ifdef _ALPHA_
/* 122 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
NdrFcShort( 0x20 ), /* xpp64 Stack
size/offset = 32 */
#endif
/* 124 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */

/* Return value */

/* 126 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifdef _ALPHA_
/* 128 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
NdrFcShort( 0x28 ), /* xpp64 Stack
size/offset = 40 */
#endif
/* 130 */ 0x8, /* FC_LONG */
0x0, /* 0 */

/* Procedure StockLevel */

/* 132 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object,
Oi2 */
/* 134 */ NdrFcLong( 0x0 ), /* 0 */
/* 138 */ NdrFcShort( 0x6 ), /* 6 */
#ifdef _ALPHA_
/* 140 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */

```

```

#else
    NdrFcShort( 0x30 ), /* axp64 Stack
size/offset = 48 */
#endif
/* 142 */ NdrFcShort( 0x0 ), /* 0 */
/* 144 */ NdrFcShort( 0x8 ), /* 8 */
/* 146 */ 0x47, /* Oi2 Flags: srv must size, clt must size, has
return, has ext, */
    0x3, /* 3 */
/* 148 */ 0xa, /* 10 */
    0x7, /* Ext Flags: new corr
desc, clt corr check, srv corr check, */
/* 150 */ NdrFcShort( 0x20 ), /* 32 */
/* 152 */ NdrFcShort( 0x20 ), /* 32 */
/* 154 */ NdrFcShort( 0x0 ), /* 0 */
/* 156 */ NdrFcShort( 0x0 ), /* 0 */
    /* Parameter txn_in */
/* 158 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
/* 160 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
    NdrFcShort( 0x8 ), /* axp64 Stack
size/offset = 8 */
#endif
/* 162 */ NdrFcShort( 0x3b6 ), /* Type Offset=950 */
    /* Parameter txn_out */
/* 164 */ NdrFcShort( 0x6113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=24 */
#ifndef _ALPHA_
/* 166 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
    NdrFcShort( 0x20 ), /* axp64 Stack
size/offset = 32 */
#endif
/* 168 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */
    /* Return value */
/* 170 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
/* 172 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
    NdrFcShort( 0x28 ), /* axp64 Stack
size/offset = 40 */
#endif
/* 174 */ 0x8, /* FC_LONG */
    0x0, /* 0 */
    /* Procedure OrderStatus */
/* 176 */ 0x33, /* FC_AUTO_HANDLE */
    0x6c, /* Old Flags: object,
Oi2 */
/* 178 */ NdrFcLong( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x7 ), /* 7 */
#ifndef _ALPHA_
/* 184 */ NdrFcShort( 0x38 ), /* ia64 Stack size/offset = 56 */
#else
    NdrFcShort( 0x30 ), /* axp64 Stack
size/offset = 48 */
#endif
/* 186 */ NdrFcShort( 0x0 ), /* 0 */
/* 188 */ NdrFcShort( 0x8 ), /* 8 */
/* 190 */ 0x47, /* Oi2 Flags: srv must size, clt must size, has
return, has ext, */
    0x3, /* 3 */
/* 192 */ 0xa, /* 10 */
    0x7, /* Ext Flags: new corr
desc, clt corr check, srv corr check, */
/* 194 */ NdrFcShort( 0x20 ), /* 32 */
/* 196 */ NdrFcShort( 0x20 ), /* 32 */
/* 198 */ NdrFcShort( 0x0 ), /* 0 */
/* 200 */ NdrFcShort( 0x0 ), /* 0 */
    /* Parameter txn_in */
/* 202 */ NdrFcShort( 0x8b ), /* Flags: must size, must free, in, by val, */
#ifndef _ALPHA_
/* 204 */ NdrFcShort( 0x10 ), /* ia64 Stack size/offset = 16 */
#else
    NdrFcShort( 0x8 ), /* axp64 Stack
size/offset = 8 */
#endif
/* 206 */ NdrFcShort( 0x3b6 ), /* Type Offset=950 */
    /* Parameter txn_out */
/* 208 */ NdrFcShort( 0x6113 ), /* Flags: must size, must free, out,
simple ref, srv alloc size=24 */
#ifndef _ALPHA_
/* 210 */ NdrFcShort( 0x28 ), /* ia64 Stack size/offset = 40 */
#else
    NdrFcShort( 0x20 ), /* axp64 Stack
size/offset = 32 */
#endif
/* 212 */ NdrFcShort( 0x3c8 ), /* Type Offset=968 */
    /* Return value */
/* 214 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
#ifndef _ALPHA_
/* 216 */ NdrFcShort( 0x30 ), /* ia64 Stack size/offset = 48 */
#else
    NdrFcShort( 0x28 ), /* axp64 Stack
size/offset = 40 */
#endif
/* 218 */ 0x8, /* FC_LONG */
    0x0, /* 0 */
    /* Procedure CallSetComplete */
/* 220 */ 0x33, /* FC_AUTO_HANDLE */
    0x6c, /* Old Flags: object,
Oi2 */
/* 222 */ NdrFcLong( 0x0 ), /* 0 */
/* 226 */ NdrFcShort( 0x8 ), /* 8 */
/* 228 */ NdrFcShort( 0x10 ), /* ia64, axp64 Stack size/offset = 16 */
/* 230 */ NdrFcShort( 0x0 ), /* 0 */
/* 232 */ NdrFcShort( 0x8 ), /* 8 */
/* 234 */ 0x44, /* Oi2 Flags: has return, has ext, */
    0x1, /* 1 */
/* 236 */ 0xa, /* 10 */
    0x1, /* Ext Flags: new corr
desc, */
/* 238 */ NdrFcShort( 0x0 ), /* 0 */
/* 240 */ NdrFcShort( 0x0 ), /* 0 */
/* 242 */ NdrFcShort( 0x0 ), /* 0 */
/* 244 */ NdrFcShort( 0x0 ), /* 0 */
    /* Return value */
/* 246 */ NdrFcShort( 0x70 ), /* Flags: out, return, base type, */
/* 248 */ NdrFcShort( 0x8 ), /* ia64, axp64 Stack size/offset = 8 */
/* 250 */ 0x8, /* FC_LONG */
    0x0, /* 0 */
    0x0
}

```

```

};

static const MIDL_TYPE_FORMAT_STRING __MIDL_TypeFormatString =
{
    0,
    {
        /* 2 */
        NdrFcShort( 0x0 ), /* 0 */

        /* 4 */
        NdrFcShort( 0x39e ), /* Offset= 926 (930) */

        /* 6 */
        FC_NON_ENCAPSULATED_UNION /*
        0x2b, /*
        0x9, /* FC_ULONG */
        /* 8 */
        0x7, /* Corr desc: FC_USHORT */
        0x0, /* */

        /* 10 */
        NdrFcShort( 0xffff ), /* -8 */

        /* 12 */
        NdrFcShort( 0x1 ), /* Corr flags: early, */

        /* 14 */
        NdrFcShort( 0x2 ), /* Offset= 2 (16) */

        /* 16 */
        NdrFcShort( 0x10 ), /* 16 */

        /* 18 */
        NdrFcShort( 0x2b ), /* 43 */

        /* 20 */
        NdrFcLong( 0x3 ), /* 3 */

        /* 24 */
        NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */

        /* 26 */
        NdrFcLong( 0x11 ), /* 17 */

        /* 30 */
        NdrFcShort( 0x8001 ), /* Simple arm type: FC_BYTE */

        /* 32 */
        NdrFcLong( 0x2 ), /* 2 */

        /* 36 */
        NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */

        /* 38 */
        NdrFcLong( 0x4 ), /* 4 */

        /* 42 */
        NdrFcShort( 0x800a ), /* Simple arm type: FC_FLOAT */

        /* 44 */
        NdrFcLong( 0x5 ), /* 5 */

        /* 48 */
        NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */

        /* 50 */
        NdrFcLong( 0xb ), /* 11 */

        /* 54 */
        NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */

        /* 56 */
        NdrFcLong( 0xa ), /* 10 */

        /* 60 */
        NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */

        /* 62 */
        NdrFcLong( 0x6 ), /* 6 */

        /* 66 */
        NdrFcShort( 0xd6 ), /* Offset= 214 (280) */

        /* 68 */
        NdrFcLong( 0x7 ), /* 7 */

        /* 72 */
        NdrFcShort( 0x800c ), /* Simple arm type: FC_DOUBLE */

        /* 74 */
        NdrFcLong( 0x8 ), /* 8 */

        /* 78 */
        NdrFcShort( 0xd0 ), /* Offset= 208 (286) */

        /* 80 */
        NdrFcLong( 0xd ), /* 13 */

        /* 84 */
        NdrFcShort( 0xe4 ), /* Offset= 228 (312) */

        /* 86 */
        NdrFcLong( 0x9 ), /* 9 */

        /* 90 */
        NdrFcShort( 0xf0 ), /* Offset= 240 (330) */

        /* 92 */
        NdrFcLong( 0x2000 ), /* 8192 */

        /* 96 */
        NdrFcShort( 0xfc ), /* Offset= 252 (348) */

        /* 98 */
        NdrFcLong( 0x24 ), /* 36 */

        /* 102 */
        NdrFcShort( 0x2f4 ), /* Offset= 756 (858) */

        /* 104 */
        NdrFcLong( 0x4024 ), /* 16420 */

        /* 108 */
        NdrFcShort( 0x2ee ), /* Offset= 750 (858) */

        /* 110 */
        NdrFcLong( 0x4011 ), /* 16401 */

        /* 114 */
        NdrFcShort( 0x2ec ), /* Offset= 748 (862) */

        /* 116 */
        NdrFcLong( 0x400b ), /* 16386 */

        /* 120 */
        NdrFcShort( 0x2ea ), /* Offset= 746 (866) */

        /* 122 */
        NdrFcLong( 0x4003 ), /* 16387 */

        /* 126 */
        NdrFcShort( 0x2e8 ), /* Offset= 744 (870) */

        /* 128 */
        NdrFcLong( 0x4004 ), /* 16388 */

        /* 132 */
        NdrFcShort( 0x2e6 ), /* Offset= 742 (874) */

        /* 134 */
        NdrFcLong( 0x4005 ), /* 16389 */

        /* 138 */
        NdrFcShort( 0x2e4 ), /* Offset= 740 (878) */

        /* 140 */
        NdrFcLong( 0x400b ), /* 16395 */

        /* 144 */
        NdrFcShort( 0x2d2 ), /* Offset= 722 (866) */

        /* 146 */
        NdrFcLong( 0x400a ), /* 16394 */

        /* 150 */
        NdrFcShort( 0x2d0 ), /* Offset= 720 (870) */

        /* 152 */
        NdrFcLong( 0x400c ), /* 16390 */

        /* 156 */
        NdrFcShort( 0x2d6 ), /* Offset= 726 (882) */

        /* 158 */
        NdrFcLong( 0x4007 ), /* 16391 */

        /* 162 */
        NdrFcShort( 0x2cc ), /* Offset= 716 (878) */

        /* 164 */
        NdrFcLong( 0x4008 ), /* 16392 */

        /* 168 */
        NdrFcShort( 0x2ce ), /* Offset= 718 (886) */

        /* 170 */
        NdrFcLong( 0x400d ), /* 16397 */

        /* 174 */
        NdrFcShort( 0x2cc ), /* Offset= 716 (890) */

        /* 176 */
        NdrFcLong( 0x4009 ), /* 16393 */

        /* 180 */
        NdrFcShort( 0x2ca ), /* Offset= 714 (894) */

        /* 182 */
        NdrFcLong( 0x6000 ), /* 24576 */

        /* 186 */
        NdrFcShort( 0x2c8 ), /* Offset= 712 (898) */

        /* 188 */
        NdrFcLong( 0x400c ), /* 16396 */

        /* 192 */
        NdrFcShort( 0x2c6 ), /* Offset= 710 (902) */

        /* 194 */
        NdrFcLong( 0x10 ), /* 16 */

        /* 198 */
        NdrFcShort( 0x8002 ), /* Simple arm type: FC_CHAR */

        /* 200 */
        NdrFcLong( 0x12 ), /* 18 */

        /* 204 */
        NdrFcShort( 0x8006 ), /* Simple arm type: FC_SHORT */

        /* 206 */
        NdrFcLong( 0x13 ), /* 19 */

        /* 210 */
        NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */

        /* 212 */
        NdrFcLong( 0x16 ), /* 22 */

        /* 216 */
        NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */

        /* 218 */
        NdrFcLong( 0x17 ), /* 23 */

        /* 222 */
        NdrFcShort( 0x8008 ), /* Simple arm type: FC_LONG */

        /* 224 */
        NdrFcLong( 0xe ), /* 14 */

        /* 228 */
        NdrFcShort( 0x2aa ), /* Offset= 682 (910) */

        /* 230 */
        NdrFcLong( 0x400e ), /* 16398 */

        /* 234 */
        NdrFcShort( 0x2b0 ), /* Offset= 688 (922) */

        /* 236 */
        NdrFcLong( 0x4010 ), /* 16400 */

        /* 240 */
        NdrFcShort( 0x2ae ), /* Offset= 686 (926) */

        /* 242 */
        NdrFcLong( 0x4012 ), /* 16402 */

        /* 246 */
        NdrFcShort( 0x26c ), /* Offset= 620 (866) */

        /* 248 */
        NdrFcLong( 0x4013 ), /* 16403 */

        /* 252 */
        NdrFcShort( 0x26a ), /* Offset= 618 (870) */

        /* 254 */
        NdrFcLong( 0x4016 ), /* 16406 */

        /* 258 */
        NdrFcShort( 0x264 ), /* Offset= 612 (870) */

        /* 260 */
        NdrFcLong( 0x4017 ), /* 16407 */

        /* 264 */
        NdrFcShort( 0x25e ), /* Offset= 606 (870) */

        /* 266 */
        NdrFcLong( 0x0 ), /* 0 */

        /* 270 */
        NdrFcShort( 0x0 ), /* Offset= 0 (270) */

        /* 272 */
        NdrFcLong( 0x1 ), /* 1 */

        /* 276 */
        NdrFcShort( 0x0 ), /* Offset= 0 (276) */

        /* 278 */
        NdrFcShort( 0xfffffff ), /* Offset= -1 (277) */

        /* 280 */
        0x15, /* FC_STRUCT */
        0x7, /* 7 */

        /* 282 */
        NdrFcShort( 0x8 ), /* 8 */

        /* 284 */
        0xb, /* FC_HYPER */

        /* 286 */
        0x5b, /* FC_END */

        /* 288 */
        NdrFcShort( 0xe ), /* Offset= 14 (302) */

        /* 290 */
        0x1b, /* FC_CARRAY */
        0x1, /* 1 */

        /* 292 */
        NdrFcShort( 0x2 ), /* 2 */

        /* 294 */
        0x9, /* Corr desc: FC_ULONG */
        0x0, /* */

        /* 296 */
        NdrFcShort( 0xfffc ), /* -4 */

        /* 298 */
        NdrFcShort( 0x1 ), /* Corr flags: early, */

        /* 300 */
        0x6, /* FC_SHORT */

        /* 302 */
        0x5b, /* FC_END */

        /* 304 */
        NdrFcShort( 0x8 ), /* 8 */

        /* 306 */
        NdrFcShort( 0xfffffff0 ), /* Offset= -16 (290) */

        /* 308 */
        0x8, /* FC_LONG */
        0x8, /* FC_LONG */

        /* 310 */
        0x5c, /* FC_PAD */
        0x5b, /* FC_END */

        /* 312 */
        0x2f, /* FC_IP */
        0x5a, /*

FC_CONSTANT_IID */
        /* 314 */
        NdrFcLong( 0x0 ), /* 0 */

        /* 318 */
        NdrFcShort( 0x0 ), /* 0 */

```

```

/* 320 */ NdrFcShort( 0x0 ), /* 0 */
/* 322 */ 0xc0, /* 192 */
/* 324 */ 0x0, /* 0 */
/* 326 */ 0x0, /* 0 */
/* 328 */ 0x0, /* 0 */
/* 330 */ 0x46, /* 70 */
/* 332 */ 0x2f, /* FC_IP */
/* 334 */ 0x5a, /*
FC_CONSTANT_IID */
/* 332 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 336 */ NdrFcShort( 0x0 ), /* 0 */
/* 338 */ NdrFcShort( 0x0 ), /* 0 */
/* 340 */ 0xc0, /* 192 */
/* 342 */ 0x0, /* 0 */
/* 344 */ 0x0, /* 0 */
/* 346 */ 0x0, /* 0 */
/* 348 */ 0x46, /* 70 */
/* 350 */ 0x12, 0x10, /* FC_UP
[pointer_deref] */
/* 350 */ NdrFcShort( 0x2 ), /* Offset= 2 (352) */
/* 352 */ 0x12, 0x0, /* FC_UP */
/* 354 */ NdrFcShort( 0x1e6 ), /* Offset= 486 (840) */
/* 356 */ 0x2a, /*
FC_ENCAPSULATED_UNION */
/* 358 */ NdrFcShort( 0x20 ), /* 32 */
/* 360 */ NdrFcShort( 0xa ), /* 10 */
/* 362 */ NdrFcLong( 0x8 ), /* 8 */
/* 366 */ NdrFcShort( 0x50 ), /* Offset= 80 (446) */
/* 368 */ NdrFcLong( 0xd ), /* 13 */
/* 372 */ NdrFcShort( 0x70 ), /* Offset= 112 (484) */
/* 374 */ NdrFcLong( 0x9 ), /* 9 */
/* 378 */ NdrFcShort( 0x90 ), /* Offset= 144 (522) */
/* 380 */ NdrFcLong( 0xc ), /* 12 */
/* 384 */ NdrFcShort( 0xb0 ), /* Offset= 176 (560) */
/* 386 */ NdrFcLong( 0x24 ), /* 36 */
/* 390 */ NdrFcShort( 0x104 ), /* Offset= 260 (650) */
/* 392 */ NdrFcLong( 0x800d ), /* 32781 */
/* 396 */ NdrFcShort( 0x120 ), /* Offset= 288 (684) */
/* 398 */ NdrFcLong( 0x10 ), /* 16 */
/* 402 */ NdrFcShort( 0x13a ), /* Offset= 314 (716) */
/* 404 */ NdrFcLong( 0x2 ), /* 2 */
/* 408 */ NdrFcShort( 0x150 ), /* Offset= 336 (744) */
/* 410 */ NdrFcLong( 0x3 ), /* 3 */
/* 414 */ NdrFcShort( 0x166 ), /* Offset= 358 (772) */
/* 416 */ NdrFcLong( 0x14 ), /* 20 */
/* 420 */ NdrFcShort( 0x17c ), /* Offset= 380 (800) */
/* 422 */ NdrFcShort( 0xfffffff ), /* Offset= -1 (421) */
/* 424 */ 0x21, /*
FC_BOGUS_ARRAY */
/* 426 */ NdrFcShort( 0x0 ), /* 0 */
/* 428 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 430 */ 0x0, /*
/* 432 */ NdrFcShort( 0x0 ), /* 0 */
/* 434 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 436 */ NdrFcLong( 0xfffffff ), /* -1 */
/* 438 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 440 */ 0x12, 0x0, /* FC_UP */

```

```

/* 442 */ NdrFcShort( 0xfffff74 ), /* Offset= -140 (302) */
/* 444 */ 0x5c, /* FC_PAD */
/* 446 */ 0x5b, /* FC_END */
/* 448 */ 0x1a, /*
FC_BOGUS_STRUCT */
/* 448 */ NdrFcShort( 0x10 ), /* 16 */
/* 450 */ NdrFcShort( 0x0 ), /* 0 */
/* 452 */ NdrFcShort( 0x6 ), /* Offset= 6 (458) */
/* 454 */ 0x8, /* FC_LONG */
/* 456 */ 0x39, /* FC_ALIGNM8 */
/* 458 */ 0x36, /* FC_POINTER */
/* 460 */ 0x5b, /* FC_END */
/* 462 */ 0x11, 0x0, /* FC_RP */
/* 464 */ NdrFcShort( 0xfffff5dc ), /* Offset= -36 (424) */
/* 466 */ 0x21, /*
FC_BOGUS_ARRAY */
/* 466 */ NdrFcShort( 0x0 ), /* 0 */
/* 468 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 470 */ 0x0, /*
/* 468 */ NdrFcShort( 0x0 ), /* 0 */
/* 470 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 472 */ NdrFcLong( 0xfffffff ), /* -1 */
/* 474 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 476 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 478 */ 0x0, /* 0 */
/* 480 */ NdrFcShort( 0xfffff58 ), /* Offset= -168 (312) */
/* 482 */ 0x5c, /* FC_PAD */
/* 484 */ 0x5b, /* FC_END */
/* 486 */ 0x1a, /*
FC_BOGUS_STRUCT */
/* 486 */ NdrFcShort( 0x10 ), /* 16 */
/* 488 */ NdrFcShort( 0x0 ), /* 0 */
/* 490 */ NdrFcShort( 0x6 ), /* Offset= 6 (496) */
/* 492 */ 0x8, /* FC_LONG */
/* 494 */ 0x39, /* FC_ALIGNM8 */
/* 496 */ 0x36, /* FC_POINTER */
/* 498 */ 0x5b, /* FC_END */
/* 500 */ 0x11, 0x0, /* FC_RP */
/* 502 */ NdrFcShort( 0xfffff5dc ), /* Offset= -36 (462) */
/* 504 */ 0x21, /*
FC_BOGUS_ARRAY */
/* 504 */ NdrFcShort( 0x0 ), /* 0 */
/* 506 */ 0x19, /* Corr desc: field pointer, FC_ULONG */
/* 508 */ 0x0, /*
/* 506 */ NdrFcShort( 0x0 ), /* 0 */
/* 508 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 510 */ NdrFcLong( 0xfffffff ), /* -1 */
/* 512 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 514 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
/* 516 */ 0x0, /* 0 */
/* 518 */ NdrFcShort( 0xfffff44 ), /* Offset= -188 (330) */
/* 520 */ 0x5c, /* FC_PAD */
/* 522 */ 0x5b, /* FC_END */
/* 524 */ 0x1a, /*
FC_BOGUS_STRUCT */
/* 524 */ NdrFcShort( 0x10 ), /* 16 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */
/* 528 */ NdrFcShort( 0x6 ), /* Offset= 6 (534) */
/* 530 */ 0x8, /* FC_LONG */

```

```

/* 532 */ 0x36,          0x39,          /* FC_ALIGNM8 */
/* 534 */          /* FC_POINTER */
/* 536 */ NdrFcShort( 0xfffffd6 ), /* Offset= -36 (500) */
/* 538 */          0x5b,          /* FC_END */

FC_BOGUS_ARRAY */
/* 540 */ NdrFcShort( 0x0 ), /* 0 */
/* 542 */ 0x19,          /* Corr desc: field pointer, FC_ULONG */
/* 544 */ NdrFcShort( 0x0 ), /* 0 */
/* 546 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 548 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 552 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 554 */          0x21,          /*

FC_BOGUS_ARRAY */
/* 560 */ NdrFcShort( 0x176 ), /* Offset= 374 (930) */
/* 558 */ 0x5c,          /* FC_PAD */
/* 560 */          0x5b,          /* FC_END */

FC_BOGUS_STRUCT */
/* 562 */ NdrFcShort( 0x10 ), /* 16 */
/* 564 */ NdrFcShort( 0x0 ), /* 0 */
/* 566 */ NdrFcShort( 0x6 ), /* Offset= 6 (572) */
/* 568 */ 0x8,          /* FC_LONG */
/* 570 */ 0x36,          /* FC_ALIGNM8 */
/* 572 */          /* FC_POINTER */
/* 574 */ NdrFcShort( 0xfffffd6 ), /* Offset= -36 (538) */
/* 576 */          0x1a,          /*

FC_CONSTANT_IID */
/* 578 */ NdrFcLong( 0x2f ), /* 47 */
/* 582 */ NdrFcShort( 0x0 ), /* 0 */
/* 584 */ NdrFcShort( 0x0 ), /* 0 */
/* 586 */ 0xc0,          /* 192 */
/* 588 */ 0x0,          /* 0 */
/* 590 */ 0x0,          /* 0 */
/* 592 */ 0x0,          /* 0 */
/* 594 */          0x46,          /* 70 */
/* 596 */ NdrFcShort( 0x1 ), /* 1 */
/* 598 */ 0x19,          /* Corr desc: field pointer, FC_ULONG */
/* 600 */ NdrFcShort( 0x4 ), /* 4 */
/* 602 */ NdrFcShort( 0x1 ), /* Corr flags: early, */
/* 604 */ 0x1,          /* FC_BYTE */
/* 606 */          0x5b,          /* FC_END */

FC_BOGUS_STRUCT */
/* 608 */ NdrFcShort( 0x18 ), /* 24 */
/* 610 */ NdrFcShort( 0x0 ), /* 0 */
/* 612 */ NdrFcShort( 0xc ), /* Offset= 12 (624) */
/* 614 */ 0x8,          /* FC_LONG */
/* 616 */ 0x4c,          /* FC_EMBEDDED_COMPLEX */

0x39,          /* FC_ALIGNM8 */
0x5b,          /* FC_END */

0x11, 0x0, /* FC_RP */
NdrFcShort( 0xfffffd6 ), /* Offset= -36 (500) */

0x21,          /*

0x3,          /* 3 */
NdrFcShort( 0x0 ), /* 0 */
0x19,          /* Corr desc: field pointer, FC_ULONG */
0x0,          /* 0 */
NdrFcShort( 0x0 ), /* 0 */
NdrFcShort( 0x1 ), /* Corr flags: early, */
NdrFcLong( 0xffffffff ), /* -1 */
NdrFcShort( 0x0 ), /* Corr flags: */

0x12, 0x0, /* FC_UP */
NdrFcShort( 0x176 ), /* Offset= 374 (930) */
0x5c,          /* FC_PAD */
0x5b,          /* FC_END */

0x1a,          /*

0x3,          /* 3 */
NdrFcShort( 0x10 ), /* 16 */
NdrFcShort( 0x0 ), /* 0 */
NdrFcShort( 0x6 ), /* Offset= 6 (572) */
0x8,          /* FC_LONG */
0x36,          /* FC_ALIGNM8 */
/* FC_POINTER */
0x5b,          /* FC_END */

0x11, 0x0, /* FC_RP */
NdrFcShort( 0xfffffd6 ), /* Offset= -36 (538) */

0x2f,          /* FC_IP */
0x5a,          /*

NdrFcLong( 0x2f ), /* 47 */
NdrFcShort( 0x0 ), /* 0 */
NdrFcShort( 0x0 ), /* 0 */
0xc0,          /* 192 */
0x0,          /* 0 */
0x0,          /* 0 */
0x0,          /* 0 */
0x46,          /* 70 */
0x1b,          /* FC_CARRAY */
0x0,          /* 0 */
NdrFcShort( 0x1 ), /* 1 */
0x19,          /* Corr desc: field pointer, FC_ULONG */
0x0,          /* 0 */
NdrFcShort( 0x4 ), /* 4 */
NdrFcShort( 0x1 ), /* Corr flags: early, */
0x1,          /* FC_BYTE */
0x5b,          /* FC_END */

0x1a,          /*

0x3,          /* 3 */
NdrFcShort( 0x18 ), /* 24 */
NdrFcShort( 0x0 ), /* 0 */
NdrFcShort( 0xc ), /* Offset= 12 (624) */
0x8,          /* FC_LONG */
0x4c,          /* FC_EMBEDDED_COMPLEX */

0x0,          /* 0 */
NdrFcShort( 0xfffffd6 ), /* Offset= -36 (628) */

0x1d,          /* FC_SMFARRAY */
0x0,          /* 0 */
NdrFcShort( 0x8 ), /* 8 */
0x2,          /* FC_CHAR */
0x5b,          /* FC_END */

0x15,          /* FC_STRUCT */
0x3,          /* 3 */
NdrFcShort( 0x10 ), /* 16 */
0x8,          /* FC_LONG */
0x6,          /* FC_SHORT */
0x6,          /* FC_SHORT */
0x4c,          /*

FC_EMBEDDED_COMPLEX */
/* 680 */ 0x0,          /* 0 */
NdrFcShort( 0xfffffd6 ), /* Offset=
-15 (666) */
0x5b,          /* FC_END */

0x1a,          /*

FC_BOGUS_STRUCT */
/* 686 */ NdrFcShort( 0x20 ), /* 32 */
/* 688 */ NdrFcShort( 0x0 ), /* 0 */
/* 690 */ NdrFcShort( 0xa ), /* Offset= 10 (700) */
/* 692 */ 0x8,          /* FC_LONG */
/* 694 */ 0x36,          /* FC_ALIGNM8 */
/* 696 */ 0x4c,          /* FC_POINTER */
/* 698 */ 0x0,          /* 0 */

```

```

-25 (672) */          NdrFcShort( 0xfffffe7 ),          /* Offset=
/* 700 */          0x5b,          /* FC_END */
/* 702 */ NdrFcShort( 0xfffff10 ),          /* Offset= -240 (462) */
/* 704 */          0x11, 0x0, /* FC_RP */
/* 706 */ NdrFcShort( 0x1 ),          /* 1 */
/* 708 */ 0x19,          /* Corr desc: field pointer, FC_ULONG */
/* 710 */ NdrFcShort( 0x0 ),          /* 0 */
/* 712 */ NdrFcShort( 0x1 ),          /* Corr flags: early, */
/* 714 */ 0x1,          /* FC_BYTE */
/* 716 */          0x5b,          /* FC_END */
FC_BOGUS_STRUCT */          0x1a,          /*
/* 718 */ NdrFcShort( 0x10 ),          /* 16 */
/* 720 */ NdrFcShort( 0x0 ),          /* 0 */
/* 722 */ NdrFcShort( 0x6 ),          /* Offset= 6 (728) */
/* 724 */ 0x8,          /* FC_LONG */
/* 726 */ 0x36,          /* FC_POINTER */
/* 728 */          0x5b,          /* FC_END */
/* 730 */ NdrFcShort( 0xfffffe6 ),          /* Offset= -26 (704) */
/* 732 */          0x12, 0x0, /* FC_UP */
/* 734 */ NdrFcShort( 0x2 ),          /* 2 */
/* 736 */ 0x19,          /* Corr desc: field pointer, FC_ULONG */
/* 738 */ NdrFcShort( 0x0 ),          /* 0 */
/* 740 */ NdrFcShort( 0x1 ),          /* Corr flags: early, */
/* 742 */ 0x6,          /* FC_SHORT */
/* 744 */          0x5b,          /* FC_END */
FC_BOGUS_STRUCT */          0x1a,          /*
/* 746 */ NdrFcShort( 0x10 ),          /* 16 */
/* 748 */ NdrFcShort( 0x0 ),          /* 0 */
/* 750 */ NdrFcShort( 0x6 ),          /* Offset= 6 (756) */
/* 752 */ 0x8,          /* FC_LONG */
/* 754 */ 0x36,          /* FC_POINTER */
/* 756 */          0x5b,          /* FC_END */
/* 758 */ NdrFcShort( 0xfffffe6 ),          /* Offset= -26 (732) */
/* 760 */          0x12, 0x0, /* FC_UP */
/* 762 */ NdrFcShort( 0x4 ),          /* 4 */
/* 764 */ 0x19,          /* Corr desc: field pointer, FC_ULONG */
/* 766 */ NdrFcShort( 0x0 ),          /* 0 */
/* 768 */ NdrFcShort( 0x1 ),          /* Corr flags: early, */
/* 770 */ 0x8,          /* FC_LONG */
/* 772 */          0x5b,          /* FC_END */
FC_BOGUS_STRUCT */          0x1a,          /*
/* 774 */ NdrFcShort( 0x10 ),          /* 16 */
/* 776 */ NdrFcShort( 0x0 ),          /* 0 */
/* 778 */ NdrFcShort( 0x6 ),          /* Offset= 6 (784) */
/* 780 */ 0x8,          /* FC_LONG */
/* 782 */ 0x36,          /* FC_POINTER */
/* 784 */          0x5b,          /* FC_END */
/* 786 */ NdrFcShort( 0xfffffe6 ),          /* Offset= -26 (760) */
/* 788 */          0x12, 0x0, /* FC_UP */
/* 790 */ NdrFcShort( 0x8 ),          /* 8 */
/* 792 */ 0x19,          /* Corr desc: field pointer, FC_ULONG */
/* 794 */ NdrFcShort( 0x0 ),          /* 0 */
/* 796 */ NdrFcShort( 0x1 ),          /* Corr flags: early, */
/* 798 */ 0xb,          /* FC_HYPER */
/* 800 */          0x5b,          /* FC_END */
FC_BOGUS_STRUCT */          0x1a,          /*
/* 802 */ NdrFcShort( 0x10 ),          /* 16 */
/* 804 */ NdrFcShort( 0x0 ),          /* 0 */
/* 806 */ NdrFcShort( 0x6 ),          /* Offset= 6 (812) */
/* 808 */ 0x8,          /* FC_LONG */
/* 810 */ 0x36,          /* FC_POINTER */
/* 812 */          0x5b,          /* FC_END */
/* 814 */ NdrFcShort( 0xfffffe6 ),          /* Offset= -26 (788) */
/* 816 */          0x12, 0x0, /* FC_UP */
/* 818 */ NdrFcShort( 0x8 ),          /* 8 */
/* 820 */ 0x8,          /* FC_LONG */
/* 822 */ 0x5c,          /* FC_PAD */
/* 824 */          0x5b,          /* FC_END */
/* 826 */ NdrFcShort( 0x8 ),          /* 8 */
/* 828 */ 0x7,          /* Corr desc: FC_USHORT */
/* 830 */ NdrFcShort( 0xffc8 ),          /* -56 */
/* 832 */ NdrFcShort( 0x1 ),          /* Corr flags: early, */
/* 834 */ 0x4c,          /* FC_EMBEDDED_COMPLEX */
/* 836 */ NdrFcShort( 0xfffffec ),          /* Offset= -20 (816) */
/* 838 */ 0x5c,          /* FC_PAD */
/* 840 */          0x5b,          /* FC_END */
FC_BOGUS_STRUCT */          0x1a,          /*
/* 842 */ NdrFcShort( 0x38 ),          /* 56 */
/* 844 */ NdrFcShort( 0xfffffec ),          /* Offset= -20 (824) */
/* 846 */ NdrFcShort( 0x0 ),          /* Offset= 0 (846) */
/* 848 */ 0x6,          /* FC_SHORT */
/* 850 */ 0x38,          /* FC_ALIGNM4 */
/* 852 */ 0x8,          /* FC_LONG */
FC_EMBEDDED_COMPLEX */          0x4c,          /*
/* 854 */ 0x4,          /* 4 */
-499 (356) */          NdrFcShort( 0xffffe0d ),          /* Offset=
/* 858 */          0x5b,          /* FC_END */

```

```

0x12, 0x0, /* FC_UP */
/* 860 */ NdrFcShort( 0xfffff02 ), /* Offset= -254 (606) */
/* 862 */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* FC_BYTE */
/* 864 */ 0x1,
/* 866 */ 0x5c, /* FC_PAD */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* FC_SHORT */
/* 868 */ 0x6,
/* 870 */ 0x5c, /* FC_PAD */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* FC_LONG */
/* 872 */ 0x8,
/* 874 */ 0x5c, /* FC_PAD */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* FC_FLOAT */
/* 876 */ 0xa,
/* 878 */ 0x5c, /* FC_PAD */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* FC_DOUBLE */
/* 880 */ 0xc,
/* 882 */ 0x5c, /* FC_PAD */
0x12, 0x0, /* FC_UP */
/* 884 */ NdrFcShort( 0xffffda4 ), /* Offset= -604 (280) */
/* 886 */
0x12, 0x10, /* FC_UP
[pointer_deref] */
/* 888 */ NdrFcShort( 0xffffda6 ), /* Offset= -602 (286) */
/* 890 */
0x12, 0x10, /* FC_UP
[pointer_deref] */
/* 892 */ NdrFcShort( 0xffffdbc ), /* Offset= -580 (312) */
/* 894 */
0x12, 0x10, /* FC_UP
[pointer_deref] */
/* 896 */ NdrFcShort( 0xffffdca ), /* Offset= -566 (330) */
/* 898 */
0x12, 0x10, /* FC_UP
[pointer_deref] */
/* 900 */ NdrFcShort( 0xffffdd8 ), /* Offset= -552 (348) */
/* 902 */
0x12, 0x10, /* FC_UP
[pointer_deref] */
/* 904 */ NdrFcShort( 0x2 ), /* Offset= 2 (906) */
/* 906 */
0x12, 0x0, /* FC_UP */
/* 908 */ NdrFcShort( 0x16 ), /* Offset= 22 (930) */
/* 910 */
0x15, /* FC_STRUCT */
0x7, /* 7 */
/* 912 */ NdrFcShort( 0x10 ), /* 16 */
/* 914 */ 0x6, /* FC_SHORT */
0x1, /* FC_BYTE */
/* 916 */ 0x1, /* FC_BYTE */
0x38, /* FC_ALIGNM4 */
/* 918 */ 0x8, /* FC_LONG */
0x39, /* FC_ALIGNM8 */
/* 920 */ 0xb, /* FC_HYPER */
0x5b, /* FC_END */
/* 922 */
0x12, 0x0, /* FC_UP */
/* 924 */ NdrFcShort( 0xfffff2 ), /* Offset= -14 (910) */
/* 926 */
0x12, 0x8, /* FC_UP [simple_pointer] */
/* FC_CHAR */
/* 928 */ 0x2,
0x5c, /* FC_PAD */
/* 930 */
0x1a, /*
0x7, /* 7 */
FC_BOGUS_STRUCT */

```

```

/* 932 */ NdrFcShort( 0x20 ), /* 32 */
/* 934 */ NdrFcShort( 0x0 ), /* 0 */
/* 936 */ NdrFcShort( 0x0 ), /* Offset= 0 (936) */
/* 938 */ 0x8, /* FC_LONG */
0x8, /* FC_LONG */
/* 940 */ 0x6, /* FC_SHORT */
0x6, /* FC_SHORT */
/* 942 */ 0x6, /* FC_SHORT */
0x6, /* FC_SHORT */
/* 944 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /* 0 */
/* 946 */ NdrFcShort( 0xffffc54 ), /* Offset= -940 (6) */
/* 948 */ 0x5c, /* FC_PAD */
0x5b, /* FC_END */
/* 950 */ 0xb4, /* FC_USER_MARSHAL */
0x83, /* 131 */
/* 952 */ NdrFcShort( 0x0 ), /* 0 */
/* 954 */ NdrFcShort( 0x18 ), /* 24 */
/* 956 */ NdrFcShort( 0x0 ), /* 0 */
/* 958 */ NdrFcShort( 0xffffc44 ), /* Offset= -956 (2) */
/* 960 */
0x11, 0x4, /* FC_RP [allocated_on_stack] */
/* 962 */ NdrFcShort( 0x6 ), /* Offset= 6 (968) */
/* 964 */
0x13, 0x0, /* FC_OP */
/* 966 */ NdrFcShort( 0xfffffdc ), /* Offset= -36 (930) */
/* 968 */ 0xb4, /* FC_USER_MARSHAL */
0x83, /* 131 */
/* 970 */ NdrFcShort( 0x0 ), /* 0 */
/* 972 */ NdrFcShort( 0x18 ), /* 24 */
/* 974 */ NdrFcShort( 0x0 ), /* 0 */
/* 976 */ NdrFcShort( 0xffffff4 ), /* Offset= -12 (964) */
0x0
}
};
const CInterfaceProxyVtbl * _tpcc_com_ps_ProxyVtblList[] =
{
( CInterfaceProxyVtbl *) &_ITPCCProxyVtbl,
0
};
const CInterfaceStubVtbl * _tpcc_com_ps_StubVtblList[] =
{
( CInterfaceStubVtbl *) &_ITPCCStubVtbl,
0
};
PCInterfaceName const _tpcc_com_ps_InterfaceNamesList[] =
{
"ITPCC",
0
};
#define _tpcc_com_ps_CHECK_IID(n) IID_GENERIC_CHECK_IID(
_tpcc_com_ps, pIID, n)
int __stdcall _tpcc_com_ps_IID_Lookup( const IID * pIID, int * pIndex )
{
if(!_tpcc_com_ps_CHECK_IID(0))
{
*pIndex = 0;
return 1;
}
return 0;
}

```

```

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo =
{
    (PCInterfaceProxyVtblList *) & _tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) & _tpcc_com_ps_StubVtblList,
    (const PCInterfaceName *) & _tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    & _tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
};

```

```
#endif /* defined(_M_IA64) || defined(_M_AXP64)*/
```

tpcc_dblib.cpp

```

/*      FILE:          TPCC_DBLIB.CPP
 *
 *      Microsoft TPC-C Kit Ver. 4.20.000
 *      Copyright Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *
 *      Version 4.10.000 audited by
Richard Gimarc, Performance Metrics, 3/17/99
 *
 *      PURPOSE:       Implements dblib calls for TPC-C txns.
 *      Contact:      Charles Levine (clevine@microsoft.com)
 *
 *      Change history:
 *      4.20.000 - updated rev number to match kit
 *      4.10.001 - not deleting error class in catch handler on
deadlock retry;
 *
 *      not a functional bug, but a
memory leak
 *
 *      - had to tweak some declarations to
compile with latest SDK; no functional change
 */

```

```

#include <windows.h>
#include <stdio.h>
#include <assert.h>

```

```

#define DBNTWIN32
#include <sqlfront.h>
#include <sqldb.h>

```

```

#ifdef ICECAP
#include <icapexp.h>
#endif

```

```

// need to declare functions for export
#define DllDecl __declspec( dllexport )

```

```

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_dblib.h"

```

```
#define DEFCLPACKSIZE 4096
```

```

// version string; must match return value from tpcc_version stored proc
const char sVersion[] = "4.10.000";

```

```

const          iMaxRetries = 10;          // how many
retries on deadlock

```

```

static long      iConnectionCount = 0; // number of current dblib
connections

```

```

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

```

```

BOOL WINAPIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:
            DisableThreadLibraryCalls(hModule);
            dbinit();          // initialize dblib
            break;

        case DLL_PROCESS_DETACH:
            dbexit();          // close all dblib
structures/connections
            break;

        default:
            /* nothing */;
    }
    return TRUE;
}

```

```

int err_handler(DBPROCESS *dbproc, int severity, int dberr, int oserr, LPCSTR
dberrstr, LPCSTR oserrstr)
{
    CTPCC_DBLIB          *pConn;

    assert(dbproc != NULL);
    pConn = (CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {
        pConn->SetDbLibError( severity, dberr, oserr, dberrstr,
oserrstr );
    }
    return INT_CANCEL;
}

```

```

/* FUNCTION: int msg_handler(DBPROCESS *dbproc, DBINT msgno, int
msgstate, int severity, char *msgtext)
 */

```

```

 * PURPOSE:       This function handles DB-Library SQL Server error
messages
 *
 * ARGUMENTS:     DBPROCESS          *dbproc
DBPROCESS id pointer
 *
 *                DBINT
 *                message number
 *                int
 *
 * msgstate       message state
 *                int
 *
 * severity       message severity
 *                char
 *
 * *msgtext       printable message description
 *
 * RETURNS:       int
INT_CONTINUE     continue if error is SQLETIME else INT_CANCEL action
 *
INT_CANCEL       cancel operation
 *
 * COMMENTS:     This function also sets the dead lock dbproc variable if
necessary.
 *
 */

```



```

// typedef INT (SQLAPI *DBMSGHANDLE_PROC)(PDBPROCESS, DBINT,
INT, INT, LPCSTR, LPCSTR, LPCSTR, DBUSMALLINT);
int msg_handler(DBPROCESS *dbproc, DBINT msgno, int msgstate, int severity,
                LPCSTR msgtext, LPCSTR
srvname, LPCSTR procname, DBUSMALLINT line)
{
    CTPCC_DBLIB *pConn;

    assert(dbproc != NULL);
    pConn = (CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {
        pConn->SetSqlError( msgno, msgstate, severity, msgtext )
    }

    return 0;
}

/* FUNCTION: void UtilStrCpy(char * pDest, char * pSrc, int n)
*
* PURPOSE:      This function copies n characters from string pSrc to pDst
and places a
*               null character at the end of the destination
string.
*
* ARGUMENTS:   char *pDest destination
string pointer
*               char
*pSrc source string pointer
*               int
n number of characters to copy
*
* RETURNS:     None
*
* COMMENTS:    Unlike strncpy this function ensures that the result string is
*               always null terminated.
*/

inline static void UtilStrCpy(char * pDest, const BYTE * pSrc, int n)
{
    strncpy(pDest, (char *)pSrc, n);
    pDest[n] = '\0';

    return;
}

/* FUNCTION: CTPCC_DBLIB_ERR::ErrorText
*
*/

char* CTPCC_DBLIB_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,
"Wrong version of stored procs on database server" },
        { ERR_INVALID_CUST,
"Invalid Customer id,name." },
        { ERR_NO_SUCH_ORDER,
"No orders
found for customer." },
        { ERR_RETRIED_TRANS,
"Retries
before transaction succeeded." }
    }
}

```

```

DBSETLUSER(login, szUser);
DBSETLPWD(login, szPassword);
DBSETLHOST(login, szHost);
DBSETLPACKET(login, (unsigned short)DEFCLPACKSIZE);
DBSETLVERSION(login, DBVER60); // use dblib
ver 6.0 client behavior

// set time to wait for login
if (dbsetlogintime(60) == FAIL)
    ThrowError(CDBLIBERR::eDbSet);

// set time to wait for statement execution
if (dbsettime(180) == FAIL)
    ThrowError(CDBLIBERR::eDbSet);

m_dbproc = dbopen(login, szServer);

// deallocate login structure before checking for success
dbfreelogin( login );

if (m_dbproc == NULL)
    ThrowError(CDBLIBERR::eDbOpen);

// save address of class instance so that the message and error handler
// can get to data.
dbsetuserdata(m_dbproc, (LPVOID)this);

// Use the the right database
if (dbuse(m_dbproc, szDatabase) == FAIL)
    ThrowError(CDBLIBERR::eDbUse);

dbcmd(m_dbproc, "set nocount on "); //
do not return row counts
dbcmd(m_dbproc, "set XACT_ABORT ON"); //
rollback transaction on abort

if (dbsqlexec(m_dbproc) == FAIL)
    ThrowError(CDBLIBERR::eDbSqlExec);

DiscardNextResults(2);

// verify that version of stored procs on server is correct
dbrpcinit(m_dbproc, "tpcc_version", 0);

if (dbrpcexec(m_dbproc) == FAIL)
    ThrowError(CDBLIBERR::eDbRpcExec);

if (dbresults(m_dbproc) != SUCCEED)
    ThrowError(CDBLIBERR::eDbResults);

if (dbnextrow(m_dbproc) != REG_ROW)
    ThrowError(CDBLIBERR::eDbNextRow);

char szSrvVersion[16];
pData=dbdata(m_dbproc, 1);
if (pData)
    UtilStrCpy(szSrvVersion, pData, dbdatlen(m_dbproc, 1));
else
    szSrvVersion[0]=0;
if (strcmp(szSrvVersion,sVersion))
    throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_WRONG_SP_VERSION);

DiscardNextRows(0);
DiscardNextResults(0);
}

CTPCC_DBLIB::~CTPCC_DBLIB( void )
{

```

```

// close db connection and deallocate resources
dbclose(m_dbproc);
InterlockedDecrement( &iConnectionCount );
if (m_DbLibErr != NULL)
    delete m_DbLibErr;
if (m_SqlErr != NULL)
    delete m_SqlErr;
}

void CTPCC_DBLIB::SetDbLibError(int severity, int dberr, int oserr, LPCSTR
dberrstr, LPCSTR oserrstr)
{
    delete m_DbLibErr;
    m_DbLibErr = new CDBLIBERR(CDBLIBERR::eUnknown,
severity, dberr, oserr);

    if (dberrstr != NULL)
    {
        m_DbLibErr->m_dberrstr = new char[ strlen(dberrstr)+1 ];
        strcpy( m_DbLibErr->m_dberrstr, dberrstr );
    }

    if (oserrstr != NULL)
    {
        m_DbLibErr->m_oserrstr = new char[ strlen(oserrstr)+1 ];
        strcpy( m_DbLibErr->m_oserrstr, oserrstr );
    }
}

void CTPCC_DBLIB::SetSqlError( int /*DBINT*/ msgno, int msgstate, int
severity, LPCSTR msgtext )
{
    if (m_SqlErr == NULL)
        m_SqlErr = new CSQLERR();

    m_SqlErr->m_msgno = msgno;
    m_SqlErr->m_msgstate = msgstate;
    m_SqlErr->m_severity = severity;

    delete [] m_SqlErr->m_msgtext;
    if (msgtext != NULL)
    {
        m_SqlErr->m_msgtext = new char[ strlen(msgtext)+1 ];
        strcpy( m_SqlErr->m_msgtext, msgtext );
    }
}

void CTPCC_DBLIB::ThrowError( CDBLIBERR::ACTION eAction )
{
    // discard anything still in return buffer
    DiscardNextRows(-1);
    DiscardNextResults(-1);

    // check for SQL Server error first; if yes, throw it and ignore any
DBLib error.
    if (m_SqlErr != NULL)
    {
        CSQLERR *pSqlErr;
        pSqlErr = m_SqlErr;
        m_SqlErr = NULL; // clear our pointer to instance; catch
handler will delete
        throw pSqlErr;
    }

    CDBLIBERR *pDbLibErr;
    if (m_DbLibErr == NULL)
        // this case isn't expected to happen, since it means that an
error was returned
        // but the error handlers were not called.
        pDbLibErr = new CDBLIBERR(eAction);
}

```

```

else
{
    pDbLibErr = m_DbLibErr;
    pDbLibErr->m_eAction = eAction;
    m_DbLibErr = NULL; // clear our
pointer to instance; catch handler will delete
}

throw pDbLibErr;
}

// Read and discard rows until no more. Throw an exception if number of rows
read doesn't
// match number of rows expected. The row count will be ignored if the expected
count value
// passed in is negative. A typical use of this routine is to verify that there are no
more
// rows to be read.
void CTPCC_DBLIB::DiscardNextRows(int iExpectedCount)
{
    int          iRowsRead = 0;
    RETCODE      rc;

    while (TRUE)
    {
        rc = dbnextrow(m_dbproc);
        if (rc == NO_MORE_ROWS)
            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >= 0)

ThrowError(CDBLIBERR::eDbNextRow);
                else
                    break;
            }
        iRowsRead++;
    }

    if ((iExpectedCount >= 0) &&
        (iExpectedCount != iRowsRead))
        ThrowError(CDBLIBERR::eWrongRowCount);
}

// Read and discard results until no more. Throw an exception if number of result
sets read doesn't
// match number expected. The result set count will be ignored if the expected
count value
// passed in is negative. A typical use of this routine is to verify that there are no
more
// result sets to be read.
void CTPCC_DBLIB::DiscardNextResults(int iExpectedCount)
{
    int          iResultsRead = 0;
    RETCODE      rc;

    while (TRUE)
    {
        rc = dbresults(m_dbproc);
        if (rc == NO_MORE_RESULTS)
            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >= 0)

ThrowError(CDBLIBERR::eDbResults);
                else
                    break;
            }
    }

    DiscardNextRows(-1);
}

```

```

        iResultsRead++;
    }

    if ((iExpectedCount >= 0) &&
        (iExpectedCount != iResultsRead))
        ThrowError(CDBLIBERR::eWrongRowCount);
}

void CTPCC_DBLIB::StockLevel()
{
    int          iTryCount = 0;
    const BYTE   *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_stocklevel", 0);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2,
-1, -1, (BYTE *) &m_txn.StockLevel.w_id); // @w_id smallint
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1,
-1, -1, (BYTE *) &m_txn.StockLevel.d_id); // @d_id tinyint
            dbrpcparam(m_dbproc, NULL, 0, SQLINT2,
-1, -1, (BYTE *) &m_txn.StockLevel.threshold); // @threshold smallint

            if (dbrpcexec(m_dbproc) == FAIL)

ThrowError(CDBLIBERR::eDbRpcExec);

                if (dbresults(m_dbproc) != SUCCEEDED)

ThrowError(CDBLIBERR::eDbResults);

                if (dbnextrow(m_dbproc) != REG_ROW)

ThrowError(CDBLIBERR::eDbNextRow);

                if (pData=dbdata(m_dbproc, 1))
                    m_txn.StockLevel.low_stock =
*((long *) pData);

                DiscardNextRows(0);
                DiscardNextResults(0);

                m_txn.StockLevel.exec_status_code = eOK;
                return;
            }
        catch (CSQLERR *e)
        {
            if ((e->m_msgno == 1205 ||
(e->m_msgno ==
iErrOleDbProvider &&
sErrTimeoutExpired) != NULL)) &&
                strstr(e->m_msgtext,
(++iTryCount <= iMaxRetries))
                {
                    // hit deadlock; backoff for
                    increasingly longer period
                    delete e;
                    Sleep(10 * iTryCount);
                }
            else
                throw;
        }
    } // while (TRUE)

    //if (iTryCount)
}

```

```

//          throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::NewOrder()
{
    int          i;
    DBINT        commit_flag;
    DBDATETIME  datetime;
    DBDATEREC   daterec;

    int          iTryCount = 0;
    const BYTE   *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_neworder", 0);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2,
-1, -1, (BYTE *) &m_txn.NewOrder.w_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1,
-1, -1, (BYTE *) &m_txn.NewOrder.d_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT4,
-1, -1, (BYTE *) &m_txn.NewOrder.c_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1,
-1, -1, (BYTE *) &m_txn.NewOrder.o_ol_cnt);

                // check whether any order lines are for a
remote warehouse
            m_txn.NewOrder.o_all_local = 1;
            for (i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
            {
                if
(m_txn.NewOrder.OL[i].ol_supply_w_id != m_txn.NewOrder.w_id)
                {
                    m_txn.NewOrder.o_all_local = 0; // at least one remote warehouse
                    break;
                }
                dbrpcparam(m_dbproc, NULL, 0, SQLINT1,
-1, -1, (BYTE *) &m_txn.NewOrder.o_all_local);

                for (i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
                {
                    dbrpcparam(m_dbproc, NULL, 0,
SQLINT4, -1, -1, (BYTE *) &m_txn.NewOrder.OL[i].ol_i_id);
                    dbrpcparam(m_dbproc, NULL, 0,
SQLINT2, -1, -1, (BYTE *) &m_txn.NewOrder.OL[i].ol_supply_w_id);
                    dbrpcparam(m_dbproc, NULL, 0,
SQLINT2, -1, -1, (BYTE *) &m_txn.NewOrder.OL[i].ol_quantity);
                }

                if (dbrpcexec(m_dbproc) == FAIL)
                    ThrowError(CDBLIBERR::eDbRpcExec);

                // Get order line results
                m_txn.NewOrder.total_amount = 0;

                for (i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
                {
                    if (dbresults(m_dbproc) !=
SUCCEED)

```

```

ThrowError(CDBLIBERR::eDbResults);

                    if (dbnumcols(m_dbproc) != 5)

ThrowError(CDBLIBERR::eWrongNumCols);

                    if (dbnextrow(m_dbproc) !=
REG_ROW)

ThrowError(CDBLIBERR::eDbNextRow);

                    if (pData=dbdata(m_dbproc, 1))

UtilStrCpy(m_txn.NewOrder.OL[i].ol_i_name, pData, dbdatlen(m_dbproc, 1));
                    if (pData=dbdata(m_dbproc, 2))

m_txn.NewOrder.OL[i].ol_stock = (*(DBSMALLINT *) pData);
                    if (pData=dbdata(m_dbproc, 3))

UtilStrCpy(m_txn.NewOrder.OL[i].ol_brand_generic, pData, dbdatlen(m_dbproc,
3));
                    if (pData=dbdata(m_dbproc, 4))
                        dbconvert(m_dbproc,
SQLNUMERIC, (LPCBYTE)pData, dbdatlen(m_dbproc,4),
SQLFLT8, (BYTE
*)&m_txn.NewOrder.OL[i].ol_i_price, 8);
                    if (pData=dbdata(m_dbproc, 5))
                        dbconvert(m_dbproc,
SQLNUMERIC, (LPCBYTE)pData, dbdatlen(m_dbproc,5),
SQLFLT8, (BYTE
*)&m_txn.NewOrder.OL[i].ol_amount, 8);

                    m_txn.NewOrder.total_amount =
m_txn.NewOrder.total_amount + m_txn.NewOrder.OL[i].ol_amount;

                }
                DiscardNextRows(0);

                // get remaining values for w_tax, d_tax, o_id,
c_last, c_discount, c_credit, o_entry_d, commit_flag
                if (dbresults(m_dbproc) != SUCCEED)

ThrowError(CDBLIBERR::eDbResults);

                    if (dbnextrow(m_dbproc) != REG_ROW)

ThrowError(CDBLIBERR::eDbNextRow);

                    if (dbnumcols(m_dbproc) != 8)

ThrowError(CDBLIBERR::eWrongNumCols);

                    if (pData=dbdata(m_dbproc, 1))

                        dbconvert(m_dbproc,
SQLNUMERIC, (LPCBYTE)pData, dbdatlen(m_dbproc,1), SQLFLT8, (BYTE
*)&m_txn.NewOrder.w_tax, 8);
                    if (pData=dbdata(m_dbproc, 2))

                        dbconvert(m_dbproc,
SQLNUMERIC, (LPCBYTE)pData, dbdatlen(m_dbproc,2), SQLFLT8, (BYTE
*)&m_txn.NewOrder.d_tax, 8);
                    if (pData=dbdata(m_dbproc, 3))
                        m_txn.NewOrder.o_id = (*(DBINT
*) pData);
                    if (pData=dbdata(m_dbproc, 4))

```


<pre> daterec.year; daterec.month; daterec.day; daterec.hour; daterec.minute; daterec.second; } if (pData=dbdata(m_dbproc, 4)) UtilStrCpy(m_txn.Payment.w_street_1, pData, dbdatlen(m_dbproc, 4)); if (pData=dbdata(m_dbproc, 5)) UtilStrCpy(m_txn.Payment.w_street_2, pData, dbdatlen(m_dbproc, 5)); if (pData=dbdata(m_dbproc, 6)) UtilStrCpy(m_txn.Payment.w_city, pData, dbdatlen(m_dbproc, 6)); if (pData=dbdata(m_dbproc, 7)) UtilStrCpy(m_txn.Payment.w_state, pData, dbdatlen(m_dbproc, 7)); if (pData=dbdata(m_dbproc, 8)) UtilStrCpy(m_txn.Payment.w_zip, pData, dbdatlen(m_dbproc, 8)); if (pData=dbdata(m_dbproc, 9)) UtilStrCpy(m_txn.Payment.d_street_1, pData, dbdatlen(m_dbproc, 9)); if (pData=dbdata(m_dbproc, 10)) UtilStrCpy(m_txn.Payment.d_street_2, pData, dbdatlen(m_dbproc, 10)); if (pData=dbdata(m_dbproc, 11)) UtilStrCpy(m_txn.Payment.d_city, pData, dbdatlen(m_dbproc, 11)); if (pData=dbdata(m_dbproc, 12)) UtilStrCpy(m_txn.Payment.d_state, pData, dbdatlen(m_dbproc, 12)); if (pData=dbdata(m_dbproc, 13)) UtilStrCpy(m_txn.Payment.d_zip, pData, dbdatlen(m_dbproc, 13)); if (pData=dbdata(m_dbproc, 14)) UtilStrCpy(m_txn.Payment.c_first, pData, dbdatlen(m_dbproc, 14)); if (pData=dbdata(m_dbproc, 15)) UtilStrCpy(m_txn.Payment.c_middle, pData, dbdatlen(m_dbproc, 15)); if (pData=dbdata(m_dbproc, 16)) UtilStrCpy(m_txn.Payment.c_street_1, pData, dbdatlen(m_dbproc, 16)); if (pData=dbdata(m_dbproc, 17)) UtilStrCpy(m_txn.Payment.c_street_2, pData, dbdatlen(m_dbproc, 17)); if (pData=dbdata(m_dbproc, 18)) UtilStrCpy(m_txn.Payment.c_city, pData, dbdatlen(m_dbproc, 18)); if (pData=dbdata(m_dbproc, 19)) UtilStrCpy(m_txn.Payment.c_state, pData, dbdatlen(m_dbproc, 19)); if (pData=dbdata(m_dbproc, 20)) UtilStrCpy(m_txn.Payment.c_zip, pData, dbdatlen(m_dbproc, 20)); if (pData=dbdata(m_dbproc, 21)) UtilStrCpy(m_txn.Payment.c_phone, pData, dbdatlen(m_dbproc, 21)); if (pData=dbdata(m_dbproc, 22)) { datetime = *((DBDATETIME *) pData); </pre>	<pre> m_txn.Payment.h_date.year = m_txn.Payment.h_date.month = m_txn.Payment.h_date.day = m_txn.Payment.h_date.hour = m_txn.Payment.h_date.minute = m_txn.Payment.h_date.second = } if (pData=dbdata(m_dbproc, 4)) UtilStrCpy(m_txn.Payment.w_street_1, pData, dbdatlen(m_dbproc, 4)); if (pData=dbdata(m_dbproc, 5)) UtilStrCpy(m_txn.Payment.w_street_2, pData, dbdatlen(m_dbproc, 5)); if (pData=dbdata(m_dbproc, 6)) UtilStrCpy(m_txn.Payment.w_city, pData, dbdatlen(m_dbproc, 6)); if (pData=dbdata(m_dbproc, 7)) UtilStrCpy(m_txn.Payment.w_state, pData, dbdatlen(m_dbproc, 7)); if (pData=dbdata(m_dbproc, 8)) UtilStrCpy(m_txn.Payment.w_zip, pData, dbdatlen(m_dbproc, 8)); if (pData=dbdata(m_dbproc, 9)) UtilStrCpy(m_txn.Payment.d_street_1, pData, dbdatlen(m_dbproc, 9)); if (pData=dbdata(m_dbproc, 10)) UtilStrCpy(m_txn.Payment.d_street_2, pData, dbdatlen(m_dbproc, 10)); if (pData=dbdata(m_dbproc, 11)) UtilStrCpy(m_txn.Payment.d_city, pData, dbdatlen(m_dbproc, 11)); if (pData=dbdata(m_dbproc, 12)) UtilStrCpy(m_txn.Payment.d_state, pData, dbdatlen(m_dbproc, 12)); if (pData=dbdata(m_dbproc, 13)) UtilStrCpy(m_txn.Payment.d_zip, pData, dbdatlen(m_dbproc, 13)); if (pData=dbdata(m_dbproc, 14)) UtilStrCpy(m_txn.Payment.c_first, pData, dbdatlen(m_dbproc, 14)); if (pData=dbdata(m_dbproc, 15)) UtilStrCpy(m_txn.Payment.c_middle, pData, dbdatlen(m_dbproc, 15)); if (pData=dbdata(m_dbproc, 16)) UtilStrCpy(m_txn.Payment.c_street_1, pData, dbdatlen(m_dbproc, 16)); if (pData=dbdata(m_dbproc, 17)) UtilStrCpy(m_txn.Payment.c_street_2, pData, dbdatlen(m_dbproc, 17)); if (pData=dbdata(m_dbproc, 18)) UtilStrCpy(m_txn.Payment.c_city, pData, dbdatlen(m_dbproc, 18)); if (pData=dbdata(m_dbproc, 19)) UtilStrCpy(m_txn.Payment.c_state, pData, dbdatlen(m_dbproc, 19)); if (pData=dbdata(m_dbproc, 20)) UtilStrCpy(m_txn.Payment.c_zip, pData, dbdatlen(m_dbproc, 20)); if (pData=dbdata(m_dbproc, 21)) UtilStrCpy(m_txn.Payment.c_phone, pData, dbdatlen(m_dbproc, 21)); if (pData=dbdata(m_dbproc, 22)) { datetime = *((DBDATETIME *) pData); </pre>	<pre> dbdatecrack(m_dbproc, &daterec, &datetime); m_txn.Payment.c_since.year = m_txn.Payment.c_since.month = m_txn.Payment.c_since.day = m_txn.Payment.c_since.hour = m_txn.Payment.c_since.minute = m_txn.Payment.c_since.second = } if(pData=dbdata(m_dbproc, 23)) UtilStrCpy(m_txn.Payment.c_credit, pData, dbdatlen(m_dbproc, 23)); if(pData=dbdata(m_dbproc, 24)) dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData, dbdatlen(m_dbproc,24), SQLFLT8, (BYTE *)&m_txn.Payment.c_credit_lim, 8); if(pData=dbdata(m_dbproc, 25)) dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData, dbdatlen(m_dbproc,25), SQLFLT8, (BYTE *)&m_txn.Payment.c_discount, 8); if(pData=dbdata(m_dbproc, 26)) dbconvert(m_dbproc, SQLNUMERIC, (LPCBYTE)pData, dbdatlen(m_dbproc,26), SQLFLT8, (BYTE *)&m_txn.Payment.c_balance, 8); if(pData=dbdata(m_dbproc, 27)) UtilStrCpy(m_txn.Payment.c_data, pData, dbdatlen(m_dbproc, 27)); DiscardNextRows(0); DiscardNextResults(0); if (m_txn.Payment.c_id == 0) throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_INVALID_CUST); else m_txn.Payment.exec_status_code = eOK; return; } catch (CSQLERR *e) { if ((e->m_msgno == 1205 (e->m_msgno == iErrOleDbProvider && sErrTimeoutExpired) != NULL)) && (strchr(e->m_msgtext, (++iTryCount <= iMaxRetries)) { // hit deadlock; backoff for increasingly longer period delete e; Sleep(10 * iTryCount); } else throw; } // while (TRUE) // if (iTryCount) // throw new CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS, iTryCount); } </pre>
--	--	--

```

void CTPCC_DBLIB::OrderStatus()
{
    int          i;
    DBDATETIME  datetime;
    DBDATEREC   daterec;

    int          iTryCount = 0;
    RETCODE     rc;
    const BYTE   *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc, "tpcc_orderstatus", 0);

            dbrpcparam(m_dbproc, NULL, 0, SQLINT2,
-1, -1, (BYTE *) &m_txn.OrderStatus.w_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT1,
-1, -1, (BYTE *) &m_txn.OrderStatus.d_id);
            dbrpcparam(m_dbproc, NULL, 0, SQLINT4,
-1, -1, (BYTE *) &m_txn.OrderStatus.c_id);

            // if customer id is zero, then order status is by
name
            if (m_txn.OrderStatus.c_id == 0)
                dbrpcparam(m_dbproc, NULL, 0,
SQLCHAR, -1, strlen(m_txn.OrderStatus.c_last), (unsigned char
*)m_txn.OrderStatus.c_last);

            if (dbrpcexec(m_dbproc) == FAIL)

ThrowError(CDBLIBERR::eDbRpcExec);

            // Get order lines
            if (dbresults(m_dbproc) != SUCCEED)
            {
                if ((m_DbLibErr == NULL) &&
(m_SqlErr == NULL))
                    throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER );
                else

ThrowError(CDBLIBERR::eDbResults);
            }

            if (dbnumcols(m_dbproc) != 5)

ThrowError(CDBLIBERR::eWrongNumCols);

            i = 0;
            while (TRUE)
            {
                rc = dbnextrow(m_dbproc);
                if (rc == NO_MORE_ROWS)
                    break;
                if (rc != REG_ROW)

ThrowError(CDBLIBERR::eDbNextRow);

                if(pData=dbdata(m_dbproc, 1))

m_txn.OrderStatus.OL[i].ol_supply_w_id = (*(DBSMALLINT *) pData);
                if(pData=dbdata(m_dbproc, 2))

```

```

m_txn.OrderStatus.OL[i].ol_i_id = (*(DBINT *) pData);
                if(pData=dbdata(m_dbproc, 3))

m_txn.OrderStatus.OL[i].ol_quantity = (*(DBSMALLINT *) pData);
                if(pData=dbdata(m_dbproc, 4))
                    dbconvert(m_dbproc,
SQLNUMERIC, (LPCBYTE)pData, dbdatlen(m_dbproc,4),
SQLFLT8, (BYTE *)&m_txn.OrderStatus.OL[i].ol_amount, 8);
                if(pData=dbdata(m_dbproc, 5))
                {
                    datetime =
*((DBDATETIME *) pData);
                    dbdatecrack(m_dbproc,
&daterec, &datetime);

m_txn.OrderStatus.OL[i].ol_delivery_d.year = daterec.year;
m_txn.OrderStatus.OL[i].ol_delivery_d.month = daterec.month;
m_txn.OrderStatus.OL[i].ol_delivery_d.day = daterec.day;
m_txn.OrderStatus.OL[i].ol_delivery_d.hour = daterec.hour;
m_txn.OrderStatus.OL[i].ol_delivery_d.minute = daterec.minute;
m_txn.OrderStatus.OL[i].ol_delivery_d.second = daterec.second;
                }
                i++;
            }
            m_txn.OrderStatus.o_ol_cnt = i;

            if (dbresults(m_dbproc) != SUCCEED)

ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc) != REG_ROW)

ThrowError(CDBLIBERR::eDbNextRow);

            if (dbnumcols(m_dbproc) != 8)

ThrowError(CDBLIBERR::eWrongNumCols);

            if(pData=dbdata(m_dbproc, 1))
                m_txn.OrderStatus.c_id =
(*(DBINT *) pData);
            if(pData=dbdata(m_dbproc, 2))

UtilStrCpy(m_txn.OrderStatus.c_last, pData, dbdatlen(m_dbproc,2));
            if(pData=dbdata(m_dbproc, 3))

UtilStrCpy(m_txn.OrderStatus.c_first, pData, dbdatlen(m_dbproc,3));
            if(pData=dbdata(m_dbproc, 4))

UtilStrCpy(m_txn.OrderStatus.c_middle, pData, dbdatlen(m_dbproc, 4));

            if(pData=dbdata(m_dbproc, 5))
            {
                datetime = *((DBDATETIME *)
pData);
                dbdatecrack(m_dbproc, &daterec,
&datetime);
                m_txn.OrderStatus.o_entry_d.year
= daterec.year;
m_txn.OrderStatus.o_entry_d.month = daterec.month;
                m_txn.OrderStatus.o_entry_d.day
= daterec.day;

```

```

        m_txn.OrderStatus.o_entry_d.hour
= daterec.hour;
m_txn.OrderStatus.o_entry_d.minute = daterec.minute;
m_txn.OrderStatus.o_entry_d.second = daterec.second;
        }
        if(pData=dbdata(m_dbproc, 6))
            m_txn.OrderStatus.o_carrier_id =
            (*DBSMALLINT *) pData);
        if(pData=dbdata(m_dbproc, 7))
            dbconvert(m_dbproc,
SQLNUMERIC, (LPCBYTE)pData, dbdatlen(m_dbproc,7),
SQLFLT8,
            (BYTE *)&m_txn.OrderStatus.c_balance, 8);
        if(pData=dbdata(m_dbproc, 8))
            m_txn.OrderStatus.o_id =
            (*DBINT *) pData);

        DiscardNextRows(0);
        DiscardNextResults(0);

        if (m_txn.OrderStatus.o_ol_cnt == 0)
            throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER );
        else if (m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
            throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
        else

m_txn.OrderStatus.exec_status_code = eOK;

        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205 ||
(e->m_msgno ==
iErrOleDbProvider &&
sErrTimeoutExpired) != NULL)) &&
        {
            // hit deadlock; backoff for
            increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
        else
            throw;
    }
} // while (TRUE)

// if (iTryCount)
// throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Delivery()
{
    int i;
    int iTryCount = 0;
    const BYTE *pData;

    ResetError();

        while (TRUE)
        {
            try
            {
                dbrpcinit(m_dbproc, "tpcc_delivery", 0);
                dbrpcparam(m_dbproc, NULL, 0, SQLINT2,
-1, -1, (BYTE *) &m_txn.Delivery.w_id);
                dbrpcparam(m_dbproc, NULL, 0, SQLINT1,
-1, -1, (BYTE *) &m_txn.Delivery.o_carrier_id);

                if (dbrpcexec(m_dbproc) == FAIL)
                    ThrowError(CDBLIBERR::eDbRpcExec);

                if (dbresults(m_dbproc) != SUCCEED)
                    ThrowError(CDBLIBERR::eDbResults);

                if (dbnextrow(m_dbproc) != REG_ROW)
                    ThrowError(CDBLIBERR::eDbNextRow);

                if (dbnumcols(m_dbproc) != 10)
                    ThrowError(CDBLIBERR::eWrongNumCols);

                for (i=0; i<10; i++)
                {
                    if (pData = dbdata(m_dbproc, i+1))
                        m_txn.Delivery.o_id[i]
= *((DBINT *)pData);
                }

                DiscardNextRows(0);
                DiscardNextResults(0);

                m_txn.Delivery.exec_status_code = eOK;
                return;
            }
            catch (CSQLERR *e)
            {
                if ((e->m_msgno == 1205 ||
(e->m_msgno ==
iErrOleDbProvider &&
sErrTimeoutExpired) != NULL)) &&
                {
                    // hit deadlock; backoff for
                    increasingly longer period
                    delete e;
                    Sleep(10 * iTryCount);
                }
                else
                    throw;
            }
        } // while (TRUE)

// if (iTryCount)
// throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::ResetError()
{
    if (m_DbLibErr != NULL)
    {
        delete m_DbLibErr;
        m_DbLibErr = (CDBLIBERR*)NULL;
    }
}

```



```

    }
    if (m_SqlErr != NULL)
    {
        delete m_SqlErr;
        m_SqlErr = (CSQLERR*)NULL;
    }
    return;
}

```

tpcc_dblib.h

```

/*      FILE:          TPCC_DBLIB.H
 *          Microsoft TPC-C Kit Ver. 4.20.000
 *          Copyright Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *          Version 4.10.000 audited by
Richard Gimarc, Performance Metrics, 3/17/99
 *
 *      PURPOSE:      Header file for TPC-C txn class
implementation.
 *
 *      Change history:
 *          4.20.000 - updated rev number to match kit
 */
#pragma once

#ifndef PDBPROCESS
#define DBPROCESS void // dbprocess structure type
typedef DBPROCESS * PDBPROCESS;
#endif

// need to declare functions for import, unless define has already been created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CSQLERR : public CBaseErr
{
public:
    CSQLERR(void)
    {
        m_msgno = 0;
        m_msgstate = 0;
        m_severity = 0;
        m_msgtext = NULL;
    };
    ~CSQLERR()
    {
        delete [] m_msgtext;
    };
    int m_msgno;
    int m_msgstate;
    int m_severity;
    char *m_msgtext;

    int ErrorType() {return ERR_TYPE_SQL;};
    int ErrorNum() {return m_msgno;};
    char *ErrorText() {return m_msgtext;};
};

class CDBLIBERR : public CBaseErr
{

```

```

public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eLogin, //
        eDbOpen, // error from
        eDbUse, //
        eDbSqlExec, //
        eDbSet, //
        eDbNextRow, //
        eWrongRowCount, // more or
        eWrongNumCols, // more or
        eDbResults, //
        eDbRpcExec, //
        eDbSetMaxProcs, // error from
        eDbProcHandler // error from
    };
    either dbprocerrhandle or dbprocmshandle
};

CDBLIBERR(ACTION eAction, int severity = 0, int
dberror = 0, int oserr = 0)
{
    m_eAction = eAction;
    m_severity = severity;
    m_dberror = dberror;
    m_oserr = oserr;

    m_dberrstr = NULL;
    m_oserrstr = NULL;
};

~CDBLIBERR()
{
    delete [] m_dberrstr;
    delete [] m_oserrstr;
};

ACTION m_eAction;
int m_severity;
int m_dberror;
int m_oserr;
char *m_dberrstr;
char *m_oserrstr;

int ErrorType() {return ERR_TYPE_DBLIB;};
int ErrorNum() {return m_dberror;};
char *ErrorText() {return m_dberrstr;};
};

class CTPCC_DBLIB_ERR : public CBaseErr
{
public:
    enum CTPCC_DBLIB_ERRS
    {
        ERR_WRONG_SP_VERSION = 1, //
        "Wrong version of stored procs on database server"
        ERR_INVALID_CUST,
        // "Invalid Customer id,name."
    };
};

```

```

ERR_NO_SUCH_ORDER,
// "No orders found for customer."
ERR_RETRIED_TRANS,
// "Retries before transaction succeeded."
};

CTPCC_DBLIB_ERR( int iErr ) { m_erno = iErr;
m_iTryCount = 0; };

CTPCC_DBLIB_ERR( int iErr, int iTryCount ) { m_erno
= iErr; m_iTryCount = iTryCount; };

int m_erno;
int m_iTryCount;

int ErrorType() {return ERR_TYPE_TPCC_DBLIB;};
int ErrorNum() {return m_erno;};

char *ErrorText();
};

class DllDecl CTPCC_DBLIB : public CTPCC_BASE
{
private:
// declare variables and private functions here...
PDBPROCESS m_dbproc;
CDBLIBERR *m_DbLibErr;
// not allocated until needed (maybe never)
CSQLERR *m_SqlErr;
// not allocated until needed (maybe never)
int m_MaxRetries;
// retry count on deadlock

void DiscardNextRows(int iExpectedCount);
void DiscardNextResults(int iExpectedCount);
void ThrowError( CDBLIBERR::ACTION eAction );
void ResetError();

union
{
NEW_ORDER_DATA
NewOrder;
PAYMENT_DATA Payment;
DELIVERY_DATA Delivery;
STOCK_LEVEL_DATA StockLevel;
ORDER_STATUS_DATA OrderStatus;
} m_txn;

public:
CTPCC_DBLIB(LPCSTR szServer, LPCSTR szUser,
LPCSTR szPassword, LPCSTR szHost, LPCSTR szDatabase );
~CTPCC_DBLIB(void);

inline PNEW_ORDER_DATA
BuffAddr_NewOrder() { return &m_txn.NewOrder; };
inline PPAYMENT_DATA
BuffAddr_Payment() { return &m_txn.Payment; };
inline PDELIVERY_DATA
BuffAddr_Delivery() { return &m_txn.Delivery; };
inline PSTOCK_LEVEL_DATA BuffAddr_StockLevel()
{ return &m_txn.StockLevel; };
inline PORDER_STATUS_DATA
BuffAddr_OrderStatus() { return &m_txn.OrderStatus; };

void NewOrder ();
void Payment ();
void Delivery ();
void StockLevel ();
void OrderStatus ();
};

```

```

// these are public because they must be called from the
dblib err_handler and msg_handler
// outside of the class
void SetDbLibError(int severity, int dberr, int oserr,
LPCSTR dberrstr, LPCSTR oserrstr);
void SetSqlError( int msgno, int msgstate, int severity,
LPCSTR msgtext );
};

extern "C" DllDecl CTPCC_DBLIB* CTPCC_DBLIB_new
( LPCSTR szServer, LPCSTR szUser, LPCSTR szPassword, LPCSTR
szHost, LPCSTR szDatabase );

typedef CTPCC_DBLIB* (TYPE_CTPCC_DBLIB)(LPCSTR, LPCSTR,
LPCSTR, LPCSTR, LPCSTR);

```

tpcc_enc.cpp

```

// tpcc_enc.cpp: implementation of the CTPCC_ENCINA class.
//
////////////////////////////////////
#include <windows.h>
#include <process.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys/timeb.h>
#include <io.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\trans.h" //tpckit transaction header
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_enc.h"
#include "..\include\tpcc_type.h"
#include "mon_client.h"
#include "client_utils.h"

static CRITICAL_SECTION TpCriticalSection;
extern "C" char *errFile;

BOOL WINAPIENTRY DllMain(HANDLE hModule, DWORD ul_reason_for_call,
LPVOID lpReserved)
{
switch( ul_reason_for_call )
{
case DLL_PROCESS_ATTACH:
DisableThreadLibraryCalls(hModule);
InitializeCriticalSection(&TpCriticalSection);
break;

case DLL_PROCESS_DETACH:
DeleteCriticalSection(&TpCriticalSection);
break;
};
};

```

```

        default:
            /* nothing */;
        }
        return TRUE;
    }

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_ENCINA* CTPCC_ENCINA_new()
{
    return new CTPCC_ENCINA();
}

// wrapper routine for enroll_client
__declspec(dllexport) CTPCC_ENCINA* CTPCC_ENCINA_post_init()
{
    enroll_client();
    return NULL;
}

// constructor and destructor
CTPCC_ENCINA::CTPCC_ENCINA()
{
    // Add initialization of ENCINA Structures if any
    m_txn = (ENC_DATA *)malloc(sizeof(ENC_DATA));
    if (m_txn == NULL)
        throw new CENCERR(ERR_TYPE_MEMORY,
ERR_FATAL_LEVEL);
}

CTPCC_ENCINA::~CTPCC_ENCINA()
{
    // free the data structure allocated with tmalloc
    free((char *)m_txn);
}

void CTPCC_ENCINA::NewOrder()
{
    // question: if we need to prepare the data?
    if (send_new_order(sizeof(ENC_DATA), (unsigned char *)m_txn) ==
TRPC_ERROR)
        throw new CENCERR(TRPC_ERROR);

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CENCERR( m_txn->ErrorType, m_txn->error
);
}

void CTPCC_ENCINA::Payment()
{
    if (send_payment(sizeof(ENC_DATA), (unsigned char *)m_txn) ==
TRPC_ERROR)
        throw new CENCERR(TRPC_ERROR);

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CENCERR( m_txn->ErrorType, m_txn->error
);
}

void CTPCC_ENCINA::Delivery()
{
    // Note: Delivery txn code in the tuxedo server does not implement
logging of the delivery
    // txn results, so cannot be used as is to run an auditable TPC-C
result. For that
    // reason, delivery txns should not be done via Tuxedo.
    // The code is included for completeness.
    //m_txn->u.Delivery.exec_status_code = eDeliveryFailed;
    //return;

```

```

// Note: If we use the delivery thread in tpcc.dll, it is not possible to get
to this
// point for delivery txns. But if we use Encina delivery server, the
code is
// needed. It is suggested using the delivery thread in tpcc.dll since
it is
// convenient and provides best performance.
    GetLocalTime(&m_txn->u.Delivery.queue_time);

    if (send_delivery(sizeof(ENC_DATA), (unsigned char *)m_txn) ==
TRPC_ERROR)
        m_txn->u.Delivery.exec_status_code = eDeliveryFailed;
    else
        m_txn->u.Delivery.exec_status_code = eOK;
}

void CTPCC_ENCINA::StockLevel()
{
    if (send_stock_level(sizeof(ENC_DATA), (unsigned char *)m_txn) ==
TRPC_ERROR)
        throw new CENCERR(TRPC_ERROR);

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CENCERR( m_txn->ErrorType, m_txn->error
);
}

void CTPCC_ENCINA::OrderStatus()
{
    if (send_order_status(sizeof(ENC_DATA), (unsigned char *)m_txn) ==
TRPC_ERROR)
        throw new CENCERR(TRPC_ERROR);

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CENCERR( m_txn->ErrorType, m_txn->error
);
}

char *CENCERR::ErrorText()
{
    if ( m_iErrorType == TRPC_ERROR )
    {
        sprintf( m_szErrorText, "Error: ENCINA TRPC error (see
log file %s for details)", errFile);
    }
    else
        sprintf( m_szErrorText, "Error: Class %d, error # %d",
m_iErrorType, m_iError );
    return m_szErrorText;
};

tpcc_enc.h

/* FILE: TPCC_ENCINA.H
 * Microsoft TPC-C Kit Ver. 4.10.000
 * not yet audited
 *
 * PURPOSE: Header file for TPC-C Encina class
implementation.
 * Copyright Microsoft, 1999
 * All Rights Reserved
 *
 */

#if !defined(_TPCC_ENCINA_H_)
#define _TPCC_ENCINA_H_

```

```

#pragma once

// need to declare functions for import, unless define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CTPCC_ENCINA : public CTPCC_BASE
{
private:
    struct ENC_DATA
    {
        int
ErrorType;
        int
error;

        union
        {
            NEW_ORDER_DATA
NewOrder;
            PAYMENT_DATA
Payment;
            DELIVERY_DATA
Delivery;
            STOCK_LEVEL_DATA
StockLevel;
            ORDER_STATUS_DATA
OrderStatus;
        } u;
    } *m_txn;

public:
    CTPCC_ENCINA();
    virtual ~CTPCC_ENCINA();

    inline PNEW_ORDER_DATA
BuffAddr_NewOrder() { return &m_txn->u.NewOrder;
};
    inline PPAYMENT_DATA
BuffAddr_Payment() { return &m_txn->u.Payment; };
    inline PDELIVERY_DATA
BuffAddr_Delivery() { return &m_txn->u.Delivery; };
    inline PSTOCK_LEVEL_DATA BuffAddr_StockLevel()
{ return &m_txn->u.StockLevel; };
    inline PORDER_STATUS_DATA
BuffAddr_OrderStatus() { return &m_txn->u.OrderStatus; };

    void NewOrder          ();
    void Payment           ();
    void Delivery          ();
    void StockLevel       ();
    void OrderStatus      ();
};

class CENCERR : public CBaseErr
{
private:
    char    m_szErrorText[64];
public:
    int     m_erno; //
    int     m_iErrorType; // match ErrorType
in CTPCC_ENCINA
    int     m_iError; // machine
error in CTPCC_ENCINA

    // use this interface for genuine Encina errors

```

```

CENCERR( int iErr )
{
    m_erno = iErr; // ENCINA error
    m_iErrorType = ERR_TYPE_ENCINA;
    m_iError = 0; // only meaningful if
m_erno == TPEOS
};

// use this interface to impersonate a non-Encina error type
CENCERR( int iErrorType, int iError )
{
    m_iErrorType = iErrorType;
    m_iError = iError;
    m_erno = iError; // ???
}

// A CENCERR class can impersonate another class, which
happens if the error
// was not actually a Tuxedo error, but was simply
transmitted back via Tuxedo.
int ErrorType()
{
    return m_iErrorType;
}

int ErrorNum() {return m_erno;};
char *ErrorText();
};

```

```

// wrapper routine for class constructor:
extern "C" __declspec(dllexport) CTPCC_ENCINA* CTPCC_ENCINA_new();
extern "C" __declspec(dllexport) CTPCC_ENCINA*
CTPCC_ENCINA_post_init();

```

```

typedef CTPCC_ENCINA* (TYPE_CTPCC_ENCINA)();

```

```

#endif // !defined(_TPCC_ENCINA_H_)

```

tpcc_odbc.cpp

```

/*      FILE:          TPCC_ODBC.CPP
 *      Microsoft TPC-C Kit Ver. 4.20.000
 *      Copyright Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *      Version 4.10.000 audited by
Richard Gimarc, Performance Metrics, 3/17/99
 *
 *      PURPOSE:      Implements ODBC calls for TPC-C txns.
 *      Contact:     Charles Levine (clevine@microsoft.com)
 *
 *      Change history:
 *      4.20.000 - updated rev number to match kit
 *      4.10.001 - not deleting error class in catch handler on
deadlock retry;
 *
 *      not a functional bug, but a
memory leak
 */

#include <windows.h>
#include <stdio.h>
#include <assert.h>

#define DBNTWIN32
#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>
#include <odbcss.h>

```

```

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DLLDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_odbc.h"

// version string; must match return value from tpcc_version stored proc
const char sVersion[] = "4.10.000";

const iMaxRetries = 10; // how many retries on deadlock

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

static SQLHENV henv = SQL_NULL_HENV;
// ODBC environment handle

BOOL WINAPI DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:
            DisableThreadLibraryCalls(hModule);
            if (
SQLAllocHandleStd(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv) !=
SQL_SUCCESS )
                return FALSE;
            break;

        case DLL_PROCESS_DETACH:
            if (henv != NULL)
                SQLFreeEnv(henv);
            break;

        default:
            /* nothing */;
    }
    return TRUE;
}

/* FUNCTION: CTPCC_ODBC_ERR::ErrorText
 *
 */

char* CTPCC_ODBC_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,
"Wrong version of stored procs on database server" },
        { ERR_INVALID_CUST,
"Invalid Customer id,name." },
        { ERR_NO_SUCH_ORDER, "No orders
found for customer." },
        { ERR_RETRIED_TRANS, "Retries
before transaction succeeded." },
        { 0, "" }
    };
};

```

```

static char szNotFound[] = "Unknown error number.";

for(i=0; errorMsgs[i].szMsg[0]; i++)
{
    if ( m_erno == errorMsgs[i].iError )
        break;
}
if ( !errorMsgs[i].szMsg[0] )
    return szNotFound;
else
    return errorMsgs[i].szMsg;
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_ODBC* CTPCC_ODBC_new(
LPCSTR szServer, // name of SQL server
LPCSTR szUser, // user name for login
LPCSTR szPassword, // password for login
LPCSTR szHost, // not used
LPCSTR szDatabase ) // name of database to use
{
    return new CTPCC_ODBC( szServer, szUser, szPassword, szHost,
szDatabase );
}

CTPCC_ODBC::CTPCC_ODBC (
LPCSTR szServer, // name of
SQL server
LPCSTR szUser, //
user name for login
LPCSTR szPassword, // password
for login
LPCSTR szHost, //
not used
LPCSTR szDatabase // name of
database to use
)
{
    RETCODE rc;

    // initialization
    m_hdbc = SQL_NULL_HDBC;
    m_hstmt = SQL_NULL_HSTMT;

    m_hstmtNewOrder = SQL_NULL_HSTMT;
    m_hstmtPayment = SQL_NULL_HSTMT;
    m_hstmtDelivery = SQL_NULL_HSTMT;
    m_hstmtOrderStatus = SQL_NULL_HSTMT;
    m_hstmtStockLevel = SQL_NULL_HSTMT;

    m_descNewOrderCols1 = SQL_NULL_HDESC;
    m_descNewOrderCols2 = SQL_NULL_HDESC;
    m_descOrderStatusCols1 = SQL_NULL_HDESC;
    m_descOrderStatusCols2 = SQL_NULL_HDESC;

    if ( SQLAllocHandle(SQL_HANDLE_DBC, henv, &m_hdbc) !=
SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);

    if ( SQLSetConnectOption(m_hdbc, SQL_PACKET_SIZE, 4096) !=
SQL_SUCCESS )
        ThrowError(CODBCERR::eConnOption);

    {
        char szConnectStr[256];
        char szOutStr[1024];
        SQLSMALLINT iOutStrLen;
    }
}

```

```

        sprintf( szConnectStr, "DRIVER=SQL
Server;SERVER=%s;UID=%s;PWD=%s;DATABASE=%s",
                szServer, szUser, szPassword, szDatabase );

        rc = SQLDriverConnect(m_hdbc, NULL,
(SQLCHAR*)szConnectStr, sizeof(szConnectStr),
                (SQLCHAR*)szOutStr, sizeof(szOutStr),
&iOutStrLen, SQL_DRIVER_NOPROMPT );

        if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
                ThrowError(CODBCERR::eConnect);
    }

    if (SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc, &m_hstmt) !=
SQL_SUCCESS)
        ThrowError(CODBCERR::eAllocHandle);

    {
        char                buffer[128];

        // set some options affecting connection behavior
        strcpy(buffer, "set nocount on set XACT_ABORT ON");
        rc = SQLExecDirect(m_hstmt, (unsigned char *)buffer,
SQL_NTS);

        if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
            ThrowError(CODBCERR::eExecDirect);

        // verify that version of stored procs on server is correct
        char db_sp_version[10];
        strcpy(buffer, "{ call tpcc_version}");
        rc = SQLExecDirect(m_hstmt, (unsigned char *)buffer,
SQL_NTS);

        if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
            ThrowError(CODBCERR::eExecDirect);
        if ( SQLBindCol(m_hstmt, 1, SQL_C_CHAR,
&db_sp_version, sizeof(db_sp_version), NULL) != SQL_SUCCESS )
            ThrowError(CODBCERR::eBindCol);
        if ( SQLFetch(m_hstmt) == SQL_ERROR )
            ThrowError(CODBCERR::eFetch);
        if (strcmp(db_sp_version,sVersion))
            throw new CTPCC_ODBC_ERR(
CTPCC_ODBC_ERR::ERR_WRONG_SP_VERSION );

        SQLFreeHandle(SQL_HANDLE_STMT, m_hstmt);
    }

    // Bind parameters for each of the transactions
    InitNewOrderParams();
    InitPaymentParams();
    InitOrderStatusParams();
    InitDeliveryParams();
    InitStockLevelParams();
}

CTPCC_ODBC::~CTPCC_ODBC( void )
{
    // note: descriptors are automatically released when the connection is
dropped
    SQLFreeHandle(SQL_HANDLE_STMT, m_hstmtNewOrder);
    SQLFreeHandle(SQL_HANDLE_STMT, m_hstmtPayment);
    SQLFreeHandle(SQL_HANDLE_STMT, m_hstmtDelivery);
    SQLFreeHandle(SQL_HANDLE_STMT, m_hstmtOrderStatus);
    SQLFreeHandle(SQL_HANDLE_STMT, m_hstmtStockLevel);

    SQLDisconnect(m_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, m_hdbc);
}

```

```

void CTPCC_ODBC::ThrowError( CODBCERR::ACTION eAction )
{
    RETCODE                rc;
    SDWORD                INativeError;
    char                szState[6];
    char                szMsg[SQL_MAX_MESSAGE_LENGTH];
    szTmp[6*SQL_MAX_MESSAGE_LENGTH];
    CODBCERR                *pODBCErr;                // not
allocated until needed (maybe never)

    pODBCErr = new CODBCERR();

    pODBCErr->m_NativeError = 0;
    pODBCErr->m_eAction = eAction;
    pODBCErr->m_bDeadLock = FALSE;

    szTmp[0] = 0;
    while (TRUE)
    {
        rc = SQLError(henv, m_hdbc, m_hstmt, (BYTE
*)&szState, &INativeError,                (BYTE *)&szMsg,
sizeof(szMsg), NULL);
        if (rc == SQL_NO_DATA)
            break;

        // check for deadlock
        if (INativeError == 1205 || (INativeError ==
iErrOleDbProvider &&
                strstr(szMsg, sErrTimeoutExpired) != NULL))
            pODBCErr->m_bDeadLock = TRUE;

        // capture the (first) database error
        if (pODBCErr->m_NativeError == 0 && INativeError !=
0)
            pODBCErr->m_NativeError = INativeError;

        // quit if there isn't enough room to concatenate error text
        if ( ( strlen(szMsg) + 2) > (sizeof(szTmp) - strlen(szTmp)) )
            break;

        // include line break after first error msg
        if (szTmp[0] != 0)
            strcat( szTmp, "\n");
        strcat( szTmp, szMsg );
    }

    if (pODBCErr->m_odbcerrstr != NULL)
    {
        delete [] pODBCErr->m_odbcerrstr;
        pODBCErr->m_odbcerrstr = NULL;
    }

    if (strlen(szTmp) > 0)
    {
        pODBCErr->m_odbcerrstr = new char[ strlen(szTmp)+1 ];
        strcpy( pODBCErr->m_odbcerrstr, szTmp );
    }

    SQLFreeStmt(m_hstmt, SQL_CLOSE);
    throw pODBCErr;
}

void CTPCC_ODBC::InitStockLevelParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc,
&m_hstmtStockLevel) != SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtStockLevel;
}

```

```

        int i = 0;
        if ( SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHORT, SQL_SMALLINT, 0, 0, &m_txn.StockLevel.w_id, 0, NULL)
!= SQL_SUCCESS
        )
            // SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.StockLevel.d_id, 0, NULL) != SQL_SUCCESS
            // SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.StockLevel.threshold, 0, NULL) != SQL_SUCCESS
            )
                ThrowError(CODBCERR::eBindParam);

        if ( SQLBindCol(m_hstmt, 1, SQL_C_SLONG,
&m_txn.StockLevel.low_stock, 0, NULL) != SQL_SUCCESS )
            ThrowError(CODBCERR::eBindCol);
    }

void CTPCC_ODBC::StockLevel()
{
    RETCODE          rc;
    int              iTryCount = 0;

    m_hstmt = m_hstmtStockLevel;

    while (TRUE)
    {
        try
        {
            rc = SQLExecDirectW(m_hstmt,
(SQLWCHAR*)"L"{call tpcc_stocklevel(?,?,?)", SQL_NTS);
            if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
                ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt) == SQL_ERROR )
                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt, SQL_CLOSE);

            m_txn.StockLevel.exec_status_code = eOK;
            break;
        }
        catch (CODBCERR *e)
        {
            if ((!e->m_bDeadLock) || (++iTryCount >
iMaxRetries))
                throw;

            // hit deadlock; backoff for increasingly longer
            period
                delete e;
                Sleep(10 * iTryCount);
        }
    }

    // if (iTryCount)
    // throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitNewOrderParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc,
&m_hstmtNewOrder) != SQL_SUCCESS
        )
        // SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descNewOrderCols1) != SQL_SUCCESS

```

```

        // SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descNewOrderCols2) != SQL_SUCCESS
        )
            ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtNewOrder;

    if ( SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descNewOrderCols1, SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHORT, SQL_SMALLINT, 0, 0, &m_txn.NewOrder.w_id, 0, NULL)
!= SQL_SUCCESS
        )
        // SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.NewOrder.d_id, 0, NULL) != SQL_SUCCESS
        // SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.NewOrder.c_id, 0, NULL) != SQL_SUCCESS
        // SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.NewOrder.o_ol_cnt, 0, NULL) != SQL_SUCCESS
        // SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.NewOrder.o_all_local, 0, NULL) != SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindParam);

    for (int j=0; j<MAX_OL_NEW_ORDER_ITEMS; j++)
    {
        if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.NewOrder.OL[j].ol_i_id, 0, NULL) != SQL_SUCCESS
            )
            // SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.NewOrder.OL[j].ol_supply_w_id, 0, NULL) != SQL_SUCCESS
            // SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.NewOrder.OL[j].ol_quantity, 0, NULL) != SQL_SUCCESS
            )
                ThrowError(CODBCERR::eBindParam);

        // set the bind offset pointer
        if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_ROW_BIND_OFFSET_PTR, &m_BindOffset,
SQL_IS_POINTER ) != SQL_SUCCESS )
            ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.NewOrder.OL[0].ol_i_name,
sizeof(m_txn.NewOrder.OL[0].ol_i_name), NULL) != SQL_SUCCESS
            )
            // SQLBindCol(m_hstmt, ++i, SQL_C_SSHORT,
&m_txn.NewOrder.OL[0].ol_stock, 0, NULL) != SQL_SUCCESS
            // SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.NewOrder.OL[0].ol_brand_generic,
sizeof(m_txn.NewOrder.OL[0].ol_brand_generic), NULL) != SQL_SUCCESS
            // SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.NewOrder.OL[0].ol_i_price, 0, NULL) != SQL_SUCCESS
            // SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.NewOrder.OL[0].ol_amount, 0, NULL) != SQL_SUCCESS
            )
            ThrowError(CODBCERR::eBindCol);

        // associate the column bindings for the second result set
        if ( SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descNewOrderCols2, SQL_IS_POINTER ) != SQL_SUCCESS )
            ThrowError(CODBCERR::eSetStmtAttr);

```

```

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.NewOrder.w_tax, 0, NULL) != SQL_SUCCESS
            || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.NewOrder.d_tax, 0, NULL) != SQL_SUCCESS
            || SQLBindCol(m_hstmt, ++i, SQL_C_SLONG,
&m_txn.NewOrder.o_id, 0, NULL) != SQL_SUCCESS
            || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.NewOrder.c_last, sizeof(m_txn.NewOrder.c_last), NULL) !=
SQL_SUCCESS
            || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.NewOrder.c_discount, 0, NULL) != SQL_SUCCESS
            || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.NewOrder.c_credit, sizeof(m_txn.NewOrder.c_credit), NULL) !=
SQL_SUCCESS
            || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.NewOrder.o_entry_d, 0, NULL) !=
SQL_SUCCESS
            || SQLBindCol(m_hstmt, ++i, SQL_C_SLONG,
&m_no_commit_flag, 0, NULL) != SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindCol);
    }

void CTPCC_ODBC::NewOrder()
{
    int          i;
    RETCODE     rc;
    int         iTryCount =
0;

    // 0 1 2
    // 012345678901234567890123456789
    wchar_t     szSqlTemplate[] =
L" {call tpcc_neworder(?,?,?,?,"
    L"?,?,?,?,?,?,?,?,?,?,?,?,?"
    L"?,?,?,?,?,?,?,?,?,?,?,?,?"
    L"?,?,?,?,?,?,?,?,?,?,?,?,?)}";

    m_hstmt = m_hstmtNewOrder;

    // associate the parameter and column bindings for this transaction
    if ( SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descNewOrderCols1, SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    // clip statement buffer based on number of parameters
    // fixed part is 29 chars and variable part is 6 chars per line item
    i = 29 + m_txn.NewOrder.o_ol_cnt*6;
    wcsncpy( &szSqlTemplate[i], L"");

    // check whether any order lines are for a remote warehouse
    m_txn.NewOrder.o_all_local = 1;
    for ( i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
    {
        if (m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
        {
            m_txn.NewOrder.o_all_local = 0; // at least
            one remote warehouse
            break;
        }
    }

    while (TRUE)
    {

```

```

        try
        {
            m_BindOffset = 0;
            rc = SQLExecDirectW(m_hstmt,
(SQLWCHAR*)szSqlTemplate, SQL_NTS);
            if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
                ThrowError(CODBCERR::eExecDirect);

            // Get order line results
            m_txn.NewOrder.total_amount = 0;
            for ( i = 0; i < m_txn.NewOrder.o_ol_cnt; i++)
            {
                // set the bind offset value...
                m_BindOffset = i *
sizeof(m_txn.NewOrder.OL[0]);

                if ( SQLFetch(m_hstmt) ==
SQL_ERROR)
                    ThrowError(CODBCERR::eFetch);

                // move to the next resultset
                if ( SQLMoreResults(m_hstmt) ==
SQL_ERROR )
                    ThrowError(CODBCERR::eMoreResults);

                m_txn.NewOrder.total_amount +=
m_txn.NewOrder.OL[i].ol_amount;
            }

            // associate the column bindings for the second
result set
            if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols2, SQL_IS_POINTER )
!= SQL_SUCCESS )
                ThrowError(CODBCERR::eSetStmtAttr);

            if ( SQLFetch(m_hstmt) == SQL_ERROR)
                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt, SQL_CLOSE);

            if (m_no_commit_flag == 1)
            {
                m_txn.NewOrder.total_amount *=
((1 + m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
m_txn.NewOrder.c_discount));
                m_txn.NewOrder.exec_status_code
= eOK;
            }
            else
                m_txn.NewOrder.exec_status_code
= eInvalidItem;

            break;
        }
        catch (CODBCERR *e)
        {
            if ((!e->m_bDeadLock) || (++iTryCount >
iMaxRetries))
                throw;

            // hit deadlock; backoff for increasingly longer
period
            delete e;
            Sleep(10 * iTryCount);

```



```

    }
}

//      if (iTryCount)
//      throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitPaymentParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc,
&m_hstmtPayment) != SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtPayment;

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHORT, SQL_SMALLINT, 0, 0, &m_txn.Payment.w_id, 0, NULL)
!= SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Payment.c_w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_DOUBLE, SQL_NUMERIC, 6, 2,
&m_txn.Payment.h_amount, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.Payment.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.Payment.c_d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.Payment.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_CHAR, SQL_CHAR,
sizeof(m_txn.Payment.c_last), 0, &m_txn.Payment.c_last,
sizeof(m_txn.Payment.c_last), NULL) != SQL_SUCCESS
    )
        ThrowError(CODBCERR::eBindParam);

    i = 0;
    if ( SQLBindCol(m_hstmt, ++i, SQL_C_SLONG,
&m_txn.Payment.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_last, sizeof(m_txn.Payment.c_last),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.Payment.h_date,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.w_street_1, sizeof(m_txn.Payment.w_street_1), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.w_street_2, sizeof(m_txn.Payment.w_street_2), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.w_city, sizeof(m_txn.Payment.w_city),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.w_state, sizeof(m_txn.Payment.w_state),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.w_zip, sizeof(m_txn.Payment.w_zip),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.d_street_1, sizeof(m_txn.Payment.d_street_1), NULL) !=
SQL_SUCCESS

```

```

        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.d_street_2, sizeof(m_txn.Payment.d_street_2), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.d_city, sizeof(m_txn.Payment.d_city),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.d_state, sizeof(m_txn.Payment.d_state),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.d_zip, sizeof(m_txn.Payment.d_zip),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_first, sizeof(m_txn.Payment.c_first),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_middle, sizeof(m_txn.Payment.c_middle), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_street_1, sizeof(m_txn.Payment.c_street_1), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_street_2, sizeof(m_txn.Payment.c_street_2), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_city, sizeof(m_txn.Payment.c_city),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_state, sizeof(m_txn.Payment.c_state),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_zip, sizeof(m_txn.Payment.c_zip),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_phone, sizeof(m_txn.Payment.c_phone),
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.Payment.c_since,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_credit, sizeof(m_txn.Payment.c_credit), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.Payment.c_credit_lim, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.Payment.c_discount, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.Payment.c_balance, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.Payment.c_data, sizeof(m_txn.Payment.c_data),
NULL) != SQL_SUCCESS
    )
        ThrowError(CODBCERR::eBindCol);
}

void CTPCC_ODBC::Payment()
{
    RETCODE          rc;
    int              iTryCount = 0;

    m_hstmt = m_hstmtPayment;

    if (m_txn.Payment.c_id != 0)
        m_txn.Payment.c_last[0] = 0;

    while (TRUE)
    {
        try
        {
            rc = SQLExecDirectW(m_hstmt,
(SQLWCHAR*)"L"(call tpcc_payment(?,?,?,?)), SQL_NTS);

```

```

        if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
ThrowError(CODBCERR::eExecDirect);

        if ( SQLFetch(m_hstmt) == SQL_ERROR)
            ThrowError(CODBCERR::eFetch);

        SQLFreeStmt(m_hstmt, SQL_CLOSE);

        if (m_txn.Payment.c_id == 0)
            throw new CTPCC_ODBC_ERR(
CTPCC_ODBC_ERR::ERR_INVALID_CUST);
        else
            m_txn.Payment.exec_status_code =
eOK;

        break;
    }
    catch (CODBCERR *e)
    {
        if (!(m_bDeadLock) || (++iTryCount >
iMaxRetries))
            throw;

        // hit deadlock; backoff for increasingly longer
        period

        delete e;
        Sleep(10 * iTryCount);
    }
}

//      if (iTryCount)
//          throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitOrderStatusParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc,
&m_hstmtOrderStatus) != SQL_SUCCESS
        || SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols1) != SQL_SUCCESS
        || SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols2) != SQL_SUCCESS
    )
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtOrderStatus;

    if ( SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descOrderStatusCols1, SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHORT, SQL_SMALLINT, 0, 0, &m_txn.OrderStatus.w_id, 0,
NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.OrderStatus.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.OrderStatus.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_CHAR, SQL_CHAR,
sizeof(m_txn.OrderStatus.c_last), 0, &m_txn.OrderStatus.c_last,
sizeof(m_txn.OrderStatus.c_last), NULL) != SQL_SUCCESS
    )
        ThrowError(CODBCERR::eBindParam);
}

```

```

// configure block cursor
if ( SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_BIND_TYPE,
(SQLPOINTER)sizeof(m_txn.OrderStatus.OL[0]), 0) != SQL_SUCCESS
    || SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROWS_FETCHED_PTR, &m_RowsFetched, 0) !=
SQL_SUCCESS
)
    ThrowError(CODBCERR::eSetStmtAttr);

    i = 0;
    if ( SQLBindCol(m_hstmt, ++i, SQL_C_SSHORT,
&m_txn.OrderStatus.OL[0].ol_supply_w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_SLONG,
&m_txn.OrderStatus.OL[0].ol_i_id, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_SSHORT,
&m_txn.OrderStatus.OL[0].ol_quantity, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.OrderStatus.OL[0].ol_amount, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.OrderStatus.OL[0].ol_delivery_d, 0,
NULL) != SQL_SUCCESS
    )
        ThrowError(CODBCERR::eBindCol);

    if ( SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descOrderStatusCols2, SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    i = 0;
    if ( SQLBindCol(m_hstmt, ++i, SQL_C_SLONG,
&m_txn.OrderStatus.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.OrderStatus.c_last, sizeof(m_txn.OrderStatus.c_last), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.OrderStatus.c_first, sizeof(m_txn.OrderStatus.c_first), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.OrderStatus.c_middle, sizeof(m_txn.OrderStatus.c_middle), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.OrderStatus.o_entry_d, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_SSHORT,
&m_txn.OrderStatus.o_carrier_id, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_DOUBLE,
&m_txn.OrderStatus.c_balance, 0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i, SQL_C_SLONG,
&m_txn.OrderStatus.o_id, 0, NULL) != SQL_SUCCESS
    )
        ThrowError(CODBCERR::eBindCol);
}

void CTPCC_ODBC::OrderStatus()
{
    int
iTryCount = 0;
    RETCODE
rc;

    m_hstmt = m_hstmtOrderStatus;

    if ( SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descOrderStatusCols1, SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    if (m_txn.OrderStatus.c_id != 0)
        m_txn.OrderStatus.c_last[0] = 0;
}

```

```

while (TRUE)
{
    try
    {
        // configure block cursor
        if ( SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROW_ARRAY_SIZE, (SQLPOINTER)1, 0) != SQL_SUCCESS )
ThrowError(CODBCERR::eSetStmtAttr);

        rc = SQLExecDirectW(m_hstmt,
(SQLWCHAR*)L" {call tpcc_orderstatus(?,?,?)}", SQL_NTS);
        if ( ((rc == SQL_SUCCESS_WITH_INFO)
&& (m_RowsFetched != 0)) || (rc == SQL_ERROR) )
ThrowError(CODBCERR::eExecDirect);

        // configure block cursor
        if ( SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)MAX_OL_ORDER_STATUS_ITEMS, 0) != SQL_SUCCESS
)
ThrowError(CODBCERR::eSetStmtAttr);

        rc = SQLFetchScroll( m_hstmt,
SQL_FETCH_NEXT, 0);
        if ( ((rc == SQL_SUCCESS_WITH_INFO)
&& (m_RowsFetched != 0)) || (rc == SQL_ERROR) )
ThrowError(CODBCERR::eFetchScroll);

        m_txn.OrderStatus.o_ol_cnt =
(short)m_RowsFetched;

        if (m_txn.OrderStatus.o_ol_cnt != 0)
        {
            if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols2, SQL_IS_POINTER
) != SQL_SUCCESS )
ThrowError(CODBCERR::eSetStmtAttr);

            if ( SQLMoreResults(m_hstmt) ==
SQL_ERROR )
ThrowError(CODBCERR::eMoreResults);

            if ( (rc = SQLFetch(m_hstmt)) ==
SQL_ERROR)
ThrowError(CODBCERR::eFetch);
        }

        SQLFreeStmt(m_hstmt, SQL_CLOSE);

        if (m_txn.OrderStatus.o_ol_cnt == 0)
            throw new CTPCC_ODBC_ERR(
CTPCC_ODBC_ERR::ERR_NO_SUCH_ORDER );
        else if (m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
            throw new CTPCC_ODBC_ERR(
CTPCC_ODBC_ERR::ERR_INVALID_CUST );
        else
            m_txn.OrderStatus.exec_status_code = eOK;

        break;
    }
    catch (CODBCERR *e)
    {
        if ((!(e->m_bDeadLock) || (++iTryCount >
iMaxRetries))
            throw;

        // hit deadlock; backoff for increasingly longer
        period
        delete e;
        Sleep(10 * iTryCount);
    }
}

// if (iTryCount)
// throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitDeliveryParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc,
&m_hstmtDelivery) != SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtDelivery;

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHORT, SQL_SMALLINT, 0, 0, &m_txn.Delivery.w_id, 0, NULL)
!= SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Delivery.o_carrier_id, 0, NULL) != SQL_SUCCESS
    )
        ThrowError(CODBCERR::eBindParam);

    for (i=0;i<10;i++)
    {
        if ( SQLBindCol(m_hstmt, (UWORD)(i+1),
SQL_C_SLONG, &m_txn.Delivery.o_id[i], 0, NULL) != SQL_SUCCESS )
            ThrowError(CODBCERR::eBindCol);
    }
}

void CTPCC_ODBC::Delivery()
{
    RETCODE rc;
    int iTryCount = 0;

    m_hstmt = m_hstmtDelivery;

    while (TRUE)
    {
        try
        {
            rc = SQLExecDirectW(m_hstmt,
(SQLWCHAR*)L" {call tpcc_delivery(?,?)}", SQL_NTS);
            if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt) == SQL_ERROR )
                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt, SQL_CLOSE);
            m_txn.Delivery.exec_status_code = eOK;
            break;
        }
        catch (CODBCERR *e)
    {
        if ((!(e->m_bDeadLock) || (++iTryCount >
iMaxRetries))
            throw;

        // hit deadlock; backoff for increasingly longer
        period
        delete e;
        Sleep(10 * iTryCount);
    }
}

// if (iTryCount)
// throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitDeliveryParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc,
&m_hstmtDelivery) != SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);

    m_hstmt = m_hstmtDelivery;

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHORT, SQL_SMALLINT, 0, 0, &m_txn.Delivery.w_id, 0, NULL)
!= SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Delivery.o_carrier_id, 0, NULL) != SQL_SUCCESS
    )
        ThrowError(CODBCERR::eBindParam);

    for (i=0;i<10;i++)
    {
        if ( SQLBindCol(m_hstmt, (UWORD)(i+1),
SQL_C_SLONG, &m_txn.Delivery.o_id[i], 0, NULL) != SQL_SUCCESS )
            ThrowError(CODBCERR::eBindCol);
    }
}

void CTPCC_ODBC::Delivery()
{
    RETCODE rc;
    int iTryCount = 0;

    m_hstmt = m_hstmtDelivery;

    while (TRUE)
    {
        try
        {
            rc = SQLExecDirectW(m_hstmt,
(SQLWCHAR*)L" {call tpcc_delivery(?,?)}", SQL_NTS);
            if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)
ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt) == SQL_ERROR )
                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt, SQL_CLOSE);
            m_txn.Delivery.exec_status_code = eOK;
            break;
        }
        catch (CODBCERR *e)
    {
        if ((!(e->m_bDeadLock) || (++iTryCount >
iMaxRetries))
            throw;

        // hit deadlock; backoff for increasingly longer
        period
        delete e;
        Sleep(10 * iTryCount);
    }
}

// if (iTryCount)
// throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

```

```

        if ((!e->m_bDeadLock) || (++iTryCount >
iMaxRetries))
            throw;
        // hit deadlock; backoff for increasingly longer
        period
            delete e;
            Sleep(10 * iTryCount);
    }
}
//      if (iTryCount)
//          throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

tpcc_odbc.h

/*      FILE:          TPCC_ODBC.H
 *          Microsoft TPC-C Kit Ver. 4.20.000
 *          Copyright Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *          Version 4.10.000 audited by
Richard Gimarc, Performance Metrics, 3/17/99
 *
 *      PURPOSE:      Header file for TPC-C txn class
implementation.
 *
 *      Change history:
 *          4.20.000 - updated rev number to match kit
 */
#pragma once

// need to declare functions for import, unless define has already been created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CODBCERR : public CBaseErr
{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eAllocConn,
        error from SQLAllocConnect
        eAllocHandle,
        SQLAllocHandle
        eConnOption,
        SQLSetConnectOption
        eConnect,
        SQLConnect
        eAllocStmt,
        error from SQLAllocStmt
        eExecDirect,
        SQLExecDirect
        eBindParam,
        error from SQLBindParameter
        eBindCol,
        SQLBindCol
        eFetch,
        error from SQLFetch
        eFetchScroll,
        SQLFetchScroll
    };
};

class CTPCC_ODBC_ERR : public CBaseErr
{
public:
    enum TPCC_ODBC_ERRS
    {
        ERR_WRONG_SP_VERSION = 1,
        "Wrong version of stored procs on database server"
        ERR_INVALID_CUST,
        // "Invalid Customer id,name."
        ERR_NO_SUCH_ORDER,
        // "No orders found for customer."
        ERR_RETRIED_TRANS,
        // "Retries before transaction succeeded."
    };
};

CTPCC_ODBC_ERR( int iErr ) { m_erno = iErr;
m_iTryCount = 0; };

CTPCC_ODBC_ERR( int iErr, int iTryCount ) { m_erno
= iErr; m_iTryCount = iTryCount; };

int m_erno;
int m_iTryCount;

int ErrorType() {return ERR_TYPE_ODBC;};
int ErrorNum() {return m_NativeError;};
char *ErrorText() {return m_odbcerrstr;};

};

class DllDecl CTPCC_ODBC : public CTPCC_BASE
{
private:
    // declare variables and private functions here...
};

```

```

        BOOL                m_bDeadlock;           // extern "C" DllDecl CTPCC_ODBC* CTPCC_ODBC_new
transaction was selected as deadlock victim      ( LPCSTR szServer, LPCSTR szUser, LPCSTR szPassword, LPCSTR
        int                m_MaxRetries;         szHost, LPCSTR szDatabase );
// retry count on deadlock

        SQLHENV            m_henv;
// ODBC environment handle
        SQLHDBC            m_hdbc;
        SQLHSTMT          m_hstmt;           //
the current hstmt

        SQLHSTMT          m_hstmtNewOrder;
        SQLHSTMT          m_hstmtPayment;
        SQLHSTMT          m_hstmtDelivery;
        SQLHSTMT          m_hstmtOrderStatus;
        SQLHSTMT          m_hstmtStockLevel;

        SQLHDESC          m_descNewOrderCols1;
        SQLHDESC          m_descNewOrderCols2;
        SQLHDESC          m_descOrderStatusCols1;
        SQLHDESC          m_descOrderStatusCols2;

// new-order specific fields
        SQLINTEGER        m_BindOffset;
        SQLINTEGER        m_RowsFetched;
        int                m_no_commit_flag;

void ThrowError( CODBCERR::ACTION eAction );

void InitNewOrderParams();
void InitPaymentParams();
void InitDeliveryParams();
void InitStockLevelParams();
void InitOrderStatusParams();

union
{
        NEW_ORDER_DATA
NewOrder;
        PAYMENT_DATA      Payment;
        DELIVERY_DATA     Delivery;
        STOCK_LEVEL_DATA  StockLevel;
        ORDER_STATUS_DATA OrderStatus;
        } m_txn;

public:
        CTPCC_ODBC(LPCSTR szServer, LPCSTR szUser,
LPCSTR szPassword, LPCSTR szHost, LPCSTR szDatabase);
        ~CTPCC_ODBC(void);

        inline PNEW_ORDER_DATA
BuffAddr_NewOrder() { return &m_txn.NewOrder; };
        inline PPAYMENT_DATA
BuffAddr_Payment() { return &m_txn.Payment; };
        inline PDELIVERY_DATA
BuffAddr_Delivery() { return &m_txn.Delivery; };
        inline PSTOCK_LEVEL_DATA BuffAddr_StockLevel()
{ return &m_txn.StockLevel; };
        inline PORDER_STATUS_DATA
BuffAddr_OrderStatus() { return &m_txn.OrderStatus; };

        void NewOrder      ();
        void Payment       ();
        void Delivery      ();
        void StockLevel    ();
        void OrderStatus   ();
};

// wrapper routine for class constructor

```

tpcc_tux.cpp

```

/*      FILE:                TPCC_TUX.CPP
 *      Microsoft TPC-C Kit Ver. 4.20.000
 *      Copyright Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *      Version 4.10.000 audited by
Richard Gimarc, Performance Metrics, 3/17/99
 *
 *      PURPOSE:             Implementation for TPC-C Tuxedo class.
 *      Contact:  Charles Levine (clevine@microsoft.com)
 *
 *      Change history:
 *      4.20.000 - updated rev number to match kit
 */

#include <windows.h>
#include <process.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>
#include <assert.h>

#include <tmenv.h>
#include <xa.h>
#include <atmi.h>

#ifdef ICECAP
// for IceCAP profiling
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\trans.h" //tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_tux.h" // interface to
Tuxedo libraries

static TPINIT *tpinf;
static DWORD TLSIsTpInitedKey;
static CRITICAL_SECTION TpCriticalSection;

BOOL APIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
        switch( ul_reason_for_call )
        {
                case DLL_PROCESS_ATTACH:
                        DisableThreadLibraryCalls(hModule);

```

```

// create thread local storage to determine
Tuxedo initialization per thread.
// it really should be possible to do this in the
DLL_THREAD_ATTACH call, but
// Ed says he could not get it to work.
// assumption: value init'd to 0
TLSIsTpInitedKey = TlsAlloc();

if ((tpinf = (TPINIT *)tpalloc("TPINIT",
NULL, sizeof(TPINIT))) == NULL)
{
    // int TpRc = tperno;
    return FALSE;
}
tpinf->flags |= TPMULTICONTEXTS;

InitializeCriticalSection(&TpCriticalSection);
break;

case DLL_PROCESS_DETACH:
    TlsFree(TLSIsTpInitedKey);
    DeleteCriticalSection(&TpCriticalSection);
    break;

default:
    /* nothing */;
}
return TRUE;
}

static void ThrTpInit()
{
    static int num_tpinit=0;
    int iRc, TpRc;

    // has this thread been initialized? check thread local storage
    if(!TlsGetValue(TLSIsTpInitedKey))
    {
        EnterCriticalSection(&TpCriticalSection);
        itoa(++num_tpinit, tpinf->clname, 10);

        iRc = tpinit(tpinf);
        TpRc = tperno;
        LeaveCriticalSection(&TpCriticalSection);

        if (iRc < 0)
            throw new CTUXERR( tperno );

        int value = 1;
        TlsSetValue(TLSIsTpInitedKey,&value);
    }
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_TUXEDO* CTPCC_TUXEDO_new()
{
    return new CTPCC_TUXEDO();
}

CTPCC_TUXEDO::CTPCC_TUXEDO()
{
    // Add initialization of Tuxedo Structures
    m_txn = (TUX_DATA *)tpalloc("CARRAY", NULL,
sizeof(TUX_DATA));
    if (m_txn == NULL)
        throw new CTUXERR( tperno );
}

CTPCC_TUXEDO::~CTPCC_TUXEDO()
{
    // free the data structure allocated with tpalloc
    tpfree((char *)m_txn);
}

void CTPCC_TUXEDO::NewOrder()
{
    long ilen, *olen;

    ThrTpInit();

    ilen = sizeof(TUX_DATA);
    olen = &ilen;

    if (tpcall("NEWORDER", (char *)m_txn, ilen, (char **)&m_txn, (long
)*olen, TPSIGRSTRT) == -1)
        throw new CTUXERR( tperno );

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CTUXERR( m_txn->ErrorType, m_txn->error
);
}

void CTPCC_TUXEDO::Payment()
{
    long ilen, *olen;

    ThrTpInit();

    ilen = sizeof(TUX_DATA);
    olen = &ilen;

    if (tpcall("PAYMENT", (char *)m_txn, ilen, (char **)&m_txn, (long
)*olen, TPSIGRSTRT) == -1)
        throw new CTUXERR( tperno );

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CTUXERR( m_txn->ErrorType, m_txn->error
);
}

void CTPCC_TUXEDO::Delivery()
{
    int iRc;
    long ilen, *olen;

    // Note: Delivery txn code in the tuxedo server does not implement
logging of the delivery
// txn results, so cannot be used as is to run an auditable TPC-C
result. For that
// reason, delivery txns should not be done via tuxedo.
// The code is included for completeness.
m_txn->u.Delivery.exec_status_code = eDeliveryFailed;
return;

// normal path...

    ThrTpInit();

    GetLocalTime(&m_txn->u.Delivery.queue_time);

    ilen = sizeof(TUX_DATA);
    olen = &ilen;

    if ((iRc = tpacall("DELIVERY", (char *)m_txn, ilen, TPNOREPLY))
== -1)
    {
        int TpRc = tperno;
        m_txn->u.Delivery.exec_status_code = eDeliveryFailed;
    }
    else
        m_txn->u.Delivery.exec_status_code = eOK;
}

```

```

}

void CTPCC_TUXEDO::StockLevel()
{
    long    ilen, *olen;

    ThrTpInit();

    ilen = sizeof(TUX_DATA);
    olen = &ilen;

    if (tpcall("STOCKLEVEL", (char *)m_txn, ilen, (char **)&m_txn,
(long *)olen, TPSIGRSTRT) == -1)
        throw new CTUXERR( tperno );

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CTUXERR( m_txn->ErrorType, m_txn->error );
};
}

void CTPCC_TUXEDO::OrderStatus()
{
    long    ilen, *olen;

    ThrTpInit();

    ilen = sizeof(TUX_DATA);
    olen = &ilen;

    if (tpcall("ORDERSTATUS", (char *)m_txn, ilen, (char **)&m_txn,
(long *)olen, TPSIGRSTRT) == -1)
        throw new CTUXERR( tperno );

    if ( m_txn->ErrorType != ERR_SUCCESS )
        throw new CTUXERR( m_txn->ErrorType, m_txn->error );
};
}

char *CTUXERR::ErrorText()
{
    if (m_iErrorType == 0)
    {
        if (m_erno == TPEOS)
            sprintf( m_szErrorText, "Error: TUXEDO error
# %d, OS error # %d", m_erno, m_iError );
        else
            sprintf( m_szErrorText, "Error: TUXEDO error
# %d", m_erno );
    }
    else
        sprintf( m_szErrorText, "Error: Class %d, error # %d",
m_iErrorType, m_iError );
    return m_szErrorText;
};

```

tpcc_tux.h

```

/*      FILE:          TPCC_TUX.H
*          Microsoft TPC-C Kit Ver. 4.20.000
*          Copyright Microsoft, 1999
*
*      All Rights Reserved
*
*          Version 4.10.000 audited by
Richard Gimarc, Performance Metrics, 3/17/99
*
*      PURPOSE:       Header file for TPC-C Tuxedo class
implementation.
*
*      Change history:

```

```

*          4.20.000 - updated rev number to match kit
*/

#pragma once

// need to declare functions for import, unless define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class DllDecl CTPCC_TUXEDO : public CTPCC_BASE
{
private:
    struct TUX_DATA
    {
        int
        ErrorType;
        int
        error;

        union
        {
            NEW_ORDER_DATA
            PAYMENT_DATA
            DELIVERY_DATA
            STOCK_LEVEL_DATA
            ORDER_STATUS_DATA
        } u;
    } *m_txn;

public:
    CTPCC_TUXEDO();
    ~CTPCC_TUXEDO(void);

    inline PNEW_ORDER_DATA
    BuffAddr_NewOrder() { return &m_txn->u.NewOrder; };

    inline PPAYMENT_DATA
    BuffAddr_Payment() { return &m_txn->u.Payment; };

    inline PDELIVERY_DATA
    BuffAddr_Delivery() { return &m_txn->u.Delivery; };

    inline PSTOCK_LEVEL_DATA BuffAddr_StockLevel()
    { return &m_txn->u.StockLevel; };

    inline PORDER_STATUS_DATA
    BuffAddr_OrderStatus() { return &m_txn->u.OrderStatus; };

    void NewOrder          ();
    void Payment           ();
    void Delivery          ();
    void StockLevel       ();
    void OrderStatus      ();
};

class CTUXERR : public CBaseErr
{
private:
    // TODO: should use the sz_Msg field of the base class
    instead
    char m_szErrorText[64];

public:
    // use this interface for genuine Tuxedo errors
    CTUXERR( int iErr )

```

```

    {
        m_erno = iErr;
        m_iErrorType = 0;
        m_iError = GetLastError(); // only
meaningful if m_erno == TPEOS
    };

    // use this interface to impersonate a non-Tuxedo error type
    CTUXERR( int iErrorType, int iError )
    {
        m_iErrorType = iErrorType;
        m_iError = iError;
        m_erno = 0;
    }

    int m_erno;
    int m_iErrorType;
    int m_iError;

    // A CTUXERR class can impersonate another class, which
happens if the error
// was not actually a Tuxedo error, but was simply
transmitted back via Tuxedo.
    int ErrorType()
    {
        if (m_iErrorType == 0)
            return ERR_TYPE_TUXEDO;
        else
            return m_iErrorType;
    }

    int ErrorNum() {return m_erno;};
    char *ErrorText();
};

// wrapper routine for class constructor
extern "C" __declspec(dllexport) CTPCC_TUXEDO* CTPCC_TUXEDO_new();

typedef CTPCC_TUXEDO* (TYPE_CTPCC_TUXEDO)();

trans.h

/* FILE: TRANS.H
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 * All Rights Reserved
 * Version 4.10.000 audited by
Richard Gimarc, Performance Metrics, 3/17/99
 * PURPOSE: Header file for TPC-C structure templates.
 * Change history:
 * 4.20.000 - updated rev number to match kit
 */
#pragma once

// String length constants
#define SERVER_NAME_LEN 20
#define DATABASE_NAME_LEN 20
#define USER_NAME_LEN 20
#define PASSWORD_LEN 20
#define TABLE_NAME_LEN 20
#define I_DATA_LEN 50
#define I_NAME_LEN 24
#define BRAND_LEN 1
#define LAST_NAME_LEN 16
#define W_NAME_LEN 10

#define ADDRESS_LEN 20
#define STATE_LEN 2
#define ZIP_LEN 9
#define S_DIST_LEN 24
#define S_DATA_LEN 50
#define D_NAME_LEN 10
#define FIRST_NAME_LEN 16
#define MIDDLE_NAME_LEN 2
#define PHONE_LEN 16
#define DATETIME_LEN 30
#define CREDIT_LEN 2
#define C_DATA_LEN 250
#define H_DATA_LEN 24
#define DIST_INFO_LEN 24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN 25
#define OL_DIST_INFO_LEN 24

// TIMESTAMP_STRUCT is provided by the ODBC header file sqltypes.h, but is
not available
// when compiling with dblib, so redefined here. Note: we are using the symbol
"__SQLTYPES"
// (declared in sqltypes.h) as a way to determine if TIMESTAMP_STRUCT has
been declared.
#ifdef __SQLTYPES
typedef struct
{
    short /*
SQLSMALLINT */ year;
    unsigned short /* SQLUSMALLINT */
month;
    unsigned short /* SQLUSMALLINT */
day;
    unsigned short /* SQLUSMALLINT */
hour;
    unsigned short /* SQLUSMALLINT */
minute;
    unsigned short /* SQLUSMALLINT */
second;
    unsigned long /* SQLINTEGER */
fraction;
} TIMESTAMP_STRUCT;
#endif

// possible values for exec_status_code after transaction completes
enum EXEC_STATUS
{
    eOK, // 0 "Transaction
committed."
    eInvalidItem, // 1 "Item number is not valid."
    eDeliveryFailed // 2 "Delivery Post Failed."
};

// transaction structures
typedef struct
{
    // input params
    short ol_supply_w_id;
    long ol_i_id;
    short ol_quantity;

    // output params
    char
ol_i_name[I_NAME_LEN+1];
    char
ol_brand_generic[BRAND_LEN+1];
    double ol_i_price;
    double ol_amount;
    short ol_stock;
} OL_NEW_ORDER_DATA;

```



```

typedef struct
{
    // input params
    short        w_id;
    short        d_id;
    long         c_id;
    short        o_ol_cnt;

    // output params
    EXEC_STATUS  exec_status_code;
    char         c_last[LAST_NAME_LEN+1];
    char         c_credit[CREDIT_LEN+1];
    double       c_discount;
    double       w_tax;
    double       d_tax;
    long         o_id;
    short        o_commit_flag;
    TIMESTAMP_STRUCT  o_entry_d;
    short        o_all_local;
    double       total_amount;
    OL_NEW_ORDER_DATA
} OL[MAX_OL_NEW_ORDER_ITEMS];
} NEW_ORDER_DATA, *PNEW_ORDER_DATA;

typedef struct
{
    // input params
    short        w_id;
    short        d_id;
    long         c_id;
    short        c_d_id;
    short        c_w_id;
    double       h_amount;
    char         c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS  exec_status_code;
    TIMESTAMP_STRUCT  h_date;
    char         w_street_1[ADDRESS_LEN+1];
    char         w_street_2[ADDRESS_LEN+1];
    char         w_city[ADDRESS_LEN+1];
    char         w_state[STATE_LEN+1];
    char         w_zip[ZIP_LEN+1];
    char         d_street_1[ADDRESS_LEN+1];
    char         d_street_2[ADDRESS_LEN+1];
    char         d_city[ADDRESS_LEN+1];
    char         d_state[STATE_LEN+1];
    char         d_zip[ZIP_LEN+1];
    char         c_first[FIRST_NAME_LEN+1];
    char         c_middle[MIDDLE_NAME_LEN
+ 1];
    char         c_street_1[ADDRESS_LEN+1];
    char         c_street_2[ADDRESS_LEN+1];
    char         c_city[ADDRESS_LEN+1];
    char         c_state[STATE_LEN+1];
    char         c_zip[ZIP_LEN+1];
    char         c_phone[PHONE_LEN+1];
    TIMESTAMP_STRUCT  c_since;
    char         c_credit[CREDIT_LEN+1];
    double       c_credit_lim;
    double       c_discount;
    double       c_balance;
    char         c_data[200+1];
} PAYMENT_DATA, *PPAYMENT_DATA;

typedef struct
{
    long         ol_i_id;
    short        ol_supply_w_id;
    short        ol_quantity;
    double       ol_amount;

```

```

        TIMESTAMP_STRUCT  ol_delivery_d;
} OL_ORDER_STATUS_DATA;

typedef struct
{
    // input params
    short        w_id;
    short        d_id;
    long         c_id;
    char         c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS  exec_status_code;
    char         c_first[FIRST_NAME_LEN+1];
    char         c_middle[MIDDLE_NAME_LEN+1];
    double       c_balance;
    long         o_id;
    TIMESTAMP_STRUCT  o_entry_d;
    short        o_carrier_id;
    OL_ORDER_STATUS_DATA
} OL[MAX_OL_ORDER_STATUS_ITEMS];
} ORDER_STATUS_DATA, *PORDER_STATUS_DATA;

typedef struct
{
    // input params
    short        w_id;
    short        o_carrier_id;

    // output params
    EXEC_STATUS  exec_status_code;
    SYSTEMTIME   queue_time;
    long         o_id[10];
    //
id's of delivered orders for districts 1 to 10
} DELIVERY_DATA, *PDELIVERY_DATA;

//This structure is used for posting delivery transactions and for writing them to the
delivery server.
typedef struct _DELIVERY_TRANSACTION
{
    SYSTEMTIME   queue;
    //time
    delivery transaction queued
    short        w_id;
    //delivery
    warehouse
    short        o_carrier_id;
    //carrier id
} DELIVERY_TRANSACTION;

typedef struct
{
    // input params
    short        w_id;
    short        d_id;
    short        threshold;

    // output params
    EXEC_STATUS  exec_status_code;
    long         low_stock;
} STOCK_LEVEL_DATA, *PSTOCK_LEVEL_DATA;

tuxapp.cpp

/*      FILE:          TUXAPP.CPP
 *
 *      Microsoft TPC-C Kit Ver. 4.20.000
 *      Copyright Microsoft, 1999
 *
 *      All Rights Reserved
 *
 *
 *      Version 4.10.000 audited by
 *      Richard Gimarc, Performance Metrics, 3/17/99
 *
 *      PURPOSE:       Implementation for TPC-C Tuxedo server.

```

```

*      Contact: Charles Levine (clevine@microsoft.com)
*
* Change history:
*      4.20.000 - updated rev number to match kit
*/

#include <windows.h>
#include <process.h>
#include <tchar.h>
#include <stdio.h>
#include <stdarg.h>
#include <iostream.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>
#include <assert.h>

#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>

#include <tmenv.h>
#include <xa.h>
#include <atmi.h>

#include "..\..\common\src\trans.h" //tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\ReadRegistry.h"
#include "..\..\db_dblib_dll\src\tpcc_dblib.h" // DBLIB
implementation of TPC-C txns
#include "..\..\db_odbc_dll\src\tpcc_odbc.h" // ODBC
implementation of TPC-C txns
#include "tuxapp.h"

char      szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

// configuration settings from registry
TPCCREGISTRYDATA      Reg;

CTPCC_BASE      *pTxn = NULL;

#include "..\..\common\src\ReadRegistry.cpp"

/* FUNCTION: tpsvrinit ( int argc, char *argv[] )
*
* PURPOSE:      Initialize the Server to Database connection.
*
* RETURNS:      int      0      Success
*               int      -1     Failure
*/

int tpsvrinit ( int argc, char *argv[] )
{
    try
    {
        DWORD dwSize =
MAX_COMPUTERNAME_LENGTH+1;
        GetComputerName(szMyComputerName, &dwSize);
        szMyComputerName[dwSize] = 0;

        if ( ReadTPCCRegistrySettings( &Reg ) )
            throw new CTUXAPP_ERR(
ERR_MISSING_REGISTRY_ENTRIES );

        GetParameters(argc, argv);

```

```

switch (Reg.eDB_Protocol)
{
case ODBC:
    pTxn = new CTPCC_ODBC( Reg.szDbServer,
Reg.szDbUser, Reg.szDbPassword, szMyComputerName, Reg.szDbName );
    break;
case DBLIB:
    pTxn = new CTPCC_DBLIB(
Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword, szMyComputerName,
Reg.szDbName );
    break;
}
}
catch (CBaseErr *e)
{
    WriteMessageToEventLog(e->ErrorText());
    delete e;
}
catch (...)
{
    WriteMessageToEventLog(TEXT("Unhandled
exception.));
}

return 0;
}

/* FUNCTION: tpsvrdone ( void )
*
*/

void tpsvrdone ( void )
{
    delete pTxn;
    pTxn = NULL;
}

/* FUNCTION: BOOL GetParameters(int argc, char *argv[])
*
* PURPOSE:      This function parses the command line passed in to the
delivery executable, initializing
*               and filling in global variable parameters.
*
* ARGUMENTS:   int      argc      number of command
line arguments passed to delivery
*               char      *argv[]  array of
command line argument pointers
*/

static void GetParameters(int argc, char *argv[])
{
    // advance through args until "--" is found
    for(int j=0; j<argc; j++)
    {
        if (strcmp(argv[j], "--") == 0)
            break;
    }

    for(int i=j+1; i<argc; i++)
    {
        if ( argv[i][0] == '-' || argv[i][0] == '/' )
        {
            switch(argv[i][1])
            {
                case 'S':
                    strcpy(Reg.szDbServer,
argv[i+2]);
                    break;
                case 'D':

```



```

}

// Note: Delivery txn code below does not implement logging of the delivery
// txn results, so cannot be used as is to run an auditable TPC-C result.
// The code is included for completeness.
void DELIVERY( TPSVCINFO *rqst )
{
    PDELIVERY_DATA pDelivery;
    TUX_DATA *pData;
    const int iSize = sizeof(pData->u.Delivery);

    try
    {
        pData = (TUX_DATA*)rqst->data;
        pData->retval = ERR_SUCCESS;
        pData->error = 0;

        pDelivery = pTxn->BuffAddr_Delivery();
        assert( rqst->len == sizeof(TUX_DATA) );
        memcpy(pDelivery, &pData->u.Delivery, iSize );

        pTxn->Delivery();

        memcpy( &pData->u.Delivery, pDelivery, iSize );
        tpreturn( TPSUCCESS, 0, rqst->data,
sizeof(TUX_DATA), 0);
    }
    catch (CBaseErr *e)
    {
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        memcpy( &pData->u.Delivery, pDelivery, iSize );
        tpreturn( TPSUCCESS, 0, rqst->data,
sizeof(TUX_DATA), 0);
        delete e;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        memcpy( &pData->u.Delivery, pDelivery, iSize );
        tpreturn( TPSUCCESS, 0, rqst->data,
sizeof(TUX_DATA), 0);
    }
}

void STOCKLEVEL( TPSVCINFO *rqst )
{
    PSTOCK_LEVEL_DATA pStockLevel;
    TUX_DATA *pData;
    const int iSize =
sizeof(pData->u.StockLevel);

    try
    {
        pData = (TUX_DATA*)rqst->data;
        pData->retval = ERR_SUCCESS;
        pData->error = 0;

        pStockLevel = pTxn->BuffAddr_StockLevel();
        assert( rqst->len == sizeof(TUX_DATA) );
        memcpy(pStockLevel, &pData->u.StockLevel, iSize );

        pTxn->StockLevel();
        memcpy( &pData->u.StockLevel, pStockLevel, iSize );
        tpreturn( TPSUCCESS, 0, rqst->data,
sizeof(TUX_DATA), 0);
    }
    catch (CBaseErr *e)
    {
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        memcpy( &pData->u.StockLevel, pStockLevel, iSize );
        tpreturn( TPSUCCESS, 0, rqst->data,
sizeof(TUX_DATA), 0);
        delete e;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        memcpy( &pData->u.StockLevel, pStockLevel, iSize );
        tpreturn( TPSUCCESS, 0, rqst->data,
sizeof(TUX_DATA), 0);
    }
}

void ORDERSTATUS( TPSVCINFO *rqst )
{
    PORDER_STATUS_DATA pOrderStatus;
    TUX_DATA *pData;
    const int iSize = sizeof(pData->u.OrderStatus);

    try
    {
        pData = (TUX_DATA*)rqst->data;
        pData->retval = ERR_SUCCESS;
        pData->error = 0;

        pOrderStatus = pTxn->BuffAddr_OrderStatus();
        assert( rqst->len == sizeof(TUX_DATA) );
        memcpy(pOrderStatus, &pData->u.OrderStatus, iSize );

        pTxn->OrderStatus();
        memcpy( &pData->u.OrderStatus, pOrderStatus, iSize );
        tpreturn( TPSUCCESS, 0, rqst->data,
sizeof(TUX_DATA), 0);
    }
    catch (CBaseErr *e)
    {
        pData->retval = e->ErrorType();
        pData->error = e->ErrorNum();
        memcpy( &pData->u.OrderStatus, pOrderStatus, iSize );
        tpreturn( TPSUCCESS, 0, rqst->data,
sizeof(TUX_DATA), 0);
        delete e;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception."));
        pData->retval = ERR_TYPE_LOGIC;
        pData->error = 0;
        memcpy( &pData->u.OrderStatus, pOrderStatus, iSize );
        tpreturn( TPSUCCESS, 0, rqst->data,
sizeof(TUX_DATA), 0);
    }
}

/* FUNCTION: CTUXAPP_ERR::ErrorText
 *
 */
char* CTUXAPP_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =

```

```

    {
        { ERR_MISSING_REGISTRY_ENTRIES, "Required
entries missing from registry." },
        { ERR_BAD_SYNTAX,
"Syntax error in input parameters."
},
        { ERR_UNKNOWN_DB_PROTOCOL,
"Unknown database protocol specified in registry."
},
        { 0,
""
}
};

static char szNotFound[] = "Unknown error number.";

for(i=0; errorMsgs[i].szMsg[0]; i++)
{
    if ( m_Error == errorMsgs[i].iError )
        break;
}
if ( !errorMsgs[i].szMsg[0] )
    return szNotFound;
else
    return errorMsgs[i].szMsg;
}

```

tuxapp.h

```

/* FILE: TUXAPP.H
* Microsoft TPC-C Kit Ver. 4.20.000
* Copyright Microsoft, 1999
* All Rights Reserved
*
* Version 4.10.000 audited by
Richard Gimarc, Performance Metrics, 3/17/99
*
* PURPOSE: Header file for TPC-C Tuxedo server.
*
* Change history:
* 4.20.000 - updated rev number to match kit
*/

```

```
enum TUXERROR
```

```

{
    ERR_MISSING_REGISTRY_ENTRIES = 1,
    ERR_BAD_SYNTAX,
    ERR_UNKNOWN_DB_PROTOCOL
};

```

```
class CTUXAPP_ERR : public CBaseErr
```

```

{
    public:
        TUXERROR m_Error;

        CTUXAPP_ERR(TUXERROR Err) { m_Error =
Err; };

        ~CTUXAPP_ERR() {};

        int ErrorType() {return ERR_TYPE_TUXEDO;};
        int ErrorNum() {return m_Error;};
        char *ErrorText();
};

```

```
struct TUX_DATA
```

```

{
    int retval;
    int error;

    union

```

```

    {
        NEW_ORDER_DATA NewOrder;
        PAYMENT_DATA Payment;
        DELIVERY_DATA Delivery;
        STOCK_LEVEL_DATA StockLevel;
        ORDER_STATUS_DATA OrderStatus;
    } u;
};

static void GetParameters(int argc, char *argv[]);
static void WriteMessageToEventLog(LPTSTR lpszMsg);

#ifdef __cplusplus
extern "C" {
#endif

void NEWORDER( TPSVCINFO *rqst );
void PAYMENT( TPSVCINFO *rqst );
void DELIVERY( TPSVCINFO *rqst );
void STOCKLEVEL( TPSVCINFO *rqst );
void ORDERSTATUS( TPSVCINFO *rqst );

#ifdef __cplusplus
}
#endif

```

tuxmain.c

```

/* FILE: TUXMAIN.C
* Microsoft TPC-C Kit Ver. 4.20.000
* Copyright Microsoft, 1999
* All Rights Reserved
*
* Version 4.10.000 audited by
Richard Gimarc, Performance Metrics, 3/17/99
*
* PURPOSE: Implementation for TPC-C Tuxedo server.
* Contact: Charles Levine (clevine@microsoft.com)
*
* Change history:
* 4.20.000 - updated rev number to match kit
*/

```

```

#include <stdio.h>
#include <xa.h>
#include <atmi.h>

```

```
#ifdef __cplusplus
```

```

extern "C" {
#ifdef __cplusplus
extern int _tmrunserver _((int));
extern void DELIVERY _((TPSVCINFO *));
extern void NEWORDER _((TPSVCINFO *));
extern void ORDERSTATUS _((TPSVCINFO *));
extern void PAYMENT _((TPSVCINFO *));
extern void STOCKLEVEL _((TPSVCINFO *));
#endif
}

static struct tmdspcttbl_t_tmdspcttbl[] = {
    { "DELIVERY", "DELIVERY", (void *) _((TPSVCINFO *))
DELIVERY, 0, 0 },
    { "NEWORDER", "NEWORDER", (void *) _((TPSVCINFO *))
NEWORDER, 1, 0 },
    { "ORDERSTATUS", "ORDERSTATUS", (void *) _((TPSVCINFO
*)) ORDERSTATUS, 2, 0 },
    { "PAYMENT", "PAYMENT", (void *) _((TPSVCINFO *))
PAYMENT, 3, 0 },

```

```

        { "STOCKLEVEL", "STOCKLEVEL", (void (*) _)((TPSVCFINFO
*)) STOCKLEVEL, 4, 0 },
        { NULL, NULL, NULL, 0, 0 }
};

```

```

#ifndef _TMDLLIMPORT
#define _TMDLLIMPORT
#endif

```

```

_TMDLLIMPORT extern struct xa_switch_t tnull_switch;

```

```

struct tmsvargs_t tmsvargs = {
    NULL,
    &tmdsptchbl[0],
    0,
    tpsvrinit,
    tpsvrdone,
    _tmrunserver, /* PRIVATE */
    NULL, /* RESERVED */
    NULL, /* RESERVED */
    NULL, /* RESERVED */
    NULL /* RESERVED */
};

```

```

struct tmsvargs_t *
#ifdef _TMPROTOTYPES
_tmgetsvargs(void)
#else
_tmgetsvargs()
#endif
{
    tmsvargs.xa_switch = &tnull_switch;
    return(&tmsvargs);
}

```

```

int
#ifdef _TMPROTOTYPES
main(int argc, char **argv)
#else
main(argc,argv)
int argc;
char **argv;
#endif
{
#ifdef TMMAINEXIT
#include "mainexit.h"
#endif

    return(_tmstartserver( argc, argv, _tmgetsvargs()));
}

```

txn_base.h

```

/* FILE: TXN_BASE.H
 * Microsoft TPC-C Kit Ver. 4.20.000
 * Copyright Microsoft, 1999
 * All Rights Reserved
 *
 * Version 4.10.000 audited by
Richard Gimarc, Performance Metrics, 3/17/99
 *
 * PURPOSE: Header file for TPC-C txn class
implementation.
 *
 * Change history:
 * 4.20.000 - updated rev number to match kit
 */
#pragma once

```

```

// need to declare functions for import, unless define has already been created
// by the DLL's .cpp module for export.

```

```

#ifndef DllDecl
#define DllDecl __declspec( dllimport )
#endif

```

```

class DllDecl CTPCC_BASE

```

```

{
    public:
        CTPCC_BASE(void) { };
        virtual ~CTPCC_BASE(void) { };

        virtual PNEW_ORDER_DATA
BuffAddr_NewOrder() = 0;
        virtual PPAYMENT_DATA
BuffAddr_Payment() = 0;
        virtual PDELIVERY_DATA
BuffAddr_Delivery() = 0;
        virtual PSTOCK_LEVEL_DATA BuffAddr_StockLevel()
= 0;
        virtual PORDER_STATUS_DATA
BuffAddr_OrderStatus() = 0;

        virtual void NewOrder() = 0;
        virtual void Payment() = 0;
        virtual void Delivery() = 0;
        virtual void StockLevel() = 0;
        virtual void OrderStatus() = 0;
};

```

txnlog.h

```

/* FILE: TXNLOG.H
 * Microsoft TPC-C Kit Ver. 4.10.000
 *
 * NOTE: this file is RTE specific and
should not be included
 * in Full Disclosure Reports.
 *
 * Copyright Microsoft, 1999
 *
 * PURPOSE: Structure definitions for logging delivery txn
completion stats.
 * Contact: Charles Levine (clevine@microsoft.com)
 */

```

```

typedef struct _TXN_NEWORDER

```

```

{
    BYTE OL_Count; //range 0 to 31
    BYTE OL_Remote_Count; //range 0 to 31
    WORD c_id;
    int o_id;
} TXN_NEWORDER;

```

```

typedef struct _TXN_PAYMENT

```

```

{
    BYTE CustByName;
    BYTE IsRemote;
} TXN_PAYMENT;

```

```

typedef struct _TXN_ORDERSTATUS

```

```

{
    BYTE CustByName;
} TXN_ORDERSTATUS;

```

```

typedef union _TXN_DETAILS

```

```

{

```

```

TXN_NEWORDER NewOrder;
TXN_PAYMENT Payment;
TXN_ORDERSTATUS OrderStatus;
} TXN_DETAILS;

// Common header for all records in txn log. The TxnType field is
// a switch which identifies the particular variant.
#define TXN_REC_TYPE_CONTROL 1 //

#define TXN_REC_TYPE_TPCC 2 //
// replaces TRANSACTION_TYPE_TPCC
#define TXN_REC_TYPE_TPCC_DELIV_DEF 3 //

typedef struct _TXN_RECORD_HEADER
{
    JULIAN_TIME TxnStartT0; //
start of txn
    BYTE TxnType; // one of
TXN_REC_TYPE_*
    BYTE TxnSubType; //
depends on TxnType
} TXN_RECORD_HEADER, *PTXN_RECORD_HEADER;

typedef struct _TXN_RECORD_CONTROL
{
    // common header; must exactly match
TXN_RECORD_HEADER
    JULIAN_TIME TxnStartT0; //
start of txn
    BYTE TxnType; // =
TXN_REC_TYPE_CONTROL
    BYTE TxnSubType; //
depends on TxnType
// end of common header

    DWORD Len; //
number of bytes after this field
} TXN_RECORD_CONTROL, *PTXN_RECORD_CONTROL;

// TPC-C Txn Record Layout:
//
//TxnStartT0' is a Julian timestamp corresponding to the moment the
//txn is sent to the SUT, i.e., beginning of response time. Deltas
//are in milliseconds. Note that if RTDelay > 0, then the txn was
//delayed by this amount. The delay occurs at the beginning of the
//response time. So if RTDelay > 0, then the txn was actually sent
//at TxnStartT0 + RTDelay.
//
//Graphically:
//
// time -->
//
// |--- Menu ---|--- Keying ---|--- Response ---|--- Think ---|
// <- DeltaT1 -> <- DeltaT2 -> <- DeltaT4 -> <- DeltaT3 ->
// ^
// ^ TxnStartT0
//
//RTDelay is the amount of response time delay included in DeltaT4.
//RTDelay is recorded per txn because this value can be changed on
//the fly, and so may vary from txn to txn.
//
//TxnStatus is the txn completion code. It is used to indicate errors.
//For example, in the New Order txn, 1% of txns abort. TxnStatus will
//reflect this.

typedef struct _TXN_RECORD_TPCC
{
    // common header; must exactly match
TXN_RECORD_HEADER
    JULIAN_TIME TxnStartT0; //
start of txn
    BYTE TxnType; // =
TXN_REC_TYPE_TPCC_DELIV_DEF
    BYTE TxnSubType; //
= 0
// end of common header

    int DeltaT4; // response time (ms)
    int DeltaTxnExec; // execution
time (ms)
    WORD w_id; // warehouse
ID
    BYTE TxnStatus; // completion status for
txn to indicate errors
    BYTE reserved; // for word alignment
    short o_carrier_id; // carrier id
    long o_id[10]; // returned delivery
transaction ids
} TXN_RECORD_TPCC_DELIV_DEF,
*PTXN_RECORD_TPCC_DELIV_DEF;

#define TXN_LOG_VERSION 1
#define TXN_DATA_START 4096 // offset in
log file where log records start
#define TXN_LOG_EYE_CATCHER "BC" // signature
bytes at the start of log file

```

```

////////////////////////////////////
// The transaction log has a header as the first 4K block.
//
typedef struct _TXN_LOG_HEADER
{
    char                EyeCatcher[2]; // FindBestInterval, where the log is scanned repeatedly.
    int                 LogVersion;    JULIAN_TIME                SavePtTime;
    // set to TXN_LOG_VERSION          int
    JULIAN_TIME         BeginTxnTS;    iSavePtFilePointer;
    // timestamp of first (lowest) txn start int
    JULIAN_TIME         EndTxnTS;     iSavePtNextRec;
    // timestamp of last (highest) txn completion time
    int                 iRecCount;     JULIAN_TIME                lastTS;
    // number of records in log file     //when writing sorted output, used to verify records are sorted
    BOOL                bLogSorted;    BOOL                        bWrite;
    // file size in bytes                //writing log file
    int                 iFileSize;     BOOL                        bLogSorted;
    // the record map provides a fast way to get close to a // is log file sorted? applies to both input and output
    particular timestamp in a sorted log file.             JULIAN_TIME                BeginTxnTS;
    // struct                            // timestamp of first (lowest) txn start
    // {                                  JULIAN_TIME                EndTxnTS;
    //     JULIAN_TIME                    // timestamp of last (highest) txn completion time
    //     TS;                            int
    // timestamp of record                // number of records in log file
    int
    // byte position in file
    iPos;
    // }
    RecMap[RecMapSize];
    // #define RecMapSize                200
} TXN_LOG_HEADER, *PTXN_LOG_HEADER;

#define READ_BUFFER_SIZE                64*1024
#define WRITE_BUFFER_SIZE               8*1024

#define NUM_READ_BUFFERS                 1
#define NUM_WRITE_BUFFERS                2
#define MAX_NUM_BUFFERS                  2

// flags passed in to the constructor
#define TXN_LOG_WRITE                     0x01
#define TXN_LOG_READ                      0x02
#define TXN_LOG_SORTED                   0x04

#define TXN_LOG_OS_ERROR                  1
#define TXN_LOG_NOT_SORTED                2

#define SKIP_CTRL_RECS                    1

class CTxnLog
{
private:
    DWORD                iBufferSize;
//buffer allocated size
    DWORD                iBytesFreeInBuffer;
//total bytes available for use in buffer
    int                 iNumBuffers;
//buffers in use
    int                 iActiveBuffer;
//indicates which buffer is active: 0 or 1
    int                 iIoBuffer;
//buffer for any pending IO operation
    int                 iFilePointer;
//position in file.
    int                 iNextRec;
//when reading, ordinal value of next record

    // A "save point" is remembered each time GetNextRecord
    is called with a start time specified.
    // The next time it is called, if start time is after the save
    point, we start scanning from the
    // save point. This is particularly useful in
    // FindBestInterval, where the log is scanned repeatedly.
    JULIAN_TIME                SavePtTime;
    int
    iSavePtFilePointer;
    int
    iSavePtNextRec;
    JULIAN_TIME                lastTS;
    //when writing sorted output, used to verify records are sorted
    BOOL                        bWrite;
    //writing log file
    BOOL                        bLogSorted;
    // is log file sorted? applies to both input and output
    JULIAN_TIME                BeginTxnTS;
    // timestamp of first (lowest) txn start
    JULIAN_TIME                EndTxnTS;
    // timestamp of last (highest) txn completion time
    int
    iRecCount;
    // number of records in log file
    BYTE                        *pCurrent;
//ptr to current buffer
    BYTE                        *pBuffer[MAX_NUM_BUFFERS];
    PTXN_RECORD_HEADER         *TxnArray;
//transaction record pointer array for sort
    DWORD                        dwError;
    HANDLE                       hTxnFile;
//handle to log file
    HANDLE                       hMapFile;
//map file used when sorting the log
    HANDLE                       hIoComplete;
//event to signify that there are no pending IOs
    HANDLE                       hLogFileIo;
//event to signal the IO thread to write the inactive buffer
    Spinlock Spin;
//spin lock to protect the txn log file buffers
    int Write(BYTE *ptr, DWORD Size);
    static void LogFileIO(CTxnLog *);
public:
    CTxnLog::CTxnLog(LPCTSTR szFileName, DWORD
dwOpts);
    ~CTxnLog(void);
    int WriteToLog(PTXN_RECORD_TPCC pTxnRcrd);
    int WriteToLog(PTXN_RECORD_TPCC_DELIV_DEF
pTxnRcrd);
    int WriteToLog(PTXN_RECORD_CONTROL pCtrlRec);
    int WriteToLog(PTXN_RECORD_HEADER pCtrlRec);
    int WriteCtrlRecToLog(BYTE SubType, LPTSTR lpStr,
DWORD dwLen);
    void CloseTransactionLogFile(void);
    PTXN_RECORD_HEADER GetNextRecord(BOOL
bSkipCtrlRecs = FALSE);
    PTXN_RECORD_HEADER
GetNextRecord(JULIAN_TIME SeekTimeT0, BOOL bSkipCtrlRecs = FALSE);

```



```

int Sort(void);
PTXN_RECORD_HEADER GetSortedRecord(int index);

inline BOOL IsSorted(void) { return bLogSorted; };
inline JULIAN_TIME BeginTS(void) { return

BeginTxnTS; };
};
};

inline JULIAN_TIME EndTS(void) { return EndTxnTS;

};

inline int RecordCount(void) { return iRecCount; };

class CTXNLOG_ERR : public CBaseErr
{
public:
enum CTPCC_DBLIB_ERRS
{
ERR_BAD_FILE_FORMAT = 1,
"File format is invalid."
ERR_UNKNOWN_LOG_VERSION,
"Log file version is unknown."
ERR_BROKEN_LOG_FILE,
"Log file is broken."
ERR_LOG_NOT_SORTED,
// "Log file is not sorted"
ERR_INVALID_TIME_SEQ,
"Internal Error: Record Time Sequence invalid."
};

CTXNLOG_ERR( int iErr ) { m_erno = iErr; };

int m_erno;

int ErrorType() {return ERR_TYPE_TXNLOG;};
int ErrorNum() {return m_erno;};

// TODO: need to complete...
char *ErrorText() {return "";};
};

```

webclnt.dsp

```

# Microsoft Developer Studio Project File - Name="webclnt" - Package
Owner=<4>
# Microsoft Developer Studio Generated Build File, Format Version 5.00
# ** DO NOT EDIT **

# TARGETTYPE "Win32 (x86) Application" 0x0101

CFG=webclnt - Win32 Release
!MESSAGE This is not a valid makefile. To build this project using NMAKE,
!MESSAGE use the Export Makefile command and run
!MESSAGE
!MESSAGE NMAKE /f "Webclnt.mak".
!MESSAGE
!MESSAGE You can specify a configuration when running NMAKE
!MESSAGE by defining the macro CFG on the command line. For example:
!MESSAGE
!MESSAGE NMAKE /f "Webclnt.mak" CFG="webclnt - Win32 Release"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "webclnt - Win32 Release" (based on "Win32 (x86) Application")
!MESSAGE "webclnt - Win32 Debug" (based on "Win32 (x86) Application")
!MESSAGE

# Begin Project
# PROP Scc_ProjName ""
# PROP Scc_LocalPath ""
CPP=cl.exe

```

```

MTL=midl.exe
RSC=rc.exe

!IF "$(CFG)" == "webclnt - Win32 Release"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir ".\Release"
# PROP BASE Intermediate_Dir ".\Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir ".\Release"
# PROP Intermediate_Dir ".\Release"
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D
"_WINDOWS" /YX /c
# ADD CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D
"_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "NDEBUG" /win32
# ADD MTL /nologo /D "NDEBUG" /mktyplib203 /win32
# ADD BASE RSC /1 0x409 /d "NDEBUG"
# ADD RSC /1 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbccp32.lib
odbccp32.lib /nologo /subsystem:windows /machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbccp32.lib
/nologo /subsystem:windows /machine:I386

!ELSEIF "$(CFG)" == "webclnt - Win32 Debug"

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir ".\Debug"
# PROP BASE Intermediate_Dir ".\Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir ".\Debug"
# PROP Intermediate_Dir ".\Debug"
# PROP Target_Dir ""
# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32" /D "_DEBUG"
/D "_WINDOWS" /YX /c
# ADD CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32" /D "_DEBUG" /D
"_WINDOWS" /YX /FD /c
# ADD BASE MTL /nologo /D "_DEBUG" /win32
# ADD MTL /nologo /D "_DEBUG" /mktyplib203 /win32
# ADD BASE RSC /1 0x409 /d "_DEBUG"
# ADD RSC /1 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbccp32.lib
odbccp32.lib /nologo /subsystem:windows /debug /machine:I386
# ADD LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib comdlg32.lib
advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbccp32.lib
/nologo /subsystem:windows /debug /machine:I386

!ENDIF

# Begin Target

# Name "webclnt - Win32 Release"
# Name "webclnt - Win32 Debug"

```

```
# End Target
# End Project
```

webclnt.dsw

```
Microsoft Developer Studio Workspace File, Format Version 6.00
# WARNING: DO NOT EDIT OR DELETE THIS WORKSPACE FILE!
```

```
#####
#####
```

```
Project: "db_dblib_dll"=.\db_dblib_dll\db_dblib_dll.dsp - Package Owner=<4>
```

```
Package=<5>
{{{
}}}
```

```
Package=<4>
{{{
}}}
```

```
#####
#####
```

```
Project: "db_odbc_dll"=.\db_odbc_dll\db_odbc_dll.dsp - Package Owner=<4>
```

```
Package=<5>
{{{
}}}
```

```
Package=<4>
{{{
}}}
```

```
#####
#####
```

```
Project: "install"=.\install\install.dsp - Package Owner=<4>
```

```
Package=<5>
{{{
}}}
```

```
Package=<4>
{{{
```

```
    Begin Project Dependency
    Project_Dep_Name isapi_dll
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name tuxapp
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name db_dblib_dll
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name db_odbc_dll
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name tm_com_dll
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name tm_tuxedo_dll
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name tpcc_com_all
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name tpcc_com_ps
    End Project Dependency
}}
```

```
}}}
```

```
#####
#####
```

```
Project: "isapi_dll"=.\isapi_dll\isapi_dll.dsp - Package Owner=<4>
```

```
Package=<5>
{{{
}}}
```

```
Package=<4>
{{{
```

```
    Begin Project Dependency
    Project_Dep_Name db_dblib_dll
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name db_odbc_dll
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name tm_tuxedo_dll
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name tm_com_dll
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name tm_encina_dll
    End Project Dependency
}}}
```

```
#####
#####
```

```
Project: "tm_com_dll"=.\tm_com_dll\tm_com_dll.dsp - Package Owner=<4>
```

```
Package=<5>
{{{
}}}
```

```
Package=<4>
{{{
```

```
    Begin Project Dependency
    Project_Dep_Name tpcc_com_ps
    End Project Dependency
    Begin Project Dependency
    Project_Dep_Name tpcc_com_all
    End Project Dependency
}}}
```

```
#####
#####
```

```
Project: "tm_encina_dll"=.\tm_encina_dll\tm_encina_dll.dsp - Package Owner=<4>
```

```
Package=<5>
{{{
}}}
```

```
Package=<4>
{{{
}}}
```

```
#####
#####
```

```
Project: "tm_tuxedo_dll"=.\tm_tuxedo_dll\tm_tuxedo_dll.dsp - Package Owner=<4>
```

```
Package=<5>
{{{
```

```

}}}

Package=<4>
{{{
}}}

#####
#####

Project: "tpcc_com_all"=. \tpcc_com_all\tpcc_com_all.dsp - Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name tpcc_com_ps
  End Project Dependency
}}}

#####
#####

Project: "tpcc_com_ps"=. \tpcc_com_ps\tpcc_com_ps.dsp - Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
}}}

#####
#####

Project: "tuxapp"=. \tuxapp\tuxapp.dsp - Package Owner=<4>

Package=<5>
{{{
}}}

Package=<4>
{{{
  Begin Project Dependency
  Project_Dep_Name db_dblib_dll
  End Project Dependency
  Begin Project Dependency
  Project_Dep_Name db_odbc_dll
  End Project Dependency
}}}

#####
#####

Global:

Package=<5>
{{{
}}}

Package=<3>
{{{
}}}

#####
#####

```

Stored Procedures

neword.sql

```

-- File:  NEWORD.SQL
--       Microsoft TPC-C Benchmark Kit Ver. 4.22
--       Copyright Microsoft, 2001
-- Purpose:  Creates new order transaction stored procedure
--
--       Interface Level: 4.10.000

use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_neworder" )
drop procedure tpcc_neworder
go

create proc tpcc_neworder

                                     @w_id      smallint,
                                     @d_id      tinyint,
                                     @c_id      int,
                                     @o_ol_cnt  tinyint,
                                     @o_all_local tinyint,
                                     @i_id1     int = 0,

@s_w_id1 smallint = 0, @ol_qty1 smallint = 0,
                                     @i_id2     int = 0,

@s_w_id2 smallint = 0, @ol_qty2 smallint = 0,
                                     @i_id3     int = 0,

@s_w_id3 smallint = 0, @ol_qty3 smallint = 0,
                                     @i_id4     int = 0,

@s_w_id4 smallint = 0, @ol_qty4 smallint = 0,
                                     @i_id5     int = 0,

@s_w_id5 smallint = 0, @ol_qty5 smallint = 0,
                                     @i_id6     int = 0,

@s_w_id6 smallint = 0, @ol_qty6 smallint = 0,
                                     @i_id7     int = 0,

@s_w_id7 smallint = 0, @ol_qty7 smallint = 0,
                                     @i_id8     int = 0,

@s_w_id8 smallint = 0, @ol_qty8 smallint = 0,
                                     @i_id9     int = 0,

@s_w_id9 smallint = 0, @ol_qty9 smallint = 0,
                                     @i_id10    int = 0,

@s_w_id10 smallint = 0, @ol_qty10 smallint = 0,
                                     @i_id11    int = 0,

@s_w_id11 smallint = 0, @ol_qty11 smallint = 0,
                                     @i_id12    int = 0,

@s_w_id12 smallint = 0, @ol_qty12 smallint = 0,
                                     @i_id13    int = 0,

@s_w_id13 smallint = 0, @ol_qty13 smallint = 0,
                                     @i_id14    int = 0,

@s_w_id14 smallint = 0, @ol_qty14 smallint = 0,
                                     @i_id15    int = 0,

@s_w_id15 smallint = 0, @ol_qty15 smallint = 0

as
declare  @w_tax      numeric(4,4),
         @d_tax      numeric(4,4),
         @c_last     char(16),
         @c_credit   char(2),
         @c_discount numeric(4,4),
         @i_price    numeric(5,2),
         @i_name     char(24),
         @i_data     char(50),
         @o_entry_d  datetime,
         @remote_flag int,
         @s_quantity smallint,
         @s_data     char(50),

```

```

@s_dist char(24),
        @li_no int,
        @o_id int,
        @commit_flag tinyint,
@li_id int,
@li_s_w_id smallint,
@li_qty smallint,
        @ol_number int,
        @c_id_local int

begin

begin transaction n

-- get district tax and next available order id and update
-- plus initialize local variables

        update district
        set @d_tax = d_tax,
            @o_id = d_next_o_id,
            d_next_o_id = d_next_o_id + 1,
            @o_entry_d = getdate(),
            @li_no = 0,
            @commit_flag = 1
        where d_w_id = @w_id and
              d_id = @d_id

-- process orderlines

        while (@li_no < @o_ol_cnt)
        begin

                select @li_no = @li_no + 1

-- set i_id, s_w_id, and qty for this lineitem

                select @li_id = case @li_no
                        when 1 then @i_id1
                        when 2 then @i_id2
                        when 3 then @i_id3
                        when 4 then @i_id4
                        when 5 then @i_id5
                        when 6 then @i_id6
                        when 7 then @i_id7
                        when 8 then @i_id8
                        when 9 then @i_id9
                        when 10 then @i_id10
                        when 11 then @i_id11
                        when 12 then @i_id12
                        when 13 then @i_id13
                        when 14 then @i_id14
                        when 15 then @i_id15
                        end,

                        @li_s_w_id = case @li_no
                        when 1 then @s_w_id1
                        when 2 then @s_w_id2
                        when 3 then @s_w_id3
                        when 4 then @s_w_id4
                        when 5 then @s_w_id5
                        when 6 then @s_w_id6
                        when 7 then @s_w_id7
                        when 8 then @s_w_id8
                        when 9 then @s_w_id9
                        when 10 then @s_w_id10
                        when 11 then @s_w_id11
                        when 12 then @s_w_id12
                        when 13 then @s_w_id13
                        when 14 then @s_w_id14
                        when 15 then @s_w_id15
                        end,

                        @li_qty = case @li_no
                        when 1 then @ol_qty1
                        when 2 then @ol_qty2
                        when 3 then @ol_qty3
                        when 4 then @ol_qty4
                        when 5 then @ol_qty5
                        when 6 then @ol_qty6
                        when 7 then @ol_qty7
                        when 8 then @ol_qty8
                        when 9 then @ol_qty9
                        when 10 then @ol_qty10
                        when 11 then @ol_qty11
                        when 12 then @ol_qty12
                        when 13 then @ol_qty13
                        when 14 then @ol_qty14
                        when 15 then @ol_qty15
                        end

-- get item data (no one updates item)

                select @i_price = i_price,
                       @i_name = i_name,
                       @i_data = i_data
                from item (tablock repeatableread)
                where i_id = @li_id

-- update stock values

                update stock
                set s_ytd = s_ytd + @li_qty,
                    @s_quantity = s_quantity - @li_qty +
                    case
                    when (s_quantity - @li_qty < 10) then 91 else 0 end,
                    s_order_cnt = s_order_cnt + 1,
                    s_remote_cnt = s_remote_cnt + case
                    when (@li_s_w_id = @w_id) then 0 else 1 end,
                    @s_data = s_data,
                    @s_dist = case @d_id
                    when 1 then s_dist_01
                    when 2 then s_dist_02
                    when 3 then s_dist_03
                    when 4 then s_dist_04
                    when 5 then s_dist_05
                    when 6 then s_dist_06
                    when 7 then s_dist_07
                    when 8 then s_dist_08
                    when 9 then s_dist_09
                    when 10 then
                    s_dist_10
                    end
                where s_i_id = @li_id and
                      s_w_id = @li_s_w_id

-- if there actually is a stock (and item) with these ids, go to work

                if (@@rowcount > 0)
                begin

-- insert order_line data (using data from item and stock)

                        insert into order_line values(@o_id,
                                                        @d_id,
                                                        @w_id,
                                                        @li_no,
                                                        @li_id,

```

```

@li_s_w_id,
1899",

* @li_qty,

-- send line-item data to client
                select      @i_name,
                           @s_quantity,
                           b_g = case when (
(patindex("%ORIGINAL%",@i_data) > 0) and
(patindex("%ORIGINAL%",@s_data) > 0) )
                           then "B" else "G" end,
                           @i_price,
                           @i_price * @li_qty
                end
                else
                begin

-- no item (or stock) found - triggers rollback condition
                select "",0,"",0,0
                select @commit_flag = 0

                end
                end

-- get customer last name, discount, and credit rating
                select      @c_last   = c_last,
                           @c_discount = c_discount,
                           @c_credit  = c_credit,
                           @c_id_local = c_id
                from        customer (repeatableread)
                where      c_id        = @c_id and
                           c_w_id     = @w_id and
                           c_d_id     = @d_id

-- insert fresh row into orders table
                insert into orders values (      @o_id,
                                                @d_id,
                                                @w_id,
                                                @c_id_local,
                                                @o_entry_d,
                                                0,
                                                @o_ol_cnt,
                                                @o_all_local)

-- insert corresponding row into new-order table
                insert into new_order values (   @o_id,
                                                @d_id,
                                                @w_id)

-- select warehouse tax
                select      @w_tax   = w_tax
                from        warehouse (repeatableread)
                where      w_id      = @w_id

                if (@commit_flag = 1)
                    commit transaction n

```

```

else
"dec 31, -- all that work for nuthin!!!
@li_qty,                rollback transaction n
@i_price -- return order data to client
@s_dist)                select      @w_tax,
                           @d_tax,
                           @o_id,
                           @c_last,
                           @c_discount,
                           @c_credit,
                           @o_entry_d,
                           @commit_flag
                end
                go

```

payment.sql

```

-- File: PAYMENT.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates payment transaction stored procedure
--
-- Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_payment" )
    drop procedure tpcc_payment
go

create proc tpcc_payment      @w_id      smallint,
                             @c_w_id   smallint,
                             @h_amount numeric(6,2),
                             @d_id     tinyint,
                             @c_d_id   tinyint,
                             @c_id     int,
                             @c_last   char(16) = ""
as
declare @w_street_1 char(20),
        @w_street_2 char(20),
        @w_city     char(20),
        @w_state    char(2),
        @w_zip      char(9),
        @w_name     char(10),
        @d_street_1 char(20),
        @d_street_2 char(20),
        @d_city     char(20),
        @d_state    char(2),
        @d_zip      char(9),
        @d_name     char(10),
        @c_first    char(16),
        @c_middle   char(2),
        @c_street_1 char(20),
        @c_street_2 char(20),
        @c_city     char(20),
        @c_state    char(2),
        @c_zip      char(9),
        @c_phone    char(16),
        @c_since    datetime,
        @c_credit   char(2),

```

```

@c_credit_lim numeric(12,2),
@c_balance   numeric(12,2),
@c_discount  numeric(4,4),
@data       char(500),
@c_data     char(500),
@datetime   datetime,
@w_ytd      numeric(12,2),
@d_ytd      numeric(12,2),
@cnt        smallint,
@val        smallint,
@screen_data char(200),
  @d_id_local tinyint,
  @w_id_local smallint,
  @c_id_local int

select @screen_data = ""

begin tran p

-- get payment date

      select      @datetime = getdate()

      if (@c_id = 0)
      begin

-- get customer id and info using last name

          select      @cnt = count(*)
          from        customer (repeatableread)
          where       c_last = @c_last and
                     c_w_id = @c_w_id and
                     c_d_id = @c_d_id

          select      @val = (@cnt + 1) / 2
          set         rowcount @val

          select      @c_id = c_id
          from        customer (repeatableread)
          where       c_last = @c_last and
                     c_w_id = @c_w_id and
                     c_d_id = @c_d_id

          order      by c_last, c_first

          set         rowcount 0

      end

-- get customer info and update balances

      update        customer
      set           @c_balance = c_balance = c_balance
      - @h_amount,
      c_payment_cnt = c_payment_cnt + 1,
      c_ytd_payment = c_ytd_payment + @h_amount,
      @c_first = c_first,
      @c_middle = c_middle,
      @c_last = c_last,
      @c_street_1 = c_street_1,
      @c_street_2 = c_street_2,
      @c_city = c_city,
      @c_state = c_state,
      @c_zip = c_zip,
      @c_phone = c_phone,
      @c_credit = c_credit,
      @c_credit_lim = c_credit_lim,
      @c_discount = c_discount,
      @c_since = c_since,
      @data = c_data,
      @c_id_local = c_id
      where        c_id = @c_id and

                                     c_w_id = @c_w_id and
                                     c_d_id = @c_d_id

-- if customer has bad credit get some more info

      if (@c_credit = "BC")
      begin

-- compute new info

          select @c_data = convert(char(5),@c_id) +
                           convert(char(4),@c_d_id) +
                           convert(char(5),@c_w_id) +
                           convert(char(4),@d_id) +
                           convert(char(5),@w_id) +
                           convert(char(19),@h_amount) +
                           substring(@data, 1, 458)

-- update customer info

          update        customer
          set           c_data = @c_data

          where        c_id = @c_id and
                     c_w_id = @c_w_id and
                     c_d_id = @c_d_id

          select      @screen_data = substring (@c_data,1,200)

      end

-- get district data and update year-to-date

      update        district
      set           d_ytd = d_ytd + @h_amount,
      @d_street_1 = d_street_1,
      @d_street_2 = d_street_2,
      @d_city = d_city,
      @d_state = d_state,
      @d_zip = d_zip,
      @d_name = d_name,
      @d_id_local = d_id
      where        d_w_id = @w_id and
      d_id = @d_id

-- get warehouse data and update year-to-date

      update        warehouse
      set           w_ytd = w_ytd + @h_amount,
      @w_street_1 = w_street_1,
      @w_street_2 = w_street_2,
      @w_city = w_city,
      @w_state = w_state,
      @w_zip = w_zip,
      @w_name = w_name,
      @w_id_local = w_id
      where        w_id = @w_id

-- create history record

      insert into history values (
                                     @c_id_local,
                                     @c_d_id,
                                     @c_w_id,
                                     @d_id_local,
                                     @w_id_local,
                                     @datetime,
                                     @h_amount,
                                     @w_name + " " +
      @d_name)
      commit tran p

```

```
-- return data to client
```

```
select    @c_id,  
         @c_last,  
         @datetime,  
         @w_street_1,  
         @w_street_2,  
         @w_city,  
         @w_state,  
         @w_zip,  
         @d_street_1,  
         @d_street_2,  
         @d_city,  
         @d_state,  
         @d_zip,  
         @c_first,  
         @c_middle,  
         @c_street_1,  
         @c_street_2,  
         @c_city,  
         @c_state,  
         @c_zip,  
         @c_phone,  
         @c_since,  
         @c_credit,  
         @c_credit_lim,  
         @c_discount,  
         @c_balance,  
         @screen_data
```

```
go
```

ordstat.sql

```
-- File:  ORDSTAT.SQL  
--      Microsoft TPC-C Benchmark Kit Ver. 4.22  
--      Copyright Microsoft, 2001  
-- Purpose:  Creates order status transaction stored procedure  
--  
--      Interface Level: 4.10.000
```

```
use tpcc  
go
```

```
if exists ( select name from sysobjects where name = "tpcc_orderstatus" )  
    drop procedure  tpcc_orderstatus
```

```
go
```

```
create proc tpcc_orderstatus    @w_id    smallint,  
                               @d_id    tinyint,  
                               @c_id    int,  
                               @c_last  char(16) = ""
```

```
as
```

```
declare @c_balance    numeric(12,2),  
        @c_first      char(16),  
        @c_middle     char(2),  
        @o_id         int,  
        @o_entry_d    datetime,  
        @o_carrier_id smallint,  
        @cnt          smallint
```

```
begin tran o
```

```
if (@c_id = 0)  
    begin
```

```
-- get customer id and info using last name
```

```
select    @cnt    = (count(*)+1)/2  
from      customer (repeatableread)  
where     c_last  = @c_last and  
         c_w_id  = @w_id and  
         c_d_id  = @d_id
```

```
set       rowcount @cnt
```

```
select    @c_id      = c_id,  
         @c_balance  = c_balance,  
         @c_first    = c_first,  
         @c_last     = c_last,  
         @c_middle   = c_middle  
from      customer (repeatableread)  
where     c_last     = @c_last and  
         c_w_id     = @w_id and  
         c_d_id     = @d_id  
order    by c_w_id, c_d_id, c_last, c_first
```

```
set       rowcount 0
```

```
end
```

```
else
```

```
begin
```

```
-- get customer info if by id
```

```
select    @c_balance  = c_balance,  
         @c_first    = c_first,  
         @c_middle   = c_middle,  
         @c_last     = c_last  
from      customer (repeatableread)  
where     c_id       = @c_id and  
         c_d_id     = @d_id and  
         c_w_id     = @w_id
```

```
select    @cnt    = @@rowcount
```

```
end
```

```
-- if no such customer
```

```
if (@cnt = 0)  
    begin  
        raiserror("Customer not found",18,1)  
        goto custnotfound
```

```
end
```

```
-- get order info
```

```
select    @o_id      = o_id,  
         @o_entry_d  = o_entry_d,  
         @o_carrier_id = o_carrier_id  
from      orders (serializable)  
where     o_c_id     = @c_id and  
         o_d_id     = @d_id and  
         o_w_id     = @w_id  
order    by o_id asc
```

```
-- select order lines for the current order
```

```
select    ol_supply_w_id,  
         ol_i_id,  
         ol_quantity,  
         ol_amount,  
         ol_delivery_d  
from      order_line (repeatableread)
```

```

        where    ol_o_id = @o_id and
                ol_d_id = @d_id and
                ol_w_id = @w_id

custnotfound:

commit tran o

-- return data to client

select    @c_id,
          @c_last,
          @c_first,
          @c_middle,
          @o_entry_d,
          @o_carrier_id,
          @c_balance,
          @o_id

go

delivery.sql

-- File: DELIVERY.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates delivery transaction stored procedure
--
-- Interface Level: 4.10.000

use tpcc
go

if exists (select name from sysobjects where name = "tpcc_delivery" )
    drop procedure tpcc_delivery
go

create proc tpcc_delivery    @w_id    smallint,
                            @o_carrier_id smallint
as

declare @d_id    tinyint,
        @o_id    int,
        @c_idnt,
        @total   numeric(12,2),
        @oid1    int,
        @oid2    int,
        @oid3    int,
        @oid4    int,
        @oid5    int,
        @oid6    int,
        @oid7    int,
        @oid8    int,
        @oid9    int,
        @oid10   int

select @d_id = 0

begin tran d

        while (@d_id < 10)
        begin

                select @d_id = @d_id + 1,
                       @total = 0,
                       @o_id = 0

                select    top 1

```

```

        @o_id    = no_o_id
        from    new_order (serializable uplock)
        where   no_w_id = @w_id and
                no_d_id = @d_id
        order   by no_o_id asc

        if (@@rowcount <> 0)
        begin

-- claim the order for this district

                delete    new_order
                where     no_w_id = @w_id and
                        no_d_id = @d_id and
                        no_o_id = @o_id

-- set carrier_id on this order (and get customer id)

                update    orders
                set       o_carrier_id =
@o_carrier_id,

                where    @c_id = o_c_id
                        o_w_id = @w_id

and

                o_d_id = @d_id and
                o_id = @o_id

-- set date in all lineitems for this order (and sum amounts)

                update    order_line
                set       ol_delivery_d = getdate(),
                        @total = @total +
ol_amount

                where    ol_w_id = @w_id

and

                ol_d_id = @d_id and
                ol_o_id = @o_id

-- accumulate lineitem amounts for this order into customer

                update    customer
                set       c_balance = c_balance + @total,
                        c_delivery_cnt =
c_delivery_cnt + 1

                where    c_w_id = @w_id

and

                c_d_id = @d_id and
                c_id = @c_id

        end

        select @oid1 = case @d_id when 1 then @o_id else @oid1 end,
               @oid2 = case @d_id when 2 then @o_id else @oid2 end,
               @oid3 = case @d_id when 3 then @o_id else @oid3 end,
               @oid4 = case @d_id when 4 then @o_id else @oid4 end,
               @oid5 = case @d_id when 5 then @o_id else @oid5 end,
               @oid6 = case @d_id when 6 then @o_id else @oid6 end,
               @oid7 = case @d_id when 7 then @o_id else @oid7 end,
               @oid8 = case @d_id when 8 then @o_id else @oid8 end,
               @oid9 = case @d_id when 9 then @o_id else @oid9 end,
               @oid10 = case @d_id when 10 then @o_id else @oid10 end

        end

commit tran d

-- return delivery data to client

select @oid1,
       @oid2,
       @oid3,

```



```

@oid4,
@oid5,
@oid6,
@oid7,
@oid8,
@oid9,
@oid10

```

```
go
```

stocklev.sql

```

-- File: STOCKLEV.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates stock level transaction stored procedure
--
-- Interface Level: 4.10.000

```

```
use tpcc
go
```

```
if exists (select name from sysobjects where name = "tpcc_stocklevel" )
drop procedure tpcc_stocklevel
```

```
go
```

```
create proc tpcc_stocklevel @w_id smallint,
                           @d_id tinyint,
                           @threshold smallint
as
```

```
declare @o_id_low int,
        @o_id_high int
```

```
select @o_id_low = (d_next_o_id - 20),
       @o_id_high = (d_next_o_id - 1)
from district
where d_w_id = @w_id and
      d_id = @d_id
```

```
select count(distinct(s_i_id))
from stock, order_line
where ol_w_id = @w_id and
      ol_d_id = @d_id and
      ol_o_id between @o_id_low and
                @o_id_high and
      s_w_id = ol_w_id and
      s_i_id = ol_i_id and
      s_quantity < @threshold
```

```
go
```

version.sql

```

-- File: VERSION.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Returns version level of TPC-C stored procs
-- Note: Always update the return value of this proc for
-- any interface changes or "must have" bug fixes.
--
-- The value returned by this SP defines the "interface level",
-- which must match between the stored procs and the client code.
-- The interface level may be down rev from the current kit. This
-- indicates that the interface hasn't changed since that version.

```

```
use tpcc
```

```
go
```

```
if exists ( select name from sysobjects where name = "tpcc_version" )
drop procedure tpcc_version
```

```
go
```

```
create proc tpcc_version
as
declare @version char(8)
```

```
begin
select @version = "4.10.000"
select @version as "Version"
```

```
end
```

```
go
```

null-txn.sql

```

-- TPC-C Null Txn Stored Procs
-- Microsoft TPC-C Kit
-- 8/17/99

```

```

-- This script will create stored procs which accept the same parameters and return
correctly formed
-- results sets to match the standard TPC-C stored procs. Of course, the advantage
is that these
-- stored procs place almost no load on SQL Server and do not require a database.

```

```

-- The purpose of these stored procs is to size and test the web client without the
need of a fully
-- scaled database.

```

```

drop proc tpcc_delivery
drop proc tpcc_neworder
drop proc tpcc_orderstatus
drop proc tpcc_payment
drop proc tpcc_stocklevel
drop proc tpcc_version
drop table order_line_null
go

```

```
create proc tpcc_delivery @w_id smallint,
```

```
@o_carrier_id smallint
as
```

```

declare @d_id tinyint,
        @o_id int,
        @c_id int,
        @total numeric(12,2),
        @oid1 int,
        @oid2 int,
        @oid3 int,
        @oid4 int,
        @oid5 int,
        @oid6 int,
        @oid7 int,
        @oid8 int,
        @oid9 int,
        @oid10 int

```

```
declare @delaytime varchar(30)
```

```

-- uniform random delay of 0 - 1 second; avg = 0.50
select @delaytime = '00:00:0' + cast(cast((rand()*1.00) as decimal(4,3)) as
char(5))

```

```

waitfor delay @delaytime

select 3001, 3001, 3001, 3001, 3001, 3001, 3001, 3001, 3001, 3001

GO

create proc tpcc_neworder

    @w_id      smallint,
    @d_id      tinyint,
    @c_id      int,
    @o_ol_cnt  tinyint,
    @o_all_local tinyint,
    @i_id1     int = 0,

    @i_id2     int = 0,

    @i_id3     int = 0,

    @i_id4     int = 0,

    @i_id5     int = 0,

    @i_id6     int = 0,

    @i_id7     int = 0,

    @i_id8     int = 0,

    @i_id9     int = 0,

    @i_id10    int = 0,

    @i_id11    int = 0,

    @i_id12    int = 0,

    @i_id13    int = 0,

    @i_id14    int = 0,

    @i_id15    int = 0,

    @s_w_id1   smallint = 0, @ol_qty1 smallint = 0,
    @s_w_id2   smallint = 0, @ol_qty2 smallint = 0,
    @s_w_id3   smallint = 0, @ol_qty3 smallint = 0,
    @s_w_id4   smallint = 0, @ol_qty4 smallint = 0,
    @s_w_id5   smallint = 0, @ol_qty5 smallint = 0,
    @s_w_id6   smallint = 0, @ol_qty6 smallint = 0,
    @s_w_id7   smallint = 0, @ol_qty7 smallint = 0,
    @s_w_id8   smallint = 0, @ol_qty8 smallint = 0,
    @s_w_id9   smallint = 0, @ol_qty9 smallint = 0,
    @s_w_id10  smallint = 0, @ol_qty10 smallint = 0,
    @s_w_id11  smallint = 0, @ol_qty11 smallint = 0,
    @s_w_id12  smallint = 0, @ol_qty12 smallint = 0,
    @s_w_id13  smallint = 0, @ol_qty13 smallint = 0,
    @s_w_id14  smallint = 0, @ol_qty14 smallint = 0,
    @s_w_id15  smallint = 0, @ol_qty15 smallint = 0

as
declare  @w_tax      numeric(4,4),
    @d_tax      numeric(4,4),
    @c_last     char(16),
    @c_credit   char(2),
    @c_discount numeric(4,4),
    @i_price    numeric(5,2),
    @i_name     char(24),
    @o_entry_d  datetime,
    @li_no      int,
    @o_id       int,
    @commit_flag tinyint,
    @li_id      int,
    @li_qty     smallint

declare @delaytime varchar(30)

begin
-- uniform random delay of 0 - 0.6 second; avg = 0.3
select @delaytime = '00:00:0' + cast(cast((rand()*0.60) as decimal(4,3)) as
char(5))
waitfor delay @delaytime

-- process orderlines

select @commit_flag = 1, @li_no = 0

```

```

while (@li_no < @o_ol_cnt)
begin

select @li_id = case @li_no
    when 1 then @i_id1
    when 2 then @i_id2
    when 3 then @i_id3
    when 4 then @i_id4
    when 5 then @i_id5
    when 6 then @i_id6
    when 7 then @i_id7
    when 8 then @i_id8
    when 9 then @i_id9
    when 10 then @i_id10
    when 11 then @i_id11
    when 12 then @i_id12
    when 13 then @i_id13
    when 14 then @i_id14
    when 15 then @i_id15
end

select @li_no = @li_no + 1
select @i_price = 23.45, @li_qty = @li_no

if (@li_id = 999999)
begin
select ",0",0,0
select @commit_flag = 0
end

else
begin
select 'Item Name blah',17,'G', @i_price, @i_price *
@li_qty
end

end

-- return order data to client

select  @w_tax = 0.1234,
    @d_tax = 0.0987,
    @o_id = 3001,
    @c_last = 'BAROUGHTABLE',
    @c_discount = 0.2198,
    @c_credit = 'GC',
    @o_entry_d = getdate()

select  @w_tax,
    @d_tax,
    @o_id,
    @c_last,
    @c_discount,
    @c_credit,
    @o_entry_d,
    @commit_flag

end

GO

create proc tpcc_orderstatus @w_id      smallint,

@d_id      tinyint,

@c_id      int,

@c_last    char(16) = "

```

```

as
declare @c_balance      numeric(12,2),
        @c_first       char(16),
        @c_middle      char(2),
        @o_id          int,
        @o_entry_d     datetime,
        @o_carrier_id  smallint,
        @ol_cnt       smallint

declare @delaytime varchar(30)

-- uniform random delay of 0 - 0.2 second; avg = 0.1
select @delaytime = '00:00:0' + cast(cast((rand()*0.20) as decimal(4,3)) as
char(5))
waitfor delay @delaytime

select
    @c_id      = 113,
    @c_balance = -10.00,
    @c_first  = '8YCodgytqCj8',
    @c_middle = 'OE',
    @c_last   = 'OUGHTOUGHTABLE',
    @o_id     = 3456,
    @o_entry_d = getdate(),
    @o_carrier_id = 1

select @ol_cnt = (rand() * 11) + 5
SET ROWCOUNT @ol_cnt

select
    ol_supply_w_id,
    ol_i_id,
    ol_quantity,
    ol_amount,
    ol_delivery_d
from order_line_null

select @c_id,
    @c_last,
    @c_first,
    @c_middle,
    @o_entry_d,
    @o_carrier_id,
    @c_balance,
    @o_id

GO

create proc tpcc_payment @w_id      smallint,
                        @c_w_id     smallint,
                        @h_amount    numeric(6,2),
                        @d_id        tinyint,
                        @c_d_id      tinyint,
                        @c_id        int,
                        @c_last      char(16) = "

as
declare @w_street_1 char(20),
        @w_street_2 char(20),
        @w_city     char(20),
        @w_state    char(2),
        @w_zip      char(9),

```

```

        @w_name     char(10),
        @d_street_1 char(20),
        @d_street_2 char(20),
        @d_city     char(20),
        @d_state    char(2),
        @d_zip      char(9),
        @d_name     char(10),
        @c_first    char(16),
        @c_middle   char(2),
        @c_street_1 char(20),
        @c_street_2 char(20),
        @c_city     char(20),
        @c_state    char(2),
        @c_zip      char(9),
        @c_phone    char(16),
        @c_since    datetime,
        @c_credit   char(2),
        @c_credit_lim numeric(12,2),
        @c_balance  numeric(12,2),
        @c_discount numeric(4,4),
        @data      char(500),
        @c_data    char(500),
        @datetime  datetime,
        @w_ytd     numeric(12,2),
        @d_ytd     numeric(12,2),
        @cnt       smallint,
        @val       smallint,
        @screen_data char(200),
        @d_id_local tinyint,
        @w_id_local  smallint,
        @c_id_local  int

declare @delaytime varchar(30)

-- uniform random delay of 0 - 0.3 second; avg = 0.15
select @delaytime = '00:00:0' + cast(cast((rand()*0.30) as decimal(4,3)) as
char(5))
waitfor delay @delaytime

select @screen_data = "

-- get customer info and update balances

select
    @d_street_1 = 'rqSHHakqyV',
    @d_street_2 = 'zZ98nW3BR2s',
    @d_city     = 'ArNr4GNFV9',
    @d_state    = 'aV',
    @d_zip      = '453511111'

-- get warehouse data and update year-to-date

select
    @w_street_1 = 'rqSHHakqyV',
    @w_street_2 = 'zZ98nW3BR2s',
    @w_city     = 'ArNr4GNFV9',
    @w_state    = 'aV',
    @w_zip      = '453511111'

select
    @c_id      = 123,
    @c_balance = -10000.00,
    @c_first   = 'KmR03Xureb',
    @c_middle  = 'OE',
    @c_last    = 'BAROUGHTBAR',
    @c_street_1 = 'QpGdOHjv8mR9vNI8V',
    @c_street_2 = 'dzKoCObBqbC3yu',
    @c_city    = 'zAKZXdc037FQxq',
    @c_state   = 'QA',
    @c_zip     = '700311111',

```

```

@c_phone    = '2967264064528555',
@c_credit   = 'GC',
@c_credit_lim = 50000.00,
@c_discount = 0.3069,
@c_since    = getdate(),
@datetime   = getdate()

-- return data to client

select @c_id,
       @c_last,
       @datetime,
       @w_street_1,
       @w_street_2,
       @w_city,
       @w_state,
       @w_zip,
       @d_street_1,
       @d_street_2,
       @d_city,
       @d_state,
       @d_zip,
       @c_first,
       @c_middle,
       @c_street_1,
       @c_street_2,
       @c_city,
       @c_state,
       @c_zip,
       @c_phone,
       @c_since,
       @c_credit,
       @c_credit_lim,
       @c_discount,
       @c_balance,
       @screen_data

GO

create proc tpcc_stocklevel @w_id          smallint,
                           @d_id          tinyint,
                           @threshold    smallint
as
declare @delaytime varchar(30)

-- uniform random delay of 0 - 3.6 second; avg = 1.8
select @delaytime = '00:00:0' + cast(cast((rand()*3.60) as decimal(4,3)) as
char(5))
waitfor delay @delaytime

select 49

GO

create proc tpcc_version
as
declare @version char(8)

begin
select @version = '4.10.000'
select @version as 'Version'
end

GO

```

```

CREATE TABLE order_line_null (
    [ol_i_id] [int] NOT NULL ,
    [ol_supply_w_id] [smallint] NOT NULL ,
    [ol_delivery_d] [datetime] NOT NULL ,
    [ol_quantity] [smallint] NOT NULL ,
    [ol_amount] [numeric](6, 2) NOT NULL
) ON [PRIMARY]
GO

insert into order_line_null values ( 101, 1, getdate(), 1, 123.45 )
insert into order_line_null values ( 102, 1, getdate(), 2, 123.45 )
insert into order_line_null values ( 103, 1, getdate(), 3, 123.45 )
insert into order_line_null values ( 104, 1, getdate(), 4, 123.45 )
insert into order_line_null values ( 105, 1, getdate(), 5, 123.45 )
insert into order_line_null values ( 106, 1, getdate(), 1, 123.45 )
insert into order_line_null values ( 107, 1, getdate(), 2, 123.45 )
insert into order_line_null values ( 108, 1, getdate(), 3, 123.45 )
insert into order_line_null values ( 109, 1, getdate(), 4, 123.45 )
insert into order_line_null values ( 110, 1, getdate(), 5, 123.45 )
insert into order_line_null values ( 111, 1, getdate(), 1, 123.45 )
insert into order_line_null values ( 112, 1, getdate(), 2, 123.45 )
insert into order_line_null values ( 113, 1, getdate(), 3, 123.45 )
insert into order_line_null values ( 114, 1, getdate(), 4, 123.45 )
insert into order_line_null values ( 115, 1, getdate(), 5, 123.45 )

GO

```

Appendix B: Database Design

Database Build

backup.sql

```
-- File: BACKUP.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates backup of tpcc database

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

dump database tpcc to tpccback1, tpccback2, tpccback3, tpccback4 with init, stat
= 1

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go
```

backupdev.sql

```
-- File: BACKUPDEVB.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates tpcc database Backup Devices

use master
go

-- create backup devices

exec sp_addumpdevice 'disk','tpccback1','Y:\tpccback1.dmp'
go
exec sp_addumpdevice 'disk','tpccback2','Y:\tpccback2.dmp'
go
exec sp_addumpdevice 'disk','tpccback3','Y:\tpccback3.dmp'
go
exec sp_addumpdevice 'disk','tpccback4','Y:\tpccback4.dmp'
go
```

createdb.sql

```
-- File: CREATEDB.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates tpcc database and backup files

use master
go

-- Create temporary table for timing

if exists ( select name from sysobjects where name = 'tpcc_timer' )
drop table tpcc_timer

go
```

```
create table tpcc_timer
(
    start_date char(30),
    end_date char(30)
)

insert into tpcc_timer values (0,0)
go

-- Store starting time

update tpcc_timer
set start_date = (select convert(char(30), getdate(),9))
go

-- create main database files

CREATE DATABASE tpcc
ON PRIMARY
( NAME = MSSQL_tpcc_root,
  FILENAME = "C:\MSSQL_tpcc_root.mdf",
  SIZE = 8MB,
  FILEGROWTH = 0),
FILEGROUP MSSQL_misc_fg
( NAME = MSSQL_misc1,
  FILENAME = "H:",
  SIZE = 7000MB,
  FILEGROWTH = 0),
( NAME = MSSQL_misc2,
  FILENAME = "J:",
  SIZE = 7000MB,
  FILEGROWTH = 0),
( NAME = MSSQL_misc3,
  FILENAME = "L:",
  SIZE = 7000MB,
  FILEGROWTH = 0),
FILEGROUP MSSQL_cs_fg
( NAME = MSSQL_cs1,
  FILENAME = "G:",
  SIZE = 14050MB,
  FILEGROWTH = 0),
( NAME = MSSQL_cs2,
  FILENAME = "I:",
  SIZE = 14050MB,
  FILEGROWTH = 0),
( NAME = MSSQL_cs3,
  FILENAME = "K:",
  SIZE = 14050MB,
  FILEGROWTH = 0)
LOG ON
( NAME =MSSQL_tpcc_log,
  FILENAME = "F:",
  SIZE =30000MB,
  FILEGROWTH =0)
COLLATE Latin1_General_BIN
go

-- Store ending time
update tpcc_timer
set end_date = (select convert(char(30), getdate(),9))
go

select "Elapsed time (in seconds): ", datediff(second,(select start_date from
tpcc_timer),(select end_date from tpcc_timer))

-- remove temporary table

if exists ( select name from sysobjects where name = 'tpcc_timer' )
drop table tpcc_timer
```

go

dbopt1.sql

```
-- File: DBOPT1.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Sets database options for data load
```

```
use master
go
```

```
exec sp_dboption tpcc,'select into/bulkcopy',true
exec sp_dboption tpcc,'trunc. log on chkpt.',true
exec sp_dboption tpcc,'torn page detection',false
go
```

```
use tpcc
go
```

```
checkpoint
go
```

dbopt2.sql

```
-- File: DBOPT2.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Resets database options after data load
```

```
sp_dboption tpcc,'select into/bulkcopy',FALSE
GO
```

```
sp_dboption tpcc,'trunc. log on chkpt.',FALSE
GO
```

```
USE tpcc
GO
```

```
CHECKPOINT
GO
```

```
sp_configure 'allow updates',1
GO
```

```
RECONFIGURE WITH OVERRIDE
GO
```

```
DECLARE @msg varchar(50)
```

```
--
--
-- OPTIONS FOR SQL SERVER 8.0
-- Set option values for user-defined indexes
--
```

```
SET @msg = ''
PRINT @msg
SET @msg = 'Setting SQL Server indexoptions'
PRINT @msg
SET @msg = ''
PRINT @msg
```

```
EXEC sp_indexoption'customer', 'DisallowPageLocks', TRUE
EXEC sp_indexoption'district', 'DisallowPageLocks', TRUE
EXEC sp_indexoption'warehouse', 'DisallowPageLocks', TRUE
EXEC sp_indexoption'stock', 'DisallowPageLocks', TRUE
EXEC sp_indexoption'order_line', 'DisallowRowLocks', TRUE
```

```
EXEC sp_indexoption'orders', 'DisallowRowLocks', TRUE
EXEC sp_indexoption'new_order', 'DisallowRowLocks', TRUE
EXEC sp_indexoption'item', 'DisallowRowLocks', TRUE
EXEC sp_indexoption'item', 'DisallowPageLocks', TRUE
GO
```

```
Print ''
Print '*****'
Print 'Pre-specified Locking Hierarchy:'
Print ' Lockflag = 0 ==> No pre-specified hierarchy'
Print ' Lockflag = 1 ==> Lock at Page-level then Table-level'
Print ' Lockflag = 2 ==> Lock at Row-level then Table-level'
Print ' Lockflag = 3 ==> Lock at Table-level'
Print ''
```

```
SELECT name,lockflags
FROM sysindexes
WHERE object_id('warehouse')= id OR
object_id('district') = id OR
object_id('customer') = id OR
object_id('stock') = id OR
object_id('orders') = id OR
object_id('order_line')= id OR
object_id('history') = id OR
object_id('new_order')= id OR
object_id('item') = id
ORDER BY lockflags asc
GO
```

```
sp_configure 'allow updates',0
GO
```

```
RECONFIGURE WITH OVERRIDE
GO
```

```
EXEC sp_dboption tpcc, 'auto update statistics',FALSE
EXEC sp_dboption tpcc, 'auto create statistics', FALSE
GO
```

```
EXEC sp_tableoption 'district', 'pintable',true
EXEC sp_tableoption 'warehouse', 'pintable',true
EXEC sp_tableoption 'new_order', 'pintable',true
EXEC sp_tableoption 'item', 'pintable',true
GO
```

idxcuscl.sql

```
-- File: IDXCUSCL.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates clustered index on customer table
```

```
use tpcc
go
```

```
declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)
```

```
if exists ( select name from sysindexes where name = 'customer_c1' )
drop index customer.customer_c1
```

```
create unique clustered index customer_c1 on customer(c_w_id, c_d_id, c_id)
on MSSQL_cs_fg
```

```
select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
```

```
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)
go
```

idxcusnc.sql

```
-- File: IDXCUSNC.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates non-clustered index on customer table
```

```
use tpcc
go
```

```
declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)
```

```
if exists ( select name from sysindexes where name = 'customer_nc1' )
drop index customer.customer_nc1
```

```
create unique nonclustered index customer_nc1 on customer(c_w_id, c_d_id,
c_last, c_first, c_id)
on MSSQL_cs_fg
```

```
select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)
```

```
go
```

idxdiscl.sql

```
-- File: IDXDISCL.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates clustered index on district table
```

```
use tpcc
go
```

```
declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)
```

```
if exists ( select name from sysindexes where name = 'district_c1' )
drop index district.district_c1
```

```
create unique clustered index district_c1 on district(d_w_id, d_id)
with fillfactor=100 on MSSQL_misc_fg
```

```
select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)
```

```
go
```

idxitmcl.sql

```
-- File: IDXITMCL.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
```

```
-- Copyright Microsoft, 2001
-- Purpose: Creates clustered index on item table
```

```
use tpcc
go
```

```
declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)
```

```
if exists ( select name from sysindexes where name = 'item_c1' )
drop index item.item_c1
```

```
create unique clustered index item_c1 on item(i_id)
on MSSQL_misc_fg
```

```
select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)
```

```
go
```

idxnodcl.sql

```
-- File: IDXNODCL.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates clustered index on new_order table
```

```
use tpcc
go
```

```
declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)
```

```
if exists ( select name from sysindexes where name = 'new_order_c1' )
drop index new_order.new_order_c1
```

```
create unique clustered index new_order_c1 on new_order(no_w_id, no_d_id,
no_o_id)
on MSSQL_misc_fg
```

```
select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)
```

```
go
```

idxodlcl.sql

```
-- File: IDXODLCL.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.22
-- Copyright Microsoft, 2001
-- Purpose: Creates clustered index on order_line table
```

```
use tpcc
go
```

```
declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
```

```

select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'order_line_c1' )
    drop index order_line.order_line_c1

create unique clustered index order_line_c1 on order_line(ol_w_id, ol_d_id,
ol_o_id, ol_number)
    on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

idxordcl.sql

```

-- File:  IDXORDCL.SQL
--      Microsoft TPC-C Benchmark Kit Ver. 4.22
--      Copyright Microsoft, 2001
-- Purpose:  Creates clustered index on orders table

use tpc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'orders_c1' )
    drop index orders.orders_c1

create unique clustered index orders_c1 on orders(o_w_id, o_d_id, o_id)
    on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

idxordnc.sql

```

-- File:  IDXORDNC.SQL
--      Microsoft TPC-C Benchmark Kit Ver. 4.22
--      Copyright Microsoft, 2001
-- Purpose:  Creates non-clustered index on orders table

use tpc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'orders_nc1' )
    drop index orders.orders_nc1

create index orders_nc1 on orders(o_w_id, o_d_id, o_c_id, o_id)
    on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)

```

```

select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

idxstkcl.sql

```

-- File:  IDXSTKCL.SQL
--      Microsoft TPC-C Benchmark Kit Ver. 4.22
--      Copyright Microsoft, 2001
-- Purpose:  Creates clustered index on stock table

use tpc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'stock_c1' )
    drop index stock.stock_c1

create unique clustered index stock_c1 on stock(s_i_id, s_w_id)
    on MSSQL_cs_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

idxwarcl.sql

```

-- File:  IDXWARCL.SQL
--      Microsoft TPC-C Benchmark Kit Ver. 4.22
--      Copyright Microsoft, 2001
-- Purpose:  Creates clustered index on warehouse table

use tpc
go

declare @startdate datetime
declare @enddate datetime
select @startdate = getdate()
select "Start date:", convert(varchar(30),@startdate,9)

if exists ( select name from sysindexes where name = 'warehouse_c1' )
    drop index warehouse.warehouse_c1

create unique clustered index warehouse_c1 on warehouse(w_id)
    with fillfactor=100 on MSSQL_misc_fg

select @enddate = getdate()
select "End date: ", convert(varchar(30),@enddate,9)
select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)

go

```

removedb.sql

```

-- File:  REMOVEDB.SQL
--      Microsoft TPC-C Benchmark Kit Ver. 4.22
--      Copyright Microsoft, 2001

```



```
-- Purpose: Removes tpcc database and backup files
```

```
use master  
go
```

```
-- remove any existing database and backup files
```

```
exec sp_dbremove tpcc, dropdev  
go
```

```
exec sp_dropdevice 'tpccback1'  
exec sp_dropdevice 'tpccback2'  
exec sp_dropdevice 'tpccback3'  
exec sp_dropdevice 'tpccback4'  
go
```

restore.sql

```
-- File: RESTORE.SQL  
-- Microsoft TPC-C Benchmark Kit Ver. 4.22  
-- Copyright Microsoft, 2001  
-- Purpose: Loads database backup from backup files
```

```
declare @startdate datetime  
declare @enddate datetime  
select @startdate = getdate()  
--select "Start date:", convert(varchar(30),@startdate,9)
```

```
load database tpcc from tpccback1, tpccback2, tpccback3, tpccback4 with stats =  
1
```

```
select @enddate = getdate()  
--select "End date:", convert(varchar(30),@enddate,9)  
--select "Elapsed time (in seconds): ", datediff(second, @startdate, @enddate)
```

```
go
```

RunSQLCfg.sql

```
/* TPC-C Benchmark Kit */  
/* */  
/* RUNSQLCFG.SQL */  
/* */  
/* This script file is used to set runtime server configuration parameters */  
/* */
```

```
exec sp_configure "show advanced option", 1  
go
```

```
reconfigure with override  
go
```

```
/* change this value to approximately the number of connected users */  
exec sp_configure "max worker threads",240
```

```
/* increase priority of user threads */  
exec sp_configure "priority boost",1
```

```
/* disable automatic checkpointing */  
exec sp_configure "recovery interval",56
```

```
/* change to a mask appropriate for the number of processors on the server */  
exec sp_configure "affinity mask",0x7
```

```
/* enable fibers */  
exec sp_configure "lightweight pooling",1
```

```
/* enable update */  
exec sp_configure "allow updates",1
```

```
/* set max degree of parallelism */  
exec sp_configure "max degree of parallelism",1
```

```
go
```

```
reconfigure with override  
go
```

sqlshutdown.sql

```
use tpcc  
go  
checkpoint  
go  
shutdown  
go
```

tables.sql

```
-- File: TABLES.SQL  
-- Microsoft TPC-C Benchmark Kit Ver. 4.22  
-- Copyright Microsoft, 2001  
-- Purpose: Creates TPC-C tables
```

```
use tpcc  
go
```

```
--  
-- Remove all existing TPC-C tables  
--
```

```
if exists ( select name from sysobjects where name = 'warehouse' )  
drop table warehouse
```

```
go  
if exists ( select name from sysobjects where name = 'district' )  
drop table district
```

```
go  
if exists ( select name from sysobjects where name = 'customer' )  
drop table customer
```

```
go  
if exists ( select name from sysobjects where name = 'history' )  
drop table history
```

```
go  
if exists ( select name from sysobjects where name = 'new_order' )  
drop table new_order
```

```
go  
if exists ( select name from sysobjects where name = 'orders' )  
drop table orders
```

```
go  
if exists ( select name from sysobjects where name = 'order_line' )  
drop table order_line
```

```
go  
if exists ( select name from sysobjects where name = 'item' )  
drop table item
```

```
go  
if exists ( select name from sysobjects where name = 'stock' )  
drop table stock
```

```
go
```

```
--
```

```

-- Create new tables
--

create table warehouse
(
    w_id                smallint,
    w_name              char(10),
    w_street_1         char(20),
    w_street_2         char(20),
    w_city              char(20),
    w_state             char(2),
    w_zip               char(9),
    w_tax               numeric(4,4),
    w_ytd               numeric(12,2)
) on MSSQL_misc_fg
go

create table district
(
    d_id                tinyint,
    d_w_id              smallint,
    d_name              char(10),
    d_street_1         char(20),
    d_street_2         char(20),
    d_city              char(20),
    d_state             char(2),
    d_zip               char(9),
    d_tax               numeric(4,4),
    d_ytd               numeric(12,2),
    d_next_o_id        int
) on MSSQL_misc_fg
go

create table customer
(
    c_id                int,
    c_d_id              tinyint,
    c_w_id              smallint,
    c_first             char(16),
    c_middle            char(2),
    c_last              char(16),
    c_street_1         char(20),
    c_street_2         char(20),
    c_city              char(20),
    c_state             char(2),
    c_zip               char(9),
    c_phone             char(16),
    c_since             datetime,
    c_credit            char(2),
    c_credit_lim        numeric(12,2),
    c_discount          numeric(4,4),
    c_balance           numeric(12,2),
    c_ytd_payment       numeric(12,2),
    c_payment_cnt       smallint,
    c_delivery_cnt      smallint,
    c_data              char(500)
) on MSSQL_cs_fg
go

create table history
(
    h_c_id              int,
    h_c_d_id            tinyint,
    h_c_w_id            smallint,
    h_d_id              tinyint,
    h_w_id              smallint,
    h_date              datetime,
    h_amount            numeric(6,2),
    h_data              char(24)
) on MSSQL_misc_fg
go

create table new_order
(
    no_o_id             int,
    no_d_id             tinyint,
    no_w_id             smallint
) on MSSQL_misc_fg
go

create table orders
(
    o_id                int,
    o_d_id              tinyint,
    o_w_id              smallint,
    o_c_id              int,
    o_entry_d           datetime,
    o_carrier_id        tinyint,
    o_ol_cnt            tinyint,
    o_all_local         tinyint
) on MSSQL_misc_fg
go

create table order_line
(
    ol_o_id             int,
    ol_d_id             tinyint,
    ol_w_id             smallint,
    ol_number           tinyint,
    ol_i_id             int,
    ol_supply_w_id      smallint,
    ol_delivery_d        datetime,
    ol_quantity         smallint,
    ol_amount           numeric(6,2),
    ol_dist_info        char(24)
) on MSSQL_misc_fg
go

create table item
(
    i_id                int,
    i_im_id             int,
    i_name              char(24),
    i_price             numeric(5,2),
    i_data              char(50)
) on MSSQL_misc_fg
go

create table stock
(
    s_i_id              int,
    s_w_id              smallint,
    s_quantity          smallint,
    s_dist_01           char(24),
    s_dist_02           char(24),
    s_dist_03           char(24),
    s_dist_04           char(24),
    s_dist_05           char(24),
    s_dist_06           char(24),
    s_dist_07           char(24),
    s_dist_08           char(24),
    s_dist_09           char(24),
    s_dist_10           char(24),
    s_ytd               int,
    s_order_cnt         smallint,
    s_remote_cnt        smallint,
    s_data              char(50)
) on MSSQL_cs_fg
go

```

Verify_TpccLoad.sql

```
-- File:  VERIFYTPCCLOAD.SQL
--       Microsoft TPC-C Benchmark Kit Ver. 4.22
--       Copyright Microsoft, 2001
-- Purpose: Performs series of TPCC database checks to verify
--          that database load completed correctly

print  " "
select  convert(char(30), getdate(),9)
print  " "

use tpcc
go

-- *****
--
-- Check rows per table from SYSINDEXES
--
-- *****

print  'WAREHOUSE TABLE'

select  rows
from    sysindexes
where   id      = object_id("warehouse")
go

print  'DISTRICT TABLE = (10 * No of warehouses)'

select  rows
from    sysindexes
where   id      =object_id("district")
go

print  'ITEM TABLE = 100,000'

select  rows
from    sysindexes
where   id      =object_id("item")
go

print  'CUSTOMER TABLE = (30,000 * No of warehouses)'

select  rows
from    sysindexes
where   id      =object_id("customer")
go

print 'ORDERS TABLE = (30,000 * No of warehouses)'

select  rows
from    sysindexes
where   id      =object_id("orders")
go

print  'HISTORY TABLE = (30,000 * No of warehouses)'

select  rows
from    sysindexes
where   id      =object_id("history")
go

print  'STOCK TABLE = (100,000 * No of warehouses)'

select  rows
from    sysindexes
where   id      =object_id("stock")
go
```

```
print  'ORDER_LINE TABLE = (300,000 * No of warehouses + some
change)'

select  rows
from    sysindexes
where   id      =object_id("order_line")
go

print  'NEW_ORDER TABLE = (9000 * No of warehouses)'

select  rows
from    sysindexes
where   id      =object_id("new_order")
go

-- *****
--
-- Check indices
--
-- *****

print '*****Index Check*****'

use tpcc
go

sp_helpindex      customer
go

sp_helpindex      stock
go

sp_helpindex      district
go

sp_helpindex      item
go

sp_helpindex      new_order
go

sp_helpindex      orders
go

sp_helpindex      order_line
go

sp_helpindex      warehouse
go
```

version.sql

```
-- File:  VERSION.SQL
--       Microsoft TPC-C Benchmark Kit Ver. 4.22
--       Copyright Microsoft, 2001
-- Purpose: Returns version level of TPC-C stored procs
-- Note:   Always update the return value of this proc for
--         any interface changes or "must have" bug fixes.
--
-- The value returned by this SP defines the "interface level",
-- which must match between the stored procs and the client code.
-- The interface level may be down rev from the current kit. This
-- indicates that the interface hasn't changed since that version.

use tpcc
go

if exists ( select name from sysobjects where name = "tpcc_version" )
drop procedure tpcc_version
```

```

go

create proc tpcc_version
as
declare   @version char(8)

begin
        select @version = "4.10.000"
        select @version as "Version"

end

go

```

Load Source Code

getargs.c

```

//      File:          GETARGS.C
//      Microsoft TPC-C Kit Ver. 4.22
//      Copyright Microsoft, 1996, 1997,
1998, 1999, 2000, 2001
//      Purpose:   Source file for command line processing

// Includes
#include "tpcc.h"

//=====
//
// Function name: GetArgsLoader
//
//=====

void GetArgsLoader(int argc, char **argv, TPCCLDR_ARGS *pargs)
{
    int          i;
    char         *ptr;

#ifdef DEBUG
    printf("[%d]DBG: Entering GetArgsLoader()\n", (int) GetCurrentThreadId());
#endif

    /* init args struct with some useful values */
    pargs->server          = SERVER;
    pargs->user            = USER;
    pargs->password        = PASSWORD;
    pargs->database        = DATABASE;
    pargs->batch           = BATCH;
    pargs->num_warehouses  = UNDEF;
    pargs->tables_all      = TRUE;
    pargs->table_item      = FALSE;
    pargs->table_warehouse = FALSE;
    pargs->table_customer  = FALSE;
    pargs->table_orders    = FALSE;
    pargs->loader_res_file =
LOADER_RES_FILE;
    pargs->pack_size       = DEFALDPACKSIZE;
    pargs->starting_warehouse =
DEF_STARTING_WAREHOUSE;
    pargs->build_index     = BUILD_INDEX;
    pargs->index_order     = INDEX_ORDER;
    pargs->index_script_path = INDEX_SCRIPT_PATH;
    pargs->scale_down      = SCALE_DOWN;

    /* check for zero command line args */
    if ( argc == 1 )

```

```

        GetArgsLoaderUsage();

    for (i = 1; i < argc; ++i)
    {
        if (argv[i][0] != '-' && argv[i][0] != '/')
        {
            printf("\nUnrecognized command");
            GetArgsLoaderUsage();
            exit(1);
        }

        ptr = argv[i];

        switch (ptr[1])
        {
            case 'h': /* Fall through */
            case 'H':
                GetArgsLoaderUsage();
                break;

            case 'D':
                pargs->database = ptr+2;
                break;

            case 'P':
                pargs->password = ptr+2;
                break;

            case 'S':
                pargs->server = ptr+2;
                break;

            case 'U':
                pargs->user = ptr+2;
                break;

            case 'b':
                pargs->batch = atol(ptr+2);
                break;

            case 'W':
                pargs->num_warehouses =
                atol(ptr+2);
                break;

            case 's':
                pargs->starting_warehouse =
                atol(ptr+2);
                break;

            case 't':
                {
                    pargs->tables_all =
                    FALSE;
                    if (strcmp(ptr+2,"item")
                    == 0)
                        pargs->table_item = TRUE;
                    else if
                    (strcmp(ptr+2,"warehouse") == 0)
                        pargs->table_warehouse = TRUE;
                    else if
                    (strcmp(ptr+2,"customer") == 0)
                        pargs->table_customer = TRUE;
                    else if
                    (strcmp(ptr+2,"orders") == 0)
                        pargs->table_orders = TRUE;
                    else

```

```

        {
        printf("\nUnrecognized
command");
        GetArgsLoaderUsage();
        exit(1);
        }
        break;
    }
    case 'f':
        pargs->loader_res_file = ptr+2;
        break;
    case 'p':
        pargs->pack_size = atol(ptr+2);
        break;
    case 'i':
        pargs->build_index = atol(ptr+2);
        break;
    case 'o':
        pargs->index_order = atol(ptr+2);
        break;
    case 'c':
        pargs->scale_down = atol(ptr+2);
        break;
    case 'd':
        pargs->index_script_path = ptr+2;
        break;
    default:
        GetArgsLoaderUsage();
        exit(-1);
        break;
    }
}

/* check for required args */
if (pargs->num_warehouses == UNDEF)
{
    printf("Number of Warehouses is required\n");
    exit(-2);
}

return;
}

//=====
//
// Function name: GetArgsLoaderUsage
//
//=====
void GetArgsLoaderUsage()
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering GetArgsLoaderUsage()\n", (int)
GetCurrentThreadId());
#endif

    printf("TPCCLDR:\n\n");
    printf("Parameter                Default\n");
        {
        printf("-----\n");
        printf("-W Number of Warehouses to Load      Required\n");
        printf("-S Server                               %s\n", SERVER);
        printf("-U Username                             %s\n", USER);
        printf("-P Password                             %s\n", PASSWORD);
        printf("-D Database                             %s\n", DATABASE);
        printf("-b Batch Size                           %ld\n", (long) BATCH);

        printf("-p TDS packet size                       %ld\n", (long)
DEFLDPACKSIZE);
        printf("-f Loader Results Output Filename      %s\n",
LOADER_RES_FILE);
        printf("-s Starting Warehouse                   %ld\n", (long)
DEF_STARTING_WAREHOUSE);
        printf("-i Build Option (data = 0, data and index = 1) %ld\n",
(long) BUILD_INDEX);
        printf("-o Cluster Index Build Order (before = 1, after = 0) %ld\n",
(long) INDEX_ORDER);
        printf("-c Build Scaled Database (normal = 0, tiny = 1) %ld\n",
(long) SCALE_DOWN);
        printf("-d Index Script Path                     %s\n",
INDEX_SCRIPT_PATH);
        printf("-t Table to Load                         all tables\n");
        printf(" [item|warehouse|customer|orders]\n");
        printf(" Notes: \n");
        printf(" - the '-t' parameter may be included multiple times to\n");
        printf(" specify multiple tables to be loaded\n");
        printf(" - 'item' loads ITEM table\n");
        printf(" - 'warehouse' loads WAREHOUSE, DISTRICT, and STOCK tables\n");
        printf(" - 'customer' loads CUSTOMER and HISTORY tables\n");
        printf(" - 'orders' load NEW-ORDER, ORDERS, ORDER-LINE tables\n");

        printf("\nNote: Command line switches are case sensitive.\n");

        exit(0);
        }
}

random.c

// File: RANDOM.C
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 1996, 1997,
1998, 1999, 2000, 2001
// Purpose: Random number generation routines for database loader

// Includes
#include "tpcc.h"
#include "math.h"

// Defines
#define A 16807
#define M 2147483647
#define Q 127773 /* M div A */
#define R 2836 /* M mod A */
#define Thread __declspec(thread)

// Globals
long Thread Seed = 0; /* thread local seed */

/*****
*****
*
* random -
* Implements a GOOD pseudo random number generator. This generator
* will/should? run the complete period before repeating.
*
* Copied from:
*****/

```

```

* Random Numbers Generators: Good Ones Are Hard to Find. *
* Communications of the ACM - October 1988 Volume 31 Number 10 *
*
* Machine Dependencies: *
* long must be 2 ^ 31 - 1 or greater. *
*****/
/*****/
* seed - load the Seed value used in irand and drand. Should be used before *
* first call to irand or drand. *
*****/

void seed(long val)
{
#ifdef DEBUG
    printf("[%d]DBG: Entering seed(...)\n", (int) GetCurrentThreadId());
    printf("Old Seed %ld New Seed %ld\n",Seed, val);
#endif

    if ( val < 0 )
        val = abs(val);

    Seed = val;
}

/*****/
*****
* irand - returns a 32 bit integer pseudo random number with a period of *
* 1 to 2 ^ 32 - 1. *
* parameters: *
* none. *
* returns: *
* 32 bit integer - defined as long ( see above ). *
* side effects: *
* seed get recomputed. *
*****/

long irand()
{
    register long s; /* copy of seed */
    register long test; /* test flag */
    register long hi; /* tmp value for speed */
    register long lo; /* tmp value for speed */

#ifdef DEBUG
    printf("[%d]DBG: Entering irand(...)\n", (int) GetCurrentThreadId());
#endif

    s = Seed;
    hi = s / Q;
    lo = s % Q;

    test = A * lo - R * hi;
    if ( test > 0 )
        Seed = test;
    else
        Seed = test + M;

    return( Seed );
}

}

/*****/
*****
drand - returns a double pseudo random number between 0.0 and 1.0. *
* See irand. *
*****/
/*****/
double drand()
{
#ifdef DEBUG
    printf("[%d]DBG: Entering drand(...)\n", (int) GetCurrentThreadId());
#endif

    return( (double)irand() / 2147483647.0);
}

//=====
// Function : RandomNumber
// Description:
//=====
long RandomNumber(long lower, long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%d]DBG: Entering RandomNumber(...)\n", (int)
    GetCurrentThreadId());
#endif

    if ( upper == lower ) /* pgd 08-13-96 perf enhancement */
        return lower;

    upper++;

    if ( upper <= lower )
        rand_num = upper;
    else
        rand_num = lower + irand() % (upper - lower); /* pgd
    08-13-96 perf enhancement */

#ifdef DEBUG
    printf("[%d]DBG: RandomNumber between %ld & %ld ==> %ld\n",
    (int) GetCurrentThreadId(), lower,
    upper, rand_num);
#endif

    return rand_num;
}

#if 0
//Original code pgd 08/13/96

long RandomNumber(long lower,
long upper)
{
    long rand_num;

#ifdef DEBUG

```

```

    printf("[%ld]DBG: Entering RandomNumber()...\n", (int)
GetCurrentThreadId());
#endif

    upper++;

    if ((upper <= lower)
        rand_num = upper;
    else
        rand_num = lower + irand() % ((upper > lower) ? upper -
lower : upper);

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld ==> %ld\n",
(int) GetCurrentThreadId(), lower,
upper, rand_num);
#endif

    return rand_num;
}
#endif

//=====
// Function : NURand
//
// Description:
//=====
long NURand(int iConst,
            long x,
            long y,
            long C)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering NURand()...\n", (int) GetCurrentThreadId());
#endif

    rand_num = (((RandomNumber(0,iConst) | RandomNumber(x,y)) + C) %
(y-x+1))+x;

#ifdef DEBUG
    printf("[%ld]DBG: NURand: num = %d\n", (int) GetCurrentThreadId(),
rand_num);
#endif

    return rand_num;
}

```

strings.c

```

//      File:          STRINGS.C
//
//      Microsoft TPC-C Kit Ver. 4.22
//      Copyright Microsoft, 1996, 1997,
1998, 1999, 2000, 2001
//      Purpose:   Source file for database loader string functions

// Includes
#include "tpcc.h"
#include <string.h>
#include <ctype.h>

//=====
//=====

```

```

//
// Function name: MakeAddress
//
//=====
void MakeAddress(char *street_1,
                char *street_2,
                char *city,
                char *state,
                char *zip)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeAddress()\n", (int) GetCurrentThreadId());
#endif

    MakeAlphaString (10, 20, ADDRESS_LEN, street_1);
    MakeAlphaString (10, 20, ADDRESS_LEN, street_2);
    MakeAlphaString (10, 20, ADDRESS_LEN, city);
    MakeAlphaString ( 2,  2, STATE_LEN, state);
    MakeZipNumberString( 9, 9, ZIP_LEN, zip);

#ifdef DEBUG
    printf("[%ld]DBG: MakeAddress: street_1: %s, street_2: %s, city: %s, state:
%s, zip: %s\n",
(int) GetCurrentThreadId(), street_1, street_2,
city, state, zip);
#endif

    return;
}

//=====
//
// Function name: LastName
//
//=====
void LastName(int num,
             char *name)
{
    static char *n[] =
    {
        "BAR", "OUGHT", "ABLE", "PRI", "PRES",
        "ESE", "ANTI", "CALLY", "ATION", "EING"
    };

#ifdef DEBUG
    printf("[%ld]DBG: Entering LastName()\n", (int) GetCurrentThreadId());
#endif

    if ((num >= 0) && (num < 1000))
    {
        strcpy(name, n[(num/100)%10]);
        strcat(name, n[(num/10)%10]);
        strcat(name, n[(num/1)%10]);

        if (strlen(name) < LAST_NAME_LEN)
        {
            PaddString(LAST_NAME_LEN, name);
        }
    }
    else
    {

```

```

printf("\nError in LastName()... num <%ld> out of range
(0,999)\n", num);
    exit(-1);
}

#ifdef DEBUG
printf("[%ld]DBG: LastName: num = [%d] ==> [%d][%d][%d]\n",
        (int) GetCurrentThreadId(), num, num/100,
        (num/10)%10, num%10);
printf("[%ld]DBG: LastName: String = %s\n", (int)
GetCurrentThreadId(), name);
#endif

return;
}

//=====
//
// Function name: MakeAlphaString
//
//=====

//philipdu 08/13/96 Changed MakeAlphaString to use A-Z, a-z, and 0-9 in
//accordance with spec see below:
//The spec says:
//4.3.2.2 The notation random a-string [x .. y]
//(respectively, n-string [x .. y]) represents a string of random alphanumeric
//(respectively, numeric) characters of a random length of minimum x, maximum
y,
//and mean (y+x)/2. Alphanumerics are A..Z, a..z, and 0..9. The only other
//requirement is that the character set used "must be able to represent a minimum
//of 128 different characters". We are using 8-bit chars, so this is a non issue.
//It is completely unreasonable to stuff non-printing chars into the text fields.
//--CLevine 08/13/96

int MakeAlphaString( int x, int y, int z, char *str)
{
    int len;
    int i;
    char cc = 'a';
    static char chArray[] =
"0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz";
    static int chArrayMax = 61;

#ifdef DEBUG
printf("[%ld]DBG: Entering MakeAlphaString()\n", (int)
GetCurrentThreadId());
#endif

    len= RandomNumber(x, y);

    for (i=0; i<len; i++)
    {
        cc = chArray[RandomNumber(0, chArrayMax)];
        str[i] = cc;
    }
    if ( len < z )
        memset(str+len, ' ', z - len);
    str[len] = 0;

return len;
}

//=====
//
// Function name: MakeOriginalAlphaString
//
//=====

int MakeOriginalAlphaString(int x,
                            int y,
                            int z,
                            char *str,
                            int percent)
{
    int len;
    int val;
    int start;

#ifdef DEBUG
printf("[%ld]DBG: Entering MakeOriginalAlphaString()\n", (int)
GetCurrentThreadId());
#endif

    // verify percentage is valid
    if ((percent < 0) || (percent > 100))
    {
        printf("MakeOriginalAlphaString: Invalid percentage:
%d\n", percent);
        exit(-1);
    }

    // verify string is at least 8 chars in length
    if ((x + y) <= 8)
    {
        printf("MakeOriginalAlphaString: string length must be >=
8\n");
        exit(-1);
    }

    // Make Alpha String
    len = MakeAlphaString(x,y, z, str);

    val = RandomNumber(1,100);
    if (val <= percent)
    {
        start = RandomNumber(0, len - 8);
        strncpy(str + start, "ORIGINAL", 8);
    }

#ifdef DEBUG
printf("[%ld]DBG: MakeOriginalAlphaString: : %s\n",
        (int) GetCurrentThreadId(), str);
#endif

return strlen(str);
}

//=====
//
// Function name: MakeNumberString
//
//=====

int MakeNumberString(int x, int y, int z, char *str)
{
    char tmp[16];

```



```

//MakeNumberString is always called MakeZipNumberString(16, 16,
16, string)

    memset(str, '0', 16);
    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    itoa(RandomNumber(0, 99999999), tmp, 10);
    memcpy(str+8, tmp, strlen(tmp));

    str[16] = 0;

    return 16;
}

//=====
//
// Function name: MakeZipNumberString
//
//=====
int MakeZipNumberString(int x, int y, int z, char *str)
{
    char tmp[16];

    //MakeZipNumberString is always called MakeZipNumberString(9, 9,
9, string)

    strcpy(str, "000011111");

    itoa(RandomNumber(0, 9999), tmp, 10);
    memcpy(str, tmp, strlen(tmp));

    return 9;
}

//=====
//
// Function name: InitString
//
//=====
void InitString(char *str, int len)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering InitString()\n", (int) GetCurrentThreadId());
#endif

    memset(str, '', len);
    str[len] = 0;
}

//=====
//
// Function name: InitAddress
//
// Description:
//
//=====
void InitAddress(char *street_1, char *street_2, char *city, char *state, char *zip)
{
    memset(street_1, '', ADDRESS_LEN+1);
    memset(street_2, '', ADDRESS_LEN+1);
    memset(city, '', ADDRESS_LEN+1);

```

```

    street_1[ADDRESS_LEN+1] = 0;
    street_2[ADDRESS_LEN+1] = 0;
    city[ADDRESS_LEN+1] = 0;

    memset(state, '', STATE_LEN+1);
    state[STATE_LEN+1] = 0;

    memset(zip, '', ZIP_LEN+1);
    zip[ZIP_LEN+1] = 0;
}

//=====
//
// Function name: PaddString
//
//=====
void PaddString(int max, char *name)
{
    int len;

    len = strlen(name);
    if ( len < max )
        memset(name+len, '', max - len);
    name[max] = 0;

    return;
}

time.c

// File: TIME.C
// Microsoft TPC-C Kit Ver. 4.22
// Copyright Microsoft, 1996, 1997,
1998, 1999, 2000, 2001
// Purpose: Source file for time functions

// Includes
#include "tpcc.h"

// Globals
static long start_sec;

//=====
//
// Function name: TimeNow
//
//=====
long TimeNow()
{
    long time_now;
    struct _timeb e1_time;

#ifdef DEBUG
    printf("[%ld]DBG: Entering TimeNow()\n", (int) GetCurrentThreadId());
#endif

    _ftime(&e1_time);

    time_now = ((e1_time.time - start_sec) * 1000) + e1_time.millitm;

```

```

return time_now;
}

```

tpcc.h

```

//      File:          TPCC.H
//
//      Microsoft TPC-C Kit Ver. 4.22
//      Copyright Microsoft, 1996, 1997,
1998, 1999, 2000, 2001
//      Purpose:  Header file for TPC-C database loader

```

```

// Build number of TPC Benchmark Kit
#define TPCKIT_VER      "4.22"

```

```

// General headers
#include <windows.h>
#include <winbase.h>
#include <stdlib.h>
#include <stdio.h>
#include <process.h>
#include <stddef.h>
#include <stdarg.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <sys\types.h>

```

```

// ODBC headers
#include <sql.h>
#include <sqlext.h>
#include <odbcss.h>

```

```

// General constants
#define MILLI          1000
#define FALSE          0
#define TRUE           1
#define UNDEF          -1
#define MINPRINTASCII 32
#define MAXPRINTASCII 126

```

```

// Default environment constants
#define SERVER          ""
#define DATABASE       "tpcc"
#define USER           "sa"
#define PASSWORD       ""

```

```

// Default loader arguments
#define BATCH           10000
#define DEFLDPAKSIZE   32768
#define LOADER_RES_FILE "logs\\load.out"
#define LOADER_NURAND_C 123
#define DEF_STARTING_WAREHOUSE 1
#define BUILD_INDEX    1
// build both data and indexes
#define INDEX_ORDER    1
// build indexes before load
#define SCALE_DOWN     0
// build a normal scale database
#define INDEX_SCRIPT_PATH "scripts"

```

```

typedef struct
{
char      *server;
char      *database;
char      *user;
char      *password;

```

```

        BOOL      tables_all;
// set if loading all tables
        BOOL      table_item;
// set if loading ITEM table specifically
        BOOL      table_warehouse; //
set if loading WAREHOUSE, DISTRICT, and STOCK
        BOOL      table_customer;
// set if loading CUSTOMER and HISTORY
        BOOL      table_orders;
// set if loading NEW-ORDER, ORDERS, ORDER-LINE
        long      num_warehouses;
        long      batch;
        long      verbose;

        long      pack_size;
        char      *loader_res_file;
        char      *synch_servername;
        long      case_sensitivity;
        long      starting_warehouse;
        long      build_index;
        long      index_order;
        long      scale_down;
        char      *index_script_path;
} TPCCDR_ARGS;

```

```

// String length constants
#define SERVER_NAME_LEN      20
#define DATABASE_NAME_LEN   20
#define USER_NAME_LEN       20
#define PASSWORD_LEN        20
#define TABLE_NAME_LEN     20
#define I_DATA_LEN          50
#define I_NAME_LEN          24
#define BRAND_LEN           1
#define LAST_NAME_LEN       16
#define W_NAME_LEN          10
#define ADDRESS_LEN         20
#define STATE_LEN           2
#define ZIP_LEN              9
#define S_DIST_LEN          24
#define S_DATA_LEN          50
#define D_NAME_LEN          10
#define FIRST_NAME_LEN      16
#define MIDDLE_NAME_LEN     2
#define PHONE_LEN           16
#define CREDIT_LEN          2
#define C_DATA_LEN          500
#define H_DATA_LEN          24
#define DIST_INFO_LEN       24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN          25
#define OL_DIST_INFO_LEN    24
#define C_SINCE_LEN         23
#define H_DATE_LEN          23
#define OL_DELIVERY_D_LEN   23
#define O_ENTRY_D_LEN       23

```

```

// Functions in random.c
void      seed();
long      irand();
double    drand();
void      WUCreate();
short     WURand();
long      RandomNumber(long lower, long upper);

```

```

// Functions in getargs.c;
void      GetArgsLoader();
void      GetArgsLoaderUsage();

```

```
// Functions in time.c
long    TimeNow();
```

```
// Functions in strings.c
void    MakeAddress();
void    LastName();
int     MakeAlphaString();
int     MakeOriginalAlphaString();
int     MakeNumberString();
int     MakeZipNumberString();
void    InitString();
void    InitAddress();
void    PaddString();
```

tpccldr.c

```
//      File:          TPCCLDR.C
//
//                          Microsoft TPC-C Kit Ver. 4.22
//                          Copyright Microsoft, 2000, 2001
//      Purpose:   Source file for TPC-C database loader
```

```
// Includes
#include "tpcc.h"
#include "search.h"
```

```
// Defines
#define MAXITEMS          100000
#define MAXITEMS_SCALE_DOWN          100
#define CUSTOMERS_PER_DISTRICT 3000
#define CUSTOMERS_SCALE_DOWN 30
#define DISTRICT_PER_WAREHOUSE 10
#define ORDERS_PER_DISTRICT 3000
#define ORDERS_SCALE_DOWN 30
#define MAX_CUSTOMER_THREADS 2
#define MAX_ORDER_THREADS 3
#define MAX_MAIN_THREADS 4
```

```
// Functions declarations
```

```
void HandleErrorDBC (SQLHDBC hdbc1);
```

```
void CheckSQL();
void CheckDataBase();
```

```
long NURand();
void LoadItem();
void LoadWarehouse();
```

```
void Stock();
void District();
```

```
void LoadCustomer();
void CustomerBufInit();
void CustomerBufLoad();
void LoadCustomerTable();
void LoadHistoryTable();
```

```
void LoadOrders();
void OrdersBufInit();
void OrdersBufLoad();
void LoadOrdersTable();
void LoadNewOrderTable();
void LoadOrderLineTable();
void GetPermutation();
void CheckForCommit();
void OpenConnections();
void BuildIndex();
```

```
void FormatDate ();
```

```
// Shared memory structures
```

```
typedef struct
{
    long    ol;
    long    ol_i_id;
    short   ol_supply_w_id;
    short   ol_quantity;
    double  ol_amount;
    char    ol_dist_info[DIST_INFO_LEN+1];
    char
    ol_delivery_d[OL_DELIVERY_D_LEN+1];
} ORDER_LINE_STRUCT;
```

```
typedef struct
{
    long    o_id;
    short   o_d_id;
    short   o_w_id;
    long    o_c_id;
    short   o_carrier_id;
    short   o_ol_cnt;
    short   o_all_local;
    ORDER_LINE_STRUCT  o_ol[15];
} ORDERS_STRUCT;
```

```
typedef struct
{
    long    c_id;
    short   c_d_id;
    short   c_w_id;
    char
    c_first[FIRST_NAME_LEN+1];
    char
    c_middle[MIDDLE_NAME_LEN+1];
    char    c_last[LAST_NAME_LEN+1];
    char    c_street_1[ADDRESS_LEN+1];
    char    c_street_2[ADDRESS_LEN+1];
    char    c_city[ADDRESS_LEN+1];
    char    c_state[STATE_LEN+1];
    char    c_zip[ZIP_LEN+1];
    char    c_phone[PHONE_LEN+1];
    char    c_credit[CREDIT_LEN+1];
    double  c_credit_lim;
    double  c_discount;
    // fix to avoid ODBC float to numeric conversion problem.
    // double
    char    c_balance;
    c_balance[6];
    double
    c_ytd_payment;
    short   c_payment_cnt;
    short   c_delivery_cnt;
    char
    c_data[C_DATA_LEN+1];
    double
    h_amount;
    char    h_data[H_DATA_LEN+1];
} CUSTOMER_STRUCT;
```

```
typedef struct
{
    char
    c_last[LAST_NAME_LEN+1];
    char
    c_first[FIRST_NAME_LEN+1];
    long    c_id;
} CUSTOMER_SORT_STRUCT;
```

```
typedef struct
{
```

```

    long        time_start;
} LOADER_TIME_STRUCT;

// Global variables

char    szLastError[300];

HENV    henv;

HDBC    v_hdbc; //
for SQL Server version verification
HDBC    i_hdbc1; // for ITEM
table
HDBC    w_hdbc1; // for
WAREHOUSE, DISTRICT, STOCK
HDBC    c_hdbc1; // for
CUSTOMER
HDBC    c_hdbc2; // for
HISTORY
HDBC    o_hdbc1; // for
ORDERS
HDBC    o_hdbc2; // for
NEW-ORDER
HDBC    o_hdbc3; // for
ORDER-LINE

HSTMT    v_hstmt; // for SQL
Server version verification
HSTMT    i_hstmt1;
HSTMT    w_hstmt1;
HSTMT    c_hstmt1, c_hstmt2;
HSTMT    o_hstmt1, o_hstmt2, o_hstmt3;

ORDERS_STRUCT orders_buf[ORDERS_PER_DISTRICT];
CUSTOMER_STRUCT customer_buf[CUSTOMERS_PER_DISTRICT];
long    orders_rows_loaded;
long    new_order_rows_loaded;
long    order_line_rows_loaded;
long    history_rows_loaded;
long    customer_rows_loaded;
long    stock_rows_loaded;
long    district_rows_loaded;
long    item_rows_loaded;
long    warehouse_rows_loaded;
long    main_time_start;
long    main_time_end;
long    max_items;
long    customers_per_district;
long    orders_per_district;
long    first_new_order;
long    last_new_order;

TPCCLDR_ARGS    *aptr, args;

//=====
//
// Function name: main
//
//=====

int main(int argc, char **argv)
{
    DWORD    dwThreadID[MAX_MAIN_THREADS];
    HANDLE    hThread[MAX_MAIN_THREADS];
    FILE    *fLoader;

```

```

char    buffer[255];
int    i;

for (i=0; i<MAX_MAIN_THREADS; i++)
    hThread[i] = NULL;

printf("\n*****");
printf("\n*");
printf("\n* Microsoft SQL Server");
printf("\n*");
printf("\n* TPC-C BENCHMARK KIT: Database loader");
printf("\n* Version %s", TPCKIT_VER);
printf("\n*");

printf("\n*****\n");

// process command line arguments

aptr = &args;
GetArgsLoader(argc, argv, aptr);

// verify database and tables exist before attempting to load

CheckSQL();
CheckDataBase();

printf("Build interface is ODBC.\n");

if (aptr->build_index == 0)
    printf("Data load only - no index creation.\n");
else
    printf("Data load and index creation.\n");

if (aptr->index_order == 0)
    printf("Clustered indexes will be created after bulk
load.\n");
else
    printf("Clustered indexes will be created before bulk
load.\n");

// set database scale values
if (aptr->scale_down == 1)
{
    printf("*** Scaled Down Database ***\n");
    max_items = MAXITEMS_SCALE_DOWN;
    customers_per_district =
CUSTOMERS_SCALE_DOWN;
    orders_per_district = ORDERS_SCALE_DOWN;
    first_new_order = 0;
    last_new_order = 30;
}
else
{
    max_items = MAXITEMS;
    customers_per_district =
CUSTOMERS_PER_DISTRICT;
    orders_per_district = ORDERS_PER_DISTRICT;
    first_new_order = 2100;
    last_new_order = 3000;
}

// open connections to SQL Server

OpenConnections();

// open file for loader results
fLoader = fopen(aptr->loader_res_file, "w");

if (fLoader == NULL)
{

```

```

        printf("Error, loader result file open failed.");
        exit(-1);
    }

    // start loading data

    sprintf(buffer,"TPC-C load started for %ld
warehouses.\n",aptr->num_warehouses);

    printf("%s",buffer);
    fprintf(fLoader,"%s",buffer);

    main_time_start = (TimeNow() / MILLI);

    // start parallel load threads

    if (aptr->tables_all || aptr->table_item)
    {
        fprintf(fLoader, "\nStarting loader threads for: item\n");
        hThread[0] = CreateThread(NULL,
0,
(LPPTHREAD_START_ROUTINE) LoadItem,
NULL,
0,
&dwThreadID[0]);

        if (hThread[0] == NULL)
        {
            printf("Error, failed in creating creating thread
= 0.\n");
            exit(-1);
        }

        if (aptr->tables_all || aptr->table_warehouse)
        {
            fprintf(fLoader, "Starting loader threads for:
warehouse\n");
            hThread[1] = CreateThread(NULL,
0,
(LPPTHREAD_START_ROUTINE) LoadWarehouse,
NULL,
0,
&dwThreadID[1]);

            if (hThread[1] == NULL)
            {
                printf("Error, failed in creating creating thread
= 1.\n");
                exit(-1);
            }

            if (aptr->tables_all || aptr->table_customer)
            {
                fprintf(fLoader, "Starting loader threads for: customer\n");
                hThread[2] = CreateThread(NULL,
0,
(LPPTHREAD_START_ROUTINE) LoadCustomer,
NULL,
0,
&dwThreadID[2]);

                if (hThread[2] == NULL)
                {
                    printf("Error, failed in creating creating main
thread = 2.\n");
                    exit(-1);
                }

                if (aptr->tables_all || aptr->table_orders)
                {
                    fprintf(fLoader, "Starting loader threads for: orders\n");
                    hThread[3] = CreateThread(NULL,
0,
(LPPTHREAD_START_ROUTINE) LoadOrders,
NULL,
0,
&dwThreadID[3]);

                    if (hThread[3] == NULL)
                    {
                        printf("Error, failed in creating creating main
thread = 3.\n");
                        exit(-1);
                    }

                    // Wait for threads to finish...
                    for (i=0; i<MAX_MAIN_THREADS; i++)
                    {
                        if (hThread[i] != NULL)
                        {
                            WaitForSingleObject( hThread[i], INFINITE );
                            CloseHandle(hThread[i]);
                            hThread[i] = NULL;
                        }
                    }

                    main_time_end = (TimeNow() / MILLI);

                    sprintf(buffer,"\nTPC-C load completed successfully in %ld minutes.\n",
(main_time_end - main_time_start)/60);

                    printf("%s",buffer);
                    fprintf(fLoader, "%s", buffer);

                    fclose(fLoader);

                    SQLFreeEnv(henv);

                    exit(0);

                    return 0;
                }
            }
        }
    }
}

```

```

=====
//
// Function name: LoadItem
//
=====

void LoadItem()
{
    long          i_id;
    long          i_im_id;
    char          i_name[I_NAME_LEN+1];
    double       i_price;
    char          i_data[I_DATA_LEN+1];
    char          name[20];
    long          time_start;
    RETCODE      rc;
    DBINT        rcint;
    char          bcp[128];

    // Seed with unique number
    seed(1);

    printf("Loading item table...\n");

    // if build index before load
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxitmcl");

    InitString(i_name, I_NAME_LEN+1);
    InitString(i_data, I_DATA_LEN+1);

    sprintf(name, "%s.%s", aptr->database, "item");

    rc = bcp_init(i_hdbc1, name, NULL, "logs\\item.err", DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcp, "tablock, order (i_id),
ROWS_PER_BATCH = 100000");
        rc = bcp_control(i_hdbc1, BCPHINTS, (void*) bcp);
        if (rc != SUCCEED)
            HandleErrorDBC(i_hdbc1);
    }

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_im_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) i_name, 0, I_NAME_LEN, NULL,
0, 0, 3);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = bcp_bind(i_hdbc1, (BYTE *) &i_price, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 4);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);
}

```

```

rc = bcp_bind(i_hdbc1, (BYTE *) i_data, 0, I_DATA_LEN, NULL,
0, 0, 5);
if (rc != SUCCEED)
    HandleErrorDBC(i_hdbc1);

time_start = (TimeNow() / MILLI);

item_rows_loaded = 0;

for (i_id = 1; i_id <= max_items; i_id++)
{
    i_im_id = RandomNumber(1L, 10000L);
    MakeAlphaString(14, 24, I_NAME_LEN, i_name);
    i_price = ((float) RandomNumber(100L, 10000L))/100.0;
    MakeOriginalAlphaString(26, 50, I_DATA_LEN, i_data,
10);

    rc = bcp_sendrow(i_hdbc1);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    item_rows_loaded++;
    CheckForCommit(i_hdbc1, i_hstmt1, item_rows_loaded,
"item", &time_start);
}

rcint = bcp_done(i_hdbc1);
if (rcint < 0)
    HandleErrorDBC(i_hdbc1);

printf("Finished loading item table.\n");

SQLFreeStmt(i_hstmt1, SQL_DROP);
SQLDisconnect(i_hdbc1);
SQLFreeConnect(i_hdbc1);

// if build index after load
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxitmcl");
}

=====
//
// Function : LoadWarehouse
//
// Loads WAREHOUSE table and loads Stock and District as Warehouses are
// created
//
=====

void LoadWarehouse()
{
    short        w_id;
    char         w_name[W_NAME_LEN+1];
    char         w_street_1[ADDRESS_LEN+1];
    char         w_street_2[ADDRESS_LEN+1];
    char         w_city[ADDRESS_LEN+1];
    char         w_state[STATE_LEN+1];
    char         w_zip[ZIP_LEN+1];
    double       w_tax;
    double       w_ytd;
    char         name[20];
    long         time_start;
    RETCODE      rc;
}

```

```

DBINT   rcint;
char    bcphint[128];

// Seed with unique number
seed(2);

printf("Loading warehouse table...\n");

// if build index before load...
if ((aptr->build_index == 1) && (aptr->index_order == 1))
    BuildIndex("idxwarc1");

InitString(w_name, W_NAME_LEN+1);
InitAddress(w_street_1, w_street_2, w_city, w_state, w_zip);

sprintf(name, "%s.%s", aptr->database, "warehouse");

rc = bcp_init(w_hdbc1, name, NULL, "logs\\whouse.err", DB_IN);

if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (w_id,
ROWS_PER_BATCH = %d", aptr->num_warehouses);
    rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
}

rc = bcp_bind(w_hdbc1, (BYTE *) &w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 1);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_name, 0, W_NAME_LEN,
NULL, 0, 0, 2);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_street_1, 0, ADDRESS_LEN,
NULL, 0, 0, 3);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_street_2, 0, ADDRESS_LEN,
NULL, 0, 0, 4);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_city, 0, ADDRESS_LEN,
NULL, 0, 0, 5);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_state, 0, STATE_LEN, NULL,
0, 0, 6);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) w_zip, 0, ZIP_LEN, NULL, 0, 0,
7);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &w_tax, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 8);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &w_ytd, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 9);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

time_start = (TimeNow() / MILLI);

warehouse_rows_loaded = 0;

for (w_id = (short)aptr->starting_warehouse; w_id <=
aptr->num_warehouses; w_id++)
{
    MakeAlphaString(6,10, W_NAME_LEN, w_name);

    MakeAddress(w_street_1, w_street_2, w_city, w_state,
w_zip);

    w_tax = ((float) RandomNumber(0L,2000L))/10000.00;

    w_ytd = 300000.00;

    rc = bcp_sendrow(w_hdbc1);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    warehouse_rows_loaded++;
    CheckForCommit(w_hdbc1, i_hstmt1,
warehouse_rows_loaded, "warehouse", &time_start);
}

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

printf("Finished loading warehouse table.\n");

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxwarc1");

stock_rows_loaded = 0;
district_rows_loaded = 0;

District();
Stock();
}

//=====
//
// Function : District
//
//=====

void District()
{
    short  d_id;
    short  d_w_id;
    char   d_name[D_NAME_LEN+1];
    char   d_street_1[ADDRESS_LEN+1];
    char   d_street_2[ADDRESS_LEN+1];
    char   d_city[ADDRESS_LEN+1];
    char   d_state[STATE_LEN+1];
    char   d_zip[ZIP_LEN+1];
    double d_tax;
    double d_ytd;
    char   name[20];

```

```

long  d_next_o_id;
long   time_start;
int    w_id;
RETCODE rc;
DBINT  rcint;
char   bcphint[128];

// Seed with unique number
seed(4);

printf("Loading district table...\n");

// build index before load
if ((aptr->build_index == 1) && (aptr->index_order == 1))
    BuildIndex("idxdiscl");

InitString(d_name, D_NAME_LEN+1);
InitAddress(d_street_1, d_street_2, d_city, d_state, d_zip);
sprintf(name, "%s.%s", aptr->database, "district");

rc = bcp_init(w_hdbc1, name, NULL, "logs\\district.err", DB_IN);

if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (d_w_id, d_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 10));
    rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
}

rc = bcp_bind(w_hdbc1, (BYTE *) &d_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 1);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &d_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 2);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_name, 0, D_NAME_LEN,
NULL, 0, 0, 3);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_street_1, 0, ADDRESS_LEN,
NULL, 0, 0, 4);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_street_2, 0, ADDRESS_LEN,
NULL, 0, 0, 5);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_city, 0, ADDRESS_LEN,
NULL, 0, 0, 6);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_state, 0, STATE_LEN, NULL,
0, 0, 7);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) d_zip, 0, ZIP_LEN, NULL, 0, 0,
8);

if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &d_tax, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 9);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &d_ytd, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 10);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = bcp_bind(w_hdbc1, (BYTE *) &d_next_o_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 11);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

d_ytd = 30000.0;
d_next_o_id = orders_per_district+1;

time_start = (TimeNow() / MILLI);

for (w_id = aptr->starting_warehouse; w_id <=
aptr->num_warehouses; w_id++)
{
    d_w_id = w_id;

    for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE;
d_id++)
    {
        d_name);
        MakeAlphaString(6,10,D_NAME_LEN,
        d_state, d_zip);
        MakeAddress(d_street_1, d_street_2, d_city,
        d_tax = ((float)
RandomNumber(0L,2000L))/10000.00;

        rc = bcp_sendrow(w_hdbc1);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        district_rows_loaded++;
        CheckForCommit(w_hdbc1, w_hstmt1,
district_rows_loaded, "district", &time_start);
    }
}

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

printf("Finished loading district table.\n");

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxdiscl");

return;
}

//=====
//
// Function : Stock
//

```



```

//=====
//=====
void Stock()
{
    long    s_i_id;
    short   s_w_id;
    short   s_quantity;
    char    s_dist_01[S_DIST_LEN+1];
    char    s_dist_02[S_DIST_LEN+1];
    char    s_dist_03[S_DIST_LEN+1];
    char    s_dist_04[S_DIST_LEN+1];
    char    s_dist_05[S_DIST_LEN+1];
    char    s_dist_06[S_DIST_LEN+1];
    char    s_dist_07[S_DIST_LEN+1];
    char    s_dist_08[S_DIST_LEN+1];
    char    s_dist_09[S_DIST_LEN+1];
    char    s_dist_10[S_DIST_LEN+1];
    long    s_ytd;
    short   s_order_cnt;
    short   s_remote_cnt;
    char    s_data[S_DATA_LEN+1];
    short   len;
    char    name[20];
    long    time_start;
    RETCODE rc;
    DBINT   rcint;
    char    bcpint[128];

    // Seed with unique number
    seed(3);

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxstkcl");

    sprintf(name, "%s.%s", aptr->database, "stock");

    rc = bcp_init(w_hdbc1, name, NULL, "logs\\stock.err", DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcpint, "tablock, order (s_i_id, s_w_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 100000));
        rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcpint);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
    }

    rc = bcp_bind(w_hdbc1, (BYTE *) &s_i_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    bcp_bind(w_hdbc1, (BYTE *) &s_w_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &s_quantity, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_01, 0, S_DIST_LEN,
NULL, 0, 0, 4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_02, 0, S_DIST_LEN,
NULL, 0, 0, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_03, 0, S_DIST_LEN,
NULL, 0, 0, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_04, 0, S_DIST_LEN,
NULL, 0, 0, 7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_05, 0, S_DIST_LEN,
NULL, 0, 0, 8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_06, 0, S_DIST_LEN,
NULL, 0, 0, 9);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_07, 0, S_DIST_LEN,
NULL, 0, 0, 10);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_08, 0, S_DIST_LEN,
NULL, 0, 0, 11);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_09, 0, S_DIST_LEN,
NULL, 0, 0, 12);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_10, 0, S_DIST_LEN,
NULL, 0, 0, 13);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &s_ytd, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT4, 14);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &s_order_cnt, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 15);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) &s_remote_cnt, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 16);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    rc = bcp_bind(w_hdbc1, (BYTE *) s_data, 0, S_DATA_LEN, NULL,
0, 0, 17);
    if (rc != SUCCEEDED)
        HandleErrorDBC(w_hdbc1);

    s_ytd = s_order_cnt = s_remote_cnt = 0;
    time_start = (TimeNow() / MILLI);
    printf("...Loading stock table\n");
}

```

```

    for (s_i_id=1; s_i_id <= max_items; s_i_id++)
    {
        for (s_w_id = (short)aptr->starting_warehouse; s_w_id <=
aptr->num_warehouses; s_w_id++)
        {
            s_quantity =
(short)RandomNumber(10L,100L);
            len = MakeAlphaString(24,24,S_DIST_LEN,
s_dist_01);
            len = MakeAlphaString(24,24,S_DIST_LEN,
s_dist_02);
            len = MakeAlphaString(24,24,S_DIST_LEN,
s_dist_03);
            len = MakeAlphaString(24,24,S_DIST_LEN,
s_dist_04);
            len = MakeAlphaString(24,24,S_DIST_LEN,
s_dist_05);
            len = MakeAlphaString(24,24,S_DIST_LEN,
s_dist_06);
            len = MakeAlphaString(24,24,S_DIST_LEN,
s_dist_07);
            len = MakeAlphaString(24,24,S_DIST_LEN,
s_dist_08);
            len = MakeAlphaString(24,24,S_DIST_LEN,
s_dist_09);
            len = MakeAlphaString(24,24,S_DIST_LEN,
s_dist_10);

            len = MakeOriginalAlphaString(26,50,
S_DATA_LEN, s_data,10);

            rc = bcp_sendrow(w_hdbc1);
            if (rc != SUCCEEDED)
                HandleErrorDBC(w_hdbc1);

            stock_rows_loaded++;
            CheckForCommit(w_hdbc1, w_hstmt1,
stock_rows_loaded, "stock", &time_start);
        }
    }

    rcint = bcp_done(w_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(w_hdbc1);

    printf("Finished loading stock table.\n");

    SQLFreeStmt(w_hstmt1, SQL_DROP);
    SQLDisconnect(w_hdbc1);
    SQLFreeConnect(w_hdbc1);

    // if build index after load...
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxstkcl");

    return;
}

//=====
//
// Function : LoadCustomer
//
//=====

void LoadCustomer()
{
    LOADER_TIME_STRUCT customer_time_start;
    LOADER_TIME_STRUCT history_time_start;
    short w_id;

    short d_id;

    DWORD
dwThreadId[MAX_CUSTOMER_THREADS];
    HANDLE
hThread[MAX_CUSTOMER_THREADS];
    char name[20];
    RETCODE
rc;
    DBINT rcint;
    char
bcphint[128];
    char cmd[256];
    // SQLRETURN rc_1;
    // SQLSMALLINT recnum,
    MsgLen;
    // SQLCHAR
SqlState[6, Msg[SQL_MAX_MESSAGE_LENGTH];
    // SQLINTEGER NativeError;

    // Seed with unique number
    seed(5);

    printf("Loading customer and history tables...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxcuscl");

    // Initialize bulk copy
    sprintf(name, "%s.%s", aptr->database, "customer");

    rc = bcp_init(c_hdbc1, name, NULL, "logs\\customer.err", DB_IN);

    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (c_w_id, c_d_id, c_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
        rc = bcp_control(c_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc1);
    }

    sprintf(name, "%s.%s", aptr->database, "history");

    rc = bcp_init(c_hdbc2, name, NULL, "logs\\history.err", DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    sprintf(bcphint, "tablock");
    rc = bcp_control(c_hdbc2, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    customer_rows_loaded = 0;
    history_rows_loaded = 0;

    CustomerBufInit();

    customer_time_start.time_start = (TimeNow() / MILLI);
    history_time_start.time_start = (TimeNow() / MILLI);

    for (w_id = (short)aptr->starting_warehouse; w_id <=
aptr->num_warehouses; w_id++)
    {

```

```

        for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE;
d_id++)
    {
        CustomerBufLoad(d_id, w_id);

        // Start parallel loading threads here...

        // Start customer table thread

        printf("...Loading customer table for: d_id =
%d, w_id = %d\n", d_id, w_id);

        hThread[0] = CreateThread(NULL,

0,

(LPTHREAD_START_ROUTINE) LoadCustomerTable,

&customer_time_start,

0,

&dwThreadID[0]);

        if (hThread[0] == NULL)
        {
            printf("Error, failed in creating
creating thread = 0.\n");
            exit(-1);
        }

        // Start History table thread

        printf("...Loading history table for: d_id = %d,
w_id = %d\n", d_id, w_id);

        hThread[1] = CreateThread(NULL,

0,

(LPTHREAD_START_ROUTINE) LoadHistoryTable,

&history_time_start,

0,

&dwThreadID[1]);

        if (hThread[1] == NULL)
        {
            printf("Error, failed in creating
creating thread = 1.\n");
            exit(-1);
        }

        WaitForSingleObject( hThread[0], INFINITE
);

        WaitForSingleObject( hThread[1], INFINITE
);

        if (CloseHandle(hThread[0]) == FALSE)
        {
            printf("Error, failed in closing
customer thread handle with errno: %d\n", GetLastError());
        }

        if (CloseHandle(hThread[1]) == FALSE)
        {
            printf("Error, failed in closing
history thread handle with errno: %d\n", GetLastError());
        }
    }
}

}

}

// flush the bulk connection
rcint = bcp_done(c_hdbc1);
if (rcint < 0)
    HandleErrorDBC(c_hdbc1);

rcint = bcp_done(c_hdbc2);
if (rcint < 0)
    HandleErrorDBC(c_hdbc2);

printf("Finished loading customer table.\n");

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxcuscl");

// build non-clustered index
if (aptr->build_index == 1)
    BuildIndex("idxcusnc");

// Output the NURAND used for the loader into C_FIRST for C_ID =
1,
// C_W_ID = 1, and C_D_ID = 1
sprintf(cmd, "isql -S%s -U%s -P%s -d%s -e -Q\"update customer set
c_first = 'C_LOAD = %d' where c_id = 1 and c_w_id = 1 and c_d_id = 1\" >
logs\\nurand_load.log",

aptr->server,
aptr->user,
aptr->password,
aptr->database,
LOADER_NURAND_C);

system(cmd);

SQLFreeStmt(c_hstmt1, SQL_DROP);
SQLDisconnect(c_hdbc1);
SQLFreeConnect(c_hdbc1);

SQLFreeStmt(c_hstmt2, SQL_DROP);
SQLDisconnect(c_hdbc2);
SQLFreeConnect(c_hdbc2);

return;
}

//=====
//
// Function : CustomerBufInit
//
//=====

void CustomerBufInit()
{
    int i;

    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_id = 0;
        customer_buf[i].c_d_id = 0;
        customer_buf[i].c_w_id = 0;
    }
}

```

```

strcpy(customer_buf[i].c_first,"");
strcpy(customer_buf[i].c_middle,"");
strcpy(customer_buf[i].c_last,"");
strcpy(customer_buf[i].c_street_1,"");
strcpy(customer_buf[i].c_street_2,"");
strcpy(customer_buf[i].c_city,"");
strcpy(customer_buf[i].c_state,"");
strcpy(customer_buf[i].c_zip,"");
strcpy(customer_buf[i].c_phone,"");
strcpy(customer_buf[i].c_credit,"");

customer_buf[i].c_credit_lim = 0;
customer_buf[i].c_discount = (float) 0;

// fix to avoid ODBC float to numeric conversion problem.
// customer_buf[i].c_balance = 0;
strcpy(customer_buf[i].c_balance,"");

customer_buf[i].c_ytd_payment = 0;
customer_buf[i].c_payment_cnt = 0;
customer_buf[i].c_delivery_cnt = 0;

strcpy(customer_buf[i].c_data,"");

customer_buf[i].h_amount = 0;

strcpy(customer_buf[i].h_data,"");
}

}

//=====
//
// Function : CustomerBufLoad
//
// Fills shared buffer for HISTORY and CUSTOMER
//=====
void CustomerBufLoad(int d_id, int w_id)
{
    long i;
    CUSTOMER_SORT_STRUCT c[CUSTOMERS_PER_DISTRICT];

    for (i=0;i<customers_per_district;i++)
    {
        if (i < 1000)
            LastName(i, c[i].c_last);
        else
            LastName(NURand(255,0,999,LOADER_NURAND_C), c[i].c_last);

        MakeAlphaString(8,16,FIRST_NAME_LEN, c[i].c_first);

        c[i].c_id = i+1;
    }

    printf("...Loading customer buffer for: d_id = %d, w_id = %d\n",
        d_id, w_id);

    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_d_id = d_id;

```

```

customer_buf[i].c_w_id = w_id;
customer_buf[i].h_amount = 10.0;

customer_buf[i].c_ytd_payment = 10.0;

customer_buf[i].c_payment_cnt = 1;
customer_buf[i].c_delivery_cnt = 0;

// Generate CUSTOMER and HISTORY data

customer_buf[i].c_id = c[i].c_id;

strcpy(customer_buf[i].c_first, c[i].c_first);
strcpy(customer_buf[i].c_last, c[i].c_last);

customer_buf[i].c_middle[0] = 'O';
customer_buf[i].c_middle[1] = 'E';

MakeAddress(customer_buf[i].c_street_1,
            customer_buf[i].c_street_2,
            customer_buf[i].c_city,
            customer_buf[i].c_state,
            customer_buf[i].c_zip);

MakeNumberString(16, 16, PHONE_LEN,
customer_buf[i].c_phone);

if (RandomNumber(1L, 100L) > 10)
    customer_buf[i].c_credit[0] = 'G';
else
    customer_buf[i].c_credit[0] = 'B';
customer_buf[i].c_credit[1] = 'C';

customer_buf[i].c_credit_lim = 50000.0;
customer_buf[i].c_discount = ((float) RandomNumber(0L,
5000L)) / 10000.0;

// fix to avoid ODBC float to numeric conversion problem.

// customer_buf[i].c_balance = -10.0;
strcpy(customer_buf[i].c_balance,"-10.0");

MakeAlphaString(300, 500, C_DATA_LEN,
customer_buf[i].c_data);

// Generate HISTORY data
MakeAlphaString(12, 24, H_DATA_LEN,
customer_buf[i].h_data);
}

}

//=====
//
// Function : LoadCustomerTable
//
//=====
void LoadCustomerTable(LOADER_TIME_STRUCT *customer_time_start)
{
    int i;
    long c_id;
    short c_d_id;
    short c_w_id;
    char c_first[FIRST_NAME_LEN+1];
    char c_middle[MIDDLE_NAME_LEN+1];
    char c_last[LAST_NAME_LEN+1];
    char c_street_1[ADDRESS_LEN+1];
    char c_street_2[ADDRESS_LEN+1];

```

```

char    c_city[ADDRESS_LEN+1];
char    c_state[STATE_LEN+1];
char    c_zip[ZIP_LEN+1];
char    c_phone[PHONE_LEN+1];
char    c_credit[CREDIT_LEN+1];
double  c_credit_lim;
double  c_discount;

    // fix to avoid ODBC float to numeric conversion problem.
    // double      c_balance;
    char          c_balance[6];

double  c_ytd_payment;
short   c_payment_cnt;
short   c_delivery_cnt;
char    c_data[C_DATA_LEN+1];
char    c_since[C_SINCE_LEN+1];
RETCODE rc;

rc = bcp_bind(c_hdbc1, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_first, 0, FIRST_NAME_LEN, NULL, 0,
0, 4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_middle, 0,
MIDDLE_NAME_LEN, NULL, 0, 0, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_last, 0, LAST_NAME_LEN, NULL, 0, 0,
6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_1, 0, ADDRESS_LEN, NULL, 0,
0, 7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_street_2, 0, ADDRESS_LEN, NULL, 0,
8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_city, 0, ADDRESS_LEN, NULL, 0, 0, 9);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_state, 0, STATE_LEN, NULL, 0, 0, 10);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_zip, 0, ZIP_LEN, NULL, 0, 0, 11);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_phone, 0, PHONE_LEN, NULL, 0, 0,
12);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_since, 0, C_SINCE_LEN,
NULL, 0, SQLCHARACTER, 13);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_credit, 0, CREDIT_LEN, NULL, 0, 0,
14);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_credit_lim, 0, SQL_VARLEN_DATA,
NULL, 0, SQLFLT8, 15);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_discount, 0, SQL_VARLEN_DATA,
NULL, 0, SQLFLT8, 16);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

    // fix to avoid ODBC float to numeric conversion problem.

    // rc = bcp_bind(c_hdbc1, (BYTE *) &c_balance, 0, SQL_VARLEN_DATA,
NULL, 0, SQLFLT8, 17);
    // if (rc != SUCCEEDED)
    //     HandleErrorDBC(c_hdbc1);
rc = bcp_bind(c_hdbc1, (BYTE *) c_balance, 0, 5, NULL, 0,
SQLCHARACTER, 17);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_ytd_payment, 0,
SQL_VARLEN_DATA, NULL, 0, SQLFLT8, 18);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_payment_cnt, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 19);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) &c_delivery_cnt, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 20);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

rc = bcp_bind(c_hdbc1, (BYTE *) c_data, 0, 500, NULL, 0, 0, 21);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc1);

for (i = 0; i < customers_per_district; i++)
{
    c_id = customer_buf[i].c_id;
    c_d_id = customer_buf[i].c_d_id;
    c_w_id = customer_buf[i].c_w_id;

    strcpy(c_first, customer_buf[i].c_first);
    strcpy(c_middle, customer_buf[i].c_middle);
    strcpy(c_last, customer_buf[i].c_last);
    strcpy(c_street_1, customer_buf[i].c_street_1);
    strcpy(c_street_2, customer_buf[i].c_street_2);
    strcpy(c_city, customer_buf[i].c_city);
    strcpy(c_state, customer_buf[i].c_state);

```

```

strcpy(c_zip, customer_buf[i].c_zip);
strcpy(c_phone, customer_buf[i].c_phone);
strcpy(c_credit, customer_buf[i].c_credit);

FormatDate(&c_since);

c_credit_lim = customer_buf[i].c_credit_lim;
c_discount = customer_buf[i].c_discount;

// fix to avoid ODBC float to numeric conversion problem.

// c_balance = customer_buf[i].c_balance;
strcpy(c_balance, customer_buf[i].c_balance);

c_ytd_payment = customer_buf[i].c_ytd_payment;
c_payment_cnt = customer_buf[i].c_payment_cnt;
c_delivery_cnt = customer_buf[i].c_delivery_cnt;

strcpy(c_data, customer_buf[i].c_data);

// Send data to server
rc = bcp_sendrow(c_hdbc1);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

customer_rows_loaded++;
CheckForCommit(c_hdbc1, c_hstmt1,
customer_rows_loaded, "customer", &customer_time_start->time_start);
}
}

//=====
//
// Function : LoadHistoryTable
//
//=====

void LoadHistoryTable(LOADER_TIME_STRUCT *history_time_start)
{
    int i;
    long c_id;
    short c_d_id;
    short c_w_id;
    double h_amount;
    char h_data[H_DATA_LEN+1];
    char h_date[H_DATE_LEN+1];
    RETCODE rc;

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT4, 1);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 2);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 3);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 4);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLVARLEN_DATA,
NULL, 0, SQLINT2, 5);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_date, 0, H_DATE_LEN,
NULL, 0, SQLCHARACTER, 6);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) &h_amount, 0, SQL_VARLEN_DATA,
NULL, 0, SQLFLT8, 7);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    rc = bcp_bind(c_hdbc2, (BYTE *) h_data, 0, H_DATA_LEN, NULL, 0, 0, 8);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    for (i = 0; i < customers_per_district; i++)
    {
        c_id = customer_buf[i].c_id;
        c_d_id = customer_buf[i].c_d_id;
        c_w_id = customer_buf[i].c_w_id;
        h_amount = customer_buf[i].h_amount;
        strcpy(h_data, customer_buf[i].h_data);

        FormatDate(&h_date);

        // send to server
        rc = bcp_sendrow(c_hdbc2);
        if (rc != SUCCEED)
            HandleErrorDBC(c_hdbc2);

        history_rows_loaded++;
        CheckForCommit(c_hdbc2, c_hstmt2,
history_rows_loaded, "history", &history_time_start->time_start);
    }
}

//=====
//
// Function : LoadOrders
//
//=====

void LoadOrders()
{
    LOADER_TIME_STRUCT orders_time_start;
    LOADER_TIME_STRUCT new_order_time_start;
    LOADER_TIME_STRUCT order_line_time_start;
    short w_id;
    short d_id;
    DWORD
dwThreadId[MAX_ORDER_THREADS];
HANDLE
hThread[MAX_ORDER_THREADS];
char name[20];
RETCODE
rc;
char
bcphint[128];

// seed with unique number
seed(6);

```

```

printf("Loading orders...\n");

// if build index before load...
if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    BuildIndex("idxordcl");
    BuildIndex("idxnodcl");
    BuildIndex("idxodcl");
}

// initialize bulk copy
sprintf(name, "%s.%s", aptr->database, "orders");

rc = bcp_init(o_hdbc1, name, NULL, "logs\\orders.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (o_w_id, o_d_id, o_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
    rc = bcp_control(o_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);
}

sprintf(name, "%s.%s", aptr->database, "new_order");

rc = bcp_init(o_hdbc2, name, NULL, "logs\\neword.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc2);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (no_w_id, no_d_id,
no_o_id), ROWS_PER_BATCH = %u", (aptr->num_warehouses * 9000));
    rc = bcp_control(o_hdbc2, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);
}

sprintf(name, "%s.%s", aptr->database, "order_line");

rc = bcp_init(o_hdbc3, name, NULL, "logs\\ordline.err", DB_IN);
if (rc != SUCCEED)
    HandleErrorDBC(o_hdbc3);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (ol_w_id, ol_d_id, ol_o_id,
ol_number), ROWS_PER_BATCH = %u", (aptr->num_warehouses * 300000));
    rc = bcp_control(o_hdbc3, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
}

orders_rows_loaded = 0;
new_order_rows_loaded = 0;
order_line_rows_loaded = 0;

OrdersBufInit();

orders_time_start.time_start = (TimeNow() / MILLI);
new_order_time_start.time_start = (TimeNow() / MILLI);
order_line_time_start.time_start = (TimeNow() / MILLI);

for (w_id = (short)aptr->starting_warehouse; w_id <=
aptr->num_warehouses; w_id++)
{
    for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE;
d_id++)
    {
        OrdersBufLoad(d_id, w_id);

        // start parallel loading threads here...

        // start Orders table thread

        printf("...Loading Order Table for: d_id = %d,
w_id = %d\n", d_id, w_id);

        hThread[0] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadOrdersTable,
&orders_time_start,
0,
&dwThreadID[0]);

        if (hThread[0] == NULL)
        {
            printf("Error, failed in creating
creating thread = 0.\n");
            exit(-1);
        }

        // start NewOrder table thread

        printf("...Loading New-Order Table for: d_id =
%d, w_id = %d\n", d_id, w_id);

        hThread[1] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadNewOrderTable,
&new_order_time_start,
0,
&dwThreadID[1]);

        if (hThread[1] == NULL)
        {
            printf("Error, failed in creating
creating thread = 1.\n");
            exit(-1);
        }

        // start Order-Line table thread

        printf("...Loading Order-Line Table for: d_id =
%d, w_id = %d\n", d_id, w_id);

        hThread[2] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadOrderLineTable,
&order_line_time_start,
0,
    }
}

```

```

        &dwThreadID[2]);
        if (hThread[2] == NULL)
        {
            printf("Error, failed in creating
creating thread = 2.\n");
            exit(-1);
        }
        WaitForSingleObject( hThread[0], INFINITE
);
        WaitForSingleObject( hThread[1], INFINITE
);
        WaitForSingleObject( hThread[2], INFINITE
);

        if (CloseHandle(hThread[0]) == FALSE)
        {
            printf("Error, failed in closing
Orders thread handle with errno: %d\n", GetLastError());
        }

        if (CloseHandle(hThread[1]) == FALSE)
        {
            printf("Error, failed in closing
NewOrder thread handle with errno: %d\n", GetLastError());
        }

        if (CloseHandle(hThread[2]) == FALSE)
        {
            printf("Error, failed in closing
OrderLine thread handle with errno: %d\n", GetLastError());
        }
    }

    printf("Finished loading orders.\n");

    return;
}

//=====
//
// Function : OrdersBufInit
// Clears shared buffer for ORDERS, NEWORDER, and ORDERLINE
//
//=====

void OrdersBufInit()
{
    int i;
    int j;

    for (i=0;i<orders_per_district;i++)
    {
        orders_buf[i].o_id = 0;
        orders_buf[i].o_d_id = 0;
        orders_buf[i].o_w_id = 0;
        orders_buf[i].o_c_id = 0;
        orders_buf[i].o_carrier_id = 0;
        orders_buf[i].o_ol_cnt = 0;
        orders_buf[i].o_all_local = 0;

        for (j=0;j<=14;j++)

```

```

        {
            orders_buf[i].o_ol[j].ol = 0;
            orders_buf[i].o_ol[j].ol_i_id = 0;

            orders_buf[i].o_ol[j].ol_supply_w_id = 0;
            orders_buf[i].o_ol[j].ol_quantity = 0;
            orders_buf[i].o_ol[j].ol_amount = 0;
            strcpy(orders_buf[i].o_ol[j].ol_dist_info,"");
        }
    }

//=====
//
// Function : OrdersBufLoad
// Fills shared buffer for ORDERS, NEWORDER, and ORDERLINE
//
//=====

void OrdersBufLoad(int d_id, int w_id)
{
    int cust[ORDERS_PER_DISTRICT+1];
    long o_id;
    short ol;

    printf("...Loading Order Buffer for: d_id = %d, w_id = %d\n",
        d_id, w_id);

    GetPermutation(cust, orders_per_district);

    for (o_id=0;o_id<orders_per_district;o_id++)
    {
        // Generate ORDER and NEW-ORDER data

        orders_buf[o_id].o_d_id = d_id;
        orders_buf[o_id].o_w_id = w_id;
        orders_buf[o_id].o_id = o_id+1;
        orders_buf[o_id].o_c_id = cust[o_id+1];
        orders_buf[o_id].o_ol_cnt = (short)RandomNumber(5L,
15L);

        if (o_id < first_new_order)
        {
            orders_buf[o_id].o_carrier_id =
(short)RandomNumber(1L, 10L);
            orders_buf[o_id].o_all_local = 1;
        }
        else
        {
            orders_buf[o_id].o_carrier_id = 0;
            orders_buf[o_id].o_all_local = 1;
        }

        for (ol=0; ol<orders_buf[o_id].o_ol_cnt; ol++)
        {
            orders_buf[o_id].o_ol[ol].ol = ol+1;
            orders_buf[o_id].o_ol[ol].ol_i_id =
RandomNumber(1L, max_items);
            orders_buf[o_id].o_ol[ol].ol_supply_w_id =
w_id;
            orders_buf[o_id].o_ol[ol].ol_quantity = 5;

```



```

                MakeAlphaString(24, 24,
OL_DIST_INFO_LEN, &orders_buf[o_id].o_ol[ol].ol_dist_info);

                // Generate ORDER-LINE data
                if (o_id < first_new_order)
                {

orders_buf[o_id].o_ol[ol].ol_amount = 0;
                // Added to insure ol_delivery_d set
properly during load

FormatDate(&orders_buf[o_id].o_ol[ol].ol_delivery_d);

                }
                else
                {

orders_buf[o_id].o_ol[ol].ol_amount = RandomNumber(1,999999)/100.0;
                // Added to insure ol_delivery_d set
properly during load

                // odbc datetime format

strcpy(orders_buf[o_id].o_ol[ol].ol_delivery_d,"1899-12-31 00:00:00.000");

                }
            }
        }

//=====
//
// Function : LoadOrdersTable
//
//=====
void LoadOrdersTable(LOADER_TIME_STRUCT *orders_time_start)
{
    int i;
    long o_id;
    short o_d_id;
    short o_w_id;

    long o_c_id;
    short o_carrier_id;
    short o_ol_cnt;
    short o_all_local;
    char o_entry_d[O_ENTRY_D_LEN+1];
    RETCODE rc;
    DBINT rcint;

    // bind ORDER data
    rc = bcp_bind(o_hdbc1, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

```

```

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_c_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT4, 4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_entry_d, 0,
O_ENTRY_D_LEN, NULL, 0, SQLCHARACTER, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_carrier_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_ol_cnt, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = bcp_bind(o_hdbc1, (BYTE *) &o_all_local, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    for (i = 0; i < orders_per_district; i++)
    {
        o_id = orders_buf[i].o_id;
        o_d_id = orders_buf[i].o_d_id;
        o_w_id = orders_buf[i].o_w_id;
        o_c_id = orders_buf[i].o_c_id;
        o_carrier_id = orders_buf[i].o_carrier_id;
        o_ol_cnt = orders_buf[i].o_ol_cnt;
        o_all_local = orders_buf[i].o_all_local;

        FormatDate(&o_entry_d);

        // send data to server
        rc = bcp_sendrow(o_hdbc1);
        if (rc != SUCCEEDED)
            HandleErrorDBC(o_hdbc1);

        orders_rows_loaded++;
        CheckForCommit(o_hdbc1, o_hstmt1,
orders_rows_loaded, "orders", &orders_time_start->time_start);
    }

    // rcint = bcp_batch(o_hdbc1);
    // if (rcint < 0)
    //     HandleErrorDBC(o_hdbc1);

    if ((o_w_id == apr->num_warehouses) && (o_d_id == 10))
    {
        rcint = bcp_done(o_hdbc1);
        if (rcint < 0)
            HandleErrorDBC(o_hdbc1);

        SQLFreeStmt(o_hstmt1, SQL_DROP);
        SQLDisconnect(o_hdbc1);
        SQLFreeConnect(o_hdbc1);

        // if build index after load...
        if ((apr->build_index == 1) && (apr->index_order == 0))
            BuildIndex("idxordcl");

        // build non-clustered index
        if (apr->build_index == 1)
            BuildIndex("idxordnc");
    }
}

```

```

}

//=====
//
// Function : LoadNewOrderTable
//
//=====

void LoadNewOrderTable(LOADER_TIME_STRUCT *new_order_time_start)
{
    int i;
    long o_id;
    short o_d_id;
    short o_w_id;
    RETCODE rc;
    DBINT rcint;

    // Bind NEW-ORDER data

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);

    rc = bcp_bind(o_hdbc2, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);

    for (i = first_new_order; i < last_new_order; i++)
    {
        o_id = orders_buf[i].o_id;
        o_d_id = orders_buf[i].o_d_id;
        o_w_id = orders_buf[i].o_w_id;

        rc = bcp_sendrow(o_hdbc2);
        if (rc != SUCCEEDED)
            HandleErrorDBC(o_hdbc2);

        new_order_rows_loaded++;
        CheckForCommit(o_hdbc2, o_hstmt2,
new_order_rows_loaded, "new_order", &new_order_time_start->time_start);
    }

    // rcint = bcp_batch(o_hdbc2);
    // if (rcint < 0)
    //     HandleErrorDBC(o_hdbc2);

    if ((o_w_id == apr->num_warehouses) && (o_d_id == 10))
    {
        rcint = bcp_done(o_hdbc2);
        if (rcint < 0)
            HandleErrorDBC(o_hdbc2);

        SQLFreeStmt(o_hstmt2, SQL_DROP);
        SQLDisconnect(o_hdbc2);
        SQLFreeConnect(o_hdbc2);

        // if build index after load...
        if ((apr->build_index == 1) && (apr->index_order == 0))
            BuildIndex("idxnodc1");
    }
}

```

```

}

//=====
//
// Function : LoadOrderLineTable
//
//=====

void LoadOrderLineTable(LOADER_TIME_STRUCT *order_line_time_start)
{
    int i,j;
    long o_id;
    short o_d_id;
    short o_w_id;
    long ol;
    long ol_i_id;
    short ol_supply_w_id;
    short ol_quantity;
    double ol_amount;
    char ol_dist_info[DIST_INFO_LEN+1];
    char ol_delivery_d[OL_DELIVERY_D_LEN+1];
    RETCODE rc;
    DBINT rcint;

    // bind ORDER-LINE data
    rc = bcp_bind(o_hdbc3, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT4, 1);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 3);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, 4);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_i_id, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT4, 5);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_supply_w_id, 0,
SQL_VARLEN_DATA, NULL, 0, SQLINT2, 6);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_delivery_d, 0,
OL_DELIVERY_D_LEN, NULL, 0, SQLCHARACTER, 7);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_quantity, 0, SQL_VARLEN_DATA,
NULL, 0, SQLINT2, 8);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_amount, 0, SQL_VARLEN_DATA,
NULL, 0, SQLFLT8, 9);
}

```

```

        if (rc != SUCCEEDED)
            HandleErrorDBC(o_hdbc3);

    rc = bcp_bind(o_hdbc3, (BYTE *) ol_dist_info, 0, DIST_INFO_LEN, NULL,
0, 0, 10);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    for (i = 0; i < orders_per_district; i++)
    {
        o_id = orders_buf[i].o_id;
        o_d_id = orders_buf[i].o_d_id;
        o_w_id = orders_buf[i].o_w_id;

        for (j=0; j < orders_buf[i].o_ol_cnt; j++)
        {
            ol = orders_buf[i].o_ol[j].ol;
            ol_i_id = orders_buf[i].o_ol[j].ol_i_id;
            ol_supply_w_id =
orders_buf[i].o_ol[j].ol_supply_w_id;
            ol_quantity =
orders_buf[i].o_ol[j].ol_quantity;
            ol_amount =
orders_buf[i].o_ol[j].ol_amount;

strcpy(ol_delivery_d,orders_buf[i].o_ol[j].ol_delivery_d);

strcpy(ol_dist_info,orders_buf[i].o_ol[j].ol_dist_info);

                rc = bcp_sendrow(o_hdbc3);
                if (rc != SUCCEEDED)
                    HandleErrorDBC(o_hdbc3);

                order_line_rows_loaded++;
                CheckForCommit(o_hdbc3, o_hstmt3,
order_line_rows_loaded, "order_line", &order_line_time_start->time_start);
            }

        }

        // rcint = bcp_batch(o_hdbc3);
        // if (rcint < 0)
        //     HandleErrorDBC(o_hdbc3);

        if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
        {
            rcint = bcp_done(o_hdbc3);
            if (rcint < 0)
                HandleErrorDBC(o_hdbc3);

            SQLFreeStmt(o_hstmt3, SQL_DROP);
            SQLDisconnect(o_hdbc3);
            SQLFreeConnect(o_hdbc3);

            // if build index after load...
            if ((aptr->build_index == 1) && (aptr->index_order == 0))
                BuildIndex("idxodlcl");

        }

    }

}

//=====
//
// Function : GetPermutation
//
//=====

```

```

void GetPermutation(int perm[], int n)
{
    int i, r, t;

    for (i=1;i<=n;i++)
        perm[i] = i;

    for (i=1;i<=n;i++)
    {
        r = RandomNumber(i,n);
        t = perm[i];
        perm[i] = perm[r];
        perm[r] = t;
    }
}

//=====
//
// Function : CheckForCommit
//
//=====

void CheckForCommit(HDBC hdbc,
                    HSTMT hstmt,
                    int rows_loaded,
                    char *table_name,
                    long *time_start)
{
    long time_end, time_diff;
    // DBINT rcint;

    if ( !(rows_loaded % aptr->batch) )
    {
        // rcint = bcp_batch(hdbc);
        // if (rcint < 0)
        //     HandleErrorDBC(hdbc);

        time_end = (TimeNow() / MILLI);
        time_diff = time_end - *time_start;

        printf("-> Loaded %ld rows into %s in %ld sec - Total =
%d (%.2f rps)\n",
                aptr->batch,
                table_name,
                time_diff,
                rows_loaded,
                (float) aptr->batch / (time_diff ?
time_diff : 1L));

        *time_start = time_end;
    }

    return;
}

//=====
//
// Function : OpenConnections
//
//=====

```

```

void OpenConnections()
{
    RETCODE    rc;

    char        szDriverString[300];
    char        szDriverStringOut[1024];
    SQLSMALLINT cbDriverStringOut;

    SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE,
&henv );

    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION,
(void*)SQL_OV_ODBC3, 0 );

    SQLAllocHandle(SQL_HANDLE_DBC, henv , &i_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &w_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc2);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc2);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc3);

    SQLSetConnectAttr(i_hdbc1, SQL_COPT_SS_BCP, (void
*)SQL_BCP_ON, SQL_IS_INTEGER);
    SQLSetConnectAttr(w_hdbc1, SQL_COPT_SS_BCP, (void
*)SQL_BCP_ON, SQL_IS_INTEGER);
    SQLSetConnectAttr(c_hdbc1, SQL_COPT_SS_BCP, (void
*)SQL_BCP_ON, SQL_IS_INTEGER);
    SQLSetConnectAttr(c_hdbc2, SQL_COPT_SS_BCP, (void
*)SQL_BCP_ON, SQL_IS_INTEGER);
    SQLSetConnectAttr(o_hdbc1, SQL_COPT_SS_BCP, (void
*)SQL_BCP_ON, SQL_IS_INTEGER);
    SQLSetConnectAttr(o_hdbc2, SQL_COPT_SS_BCP, (void
*)SQL_BCP_ON, SQL_IS_INTEGER);
    SQLSetConnectAttr(o_hdbc3, SQL_COPT_SS_BCP, (void
*)SQL_BCP_ON, SQL_IS_INTEGER);

    // Open connections to SQL Server

    // Connection 1

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->password,
aptr->database );

    rc = SQLSetConnectOption ( i_hdbc1, SQL_PACKET_SIZE,
aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    rc = SQLDriverConnect ( i_hdbc1,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
}

if (rc != SUCCEED)
    HandleErrorDBC(i_hdbc1);

// Connection 2

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->password,
aptr->database );

    rc = SQLSetConnectOption ( w_hdbc1, SQL_PACKET_SIZE,
aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    rc = SQLDriverConnect ( w_hdbc1,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

// Connection 3

    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
aptr->password,
aptr->database );

    rc = SQLSetConnectOption ( c_hdbc1, SQL_PACKET_SIZE,
aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    rc = SQLDriverConnect ( c_hdbc1,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
}

```

```

        HandleErrorDBC(c_hdbc1);

// Connection 4
    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
                                aptr->user,
aptr->password,
aptr->database );

    rc = SQLSetConnectOption ( c_hdbc2, SQL_PACKET_SIZE,
aptr->pack_size);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    rc = SQLDriverConnect ( c_hdbc2,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

// Connection 5
    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
                                aptr->user,
aptr->password,
aptr->database );

    rc = SQLSetConnectOption ( o_hdbc1, SQL_PACKET_SIZE,
aptr->pack_size);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

    rc = SQLDriverConnect ( o_hdbc1,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);

```

```

// Connection 6
    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
                                aptr->user,
aptr->password,
aptr->database );

    rc = SQLSetConnectOption ( o_hdbc2, SQL_PACKET_SIZE,
aptr->pack_size);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);

    rc = SQLDriverConnect ( o_hdbc2,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);

// Connection 7
    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
aptr->server,
                                aptr->user,
aptr->password,
aptr->database );

    rc = SQLSetConnectOption ( o_hdbc3, SQL_PACKET_SIZE,
aptr->pack_size);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

    rc = SQLDriverConnect ( o_hdbc3,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);

```

```

}

//=====
//
// Function name: BuildIndex
//
//=====

void BuildIndex(char *index_script)
{
    char    cmd[256];

    printf("Starting index creation: %s\n",index_script);

    sprintf(cmd, "isql -S%s -U%s -P%s -e -i%s\\%s.sql > logs\\%s.log",
            aptr->server,
            aptr->user,
            aptr->password,
            aptr->index_script_path,
            index_script,
            index_script);

    system(cmd);

    printf("Finished index creation: %s\n",index_script);
}

void HandleErrorDBC (SQLHDBC hdbc1)
{
    SQLCHAR          SqlState[6],
    Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLINTEGER NativeError;
    SQLSMALLINT i, MsgLen;
    SQLRETURN rc2;
    char             timebuf[128];
    char             datebuf[128];
    FILE             *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_DBC , hdbc1, i,
    SqlState , &NativeError,
    Msg, sizeof(Msg) , &MsgLen ))
    != SQL_NO_DATA )
    {
        sprintf( szLastError , "%s" , Msg );

        _strtime(timebuf);
        _strdate(datebuf);

        printf( "[%s : %s] %s\n" , datebuf, timebuf, szLastError);

        fp1 = fopen("logs\\tpccldr.err","w");
        if (fp1 == NULL)
            printf("ERROR: Unable to open errorlog
file.\n");
        else
        {
            fprintf(fp1, "[%s : %s] %s\n" , datebuf, timebuf,
szLastError);
            fclose(fp1);
        }
        i++;
    }
}

void FormatDate ( char* szTimeCOutput )
{
    struct tm when;
    time_t now;

    time( &now );
    when = *localtime( &now );

    mktime( &when );

    // odbc datetime format
    strftime( szTimeCOutput , 30 , "%Y-%m-%d %H:%M:%S.000",
&when );

    return;
}

//=====
//
// Function : CheckSQL
//
//=====

```

```

void CheckSQL()
{
    RETCODE      rc;

    char          szDriverString[300];
    char          szDriverStringOut[1024];
    int           SQLBuildFlag;
    char          resp;

    SQLSMALLINT   cbDriverStringOut;
    SQLCHAR       SQLVersion[19];
    SQLINTEGER    SQLVersionInd;

    SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE,
&henv );
    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION,
(void*)SQL_OV_ODBC3, 0);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &v_hdbc);
    SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP, (void
*)SQL_BCP_ON, SQL_IS_INTEGER);

    // Open connection to SQL Server
    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s" ,
aptr->server,
aptr->password );
    if ( SQLSetConnectAttr( v_hdbc, SQL_ATTR_PACKET_SIZE,
(SQLPOINTER)aptr->pack_size, SQL_IS_UIINTEGER ) != SQL_SUCCESS )
        HandleErrorDBC(v_hdbc);

    rc = SQLDriverConnect ( v_hdbc,
NULL,
(SQLCHAR*)&szDriverString[0] ,
SQL_NTS,
(SQLCHAR*)&szDriverStringOut[0],
sizeof(szDriverStringOut),
&cbDriverStringOut,
SQL_DRIVER_NOPROMPT );

    if ((rc != SQL_SUCCESS) && (rc !=
SQL_SUCCESS_WITH_INFO))
        HandleErrorDBC(v_hdbc);

    if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt) !=
SQL_SUCCESS )
        HandleErrorSTMT(v_hstmt);

    rc = SQLBindCol(v_hstmt, 4, SQL_C_CHAR, &SQLVersion,
sizeof(SQLVersion), &SQLVersionInd);

    // issue SQL Server extended stored procedure (xp_msver) to
determine installed version
    rc = SQLExecDirect(v_hstmt, "EXECUTE xp_msver
ProductVersion", SQL_NTS);

```

```

    if ((rc != SQL_SUCCESS) && (rc !=
SQL_SUCCESS_WITH_INFO))
        HandleErrorSTMT(v_hstmt);

    rc = SQLFetch(v_hstmt);

    if (rc != SQL_SUCCESS)
        HandleErrorDBC(v_hdbc);

    // Check build number to ensure 8.00.194 or higher
    SQLBuildFlag = 1;

    // first check the Major version
    if ( SQLVersion[0] == '8' )
    {
        if (( SQLVersion[2] == '0' ) & ( SQLVersion[3] == '0' ) )
        {
            if ( SQLVersion[5] == '1' )
            {
                if ( (SQLVersion[6] == '9') &
(SQLVersion[7] == '4') )
                {
                    SQLBuildFlag = 0;
                    printf("You are using
SQL Server version = %9s\n\n", SQLVersion);
                }
                else
                {
                    SQLBuildFlag = 1;
                }
            }
            else
            {
                if ( SQLVersion[5] == '3' )
                {
                    if ( (SQLVersion[6] >=
53) & (SQLVersion[7] >= 48) )
                    {
                        SQLBuildFlag = 0;
                        printf("You
are using SQL Server version = %9s\n\n", SQLVersion);
                    }
                    else
                    {
                        SQLBuildFlag = 1;
                    }
                }
            }
        }
        else
        {
            SQLBuildFlag = 1;
        }
    }

    if ( SQLBuildFlag == 1 )
    {
        printf("NOTE: The SQL Server version you are using is
not supported\n\n");
        printf("for TPC-C benchmarking. You currently have SQL
Server version %9s\n",SQLVersion);
        printf("installed. Please upgrade to Microsoft SQL Server
2000 (8.00.0194) or better.\n\n");
        printf("and re-run the SETUP program.\n\n");
        printf("Do you wish to continue with setup? (Y/N): ");
        resp = getchar();
    }

```

```

        if ( ( resp == 'N' ) || ( resp == 'n' ) )
        {
            printf("\nSetup Aborted!\n");
            exit(1);
        }
    }

    SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
    SQLDisconnect(v_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

    return;
}

//=====
//
// Function : CheckDataBase
//
//=====

void CheckDataBase()
{
    RETCODE      rc;

    char          szDriverString[300];
    char          szDriverStringOut[1024];
    char          TablesBitMap[9] =
    {"000000000"};
    int           i, ExitFlag;

    SQLSMALLINT   cbDriverStringOut;
    SQLCHAR       TabName[10];
    SQLINTEGER    TabNameInd, TabCount,
    TabCountInd;

    ExitFlag = 0;

    SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE,
    &henv );

    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION,
    (void*)SQL_OV_ODBC3, 0 );

    SQLAllocHandle(SQL_HANDLE_DBC, henv , &v_hdbc);

    SQLSetConnectAttr(v_hdbc, SQL_COPT_SS_BCP, (void
    *)SQL_BCP_ON, SQL_IS_INTEGER );

    // Open connection to SQL Server

    sprintf( szDriverString , "DRIVER={SQL
    Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
    aptr->server,
    aptr->user,
    aptr->password,
    aptr->database );

    rc = SQLSetConnectAttr( v_hdbc, SQL_ATTR_PACKET_SIZE,
    (SQLPOINTER)aptr->pack_size, SQL_IS_UIINTEGER );
    if (rc != SQL_SUCCESS)
        HandleErrorDBC(v_hdbc);

    rc = SQLDriverConnect ( v_hdbc,
    NULL,
    (SQLCHAR*)&szDriverString[0] ,
    SQL_NTS,
    (SQLCHAR*)&szDriverStringOut[0],
    sizeof(szDriverStringOut),
    &cbDriverStringOut,
    SQL_DRIVER_NOPROMPT );

    // if the rc is SQL_ERROR, the the TPCC database probably does not
    exist
    if (rc == SQL_ERROR)
    {
        printf("The database TPCC does not appear to exist!\n");
        printf("\nCheck LOGS\ directory for database creation
        errors.\n");

        // cleanup database connections and handles
        SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
        SQLDisconnect(v_hdbc);
        SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

        // since there is not a database, exit back to SETUP.CMD
        exit(1);
    }

    if ( SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc , &v_hstmt) !=
    SQL_SUCCESS )
        HandleErrorDBC(v_hdbc);

    if ( SQLBindCol(v_hstmt, 1, SQL_C_ULONG, &TabCount, 0,
    &TabCountInd) != SQL_SUCCESS )
        HandleErrorSTMT(v_hstmt);

    // count the number of user tables from sysobjects
    rc = SQLExecDirect(v_hstmt, "select count(*) from sysobjects where
    xtype = 'U'", SQL_NTS);
    if ((rc != SQL_SUCCESS) && (rc !=
    SQL_SUCCESS_WITH_INFO))
        HandleErrorSTMT(v_hstmt);

    if ( SQLFetch(v_hstmt) != SQL_SUCCESS )
        HandleErrorSTMT(v_hstmt);

    // if the number of tables is less than 9, select all the user tables in
    TPCC
    if (TabCount != 9)
    {
        SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);

        SQLAllocHandle(SQL_HANDLE_STMT, v_hdbc ,
        &v_hstmt);

        if ( SQLBindCol(v_hstmt, 1, SQL_C_CHAR, &TabName,
        sizeof(TabName), &TabNameInd) != SQL_SUCCESS )
            HandleErrorSTMT(v_hstmt);

        // select the list of user tables into a result set
        rc = SQLExecDirect(v_hstmt, "select * from sysobjects
        where xtype = 'U'", SQL_NTS);
        if ((rc != SQL_SUCCESS) && (rc !=
        SQL_SUCCESS_WITH_INFO))
            HandleErrorSTMT(v_hstmt);

        // go through the result set and set the bitmap for each
        found table
    }
}

```



```

// set the bitmap to '1' if the table name is found
while ((rc = SQLFetch(v_hstmt)) != SQL_NO_DATA)
{
    switch( TabName[0] )
    {
        case 'w':
            TablesBitMap[0] = '1';
            break;
        case 'd':
            TablesBitMap[1] = '1';
            break;
        case 'c':
            TablesBitMap[2] = '1';
            break;
        case 'h':
            TablesBitMap[3] = '1';
            break;
        case 'n':
            TablesBitMap[4] = '1';
            break;
        case 'o':
            if (TabName[5] = 's')
                TablesBitMap[5] = '1';
            if (TabName[5] = '_')
                TablesBitMap[6] = '1';
            break;
        case 'i':
            TablesBitMap[7] = '1';
            break;
        case 's':
            TablesBitMap[8] = '1';
            break;
    }
}

// a '0' ExitFlag means do NOT exit the loader early, a '1'
means exit the loader early
ExitFlag = 0;

// iterate through the bitmap to display which table(s) is
actually missing
for (i = 0; i <= 8; i++)
{
    switch(i)
    {
        case 0:
            if (TablesBitMap[i] == '0')
            {
                printf("The Warehouse
table is missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 1:
            if (TablesBitMap[i] == '0')
            {
                printf("The District table
is missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 2:
            if (TablesBitMap[i] == '0')
            {
                printf("The Customer
table is missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 3:
            if (TablesBitMap[i] == '0')
            {
                printf("The History table
is missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 4:
            if (TablesBitMap[i] == '0')
            {
                printf("The New_Order
table is missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 5:
            if (TablesBitMap[i] == '0')
            {
                printf("The Orders table
is missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 6:
            if (TablesBitMap[i] == '0')
            {
                printf("The Order_Line
table is missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 7:
            if (TablesBitMap[i] == '0')
            {
                printf("The Item table is
missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
        case 8:
            if (TablesBitMap[i] == '0')
            {
                printf("The Stock table
is missing or damaged.\n");
                ExitFlag = 1;
            }
            break;
    }
}

// if one or more tables are missing, display message and
exit the loader
if (ExitFlag = 1)
{
    printf("\nExiting TPC-C Loader!\n");
    printf("\nCheck LOGS\\ directory for
database\n");
    printf("or table creation errors.\n");

    // cleanup database connections and handles
    SQLFreeHandle(SQL_HANDLE_STMT,
v_hstmt);
    SQLDisconnect(v_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC,
v_hdbc);

    exit(1);
}

// cleanup database connections and handles

```

```

SQLFreeHandle(SQL_HANDLE_STMT, v_hstmt);
SQLDisconnect(v_hdbc);
SQLFreeHandle(SQL_HANDLE_DBC, v_hdbc);

return;
}

```

tpccldr.mak

```

# Microsoft Developer Studio Generated NMAKE File, Format Version 4.10
# ** DO NOT EDIT **

```

```

# TARGETTYPE "Win32 (x86) Console Application" 0x0103

```

```

!IF "$(CFG)" == ""
CFG=tpccldr - Win32 Debug
!MESSAGE No configuration specified. Defaulting to tpccldr - Win32 Debug.
!ENDIF

```

```

!IF "$(CFG)" != "tpccldr - Win32 Release" && "$(CFG)" != \
"tpccldr - Win32 Debug"
!MESSAGE Invalid configuration "$(CFG)" specified.
!MESSAGE You can specify a configuration when running NMAKE on this
makefile
!MESSAGE by defining the macro CFG on the command line. For example:
!MESSAGE
!MESSAGE NMAKE /f "tpccldr.mak" CFG="tpccldr - Win32 Debug"
!MESSAGE
!MESSAGE Possible choices for configuration are:
!MESSAGE
!MESSAGE "tpccldr - Win32 Release" (based on "Win32 (x86) Console
Application")
!MESSAGE "tpccldr - Win32 Debug" (based on "Win32 (x86) Console
Application")
!MESSAGE
!ERROR An invalid configuration is specified.
!ENDIF

```

```

!IF "$(OS)" == "Windows_NT"
NULL=
!ELSE
NULL=nul
!ENDIF
#####
#####
# Begin Project
# PROP Target_Last_Scanned "tpccldr - Win32 Debug"
RSC=rc.exe
CPP=cl.exe

```

```

!IF "$(CFG)" == "tpccldr - Win32 Release"

```

```

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 0
# PROP BASE Output_Dir "Release"
# PROP BASE Intermediate_Dir "Release"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 0
# PROP Output_Dir "bin"
# PROP Intermediate_Dir "objects"
# PROP Target_Dir ""
OUTDIR=.bin
INTDIR=.objects

```

```

ALL : "$(OUTDIR)\tpccldr.exe"

```

```

CLEAN :
    -@erase "$(INTDIR)\getargs.obj"

```

```

-@erase "$(INTDIR)\random.obj"
-@erase "$(INTDIR)\strings.obj"
-@erase "$(INTDIR)\time.obj"
-@erase "$(INTDIR)\tpccldr.obj"
-@erase "$(OUTDIR)\tpccldr.exe"

```

```

"$(OUTDIR)" :
    if not exist "$(OUTDIR)/$(NULL)" mkdir "$(OUTDIR)"

```

```

"$(INTDIR)" :
    if not exist "$(INTDIR)/$(NULL)" mkdir "$(INTDIR)"

```

```

# ADD BASE CPP /nologo /W3 /GX /O2 /D "WIN32" /D "NDEBUG" /D
"_CONSOLE" /YX /c
# ADD CPP /nologo /MT /W3 /GX /O2 /I "c:\mssql\dblib\include" /D
"NDEBUG" /D "WIN32" /D "_CONSOLE" /D "DBNTWIN32" /c
# SUBTRACT CPP /YX
CPP_PROJ=/nologo /MT /W3 /GX /O2 /I "c:\mssql\dblib\include" /D
"NDEBUG" /D \
"WIN32" /D "_CONSOLE" /D "DBNTWIN32" /Fo"$(INTDIR)"/ /c
CPP_OBJS=.objects/
CPP_SBRS=. \
# ADD BASE RSC /I 0x409 /d "NDEBUG"
# ADD RSC /I 0x409 /d "NDEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
BSC32_FLAGS=/nologo /o"$(OUTDIR)\tpccldr.bsc"
BSC32_SBRS= \

```

```

LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbcc32.lib
odbccp32.lib /nologo /subsystem:console /machine:I386
# ADD LINK32 c:\mssql\dblib\lib\ntwdblib.lib kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib
odbcc32.lib odbccp32.lib /nologo /subsystem:console /pdb:none /machine:I386
LINK32_FLAGS=c:\mssql\dblib\lib\ntwdblib.lib kernel32.lib user32.lib gdi32.lib \
winspool.lib comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib \
uuid.lib odbcc32.lib odbccp32.lib /nologo /subsystem:console /pdb:none \
/machine:I386 /out:"$(OUTDIR)\tpccldr.exe"
LINK32_OBJS= \
    "$(INTDIR)\getargs.obj" \
    "$(INTDIR)\random.obj" \
    "$(INTDIR)\strings.obj" \
    "$(INTDIR)\time.obj" \
    "$(INTDIR)\tpccldr.obj"

```

```

"$(OUTDIR)\tpccldr.exe" : "$(OUTDIR)" $(DEF_FILE) $(LINK32_OBJS)
$(LINK32) @<<
$(LINK32_FLAGS) $(LINK32_OBJS)
<<

```

```

!ELSEIF "$(CFG)" == "tpccldr - Win32 Debug"

```

```

# PROP BASE Use_MFC 0
# PROP BASE Use_Debug_Libraries 1
# PROP BASE Output_Dir "Debug"
# PROP BASE Intermediate_Dir "Debug"
# PROP BASE Target_Dir ""
# PROP Use_MFC 0
# PROP Use_Debug_Libraries 1
# PROP Output_Dir "bin"
# PROP Intermediate_Dir "objects"
# PROP Target_Dir ""
OUTDIR=.bin
INTDIR=.objects

```

```

ALL : "$(OUTDIR)\tpccldr.exe"

```

```

CLEAN :

```

```

-@erase "$(INTDIR)\getargs.obj"
-@erase "$(INTDIR)\random.obj"
-@erase "$(INTDIR)\strings.obj"
-@erase "$(INTDIR)\time.obj"
-@erase "$(INTDIR)\tpcldr.obj"
-@erase "$(INTDIR)\vc40.idb"
-@erase "$(INTDIR)\vc40.pdb"
-@erase "$(OUTDIR)\tpcldr.exe"

"$(OUTDIR)" :
    if not exist "$(OUTDIR)/$(NULL)" mkdir "$(OUTDIR)"

"$(INTDIR)" :
    if not exist "$(INTDIR)/$(NULL)" mkdir "$(INTDIR)"

# ADD BASE CPP /nologo /W3 /Gm /GX /Zi /Od /D "WIN32" /D "_DEBUG"
/D "_CONSOLE" /YX /c
# ADD CPP /nologo /MTd /W3 /Gm /GX /Zi /Od /I "c:\mssql\dblib\include" /D
"_DEBUG" /D "WIN32" /D "_CONSOLE" /D "DBNTWIN32" /c
# SUBTRACT CPP /YX
CPP_PROJ=/nologo /MTd /W3 /Gm /GX /Zi /Od /I "c:\mssql\dblib\include" /D \
"_DEBUG" /D "WIN32" /D "_CONSOLE" /D "DBNTWIN32"
/Fo"$(INTDIR)\"
/Fd"$(INTDIR)\" /c
CPP_OBJS=.objects\
CPP_SBRS=.
# ADD BASE RSC /I 0x409 /d "_DEBUG"
# ADD RSC /I 0x409 /d "_DEBUG"
BSC32=bscmake.exe
# ADD BASE BSC32 /nologo
# ADD BSC32 /nologo
BSC32_FLAGS=/nologo /o"$(OUTDIR)\tpcldr.bsc"
BSC32_SBRS= \

LINK32=link.exe
# ADD BASE LINK32 kernel32.lib user32.lib gdi32.lib winspool.lib
comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib odbccp32.lib
odbccp32.lib /nologo /subsystem:console /debug /machine:I386
# ADD LINK32 c:\mssql\dblib\lib\ntwdblib.lib kernel32.lib user32.lib gdi32.lib
winspool.lib comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib uuid.lib
odbccp32.lib odbccp32.lib /nologo /subsystem:console /pdb:none /debug
/machine:I386
LINK32_FLAGS=c:\mssql\dblib\lib\ntwdblib.lib kernel32.lib user32.lib gdi32.lib \
winspool.lib comdlg32.lib advapi32.lib shell32.lib ole32.lib oleaut32.lib \
uuid.lib odbccp32.lib odbccp32.lib /nologo /subsystem:console /pdb:none /debug \
/machine:I386 /out:"$(OUTDIR)\tpcldr.exe"
LINK32_OBJS= \
    "$(INTDIR)\getargs.obj" \
    "$(INTDIR)\random.obj" \
    "$(INTDIR)\strings.obj" \
    "$(INTDIR)\time.obj" \
    "$(INTDIR)\tpcldr.obj"

"$(OUTDIR)\tpcldr.exe" : "$(OUTDIR)" $(DEF_FILE) $(LINK32_OBJS)
    $(LINK32) @<<
    $(LINK32_FLAGS) $(LINK32_OBJS)
<<

!ENDIF

.c{$(CPP_OBJS)}.obj:
    $(CPP) $(CPP_PROJ) $<

.cpp{$(CPP_OBJS)}.obj:
    $(CPP) $(CPP_PROJ) $<

.cxx{$(CPP_OBJS)}.obj:
    $(CPP) $(CPP_PROJ) $<

.c{$(CPP_SBRS)}.sbr:
    $(CPP) $(CPP_PROJ) $<

.cpp{$(CPP_SBRS)}.sbr:
    $(CPP) $(CPP_PROJ) $<

.cxx{$(CPP_SBRS)}.sbr:
    $(CPP) $(CPP_PROJ) $<

#####
#####
# Begin Target

# Name "tpcldr - Win32 Release"
# Name "tpcldr - Win32 Debug"

!IF "$(CFG)" == "tpcldr - Win32 Release"

!ELSEIF "$(CFG)" == "tpcldr - Win32 Debug"

!ENDIF

#####
#####
# Begin Source File

SOURCE=.src\random.c
DEP_CPP_RAND0=\
    ".src\tpcc.h" \
    "mssql\dblib\include\sqldb.h" \
    "mssql\dblib\include\sqlfront.h"

"$(INTDIR)\random.obj" : $(SOURCE) $(DEP_CPP_RAND0) "$(INTDIR)"
    $(CPP) $(CPP_PROJ) $(SOURCE)

# End Source File
#####
#####
# Begin Source File

SOURCE=.src\strings.c
DEP_CPP_STRIN=\
    ".src\tpcc.h" \
    "mssql\dblib\include\sqldb.h" \
    "mssql\dblib\include\sqlfront.h"

"$(INTDIR)\strings.obj" : $(SOURCE) $(DEP_CPP_STRIN) "$(INTDIR)"
    $(CPP) $(CPP_PROJ) $(SOURCE)

# End Source File
#####
#####
# Begin Source File

SOURCE=.src\time.c
DEP_CPP_TIME_=\
    ".src\tpcc.h" \
    "mssql\dblib\include\sqldb.h" \
    "mssql\dblib\include\sqlfront.h"

"$(INTDIR)\time.obj" : $(SOURCE) $(DEP_CPP_TIME_) "$(INTDIR)"
    $(CPP) $(CPP_PROJ) $(SOURCE)

# End Source File
#####
#####
# Begin Source File

```

```

SOURCE=. \src\tpccldr.c
DEP_CPP_TPCCL=\
    ".\src\tpcc.h"\
    "\mssql\dblib\include\sqldb.h"\
    "\mssql\dblib\include\sqlfront.h"\

"${INTDIR}\tpccldr.obj" : $(SOURCE) $(DEP_CPP_TPCCL) "${INTDIR}"
$(CPP) $(CPP_PROJ) $(SOURCE)

# End Source File
#####
#####
# Begin Source File

SOURCE=. \src\getargs.c
DEP_CPP_GETAR=\
    ".\src\tpcc.h"\
    "\mssql\dblib\include\sqldb.h"\
    "\mssql\dblib\include\sqlfront.h"\

"${INTDIR}\getargs.obj" : $(SOURCE) $(DEP_CPP_GETAR) "${INTDIR}"
$(CPP) $(CPP_PROJ) $(SOURCE)

# End Source File
# End Target
# End Project
#####
#####

```

Appendix C: Tunable Parameters

Microsoft Windows 2000 Server Configuration Parameters

Microsoft Windows 2000 Server Services

Server Configuration Parameters

Microsoft Windows 2000 Server Configuration
 The following services were set as manual on the server:

- Alerter
- Computer Browser
- DHCP Client
- Distributed File System
- Distributed Link Tracking Client
- DNS Client
- IPSEC Policy Agent
- License Logging Service
- Messenger
- Print Spooler
- Remote Registry Service
- Removable Storage
- RUN as Service
- System Event Notification
- Task Scheduler

Microsoft SQL Server 2000 Startup Parameters

Microsoft SQL Server 2000 Startup Parameters

```
c:\Program Files\Microsoft SQL Server\MSSQL\Binn\sqlservr.exe -c -x -t3502 -g80
```

Where:

- c Start SQL Server independent of the Service Control Manager
- x Disable the keeping of CPU time and cache hit ratio statistics
- t3502 Writes a message to the SQL Server Errorlog showing the beginning and ending time of each checkpoint
- g80 Specifies the amount of memory that is set aside for allocations not from the buffer pool

Microsoft SQL Server 2000 Configuration Parameters

```
1> 2> 3> 4> 5> 6> 7> 8> 9> 10> 11>
-- File:  VERSION.SQL
--      Microsoft TPC-C Benchmark Kit Ver. 4.22
--      Copyright Microsoft, 2001
-- Purpose: Returns SQL Server version string
```

```
print " "
select convert(char(30), getdate(),9)
print " "
```

```
-----
Oct 12 2001 12:03:41:450PM
```

(1 row affected)

```
1> 2> 3>
select @@version
```

```
-----
-----
-----
Microsoft SQL Server 2000 - 8.00.384 (Intel X86)
May 23 2001 00:02:52
Cop
yright (c) 1988-2000 Microsoft Corporation
Standard Edition on Windows
NT 5.0 (Build 2195: Service Pack 2)
```

```
(1 row affected)
1> 2>
1> 2> 3> 4> 5> 6> 7> 8> 9> 10>
-- File:  CONFIG.SQL
--      Microsoft TPC-C Benchmark Kit Ver. 4.22
--      Copyright Microsoft, 2001
-- Purpose: Collects SQL Server configuration parameters
```

```
print " "
select convert(char(30), getdate(),9)
print " "
```

```
-----
Oct 12 2001 12:03:42:263PM
```

```
(1 row affected)
1> 2> 3> DBCC execution completed. If DBCC printed error messages, contact
your system administrator.
Configuration option 'show advanced options' changed from 1 to 1. Run the
RECONFIGURE statement to install.
```

```
sp_configure "show advanced",1
1> 2> reconfigure with override
1> 2> sp_configure
```

name	minimum	maximum
config_value run_value		

affinity mask	-2147483648	2147483647
1 1		
allow updates	0	1 0 0
awe enabled	0	1 0 0
c2 audit mode	0	1 0
0		
cost threshold for parallelism	0	32767 5
5		
cursor threshold	-1	2147483647 -1
-1		
default full-text language	0	2147483647
1033 1033		
default language	0	9999 0
0		
fill factor (%)	0	100 0 0
index create memory (KB)	704	2147483647
0 0		

lightweight pooling	0	1	1	System Manufacturer	IBM
1				System Model	IBM eserver xSeries 220 -[8646]-
locks	5000	2147483647	0	System Type	X86-based PC
0				Processor	x86 Family 6 Model 11 Stepping 1 GenuineIntel ~1261 Mhz
max degree of parallelism	0	32	1	BIOS Version	IBM BIOS Ver 0.0
1				Windows Directory	C:\WINNT
max server memory (MB)	4	2147483647		System Directory	C:\WINNT\System32
2147483647 2147483647				Boot Device	\Device\Harddisk0\Partition1
max text repl size (B)	0	2147483647		Locale	United States
65536 65536				User Name	TPCC-1WAY\Administrator
max worker threads	32	32767	10	Time Zone	Eastern Daylight Time
100				Total Physical Memory	2,227,676 KB
media retention	0	365	0	Available Physical Memory	1,936,424 KB
0				Total Virtual Memory	4,691,856 KB
min memory per query (KB)	512	2147483647		Available Virtual Memory	4,234,932 KB
1024 1024				Page File Space	2,464,180 KB
min server memory (MB)	0	2147483647		Page File	C:\pagefile.sys
0 0					
nested triggers	0	1	1	[Hardware Resources]	
network packet size (B)	512	65536		[Following are sub-categories of this main category]	
4096 4096				[Conflicts/Sharing]	
open objects	0	2147483647	0	1	
0				Resource	Device
priority boost	0	1	1	No conflicted/shared resources	
query governor cost limit	0	2147483647		[DMA]	
0 0				Channel	Device Status
query wait (s)	-1	2147483647	-1	21	Standard floppy disk controller OK
-1				4	Direct memory access controller OK
recovery interval (min)	0	32767	56	[Forced Hardware]	
56				Device	PNP Device ID
remote access	0	1	1	No Forced Hardware	
				[I/O]	
remote login timeout (s)	0	2147483647		Address Range	Device Status
20 20				0x0000-0x203F	PCI bus OK
remote proc trans	0	1	0	0x0000-0x203F	Direct memory access controller OK
0				0x03B0-0x03BB	S3 Inc. Savage4 OK
remote query timeout (s)	0	2147483647		0x03C0-0x03DF	S3 Inc. Savage4 OK
600 600				0x2000-0x203F	IBM 10/100 Ethernet Server Adapter OK
scan for startup procs	0	1	0	0x0A79-0x0A79	ISAPNP Read Data Port OK
0				0x0279-0x0279	ISAPNP Read Data Port OK
set working set size	0	1	0	0x02F4-0x02F7	ISAPNP Read Data Port OK
0				0x002E-0x002F	Motherboard resourceOK
show advanced options	0	1	1	0x0438-0x0439	Motherboard resourceOK
1				0x0430-0x0437	Motherboard resourceOK
two digit year cutoff	1753	9999	2049	0x0430-0x0437	Not Available OK
2049				0x0060-0x0060	Standard 101/102-Key or Microsoft Natural PS/2
user connections	0	32767	0	Keyboard	OK
0				0x0064-0x0064	Standard 101/102-Key or Microsoft Natural PS/2
user options	0	32767	0	Keyboard	OK
0				0x03F0-0x03F5	Standard floppy disk controller OK
1>				0x03F7-0x03F7	Standard floppy disk controller OK

Microsoft Windows 2000 Server System Information Report

System Information report written at: 10/11/2001 12:38:42 PM
[System Information]

[Following are sub-categories of this main category]

[System Summary]

Item	Value
OS Name	Microsoft Windows 2000 Server
Version	5.0.2195 Service Pack 2 Build 2195
OS Manufacturer	Microsoft Corporation
System Name	TPCC-1WAY

0x0040-0x0043	System timer	OK
0x0070-0x0073	System CMOS/real time clock	OK
0x0061-0x0061	System speaker	OK
0x00F0-0x00FF	Numeric data processor	OK
0x0600-0x0600	Motherboard resource	OK

0x0374-0x0375 Motherboard resourceOK
 0x0377-0x0377 Motherboard resourceOK
 0x0F50-0x0F58 Motherboard resourceOK
 0x0700-0x070F Standard Dual Channel PCI IDE Controller OK
 0x01F0-0x01F7 Primary IDE Channel OK
 0x03F6-0x03F6 Primary IDE Channel OK
 0x0170-0x0177 Secondary IDE Channel OK
 0x0376-0x0376 Secondary IDE Channel OK
 0x2040-0xFFFF PCI bus OK
 0x2100-0x21FF Adaptec AIC-7892 - Ultra160 SCSI OK

[IRQs]

IRQ Number	Device
30	Microsoft ACPI-Compliant System
31	S3 Inc. Savage4
27	IBM 10/100 Ethernet Server Adapter
16	IBM ServeRAID 4Mx Controller
1	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
12	PS/2 Compatible Mouse
6	Standard floppy disk controller
4	Communications Port (COM1)
3	Communications Port (COM2)
8	System CMOS/real time clock
13	Numeric data processor
14	Primary IDE Channel
11	Standard OpenHCD USB Host Controller
28	Adaptec AIC-7892 - Ultra160 SCSI
20	IBM ServeRAID 4Mx Controller
24	IBM ServeRAID 4Mx Controller

[Memory]

Range	Device	Status
0xA0000-0xBFFFF	PCI bus	OK
0xA0000-0xBFFFF	S3 Inc. Savage4	OK
0xF0000000-0xFCFFFFFF	PCI bus	OK
0xF0000000-0xFCFFFFFF	S3 Inc. Savage4	OK
0xFD000000-0xFFFFFFFF	PCI bus	OK
0xFEB80000-0xFEBFFFFFF	S3 Inc. Savage4	OK
0xFEB7F000-0xFEB7FFFF	IBM 10/100 Ethernet Server Adapter	OK
0xFEB40000-0xFEB5FFFF	IBM 10/100 Ethernet Server Adapter	OK
0xFCFFE000-0xFCFFFFFF	IBM ServeRAID 4Mx Controller	OK
0xFEB7E000-0xFEB7EFFF	Standard OpenHCD USB Host Controller	OK
0x88000000-0xEDFFFFFF	PCI bus	OK
0xEE000000-0xEFFFFFFF	PCI bus	OK
0xEFFF000-0xEFFFFFFF	Adaptec AIC-7892 - Ultra160 SCSI	OK
0xEDFFE000-0xEDFFFFFF	IBM ServeRAID 4Mx Controller	OK
0xEDFC000-0xEDFDFFF	IBM ServeRAID 4Mx Controller	OK

[Components]

[Following are sub-categories of this main category]

[Multimedia]

[Following are sub-categories of this main category]

[Audio Codecs]

Codec	Manufacturer	Description	Status	File
c:\winnt\system32\msg723.acm	Microsoft Corporation		OK	
C:\WINNT\System32\MSG723.ACM	4.4.3385	106.77 KB (109,328 bytes)		9/17/2001 2:58:32 PM

c:\winnt\system32\iac25_32.ax	Intel Corporation	Indeo® audio software		
OK	C:\WINNT\System32\IAC25_32.AX	2.05.53	195.00 KB (199,680 bytes)	12/7/1999 7:00:00 AM
c:\winnt\system32\lhacm.acm	Microsoft Corporation		OK	
C:\WINNT\System32\LHACM.ACM	4.4.3385	33.27 KB (34,064 bytes)		9/17/2001 2:58:32 PM
c:\winnt\system32\tsoft32.acm	DSP GROUP, INC.		OK	
C:\WINNT\System32\TSSOFT32.ACM	1.01	9.27 KB (9,488 bytes)		12/7/1999 7:00:00 AM
c:\winnt\system32\msgsm32.acm	Microsoft Corporation		OK	
C:\WINNT\System32\MSGSM32.ACM	5.00.2134.1	22.27 KB (22,800 bytes)		12/7/1999 7:00:00 AM
c:\winnt\system32\msg711.acm	Microsoft Corporation		OK	
C:\WINNT\System32\MSG711.ACM	5.00.2134.1	10.27 KB (10,512 bytes)		12/7/1999 7:00:00 AM
c:\winnt\system32\imaadp32.acm	Microsoft Corporation		OK	
C:\WINNT\System32\IMAADP32.ACM	5.00.2134.1	16.27 KB (16,656 bytes)		12/7/1999 7:00:00 AM
c:\winnt\system32\msadp32.acm	Microsoft Corporation		OK	
C:\WINNT\System32\MSADP32.ACM	5.00.2134.1	14.77 KB (15,120 bytes)		12/7/1999 7:00:00 AM

[Video Codecs]

Codec	Manufacturer	Description	Status	File
		Version		Creation Date
c:\winnt\system32\ir50_32.dll	Intel Corporation	Indeo® video 5.10		
OK	C:\WINNT\System32\IR50_32.DLL	R.5.10.15.2.55		
737.50 KB (755,200 bytes)				12/7/1999 7:00:00 AM
c:\winnt\system32\msh261.drv	Microsoft Corporation		OK	
C:\WINNT\System32\MSH261.DRV	4.4.3385	163.77 KB (167,696 bytes)		9/17/2001 2:58:32 PM
c:\winnt\system32\msh263.drv	Microsoft Corporation		OK	
C:\WINNT\System32\MSH263.DRV	4.4.3385	252.27 KB (258,320 bytes)		9/17/2001 2:58:08 PM
c:\winnt\system32\msvidc32.dll	Microsoft Corporation		OK	
C:\WINNT\System32\MSVIDC32.DLL	5.00.2134.1	27.27 KB (27,920 bytes)		12/7/1999 7:00:00 AM
c:\winnt\system32\msrle32.dll	Microsoft Corporation		OK	
C:\WINNT\System32\MSRLE32.DLL	5.00.2134.1	10.77 KB (11,024 bytes)		12/7/1999 7:00:00 AM
c:\winnt\system32\ir32_32.dll	Intel(R) Corporation		OK	
C:\WINNT\System32\IR32_32.DLL	Not Available			194.50 KB (199,168 bytes)
c:\winnt\system32\iccvid.dll	Radius Inc.		OK	
C:\WINNT\System32\ICCVID.DLL	1.10.0.6	108.00 KB (110,592 bytes)		12/7/1999 7:00:00 AM

[CD-ROM]

Item	Value
Drive	D:
Description	CD-ROM Drive
Media Loaded	False
Media Type	CD-ROM
Name	LG CD-ROM CRD-8484B
Manufacturer	(Standard CD-ROM drives)
Status	OK
Transfer Rate	Not Available
SCSI Target ID	0
PNP Device ID	
IDE\CDROM\LG_CD-ROM_CRD-8484B	1.05_\5
&326853DD&0&0.0.0	

[Sound Device]

Item	Value
No sound devices	

[Display]

Item	Value
Name	S3 Inc. Savage4
PNP Device ID	PCI\VEN_5333&DEV_8A22&SUBSYS_01C51014&REV_06\3&267A616A&0&08
Adapter Type	S3 Savage4, S3 compatible
Adapter Description	S3 Inc. Savage4
Adapter RAM	8.00 MB (8,388,608 bytes)
Installed Drivers	s3sav4.dll
Driver Version	5.01.840.0001
INF File	s3sav4.inf (S3Inc section)
Color Planes	1
Color Table Entries	65536
Resolution	800 x 600 x 60 hertz
Bits/Pixel	16

[Infrared]

Item	Value
No infrared devices	

[Input]

[Following are sub-categories of this main category]

[Keyboard]

Item	Value
Description	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
Name	Enhanced (101- or 102-key)
Layout	00000409
PNP Device ID	ACPI\PNP0303\4&389C1010&0
NumberOfFunctionKeys	12

[Pointing Device]

Item	Value
Hardware Type	PS/2 Compatible Mouse
Number of Buttons	3
Status	OK
PNP Device ID	ACPI\PNP0F13\4&389C1010&0
Power Management Supported	False
Double Click Threshold	6
Handedness	Right Handed Operation

[Modem]

Item	Value
No modems	

[Network]

[Following are sub-categories of this main category]

[Adapter]

Item	Value
Name	[00000002] RAS Async Adapter
Adapter Type	Not Available
Product Name	RAS Async Adapter
Installed	True
PNP Device ID	Not Available
Last Reset	10/10/2001 9:36:09 AM
Index	2
Service Name	AsyncMac
IP Address	Not Available

IP Subnet	Not Available
Default IP Gateway	Not Available
DHCP Enabled	False
DHCP Server	Not Available
DHCP Lease Expires	Not Available
DHCP Lease Obtained	Not Available
MAC Address	Not Available
Service Name	Not Available

Name	[00000003] WAN Miniport (L2TP)
Adapter Type	Not Available
Product Name	WAN Miniport (L2TP)
Installed	True
PNP Device ID	ROOT\MS_L2TPMINIPOINT\0000
Last Reset	10/10/2001 9:36:09 AM
Index	3
Service Name	Rasl2tp

IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available
DHCP Enabled	False
DHCP Server	Not Available
DHCP Lease Expires	Not Available
DHCP Lease Obtained	Not Available
MAC Address	Not Available
Service Name	Rasl2tp

Driver	c:\winnt\system32\drivers\rasl2tp.sys (50800, 5.00.2179.1)
--------	--

Name	[00000004] WAN Miniport (PPTP)
Adapter Type	Wide Area Network (WAN)
Product Name	WAN Miniport (PPTP)
Installed	True
PNP Device ID	ROOT\MS_PPTPMINIPOINT\0000
Last Reset	10/10/2001 9:36:09 AM
Index	4
Service Name	PptpMiniport

IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available
DHCP Enabled	False
DHCP Server	Not Available
DHCP Lease Expires	Not Available
DHCP Lease Obtained	Not Available
MAC Address	50:50:54:50:30:30
Service Name	PptpMiniport

Driver	c:\winnt\system32\drivers\rasptp.sys (47856, 5.00.2160.1)
--------	---

Name	[00000005] Direct Parallel
Adapter Type	Not Available
Product Name	Direct Parallel
Installed	True
PNP Device ID	ROOT\MS_PTIMINIPOINT\0000
Last Reset	10/10/2001 9:36:09 AM
Index	5
Service Name	Raspti

IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available
DHCP Enabled	False
DHCP Server	Not Available
DHCP Lease Expires	Not Available
DHCP Lease Obtained	Not Available
MAC Address	Not Available
Service Name	Raspti

Driver	c:\winnt\system32\drivers\raspti.sys (16880, 5.00.2146.1)
--------	---

Name	[00000006] WAN Miniport (IP)
Adapter Type	Not Available
Product Name	WAN Miniport (IP)
Installed	True
PNP Device ID	ROOT\MS_NDISWANIP\0000

Last Reset 10/10/2001 9:36:09 AM
 Index 6
 Service Name NdisWan
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Service Name NdisWan
 Driver c:\winnt\system32\drivers\ndiswan.sys (90096, 5.00.2195.2779)

Name [00000007] IBM 10/100 Ethernet Server Adapter
 Adapter Type Ethernet 802.3
 Product Name IBM 10/100 Ethernet Server Adapter
 Installed True
 PNP Device ID
 PCI\VEN_8086&DEV_1229&SUBSYS_01F11014&REV_0C\3&267A616A&0&10
 Last Reset 10/10/2001 9:36:09 AM
 Index 7
 Service Name E100B
 IP Address 192.168.132.252
 IP Subnet 255.255.255.0
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 00:02:55:AA:02:51
 Service Name E100B
 IRQ Number 27
 I/O Port 0x2000-0x203F
 Driver c:\winnt\system32\drivers\e100bnt5.sys (119056, 5.40.11.0000)

[Protocol]

Item Value
 Name MSAFD Tcpi [TCP/IP]
 ConnectionlessService False
 GuaranteesDelivery True
 GuaranteesSequencing True
 MaximumAddressSize 6 bytes
 MaximumMessageSize 0 bytes
 MessageOriented False
 MinimumAddressSize 16 bytes
 PseudoStreamOriented False
 SupportsBroadcasting False
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData True
 SupportsGracefulClosing True
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD Tcpi [UDP/IP]
 ConnectionlessService True
 GuaranteesDelivery False
 GuaranteesSequencing False
 MaximumAddressSize 6 bytes
 MaximumMessageSize 65467 bytes
 MessageOriented True
 MinimumAddressSize 16 bytes
 PseudoStreamOriented False
 SupportsBroadcasting True
 SupportsConnectData False
 SupportsDisconnectData False

SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting True

Name RSVP UDP Service Provider
 ConnectionlessService True
 GuaranteesDelivery False
 GuaranteesSequencing False
 MaximumAddressSize 6 bytes
 MaximumMessageSize 65467 bytes
 MessageOriented True
 MinimumAddressSize 16 bytes
 PseudoStreamOriented False
 SupportsBroadcasting True
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption True
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting True

Name RSVP TCP Service Provider
 ConnectionlessService False
 GuaranteesDelivery True
 GuaranteesSequencing True
 MaximumAddressSize 6 bytes
 MaximumMessageSize 0 bytes
 MessageOriented False
 MinimumAddressSize 16 bytes
 PseudoStreamOriented False
 SupportsBroadcasting False
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption True
 SupportsExpeditedData True
 SupportsGracefulClosing True
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpi_{07822983-5729-42FB-8EE5-EACD0100D791}]
 SEQPACKET 4
 ConnectionlessService False
 GuaranteesDelivery True
 GuaranteesSequencing True
 MaximumAddressSize 20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize 20 bytes
 PseudoStreamOriented False
 SupportsBroadcasting False
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpi_{07822983-5729-42FB-8EE5-EACD0100D791}]
 DATAGRAM 4
 ConnectionlessService True
 GuaranteesDelivery False
 GuaranteesSequencing False
 MaximumAddressSize 20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True

MinimumAddressSize20 bytes
PseudoStreamOrientedFalse
SupportsBroadcastingTrue
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\\Device\NetBT_Tcpip_{049E8DFC-24E4-4353-B80E-65553FC29212}]
SEQPACKET 2
ConnectionlessServiceFalse
GuaranteesDelivery True
GuaranteesSequencingTrue
MaximumAddressSize20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize20 bytes
PseudoStreamOrientedFalse
SupportsBroadcastingFalse
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\\Device\NetBT_Tcpip_{049E8DFC-24E4-4353-B80E-65553FC29212}]
DATAGRAM 2
ConnectionlessServiceTrue
GuaranteesDelivery False
GuaranteesSequencingFalse
MaximumAddressSize20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize20 bytes
PseudoStreamOrientedFalse
SupportsBroadcastingTrue
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\\Device\NetBT_Tcpip_{2CE4C92F-A96F-4910-9CBE-5BFE2955961E}]
SEQPACKET 3
ConnectionlessServiceFalse
GuaranteesDelivery True
GuaranteesSequencingTrue
MaximumAddressSize20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize20 bytes
PseudoStreamOrientedFalse
SupportsBroadcastingFalse
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name MSAFD NetBIOS
[\\Device\NetBT_Tcpip_{2CE4C92F-A96F-4910-9CBE-5BFE2955961E}]
DATAGRAM 3
ConnectionlessServiceTrue
GuaranteesDelivery False
GuaranteesSequencingFalse
MaximumAddressSize20 bytes
MaximumMessageSize 64000 bytes
MessageOriented True
MinimumAddressSize20 bytes
PseudoStreamOrientedFalse
SupportsBroadcastingTrue
SupportsConnectData False
SupportsDisconnectData False
SupportsEncryption False
SupportsExpeditedData False
SupportsGracefulClosing False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

[WinSock]

Item	Value
File	c:\winnt\system32\winsock.dll
Version	3.10
Size	2.80 KB (2,864 bytes)
File	c:\winnt\system32\wssock32.dll
Version	5.00.2195.2871
Size	21.27 KB (21,776 bytes)

[Ports]

[Following are sub-categories of this main category]

[Serial]

Item	Value
Name	COM1
Status	OK
PNP Device ID	ACPI\PNP0501\1
Maximum Input Buffer Size	Not Available
Maximum Output Buffer Size	Not Available
Settable Baud Rate	Not Available
Settable Data Bits	Not Available
Settable Flow Control	Not Available
Settable Parity	Not Available
Settable Parity Check	Not Available
Settable Stop Bits	Not Available
Settable RLSD	Not Available
Supports RLSD	Not Available
Supports 16 Bit Mode	Not Available
Supports Special Characters	Not Available
Baud Rate	9600
Bits/Byte	8
Stop Bits	1
Parity	None
Busy	-1
Abort Read/Write on Error	Not Available
Binary Mode Enabled	Not Available
Continue XMit on XOff	Not Available
CTS Outflow Control	Not Available
Discard NULL Bytes	Not Available
DSR Outflow Control	Not Available
DSR Sensitivity	Not Available
DTR Flow Control Type	Not Available
EOF Character	Not Available
Error Replace Character	Not Available
Error Replacement Enabled	Not Available

Event Character Not Available
 Parity Check Enabled -1
 RTS Flow Control Type Not Available
 XOff Character 19
 XOffXMit Threshold 512
 XOn Character 17
 XOnXMit Threshold 2048
 XOnXOff InFlow Control Not Available
 XOnXOff OutFlow Control Not Available
 IRQ Number 4
 I/O Port 0x03F8-0x03FF
 Driver c:\winnt\system32\drivers\serial.sys (62416, 5.00.2195.2780)

Name COM2
 Status OK
 PNP Device ID ACPI\PNP0501\2
 Maximum Input Buffer Size 0
 Maximum Output Buffer Size False
 Settable Baud Rate True
 Settable Data Bits True
 Settable Flow Control True
 Settable Parity True
 Settable Parity Check True
 Settable Stop Bits True
 Settable RLSD True
 Supports RLSD True
 Supports 16 Bit Mode False
 Supports Special Characters False
 Baud Rate 9600
 Bits/Byte 8
 Stop Bits 1
 Parity None
 Busy 0
 Abort Read/Write on Error 0
 Binary Mode Enabled -1
 Continue XMit on XOff 0
 CTS Outflow Control 0
 Discard NULL Bytes 0
 DSR Outflow Control 0
 DSR Sensitivity 0
 DTR Flow Control Type Enable
 EOF Character 0
 Error Replace Character 0
 Error Replacement Enabled 0
 Event Character 0
 Parity Check Enabled 0
 RTS Flow Control Type Enable
 XOff Character 19
 XOffXMit Threshold 512
 XOn Character 17
 XOnXMit Threshold 2048
 XOnXOff InFlow Control 0
 XOnXOff OutFlow Control 0
 IRQ Number 3
 I/O Port 0x02F8-0x02FF
 Driver c:\winnt\system32\drivers\serial.sys (62416, 5.00.2195.2780)

[Parallel]

Item Value
 Name LPT1
 PNP Device ID ACPI\PNP0400\1

[Storage]

[Following are sub-categories of this main category]

[Drives]

Item	Value
Drive A:	
Description	3 1/2 Inch Floppy Drive
Drive C:	
Description	Local Fixed Disk
Compressed	False
File System	NTFS
Size	8.46 GB (9,088,901,120 bytes)
Free Space	5.90 GB (6,331,781,120 bytes)
Volume Name	
Volume Serial Number	3C6B513A
Partition Disk #0, Partition #0	
Partition Size	8.46 GB (9,088,902,144 bytes)
Starting Offset	32256 bytes
Drive Description	Disk drive
Drive Manufacturer	(Standard disk drives)
Drive Model	IBM-PSG ST39204LC !# SCSI Disk Device
Drive BytesPerSector	512
Drive MediaLoaded	True
Drive MediaType	Fixed hard disk media
Drive Partitions	1
Drive SCSI Bus	0
Drive SCSI Logical Unit	0
Drive SCSI Port	2
Drive SCSI Target ID	0
Drive SectorsPerTrack	63
Drive Size	9097159680 bytes
Drive TotalCylinders	1106
Drive TotalSectors	17767890
Drive TotalTracks	282030
Drive TracksPerCylinder	255
Drive F:	
Description	Local Fixed Disk
Compressed	Not Available
File System	Not Available
Size	Not Available
Free Space	Not Available
Volume Name	Not Available
Volume Serial Number	Not Available
Drive G:	
Description	Local Fixed Disk
Compressed	Not Available
File System	Not Available
Size	Not Available
Free Space	Not Available
Volume Name	Not Available
Volume Serial Number	Not Available
Drive H:	
Description	Local Fixed Disk
Compressed	Not Available
File System	Not Available
Size	Not Available
Free Space	Not Available
Volume Name	Not Available
Volume Serial Number	Not Available
Drive I:	
Description	Local Fixed Disk
Compressed	Not Available
File System	Not Available
Size	Not Available
Free Space	Not Available
Volume Name	Not Available
Volume Serial Number	Not Available
Drive J:	
Description	Local Fixed Disk

Compressed Not Available
 File System Not Available
 Size Not Available
 Free Space Not Available
 Volume Name Not Available
 Volume Serial Number Not Available

Drive K:
 Description Local Fixed Disk
 Compressed Not Available
 File System Not Available
 Size Not Available
 Free Space Not Available
 Volume Name Not Available
 Volume Serial Number Not Available

Drive L:
 Description Local Fixed Disk
 Compressed Not Available
 File System Not Available
 Size Not Available
 Free Space Not Available
 Volume Name Not Available
 Volume Serial Number Not Available

Drive X:
 Description Local Fixed Disk
 Compressed False
 File System NTFS
 Size 81.05 GB (87,031,652,352 bytes)
 Free Space 80.99 GB (86,961,430,528 bytes)
 Volume Name Backup1
 Volume Serial Number 8458F27C
 Partition Disk #1, Partition #0
 Partition Size 101.68 GB (109,182,366,720 bytes)
 Starting Offset 8225280 bytes
 Drive Description Disk drive
 Drive Manufacturer (Standard disk drives)
 Drive Model IBM ServeRAID SCSI Disk Device
 Drive BytesPerSector 512
 Drive MediaLoaded True
 Drive MediaType Fixed hard disk media
 Drive Partitions 3
 Drive SCSI Bus 0
 Drive SCSI Logical Unit 0
 Drive SCSI Port 3
 Drive SCSI Target ID 0
 Drive SectorsPerTrack 63
 Drive Size 109190592000 bytes
 Drive TotalCylinders 13275
 Drive TotalSectors 213262875
 Drive TotalTracks 3385125
 Drive TracksPerCylinder 255

Drive Y:
 Description Local Fixed Disk
 Compressed False
 File System NTFS
 Size 81.05 GB (87,031,652,352 bytes)
 Free Space 26.79 GB (28,762,660,864 bytes)
 Volume Name Backup
 Volume Serial Number AC11F682
 Partition Disk #2, Partition #0
 Partition Size 101.68 GB (109,182,366,720 bytes)
 Starting Offset 8225280 bytes
 Drive Description Disk drive
 Drive Manufacturer (Standard disk drives)
 Drive Model IBM ServeRAID SCSI Disk Device
 Drive BytesPerSector 512
 Drive MediaLoaded True
 Drive MediaType Fixed hard disk media

Drive Partitions 3
 Drive SCSI Bus 0
 Drive SCSI Logical Unit 0
 Drive SCSI Port 4
 Drive SCSI Target ID 0
 Drive SectorsPerTrack 63
 Drive Size 109190592000 bytes
 Drive TotalCylinders 13275
 Drive TotalSectors 213262875
 Drive TotalTracks 3385125
 Drive TracksPerCylinder 255

Drive Z:
 Description Local Fixed Disk
 Compressed False
 File System NTFS
 Size 81.05 GB (87,031,652,352 bytes)
 Free Space 80.99 GB (86,961,430,528 bytes)
 Volume Name Backup2
 Volume Serial Number BC7C7366
 Partition Disk #3, Partition #0
 Partition Size 101.68 GB (109,182,366,720 bytes)
 Starting Offset 8225280 bytes
 Drive Description Disk drive
 Drive Manufacturer (Standard disk drives)
 Drive Model IBM ServeRAID SCSI Disk Device
 Drive BytesPerSector 512
 Drive MediaLoaded True
 Drive MediaType Fixed hard disk media
 Drive Partitions 3
 Drive SCSI Bus 0
 Drive SCSI Logical Unit 0
 Drive SCSI Port 5
 Drive SCSI Target ID 0
 Drive SectorsPerTrack 63
 Drive Size 109190592000 bytes
 Drive TotalCylinders 13275
 Drive TotalSectors 213262875
 Drive TotalTracks 3385125
 Drive TracksPerCylinder 255

Drive E:
 Description Network Connection
 Provider Name \\192.168.132.253\c\$

[SCSI]

Item	Value
Name	IBM ServeRAID 4Mx Controller
Caption	IBM ServeRAID 4Mx Controller
Driver	nfrd960
Status	OK
PNP Device ID	PCI\VEN_1014&DEV_01BD&SUBSYS_02081014&REV_00\3&267A616A&0&48
Device ID	PCI\VEN_1014&DEV_01BD&SUBSYS_02081014&REV_00\3&267A616A&0&48
Device Map	Not Available
Index	Not Available
Max Number Controlled	Not Available
IRQ Number	16
Driver	c:\winnt\system32\drivers\nfrd960.sys (70815, 4.80.24)
Name	Adaptec AIC-7892 - Ultra160 SCSI
Caption	Adaptec AIC-7892 - Ultra160 SCSI
Driver	adpu160m
Status	OK

cpqcalm	cpqcalm	Not Available	Kernel Driver	False	ipsec	IPSEC driver	c:\winnt\system32\drivers\ipsec.sys	Kernel Driver	False	Manual	Stopped	OK	Normal
Disabled	Stopped	OK	Normal	False	False	False	Kernel Driver	False	Manual	Stopped	OK	Normal	
cpqfws2e	cpqfws2e	Not Available	Kernel Driver	False	ipsperf	IBM ServeRAID Performance Driver							
Disabled	Stopped	OK	Normal	False	False		c:\winnt\system32\drivers\ipsperf.sys	Kernel Driver	True				
dac960nt	dac960nt	Not Available	Kernel Driver	False	Boot	Running	OK	Normal	False	True			
Disabled	Stopped	OK	Normal	False	False								
deckzpsx	deckzpsx	Not Available	Kernel Driver	False	ipsraidn	IBM ServeRAID Device Driver							
Disabled	Stopped	OK	Normal	False	False		c:\winnt\system32\drivers\ipsraidn.sys	Kernel Driver	True				
dfsdriver	DfsDriver	c:\winnt\system32\drivers\dfs.sys	File System Driver		Boot	Running	OK	Normal	False	True			
True	Boot	Running	OK	Normal	False	True							
disk	Disk Driver	c:\winnt\system32\drivers\disk.sys	Kernel Driver	True	isapnp	PnP ISA/EISA Bus Driver	c:\winnt\system32\drivers\isapnp.sys	Kernel Driver	True	Boot	Running	OK	Critical
Driver	True	Boot	Running	OK	Normal	False		False	True				
True													
diskperf	Diskperf	c:\winnt\system32\drivers\diskperf.sys	Kernel Driver	False	kbdclass	Keyboard Class Driver	c:\winnt\system32\drivers\kbdclass.sys	Kernel Driver	True	System	Running	OK	Normal
Driver	False	Disabled	Stopped	OK	Normal	False		False	True				
False													
dmboot	dmboot	c:\winnt\system32\drivers\dmboot.sys	Kernel Driver	False	ksecdd	KSecDD	c:\winnt\system32\drivers\ksecdd.sys	Kernel Driver	True	Boot	Running	OK	Normal
Driver	False	Disabled	Stopped	OK	Normal	False		True					
False													
dmio	Logical Disk Manager Driver	c:\winnt\system32\drivers\dmio.sys	Kernel Driver	False	lbrtfdc	lbrtfdc	Not Available	Kernel Driver	False				
Kernel Driver	True	Boot	Running	OK	Normal	False		System	Stopped	OK	Ignore	False	False
False	True							lp6nds35	lp6nds35	Not Available	Kernel Driver	False	
dmload	dmload	c:\winnt\system32\drivers\dmload.sys	Kernel Driver	True	Disabled	Stopped	OK	Normal	False	False			
Driver	True	Boot	Running	OK	Normal	False		mnmdd	mnmdd	c:\winnt\system32\drivers\mnmdd.sys	Kernel Driver	False	
True								Driver	True	System	Running	OK	Ignore
e100b	Intel(R) PRO Adapter Driver	c:\winnt\system32\drivers\e100bnt5.sys	Kernel Driver	True	modem	Modem	c:\winnt\system32\drivers\modem.sys	Kernel Driver	False	Manual	Stopped	OK	Ignore
Manual	Running	OK	Normal	False	True			Driver	False	Manual	Stopped	OK	Ignore
True	EFs	c:\winnt\system32\drivers\efs.sys	File System Driver	True	False			False					
True	Disabled	Running	OK	Normal	False	True		mouclass	Mouse Class Driver	c:\winnt\system32\drivers\mouclass.sys	Kernel Driver	True	System
fastfat	Fastfat	c:\winnt\system32\drivers\fastfat.sys	File System Driver	True	True			False	True				
Driver	True	Disabled	Running	OK	Normal	False		mountmgr	MountMgr	c:\winnt\system32\drivers\mountmgr.sys	Kernel Driver	True	Boot
True								Driver	True	Boot	Running	OK	Normal
fd16_700	Fd16_700	Not Available	Kernel Driver	False	True			True					
Disabled	Stopped	OK	Normal	False	False			mraid35x	mraid35x	Not Available	Kernel Driver	False	
fdc	Floppy Disk Controller Driver	c:\winnt\system32\drivers\fdc.sys	Kernel Driver	True	Manual	Running	OK	Normal	Disabled	Stopped	OK	Normal	False
Kernel Driver	True	Manual	Running	OK	Normal	False		Driver	True	System	Running	OK	Normal
False	True							True					
fips	Fips	c:\winnt\system32\drivers\fips.sys	Kernel Driver	True	msfs	Msfs	c:\winnt\system32\drivers\msfs.sys	File System Driver	True	System	Running	OK	Normal
True	Auto	Running	OK	Normal	False	True		True					
fireport	fireport	Not Available	Kernel Driver	False	mskssrv	Microsoft Streaming Service Proxy	c:\winnt\system32\drivers\mskssrv.sys	Kernel Driver	Manual	Stopped	OK	Normal	False
Disabled	Stopped	OK	Normal	False	False			Manual	Stopped	OK	Normal	False	False
flashpnt	flashpnt	Not Available	Kernel Driver	False	mspclock	Microsoft Streaming Clock Proxy	c:\winnt\system32\drivers\mspclock.sys	Kernel Driver	Manual	Stopped	OK	Normal	False
Disabled	Stopped	OK	Normal	False	False			Manual	Stopped	OK	Normal	False	False
flpydisk	Floppy Disk Driver	c:\winnt\system32\drivers\flpydisk.sys	Kernel Driver	True	Manual	Running	OK	Normal	mspqm	Microsoft Streaming Quality Manager Proxy	c:\winnt\system32\drivers\mspqm.sys	Kernel Driver	False
Kernel Driver	True	Manual	Running	OK	Normal	False		Manual	Stopped	OK	Normal	False	False
False	True							Manual	Stopped	OK	Normal	False	False
ftdisk	Volume Manager Driver	c:\winnt\system32\drivers\ftdisk.sys	Kernel Driver	True	Boot	Running	OK	Normal	mup	Mup	c:\winnt\system32\drivers\mup.sys	File System Driver	True
Kernel Driver	True	Boot	Running	OK	Normal	False		True	Boot	Running	OK	Normal	False
False	True							True	Boot	Running	OK	Normal	False
gpc	Generic Packet Classifier	c:\winnt\system32\drivers\msgpc.sys	Kernel Driver	True	Manual	Running	OK	Normal	ncrc710	Nrc710	Not Available	Kernel Driver	False
Kernel Driver	True	Manual	Running	OK	Normal	False		False	Stopped	OK	Normal	False	False
False	True							Disabled	Stopped	OK	Normal	False	False
i8042prt	i8042 Keyboard and PS/2 Mouse Port Driver	c:\winnt\system32\drivers\i8042prt.sys	Kernel Driver	True	ndis	NDIS System Driver	c:\winnt\system32\drivers\ndis.sys	Kernel Driver	True	Boot	Running	OK	Normal
c:\winnt\system32\drivers\i8042prt.sys	Kernel Driver	True						Driver	True	Boot	Running	OK	Normal
System	Running	OK	Normal	False	True			True					
ini910u	ini910u	Not Available	Kernel Driver	False	ndistapi	Remote Access NDIS TAPI Driver	c:\winnt\system32\drivers\ndistapi.sys	Kernel Driver	Manual	Running	OK	Normal	False
Disabled	Stopped	OK	Normal	False	False			Manual	Running	OK	Normal	False	True
False	Stopped	OK	Normal	False	False			Manual	Running	OK	Normal	False	True
intelide	IntelIde	Not Available	Kernel Driver	False	ndiswan	Remote Access NDIS WAN Driver	c:\winnt\system32\drivers\ndiswan.sys	Kernel Driver	Manual	Running	OK	Normal	False
Disabled	Stopped	OK	Normal	False	False			Manual	Running	OK	Normal	False	True
False	Stopped	OK	Normal	False	False			Manual	Running	OK	Normal	False	True
ipfilterdriver	IP Traffic Filter Driver	c:\winnt\system32\drivers\ipfltdrv.sys	Kernel Driver	False	ndproxy	NDIS Proxy	c:\winnt\system32\drivers\ndproxy.sys	Kernel Driver	False	True			
c:\winnt\system32\drivers\ipfltdrv.sys	Kernel Driver	False						Kernel Driver	True	Manual	Running	OK	Normal
Manual	Stopped	OK	Normal	False	False			False	True				
ipinip	IP in IP Tunnel Driver	c:\winnt\system32\drivers\ipinip.sys	Kernel Driver	False	Manual	Stopped	OK	Normal	netbios	NetBIOS Interface	c:\winnt\system32\drivers\netbios.sys	File System Driver	True
Kernel Driver	False	Manual	Stopped	OK	Normal	False		False	True	System	Running	OK	Normal
False	False							False	True				
ipnat	IP Network Address Translator	c:\winnt\system32\drivers\ipnat.sys	Kernel Driver	False	Manual	Stopped	OK	Normal	False	True			
Kernel Driver	False	Manual	Stopped	OK	Normal	False		False	True				
False	False							False	True				


```

tdspx      TDSPX      c:\winnt\system32\drivers\tdspx.sys      Kernel
Driver     False      Manual   Stopped  OK      Ignore  False
False
tdtcp      TDTCP      c:\winnt\system32\drivers\tdtcp.sys      Kernel
Driver     False      Manual   Stopped  OK      Ignore  False
False
termdd     Terminal Device Driver
c:\winnt\system32\drivers\termdd.sys      Kernel Driver      False
Disabled   Stopped   OK       Normal   False   False
tga        tga        Not Available      Kernel Driver      False
System     Stopped   OK       Ignore   False   False
twintail   IBM ServeRAID Failover Driver
c:\winnt\system32\drivers\twintail.sys    Kernel Driver      True
Boot       Running   OK       Normal   False   True
udfs       Udfs      c:\winnt\system32\drivers\udfs.sys      File System Driver
False      Disabled  Stopped  OK       Normal   False   False
ultra66    ultra66    Not Available      Kernel Driver      False
Disabled   Stopped   OK       Normal   False   False
update     Microcode Update Driver
c:\winnt\system32\drivers\update.sys      Kernel Driver      True
Manual     Running   OK       Normal   False   True
usbhub     Microsoft USB Standard Hub Driver
c:\winnt\system32\drivers\usbhub.sys      Kernel Driver      True
Manual     Running   OK       Normal   False   True
vgasave    VgaSave   c:\winnt\system32\drivers\vga.sys      Kernel Driver
True       System    Running  OK       Ignore   False   True
wanarp     Remote Access IP ARP Driver
c:\winnt\system32\drivers\wanarp.sys      Kernel Driver      True
Manual     Running   OK       Normal   False   True
wdica      WDICA     Not Available      Kernel Driver      False
Manual     Stopped   OK       Ignore   False   False
nmiscfg    NIC Management Service Configuration Driver
\??\c:\winnt\system32\drivers\nmiscfg.sys  Kernel Driver      True
Manual     Running   OK       Normal   False   True

```

[Environment Variables]

```

Variable  Value      User Name
ComSpec   %SystemRoot%\system32\cmd.exe      <SYSTEM>
NUMBER_OF_PROCESSORS  1      <SYSTEM>
OS        Windows_NT      <SYSTEM>
Os2LibPath %SystemRoot%\system32\os2\dll\SYSTEM
Path      %SystemRoot%\system32;%SystemRoot%;%SystemRoot%\System32\Wbem;C:\Program Files\Microsoft SQL Server\MSSQL\BINN;C:\Program Files\Microsoft SQL Server\80\Tools\BINN <SYSTEM>
PATHEXT   .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH <SYSTEM>
PROCESSOR_ARCHITECTURE      x86      <SYSTEM>
PROCESSOR_IDENTIFIER        x86 Family 6 Model 11 Stepping 1,
GenuineIntel <SYSTEM>
PROCESSOR_LEVEL             6      <SYSTEM>
PROCESSOR_REVISION          0b01   <SYSTEM>
TEMP      %SystemRoot%\TEMP <SYSTEM>
TMP        %SystemRoot%\TEMP <SYSTEM>
windir    %SystemRoot% <SYSTEM>
TEMP      %USERPROFILE%\Local Settings\Temp
TPCC-1WAY\Administrator
TMP        %USERPROFILE%\Local Settings\Temp
TPCC-1WAY\Administrator

```

[Jobs]

[Following are sub-categories of this main category]

[Print]

```

Document Size      Owner      Notify      Status      Time Submitted
Start Time Until TimeElapsed Time      Pages Printed      Job ID
Priority      Parameters\Driver Name      Print Processor      Host Print
Queue      Data Type Name

```

```

Unknown Unknown Unknown Unknown Unknown Unknown Unknown
Unknown Unknown Unknown Unknown Unknown Unknown Unknown
Unknown Unknown Unknown Unknown

```

[Network Connections]

```

Local Name      Remote Name      Type      Status      User Name
E:              \\192.168.132.253\e$ Disk      OK
TPCC-1WAY\Administrator

```

[Running Tasks]

```

Name      Path      Process ID Priority      Min Working Set      Max
Working Set      Start Time Version      Size      File Date
system idle process      Not Available      0      0      Not
Available      Not Available      Not Available      Unknown      Unknown
system      Not Available      8      8      0      1413120
Not Available      Unknown      Unknown      Unknown
smss.exe   c:\winnt\system32\smss.exe      160      11      204800
1413120    10/10/2001 1:36:49 PM      5.00.2195.2901      44.27 KB
(45,328 bytes)      12/7/1999 7:00:00 AM
csrss.exe  Not Available      184      13      Not Available
Not Available      10/10/2001 1:36:54 PM      Unknown      Unknown
winlogon.exe   c:\winnt\system32\winlogon.exe      204      13
204800    1413120    10/10/2001 1:36:55 PM      5.00.2195.2953
173.77 KB (177,936 bytes)      12/7/1999 7:00:00 AM
services.exe   c:\winnt\system32\services.exe      232      9
204800    1413120    10/10/2001 1:36:56 PM      5.00.2195.2780
86.77 KB (88,848 bytes)      12/7/1999 7:00:00 AM
lsass.exe   c:\winnt\system32\lsass.exe      244      9      204800
1413120    10/10/2001 1:36:56 PM      5.00.2195.2964      32.77 KB
(33,552 bytes)      12/7/1999 7:00:00 AM
svchost.exe c:\winnt\system32\svchost.exe      384      8      204800
1413120    10/10/2001 1:36:59 PM      5.00.2134.1      7.77 KB
(7,952 bytes)      12/7/1999 7:00:00 AM
msdtc.exe   c:\winnt\system32\msdtc.exe      420      8      204800
1413120    10/10/2001 1:37:00 PM      1999.9.3421.3      6.77 KB
(6,928 bytes)      9/17/2001 10:54:03 AM
svchost.exe c:\winnt\system32\svchost.exe      528      8      204800
1413120    10/10/2001 1:37:02 PM      5.00.2134.1      7.77 KB
(7,952 bytes)      12/7/1999 7:00:00 AM
nmssvc.exe c:\winnt\system32\nmssvc.exe      548      8      204800
1413120    10/10/2001 1:37:02 PM      1.64.0.0      1012.00 KB (1,036,288
bytes)      10/9/2001 2:03:38 PM
tcpvcs.exe c:\winnt\system32\tcpvcs.exe      632      8      204800
1413120    10/10/2001 1:37:03 PM      5.00.2134.1      24.77 KB
(25,360 bytes)      12/7/1999 7:00:00 AM
winmgmt.exe c:\winnt\system32\wbem\winmgmt.exe      668      8
204800    1413120    10/10/2001 1:37:06 PM      1.50.1085.0029
192.08 KB (196,685 bytes)      10/1/2001 10:30:00 AM
explorer.exe c:\winnt\explorer.exe      808      8      204800
1413120    10/10/2001 1:37:12 PM      5.00.3315.2846      237.27 KB
(242,960 bytes)      10/1/2001 10:29:56 AM
svchost.exe c:\winnt\system32\svchost.exe      1080     8      204800
1413120    10/10/2001 1:37:24 PM      5.00.2134.1      7.77 KB
(7,952 bytes)      12/7/1999 7:00:00 AM
cmd.exe     c:\winnt\system32\cmd.exe      856      8      204800
1413120    10/10/2001 1:41:09 PM      5.00.2195.2104      230.77 KB
(236,304 bytes)      12/7/1999 7:00:00 AM
cmd.exe     c:\winnt\system32\cmd.exe      844      8      204800
1413120    10/10/2001 1:41:27 PM      5.00.2195.2104      230.77 KB
(236,304 bytes)      12/7/1999 7:00:00 AM
raidserv.exe   c:\program files\raidman\raidserv.exe      1068     8
204800    1413120    10/11/2001 10:21:56 AM      Not Available
36.00 KB (36,864 bytes)      10/2/2001 1:22:40 PM
javaw.exe   c:\program files\raidman\jre\bin\javaw.exe      956      8
204800    1413120    10/11/2001 10:22:07 AM      Not Available
13.00 KB (13,312 bytes)      10/4/2001 10:08:24 AM

```


pfutil80.dll	2000.080.0382.00	272.56 KB (279,104 bytes)	10/1/2001 10:24:36 AM	Microsoft Corporation:c:\program files\microsoft sql server\80\tools\bin\pfutil80.dll
sqlqry.dll	2000.080.0382.00	392.56 KB (401,984 bytes)	10/1/2001 10:24:32 AM	Microsoft Corporation:c:\program files\microsoft sql server\80\tools\bin\sqlqry.dll
odbcbcpl.dll	2000.080.0382.00	28.57 KB (29,252 bytes)	10/1/2001 10:41:50 AM	Microsoft Corporation:c:\winnt\system32\odbcbcpl.dll
sqlsvc.dll	2000.080.0382.00	92.56 KB (94,784 bytes)	10/1/2001 10:24:35 AM	Microsoft Corporation:c:\program files\microsoft sql server\80\tools\bin\sqlsvc.dll
odbc32.dll	3.520.7326.0	216.27 KB (221,456 bytes)	10/1/2001 10:41:45 AM	Microsoft Corporation:c:\winnt\system32\odbc32.dll
w95sem.dll	2000.080.0194.00	48.56 KB (49,728 bytes)	10/1/2001 10:24:35 AM	Microsoft Corporation:c:\program files\microsoft sql server\80\tools\bin\w95sem.dll
sqlgui.dll	2000.080.0382.00	444.56 KB (455,232 bytes)	10/1/2001 10:24:35 AM	Microsoft Corporation:c:\program files\microsoft sql server\80\tools\bin\sqlgui.dll
sqlresld.dll	2000.080.0382.00	28.56 KB (29,248 bytes)	10/1/2001 10:24:35 AM	Microsoft Corporation:c:\program files\microsoft sql server\80\tools\bin\sqlresld.dll
sqlunirl.dll	2000.080.0382.00	176.56 KB (180,800 bytes)	4/9/2001 10:46:18 AM	Microsoft Corporation:c:\winnt\system32\sqlunirl.dll
isqlw.exe	2000.080.0382.00	344.56 KB (352,828 bytes)	10/1/2001 10:24:32 AM	Microsoft Corporation:c:\program files\microsoft sql server\80\tools\bin\isqlw.exe
ssmslpcn.dll	2000.080.0382.00	28.56 KB (29,244 bytes)	10/1/2001 10:24:21 AM	Microsoft Corporation:c:\program files\microsoft sql server\mssql\bin\ssmslpcn.dll
security.dll	5.00.2154.1	5.77 KB (5,904 bytes)	12/7/1999 7:00:00 AM	Microsoft Corporation:c:\winnt\system32\security.dll
ssnmpn70.dll	2000.080.0194.00	24.06 KB (24,638 bytes)	10/1/2001 10:24:21 AM	Microsoft Corporation:c:\program files\microsoft sql server\mssql\bin\ssnmpn70.dll
ssnetlib.dll	2000.080.0382.00	84.56 KB (86,588 bytes)	10/1/2001 10:24:21 AM	Microsoft Corporation:c:\program files\microsoft sql server\mssql\bin\ssnetlib.dll
sqllevn70.rll	2000.080.0194.00	28.00 KB (28,672 bytes)	10/1/2001 10:24:21 AM	Microsoft Corporation:c:\program files\microsoft sql server\mssql\bin\resources\1033\sqllevn70.rll
msvcirt.dll	6.10.8637.0	76.05 KB (77,878 bytes)	12/7/1999 7:00:00 AM	Microsoft Corporation:c:\winnt\system32\msvcirt.dll
sqlsort.dll	2000.080.0382.00	576.56 KB (590,396 bytes)	10/1/2001 10:24:21 AM	Microsoft Corporation:c:\program files\microsoft sql server\mssql\bin\sqlsort.dll
ums.dll	2000.080.0382.00	48.07 KB (49,228 bytes)	10/1/2001 10:24:21 AM	Microsoft Corporation:c:\program files\microsoft sql server\mssql\bin\ums.dll
opens60.dll	2000.080.0194.00	24.06 KB (24,639 bytes)	10/1/2001 10:24:21 AM	Microsoft Corporation:c:\program files\microsoft sql server\mssql\bin\opens60.dll
sqlservr.exe	2000.080.0384.00	7.05 MB (7,397,457 bytes)	10/1/2001 10:24:20 AM	Microsoft Corporation:c:\program files\microsoft sql server\mssql\bin\sqlservr.exe
mdm.exe	6.00.8424 121.29 KB (124,200 bytes)		9/17/2001 10:56:07 AM	Microsoft Corporation:c:\winnt\system32\mdm.exe
dciman32.dll	5.00.2180.1	8.27 KB (8,464 bytes)	12/7/1999 7:00:00 AM	Microsoft Corporation:c:\winnt\system32\dciman32.dll
ddraw.dll	5.00.2180.1	260.27 KB (266,512 bytes)	12/7/1999 7:00:00 AM	Microsoft Corporation:c:\winnt\system32\ddraw.dll
fontmanager.dll	Not Available	498.50 KB (510,464 bytes)	10/4/2001 10:08:23 AM	Not Available c:\program files\raidman\jre\bin\fontmanager.dll
awt.dll	Not Available	1.37 MB (1,437,184 bytes)	10/4/2001 10:08:23 AM	Not Available c:\program files\raidman\jre\bin\awt.dll
javaw.exe	Not Available	13.00 KB (13,312 bytes)	10/4/2001 10:08:24 AM	Not Available c:\program files\raidman\jre\bin\javaw.exe
nfstcpr.dll	Not Available	96.00 KB (98,304 bytes)	10/2/2001 1:22:18 PM	Not Available c:\program files\raidman\nfstcpr.dll
nfstjdl.dll	Not Available	180.00 KB (184,320 bytes)	10/2/2001 1:22:18 PM	Not Available c:\program files\raidman\nfstjdl.dll
net.dll	Not Available	26.50 KB (27,136 bytes)	10/2/2001 1:22:36 PM	Not Available c:\program files\raidman\jre\bin\net.dll
zip.dll	Not Available	55.00 KB (56,320 bytes)	10/2/2001 1:22:36 PM	Not Available c:\program files\raidman\jre\bin\zip.dll
java.dll	Not Available	166.50 KB (170,496 bytes)	10/4/2001 10:08:24 AM	Not Available c:\program files\raidman\jre\bin\java.dll
hpi.dll	Not Available	29.50 KB (30,208 bytes)	10/4/2001 10:08:24 AM	Not Available c:\program files\raidman\jre\bin\hpi.dll
xhpi.dll	Not Available	4.50 KB (4,608 bytes)	10/4/2001 10:08:25 AM	Not Available c:\program files\raidman\jre\bin\xhpi.dll
jvm.dll	Not Available	844.50 KB (864,768 bytes)	10/4/2001 10:08:25 AM	Not Available c:\program files\raidman\jre\bin\classic\jvm.dll
raidserv.exe	Not Available	36.00 KB (36,864 bytes)	10/2/2001 1:22:40 PM	Not Available c:\program files\raidman\raidserv.exe
cmd.exe	5.00.2195.2104	230.77 KB (236,304 bytes)	12/7/1999 7:00:00 AM	Microsoft Corporation:c:\winnt\system32\cmd.exe
tapisrv.dll	5.00.2195.2955	169.27 KB (173,328 bytes)	10/1/2001 10:29:53 AM	Microsoft Corporation:c:\winnt\system32\tapisrv.dll
usp10.dll	1.0325.2195.2104	308.27 KB (315,664 bytes)	10/1/2001 10:29:54 AM	Microsoft Corporation:c:\winnt\system32\usp10.dll
mshtml.dll	5.00.3315.2870	227.27 KB (232,720 bytes)	10/1/2001 10:29:40 AM	Microsoft Corporation c:\winnt\system32\mshtml.dll
imgutil.dll	5.00.3315.2870	30.77 KB (31,504 bytes)	10/1/2001 10:29:35 AM	Microsoft Corporation:c:\winnt\system32\imgutil.dll
webvw.dll	5.00.2920.0000	1.06 MB (1,115,408 bytes)	12/7/1999 7:00:00 AM	Microsoft Corporation:c:\winnt\system32\webvw.dll
mssl31.dll	3.10.337.0	145.27 KB (148,752 bytes)	12/7/1999 7:00:00 AM	Microsoft Corporation:c:\winnt\system32\mssl31.dll
mshtml.dll	5.00.3315.2870	2.24 MB (2,345,232 bytes)	10/1/2001 10:29:40 AM	Microsoft Corporation:c:\winnt\system32\mshtml.dll
shdoclc.dll	5.00.3315.2879	324.50 KB (332,288 bytes)	10/1/2001 10:29:52 AM	Microsoft Corporation:c:\winnt\system32\shdoclc.dll
hhsetup.dll	4.74.8702 66.27 KB (67,856 bytes)		12/7/1999 7:00:00 AM	Microsoft Corporation:c:\winnt\system32\hhsetup.dll
mfc42u.dll	6.00.8665.0	972.05 KB (995,384 bytes)	12/7/1999 7:00:00 AM	Microsoft Corporation:c:\winnt\system32\mfc42u.dll
mmschext.dll	5.00.2153.1	24.27 KB (24,848 bytes)	12/7/1999 7:00:00 AM	Microsoft Corporation c:\winnt\system32\mmschext.dll
thumbvw.dll	5.00.2920.0000	183.27 KB (187,664 bytes)	12/7/1999 7:00:00 AM	Microsoft Corporation c:\winnt\system32\thumbvw.dll
imm32.dll	5.00.2195.2821	94.27 KB (96,528 bytes)	10/1/2001 10:29:35 AM	Microsoft Corporation:c:\winnt\system32\imm32.dll
jscrip.dll	5.1.0.5907 476.06 KB (487,481 bytes)		10/1/2001 10:29:37 AM	Microsoft Corporation:c:\winnt\system32\jscrip.dll
wininet.dll	5.00.3315.1000	456.77 KB (467,728 bytes)	10/1/2001 10:29:55 AM	Microsoft Corporation:c:\winnt\system32\wininet.dll
msdbg.dll	6.00.8424 67.50 KB (69,120 bytes)		9/17/2001 10:56:07 AM	Microsoft Corporation:c:\winnt\system32\msdbg.dll
pdm.dll	6.00.8424 179.27 KB (183,574 bytes)		9/17/2001 10:56:07 AM	Microsoft Corporation:c:\winnt\system32\pdm.dll
mlang.dll	5.00.3103.1000	510.77 KB (523,024 bytes)	10/1/2001 10:29:38 AM	Microsoft Corporation:c:\winnt\system32\mlang.dll
urlmon.dll	5.00.3315.1000	441.27 KB (451,856 bytes)	10/1/2001 10:29:54 AM	Microsoft Corporation:c:\winnt\system32\urlmon.dll
browsecl.dll	5.00.3315.2846	34.50 KB (35,328 bytes)	10/1/2001 10:29:29 AM	Microsoft Corporation c:\winnt\system32\browsecl.dll

faxshell.dll	5.00.2134.1	8.27 KB (8,464 bytes)	12/7/1999 7:00:00 AM	wbemcomn.dll	1.50.1085.0021	692.07 KB (708,675 bytes)	10/1/2001 10:30:00 AM
Microsoft Corporation:	c:\winnt\system32\faxshell.dll			Microsoft Corporation			
msacm32.dll	5.00.2134.1	65.27 KB (66,832 bytes)	12/7/1999 7:00:00 AM	c:\winnt\system32\wbem\wbemcomn.dll			
Microsoft Corporation				winmgmt.exe	1.50.1085.0029	192.08 KB (196,685 bytes)	10/1/2001 10:30:00 AM
c:\winnt\system32\msacm32.dll				Microsoft Corporation			
avifil32.dll	5.00.2134.1	76.27 KB (78,096 bytes)	12/7/1999 7:00:00 AM	c:\winnt\system32\wbem\winmgmt.exe			
Microsoft Corporation:	c:\winnt\system32\avifil32.dll			simptcp.dll	5.00.2134.1	19.27 KB (19,728 bytes)	9/17/2001 7:00:00 AM
Microsoft Corporation:	c:\winnt\system32\msvfw32.dll			Microsoft Corporation:	c:\winnt\system32\simptcp.dll		
Microsoft Corporation				tcpsvcs.exe	5.00.2134.1	24.77 KB (25,360 bytes)	12/7/1999 7:00:00 AM
c:\winnt\system32\msvfw32.dll				Microsoft Corporation:	c:\winnt\system32\tcpsvcs.exe		
docprop2.dll	5.00.2178.1	297.77 KB (304,912 bytes)	12/7/1999 7:00:00 AM	nmssvcps.dll	1.64.0.0	36.00 KB (36,864 bytes)	10/9/2001 2:03:39 PM
Microsoft Corporation				Intel Corporation	c:\winnt\system32\nmssvcps.dll		
c:\winnt\system32\docprop2.dll				nmssvc.exe	64.0.0	1012.00 KB (1,036,288 bytes)	10/9/2001 2:03:38 PM
linkinfo.dll	5.00.2134.1	15.77 KB (16,144 bytes)	12/7/1999 7:00:00 AM	Intel Corporation	c:\winnt\system32\nmssvc.exe		
Microsoft Corporation:	c:\winnt\system32\linkinfo.dll			rasdlg.dll	5.00.2195.2671	514.27 KB (526,608 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation:	c:\winnt\system32\powrprof.dll			Microsoft Corporation:	c:\winnt\system32\rasdlg.dll		
Microsoft Corporation				netcfgx.dll	5.00.2195.2228	534.77 KB (547,600 bytes)	10/1/2001 10:29:45 AM
c:\winnt\system32\powrprof.dll				Microsoft Corporation:	c:\winnt\system32\netcfgx.dll		
batmeter.dll	5.00.3103.1000	20.27 KB (20,752 bytes)	10/1/2001 10:29:28 AM	sens.dll	5.00.2163.1	36.77 KB (37,648 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation				Microsoft Corporation:	c:\winnt\system32\sens.dll		
c:\winnt\system32\batmeter.dll				rasmans.dll	5.00.2195.2728	147.27 KB (150,800 bytes)	10/1/2001 10:29:50 AM
stobject.dll	5.00.2195.2780	79.27 KB (81,168 bytes)	10/1/2001 10:29:53 AM	Microsoft Corporation:	c:\winnt\system32\rasmans.dll		
Microsoft Corporation:	c:\winnt\system32\stobject.dll			wmi.dll	5.00.2191.1	6.27 KB (6,416 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation:	c:\winnt\system32\webcheck.dll			Microsoft Corporation:	c:\winnt\system32\wmi.dll		
Microsoft Corporation				netshell.dll	5.00.2195.2779	457.27 KB (468,240 bytes)	10/1/2001 10:29:46 AM
c:\winnt\system32\webcheck.dll				Microsoft Corporation:	c:\winnt\system32\netshell.dll		
ntshrui.dll	5.00.2134.1	46.77 KB (47,888 bytes)	12/7/1999 7:00:00 AM	es.dll	2000.2.3471.1	222.27 KB (227,600 bytes)	10/1/2001 10:29:33 AM
Microsoft Corporation:	c:\winnt\system32\ntshrui.dll			Microsoft Corporation:	c:\winnt\system32\es.dll		
Microsoft Corporation:	c:\winnt\system32\mydocs.dll			netman.dll	5.00.2195.2779	89.27 KB (91,408 bytes)	10/1/2001 10:29:46 AM
Microsoft Corporation:	c:\winnt\system32\mydocs.dll			Microsoft Corporation:	c:\winnt\system32\netman.dll		
Microsoft Corporation				iashlpr.dll	5.00.2184.1	33.27 KB (34,064 bytes)	12/7/1999 7:00:00 AM
c:\winnt\system32\mydocs.dll				Microsoft Corporation:	c:\winnt\system32\iashlpr.dll		
browseui.dll	5.00.3315.2846	788.77 KB (807,696 bytes)	10/1/2001 10:29:29 AM	iasacct.dll	5.00.2134.1	28.27 KB (28,944 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation				Microsoft Corporation:	c:\winnt\system32\iasacct.dll		
c:\winnt\system32\browseui.dll				iasuser.dll	5.00.2134.1	25.77 KB (26,384 bytes)	12/7/1999 7:00:00 AM
shdocvw.dll	5.00.3315.2879	1.05 MB (1,104,144 bytes)	10/1/2001 10:29:52 AM	Microsoft Corporation:	c:\winnt\system32\iasuser.dll		
Microsoft Corporation				iasnap.dll	5.00.2195.2104	58.77 KB (60,176 bytes)	10/1/2001 10:29:35 AM
c:\winnt\system32\shdocvw.dll				Microsoft Corporation:	c:\winnt\system32\iasnap.dll		
explorer.exe	5.00.3315.2846	237.27 KB (242,960 bytes)	10/1/2001 10:29:56 AM	iaspipe.dll	5.00.2134.1	41.77 KB (42,768 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation:	c:\winnt\system32\explorer.exe			Microsoft Corporation:	c:\winnt\system32\iaspipe.dll		
Microsoft Corporation:	c:\winnt\system32\wshnetbs.dll			expsrv.dll	6.0.8540	370.27 KB (379,152 bytes)	10/1/2001 10:29:34 AM
Microsoft Corporation:	c:\winnt\system32\wshnetbs.dll			Microsoft Corporation:	c:\winnt\system32\expsrv.dll		
Microsoft Corporation:	c:\winnt\system32\ntmarta.dll			vbajet32.dll	6.1.8268	30.27 KB (30,992 bytes)	10/1/2001 10:29:54 AM
Microsoft Corporation:	c:\winnt\system32\ntmarta.dll			Microsoft Corporation:	c:\winnt\system32\vbajet32.dll		
Microsoft Corporation				msjtes40.dll	4.00.4229.0	236.27 KB (241,936 bytes)	10/1/2001 10:29:43 AM
c:\winnt\system32\provthrd.dll				Microsoft Corporation			
ntevt.dll	1.50.1085.0000	192.06 KB (196,669 bytes)	12/7/1999 7:00:00 AM	c:\winnt\system32\msjtes40.dll			
Microsoft Corporation:	c:\winnt\system32\wbem\ntevt.dll			oledb32r.dll	2.61.7326.0	68.27 KB (69,904 bytes)	10/1/2001 10:41:46 AM
Microsoft Corporation:	c:\winnt\system32\wbem\perfos.dll			Microsoft Corporation:	c:\program files\common files\system\ole db\oledb32r.dll		
Microsoft Corporation:	c:\winnt\system32\perfos.dll			msdart.dll	2.61.7326.0	144.27 KB (147,728 bytes)	10/1/2001 10:41:44 AM
Microsoft Corporation:	c:\winnt\system32\psapi.dll			Microsoft Corporation:	c:\winnt\system32\msdart.dll		
Microsoft Corporation:	c:\winnt\system32\psapi.dll			oledb32.dll	2.61.7326.0	448.27 KB (459,024 bytes)	10/1/2001 10:41:46 AM
Microsoft Corporation:	c:\winnt\system32\psapi.dll			Microsoft Corporation:	c:\program files\system\ole db\oledb32.dll		
Microsoft Corporation				msjint40.dll	4.00.2927.2	148.27 KB (151,824 bytes)	10/1/2001 10:29:43 AM
c:\winnt\system32\wbem\framedyn.dll				Microsoft Corporation			
cimwin32.dll	1.50.1085.0038	1.02 MB (1,073,232 bytes)	10/1/2001 10:29:59 AM	c:\winnt\system32\msjint40.dll			
Microsoft Corporation				msjter40.dll	4.00.2927.2	52.27 KB (53,520 bytes)	10/1/2001 10:29:43 AM
c:\winnt\system32\wbem\cimwin32.dll				Microsoft Corporation			
wbemsvc.dll	1.50.1085.0007	40.07 KB (41,036 bytes)	10/1/2001 10:30:00 AM	c:\winnt\system32\msjter40.dll			
Microsoft Corporation				mswstr10.dll	4.00.3829.2	600.27 KB (614,672 bytes)	10/1/2001 10:29:44 AM
c:\winnt\system32\wbem\wbemsvc.dll				Microsoft Corporation			
wbemess.dll	1.50.1085.0039	364.07 KB (372,804 bytes)	10/1/2001 10:30:00 AM	c:\winnt\system32\mswstr10.dll			
Microsoft Corporation				msjet40.dll	4.00.4431.3	1.43 MB (1,503,504 bytes)	10/1/2001 10:29:42 AM
c:\winnt\system32\wbem\wbemess.dll				Microsoft Corporation:	c:\winnt\system32\msjet40.dll		
fastprox.dll	5.00.1085.0037	144.08 KB (147,536 bytes)	10/1/2001 10:29:59 AM	Microsoft Corporation:	c:\winnt\system32\msjetoledb40.dll		
Microsoft Corporation				Microsoft Corporation			
c:\winnt\system32\wbem\fastprox.dll				msjtoledb40.dll	4.00.4331.4	340.27 KB (348,432 bytes)	10/1/2001 10:29:43 AM
wbemcore.dll	1.50.1085.0036	628.07 KB (643,140 bytes)	10/1/2001 10:30:00 AM	Microsoft Corporation			
Microsoft Corporation				c:\winnt\system32\msjtoledb40.dll			
c:\winnt\system32\wbem\wbemcore.dll				iasrad.dll	5.00.2139.1	94.27 KB (96,528 bytes)	12/7/1999 7:00:00 AM
				Microsoft Corporation:	c:\winnt\system32\iasrad.dll		

iasass.dll	5.00.2160.1	96.27 KB (98,576 bytes)	12/7/1999	rsabase.dll	5.00.2195.2228	128.27 KB (131,344 bytes)	5/4/2001
7:00:00 AM	Microsoft Corporation:\winnt\system32\iasass.dll			12:05:02 PM	Microsoft Corporation:\winnt\system32\rsabase.dll		
iasads.dll	5.00.2134.1	73.77 KB (75,536 bytes)	12/7/1999	schannel.dll	5.00.2195.2922	138.27 KB (141,584 bytes)	
7:00:00 AM	Microsoft Corporation:\winnt\system32\iasads.dll			5/4/2001 12:05:02 PM	Microsoft Corporation		
iaspolcy.dll	5.00.2134.1	25.27 KB (25,872 bytes)	12/7/1999	c:\winnt\system32\schannel.dll			
7:00:00 AM	Microsoft Corporation:\winnt\system32\iaspolcy.dll			netlogon.dll	5.00.2195.2865	357.77 KB (366,352 bytes)	
iasvcs.dll	5.00.2195.2104	58.77 KB (60,176 bytes)	10/1/2001	10/1/2001 10:29:46 AM	Microsoft Corporation		
10:29:35 AM	Microsoft Corporation:\winnt\system32\iasvcs.dll			c:\winnt\system32\netlogon.dll			
iasdo.dll	5.00.2195.2104	261.77 KB (268,048 bytes)	10/1/2001	kerberos.dll	5.00.2195.2913	198.77 KB (203,536 bytes)	
10:29:35 AM	Microsoft Corporation:\winnt\system32\iasdo.dll			10/1/2001 10:29:37 AM	Microsoft Corporation		
ias.dll	5.00.2134.1	7.27 KB (7,440 bytes)	12/7/1999	c:\winnt\system32\kerberos.dll			
7:00:00 AM	Microsoft Corporation:\winnt\system32\ias.dll			msprivs.dll	5.00.2154.1	41.50 KB (42,496 bytes)	12/7/1999
mtxoci.dll	2000.2.3471.1	101.77 KB (104,208 bytes)	10/1/2001	7:00:00 AM	Microsoft Corporation:\winnt\system32\msprivs.dll		
10:29:45 AM	Microsoft Corporation:\winnt\system32\mtxoci.dll			samsrv.dll	5.00.2195.2918	369.77 KB (378,640 bytes)	12/7/1999
7:00:00 AM	Microsoft Corporation:\winnt\system32\mtxoci.dll			7:00:00 AM	Microsoft Corporation:\winnt\system32\samsrv.dll		
resutils.dll	5.00.2195.2787	39.77 KB (40,720 bytes)	10/1/2001	lsasrv.dll	5.00.2195.2964	492.77 KB (504,592 bytes)	12/7/1999
10:29:50 AM	Microsoft Corporation:\winnt\system32\resutils.dll			7:00:00 AM	Microsoft Corporation:\winnt\system32\lsasrv.dll		
clusapi.dll	5.00.2195.2104	54.27 KB (55,568 bytes)	10/1/2001	lsass.exe	5.00.2195.2964	32.77 KB (33,552 bytes)	12/7/1999
10:29:30 AM	Microsoft Corporation:\winnt\system32\clusapi.dll			7:00:00 AM	Microsoft Corporation:\winnt\system32\lsass.exe		
msvcvp50.dll	5.00.7051	552.50 KB (565,760 bytes)	12/7/1999	dhcpcsvc.dll	5.00.2195.2778	88.77 KB (90,896 bytes)	
7:00:00 AM	Microsoft Corporation:\winnt\system32\msvcvp50.dll			12/7/1999 7:00:00 AM	Microsoft Corporation		
xolehlp.dll	1999.9.3421.3	17.27 KB (17,680 bytes)	9/17/2001	c:\winnt\system32\dhcpcsvc.dll			
10:54:04 AM	Microsoft Corporation:\winnt\system32\xolehlp.dll			tapi32.dll	5.00.2182.1	123.27 KB (126,224 bytes)	12/7/1999
msdtclog.dll	1999.9.3421.3	89.77 KB (91,920 bytes)		7:00:00 AM	Microsoft Corporation:\winnt\system32\tapi32.dll		
9/17/2001 10:54:03 AM	Microsoft Corporation			rasman.dll	5.00.2195.2780	54.77 KB (56,080 bytes)	12/7/1999
c:\winnt\system32\msdtclog.dll				7:00:00 AM	Microsoft Corporation:\winnt\system32\rasman.dll		
mtxclu.dll	2000.2.3471.1	51.27 KB (52,496 bytes)	10/1/2001	rasapi32.dll	5.00.2195.2671	189.77 KB (194,320 bytes)	
10:29:45 AM	Microsoft Corporation:\winnt\system32\mtxclu.dll			12/7/1999 7:00:00 AM	Microsoft Corporation		
msdtcprx.dll	2000.2.3471.1	665.77 KB (681,744 bytes)		c:\winnt\system32\rasapi32.dll			
10/1/2001 10:29:39 AM	Microsoft Corporation			rtutils.dll	5.00.2168.1	43.77 KB (44,816 bytes)	12/7/1999
c:\winnt\system32\msdtcprx.dll				7:00:00 AM	Microsoft Corporation:\winnt\system32\rtutils.dll		
txfaux.dll	2000.2.3471.1	374.27 KB (383,248 bytes)	10/1/2001	activeds.dll	5.00.2195.2778	174.77 KB (178,960 bytes)	10/1/2001
10:29:54 AM	Microsoft Corporation:\winnt\system32\txfaux.dll			10:29:21 AM	Microsoft Corporation:\winnt\system32\activeds.dll		
msdtctm.dll	2000.2.3471.1	1.07 MB (1,120,528 bytes)		mprapi.dll	5.00.2181.1	79.27 KB (81,168 bytes)	12/7/1999
10/1/2001 10:29:39 AM	Microsoft Corporation			7:00:00 AM	Microsoft Corporation:\winnt\system32\mprapi.dll		
c:\winnt\system32\msdtctm.dll				iphlpapi.dll	5.00.2173.2	67.77 KB (69,392 bytes)	12/7/1999
msdtc.exe	1999.9.3421.3	6.77 KB (6,928 bytes)	9/17/2001	10:29:54 AM	Microsoft Corporation:\winnt\system32\iphlpapi.dll		
10:54:03 AM	Microsoft Corporation:\winnt\system32\msdtc.exe			rnr20.dll	5.00.2195.2871	35.77 KB (36,624 bytes)	10/1/2001
rasadhlp.dll	5.00.2168.1	7.27 KB (7,440 bytes)	12/7/1999	10:29:50 AM	Microsoft Corporation:\winnt\system32\rnr20.dll		
7:00:00 AM	Microsoft Corporation:\winnt\system32\rasadhlp.dll			msi.dll	1.11.2405.0	1.69 MB (1,767,184 bytes)	10/1/2001
winrnr.dll	5.00.2160.1	18.77 KB (19,216 bytes)	12/7/1999	10:29:40 AM	Microsoft Corporation:\winnt\system32\msi.dll		
7:00:00 AM	Microsoft Corporation:\winnt\system32\winrnr.dll			adslldpc.dll	5.00.2195.2842	127.27 KB (130,320 bytes)	10/1/2001
wshtcpip.dll	5.00.2195.2104	17.27 KB (17,680 bytes)		10:29:27 AM	Microsoft Corporation:\winnt\system32\adslldpc.dll		
10/1/2001 10:29:56 AM	Microsoft Corporation			apppmgmts.dll	5.00.2168.1	117.77 KB (120,592 bytes)	
c:\winnt\system32\wshtcpip.dll				12/7/1999 7:00:00 AM	Microsoft Corporation		
msafd.dll	5.00.2195.2779	106.77 KB (109,328 bytes)	10/1/2001	c:\winnt\system32\apppmgmts.dll			
10:29:39 AM	Microsoft Corporation:\winnt\system32\msafd.dll			wmicore.dll	5.00.2195.2842	72.27 KB (74,000 bytes)	
rpss.dll	5.00.2195.2815	231.27 KB (236,816 bytes)	10/1/2001	10/1/2001 10:29:56 AM	Microsoft Corporation		
10:29:51 AM	Microsoft Corporation:\winnt\system32\rpss.dll			c:\winnt\system32\wmicore.dll			
svchost.exe	5.00.2134.1	7.77 KB (7,952 bytes)	12/7/1999	psbase.dll	5.00.2195.2779	111.77 KB (114,448 bytes)	10/1/2001
7:00:00 AM	Microsoft Corporation:\winnt\system32\svchost.exe			10:29:49 AM	Microsoft Corporation:\winnt\system32\psbase.dll		
scecli.dll	5.00.2195.2780	105.27 KB (107,792 bytes)	10/1/2001	cryptsvc.dll	5.00.2181.1	61.77 KB (63,248 bytes)	
10:29:51 AM	Microsoft Corporation:\winnt\system32\scecli.dll			12/7/1999 7:00:00 AM	Microsoft Corporation		
atl.dll	3.00.8449	57.56 KB (58,938 bytes)	12/7/1999	c:\winnt\system32\cryptsvc.dll			
7:00:00 AM	Microsoft Corporation:\winnt\system32\atl.dll			cryptdll.dll	5.00.2135.1	41.27 KB (42,256 bytes)	12/7/1999
certcli.dll	5.00.2195.2778	130.77 KB (133,904 bytes)	10/1/2001	7:00:00 AM	Microsoft Corporation:\winnt\system32\cryptdll.dll		
10:29:30 AM	Microsoft Corporation:\winnt\system32\certcli.dll			wkssvc.dll	5.00.2195.2780	95.27 KB (97,552 bytes)	12/7/1999
esent.dll	6.0.3940.13	1.08 MB (1,135,376 bytes)	10/1/2001	7:00:00 AM	Microsoft Corporation:\winnt\system32\wkssvc.dll		
10:29:34 AM	Microsoft Corporation:\winnt\system32\esent.dll			srsvsc.dll	5.00.2195.2904	79.27 KB (81,168 bytes)	12/7/1999
mswsock.dll	5.00.2195.2871	62.77 KB (64,272 bytes)		7:00:00 AM	Microsoft Corporation:\winnt\system32\srsvsc.dll		
10/1/2001 10:29:44 AM	Microsoft Corporation			cfgmgr32.dll	5.00.2134.1	16.77 KB (17,168 bytes)	
c:\winnt\system32\mswsock.dll				12/7/1999 7:00:00 AM	Microsoft Corporation		
ntdsatq.dll	5.00.2195.2878	31.27 KB (32,016 bytes)	10/1/2001	c:\winnt\system32\cfgmgr32.dll			
10:29:47 AM	Microsoft Corporation:\winnt\system32\ntdsatq.dll			dmserver.dll	2195.2778.297.3	11.77 KB (12,048 bytes)	
ntdsa.dll	5.00.2195.2899	990.77 KB (1,014,544 bytes)	10/1/2001	10/1/2001 10:29:32 AM	VERITAS Software Corp.		
10:29:46 AM	Microsoft Corporation:\winnt\system32\ntdsa.dll			c:\winnt\system32\dmserver.dll			
kdcsvc.dll	5.00.2195.2878	137.77 KB (141,072 bytes)	10/1/2001	winsta.dll	5.00.2195.2386	36.77 KB (37,648 bytes)	10/1/2001
10:29:37 AM	Microsoft Corporation:\winnt\system32\kdcsvc.dll			10:29:55 AM	Microsoft Corporation:\winnt\system32\winsta.dll		
sfmapi.dll	5.00.2134.1	38.77 KB (39,696 bytes)	12/7/1999	icmp.dll	5.00.2134.1	7.27 KB (7,440 bytes)	12/7/1999
7:00:00 AM	Microsoft Corporation:\winnt\system32\sfmapi.dll			7:00:00 AM	Microsoft Corporation:\winnt\system32\icmp.dll		
rassfm.dll	5.00.2195.2671	21.27 KB (21,776 bytes)	10/1/2001				
10:29:50 AM	Microsoft Corporation:\winnt\system32\rassfm.dll						

Alerter	Alerter	Stopped	Manual	Share Process		NMS Service	NMSSvc	Running	Auto	Own Process	
c:\winnt\system32\services.exe			Normal	LocalSystem	0	c:\winnt\system32\nmssvc.exe		Normal	LocalSystem	0	
Application Management	AppMgmt	Running	Manual	Share		File Replication	NtFrs	Stopped	Manual	Own Process	
Process	c:\winnt\system32\services.exe		Normal	LocalSystem	0	c:\winnt\system32\ntfrs.exe		Ignore	LocalSystem	0	
Computer Browser	Browser	Stopped	Manual	Share Process		NT LM Security Support Provider	NtLmSsp	Stopped	Manual	Share	
c:\winnt\system32\services.exe			Normal	LocalSystem	0	Process	c:\winnt\system32\lsass.exe		Normal	LocalSystem	0
Indexing Service	cisvc	Stopped	Manual	Share Process		Removable Storage	NtmsSvc	Stopped	Manual	Share Process	
c:\winnt\system32\cisvc.exe			Normal	LocalSystem	0	c:\winnt\system32\svchost.exe -k netsvcs			Normal	LocalSystem	0
ClipBook	ClipSrv	Stopped	Manual	Own Process		Plug and Play	PlugPlay	Running	Auto	Share Process	
c:\winnt\system32\clipsrv.exe			Normal	LocalSystem	0	c:\winnt\system32\services.exe		Normal	LocalSystem	0	
Distributed File System	Dfs	Stopped	Manual	Own Process		IPSEC Policy Agent	PolicyAgent	Stopped	Manual	Share	
c:\winnt\system32\dfssvc.exe			Normal	LocalSystem	0	Process	c:\winnt\system32\lsass.exe		Normal	LocalSystem	0
DHCP Client	Dhcp	Stopped	Manual	Share Process		Protected Storage	ProtectedStorage	Running	Auto	Share	
c:\winnt\system32\services.exe			Normal	LocalSystem	0	Process	c:\winnt\system32\services.exe		Normal	LocalSystem	0
Logical Disk Manager	Administrative Service	dmadmin	Stopped	Manual		Remote Access	Auto Connection Manager	RasAuto	Stopped	Manual	
Share Process	c:\winnt\system32\dmadmin.exe	/com	Normal	LocalSystem	0	LocalSystem		0			
Logical Disk Manager	dmserver	Running	Auto	Share Process		Remote Access	Connection Manager	RasMan	Stopped	Manual	
c:\winnt\system32\services.exe			Normal	LocalSystem	0	Share Process	c:\winnt\system32\svchost.exe -k netsvcs		Normal	LocalSystem	0
DNS Client	Dnscache	Stopped	Manual	Share Process		Routing and Remote Access	RemoteAccess	Stopped	Disabled		
c:\winnt\system32\services.exe			Normal	LocalSystem	0	Share Process	c:\winnt\system32\svchost.exe -k netsvcs		Normal	LocalSystem	0
Event Log	Eventlog	Running	Auto	Share Process		Remote Registry Service	RemoteRegistry	Stopped	Manual		
c:\winnt\system32\services.exe			Normal	LocalSystem	0	Own Process	c:\winnt\system32\regsvc.exe		Normal	LocalSystem	0
COM+ Event System	EventSystem	Running	Manual	Share		Remote Procedure Call (RPC) Locator	RpcLocator	Stopped			
Process	c:\winnt\system32\svchost.exe -k netsvcs		Normal	LocalSystem	0	Manual	Own Process	c:\winnt\system32\locator.exe	Normal	LocalSystem	0
Fax Service	Fax	Stopped	Manual	Own Process		Remote Procedure Call (RPC)	RpcSs	Running	Auto	Share	
c:\winnt\system32\faxsvc.exe			Normal	LocalSystem	0	Process	c:\winnt\system32\svchost -k rpcss		Normal	LocalSystem	0
Internet Authentication Service	IAS	Running	Auto	Share		QoS Admission Control (RSVP)	RSVP	Running	Auto	Own Process	
Process	c:\winnt\system32\svchost.exe -k netsvcs		Normal	LocalSystem	0	c:\winnt\system32\rsvp.exe -s		Normal	LocalSystem	0	
IIS Admin Service	IISADMIN	Stopped	Auto	Share		Security Accounts Manager	SamSs	Running	Auto	Share	
Process	c:\winnt\system32\inetrv\inetinfo.exe		Normal	LocalSystem	0	Process	c:\winnt\system32\lsass.exe		Normal	LocalSystem	0
Intersite Messaging	IsmServ	Stopped	Disabled	Own Process		Smart Card Helper	SCardDrv	Stopped	Manual	Share Process	
c:\winnt\system32\ismserv.exe			Normal	LocalSystem	0	c:\winnt\system32\scardsvr.exe		Ignore	LocalSystem	0	
Kerberos Key Distribution	CenterKdc	Stopped	Disabled	Share		Smart Card	SCardSvr	Stopped	Manual	Share Process	
Process	c:\winnt\system32\lsass.exe		Normal	LocalSystem	0	c:\winnt\system32\scardsvr.exe		Ignore	LocalSystem	0	
Server	lanmanserver	Running	Auto	Share Process		Task Scheduler	Schedule	Stopped	Manual	Share Process	
c:\winnt\system32\services.exe			Normal	LocalSystem	0	c:\winnt\system32\mstask.exe		Normal	LocalSystem	0	
Workstation	lanmanworkstation	Running	Auto	Share		RunAs Service	seclogon	Stopped	Manual	Share Process	
Process	c:\winnt\system32\services.exe		Normal	LocalSystem	0	c:\winnt\system32\services.exe		Ignore	LocalSystem	0	
License Logging Service	LicenseService	Stopped	Manual			System Event Notification	SENS	Stopped	Manual	Share	
Own Process	c:\winnt\system32\llssrv.exe		Normal	LocalSystem	0	Process	c:\winnt\system32\svchost.exe -k netsvcs		Normal	LocalSystem	0
TCP/IP NetBIOS Helper Service	LmHosts	Running	Auto	Share		0					
Process	c:\winnt\system32\services.exe		Normal	LocalSystem	0	ServeRAID Manager Agent	ServeRAIDManagerAgent	Running			
Messenger	Messenger	Stopped	Manual	Share Process		Manual	Own Process	c:\program files\raidman\raidserv.exe			
c:\winnt\system32\services.exe			Normal	LocalSystem	0	Normal	LocalSystem	0			
NetMeeting	Remote Desktop Sharing	mnmsrvc	Stopped	Manual		Internet Connection Sharing	SharedAccess	Stopped	Manual		
Own Process	c:\winnt\system32\mnmsrvc.exe		Normal	LocalSystem	0	Share Process	c:\winnt\system32\svchost.exe -k netsvcs		Normal	LocalSystem	0
Distributed Transaction Coordinator	MSDTC	Running	Auto			Simple TCP/IP Services	SimpTcp	Running	Auto	Share	
Own Process	c:\winnt\system32\msdtc.exe		Normal	LocalSystem	0	Process	c:\winnt\system32\tcpvcs.exe		Normal	LocalSystem	0
Windows Installer	MSIServer	Stopped	Manual	Share Process		Print Spooler	Spooler	Stopped	Manual	Own Process	
c:\winnt\system32\msiexec.exe	/v		Normal	LocalSystem	0	c:\winnt\system32\spoolsv.exe		Normal	LocalSystem	0	
MSSQLSERVER	MSSQLSERVER	Stopped	Disabled	Own Process		SQLSERVERAGENTS	SQLSERVERAGENTS	Stopped	Manual	Own Process	
c:\progra~1\micros~3\mssql\binn\sqlservr.exe			Normal	LocalSystem	0	c:\progra~1\micros~3\mssql\binn\sqlagent.exe		Normal	LocalSystem	0	
MSSQLServerADHelper	MSSQLServerADHelper	Stopped				Performance Logs and Alerts	SysmonLog	Stopped	Manual		
Manual	Own Process	c:\program files\microsoft sql				Own Process	c:\winnt\system32\smlogsvc.exe		Normal	LocalSystem	0
server\80\tools\binn\sqladhlp.exe			Normal	LocalSystem	0	0					
Network DDE	NetDDE	Stopped	Manual	Share Process		Telephony TapiSrv	Running	Manual	Share Process		
c:\winnt\system32\netdde.exe			Normal	LocalSystem	0	c:\winnt\system32\svchost.exe -k tapisrv			Normal	LocalSystem	0
Network DDE	DSDMNetDDEdsdm	Stopped	Manual	Share		Terminal Services	TermService	Stopped	Disabled	Own Process	
Process	c:\winnt\system32\netdde.exe		Normal	LocalSystem	0	c:\winnt\system32\termsrv.exe		Normal	LocalSystem	0	
Net Logon	Netlogon	Stopped	Manual	Share Process		Telnet	TlntSvr	Stopped	Manual	Own Process	
c:\winnt\system32\lsass.exe			Normal	LocalSystem	0	c:\winnt\system32\tlntsvr.exe		Normal	LocalSystem	0	
Network Connections	Netman	Running	Manual	Share Process		Distributed Link Tracking Server	TrkSrv	Stopped	Manual	Share	
c:\winnt\system32\svchost.exe -k netsvcs			Normal	LocalSystem	0	Process	c:\winnt\system32\services.exe		Normal	LocalSystem	0
						Distributed Link Tracking Client	TrkWks	Stopped	Manual	Share	
						Process	c:\winnt\system32\services.exe		Normal	LocalSystem	0

Uninterruptible Power Supply UPS Stopped Manual Own Process
 c:\winnt\system32\ups.exe Normal LocalSystem 0
 Utility Manager UtilMan Stopped Manual Own Process
 c:\winnt\system32\utilman.exe Normal LocalSystem 0
 Windows Time W32Time Stopped Manual Share Process
 c:\winnt\system32\services.exe Normal LocalSystem 0
 World Wide Web Publishing Service W3SVC Stopped Auto
 Share Process c:\winnt\system32\inetrv\inetinfo.exe Normal
 LocalSystem 0
 Windows Management Instrumentation WinMgmt Running Auto
 Own Process c:\winnt\system32\wbem\winmgmt.exe Ignore
 LocalSystem 0
 Windows Management Instrumentation Driver Extensions Wmi
 Running Manual Share Process c:\winnt\system32\services.exe
 Normal LocalSystem 0

[Program Groups]

Group Name	Name	User Name
Accessories	Default User:Accessories	Default User
Accessories\Accessibility	Default User:Accessories\Accessibility	Default User
Accessories\Entertainment	Default User:Accessories\Entertainment	Default User
Accessories\System Tools	Default User:Accessories\System Tools	Default User
Startup	Default User:Startup	Default User
Accessories	All Users:Accessories	All Users
Accessories\Accessibility	All Users:Accessories\Accessibility	All Users
Accessories\Communications	All Users:Accessories\Communications	All Users
Accessories\Entertainment	All Users:Accessories\Entertainment	All Users
Accessories\Games	All Users:Accessories\Games	All Users
Accessories\Microsoft Script Debugger	All Users:Accessories\Microsoft Script Debugger	All Users
Accessories\System Tools	All Users:Accessories\System Tools	All Users
Administrative Tools	All Users:Administrative Tools	All Users
Microsoft SQL Server	All Users:Microsoft SQL Server	All Users
ServeRAID Manager	All Users:ServeRAID Manager	All Users
Startup	All Users:Startup	All Users
Accessories	TPCC-1WAY\Administrator:Accessories	
TPCC-1WAY\Administrator	TPCC-1WAY\Administrator	
Accessories\Accessibility	TPCC-1WAY\Administrator:Accessories\Accessibility	
TPCC-1WAY\Administrator	TPCC-1WAY\Administrator	
Accessories\Entertainment	TPCC-1WAY\Administrator:Accessories\Entertainment	
TPCC-1WAY\Administrator	TPCC-1WAY\Administrator	
Accessories\System Tools	TPCC-1WAY\Administrator:Accessories\System Tools	
TPCC-1WAY\Administrator	TPCC-1WAY\Administrator	
Administrative Tools	TPCC-1WAY\Administrator:Administrative Tools	
TPCC-1WAY\Administrator	TPCC-1WAY\Administrator	
Startup	TPCC-1WAY\Administrator:Startup	
TPCC-1WAY\Administrator	TPCC-1WAY\Administrator	

[Startup Programs]

Program	Command	User Name	Location
Service Manager	c:\progra~1\micro~3\80\tools\bin\sqlmangr.exe	/n	All Users
Promon.exe	promon.exe	All Users	
HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Run			

[OLE Registration]

Object	Local Server
Sound (OLE2)	sndrec32.exe

Media Clipmplay32.exe
 Video Clipmplay32.exe /avi
 MIDI Sequence mplay32.exe /mid
 Sound Not Available
 Media ClipNot Available
 Image Document "C:\Program Files\Windows NT\Accessories\ImageVue\KodakImg.exe"
 WordPad Document "%ProgramFiles%\Windows NT\Accessories\WORDPAD.EXE"
 Windows Media Services DRM Storage object Not Available
 Bitmap Image mspaint.exe

[Internet Explorer 5]

[Following are sub-categories of this main category]

[Summary]

Item	Value
Version	5.00.3315.1000
Build	53315.1000
Product ID	51876-270-7378325-05673
Application Path	C:\Program Files\Internet Explorer
Language	English (United States)
Active Printer	Not Available
Cipher Strength	168-bit
Content Advisor	Disabled
IEAK Install	No

[File Versions]

File	Version	Size	Date	Path	Company
advapi32.dll	5.0.2195.2867	352 KB		C:\WINNT\system32	Microsoft Corporation
advpack.dll	5.0.3103.1000	87 KB		C:\WINNT\system32	Microsoft Corporation
browsecl.dll	5.0.3315.2846	35 KB		C:\WINNT\system32	Microsoft Corporation
browseui.dll	5.0.3315.2846	789 KB		C:\WINNT\system32	Microsoft Corporation
ckcnv.exe	5.0.2189.1	9 KB	12/7/1999 8:00:00 AM	C:\WINNT\system32	Microsoft Corporation
comctl32.dll	5.81.3103.1000	538 KB		C:\WINNT\system32	Microsoft Corporation
crypt32.dll	5.131.2195.2833	451 KB		C:\WINNT\system32	Microsoft Corporation
enhshg.dll	<File Missing>				Not Available
iemigrat.dll	<File Missing>				Not Available
iesetup.dll	5.0.3103.1000	57 KB		C:\WINNT\system32	Microsoft Corporation
ieexplore.exe	5.0.2920.0	59 KB	12/7/1999 8:00:00 AM	C:\Program Files\Internet Explorer	Microsoft Corporation
imagehlp.dll	5.0.2195.2778	126 KB		C:\WINNT\system32	Microsoft Corporation
imghelp.dll	<File Missing>				Not Available
inseng.dll	5.0.3103.1000	72 KB		C:\WINNT\system32	Microsoft Corporation
jobexec.dll	5.0.0.1	47 KB	12/7/1999 8:00:00 AM	C:\WINNT\system32	Microsoft Corporation
jscrip.dll	5.1.0.5907	476 KB		C:\WINNT\system32	Microsoft Corporation
jsproxy.dll	5.0.2920.0	13 KB	12/7/1999 8:00:00 AM	C:\WINNT\system32	Microsoft Corporation
msahtml.dll	<File Missing>				Not Available
mshhtml.dll	5.0.3315.2870	2290 KB		C:\WINNT\system32	Microsoft Corporation

```

msjava.dll 5.0.3802.0 923 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
msoss.dll <File Missing> Not Available Not Available
Not Available Not Available
msxml.dll 8.0.5718.1 493 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
occache.dll 5.0.3103.1000 86 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
ole32.dll 5.0.2195.2887 970 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
oleaut32.dll 2.40.4517.0 612 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
olepro32.dll 5.0.4517.0 160 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
rsabase.dll 5.0.2195.2228 128 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
rsaenh.dll 5.0.2195.2228 131 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
rsapi32.dll <File Missing> Not Available Not Available
Not Available Not Available
rsasig.dll <File Missing> Not Available Not Available
Not Available Not Available
schannel.dll 5.1.2195.0 138 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
shdoc401.dll <File Missing> Not Available Not
Available Not Available Not Available
shdocvw.dll 5.0.3315.2879 1078 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
shell32.dll 5.0.3315.2902 2304 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
shlwapi.dll 5.0.3315.1000 283 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
url.dll 5.0.2920.0 82 KB 12/7/1999 8:00:00 AM
C:\WINNT\system32 Microsoft Corporation
urlmon.dll 5.0.3315.1000 441 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
vbscript.dll 5.1.0.5907 428 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
webcheck.dll 5.0.3315.1000 252 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
win.com 5.0.2134.1 24 KB 12/7/1999 8:00:00 AM
C:\WINNT\system32 Microsoft Corporation
wininet.dll 5.0.3315.1000 457 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
winsock.dll 10.0.1033 3 KB 12/7/1999 8:00:00 AM
C:\WINNT\system32 Microsoft Corporation
wintrust.dll 5.1.2195.2779 162 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
wsock.vxd <File Missing> Not Available Not Available
Not Available Not Available
wsock32.dll 5.0.2195.2871 21 KB 5/4/2001 12:05:02 PM
C:\WINNT\system32 Microsoft Corporation
wsock32n.dll <File Missing> Not Available Not
Available Not Available

```

[Connectivity]

```

Item Value
Connection Preference Never dial
EnableHttp1.1 1
ProxyHttp1.1 0

```

LAN Settings

```

AutoConfigProxy wininet.dll
AutoProxyDetectMode Enabled
AutoConfigURL
Proxy Disabled
ProxyServer
ProxyOverride

```

[Cache]

[Following are sub-categories of this main category]

[Summary]

```

Item Value
Page Refresh Type Automatic
Temporary Internet Files Folder C:\Documents and
Settings\Administrator\Local Settings\Temporary Internet Files
Total Disk Space 8667 MB
Available Disk Space 6038 MB
Maximum Cache Size 270 MB
Available Cache Size 271 MB

```

[List of Objects]

```

Program File Status CodeBase
No cached object information available

```

[Content]

[Following are sub-categories of this main category]

[Summary]

```

Item Value
Content Advisor Disabled

```

[Personal Certificates]

```

Issued To Issued By Validity Signature Algorithm
Administrator Administrator 9/17/2001 to 8/24/2101
sha1RSA

```

[Other People Certificates]

```

Issued To Issued By Validity Signature Algorithm
No other people certificate information available

```

[Publishers]

```

Name
No publisher information available

```

[Security]

```

Zone Security Level
Local intranet Medium-low
Trusted sites Low
Internet Medium
Restricted sites High

```

Disk Controller Configuration Parameters

ServeRAID-4MX Controllers 1-3

October 11, 2001 10:23:49 AM EDT

Configuration summary

Server name.....tpcc-1way
ServeRAID Manager agent.....4.80.24
ServeRAID Manager console.....4.80.24
Number of controllers.....3
Operating system.....Windows 2000

Information for controller 1

Controller type.....ServeRAID-4Mx
BIOS version.....4.80.24
Firmware version.....4.80.24
Device driver version.....4.80.24
Physical slot.....1
Battery-backup cache.....Installed
Read-ahead cache mode.....Adaptive
Stripe-unit size.....64K
Rebuild rate.....High
Hot-swap rebuild.....Enabled
Data scrubbing.....Enabled
Auto-synchronization.....Enabled
Clustering.....Disabled
Unattended mode.....Disabled
BIOS-compatibility mapping.....Extended
Number of arrays.....1
Number of logical drives.....1
Number of hot-spare drives.....0
Number of ready drives.....0

Array A

Array identifier.....A
Array size in MB.....104143
Free space in MB.....7
Number of logical drives.....1

Stripe order (channel/device)...1/0 1/1 1/2 1/3 1/4 1/5 2/8 2/9
2/10 2/11 2/12 2/13

Number of physical drives.....12

Logical drives in array A

Logical drive.....1
Array letter.....A
State.....Okay
RAID level.....0
Data space in MB.....104136
Parity space in MB.....0
Date created.....10/9/01
Write-cache mode.....Write through
Merge-group number.....207
Merge-group state.....Non-shared

Physical drives in array A

Type.....Hard disk drive
Channel.....1
SCSI ID.....0
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04RP4
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive

Channel.....1
SCSI ID.....1
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04LED
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....2
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04PKY
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....3
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV0ECNQ
Firmware level.....3146
Size in MB.....8678

State.....Online
Array letter.....A
PFA error.....No
Type.....Hard disk drive
Channel.....1
SCSI ID.....4
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04LB2
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....5
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04SBB
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....8
Vendor.....IBM-PSG

Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV0ECE2
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....9
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04P9D
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....10
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04SES
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....11
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04PHB
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....12
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04PA9
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....13
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV0EBZ0

Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

SCSI channel 1

Type.....Hard disk drive
Channel.....1
SCSI ID.....0
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04RP4
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....1
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04LED
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....2
Vendor.....IBM-PSG
Product or model number.....ST39204L

FRU part number.....19K1465
Serial number.....3BV04PKY
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....3
Vendor.....IBM-PSG
Product or model number.....ST39204L

FRU part number.....19K1465
Serial number.....3BV0ECNQ
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....4
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04LB2

Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....1
 SCSI ID.....5
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04SBB
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Enclosure
 Channel.....1
 SCSI ID.....15
 Enclosure status.....Okay
 Fan 1 status.....Okay
 Fan 2 status.....Okay
 Power supply 1 status.....Okay
 Power supply 2 status.....Okay
 Temperature status.....Normal
 Enclosure ID.....0
 Vendor.....IBM
 Product or model number.....EXP300
 Serial number.....1K2765
 Firmware level.....D014

FRU type.....
 FRU vendor.....
 FRU date of manufacture.....
 FRU part number.....°
 FRU serial number.....

 FRU type.....CARD
 FRU vendor.....IBM
 FRU date of manufacture.....05/2000
 FRU part number.....07K7027
 FRU serial number.....1R023053080

 FRU type.....
 FRU vendor.....
 FRU date of manufacture.....
 FRU part number.....À
 FRU serial number.....

 FRU type.....
 FRU vendor.....
 FRU date of manufacture.....
 FRU part number.....
 FRU serial number.....

 FRU type.....CARD
 FRU vendor.....IBM
 FRU date of manufacture.....04/2000
 FRU part number.....0
 K7038
 FRU serial number.....1R02204+`06

 FRU type.....CARD
 FRU vendor.....IBM
 FRU date of manufacture.....05/2000

FRU part number.....07K7048
FRU serial number.....1R024052167

SCSI channel 2

Type.....Hard disk drive

Channel.....2

SCSI ID.....8

Vendor.....IBM-PSG

Product or model number.....ST39204L

FRU part number.....19K1465

Serial number.....3BV0ECE2

Firmware level.....3146

Size in MB.....8678

State.....Online

Array letter.....A

PFA error.....No

Type.....Hard disk drive

Channel.....2

SCSI ID.....9

Vendor.....IBM-PSG

Product or model number.....ST39204L

FRU part number.....19K1465

Serial number.....3BV04P9D

Firmware level.....3146

Size in MB.....8678

State.....Online

Array letter.....A

PFA error.....No

Type.....Hard disk drive

Channel.....2

SCSI ID.....10

Vendor.....IBM-PSG

Product or model number.....ST39204L

FRU part number.....19K1465

Serial number.....3BV04SES

Firmware level.....3146

Size in MB.....8678

State.....Online

Array letter.....A

PFA error.....No

Type.....Hard disk drive

Channel.....2

SCSI ID.....11

Vendor.....IBM-PSG

Product or model number.....ST39204L

FRU part number.....19K1465

Serial number.....3BV04PHB

Firmware level.....3146

Size in MB.....8678

State.....Online

Array letter.....A

PFA error.....No

Type.....Hard disk drive

Channel.....2

SCSI ID.....12

Vendor.....IBM-PSG

Product or model number.....ST39204L

FRU part number.....19K1465

Serial number.....3BV04PA9

Firmware level.....3146

Size in MB.....8678

State.....Online

Array letter.....A

PFA error.....No

Type.....Hard disk drive

Channel.....2

SCSI ID.....13

Vendor.....IBM-PSG

Product or model number.....ST39204L

FRU part number.....19K1465

Serial number.....3BV0EBZ0

Firmware level.....3146

Size in MB.....8678

State.....Online

Array letter.....A

PFA error.....No

Type.....Enclosure

Channel.....2

SCSI ID.....15

Enclosure status.....Okay

Fan 1 status.....Okay

Fan 2 status.....Okay

Power supply 1 status.....Okay

Power supply 2 status.....Okay

Temperature status.....Normal

Enclosure ID.....0

Vendor.....IBM

Product or model number.....EXP300

Serial number.....1K2765

Firmware level.....D014

.....

FRU type.....

FRU vendor.....

FRU date of manufacture.....

FRU part number.....°

FRU serial number.....

.....

FRU type.....CARD

FRU vendor.....IBM

FRU date of manufacture.....05/2000

FRU part number.....07K7027

FRU serial number.....1R023053078

.....

FRU type.....

FRU vendor.....

FRU date of manufacture.....

FRU part number.....À

FRU serial number.....

.....

FRU type.....

FRU vendor.....

FRU date of manufacture.....

FRU part number.....

FRU serial number.....

.....

FRU type.....CARD

FRU vendor.....IBM

FRU date of manufacture.....04/2000

FRU part number.....0

K7038

FRU serial number.....1R02204+`06

.....

FRU type.....CARD

FRU vendor.....IBM

FRU date of manufacture.....05/2000

FRU part number.....07K7048

FRU serial number.....1R024052167

End of the configuration information for controller 1

Information for controller 2

Controller type.....ServeRAID-4Mx
 BIOS version.....4.80.24
 Firmware version.....4.80.24
 Device driver version.....4.80.24
 Physical slot.....3
 Battery-backup cache.....Installed
 Read-ahead cache mode.....Adaptive
 Stripe-unit size.....64K
 Rebuild rate.....High
 Hot-swap rebuild.....Enabled
 Data scrubbing.....Enabled
 Auto-synchronization.....Enabled
 Clustering.....Disabled
 Unattended mode.....Disabled
 BIOS-compatibility mapping.....Extended
 Number of arrays.....1
 Number of logical drives.....1
 Number of hot-spare drives.....0
 Number of ready drives.....0

Array A

Array identifier.....A
 Array size in MB.....104143
 Free space in MB.....7
 Number of logical drives.....1
 Stripe order (channel/device)...1/0 1/1 1/2 1/3 1/4 1/5 2/8 2/9
 2/10 2/11 2/12 2/13
 Number of physical drives.....12

Logical drives in array A

Logical drive.....1
 Array letter.....A
 State.....Okay
 RAID level.....0
 Data space in MB.....104136
 Parity space in MB.....0
 Date created.....10/9/01
 Write-cache mode.....Write through
 Merge-group number.....207
 Merge-group state.....Non-shared

Physical drives in array A

Type.....Hard disk drive
 Channel.....1
 SCSI ID.....0
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04SE4
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....1
 SCSI ID.....1
 Vendor.....IBM-PSG

Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04S5M
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....2
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04L7D
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....3
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04SG8
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....4
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04SY0
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....5
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04SRV
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....8
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04STA

Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....2
 SCSI ID.....9
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04S2N
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....2
 SCSI ID.....10
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04RNL
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....2

SCSI ID.....11
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04Q32
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....2
 SCSI ID.....12
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04Q04
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....2
 SCSI ID.....13
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04SLH
 Firmware level.....3146
 Size in MB.....8678
 State.....Online

Array letter.....A
 PFA error.....No

 SCSI channel 1

 Type.....Hard disk drive
 Channel.....1
 SCSI ID.....0
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04SE4
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....1
 SCSI ID.....1
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04S5M
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....1

SCSI ID.....2
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04L7D
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....1
 SCSI ID.....3
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04SG8
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....1
 SCSI ID.....4
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04SY0
 Firmware level.....3146
 Size in MB.....8678
 State.....Online

Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....1
 SCSI ID.....5
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04SRV
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Enclosure
 Channel.....1
 SCSI ID.....15
 Enclosure status.....Okay
 Fan 1 status.....Okay
 Fan 2 status.....Okay
 Power supply 1 status.....Okay
 Power supply 2 status.....Okay
 Temperature status.....Normal
 Enclosure ID.....0
 Vendor.....IBM
 Product or model number.....EXP300
 Serial number.....`
 Firmware level.....D014

 FRU type.....
 FRU vendor.....
 FRU date of manufacture.....

FRU part number.....
 FRU serial number.....

 FRU type.....CARD
 FRU vendor.....IBM
 FRU date of manufacture.....05/2000
 FRU part number.....07K7027
 FRU serial number.....1R023053111

 FRU type.....
 FRU vendor.....
 FRU date of manufacture.....
 FRU part number.....°
 FRU serial number.....

 FRU type.....
 FRU vendor.....
 FRU date of manufacture.....
 FRU part number.....
 FRU serial number.....

 FRU type.....CARD
 FRU vendor.....IBM
 FRU date of manufacture.....05/2000
 FRU part number.....07!70?8
 FRU serial number.....1R02!05`1?

 FRU type.....CARD
 FRU vendor.....IBM
 FRU date of manufacture.....05/2000
 FRU part number.....07K7048
 FRU serial number.....1R024053192

 SCSI channel 2

Type.....Hard disk drive
Channel.....2
SCSI ID.....8
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04STA
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....9
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04S2N
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....10
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04RNL

Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....11
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04Q32
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....12
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04Q04
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2

SCSI ID.....13
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04SLH
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Enclosure
 Channel.....2
 SCSI ID.....15
 Enclosure status.....Okay
 Fan 1 status.....Okay
 Fan 2 status.....Okay
 Power supply 1 status.....Okay
 Power supply 2 status.....Okay
 Temperature status.....Normal
 Enclosure ID.....0
 Vendor.....IBM
 Product or model number.....EXP300
 Firmware level.....D014

 FRU type.....MIDPLANE
 FRU vendor.....IBM
 FRU date of manufacture.....
 FRU part number.....
 FRU serial number.....

 FRU type.....CARD
 FRU vendor.....IBM
 FRU date of manufacture.....05/2000

FRU part number.....07K7027
 FRU serial number.....1R023053112

 FRU type.....
 FRU vendor.....
 FRU date of manufacture.....
 FRU part number.....°
 FRU serial number.....

 FRU type.....
 FRU vendor.....
 FRU date of manufacture.....
 FRU part number.....
 FRU serial number.....

 FRU type.....CARD
 FRU vendor.....IBM
 FRU date of manufacture.....05/2000
 FRU part number.....07!70?8
 FRU serial number.....1R02!05`1?

 FRU type.....CARD
 FRU vendor.....IBM
 FRU date of manufacture.....05/2000
 FRU part number.....07K7048
 FRU serial number.....1R024053192

 End of the configuration information for controller 2

 Information for controller 3

 Controller type.....ServeRAID-4Mx

BIOS version.....4.80.24
 Firmware version.....4.80.24
 Device driver version.....4.80.24
 Physical slot.....5
 Battery-backup cache.....Installed
 Read-ahead cache mode.....Adaptive
 Stripe-unit size.....64K
 Rebuild rate.....High
 Hot-swap rebuild.....Enabled
 Data scrubbing.....Enabled
 Auto-synchronization.....Enabled
 Clustering.....Disabled
 Unattended mode.....Disabled
 BIOS-compatibility mapping.....Extended
 Number of arrays.....2
 Number of logical drives.....2
 Number of hot-spare drives.....0
 Number of ready drives.....0

 Array A

 Array identifier.....A
 Array size in MB.....104143
 Free space in MB.....7
 Number of logical drives.....1
 Stripe order (channel/device)...1/0 1/1 1/2 1/3 1/4 1/5 2/8 2/9
 2/10 2/11 2/12 2/13
 Number of physical drives.....12

 Logical drives in array A

 Logical drive.....1
 Array letter.....A
 State.....Okay

RAID level.....0
 Data space in MB.....104136
 Parity space in MB.....0
 Date created.....10/9/01
 Write-cache mode.....Write through
 Merge-group number.....207
 Merge-group state.....Non-shared

 Physical drives in array A

 Type.....Hard disk drive
 Channel.....1
 SCSI ID.....0
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04KA1
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....1
 SCSI ID.....1
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04RZJ
 Firmware level.....3146
 Size in MB.....8678
 State.....Online

Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....1
 SCSI ID.....2
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV0DW8K
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....1
 SCSI ID.....3
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04PZY
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....1
 SCSI ID.....4
 Vendor.....IBM-PSG
 Product or model number.....ST39204L

FRU part number.....19K1465
 Serial number.....3BV04RPQ
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....1
 SCSI ID.....5
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04Q3Y
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....2
 SCSI ID.....8
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04Q0L
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....9
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....1BV03035
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....10
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04SEV
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....11
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV0ECCZ
Firmware level.....3146

Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....12
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV0ECON
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....13
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV0EBNT
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....13
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV0EBNT
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Array B

Array identifier.....B

Array size in MB.....69430
 Free space in MB.....0
 Number of logical drives.....1
 Stripe order (channel/device)...1/6 2/14
 Number of physical drives.....2

 Logical drives in array B

 Logical drive.....2
 Array letter.....B
 State.....Okay
 RAID level.....1
 Data space in MB.....34715
 Parity space in MB.....34715
 Date created.....10/9/01
 Write-cache mode.....Write through
 Merge-group number.....207
 Merge-group state.....Non-shared

Physical drives in array B

 Type.....Hard disk drive
 Channel.....1
 SCSI ID.....6
 Vendor.....IBM-PSG
 Product or model number.....ST336704
 FRU part number.....19K1469
 Serial number.....3CD01CK7
 Firmware level.....B232
 Size in MB.....34715
 State.....Online
 Array letter.....B
 PFA error.....No

Type.....Hard disk drive
 Channel.....2
 SCSI ID.....14
 Vendor.....IBM-PSG
 Product or model number.....ST336704
 FRU part number.....19K1469
 Serial number.....3CD017T5
 Firmware level.....B232
 Size in MB.....34715
 State.....Online
 Array letter.....B
 PFA error.....No

SCSI channel 1

 Type.....Hard disk drive
 Channel.....1
 SCSI ID.....0
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04KA1
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

Type.....Hard disk drive
 Channel.....1
 SCSI ID.....1
 Vendor.....IBM-PSG

Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04RZJ
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....2
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV0DW8K
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....3
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04PZY
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....4
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04RPQ
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....5
Vendor.....IBM-PSG
Product or model number.....ST39204L
FRU part number.....19K1465
Serial number.....3BV04Q3Y
Firmware level.....3146
Size in MB.....8678
State.....Online
Array letter.....A
PFA error.....No

Type.....Hard disk drive
Channel.....1
SCSI ID.....6
Vendor.....IBM-PSG
Product or model number.....ST336704
FRU part number.....19K1469
Serial number.....3CD01CK7

Firmware level.....B232
 Size in MB.....34715
 State.....Online
 Array letter.....B
 PFA error.....No

 Type.....Enclosure
 Channel.....1
 SCSI ID.....15
 Enclosure status.....Okay
 Fan 1 status.....Okay
 Fan 2 status.....Okay
 Power supply 1 status.....Okay
 Power supply 2 status.....Okay
 Temperature status.....Normal
 Enclosure ID.....0
 Vendor.....IBM
 Product or model number.....EXP300
 Firmware level.....D014

 FRU type.....
 FRU vendor.....
 FRU date of manufacture.....
 FRU part number.....
 FRU serial number.....

 FRU type.....CARD
 FRU vendor.....IBM
 FRU date of manufacture.....05/2000
 FRU part number.....07K7027
 FRU serial number.....1R023052036

 FRU type.....
 FRU vendor.....

FRU date of manufacture.....
 FRU part number.....
 FRU serial number.....

 FRU type.....Power
 FRU vendor.....IBM
 FRU date of manufacture.....04/2000
 FRU part number.....07K5657
 FRU serial number.....1R0K204K054

 FRU type.....
 FRU vendor.....
 FRU date of manufacture.....
 FRU part number.....0
 FRU serial number.....

 FRU type.....CARD
 FRU vendor.....IBM
 FRU date of manufacture.....05/2000
 FRU part number.....07K7048
 FRU serial number.....1R024052162

 SCSI channel 2

 Type.....Hard disk drive
 Channel.....2
 SCSI ID.....8
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04Q0L
 Firmware level.....3146
 Size in MB.....8678
 State.....Online

Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....2
 SCSI ID.....9
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....1BV03035
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....2
 SCSI ID.....10
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV04SEV
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....2
 SCSI ID.....11
 Vendor.....IBM-PSG
 Product or model number.....ST39204L

FRU part number.....19K1465
 Serial number.....3BV0ECCZ
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....2
 SCSI ID.....12
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV0EC0N
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

 Type.....Hard disk drive
 Channel.....2
 SCSI ID.....13
 Vendor.....IBM-PSG
 Product or model number.....ST39204L
 FRU part number.....19K1465
 Serial number.....3BV0EBNT
 Firmware level.....3146
 Size in MB.....8678
 State.....Online
 Array letter.....A
 PFA error.....No

Type.....Hard disk drive
Channel.....2
SCSI ID.....14
Vendor.....IBM-PSG
Product or model number.....ST336704
FRU part number.....19K1469
Serial number.....3CD017T5
Firmware level.....B232
Size in MB.....34715
State.....Online
Array letter.....B
PFA error.....No

Type.....Enclosure
Channel.....2
SCSI ID.....15
Enclosure status.....Okay
Fan 1 status.....Okay
Fan 2 status.....Okay
Power supply 1 status.....Okay
Power supply 2 status.....Okay
Temperature status.....Normal
Enclosure ID.....0
Vendor.....IBM
Product or model number.....EXP300
Firmware level.....D014
.....
FRU type.....
FRU vendor.....
FRU date of manufacture.....
FRU part number.....
FRU serial number.....
.....
FRU type.....CARD

FRU vendor.....IBM
FRU date of manufacture.....05/2000
FRU part number.....07K7027
FRU serial number.....1R023052037
.....
FRU type.....
FRU vendor.....
FRU date of manufacture.....
FRU part number.....À
FRU serial number.....
.....
FRU type.....Power
FRU vendor.....IBM
FRU date of manufacture.....04/2000
FRU part number.....07K5657
FRU serial number.....1R0K204K054
.....
FRU type.....
FRU vendor.....
FRU date of manufacture.....
FRU part number.....
FRU serial number.....
.....
FRU type.....CARD
FRU vendor.....IBM
FRU date of manufacture.....05/2000
FRU part number.....07K7048
FRU serial number.....1R024052162

End of the configuration information for controller 3

Client Configuration Parameters

Microsoft Windows 2000 Server System Information Report

System Information report written at: 10/11/2001 12:38:07 PM
[System Information]

[Following are sub-categories of this main category]

[System Summary]

Item	Value
OS Name	Microsoft Windows 2000 Server
Version	5.0.2195 Service Pack 2 Build 2195
OS Manufacturer	Microsoft Corporation
System Name	CLIENT10
System Manufacturer	IBM
System Model	IBM eserver xSeries 220 -[4444aaa]-
System Type	X86-based PC
Processor	x86 Family 6 Model 8 Stepping 10 GenuineIntel ~996 Mhz
BIOS Version	IBM BIOS Ver 1.0
Windows Directory	C:\WINNT
System Directory	C:\WINNT\System32
Boot Device	\Device\Harddisk0\Partition1
Locale	United States
User Name	CLIENT10\Administrator
Time Zone	Eastern Daylight Time
Total Physical Memory	392,668 KB
Available Physical Memory	288,192 KB
Total Virtual Memory	1,533,532 KB
Available Virtual Memory	1,357,648 KB
Page File Space	1,140,864 KB
Page File	C:\pagefile.sys

[Hardware Resources]

[Following are sub-categories of this main category]

[Conflicts/Sharing]

Resource	Device
No conflicted/shared resources	

[DMA]

Channel	Device	Status
2	Standard floppy disk controller	OK
4	Direct memory access controller	OK

[Forced Hardware]

Device	PNP Device ID
No Forced Hardware	

[I/O]

Address Range	Device	Status
0x0000-0x303F	PCI bus	OK
0x0000-0x303F	Direct memory access controller	OK
0x03B0-0x03BB	S3 Inc. Savage4	OK
0x03C0-0x03DF	S3 Inc. Savage4	OK
0x3000-0x303F	IBM 10/100 Ethernet Server Adapter	OK
0x2000-0x2FFF	DEC 21152 PCI to PCI bridge	OK
0x2000-0x2FFF	Intel(R) PRO/100+ Dual Port Server Adapter	OK
0x2020-0x203F	Intel(R) PRO/100+ Dual Port Server Adapter #2	OK
0x0A79-0x0A79	ISAPNP Read Data Port	OK
0x0279-0x0279	ISAPNP Read Data Port	OK
0x02F4-0x02F7	ISAPNP Read Data Port	OK
0x002E-0x002F	Motherboard resource	OK

0x0438-0x0439	Motherboard resource	OK
0x0430-0x0437	Motherboard resource	OK
0x0430-0x0437	Not Available	OK
0x0060-0x0060	Standard 101/102-Key or Microsoft Natural PS/2	
Keyboard	OK	
0x0064-0x0064	Standard 101/102-Key or Microsoft Natural PS/2	
Keyboard	OK	
0x03F0-0x03F5	Standard floppy disk controller	OK
0x03F7-0x03F7	Standard floppy disk controller	OK
0x0378-0x037F	Printer Port (LPT1)	OK
0x03F8-0x03FF	Communications Port (COM1)	OK
0x02F8-0x02FF	Communications Port (COM2)	OK
0x0020-0x0021	Advanced programmable interrupt controller	OK
0x00A0-0x00A1	Advanced programmable interrupt controller	OK
0x0080-0x008F	Direct memory access controller	OK
0x00C0-0x00DF	Direct memory access controller	OK
0x0040-0x0043	System timer	OK
0x0070-0x0073	System CMOS/real time clock	OK
0x0061-0x0061	System speaker	OK
0x00F0-0x00FF	Numeric data processor	OK
0x0600-0x0600	Motherboard resource	OK
0x0374-0x0375	Motherboard resource	OK
0x0377-0x0377	Motherboard resource	OK
0x0F50-0x0F58	Motherboard resource	OK
0x0700-0x070F	Standard Dual Channel PCI IDE Controller	OK
0x01F0-0x01F7	Primary IDE Channel	OK
0x03F6-0x03F6	Primary IDE Channel	OK
0x0170-0x0177	Secondary IDE Channel	OK
0x0376-0x0376	Secondary IDE Channel	OK
0x3040-0xFFFF	PCI bus	OK
0x3100-0x31FF	Adaptec AIC-7892 - Ultra160 SCSI	OK

[IRQs]

IRQ Number	Device
30	Microsoft ACPI-Compliant System
31	S3 Inc. Savage4
27	IBM 10/100 Ethernet Server Adapter
16	Intel(R) PRO/100+ Dual Port Server Adapter
17	Intel(R) PRO/100+ Dual Port Server Adapter #2
1	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
12	PS/2 Compatible Mouse
6	Standard floppy disk controller
4	Communications Port (COM1)
3	Communications Port (COM2)
8	System CMOS/real time clock
13	Numeric data processor
14	Primary IDE Channel
10	Standard OpenHCD USB Host Controller
28	Adaptec AIC-7892 - Ultra160 SCSI

[Memory]

Range	Device	Status
0xA0000-0xBFFFF	PCI bus	OK
0xA0000-0xBFFFF	S3 Inc. Savage4	OK
0xF0000000-0xFBFFFFFF	PCI bus	OK
0xFB000000-0xFBFFFFFF	S3 Inc. Savage4	OK
0xFC000000-0xFFFFFFFF	PCI bus	OK
0xFEB80000-0xFEBFFFFFF	S3 Inc. Savage4	OK
0xFEB7F000-0xFEB7FFFF	IBM 10/100 Ethernet Server Adapter	OK
0xFEB40000-0xFEB5FFFF	IBM 10/100 Ethernet Server Adapter	OK
0xFD000000-0xFE1FFFFFF	DEC 21152 PCI to PCI bridge	OK
0xFB000000-0xFBFFFFFF	DEC 21152 PCI to PCI bridge	OK
0xFB000000-0xFBFFFFFF	Intel(R) PRO/100+ Dual Port Server Adapter	OK
0xFE000000-0xFE0FFFFFF	Intel(R) PRO/100+ Dual Port Server Adapter	OK

0xFBF01000-0xFBF01FFF Intel(R) PRO/100+ Dual Port Server Adapter #2 OK
 0xFE100000-0xFE1FFFFF Intel(R) PRO/100+ Dual Port Server Adapter #2 OK
 0xFEB7E000-0xFEB7EFFF Standard OpenHCD USB Host Controller OK
 0x18000000-0xEDFFFFFF PCI bus OK
 0xEE000000-0xEFFFFFFF PCI bus OK
 0xEFFF0000-0xEFFFFFFF Adaptec AIC-7892 - Ultra160 SCSI OK

[Components]

[Following are sub-categories of this main category]

[Multimedia]

[Following are sub-categories of this main category]

[Audio Codecs]

Codec Version	Manufacturer Size	Description Creation Date	Status	File
OK	C:\WINNT\System32\IAC25_32.AX	Intel Corporation	Indeo®	audio software 2.05.53 195.00 KB (199,680 bytes) 12/7/1999 7:00:00 AM
OK	C:\WINNT\System32\MSG723.ACM	Microsoft Corporation	OK	106.77 KB (109,328 bytes) 9/17/2001 2:09:33 PM
OK	C:\WINNT\System32\LHACM.ACM	Microsoft Corporation	OK	33.27 KB (34,064 bytes) 9/17/2001 2:09:34 PM
OK	C:\WINNT\System32\TSSOFT32.ACM	DSP GROUP, INC.	OK	9.27 KB (9,488 bytes) 12/7/1999 7:00:00 AM
OK	C:\WINNT\System32\msgsm32.acm	Microsoft Corporation	OK	22.27 KB 5.00.2134.1 (22,800 bytes) 12/7/1999 7:00:00 AM
OK	C:\WINNT\System32\MSADP32.ACM	Microsoft Corporation	OK	14.77 KB 5.00.2134.1 (15,120 bytes) 12/7/1999 7:00:00 AM
OK	C:\WINNT\System32\imaadp32.acm	Microsoft Corporation	OK	16.27 KB 5.00.2134.1 (16,656 bytes) 12/7/1999 7:00:00 AM
OK	C:\WINNT\System32\msg711.acm	Microsoft Corporation	OK	10.27 KB 5.00.2134.1 (10,512 bytes) 12/7/1999 7:00:00 AM

[Video Codecs]

Codec Version	Manufacturer Size	Description Creation Date	Status	File
OK	C:\WINNT\System32\IR50_32.DLL	Intel Corporation	Indeo®	video 5.10 R.5.10.15.2.55 737.50 KB (755,200 bytes) 12/7/1999 7:00:00 AM
OK	C:\WINNT\System32\MSH261.DRV	Microsoft Corporation	OK	163.77 KB (167,696 bytes) 9/17/2001 2:09:33 PM
OK	C:\WINNT\System32\MSH263.DRV	Microsoft Corporation	OK	252.27 KB (258,320 bytes) 9/17/2001 2:09:09 PM
OK	C:\WINNT\System32\MSVIDC32.DLL	Microsoft Corporation	OK	27.27 KB 5.00.2134.1 (27,920 bytes) 12/7/1999 7:00:00 AM
OK	C:\WINNT\System32\MSRLE32.DLL	Microsoft Corporation	OK	10.77 KB 5.00.2134.1 (11,024 bytes) 12/7/1999 7:00:00 AM
OK	C:\WINNT\System32\ICCVID.DLL	Radius Inc.	OK	108.00 KB (110,592 bytes) 12/7/1999 7:00:00 AM

c:\winnt\system32\ir32_32.dll Intel(R) Corporation OK
 C:\WINNT\System32\IR32_32.DLL Not Available 194.50 KB
 (199,168 bytes) 12/7/1999 7:00:00 AM

[CD-ROM]

Item	Value
Drive D:	
Description	CD-ROM Drive
Media Loaded	False
Media Type	CD-ROM
Name	LG CD-ROM CRD-8484B
Manufacturer	(Standard CD-ROM drives)
Status	OK
Transfer Rate	Not Available
SCSI Target ID	0
PNP Device ID	
IDE\CDROMLG_CD-ROM_CRD-8484B	1.05_5
&326853DD&0&0.0.0	

[Sound Device]

Item	Value
No sound devices	

[Display]

Item	Value
Name	S3 Inc. Savage4
PNP Device ID	PCI\VEN_5333&DEV_8A22&SUBSYS_01C51014&REV_06\3&267A616A&0&08
Adapter Type	S3 Savage4, S3 compatible
Adapter Description	S3 Inc. Savage4
Adapter RAM	8.00 MB (8,388,608 bytes)
Installed Drivers	s3sav4.dll
Driver Version	5.01.840.0001
INF File	s3sav4.inf (S3Inc section)
Color Planes	1
Color Table Entries	65536
Resolution	800 x 600 x 60 hertz
Bits/Pixel	16

[Infrared]

Item	Value
No infrared devices	

[Input]

[Following are sub-categories of this main category]

[Keyboard]

Item	Value
Description	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
Name	Enhanced (101- or 102-key)
Layout	00000409
PNP Device ID	ACPI\PNP0303\4&389C1010&0
NumberOfFunctionKeys	12

[Pointing Device]

Item	Value
Hardware Type	PS/2 Compatible Mouse
Number of Buttons	3
Status	OK

PNP Device ID ACPI\PNP0F13\4&389C1010&0
 Power Management Supported False
 Double Click Threshold 6
 Handedness Right Handed Operation

[Modem]

Item Value
 No modems

[Network]

[Following are sub-categories of this main category]

[Adapter]

Item Value
 Name [00000000] Intel(R) PRO/100+ Dual Port Server Adapter
 Adapter Type Ethernet 802.3
 Product Name Intel(R) PRO/100+ Dual Port Server Adapter
 Installed True
 PNP Device ID
 PCI\VEN_8086&DEV_1229&SUBSYS_10F08086&REV_05\4&273796BB&0
 &2048
 Last Reset 10/11/2001 8:02:59 AM
 Index 0
 Service Name E100B
 IP Address 192.168.110.10
 IP Subnet 255.255.255.0
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 00:03:47:22:5D:1E
 Service Name E100B
 IRQ Number 16
 I/O Port 0x2000-0x2FFF
 Driver c:\winnt\system32\drivers\e100bnt5.sys (119056, 5.40.11.0000)

Name [00000001] Intel(R) PRO/100+ Dual Port Server Adapter
 Adapter Type Ethernet 802.3
 Product Name Intel(R) PRO/100+ Dual Port Server Adapter
 Installed True
 PNP Device ID
 PCI\VEN_8086&DEV_1229&SUBSYS_10F08086&REV_05\4&273796BB&0
 &2848
 Last Reset 10/11/2001 8:02:59 AM
 Index 1
 Service Name E100B
 IP Address 192.168.120.10
 IP Subnet 255.255.255.0
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 00:03:47:22:5D:1F
 Service Name E100B
 IRQ Number 17
 I/O Port 0x2020-0x203F
 Driver c:\winnt\system32\drivers\e100bnt5.sys (119056, 5.40.11.0000)

Name [00000002] RAS Async Adapter
 Adapter Type Not Available
 Product Name RAS Async Adapter
 Installed True
 PNP Device ID Not Available
 Last Reset 10/11/2001 8:02:59 AM
 Index 2

Service Name AsyncMac
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Service Name Not Available

Name [00000003] WAN Miniport (L2TP)
 Adapter Type Not Available
 Product Name WAN Miniport (L2TP)
 Installed True
 PNP Device ID ROOT\MS_L2TPMINIPOINT\0000
 Last Reset 10/11/2001 8:02:59 AM
 Index 3
 Service Name Rasl2tp
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Service Name Rasl2tp
 Driver c:\winnt\system32\drivers\rasl2tp.sys (50800, 5.00.2179.1)

Name [00000004] WAN Miniport (PPTP)
 Adapter Type Wide Area Network (WAN)
 Product Name WAN Miniport (PPTP)
 Installed True
 PNP Device ID ROOT\MS_PPTPMINIPOINT\0000
 Last Reset 10/11/2001 8:02:59 AM
 Index 4
 Service Name PptpMiniport
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 50:50:54:50:30:30
 Service Name PptpMiniport
 Driver c:\winnt\system32\drivers\rasptp.sys (47856, 5.00.2160.1)

Name [00000005] Direct Parallel
 Adapter Type Not Available
 Product Name Direct Parallel
 Installed True
 PNP Device ID ROOT\MS_PTMINIPOINT\0000
 Last Reset 10/11/2001 8:02:59 AM
 Index 5
 Service Name Raspti
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Service Name Raspti
 Driver c:\winnt\system32\drivers\raspti.sys (16880, 5.00.2146.1)

Name [00000006] WAN Miniport (IP)
 Adapter Type Not Available
 Product Name WAN Miniport (IP)

Installed True
 PNP Device ID ROOT\MS_NDISWANIP\0000
 Last Reset 10/11/2001 8:02:59 AM
 Index 6
 Service Name NdisWan
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Service Name NdisWan
 Driver c:\winnt\system32\drivers\ndiswan.sys (90096, 5.00.2195.2779)

Name [00000007] IBM 10/100 Ethernet Server Adapter
 Adapter Type Ethernet 802.3
 Product Name IBM 10/100 Ethernet Server Adapter
 Installed True
 PNP Device ID
 PCI\VEN_8086&DEV_1229&SUBSYS_01F11014&REV_0C\3&267A616A&0&10
 Last Reset 10/11/2001 8:02:59 AM
 Index 7
 Service Name E100B
 IP Address 192.168.132.251
 IP Subnet 255.255.255.0
 Default IP Gateway Not Available
 DHCP Enabled False
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 00:02:55:AA:02:D7
 Service Name E100B
 IRQ Number 27
 I/O Port 0x3000-0x303F
 Driver c:\winnt\system32\drivers\e100bnt5.sys (119056, 5.40.11.0000)

[Protocol]

Item	Value
Name	MSAFD Tcpip [TCP/IP]
ConnectionlessService	False
GuaranteesDelivery	True
GuaranteesSequencing	True
MaximumAddressSize	6 bytes
MaximumMessageSize	0 bytes
MessageOriented	False
MinimumAddressSize	16 bytes
PseudoStreamOriented	False
SupportsBroadcasting	False
SupportsConnectData	False
SupportsDisconnectData	False
SupportsEncryption	False
SupportsExpeditedData	True
SupportsGracefulClosing	True
SupportsGuaranteedBandwidth	False
SupportsMulticasting	False

Name	MSAFD Tcpip [UDP/IP]
ConnectionlessService	True
GuaranteesDelivery	False
GuaranteesSequencing	False
MaximumAddressSize	6 bytes
MaximumMessageSize	65467 bytes
MessageOriented	True
MinimumAddressSize	16 bytes
PseudoStreamOriented	False
SupportsBroadcasting	True

SupportsConnectData	False
SupportsDisconnectData	False
SupportsEncryption	False
SupportsExpeditedData	False
SupportsGracefulClosing	False
SupportsGuaranteedBandwidth	False
SupportsMulticasting	True

Name	RSVP UDP Service Provider
ConnectionlessService	True
GuaranteesDelivery	False
GuaranteesSequencing	False
MaximumAddressSize	6 bytes
MaximumMessageSize	65467 bytes
MessageOriented	True
MinimumAddressSize	16 bytes
PseudoStreamOriented	False
SupportsBroadcasting	True
SupportsConnectData	False
SupportsDisconnectData	False
SupportsEncryption	True
SupportsExpeditedData	False
SupportsGracefulClosing	False
SupportsGuaranteedBandwidth	False
SupportsMulticasting	True

Name	RSVP TCP Service Provider
ConnectionlessService	False
GuaranteesDelivery	True
GuaranteesSequencing	True
MaximumAddressSize	6 bytes
MaximumMessageSize	0 bytes
MessageOriented	False
MinimumAddressSize	16 bytes
PseudoStreamOriented	False
SupportsBroadcasting	False
SupportsConnectData	False
SupportsDisconnectData	False
SupportsEncryption	True
SupportsExpeditedData	True
SupportsGracefulClosing	True
SupportsGuaranteedBandwidth	False
SupportsMulticasting	False

Name	MSAFD NetBIOS
[\Device\NetBT_Tcpip_{6FCF19B9-D1BC-4314-A154-2E811A2CC678}]	
SEQPACKET 4	
ConnectionlessService	False
GuaranteesDelivery	True
GuaranteesSequencing	True
MaximumAddressSize	20 bytes
MaximumMessageSize	64000 bytes
MessageOriented	True
MinimumAddressSize	20 bytes
PseudoStreamOriented	False
SupportsBroadcasting	False
SupportsConnectData	False
SupportsDisconnectData	False
SupportsEncryption	False
SupportsExpeditedData	False
SupportsGracefulClosing	False
SupportsGuaranteedBandwidth	False
SupportsMulticasting	False

Name	MSAFD NetBIOS
[\Device\NetBT_Tcpip_{6FCF19B9-D1BC-4314-A154-2E811A2CC678}]	
DATAGRAM 4	
ConnectionlessService	True
GuaranteesDelivery	False
GuaranteesSequencing	False
MaximumAddressSize	20 bytes

MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize20 bytes
 PseudoStreamOrientedFalse
 SupportsBroadcastingTrue
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{151BB450-3D28-4525-B2D4-2331C74DCD26}]
 SEQPACKET 0
 ConnectionlessServiceFalse
 GuaranteesDelivery True
 GuaranteesSequencingTrue
 MaximumAddressSize20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize20 bytes
 PseudoStreamOrientedFalse
 SupportsBroadcastingFalse
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{151BB450-3D28-4525-B2D4-2331C74DCD26}]
 DATAGRAM 0
 ConnectionlessServiceTrue
 GuaranteesDelivery False
 GuaranteesSequencingFalse
 MaximumAddressSize20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize20 bytes
 PseudoStreamOrientedFalse
 SupportsBroadcastingTrue
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{FA92D5FD-6E01-4F18-A447-837FEDE46296}]
 SEQPACKET 1
 ConnectionlessServiceFalse
 GuaranteesDelivery True
 GuaranteesSequencingTrue
 MaximumAddressSize20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize20 bytes
 PseudoStreamOrientedFalse
 SupportsBroadcastingFalse
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False

SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{FA92D5FD-6E01-4F18-A447-837FEDE46296}]
 DATAGRAM 1
 ConnectionlessServiceTrue
 GuaranteesDelivery False
 GuaranteesSequencingFalse
 MaximumAddressSize20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize20 bytes
 PseudoStreamOrientedFalse
 SupportsBroadcastingTrue
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{8F354C3B-893D-43F7-B7B0-3BF884D63BF1}]
 SEQPACKET 2
 ConnectionlessServiceFalse
 GuaranteesDelivery True
 GuaranteesSequencingTrue
 MaximumAddressSize20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize20 bytes
 PseudoStreamOrientedFalse
 SupportsBroadcastingFalse
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{8F354C3B-893D-43F7-B7B0-3BF884D63BF1}]
 DATAGRAM 2
 ConnectionlessServiceTrue
 GuaranteesDelivery False
 GuaranteesSequencingFalse
 MaximumAddressSize20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True
 MinimumAddressSize20 bytes
 PseudoStreamOrientedFalse
 SupportsBroadcastingTrue
 SupportsConnectData False
 SupportsDisconnectData False
 SupportsEncryption False
 SupportsExpeditedData False
 SupportsGracefulClosing False
 SupportsGuaranteedBandwidth False
 SupportsMulticasting False

Name MSAFD NetBIOS
 [\Device\NetBT_Tcpip_{9788862E-F4FC-434F-AEBB-56AA0E507EF7}]
 SEQPACKET 3
 ConnectionlessServiceFalse
 GuaranteesDelivery True
 GuaranteesSequencingTrue
 MaximumAddressSize20 bytes
 MaximumMessageSize 64000 bytes
 MessageOriented True

```

MinimumAddressSize20 bytes
PseudoStreamOrientedFalse
SupportsBroadcastingFalse
SupportsConnectData False
SupportsDisconnectData      False
SupportsEncryption  False
SupportsExpeditedData      False
SupportsGracefulClosing      False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

Name      MSAFD NetBIOS
[\\Device\NetBT_Tcpip_{9788862E-F4FC-434F-AEBB-56AA0E507EF7}]
DATAGRAM 3
ConnectionlessServiceTrue
GuaranteesDelivery  False
GuaranteesSequencingFalse
MaximumAddressSize20 bytes
MaximumMessageSize  64000 bytes
MessageOriented     True
MinimumAddressSize20 bytes
PseudoStreamOrientedFalse
SupportsBroadcastingTrue
SupportsConnectData False
SupportsDisconnectData      False
SupportsEncryption  False
SupportsExpeditedData      False
SupportsGracefulClosing      False
SupportsGuaranteedBandwidth False
SupportsMulticasting False

```

[WinSock]

```

Item      Value
File      c:\winnt\system32\winsock.dll
Version   3.10
Size      2.80 KB (2,864 bytes)

File      c:\winnt\system32\wsock32.dll
Version   5.00.2195.2871
Size      21.27 KB (21,776 bytes)

```

[Ports]

[Following are sub-categories of this main category]

[Serial]

```

Item      Value
Name      COM1
Status    OK
PNP Device ID      ACPI\PNP0501\1
Maximum Input Buffer Size  Not Available
Maximum Output Buffer Size Not Available
Settable Baud Rate  Not Available
Settable Data Bits  Not Available
Settable Flow Control Not Available
Settable Parity     Not Available
Settable Parity Check Not Available
Settable Stop Bits  Not Available
Settable RLSD       Not Available
Supports RLSD       Not Available
Supports 16 Bit ModeNot Available
Supports Special Characters  Not Available
Baud Rate 9600
Bits/Byte 8
Stop Bits 1
Parity     None
Busy       0

```

```

Abort Read/Write on Error 0
Binary Mode Enabled-1
Continue XMit on XOff      0
CTS Outflow Control 0
Discard NULL Bytes 0
DSR Outflow Control 0
DSR Sensitivity 0
DTR Flow Control Type      Enable
EOF Character 0
Error Replace Character 0
Error Replacement Enabled 0
Event Character 0
Parity Check Enabled 0
RTS Flow Control Type      Enable
XOff Character 19
XOffXMit Threshold 512
XOn Character 17
XOnXMit Threshold 2048
XOnXOff InFlow Control 0
XOnXOff OutFlow Control 0
IRQ Number 4
I/O Port 0x03F8-0x03FF
Driver c:\winnt\system32\drivers\serial.sys (62416, 5.00.2195.2780)

```

```

Name      COM2
Status    OK
PNP Device ID      ACPI\PNP0501\2
Maximum Input Buffer Size  Not Available
Maximum Output Buffer Size Not Available
Settable Baud Rate  Not Available
Settable Data Bits  Not Available
Settable Flow Control Not Available
Settable Parity     Not Available
Settable Parity Check Not Available
Settable Stop Bits  Not Available
Settable RLSD       Not Available
Supports RLSD       Not Available
Supports 16 Bit ModeNot Available
Supports Special Characters  Not Available
Baud Rate 9600
Bits/Byte 8
Stop Bits 1
Parity     None
Busy       0

```

```

Abort Read/Write on Error 0
Binary Mode Enabled-1
Continue XMit on XOff      0
CTS Outflow Control 0
Discard NULL Bytes 0
DSR Outflow Control 0
DSR Sensitivity 0
DTR Flow Control Type      Enable
EOF Character 0
Error Replace Character 0
Error Replacement Enabled 0
Event Character 0
Parity Check Enabled 0
RTS Flow Control Type      Enable
XOff Character 19
XOffXMit Threshold 512
XOn Character 17
XOnXMit Threshold 2048
XOnXOff InFlow Control 0
XOnXOff OutFlow Control 0
IRQ Number 3
I/O Port 0x02F8-0x02FF
Driver c:\winnt\system32\drivers\serial.sys (62416, 5.00.2195.2780)

```

[Parallel]

Item Value
 Name LPT1
 PNP Device ID ACPI\PNP0400\1

[Storage]

[Following are sub-categories of this main category]

[Drives]

Item Value
 Drive A:
 Description 3 1/2 Inch Floppy Drive

Drive C:
 Description Local Fixed Disk
 Compressed False
 File System NTFS
 Size 8.46 GB (9,088,901,120 bytes)
 Free Space 6.55 GB (7,031,717,888 bytes)
 Volume Name
 Volume Serial Number 1C67EB25
 Partition Disk #0, Partition #0
 Partition Size 8.46 GB (9,088,902,144 bytes)
 Starting Offset 32256 bytes
 Drive Description Disk drive
 Drive Manufacturer (Standard disk drives)
 Drive Model IBM-PSG ST39204LC !# SCSI Disk Device
 Drive BytesPerSector 512
 Drive MediaLoaded True
 Drive MediaType Fixed hard disk media
 Drive Partitions 1
 Drive SCSI Bus 0
 Drive SCSI LogicalUnit 0
 Drive SCSI Port 2
 Drive SCSI TargetId 0
 Drive SectorsPerTrack 63
 Drive Size 9097159680 bytes
 Drive TotalCylinders 1106
 Drive TotalSectors 17767890
 Drive TotalTracks 282030
 Drive TracksPerCylinder 255

Drive E:
 Description Network Connection
 Provider Name \\192.168.132.253e\$

[SCSI]

Item Value
 Name Adaptec AIC-7892 - Ultra160 SCSI
 Caption Adaptec AIC-7892 - Ultra160 SCSI
 Driver adpu160m
 Status OK
 PNP Device ID
 PCI\VEN_9005&DEV_008F&SUBSYS_008F1014&REV_02\3&13C0B0C5&0&18
 Device ID
 PCI\VEN_9005&DEV_008F&SUBSYS_008F1014&REV_02\3&13C0B0C5&0&18
 Device Map Not Available
 Index Not Available
 Max Number Controlled Not Available
 IRQ Number 28
 I/O Port 0x3100-0x31FF
 Driver c:\winnt\system32\drivers\adpu160m.sys (88000, d4.10 (4.10.4000))

[Printing]

Name Port Name Server Name
 No printing information

[Problem Devices]

Device	PNP Device ID	Error Code	
Not Available	ACPI\IBM37D1\4&389C1010&0		28

[USB]

Device PNP Device ID
 Standard OpenHCD USB Host Controller
 PCI\VEN_1166&DEV_0220&SUBSYS_02201166&REV_04\3&267A616A&0&7A
 USB Root Hub USB\ROOT_HUB\4&372644EA&0

[Software Environment]

[Following are sub-categories of this main category]

[Drivers]

Name	Description	File	Type	Started	Start Mode
abiosdsk	Abiosdsk	Not Available	Kernel Driver	False	False
abp480n5	abp480n5	Not Available	Kernel Driver	False	False
acpi	Microsoft ACPI Driver	c:\winnt\system32\drivers\acpi.sys	Kernel Driver	True	Normal
acpiec	ACPIEC	c:\winnt\system32\drivers\acpiec.sys	Kernel Driver	False	Normal
adpu160m	adpu160m	c:\winnt\system32\drivers\adpu160m.sys	Kernel Driver	True	Normal
afd	AFD Networking Support Environment	c:\winnt\system32\drivers\afd.sys	Kernel Driver	True	Auto
aha154x	Aha154x	Not Available	Kernel Driver	False	False
aic116x	aic116x	Not Available	Kernel Driver	False	False
aic78u2	aic78u2	Not Available	Kernel Driver	False	False
aic78xx	aic78xx	Not Available	Kernel Driver	False	False
ami0nt	ami0nt	Not Available	Kernel Driver	False	False
amsint	amsint	Not Available	Kernel Driver	False	False
asc	asc	Not Available	Kernel Driver	False	False
asc3350p	asc3350p	Not Available	Kernel Driver	False	False
asc3550	asc3550	Not Available	Kernel Driver	False	False
asynmac	RAS Asynchronous Media Driver	c:\winnt\system32\drivers\asynmac.sys	Kernel Driver	Manual	False
atapi	Standard IDE/ESDI Hard Disk Controller	c:\winnt\system32\drivers\atapi.sys	Kernel Driver	Running	True
atdisk	Atdisk	Not Available	Kernel Driver	False	False
atmarpc	ATM ARP Client Protocol	c:\winnt\system32\drivers\atmarpc.sys	Kernel Driver	Manual	False

nrc710	Nrc710	Not Available	Kernel Driver	False
Disabled	Stopped	OK	Normal	False
ndis	NDIS System Driver	c:\winnt\system32\drivers\ndis.sys	Kernel Driver	True
Driver	True	Boot	Running	OK
True			Normal	False
ndistapi	Remote Access NDIS TAPI Driver			
c:\winnt\system32\drivers\ndistapi.sys			Kernel Driver	True
Manual	Running	OK	Normal	False
ndiswan	Remote Access NDIS WAN Driver			
c:\winnt\system32\drivers\ndiswan.sys			Kernel Driver	True
Manual	Running	OK	Normal	False
ndproxy	NDIS Proxy	c:\winnt\system32\drivers\ndproxy.sys	Kernel Driver	True
Kernel Driver	True	Manual	Running	OK
False	True		Normal	
netbios	NetBIOS Interface	c:\winnt\system32\drivers\netbios.sys	File System Driver	True
File System Driver	True	System	Running	OK
False	True		Normal	
netbt	NetBios over Tcpip	c:\winnt\system32\drivers\netbt.sys	Kernel Driver	True
Kernel Driver	True	System	Running	OK
False	True		Normal	
netdetect	NetDetect	c:\winnt\system32\drivers\netdetect.sys	Kernel Driver	True
Driver	False	Manual	Stopped	OK
False			Normal	False
npfs	Npfs	c:\winnt\system32\drivers\npfs.sys	File System Driver	True
True	System	Running	OK	Normal
ntfs	Ntfs	c:\winnt\system32\drivers\ntfs.sys	File System Driver	True
True	Disabled	Running	OK	Normal
null	Null	c:\winnt\system32\drivers\null.sys	Kernel Driver	True
True	System	Running	OK	Normal
nwlnkflt	IPX Traffic Filter Driver			
c:\winnt\system32\drivers\nwlnkflt.sys			Kernel Driver	False
Manual	Stopped	OK	Normal	False
nwlnkfld	IPX Traffic Forwarder Driver			
c:\winnt\system32\drivers\nwlnkfld.sys			Kernel Driver	False
Manual	Stopped	OK	Normal	False
openhci	Microsoft USB Open Host Controller Driver			
c:\winnt\system32\drivers\openhci.sys			Kernel Driver	True
Manual	Running	OK	Normal	False
parallel	Parallel class driver	c:\winnt\system32\drivers\parallel.sys	Kernel Driver	True
Kernel Driver	True	Manual	Running	OK
False	True		Normal	
parport	Parallel port driver	c:\winnt\system32\drivers\parport.sys	Kernel Driver	True
Kernel Driver	True	System	Running	OK
False	True		Ignore	
partmgr	PartMgr	c:\winnt\system32\drivers\partmgr.sys	Kernel Driver	True
Driver	True	Boot	Running	OK
True			Normal	False
parvdm	ParVdm	c:\winnt\system32\drivers\parvdm.sys	Kernel Driver	True
Driver	True	Auto	Running	OK
True			Ignore	False
pci	PCI Bus Driver	c:\winnt\system32\drivers\pci.sys	Kernel Driver	True
Driver	True	Boot	Running	OK
True			Critical	False
pcidump	PCIDump	Not Available	Kernel Driver	False
System	Stopped	OK	Ignore	False
pciide	PCIIde	c:\winnt\system32\drivers\pciide.sys	Kernel Driver	True
Driver	True	Boot	Running	OK
True			Normal	False
pcmcia	Pcmcia	c:\winnt\system32\drivers\pcmcia.sys	Kernel Driver	True
Driver	False	Disabled	Stopped	OK
False			Normal	False
pdcamp	PDCOMP	Not Available	Kernel Driver	False
Manual	Stopped	OK	Ignore	False
pdframe	PDFRAME	Not Available	Kernel Driver	False
False	Manual	Stopped	OK	Ignore
pdreli	PDRELI	Not Available	Kernel Driver	False
Manual	Stopped	OK	Ignore	False
pdframe	PDRFRAME	Not Available	Kernel Driver	False
False	Manual	Stopped	OK	Ignore

pptpminiport	WAN Miniport (PPTP)			
c:\winnt\system32\drivers\rasppptp.sys			Kernel Driver	True
Manual	Running	OK	Normal	False
ptlink	Direct Parallel Link Driver			
c:\winnt\system32\drivers\ptlink.sys			Kernel Driver	True
Kernel Driver	True	Manual	Running	OK
False	True		Normal	
ql1080	ql1080	Not Available	Kernel Driver	False
Disabled	Stopped	OK	Normal	False
ql10wnt	Ql10wnt	Not Available	Kernel Driver	False
Disabled	Stopped	OK	Normal	False
ql1240	ql1240	Not Available	Kernel Driver	False
Disabled	Stopped	OK	Normal	False
ql2100	ql2100	Not Available	Kernel Driver	False
Disabled	Stopped	OK	Normal	False
rasacd	Remote Access Auto Connection Driver			
c:\winnt\system32\drivers\rasacd.sys			Kernel Driver	True
System	Running	OK	Normal	False
rasl2tp	WAN Miniport (L2TP)			
c:\winnt\system32\drivers\rasl2tp.sys			Kernel Driver	True
Manual	Running	OK	Normal	False
raspti	Direct Parallel	c:\winnt\system32\drivers\raspti.sys	Kernel Driver	True
Kernel Driver	True	Manual	Running	OK
False	True		Normal	
rca	Microsoft Streaming Network Raw Channel Access			
c:\winnt\system32\drivers\rca.sys			Kernel Driver	False
Stopped	OK	Normal	False	Manual
rdbs	Rdbss	c:\winnt\system32\drivers\rdbs.sys	File System Driver	True
Driver	True	System	Running	OK
True			Normal	False
rdpwd	RDPWD	c:\winnt\system32\drivers\rdpwd.sys	Kernel Driver	True
Driver	False	Manual	Stopped	OK
False			Ignore	False
redbook	Digital CD Audio Playback Filter Driver			
c:\winnt\system32\drivers\redbook.sys			Kernel Driver	False
System	Stopped	OK	Normal	False
s3inc	S3Inc	c:\winnt\system32\drivers\s3sav4m.sys	Kernel Driver	True
Driver	True	Manual	Running	OK
True			Ignore	False
serenum	Serenum Filter Driver	c:\winnt\system32\drivers\serenum.sys	Kernel Driver	True
Kernel Driver	True	Manual	Running	OK
False	True		Normal	
serial	Serial port driver	c:\winnt\system32\drivers\serial.sys	Kernel Driver	True
Kernel Driver	True	System	Running	OK
False	True		Ignore	
sfloppy	Sfloppy	c:\winnt\system32\drivers\sfloppy.sys	Kernel Driver	True
Driver	False	System	Stopped	OK
False			Ignore	False
sglfb	sglfb	Not Available	Kernel Driver	False
System	Stopped	OK	Normal	False
simbad	Simbad	Not Available	Kernel Driver	False
Disabled	Stopped	OK	Normal	False
sparrow	Sparrow	Not Available	Kernel Driver	False
Disabled	Stopped	OK	Normal	False
spud	Special Purpose Utility Driver			
c:\winnt\system32\drivers\spud.sys			Kernel Driver	True
Kernel Driver	True	Manual	Running	OK
False	True		Normal	
srv	Srv	c:\winnt\system32\drivers\srvc.sys	File System Driver	True
True	Manual	Running	OK	Normal
swenum	Software Bus Driver	c:\winnt\system32\drivers\swenum.sys	Kernel Driver	True
Kernel Driver	True	Manual	Running	OK
False	True		Normal	
symc810	symc810	Not Available	Kernel Driver	False
Disabled	Stopped	OK	Normal	False
symc8xx	symc8xx	Not Available	Kernel Driver	False
Disabled	Stopped	OK	Normal	False
sym_hi	sym_hi	Not Available	Kernel Driver	False
Disabled	Stopped	OK	Normal	False
tcpip	TCP/IP Protocol Driver			
c:\winnt\system32\drivers\tcpip.sys			Kernel Driver	True
Kernel Driver	True	System	Running	OK
False	True		Normal	

```

tdasync TDASYNC c:\winnt\system32\drivers\tdasync.sys
Kernel Driver False Manual Stopped OK Ignore
False False
tdipx TDIPX c:\winnt\system32\drivers\tdipx.sys Kernel
Driver False Manual Stopped OK Ignore False
False False
tdnetb TDNETB c:\winnt\system32\drivers\tdnetb.sys Kernel
Driver False Manual Stopped OK Ignore False
False False
tdpipe TDPIPE c:\winnt\system32\drivers\tdpipe.sys Kernel
Driver False Manual Stopped OK Ignore False
False False
tdspx TDSPX c:\winnt\system32\drivers\tdspx.sys Kernel
Driver False Manual Stopped OK Ignore False
False False
tdtcp TDTCP c:\winnt\system32\drivers\tdtcp.sys Kernel
Driver False Manual Stopped OK Ignore False
False False
termdd Terminal Device Driver
c:\winnt\system32\drivers\termdd.sys Kernel Driver False
Disabled Stopped OK Normal False False
tga tga Not Available Kernel Driver False
System Stopped OK Ignore False False
udfs Udfs c:\winnt\system32\drivers\udfs.sys File System Driver
False Disabled Stopped OK Normal False False
ultra66 ultra66 Not Available Kernel Driver False
Disabled Stopped OK Normal False False
update Microcode Update Driver
c:\winnt\system32\drivers\update.sys Kernel Driver True
Manual Running OK Normal False True
usbhub Microsoft USB Standard Hub Driver
c:\winnt\system32\drivers\usbhub.sys Kernel Driver True
Manual Running OK Normal False True
vgasave VgaSave c:\winnt\system32\drivers\vga.sys Kernel Driver
True System Running OK Ignore False True
wanarp Remote Access IP ARP Driver
c:\winnt\system32\drivers\wanarp.sys Kernel Driver True
Manual Running OK Normal False True
wdica WDICA Not Available Kernel Driver False
Manual Stopped OK Ignore False False
nmscfg NIC Management Service Configuration Driver
\??\c:\winnt\system32\drivers\nmscfg.sys Kernel Driver True
Manual Running OK Normal False True

```

[Environment Variables]

```

Variable Value User Name
ComSpec %SystemRoot%\system32\cmd.exe <SYSTEM>
Os2LibPath %SystemRoot%\system32\os2\dl<SYSTEM>
Path %SystemRoot%\system32;%SystemRoot%;%SystemRoot%\System32\Wbem;C:\
Program Files\Microsoft SQL Server\80\Tools\BINN <SYSTEM>
windir %SystemRoot% <SYSTEM>
OS Windows_NT <SYSTEM>
PROCESSOR_ARCHITECTURE x86 <SYSTEM>
PROCESSOR_LEVEL 6 <SYSTEM>
PROCESSOR_IDENTIFIER x86 Family 6 Model 8 Stepping 10,
GenuineIntel <SYSTEM>
PROCESSOR_REVISION 080a <SYSTEM>
NUMBER_OF_PROCESSORS 1 <SYSTEM>
PATHEXT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH <SYSTEM>
TEMP %SystemRoot%\TEMP <SYSTEM>
TMP %SystemRoot%\TEMP <SYSTEM>
TEMP %USERPROFILE%\Local Settings\Temp
CLIENT10\Administrator
TMP %USERPROFILE%\Local Settings\Temp
CLIENT10\Administrator

```

[Jobs]

[Following are sub-categories of this main category]

[Print]

Document Size	Owner	Notify	Status	Time Submitted
Start Time	Until Time	Elapsed Time	Pages Printed	Job ID
Priority	Parameters	Driver Name	Print Processor	Host Print
Queue	Data Type	Name		

No print jobs

[Network Connections]

Local Name	Remote Name	Type	Status	User Name
E:	\\192.168.132.253\e\$	Disk	OK	
CLIENT10	Administrator			

[Running Tasks]

Name	Path	Process ID	Priority	Min Working Set	Max
Working Set	Start Time	Version	Size	File Date	
system idle process	Not Available	0	0	0	Not
Unknown	Not Available	Not Available	Unknown	Unknown	Unknown
system	Not Available	8	8	0	1413120
Not Available	Unknown	Unknown	Unknown		
smss.exe	c:\winnt\system32\smss.exe	160	11	204800	
1413120	10/11/2001 12:03:14 PM	5.00.2195.2901	44.27 KB		
(45,328 bytes)	12/7/1999 7:00:00 AM				
csrss.exe	Not Available	184	13	Not Available	
Not Available	10/11/2001 12:03:18 PM	Unknown	Unknown	Unknown	Unknown
winlogon.exe	c:\winnt\system32\winlogon.exe	204	13		
204800	1413120 10/11/2001 12:03:20 PM	5.00.2195.2953			
173.77 KB (177,936 bytes)	12/7/1999 7:00:00 AM				
services.exe	c:\winnt\system32\services.exe	232	9		
204800	1413120 10/11/2001 12:03:22 PM	5.00.2195.2780			
86.77 KB (88,848 bytes)	12/7/1999 7:00:00 AM				
lsass.exe	c:\winnt\system32\lsass.exe	244	9	204800	
1413120	10/11/2001 12:03:22 PM	5.00.2195.2964	32.77 KB		
(33,552 bytes)	12/7/1999 7:00:00 AM				
svchost.exe	c:\winnt\system32\svchost.exe	420	8	204800	
1413120	10/11/2001 12:03:25 PM	5.00.2134.1	7.77 KB		
(7,952 bytes)	12/7/1999 7:00:00 AM				
spoolsv.exe	c:\winnt\system32\spoolsv.exe	452	8	204800	
1413120	10/11/2001 12:03:25 PM	5.00.2161.1	43.77 KB		
(44,816 bytes)	9/17/2001 9:39:14 AM				
msdtc.exe	c:\winnt\system32\msdtc.exe	480	8	204800	
1413120	10/11/2001 12:03:26 PM	1999.9.3421.3	6.77 KB		
(6,928 bytes)	9/17/2001 10:04:52 AM				
svchost.exe	c:\winnt\system32\svchost.exe	588	8	204800	
1413120	10/11/2001 12:03:27 PM	5.00.2134.1	7.77 KB		
(7,952 bytes)	12/7/1999 7:00:00 AM				
llssrv.exe	c:\winnt\system32\llssrv.exe	612	9	204800	
1413120	10/11/2001 12:03:28 PM	5.00.2195.2649	114.27 KB		
(117,008 bytes)	5/4/2001 12:05:02 PM				
nmssvc.exe	c:\winnt\system32\nmssvc.exe	644	8	204800	
1413120	10/11/2001 12:03:28 PM	1.64.0.0	1012.00 KB (1,036,288 bytes)		
10/8/2001 4:31:07 PM					
regsvc.exe	c:\winnt\system32\regsvc.exe	708	8	204800	
1413120	10/11/2001 12:03:28 PM	5.00.2195.2104	65.27 KB		
(66,832 bytes)	9/24/2001 10:26:33 AM				
mstask.exe	c:\winnt\system32\mstask.exe	736	8	204800	
1413120	10/11/2001 12:03:29 PM	4.71.2195.1	115.27 KB		
(118,032 bytes)	9/24/2001 10:26:26 AM				
tcpvcs.exe	c:\winnt\system32\tcpvcs.exe	868	8	204800	
1413120	10/11/2001 12:03:38 PM	5.00.2134.1	24.77 KB		
(25,360 bytes)	12/7/1999 7:00:00 AM				

winmgmt.exe	c:\winnt\system32\wbem\winmgmt.exe	912	8	ntmsmgr.dll	1,0,0,1	427.77 KB (438,032 bytes)	12/7/1999
204800	1413120	10/11/2001 12:03:38 PM	1.50.1085.0029	7:00:00 AM		Microsoft Corporation and HighGround Systems, Inc.	
192.08 KB (196,685 bytes)		9/24/2001 10:26:43 AM		c:\winnt\system32\ntmsmgr.dll			
inetinfo.exe	c:\winnt\system32\inetrv\inetinfo.exe	944	8	mmfutil.dll	50.1085.0000	32.06 KB (32,829 bytes)	12/7/1999
204800	1413120	10/11/2001 12:03:38 PM	5.00.0984	7:00:00 AM		Microsoft Corporation	c:\winnt\system32\mmfutil.dll
(14,608 bytes)		9/24/2001 10:27:34 AM		logdrive.dll	50.1085.0000	200.06 KB (204,863 bytes)	12/7/1999
dfssvc.exe	c:\winnt\system32\dfssvc.exe	1016	8	7:00:00 AM		Microsoft Corporation	c:\winnt\system32\logdrive.dll
1413120	10/11/2001 12:03:40 PM	5.00.2195.2841		dfrgres.dll	5.00.2150.1	27.50 KB (28,160 bytes)	12/7/1999
(90,384 bytes)		9/24/2001 10:26:13 AM		7:00:00 AM		Executive Software International, Inc.	
svchost.exe	c:\winnt\system32\svchost.exe	1148	8	c:\winnt\system32\dfrgres.dll			
1413120	10/11/2001 12:04:06 PM	5.00.2134.1		dfrgsnap.dll	5.00.2195.2104	41.77 KB (42,768 bytes)	
(7,952 bytes)		12/7/1999 7:00:00 AM		9/24/2001 10:26:13 AM		Executive Software International, Inc.	
explorer.exe	c:\winnt\explorer.exe	1264	8	c:\winnt\system32\dfrgsnap.dll			
1413120	10/11/2001 12:35:11 PM	5.00.3315.2846		dmkskres.dll	2195.2104.297.3	119.50 KB (122,368 bytes)	
(242,960 bytes)		9/24/2001 10:26:39 AM		9/24/2001 10:26:14 AM		Microsoft Corp., VERITAS Software	
promon.exe	c:\winnt\system32\promon.exe	1176	8	c:\winnt\system32\dmkskres.dll			
204800	1413120	10/11/2001 12:35:13 PM	4.08	dmutil.dll	2195.2104.297.3	42.27 KB (43,280 bytes)	9/24/2001
(31,232 bytes)		10/8/2001 4:31:08 PM		10:26:14 AM		VERITAS Software Corp.	
mmc.exe	c:\winnt\system32\mmc.exe	828	8	c:\winnt\system32\dmutil.dll			
1413120	10/11/2001 12:35:15 PM	5.00.2195.2301		ntmsapi.dll	50.1948.1	51.77 KB (53,008 bytes)	9/24/2001
(603,408 bytes)		9/24/2001 10:26:20 AM		10:26:29 AM		Microsoft Corporation	c:\winnt\system32\ntmsapi.dll
mdm.exe	c:\winnt\system32\mdm.exe	1356	8	dmkskmgr.dll	2215.2215.297.3	160.27 KB (164,112 bytes)	
1413120	10/11/2001 12:35:32 PM	6.00.8424	121.29 KB (124,200 bytes)	9/24/2001 10:26:13 AM		Microsoft Corp., VERITAS Software	
(176,912 bytes)		9/17/2001 10:07:16 AM		c:\winnt\system32\dmkskmgr.dll			
rsvp.exe	c:\winnt\system32\rsvp.exe	1188	8	mycomput.dll	5.00.2134.1	107.77 KB (110,352 bytes)	
1413120	10/11/2001 12:37:07 PM	5.00.2167.1		12/7/1999 7:00:00 AM		Microsoft Corporation	
(176,912 bytes)		12/7/1999 7:00:00 AM		c:\winnt\system32\mycomput.dll			

[Loaded Modules]

Name	Version	Size	File Date	Manufacturer	Path
traffic.dll	5.00.2139.1	30.77 KB (31,504 bytes)		Microsoft Corporation	c:\winnt\system32\traffic.dll
7:00:00 AM					
rsvp.exe	5.00.2167.1	172.77 KB (176,912 bytes)		Microsoft Corporation	c:\winnt\system32\rsvp.exe
7:00:00 AM					
mdm.exe	6.00.8424	121.29 KB (124,200 bytes)		Microsoft Corporation	c:\winnt\system32\mdm.exe
9/24/2001 10:26:43 AM					
wbemprox.dll	1.50.1085.0045	40.08 KB (41,040 bytes)		Microsoft Corporation	c:\winnt\system32\wbem\wbemprox.dll
9/24/2001 10:26:43 AM					
rassapi.dll	5.00.2188.1	14.27 KB (14,608 bytes)		Microsoft Corporation	c:\winnt\system32\rassapi.dll
7:00:00 AM					
adsnt.dll	5.00.2195.2778	195.27 KB (199,952 bytes)		Microsoft Corporation	c:\winnt\system32\adsnt.dll
10:26:09 AM					
dbghelp.dll	5.00.2195.2104	159.27 KB (163,088 bytes)		Microsoft Corporation	c:\winnt\system32\dbghelp.dll
12:05:02 PM					
localsec.dll	5.00.2195.2130	230.27 KB (235,792 bytes)		Microsoft Corporation	c:\winnt\system32\localsec.dll
10:26:19 AM					
devmgr.dll	5.00.2166.1	215.77 KB (220,944 bytes)		Microsoft Corporation	c:\winnt\system32\devmgr.dll
7:00:00 AM					
filemgmt.dll	5.00.2195.2165	287.27 KB (294,160 bytes)		Microsoft Corporation	c:\winnt\system32\filemgmt.dll
9/24/2001 10:26:16 AM					
pdh.dll	5.00.2195.2739	147.77 KB (151,312 bytes)		Microsoft Corporation	c:\winnt\system32\pdh.dll
10:26:32 AM					
smlogcfg.dll	5.00.2195.2485	273.27 KB (279,824 bytes)		Microsoft Corporation	c:\winnt\system32\smlogcfg.dll
9/24/2001 10:26:35 AM					
cabinet.dll	5.00.2147.1	54.77 KB (56,080 bytes)		Microsoft Corporation	c:\winnt\system32\cabinet.dll
7:00:00 AM					
msinfo32.dll	5.00.2177.1	312.27 KB (319,760 bytes)		Microsoft Corporation	c:\winnt\system32\msinfo32.dll
9/17/2001 2:09:30 PM					
riched20.dll	5.30.23.1205	421.27 KB (431,376 bytes)		Microsoft Corporation	c:\winnt\system32\riched20.dll
9/24/2001 10:26:33 AM					
riched32.dll	5.00.2134.1	3.77 KB (3,856 bytes)		Microsoft Corporation	c:\winnt\system32\riched32.dll
7:00:00 AM					
els.dll	5.00.2175.1	151.27 KB (154,896 bytes)		Microsoft Corporation	c:\winnt\system32\els.dll
7:00:00 AM					

faxshell.dll	5.00.2134.1	8.27 KB (8,464 bytes)	12/7/1999 7:00:00 AM	inetsloc.dll	5.00.0984	20.27 KB (20,752 bytes)	9/24/2001 10:26:17 AM
Microsoft Corporation:	c:\winnt\system32\faxshell.dll			Microsoft Corporation:	c:\winnt\system32\inetsloc.dll		
msacm32.dll	5.00.2134.1	65.27 KB (66,832 bytes)	12/7/1999 7:00:00 AM	iisfecnv.dll	5.00.0984	7.27 KB (7,440 bytes)	9/17/2001 10:05:27 AM
Microsoft Corporation:	c:\winnt\system32\msacm32.dll			Microsoft Corporation:	c:\winnt\system32\iisfecnv.dll		
avifil32.dll	5.00.2134.1	76.27 KB (78,096 bytes)	12/7/1999 7:00:00 AM	isatq.dll	5.00.0984	60.27 KB (61,712 bytes)	9/24/2001 10:27:35 AM
Microsoft Corporation:	c:\winnt\system32\avifil32.dll			Microsoft Corporation:	c:\winnt\system32\isatq.dll		
msvfw32.dll	5.00.2134.1	113.77 KB (116,496 bytes)	12/7/1999 7:00:00 AM	infocomm.dll	5.00.0984	238.27 KB (243,984 bytes)	9/24/2001 10:27:34 AM
Microsoft Corporation:	c:\winnt\system32\msvfw32.dll			Microsoft Corporation:	c:\winnt\system32\infocomm.dll		
docprop2.dll	5.00.2178.1	297.77 KB (304,912 bytes)	12/7/1999 7:00:00 AM	w3svc.dll	5.00.0984	343.27 KB (351,504 bytes)	9/24/2001 10:27:36 AM
Microsoft Corporation:	c:\winnt\system32\docprop2.dll			Microsoft Corporation:	c:\winnt\system32\w3svc.dll		
linkinfo.dll	5.00.2134.1	15.77 KB (16,144 bytes)	12/7/1999 7:00:00 AM	security.dll	5.00.2154.1	5.77 KB (5,904 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation:	c:\winnt\system32\linkinfo.dll			Microsoft Corporation:	c:\winnt\system32\security.dll		
msi.dll	1.11.2405.0	1.69 MB (1,767,184 bytes)	9/24/2001 10:26:23 AM	svcxct.dll	5.00.0984	39.77 KB (40,720 bytes)	9/24/2001 10:27:35 AM
Microsoft Corporation:	c:\winnt\system32\msi.dll			Microsoft Corporation:	c:\winnt\system32\svcxct.dll		
powrprof.dll	5.00.3103.1000	13.27 KB (13,584 bytes)	9/24/2001 10:26:32 AM	admexs.dll	5.00.0984	27.77 KB (28,432 bytes)	9/24/2001 10:27:33 AM
Microsoft Corporation:	c:\winnt\system32\powrprof.dll			Microsoft Corporation:	c:\winnt\system32\admexs.dll		
batmeter.dll	5.00.3103.1000	20.27 KB (20,752 bytes)	9/24/2001 10:26:10 AM	wamreg.dll	5.00.0984	45.77 KB (46,864 bytes)	9/24/2001 10:27:36 AM
Microsoft Corporation:	c:\winnt\system32\batmeter.dll			Microsoft Corporation:	c:\winnt\system32\wamreg.dll		
stobject.dll	5.00.2195.2780	79.27 KB (81,168 bytes)	9/24/2001 10:26:36 AM	metadata.dll	5.00.0984	68.77 KB (70,416 bytes)	9/24/2001 10:27:35 AM
Microsoft Corporation:	c:\winnt\system32\stobject.dll			Microsoft Corporation:	c:\winnt\system32\metadata.dll		
webcheck.dll	5.00.3315.1000	251.77 KB (257,808 bytes)	9/24/2001 10:26:38 AM	iismap.dll	5.00.0984	55.77 KB (57,104 bytes)	9/24/2001 10:26:17 AM
Microsoft Corporation:	c:\winnt\system32\webcheck.dll			Microsoft Corporation:	c:\winnt\system32\iismap.dll		
ntshrui.dll	5.00.2134.1	46.77 KB (47,888 bytes)	12/7/1999 7:00:00 AM	nsepm.dll	5.00.0984	43.27 KB (44,304 bytes)	9/24/2001 10:27:35 AM
Microsoft Corporation:	c:\winnt\system32\ntshrui.dll			Microsoft Corporation:	c:\winnt\system32\nsepm.dll		
mydocs.dll	5.00.2920.0000	55.77 KB (57,104 bytes)	12/7/1999 7:00:00 AM	admwprox.dll	5.00.0984	31.77 KB (32,528 bytes)	9/17/2001 10:05:29 AM
Microsoft Corporation:	c:\winnt\system32\mydocs.dll			Microsoft Corporation:	c:\winnt\system32\admwprox.dll		
browseui.dll	5.00.3315.2846	788.77 KB (807,696 bytes)	9/24/2001 10:26:10 AM	coadmin.dll	5.00.0984	39.27 KB (40,208 bytes)	9/24/2001 10:27:33 AM
Microsoft Corporation:	c:\winnt\system32\browseui.dll			Microsoft Corporation:	c:\winnt\system32\coadmin.dll		
shdocvw.dll	5.00.3315.2879	1.05 MB (1,104,144 bytes)	9/24/2001 10:26:34 AM	iisadmin.dll	5.00.0984	15.27 KB (15,632 bytes)	9/24/2001 10:27:34 AM
Microsoft Corporation:	c:\winnt\system32\shdocvw.dll			Microsoft Corporation:	c:\winnt\system32\iisadmin.dll		
explorer.exe	5.00.3315.2846	237.27 KB (242,960 bytes)	9/24/2001 10:26:39 AM	rpref.dll	5.00.0984	4.27 KB (4,368 bytes)	9/24/2001 10:27:35 AM
Microsoft Corporation:	c:\winnt\system32\explorer.exe			Microsoft Corporation:	c:\winnt\system32\rpref.dll		
tapisrv.dll	5.00.2195.2955	169.27 KB (173,328 bytes)	9/24/2001 10:26:36 AM	iisrtl.dll	5.00.0984	119.77 KB (122,640 bytes)	9/24/2001 10:26:17 AM
Microsoft Corporation:	c:\winnt\system32\tapisrv.dll			Microsoft Corporation:	c:\winnt\system32\iisrtl.dll		
dfssvc.exe	5.00.2195.2841	88.27 KB (90,384 bytes)	9/24/2001 10:26:13 AM	inetinfo.exe	5.00.0984	14.27 KB (14,608 bytes)	9/24/2001 10:27:34 AM
Microsoft Corporation:	c:\winnt\system32\dfssvc.exe			Microsoft Corporation:	c:\winnt\system32\inetinfo.exe		
iislog.dll	5.00.0984	75.27 KB (77,072 bytes)	9/24/2001 10:27:34 AM	netui1.dll	5.00.2134.1	210.27 KB (215,312 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation:	c:\winnt\system32\iislog.dll			Microsoft Corporation:	c:\winnt\system32\netui1.dll		
ntlsapi.dll	5.00.2134.1	6.77 KB (6,928 bytes)	12/7/1999 7:00:00 AM	netui0.dll	5.00.2134.1	70.27 KB (71,952 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation:	c:\winnt\system32\ntlsapi.dll			Microsoft Corporation:	c:\winnt\system32\netui0.dll		
httpext.dll	0.9.3940.21	435.27 KB (445,712 bytes)	9/24/2001 10:27:34 AM	ntlanman.dll	5.00.2157.1	35.27 KB (36,112 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation:	c:\winnt\system32\httpext.dll			Microsoft Corporation:	c:\winnt\system32\ntlanman.dll		
rpcproxy.dll	5.00.2195.2780	16.27 KB (16,656 bytes)	9/24/2001 10:27:26 AM	wshnetbs.dll	5.00.2134.1	7.77 KB (7,952 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation:	c:\winnt\system32\rpcproxy.dll			Microsoft Corporation:	c:\winnt\system32\wshnetbs.dll		
fpexedll.dll	4.0.2.4324	20.06 KB (20,541 bytes)	9/24/2001 10:27:24 AM	ntmarta.dll	5.00.2195.2862	98.77 KB (101,136 bytes)	9/24/2001 10:26:29 AM
Microsoft Corporation:	c:\program files\common files\microsoft shared\web server extensions\40\bin\fpexedll.dll			Microsoft Corporation:	c:\winnt\system32\ntmarta.dll		
md5filt.dll	5.00.0984	32.77 KB (33,552 bytes)	9/24/2001 10:27:35 AM	provthrd.dll	1.50.1085.0000	68.07 KB (69,708 bytes)	9/17/2001 2:09:22 PM
Microsoft Corporation:	c:\winnt\system32\iisetsrv\md5filt.dll			Microsoft Corporation:	c:\winnt\system32\provthrd.dll		
gzip.dll	5.00.0984	30.27 KB (30,992 bytes)	9/24/2001 10:27:34 AM	ntevt.dll	1.50.1085.0000	192.06 KB (196,669 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation:	c:\winnt\system32\iisetsrv\gzip.dll			Microsoft Corporation:	c:\winnt\system32\ntevt.dll		
compfilt.dll	5.00.0984	22.77 KB (23,312 bytes)	9/24/2001 10:27:33 AM	perfos.dll	5.00.2155.1	21.27 KB (21,776 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation:	c:\winnt\system32\iisetsrv\compfilt.dll			Microsoft Corporation:	c:\winnt\system32\perfos.dll		
sspifilt.dll	5.00.0984	43.27 KB (44,304 bytes)	9/24/2001 10:27:35 AM	psapi.dll	5.00.2134.1	28.27 KB (28,944 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation:	c:\winnt\system32\iisetsrv\sspifilt.dll			Microsoft Corporation:	c:\winnt\system32\psapi.dll		
iscomlog.dll	5.00.0984	24.77 KB (25,360 bytes)	9/24/2001 10:27:35 AM	framedyn.dll	1.50.1085.0000	164.05 KB (167,992 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation:	c:\winnt\system32\iisetsrv\iscomlog.dll			Microsoft Corporation:	c:\winnt\system32\framedyn.dll		
lonsint.dll	5.00.0984	11.77 KB (12,048 bytes)	9/24/2001 10:27:35 AM	cimwin32.dll	1.50.1085.0038	1.02 MB (1,073,232 bytes)	9/24/2001 10:26:41 AM
Microsoft Corporation:	c:\winnt\system32\iisetsrv\lonsint.dll			Microsoft Corporation:	c:\winnt\system32\cimwin32.dll		
				wbemsvcs.dll	1.50.1085.0007	40.07 KB (41,036 bytes)	9/24/2001 10:26:43 AM
				Microsoft Corporation:	c:\winnt\system32\wbem\wbemsvcs.dll		

wbemess.dll	1.50.1085.0039	364.07 KB (372,804 bytes)	
9/24/2001 10:26:43 AM	Microsoft Corporation		
c:\winnt\system32\wbem\wbemess.dll			
fastprox.dll	5.0.1085.0037	144.08 KB (147,536 bytes)	9/24/2001
10:26:42 AM	Microsoft Corporation		
c:\winnt\system32\wbem\fastprox.dll			
wbemcore.dll	1.50.1085.0036	628.07 KB (643,140 bytes)	
9/24/2001 10:26:42 AM	Microsoft Corporation		
c:\winnt\system32\wbem\wbemcore.dll			
wbemcomn.dll	1.50.1085.0021	692.07 KB (708,675 bytes)	
9/24/2001 10:26:42 AM	Microsoft Corporation		
c:\winnt\system32\wbem\wbemcomn.dll			
winmgmt.exe	1.50.1085.0029	192.08 KB (196,685 bytes)	
9/24/2001 10:26:43 AM	Microsoft Corporation		
c:\winnt\system32\wbem\winmgmt.exe			
simpltcp.dll	5.0.0.2134.1	19.27 KB (19,728 bytes)	9/17/2001
10:04:47 AM	Microsoft Corporation		
c:\winnt\system32\simpltcp.dll			
tcpsvcs.exe	5.0.0.2134.1	24.77 KB (25,360 bytes)	12/7/1999
7:00:00 AM	Microsoft Corporation		
c:\winnt\system32\tcpsvcs.exe			
msidle.dll	5.00.2920.0000	6.27 KB (6,416 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation			
c:\winnt\system32\msidle.dll			
mstask.exe	4.71.2195.1	115.27 KB (118,032 bytes)	9/24/2001
10:26:26 AM	Microsoft Corporation		
c:\winnt\system32\mstask.exe			
regsvcs.exe	5.00.2195.2104	65.27 KB (66,832 bytes)	9/24/2001
10:26:33 AM	Microsoft Corporation		
c:\winnt\system32\regsvcs.exe			
nmssvc.exe	1.64.0.0	1012.00 KB (1,036,288 bytes)	10/8/2001 4:31:07 PM
Intel Corporation			
c:\winnt\system32\nmssvc.exe			
llsrpc.dll	5.00.2149.1	45.77 KB (46,864 bytes)	12/7/1999
7:00:00 AM	Microsoft Corporation		
c:\winnt\system32\llsrpc.dll			
llsrv.exe	5.00.2195.2649	114.27 KB (117,008 bytes)	5/4/2001
12:05:02 PM	Microsoft Corporation		
c:\winnt\system32\llsrv.exe			
wmi.dll	5.00.2191.1	6.27 KB (6,416 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation			
c:\winnt\system32\wmi.dll			
netshell.dll	5.00.2195.2779	457.27 KB (468,240 bytes)	9/24/2001
10:26:28 AM	Microsoft Corporation		
c:\winnt\system32\netshell.dll			
netman.dll	5.00.2195.2779	89.27 KB (91,408 bytes)	9/24/2001
10:26:28 AM	Microsoft Corporation		
c:\winnt\system32\netman.dll			
ntmsdba.dll	5.00.2195.2779	167.27 KB (171,280 bytes)	
9/24/2001 10:26:29 AM	Microsoft Corporation		
c:\winnt\system32\ntmsdba.dll			
rasdlg.dll	5.00.2195.2671	514.27 KB (526,608 bytes)	12/7/1999
7:00:00 AM	Microsoft Corporation		
c:\winnt\system32\rasdlg.dll			
netcfgx.dll	5.00.2195.2228	534.77 KB (547,600 bytes)	9/24/2001
10:26:28 AM	Microsoft Corporation		
c:\winnt\system32\netcfgx.dll			
rasmans.dll	5.00.2195.2728	147.27 KB (150,800 bytes)	9/24/2001
10:26:32 AM	Microsoft Corporation		
c:\winnt\system32\rasmans.dll			
sens.dll	5.00.2163.1	36.77 KB (37,648 bytes)	12/7/1999
7:00:00 AM	Microsoft Corporation		
c:\winnt\system32\sens.dll			
iashlpr.dll	5.00.2184.1	33.27 KB (34,064 bytes)	12/7/1999
7:00:00 AM	Microsoft Corporation		
c:\winnt\system32\iashlpr.dll			
iasacct.dll	5.00.2134.1	28.27 KB (28,944 bytes)	12/7/1999
7:00:00 AM	Microsoft Corporation		
c:\winnt\system32\iasacct.dll			
iasuser.dll	5.00.2134.1	25.77 KB (26,384 bytes)	12/7/1999
7:00:00 AM	Microsoft Corporation		
c:\winnt\system32\iasuser.dll			
iasnap.dll	5.00.2195.2104	58.77 KB (60,176 bytes)	9/24/2001
10:26:16 AM	Microsoft Corporation		
c:\winnt\system32\iasnap.dll			
iaspipe.dll	5.00.2134.1	41.77 KB (42,768 bytes)	12/7/1999
7:00:00 AM	Microsoft Corporation		
c:\winnt\system32\iaspipe.dll			
expsrv.dll	6.0.8540	370.27 KB (379,152 bytes)	9/24/2001 10:26:16 AM
Microsoft Corporation			
c:\winnt\system32\expsrv.dll			
vbajet32.dll	6.1.8268	30.27 KB (30,992 bytes)	9/24/2001
10:26:37 AM	Microsoft Corporation		
c:\winnt\system32\vbajet32.dll			
msjtes40.dll	4.00.4229.0	236.27 KB (241,936 bytes)	
9/24/2001 10:26:25 AM	Microsoft Corporation		
c:\winnt\system32\msjtes40.dll			
oledb32r.dll	2.61.7326.0	68.27 KB (69,904 bytes)	
9/24/2001 10:37:53 AM	Microsoft Corporation		
c:\program files\common files\system\ole db\oledb32r.dll			
comdlg32.dll	5.00.3103.1000	236.77 KB (242,448 bytes)	
12/7/1999 7:00:00 AM	Microsoft Corporation		
c:\winnt\system32\comdlg32.dll			
msdart.dll	2.61.7326.0	144.27 KB (147,728 bytes)	9/24/2001
10:37:51 AM	Microsoft Corporation		
c:\winnt\system32\msdart.dll			
oledb32.dll	2.61.7326.0	448.27 KB (459,024 bytes)	9/24/2001
10:37:53 AM	Microsoft Corporation		
c:\program files\system\ole db\oledb32.dll			
msjint40.dll	4.00.2927.2	148.27 KB (151,824 bytes)	
9/24/2001 10:26:25 AM	Microsoft Corporation		
c:\winnt\system32\msjint40.dll			
msjter40.dll	4.00.2927.2	52.27 KB (53,520 bytes)	
9/24/2001 10:26:25 AM	Microsoft Corporation		
c:\winnt\system32\msjter40.dll			
mswstr10.dll	4.00.3829.2	600.27 KB (614,672 bytes)	
9/24/2001 10:26:27 AM	Microsoft Corporation		
c:\winnt\system32\mswstr10.dll			
msjet40.dll	4.00.4431.3	1.43 MB (1,503,504 bytes)	9/24/2001
10:26:25 AM	Microsoft Corporation		
c:\winnt\system32\msjet40.dll			
msjtoledb40.dll	4.00.4331.4	340.27 KB (348,432 bytes)	
9/24/2001 10:26:25 AM	Microsoft Corporation		
c:\winnt\system32\msjtoledb40.dll			
iasrad.dll	5.00.2139.1	94.27 KB (96,528 bytes)	12/7/1999
7:00:00 AM	Microsoft Corporation		
c:\winnt\system32\iasrad.dll			
iasam.dll	5.00.2160.1	96.27 KB (98,576 bytes)	12/7/1999
7:00:00 AM	Microsoft Corporation		
c:\winnt\system32\iasam.dll			
iasads.dll	5.00.2134.1	73.77 KB (75,536 bytes)	12/7/1999
7:00:00 AM	Microsoft Corporation		
c:\winnt\system32\iasads.dll			
ntmssvc.dll	5.00.2195.2779	391.27 KB (400,656 bytes)	9/24/2001
10:26:29 AM	Microsoft Corporation		
c:\winnt\system32\ntmssvc.dll			
iaspolcy.dll	5.00.2134.1	25.27 KB (25,872 bytes)	12/7/1999
7:00:00 AM	Microsoft Corporation		
c:\winnt\system32\iaspolcy.dll			
iasvcs.dll	5.00.2195.2104	58.77 KB (60,176 bytes)	9/24/2001
10:26:17 AM	Microsoft Corporation		
c:\winnt\system32\iasvcs.dll			
iasdo.dll	5.00.2195.2104	261.77 KB (268,048 bytes)	9/24/2001
10:26:16 AM	Microsoft Corporation		
c:\winnt\system32\iasdo.dll			
ias.dll	5.00.2134.1	7.27 KB (7,440 bytes)	12/7/1999 7:00:00 AM
Microsoft Corporation			
c:\winnt\system32\ias.dll			
es.dll	2000.2.3471.1	222.27 KB (227,600 bytes)	9/24/2001
10:26:15 AM	Microsoft Corporation		
c:\winnt\system32\es.dll			
mtxoci.dll	2000.2.3471.1	101.77 KB (104,208 bytes)	9/24/2001
10:26:27 AM	Microsoft Corporation		
c:\winnt\system32\mtxoci.dll			
resutils.dll	5.00.2195.2787	39.77 KB (40,720 bytes)	9/24/2001
10:26:33 AM	Microsoft Corporation		
c:\winnt\system32\resutils.dll			
clusapi.dll	5.00.2195.2104	54.27 KB (55,568 bytes)	9/24/2001
10:26:11 AM	Microsoft Corporation		
c:\winnt\system32\clusapi.dll			
msvcp50.dll	5.00.7051	552.50 KB (565,760 bytes)	12/7/1999
7:00:00 AM	Microsoft Corporation		
c:\winnt\system32\msvcp50.dll			
xolehlp.dll	1999.9.3421.3	17.27 KB (17,680 bytes)	9/17/2001
10:04:53 AM	Microsoft Corporation		
c:\winnt\system32\xolehlp.dll			
msdctlog.dll	1999.9.3421.3	89.77 KB (91,920 bytes)	
9/17/2001 10:04:52 AM	Microsoft Corporation		
c:\winnt\system32\msdctlog.dll			
mtxclu.dll	2000.2.3471.1	51.27 KB (52,496 bytes)	9/24/2001
10:26:27 AM	Microsoft Corporation		
c:\winnt\system32\mtxclu.dll			
msdctprx.dll	2000.2.3471.1	665.77 KB (681,744 bytes)	
9/24/2001 10:26:21 AM	Microsoft Corporation		
c:\winnt\system32\msdctprx.dll			
txfaux.dll	2000.2.3471.1	374.27 KB (383,248 bytes)	9/24/2001
10:26:37 AM	Microsoft Corporation		
c:\winnt\system32\txfaux.dll			
msdctctm.dll	2000.2.3471.1	1.07 MB (1,120,528 bytes)	
9/24/2001 10:26:21 AM	Microsoft Corporation		
c:\winnt\system32\msdctctm.dll			
msdctc.exe	1999.9.3421.3	6.77 KB (6,928 bytes)	9/17/2001 10:04:52 AM
Microsoft Corporation			
c:\winnt\system32\msdctc.exe			
inetpp.dll	5.00.2195.2842	65.27 KB (66,832 bytes)	9/24/2001
10:26:17 AM	Microsoft Corporation		
c:\winnt\system32\inetpp.dll			
win32spl.dll	5.00.2195.2780	92.27 KB (94,480 bytes)	
12/7/1999 7:00:00 AM	Microsoft Corporation		
c:\winnt\system32\win32spl.dll			
usbmon.dll	5.00.2195.2780	11.27 KB (11,536 bytes)	9/24/2001
10:26:37 AM	Microsoft Corporation		
c:\winnt\system32\usbmon.dll			
tcpmon.dll	5.00.2195.2780	40.77 KB (41,744 bytes)	9/24/2001
10:26:36 AM	Microsoft Corporation		
c:\winnt\system32\tcpmon.dll			

pjlmon.dll 5.00.2165.1	12.77 KB (13,072 bytes)	11/30/1999	winnr.dll 5.00.2160.1	18.77 KB (19,216 bytes)	12/7/1999
6:39:36 PM Microsoft Corporation:\winnt\system32\pjlmon.dll			7:00:00 AM Microsoft Corporation:\winnt\system32\winnr.dll		
cnbjmon.dll 5.00.2134.1	43.77 KB (44,816 bytes)		rn20.dll 5.00.2195.2871	35.77 KB (36,624 bytes)	9/24/2001
11/30/1999 6:38:48 PM Microsoft Corporation			10:26:33 AM Microsoft Corporation:\winnt\system32\rn20.dll		
c:\winnt\system32\cnbjmon.dll			wshtcpip.dll 5.00.2195.2104	17.27 KB (17,680 bytes)	
localspl.dll 5.00.2195.2793	246.77 KB (252,688 bytes)	12/7/1999	9/24/2001 10:26:39 AM Microsoft Corporation		
7:00:00 AM Microsoft Corporation:\winnt\system32\localspl.dll			c:\winnt\system32\wshtcpip.dll		
spoolss.dll 5.00.2161.1	61.77 KB (63,248 bytes)	9/17/2001	msafd.dll 5.00.2195.2779	106.77 KB (109,328 bytes)	9/24/2001
9:39:14 AM Microsoft Corporation:\winnt\system32\spoolss.dll			10:26:21 AM Microsoft Corporation:\winnt\system32\msafd.dll		
spoolsv.exe 5.00.2161.1	43.77 KB (44,816 bytes)	9/17/2001	msock.dll 5.00.2195.2871	62.77 KB (64,272 bytes)	
9:39:14 AM Microsoft Corporation:\winnt\system32\spoolsv.exe			9/24/2001 10:26:27 AM Microsoft Corporation		
rpss.dll 5.00.2195.2815	231.27 KB (236,816 bytes)	9/24/2001	c:\winnt\system32\msock.dll		
10:26:33 AM Microsoft Corporation:\winnt\system32\rpss.dll			msgsvc.dll 5.00.2195.2939	34.27 KB (35,088 bytes)	12/7/1999
svchost.exe 5.00.2134.1	7.77 KB (7,952 bytes)	12/7/1999 7:00:00 AM Microsoft Corporation:\winnt\system32\svchost.exe	7:00:00 AM Microsoft Corporation:\winnt\system32\msgsvc.dll		
10:27:28 AM Microsoft Corporation:\winnt\system32\svchost.exe			browser.dll 5.00.2195.2778	48.27 KB (49,424 bytes)	9/24/2001
dsenh.dll 5.00.2195.2228	142.77 KB (146,192 bytes)	9/24/2001	10:26:10 AM Microsoft Corporation:\winnt\system32\browser.dll		
10:26:30 AM Microsoft Corporation:\winnt\system32\dsenh.dll			alrsvc.dll 5.00.2134.1	17.77 KB (18,192 bytes)	12/7/1999
oakley.dll 5.00.2195.2785	378.77 KB (387,856 bytes)	9/24/2001	7:00:00 AM Microsoft Corporation:\winnt\system32\alrsvc.dll		
10:26:30 AM Microsoft Corporation:\winnt\system32\oakley.dll			trkws.dll 5.00.2166.1	88.77 KB (90,896 bytes)	12/7/1999
mfc42u.dll 6.00.8665.0	972.05 KB (995,384 bytes)	12/7/1999	7:00:00 AM Microsoft Corporation:\winnt\system32\trkws.dll		
7:00:00 AM Microsoft Corporation:\winnt\system32\mfc42u.dll			seclogon.dll 5.00.2135.1	15.77 KB (16,144 bytes)	
polagent.dll 5.00.2183.1	108.27 KB (110,864 bytes)		12/7/1999 7:00:00 AM Microsoft Corporation		
12/7/1999 7:00:00 AM Microsoft Corporation			c:\winnt\system32\seclogon.dll		
c:\winnt\system32\polagent.dll			psbase.dll 5.00.2195.2779	111.77 KB (114,448 bytes)	9/24/2001
scecli.dll 5.00.2195.2780	105.27 KB (107,792 bytes)	9/24/2001	10:26:32 AM Microsoft Corporation:\winnt\system32\psbase.dll		
10:26:33 AM Microsoft Corporation:\winnt\system32\scecli.dll			cryptsvc.dll 5.00.2181.1	61.77 KB (63,248 bytes)	
atl.dll 3.00.8449	57.56 KB (58,938 bytes)	12/7/1999 7:00:00 AM Microsoft Corporation:\winnt\system32\atl.dll	12/7/1999 7:00:00 AM Microsoft Corporation		
10:26:11 AM Microsoft Corporation:\winnt\system32\atl.dll			c:\winnt\system32\cryptsvc.dll		
certcli.dll 5.00.2195.2778	130.77 KB (133,904 bytes)	9/24/2001	cryptdll.dll 5.00.2135.1	41.27 KB (42,256 bytes)	12/7/1999
10:26:15 AM Microsoft Corporation:\winnt\system32\certcli.dll			7:00:00 AM Microsoft Corporation:\winnt\system32\cryptdll.dll		
esent.dll 6.0.3940.13	1.08 MB (1,135,376 bytes)	9/24/2001	wkssvc.dll 5.00.2195.2780	95.27 KB (97,552 bytes)	12/7/1999
10:26:15 AM Microsoft Corporation:\winnt\system32\esent.dll			7:00:00 AM Microsoft Corporation:\winnt\system32\wkssvc.dll		
ntdsatq.dll 5.00.2195.2878	31.27 KB (32,016 bytes)	9/24/2001	srsvcd.dll 5.00.2195.2904	79.27 KB (81,168 bytes)	12/7/1999
10:26:29 AM Microsoft Corporation:\winnt\system32\ntdsatq.dll			7:00:00 AM Microsoft Corporation:\winnt\system32\srsvcd.dll		
ntdsad.dll 5.00.2195.2899	990.77 KB (1,014,544 bytes)	9/24/2001	cfgmgr32.dll 5.00.2134.1	16.77 KB (17,168 bytes)	
10:26:29 AM Microsoft Corporation:\winnt\system32\ntdsad.dll			12/7/1999 7:00:00 AM Microsoft Corporation		
kdcsvc.dll 5.00.2195.2878	137.77 KB (141,072 bytes)	9/24/2001	c:\winnt\system32\cfgmgr32.dll		
10:26:19 AM Microsoft Corporation:\winnt\system32\kdcsvc.dll			dmserver.dll 2195.2778.297.3	11.77 KB (12,048 bytes)	
sfmapi.dll 5.00.2134.1	38.77 KB (39,696 bytes)	12/7/1999	9/24/2001 10:26:14 AM VERITAS Software Corp.		
7:00:00 AM Microsoft Corporation:\winnt\system32\sfmapi.dll			c:\winnt\system32\dmserver.dll		
rasfm.dll 5.00.2195.2671	21.27 KB (21,776 bytes)	9/24/2001	winsta.dll 5.00.2195.2386	36.77 KB (37,648 bytes)	9/24/2001
10:26:32 AM Microsoft Corporation:\winnt\system32\rasfm.dll			10:26:38 AM Microsoft Corporation:\winnt\system32\winsta.dll		
mpr.dll 5.00.2195.2779	53.27 KB (54,544 bytes)	9/24/2001	lmhsvc.dll 5.00.2195.2778	9.77 KB (10,000 bytes)	12/7/1999
10:26:20 AM Microsoft Corporation:\winnt\system32\mpr.dll			7:00:00 AM Microsoft Corporation:\winnt\system32\lmhsvc.dll		
rsabase.dll 5.00.2195.2228	128.27 KB (131,344 bytes)	5/4/2001	dnrsrldr.dll 5.00.2195.2778	88.77 KB (90,896 bytes)	9/24/2001
12:05:02 PM Microsoft Corporation:\winnt\system32\rsabase.dll			10:26:14 AM Microsoft Corporation:\winnt\system32\dnrsrldr.dll		
schannel.dll 5.00.2195.2922	138.27 KB (141,584 bytes)		tapi32.dll 5.00.2182.1	123.27 KB (126,224 bytes)	12/7/1999
5/4/2001 12:05:02 PM Microsoft Corporation			7:00:00 AM Microsoft Corporation:\winnt\system32\tapi32.dll		
c:\winnt\system32\schannel.dll			rasman.dll 5.00.2195.2780	54.77 KB (56,080 bytes)	12/7/1999
netlogon.dll 5.00.2195.2865	357.77 KB (366,352 bytes)		7:00:00 AM Microsoft Corporation:\winnt\system32\rasman.dll		
9/24/2001 10:26:28 AM Microsoft Corporation			rasapi32.dll 5.00.2195.2671	189.77 KB (194,320 bytes)	
c:\winnt\system32\netlogon.dll			12/7/1999 7:00:00 AM Microsoft Corporation		
kerberos.dll 5.00.2195.2913	198.77 KB (203,536 bytes)		c:\winnt\system32\rasapi32.dll		
9/24/2001 10:26:19 AM Microsoft Corporation			rtutils.dll 5.00.2168.1	43.77 KB (44,816 bytes)	12/7/1999
c:\winnt\system32\kerberos.dll			7:00:00 AM Microsoft Corporation:\winnt\system32\rtutils.dll		
msprivs.dll 5.00.2154.1	41.50 KB (42,496 bytes)	12/7/1999	adslrpc.dll 5.00.2195.2842	127.27 KB (130,320 bytes)	9/24/2001
7:00:00 AM Microsoft Corporation:\winnt\system32\msprivs.dll			10:26:09 AM Microsoft Corporation:\winnt\system32\adslrpc.dll		
samsrv.dll 5.00.2195.2918	369.77 KB (378,640 bytes)	12/7/1999	activeds.dll 5.00.2195.2778	174.77 KB (178,960 bytes)	9/24/2001
7:00:00 AM Microsoft Corporation:\winnt\system32\samsrv.dll			10:26:02 AM Microsoft Corporation:\winnt\system32\activeds.dll		
lsasrv.dll 5.00.2195.2964	492.77 KB (504,592 bytes)	12/7/1999	mprapi.dll 5.00.2181.1	79.27 KB (81,168 bytes)	12/7/1999
7:00:00 AM Microsoft Corporation:\winnt\system32\lsasrv.dll			7:00:00 AM Microsoft Corporation:\winnt\system32\mprapi.dll		
lsass.exe 5.00.2195.2964	32.77 KB (33,552 bytes)	12/7/1999	iphlpapi.dll 5.00.2173.2	67.77 KB (69,392 bytes)	12/7/1999
7:00:00 AM Microsoft Corporation:\winnt\system32\lsass.exe			7:00:00 AM Microsoft Corporation:\winnt\system32\iphlpapi.dll		
xactsrv.dll 5.00.2134.1	90.27 KB (92,432 bytes)	12/7/1999	icmp.dll 5.00.2134.1	7.27 KB (7,440 bytes)	12/7/1999 7:00:00 AM Microsoft Corporation:\winnt\system32\icmp.dll
7:00:00 AM Microsoft Corporation:\winnt\system32\xactsrv.dll			dhcpcsvc.dll 5.00.2195.2778	88.77 KB (90,896 bytes)	
wmicore.dll 5.00.2195.2842	72.27 KB (74,000 bytes)		12/7/1999 7:00:00 AM Microsoft Corporation		
9/24/2001 10:26:39 AM Microsoft Corporation			c:\winnt\system32\dhcpcsvc.dll		
c:\winnt\system32\wmicore.dll			eventlog.dll 5.00.2178.1	43.77 KB (44,816 bytes)	
rasadhlp.dll 5.00.2168.1	7.27 KB (7,440 bytes)	12/7/1999	12/7/1999 7:00:00 AM Microsoft Corporation		
7:00:00 AM Microsoft Corporation:\winnt\system32\rasadhlp.dll			c:\winnt\system32\eventlog.dll		

ntdsapi.dll	5.00.2195.2661	55.77 KB (57,104 bytes)	9/24/2001	ws2_32.dll	5.00.2195.2780	67.77 KB (69,392 bytes)	9/24/2001
10:26:29 AM	Microsoft Corporation:	c:\winnt\system32\ntdsapi.dll		10:26:39 AM	Microsoft Corporation:	c:\winnt\system32\ws2_32.dll	
scesrv.dll	5.00.2195.2780	226.27 KB (231,696 bytes)	9/24/2001	samlib.dll	5.00.2195.2780	49.77 KB (50,960 bytes)	12/7/1999
10:26:33 AM	Microsoft Corporation:	c:\winnt\system32\scesrv.dll		7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\samlib.dll	
umpnpmgr.dll	5.00.2182.1	86.27 KB (88,336 bytes)		netrap.dll	5.00.2134.1	11.27 KB (11,536 bytes)	12/7/1999
12/7/1999 7:00:00 AM	Microsoft Corporation			7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\netrap.dll	
c:\winnt\system32\umpnpmgr.dll				netapi32.dll	5.00.2195.2808	303.77 KB (311,056 bytes)	
services.exe	5.00.2195.2780	86.77 KB (88,848 bytes)		9/24/2001 10:26:28 AM	Microsoft Corporation		
12/7/1999 7:00:00 AM	Microsoft Corporation			c:\winnt\system32\netapi32.dll			
c:\winnt\system32\services.exe				profmap.dll	5.00.2181.1	29.27 KB (29,968 bytes)	
msv1_0.dll	5.00.2195.2900	111.77 KB (114,448 bytes)	12/7/1999	12/7/1999 7:00:00 AM	Microsoft Corporation		
7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\msv1_0.dll		c:\winnt\system32\profmap.dll			
clbcatq.dll	2000.2.3471.1	496.77 KB (508,688 bytes)	9/24/2001	secur32.dll	5.00.2195.2862	46.77 KB (47,888 bytes)	9/24/2001
10:26:11 AM	Microsoft Corporation:	c:\winnt\system32\clbcatq.dll		10:26:34 AM	Microsoft Corporation:	c:\winnt\system32\secur32.dll	
oleaut32.dll	2.40.4517	612.27 KB (626,960 bytes)	12/7/1999	sfc.dll	5.00.2195.2896	92.11 KB (94,320 bytes)	9/24/2001
7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\oleaut32.dll		10:26:34 AM	Microsoft Corporation:	c:\winnt\system32\sfc.dll	
cscui.dll	5.00.2195.2959	228.27 KB (233,744 bytes)	9/24/2001	nddeapi.dll	5.00.2137.1	15.27 KB (15,632 bytes)	12/7/1999
10:26:12 AM	Microsoft Corporation:	c:\winnt\system32\cscui.dll		7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\nddeapi.dll	
winspool.drv	5.00.2195.2780	109.77 KB (112,400 bytes)		userenv.dll	5.00.2195.2780	361.77 KB (370,448 bytes)	12/7/1999
12/7/1999 7:00:00 AM	Microsoft Corporation			7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\userenv.dll	
c:\winnt\system32\winspool.drv				user32.dll	5.00.2195.2821	392.77 KB (402,192 bytes)	12/7/1999
winscard.dll	5.00.2134.1	77.27 KB (79,120 bytes)		7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\user32.dll	
12/7/1999 7:00:00 AM	Microsoft Corporation			gdi32.dll	5.00.2195.2778	228.77 KB (234,256 bytes)	12/7/1999
c:\winnt\system32\winscard.dll				7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\gdi32.dll	
wlnotify.dll	5.00.2195.2780	53.77 KB (55,056 bytes)		rpert4.dll	5.00.2195.2832	437.27 KB (447,760 bytes)	9/24/2001
9/24/2001 10:26:39 AM	Microsoft Corporation			10:26:33 AM	Microsoft Corporation:	c:\winnt\system32\rpert4.dll	
c:\winnt\system32\wlnotify.dll				advapi32.dll	5.00.2195.2867	351.77 KB (360,208 bytes)	
cscdll.dll	5.00.2195.2401	98.27 KB (100,624 bytes)	9/24/2001	12/7/1999 7:00:00 AM	Microsoft Corporation		
10:26:12 AM	Microsoft Corporation:	c:\winnt\system32\cscdll.dll		c:\winnt\system32\advapi32.dll			
lz32.dll	5.00.2134.1	9.77 KB (10,000 bytes)	12/7/1999	kernel32.dll	5.00.2195.2778	714.77 KB (731,920 bytes)	
7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\lz32.dll		12/7/1999 7:00:00 AM	Microsoft Corporation		
version.dll	5.00.2134.1	15.77 KB (16,144 bytes)	12/7/1999	c:\winnt\system32\kernel32.dll			
7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\version.dll		msvcrt.dll	6.10.8924.0	284.05 KB (290,869 bytes)	5/4/2001
rsaenh.dll	5.00.2195.2228	130.77 KB (133,904 bytes)	9/24/2001	12:05:02 PM	Microsoft Corporation:	c:\winnt\system32\msvcrt.dll	
10:27:28 AM	Microsoft Corporation:	c:\winnt\system32\rsaenh.dll		winlogon.exe	5.00.2195.2953	173.77 KB (177,936 bytes)	
mscat32.dll	5.131.2134.1	7.77 KB (7,952 bytes)	12/7/1999	12/7/1999 7:00:00 AM	Microsoft Corporation		
7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\mscat32.dll		c:\winnt\system32\winlogon.exe			
ole32.dll	5.00.2195.2887	969.77 KB (993,040 bytes)	9/24/2001	sfcfiles.dll	5.00.2195.2967	948.27 KB (971,024 bytes)	9/24/2001
10:26:31 AM	Microsoft Corporation:	c:\winnt\system32\ole32.dll		10:26:34 AM	Microsoft Corporation:	c:\winnt\system32\sfcfiles.dll	
imagehlp.dll	5.00.2195.2778	125.77 KB (128,784 bytes)		ntdll.dll	5.00.2195.2779	478.77 KB (490,256 bytes)	5/4/2001
5/4/2001 12:05:02 PM	Microsoft Corporation			12:05:02 PM	Microsoft Corporation:	c:\winnt\system32\ntdll.dll	
c:\winnt\system32\imagehlp.dll				smss.exe	5.00.2195.2901	44.27 KB (45,328 bytes)	12/7/1999
msasn1.dll	5.00.2134.1	51.27 KB (52,496 bytes)	12/7/1999	7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\smss.exe	
7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\msasn1.dll					
crypt32.dll	5.131.2195.2833	451.27 KB (462,096 bytes)	9/24/2001	[Services]			
10:26:12 AM	Microsoft Corporation:	c:\winnt\system32\crypt32.dll		Display Name	Name	State	Start ModeService Type
10:26:38 AM	Microsoft Corporation:	c:\winnt\system32\wintrust.dll		Path	Error Control	Start NameTag ID	
12/7/1999 7:00:00 AM	Microsoft Corporation			Alterer	Alterer	Running	Auto Share Process
c:\winnt\system32\setupapi.dll				c:\winnt\system32\services.exe		Normal	LocalSystem 0
winmm.dll	5.00.2161.1	184.77 KB (189,200 bytes)	12/7/1999	Application Management	AppMgmt	Stopped	Manual Share
7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\winmm.dll		Process	c:\winnt\system32\services.exe	Normal	LocalSystem 0
comctl32.dll	5.81	537.77 KB (550,672 bytes)	12/7/1999	Computer Browser	Browser	Running	Auto Share Process
7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\comctl32.dll		c:\winnt\system32\services.exe		Normal	LocalSystem 0
shlwapi.dll	5.00.3315.1000	282.77 KB (289,552 bytes)	9/24/2001	Indexing Service	cisvc	Stopped	Manual Share Process
10:26:35 AM	Microsoft Corporation:	c:\winnt\system32\shlwapi.dll		c:\winnt\system32\cisvc.exe		Normal	LocalSystem 0
shell32.dll	5.00.3315.2902	2.25 MB (2,359,056 bytes)	9/24/2001	ClipBook	ClipSrv	Stopped	Manual Own Process
10:26:35 AM	Microsoft Corporation:	c:\winnt\system32\shell32.dll		c:\winnt\system32\clipsrv.exe		Normal	LocalSystem 0
msgina.dll	5.00.2195.2779	324.27 KB (332,048 bytes)	12/7/1999	Distributed File System	Dfs	Running	Auto Own Process
7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\msgina.dll		c:\winnt\system32\dfssvc.exe		Normal	LocalSystem 0
wsock32.dll	5.00.2195.2871	21.27 KB (21,776 bytes)		DHCP Client	Dhcp	Running	Auto Share Process
9/24/2001 10:26:39 AM	Microsoft Corporation			c:\winnt\system32\services.exe		Normal	LocalSystem 0
c:\winnt\system32\wsock32.dll				Logical Disk Manager Administrative Service	dmadmin	Stopped	Manual
dnsapi.dll	5.00.2195.2785	130.77 KB (133,904 bytes)	9/24/2001	Share Process	c:\winnt\system32\dmadmin.exe	/com	Normal
10:26:14 AM	Microsoft Corporation:	c:\winnt\system32\dnsapi.dll		LocalSystem	0		
wldap32.dll	5.00.2195.2797	125.27 KB (128,272 bytes)		Logical Disk Managerdmsrvr		Running	Auto Share Process
9/24/2001 10:26:38 AM	Microsoft Corporation			c:\winnt\system32\services.exe		Normal	LocalSystem 0
c:\winnt\system32\wldap32.dll				DNS Client	Dnscache	Running	Auto Share Process
ws2help.dll	5.00.2134.1	17.77 KB (18,192 bytes)	12/7/1999	c:\winnt\system32\services.exe		Normal	LocalSystem 0
7:00:00 AM	Microsoft Corporation:	c:\winnt\system32\ws2help.dll		Event Log	Eventlog	Running	Auto Share Process
				c:\winnt\system32\services.exe		Normal	LocalSystem 0

COM+ Event System	EventSystem	Running	Manual	Share	Remote Procedure Call (RPC)	RpcSs	Running	Auto	Share
Process	c:\winnt\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0	Process	c:\winnt\system32\svchost -k rpcss	Normal	LocalSystem	0
Fax Service	Fax	Stopped	Manual	Own Process	QoS Admission Control (RSVP)	RSVP	Running	Auto	Own Process
c:\winnt\system32\faxsvc.exe	Normal	LocalSystem	0		c:\winnt\system32\rsvp.exe -s	Normal	LocalSystem	0	
Internet Authentication Service	IAS	Running	Auto	Share	Security Accounts Manager	SamSs	Running	Auto	Share
Process	c:\winnt\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0	Process	c:\winnt\system32\lsass.exe	Normal	LocalSystem	0
IIS Admin Service	IISADMIN	Running	Auto	Share	Smart Card Helper	SCardDrv	Stopped	Manual	Share Process
Process	c:\winnt\system32\inetrv\inetinfo.exe	Normal	LocalSystem	0	c:\winnt\system32\scardsvr.exe	Ignore	LocalSystem	0	
Intersite Messaging	IsmServ	Stopped	Disabled	Own Process	Smart Card	SCardSvr	Stopped	Manual	Share Process
c:\winnt\system32\ismserv.exe	Normal	LocalSystem	0		c:\winnt\system32\scardsvr.exe	Ignore	LocalSystem	0	
Kerberos Key Distribution Center	kdcc	Stopped	Disabled	Share	Task Scheduler	Schedule	Running	Auto	Share Process
Process	c:\winnt\system32\lsass.exe	Normal	LocalSystem	0	c:\winnt\system32\mstask.exe	Normal	LocalSystem	0	
Server lanmanserver	Running	Auto	Share Process		RunAs Service	seclogon	Running	Auto	Share Process
c:\winnt\system32\services.exe	Normal	LocalSystem	0		c:\winnt\system32\services.exe	Ignore	LocalSystem	0	
Workstation	lanmanworkstation	Running	Auto	Share	System Event Notification	SENS	Running	Auto	Share
Process	c:\winnt\system32\services.exe	Normal	LocalSystem	0	Process	c:\winnt\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0
License Logging Service	LicenseService	Running	Auto	Share	Internet Connection Sharing	SharedAccess	Stopped	Manual	
Own Process	c:\winnt\system32\llssrv.exe	Normal	LocalSystem	0	Share Process	c:\winnt\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0
TCP/IP NetBIOS Helper Service	LmHosts	Running	Auto	Share	Simple TCP/IP Services	SimpTcp	Running	Auto	Share
Process	c:\winnt\system32\services.exe	Normal	LocalSystem	0	Process	c:\winnt\system32\cpsvc.exe	Normal	LocalSystem	0
Messenger	Messenger	Running	Auto	Share Process	Print Spooler	Spooler	Running	Auto	Own Process
c:\winnt\system32\services.exe	Normal	LocalSystem	0		c:\winnt\system32\spoolsv.exe	Normal	LocalSystem	0	
NetMeeting Remote Desktop Sharing	mnmsrvc	Stopped	Manual		Performance Logs and Alerts	SysmonLog	Stopped	Manual	
Own Process	c:\winnt\system32\mnmsrvc.exe	Normal	LocalSystem	0	Own Process	c:\winnt\system32\smlogsvc.exe	Normal	LocalSystem	0
Distributed Transaction Coordinator	MSDTC	Running	Auto		Telephony TapiSrv	Running	Manual	Share Process	
Own Process	c:\winnt\system32\msdtc.exe	Normal	LocalSystem	0	c:\winnt\system32\svchost.exe -k tapisrv	Normal	LocalSystem	0	
Windows Installer	MSIServer	Stopped	Manual	Share Process	Terminal Services	TermService	Stopped	Disabled	Own Process
c:\winnt\system32\msiexec.exe /v	Normal	LocalSystem	0		c:\winnt\system32\termsrv.exe	Normal	LocalSystem	0	
Network DDE	NetDDE	Stopped	Manual	Share Process	Telnet	TlntSvr	Stopped	Manual	Own Process
c:\winnt\system32\netdde.exe	Normal	LocalSystem	0		c:\winnt\system32\tlntsvr.exe	Normal	LocalSystem	0	
Network DDE DSDM	NetDDEdsdm	Stopped	Manual	Share	Distributed Link Tracking Server	TrkSvr	Stopped	Manual	Share
Process	c:\winnt\system32\netdde.exe	Normal	LocalSystem	0	Process	c:\winnt\system32\services.exe	Normal	LocalSystem	0
Net Logon	Netlogon	Stopped	Manual	Share Process	Distributed Link Tracking Client	TrkKws	Running	Auto	Share
c:\winnt\system32\lsass.exe	Normal	LocalSystem	0		Process	c:\winnt\system32\services.exe	Normal	LocalSystem	0
Network Connections	Netman	Running	Manual	Share Process	Uninterruptible Power Supply	UPS	Stopped	Manual	Own Process
c:\winnt\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0		c:\winnt\system32\ups.exe	Normal	LocalSystem	0	
NMS Service	NMSSvc	Running	Auto	Own Process	Utility Manager	UtilMan	Stopped	Manual	Own Process
c:\winnt\system32\nmssvc.exe	Normal	LocalSystem	0		c:\winnt\system32\utilman.exe	Normal	LocalSystem	0	
File Replication	NtFrs	Stopped	Manual	Own Process	Windows Time	W32Time	Stopped	Manual	Share Process
c:\winnt\system32\ntfrs.exe	Ignore	LocalSystem	0		c:\winnt\system32\services.exe	Normal	LocalSystem	0	
NT LM Security Support Provider	NtLmSsp	Stopped	Manual	Share	World Wide Web Publishing Service	W3SVC	Running	Auto	
Process	c:\winnt\system32\lsass.exe	Normal	LocalSystem	0	Share Process	c:\winnt\system32\inetrv\inetinfo.exe	Normal	LocalSystem	0
Removable Storage	NtmsSvc	Running	Auto	Share Process	Windows Management Instrumentation	WinMgmt	Running	Auto	
c:\winnt\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0		Own Process	c:\winnt\system32\wbem\winmgmt.exe	Ignore	LocalSystem	0
Plug and Play	PlugPlay	Running	Auto	Share Process	Windows Management Instrumentation Driver Extensions	Wmi	Running	Manual	Share Process
c:\winnt\system32\services.exe	Normal	LocalSystem	0		Running	Manual	Share Process	c:\winnt\system32\services.exe	Normal
IPSEC Policy Agent	PolicyAgent	Running	Auto	Share	LocalSystem	0			
Process	c:\winnt\system32\lsass.exe	Normal	LocalSystem	0	[Program Groups]				
Protected Storage	ProtectedStorage	Running	Auto	Share	Group Name	Name	User Name		
Process	c:\winnt\system32\services.exe	Normal	LocalSystem	0	Accessories	Default User:Accessories	Default User		
Remote Access Auto Connection Manager	RasAuto	Stopped	Manual		Accessories\Accessibility	Default User:Accessories\Accessibility	Default User		
Share Process	c:\winnt\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0	Accessories\Entertainment	Default User:Accessories\Entertainment	Default User		
Remote Access Connection Manager	RasMan	Stopped	Manual		Accessories\System Tools	Default User:Accessories\System Tools	Default User		
Share Process	c:\winnt\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0	Startup	Default User:Startup	Default User		
Routing and Remote Access	RemoteAccess	Stopped	Disabled		Accessories	All Users:Accessories	All Users		
Share Process	c:\winnt\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0	Accessories\Accessibility	All Users:Accessories\Accessibility	All Users		
Remote Registry Service	RemoteRegistry	Running	Auto		Accessories\Communications	All Users:Accessories\Communications	All Users		
Own Process	c:\winnt\system32\regsvc.exe	Normal	LocalSystem	0	Accessories\Entertainment	All Users:Accessories\Entertainment	All Users		
Remote Procedure Call (RPC) Locator	RpcLocator	Stopped	Manual	Own Process	LocalSystem	0			
Manual	Own Process	c:\winnt\system32\locator.exe	Normal	LocalSystem	0				

Accessories\Games All Users:Accessories\Games All Users
 Accessories\Microsoft Script Debugger All Users:Accessories\Microsoft
 Script Debugger All Users
 Accessories\System Tools All Users:Accessories\System Tools
 All Users
 Administrative Tools All Users:Administrative Tools All Users
 Microsoft SQL Server All Users:Microsoft SQL Server All Users
 Startup All Users:Startup All Users
 Accessories CLIENT10\Administrator:Accessories
 CLIENT10\Administrator
 Accessories\Accessibility
 CLIENT10\Administrator:Accessories\Accessibility
 CLIENT10\Administrator
 Accessories\Entertainment
 CLIENT10\Administrator:Accessories\Entertainment
 CLIENT10\Administrator
 Accessories\System Tools CLIENT10\Administrator:Accessories\System
 Tools CLIENT10\Administrator
 Administrative Tools CLIENT10\Administrator:Administrative Tools
 CLIENT10\Administrator
 Startup CLIENT10\Administrator:StartupCLIENT10\Administrator

[Startup Programs]

Program	Command	User Name	Location
Promon.exe	promon.exe	All Users	
HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Run			

[OLE Registration]

Object	Local Server
Sound (OLE2)	sndrec32.exe
Media Clipmplay32.exe	
Video Clipmplay32.exe /avi	
MIDI Sequence	mplay32.exe /mid
Sound	Not Available
Media Clip	Not Available
Image Document	"C:\Program Files\Windows NT\Accessories\ImageVue\KodakImg.exe"
WordPad Document	"%ProgramFiles%\Windows NT\Accessories\WORDPAD.EXE"
Windows Media Services DRM Storage object	Not Available
Bitmap Image	mspaint.exe

[Internet Explorer 5]

[Following are sub-categories of this main category]

[Summary]

Item	Value
Version	5.00.3315.1000
Build	53315.1000
Product ID	51876-270-7339724-05107
Application Path	C:\Program Files\Internet Explorer
Language	English (United States)
Active Printer	Not Available
Cipher Strength	168-bit
Content Advisor	Disabled
IEAK Install	No

[File Versions]

File	Version	Size	Date	Path	Company
advapi32.dll	5.0.2195.2867	352 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
advpack.dll	5.0.3103.1000	87 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
browselc.dll	5.0.3315.2846	35 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation

browseui.dll	5.0.3315.2846	789 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
ckcnv.exe	5.0.2189.19 KB	12/7/1999 8:00:00 AM		C:\WINNT\system32	Microsoft Corporation
comctl32.dll	5.81.3103.1000	538 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
crypt32.dll	5.131.2195.2833	451 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
enhsg.dll	<File Missing>	Not Available	Not Available		
iemigrat.dll	<File Missing>	Not Available	Not Available		
iesetup.dll	5.0.3103.1000	57 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
iexplore.exe	5.0.2920.0 59 KB	12/7/1999 8:00:00 AM		C:\Program Files\Internet Explorer	Microsoft Corporation
imagehlp.dll	5.0.2195.2778	126 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
imghelp.dll	<File Missing>	Not Available	Not Available		
inseng.dll	5.0.3103.1000	72 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
jobexec.dll	5.0.0.1 47 KB	12/7/1999 8:00:00 AM		C:\WINNT\system32	Microsoft Corporation
jscrip.dll	5.1.0.5907 476 KB	5/4/2001 12:05:02 PM		C:\WINNT\system32	Microsoft Corporation
jsproxy.dll	5.0.2920.0 13 KB	12/7/1999 8:00:00 AM		C:\WINNT\system32	Microsoft Corporation
msahtml.dll	<File Missing>	Not Available	Not Available		
mshtml.dll	5.0.3315.2870	2290 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
msjava.dll	5.0.3802.0 923 KB	5/4/2001 12:05:02 PM		C:\WINNT\system32	Microsoft Corporation
msoss.dll	<File Missing>	Not Available	Not Available		
msxml.dll	8.0.5718.1 493 KB	5/4/2001 12:05:02 PM		C:\WINNT\system32	Microsoft Corporation
occache.dll	5.0.3103.1000	86 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
ole32.dll	5.0.2195.2887	970 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
oleaut32.dll	2.40.4517.0	612 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
olepro32.dll	5.0.4517.0 160 KB	5/4/2001 12:05:02 PM		C:\WINNT\system32	Microsoft Corporation
rsabase.dll	5.0.2195.2228	128 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
rsaenh.dll	5.0.2195.2228	131 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
rsapi32.dll	<File Missing>	Not Available	Not Available		
rsasig.dll	<File Missing>	Not Available	Not Available		
schannel.dll	5.1.2195.0 138 KB	5/4/2001 12:05:02 PM		C:\WINNT\system32	Microsoft Corporation
shdoc401.dll	<File Missing>	Not Available	Not Available		
shdocvw.dll	5.0.3315.2879	1078 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
shell32.dll	5.0.3315.2902	2304 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
shlwapi.dll	5.0.3315.1000	283 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
url.dll	5.0.2920.0 82 KB	12/7/1999 8:00:00 AM		C:\WINNT\system32	Microsoft Corporation
urlmon.dll	5.0.3315.1000	441 KB	5/4/2001 12:05:02 PM	C:\WINNT\system32	Microsoft Corporation
vbscript.dll	5.1.0.5907 428 KB	5/4/2001 12:05:02 PM		C:\WINNT\system32	Microsoft Corporation

webcheck.dll 5.0.3315.1000 252 KB 5/4/2001 12:05:02 PM
 C:\WINNT\system32 Microsoft Corporation
 win.com 5.0.2134.1 24 KB 12/7/1999 8:00:00 AM
 C:\WINNT\system32 Microsoft Corporation
 wininet.dll 5.0.3315.1000 457 KB 5/4/2001 12:05:02 PM
 C:\WINNT\system32 Microsoft Corporation
 winsock.dll 5.0.2134.1 3 KB 12/7/1999 8:00:00 AM
 C:\WINNT\system32 Microsoft Corporation
 wintrust.dll 5.131.2195.2779 162 KB 5/4/2001 12:05:02 PM
 C:\WINNT\system32 Microsoft Corporation
 wsock.vxd <File Missing> Not Available Not Available
 Not Available Not Available
 wsock32.dll 5.0.2195.2871 21 KB 5/4/2001 12:05:02 PM
 C:\WINNT\system32 Microsoft Corporation
 wsock32n.dll <File Missing> Not Available Not Available
 Available Not Available Not Available

[Connectivity]

Item	Value
Connection Preference	Never dial
EnableHttp1.1	1
ProxyHttp1.1	0

LAN Settings

AutoConfigProxy	wininet.dll
AutoProxyDetectMode	Enabled
AutoConfigURL	
Proxy	Disabled
ProxyServer	
ProxyOverride	

[Cache]

[Following are sub-categories of this main category]

[Summary]

Item	Value
Page Refresh Type	Automatic
Temporary Internet Files Folder	C:\Documents and Settings\Administrator\Local Settings\Temporary Internet Files
Total Disk Space	8667 MB
Available Disk Space	6705 MB
Maximum Cache Size	270 MB
Available Cache Size	271 MB

[List of Objects]

Program File	Status	CodeBase
No cached object information available		

[Content]

[Following are sub-categories of this main category]

[Summary]

Item	Value
Content Advisor	Disabled

[Personal Certificates]

Issued To	Issued By	Validity	Signature	Algorithm
Administrator	Administrator	9/17/2001 to 8/24/2101	sha1RSA	

[Other People Certificates]

Issued To	Issued By	Validity	Signature	Algorithm
-----------	-----------	----------	-----------	-----------

No other people certificate information available

[Publishers]

Name
 No publisher information available

[Security]

Zone	Security Level
Local intranet	Medium-low
Trusted sites	Low
Internet	Medium
Restricted sites	High

COM+ Settings

COM+ Settings

TPCC.AllTxns:
 Activation:
 Enable Object Pooling selected
 Minimum Pool Size: 82
 Maximum Pool Size: 82
 Creating Timeout: 60,000
 Enable Object Construction
 Enable Just in Time Activation
 Concurrency:
 Concurrency Required

TPCC Application Registry Parameters

TPCC Application Registry Parameters

```
[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\TPCC]
"Path"="c:\inetpub\wwwroot\\"
"NumberOfDeliveryThreads"=dword:0x8
"MaxConnections"=dword:0x1CE8
"MaxPendingDeliveries"=dword:0x2E4
"DB_Protocol"="ODBC"
"TxnMonitor"="COM"
"DbServer"="tpcc-1 way"
"DbName"="tpcc"
"DbUser"="sa"
"DbPassword"=""
"COM_SinglePool"="YES"
```

Microsoft Internet Information Service Registry Parameters

Microsoft Internet Information Service Registry Parameters

```
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\InetInfo]
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\InetInfo\Parameters]
"ListenBackLog"=dword:0x19
"DispatchEntries"=hex(7):4c,00,44,00,41,00,50,00,53,00,56,00,43,00,00,00,00,00
"PoolThreadLimit"=dword:0xbe
"ThreadTimeout"=dword:0x15180
[HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\InetInfo\Performance]
"Library"="infectrs.dll"
```


CLIENT_NURAND: 233
CPU: 1

Name: DRIVER3
Description: rte13
Directory: c:\benchcrf\log\driver3
Machine: rtes2
Parameter Set: ~Default
Index: 200000000
Seed: 25744
Configured Users: 920
Pipe Name: DRIVER34857234
Connect Rate: 400
Start Rate: 0
CLIENT_NURAND: 233
CPU: 2

Name: DRIVER4
Description: rte14
Directory: c:\benchcrf\log\driver4
Machine: rtes2
Parameter Set: ~Default
Index: 300000000
Seed: 25744
Configured Users: 920
Pipe Name: DRIVER45155671
Connect Rate: 400
Start Rate: 0
CLIENT_NURAND: 233
CPU: 3

Name: DRIVER5
Description: rte21
Directory: c:\benchcrf\log\driver5
Machine: rtes2
Parameter Set: ~Default
Index: 400000000
Seed: 25744
Configured Users: 920
Pipe Name: DRIVER55193562
Connect Rate: 400
Start Rate: 0
CLIENT_NURAND: 233
CPU: 0

Name: DRIVER6
Description: rte22
Directory: c:\benchcrf\log\driver6
Machine: rtes2
Parameter Set: ~Default
Index: 500000000
Seed: 25744
Configured Users: 920
Pipe Name: DRIVER65224953
Connect Rate: 400
Start Rate: 0
CLIENT_NURAND: 233
CPU: 1

Name: DRIVER7
Description: rte23
Directory: c:\benchcrf\log\driver7
Machine: rtes2
Parameter Set: ~Default
Index: 600000000
Seed: 25744
Configured Users: 920
Pipe Name: DRIVER75257406
Connect Rate: 400
Start Rate: 0
CLIENT_NURAND: 233

CPU: 2

Name: DRIVER8
Description: rte24
Directory: c:\benchcrf\log\driver8
Machine: rtes2
Parameter Set: ~Default
Index: 700000000
Seed: 25744
Configured Users: 920
Pipe Name: DRIVER85300468
Connect Rate: 400
Start Rate: 0
CLIENT_NURAND: 233
CPU: 3

Number of User groups: 8

Driver Engine: DRIVER1
IIS Server: client1
SQL Server: tpcc-1way
User: sa
Protocol: Html
w_id Range: 1 - 92
w_id Max Warehouse: 736
Scale: Normal
User Count: 920
District id: 1
Scale Down: No

Driver Engine: DRIVER2
IIS Server: client1
SQL Server: tpcc-1way
User: sa
Protocol: Html
w_id Range: 93 - 184
w_id Max Warehouse: 736
Scale: Normal
User Count: 920
District id: 1
Scale Down: No

Driver Engine: DRIVER3
IIS Server: client1
SQL Server: tpcc-1way
User: sa
Protocol: Html
w_id Range: 185 - 276
w_id Max Warehouse: 736
Scale: Normal
User Count: 920
District id: 1
Scale Down: No

Driver Engine: DRIVER4
IIS Server: client1
SQL Server: tpcc-1way
User: sa
Protocol: Html
w_id Range: 277 - 368
w_id Max Warehouse: 736
Scale: Normal
User Count: 920
District id: 1
Scale Down: No

Driver Engine: DRIVER5
IIS Server: client2
SQL Server: tpcc-1way
User: sa
Protocol: Html

w_id Range: 369 - 460
w_id Max Warehouse: 736
Scale: Normal
User Count: 920
District id: 1
Scale Down: No

Driver Engine: DRIVER6
IIS Server: client2
SQL Server: tpcc-1way
User: sa
Protocol: Html
w_id Range: 461 - 552
w_id Max Warehouse: 736
Scale: Normal
User Count: 920
District id: 1
Scale Down: No

Driver Engine: DRIVER7
IIS Server: client2
SQL Server: tpcc-1way
User: sa
Protocol: Html
w_id Range: 553 - 644
w_id Max Warehouse: 736
Scale: Normal
User Count: 920
District id: 1
Scale Down: No

Driver Engine: DRIVER8
IIS Server: client2
SQL Server: tpcc-1way
User: sa
Protocol: Html
w_id Range: 645 - 736
w_id Max Warehouse: 736
Scale: Normal
User Count: 920
District id: 1
Scale Down: No

Number of Parameter Sets: 1

~Default		Default Parameter Set					
		Txn Weight	Think Time	Key Time	RT Delay	RT Fence	Menu Delay
		New Order	44.88	12.05	18.01		0.10
5.00	0.10	Payment	43.03	12.05	3.01		0.10
5.00	0.10	Delivery	4.03	5.05	2.01		0.10
5.00	0.10	Stock Level	4.03	5.05	2.01		0.10
20.00	0.10	Order Status	4.03	10.05	2.01		0.10
5.00	0.10						

Appendix D: 60-Day Space

TPC-C 60-Day Space Requirements						
Warehouses	736				tpmC	20,422.01
Table	Rows	Data KB	Index KB	Extra 5% KB	8HR Space	Total Space KB
Warehouse	736	80	32	5.60		117.60
District	7,360	824	32	42.80		898.80
Item	100,000	9,528	48	478.80		10,054.80
New-Order	6,624,000	104,728	264		58,880.00	163,872.00
History	22,080,000	1,226,680	48		243,025.48	1,469,753.48
Orders	22,080,000	676,784	307,800		195,054.65	1,179,638.65
Customer	22,080,000	16,058,184	957,624	850,790.40		17,866,598.40
Order-Line	220,804,524	13,800,288	29,240		2,739,749.75	16,569,277.75
Stock	73,600,000	23,552,000	44,056	1,179,802.80		24,775,858.80
Totals		55,429,096	1,339,144	2,031,120.40	3,236,709.89	62,036,070.29
Segment	LogDev Cnt.	Segment Size	Needed	Overhead		Not Needed
misc	3	21,504,000	19,393,613	193,936		1,916,450.78
big	3	43,161,600	42,642,457	426,425		92,718.23
master, msdb,model	1	13,312	13,312			
tpcc_root	1	8,192	8,192			
tempdb	1	8,704	8,704			
Totals		64,695,808.00	62,066,278.29	620,360.7		20,091,697.01
Dynamic Space	15,703,752.00	Sum of Data for Order, Order-Line and History				
Static Space	43,715,969.10	Data + Index + 5% Space + Overhead - Dynamic Space				
Free Space	3,266,917.89	Total Segment Size - Dynamic Space - Static Space - Not needed				
Daily Growth	3,111,049.83	(Dynamic Space/W * 62.5)* tpmC				
Daily Spread	(1,399,656.85)	Free Space - 1.5 * Daily Growth (Zero If Negative)				
60-Day Space (KB)	230,378,958.64	Static Space + 60 (Daily Growth + Daily Spread)				
60-Day Space (GB)	219.71	60-Day Space in GB (Excludes OS,Paging and RDBMS Logs)				
Available (GB)	304.20	Total storage configured and available for database, minus logs, in RAID-0 configuration.				
Log File Storage Requirement						
Log Size (MB)	30,000.00	Total Size of Log File				
% Log Used	27.3934	% of Log File Used During Entire Run				
Total N-O Txn	1,641,148.00	Total Count of New-Order Transactions during Entire Run				
Log / N-O Txn	5.13	KB of Log per New-Order Transaction				
8 Hour Log (GB)	21.39	8 Hours of Log in GB (Excluding Space for Redundancy)				
Log Configured (GB)	33.90					
Disk Capacity	MB	GB				
9.1GB	8,678	8.45				
36.4GB	34,611	33.90				
Space Usage	GB Needed		Disks Priced	Disk Size	GB Priced	GB Usable
60-Day (RAID-0)	219.71		36	9.1GB	304.20	304.20
Total DB			36		304.20	304.20
8hr Log (RAID-1)	21.39		2	36.4GB	67.60	33.90
OS, SQL Server	4.00		1	9.1GB	8.45	8.45
Total Space	245.10		39		380.25	346.55

Appendix E: Third-Party Quotations

Microsoft Corporation
One Microsoft Way
Redmond, WA 98052-6399

Tel 425 882 8080
Fax 425 936 7329
<http://www.microsoft.com/>

Microsoft

October 16, 2001

IBM Corp.
Chris King
IBM Corporation
3039 Cornwallis Road
Research Triangle Park, NC 27709

Chris:

Here is the information you requested regarding pricing for several Microsoft products to be used in conjunction with your TPC-C V5.0 benchmark testing.

All pricing shown is in US Dollars (\$).

Part Number	Description	Unit Price	Quantity	Price
228-01079	SQL Server 2000 Standard Edition <i>Per processor licensing</i>	\$ 4,999	1	\$ 4,999
C11-00821	Windows 2000 Server <i>Server license only - No CALs</i> <i>Discount schedule: Open Program - No Level</i>	\$ 738	1	\$ 738
048-00317	Visual C++ Professional 6.0 Win32	\$ 549	1	\$ 549
	3-year maintenance for above software	\$ 2,095	1	\$ 6,285

All products are currently orderable through Microsoft's normal distribution channels.

This quote is valid for the next 90 days.

If we can be of any further assistance, please contact Jamie Reding at (425) 703-0510 or jamiere@microsoft.com.

Reference ID: Pxrrh0124098498

Please include this Reference ID in any correspondence regarding this price quote.

Software House International
2880 Zanker Blvd. #103
San Jose, CA 95134
Matthew Martin
National Account Executive
1-800-766-6357

Description	Part Number	Unit Price	Qty	Extended Price
8-Port 10/100Mbps Hub	Generic	24	3	\$72

Prices are valid for 45 days from October 15, 2001.