


TPC Benchmark™ H

Full Disclosure Report for



PRIMEPOWER 2500

**Using Oracle Database 10g
Enterprise Edition**

Jan 12, 2004

Second Edition

Second Edition Jan 12, 2004

Fujitsu Siemens Computers GmbH believes that the information in this document is accurate as of the publication date. The information in this document is subject to change without notice. We assume no responsibility for any errors that may appear in this document. The pricing information in this document is believed to accurately reflect the current prices as of the publication date. However, we provide no warranty of the pricing information in this document.

Benchmark results are highly dependent upon workload, specific application requirements, system design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC Benchmark™ H should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report were obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. We do not warrant or represent that a user can or will achieve similar performance. No warranty of system performance or price/performance is expressed or implied in this report.

Copyright © 2004 Fujitsu Siemens Computers GmbH. All rights reserved.

Permission is hereby granted to reproduce this document in whole or in part provided the copyright notice printed above is set forth in full text on the title page of each item reproduced.

Fujitsu, PRIMEPOWER and SPARC64 are trademarks or registered trademarks of Fujitsu Limited.

FibreCAT is a trademark or registered trademark of Fujitsu Siemens Computers GmbH.

Sun, Sun Microsystems and Solaris are trademarks or registered trademarks of Sun Microsystems, Inc.

Oracle, Oracle 10g, SQL*DBA, SQL*Loader, SQL*Net and SQL*Plus are trademarks or registered trademarks of Oracle Corporation.

Veritas is a trademark or registered trademark of Veritas Corporation.

TPC Benchmark and TPC-H are trademarks or registered trademarks of the Transaction Processing Performance Council (TPC).

UNIX is a registered trademark and is licensed exclusively through X/Open Company Ltd.

All other products mentioned are trademarks or registered trademarks of their respective companies.

Preface

The Transaction Processing Performance Council (TPC), of which Fujitsu Siemens Computers GmbH is a member, is an organization of computer companies, dedicated to the development of objective, industry-wide performance metrics in the area of transaction processing. Fujitsu Siemens Computers GmbH is involved in this effort, participating on the council and utilizing TPC benchmarks in performance evaluation.

The TPC Benchmark™ (TPC-H) is a decision support benchmark. It consists of a suite of business oriented ad-hoc queries and concurrent data modifications. The queries and the data populating the database have been chosen to have broad industry-wide relevance. This benchmark illustrates decision support systems that

- Examine large volumes of data
- Execute queries with a high degree of complexity
- Give answers to critical business questions.

TPC-H evaluates the performance of various decision support systems by the execution of sets of queries against a standard database under controlled conditions. The TPC-H queries:

- Give answers to real-world business questions
- Simulate generated ad-hoc queries
- Are far more complex than most OLTP transactions
- Include a rich breadth of operators and selectivity constraints
- Generate intensive activity on the part of the database server component of the system under test
- Are executed against a database complying to specific population and scaling requirements
- Are implemented with constraints derived from staying closely synchronized with an on-line production database

The performance metric reported by TPC-H is called the TPC-H Composite Query-per-Hour Performance Metric (QphH@Size), and reflects multiple aspects of the capability of the system to process queries. These aspects include the selected database size against which the queries are executed, the query processing power when queries are submitted by a single stream, and the query throughput when queries are submitted by multiple concurrent users. The TPC-H Price/Performance metric is expressed as €QphH@Size.

The extent to which a customer can achieve the results reported by a vendor is highly dependent on how closely TPC-H approximates the customer application. The relative performance of systems derived from this benchmark does not necessarily hold for other workloads or environments. Extrapolations to any other environment are not recommended.




PRIMEPOWER 2500

With Oracle Database 10g

**TPC-H REV 2.0
EXECUTIVE SUMMARY**

Report Date: Jan 12, 2004

| | | | |
|--------------------|---|-----------------------------|---|
| Total System Cost | Composite Query per Hour Metric | Price/Performance | |
| € 5,380,411 | 34,492.5 QphH@1000GB | €156 €QphH@1000GB | |
| Database Size | Database Manager | Operating System | Other Software |
| 1000GB | Oracle Database 10g Enterprise Edition | Solaris 9 | Veritas Volume Mgr.3.5.0 |
| | | | Availability Date |
| | | | March 8, 2004 |



| | | |
|-------------------------------|--|--|
| Database Load time = 02:18:34 | Load Includes Backup: N | Total Data Storage/database Size=43.68 |
| RAID (base tables): N | RAID (Base Tables & auxil. Data structures): N | RAID (A11): Y |

System Configuration: PRIMEPOWER 2500
Processors: 64 Fujitsu SPARC64 V 1.3 GHz with 2 MB L2 cache
Memory: 256 GB
Disks: 5 internal disks 36 GB, 64 FibreCat S80 arrays with 640 disks 73 GB
Total Storage: 43,679.04 GB (1GB defined as 2^30 bytes)

Database Size includes only raw data (e.g., no temp, index, redundant storage space, etc.)



PRIMEPOWER 2500

With Oracle Database 10g

**TPC-H REV 2.0
EXECUTIVE SUMMARY**

Report Date: Jan 12, 2004

| Description | Part Number | Source | Unit Price | Qty | Ext. Price | 3 Yr. Maint. |
|--|-----------------|--------|----------------------|-----|-------------------|-----------------|
| Server Hardware | | | | | | |
| PRIMEPOWER 2500 So9 basic cabinet 64CPU | D:GPK25-GA73 | 1 | 590,000 | 1 | 590,000 | 102,600 |
| Systemboard 1D f 8cpu 4mem f PW2500 | D:GPK25-SE73 | 1 | 54,000 | 8 | 432,000 | |
| Dual CPU modul 1.3GHz SLC2MB f PW 2500 | D:GPK25-ZE90 | 1 | 58,000 | 32 | 1,856,000 | 315,648 |
| Main memory expansion 8 GB f 2500 | D:GPK25-SP74 | 1 | 20,000 | 32 | 640,000 | |
| Disk Drive 36 GB | D:GP71F-FP36 | 1 | 1,750 | 5 | 8,750 | |
| Fibre Channel Contr. Single port 2 GB | D:GP70F-CF31 | 1 | 3,050 | 64 | 195,200 | |
| FC cable MMF 20m Connector DLC-DLC | D:FCKAB-MM-C10L | 1 | 139 | 64 | 8,896 | |
| PCI/DISK box 10PCI slot 4HDD bay f PW2500 | D:GPK25-BG63 | 1 | 49,000 | 16 | 784,000 | 150,912 |
| I/O cabinet f 8x PCI/disk box f PW2500 | D:GPK25-BG71 | 1 | 21,775 | 2 | 43,550 | |
| I/O cabinet joint A f PW2500 bc64 | D:GPK25-BG72 | 1 | 17,225 | 1 | 17,225 | |
| I/O cabinet joint B f PW2500 I/O-I/O | D:GPK25-BG73 | 1 | 17,225 | 1 | 17,225 | |
| System expansion kit f PW2500 So9 64CPU | D:GPK25-SE55 | 1 | 18,500 | 1 | 18,500 | |
| Cable for console connection unit | D:GP7KB-1805 | 1 | 190 | 2 | 380 | |
| System Managem. Console (SMC package) | D:GPCON-TS25 | 1 | 12,890 | 1 | 12,890 | 4,428 |
| Modem for Teleservice | D:GPON-MD01 | 1 | 230 | 1 | 230 | |
| Subtotal | | | | | 4,624,846 | 573,588 |
| Server Software | | | | | | |
| Solaris 9 CD set PRIMEPOWER | U24529-C509 | 1 | 300 | 1 | 300 | |
| Sun One Studio 7 Compiler 1 User | U24539-C512 | 1 | 1365 | 1 | 1,365 | 1,140 |
| Veritas VM 3.5, Solaris 9 | U24529-C312 | 1 | 81780 | 1 | 81,780 | 66,240 |
| Oracle Database 10g Enterprise Edition for 3 years, Named User Plus for 3 Years | | 2 | 11,682 | 64 | 747,648 | |
| Partitioning for 3 years, Named User Plus | | 2 | 2,920 | 64 | 186,880 | |
| Oracle Database Server Support Package for 3 Years | | 2 | | | | 7,009 |
| Oracle Mandatory E-Business Discount (license and support) | | 2 | | | -188,307 | |
| Subtotal | | | | | 829,666 | 74,389 |
| Storage | | | | | | |
| FC-S80 Basis Shelf | D:S80-Base | 1 | 3950 | 64 | 252,800 | 245,184 |
| S80 RAID Controller 2 Gbit/s | D:S80FC-RDM | 1 | 10450 | 64 | 668,800 | 87,552 |
| S80 Disk, 73GB 10.000rpm | D:S80-HD7310 | 1 | 1825 | 640 | 1,168,000 | |
| PRIMECENTER Rack 38 HE | D:GPRAC-BG52 | 1 | 3,950 | 6 | 23,700 | |
| Subtotal | | | | | 2,113,300 | 332,736 |
| Large Configuration Discount and Support Prepayment* | | | | | -3,032,166 | -135,949 |
| Notes: | | | Total | | €4,535,646 | €844,764 |
| Source: 1=Fujitsu Siemens | | | 3 Yr. Cost | | €5,380,411 | |
| 2=Oracle, contact: MaryBeth Pierantoni (see Appendix G) | | | QphH@1000GB | | 34,492.5 | |
| | | | €/QphH@1000GB | | €156 | |

*All discounts are based on EMEA list prices and for similar quantities and configurations

Audited by: Francois Raab, InfoSizing, Inc. (www.sizing.com)

Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the standard components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchase are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specifications. If you find that the stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org. Thank you.

Numerical Quantities

Measurement Results:

| | |
|--|---------------------|
| Database Scale Factor | 1000 GB |
| Total Data Storage / Database Size | 43.68 |
| Start of Database Load Time | 05.09.2003 08:08:28 |
| End of Database Load Time | 05.09.2003 10:27:02 |
| Database Load Time | 2:18:34 |
| Query Streams for Throughput Test | 7 |
| TPC-H Power | 41,829.5 |
| TPC-H Throughput | 28,442.4 |
| TPC-H Comp. Query-per-Hour-Rating (QphH@1000GB) | 34,492.5 |
| Total System Prize over 3 Years (EUR) | 5,380,411 |
| TPC-H Price/Performance Metric (EUR/QphH@1000GB) | 156 |

Measurements Intervals:

| | | |
|---|--------|---------|
| Measurement Interval in Throughput Test | 19,492 | Seconds |
|---|--------|---------|

Duration of Stream Execution:

| Stream ID | Seed | Start Date | Start Time | End Date | End Time | Duration |
|-----------|-----------|------------|------------|----------|----------|----------|
| Stream 00 | 905102702 | 05. Sep | 16:54:50 | 05. Sep | 17:47:18 | 00:52:28 |
| Stream 01 | 905102703 | 05. Sep | 17:47:39 | 05. Sep | 22:36:06 | 04:48:27 |
| Stream 02 | 905102704 | 05. Sep | 17:47:39 | 05. Sep | 22:34:56 | 04:47:17 |
| Stream 03 | 905102705 | 05. Sep | 17:47:39 | 05. Sep | 22:36:15 | 04:48:36 |
| Stream 04 | 905102706 | 05. Sep | 17:47:39 | 05. Sep | 22:29:30 | 04:41:51 |
| Stream 05 | 905102707 | 05. Sep | 17:47:39 | 05. Sep | 22:45:16 | 04:57:37 |
| Stream 06 | 905102708 | 05. Sep | 17:47:39 | 05. Sep | 22:41:27 | 04:53:48 |
| Stream 07 | 905102709 | 05. Sep | 17:47:39 | 05. Sep | 22:47:51 | 05:00:12 |
| Refresh | | 05. Sep | 22:47:51 | 05. Sep | 23:12:31 | 00:24:40 |

TPC-H Timing Intervals (in seconds)

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8a | 9 | 10 | 11 | 12 |
|-----------|--------|-------|-------|-------|-------|------|-------|-------|--------|-------|-------|-------|
| Stream 00 | 306.0 | 105.6 | 33.3 | 23.3 | 94.7 | 13.8 | 101.4 | 71.9 | 276.1 | 64.3 | 81.3 | 61.2 |
| Stream 01 | 1161.7 | 315.4 | 120.0 | 38.6 | 645.9 | 19.5 | 660.4 | 501.4 | 2346.6 | 369.6 | 172.4 | 304.7 |
| Stream 02 | 1424.6 | 312.7 | 127.0 | 114.9 | 606.9 | 77.1 | 530.6 | 387.3 | 2110.3 | 289.3 | 144.3 | 370.9 |
| Stream 03 | 1351.7 | 267.5 | 104.0 | 112.3 | 662.1 | 24.1 | 580.2 | 432.4 | 1931.0 | 386.7 | 203.1 | 458.4 |
| Stream 04 | 1417.4 | 299.9 | 180.1 | 86.1 | 302.3 | 18.4 | 685.4 | 279.2 | 1960.1 | 387.5 | 176.2 | 358.5 |
| Stream 05 | 1671.0 | 375.3 | 160.7 | 98.3 | 709.5 | 21.5 | 643.2 | 364.3 | 2084.1 | 392.9 | 160.4 | 485.2 |
| Stream 06 | 1661.7 | 351.8 | 260.1 | 93.9 | 696.0 | 16.5 | 669.3 | 235.6 | 2351.3 | 165.1 | 147.2 | 532.1 |
| Stream 07 | 1633.0 | 283.1 | 165.1 | 94.9 | 143.0 | 17.1 | 125.8 | 341.1 | 3009.8 | 67.7 | 211.5 | 99.2 |
| Minimum | 1161.7 | 267.5 | 104.0 | 38.6 | 143.0 | 16.5 | 125.8 | 235.6 | 1931.0 | 67.7 | 144.3 | 99.2 |
| Average | 1474.4 | 315.1 | 159.6 | 91.3 | 538.0 | 27.7 | 556.4 | 363.0 | 2256.2 | 294.1 | 173.6 | 372.7 |
| Maximum | 1671.0 | 375.3 | 260.1 | 114.9 | 709.5 | 77.1 | 685.4 | 501.4 | 3009.8 | 392.9 | 211.5 | 532.1 |

| | 13 | 14 | 15a | 16 | 17 | 18 | 19 | 20 | 21 | 22 | RF1 | RF2 |
|-----------|--------|-------|-------|-------|-------|--------|-------|-------|--------|-------|-------|-------|
| Stream 00 | 240.3 | 23.0 | 31.2 | 63.8 | 95.0 | 548.3 | 113.5 | 109.6 | 459.1 | 49.9 | 107.7 | 73.1 |
| Stream 01 | 1538.1 | 125.9 | 166.7 | 327.1 | 299.9 | 3855.2 | 496.3 | 525.8 | 2989.3 | 326.1 | 113.2 | 74.2 |
| Stream 02 | 1365.3 | 120.1 | 172.5 | 398.2 | 719.7 | 3877.1 | 618.4 | 301.8 | 2919.0 | 249.0 | 108.2 | 184.9 |
| Stream 03 | 1452.5 | 112.0 | 217.2 | 324.5 | 450.2 | 4020.4 | 609.2 | 289.6 | 2987.8 | 339.5 | 110.9 | 91.0 |
| Stream 04 | 1468.8 | 106.4 | 172.5 | 345.5 | 275.8 | 3923.4 | 536.1 | 830.5 | 2785.2 | 315.6 | 112.4 | 82.8 |
| Stream 05 | 1481.4 | 130.7 | 179.6 | 338.2 | 367.2 | 3726.2 | 504.2 | 245.7 | 3463.5 | 253.5 | 110.2 | 85.0 |
| Stream 06 | 1394.8 | 124.6 | 196.2 | 432.7 | 390.0 | 4047.7 | 585.5 | 281.5 | 2759.9 | 233.8 | 116.6 | 85.9 |
| Stream 07 | 1203.8 | 28.0 | 33.4 | 71.5 | 366.3 | 5879.4 | 589.4 | 689.3 | 2673.7 | 284.6 | 107.3 | 96.7 |
| Minimum | 1203.8 | 28.0 | 33.4 | 71.5 | 275.8 | 3726.2 | 496.3 | 245.7 | 2673.7 | 233.8 | 107.3 | 74.2 |
| Average | 1415.0 | 106.8 | 162.6 | 319.7 | 409.9 | 4189.9 | 562.7 | 452.0 | 2939.7 | 286.0 | 111.2 | 100.1 |
| Maximum | 1538.1 | 130.7 | 217.2 | 432.7 | 719.7 | 5879.4 | 618.4 | 830.5 | 3463.5 | 339.5 | 116.6 | 184.9 |

Test Sponsors: **Ray Glasstone**
 Manager, DSS Performance
Oracle Corporation
 100 Oracle Parkway
 Redwood Shores, CA 94065

Ludger Meyer
 LoB UNIX, EP XS BMC
Fujitsu Siemens Computers
 Heinz-Nixdorf-Ring 1
 D-33106 Paderborn, Germany

September 6, 2003

I verified the TPC Benchmark™ H performance of the following configuration:

Platform: **PRIMEPOWER 2500**
 Database Manager: **Oracle Database 10g Enterprise Edition**
 Operating System: **Solaris 9**

The results were:

| CPU (Speed) | Memory | Disks | QphH@1000GB |
|-----------------------------|-----------------------------------|--------------------------|-----------------|
| PRIMEPOWER 2500 | | | |
| 64 x SPARC64 V (1.3 GHz) | 2 MB L2-Cache/cpu 2.56 GB Main | 640 x 73 GB 5 x 36 GB | 34,492.5 |

In my opinion, this performance result was produced in compliance with the TPC's requirements for the benchmark. The following verification items were given special attention:

- The database records were defined with the proper layout and size
- The database population was generated using DBGEN
- The database was properly scaled to 1 TB and populated accordingly
- The compliance of the database auxiliary data structures was verified
- The database load time was correctly measured and reported

- The required ACID properties were verified and met
- The query input variables were generated by QGEN
- The query text was produced using minor modifications and the approved variants 8a and 15a
- The execution of the queries against the SF1 database produced compliant answers
- A compliant implementation specific layer was used to drive the tests
- The throughput tests involved 7 query streams
- The ratio between the longest and the shortest query was such that no query timing was adjusted
- The execution times for queries and refresh functions were correctly measured and reported
- The repeatability of the measured results was verified. A failure during the second run of the benchmark required the execution of a third run, from which the reported results were collected.
- At least 8 hours of database log was configured
- The system pricing was verified for major components and maintenance
- The major pages from the FDR were verified for accuracy

Additional Audit Notes:

None.

Respectfully Yours,



François Raab
President

Contents

| | |
|---|-----------|
| PREFACE | 3 |
| CONTENTS | 11 |
| 1 GENERAL ITEMS | 13 |
| 1.1 <i>Benchmark Sponsor</i> | 13 |
| 1.2 <i>Parameter Settings</i> | 13 |
| 1.3 <i>Configuration Diagram</i> | 13 |
| 2 CLAUSE 1 LOGICAL DATABASE DESIGN | 15 |
| 2.1 <i>Physical Organization</i> | 15 |
| 2.2 <i>Horizontal Partitioning</i> | 15 |
| 2.3 <i>Replication</i> | 15 |
| 3 CLAUSE 2 QUERIES AND REFRESH FUNCTIONS | 16 |
| 3.1 <i>Query Language</i> | 16 |
| 3.2 <i>Verifying Method for Random Number Generation</i> | 16 |
| 3.3 <i>Generating Values for Substitution Parameters</i> | 16 |
| 3.4 <i>Query Text and Output Data from Qualification Database</i> | 16 |
| 3.5 <i>Query Substitution Parameters and Seeds Used</i> | 16 |
| 3.6 <i>Query Isolation Level</i> | 17 |
| 3.7 <i>Source Code of Refresh Functions</i> | 17 |
| 4 CLAUSE 3 DATABASE SYSTEM PROPERTIES | 18 |
| 4.1 <i>ACID Properties</i> | 18 |
| 4.2 <i>Atomicity</i> | 18 |
| 4.2.1 <i>Completed Transaction</i> | 18 |
| 4.2.2 <i>Aborted Transaction</i> | 18 |
| 4.3 <i>Consistency</i> | 19 |
| 4.3.1 <i>Consistency Test</i> | 19 |
| 4.4 <i>Isolation</i> | 19 |
| 4.4.1 <i>Read-Write Conflict with Commit</i> | 19 |
| 4.4.2 <i>Read-Write Conflict with Rollback</i> | 19 |
| 4.4.3 <i>Write-Write Conflict with Commit</i> | 20 |
| 4.4.4 <i>Write-Write Conflict with Rollback</i> | 20 |
| 4.4.5 <i>Concurrent Progress of Read and Write Transactions</i> | 20 |
| 4.4.6 <i>Read-Only Query Conflict with Update Transaction</i> | 21 |
| 4.5 <i>Durability</i> | 21 |
| 4.5.1 <i>Failure of a Durable Medium</i> | 21 |
| 4.5.2 <i>System Crash</i> | 21 |
| 4.5.3 <i>Memory Failure</i> | 21 |
| 5 CLAUSE 4 SCALING AND DATABASE | 22 |
| 5.1 <i>Ending Cardinality of Tables</i> | 22 |
| 5.2 <i>Distribution of Tables and Logs Across Media</i> | 22 |
| 5.3 <i>Database partition/replication mapping</i> | 22 |
| 5.4 <i>RAID Feature</i> | 23 |
| 5.5 <i>Modifications to the DBGEN</i> | 23 |
| 5.6 <i>Database Load Time</i> | 23 |
| 5.7 <i>Data Storage Ratio</i> | 23 |

| | | |
|----------|--|------------|
| 5.8 | <i>Database Load Mechanism Details and Illustration</i> | 24 |
| 5.9 | <i>Qualification Database Configuration</i> | 24 |
| 6 | CLAUSE 5 PERFORMANCE METRICS AND EXECUTION RULES | 25 |
| 6.1 | <i>System Activity Between Load and Performance Tests</i> | 25 |
| 6.2 | <i>Steps in the Power Test</i> | 25 |
| 6.3 | <i>Timing Intervals for Each Query and Refresh Functions</i> | 25 |
| 6.4 | <i>Number of Streams for the Throughput Test</i> | 25 |
| 6.5 | <i>Start and End Date/Times for Each Query Stream</i> | 25 |
| 6.6 | <i>Total Elapsed Time of the Measurement Interval</i> | 26 |
| 6.7 | <i>Refresh Function Start Date/Time and Finish Date/Time</i> | 26 |
| 6.8 | <i>Timing Intervals for Each Query and Each Refresh Function for Each Stream</i> | 26 |
| 6.9 | <i>Performance Metrics</i> | 26 |
| 6.10 | <i>The Performance Metric and Numerical Quantities from Both Runs</i> | 26 |
| 6.11 | <i>System Activity Between Performance Tests</i> | 26 |
| 7 | CLAUSE 6 SUT AND DRIVER IMPLEMENTATION | 27 |
| 7.1 | <i>Driver</i> | 27 |
| 7.2 | <i>Implementation-Specific Layer</i> | 27 |
| 7.3 | <i>Profile-Directed Optimization</i> | 27 |
| 8 | CLAUSE 7 PRICING | 28 |
| 8.1 | <i>Hardware and Software Used</i> | 28 |
| 8.2 | <i>Total Three Year Price</i> | 28 |
| 8.3 | <i>Availability Date</i> | 28 |
| 9 | AUDITOR'S INFORMATION AND ATTESTATION LETTER | 29 |
| | APPENDIX A. SOLARIS 9 AND ORACLE DATABASE 10G PARAMETERS | 30 |
| | APPENDIX B. PROGRAMS AND SCRIPTS | 31 |
| | APPENDIX C. QUERY TEXT AND QUERY OUTPUT | 89 |
| | APPENDIX D. SEED AND QUERY SUBSTITUTION PARAMETERS | 104 |
| | APPENDIX E. IMPLEMENTATION-SPECIFIC LAYER/DRIVER CODE | 106 |
| | APPENDIX F. MISC DATABASE SCRIPTS | 123 |
| | APPENDIX G. PRICING INFORMATION | 125 |

1 General Items

1.1 Benchmark Sponsor

A statement identifying the benchmark sponsor(s) and other participating companies must be provided.

This TPC-H benchmark is sponsored by Fujitsu Siemens Computers GmbH and Oracle Corp.

1.2 Parameter Settings

Settings must be provided for all customer-tunable parameters and options that have been changed from the defaults found in actual products, including but not limited to:

- *Database Tuning Options*
- *Optimizer/Query execution options*
- *Query processing tool/language configuration parameters*
- *Recovery/commit options*
- *Consistency/locking options*
- *Operating system and configuration parameters*
- *Configuration parameters and options for any other software component incorporated into the pricing structure*
- *Compiler optimization options*

Appendix A contains the Solaris and Oracle parameters used in this benchmark.

1.3 Configuration Diagram


Provide diagrams of both the measured and priced configurations, accompanied by a description of the differences.

PRIMEPOWER 2500, configured with:

- 64 SPARC64 V 1.3 GHz processors
- 256 GB memory
- 5 * 36 GB internal disks
- 640 * 73 GB disks
- 16 I/O boxes in 2 cabinets
- 64 * FibreCAT S80 Storage array
- 64 * LP9802 Fibre Channel controllers

PRIMEPOWER 2500

- 64 SPARC64 V 1.3 GHz, 2MB
- 256 GB Mem
- 5 * 36 GB int. Disk
- 64 * LP9802 Fibre contrl.
- 16 I/O-boxes in 2 cabinets



64 * FibreCAT S80
- 640 x 73 GB

The previous description is for the priced configuration. There were additional 5 internal disks of 36 GB each and 64 S80 disks of 73 GB each in the measured configuration that were unused in this benchmark. Sufficient proof that the additional disks were unused was given to the auditor. The diagram is the same for both the priced and measured configurations.

2 Clause 1 Logical Database Design

Listings must be provided for all table definition statements and all other statements used to set up the test and qualification databases.

Appendix B contains the programs and scripts that create and analyze the tables and indexes for the TPC-H database.

2.1 Physical Organization

The physical organization of tables and indices within the test and qualification databases must be disclosed. If the column ordering of any table is different from that specified in Clause 1.4, it must be noted.

No record clustering or index clustering was used. Column ordering was changed for some tables. Refer to the table create statements in Appendix B for further details.

2.2 Horizontal Partitioning

Horizontal partitioning of tables and rows in the test and qualification databases (see Clause 1.5.4) must be disclosed.

Horizontal partitioning was used for all tables except NATION and REGION. Refer to the table/index create statements in Appendix B for more details.

2.3 Replication

Any replication of physical objects must be disclosed and must conform to the requirements of Clause 1.5.6.

No replication was used.

3 Clause 2 Queries and Refresh Functions

3.1 Query Language

The query language used to implement the queries must be identified.

SQL was the query language used to implement all queries.

3.2 Verifying Method for Random Number Generation

The method of verification for the random number generation must be described unless the supplied DBGEN and QGEN were used.

TPC supplied versions 1.3.0 of DBGEN and QGEN were used for this TPC-H benchmark.

3.3 Generating Values for Substitution Parameters

The method used to generate values for substitution parameters must be disclosed. If QGEN is not used for this purpose, then the source code of any non-commercial tool used must be disclosed. If QGEN is used, the version number, release number, modification number, and patch level of QGEN must be disclosed.

The supplied QGEN version 2.1.8 was used to generate the substitution parameters.

3.4 Query Text and Output Data from Qualification Database

The executable query text used for query validation must be disclosed along with the corresponding output data generated during the execution of the query text against the qualification database. If minor modifications (see Clause 2.2.3) have been applied to any functional query definitions or approved variants in order to obtain executable query text, these modifications must be disclosed and justified. The justification for a particular minor query modification can apply collectively to all queries for which it has been used. The output data for the power and throughput tests must be made available electronically upon request.

Appendix C contains the qualification query text and query output.

3.5 Query Substitution Parameters and Seeds Used

The query substitution parameters used for all performance tests must be disclosed in tabular format, along with the seeds used to generate these parameters.

Appendix D contains the seed and query substitution parameters.

3.6 Query Isolation Level

The isolation level used to run the queries must be disclosed. If the isolation level does not map closely to the levels defined in Clause 3.4, additional descriptive detail must be provided.

The queries and transactions were run with isolation level 3 (repeatable read).

3.7 Source Code of Refresh Functions

The details of how the refresh functions were implemented must be disclosed (including source code of any non-commercial program used).

The refresh function is part of the driver code included in Appendix E.

4 Clause 3 Database System Properties

4.1 ACID Properties

The ACID (Atomicity, Consistency, Isolation and Durability) properties of transaction processing systems must be supported by the system under test during the timed portion of this benchmark. Since TPC-H is not a transaction processing benchmark, the ACID properties must be evaluated outside the timed portion of the test.

Source code for the ACID test is included in Appendix B.

4.2 Atomicity

The system under test must guarantee that transactions are atomic; the system will either perform all individual operations on the data, or will assure that no partially-completed operations leave any effects on the data.

4.2.1 Completed Transaction

Perform the ACID Transaction for a randomly selected set of input data and verify that the appropriate rows have been changed in the ORDERS, LINEITEM, and HISTORY tables

1. The total price from the ORDERS table and the extended price from the LINEITEM table were retrieved for a randomly selected order key.
2. The ACID Transaction was performed using the order key from step 1.
3. The ACID Transaction committed.
4. The total price from the ORDERS table and the extended price from the LINEITEM table were retrieved for the same order key. It was verified that the appropriate rows had been changed.

4.2.2 Aborted Transaction

Perform the ACID Transaction for a randomly selected set of input data, substituting a ROLLBACK of the transaction for the COMMIT of the transaction. Verify that the appropriate rows have not been changed in the ORDERS, LINEITEM, and HISTORY tables.

1. The total price from the ORDERS table and the extended price from the LINEITEM table were retrieved for a randomly selected order key.
2. The ACID Transaction was performed using the order key from step 1. The transaction was stopped prior to the commit.
3. The ACID Transaction was ROLLED BACK.
4. The total price from the ORDERS table and the extended price from the LINEITEM table were retrieved for the same order key. It was verified that the appropriate rows had not been changed.

4.3 Consistency

Consistency is the property of the application that requires any execution of transactions to take the database from one consistent state to another.

4.3.1 Consistency Test

Verify that ORDERS and LINEITEM tables are initially consistent, submit the prescribed number of ACID Transactions with randomly selected input parameters, and re-verify the consistency of the ORDERS and LINEITEM.

1. The consistency of the ORDERS and LINEITEM tables was verified based on a sample of order keys.
2. 100 ACID Transactions were submitted by each of nine execution streams.
3. The consistency of the ORDERS and LINEITEM tables was re-verified.

4.4 Isolation

Operations of concurrent transactions must yield results which are indistinguishable from the results which would be obtained by forcing each transaction to be serially executed to completion in the proper order.

4.4.1 Read-Write Conflict with Commit

Demonstrate isolation for the read-write conflict of a read-write transaction and a read-only transaction when the read-write transaction is committed.

1. An ACID Transaction was started for a randomly selected O_KEY, L_KEY, and DELTA. The ACID Transaction was suspended prior to COMMIT.
2. An ACID Query was started for the same O_KEY used in step 1. The ACID Query blocked and did not see the uncommitted changes made by the ACID Transaction.
3. The ACID Transaction was resumed and COMMITTED.
4. The ACID Query completed. It returned the data as committed by the ACID Transaction.

4.4.2 Read-Write Conflict with Rollback

Demonstrate isolation for the read-write conflict of a read-write transaction and a read-only transaction when the read-write transaction is rolled back.

1. An ACID Transaction was started for a randomly selected O_KEY, L_KEY, and DELTA. The ACID Transaction was suspended prior to ROLLBACK.
2. An ACID Query was started for the same O_KEY used in step 1. The ACID Query did not see the uncommitted changes made by the ACID Transaction.
3. The ACID Transaction was ROLLED BACK.
4. The ACID Query completed.

4.4.3 Write-Write Conflict with Commit

Demonstrate isolation for the write-write conflict of two update transactions when the first transaction is committed.

1. An ACID Transaction, T1, was started for a randomly selected O_KEY, L_KEY, and DELTA. T1 was suspended prior to COMMIT.
2. Another ACID Transaction, T2, was started using the same O_KEY and L_KEY and a randomly selected DELTA.
3. T2 waited.
4. T1 was allowed to COMMIT and T2 completed.
5. It was verified that $T2.L_EXTENDEDPRICE = T1.L_EXTENDEDPRICE + (DELTA1 * (T1.L_EXTENDEDPRICE / T1.L_QUANTITY))$

4.4.4 Write-Write Conflict with Rollback

Demonstrate isolation for the write-write conflict of two update transactions when the first transaction is rolled back.

1. An ACID Transaction, T1, was started for a randomly selected O_KEY, L_KEY, and DELTA. T1 was suspended prior to ROLLBACK.
2. Another ACID Transaction, T2, was started using the same O_KEY and L_KEY and a randomly selected DELTA.
3. T2 waited.
4. T1 was allowed to ROLLBACK and T2 completed.
5. It was verified that $T2.L_EXTENDEDPRICE = T1.L_EXTENDEDPRICE$.

4.4.5 Concurrent Progress of Read and Write Transactions

Demonstrate the ability of read and write transactions affecting different database tables to make progress concurrently.

1. An ACID Transaction, T1, was started for a randomly selected O_KEY, L_KEY, and DELTA. T1 was suspended prior to ROLLBACK.
2. Another Transaction, T2, was started which did the following:
For random values of PS_PARTKEY and PS_SUPPKEY, all columns of the PARTSUPP table for which PS_PARTKEY and PS_SUPPKEY are equal, are returned.
3. T2 completed.
4. T1 was allowed to COMMIT.
5. It was verified that appropriate rows in ORDERS, LINEITEM and HISTORY tables were changed.

4.4.6 Read-Only Query Conflict with Update Transaction

Demonstrate that the continuous submission of arbitrary (read-only) queries against one or more tables of the database does not indefinitely delay update transactions affecting those tables from making progress.

1. A Transaction, T1, executing Q1 against the qualification database, was started using a randomly selected DELTA.
2. An ACID Transaction T2, was started for a randomly selected O_KEY, L_KEY and DELTA.
3. T2 completed and appropriate rows in the ORDERS, LINEITEM and HISTORY tables had been changed.
4. Transaction T1 completed executing Q1.

4.5 Durability

The SUT must guarantee durability: the ability to preserve the effects of committed transactions and insure database consistency after recovery from any one of the failures listed in Clause 3.5.3.

4.5.1 Failure of a Durable Medium

Guarantee the database and committed updates are preserved across a permanent irrecoverable failure of any single durable medium containing TPC-H database tables or recovery log tables.

The LUNs containing TPC-H data files and redo log files were pairs of physical disks mirrored by hardware (RAID1). Each TPC-H data file and redo log file was striped across all available LUNs by software (RAID0), i.e. each LUN contained pieces from all TPC-H data files and redo log files. During the durability test, a LUN (i.e. a mirrored pair of physical disks) was randomly chosen and one of its disks removed from the cabinet. The test continued uninterrupted, using the remaining side of the mirror.

4.5.2 System Crash

Guarantee the database and committed updates are preserved across an instantaneous interruption (system crash/system hang) in processing which requires the system to reboot to recover.

The system crash and memory failure tests were combined. Power to the server was turned off by the "Partition forced Power-Off Instruction" to the System Control Facility processor (SCF). When power was restored, the system rebooted and the database was restarted. The durability success file and the HISTORY table were compared successfully.

4.5.3 Memory Failure

Guarantee the database and committed updates are preserved across failure of all or part of memory (loss of contents).

See section 4.5.2.

5 Clause 4 Scaling and Database

5.1 Ending Cardinality of Tables

The cardinality (i.e., the number of rows) of each table of the test database, as it existed at the completion of the database load (see clause 4.2.5) must be disclosed.

| Table | Rows |
|----------|---------------|
| Orders | 1,500,000,000 |
| Lineitem | 5,999,989,709 |
| Customer | 150,000,000 |
| Part | 200,000,000 |
| Supplier | 10,000,000 |
| Partsupp | 800,000,000 |
| Nation | 25 |
| Region | 5 |

5.2 Distribution of Tables and Logs Across Media

The distribution of tables and logs across all media must be explicitly described.

There were 64 FibreCAT S80 storage arrays with 10 physical disks each. For each of these S80, 5 LUNs were created from pairs of mirrored physical disks and shown to Solaris. Each S80 array was attached to the server by one Emulex LP9802 Fibre Channel Controller. The write caches of the S80 were disabled.

In all 320 LUNs were available and used for 2 Veritas Volume Manager disk groups. The first group consisted of 32 LUNs, taking 2 LUNs from each of 16 S80. This disk group was used for the dbgen flat files exclusively, not for the TPC-H database.

The second disk group consisted of the remaining 288 LUNs. For each of the Oracle data files and redo log files as listed in the database schema specification of Appendix B, a Veritas volume striped across all 288 LUNs was created. Appendix B shows the Veritas description (vxprint -th) for a volume as a sample.

5.3 Database partition/replication mapping

The mapping of database partitions/replications must be explicitly described.

The database was not replicated.

Horizontal partitioning was used for base tables LINEITEM, ORDERS, PARTSUPP, PART, SUPPLIER and CUSTOMER. The details for this partitioning can be understood by examining the syntax of the table and index definition statements in Appendix B.

5.4 RAID Feature

Implementations may use some form of RAID to ensure high availability. If used for data, auxiliary storage (e.g. indexes) or temporary space, the level of RAID must be disclosed for each device.

| Table/Index | RAID type |
|-------------------|-----------|
| tables | RAID 1+0 |
| indexes | RAID 1+0 |
| temp tablespace | RAID 1+0 |
| log | RAID 1+0 |
| System tablespace | RAID 1+0 |

5.5 Modifications to the DBGEN

Any modifications to the DBGEN (see Clause 4.2.1) source code must be disclosed. In the event that a program other than DBGEN was used to populate the database, it must be disclosed in its entirety.

The supplied DBGEN version 1.3.0 was used to generate the database population for this benchmark.

5.6 Database Load Time

The database load time for the test database (see clause 4.3) must be disclosed.

The database load time was 2 hours 18 minutes 34 seconds.

5.7 Data Storage Ratio

The data storage ratio must be disclosed. It is computed as the ratio between the total amount of priced disk space, and the chosen test database size as defined in Clause 4.1.3.

The data storage ratio is computed from the following information:


| Disk Type | # Of Disks | Space Per Disk* | Sub-Total Disk Space** |
|-----------|------------|---------------------------|------------------------|
| internal | 5 | 36.0 GB | 167.65 GB |
| S80 | 640 | 73.0 GB | 43,511.39 GB |
| | | Total Space | 43,679.04 GB |
| | | Data Storage Ratio | 43.68 |

*Disk manufacturer definition of one GB is 10^9 byte **In this calculation one GB is defined as 2^{30} bytes

5.8 Database Load Mechanism Details and Illustration

The details of the database load must be described, including a block diagram illustrating the overall process.

The database was loaded using data generation stored on flat files all on the tested and priced configurations. Oracle created external tables using the files that were created by the DBGEN program.



*Analyze index performed during index creation

5.9 Qualification Database Configuration

Any differences between the configuration of the qualification database and the test database must be disclosed.

The qualification database used identical scripts to create and load the data with adjustments for the size difference.

6 Clause 5 Performance Metrics and Execution Rules

6.1 System Activity Between Load and Performance Tests

Any system activity on the SUT that takes place between the conclusion of the load test and the beginning of the performance test must be fully disclosed.

Auditor requested queries were run against the database to verify the correctness of the load. All scripts and queries used are included in Appendix F.

6.2 Steps in the Power Test

The details of the steps followed to implement the power test (.e.g., system boot, database restart, etc.) must be disclosed.

The following steps were used to implement the power test:

1. RF1 Refresh Transaction
2. Stream 00 Execution
3. RF2 Refresh Transaction

6.3 Timing Intervals for Each Query and Refresh Functions

The timing intervals for each query and for both refresh functions must be reported for the power test.

The timing intervals for each query and both update functions are given in the Numerical Quantities Summary earlier in this document.

6.4 Number of Streams for the Throughput Test

The number of execution streams used for the throughput test must be disclosed.

Eight streams were used for the throughput test.

6.5 Start and End Date/Times for Each Query Stream

The start time and finish time for each query stream must be reported for the throughput test.

The throughput test start time and finish time for each stream are given in the Numerical Quantity Summary earlier in this document.

6.6 Total Elapsed Time of the Measurement Interval

The total elapsed time of the measurement interval must be reported for the throughput test.

The total elapsed time of the throughput test is given in the Numerical Quantity Summary earlier in this document.

6.7 Refresh Function Start Date/Time and Finish Date/Time

Start and finish time for each refresh function in the refresh stream must be reported for the throughput test.

The start and finish times for each refresh function in the refresh stream are given in the Numerical Quantity Summary earlier in this document.

6.8 Timing Intervals for Each Query and Each Refresh Function for Each Stream

The timing intervals for each query of each stream and each refresh function must be reported for the throughput test.

The timing intervals for each query and each refresh function for the throughput test are given in the Numerical Quantity Summary earlier in this document.

6.9 Performance Metrics

The computed performance metric, related numerical quantities and price performance metric must be reported.

The performance metrics, and the numbers on which they are based, are given in the Numerical Quantity Summary earlier in this document.

6.10 The Performance Metric and Numerical Quantities from Both Runs

The performance metric and numerical quantities from both runs must be disclosed.

Performance results from the first two executions of the TPC-H benchmark indicated the following percent difference for the metric points:

| Run ID | QppH@1000GB | QthH@1000GB | QphH@1000GB |
|------------|-------------|-------------|-------------|
| Run 1 | 42,734.1 | 28,815.0 | 35,091.1 |
| Run 2 | 41,829.5 | 28,442.4 | 34,492.5 |
| Difference | -2.16% | -1.31% | -1.74% |

6.11 System Activity Between Performance Tests

Any activity on the SUT that takes place between the conclusion of Run1 and the beginning of Run2 must be disclosed.

There was no activity on the SUT between run1 and run2

7 Clause 6 SUT and Driver Implementation

7.1 Driver

A detailed description of how the driver performs its functions must be supplied, including any related source code or scripts. This description should allow an independent reconstruction of the driver.

The Power Test and Throughput Test are performed by a shell script called runTPCpt. QGEN is first called with a stream id of 0 to generate the QET for the Power Test. UF1 is then started by executing the [runuf1.sh](#) script. Query submission follows, with the qexecpl.c ISL program. The execution of the UF2 script [runuf2.sh](#) rounds out the Power Test execution.

Following the Power Test, QGEN is again called with the subsequent 8 stream ids to generate new QET for each Throughput Test. qexecpl.c is called simultaneously for all 8 streams to execute the queries as above. Then the update_stream.sh script is called to run all 8 update pairs to finish the throughput run.

7.2 Implementation-Specific Layer

If an implementation-specific layer is used, then a detailed description of how it performs its functions must be supplied, including any related source code or scripts. This description should allow an independent reconstruction of the implementation-specific layer.

The source code for the “qexec” Utility can be found in Appendix E.

7.3 Profile-Directed Optimization

If profile-directed optimization as described in Clause 5.2.9 is used, such use must be disclosed. Profile-directed optimization was not used.

Profile-directed optimization subject to the requirements of 5.2.9 and 5.2.10 was not used

8 Clause 7 Pricing

8.1 Hardware and Software Used

A detailed list of hardware and software used in the priced system must be reported. Each item must have vendor part number, description, and release/revision level, and either general availability status or committed delivery date. If package-pricing is used, contents of the package must be disclosed. Pricing source(s) and effective date(s) of price(s) must also be reported.

A detailed list of hardware and software used in the priced system is included in the pricing sheet in the Executive Summary.

8.2 Total Three Year Price

The total 3-year price of the entire configuration must be reported, including hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed.

A detailed pricing sheet of all hardware and software used in this configuration and the 3-year maintenance costs, demonstrating the computation of the total 3-year price of the configuration, is included in the Executive Summary.

8.3 Availability Date

The committed delivery date for general availability of products used in the price calculations must be reported. When the priced system includes products with different availability dates, the reported availability date for the priced system must be the date at which all components are committed to be available.

Server HW and SW and storage components will be available by Jan 31, 2004.
Oracle SW will be available by Mar 8, 2004.

9 Auditor's Information and Attestation Letter

The auditor's agency name, address, phone number, and Attestation letter with a brief audit summary report indicating compliance must be included in the full disclosure report. A statement should be included specifying who to contact in order to obtain further information regarding the audit process.

The auditor's attestation letter is included at the front of this report.

Appendix A. Solaris 9 and Oracle Database 10g Parameters

This Appendix contains Oracle initialization parameters, environment variables and Solaris kernel parameters.

```
=====
Oracle 10g Parameters: init.ora
=====
audit_trail          = FALSE
compatible          = 10.0.0.0.0
control_files       =
(/tpch_df/dbs/ctl01.ctl
/tpch_df/dbs/ctl02.ctl)
cpu_count           = 64
db_cache_size       = 18g
db_block_checksum   = FALSE
db_block_size       = 8192
db_file_multiblock_read_count = 128
db_files            = 1024
db_name             = tpch
db_writer_processes = 20
dml_locks           = 120000
enqueue_resources   = 50000
global_names        = FALSE
java_pool_size      = 0
large_pool_size     = 8g
log_buffer          = 67108864
log_checkpoints_to_alert = TRUE
max_dump_file_size  = 50000
nls_date_format     = YYYY-MM-DD
open_cursors        = 1024
optimizer_features_enable = 10.0.0.1
optimizer_index_cost_adj = 40 #25
optimizer_mode      = CHOOSE
parallel_execution_message_size = 16384
parallel_max_servers = 1225 #1400 #96
parallel_min_servers = 1225 #1400 #96
pga_aggregate_target = 23g #70g
processes           = 2000
query_rewrite_enabled = TRUE
replication_dependency_tracking = FALSE
sessions            = 3000
shared_pool_size    = 8g
statistics_level    = BASIC
transactions        = 512
undo_management     = auto

=====
Oracle Environment Variables
=====
export KIT_DIR=$HOME/tpch
export SCHEMA_DIR=$KIT_DIR/bmc/schema
export PERL=/usr/bin/perl
export BUMPX_DIR=$KIT_DIR/bumpx
export BUMPX_OUT=$KIT_DIR/bumpx
export UTILS=$KIT_DIR/utills
export TEST_DB=/tmp
export QUAL_DB=$TEST_DB
export DBGEN=$KIT_DIR/dbgen
export ACID_DIR=$KIT_DIR/acid
export QEXEC=$KIT_DIR/utills
export QUERIES=$KIT_DIR/queries
export ANSWERS=$KIT_DIR/answers
export ANS2VAL=/tmp

export ACID_OUT=$QUAL_DB/acid_out
export DSS_CONFIG=$DBGEN
export DSS_QUERY=$KIT_DIR/queries
export DSS_PATH=$HOME
export MAINT=$KIT_DIR/maintenance
export CC=/usr/bin/cc
export FRAME=$KIT_DIR/frame
export
REGR_TEST=$KIT_DIR/internal/regression_test
export UPDATE_DOP_INS=96
export UPDATE_DOP_DEL=128
export SCALE_FACTOR=1000
##### FRAME STUFF
export FRAME_PATH=$KIT_DIR/frame
export ORACORE3INCL=$ORACLE_HOME/rdbms/demo
export
ORACORE3PUBL=$ORACLE_HOME/rdbms//public
export RDBMSPUBL=$ORACLE_HOME/rdbms/public
export
NETWORKPUBL=$ORACLE_HOME/network/public
export RDBMSDEMO=$ORACLE_HOME/rdbms/demo
export PLSQLEMO=$ORACLE_HOME/plsql/demo
export PLSQLPUBL=$ORACLE_HOME/plsql/public
export O=$ORACLE_HOME
export
PATH=./:${BUMPX_DIR}:${UTILS}:${DBGEN}:${MAINT}:${ACID_DIR}:${FRAME}/bin:${FRAME}/bin:${REGR_TEST}:${PATH}
#
##### ENVIRONMENT VARIABLES
#####
export WORKLOAD=TPCH
export HOST=
export OPTLEVEL=
export GETOPT=-DSTDLIB_HAS_GETOPT
export PLATFORM=
export
INITORA=$KIT_DIR/schema/test_db/sf100.ora

##### ALIASES
#####

##### RULES - do not change these
#####
case "$SCALE_FACTOR" in
  1) export NUM_STREAMS=2;;
  10) export NUM_STREAMS=3;;
  100) export NUM_STREAMS=4;;
  300) export NUM_STREAMS=6;;
  1000) export NUM_STREAMS=7;;
  3000) export NUM_STREAMS=8;;
  10000) export NUM_STREAMS=9;;
esac
DATABASE_USER=tpch/tpch

=====
Solaris Parameters: /etc/system
=====
```

```

=====
* Begin FJSVssf (do not edit)
set ftrace_atboot = 1
set kmem_flags = 0x100
set kmem_lite_maxalign = 8192
* End FJSVssf (do not edit)
* END SSF
*****
*****
* Begin FJSVpnl (do not edit)
forceload: drv/FJSVpanel
* End FJSVpnl (do not edit)
forceload: drv/se
forceload: drv/fjmse

forceload: drv/clone

set pcipsy:pci_stream_buf_enable = 0

set
shmsys:shminfo_shmmax=0xffffffffffffffff
set shmsys:shminfo_shmmni=1
set shmsys:shminfo_shmmni=1024
set shmsys:shminfo_shmse=500

set semsys:seminfo_semmap=8388608
set semsys:seminfo_semmni=4096
set semsys:seminfo_semmns=8388608
set semsys:seminfo_semmnu=4096
set semsys:seminfo_semmsl=2048
set semsys:seminfo_semume=2048

set semsys:seminfo_semopm=100
set semsys:seminfo_semvmx=32767

set msgsys:msginfo_msgmap=2048
set msgsys:msginfo_msgmax=8192
set msgsys:msginfo_msgmnb=16384
set msgsys:msginfo_msgssz=32
set msgsys:msginfo_msgtql=2048
set msgsys:msginfo_msgseg=32767

set maxpgio=131072
set maxphys=4194304
set bufhwm=8000
set segspt_minfree=16000
set tune_t_fsflushr=10
set autoup=1800
set memscrub_period_sec=172900

set seg_pwindow=28311552
set p_hashsize=131072
set seg_pmaxqlen=128
set segmap_percent=2

* vxvm_START (do not remove)
forceload: drv/vxdmp
forceload: drv/vxio
forceload: drv/vxspec
* vxvm_END (do not remove)

```

Appendix B. Programs and Scripts

```

=====
bumpx.pl
=====
#!/usr/local/bin/perl

$os = $ENV{'OS'};
if (($os cmp 'Windows_NT') != 0) { # os is
UNIX
    $os = "unix"; $nt = 0; $unix = 1;
} else {
    $os = "nt"; $nt = 1; $unix = 0;
}
$| = 1;
$verbose = 0;
if (($os cmp "unix")==0) {
    $defphases =
"dbcre,sctso,scuto,dbgen,dapop,analyz,ixcre"
;
} else {
    $defphases =
"sdgen,shutd,start,dbgen,plcre,dbcre,sctso,
scuto,dapop,scuvo,analyz,ixcre,chob";
}
$allbmtypes = "tpcd,wisc";
$bmtypes = "tpcd" if !defined $bmtypes;
$pdfile = "$ENV{'BUMPX_DIR'}/param.txt";
# This file contains the description of all
possible parameters.
while ($arg = shift(@ARGV)) {
    if ($arg !~ /-(i|o|t|p|d|a|s|h)/){

```

```

        $error = "*** Error: Bad argument
to $0: $arg\n";
        &usage;
    }
    if ($arg =~ /-h/) { &usage;exit(0);}
    $runsilent = 1 if ($arg =~ /-s/);
    $outfile = shift(@ARGV) if ($arg =~ /-
o/);
    $bmtypes = shift(@ARGV) if ($arg =~ /-
t/);
    $phaseslist = shift(@ARGV) if ($arg =~
/-p/);
    if ($arg =~ /-d/) {
        $defpar = shift(@ARGV);
        @keys = keys %params;
        while ($#keys >=0) {
            $key = pop(@keys);
            if (($defpar cmp "") ==0) {
                print $key, "=", $params{$key},
"\n";
            } else {
                print $key, "=", $params{$key},
"\n" if ($key =~ /$defpar/);
            }
        }
        exit(0);
    }
}
$outfile = "$ENV{'BUMPX_DIR'}/bumpx.dat" if
!defined $outfile;
if ($nt) {

```

```

$listdir = $filedir."list/";
if (!-e $listfile) {
    system ("mkdir $listdir");
}
}
if (($os cmp "nt") == 0) {## NT Port (Use
tmpfile to buffer
$tmpfile = "tmp.txt";      ## commands
and nruntpb to synchronize them)
$tmpfile = $filedir.$tmpfile;
$nruntpb = "nruntpb.exe";
} ## NT End
if (!-e $outfile) {
$error = "*** Error: -o file, $outfile,
does not exist\n";
&usage;
}
$phaseslist = $defphases if !defined
$phaseslist;
@phases = split(/,/, $phaseslist);
## NT Port (Use tmpfile to buffer commands
for nruntpb)
open (TMPFILE, ">$tmpfile") if ( (($os cmp
"nt") == 0));
## NT End
&doexecute;
## NT Port
close(TMPFILE) if ( (($os cmp "nt") == 0));
## NT End
exit(0);

sub doexecute { # First, do preprocessing
stuff
    print "Execution pass begun." if
$verbose;
    open (INFILE, $outfile);
    WLOOP1:
    while ($line = <INFILE>)
    {
        study $line;
        next WLOOP1 if $line =~ /^s*\#/;
        next WLOOP1 if $line =~ /^s*\n/;
        if ($line =~ /^%b-preproc/)
        {
            $insection = 1;
            next WLOOP1;
        }
        next WLOOP1 if ($insection != 1);
        if ($line =~ /^%e-preproc/)
        {
            $insection = 0;
            $commands{$shortcmd} = $longcmd
if defined $shortcmd;
            last WLOOP1;
        }
        if ($line =~ /^%*/)
        {
            $commands{$shortcmd} = $longcmd
if defined $shortcmd;
            $line =~ /^(\.*\S+)\s*\n$/;
            $shortcmd = $1;
            $longcmd = "";
            next WLOOP1;
        }
        if ($line =~ /^%\\/)
        {
            $line =~ /\\(\.*\n)/;
            $longcmd = $longcmd . $1;
            next WLOOP1;
        }
        print "Illegal entry in preproc
stage:\n $line";
    }
}
close (INFILE);

$execctr = 0;
foreach $phase (@phases)
{
    $phase_cmd_num = 0;
    print "\n Executing phase \'$phase\'"
if $verbose;
    $bg = 0;
    open (INFILE, $outfile);
    WLOOP2:
    while ($line = <INFILE>)
    {
        study $line;
        next WLOOP2 if $line =~
/^s*\#/;
        next WLOOP2 if $line =~
/^s*\n/;
        if ($line =~ /^*ignon/)
        {
            $ignon = 1;
            next WLOOP2;
        }
        if ($line =~ /^*ignoff/)
        {
            $ignon = 0;
            next WLOOP2;
        }
        next WLOOP2 if ($ignon == 1);
        if ($line =~ /^%b-$phase/)
        {
            $insection = 1;
            $execcmd = "";
            next WLOOP2;
        }
        next WLOOP2 if ($insection !=
1);
        if ($line =~ /^%e-$phase/)
        {
            $insection = 0;
            &execute ($execcmd);
            last WLOOP2;
        }
        if ($line =~ /^%*(.*)/)
        {
            &execute ($execcmd);
            if (($1 =~ /bgo/) || ($1 =~
/wait/) || ($1 =~ /ignore/))
            {
                $execcmd = $line;
                next WLOOP2;
            }
            $line =~
/^(\.*\S+)\s*\n$/;
            $execcmd = $commands{$1};
            next WLOOP2;
        }
        if ($line =~ /^%{(.*%)}%)
        {
            $insert = "";
            $insert = $1;
            $execcmd =~
s/\{}/$insert/;
            next WLOOP2;
        }
        if ($line =~ /^%{(.*%)}%)
        {
            $insubsection = 1;
            $insert = "";
            $insert = $1;
            next WLOOP2;
        }
    }
}

```

```

    }
    if ($line =~ /^(.*)\$/)
    {
        $insubsection = 0;
        $insert = $insert . $1;
        if (($os cmp "nt") == 0){ ## NT
Port (Ignore '\n')
            $insert =~ /^(.*)\n$/s;
            $insert = $1;
        } ## NT End
        $execctr = ~
s/\{\}/$insert/;
        next WLOOP2;
    }
    $insert = $insert . $line if
($insubsection == 1);
    }
    close (INFILE);
    print "\nExecution pass complete.\n" if
$verbose;
}

sub execute
{
    $cmd = shift(@_);
    if ($cmd)
    {
        return if ($cmd =~ /^.*ignore/);
        if ($cmd =~ /^.*bgon=(.*)/)
        {
            $bgmax = $1;
            $bg = 1;
            $bgrun = 0;
            return;
        }
        if ($cmd =~ /^.*bgoff/)
        {
            $bg = 0;
            return;
        }

        if ($cmd =~ /^.*time=(.*)/) ##NT only
        {
            print $1 . "\n";
            print localtime(time) . "\n";
            return;
        }
        if ($cmd =~ /^.*copy (.*)/) ## NT
only
        {
            system($cmd);
            ## Quit if failed
            if ($?) {
                print "system copy command
failed:\n$cmd\nreason: $? ($!)\n";
                exit(-1);
            }
            return;
        }
        if ($cmd =~ /^.*del (.*)/) ## NT only
        {
            system($cmd);
            ## Quit if failed
            if ($?) {
                print "system del command
failed:\n$cmd\nreason: $? ($!)\n";
                exit(-1);
            }
            return;
        }
    }
}

```

```

    if ($cmd =~ /^.*wait/) ## This deals
with main differences between NT and UNIX
    {
        if (($os cmp "unix") == 0)
        {
            while ($fpid = shift(@wpids))
            {
                waitpid($fpid, 0);
            }
        }
        else
        {
            ## NT Port (Start background
tasks if any. nruntpb will wait until all
tasks are done)
            if ($bgrun >= 1)
            {
                close(TMPFILE);
                system("cat $tmpfile >>
$listdir$phase.lst");
                system("vi $tmpfile") if
$debug;
                system("$nruntpb -p <
$tmpfile") if !$debug;
                if ($?)
                {
                    print "system command
failed:\n$nruntpb < $tmpfile\n";
                    print "reason: $? ($!)\n";
                    print "Please check the
contents in the input file.\n";
                    exit(-1);
                }
                open(TMPFILE, ">$tmpfile");
            }
        }
        $bgrun = 0;
        return;
    }
    if ($cmd =~ /(s|g)etenv/)
    {
        @lines = split(/\n/, $cmd);
        $cmd = "";
        foreach $line (@lines)
        {
            while (1)
            {
                last if ($line !~
/getenv/);
                $line =~
/^(.*).*getenv\(((^(\)|\*))*)\)/;
                $line = $1 . $ENV{$2} .
$3;
            }
            if ($line =~ /jojo/) #we do
not want to use this for now
            {
                $line =~
/setenv\s+(\S+)\s+(\S+)/;
                $ENV{$1} = $2;
            }
            else
            {
                $cmd = $cmd . $line.
"\n";
            }
        }
        return if ($cmd !~ /\S+/); # return
if nothing left to execute
        $execctr++;
        $ENV{'BUMPX_CTR'} = $$.'-
'. $execctr;
    }
}

```

```

if (($os cmp "unix") == 0)
{
    if ($bg == 1)
    {
        print "." if $verbose;
        $fpid = fork;
        if ($fpid == 0)
        {
            exec ($cmd);
            print "exec\'d command
failed:\n$cmd\nreason: $!\n";
            exit(-1);
        }
        unshift (@wpids, $fpid);
        $bgrun = $bgrun + 1;
        &execute ("*wait") if (($bgrun >=
$bgmax) && ($bgmax >= 0));
    }
    else
    {
        system ($cmd);
        print "system\'d command
failed:\n$cmd\nreason: $? ($!)\n" if $?;
    }
    else ## NT support
    {
        ## NT Port (Submit background tasks
if there are bgmax of them, otherwise write
to tmpfile)
        if ($bg == 1)
        {
            print "." if $verbose;
            if ($bgrun < $bgmax)
            {
                $cmd =~
s/phase\#.lst/$listdir$phase\_$_phase_cmd_nu
m.lst/;
                ++$phase_cmd_num;
                print TMPFILE $cmd;
                $bgrun = $bgrun + 1;
            }
            else
            {
                close(TMPFILE);
                system("cat $tmpfile >>
$listdir$phase.lst");
                system("$nruntpb -p <
$tmpfile");
                if ($?) {
                    print "system command
failed:\n$nruntpb < $tmpfile\nreason: $?
($!)\n";
                    print "Please check the
contents in the input file.\n";
                    exit(-1);
                }
                open(TMPFILE, ">$tmpfile");
                $cmd =~
s/phase\#.lst/$listdir$phase\_$_phase_cmd_nu
m.lst/;
                ++$phase_cmd_num;
                print TMPFILE $cmd;
                $bgrun = 1;
            }
        }
        else
        {
            $cmd =~
s/phase\#.lst/$listdir$phase\_$_phase_cmd_nu
m.lst/;
            ++$phase_cmd_num;
            print TMPFILE $cmd;
            $bgrun = 1;
        }
    }
}

print TMPFILE $cmd;
close(TMPFILE);
system("cat $tmpfile >>
$listdir$phase.lst");
system ("sh $tmpfile");
if ($?) {
    print "system\'d command
failed:\nsh $tmpfile\nreason: $? ($!)\n";
    print "Please check the
contents in the shell script.\n";
    exit(-1);
}
open(TMPFILE, ">$tmpfile");
}
} ## NT support End
}

sub usage
{
    print "Usage:\n";
    print "This is a lite version of
bumpx.pl. It can only be used to execute a
.dat file\n";
    print " $0 [-o outfile] [-p phaselist]
[-t type]\n";
    print " -o : intermediary file to be
created and/or used\n";
    print " defaults to bumpx.dat in
\$_BUMPX_DIR or \$_CWD\n";
    print " -p : list of phases to
create/execute\n";
    print " phaselist is a comma
separated list of phases in order\n";
    print " possible phases are:\n";
    print " sdgen = seed file
generation\n";
    print " dbgen = data flat file
generation\n";
    print " plcre = NT raw
partition and links creation\n";
    print " dbcre = database
creation\n";
    print " shutd = shutdown
database (on all instances)\n";
    print " start = startup
database (on all instances)\n";
    print " sccre = schema
creation\n";
    print " sctso = schema
creation (tablespaces only)\n";
    print " scuto = schema
creation (user and tables only)\n";
    print " scuvo = schema
creation (views only)\n";
    print " dapop = data
population\n";
    print " ixcre = index creation
(including constraints)\n";
    print " anlyz = analyze
objects\n";
    print " chob = change
parameters of objects\n";
    print " expln = create explain
plans\n";
    print " query = run and time
queries\n";
    print " defaults to
$defphases\n";
    print " -t : type of benchmark\n";
    print " enables benchmark-
specific defaults\n";
}

```

```

        print "          current possibilities
are: $allbmtypes\n";
        print "          defaults to tpcd\n";
        print "          -s : run silent (no parameter
checking is done)\n";
        print "\n";
        print "Examples:\n";
        print " $0 -p dapop\n";
        print "          Executes data population
phase of intermediary file bumpx.dat.\n";
        print "\n";
        print "$error\n";
        exit(-1);
    }

=====
1tb.dat
=====
#####
#####
# preprocessing-like directives
%b-preproc
*sql
\sqlplus -s /NOLOG <<!
\set echo on;
\set termout on;
\spool phase#.lst;
\connect / as sysdba;
\select to_char(sysdate, 'MM-DD-YYYY
HH24:MI:SS') now from dual;
\{
\select to_char(sysdate, 'MM-DD-YYYY
HH24:MI:SS') now from dual;
\exit;
\!

*load1
\sqlldr {}

*mknod
\mknod {}

*dbgen
\dbgen {}

*sh
\{

%e-preproc
%b-dbcrc
*bgon=1
#####
#####
# Database Creation Phase
*sql
{
shutdown abort;
}
*wait
# creating database
*sql
{
startup pfile=
/export/home/oracle/tpch/admin/init_build.o
ra nomount;
create database
    controlfile reuse
    logfile '/tpch_df/log_1' size 31000m
reuse,
        '/tpch_df/log_2' size 31000m
reuse
        datafile '/tpch_df/sys_1' size 3300m
reuse
        sysaux datafile '/tpch_df/sys_2' size
1000m reuse
        undo tablespace ts_undo1
        datafile '/tpch_df/undo_1' size 30570m
reuse
        maxdatafiles 5000
        maxinstances 1
        ;
    }
*wait
# creating extra logfile threads for rac 1
nodes
*sql
{
}
*wait
# building data dictionary
*sql
{
set termout off
set echo off
spool
/export/home/oracle/tpch/log/data_dict.out
@?/rdbms/admin/catalog.sql;
@?/rdbms/admin/catparr.sql;
@?/rdbms/admin/catproc.sql;
connect system/manager
@?/rdbms/admin/utlxplan.sql;
@/ora10100/sqlplus/admin/publd.sql;
}
*wait
*sql
{
shutdown;
}
*wait
*sql
{
startup
pfile=/export/home/oracle/tpch/admin/init_b
uild.ora
}
*wait
*bgoff
%e-dbcrc
%b-sctso
*bgon=128
#####
#####
# Schema Creation Phase - datafiles only
(no tables or users)
# creating data tablespaces, datafiles
# creating tpch's ts_s tablespace
*sql
{
drop tablespace ts_s including contents;
create tablespace ts_s
datafile '/tpch_df/s_1' size 1900m reuse
extent management local
autoallocate
    nologging
    ;
}
# creating tpch's ts_c tablespace
*sql
{
drop tablespace ts_c including contents;

```

```

create tablespace ts_c
datafile '/tpch_df/c_1' size 24860m reuse
extent management local
autoallocate
nologging
;
}
# creating tpch's ts_ps tablespace
*sql
{
drop tablespace ts_ps including contents;
create tablespace ts_ps
datafile '/tpch_df/ps_1' size 29010m reuse
extent management local
autoallocate
nologging
;
}
# creating tpch's ts_p tablespace
*sql
{
drop tablespace ts_p including contents;
create tablespace ts_p
datafile '/tpch_df/p_1' size 27795m reuse
extent management local
autoallocate
nologging
;
}
# creating tpch's ts_def tablespace
*sql
{
drop tablespace ts_def including contents;
create tablespace ts_def
datafile '/tpch_df/def_1' size 3300m reuse
;
}
# creating tpch's ts_o1 tablespace
*sql
{
drop tablespace ts_o1 including contents;
create tablespace ts_o1
datafile '/tpch_df/o_1' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o2 tablespace
*sql
{
drop tablespace ts_o2 including contents;
create tablespace ts_o2
datafile '/tpch_df/o_2' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o3 tablespace
*sql
{
drop tablespace ts_o3 including contents;
create tablespace ts_o3
datafile '/tpch_df/o_3' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o4 tablespace
*sql
{
drop tablespace ts_o4 including contents;
create tablespace ts_o4
datafile '/tpch_df/o_4' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o5 tablespace
*sql
{
drop tablespace ts_o5 including contents;
create tablespace ts_o5
datafile '/tpch_df/o_5' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o6 tablespace
*sql
{
drop tablespace ts_o6 including contents;
create tablespace ts_o6
datafile '/tpch_df/o_6' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o7 tablespace
*sql
{
drop tablespace ts_o7 including contents;
create tablespace ts_o7
datafile '/tpch_df/o_7' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o8 tablespace
*sql
{
drop tablespace ts_o8 including contents;
create tablespace ts_o8
datafile '/tpch_df/o_8' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o9 tablespace
*sql
{
drop tablespace ts_o9 including contents;
create tablespace ts_o9
datafile '/tpch_df/o_9' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o10 tablespace
*sql
{
drop tablespace ts_o10 including contents;
create tablespace ts_o10
datafile '/tpch_df/o_10' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o11 tablespace
*sql
{
drop tablespace ts_o11 including contents;
create tablespace ts_o11
datafile '/tpch_df/o_11' size 3100m reuse
extent management local

```

```

autoallocate
;
}
# creating tpch's ts_o12 tablespace
*sql
{
drop tablespace ts_o12 including contents;
create tablespace ts_o12
datafile '/tpch_df/o_12' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o13 tablespace
*sql
{
drop tablespace ts_o13 including contents;
create tablespace ts_o13
datafile '/tpch_df/o_13' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o14 tablespace
*sql
{
drop tablespace ts_o14 including contents;
create tablespace ts_o14
datafile '/tpch_df/o_14' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o15 tablespace
*sql
{
drop tablespace ts_o15 including contents;
create tablespace ts_o15
datafile '/tpch_df/o_15' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o16 tablespace
*sql
{
drop tablespace ts_o16 including contents;
create tablespace ts_o16
datafile '/tpch_df/o_16' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o17 tablespace
*sql
{
drop tablespace ts_o17 including contents;
create tablespace ts_o17
datafile '/tpch_df/o_17' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o18 tablespace
*sql
{
drop tablespace ts_o18 including contents;
create tablespace ts_o18
datafile '/tpch_df/o_18' size 3100m reuse
extent management local
autoallocate
;
}
}
# creating tpch's ts_o19 tablespace
*sql
{
drop tablespace ts_o19 including contents;
create tablespace ts_o19
datafile '/tpch_df/o_19' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o20 tablespace
*sql
{
drop tablespace ts_o20 including contents;
create tablespace ts_o20
datafile '/tpch_df/o_20' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o21 tablespace
*sql
{
drop tablespace ts_o21 including contents;
create tablespace ts_o21
datafile '/tpch_df/o_21' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o22 tablespace
*sql
{
drop tablespace ts_o22 including contents;
create tablespace ts_o22
datafile '/tpch_df/o_22' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o23 tablespace
*sql
{
drop tablespace ts_o23 including contents;
create tablespace ts_o23
datafile '/tpch_df/o_23' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o24 tablespace
*sql
{
drop tablespace ts_o24 including contents;
create tablespace ts_o24
datafile '/tpch_df/o_24' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o25 tablespace
*sql
{
drop tablespace ts_o25 including contents;
create tablespace ts_o25
datafile '/tpch_df/o_25' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o26 tablespace

```

```

*sql
{
drop tablespace ts_o26 including contents;
create tablespace ts_o26
datafile '/tpch_df/o_26' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o27 tablespace
*sql
{
drop tablespace ts_o27 including contents;
create tablespace ts_o27
datafile '/tpch_df/o_27' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o28 tablespace
*sql
{
drop tablespace ts_o28 including contents;
create tablespace ts_o28
datafile '/tpch_df/o_28' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o29 tablespace
*sql
{
drop tablespace ts_o29 including contents;
create tablespace ts_o29
datafile '/tpch_df/o_29' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o30 tablespace
*sql
{
drop tablespace ts_o30 including contents;
create tablespace ts_o30
datafile '/tpch_df/o_30' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o31 tablespace
*sql
{
drop tablespace ts_o31 including contents;
create tablespace ts_o31
datafile '/tpch_df/o_31' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o32 tablespace
*sql
{
drop tablespace ts_o32 including contents;
create tablespace ts_o32
datafile '/tpch_df/o_32' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o33 tablespace
*sql
{
drop tablespace ts_o33 including contents;
create tablespace ts_o33
datafile '/tpch_df/o_33' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o34 tablespace
*sql
{
drop tablespace ts_o34 including contents;
create tablespace ts_o34
datafile '/tpch_df/o_34' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o35 tablespace
*sql
{
drop tablespace ts_o35 including contents;
create tablespace ts_o35
datafile '/tpch_df/o_35' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o36 tablespace
*sql
{
drop tablespace ts_o36 including contents;
create tablespace ts_o36
datafile '/tpch_df/o_36' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o37 tablespace
*sql
{
drop tablespace ts_o37 including contents;
create tablespace ts_o37
datafile '/tpch_df/o_37' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o38 tablespace
*sql
{
drop tablespace ts_o38 including contents;
create tablespace ts_o38
datafile '/tpch_df/o_38' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o39 tablespace
*sql
{
drop tablespace ts_o39 including contents;
create tablespace ts_o39
datafile '/tpch_df/o_39' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o40 tablespace
*sql
{
drop tablespace ts_o40 including contents;
create tablespace ts_o40

```

```

datafile '/tpch_df/o_40' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o41 tablespace
*sql
{
drop tablespace ts_o41 including contents;
create tablespace ts_o41
datafile '/tpch_df/o_41' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o42 tablespace
*sql
{
drop tablespace ts_o42 including contents;
create tablespace ts_o42
datafile '/tpch_df/o_42' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o43 tablespace
*sql
{
drop tablespace ts_o43 including contents;
create tablespace ts_o43
datafile '/tpch_df/o_43' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o44 tablespace
*sql
{
drop tablespace ts_o44 including contents;
create tablespace ts_o44
datafile '/tpch_df/o_44' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o45 tablespace
*sql
{
drop tablespace ts_o45 including contents;
create tablespace ts_o45
datafile '/tpch_df/o_45' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o46 tablespace
*sql
{
drop tablespace ts_o46 including contents;
create tablespace ts_o46
datafile '/tpch_df/o_46' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o47 tablespace
*sql
{
drop tablespace ts_o47 including contents;
create tablespace ts_o47
datafile '/tpch_df/o_47' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o48 tablespace
*sql
{
drop tablespace ts_o48 including contents;
create tablespace ts_o48
datafile '/tpch_df/o_48' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o49 tablespace
*sql
{
drop tablespace ts_o49 including contents;
create tablespace ts_o49
datafile '/tpch_df/o_49' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o50 tablespace
*sql
{
drop tablespace ts_o50 including contents;
create tablespace ts_o50
datafile '/tpch_df/o_50' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o51 tablespace
*sql
{
drop tablespace ts_o51 including contents;
create tablespace ts_o51
datafile '/tpch_df/o_51' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o52 tablespace
*sql
{
drop tablespace ts_o52 including contents;
create tablespace ts_o52
datafile '/tpch_df/o_52' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o53 tablespace
*sql
{
drop tablespace ts_o53 including contents;
create tablespace ts_o53
datafile '/tpch_df/o_53' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o54 tablespace
*sql
{
drop tablespace ts_o54 including contents;
create tablespace ts_o54
datafile '/tpch_df/o_54' size 3100m reuse
extent management local
autoallocate
;
}

```

```

}
# creating tpch's ts_o55 tablespace
*sql
{
drop tablespace ts_o55 including contents;
create tablespace ts_o55
datafile '/tpch_df/o_55' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o56 tablespace
*sql
{
drop tablespace ts_o56 including contents;
create tablespace ts_o56
datafile '/tpch_df/o_56' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o57 tablespace
*sql
{
drop tablespace ts_o57 including contents;
create tablespace ts_o57
datafile '/tpch_df/o_57' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o58 tablespace
*sql
{
drop tablespace ts_o58 including contents;
create tablespace ts_o58
datafile '/tpch_df/o_58' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o59 tablespace
*sql
{
drop tablespace ts_o59 including contents;
create tablespace ts_o59
datafile '/tpch_df/o_59' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o60 tablespace
*sql
{
drop tablespace ts_o60 including contents;
create tablespace ts_o60
datafile '/tpch_df/o_60' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o61 tablespace
*sql
{
drop tablespace ts_o61 including contents;
create tablespace ts_o61
datafile '/tpch_df/o_61' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o62 tablespace
*sql
{
drop tablespace ts_o62 including contents;
create tablespace ts_o62
datafile '/tpch_df/o_62' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o63 tablespace
*sql
{
drop tablespace ts_o63 including contents;
create tablespace ts_o63
datafile '/tpch_df/o_63' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o64 tablespace
*sql
{
drop tablespace ts_o64 including contents;
create tablespace ts_o64
datafile '/tpch_df/o_64' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o65 tablespace
*sql
{
drop tablespace ts_o65 including contents;
create tablespace ts_o65
datafile '/tpch_df/o_65' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o66 tablespace
*sql
{
drop tablespace ts_o66 including contents;
create tablespace ts_o66
datafile '/tpch_df/o_66' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o67 tablespace
*sql
{
drop tablespace ts_o67 including contents;
create tablespace ts_o67
datafile '/tpch_df/o_67' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o68 tablespace
*sql
{
drop tablespace ts_o68 including contents;
create tablespace ts_o68
datafile '/tpch_df/o_68' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o69 tablespace
*sql
{

```

```

drop tablespace ts_o69 including contents;
create tablespace ts_o69
datafile '/tpch_df/o_69' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o70 tablespace
*sql
{
drop tablespace ts_o70 including contents;
create tablespace ts_o70
datafile '/tpch_df/o_70' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o71 tablespace
*sql
{
drop tablespace ts_o71 including contents;
create tablespace ts_o71
datafile '/tpch_df/o_71' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o72 tablespace
*sql
{
drop tablespace ts_o72 including contents;
create tablespace ts_o72
datafile '/tpch_df/o_72' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o73 tablespace
*sql
{
drop tablespace ts_o73 including contents;
create tablespace ts_o73
datafile '/tpch_df/o_73' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o74 tablespace
*sql
{
drop tablespace ts_o74 including contents;
create tablespace ts_o74
datafile '/tpch_df/o_74' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o75 tablespace
*sql
{
drop tablespace ts_o75 including contents;
create tablespace ts_o75
datafile '/tpch_df/o_75' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o76 tablespace
*sql
{
drop tablespace ts_o76 including contents;
create tablespace ts_o76
datafile '/tpch_df/o_76' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o77 tablespace
*sql
{
drop tablespace ts_o77 including contents;
create tablespace ts_o77
datafile '/tpch_df/o_77' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o78 tablespace
*sql
{
drop tablespace ts_o78 including contents;
create tablespace ts_o78
datafile '/tpch_df/o_78' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o79 tablespace
*sql
{
drop tablespace ts_o79 including contents;
create tablespace ts_o79
datafile '/tpch_df/o_79' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o80 tablespace
*sql
{
drop tablespace ts_o80 including contents;
create tablespace ts_o80
datafile '/tpch_df/o_80' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o81 tablespace
*sql
{
drop tablespace ts_o81 including contents;
create tablespace ts_o81
datafile '/tpch_df/o_81' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o82 tablespace
*sql
{
drop tablespace ts_o82 including contents;
create tablespace ts_o82
datafile '/tpch_df/o_82' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_o83 tablespace
*sql
{
drop tablespace ts_o83 including contents;
create tablespace ts_o83
datafile '/tpch_df/o_83' size 3100m reuse
extent management local
autoallocate
;
}

```

```

autoallocate
;
}
# creating tpch's ts_o84 tablespace
*sql
{
drop tablespace ts_o84 including contents;
create tablespace ts_o84
datafile '/tpch_df/o_84' size 3100m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l1 tablespace
*sql
{
drop tablespace ts_l1 including contents;
create tablespace ts_l1
datafile '/tpch_df/l_1' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l2 tablespace
*sql
{
drop tablespace ts_l2 including contents;
create tablespace ts_l2
datafile '/tpch_df/l_2' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l3 tablespace
*sql
{
drop tablespace ts_l3 including contents;
create tablespace ts_l3
datafile '/tpch_df/l_3' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l4 tablespace
*sql
{
drop tablespace ts_l4 including contents;
create tablespace ts_l4
datafile '/tpch_df/l_4' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l5 tablespace
*sql
{
drop tablespace ts_l5 including contents;
create tablespace ts_l5
datafile '/tpch_df/l_5' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l6 tablespace
*sql
{
drop tablespace ts_l6 including contents;
create tablespace ts_l6
datafile '/tpch_df/l_6' size 14405m reuse
extent management local
autoallocate
;
}
}
# creating tpch's ts_l7 tablespace
*sql
{
drop tablespace ts_l7 including contents;
create tablespace ts_l7
datafile '/tpch_df/l_7' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l8 tablespace
*sql
{
drop tablespace ts_l8 including contents;
create tablespace ts_l8
datafile '/tpch_df/l_8' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l9 tablespace
*sql
{
drop tablespace ts_l9 including contents;
create tablespace ts_l9
datafile '/tpch_df/l_9' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l10 tablespace
*sql
{
drop tablespace ts_l10 including contents;
create tablespace ts_l10
datafile '/tpch_df/l_10' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l11 tablespace
*sql
{
drop tablespace ts_l11 including contents;
create tablespace ts_l11
datafile '/tpch_df/l_11' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l12 tablespace
*sql
{
drop tablespace ts_l12 including contents;
create tablespace ts_l12
datafile '/tpch_df/l_12' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l13 tablespace
*sql
{
drop tablespace ts_l13 including contents;
create tablespace ts_l13
datafile '/tpch_df/l_13' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l14 tablespace

```

```

*sql
{
drop tablespace ts_l14 including contents;
create tablespace ts_l14
datafile '/tpch_df/l_14' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l15 tablespace
*sql
{
drop tablespace ts_l15 including contents;
create tablespace ts_l15
datafile '/tpch_df/l_15' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l16 tablespace
*sql
{
drop tablespace ts_l16 including contents;
create tablespace ts_l16
datafile '/tpch_df/l_16' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l17 tablespace
*sql
{
drop tablespace ts_l17 including contents;
create tablespace ts_l17
datafile '/tpch_df/l_17' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l18 tablespace
*sql
{
drop tablespace ts_l18 including contents;
create tablespace ts_l18
datafile '/tpch_df/l_18' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l19 tablespace
*sql
{
drop tablespace ts_l19 including contents;
create tablespace ts_l19
datafile '/tpch_df/l_19' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l20 tablespace
*sql
{
drop tablespace ts_l20 including contents;
create tablespace ts_l20
datafile '/tpch_df/l_20' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l21 tablespace
*sql
{
drop tablespace ts_l21 including contents;
create tablespace ts_l21
datafile '/tpch_df/l_21' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l22 tablespace
*sql
{
drop tablespace ts_l22 including contents;
create tablespace ts_l22
datafile '/tpch_df/l_22' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l23 tablespace
*sql
{
drop tablespace ts_l23 including contents;
create tablespace ts_l23
datafile '/tpch_df/l_23' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l24 tablespace
*sql
{
drop tablespace ts_l24 including contents;
create tablespace ts_l24
datafile '/tpch_df/l_24' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l25 tablespace
*sql
{
drop tablespace ts_l25 including contents;
create tablespace ts_l25
datafile '/tpch_df/l_25' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l26 tablespace
*sql
{
drop tablespace ts_l26 including contents;
create tablespace ts_l26
datafile '/tpch_df/l_26' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l27 tablespace
*sql
{
drop tablespace ts_l27 including contents;
create tablespace ts_l27
datafile '/tpch_df/l_27' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l28 tablespace
*sql
{
drop tablespace ts_l28 including contents;
create tablespace ts_l28

```

```

datafile '/tpch_df/l_28' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_129 tablespace
*sql
{
drop tablespace ts_129 including contents;
create tablespace ts_129
datafile '/tpch_df/l_29' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_130 tablespace
*sql
{
drop tablespace ts_130 including contents;
create tablespace ts_130
datafile '/tpch_df/l_30' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_131 tablespace
*sql
{
drop tablespace ts_131 including contents;
create tablespace ts_131
datafile '/tpch_df/l_31' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_132 tablespace
*sql
{
drop tablespace ts_132 including contents;
create tablespace ts_132
datafile '/tpch_df/l_32' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_133 tablespace
*sql
{
drop tablespace ts_133 including contents;
create tablespace ts_133
datafile '/tpch_df/l_33' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_134 tablespace
*sql
{
drop tablespace ts_134 including contents;
create tablespace ts_134
datafile '/tpch_df/l_34' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_135 tablespace
*sql
{
drop tablespace ts_135 including contents;
create tablespace ts_135
datafile '/tpch_df/l_35' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_136 tablespace
*sql
{
drop tablespace ts_136 including contents;
create tablespace ts_136
datafile '/tpch_df/l_36' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_137 tablespace
*sql
{
drop tablespace ts_137 including contents;
create tablespace ts_137
datafile '/tpch_df/l_37' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_138 tablespace
*sql
{
drop tablespace ts_138 including contents;
create tablespace ts_138
datafile '/tpch_df/l_38' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_139 tablespace
*sql
{
drop tablespace ts_139 including contents;
create tablespace ts_139
datafile '/tpch_df/l_39' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_140 tablespace
*sql
{
drop tablespace ts_140 including contents;
create tablespace ts_140
datafile '/tpch_df/l_40' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_141 tablespace
*sql
{
drop tablespace ts_141 including contents;
create tablespace ts_141
datafile '/tpch_df/l_41' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_142 tablespace
*sql
{
drop tablespace ts_142 including contents;
create tablespace ts_142
datafile '/tpch_df/l_42' size 14405m reuse
extent management local
autoallocate
;
}

```

```

}
# creating tpch's ts_l43 tablespace
*sql
{
drop tablespace ts_l43 including contents;
create tablespace ts_l43
datafile '/tpch_df/l_43' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l44 tablespace
*sql
{
drop tablespace ts_l44 including contents;
create tablespace ts_l44
datafile '/tpch_df/l_44' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l45 tablespace
*sql
{
drop tablespace ts_l45 including contents;
create tablespace ts_l45
datafile '/tpch_df/l_45' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l46 tablespace
*sql
{
drop tablespace ts_l46 including contents;
create tablespace ts_l46
datafile '/tpch_df/l_46' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l47 tablespace
*sql
{
drop tablespace ts_l47 including contents;
create tablespace ts_l47
datafile '/tpch_df/l_47' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l48 tablespace
*sql
{
drop tablespace ts_l48 including contents;
create tablespace ts_l48
datafile '/tpch_df/l_48' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l49 tablespace
*sql
{
drop tablespace ts_l49 including contents;
create tablespace ts_l49
datafile '/tpch_df/l_49' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l50 tablespace
*sql
{
drop tablespace ts_l50 including contents;
create tablespace ts_l50
datafile '/tpch_df/l_50' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l51 tablespace
*sql
{
drop tablespace ts_l51 including contents;
create tablespace ts_l51
datafile '/tpch_df/l_51' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l52 tablespace
*sql
{
drop tablespace ts_l52 including contents;
create tablespace ts_l52
datafile '/tpch_df/l_52' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l53 tablespace
*sql
{
drop tablespace ts_l53 including contents;
create tablespace ts_l53
datafile '/tpch_df/l_53' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l54 tablespace
*sql
{
drop tablespace ts_l54 including contents;
create tablespace ts_l54
datafile '/tpch_df/l_54' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l55 tablespace
*sql
{
drop tablespace ts_l55 including contents;
create tablespace ts_l55
datafile '/tpch_df/l_55' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l56 tablespace
*sql
{
drop tablespace ts_l56 including contents;
create tablespace ts_l56
datafile '/tpch_df/l_56' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_l57 tablespace
*sql
{

```

```

drop tablespace ts_157 including contents;
create tablespace ts_157
datafile '/tpch_df/1_57' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_158 tablespace
*sql
{
drop tablespace ts_158 including contents;
create tablespace ts_158
datafile '/tpch_df/1_58' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_159 tablespace
*sql
{
drop tablespace ts_159 including contents;
create tablespace ts_159
datafile '/tpch_df/1_59' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_160 tablespace
*sql
{
drop tablespace ts_160 including contents;
create tablespace ts_160
datafile '/tpch_df/1_60' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_161 tablespace
*sql
{
drop tablespace ts_161 including contents;
create tablespace ts_161
datafile '/tpch_df/1_61' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_162 tablespace
*sql
{
drop tablespace ts_162 including contents;
create tablespace ts_162
datafile '/tpch_df/1_62' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_163 tablespace
*sql
{
drop tablespace ts_163 including contents;
create tablespace ts_163
datafile '/tpch_df/1_63' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_164 tablespace
*sql
{
drop tablespace ts_164 including contents;
create tablespace ts_164

```

```

datafile '/tpch_df/1_64' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_165 tablespace
*sql
{
drop tablespace ts_165 including contents;
create tablespace ts_165
datafile '/tpch_df/1_65' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_166 tablespace
*sql
{
drop tablespace ts_166 including contents;
create tablespace ts_166
datafile '/tpch_df/1_66' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_167 tablespace
*sql
{
drop tablespace ts_167 including contents;
create tablespace ts_167
datafile '/tpch_df/1_67' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_168 tablespace
*sql
{
drop tablespace ts_168 including contents;
create tablespace ts_168
datafile '/tpch_df/1_68' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_169 tablespace
*sql
{
drop tablespace ts_169 including contents;
create tablespace ts_169
datafile '/tpch_df/1_69' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_170 tablespace
*sql
{
drop tablespace ts_170 including contents;
create tablespace ts_170
datafile '/tpch_df/1_70' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_171 tablespace
*sql
{
drop tablespace ts_171 including contents;
create tablespace ts_171
datafile '/tpch_df/1_71' size 14405m reuse
extent management local

```

```

autoallocate
;
}
# creating tpch's ts_172 tablespace
*sql
{
drop tablespace ts_172 including contents;
create tablespace ts_172
datafile '/tpch_df/1_72' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_173 tablespace
*sql
{
drop tablespace ts_173 including contents;
create tablespace ts_173
datafile '/tpch_df/1_73' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_174 tablespace
*sql
{
drop tablespace ts_174 including contents;
create tablespace ts_174
datafile '/tpch_df/1_74' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_175 tablespace
*sql
{
drop tablespace ts_175 including contents;
create tablespace ts_175
datafile '/tpch_df/1_75' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_176 tablespace
*sql
{
drop tablespace ts_176 including contents;
create tablespace ts_176
datafile '/tpch_df/1_76' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_177 tablespace
*sql
{
drop tablespace ts_177 including contents;
create tablespace ts_177
datafile '/tpch_df/1_77' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_178 tablespace
*sql
{
drop tablespace ts_178 including contents;
create tablespace ts_178
datafile '/tpch_df/1_78' size 14405m reuse
extent management local
autoallocate
;
}
}
# creating tpch's ts_179 tablespace
*sql
{
drop tablespace ts_179 including contents;
create tablespace ts_179
datafile '/tpch_df/1_79' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_180 tablespace
*sql
{
drop tablespace ts_180 including contents;
create tablespace ts_180
datafile '/tpch_df/1_80' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_181 tablespace
*sql
{
drop tablespace ts_181 including contents;
create tablespace ts_181
datafile '/tpch_df/1_81' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_182 tablespace
*sql
{
drop tablespace ts_182 including contents;
create tablespace ts_182
datafile '/tpch_df/1_82' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_183 tablespace
*sql
{
drop tablespace ts_183 including contents;
create tablespace ts_183
datafile '/tpch_df/1_83' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_184 tablespace
*sql
{
drop tablespace ts_184 including contents;
create tablespace ts_184
datafile '/tpch_df/1_84' size 14405m reuse
extent management local
autoallocate
;
}
# creating tpch's ts_okey tablespace
*sql
{
drop tablespace ts_okey including contents;
create tablespace ts_okey
datafile '/tpch_df/okey_1' size 26540m
reuse
extent management local
autoallocate
nologging
;
}
}

```

```

}
# creating tpch's ts_lokey tablespace
*sql
{
drop tablespace ts_lokey including
contents;
create tablespace ts_lokey
datafile '/tpch_df/lokey_1' size 30900m
reuse
extent management local
autoallocate
nologging
;
}
# creating tpch's ts_ckekey tablespace
*sql
{
drop tablespace ts_ckekey including contents;
create tablespace ts_ckekey
datafile '/tpch_df/ckekey_1' size 22510m
reuse
extent management local
autoallocate
nologging
;
}
# creating tpch's ts_temp tablespace
*sql
{
drop tablespace ts_temp including contents;
create temporary tablespace ts_temp
tempfile '/tpch_df/tmp_1' size 29550m reuse
extent management local
uniform size 10m
;
}
*wait
# adding tpch's ts_s datafiles
# adding tpch's ts_c datafiles
# adding tpch's ts_undo1 datafiles
*sql
{
alter tablespace ts_undo1
add datafile '/tpch_df/undo_2' size
30570m reuse;
}
*sql
{
alter tablespace ts_undo1
add datafile '/tpch_df/undo_3' size
30570m reuse;
}
*sql
{
alter tablespace ts_undo1
add datafile '/tpch_df/undo_4' size
30570m reuse;
}
# adding tpch's ts_ps datafiles
*sql
{
alter tablespace ts_ps
add datafile '/tpch_df/ps_2' size 29010m
reuse;
}
*sql
{
alter tablespace ts_ps
add datafile '/tpch_df/ps_3' size 29010m
reuse;
}
*sql

```

```

{
alter tablespace ts_ps
add datafile '/tpch_df/ps_4' size 29010m
reuse;
}
*sql
{
alter tablespace ts_ps
add datafile '/tpch_df/ps_5' size 29010m
reuse;
}
# adding tpch's ts_p datafiles
# adding tpch's ts_okey datafiles
*sql
{
alter tablespace ts_okey
add datafile '/tpch_df/okey_2' size
26540m reuse;
}
# adding tpch's ts_lokey datafiles
*sql
{
alter tablespace ts_lokey
add datafile '/tpch_df/lokey_2' size
30900m reuse;
}
*sql
{
alter tablespace ts_lokey
add datafile '/tpch_df/lokey_3' size
30900m reuse;
}
*sql
{
alter tablespace ts_lokey
add datafile '/tpch_df/lokey_4' size
30900m reuse;
}
*sql
{
alter tablespace ts_lokey
add datafile '/tpch_df/lokey_5' size
30900m reuse;
}
*sql
{
alter tablespace ts_lokey
add datafile '/tpch_df/lokey_6' size
30900m reuse;
}
# adding tpch's ts_ckekey datafiles
# adding tpch's ts_temp datafiles
*sql
{
alter tablespace ts_temp
add tempfile '/tpch_df/tmp_2' size 29560m
reuse;
}
*sql
{
alter tablespace ts_temp
add tempfile '/tpch_df/tmp_3' size 29560m
reuse;
}
*sql
{
alter tablespace ts_temp
add tempfile '/tpch_df/tmp_4' size 29560m
reuse;
}
*sql
{

```

```

alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_5' size 29560m
  reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_6' size 29560m
  reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_7' size 29560m
  reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_8' size 29560m
  reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_9' size 29560m
  reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_10' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_11' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_12' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_13' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_14' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_15' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_16' size
  29560m reuse;
}
*sql
{

```

```

alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_17' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_18' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_19' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_20' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_21' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_22' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_23' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_24' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_25' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_26' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_27' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_28' size
  29560m reuse;
}
*sql
{

```

```

alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_29' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_30' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_31' size
  29560m reuse;
}
*sql
{
alter tablespace ts_temp
  add tempfile '/tpch_df/tmp_32' size
  29560m reuse;
}
*wait
*wait
*bgoff
%e-sctso
%b-dapop
*bgon=1
#####
#####
# Schema Creation Phase - User and Tables
# AND Database Population Phase
*sql
{
shutdown;
startup pfile =
/export/home/oracle/tpch/admin/init_build.o
ra
}
*wait
# creating tpch user
*sql
{
drop user tpch cascade;
grant DBA
  to tpch identified by tpch;
}
*wait
*sql
{
connect tpch/tpch;
}
*wait
# altering tpch's temp and default
tablespace
*sql
{
alter user tpch temporary tablespace
ts_temp;
alter user tpch default tablespace ts_def;
}
*wait
*sql
{
connect tpch/tpch
@?/rdbms/admin/utlxplan.sql;
}
*wait
# External Tables Definition Phase
*sql
{
connect tpch/tpch;

```

```

drop directory data_dir;
create directory data_dir as '/flat';
}
*wait
*sql
{
connect tpch/tpch;
drop table lineitem_et;
create table lineitem_et (
  l_orderkey          number ,
  l_partkey           number ,
  l_suppkey           number ,
  l_linenummer        number ,
  l_quantity          number ,
  l_extendedprice     number ,
  l_discount          number ,
  l_tax               number ,
  l_returnflag        char(1) ,
  l_linestatus        char(1) ,
  l_shipdate          date ,
  l_commitdate        date ,
  l_receiptdate       date ,
  l_shipinstruct      char(25) ,
  l_shipmode          char(10) ,
  l_comment           varchar(44)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
  records delimited by newline
  badfile 'lineitem.bad'
  logfile 'lineitem.log'
  nodiscardfile
  fields terminated by '|'
  missing field values are null
)
location (
'lineitem.tbl.1','lineitem.tbl.2','lineitem
.tbl.3',
'lineitem.tbl.4','lineitem.tbl.5','lineitem
.tbl.6',
'lineitem.tbl.7','lineitem.tbl.8','lineitem
.tbl.9',
'lineitem.tbl.10','lineitem.tbl.11','lineit
em.tbl.12',
'lineitem.tbl.13','lineitem.tbl.14','lineit
em.tbl.15',
'lineitem.tbl.16','lineitem.tbl.17','lineit
em.tbl.18',
'lineitem.tbl.19','lineitem.tbl.20','lineit
em.tbl.21',
'lineitem.tbl.22','lineitem.tbl.23','lineit
em.tbl.24',
'lineitem.tbl.25','lineitem.tbl.26','lineit
em.tbl.27',
'lineitem.tbl.28','lineitem.tbl.29','lineit
em.tbl.30',
'lineitem.tbl.31','lineitem.tbl.32','lineit
em.tbl.33',
'lineitem.tbl.34','lineitem.tbl.35','lineit
em.tbl.36',
'lineitem.tbl.37','lineitem.tbl.38','lineit
em.tbl.39',
'lineitem.tbl.40','lineitem.tbl.41','lineit
em.tbl.42',
'lineitem.tbl.43','lineitem.tbl.44','lineit
em.tbl.45',
'lineitem.tbl.46','lineitem.tbl.47','lineit
em.tbl.48',

```

```

'lineitem.tbl.49','lineitem.tbl.50','lineitem.tbl.51',
'lineitem.tbl.52','lineitem.tbl.53','lineitem.tbl.54',
'lineitem.tbl.55','lineitem.tbl.56','lineitem.tbl.57',
'lineitem.tbl.58','lineitem.tbl.59','lineitem.tbl.60',
'lineitem.tbl.61','lineitem.tbl.62','lineitem.tbl.63',
'lineitem.tbl.64','lineitem.tbl.65','lineitem.tbl.66',
'lineitem.tbl.67','lineitem.tbl.68','lineitem.tbl.69',
'lineitem.tbl.70','lineitem.tbl.71','lineitem.tbl.72',
'lineitem.tbl.73','lineitem.tbl.74','lineitem.tbl.75',
'lineitem.tbl.76','lineitem.tbl.77','lineitem.tbl.78',
'lineitem.tbl.79','lineitem.tbl.80','lineitem.tbl.81',
'lineitem.tbl.82','lineitem.tbl.83','lineitem.tbl.84'

))reject limit unlimited;
alter table lineitem_et parallel;
}
*sql
{
connect tpch/tpch;
drop table orders_et;
create table orders_et (
    o_orderkey          number ,
    o_custkey           number ,
    o_orderstatus       char(1) ,
    o_totalprice        number ,
    o_orderdate         date ,
    o_orderpriority     char(15) ,
    o_clerk              char(15) ,
    o_shippriority      number ,
    o_comment           varchar(79)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
    records delimited by newline
    badfile 'orders.bad'
    logfile 'orders.log'
    nodiscardfile
    fields terminated by '|'
    missing field values are null
)
location (
'orders.tbl.1','orders.tbl.2','orders.tbl.3',
',
'orders.tbl.4','orders.tbl.5','orders.tbl.6',
',
'orders.tbl.7','orders.tbl.8','orders.tbl.9',
',
'orders.tbl.10','orders.tbl.11','orders.tbl.12',
',
'orders.tbl.13','orders.tbl.14','orders.tbl.15',
',
'orders.tbl.16','orders.tbl.17','orders.tbl.18',
',
'orders.tbl.19','orders.tbl.20','orders.tbl.21',
',
'orders.tbl.22','orders.tbl.23','orders.tbl.24',
',
'orders.tbl.25','orders.tbl.26','orders.tbl.27',
',
'orders.tbl.28','orders.tbl.29','orders.tbl.30',
',
'orders.tbl.31','orders.tbl.32','orders.tbl.33',
',
'orders.tbl.34','orders.tbl.35','orders.tbl.36',
',
'orders.tbl.37','orders.tbl.38','orders.tbl.39',
',
'orders.tbl.40','orders.tbl.41','orders.tbl.42',
',
'orders.tbl.43','orders.tbl.44','orders.tbl.45',
',
'orders.tbl.46','orders.tbl.47','orders.tbl.48',
',
'orders.tbl.49','orders.tbl.50','orders.tbl.51',
',
'orders.tbl.52','orders.tbl.53','orders.tbl.54',
',
'orders.tbl.55','orders.tbl.56','orders.tbl.57',
',
'orders.tbl.58','orders.tbl.59','orders.tbl.60',
',
'orders.tbl.61','orders.tbl.62','orders.tbl.63',
',
'orders.tbl.64','orders.tbl.65','orders.tbl.66',
',
'orders.tbl.67','orders.tbl.68','orders.tbl.69',
',
'orders.tbl.70','orders.tbl.71','orders.tbl.72',
',
'orders.tbl.73','orders.tbl.74','orders.tbl.75',
',
'orders.tbl.76','orders.tbl.77','orders.tbl.78',
',
'orders.tbl.79','orders.tbl.80','orders.tbl.81',
',
'orders.tbl.82','orders.tbl.83','orders.tbl.84'

))reject limit unlimited;
alter table orders_et parallel;
}
*sql
{
connect tpch/tpch;
drop table part_et;
create table part_et (
    p_partkey          number ,
    p_name             varchar(55) ,
    p_mfgr             char(25) ,
    p_brand            char(10) ,
    p_type             varchar(25) ,
    p_size             number ,
    p_container        char(10) ,
    p_retailprice      number ,
    p_comment          varchar(23)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
    records delimited by newline
    badfile 'part.bad'
    logfile 'part.log'
    nodiscardfile
    fields terminated by '|'
    missing field values are null
)
location (

```



```

        logfile 'nation.log'
        nodiscardfile
        fields terminated by '|'
        missing field values are null
    )
    location (
    'nation.tbl'
    )reject limit unlimited;
alter table nation_et parallel;
}
*sql
{
connect tpch/tpch;
drop table region_et;
create table region_et (
    r_regionkey    number ,
    r_name         char(25) ,
    r_comment      varchar(152)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
    records delimited by newline
    badfile 'region.bad'
    logfile 'region.log'
    nodiscardfile
    fields terminated by '|'
    missing field values are null
)
location (
'region.tbl'
)reject limit unlimited;
alter table region_et parallel;
}
#####
#####
# Schema Creation Phase - User and Tables
ONLY (no datafiles)
*wait
*sql
{
connect tpch/tpch;
}
*wait
*sql
{
connect tpch/tpch
@?/rdbms/admin/utlxplan.sql;
}
*wait
*sql
{
connect tpch/tpch;
set timing on
set echo on
!date
}

rem drop table lineitem;
create table lineitem(
    l_shipdate      ,
    l_orderkey      NOT NULL,
    l_discount      NOT NULL,
    l_extendedprice NOT NULL,
    l_suppkey       NOT NULL,
    l_quantity      NOT NULL,
    l_returnflag    ,
    l_partkey       NOT NULL,
    l_linestatus    ,
    l_tax           NOT NULL,
    l_commitdate    ,
    l_receiptdate   ,
    l_shipmode      ,
    l_linenum       NOT NULL,
    l_shipinstruct  ,
    l_comment       ,
)
pctfree 1
pctused 99
initrans 10
storage (initial 800m freelist groups 4
freelists 84)
parallel
nologging
partition by range (l_shipdate)
subpartition by hash(l_partkey)
subpartitions 16
(
partition item1 values less than
(to_date('1992-01-01','YYYY-MM-DD'))
tablespace ts_l1
,
partition item2 values less than
(to_date('1992-02-01','YYYY-MM-DD'))
tablespace ts_l2
,
partition item3 values less than
(to_date('1992-03-01','YYYY-MM-DD'))
tablespace ts_l3
,
partition item4 values less than
(to_date('1992-04-01','YYYY-MM-DD'))
tablespace ts_l4
,
partition item5 values less than
(to_date('1992-05-01','YYYY-MM-DD'))
tablespace ts_l5
,
partition item6 values less than
(to_date('1992-06-01','YYYY-MM-DD'))
tablespace ts_l6
,
partition item7 values less than
(to_date('1992-07-01','YYYY-MM-DD'))
tablespace ts_l7
,
partition item8 values less than
(to_date('1992-08-01','YYYY-MM-DD'))
tablespace ts_l8
,
partition item9 values less than
(to_date('1992-09-01','YYYY-MM-DD'))
tablespace ts_l9
,
partition item10 values less than
(to_date('1992-10-01','YYYY-MM-DD'))
tablespace ts_l10
,
partition item11 values less than
(to_date('1992-11-01','YYYY-MM-DD'))
tablespace ts_l11
,
partition item12 values less than
(to_date('1992-12-01','YYYY-MM-DD'))
tablespace ts_l12
,
partition item13 values less than
(to_date('1993-01-01','YYYY-MM-DD'))
tablespace ts_l13
,
partition item14 values less than
(to_date('1993-02-01','YYYY-MM-DD'))
tablespace ts_l14
)

```

```

',
partition item15 values less than
(to_date('1993-03-01','YYYY-MM-DD'))
tablespace ts_l15
',
partition item16 values less than
(to_date('1993-04-01','YYYY-MM-DD'))
tablespace ts_l16
',
partition item17 values less than
(to_date('1993-05-01','YYYY-MM-DD'))
tablespace ts_l17
',
partition item18 values less than
(to_date('1993-06-01','YYYY-MM-DD'))
tablespace ts_l18
',
partition item19 values less than
(to_date('1993-07-01','YYYY-MM-DD'))
tablespace ts_l19
',
partition item20 values less than
(to_date('1993-08-01','YYYY-MM-DD'))
tablespace ts_l20
',
partition item21 values less than
(to_date('1993-09-01','YYYY-MM-DD'))
tablespace ts_l21
',
partition item22 values less than
(to_date('1993-10-01','YYYY-MM-DD'))
tablespace ts_l22
',
partition item23 values less than
(to_date('1993-11-01','YYYY-MM-DD'))
tablespace ts_l23
',
partition item24 values less than
(to_date('1993-12-01','YYYY-MM-DD'))
tablespace ts_l24
',
partition item25 values less than
(to_date('1994-01-01','YYYY-MM-DD'))
tablespace ts_l25
',
partition item26 values less than
(to_date('1994-02-01','YYYY-MM-DD'))
tablespace ts_l26
',
partition item27 values less than
(to_date('1994-03-01','YYYY-MM-DD'))
tablespace ts_l27
',
partition item28 values less than
(to_date('1994-04-01','YYYY-MM-DD'))
tablespace ts_l28
',
partition item29 values less than
(to_date('1994-05-01','YYYY-MM-DD'))
tablespace ts_l29
',
partition item30 values less than
(to_date('1994-06-01','YYYY-MM-DD'))
tablespace ts_l30
',
partition item31 values less than
(to_date('1994-07-01','YYYY-MM-DD'))
tablespace ts_l31
',
partition item32 values less than
(to_date('1994-08-01','YYYY-MM-DD'))
tablespace ts_l32
',
partition item33 values less than
(to_date('1994-09-01','YYYY-MM-DD'))
tablespace ts_l33
',
partition item34 values less than
(to_date('1994-10-01','YYYY-MM-DD'))
tablespace ts_l34
',
partition item35 values less than
(to_date('1994-11-01','YYYY-MM-DD'))
tablespace ts_l35
',
partition item36 values less than
(to_date('1994-12-01','YYYY-MM-DD'))
tablespace ts_l36
',
partition item37 values less than
(to_date('1995-01-01','YYYY-MM-DD'))
tablespace ts_l37
',
partition item38 values less than
(to_date('1995-02-01','YYYY-MM-DD'))
tablespace ts_l38
',
partition item39 values less than
(to_date('1995-03-01','YYYY-MM-DD'))
tablespace ts_l39
',
partition item40 values less than
(to_date('1995-04-01','YYYY-MM-DD'))
tablespace ts_l40
',
partition item41 values less than
(to_date('1995-05-01','YYYY-MM-DD'))
tablespace ts_l41
',
partition item42 values less than
(to_date('1995-06-01','YYYY-MM-DD'))
tablespace ts_l42
',
partition item43 values less than
(to_date('1995-07-01','YYYY-MM-DD'))
tablespace ts_l43
',
partition item44 values less than
(to_date('1995-08-01','YYYY-MM-DD'))
tablespace ts_l44
',
partition item45 values less than
(to_date('1995-09-01','YYYY-MM-DD'))
tablespace ts_l45
',
partition item46 values less than
(to_date('1995-10-01','YYYY-MM-DD'))
tablespace ts_l46
',
partition item47 values less than
(to_date('1995-11-01','YYYY-MM-DD'))
tablespace ts_l47
',
partition item48 values less than
(to_date('1995-12-01','YYYY-MM-DD'))
tablespace ts_l48
',
partition item49 values less than
(to_date('1996-01-01','YYYY-MM-DD'))
tablespace ts_l49
',
partition item50 values less than
(to_date('1996-02-01','YYYY-MM-DD'))
tablespace ts_l50

```

```

partition item51 values less than
(to_date('1996-03-01','YYYY-MM-DD'))
tablespace ts_151
',
partition item52 values less than
(to_date('1996-04-01','YYYY-MM-DD'))
tablespace ts_152
',
partition item53 values less than
(to_date('1996-05-01','YYYY-MM-DD'))
tablespace ts_153
',
partition item54 values less than
(to_date('1996-06-01','YYYY-MM-DD'))
tablespace ts_154
',
partition item55 values less than
(to_date('1996-07-01','YYYY-MM-DD'))
tablespace ts_155
',
partition item56 values less than
(to_date('1996-08-01','YYYY-MM-DD'))
tablespace ts_156
',
partition item57 values less than
(to_date('1996-09-01','YYYY-MM-DD'))
tablespace ts_157
',
partition item58 values less than
(to_date('1996-10-01','YYYY-MM-DD'))
tablespace ts_158
',
partition item59 values less than
(to_date('1996-11-01','YYYY-MM-DD'))
tablespace ts_159
',
partition item60 values less than
(to_date('1996-12-01','YYYY-MM-DD'))
tablespace ts_160
',
partition item61 values less than
(to_date('1997-01-01','YYYY-MM-DD'))
tablespace ts_161
',
partition item62 values less than
(to_date('1997-02-01','YYYY-MM-DD'))
tablespace ts_162
',
partition item63 values less than
(to_date('1997-03-01','YYYY-MM-DD'))
tablespace ts_163
',
partition item64 values less than
(to_date('1997-04-01','YYYY-MM-DD'))
tablespace ts_164
',
partition item65 values less than
(to_date('1997-05-01','YYYY-MM-DD'))
tablespace ts_165
',
partition item66 values less than
(to_date('1997-06-01','YYYY-MM-DD'))
tablespace ts_166
',
partition item67 values less than
(to_date('1997-07-01','YYYY-MM-DD'))
tablespace ts_167
',
partition item68 values less than
(to_date('1997-08-01','YYYY-MM-DD'))
tablespace ts_168
',
partition item69 values less than
(to_date('1997-09-01','YYYY-MM-DD'))
tablespace ts_169
',
partition item70 values less than
(to_date('1997-10-01','YYYY-MM-DD'))
tablespace ts_170
',
partition item71 values less than
(to_date('1997-11-01','YYYY-MM-DD'))
tablespace ts_171
',
partition item72 values less than
(to_date('1997-12-01','YYYY-MM-DD'))
tablespace ts_172
',
partition item73 values less than
(to_date('1998-01-01','YYYY-MM-DD'))
tablespace ts_173
',
partition item74 values less than
(to_date('1998-02-01','YYYY-MM-DD'))
tablespace ts_174
',
partition item75 values less than
(to_date('1998-03-01','YYYY-MM-DD'))
tablespace ts_175
',
partition item76 values less than
(to_date('1998-04-01','YYYY-MM-DD'))
tablespace ts_176
',
partition item77 values less than
(to_date('1998-05-01','YYYY-MM-DD'))
tablespace ts_177
',
partition item78 values less than
(to_date('1998-06-01','YYYY-MM-DD'))
tablespace ts_178
',
partition item79 values less than
(to_date('1998-07-01','YYYY-MM-DD'))
tablespace ts_179
',
partition item80 values less than
(to_date('1998-08-01','YYYY-MM-DD'))
tablespace ts_180
',
partition item81 values less than
(to_date('1998-09-01','YYYY-MM-DD'))
tablespace ts_181
',
partition item82 values less than
(to_date('1998-10-01','YYYY-MM-DD'))
tablespace ts_182
',
partition item83 values less than
(to_date('1998-11-01','YYYY-MM-DD'))
tablespace ts_183
',
partition item84 values less than
(MAXVALUE)
tablespace ts_184
)
)
as select
l_shipdate ,
l_orderkey ,
l_discount ,
l_extendedprice ,
l_suppkey ,
l_quantity ,

```

```

        l_returnflag      ,
        l_partkey         ,
        l_linestatus     ,
        l_tax             ,
        l_commitdate     ,
        l_receiptdate    ,
        l_shipmode       ,
        l_linenumbr      ,
        l_shipinstruct   ,
        l_comment        ,
from lineitem_et;
rem drop table lineitem_et;
}
*wait
*sql
{
connect tpch/tpch;
set timing on
set echo on
!date

rem drop table orders;
create table orders(
    o_orderdate          ,
    o_orderkey           NOT NULL,
    o_custkey            NOT NULL,
    o_orderpriority     ,
    o_shippriority      ,
    o_clerk              ,
    o_orderstatus       ,
    o_totalprice        ,
    o_comment            )
pctfree 1
pctused 99
intrans 10
storage (initial 150m freelist groups 4
freelists 84)
parallel
nologging
partition by range (o_orderdate)
subpartition by hash(o_custkey)
subpartitions 16
(
partition ord1 values less than
(to_date('1992-01-01','YYYY-MM-DD'))
tablespace ts_o1
,
partition ord2 values less than
(to_date('1992-02-01','YYYY-MM-DD'))
tablespace ts_o2
,
partition ord3 values less than
(to_date('1992-03-01','YYYY-MM-DD'))
tablespace ts_o3
,
partition ord4 values less than
(to_date('1992-04-01','YYYY-MM-DD'))
tablespace ts_o4
,
partition ord5 values less than
(to_date('1992-05-01','YYYY-MM-DD'))
tablespace ts_o5
,
partition ord6 values less than
(to_date('1992-06-01','YYYY-MM-DD'))
tablespace ts_o6
,
partition ord7 values less than
(to_date('1992-07-01','YYYY-MM-DD'))
tablespace ts_o7
,
partition ord8 values less than
(to_date('1992-08-01','YYYY-MM-DD'))
tablespace ts_o8
,
partition ord9 values less than
(to_date('1992-09-01','YYYY-MM-DD'))
tablespace ts_o9
,
partition ord10 values less than
(to_date('1992-10-01','YYYY-MM-DD'))
tablespace ts_o10
,
partition ord11 values less than
(to_date('1992-11-01','YYYY-MM-DD'))
tablespace ts_o11
,
partition ord12 values less than
(to_date('1992-12-01','YYYY-MM-DD'))
tablespace ts_o12
,
partition ord13 values less than
(to_date('1993-01-01','YYYY-MM-DD'))
tablespace ts_o13
,
partition ord14 values less than
(to_date('1993-02-01','YYYY-MM-DD'))
tablespace ts_o14
,
partition ord15 values less than
(to_date('1993-03-01','YYYY-MM-DD'))
tablespace ts_o15
,
partition ord16 values less than
(to_date('1993-04-01','YYYY-MM-DD'))
tablespace ts_o16
,
partition ord17 values less than
(to_date('1993-05-01','YYYY-MM-DD'))
tablespace ts_o17
,
partition ord18 values less than
(to_date('1993-06-01','YYYY-MM-DD'))
tablespace ts_o18
,
partition ord19 values less than
(to_date('1993-07-01','YYYY-MM-DD'))
tablespace ts_o19
,
partition ord20 values less than
(to_date('1993-08-01','YYYY-MM-DD'))
tablespace ts_o20
,
partition ord21 values less than
(to_date('1993-09-01','YYYY-MM-DD'))
tablespace ts_o21
,
partition ord22 values less than
(to_date('1993-10-01','YYYY-MM-DD'))
tablespace ts_o22
,
partition ord23 values less than
(to_date('1993-11-01','YYYY-MM-DD'))
tablespace ts_o23
,
partition ord24 values less than
(to_date('1993-12-01','YYYY-MM-DD'))
tablespace ts_o24
,
partition ord25 values less than
(to_date('1994-01-01','YYYY-MM-DD'))
tablespace ts_o25
,

```

```

partition ord26 values less than
(to_date('1994-02-01','YYYY-MM-DD'))
tablespace ts_o26
'
partition ord27 values less than
(to_date('1994-03-01','YYYY-MM-DD'))
tablespace ts_o27
'
partition ord28 values less than
(to_date('1994-04-01','YYYY-MM-DD'))
tablespace ts_o28
'
partition ord29 values less than
(to_date('1994-05-01','YYYY-MM-DD'))
tablespace ts_o29
'
partition ord30 values less than
(to_date('1994-06-01','YYYY-MM-DD'))
tablespace ts_o30
'
partition ord31 values less than
(to_date('1994-07-01','YYYY-MM-DD'))
tablespace ts_o31
'
partition ord32 values less than
(to_date('1994-08-01','YYYY-MM-DD'))
tablespace ts_o32
'
partition ord33 values less than
(to_date('1994-09-01','YYYY-MM-DD'))
tablespace ts_o33
'
partition ord34 values less than
(to_date('1994-10-01','YYYY-MM-DD'))
tablespace ts_o34
'
partition ord35 values less than
(to_date('1994-11-01','YYYY-MM-DD'))
tablespace ts_o35
'
partition ord36 values less than
(to_date('1994-12-01','YYYY-MM-DD'))
tablespace ts_o36
'
partition ord37 values less than
(to_date('1995-01-01','YYYY-MM-DD'))
tablespace ts_o37
'
partition ord38 values less than
(to_date('1995-02-01','YYYY-MM-DD'))
tablespace ts_o38
'
partition ord39 values less than
(to_date('1995-03-01','YYYY-MM-DD'))
tablespace ts_o39
'
partition ord40 values less than
(to_date('1995-04-01','YYYY-MM-DD'))
tablespace ts_o40
'
partition ord41 values less than
(to_date('1995-05-01','YYYY-MM-DD'))
tablespace ts_o41
'
partition ord42 values less than
(to_date('1995-06-01','YYYY-MM-DD'))
tablespace ts_o42
'
partition ord43 values less than
(to_date('1995-07-01','YYYY-MM-DD'))
tablespace ts_o43
'
partition ord44 values less than
(to_date('1995-08-01','YYYY-MM-DD'))
tablespace ts_o44
'
partition ord45 values less than
(to_date('1995-09-01','YYYY-MM-DD'))
tablespace ts_o45
'
partition ord46 values less than
(to_date('1995-10-01','YYYY-MM-DD'))
tablespace ts_o46
'
partition ord47 values less than
(to_date('1995-11-01','YYYY-MM-DD'))
tablespace ts_o47
'
partition ord48 values less than
(to_date('1995-12-01','YYYY-MM-DD'))
tablespace ts_o48
'
partition ord49 values less than
(to_date('1996-01-01','YYYY-MM-DD'))
tablespace ts_o49
'
partition ord50 values less than
(to_date('1996-02-01','YYYY-MM-DD'))
tablespace ts_o50
'
partition ord51 values less than
(to_date('1996-03-01','YYYY-MM-DD'))
tablespace ts_o51
'
partition ord52 values less than
(to_date('1996-04-01','YYYY-MM-DD'))
tablespace ts_o52
'
partition ord53 values less than
(to_date('1996-05-01','YYYY-MM-DD'))
tablespace ts_o53
'
partition ord54 values less than
(to_date('1996-06-01','YYYY-MM-DD'))
tablespace ts_o54
'
partition ord55 values less than
(to_date('1996-07-01','YYYY-MM-DD'))
tablespace ts_o55
'
partition ord56 values less than
(to_date('1996-08-01','YYYY-MM-DD'))
tablespace ts_o56
'
partition ord57 values less than
(to_date('1996-09-01','YYYY-MM-DD'))
tablespace ts_o57
'
partition ord58 values less than
(to_date('1996-10-01','YYYY-MM-DD'))
tablespace ts_o58
'
partition ord59 values less than
(to_date('1996-11-01','YYYY-MM-DD'))
tablespace ts_o59
'
partition ord60 values less than
(to_date('1996-12-01','YYYY-MM-DD'))
tablespace ts_o60
'
partition ord61 values less than
(to_date('1997-01-01','YYYY-MM-DD'))
tablespace ts_o61
'

```

```

partition ord62 values less than
(to_date('1997-02-01','YYYY-MM-DD'))
tablespace ts_o62
,
partition ord63 values less than
(to_date('1997-03-01','YYYY-MM-DD'))
tablespace ts_o63
,
partition ord64 values less than
(to_date('1997-04-01','YYYY-MM-DD'))
tablespace ts_o64
,
partition ord65 values less than
(to_date('1997-05-01','YYYY-MM-DD'))
tablespace ts_o65
,
partition ord66 values less than
(to_date('1997-06-01','YYYY-MM-DD'))
tablespace ts_o66
,
partition ord67 values less than
(to_date('1997-07-01','YYYY-MM-DD'))
tablespace ts_o67
,
partition ord68 values less than
(to_date('1997-08-01','YYYY-MM-DD'))
tablespace ts_o68
,
partition ord69 values less than
(to_date('1997-09-01','YYYY-MM-DD'))
tablespace ts_o69
,
partition ord70 values less than
(to_date('1997-10-01','YYYY-MM-DD'))
tablespace ts_o70
,
partition ord71 values less than
(to_date('1997-11-01','YYYY-MM-DD'))
tablespace ts_o71
,
partition ord72 values less than
(to_date('1997-12-01','YYYY-MM-DD'))
tablespace ts_o72
,
partition ord73 values less than
(to_date('1998-01-01','YYYY-MM-DD'))
tablespace ts_o73
,
partition ord74 values less than
(to_date('1998-02-01','YYYY-MM-DD'))
tablespace ts_o74
,
partition ord75 values less than
(to_date('1998-03-01','YYYY-MM-DD'))
tablespace ts_o75
,
partition ord76 values less than
(to_date('1998-04-01','YYYY-MM-DD'))
tablespace ts_o76
,
partition ord77 values less than
(to_date('1998-05-01','YYYY-MM-DD'))
tablespace ts_o77
,
partition ord78 values less than
(to_date('1998-06-01','YYYY-MM-DD'))
tablespace ts_o78
,
partition ord79 values less than
(to_date('1998-07-01','YYYY-MM-DD'))
tablespace ts_o79
,
partition ord80 values less than
(to_date('1998-08-01','YYYY-MM-DD'))
tablespace ts_o80
,
partition ord81 values less than
(to_date('1998-09-01','YYYY-MM-DD'))
tablespace ts_o81
,
partition ord82 values less than
(to_date('1998-10-01','YYYY-MM-DD'))
tablespace ts_o82
,
partition ord83 values less than
(to_date('1998-11-01','YYYY-MM-DD'))
tablespace ts_o83
,
partition ord84 values less than (MAXVALUE)
tablespace ts_o84
)
as select
    o_orderdate      ,
    o_orderkey       ,
    o_custkey        ,
    o_orderpriority  ,
    o_shippriority   ,
    o_clerk           ,
    o_orderstatus    ,
    o_totalprice     ,
    o_comment
from orders_et;
rem drop table orders_et;
}
*wait
*sql
{
connect tpch/tpch;
set timing on
set echo on
!date
-- alter session force parallel dml
parallel;
-- alter session set
isolation_level=serializable;

rem drop table partsupp;
create table partsupp(
    ps_partkey      NOT NULL,
    ps_suppkey      NOT NULL,
    ps_supplycost   NOT NULL,
    ps_availqty     ,
    ps_comment      ,
    constraint pk_partkey_suppkey_1 primary
key(ps_partkey,ps_suppkey)
)
organization index
pctthreshold 50
tablespace ts_ps
compress
storage (initial 1000m)
parallel
nologging
partition by hash (ps_partkey)
partitions 128
as select
    ps_partkey      ,
    ps_suppkey      ,
    ps_supplycost   ,
    ps_availqty     ,
    ps_comment
from partsupp_et;
rem drop table partsupp_et;
}

```



```

rem drop table region;
create table region(
    r_regionkey          NOT NULL,
    r_name               NOT NULL,
    r_comment            NOT NULL
)
tablespace ts_def
as select * from region_et;
rem drop table region_et;
}
*wait
*sql
{
connect tpch/tpch;

drop table lineitem_et;
drop table orders_et;
drop table part_et;
drop table partsupp_et;
drop table supplier_et;
drop table customer_et;
drop table nation_et;
drop table region_et;
}
*wait
*wait
*bgoff
%e-dapop
%b-ixcre
*bgon=1
#####
#####
# Index Creation Phase
*sql
{
connect tpch/tpch;

-- alter session force parallel dml
parallel;
-- alter session set
isolation_level=serializable;

drop index l_orderkey;
create index l_orderkey
on lineitem (l_orderkey)
pctfree 2
initrans 10
compute statistics
tablespace ts_lokey
storage (freelist groups 4 freelists 84)
parallel
;
}
*sql
{
connect tpch/tpch;

-- alter session force parallel dml
parallel;
-- alter session set
isolation_level=serializable;

drop index o_orderkey;
create unique index o_orderkey
on orders (o_orderkey)
pctfree 2
initrans 10
compute statistics
tablespace ts_okey
storage (freelist groups 4 freelists 84)
parallel
;

}
}
*sql
{
connect tpch/tpch;

-- alter session force parallel dml
parallel;
-- alter session set
isolation_level=serializable;

drop index c_custkey;
create unique index c_custkey
on customer (c_custkey)
pctfree 2
initrans 10
compute statistics
tablespace ts_ckey
storage (freelists 84)
parallel
;
}
*wait
*sql
{
connect tpch/tpch;

alter index l_orderkey allocate extent
(size 10000m instance 1);
alter index l_orderkey allocate extent
(size 10000m instance 1);
alter index o_orderkey allocate extent
(size 10000m instance 1);
}
*wait
*bgoff
%e-ixcre
%b-anlyz
*bgon=1
#####
#####
# Analyze Phase
*sql
{
connect tpch/tpch;

execute
dbms_stats.gather_schema_stats('tpch' ,
estimate_percent => 1, degree => 128 ,
granularity => 'GLOBAL');
}
*wait
*wait
*bgoff
%e-anlyz

=====
a_query.sql
=====

set serverout on;

select
'BEFORE ACID QUERY' as STAGE,
substr(TO_CHAR(sysdate, 'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

select SUM(trunc(trunc(l_extendedprice *
(1-l_discount),2) * (1+l_tax),2)) AS RESULT

```

```

from lineitem
where l_orderkey = &&1;

select
'AFTER ACID QUERY' as STAGE,
substr(TO_CHAR(sysdate, 'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

exit;

=====
a_query2.sql
=====

set serverout on;

select
'BEFORE PARTSUPP QUERY' as STAGE,
substr(TO_CHAR(sysdate, 'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

select *
from partsupp
where ps_partkey = &&1
and ps_suppkey = &&2;

select
'AFTER PARTSUPP QUERY' as STAGE,
substr(TO_CHAR(sysdate, 'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

exit;

=====
atom.sh
=====
#!/bin/ksh

. $KIT_DIR/env_mg

ITER=3
SF=1
PROG=atranspl
OUT=${ACID_OUT}/atom
USER=${DATABASE_USER}

echo "Starting Atomicity Test at `date`..."
echo ""
echo "Performing $ITER ACID transactions
with COMMIT"
echo ""

randkey $ITER $SF u$USER | $PROG 1 1 1 0
u$USER > ${OUT}c 2>&1

echo "ACID transactions with COMMIT ended.
Output in ${OUT}c"
echo ""
echo "Performing $ITER ACID transactions
with ROLLBACK"
echo ""

randkey $ITER $SF u$USER | $PROG 1 1 0 0
u$USER > ${OUT}r 2>&1

```

```

echo "ACID transactions with ROLLBACK
ended. Output in ${OUT}r"
echo ""
echo "Ending Atomicity Test at `date`..."

```

```

=====
atranspl.c
=====
/* Copyright (c) 2001, 2002, Oracle
Corporation. All rights reserved. */

/*
NAME
    atranspl.c - <one-line expansion of
the name>

DESCRIPTION
    TPC-HR benchmark ACID transaction
driver, OCI version 8

NOTES
    <other useful comments,
qualifications, etc.>

MODIFIED    (MM/DD/YY)

*/

#include <stdio.h>
#include <stdlib.h>
#include <sys/types.h>
#include <sys/stat.h>
#include <fcntl.h>

#include "atranspl.h"

/* Declare error handling functions */

double gettime();
void sql_error();
void usage();
void ACIDinit();
void ACIDexit();
int atoi();
void srand48();
long rand48();

/* declarations for ORDERS */

int o_key = 0;
double o_tprice = 0.0;
double o_newtprice = 0.0;

/* declarations for LINEITEM */

int l_key = 0;
int l_pkey = 0;
int l_skey = 0;

int l_quan = 0;
int l_newquan = 0;
double l_eprice = 0.0;
double l_neweprice = 0.0;
double l_disc = 0.0;
double l_tax = 0.0;

sb2 l_npricei;

/* other declarations */

```

```

int delta = 0;
double rprice;
double cost;

int proc_no = 1;          /* process
number, global          */
int num_streams = 1;     /* number of
transaction streams    */
int trig = 0;           /* Trigger Time
*/
int slp = 0;            /* Sleep Time
*/

int logfile;            /* fdes for
logfile for durability (optional) */
int outfile = 1;        /* output file
(optional)              */
#ifdef LINUX
FILE *infile;          /* input file
(optional)              */
#else
FILE *infile = stdin;  /* input file
(optional)              */
/* in the
format of <o_key> <delta> */
#endif
char lname[UNAME_LEN]; /*
username/passwd combo */
char *passwd;          /* pointer to
password                */

char buf[WRITE_BUF_LEN]; /* buffer to
write                   */

unsigned flag = (unsigned) 0; /* flag
to store all sorts of options */

#define INFILE 0x01u
#define OUTFILE 0x02u
#define LOGFILE 0x04u
#define COMMIT 0x08u
#define DELTA 0x10u

double tr_end = 0.0;    /* transaction
end time                */
double tr_start = 0.0; /* transaction
start time              */

int num_iter = 0;      /* number of
iterations              */

time_t curr_time;     /* Current Time
*/

/* OCI handles */

OCIEnv *tpcenv = NULL;
OCIServer *tpcsrv = NULL;
OCIError *errhp = NULL;
OCISvcCtx *tpcsvc = NULL;
OCISession *tpcusr = NULL;
OCIStmt *curi = NULL;
OCIStmt *curr = NULL;
OCIStmt *cure1 = NULL;
OCIStmt *cure2 = NULL;

/* OCI bind handles */

#ifdef NOLKEY
OCIBind *l_keyi_bp = NULL;
OCIBind *o_keyi_bp = NULL;
#endif

OCIBind *l_key_bp = NULL;
OCIBind *o_key_bp = NULL;
OCIBind *delta_bp = NULL;
OCIBind *l_pkey_bp = NULL;
OCIBind *l_skey_bp = NULL;
OCIBind *l_quan_bp = NULL;
OCIBind *l_newquan_bp = NULL;
OCIBind *l_tax_bp = NULL;
OCIBind *l_disc_bp = NULL;
OCIBind *l_eprice_bp = NULL;
OCIBind *l_neweprice_bp = NULL;
OCIBind *o_tprice_bp = NULL;
OCIBind *o_newtprice_bp = NULL;
OCIBind *rprice_bp = NULL;
OCIBind *cost_bp = NULL;

OCIBind *l_newepricel_bp = NULL;
OCIBind *l_newquanl_bp = NULL;
OCIBind *o_key1_bp = NULL;
OCIBind *l_key1_bp = NULL;

OCIBind *o_newtprice2_bp = NULL;
OCIBind *o_key2_bp = NULL;

sword status = OCI_SUCCESS; /* OCI return
value */

char sqlstmt[1024];

/* usage: prints the usage of the program
*/

void usage()
{
    fprintf(stderr, "\nUsage: atrans.o[st]t
<proc_no> <num_streams> <commit>
<delta>\n[i<pathname for input>]
[o<pathname for output>] [d<pathname for
durability file>] [u<uid/passwd>] \n\n");

    fprintf(stderr, "    proc_no      :the
process number within this ACID\n");
    fprintf(stderr, "    num_streams  :the
total number of ACID transaction
streams\n");
    fprintf(stderr, "    commit      :1 to
commit transaction, abort otherwise\n\n");
    fprintf(stderr, "    delta       :1 to
generate new random delta, otherwise obtain
delta from input\n\n");
    fprintf(stderr, "    OPTIONAL
PARAMETERS:\n");
    fprintf(stderr, "    i<pathname for input>
:full path name for input file - default is
stdin\n");
    fprintf(stderr, "    o<pathname for
output>      :full path name for output file
- default is stdout\n");
    fprintf(stderr, "    d<pathname for
durability> :full path name for durability
success file - must specify for durability
test\n");
    fprintf(stderr, "    u<uid/passwd>
:Username/Password string - default is
tcpd/tcpd\n");
    fprintf(stderr, "    t<trigger>
:Trigger Time - sleep <trigger> seconds
before start\n\n");
}

```

```

    fprintf(stderr, "    s<sleep>
:Sleep Time - sleep <sleep> seconds before
commit or rollback\n\n");
    exit(-1);
}

void ACIDexit() {
    OCILogoff(tpcsvc, errhp);
    OCIhfree(tpcenv, OCI_HTYPE_STMT);
    OCIhfree(tpcsvc, OCI_HTYPE_SVCCTX);
    OCIhfree(tpcsrcv, OCI_HTYPE_SERVER);
    OCIhfree(tpcusr, OCI_HTYPE_SESSION);
}

/* type: 0 if environment handle is passed,
1 if error handle is passwd */

void sql_error(errhp, status, type)
    OCIError *errhp;
    sword status;
    sword type;
{
    char msg[2048];
    ub4 errcode;
    ub4 msglen;
    int i, j;

    switch(status) {
    case OCI_SUCCESS_WITH_INFO:
        fprintf(stderr, "Error: Statement
returned with info.\n");
        if (type)
            (void)
OCIErrorGet(errhp, 1, NULL, (sb4*) &errcode,
(text*) msg,
                2048,
OCI_HTYPE_ERROR);
        else
            (void)
OCIErrorGet(errhp, 1, NULL, (sb4*) &errcode,
(text*) msg,
                2048,
OCI_HTYPE_ENV);
        fprintf(stderr, "%s\n", msg);
        break;
    case OCI_ERROR:
        fprintf(stderr, "Error: OCI call
error.\n");
        if (type)
            (void) OCIErrorGet(errhp, 1, NULL, (sb4
*) &errcode, (text*) msg,
2048, OCI_HTYPE_ERROR);
        else
            (void) OCIErrorGet(errhp, 1, NULL, (sb4
*) &errcode, (text*) msg,
2048, OCI_HTYPE_ENV);
        fprintf(stderr, "%s\n", msg);
        break;
    case OCI_INVALID_HANDLE:
        fprintf(stderr, "Error: Invalid
Handle.\n");
        if (type)
            (void) OCIErrorGet(errhp, 1, NULL, (sb4
*) &errcode, (text*) msg,
2048, OCI_HTYPE_ERROR);
        else
            (void) OCIErrorGet(errhp, 1, NULL, (sb4
*) &errcode, (text*) msg,
2048, OCI_HTYPE_ENV);
        fprintf(stderr, "%s\n", msg);
        break;
    }
}

#ifdef LINUX
int main(argc, argv)
#else
void main(argc, argv)
#endif
    int argc;
    char *argv[];
{
    int i;
    char line[64];
    ub4 errcode;
    char msg[2048];
    int need_commit = 0;

    /* Initialize some variables */
#ifdef LINUX
    infile = fopen("/dev/stdin", "r");
#endif
    strcpy((char *) lname, "tpcd/tpcd");

    if ((argc > 10) || (argc < 5)) {
        usage();
    }

    /* argv[1] -- Process Number */
    proc_no = atoi(argv[1]);

    /* argv[2] -- Number of Streams */
    num_streams = atoi(argv[2]);

    /* argv[3] -- Commit? */
    if (atoi(argv[3]) == 1)
        BIS(flag, COMMIT);

    /* argv[4] -- Delta? */
    if (atoi(argv[4]) == 1)
        BIS(flag, DELTA);

    /* Process optional parameters */
    argc -= 4;
    argv += 4;
    while(--argc) {

```

```

++argv;
switch(argv[0][0]) {
case 'u':
    strncpy((char *) lname, ++(argv[0]),
UNAME_LEN);
    if (strchr((char *) lname, '/') ==
NULL) {
        fprintf(stderr, "Login name must be
in the format of userid/passwd\n");
        usage();
        exit(-1);
    }
    break;
case 'i':
    if ((infile = fopen(++(argv[0]),
"r")) == NULL) {
        fprintf(stderr, "Cannot open input
file %s\n", argv[0]);

fprintf(stderr, "%s\n", strerror(errno));
        exit(-1);
    }
    BIS(flag, INFILE);
    break;
case 'o':
    if ((outfile = open(++(argv[0]),
(O_RDWR | O_SYNC | O_CREAT), S_IRWXU)) == -
1) {
        fprintf(stderr, "Cannot open output
file %s\n", argv[0]);

fprintf(stderr, "%s\n", strerror(errno));
        exit(-1);
    }
    BIS(flag, OUTFILE);
    break;
case 'd':
    if ((logfile = open(++(argv[0]),
(O_RDWR | O_SYNC | O_CREAT), S_IRWXU)) == -
1) {
        fprintf(stderr, "Cannot open
durability success file %s\n", argv[0]);

fprintf(stderr, "%s\n", strerror(errno));
        exit(-1);
    }
    BIS(flag, LOGFILE);
    break;
case 'b':
    num_iter = atoi(++(argv[0]));
    break;
case 't':
    trig = atoi(++(argv[0]));
    break;
case 's':
    slp = atoi(++(argv[0]));
    break;
default:
    fprintf(stderr, "Unknown argument
%s\n", argv[0]);
    usage();
    break;
}
}

FPRTF(outfile, "-----
-----\n");

/* Initialize the cursors etc. */

(void) ACIDinit();

/* sleep for some time (triggering) */
sleep(trig);

/* start doing the ACID transactions */
tr_start = gettimeofday();

/* The number of iteration we will run
depends on the number of */
/* input lines
*/

while (fgets(line, 64, infile) != NULL) {
#ifdef NOLKEY
    sscanf(line, "%d %d\n", &o_key,
&delta);

/* Obtain l_key from l_key query */

OCIsexec(tpcsvc, curi, errhp, 1);

/* l_key is the highest l_linenummer
available. We need to pick */
/* at random a number between 1..l_key.
*/

    l_key = (int) ((lrand48() % l_key) +
1);
#else
    sscanf(line, "%d %d %d\n", &o_key,
&l_key, &delta);
#endif /* NOLKEY */

/* Generate delta if necessary */

if (BIT(flag, DELTA))
    delta = (int) (floor((drand48() *
100)) + 1);

/* Now, we are ready to run the ACID
transaction. */

curr_time = time(NULL);

FPRTF2(outfile, "Starting ACID
transaction %d at %s...\n", (++num_iter),
ctime(&curr_time));

FPRTF1(outfile, "o_key: %d\n", (int)
o_key);
FPRTF1(outfile, "l_key: %d\n", (int)
l_key);
FPRTF1(outfile, "delta: %d\n", (int)
delta);

OCIsexec(tpcsvc, curr, errhp, 1);

curr_time = time(NULL);

if (!BIT(flag, LOGFILE)) {
    FPRTF1(outfile, "BEFORE COMMIT/ROLLBACK
TRANSACTION at %s\n", ctime(&curr_time));
    FPRTF1(outfile, "l_extendedprice:
%.2f\n", l_eprice);
    FPRTF1(outfile, "l_quantity:
%d\n", (int) l_quan);
    FPRTF1(outfile, "o_totalprice:
%.2f\n\n", o_tprice);
}
}

```

```

        FPRTF1(outfile, "Sleep %d seconds
before COMMIT/ROLLBACK...\n\n", slp);
        sleep(slp);

        /* Shall we commit? */

        if (BIT(flag, COMMIT)) {
            need_commit = 1;
            while (need_commit) {

if((status=OCITransCommit(tpcsvc, errhp, OCI_
DEFAULT)) != OCI_SUCCESS) {
                OCIrol(tpcsvc, errhp);

OCIsexec(tpcsvc, curr, errhp, 1);
            } else {
                need_commit = 0;
                curr_time = time(NULL);
                FPRTF2(outfile, "ACID
Transaction iteration %d COMMITED at %s\n",
                    num_iter,
ctime(&curr_time));
            }
        } else {
            OCIrol(tpcsvc, errhp);
            curr_time = time(NULL);
            FPRTF2(outfile, "ACID Transaction
iteration %d ROLLBACK at %s\n",
                num_iter, ctime(&curr_time));
        }

        /* Report all results to outfile and if
necessary, to success file. */

        /* Report initial and new values for
o_totalprice, l_extendedprice, */
        /* l_quantity.
*/

        /*
        curr_time = time(NULL);
        FPRTF1(outfile, "Transaction Completed
at %s\n", ctime(&curr_time));
        */

        /* Get the values in LINEITEM and
ORDERS after the transaction */

        if (BIT(flag, LOGFILE)) {
            FPRTF1(logfile, "p_key:      %d\n",
(int) l_pkey);
            FPRTF1(logfile, "s_key:      %d\n",
(int) l_skey);
            FPRTF1(logfile, "o_key:      %d\n",
(int) o_key);
            FPRTF1(logfile, "l_key:      %d\n",
(int) l_key);
            FPRTF1(logfile, "delta:      %d\n",
(int) delta);
            FPRTF1(logfile, "Transaction
Completed at %s\n", ctime(&curr_time));
            FPRTF(logfile, "-----\n");
        } else {

            OCIsexec(tpcsvc, cure1, errhp, 1);
            OCIsexec(tpcsvc, cure2, errhp, 1);

            FPRTF(outfile, "AFTER
TRANSACTION:\n");

        FPRTF1(outfile, "l_extendedprice:
%.2lf\n", l_neweprice);
        FPRTF1(outfile, "l_quantity:
%d\n", (int) l_newquan);
        FPRTF1(outfile, "o_totalprice:
%.2lf\n", o_newtprice);
        FPRTF1(outfile, "l_tax:
%.2lf\n", l_tax);
        FPRTF1(outfile, "l_discount:
%.2lf\n", l_disc);
        FPRTF1(outfile, "rprice:
%.2lf\n", rprice);
        FPRTF1(outfile, "cost:
%.2lf\n", cost);
        FPRTF(outfile, "-----\n");
    }
}

tr_end = gettimeofday();

if (!BIT(flag, LOGFILE)) {
    FPRTF1(outfile, "Start Time: %.2f\n",
tr_start);
    FPRTF1(outfile, "End Time: %.2f\n",
tr_end);
    FPRTF1(outfile, "Elapsed Time: %.2f\n",
(tr_end - tr_start));
    FPRTF1(outfile, "Transaction Count:
%d\n", num_iter);
    FPRTF1(outfile, "Transaction Rate:
%.2f\n", num_iter/(tr_end - tr_start));
} else {
    FPRTF1(logfile, "Start Time: %.2f\n",
tr_start);
    FPRTF1(logfile, "End Time: %.2f\n",
tr_end);
    FPRTF1(logfile, "Elapsed Time: %.2f\n",
(tr_end - tr_start));
    FPRTF1(logfile, "Transaction Count:
%d\n", num_iter);
}

/* Disconnect from ORACLE. */

if (BIT(flag, INFILE))
    fclose(infile);
if (BIT(flag, OUTFILE))
    close(outfile);
if (BIT(flag, LOGFILE))
    close(logfile);

ACIDexit();

exit(0);
}

void ACIDinit()
{
    /* run random seed */

    srand48(getpid());

    /* Connect to ORACLE. Program will call
sql_error()
    if an error occurs in connecting to
the default database. */

    (void) OCIInitialize(OCI_DEFAULT, (dvoid
*)0,0,0,0);

```

```

    if((status=OCIEnvInit((OCIEnv
**)&tpcenv,OCI_DEFAULT,0,(dvoid **)0)) !=
    OCI_SUCCESS)
        sql_error(tpcenv, status, 0);

    OCIhalloc(tpcenv,&errhp,OCI_HTYPE_ERROR);
    OCIhalloc(tpcenv,&curi,OCI_HTYPE_STMT);
    OCIhalloc(tpcenv,&curr,OCI_HTYPE_STMT);
    OCIhalloc(tpcenv,&cure1,OCI_HTYPE_STMT);
    OCIhalloc(tpcenv,&cure2,OCI_HTYPE_STMT);

OCIhalloc(tpcenv,&tpcsvc,OCI_HTYPE_SVCCTX);

OCIhalloc(tpcenv,&tpcsrv,OCI_HTYPE_SERVER);

OCIhalloc(tpcenv,&tpcusr,OCI_HTYPE_SESSION)
;

/* Disables auto commit */
/*
if (ocof(&tpclda)) {
    sql_error(&tpclda, &tpclda);
    ologof(&tpclda);
    exit(-1);
}
*/

/* get username and password */

passwd = strchr(lname, '/');
*passwd = '\0';
passwd++;

if ((status =
OCIserverAttach(tpcsrv, errhp, (text
*)0,0,OCI_DEFAULT)) != OCI_SUCCESS)
    sql_error(errhp, status, 1);

OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcsrv,0,OCI
I_ATTR_SERVER, errhp);

OCIaset(tpcusr,OCI_HTYPE_SESSION,lname, strlen(lname),OCI_ATTR_USERNAME,
errhp);

OCIaset(tpcusr,OCI_HTYPE_SESSION,passwd, strlen(passwd),OCI_ATTR_PASSWORD,
errhp);

if ((status = OCISessionBegin(tpcsvc,
errhp, tpcusr, OCI_CRED_RDBMS,
OCI_DEFAULT)) != OCI_SUCCESS)
    sql_error(errhp, status, 1);

OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcusr,0,OCI
I_ATTR_SESSION, errhp);

/* Enable session parallel dml */

sprintf((char *) sqlstmt, PDMLTXT);
OCIstmtPrepare(cur, errhp, (text
*)sqlstmt, strlen((char *)sqlstmt),

OCI_NTV_SYNTAX,OCI_DEFAULT);
OCIsexec(tpcsvc, cur, errhp, 1);

/* Enable session parallel ddl */

/*sprintf((char *) sqlstmt, PDDLTXT);

OCIstmtPrepare(cur, errhp, (text
*)sqlstmt, strlen((char *)sqlstmt),

OCI_NTV_SYNTAX,OCI_DEFAULT);
OCIsexec(tpcsvc, cur, errhp, 1);

OCIstmtPrepare(cur, errhp, (text
*)sqlstmt, strlen((char *)sqlstmt),

OCI_NTV_SYNTAX,OCI_DEFAULT);
OCIsexec(tpcsvc, cur, errhp, 1);

/* Set optimizer_index_cost_adj = 25 */

sprintf((char *) sqlstmt, OICATXT);
OCIstmtPrepare(cur, errhp, (text
*)sqlstmt, strlen((char *)sqlstmt),

OCI_NTV_SYNTAX,OCI_DEFAULT);
OCIsexec(tpcsvc, cur, errhp, 1);

curr_time = time(NULL);
printf("\nConnected to ORACLE as user: %s
at %s\n\n", lname, ctime(&curr_time));

#ifdef NOLKEY
/* Open and Parse cursor for query to
choose determine l_key. */
/* Binds l_key to :l_key.
*/

sprintf((char *) sqlstmt,SQLTXT1);

OCIstmtPrepare(cur, errhp, sqlstmt, strlen((c
har *)sqlstmt),OCI_NTV_SYNTAX,OCI_DEFAULT);

OCIbbname(cur, &l_keyi_bp, errhp, ":l_key", AD
R(l_key), SIZ(l_key), SQLT_INT);

OCIbbname(cur, &o_keyi_bp, errhp, ":o_key", AD
R(o_key), SIZ(o_key), SQLT_INT);

#endif /* NOLKEY */

/* Open and Parse cursor for the ACID
transaction. */

sprintf((char *) sqlstmt,SQLTXT2);
OCIstmtPrepare(curr, errhp, (text
*)sqlstmt, strlen((char *)sqlstmt),

OCI_NTV_SYNTAX,OCI_DEFAULT);

/* bind variables */

OCIbbname(curr, l_key_bp, errhp, ":l_key", ADR(
l_key), SIZ(l_key), SQLT_INT);

OCIbbname(curr, o_key_bp, errhp, ":o_key", ADR(
o_key), SIZ(o_key), SQLT_INT);

OCIbbname(curr, delta_bp, errhp, ":delta", ADR(
delta), SIZ(delta), SQLT_INT);

```

```

OCIbbname(curr,l_pkey_bp,errhp,":l_pkey",ADR(l_pkey),SIZ(l_pkey),SQLT_INT);

OCIbbname(curr,l_skey_bp,errhp,":l_skey",ADR(l_skey),SIZ(l_skey),SQLT_INT);

OCIbbname(curr,l_quan_bp,errhp,":l_quan",ADR(l_quan),SIZ(l_quan),SQLT_INT);

OCIbbname(curr,l_newquan_bp,errhp,":l_newquan",ADR(l_newquan),SIZ(l_newquan),SQLT_INT);

OCIbbname(curr,l_tax_bp,errhp,":l_tax",ADR(l_tax),SIZ(l_tax),SQLT_FLT);

OCIbbname(curr,l_disc_bp,errhp,":l_disc",ADR(l_disc),SIZ(l_disc),SQLT_FLT);

OCIbbname(curr,l_eprice_bp,errhp,":l_eprice",ADR(l_eprice),SIZ(l_eprice),SQLT_FLT);

OCIbbname(curr,l_neweprice_bp,errhp,":l_neweprice",ADR(l_neweprice),SIZ(l_neweprice),SQLT_FLT);

OCIbbname(curr,o_tprice_bp,errhp,":o_tprice",ADR(o_tprice),SIZ(o_tprice),SQLT_FLT);

OCIbbname(curr,o_newtprice_bp,errhp,":o_newtprice",ADR(o_newtprice),SIZ(o_newtprice),SQLT_FLT);

OCIbbname(curr,rprice_bp,errhp,":rprice",ADR(rprice),SIZ(rprice),SQLT_FLT);

OCIbbname(curr,cost_bp,errhp,":cost",ADR(cost),SIZ(cost),SQLT_FLT);

/* Open & Parse cursor for end values query */

sprintf((char *)sqlstmt,SQLTXT3);
OCIStmtPrepare(cure1,errhp,(text *)sqlstmt,strlen((char *)sqlstmt),OCI_NTV_SYNTAX,OCI_DEFAULT);

sprintf((char *)sqlstmt,SQLTXT4);
OCIStmtPrepare(cure2,errhp,(text *)sqlstmt,strlen((char *)sqlstmt),OCI_NTV_SYNTAX,OCI_DEFAULT);

/* bind variables */

OCIbbname(cure1,l_neweprice1_bp,errhp,":l_neweprice",ADR(l_neweprice),SIZ(l_neweprice),SQLT_FLT);

OCIbbname(cure1,l_newquan1_bp,errhp,":l_newquan",ADR(l_newquan),SIZ(l_newquan),SQLT_INT);

OCIbbname(cure1,o_key1_bp,errhp,":o_key",ADR(o_key),SIZ(o_key),SQLT_INT);

```

```

OCIbbname(cure1,l_key1_bp,errhp,":l_key",ADR(l_key),SIZ(l_key),SQLT_INT);

OCIbbname(cure2,o_newtprice2_bp,errhp,":o_newtprice",ADR(o_newtprice),SIZ(o_newtprice),SQLT_FLT);

OCIbbname(cure2,o_key2_bp,errhp,":o_key",ADR(o_key),SIZ(o_key),SQLT_INT);
}

```

```

=====
atranspl.h
=====
/* Copyright (c) 2001, 2002, Oracle Corporation. All rights reserved. */

/*
NAME
    atranspl.h - <one-line expansion of the name>

DESCRIPTION

MODIFIED    (MM/DD/YY)

*/
#ifdef ATRANSPL_H
#define ATRANSPL_H

#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <sys/param.h>
#include <sys/types.h>
#include <time.h>
#include <errno.h>
#include <math.h>

#include <oratypes.h>
#ifdef OCIDFN
#include <ocidfn.h>
#endif /* OCIDFN */

#ifdef OCI_ORACLE
#include <oci.h>
#endif /* OCI_ORACLE */

/*
#ifdef __STDC__
#include <ociapr.h>
#else
#include <ocikpr.h>
#endif */ /* __STDC__ */

extern int errno;

#ifdef NULL
#define NULL 0
#endif

#ifdef NULLP
# define NULLP (void *)NULL
#endif /* NULLP */

```

```

#ifndef DISCARD
#define DISCARD (void)
#endif

#ifndef sword
#define sword int
#endif

#ifndef ubl
#define ubl unsigned char
#endif

#define UNAME_LEN 64
#define WRITE_BUF_LEN 1024

#define NA -1 /* ANSI SQL
NULL */
#define VER7 2
#define NOT_SERIALIZABLE 8177 /* ORA-
08177: transaction not serializable */
#define WRITE_BUF_LEN 1024

#define ADR(object) ((ubl *)&(object))
#define SIZ(object) ((sword)sizeof(object))
#define BIS(flg,mask) (unsigned) (flg |=
(unsigned) mask)
#define BIT(flg,mask) (unsigned)
((unsigned) flg & (unsigned) mask)

#define FPRTF(fd,s) \
{sprintf(buf,s); write(fd, buf,
strlen(s));}
#define FPRTF1(fd,s,p) \
{sprintf(buf,s,p); write(fd, buf,
strlen(buf));}
#define FPRTF2(fd,s,p1,p2) \
{sprintf(buf,s,p1,p2); write(fd, buf,
strlen(buf));}

#define OCIhalloc(envh,hndl,htyp) \
if((status=OCIHandleAlloc((dvoid
*)envh,(dvoid **)hndl,htyp,0,(dvoid
**)0))!=OCI_SUCCESS) \
sql_error(envh,status,0); \
else \
DISCARD 0

#define OCIhfree(hndl,htyp) \
if((status=OCIHandleFree((dvoid
*)hndl,htyp))== OCI_SUCCESS) \
fprintf(stderr, "Error freeing
handle of type %d\n", htyp)

#define
OCIaget(hndl,htyp,attp,size,atyp,errh) \
if((status=OCIAttrGet((dvoid
*)hndl,htyp,(dvoid *)attp,(dvoid
*)size,atyp,errh)) != OCI_SUCCESS) \
sql_error(errh,status,1); \
else \
DISCARD 0

#define
OCIaset(hndl,htyp,attp,size,atyp,errh) \
if((status=OCIAttrSet((dvoid
*)hndl,htyp,(dvoid *)attp,size,atyp,errh)
!= OCI_SUCCESS) \
sql_error(errh,status,1); \
else \
DISCARD 0

#define OCIsexec(svch,stmh,errh,iter) \
if((status=OCIStmtExecute(svch,stmh,errh,it
er,0,NULL,NULL,OCI_DEFAULT)) !=
OCI_SUCCESS) \
sql_error(errh,status,1); \
else \
DISCARD 0

#define
OCIBbname(stmh,bindp,errh,sqlvar,progv,prog
vl,ftype) \
if((status=OCIBindByName(stmh,&bindp,errh,(
text *)sqlvar,strlen(sqlvar), \
progv,progv1,ftype,0,0,0,0,OCI_DEFAULT))
!= OCI_SUCCESS) \
sql_error(errh,status,1); \
else \
DISCARD 0

#define
OCIBbnamei(stmh,bindp,errh,sqlvar,progv,pro
gv1,ftype,indp) \
if((status=OCIHandleAlloc((dvoid
*)stmh,(dvoid **)&bindp,OCI_HTYPE_BIND, \
0,(dvoid
**)0))!=OCI_SUCCESS) \
sql_error(stmh,status,0); \
if((status=OCIBindByName(stmh,&bindp,errh,(
text *)sqlvar,strlen(sqlvar), \
progv,progv1,ftype,indp,0,0,0,0,OCI_DEFAULT
)) != OCI_SUCCESS) \
sql_error(errh,status,1); \
else \
DISCARD 0

#define OCIcom(svcp,errh) \
if((status=OCITransCommit(svcp,errh,OCI_DEF
AULT)) != OCI_SUCCESS) \
sql_error(errh,status,1); \
else \
DISCARD 0

#define OCIrol(svcp,errh) \
if((status=OCITransRollback(svcp,errh,OCI_D
EFAULT)) != OCI_SUCCESS) \
sql_error(errh,status,1); \
else \
DISCARD 0

#define ISOTXT "alter session set
isolation_level = serializable"
#define PDMLTXT "alter session force
parallel dml parallel (degree 84)"
#define PDDLTX "alter session force
parallel ddl parallel (degree 4)"
#define OICATXT "alter session set
optimizer_index_cost_adj=25"

#define SOLTXT1 "BEGIN SELECT /*+
index(lineitem,i_l_orderkey) */
MAX(l_linenum) INTO :l_key FROM lineitem
\
WHERE l_orderkey = :o_key; END;"

```

```

#define SQLTXT2 "BEGIN
d_atrans.doatrans(:l_key, :o_key, :delta,
:l_pkey, \
:l_skey, :l_quan, :l_newquan, :l_tax,
:l_disc, :l_eprice, :l_neweprice, \
:o_tprice, :o_newtprice, :rprice, :cost);
END;"

#define SQLTXT3 "BEGIN SELECT
l_extendedprice, l_quantity \
INTO :l_neweprice, :l_newquan \
FROM lineitem \
WHERE l_orderkey = :o_key \
AND l_linenumber = :l_key; END;"

#define SQLTXT4 "BEGIN SELECT o_totalprice
INTO :o_newtprice \
FROM orders \
WHERE o_orderkey = :o_key; END;"

#define SQLTXT5 "BEGIN SELECT
l_extendedprice, l_quantity \
INTO :l_eprice, :l_quan \
FROM lineitem \
WHERE l_orderkey = :o_key \
AND l_linenumber = :l_key; END;"

#define SQLTXT6 "BEGIN SELECT o_totalprice
INTO :o_tprice \
FROM orders \
WHERE o_orderkey = :o_key; END;"

#endif /* ATRANSPL_H */

```

```

=====
ckpt.sh
=====
#!/bin/ksh

. $KIT_DIR/env_mg

sqlplus -s /NOLOG<< !

    connect / as sysdba;
    alter system switch logfile;
    alter system switch logfile;
    alter system switch logfile;
    exit;
!

```

```

=====
cnt_hist.sql
=====

set verify off
set termout on
set echo on

select count(*) from HISTORY;

select to_char(sysdate, 'YYYY-MM-DD
HH:MI:SS') CURRENT_DATE from dual;

exit;

```

```

=====
consist.sh
=====
#!/bin/ksh

. $KIT_DIR/env_mg

KEY=${ACID_DIR}/key$$_
OUTFILE=${ACID_OUT}/consrte
CON1=${ACID_OUT}/conb
CON2=${ACID_OUT}/cona
CHK=${ACID_OUT}/consckpt
SF=1

/bin/rm -rf ${KEY}* $CON1 $CON2 $OUTFILE
$CHK

trap "/bin/rm -rf ${KEY}*; exit 1" 1 2 3 15

STREAM=${NUM_STREAMS}
STREAM=8
let STREAM="$STREAM + 1" # add one for the
update stream
ITER=100
PROG=atranspl
USER=${DATABASE_USER}
CK=10

usage() {

    echo ""
    echo "Usage: $0 [-n iter] [-s number of
stream] [-p prog] [-u usr/pswd] -h"
    echo ""
    echo "-n iter           : number of
iterations, default is 100"
    echo "-s number of stream : number of
streams, default is 2"
    echo "-p prog           : program to
run, default is atranspl.ott"
    echo "-u usr/pswd       :
user/password for database access, default
is tpcd/tpcd"
    echo "-t chkpt         : time after
the start of ACID transaction to perform
the checkpoint"
    echo "                default is
10 seconds"
    echo "-h             : print this
usage summary"
    exit 1;
}

set -- `getopt "n:p:u:s:h" "$@"` || usage

while :
do
    case "$1" in
-s) shift; STREAM=$1;;
-n) shift; ITER=$1;;
-p) shift; PROG=$1;;
-u) shift; USER=$1;;
-t) shift; CK=$1;;
-h) usage; exit 0;;
--) break;;
esac
    shift
done

if [ $ITER -lt 100 ]
then

```

```

echo "Error: Must at least run 100
iterations!"
echo "Exiting..."
exit 1
fi

if [ $STREAM -lt 2 ]
then
echo "Error: Must at least run 2 streams!"
echo "Exiting..."
exit 1
fi

echo "Starting Consistency Test at
`date`..."
echo ""
echo "Generate some keys first"
echo ""

i=0

while [ $i -lt $STREAM ]
do
echo randkey $ITER $$SF u$USER
randkey $ITER $$SF u$USER > ${KEY}$i
i=`expr $i + 1`
done

echo "Check consistency before Submitting
Transactions `date`"
echo "Check consistency before Submitting
Transactions `date`" >> $CON1

echo "Obtain 10 keys from the each key file
to check consistency"

i=0
while [ $i -lt $STREAM ]
do
KEYS=`head -10 ${KEY}$i | awk '{printf
"%d ", $1}'`
echo "The 10 Keys for file $i are: $KEYS"
#for j in `head -10 ${KEY}$i | awk
'{printf "%d ", $1}'`
for j in $KEYS
do
sqlplus $USER @consist $j >> $CON1
echo "-----"
>> $CON1
done
i=`expr $i + 1`
done

echo ""
echo "Starting ACID transactions at `date`"
echo ""

i=0

while [ $i -lt $STREAM ]
do
$PROG $i $STREAM 1 0 u${USER}
i${KEY}$i o${OUTFILE}$i s1 &
i=`expr $i + 1`
done

echo "Schedule a Checkpoint"
echo "Checkpoint scheduled at $CK seconds
after `date`"

(sleep $CK; $ACID_DIR/consistency/ckpt.sh)
&

wait

echo ""
echo "Ending ACID transactions at `date`"
echo ""

echo "Completed $STREAM transaction streams
with $ITER iterations each"
echo ""

echo "Check consistency after Submitting
Transactions `date`"
echo "Check consistency after Submitting
Transactions `date`" >> $CON2

cat
${ORACLE_HOME}/rdbms/log/alert_${ORACLE_SID}
}.log >> $CHK

i=0
while [ $i -lt $STREAM ]
do
KEYS=`head -10 ${KEY}$i | awk '{printf "%d
", $1}'`
echo "The keys to check for consistency
after the test from file $i are:"
echo "$KEYS"
for j in $KEYS
do
sqlplus $USER @consist $j >> $CON2
echo "-----"
>> $CON2
done
i=`expr $i + 1`
done

=====
consist.sql
=====

set verify off

select
substr(TO_CHAR(sysdate, 'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

set serverout on;

DECLARE
o_okey number;
o_tprice number;
l_tprice number;
diff number;
BEGIN
select o_totalprice
into o_tprice
from orders
where o_orderkey = &&l;

select
sum(trunc((trunc((l_extendedprice * (1-
l_discount)), 2)
* (1+l_tax)), 2))
into l_tprice
from lineitem

```

```

        where l_orderkey = &&l;
    diff := l_tprice - o_tprice;

    dbms_output.put_line('O_TOTALPRICE: '
|| TO_CHAR(trunc(o_tprice,2));
    dbms_output.put_line('L_TOTALPRICE: '
|| TO_CHAR(trunc(l_tprice,2));
    dbms_output.put_line('Difference: '
|| TO_CHAR(trunc(diff,2)));

END;
.
/

spool off
exit

=====
cnt_commits.sh
=====

if [ $# -lt 1 ]
then
echo 'USAGE:' $0 '<number of streams> '
exit
fi

. $KIT_DIR/env_mg

NS=$1
H=`expr $NS - 1`
i=0
sum=0
while [ $i -lt $NS ]
do
file=$ACID_OUT/dura$i
h=`fgrep -c Completed $file`
sum=`expr $sum + $h`
i=`expr $i + 1`
done

echo ' sum of completed TAs of success-
files ($ACID_OUT/dura[0..' $H']): ' $sum

=====
d_hist.sql
=====

set termout on;
set serverout on;
set echo on;

drop table history;

create table history
(
    h_p_key    number,
    h_s_key    number,
    h_o_key    number,
    h_l_key    number,
    h_delta   number,
    h_date_t   date

);

exit;

=====
end_acid.sh
=====
#!/bin/ksh

. $KIT_DIR/env_mg

OH=$ORACLE_HOME
OUT_DIR=$ACID_OUT/
DURA_DIR=$ACID_OUT/dura
RUN_ID_FILE=$ACID_DIR/run_id

ITER=10000
STEM=9
PROG=${ACID_DIR}/atranspl.ott
IN=${ACID_DIR}/acid_in
DURA=${ACID_OUT}/dura
OUT=${ACID_OUT}/drate
DSMPL=${DURA_DIR}/durasmpl
KEY=${DURA_DIR}/key${1}_
USER=tpch/tpch
TRIG=1
HCNT=duracnta

sqlplus $USER @cnt_hist > $DURA_DIR/$HCNT
2>&l

i=0
while [ $i -lt $STEM ]
do
    for j in `head -10 ${KEY}${i} | awk
    '{printf "%d ",$1}`
    do
        sqlplus $USER @consist $j >>
        $DURA_DIR/duraconsa
        done
        i=`expr $i + 1`
    done

i=0
while [ $i -lt $STEM ]
do
sample.sh $DURA${i} > ${DSMPL}${i} 2>&l
echo "counts of entries in
successfile(dura"$i" )" :>>$ACID_OUT/drate$i
fgrep -c Completed $ACID_OUT/dura$i >>
$ACID_OUT/drate$i
i=`expr $i + 1`
done

=====
gettime.c
=====
#ifdef RCSID
static char *RCSid =
#endif /* RCSID */

/* Copyright (c) Oracle Corporation 1999.
All Rights Reserved. */

/*

```

```

NAME
    gettimeofday.c

DESCRIPTION
    get wall clock time.
    get cpu time.

FUNCTIONS
    get wall clock time.
    get cpu time.

NOTES
    Both routines return time in seconds
as a double.
    MODIFIED    (MM/DD/YY)
*/

/*
** Options:
**     TIME_W_TIMES:    implement
gettime() with times().
**     TIME_W_GETTIME:  implement
gettime() with gettimeofday().
**     CPU_W_TIMES:     implement
getcpu() with times().
**     CPU_W_GETTRU:    implement
getcpu() with getrusage().
**     GETRU_STATS:     collect getrusage
statistics
**     GET_P_STATS:     collect
get_process_stats statistics
*/

#define SUN_OS5

#if defined(SUN_OS5)
#define TIME_W_GETTIME
#define CPU_W_TIMES
#undef GETRU_STATS
#undef CPU_W_GETTRU
#endif /* SUN_OS5 */

#if defined(sequent) || defined(SEQ_PSX)
# define GET_P_STATS
#endif /* sequent */

#if defined(aix) || defined(AIXRIOS)
# define TIME_W_GETTIME
# define CPU_W_TIMES
# define GETRU_STATS
#endif /* AIXRIOS */

#if defined(a_osf) || defined(A_OSF)
# define TIME_W_GETTIME
# define CPU_W_GETTRU
# define GETRU_STATS
#endif /* AIXRIOS */

#if defined(HPUX) || defined(XENIX_386) ||
defined(SYSV_386) || defined(ATT_3B)
# define TIME_W_TIMES
# define CPU_W_TIMES
#endif /* HPUX || XENIX_386 || SYSV_386 */

#if !defined(TIME_W_GETTIME) &&
!defined(TIME_W_TIMES)
# define TIME_W_TIMES
#endif

#endif

#if !defined(CPU_W_GETTRU) &&
!defined(CPU_W_TIMES)
# define CPU_W_TIMES
#endif

#ifdef GET_P_STATS
# undef GETRU_STATS
# endif
#endif

#if defined(TIME_W_GETTIME) ||
defined(CPU_W_GETTRU) ||
defined(GETRU_STATS)
# include <sys/time.h>
#endif /* TIME_W_GETTIME || CPU_W_GETTRU ||
GETRU_STATS */

#ifdef CPU_W_GETTRU ||
defined(GETRU_STATS)
# include <sys/resource.h>
#endif /* CPU_W_GETTRU || GETRU_STATS */

#ifdef TIME_W_TIMES || defined
(CPU_W_TIMES)
# include <sys/types.h>
# include <sys/times.h>
# include <sys/param.h> /* most systems
define HZ here */
#endif /* TIME_W_TIMES or CPU_W_TIMES */

#ifdef GET_P_STATS
# include <sys/types.h>
# include <sys/procstats.h>
#endif /* GET_P_STATS */

# include <stdio.h>

#ifdef GETRU_STATS
struct rusage selfru;
struct rusage kidsru;
#endif /* GETRU_STATS */

#ifdef GET_P_STATS
struct process_stats selfru;
struct process_stats kidsru;
#endif /* GET_P_STATS */

double gettimeofday ()
{
#ifdef TIME_W_GETTIME
    struct timeval tv;

    (void) gettimeofday (&tv, (struct
timezone *) 0);
    return ((double) tv.tv_sec + (1.0e-6 *
(double) tv.tv_usec));
#endif /* TIME_W_GETTIME */

#ifdef TIME_W_TIMES
    struct tms buf;

    return ((double) times (&buf) / HZ);
#endif /* TIME_W_TIMES */
}

```

```

double getcpu ()
{
#ifdef CPU_W_TIMES
    struct tms buf;

    (void) times (&buf);
    return (((double) buf.tms_utime +
(double) buf.tms_stime) / HZ);
#endif /* CPU_W_TIMES */

#ifdef CPU_W_GETRU
    struct rusage ru;
    double usecs;

    (void) getrusage (0, &ru);
    usecs = 1.0e-6 * (double)
(ru.ru_utime.tv_usec +
ru.ru_stime.tv_usec);
    return ((double) (ru.ru_utime.tv_sec +
ru.ru_stime.tv_sec) + usecs);
#endif /* CPU_W_GETRU */
}

getru (fp, kids, config, runname, proc_no)

FILE *fp;
int kids;
char *config;
char *runname;
int proc_no;

{
#ifdef GETRU_STATS
    struct rusage ru;

    fprintf (fp, "%-10.10s %-10.10s %10d
%10d ", config,runname, proc_no, kids);
    getrusage (kids ? RUSAGE_CHILDREN :
RUSAGE_SELF, &ru);
    print_ru (fp, &ru);
    fprintf (fp, "\n");
#endif /* GETRU_STATS */

#ifdef GET_P_STATS
    timeval_t tv;
    struct process_stats ru;

    fprintf (fp, "%-10.10s %-10.10s %10d
%10d ", config,runname, proc_no, kids);
    if (kids)
        get_process_stats (&tv, PS_SELF,
(struct process_stats *) 0, &ru);
    else
        get_process_stats (&tv, PS_SELF, &ru,
(struct process_stats *) 0);
    print_ru (fp, &ru);
    fprintf (fp, "\n");
#endif /* GET_P_STATS */
}

getrul (kids)

```

```

int kids;

{
#ifdef GETRU_STATS
    if (kids) {
        memset (&kidsru, 0, sizeof (kidsru));
        getrusage (RUSAGE_CHILDREN, &kidsru);
    }
    else {
        memset (&selfru, 0, sizeof (selfru));
        getrusage (RUSAGE_SELF, &selfru);
    }
#endif /* GETRU_STATS */

#ifdef GET_P_STATS
    timeval_t tv;

    if (kids) {
        memset (&kidsru, 0, sizeof (kidsru));
        get_process_stats (&tv, PS_SELF,
(struct process_stats *) 0, &kidsru);
    }
    else {
        memset (&selfru, 0, sizeof (selfru));
        get_process_stats (&tv, PS_SELF,
&selfru, (struct process_stats *) 0);
    }
#endif /* GET_P_STATS */
}

getru2 (fp, kids, config, runname, proc_no)

FILE *fp;
int kids;
char *config;
char *runname;
int proc_no;

{
#ifdef GETRU_STATS
    struct rusage ru;

    fprintf (fp, "%-10.10s %-10.10s %10d
%10d ", config, runname, proc_no, kids);
    getrusage (kids ? RUSAGE_CHILDREN :
RUSAGE_SELF, &ru);
    if (kids)
        diffru (&ru, &kidsru);
    else
        diffru (&ru, &selfru);
    print_ru (fp, &ru);
    fprintf (fp, "\n");
#endif /* GETRU_STATS */

#ifdef GET_P_STATS
    timeval_t tv;
    struct process_stats ru;

    fprintf (fp, "%-10.10s %-10.10s %10d
%10d ", config, runname, proc_no, kids);
    if (kids)
        get_process_stats (&tv, PS_SELF,
(struct process_stats *) 0, &ru);
    else
        get_process_stats (&tv, PS_SELF, &ru,
(struct process_stats *) 0);
    if (kids)

```

```

        diffru (&ru, &kidsru);
    else
        diffru (&ru, &selfru);
    print_ru (fp, &ru);
    fprintf (fp, "\n");
#endif /* GET_P_STATS */
}

#ifdef GETRU_STATS

print_ru (fp, ru)

FILE *fp;
struct rusage *ru;

{
    fprintf (fp, "%10ld ", ru-
>ru_utime.tv_sec * 1000 +
    (ru-
>ru_utime.tv_usec/1000));
    fprintf (fp, "%10ld ", ru-
>ru_stime.tv_sec * 1000 +
    (ru-
>ru_stime.tv_usec/1000));
    fprintf (fp, "%10ld ", ru->ru_maxrss);
    fprintf (fp, "%10ld ", ru->ru_majflt);
    fprintf (fp, "%10ld ", ru->ru_minflt);
    fprintf (fp, "%10ld ", 0);
    fprintf (fp, "%10ld ", 0);
    fprintf (fp, "%10ld ", 0);
    fprintf (fp, "%10ld ", ru->ru_nswap);
    fprintf (fp, "%10ld ", 0);
    fprintf (fp, "%10ld ", ru->ru_nvcsw);
    fprintf (fp, "%10ld ", ru->ru_nivcsw);
    fprintf (fp, "%10ld ", ru->ru_nsignals);
    fprintf (fp, "%10ld ", 0);
    fprintf (fp, "%10ld ", 0);
    fprintf (fp, "%10ld ", ru->ru_inblock);
    fprintf (fp, "%10ld ", ru->ru_oublock);
    fprintf (fp, "%10ld ", 0);
    fprintf (fp, "%10ld", 0);
}

diffru (ru2, ru)

struct rusage *ru2;
struct rusage *ru;

{
    ru2->ru_utime.tv_sec -= ru-
>ru_utime.tv_sec;
    ru2->ru_utime.tv_usec -= ru-
>ru_utime.tv_usec;
    ru2->ru_stime.tv_sec -= ru-
>ru_stime.tv_sec;
    ru2->ru_stime.tv_usec -= ru-
>ru_stime.tv_usec;
    ru2->ru_maxrss -= ru->ru_maxrss;
    ru2->ru_ixrss -= ru->ru_ixrss;
    ru2->ru_idrss -= ru->ru_idrss;
    ru2->ru_minflt -= ru->ru_minflt;
    ru2->ru_majflt -= ru->ru_majflt;
    ru2->ru_nswap -= ru->ru_nswap;
    ru2->ru_inblock -= ru->ru_inblock;

    ru2->ru_oublock -= ru->ru_oublock;
    ru2->ru_msgsnd -= ru->ru_msgsnd;
    ru2->ru_msgrcv -= ru->ru_msgrcv;
    ru2->ru_nsignals -= ru->ru_nsignals;
    ru2->ru_nvcsw -= ru->ru_nvcsw;
    ru2->ru_nivcsw -= ru->ru_nivcsw;
}

#endif /* GETRU_STATS */

#ifdef GET_P_STATS

print_ru (fp, ps)

FILE *fp;
struct process_stats *ps;

{
    fprintf (fp, "%lu ", ps->ps_utime.tv_sec
* 1000 +
    (ps-
>ps_utime.tv_usec/1000));
    fprintf (fp, "%lu ", ps->ps_stime.tv_sec
* 1000 +
    (ps-
>ps_stime.tv_usec/1000));
    fprintf (fp, "%lu ", ps->ps_maxrss);
    fprintf (fp, "%lu ", ps->ps_pagein);
    fprintf (fp, "%lu ", ps->ps_reclaim);
    fprintf (fp, "%lu ", ps->ps_zerofill);
    fprintf (fp, "%lu ", ps->ps_pffincr);
    fprintf (fp, "%lu ", ps->ps_pffdecr);
    fprintf (fp, "%lu ", ps->ps_swap);
    fprintf (fp, "%lu ", ps->ps_syscall);
    fprintf (fp, "%lu ", ps->ps_volcsw);
    fprintf (fp, "%lu ", ps->ps_invocsw);
    fprintf (fp, "%lu ", ps->ps_signal);
    fprintf (fp, "%lu ", ps->ps_lread);
    fprintf (fp, "%lu ", ps->ps_lwrite);
    fprintf (fp, "%lu ", ps->ps_bread);
    fprintf (fp, "%lu ", ps->ps_bwrite);
    fprintf (fp, "%lu ", ps->ps_phread);
    fprintf (fp, "%lu", ps->ps_phwrite);
}

diffru (ru2, ru)

struct process_stats *ru2;
struct process_stats *ru;

{
    ru2->ps_utime.tv_sec -= ru-
>ps_utime.tv_sec;
    ru2->ps_utime.tv_usec -= ru-
>ps_utime.tv_usec;
    ru2->ps_stime.tv_sec -= ru-
>ps_stime.tv_sec;
    ru2->ps_stime.tv_usec -= ru-
>ps_stime.tv_usec;
    ru2->ps_maxrss -= ru->ps_maxrss;
    ru2->ps_pagein -= ru->ps_pagein;
    ru2->ps_reclaim -= ru->ps_reclaim;
    ru2->ps_zerofill -= ru->ps_zerofill;
    ru2->ps_pffincr -= ru->ps_pffincr;
}

```

```

ru2->ps_pffdecr -= ru->ps_pffdecr;
ru2->ps_swap -= ru->ps_swap;
ru2->ps_syscall -= ru->ps_syscall;
ru2->ps_volcsw -= ru->ps_volcsw;
ru2->ps_involcsw -= ru->ps_involcsw;
ru2->ps_signal -= ru->ps_signal;
ru2->ps_lread -= ru->ps_lread;
ru2->ps_lwrite -= ru->ps_lwrite;
ru2->ps_bread -= ru->ps_bread;
ru2->ps_bwrite -= ru->ps_bwrite;
ru2->ps_phread -= ru->ps_phread;
ru2->ps_phwrite -= ru->ps_phwrite;

```

```

}

```

```

#endif /* GET_P_STATS */

```

```

=====
isol.sh
=====

```

```

#!/bin/ksh
# For a cross node isolation test,
assume the local node is
# one of the participating nodes. The
other node can be
# specified by the -n option.

```

```

. $KIT_DIR/env_mg

```

```

RSH=ksh

```

```

OH=$ORACLE_HOME
#ACID_DIR=$KIT_DIR/acid is set in env
OUT_DIR=$ACID_OUT

```

```

TXN1FILE=$OUT_DIR/txn1$.out
TXN2FILE=$OUT_DIR/txn2$.out
KEYFILE=$OUT_DIR/key$.out
ISOFILE=$OUT_DIR/isol

```

```

USER=$DATABASE_USER
PROG=atranspl

```

```

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

```

```

trap "/bin/rm -rf $TXN1FILE $TXN2FILE
$KEYFILE; exit 1" 1 2 3 15

```

```

usage() {
    echo ""
    echo "Usage: $0 [-u user/passwd] [-n
remote_node] -h"
    echo ""
    exit 1;
}

```

```

set -- `getopt "u:n:h" "$@"` || usage

```

```

while :
do
    case "$1" in
    -u) shift; USER=$1;;
    -n) shift; HOST="$1";;
    -h) usage; exit 0;;
    --) break;;
    esac
    shift;
done

```

```

de=`direxists.sh $ACID_OUT c` # I am not
using $de afterward, but I want to avoid
the output of direxists

```

```

randkey 1 0.1 u"$USER" > $KEYFILE

```

```

OKEY=`cat $KEYFILE | awk '{print $1}'`
echo "o_key is "$OKEY

```

```

echo "Running ACID query BEFORE the start
of Isolation Test 1" >> $TXN2FILE
echo "`date`" >> $TXN2FILE
echo "" >> $TXN2FILE
sqlplus $USER @$ACID_DIR/isolation/a_query
$OKEY >> $TXN2FILE
echo "" >> $TXN2FILE
echo "-----" >> $TXN2FILE
-----" >> $TXN2FILE

```

```

sleep 1

```

```

$PROG 1 1 1 0 i$KEYFILE u$USER s60 >>
$TXN1FILE &

```

```

sleep 10

```

```

echo "Running ACID query 10 seconds AFTER
the start of ACID Transaction" \
>> $TXN2FILE
echo "`date`" >> $TXN2FILE
if [ "$HOST" != "" ]
then
    echo "Starting ACID query on node $HOST" >>
$TXN2FILE
    ${RSH} -n ${HOST} sqlplus $USER
@$ACID_DIR/isolation/a_query $OKEY >>
$TXN2FILE
else
    sqlplus $USER @$ACID_DIR/isolation/a_query
$OKEY >> $TXN2FILE
fi

```

```

echo "-----" >> $TXN2FILE
-----" >> $TXN2FILE
wait
echo "-----" >> $TXN2FILE
-----" >> $TXN1FILE

```

```

cat $TXN1FILE $TXN2FILE >> $ISOFILE

```

```

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

```

```

=====
iso2.sh
=====

```

```

#!/bin/ksh

. $KIT_DIR/env_mg

RSH=ksh

OH=$ORACLE_HOME

```

```

OUT_DIR=$ACID_OUT

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txn1$.out
TXN2FILE=$OUT_DIR/txn2$.out
KEYFILE=$OUT_DIR/key$.out
ISOFILE=$OUT_DIR/iso2

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE
$KEYFILE; exit 1" 1 2 3 15

usage() {
    echo ""
    echo "Usage: $0 [-u user/passwd] [-n
remote_node] -h"
    echo ""
    exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
    case "$1" in
        -u) shift; USER=$1;;
        -n) shift; HOST="$1";;
        -h) usage; exit 0;;
        --) break;;
    esac
    shift;
done

randkey 1 0.1 u"$USER" > $KEYFILE

OKEY=`cat $KEYFILE | awk '{print $1}'`
echo "o_key is "$OKEY

echo "Running ACID query BEFORE the start
of Isolation Test 1" >> $TXN2FILE
echo "`date`" >> $TXN2FILE
echo "" >> $TXN2FILE
sqlplus $USER @$ACID_DIR/isolation/a_query
$OKEY >> $TXN2FILE
echo "" >> $TXN2FILE
echo "-----" >> $TXN2FILE

sleep 1

$PROG 1 1 0 0 i$KEYFILE u$USER s30 >>
$TXN1FILE &

sleep 10

echo "Running ACID query 10 seconds AFTER
the start of ACID transaction" \
>> $TXN2FILE
echo "`date`" >> $TXN2FILE
if [ "$HOST" != "" ]

```

```

then
echo "Starting ACID query on node $HOST" >>
$TXN2FILE
${RSH} -n ${HOST} sqlplus $USER
@$ACID_DIR/isolation/a_query $OKEY >>
$TXN2FILE
else
sqlplus $USER @$ACID_DIR/isolation/a_query
$OKEY >> $TXN2FILE
fi

echo "-----" >> $TXN2FILE
wait
echo "-----" >> $TXN2FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

#/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

=====
iso3.sh
=====
#!/bin/ksh
# We need to make sure the remote node
has access to the
# file system on the local node.
Otherwise, we need to rcp
# the keyfile to the remote system.

. $KIT_DIR/env_mg

RSH=ksh

OH=$ORACLE_HOME
#ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txn1$.out
TXN2FILE=$OUT_DIR/txn2$.out
KEYFILE=$OUT_DIR/key$.out
ISOFILE=$OUT_DIR/iso3

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE
$KEYFILE; exit 1" 1 2 3 15

usage() {
    echo ""
    echo "Usage: $0 [-u user/passwd] [-n
remote_node] -h"
    echo ""
    exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
    case "$1" in
        -u) shift; USER=$1;;
        -n) shift; HOST="$1";;

```

```

-h) usage; exit 0;;
--) break;;
esac
shift
done

randkey 1 0.1 u"$USER" > $KEYFILE

sleep 1

$PROG 1 2 1 0 i$KEYFILE u$USER s30 >>
$TXN1FILE &

sleep 10

if [ "$HOST" != "" ]
then
echo "Starting TXN2 on node $HOST" >>
$TXN2FILE
${RSH} -n ${HOST} $PROG 2 2 1 1 i$KEYFILE
u$USER s1 >> $TXN2FILE &
else
$PROG 2 2 1 1 i$KEYFILE u$USER s1 >>
$TXN2FILE &
fi

wait
echo "-----" >> $TXN2FILE
echo "-----" >> $TXN1FILE
-----" >> $TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

=====
iso4.sh
=====
#!/bin/ksh

. $KIT_DIR/env_mg

RSH=ksh

OH=$ORACLE_HOME
OUT_DIR=$ACID_OUT

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txn1$.out
TXN2FILE=$OUT_DIR/txn2$.out
KEYFILE=$OUT_DIR/key$.out
ISOFILE=$OUT_DIR/iso4

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE
$KEYFILE; exit 1" 1 2 3 15

```

```

usage() {
    echo ""
    echo "Usage: $0 [-u user/passwd] [-n
remote_node] -h"
    echo ""
    exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
    case "$1" in
    -u) shift; USER=$1;;
    -n) shift; HOST="$1";;
    -h) usage; exit 0;;
    --) break;;
    esac
    shift
done

randkey 1 0.1 u"$USER" > $KEYFILE

sleep 1

$PROG 1 2 0 0 i$KEYFILE u$USER s30 >>
$TXN1FILE &

sleep 10

if [ "$HOST" != "" ]
then
echo "Starting TXN2 on node $HOST" >>
$TXN2FILE
${RSH} -n ${HOST} $PROG 2 2 1 1 i$KEYFILE
u$USER s1 >> $TXN2FILE &
else
$PROG 2 2 1 1 i$KEYFILE u$USER s1 >>
$TXN2FILE &
fi

wait
echo "-----" >> $TXN2FILE
echo "-----" >> $TXN1FILE
-----" >> $TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

=====
iso5.sh
=====
#!/bin/ksh

. $KIT_DIR/env_mg

RSH=ksh

OH=$ORACLE_HOME
OUT_DIR=$ACID_OUT
DURA_DIR=$ACID_DIR/dura

```

```

TXN1FILE=$OUT_DIR/txn1$$$.out
TXN2FILE=$OUT_DIR/txn2$$$.out
KEYFILE=$OUT_DIR/key$$$.out
ISOFILE=$OUT_DIR/iso5

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE
$KEYFILE; exit 1" 1 2 3 15

usage() {
    echo ""
    echo "Usage: $0 [-u user/passwd] [-n
remote_node] -h"
    echo ""
    exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
    case "$1" in
        -u) shift; USER=$1;;
        -n) shift; HOST="$1";;
        -h) usage; exit 0;;
        --) break;;
    esac
    shift;
done

randkey 1 0.1 u"$USER" > $KEYFILE

OKEY=`cat $KEYFILE | awk '{print $1}'`
echo "o_key is "$OKEY

echo "Running ACID query BEFORE the start
of Isolation Test 5" >> $TXN1FILE
echo "`date`" >> $TXN1FILE
echo "" >> $TXN1FILE
sqlplus $USER @$ACID_DIR/isolation/a_query
$OKEY >> $TXN1FILE
echo "" >> $TXN1FILE
echo "-----
-----" >> $TXN1FILE

sleep 1

$PROG 1 1 1 0 i$KEYFILE u$USER s60 >>
$TXN1FILE &

sleep 5

PSKEY=`randpsup 0.1`

echo "Running PARTSUPP query 5 seconds
AFTER the start of ACID Transaction" \
>> $TXN2FILE
echo "`date`" >> $TXN2FILE
echo "PS_PARTKEY and PS_SUPPKEY are:
$PSKEY" >> $TXN2FILE

if [ "$HOST" != "" ]
then
echo "Starting PARTSUPP query on node
$HOST" >> $TXN2FILE
${RSH} -n ${HOST} sqlplus $USER
@$ACID_DIR/isolation/a_query2 ${PSKEY} >>
$TXN2FILE &
else
sqlplus $USER @$ACID_DIR/isolation/a_query2
${PSKEY} >> $TXN2FILE &
fi

wait

echo "-----
-----" >> $TXN2FILE
echo "-----
-----" >> $TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

=====
iso6.sh
=====
#!/bin/ksh

. $KIT_DIR/env_mg

RSH=ksh

QUERY_DIR=$KIT_DIR/queries_used
OH=/private/tpcd
OUT_DIR=$ACID_OUT

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txn1$$$.out
TXN2FILE=$OUT_DIR/txn2$$$.out
TXN3FILE=$OUT_DIR/txn3$$$.out
KEYFILE=$OUT_DIR/key$$$.out
ISOFILE=$OUT_DIR/iso6

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $TXN3FILE
$KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE
$TXN3FILE $KEYFILE; exit 1" 1 2 3 15

usage() {
    echo ""
    echo "Usage: $0 [-u user/passwd] [-n
remote_node] -h"
    echo ""
    exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
    case "$1" in
        -u) shift; USER=$1;;

```

```

-n) shift; HOST="$1";;
-h) usage; exit 0;;
--) break;;
esac
shift;
done

randkey 1 0.1 u"$USER" > $KEYFILE

OKEY=`cat $KEYFILE | awk '{print $1}'`
echo "o_key is "$OKEY

echo "Running ACID query BEFORE the start
of Isolation Test 6" >> $TXN2FILE
echo "`date`" >> $TXN2FILE
echo "" >> $TXN2FILE
sqlplus $USER @$ACID_DIR/isolation/a_query
$OKEY >> $TXN2FILE

echo "" >> $TXN2FILE
echo "-----" >> $TXN2FILE
echo "-----" >> $TXN2FILE

sleep 1

#echo "Running Query 17b at `date`" >>
$TXN1FILE
#sqlplus $USER @a_q17b >> $TXN1FILE &
echo "Running Query 17b at `date`" >>
$TXN1FILE
sqlplus $USER @$ACID_DIR/isolation/a_q17 >>
$TXN1FILE &

sleep 2

echo "Starting AICD transaction at `date`"
>> $TXN2FILE

if [ "$HOST" != "" ]
then
echo "Starting ACID transaction on node
$HOST" >> $TXN2FILE
${RSH} -n ${HOST} $PROG 1 1 1 0 i$KEYFILE
u$USER s1 >> $TXN2FILE &
else
$PROG 1 1 1 0 i$KEYFILE u$USER s1 >>
$TXN2FILE &
fi

sleep 2

#echo "Running 2nd Query 17b at `date`" >>
$TXN3FILE
#sqlplus $USER @a_q17b >> $TXN3FILE &
echo "Running 2nd Query 17b at `date`" >>
$TXN3FILE
sqlplus $USER @$ACID_DIR/isolation/a_q17 >>
$TXN3FILE &

wait

echo "-----" >> $TXN3FILE
echo "-----" >> $TXN2FILE

```

```

echo "-----" >> $TXN1FILE
cat $TXN1FILE $TXN2FILE $TXN3FILE >>
$ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $TXN3FILE
$KEYFILE

=====
randkey.c
=====
/* Copyright (c) 2001, 2002, Oracle
Corporation. All rights reserved. */

/*
NAME
    randkey.c - <one-line expansion of the
name>

DESCRIPTION
    Generate random keys for ACID
transactions:
        O_ORDERKEY unique random
(1..SF*150000*4) and only
        first 8 keys out of every 32 are
populated.
        and
        L_ORDERKEY based on Clause 3.1.6.2
        DELTA random (1..100)
*/

#include <stdio.h>
#include <stdlib.h>
#include <math.h>
#include "atranspl.h"

#define ORDERCNT 150000.0

/* MK_SPARSE adopted from dss.h */

#define MK_SPARSE(key, seq) \
    (((((key>>3)<<2)|(seq &
0x0003))<<3)|(key & 0x0007))

void sql_error();
void usage();
void ACIDinit();
long atol();
void srand48();
long lrand48();

/* Not really used here, but retained it
for future purposes. */

typedef struct aciddef {
    long okey;
    long lkey;
    int delta;
} adef;

long l_key = 0;
long o_key = 0;
char lname[UNAME_LEN];
char *passwd;

/* OCI handles */

OCIEnv *tpcenv;

```

```

OCIError *errhp;
OCISvcCtx *tpcsvc;
OCISession *tpcusr;
OCIStmt *curi;

OCIBind *l_key_bp;
OCIBind *o_key_bp;

sword status = OCI_SUCCESS; /* OCI return
value */

char sqlstmt[1024];

void ACIDexit() {
    OCILogoff(tpcsvc, errhp);
    OCIHfree(tpcenv, OCI_HTYPE_STMT);
    OCIHfree(tpcsvc, OCI_HTYPE_SVCCTX);
    OCIHfree(tpcsrv, OCI_HTYPE_SERVER);
    OCIHfree(tpcusr, OCI_HTYPE_SESSION);
}

/* type: 0 if environment handle is passed,
1 if error handle is passwd */

void sql_error(errhp, status, type)
    OCIError *errhp;
    sword status;
    sword type;
{
    char msg[2048];
    sb4 errcode;
    ub4 msglen;
    int i, j;

    switch(status) {
    case OCI_SUCCESS_WITH_INFO:
        fprintf(stderr, "Error: Statement
returned with info.\n");
        if (type)
            (void) OCIErrorGet(errhp, 1, NULL, (sb4
*) &errcode, (text *)msg,
2048, OCI_HTYPE_ERROR);
        else
            (void) OCIErrorGet(errhp, 1, NULL, (sb4
*) &errcode, (text *)msg,
2048, OCI_HTYPE_ERROR);
    case OCI_ERROR:
        fprintf(stderr, "Error: OCI call
error.\n");
        if (type)
            (void) OCIErrorGet(errhp, 1, NULL, (sb4
*) &errcode, (text *)msg,
2048, OCI_HTYPE_ERROR);
        else
            (void) OCIErrorGet(errhp, 1, NULL, (sb4
*) &errcode, (text *)msg,
2048, OCI_HTYPE_ERROR);
    case OCI_INVALID_HANDLE:
        fprintf(stderr, "Error: Invalid
Handle.\n");
        if (type)
            (void) OCIErrorGet(errhp, 1, NULL, (sb4
*) &errcode, (text *)msg,
2048, OCI_HTYPE_ERROR);
        else
            (void) OCIErrorGet(errhp, 1, NULL, (sb4
*) &errcode, (text *)msg,
2048, OCI_HTYPE_ERROR);
    }

    fprintf(stderr, "%s\n", msg);
    break;
}

OCITransRollback(tpcsvc, errhp, OCI_DEFAULT);

fprintf(stderr, "Exiting Oracle...\n");
fflush(stderr);

ACIDexit();

exit(1);
}

main(argc, argv)
    int argc;
    char **argv;
{
    long count;
    long i;
    double sf; /* need to accomodate
sf 0.1 */
    double random;
    double ordcnt;
    adef *res;

    if ((argc < 3) || (argc > 4)) {
        usage();
        exit(-1);
    }

    strcpy((char *) lname, "tpcd/tpcd");

    count = atol(argv[1]);
    sf = atof(argv[2]);

    argc -= 2;
    argv += 2;

    while (--argc) {
        ++argv;
        switch(argv[0][0]) {
        case 'u':
            strncpy((char *) lname, ++(argv[0]),
UNAME_LEN);
            if (strchr((char *) lname, '/') ==
NULL) {
                usage();
                exit(-1);
            }
            break;
        default:
            fprintf(stderr, "Unknown argument
%s\n", argv[0]);
            usage();
            break;
        }
    }
}

```

```

ACIDinit();
/* initialize array for random numbers */
res = (adef *)
malloc(count*sizeof(adef));
ordcnt = (double) ORDERCNT * (double) sf;
for (i=0; i<count; i++) {
    /* The algorithm:
    */
    /* Assumes drand's output is 'unique',
    first get a number within */
    /* the range of [0..sf*ORDERCNT) and
    then maps the different */
    /* ranges to generate the real output.
    */
    random = floor(drand48() * (double)
ordcnt) + 1;
    res[i].okey = o_key = (long)
MK_SPARSE((long) random, 0);
    res[i].delta = (long) floor(drand48() *
100) + 1;
    /* Obtain l_key from l_key query */
    OCIsexec(tpcsvc,curi,errhp,1);
    /* l_key is the highest l_linenummer
    available. We need to pick */
    /* at random a number between 1..l_key.
    */
    res[i].lkey = (lrand48() % l_key) + 1;
    printf("%ld %ld %d\n", res[i].okey,
res[i].lkey, res[i].delta);
}
ACIDexit();
free(res);
}

void usage() {
    fprintf(stderr, "Usage: randkey <number
of random keys to generate> <SF>
u<user/password>\n");
    fprintf(stderr, "\n");
}

void ACIDinit()
{
    /* run random seed */
    srand48(getpid());
    /* Connect to ORACLE. Program will call
    sql_error()
    if an error occurs in connecting to
    the default database. */
    (void) OCIInitialize(OCI_DEFAULT,(dvoid
*)0,0,0,0);
    if((status=OCIEnvInit((OCIEnv
**)&tpcenv,OCI_DEFAULT,0,(dvoid **)0)) !=
OCI_SUCCESS)
        sql_error(tpcenv, status, 0);
        OCIhalloc(tpcenv,&errhp,OCI_HTYPE_ERROR);
        OCIhalloc(tpcenv,&curi,OCI_HTYPE_STMT);
        OCIhalloc(tpcenv,&tpcsvc,OCI_HTYPE_SVCCTX);
        OCIhalloc(tpcenv,&tpcsrv,OCI_HTYPE_SERVER);
        OCIhalloc(tpcenv,&tpcusr,OCI_HTYPE_SESSION)
        ;
        /* get username and password */
        passwd = strchr(lname, '/');
        *passwd = '\0';
        passwd++;
        if
        ((status=OCIServerAttach(tpcsrv,errhp,(text
*)0,0,OCI_DEFAULT))!=OCI_SUCCESS)
            sql_error(errhp,status,1);
        OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcsrv,0,OC
I_ATTR_SERVER,errhp);
        OCIaset(tpcusr,OCI_HTYPE_SESSION,lname,stri
len(lname),OCI_ATTR_USERNAME,
            errhp);
        OCIaset(tpcusr,OCI_HTYPE_SESSION,passwd,stri
len(passwd),OCI_ATTR_PASSWORD,
            errhp);
        if ((status = OCISessionBegin(tpcsvc,
errhp, tpcusr, OCI_CRED_RDBMS,
OCI_DEFAULT)) != OCI_SUCCESS)
            sql_error(errhp,status,1);
        OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcusr,0,OC
I_ATTR_SESSION,errhp);
        /* Open and Parse cursor for query to
        choose determine l_key. */
        /* Binds l_key to :l_key.
        */
        sprintf((char *) sqlstmt,SQLTXT1);
        OCISmtPrepare(cur,errhp,(text
*)sqlstmt,strlen((char *)sqlstmt),
OCI_NTV_SYNTAX,OCI_DEFAULT);
        OCIbbname(cur,l_key_bp,errhp,":l_key",ADR(
l_key),SIZ(l_key),SQLT_INT);
        OCIbbname(cur,o_key_bp,errhp,":o_key",ADR(
o_key),SIZ(o_key),SQLT_INT);
}

=====
randpsup.c
=====
/* Copyright (c) 2001, 2002, Oracle
Corporation. All rights reserved. */

```

```

/*
    NAME
    randpsup.c - <one-line expansion of
the name>

    DESCRIPTION
    Generate random keys for ACID PARTSUPP
transactions:
    (Clause 4.2.3)
    PS_PARTKEY random within [SF*200000]
    and
    PS_SUPPKEY = (PS_PARTKEY + (i * ((S/4)
+ (int)(PS_PARTKEY - 1)
/S))) % S + 1
    where i random within [0..3] and S =
SF * 10000

MODIFIED
*/

#include <stdio.h>
#include <stdlib.h>
#include <math.h>

#define PS_PER_SF 200000.0
#define S_PER_SF 10000.0
#define SUPP_PER_PART 4

/* borrowed from build.c in the dbgen
distribution */

#define PART_SUPP_BRIDGE(tgt, p, s) \
{ \
    long tot_scnt = (long) (S_PER_SF * sf); \
    \
    tgt = (p + s * (tot_scnt / \
SUPP_PER_PART + \
(long)((p - 1) / tot_scnt))) % \
tot_scnt + 1; \
}

void usage();
double atof();
void srand48();
long lrand48();

main(argc, argv)
    int argc;
    char **argv;
{
    double sf = 0.1;          /* scale
factor */
    long supp;                /* the i-th
supplier */
    long pkey;                /* partkey
*/
    long maxpkey;            /* highest
partkey */
    long ps_skey;            /* ps_suppkey
*/

    if (argc < 2) {
        usage();
        exit(-1);
    }

    /* seed the random number generator */
    srand48(getpid());

    sf = atof(argv[1]);
    maxpkey = (long) (sf * PS_PER_SF);
    supp = lrand48() % 4;
    pkey = lrand48() % maxpkey + 1;

    PART_SUPP_BRIDGE(ps_skey, pkey, supp);

    fprintf(stdout, "%ld %ld", pkey,
ps_skey);

    exit(0);
}

void usage()
{
    fprintf(stderr, "Usage: randpsup
<SF>\n\n");
}

=====
sample.sh
=====
#!/bin/ksh

. $KIT_DIR/env_mg

cat $1 | grep o_key | awk '{printf "%d \n",
$2}' > /tmp/okey$$
cat $1 | grep l_key | awk '{printf "%d \n",
$2}' > /tmp/lkey$$

paste /tmp/okey$$ /tmp/lkey$$ > /tmp/keys$$
tail -6 /tmp/keys$$ > /tmp/6keys$$

echo "Keys chosen are:"
cat /tmp/6keys$$

i=1
while [ $i -le 6 ]
do
    j=`cat /tmp/6keys$$ | tail -${i} | head -1`
    sqlplus tpch/tpch @sample $j
    i=`expr $i + 1`
done

/bin/rm -f /tmp/*key*

=====
sample.sql
=====
alter session set nls_date_format = 'YYYY-
MM-DD HH:MI:SS';
select * from history where h_o_key = &&1
and h_l_key = &&2;

exit;

```

```
=====
atrans.sql
=====
```

```
set serverout on;
set termout on;
set echo on;
```

```
CREATE OR REPLACE PACKAGE d_atrans
IS
PROCEDURE doatrans
(
    l_key      IN OUT integer,
    o_key      IN OUT integer,
    delta      IN OUT integer,
    l_pkey     IN OUT integer,
    l_skey     IN OUT integer,
    l_quan     IN OUT integer,
    l_newquan  IN OUT integer,
    l_tax      IN OUT number,
    l_disc     IN OUT number,
    l_eprice   IN OUT number,
    l_neweprice IN OUT number,
    o_tprice   IN OUT number,
    o_newtprice IN OUT number,
    rprice     IN OUT number,
    cost       IN OUT number
);
END;
```

```
CREATE OR REPLACE PACKAGE BODY d_atrans
IS
PROCEDURE doatrans
(
    l_key      IN OUT integer,
    o_key      IN OUT integer,
    delta      IN OUT integer,
    l_pkey     IN OUT integer,
    l_skey     IN OUT integer,
    l_quan     IN OUT integer,
    l_newquan  IN OUT integer,
    l_tax      IN OUT number,
    l_disc     IN OUT number,
    l_eprice   IN OUT number,
    l_neweprice IN OUT number,
    o_tprice   IN OUT number,
    o_newtprice IN OUT number,
    rprice     IN OUT number,
    cost       IN OUT number
)
IS
```

```
    ottotal number;
    not_serializable EXCEPTION;
    PRAGMA
EXCEPTION_INIT(not_serializable,-8177);
BEGIN
    LOOP BEGIN

        select o_totalprice
        into o_tprice
        from orders
        where o_orderkey = o_key;

        select l_quantity, l_extendedprice,
        l_partkey, l_suppkey, l_tax, l_discount
        into l_quan, l_eprice, l_pkey,
        l_skey, l_tax, l_disc
        from lineitem
        where l_orderkey = o_key
        and l_linenumber = l_key;
```

```
    ottotal := o_tprice -
trunc((trunc((l_eprice * (1.0-l_disc)),2) *
(1.0+l_tax)),2);
    rprice := trunc((l_eprice/l_quan), 2);
    cost := trunc((rprice * delta), 2);
    l_neweprice := l_eprice + cost;
    o_newtprice := trunc((l_neweprice *
(1.0 - l_disc)), 2);
    o_newtprice := ottotal +
trunc((o_newtprice * (1.0 + l_tax)), 2);
    l_newquan := l_quan + delta;

    update lineitem
    set l_extendedprice = l_neweprice,
    l_quantity = l_newquan
    where l_orderkey = o_key
    and l_linenumber = l_key;

    update orders
    set o_totalprice = o_newtprice
    where o_orderkey = o_key;
```

```
    insert into history (h_p_key, h_s_key,
h_o_key, h_l_key, h_delta, h_date_t)
    values (l_pkey, l_skey, o_key,
l_key, delta, sysdate);

    EXIT;

EXCEPTION
    WHEN not_serializable THEN
        ROLLBACK;
END;
```

```
END LOOP;
END doatrans;
END;
```

```
=====
run_acid.sh
=====
```

```
#!/bin/ksh

. $KIT_DIR/env_mg

OH=$ORACLE_HOME
ACID_DIR=$ACID_DIR
OUT_DIR=$ACID_OUT

usage() {
    echo ""
    echo "Usage: $0 [-n iter] [-s stream] [-p prog] [-i infile] [-o outfile] [-d durafile] [-u usr/pswd] -h"
    echo ""
    echo "-n iter      : number of iterations, default is 100"
    echo "-s stream    : number of streams, default is 2"
    echo "-p prog      : program to run, default is atranspl.ott"
```

```

    echo "-i infile : input file prefix,
suffix by process number within a"
    echo "          stream and run ID,
default is ./acid_in"
    echo "-o outfile : output file prefix,
similar to input file"
    echo "          default is
./out/acid_out"
    echo "-d durafile : durability file
prefix, used for durability tests"
    echo "          default is
./dura/acid_dura"
    echo "-u usr/pswd : user/password combo
for database access, default is tpcd/tpcd"
    echo "-t trigger : trigger time between
process starts, default is 1 second"
    echo "-h          : print this usage
summary"
    exit 1;
}

```

```

ITER=10000
STEM=9
SF=1
PROG=atranspl
IN=${ACID_DIR}/acid_in
DURA_DIR=${ACID_OUT}/dura
OUT=${ACID_OUT}/drate
DURA=${ACID_OUT}/dura
KEY=${DURA_DIR}/key$$_
USER=tpch/tpch
TRIG=1
HCNT=duracntb

```

```

set -- `getopt "n:s:p:i:o:d:u:ht:f:" "$@"`
|| usage

```

```

while :
do
    case "$1" in
    -n) shift; ITER=$1;;
    -s) shift; STEM=$1;;
    -p) shift; PROG=$1;;
    -i) shift; IN=$1;;
    -o) shift; OUT=$1;;
    -d) shift; DURA=$1;;
    -u) shift; USER=$1;;
    -h) usage; exit 0;;
    -t) shift; TRIG=$1;;
    -f) shift; SF=$1;;
    --) break;;
    esac
    shift;
done

```

```

echo "Starting ACID run..."

```

```

i=0
T=`expr $STEM \* $TRIG + 6`

```

```

sqlplus $USER @cnt_hist > $DURA_DIR/$HCNT
2>&1
sync;

```

```

while [ $i -lt $STEM ]
do
    randkey 1000 ${SF} u${USER} > ${KEY}${i}
    &
    i=`expr $i + 1`

```

```

done
sync;

wait

i=0
while [ $i -lt $STEM ]
do
    for j in `head -10 ${KEY}${i} | awk
' {printf "%d ", $1}'`
    do
        sqlplus $USER @consist $j >>
        $DURA_DIR/duraconsb
        done
        i=`expr $i + 1`
    done
done
sync;

```

```

i=0
while [ $i -lt $STEM ]
do
    $PROG $i $STEM 1 0 i${KEY}${i}
o${OUT}${i} d${DURA}${i} u$USER s1 &
    T=`expr $T - $TRIG`
    i=`expr $i + 1`
done

```

```

wait

echo "ACID run completed"

```

```

=====
Disk Configuration Details
=====

```

The following is the output of vxprint -th for a datafile volume as a sample (see chapter 5.2).

Disk group: dgrpl

| V | NAME | RVG | KSTATE | STATE |
|----------|-------------|-------------|----------|-------|
| LENGTH | READPOL | PREFPLEX | UTYPE | |
| PL | NAME | VOLUME | KSTATE | STATE |
| LENGTH | LAYOUT | NCOL/WID | MODE | |
| SD | NAME | PLEX | DISK | |
| DISKOFFS | LENGTH | [COL/]OFF | DEVICE | MODE |
| SV | NAME | PLEX | VOLNAME | |
| NVOLLAYR | LENGTH | [COL/]OFF | AM/NM | MODE |
| DC | NAME | PARENTVOL | LOGVOL | |
| SP | NAME | SNAPVOL | DCO | |
| v | volline1-00 | - | ENABLED | |
| ACTIVE | 30670848 | ROUND | - | gen |
| pl | line1-00 | volline1-00 | ENABLED | |
| ACTIVE | 30670848 | STRIPE | 288/2048 | RW |
| sd | c117t0d0-02 | line1-00 | c117t0d0 | |
| 443072 | 106496 | 0/0 | c117t0d0 | ENA |
| sd | c122t0d0-02 | line1-00 | c122t0d0 | |
| 443072 | 106496 | 1/0 | c122t0d0 | ENA |
| sd | c129t0d0-02 | line1-00 | c129t0d0 | |
| 443072 | 106496 | 2/0 | c129t0d0 | ENA |
| sd | c130t0d0-02 | line1-00 | c130t0d0 | |
| 443072 | 106496 | 3/0 | c130t0d0 | ENA |
| sd | c116t0d0-02 | line1-00 | c116t0d0 | |
| 443072 | 106496 | 4/0 | c116t0d0 | ENA |
| sd | c143t0d0-02 | line1-00 | c143t0d0 | |
| 443072 | 106496 | 5/0 | c143t0d0 | ENA |

| | | | | | | |
|----------------|----------|----------|----------------|----------|----------|--------------|
| sd c144t0d0-02 | line1-00 | c144t0d0 | sd c156t0d0-02 | line1-00 | c156t0d0 | |
| 443072 | 106496 | 6/0 | 443072 | 106496 | 42/0 | c156t0d0 ENA |
| sd c150t0d0-02 | line1-00 | c150t0d0 | sd c162t0d0-02 | line1-00 | c162t0d0 | |
| 443072 | 106496 | 7/0 | 443072 | 106496 | 43/0 | c162t0d0 ENA |
| sd c159t0d0-02 | line1-00 | c159t0d0 | sd c171t0d0-02 | line1-00 | c171t0d0 | |
| 443072 | 106496 | 8/0 | 443072 | 106496 | 44/0 | c171t0d0 ENA |
| sd c160t0d0-02 | line1-00 | c160t0d0 | sd c172t0d0-02 | line1-00 | c172t0d0 | |
| 443072 | 106496 | 9/0 | 443072 | 106496 | 45/0 | c172t0d0 ENA |
| sd c166t0d0-02 | line1-00 | c166t0d0 | sd c119t0d0-02 | line1-00 | c119t0d0 | |
| 443072 | 106496 | 10/0 | 443072 | 106496 | 46/0 | c119t0d0 ENA |
| sd c175t0d0-02 | line1-00 | c175t0d0 | sd c126t0d0-02 | line1-00 | c126t0d0 | |
| 443072 | 106496 | 11/0 | 443072 | 106496 | 47/0 | c126t0d0 ENA |
| sd c120t0d0-02 | line1-00 | c120t0d0 | sd c117t0d1-02 | line1-00 | c117t0d1 | |
| 443072 | 106496 | 12/0 | 443072 | 106496 | 48/0 | c117t0d1 ENA |
| sd c125t0d0-02 | line1-00 | c125t0d0 | sd c122t0d1-02 | line1-00 | c122t0d1 | |
| 443072 | 106496 | 13/0 | 443072 | 106496 | 49/0 | c122t0d1 ENA |
| sd c132t0d0-02 | line1-00 | c132t0d0 | sd c129t0d1-02 | line1-00 | c129t0d1 | |
| 443072 | 106496 | 14/0 | 443072 | 106496 | 50/0 | c129t0d1 ENA |
| sd c133t0d0-02 | line1-00 | c133t0d0 | sd c130t0d1-02 | line1-00 | c130t0d1 | |
| 443072 | 106496 | 15/0 | 443072 | 106496 | 51/0 | c130t0d1 ENA |
| sd c138t0d0-02 | line1-00 | c138t0d0 | sd c116t0d1-02 | line1-00 | c116t0d1 | |
| 443072 | 106496 | 16/0 | 443072 | 106496 | 52/0 | c116t0d1 ENA |
| sd c147t0d0-02 | line1-00 | c147t0d0 | sd c143t0d1-02 | line1-00 | c143t0d1 | |
| 443072 | 106496 | 17/0 | 443072 | 106496 | 53/0 | c143t0d1 ENA |
| sd c148t0d0-02 | line1-00 | c148t0d0 | sd c144t0d1-02 | line1-00 | c144t0d1 | |
| 443072 | 106496 | 18/0 | 443072 | 106496 | 54/0 | c144t0d1 ENA |
| sd c154t0d0-02 | line1-00 | c154t0d0 | sd c150t0d1-02 | line1-00 | c150t0d1 | |
| 443072 | 106496 | 19/0 | 443072 | 106496 | 55/0 | c150t0d1 ENA |
| sd c163t0d0-02 | line1-00 | c163t0d0 | sd c159t0d1-02 | line1-00 | c159t0d1 | |
| 443072 | 106496 | 20/0 | 443072 | 106496 | 56/0 | c159t0d1 ENA |
| sd c164t0d0-02 | line1-00 | c164t0d0 | sd c160t0d1-02 | line1-00 | c160t0d1 | |
| 443072 | 106496 | 21/0 | 443072 | 106496 | 57/0 | c160t0d1 ENA |
| sd c170t0d0-02 | line1-00 | c170t0d0 | sd c166t0d1-02 | line1-00 | c166t0d1 | |
| 443072 | 106496 | 22/0 | 443072 | 106496 | 58/0 | c166t0d1 ENA |
| sd c112t0d0-02 | line1-00 | c112t0d0 | sd c175t0d1-02 | line1-00 | c175t0d1 | |
| 443072 | 106496 | 23/0 | 443072 | 106496 | 59/0 | c175t0d1 ENA |
| sd c123t0d0-02 | line1-00 | c123t0d0 | sd c120t0d1-02 | line1-00 | c120t0d1 | |
| 443072 | 106496 | 24/0 | 443072 | 106496 | 60/0 | c120t0d1 ENA |
| sd c128t0d0-02 | line1-00 | c128t0d0 | sd c125t0d1-02 | line1-00 | c125t0d1 | |
| 443072 | 106496 | 25/0 | 443072 | 106496 | 61/0 | c125t0d1 ENA |
| sd c135t0d0-02 | line1-00 | c135t0d0 | sd c132t0d1-02 | line1-00 | c132t0d1 | |
| 443072 | 106496 | 26/0 | 443072 | 106496 | 62/0 | c132t0d1 ENA |
| sd c136t0d0-02 | line1-00 | c136t0d0 | sd c133t0d1-02 | line1-00 | c133t0d1 | |
| 443072 | 106496 | 27/0 | 443072 | 106496 | 63/0 | c133t0d1 ENA |
| sd c142t0d0-02 | line1-00 | c142t0d0 | sd c138t0d1-02 | line1-00 | c138t0d1 | |
| 443072 | 106496 | 28/0 | 443072 | 106496 | 64/0 | c138t0d1 ENA |
| sd c151t0d0-02 | line1-00 | c151t0d0 | sd c147t0d1-02 | line1-00 | c147t0d1 | |
| 443072 | 106496 | 29/0 | 443072 | 106496 | 65/0 | c147t0d1 ENA |
| sd c152t0d0-02 | line1-00 | c152t0d0 | sd c148t0d1-02 | line1-00 | c148t0d1 | |
| 443072 | 106496 | 30/0 | 443072 | 106496 | 66/0 | c148t0d1 ENA |
| sd c158t0d0-02 | line1-00 | c158t0d0 | sd c154t0d1-02 | line1-00 | c154t0d1 | |
| 443072 | 106496 | 31/0 | 443072 | 106496 | 67/0 | c154t0d1 ENA |
| sd c167t0d0-02 | line1-00 | c167t0d0 | sd c163t0d1-02 | line1-00 | c163t0d1 | |
| 443072 | 106496 | 32/0 | 443072 | 106496 | 68/0 | c163t0d1 ENA |
| sd c168t0d0-02 | line1-00 | c168t0d0 | sd c164t0d1-02 | line1-00 | c164t0d1 | |
| 443072 | 106496 | 33/0 | 443072 | 106496 | 69/0 | c164t0d1 ENA |
| sd c174t0d0-02 | line1-00 | c174t0d0 | sd c170t0d1-02 | line1-00 | c170t0d1 | |
| 443072 | 106496 | 34/0 | 443072 | 106496 | 70/0 | c170t0d1 ENA |
| sd c113t0d0-02 | line1-00 | c113t0d0 | sd c112t0d1-02 | line1-00 | c112t0d1 | |
| 443072 | 106496 | 35/0 | 443072 | 106496 | 71/0 | c112t0d1 ENA |
| sd c114t0d0-02 | line1-00 | c114t0d0 | sd c123t0d1-02 | line1-00 | c123t0d1 | |
| 443072 | 106496 | 36/0 | 443072 | 106496 | 72/0 | c123t0d1 ENA |
| sd c115t0d0-02 | line1-00 | c115t0d0 | sd c128t0d1-02 | line1-00 | c128t0d1 | |
| 443072 | 106496 | 37/0 | 443072 | 106496 | 73/0 | c128t0d1 ENA |
| sd c139t0d0-02 | line1-00 | c139t0d0 | sd c135t0d1-02 | line1-00 | c135t0d1 | |
| 443072 | 106496 | 38/0 | 443072 | 106496 | 74/0 | c135t0d1 ENA |
| sd c140t0d0-02 | line1-00 | c140t0d0 | sd c136t0d1-02 | line1-00 | c136t0d1 | |
| 443072 | 106496 | 39/0 | 443072 | 106496 | 75/0 | c136t0d1 ENA |
| sd c146t0d0-02 | line1-00 | c146t0d0 | sd c142t0d1-02 | line1-00 | c142t0d1 | |
| 443072 | 106496 | 40/0 | 443072 | 106496 | 76/0 | c142t0d1 ENA |
| sd c155t0d0-02 | line1-00 | c155t0d0 | sd c151t0d1-02 | line1-00 | c151t0d1 | |
| 443072 | 106496 | 41/0 | 443072 | 106496 | 77/0 | c151t0d1 ENA |

| | | | | | | |
|----------------|----------|----------|----------------|----------|----------|--------------|
| sd c152t0d1-02 | line1-00 | c152t0d1 | sd c148t0d2-02 | line1-00 | c148t0d2 | |
| 443072 | 106496 | 78/0 | 443072 | 106496 | 114/0 | c148t0d2 ENA |
| sd c158t0d1-02 | line1-00 | c158t0d1 | sd c154t0d2-02 | line1-00 | c154t0d2 | |
| 443072 | 106496 | 79/0 | 443072 | 106496 | 115/0 | c154t0d2 ENA |
| sd c167t0d1-02 | line1-00 | c167t0d1 | sd c163t0d2-02 | line1-00 | c163t0d2 | |
| 443072 | 106496 | 80/0 | 443072 | 106496 | 116/0 | c163t0d2 ENA |
| sd c168t0d1-02 | line1-00 | c168t0d1 | sd c164t0d2-02 | line1-00 | c164t0d2 | |
| 443072 | 106496 | 81/0 | 443072 | 106496 | 117/0 | c164t0d2 ENA |
| sd c174t0d1-02 | line1-00 | c174t0d1 | sd c170t0d2-02 | line1-00 | c170t0d2 | |
| 443072 | 106496 | 82/0 | 443072 | 106496 | 118/0 | c170t0d2 ENA |
| sd c113t0d1-02 | line1-00 | c113t0d1 | sd c112t0d2-02 | line1-00 | c112t0d2 | |
| 443072 | 106496 | 83/0 | 443072 | 106496 | 119/0 | c112t0d2 ENA |
| sd c114t0d1-02 | line1-00 | c114t0d1 | sd c123t0d2-02 | line1-00 | c123t0d2 | |
| 443072 | 106496 | 84/0 | 443072 | 106496 | 120/0 | c123t0d2 ENA |
| sd c115t0d1-02 | line1-00 | c115t0d1 | sd c128t0d2-02 | line1-00 | c128t0d2 | |
| 443072 | 106496 | 85/0 | 443072 | 106496 | 121/0 | c128t0d2 ENA |
| sd c139t0d1-02 | line1-00 | c139t0d1 | sd c135t0d2-02 | line1-00 | c135t0d2 | |
| 443072 | 106496 | 86/0 | 443072 | 106496 | 122/0 | c135t0d2 ENA |
| sd c140t0d1-02 | line1-00 | c140t0d1 | sd c136t0d2-02 | line1-00 | c136t0d2 | |
| 443072 | 106496 | 87/0 | 443072 | 106496 | 123/0 | c136t0d2 ENA |
| sd c146t0d1-02 | line1-00 | c146t0d1 | sd c142t0d2-02 | line1-00 | c142t0d2 | |
| 443072 | 106496 | 88/0 | 443072 | 106496 | 124/0 | c142t0d2 ENA |
| sd c155t0d1-02 | line1-00 | c155t0d1 | sd c151t0d2-02 | line1-00 | c151t0d2 | |
| 443072 | 106496 | 89/0 | 443072 | 106496 | 125/0 | c151t0d2 ENA |
| sd c156t0d1-02 | line1-00 | c156t0d1 | sd c152t0d2-02 | line1-00 | c152t0d2 | |
| 443072 | 106496 | 90/0 | 443072 | 106496 | 126/0 | c152t0d2 ENA |
| sd c162t0d1-02 | line1-00 | c162t0d1 | sd c158t0d2-02 | line1-00 | c158t0d2 | |
| 443072 | 106496 | 91/0 | 443072 | 106496 | 127/0 | c158t0d2 ENA |
| sd c171t0d1-02 | line1-00 | c171t0d1 | sd c167t0d2-02 | line1-00 | c167t0d2 | |
| 443072 | 106496 | 92/0 | 443072 | 106496 | 128/0 | c167t0d2 ENA |
| sd c172t0d1-02 | line1-00 | c172t0d1 | sd c168t0d2-02 | line1-00 | c168t0d2 | |
| 443072 | 106496 | 93/0 | 443072 | 106496 | 129/0 | c168t0d2 ENA |
| sd c119t0d1-02 | line1-00 | c119t0d1 | sd c174t0d2-02 | line1-00 | c174t0d2 | |
| 443072 | 106496 | 94/0 | 443072 | 106496 | 130/0 | c174t0d2 ENA |
| sd c126t0d1-02 | line1-00 | c126t0d1 | sd c113t0d2-02 | line1-00 | c113t0d2 | |
| 443072 | 106496 | 95/0 | 443072 | 106496 | 131/0 | c113t0d2 ENA |
| sd c117t0d2-02 | line1-00 | c117t0d2 | sd c114t0d2-02 | line1-00 | c114t0d2 | |
| 443072 | 106496 | 96/0 | 443072 | 106496 | 132/0 | c114t0d2 ENA |
| sd c122t0d2-02 | line1-00 | c122t0d2 | sd c115t0d2-02 | line1-00 | c115t0d2 | |
| 443072 | 106496 | 97/0 | 443072 | 106496 | 133/0 | c115t0d2 ENA |
| sd c129t0d2-02 | line1-00 | c129t0d2 | sd c139t0d2-02 | line1-00 | c139t0d2 | |
| 443072 | 106496 | 98/0 | 443072 | 106496 | 134/0 | c139t0d2 ENA |
| sd c130t0d2-02 | line1-00 | c130t0d2 | sd c140t0d2-02 | line1-00 | c140t0d2 | |
| 443072 | 106496 | 99/0 | 443072 | 106496 | 135/0 | c140t0d2 ENA |
| sd c116t0d2-02 | line1-00 | c116t0d2 | sd c146t0d2-02 | line1-00 | c146t0d2 | |
| 443072 | 106496 | 100/0 | 443072 | 106496 | 136/0 | c146t0d2 ENA |
| sd c143t0d2-02 | line1-00 | c143t0d2 | sd c155t0d2-02 | line1-00 | c155t0d2 | |
| 443072 | 106496 | 101/0 | 443072 | 106496 | 137/0 | c155t0d2 ENA |
| sd c144t0d2-02 | line1-00 | c144t0d2 | sd c156t0d2-02 | line1-00 | c156t0d2 | |
| 443072 | 106496 | 102/0 | 443072 | 106496 | 138/0 | c156t0d2 ENA |
| sd c150t0d2-02 | line1-00 | c150t0d2 | sd c162t0d2-02 | line1-00 | c162t0d2 | |
| 443072 | 106496 | 103/0 | 443072 | 106496 | 139/0 | c162t0d2 ENA |
| sd c159t0d2-02 | line1-00 | c159t0d2 | sd c171t0d2-02 | line1-00 | c171t0d2 | |
| 443072 | 106496 | 104/0 | 443072 | 106496 | 140/0 | c171t0d2 ENA |
| sd c160t0d2-02 | line1-00 | c160t0d2 | sd c172t0d2-02 | line1-00 | c172t0d2 | |
| 443072 | 106496 | 105/0 | 443072 | 106496 | 141/0 | c172t0d2 ENA |
| sd c166t0d2-02 | line1-00 | c166t0d2 | sd c119t0d2-02 | line1-00 | c119t0d2 | |
| 443072 | 106496 | 106/0 | 443072 | 106496 | 142/0 | c119t0d2 ENA |
| sd c175t0d2-02 | line1-00 | c175t0d2 | sd c126t0d2-02 | line1-00 | c126t0d2 | |
| 443072 | 106496 | 107/0 | 443072 | 106496 | 143/0 | c126t0d2 ENA |
| sd c120t0d2-02 | line1-00 | c120t0d2 | sd c117t0d3-02 | line1-00 | c117t0d3 | |
| 443072 | 106496 | 108/0 | 443072 | 106496 | 144/0 | c117t0d3 ENA |
| sd c125t0d2-02 | line1-00 | c125t0d2 | sd c122t0d3-02 | line1-00 | c122t0d3 | |
| 443072 | 106496 | 109/0 | 443072 | 106496 | 145/0 | c122t0d3 ENA |
| sd c132t0d2-02 | line1-00 | c132t0d2 | sd c129t0d3-02 | line1-00 | c129t0d3 | |
| 443072 | 106496 | 110/0 | 443072 | 106496 | 146/0 | c129t0d3 ENA |
| sd c133t0d2-02 | line1-00 | c133t0d2 | sd c130t0d3-02 | line1-00 | c130t0d3 | |
| 443072 | 106496 | 111/0 | 443072 | 106496 | 147/0 | c130t0d3 ENA |
| sd c138t0d2-02 | line1-00 | c138t0d2 | sd c116t0d3-02 | line1-00 | c116t0d3 | |
| 443072 | 106496 | 112/0 | 443072 | 106496 | 148/0 | c116t0d3 ENA |
| sd c147t0d2-02 | line1-00 | c147t0d2 | sd c143t0d3-02 | line1-00 | c143t0d3 | |
| 443072 | 106496 | 113/0 | 443072 | 106496 | 149/0 | c143t0d3 ENA |

| | | | | | | |
|----------------|----------|----------|----------------|----------|----------|--------------|
| sd c144t0d3-02 | line1-00 | c144t0d3 | sd c156t0d3-02 | line1-00 | c156t0d3 | |
| 443072 | 106496 | 150/0 | 443072 | 106496 | 186/0 | c156t0d3 ENA |
| sd c150t0d3-02 | line1-00 | c150t0d3 | sd c162t0d3-02 | line1-00 | c162t0d3 | |
| 443072 | 106496 | 151/0 | 443072 | 106496 | 187/0 | c162t0d3 ENA |
| sd c159t0d3-02 | line1-00 | c159t0d3 | sd c171t0d3-02 | line1-00 | c171t0d3 | |
| 443072 | 106496 | 152/0 | 443072 | 106496 | 188/0 | c171t0d3 ENA |
| sd c160t0d3-02 | line1-00 | c160t0d3 | sd c172t0d3-02 | line1-00 | c172t0d3 | |
| 443072 | 106496 | 153/0 | 443072 | 106496 | 189/0 | c172t0d3 ENA |
| sd c166t0d3-02 | line1-00 | c166t0d3 | sd c119t0d3-02 | line1-00 | c119t0d3 | |
| 443072 | 106496 | 154/0 | 443072 | 106496 | 190/0 | c119t0d3 ENA |
| sd c175t0d3-02 | line1-00 | c175t0d3 | sd c126t0d3-02 | line1-00 | c126t0d3 | |
| 443072 | 106496 | 155/0 | 443072 | 106496 | 191/0 | c126t0d3 ENA |
| sd c120t0d3-02 | line1-00 | c120t0d3 | sd c117t0d4-02 | line1-00 | c117t0d4 | |
| 443072 | 106496 | 156/0 | 443072 | 106496 | 192/0 | c117t0d4 ENA |
| sd c125t0d3-02 | line1-00 | c125t0d3 | sd c122t0d4-02 | line1-00 | c122t0d4 | |
| 443072 | 106496 | 157/0 | 443072 | 106496 | 193/0 | c122t0d4 ENA |
| sd c132t0d3-02 | line1-00 | c132t0d3 | sd c129t0d4-02 | line1-00 | c129t0d4 | |
| 443072 | 106496 | 158/0 | 443072 | 106496 | 194/0 | c129t0d4 ENA |
| sd c133t0d3-02 | line1-00 | c133t0d3 | sd c130t0d4-02 | line1-00 | c130t0d4 | |
| 443072 | 106496 | 159/0 | 443072 | 106496 | 195/0 | c130t0d4 ENA |
| sd c138t0d3-02 | line1-00 | c138t0d3 | sd c116t0d4-02 | line1-00 | c116t0d4 | |
| 443072 | 106496 | 160/0 | 443072 | 106496 | 196/0 | c116t0d4 ENA |
| sd c147t0d3-02 | line1-00 | c147t0d3 | sd c143t0d4-02 | line1-00 | c143t0d4 | |
| 443072 | 106496 | 161/0 | 443072 | 106496 | 197/0 | c143t0d4 ENA |
| sd c148t0d3-02 | line1-00 | c148t0d3 | sd c144t0d4-02 | line1-00 | c144t0d4 | |
| 443072 | 106496 | 162/0 | 443072 | 106496 | 198/0 | c144t0d4 ENA |
| sd c154t0d3-02 | line1-00 | c154t0d3 | sd c150t0d4-02 | line1-00 | c150t0d4 | |
| 443072 | 106496 | 163/0 | 443072 | 106496 | 199/0 | c150t0d4 ENA |
| sd c163t0d3-02 | line1-00 | c163t0d3 | sd c159t0d4-02 | line1-00 | c159t0d4 | |
| 443072 | 106496 | 164/0 | 443072 | 106496 | 200/0 | c159t0d4 ENA |
| sd c164t0d3-02 | line1-00 | c164t0d3 | sd c160t0d4-02 | line1-00 | c160t0d4 | |
| 443072 | 106496 | 165/0 | 443072 | 106496 | 201/0 | c160t0d4 ENA |
| sd c170t0d3-02 | line1-00 | c170t0d3 | sd c166t0d4-02 | line1-00 | c166t0d4 | |
| 443072 | 106496 | 166/0 | 443072 | 106496 | 202/0 | c166t0d4 ENA |
| sd c112t0d3-02 | line1-00 | c112t0d3 | sd c175t0d4-02 | line1-00 | c175t0d4 | |
| 443072 | 106496 | 167/0 | 443072 | 106496 | 203/0 | c175t0d4 ENA |
| sd c123t0d3-02 | line1-00 | c123t0d3 | sd c120t0d4-02 | line1-00 | c120t0d4 | |
| 443072 | 106496 | 168/0 | 443072 | 106496 | 204/0 | c120t0d4 ENA |
| sd c128t0d3-02 | line1-00 | c128t0d3 | sd c125t0d4-02 | line1-00 | c125t0d4 | |
| 443072 | 106496 | 169/0 | 443072 | 106496 | 205/0 | c125t0d4 ENA |
| sd c135t0d3-02 | line1-00 | c135t0d3 | sd c132t0d4-02 | line1-00 | c132t0d4 | |
| 443072 | 106496 | 170/0 | 443072 | 106496 | 206/0 | c132t0d4 ENA |
| sd c136t0d3-02 | line1-00 | c136t0d3 | sd c133t0d4-02 | line1-00 | c133t0d4 | |
| 443072 | 106496 | 171/0 | 443072 | 106496 | 207/0 | c133t0d4 ENA |
| sd c142t0d3-02 | line1-00 | c142t0d3 | sd c138t0d4-02 | line1-00 | c138t0d4 | |
| 443072 | 106496 | 172/0 | 443072 | 106496 | 208/0 | c138t0d4 ENA |
| sd c151t0d3-02 | line1-00 | c151t0d3 | sd c147t0d4-02 | line1-00 | c147t0d4 | |
| 443072 | 106496 | 173/0 | 443072 | 106496 | 209/0 | c147t0d4 ENA |
| sd c152t0d3-02 | line1-00 | c152t0d3 | sd c148t0d4-02 | line1-00 | c148t0d4 | |
| 443072 | 106496 | 174/0 | 443072 | 106496 | 210/0 | c148t0d4 ENA |
| sd c158t0d3-02 | line1-00 | c158t0d3 | sd c154t0d4-02 | line1-00 | c154t0d4 | |
| 443072 | 106496 | 175/0 | 443072 | 106496 | 211/0 | c154t0d4 ENA |
| sd c167t0d3-02 | line1-00 | c167t0d3 | sd c163t0d4-02 | line1-00 | c163t0d4 | |
| 443072 | 106496 | 176/0 | 443072 | 106496 | 212/0 | c163t0d4 ENA |
| sd c168t0d3-02 | line1-00 | c168t0d3 | sd c164t0d4-02 | line1-00 | c164t0d4 | |
| 443072 | 106496 | 177/0 | 443072 | 106496 | 213/0 | c164t0d4 ENA |
| sd c174t0d3-02 | line1-00 | c174t0d3 | sd c170t0d4-02 | line1-00 | c170t0d4 | |
| 443072 | 106496 | 178/0 | 443072 | 106496 | 214/0 | c170t0d4 ENA |
| sd c113t0d3-02 | line1-00 | c113t0d3 | sd c112t0d4-02 | line1-00 | c112t0d4 | |
| 443072 | 106496 | 179/0 | 443072 | 106496 | 215/0 | c112t0d4 ENA |
| sd c114t0d3-02 | line1-00 | c114t0d3 | sd c123t0d4-02 | line1-00 | c123t0d4 | |
| 443072 | 106496 | 180/0 | 443072 | 106496 | 216/0 | c123t0d4 ENA |
| sd c115t0d3-02 | line1-00 | c115t0d3 | sd c128t0d4-02 | line1-00 | c128t0d4 | |
| 443072 | 106496 | 181/0 | 443072 | 106496 | 217/0 | c128t0d4 ENA |
| sd c139t0d3-02 | line1-00 | c139t0d3 | sd c135t0d4-02 | line1-00 | c135t0d4 | |
| 443072 | 106496 | 182/0 | 443072 | 106496 | 218/0 | c135t0d4 ENA |
| sd c140t0d3-02 | line1-00 | c140t0d3 | sd c136t0d4-02 | line1-00 | c136t0d4 | |
| 443072 | 106496 | 183/0 | 443072 | 106496 | 219/0 | c136t0d4 ENA |
| sd c146t0d3-02 | line1-00 | c146t0d3 | sd c142t0d4-02 | line1-00 | c142t0d4 | |
| 443072 | 106496 | 184/0 | 443072 | 106496 | 220/0 | c142t0d4 ENA |
| sd c155t0d3-02 | line1-00 | c155t0d3 | sd c151t0d4-02 | line1-00 | c151t0d4 | |
| 443072 | 106496 | 185/0 | 443072 | 106496 | 221/0 | c151t0d4 ENA |

| | | | | | | | |
|----------------|----------|----------|----------------|----------|----------|----------|-----|
| sd c152t0d4-02 | line1-00 | c152t0d4 | sd c173t0d0-02 | line1-00 | c173t0d0 | | |
| 443072 | 106496 | 222/0 | 443072 | 106496 | 255/0 | c173t0d0 | ENA |
| sd c158t0d4-02 | line1-00 | c158t0d4 | sd c118t0d1-02 | line1-00 | c118t0d1 | | |
| 443072 | 106496 | 223/0 | 443072 | 106496 | 256/0 | c118t0d1 | ENA |
| sd c167t0d4-02 | line1-00 | c167t0d4 | sd c121t0d1-02 | line1-00 | c121t0d1 | | |
| 443072 | 106496 | 224/0 | 443072 | 106496 | 257/0 | c121t0d1 | ENA |
| sd c168t0d4-02 | line1-00 | c168t0d4 | sd c124t0d1-02 | line1-00 | c124t0d1 | | |
| 443072 | 106496 | 225/0 | 443072 | 106496 | 258/0 | c124t0d1 | ENA |
| sd c174t0d4-02 | line1-00 | c174t0d4 | sd c127t0d1-02 | line1-00 | c127t0d1 | | |
| 443072 | 106496 | 226/0 | 443072 | 106496 | 259/0 | c127t0d1 | ENA |
| sd c113t0d4-02 | line1-00 | c113t0d4 | sd c131t0d1-02 | line1-00 | c131t0d1 | | |
| 443072 | 106496 | 227/0 | 443072 | 106496 | 260/0 | c131t0d1 | ENA |
| sd c114t0d4-02 | line1-00 | c114t0d4 | sd c134t0d1-02 | line1-00 | c134t0d1 | | |
| 443072 | 106496 | 228/0 | 443072 | 106496 | 261/0 | c134t0d1 | ENA |
| sd c115t0d4-02 | line1-00 | c115t0d4 | sd c137t0d1-02 | line1-00 | c137t0d1 | | |
| 443072 | 106496 | 229/0 | 443072 | 106496 | 262/0 | c137t0d1 | ENA |
| sd c139t0d4-02 | line1-00 | c139t0d4 | sd c141t0d1-02 | line1-00 | c141t0d1 | | |
| 443072 | 106496 | 230/0 | 443072 | 106496 | 263/0 | c141t0d1 | ENA |
| sd c140t0d4-02 | line1-00 | c140t0d4 | sd c145t0d1-02 | line1-00 | c145t0d1 | | |
| 443072 | 106496 | 231/0 | 443072 | 106496 | 264/0 | c145t0d1 | ENA |
| sd c146t0d4-02 | line1-00 | c146t0d4 | sd c149t0d1-02 | line1-00 | c149t0d1 | | |
| 443072 | 106496 | 232/0 | 443072 | 106496 | 265/0 | c149t0d1 | ENA |
| sd c155t0d4-02 | line1-00 | c155t0d4 | sd c153t0d1-02 | line1-00 | c153t0d1 | | |
| 443072 | 106496 | 233/0 | 443072 | 106496 | 266/0 | c153t0d1 | ENA |
| sd c156t0d4-02 | line1-00 | c156t0d4 | sd c157t0d1-02 | line1-00 | c157t0d1 | | |
| 443072 | 106496 | 234/0 | 443072 | 106496 | 267/0 | c157t0d1 | ENA |
| sd c162t0d4-02 | line1-00 | c162t0d4 | sd c161t0d1-02 | line1-00 | c161t0d1 | | |
| 443072 | 106496 | 235/0 | 443072 | 106496 | 268/0 | c161t0d1 | ENA |
| sd c171t0d4-02 | line1-00 | c171t0d4 | sd c165t0d1-02 | line1-00 | c165t0d1 | | |
| 443072 | 106496 | 236/0 | 443072 | 106496 | 269/0 | c165t0d1 | ENA |
| sd c172t0d4-02 | line1-00 | c172t0d4 | sd c169t0d1-02 | line1-00 | c169t0d1 | | |
| 443072 | 106496 | 237/0 | 443072 | 106496 | 270/0 | c169t0d1 | ENA |
| sd c119t0d4-02 | line1-00 | c119t0d4 | sd c173t0d1-02 | line1-00 | c173t0d1 | | |
| 443072 | 106496 | 238/0 | 443072 | 106496 | 271/0 | c173t0d1 | ENA |
| sd c126t0d4-02 | line1-00 | c126t0d4 | sd c118t0d2-02 | line1-00 | c118t0d2 | | |
| 443072 | 106496 | 239/0 | 443072 | 106496 | 272/0 | c118t0d2 | ENA |
| sd c118t0d0-02 | line1-00 | c118t0d0 | sd c121t0d2-02 | line1-00 | c121t0d2 | | |
| 443072 | 106496 | 240/0 | 443072 | 106496 | 273/0 | c121t0d2 | ENA |
| sd c121t0d0-02 | line1-00 | c121t0d0 | sd c124t0d2-02 | line1-00 | c124t0d2 | | |
| 443072 | 106496 | 241/0 | 443072 | 106496 | 274/0 | c124t0d2 | ENA |
| sd c124t0d0-02 | line1-00 | c124t0d0 | sd c127t0d2-02 | line1-00 | c127t0d2 | | |
| 443072 | 106496 | 242/0 | 443072 | 106496 | 275/0 | c127t0d2 | ENA |
| sd c127t0d0-02 | line1-00 | c127t0d0 | sd c131t0d2-02 | line1-00 | c131t0d2 | | |
| 443072 | 106496 | 243/0 | 443072 | 106496 | 276/0 | c131t0d2 | ENA |
| sd c131t0d0-02 | line1-00 | c131t0d0 | sd c134t0d2-02 | line1-00 | c134t0d2 | | |
| 443072 | 106496 | 244/0 | 443072 | 106496 | 277/0 | c134t0d2 | ENA |
| sd c134t0d0-02 | line1-00 | c134t0d0 | sd c137t0d2-02 | line1-00 | c137t0d2 | | |
| 443072 | 106496 | 245/0 | 443072 | 106496 | 278/0 | c137t0d2 | ENA |
| sd c137t0d0-02 | line1-00 | c137t0d0 | sd c141t0d2-02 | line1-00 | c141t0d2 | | |
| 443072 | 106496 | 246/0 | 443072 | 106496 | 279/0 | c141t0d2 | ENA |
| sd c141t0d0-02 | line1-00 | c141t0d0 | sd c145t0d2-02 | line1-00 | c145t0d2 | | |
| 443072 | 106496 | 247/0 | 443072 | 106496 | 280/0 | c145t0d2 | ENA |
| sd c145t0d0-02 | line1-00 | c145t0d0 | sd c149t0d2-02 | line1-00 | c149t0d2 | | |
| 443072 | 106496 | 248/0 | 443072 | 106496 | 281/0 | c149t0d2 | ENA |
| sd c149t0d0-02 | line1-00 | c149t0d0 | sd c153t0d2-02 | line1-00 | c153t0d2 | | |
| 443072 | 106496 | 249/0 | 443072 | 106496 | 282/0 | c153t0d2 | ENA |
| sd c153t0d0-02 | line1-00 | c153t0d0 | sd c157t0d2-02 | line1-00 | c157t0d2 | | |
| 443072 | 106496 | 250/0 | 443072 | 106496 | 283/0 | c157t0d2 | ENA |
| sd c157t0d0-02 | line1-00 | c157t0d0 | sd c161t0d2-02 | line1-00 | c161t0d2 | | |
| 443072 | 106496 | 251/0 | 443072 | 106496 | 284/0 | c161t0d2 | ENA |
| sd c161t0d0-02 | line1-00 | c161t0d0 | sd c165t0d2-02 | line1-00 | c165t0d2 | | |
| 443072 | 106496 | 252/0 | 443072 | 106496 | 285/0 | c165t0d2 | ENA |
| sd c165t0d0-02 | line1-00 | c165t0d0 | sd c169t0d2-02 | line1-00 | c169t0d2 | | |
| 443072 | 106496 | 253/0 | 443072 | 106496 | 286/0 | c169t0d2 | ENA |
| sd c169t0d0-02 | line1-00 | c169t0d0 | sd c173t0d2-02 | line1-00 | c173t0d2 | | |
| 443072 | 106496 | 254/0 | 443072 | 106496 | 287/0 | c173t0d2 | ENA |

Appendix C. Query Text and Query Output

qual1.v1

Begin Execution at Tue Aug 19 12:31:52 2003

-- using default substitutions

```
select
l_returnflag,
l_linestatus,
sum(l_quantity) as sum_qty,
sum(l_extendedprice) as sum_base_price,
sum(l_extendedprice * (1 - l_discount)) as
sum_disc_price,
sum(l_extendedprice * (1 - l_discount) * (1 + l_tax)) as
sum_charge,
avg(l_quantity) as avg_qty,
avg(l_extendedprice) as avg_price,
avg(l_discount) as avg_disc,
count(*) as count_order
from
lineitem
where
l_shipdate <= to_date ('1998-12-01','YYYY-MM-DD') -
90
group by
l_returnflag,
l_linestatus
order by
l_returnflag,
l_linestatus
```

| L_RETURNFLAG | L_LINESTATUS | SUM_QTY | SUM_BASE_PRICE | SUM_DISC_PRICE | SUM_CHARGE | AVG_QTY | AVG_PRICE | AVG_DISC | COUNT_ORDER |
|-----------------|--------------|-----------------|----------------|----------------|------------|---------|-----------|----------|-------------|
| A | F | 37734107.00 | | | | | | | |
| 56586554400.73 | | | | | | | | | |
| 53758257134.87 | | 55909065222.83 | 25.52 | | | | | | |
| 38273.13 | | 0.05 | 1478493.00 | | | | | | |
| N | F | 991417.00 | 1487504710.38 | | | | | | |
| 1413082168.05 | | 1469649223.19 | 25.52 | | | | | | |
| 38284.47 | | 0.05 | 38854.00 | | | | | | |
| N | O | 74476040.00 | | | | | | | |
| 111701729697.74 | | | | | | | | | |
| 106118230307.61 | | 110367043872.50 | 25.50 | | | | | | |
| 38249.12 | | 0.05 | 2920374.00 | | | | | | |
| R | F | 37719753.00 | | | | | | | |
| 56568041380.90 | | | | | | | | | |
| 53741292684.60 | | 55889619119.83 | 25.51 | | | | | | |
| 38250.85 | | 0.05 | 1478870.00 | | | | | | |

4 rows processed.
Statement Processed in 1.07 seconds.

Ended Executing this Query at Tue Aug 19 12:31:53 2003

Query Started at 1061289112.87
Query Ended at 1061289113.94
Query Processed in 1.07 seconds

SQL statements processed: 1
Queries processed: 1

qual2.v1

Begin Execution at Tue Aug 19 12:31:54 2003

-- using default substitutions

```
select * from (
select
s_acctbal,
s_name,
n_name,
p_partkey,
p_mfgr,
s_address,
s_phone,
s_comment
from
part,
supplier,
partsupp,
nation,
region
where
p_partkey = ps_partkey
and s_suppkey = ps_suppkey
and p_size = 15
and p_type like '%BRASS'
and s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'EUROPE'
and ps_supplycost = (
select
min(ps_supplycost)
from
partsupp,
supplier,
nation,
region
where
p_partkey = ps_partkey
and s_suppkey = ps_suppkey
and s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'EUROPE'
)
order by
s_acctbal desc,
n_name,
s_name,
p_partkey
)
where rownum <= 100
```

| S_ACCTBAL | S_NAME | N_NAME |
|-----------|--------------------|---------|
| P_PARTKEY | P_MFGR | |
| S_ADDRESS | | S_PHONE |
| S_COMMENT | | |
| 9938.53 | Supplier#000005359 | UNITED |
| KINGDOM | | |

185358.00 Manufacturer#4
 QKuHYh,vZGiwu2FWEJoLDx04 33-429-790-6131
 blithely silent pinto beans are furiously. slyly final deposits across
 9937.84 Supplier#000005969 ROMANIA
 108438.00 Manufacturer#1
 ANDENSOSmk,miq23Xfb5RWt6dvUcvt6Qa 29-520-692-3537
 carefully slow deposits use furiously. slyly ironic platelets above the ironic
 9936.22 Supplier#000005250 UNITED KINGDOM
 249.00 Manufacturer#4
 B3rqp0xbSEim4Mpy2RH J 33-320-228-2957
 blithely special packages are. stealthily express deposits across the closely final instructi
 9923.77 Supplier#000002324
 GERMANY
 29821.00 Manufacturer#4

... rows truncated ...

125988.00 Manufacturer#2
 riRcntps4KEDtYScjpMIWeYF6mNnR 32-194-698-3365
 final, ironic theodolites alongside of the ironic
 7912.91 Supplier#000004211
 GERMANY
 159180.00 Manufacturer#5
 2wQRVovHrm3,v03IKzfTd,1PYsFXQFFOG 17-266-947-7315
 final requests integrate slyly above the silent, even
 7912.91 Supplier#000004211
 GERMANY
 184210.00 Manufacturer#4
 2wQRVovHrm3,v03IKzfTd,1PYsFXQFFOG 17-266-947-7315
 final requests integrate slyly above the silent, even
 7894.56 Supplier#000007981
 GERMANY
 85472.00 Manufacturer#4
 NSJ96vMROAbeXP 17-963-404-3760
 regular, even theodolites integrate carefully. bold, special theodolites are slyly fluffily iron
 7887.08 Supplier#000009792
 GERMANY
 164759.00 Manufacturer#3
 Y28lTveYriT3kIGdV2K8fSZ V2UqT5H1Otz 17-988-938-4296
 pending, ironic packages sleep among the carefully ironic accounts. quickly final accounts
 7871.50 Supplier#000007206 RUSSIA
 104695.00 Manufacturer#1
 3w fNCnrVmvJJE95sgWZzvW 32-432-452-7731
 furiously dogged pinto beans cajole. bold, express notornis until the slyly pending
 7852.45 Supplier#000005864 RUSSIA
 8363.00 Manufacturer#4
 WCNfBPZeSXh3h,c 32-454-883-3821
 blithely regular deposits
 7850.66 Supplier#000001518 UNITED KINGDOM
 86501.00 Manufacturer#1
 ONda3YJiHKJOC 33-730-383-3892
 furiously final accounts wake carefully idle requests. even dolphins wake acc
 7843.52 Supplier#000006683 FRANCE
 11680.00 Manufacturer#4

2Z0JGkiv01Y00oCFwUGfvilbhzcDy 16-464-517-8943
 carefully bold accounts doub

100 rows processed.
 Statement Processed in 4.63 seconds.

Ended Executing this Query at Tue Aug 19 12:31:58 2003

Query Started at 1061289114.09
 Query Ended at 1061289118.72
 Query Processed in 4.63 seconds

SQL statements processed: 1
 Queries processed: 1

=====
qual3.v1
 =====

Begin Execution at Tue Aug 19 12:31:58 2003

-- using default substitutions

```
select * from (
select
l_orderkey,
sum(l_extendedprice * (1 - l_discount)) as revenue,
o_orderdate,
o_shippriority
from
customer,
orders,
lineitem
where
c_mktsegment = 'BUILDING'
and c_custkey = o_custkey
and l_orderkey = o_orderkey
and o_orderdate < to_date('1995-03-15', 'YYYY-MM-DD')
and l_shipdate > to_date('1995-03-15', 'YYYY-MM-DD')
group by
l_orderkey,
o_orderdate,
o_shippriority
order by
revenue desc,
o_orderdate)
where rownum <= 10
```

| L_ORDERKEY | REVENUE | O_ORDERDATE | O_SHIPRIORITY |
|------------|-----------|-------------|---------------|
| 2456423.00 | 406181.01 | 05-MAR-95 | 0.00 |
| 3459808.00 | 405838.70 | 04-MAR-95 | 0.00 |
| 492164.00 | 390324.06 | 19-FEB-95 | 0.00 |
| 1188320.00 | 384537.94 | 09-MAR-95 | 0.00 |
| 2435712.00 | 378673.06 | 26-FEB-95 | 0.00 |
| 4878020.00 | 378376.80 | 12-MAR-95 | 0.00 |
| 5521732.00 | 375153.92 | 13-MAR-95 | 0.00 |

```

2628192.00      373133.31      22-FEB-95
0.00
993600.00      371407.46      05-MAR-95
0.00
2300070.00     367371.15      13-MAR-95
0.00

```

10 rows processed.
Statement Processed in 0.99 seconds.

Ended Executing this Query at Tue Aug 19 12:31:59 2003

Query Started at 1061289118.87
Query Ended at 1061289119.86
Query Processed in 0.99 seconds

SQL statements processed: 1
Queries processed: 1

```

=====
qual4.v1
=====

```

Begin Execution at Tue Aug 19 12:32:00 2003

-- using default substitutions

```

select
o_orderpriority,
count(*) as order_count
from
orders
where
o_orderdate >= to_date( '1993-07-01', 'YYYY-MM-DD')
and o_orderdate < add_months(to_date( '1993-07-01',
'YYYY-MM-DD'),3)
and exists (
select
*
from
lineitem
where
l_orderkey = o_orderkey
and l_commitdate < l_receiptdate
)
group by
o_orderpriority
order by
o_orderpriority

```

```

O_ORDERPRIORITY ORDER_COUNT
1-URGENT      10594.00
2-HIGH        10476.00
3-MEDIUM     10410.00
4-NOT SPECIFIED 10556.00
5-LOW         10487.00

```

5 rows processed.
Statement Processed in 0.90 seconds.

Ended Executing this Query at Tue Aug 19 12:32:00 2003

Query Started at 1061289120.01
Query Ended at 1061289120.91
Query Processed in 0.90 seconds

SQL statements processed: 1
Queries processed: 1

```

=====
qual5.v1
=====

```

Begin Execution at Tue Aug 19 12:32:01 2003

-- using default substitutions

```

select
n_name,
sum(l_extendedprice * (1 - l_discount)) as revenue
from
customer,
orders,
lineitem,
supplier,
nation,
region
where
c_custkey = o_custkey
and l_orderkey = o_orderkey
and l_suppkey = s_suppkey
and c_nationkey = s_nationkey
and s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'ASIA'
and o_orderdate >= to_date( '1994-01-01', 'YYYY-MM-DD')
and o_orderdate < add_months(to_date( '1994-01-01',
'YYYY-MM-DD'), 12)
group by
n_name
order by
revenue desc

```

```

N_NAME      REVENUE
INDONESIA    55502041.17
VIETNAM     55295087.00
CHINA       53724494.26
INDIA       52035512.00
JAPAN       45410175.70

```

5 rows processed.
Statement Processed in 4.43 seconds.

Ended Executing this Query at Tue Aug 19 12:32:05 2003

Query Started at 1061289121.06
Query Ended at 1061289125.49
Query Processed in 4.43 seconds

SQL statements processed: 1
Queries processed: 1

```

=====
qual6.v1
=====

```

Begin Execution at Tue Aug 19 12:32:05 2003

-- using default substitutions

```

select
sum(l_extendedprice * l_discount) as revenue
from
lineitem
where
l_shipdate >= to_date( '1994-01-01', 'YYYY-MM-DD')
and l_shipdate < add_months(to_date( '1994-01-01',
'YYYY-MM-DD'), 12)

```

and l_discount between .06 - 0.01 and .06 + 0.01
and l_quantity < 24

REVENUE
123141078.23

1 row processed.
Statement Processed in 0.28 seconds.

Ended Executing this Query at Tue Aug 19 12:32:05
2003

Query Started at 1061289125.65
Query Ended at 1061289125.94
Query Processed in 0.28 seconds

SQL statements processed: 1
Queries processed: 1

=====
qual7.v1
=====

Begin Execution at Tue Aug 19 12:32:06 2003

-- using default substitutions

```
select
supp_nation,
cust_nation,
l_year,
sum(volume) as revenue
from
(
select
n1.n_name as supp_nation,
n2.n_name as cust_nation,
to_number(to_char
(l_shipdate,'yyyy')) as l_year,
l_extendedprice * (1 - l_discount) as volume
from
supplier,
lineitem,
orders,
customer,
nation n1,
nation n2
where
s_suppkey = l_suppkey
and o_orderkey = l_orderkey
and c_custkey = o_custkey
and s_nationkey = n1.n_nationkey
and c_nationkey = n2.n_nationkey
and (
(n1.n_name = 'FRANCE' and n2.n_name =
'GERMANY')
or (n1.n_name = 'GERMANY' and n2.n_name =
'FRANCE')
)
and l_shipdate between to_date( '1995-01-01', 'YYYY-
MM-DD') and to_date( '1996-12-31', 'YYYY-MM-DD')
) shipping
group by
supp_nation,
cust_nation,
l_year
order by
supp_nation,
cust_nation,
l_year
```

| SUPP_NATION | CUST_NATION | L_YEAR | REVENUE |
|-------------|-------------|---------|-------------|
| FRANCE | GERMANY | 1995.00 | 54639732.73 |
| FRANCE | GERMANY | 1996.00 | 54633083.31 |
| GERMANY | FRANCE | 1995.00 | 52531746.67 |
| GERMANY | FRANCE | 1996.00 | 52520549.02 |

4 rows processed.
Statement Processed in 5.82 seconds.

Ended Executing this Query at Tue Aug 19 12:32:11
2003

Query Started at 1061289126.09
Query Ended at 1061289131.91
Query Processed in 5.82 seconds

SQL statements processed: 1
Queries processed: 1

=====
qual8.v1
=====

Begin Execution at Tue Aug 19 12:32:12 2003

-- using default substitutions

```
select
o_year,
sum(case when nation='BRAZIL' then volume else 0
end) / sum(volume)
as mkt_share
from
(
select
to_number(to_char(o_orderdate, 'yyyy')) as o_year,
l_extendedprice * (1 - l_discount) as volume,
n2.n_name as nation
from
part,
supplier,
lineitem,
orders,
customer,
nation n1,
nation n2,
region
where
p_partkey = l_partkey
and s_suppkey = l_suppkey
and l_orderkey = o_orderkey
and o_custkey = c_custkey
and c_nationkey = n1.n_nationkey
and n1.n_regionkey = r_regionkey
and r_name = 'AMERICA'
and s_nationkey = n2.n_nationkey
and o_orderdate between to_date( '1995-01-01',
'YYYY-MM-DD') and to_date( '1996-12-31', 'YYYY-
MM-DD')
and p_type = 'ECONOMY ANODIZED STEEL'
) all_nations
group by
o_year
order by
o_year
```

O_YEAR MKT_SHARE
 1995.00 0.03
 1996.00 0.04

2 rows processed.
 Statement Processed in 4.08 seconds.

Ended Executing this Query at Tue Aug 19 12:32:16
 2003

Query Started at 1061289132.06
 Query Ended at 1061289136.14
 Query Processed in 4.08 seconds

SQL statements processed: 1
 Queries processed: 1

=====
qual9.v1
 =====

Begin Execution at Tue Aug 19 12:32:16 2003

-- using default substitutions

```

select
nation,
o_year,
sum(amount) as sum_profit
from
(
select
n_name as nation,
to_number (to_char (o_orderdate, 'yyyy')) as o_year,
l_extendedprice * (1 - l_discount) - ps_supplycost *
l_quantity as amount
from
part,
supplier,
lineitem,
partsupp,
orders,
nation
where
s_suppkey = l_suppkey
and ps_suppkey = l_suppkey
and ps_partkey = l_partkey
and p_partkey = l_partkey
and o_orderkey = l_orderkey
and s_nationkey = n_nationkey
and p_name like '%green%'
) profit
group by
nation,
o_year
order by
nation,
o_year desc

```

| NATION | O_YEAR | SUM_PROFIT |
|-----------|---------|-------------|
| ALGERIA | 1998.00 | 31342867.23 |
| ALGERIA | 1997.00 | 57138193.02 |
| ALGERIA | 1996.00 | 56140140.13 |
| ALGERIA | 1995.00 | 53051469.65 |
| ALGERIA | 1994.00 | 53867582.13 |
| ALGERIA | 1993.00 | 54942718.13 |
| ALGERIA | 1992.00 | 54628034.71 |
| ARGENTINA | 1998.00 | 30211185.71 |
| ARGENTINA | 1997.00 | 50805741.75 |

| | | |
|-----------|---------|-------------|
| ARGENTINA | 1996.00 | 51923746.58 |
| ARGENTINA | 1995.00 | 49298625.77 |
| ARGENTINA | 1994.00 | 50835610.11 |
| ARGENTINA | 1993.00 | 51646079.18 |
| ARGENTINA | 1992.00 | 50410314.99 |
| BRAZIL | 1998.00 | 27217924.38 |
| BRAZIL | 1997.00 | 48378669.20 |
| BRAZIL | 1996.00 | 50482870.36 |
| BRAZIL | 1995.00 | 47623383.63 |
| BRAZIL | 1994.00 | 47840165.73 |
| BRAZIL | 1993.00 | 49054694.04 |
| BRAZIL | 1992.00 | 48667639.08 |
| CANADA | 1998.00 | 30379833.77 |
| CANADA | 1997.00 | 50465052.31 |
| CANADA | 1996.00 | 52560501.39 |
| CANADA | 1995.00 | 52375332.81 |
| CANADA | 1994.00 | 52600364.66 |
| CANADA | 1993.00 | 52644504.07 |
| CANADA | 1992.00 | 53932871.70 |
| CHINA | 1998.00 | 31075466.16 |
| CHINA | 1997.00 | 50551874.45 |
| CHINA | 1996.00 | 51039293.88 |

... rows truncated ...

| | | |
|----------------|---------|-------------|
| RUSSIA | 1998.00 | 28322384.03 |
| RUSSIA | 1997.00 | 50106685.18 |
| RUSSIA | 1996.00 | 51753342.43 |
| RUSSIA | 1995.00 | 49215820.36 |
| RUSSIA | 1994.00 | 52205666.44 |
| RUSSIA | 1993.00 | 51860230.03 |
| RUSSIA | 1992.00 | 53251677.15 |
| SAUDI ARABIA | 1998.00 | 31541259.81 |
| SAUDI ARABIA | 1997.00 | 52438750.81 |
| SAUDI ARABIA | 1996.00 | 52543737.82 |
| SAUDI ARABIA | 1995.00 | 52938696.53 |
| SAUDI ARABIA | 1994.00 | 51389601.97 |
| SAUDI ARABIA | 1993.00 | 52937508.88 |
| SAUDI ARABIA | 1992.00 | 54843459.64 |
| UNITED KINGDOM | 1998.00 | 28494874.00 |
| UNITED KINGDOM | 1997.00 | 49381810.90 |
| UNITED KINGDOM | 1996.00 | 51386853.96 |
| UNITED KINGDOM | 1995.00 | 51509586.79 |
| UNITED KINGDOM | 1994.00 | 48086499.71 |
| UNITED KINGDOM | 1993.00 | 49166827.22 |
| UNITED KINGDOM | 1992.00 | 49349122.08 |
| UNITED STATES | 1998.00 | 25126238.95 |
| UNITED STATES | 1997.00 | 50077306.42 |
| UNITED STATES | 1996.00 | 48048649.47 |

```

UNITED STATES      1995.00
48809032.42
UNITED STATES      1994.00
49296747.18
UNITED STATES      1993.00
48029946.80
UNITED STATES      1992.00
48671944.50
VIETNAM            1998.00      30442736.06
VIETNAM            1997.00      50309179.79
VIETNAM            1996.00      50488161.41
VIETNAM            1995.00      49658284.61
VIETNAM            1994.00      50596057.26
VIETNAM            1993.00      50953919.15
VIETNAM            1992.00      49613838.32

```

175 rows processed.
Statement Processed in 7.69 seconds.

Ended Executing this Query at Tue Aug 19 12:32:23 2003

Query Started at 1061289136.30
Query Ended at 1061289143.99
Query Processed in 7.69 seconds

SQL statements processed: 1
Queries processed: 1

=====
qual10.v1
=====

Begin Execution at Tue Aug 19 12:32:24 2003

-- using default substitutions

```

select * from (
select
c_custkey,
c_name,
sum(l_extendedprice * (1 - l_discount)) as revenue,
c_acctbal,
n_name,
c_address,
c_phone,
c_comment
from
orders,
lineitem,
customer,
nation
where
c_custkey = o_custkey
and l_orderkey = o_orderkey
and o_orderdate >= to_date('1993-10-01', 'YYYY-MM-DD')
and o_orderdate < add_months(to_date('1993-10-01', 'YYYY-MM-DD'), 3)
and l_returnflag = 'R'
and c_nationkey = n_nationkey
group by
c_custkey,
c_name,
c_acctbal,
c_phone,
n_name,
c_address,
c_comment
order by
revenue desc)
where rownum <= 20

```

```

C_CUSTKEY      C_NAME
REVENUE
C_ACCTBAL      N_NAME
C_ADDRESS      C_PHONE
C_COMMENT
57040.00      Customer#000057040
734235.25
632.87      JAPAN
EioyZjf4pp      22-895-641-3466
requests sleep blithely about the furiously i
143347.00      Customer#000143347
721002.69
2557.47      EGYPT
1aReFYv,Kw4      14-742-935-3718
fluffily bold excuses haggle finally after the u
60838.00      Customer#000060838
679127.31
2454.77      BRAZIL
64EaJ5vMAHWJIBOxJklpNc2RjiWE      12-913-494-9813
furiously even pinto beans integrate under the ruthless
foxes; ironic, even dolphins across the slyl
101998.00      Customer#000101998
637029.57
3790.89      UNITED KINGDOM
01c9CilNtfoQYmZj      33-593-865-6378
accounts doze blithely! enticing, final deposits sleep
blithely special accounts. slyly express accounts pla
125341.00      Customer#000125341
633508.09
4983.51      GERMANY
S29ODD6bceU8QSuuEJznkNaK      17-582-695-5962
quickly express requests wake quickly blithely
25501.00      Customer#000025501
620269.78
7725.04      ETHIOPIA
W556MXuoiaYCCZamJI,Rn0B4ACUGdkQ8DZ      15-874-808-6793
quickly special requests sleep evenly among the
special deposits. special deposi
115831.00      Customer#000115831
596423.87
5098.10      FRANCE
rFeBbEEyk dl ne7zV5fDrmiq1oK09wV7pqxCgIc      16-715-386-3788
carefully bold excuses sleep alongside of the thinly idle
84223.00      Customer#000084223
594998.02
528.65      UNITED KINGDOM
nAVZCs6BaWap rrM27N 2qBnzc5WBauxBA      33-442-824-8191
pending, final ideas haggle final requests. unusual,
regular asymptotes affix according to the even foxes.
54289.00      Customer#000054289
585603.39
5583.02      IRAN
vXCxoCsU0Bad5JQI ,oobkZ      20-834-292-4707
express requests sublate blithely regular requests.
regular, even ideas solve.
39922.00      Customer#000039922
584878.11
7321.11      GERMANY
Zgy4s50l2GKN4pLDPBU8m342glw6R      17-147-757-8036
even pinto beans haggle. slyly bold accounts inte
6226.00      Customer#00006226
576783.76
2230.09      UNITED KINGDOM

```

8gPu8,NPGkfyQQ0hcIYUGPIBwc,ybP5g, 33-657-701-3391

quickly final requests against the regular instructions
wake blithely final instructions. pa
922.00 Customer#000000922

576767.53
3869.25 GERMANY
Az9RFaut7NkPnc5zSD2PwHgVvr4jRzq 17-945-916-9648

boldly final requests cajole blith
147946.00 Customer#000147946
576455.13

2030.13 ALGERIA
iANyZHqhyy7AjahOpTrYyhJ 10-886-956-3143

furiously even accounts are blithely above the furious!
115640.00 Customer#000115640
569341.19

6436.10 ARGENTINA
Vtgfia9ql 7EpHgecU1X 11-411-543-4901
final instructions are slyly according to the
73606.00 Customer#000073606

568656.86
1785.67 JAPAN
xuR0Tro5yChDfOCrjkd2ol 22-437-653-6966

furiously bold orbits about the furiously busy requests
wake across the furiously quiet theodolites. d
110246.00 Customer#000110246

566842.98
7763.35 VIETNAM
7KzflgX MDOq7sOkI 31-943-426-9837

dolphins sleep blithely among the slyly final
142549.00 Customer#000142549
563537.24

5085.99 INDONESIA
ChqEoK43OysjdHbtKCp6dKqjNyvvi9 19-955-562-2398

regular, unusual dependencies boost slyly; ironic
attainments nag fluffily into the unusual packages?
146149.00 Customer#000146149

557254.99
1791.55 ROMANIA
s87fvzFQpU 29-744-164-6487

silent, unusual requests detect quickly slyly regul
52528.00 Customer#000052528
556397.35

551.79 ARGENTINA
NFztyTOR10UOJ 11-208-192-3205
unusual requests detect. slyly dogged theodolites use
slyly. deposit

23431.00 Customer#000023431
554269.54
3381.86 ROMANIA

HgiV0phqhala9aydNollb 29-915-458-2654
instructions nag quickly. furiously bold accounts cajol

20 rows processed.
Statement Processed in 2.87 seconds.

Ended Executing this Query at Tue Aug 19 12:32:27
2003

Query Started at 1061289144.14
Query Ended at 1061289147.01
Query Processed in 2.87 seconds

SQL statements processed: 1
Queries processed: 1

=====

qual11.v1

=====

Begin Execution at Tue Aug 19 12:32:27 2003

-- using default substitutions

```
select
ps_partkey,
sum(ps_supplycost * ps_availqty) as value
from
partsupp,
supplier,
nation
where
ps_suppkey = s_suppkey
and s_nationkey = n_nationkey
and n_name = 'GERMANY'
group by
ps_partkey having
sum(ps_supplycost * ps_availqty) > (
select
sum(ps_supplycost * ps_availqty) * 0.0001000000
from
partsupp,
supplier,
nation
where
ps_suppkey = s_suppkey
and s_nationkey = n_nationkey
and n_name = 'GERMANY'
)
order by
value desc
```

| PS_PARTKEY | VALUE |
|------------|-------------|
| 129760.00 | 17538456.86 |
| 166726.00 | 16503353.92 |
| 191287.00 | 16474801.97 |
| 161758.00 | 16101755.54 |
| 34452.00 | 15983844.72 |
| 139035.00 | 15907078.34 |
| 9403.00 | 15451755.62 |
| 154358.00 | 15212937.88 |
| 38823.00 | 15064802.86 |
| 85606.00 | 15053957.15 |
| 33354.00 | 14408297.40 |
| 154747.00 | 14407580.68 |
| 82865.00 | 14235489.78 |
| 76094.00 | 14094247.04 |
| 222.00 | 13937777.74 |
| 121271.00 | 13908336.00 |
| 55221.00 | 13716120.47 |
| 22819.00 | 13666434.28 |
| 76281.00 | 13646853.68 |
| 85298.00 | 13581154.93 |
| 85158.00 | 13554904.00 |
| 139684.00 | 13535538.72 |
| 31034.00 | 13498025.25 |
| 87305.00 | 13482847.04 |
| 10181.00 | 13445148.75 |
| 62323.00 | 13411824.30 |
| 26489.00 | 13377256.38 |
| 96493.00 | 13339057.83 |
| 56548.00 | 13329014.97 |
| 55576.00 | 13306843.35 |
| 159751.00 | 13306614.48 |
| 92406.00 | 13287414.50 |
| 182636.00 | 13223726.74 |
| 199969.00 | 13135288.21 |
| 62865.00 | 13001926.94 |

7284.00 12945298.19

... rows truncated ...

2267.00 7925649.37
45924.00 7925047.68
11493.00 7916722.23
104478.00 7916253.60
166794.00 7913842.00
161995.00 7910874.27
23538.00 7909752.06
41093.00 7909579.92
112073.00 7908617.57
92814.00 7908262.50
88919.00 7907992.50
79753.00 7907933.88
108765.00 7905338.98
146530.00 7905336.60
71475.00 7903367.58
36289.00 7901946.50
61739.00 7900794.00
52338.00 7898638.08
194299.00 7898421.24
105235.00 7897829.94
77207.00 7897752.72
96712.00 7897575.27
10157.00 7897046.25
171154.00 7896814.50
79373.00 7896186.00
113808.00 7893353.88
27901.00 7892952.00
128820.00 7892882.72
25891.00 7890511.20
122819.00 7888881.02
154731.00 7888301.33
101674.00 7879324.60
51968.00 7879102.21
72073.00 7877736.11
5182.00 7874521.73

1048 rows processed.
Statement Processed in 3.14 seconds.

Ended Executing this Query at Tue Aug 19 12:32:30 2003

Query Started at 1061289147.16
Query Ended at 1061289150.30
Query Processed in 3.14 seconds

SQL statements processed: 1
Queries processed: 1

=====
qual12.v1
=====

Begin Execution at Tue Aug 19 12:32:30 2003

-- using default substitutions

```
select
  l_shipmode,
  sum(case
    when o_orderpriority = '1-URGENT'
    or o_orderpriority = '2-HIGH'
    then 1
    else 0
  end) as high_line_count,
  sum(case
    when o_orderpriority <> '1-URGENT'
    and o_orderpriority <> '2-HIGH'
```

```
        then 1
    else 0
  end) as low_line_count
from
  orders,
  lineitem
where
  o_orderkey = l_orderkey
  and l_shipmode in ('MAIL', 'SHIP')
  and l_commitdate < l_receiptdate
  and l_shipdate < l_commitdate
  and l_receiptdate >= to_date('1994-01-01', 'YYYY-MM-DD')
  and l_receiptdate < add_months(to_date('1994-01-01', 'YYYY-MM-DD'), 12)
group by
  l_shipmode
order by
  l_shipmode
```

| L_SHIPMODE | HIGH_LINE_COUNT | LOW_LINE_COUNT |
|------------|-----------------|----------------|
| MAIL | 6202.00 | 9324.00 |
| SHIP | 6200.00 | 9262.00 |

2 rows processed.
Statement Processed in 0.79 seconds.

Ended Executing this Query at Tue Aug 19 12:32:31 2003

Query Started at 1061289150.45
Query Ended at 1061289151.24
Query Processed in 0.79 seconds

SQL statements processed: 1
Queries processed: 1

=====
qual13.v1
=====

Begin Execution at Tue Aug 19 12:32:31 2003

-- using default substitutions

```
select
  c_count,
  count(*) as custdist
from
  (
  select
    c_custkey,
    count(o_orderkey) as c_count
  from
    customer, orders where
    c_custkey = o_custkey(+)
    and o_comment(+) not like '%special%requests%'
  group by
    c_custkey
  ) c_orders
group by
  c_count
order by
  custdist desc,
  c_count desc
```

| C_COUNT | CUSTDIST |
|---------|----------|
| 0.00 | 50004.00 |
| 9.00 | 6641.00 |
| 10.00 | 6566.00 |
| 11.00 | 6058.00 |

```

8.00      5949.00
12.00     5553.00
13.00     4989.00
19.00     4748.00
7.00      4707.00
18.00     4625.00
15.00     4552.00
17.00     4530.00
14.00     4484.00
20.00     4461.00
16.00     4323.00
21.00     4217.00
22.00     3730.00
6.00      3334.00
23.00     3129.00
24.00     2622.00
25.00     2079.00
5.00      1972.00
26.00     1593.00
27.00     1185.00
4.00      1033.00
28.00     869.00
29.00     559.00
3.00      398.00
30.00     373.00
31.00     235.00
2.00      144.00
32.00     128.00
33.00     71.00
34.00     48.00
35.00     33.00
1.00      23.00
36.00     17.00
37.00     7.00
40.00     4.00
38.00     4.00
39.00     2.00
41.00     1.00

```

42 rows processed.
Statement Processed in 1.86 seconds.

Ended Executing this Query at Tue Aug 19 12:32:33 2003

Query Started at 1061289151.40
Query Ended at 1061289153.26
Query Processed in 1.86 seconds

SQL statements processed: 1
Queries processed: 1

=====
qual14.v1
=====

Begin Execution at Tue Aug 19 12:32:33 2003

-- using default substitutions

```

select
  100.00 * sum(case
    when p_type like 'PROMO%'
      then l_extendedprice * (1 -
l_discount)
    else 0
  end) / sum(l_extendedprice * (1 - l_discount)) as
promo_revenue
from
  lineitem,
  part

```

```

where
  l_partkey = p_partkey
  and l_shipdate >= date '1995-09-01'
  and l_shipdate < date '1995-09-01' + interval '1'
month

```

PROMO_REVENUE
16.38

1 row processed.
Statement Processed in 0.38 seconds.

Ended Executing this Query at Tue Aug 19 12:32:33 2003

Query Started at 1061289153.41
Query Ended at 1061289153.79
Query Processed in 0.38 seconds

SQL statements processed: 1
Queries processed: 1

=====
qual15.v1
=====

Begin Execution at Tue Aug 19 12:32:33 2003

-- using default substitutions

```

with revenue as (
  select
    l_suppkey supplier_no,
    sum(l_extendedprice * (1-l_discount))
total_revenue
  from
    lineitem
  where
    l_shipdate >= date '1996-01-01'
    and l_shipdate < date '1996-01-01' +
interval '3' month
  group by
    l_suppkey
)

```

```

select
  s_suppkey,
  s_name,
  s_address,
  s_phone,
  total_revenue
from
  supplier,
  revenue
where
  s_suppkey = supplier_no
  and total_revenue = (
  select
    max(total_revenue)
  from
    revenue
)
order by
  s_suppkey

```

| S_SUPPKEY | S_NAME | S_PHONE |
|-------------------|--------------------|-------------|
| S_ADDRESS | | |
| TOTAL_REVENUE | | |
| 8449.00 | Supplier#000008449 | |
| Wp34zim9qYFbVctdW | | 20-469-856- |
| 8873 1772627.21 | | |

1 row processed.

Statement Processed in 10.39 seconds.

Ended Executing this Query at Tue Aug 19 12:32:44 2003

Query Started at 1061289153.94
Query Ended at 1061289164.33
Query Processed in 10.39 seconds

SQL statements processed: 1
Queries processed: 1

=====
qual16.v1
=====

Begin Execution at Tue Aug 19 12:32:44 2003

-- using default substitutions

```
select
p_brand,
p_type,
p_size,
count(distinct ps_suppkey) as supplier_cnt
from
partsupp,
part
where
p_partkey = ps_partkey
and p_brand <> 'Brand#45'
and p_type not like 'MEDIUM POLISHED%'
and p_size in (49, 14, 23, 45, 19, 3, 36, 9)
and ps_suppkey not in (
select
s_suppkey
from
supplier
where
s_comment like '%Customer%Complaints%'
)
group by
p_brand,
p_type,
p_size
order by
supplier_cnt desc,
p_brand,
p_type,
p_size
```

| P_BRAND | P_TYPE | P_SIZE | SUPPLIER_CNT |
|----------|--------------------------|--------|--------------|
| Brand#41 | MEDIUM BRUSHED TIN | 3.00 | 28.00 |
| Brand#54 | STANDARD BRUSHED COPPER | 14.00 | 27.00 |
| Brand#11 | STANDARD BRUSHED TIN | 23.00 | 24.00 |
| Brand#11 | STANDARD BURNISHED BRASS | 36.00 | 24.00 |
| Brand#15 | MEDIUM ANODIZED NICKEL | 3.00 | 24.00 |
| Brand#15 | SMALL ANODIZED BRASS | 45.00 | 24.00 |
| Brand#15 | SMALL BURNISHED NICKEL | 19.00 | 24.00 |
| Brand#21 | MEDIUM ANODIZED COPPER | 3.00 | 24.00 |
| Brand#22 | SMALL BRUSHED NICKEL | 3.00 | 24.00 |

| | | | |
|----------|---------------------------|-------|-------|
| Brand#22 | SMALL BURNISHED BRASS | 19.00 | 24.00 |
| Brand#25 | MEDIUM BURNISHED COPPER | 36.00 | 24.00 |
| Brand#31 | PROMO POLISHED COPPER | 36.00 | 24.00 |
| Brand#33 | LARGE POLISHED TIN | 23.00 | 24.00 |
| Brand#33 | PROMO POLISHED STEEL | 14.00 | 24.00 |
| Brand#35 | PROMO BRUSHED NICKEL | 14.00 | 24.00 |
| Brand#41 | ECONOMY BRUSHED STEEL | 9.00 | 24.00 |
| Brand#41 | ECONOMY POLISHED TIN | 19.00 | 24.00 |
| Brand#41 | LARGE PLATED COPPER | 36.00 | 24.00 |
| Brand#42 | ECONOMY PLATED BRASS | 3.00 | 24.00 |
| Brand#42 | STANDARD POLISHED TIN | 49.00 | 24.00 |
| Brand#43 | PROMO BRUSHED TIN | 3.00 | 24.00 |
| Brand#43 | SMALL ANODIZED COPPER | 36.00 | 24.00 |
| Brand#44 | STANDARD POLISHED NICKEL | 3.00 | 24.00 |
| Brand#52 | ECONOMY PLATED TIN | 14.00 | 24.00 |
| Brand#52 | STANDARD BURNISHED NICKEL | 3.00 | 24.00 |
| Brand#53 | MEDIUM ANODIZED STEEL | 14.00 | 24.00 |
| Brand#14 | PROMO ANODIZED NICKEL | 45.00 | 23.00 |
| Brand#32 | ECONOMY PLATED BRASS | 9.00 | 23.00 |
| Brand#52 | SMALL ANODIZED COPPER | 3.00 | 23.00 |
| Brand#11 | ECONOMY BRUSHED COPPER | 45.00 | 20.00 |
| Brand#11 | ECONOMY PLATED BRASS | 23.00 | 20.00 |
| Brand#11 | LARGE BRUSHED COPPER | 49.00 | 20.00 |
| Brand#11 | LARGE POLISHED COPPER | 49.00 | 20.00 |

... rows truncated ...

| | | | |
|----------|--------------------------|-------|------|
| Brand#55 | STANDARD PLATED STEEL | 49.00 | 4.00 |
| Brand#55 | STANDARD PLATED TIN | 9.00 | 4.00 |
| Brand#55 | STANDARD PLATED TIN | 14.00 | 4.00 |
| Brand#55 | STANDARD PLATED TIN | 36.00 | 4.00 |
| Brand#55 | STANDARD POLISHED BRASS | 3.00 | 4.00 |
| Brand#55 | STANDARD POLISHED BRASS | 9.00 | 4.00 |
| Brand#55 | STANDARD POLISHED BRASS | 23.00 | 4.00 |
| Brand#55 | STANDARD POLISHED COPPER | 3.00 | 4.00 |
| Brand#55 | STANDARD POLISHED COPPER | 23.00 | 4.00 |
| Brand#55 | STANDARD POLISHED COPPER | 45.00 | 4.00 |

```

Brand#55 STANDARD POLISHED NICKEL 3.00
4.00
Brand#55 STANDARD POLISHED NICKEL 23.00
4.00
Brand#55 STANDARD POLISHED NICKEL 36.00
4.00
Brand#55 STANDARD POLISHED NICKEL 45.00
4.00
Brand#55 STANDARD POLISHED NICKEL 49.00
4.00
Brand#55 STANDARD POLISHED STEEL 14.00
4.00
Brand#55 STANDARD POLISHED STEEL 23.00
4.00
Brand#55 STANDARD POLISHED TIN 9.00
4.00
Brand#55 STANDARD POLISHED TIN 19.00
4.00
Brand#55 STANDARD POLISHED TIN 36.00
4.00
Brand#11 SMALL BRUSHED TIN 19.00
3.00
Brand#15 LARGE PLATED NICKEL 45.00
3.00
Brand#15 LARGE POLISHED NICKEL 9.00
3.00
Brand#21 PROMO BURNISHED STEEL 45.00
3.00
Brand#22 STANDARD PLATED STEEL 23.00
3.00
Brand#25 LARGE PLATED STEEL 19.00
3.00
Brand#32 STANDARD ANODIZED COPPER 23.00
3.00
Brand#33 SMALL ANODIZED BRASS 9.00
3.00
Brand#35 MEDIUM ANODIZED TIN 19.00
3.00
Brand#51 SMALL PLATED BRASS 23.00
3.00
Brand#52 MEDIUM BRUSHED BRASS 45.00
3.00
Brand#53 MEDIUM BRUSHED TIN 45.00
3.00
Brand#54 ECONOMY POLISHED BRASS 9.00
3.00
Brand#55 PROMO PLATED BRASS 19.00
3.00
Brand#55 STANDARD PLATED TIN 49.00
3.00

```

18314 rows processed.
Statement Processed in 3.11 seconds.

Ended Executing this Query at Tue Aug 19 12:32:47 2003

Query Started at 1061289164.48
Query Ended at 1061289167.59
Query Processed in 3.11 seconds

SQL statements processed: 1
Queries processed: 1

=====
qual17.v1
=====

Begin Execution at Tue Aug 19 12:32:47 2003

-- using default substitutions

```

select
sum(l_extendedprice) / 7.0 as avg_yearly
from
lineitem,
part
where
p_partkey = l_partkey
and p_brand = 'Brand#23'
and p_container = 'MED BOX'
and l_quantity < (
select
0.2 * avg(l_quantity)
from
lineitem
where
l_partkey = p_partkey
)
AVG_YEARLY
348406.05

```

1 row processed.
Statement Processed in 3.10 seconds.

Ended Executing this Query at Tue Aug 19 12:32:50 2003

Query Started at 1061289167.76
Query Ended at 1061289170.86
Query Processed in 3.10 seconds

SQL statements processed: 1
Queries processed: 1

=====
qual18.v1
=====

Begin Execution at Tue Aug 19 12:32:51 2003

-- using default substitutions

```

select * from (
select
c_name,
c_custkey,
o_orderkey,
o_orderdate,
o_totalprice,
sum(l_quantity)
from
customer,
orders,
lineitem
where
o_orderkey in (
select
l_orderkey
from
lineitem
group by
l_orderkey having
sum(l_quantity) > 300
)
and c_custkey = o_custkey
and o_orderkey = l_orderkey
group by
c_name,
c_custkey,
o_orderkey,
o_orderdate,
o_totalprice
order by

```

```

o_totalprice desc,
o_orderdate
)
where rownum <= 100

```

```

C_NAME          C_CUSTKEY
O_ORDERKEY      O_ORDERDATE
O_TOTALPRICE    SUM(L_QUANTITY)
Customer#000128120 128120.00
4722021.00      07-APR-94
544089.09       323.00
Customer#000144617 144617.00
3043270.00     12-FEB-97
530604.44       317.00
Customer#000013940 13940.00
2232932.00     13-APR-97
522720.61       304.00
Customer#000066790 66790.00
2199712.00     30-SEP-96
515531.82       327.00
Customer#000046435 46435.00
4745607.00     03-JUL-97
508047.99       309.00
Customer#000015272 15272.00
3883783.00     28-JUL-93
500241.33       302.00
Customer#000146608 146608.00
3342468.00     12-JUN-94
499794.58       303.00
Customer#000096103 96103.00
5984582.00     16-MAR-92
494398.79       312.00
Customer#000024341 24341.00
1474818.00     15-NOV-92
491348.26       302.00
Customer#000137446 137446.00
5489475.00     23-MAY-97
487763.25       311.00
Customer#000107590 107590.00
4267751.00     04-NOV-94
485141.38       301.00
Customer#000050008 50008.00
2366755.00     09-DEC-96
483891.26       302.00
Customer#000015619 15619.00
3767271.00     07-AUG-96
480083.96       318.00
Customer#000077260 77260.00
1436544.00     12-SEP-92

```

... rows truncated ...

```

436275.31       305.00
Customer#000081581 81581.00
4739650.00     04-NOV-95
435405.90       305.00
Customer#000119989 119989.00
1544643.00     20-SEP-97
434568.25       320.00
Customer#000003680 3680.00
3861123.00     03-JUL-98
433525.97       301.00
Customer#000113131 113131.00
967334.00      15-DEC-95
432957.75       301.00
Customer#000141098 141098.00
565574.00      24-SEP-95
430986.69       301.00
Customer#000093392 93392.00
5200102.00     22-JAN-97
425487.51       304.00

```

```

Customer#000015631 15631.00
1845057.00     12-MAY-94
419879.59       302.00
Customer#000112987 112987.00
4439686.00     17-SEP-96
418161.49       305.00
Customer#000012599 12599.00
4259524.00     12-FEB-98
415200.61       304.00
Customer#000105410 105410.00
4478371.00     05-MAR-96
412754.51       302.00
Customer#000149842 149842.00
5156581.00     30-MAY-94
411329.35       302.00
Customer#000010129 10129.00
5849444.00     21-MAR-94
409129.85       309.00
Customer#000069904 69904.00
1742403.00     19-OCT-96
408513.00       305.00
Customer#000017746 17746.00      6882.00
09-APR-97
408446.93       303.00
Customer#000013072 13072.00
1481925.00     15-MAR-98
399195.47       301.00
Customer#000082441 82441.00
857959.00      07-FEB-94
382579.74       305.00
Customer#000088703 88703.00
2995076.00     30-JAN-94
363812.12       302.00

```

57 rows processed.
Statement Processed in 2.02 seconds.

Ended Executing this Query at Tue Aug 19 12:32:53 2003

Query Started at 1061289171.01
Query Ended at 1061289173.03
Query Processed in 2.02 seconds

SQL statements processed: 1
Queries processed: 1

qual19.v1

Begin Execution at Tue Aug 19 12:32:53 2003

-- using default substitutions

```

select
sum(l_extendedprice* (1 - l_discount)) as revenue
from
lineitem,
part
where
(
p_partkey = l_partkey
and p_brand = 'Brand#12'
and p_container in ('SM CASE', 'SM BOX', 'SM PACK',
'SM PKG')
and l_quantity >= 1 and l_quantity <= 1 + 10
and p_size between 1 and 5
and l_shipmode in ('AIR', 'AIR REG')
and l_shipinstruct = 'DELIVER IN PERSON'
)
or

```

```
(
  p_partkey = l_partkey
  and p_brand = 'Brand#23'
  and p_container in ('MED BAG', 'MED BOX', 'MED
  PKG', 'MED PACK')
  and l_quantity >= 10 and l_quantity <= 10 + 10
  and p_size between 1 and 10
  and l_shipmode in ('AIR', 'AIR REG')
  and l_shipinstruct = 'DELIVER IN PERSON'
)
or
(
  p_partkey = l_partkey
  and p_brand = 'Brand#34'
  and p_container in ('LG CASE', 'LG BOX', 'LG PACK',
  'LG PKG')
  and l_quantity >= 20 and l_quantity <= 20 + 10
  and p_size between 1 and 15
  and l_shipmode in ('AIR', 'AIR REG')
  and l_shipinstruct = 'DELIVER IN PERSON'
)
```

REVENUE
3083843.06

1 row processed.
Statement Processed in 2.06 seconds.

Ended Executing this Query at Tue Aug 19 12:32:55
2003

Query Started at 1061289173.18
Query Ended at 1061289175.24
Query Processed in 2.06 seconds

SQL statements processed: 1
Queries processed: 1

=====
qual20.v1
=====

Begin Execution at Tue Aug 19 12:32:55 2003

-- using default substitutions

```
select
  s_name,
  s_address
from
  supplier,
  nation
where
  s_suppkey in (
  select
  ps_suppkey
  from
  partsupp
  where
  ps_partkey in (
  select
  p_partkey
  from
  part
  where
  p_name like 'forest%'
  )
  and ps_availqty > (
  select
  0.5 * sum(l_quantity)
  from
  lineitem
```

```
where
  l_partkey = ps_partkey
  and l_suppkey = ps_suppkey
  and l_shipdate >= to_date ('1994-01-01', 'YYYY-MM-
  DD')
  and l_shipdate < add_months( to_date ('1994-01-01',
  'YYYY-MM-DD'), 12)
  )
  )
  and s_nationkey = n_nationkey
  and n_name = 'CANADA'
order by
  s_name
```

```
S_NAME          S_ADDRESS
Supplier#00000020
iybAE,RmTymrZVYaFZva2SH,j
Supplier#00000091
YV45D7TkfdQanOOZ7q9QxkyGUapU1oOWU6q3
Supplier#00000197
YC2Acon6kjY3zj3Fbxs2k4Vdf7X0cd2F
Supplier#00000226      83qOdU2EYRdPQAQhEtn
GRZEd
Supplier#00000285
Br7e1nnt1yxrw6lmgpJ7YdhFDjuBf
Supplier#00000378      FfbhyCxWvcPrO8ltp9
Supplier#00000402
i9Sw4DoyMhzhKXCH9By,AYSgmD
Supplier#00000530      0qwCMwobKY
OcmLyfRXlagA8ukENJv,
Supplier#00000688      D
fw5ocppmZpYBBIP1718hCihLDZ5KhKX
Supplier#00000710      f19YPvOyb
QoYwjKC,oPycpGfieBAcwKJo
Supplier#00000736
l6i2nMwVuovfKnuVgaSGK2rDy65DIAFLegil7
Supplier#00000761
zISLeIQUj2XrvTTFnv7WAcYZGvwMTx882d4
Supplier#00000884      bmhEShejaS
Supplier#00000887      urEaTejH5POADP2ARf
Supplier#00000935      ij98czM
2KzWe7dDT0xB8sq0UfCdvX
Supplier#00000975      ,AC
e,tBpNwKb5xMUzeohxlRn, hdZJo73gFQF8y
Supplier#00001263      rQWR6nf8ZhB2TAiIDlvo5lo
Supplier#00001399      LmrocnIMsYOWuANx7
Supplier#00001446
lch9HMNU1R7a0LlybsUodVknk6
Supplier#00001454      TOpimgu2TVXljiL93h,
Supplier#00001500      wDmF5xLxtQch9ctVu,
Supplier#00001602      uKNWleafaM644
Supplier#00001626      UhxNRzUu1dtFmp0
Supplier#00001682      pXtkGxrTQVYH1Rr
Supplier#00001699      Q9C4rfJ26oijVPqqcqVXeRI
Supplier#00001700      7hMICof1Y5zLFg
```

... rows truncated ...

```
Supplier#00008231      IK7eGw
Yj90sTdpsP,vcqWxLB
Supplier#00008243
2AyePMkDqzmVzjGTizXthFL08h EiudCMxOmlIG
Supplier#00008275      BlbNDfWg,gpXKQILN
Supplier#00008323      75l18sZmASwm
POeheRMdj9tmpyeQ,BfCXN5BIAb
Supplier#00008366
h778cEj14BuW9OEKlvPTWq4iwASR6EBBXN7zeS8
Supplier#00008423
RQhKnkAhR0DAR3lx4Q1weMMn00hNe Kq
Supplier#00008480      4sSDA4ACReklNjEm5T6b
```

```

Supplier#000008532
Uc29q4,5xVdDOF87UZrxhr4xWS0ihEUXuh
Supplier#000008595      MH0iB73GQ3z UW3O
DbCbqmc
Supplier#000008610
SgVgP90vP452sUNTgzL9zKwXHXAzV6tV
Supplier#000008705
aE,trRNdPx,4yinTD9O3DebDlp
Supplier#000008742      HmPIQEzKCPEcTUL14,kKq
Supplier#000008841      l 85Lu1sekgb2xrSlzm0
Supplier#000008895
2cH4okfaLSZTTg8sKRbbJQxkmeFu2Esj
Supplier#000008967      2kwEHyMG
7FwozNlmaUE6mH0hYtqYculJM
Supplier#000008972      w2vF6
D5YZO3visPXsqVflADTK
Supplier#000009032      qK,trB6Sdy4Dz1BRUFNy
Supplier#000009147      rOAuryHxpZ9eOvx
Supplier#000009252      F7cZaPUHwh1
ZKyj3xmAVWC1XdP ue1p5m,i
Supplier#000009278      RqYTzgxj93CLX
0mcYfCENOfD
Supplier#000009327      uoqMdf7e7Gj9dbQ53
Supplier#000009430      igRqmneFt
Supplier#000009567
r4Wfx4c3xsEAjcgj71HHZByornl D9vrztXlv4
Supplier#000009601
51m637bO,Rw5DnHWFUvLacRx9
Supplier#000009709
rRnCbHYgDgl9PZYnyWKVYSUW0vKg
Supplier#000009753
wLhVEcRmd7PkJF4FBnGK7Z
Supplier#000009796      z,y4ldmr15DOvPUqYG
Supplier#000009799      4wNjXGa4OKWI
Supplier#000009811      E3iuyq7UnZxU7oPZle2Gu6
Supplier#000009812
APFRMy3ICbgFga53n5t9DxzFPQPgnjrGt32
Supplier#000009862      rJzweWeN58
Supplier#000009868      ROjGgx5gvtkmnUUoeyy7v
Supplier#000009869
ucLqzrpbTRMewGSM29t0rNTM30g1Tu3Xgg3mKag
Supplier#000009899      7XdpAHRzr1t,UQFZE
Supplier#000009974
7wJ,J5DKcxSU4Kp1cQLpbcAvB5AsvKT

```

204 rows processed.
Statement Processed in 3.96 seconds.

Ended Executing this Query at Tue Aug 19 12:32:59 2003

Query Started at 1061289175.39
Query Ended at 1061289179.35
Query Processed in 3.96 seconds

SQL statements processed: 1
Queries processed: 1

=====
qual21.v1
=====

Begin Execution at Tue Aug 19 12:32:59 2003

-- using default substitutions

```

select * from (
select
s_name,
count(*) numwait
from
supplier,

```

```

lineitem l1,
orders,
nation
where
s_suppkey = l1.l_suppkey
and o_orderkey = l1.l_orderkey
and o_orderstatus = 'F'
and l1.l_receiptdate > l1.l_commitdate
and exists (
select
*
from
lineitem l2
where
l2.l_orderkey = l1.l_orderkey
and l2.l_suppkey <> l1.l_suppkey
)
and not exists (
select
*
from
lineitem l3
where
l3.l_orderkey = l1.l_orderkey
and l3.l_suppkey <> l1.l_suppkey
and l3.l_receiptdate > l3.l_commitdate
)
and s_nationkey = n_nationkey
and n_name = 'SAUDI ARABIA'
group by
s_name
order by
numwait desc,
s_name)
where rownum <= 100

```

| S_NAME | NUMWAIT |
|--------------------|---------|
| Supplier#000002829 | 20.00 |
| Supplier#000005808 | 18.00 |
| Supplier#000000262 | 17.00 |
| Supplier#000000496 | 17.00 |
| Supplier#000002160 | 17.00 |
| Supplier#000002301 | 17.00 |
| Supplier#000002540 | 17.00 |
| Supplier#000003063 | 17.00 |
| Supplier#000005178 | 17.00 |
| Supplier#000008331 | 17.00 |
| Supplier#000002005 | 16.00 |
| Supplier#000002095 | 16.00 |
| Supplier#000005799 | 16.00 |
| Supplier#000005842 | 16.00 |
| Supplier#000006450 | 16.00 |
| Supplier#000006939 | 16.00 |
| Supplier#000009200 | 16.00 |
| Supplier#000009727 | 16.00 |
| Supplier#000000486 | 15.00 |
| Supplier#000000565 | 15.00 |
| Supplier#000001046 | 15.00 |
| Supplier#000001047 | 15.00 |

... rows truncated ...

| | |
|--------------------|-------|
| Supplier#000003727 | 13.00 |
| Supplier#000003806 | 13.00 |
| Supplier#000004472 | 13.00 |
| Supplier#000005236 | 13.00 |
| Supplier#000005906 | 13.00 |
| Supplier#000006241 | 13.00 |
| Supplier#000006326 | 13.00 |
| Supplier#000006384 | 13.00 |
| Supplier#000006394 | 13.00 |

```

Supplier#000006624 13.00
Supplier#000006629 13.00
Supplier#000006682 13.00
Supplier#000006737 13.00
Supplier#000006825 13.00
Supplier#000007021 13.00
Supplier#000007417 13.00
Supplier#000007497 13.00
Supplier#000007602 13.00
Supplier#000008134 13.00
Supplier#000008234 13.00
Supplier#000009435 13.00
Supplier#000009436 13.00
Supplier#000009564 13.00
Supplier#000009896 13.00
Supplier#000000379 12.00
Supplier#000000673 12.00
Supplier#000000762 12.00
Supplier#000000811 12.00
Supplier#000000821 12.00
Supplier#000001337 12.00
Supplier#000001916 12.00
Supplier#000001925 12.00
Supplier#000002039 12.00
Supplier#000002357 12.00
Supplier#000002483 12.00

```

100 rows processed.
Statement Processed in 5.58 seconds.

Ended Executing this Query at Tue Aug 19 12:33:05 2003

Query Started at 1061289179.50
Query Ended at 1061289185.08
Query Processed in 5.58 seconds

SQL statements processed: 1
Queries processed: 1

=====
qual22.v1
=====

Begin Execution at Tue Aug 19 12:33:05 2003

-- using default substitutions

```

select
cnycode,
count(*) as numcust,
sum(c_acctbal) as totacctbal
from
(
select

```

```

substr(c_phone, 1, 2) as cntrycode,
c_acctbal
from
customer
where
substr(c_phone,1, 2) in
('13', '31', '23', '29', '30', '18', '17')
and c_acctbal > (
select
avg(c_acctbal)
from
customer
where
c_acctbal > 0.00
and substr(c_phone, 1, 2) in
('13', '31', '23', '29', '30', '18', '17')
)
and not exists (
select
*
from
orders
where
o_custkey = c_custkey
)
) custsale
group by
cntrycode
order by
cntrycode

```

| CNTRYCODE | NUMCUST | TOTACCTBAL |
|-----------|---------|------------|
| 13 | 888.00 | 6737713.99 |
| 17 | 861.00 | 6460573.72 |
| 18 | 964.00 | 7236687.40 |
| 23 | 892.00 | 6701457.95 |
| 29 | 948.00 | 7158866.63 |
| 30 | 909.00 | 6808436.13 |
| 31 | 922.00 | 6806670.18 |

7 rows processed.
Statement Processed in 0.99 seconds.

Ended Executing this Query at Tue Aug 19 12:33:06 2003

Query Started at 1061289185.23
Query Ended at 1061289186.23
Query Processed in 0.99 seconds

SQL statements processed: 1
Queries processed: 1

Appendix D. Seed and Query Substitution Parameters

This Appendix contains Seed values and substitution parameters for each stream.

This Appendix contains Seed values and substitution parameters for each stream

=====
seed values
 =====

```

session 00 905102702
session 01 905102703
session 02 905102704
session 03 905102705
session 04 905102706
session 05 905102707
session 06 905102708
session 07 905102709
  
```

=====
stream 00 substitution parameters
 =====

```

14 1994-09-01
2 39 NICKEL AFRICA
9 pale
20 maroon 1996-01-01 VIETNAM
6 1994-01-01 0.06 24
17 Brand#13 JUMBO DRUM
18 313
8 INDONESIA ASIA LARGE BRUSHED STEEL
21 MOROCCO
13 unusual requests
3 HOUSEHOLD 1995-03-04
22 34 23 14 18 24 26 32
16 Brand#51 MEDIUM BRUSHED 5 28 2
45 21 8 18 48
4 1993-08-01
11 SAUDI ARABIA 0.0000001000
15 1994-03-01
1 88
10 1994-03-01
19 Brand#43 Brand#45 Brand#35 4
11 27
5 AFRICA 1994-01-01
7 JORDAN INDONESIA
12 REG AIR MAIL 1994-01-01
  
```

=====
stream 01 substitution parameters
 =====

```

21 GERMANY
3 AUTOMOBILE 1995-03-21
18 315
5 AMERICA 1994-01-01
11 INDIA 0.0000001000
7 ETHIOPIA ARGENTINA
6 1994-01-01 0.03 24
20 turquoise 1994-01-01 IRAQ
17 Brand#15 WRAP BAG
12 SHIP MAIL 1994-01-01
16 Brand#41 PROMO BURNISHED 43 48
30 26 24 20 27 42
15 1996-10-01
  
```

```

13 unusual requests
10 1994-12-01
2 26 TIN EUROPE
8 ARGENTINA AMERICA LARGE PLATED
STEEL
14 1995-01-01
19 Brand#55 Brand#23 Brand#24 9
12 23
9 moccasin
22 21 12 24 19 15 17 14
1 96
4 1996-03-01
  
```

=====
stream 02 substitution parameters
 =====

```

6 1994-01-01 0.09 25
17 Brand#12 WRAP PACK
14 1995-04-01
16 Brand#21 SMALL PLATED 46 19
42 50 14 16 21 48
19 Brand#52 Brand#51 Brand#24 5
13 30
10 1993-09-01
9 maroon
2 14 COPPER AFRICA
15 1994-07-01
8 CHINA ASIA LARGE ANODIZED STEEL
5 EUROPE 1994-01-01
22 11 14 22 20 33 13 28
12 MAIL FOB 1995-01-01
7 RUSSIA CHINA
13 unusual requests
18 313
1 104
4 1993-12-01
20 green1997-01-01 ARGENTINA
3 FURNITURE 1995-03-06
11 VIETNAM 0.0000001000
21 UNITED STATES
  
```

=====
stream 03 substitution parameters
 =====

```

8 IRAN MIDDLE EAST MEDIUM POLISHED
COPPER
5 MIDDLE EAST 1994-01-01
4 1996-07-01
6 1994-01-01 0.06 24
17 Brand#14 WRAP DRUM
7 KENYA IRAN
1 112
18 314
22 25 29 27 33 16 10 11
14 1995-07-01
9 lawn
10 1994-07-01
15 1997-01-01
11 INDONESIA 0.0000001000
20 rosy 1996-01-01 MOROCCO
  
```

```

2 2 BRASS EUROPE
21 MOZAMBIQUE
19 Brand#54 Brand#44 Brand#23 10
14 26
13 express requests
16 Brand#51 LARGE BRUSHED 50 45
34 6 18 33 47 20
12 TRUCK FOB 1995-01-01
3 AUTOMOBILE 1995-03-23
=====
stream 04 substitution parameters
=====
5 AFRICA 1995-01-01
21 INDONESIA
14 1995-10-01
19 Brand#11 Brand#22 Brand#12 5
15 23
15 1994-10-01
17 Brand#11 SM BAG
12 RAIL FOB 1995-01-01
6 1995-01-01 0.03 24
4 1994-04-01
9 hot
8 BRAZIL AMERICA MEDIUM BURNISHED
COPPER
16 Brand#41 STANDARD ANODIZED 14
10 1 12 16 9 24 25
11 RUSSIA 0.0000001000
2 40 NICKEL AMERICA
10 1993-04-01
18 312
1 120
13 express accounts
7 FRANCE BRAZIL
22 32 13 18 21 22 19 10
3 FURNITURE 1995-03-08
20 cornsilk 1994-01-01 ETHIOPIA
=====
stream 05 substitution parameters
=====
21 ARGENTINA
15 1997-05-01
4 1996-11-01
6 1995-01-01 0.09 25
7 UNITED KINGDOM ROMANIA
16 Brand#21 MEDIUM PLATED 6 40 3
5 19 9 50 30
19 Brand#14 Brand#15 Brand#11 10
16 30
18 313
14 1996-01-01
22 20 11 28 17 29 33 13
11 IRAN 0.0000001000
13 express accounts
3 MACHINERY 1995-03-25
1 67
2 28 TIN EUROPE
5 AMERICA 1995-01-01
8 ROMANIA EUROPE SMALL BRUSHED
COPPER
20 navy 1993-01-01 SAUDI ARABIA
12 AIR FOB 1995-01-01
17 Brand#13 SM PACK

```

```

10 1994-01-01
9 gainsboro
=====
stream 06 substitution parameters
=====
10 1994-10-01
3 FURNITURE 1995-03-10
15 1995-02-01
13 express accounts
6 1995-01-01 0.06 24
8 IRAQ MIDDLE EAST SMALL PLATED
COPPER
9 dodger
7 MOROCCO IRAQ
4 1994-08-01
11 UNITED KINGDOM 0.0000001000
22 12 13 11 22 25 27 20
18 315
12 REG AIR SHIP 1996-01-01
1 75
5 ASIA 1995-01-01
16 Brand#11 ECONOMY POLISHED 6 2
31 20 10 5 32 34
2 15 COPPER AMERICA
14 1996-05-01
19 Brand#11 Brand#42 Brand#11 6
17 26
20 azure 1996-01-01 INDONESIA
17 Brand#14 SM DRUM
21 CHINA
=====
stream 07 substitution parameters
=====
18 312
8 CANADA AMERICA SMALL ANODIZED
COPPER
20 lavender 1995-01-01 UNITED STATES
21 IRAN
2 3 STEEL MIDDLE EAST
4 1997-03-01
22 34 13 12 33 28 16 20
17 Brand#11 LG BAG
1 83
11 IRAQ 0.0000001000
9 cornsilk
19 Brand#23 Brand#35 Brand#55 1
18 22
3 MACHINERY 1995-03-27
13 express accounts
5 EUROPE 1995-01-01
7 GERMANY CANADA
10 1993-07-01
16 Brand#41 SMALL ANODIZED 36 23
34 50 25 44 4 38
6 1995-01-01 0.04 24
14 1996-08-01
15 1997-08-01
12 FOB SHIP 1996-01-01

```

Appendix E. Implementation-Specific Layer/Driver Code

```

=====
buildTPCH
=====
#!/bin/ksh
. $KIT_DIR/env

ECHO=echo

sqlplus=$ORACLE_HOME/bin/sqlplus
GTIME=${KIT_DIR}/utils/gtime

RUN_ID_FILE=${KIT_DIR}/audit/r_id

if [ ! -f $RUN_ID_FILE ]
then
    echo "0" > $RUN_ID_FILE
fi

RUN_ID=`cat $RUN_ID_FILE`
RUN_ID=`expr $RUN_ID + 1`
echo $RUN_ID > $RUN_ID_FILE

OUT_DIR=${KIT_DIR}/audit/tests/${RUN_ID}
if [ ! -d $OUT_DIR ]
then
    mkdir $OUT_DIR
fi

SCRIPT_LOG_FILE=${OUT_DIR}/main.out
RDB_TABLES=${OUT_DIR}/rdbtablest
FIRST_TEN=${OUT_DIR}/firsttten
LD1DBCRCRE=${OUT_DIR}/Ld1dbcre
LD2SCTSO=${OUT_DIR}/Ld2sctso
LD3DAPOP=${OUT_DIR}/Ld4dapop
LD4IXCRE=${OUT_DIR}/Ld5ixcre
LD5ANLYZ=${OUT_DIR}/Ld5anlyz
#DAT_FILE=${TPCH}/bmc/schema/3tb/var9/3tb_1
6.dat
#DAT_FILE=${TPCH}/bmc/schema/3tb/var9/3tb_1
28.dat
DAT_FILE=${TPCH}/bmc/schema/1tb/var9/1tb.da
t

echo Start TPC-H Benchmark SEQUENCE NUMBER:
$RUN_ID > $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE
echo "Starting a new Oracle log file:
$ORACLE_HOME/rdbms/log/alert_${ORACLE_SID}.
log" >> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

mv
$ORACLE_HOME/rdbms/log/alert_${ORACLE_SID}.
log
$ORACLE_HOME/rdbms/log/alert_${ORACLE_SID}.
log.preAudit.$RUN_ID
touch
$ORACLE_HOME/rdbms/log/alert_${ORACLE_SID}.
log

echo "Start: load database `date`" >>
$SCRIPT_LOG_FILE

bumpx.pl -s -x -o ${DAT_FILE} -p dbcre >
$LD1DBCRCRE
bumpx.pl -s -x -o ${DAT_FILE} -p sctso >
$LD2SCTSO
STIME=`$GTIME`
echo "Start: timed load portion `date`" >>
$SCRIPT_LOG_FILE
bumpx.pl -s -x -o ${DAT_FILE} -p dapop >
$LD3DAPOP
bumpx.pl -s -x -o ${DAT_FILE} -p ixcre >
$LD4IXCRE
bumpx.pl -s -x -o ${DAT_FILE} -p anlyz >
$LD5ANLYZ
# tshut
# tstart
ckpnt.sh
echo "End: timed load portion `date`" >>
$SCRIPT_LOG_FILE

$KIT_DIR/audit/gen_seed.sh
$KIT_DIR/audit/seed
echo Generated seed: `cat
$KIT_DIR/audit/seed` >> $SCRIPT_LOG_FILE

echo "Start: dbtables.sql and count.sql" >>
$SCRIPT_LOG_FILE
sqlplus ${DATABASE_USER}
@$KIT_DIR/audit/dbtables > ${RDB_TABLES}
2>&1
sqlplus ${DATABASE_USER}
@$KIT_DIR/audit/firsttten > ${FIRST_TEN}
2>&1
echo "End: dbtables.sql and count.sql
`date`" >> $SCRIPT_LOG_FILE

$BMC/scripts/set_dop.sh 128

tshut >> $SCRIPT_LOG_FILE
tstart >> $SCRIPT_LOG_FILE
# ckpnt.sh

=====
runTPCHall_run1
=====
#!/bin/ksh
. $KIT_DIR/env

ECHO=echo

sqlplus=$ORACLE_HOME/bin/sqlplus
GTIME=${KIT_DIR}/utils/gtime

RUN_ID_FILE=${KIT_DIR}/audit/r_id

RUN_ID=`cat $RUN_ID_FILE`

OUT_DIR=${KIT_DIR}/audit/tests/${RUN_ID}
if [ ! -d $OUT_DIR ]
then

```

```

mkdir $OUT_DIR
fi

SCRIPT_LOG_FILE=${OUT_DIR}/main.out
RDB_TABLES=${OUT_DIR}/rdbtablest
FIRST_TEN=${OUT_DIR}/firstten
LD1DBCRE=${OUT_DIR}/Ld1dbcre
LD2SCTSO=${OUT_DIR}/Ld2sctso
LD3DAPOP=${OUT_DIR}/Ld4dapop
LD4IXCRE=${OUT_DIR}/Ld5ixcre
LD5ANLYZ=${OUT_DIR}/Ld5anlyz
DAT_FILE=${TPCH}/bmc/schema/100g_84.dat

runTPCHpt ${SCALE_FACTOR} 1 ${RUN_ID}

#tshut >> $SCRIPT_LOG_FILE
#tstart >> $SCRIPT_LOG_FILE
ckpnt.sh

```

```

=====
runTPCHpt
=====
#!/bin/ksh
. $KIT_DIR/env
#set -x
#ECHOS=/bin/echo
SCRIPT_DIR=${KIT_DIR}/scripts
SQL_DIR=${KIT_DIR}/sql
UPD_DIR=${KIT_DIR}/update
SRC_DIR=${KIT_DIR}/utils
QRY_DIR=${KIT_DIR}/queries # this is the
location of the query template file
QGEN_DIR=${KIT_DIR}/dbgen
QGEN=${QGEN_DIR}/qgen
QEXEC=${SRC_DIR}

DSS_QUERY=${KIT_DIR}/queries
export DSS_QUERY

UPD_SQL=${UPD_DIR}/sql
UPD_SPT=${UPD_DIR}/scripts
UPD_SRC=${UPD_DIR}/source
UPD_DAT=${UPD_DIR}/data

TPCD_BIN=${KIT_DIR}/audit/bin

GTIME=${SRC_DIR}/gtime
SEED_FILE=${KIT_DIR}/audit/seed

DF=/dev/null
HID=1
INTERVAL=60
COUNT=1200

# The defaults

QPROG=${QEXEC}/qexec

usage () {
echo " "
echo "Usage: $0 [-p <program for query
stream>] [-u1 <program for UF1>] [-
u2 <program for UF2>] [-
o] [-s] [-h] [-u <user/password>]"
echo "          <scale factor>
<run_number>"
echo " "

```

```

echo "scale factor      : The scale factor
of the run."
echo "update ||ism      : The parallelism to
use for the UFs."
echo " "
echo "-p <program>        : Program for Query
Stream."
echo "                      Default is
$QPROG."
echo "-u1 <program>        : Program for UF1."
echo "                      Default is
$U1PROG."
echo "-u2 <program>        : Program for UF2."
echo "                      Default is
$U2PROG."
echo "-o                    : Collect Oracle
statistics."
echo "-s                    : Collect System
statistics."
echo "-u <user/passwd>     : User/Password.
Default is tpch/tpch."
echo "-h                    : Displays this
message."
}
set -- `getopt "p:u1:u2:osu:h" "$@"` ||
usage

while :
do
case "$1" in
-u1) shift; U1PROG=$1;;
-u2) shift; U2PROG=$1;;
-p) shift; QPROG=$1;;
-o) OSTAT=1;;
-s) SSTAT=1;;
-h) usage; exit 0;;
--) shift; break;;
esac
shift;
done

if [ "$#" -ne "3" ]
then
usage
exit 1
fi

SF=$1
PARA=$2
RUN_ID=$3

OUT_DIR=${KIT_DIR}/audit/tests/${RUN_ID}
if [ ! -d $OUT_DIR ]
then
mkdir $OUT_DIR
fi

TPCD_LOG=${OUT_DIR}
TPCD_RPT=${OUT_DIR}
OUT=${OUT_DIR}

let UF_SET="($PARA-1)*($NUM_STREAMS+1)+1"
START_SET=1
let STOP_SET=$NUM_STREAMS
let START_SET_UPDATE="($PARA-
1)*($NUM_STREAMS+1)+2"
let
STOP_SET_UPDATE="$START_SET_UPDATE+$NUM_STR
EAMS-1"

TPCD_LOG_FILE=${TPCD_LOG}/m${PARA}s0

```

```

TPCD_RPT_FILE=${TPCD_RPT}/m${PARA}s0inter
QRY_FILE=${TPCD_RPT}/qtemp.${PARA}s0
QUERY_PARAMETER=${TPCD_LOG}/qp${PARA}.0
SCRIPT_LOG_FILE=${TPCD_LOG}/m${PARA}timing
UF1_LOG=${TPCD_LOG}/m${PARA}s0rf1
UF2_LOG=${TPCD_LOG}/m${PARA}s0rf2
STREAM_COUNT_LOG=${TPCD_LOG}/m${PARA}tstrcn
t

echo "TPC-H Test - RUN:${PARA}
SEQUENCE:${RUN_ID} `date`" >
$SCRIPT_LOG_FILE
echo "TPC-H Test - RUN:${PARA}
SEQUENCE:${RUN_ID} `date`" > $TPCD_RPT_FILE
echo "Generates query template file with
seed: `cat $SEED_FILE` for stream 0" >>
$SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

${QGEN} -c -r `cat $SEED_FILE` -p 0 -s
${SF} -l $QUERY_PARAMETER > ${QRY_FILE}

##lm
$ECHOS mystartstat ${RUN_ID} pwr_${PARA}

START=`$GTIME`
echo "Start Power Test - RUN:${PARA}
SEQUENCE:${RUN_ID} Execution Starts $START,
`date`" >> $SCRIPT_LOG_FILE
echo "" >> $SCRIPT_LOG_FILE

# Execute UF1

SDATE=`date`
UF1_START=`$GTIME`
echo "Start UF1 $UF1_START, `date`" >>
$SCRIPT_LOG_FILE

${UPD_SPT}/runuf1.sh ${UF_SET} >> $UF1_LOG
2>&1
# Execute Query Stream

UF1_END=`$GTIME`
E1DATE=`date`

UF1_TIME=`echo $UF1_END - $UF1_START | bc`
echo UF1: Execution Time: $UF1_TIME >>
${TPCD_RPT_FILE}
echo Start Time: $UF1_START, $SDATE >>
${TPCD_RPT_FILE}
echo End Time: $UF1_END, $E1DATE >>
${TPCD_RPT_FILE}
echo "" >> ${TPCD_RPT_FILE}

echo "End UF1 $UF1_END, ${E1DATE}" >>
$SCRIPT_LOG_FILE
echo UF1: Execution Time: $UF1_TIME >>
$SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

echo "Start Query Part ` $GTIME`, `date` "
>> $SCRIPT_LOG_FILE

${QPROG} ${DATABASE_USER} q${QRY_FILE}
l${TPCD_LOG_FILE} r${TPCD_RPT_FILE} > $DF
2>&1

# Execute UF2

UF2_START=`$GTIME`
E2DATE=`date`

echo "End Query Part ` $GTIME`, ${E2DATE}"
>> $SCRIPT_LOG_FILE
echo "" >> $SCRIPT_LOG_FILE

echo "Start UF2 $UF2_START, `date`" >>
$SCRIPT_LOG_FILE
${UPD_SPT}/runuf2.sh ${UF_SET} >> $UF2_LOG
2>&1
UF2_END=`$GTIME`
END=`$GTIME`
EDATE=`date`

UF2_TIME=`echo $UF2_END - $UF2_START | bc`
echo UF2: Execution Time: $UF2_TIME >>
${TPCD_RPT_FILE}
echo Start Time: $UF2_START, $E2DATE >>
${TPCD_RPT_FILE}
echo End Time: $UF2_END, $EDATE >>
${TPCD_RPT_FILE}

echo "End UF2 $UF2_END, $EDATE" >>
$SCRIPT_LOG_FILE
echo UF2: Execution Time: $UF2_TIME >>
$SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

echo "End TPC-H Power Test - RUN:${PARA}
SEQUENCE:${RUN_ID}, $END, $EDATE" >>
$SCRIPT_LOG_FILE
MEA_INT=`echo $END - $START | bc`
echo "Elapsed Time for TPC-H Power Test -
RUN:${PARA} SEQUENCE:${RUN_ID} is $MEA_INT"
>> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

##lm
$ECHOS mystopstat ${RUN_ID} pwr_${PARA}

${KIT_DIR}/audit/abridge.pl
${TPCD_LOG_FILE}
i=$START_SET
PSEED=`cat $SEED_FILE`

while [ $i -le $STOP_SET ]; do

TPCD_LOG_FILE=${TPCD_LOG}/mt${RUN_ID}_${i}.
log
TPCD_RPT_FILE=${TPCD_RPT}/mt${RUN_ID}_${i}.
rpt
QUERY_PARAMETER=${TPCD_LOG}/qp${PARA}.
${i}
QRY_FILE=${TPCD_RPT}/qtemp.${PARA}s${i}

PSEED=`expr $PSEED + 1`
${QGEN} -c -r ${PSEED} -p ${i} -s ${SF} -
l $QUERY_PARAMETER > ${QRY_FILE}

i=`expr $i + 1`
done

TH_START_D=`date`
TH_START_T=`$GTIME`
echo >> $SCRIPT_LOG_FILE

rm -f /tmp/th_pipe1
mknod /tmp/th_pipe1 p
rm -f /tmp/th_pipe2
mknod /tmp/th_pipe2 p
i=$START_SET

```

```

##!m
$ECHOS mystartstat ${RUN_ID} thr_${PARA}

echo "Start Throughput Test - RUN:${PARA}
SEQUENCE:${RUN_ID} $TH_START_T,
$TH_START_D" >> $SCRIPT_LOG_FILE

# starts a script to count the streams
during the throughput run
(scnt.sh $PARA $RUN_ID > $STREAM_COUNT_LOG
&)

while [ $i -le $STOP_SET ]; do
    M_SDATE=`date`
    M_STIME=`$GTIME`
    TPCD_LOG_FILE=${TPCD_LOG}/m${PARA}s${i}
}
    TPCD_RPT_FILE=${TPCD_RPT}/m${PARA}s${i}
}inter
    echo "Start Query Stream $i $M_STIME,
${M_SDATE}" >> $SCRIPT_LOG_FILE
    QRY_FILE=${TPCD_RPT}/qtemp.${PARA}s${i}
}
    ${QPROG} ${DATABASE_USER} q${QRY_FILE}
l${TPCD_LOG_FILE} r${TPCD_RPT_FILE} | grep
-v "Connected to ORACLE" >>
$SCRIPT_LOG_FILE &
    i=`expr $i + 1`
done

( ${KIT_DIR}/audit/runTPCHus $RUN_ID
$START_SET_UPDATE $STOP_SET_UPDATE ${SF}
$PARA >> $SCRIPT_LOG_FILE 2>&l &)

wait
THQ_END_T=`$GTIME`
THQ_END_D=`date`
echo End all Query Streams $THQ_END_T,
$THQ_END_D >> $SCRIPT_LOG_FILE
print > /tmp/th_pipe1
read < /tmp/th_pipe2

TH_END_D=`date`
TH_END_T=`$GTIME`
echo End Update Stream ${TH_END_T},
${TH_END_D} >> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE
echo "End Throughput Test ${TH_END_T},
${TH_END_D}" >> $SCRIPT_LOG_FILE
echo Execution Time Throughput Test: `echo
${TH_END_T} - ${TH_START_T} | bc` >>
$SCRIPT_LOG_FILE

##!m
$ECHOS mystopstat ${RUN_ID} thr_${PARA}

i=$START_SET
while [ $i -le $STOP_SET ]; do
    TPCD_LOG_FILE=${TPCD_LOG}/m${PARA}s${i}
}
    ${KIT_DIR}/audit/abridge.pl
${TPCD_LOG_FILE}
    i=`expr $i + 1`
done
PIDS=`ps -fu oracle | grep scnt.sh | grep -
v grep | awk '{print $2}'`
kill -9 $PIDS
#calculate the metric
analyze_streams.pl -f p -n $RUN_ID >
${TPCD_RPT}/tpch_metric.${RUN_ID}.${HID}.rp
t

=====
runTPCHus
=====
#!/bin/ksh
. $KIT_DIR/env

SCRIPT_DIR=${KIT_DIR}/scripts
SQL_DIR=${KIT_DIR}/sql
UPD_DIR=${KIT_DIR}/update
UPD_SPT=${UPD_DIR}/scripts
SRC_DIR=${KIT_DIR}/utils
QRY_DIR=${KIT_DIR}/queries # this is the
location of the query template file
QGEN_DIR=${KIT_DIR}/dbgen
QGEN=${QGEN_DIR}/qgen

DSS_QUERY=${KIT_DIR}/queries
export DSS_QUERY

RUN_ID=$1
START_SET_UPDATE=$2
STOP_SET_UPDATE=$3
SF=$4
PARA=$5

OUT_DIR=${KIT_DIR}/audit/tests/${RUN_ID}
if [ ! -d $OUT_DIR ]
then
    mkdir $OUT_DIR
fi

TPCD_RPT=$OUT_DIR
SCRIPT_LOG_FILE=${OUT_DIR}/m${PARA}timing
OUT=$OUT_DIR

GTIME=${SRC_DIR}/gtime
HID=1

START=`$GTIME`
echo "Start Update Stream $START, `date`"
>> $SCRIPT_LOG_FILE
echo "" >> $SCRIPT_LOG_FILE

#waiting for all the query streams to
finish first
read < /tmp/th_pipe1

i=$START_SET_UPDATE
j=1
while [ $i -le $STOP_SET_UPDATE ]; do

    # Execute UF1

    UF1_LOG=${OUT_DIR}/m${PARA}s${j}rf1
    UF2_LOG=${OUT_DIR}/m${PARA}s${j}rf2
    RPT_FILE=${OUT_DIR}/m${PARA}s${j}inter

    SDATE=`date`
    UF1_START=`$GTIME`
    echo "Start UF1-${j} at ${UF1_START},
${SDATE}" >> ${RPT_FILE}

    ${UPD_SPT}/runuf1.sh ${i} >> ${UF1_LOG}
2>&l
    UF1_END=`$GTIME`
    EDATE=`date`
    echo "End UF1-${j} at ${UF1_END},
${EDATE}" >> ${RPT_FILE}

```

```

        echo UF1-{$j} Execution Time: `echo
${UF1_END} - ${UF1_START} | bc` >>
${RPT_FILE}

# Execute UF2

SDATE=`date`
UF2_START=`${GTIME}`
echo "Start UF2-{$j} ${UF2_START},
${SDATE}" >> ${RPT_FILE}

${UPD_SPT}/runuf2.sh ${i} >> ${UF2_LOG}
2>&l
UF2_END=`${GTIME}`
EDATE=`date`
echo "End UF2-{$j} at $UF2_END, ${EDATE}"
>> ${RPT_FILE}
        echo UF2-{$j} Execution Time: `echo
${UF2_END} - ${UF2_START} | bc` >>
${RPT_FILE}

i=`expr $i + 1`
j=`expr $j + 1`
done

print > /tmp/th_pipe2

```

```

=====
runuf1.sh
=====
#!/bin/ksh
. $KIT_DIR/env
O=${ORACLE_HOME}
UPDATE_DIR=${KIT_DIR}/update
SCRIPT_DIR=${UPDATE_DIR}/scripts
UTILS_DIR=${KIT_DIR}/utils
LOG_DIR=${UPDATE_DIR}/log
GTIME=${UTILS_DIR}/gtime
SF=${SCALE_FACTOR}
PAR_HINT=${UPDATE_DOP_INS} # is defined in
env file

LOGPATH=.
PASSWD=${DATABASE_USER}

if [ $# -lt 1 ];
then
    echo runuf1.sh setnum
    exit 1
fi
SETNUM=$1
i=1
PID=""

START=`$GTIME`

sqlplus /NOLOG << !

connect $PASSWD;
set timing on
set serveroutput on
set echo on

drop directory data_dir;
create directory data_dir as '/flat';

drop table temp_l_et;
create table temp_l_et(

```

```

    l_orderkey          number ,
    l_partkey           number ,
    l_suppkey           number ,
    l_linenummer        number ,
    l_quantity          number ,
    l_extendedprice     number ,
    l_discount          number ,
    l_tax               number ,
    l_returnflag        char(1) ,
    l_linestatus        char(1) ,
    l_shipdate          date ,
    l_commitdate        date ,
    l_receiptdate       date ,
    l_shipinstruct      char(25) ,
    l_shipmode          char(10) ,
    l_comment           varchar(44)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
        records delimited by
newline
        badfile
'l_et.{$SETNUM}.bad'
        logfile
'l_et.{$SETNUM}.log'
        fields terminated by '|'
        missing field values are
null
)
location (
        'lineitem.tbl.u${SETNUM}'
))
reject limit unlimited;

drop table temp_o_et;
create table temp_o_et(
    o_orderkey          number ,
    o_custkey           number ,
    o_orderstatus       char(1) ,
    o_totalprice        number ,
    o_orderdate         date ,
    o_orderpriority     char(15) ,
    o_clerk              char(15) ,
    o_shippriority      number ,
    o_comment           varchar(79)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
        records delimited by
newline
        badfile
'o_et.{$SETNUM}.bad'
        logfile
'o_et.{$SETNUM}.log'
        fields terminated by '|'
        missing field values are
null
)
location (
        'orders.tbl.u${SETNUM}'
))
reject limit unlimited;
alter table temp_l_et parallel ${PAR_HINT};
alter table temp_o_et parallel ${PAR_HINT};

```

```

alter session force parallel dml parallel
${PAR_HINT};
alter session set isolation_level =
serializable;
alter session set
optimizer_index_cost_adj=10;
commit;

insert into orders (
  select
    o_orderdate      ,
    o_orderkey       ,
    o_custkey        ,
    o_orderpriority  ,
    o_shippriority   ,
    o_clerk          ,
    o_orderstatus    ,
    o_totalprice     ,
    o_comment
  from temp_o_et);

insert into lineitem (
  select
    l_shipdate      ,
    l_orderkey      ,
    l_discount      ,
    l_extendedprice ,
    l_suppkey       ,
    l_quantity      ,
    l_returnflag    ,
    l_partkey       ,
    l_linestatus    ,
    l_tax           ,
    l_commitdate    ,
    l_receiptdate   ,
    l_shipmode      ,
    l_linenumbr     ,
    l_shipinstruct  ,
    l_comment
  from temp_l_et);

commit;

drop table temp_l_et;
drop table temp_o_et;

exit;
!

END=`$GTIME`

echo ""
echo "Update Function 1 Set $SETNUM done!"
echo "Elapsed Time is `echo $END - $START |
bc`"
echo ""

=====
=====
runuf2.sh
=====
#!/bin/ksh
. $KIT_DIR/env
UPDATE_DIR=${KIT_DIR}/update
SCRIPT_DIR=${UPDATE_DIR}/scripts
UTILS_DIR=${KIT_DIR}/utils
GTIME=${UTILS_DIR}/gtime
LOG_DIR=${UPDATE_DIR}/log

```

```

PAR_HINT=${UPDATE_DOP_DEL} #defined in env
file
SF=${SCALE_FACTOR}
PASSWD=${DATABASE_USER}

if [ $# -lt 1 ]
then
  usage
  exit 1
fi

SETNUM=$1

i=1
PID=""

START=`$GTIME`

sqlplus /NOLOG << !

connect $PASSWD;
set timing on
set serveroutput on
set echo on

drop directory data_dir;
create directory data_dir as '/flat';

drop table temp_okey_et;
drop table temp_okey;

create table temp_okey_et(
  t_orderkey      number
)
organization external (
  type ORACLE_LOADER
  default directory data_dir
  access parameters
(
  records delimited by
  newline
  badfile
'okekey.${SETNUM}.bad'
logfile
'okekey.${SETNUM}.log'
fields terminated by '|'
missing field values are
null
)
location (
'delete.${SETNUM}'))
reject limit unlimited;

--alter table temp_okey_et parallel
${PAR_HINT};
alter table temp_okey_et parallel 16;

--create table temp_okey parallel
${PAR_HINT} nologging as select * from
temp_okey_et;
create table temp_okey parallel 16
nologging as select * from temp_okey_et;

--create unique index i_temp_okey on
temp_okey (t_orderkey) parallel ${PAR_HINT}
nologging compute statistics;
create unique index i_temp_okey on
temp_okey (t_orderkey) parallel 16
nologging compute statistics;

analyze table temp_okey estimate statistics
sample 2 percent;

```

```

alter session force parallel dml parallel
${PAR_HINT};
alter session set
isolation_level=serializable;
alter session set
optimizer_index_cost_adj=10;

delete from (select /*+ ordered index(o)
use_nl(o) */ o.rowid from orders o,
temp_okey t where o.o_orderkey =
t.t_orderkey order by 1);

delete from (select /*+ ordered index(l)
use_nl(l) */ l.rowid from lineitem
l,temp_okey t where l.l_orderkey =
t.t_orderkey order by 1);

commit;

drop table temp_okey;
drop table temp_okey_et;
exit;
!

END=`$GTIME`

echo ""
echo "Update Function 2 Set $SETNUM done!"
echo "Elapsed Time is `echo $END - $START |
bc`"
echo ""

=====
qexecpl.c
=====
#ifdef RCSID
static char *RCSid =
#endif /* RCSID */

/* Copyright (c) Oracle Corporation 1999.
All Rights Reserved. */

/*
NAME
    qexecpl.c - <one-line expansion of the
name>

DESCRIPTION
    SQL Execution Engine, Oracle v8, OCI
version

PRIVATE FUNCTION(S)
    <list of static functions defined in
.c file - with one-line descriptions>

MODIFIED    (MM/DD/YY)

*/

#include <stdio.h>
#include <string.h>
#include <setjmp.h>
#include <sys/param.h>
#include <errno.h>
#include <math.h>
#include <string.h>
#include <sys/types.h>

```

```

#include <time.h>

#include "qexecpl.h"

/* Function Prototypes */

extern double gettimeofday();

/* function prototypes from gen.c */

int get_statement();

/* Declare error handling functions */

void sql_error();

/* Other prototypes */

int define_output_variables();
void process_select_list();
void usage();
void SQLinit();
void SQLexec();
void SQLexit();
void *memalloc();
void print_header();
void print_rows();
int OFEN();
void remove_newline();

char logname[UNAME_LEN]; /*
username/passwd combo */
char *passwd;

double tr_start = 0.0; /* query start
time */
double tr_end = 0.0; /* query end time
*/

double s_tr_start = 0.0; /* statement
start time */
double s_tr_end = 0.0; /* statement end
time */

/* For our purpose of timing, we will treat
comments as delimiters */
/* for queries. Thus, we will collect
query timings whenever we */
/* encounter a comment (of course not for
the first comment in a */
/* file).
*/

int end_flag = 0; /* flag to
indicate that we have reached */
/* the end of a
query */

int stmt_cnt = 0; /* Number of
statements processed. */
int qry_cnt = 0; /* Number of
query processed. */

double product = 1.0; /* cumulative
product of query times */
int rows_ret = 0; /* the number of
rows fetched */
int num_sel_list = 0; /* the number of
select list item */

long num_to_fetch = -1; /* Number of rows
to fetch. -1 means fetch all */

```

```

sctype slist[MAX_SEL_LIST]; /* Array for
describing Select List */
dlist *dlist[MAX_SEL_LIST]; /* Array of
ptrs for Defining Select List */

char stmt[SQL_LEN]; /* The SQL
statement or comment line. */
char cmnt[81]; /* Buffer to save
the comment. */
#ifdef LINUX
FILE *qtemp; /* fd for query template
*/
FILE *logfile; /* log and report files
*/
FILE *rep;
#else
FILE *qtemp = stdin; /* fd for query
template */
FILE *logfile = stdout; /* log and report
files */
FILE *rep = stdout;
#endif
void *defbuf; /* Buffer pointer
for ODEFIN */
int deflen = 0; /* Size of data
type for ODEFIN */
int deftype = 1; /* Oracle type
number for ODEFIN */

int pfmem = PFMEMSIZE; /* Memory to
prefetch rows */

time_t tim; /* To get wall
clock time */

/* OCI handles */

OCIEnv *tpcenv = NULL;
OCIError *errhp = NULL;
OCISvcCtx *tpcsvc = NULL;
OCISession *tpcusr = NULL;
OCISstmt *curq = NULL;
OCISstmt *cur_dml = NULL;
OCISstmt *cur_ddl = NULL;
OCIPParam *tpcpar = NULL;

sword status = OCI_SUCCESS; /* OCI return
value */

/* usage: prints the usage of the program
*/

void usage() {

    fprintf(stderr, "\nUsage: qexec
username/password [q<path name for query
template file>]\n");
    fprintf(stderr, "          [l<path
name for log>] [r<path name for
reports>]\n\n");
    fprintf(stderr, "Options:\n");
    fprintf(stderr, "q<path for query>
: full path name for the query template
file.\n");
    fprintf(stderr, "
(default is stdin)\n");
    fprintf(stderr, "l<path name for log>
: full path name for log files\n");
    fprintf(stderr, "
(default is stdout)\n");

    fprintf(stderr, "r<path name for reports>
: full path name for reports\n");
    fprintf(stderr, "
(default is stdout)\n");
    exit(-1);
}

/* type: 0 if environment handle is passed,
1 if error handle is passwd */

void sql_error(errhp, status, type)
OCIError *errhp;
sword status;
sword type;
{
    char msg[2048];
    ub4 errcode;
    ub4 msglen;
    int i, j;

    switch(status) {
        case OCI_SUCCESS_WITH_INFO:
            fprintf(stderr, "Error: Statement
returned with info.\n");
            if (type)
                (void)
OCIErrorGet(errhp, 1, NULL, (sb4*)&errcode, (te
xt*)msg,
                2048, OCI_HTYPE_ERROR);
            else
                (void)
OCIErrorGet(errhp, 1, NULL, (sb4*)&errcode, (te
xt*)msg,
                2048, OCI_HTYPE_ENV);
            fprintf(stderr, "%s\n", msg);
            break;
        case OCI_ERROR:
            fprintf(stderr, "Error: OCI call
error.\n");
            if (type)
                (void)
OCIErrorGet(errhp, 1, NULL, (sb4*)&errcode, (te
xt*)msg,
                2048, OCI_HTYPE_ERROR);
            else
                (void)
OCIErrorGet(errhp, 1, NULL, (sb4*)&errcode, (te
xt*)msg,
                2048, OCI_HTYPE_ENV);
            fprintf(stderr, "%s\n", msg);
            break;
        case OCI_INVALID_HANDLE:
            fprintf(stderr, "Error: Invalid
Handle.\n");
            if (type)
                (void)
OCIErrorGet(errhp, 1, NULL, (sb4*)&errcode, (te
xt*)msg,
                2048, OCI_HTYPE_ERROR);
            else
                (void)
OCIErrorGet(errhp, 1, NULL, (sb4*)&errcode, (te
xt*)msg,
                2048, OCI_HTYPE_ENV);
            fprintf(stderr, "%s\n", msg);
            break;
    }
}

/* Rollback just in case */

```

```

(void)
OCITransRollback(tpcsvc, errhp, OCI_DEFAULT);

fprintf(stderr, "Exiting Oracle...\n");
fflush(stderr);

SQLExit();

exit(1);
}

#ifdef LINUX
int main(argc, argv)
#else
void main(argc, argv)
#endif
    int argc;
    char *argv[];
{
    int i;
    int retcode; /* Return code for
get_statement */
#ifdef LINUX
    logfile=fopen("/dev/stdout", "w");
    qtemp=fopen("/dev/stdin", "rw");
    rep=fopen("/dev/stdout", "w");
#endif
    /* Initialize some variables */

    if ((argc > 5) || (argc < 2)) {
        usage();
    }

    /* argv[1] -- User and Password for
Database */

    strcpy(logname, argv[1]);

    /* Process optional parameters */

    argc -= 1;
    argv += 1;

    while(--argc) {
        ++argv;
        switch(argv[0][0]) {
            case 'q':
                if ((qtemp = fopen(++(argv[0]), "r"))
== NULL) {
                    fprintf(stderr, "Unable to open file
'%s'\n", argv[0]);
                    fprintf(stderr, "%s: %s\n", argv[0],
strerror(errno));
                    exit(-1);
                }
                break;
            case 'r':
                if ((rep = fopen(++(argv[0]), "a")) ==
NULL) {
                    fprintf(stderr, "Unable to open file
'%s'\n", argv[0]);
                    fprintf(stderr, "%s: %s\n", argv[0],
strerror(errno));
                    exit(-1);
                }
                break;
            case 'l':
                if ((logfile =
fopen(++(argv[0]), "a")) == NULL) {
                    fprintf(stderr, "Unable to open file
'%s'\n", argv[0]);

```

```

        fprintf(stderr, "%s: %s\n", argv[0],
strerror(errno));
        exit(-1);
    }
    break;
default:
    fprintf(stderr, "Invalid Option:
%c\n", argv[0][0]);
    usage();
    break;
}
}

/* Do some initialization and establish
connection with the database */

SQLinit();

/* May want to add some triggering
mechanism here */

time(&tim);
fprintf(logfile, "Begin Execution at
%s\n\n", ctime(&tim));

/* Get the next statement and start
processing it */

while ((retcode = get_statement()) > 0) {

    switch (retcode) {

        /* If this is a comment, skips it */
        case COMMENT:
            if (end_flag) {
                end_flag = 0; /* reset query end
flag */
                /* save the comment so that we can
print it out later on */
                strcpy(cmnt, stmt);
                break;
            }
            fprintf(logfile, "%s", stmt);
            fprintf(rep, "%s", stmt);
            break;

        /* if this is a set_row_fetch command
*/
        case SET_FETCHROW:
            fprintf(logfile, "Setting the number
of rows to fetch to: %ld\n\n",
num_to_fetch);
            break;

        /* if this is a SQL statement */
        case SQL_STMT:

            /* Executes the query */

            SQLExec();

            s_tr_end = gettime();
            stmt_cnt++;

            /*
            fprintf(logfile, "\nStatement Started
at %.2f\n", s_tr_start);
            fprintf(logfile, "Statement Ended at
%.2f\n", s_tr_end);
            */
            fprintf(logfile, "Statement Processed
in %.2f seconds.\n",

```

```

        (s_tr_end - s_tr_start));
    break;

    /* Should never reach here */
    default:
        fprintf(stderr, "Invalid statement
type!!\n");
        SQLexit();
        break;
    }
}

/* Get Timing for the last query */

tr_end = gettimeofday();

time(&tim);
fprintf(logfile, "\nEnded Executing this
Query at %s\n", ctime(&tim));
fprintf(logfile, "\nQuery Started at
%.2f\n", tr_start);
fprintf(logfile, "Query Ended at %.2f\n",
tr_end);
fprintf(logfile, "Query Processed in %.2f
seconds\n\n",
        (tr_end - tr_start));

fprintf(rep, "%.2f\n", (tr_end -
tr_start));

fprintf(logfile, "\nSQL statements
processed: %d\n", stmt_cnt);
fprintf(logfile, "Queries processed:
%d\n", qry_cnt);

fflush(rep);
fflush(logfile);

/* Close the query template file */

fclose(qtemp);

/* Disconnect from ORACLE. */

SQLexit();
exit(0);
}

/* SQLinit(): Perform initialization tasks.
*/
/*      Logs on to Oracle, opens some
files and open a cursor for */
/*      later use.
*/

void SQLinit() {
    int i;

    /* preallocate MAX_PREALLOC members of
the dlist array */
    /* initializes others to NULL so that we
can determine who to free later */

    for (i=0; i<MAX_SEL_LIST; i++) {
        if (i < MAX_PREALLOC) {
            dlist[i] = (dltype *) memalloc
(sizeof(dltype));
            dlist[i]->defhdl = NULL;
        }
        else
            dlist[i] = NULL;
    }

    /* Connect to ORACLE. Program will call
sql_error() */
    /* if an error occurs in connecting to
the default database. */

    (void) OCIInitialize(OCI_DEFAULT, (dvoid
*)0,0,0,0);

    if ((status=OCIEnvInit((OCIEnv
**) &tpcenv, OCI_DEFAULT, 0, (dvoid **)0)) !=
OCI_SUCCESS)
        sql_error(tpcenv, status, 0);

    OCIhalloc(tpcenv, &errhp, OCI_HTYPE_ERROR);
    OCIhalloc(tpcenv, &curq, OCI_HTYPE_STMT);

    OCIhalloc(tpcenv, &cur_dml, OCI_HTYPE_STMT);
    OCIhalloc(tpcenv, &cur_ddl, OCI_HTYPE_STMT);
    OCIhalloc(tpcenv, &tpcsvc, OCI_HTYPE_SVCCTX);
    OCIhalloc(tpcenv, &tpcsrv, OCI_HTYPE_SERVER);
    OCIhalloc(tpcenv, &tpcusr, OCI_HTYPE_SESSION);

    /* get username and password */

    passwd = strchr(logname, '/');
    *passwd = '\0';
    passwd++;

    if ((status =
OCIserverAttach(tpcsrv, errhp, (text
*)0,0,OCI_DEFAULT)) != OCI_SUCCESS)
        sql_error(errhp, status, 1);

    OCIaset(tpcsvc, OCI_HTYPE_SVCCTX, tpcsrv, 0, OC
I_ATTR_SERVER, errhp);

    OCIaset(tpcusr, OCI_HTYPE_SESSION, logname, st
rlen(logname), OCI_ATTR_USERNAME,
            errhp);

    OCIaset(tpcusr, OCI_HTYPE_SESSION, passwd, str
len(passwd), OCI_ATTR_PASSWORD,
            errhp);

    if ((status = OCISessionBegin(tpcsvc,
errhp, tpcusr, OCI_CRED_RDBMS,
OCI_DEFAULT)) !=
OCI_SUCCESS)
        sql_error(errhp, status, 1);

    OCIaset(tpcsvc, OCI_HTYPE_SVCCTX, tpcusr, 0, OC
I_ATTR_SESSION, errhp);

    /* Enable session parallel dml */

    sprintf((char *) stmt, PDMLTXT);

```

```

OCIStmtPrepare(cur_dml, errhp, (text
*)stmt, strlen((char *)stmt),
OCI_NTV_SYNTAX, OCI_DEFAULT);
OCIExec(tpcsvc, cur_dml, errhp, 1);

/* Enable session parallel ddl */
sprintf((char *) stmt, PDDLTEXT);

OCIStmtPrepare(cur_ddl, errhp, (text
*)stmt, strlen((char *)stmt),
OCI_NTV_SYNTAX, OCI_DEFAULT);
OCIExec(tpcsvc, cur_ddl, errhp, 1);

/* set serializable level */

sprintf((char *) stmt, ISOTXT);
OCIStmtPrepare(cur_ddl, errhp, (text
*)stmt, strlen((char *)stmt),
OCI_NTV_SYNTAX, OCI_DEFAULT);
OCIExec(tpcsvc, cur_ddl, errhp, 1);

/*
if ((status=OCILogon((OCIEnv
*)tpcenv, (OCIError *)errhp, (OCISvcCtx
*)tpcsvc,
(text *)logname,
strlen(logname), (text *)passwd,
strlen(passwd), (text *) 0, 0))
!= OCI_SUCCESS)
sql_error(errhp, status, 1);
*/
printf("\nConnected to ORACLE as user:
%s\n\n", logname);
}

/* SQLExec() Executes the SQL statement.
*/
/* Parse the SQL statement.
*/
/* If DDL or DML statements,
execute right away. */
/* Else describe and define
select list outputs, */
/* execute and fetch
results. */

void SQLExec()
{
int i;
ub2 stmttyp = OCI_STMT_SELECT; /*
default is a SELECT statement */

if (!end_flag) {

/* Clause 5.3.6.2: QI(i,s) is the time
between the first character */
/* of this query text
is submitted and the first */
/* character of the
next query text is submitted. */

tr_end = gettimeofday();

if (qry_cnt) {
time(&tim);
fprintf(logfile, "\nEnded Executing
this Query at %s\n", ctime(&tim));
fprintf(logfile, "\nQuery Started at
%.2f\n", tr_start);
fprintf(logfile, "Query Ended at
%.2f\n", tr_end);
fprintf(logfile, "Query Processed in
%.2f seconds.\n\n",
(tr_end - tr_start));

fprintf(logfile, "-----
-----\n\n");

/* print comments for this query that
we have saved */

fprintf(logfile, "%s\n", cmnt);

fprintf(rep, "%.2f\n", (tr_end -
tr_start));
fprintf(rep, "%s", cmnt);

fprintf(logfile, "\nBegan Executing
this Query at %s\n", ctime(&tim));

/* Let's fflush stuff so that we can
see what's going on */

fflush(logfile);
fflush(rep);
}

tr_start = tr_end;
qry_cnt++;

end_flag = 1;
}

s_tr_start = gettimeofday();

/* prepare the statement */

if ((status = OCIStmtPrepare(curq, errhp,
(text*) stmt, (ub4) strlen(stmt),
OCI_NTV_SYNTAX,
OCI_DEFAULT)) != OCI_SUCCESS)
sql_error(errhp, status, 1);

/* Prints the query text to the logfile
*/

fprintf(logfile, "\n%s\n", stmt);

/* if this is a DDL or DML statement,
execute it right away */
/* only worries about SELECT statements
right now, cannot */
/* execute a stored PL/SQL procedure in
this version */

OCIaget(curq, OCI_HTYPE_STMT, &stmttyp, NULL, 0
CI_ATTR_STMT_TYPE, errhp);

if (stmttyp != OCI_STMT_SELECT) {
OCIExec(tpcsvc, curq, errhp, 1);
return;
}
}
}

```

```

/* otherwise, this is a select statement
*/
/* Describe and define output variables
*/

/* first let's execute it to get the
select-list definition */

OCIaset(curq, OCI_HTYPE_STMT, &pfmem, 0,
OCI_ATTR_PREFETCH_MEMORY, errhp);

OCIsexec(tpcsvc, curq, errhp, 0);

num_sel_list = define_output_variables();

/* Executes the query and fetches the
rows */

(void) process_select_list(num_sel_list);

/* Need to get the number of rows fetched
first */
/* since the following statements will
screw it up */

OCIaget(curq, OCI_HTYPE_STMT, &rows_ret, NULL,
OCI_ATTR_ROW_COUNT, errhp);

/* To control memory usage, let's free up
the extra dlist entries */
/* that we have allocated.
*/

i=MAX_PREALLOC;
while(dlist[i] != NULL) {
    free(dlist[i]);
    dlist[i++] = NULL;
}

/* reset set_fetchrows */

num_to_fetch = -1;
}

void SQLexit() {

    int i;

    OCILogoff(tpcsvc, errhp);
    OCIhfree(tpcenv, OCI_HTYPE_STMT);
    OCIhfree(tpcsvc, OCI_HTYPE_SVCCTX);
    OCIhfree(tpcsrv, OCI_HTYPE_SERVER);
    OCIhfree(tpcusr, OCI_HTYPE_SESSION);

    /* free all memory */

    for (i=0; i<MAX_SEL_LIST; i++) {
        if (dlist[i] != NULL) {
            free(dlist[i]);
        }
    }

    /* Flush all output */

    fflush(rep);
    fflush(logfile);
}

/* define_output_variables(): Describe and
define select-list items for
*/
/* a query
*/
statement.
*/
/* Returns the
*/
number of select-list items
*/
/* for this
*/
query.
*/

int define_output_variables()
{
    int i;
    int retflag = 0;

    for (i=0; i<MAX_SEL_LIST; i++) {

        slist[i].buflen = MAX_COLNAME_SIZE;

        if (OCIParamGet(curq, OCI_HTYPE_STMT,
errhp, (dvoid **) &tpcpar,
POS(i)) !=
OCI_SUCCESS)
            break;

        /* dsize and nullok fields of dlist not
used */

        OCIaget(tpcpar, OCI_DTYPE_PARAM,
&(slist[i].dbsize),
NULL, OCI_ATTR_DATA_SIZE, errhp);
        OCIaget(tpcpar, OCI_DTYPE_PARAM,
&(slist[i].dbtype),
NULL, OCI_ATTR_DATA_TYPE, errhp);
        OCIaget(tpcpar, OCI_DTYPE_PARAM,
&(slist[i].buf),
&(slist[i].buflen), OCI_ATTR_NAME,
errhp);
        OCIaget(tpcpar, OCI_DTYPE_PARAM,
&(slist[i].precision),
NULL, OCI_ATTR_PRECISION, errhp);
        OCIaget(tpcpar, OCI_DTYPE_PARAM,
&(slist[i].scale),
NULL, OCI_ATTR_SCALE, errhp);

        /* For formatting purpose, remove
trailing blanks in select-list name. */

        /*
        if (slist[i].buflen < MAX_COLNAME_SIZE)
            (slist[i].buf)[slist[i].buflen] =
'\0';
        */

        /* Well, we need to allocate for
entries for dlist */

        if (i >= MAX_PREALLOC) {
            dlist[i] = (dtype *)
memalloc(sizeof(dtype));
            dlist[i]->defhdl = NULL;
        }

        /* Let's check the sizes and types for
this select list item */

        switch (slist[i].dbtype) {

            case OCI_TYPECODE_NUMBER:

```

```

/* The odescr will not give a good
estimate to the scale if */
/* no scale was given in the Oracle
table definition. */
#ifdef HAVE_SCALE
    if (slist[i].scale != 0) {
        defbuf = (double *) dlist[i]->fbuf;
        deflen = FLT;
        deftype = OCI_TYPECODE_DOUBLE;
        slist[i].dbtype = OCI_TYPECODE_DOUBLE;
    } else {
        defbuf = (int *) dlist[i]->ibuf;
        deflen = INT;
        deftype = OCI_TYPECODE_INTEGER;
        slist[i].dbtype =
OCI_TYPECODE_INTEGER;
    }
#else
    defbuf = (double *) dlist[i]->fbuf;
    deflen = FLT;
    deftype = OCI_TYPECODE_FLOAT;
    slist[i].dbtype = OCI_TYPECODE_FLOAT;
#endif /* HAVE_SCALE */

    break;

default:

    /* default is character string */

    defbuf = (char **) dlist[i]->sbuf;
    deflen = MAX_STR_LEN;
    deftype = SQLT_STR;
/*    deftype = OCI_TYPECODE_CHAR; */
    break;
}

/* Define the column */

if
((status=OCIDefineByPos(curq,&(dlist[i]-
>defhdl),errhp,POS(i),
defbuf,deflen,deftype,NULL,
dlist[i]-
>rlen,NULL,OCI_DEFAULT))!=OCI_SUCCESS)
    sql_error(errhp,status,1);
}
return i;
}

/* process_select_list(): Fetch rows from a
query. */

void process_select_list(num)
    int num; /* number of select
list items */
{
    int i,j;
    int ntf;
    int num_so_far;
    sword stats = OCI_SUCCESS;

    /* Print the headers for the query
execution result */

    print_header(num);

```

```

/* See if we need to limit the rows to
fetch */

    ntf = (num_to_fetch >= 0) ? num_to_fetch
: MAX_ARRAY;

/* Fetch the rows and print them out */

    if ((ntf > MAX_ARRAY) || (num_to_fetch ==
-1)) {

        stats = OCISstmtFetch(curq, errhp,
MAX_ARRAY, OCI_FETCH_NEXT, OCI_DEFAULT);

OCIaget(curq,OCI_HTYPE_STMT,&rows_ret,NULL,
OCI_ATTR_ROW_COUNT,errhp);

        print_rows(num,rows_ret);

        /* To avoid 1022 from OFEN */
        /* More rows to fetch... */

        if (stats != OCI_NO_DATA) {
            if (num_to_fetch == -1) {
                while ((stats =
OCISstmtFetch(curq,errhp,MAX_ARRAY,OCI_FETCH
_NEXT,
OCI_DEFAULT)) ==
OCI_SUCCESS) {

OCIaget(curq,OCI_HTYPE_STMT,&num_so_far,NUL
L,
OCI_ATTR_ROW_COUNT,errhp);
                print_rows(num,(num_so_far-
rows_ret));
                rows_ret = num_so_far;
            }
            /* Print the final rows */
            OCIaget(curq,OCI_HTYPE_STMT,&num_so_fa
r,NULL,
OCI_ATTR_ROW_COUNT,errhp);
            print_rows(num,(num_so_far-rows_ret));
            rows_ret = num_so_far;
        } else {
            ntf -= MAX_ARRAY;

            while ((stats =
OCISstmtFetch(curq,errhp,
((ntf>MAX_ARRAY)
? MAX_ARRAY:ntf),
OCI_FETCH_NEXT,
OCI_DEFAULT)) ==
OCI_SUCCESS) {
                ntf -= MAX_ARRAY;

OCIaget(curq,OCI_HTYPE_STMT,&num_so_far,NUL
L,
OCI_ATTR_ROW_COUNT,errhp);
                print_rows(num,(num_so_far-
rows_ret));
                rows_ret = num_so_far;
                if (ntf <= 0) break;
            }
            OCIaget(curq,OCI_HTYPE_STMT,&num_so_fa
r,NULL,
OCI_ATTR_ROW_COUNT,errhp);
            print_rows(num,(num_so_far-rows_ret));
            rows_ret = num_so_far;
        }
    } else {

```

```

OCIStmtFetch(curq, errhp, ntf,
OCI_FETCH_NEXT, OCI_DEFAULT);

OCIGet(curq, OCI_HTYPE_STMT, &rows_ret, NULL,
OCI_ATTR_ROW_COUNT, errhp);
print_rows(num, rows_ret);
}

fprintf(logfile, "\n\n%d row%c
processed.\n", rows_ret,
rows_ret == 1 ? '\0' : 's');
}

int get_statement()
{
char line[128];
char *pos, *str;

/* Reset statement buffer */

stmt[0] = '\0';

while (fgets(line, 127, qtemp) != NULL) {

/* skip blank lines */
if (line[0] == '\n')
continue;

/* remove blanks */

str = line;

while (*str == ' ') str++;

/* Let's get the line together first */

strcat(stmt, str);

/* if this is a comment line */
if ((str[0] == '-') && (str[1] == '-'))
return COMMENT;

/* see if this is a set_fetchrows line
*/
if (strncmp(str, "set_fetchrows", 13)
== 0) {
pos = strchr(str, ';');
*pos = '\0';
pos = strchr(str, '=');
num_to_fetch = atol(++pos);
return SET_FETCHROW;
}

/* if this is the end of the current
statement */
if ((pos = strchr(stmt, ';')) != NULL)
{
*pos = '\0';
return SQL_STMT;
}
}
return END_OF_FILE;
}

/* memalloc(): Allocates memory, exit
program if we have a problem. */

void *memalloc(size)

```

```

int size;
{
void *tmp;

if ((tmp = (void *) malloc(size)) ==
NULL) {
fprintf(stderr, "Error in malloc\n");
SQLexit();
return NULL; /* should never
reach here */
} else {
return tmp;
}
}

void print_header(nsel)
int nsel; /* Number of
select list items */
{
int i, diff;
char colname[MAX_COLNAME_SIZE];
int len = 0; /* Running column
length */
int cwid = 0;

fprintf(logfile, "\n");

for (i=0; i<nsel; i++) {

/* extract the column name */

strncpy((char *)colname, (char
*)slist[i].buf, slist[i].buflen);
colname[slist[i].buflen] = '\0';

/* format the output a little */

cwid = MAX(slist[i].dbsize,
slist[i].buflen);

/* do a little bit of formatting */

if (cwid > 80) {
fprintf(logfile, "\n");
len = 0;
} else if ((len += cwid) > 80) {
fprintf(logfile, "\n");
len = cwid;
}
#ifdef FORMAT1
if ((slist[i].dbtype == INT_TYPE) ||
(slist[i].dbtype == FLT_TYPE))
fprintf(logfile, "%*s ", cwid,
slist[i].buf);
else /* string type */
fprintf(logfile, "%*s ", -cwid,
slist[i].buf);
#else
fprintf(logfile, "%*s ", -cwid,
colname);
#endif /* FORMAT1 */
}

fprintf(logfile, "\n");
}

void print_rows(ncol, nrow)

```

```

        int ncol;
        int nrow;
    }

    int i,j;
    int len;
    int diff;
    int cwid;

    for (i=0;i<nrow;i++) {

        len = 0;

        for (j=0;j<ncol;j++) {

            cwid = MAX(slist[j].dbsize,
slist[j].buflen);

            /* do a little bit of formatting */

            if (cwid > 80) {
                fprintf(logfile, "\n");
                len = 0;
            } else if ((len += cwid) > 80) {
                fprintf(logfile, "\n");
                len = cwid;
            }

            switch(slist[j].dbtype) {
            case INT_TYPE:
#ifdef HAVE_SCALE
                fprintf(logfile, "%*ld|", cwid,
(dlist[j]->ibuf)[i]);
                break;
#endif /* HAVE_SCALE */
            case FLT_TYPE:
#ifdef FORMAT1
                fprintf(logfile, "%*.2f ", cwid,
(dlist[j]->fbuf)[i]);
#else
                fprintf(logfile, "%*.2f ", -cwid,
(dlist[j]->fbuf)[i]);
#endif /* FORMAT1 */
                break;
            default:
                fprintf(logfile, "%*s ", -(cwid),
(dlist[j]->sbuf)[i]);
                break;
            }
            fprintf(logfile, "\n");
        }
    }

    void remove_newline(str)
        char *str;
    {

        char *p;

        while ((p = strchr(str, '\n')) != NULL)
            *p = ' ';
    }

    =====
qexecpl.h
    =====
    /*

```

```

    */

    /* Copyright (c) 1999, 2001, Oracle
    Corporation. All rights reserved. */

    /* NOTE: See 'header_template.doc' in the
    'doc' dve under the 'forms'
    directory for the header file
    template that includes instructions.
    */

    /*
    NAME
        qexecpl.h

    DESCRIPTION
        SQL statement execution front-end
        header file.

    PUBLIC FUNCTION(S)
        <list of external functions
        declared/defined - with one-line
        descriptions>

    PRIVATE FUNCTION(S)
        <list of static functions defined in
        .c file - with one-line descriptions>

    EXAMPLES

    NOTES
        <other useful comments,
        qualifications, etc.>

    MODIFIED    (MM/DD/YY)

    */

    /*
    # ifndef S_ORACLE
    # include <s.h>
    # endif
    */
    #ifndef QSTREAMPL_H
    #define QSTREAMPL_H

    #include <stdio.h>
    #include <string.h>
    #include <sys/param.h>
    #include <sys/types.h>
    #include <time.h>
    #include <errno.h>
    #include <math.h>

    #include <oratypes.h>

    #include <oratypes.h>

    #ifndef OCIDFN
    #include <ocidfn.h>
    #endif /* OCIDFN */

    #ifndef OCI_ORACLE
    #include <oci.h>
    #endif /* OCI_ORACLE */
    /*
    #ifdef __STDC__
    #include <ociapr.h>
    #else
    #include <ocikpr.h>
    #endif *//* __STDC__ */

```

```

/* some basic definitions */

#define UNAME_LEN 64
#define MAX_FILE_PATH_LEN 128

#ifndef TRUE
#define TRUE 1
#endif /* TRUE */

#ifndef FALSE
#define FALSE 1
#endif /* FALSE */
#ifndef LINUX
#define MAX(x,y) ((x >= y) ? x : y)
#define MIN(x,y) ((x <= y) ? x : y)
#endif
/* defines and typedefs for parsing */

#define CRT_TBL 1
#define INS_STMT 3
#define SEL_STMT 4
#define UPD_STMT 5
#define DRP_VIEW 7
#define DRP_TBL 8
#define DEL_STMT 9
#define CRT_VIEW 10

/* defines and typedefs for query
description */

#define MAX_COLNAME_SIZE 32 /* Maximum
length of Column name */
#define MAX_SEL_LIST 16 /* Maximum
items on a select list */

#define END_OF_LIST 1007 /* Error code
when we reach the end of the */
list. /* select
*/

/* types for describe */

#define CHAR_TYPE 1
#define NUM_TYPE 2
#define INT_TYPE 3
#define FLT_TYPE 4
#define STR_TYPE 5
#define DATE_TYPE 12

#define NUMWIDTH 16 /* Width of
the numeric fields */

#define POS(i) (i+1) /* The
position is 1..n instead */
#define IND(i) (i-1) /* of 0..n-1
as in an array. */

typedef struct des
{
    ub2 dbsize;
    ub4 buflen;
    /* sb2 dsize; */
    sb4 scale;
    /* sb2 nullok; */
    OCITextCode dbtype;
    /* text buf[MAX_COLNAME_SIZE]; */
    text *buf;
    ub1 precision;
} sltype;

/* defines and typedefs for query select
list definition */

#define MAX_ARRAY 50 /* Maximum array
size for array fetch */
#define PFMEMSIZE 65536 /* Memory size
of prefetch buffer */

#define MAX_STR_LEN 256 /* Maximum size
for string variables */
#define MAX_PREALLOC 8 /* Maximum
number of preallocated select list */
/* definitions.

*/

#define INT sizeof(long)
#define STR sizeof(char)
#define FLT sizeof(double)

#define FLTP (double *)
#define INTP (long *)
#define STRP (char **)

typedef struct def
{
    long ibuf[MAX_ARRAY];
    double fbuf[MAX_ARRAY];
    char sbuf[MAX_ARRAY][MAX_STR_LEN];
    ub2 rlen[MAX_ARRAY]; /* return
length */
    OCIDefine *defhdl;
} dltype;

extern int errno;

#define SQL_LEN 2048

#ifndef NULL
#define NULL 0
#endif

#ifndef NULLP
#define NULLP (void *)NULL
#endif /* NULLP */

#ifndef DISCARD
#define DISCARD (void)
#endif

#ifndef sword
#define sword int
#endif

#ifndef ub1
#define ub1 unsigned char
#endif

#define NA -1 /* ANSI SQL
NULL */
#define VER7 2
#define NOT_SERIALIZABLE 8177 /* ORA-
08177: transaction not serializable */

#define ADR(object) ((ub1 *)&(object))
#define SIZ(object) ((sword)sizeof(object))
#define SID(sid) ((sid == -1) ? 0 : sid)

/* For get_statement */

#define END_OF_FILE -1
#define COMMENT 1
#define SQL_STMT 2

```

```

#define SET_FETCHROW 3

#define OCIhalloc(envh,hndl,htyp) \
    if((status=OCIHandleAlloc((dvoid *)envh,(dvoid **)hndl,htyp,0,(dvoid **)0))!=OCI_SUCCESS) \
        sql_error(envh,status,0); \
    else \
        DISCARD 0

#define OCIhfree(hndl,htyp) \
    if((status=OCIHandleFree((dvoid *)hndl,htyp)) == OCI_SUCCESS) \
        fprintf(stderr, "Error freeing handle of type %d\n", htyp)

#define OCIaget(hndl,htyp,attp,size,atyp,errh) \
    if((status=OCIAttrGet((dvoid *)hndl,htyp,(dvoid *)attp,(dvoid *)size,atyp,errh)) != OCI_SUCCESS) \
        sql_error(errh,status,1); \
    else \
        DISCARD 0

#define OCIaset(hndl,htyp,attp,size,atyp,errh) \
    if((status=OCIAttrSet((dvoid *)hndl,htyp,(dvoid *)attp,size,atyp,errh)) != OCI_SUCCESS) \
        sql_error(errh,status,1); \
    else \
        DISCARD 0

#define OCIsexec(svch,stmh,errh,iter) \
    if((status=OCISstmtExecute(svch,stmh,errh,iter,0,NULL,NULL,OCI_DEFAULT)) != OCI_SUCCESS) \
        sql_error(errh,status,1); \
    else \
        DISCARD 0

#define ISOTXT "alter session set isolation_level = serializable"
#define PDMLTXT "alter session force parallel dml parallel (degree 84)"
#define PDDLTX "alter session force parallel ddl parallel (degree 84)"

#endif /* QSTREAMPL_H */

```

```

<short description of facility this file declares/defines>

EXPORT FUNCTION(S)
<external functions defined for use outside package - one-line descriptions>

INTERNAL FUNCTION(S)
<other external functions defined - one-line descriptions>

STATIC FUNCTION(S)
<static functions defined - one-line descriptions>

NOTES
<other useful comments, qualifications, etc.>

MODIFIED (MM/DD/YY)

*/
#include<stdio.h>
#include<stdlib.h>

# include <sys/time.h>

main ()
{
    struct timeval tv;

    (void) gettimeofday (&tv, (struct timezone *) 0);

    printf (".2f\n", ((double) tv.tv_sec + (1.0e-6 * (double) tv.tv_usec)) );
}

/* end of file gtime.c */

```

```

=====
gtime.c
=====
/* Copyright (c) 2001, 2002, Oracle Corporation. All rights reserved. */

/*

NAME
    gtime.c - <one-line expansion of the name>

DESCRIPTION

```

Appendix F. Misc database scripts

Activity between Database Load and Run1. When the load finished, the runTPCHall script automatically selected a seed value and saved it.

The database was restarted.

Then the 2 auditor scripts count.sql and dbtables.sql were run to validate that the database structure was correct.

```
=====
firstten.sql
=====
set echo on
set numwidth 25
spool count.out
select * from lineitem where rownum < 11;
select * from orders where rownum < 11;
select * from part where rownum < 11;
select * from partsupp where rownum < 11;
select * from supplier where rownum < 11;
select * from customer where rownum < 11;
select * from nation where rownum < 11;
select * from region where rownum < 11;
spool off
exit;

=====
dbtables.sql
=====
set echo on
set numwidth 25
spool rdbtablest
SELECT COUNT(*) FROM LINEITEM;

SELECT * FROM LINEITEM
WHERE L_ORDERKEY IN
( 4, 26598, 148577, 387431, 56704, 517442,
600000)
AND L_LINENUMBER = 1
ORDER BY L_ORDERKEY;

SELECT * FROM REGION;

SELECT COUNT(*) FROM NATION;

SELECT * FROM NATION
WHERE N_NATIONKEY IN (3,10,14,20)
ORDER BY N_NATIONKEY;

SELECT COUNT(*) FROM ORDERS;

SELECT * FROM ORDERS
WHERE O_ORDERKEY IN ( 7, 44065, 287590,
411111, 483876, 599942 )
ORDER BY O_ORDERKEY;

SELECT COUNT(*) FROM PART;

SELECT * FROM PART
WHERE P_PARTKEY IN
(1,984,8743,9028,13876,17899,20000)
ORDER BY P_PARTKEY;

SELECT COUNT(*) FROM PARTSUPP;

SELECT* FROM PARTSUPP
WHERE PS_PARTKEY = 3398
AND PS_SUPPKEY = (SELECT
MIN(PS_SUPPKEY)
FROM PARTSUPP WHERE PS_PARTKEY =
3398);

SELECT* FROM PARTSUPP
WHERE PS_PARTKEY =15873
AND PS_SUPPKEY = (SELECT
MIN(PS_SUPPKEY)
FROM PARTSUPP WHERE PS_PARTKEY =
15873);

SELECT* FROM PARTSUPP
WHERE PS_PARTKEY = 11394
AND PS_SUPPKEY = (SELECT
MIN(PS_SUPPKEY)
FROM PARTSUPP WHERE PS_PARTKEY =
11394);

SELECT* FROM PARTSUPP
WHERE PS_PARTKEY = 6743
AND PS_SUPPKEY = (SELECT
MIN(PS_SUPPKEY)
FROM PARTSUPP WHERE PS_PARTKEY =
6743);

SELECT* FROM PARTSUPP
WHERE PS_PARTKEY = 19763
```

```

AND PS_SUPPKEY = (SELECT
MIN(PS_SUPPKEY)
FROM PARTSUPP WHERE PS_PARTKEY
=19763);

```

```

SELECT COUNT(*) FROM SUPPLIER;

```

```

SELECT * FROM SUPPLIER
WHERE S_SUPPKEY IN (83,265,492,784,901,1000)
ORDER BY S_SUPPKEY;

```

```

DROP TABLE MINMAX;

```

```

CREATE TABLE MINMAX
(TNAME CHAR(15),
KEYMIN INTEGER,
KEYMAX INTEGER);

```

```

INSERT INTO MINMAX
SELECT
'LINEITEM_ORD',MIN(L_ORDERKEY),MAX(L_ORDE
RKEY)
FROM LINEITEM ;

```

```

INSERT INTO MINMAX
SELECT
'LINEITEM_NBR',MIN(L_LINENUMBER),MAX(L_LINE
NUMBER)
FROM LINEITEM;

```

```

INSERT INTO MINMAX
SELECT
'ORDERTBL',MIN(O_ORDERKEY),MAX(O_ORDERK
EY)
FROM ORDERS;

```

```

INSERT INTO MINMAX
SELECT
'CUSTOMER',MIN(C_CUSTKEY),MAX(C_CUSTKEY)
FROM CUSTOMER;

```

```

INSERT INTO MINMAX
SELECT
'PART',MIN(P_PARTKEY),MAX(P_PARTKEY)
FROM PART;

```

```

INSERT INTO MINMAX
SELECT
'SUPPLIER',MIN(S_SUPPKEY),MAX(S_SUPPKEY)
FROM SUPPLIER;

```

```

INSERT INTO MINMAX
SELECT
'PARTSUPP_PART',MIN(PS_PARTKEY),MAX(PS_PA
RTKEY)
FROM PARTSUPP;

```

```

INSERT INTO MINMAX
SELECT
'PARTSUPP_SUPP',MIN(PS_SUPPKEY),MAX(PS_S
UPPKEY)
FROM PARTSUPP ;

```

```

INSERT INTO MINMAX
SELECT
'NATION',MIN(N_NATIONKEY),MAX(N_NATIONKEY)
FROM NATION;

```

```

INSERT INTO MINMAX

```

```

SELECT
'REGION',MIN(R_REGIONKEY),MAX(R_REGIONKEY
)
FROM REGION;

```

```

SELECT * FROM MINMAX;
spool off
exit;

```

```

=====
tshut
=====

```

```

#!/bin/ksh

```

```

if [ "$2" != "" -a "$2" != "1" ]; then
INUM=$2
if [ -f $ORACLE_HOME/work/t_init$INUM.ora ]; then
export ORACLE_SID="$ORACLE_SID"$INUM
fi
fi

```

```

if [ "$1" = "abort" ]; then
sqlplus /NOLOG << !
connect / as sysdba
shutdown abort
exit
!
else
sqlplus /NOLOG << !
connect / as sysdba
shutdown immediate
exit
!
fi

```

```

=====
tstart
=====

```

```

#!/bin/ksh

```

```

#
# $Header: ostart.sh 17-aug-99.16:20:43 mpoess Exp
$
# ostart.sh
# Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
#
# NAME
# ostart.sh - <one-line expansion of the name>
#
# DESCRIPTION
# <short description of component this file
declares/defines>
#
# NOTES
# <other useful comments, qualifications, etc.>
#
# MODIFIED (MM/DD/YY)
# mpoess 08/17/99 - Creation
# mpoess 08/17/99 - Creation
#

```

```

cd $TPCH/admin

```

```

if [ "$1" = "-p" ]; then
./pgenv
fi

```

```

echo "booting oracle"
pwd
#exit

```

```
sqlplus /nolog << !  
connect / as sysdba  
shutdown immediate
```

```
startup pfile=init.ora  
exit  
!
```

Appendix G. Pricing Information

For Oracle pricing please contact:

MaryBeth Pierantoni
+1- (1)650-506-2118
mary.beth.pierantoni@oracle.com

For Fujitsu-Siemens pricing please contact:

Rainer Hoeping
+49-(0)5251-8-22560
rainer.hoeping@fujitsu-siemens.com