

TPC Benchmark™ H Full Disclosure Report
for
IBM® @server™ xSeries® 445
using
IBM DB2® Universal Database 8.1

Submitted for Review

August 8, 2003



First Edition - August 2003

THE INFORMATION CONTAINED IN THIS DOCUMENT IS DISTRIBUTED ON AN AS IS BASIS WITHOUT ANY WARRANTY EITHER EXPRESSED OR IMPLIED. The use of this information or the implementation of any of these techniques is the customer's responsibility and depends on the customer's ability to evaluate and integrate them into the customer's operational environment. While each item has been reviewed by IBM for accuracy in a specific situation, there is no guarantee that the same or similar results will be obtained elsewhere. Customers attempting to adapt these techniques to their own environment do so at their own risk.

In this document, any references made to an IBM licensed program are not intended to state or imply that only IBM's licensed program may be used; any functionally equivalent program may be used.

This publication was produced in the United States. IBM may not offer the products, services, or features discussed in this document in other countries, and the information is subject to change without notice. Consult your local IBM representative for information on products and services available in your area.

© Copyright International Business Machines Corporation 2003. All rights reserved.

Permission is hereby granted to reproduce this document in whole or in part, provided the copyright notice as printed above is set forth in full text on the title page of each item reproduced.

U.S. Government Users - Documentation related to restricted rights: Use, duplication, or disclosure is subject to restrictions set forth in GSA ADP Schedule Contract with IBM Corp.

Trademarks



IBM, the IBM e-business logo, DB2, DB2 Universal Database, and xSeries are trademarks or registered trademarks of International Business Machines Corporation.

The following terms used in this publication are trademarks of other companies as follows: TPC Benchmark, TPC-H, QppH QthH and QphH are trademarks of Transaction Processing Performance Council; Intel and Xeon are trademarks or registered trademarks of Intel Corporation; Microsoft and Windows are trademarks or registered trademarks of Microsoft Corporation. Other company, product, or service names, which may be denoted by two asterisks (**), may be trademarks or service marks of others.

Notes

¹ GHz only measures microprocessor internal clock speed, not application performance. Many factors affect application performance.

² When referring to hard disk capacity, one GB equals one billion bytes. Total user-accessible capacity may be less.

		IBM® @server™ xSeries® 445 with IBM DB2® UDB 8.1		TPC-H Rev 2.0
				Report Date: August 8, 2003
Total System Cost		Composite Query-per-Hour Metric		Price/Performance
\$435,373		6,354.9 QphH @ 300GB		\$69 per QphH @ 300GB
Database Size	Database Manager	Operating System	Other Software	Availability Date
300GB	IBM DB2 UDB 8.1 Enterprise Server Edition	Microsoft® Windows® Server 2003 Enterprise Edition	Microsoft Visual Studio Professional	February 7, 2004
				
Database Load Time: 03:24:00		Load Included Backup: Y		Total Data Storage / Database Size: 15.59
RAID (Base Tables Only): N		RAID (Base Tables and Auxiliary Data Structures): N		RAID (All): N
Configuration				
Processors	8	Intel Xeon MP 2.8GHz / 2MB ECC L3 Cache 1GB PC2100 DDR ECC SDRAM RDIMM ServeRAID-6M Ultra320 SCSI Adapter 36.4GB 15K Ultra160 SCSI Drive 36.4GB 15K Ultra320 SCSI Drive 4678.2GB		
Memory	16			
Disk Controllers	5			
Disk Drives	136			
	2			
Total Disk Storage				



IBM @server xSeries 445 with IBM DB2 UDB 8.1

TPC-H Revision 2.0

Report Date:
August 8, 2003

Description	Part Number	Source	Unit Price	Qty	Ext. Price	3-Yr. Maint.
Server Hardware						
xSeries 445 w / 4 x 2.8GHz/2MB L3 Xeon MP and 4 x 512MB Memory	8870-7RX	1	40,799	1	40,799	3,390
2.8GHz / 2MB L3 Cache Xeon MP	02R2064	1	6,599	4	26,396	0
xSeries 445 SMP Expansion Module	02R1870	1	4,849	1	4,849	0
1GB PC2100 DDR ECC SDRAM	33L5039	1	659	16	10,544	0
ServeRAID-6M Ultra320 Adapter	32P0033	1	999	5	4,995	0
36.4GB 15K Ultra320 SCSI Drive	32P0734	1	659	2	1,318	0
4.2M Ultra2 SCSI Cable	03K9311	1	105	10	1,050	0
APC Smart-UPS Model 1400	32P1020	1	855	1	855	0
IBM Preferred Pro Full-Size Keyboard	31P7415	1	29	1	29	0
IBM Sleek 2-Button Mouse	28L3673	1	19	1	19	0
E54 15" (13.8" Viewable) Display	633147N	1	129	1	129	90
NetBAY42S Enterprise Rack	9306421	1	1,439	1	1,439	168
Subtotal					\$92,422	\$3,648
Server Storage						
RXE-100 Remote Exp. Enclosure	8684-1RX	1	4,569	1	\$4,569	\$1,330
EXP300 Rack Storage Enclosure	35311RU	1	3,179	10	31,790	2,000
36.4GB 15K Ultra160 SCSI H/S Drive	06P5768	1	549	136	74,664	0
					\$111,023	\$3,330
Server Software						
DB2 UDB ESE 8.1 SW License & Maintenance to 1st Anniv.	D518GLL	1	21,425	8	171,400	
SW Maintenance Renewal - 1 Year	E00BILL	1	8,160	2		16,320
DPF SW License & Maintenance to 1st Anniv.	D518JLL	1	6,436	8	51,488	
DPT SW Maintenance Renewal - 1 Year	E00BILL	1	306	16		4,896
Microsoft Windows Server 2003 Enterprise Edition	P72-00264	2	2,399	1	2,399	Incl Below
Microsoft Visual Studio Professional	659-00844	2	1,079	1	1,079	Incl Below
Operating System Support Package	PROPRORS165U01	2	1,950	3		5,850
Subtotal					\$226,366	\$27,066
IBM hardware discount of 14%.					\$28,482	\$0
Total					\$401,329	\$34,044
Notes: Standard 3-Year and extended warranties upgraded to 7x24 with 4-hour response time coverage. Pricing: 1 - IBM List Prices - 919-254-0367; 2 - Microsoft Corp.			3-Year Cost of Ownership:		\$435,373	
Audited by Brad Askins of InfoSizing, Inc.			QphH @ 300GB:		6,354.9	
			\$ / QphH @ 300GB:		\$69	
Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specification. If you find that stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org . Thank you.						



**IBM @server xSeries 445
with
IBM DB2 UDB 8.1**

TPC-H Rev 2.0

Report Date: August 8, 2003

Measurement Results:


Database Scale Factor	300
Total Data Storage/Database Size	15.59
Start of Database Load	17:18:17
End of Database Load	20:41:35
Database Load Time	03:24:00
Query Streams for Throughput Test	6
TPC-H Power	8,189.1
TPC-H Throughput	4,931.5
TPC-H Composite Query-per-Hour (QphH@300GB)	6,354.9
Total System Price over 3 Years	\$435,373
TPC-H Price/Performance Metric (\$/QphH@300GB)	\$69

Measurement Interval:

Measurement Interval in Throughput Test (Ts) = 28,908 seconds

Duration of Stream Execution:

	Seed	Query Start Date/Time Query End Date/Time	RF1 Start Date/Time RF1 End Date/Time	RF2 Start Date/Time RF2 End Date/Time	Duration
Stream 00	728204135	07/28/03 21:13:15 07/28/03 22:40:34	07/28/03 21:13:15 07/28/03 21:15:51	07/28/03 22:39:13 07/28/03 22:40:34	01:27:19
Stream 01	728204136	07/28/03 22:40:36 07/29/03 06:13:54	07/28/03 22:40:36 07/29/03 06:24:04	07/29/03 06:24:04 07/29/03 06:25:32	07:33:18
Stream 02	728204137	07/28/03 22:40:36 07/29/03 06:12:04	07/29/03 06:25:32 07/29/03 06:27:25	07/29/03 06:27:25 07/29/03 06:28:58	07:31:28
Stream 03	728204138	07/28/03 22:40:36 07/29/03 06:12:05	07/29/03 06:28:58 07/29/03 06:30:51	07/29/03 06:30:51 07/29/03 06:32:41	07:31:29
Stream 04	728204139	07/28/03 22:40:37 07/29/03 06:06:11	07/29/03 06:32:41 07/29/03 06:34:31	07/29/03 06:34:31 07/29/03 06:35:57	07:25:34
Stream 05	728204140	07/28/03 22:40:03 07/29/03 06:07:22	07/29/03 06:35:57 07/29/03 06:37:48	07/29/03 06:37:48 07/29/03 06:39:02	07:27:19
Stream 06	728204141	07/28/03 22:40:37 07/29/03 06:22:31	07/29/03 06:39:02 07/29/03 06:40:50	07/29/03 06:40:50 07/29/03 06:42:24	07:41:54



**IBM @server xSeries 445
with
IBM DB2 UDB 8.1**

TPC-H Rev 2.0

Report Date: August 8, 2003

TPC-H Timing Intervals (in seconds):

Query	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12
Stream 00	266.6	33.2	56.0	39.3	155.0	36.8	244.9	139.7	630.1	119.5	47.2	61.4
Stream 01	1,381.6	384.1	274.4	67.0	887.1	270.3	981.4	876.0	3,075.7	634.9	286.4	302.0
Stream 02	1,680.0	450.4	198.9	202.2	625.5	267.6	1,224.5	873.5	3,724.2	404.5	220.8	318.6
Stream 03	1,790.6	420.2	152.1	210.4	680.5	202.0	797.0	846.2	3,757.3	662.7	259.2	233.0
Stream 04	1,584.5	470.0	262.8	568.1	641.3	580.8	1,075.0	826.7	2,923.9	323.2	492.9	330.5
Stream 05	1,717.3	392.3	262.4	213.8	620.8	284.3	1,182.3	825.1	2,767.5	628.9	395.9	286.7
Stream 06	1,817.6	330.6	248.4	244.1	899.5	221.5	909.0	828.9	4,270.3	442.4	365.3	641.0
Minimum	1,381.6	330.6	152.1	67.0	620.8	202.0	797.0	825.1	2,767.5	323.2	220.8	233.0
Average	1,661.9	407.9	233.2	250.9	725.8	304.4	1,028.2	846.1	3,419.8	516.1	336.8	352.0
Maximum	1,817.6	470.0	274.4	568.1	899.5	580.8	1,224.5	876.0	4,270.3	662.7	492.9	641.0

Stream ID	Q13	Q14	Q15a	Q16	Q17	Q18	Q19	Q20	Q21	Q22	RF1	RF2
Stream 00	425.8	48.5	70.7	82.3	249.5	881.9	255.7	94.9	942.0	121.6	156.0	80.6
Stream 01	1,713.3	142.2	372.7	477.2	2,303.4	3,040.5	1,797.0	1,325.8	5,486.1	1,118.1	93.0	87.7
Stream 02	2,166.3	146.0	209.2	740.9	2,070.6	2,871.9	1,502.3	1,053.1	5,533.4	645.0	113.1	93.1
Stream 03	2,268.7	127.4	469.3	371.0	1,465.0	3,310.0	1,946.9	635.7	5,806.2	677.9	112.7	110.1
Stream 04	1,423.2	261.8	181.8	717.0	2,094.8	2,223.4	2,855.2	634.1	5,612.2	651.4	109.7	86.5
Stream 05	2,021.5	176.0	230.8	385.6	1,820.3	2,606.5	2,642.1	984.3	5,570.3	790.2	110.6	74.1
Stream 06	3,271.3	106.7	420.5	415.4	1,689.9	5,808.5	1,751.8	614.7	1,805.1	612.1	107.9	94.3
Minimum	1,423.2	106.7	181.8	371.0	1,465.0	2,223.4	1,502.3	614.7	1,805.1	612.1	93.0	74.1
Average	2,144.1	160.0	314.1	517.9	1,907.3	3,310.1	2,082.6	874.6	4,968.9	749.1	107.8	91.0
Maximum	3,271.3	261.8	469.3	740.9	2,303.4	5,808.5	2,855.2	1,325.8	5,806.2	1,118.1	113.1	110.1

Table of Contents

Preface	10
1 General Items	12
1.1 Benchmark Sponsor	12
1.2 Parameter Settings	12
1.3 Configuration Diagrams	12
1.3.1 Priced and Measured Configurations	13
2 Clause 1: Logical Database Design Related Items	14
2.1 Database Table Definitions	14
2.2 Database Organization	14
2.3 Horizontal Partitioning	14
2.4 Replication	14
3 Clause 2: Queries and Update Functions Related Items	15
3.1 Query Language	15
3.2 Random Number Generation	15
3.3 Substitution Parameters Generation	15
3.4 Query Text and Output Data from Database	15
3.5 Query Substitution Parameters and Seeds Used	15
3.6 Query Isolation Level	15
3.7 Refresh Function Implementation	16
4 Clause 3: Database System Properties Related Items	17
4.1 Atomicity Requirements	17
4.1.1 Atomicity of Completed Transactions	17
4.1.2 Atomicity of Aborted Transactions	17
4.2 Consistency Requirements	17
4.2.1 Consistency Condition	17
4.2.2 Consistency Tests	18
4.3 Isolation Requirements	18
4.3.1 Isolation Test 1	18
4.3.2 Isolation Test 2	18
4.3.3 Isolation Test 3	19
4.3.4 Isolation Test 4	19
4.3.5 Isolation Test 5	19
4.3.6 Isolation Test 6	20
4.4 Durability Requirements	20
4.4.1 Failure of a Durable Medium	20
4.4.2 Loss of Log	20
4.4.3 System Crash	21
4.4.4 Memory Failure	21
5 Clause 4: Scaling and Database Population Related Items	22
5.1 Cardinality of Tables	22
5.2 Distribution of Tables and Logs	22
5.3 Database Partition / Replication Mapping	27
5.4 RAID Implementation	27
5.5 DBGEN Modifications	28
5.6 Database Load Time	28
5.7 Data Storage Ratio	28
5.8 Database Load Mechanism Details and Illustration	28
5.9 Qualification Database Configuration	29
6 Clause 5: Performance Metrics and Execution Rules Related Items	30
6.1 System Activity between Load and Performance Tests	30
6.2 Steps in the Power Test	30
6.3 Timing Intervals for Each Query and Refresh Function	30

6.4 Number of Streams for the Throughput Test	30
6.5 Start and End Date/Times for Each Query Stream	30
6.6 Total Elapsed Time for the Measurement Interval	30
6.7 Refresh Function Start Date/Time and Finish Date/Time	30
6.8 Timing Intervals for Each Query and Each Refresh Function for Each Stream	31
6.9 Performance Metrics	31
6.10 Performance Metric and Numerical Quantities from Both Runs	31
6.11 System Activity between Tests	31
7 Clause 6: SUT and Driver Implementation Related Items	32
7.1 Driver	32
7.2 Implementation-Specific Layer	32
7.3 Profile-Directed Optimization	32
8 Clause 7: Pricing Related Items	33
8.1 Hardware and Software Components	33
8.2 Three-Year Cost of System Configuration	33
8.3 Availability Dates	33
8.4 Country-Specific Pricing	33
Clause 9: Audit Related Items	34
9.1 Auditor's Report	34
Appendix A: Tunable Parameters and System Configuration	36
DB2 UDB 8.1 Database and Database Manager Configuration	36
<i>Database Configuration for Node 0</i>	36
<i>Database Configuration for Node 1</i>	37
<i>Database Configuration for Node 2</i>	39
<i>Database Configuration for Node 3</i>	41
<i>Database Configuration for Node 4</i>	42
<i>Database Configuration for Node 5</i>	44
<i>Database Configuration for Node 6</i>	46
<i>Database Configuration for Node 7</i>	47
DB2 Database Manager Configuration	49
DB2 Registry Variables	50
Microsoft Windows Server 2003 Enterprise Edition	50
<i>Configuration Parameters</i>	50
<i>SUT Hardware Information Report</i>	50
Appendix B: Database Build Scripts	90
buildtpcd	90
affinity_8mln.bat	99
bkuptestdb.bat	99
create_bufferpools	100
create_indexes	100
create_nodegroups	100
create_tables	100
create_tablespace	101
createuftbls	103
db2nodes.cfg	103
load.db2set_8mln.bat	104
run.db2set_8mln.bat	104
runstats_UF.bat	104
dss.runstats	104
load_8mln.bat	104
load_all.sql	104
loadcfg.sql	105
load_dbmcfg_8mln	106
run.dbcfg_8mln	106
run.dbmcfg_8mln	106

scattered_read	106
setlogs.bat	106
tpcd.setup	107
Appendix C: Qualification Query Output	110
Qualification Queries	110
<i>Query 1</i>	110
<i>Query 2</i>	110
<i>Query 3</i>	114
<i>Query 4</i>	114
<i>Query 5</i>	115
<i>Query 6</i>	115
<i>Query 7</i>	115
<i>Query 8</i>	116
<i>Query 9</i>	116
<i>Query 10</i>	118
<i>Query 11</i>	119
<i>Query 12</i>	120
<i>Query 13</i>	120
<i>Query 14</i>	121
<i>Query 15a</i>	121
<i>Query 16</i>	122
<i>Query 17</i>	123
<i>Query 18</i>	123
<i>Query 19</i>	124
<i>Query 20</i>	125
<i>Query 21</i>	127
<i>Query 22</i>	129
First 10 Rows of the Database	129
Query Substitution Parameters	132
Appendix D: Driver Source Code	136
doufload_v8.bat	136
load_UF1_data_V8	136
load_UF2_data_V8	137
loadSampleUFData	138
runpower	138
runthroughput	141
tpcd_cl.bat	145
tpcdbatch.h	145
tpcdbatch.sqc	146
tpcdUF.sqc	178
Appendix E: ACID Transaction Source Code	185
acid.h	185
acid.sqc	185
makefile	196
Appendix F: Price Quotations	197

Preface

TPC Benchmark H Standard Specification was developed by the Transaction Processing Performance Council (TPC). It was released on February 26, 1999, and most recently revised (Revision 2.0) October 29, 2002. This is the full disclosure report for benchmark testing of the IBM *@server* xSeries 445 according to the TPC Benchmark H Standard Specification.

The TPC Benchmark H is a decision support benchmark. It consists of a suite of business-oriented ad hoc queries and concurrent data modifications. The queries and the data populating the database have been chosen to have broad industrywide relevance while maintaining a sufficient degree of ease of implementation. This benchmark illustrates decision support systems that:

- Examine large volumes of data;
- Execute queries with a high degree of complexity;
- Give answers to critical business questions.

TPC-H evaluates the performance of various decision support systems by the execution of set of queries against a standard database under controlled conditions. The TPC-H queries:

- Give answers to real-world business questions;
- Simulate generated ad-hoc queries (e.g., via a point-and-click GUI interface);
- Are far more complex than most OLTP transactions;
- Include a rich breadth of operators and selectivity constraints;
- Generate intensive activity on the part of the database server component of the system under test;
- Are executed against a database complying with specific population and scaling requirements;
- Are implemented with constraints derived from staying closely synchronized with an on-line production database.

The TPC-H operations are modeled as follows:

- The database is continuously available 24 hours a day, 7 days a week, for ad-hoc queries from multiple end users and data modifications against all tables, except possibly during infrequent (e.g., once a month) maintenance sessions.
- The TPC-H database tracks, possibly with some delay, the state of the OLTP database through ongoing refresh functions, which batch together a number of modifications impacting some part of the decision support database.
- Due to the worldwide nature of the business data stored in the TPC-H database, the queries and the refresh functions may be executed against the database at any time, especially in relation to each other. In addition, this mix of queries and refresh functions is subject to specific ACIDity requirements, since queries and refresh functions may execute concurrently.
- To achieve the optimal compromise between performance and operational requirements, the database administrator can set, once and for all, the locking levels and the concurrent scheduling rules for queries and refresh functions.

The minimum database required to run the benchmark holds business data from 10,000 suppliers. It contains almost 10 million rows representing a raw storage capacity of about 1 gigabyte. Compliant benchmark implementations may also use one of the larger permissible database populations (e.g., 100 gigabytes), as defined in Clause 4.1.3).

The performance metrics reported by TPC-H is called the TPC-H Composite Query-per-Hour Performance Metric (QphH@Size), and reflects multiple aspects of the capability of the system to process queries. These aspects include the selected database size against which the queries are executed, the query processing power when queries are submitted by a single stream, and the query throughput when queries are submitted by multiple concurrent users. The TPC-H Price/Performance metric is expressed as \$/QphH@Size. To be compliant with the TPC-H standard, all references to TPC-H results for a given configuration must include all required reporting components (see Clause 5.4.6). The TPC believes that comparisons of TPC-H results measured against different database sizes are misleading and discourages such comparisons.

The TPC-H database must be implemented using a commercially available database management system (DBMS), and the queries executed via an interface using dynamic SQL. The specification provides for variants of SQL, as implementers are not required to have implemented a specific SQL standard in full.

Benchmarks results are highly dependent upon workload, specific application requirements, and systems design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC-H should not be used as a substitute for specific customer application benchmarking when critical capacity planning and/or product evaluation decisions are contemplated.

1 General Items

1.1 Benchmark Sponsor

A statement identifying the benchmark sponsor(s) and other participating companies must be provided.

IBM Corporation sponsored this TPC-H benchmark.

1.2 Parameter Settings

Settings must be provided for all customer-tunable parameters and options that have been changed from the defaults found in actual products, including but not limited to:

- *Database tuning options*
- *Optimizer/Query execution options*
- *Query Processing tool/language configuration parameters*
- *Recovery/commit options*
- *Consistency/locking options*
- *Operating system and configuration parameters*
- *Configuration parameters and options for any other software component incorporated into the pricing structure*
- *Compiler optimization options.*

Appendix A, “Tunable Parameters,” contains a list of all DB2 parameters and operating system parameters. Session initialization parameters can be set during or immediately after establishing the connection to the database within the tpcdbatch program documented in Appendix D, “Driver Source Code.” This result uses the default session initialization parameters established during preprocessing/binding of the tpcdbatch program.


1.3 Configuration Diagrams

Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences. This includes, but is not limited to:

- *Number and type of processors*
- *Size of allocated memory and any specific mapping/partitioning of memory unique to the test and type of disk units (and controllers, if applicable)*
- *Number and type of disk units (and controllers, if applicable)*
- *Number of channels or bus connections to disk units, including their protocol type*
- *Number of LAN (e.g., Ethernet) connections, including routers, workstations, terminals, etc., that were physically used in the test or are incorporated into the pricing structure*
- *Type and run-time execution location of software components (e.g., DBMS, query processing tools/languages, middleware components, software drivers, etc.).*

The configuration diagram for the tested and priced system is provided on the following page.

1.3.1 Priced and Measured Configurations



The priced configuration for the xSeries 445 contained:

- Eight Intel Xeon MP 2.8GHz processors, each with 2MB of ECC L3 cache
- 16GB of memory
- One embedded dual-port 10/100/1000 Ethernet interface
- Five ServeRAID-6M Ultra320 SCSI adapters
- One hundred thirty-six (136) 36.4GB 15K Ultra160 SCSI disk drives
- Ten (10) EXP300 Storage Expansion Enclosures
- Two (2) 36.4GB 15K Ultra320 SCSI Disk Drives
- One RXE-100 Remote I/O Expansion Enclosure

The measured configuration was different in that it contained one additional EXP300 Storage Expansion unit, which held fourteen 36.4GB 15K Ultra160 SCSI drives that held raw data files. A sixth ServeRAID adapter was used to attach these drives. This hardware was not priced.

2 Clause 1: Logical Database Design Related Items

2.1 Database Table Definitions

Listings must be provided for all table definition statements and all other statements used to set up the test and qualification databases. (8.1.2.1)

Appendix B contains the scripts that were used to set up the TPC-H test and qualification databases.

2.2 Database Organization

The physical organization of tables and indexes within the test and qualification databases must be disclosed. If the column ordering of any table is different from that specified in Clause 1.4, it must be noted.

Appendix B contains the scripts that were used to create the indexes on the test and qualification databases.

2.3 Horizontal Partitioning

Horizontal partitioning of tables and rows in the test and qualification databases must be disclosed (see Clause 1.5.4).

Horizontal partitioning was used for all tables except for the nation and region tables. See Appendix B, “Database Build Scripts.”

2.4 Replication

Any replication of physical objects must be disclosed and must conform to the requirements of Clause 1.5.6).

Replication was not used.

3 Clause 2: Queries and Update Functions Related Items

3.1 Query Language

The query language used to implement the queries must be identified.

SQL was the query language used.

3.2 Random Number Generation

The method of verification for the random number generation must be described unless the supplied DBGEN and QGEN were used.

The TPC-supplied DBGEN version 1.3.0 and QGEN version 1.3.0 were used to generate all database populations.

3.3 Substitution Parameters Generation

The method used to generate values for substitution parameters must be disclosed. If QGEN is not used for this purpose, then the source code of any non-commercial tool used must be disclosed. If QGEN is used, the version number, release number, modification number and patch level of QGEN must be disclosed.

The supplied QGEN version 1.3.0 was used to generate the substitution parameters.

3.4 Query Text and Output Data from Database

The executable query text used for query validation must be disclosed along with the corresponding output data generated during the execution of the query text against the qualification database. If minor modifications (see Clause 2.2.3) have been applied to any functional query definitions or approved variants in order to obtain executable query text, these modifications must be disclosed and justified. The justification for a particular minor query modification can apply collectively to all queries for which it has been used. The output data for the power and throughput tests must be made available electronically upon request.

Appendix C contains the output for each of the qualification queries. The functional query definitions and variants used in this disclosure use the following minor query modifications:

- Table names and view names are fully qualified. For example, the nation table is referred to as "TPCD.NATION."
- The standard IBM SQL date syntax is used for date arithmetic. For example, DATE('1996-01-01')+3 MONTHS.
- The semicolon (;) is used as a command delimiter.

3.5 Query Substitution Parameters and Seeds Used

All query substitution parameters used for all performance tests must be disclosed in tabular format, along with the seeds used to generate these parameters.

Appendix C contains the seed and query substitution parameters used.

3.6 Query Isolation Level

The isolation level used to run the queries must be disclosed. If the isolation level does not map closely to one of the isolation levels defined in Clause 3.4, additional descriptive detail must be provided.

The isolation level used to run the queries was "repeatable read."

3.7 Refresh Function Implementation

The details of how the refresh functions were implemented must be disclosed (including source code of any non-commercial program used).

The refresh functions are part of the implementation-specific layer/driver code included in Appendix D, “Driver Source Code.”

4 Clause 3: Database System Properties Related Items

The results of the ACID tests must be disclosed, along with a description of how the ACID requirements were met. This includes disclosing the code written to implement the ACID Transaction and Query.

All ACID tests were conducted according to specifications. The Atomicity, Isolation, Consistency and Durability tests were performed on the xSeries 445 server. Appendix E contains the ACID transaction source code.

4.1 Atomicity Requirements

The system under test must guarantee that transactions are atomic; the system will either perform all individual operations on the data, or will assure that no partially completed operations leave any effects on the data.

4.1.1 Atomicity of Completed Transactions

Perform the ACID transactions for a randomly selected set of input data and verify that the appropriate rows have been changed in the ORDER, LINEITEM and HISTORY tables.

The following steps were performed to verify the Atomicity of completed transactions.

1. The total price from the ORDER table and the extended price from the LINEITEM table were retrieved for a randomly selected order key. The number of records in the HISTORY table was also retrieved.
2. The ACID Transaction T1 was executed for the order key used in step 1.
3. The total price and extended price were retrieved for the same order key used in step 1 and step 2. It was verified that:
$$T1.EXTENDEDPRICE=OLD.EXTENDEDPRICE+((T1.DELTA)*$$
$$(OLD.EXTENDEDPRICE/OLD.QUANTITY)), T1.TOTALPRICE=OLD.TOTALPRICE+$$
$$((T1.EXTENDEDPRICE-OLD.EXTENDEDPRICE)*(1-DISCOUNT))*(1+TAX)),$$
 and that the number of records in the History table had increased by 1.

4.1.2 Atomicity of Aborted Transactions

Perform the ACID transactions for a randomly selected set of input data, and verify that the appropriate rows have been changed in the ORDER, LINEITEM and HISTORY tables.

The following steps were performed to verify the Atomicity of the aborted ACID transaction:

1. The ACID application is passed a parameter to execute a rollback of the transaction instead of performing the commit.
2. The total price from the ORDER table and the extended price from the LINEITEM table were retrieved for a random order key. The number of records in the HISTORY table was also retrieved.
3. The ACID transaction was executed for the orderkey used in step 2. The transaction was rolled back.
4. The total price and the extended price were retrieved for the same orderkey used in step 2 and step 3. It was verified that the extended price and the total price were the same as in step 2.

4.2 Consistency Requirements

Consistency is the property of the application that requires any execution of transactions to take the database from one consistent state to another.

4.2.1 Consistency Condition

A consistent state for the TPC-H database is defined to exist when:

$$O_TOTALPRICE=SUM(L_EXTENDEDPRICE*(1-L_DISCOUNT)*(1+L_TAX))$$

for each ORDER and LINEITEM defined by (O_ORDERKEY=L_ORDERKEY)

The following queries were executed before and after a measurement to show that the database was always in a consistent state both initially and after a measurement.

```
SELECT DECIMAL(SUM(DECIMAL(INTEGER(INTEGER(DECIMAL
(INTEGER(100*DECIMAL(L_EXTENDEDPRICE,20,2)),20,3)*
(1-L_DISCOUNT))*(1+L_TAX)),20,3)/100.0),20,3)
FROM TPCD.LINEITEM WHERE L_ORDEYKEY=okey
SELECT DECIMAL(SUM(O_TOTALPRICE,20,3)) from TPCD.ORDERS WHERE O_ORDERKEY =
okey
```

4.2.2 Consistency Tests

Verify that the ORDER and LINEITEM tables are initially consistent as defined in Clause 3.3.2.1, based on a random sample of at least 10 distinct values of O_ORDERKEY.

The queries defined in 4.2.1, “Consistency Condition,” were run after initial database build and prior to executing the ACID transaction. The queries showed that the database was in a consistent condition.

After executing 7 streams of 100 ACID transactions each, the queries defined in 4.2.1, “Consistency Condition,” were run again. The queries showed that the database was still in a consistent state.

4.3 Isolation Requirements

4.3.1 Isolation Test 1

This test demonstrates isolation for the read-write conflict of a read-write transaction and a read-only transaction when the read-write transaction is committed.

The following steps were performed to satisfy the test of isolation for a read-only and a read-write committed transaction:

1. First session: Start an ACID transaction with a randomly selected O_KEY, L_KEY and DELTA. The transaction is delayed for 60 seconds just prior to the Commit.
2. Second session: Start an ACID query for the same O_KEY as in the ACID transaction.
3. Second session: The ACID query attempts to read the file but is locked out by the ACID transaction waiting to complete.
4. First session: The ACID transaction is released and the Commit is executed releasing the record. With the LINEITEM record now released, the ACID query can now complete.
5. Second session: Verify that the ACID query delays for approximately 60 seconds and that the results displayed for the ACID query match the input for the ACID transaction.

4.3.2 Isolation Test 2

This test demonstrates isolation for the read-write conflict of read-write transaction and read-only transaction when the read-write transaction is rolled back.

The following steps were performed to satisfy the test of isolation for read-only and a rolled back read-write transaction:

1. First session: Perform the ACID transaction for a random O_KEY, L_KEY and DELTA. The transaction is delayed for 60 seconds just prior to the Rollback.
2. Second session: Start an ACID query for the same O_KEY as in the ACID transaction. The ACID query attempts to read the LINEITEM table but is locked out by the ACID transaction.
3. First session: The ACID transaction is released and the Rollback is executed, releasing the read.

4. Second session: With the LINEITEM record now released, the ACID query completes.

4.3.3 Isolation Test 3

This test demonstrates isolation for the write-write conflict of two refresh transactions when the first transaction is committed.

The following steps were performed to verify isolation of two refresh transactions:

1. First session: Start an ACID transaction T1 for a randomly selected O_KEY, L_KEY and DELTA. The transaction is delayed for 60 seconds just prior to the COMMIT.
2. Second session: Start a second ACID transaction T2 for the same O_KEY, L_KEY, and for a randomly selected DELTA2. This transaction is forced to wait while the 1st session holds a lock on the LINEITEM record requested by the second session.
3. First session: The ACID transaction T1 is released and the Commit is executed, releasing the record. With the LINEITEM record now released, the ACID transaction T2 can now complete.
4. Verify that:

$$T2.L_EXTENDEDPRICE = T1.L_EXTENDEDPRICE + DELTA * \\ (T1.L_EXTENDEDPRICE) / T1.L_QUANTITY)$$

4.3.4 Isolation Test 4

This test demonstrates isolation for write-write conflict of two ACID transactions when the first transaction is rolled back.

The following steps were performed to verify the isolation of two ACID transactions after the first one is rolled back:

1. First session: Start an ACID transaction T1 for a randomly selected O_KEY, L_KEY, and DELTA. The transaction is delayed for 60 seconds just prior to the rollback.
2. Second session: Start a second ACID transaction T2 for the same O_KEY, L_KEY used by the 1st session. This transaction is forced to wait while the 1st session holds a lock on the LINEITEM record requested by the second session.
3. First session: Rollback the ACID transaction T1. With the LINEITEM record now released, the ACID transaction T2 completes.
4. Verify that $T2.L_EXTENDEDPRICE = T1.L_EXTENDEDPRICE$

4.3.5 Isolation Test 5

This test demonstrates the ability of read and write transactions affecting different database tables to make progress concurrently.

1. First session: Start an ACID transaction, T1, for a randomly selected O_KEY, L_KEY and DELTA. The ACID transaction was suspended prior to COMMIT.
2. First session: Start a second ACID transaction, T2, which selects random values of PS_PARTKEY and PS_SUPPKEY and returns all columns of the PARTSUPP table for which PS_PARTKEY and PS_SUPPKEY are equal to the selected values.
3. T2 completed.
4. T1 was allowed to complete.
5. It was verified that the appropriate rows in the ORDERS, LINEITEM and HISTORY tables have been changed.

4.3.6 Isolation Test 6

This test demonstrates that the continuous submission of arbitrary (read-only) queries against one or more tables of the database does not indefinitely delay refresh transactions affecting those tables from making progress.

1. First session: A transaction T1, which executes modified TPC-H query 1 with DELTA=0, was started.
2. Second session: Before T1 completed, an ACID transaction T2, with randomly selected values of O_KEY, L_KEY and DELTA, was started.
3. Third session: Before T1 completed, a transaction T3, which executes modified TPC-H query 1 with a randomly selected value of DELTA (not equal to 0), was started.
4. T1 completed.
5. T2 completed.
6. T3 completed.
7. It was verified that the appropriate rows in the ORDERS, LINEITEM and HISTORY tables were changed.

4.4 Durability Requirements

The SUT must guarantee durability: the ability to preserve the effects of committed transactions and ensure database consistency after recovery from any one of the failures listed in Clause 3.5.3.

4.4.1 Failure of a Durable Medium

Guarantee the database and committed updates are preserved across a permanent irrecoverable failure of any single durable medium containing TPC-H database tables or recovery log tables.

The database log was stored on RAID-1 protected storage. The tables for the database were stored on RAID-0 storage, with the exception of the Nation and Region tables, which were stored on an internal drive. A backup of the database was taken to a separate array for drives than those used for the database.

The tests were conducted on the qualification database. The steps performed are shown below.

1. The complete database was backed up once . The backup of the data was not on the same drive as the data itself.
2. Seven streams of ACID transactions were started. Each stream executed a minimum of 100 transactions.
3. One physical drive of a RAID-0 data volume was removed.
4. The seven streams of ACID transactions failed and recorded their number of committed transactions in success files.
5. The failed disk was replaced with a new drive. The database data partitions containing the failed disk were deleted and recreated. The junction points were recreated.
6. A database restore was issued using the backup taken at the beginning of this test.
7. A command was issued causing the database to run through its roll-forward recovery.
8. The counts in the success files and the HISTORY table count were compared and were found to match.

4.4.2 Loss of Log

Guarantee the database and committed updates are preserved across a permanent irrecoverable failure of any single durable medium containing TPC-H database tables or recovery log tables.

1. Seven streams of ACID transactions were started. Each stream executed a minimum of 100 transactions.
2. While the test was running, one of the disks from the database RAID-1 log on Node 0 was removed.
3. The test continued running for an additional 100 transactions per stream.
4. The success file and the HISTORY table counts were compared and were found to match.
5. The database log disk was replaced and a rebuild function was initiated to restore the RAID-1 log array to its protected status. The rebuild completed successfully.

4.4.3 System Crash

Guarantee the database and committed updates are preserved across an instantaneous interruption (system crash/system hang) in processing which requires the system to reboot to recover.

1. Seven streams of ACID transactions were started. Each stream executed a minimum of 100 transactions.
2. Then the system was powered off.
3. When power was restored, the system rebooted and the database was restarted.
4. The database went through a recovery period.
5. The success file and the HISTORY table counts were compared and were found to match.

4.4.4 Memory Failure

Guarantee the database and committed updates are preserved across failure of all or part of memory (loss of contents).

See the previous section.

5 Clause 4: Scaling and Database Population Related Items

5.1 Cardinality of Tables

The cardinality (e.g., the number of rows) of each table of the test database, as it existed at the completion of the database load (see Clause 4.2.5), must be disclosed.

Table Name	Rows
Order	450,000,000
Lineitem	1,799,989,091
Customer	45,000,000
Part	60,000,000
Supplier	3,000,000
Partsupp	240,000,000
Nation	25
Region	5

5.2 Distribution of Tables and Logs

The distribution of tables and logs across all media must be explicitly described.

The following series of tables shows the distribution of tables and logs across all media.

Controller	Drives	Partition*	Size	Use
Internal	1 - 36.4GB	Physical Drive 0	33.9GB	Compiler, Operating System
	1 - 36.4GB	Physical Drive 1	33.9GB	DB2, TPC-H Kit
ServeRAID - 1	6 - 36.4GB RAID-0	Physical Drive 2; Logical Node 0	18000MB 3000MB 8000MB 2000MB 35000MB 138.95GB	Lineitem Data Lineitem Indexes Other Tables Data Other Indexes Temp Tables Free Space
	6 - 36.4GB RAID-0	Physical Drive 3; Logical Node 1	18000MB 3000MB 8000MB 2000MB 35000MB 138.95GB	Lineitem Data Lineitem Indexes Other Tables Data Other Indexes Temp Tables Free Space
	2 - 36.4GB RAID-1	Physical Drive 4; Logical Node 0	33.9GB	NTFS E:\logs
	6 - 36.4GB RAID-0	Physical Drive 5; Logical Node 2	18000MB 3000MB 8000MB 2000MB 35000MB 78.13GB	Lineitem Data Lineitem Indexes Other Tables Data Other Indexes Temp Tables O: Stripeset Backups RF Raw Data Free Space
			60.83GB	
	6 - 36.4GB RAID-0	Physical Drive 6; Logical Node 3	18000MB 3000MB 8000MB 2000MB 35000MB 78.13GB	Lineitem Data Lineitem Indexes Other Tables Data Other Indexes Temp Tables O: Stripeset Backups RF Raw Data Free Space
			60.83GB	
	2 - 36.4GB RAID-1	Physical Drive 7; Logical Node 1	33.9GB	NTFS H:\logs

Controller	Drives	Partition*	Size	Use
ServeRAID - 2	6 - 36.4GB RAID-0	Physical Drive 8; Logical Node 4	18000MB	Lineitem Data
			3000MB	Lineitem Indexes
			8000MB	Other Tables Data
			2000MB	Other Indexes
			35000MB	Temp Tables
			1000MB	Lineitem Data (Qual)
			400MB	Lineitem Indexes (Qual)
			800MB	Other Tables Data (Qual)
			300MB	Other Indexes (Qual)
			2450MB	Temp Tables (Qual)
			134.13GB	Free Space
	6 - 36.4GB RAID-0	Physical Drive 9; Logical Node 5	18000MB	Lineitem Data
			3000MB	Lineitem Indexes
			8000B	Other Table Data
			2000MB	Other Table Indexes
			35000MB	Temp Tables
			1000MB	Lineitem Data (Qual)
			400MB	Lineitem Indexes (Qual)
			800MB	Other Tables Data (Qual)
			300MB	Other Indexes (Qual)
			2450MB	Temp Tables (Qual)
			134.13GB	Free Space
	2 - 36.4GB RAID-1	Physical Drive 10; Logical Node 4	33.9GB	NTFS I:\logs
	6 - 36.4GB RAID-0	Physical Drive 11; Logical Node 6	18000MB	Lineitem Data
			3000MB	Lineitem Indexes
			8000MB	Other Tables Data
			2000MB	Other Indexes
			35000MB	Temp Tables
			1000MB	Lineitem Data (Qual)
			400MB	Lineitem Indexes (Qual)
			800MB	Other Table Data (Qual)
			300MB	Other Indexes (Qual)
			2450MB	Temp Tables (Qual)
			134.13GB	Free Space
	6 - 36.4GB RAID-0	Physical Drive 12; Logical Node 7	18000MB	Lineitem Data
			3000MB	Lineitem Indexes
			8000MB	Other Tables Data
			2000MB	Other Indexes
			35000MB	Temp Tables
			100MB	Lineitem Data (Qual)
			400MB	Lineitem Indexes (Qual)
			800MB	Other Tables Data (Qual)
			300MB	Other Indexes (Qual)
			2450MB	Temp Tables (Qual)
			134.13GB	Free Space
	2 - 36.4GB RAID-1	Physical Drive 13; Logical Node 5	33.9GB	NTFS J:\logs

Controller	Drives	Partition*	Size	Use
ServeRAID - 3	6 - 36.4GB RAID-0	Physical Drive 14; Logical Node 0	18000MB 3000MB 8000MB 2000MB 35000MB 78.13GB 60.83GB	Lineitem Data Lineitem Indexes Other Tables Data Other Indexes Temp Tables O: Stripeset Backups RF Raw Data Free Space
	6 - 36.4GB RAID-0	Physical Drive 15; Logical Node 1	18000MB 3000MB 8000MB 2000MB 35000MB 78.13GB	Lineitem Data Lineitem Indexes Other Tables Data Other Indexes Temp Tables O: Stripeset Backups RF Raw Data
	2 - 36.4GB RAID-1	Physical Drive 16; Logical Node 2	33.9GB	NTFS M:\Logs
	6 - 36.4GB RAID-0	Physical Drive 17; Logical Node 2	18000MB 3000MB 8000MB 2000MB 35000MB 78.13GB 60.83GB	Lineitem Data Lineitem Indexes Other Tables Data Other Indexes Temp Tables O: Stripeset Backups RF Raw Data Free Space
	6 - 36.4GB RAID-0	Physical Drive 18; Logical Node 3	18000MB 3000MB 8000MB 2000MB 35000MB 78.13GB 60.83GB	Lineitem Data Lineitem Indexes Other Table Data Other Table Indexes Temp Tables O: Stripeset Backup RF Raw Data Free Space
	2 - 36.4GB RAID-1	Physical Drive 19; Logical Node 3	33.9GB	NTFS N:\Logs

Controller	Drives	Partition*	Size	Use
ServeRAID - 4	6 - 36.4GB RAID-0	Physical Drive 20; Logical Node 4	18000MB 3000MB 8000MB 2000MB 35000MB 78.13GB 60.83GB	Lineitem Data Lineitem Indexes Other Tables Data Other Indexes Temp Tables P: Stripeset Backups Free Space
	6 - 36.4GB RAID-0	Physical Drive 21; Logical Node 5	18000MB 3000MB 8000MB 2000MB 35000MB 78.13GB 60.83GB	Lineitem Data Lineitem Indexes Other Table Data Other Table Indexes Temp Tables P: Stripeset Backups Free Space
	2 - 36.4GB RAID-1	Physical Drive 22	33.9GB	Unused
	6 - 36.4GB RAID-0	Physical Drive 23; Logical Node 6	18000MB 3000MB 8000MB 2000MB 35000MB 78.13GB 60.83GB	Lineitem Data Lineitem Indexes Other Tables Data Other Indexes Temp Tables P: Stripeset Backups Free Space
	6 - 36.4GB RAID-0	Physical Drive 24; Logical Node 7	18000MB 3000MB 8000MB 2000MB 35000MB 78.13GB 60.83GB	Lineitem Data Lineitem Indexes Other Tables Data Other Indexes Temp Tables P: Stripeset Backups Free Space
	2 - 36.4GB RAID-1	Physical Drive 25; Logical Node 6	33.9GB	NTFS G:\Logs
ServeRAID - 5	14 - 36.4GB RAID-5	Physical Drive 26	1000MB 439.74GB	Unused NTFS W: RAW DATA FILES

Controller	Drives	Partition*	Size	Use
ServeRAID - 6	6 - 36.4GB RAID-0	Physical Drive 27; Logical Node 4	18000MB 3000MB 8000MB 2000MB 35000MB 78.13GB 60.83GB	Lineitem Data Lineitem Indexes Other Tables Data Other Indexes Temp Tables P: Stripeset Backups Free Space
	6 - 36.4GB RAID-0	Physical Drive 28; Logical Node 5	18000MB 3000MB 8000MB 2000MB 35000MB 78.13GB 60.83GB	Lineitem Data Lineitem Indexes Other Tables Data Other Indexes Temp Tables P: Stripeset Backups Free Space
	2 - 36.4GB RAID-1	Physical Drive 29; Logical Node 7	33.9GB	NTFS K:\Logs
	6 - 36.4GB RAID-0	Physical Drive 30; Logical Node 6	18000MB 3000MB 8000MB 2000MB 35000MB 78.13GB 60.83GB	Lineitem Data Lineitem Indexes Other Tables Data Other Indexes Temp Tables P: Stripeset Backups Free Space
	6 - 36.4GB RAID-0	Physical Drive 31; Logical Node 7	18000MB 3000MB 8000MB 2000MB 35000MB 78.13GB 60.83GB	Lineitem Data Lineitem Indexes Other Table Data Other Table Indexes Temp Tables P: Stripeset Backups Free Space
	2 - 36.4GB	Physical Drive 32	33.9GB	Unused

* The physical drives that do not have drive letters are assigned Windows junction points

The priced configuration used 136 disks. An additional 14 disks were used to store the 300GB database files and were not priced.

5.3 Database Partition / Replication Mapping

The mapping of database partitions/replications must be explicitly described.

The database was not replicated. The database was logically partitioned into eight logical nodes.

5.4 RAID Implementation

Implementations may use some form of RAID to ensure high availability. If used for data, auxiliary storage (e.g., indexes) or temporary space, the level of RAID must be disclosed for each device.

RAID-1 was used for log disks. RAID-0 was used for all other database disks and the temporary tablespace. The Nation and Region tables were placed on the D: drive internal SCSI drive .

5.5 DBGEN Modifications

Any modifications to the DBGEN (see Clause 4.2.1) source code must be disclosed. In the event that a program other than DBGEN was used to populate the database, it must be disclosed in its entirety.

The standard distribution DBGEN version 1.3.0 was used for database population. No modifications were made.

5.6 Database Load Time

The database load time for the test database (see Clause 4.3) must be disclosed.

See the Executive Summary at the beginning of this report.

5.7 Data Storage Ratio

The data storage ratio must be disclosed. It is computed as the ratio between the total amount of priced disk space and the chosen test database size as defined in Clause 4.1.3.

The calculation of the data storage ratio is shown in the following table.

Disk Type	Number of Disks	Formatted Space per Disk	Total Disk Space	Scale Factor	Storage Ratio
36.4GB 15K Ultra160 SCSI Drive	136	33.9GB	4610.4GB		
36.4GB 15K Ultra320 SCSI Drive	2	33.9GB	67.8GB		
Total			4678.2GB	300	15.59

The data storage ratio is 15.59, derived by dividing 4678.2GB by the database size of 300GB.

5.8 Database Load Mechanism Details and Illustration

The details of the database load must be disclosed, including a block diagram illustrating the overall process. Disclosure of the load procedure includes all steps, scripts, input and configuration files required to completely reproduce the test and qualification databases.

Flat files for each of the tables were created using DBGEN.

The NATION and REGION tables were created on node 0 and then loaded from dbgen output. The other tables were loaded on the eight logical nodes.

The tables were loaded as depicted in Figure 4-1.




Figure 4-1. Database Load Procedure

5.9 Qualification Database Configuration

Any differences between the configuration of the qualification database and the test database must be disclosed.

The qualification database used identical scripts and disk structure to create and load the data with adjustments for size difference, fewer logical nodes (2), and fewer logical drives were used. Adjustments were also made so that the test database and the qualification database could exist concurrently. The command “SET DB2INSTANCE=QUAL” was used to change from the test database to the qualification database. This setting persisted for the DB2 command session. See Section 5.2 for details.

6 Clause 5: Performance Metrics and Execution Rules Related Items

6.1 System Activity between Load and Performance Tests

Any system activity on the SUT that takes place between the conclusion of the load test and the beginning of the performance test must be fully disclosed.

The auditor requested that queries be run against the database to verify the correctness of the database load.

6.2 Steps in the Power Test

The details of the steps followed to implement the power test (e.g., system reboot, database restart) must be disclosed.

The following steps were used to implement the power test:

1. RF1 Refresh Transaction
2. Stream 00 Execution
3. RF2 Refresh Transaction

6.3 Timing Intervals for Each Query and Refresh Function

The timing intervals for each query of the measured set and for both update functions must be reported for the power test.

See the Numerical Quantities Summary in the Executive Summary at the beginning of this report.

6.4 Number of Streams for the Throughput Test

The number of execution streams used for the throughput test must be disclosed.

Six streams were used for the throughput test.

6.5 Start and End Date/Times for Each Query Stream

The start time and finish time for each query execution stream must be reported for the throughput test.

See the Numerical Quantities Summary in the Executive Summary at the beginning of this report.

6.6 Total Elapsed Time for the Measurement Interval

The total elapsed time for the measurement interval must be reported for the throughput test.

See the Numerical Quantities Summary in the Executive Summary at the beginning of this report..

6.7 Refresh Function Start Date/Time and Finish Date/Time

The start time and finish time for each update function in the update stream must be reported for the throughput test.

See the Numerical Quantities Summary in the Executive Summary at the beginning of this report.

6.8 Timing Intervals for Each Query and Each Refresh Function for Each Stream

The timing intervals for each query of each stream and for each update function must be reported for the throughput test.

See the Numerical Quantities Summary in the Executive Summary at the beginning of this report.

6.9 Performance Metrics

The computed performance metrics, related numerical quantities, and the price/performance metric must be reported.

See the Numerical Quantities Summary in the Executive Summary at the beginning of this report.

6.10 Performance Metric and Numerical Quantities from Both Runs

The performance metric and numerical quantities from both runs must be disclosed.

Two consecutive runs of the TPC-H benchmark were performed. The following table contains the results for both runs.

	QppH @ 300GB	QthH @ 300GB	QphH @ 300GB
Run1	8,189.1	4,931.5	6,354.9
Run2	8,393.8	4,922.3	6,427.8

6.11 System Activity between Tests

Any activity on the SUT that takes place between the conclusion of Run1 and the beginning of Run2 must be disclosed.

DB2 was restarted between runs.

7 Clause 6: SUT and Driver Implementation Related Items

7.1 Driver

A detailed textual description of how the driver performs its functions, how its various components interact and any product functionality or environmental setting on which it relies must be provided. All related source code, scripts and configurations must be disclosed. The information provided should be sufficient for an independent reconstruction of the driver.

Appendix D, “Driver Source Code,” contains the source code used for the driver and all scripts used in connection with it.

The Power test is invoked by calling tpcdbatch with the stream number 0 specified, an indication that the refresh functions must be run, and the SQL file that contains the power stream queries.

The Throughput test is invoked by initiating a call to tpcdbatch for every query stream that will be run. Tpcdbatch gets the stream number for each of the streams, and the SQL file specific to that stream number as the queries to execute. The refresh function is initiated as a separate call to tpcdbatch with the SQL script for the refresh functions and the total number of query streams specified.

7.2 Implementation-Specific Layer

If an implementation-specific layer is used, then a detailed description of how it performs its functions must be supplied, including any related source code or scripts. This description should allow an independent reconstruction of the implementation-specific layer.

The implementation specific layer is a single executable SQL application that uses embedded dynamic SQL to process the EQT generated by QGEN. The application is called tpcdbatch to indicate that it processes a batch of TPC-H queries, although it is completely capable of processing any arbitrary SQL statement (both DML and DDL).

A separate instance of tpcdbatch is invoked for each stream. Each instance establishes a distinct connection to the database server through which the EQT is transmitted to the database and the results are returned through the implementation specific layer to the driver. When an instance of tpcdbatch is invoked, it is provided with a context of whether it is running a power test, query stream or refresh stream, as well as an input file containing the 22 queries and/or refresh functions. tpcdbatch then connects to the database, performs any session initialization as well as preparing output files required by the auditor. Then it proceeds to read from the input file and processes each query or refresh function in turn.

For queries, each query is prepared, described, and a cursor is opened and used to fetch the required number of rows. After the last row has been retrieved a commit is issued. For the refresh functions, during the database build all data is first split for each node using the db2split utility. For RF1, the data for each node is further split into n equal portions for both the lineitem and orders tables taking care that the records for the same orderkey remain in the same set. For RF2, the data for each node is further split into m equal portions. During the run, when tpcdbatch encounters a call to execute RF1, it first calls a shell script which loads these n sets of data into n sets of temporary tables (one each for lineitem and orders). Then tpcdbatch forks off n children to do an insert with subselect into the original lineitem and orders tables. When tpcdbatch encounters a call to execute RF2, it calls a shell script that loads these data into a single staging table. Then tpcdbatch forks off p children (where $p * x = m$) to do x sets of deletes from the orders and lineitem tables with a subselect from the staging table.

7.3 Profile-Directed Optimization

Profile-directed optimization was not used.

8 Clause 7: Pricing Related Items

8.1 Hardware and Software Components

A detailed list of the hardware and software used in the priced system must be reported. Each item must have a vendor part number, description and release/revision level, and either general availability status or committed delivery date. If package-pricing is used, contents of the package must be disclosed. Pricing source(s) and effective date(s) must also be reported.

A detailed list of all hardware and software, including the 3-year price, is provided in the Executive Summary at the front of this report. The price quotations are included in Appendix F.

8.2 Three-Year Cost of System Configuration

The total 3-year price of the entire configuration must be reported, including hardware, software and maintenance charges. Separate component pricing is recommended. The basis of all discounts must be disclosed.

A detailed list of all hardware and software, including the 3-year price, is provided in the Executive Summary at the front of this report. The price quotations are included in Appendix F.

8.3 Availability Dates

The committed delivery date for general availability (availability date) of products used in the price calculations must be reported. When the priced system includes products with different availability dates, availability date reported on the Executive Summary must be the date by which all components are committed to being available. The Full Disclosure Report must report availability dates individually for at least each of the categories for which a pricing subtotal must be provided (see Clause 7.3.1.3).

The server hardware is generally available; the database software will be generally available November 8, 2003, and the storage hardware will be generally available February 7, 2004. The total solution as priced will be generally available February 7, 2004.

8.4 Country-Specific Pricing

Additional Clause 7 related items may be included in the Full Disclosure Report for each country-specific priced configuration. Country-specific pricing is subject to Clause 7.1.7.

The configuration is priced for the United States of America.

Clause 9: Audit Related Items

9.1 Auditor's Report

The auditor's agency name, address, phone number, and Attestation letter with a brief audit summary report indicating compliance must be included in the Full Disclosure Report. A statement should be included specifying who to contact in order to obtain further information regarding the audit process.

This implementation of the TPC Benchmark H was audited by Brad Askins of InfoSizing, Inc. For a copy of this disclosure, go to www.tpc.org.

Benchmark Sponsors:

Kamran Amini Mgr., xSeries Performance IBM Systems Group 3039 Cornwallis Road Research Triangle Park, NC 27709	Haider Rizvi Mgr., DB2 Data Warehouse Performance IBM Canada Ltd; 8200 Warden Avenue Markham, Ontario L6G 1C7
--	--

August 3, 2003

I verified the TPC Benchmark™ H performance of the following configuration:

Platform: **IBM @server xSeries 445**
 Database Manager: **IBM DB2 UDB 8.1**
 Operating System: **Microsoft Windows Server 2003 Enterprise Edition**

The results were:

CPU (Speed)	Memory	Disks	QphH@300GB
IBM @server xSeries 445			
8 x Intel Xeon MP (2.8 GHz)	2MB ECC L3 Cache/cpu 16 GB Main	138 x 36.4 GB	6,354.9

In my opinion, this performance result was produced in compliance with the TPC's requirements for the benchmark. The following verification items were given special attention:

- The database records were defined with the proper layout and size
- The database population was generated using DBGEN
- The database was properly scaled to 300GB and populated accordingly
- The compliance of the database auxiliary data structures was verified

- The database load time was correctly measured and reported
- The required ACID properties were verified and met
- The query input variables were generated by QGEN
- The query text was produced using minor modifications and 1 variant
- The execution of the queries against the SF1 database produced compliant answers
- A compliant implementation specific layer was used to drive the tests
- The throughput tests involved 6 query streams
- The ratio between the longest and the shortest query was such that no query timing was adjusted
- The execution times for queries and refresh functions were correctly measured and reported
- The repeatability of the measured results was verified
- The required amount of database log was configured
- The system pricing was verified for major components and maintenance
- The major pages from the FDR were verified for accuracy

Respectfully Yours,

A handwritten signature in black ink, appearing to read "François Raab", with a stylized flourish at the end.

François Raab, President

A handwritten signature in black ink, appearing to read "Bradley J. Askins", with a stylized flourish at the end.

Bradley J. Askins, Auditor

Appendix A: Tunable Parameters and System Configuration

DB2 UDB 8.1 Database and Database Manager Configuration

Database Configuration for Node 0

Database Configuration for Database tpcd

Database configuration release level	= 0x0a00
Database release level	= 0x0a00
Database territory	= US
Database code page	= 1252
Database code set	= IBM-1252
Database country/region code	= 1
Dynamic SQL Query management DISABLE	(DYN_QUERY_MGMT) =
Discovery support for this database ENABLE	(DISCOVER_DB) =
Default query optimization class	(DFT_QUERYOPT) = 7
Degree of parallelism	(DFT_DEGREE) = 1
Continue upon arithmetic exceptions NO	(DFT_SQLMATHWARN) =
Default refresh age	(DFT_REFRESH_AGE) = 0
Number of frequent values retained	(NUM_FREQVALUES) = 0
Number of quantiles retained	(NUM_QUANTILES) = 300
Backup pending	= NO
Database is consistent	= YES
Rollforward pending	= NO
Restore pending	= NO

Multi-page file allocation enabled	= NO
Log retain for recovery status	= NO
User exit for logging status	= NO
Data Links Token Expiry Interval (sec)	(DL_EXPINT) = 60
Data Links Write Token Init Expiry Intvl	(DL_WT_IEXPINT) = 60
Data Links Number of Copies	(DL_NUM_COPIES) = 1
Data Links Time after Drop (days)	(DL_TIME_DROP) = 1
Data Links Token in Uppercase	(DL_UPPER) = NO
Data Links Token Algorithm	(DL_TOKEN) = MAC0
Database heap (4KB)	(DBHEAP) = 20000
Size of database shared memory (4KB)	(DATABASE_MEMORY) = AUTOMATIC
Catalog cache size (4KB)	(CATALOGCACHE_SZ) = 386
Log buffer size (4KB)	(LOGBUFSZ) = 2048
Utilities heap size (4KB)	(UTIL_HEAP_SZ) = 40000
Buffer pool size (pages)	(BUFFPAGE) = 60000
Extended storage segments size (4KB)	(ESTORE_SEG_SZ) = 16000
Number of extended storage segments	(NUM_ESTORE_SEGS) = 0
Max storage for lock list (4KB)	(LOCKLIST) = 16384
Max size of appl. group mem set (4KB)	(APPGROUP_MEM_SZ) = 40000
Percent of mem for appl. group heap	(GROUPHEAP_RATIO) = 70
Max appl. control heap size (4KB)	(APP_CTL_HEAP_SZ) = 2048
Sort heap thres for shared sorts (4KB)	(SHEAPTHRES_SHR) = (SHEAPTHRES)
Sort list heap (4KB)	(SORTHEAP) = 6400
SQL statement heap (4KB)	(STMTHEAP) = 10000
Default application heap (4KB)	(APPLHEAPSZ) = 16000
Package cache size (4KB)	(PCKCACHESZ) = 640
Statistics heap size (4KB)	(STAT_HEAP_SZ) = 10000

Interval for checking deadlock (ms) (DLCHKTIME) = 5000

Percent. of lock lists per application (MAXLOCKS) = 5

Lock timeout (sec) (LOCKTIMEOUT) = -1

Changed pages threshold (CHNGPGS_THRESH) = 15

Number of asynchronous page cleaners (NUM_IOCLEANERS) = 4

Number of I/O servers (NUM_IOSERVERS) = 4

Index sort flag (INDEXSORT) = YES

Sequential detect flag (SEQDETECT) = YES

Default prefetch size (pages) (DFT_PREFETCH_SZ) = 16

Track modified pages (TRACKMOD) = OFF

Default number of containers = 1

Default tablespace extentsize (pages) (DFT_EXTENT_SZ) = 32

Max number of active applications (MAXAPPLS) = 40

Average number of active applications (AVG_APPLS) = 1

Max DB files open per application (MAXFILOP) = 1024

Log file size (4KB) (LOGFILSIZ) = 16384

Number of primary log files (LOGPRIMARY) = 20

Number of secondary log files (LOGSECOND) = 2

Changed path to log files (NEWLOGPATH) =

Path to log files = e:\logs\NODE0000\

Overflow log path (OVERFLOWLOGPATH) =

Mirror log path (MIRRORLOGPATH) =

First active log file =

Block log on disk full (BLK_LOG_DSK_FUL) = NO

Percent of max active log space by transaction (MAX_LOG) = 0

Num. of active log files for 1 active UOW (NUM_LOG_SPAN) = 0

Group commit count (MINCOMMIT) = 1

Percent log file reclaimed before soft chkpt (SOFTMAX) = 600

Log retain for recovery enabled (LOGRETAIN) = OFF

User exit for logging enabled (USEREXIT) = OFF

Auto restart enabled (AUTORESTART) = ON

Index re-creation time (INDEXREC) = SYSTEM (ACCESS)

Default number of loadrec sessions (DFT_LOADREC_SES) = 1

Number of database backups to retain (NUM_DB_BACKUPS) = 12

Recovery history retention (days) (REC_HIS_RETENTN) = 366

TSM management class (TSM_MGMTCLASS) =

TSM node name (TSM_NODENAME) =

TSM owner (TSM_OWNER) =

TSM password (TSM_PASSWORD) =

Database Configuration for Node 1

Database Configuration for Database tpcd

Database configuration release level = 0x0a00

Database release level = 0x0a00

Database territory = US

Database code page = 1252

Database code set = IBM-1252

Database country/region code = 1

Dynamic SQL Query management (DYN_QUERY_MGMT) = DISABLE

Discovery support for this database (DISCOVER_DB) = ENABLE

Default query optimization class (DFT_QUERYOPT) = 7

Degree of parallelism (DFT_DEGREE) = 1

Continue upon arithmetic exceptions (DFT_SQLMATHWARN) = NO

Default refresh age (DFT_REFRESH_AGE) = 0

Number of frequent values retained (NUM_FREQVALUES) = 0

Number of quantiles retained (NUM_QUANTILES) = 300

Backup pending = NO

Database is consistent = YES

Rollforward pending = NO

Restore pending = NO

Multi-page file allocation enabled = NO

Log retain for recovery status = NO

User exit for logging status = NO

Data Links Token Expiry Interval (sec) (DL_EXPINT) = 60

Data Links Write Token Init Expiry Intvl(DL_WT_IEXPINT) = 60

Data Links Number of Copies (DL_NUM_COPIES) = 1

Data Links Time after Drop (days) (DL_TIME_DROP) = 1

Data Links Token in Uppercase (DL_UPPER) = NO

Data Links Token Algorithm (DL_TOKEN) = MAC0

Database heap (4KB) (DBHEAP) = 20000

Size of database shared memory (4KB) (DATABASE_MEMORY) = AUTOMATIC

Catalog cache size (4KB) (CATALOGCACHE_SZ) = 386

Log buffer size (4KB) (LOGBUFSZ) = 2048

Utilities heap size (4KB) (UTIL_HEAP_SZ) = 40000

Buffer pool size (pages) (BUFFPAGE) = 60000

Extended storage segments size (4KB) (ESTORE_SEG_SZ) = 16000

Number of extended storage segments (NUM_ESTORE_SEGS) = 0

Max storage for lock list (4KB) (LOCKLIST) = 16384

Max size of appl. group mem set (4KB) (APPGROUP_MEM_SZ) = 40000

Percent of mem for appl. group heap (GROUPHEAP_RATIO) = 70

Max appl. control heap size (4KB) (APP_CTL_HEAP_SZ) = 2048

Sort heap thres for shared sorts (4KB) (SHEAPTHRES_SHR) = (SHEAPTHRES)

Sort list heap (4KB) (SORTHEAP) = 6400

SQL statement heap (4KB) (STMTHEAP) = 10000

Default application heap (4KB) (APPLHEAPSZ) = 16000

Package cache size (4KB) (PCKCACHESZ) = 640

Statistics heap size (4KB) (STAT_HEAP_SZ) = 10000

Interval for checking deadlock (ms) (DLCHKTIME) = 5000

Percent. of lock lists per application (MAXLOCKS) = 5

Lock timeout (sec) (LOCKTIMEOUT) = -1

Changed pages threshold (CHNGPGS_THRESH) = 15

Number of asynchronous page cleaners (NUM_IOCLEANERS) = 4

Number of I/O servers (NUM_IOSERVERS) = 4

Index sort flag (INDEXSORT) = YES

Sequential detect flag (SEQDETECT) = YES

Default prefetch size (pages) (DFT_PREFETCH_SZ) = 16

Track modified pages (TRACKMOD) = OFF

Default number of containers = 1

Default tablespace extentsize (pages) (DFT_EXTENT_SZ) = 32

Max number of active applications (MAXAPPLS) = 40

Average number of active applications (AVG_APPLS) = 1

Max DB files open per application (MAXFILOP) = 1024

Log file size (4KB) (LOGFILSIZ) = 16384

Number of primary log files (LOGPRIMARY) = 20

Number of secondary log files (LOGSECOND) = 2

Changed path to log files (NEWLOGPATH) =

Path to log files = h:\logs\NODE0001\

Overflow log path (OVERFLOWLOGPATH) =

Mirror log path (MIRRORLOGPATH) =

First active log file =

Block log on disk full (BLK_LOG_DSK_FUL) = NO

Percent of max active log space by transaction (MAX_LOG) = 0

Num. of active log files for 1 active UOW (NUM_LOG_SPAN) = 0

Group commit count (MINCOMMIT) = 1

Percent log file reclaimed before soft ckcpt (SOFTMAX) = 600

Log retain for recovery enabled (LOGRETAIN) = OFF

User exit for logging enabled (USEREXIT) = OFF

Auto restart enabled (AUTORESTART) = ON

Index re-creation time (INDEXREC) = SYSTEM (ACCESS)

Default number of loadrec sessions (DFT_LOADREC_SES) = 1

Number of database backups to retain (NUM_DB_BACKUPS) = 12

Recovery history retention (days) (REC_HIS_RETENTN) = 366

TSM management class (TSM_MGMTCLASS) =

TSM node name (TSM_NODENAME) =

TSM owner (TSM_OWNER) =

TSM password (TSM_PASSWORD) =

Database Configuration for Node 2

Database Configuration for Database tpcd

Database configuration release level = 0x0a00

Database release level = 0x0a00

Database territory = US

Database code page = 1252

Database code set = IBM-1252

Database country/region code = 1

Dynamic SQL Query management (DYN_QUERY_MGMT) = DISABLE

Discovery support for this database (DISCOVER_DB) = ENABLE

Default query optimization class (DFT_QUERYOPT) = 7

Degree of parallelism (DFT_DEGREE) = 1

Continue upon arithmetic exceptions (DFT_SQLMATHWARN) = NO

Default refresh age (DFT_REFRESH_AGE) = 0

Number of frequent values retained (NUM_FREQVALUES) = 0

Number of quantiles retained (NUM_QUANTILES) = 300

Backup pending = NO

Database is consistent = YES

Rollforward pending = NO

Restore pending = NO

Multi-page file allocation enabled = NO

Log retain for recovery status = NO

User exit for logging status = NO

Data Links Token Expiry Interval (sec) (DL_EXPINT) = 60

Data Links Write Token Init Expiry Intvl (DL_WT_IEXPINT) = 60

Data Links Number of Copies (DL_NUM_COPIES) = 1

Data Links Time after Drop (days) (DL_TIME_DROP) = 1

Data Links Token in Uppercase (DL_UPPER) = NO

Data Links Token Algorithm (DL_TOKEN) = MAC0

Database heap (4KB) (DBHEAP) = 20000

Size of database shared memory (4KB) (DATABASE_MEMORY) = AUTOMATIC

Catalog cache size (4KB) (CATALOGCACHE_SZ) = 386

Log buffer size (4KB) (LOGBUFSZ) = 2048

Utilities heap size (4KB) (UTIL_HEAP_SZ) = 40000

Buffer pool size (pages) (BUFFPAGE) = 60000

Extended storage segments size (4KB) (ESTORE_SEG_SZ) = 16000

Number of extended storage segments (NUM_ESTORE_SEGS) = 0

Max storage for lock list (4KB) (LOCKLIST) = 16384

Max size of appl. group mem set (4KB) (APPGROUP_MEM_SZ) = 40000

Percent of mem for appl. group heap (GROUPHEAP_RATIO) = 70

Max appl. control heap size (4KB) (APP_CTL_HEAP_SZ) = 2048

Sort heap thres for shared sorts (4KB) (SHEAPTHRES_SHR) = (SHEAPTHRES)

Sort list heap (4KB) (SORTHEAP) = 6400

SQL statement heap (4KB) (STMTHEAP) = 10000

Default application heap (4KB) (APPLHEAPSZ) = 16000

Package cache size (4KB) (PCKCACHESZ) = 640

Statistics heap size (4KB) (STAT_HEAP_SZ) = 10000

Interval for checking deadlock (ms) (DLCHKTIME) = 5000

Percent. of lock lists per application (MAXLOCKS) = 5

Lock timeout (sec) (LOCKTIMEOUT) = -1

Changed pages threshold (CHNGPGS_THRESH) = 15

Number of asynchronous page cleaners (NUM_IOCLEANERS) = 4

Number of I/O servers (NUM_IOSERVERS) = 4

Index sort flag (INDEXSORT) = YES

Sequential detect flag (SEQDETECT) = YES

Default prefetch size (pages) (DFT_PREFETCH_SZ) = 16

Track modified pages (TRACKMOD) = OFF

Default number of containers = 1

Default tablespace extentsize (pages) (DFT_EXTENT_SZ) = 32

Max number of active applications (MAXAPPLS) = 40

Average number of active applications (AVG_APPLS) = 1

Max DB files open per application (MAXFILOP) = 1024

Log file size (4KB) (LOGFILSZ) = 16384

Number of primary log files (LOGPRIMARY) = 20

Number of secondary log files (LOGSECOND) = 2

Changed path to log files (NEWLOGPATH) =

Path to log files = m:\logs\NODE0002\

Overflow log path (OVERFLOWLOGPATH) =

Mirror log path (MIRRORLOGPATH) =

First active log file =

Block log on disk full (BLK_LOG_DSK_FUL) = NO

Percent of max active log space by transaction (MAX_LOG) = 0

Num. of active log files for 1 active UOW (NUM_LOG_SPAN) = 0

Group commit count (MINCOMMIT) = 1

Percent log file reclaimed before soft chkpt (SOFTMAX) = 600

Log retain for recovery enabled (LOGRETAIN) = OFF

User exit for logging enabled (USEREXIT) = OFF

Auto restart enabled (AUTORESTART) = ON

Index re-creation time (INDEXREC) = SYSTEM (ACCESS)

Default number of loadrec sessions (DFT_LOADREC_SES) = 1

Number of database backups to retain (NUM_DB_BACKUPS) = 12

Recovery history retention (days) (REC_HIS_RETENTN) = 366

TSM management class (TSM_MGMTCLASS) =

TSM node name (TSM_NODENAME) =

TSM owner (TSM_OWNER) =
TSM password (TSM_PASSWORD) =

Database Configuration for Node 3

Database Configuration for Database tpcd

Database configuration release level = 0x0a00

Database release level = 0x0a00

Database territory = US

Database code page = 1252

Database code set = IBM-1252

Database country/region code = 1

Dynamic SQL Query management (DYN_QUERY_MGMT) =
DISABLE

Discovery support for this database (DISCOVER_DB) =
ENABLE

Default query optimization class (DFT_QUERYOPT) = 7

Degree of parallelism (DFT_DEGREE) = 1

Continue upon arithmetic exceptions (DFT_SQLMATHWARN) =
NO

Default refresh age (DFT_REFRESH_AGE) = 0

Number of frequent values retained (NUM_FREQVALUES) = 0

Number of quantiles retained (NUM_QUANTILES) = 300

Backup pending = NO

Database is consistent = YES

Rollforward pending = NO

Restore pending = NO

Multi-page file allocation enabled = NO

Log retain for recovery status = NO

User exit for logging status = NO

Data Links Token Expiry Interval (sec) (DL_EXPINT) = 60

Data Links Write Token Init Expiry Intvl(DL_WT_IEXPINT) = 60

Data Links Number of Copies (DL_NUM_COPIES) = 1

Data Links Time after Drop (days) (DL_TIME_DROP) = 1

Data Links Token in Uppercase (DL_UPPER) = NO

Data Links Token Algorithm (DL_TOKEN) = MAC0

Database heap (4KB) (DBHEAP) = 20000

Size of database shared memory (4KB) (DATABASE_MEMORY) =
AUTOMATIC

Catalog cache size (4KB) (CATALOGCACHE_SZ) = 386

Log buffer size (4KB) (LOGBUFSZ) = 2048

Utilities heap size (4KB) (UTIL_HEAP_SZ) = 40000

Buffer pool size (pages) (BUFFPAGE) = 60000

Extended storage segments size (4KB) (ESTORE_SEG_SZ) =
16000

Number of extended storage segments (NUM_ESTORE_SEGS) = 0

Max storage for lock list (4KB) (LOCKLIST) = 16384

Max size of appl. group mem set (4KB) (APPGROUP_MEM_SZ) =
40000

Percent of mem for appl. group heap (GROUPHEAP_RATIO) = 70

Max appl. control heap size (4KB) (APP_CTL_HEAP_SZ) = 2048

Sort heap thres for shared sorts (4KB) (SHEAPTHRES_SHR) =
(SHEAPTHRES)

Sort list heap (4KB) (SORTHEAP) = 6400

SQL statement heap (4KB) (STMTHEAP) = 10000

Default application heap (4KB) (APPLHEAPSZ) = 16000

Package cache size (4KB) (PCKCACHESZ) = 640

Statistics heap size (4KB) (STAT_HEAP_SZ) = 10000

Interval for checking deadlock (ms) (DLCHKTIME) = 5000

Percent. of lock lists per application (MAXLOCKS) = 5

Lock timeout (sec) (LOCKTIMEOUT) = -1

Changed pages threshold (CHNGPGS_THRESH) = 15

Number of asynchronous page cleaners (NUM_IOCLEANERS) = 4

Number of I/O servers (NUM_IOSERVERS) = 4

Index sort flag (INDEXSORT) = YES

Sequential detect flag (SEQDETECT) = YES

Default prefetch size (pages) (DFT_PREFETCH_SZ) = 16

Track modified pages (TRACKMOD) = OFF

Default number of containers = 1

Default tablespace extentsize (pages) (DFT_EXTENT_SZ) = 32

Max number of active applications (MAXAPPLS) = 40

Average number of active applications (AVG_APPLS) = 1

Max DB files open per application (MAXFILOP) = 1024

Log file size (4KB) (LOGFILSIZ) = 16384

Number of primary log files (LOGPRIMARY) = 20

Number of secondary log files (LOGSECOND) = 2

Changed path to log files (NEWLOGPATH) =

Path to log files = n:\logs\NODE0003\

Overflow log path (OVERFLOWLOGPATH) =

Mirror log path (MIRRORLOGPATH) =

First active log file =

Block log on disk full (BLK_LOG_DSK_FUL) = NO

Percent of max active log space by transaction (MAX_LOG) = 0

Num. of active log files for 1 active UOW (NUM_LOG_SPAN) = 0

Group commit count (MINCOMMIT) = 1

Percent log file reclaimed before soft chkpt (SOFTMAX) = 600

Log retain for recovery enabled (LOGRETAIN) = OFF

User exit for logging enabled (USEREXIT) = OFF

Auto restart enabled (AUTORESTART) = ON

Index re-creation time (INDEXREC) = SYSTEM (ACCESS)

Default number of loadrec sessions (DFT_LOADREC_SES) = 1

Number of database backups to retain (NUM_DB_BACKUPS) = 12

Recovery history retention (days) (REC_HIS_RETENTN) = 366

TSM management class (TSM_MGMTCLASS) =

TSM node name (TSM_NODENAME) =

TSM owner (TSM_OWNER) =

TSM password (TSM_PASSWORD) =

Database Configuration for Node 4

Database Configuration for Database tpcd

Database configuration release level = 0x0a00

Database release level = 0x0a00

Database territory = US

Database code page = 1252

Database code set = IBM-1252

Database country/region code = 1

Dynamic SQL Query management (DYN_QUERY_MGMT) = DISABLE

Discovery support for this database (DISCOVER_DB) = ENABLE

Default query optimization class (DFT_QUERYOPT) = 7

Degree of parallelism (DFT_DEGREE) = 1

Continue upon arithmetic exceptions (DFT_SQLMATHWARN) = NO

Default refresh age (DFT_REFRESH_AGE) = 0

Number of frequent values retained (NUM_FREQVALUES) = 0

Number of quantiles retained	(NUM_QUANTILES) = 300	Max appl. control heap size (4KB)	(APP_CTL_HEAP_SZ) = 2048
Backup pending	= NO	Sort heap thres for shared sorts (4KB) (SHEAPTHRES_SHR) =	(SHEAPTHRES)
Database is consistent	= YES	Sort list heap (4KB)	(SORTHEAP) = 6400
Rollforward pending	= NO	SQL statement heap (4KB)	(STMTHEAP) = 10000
Restore pending	= NO	Default application heap (4KB)	(APPLHEAPSZ) = 16000
Multi-page file allocation enabled	= NO	Package cache size (4KB)	(PCKCACHESZ) = 640
Log retain for recovery status	= NO	Statistics heap size (4KB)	(STAT_HEAP_SZ) = 10000
User exit for logging status	= NO	Interval for checking deadlock (ms)	(DLCHKTIME) = 5000
Data Links Token Expiry Interval (sec)	(DL_EXPINT) = 60	Percent. of lock lists per application	(MAXLOCKS) = 5
Data Links Write Token Init Expiry Intvl(DL_WT_IEXPINT) = 60		Lock timeout (sec)	(LOCKTIMEOUT) = -1
Data Links Number of Copies	(DL_NUM_COPIES) = 1	Changed pages threshold	(CHNGPGS_THRESH) = 15
Data Links Time after Drop (days)	(DL_TIME_DROP) = 1	Number of asynchronous page cleaners	(NUM_IOCLEANERS) = 4
Data Links Token in Uppercase	(DL_UPPER) = NO	Number of I/O servers	(NUM_IOSERVERS) = 4
Data Links Token Algorithm	(DL_TOKEN) = MAC0	Index sort flag	(INDEXSORT) = YES
Database heap (4KB)	(DBHEAP) = 20000	Sequential detect flag	(SEQDETECT) = YES
Size of database shared memory (4KB) (DATABASE_MEMORY) = AUTOMATIC		Default prefetch size (pages)	(DFT_PREFETCH_SZ) = 16
Catalog cache size (4KB)	(CATALOGCACHE_SZ) = 386	Track modified pages	(TRACKMOD) = OFF
Log buffer size (4KB)	(LOGBUFSZ) = 2048	Default number of containers	= 1
Utilities heap size (4KB)	(UTIL_HEAP_SZ) = 40000	Default tablespace extentsize (pages)	(DFT_EXTENT_SZ) = 32
Buffer pool size (pages)	(BUFFPAGE) = 60000	Max number of active applications	(MAXAPPLS) = 40
Extended storage segments size (4KB) (ESTORE_SEG_SZ) = 16000		Average number of active applications	(AVG_APPLS) = 1
Number of extended storage segments	(NUM_ESTORE_SEGS) = 0	Max DB files open per application	(MAXFILOP) = 1024
Max storage for lock list (4KB)	(LOCKLIST) = 16384	Log file size (4KB)	(LOGFILSIZ) = 16384
Max size of appl. group mem set (4KB) (APPGROUP_MEM_SZ) = 40000		Number of primary log files	(LOGPRIMARY) = 20
Percent of mem for appl. group heap	(GROUPHEAP_RATIO) = 70	Number of secondary log files	(LOGSECOND) = 2
		Changed path to log files	(NEWLOGPATH) =
		Path to log files	= i:\logs\NODE0004\

Overflow log path	(OVERFLOWLOGPATH) =
Mirror log path	(MIRRORLOGPATH) =
First active log file	=
Block log on disk full	(BLK_LOG_DSK_FUL) = NO
Percent of max active log space by transaction	(MAX_LOG) = 0
Num. of active log files for 1 active UOW	(NUM_LOG_SPAN) = 0
Group commit count	(MINCOMMIT) = 1
Percent log file reclaimed before soft ckcpt	(SOFTMAX) = 600
Log retain for recovery enabled	(LOGRETAIN) = OFF
User exit for logging enabled	(USEREXIT) = OFF
Auto restart enabled	(AUTORESTART) = ON
Index re-creation time (ACCESS)	(INDEXREC) = SYSTEM
Default number of loadrec sessions	(DFT_LOADREC_SES) = 1
Number of database backups to retain	(NUM_DB_BACKUPS) = 12
Recovery history retention (days)	(REC_HIS_RETENTN) = 366
TSM management class	(TSM_MGMTCLASS) =
TSM node name	(TSM_NODENAME) =
TSM owner	(TSM_OWNER) =
TSM password	(TSM_PASSWORD) =

Database Configuration for Node 5

Database Configuration for Database tpcd

Database configuration release level	= 0x0a00
Database release level	= 0x0a00
Database territory	= US
Database code page	= 1252
Database code set	= IBM-1252
Database country/region code	= 1

Dynamic SQL Query management	(DYN_QUERY_MGMT) = DISABLE
Discovery support for this database	(DISCOVER_DB) = ENABLE
Default query optimization class	(DFT_QUERYOPT) = 7
Degree of parallelism	(DFT_DEGREE) = 1
Continue upon arithmetic exceptions	(DFT_SQLMATHWARN) = NO
Default refresh age	(DFT_REFRESH_AGE) = 0
Number of frequent values retained	(NUM_FREQVALUES) = 0
Number of quantiles retained	(NUM_QUANTILES) = 300
Backup pending	= NO
Database is consistent	= YES
Rollforward pending	= NO
Restore pending	= NO
Multi-page file allocation enabled	= NO
Log retain for recovery status	= NO
User exit for logging status	= NO
Data Links Token Expiry Interval (sec)	(DL_EXPINT) = 60
Data Links Write Token Init Expiry Intvl	(DL_WT_IEXPINT) = 60
Data Links Number of Copies	(DL_NUM_COPIES) = 1
Data Links Time after Drop (days)	(DL_TIME_DROP) = 1
Data Links Token in Uppercase	(DL_UPPER) = NO
Data Links Token Algorithm	(DL_TOKEN) = MAC0
Database heap (4KB)	(DBHEAP) = 20000
Size of database shared memory (4KB)	(DATABASE_MEMORY) = AUTOMATIC
Catalog cache size (4KB)	(CATALOGCACHE_SZ) = 386

Log buffer size (4KB) (LOGBUFSZ) = 2048

Utilities heap size (4KB) (UTIL_HEAP_SZ) = 40000

Buffer pool size (pages) (BUFFPAGE) = 60000

Extended storage segments size (4KB) (ESTORE_SEG_SZ) = 16000

Number of extended storage segments (NUM_ESTORE_SEGS) = 0

Max storage for lock list (4KB) (LOCKLIST) = 16384

Max size of appl. group mem set (4KB) (APPGROUP_MEM_SZ) = 40000

Percent of mem for appl. group heap (GROUPHEAP_RATIO) = 70

Max appl. control heap size (4KB) (APP_CTL_HEAP_SZ) = 2048

Sort heap thres for shared sorts (4KB) (SHEAPTHRES_SHR) = (SHEAPTHRES)

Sort list heap (4KB) (SORTHEAP) = 6400

SQL statement heap (4KB) (STMTHEAP) = 10000

Default application heap (4KB) (APPLHEAPSZ) = 16000

Package cache size (4KB) (PCKCACHESZ) = 640

Statistics heap size (4KB) (STAT_HEAP_SZ) = 10000

Interval for checking deadlock (ms) (DLCHKTIME) = 5000

Percent. of lock lists per application (MAXLOCKS) = 5

Lock timeout (sec) (LOCKTIMEOUT) = -1

Changed pages threshold (CHNGPGS_THRESH) = 15

Number of asynchronous page cleaners (NUM_IOCLEANERS) = 4

Number of I/O servers (NUM_IOSERVERS) = 4

Index sort flag (INDEXSORT) = YES

Sequential detect flag (SEQDETECT) = YES

Default prefetch size (pages) (DFT_PREFETCH_SZ) = 16

Track modified pages (TRACKMOD) = OFF

Default number of containers = 1

Default tablespace extentsize (pages) (DFT_EXTENT_SZ) = 32

Max number of active applications (MAXAPPLS) = 40

Average number of active applications (AVG_APPLS) = 1

Max DB files open per application (MAXFILOP) = 1024

Log file size (4KB) (LOGFILSIZ) = 16384

Number of primary log files (LOGPRIMARY) = 20

Number of secondary log files (LOGSECOND) = 2

Changed path to log files (NEWLOGPATH) =

Path to log files = j:\logs\NODE0005\

Overflow log path (OVERFLOWLOGPATH) =

Mirror log path (MIRRORLOGPATH) =

First active log file =

Block log on disk full (BLK_LOG_DSK_FUL) = NO

Percent of max active log space by transaction (MAX_LOG) = 0

Num. of active log files for 1 active UOW (NUM_LOG_SPAN) = 0

Group commit count (MINCOMMIT) = 1

Percent log file reclaimed before soft ckcpt (SOFTMAX) = 600

Log retain for recovery enabled (LOGRETAIN) = OFF

User exit for logging enabled (USEREXIT) = OFF

Auto restart enabled (AUTORESTART) = ON

Index re-creation time (INDEXREC) = SYSTEM (ACCESS)

Default number of loadrec sessions (DFT_LOADREC_SES) = 1

Number of database backups to retain (NUM_DB_BACKUPS) = 12

Recovery history retention (days) (REC_HIS_RETENTN) = 366

TSM management class (TSM_MGMTCLASS) =

TSM node name (TSM_NODENAME) =

TSM owner (TSM_OWNER) =

TSM password (TSM_PASSWORD) =

Database Configuration for Node 6

Database Configuration for Database tpcd

Database configuration release level	= 0x0a00
Database release level	= 0x0a00
Database territory	= US
Database code page	= 1252
Database code set	= IBM-1252
Database country/region code	= 1
Dynamic SQL Query management DISABLE	(DYN_QUERY_MGMT) =
Discovery support for this database ENABLE	(DISCOVER_DB) =
Default query optimization class	(DFT_QUERYOPT) = 7
Degree of parallelism	(DFT_DEGREE) = 1
Continue upon arithmetic exceptions NO	(DFT_SQLMATHWARN) =
Default refresh age	(DFT_REFRESH_AGE) = 0
Number of frequent values retained	(NUM_FREQVALUES) = 0
Number of quantiles retained	(NUM_QUANTILES) = 300
Backup pending	= NO
Database is consistent	= YES
Rollforward pending	= NO
Restore pending	= NO
Multi-page file allocation enabled	= NO
Log retain for recovery status	= NO
User exit for logging status	= NO

Data Links Token Expiry Interval (sec)	(DL_EXPINT) = 60
Data Links Write Token Init Expiry Intvl(DL_WT_IEXPINT)	= 60
Data Links Number of Copies	(DL_NUM_COPIES) = 1
Data Links Time after Drop (days)	(DL_TIME_DROP) = 1
Data Links Token in Uppercase	(DL_UPPER) = NO
Data Links Token Algorithm	(DL_TOKEN) = MAC0
Database heap (4KB)	(DBHEAP) = 20000
Size of database shared memory (4KB)	(DATABASE_MEMORY) = AUTOMATIC
Catalog cache size (4KB)	(CATALOGCACHE_SZ) = 386
Log buffer size (4KB)	(LOGBUFSZ) = 2048
Utilities heap size (4KB)	(UTIL_HEAP_SZ) = 40000
Buffer pool size (pages)	(BUFFPAGE) = 60000
Extended storage segments size (4KB)	(ESTORE_SEG_SZ) = 16000
Number of extended storage segments	(NUM_ESTORE_SEGS) = 0
Max storage for lock list (4KB)	(LOCKLIST) = 16384
Max size of appl. group mem set (4KB)	(APPGROUP_MEM_SZ) = 40000
Percent of mem for appl. group heap	(GROUPHEAP_RATIO) = 70
Max appl. control heap size (4KB)	(APP_CTL_HEAP_SZ) = 2048
Sort heap thres for shared sorts (4KB)	(SHEAPTHRES_SHR) = (SHEAPTHRES)
Sort list heap (4KB)	(SORTHEAP) = 6400
SQL statement heap (4KB)	(STMTHEAP) = 10000
Default application heap (4KB)	(APPLHEAPSZ) = 16000
Package cache size (4KB)	(PCKCACHESZ) = 640
Statistics heap size (4KB)	(STAT_HEAP_SZ) = 10000
Interval for checking deadlock (ms)	(DLCHKTIME) = 5000
Percent. of lock lists per application	(MAXLOCKS) = 5
Lock timeout (sec)	(LOCKTIMEOUT) = -1

Changed pages threshold (CHNGPGS_THRESH) = 15
 Number of asynchronous page cleaners (NUM_IOCLEANERS) = 4
 Number of I/O servers (NUM_IOSERVERS) = 4
 Index sort flag (INDEXSORT) = YES
 Sequential detect flag (SEQDETECT) = YES
 Default prefetch size (pages) (DFT_PREFETCH_SZ) = 16

 Track modified pages (TRACKMOD) = OFF

 Default number of containers = 1
 Default tablespace extentsize (pages) (DFT_EXTENT_SZ) = 32

 Max number of active applications (MAXAPPLS) = 40
 Average number of active applications (AVG_APPLS) = 1
 Max DB files open per application (MAXFILOP) = 1024

 Log file size (4KB) (LOGFILSIZ) = 16384
 Number of primary log files (LOGPRIMARY) = 20
 Number of secondary log files (LOGSECOND) = 2
 Changed path to log files (NEWLOGPATH) =
 Path to log files = g:\logs\NODE0006\
 Overflow log path (OVERFLOWLOGPATH) =
 Mirror log path (MIRRORLOGPATH) =
 First active log file =
 Block log on disk full (BLK_LOG_DSK_FUL) = NO
 Percent of max active log space by transaction (MAX_LOG) = 0
 Num. of active log files for 1 active UOW (NUM_LOG_SPAN) = 0

 Group commit count (MINCOMMIT) = 1
 Percent log file reclaimed before soft ckpt (SOFTMAX) = 600
 Log retain for recovery enabled (LOGRETAIN) = OFF
 User exit for logging enabled (USEREXIT) = OFF

 Auto restart enabled (AUTORESTART) = ON

Index re-creation time (INDEXREC) = SYSTEM
 (ACCESS)
 Default number of loadrec sessions (DFT_LOADREC_SES) = 1
 Number of database backups to retain (NUM_DB_BACKUPS) = 12
 Recovery history retention (days) (REC_HIS_RETENTN) = 366

 TSM management class (TSM_MGMTCLASS) =
 TSM node name (TSM_NODENAME) =
 TSM owner (TSM_OWNER) =
 TSM password (TSM_PASSWORD) =

Database Configuration for Node 7

Database Configuration for Database tpcd

Database configuration release level = 0x0a00
 Database release level = 0x0a00

 Database territory = US
 Database code page = 1252
 Database code set = IBM-1252
 Database country/region code = 1

 Dynamic SQL Query management (DYN_QUERY_MGMT) =
 DISABLE

 Discovery support for this database (DISCOVER_DB) =
 ENABLE

 Default query optimization class (DFT_QUERYOPT) = 7
 Degree of parallelism (DFT_DEGREE) = 1
 Continue upon arithmetic exceptions (DFT_SQLMATHWARN) =
 NO
 Default refresh age (DFT_REFRESH_AGE) = 0
 Number of frequent values retained (NUM_FREQVALUES) = 0
 Number of quantiles retained (NUM_QUANTILES) = 300

 Backup pending = NO

Database is consistent	= YES
Rollforward pending	= NO
Restore pending	= NO
Multi-page file allocation enabled	= NO
Log retain for recovery status	= NO
User exit for logging status	= NO
Data Links Token Expiry Interval (sec)	(DL_EXPINT) = 60
Data Links Write Token Init Expiry Intvl(DL_WT_IEXPINT)	= 60
Data Links Number of Copies	(DL_NUM_COPIES) = 1
Data Links Time after Drop (days)	(DL_TIME_DROP) = 1
Data Links Token in Uppercase	(DL_UPPER) = NO
Data Links Token Algorithm	(DL_TOKEN) = MAC0
Database heap (4KB)	(DBHEAP) = 20000
Size of database shared memory (4KB)	(DATABASE_MEMORY) = AUTOMATIC
Catalog cache size (4KB)	(CATALOGCACHE_SZ) = 386
Log buffer size (4KB)	(LOGBUFSZ) = 2048
Utilities heap size (4KB)	(UTIL_HEAP_SZ) = 40000
Buffer pool size (pages)	(BUFFPAGE) = 60000
Extended storage segments size (4KB)	(ESTORE_SEG_SZ) = 16000
Number of extended storage segments	(NUM_ESTORE_SEGS) = 0
Max storage for lock list (4KB)	(LOCKLIST) = 16384
Max size of appl. group mem set (4KB)	(APPGROUP_MEM_SZ) = 40000
Percent of mem for appl. group heap	(GROUPHEAP_RATIO) = 70
Max appl. control heap size (4KB)	(APP_CTL_HEAP_SZ) = 2048
Sort heap thres for shared sorts (4KB)	(SHEAPTHRES_SHR) = (SHEAPTHRES)

Sort list heap (4KB)	(SORTHEAP) = 6400
SQL statement heap (4KB)	(STMTHEAP) = 10000
Default application heap (4KB)	(APPLHEAPSZ) = 16000
Package cache size (4KB)	(PCKCACHESZ) = 640
Statistics heap size (4KB)	(STAT_HEAP_SZ) = 10000
Interval for checking deadlock (ms)	(DLCHKTIME) = 5000
Percent. of lock lists per application	(MAXLOCKS) = 5
Lock timeout (sec)	(LOCKTIMEOUT) = -1
Changed pages threshold	(CHNGPGS_THRESH) = 15
Number of asynchronous page cleaners	(NUM_IOCLEANERS) = 4
Number of I/O servers	(NUM_IOSERVERS) = 4
Index sort flag	(INDEXSORT) = YES
Sequential detect flag	(SEQDETECT) = YES
Default prefetch size (pages)	(DFT_PREFETCH_SZ) = 16
Track modified pages	(TRACKMOD) = OFF
Default number of containers	= 1
Default tablespace extentsize (pages)	(DFT_EXTENT_SZ) = 32
Max number of active applications	(MAXAPPLS) = 40
Average number of active applications	(AVG_APPLS) = 1
Max DB files open per application	(MAXFILOP) = 1024
Log file size (4KB)	(LOGFILSIZ) = 16384
Number of primary log files	(LOGPRIMARY) = 20
Number of secondary log files	(LOGSECOND) = 2
Changed path to log files	(NEWLOGPATH) =
Path to log files	= k:\logs\NODE0007\
Overflow log path	(OVERFLOWLOGPATH) =
Mirror log path	(MIRRORLOGPATH) =
First active log file	=

Block log on disk full (BLK_LOG_DSK_FUL) = NO

Percent of max active log space by transaction (MAX_LOG) = 0

Num. of active log files for 1 active UOW (NUM_LOG_SPAN) = 0

Group commit count (MINCOMMIT) = 1

Percent log file reclaimed before soft chkpt (SOFTMAX) = 600

Log retain for recovery enabled (LOGRETAIN) = OFF

User exit for logging enabled (USEREXIT) = OFF

Auto restart enabled (AUTORESTART) = ON

Index re-creation time (INDEXREC) = SYSTEM (ACCESS)

Default number of loadrec sessions (DFT_LOADREC_SES) = 1

Number of database backups to retain (NUM_DB_BACKUPS) = 12

Recovery history retention (days) (REC_HIS_RETENTN) = 366

TSM management class (TSM_MGMTCLASS) =

TSM node name (TSM_NODENAME) =

TSM owner (TSM_OWNER) =

TSM password (TSM_PASSWORD) =

DB2 Database Manager Configuration

Database Manager Configuration

Node type = Enterprise Server Edition with local and remote clients

Database manager configuration release level = 0x0a00

Maximum total of files open (MAXTOTFILOP) = 16000

CPU speed (millisec/instruction) (CPUSPEED) = 7.951129e-007

Communications bandwidth (MB/sec) (COMM_BANDWIDTH) = 7.000000e+000

Max number of concurrently active databases (NUMDB) = 1

Data Links support (DATA LINKS) = NO

Federated Database System Support (FEDERATED) = NO

Transaction processor monitor name (TP_MON_NAME) =

Default charge-back account (DFT_ACCOUNT_STR) =

Java Development Kit installation path (JDK_PATH) =

Diagnostic error capture level (DIAGLEVEL) = 3

Notify Level (NOTIFYLEVEL) = 3

Diagnostic data directory path (DIAGPATH) =

Default database monitor switches

Buffer pool (DFT_MON_BUFPOOL) = OFF

Lock (DFT_MON_LOCK) = OFF

Sort (DFT_MON_SORT) = OFF

Statement (DFT_MON_STMT) = OFF

Table (DFT_MON_TABLE) = OFF

Timestamp (DFT_MON_TIMESTAMP) = ON

Unit of work (DFT_MON_UOW) = OFF

Monitor health of instance and databases (HEALTH_MON) = OFF

SYSADM group name (SYSADM_GROUP) =

SYSCTRL group name (SYSCTRL_GROUP) =

SYSMAINT group name (SYSMAINT_GROUP) =

Database manager authentication (AUTHENTICATION) = SERVER

Cataloging allowed without authority (CATALOG_NOAUTH) = NO

Trust all clients (TRUST_ALLCLNTS) = YES

Trusted client authentication (TRUST_CLNTAUTH) = CLIENT

Bypass federated authentication (FED_NOAUTH) = NO

Default database path (DFTDBPATH) = D:

Database monitor heap size (4KB) (MON_HEAP_SZ) = 46

Java Virtual Machine heap size (4KB) (JAVA_HEAP_SZ) = 512

Audit buffer size (4KB) (AUDIT_BUF_SZ) = 0

Size of instance shared memory (4KB) (INSTANCE_MEMORY) = AUTOMATIC

Backup buffer default size (4KB) (BACKBUFSZ) = 1024

Restore buffer default size (4KB) (RESTBUFSZ) = 1024

Agent stack size (AGENT_STACK_SZ) = 16

Minimum committed private memory (4KB) (MIN_PRIV_MEM) = 32

Private memory threshold (4KB) (PRIV_MEM_THRESH) = 20000

Sort heap threshold (4KB) (SHEAPTHRES) = 250000

Directory cache support (DIR_CACHE) = YES

Application support layer heap size (4KB) (ASLHEAPSZ) = 15

Max requester I/O block size (bytes) (RQRIOLBK) = 32767

DOS requester I/O block size (bytes) (DOS_RQRIOLBK) = 4096

Query heap size (4KB) (QUERY_HEAP_SZ) = 1000

DRDA services heap size (4KB) (DRDA_HEAP_SZ) = 128

Workload impact by throttled utilities (UTIL_IMPACT_LIM) = 100

Priority of agents (AGENTPRI) = SYSTEM

Max number of existing agents (MAXAGENTS) = 3600

Agent pool size (NUM_POOLAGENTS) = 64

Initial number of agents in pool (NUM_INITAGENTS) = 4

Max number of coordinating agents (MAX_COORDAGENTS) = (MAXAGENTS - NUM_INITAGENTS)

Max no. of concurrent coordinating agents (MAXCAGENTS) = MAX_COORDAGENTS

Max number of client connections (MAX_CONNECTIONS) = MAX_COORDAGENTS

Keep fenced process (KEEPFENCED) = YES

Number of pooled fenced processes (FENCED_POOL) = MAX_COORDAGENTS

Initialize fenced process with JVM (INITFENCED_JVM) = NO

Initial number of fenced processes (NUM_INITFENCED) = 0

Index re-creation time (INDEXREC) = ACCESS

Transaction manager database name (TM_DATABASE) =
 IST_CONN
 Transaction resync interval (sec) (RESYNC_INTERVAL) = 180

SPM name (SPM_NAME) =
 SPM log size (SPM_LOG_FILE_SZ) = 256
 SPM resync agent limit (SPM_MAX_RESYNC) = 20
 SPM log path (SPM_LOG_PATH) =

NetBIOS Workstation name (NNAME) =

TCP/IP Service name (SVCENAME) =
 DB2_TPC_H_END
 Discovery mode (DISCOVER) = SEARCH
 Discover server instance (DISCOVER_INST) = ENABLE

Maximum query degree of parallelism (MAX_QUERYDEGREE) =
 ANY
 Enable intra-partition parallelism (INTRA_PARALLEL) = NO

No. of int. communication buffers(4KB)(FCM_NUM_BUFFERS) =
 30000
 Node connection elapse time (sec) (CONN_ELAPSE) = 10
 Max number of node connection retries (MAX_CONNRETRIES) = 5
 Max time difference between nodes (min) (MAX_TIME_DIFF) = 60

db2start/db2stop timeout (min) (START_STOP_TIME) = 10

DB2 Registry Variables

DB2_EXTENDED_OPTIMIZATION=YES
 DB2_ANTIJOIN=Y
 DB2BPVARS=d:\tpch\ddl\scattered_read
 DB2ACCOUNTNAME=RUTHLESS-D\tpch
 DB2INSTOWNER=RUTHLESS1
 DB2PORTRANGE=60000:50008
 DB2MEMMAXFREE=1000000000
 DB2OPTIONS=-t -v +c
 DB2NTNOCACHE=ON
 DB2INSTPROF=D:\SQLLIB
 DB2COMM=tcip
 DB2_PARALLEL_IO=*

Microsoft Windows Server 2003 Enterprise Edition

Configuration Parameters

The following startup parameters were selected via Boot.ini

```
[boot loader]
timeout=5
default=multi(0)disk(0)rdisk(0)partition(1)\WINDOWS
[operating systems]
multi(0)disk(0)rdisk(0)partition(1)\WINDOWS="Windows Server
2003, Enterprise" /fastdetect /PAE
```

SUT Hardware Information Report

System Information report written at: 08/01/03 12:43:15
 System Name: RUTHLESS1
 [System Summary]

Item	Value
OS Name	Microsoft(R) Windows(R) Server 2003, Enterprise Edition
Version	5.2.3785 Build 3785
OS Manufacturer	Microsoft Corporation
System Name	RUTHLESS1
System Manufacturer	IBM
System Model	eserver xSeries 445 -[88704RX]-
System Type	X86-based PC
Processor	x86 Family 15 Model 2 Stepping 5 GenuineIntel ~2799 Mhz
Processor	x86 Family 15 Model 2 Stepping 5 GenuineIntel ~2799 Mhz
Processor	x86 Family 15 Model 2 Stepping 5 GenuineIntel ~2799 Mhz
Processor	x86 Family 15 Model 2 Stepping 5 GenuineIntel ~2799 Mhz
Processor	x86 Family 15 Model 2 Stepping 5 GenuineIntel ~2800 Mhz
Processor	x86 Family 15 Model 2 Stepping 5 GenuineIntel ~2800 Mhz
Processor	x86 Family 15 Model 2 Stepping 5 GenuineIntel ~2799 Mhz
Processor	x86 Family 15 Model 2 Stepping 5 GenuineIntel ~2799 Mhz
Processor	x86 Family 15 Model 2 Stepping 5 GenuineIntel ~2799 Mhz
Processor	x86 Family 15 Model 2 Stepping 5 GenuineIntel ~2799 Mhz
Processor	x86 Family 15 Model 2 Stepping 5 GenuineIntel ~2799 Mhz
Processor	x86 Family 15 Model 2 Stepping 5 GenuineIntel ~2799 Mhz
Processor	x86 Family 15 Model 2 Stepping 5 GenuineIntel ~2800 Mhz
Processor	x86 Family 15 Model 2 Stepping 5 GenuineIntel ~2799 Mhz
BIOS Version/Date	IBM -[REE112EDI-1.00]-, 6/2/2003
SMBIOS Version	2.3
Windows Directory	C:\WINDOWS
System Directory	C:\WINDOWS\system32
Boot Device	\Device\HarddiskVolume1
Locale	United States
Hardware Abstraction Layer	Version = "1.25.0000 built by: (x86chk_i)"
User Name	RUTHLESS-D\tpch
Time Zone	Eastern Daylight Time
Total Physical Memory	16,384.00 MB
Available Physical Memory	15.02 GB
Total Virtual Memory	33.75 GB
Available Virtual Memory	31.98 GB
Page File Space	17.76 GB
Page File	C:\pagefile.sys
[Hardware Resources]	
[Conflicts/Sharing]	
Resource	Device
I/O Port 0x00000000-0x00001FFF	PCI bus
I/O Port 0x00000000-0x00001FFF	Direct memory access controller

Memory Address 0xF8B00000-0xF8BFFFFF	PCI bus	0x00000040-0x00000043	System timer	OK
Memory Address 0xF8B00000-0xF8BFFFFF	PCI standard	0x00000070-0x00000073	System CMOS/real time clock	OK
PCI-to-PCI bridge		0x00000061-0x00000061	System speaker	OK
		0x000000F0-0x000000FF	Numeric data processor	OK
I/O Port 0x00002000-0x000027FF	PCI bus	0x00000092-0x00000092	Motherboard resources	OK
I/O Port 0x00002000-0x000027FF	LSI Logic PCI-X	0x000000A8-0x000000A9	Motherboard resources	OK
Ultra320 SCSI Host Adapter		0x00000440-0x0000044F	Motherboard resources	OK
		0x000004C0-0x000004C3	Motherboard resources	OK
Memory Address 0xE8000000-0xE9FFFFFF	PCI bus	0x000004D0-0x000004D1	Motherboard resources	OK
Memory Address 0xE8000000-0xE9FFFFFF	RAGE XL	0x000004E0-0x000004FF	Motherboard resources	OK
PCI Family (Microsoft Corporation)		0x00000500-0x0000057F	Motherboard resources	OK
		0x00000700-0x0000070F	VIA Bus Master IDE Controller	OK
Memory Address 0xF8A00000-0xF8AFFFFFF	PCI bus	0x000001F0-0x000001F7	Primary IDE Channel	OK
Memory Address 0xF8A00000-0xF8AFFFFFF	PCI standard	0x000003F6-0x000003F6	Primary IDE Channel	OK
PCI-to-PCI bridge		0x00000170-0x00000177	Secondary IDE Channel	OK
		0x00000376-0x00000376	Secondary IDE Channel	OK
IRQ 18 VIA Rev 5 or later USB Universal Host Controller		0x00001980-0x0000199F	VIA Rev 5 or later USB Universal	
IRQ 18 VIA Rev 5 or later USB Universal Host Controller		Host Controller	OK	
		0x000019A0-0x000019BF	VIA Rev 5 or later USB Universal	
Memory Address 0xEDA00000-0xEDAFFFFFF	PCI bus	Host Controller	OK	
Memory Address 0xEDA00000-0xEDAFFFFFF	LSI Logic	0x00002000-0x000027FF	PCI bus	OK
PCI-X Ultra320 SCSI Host Adapter		0x00002000-0x000027FF	LSI Logic PCI-X Ultra320 SCSI	
		Host Adapter	OK	
Memory Address 0xA0000-0xA7FFF	PCI bus	0x00002100-0x000021FF	LSI Logic PCI-X Ultra320 SCSI	
Memory Address 0xA0000-0xA7FFF	RAGE XL PCI Family	Host Adapter	OK	
(Microsoft Corporation)		0x00004000-0x00005FFF	PCI bus	OK
		0x0000E000-0x0000EFFF	PCI bus	OK
		0x00003000-0x00003FFF	PCI bus	OK
		0x00006000-0x00006FFF	PCI bus	OK
		0x00007000-0x00007FFF	PCI bus	OK
		0x00008000-0x00009FFF	PCI bus	OK
		0x0000A000-0x0000BFFF	PCI bus	OK
		0x0000C000-0x0000DFFF	PCI bus	OK
[DMA]				
Resource	Device	Status		
Channel 2	Standard floppy disk controller	OK		
Channel 4	Direct memory access controller	OK		
[Forced Hardware]				
Device	PNP Device ID			
[I/O]				
Resource	Device	Status		
0x00000000-0x00001FFF	PCI bus	OK		
0x00000000-0x00001FFF	Direct memory access controller	OK		
0x00001800-0x000018FF	RAGE XL PCI Family (Microsoft Corporation)	OK		
0x000003B0-0x000003BB	RAGE XL PCI Family (Microsoft Corporation)	OK		
0x000003C0-0x000003DF	RAGE XL PCI Family (Microsoft Corporation)	OK		
0x00001900-0x0000197F	Other PCI Bridge Device	OK		
0x00000A79-0x00000A79	ISAPNP Read Data Port	OK		
0x00000279-0x00000279	ISAPNP Read Data Port	OK		
0x00000274-0x00000277	ISAPNP Read Data Port	OK		
0x00000430-0x00000437	Motherboard resources	OK		
0x00000438-0x00000439	Motherboard resources	OK		
0x0000002E-0x0000002F	Motherboard resources	OK		
0x00000064-0x00000064	Standard 101/102-Key or Microsoft	OK		
Natural PS/2 Keyboard	OK			
0x00000060-0x00000060	Standard 101/102-Key or Microsoft	OK		
Natural PS/2 Keyboard	OK			
0x000003F0-0x000003F5	Standard floppy disk controller	OK		
0x000003F7-0x000003F7	Standard floppy disk controller	OK		
0x00000020-0x00000021	Advanced programmable interrupt controller	OK		
0x000000A0-0x000000A1	Advanced programmable interrupt controller	OK		
0x00000080-0x0000008F	Direct memory access controller	OK		
0x000000C0-0x000000DF	Direct memory access controller	OK		
[IRQs]				
Resource	Device	Status		
IRQ 9	Microsoft ACPI-Compliant System	OK		
IRQ 39	RAGE XL PCI Family (Microsoft Corporation)	OK		
IRQ 4	Other PCI Bridge Device	OK		
IRQ 1	Standard 101/102-Key or Microsoft Natural PS/2 Keyboard	OK		
IRQ 12	PS/2 Compatible Mouse	OK		
IRQ 6	Standard floppy disk controller	OK		
IRQ 0	System timer	OK		
IRQ 8	System CMOS/real time clock	OK		
IRQ 13	Numeric data processor	OK		
IRQ 14	Primary IDE Channel	OK		
IRQ 15	Secondary IDE Channel	OK		
IRQ 18	VIA Rev 5 or later USB Universal Host Controller	OK		
IRQ 18	VIA Rev 5 or later USB Universal Host Controller	OK		
IRQ 40	LSI Logic PCI-X Ultra320 SCSI Host Adapter	OK		
IRQ 41	LSI Logic PCI-X Ultra320 SCSI Host Adapter	OK		
IRQ 42	Broadcom NetXtreme Gigabit Ethernet	OK		
IRQ 11	Broadcom NetXtreme Gigabit Ethernet #2	OK		
IRQ 71	IBM ServeRAID 6M Controller	OK		
IRQ 67	IBM ServeRAID 6M Controller	OK		
IRQ 63	IBM ServeRAID 6M Controller	OK		
IRQ 116	IBM ServeRAID 6M Controller	OK		
IRQ 109	IBM ServeRAID 6M Controller	OK		
IRQ 102	IBM ServeRAID 6M Controller	OK		
[Memory]				
Resource	Device	Status		
0xA0000-0xA7FFF	PCI bus	OK		
0xA0000-0xA7FFF	RAGE XL PCI Family (Microsoft Corporation)	OK		

0xA8000-0xAFFFF	PCI bus	OK
0xB0000-0xB7FFF	PCI bus	OK
0xB8000-0xBFFFF	PCI bus	OK
0xE8000000-0xE9FFFFFF	PCI bus	OK
0xE8000000-0xE9FFFFFF	RAGE XL PCI Family (Microsoft Corporation)	OK
0xE9200000-0xE9200FFF	RAGE XL PCI Family (Microsoft Corporation)	OK
0xE9000000-0xE91FFFFFF	Other PCI Bridge Device	OK
0x0400-0x04FF	System board	OK
0x100000-0xDFFAC33F	Memory Module	OK
0xEDA00000-0xEDAFFFFFF	PCI bus	OK
0xEDA00000-0xEDAFFFFFF	LSI Logic PCI-X Ultra320 SCSI Host Adapter	OK
0xEDA10000-0xEDA1FFFF	LSI Logic PCI-X Ultra320 SCSI Host Adapter	OK
0xEDA20000-0xEDA2FFFF	LSI Logic PCI-X Ultra320 SCSI Host Adapter	OK
0xEDA30000-0xEDA3FFFF	LSI Logic PCI-X Ultra320 SCSI Host Adapter	OK
0xEDA40000-0xEDA4FFFF	Broadcom NetXtreme Gigabit Ethernet	OK
0xEDA50000-0xEDA5FFFF	Broadcom NetXtreme Gigabit Ethernet	OK
0xEDA60000-0xEDA6FFFF	Broadcom NetXtreme Gigabit Ethernet #2	OK
0xEDA70000-0xEDA7FFFF	Broadcom NetXtreme Gigabit Ethernet #2	OK
0xEA000000-0xEA7FFFFFF	PCI bus	OK
0xF0000000-0xF07FFFFFF	PCI bus	OK
0xF8A00000-0xF8AFFFFFF	PCI bus	OK
0xF8A00000-0xF8AFFFFFF	PCI standard PCI-to-PCI bridge	OK
0xF8A08000-0xF8A08FFF	IBM ServeRAID 6M Controller	OK
0xF8B00000-0xF8BFFFFFF	PCI bus	OK
0xF8B00000-0xF8BFFFFFF	PCI standard PCI-to-PCI bridge	OK
0xF8B08000-0xF8B08FFF	IBM ServeRAID 6M Controller	OK
0xF8000000-0xF87FFFFFF	PCI bus	OK
0xF9000000-0xF93FFFFFF	PCI bus	OK
0xF8400000-0xF84FFFFFF	PCI standard PCI-to-PCI bridge	OK
0xF8408000-0xF8408FFF	IBM ServeRAID 6M Controller	OK
0xEA800000-0xEAFFFFFF	PCI bus	OK
0xF2000000-0xF23FFFFFF	PCI bus	OK
0xEAC00000-0xEACFFFFFF	PCI standard PCI-to-PCI bridge	OK
0xEAC08000-0xEAC08FFF	IBM ServeRAID 6M Controller	OK
0xEB000000-0xEB7FFFFFF	PCI bus	OK
0xF2400000-0xF27FFFFFF	PCI bus	OK
0xEB400000-0xEB4FFFFF	PCI standard PCI-to-PCI bridge	OK
0xEB408000-0xEB408FFF	IBM ServeRAID 6M Controller	OK
0xEB800000-0xEBFFFFFF	PCI bus	OK
0xF2800000-0xF2BFFFFFF	PCI bus	OK
0xEBC00000-0xEBCFFFFFF	PCI standard PCI-to-PCI bridge	OK
0xEBC08000-0xEBC08FFF	IBM ServeRAID 6M Controller	OK
0xEC000000-0xEC7FFFFFF	PCI bus	OK
0xF0800000-0xF0FFFFFF	PCI bus	OK
0xEC800000-0xECFFFFFF	PCI bus	OK
0xF1000000-0xF17FFFFFF	PCI bus	OK
0xED000000-0xED7FFFFFF	PCI bus	OK
0xF1800000-0xF1FFFFFF	PCI bus	OK

[Components]

[Multimedia]

[Audio Codecs]

CODEC	Manufacturer	Description	Status
File	Version	Size	Creation Date
c:\windows\system32\msadp32.acm	Microsoft Corporation		
5.2.3785.0 (srv03_rtm.030308-1736)	OK	C:\WINDOWS\system32\MSADP32.ACM	14.50 KB (14,848 bytes)
3/9/2003 7:00 AM			
c:\windows\system32\msaud32.acm	Microsoft Corporation		
Windows Media Audio Codec	OK	C:\WINDOWS\system32\MSAUD32.ACM	8.00.00.4487
288.00 KB (294,912 bytes)			3/9/2003 7:00 AM
c:\windows\system32\imaadp32.acm	Microsoft Corporation		
5.2.3785.0 (srv03_rtm.030308-1736)	OK	C:\WINDOWS\system32\MAADP32.ACM	15.50 KB (15,872 bytes)
3/9/2003 7:00 AM			
c:\windows\system32\tssoft32.acm	DSP GROUP, INC.		
9.50 KB (9,728 bytes)	OK	C:\WINDOWS\system32\TSSOFT32.ACM	1.01
3/9/2003 7:00 AM			
c:\windows\system32\msg711.acm	Microsoft Corporation		
5.2.3785.0 (srv03_rtm.030308-1736)	OK	C:\WINDOWS\system32\MSG711.ACM	10.00 KB (10,240 bytes)
3/9/2003 7:00 AM			
c:\windows\system32\msg723.acm	Microsoft Corporation		
4.4.4000	OK	C:\WINDOWS\system32\MSG723.ACM	116.00 KB (118,784 bytes)
4/29/2003 4:27 PM			
c:\windows\system32\sl_anet.acm	Sipro Lab Telecom Inc.		
3/9/2003 7:00 AM	OK	C:\WINDOWS\system32\SL_ANET.ACM	3.02
84.00 KB (86,016 bytes)			3/9/2003 7:00 AM
c:\windows\system32\msgsm32.acm	Microsoft Corporation		
5.2.3785.0 (srv03_rtm.030308-1736)	OK	C:\WINDOWS\system32\MSGSM32.ACM	20.50 KB (20,992 bytes)
3/9/2003 7:00 AM			
c:\windows\system32\l3codeca.acm	Fraunhofer Institut		
Integrierte Schaltungen IIS	OK	C:\WINDOWS\system32\L3CODECA.ACM	1, 9, 0, 0305
284.00 KB (290,816 bytes)			3/9/2003 7:00 AM

[Video Codecs]

CODEC	Manufacturer	Description	Status
File	Version	Size	Creation Date
c:\windows\system32\iyuv_32.dll	Microsoft Corporation		
5.2.3785.0 (srv03_rtm.030308-1736)	OK	C:\WINDOWS\system32\IYUV_32.DLL	45.00 KB (46,080 bytes)
3/8/2003 6:00 PM			
c:\windows\system32\tsbyuv.dll	Microsoft Corporation		
5.2.3785.0 (srv03_rtm.030308-1736)	OK	C:\WINDOWS\system32\TSBYUV.DLL	8.00 KB (8,192 bytes)
3/8/2003 6:01 PM			
c:\windows\system32\msyuv.dll	Microsoft Corporation		
5.2.3785.0 (srv03_rtm.030308-1736)	OK	C:\WINDOWS\system32\MSYUV.DLL	16.50 KB (16,896 bytes)
3/8/2003 6:00 PM			
c:\windows\system32\msh261.drv	Microsoft Corporation		
4.4.4000	OK	C:\WINDOWS\system32\MSH261.DRV	180.00 KB (184,320 bytes)
4/29/2003 4:27 PM			
c:\windows\system32\msvidc32.dll	Microsoft Corporation		
5.2.3785.0 (srv03_rtm.030308-1736)	OK	C:\WINDOWS\system32\MSVIDC32.DLL	26.50 KB (27,136 bytes)
3/9/2003 7:00 AM			
c:\windows\system32\msh263.drv	Microsoft Corporation		
4.4.4000	OK	C:\WINDOWS\system32\MSH263.DRV	284.00 KB (290,816 bytes)
3/8/2003 5:57 PM			
c:\windows\system32\msrle32.dll	Microsoft Corporation		
5.2.3785.0 (srv03_rtm.030308-1736)	OK	C:\WINDOWS\system32\MSRLE32.DLL	16.50 KB (16,896 bytes)

(srv03_rtm.030308-1736) 10.50 KB (10,752 bytes)
3/9/2003 7:00 AM

[CD-ROM]

Item	Value
Drive	Q:
Description	CD-ROM Drive
Media Loaded	No
Media Type	CD-ROM
Name	HL-DT-ST DVD-ROM GDR8081N
Manufacturer	(Standard CD-ROM drives)
Status	OK
Transfer Rate	Not Available
SCSI Target ID	0
PNP Device ID	IDE\CDROMHL-DT-ST_DVD-ROM_GDR8081N_0012_5&CBC355F&0&0.0.0
Driver	c:\windows\system32\drivers\cdrom.sys (5.2.3785.0 (srv03_rtm.030308-1736), 49.50 KB (50,688 bytes), 3/9/2003 7:00 AM)

[Sound Device]

Item	Value
------	-------

[Display]

Item	Value
Name	RAGE XL PCI Family (Microsoft Corporation)
PNP Device ID	PCI\VEN_1002&DEV_4752&SUBSYS_02A61014&REV_27\3&267A616A&0&18
Adapter Type	ATI RAGE XL PCI (B41), ATI Technologies Inc. compatible
Adapter Description	RAGE XL PCI Family (Microsoft Corporation)
Adapter RAM	8.00 MB (8,388,608 bytes)
Installed Drivers	ati2drad.dll
Driver Version	5.10.3663.6013
INF File	atiixpad.inf (ati2mpad section)
Color Planes	1
Color Table Entries	4294967296
Resolution	800 x 600 x 85 hertz
Bits/Pixel	32
Memory Address	0xE8000000-0xE9FFFFFF
I/O Port	0x00001800-0x000018FF
Memory Address	0xE9200000-0xE9200FFF
IRQ Channel	IRQ 39
I/O Port	0x000003B0-0x000003BB
I/O Port	0x000003C0-0x000003DF
Memory Address	0xA0000-0xA7FFF
Driver	c:\windows\system32\drivers\ati2mpad.sys (5.10.3663.6013, 335.38 KB (343,424 bytes), 4/29/2003 12:11 PM)

[Infrared]

Item	Value
------	-------

[Input]

[Keyboard]

Item	Value
Description	Standard 101/102-Key or Microsoft Natural
PS/2 Keyboard	
Name	Enhanced (101- or 102-key)

Layout	00000409
PNP Device ID	ACPI\PNP0303\4&7FD7688&0
Number of Function Keys	12
IRQ Channel	IRQ 1
I/O Port	0x00000064-0x00000064
I/O Port	0x00000060-0x00000060
Driver	c:\windows\system32\drivers\i8042prt.sys (5.2.3785.0 (srv03_rtm.030308-1736), 69.00 KB (70,656 bytes), 3/9/2003 7:00 AM)

[Pointing Device]

Item	Value
Hardware Type	PS/2 Compatible Mouse
Number of Buttons	3
Status	OK
PNP Device ID	ACPI\PNP0F13\4&7FD7688&0
Power Management Supported	No
Double Click Threshold	6
Handedness	Right Handed Operation
IRQ Channel	IRQ 12
Driver	c:\windows\system32\drivers\i8042prt.sys (5.2.3785.0 (srv03_rtm.030308-1736), 69.00 KB (70,656 bytes), 3/9/2003 7:00 AM)

[Modem]

Item	Value
------	-------

[Network]

[Adapter]

Item	Value
Name	[00000001] RAS Async Adapter
Adapter Type	Not Available
Product Type	RAS Async Adapter
Installed	Yes
PNP Device ID	Not Available
Last Reset	8/1/2003 11:27 AM
Index	1
Service Name	AsyncMac
IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available
DHCP Enabled	No
DHCP Server	Not Available
DHCP Lease Expires	Not Available
DHCP Lease Obtained	Not Available
MAC Address	Not Available

Name	[00000002] WAN Miniport (L2TP)
Adapter Type	Not Available
Product Type	WAN Miniport (L2TP)
Installed	Yes
PNP Device ID	ROOT\MS_L2TPMINIPORT\0000
Last Reset	8/1/2003 11:27 AM
Index	2
Service Name	Rasl2tp
IP Address	Not Available
IP Subnet	Not Available
Default IP Gateway	Not Available
DHCP Enabled	No
DHCP Server	Not Available
DHCP Lease Expires	Not Available
DHCP Lease Obtained	Not Available

MAC Address Not Available
Driver c:\windows\system32\drivers\rasl2tp.sys (5.2.3785.0
(srv03_rtm.030308-1736), 77.00 KB (78,848 bytes), 3/9/2003 7:00
AM)

Name [00000003] WAN Miniport (PPTP)
Adapter Type Wide Area Network (WAN)
Product Type WAN Miniport (PPTP)
Installed Yes
PNP Device ID ROOT\MS_PPTPMINIPOINT\0000
Last Reset 8/1/2003 11:27 AM
Index 3
Service Name PptpMiniport
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 50:50:54:50:30:30
Driver c:\windows\system32\drivers\raspptp.sys (5.2.3785.0
(srv03_rtm.030308-1736), 70.50 KB (72,192 bytes), 3/9/2003 7:00
AM)

Name [00000004] WAN Miniport (PPPOE)
Adapter Type Wide Area Network (WAN)
Product Type WAN Miniport (PPPOE)
Installed Yes
PNP Device ID ROOT\MS_PPPOEMINIPOINT\0000
Last Reset 8/1/2003 11:27 AM
Index 4
Service Name RasPppoe
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 33:50:6F:45:30:30
Driver c:\windows\system32\drivers\rasppoe.sys (5.2.3785.0
(srv03_rtm.030308-1736), 38.00 KB (38,912 bytes), 3/9/2003 7:00
AM)

Name [00000005] Direct Parallel
Adapter Type Not Available
Product Type Direct Parallel
Installed Yes
PNP Device ID ROOT\MS_PTMINIPOINT\0000
Last Reset 8/1/2003 11:27 AM
Index 5
Service Name Raspti
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Driver c:\windows\system32\drivers\raspti.sys (5.2.3785.0
(srv03_rtm.030308-1736), 18.50 KB (18,944 bytes), 3/9/2003 7:00
AM)

Name [00000006] WAN Miniport (IP)
Adapter Type Not Available
Product Type WAN Miniport (IP)

Installed Yes
PNP Device ID ROOT\MS_NDISWANIP\0000
Last Reset 8/1/2003 11:27 AM
Index 6
Service Name NdisWan
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available
Driver c:\windows\system32\drivers\ndiswan.sys (5.2.3785.0
(srv03_rtm.030308-1736), 100.00 KB (102,400 bytes), 3/9/2003 7:00
AM)

Name [00000007] Broadcom NetXtreme Gigabit Ethernet
Adapter Type Ethernet 802.3
Product Type Broadcom NetXtreme Gigabit Ethernet
Installed Yes
PNP Device ID PCI\VEN_14E4&DEV_1648&SUBSYS_02A61014&REV_02\3&13
C0B0C5&0&20
Last Reset 8/1/2003 11:27 AM
Index 7
Service Name b57w2k
IP Address 192.168.200.100
IP Subnet 255.255.255.0
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 00:09:6B:E6:02:AD
Memory Address 0xEDA40000-0xEDA4FFFF
Memory Address 0xEDA50000-0xEDA5FFFF
IRQ Channel IRQ 42
Driver c:\windows\system32\drivers\b57xp32.sys (6.34.0.0 built
by: WinDDK, 166.88 KB (170,880 bytes), 2/17/2003 11:22 AM)

Name [00000008] Broadcom NetXtreme Gigabit Ethernet
Adapter Type Ethernet 802.3
Product Type Broadcom NetXtreme Gigabit Ethernet
Installed Yes
PNP Device ID PCI\VEN_14E4&DEV_1648&SUBSYS_02A61014&REV_02\3&13
C0B0C5&0&21
Last Reset 8/1/2003 11:27 AM
Index 8
Service Name b57w2k
IP Address 9.27.250.76
IP Subnet 255.255.255.128
Default IP Gateway 9.27.250.1
DHCP Enabled Yes
DHCP Server 9.44.5.76
DHCP Lease Expires 8/1/2003 11:28 PM
DHCP Lease Obtained 8/1/2003 11:28 AM
MAC Address 00:09:6B:16:02:AD
Memory Address 0xEDA60000-0xEDA6FFFF
Memory Address 0xEDA70000-0xEDA7FFFF
IRQ Channel IRQ 11
Driver c:\windows\system32\drivers\b57xp32.sys (6.34.0.0 built
by: WinDDK, 166.88 KB (170,880 bytes), 2/17/2003 11:22 AM)

[Protocol]

Item Value

Name MSAFD Tcpip [TCP/IP]
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 16 bytes
 Maximum Message Size 0 bytes
 Message Oriented No
 Minimum Address Size 16 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data Yes
 Supports Graceful Closing Yes
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD Tcpip [UDP/IP]
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 16 bytes
 Maximum Message Size 63.93 KB (65,467 bytes)
 Message Oriented Yes
 Minimum Address Size 16 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting Yes

Name RSVP UDP Service Provider
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 16 bytes
 Maximum Message Size 63.93 KB (65,467 bytes)
 Message Oriented Yes
 Minimum Address Size 16 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption Yes
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting Yes

Name RSVP TCP Service Provider
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 16 bytes
 Maximum Message Size 0 bytes
 Message Oriented No
 Minimum Address Size 16 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption Yes
 Supports Expedited Data Yes

Supports Graceful Closing Yes
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD NetBIOS

[\Device\NetBT_Tcpip_{D0A36C1F-F005-4E54-843C-913F541E0E43}] SEQUENCEPACKET 3
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 20 bytes
 Maximum Message Size 62.50 KB (64,000 bytes)
 Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD NetBIOS

[\Device\NetBT_Tcpip_{D0A36C1F-F005-4E54-843C-913F541E0E43}] DATAGRAM 3
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 20 bytes
 Maximum Message Size 62.50 KB (64,000 bytes)
 Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

Name MSAFD NetBIOS

[\Device\NetBT_Tcpip_{16DA7709-B2E3-468A-9606-027A6535DE58}] SEQUENCEPACKET 0
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 20 bytes
 Maximum Message Size 62.50 KB (64,000 bytes)
 Message Oriented Yes
 Minimum Address Size 20 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption No
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

© Copyright IBM Corporation TPC Benchmark H Full Disclosure Report August 2003 57

Description 3 1/2 Inch Floppy Drive

Drive C:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 33.89 GB (36,388,605,952 bytes)
Free Space 27.16 GB (29,158,551,552 bytes)
Volume Name
Volume Serial Number E8855019

Drive D:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 33.90 GB (36,396,830,720 bytes)
Free Space 26.32 GB (28,263,804,928 bytes)
Volume Name Ddrive
Volume Serial Number 70FEBBA2

Drive E:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 33.90 GB (36,396,068,864 bytes)
Free Space 30.87 GB (33,143,738,368 bytes)
Volume Name New Volume
Volume Serial Number 30E9C787

Drive F:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 33.90 GB (36,396,068,864 bytes)
Free Space 33.83 GB (36,327,329,792 bytes)
Volume Name New Volume
Volume Serial Number 3C1B6B82

Drive G:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 33.90 GB (36,396,068,864 bytes)
Free Space 30.63 GB (32,891,813,888 bytes)
Volume Name New Volume
Volume Serial Number 8041AFDC

Drive H:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 33.90 GB (36,396,068,864 bytes)
Free Space 30.57 GB (32,827,793,408 bytes)
Volume Name New Volume
Volume Serial Number 849AB639

Drive I:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 33.90 GB (36,396,068,864 bytes)
Free Space 30.57 GB (32,824,766,464 bytes)
Volume Name New Volume
Volume Serial Number 403FD838

Drive J:
Description Local Fixed Disk
Compressed No

File System NTFS
Size 33.90 GB (36,396,068,864 bytes)
Free Space 30.57 GB (32,823,791,616 bytes)
Volume Name New Volume
Volume Serial Number CC4B0ED1

Drive K:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 33.90 GB (36,396,068,864 bytes)
Free Space 30.57 GB (32,826,793,984 bytes)
Volume Name New Volume
Volume Serial Number C053A22F

Drive L:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 33.90 GB (36,396,068,864 bytes)
Free Space 33.83 GB (36,327,313,408 bytes)
Volume Name New Volume
Volume Serial Number B85E9FCA

Drive M:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 33.90 GB (36,396,068,864 bytes)
Free Space 30.57 GB (32,828,674,048 bytes)
Volume Name New Volume
Volume Serial Number 5CAC23AA

Drive N:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 33.90 GB (36,396,068,864 bytes)
Free Space 30.57 GB (32,826,605,568 bytes)
Volume Name New Volume
Volume Serial Number 28C825EF

Drive O:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 468.75 GB (503,316,475,904 bytes)
Free Space 234.78 GB (252,094,664,704 bytes)
Volume Name New Volume
Volume Serial Number B889C538

Drive P:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 625.00 GB (671,088,635,904 bytes)
Free Space 428.80 GB (460,416,221,184 bytes)
Volume Name New Volume
Volume Serial Number 4C2D10F6

Drive Q:
Description CD-ROM Disc

Drive W:
Description Local Fixed Disk
Compressed No
File System NTFS
Size 439.74 GB (472,166,428,672 bytes)

Free Space 66.18 GB (71,060,246,528 bytes)
 Volume Name New Volume
 Volume Serial Number D0F14DA9

[Disks]

Item	Value
Description	Disk drive
Manufacturer	(Standard disk drives)
Model	IBM ServeRAID SCSI Disk Device
Bytes/Sector	512
Media Loaded	Yes
Media Type	Fixed hard disk
Partitions	1
SCSI Bus	0
SCSI Logical Unit	0
SCSI Port	6
SCSI Target ID	0
Sectors/Track	63
Size	203.41 GB (218,405,859,840 bytes)
Total Cylinders	26,553
Total Sectors	426,573,945
Total Tracks	6,771,015
Tracks/Cylinder	255
Partition	Disk #14, Partition #0
Partition Size	203.41 GB (218,405,827,584 bytes)
Partition Starting Offset	32,256 bytes

Description	Disk drive
Manufacturer	(Standard disk drives)
Model	IBM ServeRAID SCSI Disk Device
Bytes/Sector	512
Media Loaded	Yes
Media Type	Fixed hard disk
Partitions	1
SCSI Bus	0
SCSI Logical Unit	0
SCSI Port	6
SCSI Target ID	1
Sectors/Track	63
Size	203.41 GB (218,405,859,840 bytes)
Total Cylinders	26,553
Total Sectors	426,573,945
Total Tracks	6,771,015
Tracks/Cylinder	255
Partition	Disk #15, Partition #0
Partition Size	203.41 GB (218,405,827,584 bytes)
Partition Starting Offset	32,256 bytes

Description	Disk drive
Manufacturer	(Standard disk drives)
Model	IBM ServeRAID SCSI Disk Device
Bytes/Sector	512
Media Loaded	Yes
Media Type	Fixed hard disk
Partitions	1
SCSI Bus	0
SCSI Logical Unit	0
SCSI Port	6
SCSI Target ID	2
Sectors/Track	63
Size	33.90 GB (36,396,864,000 bytes)
Total Cylinders	4,425
Total Sectors	71,087,625
Total Tracks	1,128,375
Tracks/Cylinder	255
Partition	Disk #16, Partition #0
Partition Size	33.90 GB (36,396,831,744 bytes)

Partition Starting Offset 32,256 bytes

Description	Disk drive
Manufacturer	(Standard disk drives)
Model	IBM ServeRAID SCSI Disk Device
Bytes/Sector	512
Media Loaded	Yes
Media Type	Fixed hard disk
Partitions	1
SCSI Bus	0
SCSI Logical Unit	0
SCSI Port	6
SCSI Target ID	3
Sectors/Track	63
Size	203.41 GB (218,405,859,840 bytes)
Total Cylinders	26,553
Total Sectors	426,573,945
Total Tracks	6,771,015
Tracks/Cylinder	255
Partition	Disk #17, Partition #0
Partition Size	203.41 GB (218,405,827,584 bytes)
Partition Starting Offset	32,256 bytes

Description	Disk drive
Manufacturer	(Standard disk drives)
Model	IBM ServeRAID SCSI Disk Device
Bytes/Sector	512
Media Loaded	Yes
Media Type	Fixed hard disk
Partitions	1
SCSI Bus	0
SCSI Logical Unit	0
SCSI Port	6
SCSI Target ID	4
Sectors/Track	63
Size	203.41 GB (218,405,859,840 bytes)
Total Cylinders	26,553
Total Sectors	426,573,945
Total Tracks	6,771,015
Tracks/Cylinder	255
Partition	Disk #18, Partition #0
Partition Size	203.41 GB (218,405,827,584 bytes)
Partition Starting Offset	32,256 bytes

Description	Disk drive
Manufacturer	(Standard disk drives)
Model	IBM ServeRAID SCSI Disk Device
Bytes/Sector	512
Media Loaded	Yes
Media Type	Fixed hard disk
Partitions	1
SCSI Bus	0
SCSI Logical Unit	0
SCSI Port	6
SCSI Target ID	5
Sectors/Track	63
Size	33.90 GB (36,396,864,000 bytes)
Total Cylinders	4,425
Total Sectors	71,087,625
Total Tracks	1,128,375
Tracks/Cylinder	255
Partition	Disk #19, Partition #0
Partition Size	33.90 GB (36,396,831,744 bytes)
Partition Starting Offset	32,256 bytes

Description	Disk drive
Manufacturer	(Standard disk drives)
Model	IBM ServeRAID SCSI Disk Device

Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 5
 SCSI Target ID 0
 Sectors/Track 63
 Size 203.41 GB (218,405,859,840 bytes)
 Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255
 Partition Disk #8, Partition #0
 Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 5
 SCSI Target ID 1
 Sectors/Track 63
 Size 203.41 GB (218,405,859,840 bytes)
 Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255
 Partition Disk #9, Partition #0
 Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 5
 SCSI Target ID 2
 Sectors/Track 63
 Size 33.90 GB (36,396,864,000 bytes)
 Total Cylinders 4,425
 Total Sectors 71,087,625
 Total Tracks 1,128,375
 Tracks/Cylinder 255
 Partition Disk #10, Partition #0
 Partition Size 33.90 GB (36,396,831,744 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0

SCSI Logical Unit 0
 SCSI Port 5
 SCSI Target ID 3
 Sectors/Track 63
 Size 203.41 GB (218,405,859,840 bytes)
 Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255
 Partition Disk #11, Partition #0
 Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 5
 SCSI Target ID 4
 Sectors/Track 63
 Size 203.41 GB (218,405,859,840 bytes)
 Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255
 Partition Disk #12, Partition #0
 Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 5
 SCSI Target ID 5
 Sectors/Track 63
 Size 33.90 GB (36,396,864,000 bytes)
 Total Cylinders 4,425
 Total Sectors 71,087,625
 Total Tracks 1,128,375
 Tracks/Cylinder 255
 Partition Disk #13, Partition #0
 Partition Size 33.90 GB (36,396,831,744 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 7
 SCSI Target ID 0
 Sectors/Track 63
 Size 203.41 GB (218,405,859,840 bytes)

Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255
 Partition Disk #20, Partition #0
 Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk

Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 7
 SCSI Target ID 1
 Sectors/Track 63
 Size 203.41 GB (218,405,859,840 bytes)
 Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255

Partition Disk #21, Partition #0
 Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk

Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 7
 SCSI Target ID 2
 Sectors/Track 63
 Size 33.90 GB (36,396,864,000 bytes)
 Total Cylinders 4,425
 Total Sectors 71,087,625
 Total Tracks 1,128,375
 Tracks/Cylinder 255

Partition Disk #22, Partition #0
 Partition Size 33.90 GB (36,396,831,744 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk

Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 7
 SCSI Target ID 3
 Sectors/Track 63
 Size 203.41 GB (218,405,859,840 bytes)
 Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255

Partition Disk #23, Partition #0

Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk

Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 7
 SCSI Target ID 4
 Sectors/Track 63
 Size 203.41 GB (218,405,859,840 bytes)
 Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255

Partition Disk #24, Partition #0
 Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk

Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 7
 SCSI Target ID 5
 Sectors/Track 63
 Size 33.90 GB (36,396,864,000 bytes)
 Total Cylinders 4,425
 Total Sectors 71,087,625
 Total Tracks 1,128,375
 Tracks/Cylinder 255

Partition Disk #25, Partition #0
 Partition Size 33.90 GB (36,396,831,744 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk

Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 4
 SCSI Target ID 0
 Sectors/Track 63
 Size 203.41 GB (218,405,859,840 bytes)
 Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255

Partition Disk #2, Partition #0
 Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)

Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 4
 SCSI Target ID 1
 Sectors/Track 63
 Size 203.41 GB (218,405,859,840 bytes)
 Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255
 Partition Disk #3, Partition #0
 Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 4
 SCSI Target ID 2
 Sectors/Track 63
 Size 33.90 GB (36,396,864,000 bytes)
 Total Cylinders 4,425
 Total Sectors 71,087,625
 Total Tracks 1,128,375
 Tracks/Cylinder 255
 Partition Disk #4, Partition #0
 Partition Size 33.90 GB (36,396,831,744 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 4
 SCSI Target ID 3
 Sectors/Track 63
 Size 203.41 GB (218,405,859,840 bytes)
 Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255
 Partition Disk #5, Partition #0
 Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1

SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 4
 SCSI Target ID 4
 Sectors/Track 63
 Size 203.41 GB (218,405,859,840 bytes)
 Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255
 Partition Disk #6, Partition #0
 Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 4
 SCSI Target ID 5
 Sectors/Track 63
 Size 33.90 GB (36,396,864,000 bytes)
 Total Cylinders 4,425
 Total Sectors 71,087,625
 Total Tracks 1,128,375
 Tracks/Cylinder 255
 Partition Disk #7, Partition #0
 Partition Size 33.90 GB (36,396,831,744 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 9
 SCSI Target ID 0
 Sectors/Track 63
 Size 203.41 GB (218,405,859,840 bytes)
 Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255
 Partition Disk #27, Partition #0
 Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 9
 SCSI Target ID 1
 Sectors/Track 63

Size 203.41 GB (218,405,859,840 bytes)
 Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255
 Partition Disk #28, Partition #0
 Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 9
 SCSI Target ID 2
 Sectors/Track 63
 Size 33.90 GB (36,396,864,000 bytes)
 Total Cylinders 4,425
 Total Sectors 71,087,625
 Total Tracks 1,128,375
 Tracks/Cylinder 255
 Partition Disk #29, Partition #0
 Partition Size 33.90 GB (36,396,831,744 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 9
 SCSI Target ID 3
 Sectors/Track 63
 Size 203.41 GB (218,405,859,840 bytes)
 Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255
 Partition Disk #30, Partition #0
 Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 9
 SCSI Target ID 4
 Sectors/Track 63
 Size 203.41 GB (218,405,859,840 bytes)
 Total Cylinders 26,553
 Total Sectors 426,573,945
 Total Tracks 6,771,015
 Tracks/Cylinder 255

Partition Disk #31, Partition #0
 Partition Size 203.41 GB (218,405,827,584 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 9
 SCSI Target ID 5
 Sectors/Track 63
 Size 33.90 GB (36,396,864,000 bytes)
 Total Cylinders 4,425
 Total Sectors 71,087,625
 Total Tracks 1,128,375
 Tracks/Cylinder 255
 Partition Disk #32, Partition #0
 Partition Size 33.90 GB (36,396,831,744 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM ServeRAID SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 8
 SCSI Target ID 0
 Sectors/Track 63
 Size 440.72 GB (473,216,808,960 bytes)
 Total Cylinders 57,532
 Total Sectors 924,251,580
 Total Tracks 14,670,660
 Tracks/Cylinder 255
 Partition Disk #26, Partition #0
 Partition Size 440.72 GB (473,216,776,704 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive
 Manufacturer (Standard disk drives)
 Model IBM-ESXS ST336753LC FN SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 2
 SCSI Target ID 0
 Sectors/Track 63
 Size 33.90 GB (36,396,864,000 bytes)
 Total Cylinders 4,425
 Total Sectors 71,087,625
 Total Tracks 1,128,375
 Tracks/Cylinder 255
 Partition Disk #0, Partition #0
 Partition Size 33.89 GB (36,388,606,464 bytes)
 Partition Starting Offset 32,256 bytes

Description Disk drive

Manufacturer (Standard disk drives)
 Model IBM-ESXS ST336753LC FN SCSI Disk Device
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus 0
 SCSI Logical Unit 0
 SCSI Port 2
 SCSI Target ID 1
 Sectors/Track 63
 Size 33.90 GB (36,396,864,000 bytes)
 Total Cylinders 4,425
 Total Sectors 71,087,625
 Total Tracks 1,128,375
 Tracks/Cylinder 255
 Partition Disk #1, Partition #0
 Partition Size 33.90 GB (36,396,831,744 bytes)
 Partition Starting Offset 32,256 bytes

[SCSI]

Item Value
 Name LSI Logic PCI-X Ultra320 SCSI Host Adapter
 Manufacturer LSI Logic Inc.
 Status OK
 PNP Device ID
 PCI\VEN_1000&DEV_0030&SUBSYS_02921014&REV_07\3&13C0B0C5&0&18
 I/O Port 0x00002000-0x000027FF
 Memory Address 0xEDA00000-0xEDAFFFFF
 Memory Address 0xEDA10000-0xEDA1FFFF
 IRQ Channel IRQ 40
 Driver c:\windows\system32\drivers\symmpi.sys (1.08.18.00 (NT.021001-2000), 25.88 KB (26,496 bytes), 3/9/2003 7:00 AM)

Name LSI Logic PCI-X Ultra320 SCSI Host Adapter
 Manufacturer LSI Logic Inc.
 Status OK
 PNP Device ID
 PCI\VEN_1000&DEV_0030&SUBSYS_02921014&REV_07\3&13C0B0C5&0&19
 I/O Port 0x00002100-0x000021FF
 Memory Address 0xEDA20000-0xEDA2FFFF
 Memory Address 0xEDA30000-0xEDA3FFFF
 IRQ Channel IRQ 41
 Driver c:\windows\system32\drivers\symmpi.sys (1.08.18.00 (NT.021001-2000), 25.88 KB (26,496 bytes), 3/9/2003 7:00 AM)

Name IBM ServeRAID 6M Controller
 Manufacturer IBM Corporation
 Status OK
 PNP Device ID
 PCI\VEN_9005&DEV_0250&SUBSYS_02791014&REV_02\4&180CD7A4&0&4020
 Memory Address 0xF8A08000-0xF8A08FFF
 IRQ Channel IRQ 71
 Driver c:\windows\system32\drivers\nfrd6m.sys (6.09.02 built by: WinDDK, 28.50 KB (29,184 bytes), 1/14/2003 2:59 PM)

Name IBM ServeRAID 6M Controller
 Manufacturer IBM Corporation
 Status OK
 PNP Device ID
 PCI\VEN_9005&DEV_0250&SUBSYS_02791014&REV_02\4&14F365D1&0&4018
 Memory Address 0xF8B08000-0xF8B08FFF
 IRQ Channel IRQ 67

Driver c:\windows\system32\drivers\nfrd6m.sys (6.09.02 built by: WinDDK, 28.50 KB (29,184 bytes), 1/14/2003 2:59 PM)

Name IBM ServeRAID 6M Controller
 Manufacturer IBM Corporation
 Status OK
 PNP Device ID
 PCI\VEN_9005&DEV_0250&SUBSYS_02791014&REV_00\4&8C37DC5&0&4010
 Memory Address 0xF8408000-0xF8408FFF
 IRQ Channel IRQ 63
 Driver c:\windows\system32\drivers\nfrd6m.sys (6.09.02 built by: WinDDK, 28.50 KB (29,184 bytes), 1/14/2003 2:59 PM)

Name IBM ServeRAID 6M Controller
 Manufacturer IBM Corporation
 Status OK
 PNP Device ID
 PCI\VEN_9005&DEV_0250&SUBSYS_02791014&REV_02\4&1CCD9D43&0&4008
 Memory Address 0xEAC08000-0xEAC08FFF
 IRQ Channel IRQ 116
 Driver c:\windows\system32\drivers\nfrd6m.sys (6.09.02 built by: WinDDK, 28.50 KB (29,184 bytes), 1/14/2003 2:59 PM)

Name IBM ServeRAID 6M Controller
 Manufacturer IBM Corporation
 Status OK
 PNP Device ID
 PCI\VEN_9005&DEV_0250&SUBSYS_02791014&REV_02\4&219E2F76&0&4008
 Memory Address 0xEB408000-0xEB408FFF
 IRQ Channel IRQ 109
 Driver c:\windows\system32\drivers\nfrd6m.sys (6.09.02 built by: WinDDK, 28.50 KB (29,184 bytes), 1/14/2003 2:59 PM)

Name IBM ServeRAID 6M Controller
 Manufacturer IBM Corporation
 Status OK
 PNP Device ID
 PCI\VEN_9005&DEV_0250&SUBSYS_02791014&REV_02\4&C31448A&0&4008
 Memory Address 0xEBC08000-0xEBC08FFF
 IRQ Channel IRQ 102
 Driver c:\windows\system32\drivers\nfrd6m.sys (6.09.02 built by: WinDDK, 28.50 KB (29,184 bytes), 1/14/2003 2:59 PM)

[IDE]

Item Value
 Name VIA Bus Master IDE Controller
 Manufacturer VIA Technologies, Inc.
 Status OK
 PNP Device ID
 PCI\VEN_1106&DEV_0571&SUBSYS_02A61014&REV_06\3&267A616A&0&29
 I/O Port 0x00000700-0x0000070F
 Driver c:\windows\system32\drivers\vviaide.sys (1.00.01.00, 7.00 KB (7,168 bytes), 3/9/2003 7:00 AM)

Name Primary IDE Channel
 Manufacturer (Standard IDE ATA/ATAPI controllers)
 Status OK
 PNP Device ID
 PCI\IDE\IDECHANNEL\4&29582549&0&0
 I/O Port 0x000001F0-0x000001F7
 I/O Port 0x000003F6-0x000003F6
 IRQ Channel IRQ 14

Driver c:\windows\system32\drivers\atapi.sys (5.2.3785.0
(srv03_rtm.030308-1736), 89.00 KB (91,136 bytes), 3/9/2003 7:00
AM)

Name Secondary IDE Channel
Manufacturer (Standard IDE ATA/ATAPI controllers)
Status OK
PNP Device ID PCI\IDE\DECHANNEL\4&29582549&0&1
I/O Port 0x00000170-0x00000177
I/O Port 0x00000376-0x00000376
IRQ Channel IRQ 15
Driver c:\windows\system32\drivers\atapi.sys (5.2.3785.0
(srv03_rtm.030308-1736), 89.00 KB (91,136 bytes), 3/9/2003 7:00
AM)

[Printing]

Name Driver Port Name Server Name

[Problem Devices]

Device PNP Device ID Error Code
Not Available ACPI\IBM37D4\2&DABA3FF&0
The drivers for this device are not installed.
Other PCI Bridge Device
PCI\VEN_1014&DEV_010F&SUBSYS_01131014&REV_00\3&267
A616A&0&20 The drivers for this device are not installed.

[USB]

Device PNP Device ID
VIA Rev 5 or later USB Universal Host Controller
PCI\VEN_1106&DEV_3038&SUBSYS_02A61014&REV_16\3&267
A616A&0&2A
USB Root Hub USB\ROOT_HUB\4&226DFD17&0
VIA Rev 5 or later USB Universal Host Controller
PCI\VEN_1106&DEV_3038&SUBSYS_02A61014&REV_16\3&267
A616A&0&2B
USB Root Hub USB\ROOT_HUB\4&3527ADBC&0

[Software Environment]

[System Drivers]

Name	Description	File	Type	Started	Accept Pause
Start Mode	State	Status	Error Control		
Accept Stop					
abiosdsk	Abiosdsk	Not Available	Kernel Driver	No	
Disabled	Stopped	OK	Ignore	No	No
acpi	Microsoft ACPI Driver				
c:\windows\system32\drivers\acpi.sys			Kernel Driver		
Yes	Boot	Running	OK	Normal	No
Yes					
acpiec	ACPIEC	c:\windows\system32\drivers\acpiec.sys			
Kernel Driver	No	Disabled	Stopped	OK	
Normal	No	No			
adpu160m	adpu160m	Not Available	Kernel Driver	No	
Disabled	Stopped	OK	Normal	No	No
adpu320	adpu320	Not Available	Kernel Driver	No	
Disabled	Stopped	OK	Normal	No	No
afcnt	afcnt	Not Available	Kernel Driver	No	
Disabled	Stopped	OK	Normal	No	No
afd	AFD Networking Support Environment				
c:\windows\system32\drivers\afd.sys			Kernel Driver		
Yes	Auto	Running	OK	Normal	No
Yes					

aha154x	Aha154x	Not Available	Kernel Driver	No
Disabled	Stopped	OK	Normal	No
aic78u2	aic78u2	Not Available	Kernel Driver	No
Disabled	Stopped	OK	Normal	No
aic78xx	aic78xx	Not Available	Kernel Driver	No
Disabled	Stopped	OK	Normal	No
aliide	AliIde	Not Available	Kernel Driver	No
Disabled	Stopped	OK	Normal	No
asynmac	RAS Asynchronous Media Driver			
c:\windows\system32\drivers\asynmac.sys			Kernel Driver	No
Manual	Stopped	OK	Normal	No
atapi	Standard IDE/ESDI Hard Disk Controller			
c:\windows\system32\drivers\atapi.sys			Kernel Driver	
Yes	Boot	Running	OK	Normal
Yes				
atdisk	Atdisk	Not Available	Kernel Driver	No
Disabled	Stopped	OK	Ignore	No
ati2mpad	ati2mpad	c:\windows\system32\drivers\ati2mpad.sys		
Kernel Driver	Yes	Manual	Running	OK
Ignore	No	Yes		
atmarpc	ATM ARP Client Protocol			
c:\windows\system32\drivers\atmarpc.sys			Kernel Driver	No
Manual	Stopped	OK	Normal	No
audstub	Audio Stub Driver			
c:\windows\system32\drivers\audstub.sys			Kernel Driver	
Yes	Manual	Running	OK	Normal
Yes				
b57w2k	Broadcom NetXtreme Gigabit Ethernet			
c:\windows\system32\drivers\b57xp32.sys			Kernel Driver	
Yes	Manual	Running	OK	Normal
Yes				
beep	Beep	c:\windows\system32\drivers\beep.sys		
Kernel Driver	Yes	System	Running	OK
Normal	No	Yes		
cbidf2k	cbidf2k	c:\windows\system32\drivers\cbidf2k.sys		
Kernel Driver	No	Disabled	Stopped	OK
Normal	No	No		
cd20xrnt	cd20xrnt	Not Available	Kernel Driver	No
Disabled	Stopped	OK	Normal	No
cdfs	Cdfs	c:\windows\system32\drivers\cdfs.sys		
File System Driver	Yes	Disabled	Running	OK
Normal	No	Yes		
cdrom	CD-ROM Driver			
c:\windows\system32\drivers\cdrom.sys			Kernel Driver	
Yes	System	Running	OK	Normal
Yes				
changer	Changer	Not Available	Kernel Driver	No
System	Stopped	OK	Ignore	No
clusdisk	Cluster Disk Driver			
c:\windows\system32\drivers\clusdisk.sys			Kernel Driver	No
Disabled	Stopped	OK	Normal	No
cmdide	CmdIde	Not Available	Kernel Driver	No
Disabled	Stopped	OK	Normal	No
cpqarray	Cpqarray	Not Available	Kernel Driver	No
Disabled	Stopped	OK	Normal	No
cpqarry2	cpqarry2	Not Available	Kernel Driver	No
Disabled	Stopped	OK	Normal	No
cpqcissm	cpqcissm	Not Available	Kernel Driver	No
Disabled	Stopped	OK	Normal	No
cpqfcalm	cpqfcalm	Not Available	Kernel Driver	No
Disabled	Stopped	OK	Normal	No
crdisk	CRC Disk Filter Driver			
c:\windows\system32\drivers\crdisk.sys			Kernel Driver	
Yes	Boot	Running	OK	Normal
Yes				
dac960nt	dac960nt	Not Available	Kernel Driver	No
Disabled	Stopped	OK	Normal	No

© Copyright IBM Corporation TPC Benchmark H Full Disclosure Report August 2003 66

ndproxy	NDIS Proxy							Yes	Manual	Running	OK	Normal	No
c:\windows\system32\drivers\ndproxy.sys	Kernel Driver							Yes					
Yes	Manual	Running	OK	Normal	No			processor	Processor Driver				
Yes								c:\windows\system32\drivers\processr.sys	Kernel Driver				
netbios	NetBIOS Interface							Yes	Manual	Running	OK	Normal	No
c:\windows\system32\drivers\netbios.sys	File System Driver							Yes					
Yes	System	Running	OK	Normal	No			ptilink	Direct Parallel Link Driver				
Yes								c:\windows\system32\drivers\ptilink.sys	Kernel Driver				
netbt	NetBios over Tcpip							Yes	Manual	Running	OK	Normal	No
c:\windows\system32\drivers\netbt.sys	Kernel Driver							Yes					
Yes	System	Running	OK	Normal	No			ql1080	ql1080	Not Available		Kernel Driver	No
Yes								Disabled	Stopped	OK	Normal	No	No
nfrd6m	IBM ServeRAID 6M Device Driver							ql10wnt	Ql10wnt	Not Available		Kernel Driver	No
c:\windows\system32\drivers\nfrd6m.sys	Kernel Driver							Disabled	Stopped	OK	Normal	No	No
Yes	Boot	Running	OK	Normal	No			ql12160	ql12160	Not Available		Kernel Driver	No
Yes								Disabled	Stopped	OK	Normal	No	No
nfrd6mpf	IBM ServeRAID 6M Performance Driver							ql1240	ql1240	Not Available		Kernel Driver	No
c:\windows\system32\drivers\nfrd6mpf.sys	Kernel Driver							Disabled	Stopped	OK	Normal	No	No
Yes	Boot	Running	OK	Normal	No			ql1280	ql1280	Not Available		Kernel Driver	No
Yes								Disabled	Stopped	OK	Normal	No	No
nfrd960	IBM ServeRAID 4M/4Mx/4L/4Lx/5i/6M/6i Device Driver							ql2100	ql2100	Not Available		Kernel Driver	No
c:\windows\system32\drivers\nfrd960.sys	Kernel Driver							Disabled	Stopped	OK	Normal	No	No
Yes	Boot	Running	OK	Normal	No			ql2200	ql2200	Not Available		Kernel Driver	No
Yes								Disabled	Stopped	OK	Normal	No	No
npfs	Npfs	c:\windows\system32\drivers\npfs.sys						ql2300	ql2300	Not Available		Kernel Driver	No
File System Driver	Yes	System	Running	OK				Disabled	Stopped	OK	Normal	No	No
Normal	No	Yes						rasacd	Remote Access Auto Connection Driver				
ntfs	Ntfs	c:\windows\system32\drivers\ntfs.sys						c:\windows\system32\drivers\rasacd.sys	Kernel Driver				
File System Driver	Yes	Disabled	Running	OK				Yes	System	Running	OK	Normal	No
Normal	No	Yes						Yes					
null	Null	c:\windows\system32\drivers\null.sys						rasl2tp	WAN Miniport (L2TP)				
Kernel Driver	Yes	System	Running	OK				c:\windows\system32\drivers\rasl2tp.sys	Kernel Driver				
Normal	No	Yes						Yes	Manual	Running	OK	Normal	No
numaqdrv	numaqdrv	\\?\d:\goodwin\numaqdrv.sys						Yes					
No	Manual	Stopped	OK	Normal	No	No		rasppoe	Remote Access PPPOE Driver				
parport	Parport	c:\windows\system32\drivers\parport.sys						c:\windows\system32\drivers\rasppoe.sys	Kernel Driver				
Kernel Driver	No	Manual	Stopped	OK				Yes	Manual	Running	OK	Normal	No
Ignore	No	No						Yes					
partmgr	Partition Manager							raspti	Direct Parallel				
c:\windows\system32\drivers\partmgr.sys	Kernel Driver							c:\windows\system32\drivers\raspti.sys	Kernel Driver				
Yes	Boot	Running	OK	Normal	No			Yes	Manual	Running	OK	Normal	No
Yes								Yes					
pci	PCI Bus Driver	c:\windows\system32\drivers\pci.sys						rdbss	Rdbss	c:\windows\system32\drivers\rdbss.sys			
Kernel Driver	Yes	Boot	Running	OK				File System Driver	Yes	System	Running	OK	
Critical	No	Yes						Normal	No	Yes			
pciide	PCIide	Not Available						rdpdd	RDPCDD	c:\windows\system32\drivers\rdpdd.sys			
Disabled	Stopped	OK	Normal	No	No	No		Kernel Driver	Yes	System	Running	OK	
pcmcia	Pcmcia	c:\windows\system32\drivers\pcmcia.sys						Ignore	No	Yes			
Kernel Driver	No	Disabled	Stopped	OK				rdpdr	Terminal Server Device Redirector Driver				
Normal	No	No						c:\windows\system32\drivers\rdpdr.sys	Kernel Driver				
pdcomp	PDCOMP	Not Available						Yes	Manual	Running	OK	Normal	No
Manual	Stopped	OK	Ignore	No	No	No		Yes					
pdframe	PDFRAME	Not Available						rdpwd	RDPWD	c:\windows\system32\drivers\rdpwd.sys			
No	Manual	Stopped	OK	Ignore	No	No		Kernel Driver	Yes	Manual	Running	OK	
pdreli	PDRELI	Not Available						Ignore	No	Yes			
Manual	Stopped	OK	Ignore	No	No	No		redbook	Digital CD Audio Playback Filter Driver				
pdrrframe	PDRFRAME	Not Available						c:\windows\system32\drivers\redbook.sys	Kernel Driver				
No	Manual	Stopped	OK	Ignore	No	No		Yes	System	Running	OK	Normal	No
perc2	perc2	Not Available						Yes					
Disabled	Stopped	OK	Normal	No	No	No		secdrv	Secdrv	c:\windows\system32\drivers\secdrv.sys			
perc2hib	perc2hib	Not Available						Kernel Driver	No	Manual	Stopped	OK	
Disabled	Stopped	OK	Normal	No	No	No		Normal	No	No			
pnpmem	Microsoft Memory Module Driver							serenum	Serenum Filter Driver				
c:\windows\system32\drivers\pnpmem.sys	Kernel Driver							c:\windows\system32\drivers\serenum.sys	Kernel Driver				No
Yes	Manual	Running	OK	Normal	No			Manual	Stopped	OK	Normal	No	No
Yes								serial	Serial port driver				
pptpminiport	WAN Miniport (PPTP)							c:\windows\system32\drivers\serial.sys	Kernel Driver				No
c:\windows\system32\drivers\rasppptp.sys	Kernel Driver							System	Stopped	OK	Ignore	No	No

© Copyright IBM Corporation TPC Benchmark H Full Disclosure Report August 2003 68

keyboard.inf	Not Available		
ACPI\PNP0303\4&7FD7688&0			
PS/2 Compatible Mouse	No	MOUSE	5.2.3785.0
10/1/2002 Microsoft msmouse.inf		Not Available	
ACPI\PNP0F13\4&7FD7688&0			
Standard floppy disk controller	No	FDC	5.2.3785.0
10/1/2002 (Standard floppy disk controllers)		fdc.inf	
Not Available		ACPI\PNP0700\4&7FD7688&0	
Floppy disk drive	No	FLOPPYDISK	5.2.3785.0
10/1/2002 (Standard floppy disk drives)		flpydisk.inf	
Not Available			
FDC\GENERIC_FLOPPY_DRIVE\5&17D92A40&0&0			
Advanced programmable interrupt controller	No	SYSTEM	
5.2.3785.0 10/1/2002 (Standard system devices)		machine.inf	
Not Available		ACPI\PNP0003\4&7FD7688&0	
Direct memory access controller	No	SYSTEM	5.2.3785.0
10/1/2002 (Standard system devices)		machine.inf	
Not Available		ACPI\PNP0200\4&7FD7688&0	
System timer	No	SYSTEM	5.2.3785.0 10/1/2002
(Standard system devices)		machine.inf	Not Available
ACPI\PNP0100\4&7FD7688&0			
System CMOS/real time clock	No	SYSTEM	5.2.3785.0
10/1/2002 (Standard system devices)		machine.inf	
Not Available		ACPI\PNP0B00\4&7FD7688&0	
System speaker	No	SYSTEM	5.2.3785.0 10/1/2002
(Standard system devices)		machine.inf	Not Available
ACPI\PNP0800\4&7FD7688&0			
Numeric data processor	No	SYSTEM	5.2.3785.0
10/1/2002 (Standard system devices)		machine.inf	
Not Available		ACPI\PNP0C04\4&7FD7688&0	
Motherboard resources	No	SYSTEM	5.2.3785.0
10/1/2002 (Standard system devices)		machine.inf	
Not Available		ACPI\PNP0C02\3	
VIA Bus Master IDE Controller	No	HDC	5.2.3785.0
10/1/2002 VIA Technologies, Inc.		mshdc.inf	Not Available
PCI\VEN_1106&DEV_0571&SUBSYS_02A61014&REV_06\3&267A616A&0&29			
Primary IDE Channel	No	HDC	5.2.3785.0 10/1/2002
(Standard IDE ATA/ATAPI controllers)		mshdc.inf	Not Available
PCIIDE\IDECHANNEL\4&29582549&0&0			
CD-ROM Drive	No	CDROM	5.2.3785.0 10/1/2002
(Standard CD-ROM drives)		cdrom.inf	Not Available
IDE\CDROMHL-DT-ST_DVD-ROM_GDR8081N_0012_5&CBC355F&0&0.0.0			
Secondary IDE Channel	No	HDC	5.2.3785.0
10/1/2002 (Standard IDE ATA/ATAPI controllers)		mshdc.inf	
Not Available		PCIIDE\IDECHANNEL\4&29582549&0&1	
VIA Rev 5 or later USB Universal Host Controller	No		
USB	5.2.3785.0 10/1/2002	VIA Technologies	usbport.inf
Not Available			
PCI\VEN_1106&DEV_3038&SUBSYS_02A61014&REV_16\3&267A616A&0&2A			
USB Root Hub	No	USB	5.2.3785.0 10/1/2002
(Standard USB Host Controller)		usbport.inf	Not Available
USB\ROOT_HUB\4&226DFD17&0			
VIA Rev 5 or later USB Universal Host Controller	No		
USB	5.2.3785.0 10/1/2002	VIA Technologies	usbport.inf
Not Available			
PCI\VEN_1106&DEV_3038&SUBSYS_02A61014&REV_16\3&267A616A&0&2B			
USB Root Hub	No	USB	5.2.3785.0 10/1/2002
(Standard USB Host Controller)		usbport.inf	Not Available
USB\ROOT_HUB\4&3527ADBC&0			
VIA Tech Power Management controller	No	SYSTEM	
5.2.3785.0 10/1/2002 VIA		machine.inf	Not Available
PCI\VEN_1106&DEV_3057&SUBSYS_02A61014&REV_40\3&267A616A&0&2C			

System board	No	SYSTEM	5.2.3785.0 10/1/2002
(Standard system devices)		machine.inf	Not Available
ACPI\PNP0C01\1			
ACPI Fixed Feature Button	No	SYSTEM	5.2.3785.0
10/1/2002 (Standard system devices)		machine.inf	
Not Available		ACPI\FIXEDBUTTON\2&DABA3FF&0	
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\0			
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\1			
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\2			
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\3			
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\4			
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\5			
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\6			
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\7			
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\8			
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\9			
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\10			
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\11			
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\12			
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\13			
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\14			
Processor	No	PROCESSOR	5.2.3785.0 10/1/2002
(Standard processor types)		cpu.inf	Not Available
ACPI\GENUINEINTEL_-X86_FAMILY_15_MODEL_2\15			
Memory Module	No	MEMORY	5.2.3785.0 10/1/2002
Microsoft memory.inf		Not Available	
ACPI\PNP0C80\0			
Memory Module	No	MEMORY	5.2.3785.0 10/1/2002
Microsoft memory.inf		Not Available	
ACPI\PNP0C80\2			
PCI bus	No	SYSTEM	5.2.3785.0 10/1/2002 (Standard system devices)
		machine.inf	Not Available
ACPI\PNP0A03\1			
PCI standard host CPU bridge	No	SYSTEM	5.2.3785.0
10/1/2002 (Standard system devices)		machine.inf	
Not Available			
PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_05\3&13C0B0C5&0&00			

LSI Logic PCI-X Ultra320 SCSI Host Adapter No
 SCSIADAPTER 5.2.3785.0 10/1/2002 LSI Logic Inc.
 pnpscsi.inf Not Available
 PCI\VEN_1000&DEV_0030&SUBSYS_02921014&REV_07\3&13C
 0B0C5&0&18
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&ESXS&PROD_ST336753LC____FN&REV
 _B855\4&3CF91A&0&000
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&ESXS&PROD_ST336753LC____FN&REV
 _B855\4&3CF91A&0&000
 SCSI Processor Device No SYSTEM 5.2.3785.0
 10/1/2002 IBM scsdev.inf Not Available
 SCSI\PROCESSOR&VEN_IBM&PROD_25P3495A_S320_1&REV
 _1\4&3CF91A&0&080
 IBM Dummy Device No SYSTEM 5.2.3785.0 10/1/2002
 IBM scsdev.inf Not Available
 SCSI\BRIDGE&VEN_IBM&PROD_DUMMY_DEVICE&REV_4.80
 \4&3CF91A&0&100
 LSI Logic PCI-X Ultra320 SCSI Host Adapter No
 SCSIADAPTER 5.2.3785.0 10/1/2002 LSI Logic Inc.
 pnpscsi.inf Not Available
 PCI\VEN_1000&DEV_0030&SUBSYS_02921014&REV_07\3&13C
 0B0C5&0&19
 IBM Dummy Device No SYSTEM 5.2.3785.0 10/1/2002
 IBM scsdev.inf Not Available
 SCSI\BRIDGE&VEN_IBM&PROD_DUMMY_DEVICE&REV_4.80
 \4&12F6A9BF&0&100
 Broadcom NetXtreme Gigabit Ethernet No NET
 6.34.0.0 2/17/2003 Broadcom oem2.inf Not Available
 PCI\VEN_14E4&DEV_1648&SUBSYS_02A61014&REV_02\3&13
 C0B0C5&0&20
 Broadcom NetXtreme Gigabit Ethernet No NET
 6.34.0.0 2/17/2003 Broadcom oem2.inf Not Available
 PCI\VEN_14E4&DEV_1648&SUBSYS_02A61014&REV_02\3&13
 C0B0C5&0&21
 PCI bus No SYSTEM 5.2.3785.0 10/1/2002 (Standard
 system devices) machine.inf Not Available
 ACPI\PNP0A03\2
 PCI standard host CPU bridge No SYSTEM 5.2.3785.0
 10/1/2002 (Standard system devices) machine.inf
 Not Available
 PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_05\3&107
 0020&0&00
 PCI bus No SYSTEM 5.2.3785.0 10/1/2002 (Standard
 system devices) machine.inf Not Available
 ACPI\PNP0A03\3
 PCI standard host CPU bridge No SYSTEM 5.2.3785.0
 10/1/2002 (Standard system devices) machine.inf
 Not Available
 PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_05\3&29E
 81982&0&00
 PCI standard PCI-to-PCI bridge No SYSTEM 5.2.3785.0
 10/1/2002 (Standard system devices) machine.inf
 Not Available
 PCI\VEN_1014&DEV_01A7&SUBSYS_00000000&REV_02\3&29E
 81982&0&20
 IBM ServeRAID 6M Controller No SCSIADAPTER
 6.9.3.0 3/24/2003 IBM Corporation oem3.inf Not Available
 PCI\VEN_9005&DEV_0250&SUBSYS_02791014&REV_02\4&180
 CD7A4&0&4020
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&35EF
 C5FC&0&000

Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&35EF
 C5FC&0&010
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&35EF
 C5FC&0&020
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&35EF
 C5FC&0&030
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&35EF
 C5FC&0&040
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&35EF
 C5FC&0&050
 SCSI Processor Device No SYSTEM 5.2.3785.0
 10/1/2002 IBM scsdev.inf Not Available
 SCSI\PROCESSOR&VEN_IBM&PROD_EXP300__S160&REV_D
 014\5&35EFC5FC&0&1F0
 SCSI Processor Device No SYSTEM 5.2.3785.0
 10/1/2002 IBM scsdev.inf Not Available
 SCSI\PROCESSOR&VEN_IBM&PROD_EXP300__S160&REV_D
 014\5&35EFC5FC&0&2F0
 IBM Dummy Device No SYSTEM 5.2.3785.0 10/1/2002
 IBM scsdev.inf Not Available
 SCSI\BRIDGE&VEN_IBM&PROD_DUMMY_DEVICE&REV_6.00
 \5&35EFC5FC&0&300
 PCI bus No SYSTEM 5.2.3785.0 10/1/2002 (Standard
 system devices) machine.inf Not Available
 ACPI\PNP0A03\4
 PCI standard host CPU bridge No SYSTEM 5.2.3785.0
 10/1/2002 (Standard system devices) machine.inf
 Not Available
 PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_05\3&172
 E68DD&0&00
 PCI standard PCI-to-PCI bridge No SYSTEM 5.2.3785.0
 10/1/2002 (Standard system devices) machine.inf
 Not Available
 PCI\VEN_1014&DEV_01A7&SUBSYS_00000000&REV_02\3&172
 E68DD&0&18
 IBM ServeRAID 6M Controller No SCSIADAPTER
 6.9.3.0 3/24/2003 IBM Corporation oem3.inf Not Available
 PCI\VEN_9005&DEV_0250&SUBSYS_02791014&REV_02\4&14F
 365D1&0&4018
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&1D86
 B3A9&0&000
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&1D86
 B3A9&0&010
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&1D86
 B3A9&0&020
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&1D86
 B3A9&0&030
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available

SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&1D86B3A9&0&040	IBM ServeRAID 6M Controller No	SCSIADAPTER
Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002	6.9.3.0 3/24/2003 IBM Corporation oem3.inf Not Available	
(Standard disk drives) disk.inf Not Available	PCI\VEN_9005&DEV_0250&SUBSYS_02791014&REV_02\4&1CCD9D43&0&4008	
SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&1D86B3A9&0&050	Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002	
SCSI Processor Device No SYSTEM 5.2.3785.0	(Standard disk drives) disk.inf Not Available	
10/1/2002 IBM scsidev.inf Not Available	SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&95FC660&0&000	
SCSI\PROCESSOR&VEN_IBM&PROD_EXP300___S160&REV_D014\5&1D86B3A9&0&1F0	Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002	
SCSI Processor Device No SYSTEM 5.2.3785.0	(Standard disk drives) disk.inf Not Available	
10/1/2002 IBM scsidev.inf Not Available	SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&95FC660&0&010	
SCSI\PROCESSOR&VEN_IBM&PROD_EXP300___S160&REV_D014\5&1D86B3A9&0&2F0	Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002	
IBM Dummy Device No SYSTEM 5.2.3785.0 10/1/2002	(Standard disk drives) disk.inf Not Available	
IBM scsidev.inf Not Available	SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&95FC660&0&020	
SCSI\BRIDGE&VEN_IBM&PROD_DUMMY_DEVICE&REV_6.00\5&1D86B3A9&0&300	Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002	
PCI bus No SYSTEM 5.2.3785.0 10/1/2002 (Standard system devices) machine.inf Not Available	(Standard disk drives) disk.inf Not Available	
ACPI\PNP0A03\5	SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&95FC660&0&030	
PCI standard host CPU bridge No SYSTEM 5.2.3785.0	Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002	
10/1/2002 (Standard system devices) machine.inf Not Available	(Standard disk drives) disk.inf Not Available	
PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_05\3&474B838&0&00	SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&95FC660&0&040	
PCI standard PCI-to-PCI bridge No SYSTEM 5.2.3785.0	Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002	
10/1/2002 (Standard system devices) machine.inf Not Available	(Standard disk drives) disk.inf Not Available	
PCI\VEN_1014&DEV_01A7&SUBSYS_00000000&REV_02\3&474B838&0&10	SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&95FC660&0&050	
IBM ServeRAID 6M Controller No SCSIADAPTER	SCSI Processor Device No SYSTEM 5.2.3785.0	
6.9.3.0 3/24/2003 IBM Corporation oem3.inf Not Available	10/1/2002 IBM scsidev.inf Not Available	
PCI\VEN_9005&DEV_0250&SUBSYS_02791014&REV_00\4&8C37DC5&0&4010	SCSI\PROCESSOR&VEN_IBM&PROD_EXP300___S160&REV_D014\5&95FC660&0&1F0	
Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002	SCSI Processor Device No SYSTEM 5.2.3785.0	
(Standard disk drives) disk.inf Not Available	10/1/2002 IBM scsidev.inf Not Available	
SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&E503D66&0&000	SCSI\PROCESSOR&VEN_IBM&PROD_EXP300___S160&REV_D014\5&95FC660&0&2F0	
SCSI Processor Device No SYSTEM 5.2.3785.0	IBM Dummy Device No SYSTEM 5.2.3785.0 10/1/2002	
10/1/2002 IBM scsidev.inf Not Available	IBM scsidev.inf Not Available	
SCSI\PROCESSOR&VEN_IBM&PROD_EXP300___S160&REV_D014\5&E503D66&0&1F0	SCSI\BRIDGE&VEN_IBM&PROD_DUMMY_DEVICE&REV_6.00\5&95FC660&0&300	
SCSI Processor Device No SYSTEM 5.2.3785.0	PCI bus No SYSTEM 5.2.3785.0 10/1/2002 (Standard system devices) machine.inf Not Available	
10/1/2002 IBM scsidev.inf Not Available	ACPI\PNP0A03\81	
SCSI\PROCESSOR&VEN_IBM&PROD_EXP300___S160&REV_D014\5&E503D66&0&2F0	PCI standard host CPU bridge No SYSTEM 5.2.3785.0	
IBM Dummy Device No SYSTEM 5.2.3785.0 10/1/2002	10/1/2002 (Standard system devices) machine.inf Not Available	
IBM scsidev.inf Not Available	PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_05\3&F2FC708&0&00	
SCSI\BRIDGE&VEN_IBM&PROD_DUMMY_DEVICE&REV_6.00\5&E503D66&0&300	PCI standard PCI-to-PCI bridge No SYSTEM 5.2.3785.0	
Motherboard resources No SYSTEM 5.2.3785.0	10/1/2002 (Standard system devices) machine.inf Not Available	
10/1/2002 (Standard system devices) machine.inf Not Available	PCI\VEN_1014&DEV_01A7&SUBSYS_00000000&REV_02\3&F2FC708&0&08	
ACPI\PNP0C02\10	IBM ServeRAID 6M Controller No SCSIADAPTER	
PCI bus No SYSTEM 5.2.3785.0 10/1/2002 (Standard system devices) machine.inf Not Available	6.9.3.0 3/24/2003 IBM Corporation oem3.inf Not Available	
ACPI\PNP0A03\80	PCI\VEN_9005&DEV_0250&SUBSYS_02791014&REV_02\4&219E2F76&0&4008	
PCI standard host CPU bridge No SYSTEM 5.2.3785.0	Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002	
10/1/2002 (Standard system devices) machine.inf Not Available	(Standard disk drives) disk.inf Not Available	
PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_05\3&389E99D&0&00	SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&2F37A55C&0&000	
PCI standard PCI-to-PCI bridge No SYSTEM 5.2.3785.0	Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002	
10/1/2002 (Standard system devices) machine.inf Not Available	(Standard disk drives) disk.inf Not Available	
PCI\VEN_1014&DEV_01A7&SUBSYS_00000000&REV_02\3&389E99D&0&08	SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&2F37A55C&0&010	
	Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002	
	(Standard disk drives) disk.inf Not Available	

SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&2F37A55C&0&020
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&2F37A55C&0&030
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&2F37A55C&0&040
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&2F37A55C&0&050
 SCSI Processor Device No SYSTEM 5.2.3785.0
 10/1/2002 IBM scsidev.inf Not Available
 SCSI\PROCESSOR&VEN_IBM&PROD_EXP300___S160&REV_D014\5&2F37A55C&0&2F0
 SCSI Processor Device No SYSTEM 5.2.3785.0
 10/1/2002 IBM scsidev.inf Not Available
 SCSI\PROCESSOR&VEN_IBM&PROD_EXP300___S160&REV_D014\5&2F37A55C&0&2F0
 IBM Dummy Device No SYSTEM 5.2.3785.0 10/1/2002
 IBM scsidev.inf Not Available
 SCSI\BRIDGE&VEN_IBM&PROD_DUMMY_DEVICE&REV_6.00\5&2F37A55C&0&300
 PCI bus No SYSTEM 5.2.3785.0 10/1/2002 (Standard system devices) machine.inf Not Available
 ACPI\PNP0A03\82
 PCI standard host CPU bridge No SYSTEM 5.2.3785.0 10/1/2002 (Standard system devices) machine.inf Not Available
 PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_05\3&21E977AD&0&00
 PCI standard PCI-to-PCI bridge No SYSTEM 5.2.3785.0 10/1/2002 (Standard system devices) machine.inf Not Available
 PCI\VEN_1014&DEV_01A7&SUBSYS_00000000&REV_02\3&21E977AD&0&08
 IBM ServerRAID 6M Controller No SCSIADAPTER 6.9.3.0 3/24/2003 IBM Corporation oem3.inf Not Available
 PCI\VEN_9005&DEV_0250&SUBSYS_02791014&REV_02\4&C31448A&0&4008
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&29697B4D&0&000
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&29697B4D&0&010
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&29697B4D&0&020
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&29697B4D&0&030
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&29697B4D&0&040
 Disk drive No DISKDRIVE 5.2.3785.0 10/1/2002
 (Standard disk drives) disk.inf Not Available
 SCSI\DISK&VEN_IBM&PROD_SERVERAID&REV_6.00\5&29697B4D&0&050

SCSI Processor Device No SYSTEM 5.2.3785.0
 10/1/2002 IBM scsidev.inf Not Available
 SCSI\PROCESSOR&VEN_IBM&PROD_EXP300___S160&REV_D014\5&29697B4D&0&1F0
 SCSI Processor Device No SYSTEM 5.2.3785.0
 10/1/2002 IBM scsidev.inf Not Available
 SCSI\PROCESSOR&VEN_IBM&PROD_EXP300___S160&REV_D014\5&29697B4D&0&2F0
 IBM Dummy Device No SYSTEM 5.2.3785.0 10/1/2002
 IBM scsidev.inf Not Available
 SCSI\BRIDGE&VEN_IBM&PROD_DUMMY_DEVICE&REV_6.00\5&29697B4D&0&300
 Motherboard resources No SYSTEM 5.2.3785.0 10/1/2002 (Standard system devices) machine.inf Not Available
 ACPI\PNP0C02\20
 PCI bus No SYSTEM 5.2.3785.0 10/1/2002 (Standard system devices) machine.inf Not Available
 ACPI\PNP0A03\88
 PCI standard host CPU bridge No SYSTEM 5.2.3785.0 10/1/2002 (Standard system devices) machine.inf Not Available
 PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_05\3&32219A6E&0&00
 PCI bus No SYSTEM 5.2.3785.0 10/1/2002 (Standard system devices) machine.inf Not Available
 ACPI\PNP0A03\89
 PCI standard host CPU bridge No SYSTEM 5.2.3785.0 10/1/2002 (Standard system devices) machine.inf Not Available
 PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_05\3&1F67E9C9&0&00
 PCI bus No SYSTEM 5.2.3785.0 10/1/2002 (Standard system devices) machine.inf Not Available
 ACPI\PNP0A03\8A
 PCI standard host CPU bridge No SYSTEM 5.2.3785.0 10/1/2002 (Standard system devices) machine.inf Not Available
 PCI\VEN_1014&DEV_0302&SUBSYS_00000000&REV_05\3&3ACAD158&0&00
 Motherboard resources No SYSTEM 5.2.3785.0 10/1/2002 (Standard system devices) machine.inf Not Available
 ACPI\PNP0C02\21
 Logical Disk Manager No SYSTEM 5.2.3785.0 10/1/2002 (Standard system devices) machine.inf Not Available
 ROOT\DMIO\0000
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#\{0F880FA5-A24E-4F92-A89B-2C2530EF6263}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#\{150C39B7-9967-4E6C-838D-6934E5260FC0}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#\{531AFCA7-14CC-4563-8875-520F8A4D97D4}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#\{BB919D18-AEAF-441B-BD4D-0180E2347491}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#\{84874AC1-0B1F-49F5-A532-850305F1902F}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available

STORAGE\VOLUME\1&3735C57B&0&LDM#{E2CA8C26-F80C-45E2-987B-2F47290F1994}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{9C85B3E8-E76D-4C1E-9F24-FA0C5BF12BED}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{63D367C7-C928-4AA1-90F3-FC75740D6CDC}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{96D749D7-29B6-4130-9262-DBF8750CAF91}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{8018E513-8875-462D-AE81-B24A5EF587F2}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{959B23C6-4BF2-4BDA-8AE4-4D259D4E0CAD}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{283BFE27-EDD4-4E9C-9B40-82904CCCF3B6}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{8352BFBC-ED7A-4FB3-B707-4A7850116D5A}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{D6E099E5-EE7A-409B-A85F-EE3789E8A756}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{C03EAD4-B543-4DED-8A1D-320983C7E719}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{ED537A10-ADFB-4A62-AEA5-D52247629DE3}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{6E363FEC-E69A-45C1-B677-F40AD7C7FEC}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{FE191344-FCA3-44DE-9D1B-CA5FDCF53AE0}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{FD1411B6-5D23-4D3F-A065-D06842558AF2}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{E0168406-47E0-461E-8FBF-0D070441E47F}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{2B56996D-8D7F-4067-84C9-11C6D792CF3C}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{6793E823-A3C2-486F-B604-1E011198D9C8}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available

STORAGE\VOLUME\1&3735C57B&0&LDM#{B778CCFB-1262-4FB1-BD58-C0F764FF6BAD}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{632424A8-8B72-42B5-A199-C8A3F8D3671C}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{79F5650A-B830-4F4B-A800-5722FDD9A7F6}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{5CA974FA-72E5-4A15-940A-B4A06FD67DF6}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{C0680BAF-C9AD-43A7-95E0-B2D64BFEB5DF}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{39760AA8-3DCE-4E27-B161-36BF71F0CF94}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{E4006FCA-DE99-4902-AC62-D512F39E4D17}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{0EB797FE-2120-4684-AE57-6C412076BBB1}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{ABF06BED-E3DF-424F-8143-4B095E6ECCBF}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{CDF6A91E-6AFE-4A2B-B8E5-49246AB425CC}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{FF073387-F380-4513-B248-00D4CF53F4FE}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{E315782D-DEF2-4178-89C8-F6CA8DE4B9FA}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{7BD89C0C-2868-413C-9D12-174A27993463}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{6C82FA27-EEBC-4701-AF5A-9D22B5F01830}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{FC646708-49C2-4FFD-AEA2-45A12268EC9F}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{27A1DAB7-F719-490C-853B-B5BBF916260D}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{C87021C2-A2CA-41EA-80F7-755E46A1F7D0}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available

STORAGE\VOLUME\1&3735C57B&0&LDM#{1BD0EFA5-6EB9-4221-BE61-E02E38C195DA}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{10379AC6-7B88-4950-8C6A-498A04084CC5}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{EDE8464F-655B-43DC-940B-8FDC76433074}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{128C2698-3696-4889-929C-9837F05D19F0}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{FCC8B061-6E5B-4A45-99C7-DBBF8656F3B0}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{626DE93A-6A16-48B0-B93D-25A2876F762E}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{DA2A3508-F92D-4C80-8BF0-13C196DDE53E}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{DA47FE26-B650-4ADA-8903-8ACADAAA1326}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{30C45F0B-0DB5-4610-A772-7420DF9412B7}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{9CDBF9CA-EBF1-469F-A401-970071D26740}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{F6FF531A-0D8C-48AE-A0E9-0B757DDEAC3C}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{FF264A67-D5C2-4E51-AF04-F9A8760689C0}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{EF37F4E3-776F-4A50-843E-2A8D6A95860C}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{D165A144-7089-48C5-92F8-61CF255878A4}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{6617B14F-F722-4949-AAF9-507E65A9C3F0}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{FEFA4A47-D7BC-4636-88B0-DF161A717990}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{D7624E57-978F-4CFF-B7FB-CE1F68851A21}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available

STORAGE\VOLUME\1&3735C57B&0&LDM#{5DFE6191-CE0E-4608-BD20-91686471E54C}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{7AFC4872-E156-41DB-9C53-80C89674B4BF}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{7E7E30C0-9AB8-46B7-92CC-42934822DE24}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{0F9150C3-3683-4879-A25F-107951B47AFD}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{76A49B32-3300-4865-9BE7-10F178A6DF76}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{23A76EA2-DF62-4D1E-B6D8-AE9E10DAD8DA}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{2DD33ABE-0B69-425F-9AE4-6A76791C9D0E}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{16B97BF4-9479-4CCA-B4F5-59EE0722CCAB}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{E6FEFF0A-29EB-435B-A578-BBF763DF7F16}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{13CAD7FC-5CAC-4D31-9FA1-D49DF5C79F45}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{56717B92-6D50-4970-A05A-5B3CB39D2BEC}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{78464726-BFD8-47F8-99FB-C97BA8ACF4C5}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{64177839-9F61-43BB-B04D-D54A138E5CDC}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{CCDB7DFA-5ACF-48EA-93A9-64EC32015158}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{88431130-9183-4A8B-BF28-BA28A94E6B51}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{408B9FF1-E964-49E5-B0E8-6DCFA169C107}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{90D04503-6100-4B99-9E4A-A10B577D4885}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available

STORAGE\VOLUME\1&3735C57B&0&LDM#{1AA23B63-04DA-44FA-8209-CADD5AE6ABE2}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{99FC3065-7CBA-485B-A5A1-5C752637A224}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{0406F62A-D26A-4CB1-81C4-F306FB367FEE}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{BEC81033-F703-456E-AA06-A123D3DFFBB7}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{83F4E28D-F387-412A-A7B4-E7860208A058}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{F33E1500-4D18-43E1-A9CF-F092AD42F75A}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{DA41F4B9-85FC-4524-AF1F-8933D1C1D0D7}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{8F44B742-DB87-4BFD-9CD5-E073045B2D9D}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{C00AB8EA-60B5-4F8A-A5EC-DE69BF7C7CB7}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{FD575142-3522-464E-AD6F-37B7DE9F04AE}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{4C4B9301-BE23-4CE0-8447-3C2551A2ED70}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{6A88F013-D88D-494E-B770-87E3ADCC2DCA}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{A896961F-C164-4BA1-8BA2-1101526D3576}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{E046B08B-58A1-4AFB-80D7-84CAE5F0FDA3}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{AD8FAD1A-4382-4AFC-8BDA-DFFB7D684380}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{89C3121A-FA77-4402-AE22-F9B24F5D7B1A}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{303E9A31-BB48-4234-A4CC-CB1970C84BEC}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available

STORAGE\VOLUME\1&3735C57B&0&LDM#{7A61E0A0-8FFE-419E-BFBA-1B6E19F06CE0}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{ACA660F5-7ABA-4380-9F26-C566DA3226D2}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{7FE13F4B-8A72-4789-A558-498F96477BFA}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{436DE5BB-80E0-4ACB-840E-AD48063FBDDD}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{CA19DB6E-4C33-417D-B0E1-9B0A0B554359}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{33B3E423-2586-4C12-9FA6-17569966650E}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{87066A7F-F0F8-4D6B-9E63-1FB1D6443862}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{7D19C056-8445-4B20-A2B8-76F1DCF49F5F}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{73913E82-E9C0-4CES-B6DA-08F070B9F701}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{7F4CD0F0-16A7-4DAD-BA84-E9336EDB5DCA}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{6F7C233D-6B54-41C7-A9C6-B81FCB4B6410}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{9224322F-189E-4A17-9A1F-AA594290F737}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{E3EE46A0-2B29-4BA4-83FB-688AFCD96541}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{AF28CCCE-7371-4912-B7AD-571B68B9FBFA}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{D95A8978-5CCE-4905-97B2-C4145662C709}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{339182F7-DDDC-4EFE-964F-BEAD6B4CB6BA}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{EF4C7ACA-18D7-42A4-9F8E-FD5C56758A57}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available

STORAGE\VOLUME\1&3735C57B&0&LDM#{6DDDF144-2B6F-4565-8052-9C4E2962B9F5}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{81FE5526-9808-4C47-BB9D-F4E460DD6849}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{63DE288A-6D12-4134-8BC7-ADA584CFCF7B}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{047E0514-2CCA-4781-8CE1-623D7CBFDD83}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{4DD8A883-561A-43CF-B595-1DE7C282135F}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{DAD64AC5-4FFB-41A8-BCF5-689D0415781A}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{8BA2C7FB-2F27-4FE9-AE77-367E505E9E11}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{1FA74B99-3B15-4DF1-AAD6-AF24AD4D9B25}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{8D1B5A1D-5464-4802-8E87-8573F3937BF0}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{0BE6D07F-30F6-48B8-B3F8-E31A8AC96A20}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{B7FAB346-8D08-4030-9D53-9D69EE4F1E79}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{E852756A-D533-43F8-BB8E-084E484AAF50}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{B339148E-1C3E-4B91-BCD8-C565CA6122EF}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{9A996D18-9A37-4D01-9982-F263B109C0A6}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{5D675806-93B5-4F8F-B4AF-5744B69E586A}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{2AF0D220-F821-4F3A-8242-EAE493E61958}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{33ED1D96-8581-4380-AE36-588EDC5EBA94}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available

STORAGE\VOLUME\1&3735C57B&0&LDM#{06378640-1336-434E-B0CC-68C4C491D26D}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{8FEF0FC5-EE09-4C36-80FE-0F6A1227B5EF}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{3A9D0801-3627-4164-92A8-52DF33C58D1F}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{4BBCDFD1-E730-4487-9D24-15283C554957}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{856ED27F-D6D8-4764-933A-474C94887DE4}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{59C34280-0C5E-4263-BA8C-576F264990F3}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{74664814-EBA0-449F-A129-B83470F5F384}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{4E2A8150-65CC-4462-8E95-A8A95D24AF94}
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&3735C57B&0&LDM#{E0D645C7-0C41-457E-B7AA-D8863DDD42ED}
 Volume Manager No SYSTEM 5.2.3785.0 10/1/2002
 (Standard system devices) machine.inf Not Available
 ROOT\FTDISK\0000
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&30A96598&0&SIGNATUREDB0BDB0BOFFSET7E00LENGTH878EE1200
 Generic volume No VOLUME 5.2.3785.0 10/1/2002
 Microsoft volume.inf Not Available
 STORAGE\VOLUME\1&30A96598&0&SIGNATUREDC31DC31OFFSET7E00LENGTH8796B9400
 AFD Networking Support Environment Not Available
 LEGACYDRIVER Not Available Not Available
 Not Available Not Available Not Available
 ROOT\LEGACY_AFD\0000
 Beep Not Available LEGACYDRIVER Not Available
 Not Available Not Available Not Available
 Not Available ROOT\LEGACY_BEEP\0000
 CRC Disk Filter Driver Not Available
 LEGACYDRIVER Not Available Not Available
 Not Available Not Available Not Available
 ROOT\LEGACY_CRCDISK\0000
 dmboot Not Available LEGACYDRIVER Not Available
 Not Available Not Available Not Available
 Not Available ROOT\LEGACY_DMBOOT\0000
 dmlod Not Available LEGACYDRIVER Not Available
 Not Available Not Available Not Available
 Not Available ROOT\LEGACY_DMLOAD\0000
 Fips Not Available LEGACYDRIVER Not Available
 Not Available Not Available Not Available
 Not Available ROOT\LEGACY_FIPS\0000
 Generic Packet Classifier Not Available
 LEGACYDRIVER Not Available Not Available

Not Available	Not Available	Not Available
ROOT\LEGACY_GPC\0000		
IP Network Address Translator	Not Available	
LEGACYDRIVER	Not Available	Not Available
Not Available	Not Available	Not Available
ROOT\LEGACY_IPNAT\0000		
IPSEC driver	Not Available	LEGACYDRIVER
Not Available	Not Available	Not Available
Not Available	Not Available	
ROOT\LEGACY_IPSEC\0000		
ksecdd	Not Available	LEGACYDRIVER
Not Available	Not Available	Not Available
Not Available	ROOT\LEGACY_KSECDD\0000	
mmdd	Not Available	LEGACYDRIVER
Not Available	Not Available	Not Available
Not Available	ROOT\LEGACY_MNMDD\0000	
mountmgr	Not Available	LEGACYDRIVER
Not Available	Not Available	Not Available
Not Available	ROOT\LEGACY_MOUNTMGR\0000	
NDIS System Driver	Not Available	LEGACYDRIVER
Not Available	Not Available	Not Available
Not Available	Not Available	
ROOT\LEGACY_NDIS\0000		
Remote Access NDIS TAPI Driver		Not Available
LEGACYDRIVER	Not Available	Not Available
Not Available	Not Available	Not Available
ROOT\LEGACY_NDIS\TAPI\0000		
NDIS Usermode I/O Protocol	Not Available	
LEGACYDRIVER	Not Available	Not Available
Not Available	Not Available	Not Available
ROOT\LEGACY_NDIS\UIO\0000		
NDProxy	Not Available	LEGACYDRIVER
Not Available	Not Available	Not Available
Not Available	ROOT\LEGACY_NDPROXY\0000	
NetBios over Tcpip	Not Available	LEGACYDRIVER
Not Available	Not Available	Not Available
Not Available	Not Available	
ROOT\LEGACY_NETBT\0000		
IBM ServeRAID 4M/4Mx/4L/4Lx/5i/6M/6i Device Driver		
Not Available	LEGACYDRIVER	Not Available
Not Available	Not Available	Not Available
Not Available	ROOT\LEGACY_NFRD960\0000	
Null	Not Available	LEGACYDRIVER
Not Available	Not Available	Not Available
Not Available	ROOT\LEGACY_NULL\0000	
numaqdrv	Not Available	LEGACYDRIVER
Not Available	Not Available	Not Available
Not Available	ROOT\LEGACY_NUMAQDRV\0000	
Partition Manager	Not Available	LEGACYDRIVER
Not Available	Not Available	Not Available
Not Available	Not Available	
ROOT\LEGACY_PARTMGR\0000		
Remote Access Auto Connection Driver		Not Available
LEGACYDRIVER	Not Available	Not Available
Not Available	Not Available	Not Available
ROOT\LEGACY_RASACD\0000		
RDPCDD	Not Available	LEGACYDRIVER
Not Available	Not Available	Not Available
Not Available	ROOT\LEGACY_RDPCDD\0000	
RDPWD	Not Available	LEGACYDRIVER
Not Available	Not Available	Not Available
Not Available	ROOT\LEGACY_RDPWD\0000	
TCP/IP Protocol Driver	Not Available	
LEGACYDRIVER	Not Available	Not Available
Not Available	Not Available	Not Available
ROOT\LEGACY_TCPIP\0000		

TDTCP	Not Available	LEGACYDRIVER	Not Available
Not Available	Not Available	Not Available	
Not Available	ROOT\LEGACY_TDTCP\0000		
VGA Display Controller.		Not Available	
LEGACYDRIVER	Not Available	Not Available	
Not Available	Not Available	Not Available	
ROOT\LEGACY_VGASAVE\0000			
volsnap	Not Available	LEGACYDRIVER	Not Available
Not Available	Not Available	Not Available	
Not Available	ROOT\LEGACY_VOLSnap\0000		
Remote Access IP ARP Driver		Not Available	
LEGACYDRIVER	Not Available	Not Available	
Not Available	Not Available	Not Available	
ROOT\LEGACY_WANARP\0000			
Audio Codecs	No	MEDIA	5.2.3785.0 10/1/2002
(Standard system devices)		wave.inf	Not Available
ROOT\MEDIA\MS_MMACM			
Legacy Audio Drivers	No	MEDIA	5.2.3785.0 10/1/2002
(Standard system devices)		wave.inf	Not Available
ROOT\MEDIA\MS_MMDRV			
Media Control Devices	No	MEDIA	5.2.3785.0
10/1/2002 (Standard system devices)		wave.inf	Not Available
ROOT\MEDIA\MS_MMMCI			
Legacy Video Capture Devices	No	MEDIA	5.2.3785.0
10/1/2002 (Standard system devices)		wave.inf	Not Available
ROOT\MEDIA\MS_MMVCD			
Video Codecs	No	MEDIA	5.2.3785.0 10/1/2002
(Standard system devices)		wave.inf	Not Available
ROOT\MEDIA\MS_MMVID			
WAN Miniport (L2TP)	No	NET	5.2.3785.0
10/1/2002 Microsoft	netrasa.inf	Not Available	
ROOT\MS_L2TPMINI\PORT\0000			
WAN Miniport (IP)	No	NET	5.2.3785.0 10/1/2002
Microsoft	netrasa.inf	Not Available	
ROOT\MS_NDISWANIP\0000			
WAN Miniport (PPPOE)	No	NET	5.2.3785.0
10/1/2002 Microsoft	netrasa.inf	Not Available	
ROOT\MS_PPPOEMINI\PORT\0000			
WAN Miniport (PTP)	No	NET	5.2.3785.0
10/1/2002 Microsoft	netrasa.inf	Not Available	
ROOT\MS_PPTP\MINI\PORT\0000			
Direct Parallel	No	NET	5.2.3785.0 10/1/2002
Microsoft	netrasa.inf	Not Available	
ROOT\MS_PT\MINI\PORT\0000			
Terminal Server Device Redirector	No	SYSTEM	
5.2.3785.0 10/1/2002 (Standard system devices)		machine.inf	
Not Available	ROOT\RDPDR\0000		
Terminal Server Keyboard Driver	No	SYSTEM	
5.2.3785.0 10/1/2002 (Standard system devices)		machine.inf	
Not Available	ROOT\RDP_KBD\0000		
Terminal Server Mouse Driver	No	SYSTEM	5.2.3785.0
10/1/2002 (Standard system devices)		machine.inf	
Not Available	ROOT\RDP_MOUSE\0000		
Plug and Play Software Device Enumerator	No	SYSTEM	
5.2.3785.0 10/1/2002 (Standard system devices)		machine.inf	
Not Available	ROOT\SYSTEM\0000		
Microcode Update Device	No	SYSTEM	5.2.3785.0
10/1/2002 (Standard system devices)		machine.inf	
Not Available	ROOT\SYSTEM\0001		

[Environment Variables]

Variable	Value	User Name	
CLASSPATH	.;D:\sqllib\java\db2java.zip;D:\sqllib\java\db2jcc.jar;D:\sqllib\java\sqlj.zip;D:\sqllib\java\db2jcc_license_cisuz.jar;D:\sqllib\java\db2jcc_license_cu.jar;D:\sqllib\bin;D:\sqllib\java\common.jar		<SYSTEM>

```

ClusterLog      C:\WINDOWS\Cluster\cluster.log
<SYSTEM>
ComSpec %SystemRoot%\system32\cmd.exe      <SYSTEM>
DB2INSTANCE     TPCB      <SYSTEM>
DB2TEMPDIR      D:\sqlib\  <SYSTEM>
INCLUDE D:\sqlib\INCLUDE;D:\Program Files\Microsoft Visual
Studio\VC98\atl\include;D:\Program Files\Microsoft Visual
Studio\VC98\mf\include;D:\Program Files\Microsoft Visual
Studio\VC98\include; <SYSTEM>
LIB            D:\sqlib\LIB;D:\Program Files\Microsoft Visual
Studio\VC98\mf\lib;D:\Program Files\Microsoft Visual
Studio\VC98\lib      <SYSTEM>
NUMBER_OF_PROCESSORS 16      <SYSTEM>
OS             Windows_NT   <SYSTEM>
Path
%SystemRoot%\system32;%SystemRoot%;%SystemRoot%\System32
\Wbem;D:\sqlib\BIN;D:\sqlib\FUNCTION;D:\sqlib\SAMPLES\REP
L;d:\tools;d:\ntools;D:\Program Files\Microsoft Visual
Studio\VC98\Bin;D:\Program Files\Microsoft Visual
Studio\Common\Tools\WinNT;D:\Program Files\Microsoft Visual
Studio\Common\MSDev98\Bin;D:\Program Files\Microsoft Visual
Studio\Common\Tools;D:\Program Files\Microsoft Visual
Studio\VC98\bin      <SYSTEM>
PATHEXT
.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH
<SYSTEM>
PROCESSOR_ARCHITECTURE      x86      <SYSTEM>
PROCESSOR_IDENTIFIER        x86 Family 15 Model 2 Stepping 5,
GenuineIntel      <SYSTEM>
PROCESSOR_LEVEL             15      <SYSTEM>
PROCESSOR_REVISION          0205    <SYSTEM>
RAH_DO_ALL_LOGICAL_NODES    TRUE   <SYSTEM>
RAHSLEEPTIME 999999 <SYSTEM>
TEMP %SystemRoot%\TEMP      <SYSTEM>
TMP %SystemRoot%\TEMP      <SYSTEM>
windir %SystemRoot% <SYSTEM>
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\SYSTEM
TMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\SYSTEM
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\LOCAL SERVICE
TMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\LOCAL SERVICE
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\NETWORK SERVICE
TMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\NETWORK SERVICE
TEMP %USERPROFILE%\Local Settings\Temp
RUTHLESS-D\tpch
TMP %USERPROFILE%\Local Settings\Temp
RUTHLESS-D\tpch

```

[Print Jobs]

Document Size	Owner	Notify	Status	Time
Submitted	Start Time	Until Time	Elapsed Time	Pages Printed
Job ID	Priority	Parameters	Driver	Print Processor
Host Print Queue	Data Type	Name		

[Network Connections]

Local Name	Remote Name	Type	Status
User Name			

[Running Tasks]

Name	Path	Process ID	Priority	Min Working Set
Max Working Set	Start Time	Version	Size	File Date
system idle process	Not Available	0	0	
Not Available	Not Available	Not Available	Not Available	
Not Available	Not Available	Not Available	Not Available	
system	Not Available	4	8	0
1413120	Not Available	Not Available	Not Available	
Not Available				
smss.exe	Not Available	348	11	204800
1413120	8/1/2003 11:28 AM	Not Available	Not Available	
Not Available				
csrss.exe	Not Available	516	13	Not Available
Not Available	8/1/2003 11:28 AM	Not Available	Not Available	
Not Available	Not Available			
winlogon.exe	c:\windows\system32\winlogon.exe			
540	13	204800	1413120	8/1/2003 11:28 AM
5.2.3785.0 (srv03_rtm.030308-1736)				537.00 KB (549,888 bytes)
bytes)	3/9/2003 7:00 AM			
services.exe	c:\windows\system32\services.exe			
584	9	204800	1413120	8/1/2003 11:28 AM
5.2.3785.0 (srv03_rtm.030308-1736)				102.00 KB (104,448 bytes)
bytes)	3/9/2003 7:00 AM			
lsass.exe	c:\windows\system32\lsass.exe	596	9	
204800	1413120	8/1/2003 11:28 AM	5.2.3785.0	
(srv03_rtm.030308-1736)				13.00 KB (13,312 bytes)
3/9/2003 7:00 AM				
svchost.exe	c:\windows\system32\svchost.exe			
748	8	204800	1413120	8/1/2003 11:28 AM
5.2.3785.0 (srv03_rtm.030308-1736)				13.00 KB (13,312 bytes)
3/9/2003 7:00 AM				
svchost.exe	c:\windows\system32\svchost.exe			
824	8	204800	1413120	8/1/2003 11:28 AM
5.2.3785.0 (srv03_rtm.030308-1736)				13.00 KB (13,312 bytes)
3/9/2003 7:00 AM				
svchost.exe	Not Available	948	8	
Not Available	Not Available	8/1/2003 11:28 AM		
Not Available	Not Available	Not Available	Not Available	
svchost.exe	Not Available	984	8	
Not Available	Not Available	8/1/2003 11:28 AM		
Not Available	Not Available	Not Available	Not Available	
svchost.exe	c:\windows\system32\svchost.exe			
1016	8	204800	1413120	8/1/2003 11:28 AM
5.2.3785.0 (srv03_rtm.030308-1736)				13.00 KB (13,312 bytes)
3/9/2003 7:00 AM				
msdtc.exe	Not Available	1676	8	Not Available
Not Available	8/1/2003 11:29 AM	Not Available		
Not Available	Not Available			
dfssvc.exe	c:\windows\system32\dfssvc.exe	1776	8	
204800	1413120	8/1/2003 11:29 AM	5.2.3785.0	
(srv03_rtm.030308-1736)				130.50 KB (133,632 bytes)
3/9/2003 7:00 AM				
dns.exe	c:\windows\system32\dns.exe	1796	8	
204800	1413120	8/1/2003 11:29 AM	5.2.3785.0	
(srv03_rtm.030308-1736)				412.00 KB (421,888 bytes)
4/30/2003 4:13 PM				
ismserv.exe	c:\windows\system32\ismserv.exe			
1856	8	204800	1413120	8/1/2003 11:29 AM
5.2.3785.0 (srv03_rtm.030308-1736)				35.50 KB (36,352 bytes)
3/9/2003 7:00 AM				
ntfrs.exe	c:\windows\system32\ntfrs.exe	1868	8	
204800	1413120	8/1/2003 11:29 AM	5.2.3785.0	
(srv03_rtm.030308-1736)				748.50 KB (766,464 bytes)
3/9/2003 7:00 AM				
tcpvcs.exe	c:\windows\system32\tcpvcs.exe			
168	8	204800	1413120	8/1/2003 11:29 AM
5.2.3785.0 (srv03_rtm.030308-1736)				21.00 KB (21,504 bytes)
3/9/2003 7:00 AM				

wmiprvse.exe	Not Available	2264	8	
Not Available	Not Available	8/1/2003 11:30 AM		
Not Available	Not Available	Not Available		
explorer.exe	c:\windows\explorer.exe	2548	8	
204800	1413120	8/1/2003 11:31 AM	6.00.3785.0	
(srv03_rtm.030308-1736)		1,008.50 KB (1,032,704 bytes)		
3/9/2003 7:00 AM				
notepad.exe	c:\windows\system32\notepad.exe			
2864	8	204800	1413120	8/1/2003 11:32 AM
5.2.3785.0 (srv03_rtm.030308-1736)		66.50 KB (68,096 bytes)		
3/9/2003 7:00 AM				
db2rcmd.exe	Not Available	3664	8	
Not Available	Not Available	8/1/2003 11:44 AM		
Not Available	Not Available	Not Available		
javaw.exe	d:\program files\raidman\jre\bin\javaw.exe	3980	8	
204800	1413120	8/1/2003 12:25 PM	Not Available	
13.00 KB (13,312 bytes)		1/24/2002 2:01 AM		
wordpad.exe	c:\program files\windows			
nt\accessories\wordpad.exe	836	8	204800	
1413120	8/1/2003 12:26 PM	5.2.3785.0 (srv03_rtm.030308-1736)		
197.00 KB (201,728 bytes)		4/29/2003 4:24 PM		
cmd.exe	c:\windows\system32\cmd.exe	3352	8	
204800	1413120	8/1/2003 12:27 PM	5.2.3785.0	
(srv03_rtm.030308-1736)		373.50 KB (382,464 bytes)		
3/9/2003 7:00 AM				
perl.exe	d:\nttools\perl.exe	3944	8	204800
1413120	8/1/2003 12:30 PM	5.003 "Build "313"	85.00 KB	
(87,040 bytes)		5/2/2003 9:21 AM		
tee.exe	d:\tools\tee.exe	1980	8	204800
1413120	8/1/2003 12:30 PM	Not Available	11.00 KB	
(11,264 bytes)		5/1/2003 3:38 PM		
db2syscs.exe	Not Available	3168	8	
Not Available	Not Available	8/1/2003 12:30 PM		
Not Available	Not Available	Not Available		
db2syscs.exe	Not Available	3180	8	
Not Available	Not Available	8/1/2003 12:30 PM		
Not Available	Not Available	Not Available		
perl.exe	d:\nttools\perl.exe	3524	8	204800
1413120	8/1/2003 12:32 PM	5.003 "Build "313"	85.00 KB	
(87,040 bytes)		5/2/2003 9:21 AM		
perl.exe	d:\nttools\perl.exe	2980	8	204800
1413120	8/1/2003 12:33 PM	5.003 "Build "313"	85.00 KB	
(87,040 bytes)		5/2/2003 9:21 AM		
db2bp.exe	d:\sqlib\bin\db2bp.exe	2204	8	
204800	1413120	8/1/2003 12:33 PM	8.1.3.68	808.06 KB
(827,456 bytes)		5/28/2003 12:11 PM		
mmc.exe	c:\windows\system32\mmc.exe	2076	8	
204800	1413120	8/1/2003 12:36 PM	5.2.3785.0	
(srv03_rtm.030308-1736)		762.50 KB (780,800 bytes)		
3/9/2003 7:00 AM				
helpctr.exe	c:\windows\pchealth\helpctr\binaries\helpctr.exe			
2764	8	204800	1413120	8/1/2003 12:39 PM
5.2.3785.0 (srv03_rtm.030308-1736)		764.00 KB (782,336 bytes)		
4/29/2003 4:27 PM				
wmiprvse.exe	Not Available	3044	8	
Not Available	Not Available	8/1/2003 12:39 PM		
Not Available	Not Available	Not Available		
helpsvc.exe				
c:\windows\pchealth\helpctr\binaries\helpsvc.exe		2028	8	
204800	1413120	8/1/2003 12:39 PM	5.2.3785.0	
(srv03_rtm.030308-1736)		720.00 KB (737,280 bytes)		
4/29/2003 4:27 PM				

[Loaded Modules]

Name	Version	Size	File Date	Manufacturer
Path				

winlogon	5.2.3785.0 (srv03_rtm.030308-1736)	537.00 KB		
(549,888 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\winlogon.exe				
ntdll	5.2.3785.0 (srv03_rtm.030308-1736)	723.00 KB		
(740,352 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\ntdll.dll				
kernel32	5.2.3785.0 (srv03_rtm.030308-1736)	965.00 KB		
(988,160 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\kernel32.dll				
msvcrt	7.0.3785.0 (srv03_rtm.030308-1736)	319.50 KB		
(327,168 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\msvcrt.dll				
advapi32	5.2.3785.0 (srv03_rtm.030308-1736)	559.50 KB		
(572,928 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\advapi32.dll				
rpcrt4	5.2.3785.0 (srv03_rtm.030308-1736)	644.50 KB		
(659,968 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\rpcrt4.dll				
user32	5.2.3785.0 (srv03_rtm.030308-1736)	562.50 KB		
(576,000 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\user32.dll				
gdi32	5.2.3785.0 (srv03_rtm.030308-1736)	263.00 KB		
(269,312 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\gdi32.dll				
userenv	5.2.3785.0 (srv03_rtm.030308-1736)	733.50 KB		
(751,104 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\userenv.dll				
nddeapi	5.2.3785.0 (srv03_rtm.030308-1736)	16.00 KB		
(16,384 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\nddeapi.dll				
crypt32	5.131.3785.0 (srv03_rtm.030308-1736)	598.00 KB		
(612,352 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\crypt32.dll				
msasn1	5.2.3785.0 (srv03_rtm.030308-1736)	58.00 KB		
(59,392 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\msasn1.dll				
secur32	5.2.3785.0 (srv03_rtm.030308-1736)	63.00 KB		
(64,512 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\secur32.dll				
winsta	5.2.3785.0 (srv03_rtm.030308-1736)	51.00 KB		
(52,224 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\winsta.dll				
netapi32	5.2.3785.0 (srv03_rtm.030308-1736)	317.00 KB		
(324,608 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\netapi32.dll				
profmap	5.2.3785.0 (srv03_rtm.030308-1736)	22.00 KB		
(22,528 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\profmap.dll				
regapi	5.2.3785.0 (srv03_rtm.030308-1736)	48.50 KB		
(49,664 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\regapi.dll				
ws2_32	5.2.3785.0 (srv03_rtm.030308-1736)	85.50 KB		
(87,552 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\ws2_32.dll				
ws2help	5.2.3785.0 (srv03_rtm.030308-1736)	19.50 KB		
(19,968 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\ws2help.dll				
psapi	5.2.3785.0 (srv03_rtm.030308-1736)	21.50 KB		
(22,016 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\psapi.dll				
version	5.2.3785.0 (srv03_rtm.030308-1736)	17.00 KB		
(17,408 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\version.dll				
setupapi	5.2.3785.0 (srv03_rtm.030308-1736)	1,014.50 KB		
(1,038,848 bytes)	3/9/2003 7:00 AM	Microsoft Corporation		
c:\windows\system32\setupapi.dll				

msgina	5.2.3785.0 (srv03_rtm.030308-1736)	1.14 MB
(1,191,936 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\msgina.dll		
shsvcs	6.00.3785.0 (srv03_rtm.030308-1736)	121.50 KB
(124,416 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\shsvcs.dll		
shlwapi	6.00.3785.0 (srv03_rtm.030308-1736)	281.00 KB
(287,744 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\shlwapi.dll		
sfc	5.2.3785.0 (srv03_rtm.030308-1736)	4.50 KB
(4,608 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\sfc.dll		
sfc_os	5.2.3785.0 (srv03_rtm.030308-1736)	133.00 KB
(136,192 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\sfc_os.dll		
wintrust	5.131.3785.0 (srv03_rtm.030308-1736)	163.50 KB
(167,424 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\wintrust.dll		
ole32	5.2.3785.0 (srv03_rtm.030308-1736)	1.13 MB
(1,187,328 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\ole32.dll		
imagehlp	5.2.3785.0 (srv03_rtm.030308-1736)	142.50 KB
(145,920 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\imagehlp.dll		
comctl32	6.0 (srv03_rtm.030308-1736)	907.00 KB (928,768 bytes)
	4/29/2003 12:06 PM	Microsoft Corporation
c:\windows\winsxs\x86_microsoft.windows.common-controls_6595b64144ccf1df_6.0.100.0_x-ww_8417450b\comctl32.dll		
winscard	5.2.3785.0 (srv03_rtm.030308-1736)	98.50 KB
(100,864 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\winscard.dll		
wsapi32	5.2.3785.0 (srv03_rtm.030308-1736)	17.50 KB
(17,920 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\wsapi32.dll		
sxs	5.2.3785.0 (srv03_rtm.030308-1736)	733.00 KB
(750,592 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\sxs.dll		
winmm	5.2.3785.0 (srv03_rtm.030308-1736)	166.00 KB
(169,984 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\winmm.dll		
shell32	6.00.3785.0 (srv03_rtm.030308-1736)	7.79 MB
(8,164,352 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\shell32.dll		
wsock32	5.2.3785.0 (srv03_rtm.030308-1736)	22.00 KB
(22,528 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\wsock32.dll		
iphlpapi	5.2.3785.0 (srv03_rtm.030308-1736)	83.00 KB
(84,992 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\iphlpapi.dll		
icmp	5.2.3785.0 (srv03_rtm.030308-1736)	4.50 KB
(4,608 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\icmp.dll		
mprapi	5.2.3785.0 (srv03_rtm.030308-1736)	81.00 KB
(82,944 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\mprapi.dll		
activeds	5.2.3785.0 (srv03_rtm.030308-1736)	189.00 KB
(193,536 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\activeds.dll		
adslsdp	5.2.3785.0 (srv03_rtm.030308-1736)	142.50 KB
(145,920 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\adslsdp.dll		
wldap32	5.2.3785.0 (srv03_rtm.030308-1736)	158.00 KB
(161,792 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\wldap32.dll		
credui	5.2.3785.0 (srv03_rtm.030308-1736)	159.00 KB
(162,816 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\credui.dll		

atl	3.05.2283 83.00 KB (84,992 bytes)	3/9/2003 7:00 AM
	Microsoft Corporation	
c:\windows\system32\atl.dll		
oleaut32	5.2.3785.0 486.00 KB (497,664 bytes)	3/9/2003 7:00 AM
	Microsoft Corporation	
c:\windows\system32\oleaut32.dll		
rtutils	5.2.3785.0 (srv03_rtm.030308-1736)	32.00 KB
(32,768 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\rtutils.dll		
samlib	5.2.3785.0 (srv03_rtm.030308-1736)	49.00 KB
(50,176 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\samlib.dll		
rsaenh	5.2.3785.0 (srv03_rtm.030308-1736)	176.83 KB
(181,072 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\rsaenh.dll		
mswsock	5.2.3785.0 (srv03_rtm.030308-1736)	254.00 KB
(260,096 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\mswsock.dll		
rasadhlp	5.2.3785.0 (srv03_rtm.030308-1736)	6.50 KB
(6,656 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\rasadhlp.dll		
kerberos	5.2.3785.0 (srv03_rtm.030308-1736)	314.00 KB
(321,536 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\kerberos.dll		
cryptdll	5.2.3785.0 (srv03_rtm.030308-1736)	34.50 KB
(35,328 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\cryptdll.dll		
wshtcpip	5.2.3785.0 (srv03_rtm.030308-1736)	18.00 KB
(18,432 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\wshtcpip.dll		
ntdsapi	5.2.3785.0 (srv03_rtm.030308-1736)	76.00 KB
(77,824 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\ntdsapi.dll		
dnsapi	5.2.3785.0 (srv03_rtm.030308-1736)	147.50 KB
(151,040 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\dnsapi.dll		
csd.dll	5.2.3785.0 (srv03_rtm.030308-1736)	99.00 KB
(101,376 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\csd.dll		
wlnotify	5.2.3785.0 (srv03_rtm.030308-1736)	87.50 KB
(89,600 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\wlnotify.dll		
winspool	5.2.3785.0 (srv03_rtm.030308-1736)	140.00 KB
(143,360 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\winspool.drv		
mpr	5.2.3785.0 (srv03_rtm.030308-1736)	56.00 KB
(57,344 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\mpr.dll		
comctl32	5.82 (srv03_rtm.030308-1736)	561.00 KB (574,464 bytes)
	4/29/2003 12:06 PM	Microsoft Corporation
c:\windows\winsxs\x86_microsoft.windows.common-controls_6595b64144ccf1df_5.82.0.0_x-ww_8a69ba05\comctl32.dll		
uxtheme	6.00.3785.0 (srv03_rtm.030308-1736)	196.00 KB
(200,704 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\uxtheme.dll		
msv1_0	5.2.3785.0 (srv03_rtm.030308-1736)	127.00 KB
(130,048 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\msv1_0.dll		
clbcatq	2001.12.4715.0 (srv03_rtm.030308-1736)	481.00 KB
(492,544 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\clbcatq.dll		
comres	2001.12.4715.0 (srv03_rtm.030308-1736)	778.00 KB
(796,672 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\comres.dll		
cscui	5.2.3785.0 (srv03_rtm.030308-1736)	305.00 KB
(312,320 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\cscui.dll		

ntmarta	5.2.3785.0 (srv03_rtm.030308-1736)	114.00 KB
(116,736 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\ntmarta.dll		
wbemprox	5.2.3785.0 (srv03_rtm.030308-1736)	17.50 KB
(17,920 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\wbem\wbemprox.dll		
wbemcomn	5.2.3785.0 (srv03_rtm.030308-1736)	
212.00 KB (217,088 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\wbem\wbemcomn.dll		
wbemsvc	5.2.3785.0 (srv03_rtm.030308-1736)	42.50 KB
(43,520 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\wbem\wbemsvc.dll		
fastprox	5.2.3785.0 (srv03_rtm.030308-1736)	443.00 KB
(453,632 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\wbem\fastprox.dll		
msvc60	6.05.2144.0	388.00 KB (397,312 bytes)
3/9/2003 7:00 AM	Microsoft Corporation	
c:\windows\system32\msvc60.dll		
services	5.2.3785.0 (srv03_rtm.030308-1736)	102.00 KB
(104,448 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\services.exe		
scesrv	5.2.3785.0 (srv03_rtm.030308-1736)	316.50 KB
(324,096 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\scesrv.dll		
authz	5.2.3785.0 (srv03_rtm.030308-1736)	67.50 KB
(69,120 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\authz.dll		
umpnprmgr	5.2.3785.0 (srv03_rtm.030308-1736)	121.50 KB
(124,416 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\umpnprmgr.dll		
ncobjapi	5.2.3785.0 (srv03_rtm.030308-1736)	35.00 KB
(35,840 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\ncobjapi.dll		
eventlog	5.2.3785.0 (srv03_rtm.030308-1736)	60.00 KB
(61,440 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\eventlog.dll		
lsass	5.2.3785.0 (srv03_rtm.030308-1736)	13.00 KB
(13,312 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\lsass.exe		
lsasrv	5.2.3785.0 (srv03_rtm.030308-1736)	781.00 KB
(799,744 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\lsasrv.dll		
samsrv	5.2.3785.0 (srv03_rtm.030308-1736)	453.00 KB
(463,872 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\samsrv.dll		
msprivs	5.2.3785.0 (srv03_rtm.030308-1736)	46.50 KB
(47,616 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\msprivs.dll		
netlogon	5.2.3785.0 (srv03_rtm.030308-1736)	409.50 KB
(419,328 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\netlogon.dll		
w32time	5.2.3785.0 (srv03_rtm.030308-1736)	216.00 KB
(221,184 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\w32time.dll		
schannel	5.2.3785.0 (srv03_rtm.030308-1736)	149.50 KB
(153,088 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\schannel.dll		
wdigest	5.2.3785.0 (srv03_rtm.030308-1736)	61.00 KB
(62,464 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\wdigest.dll		
ntdsa	5.2.3785.0 (srv03_rtm.030308-1736)	1.58 MB
(1,652,224 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\ntdsa.dll		
ntdsatq	5.2.3785.0 (srv03_rtm.030308-1736)	32.00 KB
(32,768 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\ntdsatq.dll		

esent	5.2.3785.0 (srv03_rtm.030308-1736)	952.50 KB
(975,360 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\esent.dll		
ntdsmsg	5.2.3785.0 (srv03_rtm.030308-1736)	540.00 KB
(552,960 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\ntdsmsg.dll		
ntdsbsrv	5.2.3785.0 (srv03_rtm.030308-1736)	50.00 KB
(51,200 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\ntdsbsrv.dll		
vssapi	5.2.3785.0 (srv03_rtm.030308-1736)	528.00 KB
(540,672 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\vssapi.dll		
kdcsvc	5.2.3785.0 (srv03_rtm.030308-1736)	221.00 KB
(226,304 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\kdcsvc.dll		
rassfm	5.2.3785.0 (srv03_rtm.030308-1736)	20.50 KB
(20,992 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\rassfm.dll		
scecli	5.2.3785.0 (srv03_rtm.030308-1736)	179.50 KB
(183,808 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\scecli.dll		
dsrestor	5.2.3785.0 (srv03_rtm.030308-1736)	9.50 KB
(9,728 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\dsrestor.dll		
pwdssp	5.2.3785.0 (srv03_rtm.030308-1736)	12.50 KB
(12,800 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\rassfm.dll		
msapsspc	6.00.7755	78.25 KB (80,128 bytes)
3/9/2003 7:00 AM	Microsoft Corporation	
c:\windows\system32\msapsspc.dll		
msvrt40	5.2.3785.0 (srv03_rtm.030308-1736)	60.00 KB
(61,440 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\msvrt40.dll		
ntdsccc	5.2.3785.0 (srv03_rtm.030308-1736)	113.00 KB
(115,712 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\ntdsccc.dll		
w32topl	5.2.3785.0 (srv03_rtm.030308-1736)	27.00 KB
(27,648 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\w32topl.dll		
ipsecsvc	5.2.3785.0 (srv03_rtm.030308-1736)	163.00 KB
(166,912 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\ipsecsvc.dll		
oakley	5.2.3785.0 (srv03_rtm.030308-1736)	324.50 KB
(332,288 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\oakley.dll		
winipsec	5.2.3785.0 (srv03_rtm.030308-1736)	34.00 KB
(34,816 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\winipsec.dll		
ptorsvc	5.2.3785.0 (srv03_rtm.030308-1736)	24.00 KB
(24,576 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\ptorsvc.dll		
psbase	5.2.3785.0 (srv03_rtm.030308-1736)	81.00 KB
(82,944 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\psbase.dll		
dssenh	5.2.3785.0 (srv03_rtm.030308-1736)	131.33 KB
(134,480 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\dssenh.dll		
wlbcctl	5.2.3785.0 (srv03_rtm.030308-1736)	78.00 KB
(79,872 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\wlbcctl.dll		
es	2001.12.4715.0 (srv03_rtm.030308-1736)	221.50 KB
(226,816 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\es.dll		
winnr	5.2.3785.0 (srv03_rtm.030308-1736)	15.00 KB
(15,360 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\winnr.dll		

svchost	5.2.3785.0 (srv03_rtm.030308-1736)	13.00 KB
(13,312 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\svchost.exe		
rpssvc	5.2.3785.0 (srv03_rtm.030308-1736)	276.00 KB
(282,624 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\rpssvc.dll		
termsrv	5.2.3785.0 (srv03_rtm.030308-1736)	216.50 KB
(221,696 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\termsrv.dll		
icaapi	5.2.3785.0 (srv03_rtm.030308-1736)	10.50 KB
(10,752 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\icaapi.dll		
mstlsapi	5.2.3785.0 (srv03_rtm.030308-1736)	104.50 KB
(107,008 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\mstlsapi.dll		
rdpwsx	5.2.3785.0 (srv03_rtm.030308-1736)	80.13 KB
(82,056 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\rdpwsx.dll		
wkssvc	5.2.3785.0 (srv03_rtm.030308-1736)	125.00 KB
(128,000 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\wkssvc.dll		
wiarpc	5.2.3785.0 (srv03_rtm.030308-1736)	30.00 KB
(30,720 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\wiarpc.dll		
srsvcs	5.2.3785.0 (srv03_rtm.030308-1736)	89.00 KB
(91,136 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\srsvcs.dll		
dmserver	5.2.3785.0 (srv03_rtm.030308-1736)	24.00 KB
(24,576 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\dmserver.dll		
mprdim	5.2.3785.0 (srv03_rtm.030308-1736)	49.50 KB
(50,688 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\mprdim.dll		
rasapi32	5.2.3785.0 (srv03_rtm.030308-1736)	227.50 KB
(232,960 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\rasapi32.dll		
rasman	5.2.3785.0 (srv03_rtm.030308-1736)	56.50 KB
(57,856 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\rasman.dll		
tapi32	5.2.3785.0 (srv03_rtm.030308-1736)	175.00 KB
(179,200 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\tapi32.dll		
wmi	5.2.3785.0 (srv03_rtm.030308-1736)	6.50 KB
(6,656 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\wmi.dll		
seclogon	5.2.3785.0 (srv03_rtm.030308-1736)	16.50 KB
(16,896 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\seclogon.dll		
sens	5.2.3785.0 (srv03_rtm.030308-1736)	35.50 KB
(36,352 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\sens.dll		
iprtmgr	5.2.3785.0 (srv03_rtm.030308-1736)	164.50 KB
(168,448 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\iprtmgr.dll		
rtm	5.2.3785.0 (srv03_rtm.030308-1736)	101.50 KB
(103,936 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\rtm.dll		
iprtprio	5.2.3785.0 (srv03_rtm.030308-1736)	5.00 KB
(5,120 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\iprtprio.dll		
wmisvc	5.2.3785.0 (srv03_rtm.030308-1736)	131.00 KB
(134,144 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\wbem\wmisvc.dll		
igmpv2	5.2.3785.0 (srv03_rtm.030308-1736)	128.00 KB
(131,072 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\igmpv2.dll		

netman	5.2.3785.0 (srv03_rtm.030308-1736)	209.00 KB
(214,016 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\netman.dll		
wzcsvc	5.2.3785.0 (srv03_rtm.030308-1736)	272.50 KB
(279,040 bytes)	3/8/2003 6:01 PM	Microsoft Corporation
c:\windows\system32\wzcsvc.dll		
dhcpcsvc	5.2.3785.0 (srv03_rtm.030308-1736)	101.50 KB
(103,936 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\dhcpcsvc.dll		
wzcsapi	5.2.3785.0 (srv03_rtm.030308-1736)	24.50 KB
(25,088 bytes)	3/8/2003 6:01 PM	Microsoft Corporation
c:\windows\system32\wzcsapi.dll		
comsvcs	2001.12.4715.0 (srv03_rtm.030308-1736)	1.14 MB
(1,199,616 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\comsvcs.dll		
ntlsapi	5.2.3785.0 (srv03_rtm.030308-1736)	8.00 KB
(8,192 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\ntlsapi.dll		
wbemcore	5.2.3785.0 (srv03_rtm.030308-1736)	457.00 KB
(467,968 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\wbem\wbemcore.dll		
esscli	5.2.3785.0 (srv03_rtm.030308-1736)	235.50 KB
(241,152 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\wbem\esscli.dll		
wmiutils	5.2.3785.0 (srv03_rtm.030308-1736)	90.50 KB
(92,672 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\wbem\wmiutils.dll		
repdrvfs	5.2.3785.0 (srv03_rtm.030308-1736)	165.00 KB
(168,960 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\wbem\repdrvfs.dll		
wmiprvsd	5.2.3785.0 (srv03_rtm.030308-1736)	405.50 KB
(415,232 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\wbem\wmiprvsd.dll		
wbemess	5.2.3785.0 (srv03_rtm.030308-1736)	256.50 KB
(262,656 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\wbem\wbemess.dll		
ncprov	5.2.3785.0 (srv03_rtm.030308-1736)	43.00 KB
(44,032 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\wbem\ncprov.dll		
netshell	5.2.3785.0 (srv03_rtm.030308-1736)	1.67 MB
(1,747,456 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\netshell.dll		
clusapi	5.2.3785.0 (srv03_rtm.030308-1736)	56.00 KB
(57,344 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\clusapi.dll		
hnetcfg	5.2.3785.0 (srv03_rtm.030308-1736)	243.50 KB
(249,344 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\hnetcfg.dll		
wininet	6.00.3785.0 (srv03_rtm.030308-1736)	609.00 KB
(623,616 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\wininet.dll		
rasdlg	5.2.3785.0 (srv03_rtm.030308-1736)	642.00 KB
(657,408 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\rasdlg.dll		
wbemcons	5.2.3785.0 (srv03_rtm.030308-1736)	69.00 KB
(70,656 bytes)	4/29/2003 4:23 PM	Microsoft Corporation
c:\windows\system32\wbem\wbemcons.dll		
pchsvc	5.2.3785.0 (srv03_rtm.030308-1736)	31.50 KB
(32,256 bytes)	4/29/2003 4:27 PM	Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\pchsvc.dll		
dfssvc	5.2.3785.0 (srv03_rtm.030308-1736)	130.50 KB
(133,632 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\dfssvc.exe		
resutils	5.2.3785.0 (srv03_rtm.030308-1736)	59.00 KB
(60,416 bytes)	3/9/2003 7:00 AM	Microsoft Corporation
c:\windows\system32\resutils.dll		

```

mfc42u 6.05.3014.0 960.00 KB (983,040 bytes)
3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\mfc42u.dll
adslstp 5.2.3785.0 (srv03_rtm.030308-1736) 168.00 KB
(172,032 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\adslstp.dll
dns 5.2.3785.0 (srv03_rtm.030308-1736) 412.00 KB
(421,888 bytes) 4/30/2003 4:13 PM Microsoft Corporation
c:\windows\system32\dns.exe
ismserv 5.2.3785.0 (srv03_rtm.030308-1736) 35.50 KB
(36,352 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\ismserv.exe
ismip 5.2.3785.0 (srv03_rtm.030308-1736) 24.00 KB
(24,576 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\ismip.dll
ismsmtp 5.2.3785.0 (srv03_rtm.030308-1736) 55.50 KB
(56,832 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\ismsmtp.dll
ntfrs 5.2.3785.0 (srv03_rtm.030308-1736) 748.50 KB
(766,464 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\ntfrs.exe
dbghelp 5.2.3785.0 (srv03_rtm.030308-1736) 620.00 KB
(634,880 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\dbghelp.dll
ntfrsapi 5.2.3785.0 (srv03_rtm.030308-1736) 56.00 KB
(57,344 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\ntfrsapi.dll
tcpsvcs 5.2.3785.0 (srv03_rtm.030308-1736) 21.00 KB
(21,504 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\tcpsvcs.exe
dhcpcsvc 5.2.3785.0 (srv03_rtm.030308-1736) 253.50 KB
(259,584 bytes) 4/30/2003 4:10 PM Microsoft Corporation
c:\windows\system32\dhcpcsvc.dll
dsauth 5.2.3785.0 (srv03_rtm.030308-1736) 24.50 KB
(25,088 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\dsauth.dll
binlsv 5.2.3785.0 (srv03_rtm.030308-1736) 106.50 KB
(109,056 bytes) 4/30/2003 4:10 PM Microsoft Corporation
c:\windows\system32\binlsv.dll
explorer 6.00.3785.0 (srv03_rtm.030308-1736) 1,008.50 KB
(1,032,704 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\explorer.exe
browseui 6.00.3785.0 (srv03_rtm.030308-1736) 1.01 MB
(1,056,768 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\browseui.dll
shdocvw 6.00.3785.0 (srv03_rtm.030308-1736) 1.33 MB
(1,393,664 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\shdocvw.dll
apphelp 5.2.3785.0 (srv03_rtm.030308-1736) 122.00 KB
(124,928 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\apphelp.dll
themeui 6.00.3785.0 (srv03_rtm.030308-1736) 360.50 KB
(369,152 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\themeui.dll
msimg32 5.2.3785.0 (srv03_rtm.030308-1736) 4.50 KB
(4,608 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\msimg32.dll
linkinfo 5.2.3785.0 (srv03_rtm.030308-1736) 16.50 KB
(16,896 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\linkinfo.dll
ntshrui 6.00.3785.0 (srv03_rtm.030308-1736) 136.00 KB
(139,264 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\ntshrui.dll
urlmon 6.00.3785.0 (srv03_rtm.030308-1736) 501.50 KB
(513,536 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\urlmon.dll

```

```

webcheck 6.00.3785.0 (srv03_rtm.030308-1736) 261.50 KB
(267,776 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\webcheck.dll
stobject 5.2.3785.0 (srv03_rtm.030308-1736) 117.50 KB
(120,320 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\stobject.dll
batmeter 6.00.3785.0 (srv03_rtm.030308-1736) 28.50 KB
(29,184 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\batmeter.dll
powrprof 6.00.3785.0 (srv03_rtm.030308-1736) 14.50 KB
(14,848 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\powrprof.dll
printui 5.2.3785.0 (srv03_rtm.030308-1736) 536.50 KB
(549,376 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\printui.dll
cfgmgr32 5.2.3785.0 (srv03_rtm.030308-1736) 17.50 KB
(17,920 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\cfgmgr32.dll
drprov 5.2.3785.0 (srv03_rtm.030308-1736) 12.50 KB
(12,800 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\drprov.dll
ntlanman 5.2.3785.0 (srv03_rtm.030308-1736) 41.00 KB
(41,984 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\ntlanman.dll
netui0 5.2.3785.0 (srv03_rtm.030308-1736) 75.50 KB
(77,312 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\netui0.dll
netui1 5.2.3785.0 (srv03_rtm.030308-1736) 184.00 KB
(188,416 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\netui1.dll
davlnt 5.2.3785.0 (srv03_rtm.030308-1736) 23.50 KB
(24,064 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\davlnet.dll
notepad 5.2.3785.0 (srv03_rtm.030308-1736) 66.50 KB
(68,096 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\notepad.exe
comdlg32 6.00.3785.0 (srv03_rtm.030308-1736) 261.00 KB
(267,264 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\comdlg32.dll
javaw Not Available 13.00 KB (13,312 bytes)
1/24/2002 2:01 AM Not Available d:\program
files\raidman\jre\bin\javaw.exe
jvm Not Available 863.50 KB (884,224 bytes)
1/24/2002 2:02 AM Not Available d:\program
files\raidman\jre\bin\classic\jvm.dll
xhpi Not Available 4.50 KB (4,608 bytes) 1/24/2002
2:02 AM Not Available d:\program
files\raidman\jre\bin\xhpi.dll
hpi Not Available 30.50 KB (31,232 bytes)
1/24/2002 2:02 AM Not Available d:\program
files\raidman\jre\bin\hpi.dll
java Not Available 166.50 KB (170,496 bytes)
1/24/2002 2:02 AM Not Available d:\program
files\raidman\jre\bin\java.dll
zip Not Available 55.50 KB (56,832 bytes)
1/24/2002 2:02 AM Not Available d:\program
files\raidman\jre\bin\zip.dll
awt Not Available 1.37 MB (1,437,696 bytes)
1/24/2002 2:02 AM Not Available d:\program
files\raidman\jre\bin\awt.dll
imm32 5.2.3785.0 (srv03_rtm.030308-1736) 105.50 KB
(108,032 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\imm32.dll
fontmanager Not Available 498.50 KB (510,464
bytes) 1/24/2002 2:02 AM Not Available d:\program
files\raidman\jre\bin\fontmanager.dll

```

ddraw 5.2.3785.0 (srv03_rtm.030308-1736) 250.00 KB
(256,000 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\ddraw.dll

dciman32 5.2.3785.0 (srv03_rtm.030308-1736) 8.50 KB
(8,704 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\dciman32.dll

net Not Available 27.00 KB (27,648 bytes)
1/24/2002 2:02 AM Not Available d:\program
files\raidman\jre\bin\net.dll

nfstjdll 6.00.10 188.00 KB (192,512 bytes) 10/2/2002
6:27 PM IBM Corporation d:\program files\raidman\nfstjdll.dll

nfstcprr 6.00.10 104.00 KB (106,496 bytes) 10/2/2002
6:27 PM IBM Corporation d:\program files\raidman\nfstcprr.dll

storim 6.00.10 500.07 KB (512,071 bytes) 10/2/2002
6:30 PM IBM Corporation d:\program files\raidman\storim.dll

wordpad 5.2.3785.0 (srv03_rtm.030308-1736) 197.00 KB
(201,728 bytes) 4/29/2003 4:24 PM Microsoft Corporation
c:\windows\system32\wordpad.exe

msftedit 5.41.21.2500 496.00 KB (507,904 bytes)
3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\msftedit.dll

oledlg 1.0 (srv03_rtm.030308-1736) 116.00 KB (118,784
bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\oledlg.dll

cmd 5.2.3785.0 (srv03_rtm.030308-1736) 373.50 KB
(382,464 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\cmd.exe

perl 5.003 "Build "313" 85.00 KB (87,040 bytes)
5/2/2003 9:21 AM ActiveWare Internet Corp.
d:\nttools\perl.exe

perl300 5.003 "Build "313" 551.00 KB (564,224 bytes)
5/2/2003 9:21 AM ActiveWare Internet Corp.
d:\nttools\perl300.dll

tee Not Available 11.00 KB (11,264 bytes)
5/1/2003 3:38 PM Not Available d:\tools\tee.exe

crt.dll 4.00 145.53 KB (149,019 bytes) 3/9/2003 7:00
AM Microsoft Corporation
c:\windows\system32\crt.dll

win32gnu Not Available 102.00 KB (104,448 bytes)
5/1/2003 3:38 PM Not Available d:\tools\win32gnu.dll

db2bp 8.1.3.68 808.06 KB (827,456 bytes) 5/28/2003
12:11 PM International Business Machines Corporation
d:\sqlib\bin\db2bp.exe

db2wint 8.1.3.68 48.06 KB (49,218 bytes) 5/28/2003
12:37 PM International Business Machines Corporation
d:\sqlib\bin\db2wint.dll

db2osse 8.1.3.68 288.07 KB (294,987 bytes) 5/28/2003
12:28 PM International Business Machines Corporation
d:\sqlib\bin\db2osse.dll

db2sys 8.1.3.68 2.53 MB (2,650,177 bytes) 5/28/2003
12:33 PM International Business Machines Corporation
d:\sqlib\bin\db2sys.dll

db2sysp 8.1.3.68 88.06 KB (90,178 bytes) 5/28/2003
12:34 PM International Business Machines Corporation
d:\sqlib\bin\db2sysp.dll

db2app 8.1.3.68 2.47 MB (2,588,737 bytes) 5/28/2003
12:09 PM International Business Machines Corporation
d:\sqlib\bin\db2app.dll

db2util 8.1.3.68 1.17 MB (1,224,770 bytes) 5/28/2003
12:36 PM International Business Machines Corporation
d:\sqlib\bin\db2util.dll

db2abind 8.1.3.68 228.07 KB (233,539 bytes) 5/28/2003
12:09 PM International Business Machines Corporation
d:\sqlib\bin\db2abind.dll

db2cli 8.1.3.68 2.51 MB (2,633,793 bytes) 5/28/2003
12:12 PM International Business Machines Corporation
d:\sqlib\bin\db2cli.dll

db2locale 8.1.3.68 48.07 KB (49,220 bytes) 5/28/2003
12:25 PM International Business Machines Corporation
d:\sqlib\bin\db2locale.dll

db2install 8.1.3.68 28.07 KB (28,741 bytes) 5/28/2003
12:24 PM International Business Machines Corporation
d:\sqlib\bin\db2install.dll

db2trcapi 8.1.3.68 36.08 KB (36,941 bytes) 5/28/2003
12:35 PM International Business Machines Corporation
d:\sqlib\bin\db2trcapi.dll

db2dasapi 8.1.3.68 312.07 KB (319,562 bytes) 5/28/2003
12:14 PM International Business Machines Corporation
d:\sqlib\bin\db2dasapi.dll

db2dascmn 8.1.3.68 80.07 KB (81,994 bytes)
5/28/2003 12:14 PM International Business Machines Corporation
d:\sqlib\bin\db2dascmn.dll

db2genreg 8.1.3.68 152.08 KB (155,725 bytes) 5/28/2003
12:22 PM International Business Machines Corporation
d:\sqlib\bin\db2genreg.dll

db2osse_db2 8.1.3.68 420.08 KB (430,159 bytes)
5/28/2003 12:28 PM International Business Machines Corporation
d:\sqlib\bin\db2osse_db2.dll

db2daskrb 8.1.3.68 36.07 KB (36,938 bytes) 5/28/2003
12:15 PM International Business Machines Corporation
d:\sqlib\bin\db2daskrb.dll

mmc 5.2.3785.0 (srv03_rtm.030308-1736) 762.50 KB
(780,800 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\mmc.exe

oleacc 4.2.5406.0 (srv03_rtm.030308-1736) 171.00 KB
(175,104 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\oleacc.dll

mmcbase 5.2.3785.0 (srv03_rtm.030308-1736) 70.50 KB
(72,192 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\mmcbase.dll

mmcmdmgr 5.2.3785.0 (srv03_rtm.030308-1736)
1.13 MB (1,182,720 bytes) 3/9/2003 7:00 AM Microsoft
Corporation c:\windows\system32\mmcmdmgr.dll

msxml3 8.40.9419.0 1.28 MB (1,337,344 bytes)
3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\msxml3.dll

mycomput 5.2.3785.0 (srv03_rtm.030308-1736) 96.50 KB
(98,816 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\mycomput.dll

ntmsmgr 5.2.3785.0 (srv03_rtm.030308-1736) 495.50 KB
(507,392 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\ntmsmgr.dll

ntmsapi 5.2.3785.0 (srv03_rtm.030308-1736) 42.50 KB
(43,520 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\ntmsapi.dll

dfrgsnap 5.2.3785.0 (srv03_rtm.030308-1736) 36.00 KB
(36,864 bytes) 3/9/2003 7:00 AM Microsoft Corp. and
Executive Software International, Inc.
c:\windows\system32\dfrgsnap.dll

dfrgres 5.2.3785.0 (srv03_rtm.030308-1736) 50.50 KB
(51,712 bytes) 3/9/2003 7:00 AM Microsoft Corp. and
Executive Software International, Inc.
c:\windows\system32\dfrgres.dll

dmtdskmgr 5.2.3785.0 (srv03_rtm.030308-1736) 164.00 KB
(167,936 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\dmtdskmgr.dll

dmutil 5.2.3785.0 (srv03_rtm.030308-1736) 51.50 KB
(52,736 bytes) 3/8/2003 5:59 PM Microsoft Corporation
c:\windows\system32\dmutil.dll

dmtdskres 5.2.3785.0 (srv03_rtm.030308-1736) 115.50 KB
(118,272 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\dmtdskres.dll

els 5.2.3785.0 (srv03_rtm.030308-1736) 178.00 KB
(182,272 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\els.dll

riched32 5.2.3785.0 (srv03_rtm.030308-1736) 3.50 KB
(3,584 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\riched32.dll

riched20 5.31.23.1218 406.00 KB (415,744 bytes)
3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\riched20.dll

filemgmt 5.2.3785.0 (srv03_rtm.030308-1736) 327.50 KB
(335,360 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\filemgmt.dll

localesec 5.2.3785.0 (srv03_rtm.030308-1736) 223.50 KB
(228,864 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\localesec.dll

adsnt 5.2.3785.0 (srv03_rtm.030308-1736) 260.00 KB
(266,240 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\adsnt.dll

smlogcfg 5.2.3785.0 (srv03_rtm.030308-1736) 360.50 KB
(369,152 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\smlogcfg.dll

pdh 5.2.3785.0 (srv03_rtm.030308-1736) 274.50 KB
(281,088 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\pdh.dll

odbc32 3.525.1022.0 (srv03_rtm.030308-1736) 232.00 KB
(237,568 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\odbc32.dll

odbcbc 2000.085.1022.00 (srv03_rtm.030308-1736) 24.00 KB
(24,576 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\odbcbc.dll

odbcint 3.525.1022.0 (srv03_rtm.030308-1736) 92.00 KB
(94,208 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\odbcint.dll

devmgr 5.2.3785.0 (srv03_rtm.030308-1736) 276.50 KB
(283,136 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\devmgr.dll

mlang 6.00.3785.0 (srv03_rtm.030308-1736) 570.00 KB
(583,680 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\mlang.dll

wbemcntl 5.2.3785.0 (srv03_rtm.030308-1736) 184.00 KB
(188,416 bytes) 4/29/2003 4:23 PM Microsoft Corporation
c:\windows\system32\wbem\wbemcntl.dll

tapisnap 5.2.3785.0 (srv03_rtm.030308-1736) 293.50 KB
(300,544 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\tapisnap.dll

ciadmin 5.2.3785.0 (srv03_rtm.030308-1736) 164.00 KB
(167,936 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\ciadmin.dll

query 5.2.3785.0 (srv03_rtm.030308-1736) 1.30 MB
(1,359,872 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\query.dll

mprsnap 5.2.3785.0 (srv03_rtm.030308-1736) 979.00 KB
(1,002,496 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\mprsnap.dll

rtrfiltr 5.2.3785.0 (srv03_rtm.030308-1736) 82.50 KB
(84,480 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\rtrfiltr.dll

dhcpcsnap 5.2.3785.0 (srv03_rtm.030308-1736) 913.50 KB
(935,424 bytes) 4/30/2003 4:10 PM Microsoft Corporation
c:\windows\system32\dhcpcsnap.dll

dhcpsapi 5.2.3785.0 (srv03_rtm.030308-1736) 75.00 KB
(76,800 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\dhcpsapi.dll

dnsmgr 5.2.3785.0 (srv03_rtm.030308-1736) 822.50 KB
(842,240 bytes) 4/30/2003 4:12 PM Microsoft Corporation
c:\windows\system32\dnsmgr.dll

db2mmc 8.1.3.68 40.06 KB (41,025 bytes) 5/28/2003
12:27 PM International Business Machines Corporation
d:\sqlib\bin\db2mmc.dll

db2mmcr 8.1.2.159 24.07 KB (24,648 bytes) 4/29/2003
1:02 PM International Business Machines Corporation
d:\sqlib\msg\en_us\db2mmcr.dll

sendcmg 5.2.3785.0 (srv03_rtm.030308-1736) 28.50 KB
(29,184 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\sendcmg.dll

mfc42 6.05.3014.0 960.00 KB (983,040 bytes)
3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\mfc42.dll

helpctr 5.2.3785.0 (srv03_rtm.030308-1736) 764.00 KB
(782,336 bytes) 4/29/2003 4:27 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\helpctr.exe

hcappres 5.2.3785.0 (srv03_rtm.030308-1736) 6.50 KB
(6,656 bytes) 4/29/2003 4:27 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\hcappres.dll

itss 5.2.3785.0 (srv03_rtm.030308-1736) 119.50 KB
(122,368 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\itss.dll

pchshell 5.2.3785.0 (srv03_rtm.030308-1736) 100.50 KB
(102,912 bytes) 4/29/2003 4:27 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\pchshell.dll

mshtml 6.00.3785.0 (srv03_rtm.030308-1736) 2.78 MB
(2,915,328 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\mshtml.dll

msimtf 5.2.3785.0 (srv03_rtm.030308-1736) 149.00 KB
(152,576 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\msimtf.dll

msctf 5.2.3785.0 (srv03_rtm.030308-1736) 287.00 KB
(293,888 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\msctf.dll

shdoclc 6.00.3785.0 (srv03_rtm.030308-1736) 588.50 KB
(602,624 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\shdoclc.dll

jscrip 5.6.0.8515 436.00 KB (446,464 bytes) 3/9/2003 7:00
AM Microsoft Corporation
c:\windows\system32\jscrip.dll

msls31 3.10.349.0 147.00 KB (150,528 bytes) 3/9/2003 7:00
AM Microsoft Corporation
c:\windows\system32\msls31.dll

mshtml 6.00.3785.0 (srv03_rtm.030308-1736) 443.00 KB
(453,632 bytes) 3/9/2003 7:00 AM Microsoft Corporation
c:\windows\system32\mshtml.dll

vbscript 5.6.0.8515 404.00 KB (413,696 bytes) 3/9/2003 7:00
AM Microsoft Corporation
c:\windows\system32\vbscript.dll

msinfo 5.2.3785.0 (srv03_rtm.030308-1736) 358.50 KB
(367,104 bytes) 4/29/2003 4:27 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\msinfo.dll

helpsvc 5.2.3785.0 (srv03_rtm.030308-1736) 720.00 KB
(737,280 bytes) 4/29/2003 4:27 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\helpsvc.exe

[Services]

Display Name	Name	State	Start Mode	Service Type
Path	Error Control	Start Name	Tag ID	
Alerter	Alerter	Stopped	Disabled	Share Process
c:\windows\system32\svchost.exe	-k localservice	Normal	NT	
AUTHORITY\LocalService	0			
Application Layer Gateway Service	ALG	Stopped		
Manual	Own Process	c:\windows\system32\alg.exe		
Normal	NT AUTHORITY\LocalService	0		
Application Management	AppMgmt	Stopped	Manual	
Share Process	c:\windows\system32\svchost.exe	-k netsvcs		
Normal	LocalSystem	0		
Windows Audio	AudioSrv	Stopped	Disabled	Share Process
c:\windows\system32\svchost.exe	-k netsvcs	Normal	LocalSystem	
0				

Background Intelligent Transfer Service	BITS	Stopped		
Manual Share Process	c:\windows\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0
Computer Browser	Browser	Stopped	Manual	Share Process
c:\windows\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0	
Indexing Service	CiSvc	Stopped	Disabled	Share Process
c:\windows\system32\cisvc.exe	Normal	LocalSystem	0	
ClipBook	ClipSrv	Stopped	Disabled	Own Process
c:\windows\system32\clipsrv.exe	Normal	LocalSystem	0	
COM+ System Application	COMSysApp	Stopped		
Manual Own Process	c:\windows\system32\dlhhost.exe	/processid:{02d4b3f1-fd88-11d1-960d-00805fc79235}	Normal	LocalSystem
0				
Cryptographic Services	CryptSvc	Stopped	Manual	
Share Process	c:\windows\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0
DB2DAS - DB2DAS00	DB2DAS00	Stopped		
Manual Own Process	d:\sqlib\bin\db2dasrm.exe	Normal	RUTHLESS-D\tpch	0
DB2 Governor	DB2GOVERNOR	Stopped	Manual	
Own Process	d:\sqlib\bin\db2govds.exe	Normal	LocalSystem	0
DB2 JDBC Applet Server	DB2JDS	Stopped	Manual	
Own Process	d:\sqlib\bin\db2jds.exe	Normal	LocalSystem	0
DB2 License Server	DB2LICD	Stopped	Manual	Own Process
d:\sqlib\bin\db2licd.exe	Ignore	LocalSystem	0	
DB2 Security Server	DB2NTSECSERVER	Stopped	Manual	
Own Process	d:\sqlib\bin\db2sec.exe	Normal	LocalSystem	0
DB2 Remote Command Server	DB2REMOTECMD	Running		
Manual Own Process	d:\sqlib\bin\db2rcmd.exe	Ignore	RUTHLESS-D\tpch	0
Distributed File System	Dfs	Running	Auto	
Own Process	c:\windows\system32\dfsrv.exe	Normal	LocalSystem	0
DHCP Client	Dhcp	Running	Auto	Share Process
c:\windows\system32\svchost.exe -k networkservice	Normal	NT AUTHORITY\NetworkService	0	
DHCP Server	DHCPServer	Running	Auto	
Share Process	c:\windows\system32\tpcsrvs.exe	Normal	LocalSystem	0
Logical Disk Manager Administrative Service			dmadmin	
Stopped Manual Share Process	c:\windows\system32\dmadmin.exe /com	Normal	LocalSystem	0
Logical Disk Managerdmserver	Running	Auto	Share Process	
c:\windows\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0	
DNS Server	DNS	Running	Auto	Own Process
c:\windows\system32\dns.exe	Normal	LocalSystem	0	
DNS Client	Dnscache	Running	Auto	Share Process
c:\windows\system32\svchost.exe -k networkservice	Normal	NT AUTHORITY\NetworkService	0	
Error Reporting Service	ERSvc	Stopped	Manual	
Share Process	c:\windows\system32\svchost.exe -k winerr	Ignore	LocalSystem	0
Event Log Eventlog	Running	Auto	Share Process	
c:\windows\system32\services.exe	Normal	LocalSystem	0	
COM+ Event System	EventSystem	Running	Manual	
Share Process	c:\windows\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0
Help and Support	helpsvc	Running	Manual	Share Process
c:\windows\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0	

Human Interface Device Access	HidServ	Stopped	Disabled	
Share Process	c:\windows\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0
HTTP SSLHTTPFilter		Stopped	Manual	Share Process
c:\windows\system32\lsass.exe	Normal	LocalSystem	0	
IMAPI CD-Burning COM Service	ImapiService	Stopped	Disabled	Own Process
c:\windows\system32\imapi.exe	Normal	LocalSystem	0	
Intersite Messaging	IsmServ	Running	Auto	Own Process
c:\windows\system32\ismserv.exe	Normal	LocalSystem	0	
Kerberos Key Distribution Center	kdc	Running		
Auto Share Process	c:\windows\system32\lsass.exe	Normal	LocalSystem	0
Server lanmanserver	Running	Auto	Share Process	
c:\windows\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0	
Workstation	lanmanworkstation	Running	Auto	
Share Process	c:\windows\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0
License Logging	LicenseService	Stopped	Disabled	
Own Process	c:\windows\system32\llssrv.exe	Normal	NT AUTHORITY\NetworkService	0
TCP/IP NetBIOS Helper	LmHosts	Running	Auto	
Share Process	c:\windows\system32\svchost.exe -k	localservice	Normal	NT AUTHORITY\LocalService
0				
Messenger Messenger	Stopped	Disabled	Share Process	
c:\windows\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0	
NetMeeting Remote Desktop Sharing	mnmsrvc	Stopped		
Disabled Own Process	c:\windows\system32\mnmsrvc.exe	Normal	LocalSystem	0
Distributed Transaction Coordinator	MSDTC	Running		
Auto Own Process	c:\windows\system32\msdtc.exe	Normal	NT AUTHORITY\NetworkService	0
Windows Installer	MSIServer	Stopped	Manual	Share Process
c:\windows\system32\msiexec.exe /v	Normal	LocalSystem	0	
Network DDE	NetDDE	Stopped	Disabled	Share Process
c:\windows\system32\netdde.exe	Normal	LocalSystem	0	
Network DDE DSDMNetDDEdsdm		Stopped	Disabled	
Share Process	c:\windows\system32\netdde.exe	Normal	LocalSystem	0
Net Logon Netlogon	Running	Auto	Share Process	
c:\windows\system32\lsass.exe	Normal	LocalSystem	0	
Network Connections Netman	Running	Manual	Share Process	
c:\windows\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0	
Network Location Awareness (NLA)	Nla	Running		
Manual Share Process	c:\windows\system32\svchost.exe -k	netsvcs	Normal	LocalSystem
0				
File Replication Service	NtFrs	Running	Auto	
Own Process	c:\windows\system32\ntfrs.exe	Ignore	LocalSystem	0
NT LM Security Support Provider	NtLmSsp	Stopped		
Manual Share Process	c:\windows\system32\lsass.exe	Normal	LocalSystem	0
Removable Storage NtmsSvc	Stopped	Manual	Share Process	
c:\windows\system32\svchost.exe -k netsvcs	Normal	LocalSystem	0	
Plug and Play	PlugPlay	Running	Auto	Share Process
c:\windows\system32\services.exe	Normal	LocalSystem	0	
IPSEC Services	PolicyAgent	Running	Auto	
Share Process	c:\windows\system32\lsass.exe	Normal	LocalSystem	0

Protected Storage	ProtectedStorage	Running	Auto
Share Process	c:\windows\system32\lsass.exe	Normal	
LocalSystem	0		
DB2 - QUAL-0	QUAL-0	Running	Manual Own Process
d:\sql\bin\db2syscs.exe	Normal	RUTHLESS-D\tpch	0
DB2 - QUAL-1	QUAL-1	Running	Manual Own Process
d:\sql\bin\db2syscs.exe	Normal	RUTHLESS-D\tpch	0
Remote Access Auto Connection Manager	RasAuto	Stopped	
Manual Share Process	c:\windows\system32\svchost.exe -k		
netsh	Normal LocalSystem	0	
Remote Access Connection Manager	RasMan	Stopped	
Manual Share Process	c:\windows\system32\svchost.exe -k		
netsh	Normal LocalSystem	0	
Remote Desktop Help Session Manager	RDSessMgr		
Stopped Manual Own Process			
c:\windows\system32\sessmgr.exe	Normal	LocalSystem	0
Routing and Remote Access	RemoteAccess	Running	
Auto Share Process	c:\windows\system32\svchost.exe -k		
netsh	Normal LocalSystem	0	
Remote Registry	RemoteRegistry	Stopped	Manual
Share Process	c:\windows\system32\svchost.exe -k regsvc		
Normal NT AUTHORITY\LocalService	0		
Remote Procedure Call (RPC) Locator	RpcLocator		
Stopped Manual Own Process			
c:\windows\system32\locator.exe	Normal	NT	
AUTHORITY\NetworkService	0		
Remote Procedure Call (RPC)	RpcSs	Running	Auto
Share Process	c:\windows\system32\svchost -k rpsvc		
Normal LocalSystem	0		
Resultant Set of Policy Provider	RSOPProv	Stopped	Manual
Share Process	c:\windows\system32\rsopprov.exe		
Normal LocalSystem	0		
Special Administration Console Helper	sacsvr	Stopped	
Manual Share Process	c:\windows\system32\svchost.exe -k		
netsh	Normal LocalSystem	0	
Security Accounts Manager	SamSs	Running	Auto
Share Process	c:\windows\system32\lsass.exe	Normal	
LocalSystem	0		
Smart Card	SCardSvr	Stopped	Manual Share Process
c:\windows\system32\scardsvr.exe	Ignore	NT	
AUTHORITY\LocalService	0		
Task Scheduler	Schedule	Stopped	Manual Share Process
c:\windows\system32\svchost.exe -k	netsh	Normal	LocalSystem
0			
Secondary Logon	seclogon	Running	Auto Share Process
c:\windows\system32\svchost.exe -k	netsh	Ignore	LocalSystem
0			
System Event Notification	SENS	Running	Auto
Share Process	c:\windows\system32\svchost.exe -k	netsh	
Normal LocalSystem	0		
Internet Connection Firewall (ICF) / Internet Connection Sharing (ICS)	SharedAccess	Stopped	Disabled Share Process
c:\windows\system32\svchost.exe -k	netsh	Normal	LocalSystem
0			
Shell Hardware Detection	ShellHWDetection	Running	
Auto Share Process	c:\windows\system32\svchost.exe -k		
netsh	Ignore LocalSystem	0	
Print Spooler	Spooler	Stopped	Manual Own Process
c:\windows\system32\spoolsv.exe	Normal	LocalSystem	0
Windows Image Acquisition (WIA)	stisvc	Stopped	
Disabled Share Process	c:\windows\system32\svchost.exe -k		
imgsvc	Normal NT AUTHORITY\LocalService	0	
Microsoft Software Shadow Copy Provider	swprv	Stopped	
Manual Own Process	c:\windows\system32\svchost.exe -k		
swprv	Normal LocalSystem	0	

Performance Logs and Alerts	SysmonLog	Stopped
Manual Own Process	c:\windows\system32\smlogsvc.exe	
Normal NT Authority\NetworkService	0	
Telephony TapiSrv	Stopped	Manual Share Process
c:\windows\system32\svchost.exe -k tapisrv	Normal	LocalSystem
0		
Terminal Services	TermService	Running
Manual Share Process	c:\windows\system32\svchost.exe -k	termsvc
Normal LocalSystem	0	
Themes	Themes	Stopped
Disabled Share Process		
c:\windows\system32\svchost.exe -k	netsh	Normal
0		
Telnet	TlntSvr	Stopped
Disabled Own Process		
c:\windows\system32\tlntsvr.exe	Normal	NT
AUTHORITY\LocalService	0	
DB2 - TPCCH-0	TPCH-0	Stopped
Manual Own Process		
d:\sql\bin\db2syscs.exe	Normal	RUTHLESS-D\tpch
0		
DB2 - TPCCH-1	TPCH-1	Stopped
Manual Own Process		
d:\sql\bin\db2syscs.exe	Normal	RUTHLESS-D\tpch
0		
DB2 - TPCCH-2	TPCH-2	Stopped
Manual Own Process		
d:\sql\bin\db2syscs.exe	Normal	RUTHLESS-D\tpch
0		
DB2 - TPCCH-3	TPCH-3	Stopped
Manual Own Process		
d:\sql\bin\db2syscs.exe	Normal	RUTHLESS-D\tpch
0		
DB2 - TPCCH-4	TPCH-4	Stopped
Manual Own Process		
d:\sql\bin\db2syscs.exe	Normal	RUTHLESS-D\tpch
0		
DB2 - TPCCH-5	TPCH-5	Stopped
Manual Own Process		
d:\sql\bin\db2syscs.exe	Normal	RUTHLESS-D\tpch
0		
DB2 - TPCCH-6	TPCH-6	Stopped
Manual Own Process		
d:\sql\bin\db2syscs.exe	Normal	RUTHLESS-D\tpch
0		
DB2 - TPCCH-7	TPCH-7	Stopped
Manual Own Process		
d:\sql\bin\db2syscs.exe	Normal	RUTHLESS-D\tpch
0		
Distributed Link Tracking Server	TrkSvr	Stopped
Disabled Share Process		
c:\windows\system32\svchost.exe -k	netsh	
Normal LocalSystem	0	
Distributed Link Tracking Client	TrkWks	Stopped
Manual Share Process	c:\windows\system32\svchost.exe -k	netsh
Normal LocalSystem	0	
Terminal Services Session Directory	Tssdis	Stopped
Disabled Own Process	c:\windows\system32\tssdis.exe	
Normal LocalSystem	0	
Upload Manager	uploadmgr	Stopped
Manual Share Process		
c:\windows\system32\svchost.exe -k	netsh	Normal
0		
Uninterruptible Power Supply	UPS	Stopped
Manual Own Process	c:\windows\system32\ups.exe	Normal
NT AUTHORITY\LocalService	0	
Virtual Disk Service	vds	Stopped
Manual Own Process		
c:\windows\system32\vds.exe	Normal	LocalSystem
0		
Volume Shadow Copy	VSS	Stopped
Manual Own Process		
c:\windows\system32\vssvc.exe	Normal	
LocalSystem	0	
Windows Time	W32Time	Running
Auto Share Process		
c:\windows\system32\svchost.exe -k	netsh	Normal
0		
WebClient	WebClient	Stopped
Disabled Share Process		
c:\windows\system32\svchost.exe -k	localservice	Normal
NT AUTHORITY\LocalService	0	
WinHTTP Web Proxy Auto-Discovery Service		
WinHttpAutoProxySvc	Stopped	Manual
Share Process		
c:\windows\system32\svchost.exe -k	localservice	Normal
NT AUTHORITY\LocalService	0	
Windows Management Instrumentation	winmgmt	Running
Auto Share Process	c:\windows\system32\svchost.exe -k	
netsh	Ignore LocalSystem	0
Portable Media Serial Number Service	WmdmPmSN	
Stopped Manual Share Process		
c:\windows\system32\svchost.exe -k	netsh	Normal
0		

Windows Management Instrumentation Driver Extensions
Wmi Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs Normal LocalSystem
0
WMI Performance Adapter WmiApSrv Stopped
Manual Own Process
c:\windows\system32\wbem\wmiapsrv.exe Normal LocalSystem
0
Automatic Updates wuauclt Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs Normal LocalSystem
0
Wireless Configuration WZC SVC Stopped Manual
Share Process c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0

[Program Groups]

Group Name	Name	User Name	Default User
Accessories	Default User:Accessories	Default User	
Accessories\Accessibility	Default		
User:Accessories\Accessibility	Default User		
Accessories\Entertainment	Default		
User:Accessories\Entertainment	Default User		
Startup	Default User:Startup	Default User	
Accessories	All Users:Accessories	All Users	
Accessories\Accessibility	All Users:Accessories\Accessibility	All Users	
Accessories\Communications	All		
Users:Accessories\Communications	All Users		
Accessories\Entertainment	All Users:Accessories\Entertainment	All Users	
Accessories\System Tools	All Users:Accessories\System Tools	All Users	
Administrative Tools	All Users:Administrative Tools	All Users	
IBM DB2	All Users:IBM DB2	All Users	
IBM DB2\Command Line Tools	All Users:IBM DB2\Command Line Tools	All Users	
IBM DB2\Development Tools	All Users:IBM DB2\Development Tools	All Users	
IBM DB2\General Administration Tools	All Users:IBM DB2\General Administration Tools	All Users	
IBM DB2\Information	All Users:IBM DB2\Information	All Users	
IBM DB2\Monitoring Tools	All Users:IBM DB2\Monitoring Tools	All Users	
IBM DB2\Set-up Tools	All Users:IBM DB2\Set-up Tools	All Users	
Microsoft Visual C++ 6.0	All Users:Microsoft Visual C++ 6.0	All Users	
Microsoft Visual C++ 6.0\Microsoft Visual C++ 6.0 Tools	All Users:Microsoft Visual C++ 6.0\Microsoft Visual C++ 6.0 Tools	All Users	
ServeRAID Manager	All Users:ServeRAID Manager	All Users	
Startup	All Users:Startup	All Users	
Accessories	NT AUTHORITY\SYSTEM:Accessories	NT AUTHORITY\SYSTEM	
Accessories\Accessibility	NT AUTHORITY\SYSTEM:Accessories\Accessibility	NT AUTHORITY\SYSTEM	
Accessories\Entertainment	NT AUTHORITY\SYSTEM:Accessories\Entertainment	NT AUTHORITY\SYSTEM	
Startup	NT AUTHORITY\SYSTEM:Startup	NT AUTHORITY\SYSTEM	
Accessories	RUTHLESS-D\tpch:Accessories	RUTHLESS-D\tpch	

Accessories\Accessibility
RUTHLESS-D\tpch:Accessories\Accessibility
RUTHLESS-D\tpch
Accessories\Entertainment
RUTHLESS-D\tpch:Accessories\Entertainment
RUTHLESS-D\tpch
Administrative Tools RUTHLESS-D\tpch:Administrative Tools
RUTHLESS-D\tpch
Startup RUTHLESS-D\tpch:Startup RUTHLESS-D\tpch

[Startup Programs]

Program	Command	User Name	Location	Startup
desktop	desktop.ini	NT AUTHORITY\SYSTEM		Startup
desktop	desktop.ini	RUTHLESS-D\tpch		Startup
desktop	desktop.ini	DEFAULT		Startup
desktop	desktop.ini	All Users	Common	Startup
KernelFaultCheck	%systemroot%\system32\dumprep 0 -k	All Users		
HKLM\SOFTWARE\Microsoft\Windows\CurrentVersion\Run				

[OLE Registration]

Object	Local Server
Sound (OLE2)	sndrec32.exe
Media Clip	mplay32.exe
Video Clip	mplay32.exe /avi
MIDI Sequence	mplay32.exe /mid
Sound	Not Available
Media Clip	Not Available
WordPad Document	"%programfiles%\windows nt\accessories\wordpad.exe"
Windows Media Services DRM Storage object	Not Available
Bitmap Image	mspaint.exe

[Windows Error Reporting]

Time	Type	Details
8/1/2003 11:28 AM	dsrestor	The DSRestore filter started successfully.

7/31/2003 1:54 PM	dsrestor	The DSRestore filter started successfully.

7/28/2003 4:42 PM	dsrestor	The DSRestore filter started successfully.

7/24/2003 1:21 PM	dsrestor	The DSRestore filter started successfully.

7/24/2003 10:44 AM	dsrestor	The DSRestore filter started successfully.

7/23/2003 11:15 PM	dsrestor	The DSRestore filter started successfully.

7/22/2003 9:51 AM	dsrestor	The DSRestore filter started successfully.

7/20/2003 8:13 PM	dsrestor	The DSRestore filter started successfully.

7/18/2003 10:31 AM	dsrestor	The DSRestore filter started successfully.

7/16/2003 4:37 PM	dsrestor	The DSRestore filter started successfully.

7/15/2003 2:38 PM	dsrestor	The DSRestore filter started successfully.

7/7/2003 10:24 AM	dsrestor	The DSRestore filter started successfully.

7/2/2003 9:49 AM	dsrestor	The DSRestore filter started successfully.

7/2/2003 8:48 AM	dsrestor	The DSRestore filter started successfully.

7/1/2003 12:25 PM	dsrestor	The DSRestore filter started successfully.

6/30/2003 5:44 PM dsrestor The DSRestore filter started successfully.

6/30/2003 11:03 AM dsrestor The DSRestore filter started successfully.

6/30/2003 10:52 AM dsrestor The DSRestore filter started successfully.

6/30/2003 10:20 AM dsrestor The DSRestore filter started successfully.

6/27/2003 11:18 AM dsrestor The DSRestore filter started successfully.

6/26/2003 4:14 PM dsrestor The DSRestore filter started successfully.

6/26/2003 3:54 PM dsrestor The DSRestore filter started successfully.

6/26/2003 11:22 AM dsrestor The DSRestore filter started successfully.

6/25/2003 2:37 PM dsrestor The DSRestore filter started successfully.

6/25/2003 2:24 PM dsrestor The DSRestore filter started successfully.

6/24/2003 5:41 PM dsrestor The DSRestore filter started successfully.

6/24/2003 4:47 PM dsrestor The DSRestore filter started successfully.

6/24/2003 1:54 PM dsrestor The DSRestore filter started successfully.

6/24/2003 12:23 PM dsrestor The DSRestore filter started successfully.

6/24/2003 9:37 AM dsrestor The DSRestore filter started successfully.

[Internet Settings]

[Internet Explorer]

[Following are sub-categories of this main category]
[Summary]

Item	Value
Version	6.0.3785.0
Build	63785
Application Path	C:\Program Files\Internet Explorer
Language	English (United States)
Active Printer	Not Available

Cipher Strength	128-bit
Content Advisor	Disabled
IEAK Install	No

[File Versions]

File	Version	Size	Date	Path	Company
actxprxy.dll	6.0.3785.0	95 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
actxprxy.dll	4.70.0.1215	37 KB	10/15/1996	D:\tools	Microsoft Corporation
advpack.dll	6.0.3785.0	94 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
advpack.dll	4.70.0.1144	23 KB	10/15/1996	D:\tools	Microsoft Corporation
asctrls.ocx	6.0.3785.0	90 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
browsecl.dll	6.0.3785.0	62 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
browseui.dll	6.0.3785.0	1,032 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation

cdfview.dll	6.0.3785.0	144 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
comctl32.dll	5.82.3785.0	561 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
dxtrans.dll	6.3.3785.0	198 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
dxtmsft.dll	6.3.3785.0	344 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
iecont.dll	<File Missing>	Not Available	Not Available		
iecontle.dll	<File Missing>	Not Available	Not Available		
iedkcs32.dll	16.0.3785.0	300 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
iepeers.dll	6.0.3785.0	230 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
iesetup.dll	6.0.3785.0	59 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
ieuinit.inf	Not Available	20 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Not Available
ieexplore.exe	6.0.3785.0	90 KB	3/9/2003 8:00:00 AM	C:\Program Files\Internet Explorer	Microsoft Corporation
imgutil.dll	5.2.3785.0	35 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
inetctl.cpl	6.0.3785.0	303 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
inetctl.dll	6.0.3785.0	109 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
inseng.dll	6.0.3785.0	72 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
mlang.dll	6.0.3785.0	570 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
msencode.dll	2002.10.4.0	112 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Not Available
mshta.exe	6.0.3785.0	26 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
mshtml.dll	6.0.3785.0	2,847 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
mshtml.tlb	6.0.3785.0	1,319 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
mshtml.dll	6.0.3785.0	443 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
mshtml.dll	6.0.3785.0	55 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
msident.dll	6.0.3785.0	47 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
msidntld.dll	6.0.3785.0	15 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
msieftpl.dll	6.0.3785.0	230 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
msrating.dll	6.0.3785.0	132 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
mstime.dll	6.0.3785.0	491 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
occache.dll	6.0.3785.0	89 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
proctexe.ocx	6.3.3785.0	78 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Intel Corporation
sendmail.dll	6.0.3785.0	52 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
shdoclc.dll	6.0.3785.0	589 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
shdocvw.dll	6.0.3785.0	1,361 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation
shfolder.dll	6.0.3785.0	23 KB	3/9/2003 8:00:00 AM	C:\WINDOWS\system32	Microsoft Corporation

shlwapi.dll 6.0.3785.0 281 KB 3/9/2003 8:00:00 AM
 C:\WINDOWS\system32 Microsoft Corporation
 tdc.ocx 1.3.0.3130 58 KB 3/9/2003 8:00:00 AM
 C:\WINDOWS\system32 Microsoft Corporation
 url.dll 6.0.3785.0 36 KB 3/9/2003 8:00:00 AM
 C:\WINDOWS\system32 Microsoft Corporation
 urlmon.dll 6.0.3785.0 502 KB 3/9/2003 8:00:00 AM
 C:\WINDOWS\system32 Microsoft Corporation
 webcheck.dll 6.0.3785.0 262 KB 3/9/2003 8:00:00 AM
 C:\WINDOWS\system32 Microsoft Corporation
 wininet.dll 6.0.3785.0 609 KB 3/9/2003 8:00:00 AM
 C:\WINDOWS\system32 Microsoft Corporation

[Connectivity]

Item	Value
Connection Preference	Never dial

LAN Settings

AutoConfigProxy	Not Available
AutoProxyDetectMode	Disabled
AutoConfigURL	
Proxy	Disabled
ProxyServer	
ProxyOverride	

[Cache]

[Following are sub-categories of this main category]

[Summary]

Item	Value
Page Refresh Type	Automatic
Temporary Internet Files Folder	C:\Documents and Settings\NetworkService\Local Settings\Temporary Internet Files
Total Disk Space	Not Available
Available Disk Space	Not Available
Maximum Cache Size	Not Available
Available Cache Size	Not Available

[List of Objects]

Program File	Status	CodeBase
No cached object information available		

[Content]

[Following are sub-categories of this main category]

[Summary]

Item	Value
Content Advisor	Disabled

[Personal Certificates]

Issued To	Issued By	Validity	Signature Algorithm
No personal certificate information available			

[Other People Certificates]

Issued To	Issued By	Validity	Signature Algorithm
No other people certificate information available			

[Publishers]

Name

No publisher information available

[Security]

Zone	Security Level
My Computer	Custom
Local intranet	Medium-low
Trusted sites	Medium
Internet	High
Restricted sites	High

Appendix B: Database Build Scripts

buildtpcd

```
#!/usr/bin/perl
# usage buildtpcd [QUAL]
# ASSUMPTIONS: all ddl files have commits in them!
($myName = $0) =~ s@.*@/@@; $usage="
Usage: buildtpcd [QUAL]
    where QUAL is the optional parameter saying to build the
    qualification
        database (sf = 1 - 1GB)\n";

$qual="";
if (@ARGV == 1){
    $qual = $ARGV[0];
}

# get TPC-D specific environment variables
require "getvars";
require "macro.pl";
require "tpcdmacro.pl";
require "version";

# Make output unbuffered.
select(STDOUT);
$| = 1;
#-----#
# verify that necessary environment variables for building the database
#
# are present. Default those that aren't necessary #
#-----#

# variables that must be specified for script to run
@reqVars = ("TPCD_PLATFORM",
            "TPCD_PRODUCT",
            "TPCD_VERSION",
            "TPCD_DBNAME",
            "TPCD_MODE",
            "TPCD_SF",
            "TPCD_DDLPATH",
            "TPCD_AUDIT",
            "TPCD_AUDIT_DIR",
            "TPCD_BUILD_STAGE");

# variables default to 'NULL' if unspecified
@defNullVars = ("TPCD_LOAD_SCRIPT",
                "TPCD_LOAD_SCRIPT_QUAL",
                "TPCD_INPUT",
                "TPCD_QUAL_INPUT",
                "TPCD_DBGEN",
                "TPCD_LOGPRIMARY",
                "TPCD_LOGSECOND",
                "TPCD_LOGFILSIZ",
                "TPCD_LOG_DIR",
                "TPCD_MACHINE",
                "TPCD_AGENTPRI",
                "TPCD_STAGING_TABLE_DDL",
                "TPCD_PRELOAD_STAGING_TABLE_SCRIPT",
                "TPCD_DELETE_STAGING_TABLE_SQL",
                "TPCD_RUNSTATSHORT",
                "TPCD_ADD_RI",
                "TPCD_AST",
                "TPCD_DBM_CONFIG",
                "TPCD_EXPLAIN_DDL",
```

```
"TPCD_NODEGROUP_DEF",
"TPCD_BUFFERPOOL_DEF",
"TPCD_LOAD_DB2SET_SCRIPT",
"TPCD_DB2SET_SCRIPT",
"TPCD_LOG_DIR_SETUP_SCRIPT",
"TPCD_LOAD_CONFIGFILE",
"TPCD_LOAD_DBM_CONFIGFILE",
"TPCD_TEMP");
```

```
&setVar(@reqVars, "ERROR");
&setVar(@defNullVars, "NULL");

if ( $qual eq "QUAL" ){
    @reqQualVars = ("TPCD_QUAL_DBNAME",
                    "TPCD_QUAL_DDL",
                    "TPCD_QUAL_TBSP_DDL",
                    "TPCD_QUALCONFIGFILE",
                    "TPCD_DBM_QUALCONFIG",
                    "TPCD_LOAD_QUALCONFIGFILE",
                    "TPCD_LOAD_DBM_QUALCONFIGFILE");

    &setVar(@reqQualVars, "ERROR");

    if ( ($ENV{"TPCD_QUAL_INPUT"}) eq "NULL" ){
        if (((($ENV{"TPCD_DBGEN"}) eq "NULL") ||
              (($ENV{"TPCD_TEMP"}) eq "NULL"))){
            die "TPCD_DBGEN and TPCD_TEMP must be set if flatfiles
are not provided.\n";
        }
    }
}

$platform=$ENV{"TPCD_PLATFORM"};

if (length($ENV{"TPCD_DBPATH"}) <= 0){
    # if no db pathname specified, build the db in the home directory
    if ( $platform eq "aix" ||
        $platform eq "sun" ||
        $platform eq "ptx" ||
        $platform eq "hp" ||
        $platform eq "linux"){
        $ENV{"TPCD_DBPATH"} = $ENV{"HOME"};
    }
    elsif ( $platform eq "nt" ){
        $ENV{"TPCD_DBPATH"} = $ENV{"HOMEDRIVE"};
    }
    else{
        die "platform '$platform' not supported yet\n";
    }
}
if ( ($ENV{"TPCD_INPUT"}) eq "NULL" ){
    if (((($ENV{"TPCD_DBGEN"}) eq "NULL") ||
          (($ENV{"TPCD_TEMP"}) eq "NULL"))){
        die "TPCD_DBGEN and TPCD_TEMP must be set if flatfiles are
not provided.\n";
    }
}
#-----#
# ddl script files found under custom directory #
#-----#

if (length($ENV{"TPCD_DDL"}) <= 0){
    $ENV{"TPCD_DDL"} = "dss.ddl";
}
if (length($ENV{"TPCD_TBSP_DDL"}) <= 0){
```

```

$ENV{"TPCD_TBSP_DDL"} = "dss.tbbsp.ddl";
}
if (length($ENV{"TPCD_INDEXDDL"}) <= 0){
$ENV{"TPCD_INDEXDDL"} = "dss.index";
}
if (length($ENV{"TPCD_RUNSTATS"}) <= 0){
$ENV{"TPCD_RUNSTATS"} = "dss.runstats";
}
if (length($ENV{"TPCD_CONFIGFILE"}) <= 0){
$ENV{"TPCD_CONFIGFILE"} = "dss.dbconfig";
}

#-----#
# other settings                                     #
#-----#

if (length($ENV{"TPCD_BACKUP_DIR"}) <= 0){
$ENV{"TPCD_BACKUP_DIR"} = "${delim}dev${delim}null";
}
if (length($ENV{"TPCD_COPY_DIR"}) <= 0){
$ENV{"TPCD_COPY_DIR"} = "${delim}dev${delim}null";
}
if (length($ENV{"TPCD_TEMP"}) <= 1){
$ENV{"TPCD_TEMP"} = "/u/$instance/sql/lib/tmp";
}
if (length($ENV{"TPCD_PHYS_NODE"}) <= 0){
$ENV{"TPCD_NODEGROUP_DEF"}="NULL"
}
if (length($ENV{"TPCD_GENERATE_SEED_FILE"}) <= 0){
$ENV{"TPCD_GENERATE_SEED_FILE"} = "no";
}
if (length($ENV{"TPCD_SORTBUF"}) <= 0){
$ENV{"TPCD_SORTBUF"} = 4096;
}
if (length($ENV{"TPCD_LOAD_PARALLELISM"}) <= 0){
$ENV{"TPCD_LOAD_PARALLELISM"} = 0;
}
if (length($ENV{"TPCD_LOADSTATS"}) <= 0){
$ENV{"TPCD_LOADSTATS"} = "no";
}
if (length($ENV{"TPCD_FASTPARSE"}) <= 0){
$ENV{"TPCD_FASTPARSE"} = "no";
}
if (length($ENV{"TPCD_LOG"}) <= 0){
$ENV{"TPCD_LOG"} = "no";
}
if (length($ENV{"TPCD_SMPDEGREE"}) <= 0){
$ENV{"TPCD_SMPDEGREE"} = 1;
}
if (length($ENV{"TPCD_ACTIVATE"}) <= 0){
$ENV{"TPCD_ACTIVATE"} = "no";
}
if (length($ENV{"TPCD_APPEND_ON"}) <= 0){
$ENV{"TPCD_APPEND_ON"}="yes"
}
if (length($ENV{"TPCD_GENERATE_SEED_FILE"}) <= 0){
$ENV{"TPCD_GENERATE_SEED_FILE"}="no";
}

#setup global variables
$tpcdVersion= $ENV{"TPCD_VERSION"};
$buildStage= $ENV{"TPCD_BUILD_STAGE"};
$mode= $ENV{"TPCD_MODE"};
$delim = $ENV{"TPCD_PATH_DELIM"};
$sep = $ENV{"COMMAND_SEP"};
$dddlpath= $ENV{"TPCD_DDLPATH"};

```

```

$extraindex= $ENV{"TPCD_EXTRAINDEX"};
$earlyindex= $ENV{"TPCD_EARLYINDEX"};
$loadstats= $ENV{"TPCD_LOADSTATS"};
$addRI= $ENV{"TPCD_ADD_RI"};
$astFile= $ENV{"TPCD_AST"};
$genSeed= $ENV{"TPCD_GENERATE_SEED_FILE"};
$log= $ENV{"TPCD_LOG"};
$activate= $ENV{"TPCD_ACTIVATE"};
$realAudit= $ENV{"TPCD_AUDIT"};
$auditDir= $ENV{"TPCD_AUDIT_DIR"};
$loadsetScript= $ENV{"TPCD_LOAD_DB2SET_SCRIPT"};
$user= $ENV{"USER"};
$logDirScript= $ENV{"TPCD_LOG_DIR_SETUP_SCRIPT"};
$logprimary= $ENV{"TPCD_LOGPRIMARY"};
$logsecond= $ENV{"TPCD_LOGSECOND"};
$logfilsiz= $ENV{"TPCD_LOGFILSIZ"};
$dbpath = $ENV{"TPCD_DBPATH"};
$explainDDL= $ENV{"TPCD_EXPLAIN_DDL"};
$platform= $ENV{"TPCD_PLATFORM"};
$buffpooldef= $ENV{"TPCD_BUFFERPOOL_DEF"};
$stagingTbl = $ENV{"TPCD_STAGING_TABLE_DDL"};
$preloadSampleUF=
$ENV{"TPCD_PRELOAD_STAGING_TABLE_SCRIPT"};
$deleteSampleUF=
$ENV{"TPCD_DELETE_STAGING_TABLE_SQL"};
$machine= $ENV{"TPCD_MACHINE"};
$runstatShort = $ENV{"TPCD_RUNSTATSHORT"};
$runstats = $ENV{"TPCD_RUNSTATS"};
$smpdegree = $ENV{"TPCD_SMPDEGREE"};
$agentpri = $ENV{"TPCD_AGENTPRI"};
$setScript = $ENV{"TPCD_DB2SET_SCRIPT"};
$backupdir = $ENV{"TPCD_BACKUP_DIR"};
$nodegroupdef= $ENV{"TPCD_NODEGROUP_DEF"};
$dbgen= $ENV{"TPCD_DBGEN"};
$appendOn= $ENV{"TPCD_APPEND_ON"};
$indexddl= $ENV{"TPCD_INDEXDDL"};

if($qual eq "QUAL"){
$logDir= $ENV{"TPCD_LOG_QUAL_DIR"};
$dbname= $ENV{"TPCD_QUAL_DBNAME"};
$input= $ENV{"TPCD_QUAL_INPUT"};
$sf= $ENV{"TPCD_QUAL_SF"};
$loadconfigfile=$ENV{"TPCD_LOAD_QUALCONFIGFILE"};
$loadDBMconfig=
$ENV{"TPCD_LOAD_DBM_QUALCONFIGFILE"};
$loadscript = $ENV{"TPCD_LOAD_SCRIPT_QUAL"};
$configfile = $ENV{"TPCD_QUALCONFIGFILE"};
$dbmconfig = $ENV{"TPCD_DBM_QUALCONFIG"};
$ddl= $ENV{"TPCD_QUAL_DDL"};
$stbspddl= $ENV{"TPCD_QUAL_TBSP_DDL"};
}else{
$logDir= $ENV{"TPCD_LOG_DIR"};
$dbname= $ENV{"TPCD_DBNAME"};
$input= $ENV{"TPCD_INPUT"};
$sf= $ENV{"TPCD_SF"};
$loadconfigfile=$ENV{"TPCD_LOAD_CONFIGFILE"};
$loadDBMconfig=
$ENV{"TPCD_LOAD_DBM_CONFIGFILE"};
$loadscript = $ENV{"TPCD_LOAD_SCRIPT"};
$configfile = $ENV{"TPCD_CONFIGFILE"};
$dbmconfig = $ENV{"TPCD_DBM_CONFIG"};
$ddl= $ENV{"TPCD_DDL"};
$stbspddl= $ENV{"TPCD_TBSP_DDL"};
}

if (( $mode eq "uni" ) || ( $mode eq "smp" )){
$all_in="once";
}

```

```

    $all_pn="once";
    $once="once";
}
else {
    $all_ln="all_ln";
    $all_pn="all_pn";
    $once="once";
}

#-----#
# echo parameter settings to acknowledge what is being built
#
# and set db2set options for database load
#-----#

&printSummary;

print "\nSleeping for 15 seconds to give you a chance to
reconsider...\n";
sleep 15;

system("db2start");

if ( $platform eq "nt" ){
    if (($mode eq "uni") || ($mode eq "smp")){
        #spaces required for NT
        $src=&doddb_noconn("db2set DB2OPTIONS=\ -t -v +c\";db2set
DB2NTNOCACHE=ON",$all_ln);
    }
    else {
        $src=&doddb_noconn("db2set DB2OPTIONS=\\ -t -v
+c\\\";db2set DB2NTNOCACHE=ON",$all_ln);
    }
}
else {
    if (($mode eq "uni") || ($mode eq "smp")){
        $src=&doddb_noconn("db2set DB2OPTIONS=\ -t -v +c\\"", $all_ln);
    }
    else {
        $src=&doddb_noconn("db2set DB2OPTIONS=\\ -t -v
+c\\\"\", $all_ln);
    }
}
if ( $src != 0 ){
    die "failure setting db2 environment variable : rc = $src\n";
}

#-----#
# set the db2 env vars for loading, from the
TPCD_LOAD_DB2SET_SCRIPT script #
#-----#

if ( $loadsetScript ne "NULL" )
{
    if ( $platform eq "nt" ){
        if (($mode eq "uni") || ($mode eq "smp" )){
            $src=system("$ {ddlpath} $ {delim} $loadsetScript");
        }
        else {
            print " db2_all \" call $ {ddlpath} $ {delim} $loadsetScript\" ";
            $src=system(" db2_all \" call
$ {ddlpath} $ {delim} $loadsetScript\" ");
        }
    }
    else {
        $src=system("$ {ddlpath} $ {delim} $loadsetScript");
    }
}

```

```

    ($src == 0) || die "failure loading db2set parms from $loadsetScript
\n";
}

#!&stopStart || die;
!&stopStart;
#-----#
# Begin complete build: TPCD_BUILDSTAGE = ALL
#
#-----#

if($buildStage eq "ALL") {
    #create the database
    $src = &createDb;
    ($src == 0) || die "ERROR: create database failed. rc = $rc\n";
    &setLog;
};

$src = &setLoadConfig;

#-----#
# Begin build from CreateTablespace or early Indexes
#
#-----#

if( $buildStage eq "ALL" ||
    $buildStage eq "CRTTBSP" ||
    ($buildStage eq "INDEX" && $earlyindex eq "yes")){
    !&createNodegroups || print "ERROR: create nodegroups
failed.\n";
    !&createBufferPools || print "ERROR: create bufferpools
failed.\n";
    &outtime("*** Start of audited Load Time - starting to create
tables");
    !&createTablespaces || print "WARNING: create tablespaces
error.\n";
    !&createExplainTbls || print "ERROR: create EXPLAIN tables
failed.\n";
    !&createTables || print "ERROR: create tables failed.\n";

    mkdir("$ {delim} tmp$ {delim} $instance",0777);

    # if earlyindex requested, create indexes
    if ( $earlyindex eq "yes" ){
        !&createIndexes("early") || die "ERROR: create early
indexes failed.\n";
    }
    # start the dbgen and load.....call the specific mode for loading
(uni,smp,mln)
    !&loadData || die "ERROR: failure during load data\n";

    # remove the update.pair.num file so when setupDir runs, it
doesn't
    # hang waiting for an answer on nt
    &rm("$auditDir$ {delim} $dbname.$user.update.pair.num");
    # verify that the audit directory exists
    $filename="$auditDir";
    if (-e $filename){
        # set up the $auditDir/$dbname.$user.update.pair.num file
        # to start at update pair 1

        $filename="$auditDir$ {delim} $dbname.$user.update.pair.num";
    }
    }
    }
    mkdir (" $auditDir", 0775) || die "cannot mkdir $auditDir";

    print "setting update pair num to 1\n";
    system("echo 1 > $filename");
};

```

```

#-----#
# Begin build from Index or Load #
#-----#
if( $buildStage eq "ALL" ||
    $buildStage eq "CRTTBSP" ||
    $buildStage eq "LOAD" ||
    $buildStage eq "INDEX"){

    # if indexes haven't been created, do so now
    if( $earlyindex ne "yes" ){
        !&createIndexes("normal") || die "ERROR: create indexes
failed.\n";
    }
    if( $extraindex ne "no" ){
        !&createIndexes("extra") || die "ERROR: create extra
indexes failed.\n";
    }
}

}; # end create/load/index phase of the build

#-----#
# Begin build from runstats #
#-----#

if( $buildStage eq "ALL" ||
    $buildStage eq "CRTTBSP" ||
    $buildStage eq "LOAD" ||
    $buildStage eq "INDEX" ||
    $buildStage eq "RUNSTATS"){
    # if statistics not gathered on the load, run runstats (we have to
    run the
    # stats at the same time as the index creation whether it be both
    during load,
    # or after load)
    # We need to run the runstats as well if we have specified an extra
    index file
    # for "after load" indexes
    if( ( $loadstats eq "no" ) || ( $earlyindex eq "no" ) || ( $extraindex
    ne "no" ) ){
        &doRunStats;
    }
}

};

#-----#
# End build phase: all/load/index/runstats #
#-----#
# Add RI/AST, set run configuration #
#-----#

if( $addRI ne "NULL" ){
    &outtime("*** Adding RI constraints started");
    &dodb2file($dbname,"$ddlpath${delim}$addRI", $once);
    &outtime("*** Adding RI constraints completed");
}

#add the AST if it has been requested
if( $astFile ne "NULL" ){
    &outtime("*** Adding AST started");
    &dodb2file($dbname,"$ddlpath${delim}$astFile", $once);
    &outtime("*** Adding AST completed");
}

# check tbsp info
&dodb_conn($dbname,"db2 list tablespaces show detail", $once);

# set the configuration
&outtime("*** Set Configuration started");
&outtime("*** Setting degree of parallelism");

```

```

&setConfiguration;
# if logging is enabled, we must take a backup of the database
!&stopStart;
print "Logging Enabled $log\n";
if( $log eq "YES" ){
    &outtime("*** Create Backups");
    print "Creating Backups\n";
    &createBackup;
    &outtime("*** Backups done");
}

# stop and restart the database to get config parms recognized
!&stopStart;
#!&stopStart || die;

&outtime("*** Set Configuration completed");
&outtime("*** End of audited Load Time");

#create generated seeds
if( $genSeed ne "no" ){
    $src = system("perl createmseedme.pl 1000");
    ($src != 0) || warn "createmseedme failed\n";
}

#-----#
# Call buildtpcdbatch to compile tpcdbatch #
#-----#
# - if we are in real audit mode then we have to do a number of things
#
# set up the audit directory structure and the run directory structure
#
# so that once we have completed the buildtpcd, we are ready to run.
#
# first remove any old "update pair number" file so we won't be
prompted #
# doing setupDir. #
# - before we stop the database for the final time #
# if we are in the real audit mode then run dbtables and dbcheck
before #
# we print out the notice that we're ready to run performance tests
#
# if we are building the qualification database then we'll bind to both
#
# the dbname database and the qualification database #
#-----#

$src = system("perl buildtpcdbatch $qual");
($src == 0) || die "buildtpcdbatch failed rc=$rc\n";

if( $realAudit eq "yes" ){
    &rm("$auditDir${delim}tools${delim}tpcd.runsetup");
    system("perl setupRun");
    if( $qual eq "QUAL" ){
        $verifyType="q";
    }
    else{
        $verifyType="t";
    }
    system("perl tablesdb $verifyType");

    &dodb2file($dbname,"$auditDir${delim}tools${delim}first10rows.sql",
    $once);
}

#-----#

```

```

# Create Catalog info                                     #
#-----#
Src = system("perl catinfo.pl b");
($rc == 0) || warn "catinfo failed!!! rc = $rc\n";

Src=system("db2stop");
#DJD ($rc == 0) || die "failure during db2stop rc = $rc \n";

&outtime("*** Ready to run the performance tests once the dbm has
restarted");

if ( $RealAudit ne "yes" ){
    # if we are not in a real audit, then we can restart the database
    manager
    # if we are in a real audit, then we don't want to do this until the
    # power test starts
    Src=system("db2start");
    #($rc == 0) || die "failure during db2start rc = $rc \n";
    if ( $activate eq "yes" ){
        &dodb_noconn("db2 activate database $dbname", $once);
    }
}

&outtime("*** Finished creating the database");
#-----#
# finished creating the database                         #
#-----#

#-----#
# Function: setLog                                       #
#-----#
sub setLog{
    # update the log information first
    # set up the log directory before we do any index creation
    my $rc;
    my $setLogs;
    my $setLogString;

    if ($logDirScript ne "NULL"){
        system ("perl $ddlpath${delim}$logDirScript");
    }
    elsif ( $logDir ne "NULL" ){
        &dodb_noconn("db2 update database configuration for
$dbname using newlogpath $logDir", $all_in);
    }
    $setLogs=0;
    $setLogString="";
    if ( $logprimary ne "NULL" ){
        $setLogString.="db2 update db cfg for $dbname using
logprimary $logprimary";
        $setLogs=1;
    }
    if ( $logsecond ne "NULL" ){
        if ( $setLogs != 0 ){
            $setLogString.=" $sep ";
        }
        $setLogString.="db2 update db cfg for $dbname using
logsecond $logsecond";
        $setLogs=1;
    }
    if ( $logfilsiz ne "NULL" ){
        if ( $setLogs != 0 ){
            $setLogString.=" $sep ";
        }
        $setLogString.="db2 update db cfg for $dbname using
logfilsiz $logfilsiz";

```

```

        $setLogs=1;
    }
    if ( $setLogs != 0 ){
        $setLogString.=" $sep ";
    }
    $setLogString.="db2 update db cfg for $dbname using logbufsz
128";
    $rc = &dodb_noconn("$setLogString", $all_in);
}

#-----#
# Function: createDb                                     #
#-----#
sub createDb{
    &outtime("*** Starting to create the database");
    # setup required variables
    my $rc;
    $rc = &dodb_noconn("db2 \"create database $dbname on $dbpath
collate using identity with 'TPC-D $sf GB'\", $once);
    ($rc == 0) || return($rc);
    # reset the db and dbm configuration before we start
    &dodb_noconn("db2 reset database configuration for
$dbname", $all_in);
    &dodb_conn($dbname, "db2 alter bufferpool ibmdefaultbp size -1
$sep \
    db2 grant connect on database to public $sep \
    db2 grant dbadm on database to $dbname $sep \
    db2 commit", $once);
    &dodb_noconn("db2 reset database manager
configuration", $once);
}

#-----#
# Function: createNodegroups                             #
#-----#
sub createNodegroups{
    &outtime("*** Creating the nodegroups.");
    my $rc;
    if ( $nodegroupdef ne "NULL" ){
        $rc =
&dodb2file($dbname, "$ddlpath${delim}$nodegroupdef", $once);
    }
}

#-----#
# Function: createExplainTbls                           #
#-----#
sub createExplainTbls{
    &outtime("*** Creating the EXPLAIN tables.");
    my $rc;
    my $explnPathFile;
    my $home;
    my $sqlpath;

    if ( $explainDDL ne "NULL" ){
        $explnPathFile="$explainDDL";
    }
    else{
        if ( $platform eq "ptx" ){
            $home=$ENV{"HOME"};
            $sqlpath="$home${delim}sqlib";
        }
        if ( $platform ne "nt" ){
            $home=$ENV{"HOME"};
            $sqlpath="$home${delim}sqlib";
        }
        else{

```

```

        $sqlpath=$ENV{"DB2PATH"};
    }

    $explnPathFile="$sqlpath${delim}misc${delim}EXPLAIN.DDL";
    }
    $src = &dodb_conn($dbname,
        "db2 -tvf $explnPathFile $sep \
        db2 alter table explain_instance locksize table append on $sep \
        db2 alter table explain_statement locksize table append on $sep \
        db2 alter table explain_argument locksize table append on $sep \
        db2 alter table explain_object locksize table append on $sep \
        db2 alter table explain_operator locksize table append on $sep \
        db2 alter table explain_predicate locksize table append on $sep \
        db2 alter table explain_stream locksize table append on",
        $once);
    }
#-----#
# Function: createBufferPools                                #
#-----#
sub createBufferPools{
    my $src;
    &outtime("*** Creating the bufferpools");
    if ( $buffpooldef ne "NULL" ){
        #run the create bufferpool ddl
        $src =
        &dodb2file($dbname,"$ddlpath${delim}$buffpooldef",$once);
    }
}
#-----#
# Function: createTablespaces                                #
#-----#
sub createTablespaces{
    &outtime("*** Ready to start creating the tablespaces");
    # setup required variables
    my $src;
    $src = &dodb2file($dbname,"$ddlpath${delim}$tblspddl",$once);
    ($src == 0) || return $src;
    # create/populate the staging tables
    if ( $stagingTbl ne "NULL" ){
        # staging tables must be created for both test and
        # qualification database
        # but they do not need to be populated for the qualification
        # database
        $src =
        &dodb2file($dbname,"$ddlpath${delim}$stagingTbl",$once);
        ($src == 0) || return $src;
        if ( $qual ne "QUAL" ){
            if ( $preloadSampleUF ne "NULL" ){
                # preload the sample UF data for statistics
                $src = system ("perl
                $ddlpath${delim}$preloadSampleUF");
                #($src == 0) || return $src;
            }
            if ( $deleteSampleUF ne "NULL" ){
                # delete the sample rows now that stats have been
                # gathered
                $src =
                &dodb2file($dbname,"$ddlpath${delim}$deleteSampleUF",$once);
                #($src == 0) || return $src;
            }
        }
    }
}
#-----#
# Function: createTables                                    #
#-----#

```

```

#-----#
sub createTables{
    my $src;
    $src = &dodb2file($dbname,"$ddlpath${delim}$ddl",$once);
    ($src == 0) || return $src;
    # update the locksize on the non-updated tables to be table level
    # locking
    # update the tables for appendmode
    if ( $appendOn eq "yes" ){
        $src = &dodb_conn($dbname,
            "db2 alter table tpcd.nation locksize table $sep \
            db2 alter table tpcd.region locksize table $sep \
            db2 alter table tpcd.customer locksize table $sep \
            db2 alter table tpcd.supplier locksize table $sep \
            db2 alter table tpcd.part locksize table $sep \
            db2 alter table tpcd.partsupp locksize table $sep \
            db2 alter table tpcd.lineitem append on $sep \
            db2 alter table tpcd.orders append on",
            $once);
    }
    else{
        $src = &dodb_conn($dbname,
            "db2 alter table tpcd.nation locksize table $sep \
            db2 alter table tpcd.region locksize table $sep \
            db2 alter table tpcd.customer locksize table $sep \
            db2 alter table tpcd.supplier locksize table $sep \
            db2 alter table tpcd.part locksize table $sep \
            db2 alter table tpcd.partsupp locksize table $sep \
            db2 alter table tpcd.lineitem pctfree 0 $sep \
            db2 alter table tpcd.orders pctfree 0",
            $once);
    }
}
#-----#
# Function: createIndexes                                    #
#-----#
sub createIndexes{
    # setup required variables
    local @args = @_;
    my $indexType = @args[0];
    my $src;
    &outtime("*** Starting to create $indexType indexes");
    if ( $indexType eq "extra" ){
        $src =
        &dodb2file($dbname,"$ddlpath${delim}$extraindex",$once);
    }
    elsif ( $indexType eq "early" || $indexType eq "normal" ){
        $src =
        &dodb2file($dbname,"$ddlpath${delim}$indexddl",$once);
    }
    &outtime("*** Create $indexType index completed");
    # $src = &dodb_conn($dbname,
    #     "db2 alter table tpcd.orders add primary key (o_orderkey) $sep
    #     \
    #     db2 alter table tpcd.lineitem add primary key (l_orderkey,
    #     l_linenumbr)",
    #     $once);

    return $src;
}
#-----#
# Function: setLoadConfig                                    #
#-----#
sub setLoadConfig{

```



```

&outtime("*** Setting LOAD configuration.");
my $src;
my $buffpage;
my $sortheap;
my $sheapthres;
my $util_heap_sz;
my $ioservers;
my $ioclrs= 1;
my $chnpgs= 60;

if ($loadconfigfile eq "NULL"){
    if ( $machine eq "small" ){
        $buffpage = 5000;
        $sortheap = 3000;
        $sheapthres = 8000;
        $util_heap_sz = 5000;
        $ioservers = 6;
    }
    elsif ( $machine eq "medium" ){
        $buffpage = 10000;
        $sortheap = 8000;
        $sheapthres = 20000;
        $util_heap_sz = 10000;
        $ioservers = 10;
    }
    elsif ( $machine eq "big" ){
        $buffpage = 30000;
        $sortheap = 20000;
        $sheapthres = 50000;
        $util_heap_sz = 30000;
        $ioservers = 20;
    }
    else {
        die "Neither a LOAD config filename nor a valid
machine size has \
        been specified!\n";
    }
    $src = &dodb2file_noconn("db2 update db cfg for $dbname using
buffpage $buffpage $sep \
db2 update db cfg for $dbname using sortheap $sortheap
$sep \
db2 update db cfg for $dbname using num_iocleaners
$ioclrs $sep \
db2 update db cfg for $dbname using num_ioservers
$ioservers $sep \
db2 update db cfg for $dbname using util_heap_sz
$util_heap_sz $sep \
db2 update db cfg for $dbname using chngpgs_thresh
$chnpgs",$all_ln);
}
else{
    print "$ddlpath${delim}$loadconfigfile\n";
    $src =
&dodb2file_noconn("$ddlpath${delim}$loadconfigfile",$all_ln);
    print "Rc= $rc\n";
    print "Calling Setlogs.\n";
    if($qual eq "QUAL"){
        $src = system ("$ddlpath${delim}$setlogs_qual $dbname");
    }
    else {
        $src = system ("$ddlpath${delim}$setlogs $dbname");
    }
    print "Set Logs Rc= $rc\n";
}
($src == 0) || return $src;
if($loadDBMconfig ne "NULL"){

```

```

    $src =
&dodb2file_noconn("$ddlpath${delim}$loadDBMconfig",$once);
}
else{
    $src = &dodb_noconn("db2 update dbm cfg using sheapthres
$sheapthres",$once);
}
($src == 0) || return $src;
&dodb_noconn("db2 terminate",$once);
$src = &stopStart;
return $src;
}
#-----#
# Function: loadData                                     #
#-----#
sub loadData{
    # start the dbgen and load.....call the specific mode for loading
    (uni,smp,mln)
    my $src;
    if (( $mode eq "uni" ) || ( $mode eq "smp" )){
        &outtime("*** Starting the load");
        # call the appropriate dbgen/load for uni/smp
        if ( $loadscript eq "NULL"){
            $src = system("perl genloaduni $qual");
            ($src == 0) || print "ERROR: genloaduni failed rc =
$rc\n";
        }
        else{
            $src =
&dodb2file_noconn("$ddlpath${delim}$loadscript",$once);
            ($src == 0) || print "ERROR: load script: $loadscript
failed. rc = $rc\n";
        }
    }
    elsif (( $mode eq "mln" ) || ( $mode eq "mpp" )){
        &outtime("*** Starting the load");
        # call the appropriate dbgen/split(sort)/load for mln/mpp
        if ( $loadscript eq "NULL"){
            $src = system("perl genloadmpp $qual");
            ($src == 0) || print "ERROR: genloadmpp failed. rc =
$rc\n";
        }
        else{
            system("$ddlpath${delim}$loadscript");
            # $src =
&dodb2file_noconn("$ddlpath${delim}$loadscript $sf");
            # ($src == 0) || print "ERROR: load script $loadscript
failed. rc = $rc\n";
        }
    }
    else{
        print "TPCD_MODE not set to one of uni, smp, mln or
mpp\n";
        $src = 1;
    }
    ($src == 0) || &outtime("*** Load complete");
    return $src;
}
#-----#
# Function: doRunStats                                     #
#-----#
sub doRunStats{
    # if loadstats not gathered, then index stats not gathered either.
    &outtime("*** Runstats started");
    if ( $runstatShort ne "NULL" ){
        # we've specified a second runstats file...This runstats file
        should do

```

```

# runstats for all table except lineitem. The lineitem runstats
command
# should be left in the main runstats file.
if ( $platform eq "aix" || $platform eq "sun" || $platform eq
"ptx" ){
    print "runstats from $ddlpath${delim}$runstatShort running
now\n";
    $src = system("db2 -tvf \"$ddlpath${delim}$runstatShort\" >
\"$auditDir${delim}tools${delim}runstatShort.out\" & ");
    print "rc from runstatshort=$src\n";
}
elseif ( $platform eq "nt" ){
    system("start db2 -tvf $ddlpath${delim}$runstatShort");
}
else
{
    print "Don't know how to start in background on $platform
platform\n";
    print "therefore running runstats serially\n";

&dodb2file($dbname,"$ddlpath${delim}$runstatShort",$once);
}
}
# run the full runstats, or the remainder of what wasn't put into the
short
# runstats file. You should be sure that this runstats will take
longer
# than the short runstats that is running in the background,
otherwise
# setting the config will happen before this is done.
&dodb2file($dbname,"$ddlpath${delim}$runstats",$once);
&outtime("*** Runstats completed");
}

#-----#
# Function: setConfiguration                                     #
#-----#
sub setConfiguration{
    my $ret = 0;
    &dodb_noconn("db2 update database configuration for $dbname
using dft_degree $smpdegree",$all_in);
    &dodb_noconn("db2 update database manager configuration
using max_querydegree $smpdegree",$once);
    &dodb2file_noconn("$ddlpath${delim}$configfile",$all_in);
    &dodb2file_noconn("$ddlpath${delim}$dbmconfig",$once);

    if ( $agentpri ne "NULL" ){
        &dodb_noconn("db2 update dbm cfg using AGENTPRI
$agentpri",$once);
    }
    # set the db2 environment variables for running the benchmark
    if ( $setScript ne "NULL" ){
        if ( $platform eq "aix" || $platform eq "sun" || $platform eq
"ptx" ){
            $ret=system("$ddlpath${delim}$setScript");
        }
        elseif ( $platform eq "nt" ){
            if (( $mode eq "uni" ) || ( $mode eq "smp" )){
                $ret = system("perl $ddlpath${delim}$setScript");
            }
            else{
                $ret=system(" db2_all \" call
${ddlpath}${delim}$setScript \" ");
            }
        }
        #($ret == 0) || die "failure setting runtime db2set parms from
$setScript\n";
    }
}

```

```

}

#-----#
# Function: createBackup                                       #
#-----#
sub createBackup{
    my $src;
    &dodb_noconn("db2 update database configuration for $dbname
using LOGRETAIN yes",$all_in);
    print "\n NOTE: DO NOT RESET THE DATABASE
CONFIGURATION or you will lose logretain\n";
    # force a connection to the database on all nodes to ensure
LOGRETAIN is
    # set in effect.
    # An error message will print to screen if the logretain is set
properly
    # i.e. SQL116N A connection to or activation of database
<database name>
    # cannot be made.
    # This is expected and the lack of this error message should be
seen as an
    # error in the database build.
    &dodb_conn($dbname,"db2 \" select count(*) from
tpcd.region\"",$all_in);
    system("db2 connect reset");
    system("db2 terminate");

    if ( $qual eq "QUAL" ){
        &outtime("*** Starting the backup");
        $src=system("CALL BKUPQUAL2.BAT");
        ($src == 0) || &outtime("*** Finished the backup");

        #if (( $mode eq "mln" ) || ( $mode eq "mpp" )){
            # must back up catalog node first...assume node 00
            #DJD $src=system("db2_all \" }<<+000< db2 \"backup
database $dbname to $backupdir without prompting\" ");

            #($src == 0) || print "ERROR: backup of catalog node
failed rc = $src\n";
            # back up remaining nodes
            # $src=system("db2_all \" }<<-000< db2 backup database
$dbname to $backupdir without prompting\" ");
            #($src == 0) || print "ERROR: backup of remaining nodes
failed rc = $src\n";
            #}
            #else{
                # $src = &dodb_noconn("db2 backup database $dbname to
$backupdir",$once);
                #}
                #($src == 0) || &outtime("*** Finished the backup");
            }
        else{
            &outtime("*** Starting BACKUP");
            # This is the test database. Clause 3.1.4 states that "the test
sponsor is
            # not required to make or have backup copies of the test
database; however
            # all other mechanisms that guarantee durability of the
qualification
            # database must be enabled in the same way for the test
database".
            # According to this clause we do need to keep the backup of
the database.
            #DJD $src = &dodb_noconn("db2dart $dbname /CHST
/WHAT DBBP OFF",$all_in);
            print "Start taking backups, as RAID 0 is being used\n";
            ($src == 0) || &outtime("*** Finished the backup");
            &outtime("*** Starting the test db DB backups");
        }
    }
}

```

```

        Src=system("CALL BKUPTESTDB.BAT");
        &outtime("*** Finished taking backups of test DB ");
    }
    return Src;
}

#-----#
# Function: printSummary                                     #
#-----#
sub printSummary{
    if ( $buildStage ne "ALL" ){
        print " ***** STARTING the build process at the $buildStage
Stage *****\n";
    }
    print "Building a TPC-D Version $tpcdVersion $sf GB database
on $dbpath with: \n";
    print "   Mode = $mode \n";
    print "   Tablespace ddl in $ddlpath${delim}$tblspddl \n";
    if ( $nodelgroupdef ne "NULL" ){
        print "   Nodelgroup ddl in $ddlpath${delim}$nodelgroupdef \n";
    }
    if ( $buffpooldef ne "NULL" ){
        print "   Bufferpool ddl in $ddlpath${delim}$buffpooldef \n";
    }
    print "   Table ddl in $ddlpath${delim}$ddl \n";
    print "   Index ddl in $ddlpath${delim}$indexddl \n";
    if ( $extraindex ne "no" ){
        print "   Indices to create after the load
$ddlpath${delim}$extraindex\n";
    }
    if ( $loadscript eq "NULL" ){
        if ( $input eq "NULL" ){
            print "   Data generated by DBGEN in $dbgen\n";
        }
        else{
            print "   Data loaded from flat files in $input\n";
        }
    }
    if ( $earlyindex eq "yes" ){
        print "   Indexes created before loading\n";
    }
    else{
        print "   Indexes created after loading\n";
    }
    if ( $addRI ne "NULL" ){
        print "   RI being used from $ddlpath${delim}$addRI\n";
    }
    if ( $astFile ne "NULL" ){
        print "   AST being used from $ddlpath${delim}$astFile\n";
    }
    if ( $loadstats eq "yes" ){
        if ( $earlyindex eq "yes" ){
            print "   Statistics for tables and indexes gathered during
load\n";
        }
        else{
            if ( $runstatShort eq "NULL" ){
                print "   Statistics for tables and indexes gathered after load
using $ddlpath${delim}$runstats \n";
            }
            else{
                print "   Statistics for tables and indexes gathered after load
using $ddlpath${delim}$runstats and
$ddlpath${delim}$runstatShort\n";
            }
        }
    }
}

```

```

    else{
        if ( $runstatShort eq "NULL" ){
            print "   Statistics for tables and indexes gathered after load
using $ddlpath${delim}$runstats \n";
        }
        else{
            print "   Statistics for tables and indexes gathered after load
using $ddlpath${delim}$runstats and
$ddlpath${delim}$runstatShort\n";
        }
    }
    if ( $loadconfigfile ne "NULL" ){
        print "   Database Configuration parameters for LOAD taken
from $ddlpath${delim}$loadconfigfile\n";
    }
    if ( $loadDBMconfig ne "NULL" ){
        print "   Database manager Configuration parameters for LOAD
taken from $ddlpath${delim}$loadDBMconfig\n";
    }
    if ( $configfile ne "NULL" ){
        print "   Database Configuration parameters taken from
$ddlpath${delim}$configfile\n";
    }
    else{
        print "   Database Configuration paramters taken from
$ddlpath${delim}$dss.dbconfig${sfReal}GB\n";
        $configfile="dss.dbconfig${sfReal}GB";
    }
    if ( $dbmconfig ne "NULL" ){
        print "   Database Manager Configuration parameters taken from
$ddlpath${delim}$dbmconfig\n";
    }
    else{
        print "   Database Manager Configuration paramters taken from
$ddlpath${delim}$dss.dbmconfig${sfReal}GB\n";
        $configfile="dss.dbmconfig${sfReal}GB";
    }
    #print "   Copy image for load command created in $copydir\n";
    if ( $log eq "yes" ){
        print "   Backup files placed in $backupdir\n";
    }
    else{
        print "   No backup will be taken.\n";
    }
    print "   Log retain set to $log\n";
    if ( $logDir eq "NULL" ){
        print "   Log files remain in database path\n";
    }
    else{
        print "   Log file path set to $logDir\n";
    }
    if ( $logprimary eq "NULL" ){
        print "   Log Primary left at default\n";
    }
    else{
        print "   Log Primary set to $logprimary\n";
    }
    if ( $logsecond eq "NULL" ){
        print "   Log Second left at default\n";
    }
    else{
        print "   Log second set to $logsecond\n";
    }
    if ( $logfilsiz eq "NULL" ){
        print "   Logfilsiz left at default\n";
    }
    else{
        print "   Logfilsiz set to $logfilsiz\n";
    }
}

```

```

    }
    if (($loadconfigfile eq "") || ($loadconfigfile eq "NULL")){
        print " Machine size set to $machine so the following
configuration\n";
        print " parameters are used for load, create index and runstats:
\n";
        print "     BUFFPAGE = $buffpage \n";
        print "     SORTHEAP = $sortheap \n";
        print "     SHEAPTHRES = $sheapthres\n";
        print "     NUM_IOSERVERS = $ioservers\n";
        print "     NUM_IOCLEANERS = $ioclnrs\n";
        print "     CHNGPGS_THRESH = $chngpgs\n";
        print "     UTIL_HEAP_SZ = $util_heap_sz\n";
        print "     Degree of parallelism (dft_degree and
max_querydegree) set to $smpdegree\n";
        print "     Parameters for load are: temp file      = $ldtemp\n";
        print "                               sort buf      = $sortbuf\n";
        print "                               ld parallelism = $load_parallelism\n";
        if ( $fparse eq "yes" ){
            print "                               FASTPARSE used on load\n";
        }
    }
    if ( $loadscript ne "NULL"){
        print " Load commands in $ddlpath${delim}$loadscript\n";
    }
    print " Degree of parallelism (dft_degree and max_querydegree)
set to $smpdegree\n";
    if ( $agentpri ne "NULL" ){
        print " AGENTPRI set to $agentpri\n";
    }
    if ( $activate eq "yes" ){
        print " Database will be activated when build is complete\n";
    }
    if ( $explainDDL ne "NULL" ){
        print " EXPLAIN DDL being used from
$ddlpath${delim}$explainDDL\n";
    }
    else{
        print " EXPLAIN DDL being used from default sqllib
directory\n";
    }
}

1;

```

affinity_8mIn.bat

```

rem Set affinities for LN0 -> LN7 for 8 processor system with
hyperthreading.
db2set db2processors=4,12 -i tpch 0
db2set db2processors=5,13 -i tpch 1
db2set db2processors=6,14 -i tpch 2
db2set db2processors=7,15 -i tpch 3
db2set db2processors=0,8 -i tpch 4
db2set db2processors=1,9 -i tpch 5
db2set db2processors=2,10 -i tpch 6
db2set db2processors=3,11 -i tpch 7

```

bkuptestdb.bat

```

rd o:\backup /s /q
rd p:\backup /s /q
md o:\backup
md p:\backup

```

```

time < xxx
db2start

```

```

set db2node=4
db2 backup database tpcd to o:\backup WITH 16 BUFFERS
PARALLELISM 8 without prompting
time < xxx
rem End of backup node 4
db2stop

db2start
set db2node=5
db2 backup database tpcd to o:\backup WITH 16 BUFFERS
PARALLELISM 8 without prompting
time < xxx
rem End of backup node 5
db2stop
time < xxx

db2start
set db2node=6
db2 backup database tpcd to o:\backup WITH 16 BUFFERS
PARALLELISM 8 without prompting
time < xxx
rem End of backup node 6
db2stop
time < xxx

db2start
set db2node=7
db2 backup database tpcd to o:\backup WITH 16 BUFFERS
PARALLELISM 8 without prompting
time < xxx
rem End of backup node 7
db2stop
time < xxx

db2start
set db2node=0
db2 backup database tpcd to p:\backup WITH 16 BUFFERS
PARALLELISM 8 without prompting
time < xxx
rem End of backup node 0
db2stop
time < xxx

db2start
set db2node=1
db2 backup database tpcd to p:\backup WITH 16 BUFFERS
PARALLELISM 8 without prompting
time < xxx
rem End of backup node 1
db2stop
time < xxx

db2start
set db2node=2
db2 backup database tpcd to p:\backup WITH 16 BUFFERS
PARALLELISM 8 without prompting
time < xxx
rem End of backup node 2
db2stop
time < xxx

db2start
set db2node=3
db2 backup database tpcd to p:\backup WITH 16 BUFFERS
PARALLELISM 8 without prompting
time < xxx
rem End of backup node 3
time < xxx

```

create_bufferpools

```
-- Create 16K page bufferpool
alter bufferpool ibmdefaultbp size 250;
create bufferpool BP16K size -1 pagesize 16k;
```

create_indexes

```
values(current timestamp);
CREATE UNIQUE INDEX "TPCD"."R_RK" ON "TPCD"
"."REGION"
    ("R_REGIONKEY" ASC)
    PCTFREE 0 ;
commit work;

values(current timestamp);
CREATE UNIQUE INDEX "TPCD"."N_NK" ON "TPCD"
"."NATION"
    ("N_NATIONKEY" ASC)
    PCTFREE 0 ;
commit work;

values(current timestamp);
CREATE INDEX "TPCD"."N_RK" ON "TPCD"."NATION"
    ("N_REGIONKEY" ASC)
    PCTFREE 0 ;
commit work;

values(current timestamp);
CREATE UNIQUE INDEX "TPCD"."S_SK" ON "TPCD"
"."SUPPLIER"
    ("S_SUPPKEY" ASC)
    PCTFREE 0 ;
commit work;

values(current timestamp);
CREATE INDEX "TPCD"."S_NK" ON "TPCD"
"."SUPPLIER"
    ("S_NATIONKEY" ASC)
    PCTFREE 0 ;
commit work;
values(current timestamp);

values(current timestamp);
CREATE UNIQUE INDEX "TPCD"."P_PK" ON "TPCD"
"."PART"
    ("P_PARTKEY" ASC)
    PCTFREE 0 ;
commit work;
values(current timestamp);

values(current timestamp);
CREATE INDEX "TPCD"."PS_SK" ON "TPCD"
"."PARTSUPP"
    ("PS_SUPPKEY" ASC)
    PCTFREE 0 ;
commit work;

values(current timestamp);
CREATE INDEX "TPCD"."PS_PK" ON "TPCD"
"."PARTSUPP"
    ("PS_PARTKEY" ASC)
    PCTFREE 0 ;
commit work;

values(current timestamp);
```

```
CREATE UNIQUE INDEX "TPCD"."PS_PSK" ON "TPCD"
"."PARTSUPP"
    ("PS_PARTKEY" ASC,
    "PS_SUPPKEY" ASC)
    PCTFREE 0 ;
commit work;

values(current timestamp);
CREATE UNIQUE INDEX "TPCD"."PS_SKPK" ON "TPCD"
"."PARTSUPP"
    ("PS_SUPPKEY" ASC,
    "PS_PARTKEY" ASC)
    PCTFREE 0 ;
commit work;

values(current timestamp);
CREATE UNIQUE INDEX "TPCD"."C_CK" ON "TPCD"
"."CUSTOMER"
    ("C_CUSTKEY" ASC)
    PCTFREE 0 ;
commit work;

values(current timestamp);
CREATE INDEX "TPCD"."C_NK" ON "TPCD"
"."CUSTOMER"
    ("C_NATIONKEY" ASC)
    PCTFREE 0 ;
commit work;

values(current timestamp);
CREATE UNIQUE INDEX "TPCD"."O_OK" ON "TPCD"
"."ORDERS"
    ("O_ORDERKEY" ASC)
    PCTFREE 6 ;
commit work;

values(current timestamp);
create unique index tpcd.l_ok_ln on tpcd.lineitem (l_orderkey,
l_linenum) pctfree 3;
commit work;
values(current timestamp);

alter table tpcd.orders add primary key(o_orderkey);
alter table tpcd.lineitem add primary key(l_orderkey,l_linenum);
commit work;
```

create_nodegroups

```
-- Create nodegroups.
create nodegroup catalog_node on node (0);
create nodegroup all_nodes;
```

create_tables

```
CREATE TABLE TPCD.NATION ( N_NATIONKEY INTEGER
NOT NULL,
                        N_NAME CHAR(25) NOT NULL,
                        N_REGIONKEY INTEGER NOT NULL,
                        N_COMMENT VARCHAR(152) NOT NULL
WITH DEFAULT)
IN SMALL_TABLES;
```

```
CREATE TABLE TPCD.REGION ( R_REGIONKEY INTEGER NOT NULL,
                             R_NAME      CHAR(25) NOT NULL,
                             R_COMMENT   VARCHAR(152) NOT NULL
WITH DEFAULT)
IN SMALL_TABLES;
```

```
CREATE TABLE TPCD.PART ( P_PARTKEY  INTEGER NOT NULL,
                          P_NAME     VARCHAR(55) NOT NULL,
                          P_MFGR     CHAR(25) NOT NULL,
                          P_BRAND    CHAR(10) NOT NULL,
                          P_TYPE     VARCHAR(25) NOT NULL,
                          P_SIZE     INTEGER NOT NULL,
                          P_CONTAINER CHAR(10) NOT NULL,
                          P_RETAILPRICE FLOAT NOT NULL,
                          P_COMMENT  VARCHAR(23) NOT NULL WITH
DEFAULT )
IN OTHER_STUFF
INDEX IN OTHER_INDEX
PARTITIONING KEY(P_PARTKEY) USING HASHING;
```

```
CREATE TABLE TPCD.SUPPLIER ( S_SUPPKEY  INTEGER NOT NULL,
                              S_NAME     CHAR(25) NOT NULL,
                              S_ADDRESS  VARCHAR(40) NOT NULL,
                              S_NATIONKEY INTEGER NOT NULL,
                              S_PHONE    CHAR(15) NOT NULL,
                              S_ACCTBAL  FLOAT NOT NULL,
                              S_COMMENT  VARCHAR(101) NOT NULL
WITH DEFAULT)
IN OTHER_STUFF
INDEX IN OTHER_INDEX
PARTITIONING KEY(S_SUPPKEY) USING HASHING
ORGANIZE BY (
("S_NATIONKEY" ) )
;
```

```
CREATE TABLE TPCD.PARTSUPP ( PS_PARTKEY  INTEGER NOT NULL,
                              PS_SUPPKEY   INTEGER NOT NULL,
                              PS_AVAILQTY  INTEGER NOT NULL,
                              PS_SUPPLYCOST FLOAT NOT NULL,
                              PS_COMMENT   VARCHAR(199) NOT NULL
WITH DEFAULT)
IN OTHER_STUFF
INDEX IN OTHER_INDEX
PARTITIONING KEY(PS_PARTKEY) USING HASHING;
```

```
CREATE TABLE TPCD.CUSTOMER ( C_CUSTKEY  INTEGER NOT NULL,
                              C_NAME     CHAR(25) NOT NULL,
                              C_ADDRESS  VARCHAR(40) NOT NULL,
                              C_NATIONKEY INTEGER NOT NULL,
                              C_PHONE    CHAR(15) NOT NULL,
                              C_ACCTBAL  FLOAT NOT NULL,
                              C_MKTSEGMENT CHAR(10) NOT NULL,
                              C_COMMENT  VARCHAR(117) NOT NULL
WITH DEFAULT)
IN OTHER_STUFF
INDEX IN OTHER_INDEX
PARTITIONING KEY(C_CUSTKEY) USING HASHING
ORGANIZE BY (
("C_NATIONKEY" ) );
```

```
CREATE TABLE TPCD.ORDERS ( O_ORDERKEY  INTEGER NOT NULL,
                            O_CUSTKEY    INTEGER NOT NULL,
```

```
O_ORDERSTATUS  CHAR(1) NOT NULL,
O_TOTALPRICE   FLOAT NOT NULL,
O_ORDERDATE    DATE NOT NULL,
O_ORDERPRIORITY CHAR(15) NOT NULL,
O_CLERK        CHAR(15) NOT NULL,
O_SHIPPRIORITY INTEGER NOT NULL,
O_COMMENT      VARCHAR(79) NOT NULL
WITH DEFAULT
-- PRIMARY KEY (O_ORDERKEY)
)
IN OTHER_STUFF
INDEX IN OTHER_INDEX
PARTITIONING KEY(O_ORDERKEY) USING HASHING
ORGANIZE BY (( O_ORDERDATE ));
```

```
CREATE TABLE TPCD.LINEITEM ( L_ORDERKEY  INTEGER NOT NULL,
                              L_PARTKEY   INTEGER NOT NULL,
                              L_SUPPKEY   INTEGER NOT NULL,
                              L_LINENUMBER INTEGER NOT NULL,
                              L_QUANTITY  FLOAT NOT NULL,
                              L_EXTENDEDPRICE FLOAT NOT NULL,
                              L_DISCOUNT FLOAT NOT NULL,
                              L_TAX       FLOAT NOT NULL,
                              L_RETURNFLAG CHAR(1) NOT NULL,
                              L_LINestatus CHAR(1) NOT NULL,
                              L_SHIPDATE  DATE NOT NULL,
                              L_COMMITDATE DATE NOT NULL,
                              L_RECEIPTDATE DATE NOT NULL,
                              L_SHIPINSTRUCT CHAR(25) NOT NULL,
                              L_SHIPMODE   CHAR(10) NOT NULL,
                              L_COMMENT   VARCHAR(44) NOT NULL
WITH DEFAULT
-- PRIMARY KEY (L_ORDERKEY,
L_LINENUMBER)
)
IN LINEITEM_TABLE
INDEX IN LINEITEM_INDEXES
PARTITIONING KEY(L_ORDERKEY) USING HASHING
ORGANIZE BY ( (L_SHIPDATE) );
```

COMMIT WORK;

create_tablespace

create regular tablespace small_tables

```
in nodegroup catalog_node
managed by system
using ('d:\MP\small_tables')
on node (0)
overhead 1.60
transferrate 0.22;
```

create regular tablespace LINEITEM_TABLE

```
pagesize 16K
managed by database
using ( device 'd:\MP\li_data_D2'      17800M,
        device 'd:\MP\li_data_D14'    17800M) on node(0)
using ( device 'd:\MP\li_data_D3'      17800M,
        device 'd:\MP\li_data_D15'    17800M) on node(1)
using ( device 'd:\MP\li_data_D5'      17800M,
        device 'd:\MP\li_data_D17'    17800M) on node(2)
using ( device 'd:\MP\li_data_D6'      17800M,
        device 'd:\MP\li_data_D18'    17800M) on node(3)
using ( device 'd:\MP\li_data_D8'      17800M,
        device 'd:\MP\li_data_D20'    17800M,
        device 'd:\MP\li_data_D27'    17800M) on node(4)
using ( device 'd:\MP\li_data_D9'      17800M,
```

```

        device 'd:\MP\li_data_D21' 17800M,
        device 'd:\MP\li_data_D28' 17800M) on node(5)
using ( device 'd:\MP\li_data_D11' 17800M,
        device 'd:\MP\li_data_D23' 17800M,
        device 'd:\MP\li_data_D30' 17800M) on node(6)
using ( device 'd:\MP\li_data_D12' 17800M,
        device 'd:\MP\li_data_D24' 17800M,
        device 'd:\MP\li_data_D31' 17800M) on node(7)
bufferpool BP16K
extentsize 24
prefetchsize 48
overhead 3.0
transferrate 0.40;

create regular tablespace LINEITEM_INDEXES
pagesize 16K
managed by database
using ( device 'd:\MP\LI_INDEX_D2' 2900M,
        device 'd:\MP\LI_INDEX_D14' 2900M) on node(0)
using ( device 'd:\MP\LI_INDEX_D3' 2900M,
        device 'd:\MP\LI_INDEX_D15' 2900M) on node(1)
using ( device 'd:\MP\LI_INDEX_D5' 2900M,
        device 'd:\MP\LI_INDEX_D17' 2900M) on node(2)
using ( device 'd:\MP\LI_INDEX_D6' 2900M,
        device 'd:\MP\LI_INDEX_D18' 2900M) on node(3)
using ( device 'd:\MP\LI_INDEX_D8' 2900M,
        device 'd:\MP\LI_INDEX_D20' 2900M,
        device 'd:\MP\LI_INDEX_D27' 2900M) on node(4)
using ( device 'd:\MP\LI_INDEX_D9' 2900M,
        device 'd:\MP\LI_INDEX_D21' 2900M,
        device 'd:\MP\LI_INDEX_D28' 2900M) on node(5)
using ( device 'd:\MP\LI_INDEX_D11' 2900M,
        device 'd:\MP\LI_INDEX_D23' 2900M,
        device 'd:\MP\LI_INDEX_D30' 2900M) on node(6)
using ( device 'd:\MP\LI_INDEX_D12' 2900M,
        device 'd:\MP\LI_INDEX_D24' 2900M,
        device 'd:\MP\LI_INDEX_D31' 2900M) on node(7)
bufferpool BP16K
extentsize 24
prefetchsize 48
overhead 3.0
transferrate 0.40;

create regular tablespace OTHER_STUFF
pagesize 16K
managed by database
using ( device 'd:\MP\OTHER_TABLES_D2' 7900M,
        device 'd:\MP\OTHER_TABLES_D14' 7900M) on node(0)

using ( device 'd:\MP\OTHER_TABLES_D3' 7900M,
        device 'd:\MP\OTHER_TABLES_D15' 7900M) on node(1)

using ( device 'd:\MP\OTHER_TABLES_D5' 7900M,
        device 'd:\MP\OTHER_TABLES_D17' 7900M) on node(2)

using ( device 'd:\MP\OTHER_TABLES_D6' 7900M,
        device 'd:\MP\OTHER_TABLES_D18' 7900M) on node(3)

using ( device 'd:\MP\OTHER_TABLES_D8' 7900M,
        device 'd:\MP\OTHER_TABLES_D20' 7900M,
        device 'd:\MP\OTHER_TABLES_D27' 7900M) on node(4)

using ( device 'd:\MP\OTHER_TABLES_D9' 7900M,
        device 'd:\MP\OTHER_TABLES_D21' 7900M,
        device 'd:\MP\OTHER_TABLES_D28' 7900M) on node(5)

```

```

using ( device 'd:\MP\OTHER_TABLES_D11' 7900M,
        device 'd:\MP\OTHER_TABLES_D23' 7900M,
        device 'd:\MP\OTHER_TABLES_D30' 7900M) on node(6)

using ( device 'd:\MP\OTHER_TABLES_D12' 7900M,
        device 'd:\MP\OTHER_TABLES_D24' 7900M,
        device 'd:\MP\OTHER_TABLES_D31' 7900M) on node(7)

bufferpool BP16K
extentsize 24
prefetchsize 48
overhead 3.0
transferrate 0.40;

create regular tablespace OTHER_INDEX
pagesize 16K
managed by database
using ( device 'd:\MP\OTHER_INDEX_D2' 1990M,
        device 'd:\MP\OTHER_INDEX_D14' 1990M) on node(0)

using ( device 'd:\MP\OTHER_INDEX_D3' 1990M,
        device 'd:\MP\OTHER_INDEX_D15' 1990M) on node(1)

using ( device 'd:\MP\OTHER_INDEX_D5' 1990M,
        device 'd:\MP\OTHER_INDEX_D17' 1990M) on node(2)

using ( device 'd:\MP\OTHER_INDEX_D6' 1990M,
        device 'd:\MP\OTHER_INDEX_D18' 1990M) on node(3)

using ( device 'd:\MP\OTHER_INDEX_D8' 1990M,
        device 'd:\MP\OTHER_INDEX_D20' 1990M,
        device 'd:\MP\OTHER_INDEX_D27' 1990M) on node(4)

using ( device 'd:\MP\OTHER_INDEX_D9' 1990M,
        device 'd:\MP\OTHER_INDEX_D21' 1990M,
        device 'd:\MP\OTHER_INDEX_D28' 1990M) on node(5)

using ( device 'd:\MP\OTHER_INDEX_D11' 1990M,
        device 'd:\MP\OTHER_INDEX_D23' 1990M,
        device 'd:\MP\OTHER_INDEX_D30' 1990M) on node(6)

using ( device 'd:\MP\OTHER_INDEX_D12' 1990M,
        device 'd:\MP\OTHER_INDEX_D24' 1990M,
        device 'd:\MP\OTHER_INDEX_D31' 1990M) on node(7)

bufferpool BP16K
extentsize 24
prefetchsize 48
overhead 3.0
transferrate 0.40;

create temporary tablespace TEMP_TABLES
pagesize 16K
managed by database
using ( device 'd:\MP\temp_D2' 34900M,
        device 'd:\MP\temp_D14' 34900M) on node(0)
using ( device 'd:\MP\temp_D3' 34900M,
        device 'd:\MP\temp_D15' 34900M) on node(1)
using ( device 'd:\MP\temp_D5' 34900M,
        device 'd:\MP\temp_D17' 34900M) on node(2)
using ( device 'd:\MP\temp_D6' 34900M,
        device 'd:\MP\temp_D18' 34900M) on node(3)
using ( device 'd:\MP\temp_D8' 34900M,
        device 'd:\MP\temp_D20' 34900M,
        device 'd:\MP\temp_D27' 34900M) on node(4)
using ( device 'd:\MP\temp_D9' 34900M,

```

```

device 'd:\MP\temp_D21' 34900M,
device 'd:\MP\temp_D28' 34900M) on node(5)
using ( device 'd:\MP\temp_D11' 34900M,
device 'd:\MP\temp_D23' 34900M,
device 'd:\MP\temp_D30' 34900M) on node(6)
using ( device 'd:\MP\temp_D12' 34900M,
device 'd:\MP\temp_D24' 34900M,
device 'd:\MP\temp_D31' 34900M) on node(7)
bufferpool BP16K
extentsize 24
prefetchsize 48
overhead 3.0
transferrate 0.40;

```

commit work;

createuftbls

connect to tpcd;

```

drop table TPCDTEMP.ORDERS_NEW;
drop table TPCDTEMP.ORDERS_DEL;
drop table TPCDTEMP.LINEITEM_NEW;

```

commit;

```

CREATE TABLE TPCDTEMP.ORDERS_NEW ( APP_ID INTEGER
NOT NULL,

```

```

O_ORDERKEY INTEGER NOT NULL,
O_CUSTKEY INTEGER NOT NULL,
O_ORDERSTATUS CHAR(1) NOT NULL,
O_TOTALPRICE FLOAT NOT NULL,
O_ORDERDATE DATE NOT NULL,
O_ORDERPRIORITY CHAR(15) NOT NULL,
O_CLERK CHAR(15) NOT NULL,
O_SHIPPRIORITY INTEGER NOT NULL,
O_COMMENT VARCHAR(79) NOT NULL

```

```

WITH DEFAULT)
IN OTHER_STUFF
INDEX IN OTHER_INDEX
PARTITIONING KEY(O_ORDERKEY) USING HASHING;

```

```

CREATE INDEX "TPCDTEMP"."I_ORDERS_NEW" ON
"TPCDTEMP"."ORDERS_NEW"
("APP_ID" ASC,
"O_ORDERKEY" ASC,
"O_CUSTKEY" ASC,
"O_ORDERSTATUS" ASC,
"O_TOTALPRICE" ASC,
"O_ORDERDATE" ASC,
"O_ORDERPRIORITY" ASC,
"O_CLERK" ASC,
"O_SHIPPRIORITY" ASC,
"O_COMMENT" ASC);

```

```

CREATE TABLE TPCDTEMP.ORDERS_DEL ( APP_ID
INTEGER NOT NULL,
O_ORDERKEY INTEGER NOT NULL)
IN OTHER_STUFF
INDEX IN OTHER_INDEX
PARTITIONING KEY(O_ORDERKEY) USING HASHING;

```

```

CREATE UNIQUE INDEX "TPCDTEMP"."I_ORDERS_DEL" ON
"TPCDTEMP"."ORDERS_DEL"
("APP_ID" ASC,
"O_ORDERKEY" ASC);

```

```

CREATE TABLE TPCDTEMP.LINEITEM_NEW ( APP_ID
INTEGER NOT NULL,
L_ORDERKEY INTEGER NOT NULL,
L_PARTKEY INTEGER NOT NULL,
L_SUPPKEY INTEGER NOT NULL,
L_LINENUMBER INTEGER NOT NULL,
L_QUANTITY FLOAT NOT NULL,
L_EXTENDEDPRICE FLOAT NOT NULL,
L_DISCOUNT FLOAT NOT NULL,
L_TAX FLOAT NOT NULL,
L_RETURNFLAG CHAR(1) NOT NULL,
L_LINestatus CHAR(1) NOT NULL,
L_SHIPDATE DATE NOT NULL,
L_COMMITDATE DATE NOT NULL,
L_RECEIPTDATE DATE NOT NULL,
L_SHIPINSTRUCT CHAR(25) NOT NULL,
L_SHIPMODE CHAR(10) NOT NULL,
L_COMMENT VARCHAR(44) NOT NULL
WITH DEFAULT)
IN LINEITEM_TABLE
INDEX IN LINEITEM_INDEXES
PARTITIONING KEY(L_ORDERKEY);

```

```

CREATE INDEX "TPCDTEMP"."I_LINEITEM_NEW" ON
"TPCDTEMP"."LINEITEM_NEW"
("APP_ID" ASC);

```

COMMIT WORK;

```

alter table tpcdtemp.orders_new locksize table;
alter table tpcdtemp.orders_del locksize table;
alter table tpcdtemp.lineitem_new locksize table;

```

COMMIT WORK;

connect reset;

db2nodes.cfg

```

0 ruthless1 RUTHLESS1 0
1 ruthless1 RUTHLESS1 1
2 ruthless1 RUTHLESS1 2
3 ruthless1 RUTHLESS1 3
4 ruthless1 RUTHLESS1 4
5 ruthless1 RUTHLESS1 5
6 ruthless1 RUTHLESS1 6
7 ruthless1 RUTHLESS1 7

```

load.db2set_8mIn.bat

```

db2set DB2_ANTIJOIN=Y
db2set DB2BPVARS=d:\tpch\ddl\scattered_read
db2set DB2OPTIONS="-t -v +c"
db2set DB2NTNOCACHE=ON
db2set DB2_PARALLEL_IO=*
db2set db2memmaxfree=1000000000
db2set DB2_EXTENDED_OPTIMIZATION=YES

```

run.db2set_8mIn.bat

```

db2set DB2_ANTIJOIN=Y
db2set DB2BPVARS=d:\tpch\ddl\scattered_read

```



```
db2set DB2OPTIONS="-t -v +c"
db2set DB2NTNOCACHE=ON
db2set DB2_PARALLEL_IO=*
db2set db2memmaxfree=1000000000
db2set DB2_EXTENDED_OPTIMIZATION=YES
```

runstats_UF.bat

```
db2start
db2 connect to tpcd
db2 runstats on table tpcdtemp.lineitem_new with distribution and
detailed indexes all
db2 runstats on table tpcdtemp.orders_new with distribution and
detailed indexes all
db2 runstats on table tpcdtemp.orders_del with distribution and
detailed indexes all
db2 commit
db2 connect reset
```

dss.runstats

```
values (current timestamp, 'TS*** runstats nation START like ');
RUNSTATS ON TABLE TPCD.NATION WITH DISTRIBUTION
on all columns
and columns (
  n_name like statistics,
  n_comment like statistics )
AND INDEXES ALL;
commit;
values (current timestamp, 'TS*** runstats done nation ');
RUNSTATS ON TABLE TPCD.REGION WITH DISTRIBUTION
on all columns
and columns (
  r_name like statistics,
  r_comment like statistics )
AND INDEXES ALL;
commit;
RUNSTATS ON TABLE TPCD.SUPPLIER WITH DISTRIBUTION
on all columns
and columns (
  s_name like statistics,
  s_address like statistics,
  s_phone like statistics,
  s_comment like statistics)
AND INDEXES ALL;
commit;
values (current timestamp, 'TS*** runstats done part ');
RUNSTATS ON TABLE TPCD.PART WITH DISTRIBUTION on
all columns
and columns (
  p_name like statistics,
  p_mfgr like statistics,
  p_brand like statistics,
  p_type like statistics,
  p_container like statistics,
  p_comment like statistics)
AND INDEXES ALL;
commit;
values (current timestamp, 'TS*** runstats done partsupp ');
RUNSTATS ON TABLE TPCD.PARTSUPP WITH
DISTRIBUTION on all columns
and columns (
  ps_comment like statistics)
AND INDEXES ALL;
commit;
values (current timestamp, 'TS*** runstats done customer ');
```

```
RUNSTATS ON TABLE TPCD.CUSTOMER WITH
DISTRIBUTION on all columns
and columns (
  c_name like statistics,
  c_address like statistics,
  c_phone like statistics,
  c_mktsegment like statistics,
  c_comment like statistics)
AND INDEXES ALL;
commit;
values (current timestamp, 'TS*** runstats done orders ');
RUNSTATS ON TABLE TPCD.ORDERS WITH DISTRIBUTION
on all columns
and columns (
  o_orderstatus like statistics,
  o_orderpriority like statistics,
  o_clerk like statistics,
  o_comment like statistics)
AND INDEXES ALL;
commit;
values (current timestamp, 'TS*** runstats done lineitem ');
RUNSTATS ON TABLE TPCD.LINEITEM WITH DISTRIBUTION
on all columns
and columns (
  l_returnflag like statistics,
  l_linestatus like statistics,
  l_shipinstruct like statistics,
  l_shipmode like statistics,
  l_comment like statistics)
AND INDEXES ALL;
COMMIT WORK;
values (current timestamp, 'TS*** runstats END like');
```

load_8mIn.bat

```
cd \tpch\ddl
db2 connect to tpcd
db2 -tvf load_all.sql
db2 connect reset
cd \tpch\tools
```

load_all.sql

```
connect to tpcd;

values(current timestamp, 'TS*** Load Supplier Started ');
load from supplier.tbl.1,
  supplier.tbl.2,
  supplier.tbl.3,
  supplier.tbl.4,
  supplier.tbl.5,
  supplier.tbl.6,
  supplier.tbl.7,
  supplier.tbl.8 of del
MODIFIED BY COLDEL[
FASTPARSE MESSAGES d:\tmp0\supplier.msg
REPLACE INTO TPCD.SUPPLIER NONRECOVERABLE
CPU_PARALLELISM 8 partitioned db config mode load_only
output_dbpartnums (0,1,2,3,4,5,6,7)
part_file_location w:\300GB_8mIn_flatfiles;
commit work;

values(current timestamp, 'TS*** Load done partsupp ');
load from orders.tbl.1,
  orders.tbl.2,
  orders.tbl.3,
  orders.tbl.4,
```

```

orders.tbl.5,
orders.tbl.6,
orders.tbl.7,
orders.tbl.8,
orders.tbl.9 of del
MODIFIED BY COLDEL| FASTPARSE MESSAGES
d:\tmp0\orders.msg
REPLACE INTO TPCD.orders NONRECOVERABLE
CPU_PARALLELISM 8
partitioned db config mode load_only output_dbpartnums
(0,1,2,3,4,5,6,7)
part_file_location w:\300GB_8mIn_flatfiles;
commit work;

values(current timestamp, 'TS*** Load done orders ');
load from lineitem.tbl.1,
lineitem.tbl.2,
lineitem.tbl.3,
lineitem.tbl.4,
lineitem.tbl.5,
lineitem.tbl.6,
lineitem.tbl.7,
lineitem.tbl.8,
lineitem.tbl.9,
lineitem.tbl.10,
lineitem.tbl.11,
lineitem.tbl.12,
lineitem.tbl.13,
lineitem.tbl.14,
lineitem.tbl.15,
lineitem.tbl.16 of del
MODIFIED BY COLDEL| FASTPARSE MESSAGES
d:\tmp0\lineitem.msg
REPLACE INTO TPCD.lineitem NONRECOVERABLE
CPU_PARALLELISM 8
partitioned db config mode load_only output_dbpartnums
(0,1,2,3,4,5,6,7)
part_file_location w:\300GB_8mIn_flatfiles;
commit work;

values(current timestamp, 'TS*** Load done supplier ');
load from customer.tbl.1,
customer.tbl.2,
customer.tbl.3,
customer.tbl.4,
customer.tbl.5,
customer.tbl.6,
customer.tbl.7,
customer.tbl.8 of del
MODIFIED BY COLDEL|
FASTPARSE MESSAGES d:\tmp0\customer.msg
REPLACE INTO TPCD.customer NONRECOVERABLE
CPU_PARALLELISM 8
partitioned db config mode load_only output_dbpartnums
(0,1,2,3,4,5,6,7)
part_file_location w:\300GB_8mIn_flatfiles;
commit work;

values(current timestamp, 'TS*** Load done customer ');
load from part.tbl.1,
part.tbl.2,
part.tbl.3,
part.tbl.4,
part.tbl.5,
part.tbl.6,
part.tbl.7,
part.tbl.8 of del

```

```

MODIFIED BY COLDEL| FASTPARSE MESSAGES
d:\tmp0\part.msg
REPLACE INTO TPCD.part NONRECOVERABLE
CPU_PARALLELISM 8
partitioned db config mode load_only output_dbpartnums
(0,1,2,3,4,5,6,7)
part_file_location w:\300GB_8mIn_flatfiles;
commit work;

values(current timestamp, 'TS*** Load done part ');
load from partsupp.tbl.1,
partsupp.tbl.2,
partsupp.tbl.3,
partsupp.tbl.4,
partsupp.tbl.5,
partsupp.tbl.6,
partsupp.tbl.7,
partsupp.tbl.8 of del
MODIFIED BY COLDEL| FASTPARSE MESSAGES
d:\tmp0\partsupp.msg
REPLACE INTO TPCD.partsupp NONRECOVERABLE
CPU_PARALLELISM 8
partitioned db config mode load_only output_dbpartnums
(0,1,2,3,4,5,6,7)
part_file_location w:\300GB_8mIn_flatfiles;
commit work;
values(current timestamp, 'TS*** Load done lineitem ');
LOAD FROM w:\300GB_8mIn_flatfiles\region.tbl OF DEL
MODIFIED BY COLDEL| FASTPARSE MESSAGES
d:\tmp\region.msg
REPLACE INTO TPCD.REGION STATISTICS NO
NONRECOVERABLE;
commit work;

values(current timestamp, 'TS*** Load done region ');
LOAD FROM w:\300GB_8mIn_flatfiles\nation.tbl OF DEL
MODIFIED BY COLDEL| FASTPARSE MESSAGES
d:\tmp\nation.msg
REPLACE INTO TPCD.NATION STATISTICS NO
NONRECOVERABLE;
values(current timestamp, 'TS*** Load done nation ');
commit work;
connect reset;

```

loadcfg.sql

```

NUM_FREQVALUES 0
NUM_QUANTILES 300
buffpage 20000
catalogcache_sz 386
chngpgs_thresh 10
dbheap 10000
locklist 6000
logbufsz 4096
logfilsiz 16384
logprimary 10
logsecond 2
maxappls 8
maxlocks 20
mincommit 1
num_iocleaners 4
num_ioservers 4
pckcachesz 320
softmax 4000
sortheap 20000
stat_heap_sz 16000
stmtheap 4096
util_heap_sz 32000

```

```
applheapsz 768
app_ctl_heap_sz 1024
dft_degree 2;
get database configuration for tpcd;
```

```
--connect reset;
```

load_dbmcfg_8mIn

```
update database manager configuration using
cpuspeed 7.951129e-7
comm_bandwidth 7
sheapthres 430000
agent_stack_sz 16
aslheapsz 15
rqrioblk 32767
intra_parallel NO
max_querydegree -1
maxagents 200
num_poolagents 4
num_initagents 4
diaglevel 3
svcname db2_db2_end;
```

```
get database manager configuration;
```

```
--connect reset;
```

run.dbcfg_8mIn

```
update database configuration for tpcd using
buffpage 60000
catalogcache_sz 386
dbheap 20000
locklist 16384
maxlocks 5
maxappls 40
mincommit 1
num_iocleaners 4
num_ioservers 4
DLCHKTIME 5000
pckcachesz 640
softmax 600
sortheap 6400
stat_heap_sz 10000
stmheap 10000
util_heap_sz 40000
applheapsz 16000
logbufsz 2048
app_ctl_heap_sz 2048
dft_degree 1
dft_queryopt 7
maxfilop 1024
chngps_thresh 15;
```

```
get database configuration for tpcd;
```

```
--connect reset;
```

run.dbmcfg_8mIn

```
update database manager configuration using
cpuspeed 7.951129e-7
comm_bandwidth 7
min_priv_mem 32
priv_mem_thresh 20000
```

```
sheapthres 250000
agent_stack_sz 16
aslheapsz 15
rqrioblk 32767
intra_parallel no
max_querydegree -1
maxagents 3600
num_poolagents 64
num_initagents 4
fcm_num_buffers 30000
numdb 1
svcname DB2_TPCD_END
diaglevel 3;
get database manager configuration;
```

scattered_read

```
# 1/2 -> 1/3 of number of prefetchers
NUMPREFETCHQUEUES=2
PREFETCHQUEUESIZE=200
NUMHATESTACKS=4,*
```

```
# turn on scatter read for these types
NT_SCATTER_SMS=1
NT_SCATTER_DMSFILE=1
NT_SCATTER_DMSDEVICE=1
```

```
#diaglevels at which it writes configuration
LOG_CFG=4
LOG_PERF_HINTS=5
```

setlogs.bat

```
set db2node=0
db2start
db2 update db cfg for %1 using newlogpath e:\logs
set db2node=1
db2 update db cfg for %1 using newlogpath h:\logs
set db2node=2
db2 update db cfg for %1 using newlogpath m:\logs
set db2node=3
db2 update db cfg for %1 using newlogpath n:\logs
set db2node=4
db2 update db cfg for %1 using newlogpath i:\logs
set db2node=5
db2 update db cfg for %1 using newlogpath j:\logs
set db2node=6
db2 update db cfg for %1 using newlogpath g:\logs
set db2node=7
db2 update db cfg for %1 using newlogpath k:\logs
db2stop
set db2node=0
db2start
```

tpcd.setup

```
# NOTE: ALL variable definitions must have a comment at the end.
TPCD_PLATFORM=nt # aix, nt, sun ....
TPCD_VERSION=2 # 1 or 2 (Version of tpcd). Default
1
TPCD_DBNAME=TPCD # name to create database
under
TPCD_WORKLOAD=H # TPC version (R for TPCR, H
for TPCD)
TPCD_AUDIT_DIR=d:\tpch # top level directory of tar file
for
# all the tpcd scripts
```

<pre> TPCD_PRODUCT=v5 # v5 or pe # Use pe if you really are using pe v1.2! # but I won't guarantee that it will work! TPCD_MODE=mln # uni/smp/mln/mpp TPCD_PHYS_NODE=1 # number of physical nodes TPCD_LN_PER_PN=8 # number of logical nodes per physical node TPCD_SF=300 # size of the database (1=1GB,...) to # get test size databases use: # 0.012 = 12MB # 0.1 = 100MB TPCD_BUILD_STAGE=ALL # where to start the build - currently the # following is possible: # ALL - do everything (create,load, # index,stats,config) (Default) # CRTTBSP - start after create db and # config setting. Start right at # create tbasp # LOAD - start from the load of the tables # INDEX - start from the index creation # (NOTE if earlyindex is specified, # then this will do the create index # followed by the load...) # RUNSTATS - start from the runstats # (NOTE Do not use this option if # distribution stats are gathered # as part of the load, this will # start after the load and indices # have been created. # CONFIG - start from the setting up of # the benchmark runs config setup # TPCD_DBPATH=D: # path for database (defaults to home) TPCD_DDLPATH=d:\tpch\ddl # path for all ddl files and customized # scripts (load script), config files,etc TPCD_BUFFERPOOL_DEF=create_bufferpools # name of file with bufferpool definitions # and sizes TPCD_NODEGROUP_DEF=create_nodegroups # name of file in ddlpath with nodegroup # definitions TPCD_EXPLAIN_DDL=NULL # file with DDL for explains statments # if this is NULL then uses the default # and puts it in USERSPACE1 across all # nodes...nt 1TB found it was faster if # just in a single node nodegroup TPCD_TBSP_DDL=create_tablespace # ddl file for tablespaces TPCD_DDL=create_tables # ddl file for tables TPCD_QUAL_TBSP_DDL=NULL # ddl file for tablespaces for qual TPCD_QUAL_DDL=NULL # ddl file for qualification database # tablespaces and tables should be identical # to regular ddl except container names TPCD_INDEXDDL=create_indexes # ddl file for indexes TPCD_EXTRAINDEX=no # no = no extra indexes # filename = If you want to create some # indices before # the load, and some indices after, then # use this additional file to specify the TPCD_ADD_RI=NULL # file name that contains any RI # constraints to add after index creation # set to NULL (default) if unused # indices to create after the load. </pre>	<pre> TPCD_AST=NULL # file name that contains complete AST # definition including connection to # the database, summary table creation, # population, indexing and runstats. TPCD_RUNSTATS=dss.runstats # ddl file for runstats. If you have # created indices before the load (ie # TPCD_EARLYINDEX=yes), have specified to # gather stats on the load command (either # through your own load script or by using # TPCD_LOADSTATS=yes, AND you have # specified a file for TPCD_EXTRAINDEX # then this runstats file should include # the runstats commands specifically for # the extra indices. TPCD_RUNSTATSHORT=NULL # NOTE!! THIS IS BUGGY....I can't get it to # work on UNI successfully # ddl file for short runstats that are # run in the background while the # TPCD_RUNSTATS are run in the foreground # of the build. If this is used, then # TPCD_RUNSTATS should have the runstats # command for lineitem and # TPCD_RUNSTATSHORT should have runstats # commands for all other tables. TPCD_DBGEN=\tpch\appendix.v2\dbgen # path name to data generation code # Parameters used to specify source of # data for load scripts TPCD_INPUT=300GB_8mln_flatfiles # NULL - use dbgen generated data OR # path name - to the pre-generated # flat files # /gwl/dss/12MB - path for pregenerated 12MB # /gwl/dss/300MB - path for pregen'd 300MB # TPCD_QUAL_INPUT=300GB_QUAL_FLATFILES # NULL - use dbgen generated data OR # path name - to the pre-generated # flat files TPCD_TAILOR_DIR=D:\tailor # path name for the directory used to # generate split specific config files # only used for partitioned environment TPCD_EARLYINDEX=no # create indexes before the load # LOAD specific parameters follow: TPCD_LOAD_DB2SET_SCRIPT=load.db2set_8mln.bat # Script that contains the db2set commands # for the load process Use NULL if not # specified TPCD_LOAD_CONFIGFILE=load.dbcfg_8mln # config file with specific database config # parms for the load/index/runstats part # of the build. # set to NULL if use defaults </pre>
---	--

TPCD_LOAD_DBM_CONFIGFILE=load.dbmcfg_8mln # config file with specific

database manager config parts for the
load/index/runstats part of the build.
set to NULL if use defaults

TPCD_LOAD_QUALCONFIGFILE=load.dbcfg_8mln # config file with specific database config

parms for the load/index/runstats part
of the build for qualification db.
set to NULL if use defaults

TPCD_LOAD_DBM_QUALCONFIGFILE=load.dbmcfg_8mln # config file with specific

database manager config parts for the
load/index/runstats part of the build.
set to NULL if use defaults

TPCD_LOADSTATS=NO # gather statistics during load
ignored if EARLYINDEX is not set
due to runstats limitation

TPCD_TEMP=d:\tmp # path for LOAD temp files
defaults to /u/<instance>/sql/lib/tmp
used in load script only

TPCD_SORTBUF=4096 # sortbuf size for LOAD
used in load script only

TPCD_LOAD_PARALLELISM=0 # degree of parallelism to use on load

0 = use the "intelligent default" that
the load will chose at run time
used in load script only

TPCD_COPY_DIR=NULL # directory where copy image is created

on load command CURRENTLY UNUSED
used in load script only

TPCD_FASTPARSE=yes # use fastparse on load
used in load script only

Backup and logfile specific parameters

follow:

TPCD_BACKUP_DIR=\backupdir # directory where backup files are placed

TPCD_LOGPRIMARY=NULL # NULL/value = how many primary log files

to configure. If NULL is specified then
the default is not changed.

TPCD_LOGFILSIZ=NULL # NULL/value = how 4KB pages to use for

logfilsiz db cfg parameter. If NULL is
specified then the default is not changed

TPCD_LOGSECOND=NULL # NULL/value = how many secondary log files

to configure. If NULL is specified then
the default is not changed.

TPCD_LOG_DIR=d:\logs # directory where log files stored..

NULL leaves them in the dbpath

TPCD_LOG_QUAL_DIR=NULL # directory where qual log files stored

NULL leaves them in the dbpath

TPCD_LOG=YES # yes/no - whether to turn
LOG_RETAIN on

i.e. are backups needed to be taken

CONFIG specific parameters

TPCD_DB2SET_SCRIPT=run.db2set_8mln.bat # Script that contains the db2set commands

for the benchmark run. Use NULL if not
specified

TPCD_CONFIGFILE=run.dbcfg_8mln # name of configuration file in ddl path

that will be used for the benchmark run

TPCD_DBM_CONFIG=run.dbmcfg_8mln # name of config file for database manager

cfg parms

TPCD_QUALCONFIGFILE=run.dbcfg_8mln # name of database config file in ddl path

for qualification database

TPCD_DBM_QUALCONFIG=run.dbmcfg_8mln # name of config file for database

manager cfg parms

TPCD_MACHINE=NULL # set to NULL if using load config file

big/medium/small size of machine used to
determine buffpage, sortheap, sheaphres
and ioservers parms for load, create
index and runstats
NOTE that this parameter is ignored if
a TPCD_LOAD_CONFIGFILE

TPCD_SMPDEGREE=1 # 1...# of degrees of parallelism to run

with

TPCD_AGENTPRI=NULL # set agentpri to this value (default)

is SYSTEM)

TPCD_ACTIVATE=yes # activate the database upon build

completion
run specific parameters

TPCD_AUDIT=yes # no/yes

no - don't set up qualification db stuff
yes - set up qualification db queries
- build the update function tables
and data before we get into the
timing of the creation of the
tables and the load.

TPCD_TMP_DIR=d:\tmp # place to put temp working files

TPCD_SHARED_TEMP_FULL_PATHNAME=d:\sql/lib/tmp # just added

TPCD_QUERY_TEMPLATE_DIR=standard.V2 # subdirectory in AUDIT_DIR/queries

to use as the source of the query
templates. Currently there are
v2 ones and pe ones. You can make
your own directory following the same
form as in the v2 directory using
any variant you wish

TPCD_QUAL_DBNAME=TPCD # name of qualification database

TPCD_NUMSTREAM=6 # number of streams for the throughput test

TPCD_FLATFILES=W:\300GB_8mln_UF_flatfiles # where to generate flat files

for update functions

TPCD_STAGING_TABLE_DDL=createUFtables # script that contains the ddl for creating

the staging tables if they are used for
the update functions

TPCD_PRELOAD_STAGING_TABLE_SCRIPT=LoadSampleUFData # File containing

the sql for preloading

```

# and gathering stats on sample UF data
# Note that the data used is sample data
# and is not data from any of the applied
# update pairs
TPCD_DELETE_STAGING_TABLE_SQL=DELETEDUMMYUFD
ATA.SQL # file that contains the sql for deleting
# the preloaded data from the staging
# tables
TPCD_UPDATE_IMPORT=false # true = use import for the
staging tables
# for UNI/SMP mode only (code change in
# tpcdbatch) (if not uni mode then must
# change load_update)
# false = use load for staging tables
# The default is false if not set.
# NOTE that this parm is only for UNI/SMP
# it is not for multi node invocation

TPCD_SPLIT_UPDATES=256 # number of chunks to split
the update
# function into.
TPCD_CONCURRENT_INSERTS=32 # number of insert
chunks that are run
# concurrently. TPCD_SPLIT_UPDATES
# should be evenly divisible by this number
TPCD_CONCURRENT_INSERTS_LOAD=16 # number of
insert chunks that are loaded
# concurrently. TPCD_SPLIT_UPDATES
should
# be evenly divisible by this number.
# this controls the load portion of the
# insert routine for partitioned databases
TPCD_SPLIT_DELETES=256 # number of portions to split
the delete
# function into.
# this variable is only valid in UNI/SMP
# mode.
TPCD_CONCURRENT_DELETES=32 # number of DELETE
chunks that are run
# concurrently. TPCD_SPLIT_UPDATES
# should be evenly divisible by this number
TPCD_GEN_UPDATEPAIRS=40 # number of pairs of
update function data
# to generate
# if 0 the update data generation and
# setup will not be done. use this if
# you don't want to run the update
# functions (Update functions not
# fully tested in new env't yet)
TPCD_GENERATE_SEED_FILE=yes # yes/no These are the
seed files for
# generating the query substitution values
# yes - generate a seed file base on
# year/month/day (for audited runs)
# no - use qgen's default seeds
TPCD_RUN_ON_MULTIPLE_NODES=NO # pe V1.2 only -
will we be running each
# query stream of throughput starting at
# different nodes or from same node
TPCD_STATS_INTERVAL=3 # timing interval for
vmstats/iostats
TPCD_STATS_THRU_INT=300 # timing interval for
vmstats/iostats for
# throughput run
TPCD_GATHER_STATS=off # on/off - only implement
for AIX yet
# on = gather statistics around power
# test run (vmstat,iostat,netstat)

```

```

# off = no stats gathered during power run
TPCD_UFTEMP=UFTEMP # base name of tablespace(s)
where the
# staging tables for the update functions
# are created
# this name will be used as the
# basename for the tablespaces...eg
# UFTEMP1 UFTEMP2 ....
TPCD_HAVECOMPILER=yes # rebuild tpcdbatch
executable
# yes/no
TPCD_SLEEP=5 # ?
TPCD_INLISTMAX=default # max num of keys to delete at
a time
# for UF2, use "default" for default.
TPCD_LOAD_SCRIPT=load_8mln.bat # script to run for loading
tables
# in TPCD_DDLPATH directory under
mln/mpp
# leave as NULL if using default genloaduni
TPCD_LOAD_SCRIPT_QUAL=NULL # script to run for
loading tables in
# TPCD_DDLPATH directory under mln/mpp
# for QUAL db
TPCD_ROOTPRIV=no # do you have root privileges to
be able
# get values of things like schedtune
# and vmtune (currently on AIX only)
# acid test specific information
TPCD_DB2LOG=d:\sqlib\db2 # directory where the
db2diag.log can
# be found for the durability tests
TPCD_APPEND_ON=no # set to no if the cluster
indexes are used

```

Appendix C: Qualification Query Output

Qualification Queries

Query 1

Start timestamp 07/30/03 14:27:46.812

-- Query 01 - Var_0 Rev_01 - Pricing Summary Report Query

Tag: Q1 Stream: -1 Sequence number: 17

```
select
l_returnflag,
l_linestatus,
sum(l_quantity) as sum_qty,
sum(l_extendedprice) as sum_base_price,
sum(l_extendedprice * (1 - l_discount)) as sum_disc_price,
sum(l_extendedprice * (1 - l_discount) * (1 + l_tax)) as sum_charge,
avg(l_quantity) as avg_qty,
avg(l_extendedprice) as avg_price,
avg(l_discount) as avg_disc,
count(*) as count_order
from
tpcd.lineitem
where
l_shipdate <= date ('1998-12-01') - 90 day
group by
l_returnflag,
l_linestatus
order by
l_returnflag,
l_linestatus
```

L_RETURNFLAG	L_LINESTATUS	SUM_QTY	SUM_BASE_PRICE	SUM_DISC_PRICE	SUM_CHARGE	AVG_QTY	AVG_PRICE	AVG_DISC	COUNT_ORDER
--------------	--------------	---------	----------------	----------------	------------	---------	-----------	----------	-------------

A	F	37734107.000	56586554400.728						
53758257134.869		55909065222.829	25.522						
38273.130		0.050	1478493						
N	F	991417.000	1487504710.380						
1413082168.054		1469649223.194	25.516						
38284.468		0.050	38854						
N	O	74476040.000	111701729697.737						
106118230307.604		110367043872.494	25.502						
38249.118		0.050	2920374						
R	F	37719753.000	56568041380.901						
53741292684.604		55889619119.832	25.506						
38250.855		0.050	1478870						

Number of rows retrieved is: 4

Stop timestamp 07/30/03 14:27:57.234

Query Time = 10.4 secs

Query 2

Start timestamp 07/30/03 14:26:02.890

-- Query 02 - Var_0 Rev_02 - Minimum Cost Supplier Query

Tag: Q2 Stream: -1 Sequence number: 2

```
select
s_acctbal,
s_name,
n_name,
p_partkey,
p_mfgr,
s_address,
s_phone,
s_comment
from
tpcd.part,
tpcd.supplier,
tpcd.partsupp,
tpcd.nation,
tpcd.region
where
p_partkey = ps_partkey
and s_suppkey = ps_suppkey
and p_size = 15
and p_type like '%BRASS'
and s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'EUROPE'
and ps_supplycost = (
select
min(ps_supplycost)
from
tpcd.partsupp,
tpcd.supplier,
tpcd.nation,
tpcd.region
where
p_partkey = ps_partkey
and s_suppkey = ps_suppkey
and s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'EUROPE'
)
order by
s_acctbal desc,
n_name,
s_name,
p_partkey
fetch first 100 rows only
```

S_ACCTBAL	S_NAME	N_NAME
P_PARTKEY	P_MFGR	S_ADDRESS
S_PHONE	S_COMMENT	

9938.530 Supplier#000005359 UNITED KINGDOM
185358 Manufacturer#4
QKuHYh,vZGiwu2FWEJoLDx04 33-429-790-6131
blithely silent pinto beans are furiously. slyly final deposits across

9937.840 Supplier#000005969 ROMANIA
108438 Manufacturer#1
ANDENSOSmk,miq23Xfb5RWt6dvUcvt6Qa 29-520-692-3537
carefully slow deposits use furiously. slyly ironic platelets above the
ironic

9936.220 Supplier#000005250 UNITED KINGDOM
249 Manufacturer#4 B3rqp0xbSEim4Mpy2RH J
33-320-228-2957 blithely special packages are. stealthily
express deposits across the closely final instructi

9923.770 Supplier#000002324 GERMANY
29821 Manufacturer#4 y3OD9UywSTok
17-779-299-1839 quickly express packages breach quiet pinto beans.
requ

9871.220 Supplier#000006373 GERMANY
43868 Manufacturer#5 J8fcXWstQM
17-813-485-8637 never silent deposits integrate furiously blit

9870.780 Supplier#000001286 GERMANY
81285 Manufacturer#2
YKA,E2fjiVd7eUrzp2Ef8j1QxGo2DFnosaTEH 17-516-924-4574
final theodolites cajole slyly special,

9870.780 Supplier#000001286 GERMANY
181285 Manufacturer#4
YKA,E2fjiVd7eUrzp2Ef8j1QxGo2DFnosaTEH 17-516-924-4574
final theodolites cajole slyly special,

9852.520 Supplier#000008973 RUSSIA
18972 Manufacturer#2 t5L67YdBYyH6o,Vz24jpDyQ9
32-188-594-7038 quickly regular instructions wake-- carefully
unusual braids into the expres

9847.830 Supplier#000008097 RUSSIA
130557 Manufacturer#2 xMe97bpE69NzdwLoX
32-375-640-3593 slyly regular dependencies sleep slyly furiously
express dep

9847.570 Supplier#000006345 FRANCE
86344 Manufacturer#1
VSt3rzk3qG698u6ld8HhObYvrTcSTSvQIDQDag 16-886-766-7945
silent pinto beans should have to snooze carefully along the final
reques

9847.570 Supplier#000006345 FRANCE
173827 Manufacturer#2
VSt3rzk3qG698u6ld8HhObYvrTcSTSvQIDQDag 16-886-766-7945
silent pinto beans should have to snooze carefully along the final
reques

9836.930 Supplier#000007342 RUSSIA
4841 Manufacturer#4 JOIK7C1,7xrEZSSOw
32-399-414-5385 final accounts haggle. bold accounts are furiously
dugouts. furiously silent asymptotes are slyly

9817.100 Supplier#000002352 RUSSIA
124815 Manufacturer#2 4LfoHUZjgiEbAKw
TgdKcgOc4D4uCYw 32-551-831-1437 blithely pending
packages across the ironic accounts grow slyly after the furiously

9817.100 Supplier#000002352 RUSSIA
152351 Manufacturer#3 4LfoHUZjgiEbAKw
TgdKcgOc4D4uCYw 32-551-831-1437 blithely pending
packages across the ironic accounts grow slyly after the furiously

9739.860 Supplier#000003384 FRANCE
138357 Manufacturer#2 o,Z3v4POifevE k9U1b 6J1ucX,I
16-494-913-5925 slyly ironic theodolites hag

9721.950 Supplier#000008757 UNITED KINGDOM
156241 Manufacturer#3 Atg6GnM4dT2
33-821-407-2995 ironic, even dolphins above the furiously ironic
foxes sleep slyly around the caref

9681.330 Supplier#000008406 RUSSIA
78405 Manufacturer#1 ,qUuXcftUI
32-139-873-8571 furiously even deposits affix thinly special
theodolites. furiou

9643.550 Supplier#000005148 ROMANIA
107617 Manufacturer#1 kT4ciVFslx9z4s79p Js825
29-252-617-4850 doggedly even ideas boost furiously against the
furiously express

9624.820 Supplier#000001816 FRANCE
34306 Manufacturer#3
e7vab91vLJPWxxZnewmnDBpDmxYHrb 16-392-237-6726
blithely regular accounts cajole furiously. regular

9624.780 Supplier#000009658 ROMANIA
189657 Manufacturer#1 oE9uBgEfSS4oplcepXyAYM,x
29-748-876-2014 regular deposits haggle. furiously express
asympto

9612.940 Supplier#000003228 ROMANIA
120715 Manufacturer#2
KDdpNKN3cWu7ZSrbdp7AfSLxx,qWB 29-325-784-8187
carefully pending accounts serve. furiously close deposits boost slyly.
q

9612.940 Supplier#000003228 ROMANIA
198189 Manufacturer#4
KDdpNKN3cWu7ZSrbdp7AfSLxx,qWB 29-325-784-8187
carefully pending accounts serve. furiously close deposits boost slyly.
q

9571.830 Supplier#000004305 ROMANIA
179270 Manufacturer#2 qNHZ7WmCzygwMPRDO9Ps
29-973-481-1831 furiously final deposits

9558.100 Supplier#000003532 UNITED KINGDOM
88515 Manufacturer#4
EOeuiiOn21OVpTlGguuffDFsbN1p0lhpxHp 33-152-301-2164
daring, sly accounts breach about th

9492.790 Supplier#000005975 GERMANY
25974 Manufacturer#5 S6mliCTx82z7IV
17-992-579-4839 always pending packages boost slyly.

9461.050 Supplier#000002536 UNITED KINGDOM
20033 Manufacturer#1 8mmGbyzaU
7ZS2wJumTibypncu9pNkDc4FYA 33-556-973-5522 even foxes
are quickly furiously express requests. packages

9453.010 Supplier#000000802 ROMANIA
175767 Manufacturer#1 ,6HYXb4uaHITmtMBj4Ak57Pd
29-342-882-6463 final, regular packages across the slowly
regular packag

9408.650 Supplier#000007772 UNITED KINGDOM
117771 Manufacturer#4 AiC5YAH,gu0i7
33-152-491-1126 blithely final ideas sleep carefully. requests are

9359.610 Supplier#000004856 ROMANIA
62349 Manufacturer#5 HYogcF3Jb yhl
29-334-870-9731 carefully unusual packages sleep carefully even
ideas. dogged accoun

9357.450 Supplier#000006188 UNITED KINGDOM
138648 Manufacturer#1 g801,ssP8wpTk4Hm
33-583-607-1633 carefully regular deposits wake carefully
furiously even i

9352.040 Supplier#000003439 GERMANY
170921 Manufacturer#4 qYPDgoiBGhCYxjgC
17-128-996-4650 fluffily regular pinto beans wake. unusual, final
ideas c

9312.970 Supplier#000007807 RUSSIA
90279 Manufacturer#5 oGYMPck9XHGB2PBfKRnHA

32-673-872-5854 unusual asymptotes above the

9312.970 Supplier#000007807 RUSSIA
100276 Manufacturer#5 oGYMPck9XHGB2PBfKRnHA
32-673-872-5854 unusual asymptotes above the

9280.270 Supplier#000007194 ROMANIA
47193 Manufacturer#3 zhRUQkBSrFYxIAXTflnj
vyGRQjeK 29-318-454-2133 slyly ironic requests despite the
unusual ins

9274.800 Supplier#000008854 RUSSIA
76346 Manufacturer#3 lxlLoOUM7I3mZ1mKnerw
OSqdbb4QbGa 32-524-148-5221 ruthlessly ironic instructions
along the regular, furious requests integrate car

9249.350 Supplier#000003973 FRANCE
26466 Manufacturer#1
d18GiDsL6Wm2IsGXM,RZfljCsgZAOjNYVThTRP4
16-722-866-1658 quickly ironic sauternes use b

9249.350 Supplier#000003973 FRANCE
33972 Manufacturer#1
d18GiDsL6Wm2IsGXM,RZfljCsgZAOjNYVThTRP4
16-722-866-1658 quickly ironic sauternes use b

9208.700 Supplier#000007769 ROMANIA
40256 Manufacturer#5 rsimdze 5o9P Ht7xs
29-964-424-9649 furiously ruthless epitaphs among the furiously
regular accounts use slowly fluffily ev

9201.470 Supplier#000009690 UNITED KINGDOM
67183 Manufacturer#5 CB BnUTlmi5zdeEI7R7
33-121-267-9529 blithely unusual accounts integrate slyly.
platelets

9192.100 Supplier#000000115 UNITED KINGDOM
85098 Manufacturer#3 nJ
2tof7Ve,wL1,6WzGBJLNBUCkIsV 33-597-248-1220 slyly
bold pinto beans boost across the furiously regular packages. carefully
regu

9189.980 Supplier#000001226 GERMANY
21225 Manufacturer#4 qsLCqSvLyZfuXlPjz
17-725-903-1381 final, express instruction

9128.970 Supplier#000004311 RUSSIA
146768 Manufacturer#5 l8lJnXd7NSJR594RxsRR0
32-155-440-7120 regular pinto beans sleep ca

9104.830 Supplier#000008520 GERMANY
150974 Manufacturer#4 RqRVDgD0ER J9 b41vR2,3
17-728-804-1793 deposits sleep carefully e

9101.000 Supplier#000005791 ROMANIA
128254 Manufacturer#5 zub2zCV,jhHPPQqi,P2INAjE1zI
n66cOEoXFG 29-549-251-5384 carefully ironic packages after the

9094.570 Supplier#000004582 RUSSIA
39575 Manufacturer#1 WB0XkCSG3r,mnQ
n,h9VIxjir9ARHFvKgMDf 32-587-577-1351 asymptotes above
the slyly even requests haggle furiously about the regular accounts

8996.870 Supplier#000004702 FRANCE
102191 Manufacturer#5 8XVcQK23akp
16-811-269-8946 stealthy requests haggle c

8996.140 Supplier#000009814 ROMANIA
139813 Manufacturer#2
af0O5pg83IPU4IDVmEyIXZVqYZQZSDIYLAmR
29-995-571-8781 ironic theodolites are evenly unusual requests--
pending pinto beans across the in

8968.420 Supplier#000010000 ROMANIA
119999 Manufacturer#5 aTGLEusCiL4F
PDBdv665XBjPyCOB0i 29-578-432-2146 furiously final
ideas believe furiously. furiously final ideas

8936.820 Supplier#000007043 UNITED KINGDOM
109512 Manufacturer#1
FVajceZlnZdbJE6Z9XsRUxrUEpiwHDrOXi,IRz 33-784-177-8208
furiously regular excuses wake after the blithely special pinto beans?
even instructions sl

8929.420 Supplier#000008770 FRANCE
173735 Manufacturer#4 R7cG26TtXrHAP9 HckhfRi
16-242-746-9248 final accounts sleep furiously. blithely ironic
foxes wake boldly across the furiously s

8920.590 Supplier#000003967 ROMANIA
26460 Manufacturer#1 eHoAXe62SY9
29-194-731-3944 quickly even requests should have to affix blithely--
fur

8920.590 Supplier#000003967 ROMANIA
173966 Manufacturer#2 eHoAXe62SY9
29-194-731-3944 quickly even requests should have to affix blithely--
fur

8913.960 Supplier#000004603 UNITED KINGDOM
137063 Manufacturer#2
OUZlvMUR7n,utLxmPNeYKSf3T24OXskxB5 33-789-255-7342
slyly ironic packages detect furious accounts. ironic de

8877.820 Supplier#000007967 FRANCE
167966 Manufacturer#5 A3pi1BARM4nx6R,qrwFoRPU
16-442-147-9345 final deposits after the silent deposits ha

8862.240 Supplier#000003323 ROMANIA
73322 Manufacturer#3 W9IYcsC9FwBqk3ItL
29-736-951-3710 unusual, pending theodolites integrate furiously
slyly even pinto beans. unusual sheaves sleep befor

8841.590 Supplier#000005750 ROMANIA
100729 Manufacturer#5
Er3lAgu0g62iaHF9x50uMH4EgeN9hEG 29-344-502-5481
excuses after the blithely regular packages mold carefully deposits.
regular a

8781.710 Supplier#000003121 ROMANIA
13120 Manufacturer#5 wNqTogx238ZYCamFb,50v,bj
4IbNFW9Bvw1xP 29-707-291-5144 packages are quickly after the
final, even packages. furiously regular

8754.240 Supplier#000009407 UNITED KINGDOM
179406 Manufacturer#4 CHRCbkaWcf5B
33-903-970-9604 regular dependencies haggle across the carefully
bold

8691.060 Supplier#000004429 UNITED KINGDOM
126892 Manufacturer#2 k,BQms5UhoAF1B2Asi,fLib
33-964-337-5038 quickly special foxes against the furiously
silent platelets wake quickly after t

8655.990 Supplier#000006330 RUSSIA
193810 Manufacturer#2 UozlaENr0ytKe2w6CeIEWFWn
iO3S8Rae7Ou 32-561-198-3705 blithely even packages alongside

8638.360 Supplier#000002920 RUSSIA
75398 Manufacturer#1 Je2a8bszf3L
32-122-621-7549 express deposits wake. furiously silent requests
wake carefully silent instru

8638.360 Supplier#000002920 RUSSIA
170402 Manufacturer#3 Je2a8bszf3L
32-122-621-7549 express deposits wake. furiously silent requests
wake carefully silent instru

8607.690 Supplier#000006003 UNITED KINGDOM
76002 Manufacturer#2
EH9wADcEiuenM0NR08zDwMidw,52Y2RyLEiA
33-416-807-5206 always special foxes wake slyly bold, ironic
accounts. ironic instructions affix carefull

8569.520 Supplier#000005936 RUSSIA
 5935 Manufacturer#5
 jXaNZ6vwnEWJ2ksLZJpjtgt0bY2a3AU 32-644-251-7916
 packages sleep furiously. special requests about the fluffily even
 accounts detect

8564.120 Supplier#000000033 GERMANY
 110032 Manufacturer#1
 gfeKpYw3400L0SDyWXA6Ya1Qmq1w6YB9f3R
 17-138-897-9374 ironic instructions are. special pearls above

8553.820 Supplier#000003979 ROMANIA
 143978 Manufacturer#4 BfmVhCAncMY3jzpjUMy4CNWs9
 HzpdQR7INJU 29-124-646-4897 express, ironic pinto beans cajole
 around the express, even packages. qu

8517.230 Supplier#000009529 RUSSIA
 37025 Manufacturer#5 e44R8o7JAIS9iMcR
 32-565-297-8775 furiously silent requests cajole furiously furiously
 ironic foxes. slyly express p

8517.230 Supplier#000009529 RUSSIA
 59528 Manufacturer#2 e44R8o7JAIS9iMcR
 32-565-297-8775 furiously silent requests cajole furiously furiously
 ironic foxes. slyly express p

8503.700 Supplier#000006830 RUSSIA
 44325 Manufacturer#4 BC4WFCYRUZYaIgchU 4S
 32-147-878-5069 quickly regular excuses detect evenly around

8457.090 Supplier#000009456 UNITED KINGDOM
 19455 Manufacturer#1 7SBhZs8gP1cJt0Qf433YBk
 33-858-440-4349 carefully final accounts sleep blithely
 special foxes. slyly regular pinto beans alon

8441.400 Supplier#000003817 FRANCE
 141302 Manufacturer#2 hU3fz3xL78
 16-339-356-5115 blithely blithe ideas are

8432.890 Supplier#000003990 RUSSIA
 191470 Manufacturer#1
 wehBBp1RQbfxAYDASS75MsywsKHRVdkrvNe6m
 32-839-509-9301 final requests along the blithely ironic packages
 kindle against the carefully fina

8431.400 Supplier#000002675 ROMANIA
 5174 Manufacturer#1
 HJfStOu9R5NGPOegKhgbzBdyvrG2yh8w 29-474-643-1443
 express, final deposits cajole carefully. stealthily unusual requests

8407.040 Supplier#000005406 RUSSIA
 162889 Manufacturer#4 j7 gYF5RW8DC5UrkKC
 32-626-152-4621 quickly final sheaves boost. car

8386.080 Supplier#000008518 FRANCE
 36014 Manufacturer#3
 2jqzqqAVe9crMVGP,n9nTsQXulNLtUYoJjEDcqWV
 16-618-780-7481 slyly ironic theodolites are slyly. dogged, pendin

8376.520 Supplier#000005306 UNITED KINGDOM
 190267 Manufacturer#5 9t8Y8
 QqSIsoADPt6NLdk,TP5zyRx41oBUlgoGc9 33-632-514-7931
 furiously even instructions integrate during the furiously regular re

8348.740 Supplier#000008851 FRANCE
 66344 Manufacturer#4 nWxi7GwEbJhwI
 16-796-240-2472 ironic instructions nag slyly against the slyly even
 theodolites. requests alongside of

8338.580 Supplier#000007269 FRANCE
 17268 Manufacturer#4 ZwhJSwABUoiB04,3
 16-267-277-4365 ruthlessly regular asymptotes a

8328.460 Supplier#000001744 ROMANIA
 69237 Manufacturer#5 oLo3fV64q2,FKHa3p,qHnS7Yzv,ps8

29-330-728-5873 blithely silent excuses are slyly above the
 furiously even courts

8307.930 Supplier#000003142 GERMANY
 18139 Manufacturer#1 dqblvV8dCNAorGIJ
 17-595-447-6026 theodolites sleep blithely carefully regular
 warhorses. slyly regular ins

8231.610 Supplier#000009558 RUSSIA
 192000 Manufacturer#2 mcdgen,yT1iJDHDS5fV
 32-762-137-5858 slyly regular theodolites sleep fluffily express
 depos

8152.610 Supplier#000002731 ROMANIA
 15227 Manufacturer#4 nluXJCuY1tu
 29-805-463-2030 gifts use. slyly silent ideas are carefully beneath the
 silent instructions. slyly sil

8109.090 Supplier#000009186 FRANCE
 99185 Manufacturer#1 wgfosrVPexl9pEXWyaqlBMDYYf
 16-668-570-1402 quickly pending requests are blithely along
 the ironic, final requests; instr

8102.620 Supplier#000003347 UNITED KINGDOM
 18344 Manufacturer#5 mCxXS2S16i
 33-454-274-8532 packages grow special orbits. regular theodolites
 about the carefully pe

8046.070 Supplier#000008780 FRANCE
 191222 Manufacturer#3 AczzuE0UK9osj ,Lx0Jmh
 16-473-215-6395 regular epitaphs integrate slyly.

8042.090 Supplier#000003245 RUSSIA
 135705 Manufacturer#4
 Dh8IkG39onrbOL4DyTfGw8a9oKUX3d9Y 32-836-132-8872
 carefully regular instructions integrate blithely silent foxes. furiously
 express instructions haggl

8042.090 Supplier#000003245 RUSSIA
 150729 Manufacturer#1
 Dh8IkG39onrbOL4DyTfGw8a9oKUX3d9Y 32-836-132-8872
 carefully regular instructions integrate blithely silent foxes. furiously
 express instructions haggl

7992.400 Supplier#000006108 FRANCE
 118574 Manufacturer#1 8tBydnTDwUqfBfFV4I3
 16-974-998-8937 regular pinto beans are after

7980.650 Supplier#000001288 FRANCE
 13784 Manufacturer#4 zE,7HgVPrCn
 16-646-464-8247 unusual pinto beans cajole furiously according t

7950.370 Supplier#000008101 GERMANY
 33094 Manufacturer#5 kkYvL6IuvvjgTNG
 IKkaXQDYgx8ILohj 17-627-663-8014 quickly regular requests
 are furiously. pending deposits wake

7937.930 Supplier#000009012 ROMANIA
 83995 Manufacturer#2 iUiTziH,Ek3i4lwSgunXMgrcTzwdb
 29-250-925-9690 blithely bold ideas haggle quickly final,
 regular request

7914.450 Supplier#000001013 RUSSIA
 125988 Manufacturer#2
 riRcntps4KEDtYScjpMIWeYF6mNnR 32-194-698-3365
 final, ironic theodolites alongside of the ironic

7912.910 Supplier#000004211 GERMANY
 159180 Manufacturer#5
 2wQRVovHrm3,v03IKzfTd,1PYsFXQFFOG 17-266-947-7315
 final requests integrate slyly above the silent, even

7912.910 Supplier#000004211 GERMANY
 184210 Manufacturer#4
 2wQRVovHrm3,v03IKzfTd,1PYsFXQFFOG 17-266-947-7315
 final requests integrate slyly above the silent, even

7894.560 Supplier#000007981 GERMANY
 85472 Manufacturer#4 NSJ96vMROAbeXP
 17-963-404-3760 regular, even theodolites integrate carefully. bold,
 special theodolites are slyly fluffily iron
 7887.080 Supplier#000009792 GERMANY
 164759 Manufacturer#3 Y28ITVeYriT3kIGdV2K8fSZ
 V2UqT5H1Otz 17-988-938-4296 pending, ironic packages sleep
 among the carefully ironic accounts. quickly final accounts
 7871.500 Supplier#000007206 RUSSIA
 104695 Manufacturer#1 3w fNCnrVmvJjE95sgWZzvW
 32-432-452-7731 furiously dogged pinto beans cajole. bold,
 express notornis until the slyly pending
 7852.450 Supplier#000005864 RUSSIA
 8363 Manufacturer#4 WCNfBPZeSXh3h,c
 32-454-883-3821 blithely regular deposits

7850.660 Supplier#000001518 UNITED KINGDOM
 86501 Manufacturer#1 ONda3YJiHKJOC
 33-730-383-3892 furiously final accounts wake carefully idle
 requests. even dolphins wake acc
 7843.520 Supplier#000006683 FRANCE
 11680 Manufacturer#4 2Z0JGkiv01Y00oCFwUGfvlbhzCdy
 16-464-517-8943 carefully bold accounts doub

Number of rows retrieved is: 100

Stop timestamp 07/30/03 14:26:03.609
 Query Time = 0.7 secs

Query 3

Start timestamp 07/30/03 14:27:21.546

-- Query 03 - Var_0 Rev_01 - Shipping Priority Query

Tag: Q3 Stream: -1 Sequence number: 11

```
select
l_orderkey,
sum(l_extendedprice * (1 - l_discount)) as revenue,
o_orderdate,
o_shippriority
from
tpcd.customer,
tpcd.orders,
tpcd.lineitem
where
c_mktsegment = 'BUILDING'
and c_custkey = o_custkey
and l_orderkey = o_orderkey
and o_orderdate < date ('1995-03-15')
and l_shipdate > date ('1995-03-15')
group by
l_orderkey,
o_orderdate,
o_shippriority
order by
revenue desc,
o_orderdate
fetch first 10 rows only
```

L_ORDERKEY	REVENUE	O_ORDERDATE	O_SHIPRIORITY
------------	---------	-------------	---------------

2456423	406181.011	1995-03-05	0
3459808	405838.699	1995-03-04	0
492164	390324.061	1995-02-19	0
1188320	384537.936	1995-03-09	0
2435712	378673.056	1995-02-26	0
4878020	378376.795	1995-03-12	0
5521732	375153.922	1995-03-13	0
2628192	373133.309	1995-02-22	0
993600	371407.460	1995-03-05	0
2300070	367371.145	1995-03-13	0

Number of rows retrieved is: 10

Stop timestamp 07/30/03 14:27:32.515
 Query Time = 11.0 secs

Query 4

Start timestamp 07/30/03 14:27:36.156

-- Query 04 - Var_0 Rev_01 - Order Priority Checking Query

Tag: Q4 Stream: -1 Sequence number: 14

```
select
o_orderpriority,
count(*) as order_count
from
tpcd.orders
where
o_orderdate >= date ('1993-07-01')
and o_orderdate < date ('1993-07-01') + 3 month
and exists (
select
*
from
tpcd.lineitem
where
l_orderkey = o_orderkey
and l_commitdate < l_receiptdate
)
group by
o_orderpriority
order by
o_orderpriority
```

O_ORDERPRIORITY	ORDER_COUNT
-----------------	-------------

1-URGENT	10594
2-HIGH	10476
3-MEDIUM	10410
4-NOT SPECIFIED	10556
5-LOW	10487

Number of rows retrieved is: 5

Stop timestamp 07/30/03 14:27:45.390

Query Time = 9.2 secs

Query 5

Start timestamp 07/30/03 14:28:13.734

-- Query 05 - Var_0 Rev_02 Local Supplier Volume Query

Tag: Q5 Stream: -1 Sequence number: 20

```
select
n_name,
sum(l_extendedprice * (1 - l_discount)) as revenue
from
tpcd.customer,
tpcd.orders,
tpcd.lineitem,
tpcd.supplier,
tpcd.nation,
tpcd.region
where
c_custkey = o_custkey
and o_orderkey = l_orderkey
and l_suppkey = s_suppkey
and c_nationkey = s_nationkey
and s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'ASIA'
and o_orderdate >= date ('1994-01-01')
and o_orderdate < date ('1994-01-01') + 1 year
group by
n_name
order by
revenue desc
```

N_NAME	REVENUE
INDONESIA	55502041.170
VIETNAM	55295086.997
CHINA	53724494.257
INDIA	52035512.000
JAPAN	45410175.695

Number of rows retrieved is: 5

Stop timestamp 07/30/03 14:28:25.140

Query Time = 11.4 secs

Query 6

Start timestamp 07/30/03 14:26:18.046

-- Query 06 - Var_0 Rev_01 - Forecasting Revenue Change Query

Tag: Q6 Stream: -1 Sequence number: 5

```
select
sum(l_extendedprice * l_discount) as revenue
from
tpcd.lineitem
```

```
where
l_shipdate >= date ('1994-01-01')
and l_shipdate < date ('1994-01-01') + 1 year
and l_discount between .06 - 0.01 and .06 + 0.01
and l_quantity < 24
```

REVENUE

123141078.228

Number of rows retrieved is: 1

Stop timestamp 07/30/03 14:26:18.703

Query Time = 0.7 secs

Query 7

Start timestamp 07/30/03 14:28:25.140

-- Query 07 - Var_0 Rev_01 - Volume Shipping Query

Tag: Q7 Stream: -1 Sequence number: 21

```
select
supp_nation,
cust_nation,
l_year,
sum(volume) as revenue
from
(
select
n1.n_name as supp_nation,
n2.n_name as cust_nation,
year (l_shipdate) as l_year,
l_extendedprice * (1 - l_discount) as volume
from
tpcd.supplier,
tpcd.lineitem,
tpcd.orders,
tpcd.customer,
tpcd.nation n1,
tpcd.nation n2
where
s_suppkey = l_suppkey
and o_orderkey = l_orderkey
and c_custkey = o_custkey
and s_nationkey = n1.n_nationkey
and c_nationkey = n2.n_nationkey
and (
(n1.n_name = 'FRANCE' and n2.n_name = 'GERMANY')
or (n1.n_name = 'GERMANY' and n2.n_name = 'FRANCE')
)
and l_shipdate between date('1995-01-01') and date('1996-12-31')
) as shipping
group by
supp_nation,
cust_nation,
l_year
order by
supp_nation,
cust_nation,
l_year
```

SUPP_NATION REVENUE	CUST_NATION	L_YEAR

FRANCE	GERMANY	1995
54639732.734		
FRANCE	GERMANY	1996
54633083.308		
GERMANY	FRANCE	1995
52531746.670		
GERMANY	FRANCE	1996
52520549.022		

Number of rows retrieved is: 4

Stop timestamp 07/30/03 14:28:32.109
Query Time = 7.0 secs

Query 8

Start timestamp 07/30/03 14:26:39.906

-- Query 08 - Var_0 Rev_01 - National Market Share Query

Tag: Q8 Stream: -1 Sequence number: 8

```

select
o_year,
sum(case
when nation = 'BRAZIL' then volume
else 0
end) / sum(volume) as mkt_share
from
(
select
year(o_orderdate) as o_year,
l_extendedprice * (1 - l_discount) as volume,
n2.n_name as nation
from
tpcd.part,
tpcd.supplier,
tpcd.lineitem,
tpcd.orders,
tpcd.customer,
tpcd.nation n1,
tpcd.nation n2,
tpcd.region
where
p_partkey = l_partkey
and s_suppkey = l_suppkey
and l_orderkey = o_orderkey
and o_custkey = c_custkey
and c_nationkey = n1.n_nationkey
and n1.n_regionkey = r_regionkey
and r_name = 'AMERICA'
and s_nationkey = n2.n_nationkey
and o_orderdate between date('1995-01-01') and date('1996-12-31')
and p_type = 'ECONOMY ANODIZED STEEL'
) as all_nations
group by
o_year
order by
o_year

```

O_YEAR	MKT_SHARE
1995	0.034
1996	0.041

Number of rows retrieved is: 2

Stop timestamp 07/30/03 14:26:50.734
Query Time = 10.8 secs

Query 9

Start timestamp 07/30/03 14:26:03.609

-- Query 09 - Var_0 Rev_01 - Product Type Profit Measure Query

Tag: Q9 Stream: -1 Sequence number: 3

```

select
nation,
o_year,
sum(amount) as sum_profit
from
(
select
n_name as nation,
year(o_orderdate) as o_year,
l_extendedprice * (1 - l_discount) - ps_supplycost * l_quantity as
amount
from
tpcd.part,
tpcd.supplier,
tpcd.lineitem,
tpcd.partsupp,
tpcd.orders,
tpcd.nation
where
s_suppkey = l_suppkey
and ps_suppkey = l_suppkey
and ps_partkey = l_partkey
and p_partkey = l_partkey
and o_orderkey = l_orderkey
and s_nationkey = n_nationkey
and p_name like '%green%'
) as profit
group by
nation,
o_year
order by
nation,
o_year desc

```

NATION	O_YEAR	SUM_PROFIT
ALGERIA	1998	31342867.235
ALGERIA	1997	57138193.023
ALGERIA	1996	56140140.133
ALGERIA	1995	53051469.653
ALGERIA	1994	53867582.129
ALGERIA	1993	54942718.132
ALGERIA	1992	54628034.713
ARGENTINA	1998	30211185.708

ARGENTINA	1997	50805741.752	INDONESIA	1992	51776605.032
ARGENTINA	1996	51923746.576	IRAN	1998	29065736.238
ARGENTINA	1995	49298625.767	IRAN	1997	50042063.055
ARGENTINA	1994	50835610.109	IRAN	1996	50926653.188
ARGENTINA	1993	51646079.178	IRAN	1995	51249667.648
ARGENTINA	1992	50410314.995	IRAN	1994	50337085.865
BRAZIL	1998	27217924.383	IRAN	1993	51730763.490
BRAZIL	1997	48378669.199	IRAN	1992	49955856.563
BRAZIL	1996	50482870.357	IRAQ	1998	31624551.002
BRAZIL	1995	47623383.635	IRAQ	1997	55121749.019
BRAZIL	1994	47840165.726	IRAQ	1996	55897663.794
BRAZIL	1993	49054694.035	IRAQ	1995	54815472.517
BRAZIL	1992	48667639.084	IRAQ	1994	54408516.127
CANADA	1998	30379833.769	IRAQ	1993	53633167.977
CANADA	1997	50465052.311	IRAQ	1992	55891939.340
CANADA	1996	52560501.390	JAPAN	1998	27934179.669
CANADA	1995	52375332.809	JAPAN	1997	44517162.546
CANADA	1994	52600364.659	JAPAN	1996	42545606.120
CANADA	1993	52644504.074	JAPAN	1995	43749356.400
CANADA	1992	53932871.697	JAPAN	1994	44840243.070
CHINA	1998	31075466.165	JAPAN	1993	44660015.533
CHINA	1997	50551874.450	JAPAN	1992	45410249.122
CHINA	1996	51039293.875	JORDAN	1998	26901488.578
CHINA	1995	49287534.617	JORDAN	1997	45471878.410
CHINA	1994	50851090.067	JORDAN	1996	46794325.792
CHINA	1993	54229629.833	JORDAN	1995	45178828.576
CHINA	1992	52400529.372	JORDAN	1994	45333636.508
EGYPT	1998	29054433.386	JORDAN	1993	47971496.098
EGYPT	1997	50627611.452	JORDAN	1992	44717239.177
EGYPT	1996	49542212.845	KENYA	1998	28597614.337
EGYPT	1995	48311550.321	KENYA	1997	47949733.727
EGYPT	1994	49790644.736	KENYA	1996	46886924.623
EGYPT	1993	48904292.969	KENYA	1995	46072338.755
EGYPT	1992	49434932.619	KENYA	1994	45772061.171
ETHIOPIA	1998	28040717.267	KENYA	1993	46308728.235
ETHIOPIA	1997	47455009.866	KENYA	1992	47257780.841
ETHIOPIA	1996	46491097.573	MOROCCO	1998	26732115.580
ETHIOPIA	1995	46804449.301	MOROCCO	1997	45637304.250
ETHIOPIA	1994	48516143.917	MOROCCO	1996	45558221.745
ETHIOPIA	1993	46551891.563	MOROCCO	1995	47851318.887
ETHIOPIA	1992	44934648.643	MOROCCO	1994	46272172.945
FRANCE	1998	32226407.839	MOROCCO	1993	46764326.182
FRANCE	1997	47121485.860	MOROCCO	1992	48122783.583
FRANCE	1996	47263135.496	MOZAMBIQUE	1998	30712392.011
FRANCE	1995	47275997.571	MOZAMBIQUE	1997	50316528.762
FRANCE	1994	47067209.332	MOZAMBIQUE	1996	51640320.251
FRANCE	1993	51163370.106	MOZAMBIQUE	1995	50693774.506
FRANCE	1992	47846235.331	MOZAMBIQUE	1994	49253277.626
GERMANY	1998	28624942.660	MOZAMBIQUE	1993	49153016.537
GERMANY	1997	49309074.877	MOZAMBIQUE	1992	48247551.850
GERMANY	1996	49918683.168	PERU	1998	29326102.320
GERMANY	1995	52650718.724	PERU	1997	49753780.395
GERMANY	1994	50346900.423	PERU	1996	50935170.293
GERMANY	1993	50991895.806	PERU	1995	53309883.407
GERMANY	1992	48274126.099	PERU	1994	50643531.797
INDIA	1998	29943144.354	PERU	1993	51584622.002
INDIA	1997	50665453.231	PERU	1992	47523899.055
INDIA	1996	50283092.291	ROMANIA	1998	30368667.400
INDIA	1995	50006774.645	ROMANIA	1997	50365683.853
INDIA	1994	48995190.756	ROMANIA	1996	49598999.015
INDIA	1993	50286902.853	ROMANIA	1995	47537642.870
INDIA	1992	50850329.402	ROMANIA	1994	51455283.009
INDONESIA	1998	27672339.997	ROMANIA	1993	50407136.892
INDONESIA	1997	50512145.726	ROMANIA	1992	48185385.129
INDONESIA	1996	51653060.117	RUSSIA	1998	28322384.027
INDONESIA	1995	51508779.594	RUSSIA	1997	50106685.182
INDONESIA	1994	52817950.322	RUSSIA	1996	51753342.430
INDONESIA	1993	47959994.955	RUSSIA	1995	49215820.365

RUSSIA	1994	52205666.441
RUSSIA	1993	51860230.034
RUSSIA	1992	53251677.153
SAUDI ARABIA	1998	31541259.810
SAUDI ARABIA	1997	52438750.808
SAUDI ARABIA	1996	52543737.820
SAUDI ARABIA	1995	52938696.533
SAUDI ARABIA	1994	51389601.967
SAUDI ARABIA	1993	52937508.882
SAUDI ARABIA	1992	54843459.641
UNITED KINGDOM	1998	28494874.004
UNITED KINGDOM	1997	49381810.899
UNITED KINGDOM	1996	51386853.960
UNITED KINGDOM	1995	51509586.788
UNITED KINGDOM	1994	48086499.711
UNITED KINGDOM	1993	49166827.224
UNITED KINGDOM	1992	49349122.082
UNITED STATES	1998	25126238.946
UNITED STATES	1997	50077306.419
UNITED STATES	1996	48048649.470
UNITED STATES	1995	48809032.423
UNITED STATES	1994	49296747.183
UNITED STATES	1993	48029946.801
UNITED STATES	1992	48671944.498
VIETNAM	1998	30442736.059
VIETNAM	1997	50309179.794
VIETNAM	1996	50488161.410
VIETNAM	1995	49658284.613
VIETNAM	1994	50596057.261
VIETNAM	1993	50953919.152
VIETNAM	1992	49613838.315

Number of rows retrieved is: 175

Stop timestamp 07/30/03 14:26:15.687
Query Time = 12.1 secs

Query 10

Start timestamp 07/30/03 14:27:57.234

-- Query 10 - Var_0 Rev_01 - Returned Item Reporting Query

Tag: Q10 Stream: -1 Sequence number: 18

```

select
c_custkey,
c_name,
sum(l_extendedprice * (1 - l_discount)) as revenue,
c_acctbal,
n_name,
c_address,
c_phone,
c_comment
from
tpcd.customer,
tpcd.orders,
tpcd.lineitem,
tpcd.nation
where
c_custkey = o_custkey
and l_orderkey = o_orderkey
and o_orderdate >= date ('1993-10-01')

```

```

and o_orderdate < date ('1993-10-01') + 3 month
and l_returnflag = 'R'
and c_nationkey = n_nationkey
group by
c_custkey,
c_name,
c_acctbal,
c_phone,
n_name,
c_address,
c_comment
order by
revenue desc
fetch first 20 rows only

```

C_CUSTKEY	C_NAME	REVENUE
C_ACCTBAL	N_NAME	C_ADDRESS
C_PHONE	C_COMMENT	

```

-----
-----
-----
-----
57040 Customer#000057040 734235.245
632.870 JAPAN Eioyzi4pp
22-895-641-3466 requests sleep blithely about the furiously i

143347 Customer#000143347 721002.695
2557.470 EGYPT laReFYv,Kw4
14-742-935-3718 fluffily bold excuses haggle finally after the u

60838 Customer#000060838 679127.308
2454.770 BRAZIL
64EaJ5vMAHWJIBOXJklpNc2RjiWE 12-913-494-9813
furiously even pinto beans integrate under the ruthless foxes; ironic,
even dolphins across the slyl
101998 Customer#000101998 637029.567
3790.890 UNITED KINGDOM 01c9CILnNtfOQYmZj
33-593-865-6378 accounts doze blithely! enticing, final
deposits sleep blithely special accounts. slyly express accounts pla

125341 Customer#000125341 633508.086
4983.510 GERMANY S29ODD6bceU8QSuEJznkNaK
17-582-695-5962 quickly express requests wake quickly
blithely
25501 Customer#000025501 620269.785
7725.040 ETHIOPIA
W556MXuoiaYCCZamJI,Rn0B4ACUGdkQ8DZ
15-874-808-6793 quickly special requests sleep evenly among the
special deposits. special deposi
115831 Customer#000115831 596423.867
5098.100 FRANCE rFeBbEEyk dl
ne7zV5fDrmiql0K09wV7pxqCglc 16-715-386-3788 carefully bold
excuses sleep alongside of the thinly idle

84223 Customer#000084223 594998.024
528.650 UNITED KINGDOM nAVZCs6BaWap rrM27N
2qBnzc5WBauxbA 33-442-824-8191 pending, final ideas haggle
final requests. unusual, regular asymptotes affix according to the even
foxes.
54289 Customer#000054289 585603.392
5583.020 IRAN vXCxoCsU0Bad5JQI ,oobkZ
20-834-292-4707 express requests sublate blithely regular requests.
regular, even ideas solve.
39922 Customer#000039922 584878.113
7321.110 GERMANY
Zgy4s50l2GKN4pLDPBU8m342glw6R 17-147-757-8036

```

even pinto beans haggle. slyly bold accounts inte

```
6226 Customer#000006226          576783.761
2230.090 UNITED KINGDOM
8gPu8,NPGkfyQQ0hcIYUGPIBWc,ybP5g, 33-657-701-3391
quickly final requests against the regular instructions wake blithely
final instructions. pa
922 Customer#000000922          576767.533
3869.250 GERMANY
Az9RFaut7NkPnc5zSD2PwHgVwr4jRzq 17-945-916-9648
boldly final requests cajole blith

147946 Customer#000147946          576455.132
2030.130 ALGERIA iANyZHjqhy7Ajah0pTrYyhJ
10-886-956-3143 furiously even accounts are blithely above the
furiousl
115640 Customer#000115640          569341.193
6436.100 ARGENTINA Vtgfia9qI 7EpHgecU1X
11-411-543-4901 final instructions are slyly according to the

73606 Customer#000073606          568656.858
1785.670 JAPAN xuR0Tro5yChDfOCrjkd2ol
22-437-653-6966 furiously bold orbits about the furiously busy
requests wake across the furiously quiet theodolites. d
110246 Customer#000110246          566842.981
7763.350 VIETNAM 7KzflgX MDOq7sOkI
31-943-426-9837 dolphins sleep blithely among the slyly final

142549 Customer#000142549          563537.237
5085.990 INDONESIA
ChqEoK43OysjdHbtKCp6dKqjNyvv9 19-955-562-2398
regular, unusual dependencies boost slyly; ironic attainments nag
fluffily into the unusual packages?
146149 Customer#000146149          557254.986
1791.550 ROMANIA s87fvzFQpU
29-744-164-6487 silent, unusual requests detect quickly slyly regul

52528 Customer#000052528          556397.351
551.790 ARGENTINA NFztyTOR10UOJ
11-208-192-3205 unusual requests detect. slyly dogged theodolites
use slyly. deposit
23431 Customer#000023431          554269.536
3381.860 ROMANIA HgiV0phqhala9aydNollb
29-915-458-2654 instructions nag quickly. furiously bold accounts
cajol
```

Number of rows retrieved is: 20

Stop timestamp 07/30/03 14:28:05.484
Query Time = 8.3 secs

Query 11

Start timestamp 07/30/03 14:27:45.390

-- Query 11 - Var_0 Rev_01 - Important Stock Identification Query

Tag: Q11 Stream: -1 Sequence number: 15

```
select
ps_partkey,
sum(ps_supplycost * ps_availqty) as value
from
```

```
tpcd.partsupp,
tpcd.supplier,
tpcd.nation
where
ps_suppkey = s_suppkey
and s_nationkey = n_nationkey
and n_name = 'GERMANY'
group by
ps_partkey having
sum(ps_supplycost * ps_availqty) > (
select
sum(ps_supplycost * ps_availqty) * 0.0001000000
from
tpcd.partsupp,
tpcd.supplier,
tpcd.nation
where
ps_suppkey = s_suppkey
and s_nationkey = n_nationkey
and n_name = 'GERMANY'
)
order by
value desc
```

PS_PARTKEY	VALUE
129760	17538456.860
166726	16503353.920
191287	16474801.970
161758	16101755.540
34452	15983844.720
139035	15907078.340
9403	15451755.620
154358	15212937.880
38823	15064802.860
85606	15053957.150
33354	14408297.400
154747	14407580.680
82865	14235489.780
76094	14094247.040
222	13937777.740
121271	13908336.000
55221	13716120.470
22819	13666434.280
76281	13646853.680
85298	13581154.930
85158	13554904.000
139684	13535538.720
31034	13498025.250
87305	13482847.040
10181	13445148.750
62323	13411824.300
26489	13377256.380
96493	13339057.830
56548	13329014.970

...

71518	7932261.690
72922	7930400.640
146699	7929167.400
92387	7928972.670
186289	7928786.190
95952	7927972.780


```

196514      7927180.700
4403        7925729.040
2267        7925649.370
45924       7925047.680
11493       7916722.230
104478      7916253.600
166794      7913842.000
161995      7910874.270
23538       7909752.060
41093       7909579.920
112073      7908617.570
92814       7908262.500
88919       7907992.500
79753       7907933.880
108765      7905338.980
146530      7905336.600
71475       7903367.580
36289       7901946.500
61739       7900794.000
52338       7898638.080
194299      7898421.240
105235      7897829.940
77207       7897752.720
96712       7897575.270
10157       7897046.250
171154      7896814.500
79373       7896186.000
113808      7893353.880
27901       7892952.000
128820      7892882.720
25891       7890511.200
122819      7888881.020
154731      7888301.330
101674      7879324.600
51968       7879102.210
72073       7877736.110
5182        7874521.730

```

Number of rows retrieved is: 1048

Stop timestamp 07/30/03 14:27:46.140
Query Time = 0.8 secs

Query 12

Start timestamp 07/30/03 14:28:32.109

-- Query 12 - Var_0 Rev_02 - Shipping Modes and Order Priority Query

Tag: Q12 Stream: -1 Sequence number: 22

```

select
l_shipmode,
sum(case
when o_orderpriority = '1-URGENT'
or o_orderpriority = '2-HIGH'
then 1
else 0
end) as high_line_count,
sum(case
when o_orderpriority <> '1-URGENT'

```

```

and o_orderpriority <> '2-HIGH'
then 1
else 0
end) as low_line_count
from
tpcd.orders,
tpcd.lineitem
where
o_orderkey = l_orderkey
and l_shipmode in ('MAIL', 'SHIP')
and l_commitdate < l_receiptdate
and l_shipdate < l_commitdate
and l_receiptdate >= date ('1994-01-01')
and l_receiptdate < date ('1994-01-01') + 1 year
group by
l_shipmode
order by
l_shipmode

```

L_SHIPMODE	HIGH_LINE_COUNT	LOW_LINE_COUNT
MAIL	6202	9324
SHIP	6200	9262

Number of rows retrieved is: 2

Stop timestamp 07/30/03 14:28:41.156
Query Time = 9.0 secs

Query 13

Start timestamp 07/30/03 14:27:18.031

-- Query 13 - Var_0 Rev_01 - Customer Distribution Query

Tag: Q13 Stream: -1 Sequence number: 10

```

select
c_count,
count(*) as custdist
from
(
select
c_custkey,
count(o_orderkey)
from
tpcd.customer left outer join tpcd.orders on
c_custkey = o_custkey
and o_comment not like '%special%requests%'
group by
c_custkey
) as c_orders (c_custkey, c_count)
group by
c_count
order by
custdist desc,
c_count desc

```

C_COUNT	CUSTDIST
0	50004
9	6641
10	6566

```

11      6058
8       5949
12      5553
13      4989
19      4748
7       4707
18      4625
15      4552
17      4530
14      4484
20      4461
16      4323
21      4217
22      3730
6       3334
23      3129
24      2622
25      2079
5       1972
26      1593
27      1185
4       1033
28      869
29      559
3       398
30      373
31      235
2       144
32      128
33      71
34      48
35      33
1       23
36      17
37      7
40      4
38      4
39      2
41      1

```

Number of rows retrieved is: 42

Stop timestamp 07/30/03 14:27:21.546
Query Time = 3.5 secs

Query 14

Start timestamp 07/30/03 14:26:01.578

--#SET ROWS_OUT -1 ROWS_FETCH -1

-- Query 14 - Var_0 Rev_01 - Promotion Effect Query

Tag: Q14 Stream: -1 Sequence number: 1

```

select
100.00 * sum(case
when p_type like 'PROMO%'
then l_extendedprice * (1 - l_discount)
else 0
end) / sum(l_extendedprice * (1 - l_discount)) as promo_revenue
from
tpcd.lineitem,
tpcd.part

```

```

where
l_partkey = p_partkey
and l_shipdate >= date ('1995-09-01')
and l_shipdate < date ('1995-09-01') + 1 month

```

PROMO_REVENUE

16.381

Number of rows retrieved is: 1

Stop timestamp 07/30/03 14:26:02.890
Query Time = 1.3 secs

Query 15a

Start timestamp 07/30/03 14:27:46.140

-- Query 15 - Var_a Rev_01 - Top Supplier Query

Tag: Q15a Stream: -1 Sequence number: 16

```

with revenue (supplier_no, total_revenue) as (
select
l_suppkey,
sum(l_extendedprice * (1-l_discount))
from
tpcd.lineitem
where
l_shipdate >= date ('1996-01-01')
and l_shipdate < date ('1996-01-01') + 3 month
group by
l_suppkey
)
select
s_suppkey,
s_name,
s_address,
s_phone,
total_revenue
from
tpcd.supplier,
revenue
where
s_suppkey = supplier_no
and total_revenue = (
select
max(total_revenue)
from
revenue
)
order by
s_suppkey

```

```

S_SUPPKEY S_NAME S_ADDRESS
S_PHONE TOTAL_REVENUE
-----
8449 Supplier#000008449 Wp34zim9qYFbVctdW
20-469-856-8873 1772627.209

```

Number of rows retrieved is: 1

Stop timestamp 07/30/03 14:27:46.812
Query Time = 0.7 secs

Query 16

Start timestamp 07/30/03 14:27:35.031

-- Query 16 - Var_0 Rev_01 - Parts/Supplier Relationship Query

Tag: Q16 Stream: -1 Sequence number: 13

```
select
p_brand,
p_type,
p_size,
count(distinct ps_suppkey) as supplier_cnt
from
tpcd.partsupp,
tpcd.part
where
p_partkey = ps_partkey
and p_brand <> 'Brand#45'
and p_type not like 'MEDIUM POLISHED%'
and p_size in (49, 14, 23, 45, 19, 3, 36, 9)
and ps_suppkey not in (
select
s_suppkey
from
tpcd.supplier
where
s_comment like '%Customer%Complaints%'
)
group by
p_brand,
p_type,
p_size
order by
supplier_cnt desc,
p_brand,
p_type,
p_size
```

P_BRAND	P_TYPE	P_SIZE	SUPPLIER_CNT
Brand#41	MEDIUM BRUSHED TIN	3	28
Brand#54	STANDARD BRUSHED COPPER	14	27
Brand#11	STANDARD BRUSHED TIN	23	24
Brand#11	STANDARD BURNISHED BRASS	36	24
Brand#15	MEDIUM ANODIZED NICKEL	3	24
Brand#15	SMALL ANODIZED BRASS	45	24
Brand#15	SMALL BURNISHED NICKEL	19	24
Brand#21	MEDIUM ANODIZED COPPER	3	24
Brand#22	SMALL BRUSHED NICKEL	3	24
Brand#22	SMALL BURNISHED BRASS	19	24
Brand#25	MEDIUM BURNISHED COPPER	36	24
Brand#31	PROMO POLISHED COPPER	36	24
Brand#33	LARGE POLISHED TIN	23	24
Brand#33	PROMO POLISHED STEEL	14	24
Brand#35	PROMO BRUSHED NICKEL	14	24
Brand#41	ECONOMY BRUSHED STEEL	9	24
Brand#41	ECONOMY POLISHED TIN	19	24
Brand#41	LARGE PLATED COPPER	36	24
Brand#42	ECONOMY PLATED BRASS	3	24

....

Brand#55	STANDARD PLATED BRASS	49	4
Brand#55	STANDARD PLATED COPPER	9	4
Brand#55	STANDARD PLATED COPPER	45	4
Brand#55	STANDARD PLATED NICKEL	3	4
Brand#55	STANDARD PLATED NICKEL	19	4
Brand#55	STANDARD PLATED NICKEL	45	4
Brand#55	STANDARD PLATED STEEL	14	4
Brand#55	STANDARD PLATED STEEL	23	4
Brand#55	STANDARD PLATED STEEL	49	4
Brand#55	STANDARD PLATED TIN	9	4
Brand#55	STANDARD PLATED TIN	14	4
Brand#55	STANDARD PLATED TIN	36	4
Brand#55	STANDARD POLISHED BRASS	3	4
Brand#55	STANDARD POLISHED BRASS	9	4
Brand#55	STANDARD POLISHED BRASS	23	4
Brand#55	STANDARD POLISHED COPPER	3	4
Brand#55	STANDARD POLISHED COPPER	23	4
Brand#55	STANDARD POLISHED COPPER	45	4
Brand#55	STANDARD POLISHED NICKEL	3	4
Brand#55	STANDARD POLISHED NICKEL	23	4
Brand#55	STANDARD POLISHED NICKEL	36	4
Brand#55	STANDARD POLISHED NICKEL	45	4
Brand#55	STANDARD POLISHED NICKEL	49	4
Brand#55	STANDARD POLISHED STEEL	14	4
Brand#55	STANDARD POLISHED STEEL	23	4
Brand#55	STANDARD POLISHED TIN	9	4
Brand#55	STANDARD POLISHED TIN	19	4
Brand#55	STANDARD POLISHED TIN	36	4
Brand#11	SMALL BRUSHED TIN	19	3
Brand#15	LARGE PLATED NICKEL	45	3
Brand#15	LARGE POLISHED NICKEL	9	3
Brand#21	PROMO BURNISHED STEEL	45	3
Brand#22	STANDARD PLATED STEEL	23	3
Brand#25	LARGE PLATED STEEL	19	3
Brand#32	STANDARD ANODIZED COPPER	23	3
Brand#33	SMALL ANODIZED BRASS	9	3
Brand#35	MEDIUM ANODIZED TIN	19	3
Brand#51	SMALL PLATED BRASS	23	3
Brand#52	MEDIUM BRUSHED BRASS	45	3
Brand#53	MEDIUM BRUSHED TIN	45	3
Brand#54	ECONOMY POLISHED BRASS	9	3
Brand#55	PROMO PLATED BRASS	19	3
Brand#55	STANDARD PLATED TIN	49	3

Number of rows retrieved is: 18314

Stop timestamp 07/30/03 14:27:36.156
Query Time = 1.1 secs

Query 17

Start timestamp 07/30/03 14:26:18.703

-- Query 17 - Var_0 Rev_01 - Small-Quantity-Order Revenue Query

Tag: Q17 Stream: -1 Sequence number: 6

```

select
sum(l_extendedprice) / 7.0 as avg_yearly
from
tpcd.lineitem,
tpcd.part
where
p_partkey = l_partkey
and p_brand = 'Brand#23'
and p_container = 'MED BOX'
and l_quantity < (
select
0.2 * avg(l_quantity)
from
tpcd.lineitem
where
l_partkey = p_partkey
)

```

```

AVG_YEARLY
-----
348406.054

```

Number of rows retrieved is: 1

Stop timestamp 07/30/03 14:26:25.671
Query Time = 7.0 secs

Query 18

Start timestamp 07/30/03 14:26:25.671

-- Query 18 - Var_0 Rev_01 - Large Volume Customer Query

Tag: Q18 Stream: -1 Sequence number: 7

```

select
c_name,
c_custkey,
o_orderkey,
o_orderdate,
o_totalprice,
sum(l_quantity)
from
tpcd.customer,
tpcd.orders,
tpcd.lineitem
where
o_orderkey in (
select
l_orderkey
from
tpcd.lineitem
group by
l_orderkey having
sum(l_quantity) > 300
)
and c_custkey = o_custkey
and o_orderkey = l_orderkey
group by
c_name,
c_custkey,

```

```

o_orderkey,
o_orderdate,
o_totalprice
order by
o_totalprice desc,
o_orderdate
fetch first 100 rows only

```

C_NAME	C_CUSTKEY	O_ORDERKEY	O_ORDERDATE	O_TOTALPRICE	6
Customer#000128120	128120	4722021	1994-04-07	544089.090	323.000
Customer#000144617	144617	3043270	1997-02-12	530604.440	317.000
Customer#000013940	13940	2232932	1997-04-13	522720.610	304.000
Customer#000066790	66790	2199712	1996-09-30	515531.820	327.000
Customer#000046435	46435	4745607	1997-07-03	508047.990	309.000
Customer#000015272	15272	3883783	1993-07-28	500241.330	302.000
Customer#000146608	146608	3342468	1994-06-12	499794.580	303.000
Customer#000096103	96103	5984582	1992-03-16	494398.790	312.000
Customer#000024341	24341	1474818	1992-11-15	491348.260	302.000
Customer#000137446	137446	5489475	1997-05-23	487763.250	311.000
Customer#000107590	107590	4267751	1994-11-04	485141.380	301.000
Customer#000050008	50008	2366755	1996-12-09	483891.260	302.000
Customer#000015619	15619	3767271	1996-08-07	480083.960	318.000
Customer#000077260	77260	1436544	1992-09-12	479499.430	307.000
Customer#000109379	109379	5746311	1996-10-10	478064.110	302.000
Customer#000054602	54602	5832321	1997-02-09	471220.080	307.000
Customer#000105995	105995	2096705	1994-07-03	469692.580	307.000
Customer#000148885	148885	2942469	1992-05-31	469630.440	313.000
Customer#000114586	114586	551136	1993-05-19	469605.590	308.000
Customer#000105260	105260	5296167	1996-09-06	469360.570	303.000
Customer#000147197	147197	1263015	1997-02-02	467149.670	320.000
Customer#000064483	64483	2745894	1996-07-04	466991.350	304.000
Customer#000136573	136573	2761378	1996-05-31	461282.730	301.000
Customer#000016384	16384	502886	1994-04-12	458378.920	312.000
Customer#000117919	117919	2869152	1996-06-20	456815.920	317.000
Customer#000012251	12251	735366	1993-11-24	455107.260	309.000
Customer#000120098	120098	1971680	1995-06-14	453451.230	308.000
Customer#000066098	66098	5007490	1992-08-07	453436.160	304.000

Customer#000117076	117076	4290656	1997-02-05
449545.850	301.000		
Customer#000129379	129379	4720454	1997-06-07
448665.790	303.000		
Customer#000126865	126865	4702759	1994-11-07
447606.650	320.000		
Customer#000088876	88876	983201	1993-12-30
446717.460	304.000		
Customer#000036619	36619	4806726	1995-01-17
446704.090	328.000		
Customer#000141823	141823	2806245	1996-12-29
446269.120	310.000		
Customer#000053029	53029	2662214	1993-08-13
446144.490	302.000		
Customer#000018188	18188	3037414	1995-01-25
443807.220	308.000		
Customer#000066533	66533	29158	1995-10-21
443576.500	305.000		
Customer#000037729	37729	4134341	1995-06-29
441082.970	309.000		
Customer#000003566	3566	2329187	1998-01-04
439803.360	304.000		
Customer#000045538	45538	4527553	1994-05-22
436275.310	305.000		
Customer#000081581	81581	4739650	1995-11-04
435405.900	305.000		
Customer#000119989	119989	1544643	1997-09-20
434568.250	320.000		
Customer#000003680	3680	3861123	1998-07-03
433525.970	301.000		
Customer#000113131	113131	967334	1995-12-15
432957.750	301.000		
Customer#000141098	141098	565574	1995-09-24
430986.690	301.000		
Customer#000093392	93392	5200102	1997-01-22
425487.510	304.000		
Customer#000015631	15631	1845057	1994-05-12
419879.590	302.000		
Customer#000112987	112987	4439686	1996-09-17
418161.490	305.000		
Customer#000012599	12599	4259524	1998-02-12
415200.610	304.000		
Customer#000105410	105410	4478371	1996-03-05
412754.510	302.000		
Customer#000149842	149842	5156581	1994-05-30
411329.350	302.000		
Customer#000010129	10129	5849444	1994-03-21
409129.850	309.000		
Customer#000069904	69904	1742403	1996-10-19
408513.000	305.000		
Customer#000017746	17746	6882	1997-04-09
408446.930	303.000		
Customer#000013072	13072	1481925	1998-03-15
399195.470	301.000		
Customer#000082441	82441	857959	1994-02-07
382579.740	305.000		
Customer#000088703	88703	2995076	1994-01-30
363812.120	302.000		

Number of rows retrieved is: 57

Stop timestamp 07/30/03 14:26:39.906
Query Time = 14.2 secs

Query 19

Start timestamp 07/30/03 14:28:05.484

-- Query 19 - Var_0 Rev_01 - Discounted Revenue Query

Tag: Q19 Stream: -1 Sequence number: 19

```
select
sum(l_extendedprice* (1 - l_discount)) as revenue
from
tpcd.lineitem,
tpcd.part
where
(
p_partkey = l_partkey
and p_brand = 'Brand#12'
and p_container in ('SM CASE', 'SM BOX', 'SM PACK', 'SM PKG')
and l_quantity >= 1 and l_quantity <= 1 + 10
and p_size between 1 and 5
and l_shipmode in ('AIR', 'AIR REG')
and l_shipinstruct = 'DELIVER IN PERSON'
)
or
(
p_partkey = l_partkey
and p_brand = 'Brand#23'
and p_container in ('MED BAG', 'MED BOX', 'MED PKG', 'MED
PKG')
and l_quantity >= 10 and l_quantity <= 10 + 10
and p_size between 1 and 10
and l_shipmode in ('AIR', 'AIR REG')
and l_shipinstruct = 'DELIVER IN PERSON'
)
or
(
p_partkey = l_partkey
and p_brand = 'Brand#34'
and p_container in ('LG CASE', 'LG BOX', 'LG PACK', 'LG PKG')
and l_quantity >= 20 and l_quantity <= 20 + 10
and p_size between 1 and 15
and l_shipmode in ('AIR', 'AIR REG')
and l_shipinstruct = 'DELIVER IN PERSON'
)
```

REVENUE

3083843.058

Number of rows retrieved is: 1

Stop timestamp 07/30/03 14:28:13.734
Query Time = 8.3 secs

Query 20

Start timestamp 07/30/03 14:26:15.687

-- Query 20 - Var_0 Rev_01 - Potential Part Promotion Query

Tag: Q20 Stream: -1 Sequence number: 4

```
select
s_name,
s_address
from
tpcd.supplier,
tpcd.nation
where
s_suppkey in (
select
ps_suppkey
from
tpcd.partsupp
where
ps_partkey in (
select
p_partkey
from
tpcd.part
where
p_name like 'forest%'
)
and ps_availqty > (
select
0.5 * sum(l_quantity)
from
tpcd.lineitem
where
l_partkey = ps_partkey
and l_suppkey = ps_suppkey
and l_shipdate >= date ('1994-01-01')
and l_shipdate < date ('1994-01-01') + 1 year
)
)
and s_nationkey = n_nationkey
and n_name = 'CANADA'
order by
s_name
```

S_NAME	S_ADDRESS
Supplier#000000020	iybAE,RmTymrZVYafZva2SH,j
Supplier#000000091	YV45D7TkfdQanOOZ7q9QxkyGUapU1oOWU6q3
Supplier#000000197	YC2Acon6kjY3zj3Fbxs2k4Vdf7X0cd2F
Supplier#000000226	83qOdU2EYRdPQAQhEtn GRZEd
Supplier#000000285	Br7e1nnt1yxrw6Impj7YdhFDjuBf
Supplier#000000378	FfbhyCxWvcPrO8ltp9
Supplier#000000402	i9Sw4DoyMhzhKXCH9By,AYSgmD
Supplier#000000530	0qwCMwobKY OcmLyfRXlagA8ukENJv,
Supplier#000000688	D
fw5ocppmZpYBBIP1718hCihLDZ5KhKX	
Supplier#000000710	f19YPvOyb
QoYwjKC,oPycpGfieBAcwKJo	
Supplier#000000736	
l6i2nMwVuovfKnuVgaSGK2rDy65DIAFLegIL7	
Supplier#000000761	
zlSLelQUj2XrvTTFnv7WAcYZGvvMTx882d4	
Supplier#000000884	bmhEShejaS
Supplier#000000887	urEaTejH5POADP2Arf
Supplier#000000935	ij98czM 2KzWe7dDT0xB8sq0UfCdvrx

Supplier#000000975	,AC e,tBpNwKb5xMUzeohxIRn,
hdZJo73gFQF8y	
Supplier#000001263	rQWr6nf8ZhB2TAiDIvo5Io
Supplier#000001399	LmrocnIMSyYOWuANx7
Supplier#000001446	lch9HMNU1R7a0LIybsUodVknk6
Supplier#000001454	TOpimgu2TVXIjhiL93h,
Supplier#000001500	wDmF5xLxtQch9ctVu,
Supplier#000001602	uKNWleafaM644
Supplier#000001626	UhxNRzUu1dtFmp0
Supplier#000001682	pXTkGxrTQVyH1Rr
Supplier#000001699	Q9C4rfJ26oijVPqqcqVXeRI
Supplier#000001700	7hMlCoflY5zLFg
Supplier#000001726	TeRY7TtTH24sEword7yAaSkjx8
Supplier#000001730	Rc8e,1Pybn r6zo0VJIEiD0UD vkh
Supplier#000001746	
qWsendlOekQG1aW4uq06uQaCm51se8lrv7 hBRd	
Supplier#000001752	Fra7outx41THYJaRThdOGiBk
Supplier#000001856	
jXcRgzYF0ah05iR8p6w5SbJLcUGyYiURPvFvUWM	
Supplier#000001931	FpJbMU2h6ZR2eBv8I9NIxF
Supplier#000001939	Nrk,JA4bfReUs
Supplier#000001990	
DSDJkCgBJzuPg1yuM,CUdLnsRliOxkkHezTCA	
Supplier#000002020	jB6r1d7MxP6co
Supplier#000002022	dwebGX7Id2pc25YvY33
Supplier#000002036	20ytTtVObjKUUI2WCB0A
Supplier#000002204	uYmlr46C06udCqanj0KiRsoTQakZsEyssL
Supplier#000002243	nSOEV3JeOU79
Supplier#000002245	
hz2qWXWVjOyKhqPYMoEwz6zFkrTaDM	
Supplier#000002282	ES21K9dxoW11ITzWCj7ekdlNwSWnv1Z
6mQ,BKkn	
Supplier#000002303	nCoWfpB6YOymbgOht7ltfklpkHl
Supplier#000002373	RzHSxOTQmElCjx1BiVA52Z
JB58rJhPRyIR	
Supplier#000002419	qydBQd14I515mVXA4fYY
Supplier#000002481	nLKHUOn2Ml9TOA06Znq9GEMcIlMO2
Supplier#000002571	JZUugz04c iJFLrIGsz9O N,W
1rVHNIReyq	
Supplier#000002585	CsPoKpw2QuTY4AV1NkWuttneIa4SN
Supplier#000002630	ZIQAvjNUY9KH5ive zm7k
ViPiDI7CCo21	
Supplier#000002719	4nnzQI2CbqREQUulsXTBVUkaP4mNS3
Supplier#000002721	HVdFAN2JHMQSpKm
Supplier#000002730	lIFxR4fzm31C6,muzJwl84z
Supplier#000002775	yDclaDaBD4ihH
Supplier#000002853	rTNAOIIXka
Supplier#000002875	6JgMi
9Qt6VmwL3Ltt1SRlKww0keLQ,RAZa	
Supplier#000002934	m,trBENywsArwg3DhB
Supplier#000002941	Naddba 8YTEKekZyP0
Supplier#000002960	
KCPCEsRGGGo6vx8TygHh60nAYf9rStQT2T	
Supplier#000002980	
B9k9yVsyaXvWktOSHezqHiAEp9id0SKzkw	
Supplier#000003062	LSQNqyY1xnOzz9zBCapy7HwOZQ
Supplier#000003087	ANwe8QsZ4rgj1HSqVz991eWQ
Supplier#000003089	s5b VCIZqMSZVa r g7LTdgc29GbTE7r1x
Supplier#000003095	HxON3jJhUi3zjt,r mTD

Supplier#000003201	E87yws6I,t0qNs4QW7UzExKiJnJDZWue	Supplier#000005283	5fxYXwXy,TQX,MqDC2hxyQ
Supplier#000003213	pxrRP4irQ1VoyfQ,dTF3	Supplier#000005300	gXG28YqpxU
Supplier#000003241	j06SU,LS9O3mwjAMOVIAneIhb	Supplier#000005386	Ub6AAfHpWLWP
		Supplier#000005426	9Dz2OVT1q sb4BK71ljQ1XjPBYRPvO
Supplier#000003275	9xO4nyJ2QJcX6vGf		
Supplier#000003288	EDdfNt7E5Uc,xLTupoIgYL4yY7ujh,	Supplier#000005484	saFdOR
		qW7AFY,3asPqiiAa11Mo22pCoN0BtPrKo	
Supplier#000003313	El2I7we,049SPrvomUm4hZwJoOhZkvLxLJXgVH	Supplier#000005505	d2sbjG43KwMPX
Supplier#000003314	jnisU8MzqO4iUB3zsPcrysMw3DDUojs4q7LD	Supplier#000005506	On f5ypzoWgB
Supplier#000003380	jPv0V,pszouuFT3YsAqIP,kxT3u,gTFiEbRt,x	Supplier#000005516	XsN99Ks9wEvcohU6jRD2MeebQF76mD8vovuY
Supplier#000003403	e3X2o ,KCG9tsHji8A XXCxiF2hZWBw	Supplier#000005536	Nzo9tGkpgbHT,EZ4D,77MYKl4ah1C
Supplier#000003421	Sh3dt9W5oeofFWovnfHrg,	Supplier#000005605	7Vj6Eil0mThqkM
Supplier#000003441	zvFJlZS,oUuShHjpcX	Supplier#000005631	14TVrjlzo2SJEBCDgpmwTlvwSqC
Supplier#000003590	sy79CMLxqb,Cbo		
Supplier#000003607	lNqFHQYjwSAkf	Supplier#000005730	5rkb0PSews HvxlL8JaD41UpnSF2cg8H1
Supplier#000003625	qY588W0Yk5iaUy1RXTgNrEKrMAjBYHcKs		
Supplier#000003656	eEYmmO2gmD JdfG32XtdgJV,db56	Supplier#000005736	2dq XTYhtYWSfp
		Supplier#000005737	dmEWcS32C3kx,d,B95 OmYn48
Supplier#000003782	iVsPZg7bk06TqNMwi0LKbLurC1zmrg	Supplier#000005797	,o,OebwRbSDmVl9n9fpWPCiqB
		UogvISR	
Supplier#000003918	meRvRCsJoAbfqd0Re4	Supplier#000005836	tx3SjPD2ZuWGFBRH,
Supplier#000003941	Pmb05mQfBMS618O7WKqZJ 9vyv	Supplier#000005875	IK,sYiGzB94hSyHy9xvSZFbVQNCZe2LXZuGbS
		Supplier#000005974	REhR5jE,ILusQXvf54SwYySgsSSVFhu
Supplier#000003994	W00LZp3NjK0		
Supplier#000004005	V723F1wCy2eA4Oglu8TjBtOVUHp	Supplier#000005989	rjFY,5kgLpBu7c
		Supplier#000006059	4m0cv8MwJ9yX2vIwI Z
Supplier#000004033	ncsAhv9Je,kFXTNjfb2	Supplier#000006065	UiI2Cy3W4Tu5sLk LuvXLRy6KihlGv
Supplier#000004140	0hL7DJyYjcHL		
Supplier#000004165	wTJ2dZNQA8P2oi99N6DT47ndHy,XKD2	Supplier#000006070	TalC5m0pDrO6DZbngfmGmqe
		Supplier#000006109	rY5gbfh3dKHnyleQUTPGCwnbe
Supplier#000004207	tF64pwiOM4IkWjN3mS,e06WuAjLx		
		Supplier#000006121	S92ycWwEzYYw4GspCBJN1WMuHhoZ
Supplier#000004236	dl,HPTmGipxYsSq9wmqkuWjst,mCeJ8O6T	Supplier#000006215	j2iEbTsl,5PWdqWZ7k1yiIb7qtiiZljDIPEo
Supplier#000004246	Xha aXQF7u4qU3LsHD		
Supplier#000004278	bBddbpbXIVp Di9	Supplier#000006217	RVN23SYT9jenUeaWGXUd
Supplier#000004343	GK3sbopqrQEkwLmVvBFCG	Supplier#000006274	S3yTZWqxTKUq g QQgcW9
		AqhCkNZsW51hHuwU	
Supplier#000004346	S3076LEOwo	Supplier#000006435	xIgE69XszYbnO4Eon7cHHO8y
Supplier#000004388	VfZ lIj,mwp4aS	Supplier#000006463	7 wkdj2EO49iotley2kmIM
Supplier#000004406	Ah0ZaLu6VwufPWUz,7kbXgYZhauEaHqGlg	ADpLSszGV3RNWj	
Supplier#000004430	yvSsKNSTL5HLXBET4luOsPNLxKzAMk	Supplier#000006493	ojV f,sNaB6Hm7r,fknDVTl63raJgAjZK
Supplier#000004522	xXtCKwsZDArxIBGDfzX2PgobGZsBg	Supplier#000006521	b9 2zjHzxR
		Supplier#000006607	3F 2e2gqD5u5B
Supplier#000004527	p pVXCnxgcklWF6A1o3OHY3qW6	Supplier#000006706	Ak4ga,ePu1QZ6C3qkrqjosaX0gxvqS9vkbe
Supplier#000004542	NJSbLJDroYG2y1r3rDiKg	Supplier#000006761	n4jhxGMqB5prD1HhpLvvrWStOLlla
Supplier#000004574	1HvGwnVueZ5CIndc		
Supplier#000004655	67NqBc4 t3PG3F8aO IsqWNq4kGaPowYL	Supplier#000006808	HGd2Xo 9nEcHJhZvXjXxWKlpApT
Supplier#000004701	6jX4u47URzIMHf	Supplier#000006858	fnlINT885vBBhsWwTGiz0o22thwGY16h
Supplier#000004711	bEzjp1QdQu ls2ERMxv0km vn6bu2zXIL1	GHJj21	
		Supplier#000006872	XIDPiA7PLXCWK6SeEclD
Supplier#000004987	UFx1upJ8MvOvgFjA8	Supplier#000006949	mLxYUJhsGcLtKe ,GFirNu183AvT
Supplier#000005000	DeX804 w0H8FrCUvahgy ilbuzBX3NK		
		Supplier#000006985	PrUUiboQpy,OtgJ01Z4BxJQUyrw9c3I
Supplier#000005100	OfvYPs3Io,wEvvLHNaLuCX	Supplier#000007072	2tRyX9M1a 4Rcm57s779F1ANG9jlpK
Supplier#000005192	JDp4rhXiDw0kf6RH		
Supplier#000005195	Woi3b2ZaicPh ZSfu1EfXhE	Supplier#000007098	G3j8g0KC4OcbAu2OVOPhRXQWMCUdjg8wgCHOExu
		Supplier#000007135	ls DoKV7V5ulfQy9V

Supplier#000007160 TqDGBULB3cTqIT6FKDvm9BS4e4v,zwYiQPb
 Supplier#000007169 tEc95D2moN9S84nd55O,dlnW
 Supplier#000007322 wr7dgte5q MAjiY0uwm3MyDkSMX1

Supplier#000007365 51xhROLvQMJO5DndtZWt
 Supplier#000007398 V8eE6oZ00OFNU,
 Supplier#000007402 4UVv58ery1rjmQSR5
 Supplier#000007448 yhhpWiJi7EJ6Q5VCaQ
 Supplier#000007477 9m9j0wfhWzCvVHxkU,PpAxwSH0h

Supplier#000007509 q8,V6LJRoHJjHcOuSG7aLTMg
 Supplier#000007561 rMcFg2530VC
 Supplier#000007789 rQ7cUcPrtudOyO3svNSkimqH6qrfWT2Sz

Supplier#000007801 69fi,U1r6enUb
 Supplier#000007818 yhhc2CQec Jrvc8zqBi83
 Supplier#000007885 u3sicch5ZpyTUpN1cJKNcAoabIWgY

Supplier#000007918 r,v9mBQ6LoEYyj1
 Supplier#000007926 ErzCF80K9Uy
 Supplier#000007957 ELwnio14ssoU1 dRyZIL OK3Vtzb
 Supplier#000007965 F7Un5IJ7p5hhj
 Supplier#000007968 DsF9UIZ2F6HXN9aErvyglkHoD582HSGZpP
 Supplier#000007998 LnASFbFYRFOo9d6d,asBvVq9Lo2P

Supplier#000008168 aOa82a8ZbKcNfDLX
 Supplier#000008231 IK7eGw Yj90sTdpsP,vqcWxLB
 Supplier#000008243 2AyePMkDqgmzVzjGTizXthFLo8h
 EiudCMxOmIIG
 Supplier#000008275 BlbNDfWg,gpXKQILN
 Supplier#000008323 75118sZmASwm
 POeheRMdj9tmpyeQ,BfCXN5BIAb
 Supplier#000008366 h778cEj14BuW9OEKlvPTWq4iwASR6EBBXN7zeS8
 Supplier#000008423 RQhKnkAhR0DAr3Ix4Q1weMMn00hNe
 Kq
 Supplier#000008480 4sSDA4ACRekINjEm5T6b
 Supplier#000008532 Uc29q4,5xVdDOF87Uzrxhr4xWS0ihEUXuh
 Supplier#000008595 MH0iB73GQ3z UW3O DbCbqmc

Supplier#000008610 SgVgP90vP452sUNTgzL9zKwXHxAzV6tV
 Supplier#000008705 aE,trRNdPx,4yinTD9O3DebDIp
 Supplier#000008742 HmPIQEzKCPEcTUL14,kKq
 Supplier#000008841 I 85Lu1sekb2xrSlzm0
 Supplier#000008895 2cH4okfaLSZTTg8sKRbbJQxkmeFu2Esj

Supplier#000008967 2kwEHyMG
 7FwozNImAUE6mH0hYtqYculJM
 Supplier#000008972 w2vF6 D5YZO3visPXsqvFLADTK

Supplier#000009032 qK,trB6Sdy4Dz1BRUFNy
 Supplier#000009147 rOAuryHxpZ9eOvx
 Supplier#000009252 F7cZaPUHwhl1 ZKyj3xmAVWC1XdP
 ue1p5m,i
 Supplier#000009278 RqYTzgxj93CLX 0mcYfCENOfD

Supplier#000009327 uoqMdf7e7Gj9dbQ53
 Supplier#000009430 igRqmmneFt
 Supplier#000009567 r4Wfx4c3xsEAjcGj71HHZByornl
 D9vrztXlv4
 Supplier#000009601 51m637bO,Rw5DnHWFUvLacRx9

Supplier#000009709 rRnCbHYgDgl9PZYnyWKVYSUW0vKg

Supplier#000009753 wLhVEcRmd7PkJF4FBnGK7Z
 Supplier#000009796 z,y4ldmr15DOvPUqYG
 Supplier#000009799 4wNjXGa4OKW1
 Supplier#000009811 E3iuyq7UnZxU7oPZle2Gu6
 Supplier#000009812 APFRMy3lCbGfGa53n5t9DxzFPQPgnjrGt32
 Supplier#000009862 rJzweWeN58
 Supplier#000009868 ROjGgx5gvtkmnUUoeyy7v
 Supplier#000009869 ucLqxzrpBTRMewGSM29t0rNTM30glTu3Xgg3mKag
 Supplier#000009899 7XdpAHzr1t,UQFZE
 Supplier#000009974 7wJ,J5DKcxSU4Kp1cQLpbcAvB5AsvKT

Number of rows retrieved is: 204

Stop timestamp 07/30/03 14:26:18.046
 Query Time = 2.4 secs

Query 21

Start timestamp 07/30/03 14:26:50.734

-- Query 21 - Var_0 Rev_01 - Suppliers Who Kept Orders Waiting
 Query

Tag: Q21 Stream: -1 Sequence number: 9

```
select
s_name,
count(*) as numwait
from
tpcd.supplier,
tpcd.lineitem l1,
tpcd.orders,
tpcd.nation
where
s_suppkey = l1.l_suppkey
and o_orderkey = l1.l_orderkey
and o_orderstatus = 'F'
and l1.l_receiptdate > l1.l_commitdate
and exists (
select
*
from
tpcd.lineitem l2
where
l2.l_orderkey = l1.l_orderkey
and l2.l_suppkey <> l1.l_suppkey
)
and not exists (
select
*
from
tpcd.lineitem l3
where
l3.l_orderkey = l1.l_orderkey
and l3.l_suppkey <> l1.l_suppkey
and l3.l_receiptdate > l3.l_commitdate
)
and s_nationkey = n_nationkey
and n_name = 'SAUDI ARABIA'
group by
```


s_name
order by
numwait desc,
s_name
fetch first 100 rows only

S_NAME NUMWAIT

Supplier#000002829	20
Supplier#000005808	18
Supplier#000000262	17
Supplier#000000496	17
Supplier#000002160	17
Supplier#000002301	17
Supplier#000002540	17
Supplier#000003063	17
Supplier#000005178	17
Supplier#000008331	17
Supplier#000002005	16
Supplier#000002095	16
Supplier#000005799	16
Supplier#000005842	16
Supplier#000006450	16
Supplier#000006939	16
Supplier#000009200	16
Supplier#000009727	16
Supplier#000000486	15
Supplier#000000565	15
Supplier#000001046	15
Supplier#000001047	15
Supplier#000001161	15
Supplier#000001336	15
Supplier#000001435	15
Supplier#000003075	15
Supplier#000003335	15
Supplier#000005649	15
Supplier#000006027	15
Supplier#000006795	15
Supplier#000006800	15
Supplier#000006824	15
Supplier#000007131	15
Supplier#000007382	15
Supplier#000008913	15
Supplier#000009787	15
Supplier#000000633	14
Supplier#000001960	14
Supplier#000002323	14
Supplier#000002490	14
Supplier#000002993	14
Supplier#000003101	14
Supplier#000004489	14
Supplier#000005435	14
Supplier#000005583	14
Supplier#000005774	14
Supplier#000007579	14
Supplier#000008180	14
Supplier#000008695	14
Supplier#000009224	14
Supplier#000000357	13
Supplier#000000436	13
Supplier#000000610	13
Supplier#000000788	13
Supplier#000000889	13
Supplier#000001062	13
Supplier#000001498	13
Supplier#000002056	13
Supplier#000002312	13
Supplier#000002344	13

Supplier#000002596	13
Supplier#000002615	13
Supplier#000002978	13
Supplier#000003048	13
Supplier#000003234	13
Supplier#000003727	13
Supplier#000003806	13
Supplier#000004472	13
Supplier#000005236	13
Supplier#000005906	13
Supplier#000006241	13
Supplier#000006326	13
Supplier#000006384	13
Supplier#000006394	13
Supplier#000006624	13
Supplier#000006629	13
Supplier#000006682	13
Supplier#000006737	13
Supplier#000006825	13
Supplier#000007021	13
Supplier#000007417	13
Supplier#000007497	13
Supplier#000007602	13
Supplier#000008134	13
Supplier#000008234	13
Supplier#000009435	13
Supplier#000009436	13
Supplier#000009564	13
Supplier#000009896	13
Supplier#000000379	12
Supplier#000000673	12
Supplier#000000762	12
Supplier#000000811	12
Supplier#000000821	12
Supplier#000001337	12
Supplier#000001916	12
Supplier#000001925	12
Supplier#000002039	12
Supplier#000002357	12
Supplier#000002483	12

Number of rows retrieved is: 100

Stop timestamp 07/30/03 14:27:18.031
Query Time = 27.3 secs

Query 22

Start timestamp 07/30/03 14:27:32.515

-- Query 22 - Var_0 Rev_01 - Global Sales Opportunity Query

Tag: Q22 Stream: -1 Sequence number: 12

```
select
  cntrycode,
  count(*) as numcust,
  sum(c_acctbal) as totacctbal
from
  (
    select
      substr(c_phone, 1, 2) as cntrycode,
```

```

c_acctbal
from
tpcd.customer
where
substr(c_phone, 1, 2) in
('13', '31', '23', '29', '30', '18', '17')
and c_acctbal > (
select
avg(c_acctbal)
from
tpcd.customer
where
c_acctbal > 0.00
and substr(c_phone, 1, 2) in
('13', '31', '23', '29', '30', '18', '17')
)
and not exists (
select
*
from
tpcd.orders
where
o_custkey = c_custkey
)
) as custsale
group by
cntrycode
order by
cntrycode

```

CNTRYCODE	NUMCUST	TOTACCTBAL
13	888	6737713.990
17	861	6460573.720
18	964	7236687.400
23	892	6701457.950
29	948	7158866.630
30	909	6808436.130
31	922	6806670.180

Number of rows retrieved is: 7

Stop timestamp 07/30/03 14:27:35.031
Query Time = 2.5 secs

First 10 Rows of the Database

SELECT * FROM TPCD.REGION FETCH FIRST 10 ROWS ONLY

R_REGIONKEY	R_NAME	R_COMMENT
-------------	--------	-----------

0 AFRICA	special Tiresias about the furiously even dolphins are furi
1 AMERICA	even, ironic theodolites according to the bold platelets wa
2 ASIA	silent, bold requests sleep slyly across the quickly sly dependencies. furiously silent instructions alongside

3 EUROPE	special, bold deposits haggle foxes. platelet
----------	---

4 MIDDLE EAST	furiously unusual packages use carefully above the unusual, exp
---------------	---

5 record(s) selected.

SELECT * FROM TPCD.NATION FETCH FIRST 10 ROWS ONLY

N_NATIONKEY	N_NAME	N_REGIONKEY	N_COMMENT
-------------	--------	-------------	-----------

0 ALGERIA	0 final accounts wake quickly. special reques
-----------	---

5 ETHIOPIA	0 fluffily ruthless requests integrate fluffily. pending ideas wake blithely acco
------------	---

14 KENYA	0 ironic requests boost. quickly pending pinto beans cajole slyly slyly even deposits. ironic packages
----------	--

15 MOROCCO	0 ideas according to the fluffily final pinto beans sleep furiously
------------	---

16 MOZAMBIQUE	0 ironic courts wake fluffily even, bold deposi
---------------	---

1 ARGENTINA	1 idly final instructions cajole stealthily. regular instructions wake carefully blithely express accounts. fluffi
-------------	--

2 BRAZIL	1 always pending pinto beans sleep sil
----------	--

3 CANADA	1 foxes among the bold requests
----------	---------------------------------

17 PERU	1 final, final accounts sleep slyly across the requests.
---------	--

24 UNITED STATES	1 blithely regular deposits serve furiously blithely regular warthogs! slyly fi
------------------	---

10 record(s) selected.

SELECT * FROM TPCD.PART FETCH FIRST 10 ROWS ONLY

P_PARTKEY	P_NAME	P_MFGR	P_BRAND	P_TYPE	P_SIZE	P_CONTAINER	P_RETAILPRICE	P_COMMENT
-----------	--------	--------	---------	--------	--------	-------------	---------------	-----------

11 chocolate turquoise sandy snow misty	Manufacturer#2	Brand#25	STANDARD BURNISHED
NICKEL	43 WRAP BOX	+9.110100000000000E+002	furiousl

37 turquoise ivory orange sandy maroon	Manufacturer#4	Brand#45	LARGE POLISHED TIN
48 JUMBO BOX	+9.370300000000000E+002	blithely regular	

43 medium khaki chocolate rosy blush
 Manufacturer#4 Brand#44 PROMO POLISHED STEEL
 5 WRAP CASE +9.4304000000000E+002 carefully iro
 47 sky firebrick red linen dim Manufacturer#4
 Brand#45 LARGE BURNISHED BRASS 14 JUMBO
 PACK +9.4704000000000E+002 bold, unusual a
 50 yellow cornflower royal blush almond
 Manufacturer#3 Brand#33 LARGE ANODIZED TIN
 25 WRAP PKG +9.5005000000000E+002 regular dinos ar
 55 antique cream pale tomato rose
 Manufacturer#2 Brand#23 ECONOMY BRUSHED COPPER
 9 MED BAG +9.5505000000000E+002 furiously
 68 bisque frosted pale puff sandy Manufacturer#1
 Brand#11 PROMO ANODIZED STEEL 10 WRAP
 BOX +9.6806000000000E+002 carefully
 76 bisque light yellow puff salmon
 Manufacturer#3 Brand#34 MEDIUM BRUSHED COPPER
 9 SM PKG +9.7607000000000E+002 final
 87 pale khaki sandy antique black
 Manufacturer#4 Brand#41 LARGE PLATED STEEL
 41 WRAP PACK +9.8708000000000E+002 slyly even instruction

89 ghost khaki lawn pale dim Manufacturer#5
 Brand#53 STANDARD BURNISHED STEEL 7 MED
 JAR +9.8908000000000E+002 quickly ironi

10 record(s) selected.

SELECT * FROM TPCD.SUPPLIER FETCH FIRST 10 ROWS
 ONLY

S_SUPPKEY S_NAME S_ADDRESS
 S_NATIONKEY S_PHONE S_ACCTBAL
 S_COMMENT

 6 Supplier#000000006 tQxuVm7s7CnK
 14 24-696-997-4969 +1.3657900000000E+003 even requests
 wake carefully! fluffily final pinto beans run slyly among t

131 Supplier#000000131
 u3mTHMgBC0yJTLufri01TuHlmgfQUXv 14
 24-293-181-3975 +1.3012000000000E+003 sometimes final
 accounts about the carefully pending requests haggle blithely about the

216 Supplier#000000216 K83M7iWDJx N Y
 14 24-182-902-2539 +6.9025400000000E+003 foxes cajole
 pains. even requests use quickly pendin

307 Supplier#000000307
 3wL9YHF1vddxzh3mwy6SSrpfmzKvwAgmXK 14
 24-499-938-5607 +2.1686500000000E+003 enticingly dogged
 packages wake. blit

492 Supplier#000000492 8wEulEYM zGvMXfDNNEw4B
 14 24-875-296-5180 +8.3680600000000E+003 slyly
 express accounts nag carefully. requests haggle slyly special Tire

508 Supplier#000000508
 F9,suuHYbe6kCRCPZaeSHSPAfbk9vOcFX8TUx 14
 24-179-400-2422 +3.8782200000000E+003 deposits believe about
 the slyly final accounts. furiously ironic theodo

588 Supplier#000000588 e3yF5zmSj y8II
 14 24-180-601-5741 +9.7600600000000E+003 quickly pending
 packages haggle fu

717 Supplier#000000717
 hhUrgvysdTFzGY4OrQShEZmMNB2L75xk 14
 24-797-880-9149 +6.7411800000000E+003 pending theodolites
 x-ray slowly among th
 807 Supplier#000000807 ClHvM1nuPUESGg35Ls
 14 24-255-894-5069 +1.0779700000000E+003 ideas sleep

fluffily accor
 1044 Supplier#000001044
 imHHzVmeNI,OwowfxLg5IJzQOROqT 14
 24-230-793-4577 +3.6548200000000E+003 pending, regular ideas
 doubt. fluffily ironic pinto beans cajole blithely

10 record(s) selected.

SELECT * FROM TPCD.PARTSUPP FETCH FIRST 10 ROWS
 ONLY

PS_PARTKEY PS_SUPPKEY PS_AVAILQTY PS_SUPPLYCOST
 PS_COMMENT

 9 10 7054 +8.4200000000000E+001 final ideas
 through the requests boost quickly about the furiously regular
 accounts. blithely silent foxes affix carefully ironic instructions.
 blithely bold foxe

9 750010 7542 +8.1184000000000E+002 carefully
 unusual dependencies cajole fluffily beyond the quickly bold

9 1500010 9583 +3.8131000000000E+002 carefully
 ironic pinto beans nag against the quickly regular somas. regular,
 ironic deposits wake

9 2250010 3063 +2.9184000000000E+002 doggedly
 ironic waters are furiously. bold dependencie

12 13 3610 +6.5973000000000E+002 unusual
 dolphins sleep slyly. ironic deposits use fluffily. carefully unusual
 platelets poach slyly. evenly pending deposits nag ironi

12 750013 7606 +3.3281000000000E+002 slyly daring
 foxes nag slyly-- carefully special foxes integrate final accounts.
 accounts sleep slyly furiously special accounts. ironic,

12 1500013 824 +3.3706000000000E+002 quickly
 special pinto beans haggle quickly above the e

12 2250013 5454 +9.0170000000000E+002 regular
 ideas sleep about the ironic pinto beans. furious

19 20 1416 +1.4480000000000E+002 silent
 packages impress fluffily slyly even theodolites. ironic deposits nag
 carefully excuses. express deposits wake slyly.

19 750020 5467 +4.0570000000000E+002 regular
 packages cajole slyly unusual packages. even deposits detect regular
 deposits. ironic, special theodolit

10 record(s) selected.

SELECT * FROM TPCD.CUSTOMER FETCH FIRST 10 ROWS
 ONLY

```

C_CUSTKEY C_NAME          C_ADDRESS
C_NATIONKEY C_PHONE      C_ACCTBAL
C_MKTSEGMENT C_COMMENT
-----
-----
-----
11 Customer#000000011    PkWS 3HIXqwTuzrKg633BEi
23 33-464-151-3439 -2.726000000000000E+002
BUILDING  furiously express packages are. regular courts play
deposits. silent, ironic packages engage. furiously regular a
87 Customer#000000087    hgGhHVSQl 6jZ6Ev
23 33-869-884-7053 +6.327540000000000E+003
FURNITURE bold, unusual excuses haggle daringly according to
the carefully express requests! theod
338 Customer#000000338
aiY AeWgI0okGSJv7OgvKqMvPLhxF3blT8josX      23
33-302-620-7535 +4.092490000000000E+003 FURNITURE
carefully final excuses are sometimes regular instructions.

364 Customer#000000364
SQ3b5Q5OtrmmZjJ87tq,o1TiXKVJQ0M7ZOuud      23
33-492-647-4972 +3.224000000000000E+001 HOUSEHOLD
quickly quiet packages according to the fluffily ironic deposits cajo

432 Customer#000000432    FDConiq g20GI9dH QTM
ZNX4OB9KU      23 33-307-912-9016
+5.715640000000000E+003 BUILDING  express, final dolphins
wake regular deposits. e
830 Customer#000000830    4fNmWCmfys1jUI
23 33-408-548-6806 +7.775650000000000E+003
AUTOMOBILE silent, ironic requests sleep along the blithely regular
instructions. final requests af
1067 Customer#000001067    g25CH,fhra
23 33-764-123-9568 +9.153840000000000E+003 FURNITURE
final, bold waters after the carefully silent ideas sleep even requests;
fluffily unusual requests across the care
12874 Customer#000012874    LK o1OAQpsLCI85vQSAG
23 33-592-120-9012 +3.521630000000000E+003
HOUSEHOLD  slyly even pinto beans mainta

13037 Customer#000013037    AjrKJRNKGDMfekT7
23 33-821-137-5031 +2.531860000000000E+003
FURNITURE finally special foxes hang blithely deposits. final
deposits nag blithely? ironic, ironic excuses sleep careful
13076 Customer#000013076    sBwsw2,aQuTuGnt
23 33-995-343-7109 +1.716500000000000E+002 BUILDING
slyly pending asymptotes above the slyly special dugouts believe
around the slyly special dugouts. furious

10 record(s) selected.

SELECT * FROM TPCD.ORDERS FETCH FIRST 10 ROWS ONLY

O_ORDERKEY O_CUSTKEY O_ORDERSTATUS
O_TOTALPRICE O_ORDERDATE O_ORDERPRIORITY
O_CLERK O_SHIPPRIORITY O_COMMENT
-----
-----
-----
59718 7424651 F +1.126491200000000E+005
01/01/1992 5-LOW Clerk#000269045 0 carefully
regular pinto beans across the even grouches dete

```

```

334181 8600005 F +9.404023000000000E+004
01/01/1992 2-HIGH Clerk#000061971 0 fluffily
pending foxes haggle carefully furiously final pinto beans. s
360261 28122308 F +1.497844000000000E+004
01/01/1992 5-LOW Clerk#000038000 0 express tithes
doze stealthily around the final requ
368004 34593859 F +9.693090000000000E+004
01/01/1992 2-HIGH Clerk#000193336 0 slyly unusual
theodolites snooze pending instructions! q
414725 10491310 F +2.650198000000000E+004
01/01/1992 5-LOW Clerk#000257604 0 sly accounts
detect along the slyly express
466659 23364406 F +1.098958700000000E+005
01/01/1992 4-NOT SPECIFIED Clerk#000132830 0 blithely
pending packages are. carefully s
470693 36896684 F +2.390489600000000E+005
01/01/1992 3-MEDIUM Clerk#000040018 0 slyly final
packages sleep fl
560930 7513952 F +2.580846200000000E+005
01/01/1992 3-MEDIUM Clerk#000005281 0 pinto beans
use carefully quickly ironic foxes! carefully ironic
646854 40350565 F +2.656612600000000E+005
01/01/1992 2-HIGH Clerk#000224020 0 furiously
express requests boost never across the slyly express pl
682656 25155628 F +1.905706200000000E+005
01/01/1992 5-LOW Clerk#000238603 0 silent ideas
doubt along the careful

10 record(s) selected.

SELECT * FROM TPCD.LINEITEM FETCH FIRST 10 ROWS
ONLY

L_ORDERKEY L_PARTKEY L_SUPPKEY L_LINENUMBER
L_QUANTITY L_EXTENDEDPRICE L_DISCOUNT
L_TAX L_RETURNFLAG L_LINESTATUS
L_SHIPDATE L_COMMITDATE L_RECEIPTDATE
L_SHIPINSTRUCT L_SHIPMODE L_COMMENT
-----
-----
-----
1054181 4865078 1865079 1
+4.500000000000000E+001 +4.692735000000000E+004
+3.000000000000000E-002 +8.000000000000000E-002 R F
01/02/1992 02/05/1992 01/15/1992 NONE MAIL
even instructions kindle furio
5018977 24611600 611601 1
+2.000000000000000E+001 +3.020740000000000E+004
+0.000000000000000E+000 +0.000000000000000E+000 A F
01/02/1992 03/19/1992 01/15/1992 NONE SHIP
quickly ironic excu
14168833 46737982 988028 3
+4.900000000000000E+001 +9.886485000000000E+004
+9.000000000000000E-002 +5.000000000000000E-002 R F
01/02/1992 02/01/1992 01/28/1992 TAKE BACK RETURN
SHIP furiously bold courts are careful
15413986 53978084 2978085 4
+1.400000000000000E+001 +1.623146000000000E+004
+5.000000000000000E-002 +5.000000000000000E-002 A F
01/02/1992 01/31/1992 01/04/1992 COLLECT COD
TRUCK final, bold dolphins
18436929 39951321 2451348 1
+5.000000000000000E+000 +6.851650000000000E+003
+0.000000000000000E+000 +7.000000000000000E-002 A F

```

```

01/02/1992 02/27/1992 01/26/1992 TAKE BACK RETURN
SHIP even, regular platelets na
19547653 37197566 1947579 1
+4.800000000000000E+001 +7.976208000000000E+004
+0.000000000000000E+000 +7.000000000000000E-002 R F
01/02/1992 02/08/1992 01/26/1992 NONE MAIL
regular accounts haggle. h
19918976 6334057 2584064 6
+3.100000000000000E+001 +3.381294000000000E+004
+5.000000000000000E-002 +6.000000000000000E-002 R F
01/02/1992 02/23/1992 01/03/1992 DELIVER IN PERSON
REG AIR carefully fluffy requests
22142214 56458378 1708433 7
+1.900000000000000E+001 +2.533745000000000E+004
+0.000000000000000E+000 +7.000000000000000E-002 R F
01/02/1992 03/17/1992 01/03/1992 NONE AIR
carefully express requests sleep
22518080 50882189 1382222 6
+3.900000000000000E+001 +4.557696000000000E+004
+5.000000000000000E-002 +7.000000000000000E-002 R F
01/02/1992 03/06/1992 01/30/1992 COLLECT COD
SHIP carefully special ideas
26601603 39300513 2550553 4
+2.000000000000000E+000 +3.023100000000000E+003
+0.000000000000000E+000 +2.000000000000000E-002 R F
01/02/1992 03/28/1992 01/08/1992 COLLECT COD
RAIL special platelets wake about the slyly fin

```

10 record(s) selected.

Query Substitution Parameters

```

"Power stream Seed = 728204135"
-- TPC TPC-H Parameter Substitution (Version 1.3.0)
-- using 728204135 as a seed to the RNG
Q1 DELTA 74
Q2 SIZE 3
TYPE BRASS
REGION AMERICA
Q3 SEGMENT FURNITURE
DATE 1995-03-09
Q4 DATE 1994-06-01
Q5 REGION MIDDLE EAST
DATE 1993-01-01
Q6 DATE 1993-01-01
DISCOUNT 0.09
QUANTITY 25
Q7 NATION1 UNITED KINGDOM
NATION2 MOROCCO
Q8 NATION MOROCCO
REGION AFRICA
TYPE ECONOMY POLISHED NICKEL
Q9 COLOR rosy
Q10 DATE 1994-04-01
Q11 NATION UNITED KINGDOM
FRACTION 0.0000003333
Q12 SHIPMODE1 REG AIR
SHIPMODE2 FOB
DATE 1996-01-01
Q13 WORD1 express
WORD2 accounts
Q14 DATE 1996-08-01
Q15 DATE 1993-07-01
Q16 BRAND Brand#41
TYPE SMALL BRUSHED
SIZE1 22
SIZE2 46
SIZE3 4

```

```

SIZE4 1
SIZE5 20
SIZE6 29
SIZE7 35
SIZE8 8
Q17 BRAND Brand#12
CONTAINER JUMBO CAN
Q18 QUANTITY 313
Q19 BRAND1 Brand#45
BRAND2 Brand#54
BRAND3 Brand#53
QUANTITY1 7
QUANTITY2 17
QUANTITY3 23
Q20 COLOUR steel
DATE 1997-01-01
NATION CHINA
Q21 NATION UNITED KINGDOM
Q22 I1 14
I2 16
I3 26
I4 21
I5 32
I6 20
I7 29

```

"Throughput Stream = 1 Seed = 728204136"
-- TPC TPC-H Parameter Substitution (Version 1.3.0)
-- using 728204136 as a seed to the RNG

```

Q1 DELTA 82
Q2 SIZE 41
TYPE NICKEL
REGION MIDDLE EAST
Q3 SEGMENT AUTOMOBILE
DATE 1995-03-26
Q4 DATE 1996-12-01
Q5 REGION AFRICA
DATE 1993-01-01
Q6 DATE 1993-01-01
DISCOUNT 0.06
QUANTITY 24
Q7 NATION1 MOROCCO
NATION2 GERMANY
Q8 NATION GERMANY
REGION EUROPE
TYPE ECONOMY BURNISHED BRASS
Q9 COLOR plum
Q10 DATE 1995-01-01
Q11 NATION IRAQ
FRACTION 0.0000003333
Q12 SHIPMODE1 SHIP
SHIPMODE2 FOB
DATE 1996-01-01
Q13 WORD1 express
WORD2 deposits
Q14 DATE 1996-11-01
Q15 DATE 1996-02-01
Q16 BRAND Brand#21
TYPE ECONOMY ANODIZED
SIZE1 27
SIZE2 34
SIZE3 4
SIZE4 6
SIZE5 47
SIZE6 16
SIZE7 35
SIZE8 41
Q17 BRAND Brand#14

```

CONTAINER WRAP CASE
 Q18 QUANTITY 314
 Q19 BRAND1 Brand#52
 BRAND2 Brand#42
 BRAND3 Brand#43
 QUANTITY1 3
 QUANTITY2 18
 QUANTITY3 30
 Q20 COLOUR frosted
 DATE 1996-01-01
 NATION INDIA
 Q21 NATION MOROCCO
 Q22 I1 18
 I2 27
 I3 20
 I4 15
 I5 17
 I6 16
 I7 12

"Throughput Stream = 2 Seed = 728204137"
 -- TPC TPC-H Parameter Substitution (Version 1.3.0)
 -- using 728204137 as a seed to the RNG

Q1 DELTA 90
 Q2 SIZE 29
 TYPE TIN
 REGION AMERICA
 Q3 SEGMENT FURNITURE
 DATE 1995-03-11
 Q4 DATE 1994-09-01
 Q5 REGION AMERICA
 DATE 1993-01-01
 Q6 DATE 1993-01-01
 DISCOUNT 0.04
 QUANTITY 25
 Q7 NATION1 GERMANY
 NATION2 UNITED STATES
 Q8 NATION UNITED STATES
 REGION AMERICA
 TYPE LARGE BRUSHED BRASS
 Q9 COLOR orchid
 Q10 DATE 1993-11-01
 Q11 NATION UNITED STATES
 FRACTION 0.0000003333
 Q12 SHIPMODE1 FOB
 SHIPMODE2 SHIP
 DATE 1997-01-01
 Q13 WORD1 express
 WORD2 deposits
 Q14 DATE 1997-02-01
 Q15 DATE 1993-11-01
 Q16 BRAND Brand#11
 TYPE STANDARD PLATED
 SIZE1 28
 SIZE2 6
 SIZE3 16
 SIZE4 29
 SIZE5 34
 SIZE6 14
 SIZE7 38
 SIZE8 18
 Q17 BRAND Brand#11
 CONTAINER WRAP JAR
 Q18 QUANTITY 312
 Q19 BRAND1 Brand#54
 BRAND2 Brand#25
 BRAND3 Brand#42
 QUANTITY1 8

QUANTITY2 19
 QUANTITY3 26
 Q20 COLOUR purple
 DATE 1994-01-01
 NATION UNITED KINGDOM
 Q21 NATION GERMANY
 Q22 I1 33
 I2 12
 I3 16
 I4 15
 I5 32
 I6 29
 I7 21

"Throughput Stream = 3 Seed = 728204138"
 -- TPC TPC-H Parameter Substitution (Version 1.3.0)
 -- using 728204138 as a seed to the RNG

Q1 DELTA 98
 Q2 SIZE 16
 TYPE COPPER
 REGION MIDDLE EAST
 Q3 SEGMENT MACHINERY
 DATE 1995-03-28
 Q4 DATE 1997-04-01
 Q5 REGION ASIA
 DATE 1993-01-01
 Q6 DATE 1993-01-01
 DISCOUNT 0.09
 QUANTITY 25
 Q7 NATION1 UNITED STATES
 NATION2 MOZAMBIQUE
 Q8 NATION MOZAMBIQUE
 REGION AFRICA
 TYPE LARGE PLATED BRASS
 Q9 COLOR misty
 Q10 DATE 1994-08-01
 Q11 NATION JAPAN
 FRACTION 0.0000003333
 Q12 SHIPMODE1 MAIL
 SHIPMODE2 SHIP
 DATE 1997-01-01
 Q13 WORD1 express
 WORD2 deposits
 Q14 DATE 1997-05-01
 Q15 DATE 1996-05-01
 Q16 BRAND Brand#41
 TYPE MEDIUM POLISHED
 SIZE1 32
 SIZE2 8
 SIZE3 20
 SIZE4 10
 SIZE5 41
 SIZE6 4
 SIZE7 33
 SIZE8 3
 Q17 BRAND Brand#13
 CONTAINER WRAP CAN
 Q18 QUANTITY 313
 Q19 BRAND1 Brand#51
 BRAND2 Brand#13
 BRAND3 Brand#41
 QUANTITY1 3
 QUANTITY2 10
 QUANTITY3 22
 Q20 COLOUR chiffon
 DATE 1993-01-01
 NATION JAPAN
 Q21 NATION ALGERIA

Q22 I1 17
 I2 18
 I3 11
 I4 16
 I5 22
 I6 30
 I7 10

"Throughput Stream = 4 Seed = 728204139"
 -- TPC TPC-H Parameter Substitution (Version 1.3.0)
 -- using 728204139 as a seed to the RNG

Q1 DELTA 106
 Q2 SIZE 4
 TYPE BRASS
 REGION ASIA
 Q3 SEGMENT FURNITURE
 DATE 1995-03-13
 Q4 DATE 1995-01-01
 Q5 REGION EUROPE
 DATE 1994-01-01
 Q6 DATE 1994-01-01
 DISCOUNT 0.07
 QUANTITY 24
 Q7 NATION1 MOZAMBIQUE
 NATION2 INDIA
 Q8 NATION INDIA
 REGION ASIA
 TYPE LARGE ANODIZED BRASS
 Q9 COLOR magenta
 Q10 DATE 1993-05-01
 Q11 NATION ALGERIA
 FRACTION 0.0000003333
 Q12 SHIPMODE1 RAIL
 SHIPMODE2 SHIP
 DATE 1997-01-01
 Q13 WORD1 express
 WORD2 deposits
 Q14 DATE 1997-09-01
 Q15 DATE 1994-02-01
 Q16 BRAND Brand#21
 TYPE PROMO ANODIZED
 SIZE1 34
 SIZE2 15
 SIZE3 28
 SIZE4 6
 SIZE5 8
 SIZE6 11
 SIZE7 40
 SIZE8 21
 Q17 BRAND Brand#15
 CONTAINER SM CASE
 Q18 QUANTITY 315
 Q19 BRAND1 Brand#13
 BRAND2 Brand#41
 BRAND3 Brand#35
 QUANTITY1 8
 QUANTITY2 11
 QUANTITY3 30
 Q20 COLOUR mint
 DATE 1996-01-01
 NATION BRAZIL
 Q21 NATION PERU
 Q22 I1 11
 I2 28
 I3 17
 I4 27
 I5 31
 I6 19

17 20

"Throughput Stream = 5 Seed = 728204140"
 -- TPC TPC-H Parameter Substitution (Version 1.3.0)
 -- using 728204140 as a seed to the RNG

Q1 DELTA 114
 Q2 SIZE 42
 TYPE NICKEL
 REGION MIDDLE EAST
 Q3 SEGMENT MACHINERY
 DATE 1995-03-30
 Q4 DATE 1997-08-01
 Q5 REGION MIDDLE EAST
 DATE 1994-01-01
 Q6 DATE 1994-01-01
 DISCOUNT 0.04
 QUANTITY 24
 Q7 NATION1 INDIA
 NATION2 ALGERIA
 Q8 NATION ALGERIA
 REGION AFRICA
 TYPE MEDIUM POLISHED BRASS
 Q9 COLOR lavender
 Q10 DATE 1994-02-01
 Q11 NATION JORDAN
 FRACTION 0.0000003333
 Q12 SHIPMODE1 AIR
 SHIPMODE2 REG AIR
 DATE 1997-01-01
 Q13 WORD1 special
 WORD2 deposits
 Q14 DATE 1997-12-01
 Q15 DATE 1996-09-01
 Q16 BRAND Brand#11
 TYPE SMALL BURNISHED
 SIZE1 5
 SIZE2 50
 SIZE3 30
 SIZE4 12
 SIZE5 1
 SIZE6 42
 SIZE7 17
 SIZE8 10
 Q17 BRAND Brand#12
 CONTAINER SM JAR
 Q18 QUANTITY 312
 Q19 BRAND1 Brand#15
 BRAND2 Brand#24
 BRAND3 Brand#34
 QUANTITY1 4
 QUANTITY2 12
 QUANTITY3 26
 Q20 COLOUR yellow
 DATE 1994-01-01
 NATION PERU
 Q21 NATION INDONESIA
 Q22 I1 27
 I2 26
 I3 29
 I4 18
 I5 12
 I6 13
 I7 15
 "Throughput Stream = 6 Seed = 728204141"
 -- TPC TPC-H Parameter Substitution (Version 1.3.0)
 -- using 728204141 as a seed to the RNG
 Q1 DELTA 61

Q2 SIZE 30
 TYPE TIN
 REGION ASIA
 Q3 SEGMENT BUILDING
 DATE 1995-03-15
 Q4 DATE 1995-05-01
 Q5 REGION AFRICA
 DATE 1994-01-01
 Q6 DATE 1994-01-01
 DISCOUNT 0.02
 QUANTITY 25
 Q7 NATION1 ALGERIA
 NATION2 PERU
 Q8 NATION PERU
 REGION AMERICA
 TYPE MEDIUM BURNISHED STEEL
 Q9 COLOR honeydew
 Q10 DATE 1994-11-01
 Q11 NATION ARGENTINA
 FRACTION 0.0000003333
 Q12 SHIPMODE1 REG AIR
 SHIPMODE2 AIR
 DATE 1996-01-01
 Q13 WORD1 special
 WORD2 packages
 Q14 DATE 1993-03-01
 Q15 DATE 1994-05-01
 Q16 BRAND Brand#41
 TYPE LARGE POLISHED
 SIZE1 42
 SIZE2 5
 SIZE3 4
 SIZE4 29
 SIZE5 30
 SIZE6 1
 SIZE7 43
 SIZE8 14
 Q17 BRAND Brand#14
 CONTAINER SM CAN
 Q18 QUANTITY 314
 Q19 BRAND1 Brand#13
 BRAND2 Brand#12
 BRAND3 Brand#24
 QUANTITY1 9
 QUANTITY2 13
 QUANTITY3 22
 Q20 COLOUR indian
 DATE 1993-01-01
 NATION GERMANY
 Q21 NATION ARGENTINA
 Q22 I1 12
 I2 23
 I3 26
 I4 31
 I5 11
 I6 15
 I7 10

Appendix D: Driver Source Code

doufload_v8.bat

REM Takes UfType and update_pair as parameters.
set RAHSLEEPTIME=999999

d:
cd \tpch\tools
perl load_UF%1_data_v8 %2
cd \tpch\ddl

load_UF1_data_V8

```
: # -*-Perl-*-  
eval 'exec perl5 -S $0 ${1+"$@"}' # Horrible kludge to convert this  
if 0;                               # into a "portable" perl script  
  
# usage perl loadUFD [update pair number]  
  
push(@INC, split(':', $ENV{'PATH'}));  
  
# Get TPC-D specific environment variables  
require 'getvars';  
  
# Use the macros in here so that they can handle the platform  
differences.  
# macro.pl should be sourced from cmvc, other people wrote and  
maintain it.  
require "macro.pl";  
  
# Make output unbuffered.  
select(STDOUT);  
$| = 1 ;  
  
if (length($ENV{"TPCD_AUDIT_DIR"}) <= 0)  
{  
    die "TPCD_AUDIT_DIR environment variable not set\n";  
}  
if (length($ENV{"TPCD_DBNAME"}) <= 0)  
{  
    die "TPCD_DBNAME environment variable not set\n";  
}  
if (length($ENV{"TPCD_SF"}) <= 0)  
{  
    die "TPCD_SF environment variable not set\n";  
}  
if (length($ENV{"TPCD_PLATFORM"}) <= 0)  
{  
    die "TPCD_PLATFORM environment variable not set\n";  
}  
if (length($ENV{"TPCD_PATH_DELIM"}) <= 0)  
{  
    die "TPCD_PATH_DELIM environment variable not set\n";  
}  
if (length($ENV{"TPCD_PRODUCT"}) <= 0)  
{  
    die "TPCD_PRODUCT environment variable not set\n";  
}  
if (length($ENV{"TPCD_AUDIT"}) <= 0)  
{  
    die "Must set TPCD_AUDIT env't var. Real audit timing sequence  
run if yes\n";  
}  
if (length($ENV{"TPCD_PHYS_NODE"}) <= 0)  
{
```

```
    die "TPCD_PHYS_NODE env't var not set\n";  
}  
  
#set up local variables  
$auditDir=$ENV{"TPCD_AUDIT_DIR"};  
$dbname=$ENV{"TPCD_DBNAME"};  
$sf=$ENV{"TPCD_SF"};  
$platform=$ENV{"TPCD_PLATFORM"};  
$delim=$ENV{"TPCD_PATH_DELIM"};  
$gatherstats=$ENV{"TPCD_GATHER_STATS"};  
$product=$ENV{"TPCD_PRODUCT"};  
$RealAudit=$ENV{"TPCD_AUDIT"};  
$inlistmax=$ENV{"TPCD_INLISTMAX"};  
$pn=$ENV{"TPCD_PHYS_NODE"};  
$flatfilepath=$ENV{"TPCD_FLATFILES"};  
$coldel="|";  
$dblquote="";  
  
$PairNum=$ARGV[0];  
  
system("db2 connect to tpcd\n");  
print "Beginning ....Preload of Update Function Data. Orders \n";  
$str="db2 \" load from ";  
$str="$str$flatfilepath${delim}lineitem.tbl.new.u" ;  
$str="$str$PairNum";  
$str="$str of del modified by coldel| fastparse messages  
\\tmp\\TPCD\\line.msg.u";  
# $str="$str$PairNum replace into TPCDTEMP.LINEITEM_NEW  
statistics no nonrecoverable CPU_PARALLELISM 8";  
# $str="$str$PairNum replace into TPCDTEMP.LINEITEM_NEW  
statistics yes nonrecoverable DATA BUFFER 16  
CPU_PARALLELISM 8 ";  
$str="$str$PairNum replace into TPCDTEMP.LINEITEM_NEW  
statistics no nonrecoverable ";  
$str="$str partitioned db config mode load_only  
partitioning_dbpartnums (0,1,2,3,4,5,6,7)";  
$str="$str part_file_location $flatfilepath \" \" ";  
  
print "$str \n";  
$ret=system($str);  
system("db2 commit\n");  
if ($ret == 0)  
{  
    print "Preload Orders updates completed successfully.\n";  
}  
else  
{  
    print "Preload Orders updates failed. ret=$ret\n";  
    exit -1;  
}  
  
print "Beginning ....Preload of Update Function Data. Lineitem \n";  
$str="db2 \" load from ";  
$str="$str$flatfilepath${delim}order.tbl.new.u" ;  
$str="$str$PairNum";  
$str="$str of del modified by coldel| fastparse messages  
\\tmp\\TPCD\\orders.msg.u";  
# $str="$str$PairNum replace into TPCDTEMP.ORDERS_NEW  
statistics no nonrecoverable DATA BUFFER 16  
CPU_PARALLELISM 8";  
# $str="$str$PairNum replace into TPCDTEMP.ORDERS_NEW  
statistics yes nonrecoverable DATA BUFFER 16  
CPU_PARALLELISM 8 ";  
$str="$str$PairNum replace into TPCDTEMP.ORDERS_NEW  
statistics no nonrecoverable ";
```

```

$Sstr="$Sstr partitioned db config mode load_only
partitioning_dbpartnums (0,1,2,3,4,5,6,7)";
$Sstr="$Sstr part_file_location $flatfilepath \" \" ;

print "$Sstr \n";
$ret=system($Sstr);
system("db2 commit\n");
if ($ret == 0)
{
    print "Preload Lineitem updates completed successfully.\n";
}
else
{
    print "Preload Lineitem updates failed. ret=$ret\n";
    exit -1;
}

# print "$Sstr \n";
# $ret=system($Sstr);
# system("db2 commit\n");
if ($ret == 0)
{
    print "Preload Orders updates completed successfully.\n";
}
else
{
    print "Preload Orders updates failed. ret=$ret\n";
    exit -1;
}

```

load_UF2_data_V8

```

: # -*-Perl-*-
eval `exec perl5 -S $0 ${1+"$@"}` # Horrible kludge to convert this
if 0;          # into a "portable" perl script

# usage perl loadUFD [update pair number] [nodenumber]

push(@INC, split(':', $ENV{'PATH'}));

# Get TPC-D specific environment variables
require 'getvars';

# Use the macros in here so that they can handle the platform
differences.
# macro.pl should be sourced from cmvc, other people wrote and
maintain it.
require "macro.pl";

# Make output unbuffered.
select(STDOUT);
$| = 1 ;

if (length($ENV{"TPCD_AUDIT_DIR"}) <= 0)
{
    die "TPCD_AUDIT_DIR environment variable not set\n";
}
if (length($ENV{"TPCD_DBNAME"}) <= 0)
{
    die "TPCD_DBNAME environment variable not set\n";
}
if (length($ENV{"TPCD_SF"}) <= 0)
{
    die "TPCD_SF environment variable not set\n";
}
if (length($ENV{"TPCD_PLATFORM"}) <= 0)

```

```

{
    die "TPCD_PLATFORM environment variable not set\n";
}
if (length($ENV{"TPCD_PATH_DELIM"}) <= 0)
{
    die "TPCD_PATH_DELIM environment variable not set\n";
}
if (length($ENV{"TPCD_PRODUCT"}) <= 0)
{
    die "TPCD_PRODUCT environment variable not set\n";
}
if (length($ENV{"TPCD_AUDIT"}) <= 0)
{
    die "Must set TPCD_AUDIT env't var. Real audit timing sequence
run if yes\n";
}
if (length($ENV{"TPCD_PHYS_NODE"}) <= 0)
{
    die "TPCD_PHYS_NODE env't var not set\n";
}

#set up local variables
$auditDir=$ENV{"TPCD_AUDIT_DIR"};
$dbname=$ENV{"TPCD_DBNAME"};
$sf=$ENV{"TPCD_SF"};
$platform=$ENV{"TPCD_PLATFORM"};
$delim=$ENV{"TPCD_PATH_DELIM"};
$gatherstats=$ENV{"TPCD_GATHER_STATS"};
$product=$ENV{"TPCD_PRODUCT"};
$RealAudit=$ENV{"TPCD_AUDIT"};
$inlistmax=$ENV{"TPCD_INLISTMAX"};
$spn=$ENV{"TPCD_PHYS_NODE"};
$flatfilepath=$ENV{"TPCD_FLATFILES"};
$coldel="|";
$dblquote="";

$PairNum=$ARGV[0];

print "Beginning ....Preload of Update Function Data. Deletes \n";

system("db2 connect to tpcd\n");
$Sstr="db2 \" load from \" ;
$Sstr="$Sstr$flatfilepath$ {delim}delete.new.\" ;
$Sstr="$Sstr$PairNum\";
$Sstr="$Sstr of del modified by coldel| fastparse messages
\\tmp\\TPCD\\del.msg.u\";
#$Sstr="$Sstr$PairNum replace into TPCDTEMP.ORDERS_DEL
statistics yes nonrecoverable DATA BUFFER 16
CPU_PARALLELISM 8\";
$Sstr="$Sstr$PairNum replace into TPCDTEMP.ORDERS_DEL
statistics no nonrecoverable \";
$Sstr="$Sstr partitioned db config mode load_only output_dbpartnums
(0,1,2,3,4,5,6,7)\";
$Sstr="$Sstr part_file_location $flatfilepath \" \" ;

print "$Sstr \n";
$ret=system($Sstr);
system("db2 commit\n");
if ($ret == 0)
{
    print "Preload Deletes updates completed successfully.\n";
}
else
{
    print "Preload Deletes updates failed. ret=$ret\n";
    exit -1;
}

```

loadSampleUFData

```
#!/usr/bin/perl
# usage LoadSampleUFData

($myName = $0) =~ s@.*\/@@; $usage="
Usage: loaddata [nodenumber] [source dir]
      nodenumber = local node number
      source dir = source dir to load data from\n";

die $usage if (@ARGV > 2);

push(@INC, split(':', $ENV{'PATH'}));

# Get TPC-D specific environment variables
require 'getvars';

# Use the macros in here so that they can handle the platform
differences.
# macro.pl should be sourced from cmvc, other people wrote and
maintain it.
require "macro.pl";

# Make output unbuffered. I'm not sure why we would want to do this
but many
# of the fvt testcases do it.
select(STDOUT);
$| = 1;

open(OUTFILE, ">temp UF load.bat");
## print OUTFILE "cd d:\\tpch\\ddl\n";
print OUTFILE "call doUFload_v8 1 30\n";
print OUTFILE "call doUFload_v8 2 30\n";
print OUTFILE "call runstats_uf\n";
close(OUTFILE);
system("temp UF load.bat");
1;
```

runpower

```
: # *-Perl*-
eval 'exec perl5 -S $0 ${1+"$@"}' # Horrible kludge to convert this
if 0; # into a "portable" perl script

# usage runpower [UF]
# where UF is the optional parameter that says to run the power test
# with the update functions. By default, the update functions are not
# run

push(@INC, split(':', $ENV{'PATH'}));

# Get TPC-D specific environment variables
require 'getvars';

# Use the macros in here so that they can handle the platform
differences.
# macro.pl should be sourced from cmvc, other people wrote and
maintain it.
require "macro.pl";
require "tpcdmacro.pl";

# Make output unbuffered.
select(STDOUT);
$| = 1;
```

```
if (@ARGV > 0)
{
    $runUF=$ARGV[0];
}
else
{
    $runUF="no";
}

if (length($ENV{"TPCD_AUDIT_DIR"}) <= 0)
{
    die "TPCD_AUDIT_DIR environment variable not set\n";
}
if (length($ENV{"TPCD_RUN_DIR"}) <= 0)
{
    die "TPCD_RUN_DIR environment variable not set\n";
}
if (length($ENV{"TPCD_DBNAME"}) <= 0)
{
    die "TPCD_DBNAME environment variable not set\n";
}
if (length($ENV{"TPCD_RUNNUMBER"}) <= 0)
{
    die "TPCD_RUNNUMBER environment variable not set\n";
}
if (length($ENV{"TPCD_SF"}) <= 0)
{
    die "TPCD_SF environment variable not set\n";
}
if (length($ENV{"TPCD_PLATFORM"}) <= 0)
{
    die "TPCD_PLATFORM environment variable not set\n";
}
if (length($ENV{"TPCD_PATH_DELIM"}) <= 0)
{
    die "TPCD_PATH_DELIM environment variable not set\n";
}
if (length($ENV{"TPCD_PRODUCT"}) <= 0)
{
    die "TPCD_PRODUCT environment variable not set\n";
}
if (length($ENV{"TPCD_AUDIT"}) <= 0)
{
    die "Must set TPCD_AUDIT env't var. Real audit timing sequence
run if yes\n";
}
if (length($ENV{"TPCD_PHYS_NODE"}) <= 0)
{
    die "TPCD_PHYS_NODE env't var not set\n";
}
if (length($ENV{"TPCD_LOG_DIR"}) <= 0)
{
    $ENV{"TPCD_LOG_DIR"} = "NULL";
}
if (length($ENV{"TPCD_MODE"}) <= 0)
{
    die "TPCD_MODE environment variable not set - uni/smp/mln\n";
}
if (length($ENV{"TPCD_ROOTPRIV"}) <= 0)
{
    die "TPCD_ROOTPRIV environment variable not set - yes/no\n";
}

#set up local variables
$runNum=$ENV{"TPCD_RUNNUMBER"};
$runDir=$ENV{"TPCD_RUN_DIR"};
$auditDir=$ENV{"TPCD_AUDIT_DIR"};
```

```

$dbname=$ENV{"TPCD_DBNAME"};
$sf=$ENV{"TPCD_SF"};
$platform=$ENV{"TPCD_PLATFORM"};
$delim=$ENV{"TPCD_PATH_DELIM"};
$gatherstats=$ENV{"TPCD_GATHER_STATS"};
$product=$ENV{"TPCD_PRODUCT"};
$RealAudit=$ENV{"TPCD_AUDIT"};
$inlistmax=$ENV{"TPCD_INLISTMAX"};
$pn=$ENV{"TPCD_PHYS_NODE"};
$logDir=$ENV{"TPCD_LOG_DIR"};
$rootPriv=$ENV{"TPCD_ROOTPRIV"};
$mode=$ENV{"TPCD_MODE"};
if (( $mode eq "uni" ) || ( $mode eq "smp" ))
{
    $all_in="once";
    $all_pn="once";
    $once="once";
}
else
{
    $all_in="all_in";
    $all_pn="all_pn";
    $once="once";
}

if ($inlistmax eq "default")
{
    $inlistmax = 400;
}

# the auditruns directory is where we have already generate the sql
# files for the
# updates and the power tests

# append isolation level information about tpcdbatch to the miso file
# the miso file is created here but appended to for power and
# throughput
#information

$misofile="$runDir${delim}miso$runNum";
if ( -e $misofile )
{
    &rm("$misofile");
}
# if we are in real audit mode then we must start the db manager now
# since
# there must be no activity on the database between the time the build
# script
# has finished and the time the power test is started
if ( $RealAudit eq "yes" )
{
    system("db2start");
    system("db2 activate database $dbname");
    sleep 10;
}

# do not activate the database
# if ( $RealAudit ne "yes" )
#{
#     system("db2 activate database $dbname");
#}

#Report current log info to the run# directory in a file called
startLog.Info
#system("perl getLogInfo.pl startLog");

```

```

system("getlog.bat startlog");

open(MISO, ">$misofile") || die "Can't open $misofile: $!\n";
$curTs = `perl gettimestamp "long"`;
print MISO "Timestamp and isolation level of tpcdbatch before power
run at : $curTs\n";
close(MISO);
if ( $product eq "pe" )
{
    system("db2 \"connect to $dbname\"; db2 \"select
name,creator,valid,unique_id,isolation from sysibm.sysplan where
name like 'TPCD%'\"; db2 connect reset; db2 terminate >>
$runDir${delim}miso$runNum ");
}
else
{
    &verifyTPCdbatch("$misofile", "$dbname");
}

if ($platform eq "aix")
{
    # Create the sysunused file. This reports what disks are attached, and
    # which
    # ones are being used. Its use spans both the runpower and
    runthroughput tests
    system("echo \"The following disks are assigned to the indicated
volume groups\" > $runDir/sysunused$runNum") && die "cannot
create $runDir/sysunused$runNum";

    system("lspsv >> $runDir/sysunused$runNum");
    system("echo \"The following volume groups are currently online\"
>> $runDir/sysunused$runNum");
    $curTs = `perl gettimestamp "long"`;
    system("echo \"$curTs\" >> $runDir/sysunused$runNum");
    system("lsvg -o >> $runDir/sysunused$runNum");
    # show the disks that are used/unused
    #system("getdisks \"Before the start of the Power Test\"");
}
else
{
    # for all other platforms
    system("echo Assume that all portions of the system are used >>
$runDir${delim}sysunused$runNum");
}

&getConfig("p");
if ( $rootPriv eq "yes" )
{
    # get the o/s tuning parameters...currently AIX only and only if your
    # user has root privileges to run this
    &getOSTune("p");
}
if ($gatherstats eq "on")
{
    # gather vm io and net stats
    if ($platform eq "aix" || $platform eq "sun" || $platform eq "ptx" ||
        $platform eq "hp" || $platform eq "linux")
    {
        # gather vmstats and iostats (and net stats if in mpp mode)
        system("perl getstats p &");
    }
    else
    {
        print "Stats gather not set up for current platform $platform\n";
    }
}
}

```

```

# print to screen what type of run is running and set variables to run
# the query and update streams in parallel
if ($runUF ne "UF")
{
    $semcontrol = "off";
    print "Beginning power stream....no update functions\n";

    $streamEx = "";
    $streamExNT = "";
}
else
{
    $semcontrol = "on";
    print "Beginning power stream....with update functions\n";
    if ( $platform eq "nt" )
    {
        $streamExNT = "start /b";
        $streamEx = "";
    }
    else
    {
        $streamExNT = "";
        $streamEx = "&";
    }
}

# bbe This new line (below) runs queries for power test

print "Starting tpcdbatch...\n";
$ret=system("$streamExNT
$auditDir${delim}auditruns${delim}tpcdbatch -d $dbname -f
$runDir${delim}qtextpow.sql -r on -b on -s $sf -u p1 -m $inlistmax -n
0 -p $semcontrol $streamEx");

if ( $runUF eq "UF" )
{
    $ret2 = system("$auditDir${delim}auditruns${delim}tpcdbatch -d
$dbname -f $runDir${delim}qtextquf.sql -r on -b on -s $sf -u p2 -m
$inlistmax -n 0");
}
else
{
    $ret2 = 0; # If UFs were not running, then the stream cannot fail
}

if (($ret2 == 0) && ($ret == 0))
{
    print "Power stream completed succesfully.\n";
}
else
{
    print "Power stream failed. ret=$ret\n";
}

if ($platform eq "aix")
{
    # show that the same disks are still used or unused
    # system("getdisks \"After completion of the Power Test\");

    #clean up
}
if ($gatherstats eq "on")
{
    # gather vm io and net stats

```

```

if ($platform eq "aix" || $platform eq "sun" || $platform eq "ptx" ||
$platform eq "linux")
{
    # kill the stats that were being gathered
    if ($platform eq "ptx")
    {
        $src= `perl5 zap -f "sar";
        $src= `perl5 zap -f "sadc";
    }
    else
    {
        $src= `perl5 zap -f "vmstat";
        $src= `perl5 zap -f "iostat";
    }
    if ( $pn > 1 )
    {
        $src= `perl5 zap -f "netstat";
    }
    $src= `perl5 zap -f "getstats";
}

open(MISO, ">>$misofile") || die "Can't open $misofile: $!\n";
$curTs = `perl gettimestamp "long";
print MISO "Timestamp and isolation level of tpcdbatch after power
run at : $curTs\n";
close(MISO);

if ( $product eq "pe" )
{
    system("db2 \"connect to $dbname\"; db2 \"select
name,creator,valid,unique_id,isolation from sysibm.sysplan where
name like 'TPCD%'\";db2 connect reset;db2 terminate >>
$runDir${delim}miso$runNum");
}
else
{
    &verifyTPCdbatch("$misofile",$dbname");
}
if ( $RealAudit ne "yes" )
{
    $curTs = `perl gettimestamp "short";
    # grab the db and dbm snapshot before we deactivate
    system("db2 get snapshot for all on $dbname >
$runDir${delim}dbrun$runNum.snap.$curTs");
    system("db2 get snapshot for database manager >>
$runDir${delim}dbrun$runNum.snap.$curTs");
}

#####

# now copy the reports from the count of streams files into one final
file
&cat("$runDir${delim}pstrent*",$runDir${delim}mpstrent$runNum"
);
#(NOTE: there is a dependency that this mpstrent file exist before the
# calcmetrics.pl script is called, both because it is used as input for
# calcmetrics.pl, and because the output from calcmetrics is used as
# the trigger for watchstreams to complete, and watchstreams cats its
# output at the end of the mstrent file.

# generate the mpointer?.metrics file in the run directory
#require 'calcmetrics.pl';
if ( $runUF eq "UF" )
{
    system("perl calcmetrics.pl UF");
}
else

```

```

{
    system("perl calmetrics.pl");
}

# concatenate all the throughput inter files that were used to
# generate these results into the calmetrics output file
(mpinterX.metrics)
#cd $TPCD_RUN_DIR
&cat("$RunDir${delim}mpqinter*", "$RunDir${delim}mpinter$RunNum.metrics");

if ($RunUF eq "UF") {

&cat("$RunDir${delim}mpufinter*", "$RunDir${delim}mpinter$RunNum.metrics");
}

# if ($RunUF eq "no") {
#   &rm("$RunDir${delim}mpuf*");
# }

#####

# no longer activate/deactivate the database
# if ( $RealAudit ne "yes" )
#{
#   # deactivate the database
#   system("db2 deactivate database $dbname");
# }

# do not stop the database after the power test
# if ( $RealAudit ne "yes" )
#{
#   system("db2stop");
# }

1;

sub getConfig
{
    $testtype=$_[0];
    print "Getting database configuration.\n";
    $dbtunefile="$RunDir${delim}m${testtype}dbtune${runNum}";
    open(DBTUNE, ">$dbtunefile") || die "Can't open $dbtunefile: $!\n";
    $timestamp=`perl gettimestamp "long"`;
    print DBTUNE "Database and Database manager configuration taken at : $timestamp";
    close(DBTUNE);
    system("db2level >> $dbtunefile");
    system("db2 get database configuration for $dbname >> $dbtunefile");
    system("db2 get database manager configuration >> $dbtunefile");
    system("db2set >> $dbtunefile");
    if (( $mode eq "mln" ) || ( $mode eq "mpp" ))
    {
        $cfgfile="$RunDir${delim}dbtune${runNum}.";
        #removed by Alex due to hang
        #system("db2_all '|\\' typeset -i ln=##; db2 get db cfg for $dbname > $cfgfile${ln} ; db2 get dbm cfg >> $cfgfile${ln} ; db2set >> $cfgfile${ln} ; db2 terminate """);
    }
}

sub getOSTune
{
    $testtype=$_[0];
    if ( $platform eq "aix" )

```

```

{
    print "Getting OS and VMdatabase configuration.\n";
    $ostunefile="$RunDir${delim}m${testtype}ostune${runNum}";
    open(OSTUNE, ">$ostunefile") || die "Can't open $ostunefile: $!\n";
    $timestamp=`perl gettimestamp "long"`;
    print OSTUNE "Operating System and Virtual Memory configuration taken at : $timestamp";
    close(OSTUNE);

    system("$ ${delim}usr${delim}samples${delim}kernel${delim}schedtune >> $ostunefile");

    system("$ ${delim}usr${delim}samples${delim}kernel${delim}vmtune >> $ostunefile");
}
else
{
    print "OS parameters retrieval not supported for $platform \n";
}
}

sub verifyTPCDBatch
{
    $logfile=$_[0];
    $dbname=$_[1];
    $file="verifytpcdbatch.clp";
    open(VERTBL, ">$file") || die "Can't open $file: $!\n";
    print VERTBL "connect to $dbname;\n";
    print VERTBL "select name,creator,valid,last_bind_time,isolation from sysibm.sysplan where name like 'TPCD%'\n";
    print VERTBL "connect reset;\n";
    print VERTBL "terminate;\n";
    close(VERTBL);
    system("db2 -vtf $file >> $logfile");
}

```

runthroughput

```

: # -*Perl-*
eval `exec perl5 -S $0 ${1+"$@"}` # Horrible kludge to convert this
if 0;                               # into a "portable" perl script

# usage runthroughput [UF]
# where UF is the optional parameter that says to run the throughput
test
# with the update functions. By default, the update functions are not
# run
# If UF is not supplied and a number is supplied, then that number is
# taken
# as the number of concurrent throughput streams to run. This is also
# optional

push(@INC, split(':', $ENV{'PATH'}));

# Get TPC-D specific environment variables
require 'getvars';

# Use the macros in here so that they can handle the platform
differences.
# macro.pl should be sourced from cmvc, other people wrote and
# maintain it.
require "macro.pl";
require "tpcdmacro.pl";

$RunUF="no";
if (@ARGV > 0)

```

```

{
if ($ARGV[0] eq "UF")
{
$runUF=$ARGV[0];
}
}

@reqVars = ("TPCD_AUDIT_DIR",
"TPCD_RUN_DIR",
"TPCD_DBNAME",
"TPCD_RUNNUMBER",
"TPCD_SF",
"TPCD_PLATFORM",
"TPCD_PATH_DELIM",
"TPCD_PRODUCT",
"TPCD_AUDIT",
"TPCD_PHYS_NODE",
"TPCD_MODE",
"TPCD_ROOTPRIV",
"TPCD_NUMSTREAM");
##
## "TPCD_NUMSTREAM",
## "TPCD_RUN_ON_MULTIPLE_NODES");

&setVar(@reqVars, "ERROR");

if (length($ENV{"TPCD_LOG_DIR"}) <= 0)
{
$ENV{"TPCD_LOG_DIR"} = "NULL";
}

#set up local variables
$runNum=$ENV{"TPCD_RUNNUMBER"};
$numStream=$ENV{"TPCD_NUMSTREAM"};
$runDir=$ENV{"TPCD_RUN_DIR"};
$auditDir=$ENV{"TPCD_AUDIT_DIR"};
$dbname=$ENV{"TPCD_DBNAME"};
$sf=$ENV{"TPCD_SF"};
$product=$ENV{"TPCD_PRODUCT"};
$platform=$ENV{"TPCD_PLATFORM"};
$delim=$ENV{"TPCD_PATH_DELIM"};
$RealAudit=$ENV{"TPCD_AUDIT"};
$inlistmax=$ENV{"TPCD_INLISTMAX"};
$gatherstats=$ENV{"TPCD_GATHER_STATS"};
$logDir=$ENV{"TPCD_LOG_DIR"};
$rootPriv=$ENV{"TPCD_ROOTPRIV"};
$mode=$ENV{"TPCD_MODE"};

$pth="$auditDir${delim}auditruns";

if (( $mode eq "uni" ) || ( $mode eq "smp" ))
{
$all_ln="once";
$all_pn="once";
$once="once";
}
else
{
$all_ln="all_ln";
$all_pn="all_pn";
$once="once";
}

# return 1 if the given pattern(parameter $_[0]) matches any file
sub existfile {
if ($platform eq "aix" || $platform eq "sun" || $platform eq "ptx" ||
$platform eq "linux")
{

```

```

`ls $_[0] 2> /dev/null | wc -l` + 0 != 0;
}
else
{
`dir /b $_[0] 2> NUL | wc -l` + 0 != 0;
}
}

if ($inlistmax eq "default")
{
$inlistmax = 400;
}

# no longer stop and start the dbm between runs when not in realaudit
mode
# if ( $RealAudit ne "yes" )
#{
# # if we are not in real audit mode then we must start the db
# manager now
# system("db2start");
# # activate the database
# system("db2 activate database $dbname");
#}

$misofile="$runDir${delim}miso$runNum";
# append isolation level information about tpcdbatch to the miso file
open(MISO, ">>$misofile") || die "Can't open $misofile: $!\n";
$curTs = `perl gettimestamp "long"`;
print MISO "Timestamp and isolation level of tpcdbatch before
throughput run at : $curTs\n";
close(MISO);

if ( $product eq "pe" )
{
system("db2 \"connect to $dbname\"; db2 \"select
name,creator,valid,unique_id,isolation from sysibm.sysplan where
name like 'TPCD%'\" >> $runDir${delim}miso$runNum ");
}
else
{
&verifyTPCdbatch("$misofile", "$dbname");
}

# kick off the script that will monitor for the database applications
during
# the running of the throughput tests. This will quit when the
mtinterX.metrics
# (where X=runnumber) file has been created.

# set variables to run streams in parallel
if ( $platform eq "nt" )
{
$streamExNT = "start /b";
$streamEx = "";
}
else
{
$streamExNT = "";
$streamEx = "&";
}

if ( $platform eq "aix" || $platform eq "sun" || $platform eq "nt" ||
$platform eq "hp" || $platform eq "linux")
{
system("$streamExNT perl watchstreams $streamEx");
}
else
{

```

```

    die "platform not supported, can't start watchstreams in
background";
}

# show the disks that are used/unused
if ($platform eq "aix")
{
    system("getdisks \"Before the start of the Throughput Test\"");
}
if ($gatherstats eq "on")
{
    # gather vm io and net stats
    if ($platform eq "aix" || $platform eq "sun" || $platform eq "ptx" ||
$platform eq "hp" || $platform eq "linux")
    {
        # gather vmstats and iostats (and net stats if in mpp mode)
        system("perl getstats t &");
    }
    else
    {
        print "Stats gather not set up for current platform $platform\n";
    }
}

# the auditruns directory is where we have already generated the sql
files
# for the updates and the power tests

$loopStream=1;

for ( $loopStream = 1; $loopStream <= $numStream;
$loopStream++)
{
    print "starting stream $loopStream\n";
    system("echo Executing stream $loopStream out of $numStream.");
    # run the queries
    if ( $platform eq "aix" || $platform eq "sun" || $platform eq "nt" ||
$platform eq "ptx" ||
        $platform eq "hp" || $platform eq "linux")
    {
        system("$streamExNT $path${delim}tpcdbatch -d $dbname -f
$runDir${delim}qtextt$loopStream.sql -r on -b on -s $sf -u t1 -m
$inlistmax -n $loopStream $streamEx");
    }
    else
    {
        die "platform $platform not supported yet";
    }
}

# run the update function stream....this will wait until the queries have
# completed to kick off the updates
print "starting update stream\n";

if ($runUF eq "no") {
    $ret=system("$auditDir${delim}auditruns${delim}tpcdbatch -d
$dbname -f $runDir${delim}quft.sql -r on -b on -s $sf -u t1 -m
$inlistmax -n $numStream");
}
else {
    $ret=system("$auditDir${delim}auditruns${delim}tpcdbatch -d
$dbname -f $runDir${delim}quft.sql -r on -b on -s $sf -u t2 -m
$inlistmax -n $numStream");
}
print "update stream done\n";

```

```

    &getConfig("t");
    if ( $rootPriv eq "yes" )
    {
        # get the o/s tuning parameters...currently AIX only and only if
your
        # user has root privileges to run this
        &getOSTune("t");
    }
}

if ($platform eq "aix")
{
    # show the disks that are used/unused
    system("getdisks \"After the completion of the Throughput Test\"");
}
if ($gatherstats eq "on")
{
    # gather vm io and net stats
    if ($platform eq "aix" || $platform eq "sun" || $platform eq "ptx" ||
$platform eq "linux")
    {
        # kill the stats that were being gathered
        if ($platform eq "ptx")
        {
            $src= `perl5 zap -f "sar";`
            $src= `perl5 zap -f "sadc";`
        }
        else
        {
            $src= `perl5 zap -f "vmstat";`
            $src= `perl5 zap -f "iostat";`
        }
        if ( $pn > 1 )
        {
            $src= `perl5 zap -f "netstat";`
        }
        $src= `perl5 zap -f "getstats";`
    }
}

open(MISO, ">>$misofile") || die "Can't open $misofile: $!\n";
$curTs = `perl gettimestamp "long";`
print MISO "Timestamp and isolation level of tpcdbatch after
throughput run at : $curTs\n";
close(MISO);

if ( $product eq "pe" )
{
    system("db2 \"connect to $dbname\"; db2 \"select
name,creator,valid,unique_id,isolation from sysibm.sysplan where
name like 'TPCD%'\n >> $runDir${delim}miso$runNum");
}
else
{
    &verifyTPCDBatch("$misofile", "$dbname");
}

if ( $RealAudit ne "yes" )
{
    $curTs = `perl gettimestamp "short";`
    # grab the db and dbm snapshot before we deactivate
    system("db2 get snapshot for all on $dbname >
$runDir${delim}dbTrun$runNum.snap.$curTs");
    system("db2 get snapshot for database manager >>
$runDir${delim}dbTrun$runNum.snap.$curTs");
}

# now copy the reports from the count of streams files into one final
file

```



```

&cat("$runDir${delim}strcnt*", "$runDir${delim}mstrcnt$runNum");
#(NOTE: there is a dependancy that this mstrcnt file exist before the
# calcmetrics.pl script is called, both because it is used as input for
# calcmetrics.pl, and because the output from calcmetrics is used as
# the trigger for watchstreams to complete, and watchstreams cats its
# output at the end of the mstrcnt file.

# generate the mtinter?.metrics file in the run directory
#require 'calcmetrics.pl';

if ( $runUF ne "no")
{
    system("perl calcmetrics.pl $numStream UF");
}
else
{
    system("perl calcmetrics.pl $numStream");
}

# concatenate all the throughput inter files that were used to
# generate these results into the calcmetrics output file
(mtinterX.metrics)
#cd $TPCD_RUN_DIR
&cat("$runDir${delim}mts*inter*", "$runDir${delim}mtinter$runNum
.metrics");

if ($runUF ne "no") {

&cat("$runDir${delim}mtufinter*", "$runDir${delim}mtinter$runNum
.metrics");
}

if (&existfile("$runDir${delim}mp*")) {
    # generate the mplot stuff
    system("perl gen_mplot");

    # generate the mlog information file
    require 'buildmlog';
}

# if ($runUF eq "no") {
#     &rm("$runDir${delim}mtuf*");
# }

# deactivate the database this needs to remain at the end of run
throughput so
# asynchronous writing of the log files completes.
system("db2 deactivate database $dbname");
$src=&doddb_noconn("db2 get db cfg for $dbname | grep -i log >>
$runDir${delim}endLog.Info", $all_in);
if ( $logDir ne "NULL" )
{
    $src=&doddb_noconn("$dircmd $logDir >>
$runDir${delim}endLog.Info", $all_in);
}

#system("db2_all \"]db2 get db cfg for tpcd | grep -i log >>
$runDir${delim}endLog.Info ; db2 terminate\ ");
#system("ls -ltra /node??vg.log/NODE00* >>
$runDir${delim}endLog.Info");

#Create Catalog info
$src = system("perl catinfo.pl p");

if ( $src != 0 )
{
    warn "catinfo failed!!!\n";
}
}

#Report current log info to the run# directory in a file called
endLog.Info
#system("perl getLogInfo.pl endLog");
system("getlog.bat endLog");

# if we are in audit mode we must do a db2stop at the end of the
power/throughput run
if ( $RealAudit eq "yes" )
{
    system("db2stop");
}

1;

sub getConfig
{
    $testtype=$_[0];
    print "Getting database configuration.\n";
    $dbtunefile="$runDir${delim}m${testtype}dbtune${runNum}";
    open(DBTUNE, ">$dbtunefile") || die "Can't open $dbtunefile: $_\n";
    $timestamp=`perl gettimestamp "long"`;
    print DBTUNE "Database and Database manager configuration taken
at : $timestamp";
    close(DBTUNE);
    system("db2level >> $dbtunefile");
    system("db2 get database configuration for $dbname >>
$dbtunefile");
    system("db2 get database manager configuration >> $dbtunefile");
    system("db2set >> $dbtunefile");
}

sub getOSTune
{
    $testtype=$_[0];
    if ( $platform eq "aix" || $platform eq "linux")
    {
        print "Getting OS and VMdatabase configuration.\n";
        $ostunefile="$runDir${delim}m${testtype}ostune${runNum}";
        open(OSTUNE, ">$ostunefile") || die "Can't open $ostunefile:
$_\n";
        $timestamp=`perl gettimestamp "long"`;
        print OSTUNE "Operating System and Virtual Memory
configuration taken at : $timestamp";
        close(OSTUNE);

        system("$ ${delim}usr${delim}samples${delim}kernel${delim}schedtu
ne >> $ostunefile");

        system("$ ${delim}usr${delim}samples${delim}kernel${delim}vmtune
>> $ostunefile");
    }
    else
    {
        print "OS parameters retrieval not supported for $platform \n";
    }
}

sub verifyTPCDBatch
{
    $logfile=$_[0];
    $dbname=$_[1];
    $file="verifytpcdbatch.clp";
    open(VERTBL, ">$file") || die "Can't open $file: $_\n";
    print VERTBL "connect to $dbname;\n";
}

```

```

print VERTBL "select name,creator,valid,last_bind_time,isolation
from sysibm.sysplan where name like 'TPCD%';\n";
print VERTBL "connect reset;\n";
print VERTBL "terminate;\n";
close(VERTBL);
system("db2 -vtf $file >> $logfile");
}

```

tpcd_cl.bat

```

erase tpcdUF.c
erase tpcdUF.obj
erase tpcdbatch.c
erase tpcdbatch.obj
erase tpcdbatch.map

set db2options=+c -t +p -v
db2start
db2 connect to %1
db2 prep tpcdbatch.sqc bindfile package isolation rr blocking all
OPTLEVEL 1 DATETIME ISO
db2 prep tpcdUF.sqc bindfile package isolation rr blocking all
OPTLEVEL 1 DEGREE 1 DATETIME ISO
db2 connect reset
db2 terminate
REM make sure LIBPATH is set to include the compiler libraries and
db2 libraries
cl -c -Z7 -DSQLWINT -W3 -J tpcdbatch.C
cl -c -Z7 -DSQLWINT -W3 -J tpcdUF.C
link -debug -out:tpcdbatch.exe tpcdbatch.obj tpcdUF.obj user32.lib
kernel32.lib db2api.lib -subsystem:console

```

tpcdbatch.h

```

/*****
*****
*
*   TPCDBATCH.H
*
*   Revision History:
*
*   27 may 99 bbe from (24 nov 98 jen) fixNTtimestamp - fixed NT
timestamp to print millisecond correctly
*   27 may 99 bbe from (10 dec 98 jen) SUN - added Haider's changes
necessary for SUN
*   17 jun 99 jen Increased version to 5.1
*   10 aug 99 bbe Increased version to 5.2
*   13 aug 99 bbe Increased version to 5.3
*   18 mar 02 ken Increased version to 5.7
*****
*****/

/** Necessary header files **/

/** System header files **/
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <math.h>
#include <fcntl.h>          /* SUN bbe */

#include <time.h>
#include <ctype.h>
#if (defined(SQLAIX) || defined(SQLPTX) || defined(LINUX) ||
defined(SQLHP))
#include <unistd.h>          /* SUN */
#include <sys/stat.h>        /* SUN */

```

```

#endif
#if ((defined(SQLAIX) || defined(SQLPTX)) && !defined(LINUX))
#include <sys/vnode.h>      /* SUN */
#endif
#ifndef SQLWINT
#include <sys/time.h>        /*@d33143aha*/
#include <sys/ipc.h>
#include <sys/sem.h>
#if (!defined(SQLPTX) && !defined(LINUX)&& !defined(SQLHP))
#include <sys/mode.h>
#endif
#include <sys/timeb.h>
#include <sys/types.h>
#else
#include <windows.h>
#include <sys/timeb.h>
#endif
#include <errno.h>

/** External header files **/
#include "sqlda.h"
#include "sqlenv.h"
#include "sql.h"
#include "sqlmon.h"
#include "sqlca.h"
#include "sqlutil.h"
#include "sqlcodes.h"

/** Internal header files **/
/** #ifdef __cplusplus **/
/** #include "sqlz.h" **/
/** #include "sqlzcopy.h" **/
/** #endif **/

/*****
*****
*
*   Define synonyms here
*
*****
*****/
#define TPCDBATCH_VERSION "5.7"

#define TPCDBATCH_NONSQL    10          /*
@d23684 tlg */
#define TPCDBATCH_SELECT    20
#define TPCDBATCH_NONSELECT 30
#define TPCDBATCH_EOBLOCK   40          /*
@d30369 tlg */
#define TPCDBATCH_INSERT    50
#define TPCDBATCH_DELETE    60

#define TPCDBATCH_MAX_COLS  100          /*
@d30369 tlg */

#define TPCDBATCH_CHAR char

#define TPCDBATCH_PRINT_FLOAT_WIDTH 20
/* kmw - allow 15 whole digit for %#.3f format */
/* - note: use > 18, size of long identifier so that it will */
/* be larger than any column heading */
#define TPCDBATCH_PRINT_FLOAT_MAX 1e15 /* kmw */
/* #define TPCD_PREPARETIME 1 */ /* for separate prep/exec
on uf jen 1106 */

#ifdef SQLWINT
#define PATH_DELIM "\\
// #define sleep(a) Sleep((a)*1000)

```

```

#define sleep(a) Sleep(a)
#else
#define PATH_DELIM '/'
#endif

#define PARALLEL_UPDATES 1

#ifdef PARALLEL_UPDATES
#define UF1OUTSTREAMPATTERN "%s%cuf1.%02d.%d.out"
#define TPCD_NONPARTITIONED
#define UF2OUTSTREAMPATTERN "%s%cuf2.%02d.%d.out"
#else
/* kelly add same as NONPART. */
#define UF2OUTSTREAMPATTERN "%s%cuf2.%02d.%d.out"
/* kelly ... take this out ... should be same name as for non-partitioned
#define UF2OUTSTREAMPATTERN "%s%cuf2.%02d.%d.%d.out"
*/ /*DELjen add delchunk*/
#endif
#define BUFSIZE 1024
#endif

#define T_STAMP_FORM_1 1
#define T_STAMP_FORM_2 2
/* jen TIME_ACC start */
#define T_STAMP_FORM_3 3
#define T_STAMP_LEN 17
#if defined (SQLUNIX) || defined (SQLAIX) || defined (SQLHP)
#define T_STAMP_3LEN 24
#elif (defined (SQLOS2) || defined (SQLWINT) || defined (SQLWIN) ||
defined (SQLDOS))
#define T_STAMP_3LEN 21 /* WIN NT timestamp fix bbe */
#else
#error Unknown operating system
#endif
/* jen TIME_ACC start */

#define BLANKS ""
#define READMODE "r"
#define WRITEMODE "w"
#define APPENDMODE "a"
#define mem_error(xx) \
{ fprintf(stderr, "n--Out of memory when %s.\n",xx); }
/* Display out-of-memory and end */

#define TPCDBATCH_MIN(x,y) ((x) < (y) ? (x) : (y))
/* Returns the smaller of both x and y */
#define TPCDBATCH_MAX(x,y) ((x) > (y) ? (x) : (y)) /*
@d22817 tlg */
/* Returns the larger of both x and y */

/** Defines needed for decimal conversion */
#define SQLZ_DYNLINK
#define TRUE 1
#define LEFT 1
#define RIGHT 0
#define FALSE 0
#define sqlrx_get_left_nibble(byte) (((unsigned char)(byte)) >> 4)

#define sqlrx_get_right_nibble(byte) ((unsigned char) (byte & 'x0f'))
#define SQL_MAXDECIMAL 31
#define SQLRX_PREFERRED_PLUS 0x0c

/** Timer-necessary defines for portability */

```

```

#if (defined (SQLOS2) || defined (SQLWINT)) || defined (SQLWIN) ||
defined (SQLDOS)
typedef struct timeb Timer_struct;
#elif (defined (SQLUNIX) || defined (SQLAIX) || defined (SQLHP))
/*TIMER jen*/
typedef struct timeval Timer_struct;
#else
#error Unknown operating system
#endif

/* sleep time between starting subsequent tpcdbatches running UF1
and UF2 */
#define UF1_SLEEP 1
#define UF2_SLEEP 1
#define UF_DEADLOCK_SLEEP 1 /* sleep between deadlock retries
in UF1,UF2 */

#define MAXWAIT 50 /* maximum retries for deadlock encounters */

#define DEBUG 0 /* to be set to 1 for diagnostic purposes if needed
*/
/* #define UF1DEBUG 1 */
/* #define UF2DEBUG 1 */

```

tpcdbatch.sqc

```

/*****
*****
*
* TPCDBATCH.SQC
*
* Revision History:
*
* 21 Dec 95 jen Corrected calculation of geometric mean to include
in the
* count of statements the update functions.
* 03 Jan 96 jen Corrected calculation of arithmetic mean to not
include the
* timings for the update functions. (only want query timings
* as part of arithmetic mean)
* 15 Jan 96 jen Added extra timestamps to the update functions.
* 22 Jan 96 jen Get rid of checking of short_time....we always use the
long
* timings.
* Fixed timings to print query/uf times rounded up to 0.1
seconds
* and uses these rounded time values in subsequent
calculations
* Fixed bug where last seed in msecdme file wasn't getting
read
* correctly - EOF processing done too soon.
*
* 22 Feb 96 kbs port to NT
* 26 Mar 96 kbs Fix to avoid counting UFs as queries for min max
* 27 Jun 97 wlc Temporarily fixed deadlock problems when doing
UF1, UF2
* 30 Jul 97 wlc Add in support for load_update and
TPCD_SPLIT_DELETES
* 13 Aug 97 wlc fixed UF1 log file formatting problem,
* using TPCD_TMP_DIR for temp files instead of /tmp,
* make summary table fit in 80-column,
* fixed UF2 # of deleted rows reporting problem
* 18 Aug 97 wlc added command line support for inlistmax
* 20 Aug 97 wlc added support for runthroughput without UF
* 27 Aug 97 aph Replaced hardcoded 'tpcdaudit' with
getenv("TPCD_AUDIT_DIR")
* 05 Sep 97 wlc fixing free() problem in NT

```

<ul style="list-style-type: none"> * 26 Sep 97 kmw change FLOAT processing in echo_sqlda and print_headings * 10 oct 97 jen add lock table in share mode for staging tables * 21 oct 97 jen added explicit rollback on failure of ufl * 27 oct 97 jen don't update TPCD.xxxx.update.pair.num if not running UFs in <ul style="list-style-type: none"> * throughput run * 01 nov 97 jen temp code to do a prep then execute stmt in UFs so we can <ul style="list-style-type: none"> * get timings * 03 nov 97 jen realigned UF code for readability <ul style="list-style-type: none"> * pushed UF2 commit into loop for inlistmax * fixed UF2 code so rollback performed * 04 nov 97 jen Added code to handle vldb * 06 nov 97 jen Commented out temp code for prep then execute stmts using <ul style="list-style-type: none"> * TPCD_PREPARETIME def * Updated version number to 2.2 * send all output during update functions to output files, not stderr * 10 nov 97 jen jenCI Updated version number to 2.3 * Added handling of TPCD_CONCURRENT_INSERTS. Change control of <ul style="list-style-type: none"> * chunk processing to use the concurrent_inserts value as the control. Now the inserts will be run in TPCD_CONCURRENT_INSERTS * sets, each having concurrent_inserts/ * 13 nov 97 jen jen DEADLOCK. Fixed bug that Alex found where deadlock count <ul style="list-style-type: none"> * (maxwait) was incremented on every execution of the stmt as * opposed to just when deadlock really happened. * 14 nov 97 jen jenSEM - fix up error reporting on semaphore failure * sem_op now returns failure to caller so caller can report where <ul style="list-style-type: none"> * failure has happened. * Forced dbname to be upper case, and all other parts of update * pair number to be lowercase * 15 nov 97 jen SEED Reworked code to grab the seed from the seed file. Now <ul style="list-style-type: none"> * reusing seeds between runs, so power run will always use first * seed, throughput will use the 2nd - #stream+1 seeds * 13 jan 98 jen LONG Increase stmt_str to be able to hold inlists with larger <ul style="list-style-type: none"> * order key numbers * 04 mar 98 jen IMPORT added support for TPCD_UPDATE_IMPORT to chose whether <ul style="list-style-type: none"> * using import or load api's for loading data into the staging tables * 04 mar 98 jen TIMER changed from using gettimer to gettimeofday for unix * 01 apr 98 jen Fixed IMPORT code to do the proper checking on strcmp (ie !strcmp) * 01 apr 98 jen removed code to handle vldb - not needed <ul style="list-style-type: none"> * Upgraded version to 2.4 for (chunk * 01 apr 98 jen Fixed up import code on NT so the variable is recognized in the <ul style="list-style-type: none"> * children * 25 may 98 sks Reworked some of the environment variable code so consolidate as <ul style="list-style-type: none"> * much as possible. Not all complete because of differences in * the way nt and AIX calls (and starts stuff in background) for UFs 	<ul style="list-style-type: none"> * 29 may 98 jen REUSE_STAGE Changed UF1 so we reuse the same staging tables <ul style="list-style-type: none"> * instead of having a new set for each update pair * 06 jul 98 jen Removed locking of staging tables since they are created with <ul style="list-style-type: none"> * locksize table now * 06 jul 98 jen 912RETRY - added code to retry query execution on 912 as well <ul style="list-style-type: none"> * as 911 * 07 jul 98 jen Fixed summary_table() so 1000x adjustment not based on UF (setting <ul style="list-style-type: none"> * of max and min pointers * Added generic SleepSome function to handle NT vs AIX sleep differences * 01 apr 98 djf Added change to permit the use of table functions for UF1. <ul style="list-style-type: none"> * to enable this set TPCD_UPDATE_IMPORT to tf in TPCD.SETUP file. * MERGED this into base copy on Jul 07 * 10 jul 98 jen haider's fix for 'outstream' var for error processing in <ul style="list-style-type: none"> * runUF1_fn and runUF2_fn * Updated version to 2.5 * 25 sep 98 jen Added stream number printing into mpqry* files and increases <ul style="list-style-type: none"> * accuracy of timestamp in mpqry (and mts*qry*) files * 06 oct 98 jen TIME_ACC Added accuracy of timestamp in mpqry (and mts*qry*) <ul style="list-style-type: none"> * files. Cleaned up misuse of Sleep and flushed buffers on * deadlocks * 19 oct 98 kbs fix UF2_fn to correctly count rows deleted in case of deadlock * 20 oct 98 kbs rewrite UF2 and UF2_fn for static SQL with staging table * 23 oct 98 jen Cleaned up retrying of order/lineitem on lineitem deadlock in UF1 * 24 oct 98 jen Used load_ufl and load_ufl instead of general load_updates * 26 oct 98 kbs inject the UF1 with a single staging table * 02 nov 98 jen Fixed processing of multiple chunks in uf2 so don't duplicate * 21 nov 98 kmw Fixed BIGINT * 05 dec 98 aph Moved runUF1_fn() and runUF2_fn() into a separate file tpcdUF.sqc <ul style="list-style-type: none"> * so that it can be bound separately with a different isolation level. * 21 dec 98 aph Integrated Jennifer's QppD calculation (rounding & adjustment) fixes. * 22 dec 98 aph For UFs during Throughput run, defer CONNECT until children launched. * 28 dec 98 aph Removed error_check() call after CONNECT RESET * 29 dec 98 aph For UFs do not COMMIT in tpcdbatch.sqc. COMMITs happen in tpcdUF.sqc. * 18 jan 99 kal replaced header with #include "tpcdbatch.h" * 27 may 99 bbeaton from (03 mar 99 jen) Fixed SUN fix that wasn't compatible with <ul style="list-style-type: none"> * NT (using %D %T instead of %x %X for strftime) * 16 jun 99 jen Added missing LPCTSTR cast of semaphore file name for NT * 17 jun 99 jen SEMA Changes semaphore file for update functions to look for tpcd.setup <ul style="list-style-type: none"> * not for the orders.*** update data file * 21 jul 99 bbeaton Added semaphore control that allows runpower to be run as two <ul style="list-style-type: none"> * separate streams (update and query). This involves the use of * two semaphores to be used as it executes in three different sections. The first is the update inserts. The next is the query
---	---

```

*      stream which is started with the update stream, but waits
until
*      the inserts are complete. The third section is the update
deletes
*      which execute after the queries are complete.
* 21 jul 99 bbeaton Added functions to handle semaphore creation,
control, etc.
* 21 jul 99 bbeaton Modified output to mp*inter files. It now only
outputs
*      intermediate data that will be calculated by calcmetricp.pl.
This
*      is a result of the runpower being split into two streams and
thus
*      tpcdbatch not having access to all data.
* 21 jul 99 bbeaton The start time for runpower UF2 now does not
start until after
*      the query stream is complete so that its wait time is not
included
*      NOTE: The wait time that the first UF1 in runthroughput
still
*      includes the wait period that occurs waiting on queries.
* 18 mar 02 kentond removed the need for list files. Instead of using
the *.list
*      files to determine the name of the output files, the tags for
the
*      source sql files are used.
*****
*****

/* included in tpcdbatch.sqc and tpcdUF.sqc */

#include "tpcdbatch.h"

/*****
*****
*/
/* global structure containing elements passed between different
functions */
/*****
*****
*/
struct global_struct
{
    struct stmt_info *s_info_ptr; /* ptr to stmt_info list */
    struct stmt_info *s_info_stop_ptr; /* ptr to last struct in list */
    struct comm_line_opt *c_l_opt; /* ptr to comm_line_opt
struct */
    struct ctrl_flags *c_flags; /* ptr to ctrl_flags struct */
    Timer_struct stream_start_time; /* start time for stream
TIME_ACC */
    Timer_struct stream_end_time; /* end time for stream
TIME_ACC */
    char file_time_stamp[50]; /* time stamp for output files */
    double scale_factor; /* scale factor of database */
    char run_dir[150]; /* directory for output files */
    int copy_on_load; /* indication of whether or not */
                        /* to do use a copy directory */
                        /* (equiv to COPY YES) on load */
                        /* default is FALSE */
    long lSeed; /* seed used to generate the */
                /* queries for this particular */
                /* run. */
    FILE *stream_list; /* ptr to query list file */
    char update_num_file[150]; /* name of file that keeps
track */
                        /* of which update pairs have run */
    char sem_file[150]; /* semaphore name */
    char sem_file2[150]; /* semaphore name bbe */
    FILE *stream_report_file; /* file to report start stop */
                        /* progress of the stream */

```

```

};

/*****
*****
*/
/* New type declaration to store details about SQL statement */
/*****
*****
*/

struct stmt_info
{
    long max_rows_fetch;
    long max_rows_out;
    int query_block; /* @d30369 tlg */
    unsigned int stmt_num; /* @d24993 tlg */
    double elapse_time; /* @d24993 tlg */
    double adjusted_time;
    char start_stamp[50]; /* start time stamp for block */
    char end_stamp[50]; /* end time stamp for block */
    char tag[50]; /* block tag */
    char qry_description[100];
    struct stmt_info *next; /* @d24993 tlg */
};

/*****
*****
*/
/* Structure containing command line options */
/*****
*****
*/
struct comm_line_opt
{
    /* @d22275 tlg */
    /* kjd715 */
    /* char str_file_name[256]; /* output filename */
    /* kjd715 */
    char infile[256]; /* input filename */
    int intStreamNum; /* integer version of stream number */
    int a_commit; /* auto-commit flag */
    int short_time; /* time interval flag */
    int update;
    int outfile;
};

/*****
*****
*/
/* Structure used to hold precision for decimal numbers */
/*****
*****
*/
struct declen
{
    /* kmw */
    unsigned char m; /* # of digits left of decimal */
    unsigned char n; /* # of digits right of decimal */
};

/*****
*****
*/
/* Structure containing control flags passed between functions */
/*****
*****
*/
struct ctrl_flags
{
    /* @d25594 tlg */
    int eo_infile;
    int time_stamp;
    int eo_block; /* @d30369 tlg */

```

```

    int select_status;
};

/*****
*****
*/
/* Function Prototypes */
/*****
*****
*/
int SleepSome( int amount );
int get_env_vars(void);
int Get_SQL_stmt(struct global_struct *g_struct);

void print_headings (struct sqllda *sqllda, int *col_lengths); /*
@d2817 tlg */
void echo_sqllda(struct sqllda *sqllda, int *col_lengths);
void allocate_sqllda(struct sqllda *sqllda);

void get_start_time(Timer_struct *start_time);
double get_elapsed_time (Timer_struct *start_time);

long error_check(void); /* @d28763 tlg */
void dumpCa(struct sqlca*); /* kmw */

void display_usage(void);
char *uppercase(char *string);
char *lowercase(char *string);
void comm_line_parse(int argc, char *argv[], struct global_struct
*g_struct);
int sqlrxd2a(char *decptr, char *asciiptr, short prec, short scal);
void init_setup(int argc, char *argv[], struct global_struct *g_struct);
void runUF1( struct global_struct *g_struct, int updatePair );
void runUF2( struct global_struct *g_struct, int updatePair );

/* These need to be extern because they're in another SQC file.  aph
981205 */
/*extern void runUF1_fn( int updatePair, int i );*/ /* aph
981205 */
/*extern void runUF2_fn( int updatePair, int i, int numChunks );*/ /*
aph 981205 */
/* Added four new arguments because SQL host vars can't be global.
aph 981205 */
extern void runUF1_fn ( int updatePair, int i, char *dbname, char
*userid, char *passwd );
extern void runUF2_fn ( int updatePair, int thisConcurrentDelete, int
numChunks, char *dbname, char *userid, char *passwd );

int sem_op (int semid, int semnum, int value);

char *get_time_stamp(int form, Timer_struct *timer_pointer); /*
TIME_ACC jen */
void summary_table (struct global_struct *g_struct);
void free_sqllda (struct sqllda *sqllda, int select_status); /* @d30369
tlg */
void output_file(struct global_struct *g_struct);
int PreSQLprocess(struct global_struct *g_struct, Timer_struct
*start_time);
void SQLprocess(struct global_struct *g_struct);
int PostSQLprocess(struct global_struct *g_struct, Timer_struct
*start_time);
int cleanup(struct global_struct *g_struct);

/* Semaphore control functions */
void create_semaphores(struct global_struct *g_struct);
void throughput_wait(struct global_struct *g_struct);
void runpower_wait(struct global_struct *g_struct, int sem_num);
void release_semaphore(struct global_struct *g_struct, int sem_num);
#endif SQLWINT

```

```

HANDLE open_semaphore(struct global_struct *g_struct, int num);
#else
int open_semaphore(struct global_struct *g_struct);
#endif

EXEC SQL INCLUDE SQLCA;

/*****
*****
*/
/* Declare the SQL host variables. */
/*****
*****
*/
EXEC SQL BEGIN DECLARE SECTION;

char stmt_str1[4000] = "\0"; /* Assume max SQL statment
of 4000 char */
struct {
    short len;
    char data[32700];
} stmt_str; /* jen LONG */
char dbname[9] = "\0";
char userid[9] = "\0";
char passwd[9] = "\0";
char sourcefile[256]; /* used for semaphores and table
functions? */
sqlint32 chunk = 0; /* jenCI counter for within the set of
chunks */

EXEC SQL END DECLARE SECTION;

/*****
*****
*/
/* Declare the global variables. */
/*****
*****
*/
struct sqllda *sqllda; /* SQL Descriptor area */

/* Global environment variables (sks May 25 98)*/
char env_tpcd_dbname[100];
char env_user[100];
char env_tpcd_audit_dir[150];
char env_tpcd_path_delim[2];
char env_tpcd_tmp_dir[150];
char env_tpcd_run_on_multiple_nodes[10];
char env_tpcd_copy_dir[150];
char env_tpcd_update_import[10];

/* Other globals */
FILE *instream, *outstream; /* File pointers */
int verbose = 0; /* Verbose option flag */
int semcontrol = 1; /* allows/disallows smaphores usage
*/
int updatePairStart; /* update pair to start at */
int currentUpdatePair; /* update pair running */
int updatePairStop; /* update pair to stop before */
char newtime[50] = "\0"; /* Des - moved from
get_time_stamp */
char ostreamfilename[256]; /* store filename of ostream
wlc 081397 */
int inlistmax = 400; /* define # of keys to delete at a time
wlc 081897 */
int sqllda_allocated = 0; /* fixing free() problem in NT
wlc 090597 */
int iImportStagingTbl=0; /* IMPORT use import or load
(default) */

```

```

char      temp_time_stamp[50]; /* holds end timestamp to be
copied into start_time_stamp of next query bbeaton */
Timer_struct  temp_time_struct; /* holds end time value to be
copied into start_time of next query bbeaton */

/* constants for the semaphores used; 1 for throughput and 2 for power
*/
#define INSERT_POWER_SEM 1
#define QUERY_POWER_SEM 2
#define THROUGHPUT_SEM 1

/*****
*****/
/* Start main program processing. */
/*****
*****/
int main(int argc, char *argv[])
{
    /* kjd715 */
    /*struct comm_line_opt c_l_opt = { "\0", "\0", 0, 1, 0, 0, 0 };*/ /*
kjd715 */
    struct comm_line_opt c_l_opt = { "\0", 0, 1, 0, 0, 0 };
    /* kjd715 */
    /* command line options */
    Timer_struct  start_time; /* start point for elapsed time */

    struct stmt_info  s_info = { -1, -1, 0, 1, -1, -1, "\0", "\0", "\0", "\0",
NULL };
    /* first stmt_info structure */

    struct ctrl_flags  c_flags = { 0, 1, 0, TPCCDBATCH_SELECT };
    /* structure holding ctrl flags
passed between functions */

    /* TIME_ACC jen start */
#ifdef (SQLUNIX) || defined (SQLAIX)
    struct global_struct g_struct =
    { NULL, NULL, NULL, NULL, {0,0}, {0,0}, "\0", 0.1, "\0", FALSE,
0,
    NULL, "\0", "\0", "\0", NULL };
#elif (defined (SQLOS2) || defined (SQLWINT) || defined (SQLWIN) ||
defined (SQLDOS))
    struct global_struct g_struct =
    { NULL, NULL, NULL, NULL, {0,0,0,0}, {0,0,0,0}, "\0", 0.1, "\0",
FALSE, 0,
    NULL, "\0", "\0", "\0", NULL };
#else
#error Unknown operating system
#endif
    /* TIME_ACC jen end */

    /* Get environment variables */
    if (get_env_vars() != 0)
        return -1;

    /* perform setup and initialization and get process id of agent */
    outstream = stdout;
    g_struct.c_flags = &c_flags;

    g_struct.s_info_ptr = &s_info;
    g_struct.c_l_opt = &c_l_opt;

    init_setup(argc, argv, &g_struct); /* @d22275 tjg */

```

```

if ((g_struct.c_l_opt->update == 1) && (semcontrol == 1))
/* runpower: wait for insert function to complete */
/* waiting on the INSERT_POWER_SEM semaphore */
    runpower_wait(&g_struct, INSERT_POWER_SEM);

strcpy(temp_time_stamp, "0");

/*****
*****/
*
* This is the transition from the "driver" to the "SUT"
*
*****/
/*****
*****/
/* Read in each statement, prepare, execute, and send output to file.
*/
/*****
*****/
while (!c_flags.eo_infile) { /* Check to see if there's no more input
*/
    c_flags.eo_block = 0;

    if (c_l_opt.outfile)
        output_file(&g_struct); /* determine appropriate name for output
files */
    if ((g_struct.c_l_opt->update != 3) && (g_struct.c_l_opt->update !=
4))
    {
        if (!strcmp(temp_time_stamp, "0")) /* if first query, get timestamp
*/
        {
            get_start_time(&start_time);
            strcpy(g_struct.s_info_ptr->start_stamp,
                get_time_stamp(T_STAMP_FORM_3, &start_time)); /*
TIME_ACC jen */
        }
        else /* else get the end timestamp of previous query */
        {
            strcpy(g_struct.s_info_ptr->start_stamp, temp_time_stamp);
            start_time = temp_time_struct;
        }
        /* write the start timestamp to the file...if this is not a qualification
*/
        /* run, then write the seed used as well */

        fprintf(outstream, "Start timestamp %*.s\n",
            T_STAMP_3LEN, T_STAMP_3LEN, /*
TIME_ACC jen */
            g_struct.s_info_ptr->start_stamp);
        if (c_l_opt.intStreamNum >= 0)
        {
            if (g_struct.lSeed == -1)
            {
                fprintf(outstream, "Using default qgen seed file");
            }
            else
                fprintf(outstream, "Seed used = %ld", g_struct.lSeed);

            fprintf(outstream, "\n");
        }
    }
}

```

```

    }
    do { /* Loop through these statements as long as we haven't
reached
        the end of the input file or the end of a block of statements
        */

        /** Read in the next statment **/
        c_flags.select_status=Get_SQL_stmt(&g_struct);

        if (PreSQLprocess(&g_struct, &start_time) == FALSE)
            /* if after reading the next statement we see that we should
            exit this loop (i.e. eof, update functions, etc...), get out
            */
            break;

    }

    /*******
    *****/

    *                               *
    * The SQLprocess function implements the implementation
specific layer. *
    * It can handle arbitrary SQL statements. *
    *                               *

    /*******
    *****/

    /* If we've got up to here then processing
    a regular SQL statement */
    SQLprocess(&g_struct);

    } while ((!c_flags.eof_block) && (!c_flags.eof_infile)); /*
@d30369 tjg */

    if (PostSQLprocess(&g_struct, &start_time) == FALSE)
        /* if we've reached the end of the input file, then get out
        of this loop (i.e. no more statements). Otherwise get
        elapsed times and display info about rows */
        break;

    } /* end of for loop for multiple SQL statements */

    g_struct.s_info_ptr = &s_info; /* set the global pointer to start of
    linked list */

    cleanup(&g_struct); /* finish some semaphore stuff, cleanup files,
    and print out summary table */

    /*******
    *****/

    *                               *
    * In cleanup we make the transition back from the "SUT" to the
"driver" *
    *                               *

    /*******
    *****/

    return(0);

} /* end of main */

    /*******
    *****/

```

```

/* Generic form of Sleep */
int SleepSome( int amount)
{
#ifdef SQLWINT
    sleep (amount);
#else
    // Sleep (amount*100); /* 10x for NT DJD Changed "sleep" to
    "Sleep" */
    Sleep (amount); /* 10x for NT DJD Changed "sleep" to
    "Sleep" */
#endif
    return 0;
}

    /*******
    *****/

    /*******
    *****/

    /* Get environment variables. (sks May 25 98) */
    /*******
    *****/

    int get_env_vars(void) {
        if (strcpy(env_tpcd_dbname, getenv("TPCD_DBNAME")) ==
        NULL) {
            fprintf(stderr, "\n The environment variable $TPCD_DBNAME is
            not setup correctly.\n");
            return -1;
        }
        if (strcpy(env_user, getenv("USER")) == NULL) {
            fprintf(stderr, "\n The environment variable $USER is not setup
            correctly.\n");
            return -1;
        }
        if (strcpy(env_tpcd_audit_dir, getenv("TPCD_AUDIT_DIR")) ==
        NULL) {
            fprintf(stderr, "\n The environment variable $TPCD_AUDIT_DIR
            is not setup correctly.\n");
            return -1;
        }
        if (strcpy(env_tpcd_tmp_dir, getenv("TPCD_TMP_DIR")) ==
        NULL) {
            fprintf(stderr, "\n The environment variable $TPCD_TMP_DIR is
            not setup correctly.\n");
            return -1;
        }
    }
    #if 0
        if (strcpy(env_tpcd_path_delim, getenv("TPCD_PATH_DELIM"))
        == NULL ||
            (strcmp(env_tpcd_path_delim, "/") &&
            strcmp(env_tpcd_path_delim, "\\"))){
            fprintf(stderr, "\n The environment variable
            $TPCD_PATH_DELIM is not setup correctly ,
            env_tpcd_path_delim%s'\n", env_tpcd_path_delim);

            return -1;
        }
    #endif
    strcpy( env_tpcd_path_delim , "/" ); /*kmw*/
    if (strcpy(env_tpcd_run_on_multiple_nodes,
    getenv("TPCD_RUN_ON_MULTIPLE_NODES")) == NULL) {
        fprintf(stderr, "\n The environment variable
        $TPCD_RUN_ON_MULTIPLE_NODES");
        fprintf(stderr, "\n is not setup correctly.\n");
        return -1;
    }
    if (strcpy(env_tpcd_copy_dir, getenv("TPCD_COPY_DIR")) ==
    NULL) {

```



```

    fprintf(stderr, "\n The environment variable $TPCD_COPY_DIR is
not setup correctly.\n");
    return -1;
}
/* If TPCD_UPDATE_IMPORT is not set then, the default is set to
false, */
/* which is done in init_setup subroutine */
strcpy(env_tpcd_update_import,
getenv("TPCD_UPDATE_IMPORT"));

return 0;
}

/*****
*****/
/* Get the SQL statement and any control statements from input. */
/*****
*****/
int Get_SQL_stmt(struct global_struct *g_struct)

{
    char input_ln[256] = "\0"; /* buffer for 1 line of text */
    char temp_str[4000] = "\0"; /* temp string for SQL stmt */
    char control_str[256] = "\0"; /* control string */

    char *test_semi; /* ptr to test for semicolon */
    char *control_opt; /* ptr used in control_str parsing */
    char *select_status; /* ptr to first word in query */
    char *temp_ptr; /* general purpose temp ptr */

    int good_sql = 0; /* good-sql stmt flag @d23684 tjt */
    int stmt_num_flag = 1; /* first line of SQL stmt flag */
    int eostmt = 0; /* flag to signal end of statement */

    stmt_str.data[0] = '\0'; /* Initialize statement buffer */

    if (verbose)
        fprintf(stderr, "\n-----\n");
    fprintf(outstream, "\n-----\n");

    do {
        /* Read in lines from input one at a time */
        fscanf(instream, "%n%[\n]", input_ln);

        if (strstr(input_ln, "--") == input_ln) { /* Skip all -- comments */

            if (strstr(input_ln, "--SET") == input_ln) {
                /* Store control string but
                keep going to find SQL stmt */
                strcpy(control_str, input_ln);
                if (verbose)
                    fprintf(stderr, "%s\n", uppercase(control_str));
                    fprintf(outstream, "%s\n", uppercase(control_str));

                /* Start parsing control str. and update appropriate vars. */
                control_opt = strtok(control_str, " ");
                while (control_opt != NULL) {
                    if (strcmp(control_opt, "--SET") == 0) { /* Skip the #SET token */

                        if (!strcmp(control_opt, "ROWS_FETCH"))
                            g_struct->s_info_ptr->max_rows_fetch =
                                atoi(strtok(NULL, " "));

                        if (!strcmp(control_opt, "ROWS_OUT"))
                            g_struct->s_info_ptr->max_rows_out =
                                atoi(strtok(NULL, " "));
                    }
                }
            }
        }
    }

```

```

        control_opt = strtok(NULL, " ");
    }
}

/* if the block option has been set, then check if we've
reached the end of a block of statements */
if (g_struct->s_info_ptr->query_block) /* @d30369
tjt */
    if (strstr(input_ln, "--EOBLK") == input_ln) {
        g_struct->c_l_opt->eo_block = 1;
        return TPCDBATCH_EOBLOCK;
    }
    if (strstr(input_ln, "-- Query") == input_ln)
        strcpy(g_struct->s_info_ptr->qry_description, input_ln);

    if (strstr(input_ln, "--TAG") == input_ln)
        strcpy(g_struct->s_info_ptr->tag, (input_ln + sizeof("--TAG")));

    /* if we're using update functions, return that info
    appropriately */
    if (g_struct->c_l_opt->update != 0) {
        if (strstr(input_ln, "--INSERT") == input_ln)
            return TPCDBATCH_INSERT;

        if (strstr(input_ln, "--DELETE") == input_ln)
            return TPCDBATCH_DELETE;
    }

    if (strstr(input_ln, "--COMMENT") == input_ln) { /*
@d25594 tjt */
        temp_ptr = (input_ln + 11); /* User-specified comments go to
        the outfile */

        if (verbose)
            fprintf(stderr, "%s\n", temp_ptr);
            fprintf(outstream, "%s\n", temp_ptr);
        }

        eostmt = 0;
    }

    /* Need this hack here to check if there's any more empty lines left
    in the input file. Continue only if there are aren't any */
    else if (strcmp(input_ln, "\0") == 0) /* HACK */ { /* A regular SQL
    statement */
        if (stmt_num_flag) { /* print this out only if it's the first line
        of the SQL statement. We only want this
        line to appear once per statement */
            if (verbose)
                fprintf(stderr, "\n%s\n",
g_struct->s_info_ptr->qry_description);
                fprintf(outstream, "\n%s\n",
g_struct->s_info_ptr->qry_description);

            if (verbose)
                fprintf(stderr, "\nTag: %-5.5s Stream: %d Sequence
number: %d\n",
g_struct->s_info_ptr->tag, g_struct->c_l_opt->intStreamNum,
g_struct->s_info_ptr->stmt_num); /*jen0925*/
                fprintf(outstream, "\nTag: %-5.5s Stream: %d Sequence
number: %d\n",
g_struct->s_info_ptr->tag, g_struct->c_l_opt->intStreamNum,
g_struct->s_info_ptr->stmt_num); /*jen0925*/
            }
        }
    }

```

```

/* Turn off this flag once the number has been printed */
stmt_num_flag = 0;

} /* Print out this heading the first time you encounter a
   non-comment statement */

/* Test to see if we've reached the end of a statement */
good_sql = TRUE; /* @d23684 tlg */
test_semi = strstr(input_ln, ";");
if (test_semi == NULL) { /* if there's no semi-colon keep on
going */
    strcat(stmt_str.data, input_ln); /* jen LONG */
    strcat(stmt_str.data, " "); /* jen LONG */
    stmt_str.len = strlen(stmt_str.data); /* jen LONG */
    eostmt = 0;
}

else { /* else replace the ; with a \0 and continue */
    *test_semi = '\0';
    strcat(stmt_str.data, input_ln); /* jen LONG */
    stmt_str.len = strlen(stmt_str.data); /* jen LONG */
    eostmt = 1;
}

fprintf(outstream, "\n%s", input_ln);
if (verbose)
    fprintf(stderr, "\n%s", input_ln);
}

/* Test to see if we've reached the EOF. Get out if that's the case
**/
if (feof(instream)) {
    eostmt = TRUE;
    g_struct->c_flags->eo_infile = TRUE; /* @d22275
tlg */
}

} while (!eostmt);

fprintf(outstream, "\n");
if (verbose)
    fprintf(stderr, "\n");

/* erase the old control string */
strcpy(control_str, "\0");

/* Determine whether statement is a SELECT or other SQL */
if (good_sql) {
    strcpy(temp_str, stmt_str.data); /* jen LONG */
    uppercase(temp_str); /* Make sure that select is made to SELECT
*/
    select_status = strtok(temp_str, " ");
    if ( (stmt_str.data[0] == '(') || (!strcmp(select_status, "SELECT")) ||
        (!strcmp(select_status, "VALUES")) ||
        (!strcmp(select_status, "WITH")) )
        return TPCDBATCH_SELECT;
    else
        return TPCDBATCH_NONSELECT;
}

/* If you go through a file with just comments or control statments
with no SQL, there's nothing to process...Exit TPCDBATCH */

else /* @d23684 tlg */
    return TPCDBATCH_NONSQL;
} /* Get_SQL_stmt */

```

```

/******
******/
/* allocate_sqlda -- This routine allocates space for the SQLDA. */
/******
******/

void allocate_sqlda(struct sqlda *sqlda)
{
    int loopvar; /* Loop counter */

    for (loopvar=0; loopvar<sqlda->sqld; loopvar++)
    {
        switch (sqlda->sqlvar[loopvar].sqltype)
        {
            case SQL_TYP_INTEGER: /* INTEGER */
            case SQL_TYP_NINTEGER:
                if ((sqlda->sqlvar[loopvar].sqldata=
                    (TPCDBATCH_CHAR *)malloc(sizeof(sqlint32))) ==
                    NULL)
                    mem_error("allocating INTEGER");
                break;
            case SQL_TYP_BIGINT: /* BIGINT */
            /*kmwBIGINT*/
            case SQL_TYP_NBIGINT:
            /*#ifdef SQLWINT */
            /* if ((sqlda->sqlvar[loopvar].sqldata=
            /* (TPCDBATCH_CHAR *)malloc(sizeof(__int64))) ==
            NULL)*/
            /* #else */
                if ((sqlda->sqlvar[loopvar].sqldata=
                    (TPCDBATCH_CHAR *)malloc(sizeof(sqlint64))) ==
                    NULL)
                    mem_error("allocating BIGINT");
                break;
            case SQL_TYP_CHAR: /* CHAR */
            case SQL_TYP_NCHAR:
                if ((sqlda->sqlvar[loopvar].sqldata=
                    (TPCDBATCH_CHAR *)calloc(256, sizeof(char))) ==
                    NULL)
                    mem_error("allocating CHAR/VARCHAR");
                break;
            case SQL_TYP_VARCHAR: /* VARCHAR */
            case SQL_TYP_NVARCHAR:
                if ((sqlda->sqlvar[loopvar].sqldata=
                    (TPCDBATCH_CHAR *)calloc(4002, sizeof(char))) ==
                    NULL)
                    mem_error("allocating CHAR/VARCHAR");
                break;
            case SQL_TYP_LONG: /* LONG VARCHAR */
            case SQL_TYP_NLONG:
                if ((sqlda->sqlvar[loopvar].sqldata=
                    (TPCDBATCH_CHAR *)calloc(32702, sizeof(char))) ==
                    NULL)
                    mem_error("allocating VARCHAR/LONG VARCHAR");
                break;
            case SQL_TYP_FLOAT: /* FLOAT */
            case SQL_TYP_NFLOAT:
                if ((sqlda->sqlvar[loopvar].sqldata=
                    (TPCDBATCH_CHAR *)malloc(sizeof(double))) ==
                    NULL)
                    mem_error("allocating FLOAT");
                break;
            case SQL_TYP_SMALL: /* SMALLINT */
            case SQL_TYP_NSMALL:
                if ((sqlda->sqlvar[loopvar].sqldata=

```

```

        (TPCDBATCH_CHAR *)malloc(sizeof(short))) ==
NULL)
    mem_error("allocating SMALLINT");
    break;
case SQL_TYP_DECIMAL:          /* DECIMAL */
case SQL_TYP_NDECIMAL:
    if ((sqlda->sqlvar[loopvar].sqldata=
        (TPCDBATCH_CHAR *)malloc(20)) == NULL)
        mem_error("allocating DECIMAL");
    break;
case SQL_TYP_CSTR:             /* VARCHAR (null
terminated) */
case SQL_TYP_NCSTR:
    if ((sqlda->sqlvar[loopvar].sqldata=
        (TPCDBATCH_CHAR *)calloc(4001,sizeof(char))) ==
NULL)
        mem_error("allocating CHAR/VARCHAR");
    break;
case SQL_TYP_DATE:             /* DATE */
case SQL_TYP_NDATE:
    if ((sqlda->sqlvar[loopvar].sqldata=
        (TPCDBATCH_CHAR *)calloc(13,sizeof(char))) ==
NULL)
        mem_error("allocating DATE");
    break;
case SQL_TYP_TIME:             /* TIME */
case SQL_TYP_NTIME:
    if ((sqlda->sqlvar[loopvar].sqldata=
        (TPCDBATCH_CHAR *)calloc(11,sizeof(char))) ==
NULL)
        mem_error("allocating TIME");
    break;
case SQL_TYP_STAMP:            /* TIMESTAMP */
case SQL_TYP_NSTAMP:
    if ((sqlda->sqlvar[loopvar].sqldata=
        (TPCDBATCH_CHAR *)calloc(29,sizeof(char))) ==
NULL)
        mem_error("allocating TIMESTAMP");
    break;
}
if ((sqlda->sqlvar[loopvar].sqlind=
    (short *)calloc(1,sizeof(short))) == NULL)
    mem_error("allocating indicator");

}
sqlda_allocated = 1; /* fix free() problem on NT
    wlc 090597 */
return; /* allocate_sqlda */
}

```

```

/*****
*****
/**** echo_sqlda -- This routine displays the contents of an SQLDA.
*/
*****/

```

```

void echo_sqlda(struct sqlda *sqlda, int *col_lengths)
{
    int col;          /* Column counter */

    int col_type;     /* Type of column */

    char temp_string[100] = "\0"; /* Temporary string */
    char decimal_string[100] = "\0"; /* String holding decimals */
    char *temp_ptr;

```

```

TPCDBATCH_CHAR m,n; /* precision and accuracy
                    for decimal conversion */

for (col=0; col<sqlda->sqlid; col++) /* Loop through column count
*/
{
    col_type=sqlda->sqlvar[col].sqltype; /* @d22817 tjg */

    if ((sqlda->sqlvar[col].sqlind)) /* @d30369 tjg */
        fprintf(outstream, "%* n/a ",(col_lengths[col]-3));
    else
        switch (col_type)
        {
            case SQL_TYP_INTEGER:
            case SQL_TYP_NINTEGER:

                fprintf(outstream, "%*ld ",col_lengths[col],
                    *(sqlint32 *) (sqlda->sqlvar[col].sqldata));
                break;

            case SQL_TYP_BIGINT: /* kmwBIGINT */
            case SQL_TYP_NBIGINT:
                /*##ifdef SQLWINT*/
                /*      fprintf(outstream, "%*I64d ",col_lengths[col],*/
                /*          *(__int64 *) (sqlda->sqlvar[col].sqldata));*/
                /*##else*/
                fprintf(outstream, "%*lld ",col_lengths[col],
                    *(sqlint64 *) (sqlda->sqlvar[col].sqldata));
                /*##endif*/
                break;

            case SQL_TYP_CHAR:
            case SQL_TYP_NCHAR:

                fprintf(outstream, "%-*s
",col_lengths[col],sqlda->sqlvar[col].sqldata);
                break;
            case SQL_TYP_VARCHAR:
            case SQL_TYP_NVARCHAR:
            case SQL_TYP_LONG:
            case SQL_TYP_NLONG: /* @d30369 tjg */
                ((struct sqlchar *)sqlda->sqlvar[col].sqldata)->
                    data[((struct sqlchar *)sqlda->sqlvar[col].sqldata)->length] =
                    '\0';
                fprintf(outstream, "%-*s ",
                    col_lengths[col],
                    ((struct sqlchar *)sqlda->sqlvar[col].sqldata)->data);
                break;
            case SQL_TYP_FLOAT:
            case SQL_TYP_NFLOAT:
                { /* kmw */
                    if ( fabs(*(double *) (sqlda->sqlvar[col].sqldata))
                        < TPCDBATCH_PRINT_FLOAT_MAX )
                        fprintf(outstream, "%*#.3f ",col_lengths[col],
                            *(double *) (sqlda->sqlvar[col].sqldata));
                    else
                        fprintf(outstream, "%*e ",col_lengths[col],
                            *(double *) (sqlda->sqlvar[col].sqldata));
                    break;
                }

            case SQL_TYP_SMALL:
            case SQL_TYP_NSMAIL:

                fprintf(outstream, "%*hd ",col_lengths[col],
                    *(short *) (sqlda->sqlvar[col].sqldata));

```

```

        break;
    case SQL_TYP_DECIMAL:
    case SQL_TYP_NDECIMAL:

        m=(*(struct declen *)&sqlda->sqlvar[col].sqlllen).m;
        n=(*(struct declen *)&sqlda->sqlvar[col].sqlllen).n;
        if (sqlrxd2a(char
*)sqlda->sqlvar[col].sqldata,temp_string,m,n) != 0)
        {
            fprintf(stderr, "\nThe decimal value could not be
converted.\n");
            exit (-1);
        }
        else {

            temp_ptr = temp_string;

            if (*temp_ptr == '-')
                strcpy(decimal_string, "-");

            else
                strcpy(decimal_string, "");

            for (temp_ptr = temp_string + 1; *temp_ptr == '0';
temp_ptr++)
                ;

            strcat(decimal_string,temp_ptr);
            fprintf(outstream, "%*s ",col_lengths[col],decimal_string);
        }

        break;

    case SQL_TYP_CSTR:
    case SQL_TYP_NCSTR:
    case SQL_TYP_DATE:
    case SQL_TYP_NDATE:
    case SQL_TYP_TIME:
    case SQL_TYP_NTIME:
    case SQL_TYP_STAMP:
    case SQL_TYP_NSTAMP:
        sqlda->sqlvar[col].sqldata[sqlda->sqlvar[col].sqlllen+1]='\0';
        strcpy(temp_string,(char *)sqlda->sqlvar[col].sqldata);
        fprintf(outstream, "%-*s ",(col_lengths[col]),temp_string);
        break;

    default:
        fprintf(stderr,"--Unknown column type (%d).
Aborting.\n",col_type);
        break;
    }
}

fprintf(outstream, "\n");

return;
}

/*****
*/
/* Calculate the elapsed time. */
/*****
*/

void get_start_time(Timer_struct *start_time)
{
    int rc = 0;

```

```

#ifdef (SQLOS2) || defined (SQLWINT) || defined (SQLWIN) ||
defined (SQLDOS)
    /*@d33143aha*/
    ftime (start_time);
#elif defined (SQLSNI)
    rc = gettimeofday(start_time);
#elif defined (SQLPTX)
    gettimeofday_mapped(start_time);
    rc = 0; /* gettimeofday_mapped returns void */
#elif defined (SQLUNIX) || defined (SQLAIX) /*TIMER
jen*/
    rc = gettimeofday(start_time,NULL);
#else
#error Unknown operating system
#endif

    if (rc != 0) {
        fprintf(stderr,"Timer call failed, aborting test\nExiting
tpcdbatch...\n");
        exit(-1);
    }
}

/*****
*****/
/* Calculate and return the elapsed time given a starting time. */
/*****
*****/

double get_elapsed_time ( Timer_struct *start_time)
{
    int status = 0;
    Timer_struct end_time;
    double result = -1.0;
#ifdef SQLWINT
    long int result_sec;
    long int result_usec;
#endif

#ifdef (SQLSNI)
    status = gettimeofday(&end_time);
#elif defined (SQLPTX)
    gettimeofday_mapped(&end_time);
    status = 0; /* gettimeofday_mapped returns void */
#elif defined (SQLUNIX) || defined (SQLAIX)
    status = gettimeofday(&end_time,NULL); /*TIMER
jen*/
#elif defined (SQLOS2) || defined (SQLWINT) || defined (SQLWIN) ||
defined (SQLDOS)
    ftime(&end_time);
#else /* If another operating system */
#error Unknown operating system
#endif

    if (status != 0)
        fprintf(stderr,"Bad return from gettimeofday, don't trust timer
results...\n");

    else
    {
#ifdef (SQLUNIX) || defined (SQLAIX)
        result_sec = end_time.tv_sec - start_time->tv_sec;
        result = (double) result_sec;
        /* TIMER used micro seconds with timeval (not nanoseconds) */
        if ((start_time->tv_usec > 0) && \

```

```

        (start_time->tv_usec < 1000000) && \
        (end_time.tv_usec > 0) && \
        (end_time.tv_usec < 1000000))
    {
        result_usec = end_time.tv_usec - start_time->tv_usec;
        result = (double) result_sec + ((double) result_usec/1000000);
    }
#ifdef (SQLOS2) || defined(SQLWINT) || defined (SQLWIN) ||
defined(SQLDOS))
    result = (double) (end_time.time - start_time->time);
    result = result * 1000 + (end_time.millitm - start_time->millitm);
    result = result/1000;
#else
#error Unknown operating system
#endif

}

/*
 * translate the time to that rounded to the CLOSEST 0.1 seconds as
 * required by the TPC-D spec.  ROUNDING
 */
/* result = (double)((long)((result + 0.099999) * 10))/10.0;*/
result = (double)((long)((result + 0.05) * 10))/10.0;
return (result);
}

void dumpCa(struct sqlca *ca)
{
    int i;
    fprintf(outstream, "***** DUMP OF SQLCA
*****\n");
    fprintf(outstream, "SQLCAID : %.8s\n", ca->sqlcaid);
    fprintf(outstream, "SQLCABC : %d\n", ca->sqlcabc);
    fprintf(outstream, "SQLCODE : %d\n", ca->sqlcode);
    fprintf(outstream, "SQLERRML : %d\n", ca->sqlerrml);
    fprintf(outstream, "SQLERRMC : %.8s\n", ca->sqlerrmc);
    fprintf(outstream, "SQLERRP : %.8s\n", ca->sqlerrp);

    for (i = 0; i < 6; i++)
    {
        fprintf(outstream, "SQLERRD[%d]: %d\n", i, ca->sqlerrd[i]);
    }
    fprintf(outstream, "SQLWARN : %.11s\n", ca->sqlwarn);
    fprintf(outstream, "SQLSTATE : %.5s\n", ca->sqlstate);
    fprintf(outstream, "***** END OF SQLCA DUMP
*****\n");
    return;
}

/*****
*****
*/
/* error_check */
/* This function prints the contents of the sqlca error information
*/
/* structure. */
/*****
*****
*/
long error_check(void)
{
    char buffer[512]="\0";
    unsigned short i;
    struct sqlca temp_sqlca; /* temporary sqlca */ /* @d30369
tjg */

```

```

temp_sqlca.sqlcode = 0; /* initialize the temporary sqlca to
avoid any memory problems */

if (sqlca.sqlcode != 0) {
    sqlaintp(buffer, sizeof(buffer), 80, &sqlca);
    fprintf(stderr, "\n%0.200s\n", buffer);
    fprintf(outstream, "\n%0.200s\n", buffer);

    /* Decode the SQLCA in more detail KBS 98/09/28 */
    if ((sqlca.sqlerrml) /* there's one or more tokens */
        && (sqlca.sqlerrml < sizeof(sqlca.sqlerrmc)) /* and field not full
*/
    )
    {
        char *tokptr;
        int tokl;
        *(sqlca.sqlerrmc + sqlca.sqlerrml) = '\0'; /* prevent strtok from
scanning beyond end */
        fprintf(stderr, "\n SQLCA: tokens:\n");
        fprintf(outstream, "\n SQLCA: tokens:\n");
        tokptr=strtok(sqlca.sqlerrmc, "\xff");
        while ( tokptr &&
            ((tokl = (sizeof(sqlca.sqlerrmc) - (tokptr-sqlca.sqlerrmc)))
            > 0)
        )
        {
            fprintf(stderr, "%.8s\n", tokl, tokptr);
            fprintf(outstream, "%.8s\n", tokl, tokptr);
            tokptr=strtok(NULL, "\xff");
        }
        fprintf(stderr, "\n SQLCA: errp= %.8s, errd 1-6= %d %d %d
%d %d %d\n",
            sqlca.sqlerrp, sqlca.sqlerrd[0], sqlca.sqlerrd[1],
            sqlca.sqlerrd[2],
            sqlca.sqlerrd[3], sqlca.sqlerrd[4], sqlca.sqlerrd[5]);
        fprintf(outstream, "\n SQLCA: errp= %.8s, errd 1-6= %d %d
%d %d %d %d\n",
            sqlca.sqlerrp, sqlca.sqlerrd[0], sqlca.sqlerrd[1],
            sqlca.sqlerrd[2],
            sqlca.sqlerrd[3], sqlca.sqlerrd[4], sqlca.sqlerrd[5]);

        temp_sqlca = sqlca; /* Make a copy of sqlca in case it gets changed
in the next statement below */ /* @d30369 tjg */

        /** Determine if the error is critical or a connection can be made
**/

        EXEC SQL CONNECT ; /* @d28763 tjg */

        if (sqlca.sqlcode == SQLE_RC_NOSUDB) { /* no connection
exists */

            /*Print out header for DUMP*/
            fprintf(outstream,
                "*****\n");
            fprintf(outstream, "* CONTENTS OF SQLCA *\n");
            fprintf(outstream,
                "*****\n\n");

            /*Print out contents of SQLCA variables*/
            fprintf(outstream, "SQLCABC = %ld\n", temp_sqlca.sqlcabc);
            fprintf(outstream, "SQLCODE = %ld\n", temp_sqlca.sqlcode);
            fprintf(outstream, "SQLERRMC = %0.70s\n",
temp_sqlca.sqlerrmc);
            fprintf(outstream, "SQLERRP = %0.8s\n", temp_sqlca.sqlerrp);

            for (i = 0; i < 6; i++)

```

```

    {
        fprintf(outstream, "sqlerrd[%d] = %lu\n", i,
temp_sqlca.sqlerrd[i]);
    }

    fprintf(outstream, "SQLWARN = %0.11s\n",
temp_sqlca.sqlwarn);
    fprintf(outstream, "SQLSTATE = %0.5s\n",
temp_sqlca.sqlstate);

    fprintf(stderr, "\nCritical SQLCODE. Exiting
TPCDBATCH\n");
    exit(-1);

}
}
return (temp_sqlca.sqlcode);

} /* error_check */

/*****/
/* Displays a help screen */
/*****/
void display_usage()
{
    printf("\ntpcdbatch -- version %s", TPCDBATCH_VERSION);
    printf("\n\nSyntax is:\n");
    printf("tpcdbatch [-d dbname] [-f file_name] [-l file_name] [-r
on/off]");
    printf("\n        [-v on/off] [-b on/off] [-u p/t1/t2]");
    printf("\n        [-s scale_factor] [-n stream_num] [-m inlistmax]
[-h]\n");
    printf("\n where: -d Database name");
    printf("\n                Default - dbname set in $DB2DBDFT");
    printf("\n        -f Input file containing SQL statements");
    printf("\n                Default - stdin ");
    printf("\n        -r Create set of output files containing query
results");
    printf("\n                Default - off");
    printf("\n        -v Verbose. Sends information to stderr during");
    printf("\n                query processing");
    printf("\n                Default - off");
    printf("\n        -b Process groups of statements as blocks ");
    printf("\n                instead of individually.");
    printf("\n                Default - off");
    printf("\n        -u Update streams: p - for power test");
    printf("\n                t - for throughput test without");
    printf("\n                UFs (run this instead of t2)");
    printf("\n                t1 - for throughput test step 1");
    printf("\n                only running queries");
    printf("\n                t2 - for throughput test step 2");
    printf("\n                running update functions");
    printf("\n        -s Scale factor");
    printf("\n                Default - 0.1");
    printf("\n        -n Stream number");
    printf("\n                Default - 0");
    printf("\n                Qualification - -1");
    printf("\n                Power - 0");
    printf("\n                Throughput - >= 1 (actual number depends on
the current query stream)");
    printf("\n        -m Maximum number of keys to delete at a time");
    printf("\n                Default - 400");
    printf("\n        -h Display this help screen");
    printf("\n        -p turns smeaphores on or off");
    printf("\n                Default - off");

```

```

    printf("\n\nControl statements specifying output and performance
details");
    printf("\n\n can be included before SQL statements; they will apply
for");
    printf("\n\n that and subsequent statements until updated.");

    printf("\n\nSyntax: --SET <control option> <value>");
    printf("\n\n option value default");
    printf("\n\nROWS_FETCH -1 to n -1 (all rows fetched from
answer set)");
    printf("\n\nROWS_OUT -1 to n -1 (all fetched rows sent to
output)");
    printf("\n\n--TAG tag (user specified tag name for
sequence#)");
    printf("\n\n--COMMENT comment (user specified comments
for output)");
    printf("\n\nNote: All statements executed with ISOLATION LEVEL
RR");
    printf("\n\n and must be terminated with semi-colons.\n");
    exit(1);
}

```

```

/*****/
/* Converts a string to upper case characters */
/*****/
char *uppercase( char *string )
{
    char *c; /* temp char used to convert word to upper case */

    for ( c = string; *c != '\0'; c++)
        *c = (char) toupper( (int) *c );

    return (string);
}

```

```

/*****/
/* Converts a string to lower case characters */
/*****/
char *lowercase( char *string )
{
    char *c; /* temp char used to convert word to lower case */

    for ( c = string; *c != '\0'; c++)
        *c = (char) tolower( (int) *c );

    return (string);
}

```

```

/*****/
/* Parses and processes command line options. */
/*****/

```

```

void comm_line_parse(int argc, char *argv[], struct global_struct
*g_struct)
{
    char authent_info[40] = "\0";
    char *testptr;
    int loopvar = 0;

    int comm_opt = 0;
#ifdef PARALLEL_UPDATES
    int running_updates=0;
    int updatePair=-1;
    int updateStream=-1;
    int function;
    int copyOnOrOff;

```

```

    int deleteChunk=0;      /*DELjen */
#endif

    while ((loopvar < argc) && (argc != 1)) {

        if (*argv[loopvar] == '-') {

            switch(*(argv[loopvar]+1)) {

                case 'f':          /* @d26350 tlg */
                case 'F':
                    strcpy(g_struct->c_l_opt->infile,argv[++loopvar]);
                    break;
                /* kjd715 */
                case 'l':
                case 'L': loopvar++;
                /*

strcpy(g_struct->c_l_opt->str_file_name,argv[++loopvar]);
                */
                    break;
                /* kjd715 */
                case 'r':          /* @d26350 tlg */
                case 'R':
                    if (!strcmp(uppercase(argv[++loopvar]),"ON"))
                        g_struct->c_l_opt->outfile=1;
                    else
                        g_struct->c_l_opt->outfile=0;
                    break;

                case 'd':          /* @d26350 tlg */
                case 'D':
                    strcpy(dbname,argv[++loopvar]);
                    break;

                case 'v':          /* @d26350 tlg */
                case 'V':
                    if (!strcmp(uppercase(argv[++loopvar]),"ON"))
                        verbose=1;
                    else
                        verbose=0;
                    break;

                case 'u':          /* @d26350 tlg */
                case 'U':
                    g_struct->c_l_opt->update=-1; /* init to invalid number */
                    if (!strcmp(uppercase(argv[++loopvar]),"P1"))
                        g_struct->c_l_opt->update=1; /* power query stream */
                    if (!strcmp(uppercase(argv[loopvar]),"P2"))
                        g_struct->c_l_opt->update=3; /* power update with
updates */
                    if (!strcmp(uppercase(argv[loopvar]),"P"))
                        g_struct->c_l_opt->update=4; /* power update without
updates */
                    if (!strcmp(uppercase(argv[loopvar]),"T1"))
                        g_struct->c_l_opt->update=0; /*throughput query stream */
                    if (!strcmp(uppercase(argv[loopvar]),"T2"))
                        g_struct->c_l_opt->update=2; /* throughput update with
updates */
                    if (!strcmp(uppercase(argv[loopvar]),"T"))
                        g_struct->c_l_opt->update=5; /* throughput update without
updates */

                    break;

                case 'b':          /* @d26350 tlg */
                case 'B':
                    if (!strcmp(uppercase(argv[++loopvar]),"ON"))

```

```

                    g_struct->s_info_ptr->query_block=1;
                else
                    g_struct->s_info_ptr->query_block=0;
                break;

                case 'n':          /* @d26350 tlg */
                case 'N':
                    g_struct->c_l_opt->intStreamNum = atoi(argv[++loopvar]);
                    break;

                case 's':          /* @d26350 tlg */
                case 'S': g_struct->scale_factor=atoi(argv[++loopvar]); break;

                case 'h':
                case 'H':          /* @d26350 tlg */
                    display_usage();
                    break;

                case 'm':
                case 'M':
                    inlistmax = atoi(argv[++loopvar]); /* wlc 081897 */
                    break;

                case 'p':
                case 'P':
                    if (!strcmp(uppercase(argv[++loopvar]),"ON")) /* bbe 072599
                    */
                        semcontrol = 1;
                    else
                        semcontrol = 0;
                    break;

#ifdef PARALLEL_UPDATES
                case 'i':
                    updatePair = atoi (argv[++loopvar]);
#endif
#ifdef UF2DEBUG
                    fprintf (stderr, "updatePair = %d\n",updatePair);
                    fflush(stderr);
#endif
                    break;

                case 'j':
                    function = atoi (argv[++loopvar]);
#ifdef UF2DEBUG
                    fprintf (stderr, "function = %d\n",function);
                    fflush(stderr);
#endif
                    break;

                case 'k':
                    updateStream = atoi (argv[++loopvar]);
#ifdef UF2DEBUG
                    fprintf (stderr, "updateStream = %d\n",updateStream);
                    fflush(stderr);
#endif
                    break;

                case 'x':          /*DELjen -x is chunk*/
                    deleteChunk = atoi (argv[++loopvar]); /* to delete for this
                    */
#ifdef UF2DEBUG
                    fprintf (stderr, "DelChunk = %d\n",deleteChunk);
                    fflush(stderr);
#endif
                    break;          /* invocation */

                case 'z':

```

```

        running_updates = 1;
        break;
#endif
    default :
        fprintf(stderr, "An invalid option has been set\n");
        display_usage();
        break;

    } /* end switch */
} /* end if */

loopvar ++;
} /* end while */

/* checking if -u option is set */
if (g_struct->c_l_opt->update == -1) {
    fprintf(stderr, "-u option is not set, exiting ...\n");
    exit(-1);
}

#ifdef PARALLEL_UPDATES
    if (running_updates) {
        if (updatePair == -1) {
            fprintf(stderr, "The parameters to tpccbatch have not been
passed correctly\n");
            exit(-1);
        }
        else {
            /* check to see if we are to use copy on for the load */
            if ((getenv("TPCD_LOG") != NULL) &&
                (!strcmp(uppercase(getenv("TPCD_LOG")), "YES")))
            {
                /* okay, we have set LOG_RETAIN on so we need to use copy
directory */
                copyOnOrOff = TRUE;
            }
            else
            {
                /* log retain off don't use copy directory */
                copyOnOrOff = FALSE;
            }

            if (function == 1)
                /* runUF1_fn (updatePair, updateStream);  aph 981205 */
                runUF1_fn (updatePair, updateStream, dbname, userid,
passwd);
            else
            if (function == 2) {
                //DJD fprintf(stderr, "A-Calling runUF2_fn %d %d %d
...\n",
                //DJD updatePair, updateStream, deleteChunk);
                /* runUF2_fn (updatePair, updateStream, deleteChunk);  aph
981205 */
                runUF2_fn (updatePair, updateStream, deleteChunk, dbname,
userid, passwd);
            }
            else {
                fprintf(stderr, "Wrong function to tpccbatch\n");
                exit(-1);
            }
            exit(0);
        }
    }
#endif /* PARALLEL_UPDATES */

/* If no database name is given, then use the one specified in the
environment variable DB2DBDFT, otherwise error */

```

```

    if (!strcmp(dbname, "\0")) {
        testptr = getenv("DB2DBDFT");
        if (testptr == NULL) {
            fprintf(stderr, "\nNo database name has been specified on
command ");
            fprintf(stderr, "line\n\nor in environment variable DB2DBDFT.");
            display_usage();
        }
        else
            strcpy(dbname, testptr);
    }
} /* kjd715 */
/*
if (g_struct->c_l_opt->outfile) &&
!strcmp(g_struct->c_l_opt->str_file_name, "\0")) {
    fprintf(stderr, "\nMust specify input file for statement list.\n");
    display_usage();
}
*/
} /* kjd715 */
}

/*****
/* Converts DECIMAL values to ASCII text */
*****/
int sqlrx2a(
/*kmw*/
/* C++ */char *decptr,
/* C++ */char *asciiptr,
short prec,
short scal)
{
    int allzero = TRUE;
    /* C++ */char *srcptr;
    unsigned char sign;
    /* C++ */char *targptr, decimal_point = '.';
    int rc = 0; /*kmw*/
    int tmpint, src_nibble;
    int count, j, limit[3];

    targptr = &asciiptr[ prec + 1];
    *(1 + targptr) = '\0';
    srcptr = decptr + prec/2;

    /* Validity check sign nibble */
    if (((sign = sqlrx_get_right_nibble( *srcptr )) < 0x0a)
        || (prec > SQL_MAXDECIMAL) || (prec < scal ))
    {
        goto exit;
    } /* end end if invalid sign value */

    limit[ 0 ] = scal; limit[ 1 ] = prec - scal; limit[ 2 ] = 0;
    src_nibble = LEFT;
    for( j = 0 ; j < 2 ; j++ )
    {
        for( count = limit[ j ] ; count > 0 ; count-- )
        {
            tmpint = ( (src_nibble == LEFT)?
                sqlrx_get_left_nibble( *srcptr-- ) :
                sqlrx_get_right_nibble( *srcptr ) );
            if( tmpint > 9 )
            {
                goto exit;
            }
        }
    }
}

```



```

        else
            *targptr-- = (* C++ * /char)tmpint + '0';
            src_nibble = ((src_nibble == LEFT) ? RIGHT : LEFT);
            if ( tmpint != 0 ) allzero = FALSE;
        } /* end for scal > 0 */

    if( j == 0 )
        *targptr-- = decimal_point;
    else
        *targptr = (* C++ * /char)((allzero
            || (sign == SQLRX_PREFERRED_PLUS)
            || (sign == 0x0a)
            || (sign == 0x0e)
            || (sign == 0x0f)) ?
            '+' : '-');
    } /* end for limit[ j++ ] > 0 */

    exit :
    if( rc < 0 )
    {
        printf ("The decimal conversion has failed\n");
        exit (-1);
    }

    return(rc);
} /* sqlrxd2a */

/*****
*****/

/* Does some setup and initialization like parsing command line */
/* and connecting to database. Returns process id of agent. */
/*****
*****/

void init_setup(int argc, char *argv[], struct global_struct *g_struct)
{
    int connect=0;
#ifdef SQLWINT
    char *pid;
#endif
    char temparray[256]="\0";
    int loopvar=0;
    FILE *updateFP;
    FILE *fpSeed;
    char file_name[256] = "\0";
    short seedEntry;
    long lSeed;
    int i;

    /*** Parse and process command line options ***/
    comm_line_parse (argc,argv,g_struct);

/*****
*****/

/* Start the mainline report processing. */
/*****
*****/

    if (!strcmp(g_struct->c_l_opt->infile, "\0")) {
        instream=stdin;
    }
    else {
        instream=NULL;
        if ( (instream = fopen(g_struct->c_l_opt->infile, READMODE))
== NULL ) {
            /* kjd715 */
            fprintf(outstream, "XXThe input file could not be opened.\n\n");

```

```

            /* kjd715 */
            fprintf(stdout, "Make sure that the filename is correct.\n");
            fprintf(stdout, "filename = %s\n", g_struct->c_l_opt->infile);
            exit(-1);
        } /* open the input file if specified */
    }

    /* IMPORT (begin) - determine whether we should use the IMPORT
api or */
    /* LOAD api for loading into the staging tables, default is load */
    if (env_tpcd_update_import != NULL)
    {
        if (!strcmp(uppercase(env_tpcd_update_import), "TRUE"))
        {
            iImportStagingTbl = 1; /* use import */
        }
        /* DJD */
        else if (!strcmp(uppercase(env_tpcd_update_import), "TF"))
        {
            iImportStagingTbl = 2; /* Table Functions */
        }
    }

    /* IMPORT (end) */

    /* we want to print the seed in the output files to show what seed was
*/
    /* used to generate the queries. */
    /* if intStreamNum is -1 then we are running a qualification database
*/
    /* and the default seed has been used so skip this section */
    if (g_struct->c_l_opt->intStreamNum >= 0)
    {
        /* check to make sure the TPCD_RUNNUMBER environment
variable is set. We */
        /* use this and the stream number to determine which seed was
used to */
        /* generate the current set of queries */
        if (getenv("TPCD_RUNNUMBER") == NULL)
        {
            fprintf(stderr, "\nThe TPCD_RUNNUMBER environment
variable is not set");
            fprintf(stderr, "....exiting\n");
            exit(-1);
        }
        if (getenv("TPCD_NUMSTREAM") == NULL)
        {
            fprintf(stderr, "\nThe TPCD_NUMSTREAM environment
variable is not set");
            fprintf(stderr, "....exiting\n");
            exit(-1);
        }
    }

/*****
*****/

    * SEED jen
    * we want to print the seed used in the output files. For the seed
usage
    * we can now reuse the seeds from run to run, therefore all the
power runs
    * will use the 1st seed in the file, and the throughput streams will
use
    * the 2nd to #streams+1 seeds.

```

```

* determine the seed to use...e.g. given 3 streams will have the
following:
*
*          Entry in seed file
* TEST    Stream Number  Run 1  Run 2
* power    0             1      1
* throughput 1           2      2
*          2             3      3
*          3             4      4
*
*****
*****/
seedEntry = g_struct->c_l_opt->intStreamNum + 1;
/* end SEED jen */
/* open the generated seed file...if not there, try the default */

sprintf(file_name, "%s%sauditruns%sseedme",
env_tpcd_audit_dir,
env_tpcd_path_delim, env_tpcd_path_delim);

if ((fpSeed = fopen(file_name, READMODE)) == NULL )
{
    fprintf(stderr, "\nCannot open the seed file, please ensure that\n");
    fprintf(stderr, "the file exists. filename = %s\n", file_name);
    exit(-1);
}
for (i = 1; i <= seedEntry; i++)
{
    if (feof(fpSeed))
    {
        lSeed = -1; /* seed not available for some reason */
    }
    fscanf(fpSeed, "%ld\n", &lSeed);
}
g_struct->lSeed = lSeed;
fclose(fpSeed);
}

/* check to see if we are to use copy on for the load */
if ((getenv("TPCD_LOG") != NULL ) &&
(!strcmp(uppercase(getenv("TPCD_LOG")), "YES")))
{
    /* okay, we have set LOG_RETAIN on so we need to use copy
directory */
    g_struct->copy_on_load = TRUE;
}
else
{
    /* log retain off don't use copy directory */
    g_struct->copy_on_load = FALSE;
}
}

*****
*****/
/* Make sure that DB2 is started. */
/* CONNECT now unless this is a UF stream for a Throughput test. */
/* (aph 98/12/22) */
*****
*****/

if (g_struct->c_l_opt->update > 1)
{
    /* This is an update function stream in a throughput run. */
    /* Just make sure that DB2 is started. Each UF child will
CONNECT itself. */
    if (verbose) fprintf(stderr, "\nStarting the DB2 Database Manager
Now\n");
    sqlestar ();
}

```

```

else
{ /* In all other cases, CONNECT to the target database. */
    do
    {
        if (!strcmp(userid, "0")) /** No authentication provided **/
            EXEC SQL CONNECT TO :dbname;
        else EXEC SQL CONNECT TO :dbname USER :userid USING
:passwd;
        if (sqlca.sqlcode == SQLE_RC_NOSTARTG) {
            if (verbose)
                fprintf(stderr, "\nStarting the DB2 Database Manager
Now\n");
            sqlestar ();
            connect=0;
        }
        else connect=1;
    } while (!connect);
    error_check();
}

/*****
*****
* All session initialization is performed at connect time or
immediately *
* following and is complete before starting the stream. *
*****
*****/

/* Get start timestamp for stream */
get_time_stamp(&(g_struct->stream_start_time)); /* TIME_ACC
jen*/
strcpy(g_struct->file_time_stamp,

get_time_stamp(T_STAMP_FORM_2, &(g_struct->stream_start_time)
)); /* TIME_ACC jen*/

if (getenv("TPCD_RUN_DIR") != NULL)
    strcpy(g_struct->run_dir, getenv("TPCD_RUN_DIR"));
else
    strcpy(g_struct->run_dir, ".");

/* if we are running a throughput test, then we must report the */
/* stream count information...we will report one file per stream */
/* and amalgamate them after all streams have completed */
/* if the number of streams is greater than 0 then this is a throughput
test*/
switch (g_struct->c_l_opt->update)
{
    case (2):
    case (5):
        /* update throughput function stream */
        sprintf(file_name, "%s%sstrentuf.%s", g_struct->run_dir,
env_tpcd_path_delim, g_struct->file_time_stamp);
        break;
    case (3):
    case (4):
        /* update power function stream */
        sprintf(file_name, "%s%sspstrentuf.%s", g_struct->run_dir,
env_tpcd_path_delim, g_struct->file_time_stamp);
        break;
    case (1):
        /* power query stream */
        sprintf(file_name, "%s%sspstrent%d.%s", g_struct->run_dir,
env_tpcd_path_delim,
g_struct->c_l_opt->intStreamNum, g_struct->file_time_stamp);

```

```

        break;
    case (0):
        /* throughput query stream */
        sprintf(file_name, "%s%%sstream%d.%s", g_struct->run_dir,
env_tpcd_path_delim,

g_struct->c_l_opt->intStreamNum, g_struct->file_time_stamp);
        break;
    }

    if (g_struct->stream_report_file = fopen(file_name,
WRITEMODE)) == NULL )
    {
        fprintf(stderr, "\nThe output file for the stream count
information\n");
        fprintf(stderr, "could not be opened, make sure the filename is
correct\n");
        fprintf(stderr, "filename = %s\n", file_name);
        exit(-1);
    }

    if (g_struct->c_l_opt->update > 1)
    {
        /* update function stream */
        fprintf(g_struct->stream_report_file,
            "Update function stream starting at %*. *s\n",
            T_STAMP_3LEN, T_STAMP_3LEN, /* TIME_ACC jen*/

get_time_stamp(T_STAMP_FORM_3, &(g_struct->stream_start_time)
)); /* TIME_ACC jen*/
    }
    else
    {
        /* query stream */
        fprintf(g_struct->stream_report_file,
            "Stream number %d starting at %*. *s\n",
            g_struct->c_l_opt->intStreamNum,
            T_STAMP_3LEN, T_STAMP_3LEN, /* TIME_ACC
jen*/

get_time_stamp(T_STAMP_FORM_3, &(g_struct->stream_start_time)
)); /* TIME_ACC jen*/
    }

#ifdef LINUX

    fclose(g_struct->stream_report_file);

#endif

    /* set up the update_num_file name so that if we do use semaphores,
*/
    /* we will have a filename to generate the semkey */

    sprintf(g_struct->update_num_file, "%s%%s%s.%s.update.pair.num",
env_tpcd_audit_dir,
env_tpcd_path_delim, uppercase(env_tpcd_dbname),
lowercase(env_user));
    sprintf(g_struct->sem_file, "%s.%s.semfile", env_tpcd_dbname,
env_user);
    if (g_struct->c_l_opt->intStreamNum == 0)
    {
        sprintf(g_struct->sem_file2, "%s.%s.semfile2", env_tpcd_dbname,
env_user);
    }

```

```

    if (verbose) { /* print out the update pair number file for debugging
*/
        fprintf(stderr, "\n init_setup: stream %d update pair numb file =
%s\n",

g_struct->c_l_opt->intStreamNum, g_struct->update_num_file);
    }

    /* update the
$TPCD_AUDIT_DIR/$TPCD_DBNAME.$USER.update.pair.num
file */
    /* update pairs have been run */
    if ((g_struct->c_l_opt->update >= 1) && (
g_struct->c_l_opt->update < 4))
        /* on or onl, but not */ /* bbe or > 1 */
    {
        updateFP = fopen(g_struct->update_num_file, "r");
        if (updateFP != NULL )
        {
            fscanf(updateFP, "%d", &updatePairStart);
            fclose(updateFP);
            if (g_struct->c_l_opt->intStreamNum == 0) /* on, 1 update pair
*/
                updatePairStop = updatePairStart + 1;
            else /* only, multiple update pairs, stream number will be
total */
                updatePairStop = updatePairStart +
g_struct->c_l_opt->intStreamNum;
            currentUpdatePair = updatePairStart;

            if (updatePairStart <= 0)
            {
                fprintf(stderr, "updatePairStart is bogus!");
                exit(-1);
            }
        }
        else
        {
            fprintf(stderr, "\n %s not set up, set this
\n", g_struct->update_num_file);
            fprintf(stderr, "file to contain the number of the update pair to
\n");
            fprintf(stderr, "run and resubmit\n");
            exit(-1);
        }
    }

    return ;
}

/*****
*****/
/* A function to print out the column titles for a returned set */
/*****
*****/
void print_headings (struct sqllda *sqllda, int *col_lengths)
{
    int col = 0; /* Column number */
    int col_width = 0; /* width of column */
    int max_col_width = 0; /* maximum column width */
    int col_name_length = 0; /* sizeof column name string */
    int col_type = 0; /* column type */

    int total_length = 0; /* accumulator var. for
length of column headings */

    int loopvar = 0;

```

```

char col_name[256] = "\0";
unsigned char m,n;          /* precision and accuracy
                             for decimal conversion */

fprintf(outstream,"\n");

/** loop through for each column in solution set
    and determine the maximum column width */

for (col = 0; col < sqlda->sqlvar[0].sqlname.length;
     col_name_length=sqllda->sqlvar[col].sqlname.length;
     col_type = sqllda->sqlvar[col].sqltype;
     col_width = sqllda->sqlvar[col].sqllen;
     strncpy(col_name, char
*)sqllda->sqlvar[col].sqlname.data,col_name_length) ;

    switch (col_type)
    {
    case SQL_TYP_SMALL:
    case SQL_TYP_NSMALL:          /* @d30369 tlg
*/
        col_lengths[col] = TPCDBATCH_MAX (col_name_length,6);
        break;
    case SQL_TYP_INTEGER:
    case SQL_TYP_NINTEGER:
        col_lengths[col] = TPCDBATCH_MAX (col_name_length,11);
        break;
    case SQL_TYP_BIGINT: /*kmwBIGINT*/
    case SQL_TYP_NBIGINT:
        col_lengths[col] = TPCDBATCH_MAX (col_name_length,19);
        break;
    case SQL_TYP_CSTR:
    case SQL_TYP_NCSTR:
    case SQL_TYP_DATE:
    case SQL_TYP_NDATE:
    case SQL_TYP_TIME:
    case SQL_TYP_NTIME:
    case SQL_TYP_STAMP:
    case SQL_TYP_NSTAMP:
    case SQL_TYP_CHAR:
    case SQL_TYP_NCHAR:
    case SQL_TYP_VARCHAR:
    case SQL_TYP_NVARCHAR:
    case SQL_TYP_LONG:
    case SQL_TYP_NLONG:
        col_lengths[col] = TPCDBATCH_MAX
(col_name_length,col_width);
        break;

    case SQL_TYP_FLOAT:
    case SQL_TYP_NFLOAT:
        /* kmw - note: TPCDBATCH_PRINT_FLOAT_WIDTH > max
long identifier */
        col_lengths[col] = TPCDBATCH_PRINT_FLOAT_WIDTH;
        break;

    case SQL_TYP_DECIMAL:
    case SQL_TYP_NDECIMAL:

        m=(*(struct declen *)&sqllda->sqlvar[col].sqllen).m;
        n=(*(struct declen *)&sqllda->sqlvar[col].sqllen).n;

        col_lengths[col] = TPCDBATCH_MAX ((int)(m+n),
col_name_length);
        /* Special handling for DECIMAL */ /* @d26350 tlg */
        break;

    default:

```

```

        fprintf(stderr,"--Unknown column type (%d).
Aborting.\n",col_type);
        break;
    }

    fprintf(outstream,"%-*.s",col_lengths[col],col_name_length,col_name);

    total_length += (col_lengths[col] + 2); /* 2 is from padding spaces
*/
}

fprintf(outstream,"\n");
for (loopvar=0; loopvar < total_length; loopvar++)
    fprintf(outstream,"-");
fprintf(outstream,"\n");
}

/*****
*****
*/
/* Gets the current system time and prints it out */
/*****
*****
*/
char *get_time_stamp(int form, Timer_struct *time_pointer)
{
    Timer_struct temp_stamp; /* TIME_ACC jen */
    struct tm *tp;
    size_t timeLength = 0;

    /* TIME_ACC jen start */
    if (time_pointer == (Timer_struct *)NULL)
        get_start_time(&temp_stamp);
    else
        temp_stamp = *time_pointer;

    #if defined (SQLUNIX) || defined (SQLAIX)
        tp = localtime((time_t *)&(temp_stamp.tv_sec));
    #elif (defined (SQLOS2) || defined (SQLWINT) || defined (SQLWIN) ||
defined (SQLDOS))
        tp = localtime(&(temp_stamp.time));
    #else
    #error Unknown operating system
    #endif
    /* TIME_ACC jen stop */

    if ((form == T_STAMP_FORM_1) || (form ==
T_STAMP_FORM_3))
    {
        /* SUN fix bbe start */
        #if (defined (SQLWINT) || defined (SQLWIN) || defined (SQLOS2) ||
defined (SQLDOS))
            timeLength = strftime(newtime,50,"%x %X",tp);
        #elif (defined (SQLUNIX) || defined (SQLAIX))
            timeLength = strftime(newtime,50,"%D %T",tp); /* SUN ...test
this */
        #else
        #error Unknown operating system
        #endif
        /* SUN fix bbe stop */
        /* TIME_ACC jen start */
        if (form == T_STAMP_FORM_3)
        {
            /* concatenate the microsecond/milliseconds on the end of the */
            /* timestamp jen 1006 */
            #if defined (SQLUNIX) || defined (SQLAIX)
                sprintf(newtime+timeLength,"%0.6d",temp_stamp.tv_usec);

```

```

#elif (defined (SQLOS2) || defined (SQLWINT) || defined (SQLWIN) ||
defined (SQLDOS))
    sprintf(newtime+timeLength, ".%0.3d", temp_stamp.millitm);
#else
#error Unknown operating system
#endif
    /* TIME_ACC jen stop */
    }
    }
else
    if (form == T_STAMP_FORM_2)
        strftime(newtime, 50, "%y%m%d-%H%M%S", tp);

    return (newtime);
}

/*****
*****/
/* Handle all the processing for the summary table */
/*****
*****/

void summary_table (struct global_struct *g_struct)
{
    double arith_mean = 0;
    double geo_mean = 0;
    int num_stmt = 0;
    int num_stmt_for_geo_mean = 0;

    double adjusted_a_mean = 0;
    double adjusted_g_mean = 0;
    double adjusted_g_mean_intern;
    double adjusted_max_time = 0;

    double Ts = 0; /* different TPC-D metrics */
    double Ts1;
    double Ts2;
    /* double QppD = 0; MARK
    double QthD = 0;
    double QphD = 0; */

    double db_size_frac_part = 0; /* stores the fractional part of db
size */
    double db_size = 0; /* size in numbers */
    char db_size_qualifier[3] = "\0"; /* MB, GB or TB */

    struct stmt_info
    {
        *s_info_ptr,
        *s_info_head_ptr,
        *max,
        *min;
    };

    /* Determine the size of the database from the scale factor (1 SF =
1GB) */
    if (g_struct->scale_factor < 1.0) {
        db_size = g_struct->scale_factor * 1000;
        strcpy(db_size_qualifier, "MB");
    } else if (g_struct->scale_factor >= 1000.0) {
        db_size = g_struct->scale_factor / 1000;
        strcpy(db_size_qualifier, "TB");
    } else {
        db_size = g_struct->scale_factor;
        strcpy(db_size_qualifier, "GB");
    }
}

```

```

/* computes the fractional part of db_size */
db_size_frac_part = db_size - (int) db_size;

s_info_ptr = g_struct->s_info_ptr; /* Just use a local copy */
s_info_head_ptr = s_info_ptr;

max = s_info_head_ptr;
/* ensure that we are not already setting max to the UF timings */
while ( strstr(max->tag, "UF") != NULL )
    max = max->next;
min = max;

if (g_struct->c_1_opt->outfile) /* create the appropriate output file
*/
    output_file(g_struct);

/* write the seed used for this run unless it is a qualification run */
/* (qualification runs use the default seed for their queries) or */
/* unless it is the update function stream (no seeds used for this) */
/* (this is an update stream iff update is 2) */
if ((g_struct->c_1_opt->intStreamNum >= 0) &&
    (g_struct->c_1_opt->update != 2) )
{
    if (g_struct->lSeed == -1)
    {
        fprintf( outstream, "\nUsing default qgen seed file");
    }
    else
        fprintf( outstream, "\nSeed used for current run =
%d", g_struct->lSeed);
    fprintf( outstream, "\n");
}

/* print out the stream number if we are in a throughput stream and if
*/
/* this is not the update stream portion of the throughput test */
if ( (g_struct->c_1_opt->intStreamNum > 0) &&
    (g_struct->c_1_opt->update != 2) )
{
    fprintf( outstream, "Stream number =
%d\n", g_struct->c_1_opt->intStreamNum);
}
/* print the stream start timestamp to the inter file */
fprintf( outstream, "Stream start time stamp %*.s\n",
    T_STAMP_3LEN, T_STAMP_3LEN, /* TIME_ACC jen */

get_time_stamp(T_STAMP_FORM_3, &(g_struct->stream_start_time)
)); /* TIME_ACC jen */
/* print the stream stop timestamp to the inter file */
fprintf( outstream, "Stream stop time stamp %*.s\n",
    T_STAMP_3LEN, T_STAMP_3LEN, /* TIME_ACC jen */

get_time_stamp(T_STAMP_FORM_3, &(g_struct->stream_end_time))
); /* TIME_ACC jen */

fprintf( outstream, "\n\nSummary of
Results\n=====\n");
fprintf( outstream,
    "\nSequence # Elapsed Time Adjusted Time Start
Timestamp End Timestamp\n\n");

/* Go through the linked list and determine which statement had the
highest and lowest elapsed times */

```

```

while ( (s_info_ptr != NULL) && (s_info_ptr !=
g_struct->s_info_stop_ptr) ) {

    /* check if we are in an update function...if so, we do not want to
    */
    /* consider the update function times as the min or max time */
    if ( strstr(s_info_ptr->tag,"UF") == NULL )
    {
        /* we are not in an update function */
        if (s_info_ptr->elapsed_time > max->elapsed_time)
            max = s_info_ptr;
        else
            if ((s_info_ptr->elapsed_time < min->elapsed_time)
                && (s_info_ptr->elapsed_time > -1))
                min = s_info_ptr;
    }

    s_info_ptr = s_info_ptr->next;

}

s_info_ptr = s_info_head_ptr;

/** Start from the first structure and go through until the stop
pointer is reached **/
while ( (s_info_ptr != NULL) && (s_info_ptr !=
g_struct->s_info_stop_ptr) ) {

    if (s_info_ptr->elapsed_time != -1) {
        s_info_ptr->adjusted_time = s_info_ptr->elapsed_time;
        /* determine whether the elapsed times have to be adjusted or not
        */
        /* if this is an update function, we do not adjust the elapsed
time*/
        if ( strstr(s_info_ptr->tag,"UF") == NULL )
        {
            /* this is not an update function, adjust time if necessary */
            if (max->elapsed_time/min->elapsed_time > 1000)
            {
                /* jmc fix geo_mean calculation...round adjusted time
properly ROUNDING*/
                adjusted_max_time = max->elapsed_time/1000;
                if (s_info_ptr->elapsed_time < adjusted_max_time)
                {
                    s_info_ptr->adjusted_time =
(double)((long)((adjusted_max_time + 0.05) *
10))/10.0);
                    if (s_info_ptr->adjusted_time < 0.1)
                        s_info_ptr->adjusted_time = 0.1;
                }
                /*jmc fix geo_mean calculation...round adjusted time
properly ROUNDING end*/
            }
        }

        /* a value was calculated */
        fprintf (outstream,
"%-5d %-5.5s %-15.1f %-15.1f %*.*s %*.*s\n",
s_info_ptr->stmt_num,s_info_ptr->tag,
s_info_ptr->elapsed_time,s_info_ptr->adjusted_time,

T_STAMP_1LEN,T_STAMP_1LEN,s_info_ptr->start_stamp,/*
TIME_ACC jen*/

T_STAMP_1LEN,T_STAMP_1LEN,s_info_ptr->end_stamp);/*
TIME_ACC jen*/

```

```

/* Only update arithmetic mean for queries not update functions
*/
if ( strstr(s_info_ptr->tag,"UF") == NULL )
{
    arith_mean += s_info_ptr->elapsed_time;
    adjusted_a_mean += s_info_ptr->adjusted_time;
}

if (s_info_ptr->elapsed_time > 0) { /* don't bother finding log of
numbers < 0 */
    geo_mean += log(s_info_ptr->elapsed_time);
    adjusted_g_mean += log(s_info_ptr->adjusted_time);
}

/* Only update num_stmt for queries not update functions */
if ( strstr(s_info_ptr->tag,"UF") == NULL )
    num_stmt++;
num_stmt_for_geo_mean++;
}

else
    fprintf (outstream,"%-5d %-5.5s %-15s %-15s\n",
s_info_ptr->stmt_num,
s_info_ptr->tag,"Not Collected", "Not Collected");

if (s_info_ptr != g_struct->s_info_stop_ptr)
    s_info_ptr=s_info_ptr->next;
}

fprintf(outstream, "\n\nNumber of statements: %d\n\n",
s_info_ptr->stmt_num - 1);
/* Calculate the arithmetic and geometric means */

if (geo_mean != 0) { /*Used to test if arith_mean != 0
Don't bother doing any of this if the
elapsed time mean is 0*/
    arith_mean = arith_mean / num_stmt;
    adjusted_a_mean = adjusted_a_mean / num_stmt;
    geo_mean = exp(geo_mean / num_stmt_for_geo_mean);
    adjusted_g_mean_intern = adjusted_g_mean; /*MARK*/
    adjusted_g_mean = exp(adjusted_g_mean /
num_stmt_for_geo_mean);
}

/* print out all the appropriate information including the
different TPC-D metrics */
/* do not bother with this if we are in an update only stream */
fprintf (outstream, "\nGeom. mean queries %7.3f %15.3f\n",\
geo_mean,adjusted_g_mean);
if (g_struct->c_1_opt->update < 2)
{
    fprintf (outstream, "Arith. mean queries %7.3f %15.3f\n",\
arith_mean,adjusted_a_mean);

    fprintf (outstream,
"\n\nMax Qry %-3.3s %-15.1f %-15.1f %*.*s %*.*s\n",
max->tag,max->elapsed_time,max->adjusted_time,
T_STAMP_1LEN,T_STAMP_1LEN,max->start_stamp, /*
TIME_ACC jen*/
T_STAMP_1LEN,T_STAMP_1LEN,max->end_stamp);/*
TIME_ACC jen*/
    fprintf (outstream,
"Min Qry %-3.3s %-15.1f %-15.1f %*.*s %*.*s\n",

```

```

        min->tag,min->elapsed_time,min->adjusted_time,
        T_STAMP_1LEN,T_STAMP_1LEN,min->start_stamp, /*
TIME_ACC jen*/
        T_STAMP_1LEN,T_STAMP_1LEN,min->end_stamp); /*
TIME_ACC jen*/
    }

    if (g_struct->c_l_opt->intStreamNum == 0) {
        /* fprintf (outstream, "\n\nMetrics\n=====\n\n"); */

        /* Increase the Ts measurement by one second since the accuracy
of our */
        /* timestamps is only to 1 second and if the start was at 1.01
seconds, */
        /* and the end was at 5.99 seconds, we get a free second ... this will
*/
        /* be made explicit in the upcoming revision of the spec (after
1.0.1) */
        /* TIME_ACC jen start*/
        /* NOTE this can probably be better coded by changing
get_elapsed_time */
        /* to just calculate the elapsed time give a start and an end time,
and */
        /* to also give a precision for the calculation (sec, 10ths....). The */
        /* call then will grab a timestamp before calling. Then we can get
rid */
        /* of the if def...and just call get_elapsed_time (whcih can handle
the */
        /* os differences on its own */

#ifdef (SQLUNIX) || defined (SQLAIX)
        Ts = g_struct->stream_end_time.tv_sec -
g_struct->stream_start_time.tv_sec + 1;
        Ts1 = (double)g_struct->stream_start_time.tv_sec +
((double)g_struct->stream_start_time.tv_usec/1000000);
        Ts2 = (double)g_struct->stream_end_time.tv_sec +
((double)g_struct->stream_end_time.tv_usec/1000000);

#elif (defined (SQLOS2) || defined (SQLWINT) || defined (SQLWIN) ||
defined (SQLDOS))
        Ts = g_struct->stream_end_time.time -
g_struct->stream_start_time.time + 1;
        Ts1 = (double)g_struct->stream_start_time.time +
((double)g_struct->stream_start_time.millitm/1000);
        Ts2 = (double)g_struct->stream_end_time.time +
((double)g_struct->stream_end_time.millitm/1000);

#else
#error Unknown operating system
#endif

        /* TIME_ACC jen stop*/

        /* MARK
###Now do in calcmetrics.pl##
QppD = (3600 * g_struct->scale_factor) / adjusted_g_mean;
QthD = (num_stmt * 3600 * g_struct->scale_factor) / Ts;
QphD = sqrt(QppD*QthD);
*/
        /* if the decimal part has some meaningful value then print the
database size
with decimal part; otherwise just print the integer part */

        fprintf (outstream,
                "\nGeometric mean interim value = %10.3f\n\nStream Ts
%11 = %10.0f\n\nStream start int representation %11 = %f\n\nStream
stop int representation %11 = %f",
                adjusted_g_mean_intern,Ts,Ts1,Ts2);

```

```

    }
}

/*****
*****/
/* free up all the elements of the sqlda after done processing */
/*****
*****/
void free_sqlda (struct sqlda *sqlda, int select_status) /* @d30369
tjg */
{
    int loopvar;

    if (select_status == TPCDBATCH_SELECT)
        for (loopvar=0; loopvar<sqlda->sqlc; loopvar++) {
            free(sqlda->sqlvar[loopvar].sqldata);
            free(sqlda->sqlvar[loopvar].sqlind);
        }

    free(sqlda);
    sqlda_allocated = 0; /* fix free() problem on NT
wlc 090597 */
}

/*****
*****/
/* processing to run the insert update function */
/*****
*****/
void runUF1 ( struct global_struct *g_struct, int updatePair )
{
    char statement[3000];
    char sourcedir[256];

    int split_updates = 2; /* no. of ways update records are split */
    int concurrent_inserts = 2; /* jenCI no of concurrent updates to be */
        /* jenCI run at once*/
    int loop_updates = 1; /* jenCI no of updates to be run in one */
        /* jenCI "concurrent" invocation. should*/
        /* jenCI be split_updates / concurrent_inserts*/

    int i;
    int streamNum;
#ifdef SQLWINT
    /* PROCESS_INFORMATION childprocess[100]; */
    char commandline[256];
    HANDLE su_hSem;
    char UF1_semfile[256];
#else
    int childpid[100];
    int su_semid; /* semaphore for controlling split updates*/
    key_t su_semkey; /* key to generate semid */
#endif
    if (g_struct->c_l_opt->intStreamNum == 0)
        streamNum = 0;
    else
        streamNum = currentUpdatePair - updatePairStart + 1;

    fprintf( outstream,"UF1 for update pair %d, stream %d,
starting\n",updatePair, streamNum);

    /* Start by loading the data into the staging table at each node */
    /* The orderkeys were split earlier by the split_updates program */
    if (env_tpcd_audit_dir != NULL)
        strcpy(sourcedir,env_tpcd_audit_dir);
    else

```

```

strcpy(sourcedir, ".");

/* Load the orderkeys into the staging table */
/* In SMP environments one could use a load command but by using
a */
/* script we can keep the code common */
#ifdef SQLWINT
    sprintf(statement, "perl %s\\tools\\ploaduf1 %d\\n", sourcedir,
updatePair);
#else
    sprintf(statement, "perl %s/tools/ploaduf1 %d 1", sourcedir,
updatePair);
#endif
    if (system(statement))
    {
        fprintf(stderr, "ploaduf1 failed for UF1, examine UF1.log for
cause. Exiting.\\n");
        if (verbose)
            fprintf(stderr,
                "ploaduf1 failed for UF1, examine UF1.log for cause.
Exiting.\\n");
        exit (-1);
    }

    fprintf(outstream, "load_update finished for UF1.\\n");

    if (getenv("TPCD_SPLIT_UPDATES") != NULL)
        split_updates = atoi (getenv("TPCD_SPLIT_UPDATES"));
    if (getenv("TPCD_CONCURRENT_INSERTS") != NULL)
        /*jenCI*/
        concurrent_inserts = atoi (getenv
("TPCD_CONCURRENT_INSERTS")); /*jenCI*/
    loop_updates = split_updates / concurrent_inserts;
/*jenCI*/

#ifdef SQLWINT
    /* we will use the tpcd.setup file to generate the semaphore key */
    if (getenv("TPCD_AUDIT_DIR") != NULL) /*begin
SEMA */
    {
        /* this is assuming that you will be running this from 0th node */
        sprintf(sourcefile, "%s%ctools%ctpcd.setup",
            getenv("TPCD_AUDIT_DIR"),
PATH_DELIM, PATH_DELIM);
    }
    else
    {
        fprintf(stderr, "runUF1 Can't open UF1 semaphore
file,TPCD_AUDIT_DIR is not defined.\\n");
        exit (-1);
    }
    /*end SEMA */
    su_semkey = ftok (sourcefile, 'J');
    if ( (su_semid = semget (su_semkey, 1,
IPC_CREAT|S_IRUSR|S_IWUSR)) < 0)
    {
        fprintf(stderr, "Cannot get semaphore! semget failed: errno =
%d\\n",errno);
        exit (-1);
    }
#else /* SQLWINT */
    sprintf(UF1_semfile, "%s.%s.UF1.semfile", env_tpcd_dbname,
env_user);
    su_hSem = CreateSemaphore(NULL, 0,
        concurrent_inserts, /*jenCI*/
        (LPCTSTR)(UF1_semfile));
    if (su_hSem == NULL)
    {

```

```

        fprintf(stderr,
            "CreateSemaphore (ready semaphore) failed, GetLastError:
%d, quitting\\n",
            GetLastError());
        exit(-1);
    }
#endif /* SQLWINT */
    if (verbose) fprintf(stderr, "Semaphore created successfully!\\n");

    fclose(outstream); /* to prevent multiple header caused by forking
wlc 081397 */

    for (i=0; i < concurrent_inserts; i++) /*jenCI*/
    {
#ifdef SQLWINT
        if ((childpid[i] = fork()) == 0)
        {
            /* runUF1_fn (updatePair, i); aph 981205 */
            runUF1_fn (updatePair, i, dbname, userid, passwd);
        }
        else
        {
            /* This is the parent */
            if (verbose)
                fprintf(stderr, "stream #%d started with pid %d\\n", i,
childpid[i]);
        }
    }
#else /* SQLWINT */
        sprintf(commandline,
            "start /b %s\\auditruns\\tpcdbatch.exe -z -d %s -i %d -j 1 -k
%d",
            env_tpcd_audit_dir, dbname, updatePair, i); /* aph 082797
*/

        system (commandline);
    }
#endif /* SQLWINT */
    //DJD 021004 sleep (UF1_SLEEP);
}

/* All children have been created, now wait for them to finish */
#ifdef SQLWINT
    if (sem_op (su_semid, 0, concurrent_inserts * -1) != 0)
/*jenCI*/
    {
        /*jenSEM*/
        fprintf(stderr,
            "Failure to wait on insert semaphore with %d of children\\n",
concurrent_inserts);
        exit(1);
    } /*jenSEM*/
    semctl (su_semid, 0, IPC_RMID, 0);
#else
    for (i = 0; i < concurrent_inserts; i++) /*jenCI*/
    {
        if (verbose)
        {
            fprintf(stderr, "About to wait again ...Sets to wait for %d\\n",
concurrent_inserts - i); /*jenCI*/
        }
        if (WaitForSingleObject(su_hSem, INFINITE) ==
WAIT_FAILED)
        {
            fprintf(stderr,
                "WaitForSingleObject (su_hSem) failed in runUF1 on set
%d, error: %d, quitting\\n",
                i, GetLastError());
            exit(-1);
        }
    }

```



```

if (! CloseHandle(su_hSem))
{
    fprintf(stderr,
        "RunUF1 Close Sem failed - Last Error: %d\n",
        GetLastError());
    /* no exit here */
}
#endif

if( (outstream = fopen(outstreamfilename, APPENDMODE)) ==
NULL )
{
    fprintf(stderr, "\nThe output file could not be opened. ");
    fprintf(stderr, "Make sure that the filename is correct.\n");
    fprintf(stderr, "filename = %s\n", outstreamfilename);
    exit(-1);
}

fprintf(ostream, "UF1 for update pair %d complete\n", updatePair);
}

/* runUF1_fn() moved to another SQC file          aph 981205
*/

/*****
/* processing to run the delete update function */
*****/
void runUF2 ( struct global_struct *g_struct, int updatePair )
{
    char statement[3000];
    char sourcedir[256];

    int split_deletes = 1; /* no. of ways update records are split
@dxxxxxhar */
    int concurrent_deletes = 1; /* number of database partitions
DELjen */
    int chunks_per_concurrent_delete = 1;

    int i;
    int streamNum;
#ifdef SQLWINT
    char commandline[256];
    HANDLE su_hSem;
    char UF2_semfile[256];
#else
    int childpid[100];
    char sourcefile[256];
    int su_semid; /* semaphore for controlling split updates*/
    key_t su_semkey; /* key to generate semid */
#endif
    if (g_struct->c_l_opt->intStreamNum == 0)
        streamNum = 0;
    else
        streamNum = currentUpdatePair - updatePairStart + 1;

    fprintf(ostream, "UF2 for update pair %d, stream %d,
starting\n", updatePair, streamNum);

    /* We need to know both how many chunks there are and how many
chunks*/
    /* are to be executed by each concurrent UF2 process. More chunks
means */
    /* both smaller transactions (less deadlock) and more potential
concurrency */

    /* How many "chunks" have the orderkeys been divided into? */

```

```

if (getenv ("TPCD_SPLIT_DELETES") != NULL)
    split_deletes = atoi (getenv ("TPCD_SPLIT_DELETES"));
/* How many deletes should run concurrently */
if (getenv ("TPCD_CONCURRENT_DELETES") != NULL)
    concurrent_deletes = atoi (getenv
("TPCD_CONCURRENT_DELETES"));
/* How many chunks in each concurrently running delete process */
chunks_per_concurrent_delete = split_deletes / concurrent_deletes;

/* Start by loading the data into the staging table at each node */
/* The orderkeys were split earlier by the split_updates program */
if (env_tpcd_audit_dir != NULL)
    strcpy(sourcedir, env_tpcd_audit_dir);
else
    strcpy(sourcedir, ".");

/* Load the orderkeys into the staging table */
/* In SMP environments one could use a load command but by using
a */
/* script we can keep the code common */

#ifdef SQLWINT
    sprintf (statement, "perl %s\\tools\\ploaduf2 %d\n", sourcedir,
updatePair);
#else
    sprintf (statement, "perl %s/tools/ploaduf2 %d 2", sourcedir,
updatePair);
#endif
    if (system(statement))
    {
        fprintf (stderr, "ploaduf2 failed for UF2, examine UF2.log for
cause. Exiting.\n");
        exit (-1);
    }
    fprintf (ostream, "ploaduf2 finished for UF2.\n");

    fclose(outstream); /* to prevent multiple header caused by forking
wlc 081397 */

    /* Next we need to get ready to launch a bunch of concurrent
processes */
#ifdef SQLWINT
    /* we will use the tpcd.setup file to generate the semaphore key
begin SEMA */
    if (getenv("TPCD_AUDIT_DIR") != NULL)
    {
        sprintf(sourcefile, "%s%ctools%ctpcd.setup",
            getenv("TPCD_AUDIT_DIR"), PATH_DELIM,
            PATH_DELIM);
    }
    else
    {
        fprintf (stderr, "runUF2 Can't open UF2 semaphore file,
TPCD_AUDIT_DIR is not defined.\n");
        exit (-1);
    }

    su_semkey = ftok (sourcefile, 'D'); /* use D for deletes */
    /* end SEMA */
    if ((su_semid = semget (su_semkey, 1,
IPC_CREAT|S_IRUSR|S_IWUSR)) < 0)
    {
        fprintf (stderr, "UF2 Can't get semaphore! semget failed: errno =
%d\n",
            errno);
        exit (-1);
    }

```

```

    }
#else
    sprintf(UF2_semfile, "%s.%s.UF2.semfile", env_tpcd_dbname,
env_user);
    //DJD fprintf(stderr, "UF2 semfile = %s\n", UF2_semfile);
    su_hSem = CreateSemaphore(NULL, 0,
        concurrent_deletes,
        (LPCTSTR)(UF2_semfile));
    if (su_hSem == NULL)
    {
        fprintf(stderr,
            "CreateSemaphore (ready semaphore) failed, GetLastError:
%d, quitting\n",
            GetLastError());
        exit(-1);
    }
    fprintf(stderr, "Semaphore created successfully!\n");
#endif

    for (i=0; i < concurrent_deletes; i++)
    {
#ifdef SQLWINT
        if ((childpid[i] = fork()) == 0)
        {
            fprintf(stderr, "B-Calling runUF2_fn %d %d %d ...\n",
                updatePair, i, chunks_per_concurrent_delete);
            /* runUF2_fn (updatePair, i, chunks_per_concurrent_delete);
aph 981205 */
            runUF2_fn (updatePair, i, chunks_per_concurrent_delete,
dbname, userid, passwd);
        }
        else
        {
            /* This is the parent */
            if (verbose)
                fprintf (stderr, "stream # %d started with pid %d\n", i,
childpid[i]);
        }
    }
#else
    {
        /* SECURITY_ATTRIBUTES sec_process;
        SECURITY_ATTRIBUTES sec_thread; */
        /* NEED TO FIX THIS UP - KBS 98/10/20 */

        sprintf (commandline,
            "start /b %s\\auditruns\\tpcdbatch.exe -z -d %s -i %d -j 2 -k
%d -x %d",
            env_tpcd_audit_dir, dbname, updatePair, i,
chunks_per_concurrent_delete ); /* aph */
        /* the -x parm should be passed at 0...not 100% sure of this jen */
        //DJD fprintf(stderr, "commandline= %s\n", commandline);
        system (commandline);
        //DJD 021004 sleep (UF2_SLEEP);
    }
#endif

    /* All children have been created, now wait for them to finish */
#ifdef SQLWINT
    fprintf(stderr, "About to wait on the semaphore...\n");
    if (sem_op (su_semid, 0, concurrent_deletes * -1) != 0)
/*jenSEM*/
    {
        /*jenSEM*/
        fprintf(stderr,
            "Failure to update wait on delete semaphore with %d
children\n",
            concurrent_deletes);
        exit(1);
    }

```

```

    }
/*jenSEM*/
    semctl (su_semid, 0, IPC_RMID, 0);
#else
    // for (i = 0; i < split_deletes; i++) //DJD Waits forever.....
    for (i = 0; i < concurrent_deletes; i++)
    {
        if (verbose)
        {
            fprintf(stderr, "About to wait again ...Sets to wait for %d\n",
split_deletes - i);
            fprintf(stderr, "About to wait again ...Sets to wait for %d\n",
concurrent_deletes - i);
        }
        if (WaitForSingleObject(su_hSem, INFINITE) ==
WAIT_FAILED)
        {
            fprintf(stderr,
                "WaitForSingleObject (su_hSem) failed on set %d, error:
%d, quitting\n",
                i, GetLastError());
            exit(-1);
        }
    }
    if (! CloseHandle(su_hSem))
    {
        fprintf(stderr, "Close Sem failed - Last Error: %d\n",
GetLastError());
        /* no exit here */
    }
#endif

    if ( (outstream = fopen(outstreamfilename, APPENDMODE)) ==
NULL )
    {
        fprintf(stderr, "\nThe output file could not be opened. ");
        fprintf(stderr, "Make sure that the filename is correct.\n");
        fprintf(stderr, "filename = %s\n", outstreamfilename);
        exit(-1);
    }

    fprintf(ostream, "UF2 for update pair %d complete\n", updatePair);
}

/* runUF2_fn() moved to another SQC file                                aph 981205
*/

/*-----*/
/*      General semaphore function.                                     */
/*-----*/
#ifdef SQLWINT
int sem_op (int semid, int semnum, int value)
{
    struct sembuf sembuf; /* = {semnum, value, 0}; */
    sembuf.sem_num = semnum;
    sembuf.sem_op = value;
    sembuf.sem_flg = 0;

    if (semop(semid, &sembuf, 1) < 0)
    {
        fprintf(stderr, "ERROR*** sem_op errorno = %d\n", errno);
        return(-1);
        /* exit(1); */
    }
    return (0); /* successful return jenSEM */
}

```

```

#endif

/*****
*****/
/* Determines the proper name for the output file to
   be generated for a particular TPC-D query, update function, or
   interval summary */
/*****
*****/
void output_file(struct global_struct *g_struct)
{
    char file_name[256] = "\0";
    char run_dir[150] = "\0";
    char time_stamp[50] = "\0";
    char delim[2] = "\0";
    int qnum=0, found=0; /* kjd715 */
    char input_ln[256] = "\0"; /* kjd715 */
    char tag[128] = "\0"; /* kjd715 */

    strcpy(run_dir,g_struct->run_dir);
    sprintf(delim,"%s",env_tpcd_path_delim);
    strcpy(time_stamp,g_struct->file_time_stamp);
    /* kjd715 */
    if (g_struct->stream_list == NULL)
    {
        if((g_struct->stream_list =
            fopen(g_struct->c_l_opt->infile, READMODE)) == NULL)
        {
            fprintf(stderr, "\nThe input file could not be opened.");
            fprintf(stderr, "Make sure that the filename is correct.\n");
            exit(-1);
        }
    }
    found = 0;
    do {
        fscanf(g_struct->stream_list, "%n%[\n]\n", input_ln);
        if (strstr(input_ln, "--#TAG") == input_ln)
        {
            found = 1;
            strcpy(tag, (input_ln + sizeof("--#TAG")));
            if (strcmp(tag, "UF", 2) == 0)
                qnum = atoi(tag+2)*(-1);
            else if (strcmp(tag, "Q", 1) == 0)
            {
                /* for query 15a the 'a' must be trimmed */
                /* off before converting to integer */
                if (strlen(tag) > 3)
                    tag[3] = '\0';
                qnum = atoi(tag+1);
            }
        }
    }

    if (feof(g_struct->stream_list))
        found = 1;

    } while (!found);
    /*
    if ((g_struct->stream_list =
        fopen(g_struct->c_l_opt->str_file_name, READMODE))
    == NULL)
    {
        fprintf(stderr, "\nThe stream list file could not be opened.");
        fprintf(stderr, "Make sure that the filename is correct.\n");
        exit(-1);
    }

    fscanf(g_struct->stream_list, "%d",&qnum);
    */

```

```

/* kjd715 */

switch (g_struct->c_l_opt->intStreamNum)
{
    case -1: /* qualifying */
        sprintf(file_name,
            "%s%sqryqual%02d.%s", run_dir, delim, qnum, time_stamp);
        break;
    case 0: /* power tests */
        if (qnum < 0) /* update functions */
            sprintf(file_name,
                "%s%smps00uf%d.%02d.%s", run_dir, delim, abs(qnum), \
                    currentUpdatePair, time_stamp);
        else
            sprintf(file_name,
                "%s%smpqry%02d.%s", run_dir, delim, qnum, time_stamp);
        break;
    default:
        /* if (qnum < 0) - replaced by berni 96/03/26 */
        if (g_struct->c_l_opt->update == 2 ||
            g_struct->c_l_opt->update == 5)
            sprintf(file_name,
                "%s%smts%02duf%d.%02d.%s", run_dir, delim, \
                    currentUpdatePair - updatePairStart + 1, abs(qnum),
                    currentUpdatePair, time_stamp);
        else
            sprintf(file_name, "%s%smts%dqry%02d.%s", run_dir, delim, \
                g_struct->c_l_opt->intStreamNum, qnum, time_stamp);
        break;
}

if (g_struct->c_flags->eo_infile)
    if (g_struct->c_l_opt->update == 2 ||
        g_struct->c_l_opt->update == 5)
        sprintf(file_name,
            "%s%smtufinter.%s", run_dir, delim, time_stamp);
    else
        switch (g_struct->c_l_opt->intStreamNum) {
            case -1:
                sprintf(file_name,
                    "%s%sqryqualinter.%s", run_dir, delim, time_stamp);
                break;
            case 0:
                /*sprintf(file_name,
                    "%s%smpinter.%s", run_dir, delim, time_stamp);*/
                if (g_struct->c_l_opt->update == 1)
                    sprintf(file_name,
                        "%s%smpqinter.%s", run_dir, delim, time_stamp);
                else
                    sprintf(file_name,
                        "%s%smpufinter.%s", run_dir, delim, time_stamp);
                break;
            default:
                if (g_struct->c_l_opt->intStreamNum > 0)
                    sprintf(file_name,
                        "%s%smts%dinter.%s",
                            run_dir, delim, g_struct->c_l_opt->intStreamNum, time_stamp);
                else
                    fprintf(stderr, "Invalid stream number specified\n");
                break;
        }

    strcpy(outstreamfilename, file_name); /* wlc 081397 */

    if (!feof(instream) || g_struct->c_flags->eo_infile)

```

```

/* Only create an output file if there are input
statements left to process, or if we're all done
and want to print out the summary table file */
if( outstream = fopen(file_name, WRITEMODE)) == NULL ) {
    fprintf(stderr, "\nThe output file could not be opened. ");
    fprintf(stderr, "Make sure that the filename is correct.\n");
    fprintf(stderr, "filename = %s\n", file_name);
    exit(-1);
}

return;
}

/*****
*****/
/* Determine whether or not we should break out of the block loop
because of an end of file, end of block, or update function.
Also handle some semaphore stuff for update functions */
/*****
*****/
int PreSQLprocess(struct global_struct *g_struct, Timer_struct
*start_time)
{
    int rc = 1;
    FILE *updateFP;
#ifdef SQLWINT
    int semid; /* semaphore for controlling UFs*/
    key_t semkey; /* key to generate semid */
#else
    int SemTimeout = 600000; /* Des time out period of 1
minute */
#endif

    switch (g_struct->c_flags->select_status)
    {
        case TPCDBATCH_NONSQL:
            g_struct->s_info_stop_ptr = g_struct->s_info_ptr;
            /* if we're at the end of the input file, set the stop
pointer to this structure */
            rc = FALSE;
            break;
        case TPCDBATCH_EOBLOCK:
            rc = FALSE;
            break;
        case TPCDBATCH_INSERT:
            /* we have to check whether or not this is a throughput */
            /* test, and if it is, we have to set up a semaphore to */
            /* control when the update functions are run. We want */
            /* them to be run after all the query streams have finished. */
            /* What we do is set up the semaphore here, decrement it */
            /* in the query streams, and wait for it to get cleared */
            /* before we allow the UFs to run. */
            /* Note: we only set up the semaphore if: */
            /* 1. we are running the throughput test (num of */
            /* streams > 0) */
            /* 2. we are at the first UF1 (i.e. this is the */
            /* case where currentUpdatePair = updatePairStart */
            /* we also want to check the sem_on element in the global */
            /* structure to see if we want to use semaphores or let */
            /* the calling script do the synchronization of the update */
            /* stream */
            if ( semcontrol == 1 )
            {
                /* yes we are to be using semaphores */
                /* is this the 1st time into update function 1 (uf1)? */
                if (currentUpdatePair == updatePairStart )
                {

```

```

/* create the semaphores */
create_semaphores(g_struct);
if (g_struct->c_l_opt->intStreamNum != 0)
    /* wait period for runthroughput updates */
    throughput_wait(g_struct);
}
/* otherwise continue to run*/
}
if ((g_struct->c_l_opt->update == 3) || (g_struct->c_l_opt->update
== 4))
{
    get_start_time(start_time);
    strcpy(g_struct->s_info_ptr->start_stamp,
        get_time_stamp(T_STAMP_FORM_3, start_time)); /*
TIME_ACC jen*/
    /* write the start timestamp to the file...if this is not a qualification
*/
    /* run, then write the seed used as well */
    fprintf( outstream, "Start timestamp %*.s \n",
        T_STAMP_3LEN, T_STAMP_3LEN, /*
TIME_ACC jen*/
        g_struct->s_info_ptr->start_stamp);
    if (g_struct->c_l_opt->intStreamNum >= 0)
    {
        if (g_struct->lSeed == -1)
        {
            fprintf( outstream, "Using default qgen seed file");
        }
        else
            fprintf( outstream, "Seed used = %ld", g_struct->lSeed);
        fprintf( outstream, "\n");
    }
}
if (g_struct->c_l_opt->update < 4){
    /* run only if updates are enabled */
    runUF1(g_struct, currentUpdatePair);
}

rc = FALSE;
if ((g_struct->c_l_opt->intStreamNum == 0) && (semcontrol ==
1))
/* RUNPOWER: release first semaphore so the queries can run */
release_semaphore(g_struct, INSERT_POWER_SEM);
break;
case TPCDBATCH_DELETE:
if ((g_struct->c_l_opt->intStreamNum == 0) && (semcontrol ==
1))
{
    /* RUNPOWER: wait for queries to finish */
    /* waiting on QUERY_POWER_SEM semaphore */
    runpower_wait(g_struct, QUERY_POWER_SEM);
}
if ((g_struct->c_l_opt->update == 3) || (g_struct->c_l_opt->update
== 4))
{
    get_start_time(start_time);
    strcpy(g_struct->s_info_ptr->start_stamp,
        get_time_stamp(T_STAMP_FORM_3, start_time)); /*
TIME_ACC jen*/
    /* write the start timestamp to the file...if this is not a qualification
*/
    /* run, then write the seed used as well */
    fprintf( outstream, "Start timestamp %*.s \n",
        T_STAMP_3LEN, T_STAMP_3LEN, /*
TIME_ACC jen*/
        g_struct->s_info_ptr->start_stamp);
    if (g_struct->c_l_opt->intStreamNum >= 0)
    {

```

```

        if (g_struct->lSeed == -1)
        {
            fprintf( outstream,"Using default qgen seed file");
        }
        else
            fprintf( outstream,"Seed used = %ld",g_struct->lSeed);
        fprintf( outstream,"\n");
    }
}
if (g_struct->c_l_opt->update < 4){
/* run only if updates are enabled */
runUF2(g_struct, currentUpdatePair);
if (g_struct->c_l_opt->intStreamNum == 0)
{ /* RUNPOWER */
    fprintf(stderr, "UF2 completed\n");
}
}
currentUpdatePair += 1;
/* update the update.pair.num file to reflect the successfully
completed */
/* update pair */
if (g_struct->c_l_opt->update < 4)
{ /*jen*/
#ifdef NO_INCREMENT
    /* don't update the pair, only for my testing - Haider */
    updateFP = fopen(g_struct->update_num_file,"w");
    fprintf(updateFP,"%d\n",currentUpdatePair);
    fclose(updateFP);
#endif
} /*jen*/
rc = FALSE;
break;

}
return(rc);
}

/*****
*****
*/
/* Handles actual processing of SQL statement.  Initializes the SQLDA
for returned rows, does PREPARE, DECLARE, and OPEN
statements and
executed multiple FETCHes as needed.  If not a SELECT statement,
goes into EXECUTE IMMEDIATE section */
/*****
*****
*/
void SQLprocess(struct global_struct *g_struct)
{
    int rc = 0; /* 912RETRY */
    int rows_fetch = 0;
    long sqlcode = SQL_RC_E911; /* Temporary sqlcode to
test
for deadlocks */

    int max_wait = 1; /* Maximum number of retries
for deadlock scenario */

    int col_lengths[TPCDBATCH_MAX_COLS]; /* array containing
widths of
columns in returned set */
    struct stmt_info *s_info_ptr;

    s_info_ptr = g_struct->s_info_ptr;
/*****
*****
*/
/* grab storage for the SQLDA */
/*****
*****
*/

```

```

if ((sqlda=(struct sqlda *)malloc(SQLDASIZE(100))) == NULL)
    mem_error("allocating sqlda");

    sqlda->sqln = TPCDBATCH_MAX_COLS; /*
@d30369 tjg */

/* Error-recovery code for errors resulting from multi-stream errors
*/

while (((sqlcode == SQL_RC_E911) ||
        (sqlcode == SQL_RC_E912) ||
        (sqlcode == SQL_RC_E901)) &&
        (max_wait < MAXWAIT) &&
        (rc==0) )
{
    sqlcode = 0; /* Re-initialize sqlcode to avoid infinite-loop */
    if (g_struct->c_flags->select_status == TPCDBATCH_SELECT)
    {
        /* Enter this loop if SQL stmt is a SELECT */
        EXEC SQL PREPARE STMT1 INTO :*sqlda FROM :stmt_str;

        sqlcode = error_check();
        if (sqlcode < 0)
        {
            fprintf(stderr,"nPrepare failed. Stopping this query.\n");
            rc = -1;
        }
        else /* print out the column headings for the answer set */
        {
            print_headings(sqlda,col_lengths); /* @d22817 tjg */

            allocate_sqlda(sqlda); /* This is where we set storage for the
/*
/* SQLDA based on the column types in */
/* the answer set table. */

            EXEC SQL DECLARE DYNCUR CURSOR FOR STMT1;

            EXEC SQL OPEN DYNCUR;
            sqlcode = error_check();

            if (sqlcode < 0) /* we ran into an error of some kind KBS
98/09/28 */
            {
                max_wait++;
                fprintf(stderr, "nAn error has been detected on
open...Retrying...\n");
                SleepSome(10);
            }
            else
            {
/*****
*****
*/
/* Fetch appropriate number of rows and determine whether
or not to */
/* send them to file. */

/*****
*****
*/

                rows_fetch = 0;

                do
                {
                    /* Keep fetching as long as we haven't finished reading

```

```

all the rows and we haven't gone past the limits set
in the control string */

EXEC SQL FETCH DYNCUR USING DESCRIPTOR
:*sqlda;
if (sqlca.sqlcode == 100)
{
    sqlcode = sqlca.sqlcode;
}
else
{
    sqlcode = error_check();
}
if (sqlcode == 0)
{
    rows_fetch++;
    if ((rows_fetch <= s_info_ptr->max_rows_out) ||
        (s_info_ptr->max_rows_out == -1))
        echo_sqlda(sqlda,col_lengths);
}
else if (sqlcode < 0)
{
    max_wait++;
    fprintf(stderr, "\nAn error has been detected on
fetch...Retrying...\n");
    SleepSome(10);
}
while ((sqlcode == 0) && \
        ((s_info_ptr->max_rows_fetch == -1) || \
         (rows_fetch < s_info_ptr->max_rows_fetch)))
{ /* end of successful open */
} /* end of successful prepare */
} /* End of block for handling SELECT statements */

else
{ /* SQL statement is not a SELECT */
    EXEC SQL EXECUTE IMMEDIATE :stmt_str;
    sqlcode = error_check();

    if (sqlcode < 0)
    {
        max_wait++;
        fprintf(stderr, "\nAn error has been detected on execute
immediate...Retrying...\n");
        SleepSome(10);
    }
} /* end of block for handling NON-select statements */

if ((sqlcode >= 0) &&
    (g_struct->c_flags->select_status == TPCDBATCH_SELECT))
{
    /* we opened a cursor before */
    EXEC SQL CLOSE DYNCUR;
    sqlcode = error_check();

    if ((s_info_ptr->max_rows_fetch == -1) ||
        (rows_fetch < s_info_ptr->max_rows_fetch))
#ifdef SQLPTX
        fprintf(outstream, "\n\nNumber of rows retrieved is: %6d",
            rows_fetch);
    else
        fprintf(outstream, "\n\nNumber of rows retrieved is: %6d",
            s_info_ptr->max_rows_fetch);
#else
        fprintf(outstream, "\n\nNumber of rows retrieved is: %6d",
            rows_fetch);
    else
        fprintf(outstream, "\n\nNumber of rows retrieved is: %6d",

```

```

        s_info_ptr->max_rows_fetch);
#endif
    } /* @d28763 tjg */

    if (s_info_ptr->query_block == FALSE) /* if block is off don't
loop */
        g_struct->c_flags->eo_block = TRUE;

    } /* end of while loop to retry if needed */
} /* end of SQLprocess */

/*****
*****
*/
/* performs some operations after a statement has been processed,
including doing a COMMIT if necessary, and calculating the
elapsed time. Also initializes a new stmt_info structure
for the next block of statements */
/*****
*****
*/
int PostSQLprocess(struct global_struct *g_struct, Timer_struct
*start_time)
{
    struct stmt_info *s_info_ptr;
    Timer_struct end_t; /* end point for elapsed time */

#ifdef DEBUG
    fprintf(outstream, "In PostSQLprocess\n");
#endif

    s_info_ptr = g_struct->s_info_ptr;

    if (g_struct->c_flags->select_status == TPCDBATCH_NONSQL)
        return FALSE; /* get out if we've reached the end of input file */

    if (g_struct->c_l_opt->update > 1)
    {
        /* This is an update function stream. There is no need to
COMMIT. */
        /* Each UF child will COMMIT its own transactions. */
    }
    else
    { /* For non-UF cases, COMMIT now. */
        if (g_struct->c_l_opt->a_commit) {
            EXEC SQL COMMIT WORK;
            error_check(); /* @d22275 tjg */
        }
    }

    fflush(outstream);

    s_info_ptr->elapsed_time = get_elapsed_time(start_time);

    if (g_struct->c_flags->time_stamp == TRUE) /* @d25594
tjg */
    {
        get_start_time(&end_t); /* Get the end time */
        strcpy(s_info_ptr->end_stamp,
            get_time_stamp(T_STAMP_FORM_3,&end_t));
        /*get_time_stamp(T_STAMP_FORM_3,(time_t)NULL));*/

        /* BBE: Pass on time stamp values for the next query */
        temp_time_struct = end_t;
        strcpy(temp_time_stamp, s_info_ptr->end_stamp);

        /* write the start timestamp to the file */
        fprintf(outstream, "\n\nStop timestamp %*.s\n",

```

```

        T_STAMP_3LEN,T_STAMP_3LEN, /* TIME_ACC jen*/
        s_info_ptr->end_stamp);

/* DJD print elapsed time in seconds */
fprintf( outstream,"Query Time = %15.1f secs\n",
s_info_ptr->elapsed_time);

/** Allocate space for a new stmt_info structure */ /* @d24993
tjg */
s_info_ptr->next =
(struct stmt_info *) malloc(sizeof(struct stmt_info));
if (s_info_ptr->next != NULL) {
    memset(s_info_ptr->next, '\0', sizeof(struct stmt_info));
    /** Transfer details from one structure to another for
    to apply for the next statement */
    s_info_ptr->next->stmt_num = s_info_ptr->stmt_num + 1;
    s_info_ptr->next->max_rows_fetch =
s_info_ptr->max_rows_fetch;
    s_info_ptr->next->max_rows_out = s_info_ptr->max_rows_out;

    s_info_ptr->next->query_block = s_info_ptr->query_block;
    s_info_ptr->next->elapsed_time = -1;

    s_info_ptr = s_info_ptr->next;
}
else {
    mem_error("allocating next stmt structure. Exiting\n");
    exit(-1);
}

/** Set the stop and travelling pointer to the current info structure
**/
g_struct->s_info_stop_ptr = g_struct->s_info_ptr = s_info_ptr;

if (sqlda_allocated)
    free_sqlda(sqlda,g_struct->c_flags->select_status);
/* fix free() problem on NT
wlc 090597 */

if (g_struct->c_l_opt->outfile != 0)
    fclose(outstream);

return (TRUE);
}

/*****
*****/
/* Does some cleaning up once all the statements are processed.
Disconnects
from the database, cleans up some semaphore stuff from the update
functions,
prints out the summary table, and closes all file handles. */
/*****
*****/
int cleanup(struct global_struct *g_struct)
{
#ifdef SQLWINT
    int semid; /* semaphore for controlling UFs*/
    key_t semkey; /* key to generate semid */
#endif
    char file_name[256] = "\0";

    /** End timestamp for stream */
    /*g_struct->stream_end_time = time(NULL);*/
    get_start_time(&(g_struct->stream_end_time)); /* TIME_ACC jen
*/

```

```

switch (g_struct->c_l_opt->update)
{
    case (2):
    case (5):
        /* update throughput function stream */
        sprintf(file_name,"%s%sstrentuf.%s",g_struct->run_dir,
            env_tpcd_path_delim, g_struct->file_time_stamp);
        break;
    case (3):
    case (4):
        /* update power function stream */
        sprintf(file_name,"%s%spsptrentuf.%s",g_struct->run_dir,
            env_tpcd_path_delim, g_struct->file_time_stamp);
        break;
    case (1):
        /* power query stream */
        sprintf(file_name, "%s%spsptrent%d.%s",g_struct->run_dir,
            env_tpcd_path_delim,
            g_struct->c_l_opt->intStreamNum,g_struct->file_time_stamp);
        break;
    case (0):
        /* throughput query stream */
        sprintf(file_name, "%s%sstrent%d.%s",g_struct->run_dir,
            env_tpcd_path_delim,
            g_struct->c_l_opt->intStreamNum,g_struct->file_time_stamp);
        break;
}

#ifdef LINUX

    if ( (g_struct->stream_report_file = fopen(file_name,
        APPENDMODE)) == NULL )
    {
        fprintf(stderr, "\nThe output file for the stream count
        information\n");
        fprintf(stderr, "could not be opened, make sure the filename is
        correct\n");
        fprintf(stderr, "filename = %s\n", file_name);
        exit(-1);
    }

#endif

/* print out the stream stop time in the stream count information
file*/
if (g_struct->c_l_opt->update > 1)
{
    /* update function stream */
    fprintf(g_struct->stream_report_file,
        "Update function stream stopping at %*.*s\n",
        T_STAMP_3LEN,T_STAMP_3LEN, /* TIME_ACC jen*/

get_time_stamp(T_STAMP_FORM_3,&(g_struct->stream_end_time))
); /* TIME_ACC jen*/
}
else
{
    /* query stream(s) */
    fprintf(g_struct->stream_report_file,
        "Stream number %d stopping at %*.*s\n",
        g_struct->c_l_opt->intStreamNum,
        T_STAMP_3LEN,T_STAMP_3LEN, /* TIME_ACC jen*/

```

```

get_time_stamp(T_STAMP_FORM_3,&(g_struct->stream_end_time))
); /* TIME_ACC jen*/
}
fclose(g_struct->stream_report_file);

/* No need to check for errors here.
Also, the UF stream in a Throughput run
has no connection in tpcdbatch.sqc.      aph 98/12/26
error_check();
*/

/* if we are in a query stream AND this is a throughput test, then
need */
/* do to some semaphore stuff (0 implies update functions are off)
*/
/* AND we are supposed to be using semaphores */

if ( ( semcontrol == 1 ) &&
( g_struct->c_l_opt->update < 2))
/* only queries need to release the semaphore at this point */
{
if (g_struct->c_l_opt->intStreamNum == 0)
release_semaphore(g_struct, QUERY_POWER_SEM); /* power
stream */
else
release_semaphore(g_struct, THROUGHPUT_SEM); /*
throughput stream */

EXEC SQL CONNECT RESET;
#ifdef SQLWINT
if (verbose)
{
fprintf(stderr,
"cleanup: semkey = %ld, semid = %d, file = %s, stream =
%d\n",
semkey,semid,g_struct->update_num_file,
g_struct->c_l_opt->intStreamNum);
}
#endif
}

/** Summary table processing **/      /* @d24993 tlg */
summary_table(g_struct);

fprintf (outstream, "\n\n");

fclose(outstream); /* Close the output data stream. */
fclose(instream); /* Close the SQL input stream. */

return (TRUE);
}

void create_semaphores(struct global_struct *g_struct)
{
#ifdef SQLWINT
int semid; /* semaphore for controlling UFs*/
key_t semkey; /* key to generate semid */
#else
HANDLE hSem;
HANDLE hSem2;
int SemTimeout = 600000; /* Des time out period of 1
minute */
#endif

```

```

fprintf(stderr,"numstreams =
%d\n",g_struct->c_l_opt->intStreamNum);
fprintf(stderr,"Update stream creating semaphore(s) for update
and query sequencing\n");
#ifdef SQLWINT

fprintf(stderr,"semfile = %s\n",g_struct->sem_file);
if (g_struct->c_l_opt->intStreamNum == 0)
/*RUNPOWER*/
{
fprintf(stderr,"semfile2 = %s\n",g_struct->sem_file2);
hSem = CreateSemaphore(NULL,
0,1,(LPCTSTR)(g_struct->sem_file));
hSem2 = CreateSemaphore(NULL,
0,1,(LPCTSTR)(g_struct->sem_file2));
if ((hSem == NULL) || (hSem2 == NULL))
{
fprintf(stderr,
"CreateSemaphores (ready semaphore) failed,
GetLastError: %d, quitting\n",
GetLastError());
exit(-1);
}
fprintf(stderr,"Semaphores created successfully!\n");
}
else
{
/* RUNTHROUGHPUT creates semaphores based on the number
of query streams while the number of streams for runpower is constant
*/
hSem = CreateSemaphore(NULL, 0,
g_struct->c_l_opt->intStreamNum,
(LPCTSTR)(g_struct->sem_file));

if (hSem == NULL)
{
fprintf(stderr,
"CreateSemaphore (ready semaphore) failed,
GetLastError: %d, quitting\n",
GetLastError());
exit(-1);
}
fprintf(stderr,"Semaphore created successfully!\n");
}
}
#else /* AIX, SUN, etc. */
/* create a semaphore key...use the name of a file that */
/* you know exists */
fprintf(stderr,"semfile = %s\n", g_struct->update_num_file);
semkey = ftok(g_struct->update_num_file,'J');
if (g_struct->c_l_opt->intStreamNum == 0)
/* RUNPOWER */
{
if ( ( semid =
semget(semkey,2,IPC_CREAT|S_IRUSR|S_IWUSR)) < 0)
{
fprintf(stderr,
"Throughput can't get initial semaphore! semget
failed errno = %d\n",
errno);
exit(1);
}
}
else
/* THROUGHPUT */
{

```



```

        if ( (semid =
semget(semkey,1,IPC_CREAT|S_IRUSR|S_IWUSR)) < 0)
        {
            fprintf(stderr,
                "Throughput can't get initial semaphore! semget
failed errno = %d\n",
                errno);
            exit(1);
        }
        if (verbose)
        {
            fprintf(stderr,
                "insert: semkey = %ld, semid = %d, file = %s,
value = %d\n",
                semkey,semid,g_struct->update_num_file,
                (g_struct->c_l_opt->intStreamNum * -1));
        }
    }
}

#endif

/*throughput update */
void throughput_wait(struct global_struct *g_struct)
{
#ifdef SQLWINT
    int      semid;          /* semaphore for controlling UFs*/
    key_t    semkey;         /* key to generate semid */
#else
    HANDLE    hSem;
    int      j;
    int      SemTimeout = 600000; /* Des time out period of 1
minute */
#endif

#ifdef SQLWINT
    hSem = open_semaphore(g_struct, THROUGHPUT_SEM);
    for (j = 0; j < g_struct->c_l_opt->intStreamNum; j++)
    {
        if (verbose)
            fprintf(stderr,"About to wait again ...\n");
        if (WaitForSingleObject(hSem, INFINITE) ==
WAIT_FAILED)
        {
            fprintf(stderr,
                "WaitForSingleObject (hSem) failed on stream %d,
error: %d, quitting\n",
                j, GetLastError());
            exit(-1);
        }
        if (verbose)
            fprintf(stderr,"Streams to wait for %d\n", j);
    }
    fprintf(stderr,"finished waiting on stream semaphore! Ready to
run updates!\n");
    /* close the semaphore handle */
    if (! CloseHandle(hSem)) {
        fprintf(stderr, "Close Sem failed - Last Error: %d\n",
GetLastError());
        /* no exit here */
    }
#else
    semid = open_semaphore(g_struct);
    /* call the sem_op routine to decrement the semaphore by */
    /* however many streams .... by calling this function with*/
    /* a negative number, this stream is forced to wait until */
    /* the semaphore gets back to 0 */

```

```

        if (sem_op(semid, 0, (g_struct->c_l_opt->intStreamNum * -1)) !=
0)
        {
            /*jenSEM*/
            fprintf(stderr,
                "Failure to wait on throughput semaphone for %d
streams\n",
                g_struct->c_l_opt->intStreamNum);
            exit(1);
        }
        /*jenSEM*/
        fprintf(stderr,"finished waiting on stream semaphore! Ready to
run updates!\n");
        semctl(semid,0,IPC_RMID,0); /* we've finished waiting, now */
        /* remove the semaphore */
    }
}

void runpower_wait(struct global_struct *g_struct, int sem_num)
{
    char semfile[150];
#ifdef SQLWINT
    HANDLE hSem;

    if (sem_num == 1)
        strcpy (semfile, g_struct->sem_file);
    else
        strcpy (semfile, g_struct->sem_file2);

#else /* AIX */
    int      semid;          /* semaphore for controlling UFs*/
    key_t    semkey;         /* key to generate semid */

    strcpy (semfile, g_struct->update_num_file);

#endif

    if (g_struct->c_l_opt->update == 1)
        fprintf(stderr,"querystream waiting for update stream (UF1) to
signal semaphore based on %s\n", semfile);
    else
        fprintf(stderr,"updatestream (UF2) waiting on querystream
semaphore to signal semaphore based on %s\n", semfile);

#ifdef SQLWINT
    hSem = open_semaphore(g_struct, sem_num);
    if (verbose)
        fprintf(stderr,"Runpower queries about to wait ...\n");
    if (WaitForSingleObject(hSem, INFINITE) == WAIT_FAILED)
    {
        fprintf(stderr,
            "WaitForSingleObject (hSem) failed on stream 0, error: %d,
quitting\n",
            GetLastError());
        exit(-1);
    }
    if (! CloseHandle(hSem))
    {
        fprintf(stderr, "Close Sem failed - Last Error: %d\n",
GetLastError());
        /* no exit here */
    }
}

#else
    semid = open_semaphore(g_struct);

```

```

/* call the sem_op routine to decrement the semaphore by */
/* however many streams .... by calling this function with */
/* a negative number, this stream is forced to wait until */
/* the semaphore gets back to 0 */
/* aix semaphores start at 0, not 1, so sem_num - 1 is used */
if (sem_op(semid, sem_num - 1, -1) != 0)
{
    /*jenSEM*/
    fprintf(stderr,
        "Failure to wait on runpower semaphore for %d streams\n",
        g_struct->c_l_opt->intStreamNum);
    exit(1);
}
/*jenSEM*/
#endif
if (g_struct->c_l_opt->update == 1)
    fprintf(stderr, "querystream finished waiting on updatestream
semaphore\n");
else
    fprintf(stderr, "updatestream finished waiting on querystream
semaphore\n");
}

void release_semaphore(struct global_struct *g_struct, int sem_num)
{
#ifdef SQLWINT
    int      semid;      /* semaphore for controlling UFs */
    key_t    semkey;     /* key to generate semid */
#else
    HANDLE    hSem;
    int      SemTimeout = 600000; /* Des time out period of 1
minute */
#endif

#ifdef SQLWINT
    hSem = open_semaphore(g_struct, sem_num); /* query */
    if (! ReleaseSemaphore(hSem,
        1,
        (LPLONG)(NULL)))
    {
        fprintf(stderr, "ReleaseSemaphore failed, Sem#: %d LastError:
%d, quit\n",
            sem_num, GetLastError());
        exit(-1);
    }
#else
    semid = open_semaphore(g_struct); /* query */
    /* aix semaphores start at 0, not 1, so sem_num - 1 is used */
    if (sem_op(semid, sem_num - 1, 1) != 0)
    /*jenSEM*/
    {
        /*jenSEM*/
        fprintf(stderr,
            "Failed to increment semaphore %d for throughput
stream %d\n",
            sem_num, g_struct->c_l_opt->intStreamNum);
        fprintf(stderr,
            "file for generation of semaphore is: %s\n",
            g_struct->update_num_file);
        exit(1);
    }
#endif

#ifdef SQLWINT
    if (g_struct->c_l_opt->intStreamNum == 0)
    {
        /* RUNPOWER */
        if (sem_num == 1)
        {
            fprintf(stderr, "UF1 completed.\n");
        }
        else
        {

```

```

        fprintf(stderr, "query stream completed.\n");
        }
    }
}

#ifdef SQLWINT /* Compile only in NT */
HANDLE open_semaphore(struct global_struct *g_struct, int num)
{
    HANDLE hSem;
    LPCTSTR semfile;

    if (num == 1)
        semfile = (LPCTSTR)g_struct->sem_file;
    else
        semfile = (LPCTSTR)g_struct->sem_file2;

    while ((hSem = OpenSemaphore(SEMAPHORE_ALL_ACCESS
|
        SEMAPHORE_MODIFY_STATE |
        SYNCHRONIZE,
        TRUE,
        semfile))
        == (HANDLE)(NULL))
    {
        /*
        ** if cannot open the semaphore, wait for 0.1 second
        */
        fprintf(stderr, "Retry Open semaphore %s\n", semfile);

        Sleep(1000);
    }
    return hSem;
}

#else /* Compile only in non-NT (i.e. AIX) */
int open_semaphore(struct global_struct *g_struct)
{
    int      semid;      /* semaphore for controlling UFs */
    key_t    semkey;     /* key to generate semid */
    int num;

    if (g_struct->c_l_opt->intStreamNum == 0)
        num = 2;
    else
        num = 1;

    semkey = ftok(g_struct->update_num_file, 'J');
    while ((semid = semget(semkey, num, 0)) < 0)
    {
        if (errno == ENOENT)
        {
            sleep(2);
            fprintf(stderr, "cleanUp: looping for access to semaphore
stream %d ",
                g_struct->c_l_opt->intStreamNum);
            fprintf(stderr, "semkey=%ld semid = %d
file=%s\n", semkey, semid,
                g_struct->update_num_file);
        }
        else
        {
            fprintf(stderr, "query stream %d semget failed errno =
%d\n",
                g_struct->c_l_opt->intStreamNum, errno);
            exit(1);
        }
    }
    return semid;
}

```

```

}
#endif

```

tpcdUF.sqc

```

/*****
*****
*
* TPCDUF.SQC
*
* Revision History:
*
* 05 dec 98 aph Created tpcdUF.sqc containing runUF1_fn() and
runUF2_fn()
*          so that it can be bound separately with a different isolation
level.
* 15 may 99 bbe Added cast (short) for type conversion between a
long and a short.
* 16 jun 99 jen Added in proper connect reset code for UF functions
(mistakenly
*          removed
* 17 jun 99 jen SEMA Changes semaphore file for update functions to
look for tpcd.setup
*          not for the orders.*** update data file (AIX only)
* 21 jul 99 bbe Commented out conditions in SQL statments that
searched on fields
*          other than app_id.
*
*****
*****

#define UF1DEBUG
#define UF2DEBUG

#if (defined(SQLPTX) && defined(SQLSUN))
#define exit(rc) _exit(rc)
#else
#define exit(rc) exit(rc)
#endif /* SQLPTX & SQLSUN*/

#include "tpcdbatch.h"
/** EXEC SQL INCLUDE SQLCA; **/

#include "sqlca.h"
extern struct sqlca sqlca;

/*****
*****
* Function Prototypes
*/
/*****
*****
extern int SleepSome( int amount );
extern long error_check(void); /* @d28763 tjjg
*/
extern void dumpCa(struct sqlca*); /*kmw*/
extern int sem_op (int semid, int semnum, int value);
extern char *get_time_stamp(int form, Timer_struct *timer_pointer);
/* TIME_ACC jen */

/*****
*****
*/
/* Declare the SQL host variables.
*/
/*****
*****
EXEC SQL BEGIN DECLARE SECTION;
char UF_dbname[9] = "\0";
char UF_userid[9] = "\0";
char UF_passwd[9] = "\0";

```

```

sqlint32 UF_chunk = 0;
short month = 0;
EXEC SQL END DECLARE SECTION;

/*****
*****
*/
/* Declare the global variables.
*/
/*****
*****
extern char env_tpcd_tmp_dir[150];
extern FILE *instream, *outstream; /* File pointers */
extern char sourcefile[256]; /* Used for semaphores and table
functions?*/
extern struct {
/* jen LONG */
short len;
char data[32700];
} stmt_str; /* jen LONG */

/*****
*****
*/
/* UF1 child
*/
/* (i is the application number.)
*/
/*****
*****
void runUF1_fn ( int updatePair, int i, char *dbname, char *userid,
char *passwd )
{
int rc = 0;
int split_updates = 2; /* no. of ways update records are split */
int concurrent_inserts = 2; /* jenCI no of concurrent updates to be */
/* jenCI run at once*/
int loop_updates = 1; /* jenCI no of updates to be run in one */
/* jenCI "concurrent" invocation. should*/
/* jenCI be split_updates / concurrent_inserts*/
int startChunk = 0; /* jenCI number of first chunk to insert for
*/
/* jenCI this child */
int stopChunk = 0; /* jenCI number of last chunk to insert for
*/
/* jenCI this child */
long insertedLineitem = 0; /*kmw*/
long insertedOrders = 0; /*kmw*/
long saveInsertedOrders = 0; /*kbs*/

long sqlcode;
int maxwait;

#ifndef SQLWINT
int su_sem;
key_t su_semkey;
#else
HANDLE su_hSem;
char UF1_semfile[256];
#endif

char myoutstreamfile[256];
FILE *myoutstream;

strcpy(UF_dbname, dbname);
strcpy(UF_userid, userid);
strcpy(UF_passwd, passwd);

/* Get ready to start logging diagnostic output */
sprintf (myoutstreamfile, UF1OUTSTREAMPATTERN,
env_tpcd_tmp_dir, PATH_DELIM,
updatePair, i);

```

```

if ( (myostream = fopen (myostreamfile, WRITEMODE)) ==
NULL)
{
    fprintf (stderr, "\nThe output file '%s' for update pair %d set %d
could not be opened. runUF1_fn\n",
        myostreamfile,updatePair,i);
    rc=-1;
    goto UF1_exit;
}
outstream=myostream; /* initialize outstream for error_check
dxxxxhar*/

fprintf( myostream,"\nUF1 for update pair %d set %d starting at
%*.s\n",
    updatePair, i,
    T_STAMP_1LEN,T_STAMP_1LEN, /* TIME_ACC jen*/
    get_time_stamp(T_STAMP_FORM_1,(Timer_struct
*)NULL)); /* TIME_ACC jen*/

if (getenv ("TPCD_SPLIT_UPDATES") != NULL)
    split_updates = atoi (getenv ("TPCD_SPLIT_UPDATES"));
if (getenv ("TPCD_CONCURRENT_INSERTS") != NULL)
    /*jenCI*/
    concurrent_inserts = atoi (getenv
("TPCD_CONCURRENT_INSERTS")); /*jenCI*/
    loop_updates = split_updates / concurrent_inserts;
/*jenCI*/

/* determine the starting and stopping point of the chunks that this
jenCI*/
/* invocation will apply. i is starting chunk number with range 0
jenCI*/
/* through (concurrent_inserts -1)                jenCI*/
startChunk = i * loop_updates; /*jenCI*/
stopChunk = startChunk + (loop_updates - 1);
/*jenCI*/

/* Establish a connection to the database */
if (!strcmp(userid,"0")) /** No authentication provided **/
    EXEC SQL CONNECT TO :UF_dbname;
else
    EXEC SQL CONNECT TO :UF_dbname USER :UF_userid
USING :UF_passwd;
error_check();
if (sqlca.sqlcode < 0)
{
    rc=-1;
    goto UF1_exit;
}

/* Start processing each chunk in my range */
#ifdef UF1DEBUG
    fprintf (myostream,"Before loop_a startChunk = %d, stopChunk =
%d\n", startChunk, stopChunk);
    fflush(myostream);
#endif
for ( UF_chunk = startChunk; UF_chunk <= stopChunk;
UF_chunk++) /*jenCI*/
{ /*jenCI*/
    /* wlc 062797 */
    sqlcode = SQL_RC_E911;
    month = (short)UF_chunk; /* Cast 'short' added bbe */
    maxwait = 1;
    rc = 0;

#endif UF1DEBUG

```

```

    fprintf (myostream, "Before While_a Chunk= %d\n",UF_chunk);
    fflush(myostream);
#endif
    /* Loop to handle any deadlocks */
    while (sqlcode == SQL_RC_E911 && maxwait <= MAXWAIT
&& rc==0)
    {
        sqlcode = 0;
#ifdef UF1DEBUG
        fprintf (myostream, "in loop before orders exec sql\n");
        fflush(myostream);
#endif
        EXEC SQL INSERT INTO TPCD.ORDERS
            SELECT
                O_ORDERKEY,O_CUSTKEY,O_ORDERSTATUS,O_TOTALPRIC
E,
                O_ORDERDATE,O_ORDERPRIORITY,O_CLERK,O_SHIPPRIORI
TY,O_COMMENT
            FROM TPCDTEMP.ORDERS_NEW
            WHERE APP_ID = :UF_chunk;
            /*AND
                12*(YEAR(O_ORDERDATE)-1992)+MONTH(O_ORDERDATE)-0
1 = :month;*/

        if (sqlca.sqlcode < 0)
            sqlcode = error_check();

        if (sqlcode == SQL_RC_E911)
        {
            /* we've hit a deadlock */
            fprintf (myostream,
                "\nDeadlock detected inserting from
tpcdtemp.orders_new for chunk %d for pair
%d..Retrying...\n",UF_chunk,updatePair);
            SleepSome(UF_DEADLOCK_SLEEP);
            maxwait++; /* jen DEADLOCK */
        }
        else if (sqlcode < 0)
        {
            fprintf(myostream,
                "Insert into orders pair %d chunk %d failed
sqlcode=%d\n",
                updatePair,UF_chunk,sqlcode);
            dumpCa(&sqlca);
            rc = -1;
        }
        else
        {
            /* Everything worked with ORDERS, proceed with
LINEITEM */
            saveInsertedOrders = sqlca.sqlerrd[2];

            sqlcode = 0;
#ifdef UF1DEBUG
            fprintf (myostream, "in lineitem for update pair %d
set %d chunk %d\n",
                updatePair, i,UF_chunk);
            fflush(myostream);
#endif

            EXEC SQL INSERT INTO TPCD.LINEITEM
                SELECT
                    L_ORDERKEY,L_PARTKEY,L_SUPPKEY,L_LINENUMBER,L_Q
UANTITY,

```

```

        L_EXTENDEDPRICE,L_DISCOUNT,L_TAX,
L_RETURNFLAG,L_LINESTATUS,L_SHIPDATE,L_COMMITDATE,L_RECEIPTDATE,
        L_SHIPINSTRUCT,L_SHIPMODE,L_COMMENT
FROM TPCDTEMP.LINEITEM_NEW WHERE APP_ID =
:UF_chunk;
/*(AND L_ORDERKEY IN
(SELECT O_ORDERKEY FROM TPCD.ORDERS
WHERE

12*(YEAR(O_ORDERDATE)-1992)+MONTH(O_ORDERDATE)-0
1 = :month);*/

if (sqlca.sqlcode < 0)
    sqlcode = error_check();

if (sqlcode == SQL_RC_E911)
{
    /* we've hit a deadlock */
    fprintf(myostream,
        "\nA deadlock has been detected inserting from
tpcdtemp.lineitem%d_%d...Retrying...\n",
        updatePair, UF_chunk);
    SleepSome(UF_DEADLOCK_SLEEP);
    maxwait++;
    /* jen DEADLOCK */
}
else if (sqlcode < 0)
{
    fprintf(myostream,
        "Insert into lineitem pair %d chunk %d failed
sqlcode=%d\n",
        updatePair,UF_chunk,sqlcode);
    dumpCa(&sqlca);
    rc = -1;
}
else
{
#ifdef UFIDEBUG
    fprintf(myostream, "lineitem insert succeeded\n");
    fflush(myostream);
#endif
    /* accumulate the number of row inserted */
    /* Order count ONLY updated if both orders and lineitem */
    /* go through */
    insertedOrders += saveInsertedOrders;
    insertedLineitem += sqlca.sqlerrd[2];
    rc=0;
    EXEC SQL COMMIT WORK;
    error_check();

#ifdef UFIDEBUG
    /* report the number of row inserted */
    fprintf(myostream, "    interim %ld rows for chunk %d into
TPCD.ORDERS at %s.%s\n",

insertedOrders,UF_chunk,T_STAMP_1LEN,T_STAMP_1LEN, /*
TIME_ACC jen*/
        get_time_stamp(T_STAMP_FORM_1,(Timer_struct
*)NULL)); /* TIME_ACC jen*/
    /* report the number of row deleted *s inserted */
    fprintf(myostream,
        "    interim %ld rows for chunk %d into
TPCD.LINEITEM at %s.%s\n",
        insertedLineitem,UF_chunk,
        T_STAMP_1LEN,T_STAMP_1LEN, /* TIME_ACC
jen*/
        get_time_stamp(T_STAMP_FORM_1,
            (Timer_struct *)NULL)); /* TIME_ACC jen*/

```

```

        fprintf(myostream,
            "    inserts for update pair %d chunk %d complete at
%s.%s\n",
            updatePair, UF_chunk,
            T_STAMP_1LEN,T_STAMP_1LEN, /* TIME_ACC
jen*/
            get_time_stamp(T_STAMP_FORM_1,
                (Timer_struct *)NULL)); /* TIME_ACC
jen*/
#endif
    }
    /* process lineitem INSERTs */
    /* while loop for deadlocks */
    /* while processing chunks */

    /* report the number of row deleted */
    fprintf(myostream, "%ld rows inserted into TPCD.ORDERS at
%s.%s\n",
        insertedOrders,T_STAMP_1LEN,T_STAMP_1LEN, /*
TIME_ACC jen*/
        get_time_stamp(T_STAMP_FORM_1,(Timer_struct
*)NULL)); /* TIME_ACC jen*/
    fprintf(myostream, "%ld rows inserted into TPCD.LINEITEM at
%s.%s\n",
        insertedLineitem,T_STAMP_1LEN,T_STAMP_1LEN, /*
TIME_ACC jen*/
        get_time_stamp(T_STAMP_FORM_1,(Timer_struct
*)NULL)); /* TIME_ACC jen*/

    if (sqlcode < 0)
    {
        if (sqlcode == SQL_RC_E911)
        {
            fprintf(myostream, "# of deadlocks exceeds %i\n",
MAXWAIT);
        }
        rc=-1;
        EXEC SQL ROLLBACK WORK;
        error_check();
        /* @d22275 tjg */

        goto UF1_exit;
    }

/* UF1_conn_reset: */
EXEC SQL CONNECT RESET;
error_check();
/* @d22275 tjg */

UF1_exit:
    fclose(myostream);
    /* exiting, increment the semaphore */

    /* we used the first flat file to generate the semaphore key */

#ifdef SQLWINT
    /* we will use the tpcd.setup file to generate the semaphore key
begin SEMA */
    if (getenv("TPCD_AUDIT_DIR") != NULL)
    {
        /* this is assuming that you will be running this from 0th node */
        sprintf(sourcefile, "%s%ctools%ctpcd.setup",
            getenv("TPCD_AUDIT_DIR"),
            PATH_DELIM,PATH_DELIM);
    }
    else
    {

```



```

    fprintf(myostream, "after connect startchunk= %d, EndChunk =
%d\n",
            startChunk, startChunk+numChunks);
    fflush(myostream);
#endif

/* Start processing each chunk in my range */
for ( UF_chunk = startChunk; UF_chunk < startChunk+numChunks;
      UF_chunk++ )
{

    /* Set things up for the loop which will retry if there is a deadlock
    */
    sqlcode = SQL_RC_E911;
    month = (short)UF_chunk;
    maxwait = 1;
    rc = 0;

#ifdef UF2DEBUG
    fprintf(myostream, "Chunk = %d\n", UF_chunk);
    fflush(myostream);
#endif
    while (sqlcode == SQL_RC_E911 && maxwait <= MAXWAIT
    && rc == 0)
    {

#ifdef UF2DEBUG
        fprintf(myostream, "in loop before orders exec sql\n");
        fflush(myostream);
#endif
        sqlcode = 0;

        EXEC SQL DELETE FROM TPCD.LINEITEM
        WHERE L_ORDERKEY IN
        (SELECT O_ORDERKEY FROM
        TPCDTEMP.ORDERS_DEL
        WHERE APP_ID = :UF_chunk);
        /*AND O_ORDERKEY IN
        (SELECT O_ORDERKEY FROM TPCD.ORDERS
        WHERE

12*(YEAR(O_ORDERDATE)-1992)+MONTH(O_ORDERDATE)-0
1 = :month));*/
        if (sqlca.sqlcode < 0)
            sqlcode = error_check();

        if (sqlcode == SQL_RC_E911)
        {
            /* we've hit a deadlock */
            fprintf(myostream,
                    "\nA deadlock detected while deleting from LINEITEM:
update pair %d set %d chunk %d. Retrying.\n",
                    updatePair, thisConcurrentDelete, UF_chunk);
            dumpCa(&sqlca);
            SleepSome(UF_DEADLOCK_SLEEP);
            maxwait++; /* jen DEADLOCK */
        }
        else if (sqlcode < 0)
        {
            fprintf(myostream, "%n%s\n", stmt_str.data);
            fprintf(myostream, "%nsqlcode %d occurred deleting from
TPCD.LINEITEM\n", sqlca.sqlcode);
            dumpCa(&sqlca);
            fprintf(myostream,
                    "for update pair number %d set %d chunk %d..Exiting\n",
                    updatePair, thisConcurrentDelete, UF_chunk);
            rc=-1;
        }
        else

```

```

{
    /* accumulate the number of row deleted */
    savedDeletedLineitems = sqlca.sqlerrd[2]; /*kbs*/

#ifdef UF2DEBUG
    fprintf(myostream, "in loop for update pair number %d set
%d chunk %d\n",
            updatePair, thisConcurrentDelete, UF_chunk);
    fflush(myostream);
#endif

    /* delete the orders now */

    EXEC SQL DELETE FROM TPCD.ORDERS
    WHERE O_ORDERKEY IN
    (SELECT O_ORDERKEY FROM
    TPCDTEMP.ORDERS_DEL WHERE APP_ID = :UF_chunk);
    /*AND

12*(YEAR(O_ORDERDATE)-1992)+MONTH(O_ORDERDATE)-0
1 = :month;*/

    if (sqlca.sqlcode < 0)
        sqlcode = error_check();

    if (sqlcode == SQL_RC_E911)
    {
        /* we've hit a deadlock */
#ifdef UF2DEBUG
        fprintf(myostream, "orders deadlocked\n");
        fflush(myostream);
#endif
        fprintf(myostream,
                "\nA deadlock detected while deleting from ORDERS:
update pair %d set %d chunk %d. Retrying.\n",
                updatePair, thisConcurrentDelete, UF_chunk);
        dumpCa(&sqlca);
        SleepSome(UF_DEADLOCK_SLEEP);
        maxwait++; /* jen DEADLOCK */
    }
    else if (sqlcode < 0)
    {
#ifdef UF2DEBUG
        fprintf(myostream, "orders failed\n");
        fflush(myostream);
#endif
        fprintf(myostream, "\nAn error %d occurred deleting from
TPCD.ORDERS\n", sqlca.sqlcode);
        dumpCa(&sqlca);
        fprintf(myostream, "for update pair number %d set %d
chunk %d..Exiting\n",
                updatePair, thisConcurrentDelete, UF_chunk);
        rc=-1;
    }
    else
    {
#ifdef UF2DEBUG
        fprintf(myostream, "orders succeeded\n");
        fflush(myostream);
#endif
        /* accumulate the number of row deleted */
        /* Order count ONLY updated if both orders and lineitem */
        /* go through */
        deletedLineitems += savedDeletedLineitems; /* kbs */
        deletedOrders += sqlca.sqlerrd[2];
        rc=0;
        EXEC SQL COMMIT WORK;
        error_check();
#ifdef UF2DEBUG

```

```

        /* report the number of rows deleted */
        fprintf(myostream, "    interim %ld rows for chunk %d from
TPCD.ORDERS at %s.*s\n",

deletedOrders,UF_chunk,T_STAMP_1LEN,T_STAMP_1LEN, /*
TIME_ACC jen*/
        get_time_stamp(T_STAMP_FORM_1,(Timer_struct
*)NULL)); /* TIME_ACC jen*/
        fprintf(myostream, "    interim %ld rows for chunk %d from
TPCD.LINEITEM at %s.*s\n",

deletedLineitems,UF_chunk,T_STAMP_1LEN,T_STAMP_1LEN, /*
TIME_ACC jen*/
        get_time_stamp(T_STAMP_FORM_1,(Timer_struct
*)NULL)); /* TIME_ACC jen*/
        fprintf( myostream,
            "    deletes for update pair %d chunk %d complete at
%s.*s\n\n",
            updatePair, UF_chunk,
            T_STAMP_1LEN,T_STAMP_1LEN, /* TIME_ACC
jen*/

            get_time_stamp(T_STAMP_FORM_1,
                (Timer_struct *)NULL)); /* TIME_ACC
jen*/
    #endif
    }
    } /* process orders deletes */
    } /* while trying to delete one chunk loop */
    } /* while there are more chunks */

#ifdef UF2DEBUG
    fprintf (myostream, "after loop\n");
    fflush(myostream);
#endif
    /* report the number of row deleted */
    fprintf(myostream, "%ld rows deleted from TPCD.ORDERS at
%s.*s\n",
        deletedOrders,T_STAMP_1LEN,T_STAMP_1LEN, /*
TIME_ACC jen*/
        get_time_stamp(T_STAMP_FORM_1,(Timer_struct
*)NULL)); /* TIME_ACC jen*/
    fprintf(myostream, "%ld rows deleted from TPCD.LINEITEM at
%s.*s\n",
        deletedLineitems,T_STAMP_1LEN,T_STAMP_1LEN, /*
TIME_ACC jen*/
        get_time_stamp(T_STAMP_FORM_1,(Timer_struct
*)NULL)); /* TIME_ACC jen*/

    if (sqlca.sqlcode < 0)
    {
        fprintf (myostream, "# of deadlocks %d exceeds %i\n",
maxwait,MAXWAIT);
        rc=-1;
        EXEC SQL ROLLBACK WORK;
        error_check(); /* @d22275 tjc */
    }

/* UF2_conn_reset: */ /*971101jen*/
EXEC SQL CONNECT RESET;
error_check(); /* @d22275 tjc */

UF2_exit:
    fclose (myostream);

    /* exiting, increment the semaphore */
#ifdef SQLWINT

```

```

/* we used the tpcd.setup file to generate the semaphore key
begin SEMA */
if (getenv("TPCD_AUDIT_DIR") != NULL)
{
    sprintf(sourcefile, "%s%ctools%ctpcd.setup",
        getenv("TPCD_AUDIT_DIR"), PATH_DELIM,
PATH_DELIM);
}
else
{
    fprintf (stderr, "Can't open UF2 semaphore file
TPCD_AUDIT_DIR is not defined.\n");
    exit (-1);
}

su_semkey = ftok (sourcefile, 'D'); /* use D for deletes */
/* end SEMA */
while ((su_semid = semget(su_semkey,1,0)) < 0)
{
    if (errno == ENOENT)
        sleep(2);
    else {
        fprintf(stderr,"UF2 update stream %d: semget failed errno =
%d\n",
            updatePair, errno);
        exit(1);
    }
}
if (sem_op (su_semid, 0, 1) != 0 ) /*jenSEM*/
{
    /*jenSEM*/
    fprintf(stderr,"Failure to increment semaphore UF2 set %d\n",
thisConcurrentDelete);
    exit(1);
} /*jenSEM*/

#else
    sprintf (UF2_semfile, "%s.%s.UF2.semfile",
        getenv("TPCD_DBNAME"), getenv("USER"));
    //DJD fprintf(stderr,"UF2 semfile = %s\n",UF2_semfile);
    while ((su_hSem = OpenSemaphore(SEMAPHORE_ALL_ACCESS
|
        SEMAPHORE_MODIFY_STATE |
        SYNCHRONIZE,
        TRUE,
        UF2_semfile))
        == (HANDLE)(NULL)) {
        /*
        ** if cannot open the semaphore, wait for 0.1 second
        */
        fprintf(stderr,"Retry Open semaphore %s\n", UF2_semfile);

        SleepSome(1);
    }

    if (! ReleaseSemaphore(su_hSem,
        1,
        (LPLONG)(NULL)))
    {
        fprintf(stderr, "ReleaseSemaphore failed, LastError: %d, quit\n",
            GetLastError());
        exit(-1);
    }
}
#endif

    exit(rc); /* child exiting after finishing up */
}

```


Appendix E: ACID Transaction Source Code

acid.h

```
/*
*****
*****
*/
/* File: acid.h */
/*
*****
*****
*/

#include <stdio.h>
#include <stdlib.h>
#include <time.h>

#ifdef SQLWINT
#include <windows.h>
#include <sys\timeb.h>
#include <sys\stat.h>
#include <stdlib.h>
#include <io.h>
#else
#include <unistd.h>
#include <sys/time.h>
#include <sys/timeb.h>
#endif

#include <string.h>
#include <math.h>

#define acidtime(tvsec,tvusec) tvsec*1000+tvusec/1000
#define TSLEN 20

#if 0 /* needed on NT, not on AIX */
typedef struct timeval {
    long tv_sec; /* seconds */
    long tv_usec; /* and microseconds */
};
#endif

struct update_struct {
    int qnum;
};

struct acidQ_struct {
    int tag;
    long o_key;
    double l_extendedprice;
};

struct acidT_struct {
    int termination;
    int tag;
    int logging;
    long o_key;
    long l_key;
    long delta;
    long l_partkey;
    long l_suppkey;
    double l_quantity;
    double l_tax;
    double l_discount;
    double l_extendedprice;
    double o_totalprice;
};
```

```
/*
** in acid.sqc
*/

int updateQ (struct update_struct *us);

char del(void);

#ifdef SQLWINT
void sleep (int sec);
#endif

acid.sqc

/*
*****
*****
*/
/* File: acid.sqc */
/*
*****
*****
*/

/* changes:
*
* 961109 jel add EXEC SQL CLOSE for each cursor in acidT
*          to avoid bug in db2pe v1r2
* 980225 gav port to NT
* 981103 kal added ast_acidQ for isolation test 7
* 981103 kal changed ast query to be the same as that used in
*          consistency tests. Fixed so the long lEprice is
*          cast to a double. Changed so uses 3 decimal points of
*          precision.
*/

#include "acid.h"

#if (defined(SQLPTX) || defined(SQLWINT) || defined(SQLSUN) ||
defined(Linux))
double nearest(double);
#endif /* SQLPTX */

#define DEADLOCK -911

/*
#define TRUNC2(d) ((floor((d)*100.0))/100.0)
*/
/*
#define TRUNC2(d) ((floor(nearest((d)*100.0)))*0.01)
*/
/*
#define TRUNC2(d) ((floor(nearest((d)*1000.0)/10.0)/100.0))
*/
/*
#define TRUNC2(d) ((floor(nearest((d)*100000.0)/1000.0)/100.0))
*/

void sqlerror(char *, struct sqlca *);

EXEC SQL INCLUDE SQLCA;
EXEC SQL BEGIN DECLARE SECTION;
char dbname[8]; /* = "tpcd"; */
EXEC SQL END DECLARE SECTION;

#ifdef SQLWINT

/*
** redefine gettimeofday so I don't have to
** change too much aix-specific code
*/
/*#typedef struct timeval { unsigned tv_sec; unsigned tv_usec; }; */
```

```

typedef struct timezone { int dummy; };
struct timeb timer;

void gettimeofday( struct timeval *tv, struct timezone *tz)
{
    ftime(&timer);
    tv->tv_sec = timer.time;
    tv->tv_usec = timer.millitm * 1000;
    tz->dummy = 0;
}
#endif

/*-----*/
/*      acidQ                               */
/*-----*/
int acidQ (struct acidQ_struct *acid)
{
    time_t timeT;
    FILE *out;
    char out_fn[50];
    struct timeval tv;
    struct timezone tz;
    int mypid;
    int rc = 0;

    EXEC SQL BEGIN DECLARE SECTION;
    sqlint32  okey;
    sqlint32  lEprice;
    double  eprice;
    EXEC SQL END DECLARE SECTION;

    okey = acid->o_key;

    /* mypid = getpid(); */
    mypid = acid->tag;

    sprintf(out_fn,
"%s%06d",getenv("TPCD_TMP_DIR"),del(),mypid);
    out=fopen(out_fn,"a");
    if (out == NULL)
    {
        fprintf(stderr, "ERROR input file %s could not be appended
to!!\n",out_fn);
    }

    gettimeofday(&tv, &tz);
    time(&timeT);
    fprintf(out,"\n----- START of acidQ tag: %d
-----\n",mypid);
    fprintf(out, "acidQ tag: %d, begin transaction time: (%06u)
%s",
        mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
    fprintf(out, "okey: %d\n", okey);

    gettimeofday(&tv, &tz);
    time(&timeT);
    fprintf(out,"acidQ tag: %d, before read of LINEITEM: (%06u)
%s",
        mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));

    /*
    ** use the same sql code as used in the consistsql.pl to
    ** run the consistency acid queries. Note we assign an long int
    ** to lEprice (we make it 10s of pennies by * 1000). Then divide
    ** by 1000.0 and cast it to a double (eprice) for printing
    */

```

```

EXEC SQL
SELECT

INTEGER(DECIMAL(SUM(DECIMAL(INTEGER(INTEGER(DECIMAL
MAL
    (INTEGER(100*DECIMAL(L_EXTENDEDPRI
20,3) *
    (1-L_DISCOUNT)) * (1+L_TAX)),20,3)/100.0),20,3) * 1000)
into :lEprice
FROM
TPCD.LINEITEM
WHERE
    L_ORDERKEY = :okey;

if (sqlca.sqlcode != 0) {
    rc = sqlca.sqlcode;
    fprintf(out,"acidQ **ERROR** sqlcode = %d\n",sqlca.sqlcode);
    sqlerror("acidQ: select sum(l_extendedprice)", &sqlca);
    goto Qerror;
}
eprice = (double)lEprice / 1000.0; /* translate to double for
printout*/

gettimeofday(&tv, &tz);
time(&timeT);
fprintf(out,"ACID tag: %d, after read of LINEITEM: (%06u)
%s",
    mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
fprintf(out, "okey: %d \t sum(l_extendedprice): %0.3f\n",
    okey, eprice);

EXEC SQL COMMIT;
if (sqlca.sqlcode != 0) {
    rc = sqlca.sqlcode;
    fprintf(out,"acidQ **ERROR** sqlcode = %d\n",sqlca.sqlcode);
    sqlerror("acidQ: COMMIT", &sqlca);
    goto Qerror;
}
acid->l_extendedprice = eprice;

rc = 0;
goto Qexit;

Qerror:
EXEC SQL rollback work;
if (sqlca.sqlcode != 0) sqlerror("acidQ: ROLLBACK FAILED",
&sqlca);

Qexit:
fprintf(out,"\n----- END of acidQ tag: %d -----
\n",mypid);
fflush(out);fclose(out);
return(rc);
}

/*-----*/
/*      ast_acidQ                               */
/*-----*/
int ast_acidQ (struct acidQ_struct *acid)
{
    time_t timeT;
    FILE *out;
    char out_fn[50];
    struct timeval tv;
    struct timezone tz;
    int mypid;
    int rc = 0;

```

```

EXEC SQL BEGIN DECLARE SECTION;
double  ast_lEprice;
double  ast_eprice;
EXEC SQL END DECLARE SECTION;

/* mypid = getpid(); */
mypid = acid->tag;

sprintf(out_fn,
"%s%cast_acidQ.out.%d",getenv("TPCD_TMP_DIR"),del(),mypid);
out=fopen(out_fn,"a");
gettimeofday(&tv, &tz);
time(&timeT);
fprintf(out,"\n----- START of ast_acidQ tag: %d
-----\n\n",mypid);
fprintf(out,"ast_acidQ tag: %d, begin transaction time: (%us
%06uu) %s",
        mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));

gettimeofday(&tv, &tz);
time(&timeT);
fprintf(out,"ast_acidQ tag: %d, before read of LINEITEM: (%us
%06uu) %s",
        mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));

/*
** use the same query acidQ except don't select for specific okay.
** this ensures that the ast will be used instead of the base table
** Have to use ast_lEprice as double since this sum is so big
*/
EXEC SQL
SELECT
    SUM ( L_EXTENDEDPRI * (1-L_DISCOUNT) * (1 + L_TAX))
into :ast_lEprice
FROM
    TPCD.LINEITEM;

if (sqlca.sqlcode != 0) {
    rc = sqlca.sqlcode;
    fprintf(out,"ast_acidQ **ERROR** sqlcode =
%d\n",sqlca.sqlcode);
    sqlerror("ast_acidQ: select sum(l_extendedprice)", &sqlca);
    goto Qerror;
}
ast_eprice = ast_lEprice; /* use ast_eprice for printout to be
consistent*/

gettimeofday(&tv, &tz);
time(&timeT);
fprintf(out,"AST_ACID tag: %d, after read of LINEITEM: (%us
%06uu) %s",
        mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
fprintf(out,"sum(l_extendedprice): %0.3f\n",
        ast_eprice);

EXEC SQL COMMIT;
if (sqlca.sqlcode != 0) {
    rc = sqlca.sqlcode;
    fprintf(out,"ast_acidQ **ERROR** sqlcode =
%d\n",sqlca.sqlcode);
    sqlerror("ast_acidQ: COMMIT", &sqlca);
    goto Qerror;
}
acid->l_extendedprice = ast_eprice;

rc = 0;

```

```

goto Qexit;

Qerror:
EXEC SQL rollback work;
if (sqlca.sqlcode != 0) sqlerror("ast_acidQ: ROLLBACK FAILED",
&sqlca);

Qexit:
fprintf(out,"\n----- END of ast_acidQ tag: %d
-----\n\n",mypid);
fflush(out);fclose(out);
return(rc);
}
/*-----*/
/*      acidT                                     */
/*-----*/
int acidT (struct acidT_struct *acid)
{
    time_t timeT;
    FILE *out;
    char out_fn[50];
    struct timeval tv;
    struct timezone tz;
    int mypid;
    int rc = 0;

EXEC SQL BEGIN DECLARE SECTION;
sqlint32  o_key, l_key, delta;
sqlint32  l_partkey, l_suppkey;
double    l_quantity, l_tax, l_discount, l_extendedprice;
double    o_totalprice;
double    new_quantity, rprice, cost, new_extprice, new_ototal,
ototal;
EXEC SQL END DECLARE SECTION;

EXEC SQL DECLARE l_cursor CURSOR FOR
    SELECT l_partkey, l_suppkey, l_quantity,
           l_tax, l_discount,
           l_extendedprice
    FROM tpcd.lineitem
    WHERE l_orderkey = :o_key
    AND l_linenum = :l_key
    FOR UPDATE OF l_extendedprice, l_quantity;

EXEC SQL DECLARE o_cursor CURSOR FOR
    SELECT o_totalprice
    FROM tpcd.orders
    WHERE o_orderkey = :o_key
    FOR UPDATE OF o_totalprice;

if (acid->termination < 0 || acid->termination > 3) acid->termination
= 0;
o_key = acid->o_key;
l_key = acid->l_key;
delta = acid->delta;

if (acid->logging) {
    /* mypid = getpid(); */
    mypid = acid->tag;
    sprintf(out_fn,
"%s%caacidT.out.%d",getenv("TPCD_TMP_DIR"),del(),mypid);
    out=fopen(out_fn,"a");
    gettimeofday(&tv, &tz);
    time(&timeT);
    fprintf(out,"\n----- START of acidT tag: %d
-----\n\n",mypid);

```

```

        fprintf(out, "acidT tag: %d, begin transaction time: (%us %06uu)
%s",
            mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
        fprintf(out, "o_key: %d\tl_key: %d\tdelta: %d\n", o_key, l_key,
delta);
    }
#ifdef DEBUG
        printf("o_key: %d\tl_key: %d\tdelta: %d\n", o_key, l_key, delta);
#endif

retry_tran:

    if (acid->logging) {
        gettimeofday(&tv, &tz);
        time(&timeT);
        fprintf(out, "acidT tag: %d, before read of LINEITEM: (%us
%06uu) %s",
            mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
    }

EXEC SQL OPEN l_cursor;
if (sqlca.sqlcode != 0) {
    if (sqlca.sqlcode == DEADLOCK) goto retry_tran;
    rc = sqlca.sqlcode;
    if (acid->logging) {
        fprintf(out, "acidT **ERROR** sqlcode = %d\n", sqlca.sqlcode);
    } else {
        fprintf(stderr, "acidT **ERROR** sqlcode =
%d\n", sqlca.sqlcode);
    } /* endif */
    sqlerror("acidT: OPEN l_cursor", &sqlca);
    goto Terror;
}

EXEC SQL FETCH l_cursor INTO
:l_partkey, :l_supkey, :l_quantity, :l_tax,
:l_discount, :l_extendedprice;
if (sqlca.sqlcode != 0) {
    if (sqlca.sqlcode == DEADLOCK) goto retry_tran;
    rc = sqlca.sqlcode;
    if (acid->logging) {
        fprintf(out, "acidT **ERROR** sqlcode = %d\n", sqlca.sqlcode);
    } else {
        fprintf(stderr, "acidT **ERROR** sqlcode =
%d\n", sqlca.sqlcode);
    } /* endif */
    sqlerror("acidT: FETCH l_cursor", &sqlca);
    goto Terror;
}

#ifdef DEBUG
    printf("l_quantity = %0.3f\n", l_quantity);
    printf("l_tax = %0.3f\n", l_tax);
    printf("l_discount = %0.3f\n", l_discount);
    printf("l_extendedprice = %0.3f\n", l_extendedprice);
#endif

    if (acid->logging) {
        gettimeofday(&tv, &tz);
        time(&timeT);
        fprintf(out, "acidT tag: %d, after read of LINEITEM: (%us %06uu)
%s",
            mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
        fprintf(out, "l_partkey: %d l_supkey: %d l_quantity:
%0.3f\nl_tax: %0.3f l_discount: %0.3f l_extendedprice: %0.3f\n",
            l_partkey, l_supkey, l_quantity, l_tax, l_discount,
l_extendedprice);
    }

```

```

    rprice = TRUNC2(l_extendedprice/l_quantity);
    cost = TRUNC2(rprice * delta);
    new_extprice = l_extendedprice + cost;
    new_quantity = l_quantity + delta;

#ifdef DEBUG
    printf("rprice = %0.3f\n", rprice);
    printf("cost = %0.3f\n", cost);
    printf("new_extprice = %0.3f\n", new_extprice);
    printf("new_quantity = %0.3f\n", new_quantity);
#endif

EXEC SQL UPDATE tpcd.lineitem
SET l_extendedprice = :new_extprice,
l_quantity = :new_quantity
WHERE CURRENT OF l_cursor;

if (sqlca.sqlcode != 0) {
    if (sqlca.sqlcode == DEADLOCK) goto retry_tran;
    rc = sqlca.sqlcode;
    if (acid->logging) {
        fprintf(out, "acidT **ERROR** sqlcode = %d\n", sqlca.sqlcode);
    } else {
        fprintf(stderr, "acidT **ERROR** sqlcode =
%d\n", sqlca.sqlcode);
    } /* endif */
    sqlerror("acidT: UPDATE l_cursor", &sqlca);
    goto Terror;
}

    if (acid->logging) {
        gettimeofday(&tv, &tz);
        time(&timeT);
        fprintf(out, "acidT tag: %d, after update of LINEITEM: (%us
%06uu) %s",
            mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
        fprintf(out, "updated l_extendedprice: %0.3f\n", new_extprice);
        fprintf(out, "updated l_quantity: %0.3f\n", new_quantity);
    }

/* if (acid->termination == 0) {
    EXEC SQL CLOSE l_cursor;
    EXEC SQL CLOSE o_cursor;
    EXEC SQL COMMIT;
    if (sqlca.sqlcode != 0) {
        if (sqlca.sqlcode == DEADLOCK) goto retry_tran;
        rc = sqlca.sqlcode;
        if (acid->logging) {
            fprintf(out, "acidT **ERROR** sqlcode =
%d\n", sqlca.sqlcode);
        } else {
            fprintf(stderr, "acidT **ERROR** sqlcode =
%d\n", sqlca.sqlcode);
        }
        sqlerror("acidT: COMMIT", &sqlca);
        goto Terror;
    }
} */

    if (acid->logging) {
        gettimeofday(&tv, &tz);
        time(&timeT);
        fprintf(out, "acidT tag: %d, before read of ORDER: (%us %06uu)
%s",
            mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
    }

```

```

EXEC SQL OPEN o_cursor;
if (sqlca.sqlcode != 0) {
    if (sqlca.sqlcode == DEADLOCK) goto retry_tran;
    rc = sqlca.sqlcode;
    if (acid->logging) {
        fprintf(out, "acidT **ERROR** sqlcode = %d\n", sqlca.sqlcode);
    } else {
        fprintf(stderr, "acidT **ERROR** sqlcode =
%d\n", sqlca.sqlcode);
    } /* endif */
    sqlerror("acidT: OPEN o_cursor", &sqlca);
    goto Terror;
}

EXEC SQL FETCH o_cursor INTO :o_totalprice;
if (sqlca.sqlcode != 0) {
    if (sqlca.sqlcode == DEADLOCK) goto retry_tran;
    rc = sqlca.sqlcode;
    if (acid->logging) {
        fprintf(out, "acidT **ERROR** sqlcode = %d\n", sqlca.sqlcode);
    }
    else
    {
        fprintf(stderr, "acidT **ERROR** sqlcode =
%d\n", sqlca.sqlcode);
    }
    sqlerror("acidT: FETCH o_cursor", &sqlca);
    goto Terror;
}

#ifdef DEBUG
    printf("o_totalprice = %0.3f\n", o_totalprice);
#endif

    if (acid->logging) {
        gettimeofday(&tv, &tz);
        time(&timeT);
        fprintf(out, "acidT tag: %d, after read of ORDER: (%us %06uu)
%s",
            mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
        fprintf(out, "o_totalprice: %0.3f\n", o_totalprice);
    }

#ifdef DEBUG
    {
        double zeroone = l_extendedprice * (1.0 - l_discount);
        double zeroonetimes = (l_extendedprice * (1.0 - l_discount)) * 100.0;
        double firstone = TRUNC2(l_extendedprice * (1.0 - l_discount));
        double notone = TRUNC2(l_extendedprice * (1.0 - l_discount)) *
(1.0 + l_tax);
        double secondone = TRUNC2( TRUNC2( l_extendedprice *
(1.0 - l_discount) ) * (1.0 + l_tax) );
        printf("firstone= %f\n", firstone);
        printf("zeroone= %f\n", zeroone);
        printf("zeroonetimes= %f\n", zeroonetimes);
        printf("notone= %f\n", notone);
        printf("secondone= %f\n", secondone);
    }
#endif
    ototal = o_totalprice -
        TRUNC2( TRUNC2( l_extendedprice * (1 - l_discount) ) *
(1 + l_tax) );
    new_ototal = TRUNC2( new_extprice * (1.0 - l_discount) );
    new_ototal = TRUNC2( new_ototal * (1.0 + l_tax) );
    new_ototal = ototal + new_ototal;

#ifdef DEBUG

```

```

        printf("o_totalprice= %f\n", o_totalprice);
        printf("ototal= %0.3f\n", ototal);
        printf("ototal= %f\n", ototal);
        printf("new_ototal= %0.3f\n", new_ototal);
    #endif

EXEC SQL UPDATE tpcd.orders
    SET o_totalprice = :new_ototal
    WHERE CURRENT OF o_cursor;
if (sqlca.sqlcode != 0) {
    if (sqlca.sqlcode == DEADLOCK) goto retry_tran;
    rc = sqlca.sqlcode;
    if (acid->logging) {
        fprintf(out, "acidT **ERROR** sqlcode = %d\n", sqlca.sqlcode);
    } else {
        fprintf(stderr, "acidT **ERROR** sqlcode =
%d\n", sqlca.sqlcode);
    } /* endif */
    sqlerror("acidT: UPDATE o_cursor", &sqlca);
    goto Terror;
}

    if (acid->logging) {
        gettimeofday(&tv, &tz);
        time(&timeT);
        fprintf(out, "acidT tag: %d, after update of ORDER: (%us %06uu)
%s",
            mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
        fprintf(out, "updated o_totalprice: %0.3f\n", new_ototal);
    }

/*
** why is this code in here? we don't want to
** commit until the history table has been updated as well
if (acid->termination == 0) {
    EXEC SQL CLOSE L_CURSOR;
    EXEC SQL CLOSE O_CURSOR;
    EXEC SQL COMMIT;
    if (sqlca.sqlcode != 0) {
        if (sqlca.sqlcode == DEADLOCK) goto retry_tran;
        rc = sqlca.sqlcode;
        if (acid->logging) {
            fprintf(out, "acidT **ERROR** sqlcode =
%d\n", sqlca.sqlcode);
        } else {
            fprintf(stderr, "acidT **ERROR** sqlcode =
%d\n", sqlca.sqlcode);
        }
        sqlerror("acidT: COMMIT", &sqlca);
        goto Terror;
    }
}
*/

    if (acid->logging) {
        gettimeofday(&tv, &tz);
        time(&timeT);
        fprintf(out, "acidT tag: %d, before insert into HISTORY: (%us
%06uu) %s",
            mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
    }

EXEC SQL INSERT INTO tpcd.history values
(:l_partkey, :l_suppkey, :o_key, :l_key, :delta, CURRENT
TIMESTAMP);
if (sqlca.sqlcode != 0) {
    if (sqlca.sqlcode == DEADLOCK) goto retry_tran;
    rc = sqlca.sqlcode;

```

```

    if (acid->logging) {
        fprintf(out,"acidT **ERROR** sqlcode = %d\n",sqlca.sqlcode);
    } else {
        fprintf(stderr,"acidT **ERROR** sqlcode =
%d\n",sqlca.sqlcode);
    } /* endif */
    sqlerror("acidT: INSERT INTO history", &sqlca);
    goto Terror;
}

if (acid->logging) {
    gettimeofday(&tv, &tz);
    time(&timeT);
    fprintf(out,"acidT tag: %d, after insert into HISTORY: (%us
%06uu) %s",
        mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
}

/* sleep for 1 second for 80% of the transactions */
#ifdef SQLWINT
    if ( ((rand() % (100)) + 1) < 80 ) sleep(1);
#else
    if ( ((random() % (100)) + 1) < 80 ) sleep(1);
#endif

switch (acid->termination) {
case 1:
    {
        if (acid->logging)
        {
            gettimeofday(&tv, &tz);
            time(&timeT);
            fprintf(out,"acidT tag: %d, wait before COMMIT: (%us %06uu)
%s",
                mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
        }
        sleep(60);
    }
case 0:
    if (acid->logging) {
        gettimeofday(&tv, &tz);
        time(&timeT);
        fprintf(out,"acidT tag: %d, immediately before COMMIT: (%us
%06uu) %s",
            mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
    }
    EXEC SQL CLOSE L_CURSOR;
    EXEC SQL CLOSE O_CURSOR;
    EXEC SQL COMMIT;
    if (sqlca.sqlcode != 0) {
        if (sqlca.sqlcode == DEADLOCK) goto retry_tran;
        rc = sqlca.sqlcode;
        if (acid->logging) {
            fprintf(out,"acidT **ERROR** sqlcode =
%d\n",sqlca.sqlcode);
        } else {
            fprintf(stderr,"acidT **ERROR** sqlcode =
%d\n",sqlca.sqlcode);
        } /* endif */
        sqlerror("acidT: COMMIT", &sqlca);
        goto Terror;
    }
    if (acid->logging) {
        gettimeofday(&tv, &tz);
        time(&timeT);
        fprintf(out,"acidT tag: %d, after COMMIT: (%us %06uu) %s",
            mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
    }
}

```

```

    break;
case 3:
    if (acid->logging) {
        gettimeofday(&tv, &tz);
        time(&timeT);
        fprintf(out,"acidT tag: %d, wait before ROLLBACK: (%us
%06uu) %s",
            mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
    }
    sleep(60);
case 2:
    if (acid->logging) {
        gettimeofday(&tv, &tz);
        time(&timeT);
        fprintf(out,"acidT tag: %d, immediately before ROLLBACK:
(%us %06uu) %s",
            mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
    }
    EXEC SQL CLOSE L_CURSOR;
    EXEC SQL CLOSE O_CURSOR;
    EXEC SQL rollback work;
    if (sqlca.sqlcode != 0) {
        if (sqlca.sqlcode == DEADLOCK) goto retry_tran;
        rc = sqlca.sqlcode;
        if (acid->logging) {
            fprintf(out,"acidT **ERROR** sqlcode =
%d\n",sqlca.sqlcode);
        } else {
            fprintf(stderr,"acidT **ERROR** sqlcode =
%d\n",sqlca.sqlcode);
        } /* endif */
        sqlerror("acidT: ROLLBACK", &sqlca);
        goto Terror;
    }
    if (acid->logging) {
        gettimeofday(&tv, &tz);
        time(&timeT);
        fprintf(out,"acidT tag: %d, after ROLLBACK: (%us %06uu)
%s",
            mypid, tv.tv_sec, tv.tv_usec, ctime(&timeT));
    }
    break;
}

acid->l_partkey = l_partkey;
acid->l_suppkey = l_suppkey;
acid->l_quantity = l_quantity;
acid->l_tax = l_tax;
acid->l_discount = l_discount;
acid->l_extendedprice = l_extendedprice;
acid->o_totalprice = o_totalprice;

rc = 0;
goto Texit;

Terror:
    EXEC SQL CLOSE L_CURSOR;
    EXEC SQL CLOSE O_CURSOR;
    EXEC SQL rollback work;
    if (sqlca.sqlcode != 0) sqlerror("acidT: ROLLBACK FAILED",
&sqlca);

Texit:
    if (acid->logging) {
        fprintf(out,"n----- END of acidT tag: %d
-----\n\n",mypid);
        fflush(out);fclose(out);
    }
}

```

```

    return(rc);
}

/*-----*/
/*      updateQ      */
/*-----*/
int updateQ (struct update_struct *us)
{
    FILE *out;
    time_t timeT;
    struct timeval tv;
    struct timezone tz;
    int qnum;
    int rc = 0;
    int i;
    int secs2sleep;
    char buff[256];
    struct acidtype {int logging;} a, *acid;

    EXEC SQL BEGIN DECLARE SECTION;
    double  acctbal;
    double  discount;
    double  price;
    sqlint32 availqty;
    sqlint32 size;
    EXEC SQL END DECLARE SECTION;

    qnum = us->qnum;

    acid = &a;
    acid->logging = 1;

    sprintf(buff, "%s%%cupdate.out", getenv("TPCD_TMP_DIR"), del());
    out = fopen(buff, "a");

    gettimeofday(&tv, &tz);
    time(&timeT);
    fprintf(out, "\n----- START of update ----- \n\n");
    fprintf(out, "update query number: %d, begin transaction time: (%us
%06uu) %s",
        qnum, tv.tv_sec, tv.tv_usec, ctime(&timeT));

    sqlca.sqlcode = 0;
    discount = 0.25;
    price = 5000.50;
    acctbal = 1000.00;
    availqty = 10;
    size = 5;

    for (i=1; i <= 2; i++) {
        gettimeofday(&tv, &tz);
        time(&timeT);
        fprintf(out, "update query number: %d, pass %d, immediately
before UPDATE: (%us %06uu) %s",
            qnum, i, tv.tv_sec, tv.tv_usec, ctime(&timeT));

        switch (qnum)
        {
            case 1:
            {
                EXEC SQL
                UPDATE TPCD.LINEITEM set L_DISCOUNT =
L_DISCOUNT + :discount
                WHERE L_ORDERKEY IN (326,512,928,995);
                if (sqlca.sqlcode != 0) {
                    rc = sqlca.sqlcode;
                    if (acid->logging)
                {

```

```

                    fprintf(out, "update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
                        qnum, i, sqlca.sqlcode);
                }
            }
            else
            {
                fprintf(stderr, "update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
                    qnum, i, sqlca.sqlcode);
            }
            sqlerror("update query number 1", &sqlca);
            goto Uerror;
        }
        discount = discount * (-1);
        secs2sleep = 300;
        break;
    }
    case 2:
    {
        EXEC SQL
        UPDATE TPCD.SUPPLIER set S_ACCTBAL =
S_ACCTBAL + :acctbal
        WHERE S_NAME in
('Supplier#000000647','Supplier#000000070','Supplier#000000802');
        if (sqlca.sqlcode != 0) {
            rc = sqlca.sqlcode;
            if (acid->logging)
            {
                fprintf(out, "update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
                    qnum, i, sqlca.sqlcode);
            }
        }
        else
        {
            fprintf(stderr, "update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
                qnum, i, sqlca.sqlcode);
        }
        sqlerror("update query number 2", &sqlca);
        goto Uerror;
    }
    acctbal = acctbal * (-1);
    secs2sleep = 90;
    break;
}
case 3:
{
    EXEC SQL
    UPDATE TPCD.LINEITEM set L_DISCOUNT =
L_DISCOUNT + :discount
    WHERE L_ORDERKEY IN (260930, 402497, 457859,
509889, 581117,
538311, 588421, 416167, 97830, 90276);
    if (sqlca.sqlcode != 0) {
        rc = sqlca.sqlcode;
        if (acid->logging)
        {
            fprintf(out, "update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
                qnum, i, sqlca.sqlcode);
        }
    }
    else
    {
        fprintf(stderr, "update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
            qnum, i, sqlca.sqlcode);
    }
    sqlerror("update query number 3", &sqlca);
}

```



```

        goto Uerror;
    }
    discount = discount * (-1);
    secs2sleep = 300;
    break;
}
case 4:
{
    if ( i == 1 ) {
        EXEC SQL
            UPDATE TPCD.ORDERS set O_ORDERDATE =
O_ORDERDATE - 6 MONTHS
            WHERE O_ORDERKEY = 67461;
        /* WHERE O_ORDERKEY IN
(22400,28515,34338,46596,67461,92644,98307);*/
    } else {
        EXEC SQL
            UPDATE TPCD.ORDERS set O_ORDERDATE =
O_ORDERDATE + 6 MONTHS
            WHERE O_ORDERKEY = 67461;
    }
    if (sqlca.sqlcode != 0) {
        rc = sqlca.sqlcode;
        if (acid->logging)
        {
            fprintf(out,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
                qnum, i, sqlca.sqlcode);
        }
    }
    else
    {
        fprintf(stderr,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
                qnum, i, sqlca.sqlcode);
    }
    sqlerror("update query number 4", &sqlca);
    goto Uerror;
}
secs2sleep = 300;
break;
}
case 5:
{
    EXEC SQL
        UPDATE TPCD.LINEITEM set L_DISCOUNT =
L_DISCOUNT + :discount
        WHERE L_ORDERKEY IN
(70976,566279,152897,84226,232483);
    if (sqlca.sqlcode != 0) {
        rc = sqlca.sqlcode;
        if (acid->logging)
        {
            fprintf(out,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
                qnum, i, sqlca.sqlcode);
        }
    }
    else
    {
        fprintf(stderr,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
                qnum, i, sqlca.sqlcode);
    }
    sqlerror("update query number 5", &sqlca);
    goto Uerror;
}
discount = discount * (-1);
secs2sleep = 300;
break;

```

```

    }
case 6:
{
    EXEC SQL
        UPDATE TPCD.LINEITEM set L_DISCOUNT =
L_DISCOUNT + :discount
        WHERE L_ORDERKEY in
(33,131,161,195,229,230,231,323,353,356);
    if (sqlca.sqlcode != 0) {
        rc = sqlca.sqlcode;
        if (acid->logging)
        {
            fprintf(out,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
                qnum, i, sqlca.sqlcode);
        }
    }
    else
    {
        fprintf(stderr,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
                qnum, i, sqlca.sqlcode);
    }
    sqlerror("update query number 6", &sqlca);
    goto Uerror;
}
discount = discount * (-1);
secs2sleep = 300;
break;
}
case 7:
{
    EXEC SQL
        UPDATE TPCD.LINEITEM set L_DISCOUNT =
L_DISCOUNT + :discount
        WHERE L_ORDERKEY IN
(562917,410659,16550,398401,157634,429920,45411);
    if (sqlca.sqlcode != 0) {
        rc = sqlca.sqlcode;
        if (acid->logging)
        {
            fprintf(out,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
                qnum, i, sqlca.sqlcode);
        }
    }
    else
    {
        fprintf(stderr,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
                qnum, i, sqlca.sqlcode);
    }
    sqlerror("update query number 7", &sqlca);
    goto Uerror;
}
discount = discount * (-1);
secs2sleep = 300;
break;
}
case 8:
{
    EXEC SQL
        UPDATE TPCD.LINEITEM set L_DISCOUNT =
L_DISCOUNT + :discount
        WHERE L_ORDERKEY IN
(129569,343591,270242,254983,98500,28963);
    if (sqlca.sqlcode != 0) {
        rc = sqlca.sqlcode;
        if (acid->logging)
        {

```

```

        fprintf(out,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
        qnum, i, sqlca.sqlcode);
    }
    else
    {
        fprintf(stderr,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
        qnum, i, sqlca.sqlcode);
    }
    sqlerror("update query number 8", &sqlca);
    goto Uerror;
}
discount = discount * (-1);
secs2sleep = 300;
break;
}
case 9:
{
    EXEC SQL
    UPDATE TPCD.PARTSUPP set PS_AVAILQTY =
L_DISCOUNT + :discount
    WHERE L_ORDERKEY IN
(113509,232997,246691,379233,448162,32134);
    if (sqlca.sqlcode != 0) {
        rc = sqlca.sqlcode;
        if (acid->logging)
        {
            fprintf(out,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
            qnum, i, sqlca.sqlcode);
        }
    }
    else
    {
        fprintf(stderr,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
        qnum, i, sqlca.sqlcode);
    }
    sqlerror("update query number 9", &sqlca);
    goto Uerror;
}
discount = discount * (-1);
secs2sleep = 300;
break;
}
case 10:
{
    EXEC SQL
    UPDATE TPCD.LINEITEM set L_DISCOUNT =
L_DISCOUNT + :discount
    WHERE L_ORDERKEY IN
(516487,245411,265799,253025,6914,562020);
    if (sqlca.sqlcode != 0) {
        rc = sqlca.sqlcode;
        if (acid->logging)
        {
            fprintf(out,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
            qnum, i, sqlca.sqlcode);
        }
    }
    else
    {
        fprintf(stderr,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
        qnum, i, sqlca.sqlcode);
    }
    sqlerror("update query number 10", &sqlca);
    goto Uerror;
}

```

```

    }
    discount = discount * (-1);
    secs2sleep = 300;
    break;
}
case 11:
{
    EXEC SQL
    UPDATE TPCD.PARTSUPP set PS_AVAILQTY =
PS_AVAILQTY + :availqty
    WHERE PS_PARTKEY IN
(12098,5134,13334,17052,3452,12552,1084,5797);
    if (sqlca.sqlcode != 0) {
        rc = sqlca.sqlcode;
        if (acid->logging)
        {
            fprintf(out,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
            qnum, i, sqlca.sqlcode);
        }
    }
    else
    {
        fprintf(stderr,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
        qnum, i, sqlca.sqlcode);
    }
    sqlerror("update query number 11", &sqlca);
    goto Uerror;
}
availqty = availqty * (-1);
secs2sleep = 180;
break;
}
case 12:
{
    if (i == 1) {
        EXEC SQL
        UPDATE TPCD.LINEITEM set L_RECEIPTDATE =
L_RECEIPTDATE - 3 YEARS
        WHERE L_ORDERKEY IN
(33,70,195,355,677,837,960,962,1028);
    } else {
        EXEC SQL
        UPDATE TPCD.LINEITEM set L_RECEIPTDATE =
L_RECEIPTDATE + 3 YEARS
        WHERE L_ORDERKEY IN
(33,70,195,355,677,837,960,962,1028);
    }
    if (sqlca.sqlcode != 0) {
        rc = sqlca.sqlcode;
        if (acid->logging)
        {
            fprintf(out,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
            qnum, i, sqlca.sqlcode);
        }
    }
    else
    {
        fprintf(stderr,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
        qnum, i, sqlca.sqlcode);
    }
    sqlerror("update query number 12", &sqlca);
    goto Uerror;
}
secs2sleep = 300;
break;
}
}

```

```

case 13:
{
EXEC SQL
UPDATE TPCD.LINEITEM set L_DISCOUNT =
L_DISCOUNT + :discount
WHERE L_ORDERKEY IN
(263,9476,32355,34854,53445,56901);
if (sqlca.sqlcode != 0) {
rc = sqlca.sqlcode;
if (acid->logging)
{
fprintf(out,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
qnum, i, sqlca.sqlcode);
}
}
else
{
fprintf(stderr,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
qnum, i, sqlca.sqlcode);
}
sqlerror("update query number 13", &sqlca);
goto Uerror;
}
discount = discount * (-1);
secs2sleep = 90;
break;
}
case 14:
{
EXEC SQL
UPDATE TPCD.LINEITEM set L_DISCOUNT =
L_DISCOUNT + :discount
WHERE L_ORDERKEY IN (32,225,326,448,449,483,512);
if (sqlca.sqlcode != 0) {
rc = sqlca.sqlcode;
if (acid->logging)
{
fprintf(out,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
qnum, i, sqlca.sqlcode);
}
}
else
{
fprintf(stderr,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
qnum, i, sqlca.sqlcode);
}
sqlerror("update query number 14", &sqlca);
goto Uerror;
}
discount = discount * (-1);
secs2sleep = 180;
break;
}
case 15:
{
EXEC SQL
UPDATE TPCD.LINEITEM set L_DISCOUNT =
L_DISCOUNT + :discount
WHERE L_ORDERKEY IN (1,4,7,35,135,131300);
if (sqlca.sqlcode != 0) {
rc = sqlca.sqlcode;
if (acid->logging)
{
fprintf(out,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
qnum, i, sqlca.sqlcode);
}
}

```

```

}
else
{
fprintf(stderr,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
qnum, i, sqlca.sqlcode);
}
}
sqlerror("update query number 15", &sqlca);
goto Uerror;
}
discount = discount * (-1);
secs2sleep = 180;
break;
}
case 16:
{
EXEC SQL
UPDATE TPCD.PART set P_SIZE = P_SIZE + :size
WHERE P_PARTKEY IN (4,7,15,1313);
if (sqlca.sqlcode != 0) {
rc = sqlca.sqlcode;
if (acid->logging)
{
fprintf(out,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
qnum, i, sqlca.sqlcode);
}
}
else
{
fprintf(stderr,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
qnum, i, sqlca.sqlcode);
}
}
sqlerror("update query number 16", &sqlca);
goto Uerror;
}
size = size * (-1);
secs2sleep = 180;
break;
}
case 17:
{
EXEC SQL
UPDATE TPCD.LINEITEM set L_EXTENDEDPRICE =
L_EXTENDEDPRICE + :price
WHERE L_ORDERKEY IN
(4065,110372,165061,265702,87138);
if (sqlca.sqlcode != 0) {
rc = sqlca.sqlcode;
if (acid->logging)
{
fprintf(out,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
qnum, i, sqlca.sqlcode);
}
}
else
{
fprintf(stderr,"update query number: %d, pass %d,
**ERROR** sqlcode = %d\n",
qnum, i, sqlca.sqlcode);
}
}
sqlerror("update query number 17", &sqlca);
goto Uerror;
}
price = price * (-1);
secs2sleep = 90;
break;
}
}

```

```

    default:
    {
        fprintf(out,"ERROR: Invalid query number specified %d\n",
qnum);
        rc = 1;
        goto Uexit;
    }
}

gettimeofday(&tv, &tz);
time(&timeT);

if (acid->logging)
    fprintf(out,"update query number: %d, pass %d, after UPDATE:
(%us %06uu) %s",
        qnum, i, tv.tv_sec, tv.tv_usec, ctime(&timeT));
else
    fprintf(stderr,"update query number: %d, pass %d, after
UPDATE: (%us %06uu) %s",
        qnum, i, tv.tv_sec, tv.tv_usec, ctime(&timeT));

if ( i == 2 ) {
    gettimeofday(&tv, &tz);
    time(&timeT);
    fprintf(out,"update query number: %d, pass %d, sleeping for %d
seconds: (%us %06uu) %s",
        qnum, i, secs2sleep, tv.tv_sec, tv.tv_usec, ctime(&timeT));
    fflush(out);
    system("touch /tmp/tpcd/update.sync.sleep");
    sleep(secs2sleep);
}

gettimeofday(&tv, &tz);
time(&timeT);
fprintf(out,"update query number: %d, pass %d, immediately
before COMMIT: (%us %06uu) %s",
    qnum, i, tv.tv_sec, tv.tv_usec, ctime(&timeT));

EXEC SQL COMMIT;
if (sqlca.sqlcode != 0) {
    rc = sqlca.sqlcode;
    fprintf(out,"update pass %d, **ERROR** sqlcode = %d\n", i,
sqlca.sqlcode);
    sqlerror("update: COMMIT", &sqlca);
    goto Uerror;
}
gettimeofday(&tv, &tz);
time(&timeT);
if (acid->logging)
    fprintf(out,"update query number: %d, pass %d, after COMMIT:
(%us %06uu) %s",
        qnum, i, tv.tv_sec, tv.tv_usec, ctime(&timeT));
else
    fprintf(stderr,"update query number: %d, pass %d, after
COMMIT: (%us %06uu) %s",
        qnum, i, tv.tv_sec, tv.tv_usec, ctime(&timeT));
}

rc = 0;
goto Uexit;

Uerror:
EXEC SQL rollback work;
if (sqlca.sqlcode != 0) sqlerror("update: ROLLBACK FAILED",
&sqlca);
system("touch /tmp/tpcd/update.sync.sleep");

Uexit:

```

```

    fprintf(out,"\n----- END of update ----- \n\n");
    fflush(out);fclose(out);
    return(rc);
}

/*-----*/
/*      connect_to_TM      */
/*-----*/

void connect_to_TM( void )
{
    char *dbname_ptr;
    if ((dbname_ptr = getenv("TPCD_QUAL_DBNAME")) != NULL) {
        fprintf(stderr,"***** %s *****\n",dbname_ptr);
        strcpy (dbname, dbname_ptr);
    }

    EXEC SQL CONNECT TO :dbname IN SHARE MODE;
    if (sqlca.sqlcode < 0) {
        fprintf(stderr, "CONNECT TO %s failed SQLCODE = %d\n",
dbname, sqlca.sqlcode);
        exit(-1);
    }
    return;
}

/*-----*/
/*      disconnect_from_TM      */
/*-----*/

void disconnect_from_TM ( void )
{
    EXEC SQL CONNECT RESET;
    if (sqlca.sqlcode < 0) {
        fprintf(stderr, "DISCONNECT failed SQLCODE = %d\n",
sqlca.sqlcode);
        exit(-1);
    }
    return;
}

/*-----*/
/*      sqlerror      */
/*-----*/

void sqlerror(char *msg, struct sqlca *psqlca)
{
    FILE *err_fp;

    char err_fn[256];

    int j,k;

    sprintf(err_fn,
"%s%cacid.sqlerrors",getenv("TPCD_TMP_DIR"),del());
    err_fp=fopen(err_fn,"a");
    fprintf(err_fp,"acid: sqlcode: %4d %s\n", psqlca->sqlcode, msg);
    fprintf(stderr,"acid: sqlcode: %4d %s\n", psqlca->sqlcode, msg);
    fflush(stderr);
    if (psqlca->sqlerrmc[0] != ' ' || psqlca->sqlerrmc[1] != ' ') {
        fprintf(err_fp,"acid: slerrmc: ");
        for(j = 0; j < 5; j++)
        {
            for(k = 0; k < 14; k++) fprintf(err_fp,"%x ",
psqlca->sqlerrmc[j*10+k]);
            fprintf(err_fp," ");
            for(k = 0; k < 14; k++) fprintf(err_fp,"%c",
psqlca->sqlerrmc[j*10+k]);
            fprintf(err_fp,"\n");
        }
    }
}

```

```

        if (j < 4) fprintf(err_fp, "    ");
    }
}

fprintf(err_fp, "acid: sqlerrp: ");
for(j = 0; j < 8; j++) fprintf(err_fp, "%c", psqlca->sqlerrp[j]);
fprintf(err_fp, "\n");

fprintf(err_fp, "acid: sqlerrd: ");
for(j = 0; j < 8; j++) fprintf(err_fp, "%d", psqlca->sqlerrd[j]);
fprintf(err_fp, "\n");

if (psqlca->sqlwarn[0] != ' ') {
    fprintf(err_fp, "acid: sqlwarn: ");
    for(j = 0; j < 8; j++) fprintf(err_fp, "%c ", psqlca->sqlwarn[j]);
    fprintf(err_fp, "\n");
}

fprintf(err_fp, "\n");
fflush(err_fp); fclose(err_fp);
}

#ifdef SQLWINT
void sleep(int sec)
{
    Sleep(sec * 1000);
}
#endif

char del(void)
{
#ifdef SQLWINT
    return '\\';
#else
    return '/';
#endif
}

#if defined(SQLPTX) || defined(SQLWINT) || defined(SQLSUN) ||
defined(Linux)
/* added for PTX as this one is not there in libm */
double nearest(double x)
{
    double y, z;

    y = x;
    if (x < 0)
        y = -x;
    z = y - (int)y;
    if (z == 0.5) {
        if ((int)floor(y) % 2) {
            return((x < 0) ? -ceil(y) : ceil(y));
        } else {
            return((x < 0) ? -floor(y) : floor(y));
        }
    } else if (z < 0.5)
        return((x < 0) ? -floor(y) : floor(y));
    else
        return((x < 0) ? -ceil(y) : ceil(y));
}
#endif /* SQLPTX */

```

makefile

DBNAME = \$(TPCD_QUAL_DBNAME)

```

INCLUDE = $(HOME)/sqllib/include

#CFLAGS = -I$(INCLUDE) -g -Dpascal= -DLINT_ARGS \
# -Dfar= -D_loadds= -DSQLA_NOLINES -qflag=i:i
-qlanglvl=ansi

#LFLAGS = -lm -lcurses -ls -ll -ly -liconv -lbsd
CFLAGS = -I$(INCLUDE) -g -Dpascal= -DLINT_ARGS \
        -DSQLA_NOLINES -qflag=i:i -qlanglvl=ansi
# .. sun -DSQLA_NOLINES

LFLAGS = -lm -lbsd
# sun .... LFLAGS = -lm

LIB = -L$(HOME)/sqllib/lib -ldb2

CC = cc

HDR = acid.h
C = mainacid.c
SQC = acid.sqc
SRC = $(HDR) $(C)
$(SQC)
OBJ = acid.o
EXEC = mainacid

TARGET = $(EXEC) tsec

.SUFFIXES: .o .c .sqc .bnd

.c.o:
    $(CC) -c $< $(CFLAGS)

all:
    $(TARGET)

mainacid: $(SRC) $(OBJ) mainacid.o
    $(CC) -o $@ $(CFLAGS) $(OBJ) mainacid.o $(LIB)
$(LFLAGS)

acid.c: acid.sqc $(HDR)
    - db2 connect to $(DBNAME); \
    db2 prep acid.sqc BINDFILE ISOLATION RR
NOLINEMACRO PACKAGE; \
    db2 bind acid.bnd GRANT PUBLIC; \
    db2 connect reset; \
    db2 terminate

acid.o: acid.c
    $(CC) $(CFLAGS) -c acid.c -o acid.o

tsec: tsec.c
    $(CC) $(CFLAGS) $(LFLAGS) -o tsec tsec.c

clean:
    rm -f *.o *.bnd $(EXEC) tsec
    rm -f acid.c

```

Appendix F: Price Quotations

Microsoft Corporation
One Microsoft Way
Redmond, WA 98052-6399

Tel 425 882 8080
Fax 425 936 7329
<http://www.microsoft.com/>

Microsoft

August 8, 2003

IBM Corporation
Chris King
3039 Cornwallis Road
Research Triangle Park,
NC 27709

Ms. King:

Here is the information you requested regarding pricing for several Microsoft products to be used in conjunction with your TPC-H benchmark testing.

All pricing shown is in US Dollars (\$).

Part Number	Description	Unit Price	Quantity	Price
P72-00264	Windows Server 2003, Enterprise Edition <i>Server license only - No CALs Discount Schedule: Open Program - No Level Unit Price reflects a 40% discount from the retail unit price of \$3,999.</i>	\$2,399	1	\$2,399
659-00844	Visual Studio Professional <i>No discounts applied</i>	\$1,079	1	\$1,079
PRO-PRORS-16U-01	Database Server Support Package <i>1 Year Term</i>	\$1,950	3	\$5,850

All products are currently orderable through Microsoft's normal distribution channels.

This quote is valid for the next 90 days.

If we can be of any further assistance, please contact Jamie Reding at (425) 703-0510 or jamiere@microsoft.com.

Reference ID: PHchki0308080304

Please include this Reference ID in any correspondence regarding this price quote.